


GEOLOGICAL, GEOCHEMICAL AND PROSPECTING REPORT

on the

**PLUG, PLUG-A, Plug 1-31, Plug 11-A, MEADOW,
MEADOW-A, WALL 2, 5-7 AND 9 MINERAL CLAIMS**



Logan Lake Area
Kamloops Mining Division

921-047, 048, 057 and 058
(50° 26' North Latitude, 120° 37' West Longitude)

for

GOLDCLIFF RESOURCE CORPORATION

6976 Laburnum Street
Vancouver, BC
V6P 5M9
(Owner and Operator)

and

GRANT F. CROOKER

Box 404
Keremeos, BC
V0X 1W0
(owner)

by

**GRANT F. CROOKER, P. Geo.,
CONSULTING GEOLOGIST**

January 2007




TABLE OF CONTENTS

	Page
1.0 SUMMARY	1
2.0 INTRODUCTION	3
2.1 GENERAL	3
2.2 LOCATION AND ACCESS	3
2.3 PHYSIOGRAPHY	3
2.4 PROPERTY AND CLAIM STATUS	3
2.5 AREA AND PROPERTY HISTORY	4
3.0 EXPLORATION PROCEDURE	10
3.1 GEOCHEMICAL SURVEY PARAMETERS	10
3.2 ROCK SAMPLING METHODS	10
3.3 SAMPLE ANALYSIS	10
4.0 GEOLOGY AND MINERALIZATION	11
4.1 REGIONAL GEOLOGY	11
4.2 CLAIM GEOLOGY	11
4.3 MINERALIZATION	11
4.4 ROCK SAMPLING AND PROSPECTING	12
5.0 GEOCHEMISTRY	16
6.0 CONCLUSIONS	17
7.0 RECOMMENDATIONS	18
8.0 REFERENCES	19
9.0 CERTIFICATE OF QUALIFICATIONS	21

LIST OF FIGURES

FIGURE		FOLLOWS
FIGURE 1.0	LOCATION MAP	follows page 2
FIGURE 2.0	CLAIM MAP	follows page 3
FIGURE 3.0	COMPILATION MAP	follows page 4
FIGURE 4.0	GEOLOGY MAP	follows page 11
FIGURE 5.0	GEOLOGY AND GEOCHEMICAL VALUES	pocket

TABLES

TABLE		PAGE
TABLE 1.0	CLAIM DATA	3
TABLE 2.0	RGS GOLD STREAM SEDIMENT VALUES	8
TABLE 3.0	PLUG GOLD STREAM SEDIMENT VALUES	8
TABLE 4.0	STRONGEST GOLD STREAM SEDIMENT VALUES	8
TABLE 5.0	ANOMALOUS STREAM SEDIMENT VALUES	16

APPENDICES

APPENDIX I	- CERTIFICATES OF ANALYSIS
APPENDIX II	- ROCK SAMPLE DESCRIPTIONS
APPENDIX III	- STREAM SEDIMENT SAMPLE LOCATIONS
APPENDIX IV	- COST STATEMENT

1.0 SUMMARY

The Plug project consists of 41 cell claims covering 17,653.209 hectares in the Kamloops Mining Division, immediately northeast of Logan Lake in southern British Columbia. The Plug and Meadow claims are owned by Goldcliff Resource Corporation and the Wall claims by Grant Crooker. Goldcliff Resource Corporation is the operator of the project.

The general area of Kamloops-Merritt has been the scene of intense exploration and mining activity for more than 100 years. The exploration culminated with the discovery and development of the bulk tonnage copper-molybdenum deposits at Craigmont, Afton and Highland Valley.

Exploration has been carried out in the vicinity of the Plug project since the late 1880's with six mineral occurrences (Figure 3.0) having been documented. These include Bertha/Molly, Chatrandts, JHC, Rhyolite, Pom Pom and Plug. Shaft sinking, trenching, drilling, prospecting and geological, geochemical and geophysical surveys have been carried out over the showings.

The Plug project includes the Plug and Meadow showings that contain significant gold and silver mineralization. Western Resource Technologies Inc conducted well-documented exploration programs during the period 1985 through 1988. These programs consisted of geological mapping, prospecting, soil geochemical sampling and magnetic and VLF-EM surveying and outlined a number of weak to moderate gold soil geochemical anomalies with values up to 700 ppb gold. Several silver and copper soil geochemical anomalies were also outlined. Prospecting and sampling of the old trenches at the Plug showing revealed weak to strong carbonate-quartz alteration with minor mariposite over several hundred metres. A grab sample yielded gold and silver values of 7500 ppb (0.282 oz/ton) and 67.5 ppm respectively. Two grab samples of quartz-carbonate-mariposite schist with galena and sphalerite from the Meadow showing yielded 605 and 482 ppb gold and 165.1 and 258.4 ppm silver. Upper Triassic Nicola volcanic and sedimentary rocks with minor intrusive rocks underlie the claims.

Goldcliff Resource Corporation acquired the property in the fall of 1995, and during 1996 established grid lines over most of the property and conducted soil geochemical sampling, magnetic and VLF-EM geophysical surveying and prospecting. A number of gold, copper and mercury soil geochemical anomalies were delineated, along with magnetic features and VLF-EM conductors.

Goldcliff carried out excavator trenching and percussion drilling of the Plug and Meadow showings in 1997. The alteration zone that contains the gold-silver mineralization at the Plug showing is exposed over a strike length of 33 metres with a width of 3 metres. The outcrop contains extensive veining and strong pervasive carbonate alteration with silicification and quartz accompanied by a chrome-rich mica (fuchsite). The Plug showing on surface is open to the west and offset by a fault to the east. Rock sampling at trench-02 gave an average of 4.35 g/t gold and 52.2 g/t silver over a strike length of 11.98 metres and a width on 1.33 metres, including 20.78 g/t gold and 113.0 g/t silver over a width of 0.56 metres. The percussion drilling at the Plug showing tested trench-02 and drill hole PDH-02 returned an average of 1.30 g/t gold and 17.2 g/t silver over a length of 9.91 metres.

The alteration zone that contains the gold-silver mineralization at the Meadow showing is exposed over a surface area some 32 metres long and 2 metres wide. The alteration zone consists of chlorite-mica (fuchsite) feldspar schist containing a quartz vein stockwork that is accompanied by pyrite, galena, sphalerite and chalcopyrite. Rock sampling at trench-03 gave an average of 0.53g/t gold and 76.9g/t silver over a strike length of 31.99 metres and a width of 0.94 metres, including 2.24 g/t gold and 400.6 g/t silver over 4.44 metres, and 6.14g/t gold and 1715.0 g/t silver over 0.36 metres.

The BC Government conducted regional stream sediment surveys (RGS) over much of southern British Columbia in the 1980s, including the Plug claim area. Nine stream sediment samples were collected over the Plug claim area and gave anomalous gold values of up to 61 ppb and anomalous values for pathfinder elements. Goldcliff followed up the RGS results in 1996 by conducting a stream sediment sampling program over an area 20 by 25 kilometres. A total of 55 stream sediment samples were collected and assayed for gold and pathfinder elements. Gold values ranged from <5 to 765 ppb, with 26 samples giving values 10 ppb and greater. Stream sediment samples strongly anomalous in gold (> 180 ppb) were collected from Meadow Creek and its tributaries (195-765 ppb), Chartrand Creek, (705 ppb), tributaries of Greenstone Creek (185 and 245 ppb) and Hay Brook (285 ppb). Samples taken downstream from both the Plug (sample 039-380 ppb) and Meadow (sample 147-250 ppb) showings gave strongly anomalous gold values.


Early in 2006 Goldcliff acquired by staking the area the of the 1996 stream sediment sampling program and conducted follow-up stream sediment sampling (60 samples), prospecting and rock sampling (67 samples).

The following conclusions can be drawn from the 2006 work program:


- 1.1 Eight of the 67 stream sediment samples collected from the Plug claims gave anomalous gold values of 10 ppb and greater and six gave anomalous mercury values of 59 ppb and greater.
- 1.2 The anomalous gold and mercury stream sediment samples were collected from Chartrand Creek and its tributaries, Greenstone Creek, Hay Brook and the East Fork of Hay Brook.
- 1.3 Prospecting led to the discovery of the Logan showing, exposed for about 80 metres along the Neal Creek logging road. Six rock samples collected from the showing gave slightly elevated gold values, with a maximum of 70 ppb. However, the Logan showing has similar characteristics to the Plug showing, with strong pervasive orange carbonate alteration, calcite veining, weak silicification and minor fuchsite along fracturing. Chalcopyrite was also observed in one sample that gave an assay of 2315 ppm copper.
- 1.4 Prospecting also led to the discovery of the West showing, exposed intermittently for about 46 metres along a branch of the Dominic Lake logging road. Six rock samples collected from the showing gave background gold values (10-40 ppb). However pathfinder elements were strongly anomalous, with four of the samples giving more than 10000 ppb mercury and one sample 500 ppm antimony. A sample also gave 3.7 ppm silver and 1524 ppm copper. The West showing also has similar characteristics to the Plug showing, with pervasive orange carbonate alteration, calcite veining, brecciation and weak silicification.

Recommendations are as follows:


- 1.1 Prospecting should be carried out in the areas with anomalous gold and mercury stream sediment values to determine their causes.
- 1.2 The Logan and West showings should be evaluated by establishing grids over them and conducting soil geochemical sampling, magnetic and electromagnetic geophysical surveying, geological mapping and prospecting.
- 1.3 Trenching and drilling should be carried out at the Plug and Meadow showings to evaluate the extent and grade of the gold-silver mineralization at the showings.

Respectfully submitted,

 Grant Crooker, P. Geo.,
 Consulting Geologist

Jun 27/2007



**PROPERTY
LOCATION**



July 27/2007



GEOTEC CONSULTANTS LTD.		
GOLDCLIFF RESOURCE CORPORATION		
PLUG PROJECT LOCATION MAP		
KAMLOOPS M.D., B.C.		
DATE: NOV. 1997	SCALE: AS SHOWN	FIGURE: I.O
DRAWN BY: G.F.C.	N.T.S.: 921-7E	

2.0 INTRODUCTION

2.1 GENERAL

The following report entitled "Geological, Geochemical and Prospecting Report on the Plug, Plug-A, Plug 1-31, Plug-11A, Meadow, Meadow-A, Wall 2, 5-7 and 9 Mineral Claims, Logan Lake Area, Kamloops Mining Division, 92I-047, 048, 057 and 058, January 2007" was prepared for Goldcliff Resource Corporation, Vancouver, BC, Canada. The report was prepared to summarize the results of stream sediment sampling, rock sampling and reconnaissance prospecting conducted on the mineral claims during the period May through October 2006.

Fieldwork was carried out on the mineral claims from May 20 to October 20 2006, under the direction of Leonard W. Saleken, P.Geo., of Geotec Consultants Ltd. Grant F. Crooker, P. Geo., of GFC Consultants Inc. and William G. Botel, P.Eng., conducted the exploration program. Tyler Frasch was retained as a field assistant.

2.2 LOCATION AND ACCESS

The property (Figure 1.0) covers a large area east of Logan Lake in southern British Columbia. The southern boundary is located at approximately 50° 25' 15" north latitude, the northern boundary at 50° 34' 29" north latitude, the eastern boundary at 120° 35' 5" west longitude, and the western boundary at 120° 47' 19" west longitude (92I-047, 048, 057 and 058).

A network of paved, gravel and dirt roads (Figure 5.0) give excellent access to all areas of the claims. Paved roads include the Coquihalla highway that crosses the southeast corner of the property, the Logan Lake-Kamloops highway that passes along the southern boundary of the property and the Pasca Lake road that passes through the central portion of the property. Numerous all weather logging roads including the Surrey Lake, Hay Brook, Brooks, Neal Creek, Chartrand Creek and Dominic Lake access most areas of the property. Old four-wheel drive logging roads provide additional access on the property.

2.3 PHYSIOGRAPHY

The property is located in the Interior Plateau of southern British Columbia. Topography is gentle to steep and elevation varies from 1180 to 1700 metres above sea level. Many creeks drain the project area and numerous swamps and meadows are found along the creeks. A number of Lakes are also located within the property boundary. Snowfall is not excessive and water is available from the lakes, creeks and swamps.

Vegetation consists of swamps, open grassy meadows and forest-covered areas. The forested areas vary from aspen and spruce to jack pine and fir.

2.4 PROPERTY AND CLAIM STATUS


The Plug property (Figure 2.0) consists of 41 cell claims covering 17,653.209 hectares in the Kamloops Mining Division. Goldcliff Resource Corporation, 6976 Laburnum Street Vancouver BC, V6P 5M9 owns the 36 Plug and Meadow claims, while Grant F. Crooker, Box 404, Keremeos BC, V0X 1N0 owns the 5 Wall claims.

TABLE 1.0 - CLAIM DATA

Claim	Area Ha	Mining Division	Tenure No.	Good To Date y/m/d	New Good To Date y/m/d
Plug	432.086	Kamloops	513957	2012/NOV/01	2015/NOV/01*
Meadow	226.377	Kamloops	513960	2012/NOV/01	2015/NOV/01*
Plug-A	370.304	Kamloops	514025	2007/MAR/25	2009/NOV/01*
Meadow-A	432.222	Kamloops	514027	2007/MAR/26	2009/NOV/01*
Plug 01	514.118	Kamloops	524512	2006/DEC/29	2006/DEC/29
Plug 02	514.116	Kamloops	524513	2006/DEC/29	2006/DEC/29
Plug 03	308.577	Kamloops	524514	2006/DEC/29	2006/DEC/29
Plug 04	513.890	Kamloops	524516	2006/DEC/29	2006/DEC/29
Plug 05	513.890	Kamloops	524517	2006/DEC/29	2006/DEC/29
Plug 06	514.107	Kamloops	524547	2006/DEC/30	2009/NOV/01*

Map created Wed Jan 25 13:30:03 PST 2006

Legend



- Indian Reserves
- National Parks
- Parks
- Mineral Tenures Reserves (Data)
- Pincer Claim Designation
- Pincer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- BCOS Grid
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airstrip
- Anchorage - Seaplane
- Ferry Route
- Helipad
- Seaplane Base
- Air Field
- Airport
- Air Feature - Condition Unknown
- Airport, Abandoned
- Transportation - Lines (1:250K)
- Ferry Route
- Aerial Cableway
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 3 Lanes
- Road (Paved Jones, 2+ More Divided)
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road - Paved Jones, 3+ More Undivided
- Road (Unimproved)
- Road - Lower access Dry Weather
- Road (Winter Road)
- Road - Paved Jones, 2, Undivided
- Road - Paved Jones, 2, Undivided UIC
- Road - Paved Divided access Non Standart
- Track - Car/Tractor
- Causeway (Railway)
- Cut (Roadway)
- Trail
- Tunnel
- Bridge
- Rail Line - Narrow Gauge - Single Track
- Rail Line (Multiple Track)
- Rail Line (Single Track)
- Hot Line - Abandoned Track
- Cable - Telephone
- Cable - Underwater

Scale: 1:198,615

DO NOT USE FOR NAVIGATION

2006 PLUG PROJECT CLAIM MAP, KAMLOOPS M.D., BRITISH COLUMBIA – FIGURE 2.0



Plug 07	184.983	Kamloops	524548	2006/DEC/30	2006/DEC/30
Plug 08	513.889	Kamloops	524550	2006/DEC/30	2006/DEC/30
Plug 09	370.159	Kamloops	524551	2006/DEC/30	2006/DEC/30
Plug 10	493.156	Kamloops	524552	2006/DEC/30	2006/DEC/30
Plug 11	493.159	Kamloops	524553	2006/DEC/30	2006/DEC/30
Plug 11A	492.917	Kamloops	524554	2006/DEC/30	2006/DEC/30
Plug 12	492.919	Kamloops	524555	2006/DEC/30	2006/DEC/30
Plug 13	492.854	Kamloops	524556	2006/DEC/30	2006/DEC/30
Plug 14	493.030	Kamloops	524564	2006/DEC/30	2006/DEC/30
Plug 15	513.435	Kamloops	524566	2006/DEC/30	2006/DEC/30
Plug 16	61.596	Kamloops	524567	2006/DEC/31	2006/DEC/31
Plug 17	493.052	Kamloops	524568	2006/DEC/31	2006/DEC/31
Plug 18	246.408	Kamloops	524569	2006/DEC/31	2006/DEC/31
Plug 19	512.972	Kamloops	524571	2006/DEC/31	2006/DEC/31
Plug 20	513.797	Kamloops	524635	2007/JAN/02	2007/JAN/02
Plug 21	513.573	Kamloops	524637	2007/JAN/02	2007/JAN/02
Plug 22	513.310	Kamloops	524639	2007/JAN/02	2007/JAN/02
Plug 23	472.975	Kamloops	524640	2007/JAN/02	2007/JAN/02
Plug 24	492.919	Kamloops	524643	2007/JAN/02	2007/JAN/02
Plug 25	493.091	Kamloops	524644	2007/JAN/02	2007/JAN/02
Plug 26	369.931	Kamloops	524645	2007/JAN/02	2007/JAN/02
Plug 27	513.273	Kamloops	524646	2007/JAN/02	2007/JAN/02
Plug 28	492.623	Kamloops	526224	2007/JAN/25	2007/JAN/25
Plug 29	266.873	Kamloops	526228	2007/JAN/25	2007/JAN/25
Plug 30	513.128	Kamloops	526233	2007/JAN/25	2007/JAN/25
Plug 31	514.662	Kamloops	534379	2007/MAY/25	2007/MAY/25
Wall 2	513.79	Kamloops	524525	2006/DEC/30	2009/NOV/01*
Wall 5	514.03	Kamloops	524641	2007/JAN/02	2010/NOV/01*
Wall 6	185.03	Kamloops	524642	2007/JAN/02	2009/NOV/01*
Wall 7	411.39	Kamloops	524665	2007/JAN/03	2010/NOV/01*
Wall 9	164.60	Kamloops	524667	2007/JAN/03	2009/NOV/01*

* Upon acceptance of this report.



2.5 AREA AND PROPERTY HISTORY

The Kamloops-Merritt-Logan Lake area has been the scene of intense exploration activity over the past 100 years. This activity culminated with the discovery and development of the porphyry copper-molybdenum mines in the Highland Valley, the Craigmont mine near Merritt and the Afton mine near Kamloops, beginning in the 1960's. Small mines with good copper-gold values were worked south of Kamloops Lake in earlier days.

Prospecting and development has been carried out in the vicinity of the Plug property for over 100 years. The documented showings near the property (Figure 3.0) are Bertha/Molly, JHC, Pom Pom, Chatrandts and Rhyolite. The Plug claims cover the former Plug property, now referred to as the Plug and Meadow showings. Shaft sinking, trenching, drilling, prospecting, and geophysical, geological and geochemical surveys have been carried out on the properties near the Plug claims. A brief summary of the showings is given below.

Bertha/Molly Showing

Wright and Fletcher first staked this showing in 1888. A shaft was sunk on the main showing (No. 1 Showing) and lodes 3 feet to 4.5 feet in thickness were discovered. In 1928 Meadow Creek Mines worked the Number 1 Showing and a few tons of high-grade copper ore were sorted for shipment. Dunmore Mines Ltd. carried out road building, trenching and diamond drilling in 1954. A



LEGEND

- Anomalous Regional Silts (Ag/As)
- X Mineralized Showings
- Adit
- Drill Holes
- + Anomalous Geochem. (Ag/As/Au)
- ▭ Survey Grids
- ▨ Alteration Zones


GEOLOGY

NICOLA GROUP

- TNw Tuffs & Sediments
- TNc Basic Flows
- TNe Porphyry & Breccia
- TJdm Diorite

— Geological Contact

— Fault



GEOTEC CONSULTANTS LTD.

GOLDCLIFF RESOURCE CORPORATION

**PLUG PROJECT
COMPILATION MAP**

KAMLOOPS M.D., B.C.

DATE: NOV. 1997 SCALE: 1:50,000

DRAWN BY: G.F.C. N.T.S.: 921-7E

FIGURE 3.0

small mill was erected but the supergene copper minerals were not amenable to gravity concentration. Dunmore Mines drilled 17 diamond drill holes in 1957 and Hemsworth reported that the holes encountered only sparse mineralization.

Highhawk Mines Ltd. and Consolidated Standard mines Ltd. acquired ground in the vicinity in 1972. Approximately 17 line miles of grid were established northwest of Dupont Lake to encompass Number 2 and 4 Showings. Soil geochemical and Induced Polarization surveys were conducted and two diamond drill holes totalling 750 feet were drilled to test IP anomalies flanking copper soil geochemical responses. Both holes encountered fracture related copper mineralization but the holes were not assayed and the claims were allowed to lapse.

JHC SHOWING

Vanex Minerals Ltd. acquired claims covering the JHC showing in 1958. They conducted magnetic surveys and physical work under the direction of Hill, Stark and Associates, consulting Engineers. In 1959 Vanex drilled two holes in the JHC area:

Hole No. 1

This hole was located approximately 3000 feet north of Homfray Lake and was drilled vertically to a depth of 358 feet to test a magnetic high. The lower portion of the hole encountered a siliceous, altered grey-green rock with considerable pyrite. No assays were reported but the recommendation was made to extend the hole to 1000 feet.

Hole No. 2

This hole was located on the west shore of Homfray Lake and was drilled at minus 45 degrees to a depth of at least to 293 feet. Altered volcanic rocks were noted but no mineralization was reported and no reason given for drilling the hole.

Craigmont Mines Limited staked claims in the area of the JHC showing in 1970. A small survey consisting of geological mapping, geochemical sampling and magnetic and IP surveying was conducted. Two holes totalling 800 feet were drilled but the location and results of the drilling are unknown.

Pom Pom Showing

Newmont Mining Corporation of Canada staked the Pom Pom claims in 1973 after copper mineralization grading 0.17% copper was discovered. A small grid was established and mapping, soil geochemical sampling, magnetic and IP surveying (one line mile) were conducted. Follow up investigations were not conducted.

Chatrandts Showing

The Minister of Mines Report for 1916 describes the showing as consisting of several deep open cuts and a 40-foot long adit. The location is not well documented and no further information is available on the showing.

Plug Claims

The Plug claims cover the old Plug showings, now referred to as the Plug showing (west showing) and Meadow showing (east showing). A description of the historical information available on the area is given below.

In 1972 Texada Mines Ltd. conducted geological mapping, magnetic and IP surveying and soil geochemical sampling (copper, zinc and silver) on 14 line miles of grid. The coincidental targets were percussion drilled with eight holes totalling 1400 feet. This work identified and concentrated on two zones of interest that are now referred to as the Plug and Meadow showings.

The Plug showing is described as underlain by altered lapilli tuff, minor lenses of limey sediments and chloritic schist. Narrow hornblende and andesite sills cut the sedimentary and volcanic rocks. Carbonate-quartz-mariposite schist with a N20°W strike and a steep easterly dip is in contact with the chloritic schist. One percussion drill hole tested the zone and encountered altered volcanic rocks with no visible mineralization.

Chlorite-mica-feldspar schist and a highly pyritic quartz feldspar porphyry underlie the Meadow showing. Narrow hornblende and andesite sills cut the other rock types.

A five to ten-foot wide zone of quartz-mariposite schist (east-west strike, dip 75° south) occurs within the chlorite-mica-feldspar schist and contains minor silver bearing galena, sphalerite and chalcopyrite. During 1959 several AX diamond drill holes tested this zone, but the results are unknown.

A highly pyritized quartz feldspar porphyry with minor chalcopyrite outcrops along Meadow Creek. This zone was tested by seven percussion drill holes that did not yield economic copper mineralization. An irregular, steeply south and east plunging pyritized quartz feldspar porphyry sill with a maximum thickness of 100 feet was encountered in the holes. One of the percussion drill holes encountered more than 80 feet of overburden.

From 1985 to 1988 Western Resource Technologies Inc. carried out work programs on the Rhyolite, Dupont Lake and Meadow Creek grids (Figure 3.0). A stream sediment sampling program was carried out over all drainages covered by the WRT claims. Soil and rock geochemical sampling, prospecting and magnetic and VLF-EM surveys were carried out over the grids. Anomalous copper, lead, zinc, gold, silver and arsenic values were found in stream sediment and soil samples. As well, a number of VLF-EM conductors and magnetic trends were found.

The program on the Meadow Creek grid outlined a number of weak to moderate gold geochemical anomalies with values of up to 700 ppb gold. Several silver and copper geochemical anomalies were also outlined. Prospecting and sampling of the old trenches at the Plug showing revealed weak to moderate carbonate-quartz-mariposite alteration over several hundred metres, with a grab sample yielding gold and silver values of 7500 ppb (0.282 oz/ton) and 67.5 ppm respectively. Several soil samples taken from the same trench as the anomalous rock sample gave 70 and 150 ppb gold.

Five rock samples taken from the Plug showing by Goldcliff Resource Corporation personnel in the fall of 1995 gave gold values ranging from 0.060 to 2.620 g/t and silver values ranging from 1.8 to 114.5 g/t.

Very little rock sampling has been carried out on the Meadow showing. However two grab samples of quartz-carbonate-mariposite schist with galena and sphalerite from this showing yielded 605 and 482 ppb gold and 165.1 and 258.4 ppm silver.

During 1996 Goldcliff established a grid over most of the property and conducted soil geochemical sampling and VLF-EM and magnetic surveying. Stream sediment sampling was also carried out on the major drainages on the property.

The stream sediment sampling program was very successful with 11 of 25 samples giving anomalous gold values. Anomalous gold values came from Meadow Creek below the Plug and Meadow showings, Hay Brook and the northwesterly flowing drainages in the southeastern portion of the property.

Gold soil geochemical values were generally low, with no broad anomalies outlined. However, four areas do show clustering of values. The gold anomalies do not occur coincidentally with the mercury and copper anomalies.

Two weak to moderate mercury soil geochemical anomalies were outlined. These two anomalies are made up of clusters of small, contiguous mercury anomalies. Mercury appears to have moderate correlation with copper. Copper was the most strongly anomalous of all elements, and three weak to strong anomalies were outlined. Copper appears to have little correlation with gold, but moderate to strong correlation with mercury. The strongest copper and mercury anomalies occur in the southeastern portion of the property.

The geophysical survey indicated a number of significant magnetic and electromagnetic features. The Plug showing occurs within interpreted intrusive or volcanic rock and appears to be associated with a weak magnetic high, VLF-EM conductivity and an interpreted fault intersection in the centre of the detail grid area. VLF-EM conductors in the detail grid area vary from strong to weak, are of short strike length and are near surface, possibly reflecting the mineralization within the detail grid.

The Meadow showing appears to be in a more complex structural, conductive and alteration environment. The mineralization may be related to conductivity within a northeast trending fault.

Goldcliff carried out excavator trenching and percussion drilling of the Plug and Meadow showings in 1997. The alteration zone that contains the gold-silver mineralization at the Plug showing is exposed over a strike length of 33 metres with a width of 3 metres. The outcrop contains extensive veining and strong pervasive carbonate alteration with silicification and quartz accompanied by a chrome-rich mica (fuchsite). The Plug showing on surface is open to the west and offset by a fault to the east.

Trench-02 gave an average of 4.35 g/t gold and 52.2 g/t silver over a strike length of 11.98 metres and a width on 1.33 metres, including 20.78 g/t gold and 113.0 g/t silver over a width of 0.56 metres. Select individual anomalous intercepts from the trenching include the following:

Trench-Sample#	Interval (m)	Au (g/t)	Ag (g/t)
T02-37	1.70	1.14	68.8
T02-39	1.50	2.08	84.8
T02-41	0.56	20.78	39.8
T02-48	1.50	1.86	79.8
T02-50	2.00	3.88	113.0
T02-52	2.00	4.86	38.6
T02-55	1.00	6.92	55.6
T02-56	1.10	10.46	79.0
T02-57	2.00	7.50	49.4

The percussion drilling at the Plug showing tested trench-02 and drill hole PDH-02 returned an average of 1.30 g/t gold and 17.2 g/t silver over a length of 9.91 metres. Anomalous intercepts include the following:

DDH (#)	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)
PDH-02	3.01	12.92	9.91	1.30	17.2
Including	7.82	12.92	5.30	1.82	26.7
Including	9.14	12.92	3.78	2.70	37.7
Including	9.14	10.67	1.53	2.81	40.2
PDH-03	16.76	18.29	1.53	0.83	11.0
PDH-04	13.72	15.24	1.52	0.20	1.0

The alteration zone that contains the gold-silver mineralization at the Meadow showing is exposed over a surface area some 32 metres long and 2 metres wide. The alteration zone consists of chlorite-mica (fuchsite) feldspar schist containing a quartz vein stockwork that is accompanied by pyrite, galena, sphalerite and chalcopyrite.

Trench-03 gave an average of 0.53 g/t gold and 76.9 g/t silver over a strike length of 31.99 metres and a width of 0.94 metres, including 2.24 g/t gold and 400.6 g/t silver over 4.44 metres, and 6.14g/t gold and 1715.0 g/t silver over 0.36 metres. Select individual anomalous intercepts from the trenching include the following:

Trench-Sample#	Interval (m)	Au (g/t)	Ag (g/t)
T03-90	1.00	0.24	175.0
T03-91	1.40	0.27	100.0
T03-93	0.36	6.14	1715.0
T03-106	0.75	4.25	161.0

The percussion drilling at the Meadow showing tested trench-03 and drill hole PDH-01 returned an average of 0.08 g/t gold and 27.8 g/t silver over a length of 47.25 metres. Anomalous intercepts include the following:

DDH (#)	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)
PDH-01	1.52	48.77	47.25	0.08	27.8
Including	1.52	36.58	35.06	0.10	35.7
Including	1.52	21.34	19.82	0.13	53.4
Including	1.52	9.14	7.62	0.19	73.1
Including	1.52	7.62	6.10	0.26	95.6
Including	1.52	6.10	4.58	0.34	124.2
Including	1.52	3.01	1.49	0.35	168.0

Regional Stream Sediment Survey

The BC Government conducted regional stream sediment surveys (RGS) over much of southern British Columbia in the 1980s, including the Plug claim area. Nine stream sediment samples were collected over the Plug claim area and gave anomalous gold values of up to 61 ppb (Table 2.0).

TABLE 2.0 – RGS GOLD STREAM SEDIMENT VALUES

RGS Sample #	Au ppb	Stream Location	Gold Belt	Mining Division
921811094-1	2	Chartrand Creek	Merritt-Logan Lake	Kamloops
921811094-2	7	Chartrand Creek	Merritt-Logan Lake	Kamloops
921811191	7	Greenstone Creek	Merritt-Logan Lake	Kamloops
921811192	10	Greenstone Creek	Merritt-Logan Lake	Kamloops
921813232	2	Greenstone Creek	Merritt-Logan Lake	Kamloops
921811199	2	Meadow Creek tributary	Merritt-Logan Lake	Kamloops
921811197	61	Meadow Creek	Merritt-Logan Lake	Kamloops
921813234	8	Meadow Creek	Merritt-Logan Lake	Kamloops
921813233	2	Hay Brook	Merritt-Logan Lake	Kamloops

Goldcliff followed up the RGS results in 1996 by conducting a stream sediment sampling program over an area 20 by 25 kilometres. A total of 55 stream sediment samples were collected and assayed for gold and pathfinder elements. Gold values ranged from <5 to 765 ppb, with 26 samples giving values 10 ppb and greater. The sample locations are displayed on Figure 5.0 and the sample values are listed in Table 3.0.

TABLE 3.0 – PLUG GOLD STREAM SEDIMENT VALUES

Sample Count	Au ppb Values	Au ppb Class	Target Status	Target Action
29	4-5	background	background	no follow-up
0	6-9	background	background	no follow-up
5	10-19	threshold	threshold	potential follow-up
6	20-39	threshold	threshold	potential follow-up
3	40-59	anomalous	weak anomaly	definite follow-up
2	60-99	anomalous	moderate anomaly	definite follow-up
2	100-199	anomalous	strong anomaly	definite follow-up
8	>200	anomalous	very strong anomaly	definite follow-up

A number of strongly anomalous gold values were obtained from the stream sediment survey, with strongly anomalous gold values from samples taken downstream from both the Plug (sample 039-380 ppb) and Meadow (sample 147-250 ppb) showings. Table 4.0 highlights the highest gold values and their locations.

TABLE 4.0 – STRONGEST GOLD STREAM SEDIMENT VALUES

Plug Sample #	Au ppb	Stream Location	Gold Belt	Mining Division
1206832290876039	380	Meadow Creek	Merritt-Logan Lake	Kamloops
1996040201976072	705	Chartrand Creek	Merritt-Logan Lake	Kamloops
1996022396964079	595	Meadow Creek tributary	Merritt-Logan Lake	Kamloops
1207158109953119	365	Meadow Creek tributary	Merritt-Logan Lake	Kamloops
1207138090795121	195	Meadow Creek tributary	Merritt-Logan Lake	Kamloops
1997290090810123	765	Meadow Creek tributary	Merritt-Logan Lake	Kamloops
1206955090689147	250	Meadow Creek	Merritt-Logan Lake	Kamloops
1996301198648154	245	Greenstone Creek tributary	Merritt-Logan Lake	Kamloops
1996554202160160	185	Greenstone Creek tributary	Merritt-Logan Lake	Kamloops
1206882492439170	285	Hay Brook	Merritt-Logan Lake	Kamloops

Melba Prospect

The Melba prospect is an epithermal gold-silver prospect owned by Grant Crooker and located approximately 9 kilometres northeast of the Plug and Meadow showings. The discovery trench was excavated in 2001, as a result of follow-up to a 1996 stream sediment sample that gave 1260 ppb gold.

The discovery trench exposed a strike length of 28 metres of chalcedonic breccia, three to five metres wide, striking northerly and dipping 45° to 60° west. Sampling gave gold values in the 20 to 340 ppb range, with the highest value 2.0 g/t gold across 0.75 metres. Silver (<0.2 to 5.8 ppm), arsenic (<5 to 110 ppm), mercury (<5 to 116 ppb) and molybdenum (<1 to 63 ppm) values were weakly to moderately anomalous.

Trenching 300 metres south of the discovery trench exposed grey-green, variably carbonate altered Nicola volcanic rocks with strong fracturing and at times a weak quartz stockwork. The fractures are strongly chlorite altered and contain minor concentrations of pyrite and fuchsite. Sampling gave gold values in the 10 to 265 ppb range.

Eight drill holes tested the chalcedonic breccia zone at the discovery trench, and indicated a minimum strike length of 43 metres for the breccia zone. The zone has been emplaced along a major structural feature, dips 55° east and has a true width of five metres near surface, narrowing to two metres at the deepest vertical intersection of 41 metres. Sampling gave gold values in the 20 to 110 ppm range, with the highest value 665 ppm gold over 0.65 metres. Silver (<0.2 to 6.9 ppm), arsenic (<5 to 300 ppm), antimony (<2 to 34 ppm), mercury (<5 to 700 ppb) and molybdenum (<1 to 374 ppm) were weakly to moderately anomalous.

One drill hole tested the chalcedonic breccia zone 350 metres south of the discovery trench and intersected 3.8 metres of chalcedonic breccia. Sampling gave gold values ranging from 70 to 150 ppb. Silver (1.4 to 3.5 ppm), arsenic (65 to 105 ppm), antimony (<2 to 8 ppm), mercury (44 to 94 ppb) and molybdenum (38 to 86 ppm) were weakly anomalous.

Two drill holes tested the carbonate altered Nicola volcanic rocks with quartz stockwork 300 metres south of the discovery trench. Drill hole DDH-09 intersected carbonate altered and silicified zones throughout the hole, with gold values ranging from <0.03 to 1.13 g/t. This included 3.26 metres (37.58-40.94 metres) averaging 0.69 g/t gold and 1.12 metres of 1.13 g/t gold.

3.0 EXPLORATION PROCEDURE

3.1 GEOCHEMICAL SURVEY PARAMETERS

- survey total -60 stream sediment samples collected
 - stream sediment samples collected from active portion of stream
 - stream sediment samples sieved to -20 mesh in the field
 - approximately 500 grams of material collected for each sample
- survey total -67 rock samples collected
 - float, select and grab samples

The stream sediment and rock sample locations are illustrated on Figure 5.0 and the certificates of analysis listed in Appendix I

3.2 ROCK SAMPLING METHODS

Float, select and grab samples were collected from the Plug claim area during the course of the 2006 work program. Float samples are samples of loose material not taken from a specific outcrop. Select samples consist of a sample of the most highly mineralized rock from a mineralized zone and are not representative of the mineralized zone as a whole. Grab samples consist of a sample of rock taken from outcrop or suboutcrop but not in a systematic manner.

3.3 SAMPLE ANALYSIS

All stream sediment and rock samples collected in 2006 were sent to Eco Tech Laboratory Ltd., 10041 Dallas Drive, Kamloops BC, V2C 6T4 for analysis. Laboratory technique for stream sediment samples consisted of drying the samples and sieving to minus 80 mesh. Laboratory technique for rock samples consisted of two stage crushing the samples to minus 10 mesh with a 250 gram sub sample pulverized on a ring mill pulverizer to minus 140 mesh. The sub sample was rolled and homogenized. Gold (30 gram sample, fire assay, atomic adsorption finish, results in parts per billion), mercury (cold vapor) and 28 element ICP analysis (Jarrel Ash 61E ICP, aqua-regia digestion) were carried out on all the stream sediment and rock samples.

Eco Tech Laboratory Ltd. is not ISO 9002 certified, however all Eco Tech assayers are certified by the British Columbia government. Resplit and repeat analyses were performed with good correlation to the original results.

4.0 GEOLOGY AND MINERALIZATION

4.1 REGIONAL GEOLOGY

The area of the property lies within the Intermontane Belt of the Canadian Cordillera and is part of Quesnellia. Late Triassic arc-volcanic rocks (Figure 4.0) and volcanogenic sedimentary rocks of the Nicola Group underlie most of the property, with the extreme southeast corner of the property underlain by Triassic Nicola Group volcanic rocks typically metamorphosed to low greenschist facies. The volcanic and greenschist facies rocks are separated by the northerly striking, steeply dipping Tertiary Clapperton fault system. The Clapperton fault system forms the western boundary of the Nicola Horst in the area of the Plug claims and may be an important conduit for mineralizing solutions in the area of the Plug and Meadow showings.

The metamorphosed Nicola Group rocks are part of the Nicola Horst that is a northerly trending block 40 kilometres long, entirely separated from the surrounding Nicola Group volcanic rocks by Tertiary normal faults. It is a complex of Nicola strata, quartzite, metaconglomerate and black schist of unknown age, and tonalite and tonalite porphyries that are penetratively deformed and metamorphosed to amphibolite facies. A variety of plutonic rocks ranging from metagabbro and tonalite to gabbro cut the older rocks. These plutonic rocks range in age from at least Early Jurassic to Paleocene.

There are two main sets of major faults. Northwesterly striking, at least partly contractional features that are probably Mesozoic in age, and northerly striking Tertiary extensional faults.

4.2 CLAIM GEOLOGY

The Plug claims are underlain by Late Triassic arc-volcanic rocks and sedimentary facies of the Nicola Group (Figure 4.0) that have been divided into three belts on the basis of distinct facies and assemblages. These three belts have been named the western (TNw), central (TNc) and eastern (TNe) belts (Open File 1990-29 Nicola Lake Region Geology and Mineral Deposits). Figure 5.0 also illustrates the geology of the Plug claims (Bedrock Geology of the Ashcroft Map Area) but with different nomenclature. On Figure 5.0, TNw is equivalent to uTN3, TNc to uTN4, TNe to uTN5 and TNcm to uTN7.

Most of the property is underlain by the eastern belt facies that consists almost entirely of mafic augite-phyric volcanoclastic rocks, ranging from coarse, probably laharic breccias to fine wacke and siltstone. Central belt facies rocks underlie the southwestern part of the property. These rocks are mainly augite and plagioclase-phyric basalt flows and associated breccias. Sub-volcanic intrusions of diorite and gabbro are also abundant. Western belt facies rocks outcrop along the southwestern boundary of the property and are a succession of calcalkaline, mainly plagioclase-phyric andesite flows and breccias, with lenticular interlayers of limestone and bedded volcanoclastic rocks. Sub-greenschist and greenschist grade metamorphic rocks (TNcm) of the central volcanic belt underlie the portion of the property lying east of the Clapperton fault within the Nicola Horst.

4.3 MINERALIZATION

Mineralization is found at both the Plug and Meadow showings (Figure 3.0) on the Plug claims. Polished thin section examination of rocks from the Plug showing showed strong carbonate alteration with lesser silicification and quartz. The carbonate and quartz occur as fragments and veins, with two or more generations of carbonate veining occurring in several samples. Mariposite was noted in one sample. Based on their textures and mineral assemblages these rocks are believed to be alteration of mafic rocks. The presence of magnesite, mariposite and extensive veining suggests profound alteration of a magnesium and chromium rich source.

Opaque content of the samples varied from 1 to 3% in the four samples. Pyrite is the dominant opaque mineral, usually making up 75 to 99% of the opaques. Pyrite occurs as crystals, crystal fragments and ragged grains in seams and veins as well as disseminations throughout the rock. Grain size is usually in the 0.1 to 0.3 millimetre range. Magnetite was observed to make up 30% of the opaques in one sample and occurs as fine grains in the 0.05 to 0.1 millimetre range. Rare 5 to 60 micron size grains of chalcopyrite also occur in three of the samples.

BC Administrative Area Layers

- BC Communities
 - City
 - Town
 - Village
 - Resort Municipality
 - Settlement
 - Community
 - District Municipality

Mineral Titles Layers

- MTO Mineral Titles Online Polygons
 - Mineral
 - Placer

Topographic Layers

- Roads 1:250K (<2M)
- Lakes 1:50K (<300K)
- Rivers 1:250K (<2M)

BCGS Geology Layers 2005

- Contacts & Faults (<1.5M)
 - Contact
 - Extension Fault
 - Fault

Bedrock Geology



- Jurassic Intrusive Rocks
 - eJgd Granodiorite

Late Triassic Rocks

- LTrUm Ultramafic Rocks

Triassic Nicola Group Volcanic Rocks

- uTrNE Eastern Facies Basaltic
- uTrNC Central Facies Andesitic
- uTrNW Western Facies Undivided



SCALE 1 : 150,000



**2006 PLUG PROJECT GEOLOGY MAP, KAMLOOPS M.D.
BRITISH COLUMBIA - FIGURE 4.0**

4.4 ROCK SAMPLING AND PROSPECTING

Sixty-seven rock samples were collected from various locations on the Plug claims (Figure 5.0) during the course of reconnaissance prospecting. A large number of the samples were collected from five areas that will each be described below.

FT-01 SHOWING

Location

The FT-01 showing is located at an elevation of 1,550 metres, on the ridge east of Morrison Creek and north of Hay Brook.

Geology

The float covers an area 40 by 80 metres along a logging road and consists of porphyritic Nicola volcanic rocks and volcanic breccia. The rocks are gossanous and show variable amounts of orange carbonate alteration. The major structural trend in the area is 170°.

Sample Summary

Sample#	UTM E	UTM N	Au ppb	As	Cu	Fe %	Hg ppb	Mo	Pb	Sb	Zn	Type	Location	Geology
262024	666900	5597955	5	5	67	3.42	4	1	20	5	48	Rock	Morrison Ck	Nicola, hornblende porphyry, gossan
262025	666852	5597921	5	5	114	6.55	20	4	26	4	63	Rock	Morrison Ck	Nicola, rusty gouge, fault @ 170, gossan
26028	666951	5597726	10	4	151	4.59	24	4	8	4	50	Rock	Morrison Ck	Nicola, orange carb alt, fragments
26029	666951	5597728	5	4	83	4.80	18	4	14	4	64	Rock	Morrison Ck	Nicola, orange carb alt, fragmental or bx,
26030	666951	5597730	5	4	84	4.30	18	3	12	4	57	Rock	Morrison Ck	Nicola, orange carb alt, 1-2 mm bx frags
262036	666923	5597779	5	4	98	4.93	11	1	24	4	61	Rock	Morrison Ck	Nicola, orange carb alt, carb veinlets, foliation 358/84W
262041	666971	5598038	5	4	52	8.30	4	1	48	4	113	Rock	Morrison Ck	Nicola, black, silicified, strongly magnetic
262042	666857	5598113	10	10	182	6.24	59	7	1	4	68	Rock	Morrison Ck	Nicola, gossan
		AV	6	5	104	5	20	3	19	4	66			
		MIN	5	4	52	3	4	1	1	4	48			
		MAX	10	10	182	8	59	7	48	5	113			
		CNT	8	8	8	8	8	8	8	8	8			

Mineralization

Rock samples 262025, 26028 and 262042 gave weakly anomalous copper values ranging from 114 to 182 ppm. Gold was not anomalous for any of the samples.

FT-02 SHOWING

Location

The FT-02 showing is located at an elevation of 1,500 metres, on the ridge east of Morrison Creek and west of Hay Brook.

Geology

The float covers an area 50 by 100 metres along a logging road and consists of brecciated Nicola volcanic rocks and porphyritic diorite breccia. The rocks are gossanous with black quartz, magnetite, carbonate and limonite alteration. Other rocks are aphanitic, black, magnetic, contain 25% magnetite and weather to a chalky grey. The major structural trend in the area is 170°.

Sample Summary

Sample#	UTM E	UT MN	Au ppb	As	Cu	Fe %	Hg ppb	Mo	Pb	Sb	Zn	Type	Location	Geology
262026	666777	5596250	5	35	73	3.24	7	4	6	4	77	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262027	666814	5596206	5	4	41	7.90	7	1	24	4	91	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262028	666870	5596207	5	4	117	5.22	4	1	24	4	53	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262029	666872	5596251	5	4	103	3.92	9	1	24	4	56	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262030	666772	5596158	10	4	54	8.42	7	1	48	4	104	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262031	666730	5596576	5	5	76	8.43	4	1	40	10	82	Rock	Hay Brook	Nicola, gossan, bx, mag, black qtz, epithermal
262032	666951	5596389	5	5	51	6.92	7	1	36	4	82	Rock	Hay Brook	Nicola cherty boulder
262035	667195	5596347	15	5	88	8.12	11	1	36	4	72	Rock	Hay Brook	Nicola cherty boulder
26025	667586	5596272	4	5	36	3.84	18	1	14	4	31	Silt	Hay Brook	Nicola Group
		AV	7	8	71	6	8	1	28	5	72			
		MIN	4	4	36	3	4	1	6	4	31			
		MAX	15	35	117	8	18	4	48	10	104			
		CNT	9	9	9	9	9	9	9	9	9			

Mineralization

Rock samples 262028 and 262029 gave weakly anomalous copper values of 117 and 103 ppm respectively. Gold was not anomalous for any of the samples. Stream sediment sample 26025 was not anomalous for any elements.

FT-03 SHOWING

Location

The FT-03 showing is located at an elevation of 1,450 metres, on the ridge east of Morrison Creek and west of Hay Brook.

Geology

The float covers an area 50 by 100 metres along a logging road and consists of epiclastic Nicola volcanic rocks. The rocks are gossanous and shows variable amounts of carbonate and limonite alteration. Sample 262034 contains black quartz, magnetite, carbonate and limonite alteration.

Sample Summary

Sample#	UTM E	UTM N	Au ppb	As	Cu	Fe %	Hg ppb	Mo	Pb	Sb	Zn	Type	Location	Geology
262019	667313	5594439	5	10	76	4.51	10	1	24	5	66	Rock	Hay Brook	Nicola, epiclastic, rare ca veinlets
262020	667711	5594557	10	4	67	5.22	4	5	2	15	72	Rock	Hay Brook	Nicola, epiclastic, lim-carb alt,
262021	667711	5594557	5	4	53	3.43	4	1	24	10	59	Rock	Hay Brook	Nicola or dyke? alt, lim, ep, hem
262022	667809	5594622	10	4	51	1.88	4	1	12	4	46	Rock	Hay Brook	Nicola, intrusive dyke, gossan, minor mal on fractures
262023	667813	5594344	5	4	34	3.93	7	5	8	4	62	Rock	Hay Brook	Nicola, fine grained volcanic, lim @ 350
262034	666777	5596255	10	4	136	3.83	7	1	18	4	32	Rock	Hay Brook	Nicola, gossan bx, mag, black qtz, epithermal
26031	666932	5594561	10	5	87	5.79	13	6	20	4	71	Rock	Hay Brook	Nicola, epiclastic, carb alt, foliated, ca @ 358/84 west
26032	667810	5594623	5	4	68	1.89	11	2	4	4	29	Rock	Hay Brook	Nicola, epiclastic, carb alt, foliated, @ 017/62 west

AV	8	5	72	3.81	8	3	14	6	55
MIN	5	4	34	1.88	4	1	2	4	29
MAX	10	10	136	5.79	13	6	24	15	72
CNT	8	8	8	8	8	8	8	8	8

Mineralization

Rock sample 262034 gave a weakly anomalous copper value of 136 ppm. Gold was not anomalous for any of the samples.

LOGAN SHOWING

Location

The Logan showing is located at an elevation of 1,270 metres, at the 1.5 kilometre mark on the Neal Creek logging road.

Geology

The Logan showing is exposed over a strike length of 80 metres, with the Neal Creek logging road bisecting the showing. The exposed outcrop has a general strike of 340 degrees, with 18 metres exposed on the west side of the road and 31 metres on the east side.

The 18 metres of outcrop exposed on the west side of the road shows strong, pervasive, rusty carbonate alteration of Nicola volcanic rocks. Narrow white carbonate veinlets up to 4 centimetres wide cut the pervasive carbonate alteration. Breccia fragments were noted in some areas, and weak concentrations of green fuchsite were noted along fractures. The fractures/foliations strike 358 degrees and dip 58 degrees east. Traces of pyrite were noted in some areas, with one three-metre section showing weak concentrations of chalcopyrite and malachite.

The 31 metres of outcrop exposed on the east side of the road shows weak to moderate, pervasive, rusty carbonate alteration of Nicola volcanic rocks. Narrow white carbonate veinlets 1 to 10 millimetres wide parallel the fractures/foliations. The fractures/foliations strike 001 degrees and dip 52 degrees east. Weak, grey silicification occurs pervasively through parts of the outcrop and consists of mirolitic cavities with 1 to 2 millimetre quartz crystals.

Sample Summary

Sample#	UTM E	UTM N	Au ppb	As	Cu	Fe %	Hg ppb	Mo	Pb	Sb	Zn	Type	Location	Geology
26006	670507	5594152	10	4	35	5.36	6	1	2	20	12	Rock	Neal Ck road	Nicola, orange carb alt, fuchsite, foliated @ 358/58E
26007	670507	5594155	30	4	40	6.09	4	1	4	10	14	Rock	Neal Ck road	Nicola, orange carb alt, bx, fuchsite, ca veinlets
26008	670507	5594158	10	4	2315	5.05	11	3	1	10	19	Rock	Neal Ck road	Nicola, orange carb alt, cpy, mal, fuchsite,
26009	670507	5594163	5	4	182	6.70	11	2	20	10	24	Rock	Neal Ck road	Nicola, weak orange carb alt, trace py
26010	670507	5594183	70	4	101	6.64	11	5	4	4	51	Rock	Neal Ck road	Nicola, weak orange carb alt, ca veinlets @ 001/52E
26011	670507	5594185	15	4	66	5.10	9	4	1	4	36	Rock	Neal Ck road	Nicola, weak orange carb alt, moderate silicification,
		AV	23	4	457	5.82	9	3	5	10	26			
		MIN	5	4	35	5.05	4	1	1	4	12			
		MAX	70	4	2315	6.70	11	5	20	20	51			
		CNT	6	6	6	6	6	6	6	6	6			

Mineralization

Four rock samples (26006-26009) were collected from the west side of the road at intervals ranging from three to six metres. These samples gave low gold values ranging from 5 to 30 ppb, while antimony gave weakly anomalous values ranging from 10 to 20 ppm. Sample 26009 gave a weakly anomalous copper value of 182 ppm, while sample 26008 with chalcopyrite and malachite gave a moderately anomalous copper value of 2315 ppm.

Two rock samples (26010 and 26011) were collected on the east side of the road at intervals of 16 and 15 metres respectively. Sample 26010 gave an elevated gold value of 70 ppb, and a weakly anomalous copper value of 101 ppm.

WEST SHOWING

Location

The West showing is located at an elevation of 1,400 metres on a branch of the Dominic Lake logging road.

Geology

Forty-six metres of outcrop and sub outcrop are exposed along a road cut and show weak to strong, pervasive, rusty carbonate alteration of andesitic Nicola volcanic rocks. Narrow (<1 –3 mm) white and grey calcite veinlets cut the pervasive carbonate alteration, with weak to moderate concentrations of breccia fragments. The calcite veinlets have orientations of 121/? and 049/vertical. The north end of the outcrop shows < 1 mm quartz breccia fragments and 1-3 mm clear quartz veinlets. Unaltered Nicola rocks occur to the north of the showing.

Sample Summary

Sample#	UTM E	UTM N	Au ppb	Ag	As	Cu	Fe %	Hg ppb	Mo	Pb	Sb	Zn	Type	Location	Geology
26053	657444	5603097	40	0.1	35	57	5.32	10001	7	1	10	157	Rock	Chartrand Ck	Nicola, orange carb alt, bx, ca vlt
26054	657444	5603100	10	0.1	45	146	5.98	10001	6	4	35	138	Rock	Chartrand Ck	Nicola, orange carb alt, bx, ca vlt
26055	657444	5603103	20	0.1	15	60	6.25	73	1	80	4	68	Rock	Chartrand Ck	Nicola, weak orange carb alt, ca vlt, 049/steep
26056	657444	5603106	10	0.1	30	109	9.62	10001	9	1	15	327	Rock	Chartrand Ck	Nicola, orange carb alt, ca vlt
26057	657444	5603116	15	3.7	125	1524	5.57	10001	5	4	510	229	Rock	Chartrand Ck	Nicola, orange carb alt, qtz bx frags, qtz vlt
262016	657444	5603116	5	0.1	10	45	5.80	132	1	40	4	62	Rock	Chartrand Ck	Nicola volc
		AV	17	0.7	43	324	6.42	6702	5	22	96	164			
		MIN	5	0.1	10	45	5.32	73	1	1	4	62			
		MAX	40	3.7	125	1524	9.62	10001	9	80	510	327			
		CNT	6	6	6	6	6	6	6	6	6	6			

Mineralization

Six samples (26053-26057 and 262016) were collected at intervals of three to seven metres in the more strongly altered portions of the outcrop. These samples gave low gold values ranging from 5 to 20 ppb. However, the samples gave weakly to strongly anomalous pathfinder elements antimony and mercury. Samples 26053, 26054, 26056 and 26057 gave strongly anomalous mercury values of greater than 10000 ppb. Samples 26054 and 26056 gave weakly anomalous antimony values of 35 and 15 ppm respectively, and sample 26057 gave a strongly anomalous antimony value of 510 ppm. Sample 26057 gave a moderately anomalous copper value of 1524 ppm and a weakly anomalous silver value of 3.7 ppm.

Sample 262033 (select) taken from the Chartrand showing on the old Logan Lake road gave a moderately copper value of 16300 ppm.

5.0 GEOCHEMISTRY

5.1 STREAM SEDIMENT GEOCHEMISTRY

Sixty stream sediment samples were collected from various drainages on the Plug claims (Figure 5.0). Background and anomalous values were determined after statistical analysis of the data. Table 5.0 summarizes the background and anomalous values for gold, copper and mercury.

ELEMENT	RANGE	BACKGROUND	ANOMALOUS
Au ppb	< 5 - 640	5	≥ 10
Cu ppm	17 - 68	35	≥ 53
Hg ppb	< 5 - 550	39	≥ 59

5.1.1 GOLD STREAM SEDIMENT ANOMALIES

Gold values ranged from < 5 to 640 ppb, with background established at 5 ppb and anomalous values 10 ppb and greater (8 samples). Two samples taken from the upper reaches of Chartrand Creek (26076 and 262011) and three samples taken from its tributaries (26039, 26041 and 26047) gave weakly anomalous gold values of 10 ppb. Three samples taken in the same area gave weakly anomalous mercury values ranging from 73 to 110 ppb.

One sample taken from Hay Brook (26026) gave a weakly anomalous gold value of 10 ppb and one sample taken from the East Fork of Hay Brook (26013) gave a moderately anomalous gold value of 35 ppb. One sample taken from the East Fork of Hay Brook gave a moderately anomalous mercury value of 550 ppb and six samples taken from Hay Brook and the East Fork of Hay Brook gave weakly anomalous copper values ranging from 53 to 66 ppm.

One sample taken from Greenstone Creek (26068) gave a strongly anomalous gold value of 640 ppb and a weakly anomalous mercury value of 117 ppb. Another sample taken from the same area of Greenstone Creek gave a moderately anomalous mercury value of 224 ppb.

5.1.2 MERCURY STREAM SEDIMENT ANOMALIES

Mercury values ranged from < 5 to 550 ppb, with background established at 39 ppb and anomalous values 59 ppb and greater (6 samples). Two samples taken from Chartrand Creek (26045 and 26077) gave weakly anomalous mercury values of 110 and 73 ppb respectively and one sample taken from a tributary of Chartrand Creek (26041) gave a weakly anomalous mercury value of 103 ppb.

One sample taken from the East Fork of Hay Brook (26012) gave a moderately anomalous mercury value of 550 ppb.

Two samples taken from Greenstone Creek (26068 and 26072) gave weakly anomalous mercury values of 117 and 224 ppb respectively.

5.1.3 COPPER STREAM SEDIMENT ANOMALIES

Copper values ranged from 17 to 68 ppm, with background established at 35 ppm and anomalous values 53 ppm and greater (8 samples). One sample taken from Chartrand Creek (262011) gave a weakly anomalous copper value of 53 ppm.

One samples taken from the East Fork of Hay Brook (26001) and two samples taken from it's tributaries (26002 and 26003) gave weakly anomalous copper values ranging from 53 to 68 ppm. Three samples taken from Hay Brook (26017, 26018 and 26023) gave weakly anomalous copper values ranging from 53 to 66 ppm.

One sample taken from a tributary of Meadow Creek above the Meadow showing gave a weakly anomalous copper value of 53 ppm.

6.0 CONCLUSIONS


The following conclusions can be drawn from the 2006 work program:

- 6.1 Eight of the 67 stream sediment samples collected from the Plug claims gave anomalous gold values of 10 ppb and greater and six gave anomalous mercury values of 59 ppb and greater.
- 6.2 The anomalous gold and mercury stream sediment samples were collected from Chartrand Creek and its tributaries, Greenstone Creek, Hay Brook and the East Fork of Hay Brook.
- 6.3 Prospecting led to the discovery of the Logan showing, exposed for about 80 metres along the Neal Creek logging road. Six rock samples collected from the showing gave slightly elevated gold values, with a maximum of 70 ppb. However, the Logan showing has similar characteristics to the Plug showing, with strong pervasive orange carbonate alteration, calcite veining, weak silicification and minor fuchsite along fracturing. Chalcopyrite was also observed in one sample that gave an assay of 2315 ppm copper.
- 6.4 Prospecting also led to the discovery of the West showing, exposed intermittently for about 46 metres along a branch of the Dominic Lake logging road. Six rock samples collected from the showing gave background gold values (10-40 ppb). However pathfinder elements were strongly anomalous, with four of the samples giving more than 10000 ppb mercury and one sample 500 ppm antimony. A sample also gave 3.7 ppm silver and 1524 ppm copper. The West showing also has similar characteristics to the Plug showing, with pervasive orange carbonate alteration, calcite veining, brecciation and weak silicification.

7.0 RECOMMENDATIONS

Recommendations are as follows:

- 7.1 Prospecting should be carried out in the areas with anomalous gold and mercury stream sediment values to determine their causes.
- 7.2 The Logan and West showings should be evaluated by establishing grids over them and conducting soil geochemical sampling, magnetic and electromagnetic geophysical surveying, geological mapping and prospecting.
- 7.3 Trenching and drilling should be carried out at the Plug and Meadow showings to evaluate the extent and grade of the gold-silver mineralization at the showings.

Respectfully submitted,

Grant F. Crooker, P. Geo.,
Consulting Geologist

Jun 27/2007

8.0 REFERENCES

- BC Dept. of Mines GEM: 1971(pp294), 1972 (pp158, 181, 183), 1971 (pp184, 186).
- BCMM Annual Reports: 1888 (pp315), 1915 (pp212), 1929 (pp217, 228), 1930(pp195, 282), 1955 (pp35), 1956 (pp46), 1958 (pp29), 1959 (pp38, 143).
- BC MEMPR: Mineral Inventory Map 92I (Ashcroft).
- BC MEMPR: Nicola Lake Region, Geology (J.M. Moore and A.R. Pettipas) and Mineral Deposits (R.E. Myers and T.B. Hubner), Open File 1990-29.
- Botel, W.G. (September 15, 1997): Summary Report on the Melba Project, Logan Lake Area, Kamloops Mining Division, British Columbia for Walloper Gold resources Corporation.
- Cockfield, W.E., (1948): Geology and Mineral Deposits of Nicola Map Area, Memoir 249.
- Crooker, G.F. and Rockel, E.R., (June 1986): Geochemical and Geophysical Report on the WRT 1 to 15 Claims, 92I/7E, for Western Resource Technologies Inc. AR# 14959
- Crooker, G.F. and Rockel, E.R., (March 1988): Geochemical and Geophysical Report on the WRT 1 to 15 Claims, 92I/7E, for Western Resource Technologies Inc. AR# 17337
- Crooker, G.F. and Rockel, E.R., (December 1988): Geological, Geochemical and Geophysical Report on the WRT 1 to 6 and 9 to 15 Claims, for Western Resource Technologies Inc. AR# 18048
- Crooker, G.F., (May 1992): Geophysical Report on the JB 1 to 12 Claims, 92I-7E, for Grant F. Crooker. AR# 22346
- Crooker, G.F., (November 1996): Geological, Geochemical and Geophysical Report on the S 1 to 48 Claims for Goldcliff Resource Corporation. AR# 24862
- Crooker, G.F., (December 1997): Geological, Trenching and Reverse Circulation Drilling Report on the S 1 to 48 Claims for Goldcliff Resource Corporation.
- Crooker, G.F. (January 1997): Geological, Geochemical and Geophysical Report on the M 1-7 and GA 1-18 Mineral Claims for Walloper Gold Resources Corporation. AR# 25001
- Crooker, G. F., (November 1998): Geological and Geochemical Report on the M 1-8 and GA 1-18 Mineral Claims for Walloper Gold Resources Corporation. AR# 25731
- Crooker, G.F., (November 2000): Geophysical Report on the M 1-8 and GA 1-18 mineral Claims for Walloper Gold Resources Corporation.
- Crooker, G.F., (December 2001); Geochemical, Trenching and Core Drilling Report on the M 1-8 and GA 1-18 Mineral Claims for Walloper Gold Resources Corporation.
- Crooker G. F., (August 2006): Geochemical and Geological Report on the Hom Claim for Grant F. Crooker.
- Elwell, J.P., (March 1973): Geochemical and Magnetometer Survey Ram Claim Group, Kamloops Mining Division for Rio Sierra Developments Ltd. AR# 4222
- Geological Survey of Canada: Map 886A, Nicola (East Half) 1961.
- Geological Survey of Canada: Bedrock Geology of Ashcroft (92I) Map Area, OF 980.
- Grextan, P.L., (May 1994): Genesis Property, 1994 Soil Survey, Kamloops Mining Division for P.L. Grextan. AR# 23362.

Hill, L.H., (March 1959): Report Covering Geophysical and Physical Work on 71 Claims of Vanex Holdings, Meadow Creek Area, Kamloops Mining Division. AR# 266

Hill, L.H., (March 1959): Report on Geophysical Survey of Dunmore Mines Ltd, Meadow Creek Area, Kamloops and Nicola Mining Divisions. AR# 265

Hill, L.H., (June 1959): Report on Geophysical Survey of Lucky Jim Nos. 1, 2, 3 and 4, Kamloops Mining Division, for Vanes Minerals. AR# 228

Hogan, J.W., (July 1972): Geochemical Report, JIG and GJ Claims, Homfray Lake, BC, for Consolidated Standard Mines Ltd and Highhawk Mines Ltd. AR# 3763

McBeath, S., (November 1958): Report on Geophysical Survey of Sunshine 10, 11, 15 and 16 Mineral Claims, Kamloops Mining Division, for Vanex Minerals Ltd. AR# 234

National Geochemical Reconnaissance Survey (19081): 92 I Ashcroft BC, BC Ministry of Energy Mines and Petroleum Resources and Geological Survey of Canada.

Nordin, G. and DeLean, J., (October 1972): Magnetometer and Geochemical Report on the Plug Claims, Kamloops Mining Division on behalf of Texada Mines Ltd. AR# 4041

Scott, A. and Cochrane, D.R., (October 1972): Geophysical Report on an Induced Polarization Survey of the Plug Claims, Kamloops Mining Division on behalf of Texada Mines Ltd. AR# 4042

Sookochoff, L., (April 1979): VLF-EM and Magnetometer Report on the Homfray Lake Property, Kamloops Mining Division for Thunderbolt Resources Ltd. AR# 7268

Tough, T.R., (April 27 1972): Geological Report on the Homfray Lake Property, Kamloops Mining Division for Highhawk Mines Ltd. and Consolidated Standard Mines Ltd.

Tully, D.W., (April 1974): Magnetometer Survey and Preliminary Geochemical Soil Sample Work Program over the Max Claim Group for Host Ventures Ltd. AR# 4948

Ven Huizen, G.L., (February 1989): VLF-EM and Magnetometer Surveys on the Parl #1 Mining Claim for Gold Parl Resources Ltd. AR# 18563

White, G.E., (July 1972): Geophysical Report on an Induced polarization Survey on behalf of Highhawk Mines Ltd and Consolidated Standard Mines Ltd. AR# 3764

9.0 CERTIFICATE OF QUALIFICATIONS

I, Grant F. Crooker, of 2522 Upper Bench Road, PO Box 404, Keremeos, British Columbia, Canada, V0X 1N0 do certify that:

I am a Consulting Geologist registered with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (Registration No. 18961);

I am a member of Society of Economic Geologists;

I am a Member of the Canadian Institute of Mining and Metallurgy and Petroleum;

I am a graduate (1972) of the University of British Columbia with a Bachelor of Science degree (B.Sc.) from the Faculty of Science having completed the Major program in geology;


I have practised my profession as a geologist for more than 30 years, and since 1980, I have been practising as a consulting geologist and, in this capacity, have examined and reported on numerous mineral properties in North and South America;

I have based this report on field examinations within the area of interest and on a review of the technical and geological data provided by Goldcliff Resource Corporation;

I am the owner of Goldcliff Resource Corporation securities;

I am the owner of mineral claims described within this report;

Respectfully submitted,


Grant F. Crooker P. Geol.,
GFC Consultants Inc.

Jan 27 / 2007

APPENDIX I
CERTIFICATES OF ANALYSIS

STREAM SEDIMENT SAMPLES

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-556

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: LEN SALEKEN

No. of samples received: 27

Sample Type: Silts

Project: Plug

Shipment #: P-01

Submitted by: Grant Crooker

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
1	P26001	<5	<0.2	2.45	10	120	<2	0.85	<1	22	34	68	4.95	<10	1.41	594	<1	0.02	21	800	22	<5	<20	27	<10	0.07	<10	130	<10	7	61
2	P26002	5	<0.2	1.31	5	80	<2	0.85	<1	21	23	62	4.51	<10	0.98	899	1	0.02	16	1270	12	<5	<20	27	<10	0.06	<10	135	<10	6	133
3	P26003	5	<0.2	1.14	<5	80	<2	0.65	<1	17	26	53	4.74	<10	0.70	547	<1	0.02	12	380	12	<5	<20	20	<10	0.08	<10	158	<10	4	37
4	P26004	5	<0.2	1.23	<5	85	<2	0.80	<1	15	21	38	3.90	<10	0.86	529	<1	0.02	13	970	10	<5	<20	20	<10	0.07	<10	125	<10	6	39
5	P26005	5	<0.2	1.30	5	125	<2	0.85	<1	20	24	46	4.92	<10	0.95	1003	<1	0.02	14	920	10	<5	<20	29	<10	0.07	<10	153	<10	5	38
6	P26012	5	<0.2	1.05	<5	75	<2	0.80	<1	17	22	34	4.23	<10	0.72	553	<1	0.02	11	970	12	<5	<20	18	<10	0.07	<10	131	<10	6	42
7	P26013	35	<0.2	1.09	<5	100	<2	1.05	<1	18	25	41	4.85	<10	0.77	557	<1	0.02	14	1060	14	<5	<20	20	<10	0.07	<10	136	<10	5	149
8	P26014	5	<0.2	1.29	<5	230	<2	0.84	<1	20	24	37	5.06	<10	0.89	1584	<1	0.02	14	820	12	<5	<20	40	<10	0.07	<10	139	<10	7	43
9	P26015	5	<0.2	1.26	<5	120	<2	0.78	<1	18	26	47	4.76	<10	0.90	472	<1	0.02	16	720	14	<5	<20	24	<10	0.08	<10	158	<10	7	40
10	P26016	<5	<0.2	1.64	<5	380	<2	0.94	<1	19	42	50	5.28	<10	1.20	753	<1	0.02	26	1300	16	<5	<20	36	<10	0.07	<10	151	<10	6	57
11	P26017	<5	<0.2	1.40	<5	200	<2	0.93	<1	21	32	65	5.16	<10	1.02	1246	<1	0.02	18	1140	12	<5	<20	30	<10	0.08	<10	166	<10	7	47
12	P26018	5	<0.2	1.44	<5	215	2	0.93	<1	23	31	66	5.20	<10	1.02	1526	<1	0.02	20	1100	14	<5	<20	22	<10	0.07	<10	166	<10	6	52
13	P26019	5	<0.2	1.20	<5	100	<2	0.84	<1	18	26	48	4.73	<10	0.94	544	<1	0.02	12	940	14	<5	<20	26	<10	0.07	<10	158	<10	7	39
14	P26020	5	<0.2	1.13	<5	150	<2	0.91	<1	20	27	45	5.01	<10	0.75	981	<1	0.02	15	880	12	<5	<20	23	<10	0.07	<10	149	<10	8	38
15	P26021	5	<0.2	1.08	<5	100	<2	0.83	<1	18	32	42	5.03	<10	0.84	466	<1	0.02	14	950	12	<5	<20	15	<10	0.08	<10	175	<10	4	37
16	P26022	5	<0.2	1.11	<5	105	<2	0.91	<1	19	22	35	3.69	<10	0.86	468	<1	0.02	13	1050	16	<5	<20	15	<10	0.09	<10	126	<10	6	34
17	P26023	<5	<0.2	1.19	5	110	2	0.64	<1	20	44	53	3.47	<10	0.92	379	<1	0.02	30	370	14	<5	<20	15	<10	0.16	<10	101	<10	6	27
18	P26024	<5	<0.2	1.19	5	195	2	0.83	<1	24	49	34	3.81	<10	1.15	359	<1	0.02	27	880	14	<5	<20	15	<10	0.19	<10	107	<10	6	31
19	P26025	<5	<0.2	1.20	5	210	2	0.85	<1	26	50	36	3.84	<10	1.17	362	<1	0.02	29	890	14	<5	<20	15	<10	0.19	<10	107	<10	6	31
20	P26026	10	<0.2	1.51	5	285	<2	0.89	<1	21	21	64	3.60	<10	1.33	535	<1	0.02	10	1880	14	<5	80	15	<10	0.14	<10	114	<10	6	36
21	P26027	5	<0.2	1.17	5	165	<2	0.80	<1	15	16	29	3.46	<10	0.88	304	<1	0.02	10	1340	14	<5	<20	15	<10	0.10	<10	114	<10	6	43
22	P26033	5	<0.2	1.24	5	110	3	0.88	<1	14	12	26	2.82	<10	0.90	475	<1	0.02	8	1340	22	<5	<20	10	<10	0.09	<10	101	<10	6	35
23	P26034	<5	<0.2	1.19	<5	160	2	0.78	<1	16	18	29	4.11	<10	0.74	1232	<1	0.02	9	820	22	<5	<20	16	<10	0.08	<10	130	<10	4	64
24	P26035	5	<0.2	1.24	<5	115	<2	0.86	<1	17	15	32	4.24	<10	0.80	621	<1	0.02	13	1240	14	<5	<20	12	<10	0.07	<10	124	<10	8	43
25	P26036	<5	<0.2	1.67	<5	155	2	0.97	<1	17	20	31	4.57	<10	1.05	770	<1	0.02	17	1390	20	<5	<20	50	<10	0.07	<10	118	<10	9	56
26	P26037	<5	<0.2	1.70	<5	175	2	1.01	<1	21	17	38	5.33	<10	0.93	977	<1	0.02	12	760	20	<5	<20	35	<10	0.10	<10	169	<10	9	46
27	P26038	<5	<0.2	1.38	<5	110	<2	0.81	<1	17	17	41	4.49	<10	0.82	468	<1	0.02	13	1040	16	<5	<20	18	<10	0.07	<10	137	<10	8	65

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
-------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	----	------	---	---	---	---	----

QC DATA:


Repeat:

1	P26001	5	<0.2	2.51	<5	145	<2	0.93	<1	23	36	71	5.05	10	1.42	602	<1	0.02	22	830	22	<5	<20	30	<10	0.08	<10	135	<10	12	60
---	--------	---	------	------	----	-----	----	------	----	----	----	----	------	----	------	-----	----	------	----	-----	----	----	-----	----	-----	------	-----	-----	-----	----	----


Standard:

GEO'06			1.5	1.71	60	165	<2	1.61	<1	19	58	95	4.72	<10	0.86	835	<1	0.03	27	650	22	5	<20	49	<10	0.07	<10	103	<10	10	78
OXF41		795																													

JJ/bp
dl/558
XLS/06



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ANALYSIS AK 2006 - 556

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

14-Jun-06

ATTENTION: LEN SALEKEN

No. of samples received: 27

Sample Type: Silts

Project: Plug

Shipment #: P-01

Submitted by: Grant Crooker

ET #.	Tag #	Hg (ppb)
1	P26001	42
2	P26002	24
3	P26003	24
4	P26004	22
5	P26005	15
6	P26012	550
7	P26013	20
8	P26014	8
9	P26015	18
10	P26016	18
11	P26017	13
12	P26018	20
13	P26019	13
14	P26020	22
15	P26021	13
16	P26022	13
17	P26023	13
18	P26024	11
19	P26025	18
20	P26026	48
21	P26027	33
22	P26033	24
23	P26034	13
24	P26035	35
25	P26036	22
26	P26037	20
27	P26038	40

<u>ET #.</u>	<u>Tag #</u>	<u>Hg (ppb)</u>
--------------	--------------	---------------------

QC DATA:


Repeat:

1	P26001	46
10	P26016	18
19	P26025	18

Standard:

GEO'06	46
GEO'06	51
STSD4	480

JJ/bp
XLS/06



ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

13-Jul-L

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-615

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: LEN SALEKEN

No. of samples received: 31
Sample type: Silt
Project #: Plug
Shipment #: P-502
Samples submitted by: Grant Crooker

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te%	Ti %	U	V	W	Y	Zn
1	P26039	10	<0.2	1.73	<5	125	2	1.41	<1	16	16	37	3.92	14	<10	0.82	756	<1	0.02	11	940	14	<5	<20	48	<10	0.18	<10	141	<10	10	38
2	P26040	5	<0.2	1.16	<5	60	2	1.22	<1	15	25	40	4.88	33	<10	0.73	509	<1	0.02	11	1100	14	<5	<20	33	<10	0.14	<10	170	<10	11	47
3	P26041	10	<0.2	1.34	<5	95	1	1.30	<1	15	21	27	3.64	103	<10	0.75	572	<1	0.02	13	900	14	<5	<20	36	<10	0.13	<10	116	<10	9	126
4	P26044	5	<0.2	1.37	<5	105	<1	1.07	<1	16	21	30	3.56	20	<10	0.77	708	1	0.02	11	1030	12	<5	<20	34	<10	0.13	<10	116	<10	8	41
5	P26045	5	<0.2	1.43	<5	95	1	1.45	<1	17	16	26	3.38	110	<10	0.85	499	<1	0.02	10	1420	12	<5	<20	44	<10	0.17	<10	121	<10	11	43
6	P26046	5	<0.2	1.54	<5	215	2	1.29	<1	16	20	27	3.69	<5	<10	0.83	3041	<1	0.02	9	1110	12	<5	<20	42	<10	0.16	<10	111	<10	10	48
7	P26047	10	<0.2	1.20	<5	165	<1	1.12	<1	14	26	40	4.44	11	<10	0.69	2365	2	0.01	10	1070	12	<5	<20	34	<10	0.13	<10	140	<10	9	57
8	P26048	5	<0.2	1.40	<5	185	<1	1.28	<1	17	21	39	4.29	29	<10	0.78	2969	1	0.02	10	1200	14	<5	<20	50	<10	0.16	<10	136	<10	10	53
9	P26049	5	<0.2	1.37	<5	125	1	1.30	<1	14	15	18	2.93	15	<10	0.77	838	<1	0.02	8	1290	12	<5	<20	40	<10	0.15	<10	100	<10	10	44
10	P26050	5	<0.2	1.50	<5	120	<1	1.46	<1	16	15	21	3.32	10	<10	0.82	871	1	0.02	9	1290	12	<5	<20	47	<10	0.19	<10	122	<10	11	45
11	P26051	5	<0.2	1.45	<5	115	1	1.19	<1	15	18	25	4.22	20	<10	0.67	773	<1	0.02	8	650	14	<5	<20	39	<10	0.21	<10	156	<10	7	44
12	P26052	5	<0.2	1.30	<5	145	<1	2.48	<1	13	26	21	4.76	37	<10	0.69	492	<1	0.02	10	660	14	<5	<20	53	<10	0.17	<10	158	<10	8	40
13	P26058	5	<0.2	1.21	<5	120	2	0.93	<1	12	19	20	3.56	29	<10	0.64	385	<1	0.02	6	480	12	<5	<20	36	<10	0.15	<10	126	<10	5	32
14	P26059	5	<0.2	1.48	<5	95	1	1.24	<1	16	16	22	3.11	15	<10	1.07	746	<1	0.02	9	1450	12	<5	<20	34	<10	0.15	<10	107	<10	9	55
15	P26060	5	<0.2	1.36	<5	75	<1	1.23	<1	15	13	22	2.86	13	<10	0.94	617	<1	0.01	8	1520	12	<5	<20	38	<10	0.16	<10	106	<10	10	45
16	P26061	5	<0.2	1.34	<5	105	1	1.13	<1	15	17	25	3.40	22	<10	0.88	485	1	0.02	10	1220	12	<5	<20	36	<10	0.14	<10	121	<10	10	41
17	P26062	5	<0.2	1.34	<5	90	1	1.19	<1	14	12	18	2.58	31	<10	0.83	519	<1	0.01	9	1230	12	<5	<20	35	<10	0.14	<10	94	<10	9	39
18	P26063	5	<0.2	1.17	<5	100	2	1.14	<1	12	22	18	3.65	<5	<10	0.70	723	1	0.01	8	1310	10	<5	<20	35	<10	0.14	<10	123	<10	9	34
19	P26064	<5	<0.2	1.33	<5	120	1	1.20	<1	13	23	22	3.58	24	<10	0.78	585	1	0.02	10	1330	12	<5	<20	41	<10	0.15	<10	116	<10	9	39
20	P26065	5	<0.2	1.28	<5	120	<1	1.04	<1	16	24	30	3.93	9	<10	0.80	693	<1	0.01	11	890	12	<5	<20	44	<10	0.14	<10	128	<10	7	38
21	P26067	5	<0.2	1.26	<5	55	1	1.24	<1	13	18	17	2.74	29	<10	0.85	342	<1	0.02	11	1280	12	<5	<20	37	<10	0.14	<10	95	<10	9	35
22	P26068	640	<0.2	1.19	<5	95	<1	1.14	<1	15	40	24	4.99	117	<10	0.88	589	<1	0.01	15	1120	12	<5	<20	36	<10	0.14	<10	165	<10	8	45
23	P26069	5	<0.2	1.28	<5	100	1	1.14	<1	14	30	23	3.84	44	<10	0.91	681	<1	0.01	14	1160	10	<5	<20	38	<10	0.13	<10	125	<10	9	46
24	P26070	5	<0.2	1.29	<5	95	2	1.06	<1	14	23	21	3.14	7	<10	0.84	586	<1	0.02	13	1250	10	<5	<20	37	<10	0.13	<10	103	<10	9	41
25	P26071	5	<0.2	1.18	<5	100	3	1.00	<1	13	25	19	3.49	15	<10	0.75	515	<1	0.02	12	1210	10	<5	<20	39	<10	0.13	<10	115	<10	8	37

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-615

GEOTEC CONSULTING LTD.

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te %	Ti %	U	V	W	Y	Zn
26	P26072	5	<0.2	1.23	<5	125	1	1.01	<1	13	25	20	3.43	224	<10	0.79	704	1	0.01	12	1220	10	<5	<20	39	<10	0.12	<10	112	<10	8	38
27	P26074	5	<0.2	1.32	<5	80	2	1.21	<1	15	32	29	3.78	31	<10	1.02	631	<1	0.01	16	1070	12	<5	<20	31	<10	0.12	<10	119	<10	9	54
28	P26075	5	<0.2	1.25	<5	150	2	1.07	<1	14	27	29	4.10	35	<10	0.74	1339	1	0.02	9	1160	12	<5	<20	39	<10	0.14	<10	124	<10	9	37
29	P26076	10	<0.2	1.34	<5	200	1	1.15	<1	15	27	31	4.20	33	<10	0.80	1722	1	0.02	9	1230	12	<5	<20	43	<10	0.15	<10	131	<10	10	41
30	P26077	5	<0.2	1.32	<5	145	3	1.27	<1	15	28	31	4.42	73	<10	0.81	1142	1	0.02	10	1210	12	<5	<20	42	<10	0.14	<10	140	<10	10	44
31	P26079	5	<0.2	1.36	<5	145	<1	1.16	<1	15	28	32	4.82	31	<10	0.77	1120	1	0.02	10	1160	12	<5	<20	41	<10	0.16	<10	159	<10	10	44

QC DATA:


Repeat:

1	P26039	5	<0.2	1.65	<5	130	2	1.30	<1	16	17	34	3.78	11	<10	0.81	772	<1	0.02	10	950	16	<5	<20	45	<10	0.16	<10	130	<10	9	37
10	P26050	5	<0.2	1.45	<5	130	<1	1.38	<1	16	15	20	3.09	9	<10	0.83	879	<1	0.02	9	1250	12	<5	<20	44	<10	0.19	<10	119	<10	11	45
19	P26064	5	<0.2	1.23	<5	105	1	1.17	<1	12	21	21	3.50	22	<10	0.74	553	1	0.01	10	1300	12	<5	<20	36	<10	0.15	<10	112	<10	9	39
28	P26075	<0.2	1.22	<5	150	2	1.01	<1	14	26	28	3.97	26	<10	0.74	1310	1	0.02	9	1170	12	<5	<20	38	<10	0.14	<10	121	<10	9	37	

Standard:

OXF41	795																															
GEO '06		1.4	1.47	50	145	2	1.49	1	19	51	83	3.65	54	<10	0.78	598	<1	0.02	20	680	24	<5	<20	53	<10	0.11	<10	75	<10	9	74	

JJ/bp
df/n604a
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-888

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: LEN SALEKEN

No. of samples received: 2
Sample type: Silt
Project #: Plug
Samples submitted by: Grant Crooker

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
1	262011	10	<0.2	1.35	<5	160	<2	0.96	<1	17	32	53	4.03	<10	0.71	457	<1	0.02	14	1020	22	<5	<20	40	<10	0.12	<10	134	<10	9	51
2	262014	5	<0.2	1.71	<5	165	<2	2.12	<1	19	26	49	4.44	<10	0.73	820	<1	0.02	16	900	26	<5	<20	49	<10	0.14	<10	155	<10	17	58

QC DATA:

Repeat:

1	262011	15	<0.2	1.35	<5	160	2	0.95	<1	17	30	52	3.93	<10	0.72	456	<1	0.02	15	1030	22	5	<20	40	<10	0.12	<10	129	<10	8	69
2	262014	5																													

Standard:

TILL-3		1.3	1.12	85	40	<2	0.57	<1	13	62	22	1.99	10	0.60	311	<1	0.02	33	460	30	5	<20	13	<10	0.07	<10	40	<10	12	39
--------	--	-----	------	----	----	----	------	----	----	----	----	------	----	------	-----	----	------	----	-----	----	---	-----	----	-----	------	-----	----	-----	----	----

JJ/kk
df/960
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ROCK SAMPLES

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS A. 06-549

Goldcliff Resources Corp.
6976 Laburnum Street
VANCOUVER, BC
V6P 5M9

Attention: L.W. Saleken

No. of samples received: 11
Sample Type: Rock
Project: Plug
Shipment #: P-01
Submitted by: Grant Crooker

Phone: 250-573-5700
Fax : 250-573-4557

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
1	P26006	5	<0.2	0.55	<5	280	1	5.94	<1	49	330	35	5.36	6	<10	8.99	895	<1	0.02	495	610	2	20	<20	169	<10	<0.01	<10	62	<10	<1	12
2	P26007	30	<0.2	0.70	<5	125	1	4.98	<1	50	396	40	6.09	<5	<10	8.02	1004	<1	0.02	495	660	4	10	<20	123	<10	<0.01	<10	81	<10	<1	14
3	P26008	10	0.4	0.32	<5	625	1	5.94	<1	23	69	2315	5.05	11	<10	4.85	940	3	0.04	134	1040	<2	10	<20	121	<10	<0.01	<10	105	<10	<1	19
4	P26009	5	<0.2	1.64	<5	365	2	5.66	<1	49	454	182	6.70	11	<10	7.13	1164	2	0.02	442	710	20	10	<20	126	<10	<0.01	<10	139	<10	<1	24
5	P26010	70	<0.2	0.63	<5	230	1	8.32	<1	26	58	101	6.64	11	<10	2.90	1284	5	0.02	15	1180	4	<5	<20	144	<10	<0.01	<10	108	<10	<1	51
6	P26011	15	<0.2	0.31	<5	95	3	8.25	<1	19	51	66	5.10	9	<10	2.51	1252	4	0.03	9	740	<2	<5	<20	128	<10	<0.01	<10	60	<10	<1	36
7	P26028	10	<0.2	0.96	<5	175	<1	4.68	<1	19	63	151	4.59	24	30	0.48	837	4	0.02	47	2540	8	<5	<20	42	<10	<0.01	<10	126	<10	3	50
8	P26029	5	<0.2	1.19	<5	170	<1	3.22	<1	17	83	83	4.80	18	40	0.70	591	4	0.03	60	2520	14	<5	<20	57	<10	<0.01	<10	126	<10	1	64
9	P26030	5	<0.2	1.19	<5	430	2	7.17	<1	19	132	84	4.30	18	30	0.89	513	3	0.02	117	2600	12	<5	<20	63	<10	<0.01	<10	89	<10	6	57
10	P26031	10	<0.2	2.07	5	195	1	>10	<1	21	41	87	5.79	13	<10	1.55	1272	6	0.01	24	1130	20	<5	<20	297	<10	<0.01	<10	75	<10	3	71
11	P26032	5	<0.2	0.53	<5	200	1	1.40	<1	5	46	68	1.89	11	<10	0.22	577	2	0.03	7	710	4	<5	<20	13	<10	<0.01	<10	14	<10	7	29

QC DATA:Repeat:


1	P26006	10	<0.2	0.54	<5	260	2	5.96	<1	49	326	35	5.33	11	<10	8.91	882	<1	0.02	490	610	<2	25	<20	156	<10	<0.01	<10	61	<10	<1	11
---	--------	----	------	------	----	-----	---	------	----	----	-----	----	------	----	-----	------	-----	----	------	-----	-----	----	----	-----	-----	-----	-------	-----	----	-----	----	----

Resplit:

1	P26006	5	<0.2	0.57	<5	275	2	5.92	<1	48	332	45	5.46	6	<10	9.30	935	<1	0.02	480	590	<2	25	<20	158	<10	<0.01	<10	65	<10	<1	12
---	--------	---	------	------	----	-----	---	------	----	----	-----	----	------	---	-----	------	-----	----	------	-----	-----	----	----	-----	-----	-----	-------	-----	----	-----	----	----

Standard:

GEO'06		1.5	1.61	60	160	2	1.57	<1	19	56	88	4.03		52	<10	0.88	643	<1	0.03	29	700	24	<5	<20	53	<10	0.11	<10	68	<10	9	73
--------	--	-----	------	----	-----	---	------	----	----	----	----	------	--	----	-----	------	-----	----	------	----	-----	----	----	-----	----	-----	------	-----	----	-----	---	----


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-616

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: LEN SALEKEN

No. of samples received: 15
Sample type: Rock
Project #: Plug
Shipment #: P-R02
Samples submitted by: Grant Crooker

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
1	P26042	10	<0.2	0.26	5	45	1	1.88	<1	8	35	6	4.66	136	<10	0.51	955	4	0.03	3	1080	4	<5	<20	7	<10	<0.01	<10	55	<10	10	114
2	P26043	15	<0.2	0.83	10	740	2	>10	<1	13	13	42	4.34	55	<10	1.43	1243	3	0.02	14	600	14	<5	<20	120	<10	<0.01	<10	75	<10	3	71
3	P26053	40	<0.2	0.25	35	265	<1	>10	<1	20	10	57	5.32	>10000	<10	0.19	1414	7	<0.01	16	890	<2	10	<20	50	<10	<0.01	<10	238	<10	2	157
4	P26054	10	<0.2	0.40	45	250	2	>10	<1	24	23	146	5.98	>10000	<10	0.15	1514	6	<0.01	19	1420	4	35	<20	29	<10	<0.01	<10	218	<10	7	138
5	P26055	20	<0.2	3.01	15	580	2	4.37	<1	25	27	60	6.25	73	<10	1.39	820	<1	0.02	18	1580	80	<5	<20	24	<10	0.10	<10	195	<10	<1	68
6	P26056	10	<0.2	0.23	30	425	2	>10	<1	33	19	109	9.62	>10000	<10	0.28	2743	9	<0.01	34	660	<2	15	<20	43	<10	<0.01	<10	343	<10	2	327
7	P26057	15	3.7	0.39	125	830	<1	>10	2	19	20	1524	5.57	>10000	<10	0.10	1267	5	<0.01	16	1420	4	510	<20	31	<10	<0.01	<10	207	<10	4	229
8	P26066	20	<0.2	1.34	30	30	1	6.17	<1	26	66	113	5.86	1689	<10	2.67	930	4	0.01	43	1010	32	<5	<20	158	<10	<0.01	<10	110	<10	10	73
9	P26073	15	<0.2	0.05	10	40	2	>10	<1	16	7	17	3.72	163	<10	1.56	1272	3	<0.01	21	70	<2	5	<20	268	<10	<0.01	<10	62	<10	8	41
10	P26078	5	<0.2	1.15	15	55	1	3.95	<1	17	20	43	5.16	600	<10	0.53	822	4	0.02	14	880	28	<5	<20	28	<10	<0.01	<10	91	<10	10	78
11	P26080	10	<0.2	0.34	15	95	1	6.19	<1	34	82	172	6.04	1180	<10	2.65	979	4	0.02	115	650	4	<5	<20	159	<10	<0.01	<10	144	<10	5	63
12	P26081	10	<0.2	0.16	10	35	2	8.61	<1	23	71	23	4.55	121	<10	2.86	904	2	0.02	80	430	<2	<5	<20	178	<10	<0.01	<10	178	<10	<1	60
13	P26082	35	<0.2	1.36	20	140	<1	8.37	<1	21	35	55	5.09	330	<10	0.93	1289	4	0.02	21	1050	34	<5	<20	43	<10	<0.01	<10	102	<10	10	76
14	P26083	15	<0.2	1.17	25	225	<1	6.60	<1	17	46	80	4.56	114	<10	0.58	978	4	0.02	25	970	30	<5	<20	34	<10	<0.01	<10	106	<10	10	76
15	P26084	15	<0.2	1.07	15	365	2	4.64	<1	17	37	48	4.94	35	<10	1.17	725	5	0.03	20	960	28	<5	<20	48	<10	<0.01	<10	139	<10	9	78
QC DATA:																																
Repeat:																																
1	P26042	10	<0.2	0.25	5	45	2	1.79	<1	8	32	5	4.46	145	<10	0.49	919	4	0.03	3	1040	6	<5	<20	8	<10	<0.01	<10	53	<10	10	108
10	P26078	10																														
Standard:																																
	OXF41	810																														
	GEO'06		1.5	1.49	55	135	<5	1.42	<1	19	57	80	3.72	58	<10	0.60	695	<1	0.02	25	570	24	<5	<20	53	<10	0.11	<10	70	<10	10	74

JJ/kk
df/634b/634a
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

10-Aug-06

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-887

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

Phone: 250-573-5700
Fax : 250-573-4557

ATTENTION: LEN SALEKEN

No. of samples received: 41
Sample type: Rock
Project #: Plug
Samples submitted by: Grant Crooker


Values in ppm unless otherwise reported


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
1	262000	10	<0.2	1.95	<5	25	1	0.92	<1	29	35	130	3.75	<5	<10	1.55	531	<1	0.05	18	880	26	5	<20	15	<10	0.22	<10	93	<10	5	42
2	262001	15	<0.2	1.36	<5	35	<1	1.46	<1	18	32	16	2.71	<5	<10	0.89	324	<1	0.11	12	1340	18	<5	<20	27	<10	0.17	<10	101	<10	13	20
3	262002	5	<0.2	0.15	<5	10	2	0.03	<1	<1	38	4	0.20	<5	<10	0.02	121	<1	0.04	1	30	6	<5	<20	<1	<10	<0.01	<10	3	<10	6	11
4	262003	5	<0.2	0.42	<5	10	1	0.76	<1	3	102	3	0.92	<5	<10	0.34	198	<1	<0.01	7	20	6	<5	<20	5	<10	<0.01	<10	35	<10	<1	5
5	262004	5	<0.2	0.65	<5	20	1	0.23	<1	5	48	14	2.95	7	<10	0.39	552	<1	0.05	2	340	8	<5	<20	4	<10	0.07	<10	24	<10	39	56
6	262005	10	<0.2	0.96	10	1170	1	4.23	<1	47	867	65	4.81	<5	<10	>10	999	<1	0.02	531	360	6	25	<20	115	<10	<0.01	<10	88	<10	<1	6
7	262006	10	0.3	2.30	10	85	3	9.91	<1	18	30	51	3.70	22	<10	1.26	773	<1	0.06	17	860	28	5	<20	121	<10	0.21	<10	124	<10	21	63
8	262007	5	<0.2	2.60	10	50	2	4.66	<1	24	62	32	5.00	<5	<10	1.26	619	<1	0.04	37	3430	32	<5	<20	47	<10	0.14	<10	161	<10	43	66
9	262008	10	<0.2	4.20	15	75	<1	4.72	<1	22	23	69	4.48	<5	<10	1.46	695	<1	0.02	13	850	52	<5	<20	14	<10	0.23	<10	235	<10	24	44
10	262009	10	<0.2	0.49	125	30	<1	>10	<1	25	82	44	5.16	15200	<10	4.13	1201	4	0.02	65	190	<2	35	<20	150	<10	<0.01	<10	168	<10	10	50
11	262010	10	<0.2	0.60	35	35	<1	4.90	<1	10	15	115	2.56	486	<10	1.64	705	3	<0.01	5	960	6	15	<20	57	<10	<0.01	<10	92	<10	12	34
12	262012	15	<0.2	0.40	5	340	1	0.41	<1	5	42	23	1.56	26	10	0.21	375	26	0.03	7	670	20	<5	<20	26	<10	0.02	<10	21	<10	3	31
13	262013	15	<0.2	1.25	5	65	<1	>10	<1	16	26	209	3.33	42	<10	1.17	2031	<1	0.04	8	990	12	5	<20	150	<10	0.11	<10	117	<10	10	43
14	262015	5	<0.2	1.49	5	210	<1	6.70	<1	19	25	45	4.73	420	<10	0.88	1075	2	0.02	13	890	16	5	<20	65	<10	0.07	<10	162	<10	17	53
15	262016	5	<0.2	3.21	10	110	2	3.64	<1	29	33	45	5.80	132	<10	1.60	875	<1	0.03	20	1770	40	<5	<20	34	<10	0.15	<10	211	<10	15	62
16	262017	<5	<0.2	1.85	25	495	<1	>10	<1	27	69	79	4.91	26	<10	1.23	2020	5	0.02	38	1520	18	<5	<20	40	<10	<0.01	<10	157	<10	18	54
17	262018	5	<0.2	2.33	5	95	2	6.57	<1	39	16	215	6.41	26	20	2.37	1258	<1	0.04	14	2290	28	10	<20	75	<10	0.27	<10	232	<10	27	78
18	262019	5	<0.2	2.13	10	90	<1	3.30	<1	23	20	76	4.51	10	20	1.81	748	<1	0.03	10	2520	24	5	<20	82	<10	0.19	<10	68	<10	15	66
19	262020	10	<0.2	0.58	<5	170	1	>10	<1	28	41	67	5.22	<5	<10	4.32	1235	5	<0.01	26	700	2	15	<20	221	<10	<0.01	<10	84	<10	<1	72
20	262021	5	<0.2	1.98	<5	120	<1	5.13	<1	21	50	53	3.43	<5	<10	1.70	674	<1	0.03	18	1450	24	10	<20	158	<10	0.14	<10	95	<10	12	59
21	262022	10	<0.2	0.96	<5	570	<1	1.09	<1	4	38	51	1.88	<5	<10	0.61	587	1	0.03	7	670	12	<5	<20	32	<10	<0.01	<10	25	<10	7	46
22	262023	5	<0.2	0.80	<5	210	1	4.13	<1	14	10	34	3.93	7	50	0.26	1103	5	0.02	2	3240	8	<5	<20	65	<10	<0.01	<10	24	<10	26	62
23	262024	5	<0.2	1.68	5	45	2	1.67	<1	22	46	67	3.42	<5	<10	1.54	622	<1	0.03	14	1530	20	5	<20	44	<10	0.11	<10	148	<10	6	48
24	262025	5	<0.2	2.04	5	240	<1	1.11	<1	33	58	114	6.55	20	<10	0.88	1186	4	0.03	21	1430	26	<5	<20	20	<10	0.03	<10	212	<10	4	63
25	262026	5	<0.2	0.45	35	105	2	1.34	<1	11	57	73	3.24	7	<10	0.24	618	4	<0.01	20	320	6	<5	<20	61	<10	<0.01	<10	71	<10	12	77

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	Hg(ppb)	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Te	Ti %	U	V	W	Y	Zn
26	262027	5	<0.2	1.62	<5	95	<1	1.45	<1	52	73	41	7.90	7	30	2.22	1250	<1	0.52	54	2510	24	<5	<20	74	<10	1.05	<10	126	<10	30	91
27	262028	5	<0.2	1.94	<5	60	<1	2.00	<1	27	39	117	5.22	<5	<10	1.58	775	<1	0.04	13	1600	24	<5	<20	15	<10	0.15	<10	211	<10	9	53
28	262029	5	<0.2	1.88	<5	75	<1	1.29	<1	22	32	103	3.92	9	<10	1.37	567	<1	0.08	11	1380	24	<5	<20	74	<10	0.15	<10	141	<10	5	56
29	262030	10	<0.2	3.70	<5	245	1	1.26	<1	56	114	54	8.42	7	20	2.56	1177	<1	2.11	85	2560	48	<5	<20	123	<10	0.96	<10	101	<10	10	104
30	262031	5	<0.2	3.39	5	170	1	1.85	<1	81	223	76	8.43	<5	<10	6.39	1109	<1	0.99	305	1710	40	10	<20	184	<10	0.87	<10	164	<10	7	82
31	262032	5	<0.2	2.99	5	140	<1	1.99	<1	52	146	51	6.92	7	10	1.72	1068	<1	1.78	114	1930	36	<5	<20	123	<10	0.60	<10	119	<10	11	82
32	262033	<5	7.4	2.07	5	235	<1	8.03	<1	36	98	>10000	4.67	92	<10	1.86	1195	<1	0.38	44	480	10	10	<20	41	<10	0.22	<10	257	<10	8	46
33	262034	10	<0.2	1.32	<5	145	2	3.32	<1	17	20	136	3.83	7	<10	0.72	716	<1	0.09	10	1410	18	<5	<20	50	<10	0.12	<10	151	<10	9	32
34	262035	15	0.2	3.15	5	165	<1	1.87	<1	76	208	88	8.12	11	<10	6.54	1093	<1	0.88	355	1420	36	<5	<20	180	<10	0.57	<10	150	<10	10	72
35	262036	5	<0.2	2.16	<5	210	1	2.90	<1	24	87	98	4.93	11	<10	1.78	695	<1	0.07	60	1920	24	<5	<20	73	<10	0.09	<10	163	<10	8	61
36	262037	5	<0.2	0.94	<5	55	<1	0.66	<1	7	41	10	1.77	<5	20	0.75	399	2	0.03	9	920	20	5	<20	17	<10	<0.01	<10	41	<10	9	39
37	262038	20	0.5	0.76	5	100	1	3.96	<1	20	45	99	4.14	7	<10	1.53	1022	4	0.03	13	1120	10	10	<20	240	<10	0.05	<10	71	<10	10	47
38	262039	15	0.6	0.63	<5	70	2	5.05	1	24	14	190	4.69	<5	<10	1.44	1300	5	0.02	6	1570	8	5	<20	228	<10	0.02	<10	41	<10	10	58
39	262040	15	<0.2	2.02	<5	70	<1	1.49	<1	22	23	136	3.73	<5	<10	1.16	470	<1	0.12	6	1770	30	10	<20	61	<10	0.17	<10	145	<10	10	52
40	262041	5	<0.2	3.22	<5	80	<1	2.12	<1	60	122	52	8.30	<5	30	1.79	1191	<1	1.82	96	2530	48	<5	<20	121	<10	0.85	<10	104	<10	38	113
41	262042	10	<0.2	0.50	10	335	<1	>10	1	30	36	182	6.24	59	<10	0.28	2288	7	0.01	19	790	<2	<5	<20	25	<10	<0.01	<10	441	<10	5	68

QC DATA:

Resplit:																																
1	262000	5	<0.2	1.96	<5	35	<1	1.04	<1	29	40	126	3.69	<5	<10	1.52	521	<1	0.06	19	860	24	5	<20	15	<10	0.26	<10	94	<10	8	39
36	262037	5	<0.2	0.96	<5	55	<1	0.70	<1	7	45	8	1.81	7	20	0.74	392	1	0.04	9	910	18	5	<20	19	<10	0.01	<10	43	<10	9	38
Repeat:																																
1	262000	10	<0.2	1.96	5	30	1	0.98	<1	29	35	125	3.71	7	<10	1.54	527	<1	0.05	18	870	26	5	<20	16	<10	0.25	<10	94	<10	7	41
10	262009	5	<0.2	0.50	125	35	1	>10	<1	24	81	43	5.08		<10	4.07	1193	4	0.02	64	190	4	30	<20	154	<10	<0.01	<10	166	<10	11	49
19	262020	5	<0.2	0.60	<5	180	1	>10	<1	28	42	69	5.22	7	<10	4.33	1236	4	0.01	28	700	4	15	<20	228	<10	<0.01	<10	85	<10	1	72
Standard:																																
	GEO'06		1.5	1.62	55	160	<5	1.62	<1	21	59	84	4.00	54	<10	0.91	703	<1	0.02	27	700	22	<5	<20	56	<10	0.11	<10	69	<10	10	77
	OXF41	805																														
	OXF41	795																														


ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006- 887

GEOTEC CONSULTING LTD.
6976 LABURNUM STREET
VANCOUVER, BC
V6P 5M9

10-Aug-06

ATTENTION: LEN SALEKEN

No. of samples received: 41
Sample type: Rock
Project #: Plug
Samples submitted by: Grant Crooker


ET #.	Tag #	Cu (%)
32	262033	1.63

QC DATA:

Standard:
PB106

0.62

JJ/kk
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

APPENDIX II
ROCK SAMPLE DESCRIPTIONS

ig #	UtmE	UtmN	Location	Sampler	Type	Au	Ag	As	Ba	Bi	Ca %	Co	Cr	Cu	Fe %	Mn	Mo	Ni	Pb	Sb	Te	Zn	Geology	
006	670507	5594152	Neal Rd	Crooker	3m grab	10	0.1	4	280	1	5.94	49	330	35	5.36	895	1	495	2	20	9	12	Nicola, strong orange carb alt, weak fuchite, foliation 358/58E	
007	670507	5594155	Neal Rd	Crooker	6m grab	30	0.1	4	125	1	4.98	50	396	40	6.09	1004	1	495	4	10	9	14	Nicola, strong orange carb alt, weak fuchite, 1-2 mm breccia frags?	
008	670507	5594158	Neal Rd	Crooker	3m grab	10	0.4	4	625	1	5.94	23	69	2315	5.05	940	3	134	1	10	9	19	Nicola, strong orange carb alt, weak fuchite, traces cpy, mal,	
009	670507	5594163	Neal Rd	Crooker	6m grab	5	0.1	4	365	2	5.66	49	454	182	6.70	1164	2	442	20	10	9	24	Nicola, orange carb alt, trace py, less altered	
010	670507	5594183	Neal Rd	Crooker	16m grab	70	0.1	4	230	1	8.32	26	58	101	6.64	1284	5	15	4	4	9	51	Nicola, orange carb alt, 1-10 mm white carb veinlets, foliation 001/52 E	
011	670507	5594185	Neal Rd	Crooker	15m grab	15	0.1	4	95	3	8.25	19	51	66	5.10	1252	4	9	1	4	9	36	Nicola, rusty, moderate grey silicification, microlitic cavities, 1-2 mm qtz crystals	
028	666951	5597726	Haybrook Rd	Crooker	grab	10	0.1	4	175	1	4.68	19	63	151	4.59	837	4	47	8	4	9	50	Nicola, orange carb alt, 1-3 mm frags, rare rusty fract	
029	666951	5597728	Haybrook Rd	Crooker	grab	5	0.1	4	170	1	3.22	17	83	83	4.80	591	4	60	14	4	9	64	Nicola, orange carb alt, fragmental or bx	
030	666951	5597730	Haybrook Rd	Crooker	grab	5	0.1	4	430	2	7.17	19	132	84	4.30	513	3	117	12	4	9	57	Nicola, orange carb alt? 1-2 mm bx frags?	
031	666932	5594561	Haybrook Rd	Crooker	grab	10	0.1	5	195	1	10.01	21	41	87	5.79	1272	6	24	20	4	9	71	Nicola, orange carb alt, strong foliation 358/64W with carb veinlets	
032	667810	5594623	Haybrook Rd	Crooker	grab	5	0.1	4	200	1	1.40	5	46	68	1.89	577	2	7	4	4	9	29	Nicola, orange carb alt, zone 017/62W	
042	658158	5598467	Chartrand Rd	Crooker	grab	10	0.1	5	45	1	1.88	8	35	6	4.66	955	4	3	4	4	9	114	Nicola, weak orange carb alt, minor rustiness, moderate fract, 141/72W	
043	658217	5598109	Chartrand Rd	Crooker	grab	15	0.1	10	740	2	10.01	13	13	42	4.34	55	1243	3	14	14	4	9	71	Nicola, rusty, weak orange carb alt, volcanoclastic
053	657444	5603097	Dominic Rd	Crooker	3m grab	40	0.1	35	265	1	10.01	20	10	57	5.32	10001	1414	7	16	1	10	9	157	Nicola, orange carb alt, later grey carb veinlets, lim, weak <1 cm bx frags
054	657444	5603100	Dominic Rd	Crooker	2m grab	10	0.1	45	250	2	10.01	24	23	146	5.98	10001	1514	6	19	4	35	9	138	Nicola, orange carb alt, later grey carb veinlets, lim, 5-40 mm bx frags, strike 121
055	657444	5603103	Dominic Rd	Crooker	grab	20	0.1	15	580	2	4.37	25	27	60	6.25	73	820	1	18	80	4	9	68	Nicola, weak carb alt, 1-3 mm carb veinlets @ 049/steep east, west
056	657444	5603106	Dominic Rd	Crooker	grab	10	0.1	30	425	2	10.01	33	19	109	9.62	10001	2743	9	34	1	15	9	327	Nicola, weak orange carb alt, minor rustiness, <1 cm grey carb veinlets
057	657444	5603116	Dominic Rd	Crooker	grab	15	3.7	125	830	1	10.01	19	20	1524	5.57	10001	1267	5	16	4	510	9	229	Nicola, weak orange carb alt, 1-3 mm translucent qtz veinlets, <1 mm qtz bx
066	663334	5597927	Greenstone Rd	Crooker	grab	20	0.1	30	30	1	6.17	26	66	113	5.88	1689	930	4	43	32	4	9	73	Nicola, weak orange carb alt, foliation 195/steep east, west
073	663127	5596149	Greenstone Rd	Crooker	float	15	0.1	10	40	2	10.01	16	17	17	3.72	163	1272	3	21	1	5	9	41	Nicola, orange carb alt, white carb veinlets
078	659868	5601617	Chartrand Rd	Crooker	grab	5	0.1	15	55	1	3.95	17	20	43	5.16	600	822	4	14	28	4	9	78	Nicola, weak orange carb alt
080	659928	5596594	Chartrand Rd	Crooker	grab	10	0.1	15	95	1	6.19	34	82	172	6.04	1180	979	4	115	4	4	9	63	Nicola, weak orange carb alt, <1 mm white ca veinlets, 090/82N, 018/79W
081	659928	5596596	Chartrand Rd	Crooker	grab	10	0.1	10	35	2	8.61	23	71	23	4.55	121	904	2	80	1	4	9	60	Nicola, orange carb alt, grey silic/Qtz veinlets, up to 6 mm angular qtz frags
082	658233	5598082	Chartrand Rd	Crooker	grab	35	0.1	20	140	1	8.37	21	35	55	5.09	330	1289	4	21	34	4	9	76	Nicola, weak orange carb alt, fault plane 332/58W, bedding 281/38S
083	658237	5598061	Chartrand Rd	Crooker	grab	15	0.1	25	225	1	6.60	17	46	80	4.58	114	978	4	25	30	4	9	76	Nicola, weak orange carb alt, rare 1-2 mm white ca veinlets
084	658622	5597398	Chartrand Rd	Crooker	float	15	0.1	15	365	2	4.64	17	37	48	4.94	35	725	5	20	28	4	9	78	Nicola, orange carb alt, 1-3 mm white carb veinlets
2000	671974	5589975	Surrey Ridge Rd	Botel	30m grab	10	0.1	4	25	1	0.92	29	35	130	3.75	4	531	1	18	26	5	9	42	Nicola, minor fine py
2001	671400	5589594	Surrey Ridge Rd	Botel	10 m grab	15	0.1	4	35	1	1.46	18	32	16	2.71	4	324	1	12	18	4	9	20	Nicola, minor py
2002	671275	5589526	Surrey Ridge Rd	Botel	grab	5	0.1	4	10	2	0.03	1	38	4	0.20	4	121	1	1	6	4	9	11	Nicola, bleached, silicified
2003	671275	5589526	Surrey Ridge Rd	Botel	grab	5	0.1	4	10	1	0.76	3	102	3	0.92	4	198	1	7	6	4	9	5	Quartz vein fragments associated with bleached Nicola
2004	670147	5588620	Surrey Ridge Rd	Botel	15m grab	5	0.1	4	20	1	0.23	5	48	14	2.95	7	552	1	2	8	4	9	56	Nicola, fractured, altered, minor rustiness
2005	670020	5589795	Surrey Ridge Rd	Botel	float	10	0.1	10	1170	1	4.23	47	867	65	4.81	4	999	1	531	6	25	9	6	Quartz-carbonate alteration, slightly magnetic
2006	659189	5601323	Chartrand Rd	Botel	grab	10	0.3	10	85	3	9.91	18	30	51	3.70	22	773	1	17	28	5	9	63	Nicola? rounded pieces silicified limestone in conglomerate? banded sediment
2007	659108	5601244	Chartrand Rd	Botel	grab	5	0.1	10	50	2	4.66	24	62	32	5.00	4	619	1	37	32	4	9	66	Nicola, volcanic breccia or unsorted conglomerate
2008	659571	5599908	Chartrand Rd	Botel	grab	10	0.1	15	75	1	4.72	22	23	89	4.48	4	695	1	13	52	4	9	44	Nicola, volcanic breccia, carbonate veins, quartz filling
2009	654457	5608607	Gottan Rd	Botel	grab	10	0.1	125	30	1	10.01	25	82	44	5.16	15200	1201	4	65	1	35	9	50	Nicola, limonitic carbonate altered zone, minor silica, hem, fracturing 340
2010	661302	5605026	Dominic Rd	Botel	grab	10	0.1	35	35	1	4.90	10	15	115	2.56	486	705	3	5	6	15	9	34	Nicola, fragmental, limonitic, fracturing 020
2012	664870	5604617	Chartrand Rd	Botel	float	15	0.1	5	340	1	0.41	5	42	23	1.56	26	375	26	7	20	4	9	31	Angular chips quartz porphyry, limonitic clasts
2013	662401	5602712	Chartrand Rd	Botel	grab	15	0.1	5	65	1	10.01	16	26	209	3.33	42	2031	1	8	12	5	9	43	Nicola, vaicolored rounded frags, including limestone, ep, trace mal
2015	657885	5605146	Dominic Rd	Botel	grab	5	0.1	5	210	1	6.70	19	25	45	4.73	420	1075	2	13	16	5	9	53	Nicola, limonitic, altered
2016	657444	5603116	Dominic Rd	Botel	grab	5	0.1	10	110	2	3.64	29	33	45	5.80	132	875	1	20	40	4	9	62	Nicola? green sediment, possibly dyke
2017	665546	5596880	Pasca Lake Rd	Botel	grab	4	0.1	25	495	1	10.01	27	69	79	4.91	26	2020	5	38	16	4	9	54	Nicola? buff rock, limonitic, stockwork radiating calcite veins, black mineral?
2018	665202	5597366	Pasca Lake Rd	Botel	grab	5	0.1	5	95	2	6.57	39	16	215	6.41	26	1258	1	14	28	10	9	78	Nicola, no fragments, pink crystals, minute fract with yellowish ca?
2019	667313	5594439	Haybrook Rd	Botel	float	5	0.1	10	90	1	3.30	23	20	76	4.51	10	748	1	10	24	5	9	66	Nicola, poorly sorted conglomerate, rare ca veinlets
2020	667711	5594557	Haybrook Rd	Botel	float	10	0.1	4	170	1	10.01	28	41	67	5.22	4	1235	5	26	2	15	9	72	Nicola, conglomerate/volcanic contact area, lim, carb alteration
2021	667711	5594557	Haybrook Rd	Botel	float	5	0.1	4	120	1	5.13	21	50	53	3.43	4	674	1	18	24	10	9	59	Nicola or dyke? lim, ep, hem

APPENDIX III
STREAM SEDIMENT SAMPLE LOCATIONS

2006S Only

Sample#	UtmE	UtmN	masl	Sampler	Type	Au(ppb)	Ag	As	Ba	Bi	Ca %	Co	Cr	Cu	Fe %	Hg(ppb)	Mn	Mo	Ni	Pb	Sb	Te	Zn	Location
26001	669225	5596448	1560	Crooker	Silt	4	0.1	10	120	1	0.85	22	34	68	4.95	42	594	1	21	22	4	9	61	east Fork Hay Brook
26002	669738	5596219	1523	Crooker	Silt	5	0.1	5	80	1	0.85	21	23	62	4.51	24	899	1	16	12	4	9	133	tributary East Fork Hay Brook
26003	669743	5595648	1527	Crooker	Silt	5	0.1	4	80	1	0.65	17	26	53	4.74	24	547	1	12	12	4	9	37	tributary East Fork Hay Brook
26004	669932	5595159	1470	Crooker	Silt	5	0.1	4	85	1	0.80	15	21	38	3.90	22	529	1	13	10	4	9	39	tributary East Fork Hay Brook
26005	669741	5595114	1435	Crooker	Silt	5	0.1	5	125	1	0.85	20	24	46	4.92	15	1003	1	14	10	4	9	38	east Fork Hay Brook
26012	669477	5592655	1270	Crooker	Silt	5	0.1	4	75	1	0.80	17	22	34	4.23	550	553	1	11	12	4	9	42	east Fork Hay Brook
26013	669490	5593583	1348	Crooker	Silt	35	0.1	4	100	1	1.05	18	25	41	4.85	20	557	1	14	14	4	9	149	east Fork Hay Brook
26014	669723	5593997	1371	Crooker	Silt	5	0.1	4	230	1	0.84	20	24	37	5.06	8	1584	1	14	12	4	9	43	east Fork Hay Brook
26015	669788	5594588	1380	Crooker	Silt	5	0.1	4	120	1	0.78	18	26	47	4.76	18	472	1	16	14	4	9	40	east Fork Hay Brook
26016	668055	5595325	1446	Crooker	Silt	4	0.1	4	380	1	0.94	19	42	50	5.28	18	753	1	26	16	4	9	57	Hay Brook
26017	668335	5594875	1488	Crooker	Silt	4	0.1	4	200	1	0.93	21	32	65	5.16	13	1246	1	18	12	4	9	47	Hay Brook
26018	668706	5594455	1474	Crooker	Silt	5	0.1	4	215	2	0.93	23	31	66	5.20	20	1526	1	20	14	4	9	52	Hay Brook
26019	669075	5593529	1474	Crooker	Silt	5	0.1	4	100	1	0.84	18	26	48	4.73	13	544	1	12	14	4	9	39	Hay Brook
26020	669275	5593221	1341	Crooker	Silt	5	0.1	4	150	1	0.91	20	27	45	5.01	22	981	1	15	12	4	9	38	east Fork hay Brook
26021	668822	5593034	1303	Crooker	Silt	5	0.1	4	100	1	0.83	18	32	42	5.03	13	466	1	14	12	4	9	37	Hay Brook
26022	668796	5592436	1263	Crooker	Silt	5	0.1	4	105	1	0.91	19	22	35	3.69	13	468	1	13	16	4	9	34	Hay Brook
26023	671631	5589873	1515	Crooker	Silt	4	0.1	5	110	2	0.64	20	44	53	3.47	13	379	1	30	14	4	9	27	tributary melba Creek
26024	670883	5588914	1536	Crooker	Silt	4	0.1	5	195	2	0.83	24	49	34	3.81	11	359	1	27	14	4	9	31	tributary melba Creek
26025	667586	5596272	1493	Crooker	Silt	4	0.1	5	210	2	0.85	26	50	36	3.84	18	362	1	29	14	4	9	31	Hay Brook
26026	668482	5597393	1556	Crooker	Silt	10	0.1	5	285	1	0.89	21	21	64	3.60	48	535	1	10	14	4	9	36	Hay Brook
26027	665242	5599017	1457	Crooker	Silt	5	0.1	5	165	1	0.80	15	16	29	3.46	33	304	1	10	14	4	9	43	tributary Greenstone Creek
26033	665508	5598665	1471	Crooker	Silt	5	0.1	5	110	3	0.88	14	12	26	2.82	24	475	1	8	22	4	9	35	Greenstone Creek
26034	665523	5598302	1448	Crooker	Silt	4	0.1	4	160	2	0.78	16	18	29	4.11	13	1232	1	9	22	4	9	64	tributary Greenstone Creek
26035	663829	5599394	1494	Crooker	Silt	5	0.1	4	115	1	0.86	17	15	32	4.24	35	621	1	13	14	4	9	43	tributary Greenstone Creek
26036	662588	5598662	1496	Crooker	Silt	4	0.1	4	155	2	0.97	17	20	31	4.57	22	770	1	17	20	4	9	56	tributary Greenstone Creek
26037	662060	5600511	1540	Crooker	Silt	4	0.1	4	175	2	1.01	21	17	38	5.33	20	977	1	12	20	4	9	46	tributary Greenstone Creek
26038	663467	5599245	1553	Crooker	Silt	4	0.1	4	110	1	0.81	17	17	41	4.49	40	468	1	13	16	4	9	65	tributary Greenstone Creek
26039	661315	5602362	1545	Crooker	Silt	10	0.1	4	125	2	1.41	16	16	37	3.92	14	756	1	11	14	4	9	38	tributary Chartrand Creek
26040	660323	5601917	1533	Crooker	Silt	5	0.1	4	60	2	1.22	15	25	40	4.88	33	509	1	11	14	4	9	47	tributary Chartrand Creek
26041	658895	5601314	1444	Crooker	Silt	10	0.1	4	95	1	1.30	15	21	27	3.64	103	572	1	13	14	4	9	126	tributary Chartrand Creek
26044	661483	5603460	1491	Crooker	Silt	5	0.1	4	105	1	1.07	16	21	30	3.56	20	708	1	11	12	4	9	41	tributary Chartrand Creek
26045	660971	5602963	1474	Crooker	Silt	5	0.1	4	95	1	1.45	17	16	26	3.38	110	499	1	10	12	4	9	43	Chartrand Creek
26046	660149	5603530	1496	Crooker	Silt	5	0.1	4	215	2	1.29	16	20	27	3.69	4	3041	1	9	12	4	9	48	tributary Chartrand Creek
26047	660151	5603787	1515	Crooker	Silt	10	0.1	4	165	1	1.12	14	26	40	4.44	11	2365	2	10	12	4	9	57	tributary Chartrand Creek
26048	660023	5604254	1521	Crooker	Silt	5	0.1	4	185	1	1.28	17	21	39	4.29	29	2969	1	10	14	4	9	53	tributary Chartrand Creek
26049	660527	5602461	1501	Crooker	Silt	5	0.1	4	125	1	1.30	14	15	18	2.93	15	838	1	8	12	4	9	44	branch Chartrand Creek
26050	660557	5602497	1497	Crooker	Silt	5	0.1	4	120	1	1.46	16	15	21	3.32	10	871	1	9	12	4	9	45	Chartrand Creek
26051	660355	5602534	1503	Crooker	Silt	5	0.1	4	115	1	1.19	15	18	25	4.22	20	773	1	8	14	4	9	44	tributary Chartrand Creek
26052	657262	5603930	1515	Crooker	Silt	5	0.1	4	145	1	2.48	13	26	21	4.76	37	492	1	10	14	4	9	40	tributary Chartrand Creek
26058	665190	5598136	1443	Crooker	Silt	5	0.1	4	120	2	0.93	12	19	20	3.56	29	385	1	6	12	4	9	32	tributary Greenstone Creek
26059	665190	5598136	1443	Crooker	Silt	5	0.1	4	95	1	1.24	16	16	22	3.11	15	746	1	9	12	4	9	55	Greenstone Creek
26060	664788	5598238	1444	Crooker	Silt	5	0.1	4	75	1	1.23	15	13	22	2.86	13	617	1	8	12	4	9	45	Greenstone Creek
26061	664304	5598158	1442	Crooker	Silt	5	0.1	4	105	1	1.13	15	17	25	3.40	22	485	1	10	12	4	9	41	Greenstone Creek
26062	664018	5597868	1441	Crooker	Silt	5	0.1	4	90	1	1.19	14	12	18	2.58	31	519	1	9	12	4	9	39	Greenstone Creek
26063	663628	5597790	1388	Crooker	Silt	5	0.1	4	100	2	1.14	12	22	18	3.65	4	723	1	8	10	4	9	34	Greenstone Creek
26064	663215	5598015	1391	Crooker	Silt	4	0.1	4	120	1	1.20	13	23	22	3.58	24	585	1	10	12	4	9	39	Greenstone Creek
26065	663338	5597988	1384	Crooker	Silt	5	0.1	4	120	1	1.04	16	24	30	3.93	9	693	1	11	12	4	9	38	tributary Greenstone Creek

2006S' Only

26067	665220	5595182	1458	Crooker	Silt	5	0.1	4	55	1	1.24	13	18	17	2.74	29	342	1	11	12	4	9	35	unnamed creek
26068	663389	5594822	1218	Crooker	Silt	640	0.1	4	95	1	1.14	15	40	24	4.99	117	589	1	15	12	4	9	45	Greenstone Creek
26069	663481	5595240	1232	Crooker	Silt	5	0.1	4	100	1	1.14	14	30	23	3.84	44	681	1	14	10	4	9	46	Greenstone Creek
26070	663152	5595598	1323	Crooker	Silt	5	0.1	4	95	2	1.06	14	23	21	3.14	7	586	1	13	10	4	9	41	Greenstone Creek
26071	663171	5595995	1334	Crooker	Silt	5	0.1	4	100	3	1.00	13	25	19	3.49	15	515	1	12	10	4	9	37	Greenstone Creek
26072	663400	5596406	1341	Crooker	Silt	5	0.1	4	125	1	1.01	13	25	20	3.43	224	704	1	12	10	4	9	38	Greenstone Creek
26074	663428	5594364	1226	Crooker	Silt	5	0.1	4	80	2	1.21	15	32	29	3.78	31	631	1	16	12	4	9	54	Greenstone Creek
26075	660412	5602208	1473	Crooker	Silt	5	0.1	4	150	2	1.07	14	27	29	4.10	35	1339	1	9	12	4	9	37	Chartrand Creek
26076	660115	5601861	1463	Crooker	Silt	10	0.1	4	200	1	1.15	15	27	31	4.20	33	1722	1	9	12	4	9	41	Chartrand Creek
26077	659858	5601603	1453	Crooker	Silt	5	0.1	4	145	3	1.27	15	28	31	4.42	73	1142	1	10	12	4	9	44	Chartrand Creek
26079	659430	5601347	1415	Crooker	Silt	5	0.1	4	145	1	1.16	15	28	32	4.82	31	1120	1	10	12	4	9	44	Chartrand Creek
262011	663130	5603604		Botel	Silt	10	0.1	4	160	1	0.96	17	32	53	4.03	4	457	1	14	22	4	9	51	Chartrand creek
262014	658384	5602848		Botel	Silt	5	0.1	4	165	1	2.12	19	26	49	4.44	4	820	1	16	26	4	9	58	tributary Chartrand Creek

APPENDIX IV
COST STATEMENT

COST STATEMENT - 2006

SALARIES

Grant Crooker, Geologist May 20/2006 – October 20, 2006 17 days @ \$ 600.00/day	\$	10200.00
LW Saleken, Geologist July 1/2006- Oct 20/2006 9 days @ \$ 600.00/day		5400.00
Ed Rockel, Geophysicist July 1/2006 – Oct 20/2006 4 days @ \$ 600.00/day		2400.00
William Botel, Geologist July 1/2006 - October 20/2006 16 days @ \$ 600.00/day		9600.00
Tyler Frasch, Field Technician May 20/2006 – June 9/2006 5 days @ \$ 200.00/day		1000.00

MEALS & ACCOMMODATION

Grant Crooker – 13 days @ \$ 100.00/day	1300.00
LW Saleken - 6 days @ \$ 100.00/day	600.00
William Botel - 16 days @ \$ 100.00/day	1600.00
Tyler Frasch - 5 days @ \$ 100.00/day	500.00

TRANSPORTATION

Vehicle Rental (1996 Chev 1/2 ton 4 x 4) 2510 kilometres @ \$ 0.50/km	1255.00
Vehicle Rental (2000 Nissan 1/2 ton 4 x 4) 553 kilometres @ \$ 0.50/kilometer	276.50
Vehicle Rental (ford) 1789 kilometres @ \$ 0.50/kilometer	894.50

CONTRACTORS

Eagle Mapping (Purchase of Digital TRIM Maps)	1500.00
Interpretex Resources (Preparation of Base map, draughting)	3,500.00

ANALYSES

67 rock samples, 28 element ICP, mercury, gold (30 gram, FA, AA finish, results ppb) @ \$ 31.25/sample 2093.75

60 stream sediment samples, 28 element ICP, mercury, gold (30 gram, FA, AA finish, results ppb) @ \$ 26.55/sample 1593.00

SUPPLIES 300.00

PREPARATION OF REPORT (Printing etc) 87.25
41,100.00



- LEGEND**
- GEOLOGY**
- Recent Qd Alluvium
 - Tertiary Tv Basalt Flows
 - Jurassic eJgd Intrusive Complex granodiorite
 - Triassic Nicola Group
 - uTN3 Andesite flow, tuff and sediment
 - uTN4 Basalt flow
 - uTN5 Andesite flow, breccia, tuff
 - uTN7 Foliated diorite and meta-sediment
- Faults**
- Geologic Contact
- OUTCROP**
- Area of Outcrop
 - Outcrop Locations
- FLOAT**
- Area of Float
 - Float Locations
- GEOCHEMISTRY**
- 2006 Silt Samples
 - 2006 Rock Samples
 - 1997 Silt Samples
 - 2006 Sample Numbers
 - 1997 Sample Numbers
 - 2006 Silt Gold Values - ppb
 - 2006 Rock Gold Values - ppb
 - 1997 Silt Gold Values - ppb

Scale 1:25000

Goldcliff Resource Corporation
PLUG PROJECT
 Logan Lake Area, British Columbia
 UTM 32 U
GEOLOGY AND GEOCHEMICAL VALUES
 Map Date: January, 2007
 Map Name: Geology & Geochemistry_25k_map
 Page # 5.9
 Interprex Resources Ltd.