

# Geochemical Assessment Report

on the



## Crazy Fox 5 Mineral Claim TENURE 521901

Little Fort Area, Kamloops mining Division, BC  
BCGS Map area 092 P 059

Latitude 51° 31' N ; Longitude 120° 15' W  
NAD 83 UTM: 10U 690500; 5712000

for:

### **NEWMAC RESOURCES INC.**

2605 Jane St., Port Moody British Columbia Canada V3H 2K6  
Tel: (604) 461 7211

By:

**W.A. Howell, P.Geol.**

15294 96 A Avenue  
Surrey, British Columbia  
V3R 8P5

Tel: (604) 583 2049  
Fax: (604) 583 2079  
E-Mail: [wahowell@telus.net](mailto:wahowell@telus.net)

Jan. 03, 2007



**Table of Contents**

Summary	2
Introduction	2
Location and Access	3
General Setting	3
Mineral claims	5
History and Previous Work	6
Regional Geology	8
Surficial Geology	10
2006 work program	10
Observations	11
Conclusions	12
Recommendations	12
Bibliography	13
Statement of Cost	14
Certificate of Qualifications	15

**List of Figures**

Property Location Map	Fig. 1	4
Claim Map	Fig. 2	5
Regional Geology	Fig. 3	8
Sample Plan and Geochemical Values for; Mo, Cu, Pb, Zn, & Ag	Fig. 4	in pocket

## SUMMARY

The claim area is located about 100km north of Kamloops BC and about 20 km NW of the village of Little Fort BC.

This report covers part of the Crazy Fox property as it pertains to The Crazy Fox 5 claim, **Tenure No. 521901** located on map sheet **092P 059** and centered on **51°31' 37"N. 120°15' 10"W**, A large Tungsten-Molybdenum prospect is centered on: lat. 51° 36' N. long. 120° 18' W. During 2006, from February 15, to June 15, Newmac Resources Inc. conducted an extensive drill program on the tungsten-molybdenum prospect area. During the latter part of this period, basic reconnaissance prospecting and geochemical sampling was undertaken on several component areas of the claims.

Sampling on Tenure 521901 consisted of 59 soil samples collected more or less along the long axis of the mineral claim (N-S). A few samples were collected at traverse ends, off the claim and these have also been reported for completeness and clarity. Tenure 521901 covers part of the Nicola group of Volcanic Rocks in an area where recent attention has been focused on the search for Massive Sulphide deposits as well as "porphyry style", granite hosted, tungsten - moly deposits similar to that explored by Newmac Resources Ltd.

Geochemical results from Tenure 521901, although generally low, show an encouraging local clustering effect which requires explanation. Further work is warranted and recommended.

## INTRODUCTION

This report has been commissioned by Newmac Resources Inc. and prepared for the purpose of filing for assessment credit on the Crazy Fox 5 claim, Tenure no. **521901**. Field work on the claim was conducted on June 06, 07, 08, 09, 2006; A total of 3 days (6 md). The work was completed as part of a larger program on other adjacent claims.

A total of 59 soil samples were collected. The data for which is included in this report.

Tenure 521901 covers an area of N NW trending Nicola volcanic and volcanically derived sediments on the southern trend of projected, favourable prospective massive sulphide horizons determined by the 2004 Geological Survey Report & BCGS O.F. 1998-6 .

Sample locations were established using a hand held GPS. Data was downloaded to software provided by the GPS manufacturer and other non related sources. A plan showing the sample locations is presented in the report. The basemap was prepared from digital map files provided by mapsdigital.com from BCGS TRIM II data.

## LOCATION AND ACCESS

The Crazy Fox Property is situated in the Kamloops Mining Division approximately 100 km north of Kamloops or about 20 km northwest of the town of Little Fort BC. Access to tenure 521901 is from highway 24 about 5 km west of Little Fort, turning northwards onto McNab Road for about 2km then westwards on the Nehaliston Creek Forest Access Road for another 6 km then following logging roads into the claim area. The area is subject to active logging and caution must be exercised when traveling logging roads in this area. Radio frequencies are generally posted and it is strongly suggested that radios be used on all logging roads.

## GENERAL SETTING

The molybdenum prospect area on the crazy Fox property is located on the north side of 14 mile creek between 1100 and 1400 m elevation. Except for the major drainage valleys, which quickly become very steeply inclined with steep valley walls as the drainage descends from the Nehaliston Plateau, the topography is generally gently rolling with 100m to 300 m relief. Valleys on the plateau commonly contain lakes and ponds. The larger lakes are known for their recreational fishing and several commercial fishing lodges are found on the lakes adjacent to the property.

**Tenure 521901** is at the southernmost end of the Crazy Fox Property about 6 km south of the molybdenum prospect area. **Tenure 52901** covers the top of the hill and steep east facing hillside west of Lemieux Creek and east of Nehaliston Creek between elevations 1000m and 1250m. The property receives an average of 1-2m of snow but is generally snow free from mid may to late November.

The property is extensively covered by overburden, consisting of basal and ablation tills and glaciofluvial deposits. The overburden varies in thickness from less than a meter to possibly 10 m or more. Bourdon and Addie have estimated the thicknesses away from the valley bottoms to be generally 1 to 2 metres. Bedrock outcrop is rare and accounts for less than 1% of the claim area. A few outcrops have been created in recent logging areas and associated road cuts.

Within the area of **tenure 521901**, vegetation is mostly second growth estimated to be about 20 to 25 years old. A few old roads provide difficult four wheel drive access and walking or ATV trails.

Vegetation in the area consists mainly of coniferous forest with scattered open areas of brush. There has been extensive clearcut logging with corresponding new road construction which has taken place since 1988. In recent years, there has been an endemic infestation of mountain pine bark beetle which has affected a vast area of central BC including the Crazy Fox claim area. During the winter of 2004-2005, new roads were constructed into the molybdenum prospect area on the Crazy Fox Property, which resulted in new exposures of mineralization.

**Tenure 521901** occupies the most southeastern part of the claim block and appears to be joined only at the northeast corner. Hence a separate report from the rest of the "contiguous" claims.

**PROPERTY LOCATION MAP**

Fig. 1

NEWMAC RESOURCES INC.




FIGURE 1

LOCATION MAP OF BRITISH COLUMBIA

# MINERAL CLAIMS

## CLAIM MAP




Fig. 2

## **HISTORY AND PREVIOUS WORK on Tenure 521901**

There is no known work specifically done on the mineral claim although much work has been done over many years in the local area by many operators. The following summary is primarily for the tungsten-molybdenum prospect on the Crazy Fox Property, of which, Tenure 521901 is part.

Claims were first staked for molybdenum at the "Anticlimax" prospect in 1938 when mineralization containing up to 10% Mo was recognized near Tintlhohten Lake (Tuloon Lk.) Later, Trenching and pitting uncovered a small flat lying pod of 'pegmatitic' material which appeared to be the source of the float. About 1958, the property was owned by Mr. G.L. Jim from Little Fort and Mr. K. Calder of Vancouver. The property was optioned by Calder Molybdenum Company during which time some diamond drilling and trenching was done.

The first report on the property was written in 1960 by H.B. Leitch who made a generalized map of the geology and showings and directed the drilling of 3 diamond drill holes along Moly creek in the vicinity of the granite - argillite contact. Total footage was 407 feet. This core was apparently removed from the property before it could properly be examined and assayed.

In 1961, the property was optioned to Bralorne Pioneer Mines for 3 months. They did some limited I.P. work and trenching and drilled three holes for a total of 529 feet. Detailed sampling of the trenches revealed low Mo and WO<sub>3</sub> values.

In 1961, at the request of Mr. G.L. Jim, the property was examined by an Independent consultant, Dr. A.P. Fawley. Fawley made no recommendations for future work.

Rio Tinto took an option on the ground in 1965, Rio did the first detailed geologic mapping of the area. They also did magnetometer work and soil geochemistry over the entire property, trenching, some IP work, and reconnaissance stream geochemistry over the entire general area.

The reconnaissance work did not delineate any other areas of interest. Molybdenum values in the trenched areas were generally .03% Mo and lower. The report, did call attention to an apparent zone of radial fracturing centered at Rong Lake. Rio dropped the property just before a large option payment was due. This decision was probably influenced by their deep involvement at Lornex at this time.

Falconbridge optioned the property in 1966 for a 6 month period. Areas of known mineralization were remapped and 5 holes totaling 2,032 feet were drilled in the vicinity of Rong Lake. No mineralization of interest was found. (*From company report, S.H. Pilcher, Taweel Lake property, 1969, Falconbridge Property Files, Ministry of Mines archives*)

Falconbridge re-examined the property in 1968 and decided that the property still had untested possibilities and warranted additional work. Their objectives were to drill the known mineralized fracture zone and to drill the contact zone at several locations. Previous mapping by Rio and Falconbridge was field checked and found to be "quite accurate". Other work completed by Falconbridge in 1969, included the following:

W.A. Howell, P.Geo. 15294 96 A Avenue, Surrey BC Canada V3R 8P5  
Tel: 604 583 2049 Fax: 604 583 2079  
E-Mail: wahowell@telus.net

1. Soil geochemistry over the grid area. Approximately 900 samples collected and analyzed for copper and molybdenum.
2. Stream sediment geochemistry, approximately 300 samples were collected within a Radius of about 2 miles. Samples were analyzed for copper and molybdenum and a few, for lead and zinc.
3. EM-16 over grid area – 12 line miles.
4. Magnetometer over part of grid area, 10 line miles.
5. Diamond drilling - 9 holes, 3233 feet (985.6m)  
"no significant mineralization was found" and the option was dropped.

In 1980, Amax of Canada Ltd. conducted an exploration program over the Anticlimax prospect (AR 8492). They reviewed and described the geology and conducted soil and stream sediment sampling along traverses approximately 500 m apart. samples were collected every 100m from "b" horizon soils. samples were analyzed for copper, molybdenum, silver, lead, and zinc. some samples were analyzed for tungsten and fluorine. they concluded:

*A broad and intense W-Mo soil anomaly overlies the southeast portion of the intrusive stock, in the vicinity of Rong Lake.*

*Several soil samples taken immediately east of central Tuloon lake (Tintlhohten Lake) range in value from 12 to 30 ppm Mo. The anomaly remains unexplained.*

*There is unexplained silver -molybdenum anomaly roughly coincident with the intrusive contact area in northeastern sector of the intrusive stock between Moosehead and Moose Lakes.*

*Amax also identified 2 zones of silver zinc and zinc in areas now excluded from mining exploration within Taweel Park. (AR 8492, S.G. Enns for Amax of Canada Ltd)*

There were no recommendations for further work and Amax dropped their option.

The claims lapsed in 1998 and were acquired by prospectors Lloyd Addie and Robert Bourdon. Bourdon and Addie initially focused their exploration efforts on the massive sulphide potential, building on data developed by the Geological Survey Branch (Bobrowsky et al, OF-1998-6)



## REGIONAL GEOLOGY

The most recent compilation of the regional geology is BCGS Open File 2002-4, Geology of the Nehaliston Plateau, NTS 92P/7,8,9,10; Geology by P.Schiarizza, S. Israel, S. Heffernan and J.Zuber.



Fig. 3a



As depicted on the geological map (BCGS OF 2002-4), Tenure 521901 is centered on upper Triassic Nicola Volcanics composed of: unit uTNv:- Mafic Volcanic breccias, massive to pillowed pyroxene phyric basalt; minor amounts of Volcanic sandstone, siltstone, and conglomerate. and unit uTNsv:- Volcanic sandstone, siltstone, conglomerate, volcanic breccia, tuff, basalt, chert, limestone

The property lies within Quesnellia terrain. The granitic intrusion related to the tungsten/molybdenum deposit on the northern portion of the claims has been emplaced into the regionally chlorite/epidote altered middle and late Triassic volcanic sediments and related mafic volcanics. The volcanics have undergone additional thermal metamorphism near the intrusion.

Basalt dikes are the youngest rocks in the vicinity. Enns recognized them only in the vicinity of the granitic intrusive.

## **SURFICIAL GEOLOGY**

The surficial Geology of the Crazy Fox property has been mapped by H.W. Tipper between 1954 and 1969. Results of his work are depicted on GSC map 1293-A, Surficial Geology, Bonaparte Lake, British Columbia. Tipper has shown the Ice Flow Direction in the Crazy Fox area to have been regionally, from NNW to SSE, approximately 160°.

## **2006 WORK PROGRAM**

Between June 06 and June 09, two contractor sampler prospectors supplied by RANEX Mineral Exploration Services from Smithers BC, sampled Tenure 521901.

The 2006 work program consisted of collecting soil samples using a grub hoe to dig shallow pits. Samples were collected from the dark brown "B" soil or the best local approximation of the "B" horizon, generally at a depth of about 20 to 25 cm.

Samples were collected every 50 m. Distances were established using "Hipchain" measurements. The location of the sample was established by hand held GPS receivers. Plots of the route and the referenced sample locations were plotted using software supplied by the GPS manufacturer and transferred to topographic maps. Digital topographic maps were supplied by Spectrum Maps Inc.

59 soil samples were shipped to Acme analytical labs in Vancouver and analysed using a 4 acid digestion (HClO<sub>4</sub>-HNO<sub>3</sub>-HCL-HF) and ICP/mass spectrometer techniques for 41 elements.

Data for Molybdenum, Copper, Lead, Zinc and Silver were examined and are reported on plans attached to this report. Results for other elements are reported in copies of the analytical results attached to the report. Thresh hold geochemical values were arbitrarily chosen for numerous elements. These values are indicated and highlighted on the attached copies of the analyses.

## **OBSERVATIONS**

Molybdenum greater than 12 ppm occurs at three of the 59 samples. All three anomalous sites are in the extreme SW portion of the Claim. While all sample sites are "down ice" from the site of the molybdenum exploration site, it is noteworthy that the anomalous sites are in close proximity to one another and are amongst the furthestmost from the known molybdenum location.

Copper greater than 150 ppm occurs at sixteen of the 59 sample sites. anomalous samples are more or less distributed along the sample traverse line, with a slight clustering in the extreme SW and southern portion of the sample area.

Lead greater than 25 ppm occurs at two sites, both in the extreme SW corner of the claim.

Zinc greater than 600 ppm occurs at two sites, both located in the extreme SW corner of the claim.

Silver greater than 1.0 ppm occurs at 4 sample sites, both located in the extreme SW portion of the claim.

Anomalous samples have been colour coded for visual clarity and recognition on the attached list of results.

## **BIBLIOGRAPHY**

- British Columbia: Geological Survey Branch, OF 1998-6,
- British Columbia: Geological survey Branch, OF 2002-4, Geology of the Nehalliston Plateau, NTS92P/7, 8,9,10. ; Geology by P.Schiarizza, S.Israel, S.Heffernan and J.Zuber. Scale 1:50 000
- British Columbia: Ministry of Environment, Lands, Parks Surveys and Resource Mapping Branch, TRIM map 092P.059
- British Columbia: Air Photo Library, coloured air photos: 15BCC04035-001, 002, 003; 15BCC04049-147,148,149.
- British Columbia: Ministry of Mines, Geology, Exploration and Mining in BC, 1970
- Charteris S.N. 1967, Report on the Drilling of the Taweel Molybdenum Option  
Falconbridge Nickel Mines Ltd. January 17, 1967.  
BCGS Property Files
- Enns, S.G., 1980 ; Assessment Report 8492;  
1980 Geochemical and Geological Assessment Report.  
For; Amax of Canada Limited. Nov.21, 1980.
- Hill, Wm. J., 1972 ; Assessment Report 4137:  
Tuloon Property, A Geophysical Report.  
For; Imperial Oil Limited, Feb. 2, 1973.
- Pilcher S.H., 1969 ; Report on The Taweel Property;  
Falconbridge Nickel Mines Ltd. January 1970.  
BCGS Property Files
- Tolko Industries Ltd, 2004: Company Harvest Map CP 231-1, and CP 227-4, 1:5000 scale.

**STATEMENT OF COST**

TENURE 521901- Crazy fox 5 mineral claim:  
Work performed on June 07, 08, 09, 2006

2 men provided by Ranex Exploration @300.00/day	1800.00
3 days truck @100.00	300.00
fuel	62.50
6 md room and board @70.00	420.00
Assays 59 samples @ 19.85	1171.15
Supervision .5 days @500	250.00
Field supplies & equipment (incl.gps,computer, bags, notes, flagging etc.)	200.00
Report	3000.00
	<hr/>
<b>TOTAL</b>	<b>\$ 7203.65</b>

### CERTIFICATE OF QUALIFICATIONS

I, William A. Howell, P. Geo. certify the following:

- 1) I am a registered and practicing member of the Association of Professional Engineers and Geoscientists of British Columbia, Licence # 20440.
- 2) I reside and conduct my business at 15294 96A Avenue, Surrey BC V3R 8P5.  
tel: 604-583-2049; Fax 604-583-2079. E-Mail: wahowell@telus.net
- 3) I graduated from the University of British Columbia in 1971 with a Bachelor of Science Degree.
- 4) I have practiced my profession as a geologist since 1971.
- 5) I have gained geological experience working with several major companies and several junior companies working on a wide variety of deposit types including exploration for porphyry copper/moly and molybdenum deposits. and massive sulphide deposits
- 6) I have practiced my profession as a consultant and contractor since 1983, and have conducted and managed exploration programs in British Columbia, Alberta, Yukon and NW Territories, Western and Southwestern USA, Central and Northern Mexico and the Republic of Panama.

*W.A. Howell*



W.A. Howell, P. Geo.

*JAN 03 2007*

Date

**APPENDIX 1**

**Geochemical Certificates of Analysis**



Acme file # A602721 Page 1 Received: JUN 12 2006 \* 262 samples in this disk file.

P 1

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay	>12	>150	>25	>600	>1.0	>100	>1000	>50				
ELEMENT Certificate	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	
SAMPLES Number	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	
<b>TENURE 521901</b>												
F1-1	A602721	1.4	65.4	13	184	0.4	35.3	21.5	929	4.42	8	1.2
F1-2		1.4	42	16	210	0.5	20.9	13.8	827	4.45	9	1.3
F1-3		1.3	58.9	11.5	157	0.4	26.7	17.3	846	3.93	8	1.5
F1-4		0.8	192.6	7.9	83	0.1	47.9	32.9	1207	6.67	13	0.7
F1-5		1.2	67.7	12.2	147	0.3	33.4	26.9	933	5.52	8	1.3
F1-6		1	73.5	11	124	0.3	30.9	25	998	5.36	12	1.1
F1-7		1.2	34.2	16.5	193	0.5	16.4	18.9	954	3.59	11	1.7
F1-8		1.6	55.1	16.4	186	0.4	29.3	27.3	1165	5.32	10	1.3
F2-1		0.7	151	7.1	88	0.1	47.5	34.3	1055	6.65	13	0.8
F2-2		0.5	115.4	7.8	89	0.2	48.2	33	988	6.44	10	0.9
F2-3		0.9	96.3	9.5	132	0.4	42.9	27.6	829	6.06	13	1
F2-4		1.2	91.2	11.8	208	0.4	36.6	26.3	794	6.3	10	1.2
F2-5		1.2	88.6	11.7	132	0.4	32.9	23.3	1155	4.76	7	1.3
F2-6		1.1	100.3	11	127	0.2	43.5	27.1	797	6.08	12	1.3
F2-7		1.1	108.5	10.9	180	0.3	39.1	28.6	828	5.89	10	1.2
F2-8		0.8	117.6	8.6	88	0.1	42.6	31.7	977	6.47	13	1.1
F2-9		1.5	22	15.1	120	0.6	13.1	12.1	539	4.07	10	1.5
J1-1		13.5	233.1	17.4	600	1.4	113.9	30.8	1133	7.57	40	2.4
J1-2		8.2	118.9	13.5	338	0.8	75.2	27.1	763	6.35	22	2.1
J1-3		3.9	136.1	13	295	0.8	67.2	24.7	898	5.34	23	1.8
J1-4		6.2	130.1	11	332	1	93.7	26.7	754	5.08	17	2.7
J1-5		17.3	227.8	17.6	631	1.4	107.1	26.1	978	7.53	27	2.8
J1-6		8.1	95.3	11.5	392	0.3	74.6	21.2	508	5.62	18	1.8
J1-7		6.6	60.5	13.1	371	0.4	62.5	23.3	570	5.4	11	1.8
J1-8		6.2	119.9	13.7	198	0.3	53.2	24.5	1105	5.89	16	1.2
J1-9		21.4	407.7	56.5	173	1	66	30.8	1137	8.84	12	1.3
J1-10		5	208.4	19.1	187	0.2	67.7	20.8	761	6.3	20	1.5
J1-11		5.3	243	25.2	203	0.3	94.7	25.5	853	7.69	19	1.7
J1-12		2.4	105	13.7	173	0.5	64.1	22.9	616	4.98	14	1.7

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO<sub>4</sub>-HNO<sub>3</sub>-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

ELEMENT Certificate SAMPLES Number	Au ppm	Th ppm	Sr ppm	>1	>10	>10	V ppm	Ca %	P %	La ppm	Cr ppm
				Cd ppm	Sb ppm	Bi ppm					
<b>TENURE 521901</b>											
F1-1 A602721	<.1	4	396	0.6	0.9	0.2	148	3.1	0.206	13.5	83.5
F1-2	<.1	4.7	373	0.5	0.7	0.2	139	2.46	0.242	15.5	68.7
F1-3	<.1	4.5	334	0.4	0.9	0.2	112	2.23	0.186	16.1	62.5
F1-4	<.1	1.8	667	0.3	1.8	0.1	268	5.49	0.095	9.5	129.7
F1-5	<.1	3.7	543	0.5	1.2	0.1	196	3.7	0.175	13.5	82.3
F1-6	<.1	3.6	532	0.5	1	0.1	194	3.66	0.229	14.4	82.1
F1-7	<.1	5.7	308	0.6	0.5	0.3	90	1.79	0.66	16.1	42.2
F1-8	<.1	4.1	440	0.6	0.9	0.2	181	2.95	0.205	14.8	72.4
F2-1	<.1	1.8	672	0.2	1.8	0.1	275	5.65	0.102	9	134.8
F2-2	<.1	2.4	678	0.3	1.4	0.1	261	5.14	0.091	10.8	130
F2-3	<.1	3.3	542	0.5	1.4	0.1	237	4.39	0.138	12.7	117.1
F2-4	<.1	3.8	517	0.7	1.3	0.1	225	3.69	0.193	14.4	101.8
F2-5	<.1	4.2	464	0.5	1	0.1	179	3.32	0.17	14.6	81.6
F2-6	<.1	4.1	516	0.3	1.5	0.1	232	3.6	0.146	12.6	102.4
F2-7	<.1	4.1	485	0.6	1.3	0.1	221	3.68	0.118	14.4	101.2
F2-8	<.1	2.7	671	0.3	1.5	0.1	273	4.97	0.059	12.1	130.1
F2-9	<.1	4.8	338	0.2	0.5	0.2	120	1.94	0.18	14.8	54.4
J1-1	<.1	4.7	278	6.2	11.9	0.2	325	3.17	0.174	23.6	118.5
J1-2	<.1	5.9	303	1.3	5.2	0.2	256	1.83	0.085	23.3	127.4
J1-3	<.1	5.3	333	1.6	3.5	0.2	215	2.44	0.107	22.2	116.9
J1-4	<.1	5.1	259	1.7	5.3	0.2	467	5.43	0.191	15.5	163.6
J1-5	<.1	4.6	186	3.9	12.2	0.2	351	1.11	0.163	22.6	137.5
J1-6	<.1	4.6	251	1.1	6.1	0.2	245	1.33	0.092	18.4	114.4
J1-7	<.1	4.8	292	1.2	3.7	0.2	206	1.66	0.059	17.6	99
J1-8	<.1	3.3	274	1.1	4.3	0.2	219	1.81	0.105	13.2	109.2
J1-9	<.1	2.9	179	0.7	8.5	1.3	259	1.11	0.125	20.3	146.5
J1-10	<.1	4.9	354	0.7	5.8	0.2	242	2.29	0.076	22.1	155.1
J1-11	<.1	5	293	0.5	6.3	0.2	278	1.8	0.097	22.7	211.7
J1-12	<.1	6.4	312	0.5	2.7	0.2	184	1.98	0.127	24.7	120.3

Acme file # A602721 Page 1 Received: JUN 12 2006 \* 262 samples in this disk file.

P 3

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay		>1000					>10					
ELEMENT Certificate	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	
SAMPLES Number	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	
<b>TENURE 521901</b>												
F1-1	A602721	1.68	551	0.518	8.62	1.79	1.09	0.8	91.5	29	1.5	12.9
F1-2		1.21	561	0.571	7.51	1.822	1.12	0.9	78.6	31	1.8	11.5
F1-3		1.26	596	0.486	8.01	2.059	1.31	0.8	84.7	34	1.6	12.4
F1-4		3.14	553	0.504	7.67	1.695	1.05	0.7	24.4	20	0.8	15.2
F1-5		2.1	571	0.536	8.52	2.039	1.2	0.8	62.2	28	1.2	12.9
F1-6		2.04	575	0.519	8.11	1.919	1.14	0.8	68.1	29	1.2	11.9
F1-7		0.7	614	0.514	7.81	2.055	1.35	1	128.5	34	2.1	12.7
F1-8		1.51	563	0.532	7.63	1.859	1.19	0.8	59.9	30	1.8	11.4
F2-1		3.29	582	0.525	8.1	1.889	1.04	0.8	23.6	18	0.7	13.2
F2-2		2.94	575	0.552	7.91	1.786	1.03	0.7	29.5	22	0.8	13.8
F2-3		2.32	526	0.552	7.38	1.514	1.02	0.8	37.5	27	1	13.2
F2-4		2.02	553	0.551	8.24	1.65	1.09	0.9	46	29	1.3	12
F2-5		1.81	566	0.513	8.07	1.964	1.17	0.7	83.5	32	1.2	13.4
F2-6		2.05	602	0.562	8.71	1.72	1.07	1	51.2	28	1.1	11.8
F2-7		2.13	602	0.547	8.35	1.561	1.05	0.9	46.5	30	1.2	12.6
F2-8		2.98	624	0.585	8.14	1.885	1.07	0.9	29.4	26	0.9	13.6
F2-9		0.82	559	0.522	7.93	1.947	1.29	1	92.2	31	1.9	11.4
J1-1		1.07	1767	0.251	5.99	1.365	1.45	0.5	58.6	36	0.8	32.3
J1-2		1.33	1294	0.396	7.21	1.72	1.57	0.9	45.9	53	1	15.5
J1-3		1.41	832	0.435	6.83	1.84	1.45	1	52.4	44	1.2	18.5
J1-4		1.13	742	0.361	7.95	1.124	2.66	0.6	66.4	28	1.3	15
J1-5		1.02	2070	0.214	7.2	1.402	1.89	0.5	61.8	37	0.9	31.7
J1-6		1.12	1068	0.389	6.82	1.823	1.48	1	40.9	34	1.2	10.5
J1-7		1.04	872	0.453	7.48	1.888	1.36	1	63.1	37	1.4	11.8
J1-8		1.4	743	0.389	6.69	1.864	1.45	0.7	40.9	28	0.9	10.5
J1-9		1.79	515	0.455	6.73	2.396	2.24	1.4	29.2	32	0.7	33.9
J1-10		1.79	762	0.477	6.46	1.855	1.54	0.9	33.1	43	0.9	21.5
J1-11		1.73	749	0.483	6.46	1.764	1.63	1.3	39.1	45	1.1	19.1
J1-12		1.41	825	0.47	7.8	1.955	1.54	1	93.4	52	1.5	18.8

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay

ELEMENT	Certificate Number	Nb ppm	Ta ppm	Be ppm	Sc ppm	Li ppm	S %	Rb ppm	Hf ppm
<b>TENURE 521901</b>									
F1-1	A602721	6.4	0.6	1	17	30.2	0.3	34.6	2.9
F1-2		7.3	0.8	1	13	32.7	0.3	38.6	2.7
F1-3		7.3	0.7	1	13	34.4	0.2	41.4	2.7
F1-4		2.7	0.3	1	31	15.5	0.3	29.4	1.1
F1-5		5.8	0.5	1	19	29.2	0.3	40	2.2
F1-6		5.5	0.5	1	20	25.7	0.3	39.3	1.9
F1-7		8.2	0.9	2	11	43.6	0.2	39.4	4.1
F1-8		6.3	0.7	1	16	32.5	0.2	37.3	2.1
F2-1		2.4	0.2	1	31	14.1	0.3	30.3	0.9
F2-2		3.3	0.3	1	28	18.6	0.3	38.2	1.4
F2-3		4.5	0.4	1	24	21.4	0.3	38.3	1.4
F2-4		5.9	0.5	1	19	27.4	0.3	45.1	1.7
F2-5		5	0.5	1	19	25	0.2	36.5	2.9
F2-6		5.6	0.5	1	21	27.1	0.2	37.2	1.9
F2-7		5.4	0.5	1	21	29	0.3	38.9	1.7
F2-8		3.6	0.4	1	28	17.9	0.3	35.3	1.3
F2-9		7.1	0.8	1	11	32.5	0.2	33.1	3.3
J1-1		2.3	0.1	2	30	23.4	0.2	53.9	1.7
J1-2		4.7	0.4	2	21	27	0.3	74.8	1.6
J1-3		5.1	0.5	2	21	33.7	0.2	52.6	1.9
J1-4		3.8	0.4	2	23	29.1	0.2	74	2.4
J1-5		1.8	0.1	1	30	31.4	0.3	69.7	2.1
J1-6		4.5	0.5	1	16	27.6	0.2	66.7	1.5
J1-7		6.2	0.5	2	14	40.5	0.3	52.6	2.1
J1-8		3.6	0.3	1	18	26.1	0.3	58.4	1.4
J1-9		2.7	0.2	1	33	25.8	0.3	71.4	1.1
J1-10		4.3	0.3	1	28	21.5	0.2	54.9	1.2
J1-11		3.8	0.3	2	33	21	0.3	54.1	1.5
J1-12		5.9	0.5	2	21	36.4	0.2	58.6	3

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay	>12	>100	>25	>600	>1.0	>100	>1000	>50			
ELEMENT Certificate	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES Number	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
<b>TENURE 521901</b>											
J2-1	1.2	53.4	10.5	138	0.4	50.5	23.6	872	4.58	12	1.3
RE J2-1	1.1	52.7	10.2	125	0.5	45.5	22.8	861	4.57	11	1.2
J2-2	1.1	82.2	9.6	144	0.4	65.3	30.9	915	5.92	29	1.2
STANDARD DST6	12.4	128.4	34.6	174	0.4	30.1	13.1	967	4.02	25	7.6
G-1	0.2	2.4	21.4	50	<1	3.5	4.1	705	2.36	1	3.9
J2-3	2.4	177.7	9.4	131	0.2	102.8	34.8	977	6.52	17	1
J2-4	1.1	75.3	10.2	163	0.3	58.7	28.7	963	5.3	11	1.1
J2-5	0.7	107.5	6.1	98	0.1	58.5	28.3	1131	5.83	10	0.8
J2-6	0.7	84.1	6.3	86	0.1	55.9	28.8	942	5.93	9	0.8
J2-7	2.1	203.8	10.2	154	0.2	77	38.4	1149	7.07	18	1.1
J2-8	0.6	77.4	5.5	100	0.2	56.7	31.7	941	6.13	9	0.7
J2-9	1.4	40.3	11.5	162	0.3	31.8	19.3	850	4.67	9	1.2
J2-10	0.9	71	10.2	146	0.4	47.6	27.1	839	5.55	12	1.1
J2-11	1.1	83.6	13.1	328	0.7	41.1	23	754	4.73	10	1.5
J2-12	0.6	82.8	9.1	142	0.3	37.6	27.2	944	5.52	10	1
J2-13	0.7	87.8	7.6	113	0.3	48	30.2	955	6.48	10	0.8
J2-14	1	51.3	14.4	183	0.8	34.8	19.6	715	4.41	9	1.3
J2-15	1	224.9	9	109	0.1	56.8	35.2	1269	6.76	17	0.8
J2-16	0.4	149	7	94	0.2	44.9	30.5	1000	6.23	11	0.7
J2-17	0.5	122.4	5.8	77	0.1	50.6	32.5	1028	6.46	7	0.6
J2-18	1.2	129.8	9.3	111	0.2	48.9	30.3	1046	6.13	15	1
J2-19	1	121.9	8.1	144	0.2	55.3	32	931	7.29	13	0.8
J2-20	0.9	107.3	11.2	128	0.2	43.3	26.2	1061	5.7	9	1.1
J3-1	1.4	124.5	10.8	161	0.4	76	28.1	1013	6.02	12	1.6
RE J3-1	1.5	115.6	10.2	162	0.4	65.5	25.4	951	5.57	10	1.4
J3-2	1.4	160.4	10.1	206	0.2	58.2	33	936	7.18	27	1.3
J3-3	1.6	103.1	7.8	132	0.1	53	29.3	854	6.37	12	1.4
J3-4	1.3	99	6.9	115	0.2	43.1	29.3	1075	6.46	9	1.1
J3-5	4.3	217.9	10.1	164	0.3	170.6	47	954	8.23	39	1.4
J3-6	2.1	63.4	11.1	356	0.6	57.8	25.7	783	5.24	12	1.3
J3-7	1.4	93.9	10.3	172	0.5	53.2	25.9	822	5.07	10	1.3

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay

ELEMENT Certificate	Au	Th	Sr	>1 Cd	>10 Sb	>10 Bi	V	Ca	P	La	Cr
SAMPLES Number	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
<b>TENURE 521901</b>											
J2-1	<.1	3.7	491	0.5	1	0.1	167	3.43	0.165	13.3	95.2
RE J2-1	<.1	3.5	485	0.5	0.9	0.1	166	3.52	0.149	12.8	90.1
J2-2	<.1	3.7	561	0.5	1.4	0.1	234	4.44	0.084	14	144.8
STANDARD DST6	<.1	7.1	309	5.7	5.4	4.9	113	2.28	0.098	25.3	233.9
G-1	<.1	7.1	739	<.1	<.1	0.2	48	2.63	0.088	24.5	10.9
J2-3	<.1	2.7	423	0.3	3.5	0.2	254	3.52	0.055	11.6	243.3
J2-4	<.1	3.7	513	0.5	1.5	0.1	202	4.09	0.152	14.1	126.4
J2-5	<.1	2.2	651	0.3	1.5	0.1	246	4.85	0.071	10.9	160
J2-6	<.1	2.2	660	0.3	1.4	0.1	256	5.01	0.06	11	156.7
J2-7	<.1	3.4	476	0.4	3.2	0.2	270	3.42	0.092	14.1	156.6
J2-8	<.1	2.2	672	0.4	1.7	0.1	266	5.43	0.039	10.9	150.2
J2-9	<.1	3.9	397	0.4	0.9	0.2	162	2.95	0.195	14.5	81.3
J2-10	<.1	3.8	507	0.3	1.3	0.1	209	3.85	0.21	13.9	113.7
J2-11	<.1	5.1	359	0.9	0.9	0.2	141	2.35	0.383	15.4	74.1
J2-12	<.1	3	549	0.4	1.5	0.1	205	3.94	0.152	12.5	88.5
J2-13	<.1	2.2	656	0.4	1.6	0.1	262	4.96	0.145	10.2	124.9
J2-14	<.1	4.6	422	0.5	1	0.2	147	2.71	0.184	16.5	69.6
J2-15	<.1	2	634	0.3	2.7	0.1	262	4.86	0.118	10.6	130.6
J2-16	<.1	2.1	682	0.2	1.9	0.1	267	5.07	0.062	10.5	131.5
J2-17	<.1	1.8	727	0.3	1.7	0.1	260	5.75	0.052	9.1	127.7
J2-18	<.1	3.1	537	0.3	1.8	0.1	232	4.13	0.1	11.7	117.6
J2-19	<.1	2.6	572	0.3	1.2	0.1	265	4.75	0.145	11.4	124.9
J2-20	<.1	3.6	486	0.4	1.1	0.1	203	4.05	0.151	13.1	101.5
J3-1	<.1	4.6	443	0.3	2.3	0.1	227	3.33	0.091	20.8	202.4
RE J3-1	<.1	4	442	0.5	2.2	0.1	213	3.25	0.092	18.4	196
J3-2	<.1	4	505	0.4	2.2	0.1	290	3.53	0.084	16	152
J3-3	<.1	3.7	631	0.3	2.3	0.1	289	4.41	0.068	15.4	153.9
J3-4	<.1	2.7	639	0.3	1.7	0.1	285	4.66	0.095	12.1	145.3
J3-5	<.1	3.5	603	0.7	6.1	0.2	294	3.09	0.076	13.9	223.4
J3-6	<.1	3.6	516	1.6	2.3	0.2	219	3.2	0.171	14	112.5
J3-7	<.1	3.7	557	0.5	1.6	0.1	200	3.72	0.152	14.2	114.4

Acme file # A602721 Page 1 Received: JUN 12 2006 \* 262 samples in this disk file.

P 8

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay

ELEMENT Certificate SAMPLES Number	Nb ppm	Ta ppm	Be ppm	Sc ppm	Li ppm	S %	Rb ppm	Hf ppm
---------------------------------------	-----------	-----------	-----------	-----------	-----------	--------	-----------	-----------

TENURE 521901

J2-1	6.2	0.5	1	17	25.5	0.2	38.6	2.3
------	-----	-----	---	----	------	-----	------	-----

RE J2-1	5.8	0.5	1	17	24.1	0.2	38.1	2.2
---------	-----	-----	---	----	------	-----	------	-----

J2-2	5.5	0.4	1	24	25.7	0.3	34.7	2.1
------	-----	-----	---	----	------	-----	------	-----

STANDARD DST6	8.4	0.6	4	12	25.5	0.1	56.8	1.8
---------------	-----	-----	---	----	------	-----	------	-----

G-1	19.6	1.7	2	5	33.7	0.2	121.7	0.6
-----	------	-----	---	---	------	-----	-------	-----

J2-3	3.3	0.3	1	26	21.4	0.2	45.2	1.2
------	-----	-----	---	----	------	-----	------	-----

J2-4	5.4	0.4	2	23	22.1	0.2	41.2	1.8
------	-----	-----	---	----	------	-----	------	-----

J2-5	3.1	0.3	1	27	15.2	0.2	35.6	1.2
------	-----	-----	---	----	------	-----	------	-----

J2-6	3.4	0.3	1	26	13.4	0.2	37	1.2
------	-----	-----	---	----	------	-----	----	-----

J2-7	4.3	0.3	1	23	24	0.1	44.5	1.5
------	-----	-----	---	----	----	-----	------	-----

J2-8	3.1	0.3	1	28	14.9	0.2	34.8	1.1
------	-----	-----	---	----	------	-----	------	-----

J2-9	5.8	0.5	2	16	30.8	0.2	37.5	1.8
------	-----	-----	---	----	------	-----	------	-----

J2-10	4.6	0.5	1	22	27.5	0.1	43.9	2.3
-------	-----	-----	---	----	------	-----	------	-----

J2-11	7	0.6	1	15	34.8	0.1	40.8	3.1
-------	---	-----	---	----	------	-----	------	-----

J2-12	4.3	0.4	1	21	22.1	0.2	41.3	1.5
-------	-----	-----	---	----	------	-----	------	-----

J2-13	3	0.3	1	26	21.3	0.2	42.6	1.1
-------	---	-----	---	----	------	-----	------	-----

J2-14	6.4	0.6	1	15	34.8	0.2	46.1	2.8
-------	-----	-----	---	----	------	-----	------	-----

J2-15	2.7	0.2	1	32	15.9	0.2	34.1	1.3
-------	-----	-----	---	----	------	-----	------	-----

J2-16	2.8	0.2	1	28	16.8	0.2	38	1.2
-------	-----	-----	---	----	------	-----	----	-----

J2-17	2.2	0.2	1	28	14.7	0.2	32.3	1
-------	-----	-----	---	----	------	-----	------	---

J2-18	4.3	0.4	1	22	25.1	0.2	37.6	1.5
-------	-----	-----	---	----	------	-----	------	-----

J2-19	4.2	0.4	1	25	23.7	0.2	37.2	1.2
-------	-----	-----	---	----	------	-----	------	-----

J2-20	4.9	0.4	1	21	25.7	0.2	34.6	1.8
-------	-----	-----	---	----	------	-----	------	-----

J3-1	4.4	0.4	2	26	28.6	0.1	45.9	1.9
------	-----	-----	---	----	------	-----	------	-----

RE J3-1	4.4	0.5	1	25	24.9	0.1	46.1	1.8
---------	-----	-----	---	----	------	-----	------	-----

J3-2	4	0.4	1	26	23.8	0.2	57.4	1.5
------	---	-----	---	----	------	-----	------	-----

J3-3	3.7	0.3	1	28	18	0.2	51.4	1.5
------	-----	-----	---	----	----	-----	------	-----

J3-4	3.2	0.3	1	29	16.6	0.3	40.4	1.2
------	-----	-----	---	----	------	-----	------	-----

J3-5	3.3	0.3	1	28	22.9	0.2	41.7	1.3
------	-----	-----	---	----	------	-----	------	-----

J3-6	5.6	0.5	1	19	28.7	0.2	45.3	2.1
------	-----	-----	---	----	------	-----	------	-----

J3-7	4.9	0.4	1	21	23.1	0.2	43.1	2.1
------	-----	-----	---	----	------	-----	------	-----

Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay	>12	>100	>25	>600	>1.0	>100	>1000	>50			
ELEMENT Certificate	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U
SAMPLES Number	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
<b>TENURE 521901</b>											
J3-8	1.9	103.6	11.1	329	0.6	66.9	34.1	754	5.92	13	1.5
J3-9	2.2	159.9	8.7	194	0.3	78.2	36.8	888	6.71	13	1.3
J3-10	2.5	142.8	8.6	229	0.3	71.6	31.8	751	6.32	13	1.4
J3-11	2.3	97.5	12.7	340	0.7	67.6	37.1	884	5.56	17	1.5
J3-12	2.5	269.5	11.4	252	0.4	57.6	27.2	733	6.21	12	1.8
J3-13	1.9	134.4	10.1	264	0.4	57.1	27.8	757	6.17	16	1.6
J3-14	1.6	155.3	7.9	174	0.2	46.2	31.4	915	7.01	12	1.3
J3-15	1.3	161.4	7	130	0.1	57	36.9	1016	7.17	14	1.1
<b>STANDARD DST6</b>	<b>12.7</b>	<b>127.8</b>	<b>32.9</b>	<b>171</b>	<b>0.3</b>	<b>30.5</b>	<b>13.3</b>	<b>959</b>	<b>4.02</b>	<b>25</b>	<b>7.5</b>
<b>G-1</b>	<b>0.2</b>	<b>3</b>	<b>22.4</b>	<b>47</b>	<b>0.1</b>	<b>3</b>	<b>3.4</b>	<b>718</b>	<b>2.31</b>	<b>&lt;1</b>	<b>3.9</b>
J3-16	1.3	100.6	10.4	131	0.2	43.9	26.7	732	5.39	10	1.2
J3-17	1.5	104.7	11.1	202	0.3	46.6	28	822	5.65	12	1.4
J3-18	1.9	95.8	11.4	151	0.2	56.1	26.9	651	5.49	14	1.3
J3-19	1.7	132.9	9.9	131	0.3	61.3	34.8	896	6.63	15	1.1
<b>RE J3-19</b>	<b>1.8</b>	<b>130</b>	<b>9</b>	<b>131</b>	<b>0.3</b>	<b>59.5</b>	<b>34.2</b>	<b>884</b>	<b>6.16</b>	<b>15</b>	<b>1.2</b>
J3-20	1.5	108.2	9.9	163	0.3	47.9	30.4	920	6.05	13	1.1
J3-21	7.5	150.8	8.8	402	0.2	83.9	24	530	5.93	28	1.9
J3-22	1.6	133.3	8.7	115	0.2	45.5	29.1	896	6.2	13	1.1
J3-23	1.3	54.9	9.3	169	0.3	38.8	23.9	828	4.98	8	1.1
J3-24	1.3	116.3	12.3	250	0.6	65.9	30.3	755	5.97	14	1.3
J3-25	1.5	95.3	9.6	175	0.4	53.4	30	1019	5.82	14	1.2
J3-26	1.5	109.1	13.1	160	0.7	33.3	22.8	1279	4.56	12	1.3
J3-27	1.1	55.5	13.2	219	0.6	44.1	20.5	731	4.41	13	1.5
J3-28	1.6	98.6	10.5	155	0.5	51.2	28.4	844	5.71	15	1.3
J3-29	0.9	75.8	10.2	142	0.4	55.8	26.4	817	5.4	8	1.2
J3-30	0.8	99.9	8.1	117	0.4	51.4	30.1	857	5.46	16	0.9



Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay				>1	>10	>10					
ELEMENT Certificate	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
SAMPLES Number	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
<b>TENURE 521901</b>											
J3-8	<.1	4.5	465	1.3	1.8	0.2	206	2.91	0.178	15.6	120.6
J3-9	<.1	3.3	618	0.6	2.3	0.1	274	3.97	0.122	12.8	165.7
J3-10	<.1	3.9	601	1	2.6	0.1	257	3.45	0.073	15.7	155.7
J3-11	<.1	4.4	373	1.2	1.2	0.2	171	2.21	0.265	14.9	78.3
J3-12	<.1	5.2	419	0.9	2.7	0.2	214	2.46	0.116	16.4	108.1
J3-13	<.1	4.9	476	0.9	2.1	0.2	234	3.42	0.168	17.4	115.2
J3-14	<.1	3.2	496	0.4	2.3	0.1	288	4.01	0.071	12.9	144.9
J3-15	<.1	2.6	575	0.4	2.4	0.1	304	5.01	0.113	11.7	153.7
<b>STANDARD DST6</b>	<.1	6.9	308	5.7	5.3	4.7	114	2.25	0.097	24.4	233.8
<b>G-1</b>	<.1	7.6	739	0.1	<.1	0.2	45	2.61	0.082	24.6	11.6
J3-16	<.1	3.5	565	0.4	2	0.1	241	3.62	0.07	13.4	102
J3-17	<.1	3.7	499	0.5	2.3	0.1	228	3.42	0.133	13.8	103.3
J3-18	0.1	3.5	422	0.4	2.2	0.1	224	2.78	0.109	12.6	101.6
J3-19	<.1	3.3	509	0.3	3	0.2	269	3.34	0.076	13.7	135.4
<b>RE J3-19</b>	<.1	3.2	517	0.5	2.9	0.1	271	3.28	0.081	13.1	133.5
J3-20	<.1	2.9	592	0.5	2.2	0.1	244	4.08	0.169	11.1	109.6
J3-21	<.1	2.7	319	0.9	4.3	0.1	349	1.67	0.077	11.9	145.6
J3-22	<.1	3.2	560	0.3	2.6	0.1	268	3.65	0.066	13.6	118.1
J3-23	<.1	3.3	573	0.4	1.7	0.1	208	3.82	0.082	14.6	92.6
J3-24	<.1	4.2	456	0.9	1.9	0.2	215	3.42	0.172	15.7	134.2
J3-25	<.1	2.9	560	0.5	1.8	0.1	239	4.38	0.192	11.8	124.3
J3-26	<.1	4.1	423	0.6	1.1	0.2	158	2.76	0.179	15.7	71.7
J3-27	<.1	4.6	384	0.6	0.9	0.2	136	2.66	0.197	15.8	75.9
J3-28	<.1	3.9	524	0.5	1.8	0.1	231	3.69	0.146	15.1	111.2
J3-29	<.1	3.5	516	0.3	1.2	0.1	194	4.24	0.111	13.3	109.4
J3-30	<.1	3	589	0.3	1.5	0.1	215	4.5	0.078	13.6	118.8

Acme file # A602721 Page 1 Received: JUN 12 2006 \* 262 samples in this disk file.

P 12



Analysis: GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO<sub>4</sub>-HNO<sub>3</sub>-HCL-HF TO 10 ML, ANALYSIS BY ICP-MS.

threshold Assay

ELEMENT Certificate SAMPLES Number	Nb ppm	Ta ppm	Be ppm	Sc ppm	Li ppm	S %	Rb ppm	Hf ppm
---------------------------------------	-----------	-----------	-----------	-----------	-----------	--------	-----------	-----------

TENURE 521901

J3-8	5.7	0.5	1	19	30.5	0.2	46.1	1.8
J3-9	3.9	0.4	1	26	21	0.2	43.3	1.5
J3-10	4.5	0.4	1	25	19.7	0.2	49	1.5
J3-11	6.2	0.5	2	14	37.5	0.2	41	2.6
J3-12	4.9	0.4	2	32	28.1	0.2	42.3	2.7
J3-13	5.8	0.5	1	23	26.5	0.2	57.1	2
J3-14	4.3	0.4	1	28	20.6	0.2	51.2	1.7
J3-15	3.1	0.2	1	33	16.1	0.2	39.7	1.3
STANDARD DST6	8.6	0.6	4	12	25.7	0.1	56.2	1.7
G-1	18.3	1.5	3	5	31.8	0.1	116	0.6
J3-16	5.1	0.4	1	20	20.8	0.1	43.8	1.7
J3-17	4.7	0.4	1	21	24.7	0.1	54.9	1.6
J3-18	5.6	0.5	1	16	27.7	0.1	51.8	1.9
J3-19	4.7	0.4	1	21	24.8	<.1	48.6	1.3
RE J3-19	4.1	0.4	1	22	26.2	0.1	46.2	1.3
J3-20	3.9	0.3	1	23	19.9	0.1	35.6	1.3
J3-21	3.1	0.3	2	20	26.8	0.1	62.4	1.6
J3-22	4.2	0.3	1	25	19.4	0.1	48.5	1.4
J3-23	4.7	0.5	1	19	25.9	0.1	53.4	1.5
J3-24	6.2	0.5	2	21	25.4	0.1	49.8	1.8
J3-25	4.2	0.4	2	23	22.4	0.2	46.3	1.5
J3-26	6	0.5	1	15	28.9	0.1	45.8	2.3
J3-27	6.7	0.6	1	15	33.2	0.1	45.3	3
J3-28	5.5	0.5	1	20	25.6	0.1	50.9	2.1
J3-29	5.3	0.4	1	21	25.5	0.1	42.4	2.3
J3-30	4.5	0.4	1	23	20.1	0.1	43.6	1.6



**THRESHOLD VALUES**

>12	>150	>25	>600	>1.0
Mo	Cu	Pb	Zn	Ag
ppm	ppm	ppm	ppm	ppm

metres x 100  
1:7500

PORTION OF BCGS 92P 059 TRIM II  
NAD 83 UTM ZONE 10 U

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

**NEWMAC RESOURCES INC.**

CRAZY FOX PROPERTY  
TENURE 521901

**Sample Location Map**  
Mo,Cu,Pb,Zn,Ag  
GEOCHEMICAL VALUES

Drawn by: W. A. H.      Date: December 2006.  
Scale:      Fig # 4

20,821