

Vol. 2

28833

Appendix J Assay Certificates

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

28,833

# CERTIFICATE OF ANALYSIS

## iPL 06I2560



INTERNATIONAL PLASMA LABS LTD.  
 Richard L. D.C.  
 Canada V2A 1Y5  
 Phone (604) 879-0678  
 Fax (604) 272-0831  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Iskut  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

106 Samples

Print: Sep 22, 2006 In: Sep 12, 2006

[256017:38:44:60092206:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B11100	106	Soil	Dry & sift to -80 mesh, discard reject.	12M/Dis	00M/Dis
B84100	6	Repeat	Repeat sample - no Charge	12M/Dis	00M/Dis
B82101	1	B1k iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AQR)30

### Document Distribution

1 Paget Resources Corp  
 14th Floor - 400 Burrard St  
 Vancouver  
 B.C. V6C3G2  
 Canada  
 Att: John Bradford  
 Ph:604.241.1765  
 Em:jabradford@shaw.ca

2 Paget Resources Corp  
 14th Floor - 400 Burrard St  
 Vancouver  
 B.C. V6C3G2  
 Canada  
 Att: Henry Marsden  
 Em:henry\_marsden@telus.net

#	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3/4 Disk  
 DL=Download 3D=3/4 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



International Plasma Labs Ltd  
 10000 10th St  
 Grand View, NV  
 Phone: (604) 831-7878  
 Fax: (604) 831-7844  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

### 106 Samples

Ship# 106=Soil 6=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 22, 2006  
 [256017:38:44:60092206:00h] Sep 12, 2006

Page 1 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C206220	Soil	0.02	0.4	64	<2	104	29	<5	<3	1	<10	<2	<0.2	14	7	211	<5	23	142
C206221	Soil	0.02	0.4	88	<2	110	23	<5	<3	3	<10	<2	<0.2	15	17	95	<5	17	94
C206223	Soil	0.02	0.8	125	<2	175	37	<5	<3	9	<10	<2	<0.2	15	21	130	<5	12	101
C206224	Soil	0.01	0.6	67	<2	133	23	<5	<3	11	<10	<2	<0.2	12	19	142	<5	17	109
C206225	Soil	0.01	0.4	33	<2	87	22	<5	<3	<1	<10	<2	<0.2	14	9	34	<5	13	74
C206226	Soil	0.02	0.4	59	<2	112	24	<5	<3	<1	<10	<2	<0.2	21	10	50	<5	17	106
C206227	Soil	<0.01	0.4	50	<2	55	16	<5	<3	<1	<10	<2	<0.2	15	17	76	<5	35	66
C206228	Soil	0.01	0.4	95	<2	80	81	<5	<3	<1	<10	<2	<0.2	24	14	133	<5	31	174
C206240	Soil	0.01	0.6	89	<2	124	27	<5	<3	2	<10	<2	<0.2	15	25	111	<5	33	116
C206241	Soil	0.01	0.6	87	<2	100	21	<5	<3	5	<10	<2	<0.2	16	23	77	<5	23	109
C206242	Soil	0.01	0.6	131	<2	139	28	<5	<3	4	<10	<2	<0.2	23	22	113	<5	30	148
C206243	Soil	0.01	1.0	86	<2	104	59	<5	<3	6	<10	<2	<0.2	12	13	184	<5	7	103
C206244	Soil	0.09	1.2	68	<2	112	166	<5	<3	1	<10	<2	<0.2	18	9	52	<5	8	113
C206245	Soil	0.09	1.0	147	<2	170	75	<5	<3	3	<10	<2	<0.2	24	14	227	<5	20	172
C206246	Soil	0.02	0.4	130	<2	100	85	<5	<3	<1	<10	<2	<0.2	21	9	317	<5	12	171
C206247	Soil	0.09	1.2	63	<2	118	30	<5	<3	3	<10	<2	<0.2	14	21	163	<5	19	121
C206248	Soil	0.03	0.6	84	<2	76	51	<5	<3	2	<10	<2	<0.2	14	22	109	<5	30	94
C206249	Soil	0.02	0.6	90	<2	80	45	<5	<3	<1	<10	<2	<0.2	19	14	184	<5	33	132
C206250	Soil	0.01	0.4	62	<2	121	37	<5	<3	3	<10	<2	<0.2	12	15	192	<5	13	118
C504060	Soil	0.03	0.4	30	<2	158	23	<5	<3	3	<10	<2	<0.2	8	12	260	<5	7	52
C504061	Soil	0.01	0.4	27	<2	139	62	<5	<3	3	<10	<2	<0.2	8	10	187	<5	6	44
C504063	Soil	0.01	0.4	16	<2	126	26	<5	<3	2	<10	<2	<0.2	9	6	295	<5	7	54
C504064	Soil	<0.01	0.4	16	<2	117	27	<5	<3	2	<10	<2	<0.2	6	5	258	<5	3	31
C504065	Soil	0.01	0.4	33	<2	142	28	<5	<3	7	<10	<2	<0.2	10	10	418	<5	8	59
C504066	Soil	<0.01	0.4	43	<2	209	26	<5	<3	9	<10	<2	<0.2	10	17	271	<5	19	87
C504067	Soil	<0.01	0.4	21	<2	188	27	<5	<3	5	<10	<2	<0.2	13	12	246	<5	7	70
C504068	Soil	<0.01	0.4	14	<2	120	17	<5	<3	2	<10	<2	<0.2	10	2	397	<5	8	88
C504069	Soil	0.01	0.4	89	<2	74	23	<5	<3	1	<10	<2	<0.2	14	30	43	<5	66	128
C504070	Soil	0.01	1.2	204	<2	269	35	<5	<3	22	<10	<2	<0.2	29	56	254	<5	29	92
C504071	Soil	<0.01	0.4	73	4	80	<5	<5	<3	2	<10	<2	<0.2	11	3	62	<5	7	93
C504072	Soil	<0.01	0.4	79	<2	66	19	<5	<3	<1	<10	<2	<0.2	22	17	28	<5	24	172
C504073	Soil	0.82	0.6	124	<2	92	23	<5	<3	<1	<10	<2	<0.2	29	92	77	<5	214	370
C504301	Soil	0.01	0.4	332	<2	89	23	<5	<3	<1	<10	<2	<0.2	18	15	105	<5	31	253
C504302	Soil	<0.01	0.4	190	<2	92	21	<5	<3	1	<10	<2	<0.2	17	3	57	<5	17	221
C504303	Soil	0.01	0.4	212	<2	84	22	<5	<3	<1	<10	<2	<0.2	14	10	65	<5	22	257
C504304	Soil	0.02	0.8	253	<2	79	29	<5	<3	1	<10	<2	<0.2	14	22	123	<5	32	118
C504305	Soil	<0.01	0.2	152	<2	78	23	<5	<3	<1	<10	<2	<0.2	18	18	165	<5	26	135
C504306	Soil	<0.01	0.2	227	<2	100	24	<5	<3	<1	<10	<2	<0.2	13	11	92	<5	25	178
C504307	Soil	0.02	0.4	176	<2	96	32	<5	<3	4	<10	<2	<0.2	18	15	104	<5	23	200

Minimum Detection	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
Maximum Detection	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
Method	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



International Plasma Labs Ltd  
 Richmond B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7378  
 Fax (604) 272-0854  
 Website: www.ipi.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship# 106 Samples  
 106=Soil 6=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 22, 2006  
 [256017:38:44:60092206:00h] Sep 12, 2006

Page 1 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C206220	1535	19	97	43	11	0.02	3.05	1.30	4.18	0.57	0.09	0.83	0.20
C206221	809	5	42	47	8	0.14	2.03	0.90	3.65	0.54	0.04	0.03	0.12
C206223	1059	9	48	45	11	0.05	1.77	0.79	3.93	0.53	0.11	0.02	0.15
C206224	794	9	50	32	7	0.17	1.55	0.60	3.12	0.48	0.14	0.03	0.12
C206225	994	4	77	36	4	0.12	1.24	0.90	3.13	0.44	0.05	0.03	0.10
C206226	1205	5	86	40	6	0.13	1.57	1.47	3.39	0.50	0.12	0.03	0.10
C206227	692	6	111	39	4	0.11	2.15	1.63	2.76	0.58	0.04	0.04	0.12
C206228	1014	7	189	58	14	0.15	3.39	1.91	4.26	0.63	0.13	0.05	0.17
C206240	970	5	62	54	7	0.19	2.10	1.32	3.50	0.58	0.07	0.03	0.15
C206241	794	4	112	48	7	0.21	2.18	2.90	3.13	0.54	0.06	0.03	0.11
C206242	1143	8	39	67	12	0.23	2.75	1.03	4.20	0.60	0.14	0.03	0.12
C206243	818	17	274	43	6	0.03	0.94	4.27	3.38	0.37	0.11	0.11	0.27
C206244	1332	15	106	52	7	0.01	1.53	2.16	4.34	0.52	0.12	0.09	0.22
C206245	1385	15	101	62	9	0.13	2.31	1.85	4.47	0.61	0.17	0.11	0.20
C206246	1439	16	169	50	12	0.05	1.89	2.64	4.31	0.54	0.15	0.17	0.26
C206247	970	6	106	49	8	0.10	1.89	2.21	3.75	0.51	0.06	0.04	0.11
C206248	921	7	79	46	9	0.05	1.84	2.09	3.71	0.57	0.07	0.02	0.12
C206249	849	7	119	46	11	0.12	2.40	2.30	3.92	0.58	0.11	0.02	0.14
C206250	984	13	138	49	10	0.03	1.57	3.18	3.75	0.47	0.08	0.40	0.18
C504060	600	10	54	37	6	0.04	1.29	0.57	3.09	0.32	0.14	0.02	0.09
C504061	560	12	76	34	8	0.05	1.23	1.01	3.15	0.35	0.15	0.02	0.09
C504063	935	16	70	39	8	0.03	1.50	1.07	3.32	0.39	0.17	0.02	0.10
C504064	604	12	119	33	7	<0.01	1.12	2.86	3.14	0.47	0.22	0.02	0.10
C504065	924	13	105	35	9	0.04	1.76	2.15	3.47	0.43	0.20	0.03	0.11
C504066	1084	16	56	41	6	0.04	2.12	0.86	3.37	0.40	0.18	0.02	0.13
C504067	801	16	80	51	9	0.06	1.14	0.73	4.04	0.27	0.15	0.02	0.13
C504068	1545	12	62	43	7	0.07	1.56	0.94	3.74	0.38	0.09	0.03	0.11
C504069	727	10	56	45	7	0.21	2.61	0.49	3.35	0.59	0.09	0.03	0.11
C504070	1570	15	62	53	8	0.08	2.12	0.90	4.03	0.54	0.11	0.02	0.19
C504071	1149	8	86	45	5	0.15	1.65	1.10	3.44	0.53	0.07	0.04	0.12
C504072	996	2	59	52	12	0.25	2.35	2.73	3.56	0.64	0.11	0.04	0.09
C504073	1152	6	157	56	15	0.24	2.67	2.73	4.11	0.70	0.56	0.03	0.09
C504301	1158	16	124	41	9	0.25	2.43	1.10	3.58	0.60	0.40	0.04	0.15
C504302	1424	13	78	44	7	0.24	2.28	0.75	3.86	0.56	0.35	0.06	0.12
C504303	1007	17	96	50	8	0.23	2.09	0.95	3.53	0.54	0.29	0.04	0.13
C504304	895	21	65	42	7	0.16	2.78	0.63	3.44	0.60	0.16	0.04	0.10
C504305	1022	14	89	54	8	0.21	2.91	0.81	3.41	0.62	0.17	0.03	0.12
C504306	755	16	73	48	6	0.18	3.09	0.67	3.45	0.58	0.16	0.03	0.09
C504307	1158	18	87	44	9	0.20	3.05	0.85	3.63	0.63	0.41	0.03	0.12

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

---No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



15110 10th St  
 Canada V7A 1V5  
 Phone (604) 879 7878  
 Fax (604) 879 1281  
 Website: www.intertek.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**106 Samples**  
 Ship#      106=Soil      6=Repeat      1=Blk iPL      1=Std iPL

Print: Sep 22, 2006      Page 2 of 3  
 [256017:38:44:60092206:00h] Sep 12, 2006      Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C504308	Soil	0.01	0.6	87	<2	89	30	<5	<3	5	<10	<2	<0.2	13	14	112	<5	26	120
C504309	Soil	0.03	0.8	252	67	184	42	<5	<3	2	<10	<2	<0.2	33	106	128	<5	192	779
C504310	Soil	0.11	0.6	161	23	109	53	<5	<3	4	<10	<2	<0.2	15	24	178	<5	35	194
C504311	Soil	0.05	1.0	126	16	88	51	<5	<3	5	<10	<2	<0.2	8	10	156	<5	28	133
C504312	Soil	0.15	1.8	385	43	147	76	<5	<3	2	<10	<2	<0.2	25	21	106	<5	43	281
C504313	Soil	0.18	1.2	288	132	100	105	<5	<3	9	<10	<2	<0.2	13	14	103	<5	37	203
C504314	Soil	0.10	0.4	282	75	118	85	<5	<3	8	<10	<2	<0.2	14	12	77	<5	28	204
C504315	Soil	0.09	0.4	167	53	111	198	<5	<3	10	<10	<2	<0.2	14	11	86	<5	17	195
C504316	Soil	0.06	0.4	173	16	74	62	<5	<3	5	<10	<2	<0.2	11	16	75	<5	26	122
C504317	Soil	0.09	0.4	119	6	98	86	<5	<3	4	<10	<2	<0.2	14	15	140	<5	32	111
C504318	Soil	0.18	1.4	603	34	134	111	<5	<3	15	<10	<2	<0.2	24	13	85	<5	24	292
C504319	Soil	0.16	1.4	747	15	134	74	<5	<3	13	<10	<2	<0.2	25	17	50	<5	46	232
C504320	Soil	0.03	0.2	75	<2	137	40	<5	<3	6	<10	<2	<0.2	22	11	73	<5	43	306
C504321	Soil	0.06	0.6	184	7	133	90	<5	<3	19	<10	<2	<0.2	12	8	72	<5	26	229
C504322	Soil	0.06	0.6	266	3	107	39	<5	<3	3	<10	<2	<0.2	18	17	117	<5	34	180
C504323	Soil	0.03	0.4	228	8	92	51	<5	<3	9	<10	<2	<0.2	14	11	57	<5	30	151
C504324	Soil	0.07	0.6	153	21	89	50	<5	<3	5	<10	<2	<0.2	12	12	95	<5	34	211
C504325	Soil	0.07	0.6	204	19	104	56	<5	<3	9	<10	<2	<0.2	14	17	63	<5	35	265
C504326	Soil	0.08	0.4	209	15	78	97	<5	<3	7	<10	<2	<0.2	10	12	56	<5	28	176
C504327	Soil	0.15	0.6	613	146	122	77	<5	<3	6	<10	<2	<0.2	24	13	117	<5	31	327
C504328	Soil	0.19	0.2	91	11	68	38	<5	<3	4	<10	<2	<0.2	14	12	54	<5	33	182
C504329	Soil	0.03	0.6	162	6	88	63	<5	<3	31	<10	<2	<0.2	13	13	128	<5	28	170
C504330	Soil	0.05	0.4	169	5	73	32	<5	<3	3	<10	<2	<0.2	14	15	79	<5	28	259
C504331	Soil	0.15	0.4	436	27	129	53	<5	<3	4	<10	<2	<0.2	33	13	105	<5	19	298
C504332	Soil	0.03	0.2	129	30	148	70	<5	<3	13	<10	<2	<0.2	14	26	64	<5	48	238
C504333	Soil	0.02	0.2	110	13	114	42	<5	<3	13	<10	<2	<0.2	15	17	50	<5	36	185
C504334	Soil	0.05	0.4	185	49	128	58	<5	<3	14	<10	<2	<0.2	17	18	56	<5	33	186
C504335	Soil	0.03	0.4	138	5	132	47	<5	<3	9	<10	<2	<0.2	18	19	64	<5	39	232
C504336	Soil	0.01	0.4	100	11	96	47	<5	<3	8	<10	<2	<0.2	12	8	39	<5	24	153
C504337	Soil	0.01	0.4	63	15	81	41	<5	<3	6	<10	<2	<0.2	10	10	34	<5	30	144
C504338	Soil	0.02	0.2	162	23	136	55	<5	<3	8	<10	<2	<0.2	21	27	82	<5	40	218
C504339	Soil	0.03	0.4	132	31	123	44	<5	<3	9	<10	<2	<0.2	11	17	62	<5	31	211
C504340	Soil	0.04	0.4	185	30	124	52	<5	<3	5	<10	<2	<0.2	19	26	85	<5	41	226
C504341	Soil	0.12	0.6	384	53	122	105	<5	<3	4	<10	<2	<0.2	24	20	74	<5	35	300
C504342	Soil	0.08	0.6	244	63	118	60	<5	<3	8	<10	<2	<0.2	19	22	137	<5	40	296
C504343	Soil	0.08	0.4	256	42	113	58	<5	<3	4	<10	<2	<0.2	21	18	53	<5	37	342
C504344	Soil	0.01	0.4	55	19	96	42	<5	<3	4	<10	<2	<0.2	6	10	43	<5	26	98
C504345	Soil	0.05	0.2	137	102	131	82	<5	<3	5	<10	<2	<0.2	16	18	54	<5	42	416
C504346	Soil	0.02	0.2	118	14	126	47	<5	<3	6	<10	<2	<0.2	23	23	68	<5	42	204

Minimum Detection	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
Maximum Detection	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
Method	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



International Plasma Labs Ltd  
 10001 10th Ave NW  
 Edmonton, Alberta T6E 1K1  
 Canada  
 Phone: (403) 470-7838  
 Fax: (403) 470-0854  
 Website: www.inertsik.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

### 106 Samples

Ship#      106=Soil      6=Repeat      1=81k iPL      1=Std iPL

Print: Sep 22, 2006  
 [256017:38:44:60092206:00h] Sep 12, 2006

Page 2 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504308	974	18	50	42	4	0.12	3.16	0.46	3.20	0.57	0.10	0.02	0.08
C504309	2293	14	126	86	22	0.22	3.36	2.15	4.55	0.75	0.95	0.02	0.13
C504310	1393	19	56	50	9	0.09	1.96	0.56	3.40	0.59	0.17	0.02	0.14
C504311	941	17	43	35	2	0.05	2.28	0.36	3.03	0.53	0.10	0.04	0.09
C504312	1715	21	60	61	13	0.14	2.52	0.54	4.06	0.68	0.56	0.04	0.17
C504313	991	18	35	45	5	0.08	2.51	0.26	3.76	0.60	0.10	0.02	0.10
C504314	1336	13	49	43	5	0.06	2.21	0.24	3.64	0.60	0.12	0.02	0.11
C504315	1260	13	31	46	3	0.06	2.58	0.16	3.68	0.60	0.28	0.01	0.10
C504316	1130	15	34	35	5	0.06	1.68	0.24	3.14	0.54	0.08	0.02	0.11
C504317	1135	12	40	41	6	0.06	1.67	0.30	3.06	0.59	0.11	0.02	0.12
C504318	1759	29	57	62	13	0.13	2.25	0.58	4.45	0.63	0.47	0.02	0.14
C504319	1339	27	21	57	14	0.19	3.02	0.31	4.21	0.66	0.31	0.02	0.09
C504320	1256	8	20	90	11	0.28	2.98	0.39	4.56	0.68	1.25	0.03	0.07
C504321	1104	19	30	42	4	0.12	2.80	0.36	3.81	0.56	0.23	0.05	0.12
C504322	1157	18	73	41	10	0.14	2.40	0.65	3.54	0.63	0.38	0.03	0.15
C504323	710	12	31	38	5	0.09	2.15	0.26	3.32	0.57	0.13	0.02	0.09
C504324	916	17	62	38	6	0.09	2.07	0.55	3.30	0.59	0.16	0.03	0.13
C504325	835	16	39	38	5	0.09	2.39	0.39	3.54	0.60	0.21	0.03	0.13
C504326	1156	22	23	48	5	0.14	2.64	0.23	3.58	0.50	0.10	0.02	0.10
C504327	1934	22	51	56	14	0.12	2.21	0.63	4.47	0.64	0.48	0.01	0.21
C504328	1264	9	33	37	6	0.14	2.38	0.33	3.19	0.57	0.16	0.02	0.10
C504329	609	26	88	54	8	0.18	2.82	0.81	3.39	0.54	0.12	0.03	0.12
C504330	949	17	74	39	7	0.16	2.31	0.76	3.31	0.56	0.24	0.02	0.11
C504331	2115	20	49	64	13	0.14	2.41	0.47	4.69	0.65	0.55	0.01	0.24
C504332	1176	17	62	52	4	0.10	2.47	0.64	3.95	0.51	0.11	0.02	0.12
C504333	1096	22	33	46	4	0.11	2.68	0.28	3.60	0.54	0.09	0.02	0.10
C504334	1303	21	35	46	7	0.14	2.67	0.32	3.98	0.57	0.17	0.03	0.14
C504335	1653	19	48	52	8	0.12	2.63	0.49	3.66	0.63	0.32	0.03	0.14
C504336	1632	12	11	60	2	0.11	2.99	0.08	4.12	0.43	0.11	0.02	0.09
C504337	722	12	22	54	4	0.17	2.61	0.19	3.53	0.47	0.09	0.03	0.10
C504338	1433	17	51	70	9	0.15	3.15	0.48	4.24	0.61	0.16	0.02	0.17
C504339	1338	17	38	44	6	0.13	2.71	0.38	3.78	0.54	0.17	0.03	0.13
C504340	1160	22	54	51	11	0.19	2.84	0.54	4.16	0.61	0.14	0.02	0.12
C504341	1894	17	42	60	11	0.20	2.66	0.47	4.56	0.59	0.20	0.02	0.19
C504342	1718	30	62	67	11	0.17	2.64	0.69	4.51	0.60	0.13	0.03	0.14
C504343	1919	23	41	54	8	0.13	2.77	0.44	4.63	0.58	0.14	0.02	0.21
C504344	704	17	17	55	2	0.09	3.23	0.18	3.53	0.40	0.09	0.03	0.09
C504345	2269	20	57	63	5	0.09	2.65	0.54	4.76	0.56	0.14	0.01	0.24
C504346	1386	26	37	77	10	0.21	3.19	0.65	4.31	0.64	0.43	0.02	0.16

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



INTERNATIONAL PLASMA LABS LTD  
 10000 100th Ave NW  
 Everett, WA 98203  
 USA  
 Phone: (822) 333-1100  
 Fax: (822) 333-1101  
 Web: www.ipl.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship# 106 Samples  
 106=Soil 6=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 22, 2006  
 [256017:38:44:60092206:001] Sep 12, 2006

Page 3 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C504347	Soil	0.01	0.4	107	2	118	46	<5	<3	4	<10	<2	<0.2	21	17	65	<5	36	172
C504348	Soil	0.03	0.6	167	17	125	50	<5	<3	4	<10	<2	<0.2	18	18	118	<5	35	191
C504349	Soil	0.01	0.4	107	<2	109	33	<5	<3	2	<10	<2	<0.2	17	43	51	<5	82	144
C504350	Soil	0.02	0.4	163	14	106	32	<5	<3	1	<10	<2	<0.2	24	50	96	<5	70	158
C504351	Soil	0.03	0.4	25	<2	87	23	<5	<3	3	<10	<2	<0.2	17	39	192	<5	40	87
C504402	Soil	0.56	0.4	113	<2	98	52	<5	<3	<1	<10	<2	<0.2	23	21	469	<5	9	110
C504403	Soil	0.17	3.0	3	49	<1	1442	19	<3	23	<10	<2	<0.2	<1	<1	79	<5	10	39
C504404	Soil	0.02	0.6	91	<2	86	45	<5	<3	2	<10	2	<0.2	17	17	139	<5	5	61
C504405	Soil	0.01	0.8	78	<2	78	36	<5	<3	<1	<10	<2	<0.2	18	30	284	<5	7	46
C504406	Soil	0.01	0.4	92	<2	108	40	<5	<3	<1	<10	<2	<0.2	24	27	421	<5	30	138
C504407	Soil	0.01	0.4	62	<2	89	30	<5	<3	<1	<10	<2	<0.2	16	9	350	<5	<1	59
C504408	Soil	0.02	0.8	30	<2	69	79	<5	<3	2	<10	<2	<0.2	9	2	87	<5	<1	16
C504409	Soil	<0.01	0.6	71	3	183	80	<5	<3	8	<10	<2	<0.2	16	31	122	<5	14	74
C504410	Soil	0.01	0.8	87	21	212	108	9	<3	16	<10	<2	<0.2	17	50	173	<5	10	66
C504411	Soil	<0.01	0.4	70	<2	86	87	<5	<3	<1	<10	<2	<0.2	35	20	173	<5	10	65
C504412	Soil	<0.01	0.4	48	<2	109	39	<5	<3	<1	<10	<2	<0.2	15	9	503	<5	7	59
C504413	Soil	<0.01	0.4	28	<2	79	204	<5	<3	2	<10	<2	<0.2	7	<1	402	<5	4	90
C504414	Soil	0.01	0.4	50	<2	115	30	<5	<3	<1	<10	<2	<0.2	14	4	281	<5	8	136
C504415	Soil	0.01	0.6	61	<2	124	38	<5	<3	<1	<10	<2	<0.2	16	2	626	<5	2	133
C504552	Soil	0.01	0.6	29	<2	89	25	<5	<3	1	<10	<2	<0.2	18	54	218	<5	55	87
C504553	Soil	<0.01	0.6	54	<2	117	21	<5	<3	3	<10	<2	<0.2	23	47	313	<5	57	108
C504554	Soil	0.01	0.6	21	<2	133	22	<5	<3	3	<10	<2	<0.2	18	32	146	<5	51	107
C504555	Soil	<0.01	0.4	23	<2	149	27	<5	<3	2	<10	<2	<0.2	17	41	103	<5	58	88
C504556	Soil	0.01	0.6	31	<2	98	19	<5	<3	3	<10	<2	<0.2	9	35	150	<5	55	97
C504557	Soil	0.07	1.0	77	<2	228	25	<5	<3	6	<10	<2	<0.2	18	78	340	<5	62	74
C504558	Soil	0.02	0.6	144	<2	82	23	<5	<3	5	<10	<2	<0.2	17	68	273	<5	46	60
C504559	Soil	0.01	0.6	89	<2	117	21	<5	<3	3	<10	<2	<0.2	13	48	229	<5	33	51
C504560	Soil	0.01	0.4	62	<2	113	29	<5	<3	4	<10	<2	<0.2	17	51	159	<5	58	98
RE C206220	Repeat	0.02	0.4	65	<2	106	30	<5	<3	<1	<10	<2	<0.2	16	9	219	<5	23	144
RE C504060	Repeat	0.03	0.4	29	<2	160	23	<5	<3	4	<10	<2	<0.2	8	13	259	<5	7	51
RE C504308	Repeat	0.01	0.6	92	<2	92	32	<5	<3	3	<10	<2	<0.2	13	10	124	<5	29	135
RE C504327	Repeat	0.14	0.6	625	149	131	77	<5	<3	6	<10	<2	<0.2	25	14	125	<5	33	368
RE C504347	Repeat	0.01	0.4	105	2	119	83	<5	<3	3	<10	<2	<0.2	18	19	63	<5	35	164
RE C504552	Repeat	0.01	0.6	29	<2	89	23	<5	<3	1	<10	<2	<0.2	17	54	215	<5	55	89
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA GS18	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS18 REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
Maximum Detection	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
Method	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2560



Richmond, BC  
 Canada V7A 4V4  
 Phone (604) 279-7078  
 Fax (604) 279-9911  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

### 106 Samples

Ship#      106=Soil      6=Repeat      1=Blk iPL      1=Std iPL

Print: Sep 22, 2006  
 [256017:38:44:60092206:001] Sep 12, 2006

Page 3 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504347	1105	18	34	62	9	0.23	3.51	0.30	4.21	0.58	0.17	0.04	0.15
C504348	1320	21	50	64	9	0.16	2.42	0.41	3.92	0.60	0.27	0.05	0.14
C504349	1143	12	37	54	9	0.23	3.78	0.35	3.88	0.60	0.11	0.04	0.14
C504350	1164	17	76	57	11	0.25	3.40	0.74	3.94	0.62	0.18	0.04	0.15
C504351	480	9	54	71	6	0.19	2.41	0.37	3.99	0.42	0.07	0.04	0.08
C504402	1309	6	100	54	18	<0.01	0.92	2.68	4.50	0.29	0.15	0.01	0.14
C504403	16	7	85	34	37	<0.01	0.51	0.04	2.84	0.03	0.64	0.01	0.53
C504404	1323	5	110	43	16	<0.01	0.56	3.25	4.04	0.14	0.17	0.01	0.11
C504405	1050	7	143	41	11	<0.01	0.41	7.82	3.70	0.16	0.16	0.01	0.09
C504406	1240	8	47	55	13	<0.01	1.03	2.09	4.36	0.30	0.13	0.01	0.14
C504407	1017	11	177	41	10	<0.01	0.66	3.73	3.68	0.14	0.16	0.01	0.16
C504408	277	9	145	56	4	<0.01	0.42	0.38	4.55	0.03	0.41	0.08	0.12
C504409	1210	12	53	49	9	0.04	1.42	0.12	4.09	0.18	0.15	0.04	0.13
C504410	1138	6	112	45	11	0.01	0.99	0.08	3.89	0.10	0.23	0.02	0.10
C504411	1825	9	62	61	25	<0.01	0.62	1.22	4.95	0.15	0.17	0.01	0.13
C504412	1350	12	206	39	11	<0.01	0.66	5.75	3.80	0.27	0.18	0.02	0.13
C504413	1234	20	89	36	5	0.03	2.17	0.63	3.23	0.32	0.06	0.65	0.16
C504414	1730	30	72	47	9	0.01	2.75	1.36	4.23	0.38	0.06	0.84	0.26
C504415	2287	32	168	52	8	0.01	4.18	2.66	4.46	0.54	0.07	1.27	0.20
C504552	723	10	51	54	6	0.13	2.29	0.40	3.89	0.51	0.12	0.04	0.08
C504553	1095	13	80	67	7	0.31	1.77	0.79	4.15	0.37	0.06	0.03	0.07
C504554	595	9	29	75	4	0.28	1.88	0.22	4.23	0.36	0.10	0.03	0.06
C504555	789	15	29	81	5	0.21	2.66	0.18	4.28	0.41	0.07	0.03	0.09
C504556	505	9	44	75	3	0.25	1.67	0.44	3.87	0.35	0.14	0.02	0.06
C504557	1821	24	68	57	8	0.20	2.70	1.00	3.69	0.43	0.07	0.04	0.10
C504558	1279	28	79	66	6	0.09	1.86	1.39	3.32	0.44	0.10	0.05	0.10
C504559	1293	26	112	67	5	0.14	2.22	1.58	3.30	0.33	0.05	0.04	0.10
C504560	768	11	43	65	5	0.14	2.35	0.31	4.64	0.44	0.08	0.02	0.07
RE C206220	1564	20	100	51	11	0.02	3.06	1.30	4.18	0.59	0.10	0.85	0.20
RE C504060	595	11	51	34	7	0.04	1.29	0.57	3.09	0.31	0.13	0.03	0.09
RE C504308	965	20	62	46	5	0.13	3.16	0.46	3.24	0.58	0.10	0.03	0.10
RE C504327	1988	24	58	65	15	0.11	2.25	0.63	4.49	0.64	0.48	0.01	0.22
RE C504347	1102	17	33	58	8	0.23	3.49	0.29	4.24	0.59	0.16	0.04	0.14
RE C504552	726	10	52	56	6	0.14	2.31	0.39	3.86	0.51	0.12	0.03	0.07
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample





# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd.  
 1403 Burrard St.  
 Vancouver, BC V6C 3K6  
 Canada V6C 3K6  
 Phone (604) 874-7878  
 Fax (604) 272-0854  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Iskut  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

**207 Samples**

Print: Sep 07, 2006 In: Aug 23, 2006

[221316:55:19:60090706:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	207	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	11	Repeat	Repeat sample - no Charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30 / Over limit assay Ag/Cu/Mo/Pb/Zn / P1704\_A

### Document Distribution

**1** Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph:604.241.1765  
 Em:jabradford@shaw.ca

**2** Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em:henry\_marsden@telus.net


##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
03	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
04	0711	ICP	ppm	Cu ICP	Copper	1	10000
05	0714	ICP	ppm	Pb ICP	Lead	2	10000
06	0730	ICP	ppm	Zn ICP	Zinc	1	10000
07	0703	ICP	ppm	As ICP	Arsenic	5	10000
08	0702	ICP	ppm	Sb ICP	Antimony	5	2000
09	0732	ICP	ppm	Hg ICP	Mercury	3	10000
10	0717	ICP	ppm	Mo ICP	Molydenum	1	1000
11	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
12	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
13	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
14	0710	ICP	ppm	Co ICP	Cobalt	1	10000
15	0718	ICP	ppm	Ni ICP	Nickel	1	10000
16	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
17	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
18	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
19	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
20	0716	ICP	ppm	Mn ICP	Manganese	1	10000
21	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
22	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
23	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
24	0736	ICP	ppm	Sc ICP	Scandium	1	10000
25	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
26	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
27	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
28	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
29	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
30	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
31	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
32	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



221316-55-19-60090706:00h  
 Vancouver BC  
 Canada V7A 4Y5  
 Phone: (604) 272-0851  
 Fax: (604) 272-0851  
 Web: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship# 207 Samples  
 207=Rock 11=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:00h] Aug 23, 2006

Page 1 of 6  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C204034	Rock	0.03	—	2.3	553	193	882	67	7	<3	60	<10	<2	<0.2	16	<1	34	<5	16
C204035	Rock	0.15	—	1.1	136	23	131	223	11	<3	<1	<10	<2	<0.2	2	3	66	<5	18
C204036	Rock	<0.01	—	0.4	24	10	102	35	<5	<3	<1	<10	<2	<0.2	8	4	42	<5	13
C205118	Rock	0.08	—	0.3	43	12	77	29	<5	<3	2	<10	<2	<0.2	3	3	104	<5	23
C205119	Rock	0.03	—	0.3	19	<2	34	71	<5	<3	6	<10	<2	<0.2	2	<1	106	<5	32
C205120	Rock	0.02	—	0.1	16	<2	41	23	<5	<3	15	<10	<2	<0.2	1	2	212	<5	24
C205121	Rock	<0.01	—	0.2	18	5	65	22	<5	<3	12	<10	<2	<0.2	3	5	636	<5	27
C205122	Rock	0.01	—	0.3	97	19	88	25	<5	<3	4	<10	<2	<0.2	3	3	327	<5	27
C205123	Rock	0.01	—	0.3	94	5	107	23	<5	<3	18	<10	<2	<0.2	4	5	645	<5	31
C205124	Rock	0.03	—	0.3	136	7	78	23	<5	<3	20	<10	<2	<0.2	3	7	405	<5	17
C205125	Rock	0.19	—	0.7	816	<2	35	25	<5	<3	8	<10	<2	<0.2	3	4	449	<5	29
C205126	Rock	0.06	—	0.3	473	4	32	25	<5	<3	20	<10	<2	<0.2	3	<1	236	<5	19
C205127	Rock	0.02	—	0.1	35	<2	28	23	<5	<3	5	<10	<2	<0.2	3	4	217	<5	23
C205128	Rock	0.01	—	0.2	8	<2	40	20	<5	<3	<1	<10	<2	<0.2	4	12	873	<5	16
C205129	Rock	0.04	—	0.3	34	<2	29	23	<5	<3	<1	<10	<2	<0.2	5	5	156	<5	27
C205130	Rock	0.03	—	0.2	61	<2	27	25	<5	<3	2	<10	<2	<0.2	3	5	261	<5	20
C205131	Rock	0.03	—	0.1	6	<2	28	20	<5	<3	3	<10	<2	<0.2	3	4	680	<5	23
C205132	Rock	0.03	—	0.2	56	6	62	25	<5	<3	8	<10	<2	<0.2	5	2	206	<5	22
C205133	Rock	0.05	—	0.2	21	<2	21	22	<5	<3	3	<10	<2	<0.2	3	1	117	<5	28
C205134	Rock	0.03	—	0.1	26	<2	17	22	<5	<3	1	<10	<2	<0.2	2	2	342	<5	19
C205135	Rock	0.08	—	0.1	217	<2	19	21	<5	<3	12	<10	<2	<0.2	5	4	265	<5	25
C205136	Rock	0.04	—	0.1	148	<2	13	21	<5	<3	6	<10	<2	<0.2	3	2	253	<5	18
C205137	Rock	0.03	—	0.2	93	<2	22	22	<5	<3	9	<10	<2	<0.2	<1	2	214	<5	20
C205138	Rock	0.11	—	0.4	36	<2	41	22	<5	6	13	<10	<2	<0.2	3	9	343	<5	12
C205139	Rock	0.04	—	0.3	72	<2	28	21	<5	<3	2	<10	<2	<0.2	5	12	586	<5	11
C205140	Rock	0.03	—	0.4	175	<2	39	27	<5	<3	4	<10	<2	<0.2	4	6	507	<5	17
C205141	Rock	0.03	—	0.1	86	<2	29	22	<5	<3	<1	<10	<2	<0.2	<1	5	541	<5	18
C205142	Rock	0.01	—	0.2	86	<2	26	21	<5	<3	11	<10	<2	<0.2	5	3	679	<5	21
C205143	Rock	0.03	—	0.1	77	<2	22	21	<5	<3	18	<10	<2	<0.2	4	<1	458	<5	23
C205144	Rock	0.06	—	0.2	85	<2	19	20	<5	<3	3	<10	<2	<0.2	4	3	206	<5	20
C205145	Rock	0.03	—	0.2	45	<2	22	20	<5	<3	4	<10	<2	<0.2	<1	2	443	<5	19
C205146	Rock	0.09	—	0.1	218	<2	21	20	<5	<3	12	<10	<2	<0.2	4	2	314	<5	24
C205147	Rock	0.09	—	0.2	124	<2	22	21	<5	<3	3	<10	<2	<0.2	3	5	123	<5	26
C205148	Rock	0.17	—	0.3	204	<2	21	21	<5	<3	13	<10	<2	<0.2	2	<1	125	<5	25
C205149	Rock	0.14	—	0.2	252	10	26	20	<5	<3	1	<10	<2	<0.2	2	6	237	<5	23
C205150	Rock	0.06	—	0.3	166	3	22	26	<5	<3	8	<10	<2	<0.2	5	3	75	<5	23
C205151	Rock	0.05	—	0.1	37	<2	25	21	<5	<3	6	<10	<2	<0.2	4	4	265	<5	22
C205152	Rock	0.01	—	0.2	56	<2	27	24	<5	<3	4	<10	<2	<0.2	4	6	557	<5	26
C205153	Rock	0.02	—	0.1	61	<2	14	21	<5	<3	1	<10	<2	<0.2	2	5	593	<5	35

Minimum Detection 0.01 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1  
 Maximum Detection 5000.00 5000.00 100.0 10000 10000 10000 2000 10000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000  
 Method FA/AAS FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



2700 116 Ave. S.E. Unit 10  
 Richmond, BC  
 Canada V7A 1W4  
 Phone (604) 871-7878  
 Fax (604) 272-0941  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**207 Samples**

Ship# 207=Rock 11=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:00h] Aug 23, 2006

Page 1 of 6  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C204034	35	481	12	37	34	4	<0.01	0.40	1.89	2.96	0.34	0.19	0.04	0.08
C204035	48	81	9	23	25	2	<0.01	0.62	0.37	2.29	0.06	0.24	0.02	0.26
C204036	26	898	19	146	34	2	<0.01	1.34	2.12	2.86	0.40	0.24	0.02	0.10
C205118	48	545	7	39	21	5	<0.01	0.35	1.77	2.07	0.31	0.22	0.03	0.08
C205119	54	552	5	47	24	5	<0.01	0.38	2.28	2.04	0.42	0.26	0.04	0.07
C205120	19	320	5	133	17	2	<0.01	0.30	1.42	1.21	0.28	0.21	0.04	0.05
C205121	47	753	13	116	23	4	<0.01	0.29	2.73	1.79	0.47	0.20	0.04	0.06
C205122	53	1065	22	109	22	5	<0.01	0.28	3.14	2.00	0.52	0.21	0.04	0.06
C205123	62	734	14	106	26	5	<0.01	0.34	3.10	2.16	0.50	0.23	0.04	0.07
C205124	49	826	15	81	26	4	<0.01	0.31	3.49	2.42	0.53	0.23	0.03	0.06
C205125	31	678	17	125	22	4	<0.01	0.30	2.60	1.74	0.45	0.22	0.04	0.08
C205126	21	532	11	99	17	4	<0.01	0.27	2.44	1.35	0.45	0.20	0.04	0.08
C205127	26	575	10	84	20	4	<0.01	0.30	2.49	1.59	0.46	0.22	0.03	0.08
C205128	25	689	10	106	24	4	<0.01	0.26	3.93	1.90	0.56	0.18	0.03	0.08
C205129	23	464	11	88	20	4	<0.01	0.32	2.39	1.57	0.44	0.23	0.03	0.09
C205130	24	517	9	112	26	3	<0.01	0.31	3.03	1.77	0.50	0.22	0.03	0.08
C205131	33	525	13	124	16	4	<0.01	0.31	2.71	1.81	0.47	0.21	0.04	0.09
C205132	34	552	13	68	18	4	<0.01	0.34	2.58	1.76	0.47	0.24	0.03	0.09
C205133	31	511	12	70	13	5	<0.01	0.34	2.51	1.75	0.46	0.25	0.04	0.09
C205134	35	423	12	78	14	5	<0.01	0.38	2.06	1.62	0.41	0.28	0.03	0.10
C205135	39	483	13	91	16	4	<0.01	0.30	2.58	1.69	0.47	0.23	0.04	0.09
C205136	27	480	12	110	15	4	<0.01	0.30	2.49	1.60	0.46	0.22	0.04	0.10
C205137	28	409	12	80	14	4	<0.01	0.37	2.47	1.67	0.46	0.28	0.03	0.09
C205138	27	631	12	85	21	4	<0.01	0.35	4.31	2.00	0.59	0.25	0.02	0.08
C205139	25	608	12	97	15	4	<0.01	0.40	4.17	1.79	0.59	0.29	0.02	0.09
C205140	29	624	13	110	13	4	<0.01	0.27	3.66	1.95	0.55	0.18	0.04	0.08
C205141	30	618	16	97	19	4	<0.01	0.31	2.92	1.75	0.49	0.21	0.04	0.09
C205142	30	536	16	111	16	4	<0.01	0.31	2.41	1.69	0.43	0.21	0.05	0.09
C205143	31	435	13	106	20	4	<0.01	0.32	2.27	1.83	0.41	0.22	0.05	0.09
C205144	26	478	12	99	27	4	<0.01	0.27	2.27	1.79	0.40	0.20	0.04	0.09
C205145	27	503	16	135	12	4	<0.01	0.29	2.18	1.59	0.39	0.22	0.04	0.09
C205146	28	471	14	143	23	4	<0.01	0.27	2.14	1.60	0.39	0.21	0.05	0.09
C205147	31	412	12	125	23	4	<0.01	0.28	2.28	1.70	0.41	0.21	0.05	0.09
C205148	26	387	12	159	18	4	<0.01	0.33	2.13	1.57	0.39	0.24	0.03	0.09
C205149	25	501	12	205	15	4	<0.01	0.32	2.65	1.57	0.43	0.24	0.03	0.09
C205150	20	424	9	117	21	3	<0.01	0.31	2.35	1.72	0.41	0.23	0.03	0.09
C205151	28	501	8	88	14	3	<0.01	0.36	2.77	1.58	0.46	0.26	0.02	0.08
C205152	25	469	11	99	14	4	<0.01	0.38	2.38	1.58	0.39	0.27	0.03	0.09
C205153	26	396	8	93	19	3	<0.01	0.29	1.91	1.49	0.35	0.21	0.04	0.07

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd.  
 Richmond, B.C.  
 Canada V7A 4P5  
 Phone (604) 274-2848  
 Fax (604) 272-0871  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**207 Samples**

Ship#

207=Rock

11=Repeat

1=B1k iPL

1=Std iPL

[221316:55:19:60090706:00h] Aug 23, 2006

Print: Sep 07, 2006

Page 2 of 6

Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C205154	Rock	0.04	—	0.2	108	<2	22	26	<5	<3	13	<10	<2	<0.2	1	4	478	<5	19
C205155	Rock	0.06	—	0.2	109	<2	15	25	<5	<3	14	<10	<2	<0.2	3	5	475	<5	18
C205156	Rock	0.05	—	0.3	150	<2	17	25	<5	<3	21	<10	<2	<0.2	3	2	433	<5	15
C205157	Rock	0.01	—	0.1	1	<2	26	21	<5	<3	5	<10	<2	<0.2	3	10	327	<5	13
C205158	Rock	0.02	—	0.1	39	<2	15	20	<5	<3	6	<10	<2	<0.2	5	2	757	<5	18
C205159	Rock	0.03	—	0.1	59	<2	16	20	<5	<3	9	<10	<2	<0.2	2	4	612	<5	16
C205160	Rock	0.02	—	0.1	33	<2	15	21	<5	<3	11	<10	<2	<0.2	2	<1	442	<5	19
C205161	Rock	0.03	—	0.4	153	<2	17	25	<5	<3	9	<10	<2	<0.2	2	<1	273	<5	18
C205162	Rock	0.01	—	0.1	35	<2	20	20	<5	<3	7	<10	<2	<0.2	3	2	843	<5	21
C205163	Rock	0.02	—	0.1	51	<2	26	20	<5	<3	6	<10	<2	<0.2	4	1	295	<5	21
C205164	Rock	0.05	—	0.4	251	<2	33	27	<5	<3	7	<10	<2	<0.2	5	2	264	<5	18
C205165	Rock	0.11	—	1.3	1044	<2	46	58	<5	<3	50	<10	<2	<0.2	7	<1	322	<5	18
C205166	Rock	0.13	—	1.5	889	<2	59	101	<5	<3	85	<10	<2	<0.2	5	<1	142	<5	20
C205167	Rock	0.38	—	6.8	1554	183	237	362	28	<3	45	<10	<2	<0.2	12	11	43	<5	17
C205168	Rock	0.27	—	2.0	876	<2	50	81	<5	<3	46	<10	<2	<0.2	4	1	178	<5	17
C205169	Rock	0.08	—	0.8	219	<2	40	51	<5	<3	60	<10	<2	<0.2	6	3	179	<5	18
C205170	Rock	0.13	—	0.9	572	<2	40	43	<5	<3	83	<10	<2	<0.2	6	2	285	<5	25
C205171	Rock	0.08	—	1.0	1318	<2	43	33	<5	<3	156	<10	<2	<0.2	3	4	280	<5	25
C205172	Rock	0.06	—	0.9	982	<2	44	26	<5	<3	32	<10	<2	<0.2	5	2	317	<5	25
C205173	Rock	0.03	—	2.0	490	4	42	14	<5	<3	125	<10	<2	<0.2	3	4	455	<5	30
C205174	Rock	0.02	—	1.1	633	<2	44	20	<5	<3	62	<10	<2	<0.2	5	3	435	<5	28
C205175	Rock	0.05	—	1.5	1238	11	49	21	<5	<3	2	<10	<2	<0.2	3	3	286	<5	28
C205176	Rock	0.11	—	1.4	770	<2	39	20	<5	<3	55	<10	<2	<0.2	3	3	490	<5	25
C205177	Rock	0.26	—	3.6	2225	7	28	22	<5	<3	19	<10	<2	<0.2	6	2	233	<5	27
C205178	Rock	0.07	—	1.5	1152	<2	23	22	<5	<3	59	<10	<2	<0.2	4	1	165	<5	22
C205179	Rock	0.09	—	1.0	509	<2	20	20	<5	<3	79	<10	<2	<0.2	3	4	438	<5	21
C205180	Rock	0.08	—	0.5	1160	<2	20	20	<5	<3	144	<10	<2	<0.2	3	2	394	<5	19
C205181	Rock	0.07	—	0.6	1199	<2	17	19	<5	<3	257	<10	<2	<0.2	5	2	352	<5	22
C205182	Rock	0.04	—	0.5	608	<2	14	20	<5	<3	144	<10	<2	<0.2	3	2	400	<5	24
C205183	Rock	0.01	—	0.2	192	<2	13	20	<5	<3	126	<10	<2	<0.2	4	4	291	<5	24
C205184	Rock	0.06	—	0.7	614	<2	13	22	<5	<3	134	<10	<2	<0.2	5	<1	132	<5	22
C205185	Rock	0.02	—	0.8	245	<2	16	21	<5	<3	74	<10	<2	<0.2	3	1	225	<5	23
C205186	Rock	0.04	—	1.9	1892	<2	28	37	<5	<3	164	<10	<2	<0.2	4	4	122	<5	32
C205187	Rock	0.03	—	0.9	412	<2	22	28	<5	<3	70	<10	<2	<0.2	5	7	171	<5	24
C205188	Rock	0.08	—	2.2	1296	9	17	65	<5	<3	147	<10	<2	<0.2	2	2	82	<5	35
C205189	Rock	0.03	—	0.9	1088	<2	18	21	<5	<3	92	<10	<2	<0.2	4	3	109	<5	23
C205190	Rock	0.01	—	0.3	40	<2	19	21	<5	<3	26	<10	<2	<0.2	1	6	502	<5	24
C205191	Rock	0.01	—	0.7	570	<2	16	30	<5	<3	84	<10	<2	<0.2	3	<1	253	<5	29
C205192	Rock	0.06	—	0.8	280	<2	29	65	<5	<3	71	<10	<2	<0.2	4	3	182	<5	27

Minimum Detection 0.01 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1  
 Maximum Detection 5000.00 5000.00 100.0 10000 10000 10000 10000 2000 10000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000  
 Method FA/AAS FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



1000 Lakeshore Blvd. East  
 Richmond Hill  
 Ontario L4B 1N1  
 Canada V7A 4V6  
 Phone: (905) 889-8878  
 Fax: (905) 279-8851  
 Website: www.intek.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

### 207 Samples

Ship# 207=Rock 11=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:01h] Aug 23, 2006

Page 2 of 6  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205154	22	549	9	128	16	4	<0.01	0.34	2.67	1.65	0.44	0.28	0.03	0.10
C205155	21	510	11	99	22	4	<0.01	0.35	2.33	1.47	0.41	0.26	0.03	0.09
C205156	27	554	13	95	16	4	<0.01	0.38	2.88	1.59	0.49	0.27	0.03	0.09
C205157	38	679	11	86	16	5	<0.01	0.37	3.55	1.88	0.53	0.26	0.03	0.08
C205158	46	610	12	100	25	6	<0.01	0.37	2.36	1.95	0.45	0.25	0.05	0.09
C205159	38	602	12	119	22	5	<0.01	0.39	2.35	1.84	0.45	0.28	0.04	0.10
C205160	22	481	10	95	18	3	<0.01	0.36	2.29	1.39	0.44	0.25	0.04	0.07
C205161	25	467	10	88	17	3	<0.01	0.32	2.39	1.51	0.45	0.22	0.04	0.07
C205162	29	450	9	109	18	3	<0.01	0.34	2.65	1.60	0.47	0.21	0.04	0.07
C205163	60	525	10	87	22	6	<0.01	0.32	3.02	2.21	0.49	0.23	0.03	0.10
C205164	37	642	9	86	31	4	<0.01	0.30	3.27	2.33	0.49	0.22	0.03	0.11
C205165	33	621	8	110	26	4	<0.01	0.33	3.20	2.59	0.45	0.23	0.02	0.09
C205166	31	604	7	77	22	4	<0.01	0.35	2.66	2.41	0.45	0.27	0.02	0.10
C205167	19	1362	8	119	44	3	<0.01	0.31	5.45	3.26	0.62	0.23	0.02	0.07
C205168	28	713	8	79	26	4	<0.01	0.40	2.13	2.50	0.37	0.30	0.02	0.12
C205169	27	870	8	91	27	4	<0.01	0.35	3.15	2.28	0.49	0.26	0.02	0.10
C205170	30	752	10	117	23	3	<0.01	0.29	2.55	2.40	0.47	0.22	0.03	0.07
C205171	34	845	12	160	24	3	<0.01	0.25	2.48	2.16	0.45	0.18	0.05	0.07
C205172	28	775	12	168	21	3	<0.01	0.24	2.18	1.98	0.42	0.18	0.05	0.07
C205173	27	730	16	219	16	3	<0.01	0.23	1.89	1.53	0.38	0.16	0.06	0.08
C205174	28	777	11	210	25	3	<0.01	0.23	2.36	1.88	0.42	0.18	0.05	0.07
C205175	22	624	11	249	19	3	<0.01	0.23	2.29	1.55	0.41	0.16	0.05	0.08
C205176	26	540	12	429	17	3	<0.01	0.26	2.32	1.73	0.40	0.20	0.04	0.08
C205177	20	484	13	2721	19	2	<0.01	0.27	2.07	1.86	0.37	0.21	0.04	0.07
C205178	32	586	11	953	24	3	<0.01	0.27	2.51	2.11	0.46	0.21	0.04	0.07
C205179	32	489	11	297	21	3	<0.01	0.31	1.97	1.96	0.40	0.21	0.05	0.08
C205180	35	551	12	161	24	3	<0.01	0.30	2.17	2.14	0.44	0.21	0.05	0.08
C205181	41	533	13	129	23	3	<0.01	0.29	2.08	2.15	0.46	0.19	0.05	0.08
C205182	34	453	10	219	26	3	<0.01	0.31	1.60	2.00	0.41	0.23	0.05	0.08
C205183	31	466	10	185	26	4	<0.01	0.26	1.58	1.83	0.39	0.20	0.04	0.08
C205184	30	455	10	150	26	3	<0.01	0.28	1.93	1.66	0.41	0.21	0.05	0.08
C205185	36	494	13	115	18	3	<0.01	0.26	2.29	1.69	0.46	0.19	0.05	0.08
C205186	33	504	12	79	24	4	<0.01	0.27	2.11	1.85	0.45	0.20	0.04	0.07
C205187	37	498	9	68	21	3	<0.01	0.30	2.40	1.72	0.48	0.22	0.03	0.07
C205188	23	335	10	68	23	2	<0.01	0.27	1.58	1.58	0.37	0.20	0.04	0.08
C205189	31	593	14	99	25	3	<0.01	0.26	2.31	1.85	0.45	0.19	0.05	0.08
C205190	31	491	13	127	19	3	<0.01	0.30	1.77	1.80	0.40	0.21	0.05	0.08
C205191	33	483	14	92	17	3	<0.01	0.29	2.17	1.71	0.47	0.22	0.04	0.07
C205192	33	516	12	149	23	3	<0.01	0.29	1.93	1.97	0.45	0.21	0.04	0.08

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd.  
 Canada V.I.V.  
 Phone: (604) 874-7278  
 Fax: (604) 874-7278  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship# 207 Samples  
 207=Rock

11=Repeat 1=81k iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:001] Aug 23, 2006

Page 3 of 6  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C205193	Rock	0.01	—	0.3	429	<2	22	22	<5	<3	39	<10	<2	<0.2	3	3	237	<5	19
C205194	Rock	0.01	—	0.4	238	<2	28	67	<5	<3	69	<10	<2	<0.2	4	3	294	<5	22
C205195	Rock	0.01	—	0.3	47	<2	30	21	<5	<3	25	<10	<2	<0.2	3	5	611	<5	20
C205196	Rock	0.01	—	0.3	55	<2	27	62	<5	<3	23	<10	<2	<0.2	4	<1	752	<5	19
C205401	Rock	0.12	—	0.3	20	<2	22	29	<5	<3	150	<10	<2	<0.2	2	5	82	<5	19
C205402	Rock	0.01	—	0.3	7	<2	22	21	<5	<3	24	<10	<2	<0.2	2	4	206	<5	19
C205403	Rock	0.01	—	0.2	6	<2	19	20	<5	<3	29	<10	<2	<0.2	1	2	490	<5	22
C205404	Rock	0.01	—	0.2	42	<2	26	20	<5	<3	7	<10	<2	<0.2	2	5	440	<5	24
C205405	Rock	0.01	—	0.2	30	<2	30	24	<5	<3	<1	<10	<2	<0.2	3	5	468	<5	23
C205406	Rock	0.01	—	0.2	40	<2	27	24	<5	<3	8	<10	<2	<0.2	2	7	601	<5	21
C205407	Rock	0.02	—	0.3	16	<2	19	19	<5	<3	2	<10	<2	<0.2	3	3	391	<5	21
C205408	Rock	0.20	—	1.0	333	<2	16	31	<5	<3	13	<10	<2	<0.2	4	2	49	<5	23
C205409	Rock	0.12	—	0.8	399	<2	26	25	<5	<3	11	<10	<2	<0.2	4	6	127	<5	21
C205410	Rock	0.01	—	0.3	33	<2	33	20	<5	<3	9	<10	<2	<0.2	5	6	423	<5	20
C205411	Rock	0.01	—	0.2	143	<2	20	19	<5	<3	10	<10	<2	<0.2	2	5	476	<5	24
C205412	Rock	0.03	—	0.5	298	<2	21	21	<5	<3	11	<10	<2	<0.2	5	3	406	<5	20
C205413	Rock	0.08	—	0.3	101	<2	31	32	<5	<3	16	<10	<2	<0.2	5	6	142	<5	22
C205414	Rock	0.08	—	0.3	105	<2	35	28	<5	<3	9	<10	<2	<0.2	5	8	125	<5	22
C205415	Rock	0.06	—	0.2	14	<2	26	35	<5	<3	7	<10	<2	<0.2	4	4	489	<5	20
C205416	Rock	0.03	—	0.2	68	<2	24	19	<5	<3	4	<10	<2	<0.2	4	6	511	<5	20
C205417	Rock	0.07	—	0.2	37	<2	31	23	<5	<3	9	<10	<2	<0.2	4	14	392	<5	18
C205418	Rock	0.03	—	0.2	40	<2	35	25	<5	<3	11	<10	<2	<0.2	5	13	281	<5	19
C205419	Rock	0.08	—	0.2	74	6	17	22	<5	<3	20	<10	<2	<0.2	6	6	156	<5	19
C205420	Rock	0.06	—	0.3	91	<2	15	23	<5	<3	30	<10	<2	<0.2	3	4	147	<5	20
C205421	Rock	0.02	—	0.2	6	<2	13	19	<5	<3	14	<10	<2	<0.2	2	4	503	<5	21
C205422	Rock	0.08	—	0.2	48	<2	15	25	<5	<3	9	<10	<2	<0.2	5	5	363	<5	19
C205423	Rock	0.09	—	0.2	35	<2	13	21	<5	<3	3	<10	<2	<0.2	5	4	353	<5	18
C205424	Rock	0.02	—	0.2	27	<2	16	20	<5	<3	2	<10	<2	<0.2	2	6	1361	<5	19
C205425	Rock	0.02	—	0.2	95	<2	19	20	<5	<3	5	<10	<2	<0.2	4	7	712	<5	20
C205426	Rock	0.24	—	0.2	330	<2	16	21	<5	<3	17	<10	<2	<0.2	3	3	556	<5	21
C205427	Rock	0.03	—	0.3	26	<2	56	23	<5	<3	5	<10	<2	<0.2	8	29	844	<5	12
C205428	Rock	0.12	—	0.5	1173	<2	39	24	<5	<3	70	<10	<2	<0.2	10	4	166	<5	5
C205491	Rock	0.08	—	1.1	21	6	35	384	<5	<3	<1	<10	<2	<0.2	4	2	23	<5	14
C206030	Rock	0.03	—	0.5	6	33	18	84	<5	<3	7	<10	<2	<0.2	1	3	29	<5	71
C206031	Rock	<0.01	—	0.3	83	<2	61	22	<5	<3	<1	<10	<2	<0.2	33	251	31	<5	90
C206032	Rock	0.31	—	0.9	2779	<2	34	70	<5	<3	304	<10	<2	<0.2	11	19	58	<5	37
C206033	Rock	0.11	—	0.6	337	<2	23	64	<5	<3	75	<10	<2	<0.2	8	3	171	<5	19
C206332	Rock	<0.01	—	0.3	35	7	30	29	5	<3	1	<10	<2	<0.2	<1	7	389	<5	86
C206333	Rock	0.01	—	0.3	119	<2	78	36	<5	<3	<1	<10	<2	<0.2	9	4	63	<5	8

Minimum Detection

Maximum Detection

Method

0.01	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1
5000.00	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000
FA/AAS	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd  
 11000 107 St  
 Canada V/A Wx  
 Phone (804) 939-7848  
 Fax (804) 271-0843  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

### 207 Samples

Ship# 207=Rock 11=Repeat 1=B1k iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:00H] Aug 23, 2006

Page 3 of 6  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205193	27	469	12	177	17	4	<0.01	0.31	1.85	1.71	0.41	0.26	0.04	0.08
C205194	33	533	13	128	26	4	<0.01	0.32	1.94	1.88	0.44	0.23	0.04	0.09
C205195	30	521	11	188	22	3	<0.01	0.34	1.95	1.80	0.44	0.25	0.05	0.08
C205196	33	539	9	176	23	4	<0.01	0.35	2.11	1.83	0.44	0.25	0.04	0.08
C205401	25	491	6	37	27	2	<0.01	0.37	1.95	2.02	0.36	0.22	0.03	0.06
C205402	30	565	10	61	17	3	<0.01	0.30	2.17	1.86	0.39	0.20	0.05	0.06
C205403	32	605	12	107	20	2	<0.01	0.28	2.13	1.58	0.41	0.19	0.05	0.05
C205404	22	633	15	105	17	2	<0.01	0.28	2.44	1.54	0.45	0.19	0.05	0.05
C205405	28	844	17	94	15	3	<0.01	0.27	2.54	1.51	0.45	0.18	0.05	0.05
C205406	31	838	13	103	19	3	<0.01	0.25	2.71	1.59	0.46	0.16	0.05	0.05
C205407	22	611	10	90	17	2	<0.01	0.27	2.53	1.49	0.44	0.19	0.04	0.05
C205408	17	380	10	60	30	2	<0.01	0.29	1.65	1.83	0.35	0.21	0.03	0.05
C205409	29	834	9	94	25	3	<0.01	0.25	3.22	2.08	0.51	0.19	0.04	0.06
C205410	36	1070	11	131	27	3	<0.01	0.23	3.90	2.01	0.56	0.17	0.04	0.06
C205411	41	609	15	201	25	4	<0.01	0.28	2.24	1.75	0.41	0.20	0.05	0.06
C205412	41	579	15	158	24	4	<0.01	0.32	2.66	1.91	0.46	0.23	0.04	0.08
C205413	32	801	9	104	27	4	<0.01	0.36	3.58	1.94	0.54	0.27	0.02	0.08
C205414	35	954	9	106	31	3	<0.01	0.29	3.88	2.17	0.56	0.21	0.04	0.07
C205415	27	563	14	154	26	4	<0.01	0.35	2.84	1.66	0.45	0.24	0.04	0.09
C205416	31	533	13	145	15	4	<0.01	0.35	2.71	1.66	0.45	0.25	0.04	0.09
C205417	23	583	13	125	18	4	<0.01	0.30	3.97	1.81	0.54	0.23	0.03	0.08
C205418	25	812	12	129	28	3	<0.01	0.31	4.47	2.05	0.58	0.24	0.03	0.08
C205419	28	598	10	115	22	4	<0.01	0.30	2.99	1.86	0.50	0.23	0.04	0.09
C205420	32	536	11	94	20	4	<0.01	0.33	2.79	1.79	0.49	0.24	0.04	0.09
C205421	26	476	10	194	17	4	<0.01	0.48	2.57	1.37	0.48	0.35	0.02	0.09
C205422	31	616	10	166	16	4	<0.01	0.38	3.04	1.81	0.51	0.27	0.04	0.09
C205423	28	452	11	125	19	4	<0.01	0.43	2.29	1.52	0.43	0.31	0.04	0.10
C205424	32	485	11	173	21	4	<0.01	0.37	2.77	1.63	0.48	0.25	0.04	0.09
C205425	29	479	11	119	18	4	<0.01	0.37	3.07	1.65	0.51	0.27	0.04	0.09
C205426	31	413	9	99	17	4	<0.01	0.27	2.73	1.38	0.47	0.20	0.04	0.08
C205427	18	887	6	169	31	2	<0.01	0.25	6.46	2.53	0.69	0.17	0.02	0.04
C205428	70	412	5	71	45	8	<0.01	0.55	2.21	3.22	0.45	0.43	0.03	0.06
C205491	16	1831	6	235	51	2	<0.01	0.29	7.81	4.07	0.61	0.13	0.01	0.05
C206030	3	114	9	14	29	<1	<0.01	0.27	0.09	2.36	0.12	0.15	0.06	0.01
C206031	28	1448	<2	142	56	8	<0.01	0.14	9.65	3.54	0.77	0.13	0.02	0.02
C206032	43	1139	7	117	57	6	<0.01	0.30	5.21	3.85	0.60	0.21	0.01	0.03
C206033	38	622	16	47	37	3	<0.01	0.30	1.92	2.52	0.30	0.16	0.06	0.08
C206332	8	143	5	21	11	2	<0.01	0.24	0.09	0.96	0.03	0.10	0.01	0.03
C206333	249	265	14	21	52	6	<0.01	1.00	0.17	4.47	0.18	0.13	0.03	0.25

Minimum Detection 1 1 2 1 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection 10000 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP

---=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



INTERNATIONAL PLASMA LABS LTD.  
 100 SOUTH 2000 CERTIFIED COMPANY  
 1100 W. 11th Street  
 Fairbanks, AK 99701  
 Canada V7A 4V6  
 Phone (907) 879-2878  
 Fax (907) 272-0857  
 Website www.ipla.com

INTERNATIONAL PLASMA LABS LTD.  
 100 SOUTH 2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**207 Samples**

Ship#

207=Rock

11=Repeat

1=B1k iPL

1=Std iPL

[221316:55:19:60090706:00h] Aug 23, 2006


Print: Sep 07, 2006

Page 4 of 6  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C206334	Rock	0.05	—	1.1	20	<2	39	208	<5	<3	<1	<10	<2	<0.2	4	<1	28	<5	25
C206335	Rock	0.08	—	3.2	9	12	7	49	10	<3	3	<10	<2	<0.2	<1	6	107	<5	115
C206336	Rock	<0.01	—	1.7	37	4	102	41	6	<3	5	<10	<2	<0.2	3	16	133	<5	116
C206337	Rock	<0.01	—	0.2	19	<2	18	34	6	<3	<1	<10	<2	1.0	2	6	127	<5	148
C206338	Rock	0.01	—	0.4	12	5	10	38	5	<3	6	<10	<2	<0.2	1	4	48	<5	195
C206339	Rock	0.02	—	0.9	6	47	5	40	6	<3	3	<10	<2	1.3	<1	3	201	<5	159
C206340	Rock	0.01	—	0.7	23	9	184	31	<5	<3	<1	<10	<2	<0.2	2	8	90	<5	117
C206341	Rock	0.07	—	0.7	3099	<2	23	20	<5	<3	198	<10	<2	<0.2	17	18	88	<5	37
C206342	Rock	1.68	1.60	11.7	273	62	9295	2063	29	<3	8	<10	<2	65.6	7	9	18	<5	55
C206343	Rock	0.63	—	3.7	28	10	297	560	7	<3	<1	<10	<2	<0.2	8	21	26	<5	14
C206344	Rock	1.05	0.98	0.1m	91	1226	1404	801	62	<3	<1	<10	<2	<0.2	5	13	21	<5	65
C478001	Rock	0.70	—	1.4	2730	24	66	38	<5	<3	107	<10	<2	<0.2	6	4	106	<5	38
C478002	Rock	0.67	—	1.2	2540	6	71	28	<5	<3	149	<10	<2	<0.2	6	5	90	<5	29
C478003	Rock	0.68	—	1.3	2842	<2	54	25	<5	<3	78	<10	<2	<0.2	5	3	49	<5	51
C478004	Rock	0.56	—	1.1	2731	<2	49	25	<5	<3	434	<10	<2	<0.2	9	5	65	<5	51
C478005	Rock	0.24	—	1.0	1393	<2	39	64	<5	<3	55	<10	<2	<0.2	4	4	63	<5	29
C478006	Rock	0.75	—	1.2	2817	<2	42	61	<5	<3	33	<10	<2	<0.2	5	<1	82	<5	21
C478007	Rock	0.30	—	0.7	1437	71	38	26	<5	<3	28	<10	<2	<0.2	4	5	90	<5	30
C478014	Rock	0.12	—	1.4	106	<2	63	203	37	<3	<1	<10	<2	<0.2	19	35	33	<5	55
C478015	Rock	0.36	—	1.5	45	<2	106	470	6	<3	<1	<10	<2	<0.2	14	23	38	<5	84
C478016	Rock	1.17	1.18	3.3	81	80	496	1946	24	<3	<1	<10	<2	<0.2	22	24	24	<5	61
C478017	Rock	0.36	—	1.2	14	18	38	460	13	<3	<1	<10	<2	<0.2	5	5	45	<5	44
C478018	Rock	6.50	6.40	3.6	27	76	270	1.17%	160	<3	<1	<10	<2	<0.2	3	6	34	<5	135
C478019	Rock	0.14	—	1.4	71	4	201	436	9	<3	3	<10	<2	<0.2	14	18	32	<5	23
C478020	Rock	0.36	—	1.2	70	28	91	559	10	<3	<1	<10	<2	<0.2	6	24	23	<5	214
C478021	Rock	0.60	—	1.2	2617	<2	58	45	<5	<3	22	<10	<2	<0.2	7	4	60	<5	24
C478022	Rock	0.35	—	0.9	2396	<2	69	30	<5	<3	42	<10	<2	<0.2	7	4	57	<5	14
C478023	Rock	0.76	—	1.6	4639	<2	63	30	<5	<3	77	<10	<2	<0.2	12	<1	58	<5	20
C478024	Rock	0.62	—	1.4	4042	<2	77	27	<5	<3	79	<10	<2	<0.2	13	<1	51	<5	16
C478025	Rock	0.42	—	0.9	1351	<2	50	63	<5	<3	57	<10	<2	<0.2	5	2	94	<5	19
C478026	Rock	0.36	—	0.8	1199	<2	50	26	<5	<3	53	<10	<2	<0.2	6	<1	90	<5	14
C478027	Rock	0.64	—	1.0	2488	<2	58	28	<5	<3	50	<10	<2	<0.2	13	3	79	<5	20
C478028	Rock	0.38	—	0.5	1664	<2	66	66	<5	<3	46	<10	<2	<0.2	8	<1	82	<5	21
C478029	Rock	0.50	—	1.0	2081	<2	53	65	<5	<3	65	<10	<2	<0.2	11	1	83	<5	18
C478030	Rock	0.24	—	0.7	922	<2	53	28	<5	<3	42	<10	<2	<0.2	8	4	72	<5	21
C478031	Rock	0.26	—	0.8	998	<2	54	28	<5	<3	49	<10	<2	<0.2	8	<1	69	<5	19
C478032	Rock	0.42	—	1.1	2458	<2	54	63	<5	<3	51	<10	<2	<0.2	9	1	80	<5	25
C478033	Rock	0.36	—	0.9	2690	<2	56	26	<5	<3	40	<10	<2	<0.2	12	2	56	<5	18
C478034	Rock	0.49	—	1.0	2165	<2	56	27	<5	<3	76	<10	<2	<0.2	7	5	88	<5	28

Minimum Detection 0.01 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1  
 Maximum Detection 5000.00 5000.00 100.0 10000 10000 10000 10000 2000 10000 10000 2000 10000 2000.0 10000 10000 10000 1000 10000  
 Method FA/AAS FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample





# CERTIFICATE OF ANALYSIS

## iPL 06H2213



Revision 1.10  
 Canada V7A 4V6  
 Phone (904) 870-2878  
 Fax (904) 272-6651  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**207 Samples**

Ship# 207=Rock 11=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:00h] Aug 23, 2006

Page 4 of 6  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C206334	27	1426	8	135	32	3	<0.01	0.98	4.71	2.79	0.38	0.14	0.02	0.08
C206335	18	32	4	30	10	1	<0.01	0.21	0.07	0.64	0.03	0.18	0.01	0.01
C206336	31	106	5	62	16	3	<0.01	0.34	1.06	0.89	0.12	0.17	0.01	0.24
C206337	7	32	<2	12	8	2	<0.01	0.22	0.03	0.74	0.01	0.08	0.01	0.01
C206338	11	25	<2	8	9	<1	<0.01	0.09	0.02	0.54	0.01	0.05	0.01	0.02
C206339	14	21	<2	20	5	1	<0.01	0.17	0.02	0.56	0.01	0.10	0.01	0.03
C206340	5	443	2	106	<1	<1	<0.01	0.04	6.13	0.60	0.26	0.02	<0.01	0.01
C206341	67	583	8	89	46	12	0.01	0.31	3.29	2.83	0.44	0.26	0.03	0.11
C206342	1	1900	3	171	56	1	<0.01	0.15	5.82	4.37	0.20	0.09	0.01	0.04
C206343	4	2916	4	519	38	1	<0.01	0.12	12%	3.60	0.55	0.08	0.01	0.04
C206344	3	1871	3	303	31	1	<0.01	0.16	7.41	2.44	0.11	0.09	0.01	0.03
C478001	24	198	14	26	22	1	<0.01	0.92	0.75	1.31	0.42	0.18	0.05	0.07
C478002	27	241	17	22	25	1	<0.01	1.36	0.60	1.88	0.53	0.17	0.03	0.07
C478003	70	253	17	21	19	3	<0.01	1.24	0.74	1.71	0.53	0.15	0.04	0.11
C478004	70	220	24	13	37	2	<0.01	1.28	0.41	2.11	0.53	0.17	0.03	0.14
C478005	43	283	22	20	30	2	0.01	1.37	0.53	2.15	0.52	0.20	0.05	0.09
C478006	41	282	18	27	19	2	0.01	1.41	0.87	1.71	0.53	0.23	0.05	0.04
C478007	47	281	20	24	31	2	0.01	1.44	0.82	1.87	0.54	0.23	0.05	0.05
C478014	79	251	<2	5	45	10	0.06	1.66	0.18	4.17	0.55	0.24	0.01	0.06
C478015	76	367	2	4	37	5	<0.01	1.57	0.17	3.98	0.56	0.17	0.02	0.09
C478016	32	1536	<2	61	43	5	<0.01	0.88	2.90	3.48	0.49	0.17	0.01	0.04
C478017	23	464	3	20	23	2	<0.01	0.51	0.73	2.20	0.30	0.28	0.02	0.04
C478018	12	418	2	16	28	2	<0.01	0.37	0.32	2.15	0.29	0.09	0.01	0.02
C478019	52	231	4	7	46	4	<0.01	1.33	0.17	3.54	0.47	0.33	0.01	0.08
C478020	39	319	<2	2	25	4	<0.01	1.18	0.04	2.22	0.54	0.08	0.03	0.02
C478021	56	216	17	17	20	2	0.01	1.51	0.44	2.14	0.53	0.17	0.05	0.17
C478022	64	236	28	19	30	3	0.01	1.56	0.49	2.22	0.56	0.17	0.05	0.16
C478023	57	225	22	16	31	3	0.01	1.65	0.46	2.29	0.57	0.20	0.04	0.13
C478024	56	202	26	15	29	3	0.01	1.59	0.38	2.47	0.56	0.17	0.05	0.11
C478025	53	189	18	16	28	3	0.02	1.53	0.27	2.11	0.52	0.25	0.04	0.12
C478026	53	187	17	15	29	3	0.02	1.53	0.29	2.13	0.52	0.25	0.05	0.12
C478027	50	292	17	15	30	3	0.01	1.81	0.33	2.43	0.60	0.22	0.05	0.13
C478028	47	228	26	15	28	3	0.01	2.08	0.33	2.29	0.62	0.23	0.04	0.11
C478029	48	249	20	19	29	3	0.01	1.88	0.51	2.23	0.59	0.24	0.05	0.18
C478030	59	188	22	14	33	3	0.01	1.76	0.32	2.28	0.58	0.20	0.05	0.13
C478031	62	191	23	15	28	3	0.01	1.74	0.31	2.27	0.58	0.19	0.05	0.13
C478032	48	235	25	14	29	3	0.01	1.56	0.35	2.21	0.54	0.27	0.04	0.11
C478033	57	237	26	15	32	3	0.01	1.62	0.56	2.22	0.56	0.21	0.04	0.16
C478034	38	201	18	15	36	3	0.01	1.78	0.37	2.53	0.56	0.21	0.05	0.14

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



221316:55:19:60090706:00h  
 207 Samples  
 Canada V7A 4V7  
 Phone (804) 370-2078  
 Fax (804) 370-2074  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship# 207=Rock

11=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [221316:55:19:60090706:00h] Aug 23, 2006

Page 5 of 6  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C478035	Rock	0.51	—	1.2	2045	<2	51	26	<5	<3	80	<10	<2	<0.2	7	3	81	<5	19
C478036	Rock	0.41	—	1.0	1178	<2	46	26	<5	<3	71	<10	<2	<0.2	7	2	104	<5	24
C478037	Rock	0.37	—	0.9	1367	<2	52	63	<5	<3	38	<10	<2	<0.2	4	4	73	<5	23
C478038	Rock	0.28	—	0.9	1643	<2	57	29	<5	<3	48	<10	<2	<0.2	6	6	62	<5	19
C478039	Rock	0.43	—	0.9	1387	<2	56	30	<5	<3	94	<10	<2	<0.2	7	3	87	<5	22
C478040	Rock	0.28	—	0.8	1411	<2	69	31	<5	<3	188	<10	<2	<0.2	7	<1	59	<5	17
C478041	Rock	0.30	—	0.9	1844	<2	66	29	<5	<3	27	<10	<2	<0.2	9	1	52	<5	17
C478042	Rock	0.42	—	1.0	1724	<2	60	26	<5	<3	32	<10	<2	<0.2	10	<1	158	<5	16
C504009	Rock	<0.01	—	0.2	20	<2	8	85	<5	<3	<1	<10	<2	<0.2	10	<1	11	<5	25
C504010	Rock	<0.01	—	0.5	18	5	8	62	13	9	<1	<10	<2	<0.2	10	7	16	<5	115
C504011	Rock	<0.01	—	0.3	9	7	10	42	<5	<3	<1	<10	<2	<0.2	11	2	9	<5	32
C504012	Rock	<0.01	—	0.3	32	<2	7	65	<5	<3	<1	<10	<2	<0.2	12	3	8	<5	12
C504013	Rock	<0.01	—	0.3	52	66	19	38	<5	3	<1	<10	<2	<0.2	6	3	23	<5	13
C504014	Rock	<0.01	—	0.4	17	14	7	21	<5	<3	<1	<10	<2	<0.2	4	5	58	<5	19
C504015	Rock	<0.01	—	0.3	52	<2	126	60	<5	<3	<1	<10	<2	<0.2	14	6	22	<5	18
C504016	Rock	0.01	—	0.5	5	8	9	68	<5	<3	<1	<10	<2	<0.2	2	<1	67	<5	183
C504017	Rock	<0.01	—	0.4	9	4	7	32	<5	<3	<1	<10	<2	<0.2	8	<1	122	<5	56
C504018	Rock	0.01	—	1.0	5	7	8	168	11	<3	<1	<10	<2	<0.2	2	4	174	<5	168
C504019	Rock	0.02	—	1.7	10	14	223	1074	34	<3	<1	<10	<2	<0.2	11	1	54	<5	73
C504020	Rock	0.05	—	3.5	2	<2	70	432	8	<3	260	<10	<2	<0.2	10	4	18	<5	79
C504021	Rock	0.25	—	1.0	3	<2	328	470	6	<3	2	<10	<2	<0.2	7	2	23	<5	94
C504022	Rock	0.02	—	1.7	35	17	81	699	21	<3	4	<10	<2	<0.2	18	4	15	<5	26
C504023	Rock	0.02	—	0.8	14	15	65	102	<5	<3	2	<10	<2	<0.2	10	4	33	<5	125
C504024	Rock	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504025	Rock	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504026	Rock	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504027	Rock	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504028	Rock	<0.01	—	0.2	101	<2	73	31	<5	<3	<1	<10	<2	<0.2	20	5	134	<5	21
C504029	Rock	0.02	—	0.8	116	15	35	69	18	<3	3	<10	<2	<0.2	5	7	49	<5	23
C504030	Rock	0.02	—	0.8	157	3	73	57	10	<3	2	<10	<2	<0.2	7	4	45	<5	20
C504031	Rock	0.32	—	7.4	120	25	41	335	309	11	3	<10	<2	<0.2	5	<1	15	<5	18
C504032	Rock	0.46	—	0.9	2652	<2	62	23	<5	<3	61	<10	<2	<0.2	8	4	80	<5	16
C504033	Rock	0.33	—	0.7	1604	<2	61	25	<5	<3	32	<10	<2	<0.2	7	<1	57	<5	20
C504034	Rock	0.32	—	0.7	1680	<2	54	27	<5	<3	14	<10	<2	<0.2	8	3	99	<5	18
C504035	Rock	0.30	—	0.6	1391	<2	42	23	<5	<3	49	<10	<2	<0.2	8	3	177	<5	31
C504036	Rock	0.46	—	1.0	2226	<2	55	25	<5	<3	71	<10	<2	<0.2	10	2	121	<5	15
C504037	Rock	0.35	—	0.9	1670	<2	64	28	<5	<3	115	<10	<2	<0.2	5	2	74	<5	14
C504038	Rock	0.40	—	1.0	1690	<2	63	63	<5	<3	51	<10	<2	<0.2	5	4	114	<5	15
C504039	Rock	0.58	—	1.0	2783	<2	59	26	<5	<3	40	<10	<2	<0.2	10	<1	72	<5	21

Minimum Detection 0.01 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1  
 Maximum Detection 5000.00 5000.00 100.0 10000 10000 10000 10000 2000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000  
 Method FA/AAS FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



207 Samples  
 207=Rock 11=Repeat 1=Blk iPL 1=Std iPL  
 [221316:55:19:60090706:00h]

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

Ship#

207 Samples

Print: Sep 07, 2006  
 Aug 23, 2006

Page 5 of 6  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C478035	53	175	21	12	36	3	0.01	1.64	0.26	2.48	0.54	0.21	0.04	0.10
C478036	50	157	18	13	32	3	0.02	1.44	0.27	2.34	0.51	0.28	0.04	0.11
C478037	51	193	16	14	30	3	0.01	1.73	0.31	2.50	0.56	0.16	0.04	0.13
C478038	50	209	18	13	30	3	0.01	1.94	0.33	2.66	0.59	0.19	0.04	0.14
C478039	44	213	22	16	35	3	0.01	1.81	0.36	2.44	0.56	0.22	0.04	0.16
C478040	73	249	21	13	42	4	0.01	2.22	0.30	3.00	0.61	0.17	0.04	0.11
C478041	61	214	18	12	41	3	0.01	2.09	0.27	3.04	0.59	0.19	0.04	0.08
C478042	57	196	20	14	26	3	0.01	1.93	0.27	2.69	0.59	0.20	0.04	0.11
C504009	7	27	<2	63	45	<1	<0.01	0.82	0.02	4.47	0.02	0.01	0.01	0.02
C504010	3	20	<2	52	28	<1	<0.01	0.22	0.01	2.67	0.02	0.01	0.01	0.01
C504011	11	25	<2	80	45	1	<0.01	0.72	0.02	3.89	0.03	0.01	<0.01	0.03
C504012	8	19	<2	26	63	2	<0.01	0.83	0.04	4.44	<0.01	0.01	<0.01	0.02
C504013	18	169	<2	49	36	3	<0.01	0.92	0.31	3.16	0.08	0.46	0.01	0.06
C504014	4	5006	<2	553	17	3	<0.01	0.31	12%	1.02	0.09	0.16	0.01	0.02
C504015	59	968	8	104	42	8	<0.01	1.48	0.94	4.11	0.33	0.39	0.03	0.18
C504016	4	781	<2	18	18	<1	0.01	0.06	0.36	1.09	0.07	0.03	0.01	0.01
C504017	5	4973	8	292	17	2	<0.01	0.14	13%	1.26	0.25	0.09	0.01	0.09
C504018	1	156	<2	11	13	<1	0.02	0.05	0.17	1.30	0.01	0.02	<0.01	<0.01
C504019	41	2350	7	111	37	5	<0.01	0.42	3.50	3.14	0.43	0.14	0.01	0.09
C504020	9	2782	2	212	50	2	<0.01	0.08	6.69	4.14	0.51	0.05	<0.01	0.01
C504021	23	2757	3	125	48	2	<0.01	0.16	5.52	3.93	0.59	0.05	<0.01	0.03
C504022	16	665	8	31	38	3	0.01	0.46	1.17	3.52	0.12	0.33	0.01	0.10
C504023	18	1175	<2	62	41	2	<0.01	0.31	1.03	3.70	0.27	0.10	0.01	0.05
C504024	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504025	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504026	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504027	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C504028	150	1098	13	169	46	15	0.03	1.70	3.63	3.85	0.53	0.11	0.04	0.15
C504029	36	75	15	45	25	2	<0.01	0.79	0.65	2.33	0.08	0.39	0.01	0.38
C504030	32	1414	13	72	27	2	<0.01	0.70	3.65	2.54	0.38	0.29	0.01	0.30
C504031	31	122	8	21	58	1	<0.01	0.56	0.57	4.90	0.08	0.27	0.02	0.30
C504032	27	375	13	43	26	3	<0.01	0.56	0.64	2.39	0.52	0.22	0.04	0.12
C504033	50	334	19	29	25	3	<0.01	1.41	0.53	2.56	0.59	0.20	0.04	0.14
C504034	61	208	21	18	31	3	0.01	1.78	0.44	2.39	0.59	0.19	0.05	0.12
C504035	34	278	14	63	30	2	<0.01	1.22	1.26	2.15	0.54	0.25	0.04	0.10
C504036	63	250	21	31	32	3	<0.01	1.55	0.61	2.52	0.58	0.17	0.05	0.11
C504037	56	253	21	16	29	3	0.01	2.06	0.30	2.44	0.64	0.16	0.05	0.12
C504038	62	256	22	18	34	3	0.01	2.02	0.36	2.58	0.63	0.16	0.05	0.14
C504039	57	247	24	17	39	3	0.01	1.76	0.38	2.49	0.60	0.16	0.05	0.12

Minimum Detection 1 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection 10000 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd.  
 Rajahmundry B  
 Chintalapudi V/A PYS  
 Phone: (043) 879 2448  
 Fax: (043) 879 2448  
 Website: www.ipl.co

INTERNATIONAL PLASMA LABS LTD.  
ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
Project: Iskut

### 207 Samples

Ship#

207=Rock

11=Repeat

1=Blk iPL

1=Std iPL

{221316:55:19:60090706:00h} Aug 23, 2006

Print: Sep 07, 2006

Page 6 of 6  
Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504040	Rock	0.46	—	0.9	2011	<2	61	26	△	△	30	<10	<2	<0.2	5	1	62	<5	16
C504041	Rock	0.20	—	0.5	962	<2	62	62	△	△	10	<10	<2	<0.2	7	5	167	<5	20
C504042	Rock	0.50	—	0.7	1781	<2	53	24	△	△	117	<10	<2	<0.2	8	<1	52	<5	28
C504043	Rock	0.84	—	1.2	3435	<2	34	23	△	△	181	<10	<2	<0.2	7	2	57	<5	43
C504044	Rock	1.06	1.06	1.5	4310	<2	32	23	△	△	134	<10	<2	<0.2	7	3	57	<5	33
C504045	Rock	1.02	1.08	1.4	3754	2	32	21	△	△	937	<10	<2	<0.2	7	<1	90	<5	41
C504046	Rock	0.96	—	1.4	3907	<2	40	21	△	△	673	<10	<2	<0.2	6	4	67	<5	33
C504047	Rock	0.59	—	1.2	2819	<2	46	24	△	△	95	<10	<2	<0.2	7	2	96	<5	25
C504048	Rock	0.65	—	1.6	2880	<2	44	24	△	△	106	<10	<2	<0.2	5	<1	71	<5	24
C504049	Rock	0.48	—	1.0	2402	4	43	23	△	△	56	<10	<2	<0.2	4	2	58	<5	30
C504050	Rock	0.73	—	1.2	3062	9	39	24	△	△	154	<10	<2	<0.2	7	2	56	<5	36
C206371	Rock	0.01	—	0.2	169	6	30	130	9	△	3	<10	<2	<0.2	5	3	308	<5	18
RE C204034	Repeat	0.03	—	2.2	562	208	880	66	7	△	62	<10	<2	<0.2	19	<1	36	<5	17
RE C205134	Repeat	0.03	—	0.1	28	<2	25	21	△	△	2	<10	<2	<0.2	4	5	348	<5	19
RE C205154	Repeat	0.04	—	0.2	108	<2	23	23	△	△	13	<10	<2	<0.2	1	3	493	<5	20
RE C205173	Repeat	0.03	—	2.0	441	4	39	20	△	△	126	<10	<2	<0.2	4	5	453	<5	29
RE C205193	Repeat	0.01	—	0.3	423	<2	20	19	△	△	38	<10	<2	<0.2	3	6	235	<5	19
RE C205416	Repeat	0.03	—	0.2	73	<2	24	18	△	△	6	<10	<2	<0.2	4	5	514	<5	19
RE C206334	Repeat	0.05	—	1.1	19	<2	39	203	△	△	<1	<10	<2	<0.2	6	<1	28	<5	26
RE C478015	Repeat	0.35	—	1.5	43	<2	104	477	△	△	<1	<10	<2	<0.2	14	24	39	<5	85
RE C478035	Repeat	0.52	—	1.1	2028	<2	51	31	△	△	76	<10	<2	<0.2	7	5	79	<5	20
RE C504020	Repeat	0.04	—	3.5	2	<2	65	444	7	△	250	<10	<2	<0.2	9	2	20	<5	72
RE C504040	Repeat	0.46	—	0.8	2004	<2	59	32	△	△	33	<10	<2	<0.2	8	4	67	<5	17
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS18	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS18 REF	Std iPL	1.02	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection: Au 0.01, Ag 0.01, Cu 0.1, Pb 1, Zn 2, As 1, Sb 5, Hg 5, Mo 3, Tl 1, Bi 10, Cd 2, Co 0.2, Ni 1, Ba 2, W 5, Cr 1  
 Maximum Detection: Au 5000.00, Ag 5000.00, Cu 100.0, Pb 10000, Zn 10000, As 10000, Sb 2000, Hg 10000, Mo 1000, Tl 1000, Bi 2000, Cd 2000.0, Co 10000, Ni 10000, Ba 10000, W 1000, Cr 10000  
 Method: FA/AAS, FA/AAS, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP  
 ---=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06H2213



International Plasma Labs Ltd.  
 Canada V7A 4V5  
 Phone: (604) 829-7838  
 Fax: (604) 271-0811  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client: Paget Resources Corp  
 Project: Iskut

**207 Samples**

Ship#

207=Rock

11=Repeat

1=Blk iPL

1=Std iPL

[221316:55:19:60090706:001] Aug 23, 2006

Print: Sep 07, 2006

Page 6 of 6  
Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504040	65	271	19	14	29	3	0.01	1.76	0.38	2.39	0.59	0.13	0.04	0.11
C504041	66	284	18	24	33	3	0.01	1.80	0.56	2.68	0.59	0.13	0.05	0.10
C504042	43	229	20	19	26	2	<0.01	1.34	0.63	2.14	0.51	0.14	0.05	0.10
C504043	30	204	18	26	20	1	<0.01	1.02	0.88	2.01	0.44	0.18	0.04	0.08
C504044	23	169	14	22	19	1	<0.01	0.96	0.74	1.51	0.41	0.21	0.04	0.07
C504045	20	223	13	32	35	<1	<0.01	0.92	1.10	1.29	0.40	0.20	0.04	0.06
C504046	24	209	17	24	29	1	<0.01	1.02	0.84	1.56	0.43	0.18	0.04	0.08
C504047	33	219	17	31	21	2	<0.01	1.27	0.70	1.84	0.49	0.20	0.04	0.09
C504048	41	209	20	20	25	2	<0.01	1.30	0.67	1.70	0.50	0.19	0.05	0.10
C504049	29	201	22	22	14	1	<0.01	1.16	0.69	1.39	0.47	0.20	0.04	0.10
C504050	24	176	18	24	21	2	<0.01	0.85	0.72	1.18	0.41	0.17	0.04	0.07
C206371	51	619	15	38	27	3	<0.01	0.83	0.47	2.31	0.06	0.30	0.02	0.36
RE C204034	36	476	13	39	40	4	<0.01	0.40	1.88	2.95	0.34	0.19	0.04	0.08
RE C205134	35	406	12	79	21	4	<0.01	0.39	2.04	1.64	0.41	0.27	0.03	0.10
RE C205154	25	534	9	138	16	4	<0.01	0.33	2.64	1.69	0.44	0.28	0.03	0.10
RE C205173	27	710	15	210	18	3	<0.01	0.22	1.89	1.56	0.38	0.17	0.06	0.07
RE C205193	29	464	11	195	17	3	<0.01	0.30	1.82	1.72	0.41	0.26	0.04	0.08
RE C205416	31	516	13	148	16	4	<0.01	0.35	2.69	1.65	0.45	0.24	0.04	0.09
RE C206334	26	1407	7	138	37	3	<0.01	1.00	4.69	2.72	0.38	0.15	0.02	0.08
RE C478015	77	372	2	5	45	5	<0.01	1.57	0.18	3.95	0.55	0.17	0.02	0.09
RE C478035	53	176	20	12	33	3	0.01	1.62	0.26	2.48	0.55	0.20	0.04	0.10
RE C504020	10	2749	2	211	51	2	<0.01	0.08	6.76	4.16	0.51	0.05	0.01	0.01
RE C504040	67	285	20	15	38	3	0.01	1.76	0.37	2.41	0.60	0.14	0.05	0.10
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection: 1 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection: 10000 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method: ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2215



1160-1160-1160-1160-1160  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Iskut  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

96 Samples

Print: Sep 05, 2006 In: Aug 23, 2006

[221516:53:06:60090506:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B11100	96	Soil	Dry & sift to -80 mesh, discard reject.	12M/Dis	00M/Dis
B84100	5	Repeat	Repeat sample - no charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford

EN RT CC IN FX  
 1 2 1 1 0  
 DL 3D EM BT BL  
 0 0 0 0 0  
 Ph: 604.241.1765  
 Em: jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden

EN RT CC IN FX  
 1 2 1 1 0  
 DL 3D EM BT BL  
 0 0 0 0 0  
 Em: henry\_marsden@telus.net

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2215



11600 Riverchase Way  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Iskut

**96 Samples**

Ship#

96=Soil

5=Repeat

1=Blk iPL

1=Std iPL

[221516:53:06:60090506:00H]

Print: Sep 05, 2006  
 Aug 23, 2006

Page 1 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C504001	Soil	<0.01	0.8	70	<2	193	63	<5	<3	4	<10	<2	<0.2	10	25	171	<5	10	76
C504002	Soil	0.01	0.6	91	<2	182	53	<5	<3	9	<10	<2	<0.2	9	27	147	<5	9	48
C504003	Soil	0.10	0.8	108	<2	109	164	<5	<3	<1	<10	<2	<0.2	20	8	60	<5	10	108
C504004	Soil	0.01	0.2	37	<2	142	48	<5	<3	<1	<10	<2	<0.2	18	2	31	<5	<1	54
C504005	Soil	0.05	0.6	61	<2	125	88	<5	<3	<1	<10	<2	<0.2	12	4	73	<5	5	78
C504006	Soil	0.01	0.6	91	<2	198	100	6	<3	8	<10	<2	<0.2	16	35	185	<5	11	82
C504007	Soil	0.01	0.6	87	<2	186	85	<5	<3	6	<10	<2	<0.2	15	31	178	<5	13	93
C504008	Soil	<0.01	0.2	53	<2	141	44	<5	<3	<1	<10	<2	<0.2	16	6	213	<5	1	109
C205487	Soil	0.02	0.2	16	<2	90	49	<5	<3	<1	<10	<2	<0.2	15	4	106	<5	17	128
C205488	Soil	<0.01	0.2	43	<2	109	54	<5	<3	<1	<10	<2	<0.2	11	<1	91	<5	4	47
C205489	Soil	<0.01	0.2	25	<2	106	84	<5	<3	<1	<10	<2	<0.2	14	1	179	<5	<1	73
C205490	Soil	0.01	0.2	32	<2	135	68	<5	<3	<1	<10	<2	<0.2	13	3	266	<5	<1	99
C504051	Soil	0.02	0.8	99	<2	157	144	10	<3	13	<10	<2	<0.2	18	44	236	<5	13	93
C504052	Soil	0.03	0.8	99	<2	296	96	9	<3	26	<10	<2	<0.2	14	54	222	<5	9	104
C504053	Soil	0.01	0.8	90	<2	212	77	<5	<3	11	<10	<2	<0.2	11	42	214	<5	9	63
C504054	Soil	0.03	0.6	96	<2	239	136	12	<3	10	<10	<2	<0.2	14	41	138	<5	9	68
C504055	Soil	0.01	0.4	89	<2	155	87	5	<3	5	<10	<2	<0.2	18	36	118	<5	13	79
C504056	Soil	<0.01	0.2	55	<2	115	63	<5	<3	<1	<10	<2	<0.2	14	8	178	<5	5	115
C504057	Soil	0.01	0.2	56	<2	124	41	<5	<3	<1	<10	<2	<0.2	14	2	187	<5	7	124
C504058	Soil	0.01	0.2	73	<2	123	46	<5	<3	<1	<10	<2	<0.2	19	5	248	<5	24	148
C504059	Soil	0.01	<0.1	107	<2	84	33	<5	<3	4	<10	<2	<0.2	25	149	1384	<5	94	91
C504101	Soil	0.06	0.2	19	<2	147	63	<5	<3	<1	<10	<2	<0.2	21	<1	119	<5	<1	64
C504102	Soil	0.02	0.2	28	<2	105	86	<5	<3	<1	<10	<2	<0.2	12	<1	111	<5	<1	57
C504103	Soil	0.03	0.6	31	<2	87	135	<5	<3	<1	<10	<2	<0.2	23	151	138	<5	83	67
C504104	Soil	0.03	0.2	146	<2	100	37	<5	<3	2	<10	<2	<0.2	23	78	280	<5	56	101
C504105	Soil	0.03	0.2	386	<2	90	38	<5	<3	33	<10	<2	<0.2	23	47	255	<5	24	78
C504106	Soil	0.06	0.2	65	<2	97	66	<5	<3	<1	<10	<2	<0.2	12	7	339	<5	11	77
C504201	Soil	0.01	0.2	102	<2	66	31	<5	<3	<1	<10	<2	<0.2	13	52	60	<5	67	94
C504202	Soil	0.01	0.2	175	<2	113	37	<5	<3	<1	<10	<2	<0.2	18	69	89	<5	83	108
C504203	Soil	0.03	0.2	186	<2	84	33	<5	<3	<1	<10	<2	<0.2	21	65	83	<5	69	97
C504204	Soil	0.03	0.2	119	9	67	30	<5	<3	<1	<10	<2	<0.2	18	58	79	<5	63	105
C504205	Soil	0.05	0.2	201	40	106	38	<5	<3	6	<10	<2	<0.2	41	126	115	<5	103	118
C504206	Soil	0.02	0.2	205	<2	87	31	<5	<3	<1	<10	<2	<0.2	17	42	73	<5	59	120
C504207	Soil	0.01	0.2	162	17	113	36	<5	<3	<1	<10	<2	<0.2	13	31	52	<5	54	154
C504208	Soil	<0.01	0.2	180	5	114	77	<5	<3	<1	<10	<2	<0.2	15	42	75	<5	58	136
C504209	Soil	0.01	0.2	370	15	123	35	<5	<3	<1	<10	<2	<0.2	20	42	69	<5	58	162
C504210	Soil	0.01	<0.1	239	7	112	36	<5	<3	<1	<10	<2	<0.2	19	54	90	<5	72	146
C504211	Soil	<0.01	0.2	214	7	90	32	<5	<3	<1	<10	<2	<0.2	19	47	66	<5	63	136
C504212	Soil	<0.01	0.2	107	27	104	34	<5	<3	<1	<10	<2	<0.2	18	62	77	<5	84	137

Minimum Detection      0.01    0.1    1    2    1    5    5    3    1    10    2    0.2    1    1    2    5    1    1  
 Maximum Detection    5000.00   100.0   10000   10000   10000   10000   2000   10000   1000   1000   2000   2000.0   10000   10000   10000   1000   10000   10000  
 Method                    FA/AAS    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP  
 ---=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2215



11601 Highway  
Richmond, B.C.  
Canada V7A 4V5  
Phone (604) 879-7878  
Fax (604) 272-0851  
Website: www.pla.ca

INTERNATIONAL PLASMA LABS LTD.  
ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
Project : Iskut

Ship# 96 Samples

96=Soil 5=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 05, 2006  
[221516:53:06:60090506:00h] Aug 23, 2006

Page 1 of 3  
Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504001	757	7	155	30	8	0.01	0.88	3.74	2.95	0.43	0.05	0.03	0.14
C504002	636	6	278	28	8	<0.01	0.39	7.44	2.61	0.37	0.08	0.01	0.11
C504003	1401	14	203	53	10	<0.01	2.13	4.18	4.12	0.53	0.12	0.02	0.23
C504004	1731	16	123	59	5	<0.01	1.35	2.23	4.68	0.44	0.11	0.01	0.22
C504005	1241	13	187	36	7	<0.01	1.43	4.17	3.78	0.47	0.09	0.01	0.19
C504006	850	7	150	42	11	<0.01	0.77	3.21	3.61	0.34	0.10	0.05	0.16
C504007	870	8	146	40	11	0.01	0.92	3.26	3.71	0.38	0.09	0.07	0.17
C504008	1405	24	99	44	7	0.01	1.94	1.60	4.04	0.40	0.09	0.50	0.23
C205487	1020	10	44	41	9	0.10	1.55	1.83	3.52	0.50	0.03	0.03	0.16
C205488	927	11	78	35	5	0.01	1.11	0.50	3.37	0.19	0.19	0.01	0.15
C205489	944	12	90	30	9	0.01	1.31	0.48	3.74	0.37	0.16	0.02	0.12
C205490	1171	12	87	44	10	0.02	1.29	0.71	4.16	0.38	0.19	0.02	0.15
C504051	1021	6	144	44	13	<0.01	0.53	2.84	3.79	0.22	0.09	0.01	0.13
C504052	671	6	157	39	10	<0.01	0.49	3.40	3.31	0.19	0.10	0.02	0.15
C504053	799	6	228	30	9	<0.01	0.50	4.61	2.90	0.30	0.09	0.01	0.14
C504054	821	6	140	42	10	<0.01	0.43	2.55	3.51	0.23	0.09	0.01	0.16
C504055	941	7	138	45	12	<0.01	0.41	3.33	3.85	0.33	0.08	0.01	0.12
C504056	1102	20	126	42	8	0.03	2.29	2.31	3.79	0.37	0.06	1.19	0.29
C504057	1394	24	98	46	8	0.02	2.45	1.80	3.97	0.44	0.08	0.60	0.25
C504058	1798	25	91	46	12	0.02	2.71	0.92	4.17	0.53	0.07	0.46	0.25
C504059	1077	9	94	50	6	0.14	1.45	0.62	3.55	0.61	0.09	0.05	0.08
C504101	2028	17	141	39	7	0.02	1.31	0.76	3.72	0.21	0.15	0.02	0.17
C504102	1107	8	127	39	7	0.01	0.96	1.21	3.66	0.27	0.15	0.01	0.17
C504103	960	7	75	47	8	0.08	1.14	5.30	3.05	0.70	0.04	0.03	0.08
C504104	1203	13	73	47	14	0.09	1.42	1.14	3.98	0.45	0.12	0.04	0.11
C504105	1703	10	58	50	11	0.02	0.91	1.19	4.53	0.29	0.13	0.02	0.10
C504106	1167	16	55	35	5	0.02	1.51	1.15	3.63	0.44	0.08	0.02	0.26
C504201	560	8	219	35	6	0.17	1.29	2.25	2.44	0.47	0.39	0.03	0.15
C504202	977	9	167	45	7	0.16	1.76	2.13	2.88	0.54	0.37	0.03	0.15
C504203	709	8	181	44	6	0.17	1.63	1.91	2.78	0.53	0.42	0.04	0.16
C504204	632	7	155	32	6	0.13	1.35	2.14	2.51	0.49	0.36	0.02	0.15
C504205	1030	7	170	48	8	0.15	1.94	1.97	3.30	0.59	0.41	0.02	0.19
C504206	654	9	124	30	6	0.16	1.51	1.20	2.73	0.52	0.50	0.03	0.15
C504207	747	10	92	30	4	0.14	2.21	1.16	3.20	0.50	0.10	0.02	0.11
C504208	787	10	98	32	5	0.15	2.28	1.19	3.09	0.54	0.18	0.03	0.12
C504209	893	11	127	30	9	0.17	1.93	1.50	3.09	0.55	0.32	0.02	0.16
C504210	766	10	125	39	8	0.16	2.15	1.41	3.17	0.56	0.27	0.02	0.15
C504211	768	9	135	32	8	0.17	1.65	1.43	3.02	0.54	0.49	0.03	0.17
C504212	835	9	108	34	7	0.14	1.97	1.45	3.16	0.53	0.33	0.02	0.13

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample





# CERTIFICATE OF ANALYSIS

## iPL 06H2378



237812-42-53-60090706-001  
 Paget Resources Corp.  
 Canada V7A 4V4  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Ball Creek  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

**25 Samples**

Print: Sep 07, 2006 In: Aug 28, 2006

[237812:42:53:60090706:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	25	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	2	Repeat	Repeat sample - no charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph:604.241.1765  
 Em:jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em:henry\_marsden@telus.net

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3/4 Disk  
 DL=Download 3D=3/4 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2378



11600 15th Street East  
 Richmond, B.C.  
 Canada V7A 4V6  
 Phone (604) 879-8878  
 Fax (604) 272-0451  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# 25 Samples  
 25=Rock 2=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 07, 2006  
 [237812:42:53:60090706:00H] Aug 28, 2006

Page 1 of 1  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C205273	Rock	0.01	0.6	479	<2	18	11	<5	<3	76	<10	<2	<0.2	6	7	39	<5	44	50
C205274	Rock	0.01	0.7	625	<2	31	11	<5	<3	35	<10	<2	<0.2	11	9	18	<5	37	101
C205275	Rock	0.01	0.8	562	<2	22	9	<5	<3	25	<10	<2	<0.2	5	4	21	<5	25	78
C205276	Rock	0.01	0.9	687	<2	25	13	<5	<3	30	<10	<2	<0.2	13	5	22	<5	30	107
C205277	Rock	0.01	1.2	1133	<2	55	11	<5	<3	42	<10	<2	<0.2	17	6	15	<5	31	116
C205278	Rock	0.03	0.7	1073	<2	33	11	<5	<3	137	<10	<2	<0.2	13	5	36	<5	40	99
C205279	Rock	0.01	1.1	855	<2	49	12	<5	<3	143	<10	<2	<0.2	16	4	37	<5	40	100
C205280	Rock	0.01	1.6	678	65	224	29	<5	<3	67	<10	<2	<0.2	15	6	15	<5	29	81
C205281	Rock	0.02	2.9	664	86	303	69	<5	<3	25	<10	<2	<0.2	13	4	14	<5	21	84
C205282	Rock	0.01	2.8	615	48	312	68	<5	<3	79	<10	<2	<0.2	12	7	35	5	26	100
C205283	Rock	<0.01	0.7	518	<2	47	13	<5	<3	117	<10	<2	<0.2	8	7	24	<5	29	53
C205284	Rock	0.01	1.7	479	<2	65	21	<5	<3	46	<10	<2	<0.2	12	11	36	<5	39	85
C205285	Rock	0.02	2.8	490	33	331	55	<5	<3	26	<10	<2	<0.2	9	6	45	<5	20	86
C205286	Rock	0.01	2.3	673	18	87	46	<5	<3	43	<10	<2	<0.2	17	13	36	<5	44	119
C205287	Rock	0.01	2.1	714	10	315	32	<5	<3	31	<10	<2	<0.2	18	8	23	<5	45	90
C205288	Rock	0.01	2.0	751	2	80	28	<5	<3	113	<10	<2	<0.2	15	12	31	<5	49	97
C205289	Rock	<0.01	1.4	628	42	92	30	<5	<3	67	<10	<2	<0.2	14	8	49	<5	46	102
C205290	Rock	0.01	1.4	332	193	137	27	<5	<3	59	<10	<2	<0.2	9	<1	36	<5	37	90
C205291	Rock	0.01	1.2	221	42	119	31	<5	<3	51	<10	<2	<0.2	12	5	25	<5	41	83
C205292	Rock	0.01	1.9	601	82	160	37	<5	<3	156	<10	<2	<0.2	14	8	26	<5	43	97
C205293	Rock	0.01	1.1	449	6	66	10	<5	<3	64	<10	<2	<0.2	9	8	39	6	38	65
C205294	Rock	0.01	2.0	561	48	323	14	<5	<3	145	<10	<2	<0.2	11	3	44	<5	46	81
C205295	Rock	0.01	1.7	965	<2	53	12	<5	<3	59	<10	<2	<0.2	14	3	39	<5	82	62
C205296	Rock	0.04	2.2	735	37	109	37	<5	<3	159	<10	<2	<0.2	17	7	22	<5	38	135
C205297	Rock	0.02	1.1	121	189	103	53	<5	<3	5	<10	<2	<0.2	15	30	16	<5	147	72
RE C205273	Repeat	0.01	0.6	458	<2	18	11	<5	<3	80	<10	<2	<0.2	7	8	41	<5	44	51
RE C205292	Repeat	0.01	1.9	601	80	157	35	<5	<3	158	<10	<2	<0.2	14	8	25	<5	43	95
Blk iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1 1  
 Maximum Detection 5000.00 100.0 10000 10000 10000 10000 2000 10000 1000 1000 2000.0 10000 10000 10000 1000 10000 10000  
 Method FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2378



2nd Floor, 1000 Highway  
 Richmond, B.C.  
 Canada V7A 4V6  
 Phone (604) 879-7878  
 Fax (604) 272-0541  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship#                      **25 Samples**  
                                  25=Rock    2=Repeat    1=Blk iPL    1=Std iPL

Print: Sep 07, 2006    Page 1 of 1  
 [237812:42:53:60090706:00h] Aug 28, 2006    Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205273	592	6	105	32	3	0.07	0.57	2.79	1.93	0.29	0.12	0.05	0.10
C205274	683	9	130	34	6	0.14	1.06	3.15	2.25	0.50	0.07	0.07	0.19
C205275	712	8	370	38	6	0.08	0.70	6.23	1.99	0.37	0.07	0.04	0.11
C205276	817	11	296	41	7	0.11	0.91	5.79	2.62	0.41	0.07	0.05	0.12
C205277	831	11	97	56	6	0.11	0.91	3.71	3.61	0.31	0.08	0.06	0.15
C205278	420	7	96	48	6	0.18	1.35	2.08	2.68	0.53	0.17	0.08	0.11
C205279	610	9	121	37	6	0.15	1.03	2.94	2.70	0.50	0.11	0.06	0.14
C205280	1021	11	137	44	5	0.11	0.97	3.64	3.26	0.45	0.14	0.07	0.14
C205281	1485	10	167	47	5	0.09	1.15	4.35	3.67	0.56	0.12	0.05	0.14
C205282	1226	10	156	43	6	0.10	1.21	3.84	3.07	0.56	0.09	0.06	0.16
C205283	391	12	108	32	2	0.12	1.11	2.99	2.01	0.30	0.08	0.07	0.16
C205284	931	10	130	38	4	0.13	0.90	3.32	2.54	0.49	0.08	0.10	0.18
C205285	2446	10	214	40	5	0.10	1.14	6.42	2.93	0.54	0.11	0.05	0.15
C205286	1150	11	112	43	7	0.18	1.78	3.51	3.26	0.60	0.07	0.07	0.17
C205287	855	11	105	51	4	0.13	1.17	2.99	3.43	0.51	0.06	0.07	0.14
C205288	974	9	145	52	4	0.13	0.87	3.72	3.16	0.44	0.09	0.06	0.13
C205289	1001	10	151	43	5	0.14	1.04	3.69	2.61	0.49	0.09	0.06	0.16
C205290	889	9	128	28	4	0.14	0.94	3.51	2.13	0.48	0.10	0.06	0.16
C205291	1304	9	143	37	5	0.09	0.98	3.67	2.74	0.51	0.09	0.06	0.14
C205292	930	8	128	46	6	0.14	1.11	3.37	2.94	0.53	0.07	0.07	0.15
C205293	731	10	83	45	2	0.12	0.94	2.56	2.29	0.41	0.08	0.08	0.16
C205294	837	8	89	38	4	0.11	0.95	3.05	2.55	0.45	0.07	0.05	0.13
C205295	451	8	96	30	2	0.11	0.75	1.99	2.48	0.33	0.09	0.07	0.10
C205296	1187	10	119	47	6	0.18	1.29	3.19	3.42	0.58	0.11	0.06	0.21
C205297	1852	11	193	39	7	0.06	1.44	4.67	2.88	0.63	0.16	0.04	0.08
RE C205273	597	7	104	29	3	0.08	0.57	2.77	1.93	0.29	0.12	0.05	0.10
RE C205292	924	8	123	45	5	0.13	1.11	3.36	2.93	0.53	0.07	0.06	0.15
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection                      1            2            1            1            1            0.01    0.01    0.01    0.01    0.01    0.01    0.01    0.01  
 Maximum Detection                      10000    10000    10000    10000    10000    10.00    10.00    10.00    10.00    10.00    10.00    10.00    10.00    5.00  
 Method                                      ICP        ICP        ICP        ICP        ICP        ICP        ICP        ICP        ICP        ICP        ICP        ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2379



1000 West Beaver Creek  
 Richmond B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0811  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Ball Creek  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

**24 Samples**

Print: Sep 07, 2006 In: Aug 28, 2006

[237913:18:44:60090706:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	24	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	2	Repeat	Repeat sample - no charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph:604.241.1765  
 Em: jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em:henry\_marsden@telus.net

#	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2379



INTERNATIONAL PLASMA LABS LTD.  
 R.J. Jones B.Sc.  
 Canada V7A 4V5  
 Phone (604) 871-7873  
 Fax (604) 272-0311  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**24 Samples**

Ship#

24=Rock

2=Repeat

1=Blk iPL

1=Std iPL

[237913:18:44:60090706:000] Aug 28, 2006

Print: Sep 07, 2006

Page 1 of 1

Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C504157	Rock	0.02	2.8	71	<2	7458	53	<5	<3	8	<10	<2	<0.2	18	<1	47	<5	34	22
C504158	Rock	<0.01	0.2	59	<2	163	37	52	<3	<1	<10	<2	<0.2	25	12	25	<5	58	179
C504159	Rock	0.02	1.5	74	680	1933	2773	11	<3	5	<10	<2	<0.2	4	2	197	<5	120	12
C504160	Rock	<0.01	0.5	112	<2	65	43	<5	<3	1	<10	<2	<0.2	18	39	42	<5	30	32
C504161	Rock	0.03	0.2	11	8	41	39	<5	<3	<1	<10	<2	<0.2	<1	6	104	<5	174	7
C504162	Rock	0.01	0.3	10	7	53	30	5	<3	2	<10	<2	<0.2	4	4	83	<5	129	7
C504163	Rock	0.25	2.3	16	7	7	1056	25	<3	2	<10	<2	<0.2	<1	2	58	<5	167	8
C504164	Rock	<0.01	0.3	19	7	21	100	7	<3	8	<10	<2	<0.2	1	6	125	<5	181	22
C504165	Rock	<0.01	0.3	7	10	7	17	<5	<3	2	<10	<2	2.0	2	6	186	<5	154	4
C504166	Rock	<0.01	0.3	11	8	13	24	5	<3	2	<10	<2	<0.2	<1	8	116	<5	188	5
C504167	Rock	0.28	4.2	6	7	8	46	6	<3	6	<10	<2	<0.2	1	1	129	<5	154	11
C504168	Rock	0.08	0.9	5	9	7	74	9	<3	3	<10	<2	<0.2	<1	3	136	<5	172	6
C206375	Rock	<0.01	0.3	14	9	28	29	<5	<3	3	<10	<2	<0.2	2	8	116	<5	201	4
C206376	Rock	<0.01	0.3	20	6	16	15	<5	<3	2	<10	<2	<0.2	2	11	101	<5	210	4
C206377	Rock	<0.01	0.1	20	12	9	<5	<5	<3	<1	<10	<2	<0.2	3	6	60	<5	220	4
C206378	Rock	<0.01	<0.1	7	3	24	16	6	<3	1	<10	<2	1.9	3	3	49	<5	163	8
C206379	Rock	<0.01	0.1	5	<2	14	22	7	<3	2	<10	<2	2.3	<1	2	85	<5	175	3
C206380	Rock	<0.01	0.1	4	<2	14	21	7	<3	3	<10	<2	<0.2	3	3	180	<5	163	3
C206381	Rock	<0.01	0.1	9	<2	11	20	<5	<3	3	<10	<2	2.0	<1	3	308	<5	106	5
C206382	Rock	0.02	0.2	8	4	55	42	8	<3	11	<10	<2	<0.2	4	6	471	<5	119	9
C206039	Rock	0.04	0.4	1.04*	<2	22	10	<5	<3	21	<10	<2	<0.2	8	9	119	<5	58	18
C504199	Rock	0.01	0.2	435	<2	49	<5	<5	<3	12	<10	<2	<0.2	8	13	1178	<5	31	57
C504200	Rock	0.26	1.0	2079	<2	27	6	<5	<3	155	<10	<2	<0.2	7	6	317	<5	28	52
C504751	Rock	<0.01	0.4	23	<2	65	8	<5	<3	2	<10	<2	<0.2	24	221	211	<5	120	40
RE C504157	Repeat	0.02	2.8	70	<2	7348	54	<5	<3	8	<10	<2	<0.2	18	<1	52	<5	34	22
RE C206382	Repeat	0.02	0.3	9	4	67	43	7	<3	11	<10	<2	<0.2	3	4	487	<5	125	8
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection      0.01   0.1   1   2   1   5   5   3   1   10   2   0.2   1   1   2   5   1   1  
 Maximum Detection    5000.00   100.0   10000   10000   10000   10000   2000   10000   1000   1000   2000   2000.0   10000   10000   10000   1000   10000   10000  
 Method                  FA/AAS   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP   ICP  
 —=No Test   Ins=Insufficient Sample   Del=Delay   Max=No Estimate   Rec=ReCheck   m=x1000   %=Estimate %   NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2379



International Plasma Labs Ltd  
 40000 110  
 Canada V1A 4V3  
 Phone (604) 879-7373  
 Fax (604) 271-0831  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**24 Samples**  
 24=Rock    2=Repeat    1=Blk iPL    1=Std iPL

Print: Sep 07, 2006  
 [237913:18:44:60090706:00h] Aug 28, 2006

Page 1 of 1  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504157	1.17x	24	48	170	<1	0.04	1.39	3.20	8.96	0.28	0.01	0.02	0.09
C504158	809	<2	36	66	11	0.37	1.49	0.83	4.18	0.65	0.64	0.10	0.12
C504159	722	3	84	13	2	<0.01	0.23	0.85	1.26	0.22	0.08	0.01	0.02
C504160	239	7	160	48	3	0.14	2.13	2.01	2.59	0.09	0.11	0.42	0.18
C504161	139	<2	17	21	<1	<0.01	0.14	0.12	0.58	0.02	0.07	0.01	0.03
C504162	177	2	15	13	1	<0.01	0.15	0.10	0.95	0.02	0.07	0.01	0.02
C504163	28	2	21	14	1	<0.01	0.13	0.03	0.68	0.01	0.08	0.01	0.02
C504164	48	3	113	20	3	<0.01	0.15	0.03	1.19	0.01	0.10	0.01	0.04
C504165	33	5	40	14	<1	<0.01	0.11	0.03	0.55	0.01	0.09	0.01	0.01
C504166	65	<2	42	6	<1	<0.01	0.09	0.03	0.67	<0.01	0.05	0.01	0.02
C504167	57	4	51	9	<1	<0.01	0.14	0.05	0.74	0.01	0.13	0.01	0.02
C504168	27	2	59	16	<1	<0.01	0.11	0.01	0.64	<0.01	0.06	0.01	0.01
C206375	51	3	19	15	<1	<0.01	0.11	0.03	0.86	0.01	0.04	0.01	0.01
C206376	55	3	57	17	<1	<0.01	0.10	0.10	0.94	<0.01	0.04	0.01	0.07
C206377	34	<2	26	8	<1	<0.01	0.08	<0.01	0.65	<0.01	0.03	0.01	0.01
C206378	73	<2	66	12	<1	<0.01	0.13	0.05	0.57	0.01	0.06	0.01	0.01
C206379	42	4	66	15	<1	<0.01	0.14	0.10	0.62	0.01	0.06	0.01	0.07
C206380	112	6	101	13	<1	<0.01	0.14	0.17	0.73	0.01	0.05	0.01	0.10
C206381	49	4	264	13	<1	<0.01	0.22	0.08	0.67	0.01	0.05	0.01	0.07
C206382	241	3	92	21	2	<0.01	0.19	0.52	1.47	0.02	0.07	0.01	0.07
C206039	415	12	30	24	3	<0.01	1.18	1.35	2.08	0.46	0.18	0.04	0.06
C504199	788	16	115	42	5	<0.01	0.36	2.69	2.87	0.29	0.16	0.06	0.15
C504200	507	6	27	58	10	<0.01	0.40	0.78	4.05	0.19	0.24	0.03	0.20
C504751	1406	3	127	41	7	<0.01	0.13	8.68	3.13	0.79	0.04	0.02	0.02
RE C504157	1.18x	24	49	177	<1	0.05	1.40	3.17	8.86	0.28	0.01	0.02	0.09
RE C206382	341	4	98	15	2	<0.01	0.19	0.52	1.46	0.02	0.07	0.01	0.07
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## IPL 06H2380



200 - 11620 Horseshoe Way  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Ball Creek  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

30 Samples

Print: Sep 07, 2006 In: Aug 28, 2006

[238013:19:02:60090706:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	30	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	2	Repeat	Repeat sample - no Charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph: 604.241.1765  
 Em: jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em: henry\_marsden@telus.net

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth		2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2380



200 - 11620 Horseshoe Way  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**30 Samples**

Ship#      30=Rock      2=Repeat      1=Blk iPL      1=Std iPL      [238013:19:02:60090706:00h]      Print: Sep 07, 2006      Page 1 of 1  
 Aug 28, 2006      Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C504169	Rock	0.28	0.9	505	<2	24	8	<5	<3	107	<10	<2	<0.2	4	<1	49	<5	20	49
C504170	Rock	0.34	0.6	475	2	23	10	<5	<3	101	<10	<2	<0.2	2	<1	94	<5	21	48
C504171	Rock	0.30	0.7	377	<2	20	10	<5	<3	96	<10	<2	<0.2	5	<1	65	<5	23	50
C504172	Rock	0.33	0.6	301	<2	16	6	<5	<3	60	<10	<2	<0.2	2	<1	92	<5	26	44
C504173	Rock	0.24	0.3	287	<2	17	7	<5	<3	72	<10	<2	<0.2	1	<1	123	<5	27	47
C504174	Rock	0.11	0.4	302	<2	41	14	<5	<3	5	<10	<2	<0.2	4	1	34	<5	29	48
C504175	Rock	0.16	0.3	221	<2	35	12	<5	<3	39	<10	<2	<0.2	3	5	89	<5	27	53
C504176	Rock	0.26	0.4	184	<2	10	7	<5	<3	87	<10	<2	<0.2	2	2	99	<5	22	49
C504177	Rock	0.40	0.6	319	2	20	11	<5	<3	134	<10	<2	<0.2	4	<1	76	<5	18	73
C504178	Rock	0.28	0.5	304	5	20	10	<5	<3	50	<10	<2	<0.2	4	<1	61	<5	22	81
C504179	Rock	0.38	0.5	548	2	13	8	<5	<3	172	<10	<2	<0.2	9	<1	47	<5	20	78
C504180	Rock	0.45	0.3	304	<2	9	8	<5	<3	123	<10	<2	<0.2	1	<1	79	<5	22	52
C504181	Rock	0.10	0.2	171	3	13	10	<5	<3	36	<10	<2	<0.2	8	3	26	<5	23	46
C504182	Rock	0.05	0.1	92	5	7	6	<5	<3	31	<10	<2	<0.2	4	3	44	<5	31	25
C504183	Rock	0.04	0.2	60	<2	13	9	<5	<3	15	<10	<2	<0.2	4	<1	42	<5	20	47
C504184	Rock	0.03	0.2	50	<2	17	8	<5	<3	10	<10	<2	<0.2	5	<1	25	<5	15	52
C504185	Rock	0.05	0.1	62	<2	17	10	<5	<3	11	<10	<2	<0.2	3	<1	28	<5	22	41
C504186	Rock	0.03	0.1	17	<2	13	9	<5	<3	14	<10	<2	<0.2	3	2	34	<5	18	29
C504187	Rock	0.03	0.1	14	<2	8	8	<5	<3	5	<10	<2	<0.2	2	2	31	<5	20	19
C504188	Rock	0.04	0.1	16	<2	10	9	<5	<3	8	<10	<2	<0.2	4	<1	28	<5	17	16
C504189	Rock	0.03	0.2	44	<2	14	12	<5	<3	6	<10	<2	<0.2	3	<1	30	<5	14	30
C504190	Rock	0.02	0.1	8	<2	6	9	<5	<3	13	<10	<2	<0.2	2	3	33	<5	19	9
C504191	Rock	0.06	0.1	6	<2	6	11	<5	<3	22	<10	<2	<0.2	3	<1	65	<5	23	7
C504192	Rock	0.02	0.1	17	<2	10	12	<5	<3	13	<10	<2	<0.2	2	<1	64	<5	24	18
C504193	Rock	0.08	0.3	67	<2	29	16	<5	<3	3	<10	<2	<0.2	5	<1	33	<5	16	54
C504194	Rock	0.11	0.7	140	<2	23	17	<5	<3	2	<10	<2	<0.2	4	<1	46	<5	16	40
C504195	Rock	0.06	0.3	77	<2	28	16	<5	<3	26	<10	<2	<0.2	3	<1	45	<5	18	48
C504196	Rock	0.04	0.4	110	<2	26	17	<5	<3	17	<10	<2	<0.2	3	<1	27	<5	20	45
C504197	Rock	0.13	0.5	118	<2	27	13	<5	<3	2	<10	<2	<0.2	3	<1	30	<5	15	55
C504198	Rock	0.15	0.6	90	<2	28	13	<5	<3	<1	<10	<2	<0.2	4	<1	32	<5	12	69
RE C504169	Repeat	0.28	0.9	505	<2	17	9	<5	<3	105	<10	<2	<0.2	6	<1	51	<5	20	50
RE C504188	Repeat	0.04	0.1	18	<2	10	9	<5	<3	10	<10	<2	<0.2	4	<1	28	<5	18	17
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection      0.01    0.1    1    2    1    5    5    3    1    10    2    0.2    1    1    2    5    1    1

Maximum Detection      5000.00    100.0    10000    10000    10000    10000    2000    10000    1000    1000    2000    2000.0    10000    10000    10000    1000    10000    10000

Method      FA/AAS    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample





# CERTIFICATE OF ANALYSIS

## iPL 06H2380



200 - 11620 Horseshoe Way  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7878  
 Fax (604) 272-0851  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

### 30 Samples

Ship#

30=Rock

2=Repeat

1=Blk iPL

1=Std iPL

Print: Sep 07, 2006  
 [238013:19:02:60090706:00h] Aug 28, 2006

Page 1 of 1  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504169	69	18	30	44	3	0.01	1.09	0.03	2.79	0.36	0.30	0.06	0.07
C504170	79	17	23	34	3	0.01	1.19	0.09	2.37	0.38	0.22	0.06	0.10
C504171	61	22	28	42	3	0.01	1.06	0.04	2.87	0.35	0.27	0.06	0.08
C504172	54	22	21	34	2	<0.01	0.89	0.02	2.45	0.32	0.21	0.06	0.06
C504173	60	19	23	37	3	0.01	0.90	0.02	2.47	0.34	0.27	0.06	0.08
C504174	207	11	41	58	4	0.06	1.49	0.17	3.52	0.48	0.24	0.07	0.11
C504175	175	13	31	41	3	0.03	1.42	0.12	2.94	0.48	0.23	0.06	0.11
C504176	31	20	33	36	2	0.01	0.61	0.02	2.54	0.23	0.25	0.08	0.08
C504177	72	16	23	39	4	0.01	1.01	0.09	2.66	0.39	0.24	0.08	0.12
C504178	78	13	22	32	4	0.02	0.87	0.10	2.44	0.34	0.17	0.10	0.14
C504179	50	15	29	39	4	0.02	0.78	0.09	2.80	0.33	0.35	0.09	0.15
C504180	44	11	34	28	3	0.02	0.76	0.05	2.02	0.27	0.41	0.08	0.11
C504181	50	7	15	40	3	0.04	0.80	0.13	2.80	0.33	0.27	0.06	0.13
C504182	27	10	22	31	2	0.01	0.49	0.07	2.13	0.18	0.31	0.08	0.10
C504183	55	11	20	31	3	0.02	0.87	0.11	2.48	0.37	0.24	0.11	0.14
C504184	61	12	32	44	3	0.02	0.94	0.08	3.22	0.39	0.25	0.12	0.14
C504185	85	9	23	35	3	0.02	0.93	0.08	2.67	0.37	0.27	0.07	0.13
C504186	44	7	23	32	2	<0.01	0.74	0.05	2.51	0.25	0.31	0.08	0.15
C504187	25	7	28	29	2	<0.01	0.63	0.02	2.58	0.20	0.32	0.10	0.10
C504188	37	7	34	39	<1	<0.01	0.60	0.02	3.32	0.21	0.27	0.13	0.11
C504189	95	8	43	33	2	<0.01	1.18	0.03	3.37	0.36	0.31	0.12	0.13
C504190	17	8	25	31	<1	<0.01	0.60	0.01	2.76	0.14	0.35	0.11	0.07
C504191	6	10	38	34	<1	<0.01	0.41	0.01	2.38	0.04	0.30	0.18	0.05
C504192	34	8	34	22	1	<0.01	0.66	0.04	2.43	0.19	0.28	0.11	0.14
C504193	269	6	43	41	3	0.01	1.53	0.13	3.28	0.52	0.18	0.10	0.16
C504194	230	7	51	36	2	0.01	1.41	0.10	3.20	0.47	0.19	0.11	0.14
C504195	315	6	25	31	2	0.02	1.36	0.15	2.63	0.51	0.18	0.06	0.15
C504196	240	6	31	40	2	0.03	1.21	0.12	3.37	0.47	0.19	0.08	0.14
C504197	300	5	25	37	3	0.05	1.21	0.10	3.05	0.49	0.18	0.07	0.12
C504198	268	7	26	43	4	0.10	1.26	0.13	3.39	0.50	0.18	0.07	0.12
RE C504169	60	19	30	46	3	0.01	1.09	0.03	2.77	0.36	0.31	0.07	0.07
RE C504188	38	7	35	38	1	<0.01	0.61	0.02	3.31	0.21	0.27	0.14	0.11
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



INTERNATIONAL PLASMA LABS LTD.  
 1150 West 10th Ave.  
 Vancouver, B.C. V6C 3K6  
 Phone: (604) 279-7678  
 Fax: (604) 279-7678  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Mess Creek  
 Shipper : John Bradford  
 Shipment: PO#:  
 Comment:

75 Samples

Print: Sep 08, 2006 In: Aug 28, 2006

[238113:23:53:60090806:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	75	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	4	Repeat	Repeat sample - no Charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph: 604.241.1765  
 Em: jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em: henry\_marsden@telus.net

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



116, rue Grande...  
 Richmond, BC  
 Canada V7A 1V5  
 Phone (604) 871-7278  
 Fax (604) 871-0011  
 Website www.ple.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# 75 Samples  
 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:001] Aug 28, 2006

Page 1 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C205201	Rock	0.04	0.3	83	<2	13	<5	<5	<3	37	<10	<2	<0.2	1	2	224	△5	46	34
C205202	Rock	0.24	0.8	1435	<2	21	32	<5	<3	221	<10	<2	<0.2	5	5	220	△5	27	32
C205203	Rock	0.05	0.4	236	<2	22	12	<5	<3	134	<10	<2	<0.2	3	4	594	△5	27	27
C205204	Rock	0.14	0.7	908	<2	22	6	<5	<3	115	<10	<2	<0.2	5	4	190	△5	16	50
C205205	Rock	0.09	0.5	589	<2	26	<5	<5	<3	75	<10	<2	<0.2	6	3	464	△5	29	64
C205206	Rock	0.13	0.7	884	<2	27	6	<5	<3	147	<10	<2	<0.2	7	2	201	△5	15	50
C205207	Rock	0.20	0.6	1696	<2	36	5	<5	<3	93	<10	<2	<0.2	11	3	102	△5	19	70
C205208	Rock	0.18	0.8	1263	<2	46	11	<5	<3	100	<10	<2	<0.2	16	5	98	△5	13	95
C205209	Rock	0.13	0.5	885	<2	41	<5	<5	<3	119	<10	<2	<0.2	11	12	488	△5	23	116
C205210	Rock	0.12	0.5	589	<2	32	<5	<5	<3	67	<10	<2	<0.2	7	9	464	△5	23	63
C205211	Rock	0.07	0.4	280	<2	34	5	<5	<3	88	<10	<2	<0.2	6	4	557	△5	17	43
C205212	Rock	0.08	0.4	267	<2	28	8	<5	<3	29	<10	<2	<0.2	4	6	486	△5	15	28
C205213	Rock	0.11	0.3	144	<2	19	15	<5	<3	13	<10	<2	<0.2	4	<1	249	△5	37	23
C205214	Rock	0.02	0.3	67	<2	13	5	<5	<3	17	<10	<2	<0.2	5	2	376	△5	23	24
C205215	Rock	0.09	0.5	458	<2	16	8	<5	<3	37	<10	<2	<0.2	5	4	281	△5	23	29
C205216	Rock	0.17	0.7	924	<2	11	10	<5	<3	86	<10	<2	<0.2	3	3	246	△5	28	30
C205217	Rock	0.07	0.4	254	<2	11	<5	<5	<3	32	<10	<2	<0.2	3	1	527	△5	20	34
C205218	Rock	0.04	0.4	207	<2	11	8	<5	<3	18	<10	<2	<0.2	3	<1	400	△5	23	30
C205219	Rock	0.28	0.6	913	<2	51	13	<5	<3	30	<10	<2	<0.2	13	5	257	△5	11	114
C205220	Rock	0.16	0.5	702	<2	42	7	<5	<3	40	<10	<2	<0.2	15	<1	431	△5	10	121
C205221	Rock	0.14	0.4	469	<2	44	11	<5	<3	28	<10	<2	<0.2	16	3	214	△5	12	155
C205222	Rock	0.26	0.4	1044	<2	46	9	<5	<3	11	<10	<2	<0.2	15	3	513	△5	11	146
C205223	Rock	0.06	0.4	268	<2	22	6	<5	<3	20	<10	<2	<0.2	6	<1	216	△5	23	90
C205224	Rock	0.04	0.4	273	<2	18	<5	<5	<3	21	<10	<2	<0.2	4	<1	404	△5	22	47
C205225	Rock	0.02	0.3	38	<2	16	<5	<5	<3	8	<10	<2	<0.2	2	<1	495	△5	26	48
C205226	Rock	0.07	0.4	262	<2	40	9	<5	<3	27	<10	<2	<0.2	13	2	160	△5	11	164
C205227	Rock	0.12	0.4	442	<2	40	7	<5	<3	36	<10	<2	<0.2	11	2	524	△5	8	145
C205228	Rock	0.19	0.6	1218	<2	31	<5	<5	<3	54	<10	<2	<0.2	9	2	220	△5	17	113
C205229	Rock	0.23	0.5	687	<2	38	7	<5	<3	12	<10	<2	<0.2	10	13	640	△5	6	137
C205230	Rock	0.37	0.5	1568	<2	41	8	<5	<3	37	<10	<2	<0.2	15	12	246	△5	6	141
C205231	Rock	0.19	0.5	736	<2	41	9	<5	<3	68	<10	<2	<0.2	15	5	166	△5	5	153
C205232	Rock	0.12	0.5	828	<2	67	9	<5	<3	93	<10	<2	<0.2	16	5	269	△5	5	167
C205233	Rock	0.12	0.5	972	<2	82	7	<5	<3	209	<10	<2	<0.2	20	6	187	△5	4	179
C205234	Rock	0.18	0.8	1376	<2	65	51	<5	<3	93	<10	<2	<0.2	20	9	433	△5	4	151
C205235	Rock	0.01	0.3	88	<2	38	5	<5	<3	11	<10	<2	<0.2	7	5	661	△5	22	41
C205236	Rock	0.02	0.5	361	<2	49	6	<5	<3	31	<10	<2	<0.2	7	12	453	△5	21	45
C205237	Rock	0.21	0.4	221	<2	31	9	<5	<3	25	<10	<2	<0.2	6	11	295	△5	19	112
C205238	Rock	0.02	0.6	205	<2	32	8	<5	<3	20	<10	<2	<0.2	5	10	373	△5	31	44
C205239	Rock	0.06	0.5	267	<2	21	7	<5	<3	17	<10	<2	<0.2	3	8	540	△5	19	39

Minimum Detection  
 Maximum Detection  
 Method

0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd  
 10000 Highway 101  
 Cambridge, MA 01814  
 Phone: (603) 879-7878  
 Fax: (603) 879-7878  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

**75 Samples**  
 Ship# 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 Aug 28, 2006 [238113:23:53:60090806:00h]

Page 1 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205201	237	8	60	22	4	<0.01	0.33	1.56	1.29	0.33	0.26	0.04	0.08
C205202	424	9	82	29	3	<0.01	0.30	2.69	1.56	0.47	0.24	0.03	0.08
C205203	380	6	74	25	4	<0.01	0.36	2.64	1.35	0.50	0.27	0.03	0.07
C205204	362	6	70	19	6	<0.01	0.43	2.27	1.82	0.44	0.35	0.04	0.08
C205205	434	13	108	30	4	<0.01	0.32	3.40	2.00	0.55	0.27	0.03	0.09
C205206	382	11	79	25	6	<0.01	0.40	2.34	1.88	0.47	0.33	0.04	0.09
C205207	444	11	80	28	7	<0.01	0.47	2.77	2.50	0.55	0.39	0.06	0.09
C205208	556	11	95	46	13	0.01	0.59	3.08	3.42	0.59	0.50	0.03	0.13
C205209	587	8	153	39	17	<0.01	0.43	4.24	3.23	0.61	0.38	0.03	0.11
C205210	488	14	126	32	6	<0.01	0.27	3.75	2.36	0.58	0.22	0.03	0.09
C205211	554	12	146	35	4	<0.01	0.35	4.02	2.17	0.60	0.29	0.02	0.09
C205212	560	10	140	14	4	<0.01	0.40	3.67	1.67	0.59	0.31	0.02	0.08
C205213	475	11	113	18	4	<0.01	0.48	2.57	1.67	0.46	0.37	0.03	0.09
C205214	381	13	159	16	4	<0.01	0.44	2.24	1.56	0.44	0.34	0.04	0.09
C205215	495	9	179	12	3	<0.01	0.49	3.13	1.65	0.55	0.36	0.04	0.07
C205216	331	11	168	28	3	<0.01	0.47	2.05	1.43	0.44	0.35	0.05	0.08
C205217	372	9	182	21	3	<0.01	0.42	2.29	1.52	0.48	0.32	0.05	0.07
C205218	327	10	199	16	3	<0.01	0.42	1.89	1.44	0.44	0.31	0.06	0.07
C205219	659	11	182	45	14	<0.01	0.49	2.15	3.96	0.56	0.40	0.05	0.13
C205220	640	14	260	43	17	0.01	0.43	3.04	3.79	0.59	0.37	0.05	0.14
C205221	607	17	273	43	21	0.02	0.69	3.12	4.11	0.61	0.64	0.06	0.15
C205222	519	19	396	73	22	0.03	0.81	3.27	4.05	0.62	0.70	0.06	0.15
C205223	471	17	148	30	10	0.01	0.44	2.36	2.68	0.52	0.33	0.07	0.11
C205224	514	16	136	21	5	<0.01	0.30	2.96	1.74	0.57	0.20	0.07	0.09
C205225	413	13	125	18	5	<0.01	0.34	2.30	1.61	0.48	0.22	0.07	0.10
C205226	539	13	147	52	23	0.01	0.69	2.82	4.12	0.57	0.53	0.05	0.16
C205227	543	11	183	47	22	0.01	0.64	2.99	3.83	0.57	0.50	0.05	0.16
C205228	489	12	147	33	18	0.01	0.45	3.14	3.14	0.58	0.37	0.04	0.13
C205229	646	12	161	43	19	0.01	0.58	3.93	3.62	0.63	0.48	0.04	0.14
C205230	607	11	186	40	22	0.02	0.73	3.81	3.67	0.64	0.65	0.05	0.15
C205231	531	10	124	47	20	0.01	0.66	2.54	4.16	0.59	0.56	0.05	0.13
C205232	666	8	119	53	19	0.01	0.69	2.90	4.42	0.57	0.55	0.04	0.10
C205233	745	9	114	61	20	0.01	0.63	2.95	4.81	0.57	0.51	0.04	0.10
C205234	692	8	123	54	18	0.01	0.66	3.50	4.53	0.60	0.54	0.04	0.10
C205235	621	11	122	29	4	<0.01	0.43	3.59	2.08	0.56	0.33	0.03	0.07
C205236	839	11	119	31	5	<0.01	0.41	4.54	2.35	0.61	0.30	0.03	0.07
C205237	470	10	108	27	9	<0.01	0.71	2.08	2.82	0.43	0.54	0.03	0.17
C205238	539	9	95	25	3	<0.01	0.35	3.11	1.65	0.52	0.28	0.03	0.05
C205239	438	7	117	15	4	<0.01	0.39	2.62	1.40	0.48	0.32	0.02	0.08

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd.  
 Canada 17/A Avenue  
 Phone 001 238 1313  
 Fax 001 238 1314  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project : Mess Creek

Ship#                      75 Samples                      75=Rock                      4=Repeat                      1=Btk iPL                      1=Std iPL                      [238113:23:53:60090806:00h]

Print: Sep 08, 2006  
 Aug 28, 2006

Page 2 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C205240	Rock	0.15	0.7	696	<2	26	16	<5	<3	9	<10	<2	<0.2	7	7	376	<5	26	54
C205241	Rock	0.06	0.5	235	<2	29	11	<5	<3	17	<10	<2	<0.2	6	18	272	<5	17	48
C205242	Rock	0.07	0.4	211	<2	23	12	<5	<3	25	<10	<2	<0.2	6	12	185	<5	26	42
C205243	Rock	0.01	0.4	86	<2	45	12	<5	<3	4	<10	<2	<0.2	8	26	242	<5	23	45
C205244	Rock	0.06	0.6	274	<2	35	17	<5	<3	30	<10	<2	<0.2	8	27	155	<5	34	39
C205245	Rock	0.05	0.7	391	<2	18	12	<5	<3	71	<10	<2	<0.2	2	9	120	<5	40	31
C205246	Rock	0.05	0.3	198	<2	21	<5	<5	<3	28	<10	<2	<0.2	3	7	269	<5	29	51
C205247	Rock	0.12	0.8	279	<2	20	10	<5	<3	68	<10	<2	<0.2	6	11	214	<5	29	44
C205248	Rock	0.03	1.4	487	<2	24	9	<5	<3	53	<10	<2	<0.2	15	8	69	<5	37	53
C205249	Rock	0.14	0.9	1000	<2	23	5	<5	<3	58	<10	<2	<0.2	10	10	123	<5	24	63
C205250	Rock	<0.01	0.3	47	<2	14	5	<5	<3	9	<10	<2	<0.2	5	4	449	<5	28	32
C205251	Rock	0.01	0.3	116	<2	23	6	<5	<3	13	<10	<2	<0.2	6	7	336	<5	21	38
C205252	Rock	0.01	0.3	84	<2	21	7	<5	<3	11	<10	<2	<0.2	5	8	353	<5	29	58
C205253	Rock	0.02	0.4	270	<2	19	<5	<5	<3	13	<10	<2	<0.2	3	14	452	<5	19	49
C205254	Rock	0.01	0.3	142	<2	19	<5	<5	<3	68	<10	<2	<0.2	5	8	477	<5	25	39
C205255	Rock	0.02	0.5	385	<2	20	15	<5	<3	12	<10	<2	<0.2	5	12	236	<5	32	41
C205256	Rock	0.01	0.4	95	<2	28	9	<5	<3	13	<10	<2	<0.2	6	11	237	<5	25	42
C205257	Rock	<0.01	0.2	8	<2	9	<5	<5	<3	7	<10	<2	<0.2	3	6	526	<5	66	26
C205258	Rock	0.04	0.4	199	<2	14	7	<5	<3	20	<10	<2	<0.2	5	8	220	<5	43	36
C205259	Rock	0.01	0.4	37	<2	35	<5	<5	<3	11	<10	<2	<0.2	6	18	276	<5	31	41
C205260	Rock	0.01	0.3	<1	<2	22	42	<5	<3	12	<10	<2	<0.2	6	10	304	<5	29	33
C205261	Rock	0.01	0.3	63	<2	20	<5	<5	<3	12	<10	<2	<0.2	4	4	313	<5	25	30
C205262	Rock	0.01	0.3	31	<2	14	<5	<5	<3	18	<10	<2	<0.2	3	5	544	<5	19	53
C205263	Rock	0.01	0.3	143	<2	22	15	<5	<3	13	<10	<2	<0.2	5	10	259	<5	19	30
C205264	Rock	0.01	0.3	114	<2	24	45	<5	<3	11	<10	<2	<0.2	6	8	323	<5	27	59
C205265	Rock	0.23	0.6	1048	<2	34	<5	<5	<3	32	<10	<2	<0.2	9	14	365	<5	27	103
C205266	Rock	0.01	0.5	411	<2	27	6	<5	<3	24	<10	<2	<0.2	9	11	151	<5	26	108
C205267	Rock	<0.01	0.4	125	<2	21	48	<5	<3	20	<10	<2	<0.2	5	10	122	<5	34	48
C205268	Rock	<0.01	0.4	57	34	45	8	<5	<3	6	<10	<2	<0.2	9	25	210	<5	38	66
C205269	Rock	0.03	0.4	302	<2	45	7	<5	<3	25	<10	<2	<0.2	9	27	354	<5	37	78
C205270	Rock	0.02	0.5	577	22	22	<5	<5	<3	35	<10	<2	<0.2	6	14	253	<5	40	44
C205271	Rock	0.02	0.5	357	<2	50	12	<5	<3	21	<10	<2	<0.2	9	33	273	<5	49	57
C205272	Rock	0.01	0.4	84	<2	26	10	<5	<3	40	<10	<2	<0.2	6	19	295	<5	59	38
C205429	Rock	0.10	0.8	930	<2	14	11	<5	<3	95	<10	<2	<0.2	3	2	410	<5	27	31
C205430	Rock	0.02	0.3	169	<2	13	48	<5	<3	25	<10	<2	<0.2	3	<1	441	<5	26	28
C205431	Rock	0.27	1.0	2041	<2	18	59	<5	<3	83	<10	<2	<0.2	4	5	140	<5	34	36
RE C205201	Repeat	0.04	0.3	87	<2	14	<5	<5	<3	38	<10	<2	<0.2	2	2	226	<5	46	34
RE C205220	Repeat	0.16	0.4	702	<2	41	5	<5	<3	38	<10	<2	<0.2	13	<1	412	<5	9	114
RE C205240	Repeat	0.16	0.7	697	<2	27	10	<5	<3	10	<10	<2	<0.2	5	7	382	<5	26	54

Minimum Detection                      0.01    0.1    1    2    1    5    5    3    1    10    2    0.2    1    1    2    5    1    1  
 Maximum Detection                      5000.00    100.0    10000    10000    10000    10000    2000    10000    1000    1000    2000    2000.0    10000    10000    10000    1000    10000    10000  
 Method                      FA/AAS    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP  
 —=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd.  
 Resources Corp.  
 Canada V7A 4R5  
 Phone: (604) 291-1229  
 Fax: (604) 291-1229  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

**75 Samples**  
 Ship#                      75=Rock      4=Repeat      1=Blk iPL      1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:01h] Aug 28, 2006

Page    2 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205240	560	6	96	20	3	<0.01	0.29	3.45	1.66	0.55	0.23	0.03	0.05
C205241	771	8	94	25	4	<0.01	0.27	4.83	2.01	0.64	0.23	0.03	0.06
C205242	506	6	60	14	3	<0.01	0.28	3.42	1.43	0.57	0.22	0.03	0.05
C205243	911	6	78	24	2	<0.01	0.19	6.29	2.16	0.70	0.15	0.03	0.03
C205244	668	5	100	19	3	<0.01	0.24	4.81	1.84	0.65	0.19	0.02	0.04
C205245	326	6	64	20	3	<0.01	0.28	2.30	1.26	0.48	0.21	0.03	0.06
C205246	487	7	89	19	8	<0.01	0.30	2.88	1.79	0.52	0.26	0.04	0.07
C205247	487	6	86	24	7	<0.01	0.32	2.72	1.63	0.50	0.28	0.03	0.07
C205248	537	6	83	27	5	<0.01	0.27	2.55	2.15	0.49	0.24	0.03	0.07
C205249	589	5	103	33	6	<0.01	0.28	3.15	2.26	0.53	0.26	0.02	0.06
C205250	377	5	100	18	2	<0.01	0.29	2.36	1.19	0.47	0.25	0.03	0.04
C205251	568	7	119	18	3	<0.01	0.33	3.76	1.58	0.59	0.28	0.02	0.05
C205252	571	7	99	19	5	<0.01	0.30	3.92	1.73	0.60	0.26	0.03	0.06
C205253	578	9	94	25	3	<0.01	0.32	3.73	1.87	0.59	0.27	0.03	0.09
C205254	527	7	85	20	3	<0.01	0.28	3.53	1.63	0.59	0.24	0.02	0.06
C205255	622	7	71	19	3	<0.01	0.27	4.14	1.62	0.64	0.22	0.02	0.04
C205256	677	8	84	17	2	<0.01	0.25	4.87	1.67	0.68	0.21	0.02	0.04
C205257	253	7	56	16	2	<0.01	0.25	1.53	0.85	0.36	0.20	0.03	0.04
C205258	364	6	54	18	3	<0.01	0.24	2.30	1.12	0.47	0.21	0.03	0.04
C205259	703	8	91	21	3	<0.01	0.24	5.08	1.82	0.69	0.20	0.02	0.04
C205260	485	11	88	18	2	<0.01	0.33	2.87	1.44	0.53	0.27	0.02	0.05
C205261	406	12	78	18	2	<0.01	0.32	2.66	1.25	0.53	0.25	0.04	0.06
C205262	435	11	78	19	5	<0.01	0.38	2.55	1.43	0.51	0.28	0.04	0.07
C205263	724	10	79	21	2	<0.01	0.36	4.09	1.75	0.62	0.29	0.02	0.05
C205264	491	10	61	37	6	<0.01	0.32	1.27	2.25	0.35	0.25	0.05	0.09
C205265	684	11	67	39	12	<0.01	0.36	2.00	3.01	0.46	0.29	0.04	0.12
C205266	738	12	72	25	15	<0.01	0.37	3.27	2.48	0.58	0.31	0.03	0.10
C205267	537	12	56	22	4	<0.01	0.24	2.48	1.65	0.49	0.19	0.05	0.06
C205268	710	10	56	36	7	<0.01	0.25	1.88	2.48	0.45	0.21	0.04	0.07
C205269	687	7	64	39	12	<0.01	0.34	1.85	2.89	0.45	0.28	0.03	0.11
C205270	547	12	66	28	5	<0.01	0.27	1.89	1.94	0.45	0.22	0.04	0.08
C205271	770	9	65	35	7	<0.01	0.25	1.95	2.75	0.47	0.21	0.04	0.07
C205272	427	8	49	17	4	<0.01	0.24	1.24	1.77	0.36	0.20	0.05	0.04
C205429	346	7	84	18	4	<0.01	0.33	2.17	1.59	0.42	0.24	0.04	0.08
C205430	367	6	80	12	4	<0.01	0.36	2.03	1.44	0.33	0.26	0.04	0.07
C205431	410	9	81	22	3	<0.01	0.31	2.54	1.65	0.47	0.25	0.03	0.07
RE C205201	241	8	60	18	4	<0.01	0.33	1.57	1.30	0.33	0.26	0.04	0.08
RE C205220	632	14	251	39	17	0.01	0.42	3.05	3.77	0.58	0.37	0.05	0.14
RE C205240	558	6	96	18	3	<0.01	0.28	3.43	1.68	0.55	0.24	0.03	0.05

Minimum Detection	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

---=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



2011136  
 P.O. Box 100  
 Richmond B.C.  
 Canada V7A 4V5  
 Phone (604) 879-7818  
 Fax (604) 272-0551  
 Website www.intertek.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# **75 Samples**  
 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006 Page 3 of 3  
 [238113:23:53:60090806:00h] Aug 28, 2006 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
RE C205259	Repeat	0.01	0.4	40	<2	36	<5	<5	<3	13	<10	<2	<0.2	5	20	284	<5	32	41
Blk iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
Maximum Detection	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
Method	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd.  
 Plasmalab Inc.  
 Canada VTA LTD  
 Phone: (604) 970-2379  
 Fax: (604) 970-2341  
 Website: www.plasma.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# **75 Samples**  
 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:001] Aug 28, 2006

Page 3 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
RE C205259	721	8	89	27	3	<0.01	0.24	5.08	1.88	0.69	0.20	0.02	0.04
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate% NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2484



1100 University Street  
 Vancouver, B.C.  
 Canada V7A 1T8  
 Phone (604) 879-7878  
 Fax (604) 879-7881  
 Website: www.iaia.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Ball Creek  
 Shipper : John Bradford

Shipment: PO#:

Comment:

227 Samples

Print: Sep 15, 2006 In: Sep 06, 2006

[248418:12:59:60091506:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	21	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B11100	170	Soil	Dry & sift to -80 mesh, discard reject.	12M/Dis	00M/Dis
B22100	36	Drill Co	Crush, split & pulverize to -150 Mesh.	12M/Dis	03M/Dis
B84100	12	Repeat	Repeat sample - no Charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Document Distribution

1 Paget Resources Corp  
 14th Floor - 400 Burrard St  
 Vancouver  
 B.C. V6C3G2  
 Canada  
 Att: John Bradford  
 Ph: 604.241.1765  
 Em: jbradford@shaw.ca

EN RT CC IN FX  
 1 2 1 1 0  
 DL 3D EM BT BL  
 0 0 0 0 0

2 Paget Resources Corp  
 14th Floor - 400 Burrard St  
 Vancouver  
 B.C. V6C3G2  
 Canada  
 Att: Henry Marsden  
 Em: henry\_marsden@telus.net

EN RT CC IN FX  
 1 2 1 1 0  
 DL 3D EM BT BL  
 0 0 0 0 0

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AQR)30

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
03	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
04	0711	ICP	ppm	Cu ICP	Copper	1	10000
05	0714	ICP	ppm	Pb ICP	Lead	2	10000
06	0730	ICP	ppm	Zn ICP	Zinc	1	10000
07	0703	ICP	ppm	As ICP	Arsenic	5	10000
08	0702	ICP	ppm	Sb ICP	Antimony	5	2000
09	0732	ICP	ppm	Hg ICP	Mercury	3	10000
10	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
11	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
12	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
13	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
14	0710	ICP	ppm	Co ICP	Cobalt	1	10000
15	0718	ICP	ppm	Ni ICP	Nickel	1	10000
16	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
17	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
18	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
19	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
20	0716	ICP	ppm	Mn ICP	Manganese	1	10000
21	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
22	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
23	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
24	0736	ICP	ppm	Sc ICP	Scandium	1	10000
25	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
26	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
27	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
28	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
29	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
30	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
31	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
32	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices FX=Fax(1=Yes 0=No) Totals: 2=COPY 2=Invoice 0=3 1/2 Disk  
 DL=Download 3D=3 1/2 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chin, Ron Williams

Signature: \_\_\_\_\_

# CERTIFICATE OF ANALYSIS

## iPL 0612484



1150  
 Laboratory BC  
 Canada V7A 1V5  
 Phone (604) 979-7878  
 Fax (604) 972-0851  
 Website www.intertek.com

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2003 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# **227 Samples**  
 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 1 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C206201	Rock	<0.01	---	0.3	20	10	70	20	<5	<3	12	<10	<2	<0.2	4	13	19	<5	122
C206202	Rock	0.08	---	0.3	62	10	68	<5	<5	<3	10	<10	<2	<0.2	5	8	24	<5	90
C206203	Rock	<0.01	---	0.2	66	<2	71	18	<5	<3	<1	<10	<2	<0.2	16	10	69	<5	39
C206204	Rock	<0.01	---	0.2	53	<2	102	24	<5	<3	<1	<10	<2	<0.2	17	7	26	<5	37
C206205	Rock	<0.01	---	0.1	77	<2	27	<5	<5	<3	<1	<10	<2	<0.2	9	6	54	<5	16
C206206	Rock	<0.01	---	0.2	31	<2	147	17	<5	<3	<1	<10	<2	<0.2	15	4	155	<5	17
C206207	Rock	0.01	---	0.2	86	<2	81	19	<5	<3	<1	<10	<2	<0.2	10	3	21	<5	18
C504766	Rock	0.01	---	0.2	26	<2	72	25	<5	<3	6	<10	<2	<0.2	2	<1	172	<5	17
C504767	Rock	<0.01	---	0.2	<1	<2	77	<5	<5	<3	20	<10	<2	<0.2	17	<1	23	<5	11
C504768	Rock	<0.01	---	0.2	5	8	76	18	<5	<3	5	<10	<2	<0.2	1	1	155	<5	51
C504769	Rock	<0.01	---	0.5	10	<2	107	20	<5	<3	<1	<10	<2	<0.2	19	6	22	<5	9
C504770	Rock	0.01	---	0.2	1	5	47	16	<5	<3	2	<10	<2	<0.2	1	<1	35	<5	57
C504771	Rock	<0.01	---	0.2	2	5	26	59	<5	<3	2	<10	<2	<0.2	<1	<1	207	<5	54
C504772	Rock	<0.01	---	0.2	2	5	42	22	<5	<3	2	<10	<2	<0.2	<1	<1	201	<5	44
C504773	Rock	<0.01	---	0.3	20	<2	58	26	<5	<3	<1	<10	<2	<0.2	4	<1	79	<5	55
C504774	Rock	11.20	11.00	0.5m	172	42	53	17	<5	<3	3	<10	<2	<0.2	3	1	111	<5	65
C504775	Rock	0.02	---	2.3	3	2	42	56	<5	<3	3	<10	<2	<0.2	3	<1	99	<5	87
C504776	Rock	0.14	---	23.0	20	13	51	<5	<5	<3	<1	<10	<2	<0.2	3	<1	74	<5	72
C504777	Rock	0.07	---	12.4	50	16	13	37	84	<3	<1	<10	<2	<0.2	<1	<1	72	9	56
C504778	Rock	0.01	---	0.6	160	<2	20	<5	<5	<3	2	<10	<2	<0.2	1	<1	502	6	66
C504779	Rock	0.01	---	1.6	139	<2	73	25	<5	<3	2	<10	<2	<0.2	5	<1	154	<5	55
C504270	Soil	0.02	---	1.9	66	9	123	48	6	<3	11	<10	<2	<0.2	16	10	436	<5	8
C504271	Soil	0.03	---	1.8	105	<2	144	65	17	<3	2	<10	<2	<0.2	22	66	568	<5	15
C504272	Soil	0.02	---	0.3	207	12	105	92	17	<3	11	<10	<2	<0.2	39	2	1332	<5	<1
C504273	Soil	0.03	---	2.1	96	49	329	357	15	<3	4	<10	<2	<0.2	24	7	272	<5	2
C504274	Soil	0.08	---	11.8	142	77	764	414	16	<3	11	<10	<2	<0.2	26	5	283	<5	<1
C504275	Soil	0.08	---	2.6	184	17	213	281	<5	<3	16	<10	<2	<0.2	34	7	333	<5	4
C504276	Soil	0.03	---	1.9	72	5	176	276	11	<3	5	<10	<2	<0.2	20	8	408	<5	4
C504277	Soil	0.04	---	1.1	37	7	304	275	<5	<3	4	<10	<2	<0.2	5	6	249	<5	9
C504278	Soil	0.01	---	0.3	48	15	158	195	<5	<3	5	<10	<2	<0.2	10	9	782	<5	16
C504279	Soil	0.04	---	0.7	57	<2	158	246	10	<3	2	<10	<2	<0.2	23	6	560	<5	7
C504280	Soil	0.03	---	1.1	278	12	862	134	8	<3	3	<10	<2	<0.2	8	13	154	<5	6
C504281	Soil	0.05	---	3.0	145	35	388	375	19	<3	6	<10	<2	<0.2	24	<1	218	<5	<1
C504282	Soil	0.08	---	1.6	118	<2	178	220	22	<3	4	<10	<2	<0.2	21	3	255	<5	1
C504283	Soil	<0.01	---	0.3	47	<2	105	77	<5	<3	<1	<10	<2	<0.2	16	5	566	<5	8
C504284	Soil	0.01	---	0.4	54	<2	104	35	<5	<3	<1	<10	<2	<0.2	15	5	649	<5	7
C504285	Soil	0.01	---	0.5	65	<2	101	34	<5	<3	<1	<10	<2	<0.2	12	<1	301	<5	5
C504286	Soil	0.01	---	0.3	34	<2	126	30	<5	<3	3	<10	<2	<0.2	13	2	418	<5	<1
C504287	Soil	0.01	---	0.6	38	<2	74	35	<5	<3	3	<10	<2	<0.2	15	<1	140	<5	<1

Minimum Detection	0.01	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1
Maximum Detection	5000.00	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000
Method	FA/AAS	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

---=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



11000 110th Street  
 Richmond, B.C.  
 Canada V7A 4V5  
 Phone (604) 271-8888  
 Fax (604) 272-0851  
 Website: www.intertek.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2009 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**227 Samples**

Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 1 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C206201	8	130	4	20	29	1	<0.01	0.26	0.35	3.02	0.16	0.04	0.01	0.02
C206202	8	114	<2	10	24	1	<0.01	0.34	0.28	1.99	0.12	0.14	0.02	0.02
C206203	108	1023	<2	33	45	4	0.24	2.02	1.76	3.32	0.55	0.07	0.08	0.07
C206204	88	1066	<2	28	56	6	0.24	3.14	3.63	3.47	0.61	0.01	0.03	0.07
C206205	41	1063	13	325	27	2	<0.01	0.93	4.20	2.13	0.45	0.29	0.02	0.14
C206206	134	1046	7	106	46	11	0.17	2.19	2.21	3.40	0.60	0.13	0.10	0.10
C206207	119	821	9	54	49	9	0.01	1.41	0.88	4.18	0.58	0.12	0.05	0.19
C504766	47	219	10	39	39	6	<0.01	1.55	0.45	3.59	0.28	0.19	0.02	0.08
C504767	44	1088	10	240	34	6	<0.01	0.40	5.31	3.15	0.15	0.09	0.03	0.21
C504768	6	249	20	30	29	3	<0.01	0.54	0.43	2.16	0.18	0.09	0.10	0.03
C504769	162	2207	12	180	50	13	<0.01	0.37	7.66	4.84	0.37	0.06	0.03	0.16
C504770	4	54	9	47	22	1	<0.01	0.28	0.40	1.86	0.03	0.13	0.09	0.17
C504771	12	70	14	38	24	2	<0.01	0.33	0.09	1.41	0.02	0.22	0.06	0.03
C504772	7	89	10	49	28	2	<0.01	0.38	0.12	1.92	0.08	0.22	0.03	0.08
C504773	100	350	9	5	31	3	0.05	0.36	0.07	2.27	0.05	0.18	0.03	0.05
C504774	88	594	10	10	27	4	0.03	0.78	0.29	2.01	0.41	0.15	0.04	0.07
C504775	61	686	12	8	27	3	0.04	0.22	0.10	1.76	0.03	0.17	0.01	0.05
C504776	67	383	7	6	25	2	0.03	0.26	0.06	1.57	0.03	0.15	0.01	0.05
C504777	359	67	8	8	38	1	0.02	0.26	0.12	3.23	0.02	0.19	0.01	0.05
C504778	21	81	8	12	14	<1	<0.01	0.24	0.10	1.23	0.01	0.16	0.01	0.05
C504779	64	550	10	14	34	5	<0.01	0.36	0.13	2.80	0.04	0.17	0.01	0.06
C504270	55	1372	23	171	41	6	<0.01	1.60	5.33	3.59	0.44	0.10	0.01	0.15
C504271	32	1228	9	81	42	10	<0.01	0.96	2.55	3.61	0.27	0.10	0.01	0.14
C504272	125	2301	15	49	63	14	<0.01	1.90	0.73	5.42	0.56	0.06	0.01	0.30
C504273	103	2306	17	48	59	9	<0.01	1.11	0.74	5.27	0.35	0.12	0.02	0.20
C504274	164	2454	20	27	99	7	<0.01	1.54	0.49	7.20	0.52	0.07	0.02	0.19
C504275	80	4015	32	34	98	10	0.01	1.76	0.42	6.80	0.42	0.11	0.02	0.25
C504276	100	2299	31	36	61	7	<0.01	1.31	0.45	4.96	0.34	0.08	0.02	0.18
C504277	48	1195	19	16	36	<1	0.01	2.10	0.18	3.64	0.18	0.05	0.01	0.21
C504278	49	1647	17	29	41	2	0.01	1.43	0.35	3.33	0.41	0.07	0.01	0.12
C504279	74	1982	24	31	58	8	0.05	2.49	0.51	4.61	0.60	0.16	0.02	0.18
C504280	23	1318	16	85	28	8	<0.01	0.51	3.62	2.75	0.10	0.13	0.01	0.21
C504281	87	2115	23	39	69	6	<0.01	2.17	0.32	5.35	0.55	0.15	0.02	0.20
C504282	81	2567	23	33	62	6	<0.01	1.56	0.52	5.14	0.48	0.12	0.02	0.19
C504283	111	1965	18	36	48	9	<0.01	2.32	0.94	4.15	0.58	0.11	0.01	0.15
C504284	90	1917	19	25	49	7	<0.01	2.22	0.62	4.02	0.54	0.10	0.01	0.16
C504285	59	1694	16	66	43	6	<0.01	1.76	1.42	3.75	0.46	0.12	0.01	0.17
C504286	68	1760	20	102	46	8	<0.01	1.97	0.50	4.20	0.49	0.08	0.02	0.17
C504287	48	1182	13	107	52	9	<0.01	1.42	0.05	4.53	0.31	0.18	0.04	0.19

Minimum Detection	1	1	2	1	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## IPL 06I2484



INTERNATIONAL PLASMA LABS LTD  
 6001 2000 CERTIFIED COMPANY  
 10000 University Ave  
 Burnaby, BC V5A 4V7  
 Canada  
 Phone: (604) 879-7679  
 Fax: (604) 212-0951  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 10000 UNIVERSITY AVE  
 BURNABY, BC V5A 4V7  
 CANADA  
 TEL: (604) 879-7679  
 FAX: (604) 212-0951  
 WWW.IPL.CA

Client : Paget Resources Corp  
 Project: Ball Creek

**227 Samples**  
 Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:0II] Sep 06, 2006

Page 2 of 7  
 Section 1 of 2


Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504288	Soil	<0.01	—	0.2	32	<2	120	24	<5	<3	1	<10	<2	<0.2	15	<1	525	<5	<1
C504289	Soil	0.23	—	0.6	39	<2	66	66	13	<3	5	<10	<2	<0.2	10	<1	447	<5	<1
C504290	Soil	0.34	—	5.6	27	16	37	309	25	<3	<1	<10	<2	<0.2	5	<1	115	<5	<1
C504291	Soil	0.03	—	0.2	59	<2	87	65	<5	<3	<1	<10	<2	<0.2	6	<1	740	<5	1
C504292	Soil	0.01	—	0.1	56	<2	60	72	<5	<3	<1	<10	<2	<0.2	13	7	408	<5	3
C504293	Soil	<0.01	—	0.2	16	<2	99	<5	<5	3	3	<10	<2	<0.2	9	<1	310	5	<1
C504294	Soil	0.01	—	0.4	55	<2	92	46	<5	<3	1	<10	<2	<0.2	14	5	821	<5	5
C504295	Soil	0.02	—	0.5	75	<2	71	35	<5	<3	<1	<10	<2	<0.2	14	5	505	<5	2
C504296	Soil	4.00	4.10	12.3	298	<2	155	2639	83	<3	2	<10	<2	<0.2	154	111	628	<5	5
C504297	Soil	0.02	—	0.6	86	<2	138	77	<5	<3	8	<10	<2	<0.2	17	29	389	<5	17
C504298	Soil	0.04	—	0.3	76	<2	104	29	<5	<3	1	<10	<2	<0.2	13	12	498	<5	2
C504299	Soil	0.02	—	1.5	98	<2	412	66	9	<3	42	<10	<2	<0.2	14	91	366	<5	10
C504300	Soil	0.02	—	2.0	91	3	126	110	10	<3	5	<10	<2	<0.2	17	15	271	<5	11
C504351	Soil	0.10	—	2.0	122	2	118	360	7	<3	1	<10	<2	<0.2	31	10	250	<5	3
C504352	Soil	0.02	—	0.9	31	3	119	61	<5	<3	3	<10	<2	<0.2	11	<1	300	<5	1
C504353	Soil	0.03	—	0.7	89	<2	116	19	<5	<3	3	<10	<2	<0.2	14	<1	1024	<5	<1
C504354	Soil	0.04	—	0.9	51	2	318	132	7	<3	4	<10	<2	<0.2	11	<1	585	<5	<1
C504355	Soil	0.04	—	0.9	102	<2	404	117	6	<3	6	<10	<2	<0.2	20	3	722	<5	3
C504356	Soil	0.03	—	2.6	14	6	203	64	<5	<3	3	<10	<2	<0.2	9	<1	384	<5	<1
C504357	Soil	0.07	—	0.4	68	<2	157	117	<5	<3	2	<10	<2	<0.2	18	<1	329	<5	<1
C504358	Soil	0.06	—	0.6	52	8	145	284	15	<3	7	<10	<2	<0.2	12	<1	254	<5	4
C504359	Soil	0.02	—	0.6	61	14	221	316	5	<3	4	<10	<2	<0.2	16	10	334	<5	7
C504360	Soil	0.05	—	0.8	58	<2	96	179	<5	<3	3	<10	<2	<0.2	23	3	240	<5	<1
C504361	Soil	0.03	—	0.8	71	<2	36	133	9	<3	2	<10	<2	<0.2	26	7	151	<5	<1
C504362	Soil	0.04	—	0.8	21	<2	78	77	<5	<3	2	<10	<2	<0.2	14	<1	359	<5	<1
C504363	Soil	0.04	—	0.5	64	<2	46	151	26	<3	2	<10	<2	<0.2	22	6	154	<5	<1
C504364	Soil	0.03	—	0.8	46	<2	74	538	10	<3	2	<10	<2	<0.2	21	2	285	<5	1
C504365	Soil	0.03	—	1.5	91	<2	133	299	41	<3	4	<10	<2	<0.2	37	42	230	<5	43
C504366	Soil	0.05	—	1.1	72	<2	151	84	<5	<3	3	<10	<2	<0.2	17	4	419	<5	8
C504367	Soil	0.04	—	0.9	90	<2	143	83	<5	<3	4	<10	<2	<0.2	18	8	1061	<5	7
C504368	Soil	0.03	—	1.8	147	8	135	559	<5	<3	1	<10	<2	<0.2	20	10	200	<5	20
C504369	Soil	0.02	—	3.2	145	8	85	394	13	<3	4	<10	<2	<0.2	32	13	64	<5	6
C504370	Soil	0.01	—	5.2	95	173	330	147	14	<3	6	<10	<2	<0.2	26	5	581	<5	5
C504371	Soil	0.02	—	2.6	122	<2	549	123	20	<3	24	<10	<2	<0.2	13	150	278	<5	18
C504372	Soil	0.01	—	2.2	252	<2	296	242	22	<3	35	<10	<2	<0.2	22	75	185	<5	17
C504373	Soil	0.03	—	0.5	81	<2	154	68	<5	<3	8	<10	<2	<0.2	15	20	425	<5	10
C504374	Soil	0.02	—	0.7	91	<2	139	76	<5	<3	6	<10	<2	<0.2	17	31	266	<5	18
C504375	Soil	<0.01	—	0.3	56	<2	135	52	<5	<3	2	<10	<2	<0.2	19	<1	599	<5	3
C504376	Soil	<0.01	—	0.3	74	4	164	57	<5	<3	5	<10	<2	<0.2	10	34	262	<5	13

Minimum Detection	0.01	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1
Maximum Detection	5000.0	5000.0	100.0	10000	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000
Method	FA/AAS	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# 227 Samples  
 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 2 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504288	26	422	19	85	45	8	<0.01	1.16	0.34	4.28	0.21	0.10	0.02	0.16
C504289	4	653	16	21	26	6	<0.01	0.40	0.20	2.16	0.04	0.12	<0.01	0.18
C504290	17	212	4	422	44	7	<0.01	0.35	0.28	3.74	0.07	0.35	0.08	0.12
C504291	35	1375	11	47	37	7	<0.01	1.66	4.89	2.98	0.46	0.15	0.01	0.09
C504292	44	872	6	43	32	16	<0.01	2.02	1.98	2.75	0.55	0.17	0.01	0.09
C504293	14	1416	15	75	41	6	<0.01	0.67	0.45	3.87	0.12	0.13	0.03	0.15
C504294	53	1405	14	112	50	8	0.01	2.37	1.10	3.88	0.52	0.12	0.01	0.12
C504295	24	1574	11	102	33	9	<0.01	0.96	4.57	2.20	0.43	0.14	0.01	0.12
C504296	73	1.29x	31	102	126	43	<0.01	1.09	0.95	7.81	0.38	0.05	0.01	0.23
C504297	101	1147	9	101	49	11	<0.01	0.82	2.71	3.96	0.34	0.07	0.01	0.13
C504298	49	1187	7	144	54	7	<0.01	0.53	4.91	4.27	0.19	0.07	0.01	0.11
C504299	113	1249	19	69	50	5	<0.01	0.57	1.13	3.70	0.07	0.08	0.01	0.17
C504300	106	2281	18	56	52	5	<0.01	2.27	1.49	4.53	0.60	0.08	0.01	0.18
C504351	108	1915	13	99	54	13	<0.01	1.94	2.14	4.64	0.53	0.14	0.01	0.24
C504352	29	2080	19	46	45	5	<0.01	0.55	1.75	3.75	0.18	0.09	0.01	0.13
C504353	44	1873	25	23	56	11	<0.01	1.35	0.58	4.50	0.44	0.07	0.01	0.21
C504354	51	1555	21	23	62	6	0.01	1.46	0.31	4.89	0.43	0.07	0.01	0.12
C504355	86	2271	30	43	63	9	0.03	1.59	1.86	4.98	0.48	0.18	0.02	0.15
C504356	34	2057	28	18	42	3	<0.01	1.11	0.50	3.83	0.40	0.09	0.02	0.13
C504357	100	2019	18	39	61	10	0.05	1.70	1.55	4.56	0.55	0.16	0.02	0.16
C504358	61	1516	16	43	45	9	<0.01	0.55	0.55	4.04	0.15	0.11	0.02	0.16
C504359	76	2186	21	28	53	3	0.01	1.22	0.32	4.58	0.22	0.08	0.01	0.19
C504360	79	1270	26	24	80	13	<0.01	1.16	0.10	5.75	0.20	0.09	0.03	0.14
C504361	31	774	10	12	94	5	<0.01	0.34	0.01	7.01	0.03	0.11	0.01	0.31
C504362	81	2254	32	58	66	11	<0.01	2.68	0.45	5.14	0.47	0.09	0.05	0.17
C504363	121	2031	15	33	77	8	<0.01	1.67	0.34	5.62	0.29	0.10	0.03	0.17
C504364	99	2076	36	21	60	12	<0.01	0.84	0.15	5.20	0.07	0.09	0.01	0.17
C504365	196	2708	7	30	133	19	0.14	2.46	0.43	7.73	0.67	0.11	0.02	0.18
C504366	105	1954	16	32	42	2	0.02	2.00	0.38	4.20	0.49	0.11	0.02	0.15
C504367	84	1460	22	58	45	10	0.01	1.72	0.58	4.13	0.45	0.09	0.02	0.14
C504368	60	1365	19	48	41	4	<0.01	1.66	2.29	3.43	0.51	0.14	0.01	0.19
C504369	127	2412	15	57	75	10	<0.01	2.63	1.69	5.66	0.64	0.10	0.01	0.22
C504370	123	2796	19	38	71	8	<0.01	2.36	0.87	5.28	0.60	0.09	0.01	0.22
C504371	67	1425	13	104	50	8	<0.01	0.40	0.82	3.89	0.08	0.12	0.01	0.18
C504372	56	903	15	96	46	11	<0.01	0.41	1.23	3.48	0.03	0.13	0.01	0.28
C504373	78	2119	15	34	48	11	<0.01	1.45	0.44	4.02	0.37	0.07	0.01	0.16
C504374	92	1286	9	77	46	13	<0.01	0.89	1.61	4.06	0.31	0.08	0.02	0.17
C504375	157	2069	25	87	71	7	0.15	5.87	1.03	4.42	0.58	0.03	2.29	0.23
C504376	45	615	8	149	35	6	<0.01	0.64	1.77	3.04	0.14	0.09	0.05	0.14

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## IPL 06I2484



10000  
 10000  
 Canada VIA TV  
 Phone: (416) 609-1111  
 Fax: (416) 609-1111  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# **227 Samples**

21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 3 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504377	Soil	<0.01	—	0.2	67	<2	127	28	<5	<3	<1	<10	<2	<0.2	22	13	230	<5	19
C504378	Soil	<0.01	—	0.2	61	<2	127	42	<5	<3	<1	<10	<2	<0.2	21	4	167	<5	7
C504379	Soil	<0.01	—	0.2	69	<2	137	53	<5	<3	4	<10	<2	<0.2	14	27	211	<5	6
C504380	Soil	0.02	—	5.7	132	4	581	116	14	<3	50	<10	<2	<0.2	8	66	323	<5	13
C504381	Soil	<0.01	—	0.4	90	<2	156	91	8	<3	4	<10	<2	<0.2	9	28	108	<5	4
C504382	Soil	<0.01	—	0.4	117	<2	205	101	6	<3	8	<10	<2	<0.2	21	44	106	<5	17
C504383	Soil	<0.01	—	0.1	70	39	332	76	10	<3	2	<10	<2	<0.2	22	22	177	<5	32
C504384	Soil	0.02	—	0.5	154	<2	155	69	<5	<3	1	<10	<2	<0.2	21	41	168	<5	3
C504385	Soil	0.01	—	0.7	161	<2	197	120	<5	<3	7	<10	<2	<0.2	22	38	119	<5	12
C504386	Soil	<0.01	—	0.5	120	<2	166	101	<5	<3	3	<10	<2	<0.2	19	33	116	<5	8
C504387	Soil	<0.01	—	0.3	105	<2	119	68	<5	<3	3	<10	<2	<0.2	25	28	131	<5	12
C504388	Soil	0.02	—	1.2	102	<2	168	174	11	<3	19	<10	<2	<0.2	17	44	282	<5	11
C504389	Soil	0.01	—	0.9	99	<2	195	152	15	<3	16	<10	<2	<0.2	12	32	398	<5	13
C504390	Soil	<0.01	—	0.8	93	<2	177	109	<5	<3	10	<10	<2	<0.2	15	25	798	<5	13
C504391	Soil	0.01	—	1.7	119	<2	470	60	6	<3	24	<10	<2	<0.2	10	79	331	<5	16
C504392	Soil	0.01	—	1.2	80	3	346	71	6	<3	35	<10	<2	<0.2	11	61	266	<5	14
C504393	Soil	0.01	—	1.1	96	6	228	79	<5	<3	34	<10	<2	<0.2	10	56	314	<5	7
C504394	Soil	0.02	—	2.1	142	15	509	131	16	<3	38	<10	<2	<0.2	11	105	474	<5	24
C504395	Soil	0.01	—	1.1	98	<2	267	65	9	<3	12	<10	<2	<0.2	11	51	507	<5	18
C504396	Soil	0.01	—	2.2	128	<2	786	105	18	<3	26	<10	<2	<0.2	13	118	298	<5	10
C504397	Soil	0.01	—	0.6	107	<2	149	79	5	<3	15	<10	<2	<0.2	16	29	777	<5	16
C504398	Soil	0.01	—	0.5	86	<2	117	63	<5	<3	6	<10	<2	<0.2	18	19	840	<5	11
C504399	Soil	0.02	—	1.6	109	13	318	213	30	<3	26	<10	<2	<0.2	17	42	286	<5	8
C504400	Soil	0.05	—	2.8	81	29	277	266	25	<3	31	<10	<2	<0.2	17	56	175	<5	4
C504401	Soil	0.03	—	1.7	121	9	187	160	21	3	18	<10	<2	<0.2	16	37	232	<5	12
C504416	Soil	<0.01	—	0.5	46	<2	115	40	<5	<3	4	<10	<2	<0.2	16	10	478	<5	4
C504417	Soil	<0.01	—	0.3	51	<2	113	43	<5	<3	1	<10	<2	<0.2	15	6	312	<5	4
C504418	Soil	0.01	—	0.6	88	<2	149	55	<5	<3	1	<10	<2	<0.2	35	24	316	<5	34
C504419	Soil	0.01	—	0.6	129	<2	120	76	<5	<3	<1	<10	<2	<0.2	22	22	222	<5	5
C504420	Soil	<0.01	—	0.3	112	<2	141	41	<5	<3	1	<10	<2	<0.2	25	27	209	<5	24
C504421	Soil	0.01	—	0.4	111	<2	142	38	<5	<3	<1	<10	<2	<0.2	24	29	400	<5	27
C504422	Soil	<0.01	—	0.3	154	<2	161	44	<5	<3	2	<10	<2	<0.2	20	25	266	<5	14
C504423	Soil	0.01	—	0.5	83	<2	149	51	<5	<3	1	<10	<2	<0.2	22	27	469	<5	24
C504424	Soil	<0.01	—	0.3	100	<2	146	115	<5	<3	2	<10	<2	<0.2	24	42	364	<5	25
C504425	Soil	<0.01	—	0.3	63	<2	152	53	<5	<3	2	<10	<2	<0.2	16	11	211	<5	4
C504426	Soil	0.01	—	0.3	49	<2	146	91	<5	<3	1	<10	<2	<0.2	16	2	175	<5	<1
C504427	Soil	<0.01	—	0.3	64	<2	166	34	<5	<3	5	<10	<2	<0.2	9	48	193	<5	10
C504428	Soil	<0.01	—	0.2	83	<2	140	117	10	<3	4	<10	<2	<0.2	18	36	191	<5	10
C504429	Soil	<0.01	—	0.3	73	<2	123	39	<5	<3	1	<10	<2	<0.2	14	13	309	<5	15

Minimum Detection: 0.01, 0.01, 0.1, 1, 2, 1, 5, 5, 3, 1, 10, 2, 0.2, 1, 1, 2, 5, 1  
 Maximum Detection: 5000.00, 5000.00, 100.0, 10000, 10000, 10000, 10000, 2000, 10000, 1000, 1000, 2000, 2000.0, 10000, 10000, 10000, 1000, 10000  
 Method: FA/AAS, FA/AAS, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

iPL 06I2484



International Plasma Labs Ltd.  
 15000 17th Ave S  
 Suite 100  
 Tukwila, WA 98148  
 Phone: (206) 835-1100  
 Fax: (206) 835-1101  
 Website: www.ipl.com

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

## 227 Samples

Ship#

21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 3 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504377	206	1726	11	87	61	21	0.04	3.36	1.23	4.76	0.76	0.02	0.10	0.14
C504378	144	1502	13	35	46	13	<0.01	0.87	0.51	4.20	0.24	0.05	0.02	0.19
C504379	54	1175	12	171	54	9	<0.01	0.42	3.11	3.65	0.13	0.10	0.01	0.25
C504380	581	5469	16	114	44	9	<0.01	0.42	4.19	3.16	0.56	0.15	0.01	0.22
C504381	50	274	3	36	45	10	<0.01	0.28	0.33	3.99	0.07	0.09	0.01	0.07
C504382	111	1354	5	34	51	13	<0.01	0.38	0.22	4.40	0.08	0.08	0.01	0.11
C504383	155	1290	<2	151	42	18	<0.01	0.28	1.93	3.60	0.30	0.06	0.01	0.02
C504384	31	620	7	101	51	8	<0.01	0.28	3.58	3.76	0.13	0.11	0.01	0.11
C504385	86	1021	6	104	52	14	<0.01	0.37	1.97	4.36	0.22	0.13	0.01	0.12
C504386	54	965	7	113	49	12	<0.01	0.35	2.67	4.11	0.33	0.10	0.01	0.13
C504387	72	1271	6	125	47	12	<0.01	0.28	3.34	3.97	0.51	0.10	0.01	0.10
C504388	86	994	6	132	48	12	<0.01	0.42	2.45	3.66	0.19	0.09	0.01	0.13
C504389	95	718	5	74	40	10	<0.01	0.65	0.55	3.32	0.19	0.12	0.01	0.16
C504390	117	933	7	177	44	10	<0.01	0.88	3.50	3.69	0.27	0.08	0.02	0.16
C504391	125	526	13	318	35	8	<0.01	0.57	4.49	2.97	0.09	0.12	0.01	0.28
C504392	129	734	7	208	36	7	<0.01	0.46	2.62	2.64	0.14	0.12	0.01	0.20
C504393	77	1071	7	175	45	10	<0.01	0.54	2.57	3.23	0.09	0.14	0.01	0.13
C504394	108	1059	9	238	43	9	<0.01	0.73	3.18	2.97	0.08	0.15	0.01	0.31
C504395	110	727	9	310	38	9	<0.01	0.71	6.61	2.92	0.13	0.13	0.01	0.24
C504396	100	214	6	164	53	6	<0.01	0.38	2.92	4.11	0.06	0.09	0.01	0.17
C504397	142	942	6	101	50	12	<0.01	0.87	1.37	3.98	0.25	0.09	0.02	0.15
C504398	112	1020	7	103	53	10	<0.01	0.96	2.54	4.08	0.35	0.10	0.02	0.12
C504399	94	1372	7	111	45	14	<0.01	0.57	0.31	3.87	0.05	0.23	0.01	0.19
C504400	53	901	5	121	64	10	<0.01	0.56	0.25	4.74	0.04	0.29	0.01	0.17
C504401	61	866	6	120	39	12	<0.01	0.51	0.53	3.16	0.11	0.18	0.01	0.14
C504416	133	1516	19	166	59	9	0.09	3.64	4.10	3.81	0.62	0.07	1.44	0.19
C504417	112	1511	15	136	55	8	0.01	1.50	3.01	4.00	0.45	0.07	0.36	0.22
C504418	195	2177	13	46	72	15	0.10	2.69	1.32	5.00	0.72	0.04	0.04	0.15
C504419	62	1108	6	101	47	13	<0.01	0.41	2.85	4.05	0.19	0.09	0.01	0.12
C504420	147	1469	6	87	61	16	<0.01	0.51	1.19	4.86	0.13	0.08	0.01	0.14
C504421	164	1438	9	143	54	16	<0.01	0.94	3.35	4.77	0.33	0.07	0.01	0.12
C504422	94	1151	14	23	52	11	<0.01	1.02	0.46	4.68	0.20	0.09	0.01	0.09
C504423	139	1635	15	53	66	11	<0.01	1.49	1.03	4.72	0.39	0.10	0.17	0.16
C504424	95	2069	6	43	62	11	<0.01	0.75	0.66	4.70	0.28	0.11	0.01	0.07
C504425	109	1745	12	76	56	9	<0.01	0.58	0.68	4.54	0.14	0.09	0.03	0.14
C504426	118	2020	23	64	59	7	<0.01	0.58	0.46	4.74	0.10	0.09	0.02	0.17
C504427	30	838	15	246	43	5	<0.01	0.72	2.57	3.17	0.07	0.13	0.01	0.28
C504428	76	1569	16	37	52	7	<0.01	0.82	0.28	4.72	0.08	0.08	0.01	0.13
C504429	99	1311	14	39	53	5	0.01	1.45	0.86	3.90	0.33	0.07	0.02	0.18

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## IPL 06I2484



100-1100  
 Richmond BC  
 Canada V7A 1Z6  
 Phone (604) 272-2579  
 Fax (604) 272-0801  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# **227 Samples**  
 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00In] Sep 06, 2006

Page 4 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504430	Soil	<0.01	—	0.7	114	<2	144	42	<5	<3	5	<10	<2	<0.2	43	36	608	<5	74
C504431	Soil	0.01	—	0.6	79	<2	382	57	12	<3	17	<10	<2	<0.2	7	46	175	<5	7
C504432	Soil	0.01	—	1.9	44	10	106	86	5	<3	7	<10	<2	<0.2	2	21	131	<5	8
C504433	Soil	0.02	—	2.0	79	11	245	78	12	<3	17	<10	<2	<0.2	13	48	179	<5	11
C504434	Soil	0.01	—	2.2	136	<2	416	124	12	<3	39	<10	<2	<0.2	21	100	179	<5	13
C504435	Soil	0.02	—	1.6	58	<2	156	37	<5	<3	23	<10	<2	<0.2	8	34	167	<5	10
C504436	Soil	0.01	—	2.2	123	<2	368	66	<5	<3	40	<10	<2	<0.2	13	99	180	<5	16
C504437	Soil	<0.01	—	0.4	75	6	321	96	<5	<3	19	<10	<2	<0.2	10	47	221	<5	13
C504438	Soil	0.01	—	1.2	130	2	854	96	15	<3	112	<10	<2	<0.2	14	93	217	<5	15
C504439	Soil	<0.01	—	0.2	45	<2	129	37	<5	<3	3	<10	<2	<0.2	11	<1	212	<5	<1
C504440	Soil	0.02	—	0.5	59	<2	156	45	<5	<3	3	<10	<2	<0.2	20	1	234	<5	<1
C504441	Soil	<0.01	—	0.3	54	<2	133	38	<5	<3	3	<10	<2	<0.2	15	3	206	<5	<1
C504442	Soil	<0.01	—	0.3	24	<2	116	39	<5	<3	1	<10	<2	<0.2	13	<1	330	<5	2
C504443	Soil	<0.01	—	0.2	44	<2	119	24	<5	<3	2	<10	<2	<0.2	11	4	274	<5	3
C504444	Soil	<0.01	—	0.2	65	<2	98	27	<5	<3	<1	<10	<2	<0.2	11	4	179	<5	7
C504445	Soil	<0.01	—	0.2	122	<2	112	33	<5	<3	3	<10	<2	<0.2	31	35	364	<5	92
C504446	Soil	<0.01	—	0.2	55	<2	142	22	<5	<3	<1	<10	<2	<0.2	15	8	258	<5	8
C504447	Soil	<0.01	—	0.2	41	<2	126	35	<5	<3	3	<10	<2	<0.2	13	7	182	<5	6
C504448	Soil	0.02	—	0.2	57	<2	127	36	<5	<3	<1	<10	<2	<0.2	11	<1	194	<5	<1
C504449	Soil	<0.01	—	0.2	47	10	184	26	<5	<3	<1	<10	<2	<0.2	17	<1	295	<5	<1
C504450	Soil	0.01	—	0.3	55	<2	147	75	<5	<3	2	<10	<2	<0.2	15	1	206	<5	<1
C504501	Soil	0.01	—	0.3	51	<2	140	42	<5	<3	1	<10	<2	<0.2	16	2	336	<5	2
C504502	Soil	0.01	—	0.3	50	<2	144	34	<5	<3	<1	<10	<2	<0.2	15	3	1681	<5	<1
C504503	Soil	<0.01	—	0.2	41	<2	110	<5	<5	<3	<1	<10	<2	<0.2	11	1	140	<5	<1
C504504	Soil	0.01	—	0.3	44	<2	156	37	<5	<3	<1	<10	<2	<0.2	17	3	448	<5	<1
C504505	Soil	<0.01	—	0.4	18	<2	107	34	<5	<3	<1	<10	<2	<0.2	9	1	156	<5	8
C504506	Soil	0.01	—	0.2	45	<2	136	21	<5	<3	1	<10	<2	<0.2	13	3	153	<5	<1
C504507	Soil	<0.01	—	0.1	37	<2	72	63	15	<3	8	<10	<2	<0.2	2	6	237	<5	11
C504508	Soil	<0.01	—	0.2	48	<2	129	77	14	<3	4	<10	<2	<0.2	5	33	333	<5	12
C504509	Soil	0.01	—	0.3	61	<2	146	83	6	<3	4	<10	<2	<0.2	19	11	358	<5	3
C504510	Soil	0.01	—	0.3	56	<2	151	24	<5	<3	2	<10	<2	<0.2	14	<1	269	<5	<1
C504511	Soil	0.01	—	0.4	59	<2	131	48	<5	<3	2	<10	<2	<0.2	18	1	841	<5	3
C504512	Soil	0.01	—	0.4	57	<2	116	32	<5	<3	<1	<10	<2	<0.2	15	3	440	<5	2
C504513	Soil	0.01	—	0.4	53	<2	117	37	<5	<3	<1	<10	<2	<0.2	14	2	310	<5	3
C504514	Soil	<0.01	—	0.2	50	<2	103	23	<5	<3	<1	<10	<2	<0.2	13	<1	157	<5	<1
C504515	Soil	0.01	—	0.4	108	<2	124	42	<5	<3	<1	<10	<2	<0.2	31	16	550	<5	37
C504516	Soil	0.01	—	0.3	110	<2	105	25	<5	<3	<1	<10	<2	<0.2	27	14	250	<5	35
C504517	Soil	<0.01	—	0.3	12	<2	65	20	<5	<3	<1	<10	<2	<0.2	5	17	214	<5	25
C504518	Soil	<0.01	—	0.2	10	<2	67	21	<5	<3	<1	<10	<2	<0.2	7	17	316	<5	29

Minimum Detection: 0.01, 0.01, 0.1, 1, 2, 1, 5, 5, 3, 1, 10, 2, 0.2, 1, 1, 2, 5, 1  
 Maximum Detection: 5000.00, 5000.00, 100.0, 10000, 10000, 10000, 10000, 2000, 10000, 1000, 1000, 2000, 2000.0, 10000, 10000, 10000, 1000, 10000  
 Method: FA/AAS, FA/AAS, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP  
 —=No Test Ins=Insufficient Sample Dcl=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06I2484



Intertek Inc.  
 10000 W. 4th Ave.  
 Denver, CO 80202-2500  
 Tel: 303.440.9600  
 Web: www.intertek.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client: Paget Resources Corp  
 Project: Ball Creek

**227 Samples**

Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:0(h)] Sep 06, 2006

Page 4 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504430	238	1635	8	47	71	22	0.17	2.82	2.02	4.96	0.74	0.03	0.04	0.11
C504431	84	321	8	257	21	6	<0.01	0.69	8.39	1.84	0.13	0.13	0.01	0.18
C504432	40	1053	6	373	10	5	<0.01	0.29	16%	1.25	0.19	0.04	0.01	0.16
C504433	84	1482	10	405	36	10	<0.01	0.61	11%	2.58	0.23	0.07	0.01	0.19
C504434	106	1328	12	122	49	12	<0.01	0.55	4.00	3.95	0.16	0.15	0.01	0.25
C504435	74	595	8	399	27	6	<0.01	0.64	12%	2.19	0.23	0.10	0.01	0.16
C504436	66	839	11	84	47	5	<0.01	0.69	0.94	3.27	0.06	0.09	0.01	0.15
C504437	52	840	17	48	51	3	0.02	1.64	0.77	3.76	0.14	0.08	0.02	0.18
C504438	474	512	10	59	46	7	<0.01	0.40	0.81	3.75	0.03	0.11	0.01	0.23
C504439	114	1703	25	90	46	6	<0.01	3.01	1.20	3.99	0.26	0.05	1.67	0.20
C504440	154	2380	28	76	77	8	0.18	5.21	0.91	4.71	0.58	0.02	2.38	0.23
C504441	119	2121	31	99	51	7	0.01	3.76	0.99	4.38	0.30	0.05	1.85	0.23
C504442	86	2144	26	58	45	7	0.01	4.79	0.81	4.26	0.50	0.06	2.03	0.19
C504443	102	1352	20	89	51	7	<0.01	2.31	1.46	4.20	0.34	0.10	1.21	0.19
C504444	100	910	24	44	38	7	0.03	1.43	0.75	3.63	0.44	0.12	0.11	0.25
C504445	178	2018	15	81	59	27	0.01	1.88	1.05	4.82	0.45	0.09	0.06	0.19
C504446	145	1738	20	38	48	11	<0.01	1.10	0.68	4.55	0.28	0.09	0.05	0.21
C504447	128	1777	24	47	51	7	0.01	3.51	0.56	4.37	0.49	0.06	0.62	0.16
C504448	108	2322	28	81	47	6	<0.01	3.63	0.78	3.95	0.55	0.14	0.60	0.15
C504449	119	2763	28	60	43	5	<0.01	1.30	0.51	4.41	0.28	0.08	0.13	0.15
C504450	137	2185	30	52	59	7	<0.01	1.52	0.77	4.71	0.22	0.06	0.45	0.22
C504501	145	2259	34	93	56	9	0.02	4.78	0.84	4.58	0.48	0.06	1.59	0.25
C504502	152	2103	27	67	58	8	0.01	2.84	0.75	4.69	0.33	0.04	0.91	0.22
C504503	61	1499	16	65	38	8	<0.01	0.62	1.50	3.50	0.15	0.12	0.03	0.13
C504504	125	2173	22	55	58	8	0.02	2.13	0.62	4.66	0.32	0.08	0.56	0.19
C504505	77	1194	29	23	57	3	0.15	3.40	0.35	4.02	0.18	0.06	0.05	0.17
C504506	131	2134	20	44	55	8	<0.01	0.74	0.59	4.45	0.13	0.11	0.02	0.15
C504507	37	735	14	139	25	2	<0.01	0.80	0.16	2.41	0.09	0.06	0.01	0.10
C504508	19	573	11	389	21	5	<0.01	0.50	5.42	2.17	0.06	0.09	0.01	0.16
C504509	125	2241	13	101	54	9	<0.01	0.54	1.21	4.44	0.09	0.09	0.01	0.11
C504510	120	2160	28	55	54	7	<0.01	1.44	0.64	4.73	0.26	0.09	0.30	0.22
C504511	126	2771	35	66	68	8	0.02	5.93	0.46	4.41	0.57	0.06	1.18	0.22
C504512	118	2683	28	75	54	9	0.01	4.08	0.76	4.11	0.58	0.11	0.40	0.19
C504513	123	2013	34	79	49	7	<0.01	3.92	0.81	4.20	0.53	0.10	0.63	0.20
C504514	95	1850	28	62	34	4	<0.01	2.28	0.81	3.17	0.50	0.13	0.05	0.15
C504515	256	1986	11	66	68	31	0.02	2.72	0.72	5.15	0.59	0.06	0.08	0.20
C504516	217	1595	13	42	71	22	0.12	2.60	0.84	4.89	0.61	0.08	0.03	0.17
C504517	24	495	13	24	30	3	0.02	2.00	0.10	1.86	0.30	0.08	0.01	0.06
C504518	23	715	13	36	26	3	0.02	2.11	0.12	1.92	0.31	0.08	0.02	0.06

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—>No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

**iPL 06I2484**



1500012500 CERTIFIED COMPANY  
 Client : Paget Resources Corp  
 Project : Ball Creek  
 Ship# : 21=Rock 170=Soil 36=Drill Core 12=Repeat  
 [248418:12:59:60091506:0Gh]  
 Print: Sep 15, 2006  
 Page 5 of 7  
 Section 1 of 2

INTERNATIONAL PLASMA LABS LTD.  
 1500012500 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project : Ball Creek

Ship#

**227 Samples**

21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:0Gh] Sep 06, 2006

Page 5 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504519	Soil	<0.01	—	0.1	10	<2	62	23	<5	<3	<1	<10	<2	<0.2	4	18	253	<5	28
C504520	Soil	<0.01	—	0.1	11	<2	57	21	<5	<3	2	<10	<2	<0.2	4	15	208	<5	26
C504521	Soil	<0.01	—	0.1	12	<2	60	20	<5	<3	<1	<10	<2	<0.2	6	11	318	<5	16
C504522	Soil	<0.01	—	<0.1	12	<2	84	25	<5	<3	<1	<10	<2	<0.2	5	8	177	<5	15
C504523	Soil	<0.01	—	0.2	16	<2	82	24	<5	<3	<1	<10	<2	<0.2	5	13	141	<5	17
C504524	Soil	<0.01	—	0.1	16	<2	78	27	<5	<3	3	<10	<2	<0.2	7	8	149	<5	11
C504525	Soil	<0.01	—	0.1	13	<2	63	23	<5	<3	1	<10	<2	<0.2	6	19	322	<5	30
C504526	Soil	<0.01	—	<0.1	12	<2	54	20	<5	<3	<1	<10	<2	<0.2	4	20	291	<5	27
C504527	Soil	<0.01	—	0.1	12	<2	62	23	<5	<3	<1	<10	<2	<0.2	6	24	232	<5	32
C504528	Soil	<0.01	—	0.1	13	<2	50	67	<5	<3	<1	<10	<2	<0.2	5	22	375	<5	26
C504529	Soil	<0.01	—	0.1	11	<2	41	62	<5	<3	<1	<10	<2	<0.2	4	15	294	<5	22
C504530	Soil	<0.01	—	0.1	8	<2	65	21	<5	<3	<1	<10	<2	0.5	3	14	180	<5	29
C504531	Soil	<0.01	—	0.1	8	<2	58	24	<5	<3	<1	<10	<2	<0.2	7	22	329	<5	28
C504532	Soil	<0.01	—	0.1	6	<2	62	22	<5	<3	<1	<10	<2	<0.2	3	16	296	<5	25
C504533	Soil	<0.01	—	0.1	8	<2	63	21	<5	<3	<1	<10	<2	<0.2	4	14	327	<5	25
C504534	Soil	<0.01	—	0.1	16	<2	85	65	<5	<3	<1	<10	<2	<0.2	6	10	124	<5	13
C504535	Soil	<0.01	—	0.1	11	<2	74	21	<5	<3	<1	<10	<2	<0.2	6	8	119	<5	17
C504536	Soil	<0.01	—	0.2	9	<2	57	20	<5	<3	<1	<10	<2	<0.2	2	6	226	<5	19
C504537	Soil	<0.01	—	0.1	11	<2	64	22	<5	<3	<1	<10	<2	<0.2	5	16	245	<5	27
C504538	Soil	<0.01	—	0.2	15	<2	87	19	<5	<3	<1	<10	<2	<0.2	9	9	135	<5	15
C504539	Soil	<0.01	—	0.1	10	<2	73	24	<5	<3	2	<10	<2	<0.2	4	13	313	<5	30
C504540	Soil	<0.01	—	0.1	8	<2	73	23	<5	<3	<1	<10	<2	<0.2	4	17	321	<5	28
C504541	Soil	<0.01	—	0.2	11	<2	61	24	<5	<3	<1	<10	<2	<0.2	7	14	161	<5	18
C504542	Soil	0.01	—	0.6	59	5	118	98	25	<3	4	<10	<2	<0.2	7	42	350	<5	12
C504543	Soil	0.02	—	0.5	44	<2	121	52	<5	<3	11	<10	<2	<0.2	7	21	303	<5	15
C504544	Soil	0.02	—	0.3	47	6	107	67	11	<3	9	<10	<2	<0.2	9	31	453	<5	12
C504545	Soil	<0.01	—	0.1	40	5	113	41	<5	<3	2	<10	<2	<0.2	6	17	149	<5	6
C504546	Soil	<0.01	—	0.1	42	5	156	29	<5	<3	3	<10	<2	<0.2	6	26	181	<5	4
C504547	Soil	<0.01	—	1.1	138	<2	259	104	20	<3	8	<10	<2	<0.2	27	100	204	<5	16
C504548	Soil	<0.01	—	0.5	96	<2	140	63	6	<3	2	<10	<2	<0.2	20	45	241	<5	26
C504549	Soil	<0.01	—	0.4	120	<2	127	34	<5	<3	<1	<10	<2	<0.2	25	26	191	<5	39
C504550	Soil	0.01	—	2.5	169	2	502	61	7	<3	33	<10	<2	<0.2	15	120	288	<5	17
C504551	Soil	<0.01	—	0.6	82	<2	176	95	<5	<3	5	<10	<2	<0.2	19	26	257	<5	20
C504552	Soil	0.01	—	0.4	81	<2	154	42	<5	<3	4	<10	<2	<0.2	23	23	281	<5	28
C504553	Soil	<0.01	—	0.4	53	<2	156	48	<5	<3	6	<10	<2	<0.2	13	18	288	5	10
C504601	Drill Core	0.03	—	0.5	1020	<2	44	16	<5	<3	93	<10	<2	<0.2	20	5	64	<5	29
C504602	Drill Core	0.01	—	0.3	494	<2	23	<5	<5	<3	60	<10	<2	1.1	8	5	39	<5	29
C504603	Drill Core	0.02	—	2.1	975	89	140	28	<5	<3	41	<10	<2	<0.2	18	4	32	<5	18
C504604	Drill Core	0.02	—	0.8	744	<2	92	64	<5	<3	42	<10	<2	<0.2	14	5	28	<5	19

Minimum Detection	0.01	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1
Maximum Detection	5000.00	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000
Method	FA/AAS	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



10000  
 10000  
 Canada V7A 3V4  
 Phone: (604) 920-0228  
 Fax: (604) 920-0234  
 Website: www.ipl.com

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**227 Samples**

Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 5 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504519	23	527	13	29	15	2	0.01	2.05	0.10	1.87	0.29	0.07	0.02	0.06
C504520	24	532	14	23	18	3	0.02	1.77	0.10	1.82	0.29	0.07	0.02	0.05
C504521	57	653	16	45	33	4	0.05	1.49	0.29	2.40	0.26	0.07	0.03	0.06
C504522	71	777	13	24	39	5	0.06	1.73	0.23	2.97	0.29	0.08	0.02	0.09
C504523	87	848	20	16	34	5	0.06	1.38	0.17	2.89	0.27	0.06	0.02	0.09
C504524	87	901	16	26	44	6	0.11	1.56	0.33	2.96	0.30	0.08	0.03	0.11
C504525	27	540	16	44	19	3	0.02	2.07	0.16	1.91	0.32	0.09	0.03	0.04
C504526	21	512	17	40	22	3	0.02	1.76	0.13	1.71	0.30	0.07	0.03	0.04
C504527	26	611	16	25	24	4	0.02	1.98	0.11	1.92	0.35	0.08	0.03	0.05
C504528	22	540	17	57	25	3	0.02	1.78	0.16	1.78	0.31	0.08	0.03	0.04
C504529	23	440	16	38	16	3	0.02	1.36	0.15	1.65	0.29	0.05	0.02	0.03
C504530	24	368	13	21	24	2	0.01	2.11	0.09	1.97	0.31	0.07	0.02	0.05
C504531	24	519	15	36	20	3	0.03	2.05	0.14	1.85	0.31	0.10	0.03	0.05
C504532	30	431	13	36	27	3	0.04	1.83	0.14	1.95	0.30	0.08	0.02	0.06
C504533	28	485	14	37	23	3	0.03	1.89	0.15	1.89	0.32	0.08	0.03	0.06
C504534	98	976	18	20	43	6	0.07	1.62	0.25	3.19	0.49	0.07	0.03	0.09
C504535	66	792	12	16	30	2	0.03	1.65	0.11	2.51	0.33	0.07	0.03	0.10
C504536	35	924	15	25	21	<1	0.01	1.67	0.12	2.08	0.20	0.06	0.02	0.12
C504537	31	601	14	27	24	3	0.03	1.93	0.13	2.02	0.32	0.09	0.03	0.06
C504538	63	922	16	13	34	2	0.01	1.35	0.07	2.94	0.21	0.06	0.02	0.12
C504539	32	629	15	36	24	2	0.02	1.89	0.15	2.15	0.31	0.09	0.03	0.10
C504540	23	456	14	34	31	2	0.02	1.98	0.11	1.89	0.29	0.08	0.03	0.05
C504541	74	572	10	18	31	3	0.05	1.88	0.18	2.93	0.34	0.06	0.03	0.05
C504542	23	1067	10	371	32	5	<0.01	0.47	6.70	2.33	0.06	0.12	0.02	0.13
C504543	56	1787	36	154	37	5	0.01	1.39	2.01	3.15	0.16	0.15	0.03	0.23
C504544	33	1744	21	408	32	6	<0.01	0.87	1.28	2.81	0.11	0.15	0.02	0.45
C504545	22	921	13	65	31	4	<0.01	0.65	0.56	2.68	0.04	0.08	0.02	0.16
C504546	18	833	10	71	24	4	<0.01	0.49	0.60	2.16	0.04	0.09	0.02	0.11
C504547	56	2141	17	42	64	8	<0.01	0.47	0.46	5.18	0.09	0.11	0.02	0.16
C504548	95	1157	7	71	52	10	<0.01	0.78	1.31	4.09	0.27	0.10	0.02	0.12
C504549	188	1470	8	46	61	17	<0.01	1.55	1.63	4.77	0.47	0.06	0.03	0.12
C504550	71	650	11	105	44	11	<0.01	0.53	0.74	3.68	0.10	0.13	0.02	0.17
C504551	97	1281	20	36	56	10	0.05	2.29	0.32	4.19	0.39	0.08	0.06	0.15
C504552	133	1646	15	31	54	9	0.06	2.91	0.28	4.32	0.48	0.08	0.06	0.19
C504553	103	1738	27	25	51	5	0.03	3.13	0.23	4.35	0.33	0.06	0.16	0.21
C504601	150	426	8	45	78	7	0.25	1.49	1.36	3.49	0.55	0.73	0.11	0.16
C504602	87	238	11	38	32	3	0.15	0.82	1.16	2.12	0.36	0.20	0.07	0.15
C504603	119	712	11	68	44	6	0.16	1.31	2.48	3.74	0.57	0.17	0.05	0.21
C504604	99	454	11	49	45	4	0.15	1.00	1.86	3.15	0.46	0.15	0.07	0.21

Minimum Detection 1 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection 10000 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



International Plasma Labs Ltd.  
 15000 Highway 100  
 Columbia, VA 22626  
 Phone: (604) 870-7878  
 Fax: (604) 277-0931  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2008 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**227 Samples**

21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 6 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
C504605	Drill Core	0.03	—	0.3	634	<2	24	<5	<5	<3	68	<10	<2	<0.2	9	8	15	<5	35
C504606	Drill Core	0.03	—	1.0	871	<2	41	<5	<5	<3	45	<10	<2	<0.2	14	1	25	<5	25
C504607	Drill Core	0.01	—	0.8	619	<2	49	<5	<5	<3	44	<10	<2	<0.2	15	3	43	<5	27
C504608	Drill Core	0.01	—	0.5	344	<2	19	<5	<5	<3	73	<10	<2	<0.2	3	<1	58	<5	34
C504609	Drill Core	0.01	—	0.3	311	<2	33	<5	<5	<3	74	<10	<2	0.4	4	<1	46	<5	28
C504610	Drill Core	<0.01	—	0.4	235	<2	40	<5	<5	<3	236	<10	<2	<0.2	3	<1	43	<5	32
C504611	Drill Core	<0.01	—	0.7	254	<2	155	17	<5	<3	79	<10	<2	<0.2	6	<1	37	<5	34
C504612	Drill Core	<0.01	—	1.6	761	<2	126	<5	<5	<3	121	<10	<2	<0.2	7	<1	29	<5	42
C504613	Drill Core	<0.01	—	0.8	487	<2	217	<5	<5	<3	66	<10	<2	<0.2	4	<1	36	<5	36
C504614	Drill Core	<0.01	—	0.5	404	<2	47	<5	<5	<3	64	<10	<2	<0.2	5	4	42	<5	29
C504616	Drill Core	0.02	—	0.4	504	<2	24	<5	<5	<3	115	<10	<2	<0.2	2	1	61	<5	36
C504617	Drill Core	0.02	—	0.4	541	<2	24	<5	<5	<3	86	<10	<2	<0.2	3	<1	81	<5	33
C504618	Drill Core	0.02	—	4.8	626	63	993	26	<5	<3	25	<10	<2	<0.2	8	6	36	<5	31
C504619	Drill Core	0.01	—	6.9	867	288	2101	18	<5	<3	35	<10	<2	1.6	4	<1	34	<5	39
C504620	Drill Core	0.01	—	5.4	757	319	1027	25	<5	<3	42	<10	<2	<0.2	6	<1	27	<5	37
C504621	Drill Core	<0.01	—	0.6	73	<2	84	24	<5	<3	3	<10	<2	<0.2	26	65	16	<5	116
C504622	Drill Core	<0.01	—	0.1	68	<2	44	<5	<5	<3	3	<10	<2	<0.2	4	6	61	<5	64
C504623	Drill Core	<0.01	—	0.5	79	<2	62	26	<5	<3	<1	<10	<2	<0.2	27	62	18	<5	85
C504624	Drill Core	<0.01	—	0.4	63	<2	40	68	<5	<3	7	<10	<2	<0.2	7	10	46	<5	72
C504625	Drill Core	<0.01	—	0.6	128	161	63	16	<5	<3	31	<10	<2	<0.2	4	4	45	<5	55
C504626	Drill Core	<0.01	—	0.2	98	<2	27	<5	<5	<3	33	<10	<2	<0.2	4	6	49	<5	62
C504627	Drill Core	<0.01	—	0.2	169	<2	26	<5	<5	<3	41	<10	<2	<0.2	4	<1	63	<5	69
C504628	Drill Core	<0.01	—	0.3	106	<2	37	<5	<5	<3	218	<10	<2	<0.2	6	<1	60	<5	74
C504629	Drill Core	<0.01	—	0.4	82	<2	41	19	<5	<3	25	<10	<2	<0.2	4	2	45	<5	65
C504630	Drill Core	<0.01	—	0.5	97	<2	57	66	<5	<3	4	<10	<2	<0.2	14	33	57	<5	158
C504631	Drill Core	<0.01	—	0.4	82	<2	325	17	<5	<3	2	<10	<2	<0.2	8	22	52	<5	120
C504632	Drill Core	<0.01	—	0.3	54	<2	346	23	<5	<3	3	<10	<2	<0.2	8	14	49	<5	109
C504633	Drill Core	<0.01	—	0.3	38	10	65	24	<5	<3	<1	<10	<2	<0.2	9	16	53	<5	116
C504634	Drill Core	<0.01	—	0.2	47	<2	44	19	<5	<3	<1	<10	<2	<0.2	9	19	55	<5	118
C504635	Drill Core	<0.01	—	0.3	49	<2	57	23	<5	<3	<1	<10	<2	<0.2	8	26	59	<5	130
C504636	Drill Core	0.01	—	0.9	102	231	431	30	<5	<3	<1	<10	<2	<0.2	10	28	47	<5	120
C504637	Drill Core	<0.01	—	0.7	536	8	47	<5	<5	<3	59	<10	<2	<0.2	6	5	16	<5	68
RE C206201	Repeat	<0.01	—	0.3	20	8	69	19	<5	<3	11	<10	<2	0.2	2	14	22	<5	142
RE C504778	Repeat	0.01	—	0.6	173	<2	21	<5	<5	<3	3	<10	<2	<0.2	<1	<1	522	6	80
RE C504288	Repeat	<0.01	—	0.3	35	<2	120	27	<5	<3	1	<10	<2	<0.2	15	<1	524	<5	<1
RE C504357	Repeat	0.07	—	0.4	68	<2	152	113	<5	<3	3	<10	<2	<0.2	18	<1	335	<5	<1
RE C504377	Repeat	<0.01	—	0.2	68	<2	127	34	<5	<3	<1	<10	<2	<0.2	23	8	223	<5	19
RE C504396	Repeat	0.01	—	2.2	131	<2	817	108	24	<3	27	<10	<2	<0.2	16	119	294	<5	11
RE C504430	Repeat	<0.01	—	0.9	109	<2	140	39	<5	<3	2	<10	<2	<0.2	39	40	607	<5	69

Minimum Detection: 0.01, 0.01, 0.1, 1, 2, 1, 5, 5, 3, 1, 10, 2, 0.2, 1, 1, 2, 5, 1  
 Maximum Detection: 5000.00, 5000.00, 100.0, 10000, 10000, 10000, 10000, 2000, 10000, 1000, 1000, 2000, 2000.0, 10000, 10000, 10000, 1000, 10000  
 Method: FA/AAS, FA/AAS, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP, ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 0612484



1700 Highway 101  
 Winnipeg, MB  
 Canada R2A 1K9  
 Phone (204) 501-1888  
 Fax (204) 501-1888  
 Website www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

**227 Samples**

Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
 [248418:12:59:60091506:00h] Sep 06, 2006

Page 6 of 7  
 Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C504605	88	198	9	33	31	2	0.12	0.65	1.18	2.41	0.22	0.10	0.08	0.18
C504606	78	367	10	53	48	3	0.16	1.09	1.91	3.09	0.43	0.19	0.09	0.20
C504607	78	381	11	53	36	3	0.17	1.13	1.70	2.70	0.43	0.31	0.09	0.20
C504608	34	179	11	49	23	<1	0.08	0.79	1.28	1.67	0.16	0.14	0.07	0.09
C504609	53	514	10	54	29	3	0.08	1.01	1.78	1.73	0.40	0.12	0.06	0.09
C504610	53	522	10	62	33	4	0.08	0.81	2.03	1.86	0.38	0.11	0.07	0.09
C504611	47	436	11	66	30	4	0.06	0.84	2.06	2.40	0.39	0.14	0.06	0.10
C504612	41	452	10	59	34	3	0.05	0.70	1.95	2.72	0.35	0.13	0.06	0.09
C504613	45	420	10	46	33	3	0.06	1.01	1.70	2.21	0.43	0.13	0.06	0.08
C504614	50	517	11	44	30	3	0.05	1.02	2.04	1.95	0.46	0.12	0.05	0.09
C504616	53	400	12	52	26	4	0.06	0.73	1.95	1.42	0.33	0.16	0.06	0.10
C504617	29	486	15	70	24	3	0.02	0.84	2.83	1.59	0.33	0.20	0.04	0.09
C504618	53	832	14	113	34	3	0.08	1.30	3.48	2.68	0.42	0.16	0.06	0.13
C504619	15	639	13	115	30	1	0.01	0.61	2.29	1.95	0.29	0.23	0.05	0.09
C504620	30	812	13	127	29	2	0.02	0.59	2.97	2.14	0.31	0.18	0.05	0.09
C504621	103	1053	12	117	55	12	0.20	3.14	3.08	3.56	0.77	0.02	0.04	0.18
C504622	56	604	15	61	39	4	0.09	1.24	1.63	2.39	0.47	0.15	0.12	0.12
C504623	114	966	5	124	58	15	0.26	3.51	3.72	3.55	0.72	0.03	0.25	0.09
C504624	66	927	11	74	39	6	0.08	1.33	2.26	2.41	0.55	0.11	0.08	0.09
C504625	47	815	13	103	34	3	0.07	0.93	2.29	2.03	0.37	0.12	0.09	0.09
C504626	49	420	13	83	25	3	0.09	1.04	1.76	1.99	0.33	0.12	0.11	0.09
C504627	54	342	14	95	28	3	0.10	1.03	1.90	1.66	0.33	0.13	0.12	0.09
C504628	49	442	14	81	30	3	0.10	1.16	1.78	2.01	0.35	0.13	0.14	0.09
C504629	54	575	14	81	32	4	0.09	1.29	2.22	2.27	0.42	0.10	0.10	0.10
C504630	61	726	11	114	37	6	0.09	1.60	2.31	2.41	0.56	0.10	0.14	0.09
C504631	46	649	11	88	36	4	0.07	1.40	2.00	2.27	0.50	0.09	0.12	0.09
C504632	52	737	12	81	28	4	0.06	1.62	2.38	2.28	0.51	0.07	0.09	0.08
C504633	59	892	12	120	31	5	0.06	1.34	2.42	2.39	0.54	0.09	0.09	0.08
C504634	55	831	11	100	30	5	0.07	1.39	2.16	2.33	0.53	0.09	0.10	0.08
C504635	67	888	11	127	32	6	0.07	1.48	2.32	2.46	0.57	0.08	0.11	0.08
C504636	53	1676	12	152	31	5	0.06	1.31	4.61	2.37	0.54	0.10	0.08	0.08
C504637	96	509	6	100	42	3	0.13	0.58	3.07	2.38	0.16	0.07	0.07	0.12
RE C206201	9	137	4	20	33	<1	<0.01	0.28	0.35	2.98	0.16	0.04	0.01	0.02
RE C504778	23	91	9	16	14	<1	<0.01	0.23	0.10	1.22	0.01	0.16	0.01	0.05
RE C504288	25	412	20	86	47	9	<0.01	1.12	0.34	4.15	0.22	0.11	0.02	0.16
RE C504357	99	2002	19	40	57	10	0.05	1.71	1.53	4.57	0.54	0.16	0.02	0.15
RE C504377	211	1760	12	93	59	22	0.04	3.37	1.29	4.77	0.76	0.03	0.10	0.15
RE C504396	105	233	6	178	54	6	<0.01	0.38	2.94	4.18	0.06	0.09	0.01	0.17
RE C504430	230	1622	6	45	72	21	0.17	2.81	1.93	4.91	0.74	0.03	0.04	0.11

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



INTERNATIONAL PLASMA LABS LTD.  
 190 9501 2500 CERTIFIED COMPANY  
 Box 1000, 1000  
 Canada V7A 3P8  
 Phone (604) 879-7878  
 Fax (604) 879-7878  
 Website: www.iplabs.com

INTERNATIONAL PLASMA LABS LTD.  
 190 9501 2500 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Ball Creek

Ship# **227 Samples**

21=Rock 170=Soil 36=Drill Core 12=Repeat

[248418:12:59:60091506:00h] Sep 06, 2006

Print: Sep 15, 2006

Page 7 of 7  
 Section 1 of 2

Sample Name	Type	Au g/mt	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm
RE C504449	Repeat	<0.01	—	0.3	47	13	177	27	<5	<3	<1	<10	<2	<0.2	18	<1	297	<5	2
RE C504519	Repeat	<0.01	—	0.1	11	<2	64	30	<5	<3	<1	<10	<2	<0.2	6	19	248	<5	28
RE C504538	Repeat	<0.01	—	0.3	16	<2	84	18	<5	<3	<1	<10	<2	<0.2	5	9	131	<5	15
RE C504605	Repeat	0.03	—	0.2	636	<2	24	<5	<5	<3	67	<10	<2	<0.2	9	6	15	<5	35
RE C504625	Repeat	<0.01	—	0.6	135	162	66	18	<5	<3	33	<10	<2	<0.2	6	8	47	<5	57
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection      0.01    0.01    0.1    1    2    1    5    5    3    1    10    2    0.2    1    1    2    5    1


Maximum Detection    5000.00 5000.00 100.0 10000 10000 10000 10000 2000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000

Method                  FA/AAS FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06I2484



INTERNATIONAL PLASMA LABS LTD  
150 9601 2002 CERTIFIED COMPANY

Client : Paget Resources Corp  
Project: Ball Creek

**227 Samples**

Ship# 21=Rock 170=Soil 36=Drill Core 12=Repeat

Print: Sep 15, 2006  
[248418:12:59:60091506:00h] Sep 06, 2006

Page 7 of 7  
Section 2 of 2

Sample Name	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
RE C504449	118	2728	30	65	52	6	<0.01	1.31	0.51	4.40	0.27	0.08	0.13	0.14
RE C504519	24	542	14	29	19	3	0.01	2.05	0.10	1.88	0.30	0.07	0.03	0.06
RE C504538	62	903	16	12	27	2	0.01	1.33	0.07	2.94	0.20	0.06	0.02	0.12
RE C504605	85	195	9	32	29	2	0.12	0.65	1.18	2.40	0.22	0.10	0.08	0.17
RE C504625	48	840	13	104	31	3	0.07	0.93	2.31	2.02	0.37	0.13	0.10	0.10
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10.00	10.00	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 20-SEP-2006  
Account: PAGRES

## CERTIFICATE EL06083239

Project: ISKUT

P.O. No.:

This report is for 128 Rock samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - rifle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206454		1.15	0.147		5.1	0.10	130	<10	30	<0.5	<2	0.05	0.5	1	12	17
C206455		1.58	1.015		6.9	0.04	705	<10	290	<0.5	<2	0.14	<0.5	<1	32	4
C206456		1.30	7.63		>100	0.10	5150	<10	240	<0.5	<2	0.03	4.1	1	13	120
C206457		1.52	0.017		0.6	3.08	39	<10	50	<0.5	<2	0.81	<0.5	21	12	179
C206458		1.71	0.005		0.4	0.39	6	<10	2630	<0.5	<2	10.75	12.6	6	<1	28
C206459		1.47	0.021		0.3	0.14	22	<10	80	<0.5	<2	18.3	<0.5	8	<1	8
C206460		1.60	0.009		<0.2	0.29	13	<10	80	<0.5	<2	2.67	<0.5	6	3	4
C206461		1.51	0.015		0.4	0.18	52	<10	120	<0.5	2	9.33	2.1	12	<1	13
C206462		1.97	<0.005		0.2	0.18	4	<10	3150	<0.5	<2	12.55	<0.5	5	<1	313
C206463		0.98	0.014		0.3	0.09	39	<10	40	<0.5	<2	>25.0	<0.5	<1	<1	4
C206464		1.86	<0.005		<0.2	1.94	7	<10	50	0.5	2	0.88	<0.5	6	8	9
C206465		1.71	<0.005		<0.2	1.66	<2	<10	50	0.5	<2	1.35	<0.5	5	1	7
C206466		1.81	0.007		<0.2	0.79	95	<10	70	0.8	2	20.0	<0.5	4	<1	3
C206467		1.30	0.008		0.3	0.95	<2	<10	10	<0.5	2	0.64	<0.5	9	<1	12
C206468		1.60	0.062		<0.2	0.71	17	<10	80	<0.5	<2	23.2	<0.5	5	1	29
C206469		1.47	0.009		0.2	1.95	79	10	60	0.7	<2	3.94	<0.5	9	<1	14
C206470		2.01	0.008		0.3	0.88	4	<10	220	<0.5	<2	3.98	<0.5	3	<1	7
C206471		1.75	0.050		0.4	0.69	6	<10	50	<0.5	<2	4.61	<0.5	4	<1	32
C206472		2.08	8.06		6.4	1.61	<2	<10	70	<0.5	<2	1.57	3.0	9	1	2930
C206473		1.25	0.049		3.0	0.13	70	<10	100	<0.5	<2	0.08	<0.5	1	23	45
C206474		1.26	0.130		0.7	0.08	297	<10	210	<0.5	<2	0.08	<0.5	<1	23	6
C206475		1.74	0.014		<0.2	1.25	13	<10	140	0.5	<2	18.2	<0.5	5	4	33
C206476		1.35	<0.005		0.2	0.50	34	<10	200	1.3	<2	8.93	<0.5	22	68	100
C206477		1.09	<0.005		0.2	0.07	4	<10	1210	<0.5	<2	0.05	<0.5	2	14	7
C206478		1.14	<0.005		0.2	0.07	4	<10	800	<0.5	<2	0.07	<0.5	1	14	5
C206479		1.82	0.006		0.2	0.12	2	<10	380	<0.5	<2	1.75	<0.5	1	10	12
C206480		1.68	<0.005		0.2	0.23	19	<10	260	<0.5	<2	2.81	<0.5	7	5	41
C206481		2.50	0.007		0.4	0.11	11	<10	10	<0.5	<2	1.93	<0.5	7	11	18
C206482		2.13	<0.005		0.2	0.13	9	<10	10	<0.5	<2	0.33	<0.5	9	12	14
C206483		1.59	0.020		0.4	0.17	7	<10	20	<0.5	<2	0.86	0.9	8	13	18
C206484		1.58	<0.005		0.2	0.20	6	<10	40	<0.5	<2	1.13	0.8	4	15	15
C206485		2.91	<0.005		<0.2	0.22	2	<10	10	<0.5	<2	1.16	<0.5	4	18	16
C206486		1.72	<0.005		0.2	0.14	3	<10	10	<0.5	<2	0.38	<0.5	4	18	17
C206118		2.79	0.007		<0.2	1.24	2	<10	350	0.7	<2	1.93	<0.5	4	10	19
C206119		2.23	<0.005		<0.2	1.27	<2	<10	300	0.8	<2	1.79	<0.5	3	8	27
C206120		2.08	0.011		<0.2	1.03	<2	<10	370	0.5	<2	2.54	<0.5	4	8	9
C206121		1.55	0.161		0.5	1.12	<2	<10	230	<0.5	<2	3.02	<0.5	4	1	980
C206122		1.94	0.110		0.9	1.24	<2	<10	100	<0.5	<2	3.11	<0.5	12	1	924
C206123		2.34	0.009		<0.2	1.04	<2	<10	140	<0.5	<2	1.63	<0.5	5	7	16
C206124		2.46	0.008		<0.2	1.21	<2	<10	270	0.6	<2	1.55	<0.5	4	13	10



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
C206454		0.82	<10	<1	0.05	<10	0.01	27	1	<0.01	8	150	11	0.44	5	<1
C206455		0.51	<10	<1	0.02	<10	0.01	35	<1	<0.01	2	220	<2	0.03	18	1
C206456		1.15	<10	2	0.06	<10	0.01	24	3	<0.01	5	130	1220	0.51	122	1
C206457		7.62	10	<1	0.07	<10	2.13	1215	6	0.07	17	1030	12	0.94	2	19
C206458		5.19	<10	<1	0.20	20	1.57	2580	1	0.03	3	860	67	0.15	<2	2
C206459		8.14	<10	<1	0.06	10	4.86	3630	2	0.02	10	150	12	0.24	<2	1
C206460		3.20	<10	<1	0.15	20	0.33	765	3	0.04	1	950	4	1.42	<2	2
C206461		5.55	<10	<1	0.08	10	1.99	2080	<1	0.04	7	520	132	1.33	3	3
C206462		5.65	<10	1	0.09	10	3.31	2380	<1	0.03	7	360	6	0.11	2	2
C206463		0.99	<10	<1	0.04	<10	0.13	3570	<1	0.02	2	60	2	0.9	4	1
C206464		5.76	10	<1	0.15	10	1.12	815	<1	0.03	<1	1420	8	3.31	4	3
C206465		4.23	10	<1	0.15	10	1.06	814	<1	0.03	2	1480	3	2.28	<2	4
C206466		4.44	<10	<1	0.07	10	3.23	5360	<1	0.02	<1	330	3	3.0	5	1
C206467		9.03	<10	<1	0.21	10	0.26	240	<1	0.02	<1	840	21	9.47	3	1
C206468		2.53	<10	1	0.11	20	0.29	5480	3	0.02	4	410	8	2.1	2	2
C206469		3.73	10	<1	0.25	10	0.84	1055	<1	0.01	<1	1550	4	1.79	4	4
C206470		2.49	<10	<1	0.18	20	0.75	2060	<1	0.02	<1	1210	8	0.81	<2	3
C206471		3.50	<10	<1	0.11	10	1.23	3270	1	0.01	<1	850	8	1.61	8	5
C206472		5.42	10	<1	0.09	10	0.75	1245	44	0.03	<1	920	9	3.09	<2	4
C206473		0.85	<10	<1	0.07	<10	0.01	39	3	<0.01	7	990	6	0.19	6	1
C206474		0.83	<10	<1	0.05	<10	0.01	30	5	<0.01	3	500	4	0.15	6	1
C206475		2.99	<10	1	0.07	10	2.86	3350	<1	0.02	1	730	3	0.5	2	6
C206476		4.98	<10	<1	0.17	10	2.93	1525	<1	0.02	27	2000	14	0.39	3	32
C206477		0.67	<10	<1	0.04	<10	0.02	35	<1	<0.01	6	100	7	0.12	2	1
C206478		0.59	<10	<1	0.04	<10	0.01	85	<1	<0.01	5	190	7	0.27	<2	<1
C206479		1.46	<10	1	0.07	<10	0.16	499	3	0.01	8	290	9	0.56	<2	2
C206480		2.62	<10	<1	0.11	<10	0.86	825	1	0.01	18	430	6	0.53	<2	4
C206481		6.52	<10	1	0.08	<10	0.62	1270	13	0.01	21	630	11	6.55	3	2
C206482		5.06	<10	1	0.07	<10	0.08	145	16	0.01	21	440	9	5.17	3	1
C206483		3.03	<10	1	0.09	<10	0.25	507	3	0.01	18	810	12	1.99	2	2
C206484		1.77	<10	1	0.09	10	0.33	442	1	0.01	18	1190	14	1.25	<2	2
C206485		3.10	<10	1	0.11	10	0.09	191	17	0.01	15	1550	12	3.00	2	2
C206486		3.25	<10	1	0.07	10	0.07	109	15	0.01	15	780	10	3.13	2	1
C206118		2.76	10	<1	0.11	20	0.83	638	<1	0.07	2	860	6	0.23	<2	4
C206119		2.78	10	<1	0.11	20	0.91	631	<1	0.07	2	840	7	0.15	<2	4
C206120		2.66	10	<1	0.17	20	0.81	650	<1	0.05	3	850	<2	0.09	<2	3
C206121		1.77	10	<1	0.14	10	0.92	604	21	0.04	1	890	5	0.78	<2	3
C206122		3.39	10	<1	0.14	20	0.97	811	32	0.04	<1	930	5	2.11	<2	2
C206123		2.77	10	<1	0.13	20	0.78	618	1	0.06	2	820	<2	0.35	2	4
C206124		2.73	10	<1	0.10	20	0.87	661	1	0.06	3	850	5	0.61	<2	4



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Cu-AA46	Pb-AA46
		Sr	Ti	Ti	U	V	W	Zn	Ag	Zn	Cu	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		1	0.01	10	10	1	10	2	1	0.01	0.01	0.01
C206454		11	<0.01	<10	<10	10	<10	12				
C206455		30	<0.01	<10	<10	4	<10	3				
C206456		11	<0.01	<10	<10	12	<10	452	108			
C206457		34	0.02	<10	<10	254	<10	86				
C206458		178	<0.01	<10	<10	43	<10	1140				
C206459		176	<0.01	<10	<10	30	10	168				
C206460		36	<0.01	<10	<10	37	<10	32				
C206461		91	<0.01	<10	<10	68	<10	263				
C206462		308	<0.01	<10	<10	43	<10	111				
C206463		1340	<0.01	<10	<10	1	<10	6				
C206464		36	<0.01	<10	<10	67	<10	67				
C206465		41	<0.01	<10	<10	80	<10	91				
C206466		298	<0.01	<10	<10	15	<10	41				
C206467		43	<0.01	<10	<10	23	<10	40				
C206468		295	<0.01	<10	<10	10	<10	17				
C206469		169	<0.01	<10	<10	57	<10	67				
C206470		202	<0.01	<10	<10	28	<10	54				
C206471		82	<0.01	<10	<10	16	<10	81				
C206472		32	0.01	<10	<10	70	<10	476				
C206473		49	<0.01	<10	<10	21	<10	9				
C206474		68	<0.01	<10	<10	16	<10	3				
C206475		209	<0.01	<10	<10	65	<10	27				
C206476		561	<0.01	<10	<10	75	<10	58				
C206477		32	<0.01	<10	<10	2	<10	16				
C206478		39	<0.01	<10	<10	2	<10	5				
C206479		31	<0.01	<10	<10	4	<10	4				
C206480		68	<0.01	<10	<10	11	<10	24				
C206481		47	<0.01	<10	<10	5	<10	52				
C206482		64	<0.01	<10	<10	5	<10	49				
C206483		104	<0.01	<10	<10	7	<10	104				
C206484		140	<0.01	<10	<10	8	<10	101				
C206485		35	<0.01	<10	<10	9	<10	56				
C206486		24	<0.01	<10	<10	6	<10	37				
C206118		95	0.13	<10	<10	63	<10	28				
C206119		89	0.14	<10	<10	63	<10	28				
C206120		88	0.01	<10	<10	48	<10	29				
C206121		99	0.02	<10	<10	37	<10	24				
C206122		78	0.01	<10	<10	41	<10	27				
C206123		76	0.07	<10	<10	57	<10	31				
C206124		95	0.14	<10	<10	61	<10	32				



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 3 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 20-SEP-2006  
 Account: PAGRES

Project: ISKUT

**CERTIFICATE OF ANALYSIS EL06083239**

Sample Description	Method Analyte Units LDR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206125		3.49	0.223		1.0	1.65	<2	<10	110	0.6	<2	2.18	<0.5	9	3	1335
C206126		2.88	0.015		0.4	1.17	<2	<10	120	<0.5	<2	1.26	<0.5	6	2	212
C206127		3.00	0.132		0.5	1.14	3	<10	380	0.5	<2	2.30	<0.5	5	5	704
C206128		3.47	0.100		0.6	1.41	<2	<10	70	0.5	<2	1.91	<0.5	7	3	636
C206129		2.32	0.005		<0.2	1.30	<2	10	150	<0.5	2	1.60	<0.5	4	18	18
C206130		2.38	0.008		<0.2	1.24	<2	<10	140	<0.5	<2	1.39	<0.5	4	17	59
C206131		2.60	0.013		0.2	1.14	<2	<10	130	<0.5	<2	1.17	<0.5	3	5	143
C206132		3.06	0.027		0.3	1.07	<2	<10	200	<0.5	<2	1.36	<0.5	6	1	196
C206133		2.16	0.008		0.2	0.96	<2	<10	250	0.5	<2	1.88	<0.5	4	1	119
C206134		1.32	0.013		0.9	0.12	63	<10	40	<0.5	<2	0.04	<0.5	<1	6	8
C206135		1.71	0.025		1.2	0.11	282	<10	630	<0.5	<2	0.16	<0.5	1	20	6
C206136		2.33	0.017		0.5	0.95	29	<10	220	<0.5	<2	1.20	<0.5	4	4	144
C206137		2.88	<0.005		0.2	1.12	<2	<10	210	<0.5	<2	1.21	<0.5	5	1	87
C206138		2.21	0.013		0.2	1.17	<2	<10	160	<0.5	<2	1.25	<0.5	5	2	105
C206139		2.07	0.056		0.5	1.41	<2	<10	60	0.5	<2	2.04	<0.5	6	2	562
C206140		2.54	0.173		0.9	1.51	3	<10	150	0.6	<2	1.56	<0.5	12	2	1105
C206141		2.20	0.150		0.9	1.48	<2	<10	170	0.6	<2	1.23	<0.5	13	2	1150
C206142		1.52	0.027		0.3	1.44	<2	<10	80	<0.5	<2	3.00	<0.5	2	1	509
C206143		1.73	0.050		0.4	1.14	<2	<10	120	<0.5	<2	1.54	<0.5	4	1	361
C206144		1.18	0.021		0.4	1.16	<2	<10	100	<0.5	<2	1.73	<0.5	13	1	308
C206145		1.42	0.008		<0.2	1.31	2	<10	140	<0.5	2	2.44	<0.5	6	1	11
C206146		1.67	0.009		0.3	1.25	<2	<10	100	<0.5	<2	1.57	0.7	6	1	72
C206147		1.59	<0.005		<0.2	0.35	9	<10	60	0.7	<2	10.65	<0.5	14	8	66
C206148		1.72	<0.005		<0.2	0.44	6	<10	40	0.7	<2	9.16	<0.5	17	11	148
C206149		Not Recvd														
C206150		1.64	<0.005		<0.2	0.26	5	<10	1270	<0.5	<2	4.78	<0.5	3	6	19
C206110		1.21	0.010		0.2	0.07	23	<10	90	<0.5	<2	0.03	<0.5	<1	18	10
C206111		1.28	1.585		3.8	0.08	1255	<10	230	<0.5	<2	0.07	<0.5	<1	15	4
C206112		1.91	0.062		1.6	0.05	45	<10	250	<0.5	2	0.10	<0.5	<1	22	2
C206113		1.50	0.531		9.8	0.12	482	<10	120	<0.5	<2	0.03	<0.5	<1	20	11
C206012		1.60	0.148		5.7	0.15	41	<10	30	1.3	<2	2.31	0.6	5	5	3820
C206013		2.09	0.008		2.6	1.15	<2	<10	460	1.3	<2	1.02	<0.5	15	3	4570
C206014		Not Recvd														
C206015		1.30	0.024		2.4	1.97	4	<10	30	<0.5	<2	2.26	<0.5	23	1	913
C206016		1.27	0.007		9.4	0.20	31	<10	10	<0.5	<2	0.43	7.6	17	2	8050
C206017		1.35	0.013		1.3	0.58	40	<10	50	1.1	3	0.17	<0.5	8	14	1860
C206018		2.46	0.010		4.3	0.35	6	<10	100	0.5	2	0.06	0.6	3	10	2390
C206019		1.98	0.072		0.4	2.14	<2	<10	40	1.3	3	2.82	1.7	29	140	>10000
C206020		1.91	0.008		0.2	1.62	30	<10	20	0.5	<2	2.00	<0.5	20	41	131
C206021		1.46	0.020		4.6	0.47	<2	<10	840	0.6	<2	0.86	2.8	11	4	3680



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
C206125		2.46	10	<1	0.17	20	1.19	407	52	0.05	2	850	9	1.05	2	3
C206126		3.05	10	1	0.12	20	0.94	412	17	0.06	1	830	3	0.88	<2	3
C206127		2.02	<10	<1	0.17	10	1.00	507	149	0.05	4	870	4	0.70	<2	2
C206128		1.90	10	<1	0.15	20	1.07	381	75	0.05	3	800	5	0.67	<2	2
C206129		3.00	10	<1	0.12	20	0.95	632	1	0.07	5	890	4	0.54	<2	4
C206130		3.03	10	<1	0.11	20	1.14	576	2	0.06	4	870	4	1.09	2	5
C206131		3.06	10	<1	0.12	10	0.95	468	17	0.06	2	840	4	1.39	<2	4
C206132		2.38	10	<1	0.15	20	0.82	373	6	0.06	<1	890	4	0.98	<2	3
C206133		2.43	<10	1	0.21	10	0.72	409	3	0.05	<1	910	2	0.80	2	3
C206134		2.75	<10	<1	0.05	<10	0.01	23	28	0.01	4	190	7	2.19	6	<1
C206135		1.40	<10	<1	0.03	<10	0.01	55	5	<0.01	5	360	4	0.02	8	1
C206136		2.74	<10	<1	0.12	10	0.72	422	23	0.06	1	840	7	0.99	2	3
C206137		3.11	10	1	0.11	20	0.90	491	12	0.07	<1	940	5	0.84	<2	4
C206138		3.34	10	<1	0.12	20	0.95	573	17	0.08	<1	940	6	1.27	<2	4
C206139		1.55	10	<1	0.16	20	1.03	364	66	0.05	2	710	7	0.76	2	2
C206140		1.96	10	<1	0.17	20	1.09	300	69	0.04	3	830	5	1.04	<2	2
C206141		2.54	10	<1	0.18	20	1.04	295	45	0.04	2	830	8	1.18	<2	3
C206142		2.62	10	<1	0.14	30	1.28	611	27	0.05	<1	3840	5	0.67	2	5
C206143		2.86	10	<1	0.16	20	0.83	419	3	0.06	1	920	2	0.53	3	3
C206144		3.24	<10	<1	0.17	20	0.81	409	6	0.06	1	910	2	1.87	<2	3
C206145		2.56	10	<1	0.17	20	0.88	504	34	0.04	<1	900	6	1.80	2	2
C206146		2.67	10	<1	0.17	20	0.90	402	9	0.05	<1	870	9	1.40	<2	2
C206147		4.57	<10	<1	0.04	10	3.44	2430	<1	0.06	6	1360	8	0.71	<2	11
C206148		4.40	<10	1	0.06	10	2.79	2320	<1	0.06	5	2420	5	0.54	3	15
C206149																
C206150		3.26	<10	<1	0.11	<10	1.42	1240	<1	<0.01	4	400	2	0.08	<2	4
C206110		0.63	<10	1	0.03	<10	0.01	25	<1	<0.01	4	40	2	0.04	4	<1
C206111		0.64	<10	<1	0.05	<10	<0.01	36	1	<0.01	3	100	9	0.08	24	1
C206112		0.54	<10	<1	0.03	<10	<0.01	26	<1	<0.01	1	330	8	0.10	3	1
C206113		1.29	<10	<1	0.06	<10	<0.01	30	<1	<0.01	2	210	24	0.41	14	1
C206012		2.19	<10	<1	0.18	10	0.05	414	1	<0.01	3	70	31	0.99	3	1
C206013		4.22	<10	<1	0.49	10	0.79	446	1	0.02	30	460	21	0.11	4	2
C206014																
C206015		4.23	10	<1	0.38	<10	1.63	962	<1	0.06	2	1040	3	0.06	2	4
C206016		1.29	<10	<1	0.01	30	<0.01	110	12	0.10	4	40	44	0.77	<2	2
C206017		4.29	<10	<1	0.15	10	0.15	177	12	0.04	19	110	17	1.44	2	2
C206018		0.80	<10	<1	0.06	10	0.02	46	3	0.07	<1	20	113	0.02	<2	1
C206019		4.84	10	<1	0.54	10	1.92	913	<1	0.03	140	1540	10	0.11	4	10
C206020		4.28	10	<1	0.08	<10	1.73	412	11	0.06	59	1610	7	2.01	2	4
C206021		1.99	<10	<1	0.21	30	0.23	168	2	0.02	88	220	136	0.19	3	1



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1  
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Cu-AA46	Pb-AA46
		Sr	Ti	Tl	U	V	W	Zn	Ag	Zn	Cu	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		1	0.01	10	10	1	10	2	1	0.01	0.01	0.01
C206125		90	0.01	<10	<10	43	<10	28				
C206126		60	0.01	<10	<10	57	<10	28				
C206127		89	0.01	<10	<10	29	<10	30				
C206128		68	<0.01	<10	<10	41	<10	27				
C206129		99	0.13	<10	<10	64	<10	34				
C206130		72	0.13	<10	<10	63	<10	36				
C206131		55	0.11	<10	<10	58	<10	31				
C206132		63	0.01	<10	<10	48	<10	26				
C206133		83	<0.01	<10	<10	34	<10	29				
C206134		22	<0.01	<10	<10	41	<10	25				
C206135		63	<0.01	<10	<10	10	<10	44				
C206136		57	0.08	<10	<10	52	<10	28				
C206137		60	0.13	<10	<10	66	<10	30				
C206138		54	0.13	<10	<10	64	<10	32				
C206139		90	0.01	<10	<10	42	<10	25				
C206140		76	0.01	<10	<10	40	<10	32				
C206141		55	0.01	<10	<10	46	<10	28				
C206142		97	0.01	<10	<10	59	<10	35				
C206143		64	0.01	<10	<10	55	<10	28				
C206144		71	0.01	<10	<10	47	<10	28				
C206145		82	0.01	<10	<10	38	<10	29				
C206146		55	0.01	<10	<10	43	<10	44				
C206147		463	<0.01	<10	<10	116	<10	65				
C206148		372	<0.01	<10	<10	186	<10	61				
C206149												
C206150		164	<0.01	<10	<10	14	<10	38				
C206110		14	<0.01	<10	<10	7	<10	4				
C206111		9	<0.01	<10	<10	6	<10	11				
C206112		18	<0.01	<10	<10	8	<10	3				
C206113		16	<0.01	<10	<10	5	<10	15				
C206012		123	0.07	<10	20	200	<10	21				
C206013		100	0.03	<10	<10	192	<10	108				
C206014												
C206015		154	0.36	<10	<10	120	<10	79				
C206016		14	<0.01	<10	<10	5	<10	230				
C206017		14	0.01	<10	<10	18	<10	45				
C206018		10	0.01	<10	<10	14	<10	186				
C206019		461	0.27	<10	<10	242	<10	280		1.10		
C206020		47	0.20	<10	<10	138	<10	34				
C206021		107	0.01	<10	<10	67	<10	177				



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206022		2.27	0.026		21.5	1.59	9	<10	30	<0.5	<2	1.48	1.6	23	4	4820
C206023		1.71	0.043		3.1	0.35	<2	<10	260	0.6	3	0.83	<0.5	6	2	2440
C206024		1.03	0.010		<0.2	0.19	<2	<10	20	<0.5	<2	0.14	<0.5	2	9	24
C206025		1.68	0.007		<0.2	3.05	7	<10	20	0.6	<2	2.61	<0.5	18	1	34
C206026		1.86	0.030		0.2	1.96	2	<10	50	<0.5	<2	1.58	0.5	9	3	24
C206027		1.02	0.005		0.2	0.72	7	<10	90	<0.5	<2	1.91	<0.5	9	5	45
C206028		1.41	0.043		2.5	0.56	<2	<10	30	<0.5	<2	0.82	<0.5	4	8	1680
C206029		1.28	0.008		0.3	0.61	2	<10	20	<0.5	<2	0.84	<0.5	8	51	89
C206351		1.79	0.093		0.4	0.34	24	<10	110	<0.5	<2	3.10	<0.5	7	<1	12
C206352		1.84	0.056		0.5	0.46	31	<10	300	<0.5	<2	1.09	1.7	6	<1	43
C206353		2.20	0.502		1.7	0.48	34	<10	50	<0.5	<2	5.92	53.5	6	<1	94
C206354		2.08	3.49		30.9	0.31	1470	<10	20	<0.5	10	4.09	182.0	17	<1	6350
C206355		1.38	>10.0	10.10	19.9	0.44	272	<10	30	<0.5	<2	0.50	20.6	13	7	183
C206356		2.04	0.192		2.3	0.48	45	<10	150	<0.5	<2	14.3	25.3	8	2	78
C206357		1.40	0.010		0.3	0.65	10	<10	670	<0.5	<2	2.68	<0.5	4	<1	26
C206358		1.30	0.041		0.3	1.10	12	<10	70	<0.5	<2	2.26	0.8	7	10	54
C206359		0.74	0.008		0.7	1.13	66	<10	120	0.5	<2	7.73	5.9	19	16	307
C206360		1.98	0.016		2.4	0.69	60	<10	110	<0.5	<2	3.57	31.8	13	<1	165
C206361		1.03	0.009		<0.2	1.78	2	<10	6800	0.5	<2	16.0	<0.5	5	1	25
C206362		1.26	<0.005		<0.2	0.15	10	<10	120	<0.5	<2	0.08	<0.5	1	10	11
C206363		1.72	<0.005		<0.2	0.10	3	<10	60	<0.5	<2	0.04	<0.5	3	14	21
C206364		1.23	0.007		0.6	0.47	40	<10	350	<0.5	<2	0.17	<0.5	3	10	55
C206365		0.98	0.008		0.2	0.45	22	<10	30	<0.5	<2	9.54	<0.5	9	4	34
C206366		1.92	<0.005		0.3	0.22	15	<10	20	<0.5	<2	0.39	<0.5	19	14	57
C206367		2.59	0.026		0.8	0.47	4	<10	150	<0.5	<2	4.49	<0.5	5	2	67
C206368		1.90	0.007		0.2	0.57	6	<10	120	<0.5	<2	7.47	<0.5	7	4	16
C206369		1.04	0.006		0.2	0.79	4	<10	100	<0.5	<2	6.77	<0.5	9	<1	36
C206370		2.01	0.007		0.4	0.24	8	<10	20	<0.5	<2	8.60	<0.5	9	14	80
C206312		1.91	<0.005		<0.2	0.26	2	<10	100	<0.5	<2	0.13	<0.5	<1	4	6
C206313		1.75	<0.005		<0.2	0.48	<2	<10	70	0.7	<2	1.22	<0.5	3	<1	21
C206314		1.39	0.038		4.0	0.78	72	<10	70	0.5	<2	0.19	<0.5	5	93	63
C206315		1.51	0.039		0.4	0.49	35	<10	210	<0.5	<2	0.04	<0.5	2	5	48
C206316		1.82	0.054		0.3	0.29	15	<10	470	<0.5	<2	0.01	<0.5	2	2	44
C206317		2.88	0.124		0.9	2.04	53	<10	80	0.8	<2	7.27	<0.5	16	49	1020
C206318		2.13	0.010		0.9	0.96	6	<10	90	0.6	<2	1.17	<0.5	7	5	913
C206319		2.19	0.970		4.5	2.45	12	<10	110	1.4	<2	6.26	<0.5	30	6	3950
C206320		2.10	0.807		10.2	0.79	199	<10	80	0.7	9	3.16	2.2	11	5	4300
C206321		2.23	0.649		9.3	2.06	307	<10	110	1.9	10	4.78	5.5	46	<1	7210
C206322		2.00	0.199		1.8	3.07	130	<10	100	1.3	<2	3.66	<0.5	29	6	687
C206323		2.29	0.151		0.9	1.30	68	<10	200	0.7	<2	3.33	<0.5	13	18	653



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
**2080-777 HORNBY STREET**  
**VANCOUVER BC V6Z 1S4**

Page: 4 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 20-SEP-2006  
 Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C206022		4.28	10	<1	0.37	<10	1.13	762	21	0.08	11	1810	12	1.11	4	6
C206023		2.25	<10	<1	0.20	10	0.11	291	251	0.02	2	380	25	0.15	2	2
C206024		0.53	<10	<1	0.09	10	0.01	189	1	0.05	3	80	4	<0.01	<2	1
C206025		5.10	10	<1	0.12	<10	1.71	497	<1	0.06	2	1040	<2	0.54	3	8
C206026		4.72	10	<1	0.44	<10	1.33	1465	<1	0.11	2	1250	58	0.09	2	5
C206027		4.26	<10	<1	0.27	10	0.39	267	<1	0.01	5	2580	5	1.89	3	3
C206028		3.14	10	<1	0.12	10	0.34	177	9	0.04	10	530	3	0.71	2	2
C206029		4.00	<10	<1	0.07	10	0.51	124	4	0.07	47	1370	8	0.80	3	5
C206351		3.55	<10	<1	0.15	10	0.66	1490	2	0.09	3	870	9	1.63	3	3
C206352		2.61	<10	<1	0.25	10	0.08	997	<1	0.04	3	840	100	0.63	4	3
C206353		3.65	<10	1	0.28	10	1.38	1985	22	0.02	2	640	597	1.26	8	3
C206354		9.03	<10	5	0.17	10	0.79	2330	211	0.02	6	560	>10000	7.72	265	2
C206355		8.52	<10	9	0.08	<10	0.16	618	77	0.02	4	420	8420	2.75	12	7
C206356		6.80	<10	2	0.26	<10	2.51	4260	<1	0.01	2	620	1900	0.79	4	10
C206357		2.03	<10	<1	0.32	10	0.14	1665	<1	0.05	1	1090	36	0.24	5	3
C206358		3.29	10	<1	0.12	10	0.67	1345	<1	0.05	8	820	81	0.10	2	4
C206359		5.08	<10	1	0.16	<10	1.20	2300	1	0.03	23	930	190	0.79	6	14
C206360		4.50	<10	<1	0.19	10	0.52	1640	16	0.06	3	1830	196	0.74	4	6
C206361		2.39	10	<1	0.04	10	1.02	1905	<1	0.32	<1	720	13	0.03	5	3
C206362		0.89	<10	<1	0.05	<10	<0.01	40	1	<0.01	3	30	15	0.10	2	1
C206363		0.87	<10	<1	0.03	<10	<0.01	57	<1	<0.01	13	70	16	0.02	<2	1
C206364		3.33	<10	1	0.14	<10	0.02	85	23	<0.01	16	900	8	0.23	8	4
C206365		4.86	<10	<1	0.16	<10	3.52	1665	<1	<0.01	8	110	5	1.01	4	6
C206366		4.80	<10	<1	0.10	10	0.04	121	4	0.06	35	1160	10	2.78	4	3
C206367		2.31	<10	<1	0.27	20	0.13	484	3	0.06	2	1300	10	1.29	2	3
C206368		4.20	<10	<1	0.20	10	0.41	1000	16	0.07	5	1210	4	1.98	4	6
C206369		4.43	<10	<1	0.26	20	1.10	1005	8	0.05	2	1140	11	2.68	3	7
C206370		3.44	<10	<1	0.11	20	0.46	1755	25	0.06	25	1110	50	2.63	4	8
C206312		0.77	<10	<1	0.15	20	0.02	91	1	0.08	<1	90	4	0.19	2	1
C206313		1.31	<10	<1	0.32	20	0.06	261	1	0.03	2	250	11	0.47	3	<1
C206314		2.92	<10	<1	0.26	<10	0.38	70	15	0.01	48	520	14	2.04	8	3
C206315		3.83	10	<1	0.30	20	0.16	112	26	<0.01	1	570	22	0.86	2	2
C206316		2.89	<10	<1	0.35	20	0.02	51	2	<0.01	1	420	36	0.45	2	2
C206317		4.59	10	<1	0.22	20	2.10	2160	43	<0.01	19	1770	28	1.36	4	11
C206318		3.82	10	<1	0.26	10	0.73	815	<1	0.01	3	1070	6	0.01	4	6
C206319		4.72	10	<1	0.27	20	2.07	1810	<1	0.02	5	2440	17	0.01	5	7
C206320		3.63	<10	<1	0.25	20	0.63	1185	15	<0.01	6	710	1275	1.67	5	4
C206321		5.83	10	<1	0.95	50	2.42	2100	20	0.01	5	2910	294	1.99	6	6
C206322		6.15	10	<1	0.75	20	3.20	2020	7	<0.01	8	2400	103	1.02	4	12
C206323		3.71	10	<1	0.21	30	1.16	1440	1	<0.01	12	1340	76	0.95	3	4





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Cu-AA46	Pb-AA46
		Sr	Ti	Ti	U	V	W	Zn	Ag	Zn	Cu	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		1	0.01	10	10	1	10	2	1	0.01	0.01	0.01
C206022		74	0.34	<10	<10	116	<10	132				
C206023		85	0.02	<10	<10	70	<10	19				
C206024		5	<0.01	<10	<10	5	<10	6				
C206025		196	0.37	<10	<10	145	<10	36				
C206026		45	0.23	<10	<10	107	<10	161				
C206027		220	0.23	<10	<10	129	<10	23				
C206028		45	0.17	<10	<10	173	<10	10				
C206029		12	0.29	<10	<10	73	<10	11				
C206351		26	<0.01	<10	<10	25	<10	42				
C206352		20	<0.01	<10	<10	13	<10	361				
C206353		79	<0.01	<10	<10	15	<10	9290				
C206354		46	<0.01	<10	<10	8	10	>10000	3.46			1.59
C206355		17	<0.01	<10	<10	28	<10	3660				
C206356		104	<0.01	<10	<10	91	<10	3010				
C206357		52	<0.01	<10	<10	20	<10	128				
C206358		28	<0.01	<10	<10	55	<10	257				
C206359		83	<0.01	<10	<10	127	<10	1135				
C206360		59	<0.01	<10	<10	62	<10	4540				
C206361		652	0.01	<10	<10	64	<10	61				
C206362		9	<0.01	<10	<10	7	<10	25				
C206363		9	<0.01	<10	<10	8	<10	41				
C206364		68	<0.01	<10	<10	65	<10	153				
C206365		396	<0.01	<10	<10	42	<10	44				
C206366		25	0.01	<10	<10	34	<10	29				
C206367		173	<0.01	<10	<10	20	<10	21				
C206368		176	0.01	<10	<10	40	<10	28				
C206369		320	<0.01	<10	<10	42	<10	69				
C206370		382	0.01	<10	<10	42	<10	100				
C206312		13	<0.01	<10	<10	3	<10	7				
C206313		111	0.01	<10	<10	22	<10	29				
C206314		17	0.01	<10	<10	54	<10	86				
C206315		51	0.01	<10	<10	160	<10	16				
C206316		85	0.01	<10	<10	58	<10	12				
C206317		400	0.03	<10	<10	379	<10	166				
C206318		126	0.20	<10	<10	471	<10	70				
C206319		488	0.10	<10	<10	345	<10	161				
C206320		321	0.02	<10	<10	235	<10	97				
C206321		484	0.10	<10	<10	475	<10	310				
C206322		250	0.07	<10	<10	441	<10	250				
C206323		361	0.03	<10	<10	353	<10	104				



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

CERTIFICATE OF ANALYSIS	EL06083239
-------------------------	------------

		WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Sample Description	Method Analyte Units LOR	Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	S ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206324		1.90	0.478		2.8	0.73	104	<10	170	0.6	<2	4.11	<0.5	11	6	835
C206325		1.66	0.020		0.3	0.73	12	<10	60	1.0	<2	3.13	<0.5	7	2	252
C206326		1.90	0.060		0.8	2.06	7	<10	40	1.1	<2	3.09	<0.5	12	1	671
C206327		2.42	0.170		4.1	0.57	<2	<10	80	0.5	3	1.71	<0.5	7	2	6770
C206328		1.73	0.013		<0.2	1.14	30	<10	10	<0.5	<2	6.35	<0.5	15	63	37
C206329		1.77	0.011		0.2	0.46	19	<10	20	<0.5	<2	8.28	1.0	11	33	64
C206330		1.62	0.055		0.4	0.67	22	<10	140	<0.5	<2	0.18	<0.5	6	5	89
C206331		1.46	0.026		0.2	1.00	57	<10	10	0.5	<2	9.21	<0.5	15	32	64



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 5 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 20-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083239

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C206324		2.62	10	<1	0.24	30	0.59	1300	5	<0.01	5	800	37	1.20	4	3
C206325		3.40	10	<1	0.25	30	0.35	811	<1	0.03	1	2020	7	<0.01	3	6
C206326		4.78	10	<1	1.43	50	1.56	1245	<1	0.03	<1	3410	5	<0.01	3	8
C206327		3.25	10	<1	0.26	10	0.46	583	<1	0.01	3	390	16	<0.01	5	3
C206328		4.19	10	<1	0.05	10	1.19	772	7	0.05	45	1430	19	2.82	2	7
C206329		3.19	<10	<1	0.09	10	0.65	390	14	0.05	61	1430	6	2.95	4	2
C206330		3.92	<10	<1	0.27	20	0.30	254	3	<0.01	4	780	32	1.65	4	3
C206331		4.95	10	<1	0.06	<10	1.18	886	9	0.02	47	1340	21	4.04	4	7



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
**2080-777 HORNBY STREET**  
**VANCOUVER BC V6Z 1S4**

Page: 5 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 20-SEP-2006  
 Account: PAGRES

Project: ISKUT

<b>CERTIFICATE OF ANALYSIS</b>	<b>EL06083239</b>
--------------------------------	-------------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Cu-AA46	Pb-AA46
	Analyte	Sr	Ti	Tl	U	V	W	Ag	Zn	Cu	Pb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	%
LOR	1	0.01	10	10	1	10	2	1	0.01	0.01	0.01
C206324		345	0.02	<10	<10	235	<10	74			
C206325		355	0.25	<10	<10	909	<10	56			
C206326		500	0.31	<10	<10	514	<10	105			
C206327		122	0.33	<10	<10	498	<10	61			
C206328		296	0.06	<10	<10	174	<10	60			
C206329		373	0.16	<10	<10	119	<10	69			
C206330		95	0.01	<10	<10	101	<10	56			
C206331		528	0.01	<10	<10	169	<10	43			



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



INTERNATIONAL PLASMA LABS LTD.  
 1100 West Beaver Creek Rd.  
 Richmond, B.C.  
 Canada V7A 4V9  
 Phone (604) 579-8478  
 Fax (604) 579-8481  
 Web: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

### Paget Resources Corp

Project : Mess Creek  
 Shipper : John Bradford  
 Shipment: PO#:

Comment:

75 Samples

Print: Sep 08, 2006 In: Aug 28, 2006

[238113:23:53:60090806:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	75	Rock	crush, split & pulverize to -150 mesh.	12M/Dis	03M/Dis
B84100	4	Repeat	Repeat sample - no charge	12M/Dis	00M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90010	1	Std iPL	Std iPL(Au Certified) - no charge		

NS=No Sample Rep=Replicate M=Month Dis=Discard

### Analytical Summary

Analysis: Au(FA/AAS 30g) ICP(AqR)30

### Document Distribution

1 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: John Bradford  
 Ph:604.241.1765  
 Em:jabradford@shaw.ca

2 Paget Resources Corp  
 1403-400 Burrard St  
 Vancouver  
 B.C. V6C362  
 Canada  
 Att: Henry Marsden  
 Em:henry\_marsden@telus.net

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	5000.00
02	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
03	0711	ICP	ppm	Cu ICP	Copper	1	10000
04	0714	ICP	ppm	Pb ICP	Lead	2	10000
05	0730	ICP	ppm	Zn ICP	Zinc	1	10000
06	0703	ICP	ppm	As ICP	Arsenic	5	10000
07	0702	ICP	ppm	Sb ICP	Antimony	5	2000
08	0732	ICP	ppm	Hg ICP	Mercury	3	10000
09	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
10	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
11	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
12	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
13	0710	ICP	ppm	Co ICP	Cobalt	1	10000
14	0718	ICP	ppm	Ni ICP	Nickel	1	10000
15	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
16	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
17	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
18	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
19	0716	ICP	ppm	Mn ICP	Manganese	1	10000
20	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
21	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
22	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
23	0736	ICP	ppm	Sc ICP	Scandium	1	10000
24	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
25	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
26	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
27	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
28	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
29	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
30	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
31	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3/4 Disk  
 DL=Download 3D=3/4 Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C05560102

\* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayers: David Chiu, Ron Williams

Signature: \_\_\_\_\_

# CERTIFICATE OF ANALYSIS

## iPL 06H2381



10000 Lakeshore Blvd.  
 Richmond, BC  
 Canada V7A 1N5  
 Phone (604) 272-7878  
 Fax (604) 272-0831  
 Website www.ipla.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

75 Samples

Ship#

75=Rock

4=Repeat

1=Blk iPL

1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:00h] Aug 28, 2006

Page 1 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C205201	Rock	0.04	0.3	83	<2	13	<5	<5	<3	37	<10	<2	<0.2	1	2	224	<5	46	34
C205202	Rock	0.24	0.8	1435	<2	21	32	<5	<3	221	<10	<2	<0.2	5	5	220	<5	27	32
C205203	Rock	0.05	0.4	236	<2	22	12	<5	<3	134	<10	<2	<0.2	3	4	594	<5	27	27
C205204	Rock	0.14	0.7	908	<2	22	6	<5	<3	115	<10	<2	<0.2	5	4	190	<5	16	50
C205205	Rock	0.09	0.5	589	<2	26	<5	<5	<3	75	<10	<2	<0.2	6	3	464	<5	29	64
C205206	Rock	0.13	0.7	884	<2	27	6	<5	<3	147	<10	<2	<0.2	7	2	201	<5	15	50
C205207	Rock	0.20	0.6	1696	<2	36	5	<5	<3	93	<10	<2	<0.2	11	3	102	<5	19	70
C205208	Rock	0.18	0.8	1263	<2	46	11	<5	<3	100	<10	<2	<0.2	16	5	98	<5	13	95
C205209	Rock	0.13	0.5	885	<2	41	<5	<5	<3	119	<10	<2	<0.2	11	12	488	<5	23	116
C205210	Rock	0.12	0.5	589	<2	32	<5	<5	<3	67	<10	<2	<0.2	7	9	464	<5	23	63
C205211	Rock	0.07	0.4	280	<2	34	5	<5	<3	88	<10	<2	<0.2	6	4	557	<5	17	43
C205212	Rock	0.08	0.4	267	<2	28	8	<5	<3	29	<10	<2	<0.2	4	6	486	<5	15	28
C205213	Rock	0.11	0.3	144	<2	19	15	<5	<3	13	<10	<2	<0.2	4	<1	249	<5	37	23
C205214	Rock	0.02	0.3	67	<2	13	5	<5	<3	17	<10	<2	<0.2	5	2	376	<5	23	24
C205215	Rock	0.09	0.5	458	<2	16	8	<5	<3	37	<10	<2	<0.2	5	4	281	<5	23	29
C205216	Rock	0.17	0.7	924	<2	11	10	<5	<3	86	<10	<2	<0.2	3	3	246	<5	28	30
C205217	Rock	0.07	0.4	254	<2	11	<5	<5	<3	32	<10	<2	<0.2	3	1	527	<5	20	34
C205218	Rock	0.04	0.4	207	<2	11	8	<5	<3	18	<10	<2	<0.2	3	<1	400	<5	23	30
C205219	Rock	0.28	0.6	913	<2	51	13	<5	<3	30	<10	<2	<0.2	13	5	257	<5	11	114
C205220	Rock	0.16	0.5	702	<2	42	7	<5	<3	40	<10	<2	<0.2	15	<1	431	<5	10	121
C205221	Rock	0.14	0.4	469	<2	44	11	<5	<3	28	<10	<2	<0.2	16	3	214	<5	12	155
C205222	Rock	0.26	0.4	1044	<2	46	9	<5	<3	11	<10	<2	<0.2	15	3	513	<5	11	146
C205223	Rock	0.06	0.4	268	<2	22	6	<5	<3	20	<10	<2	<0.2	6	<1	216	<5	23	90
C205224	Rock	0.04	0.4	273	<2	18	<5	<5	<3	21	<10	<2	<0.2	4	<1	404	<5	22	47
C205225	Rock	0.02	0.3	38	<2	16	<5	<5	<3	8	<10	<2	<0.2	2	<1	495	<5	26	48
C205226	Rock	0.07	0.4	262	<2	40	9	<5	<3	27	<10	<2	<0.2	13	2	160	<5	11	164
C205227	Rock	0.12	0.4	442	<2	40	7	<5	<3	36	<10	<2	<0.2	11	2	524	<5	8	145
C205228	Rock	0.19	0.6	1218	<2	31	<5	<5	<3	54	<10	<2	<0.2	9	2	220	<5	17	113
C205229	Rock	0.23	0.5	687	<2	38	7	<5	<3	12	<10	<2	<0.2	10	13	640	<5	6	137
C205230	Rock	0.37	0.5	1568	<2	41	8	<5	<3	37	<10	<2	<0.2	15	12	246	<5	6	141
C205231	Rock	0.19	0.5	736	<2	41	9	<5	<3	68	<10	<2	<0.2	15	5	166	<5	5	153
C205232	Rock	0.12	0.5	828	<2	67	9	<5	<3	93	<10	<2	<0.2	16	5	269	<5	5	167
C205233	Rock	0.12	0.5	972	<2	82	7	<5	<3	209	<10	<2	<0.2	20	6	187	<5	4	179
C205234	Rock	0.18	0.8	1376	<2	65	51	<5	<3	93	<10	<2	<0.2	20	9	433	<5	4	151
C205235	Rock	0.01	0.3	88	<2	38	5	<5	<3	11	<10	<2	<0.2	7	5	661	<5	22	41
C205236	Rock	0.02	0.5	361	<2	49	6	<5	<3	31	<10	<2	<0.2	7	12	453	<5	21	45
C205237	Rock	0.21	0.4	221	<2	31	9	<5	<3	25	<10	<2	<0.2	6	11	295	<5	19	112
C205238	Rock	0.02	0.6	205	<2	32	8	<5	<3	20	<10	<2	<0.2	5	10	373	<5	31	44
C205239	Rock	0.06	0.5	267	<2	21	7	<5	<3	17	<10	<2	<0.2	3	8	540	<5	19	39

Minimum Detection 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1 1  
 Maximum Detection 5000.00 100.0 10000 10000 10000 10000 2000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000 10000  
 Method FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



INTERNATIONAL PLASMA LABS LTD.  
 11111 111th Ave  
 Edmonton, AB  
 Canada T7A 4V5  
 Phone: (780) 441-1111  
 Fax: (780) 441-1111  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# 75 Samples  
 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 Aug 28, 2006 [238113:23:53:60090806:00h]

Page 1 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205201	237	8	60	22	4	<0.01	0.33	1.56	1.29	0.33	0.26	0.04	0.08
C205202	424	9	82	29	3	<0.01	0.30	2.69	1.56	0.47	0.24	0.03	0.08
C205203	380	6	74	25	4	<0.01	0.36	2.64	1.35	0.50	0.27	0.03	0.07
C205204	362	6	70	19	6	<0.01	0.43	2.27	1.82	0.44	0.35	0.04	0.08
C205205	434	13	108	30	4	<0.01	0.32	3.40	2.00	0.55	0.27	0.03	0.09
C205206	382	11	79	25	6	<0.01	0.40	2.34	1.88	0.47	0.33	0.04	0.09
C205207	444	11	80	28	7	<0.01	0.47	2.77	2.50	0.55	0.39	0.06	0.09
C205208	556	11	95	46	13	0.01	0.59	3.08	3.42	0.59	0.50	0.03	0.13
C205209	587	8	153	39	17	<0.01	0.43	4.24	3.23	0.61	0.38	0.03	0.11
C205210	488	14	126	32	6	<0.01	0.27	3.75	2.36	0.58	0.22	0.03	0.09
C205211	554	12	146	35	4	<0.01	0.35	4.02	2.17	0.60	0.29	0.02	0.09
C205212	560	10	140	14	4	<0.01	0.40	3.67	1.67	0.59	0.31	0.02	0.08
C205213	475	11	113	18	4	<0.01	0.48	2.57	1.67	0.46	0.37	0.03	0.09
C205214	381	13	159	16	4	<0.01	0.44	2.24	1.56	0.44	0.34	0.04	0.09
C205215	495	9	179	12	3	<0.01	0.49	3.13	1.65	0.55	0.36	0.04	0.07
C205216	331	11	168	28	3	<0.01	0.47	2.05	1.43	0.44	0.35	0.05	0.08
C205217	372	9	182	21	3	<0.01	0.42	2.29	1.52	0.48	0.32	0.05	0.07
C205218	327	10	199	16	3	<0.01	0.42	1.89	1.44	0.44	0.31	0.06	0.07
C205219	659	11	182	45	14	<0.01	0.49	2.15	3.96	0.56	0.40	0.05	0.13
C205220	640	14	260	43	17	0.01	0.43	3.04	3.79	0.59	0.37	0.05	0.14
C205221	607	17	273	43	21	0.02	0.69	3.12	4.11	0.61	0.64	0.06	0.15
C205222	519	19	396	73	22	0.03	0.81	3.27	4.05	0.62	0.70	0.06	0.15
C205223	471	17	148	30	10	0.01	0.44	2.36	2.68	0.52	0.33	0.07	0.11
C205224	514	16	136	21	5	<0.01	0.30	2.96	1.74	0.57	0.20	0.07	0.09
C205225	413	13	125	18	5	<0.01	0.34	2.30	1.61	0.48	0.22	0.07	0.10
C205226	539	13	147	52	23	0.01	0.69	2.82	4.12	0.57	0.53	0.05	0.16
C205227	543	11	183	47	22	0.01	0.64	2.99	3.83	0.57	0.50	0.05	0.16
C205228	489	12	147	33	18	0.01	0.45	3.14	3.14	0.58	0.37	0.04	0.13
C205229	646	12	161	43	19	0.01	0.58	3.93	3.62	0.63	0.48	0.04	0.14
C205230	607	11	186	40	22	0.02	0.73	3.81	3.67	0.64	0.65	0.05	0.15
C205231	531	10	124	47	20	0.01	0.66	2.54	4.16	0.59	0.56	0.05	0.13
C205232	666	8	119	53	19	0.01	0.69	2.90	4.42	0.57	0.55	0.04	0.10
C205233	745	9	114	61	20	0.01	0.63	2.95	4.81	0.57	0.51	0.04	0.10
C205234	692	8	123	54	18	0.01	0.66	3.50	4.53	0.60	0.54	0.04	0.10
C205235	621	11	122	29	4	<0.01	0.43	3.59	2.08	0.56	0.33	0.03	0.07
C205236	839	11	119	31	5	<0.01	0.41	4.54	2.35	0.61	0.30	0.03	0.07
C205237	470	10	108	27	9	<0.01	0.71	2.08	2.82	0.43	0.54	0.03	0.17
C205238	539	9	95	25	3	<0.01	0.35	3.11	1.65	0.52	0.28	0.03	0.05
C205239	438	7	117	15	4	<0.01	0.39	2.62	1.40	0.48	0.32	0.02	0.08

Minimum Detection 1 2 1 1 1 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01  
 Maximum Detection 10000 10000 10000 10000 10000 10.00 10.00 10.00 10.00 10.00 10.00 10.00 5.00  
 Method ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd  
 10000 16th  
 Canada V7A 4V9  
 Phone (604) 371-0878  
 Fax (604) 372-0878  
 Website: www.ipla.com

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

**75 Samples**  
 Ship# 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:00H] Aug 28, 2006

Page 2 of 3  
 Section 1 of 2

Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
C205240	Rock	0.15	0.7	696	<2	26	16	<5	<3	9	<10	<2	<0.2	7	7	376	<5	26	54
C205241	Rock	0.06	0.5	235	<2	29	11	<5	<3	17	<10	<2	<0.2	6	18	272	<5	17	48
C205242	Rock	0.07	0.4	211	<2	23	12	<5	<3	25	<10	<2	<0.2	6	12	185	<5	26	42
C205243	Rock	0.01	0.4	86	<2	45	12	<5	<3	4	<10	<2	<0.2	8	26	242	<5	23	45
C205244	Rock	0.06	0.6	274	<2	35	17	<5	<3	30	<10	<2	<0.2	8	27	155	<5	34	39
C205245	Rock	0.05	0.7	391	<2	18	12	<5	<3	71	<10	<2	<0.2	2	9	120	<5	40	31
C205246	Rock	0.05	0.3	198	<2	21	<5	<5	<3	28	<10	<2	<0.2	3	7	269	<5	29	51
C205247	Rock	0.12	0.8	279	<2	20	10	<5	<3	68	<10	<2	<0.2	6	11	214	<5	29	44
C205248	Rock	0.03	1.4	487	<2	24	9	<5	<3	53	<10	<2	<0.2	15	8	69	<5	37	53
C205249	Rock	0.14	0.9	1000	<2	23	5	<5	<3	58	<10	<2	<0.2	10	10	123	<5	24	63
C205250	Rock	<0.01	0.3	47	<2	14	5	<5	<3	9	<10	<2	<0.2	5	4	449	<5	28	32
C205251	Rock	0.01	0.3	116	<2	23	6	<5	<3	13	<10	<2	<0.2	6	7	336	<5	21	38
C205252	Rock	0.01	0.3	84	<2	21	7	<5	<3	11	<10	<2	<0.2	5	8	353	<5	29	58
C205253	Rock	0.02	0.4	270	<2	19	<5	<5	<3	13	<10	<2	<0.2	3	14	452	<5	19	49
C205254	Rock	0.01	0.3	142	<2	19	<5	<5	<3	68	<10	<2	<0.2	5	8	477	<5	25	39
C205255	Rock	0.02	0.5	385	<2	20	15	<5	<3	12	<10	<2	<0.2	5	12	236	<5	32	41
C205256	Rock	0.01	0.4	95	<2	28	9	<5	<3	13	<10	<2	<0.2	6	11	237	<5	25	42
C205257	Rock	<0.01	0.2	8	<2	9	<5	<5	<3	7	<10	<2	<0.2	3	6	526	<5	66	26
C205258	Rock	0.04	0.4	199	<2	14	7	<5	<3	20	<10	<2	<0.2	5	8	220	<5	43	36
C205259	Rock	0.01	0.4	37	<2	35	<5	<5	<3	11	<10	<2	<0.2	6	18	276	<5	31	41
C205260	Rock	0.01	0.3	<1	<2	22	42	<5	<3	12	<10	<2	<0.2	6	10	304	<5	29	33
C205261	Rock	0.01	0.3	63	<2	20	<5	<5	<3	12	<10	<2	<0.2	4	4	313	<5	25	30
C205262	Rock	0.01	0.3	31	<2	14	<5	<5	<3	18	<10	<2	<0.2	3	5	544	<5	19	53
C205263	Rock	0.01	0.3	143	<2	22	15	<5	<3	13	<10	<2	<0.2	5	10	259	<5	19	30
C205264	Rock	0.01	0.3	114	<2	24	45	<5	<3	11	<10	<2	<0.2	6	8	323	<5	27	59
C205265	Rock	0.23	0.6	1048	<2	34	<5	<5	<3	32	<10	<2	<0.2	9	14	365	<5	27	103
C205266	Rock	0.01	0.5	411	<2	27	6	<5	<3	24	<10	<2	<0.2	9	11	151	<5	26	108
C205267	Rock	<0.01	0.4	125	<2	21	48	<5	<3	20	<10	<2	<0.2	5	10	122	<5	34	48
C205268	Rock	<0.01	0.4	57	34	45	8	<5	<3	6	<10	<2	<0.2	9	25	210	<5	38	66
C205269	Rock	0.03	0.4	302	<2	45	7	<5	<3	25	<10	<2	<0.2	9	27	354	<5	37	78
C205270	Rock	0.02	0.5	577	22	22	<5	<5	<3	35	<10	<2	<0.2	6	14	253	<5	40	44
C205271	Rock	0.02	0.5	357	<2	50	12	<5	<3	21	<10	<2	<0.2	9	33	273	<5	49	57
C205272	Rock	0.01	0.4	84	<2	26	10	<5	<3	40	<10	<2	<0.2	6	19	295	<5	59	38
C205429	Rock	0.10	0.8	930	<2	14	11	<5	<3	95	<10	<2	<0.2	3	2	410	<5	27	31
C205430	Rock	0.02	0.3	169	<2	13	48	<5	<3	25	<10	<2	<0.2	3	<1	441	<5	26	28
C205431	Rock	0.27	1.0	2041	<2	18	59	<5	<3	83	<10	<2	<0.2	4	5	140	<5	34	36
RE C205201	Repeat	0.04	0.3	87	<2	14	<5	<5	<3	38	<10	<2	<0.2	2	2	226	<5	46	34
RE C205220	Repeat	0.16	0.4	702	<2	41	5	<5	<3	38	<10	<2	<0.2	13	<1	412	<5	9	114
RE C205240	Repeat	0.16	0.7	697	<2	27	10	<5	<3	10	<10	<2	<0.2	5	7	382	<5	26	54

Minimum Detection 0.01 0.1 1 2 1 5 5 3 1 10 2 0.2 1 1 2 5 1 1  
 Maximum Detection 5000.00 100.0 10000 10000 10000 10000 2000 10000 1000 1000 2000 2000.0 10000 10000 10000 1000 10000 10000  
 Method FA/AAS ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP ICP  
 —=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample





# CERTIFICATE OF ANALYSIS

## iPL 06H2381



10000  
 10000  
 Canada VIA 4W  
 Phone: (403) 979-0000  
 Fax: (403) 979-0001  
 Web: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD.  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship#                      **75 Samples**  
                                     75=Rock      4=Repeat      1=Blk iPL      1=Std iPL

Print: Sep 08, 2006      Page 2 of 3  
 [238113:23:53:60090806:001] Aug 28, 2006      Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
C205240	560	6	96	20	3	<0.01	0.29	3.45	1.66	0.55	0.23	0.03	0.05
C205241	771	8	94	25	4	<0.01	0.27	4.83	2.01	0.64	0.23	0.03	0.06
C205242	506	6	60	14	3	<0.01	0.28	3.42	1.43	0.57	0.22	0.03	0.05
C205243	911	6	78	24	2	<0.01	0.19	6.29	2.16	0.70	0.15	0.03	0.03
C205244	668	5	100	19	3	<0.01	0.24	4.81	1.84	0.65	0.19	0.02	0.04
C205245	326	6	64	20	3	<0.01	0.28	2.30	1.26	0.48	0.21	0.03	0.06
C205246	487	7	89	19	8	<0.01	0.30	2.88	1.79	0.52	0.26	0.04	0.07
C205247	487	6	86	24	7	<0.01	0.32	2.72	1.63	0.50	0.28	0.03	0.07
C205248	537	6	83	27	5	<0.01	0.27	2.55	2.15	0.49	0.24	0.03	0.07
C205249	589	5	103	33	6	<0.01	0.28	3.15	2.26	0.53	0.26	0.02	0.06
C205250	377	5	100	18	2	<0.01	0.29	2.36	1.19	0.47	0.25	0.03	0.04
C205251	568	7	119	18	3	<0.01	0.33	3.76	1.58	0.59	0.28	0.02	0.05
C205252	571	7	99	19	5	<0.01	0.30	3.92	1.73	0.60	0.26	0.03	0.06
C205253	578	9	94	25	3	<0.01	0.32	3.73	1.87	0.59	0.27	0.03	0.09
C205254	527	7	85	20	3	<0.01	0.28	3.53	1.63	0.59	0.24	0.02	0.06
C205255	622	7	71	19	3	<0.01	0.27	4.14	1.62	0.64	0.22	0.02	0.04
C205256	677	8	84	17	2	<0.01	0.25	4.87	1.67	0.68	0.21	0.02	0.04
C205257	253	7	56	16	2	<0.01	0.25	1.53	0.85	0.36	0.20	0.03	0.04
C205258	364	6	54	18	3	<0.01	0.24	2.30	1.12	0.47	0.21	0.03	0.04
C205259	703	8	91	21	3	<0.01	0.24	5.08	1.82	0.69	0.20	0.02	0.04
C205260	485	11	88	18	2	<0.01	0.33	2.87	1.44	0.53	0.27	0.02	0.05
C205261	406	12	78	18	2	<0.01	0.32	2.66	1.25	0.53	0.25	0.04	0.06
C205262	435	11	78	19	5	<0.01	0.38	2.55	1.43	0.51	0.28	0.04	0.07
C205263	724	10	79	21	2	<0.01	0.36	4.09	1.75	0.62	0.29	0.02	0.05
C205264	491	10	61	37	6	<0.01	0.32	1.27	2.25	0.35	0.25	0.05	0.09
C205265	684	11	67	39	12	<0.01	0.36	2.00	3.01	0.46	0.29	0.04	0.12
C205266	738	12	72	25	15	<0.01	0.37	3.27	2.48	0.58	0.31	0.03	0.10
C205267	537	12	56	22	4	<0.01	0.24	2.48	1.65	0.49	0.19	0.05	0.06
C205268	710	10	56	36	7	<0.01	0.25	1.88	2.48	0.45	0.21	0.04	0.07
C205269	687	7	64	39	12	<0.01	0.34	1.85	2.89	0.45	0.28	0.03	0.11
C205270	547	12	66	28	5	<0.01	0.27	1.89	1.94	0.45	0.22	0.04	0.08
C205271	770	9	65	35	7	<0.01	0.25	1.95	2.75	0.47	0.21	0.04	0.07
C205272	427	8	49	17	4	<0.01	0.24	1.24	1.77	0.36	0.20	0.05	0.04
C205429	346	7	84	18	4	<0.01	0.33	2.17	1.59	0.42	0.24	0.04	0.08
C205430	367	6	80	12	4	<0.01	0.36	2.03	1.44	0.33	0.26	0.04	0.07
C205431	410	9	81	22	3	<0.01	0.31	2.54	1.65	0.47	0.25	0.03	0.07
RE C205201	241	8	60	18	4	<0.01	0.33	1.57	1.30	0.33	0.26	0.04	0.08
RE C205220	632	14	251	39	17	0.01	0.42	3.05	3.77	0.58	0.37	0.05	0.14
RE C205240	558	6	96	18	3	<0.01	0.28	3.43	1.68	0.55	0.24	0.03	0.05

Minimum Detection      1      2      1      1      1      0.01      0.01      0.01      0.01      0.01      0.01      0.01      0.01  
 Maximum Detection      10000      10000      10000      10000      10000      10.00      10.00      10.00      10.00      10.00      10.00      10.00      10.00      5.00  
 Method                      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP      ICP

—=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# CERTIFICATE OF ANALYSIS

## iPL 06H2381



International Plasma Labs Ltd  
 1100 West 10th Street  
 Vancouver, BC  
 Canada V7A 1V7  
 Phone: (604) 272-7533  
 Fax: (604) 272-7534  
 Website: www.ipl.ca

INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2001 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# 75 Samples

75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

[238113:23:53:60090806:00h] Print: Sep 08, 2006 Aug 28, 2006

Page 3 of 3  
 Section 1 of 2


Sample Name	Type	Au g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm
RE C205259	Repeat	0.01	0.4	40	<2	36	<5	<5	<3	13	<10	<2	<0.2	5	20	284	<5	32	41
Blank iPL	Blk iPL	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	Std iPL	1.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5	1	1
Maximum Detection	5000.00	100.0	10000	10000	10000	10000	2000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000	10000	10000
Method	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

# CERTIFICATE OF ANALYSIS

## iPL 06H2381



INTERNATIONAL PLASMA LABS LTD  
 ISO 9001:2000 CERTIFIED COMPANY

Client : Paget Resources Corp  
 Project: Mess Creek

Ship# **75 Samples**  
 75=Rock 4=Repeat 1=Blk iPL 1=Std iPL

Print: Sep 08, 2006  
 [238113:23:53:60090806:00h] Aug 28, 2006

Page 3 of 3  
 Section 2 of 2

Sample Name	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
RE C205259	721	8	89	27	3	<0.01	0.24	5.08	1.88	0.69	0.20	0.02	0.04
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_GS1B REF	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection    1    2    1    1    1    0.01    0.01    0.01    0.01    0.01    0.01    0.01    0.01  
 Maximum Detection    10000    10000    10000    10000    10000    10.00    10.00    10.00    10.00    10.00    10.00    10.00    5.00  
 Method    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP    ICP  
 —=No Test    Ins=Insufficient Sample    Del=Delay    Max=No Estimate    Rec=ReCheck    m=x1000    %=Estimate %    NS=No Sample



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 5-OCT-2006  
Account: PAGRES

## CERTIFICATE WN06089771

Project: Rocks

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Winnemucca, NV, USA on 14-SEP-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 5-OCT-2006  
Account: PAGRES

Project: Rocks

## CERTIFICATE OF ANALYSIS WN06089771

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C205344		2.20	0.008	0.3	0.45	36	<10	60	<0.5	<2	5.13	<0.5	12	7	21	4.15
C205345		2.26	0.026	0.6	0.92	94	10	220	<0.5	2	0.06	<0.5	<1	1	31	6.13
C205346		2.20	0.019	1.0	0.47	17	<10	60	<0.5	<2	0.10	<0.5	2	6	22	3.20
C205347		1.68	0.005	0.7	0.53	18	<10	20	<0.5	<2	2.06	<0.5	11	11	82	4.27
C205348		1.68	<0.005	3.8	0.27	<2	<10	400	<0.5	10	9.04	2.7	2	6	712	1.19
C205349		1.82	0.005	<0.2	0.34	5	<10	400	<0.5	<2	0.22	<0.5	3	17	16	1.30



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 5-OCT-2006  
 Account: PAGRES

Project: Rocks

**CERTIFICATE OF ANALYSIS WN06089771**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C205344		<10	<1	0.20	60	0.67	1275	8	0.10	12	1290	3	3.60	2	6	258
C205345		<10	<1	0.50	10	0.14	67	28	0.08	<1	700	53	0.73	3	3	54
C205346		<10	<1	0.34	<10	0.04	38	13	0.06	1	480	2	1.09	2	1	49
C205347		<10	<1	0.25	<10	0.42	296	12	0.10	10	1090	3	3.83	<2	4	94
C205348		<10	<1	0.14	70	0.23	599	33	0.02	3	250	229	0.32	<2	1	596
C205349		<10	<1	0.14	<10	0.03	151	2	0.01	10	1100	11	0.14	<2	1	13



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 5-OCT-2006  
Account: PAGRES

Project: Rocks

## CERTIFICATE OF ANALYSIS WN06089771

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C205344		<0.01	<10	<10	38	<10	63
C205345		<0.01	<10	<10	51	<10	118
C205346		<0.01	<10	<10	25	<10	5
C205347		<0.01	<10	<10	30	<10	6
C205348		<0.01	<10	<10	14	<10	102
C205349		<0.01	<10	<10	8	<10	20



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 15-SEP-2006  
Account: PAGRES

## CERTIFICATE EL06083236

Project: MESS CREEK

P.O. No.:

This report is for 63 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi %	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204403		4.24	0.143	0.7	0.35	4	<10	190	<0.5	<2	3.62	<0.5	8	6	628	3.34
C204404		3.57	0.151	0.6	0.30	4	<10	180	<0.5	<2	3.98	<0.5	6	8	710	3.43
C204405		4.78	0.242	0.6	0.46	2	<10	180	0.5	<2	3.50	<0.5	9	8	972	3.59
C204406		5.64	0.190	0.7	0.49	<2	<10	140	0.5	<2	2.71	<0.5	9	11	965	3.77
C204407		3.60	0.142	0.4	0.35	<2	<10	410	<0.5	<2	2.65	<0.5	5	4	729	2.80
C204408		4.46	0.402	0.5	0.72	<2	<10	260	0.5	<2	2.28	<0.5	9	7	773	4.06
C204409		3.69	0.278	1.3	0.58	<2	<10	130	<0.5	<2	2.79	<0.5	17	7	857	4.33
C204410		3.61	0.260	1.5	0.61	<2	<10	170	0.5	<2	2.76	<0.5	22	9	908	4.24
C204411		5.40	0.726	2.6	0.81	4	<10	270	0.6	<2	1.61	<0.5	13	7	3030	3.87
C204412		3.85	0.324	1.2	0.75	3	<10	260	<0.5	<2	1.83	<0.5	16	8	1570	4.06
C204413		3.82	0.225	1.3	0.52	<2	<10	270	0.5	<2	3.35	<0.5	21	6	1385	4.12
C204414		5.18	0.430	1.8	0.71	3	<10	290	0.6	<2	2.59	<0.5	18	6	2700	4.17
C204415		4.23	0.094	0.7	1.04	3	<10	440	0.7	<2	1.98	<0.5	12	8	462	4.20
C204416		4.27	0.173	0.5	0.76	<2	<10	410	0.6	<2	2.35	<0.5	10	6	762	3.82
C204417		4.62	0.211	0.6	0.63	<2	<10	250	0.6	<2	2.50	<0.5	11	7	803	3.54
C204418		4.37	0.149	0.7	0.50	2	<10	320	0.6	<2	2.52	<0.5	7	4	646	3.47
C204419		3.95	0.209	0.9	0.51	<2	<10	220	0.5	<2	2.67	<0.5	9	4	1455	3.66
C204420		4.79	0.185	0.6	0.43	2	<10	250	<0.5	<2	3.79	<0.5	8	2	876	3.15
C204421		4.38	0.115	0.5	0.46	2	<10	1040	<0.5	<2	3.62	<0.5	8	2	550	3.10
C204422		3.70	0.104	0.6	0.36	3	<10	540	<0.5	<2	2.70	<0.5	6	2	86	2.34
C204423		5.24	0.085	0.5	0.36	<2	<10	350	<0.5	2	2.75	<0.5	4	2	321	2.36
C204424		5.36	0.028	0.2	0.32	3	<10	390	<0.5	<2	2.74	<0.5	3	2	9	2.12
C204425		3.84	0.039	<0.2	0.31	15	<10	100	<0.5	<2	3.11	<0.5	5	1	6	2.39
C204426		4.46	0.040	0.3	0.36	6	<10	370	0.7	<2	8.33	<0.5	10	1	8	4.09
C204427		3.95	0.033	0.4	0.46	21	<10	380	0.7	<2	6.43	<0.5	13	<1	13	4.05
C204428		4.08	0.014	0.2	0.32	2	<10	830	<0.5	<2	3.39	<0.5	4	1	3	2.26
C204429		4.22	0.053	0.6	0.29	3	<10	210	<0.5	<2	3.04	<0.5	7	1	3	2.41
C204430		5.21	0.047	0.3	0.31	5	<10	140	0.5	<2	4.49	<0.5	7	2	14	2.85
C204431		4.19	0.045	0.2	0.40	3	<10	140	0.5	<2	2.84	<0.5	7	2	128	2.60
C204432		4.83	0.101	0.7	0.39	<2	<10	90	0.6	<2	4.14	<0.5	10	2	675	3.25
C204433		4.09	0.135	0.8	0.42	<2	<10	50	0.7	<2	6.02	<0.5	7	2	787	2.25
C204434		4.61	0.181	1.1	0.39	2	<10	60	0.7	<2	6.04	<0.5	10	2	1340	2.88
C204435		5.02	0.056	0.3	0.43	<2	<10	60	0.7	2	4.75	<0.5	8	2	475	3.10
C204436		5.24	0.125	0.9	0.36	2	<10	190	0.8	2	6.24	<0.5	11	2	1265	3.06
C204437		4.87	0.074	0.4	0.37	<2	<10	80	0.8	<2	3.59	<0.5	8	3	388	3.01
C204438		5.09	0.117	0.4	0.40	4	<10	90	0.6	2	4.16	<0.5	8	2	803	2.97
C204439		4.67	0.178	1.0	0.35	2	<10	300	0.6	3	4.12	<0.5	18	3	1230	3.60
C204440		7.83	0.169	1.4	0.43	2	<10	140	0.8	<2	4.42	<0.5	13	3	1390	3.16
C204441		6.91	0.090	0.4	0.47	2	<10	200	0.8	<2	3.50	<0.5	10	4	528	3.44
C204442		6.15	0.139	1.6	0.46	<2	<10	130	0.8	2	4.09	<0.5	13	3	1100	3.23



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204403		<10	<1	0.21	30	0.56	946	9	0.04	6	1480	5	0.43	4	7	58
C204404		<10	<1	0.18	30	0.97	1025	15	0.04	4	1410	5	0.28	<2	7	64
C204405		<10	<1	0.19	30	0.77	846	13	0.05	6	1600	4	0.19	<2	7	96
C204406		<10	1	0.18	30	0.70	731	7	0.05	7	1480	2	0.15	<2	6	70
C204407		<10	<1	0.17	30	0.58	614	35	0.05	5	1590	6	0.13	<2	5	74
C204408		<10	<1	0.14	30	0.84	572	29	0.06	4	1850	2	0.25	<2	5	81
C204409		<10	<1	0.17	30	0.80	658	12	0.06	4	1560	6	0.69	<2	7	69
C204410		<10	1	0.16	40	0.81	706	16	0.06	4	1590	2	0.68	2	8	60
C204411		10	1	0.14	40	1.03	432	64	0.06	7	1770	6	0.88	<2	6	56
C204412		<10	<1	0.14	30	1.06	594	15	0.06	6	1560	2	0.70	2	6	55
C204413		<10	<1	0.16	30	1.27	1010	82	0.06	4	1430	6	0.86	<2	8	68
C204414		<10	<1	0.13	40	1.31	801	11	0.06	4	1490	5	0.73	<2	6	67
C204415		10	<1	0.13	30	1.44	506	116	0.07	4	1510	3	0.55	<2	6	81
C204416		<10	<1	0.14	30	1.30	529	101	0.06	6	1530	4	0.52	2	6	84
C204417		<10	<1	0.16	30	1.07	572	154	0.05	5	1470	5	0.44	3	6	76
C204418		<10	<1	0.22	30	0.60	531	71	0.04	4	1560	5	0.23	2	6	63
C204419		<10	<1	0.23	30	0.42	636	130	0.04	6	1450	5	0.22	2	7	51
C204420		<10	<1	0.21	30	0.57	791	21	0.04	7	1480	5	0.24	<2	5	71
C204421		<10	<1	0.22	20	1.00	824	4	0.03	6	1240	5	0.22	2	4	151
C204422		<10	<1	0.17	20	0.67	714	<1	0.05	3	1010	6	0.11	<2	4	82
C204423		<10	<1	0.21	30	0.66	646	1	0.04	5	1250	3	0.18	<2	4	67
C204424		<10	<1	0.20	20	0.78	662	<1	0.06	3	1000	2	0.29	<2	4	71
C204425		<10	<1	0.19	20	0.82	755	2	0.05	6	970	4	0.58	3	3	57
C204426		<10	<1	0.20	10	1.39	1655	10	0.04	15	750	7	0.48	2	3	87
C204427		<10	<1	0.24	10	0.76	1395	14	0.03	10	860	26	0.74	2	3	93
C204428		<10	<1	0.20	20	0.88	888	3	0.06	3	990	<2	0.39	2	4	81
C204429		<10	<1	0.19	10	0.90	739	1	0.06	3	990	2	1.28	2	3	74
C204430		<10	<1	0.21	20	1.26	1060	3	0.06	7	910	3	0.46	2	3	88
C204431		<10	<1	0.22	20	0.84	651	10	0.05	2	1210	4	0.31	<2	4	68
C204432		<10	<1	0.24	30	1.16	956	16	0.04	1	1420	7	0.46	2	6	82
C204433		<10	<1	0.26	30	0.45	1045	28	0.04	2	1480	11	0.31	<2	6	136
C204434		<10	<1	0.24	30	1.39	1250	66	0.03	5	1360	13	0.35	<2	6	129
C204435		<10	<1	0.26	30	1.43	1155	10	0.04	9	1440	5	0.23	3	7	74
C204436		<10	1	0.23	30	2.00	1650	7	0.04	2	1290	5	0.59	<2	6	88
C204437		<10	<1	0.24	30	0.52	702	5	0.05	2	1550	2	0.26	2	7	78
C204438		<10	<1	0.26	30	0.76	895	7	0.04	4	1540	2	0.24	<2	7	73
C204439		<10	<1	0.22	30	0.95	840	9	0.05	2	1570	4	0.80	<2	6	85
C204440		<10	1	0.24	30	0.44	839	45	0.05	2	1590	4	0.69	2	7	85
C204441		<10	<1	0.20	30	0.85	803	10	0.06	3	1540	10	0.39	3	7	85
C204442		<10	<1	0.26	30	0.41	862	108	0.05	2	1550	8	0.99	<2	6	97



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204403		0.01	<10	<10	70	<10	29
C204404		0.01	<10	<10	80	<10	22
C204405		0.01	<10	<10	83	<10	36
C204406		0.01	<10	<10	87	<10	37
C204407		0.01	<10	<10	64	<10	22
C204408		0.01	<10	<10	100	<10	51
C204409		0.01	<10	<10	99	<10	39
C204410		0.01	<10	<10	96	<10	34
C204411		0.01	<10	<10	90	<10	47
C204412		0.01	<10	<10	94	<10	42
C204413		0.01	<10	<10	85	<10	34
C204414		0.01	<10	<10	88	<10	40
C204415		0.01	<10	<10	100	<10	68
C204416		0.01	<10	<10	82	<10	54
C204417		0.01	<10	<10	71	<10	49
C204418		<0.01	<10	<10	67	<10	36
C204419		<0.01	<10	<10	73	<10	40
C204420		<0.01	<10	<10	50	<10	40
C204421		<0.01	<10	<10	43	<10	46
C204422		0.01	<10	<10	42	<10	26
C204423		<0.01	<10	<10	45	<10	21
C204424		<0.01	<10	<10	35	<10	19
C204425		<0.01	<10	<10	31	<10	31
C204426		<0.01	<10	<10	32	<10	74
C204427		<0.01	<10	<10	19	<10	56
C204428		<0.01	<10	<10	32	<10	21
C204429		<0.01	<10	<10	22	<10	21
C204430		<0.01	<10	<10	31	<10	45
C204431		<0.01	<10	<10	46	<10	38
C204432		<0.01	<10	<10	51	<10	40
C204433		<0.01	<10	<10	44	<10	22
C204434		<0.01	<10	<10	40	<10	46
C204435		<0.01	<10	<10	51	<10	46
C204436		<0.01	<10	<10	47	<10	24
C204437		<0.01	<10	<10	59	<10	22
C204438		<0.01	<10	<10	56	<10	30
C204439		<0.01	<10	<10	68	<10	30
C204440		<0.01	<10	<10	60	<10	31
C204441		0.01	<10	<10	77	<10	52
C204442		<0.01	<10	<10	58	<10	43



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR																
C204443		3.72	0.269	1.7	0.43	2	<10	260	0.6	3	3.52	<0.5	15	3	2320	3.81
C204444		4.28	0.245	2.6	0.37	<2	<10	150	0.5	3	2.67	<0.5	33	4	974	4.00
C204445		6.08	0.287	5.2	0.41	<2	<10	140	0.6	9	2.92	<0.5	16	4	2230	3.90
C204446		6.69	0.180	1.6	0.37	<2	<10	120	0.7	<2	5.46	<0.5	24	3	1135	3.71
C204447		5.31	0.095	1.1	0.37	<2	<10	240	0.6	2	3.31	<0.5	12	2	377	3.35
C204448		5.68	0.027	0.5	0.36	<2	<10	200	0.5	<2	3.70	<0.5	10	2	177	3.07
C204449		7.25	0.060	0.5	0.32	<2	<10	260	0.6	<2	3.29	<0.5	13	4	550	2.64
C204450		5.09	0.025	0.4	0.36	<2	<10	120	0.7	<2	3.81	<0.5	7	4	209	2.68
C204451		7.42	0.024	0.4	0.37	3	<10	140	0.6	3	3.79	<0.5	7	4	168	2.96
C204452		3.98	0.027	0.2	0.37	<2	<10	140	0.7	<2	2.85	<0.5	9	6	168	2.74
C204453		4.64	0.429	3.4	0.36	<2	<10	170	<0.5	9	3.01	<0.5	14	2	307	3.11
C204454		4.38	0.118	0.4	0.42	<2	<10	230	0.5	<2	3.74	<0.5	10	2	906	3.14
C204455		5.60	0.047	0.3	0.39	<2	<10	130	0.6	2	7.39	<0.5	10	1	159	3.28
C204456		4.28	0.033	0.2	0.26	<2	<10	60	0.5	3	11.40	<0.5	14	<1	99	4.59
C204457		3.71	0.282	2.9	0.31	<2	<10	140	0.5	6	11.00	<0.5	21	5	393	5.40
C204458		5.79	0.290	1.5	0.38	<2	<10	130	0.5	2	2.61	<0.5	17	8	1500	4.04
C204459		6.83	0.185	2.4	0.44	<2	<10	200	0.5	4	2.33	0.6	12	6	950	3.45
C204460		3.97	0.148	0.7	0.61	<2	<10	290	0.5	<2	2.21	<0.5	8	12	880	3.81
C204461		5.03	0.195	0.8	1.32	<2	<10	340	0.8	2	1.78	<0.5	17	25	1130	6.71
C204462		4.80	0.161	1.0	0.86	2	<10	280	0.7	<2	1.80	<0.5	12	20	711	4.67
C204463		3.80	0.230	0.8	1.14	2	<10	190	0.8	<2	1.68	<0.5	14	26	918	5.59
C204464		6.09	0.200	1.1	1.22	9	<10	170	0.7	<2	2.07	<0.5	16	23	740	5.72
C204465		4.67	0.155	1.8	0.42	3	<10	230	<0.5	2	1.72	<0.5	8	7	1560	3.57



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	†	0.01	1	10	2	0.01	2	1
C204443		<10	<1	0.22	30	0.55	843	188	0.05	2	1630	8	0.88	<2	7
C204444		<10	<1	0.17	30	0.87	581	272	0.06	2	1480	32	1.70	<2	6
C204445		<10	1	0.18	30	0.85	644	25	0.06	2	1450	11	0.98	3	6
C204446		<10	<1	0.18	30	0.65	1030	18	0.05	2	1360	8	1.34	3	6
C204447		<10	<1	0.21	30	0.74	727	54	0.05	<1	1490	4	1.02	<2	6
C204448		<10	<1	0.20	30	1.03	885	30	0.07	1	1520	2	0.53	2	5
C204449		<10	<1	0.21	30	0.90	712	67	0.05	1	1470	5	0.56	<2	6
C204450		<10	<1	0.19	30	0.78	878	30	0.06	<1	1560	7	0.51	2	6
C204451		<10	<1	0.21	30	0.89	885	57	0.06	1	1460	4	0.46	2	6
C204452		<10	1	0.18	20	0.44	634	31	0.06	3	1520	6	0.48	<2	6
C204453		<10	<1	0.19	30	0.74	618	76	0.05	2	1640	5	1.00	2	6
C204454		<10	<1	0.26	30	1.19	815	7	0.04	3	1720	3	0.32	2	6
C204455		<10	<1	0.25	20	2.61	1675	66	0.02	9	670	5	0.25	<2	3
C204456		<10	<1	0.16	20	4.23	2590	21	0.02	11	570	3	0.20	<2	3
C204457		<10	<1	0.19	20	4.22	2240	23	0.02	20	600	13	1.21	3	4
C204458		<10	<1	0.20	30	0.89	459	117	0.06	8	1360	9	0.90	2	6
C204459		<10	<1	0.18	30	0.96	459	99	0.06	4	1420	49	0.92	<2	5
C204460		<10	<1	0.21	30	1.11	532	122	0.06	7	1480	6	0.35	<2	5
C204461		10	<1	0.40	30	1.88	662	5	0.07	17	1380	4	0.27	3	8
C204462		10	<1	0.27	30	1.48	582	7	0.08	13	1130	9	0.33	<2	6
C204463		10	<1	0.47	20	1.75	556	5	0.08	19	1060	5	0.27	<2	7
C204464		10	<1	0.56	20	1.57	617	6	0.07	17	910	5	0.45	<2	9
C204465		<10	<1	0.11	40	0.70	380	20	0.07	7	1050	67	0.77	<2	3



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083236

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204443		0.01	<10	<10	79	<10	41
C204444		0.01	<10	<10	74	<10	55
C204445		0.01	<10	<10	84	<10	52
C204446		<0.01	<10	<10	68	<10	52
C204447		<0.01	<10	<10	52	<10	27
C204448		<0.01	<10	<10	60	<10	20
C204449		0.01	<10	<10	63	<10	21
C204450		0.01	<10	<10	63	<10	42
C204451		0.01	<10	<10	54	<10	34
C204452		0.01	<10	<10	71	<10	26
C204453		<0.01	<10	<10	51	<10	26
C204454		<0.01	<10	<10	59	<10	26
C204455		<0.01	<10	<10	36	<10	58
C204456		<0.01	<10	<10	41	<10	87
C204457		<0.01	<10	<10	49	<10	102
C204458		0.01	<10	<10	84	<10	44
C204459		0.01	<10	<10	78	<10	135
C204460		0.01	<10	<10	100	<10	85
C204461		0.05	<10	<10	201	<10	118
C204462		0.03	<10	<10	134	<10	89
C204463		0.06	<10	<10	157	<10	93
C204464		0.06	<10	<10	139	<10	83
C204465		0.01	<10	<10	80	<10	71



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 15-SEP-2006  
Account: PAGRES

## CERTIFICATE EL06083237

Project: MESS CREEK

P.O. No.:

This report is for 52 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083237

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204466		7.01	0.124	2.2	0.44	3	<10	160	0.6	3	2.40	0.7	7	9	1350	3.87
C204467		3.18	0.102	1.3	0.44	2	<10	250	0.5	2	2.32	<0.5	6	10	939	4.01
C204468		4.44	0.116	1.9	0.48	2	<10	160	<0.5	<2	2.32	<0.5	18	11	751	4.52
C204469		5.27	0.083	0.4	0.57	3	<10	100	<0.5	<2	1.69	<0.5	7	13	434	3.10
C204470		3.91	0.140	0.6	0.90	<2	<10	130	0.7	2	2.16	<0.5	11	18	888	4.74
C204471		4.67	0.144	1.0	1.02	2	<10	80	0.6	<2	2.32	<0.5	15	5	1155	6.40
C204472		4.75	0.333	1.6	0.54	<2	<10	170	<0.5	<2	2.40	<0.5	14	8	1285	4.25
C204473		3.96	0.144	1.0	0.89	2	<10	110	<0.5	<2	2.38	<0.5	14	4	854	6.04
C204474		4.86	0.129	0.6	1.51	2	<10	100	0.5	2	2.34	<0.5	22	1	870	9.03
C204475		4.75	0.245	2.6	1.38	3	<10	100	0.6	<2	2.89	<0.5	23	1	1590	8.42
C204476		4.51	0.142	3.1	1.44	9	<10	90	0.7	<2	2.94	<0.5	21	2	995	7.83
C204477		5.14	0.158	1.6	1.75	8	<10	110	0.7	2	3.32	<0.5	24	6	1710	8.23
C204478		4.28	0.178	1.9	1.58	6	<10	120	0.5	<2	3.10	<0.5	23	11	2050	7.70
C204479		6.81	0.074	0.9	1.71	<2	<10	130	0.5	<2	2.52	<0.5	25	5	705	9.35
C204480		4.46	0.119	0.6	1.66	<2	<10	90	0.5	2	2.05	<0.5	21	20	869	7.07
C204481		6.64	0.106	1.0	1.94	5	<10	190	0.7	2	3.31	<0.5	27	90	693	7.88
C204482		6.83	0.136	1.5	1.77	6	<10	240	0.6	2	2.18	0.5	23	12	790	8.79
C204483		7.30	0.195	2.8	1.52	8	<10	150	0.7	2	3.01	0.6	18	27	1160	6.22
C204484		7.31	0.145	0.4	1.05	<2	<10	420	0.6	<2	3.55	<0.5	14	10	728	4.89
C204485		7.27	0.092	1.6	1.40	8	<10	140	0.6	<2	4.30	<0.5	20	3	476	7.85
C204486		7.26	0.103	0.6	1.19	6	<10	290	0.6	<2	4.04	<0.5	18	21	424	6.43
C204487		6.87	0.047	0.5	0.42	9	<10	280	<0.5	<2	3.34	<0.5	7	18	451	2.94
C204488		6.94	0.074	1.4	0.31	6	<10	180	<0.5	<2	3.21	<0.5	8	7	361	2.82
C204489		6.99	0.090	1.1	0.54	6	<10	280	<0.5	2	3.48	<0.5	13	3	463	4.89
C204490		7.25	0.160	2.3	0.72	8	<10	110	0.5	<2	4.66	0.6	18	3	659	6.40
C204491		6.40	0.164	1.3	0.72	7	<10	130	0.5	<2	7.42	<0.5	16	6	745	6.03
C204492		7.21	0.195	2.0	0.72	7	<10	340	0.5	2	4.37	<0.5	13	4	722	4.84
C204493		7.51	0.290	3.6	1.04	14	<10	90	0.5	2	4.26	0.5	19	5	304	6.62
C204494		3.88	0.283	5.4	1.55	13	<10	180	0.6	6	6.72	0.6	30	35	592	7.71
C204495		3.09	0.044	0.4	1.88	3	<10	220	0.6	2	4.44	0.5	32	58	197	8.05
C204496		6.81	0.098	0.8	0.95	10	<10	70	0.5	<2	4.83	0.8	19	7	334	6.10
C204497		7.19	0.073	1.1	0.97	5	<10	100	0.5	<2	4.89	<0.5	18	9	682	6.07
C204498		4.66	0.125	1.9	0.94	8	<10	250	<0.5	<2	4.97	0.5	15	7	1075	5.67
C204499		6.82	0.474	7.5	0.46	30	10	140	0.5	4	4.63	<0.5	16	7	1420	4.23
C204500		4.93	0.671	8.4	0.34	25	<10	120	<0.5	<2	5.47	<0.5	15	7	654	4.30
C205101		6.62	0.118	0.7	0.64	9	<10	360	0.6	<2	4.82	<0.5	12	3	465	4.32
C205102		7.22	0.316	2.4	0.57	9	<10	120	<0.5	<2	4.20	0.5	16	2	1085	4.52
C205103		6.54	0.139	1.0	0.40	7	<10	190	<0.5	<2	2.88	<0.5	6	4	70	2.13
C205104		7.21	0.051	0.2	0.41	4	<10	470	0.5	<2	2.99	<0.5	7	2	74	2.10
C205105		6.68	0.160	1.5	0.32	6	<10	310	<0.5	<2	2.76	<0.5	9	2	536	2.06





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083237

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204466		<10	1	0.14	50	0.68	502	51	0.07	5	1130	23	1.13	2	3	66
C204467		<10	1	0.13	30	0.95	537	12	0.09	6	1140	61	0.82	<2	4	76
C204468		<10	<1	0.12	30	0.82	514	56	0.08	4	1170	29	1.39	<2	4	65
C204469		<10	<1	0.13	20	0.79	414	36	0.08	6	800	10	0.23	<2	5	58
C204470		10	<1	0.29	30	1.44	529	99	0.08	11	1170	3	0.15	<2	9	90
C204471		10	<1	0.22	30	1.43	589	15	0.06	11	1340	4	0.22	<2	11	93
C204472		<10	<1	0.11	50	0.82	559	14	0.07	6	1720	12	0.58	2	5	74
C204473		10	<1	0.18	40	0.99	571	24	0.08	7	1480	5	0.23	<2	8	75
C204474		10	<1	0.45	30	1.87	616	13	0.07	9	1130	2	0.14	<2	15	93
C204475		10	<1	0.40	30	1.81	708	68	0.08	7	1090	5	0.46	<2	15	142
C204476		10	<1	0.27	20	1.76	717	24	0.07	5	1070	8	1.21	2	14	107
C204477		10	<1	0.29	20	2.24	849	77	0.07	16	1090	6	0.51	2	14	143
C204478		10	1	0.44	40	2.21	755	85	0.08	15	1120	4	0.41	2	14	157
C204479		10	<1	0.59	20	2.40	780	59	0.09	12	1090	2	0.24	2	16	290
C204480		10	<1	0.49	20	2.61	614	78	0.08	34	1150	4	0.22	2	13	199
C204481		10	<1	0.79	20	3.69	823	72	0.08	183	1080	9	0.32	<2	14	520
C204482		10	<1	0.53	30	2.90	769	40	0.08	22	1160	8	0.58	2	15	691
C204483		10	1	0.22	20	2.47	848	129	0.08	25	1400	41	0.73	<2	12	188
C204484		10	1	0.11	20	2.27	982	46	0.06	8	1150	10	0.19	<2	7	173
C204485		10	<1	0.26	20	1.87	1140	31	0.05	14	1070	23	1.18	<2	14	132
C204486		10	1	0.26	40	1.81	963	56	0.06	10	1540	4	0.39	3	12	122
C204487		<10	1	0.19	20	1.12	717	23	0.07	4	1400	5	0.44	<2	5	91
C204488		<10	<1	0.15	20	0.98	726	40	0.05	4	1380	5	0.43	<2	5	86
C204489		<10	<1	0.20	20	1.17	816	129	0.06	5	1170	6	0.60	<2	8	101
C204490		<10	<1	0.23	20	1.59	1070	27	0.05	5	1100	8	0.91	2	14	104
C204491		<10	<1	0.26	20	2.53	1350	15	0.04	15	990	7	0.40	3	13	134
C204492		<10	<1	0.37	20	1.33	883	54	0.05	6	1220	7	0.75	<2	11	132
C204493		<10	<1	0.47	10	1.73	1015	16	0.06	8	1200	11	1.08	3	15	130
C204494		10	<1	0.89	10	3.00	1590	31	0.06	25	1200	28	1.51	2	23	154
C204495		10	<1	1.14	10	2.70	1145	4	0.07	28	1270	4	0.10	2	29	129
C204496		<10	1	0.37	20	1.73	1015	10	0.05	17	1180	7	0.37	<2	16	118
C204497		<10	1	0.37	10	1.73	1075	34	0.05	15	1100	9	0.29	4	17	138
C204498		<10	1	0.24	10	1.70	1100	38	0.04	12	1290	9	0.55	<2	11	167
C204499		<10	<1	0.28	10	1.35	1030	1095	0.03	18	1060	56	1.65	<2	10	114
C204500		<10	1	0.22	10	1.30	1100	179	0.03	21	800	11	1.96	<2	7	182
C205101		<10	1	0.39	20	1.44	937	103	0.04	11	1650	5	0.25	<2	12	116
C205102		<10	1	0.32	20	1.22	885	85	0.05	9	1420	7	0.56	3	13	103
C205103		<10	<1	0.25	20	0.77	517	27	0.06	3	940	3	0.30	<2	3	89
C205104		<10	1	0.25	20	0.90	502	21	0.05	3	980	3	0.22	2	4	99
C205105		<10	<1	0.20	20	1.02	448	60	0.05	4	910	3	0.55	<2	3	81



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083237

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204466		0.01	<10	<10	76	<10	95
C204467		0.01	<10	<10	86	<10	82
C204468		0.01	<10	<10	84	<10	79
C204469		0.02	<10	<10	84	<10	56
C204470		0.12	<10	<10	152	<10	58
C204471		0.04	<10	<10	183	<10	69
C204472		0.01	<10	<10	92	<10	44
C204473		0.02	<10	<10	163	<10	54
C204474		0.11	<10	<10	276	<10	69
C204475		0.09	<10	<10	265	<10	61
C204476		0.05	<10	<10	247	<10	86
C204477		0.08	<10	10	263	<10	95
C204478		0.13	<10	<10	247	<10	72
C204479		0.20	<10	<10	297	<10	63
C204480		0.19	<10	<10	235	<10	55
C204481		0.22	<10	<10	238	<10	52
C204482		0.21	<10	<10	274	<10	66
C204483		0.12	<10	<10	216	<10	129
C204484		0.02	<10	<10	147	<10	109
C204485		0.04	<10	10	219	<10	118
C204486		0.04	<10	<10	202	<10	87
C204487		0.01	<10	<10	67	<10	31
C204488		0.01	<10	<10	66	<10	33
C204489		0.01	<10	<10	120	<10	43
C204490		0.01	<10	10	154	<10	53
C204491		0.01	<10	10	137	<10	72
C204492		0.02	<10	<10	107	<10	38
C204493		0.03	<10	10	164	<10	67
C204494		0.14	<10	10	184	<10	85
C204495		0.22	<10	10	223	<10	102
C204496		0.02	<10	10	153	<10	65
C204497		0.01	<10	10	184	<10	68
C204498		0.01	<10	10	134	<10	90
C204499		<0.01	<10	<10	76	<10	41
C204500		<0.01	<10	10	50	<10	29
C205101		0.01	<10	<10	102	<10	34
C205102		0.01	<10	<10	97	<10	33
C205103		<0.01	<10	<10	30	<10	14
C205104		<0.01	<10	<10	37	<10	13
C205105		<0.01	<10	<10	40	<10	12



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
**2080-777 HORNBY STREET**  
**VANCOUVER BC V6Z 1S4**

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 15-SEP-2006  
 Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083237

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C205106		6.74	0.161	1.2	0.38	11	<10	240	<0.5	<2	2.31	<0.5	9	3	331	2.24
C205107		6.86	0.023	0.2	0.43	7	<10	840	0.5	<2	3.40	<0.5	5	2	42	2.31
C205108		6.43	0.120	1.2	0.66	13	<10	320	0.7	<2	4.85	<0.5	23	7	569	4.11
C205109		2.10	0.034	0.3	0.74	22	10	590	0.8	<2	5.54	<0.5	20	5	287	4.71
C205110		6.88	0.005	<0.2	1.60	17	<10	50	0.6	<2	4.69	<0.5	21	17	181	5.20
C205111		7.31	0.007	<0.2	2.12	16	<10	70	0.6	<2	5.96	<0.5	23	18	174	5.88
C205112		7.09	0.006	<0.2	1.82	25	<10	40	0.6	<2	5.68	<0.5	22	18	195	5.51
C205113		7.14	0.013	<0.2	1.93	47	<10	220	0.5	<2	6.06	<0.5	21	18	133	5.53
C205114		6.15	0.013	0.2	1.88	14	<10	330	0.6	<2	6.55	<0.5	17	15	237	5.62
C205115		4.68	0.011	0.4	2.26	21	<10	40	0.6	<2	6.42	<0.5	32	21	180	5.46
C205116		4.92	0.016	0.2	1.99	13	<10	70	0.5	<2	4.62	<0.5	18	13	126	4.57
C205117		5.08	0.005	<0.2	2.01	12	<10	20	0.6	<2	6.02	<0.5	21	19	154	5.12



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 15-SEP-2006  
 Account: PAGRES

Project: MESS CREEK

<b>CERTIFICATE OF ANALYSIS</b>	<b>EL06083237</b>
--------------------------------	-------------------

Sample Description	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C205106	<10	<1	0.22	30	0.79	402	116	0.06	4	1130	6	0.63	<2	3	80
C205107	<10	<1	0.25	30	1.27	578	10	0.07	4	1070	3	0.29	<2	3	134
C205108	<10	<1	0.35	10	1.75	749	22	0.05	14	1720	6	0.76	<2	13	136
C205109	<10	<1	0.45	<10	1.77	1115	8	0.04	20	1220	6	0.53	<2	15	233
C205110	<10	<1	0.34	<10	1.24	1035	1	0.06	33	1200	6	0.15	<2	22	122
C205111	<10	<1	0.38	<10	1.30	1050	3	0.07	24	1190	8	0.12	<2	21	175
C205112	10	<1	0.32	<10	1.31	989	1	0.07	24	1100	7	0.22	<2	21	151
C205113	10	<1	0.28	<10	1.40	1095	1	0.07	22	1150	8	0.39	<2	21	174
C205114	10	<1	0.33	10	1.32	1315	1	0.06	24	1330	7	0.17	2	21	176
C205115	<10	<1	0.36	<10	1.32	1295	<1	0.09	42	1160	49	0.38	<2	24	212
C205116	10	<1	0.29	10	1.26	1015	<1	0.08	21	1040	7	0.15	<2	17	141
C205117	10	<1	0.40	<10	1.33	1210	1	0.08	28	1180	8	0.46	<2	22	162



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS EL06083237

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C205106		<0.01	<10	<10	49	<10	14
C205107		<0.01	<10	<10	48	<10	15
C205108		0.01	<10	<10	91	<10	34
C205109		<0.01	<10	<10	70	<10	64
C205110		0.01	<10	<10	108	<10	92
C205111		0.01	<10	<10	130	<10	83
C205112		0.01	<10	<10	124	<10	80
C205113		0.02	<10	<10	133	<10	65
C205114		0.02	<10	<10	122	<10	91
C205115		0.04	<10	<10	133	<10	116
C205116		0.02	<10	<10	99	<10	72
C205117		<0.01	<10	<10	109	<10	91



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 15-SEP-2006  
Account: PAGRES

## CERTIFICATE EL06083238

Project: ISKUT

P.O. No.:

This report is for 86 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206152		1.85	0.009		0.6	1.88	2	<10	70	0.5	<2	5.47	<0.5	16	86	592
C206153		3.51	0.026		1.1	1.68	3	<10	60	1.0	<2	4.86	<0.5	16	123	1300
C206154		3.55	0.084		2.5	1.35	2	<10	90	1.0	<2	4.37	0.8	17	97	2780
C206155		1.97	0.015		1.4	1.38	3	<10	60	0.9	<2	3.76	<0.5	14	113	2160
C206156		2.46	0.071		2.4	1.46	2	<10	50	1.1	<2	3.46	1.0	19	91	3230
C206157		2.01	0.104		1.7	1.67	<2	<10	40	0.8	<2	2.12	<0.5	17	75	2420
C206158		1.38	0.041		1.3	1.75	4	<10	50	0.9	<2	3.37	<0.5	18	63	2120
C206051		3.12	0.010		0.5	1.22	<2	<10	120	1.0	<2	2.41	0.6	12	31	538
C206052		3.97	0.022		0.6	1.28	5	<10	170	1.0	<2	1.12	0.8	13	39	684
C206053		2.30	0.022		2.2	1.25	<2	<10	100	0.7	<2	2.81	0.7	11	35	1050
C206054		3.18	0.036		0.8	1.21	4	<10	80	0.9	<2	2.14	0.5	14	90	578
C206055		2.85	0.010		0.8	0.55	<2	<10	100	0.7	<2	1.07	<0.5	5	42	913
C206056		2.28	0.035		6.0	0.95	3	<10	120	0.7	4	1.58	2.0	15	33	2380
C206057		2.25	0.007		0.5	1.06	<2	<10	130	0.6	<2	2.88	<0.5	10	25	472
C206058		1.71	0.025		0.8	1.31	2	<10	120	1.0	<2	2.91	<0.5	11	46	736
C206059		3.24	0.027		1.1	1.98	7	<10	60	0.9	<2	3.91	<0.5	18	84	1600
C206060		4.65	0.029		0.7	2.08	11	<10	60	0.9	<2	4.10	<0.5	16	74	842
C206061		3.32	0.127		0.3	2.66	10	<10	30	0.9	<2	8.42	<0.5	13	75	292
C206062		2.51	0.054		0.4	1.97	5	<10	30	0.9	<2	5.06	<0.5	13	61	425
C206063		1.88	0.010		0.5	2.00	9	<10	30	0.8	<2	5.33	<0.5	17	101	640
C206064		5.02	0.012		0.5	1.93	5	<10	30	0.8	<2	4.06	2.5	17	71	406
C206065		3.16	0.009		0.4	1.92	6	<10	20	0.7	<2	2.45	<0.5	16	38	337
C206066		2.69	0.006		0.2	1.67	5	<10	20	0.6	<2	2.51	<0.5	15	42	267
C206067		1.95	0.006		0.3	1.86	<2	<10	30	0.6	<2	2.08	1.4	17	47	247
C206068		1.51	<0.005		<0.2	3.15	3	<10	30	1.1	<2	5.84	<0.5	17	37	207
C206069		1.92	0.008		0.3	2.63	9	<10	30	1.3	<2	4.08	<0.5	23	77	401
C206070		1.63	0.006		<0.2	2.05	5	<10	20	0.8	<2	3.38	<0.5	19	54	187
C206071		2.00	0.007		0.4	3.03	10	<10	30	0.6	<2	3.93	<0.5	25	115	702
C206072		4.01	0.011		0.6	2.46	7	<10	20	0.6	<2	5.04	<0.5	19	97	793
C206073		2.60	0.008		0.5	2.07	9	<10	20	0.6	<2	3.18	<0.5	22	73	681
C206074		2.14	0.013		0.6	1.35	<2	<10	230	1.4	<2	2.99	<0.5	14	48	699
C206075		2.39	0.032		0.5	1.32	16	<10	70	1.1	<2	1.76	<0.5	14	51	287
C206076		2.20	0.016		0.3	1.15	10	<10	90	0.9	<2	2.03	<0.5	15	25	281
C206077		2.26	0.030		1.2	1.15	9	<10	60	0.7	<2	1.91	<0.5	14	53	775
C206078		2.84	0.015		0.7	1.23	10	<10	70	1.0	<2	2.78	<0.5	15	59	612
C206079		2.07	0.006		<0.2	1.50	3	<10	100	0.8	<2	3.16	<0.5	16	26	188
C206080		2.55	0.008		<0.2	1.01	2	<10	190	0.6	<2	2.21	<0.5	9	11	139
C206081		3.32	<0.005		0.3	1.31	7	<10	110	1.6	<2	3.26	<0.5	13	47	297
C206082		4.95	0.012		0.9	1.46	3	<10	200	1.7	<2	3.43	<0.5	16	49	985
C206083		2.00	0.023		1.4	1.10	8	<10	270	1.3	<2	2.45	0.8	14	44	1330



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 2 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 15-SEP-2006  
 Account: PAGRES

Project: ISKUT

**CERTIFICATE OF ANALYSIS EL06083238**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C206152		4.37	10	<1	0.07	10	1.92	1150	2	0.02	68	1950	7	0.60	2	9
C206153		4.17	10	<1	0.15	10	1.85	1020	1	0.02	81	1960	17	0.57	2	11
C206154		4.37	10	<1	0.16	10	1.64	922	<1	0.02	73	2430	13	0.47	2	8
C206155		3.26	10	<1	0.21	10	1.59	742	<1	0.02	65	1710	10	0.30	2	8
C206156		5.56	10	<1	0.16	10	1.57	1060	<1	0.02	72	2910	9	0.52	2	7
C206157		4.29	10	<1	0.13	10	1.53	696	1	0.02	69	1320	5	0.76	2	5
C206158		4.94	10	<1	0.14	10	1.60	998	1	0.02	52	2660	6	0.41	3	7
C206051		3.49	10	<1	0.15	10	1.25	612	<1	0.03	26	1690	25	0.16	2	9
C206052		3.66	10	<1	0.15	10	1.34	557	<1	0.02	28	1750	32	0.28	<2	10
C206053		2.74	10	<1	0.29	10	1.26	658	1	0.02	23	950	28	0.46	<2	6
C206054		3.22	10	<1	0.20	10	1.18	581	<1	0.02	35	1180	21	0.33	2	7
C206055		1.36	<10	<1	0.19	10	0.43	298	<1	0.02	12	750	18	0.09	2	4
C206056		3.07	10	<1	0.14	10	0.88	424	1	0.02	30	1050	140	0.45	2	6
C206057		3.44	10	<1	0.13	10	1.04	596	<1	0.04	20	1020	35	0.15	2	8
C206058		3.11	10	<1	0.20	10	1.30	742	<1	0.02	32	1370	25	0.16	3	7
C206059		4.42	10	<1	0.11	10	1.94	908	1	0.02	70	3880	7	0.99	2	7
C206060		4.12	10	<1	0.10	10	1.73	731	5	0.02	59	5560	13	1.04	2	7
C206061		4.93	10	<1	0.06	20	1.32	1360	1	0.02	69	5520	7	0.35	2	8
C206062		4.06	10	<1	0.11	10	1.60	1170	1	0.02	54	1480	25	0.28	2	8
C206063		4.69	10	<1	0.11	10	1.79	1240	2	0.02	82	2110	7	0.36	2	8
C206064		3.77	10	<1	0.09	10	1.69	845	2	0.03	61	2050	78	0.44	<2	7
C206065		3.60	10	<1	0.09	10	1.53	609	2	0.04	35	1340	6	0.61	2	6
C206066		3.42	10	<1	0.10	10	1.55	595	1	0.04	33	1300	10	0.49	3	7
C206067		3.89	10	<1	0.13	10	1.97	627	1	0.03	34	1330	61	0.35	<2	8
C206068		4.44	20	<1	0.06	10	1.55	1030	1	0.04	28	1380	8	0.06	<2	7
C206069		4.50	10	<1	0.10	10	1.87	1140	2	0.03	53	1360	25	0.47	<2	10
C206070		3.98	10	<1	0.09	10	1.89	740	1	0.06	43	1330	6	0.54	<2	7
C206071		5.30	10	<1	0.10	10	2.66	1185	2	0.06	82	1090	7	0.39	2	12
C206072		4.79	10	<1	0.09	10	2.04	1060	4	0.04	66	1350	5	0.82	<2	8
C206073		4.66	10	<1	0.07	10	1.90	923	3	0.05	70	1490	4	0.73	<2	7
C206074		3.78	10	<1	0.43	10	1.53	811	<1	0.02	28	1600	6	0.20	<2	10
C206075		3.92	10	<1	0.29	10	1.14	645	1	0.02	30	2110	15	0.34	<2	9
C206076		2.88	10	<1	0.38	20	1.02	623	<1	0.02	19	1800	15	0.25	4	7
C206077		2.73	10	<1	0.37	10	1.08	513	<1	0.02	29	1210	36	0.50	3	5
C206078		2.62	10	<1	0.27	20	1.20	616	<1	0.02	28	2190	14	0.36	<2	6
C206079		3.73	10	<1	0.17	20	1.51	910	<1	0.02	19	2130	12	0.12	2	10
C206080		3.49	10	<1	0.17	20	0.94	680	<1	0.02	11	1700	18	0.19	<2	8
C206081		3.88	10	<1	0.41	10	1.27	817	<1	0.02	32	1500	34	0.27	<2	9
C206082		4.32	10	<1	0.31	10	1.65	860	<1	0.07	34	1960	18	0.32	<2	12
C206083		3.49	10	<1	0.23	10	1.14	706	<1	0.02	30	1690	38	0.62	<2	10





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

CERTIFICATE OF ANALYSIS	EL06083238
-------------------------	------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Ti	Ti	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR	1	0.01	10	10	1	10	2	
C206152		308	0.20	<10	<10	193	<10	100
C206153		374	0.21	<10	<10	217	<10	111
C206154		368	0.20	<10	<10	225	<10	108
C206155		434	0.25	<10	<10	188	<10	87
C206156		260	0.21	<10	<10	398	<10	126
C206157		228	0.25	<10	<10	142	<10	95
C206158		254	0.23	<10	<10	352	<10	110
C206051		178	0.06	<10	<10	167	<10	121
C206052		78	0.13	<10	<10	180	<10	130
C206053		199	0.06	<10	<10	114	<10	116
C206054		118	0.09	<10	<10	139	<10	121
C206055		82	0.11	<10	<10	90	<10	49
C206056		102	0.12	<10	10	147	<10	119
C206057		184	0.13	<10	<10	181	<10	99
C206058		231	0.09	<10	<10	152	<10	102
C206059		295	0.21	<10	<10	149	<10	101
C206060		251	0.20	<10	<10	132	<10	87
C206061		287	0.24	<10	<10	271	<10	80
C206062		487	0.22	<10	<10	201	<10	114
C206063		439	0.22	<10	<10	216	<10	117
C206064		428	0.25	<10	<10	135	<10	259
C206065		212	0.27	<10	<10	106	<10	79
C206066		178	0.24	<10	<10	116	<10	91
C206067		168	0.26	<10	<10	113	<10	189
C206068		236	0.27	<10	<10	198	<10	67
C206069		195	0.28	<10	<10	162	<10	130
C206070		242	0.29	10	<10	125	<10	67
C206071		387	0.31	<10	<10	215	<10	102
C206072		236	0.33	<10	<10	169	<10	95
C206073		265	0.30	<10	<10	141	<10	81
C206074		244	0.12	10	<10	199	<10	114
C206075		136	0.09	<10	<10	195	<10	81
C206076		138	0.04	<10	<10	134	<10	70
C206077		108	0.04	<10	<10	100	<10	74
C206078		160	0.05	<10	<10	127	<10	79
C206079		213	0.08	<10	<10	179	<10	92
C206080		175	0.03	10	<10	169	<10	63
C206081		212	0.09	<10	<10	210	<10	99
C206082		228	0.10	10	<10	232	<10	104
C206083		114	0.10	10	<10	181	<10	101



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi %	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206084		1.74	0.025		1.3	0.81	<2	<10	180	1.0	<2	2.80	0.7	13	45	1120
C206085		2.02	0.044		5.7	0.97	11	<10	240	1.0	<2	1.02	4.6	26	68	4620
C206086		2.14	0.013		1.8	0.99	2	<10	200	0.8	<2	1.10	1.0	15	41	1770
C206087		2.61	0.009		0.6	1.52	6	<10	360	1.0	<2	2.03	0.7	20	45	660
C206088		2.01	0.016		1.2	1.88	8	<10	140	2.1	<2	3.25	1.7	27	60	1360
C206089		2.38	0.013		1.1	1.23	7	<10	150	1.4	<2	3.02	1.4	14	61	1310
C206090		2.03	0.010		0.2	0.97	7	<10	160	1.5	<2	1.63	<0.5	7	42	191
C206091		1.94	0.012		1.0	0.96	3	<10	80	1.0	<2	1.81	0.6	11	103	834
C206092		1.70	0.062		1.7	1.34	4	<10	90	1.0	<2	3.71	0.8	18	69	2190
C206093		0.87	0.061		3.4	1.74	<2	<10	70	1.3	<2	1.77	2.5	25	97	3840
C206094		1.58	0.018		1.3	1.37	5	<10	210	1.8	<2	4.74	0.6	19	78	1320
C206095		2.12	0.015		0.7	1.90	14	<10	70	0.9	<2	4.38	<0.5	19	74	725
C206096		1.56	<0.005		<0.2	0.74	<2	<10	40	1.2	<2	2.06	<0.5	6	15	176
C206097		2.07	<0.005		<0.2	0.95	6	<10	40	1.3	<2	2.38	<0.5	8	15	190
C206098		1.85	<0.005		<0.2	0.81	5	<10	40	1.2	<2	2.81	<0.5	7	13	122
C206099		3.90	0.018		1.0	1.81	9	<10	60	0.8	<2	5.94	<0.5	21	120	1460
C206100		1.60	0.006		0.6	2.22	8	<10	60	0.8	<2	6.33	<0.5	19	85	662
C205075		1.86	<0.005		0.8	1.56	<2	<10	200	1.5	<2	1.09	0.5	21	52	988
C205451		0.86	0.016		1.2	1.56	33	<10	80	<0.5	<2	0.83	<0.5	8	23	92
C205452		1.93	<0.005		0.3	0.38	27	<10	250	<0.5	<2	3.95	1.2	3	19	56
C205453		1.29	<0.005		0.2	0.56	39	<10	120	<0.5	<2	0.60	<0.5	5	6	12
C206001		3.01	0.006		0.6	0.54	3	<10	70	0.6	<2	0.61	<0.5	17	13	2350
C206002		2.01	<0.005		0.5	0.64	<2	<10	50	1.0	<2	0.69	<0.5	3	3	586
C206003		1.36	0.512		22.6	0.85	2	<10	40	0.7	18	0.97	0.5	6	2	7740
C206004		1.02	0.024		1.3	0.28	4	<10	40	0.5	<2	1.32	10.6	4	3	1780
C206005		1.48	0.013		3.9	0.75	4	<10	50	0.5	<2	1.26	0.5	8	8	3200
C206006		0.82	0.005		0.3	0.97	9	<10	50	<0.5	<2	1.46	<0.5	13	6	364
C206007		1.09	0.008		0.3	0.89	7	<10	60	<0.5	<2	1.64	<0.5	13	58	78
C206008		1.33	0.045		8.1	0.09	14	<10	30	1.4	<2	0.48	0.5	3	6	4180
C206009		1.64	0.129		3.3	1.09	22	<10	110	0.9	<2	2.56	2.1	18	33	3020
C206010		2.02	0.513		3.7	0.52	2	<10	90	0.7	<2	1.29	0.8	8	13	3800
C206011		2.20	0.232		8.7	1.54	3	<10	50	<0.5	<2	4.59	0.9	24	311	7230
C206014		1.88	0.029		15.0	0.59	14	<10	50	0.9	4	1.72	2.2	54	2	9620
C206101		1.66	0.006		0.7	0.38	23	<10	340	<0.5	<2	0.16	0.7	4	11	67
C206102		2.12	<0.005		0.3	0.24	31	<10	170	<0.5	<2	4.29	26.8	5	7	43
C206103		1.81	<0.005		0.4	0.22	29	<10	150	<0.5	<2	7.88	7.5	8	7	136
C206104		2.03	<0.005		0.4	0.43	34	<10	200	<0.5	<2	3.14	0.6	5	10	26
C206105		1.84	<0.005		<0.2	0.06	8	<10	90	<0.5	<2	0.74	<0.5	<1	9	6
C206106		0.86	<0.005		<0.2	0.05	<2	<10	10	<0.5	<2	10.05	<0.5	3	7	5
C206107		1.57	<0.005		<0.2	0.08	5	<10	10	<0.5	<2	>25.0	<0.5	<1	6	5



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C206084		2.59	10	<1	0.15	20	0.79	668	1	0.02	26	1520	70	0.79	<2	8
C206085		3.50	10	<1	0.17	10	0.98	569	4	0.02	50	1460	510	0.96	2	11
C206086		2.91	10	<1	0.53	10	1.03	495	2	0.02	24	1140	296	0.52	<2	8
C206087		3.53	10	<1	1.10	10	1.76	834	<1	0.02	22	1430	12	0.27	2	12
C206088		4.58	10	<1	1.27	10	2.25	1040	<1	0.02	38	1470	49	0.59	3	12
C206089		3.98	10	<1	0.77	10	1.43	735	2	0.03	44	1560	58	0.59	<2	11
C206090		2.78	10	<1	0.39	10	0.99	614	<1	0.02	20	1120	14	0.25	<2	8
C206091		2.37	10	<1	0.26	10	1.09	601	<1	0.02	30	1160	16	0.29	2	7
C206092		3.18	10	<1	0.48	10	1.64	744	2	0.03	55	1220	14	0.40	<2	11
C206093		3.64	10	<1	0.89	10	2.25	771	<1	0.04	80	1160	22	0.36	3	12
C206094		4.45	10	<1	0.35	10	1.51	1100	1	0.03	48	1500	27	0.67	<2	14
C206095		4.61	10	<1	0.12	10	1.96	976	1	0.04	55	1390	9	0.69	<2	11
C206096		2.23	10	<1	0.19	10	0.48	563	<1	0.03	11	330	13	0.06	<2	3
C206097		2.57	10	<1	0.19	10	0.64	639	<1	0.03	14	560	19	0.12	<2	4
C206098		2.34	10	<1	0.18	10	0.54	659	<1	0.03	9	400	29	0.07	<2	3
C206099		4.30	10	<1	0.11	10	1.35	1010	2	0.02	101	2580	13	1.33	<2	7
C206100		5.62	10	<1	0.09	20	2.17	1500	1	0.02	68	5580	9	0.61	3	14
C205075		3.64	10	<1	0.84	10	1.83	676	<1	0.03	27	1220	9	0.16	<2	7
C205451		4.51	<10	<1	0.15	<10	0.95	376	6	0.01	35	1040	6	1.43	3	2
C205452		1.54	<10	<1	0.08	10	0.38	398	10	0.01	30	830	6	0.53	2	2
C205453		2.12	<10	<1	0.08	<10	0.37	104	1	0.01	18	320	11	1.31	<2	1
C206001		2.81	<10	<1	0.24	10	0.41	589	1	0.01	15	520	<2	0.07	<2	3
C206002		2.80	10	<1	0.44	10	0.35	446	<1	0.01	2	210	6	0.08	<2	1
C206003		2.71	10	<1	0.23	10	0.54	541	1	0.01	2	220	60	0.39	<2	3
C206004		2.40	<10	<1	0.12	10	0.08	578	<1	0.01	3	180	<2	0.17	2	2
C206005		3.95	10	<1	0.25	20	0.55	617	<1	0.02	4	970	4	0.20	<2	3
C206006		2.78	10	<1	0.49	10	0.50	660	29	0.01	5	870	<2	0.81	<2	3
C206007		6.90	10	<1	0.14	<10	1.17	548	36	0.02	23	1010	20	1.83	3	6
C206008		1.67	<10	<1	0.09	10	0.04	203	2	0.01	1	30	26	0.13	<2	1
C206009		3.14	10	<1	0.24	10	1.22	709	1	0.02	31	1370	25	0.70	<2	7
C206010		3.13	10	<1	0.14	10	0.37	444	<1	0.02	39	710	19	0.05	<2	5
C206011		5.18	10	<1	0.16	10	1.22	1050	1	0.02	246	2050	3	0.61	<2	11
C206014		16.2	10	<1	0.13	20	0.73	514	2	0.05	84	4860	31	1.67	4	1
C206101		2.54	<10	<1	0.10	<10	0.15	100	15	<0.01	17	990	12	0.29	5	1
C206102		1.54	<10	<1	0.08	<10	0.08	420	2	<0.01	17	440	10	0.81	2	1
C206103		1.76	<10	<1	0.09	10	0.19	812	4	0.01	25	660	79	0.86	4	2
C206104		1.53	<10	<1	0.07	10	0.45	364	13	0.01	23	710	7	0.85	<2	2
C206105		0.83	<10	<1	0.03	<10	0.02	103	1	<0.01	15	50	2	0.53	<2	<1
C206106		1.70	<10	<1	0.01	<10	5.18	686	<1	0.02	12	50	4	0.01	<2	1
C206107		0.27	<10	<1	0.02	10	0.29	378	<1	0.02	2	130	12	<0.01	<2	2



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sr	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
C206084		132	0.14	10	10	137	<10	85
C206085		56	0.24	<10	10	199	<10	157
C206086		86	0.21	10	<10	146	<10	92
C206087		140	0.21	<10	<10	193	<10	119
C206088		193	0.18	<10	<10	222	<10	206
C206089		193	0.19	<10	<10	214	<10	122
C206090		145	0.16	<10	10	153	<10	84
C206091		102	0.25	<10	<10	143	<10	85
C206092		147	0.31	<10	<10	171	<10	108
C206093		93	0.30	<10	<10	198	<10	194
C206094		212	0.21	10	<10	238	<10	104
C206095		200	0.25	<10	<10	168	<10	90
C206096		113	0.10	<10	<10	95	<10	40
C206097		117	0.09	<10	<10	99	<10	58
C206098		160	0.10	10	<10	90	<10	52
C206099		311	0.27	<10	10	205	<10	94
C206100		283	0.22	<10	<10	346	<10	123
C205075		106	0.29	<10	<10	150	<10	133
C205451		39	<0.01	<10	<10	43	<10	111
C205452		142	<0.01	<10	<10	24	<10	156
C205453		17	<0.01	<10	<10	13	<10	97
C206001		85	0.22	<10	<10	243	<10	45
C206002		100	0.14	<10	<10	270	<10	39
C206003		146	0.13	<10	<10	191	<10	46
C206004		47	0.16	<10	<10	485	<10	1110
C206005		95	0.19	<10	<10	530	<10	70
C206006		91	0.22	<10	<10	268	<10	33
C206007		100	0.16	<10	<10	125	<10	50
C206008		101	0.10	10	10	350	<10	14
C206009		137	0.10	<10	<10	156	<10	125
C206010		72	0.12	<10	<10	216	<10	63
C206011		192	0.33	<10	10	272	<10	95
C206014		139	0.12	<10	<10	828	<10	145
C206101		21	<0.01	10	<10	32	<10	276
C206102		83	<0.01	<10	<10	10	<10	3990
C206103		215	<0.01	<10	<10	10	<10	551
C206104		111	<0.01	<10	<10	30	<10	100
C206105		23	<0.01	<10	<10	2	<10	69
C206106		50	<0.01	10	<10	4	<10	39
C206107		209	<0.01	20	10	<1	<10	12



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C206108		1.17	<0.005		<0.2	0.05	5	<10	<10	<0.5	<2	23.8	<0.5	2	<1	7
C206109		1.90	>10.0	11.55	43.3	0.08	>10000	<10	60	<0.5	<2	0.07	5.8	<1	15	101
C206114		1.52	0.133		4.6	0.10	96	<10	320	<0.5	<2	0.23	<0.5	<1	12	11
C206115		1.84	0.180		3.2	0.13	107	<10	640	<0.5	<2	0.15	<0.5	1	11	10
C206116		1.58	0.098		2.3	0.10	117	<10	350	<0.5	<2	0.08	<0.5	1	24	11
C206117		1.22	0.123		0.9	0.07	37	<10	60	<0.5	<2	0.01	<0.5	<1	21	12



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C206108		3.07	<10	<1	<0.01	<10	11.15	1530	<1	0.03	13	60	<2	<0.01	3	1
C206109		1.56	<10	<1	0.04	<10	0.03	26	6	<0.01	2	290	773	0.81	172	1
C206114		0.69	<10	<1	0.04	<10	0.01	51	1	<0.01	4	170	8	0.04	11	1
C206115		1.14	<10	<1	0.09	<10	0.05	27	1	<0.01	2	70	5	0.25	11	1
C206116		0.70	<10	<1	0.04	<10	0.01	67	7	<0.01	7	200	10	0.17	5	1
C206117		0.53	<10	<1	0.03	<10	<0.01	23	<1	<0.01	3	60	12	0.04	3	<1



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 15-SEP-2006  
Account: PAGRES

Project: ISKUT

## CERTIFICATE OF ANALYSIS EL06083238

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Sr	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		1	0.01	10	10	1	10	2
C206108		117	<0.01	<10	<10	7	<10	84
C206109		26	<0.01	10	<10	27	<10	730
C206114		61	<0.01	10	<10	14	<10	23
C206115		48	<0.01	<10	<10	10	<10	3
C206116		62	<0.01	<10	<10	19	<10	14
C206117		29	<0.01	<10	<10	3	<10	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 4-JUL-2006  
Account: PAGRES

## CERTIFICATE VA06059022

Project: Iskut

P.O. No.:

This report is for 35 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

*Ball Crk*

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 4-JUL-2006  
Account: PAGRES

Project: lskut

## CERTIFICATE OF ANALYSIS VA06059022

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B386464		2.56	0.029	0.6	1.52	18	<10	90	<0.5	<2	0.44	<0.5	7	2	117	4.37
M306451		3.28	0.009	0.3	2.14	7	<10	140	<0.5	<2	0.79	<0.5	17	2	79	6.04
M306452		1.26	0.033	1.1	0.27	70	<10	240	<0.5	<2	0.06	<0.5	1	11	12	1.60
M306453		1.80	0.019	0.4	0.14	35	<10	140	<0.5	<2	0.05	<0.5	1	28	11	1.16
M306454		1.26	<0.005	<0.2	1.21	13	<10	50	<0.5	<2	6.88	<0.5	14	14	20	6.32
M306455		1.54	<0.005	<0.2	1.86	12	<10	80	<0.5	<2	1.44	<0.5	12	33	59	3.44
M306456		2.02	1.365	0.6	0.08	>10000	<10	10	<0.5	3	0.04	<0.5	140	3	86	16.4
M306966		1.58	0.048	0.9	1.72	28	<10	600	<0.5	<2	0.11	<0.5	2	2	141	4.60
M306967		1.16	0.022	0.4	0.13	251	<10	180	<0.5	<2	0.02	<0.5	3	14	9	1.52
M306968		1.44	0.030	2.6	0.16	33	<10	80	<0.5	<2	0.03	<0.5	<1	38	8	0.81
M306969		0.94	0.038	0.8	0.26	98	<10	110	<0.5	<2	0.02	<0.5	1	14	10	1.60
M306970		1.66	0.071	0.9	0.54	236	10	50	<0.5	<2	11.25	<0.5	7	5	19	3.18
M306971		1.12	8.82	82.1	0.03	3590	<10	10	<0.5	<2	>25.0	104.0	<1	<1	554	5.33
M306972		1.70	1.055	5.0	0.03	2920	<10	430	<0.5	<2	>25.0	1.6	<1	1	11	0.88
M306973		1.58	0.431	1.8	0.59	2580	10	80	0.5	<2	12.75	<0.5	9	1	36	5.20
M306974		1.64	4.28	2.6	0.32	>10000	<10	20	<0.5	5	0.09	<0.5	324	<1	5020	14.1
M306975		1.26	1.605	11.0	0.15	>10000	<10	20	<0.5	3	0.11	<0.5	287	2	132	18.1
M306976		2.32	0.216	3.9	3.23	2640	<10	60	<0.5	<2	0.27	<0.5	35	35	>10000	9.33
M306977		1.90	1.475	0.6	0.02	>10000	<10	<10	<0.5	4	0.04	<0.5	221	1	172	31.6
M306978		1.64	2.20	2.0	0.04	>10000	<10	10	<0.5	4	0.02	<0.5	37	5	133	13.00
M306979		1.26	0.054	<0.2	0.47	471	<10	20	<0.5	<2	2.77	<0.5	7	3	79	3.16
M306980		2.08	0.020	0.2	0.22	174	<10	20	<0.5	<2	4.21	<0.5	9	4	163	3.29
M306981		2.60	0.008	0.8	1.56	49	<10	30	<0.5	<2	2.67	<0.5	10	27	2800	5.16
M306982		2.68	0.208	3.0	0.31	3370	<10	20	<0.5	7	1.06	<0.5	38	2	7340	5.42
M306983		2.98	0.015	0.4	0.26	118	<10	10	<0.5	<2	3.81	<0.5	13	6	60	3.08
M306984		2.14	<0.005	0.2	1.78	33	<10	60	0.6	<2	2.03	<0.5	11	10	70	4.89
M306985		1.82	<0.005	<0.2	0.43	22	<10	20	<0.5	<2	3.17	<0.5	8	4	271	2.94
M306986		1.38	0.006	<0.2	1.58	28	<10	40	<0.5	<2	1.60	<0.5	9	7	74	4.68
M306987		1.82	0.005	<0.2	1.09	10	<10	40	<0.5	<2	5.50	<0.5	9	6	74	5.91
M306988		1.80	0.062	1.4	0.89	6	<10	50	<0.5	<2	0.89	<0.5	10	12	439	4.54
M306989		1.74	0.042	4.3	0.63	41	<10	120	<0.5	<2	0.40	0.8	9	23	256	4.29
M306990		1.60	<0.005	<0.2	1.45	13	<10	90	<0.5	<2	12.10	<0.5	13	8	37	4.63
M306991		1.20	0.158	2.1	0.68	320	10	50	<0.5	<2	7.29	0.7	13	4	50	5.23
M306992		0.78	<0.005	0.3	0.98	2	10	10	<0.5	<2	2.81	<0.5	20	6	139	4.88
M306993		1.22	<0.005	0.2	0.09	27	<10	80	<0.5	<2	1.74	<0.5	16	24	21	1.30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 4-JUL-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06059022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B386464		10	<1	0.16	10	1.03	734	7	0.13	<1	1400	9	1.52	<2	5	33
M306451		10	1	0.12	10	1.49	656	3	0.19	<1	1580	40	2.26	<2	9	54
M306452		<10	<1	0.13	<10	0.02	69	4	0.02	6	260	12	0.27	7	2	63
M306453		<10	<1	0.06	<10	0.01	58	1	0.01	9	60	10	0.27	6	1	19
M306454		<10	<1	0.19	10	1.15	1960	<1	0.07	13	1220	4	0.22	<2	13	58
M306455		<10	<1	0.21	10	1.07	765	<1	0.08	11	520	6	0.04	2	10	46
M306456		<10	<1	0.03	<10	0.24	978	<1	0.03	7	80	12	6.55	23	3	5
M306966		10	<1	0.31	10	0.94	569	5	0.10	<1	1540	6	0.20	2	4	41
M306967		<10	<1	0.05	<10	0.01	90	1	0.01	6	390	7	0.19	6	1	83
M306968		<10	<1	0.07	<10	0.02	51	3	0.01	5	100	5	0.07	6	1	19
M306969		<10	<1	0.10	<10	0.01	49	2	0.01	9	40	8	0.53	4	1	9
M306970		<10	<1	0.27	<10	0.39	2390	<1	0.01	1	610	7	3.28	9	2	433
M306971		<10	<1	0.01	<10	0.12	8490	<1	0.02	<1	20	>10000	8.2	88	1	940
M306972		<10	<1	0.01	<10	0.15	7300	<1	0.02	<1	10	1290	0.7	45	<1	1275
M306973		<10	<1	0.28	10	2.62	3870	<1	0.02	3	840	44	3.96	28	4	669
M306974		<10	<1	0.07	<10	0.02	122	<1	0.04	11	290	9	4.89	74	4	10
M306975		<10	<1	0.07	<10	0.28	1300	5	0.03	17	130	59	>10.0	29	3	6
M306976		10	<1	0.19	<10	1.95	673	1	0.07	26	550	6	3.21	4	12	12
M306977		<10	<1	<0.01	<10	0.66	2050	1	0.01	14	<10	15	>10.0	18	8	1
M306978		<10	<1	0.03	<10	0.01	415	2	0.01	6	30	19	2.36	28	4	3
M306979		<10	<1	0.09	30	0.18	1325	<1	0.14	1	1180	4	0.08	3	7	26
M306980		<10	<1	0.01	10	0.24	1450	<1	0.15	2	620	3	0.19	2	16	43
M306981		<10	<1	0.12	20	0.88	1250	1	0.11	12	870	3	0.39	3	14	23
M306982		<10	<1	0.05	20	0.03	1040	1	0.15	22	1200	2	1.44	6	7	15
M306983		<10	<1	0.04	20	0.53	1475	1	0.15	3	1100	5	0.24	<2	11	42
M306984		<10	<1	0.41	30	0.66	1245	1	0.05	1	1480	3	0.21	3	6	24
M306985		<10	<1	0.12	30	0.45	1135	1	0.08	3	1420	3	0.14	3	8	35
M306986		<10	<1	0.18	10	1.10	1115	<1	0.08	2	2000	5	0.70	2	5	33
M306987		<10	<1	0.13	10	1.22	1910	1	0.06	4	860	2	0.12	2	5	113
M306988		10	<1	0.11	10	0.52	300	18	0.11	3	1720	29	1.50	2	4	58
M306989		<10	<1	0.21	10	0.53	212	6	0.03	12	1280	1680	3.32	3	6	17
M306990		<10	<1	0.14	10	2.65	1580	1	0.05	10	710	9	0.12	2	6	1215
M306991		<10	<1	0.20	10	0.17	878	1	0.01	8	820	34	5.18	17	7	58
M306992		<10	<1	0.40	<10	0.43	485	1	0.03	11	770	4	2.37	3	4	33
M306993		<10	<1	0.04	<10	0.08	271	1	0.03	34	850	12	1.13	4	2	86



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 4-JUL-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06059022

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46	Cu-AA46	Pb-AA46
		Ti	Ti	U	V	W	Zn	Zn	Cu	Pb
		%	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.01	10	10	1	10	2	0.01	0.01	0.01
B386464		0.03	<10	<10	66	<10	70			
M306451		0.29	<10	<10	136	<10	31			
M306452		<0.01	<10	<10	14	<10	17			
M306453		<0.01	<10	<10	7	<10	9			
M306454		<0.01	<10	<10	81	<10	20			
M306455		0.22	<10	<10	97	<10	60			
M306456		<0.01	<10	<10	8	<10	5			
M306966		0.02	<10	<10	81	<10	52			
M306967		<0.01	<10	<10	7	<10	4			
M306968		<0.01	<10	<10	12	<10	4			
M306969		<0.01	<10	<10	5	<10	7			
M306970		<0.01	<10	<10	11	<10	56			
M306971		<0.01	<10	<10	1	<10	>10000	1.34		1.09
M306972		<0.01	<10	<10	1	<10	334			
M306973		<0.01	<10	<10	19	<10	77			
M306974		<0.01	<10	<10	11	<10	5			
M306975		<0.01	<10	<10	12	<10	42			
M306976		0.01	<10	<10	198	<10	52		1.11	
M306977		<0.01	10	<10	26	<10	6			
M306978		<0.01	<10	<10	15	<10	9			
M306979		<0.01	<10	<10	39	<10	8			
M306980		<0.01	<10	<10	23	<10	4			
M306981		0.01	<10	<10	154	<10	22			
M306982		<0.01	<10	<10	31	<10	28			
M306983		<0.01	<10	<10	48	<10	7			
M306984		<0.01	<10	<10	54	<10	21			
M306985		<0.01	<10	<10	46	<10	5			
M306986		<0.01	<10	<10	64	<10	35			
M306987		<0.01	<10	<10	33	<10	28			
M306988		0.27	<10	<10	126	<10	38			
M306989		0.17	<10	<10	107	<10	211			
M306990		<0.01	<10	<10	55	<10	78			
M306991		<0.01	<10	<10	25	<10	295			
M306992		0.25	<10	<10	38	<10	37			
M306993		<0.01	<10	<10	8	<10	60			



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE VA06087734

Project:

P.O. No.:

This report is for 8 Rock samples submitted to our lab in Vancouver, BC, Canada on 5-SEP-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
S-IR08	Total Sulphur (Leco)	LECO
C-IR07	Total Carbon (Leco)	LECO
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
TOT-ICP06	Total Calculation for ICP06	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - E)  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06087734

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %	ME-ICP06 CaO %	ME-ICP06 MgO %	ME-ICP06 Na2O %	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	C-IR07 C %
<b>Sample Description</b>	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
C478451	1.42	73.6	9.36	3.12	2.58	0.17	0.35	8.04	<0.01	0.31	0.06	<0.01	0.02	0.01	0.55
C478452	1.38	57.7	16.60	4.70	3.58	0.64	1.96	11.00	<0.01	0.41	0.06	0.28	0.10	0.31	0.69
C478453	0.70	56.1	16.45	5.24	3.61	1.72	2.18	9.94	<0.01	0.46	0.08	0.34	0.12	0.38	0.69
C478454	1.60	75.4	12.60	1.16	0.35	0.01	6.90	0.47	0.01	0.06	0.02	0.02	0.02	<0.01	0.07
C478455	1.48	75.3	12.25	2.31	0.39	0.05	4.39	4.10	<0.01	0.17	0.02	0.03	<0.01	0.03	0.10
C478456	1.18	53.9	17.15	7.80	7.25	4.35	3.70	1.24	0.01	0.84	0.13	0.38	0.09	0.11	0.01
C478457	1.42	60.2	16.80	4.24	1.30	0.53	0.75	13.30	<0.01	0.47	0.05	0.02	0.09	0.35	<0.01
C478458	0.78	58.3	16.60	3.78	2.52	0.60	1.40	12.15	<0.01	0.40	0.08	0.11	0.18	0.52	0.37



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - E)  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06087734

Method Analyte Units LOR	S-IR08 S %	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ca ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
Sample Description	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
C478451	0.04	2	137.5	12.3	3.4	30	0.48	245	2.53	1.81	0.55	24.0	1.71	5.8	0.55
C478452	0.04	<1	2650	34.4	7.8	20	1.26	51	2.11	1.37	0.76	20.5	2.23	3.6	0.41
C478453	0.01	<1	3240	39.2	11.4	10	1.06	30	2.16	1.36	0.89	19.5	2.50	2.7	0.40
C478454	<0.01	<1	51.2	32.8	1.0	40	0.23	6	6.12	4.94	0.19	17.9	3.58	4.4	1.40
C478455	0.01	<1	279	69.0	1.4	10	0.62	<5	8.15	5.60	0.46	19.7	6.45	8.6	1.74
C478456	0.02	<1	974	41.9	23.0	60	0.92	43	3.66	2.05	1.24	17.9	3.63	3.2	0.70
C478457	0.08	<1	3080	41.3	4.0	20	1.16	72	1.79	1.29	0.67	27.7	1.96	7.4	0.36
C478458	0.02	<1	4610	26.8	5.1	10	2.23	189	1.59	1.04	0.63	20.4	1.71	1.7	0.31



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - E)  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06087734

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.5	0.01	2	0.2	0.1	5	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
C478451		7.0	0.32	10	36.7	5.7	7	311	1.41	100.0	1.63	6	202	1.2	0.33	12.70
C478452		22.8	0.21	<2	19.6	12.3	10	29	3.50	182.0	2.30	2	857	1.0	0.31	5.05
C478453		22.5	0.20	<2	17.3	14.7	9	26	4.13	205	2.65	1	1000	1.0	0.31	4.99
C478454		15.6	0.90	<2	28.2	13.0	<5	<5	3.68	9.5	3.14	3	164.5	3.4	0.77	21.5
C478455		33.6	0.94	2	20.0	29.7	<5	8	7.88	78.6	6.61	3	36.8	1.3	1.14	9.00
C478456		21.9	0.26	<2	8.8	18.9	38	8	4.84	27.2	4.04	1	772	0.6	0.53	4.19
C478457		32.3	0.23	<2	53.1	11.4	5	7	3.54	240	2.15	3	745	2.3	0.27	14.50
C478458		15.3	0.13	<2	26.9	10.5	7	<5	2.98	215	2.11	2	1610	1.5	0.23	3.78



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - D  
Total # Pages: 2 (A - E)  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06087734

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	
	Analyte	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	As	Bi	Hg	Sb	Se	Te
	Units LOD	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.1	0.01	0.005	0.05	0.2	0.01
C478451		<0.5	0.28	9.87	443	12	16.3	2.18	25	200	2.1	4.75	<0.005	0.24	2.3	0.12
C478452		<0.5	0.18	3.47	241	7	11.5	1.50	29	122	2.1	0.48	<0.005	0.13	0.4	0.06
C478453		<0.5	0.18	1.95	201	3	11.6	1.47	75	103	0.9	0.50	<0.005	0.08	0.3	0.02
C478454		<0.5	0.76	3.74	12	4	44.6	5.94	<5	84	0.9	0.03	0.022	0.09	0.3	<0.01
C478455		<0.5	0.84	3.16	7	3	48.4	6.16	12	359	0.1	0.09	<0.005	0.08	0.2	<0.01
C478456		<0.5	0.27	1.23	173	1	19.1	1.99	68	128	0.4	<0.01	0.014	0.14	<0.2	<0.01
C478457		<0.5	0.17	4.66	308	5	10.6	1.53	21	267	3.7	0.05	<0.005	0.35	<0.2	0.03
C478458		<0.5	0.12	1.89	364	2	8.9	1.02	43	54	2.3	0.02	<0.005	0.95	<0.2	0.02





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - E  
Total # Pages: 2 (A - E)  
Finalized Date: 4-OCT-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06087734

Sample Description	Method Analyte Units LOR	OA-GRA05	TOT-ICP06
		LOI %	Total %
		0.01	0.01
C478451		2.40	100.0
C478452		3.39	100.5
C478453		4.00	100.5
C478454		0.89	97.9
C478455		0.99	100.0
C478456		1.70	98.7
C478457		1.25	99.4
C478458		2.12	98.8



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 14-AUG-2006  
Account: PAGRES

## CERTIFICATE VA06068348

Project: lskut

P.O. No.:

This report is for 74 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
C260251		2.00	0.140		0.6	0.35	5	<10	510	<0.5	<2	2.24	<0.5	7	3	1135
C260252		2.26	0.070		<0.2	0.40	2	<10	320	0.5	<2	1.74	<0.5	7	8	241
C260253		2.08	0.278		<0.2	0.42	2	<10	120	0.5	<2	4.24	<0.5	9	11	823
C260254		2.54	0.208		0.2	0.48	11	<10	120	0.5	<2	4.38	<0.5	11	7	1995
C260255		1.54	0.685		1.7	0.45	3	<10	250	0.5	<2	3.23	<0.5	16	3	3320
C260256		1.66	0.656		2.9	2.25	20	<10	70	0.8	2	1.20	0.6	69	29	4450
C260257		1.52	0.065		<0.2	0.97	<2	<10	340	0.8	<2	2.46	<0.5	9	7	211
C260258		1.46	0.831		2.6	0.91	5	10	110	<0.5	<2	0.68	<0.5	15	4	7970
C260259		1.46	3.56		6.6	1.32	<2	20	110	0.6	5	0.27	<0.5	23	4	8320
C260260		1.66	0.073		0.6	0.40	14	<10	110	0.5	<2	2.43	<0.5	8	7	494
B386471		0.88	0.020		<0.2	1.32	4	<10	90	1.0	<2	1.35	<0.5	8	5	90
B386472		1.46	<0.005		<0.2	0.94	2	<10	150	<0.5	<2	2.59	<0.5	7	9	92
B386473		1.12	<0.005		<0.2	0.26	3	<10	10	0.6	<2	1.09	<0.5	1	9	21
B386474		1.82	<0.005		<0.2	0.68	<2	<10	10	<0.5	<2	0.81	<0.5	5	4	11
B386475		1.70	2.79		56.7	0.20	>10000	<10	60	<0.5	<2	9.11	7.1	3	5	60
B386476		1.92	<0.005		<0.2	0.43	76	<10	60	<0.5	<2	19.9	<0.5	5	8	19
B386477		1.66	0.244		3.6	0.09	200	<10	70	<0.5	<2	>25.0	11.4	1	2	72
B386478		2.12	<0.005		<0.2	0.82	28	10	80	0.6	<2	1.94	<0.5	16	2	55
B386479		1.64	4.31		8.2	0.03	2010	<10	20	<0.5	<2	23.2	30.2	<1	2	300
B386480		1.30	>10.0	11.30	>100	0.08	3330	<10	40	<0.5	<2	23.2	63.9	<1	2	1025
B386482		1.26	0.005		0.4	0.24	194	<10	90	<0.5	<2	10.25	<0.5	30	532	18
B386483		1.28	0.070		5.7	0.57	59	<10	340	<0.5	<2	8.61	0.6	8	16	31
B386484		2.78	7.69		>100	0.10	3880	<10	<10	<0.5	2	2.84	398	4	14	3090
B386485		1.74	0.026		2.0	0.48	15	<10	370	<0.5	<2	3.88	0.7	2	2	18
B386486		1.54	0.287		10.2	0.95	144	<10	20	<0.5	<2	15.1	1.9	16	13	66
B386487		0.70	>10.0	21.4	>100	0.07	5530	<10	<10	<0.5	<2	2.78	232	<1	<1	2000
B386488		1.86	0.006		0.2	0.88	59	<10	120	<0.5	<2	13.30	<0.5	23	723	14
B386489		2.12	0.860		23.8	0.75	357	<10	10	<0.5	<2	7.60	18.0	27	245	2420
B386491		1.48	0.014		<0.2	0.84	10	<10	20	<0.5	<2	1.76	<0.5	56	309	401
B386492		1.56	0.055		1.9	1.34	29	<10	10	<0.5	<2	0.73	1.6	5	31	148
B386493		1.20	<0.005		<0.2	0.34	3	<10	10	<0.5	<2	4.42	<0.5	10	88	18
B386494		2.10	<0.005		0.3	0.20	14	<10	80	<0.5	<2	0.32	<0.5	1	24	15
B386495		1.00	<0.005		<0.2	0.26	16	<10	210	<0.5	<2	1.54	<0.5	2	26	14
M306459		0.52	<0.005		0.2	0.17	8	<10	120	<0.5	<2	0.07	<0.5	1	24	24
M306460		1.46	<0.005		1.1	0.02	106	<10	30	<0.5	<2	1.01	<0.5	<1	22	4
M306461		1.38	0.005		0.2	0.81	139	<10	130	<0.5	<2	0.16	<0.5	3	7	24
M306462		1.52	<0.005		<0.2	2.11	23	10	420	<0.5	<2	3.94	<0.5	6	3	4
M306463		1.92	0.048		0.6	1.30	36	10	110	<0.5	<2	1.55	2.1	5	3	180
M306464		1.26	0.032		1.6	1.20	93	<10	30	<0.5	<2	2.13	3.6	6	2	60
M306465		1.22	0.052		0.6	1.02	8	<10	150	<0.5	<2	0.93	<0.5	6	4	400



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOR		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C260251		2.48	<10	<1	0.15	10	0.41	619	12	0.08	2	1090	10	0.44	<2	4
C260252		3.12	<10	<1	0.21	40	0.29	373	7	0.07	7	1150	4	0.03	<2	4
C260253		3.45	<10	<1	0.23	40	1.00	961	11	0.05	11	1660	2	0.15	<2	7
C260254		3.09	<10	<1	0.26	20	0.70	955	11	0.05	16	1380	6	0.45	<2	6
C260255		3.70	<10	<1	0.19	40	0.71	833	3	0.06	2	1430	9	0.38	<2	5
C260256		9.58	10	<1	0.20	20	2.67	1120	105	0.04	18	1040	<2	0.97	<2	17
C260257		3.37	10	<1	0.15	30	1.09	770	7	0.10	2	1470	7	0.02	<2	6
C260258		4.03	<10	<1	0.16	30	0.72	353	883	0.06	6	1350	11	0.29	<2	5
C260259		6.82	10	<1	0.15	10	1.15	284	2670	0.03	13	1220	15	0.42	<2	10
C260260		3.42	<10	<1	0.16	30	0.57	582	25	0.08	3	1380	18	0.40	<2	5
B386471		2.85	10	<1	0.70	10	0.78	392	18	0.05	3	1170	4	0.01	<2	4
B386472		2.97	10	<1	0.16	10	0.80	637	4	0.04	4	760	4	1.22	<2	6
B386473		1.21	<10	<1	0.02	10	0.07	244	1	0.12	<1	30	4	<0.01	<2	2
B386474		2.47	<10	<1	0.02	<10	0.38	136	2	0.11	1	1080	3	0.11	<2	2
B386475		4.24	<10	<1	0.11	<10	0.12	1700	2	0.01	4	510	696	4.31	223	1
B386476		2.00	<10	<1	0.18	<10	0.48	1365	1	0.02	2	720	2	0.6	2	4
B386477		1.24	<10	<1	0.04	<10	0.16	4700	1	0.02	4	100	673	1.5	5	1
B386478		6.26	<10	1	0.19	<10	0.57	1290	1	0.01	7	1480	6	0.09	<2	8
B386479		6.35	<10	<1	0.02	10	0.06	4720	1	0.01	<1	110	1730	9.6	10	1
B386480		3.03	<10	<1	0.03	<10	0.15	5110	1	0.01	2	220	7340	4.7	317	1
B386482		3.79	<10	1	0.02	<10	3.87	1105	1	0.03	100	110	18	0.83	2	40
B386483		4.05	<10	<1	0.15	<10	2.99	2050	1	0.02	19	580	112	0.16	4	4
B386484		18.4	<10	10	0.06	<10	0.72	992	1	0.01	8	130	>10000	>10.0	708	1
B386485		1.53	<10	<1	0.23	10	0.05	633	1	0.03	<1	400	68	0.20	<2	2
B386486		7.76	<10	<1	0.05	10	3.42	2130	1	0.02	21	280	225	7.7	17	4
B386487		20.7	<10	5	0.03	<10	1.06	1090	<1	0.01	1	30	>10000	>10.0	133	<1
B386488		2.95	<10	<1	0.02	<10	4.09	1055	1	0.02	71	130	41	1.44	<2	34
B386489		5.54	<10	<1	0.01	<10	1.30	885	1	0.01	52	30	4120	5.79	8	17
B386491		9.70	10	<1	0.03	<10	1.89	531	1	0.04	82	60	9	0.46	<2	10
B386492		2.35	<10	<1	0.01	<10	1.79	359	1	0.01	6	190	357	1.30	<2	4
B386493		1.74	<10	<1	0.01	<10	0.54	357	<1	0.01	16	30	8	1.04	<2	7
B386494		0.86	<10	<1	0.06	<10	0.06	90	1	0.01	6	60	56	0.32	<2	1
B386495		0.89	<10	<1	0.08	<10	0.04	192	1	0.01	8	990	10	0.31	<2	1
M306459		0.82	<10	<1	0.04	<10	0.05	77	1	0.01	6	40	24	0.15	<2	1
M306460		0.77	<10	<1	0.01	<10	0.01	449	1	0.01	2	60	5	0.06	20	<1
M306461		1.44	<10	<1	0.50	10	0.06	21	2	0.01	1	960	13	1.24	28	1
M306462		3.54	10	<1	0.38	10	0.87	1630	1	0.05	<1	1180	8	0.76	<2	3
M306463		3.38	<10	<1	0.28	10	0.53	635	5	0.08	1	1140	45	2.00	<2	3
M306464		4.52	<10	<1	0.37	10	0.48	879	3	0.05	1	1030	787	4.11	<2	2
M306465		1.70	<10	<1	0.32	20	0.48	467	15	0.11	<1	650	14	1.30	<2	2



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Pb-AA46
		Sr	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		1	0.01	10	10	1	10	2	1	0.01	0.01
C260251		82	<0.01	<10	<10	42	<10	36			
C260252		41	0.01	<10	<10	64	<10	35			
C260253		57	<0.01	<10	<10	64	<10	56			
C260254		71	<0.01	<10	<10	59	<10	49			
C260255		56	0.01	<10	<10	66	<10	40			
C260256		37	0.12	<10	<10	284	<10	83			
C260257		118	0.09	<10	<10	107	<10	52			
C260258		35	0.01	<10	<10	131	<10	59			
C260259		18	0.05	<10	<10	251	<10	82			
C260260		70	0.01	<10	<10	69	<10	41			
B386471		92	0.18	<10	<10	118	<10	63			
B386472		150	0.08	<10	<10	108	<10	41			
B386473		16	0.02	<10	<10	36	<10	4			
B386474		80	0.26	<10	<10	40	<10	5			
B386475		324	<0.01	<10	<10	6	<10	2100			
B386476		438	<0.01	<10	<10	28	<10	34			
B386477		717	<0.01	<10	<10	6	<10	1745			
B386478		92	<0.01	<10	<10	148	<10	104			
B386479		702	<0.01	<10	<10	3	<10	4010			
B386480		1090	<0.01	<10	<10	5	<10	7960	412		
B386482		241	<0.01	<10	<10	75	<10	59			
B386483		169	<0.01	<10	<10	32	<10	152			
B386484		35	<0.01	<10	<10	3	<10	>10000	1200	5.45	3.08
B386485		89	<0.01	<10	<10	12	<10	138			
B386486		364	<0.01	<10	<10	56	<10	364			
B386487		30	<0.01	<10	<10	1	<10	>10000	307	3.96	5.41
B386488		408	0.02	<10	<10	77	<10	91			
B386489		145	0.08	<10	<10	123	<10	2690			
B386491		30	0.41	<10	<10	720	<10	28			
B386492		13	0.04	<10	<10	59	<10	263			
B386493		70	0.05	<10	<10	57	<10	14			
B386494		13	0.01	<10	<10	7	<10	54			
B386495		73	<0.01	<10	<10	9	<10	26			
M306459		5	0.01	<10	<10	5	<10	18			
M306460		24	<0.01	<10	<10	1	<10	6			
M306461		12	<0.01	<10	<10	15	<10	16			
M306462		147	<0.01	<10	<10	30	<10	67			
M306463		39	<0.01	<10	<10	43	<10	241			
M306464		74	<0.01	<10	<10	37	<10	454			
M306465		58	0.03	<10	<10	34	<10	34			



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	AU-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
M306466		1.12	0.035		0.6	1.13	10	<10	20	<0.5	<2	1.21	<0.5	5	4	323
M306467		1.38	0.064		2.2	1.70	25	<10	30	0.5	<2	2.66	14.1	7	3	459
M306468		1.92	0.538		3.4	1.38	11	<10	30	<0.5	2	3.17	2.6	12	11	2520
M306469		0.98	0.022		0.3	4.40	87	<10	380	0.7	<2	1.21	<0.5	39	36	104
M306470		1.22	0.006		<0.2	2.11	8	<10	160	0.5	<2	1.93	<0.5	9	2	94
M306471		0.84	<0.005		<0.2	0.27	100	<10	120	<0.5	<2	>25.0	0.7	2	5	8
M306472		0.76	0.019		<0.2	0.17	258	<10	50	<0.5	<2	7.78	<0.5	1	12	9
M306473		0.98	0.093		<0.2	0.11	60	<10	300	<0.5	<2	12.6	<0.5	<1	14	7
M306474		1.50	0.081		1.0	0.13	196	<10	80	<0.5	<2	0.05	<0.5	2	21	11
M306475		1.96	0.006		0.2	0.14	31	<10	90	<0.5	<2	2.05	<0.5	2	27	9
M306476		1.84	<0.005		0.2	0.09	43	<10	40	<0.5	<2	0.09	<0.5	1	31	8
M306477		2.08	0.056		0.3	0.94	1165	<10	110	0.5	<2	8.89	<0.5	11	4	13
M306478		1.92	<0.005		<0.2	1.10	226	<10	160	0.7	<2	4.89	<0.5	8	3	23
M306479		1.38	0.182		0.3	0.65	18	<10	340	<0.5	<2	3.84	<0.5	10	4	1465
M306480		1.62	0.182		0.7	1.07	4	<10	340	<0.5	<2	3.82	<0.5	20	3	1435
M306481		1.26	0.301		2.0	0.63	46	<10	140	<0.5	<2	0.93	<0.5	8	5	5750
M306482		1.76	0.144		0.5	0.59	12	<10	300	<0.5	<2	1.09	<0.5	5	4	261
M306483		1.24	0.024		0.2	0.55	<2	<10	240	<0.5	<2	0.09	<0.5	3	6	62
M306484		1.02	0.041		<0.2	0.54	<2	<10	750	<0.5	<2	1.61	<0.5	4	4	401
M306485		1.46	0.302		0.8	0.68	18	<10	290	<0.5	<2	5.10	<0.5	10	7	1305
M306486		1.22	0.083		0.2	0.47	5	<10	1160	<0.5	<2	2.09	<0.5	8	2	942
M306487		1.62	0.218		2.0	1.22	37	<10	30	<0.5	<2	2.31	<0.5	6	9	962
M306488		1.68	0.244		4.6	1.09	126	<10	20	<0.5	<2	3.54	<0.5	10	9	913
M306994		1.50	0.007		<0.2	3.92	2	<10	150	0.5	<2	2.94	<0.5	12	5	21
M306995		1.26	<0.005		<0.2	3.63	6	<10	340	0.6	<2	1.94	<0.5	1	1	14
M306996		1.58	<0.005		<0.2	0.78	2	<10	190	<0.5	<2	0.17	<0.5	1	13	5
M306997		1.54	<0.005		<0.2	0.58	<2	<10	50	<0.5	<2	0.70	<0.5	10	29	10
M306998		1.34	<0.005		<0.2	0.52	9	<10	120	<0.5	<2	0.02	<0.5	1	2	4
M306999		1.46	<0.005		<0.2	0.98	<2	<10	120	0.5	<2	0.99	<0.5	13	22	12
M306457		0.88	<0.005		<0.2	2.29	15	<10	110	0.5	<2	3.43	<0.5	23	4	19
M306458		1.58	<0.005		<0.2	1.48	2	<10	240	<0.5	<2	0.96	<0.5	1	7	5
B386466		2.34	<0.005		<0.2	2.64	<2	<10	490	0.5	<2	3.16	<0.5	11	7	7
M386467		2.62	<0.005		<0.2	1.30	<2	<10	150	<0.5	<2	0.82	<0.5	12	13	9
M386468		1.30	<0.005		<0.2	0.71	3	<10	130	<0.5	<2	0.80	<0.5	11	19	8



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOR		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
M306466		4.06	<10	<1	0.28	10	0.54	329	9	0.14	<1	670	15	4.12	<2	1
M306467		4.02	<10	1	0.31	20	0.92	945	57	0.08	1	660	31	3.79	<2	2
M306468		4.70	10	<1	0.27	10	1.19	903	62	0.07	7	930	36	4.81	<2	7
M306469		8.86	10	<1	0.05	10	3.42	1700	3	0.04	18	2170	4	0.15	<2	30
M306470		4.07	10	<1	0.13	20	1.31	1220	2	0.11	<1	1060	16	0.48	<2	5
M306471		1.02	<10	<1	0.04	<10	0.20	1665	2	0.02	2	520	3	<0.01	4	27
M306472		1.31	<10	<1	0.03	<10	0.20	558	2	0.02	2	490	<2	0.07	4	2
M306473		0.65	<10	<1	0.04	<10	0.07	715	2	0.01	1	350	<2	0.27	<2	2
M306474		2.45	<10	<1	0.06	<10	0.01	58	2	0.01	8	100	14	1.50	9	1
M306475		0.78	<10	<1	0.06	<10	0.02	146	1	0.01	8	70	11	0.41	<2	1
M306476		1.25	<10	<1	0.05	<10	0.01	54	1	0.01	7	30	11	0.65	<2	1
M306477		5.71	<10	<1	0.31	10	1.18	3970	2	0.02	2	990	10	2.55	27	5
M306478		4.87	<10	<1	0.41	10	0.63	2110	2	0.03	1	1660	5	1.12	7	7
M306479		3.61	<10	<1	0.37	10	1.18	583	14	0.05	6	790	2	0.10	<2	10
M306480		6.49	<10	<1	0.62	<10	1.58	614	94	0.04	9	1120	6	0.46	<2	17
M306481		2.52	<10	<1	0.42	10	0.21	214	421	0.01	8	550	15	1.66	6	1
M306482		1.85	<10	<1	0.32	10	0.12	356	7	0.08	4	710	6	0.70	<2	2
M306483		2.06	<10	<1	0.22	<10	0.02	37	19	0.16	3	440	5	1.14	<2	<1
M306484		1.95	<10	<1	0.29	20	0.38	401	30	0.11	7	900	4	0.05	<2	4
M306485		3.24	<10	<1	0.40	10	1.90	884	11	0.04	18	940	3	0.11	<2	7
M306486		2.28	<10	<1	0.23	10	0.66	426	24	0.13	12	670	4	0.16	2	4
M306487		4.20	<10	<1	0.40	<10	0.79	489	17	0.06	6	920	23	2.46	2	7
M306488		4.25	<10	<1	0.30	10	0.80	603	16	0.06	8	1180	23	4.11	<2	7
M306994		7.28	20	<1	0.05	<10	1.63	506	3	0.03	2	1750	4	1.44	<2	24
M306995		3.00	10	<1	0.12	20	0.49	157	2	<0.01	1	300	13	0.03	<2	5
M306996		1.02	<10	<1	0.21	10	0.27	91	<1	0.08	2	190	6	0.01	<2	2
M306997		2.23	<10	<1	0.04	10	0.10	92	2	0.17	4	1080	3	1.28	<2	11
M306998		2.49	<10	1	0.09	<10	0.02	67	3	0.15	1	140	4	<0.01	<2	2
M306999		4.09	10	<1	0.07	10	0.51	271	<1	0.14	4	1370	3	2.49	<2	19
M306457		7.34	10	<1	0.07	10	1.97	1430	2	0.06	6	1460	12	2.73	<2	19
M306458		1.05	<10	<1	0.09	10	0.08	58	2	0.03	1	160	12	0.03	<2	2
B386466		4.33	10	<1	0.17	10	1.23	874	1	0.72	2	590	4	0.22	<2	10
M386467		3.83	10	<1	0.09	10	0.76	601	1	0.12	2	900	5	1.06	<2	13
M386468		3.02	10	<1	0.11	10	0.25	753	2	0.12	3	830	3	1.46	<2	7



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 14-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068348

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Zn-AA46	Pb-AA46
		Sr	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		1	0.01	10	10	1	10	2	1	0.01	0.01
M306466		51	<0.01	<10	<10	29	<10	21			
M306467		63	<0.01	<10	<10	33	<10	1580			
M306468		81	0.01	<10	<10	112	<10	483			
M306469		53	0.01	<10	<10	373	<10	137			
M306470		83	0.05	<10	<10	130	<10	90			
M306471		506	<0.01	<10	<10	78	<10	79			
M306472		84	<0.01	<10	<10	25	<10	13			
M306473		388	<0.01	<10	<10	8	<10	12			
M306474		11	<0.01	<10	<10	4	<10	4			
M306475		65	<0.01	<10	<10	5	<10	5			
M306476		9	<0.01	<10	<10	3	<10	4			
M306477		258	<0.01	<10	<10	53	<10	126			
M306478		169	<0.01	<10	<10	73	<10	79			
M306479		68	<0.01	<10	<10	142	<10	22			
M306480		106	0.01	<10	<10	281	<10	36			
M306481		25	<0.01	<10	<10	28	<10	14			
M306482		67	<0.01	<10	<10	39	<10	15			
M306483		32	<0.01	<10	<10	10	<10	4			
M306484		81	<0.01	<10	<10	53	<10	14			
M306485		76	<0.01	<10	<10	82	<10	28			
M306486		109	<0.01	<10	<10	36	<10	15			
M306487		116	0.01	<10	<10	104	<10	48			
M306488		83	0.01	<10	<10	101	<10	27			
M306994		80	0.78	<10	<10	389	<10	59			
M306995		131	0.16	<10	<10	17	<10	35			
M306996		9	0.07	<10	<10	14	<10	39			
M306997		15	0.42	<10	<10	96	<10	31			
M306998		4	0.06	<10	<10	30	<10	10			
M306999		10	0.60	<10	<10	163	<10	69			
M306457		28	0.72	<10	<10	312	<10	116			
M306458		50	0.08	<10	<10	3	<10	24			
B386466		445	0.05	<10	<10	83	<10	65			
M386467		26	0.25	<10	<10	109	<10	55			
M386468		27	0.06	<10	<10	79	<10	29			





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 11-AUG-2006  
Account: PAGRES

## CERTIFICATE VA06068349

Project: Iskut

P.O. No.:

This report is for 50 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **PAGET RESOURCES**  
**ATTN: JOHN BRADFORD**  
**2080-777 HORNBY STREET**  
**VANCOUVER BC V6Z 1S4**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B386465		0.74	0.063	0.8	0.88	82	<10	160	0.6	<2	2.88	0.5	19	21	75	5.19
B386466		0.74	0.005	<0.2	1.16	16	<10	250	1.0	<2	3.17	<0.5	16	5	77	5.59
M306816		0.62	0.012	0.3	1.81	33	<10	60	<0.5	<2	2.19	0.6	13	24	74	4.34
M306817		0.42	0.006	<0.2	1.75	7	<10	80	<0.5	<2	1.04	0.6	13	21	65	4.36
M306818		0.38	0.020	0.9	1.41	20	<10	130	<0.5	<2	0.75	1.8	12	16	74	3.93
M306819		0.54	0.008	0.2	2.24	28	<10	120	<0.5	<2	1.34	0.9	14	22	69	4.09
M306820		0.58	0.013	0.3	1.80	35	<10	100	<0.5	<2	2.84	0.5	17	26	89	4.80
M306821		0.56	0.014	0.6	2.28	122	<10	190	0.5	<2	1.26	0.8	40	16	137	7.44
M306822		0.76	0.028	0.6	1.78	32	<10	130	0.6	<2	0.83	1.2	20	13	133	5.72
M306823		1.02	<0.005	<0.2	1.62	5	<10	50	<0.5	<2	1.23	<0.5	17	19	52	3.98
M306824		0.48	0.016	0.5	1.98	30	<10	120	0.8	<2	0.89	7.5	19	9	50	6.41
M306825		1.00	0.015	0.5	1.92	33	<10	130	0.8	<2	1.05	7.5	18	8	55	6.24
C206451		0.70	<0.005	<0.2	2.99	11	10	140	1.0	<2	1.11	0.5	15	16	65	4.89
C206452		0.96	0.020	0.2	1.98	36	<10	430	0.9	<2	1.89	<0.5	19	14	88	5.29
C206453		0.80	0.012	0.4	1.42	40	<10	320	0.8	<2	1.61	<0.5	14	7	48	5.03
C206454		0.88	0.011	<0.2	2.35	30	<10	380	1.1	<2	1.27	<0.5	20	11	98	5.70
C206455		0.44	0.006	0.2	3.33	9	<10	140	1.2	<2	1.07	0.5	17	15	86	5.46
C206456		0.68	0.017	0.2	2.06	43	<10	410	1.0	<2	0.89	<0.5	21	13	96	5.59
C206457		0.72	0.007	0.2	2.84	9	<10	170	1.1	<2	1.49	<0.5	18	19	93	5.28
C206458		0.74	0.143	0.2	0.92	29	<10	360	0.7	<2	1.38	<0.5	12	6	46	4.46
C206460		0.66	0.024	0.2	0.96	36	<10	360	0.7	<2	1.49	<0.5	13	7	44	4.53
C206462		0.86	0.015	<0.2	0.93	29	<10	380	0.6	<2	1.00	<0.5	12	3	25	5.45
C206463		0.96	0.156	0.2	1.51	27	<10	280	0.7	<2	2.23	<0.5	13	9	74	4.90
C206464		0.80	0.106	0.3	0.75	77	<10	260	0.7	<2	2.22	<0.5	13	2	25	4.61
C206466		0.66	0.006	<0.2	0.89	49	<10	190	0.6	<2	1.08	<0.5	15	3	60	5.67
M306826		0.64	0.012	0.4	0.96	48	<10	220	0.5	<2	2.37	0.5	20	25	83	5.85
M306827		0.74	0.173	4.0	0.46	122	<10	110	0.6	<2	5.65	1.7	12	10	70	3.91
M306828		0.38	0.096	4.0	0.36	123	10	120	0.6	<2	3.06	1.9	17	7	92	4.71
M306829		0.48	0.025	1.5	1.32	110	10	300	1.0	<2	2.85	1.0	28	6	97	6.22
M306830		0.54	0.162	1.8	0.61	223	10	270	0.8	<2	3.70	2.3	24	9	86	5.78
M306831		0.56	0.739	7.9	0.52	554	10	170	1.1	<2	2.16	1.0	31	5	112	7.12
M306832		0.44	0.173	3.3	0.42	514	10	180	0.8	<2	4.15	3.0	22	6	83	6.60
M306833		0.64	0.199	5.0	0.45	347	10	200	0.9	<2	3.67	1.0	24	7	90	6.19
M306834		0.34	0.034	0.8	0.67	122	10	350	0.8	<2	1.41	0.6	16	6	66	4.24
M306835		0.34	0.371	4.7	0.47	770	10	260	0.8	<2	2.05	<0.5	25	2	63	5.79
M306836		0.30	0.117	1.3	0.64	181	10	260	0.9	<2	1.30	0.5	16	8	56	4.61
M306837		0.54	0.103	1.4	1.05	110	<10	230	0.6	<2	2.00	1.2	21	9	87	5.31
M306838		0.34	0.011	<0.2	1.61	21	<10	180	0.6	<2	0.88	<0.5	13	15	50	4.21
M306839		0.66	0.014	0.3	1.30	16	<10	180	0.5	<2	0.99	<0.5	12	15	45	4.00
M306840		0.82	NSS	0.3	1.50	41	<10	120	<0.5	<2	1.63	0.7	13	24	66	3.89

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Se	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B386465		<10	1	0.07	10	0.60	959	2	0.01	27	1570	12	0.34	9	8	95
B386466		<10	<1	0.10	20	0.69	1110	2	0.25	7	2440	10	0.26	<2	8	154
M306816		10	1	0.04	<10	1.29	646	2	0.02	20	1130	13	0.96	3	5	72
M306817		10	1	0.10	10	1.01	821	2	0.02	14	1050	6	0.05	2	6	49
M306818		10	1	0.04	10	0.68	624	10	0.01	45	1710	9	0.05	2	3	38
M306819		10	<1	0.06	10	1.04	1050	3	0.02	22	1290	6	0.06	2	6	52
M306820		10	1	0.03	<10	1.19	864	2	0.01	27	1070	4	0.55	2	6	90
M306821		10	1	0.11	10	1.54	1775	2	0.03	20	1030	14	0.11	9	16	177
M306822		10	1	0.09	10	1.14	1050	9	0.02	29	1580	12	0.17	2	11	41
M306823		10	1	0.07	<10	1.17	929	<1	0.02	13	1100	8	0.08	<2	5	69
M306824		10	1	0.08	10	1.04	1315	14	0.01	41	1290	12	0.15	5	13	37
M306825		10	1	0.09	10	0.97	1285	17	0.02	45	1390	14	0.14	5	13	47
C206451		10	<1	0.05	10	1.55	1120	1	0.71	11	2170	10	0.06	2	8	62
C206452		10	1	0.10	10	1.06	1050	1	0.04	11	2220	17	0.12	4	6	75
C206453		10	2	0.13	10	0.80	1120	2	0.06	6	1950	13	0.41	4	7	71
C206454		10	1	0.12	10	1.25	1220	1	0.07	7	2750	12	0.06	4	7	66
C206455		10	<1	0.06	20	1.88	1140	1	0.85	12	2390	10	0.07	<2	9	73
C206456		10	1	0.11	10	0.91	1410	2	0.04	12	2250	15	0.08	5	8	69
C206457		10	1	0.06	10	1.82	1020	1	0.56	14	2460	9	0.18	<2	9	84
C206458		<10	<1	0.12	10	0.39	1010	1	0.01	4	1840	12	0.30	3	4	64
C206460		<10	<1	0.13	20	0.39	1115	1	0.01	4	2140	13	0.34	4	4	67
C206462		10	<1	0.13	10	0.39	907	2	0.01	2	1980	13	0.54	<2	5	76
C206463		10	1	0.12	10	0.81	890	1	0.07	7	1840	11	0.30	2	6	83
C206464		<10	1	0.14	10	0.32	1505	1	0.01	2	2540	12	0.74	2	5	85
C206466		<10	2	0.20	10	0.26	669	2	0.02	3	1670	15	1.44	2	7	117
M306826		<10	1	0.07	10	0.66	1015	2	0.01	28	1490	9	0.23	9	9	76
M306827		<10	1	0.11	10	0.21	765	4	0.01	41	3030	39	1.38	16	5	207
M306828		<10	<1	0.10	10	0.19	1005	4	0.01	40	2480	36	0.96	15	5	112
M306829		<10	<1	0.13	10	0.86	708	5	0.01	29	2670	23	0.27	12	8	98
M306830		<10	<1	0.12	10	0.40	928	14	0.01	40	2320	32	0.45	16	6	130
M306831		<10	1	0.18	10	0.17	1125	3	<0.01	29	2950	78	0.90	19	9	138
M306832		<10	1	0.14	10	0.07	1155	10	0.01	41	2500	56	0.59	29	7	173
M306833		<10	1	0.15	10	0.14	909	5	0.01	38	2650	37	0.64	19	7	229
M306834		<10	<1	0.10	10	0.17	1255	2	0.01	13	1690	16	0.11	4	7	64
M306835		<10	<1	0.11	10	0.23	759	2	0.01	13	2600	27	0.26	11	7	114
M306836		<10	1	0.12	10	0.17	1135	2	0.01	14	1320	23	0.13	4	7	80
M306837		<10	<1	0.09	10	0.59	1085	8	0.02	23	1840	20	0.48	7	7	74
M306838		<10	<1	0.07	10	0.58	847	2	0.02	10	1290	7	0.03	<2	5	43
M306839		<10	<1	0.06	10	0.60	876	2	0.02	8	1310	7	0.04	<2	5	46
M306840		<10	1	0.04	10	1.02	707	3	0.02	28	1300	7	0.55	<2	5	55

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tr	Tl	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B386465		0.01	<10	<10	99	<10	110
B386466		0.01	<10	<10	99	<10	103
M306816		0.08	<10	<10	70	<10	106
M306817		0.20	<10	<10	129	<10	89
M306818		0.06	<10	<10	68	<10	240
M306819		0.15	<10	<10	105	<10	115
M306820		0.05	<10	<10	78	<10	85
M306821		0.07	<10	<10	147	40	157
M306822		0.05	<10	<10	116	<10	179
M306823		0.14	<10	<10	100	<10	91
M306824		0.25	<10	<10	159	<10	799
M306825		0.20	<10	<10	151	<10	814
C206451		0.21	<10	<10	164	<10	88
C206452		0.03	<10	<10	112	<10	92
C206453		0.05	<10	<10	96	<10	100
C206454		0.05	<10	<10	145	<10	88
C206455		0.18	<10	<10	195	<10	92
C206456		0.03	<10	<10	120	<10	89
C206457		0.15	<10	<10	177	<10	85
C206458		0.02	<10	<10	62	<10	82
C206460		0.01	<10	<10	57	<10	81
C206462		0.08	<10	<10	101	<10	98
C206463		0.07	<10	<10	98	<10	77
C206464		0.02	<10	<10	59	<10	82
C206466		0.03	<10	<10	82	<10	80
M306826		<0.01	<10	<10	113	<10	108
M306827		<0.01	<10	<10	33	<10	152
M306828		<0.01	<10	<10	32	<10	167
M306829		<0.01	<10	<10	98	<10	118
M306830		<0.01	<10	<10	58	<10	165
M306831		<0.01	<10	<10	47	<10	193
M306832		<0.01	<10	<10	31	<10	257
M306833		<0.01	<10	<10	41	<10	140
M306834		<0.01	<10	<10	56	<10	98
M306835		<0.01	<10	<10	38	<10	92
M306836		<0.01	<10	<10	51	<10	98
M306837		0.01	<10	<10	86	<10	162
M306838		0.07	<10	<10	109	<10	78
M306839		0.07	<10	<10	102	<10	82
M306840		0.09	<10	<10	72	<10	103

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M306841		0.70	0.013	<0.2	1.14	63	<10	210	0.7	<2	2.54	<0.5	15	15	82	6.83
M306842		0.84	0.216	<0.2	1.14	60	<10	190	0.7	<2	2.48	<0.5	16	16	81	6.80
M306843		1.00	0.028	0.5	1.15	59	<10	330	0.5	<2	2.19	0.6	13	6	56	4.05
M306844		0.82	0.046	<0.2	1.11	56	<10	210	0.7	<2	2.52	<0.5	16	16	89	7.02
M306845		0.56	0.071	<0.2	2.00	37	10	260	0.9	<2	0.87	<0.5	11	9	46	3.80
M306846		0.68	0.111	0.4	1.90	93	<10	270	0.7	<2	0.58	1.1	12	10	77	4.19
M306847		0.52	0.240	0.7	1.85	122	<10	310	0.8	<2	0.75	0.8	11	9	68	4.08
M306848		0.64	0.023	0.2	2.11	45	<10	310	0.8	<2	0.88	<0.5	11	14	50	4.12
M306849		0.70	0.046	<0.2	1.88	55	<10	220	0.7	<2	0.68	<0.5	13	13	51	4.29
M306850		0.70	0.027	<0.2	1.58	45	<10	250	0.9	<2	1.32	<0.5	18	6	73	4.30

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: Iskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
M306841		<10	<1	0.08	10	0.72	1180	3	0.04	9	2480	13	0.45	2	6	108
M306842		<10	<1	0.08	10	0.70	1180	6	0.04	8	2620	21	0.38	2	6	105
M306843		<10	<1	0.07	10	0.62	1460	3	0.02	4	1890	22	0.28	<2	4	72
M306844		<10	1	0.07	10	0.71	1185	3	0.04	8	2540	13	0.34	<2	6	97
M306845		10	1	0.06	10	0.67	1430	5	0.12	8	1380	18	0.07	<2	3	122
M306846		<10	3	0.07	10	0.60	1150	4	0.01	7	990	78	0.07	5	3	67
M306847		<10	1	0.08	10	0.54	1270	4	0.02	7	1000	54	0.06	12	4	87
M306848		10	<1	0.08	10	0.58	989	3	0.02	12	1290	16	0.05	3	4	102
M306849		10	<1	0.06	10	0.63	1235	3	0.02	9	1200	21	0.05	3	4	83
M306850		10	1	0.09	10	0.80	1165	4	0.04	7	2060	19	0.10	3	5	108

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 11-AUG-2006  
Account: PAGRES

Project: lskut

## CERTIFICATE OF ANALYSIS VA06068349

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
LOR		0.01	10	10	1	10	2
M306841		0.07	<10	<10	157	<10	118
M306842		0.07	<10	<10	164	<10	124
M306843		0.04	<10	<10	75	<10	100
M306844		0.07	<10	<10	171	<10	114
M306845		0.09	<10	<10	111	<10	98
M306846		0.05	<10	<10	83	<10	234
M306847		0.03	<10	<10	76	<10	193
M306848		0.07	<10	<10	99	<10	116
M306849		0.07	<10	<10	122	<10	108
M306850		0.01	<10	<10	107	<10	95

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE VA06072498

Project:

P.O. No.:

This report is for 82 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **PAGET RESOURCES**  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR																
C204001		2.92	0.202	4.7	0.40	1250	<10	30	<0.5	2	1.74	4.5	5	4	364	2.34
C204002		2.76	0.051	4.0	0.53	118	<10	160	<0.5	3	1.95	3.7	6	3	322	2.32
C204003		3.28	0.076	9.3	1.47	100	<10	110	0.5	3	2.37	2.2	10	14	695	3.36
C204004		2.26	0.132	3.4	1.07	515	<10	80	<0.5	4	1.59	0.8	10	11	386	3.27
C204005		3.14	0.009	3.5	0.64	29	<10	70	<0.5	5	1.40	0.8	7	4	617	3.06
C204006		3.06	0.136	4.5	0.88	363	<10	80	<0.5	4	1.37	0.8	8	19	553	3.23
C204007		3.20	1.290	5.8	0.33	2260	<10	30	<0.5	2	3.44	1.5	4	5	377	2.72
C204008		2.38	0.066	3.2	0.45	47	<10	30	<0.5	2	1.00	2.0	4	19	484	3.31
C204009		2.86	0.029	3.2	0.73	23	<10	50	<0.5	<2	1.57	4.2	12	6	652	3.25
C204010		2.88	0.016	4.0	0.74	13	<10	50	<0.5	<2	2.36	7.6	5	13	464	2.64
C204011		3.22	0.030	3.9	0.73	17	<10	30	<0.5	<2	1.49	6.3	6	5	664	3.16
C204012		2.84	0.067	5.0	0.68	12	<10	30	<0.5	<2	1.86	20.6	7	4	1220	3.70
C204013		3.00	0.093	6.0	1.05	20	<10	20	<0.5	2	4.01	15.5	10	36	1200	5.17
C204014		2.72	0.019	1.4	0.98	7	<10	10	<0.5	<2	2.85	0.5	13	30	445	5.58
C204015		2.44	0.014	1.1	0.73	5	<10	50	<0.5	<2	2.23	2.7	4	11	375	2.24
C204016		2.88	0.027	1.3	0.67	7	<10	20	<0.5	<2	1.99	2.9	5	4	374	3.50
C204017		2.64	0.019	1.1	0.72	5	<10	60	<0.5	<2	2.05	1.1	5	14	469	2.31
C204018		3.86	0.036	0.9	0.72	3	<10	20	<0.5	<2	1.93	<0.5	5	5	371	3.23
C204019		2.18	0.020	1.2	0.87	5	<10	30	<0.5	<2	1.95	2.9	8	12	662	3.06
C204020		1.46	0.016	0.7	1.13	<2	<10	30	<0.5	<2	2.46	<0.5	8	12	687	3.04
C204021		2.64	0.015	0.5	0.80	7	<10	20	<0.5	<2	2.53	<0.5	6	12	296	3.23
C204022		2.72	0.011	0.8	0.73	3	<10	20	<0.5	<2	1.79	1.1	19	15	423	5.80
C204023		2.48	0.005	0.5	0.78	4	<10	40	<0.5	<2	2.04	1.1	6	3	405	2.96
C204024		2.06	0.007	0.7	0.77	2	<10	70	<0.5	<2	1.65	1.1	9	17	574	3.75
C204025		1.84	0.022	1.8	1.06	3	<10	50	<0.5	2	0.84	1.0	13	30	978	6.31
C204026		2.72	0.043	2.0	1.53	11	<10	90	0.5	2	1.85	2.9	18	22	1350	6.74
C204027		2.32	0.013	1.2	2.13	5	<10	80	<0.5	<2	3.52	1.3	18	2	834	5.77
C204028		2.54	0.012	0.9	2.24	5	<10	130	<0.5	2	1.81	1.4	18	3	716	5.54
C204029		2.54	0.015	1.5	2.42	5	<10	70	0.5	2	2.48	0.5	19	2	1070	6.24
C204030		2.84	0.040	0.4	0.83	18	<10	190	<0.5	<2	1.54	<0.5	6	11	290	2.52
C204031		3.26	0.040	0.7	0.90	21	<10	80	<0.5	<2	1.66	3.0	4	5	320	2.74
C204032		3.14	0.024	1.4	0.92	11	<10	180	<0.5	<2	1.73	4.8	4	13	300	2.58
C204033		2.70	0.017	1.6	0.77	5	<10	90	<0.5	<2	2.21	8.3	6	3	401	2.51
C204034		3.06	0.013	0.2	0.89	2	<10	230	<0.5	<2	1.37	<0.5	4	16	248	2.41
C204035		3.40	0.015	0.8	0.84	3	<10	80	<0.5	<2	1.29	1.1	4	4	294	2.94
C204036		3.52	0.015	0.7	0.82	2	<10	120	<0.5	<2	1.25	1.3	6	17	343	2.76
C204037		3.16	0.020	0.8	0.74	3	<10	110	<0.5	<2	1.51	1.1	10	5	482	3.18
C204038		3.40	0.017	0.4	0.84	<2	<10	100	<0.5	<2	1.73	<0.5	6	19	366	2.91
C204039		3.12	0.017	0.2	0.78	<2	<10	210	<0.5	<2	1.12	<0.5	5	9	404	2.44
C204040		3.42	0.055	0.5	0.79	4	<10	90	<0.5	<2	1.08	<0.5	21	5	827	4.05



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C204001		<10	<1	0.22	10	0.16	531	4	0.02	1	540	671	2.27	<2	1	56
C204002		<10	<1	0.17	20	0.30	826	20	0.03	2	590	458	1.85	<2	1	53
C204003		10	<1	0.17	10	1.40	1230	21	0.04	9	400	205	2.23	<2	5	60
C204004		10	<1	0.22	10	0.91	802	8	0.07	5	530	49	2.53	<2	4	45
C204005		<10	1	0.13	20	0.58	499	27	0.05	2	650	17	2.69	<2	2	40
C204006		10	<1	0.13	20	0.90	610	20	0.04	11	1560	35	2.71	<2	4	37
C204007		<10	<1	0.15	10	0.14	1210	41	0.03	<1	510	178	2.70	8	1	69
C204008		<10	<1	0.25	10	0.13	319	156	0.04	1	510	266	2.98	<2	1	32
C204009		<10	1	0.28	20	0.40	525	28	0.06	2	720	592	3.15	<2	2	49
C204010		<10	<1	0.23	20	0.46	683	13	0.08	2	680	1245	2.50	<2	2	71
C204011		<10	<1	0.24	10	0.43	499	34	0.06	1	620	1435	2.92	<2	2	42
C204012		<10	1	0.21	20	0.53	535	27	0.07	2	660	2240	3.84	<2	2	49
C204013		10	<1	0.14	10	1.25	1135	14	0.06	15	1560	2160	5.20	<2	9	77
C204014		<10	<1	0.13	10	1.24	772	22	0.07	19	1570	125	5.60	<2	9	66
C204015		<10	<1	0.23	10	0.51	545	64	0.07	1	630	310	1.97	<2	2	55
C204016		<10	<1	0.24	10	0.45	534	220	0.05	1	560	399	3.64	<2	1	42
C204017		<10	<1	0.26	10	0.45	491	24	0.07	1	610	211	2.08	<2	2	49
C204018		<10	<1	0.24	10	0.43	509	70	0.06	1	620	164	3.09	<2	1	43
C204019		<10	<1	0.24	10	0.53	531	9	0.08	1	660	253	2.65	<2	2	55
C204020		<10	<1	0.23	20	0.84	700	14	0.07	4	810	10	2.16	<2	4	61
C204021		<10	<1	0.28	10	0.44	613	8	0.06	1	630	13	3.13	<2	1	53
C204022		<10	<1	0.26	10	0.47	451	242	0.05	2	660	16	6.05	<2	2	42
C204023		<10	<1	0.24	10	0.52	574	65	0.07	1	620	15	2.58	<2	2	52
C204024		<10	<1	0.21	10	0.60	489	13	0.08	4	770	11	3.37	<2	3	50
C204025		10	<1	0.16	10	1.03	371	34	0.07	12	1560	18	4.01	<2	9	56
C204026		10	1	0.35	10	1.65	729	17	0.08	8	1880	70	5.02	<2	9	69
C204027		10	<1	0.29	10	1.70	1100	14	0.18	5	2310	10	3.28	<2	7	131
C204028		10	<1	0.49	10	2.04	838	9	0.18	4	2290	6	2.08	<2	7	87
C204029		10	<1	0.16	10	2.57	1200	8	0.10	4	2500	8	3.17	<2	11	69
C204030		<10	<1	0.26	20	0.45	375	36	0.08	<1	680	12	1.83	<2	1	41
C204031		<10	<1	0.24	20	0.59	442	20	0.09	<1	730	253	2.18	<2	2	46
C204032		<10	<1	0.26	20	0.55	460	20	0.09	1	700	1435	2.04	<2	2	57
C204033		<10	<1	0.25	10	0.48	382	21	0.08	<1	720	1620	2.29	<2	2	54
C204034		<10	<1	0.19	20	0.59	345	5	0.11	1	640	12	0.87	<2	3	67
C204035		<10	<1	0.21	10	0.57	377	23	0.09	<1	620	264	2.26	<2	2	56
C204036		<10	<1	0.22	10	0.51	300	16	0.11	1	630	313	2.28	<2	2	58
C204037		<10	1	0.25	20	0.45	321	39	0.07	<1	580	271	2.93	<2	1	41
C204038		<10	<1	0.25	10	0.44	428	19	0.09	1	600	30	2.00	<2	2	62
C204039		<10	<1	0.19	10	0.48	367	11	0.11	1	610	6	0.82	<2	3	67
C204040		<10	<1	0.19	10	0.47	325	17	0.10	<1	620	4	3.15	<2	3	58



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 22-AUG-2006  
 Account: PAGRES

**CERTIFICATE OF ANALYSIS VA06072498**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204001		<0.01	<10	<10	12	<10	837
C204002		0.01	<10	<10	25	<10	535
C204003		0.02	<10	<10	90	<10	403
C204004		0.03	<10	<10	61	<10	159
C204005		0.01	<10	<10	39	<10	123
C204006		0.02	<10	<10	86	<10	145
C204007		0.01	<10	<10	13	<10	296
C204008		<0.01	<10	<10	14	<10	333
C204009		0.01	<10	<10	30	<10	573
C204010		0.02	<10	<10	33	<10	1345
C204011		0.01	<10	<10	32	<10	1005
C204012		0.01	<10	<10	38	<10	3080
C204013		0.05	<10	<10	132	<10	2610
C204014		0.08	<10	<10	141	<10	153
C204015		0.01	<10	<10	32	<10	497
C204016		0.01	<10	<10	25	<10	407
C204017		0.01	<10	<10	29	<10	231
C204018		0.01	<10	<10	25	<10	88
C204019		0.02	<10	<10	35	<10	495
C204020		0.01	<10	<10	43	<10	174
C204021		<0.01	<10	<10	27	<10	98
C204022		0.01	<10	<10	34	<10	133
C204023		0.01	<10	<10	28	<10	185
C204024		0.05	<10	<10	53	<10	197
C204025		0.22	<10	<10	154	<10	310
C204026		0.26	<10	<10	172	<10	392
C204027		0.24	<10	<10	145	<10	302
C204028		0.36	<10	<10	182	<10	235
C204029		0.32	<10	<10	192	<10	156
C204030		0.01	<10	<10	31	<10	32
C204031		0.01	<10	<10	40	<10	526
C204032		0.01	<10	<10	40	<10	833
C204033		0.01	<10	<10	35	<10	1360
C204034		0.04	<10	<10	51	<10	26
C204035		0.03	<10	<10	42	<10	185
C204036		0.03	<10	<10	42	<10	206
C204037		0.01	<10	<10	32	<10	170
C204038		0.05	<10	<10	46	<10	49
C204039		0.08	<10	<10	61	<10	24
C204040		0.07	<10	<10	58	<10	23



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204041		4.12	0.010	0.4	0.80	<2	<10	170	<0.5	<2	1.21	<0.5	6	19	508	2.55
C204042		3.58	0.026	0.5	0.75	2	<10	190	<0.5	<2	1.20	<0.5	4	7	684	2.43
C204043		3.36	0.032	0.4	0.70	<2	<10	150	<0.5	<2	1.00	<0.5	3	22	429	2.35
C204044		3.60	0.023	0.3	0.76	2	<10	140	<0.5	<2	1.16	<0.5	5	7	489	2.64
C204045		3.86	0.014	0.2	0.72	<2	<10	140	<0.5	<2	1.29	<0.5	3	26	397	2.40
C204046		2.88	0.021	0.2	0.83	2	<10	210	<0.5	<2	1.57	<0.5	4	6	295	2.46
C204047		4.40	0.018	0.2	0.72	<2	<10	140	<0.5	<2	1.64	<0.5	3	24	301	2.39
C204048		3.16	0.024	0.7	0.72	2	<10	140	<0.5	<2	1.88	<0.5	5	7	412	2.68
C204049		3.24	0.019	0.2	0.63	<2	<10	120	<0.5	<2	1.27	<0.5	5	22	504	2.40
C204050		3.18	0.009	<0.2	0.63	<2	<10	120	<0.5	<2	1.28	<0.5	3	6	386	2.26
C204051		3.04	0.013	<0.2	0.54	<2	<10	70	<0.5	<2	1.15	<0.5	3	5	235	2.30
C204052		4.06	0.053	0.4	1.68	<2	<10	110	<0.5	<2	2.01	<0.5	17	2	1020	5.58
C204053		3.54	0.132	0.7	1.12	92	<10	20	0.5	<2	7.13	0.6	11	2	470	5.17
C204054		3.00	0.027	0.3	0.86	12	<10	100	<0.5	<2	1.96	<0.5	7	4	651	2.98
C204055		3.94	0.018	0.4	1.67	5	<10	240	<0.5	<2	2.32	<0.5	16	3	725	5.39
C204056		3.32	0.029	0.3	1.66	<2	<10	190	<0.5	<2	2.38	<0.5	21	3	933	6.03
C204057		3.52	0.023	0.2	1.98	3	<10	140	0.5	<2	2.19	<0.5	20	4	982	5.95
C204058		2.66	0.023	0.5	2.58	5	<10	60	0.9	<2	4.39	<0.5	22	5	888	6.62
C204059		3.96	0.109	1.1	2.09	49	<10	40	0.6	<2	4.02	<0.5	23	2	1310	6.24
C204060		3.26	0.187	1.4	1.34	104	<10	70	0.5	<2	2.78	<0.5	17	7	945	4.72
C204061		4.52	0.069	1.0	2.17	38	<10	30	0.6	<2	3.14	<0.5	24	7	1220	6.82
C204062		3.26	0.119	1.7	2.05	65	<10	60	0.7	<2	3.48	<0.5	21	8	1480	5.97
C204063		4.94	0.075	1.3	1.46	55	<10	80	0.6	<2	3.19	<0.5	33	8	1320	5.72
C204064		4.98	0.043	1.4	1.57	26	<10	70	0.7	<2	3.93	<0.5	25	6	1180	5.48
C204065		4.44	0.061	0.5	1.82	3	<10	140	0.5	<2	2.44	<0.5	24	7	1490	6.17
C204066		4.58	0.056	1.1	1.95	5	<10	100	0.5	<2	3.07	<0.5	27	11	2010	6.46
C204067		4.32	0.044	0.7	2.01	3	<10	110	0.6	<2	2.40	<0.5	23	4	1370	6.06
C204068		4.34	0.039	0.4	1.65	<2	<10	90	0.5	<2	2.50	<0.5	19	4	1150	5.00
C204069		4.42	0.034	0.3	1.14	7	<10	80	<0.5	<2	2.01	<0.5	12	6	786	3.70
C204070		5.30	0.085	1.5	1.72	40	<10	100	0.5	<2	3.03	<0.5	19	4	1530	5.22
C204071		5.44	0.095	0.9	1.24	50	<10	70	0.5	<2	2.67	<0.5	15	7	1040	4.55
C204072		6.84	0.030	0.3	1.51	2	<10	80	0.5	<2	2.06	<0.5	15	5	1140	4.37
C204073		4.98	0.031	0.4	1.10	3	<10	70	<0.5	<2	1.80	<0.5	12	7	1050	3.29
C204074		5.94	0.033	0.4	1.21	<2	<10	90	<0.5	<2	1.29	<0.5	14	6	1080	3.81
C204075		8.74	0.041	0.6	1.15	11	<10	90	<0.5	<2	1.72	1.4	12	8	1050	3.64
C204076		3.96	0.021	0.5	0.62	12	<10	60	<0.5	<2	1.65	1.5	4	9	408	2.33
C204077		3.94	0.024	0.4	0.63	6	<10	60	<0.5	<2	1.37	0.9	4	10	512	2.07
C204078		5.46	0.013	<0.2	0.62	2	<10	70	<0.5	<2	1.35	<0.5	3	10	337	1.78
C204079		5.76	0.065	0.4	1.32	3	<10	130	<0.5	<2	1.79	<0.5	14	10	1040	4.01
C204080		5.40	0.078	0.8	1.49	7	<10	110	<0.5	<2	2.85	<0.5	15	9	1150	4.32



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204041		<10	<1	0.19	10	0.48	348	12	0.10	1	610	5	1.50	<2	2	60
C204042		<10	<1	0.20	10	0.42	324	11	0.08	1	530	4	1.26	<2	2	50
C204043		<10	<1	0.17	10	0.36	348	9	0.10	1	590	3	0.54	<2	2	62
C204044		<10	<1	0.20	10	0.44	334	6	0.09	<1	620	3	1.57	<2	2	57
C204045		<10	<1	0.18	10	0.40	397	22	0.09	<1	590	3	0.74	<2	2	58
C204046		<10	<1	0.19	20	0.41	512	25	0.09	<1	630	3	0.55	<2	3	58
C204047		<10	<1	0.17	10	0.50	422	16	0.07	1	500	6	1.20	<2	2	47
C204048		<10	<1	0.20	10	0.42	500	43	0.07	<1	520	602	1.69	<2	2	46
C204049		<10	1	0.18	10	0.39	373	30	0.08	<1	530	4	0.96	<2	2	46
C204050		<10	<1	0.18	10	0.39	426	15	0.09	<1	560	6	0.54	<2	2	52
C204051		<10	<1	0.12	10	0.42	392	14	0.07	<1	620	3	0.50	<2	2	48
C204052		10	<1	0.90	20	1.88	642	45	0.10	3	2590	2	1.77	<2	8	55
C204053		<10	<1	0.23	20	1.27	1660	191	0.03	2	1160	47	4.82	<2	3	77
C204054		<10	<1	0.28	10	0.85	538	69	0.07	1	970	4	1.52	<2	4	52
C204055		10	<1	0.74	10	1.87	970	30	0.09	3	2400	3	1.12	<2	7	51
C204056		10	1	0.92	10	1.90	768	53	0.09	4	2860	2	1.78	<2	6	51
C204057		10	<1	0.69	20	2.29	616	92	0.07	3	2830	2	2.43	<2	9	53
C204058		10	<1	0.19	20	2.84	1200	39	0.06	6	3220	2	2.11	<2	11	54
C204059		10	<1	0.14	20	2.20	1135	92	0.06	5	2940	7	3.45	<2	7	60
C204060		10	<1	0.22	20	1.41	890	118	0.05	2	2040	21	3.67	<2	5	51
C204061		10	1	0.72	20	2.35	1220	66	0.08	6	2990	7	3.03	<2	10	64
C204062		10	<1	0.22	20	2.30	1285	115	0.05	6	2580	8	3.36	<2	8	61
C204063		10	<1	0.29	10	1.40	785	180	0.05	7	2080	7	4.51	<2	6	46
C204064		10	1	0.31	10	1.67	964	240	0.05	4	1980	6	3.92	<2	7	54
C204065		10	<1	0.66	20	2.01	611	225	0.08	7	2530	3	2.82	<2	10	52
C204066		10	<1	0.56	10	2.25	875	82	0.06	8	2370	3	3.58	<2	11	61
C204067		10	<1	0.43	20	2.36	840	69	0.08	4	2600	3	2.36	<2	7	58
C204068		10	<1	0.38	10	1.91	737	47	0.08	2	2100	2	2.17	<2	6	54
C204069		10	<1	0.34	10	1.24	546	90	0.07	1	1570	4	1.43	<2	5	47
C204070		10	1	0.56	10	1.81	805	131	0.08	2	2300	4	3.06	<2	7	64
C204071		10	<1	0.22	20	1.28	710	75	0.07	1	1670	37	2.68	<2	5	65
C204072		10	<1	0.44	10	1.49	573	102	0.09	1	1690	2	1.90	<2	5	56
C204073		10	<1	0.35	10	1.10	364	117	0.07	2	1560	2	1.66	<2	4	48
C204074		10	<1	0.47	10	1.21	350	57	0.08	2	1640	2	1.93	<2	5	50
C204075		10	<1	0.43	10	1.11	468	70	0.09	1	1510	129	2.13	<2	5	60
C204076		<10	<1	0.11	10	0.53	452	88	0.06	1	740	125	1.02	<2	3	52
C204077		<10	<1	0.12	10	0.51	324	85	0.06	<1	720	73	0.89	<2	2	49
C204078		<10	<1	0.13	10	0.47	252	72	0.07	<1	740	5	0.41	<2	2	49
C204079		10	1	0.59	10	1.41	523	91	0.10	4	2000	5	1.59	<2	6	55
C204080		10	<1	0.72	10	1.76	653	167	0.08	6	2490	4	2.27	<2	9	65



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204041		0.05	<10	<10	52	<10	27
C204042		0.03	<10	<10	53	<10	24
C204043		0.07	<10	<10	58	<10	16
C204044		0.04	<10	<10	48	<10	17
C204045		0.05	<10	<10	56	<10	17
C204046		0.03	<10	<10	53	<10	21
C204047		0.01	<10	<10	43	<10	26
C204048		0.01	<10	<10	44	<10	70
C204049		0.02	<10	<10	48	<10	48
C204050		0.04	<10	<10	52	<10	21
C204051		0.04	<10	<10	51	<10	16
C204052		0.37	<10	<10	279	<10	33
C204053		0.07	<10	<10	90	<10	107
C204054		0.10	<10	<10	92	<10	31
C204055		0.39	<10	<10	272	<10	48
C204056		0.41	<10	<10	291	<10	55
C204057		0.38	<10	<10	288	<10	34
C204058		0.35	<10	<10	330	<10	62
C204059		0.24	<10	<10	290	<10	61
C204060		0.09	<10	<10	151	<10	77
C204061		0.29	<10	<10	295	<10	63
C204062		0.24	<10	<10	269	<10	73
C204063		0.15	<10	<10	186	<10	38
C204064		0.15	<10	<10	192	<10	50
C204065		0.30	<10	<10	287	<10	36
C204066		0.25	<10	<10	235	<10	42
C204067		0.29	<10	<10	267	<10	51
C204068		0.26	<10	<10	221	<10	42
C204069		0.24	<10	<10	161	<10	31
C204070		0.31	<10	<10	236	<10	40
C204071		0.17	<10	<10	161	<10	54
C204072		0.31	<10	<10	189	<10	31
C204073		0.27	<10	<10	147	<10	25
C204074		0.29	<10	<10	158	<10	25
C204075		0.20	<10	<10	142	<10	223
C204076		0.04	<10	<10	44	<10	246
C204077		0.06	<10	<10	45	<10	143
C204078		0.09	<10	<10	47	<10	19
C204079		0.30	<10	<10	179	<10	35
C204080		0.33	<10	<10	214	<10	34



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
**2080-777 HORNBY STREET**  
**VANCOUVER BC V6Z 1S4**

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 22-AUG-2006  
 Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204081		6.50	0.022	0.5	1.90	<2	<10	110	<0.5	<2	1.87	<0.5	20	8	1130	5.76
C204082		4.74	0.039	0.2	1.60	2	<10	130	<0.5	<2	1.33	<0.5	18	6	1130	5.02



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204081		10	<1	0.94	10	1.99	689	73	0.10	6	2780	3	2.65	<2	8	62
C204082		10	<1	0.88	10	1.71	466	60	0.09	5	2350	2	2.16	<2	5	49





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 22-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072498

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204081		0.37	<10	<10	236	<10	44
C204082		0.37	<10	<10	204	<10	37



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 31-AUG-2006  
This copy reported on 1-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06076251

Project: Mess Creek

P.O. No.:

This report is for 16 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06076251

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C205001		0.48	0.005	0.8	0.55	62	10	180	<0.5	<2	1.72	9.5	18	10	121	4.40
C205002		0.57	0.015	7.3	0.61	213	20	250	0.8	<2	0.62	11.5	22	24	211	4.81
C205003		0.48	0.010	0.5	1.43	29	<10	250	0.7	<2	0.34	2.4	22	17	109	6.02
C205004		0.46	0.044	<0.2	1.96	47	10	90	0.9	<2	0.04	<0.5	11	13	49	4.74
C205005		0.60	0.016	1.3	1.49	46	10	290	1.1	<2	0.71	1.9	14	18	91	4.80
C205006		0.74	0.010	1.0	0.56	89	<10	330	0.8	<2	0.36	5.2	21	12	140	5.42
C205007		0.65	0.007	0.5	2.41	27	10	130	1.0	<2	0.09	1.7	22	10	49	4.77
C205008		0.70	0.014	4.0	0.92	117	<10	450	2.4	<2	0.54	6.6	15	18	280	4.44
C205009		0.54	0.014	1.3	1.21	64	<10	190	1.5	<2	0.53	3.0	13	12	71	4.52
C205010		0.61	0.006	0.7	0.90	42	10	390	0.5	<2	0.77	1.0	23	10	73	6.05
C205011		0.65	0.012	0.6	1.80	60	10	1210	0.8	<2	0.63	1.3	24	18	101	6.13
C205012		0.49	0.006	0.5	1.64	33	<10	510	0.7	<2	0.24	1.0	21	14	71	5.14
C205013		0.68	0.009	0.4	2.00	31	10	210	1.3	<2	0.10	0.6	14	9	77	5.08
C205014		0.64	0.008	0.3	1.66	32	<10	360	0.7	<2	0.75	<0.5	20	10	66	5.81
C205015		0.61	0.018	1.0	2.25	49	10	1100	4.1	<2	7.00	2.2	11	12	52	4.72
C205016		0.60	0.010	0.6	1.37	37	10	200	0.8	<2	0.48	0.7	34	34	120	7.48



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06076251

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
C205001		<10	1	0.12	10	0.07	593	66	0.01	198	1080	9	0.12	10	9	96
C205002		<10	3	0.11	<10	0.15	912	28	<0.01	215	1130	18	0.11	16	11	192
C205003		10	<1	0.06	10	0.54	1845	9	0.01	32	1510	8	0.02	5	13	35
C205004		10	1	0.05	10	0.18	643	12	<0.01	26	1570	10	0.09	5	1	12
C205005		10	1	0.08	10	0.25	802	14	0.01	53	1590	11	0.06	5	5	49
C205006		<10	1	0.11	10	0.08	932	39	<0.01	115	1490	19	0.09	12	10	72
C205007		10	1	0.05	10	0.17	2980	15	0.01	27	1670	14	0.14	4	2	19
C205008		<10	1	0.10	20	0.02	223	243	<0.01	184	4620	23	0.08	47	6	1030
C205009		10	<1	0.09	20	0.11	1425	23	<0.01	65	1970	14	0.10	8	1	39
C205010		<10	<1	0.10	10	0.17	1625	5	0.01	35	1830	7	0.02	4	11	58
C205011		<10	1	0.09	20	0.42	2200	8	<0.01	34	2230	10	0.08	4	8	36
C205012		<10	1	0.07	10	0.30	2020	5	<0.01	21	2210	6	0.10	<2	2	24
C205013		10	1	0.07	20	0.18	1390	6	0.02	30	1110	17	0.05	3	3	12
C205014		10	<1	0.10	10	0.38	1555	3	0.01	19	1240	9	0.05	3	5	31
C205015		<10	2	0.11	50	0.22	1685	7	0.02	39	2960	16	0.06	8	4	207
C205016		10	1	0.07	10	0.55	2000	3	0.01	38	1240	10	0.03	2	15	34



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06076251

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C205001		<0.01	<10	<10	239	<10	649
C205002		<0.01	<10	<10	146	<10	1020
C205003		0.01	<10	<10	153	<10	177
C205004		0.01	<10	<10	91	<10	120
C205005		0.01	<10	<10	99	<10	230
C205006		<0.01	<10	<10	97	<10	514
C205007		0.11	<10	<10	60	<10	167
C205008		<0.01	<10	10	491	<10	1040
C205009		0.01	<10	<10	78	<10	325
C205010		<0.01	<10	<10	84	<10	169
C205011		0.01	<10	<10	132	<10	153
C205012		0.01	<10	<10	98	<10	118
C205013		0.02	<10	<10	56	<10	161
C205014		0.02	<10	<10	101	<10	115
C205015		0.03	<10	<10	61	<10	220
C205016		0.01	<10	<10	176	<10	132



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 5-OCT-2006  
Account: PAGRES

## CERTIFICATE WN06089770

Project: Soils

P.O. No.:

This report is for 15 Soil samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2006.

The following have access to data associated with this certificate:

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

011 6221 252 41480  
delivers to Steve T. Cochran  
RM 14/11

This is the  
pages of t

s certificate number. Results apply to samples as submitted. All

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 5-OCT-2006  
Account: PAGRES

Project: Soils

## CERTIFICATE OF ANALYSIS WN06089770

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
<b>Sample Description</b>	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C260180	0.70	0.017	0.2	2.50	33	<10	560	0.8	<2	2.67	<0.5	16	2	38	5.35
C260181	0.72	0.007	0.2	1.10	34	<10	280	0.8	<2	1.43	<0.5	16	1	56	4.27
C260182	0.70	<0.005	<0.2	2.10	5	<10	210	0.7	<2	2.98	<0.5	8	1	15	5.31
C260183	0.70	<0.005	<0.2	2.64	17	<10	590	0.7	<2	0.71	<0.5	17	2	37	6.29
C260184	0.62	0.010	<0.2	2.55	<2	<10	520	0.8	<2	0.61	<0.5	28	4	60	6.35
C260185	0.70	<0.005	0.2	2.64	23	<10	200	0.9	4	0.20	<0.5	79	<1	64	13.35
C260186	0.58	0.007	0.3	1.82	20	<10	600	0.5	<2	0.32	<0.5	13	1	41	7.31
C260187	0.64	0.043	0.2	1.99	5	<10	690	0.7	<2	0.59	0.6	35	3	67	6.98
C260188	0.60	0.024	0.4	1.15	31	<10	490	<0.5	<2	0.04	<0.5	10	1	50	7.00
C260189	0.54	0.023	<0.2	2.40	21	<10	630	0.8	<2	0.11	<0.5	26	3	45	6.35
C260190	0.54	0.010	0.2	3.06	25	<10	300	0.9	<2	0.15	<0.5	31	7	65	7.33
C260191	0.68	0.010	0.3	1.45	7	<10	320	0.8	<2	4.14	<0.5	19	13	68	4.47
C260192	0.64	0.008	0.2	2.07	40	<10	670	1.1	<2	0.49	<0.5	19	8	62	6.02
C260193	0.62	0.011	0.3	2.04	25	<10	810	1.0	<2	0.62	<0.5	18	10	109	6.08
C260194	0.66	0.015	0.3	1.93	34	<10	490	1.0	<2	0.53	<0.5	18	8	66	6.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 5-OCT-2006  
Account: PAGRES

Project: Soils

## CERTIFICATE OF ANALYSIS WN06089770

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C260180		<10	<1	0.24	20	1.14	1430	<1	0.01	3	1900	10	0.13	4	10	100
C260181		<10	<1	0.21	20	0.47	1420	1	0.01	4	1060	20	0.80	3	7	55
C260182		<10	<1	0.16	10	0.74	2720	<1	0.01	2	1180	6	0.33	4	7	116
C260183		10	<1	0.21	20	1.17	1785	1	0.03	1	2040	12	0.51	2	9	74
C260184		<10	3	0.15	20	0.94	2570	2	0.02	8	1370	17	0.14	2	17	26
C260185		<10	1	0.14	20	0.61	12050	2	0.04	2	2890	13	1.35	3	14	48
C260186		10	6	0.16	20	0.46	903	3	0.02	3	2170	16	0.34	2	7	59
C260187		10	1	0.11	20	0.78	4370	15	0.01	10	1960	18	0.10	2	9	31
C260188		<10	<1	0.15	10	0.24	653	3	0.01	2	1840	13	0.35	7	8	27
C260189		10	<1	0.15	20	0.71	1620	4	0.04	6	1750	11	0.40	3	10	134
C260190		10	1	0.08	10	1.15	2350	2	0.02	10	1640	15	0.10	2	11	21
C260191		<10	<1	0.17	10	0.41	1555	1	0.01	16	1590	10	0.38	2	12	36
C260192		10	<1	0.10	20	0.75	2040	1	0.01	10	1940	16	0.03	<2	9	24
C260193		<10	<1	0.11	20	0.84	2240	1	<0.01	11	2300	18	0.03	3	7	24
C260194		10	1	0.09	20	1.08	1780	1	0.01	10	2120	13	0.05	3	5	23





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 5-OCT-2006  
Account: PAGRES

Project: Soils

## CERTIFICATE OF ANALYSIS WN06089770

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C260180		<0.01	<10	<10	64	<10	91
C260181		<0.01	<10	<10	39	<10	87
C260182		<0.01	<10	<10	57	<10	73
C260183		<0.01	<10	<10	81	<10	79
C260184		<0.01	<10	<10	100	<10	96
C260185		<0.01	<10	<10	53	<10	203
C260186		0.01	<10	<10	63	<10	114
C260187		0.01	<10	<10	81	<10	145
C260188		0.01	<10	<10	42	<10	74
C260189		0.01	<10	<10	96	<10	102
C260190		0.02	<10	<10	126	<10	109
C260191		<0.01	<10	<10	53	<10	111
C260192		0.01	<10	<10	75	<10	111
C260193		0.01	<10	<10	68	<10	104
C260194		0.02	<10	<10	90	<10	121



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 21-AUG-2006  
Account: PAGRES

## CERTIFICATE VA06072497

Project:

P.O. No.:

This report is for 20 Rock samples submitted to our lab in Vancouver, BC, Canada on 18-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **PAGET RESOURCES**  
**ATTN: JOHN BRADFORD**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 21-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072497

Sample Description	Method	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR															
C206261		1.90	0.348	0.7	0.31	4	<10	400	<0.5	<2	1.33	<0.5	6	6	724	3.25
C206262		1.68	0.046	0.4	0.31	24	<10	380	<0.5	2	0.58	<0.5	5	5	34	3.42
C206263		1.96	0.040	0.2	0.98	2	<10	160	1.1	<2	1.69	<0.5	10	5	161	4.49
C206264		1.52	0.113	0.6	0.43	25	<10	560	<0.5	<2	0.16	<0.5	6	3	20	6.04
C206265		1.56	0.317	4.3	0.68	15	<10	240	<0.5	<2	0.54	<0.5	11	7	78	5.38
C206266		2.08	2.57	54.8	0.35	137	<10	480	<0.5	11	0.08	<0.5	2	2	87	3.45
C206267		1.76	0.080	1.2	0.36	76	<10	350	<0.5	2	0.04	<0.5	2	3	24	3.53
C206268		2.46	0.057	3.6	0.30	36	<10	100	<0.5	8	0.04	<0.5	2	3	162	3.30
C206269		2.20	0.093	2.2	0.46	11	<10	480	<0.5	<2	1.00	<0.5	9	3	1460	4.60
C206270		2.00	0.297	10.9	0.33	125	<10	440	<0.5	28	0.12	<0.5	3	2	231	3.51
C206271		2.18	0.016	0.3	0.22	2	<10	450	<0.5	<2	0.12	<0.5	1	4	58	0.83
C206272		1.98	0.043	<0.2	1.91	6	<10	50	0.6	<2	1.58	<0.5	32	8	362	6.57
C206273		2.20	0.467	1.7	1.80	8	<10	40	0.6	<2	2.32	<0.5	31	7	3150	6.83
C206274		2.24	0.108	0.5	0.31	5	<10	480	<0.5	<2	3.04	<0.5	11	2	913	3.33
C206275		1.78	0.071	0.2	0.37	7	<10	440	0.7	<2	2.77	<0.5	7	2	523	3.34
C206276		2.22	0.042	0.3	1.75	11	<10	120	<0.5	<2	0.90	<0.5	10	2	176	6.01
C206277		1.54	0.078	0.3	0.39	3	<10	450	<0.5	<2	0.98	<0.5	3	2	582	1.84
C206278		2.04	0.208	0.5	0.39	4	<10	280	<0.5	<2	0.37	<0.5	5	3	581	2.39
C206279		2.14	0.107	0.3	0.87	3	<10	380	<0.5	<2	4.75	<0.5	18	7	519	6.53
C206280		2.12	0.058	0.2	0.68	4	<10	150	0.6	<2	3.64	<0.5	20	1	437	6.20



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 21-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072497

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C206261		<10	<1	0.18	40	0.09	1040	55	0.07	8	880	4	0.68	<2	5	31
C206262		<10	<1	0.16	30	0.06	486	5	0.10	5	1010	5	0.58	<2	4	32
C206263		10	<1	0.22	40	1.23	829	7	0.08	5	2080	8	0.03	<2	7	103
C206264		<10	<1	0.30	30	0.04	390	56	0.04	2	2020	7	0.32	<2	7	29
C206265		<10	<1	0.16	<10	0.23	323	65	0.10	11	800	48	0.55	<2	8	26
C206266		<10	<1	0.35	60	0.02	91	56	0.06	3	1450	276	0.58	134	3	39
C206267		<10	<1	0.49	70	0.02	76	112	0.04	2	1350	28	0.63	<2	2	58
C206268		<10	<1	0.24	30	0.02	71	53	0.06	2	630	83	1.01	4	2	27
C206269		<10	<1	0.27	50	0.06	915	50	0.04	2	1250	19	0.57	<2	4	53
C206270		<10	<1	0.26	20	0.03	83	264	0.05	1	1260	669	0.29	<2	2	32
C206271		<10	<1	0.17	10	0.01	138	40	0.06	2	410	9	0.07	<2	1	26
C206272		10	<1	0.15	10	2.00	760	5	0.10	9	1400	7	0.03	<2	13	58
C206273		10	<1	0.20	10	2.26	761	21	0.09	8	1280	14	0.15	29	16	69
C206274		<10	<1	0.19	30	0.46	781	9	0.06	3	1160	8	0.43	<2	5	94
C206275		<10	<1	0.22	20	0.65	704	34	0.07	2	1210	5	0.08	<2	5	85
C206276		10	<1	0.10	<10	1.27	545	1	0.10	3	1180	9	0.53	<2	10	37
C206277		<10	<1	0.24	10	0.15	384	19	0.05	5	730	2	0.07	<2	4	29
C206278		<10	<1	0.28	10	0.05	298	60	0.04	4	690	3	0.13	<2	4	19
C206279		<10	<1	0.51	10	1.66	808	35	0.05	13	910	4	0.07	<2	19	89
C206280		<10	<1	0.45	<10	1.13	764	32	0.04	4	1030	4	0.19	<2	18	58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 21-AUG-2006  
Account: PAGRES

## CERTIFICATE OF ANALYSIS VA06072497

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C206261		<0.01	<10	<10	66	<10	19
C206262		<0.01	<10	<10	49	<10	20
C206263		0.14	<10	<10	134	<10	59
C206264		<0.01	<10	<10	85	<10	28
C206265		0.01	<10	<10	57	<10	26
C206266		<0.01	<10	<10	60	<10	20
C206267		<0.01	<10	<10	28	<10	13
C206268		<0.01	<10	<10	21	<10	22
C206269		0.01	<10	<10	65	<10	68
C206270		<0.01	<10	10	30	<10	20
C206271		<0.01	<10	<10	14	<10	9
C206272		0.40	<10	<10	242	<10	72
C206273		0.34	<10	<10	244	<10	97
C206274		0.01	<10	<10	56	<10	46
C206275		0.01	<10	<10	61	<10	43
C206276		0.48	<10	<10	199	<10	54
C206277		<0.01	<10	<10	39	<10	14
C206278		<0.01	<10	<10	53	<10	17
C206279		0.02	<10	<10	133	<10	62
C206280		0.01	<10	<10	145	<10	49



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 1-SEP-2006  
This copy reported on 6-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075600

Project: Ball Creek

P.O. No.:

This report is for 110 Rock samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **PAGET RESOURCES**  
**ATTN: JOHN BRADFORD**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204139		2.07	0.291	2.1	1.40	58	<10	160	<0.5	<2	0.25	0.6	6	3	1975	2.56
C204140		1.04	0.235	2.3	1.63	47	<10	170	<0.5	<2	0.28	1.5	6	3	1675	3.16
C204141		7.14	0.160	0.9	1.47	13	<10	160	<0.5	<2	0.24	0.5	4	5	767	2.66
C204142		6.78	0.105	1.0	1.70	9	<10	560	0.5	<2	0.93	<0.5	5	3	778	2.75
C054143		5.95	0.191	0.8	1.66	7	<10	190	0.5	<2	1.70	<0.5	7	4	1240	2.80
C204144		2.64	0.219	1.5	1.78	5	<10	110	0.5	<2	4.15	1.8	6	2	1845	3.06
C204145		6.93	0.208	2.5	1.86	13	<10	270	0.6	<2	3.22	3.3	6	2	1530	3.08
C204146		1.60	0.189	1.0	1.72	3	<10	130	0.5	<2	2.83	<0.5	5	2	1130	3.16
C204147		4.33	0.188	1.0	1.80	2	<10	240	0.5	2	2.65	0.6	6	4	1400	3.24
C204148		4.12	0.159	1.3	1.93	5	<10	130	0.5	<2	2.02	0.6	8	4	1140	3.42
C204149		4.52	0.246	1.3	1.78	<2	<10	120	0.5	<2	2.67	<0.5	6	3	1815	2.98
C204150		7.19	0.315	3.0	1.89	32	<10	180	0.6	<2	2.89	1.7	7	4	1975	3.38
C204151		2.70	0.257	0.9	1.76	<2	<10	150	0.5	<2	1.95	<0.5	5	7	1480	2.49
C204152		3.15	0.140	0.8	1.67	<2	<10	210	0.5	<2	0.92	<0.5	6	4	891	3.58
C204153		4.09	0.183	0.7	1.70	<2	<10	140	0.5	<2	1.34	<0.5	7	8	1240	2.59
C204154		5.02	0.272	1.0	1.97	<2	<10	100	0.6	<2	2.20	<0.5	6	6	1510	2.93
C204155		5.00	0.450	1.7	1.77	2	<10	350	0.5	<2	1.44	<0.5	9	4	2700	3.24
C204156		3.27	0.536	1.5	1.67	2	<10	400	0.5	<2	1.51	<0.5	8	4	2920	2.86
C204157		5.07	0.295	1.4	1.70	<2	<10	190	0.5	<2	0.89	<0.5	9	6	1885	3.12
C204158		5.83	0.449	1.8	1.80	<2	<10	320	0.5	<2	1.28	<0.5	11	5	3010	3.32
C204159		5.31	0.294	1.4	1.87	<2	<10	180	0.5	<2	1.41	<0.5	9	11	1940	3.96
C204160		2.23	0.096	0.5	1.56	<2	<10	180	<0.5	<2	1.05	<0.5	4	4	834	3.23
C204161		3.79	0.193	0.9	1.65	<2	<10	330	0.5	<2	1.12	<0.5	6	3	1190	3.46
C204162		3.08	0.153	1.1	1.71	<2	<10	300	0.5	<2	0.97	<0.5	6	3	1180	2.87
C204163		4.67	0.139	0.8	1.78	<2	<10	150	0.5	<2	1.28	<0.5	6	2	1025	2.84
C204164		4.09	0.235	1.5	1.66	8	<10	130	0.5	<2	1.67	<0.5	7	1	1780	2.95
C204165		3.66	0.189	1.8	1.73	11	<10	160	0.5	<2	2.30	<0.5	7	1	1500	3.32
C204166		5.95	0.131	1.0	1.80	8	<10	340	0.5	<2	2.05	<0.5	6	1	1090	2.85
C204167		7.72	0.301	3.1	1.71	12	<10	170	0.5	<2	2.38	<0.5	5	1	1850	3.05
C204168		3.68	0.200	1.4	1.55	6	<10	200	<0.5	<2	3.50	<0.5	5	1	1330	2.86
C204169		3.68	0.161	1.4	1.64	5	<10	130	0.5	<2	1.89	<0.5	7	1	1180	2.72
C204170		5.50	0.146	1.4	1.77	8	<10	180	0.5	<2	2.89	<0.5	4	1	1030	2.75
C204171		5.69	0.146	1.2	1.75	5	<10	290	0.5	<2	2.26	<0.5	5	1	1200	2.75
C204172		6.18	0.277	2.8	1.86	9	<10	180	0.5	<2	3.19	<0.5	4	1	1660	3.01
C204173		4.25	0.172	1.0	1.76	3	<10	130	0.5	<2	2.47	<0.5	4	5	1090	2.76
C204174		4.07	0.462	2.1	1.93	5	<10	330	0.5	<2	2.88	<0.5	5	6	2840	2.97
C204175		4.42	0.790	4.0	2.08	6	<10	200	0.6	<2	4.60	<0.5	4	2	4940	3.35
C204176		3.44	0.635	2.9	1.92	15	<10	140	0.5	<2	2.62	<0.5	5	3	3840	2.69
C204177		3.94	0.736	3.9	2.27	11	<10	290	0.7	<2	3.15	<0.5	7	13	5090	3.37
C204178		3.07	0.701	8.1	2.26	13	10	140	0.7	<2	4.79	1.6	7	11	5780	3.06



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
C204139		10	<1	0.22	20	1.03	336	23	0.09	1	800	8	0.36	<2	2	27
C204140		10	<1	0.29	20	0.99	359	43	0.10	3	810	50	0.36	<2	2	34
C204141		10	<1	0.29	20	0.78	244	37	0.08	2	850	19	0.06	<2	2	27
C204142		10	1	0.32	20	0.88	351	51	0.08	<1	870	16	0.54	<2	3	39
C054143		10	<1	0.34	20	0.87	277	76	0.07	1	830	11	1.14	<2	2	71
C204144		10	<1	0.33	20	1.03	558	63	0.06	1	780	18	1.12	<2	2	130
C204145		10	1	0.34	20	1.17	501	33	0.05	1	800	33	1.32	<2	2	68
C204146		10	<1	0.29	20	1.02	409	30	0.08	<1	800	11	1.45	<2	3	105
C204147		10	<1	0.30	20	1.05	445	41	0.07	<1	890	23	1.19	<2	3	102
C204148		10	<1	0.35	20	1.02	389	35	0.07	1	820	11	1.31	<2	3	84
C204149		10	1	0.29	20	1.02	403	16	0.08	<1	850	6	0.98	2	3	134
C204150		10	1	0.35	20	1.06	438	25	0.05	2	810	83	1.45	<2	3	98
C204151		10	<1	0.32	20	0.99	315	27	0.06	<1	810	4	0.25	<2	3	83
C204152		10	<1	0.33	20	1.01	234	23	0.08	1	830	3	0.22	<2	3	43
C204153		10	<1	0.34	20	1.04	259	19	0.06	3	850	5	0.38	<2	3	64
C204154		10	<1	0.31	20	1.27	360	51	0.06	2	840	4	0.53	<2	3	100
C204155		10	<1	0.32	10	1.01	270	45	0.07	1	810	7	0.63	<2	2	59
C204156		10	<1	0.32	10	0.96	246	58	0.06	2	790	4	0.77	<2	2	52
C204157		10	<1	0.30	20	1.03	242	33	0.06	2	870	6	0.52	<2	2	34
C204158		10	<1	0.35	10	1.03	268	28	0.07	1	850	7	0.95	<2	2	47
C204159		10	1	0.28	20	1.16	340	18	0.07	3	890	5	1.23	<2	3	73
C204160		10	1	0.33	20	0.84	269	6	0.10	2	940	<2	0.28	<2	3	56
C204161		10	<1	0.31	20	0.94	298	6	0.10	1	930	3	0.54	<2	3	64
C204162		10	<1	0.33	20	1.02	250	25	0.09	1	910	3	0.91	<2	3	55
C204163		10	<1	0.31	20	1.30	307	18	0.07	<1	900	5	1.00	<2	3	50
C204164		10	<1	0.34	20	0.92	312	50	0.09	1	840	8	1.33	<2	3	86
C204165		10	<1	0.32	20	1.04	390	44	0.06	2	850	10	1.66	<2	3	71
C204166		10	<1	0.36	20	0.95	342	36	0.07	1	860	8	1.11	<2	3	71
C204167		<10	1	0.36	20	0.87	371	62	0.07	2	910	15	1.68	<2	3	96
C204168		<10	<1	0.30	20	0.82	456	39	0.08	1	850	8	1.29	<2	3	123
C204169		<10	<1	0.33	20	0.85	330	33	0.09	2	880	7	1.18	<2	3	73
C204170		10	<1	0.36	20	0.94	398	40	0.07	<1	850	6	1.08	2	3	75
C204171		10	<1	0.34	20	1.00	355	46	0.06	<1	870	5	1.08	<2	2	92
C204172		10	<1	0.36	20	0.96	433	50	0.07	1	850	11	1.31	<2	3	105
C204173		10	<1	0.30	20	0.96	390	33	0.07	2	850	15	1.02	<2	3	86
C204174		10	<1	0.34	20	1.15	427	103	0.06	2	750	7	1.18	<2	3	103
C204175		10	<1	0.32	10	1.44	619	39	0.05	1	700	9	1.41	3	3	157
C204176		10	<1	0.42	10	1.17	401	60	0.06	<1	730	7	1.20	<2	2	85
C204177		10	<1	0.47	10	1.52	489	72	0.05	3	890	12	1.69	<2	4	82
C204178		10	<1	0.51	10	1.48	604	283	0.04	3	750	12	1.55	<2	4	189





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204139		0.01	<10	<10	48	<10	67
C204140		0.01	<10	<10	55	<10	148
C204141		0.01	<10	<10	44	<10	70
C204142		<0.01	<10	<10	44	<10	85
C054143		0.01	<10	<10	43	<10	103
C204144		0.01	<10	<10	50	<10	222
C204145		0.01	<10	<10	41	<10	488
C204146		0.01	<10	<10	53	<10	66
C204147		0.01	<10	<10	53	<10	123
C204148		<0.01	<10	<10	58	<10	132
C204149		0.01	<10	<10	50	<10	68
C204150		<0.01	<10	<10	43	<10	304
C204151		0.01	<10	<10	44	<10	62
C204152		0.01	<10	<10	51	<10	60
C204153		0.01	<10	<10	45	<10	58
C204154		0.01	<10	<10	48	<10	56
C204155		0.01	<10	<10	49	<10	54
C204156		<0.01	<10	<10	46	<10	45
C204157		0.01	<10	<10	50	<10	50
C204158		0.01	<10	<10	49	<10	44
C204159		0.01	<10	<10	56	<10	55
C204160		0.01	<10	<10	60	<10	41
C204161		0.02	<10	<10	59	<10	44
C204162		0.01	<10	<10	42	<10	46
C204163		0.01	<10	<10	43	<10	48
C204164		0.01	<10	<10	43	<10	44
C204165		0.01	<10	<10	46	<10	46
C204166		0.01	<10	<10	39	<10	46
C204167		0.01	<10	<10	36	<10	55
C204168		0.01	<10	<10	43	<10	36
C204169		0.01	<10	<10	42	<10	38
C204170		0.01	<10	<10	39	<10	40
C204171		0.01	<10	<10	35	<10	42
C204172		0.01	<10	<10	42	<10	830
C204173		0.01	<10	<10	44	<10	48
C204174		0.01	<10	<10	42	<10	39
C204175		0.01	<10	<10	43	<10	42
C204176		0.01	<10	<10	39	<10	44
C204177		0.02	<10	<10	54	<10	92
C204178		0.02	<10	<10	39	<10	249



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204179		3.74	0.929	3.7	2.06	5	<10	230	0.5	<2	4.70	<0.5	6	2	6160	2.75
C204180		3.53	0.806	2.5	1.80	5	<10	140	0.5	<2	2.53	<0.5	9	2	4880	2.85
C204181		4.47	0.650	2.5	1.85	4	<10	260	0.5	<2	1.89	<0.5	9	2	4230	2.48
C204182		4.02	0.452	10.5	1.91	8	<10	160	0.6	<2	2.56	<0.5	6	2	3600	2.70
C204183		4.28	0.342	4.4	1.96	5	<10	180	0.6	<2	2.23	<0.5	8	3	2400	3.15
C204184		6.41	0.410	5.2	1.95	6	<10	160	0.5	<2	2.97	<0.5	6	2	2930	2.98
C204185		4.13	0.491	3.9	1.91	3	<10	280	0.5	<2	2.47	<0.5	9	3	3740	2.99
C204186		2.46	0.407	7.1	1.64	7	<10	220	0.5	<2	1.93	<0.5	8	2	3440	2.69
C204187		4.46	0.585	6.6	1.87	6	<10	300	0.5	<2	2.92	<0.5	8	2	4350	2.49
C204188		3.35	0.459	7.0	1.69	48	<10	210	0.5	<2	3.15	<0.5	7	1	3280	2.69
C204189		3.45	0.574	2.3	1.90	23	<10	270	0.5	<2	3.16	<0.5	6	2	3140	2.84
C204190		4.55	0.833	2.2	1.71	4	<10	110	0.5	<2	2.08	<0.5	7	2	4500	2.55
C204191		3.95	0.299	1.2	1.88	9	<10	170	0.5	<2	2.86	<0.5	4	3	2200	2.68
C204192		4.14	0.321	1.3	1.60	6	<10	190	0.5	<2	1.84	<0.5	4	2	2240	2.61
C204193		4.22	0.207	1.0	1.69	<2	<10	170	0.5	<2	2.08	<0.5	4	2	1520	2.62
C204194		4.03	0.203	0.9	1.72	3	<10	160	0.5	<2	2.41	<0.5	4	1	1370	2.50
C204195		3.72	0.213	0.9	1.87	2	<10	280	0.5	<2	2.34	<0.5	4	1	1380	2.73
C204196		4.20	0.149	0.8	1.80	3	<10	210	0.5	<2	3.16	<0.5	4	1	856	2.80
C204197		4.56	0.184	0.6	1.66	3	<10	180	0.5	<2	2.84	<0.5	5	1	1400	2.72
C204198		4.09	0.184	0.9	1.67	2	<10	210	0.5	<2	2.74	<0.5	4	1	1440	2.78
C204199		3.75	0.133	0.7	1.81	2	<10	340	0.5	<2	3.32	<0.5	4	1	1030	2.42
C204200		4.60	0.154	0.7	1.99	4	<10	130	0.6	<2	3.71	<0.5	5	1	1230	2.90
C204201		4.52	0.218	1.2	2.11	7	<10	160	0.6	<2	4.50	<0.5	4	2	1710	3.12
C204202		4.28	0.089	0.7	1.60	4	<10	310	0.5	<2	2.80	<0.5	4	5	735	2.92
C204203		6.06	0.254	1.9	2.02	<2	<10	370	0.6	<2	2.98	<0.5	5	4	2270	2.73
C204204		2.18	0.357	1.2	1.72	3	<10	370	0.5	<2	1.82	<0.5	4	3	2410	2.28
C204205		4.08	0.303	1.3	1.90	5	<10	410	0.6	<2	2.04	<0.5	5	2	2070	2.31
C204206		3.70	0.442	2.6	1.75	9	<10	250	0.5	<2	3.12	<0.5	5	2	3150	2.14
C204207		4.57	0.353	1.6	1.90	<2	<10	330	0.5	<2	2.65	<0.5	7	3	2600	2.44
C204208		3.80	0.217	0.9	1.75	3	<10	470	0.5	<2	1.76	<0.5	6	2	1420	2.62
C204209		4.47	0.216	1.6	1.90	7	<10	150	0.6	<2	2.63	0.9	8	1	1700	3.00
C204210		3.81	0.150	1.4	2.01	7	<10	400	0.6	<2	2.18	<0.5	6	1	1400	2.69
C204211		4.15	0.263	2.4	2.09	<2	<10	300	0.5	<2	2.36	<0.5	7	1	2550	2.61
C204212		4.28	0.111	1.0	2.01	5	<10	210	0.6	<2	4.82	<0.5	4	1	1070	2.74
C204213		4.34	0.123	0.7	2.02	2	<10	250	0.5	<2	3.32	<0.5	4	1	1050	2.63
C204214		4.32	0.190	2.4	2.14	15	<10	370	0.6	<2	4.87	1.4	5	1	1810	3.04
C204215		2.38	0.298	2.4	1.92	12	<10	160	0.5	<2	3.25	<0.5	9	1	2420	2.76
C204216		4.71	0.299	2.1	2.05	5	<10	210	0.6	<2	3.15	<0.5	9	1	2920	2.89
C204217		4.39	0.312	5.4	1.80	9	<10	170	0.5	<2	2.99	0.7	8	1	3060	2.47
C204218		4.27	0.188	3.8	1.77	8	<10	290	0.5	<2	2.28	<0.5	6	1	2120	2.44



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204179		10	<1	0.36	10	1.41	575	143	0.05	1	660	8	1.19	<2	3	189
C204180		10	1	0.34	10	1.10	306	71	0.06	1	720	7	1.11	<2	3	122
C204181		10	<1	0.43	10	0.92	235	70	0.07	<1	750	6	1.22	<2	2	104
C204182		10	<1	0.39	10	1.04	300	87	0.06	2	780	7	1.29	<2	2	117
C204183		10	<1	0.41	10	1.05	279	167	0.07	1	770	7	1.62	2	3	109
C204184		10	<1	0.33	10	1.21	385	55	0.05	2	750	8	1.35	<2	3	147
C204185		10	<1	0.42	10	1.00	349	63	0.07	<1	750	6	1.40	<2	3	95
C204186		<10	<1	0.41	10	0.87	284	58	0.06	2	720	4	1.25	<2	2	72
C204187		<10	<1	0.45	10	0.99	411	65	0.05	<1	720	8	1.10	3	2	99
C204188		<10	<1	0.48	10	0.93	511	109	0.05	2	750	20	1.63	2	2	100
C204189		10	<1	0.46	10	1.11	503	48	0.07	1	730	10	1.35	<2	3	110
C204190		10	<1	0.33	10	1.01	353	87	0.06	1	760	7	1.27	<2	3	101
C204191		10	<1	0.33	20	1.05	460	28	0.07	1	870	8	1.10	<2	3	161
C204192		10	<1	0.33	20	0.83	309	29	0.07	1	820	8	1.24	<2	3	147
C204193		10	<1	0.36	20	0.78	319	25	0.10	1	840	7	0.85	<2	3	165
C204194		10	<1	0.31	20	0.90	353	44	0.07	1	820	8	0.91	<2	3	214
C204195		10	1	0.37	20	0.92	322	76	0.08	<1	770	7	1.05	<2	3	203
C204196		10	<1	0.32	20	0.99	399	30	0.07	2	830	8	1.28	2	3	234
C204197		<10	<1	0.32	20	0.91	369	25	0.08	<1	810	7	0.92	<2	3	238
C204198		10	<1	0.32	20	0.91	376	37	0.08	1	840	7	0.86	<2	3	239
C204199		10	<1	0.32	20	1.02	416	22	0.07	<1	750	6	0.73	<2	3	237
C204200		10	1	0.35	20	1.15	446	18	0.07	<1	790	8	1.09	<2	3	198
C204201		10	<1	0.33	20	1.33	564	32	0.07	2	810	7	0.94	<2	3	234
C204202		<10	<1	0.30	20	0.86	361	44	0.08	2	870	8	0.70	2	4	190
C204203		10	1	0.41	20	1.12	383	47	0.06	2	830	8	0.54	<2	3	166
C204204		10	<1	0.36	20	0.94	261	510	0.05	1	870	8	0.43	<2	2	144
C204205		10	<1	0.42	20	0.99	301	135	0.06	1	800	6	0.40	<2	2	168
C204206		<10	<1	0.36	10	1.01	395	99	0.05	2	720	9	0.61	<2	2	196
C204207		10	1	0.41	10	1.12	364	61	0.07	1	790	6	0.62	<2	3	187
C204208		10	<1	0.40	20	0.97	253	46	0.07	<1	810	6	0.54	<2	3	137
C204209		10	<1	0.38	10	1.13	412	42	0.07	<1	830	21	1.00	<2	3	162
C204210		10	<1	0.41	20	1.12	329	33	0.07	1	850	7	0.79	<2	3	159
C204211		10	1	0.46	20	1.11	342	54	0.09	1	820	5	0.91	<2	3	159
C204212		10	<1	0.35	20	1.31	600	26	0.06	<1	820	6	0.74	<2	3	202
C204213		10	1	0.42	20	1.05	425	77	0.08	<1	860	7	0.68	<2	3	234
C204214		10	1	0.44	20	1.13	564	60	0.07	<1	810	62	1.15	<2	3	174
C204215		10	<1	0.41	10	0.99	412	67	0.06	<1	750	10	1.09	<2	3	154
C204216		10	1	0.46	20	1.17	431	69	0.07	1	840	9	1.16	<2	3	168
C204217		<10	<1	0.40	20	0.98	436	42	0.06	<1	760	31	1.04	2	2	167
C204218		<10	<1	0.41	20	0.88	348	31	0.06	1	790	14	0.96	<2	2	127



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204179		0.01	<10	<10	30	<10	51
C204180		0.01	<10	<10	40	<10	50
C204181		0.01	<10	<10	35	<10	51
C204182		0.01	<10	<10	35	<10	56
C204183		0.01	<10	<10	37	<10	50
C204184		0.01	<10	<10	41	<10	50
C204185		0.01	<10	<10	41	<10	67
C204186		0.02	<10	<10	36	<10	65
C204187		0.02	<10	<10	34	<10	73
C204188		0.01	<10	<10	29	<10	116
C204189		0.02	<10	<10	42	<10	102
C204190		0.01	<10	<10	35	<10	57
C204191		0.01	<10	<10	45	<10	56
C204192		0.01	<10	<10	41	<10	59
C204193		0.01	<10	<10	48	<10	47
C204194		0.01	<10	<10	39	<10	40
C204195		<0.01	<10	<10	45	<10	41
C204196		<0.01	<10	<10	45	<10	40
C204197		0.01	<10	<10	46	<10	43
C204198		0.01	<10	<10	48	<10	45
C204199		<0.01	<10	<10	38	<10	38
C204200		0.01	<10	<10	47	<10	40
C204201		0.01	<10	<10	49	<10	42
C204202		0.01	<10	<10	54	<10	40
C204203		0.01	<10	<10	43	<10	45
C204204		0.01	<10	<10	34	<10	42
C204205		0.01	<10	<10	36	<10	53
C204206		0.01	<10	<10	27	<10	47
C204207		0.01	<10	<10	40	<10	55
C204208		0.01	<10	<10	46	<10	45
C204209		0.01	<10	<10	44	<10	148
C204210		0.01	<10	<10	46	<10	48
C204211		0.01	<10	<10	43	<10	50
C204212		0.02	<10	<10	42	<10	45
C204213		0.01	<10	<10	41	<10	44
C204214		0.01	<10	<10	38	<10	214
C204215		0.01	<10	<10	40	<10	56
C204216		0.02	<10	<10	41	<10	59
C204217		0.01	<10	<10	32	<10	111
C204218		0.01	<10	<10	38	<10	53



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204219		6.38	0.339	3.2	1.66	10	<10	230	0.5	<2	2.67	<0.5	7	5	3270	2.40
C204220		4.53	0.250	1.6	1.73	4	<10	260	0.5	<2	2.42	<0.5	7	1	1960	2.51
C204221		3.49	0.448	1.3	1.71	7	<10	400	0.5	<2	2.16	<0.5	6	1	1570	2.73
C204222		4.51	0.169	1.4	1.80	6	<10	240	0.5	<2	1.79	<0.5	7	1	1890	2.83
C204223		3.25	0.192	1.4	1.76	6	<10	220	0.5	<2	2.29	<0.5	7	1	1830	2.62
C204224		4.00	0.265	1.6	1.79	9	<10	160	0.5	<2	1.70	<0.5	9	1	2170	2.78
C204225		4.34	0.234	1.7	1.89	10	<10	200	0.5	<2	2.02	<0.5	8	1	2180	2.88
C204226		3.98	0.220	1.9	1.85	12	<10	150	0.5	<2	2.74	<0.5	9	1	2280	2.80
C204227		4.14	0.233	4.6	1.76	38	<10	240	0.5	<2	2.68	<0.5	8	1	2490	2.97
C204228		4.58	0.209	3.3	1.95	23	<10	150	0.5	<2	2.81	<0.5	9	1	2140	2.76
C204229		4.12	0.239	1.5	1.97	6	<10	180	0.6	<2	3.43	<0.5	6	1	2290	2.42
C204230		4.33	0.346	3.2	1.81	10	<10	240	0.6	<2	3.55	<0.5	7	1	3470	2.57
C204231		3.30	0.143	1.8	1.73	10	<10	190	0.6	<2	3.71	<0.5	6	1	1570	2.50
C204232		3.19	0.171	1.6	1.84	10	<10	170	0.6	<2	3.57	<0.5	7	1	1480	2.90
C204233		4.43	0.169	1.7	1.67	10	<10	260	0.6	<2	2.50	<0.5	6	1	1290	2.64
C204234		4.35	0.098	1.1	1.96	4	10	440	0.6	<2	3.10	<0.5	4	7	945	2.65
C204235		3.75	0.094	1.1	1.86	5	<10	410	0.6	<2	2.51	<0.5	16	4	768	3.11
C204236		5.76	0.295	6.6	1.47	10	10	220	0.5	<2	1.72	0.5	16	4	3170	2.60
C204237		5.38	0.184	4.6	1.24	7	<10	120	0.5	<2	2.96	0.6	15	3	1935	2.49
C204238		7.14	0.151	0.6	1.69	2	10	230	0.5	<2	2.63	<0.5	12	3	847	2.98
C204239		6.62	0.013	0.2	1.80	3	<10	90	0.6	<2	1.78	<0.5	7	6	78	3.35
C204240		5.41	<0.005	<0.2	1.63	<2	<10	830	<0.5	<2	1.97	<0.5	5	1	24	2.90
C204241		6.80	<0.005	<0.2	1.72	2	<10	200	<0.5	<2	1.88	<0.5	5	2	91	3.24
C204242		6.13	<0.005	0.3	1.93	<2	10	230	<0.5	2	1.79	<0.5	4	2	173	3.32
C204243		8.00	0.011	0.5	1.60	6	<10	50	<0.5	2	2.29	<0.5	14	1	144	4.55
C204244		4.95	<0.005	<0.2	1.57	<2	<10	170	<0.5	<2	2.94	<0.5	5	1	15	3.06
C204245		6.68	<0.005	<0.2	1.59	<2	<10	110	<0.5	<2	2.13	<0.5	7	3	31	2.99
C204246		6.80	0.007	<0.2	1.65	4	<10	40	<0.5	<2	3.30	<0.5	14	1	91	3.33
C204247		6.55	0.007	0.4	1.61	<2	<10	60	<0.5	4	2.19	<0.5	6	3	222	3.22
C204248		8.41	0.010	0.4	1.94	<2	<10	140	0.5	3	2.40	<0.5	7	6	164	3.48



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C204219		<10	<1	0.40	20	0.85	418	34	0.05	3	760	7	0.93	2	2
C204220		<10	<1	0.41	20	0.83	367	30	0.06	2	800	7	0.85	<2	2
C204221		10	<1	0.39	20	0.88	371	33	0.07	1	840	8	0.83	<2	3
C204222		10	<1	0.44	20	0.89	326	18	0.09	1	860	7	0.85	<2	3
C204223		<10	<1	0.41	20	0.88	390	22	0.09	1	810	6	0.94	<2	3
C204224		10	<1	0.40	20	0.88	313	25	0.07	<1	780	7	1.03	<2	3
C204225		10	1	0.43	20	0.99	354	43	0.08	<1	860	10	1.13	<2	3
C204226		<10	<1	0.40	20	0.98	440	30	0.07	<1	820	13	1.31	<2	3
C204227		<10	1	0.44	20	0.97	483	39	0.06	<1	800	40	1.66	<2	2
C204228		10	1	0.43	10	1.04	417	43	0.05	1	810	11	1.24	2	3
C204229		10	<1	0.44	20	1.05	469	35	0.05	<1	810	9	0.73	<2	2
C204230		<10	<1	0.47	20	0.76	436	42	0.04	1	840	15	1.07	<2	2
C204231		<10	<1	0.47	20	0.71	455	24	0.05	<1	850	11	0.93	<2	2
C204232		<10	<1	0.45	20	0.85	497	19	0.05	1	820	7	1.10	<2	2
C204233		<10	<1	0.42	20	0.75	378	36	0.06	<1	820	8	0.84	<2	3
C204234		10	<1	0.43	20	0.99	461	27	0.07	2	850	10	0.43	<2	3
C204235		10	<1	0.37	20	0.99	403	34	0.06	1	830	9	0.77	2	3
C204236		10	<1	0.43	20	0.74	304	104	0.05	3	830	13	1.42	3	2
C204237		<10	<1	0.43	20	0.51	394	187	0.04	1	800	23	1.79	<2	2
C204238		10	1	0.41	20	0.97	347	61	0.08	2	1070	9	1.50	<2	4
C204239		10	<1	0.35	20	1.25	453	7	0.08	2	870	16	1.58	<2	3
C204240		10	<1	0.22	20	0.94	568	1	0.12	1	860	2	0.51	<2	3
C204241		10	<1	0.22	20	0.97	511	1	0.14	<1	900	5	1.13	<2	3
C204242		10	1	0.25	20	0.92	477	1	0.16	1	870	21	1.28	<2	3
C204243		10	<1	0.31	20	0.76	511	3	0.12	<1	850	10	3.60	<2	2
C204244		10	1	0.20	20	0.96	606	1	0.13	1	850	4	1.22	<2	3
C204245		10	<1	0.18	20	1.11	531	1	0.14	<1	880	3	1.43	2	4
C204246		10	<1	0.29	20	0.98	689	2	0.11	<1	880	6	2.36	<2	2
C204247		10	<1	0.24	20	0.89	536	2	0.13	1	790	14	2.03	<2	3
C204248		10	<1	0.30	20	1.04	496	2	0.13	1	940	5	1.71	<2	3



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 1-SEP-2006  
 Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204219		0.01	<10	<10	32	<10	51
C204220		0.01	<10	<10	34	<10	53
C204221		0.01	<10	<10	43	<10	55
C204222		0.01	<10	<10	50	<10	56
C204223		0.01	<10	<10	42	<10	66
C204224		0.02	<10	<10	41	<10	74
C204225		0.02	<10	<10	45	<10	79
C204226		0.01	<10	<10	39	<10	71
C204227		0.01	<10	<10	38	<10	113
C204228		0.01	<10	<10	37	<10	60
C204229		0.01	<10	<10	39	<10	58
C204230		0.01	<10	<10	28	<10	54
C204231		0.01	<10	<10	32	<10	60
C204232		0.01	<10	<10	38	<10	57
C204233		0.01	<10	<10	36	<10	48
C204234		0.01	<10	<10	45	<10	48
C204235		0.01	<10	<10	44	<10	49
C204236		0.01	<10	<10	39	<10	54
C204237		<0.01	<10	<10	25	<10	82
C204238		0.03	<10	<10	57	<10	56
C204239		0.04	<10	<10	47	<10	56
C204240		0.09	<10	<10	46	<10	31
C204241		0.11	<10	<10	49	<10	29
C204242		0.06	<10	<10	48	<10	47
C204243		0.01	<10	<10	42	<10	28
C204244		0.09	<10	<10	50	<10	38
C204245		0.13	<10	<10	48	<10	30
C204246		0.05	<10	<10	38	<10	22
C204247		0.05	<10	<10	43	<10	34
C204248		0.06	<10	<10	51	<10	29



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 1-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075601

Project: Mess Creek

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075601

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204329		2.94	0.189	0.3	0.50	6	<10	100	0.6	<2	3.77	<0.5	7	3	1030	3.21
C204330		3.39	1.730	2.3	0.26	4	<10	230	<0.5	2	3.88	<0.5	9	3	2270	2.43
C204331		4.05	0.628	1.1	0.45	5	<10	470	0.6	<2	4.02	<0.5	8	6	2450	3.01
C204332		6.46	0.090	0.2	0.29	8	<10	380	0.5	<2	4.15	<0.5	7	3	325	2.49
C204333		5.54	0.258	0.6	0.47	5	<10	190	0.7	<2	3.77	<0.5	8	12	1110	3.42
C204334		5.08	0.098	0.4	0.33	4	<10	160	<0.5	<2	4.19	<0.5	7	2	325	3.18
C204335		4.55	0.087	0.5	0.36	11	<10	210	<0.5	<2	3.74	<0.5	7	2	552	3.37
C204336		4.21	0.083	0.5	0.40	5	<10	1600	0.5	<2	4.32	<0.5	9	2	596	3.82
C204337		6.00	0.140	0.4	0.39	5	<10	850	0.5	<2	4.21	<0.5	10	2	577	3.67
C204338		4.86	0.088	0.3	0.26	<2	<10	870	0.5	<2	4.01	<0.5	7	5	496	3.18
C204339		5.14	0.163	0.5	0.33	4	<10	170	0.6	<2	4.33	<0.5	11	6	1260	3.93
C204340		5.21	0.141	1.0	0.28	3	<10	260	0.5	<2	3.06	<0.5	11	6	1640	2.78
C204341		4.03	0.136	0.7	0.23	6	<10	580	<0.5	<2	2.90	<0.5	8	5	951	2.61
C204342		3.94	0.156	0.7	0.32	4	<10	290	<0.5	<2	2.07	<0.5	6	6	521	2.94
C204343		4.12	0.274	0.8	0.26	3	<10	420	<0.5	<2	2.73	<0.5	7	4	1400	2.55
C204344		4.31	0.033	0.2	0.19	5	<10	380	<0.5	<2	3.48	<0.5	6	3	321	2.51
C204345		5.37	0.060	0.6	0.32	5	<10	460	0.5	<2	3.36	<0.5	5	4	626	2.52
C204346		2.81	0.062	0.2	0.31	<2	<10	210	<0.5	<2	3.58	<0.5	5	6	514	2.30



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075601

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204329		<10	<1	0.29	30	0.79	879	7	0.04	7	1610	3	0.10	<2	7	45
C204330		<10	<1	0.18	30	1.04	931	408	0.02	4	1580	4	0.35	<2	6	55
C204331		<10	<1	0.28	30	1.04	851	65	0.04	6	1600	4	0.30	<2	6	64
C204332		<10	<1	0.18	20	1.06	947	40	0.02	9	1120	3	0.19	<2	5	54
C204333		<10	<1	0.29	30	1.29	819	16	0.05	5	1900	4	0.19	<2	9	96
C204334		<10	<1	0.22	30	1.22	981	4	0.02	6	1300	5	0.11	<2	5	45
C204335		<10	<1	0.23	30	1.11	922	5	0.05	5	1350	3	0.35	<2	5	56
C204336		<10	<1	0.23	40	1.17	1080	3	0.07	6	1370	4	0.18	<2	5	122
C204337		<10	<1	0.22	50	1.20	1015	3	0.07	3	1450	5	0.12	<2	6	108
C204338		<10	<1	0.15	40	0.70	898	38	0.03	3	1470	5	0.10	<2	6	90
C204339		<10	<1	0.23	20	1.20	1180	244	0.03	5	1120	8	0.47	<2	4	103
C204340		<10	<1	0.19	20	0.91	958	14	0.07	3	1100	6	0.60	<2	5	94
C204341		<10	<1	0.16	20	0.73	706	15	0.06	1	1010	3	0.52	<2	4	126
C204342		<10	<1	0.21	20	0.62	518	27	0.06	2	1050	5	0.85	<2	4	68
C204343		<10	<1	0.17	20	0.88	695	150	0.07	1	950	6	0.53	<2	4	87
C204344		<10	<1	0.13	20	1.12	867	45	0.03	2	860	5	0.09	<2	3	109
C204345		<10	<1	0.23	20	1.01	771	61	0.05	3	830	6	0.13	<2	4	127
C204346		<10	<1	0.22	20	1.04	757	128	0.04	5	1040	4	0.09	<2	4	95



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 1-SEP-2006  
 Account: PAGRES

Project: Mess Creek

CERTIFICATE OF ANALYSIS	VA06075601
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-ICP41		ME-ICP41		ME-ICP41		ME-ICP41		ME-ICP41	
		Ti	Ti	U	V	W	Zn				
		%	ppm	ppm	ppm	ppm	ppm	ppm			
		0.01	10	10	1	10	2				
C204329		<0.01	<10	<10	67	<10	27				
C204330		<0.01	<10	<10	52	10	28				
C204331		<0.01	<10	<10	69	<10	25				
C204332		<0.01	<10	<10	45	<10	39				
C204333		0.01	<10	<10	75	<10	28				
C204334		<0.01	<10	<10	57	<10	40				
C204335		<0.01	<10	<10	62	<10	27				
C204336		0.01	<10	<10	63	<10	47				
C204337		0.01	<10	<10	64	<10	45				
C204338		<0.01	<10	<10	53	<10	41				
C204339		0.02	<10	<10	103	<10	50				
C204340		0.01	<10	<10	68	<10	21				
C204341		0.01	<10	<10	48	<10	23				
C204342		0.01	<10	<10	52	<10	28				
C204343		0.01	<10	<10	48	<10	30				
C204344		0.01	<10	<10	52	<10	27				
C204345		0.01	<10	<10	47	<10	24				
C204346		0.01	<10	<10	47	<10	23				



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

**INVOICE NUMBER 1428310**

### BILLING INFORMATION

Certificate: **VA06075602**  
 Sample Type: **Rock**  
 Account: **PAGRES**  
 Date: **31-AUG-2006**  
 Project: **BC** ✓  
 P.O. No.:  
 Quote: **ALSC-CW06-045-PAGRES**  
 Terms: **Due on Receipt** C3  
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	27.00	27.00
38	PREP-31	Crush, Split, Pulverize	5.40	205.20
171.49	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.27	46.30
38	Au-AA23	Au 30g FA-AA finish	11.40	433.20
38	ME-ICP41	34 Element Aqua Regia ICP-AES	5.85	222.30
38	GEO-AR01	Aqua regia digestion	2.25	85.50

SUBTOTAL (CAD) \$ 1,019.50

R100938885 GST \$ 61.17

**TOTAL PAYABLE (CAD) \$ 1,080.67**

To: **PAGET RESOURCES**  
 ATTN: JOHN BRADFORD  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.  
 Bank: Royal Bank of Canada  
 SWIFT: ROYCCAT2  
 Address: Vancouver, BC, CAN  
 Account: 003-00010-1001098

Please Remit Payments To :  
**ALS Chemex**

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 31-AUG-2006  
This copy reported on 1-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075602

Project: BC

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 1-AUG-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: BC

## CERTIFICATE OF ANALYSIS VA06075602

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
0000	Not Recvd														
C204101	5.08	0.168	0.4	1.35	6	<10	120	<0.5	<2	0.22	<0.5	2	6	304	2.78
C204102	4.00	0.108	<0.2	1.31	2	<10	110	<0.5	<2	0.19	<0.5	1	4	226	2.57
C204103	4.51	0.086	<0.2	1.40	<2	<10	160	<0.5	<2	0.20	<0.5	3	6	279	3.68
C204104	2.29	0.061	0.2	0.91	<2	<10	130	<0.5	<2	0.04	<0.5	2	6	169	2.22
C204105	6.44	0.081	0.2	1.07	3	<10	110	<0.5	<2	0.12	<0.5	2	6	201	2.79
C204106	2.21	0.069	0.3	1.39	<2	<10	120	<0.5	<2	0.14	<0.5	2	3	225	4.96
C204107	6.58	0.065	0.2	1.06	<2	<10	80	<0.5	<2	0.11	<0.5	2	5	180	4.66
C204108	2.77	0.039	0.2	1.16	<2	<10	210	<0.5	<2	0.21	<0.5	2	7	170	3.63
C204109	4.85	0.054	<0.2	1.19	<2	<10	190	<0.5	<2	0.11	<0.5	3	7	216	3.37
C204110	2.65	0.082	0.4	1.32	<2	<10	120	<0.5	<2	0.13	<0.5	3	5	269	3.65
C204111	7.99	0.055	<0.2	1.04	<2	<10	60	<0.5	<2	0.16	<0.5	3	4	166	2.82
C204112	2.50	0.060	0.3	1.16	<2	<10	70	<0.5	<2	0.17	<0.5	5	4	220	2.53
C204113	3.65	0.034	<0.2	1.40	2	<10	80	<0.5	<2	0.16	<0.5	5	5	213	2.90
C204114	5.65	0.032	0.2	1.33	<2	<10	120	<0.5	<2	0.20	<0.5	4	5	237	4.77
C204115	2.27	0.040	0.2	1.27	<2	<10	140	<0.5	<2	0.20	<0.5	5	4	389	5.30
C204116	7.08	0.049	0.3	1.12	<2	<10	90	<0.5	<2	0.17	<0.5	4	5	296	5.25
C204117	3.47	0.030	<0.2	1.14	<2	<10	70	<0.5	<2	0.19	<0.5	6	6	245	4.22
C204118	4.93	0.062	0.2	1.45	<2	<10	60	<0.5	<2	0.16	<0.5	6	6	407	4.33
C204119	1.62	0.096	0.5	0.72	<2	<10	50	<0.5	<2	0.10	<0.5	5	5	456	3.04
C204120	0.92	0.076	1.3	0.47	<2	<10	70	<0.5	<2	0.07	<0.5	5	10	320	2.21
C204121	3.87	0.100	0.3	0.91	<2	<10	50	<0.5	<2	0.14	<0.5	3	8	647	3.47
C204122	3.47	0.063	0.3	0.98	<2	<10	100	<0.5	<2	0.13	<0.5	5	8	395	3.34
C204123	2.08	0.063	0.4	1.24	<2	<10	200	0.5	<2	0.20	<0.5	8	6	852	2.76
C204124	3.43	0.039	0.2	1.12	<2	<10	120	<0.5	<2	0.36	<0.5	4	6	507	2.52
C204125	3.65	0.058	0.2	0.96	<2	<10	110	<0.5	<2	0.67	<0.5	4	4	540	2.86
C204126	5.04	0.117	0.4	0.85	<2	<10	100	<0.5	<2	0.30	<0.5	4	6	964	2.56
C204127	8.42	0.033	0.2	0.73	3	<10	50	<0.5	<2	0.23	<0.5	5	6	483	2.38
C204128	6.47	0.050	0.3	0.86	<2	<10	70	<0.5	<2	0.41	<0.5	4	8	450	2.40
C204129	4.66	0.038	0.3	0.90	<2	<10	40	<0.5	<2	0.40	<0.5	4	7	350	2.34
C204130	4.14	0.047	0.2	1.04	<2	<10	60	<0.5	<2	0.68	<0.5	3	7	249	2.21
C204131	4.28	0.053	<0.2	1.02	3	<10	90	<0.5	<2	0.62	<0.5	4	4	322	2.35
C204132	6.25	0.037	<0.2	1.24	<2	<10	70	<0.5	<2	0.76	<0.5	4	5	233	2.57
C204133	6.49	0.049	<0.2	0.99	2	<10	80	<0.5	<2	0.55	<0.5	4	8	214	2.19
C204134	7.78	0.057	0.2	1.10	<2	<10	70	<0.5	<2	0.33	<0.5	6	5	355	2.27
C204135	7.24	0.063	0.2	0.51	<2	<10	100	<0.5	<2	0.62	<0.5	5	5	370	2.18
C204136	5.41	0.093	0.4	0.60	<2	<10	560	<0.5	<2	1.07	<0.5	3	6	514	2.33
C204137	5.70	0.097	0.4	0.48	<2	<10	370	<0.5	<2	1.46	<0.5	5	5	626	2.78
C204138	1.65	0.063	0.4	0.46	<2	<10	230	<0.5	<2	1.39	<0.5	4	5	294	2.64



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: BC

## CERTIFICATE OF ANALYSIS VA06075602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
D000																
C204101		<10	<1	0.28	10	0.65	112	7	0.04	3	680	6	0.05	<2	2	21
C204102		10	<1	0.24	10	0.70	102	3	0.04	1	610	4	0.02	<2	2	22
C204103		10	<1	0.30	10	0.81	129	5	0.06	2	730	2	0.04	<2	3	29
C204104		10	<1	0.34	<10	0.55	82	5	0.05	2	300	4	0.49	<2	3	28
C204105		<10	<1	0.26	10	0.76	113	4	0.03	2	670	4	0.16	<2	3	20
C204106		10	<1	0.25	10	0.76	142	6	0.05	1	760	3	0.05	<2	3	19
C204107		10	<1	0.16	10	0.73	118	5	0.02	1	620	5	0.09	2	2	9
C204108		10	<1	0.23	10	0.74	143	6	0.04	2	1200	5	0.25	<2	2	19
C204109		10	1	0.13	10	0.92	126	11	0.02	2	590	5	0.06	<2	2	10
C204110		10	<1	0.20	10	0.98	149	7	0.04	2	690	3	0.11	<2	2	12
C204111		10	<1	0.14	10	0.85	126	7	0.02	2	880	2	0.10	<2	2	7
C204112		10	<1	0.19	10	0.87	167	12	0.02	1	880	3	0.06	<2	2	8
C204113		10	<1	0.26	10	0.95	188	7	0.03	2	820	4	0.05	<2	2	10
C204114		10	<1	0.27	10	0.88	162	6	0.04	1	960	5	0.02	<2	3	14
C204115		10	<1	0.26	10	0.84	170	10	0.06	2	820	3	0.08	<2	3	18
C204116		10	<1	0.21	10	0.73	135	12	0.04	1	880	5	0.10	<2	2	15
C204117		10	<1	0.13	10	0.93	164	8	0.02	3	910	4	0.04	<2	2	8
C204118		10	<1	0.19	10	1.06	179	21	0.03	2	720	5	0.12	<2	2	12
C204119		<10	<1	0.16	10	0.48	86	43	0.01	<1	440	7	0.52	<2	1	17
C204120		<10	<1	0.17	10	0.21	124	20	0.02	2	260	4	0.36	<2	1	28
C204121		10	<1	0.13	<10	0.63	99	19	0.02	2	560	4	0.54	<2	1	25
C204122		10	<1	0.17	<10	0.64	132	7	0.02	2	480	2	0.67	<2	1	15
C204123		10	1	0.21	10	0.78	180	14	0.01	2	590	4	0.42	<2	2	17
C204124		10	<1	0.29	<10	0.77	179	16	0.03	2	530	5	0.72	<2	2	22
C204125		10	1	0.21	<10	0.77	184	18	0.02	3	790	4	0.87	<2	2	23
C204126		10	<1	0.23	10	0.63	143	4	0.03	1	580	5	0.66	<2	2	16
C204127		10	<1	0.15	<10	0.69	116	4	0.02	2	610	6	0.83	<2	2	11
C204128		10	<1	0.19	<10	0.69	158	5	0.03	2	520	7	1.02	<2	1	17
C204129		10	<1	0.15	<10	0.78	151	5	0.02	2	650	7	0.74	<2	2	16
C204130		10	<1	0.25	<10	0.82	166	3	0.04	1	620	3	0.46	<2	2	24
C204131		10	<1	0.25	<10	0.89	160	3	0.02	1	670	4	0.72	<2	2	21
C204132		10	<1	0.31	<10	0.99	211	4	0.03	3	800	8	0.49	<2	2	29
C204133		10	<1	0.25	<10	0.71	172	3	0.03	3	460	3	0.26	<2	2	17
C204134		10	<1	0.20	<10	0.82	170	6	0.02	2	510	6	0.31	<2	2	15
C204135		<10	<1	0.20	<10	0.41	192	9	0.03	1	280	3	0.62	<2	1	21
C204136		<10	<1	0.19	<10	0.45	224	9	0.02	1	490	3	0.53	<2	1	39
C204137		<10	<1	0.22	<10	0.54	297	9	0.03	2	400	3	0.53	<2	1	41
C204138		<10	<1	0.24	<10	0.57	356	10	0.02	1	380	3	0.38	<2	1	83



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: BC

## CERTIFICATE OF ANALYSIS VA06075602

Sample Description	Method Analyte Units LDR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
0000							
C204101		0.01	<10	<10	40	<10	27
C204102		0.01	<10	<10	59	<10	23
C204103		0.04	<10	<10	101	<10	23
C204104		0.04	<10	<10	51	<10	12
C204105		0.04	<10	<10	74	<10	21
C204106		0.03	<10	<10	95	<10	26
C204107		0.03	<10	<10	97	<10	25
C204108		0.02	<10	<10	72	<10	25
C204109		0.01	<10	<10	67	<10	24
C204110		0.02	<10	<10	72	<10	24
C204111		0.02	<10	<10	59	<10	19
C204112		0.01	<10	<10	47	<10	20
C204113		0.01	<10	<10	59	<10	22
C204114		0.03	<10	<10	84	<10	22
C204115		0.04	<10	<10	93	<10	21
C204116		0.02	<10	<10	89	<10	18
C204117		0.01	<10	<10	86	<10	21
C204118		0.01	<10	<10	78	<10	26
C204119		0.01	<10	<10	40	<10	13
C204120		<0.01	<10	<10	29	<10	9
C204121		<0.01	<10	<10	58	<10	19
C204122		0.01	<10	<10	55	<10	20
C204123		0.02	<10	<10	38	<10	33
C204124		0.02	<10	<10	44	<10	25
C204125		0.01	<10	<10	50	<10	28
C204126		0.02	<10	<10	50	<10	25
C204127		0.02	<10	<10	48	<10	27
C204128		0.01	<10	<10	40	<10	27
C204129		0.01	<10	<10	44	<10	27
C204130		0.02	<10	<10	47	<10	22
C204131		0.04	<10	<10	46	<10	21
C204132		0.03	<10	<10	49	<10	28
C204133		0.02	<10	<10	42	<10	27
C204134		0.01	<10	<10	37	<10	36
C204135		0.01	<10	<10	34	<10	19
C204136		<0.01	<10	<10	39	<10	20
C204137		<0.01	<10	<10	37	<10	25
C204138		<0.01	<10	<10	26	<10	26





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 30-AUG-2006  
This copy reported on 31-AUG-2006  
Account: PAGRES

## CERTIFICATE VA06075603

Project: BALL CREEK

P.O. No.:

This report is for 55 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C204249		3.56	0.377	1.1	1.29	4	<10	100	<0.5	<2	0.24	<0.5	5	3	1220	2.77
C204250		5.31	0.208	0.8	1.31	3	<10	210	<0.5	<2	0.88	0.5	5	4	1200	2.52
C204251		3.13	0.498	1.5	1.27	8	<10	120	<0.5	<2	1.34	<0.5	7	3	2880	2.57
C204252		6.06	0.423	2.0	1.52	7	<10	160	0.5	<2	1.91	0.7	7	3	2810	2.99
C204253		4.62	0.196	1.5	1.53	5	<10	310	0.5	<2	2.28	2.9	6	3	1530	2.79
C204254		4.40	0.162	1.1	1.50	6	<10	170	<0.5	<2	1.58	<0.5	4	4	1020	2.61
C204255		4.14	0.233	1.5	1.39	7	<10	100	<0.5	<2	1.81	0.5	5	7	1320	2.64
C204256		4.66	0.232	1.2	1.78	4	<10	100	0.5	<2	2.08	<0.5	5	8	1330	3.09
C204257		4.21	0.223	0.8	1.26	<2	<10	140	<0.5	<2	1.01	0.6	4	5	1230	2.06
C204258		4.74	0.188	0.7	1.27	4	<10	200	<0.5	<2	1.01	0.8	3	3	928	2.15
C204259		5.22	0.111	0.7	1.31	2	<10	310	<0.5	<2	1.49	<0.5	4	4	760	2.16
C204260		5.24	0.120	1.1	1.25	9	<10	190	<0.5	<2	2.06	0.9	4	3	781	2.06
C204261		3.53	0.069	0.6	1.39	20	<10	60	<0.5	<2	1.60	<0.5	4	3	449	2.28
C204262		4.99	0.118	0.5	1.33	3	<10	90	<0.5	<2	1.48	<0.5	3	3	629	1.90
C204263		4.17	0.091	0.9	1.43	2	<10	90	<0.5	<2	2.29	5.6	3	2	583	2.21
C204264		5.25	0.164	1.1	1.44	<2	<10	130	<0.5	<2	1.60	0.7	5	3	1050	2.42
C204265		3.68	0.071	0.7	1.74	5	<10	190	0.5	<2	6.63	3.2	3	2	411	3.11
C204266		5.01	0.081	0.4	1.33	2	<10	90	<0.5	<2	1.45	<0.5	3	3	407	2.33
C204267		3.65	0.067	1.0	2.05	3	<10	80	0.6	<2	2.93	<0.5	3	2	352	3.10
C204268		4.00	0.066	0.8	1.33	<2	<10	100	<0.5	<2	1.44	0.5	3	3	389	2.85
C204269		6.59	0.109	1.1	1.35	6	<10	150	<0.5	<2	2.06	1.9	3	3	665	2.75
C204270		7.03	0.084	0.9	1.46	11	<10	210	<0.5	<2	1.58	<0.5	4	2	516	2.44
C204271		4.27	0.055	0.6	1.31	41	<10	80	<0.5	<2	1.16	<0.5	3	3	193	2.33
C204272		5.96	0.078	0.5	1.33	11	<10	300	<0.5	<2	1.40	<0.5	4	3	365	2.33
C204273		5.46	0.102	0.6	1.16	<2	<10	140	<0.5	<2	1.51	<0.5	4	3	551	2.47
C204274		6.59	0.063	0.5	1.51	13	<10	190	<0.5	<2	2.33	<0.5	3	4	432	2.40
C204275		7.03	0.062	0.4	1.10	<2	<10	240	<0.5	<2	1.94	<0.5	3	3	464	2.02
C204276		6.77	0.069	0.4	1.18	<2	<10	210	<0.5	<2	1.67	<0.5	3	3	349	2.12
C204277		5.57	0.115	0.7	1.61	<2	<10	150	<0.5	<2	2.14	2.0	3	4	843	2.29
C204278		5.75	0.114	0.6	1.81	<2	<10	480	0.5	<2	2.06	<0.5	3	4	665	2.88
C204279		5.71	0.067	0.6	1.79	5	<10	90	0.5	<2	2.44	<0.5	3	3	435	2.84
C204280		7.26	0.075	0.4	1.40	<2	<10	210	<0.5	<2	1.90	<0.5	3	4	390	2.30
C204281		6.65	0.095	0.8	1.47	<2	<10	240	<0.5	<2	2.60	<0.5	3	5	505	2.32
C204282		5.41	0.082	0.4	1.57	2	<10	190	<0.5	<2	2.78	<0.5	2	4	375	2.18
C204283		4.16	0.080	0.6	1.54	2	<10	110	<0.5	<2	2.13	<0.5	3	3	463	2.71
C204284		6.88	0.043	0.3	1.15	<2	<10	170	<0.5	<2	2.71	<0.5	3	4	189	2.76
C204285		6.75	0.056	0.5	1.39	<2	<10	90	<0.5	<2	5.08	<0.5	2	3	309	2.42
C204286		6.91	0.042	0.3	1.36	2	<10	80	<0.5	<2	2.36	<0.5	3	5	231	2.73
C204287		6.76	0.035	0.5	1.28	<2	<10	150	<0.5	<2	1.83	<0.5	4	6	244	2.66
C204288		4.47	0.032	0.8	1.55	2	<10	170	<0.5	<2	3.06	<0.5	3	5	199	2.94



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204249		10	<1	0.14	20	0.75	248	21	0.03	1	910	7	0.11	2	2	18
C204250		10	<1	0.16	20	0.79	292	16	0.04	1	880	9	0.74	<2	2	40
C204251		10	<1	0.16	20	0.85	270	26	0.04	1	880	14	1.22	<2	2	49
C204252		10	<1	0.19	10	0.96	334	52	0.04	1	840	39	1.57	<2	2	78
C204253		10	<1	0.20	20	0.93	379	18	0.04	<1	860	32	1.18	<2	2	78
C204254		10	<1	0.19	20	0.87	352	9	0.06	1	850	16	0.44	<2	3	64
C204255		10	<1	0.16	10	0.89	338	23	0.05	2	790	13	0.89	<2	3	63
C204256		10	1	0.19	20	1.21	388	16	0.06	1	870	9	0.88	3	3	66
C204257		<10	<1	0.17	20	0.76	276	5	0.03	1	770	11	0.30	<2	2	39
C204258		<10	<1	0.19	20	0.78	289	3	0.04	1	820	17	0.43	<2	2	34
C204259		10	1	0.18	20	0.86	314	6	0.04	1	800	14	0.68	<2	2	49
C204260		<10	<1	0.22	10	0.78	347	9	0.04	1	770	32	1.08	<2	2	52
C204261		<10	<1	0.19	10	0.94	348	7	0.04	1	770	14	0.84	<2	2	44
C204262		10	<1	0.19	10	0.93	301	7	0.04	2	740	9	0.51	<2	2	40
C204263		<10	<1	0.18	10	1.09	424	12	0.03	1	680	11	0.92	<2	2	60
C204264		10	<1	0.21	10	0.98	340	13	0.04	1	800	8	0.99	<2	2	60
C204265		<10	1	0.18	10	1.42	993	8	0.03	2	690	9	1.09	<2	2	167
C204266		10	1	0.19	10	0.90	323	17	0.04	1	770	8	0.40	<2	2	46
C204267		10	<1	0.18	10	1.82	594	7	0.04	1	700	9	1.30	<2	2	88
C204268		10	<1	0.19	10	0.94	380	4	0.05	<1	800	36	1.22	<2	2	51
C204269		<10	1	0.19	10	0.87	481	7	0.04	1	780	102	1.38	<2	2	60
C204270		<10	<1	0.21	10	0.96	421	11	0.04	<1	760	11	1.06	<2	2	43
C204271		<10	<1	0.19	10	0.86	332	5	0.04	<1	790	8	0.87	<2	2	38
C204272		10	<1	0.20	10	0.84	341	4	0.05	2	800	6	0.59	<2	2	51
C204273		<10	<1	0.17	20	0.80	382	6	0.05	1	830	6	0.28	<2	2	60
C204274		10	1	0.17	20	0.96	468	6	0.04	1	770	11	0.34	<2	2	105
C204275		<10	<1	0.18	20	0.68	344	6	0.05	<1	800	5	0.17	<2	2	92
C204276		<10	<1	0.20	20	0.73	317	5	0.05	<1	810	5	0.38	<2	2	77
C204277		10	<1	0.19	10	1.22	440	4	0.04	3	810	6	0.72	<2	2	81
C204278		10	<1	0.21	10	1.30	439	4	0.04	2	800	8	0.63	<2	2	64
C204279		10	<1	0.16	10	1.12	521	4	0.04	<1	780	9	0.49	<2	2	116
C204280		10	<1	0.21	20	0.81	355	3	0.05	2	850	6	0.20	<2	2	91
C204281		<10	<1	0.17	10	1.02	433	7	0.04	2	720	6	0.70	<2	2	136
C204282		10	1	0.18	10	1.23	509	5	0.04	<1	820	5	0.58	<2	2	136
C204283		10	1	0.17	10	1.30	444	7	0.05	2	770	4	0.80	<2	2	110
C204284		<10	<1	0.16	10	0.84	424	2	0.07	<1	740	3	0.42	<2	3	149
C204285		<10	<1	0.15	10	1.05	783	3	0.06	2	750	6	0.79	<2	3	158
C204286		<10	<1	0.18	10	0.94	392	4	0.05	<1	880	6	0.78	<2	3	147
C204287		10	<1	0.17	10	0.89	367	5	0.04	1	860	21	0.53	<2	3	138
C204288		10	<1	0.18	10	1.18	540	3	0.05	2	870	11	0.70	<2	3	148



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204249		0.01	<10	<10	41	<10	86
C204250		0.01	<10	<10	39	<10	71
C204251		0.01	<10	<10	38	<10	56
C204252		0.01	<10	<10	50	<10	112
C204253		0.01	<10	<10	41	<10	347
C204254		0.01	<10	<10	48	<10	101
C204255		0.01	<10	<10	46	<10	66
C204256		0.01	<10	<10	51	<10	66
C204257		0.01	<10	<10	36	<10	107
C204258		0.01	<10	<10	34	<10	119
C204259		0.01	<10	<10	41	<10	84
C204260		0.01	<10	<10	32	<10	127
C204261		0.01	<10	<10	36	<10	65
C204262		0.01	<10	<10	34	<10	66
C204263		0.01	<10	<10	33	<10	736
C204264		0.01	<10	<10	37	<10	109
C204265		<0.01	<10	<10	41	<10	449
C204266		<0.01	<10	<10	42	<10	42
C204267		<0.01	<10	<10	41	<10	63
C204268		0.01	<10	<10	41	<10	89
C204269		<0.01	<10	<10	37	<10	277
C204270		<0.01	<10	<10	35	<10	60
C204271		0.01	<10	<10	37	<10	55
C204272		0.01	<10	<10	41	<10	40
C204273		0.01	<10	<10	45	<10	51
C204274		<0.01	<10	<10	43	<10	57
C204275		<0.01	<10	<10	36	<10	46
C204276		<0.01	<10	<10	35	<10	49
C204277		<0.01	<10	<10	36	<10	238
C204278		<0.01	<10	<10	43	<10	63
C204279		<0.01	<10	<10	39	<10	68
C204280		<0.01	<10	<10	39	<10	53
C204281		<0.01	<10	<10	31	<10	58
C204282		<0.01	<10	<10	27	<10	71
C204283		0.01	<10	<10	42	<10	51
C204284		<0.01	<10	<10	46	<10	36
C204285		<0.01	<10	<10	35	<10	57
C204286		0.01	<10	<10	44	<10	36
C204287		<0.01	<10	<10	49	<10	57
C204288		<0.01	<10	<10	47	<10	58



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C204289		4.11	0.015	0.3	1.46	<2	<10	60	<0.5	<2	2.53	<0.5	2	4	82	2.02
C204290		4.28	0.019	1.1	1.18	<2	<10	80	<0.5	<2	1.78	<0.5	3	3	139	2.06
C204291		4.31	0.191	2.2	1.38	4	<10	110	<0.5	<2	1.86	<0.5	5	2	1150	2.34
C204292		3.79	0.100	0.8	1.31	2	<10	220	<0.5	<2	1.63	<0.5	5	2	763	2.11
C204293		3.98	0.079	0.4	0.81	6	<10	220	<0.5	<2	1.43	<0.5	4	4	601	1.22
C204294		4.63	0.108	0.6	1.10	4	<10	130	<0.5	<2	1.30	<0.5	5	8	687	1.58
C204295		4.25	0.123	0.7	1.12	4	<10	280	<0.5	<2	2.19	<0.5	5	10	889	1.74
C204296		3.96	0.128	0.7	1.26	4	<10	110	<0.5	2	1.86	0.5	5	4	901	2.07
C204297		4.13	0.033	0.3	1.28	2	<10	130	<0.5	2	2.27	<0.5	4	8	199	2.13
C204298		4.02	0.036	0.3	1.41	<2	<10	150	<0.5	2	1.65	<0.5	4	12	326	2.12
C204299		4.22	0.066	0.3	1.17	<2	<10	190	<0.5	<2	1.91	<0.5	5	11	506	1.73
C204300		3.89	0.064	0.4	1.13	<2	<10	210	<0.5	<2	1.46	<0.5	6	9	538	1.84
C204301		4.24	0.027	0.3	1.16	2	<10	250	<0.5	2	1.25	<0.5	5	14	291	1.91
C204302		5.25	0.027	0.2	1.14	2	<10	300	<0.5	2	1.25	<0.5	5	16	239	2.02
C204303		5.81	0.031	0.2	1.22	<2	<10	140	<0.5	2	1.54	<0.5	5	13	222	2.28



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
C204289		10	<1	0.17	10	1.05	455	2	0.04	<1	740	5	0.49	<2	2	145
C204290		<10	<1	0.22	10	0.74	492	10	0.05	<1	960	27	0.92	<2	2	106
C204291		<10	<1	0.22	10	0.92	501	9	0.03	1	1110	15	1.20	<2	2	99
C204292		<10	<1	0.21	10	0.90	319	7	0.04	1	960	6	1.00	<2	2	94
C204293		<10	1	0.18	10	0.59	243	7	0.04	1	600	6	0.52	<2	1	80
C204294		10	<1	0.22	10	0.80	231	5	0.05	2	670	5	0.62	<2	2	87
C204295		10	<1	0.22	10	0.82	296	6	0.05	1	730	6	0.84	<2	2	150
C204296		10	<1	0.23	10	0.95	314	4	0.06	3	750	4	1.06	<2	2	99
C204297		10	1	0.20	10	1.01	332	3	0.04	3	710	5	1.06	<2	2	135
C204298		10	<1	0.22	10	1.08	308	5	0.04	3	740	4	0.41	<2	2	107
C204299		10	<1	0.20	10	0.93	320	4	0.03	3	680	5	0.35	<2	2	114
C204300		10	1	0.20	10	0.88	280	6	0.04	3	770	3	0.45	<2	2	98
C204301		10	2	0.20	10	0.88	261	5	0.04	3	770	3	0.23	<2	2	87
C204302		10	<1	0.20	10	0.86	264	2	0.04	3	780	5	0.27	<2	2	79
C204303		10	1	0.19	10	0.87	305	5	0.05	2	810	4	0.28	<2	2	119



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 30-AUG-2006  
Account: PAGRES

Project: BALL CREEK

## CERTIFICATE OF ANALYSIS VA06075603

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204289		<0.01	<10	<10	33	<10	39
C204290		<0.01	<10	<10	27	<10	70
C204291		<0.01	<10	<10	35	<10	64
C204292		0.01	<10	<10	36	<10	34
C204293		<0.01	<10	<10	19	<10	28
C204294		0.01	<10	<10	29	<10	40
C204295		0.01	<10	<10	26	<10	40
C204296		0.01	<10	<10	31	<10	49
C204297		<0.01	<10	<10	35	<10	36
C204298		0.01	<10	<10	41	<10	40
C204299		<0.01	<10	<10	32	<10	38
C204300		0.01	<10	<10	36	<10	45
C204301		0.01	<10	<10	40	<10	40
C204302		<0.01	<10	<10	45	<10	44
C204303		0.01	<10	<10	47	<10	45



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 31-AUG-2006  
This copy reported on 6-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075604

Project: Ball Creek

P.O. No.:

This report is for 26 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **PAGET RESOURCES**  
**ATTN: JOHN BRADFORD**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075604

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C204304		5.66	0.023	<0.2	1.57	<2	<10	430	<0.5	<2	1.78	<0.5	4	10	196	2.34
C204305		5.67	0.015	<0.2	1.30	6	<10	300	<0.5	<2	1.34	<0.5	4	6	86	1.90
C204306		6.01	0.008	0.4	1.42	3	<10	570	<0.5	2	2.39	0.5	3	5	41	1.85
C204307		6.46	0.008	<0.2	1.51	<2	<10	130	0.5	<2	2.18	<0.5	4	3	31	2.37
C204308		6.17	0.013	<0.2	1.28	2	<10	510	<0.5	<2	2.46	<0.5	3	3	78	1.98
C204309		6.73	<0.005	<0.2	1.18	6	<10	110	<0.5	2	2.18	<0.5	4	3	20	1.87
C204310		6.27	<0.005	<0.2	1.48	6	<10	280	0.5	<2	2.27	<0.5	3	3	20	2.03
C204311		6.28	0.007	<0.2	1.48	7	<10	190	<0.5	<2	3.35	<0.5	3	3	27	2.17
C204312		6.48	0.005	0.2	1.32	3	<10	200	<0.5	<2	3.00	<0.5	3	3	24	1.99
C204313		6.47	<0.005	0.2	1.42	<2	<10	470	<0.5	<2	2.49	<0.5	3	3	22	2.17
C204314		6.81	0.008	0.4	1.52	<2	<10	790	0.6	<2	3.65	2.0	3	2	52	2.08
C204315		6.01	0.009	<0.2	1.50	2	<10	240	0.5	<2	2.57	<0.5	4	4	50	2.19
C204316		6.41	0.022	0.3	1.40	4	<10	140	0.5	<2	2.88	<0.5	3	2	33	2.25
C204317		6.65	0.008	<0.2	1.82	5	<10	950	0.7	<2	4.62	0.7	4	2	47	2.61
C204318		5.89	0.006	<0.2	1.39	5	<10	240	0.5	<2	2.61	<0.5	3	3	37	2.48
C204319		6.31	0.008	0.3	1.72	4	<10	560	0.6	<2	3.26	<0.5	4	2	48	2.45
C204320		6.59	<0.005	0.2	1.21	<2	<10	160	<0.5	<2	3.11	<0.5	4	3	40	2.44
C204321		6.71	0.006	<0.2	1.37	3	<10	170	0.5	<2	3.91	<0.5	3	2	42	2.41
C204322		6.26	<0.005	<0.2	1.06	<2	<10	140	<0.5	<2	2.95	<0.5	3	2	25	2.16
C204323		6.79	0.042	0.3	1.54	6	<10	280	0.5	<2	4.99	<0.5	3	2	51	2.52
C204324		6.22	0.008	<0.2	2.10	<2	<10	250	0.6	<2	4.58	<0.5	3	2	63	2.63
C204325		6.31	0.008	0.4	1.91	6	<10	280	0.6	2	4.17	<0.5	2	2	34	2.27
C204326		7.07	0.005	0.3	1.59	4	<10	340	0.5	<2	3.28	<0.5	3	2	40	2.21
C204327		3.39	0.133	1.8	1.79	27	<10	120	0.6	<2	3.44	0.7	8	2	1065	2.77
C204328		5.29	0.018	0.5	1.18	6	<10	1370	0.5	<2	3.23	<0.5	3	2	42	2.10
C204329		Not Recvd														





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 31-AUG-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06075604

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C204304		0.01	<10	<10	42	<10	45
C204305		0.01	<10	<10	35	<10	38
C204306		<0.01	<10	<10	22	<10	58
C204307		<0.01	<10	<10	33	<10	38
C204308		<0.01	<10	<10	29	<10	39
C204309		<0.01	<10	<10	25	<10	32
C204310		<0.01	<10	<10	33	<10	33
C204311		<0.01	<10	<10	28	<10	35
C204312		<0.01	<10	<10	31	<10	33
C204313		<0.01	<10	<10	30	<10	41
C204314		<0.01	<10	<10	20	<10	161
C204315		<0.01	<10	<10	33	<10	43
C204316		<0.01	<10	<10	35	<10	43
C204317		<0.01	<10	<10	35	<10	115
C204318		<0.01	<10	<10	40	<10	58
C204319		<0.01	<10	<10	34	<10	46
C204320		<0.01	<10	<10	45	<10	35
C204321		<0.01	<10	<10	36	<10	31
C204322		0.01	<10	<10	39	<10	31
C204323		<0.01	<10	<10	36	<10	86
C204324		<0.01	<10	<10	33	<10	41
C204325		<0.01	<10	<10	33	<10	42
C204326		<0.01	<10	<10	33	<10	42
C204327		0.01	<10	<10	37	<10	86
C204328		<0.01	<10	<10	19	<10	49
C204329							



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 1-SEP-2006  
This copy reported on 6-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075605

Project: MESS CREEK

P.O. No.:

This report is for 31 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS VA06075605

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C206281		1.38	<0.005	<0.2	0.49	<2	<10	580	<0.5	<2	0.18	<0.5	1	19	6	0.64
C206282		1.75	0.119	0.6	0.52	<2	<10	900	<0.5	<2	0.69	<0.5	5	2	1480	1.60
C206283		2.07	0.279	1.3	0.58	9	<10	520	0.5	<2	2.22	<0.5	6	8	1805	2.11
C206284		1.85	0.093	0.8	0.50	16	<10	470	<0.5	<2	1.36	<0.5	15	3	1645	2.98
C206285		1.83	0.263	1.1	0.62	<2	<10	500	<0.5	<2	0.60	<0.5	7	7	1520	2.45
C206286		1.88	0.113	<0.2	0.55	<2	<10	1620	0.5	<2	1.51	<0.5	4	3	130	1.45
C206287		1.81	0.016	<0.2	0.51	<2	<10	520	<0.5	<2	0.41	<0.5	2	18	82	0.88
C206288		2.08	<0.005	<0.2	0.22	18	<10	90	<0.5	<2	7.63	<0.5	10	41	37	2.73
C206289		1.46	<0.005	0.4	0.49	55	<10	20	<0.5	<2	18.8	<0.5	21	91	70	2.55
C206290		1.79	<0.005	<0.2	0.18	3	<10	20	<0.5	<2	21.7	<0.5	8	8	19	2.92
C206291		1.92	<0.005	<0.2	0.11	10	<10	10	<0.5	<2	17.9	<0.5	3	6	6	1.11
C206292		1.82	<0.005	<0.2	0.09	13	<10	10	<0.5	<2	5.27	<0.5	3	74	17	1.32
C206293		1.89	<0.005	<0.2	0.24	10	<10	90	<0.5	<2	0.57	<0.5	2	22	19	0.99
C206294		1.89	0.007	<0.2	0.41	<2	<10	800	<0.5	<2	0.21	<0.5	1	28	4	1.28
C206295		1.69	<0.005	<0.2	0.63	1200	10	60	0.5	<2	0.86	<0.5	8	2	13	3.06
C206296		1.79	0.051	<0.2	0.74	40	10	670	<0.5	<2	3.07	<0.5	5	22	17	1.93
C206297		1.62	0.103	<0.2	0.65	66	<10	230	0.8	<2	5.68	<0.5	8	4	414	3.64
C206298		2.18	0.045	<0.2	0.58	6	<10	340	<0.5	<2	3.17	<0.5	6	20	185	2.74
C206299		1.92	0.011	<0.2	0.48	<2	<10	200	<0.5	<2	1.56	<0.5	9	9	63	4.04
C206300		2.36	0.196	0.8	0.47	10	<10	400	<0.5	<2	1.90	<0.5	9	18	1245	2.11
C206301		1.90	2.20	7.7	0.50	37	<10	230	<0.5	7	0.87	<0.5	38	2	1370	9.07
C206302		2.40	0.133	0.5	0.95	<2	<10	240	0.5	<2	4.38	<0.5	23	5	1090	7.49
C206303		1.87	0.308	0.7	0.51	<2	<10	330	<0.5	<2	1.28	<0.5	10	3	1840	4.90
C206304		1.92	0.592	1.5	0.59	6	<10	180	<0.5	<2	3.08	<0.5	21	6	4060	5.29
C206305		1.87	0.019	<0.2	0.58	8	<10	70	<0.5	<2	5.70	<0.5	12	20	41	4.34
C206306		2.01	0.138	>100	0.34	1040	<10	50	<0.5	7	11.05	23.2	26	5	>10000	6.16
C206307		2.49	0.146	2.3	0.34	52	<10	140	<0.5	<2	11.65	<0.5	8	<1	86	6.33
C206308		1.56	<0.005	0.7	0.13	17	<10	80	<0.5	<2	20.4	<0.5	6	<1	46	7.94
C206309		1.67	0.005	0.2	0.58	8	<10	200	<0.5	<2	8.59	<0.5	50	126	22	3.42
C206310		1.59	0.019	0.3	0.38	23	<10	260	<0.5	<2	0.73	<0.5	5	20	10	2.58
C206311		1.85	0.011	0.3	0.48	6	<10	270	0.6	<2	3.26	<0.5	23	4	31	3.20



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
 2080-777 HORNBY STREET  
 VANCOUVER BC V6Z 1S4

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 1-SEP-2006  
 Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS VA06075605

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C206281		<10	<1	0.29	<10	0.03	166	1	0.07	1	450	<2	0.02	<2	1	28
C206282		<10	<1	0.34	10	0.05	308	37	0.05	5	550	<2	0.11	<2	3	35
C206283		<10	<1	0.35	10	0.57	450	54	0.07	5	660	3	0.25	<2	3	60
C206284		<10	1	0.35	20	0.37	473	38	0.04	32	930	3	0.42	<2	4	46
C206285		<10	<1	0.35	10	0.10	395	67	0.08	10	700	<2	0.05	<2	3	39
C206286		<10	<1	0.31	10	0.12	439	14	0.06	9	480	2	0.23	<2	2	91
C206287		<10	<1	0.32	<10	0.03	170	7	0.06	4	550	2	0.05	<2	1	33
C206288		<10	<1	0.05	<10	3.45	1230	1	0.02	42	190	9	0.12	<2	3	55
C206289		<10	<1	0.05	<10	6.50	984	<1	0.02	146	340	21	<0.01	4	9	165
C206290		<10	1	0.04	<10	4.56	589	<1	0.01	60	120	6	2.0	<2	6	217
C206291		<10	<1	0.02	10	4.96	523	1	0.02	15	160	5	<0.01	<2	1	96
C206292		<10	<1	0.01	<10	2.61	407	1	0.01	12	120	<2	0.04	<2	1	27
C206293		<10	<1	0.05	<10	0.14	81	4	0.01	12	220	10	0.23	<2	1	15
C206294		<10	<1	0.21	10	0.04	52	1	0.10	1	620	4	0.44	<2	<1	43
C206295		<10	1	0.11	<10	0.31	275	11	0.01	45	70	<2	2.93	2	1	61
C206296		<10	1	0.15	<10	0.96	692	1	0.02	24	120	<2	0.19	<2	1	103
C206297		<10	<1	0.39	10	2.45	761	30	0.03	14	960	4	0.04	<2	7	89
C206298		<10	<1	0.34	10	1.06	508	18	0.05	11	820	<2	0.20	<2	5	51
C206299		<10	<1	0.26	10	0.38	735	8	0.06	22	670	<2	0.01	<2	7	27
C206300		<10	<1	0.30	10	0.38	344	70	0.04	5	750	3	0.47	<2	3	62
C206301		<10	2	0.34	20	0.28	484	508	0.04	18	790	29	1.37	<2	15	27
C206302		10	<1	0.58	20	1.05	762	58	0.06	10	1130	8	0.07	2	26	74
C206303		<10	<1	0.25	20	0.25	527	44	0.07	8	1010	5	0.16	<2	8	41
C206304		<10	<1	0.34	10	0.69	509	37	0.06	4	1260	12	0.65	<2	22	49
C206305		<10	1	0.38	<10	1.36	1055	15	0.04	41	1210	5	1.06	<2	19	79
C206306		<10	2	0.16	<10	3.21	2540	2	0.03	33	280	12	1.27	6880	1	89
C206307		<10	<1	0.19	20	2.90	2790	2	0.02	6	870	7	1.02	48	2	119
C206308		<10	1	0.05	<10	6.36	3360	<1	0.01	14	100	8	0.04	21	1	185
C206309		<10	<1	0.06	<10	13.90	905	<1	0.03	742	100	5	0.03	2	7	731
C206310		<10	<1	0.22	20	0.19	298	4	0.06	11	1240	3	0.51	6	3	33
C206311		<10	<1	0.21	30	0.53	978	1	0.08	6	1740	152	0.53	2	6	108



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 1-SEP-2006  
Account: PAGRES

Project: MESS CREEK

## CERTIFICATE OF ANALYSIS VA06075605

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Cu-AA46
		Ti	Ti	U	V	W	Zn	Ag	Cu
		%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	10	10	1	10	2	1	0.01
C206281		<0.01	<10	<10	17	<10	10		
C206282		<0.01	<10	<10	36	<10	11		
C206283		<0.01	<10	<10	35	<10	14		
C206284		<0.01	<10	<10	57	<10	31		
C206285		<0.01	<10	<10	51	<10	17		
C206286		<0.01	<10	<10	19	<10	18		
C206287		<0.01	<10	<10	22	<10	11		
C206288		<0.01	<10	<10	26	<10	36		
C206289		<0.01	<10	<10	50	<10	113		
C206290		<0.01	<10	<10	11	<10	59		
C206291		<0.01	<10	<10	6	<10	38		
C206292		<0.01	<10	<10	7	<10	23		
C206293		0.01	<10	<10	12	<10	33		
C206294		<0.01	<10	<10	8	<10	4		
C206295		<0.01	10	<10	8	<10	12		
C206296		<0.01	<10	<10	27	<10	39		
C206297		<0.01	<10	<10	74	<10	37		
C206298		<0.01	<10	<10	58	<10	18		
C206299		<0.01	<10	<10	77	<10	40		
C206300		<0.01	<10	<10	41	<10	17		
C206301		<0.01	<10	<10	161	<10	43		
C206302		0.04	<10	<10	210	<10	54		
C206303		0.01	<10	<10	110	<10	31		
C206304		0.01	<10	<10	158	<10	32		
C206305		<0.01	<10	<10	100	<10	55		
C206306		<0.01	<10	<10	13	<10	1580	150	1.04
C206307		<0.01	<10	<10	31	<10	102		
C206308		<0.01	<10	<10	47	<10	104		
C206309		0.01	<10	<10	32	<10	35		
C206310		<0.01	<10	<10	43	<10	8		
C206311		0.01	<10	<10	73	<10	43		



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 3-SEP-2006  
This copy reported on 6-SEP-2006  
Account: PAGRES

## CERTIFICATE VA06075606

Project: Mess Creek

P.O. No.:

This report is for 60 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2006.

The following have access to data associated with this certificate:

JOHN BRADFORD

HENRY MARSDEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: PAGET RESOURCES  
ATTN: JOHN BRADFORD  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 3-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075606

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR															
C204347		5.82	0.396	1.9	0.23	<2	<10	480	<0.5	<2	11.20	<0.5	10	4	1920	3.06
C204348		8.77	0.044	0.3	0.22	3	<10	230	<0.5	<2	3.05	<0.5	4	3	71	1.77
C204349		4.95	0.103	0.9	0.36	45	<10	70	0.5	<2	4.09	<0.5	13	4	437	3.07
C204350		5.11	0.119	0.3	0.36	65	<10	240	0.5	<2	3.58	<0.5	8	10	187	2.92
C204351		2.85	0.064	<0.2	0.25	17	<10	360	<0.5	<2	1.48	<0.5	4	3	43	1.37
C204352		5.34	0.080	0.3	0.22	9	<10	360	<0.5	2	1.54	<0.5	3	4	45	1.46
C204353		2.43	0.287	1.1	0.30	4	<10	310	0.5	<2	2.96	<0.5	7	14	870	2.27
C204354		6.45	0.156	0.7	0.44	8	<10	470	0.5	<2	3.31	<0.5	8	13	457	2.37
C204355		5.82	0.043	<0.2	0.30	<2	<10	350	0.5	<2	2.41	<0.5	5	11	41	1.75
C204356		4.63	0.068	0.2	0.29	<2	<10	140	<0.5	<2	2.66	<0.5	4	10	42	1.83
C204357		4.31	0.051	<0.2	0.23	<2	<10	190	<0.5	<2	3.91	<0.5	9	12	76	2.53
C204358		4.13	0.037	0.2	0.34	3	<10	150	0.6	2	2.88	<0.5	10	10	83	2.68
C204359		6.67	0.129	<0.2	0.28	<2	<10	140	0.5	<2	2.77	<0.5	7	13	484	2.60
C204360		4.16	0.034	<0.2	0.26	<2	<10	130	<0.5	<2	2.62	<0.5	5	12	126	2.33
C204361		4.63	0.016	<0.2	0.21	<2	<10	250	<0.5	<2	2.47	<0.5	7	4	37	1.87
C204362		4.56	0.017	<0.2	0.25	<2	<10	220	0.6	<2	2.50	<0.5	7	7	57	1.83
C204363		4.82	0.237	1.0	0.57	2	<10	180	0.6	<2	2.88	<0.5	11	43	391	3.81
C204364		6.35	0.093	<0.2	0.73	3	<10	140	0.6	<2	5.03	<0.5	16	51	327	3.10
C204365		4.27	0.031	<0.2	0.25	3	<10	270	<0.5	<2	3.13	<0.5	4	2	4	1.99
C204366		6.87	0.013	<0.2	0.26	4	<10	400	0.6	<2	9.39	<0.5	8	2	3	3.47
C204367		5.02	0.041	<0.2	0.29	<2	<10	300	<0.5	<2	1.96	<0.5	5	4	4	1.74
C204368		6.61	0.472	0.3	0.26	2	<10	150	0.5	<2	2.68	<0.5	7	6	287	2.28
C204369		6.27	0.067	<0.2	0.25	3	<10	160	0.6	<2	2.80	<0.5	5	4	222	2.32
C204370		6.87	0.045	0.3	0.32	<2	<10	200	0.6	<2	2.38	<0.5	5	7	111	2.34
C204371		7.11	0.029	0.3	0.29	<2	<10	230	0.5	<2	2.90	<0.5	5	5	151	2.38
C204372		6.80	0.038	0.2	0.36	<2	<10	250	0.6	<2	2.94	<0.5	5	4	196	2.99
C204373		4.63	0.022	<0.2	0.27	<2	<10	340	<0.5	<2	2.56	<0.5	4	5	157	2.24
C204374		3.83	0.058	0.3	0.33	3	<10	120	<0.5	<2	2.36	<0.5	5	5	339	2.76
C204375		4.59	0.183	0.4	0.51	<2	<10	90	0.5	<2	3.08	<0.5	8	8	494	3.16
C204376		3.93	0.108	0.3	0.61	2	<10	180	0.5	<2	3.65	<0.5	9	76	485	3.24
C204377		3.95	0.084	1.1	0.36	3	<10	140	<0.5	<2	2.31	<0.5	9	3	594	3.24
C204378		5.30	0.058	0.5	0.33	<2	<10	200	<0.5	<2	2.32	<0.5	6	4	296	3.07
C204379		6.02	0.197	0.9	0.31	<2	<10	210	<0.5	<2	2.56	<0.5	9	4	941	2.83
C204380		6.88	0.214	0.9	0.31	<2	<10	980	<0.5	<2	5.49	<0.5	8	13	1040	3.70
C204381		6.85	0.239	0.5	0.78	2	<10	150	0.5	<2	2.27	<0.5	13	21	559	5.08
C204382		6.78	0.126	1.4	1.05	<2	<10	190	0.8	2	3.01	<0.5	14	24	1070	5.59
C204383		6.78	0.279	0.7	0.67	<2	<10	400	<0.5	<2	2.71	<0.5	11	18	738	4.73
C204384		6.95	0.068	1.0	0.79	<2	<10	190	0.6	<2	2.76	<0.5	12	17	1410	4.06
C204385		6.64	0.103	0.5	0.74	15	<10	410	0.5	<2	3.40	<0.5	12	13	296	4.26
C204386		6.98	0.064	1.5	0.42	14	<10	100	<0.5	3	4.69	<0.5	17	9	348	4.34



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 3-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075606

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C204347		<10	1	0.13	20	1.77	1660	105	0.02	15	770	21	0.55	<2	3	765
C204348		<10	1	0.13	20	0.77	700	15	0.04	5	670	5	0.23	<2	2	87
C204349		<10	1	0.23	20	1.24	965	106	0.03	18	990	11	1.46	2	4	64
C204350		<10	<1	0.21	20	0.71	834	119	0.03	10	1110	11	1.14	<2	5	66
C204351		<10	<1	0.15	10	0.40	384	41	0.05	4	460	5	0.53	<2	2	46
C204352		<10	<1	0.13	10	0.43	417	24	0.05	3	420	3	0.69	2	2	44
C204353		<10	<1	0.21	30	0.61	650	29	0.03	8	1320	7	0.44	<2	6	93
C204354		<10	<1	0.18	30	0.60	781	64	0.04	12	1400	7	0.50	<2	6	122
C204355		<10	<1	0.19	30	0.79	572	9	0.04	5	1470	6	0.23	<2	5	72
C204356		<10	1	0.19	30	0.71	711	40	0.04	4	1420	4	0.10	2	5	52
C204357		<10	1	0.15	30	1.05	1040	18	0.05	7	1390	13	0.39	<2	6	69
C204358		<10	<1	0.18	30	0.66	653	36	0.04	6	1510	8	0.61	<2	6	80
C204359		<10	<1	0.17	30	0.82	649	7	0.05	5	1470	8	0.11	<2	6	63
C204360		<10	<1	0.17	30	0.81	583	80	0.04	5	1450	6	0.11	2	5	54
C204361		<10	1	0.14	20	0.65	490	49	0.04	2	1170	8	0.26	<2	3	55
C204362		<10	<1	0.16	30	0.75	553	22	0.05	6	1480	6	0.26	<2	5	63
C204363		<10	<1	0.28	30	1.35	832	11	0.05	47	1200	8	0.52	<2	6	68
C204364		<10	<1	0.42	20	2.34	955	12	0.04	112	1040	5	0.05	3	10	90
C204365		<10	1	0.14	30	0.57	739	9	0.06	4	780	2	0.01	<2	3	59
C204366		<10	<1	0.14	20	3.41	2530	9	0.03	21	420	5	0.04	<2	2	128
C204367		<10	<1	0.17	20	0.66	538	6	0.05	3	910	3	0.20	<2	3	55
C204368		<10	1	0.17	20	0.98	818	104	0.04	6	1000	5	0.85	<2	4	56
C204369		<10	<1	0.14	20	0.94	717	49	0.06	8	1180	5	0.26	<2	4	63
C204370		<10	<1	0.13	20	0.65	476	8	0.07	4	1240	6	0.18	<2	4	75
C204371		<10	<1	0.14	30	0.61	604	8	0.06	4	1330	4	0.09	<2	4	80
C204372		<10	<1	0.14	30	0.63	607	10	0.06	5	1300	3	0.06	<2	4	93
C204373		<10	<1	0.17	20	0.71	598	8	0.05	4	1310	2	0.05	<2	4	72
C204374		<10	<1	0.17	30	0.52	533	19	0.05	6	1300	10	0.08	<2	4	71
C204375		<10	<1	0.15	30	0.53	644	15	0.06	7	1270	7	0.11	<2	4	90
C204376		<10	<1	0.40	30	1.19	956	7	0.06	44	1270	7	0.15	<2	5	85
C204377		<10	<1	0.17	30	0.63	500	8	0.05	5	1360	15	1.33	<2	3	56
C204378		<10	<1	0.16	20	0.49	486	8	0.06	5	1370	6	0.79	<2	4	68
C204379		<10	<1	0.16	20	0.62	518	8	0.06	5	1280	10	0.61	<2	3	65
C204380		<10	<1	0.20	20	1.97	1240	3	0.04	4	1140	8	0.35	<2	6	149
C204381		10	<1	0.20	30	0.98	635	9	0.07	16	1310	3	0.10	<2	8	92
C204382		10	<1	0.29	30	1.45	776	11	0.06	23	1250	4	0.15	<2	7	117
C204383		<10	<1	0.21	30	1.14	835	10	0.06	17	1360	4	0.12	2	7	118
C204384		<10	<1	0.21	20	1.16	667	19	0.06	19	1490	25	0.23	<2	7	98
C204385		<10	<1	0.19	20	0.95	808	9	0.06	12	1320	7	0.78	<2	8	127
C204386		<10	<1	0.21	30	0.45	1010	9	0.05	12	1440	18	3.07	<2	5	131



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 3-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075606

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204347		<0.01	<10	<10	45	<10	52
C204348		<0.01	<10	<10	25	<10	25
C204349		<0.01	<10	<10	30	<10	39
C204350		<0.01	<10	<10	44	<10	43
C204351		<0.01	<10	<10	14	<10	20
C204352		<0.01	<10	<10	13	<10	18
C204353		0.01	<10	<10	69	<10	20
C204354		0.01	<10	<10	75	<10	36
C204355		0.02	<10	<10	71	<10	19
C204356		0.01	<10	<10	78	<10	22
C204357		0.02	<10	<10	75	<10	36
C204358		0.02	<10	<10	93	<10	36
C204359		0.01	<10	<10	74	<10	26
C204360		0.01	<10	<10	73	<10	27
C204361		0.02	<10	<10	78	10	25
C204362		0.01	<10	<10	67	<10	29
C204363		0.02	<10	<10	85	<10	50
C204364		0.02	<10	<10	68	<10	49
C204365		<0.01	<10	<10	31	<10	26
C204366		<0.01	<10	<10	28	<10	70
C204367		0.01	<10	<10	41	<10	14
C204368		0.01	<10	<10	63	<10	17
C204369		0.01	<10	<10	59	<10	26
C204370		0.02	<10	<10	57	<10	36
C204371		0.01	<10	<10	66	<10	33
C204372		0.01	<10	<10	75	<10	34
C204373		0.01	<10	<10	61	<10	28
C204374		0.01	<10	<10	63	<10	54
C204375		0.01	<10	<10	83	<10	66
C204376		0.02	<10	<10	74	<10	49
C204377		0.01	<10	<10	57	<10	41
C204378		0.01	<10	<10	66	<10	36
C204379		0.01	<10	<10	57	<10	40
C204380		0.01	<10	<10	67	<10	48
C204381		0.01	<10	<10	109	<10	88
C204382		0.04	<10	<10	125	<10	111
C204383		0.01	<10	<10	96	<10	74
C204384		0.02	<10	<10	83	<10	83
C204385		0.01	<10	<10	81	<10	74
C204386		<0.01	<10	<10	47	<10	54







# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 3 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 3-SEP-2006  
Account: PAGRES

Project: Mess Creek

## CERTIFICATE OF ANALYSIS VA06075606

Sample Description	Method Analyte Units LDR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C204387		<0.01	<10	<10	51	<10	35
C204388		0.01	<10	<10	60	<10	85
C204389		<0.01	<10	<10	36	<10	32
C204390		0.02	<10	<10	82	<10	88
C204391		<0.01	<10	<10	57	<10	43
C204392		0.03	<10	<10	94	<10	84
C204393		0.02	<10	<10	106	<10	94
C204394		0.01	<10	<10	65	<10	53
C204395		0.01	<10	<10	68	<10	52
C204396		0.01	<10	<10	65	<10	46
C204397		0.01	<10	<10	65	<10	51
C204398		<0.01	<10	<10	38	<10	19
C204399		<0.01	<10	<10	51	<10	30
C204400		<0.01	<10	<10	42	<10	23
C204401		<0.01	<10	<10	53	<10	53
C204402		0.01	<10	<10	96	<10	57
C206459		0.10	<10	<10	130	<10	77
C206461		<0.01	<10	<10	1	<10	2
C206465		<0.01	<10	<10	2	<10	46
C206467							



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 1  
Finalized Date: 16-OCT-2006  
Account: PAGRES

## CERTIFICATE VA06090289

Project: Ball Creek

P.O. No.:

This report is for 2 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-SEP-2006.

The following have access to data associated with this certificate:

JOHN FLEISHMAN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
C-IR07	Total Carbon (Leco)	LECO
S-IR08	Total Sulphur (Leco)	LECO
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: PAGET RESOURCES  
ATTN: JOHN FLEISHMAN  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - A  
Total # Pages: 2 (A - E)  
Finalized Date: 16-OCT-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06090289

Method	WEI-21	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	C-IR07
Analyte	Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	C	
Units	kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
LOR	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
JB 126	0.88	52.3	10.90	8.17	7.78	2.85	1.36	0.46	<0.01	0.87	0.10	0.18	0.19	0.12	1.00	
C504026	1.46	74.3	12.45	1.64	2.28	0.57	0.84	3.37	<0.01	0.20	0.04	0.01	0.01	0.08	0.51	





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - B  
Total # Pages: 2 (A - E)  
Finalized Date: 16-OCT-2006  
Account: PAGRES

Project: Ball Creek

**CERTIFICATE OF ANALYSIS VA06090289**

Sample Description	Method	S-IR08	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	S	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	
JB 126		0.69	<1	1045	39.6	18.9	20	11.35	37	7.51	5.24	1.16	17.6	6.58	5.4	1.70
C504026		0.02	<1	581	76.3	3.4	10	1.77	42	4.29	3.04	0.96	13.5	5.75	7.2	0.94



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - C  
Total # Pages: 2 (A - E)  
Finalized Date: 16-OCT-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06090289

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
LOR	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	
JB 126		18.4	0.78	4	10.6	21.8	11	63	5.15	13.6	5.73	3	1555	0.8	1.15	4.53
C504026		39.4	0.45	2	13.7	30.9	6	7	8.70	99.5	5.83	2	89.5	1.1	0.76	18.20



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: PAGET RESOURCES  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - D  
Total # Pages: 2 (A - E)  
Finalized Date: 16-OCT-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06090289

Sample Description	Method Analyte Units LOL	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	As	Bi	Hg	Sb	Se	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.1	0.01	0.005	0.05	0.2	0.01
JB 126		5.6	0.82	2.00	147	6	47.5	5.17	554	202	6.2	0.11	0.010	0.58	0.9	0.01
C504026		<0.5	0.45	7.17	9	7	27.4	2.95	35	254	9.0	0.02	<0.005	<0.05	0.3	<0.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **PAGET RESOURCES**  
2080-777 HORNBY STREET  
VANCOUVER BC V6Z 1S4

Page: 2 - L  
Total # Pages: 2 (A - E)  
Finalized Date: 16-OCT-2006  
Account: PAGRES

Project: Ball Creek

## CERTIFICATE OF ANALYSIS VA06090289

Sample Description	Method Analyte Units LOR	OA-GRA05	TOT-ICP06
		LOI %	Total %
JB 126 C504026		13.75 4.83	99.0 100.5