Section 15 - Mineral Tenure Act Regulation

1. Event number:	2. Tenure number(s):	3. Type of Tenure:
4122799	525827, 520066, 520064, 510281, ~~510288, 510289~~ 520067, 520069, 520071	o Mineral, or o Placer
4. Recorded holder: Mike Swenson	**Address:** Box 128 Dease Lake V0C-1L0	**Phone:** internet. we 6044845242
5. Operator: Same	**Address:**	**Phone:** Leave message
6. Report author: Same	**Address:**	**Phone:**
7. Qualifications/experience of operator: 25 years mining + prospecting		

8. Brief summary of work activity on claim(s) in recent years (not including this year's new work):	See Report

NEW WORK (Attach additional sheets if more space is required)

9. Actual dates work was done:	10. Tenure number(s) of claim(s) on which this work was performed: 510288, 510289, 510281, 520064, 520071
11. Detailed written description of the work activity: state what was done and how it was done, and the results. Mention equipment, machinery, labourers, as applicable. The cost statement (#19 on page 2) must correspond to what is stated here. **Attach the 1:10,000 scale map showing the work sites.**	See Report
12. Metric dimensions of workings: (Open cuts, adits, pits, shafts, trenches)	
13. Amount of material excavated and tested or processed: (metric units)	
14. Geographic location of work sites: (access description, i.e., how you get to the work site)	See Report

15. Was GPS used to map work sites? If yes, give co-ordinates: NO	16. Were work sites marked in the field (e.g., flagging, cut lines)? If yes, indicate how: NO
17. Are photographs of work sites attached? NO	18. Was Notice of work filed? Permit number: No

Continued on next page:

COST STATEMENT

19. Expense(s):	Total Hours OR # of days	Hourly Rate, or	Daily Rate	Total(s) ($)
Labour cost: (specify type) one Foreman	256/32	$30.00		7680.00
One Labourer	96	20.00		1920.00
Equipment & Machinery cost: (specify type)				
17 Days Rent on Concentrating Lab equipment			100.00/day	1700.00
8 " " on Snow mobile			50.00	400.00
4 " " on Two Snowmobile			50.00ea	400.00

Lodging / Food:	Rate(s)	Days	
Other: (specify)			
2 Commercial assay			500.00
		20. Total costs of work from above:	12600.00

21. Transportation/travel	Rate(s)	Days	Total(s) ($)
Specify type and full costs.			
		22. Transportation/travel, maximum 20% of value in 20 :	
		Total costs of work (add 20 and 22):	
		Amount claimed for assessment credit on claims:	12569.82

(Signature of Recorded Holder / Agent)

June 25/07
(Date)

Important:

Please ensure you attach the 1:10,000 scale map of the work sites.

If ground control or survey work is being claimed please attach plan(s) as required by Section 15 of the Regulations.

This report must be submitted within 30 days of the date you registered the exploration and development work in MTO.

Submit this report in any Government Agent or Mineral Titles Office, or you can mail to:

Mineral Titles Branch
Ministry of Energy, Mines and Petroleum Resources
300 - 865 Hornby Street
Vancouver, BC V6Z 2G3

STATEMENT OF WORK AND PROSPECTING REPORT
FOR EVENT # 4122799

MS Work was done on the Snow Mac and the Ten Ft. claims tenure # 510281, 510289 [redacted],520064,[redacted],520071,510288. The claims are located in the Liard mining division map 104J 058 and 104J 048, map center 58 degrees 29 min. 49 sec. north, 130 degrees 31 min. 22 sec. west.

The claims are owned by Mike Swenson. The work and report were done, prepared and paid for by the owner with the help of a labourer.

This is an amended report for file #13825-03-1500. Amended 2007/ June/ 26, by Mike Swenson, box 128, Dease Lake, B.C., V0C-1L0. Phone # 604-484-5242. Twenty five years placer mining and prospecting experience.

TABLE OF CONTENTS

INTRODUCTION

1.1 The Snow Mac claims are located on the west side of Snow Peak between the headwaters of Little Dease Creek and Snow Peak. The Ten Ft. claims are on the west side of Little Dease Creek and the headwaters of Ross Creek. Access is south on the 4x4 road up Dease Creek from Laketon to an ATV trail going south to Snow Peak.

1.2 The Snow Mac claim #510281 was staked by Mike Swenson in the fall of 2004 after locating mineralization in quartz veins with grab samples to 27 grams per ton of gold. Sheeted quartz veining and stock work veining along with porphyry mineralization in metavolcanics. Copper and zinc values up to 1%in some of the sheeted quartz veins.

1.3 The Ten Ft. claims were staked after locating a wide quartz vein hosted in Lower Jurassic phyllitic slate in the Cache Creek terrane. Mineralization of mostly galena with gold values plus silver. These are also owned by Mike Swenson.

1.4 The only previous or historical work done in the area previous to the current owner was approximately two kilometers east on the Mac claims in 1976. Samples from a trench and pits yielded a 0.13% molybdenum, 0.39% WO3 (0.39% tungsten) and 1.6 grams of gold per ton (Assessment Report 7657, page 10 mine file #104J 014). Current prospecting and sampling work over the last few years has identified a large Au porphyry type mineralized extension to the west of Snow Peak. Current prospecting and sampling on the Ten Ft. claims and area has identified areas of good mineralization in quartz veins and potential for bonanza type gold veining just north of the King Salmon Fault and intrusion type mineralization in the area of the Ross Creek pluton.

1.5 Bulk samples of twenty kilograms of vein material from five areas was concentrated and viewed under a microscope. Forty samples of 300 to 1000 grams were collected from the above claims and concentrated then viewed under a microscope.

Prospecting traverses were done on the Ross Creek canyon two kilometers long and samples taken. Four traverses of 1 kilometer were made on the west side of Snow Peak (wind swept ridges striking east/west and samples taken). Other areas of interest on the claims were looked at and samples taken. Eight samples were assayed using a microscopic assay method and the same eight samples were sent for a commercial assay.

1.6 Index map on following page.


Internet Mapping Framework
Laketon
4x4 Road
ATV Trail
Trapline trail
Ford a
DEASE LAKE 9
TATCHO CREEK 11
Fort St. John
Terrace
Quesnel
Williams Lake
Revelstoke
Vernon
Vancouver
Trail
Victoria
Legend
Indian Reserves
National Parks
Parks
Mineral Tenures (Mineral - LRDW)
Mineral Claim
Mineral Lease
Reserves (Mineral - LRDW Sites)
Placer Claim Designation
Placer Lease Designation
No Staking Reserve
Conditional Reserve
Release Required Reserve
Surface Restriction
Recreation Area
Others
Mining Division (MTO)
Survey Parcels
BCGS Grid
Annotation (1:250K)
Transportation - Points (1:250K)
Airfield
Anchorage - Seaplane
Ferry Route
Heliport
Seaplane Base
Air Field
Airport
Air Feature - Condition Unknown
Airport.Abandoned
Transportation - Lines (1:250K)
Ferry Route
Aerial Cableway
Road (Gravel Undivided) - 1 Lane
Scale: 1:282,866
0 5 10 km.
Map center 58°30' N,
This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.
North

4

PROSPECTING REPORT

2.1 Purpose of the seasons work.

Five quartz veins were selected for bulk sampling using gravity concentration and a microscope to view the concentrates and determine the native metals in the concentrates. Three hundred to one thousand gram samples were also concentrated and viewed with a microscope for two purposes: 1. To sample areas adjacent to quartz veins and areas of porphyry granites to determine the native metals and sulfides in the rock. 2. To sample the mafic dykes cutting the granites on both the Snow Mac claims and the Ten Ft. claims at Ross Creek pluton to determine the native metals and sulfides in them.

2.2 Description of the sample preparation, control and method.

Bulk samples. The five bulk samples were each put through a jaw crusher then milled with an impact mill and screened to minus 60 mesh. The milling equipment and screen were carefully cleaned between samples. The bulk samples were then concentrated on a commercial table made by Action Mining Services (it is made specifically for micron gold ores and can be cleaned perfectly between samples so there is no cross contamination). The concentrates were then hand panned to 10 to 15 gram samples and viewed with a stereo microscope. A lot of effort was made to clean all equipment between samples. The oversized plus 60 mesh was hand panned and looked at with the microscope.

Three hundred to one thousand gram samples. These samples were put through the jaw crusher then milled with a hand mill. The hand mill is easier to clean and cleans better than the impact mill. This works better for small samples. The samples were weighed, recorded and screened to minus 60 mesh then hand panned and viewed with the microscope.

A full microscopic assay to determine the gold per ton was done on eight of the forty samples requiring the following extra work: The panned concentrates are leached with nitric acid to remove the base metals and sulfides. A pipette is then used to vacuum the gold from the concentrates. The microscope aids in seeing the gold. The gold is dried, cupelled and the gold bead weighed (for microscopic assay method as above see www.goldminefacts.com/RecoveryAssays.htm).

Of the eight samples mentioned above a split was sent to a commercial lab (ACME Laboratory) for ICP and fire assays for gold, silver and platinum. Half of the weight of each of the forty samples I have saved for further work or confirmation.

2.3 Bulk sample work and results.

One labourer and one foreman spent twelve eight hour days milling and concentrating five, ten to twenty kilo ore samples from three quartz veins on the Mac Discovery zone, the Mac West zone one quartz vein and the Ten Ft. zone quartz vein. The samples were milled to minus 60 mesh and concentrated on an Action Wave Table. Concentrates from the table were reconcentrated in a gold pan and viewed under a stereo microscope. Of the five ore samples observed all had reasonable amounts of free milling gold. Native silver was seen in all five samples. Native copper was seen in two of the samples from

the Mac Discovery zone. Gold specks were seen attached to either native bismuth or galena. Pyrite, sphalerite, galena, chalcopyrite, tetrahedrite in that order of abundance are also in the concentrates. Arsenopyrite only occurs in minor amounts as is evident from several ICP assays from numerous locations on the claims. Only two or three samples had high arsenic values. Barite is quite prevalent in most all the samples.

2.4 Three hundred to one thousand gram samples, work and results.

One foreman spent an additional twenty, eight hour days examining rock exposures on the Snow Mac claims and the Ten Ft. claims. Sample collecting and microscopic analysis on forty plus samples was performed. The samples were weighed and milled to minus 60 mesh concentrated in a gold pan and viewed under a stereo microscope. Thirty-three samples from the Snow Mac claims and seven from the Ten Ft. claims.

During the summers work on the Snow Mac claims a mafic dyke cutting the granites in the Mac Discovery zone was observed and three samples collected from it. Of the three samples two had visible sulfides disseminated in them. The third had rare biotite inclusions and no visible sulfides. The two samples with sulfides had appreciable amounts of free milling gold as seen under the microscope. In November, December and January an effort was made to find out the extent of the mafic dykes and assay more samples from them. Most of the wind swept ridges and hills were looked at and samples taken. Several mafic dykes were seen cutting the granites. The largest mafic dyke is up to two meters wide and was followed for almost a kilometere. It strikes east/west and is located just north of the Mac Discovery zone 100 meters. It is serpentinized in places and has sulfides disseminated in it along most of its exposed length. It forms a prominent ridge along its strike length. Of the thirty-three samples taken from the Snow Mac claims, five were from mafic dykes. The others were from mostly granites adjacent to dykes or quartz veins and were all grab samples.

Of the five mafic dyke samples all had higher than average free gold as seen under the microscope. Six samples were assayed using the microscope.

The results are as follows:

Sample#	Sample size	Assay tons	Weight in milligrams	Grams/ton
23mde	550grams	18.33	.558	1.04
32sp	300grams	10.0	.363	1.24
33sp	300grams	10.0	.363	1.24
31sp	340grams	11.3	.363	1.09
7md	300grams	10.0	1.5	5.13
24mdw	920grams	30.66	.678	.77

These are large assay samples, 10 plus assay tons, and are a better representation of the gold in the samples compared to the ICP assay of one gram or a fire assay of 30 grams. Of the six above samples five are from mafic dykes and one (#31sp) is a quartz porphyry with disseminated sulfides. Nine other samples of the thirty-three had free milling gold seen with the microscope. All the samples from granites had higher copper sulfides. Five had native silver and other sulfides and are more complex than the mafic dykes. One sample of the nine was from the far north side of the Snow Mac claims, approximately 1

2.4 km. north of the Mac west zone. It is a copper stained granodiorite with a centimeter wide quartz vein in it. This 850 gram sample had quite a lot of native silver and a few specks of native gold plus copper sulfides and tetrahedrites. One sample of the nine was a moly specimen from the Mac Discovery zone. (the only moly showing found in this area so far), it had a few specks of native gold also.

Several days were spent examining rock exposures in the Ross Creek canyon. Seven samples were collected. One from a mafic dyke cutting the granite pluton on Ross Creek similar to the dykes on the Snow Mac claims and one from the south contact of the granite pluton with a mafic dyke or sill.(may be an altered andesite, greenstone). This mafic rock unit extended down the canyon of Ross Creek from its contact with the granite as far as I traversed (100meters at least). Both samples of mafic rock had disseminated sulfides in them and were assayed with the microscope. The results are as follows:

Sample #	Sample size	Assay tons	Weight in milligrams	Grams/ton
40rc	**640grams**	**21.33**	**.965**	**1.5**
41rc	**840grams**	**27.33**	**3.63**	**4.54**

The other five samples were from the granodiorite pluton on Ross Creek. They were only looked at with a hand lens. They had very few visible sulfides. No quartz veins were seen in the canyon of Ross Creek at the granodiorite pluton. Quartz veins are numerous at the head waters of Ross Creek. They are in the Cache Creek terrane and are similar to the Ten Ft. quartz vein but with very few sulfides. One 900 gram sample from these quartz veins had one forty mesh speck of native gold.

INTERPRETATION AND CONCLUSION

30. The Snow Mac claims are a large area of disseminated gold mineralization, sheeted quartz veins, stockwork veining, disseminated sulfides and native gold in the porphyry granites adjacent to quartz veins. Prospecting work and sampling identified native silver and copper as well as native gold. The sheeted quartz veins are over 1% copper and zinc in places. Snow Peak is an area of high magnetic anomaly. The granite rocks at the surface are extremely low in iron, magnetite and hematite being almost absent. The mafic dykes are of course high in iron but represent only a small percent of the exposed rock. The possibility of higher copper values in the core of the hydrothermal porphyry system should be investigated.

The mafic dykes are disseminated with mostly fine pyrite. They are not so complex as are the quartz veins and granite porphyry rocks. They have disseminated gold and appear to extend west from Snow Peak to at least Ross Creek. The mafic dykes fit into more of a pyroxene skarn type mineralization.

COST STATEMENT

40. One foreman spent 32 eight hour days from Nov. 1 to Dec. 24, 2006 = 256 man hours at $30/hr. $7680.00

One labourer spent 12 eight hour days from Nov. 1 to Dec. 24, 2006 = 96 man hours at $20/hr. $1920.00

17 days rent on concentrating and lab equipment at $100/day from Dec. 1 to Dec. 24, 2006 = $1700.00

8 days rent on one snowmobile at $50/day used from Nov.1 to Dec. 24, 2006 = $ 400.00

4 days rent on two snowmobiles at $50/day each from Nov.1 to Dec. 24, 2006 = $ 400.00

Cost of commercial assays = $ 500.00

Total cost $12,600.00

Report prepared by Mike Swenson. I have twenty-five years placer mining and prospecting experience.

Mike Swenson

...ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
...SO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Swenson Mining & Exploration File # A700424

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	4	42	<.3	2	4	545	1.91	<2	<8	<2	4	75	<.5	<3	4	39	.63	.071	7	7	.59	242	.14	<3	1.11	.13	.58	<2
SMD	<1	210	4	35	.3	5	5	378	1.66	3	<8	<2	<2	59	<.5	<3	<3	29	1.07	.043	2	6	.51	53	.08	<3	1.25	.13	.30	<2
STANDARD DS7	18	101	66	392	.8	54	9	632	2.42	48	<8	<2	4	75	5.7	5	7	86	1.01	.071	13	243	1.04	387	.13	37	1.02	.10	.47	5

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. AU IS SUBJECT TO INTERFERENCES AND NUGGET EFFECTS.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150

Data FA ____ DATE RECEIVED: JAN 24 2007 DATE REPORT MAILED: FEB 0 2 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Swenson Mining & Exploration File # A700423

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	<3	41	<.3	3	4	493	1.82	<2	<8	<2	4	59	<.5	<3	4	34	.51	.068	7	7	.56	217	.12	<3	.93	.10	.50	<2
7MD-1	<1	40	4	40	.3	18	7	399	1.79	2	<8	<2	2	155	<.5	<3	3	35	1.71	.082	4	36	.86	638	.07	<3	1.34	.11	.62	<2
7MD-2	<1	40	4	39	.3	18	7	393	1.81	3	<8	<2	2	152	<.5	<3	<3	34	1.71	.081	4	36	.84	633	.06	3	1.31	.11	.62	<2
7MD-3	<1	40	4	39	<.3	17	7	381	1.75	4	<8	<2	2	152	<.5	<3	4	34	1.67	.081	4	35	.83	618	.06	4	1.31	.10	.61	<2
7MD-4	<1	40	4	39	<.3	17	7	386	1.80	2	<8	<2	<2	152	<.5	<3	<3	34	1.67	.080	4	34	.83	617	.06	<3	1.31	.10	.61	<2
7MD-5	<1	39	3	38	<.3	17	7	385	1.74	3	<8	<2	<2	153	<.5	<3	3	34	1.67	.079	4	34	.83	625	.06	<3	1.30	.10	.60	<2
STANDARD DS7	17	93	53	367	.7	50	9	590	2.29	43	<8	<2	5	76	5.2	5	6	76	.89	.066	12	231	.98	366	.11	33	.99	.11	.44	5

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150

Data FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED:..... FEB 12 2007

BRITISH COLUMBIA CERTIFIED ASSAYER Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Swenson Mining & Exploration File # A700422

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	1	2	<3	39	<.3	7	3	465	1.65	<2	9	<2	5	57	<.5	<3	<3	31	.48	.065	7	94	.51	176	.11	<3	.88	.07	.43	<2
40RC	4	84	<3	44	<.3	26	18	243	3.39	<2	<8	<2	2	20	<.5	<3	<3	88	1.26	.080	3	78	.90	29	.21	<3	1.36	.08	.08	<2
41RC	1	23	<3	56	.5	64	13	1192	3.70	2	9	<2	<2	57	<.5	<3	<3	99	3.57	.054	5	121	1.63	122	.23	<3	2.00	.06	.30	<2
24MDW	1	33	<3	71	<.3	7	23	1073	5.88	<2	<8	<2	2	180	<.5	3	<3	144	3.26	.184	10	16	2.37	104	.23	<3	3.81	.26	.42	<2
STANDARD DS7	19	95	59	377	.8	52	8	597	2.31	42	<8	<2	5	80	5.3	5	<3	76	.93	.068	13	245	1.01	368	.12	35	1.05	.11	.45	5

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK M150

Data FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 12 2007

Raymond Chan
BRITISH COLUMBIA CERTIFIED ASSAYER

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.) 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700422

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
40RC	270	<.01	.01	.01
41RC	205	<.01	<.01	<.01
24MDW	385	<.01	<.01	<.01
STANDARD FA-10R	-	-	.49	.49

Mudro -AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.
- SAMPLE TYPE: ROCK M150

FEB 07 2007

Data___ FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
ISO 9001 Accredited Co.)

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700422
Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	S.Wt gm	NPt mg	-Pt gm/mt	TotPt gm/mt
40RC	270	<.01	.02	.02
41RC	205	<.01	.01	.01
24MDW	385	<.01	.03	.03
STANDARD FA-10R	-	-	.52	.52

Matte

-PT : -150 PT BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPPT: PT DUPLICATED FROM -150 MESH. NPT - NATIVE PT, TOTAL SAMPLE FIRE ASSAY.
- SAMPLE TYPE: ROCK M150

Data___ FA ____ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 07 2007

Raymond Chan
BRITISH COLUMBIA CERTIFIED ASSAYER

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Swenson Mining & Exploration File # A700421

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	<3	52	<.3	3	4	564	2.08	<2	<8	<2	5	69	<.5	3	<3	41	.61	.075	7	8	.61	253	.14	<3	1.07	.11	.59	<2
23MDE	1	53	<3	24	<.3	51	23	402	2.98	<2	<8	<2	2	91	<.5	3	23	73	2.41	.117	6	127	1.55	66	.34	3	2.38	.19	.19	<2
32SP	1	24	3	58	<.3	7	22	1033	5.70	<2	<8	<2	2	133	<.5	3	5	173	3.83	.173	8	18	2.06	55	.38	3	3.12	.23	.15	<2
STANDARD DS7	18	101	66	392	.8	54	9	632	2.42	48	<8	<2	4	75	5.7	5	7	86	1.01	.071	13	243	1.04	387	.13	37	1.02	.10	.47	5

GROUP 7D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. AU IS SUBJECT TO INTERFERENCES AND NUGGET EFFECTS.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
SAMPLE TYPE: ROCK R150

Data FA ____ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED:.....FEB 0 2 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700420

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Zr ppm	Ce ppm	Sn ppm	Y ppm	Nb ppm	Ta ppm	Be ppm	Sc ppm	Li ppm	S %	Rb ppm	Hf ppm
G-1	<1	<1	22	5	72	<1	1	7	4	747	2	53	<5	3.8	5	8	379	<1	<1	<1	81	2.65	10	38	7	3	.75	1.061	242	9.72	2.95	2.40	<1	5	13	60	1	3	14.7	26.3	3	6	<5	5	32.6	<1	5	97.6	7
3452	4	29	5	9	7	56	<1	63	3	14	2581	2	92	<5	6	3	6	651	6	5	<1	114	13	86	.07	12	.16	5.3	1	33	3062	195	7	50	3	13	1	14	6	29	1	28	9	15.7	3	7	<1	<5	62	16	1	<1	25	3	9
STANDARD SF-2C	207	6	1106	2	2824	0	12562	68	4	3672	7	120	4150	8	32	21	2	8	2	6	353	53	2	51	9	5	4	67	1	60	.45	32	2296	6	4	49	522	1	3	5	09	1	91	2	31	2	3	8	8	29	7	2	12	2	74	8	1	0	<5	7	20.3	3	0	81	0	5

GROUP 7TX - 0.500 GM SAMPLE, 4 ACID (HF-HCLO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES/ICP-MS.
- SAMPLE TYPE: ROCK R150

Data FA ____ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 08 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700422

Box 128, Oease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	S.Wt gm	NPd mg	-Pd gm/mt	TotPd gm/mt
40RC	270	<.01	.01	.01
41RC	205	<.01	<.01	<.01
24MDW	385	<.01	<.01	<.01
STANDARD FA-10R	-	-	.46	.46

-PD : -150 PD BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPPD: AU DUPLICATED FROM -150 MESH. NPD - NATIVE PD, TOTAL SAMPLE FIRE ASSAY.
- SAMPLE TYPE: ROCK M150

Data___ FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 07 2007

Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)...-1716
(ISO 9001 Accredited Co.)

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700423

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Au** gm/mt	Pt** gm/mt	Pd** gm/mt
G-1	.01	<.01	<.01
7MD-1	<.01	<.01	<.01
7MD-2	<.01	<.01	<.01
7MD-3	.01	<.01	<.01
7MD-4	<.01	<.01	<.01
7MD-5	.01	<.01	<.01
STANDARD FA-10R	.49	.51	.46

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150

FEB 0 2 2007

Data FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED:.....

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700424

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Ag** gm/mt	Au** gm/mt
5MD	<2	.01
STANDARD R-3/SL20	197	5.80

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150

Data FA

DATE RECEIVED: JAN 24 2007 DATE REPORT MAILED: FEB 08 2007

Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FA 04)253-1716

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700420

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Au** gm/mt	Pt** gm/mt	Pd** gm/mt
G-1	<.01	<.01	.01
33SP	<.01	.01	<.01
STANDARD FA-10R	.49	.50	.49

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150

Data___ FA ____ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 07 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

ACME ANALYTICAL LABORATORIES LTD. (ISO 9001 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX (604)253-1716

ASSAY CERTIFICATE

Swenson Mining & Exploration File # A700421

Box 128, Dease Lake BC V0C 1L0 Submitted by: Mike Swenson

SAMPLE#	Au** gm/mt	Pt** gm/mt	Pd** gm/mt
G-1	<.01	<.01	<.01
23MDE	.05	.04	.01
32SP	.01	.02	<.01
STANDARD FA-10R	.49	.50	.49

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150

Data FA ___ DATE RECEIVED: JAN 23 2007 DATE REPORT MAILED: FEB 02 2007

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

Internet Mapping Fr

Legend
Indian Reserves
National Parks
Parks
Mineral Tenures (Mineral - LRDW)
Mineral Claim
Mineral Lease
Reserves (Mineral - LRDW Sites)
Placer Claim Designation
Placer Lease Designation
No Staking Reserve
Conditional Reserve
Release Required Reserve
Surface Restriction
Recreation Area
Others
Mining Division (MTO)
Integrated Cadastral Fabric
Survey Parcels
BCGS Grid
Contours (TRIM)
Contour - Index
Contour - Index.Indefinite
Contour - Index.Depression
Contour - Index.Depression Indefinite
Contour - Intermediate
Contour - Intermediate.Indefinite
Contour - Intermediate.Depression
Contour - Intermediate.Depression Indefinite
Areaof Exclusion
Areaof Indefinite Contours
Annotation (1:20K)
Transportation - Points (TRIM)
Scale: 1:17,890

Map center: 58° 31' 32" N, 130° 31' 8" W

Ten Ft. Zone
Bulk Sample
From ten Ft Vein

North
Scale
Map# 1045058

Head waters of Ross creek
Sample in Quartz Vein Cach creek Terrane See Report
Sample 41RC 4.54 grams ton Gold Mafic Dyke
Five Samples of Granodiorite Ross Creek Pluton See Report
520064
Sample 41RC Mafic Dyke
Sample 40 RC 5.11? Wide Mafic 1.5 gram ton gold
Ross Creek Pluton exsposed in Creek Conyon
Area traversed 1 KM

Little Dease Creek
Sample Copper Stained granodiorite See Report
Ten # 510288
Bulk Sample From sheeted Qz. Veins
Mac West Zone
#510281
Moly Sample Specimen See Report
Head waters Little Dease Creek
Ross Creek
Head water Ross Creek
7 Md Sample From Mafic Dyke 5.13 gram ton Gold
33 SP Sample From Mafic Dyke 1.24 Grams ton Gold
32 SP Sample From Mafic Dyke 1.24 Grams ton gold
1.4 Gton Gold
2.3 MD From Mafic Dyke
31 SP Sample From Qz Porphyry Rock 1.09 gram ton Gold
23 MDE Sample
Bulk Samples Two Sheeted Qz Veins
Mac Discovery Zone
24 MDE Sample From Mafic Dyke .77 grams ton gold
Map# 1045048
4 KM Long Mafic Dyke areas Traversed
Ten # 510289
Scale in Metres
0 325 650 metres

Mapping Framework

Legend
Indian Reserves
National Parks
Parks
Mineral Titles Grid (LRDW)
Reserves (Mineral - LRDW Sites)
Placer Claim Designation
Placer Lease Designation
No Staking Reserve
Conditional Reserve
Release Required Reserve
Surface Restriction
Recreation Area
Others
Mining Division (MTO)
Integrated Cadastral Fabric
Survey Parcels
BCGS Grid
Contours (TRIM)
Contour - Index
Contour - Index.Indefinite
Contour - Index.Depression
Contour - Index.Depression Indefinite
Contour - Intermediate
Contour - Intermediate.Indefinite
Contour - Intermediate.Depression
Contour - Intermediate.Depression Indefinite
Areaof Exclusion
Areaof Indefinite Contours
Annotation (1:20K)
Transportation - Points (TRIM)
Helipad
Transportation - Lines (TRIM)
Scale: 1:17,679

600 m.

Map center: 58° 28' 15" N, 130° 27' 2" W

ated static output from an Internet mapping site and is for general
ers that appear on this map may or may not be accurate, current, or
MAP IS NOT TO BE USED FOR NAVIGATION.