

A REPORT

ON

HELIBORNE MAGNETIC , ELECTROMAGNETIC &

RADIOMETRIC SURVEYING

Iskut Area, B.C.

56°30'N, 130°30'W

NTS 104B/7,8,9,10,11,14 & 15

Survey Dates: July 5th – October 12th, 2006

FOR

HATHOR EXPLORATION LIMITED

Vancouver, B.C.

BY

PETER E. WALCOTT & ASSOCIATES LIMITED

Vancouver, British Columbia

APRIL 2007

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| INTRODUCTION..... | 3 |
| PROPERTY, LOCATION & ACCESS | 4 |
| PREVIOUS WORK | 5 |
| GEOLOGY..... | 6 |
| PURPOSE..... | 8 |
| SURVEY SPECIFICATIONS | 9 |
| DISCUSSION OF RESULTS..... | 10 |
| SUMMARY, CONCLUSIONS & RECOMMENDATIONS..... | 11 |

APPENDIX I

Cost of Survey
 Personnel Employed on Survey
 Certification
 Claim Blocks with Flight Line & Events
 Claim Blocks with Flight Line on Topography
 Geology with Claim Blocks
 Geology with Legend

APPENDIX II

Hathor Holdings

APPENDIX III

Report on Blocks, 2,7,8 & 9 by Paul Smith & Igor Sram – Dec. 06

APPENDIX IV

Report on Blocks 4, 5 & 6 by Paul Smith & Igor Sram – Feb. 07

INTRODUCTION.

Between July 5th and October 12th, 2006, Fugro Airborne Surveys carried out heliborne magnetic, electromagnetic and radiometric surveying over the glacier free areas of the vast holdings of Hathor Exploration Limited, held under the name of Matthew Mason, in the Iskut area of northwestern British Columbia.

The surveys were flown at a nominal helicopter terrain clearance of 60 metres on flight lines spaced 150 metres apart over nine flight blocks, with tie lines flown in the orthogonal direction at a spacing of 1500 metres.

The flight blocks and their respective line direction were laid out by Peter E. Walcott & Associates Limited, who planned, supervised and QC'd the surveys.

A Dighem multicoil, multifrequency E.M. system was employed, supplemented by a high sensitivity cesium magnetometer and a 256 channel spectrometer.

A GPS navigation system was employed to ensure accurate positioning of the geophysical data with respect to the topographic base maps.

The information from the respective geophysical sensors was used to produce maps that display the conductive, magnetic and radiometric properties of the survey areas. These maps are included in two reports on the respective blocks by P. Smith and I. Sram attached as Appendixes III and IV of this report.

Due to the inclement weather that frequented northwestern British Columbia for most of the summer only 60% of the planned coverage was completed before postponement of the survey until July 2007.

PROPERTY, LOCATION & ACCESS.

The property, known as Eskay Creek and/or Iskut River property, is located in the Liard and Skeena Mining Divisions of British Columbia. It consists of a large number of claims held under the name of Matthew Mason, a list of which is supplied in Appendix II.

It is situated in mountainous terrain with areas of glacial cover mainly to the east, south and west of the holdings of Barrick Gold and their Eskay Creek Mine, some 80 kilometres northwest of Stewart, B.C.

Due to the paucity of road access routes, access needs to be by helicopter. For this survey the helicopter and crew were based at the Bell II lodge on Hwy 37.

PREVIOUS WORK

Intermittent exploration has been carried out in the area since the original discovery and staking of the deposit by Tom Mackay in 1932 until the spectacular discovery by Prime Resources in 1988.

Since then numerous airborne geophysical surveys, ground geophysical and geochemical surveys, geological prospecting and diamond drill programmes have been carried out in the area, the results of which are mostly documented in numerous reports filed with the mines branch of the B.C. Government.

GEOLOGY.

Numerous publications exist on the geology of the Eskay Creek Mine and surrounding areas. The following is excerpted from a report by D. Kuran, P.Geol.

The Hathor claim area covers a large section of the Unuk River to Iskut River Area of north-western BC, centered on the Eskay Creek Mine, operated by Barrick Gold Corp.

The area is situated as to straddle older Asitka Group, Permian aged carbonates and volcanics to the west and upper Jurassic Bowser Group of post accretionary basinal sediments to the east. The area is described as lying with the Coast Mountains along the western margin of the Intermontane tectonic belt, adjacent to the Coast Intrusive Complex. The stratigraphy belongs to the Stikine Terrain, composed of calcalkaline volcanics and coeval intrusive rocks and including stratigraphic equivalent sedimentary facies. The stratigraphy is deformed by open and upright D1 folds and associated faulting. The stratigraphy is described below.

The Paleozoic Stikine/Asitka assemblage consists of coralline limestones and intercalated mafic to felsic flows and volcanoclastic rocks, and siliceous siltstone, turbidite, chert and conglomerate. They exhibit local polyphase deformation. Mesozoic strata comprise mixed volcanic and volcanic-derived sedimentary rocks.

Upper Triassic Stuhini Group strata are dominantly sediments with minor pyroxene phyric flows and tuffs, and leucocratic dacitic tuffs. The sediments are siltstones, pebble to cobble conglomerates and wackes.

A Stuhini-Hazelton transitional unit of Hettangian age consists mainly of mixed sedimentary strata: black siltstones, heterolithic pebble to boulder conglomerates and wackes. Granitic stocks cut Stuhini Group rocks.

Lower to Middle Jurassic Hazelton Group volcanic and sedimentary rocks have been folded, faulted and weakly metamorphosed, mainly during Cretaceous time. Three episodes of intrusive activity produced small synvolcanic plutons, satellitic stocks of the Coast plutonic complex and minor dykes and sills.

The Unuk River Formation is of Hettangian to Pleinsbachian age. It consists primarily of andesitic tuffs with lesser black siltstone members. It is cut by the two-feldspar Premier porphyry.

The Betty Creek Formation is Pleinsbachian to Toarcian. It consists of interbedded tuffs, flows and hematitic sedimentary rocks. There are locally pillowed basaltic to dacitic crystal and lithic tuffs and flows, purple to maroon conglomerates, wackes, siltstones and mudstones, and minor black siltstone layers.

The Mount Dilworth Formation consists of felsic pyroclastics and flows. It consists of tuff breccias;

GEOLOGY cont'd

lapilli, ash and dust tuffs; and local welded ash flows. The unit is of Toarcian age.

Salmon River Formation, which is Toarcian to Bajocian in age, comprises a thick turbidite succession. It consists of dark siltstones with lesser sandstones, conglomerates, silty limestone and pale siliceous siltstones. Mafic pillow lava and minor intermediate distal tuff also crop out.

Middle to Upper Jurassic Bowser Lake Group strata are marine basin turbidites, black siltstones, fine-grained sandstones, and conglomerates. The Pliocene to Recent Stikine volcanics comprise basaltic flows, tuff and scoria.

Intrusive rocks in the area range from Late Triassic to Tertiary or Quaternary. The oldest is the Stikine plutonic suite of diorite and quartz diorite plutons. The Early Jurassic Texas Creek plutonic suite includes quartz diorite, monzodiorite, and quartz monzonite. The suite includes hypabyssal equivalents of the Hazelton Group. The Middle Jurassic Three Sisters suite consists of olivine-pyroxene gabbro and diorite. Rocks of the Coast plutonic complex are of Paleocene to Eocene age. Granitoid batholiths and stocks are characteristic. Rocks types include granodiorite, granite and dacite in dikes. Oligocene late-tectonic dikes are micro-diorite, andesite and lamprophyre. Basaltic dikes represent the Stikine volcanic suite.

The rich volcanogenic Eskay gold-silver-lead-zinc-copper mine and many other mineral occurrences are known in the area. Six types of veins are identified: base metal quartz, silver-rich base metal, precious and base metal quartz, precious metal quartz, carbonate, and barite. Other deposit types include: porphyry-style copper-molybdenum; disseminated gold (silver) in alteration zones; gold-bearing skarn; and stratabound pyritic zones.

PURPOSE.

As the Eskay Creek deposit is hosted by a bimodal felsic-mafic volcanic sequence, which is strongly potassically altered, the Snip mine by Triassic metasediments with a halo of biotite as a potassic alteration manifestation, and the Stonehouse – Johnny Mtn. – is a quartz – andaluria system with a potassic alteration signature, the purpose of the survey was to detect areas of potassic alteration, skarn mineralization and zones of conductive mineralization as well as to provide information that could be used to map geology and structure with the use of radiometric, magnetic and electromagnetic techniques.

SURVEY SPECIFICATIONS.

The magnetic survey was carried out using an optically pumped cesium vapour magnetometer mounted on the tail of the EM bird 28 metres below the helicopter. This instrument was manufactured by Scintrex Limited of Concord, Ontario. Corrections for the diurnal were made by comparison with a Fugro CFI base station employing a Geometrics, of San Jose, California, G822A sensor.

The electromagnetic survey was conducted using a Dighem V-BKS52 system - manufactured by Fugro – towed 30 metres below the helicopter. Coil separation is 8 metres for the 900 Hz coplanar, 1000 Hz coaxial, 5500 Hz coaxial, and 7200 Hz coplanar, and 6.3 metres for the 56,000 Hz coplanar configurations, with 5 inphase, 5 quadrature and 2 monitor channels recorded on a heliDAS digital data acquisition system also manufactured by Fugro.

The GR-820 spectrometer – manufactured by Exploranium – employs two downward looking crystals (1024 cu in) and one upward looking crystal (256 cu in). The downward crystals record the radiometric spectrum from 410 KeV to 3MeV over 256 discrete energy windows. From these 256 channels the standard Total Count, Potassium, Thorium, Uranium channels are extracted.

The upward looking crystal is used to measure and correct for Radon.

Navigation and flight path recovery were obtained using a Novatel OEMIV dual frequency 24 channel board with the antenna – Aero AT1675 – mounted on the tail of the helicopter. Post-survey differential correction was obtained by processing against the data from a similar unit at 10 Hz sampling rate, with a Marconi Allstar OEM, CMT – 1200 as a back-up.

The survey, as mentioned previously, was conducted on pre-programmed flight lines on the respective nine blocks.

In all some 4913 line kilometers were flown.

DISCUSSION OF RESULTS.

The reports of Smith and Sram provide adequate coverage on the results obtained from the surveys and the writer will add no more at this time.

SUMMARY, CONCLUSIONS & RECOMMENDATIONS.

Between July 5th and October 12th, 2006. at the request of Hathor Exploration Limited, Fugro Airborne Surveys undertook a combined magnetic, electromagnetic and radiometric survey programme over parts of the Eskay Creek property, located in the Iskut area of British Columbia.

Unfortunately the survey was suspended with only around 60% of the planned coverage completed due to the inclement weather that plagued most of northern B.C. for the summer and early fall of 2006.

The results as discussed in reports by Fugro personnel should be studied in conjunction with the known geology to generate targets for ground follow-up this year. In addition the remaining portion of the survey should be completed possibly starting in late July due to the heavy snowfall of last winter.

Respectfully submitted,

PETER E. WALCOTT & ASSOCIATES LTD.

**Peter E. Walcott, P.Eng.
Geophysicist**

**Vancouver, B.C.
April 2007**

**Peter E. Walcott & Associates Limited
Geophysical Services**

**Heliborne Magnetic, Electromagnetic &
Radiometric Surveying , Iskut Area, B.C.**

APPENDIX I

COST OF SURVEY.

Fugro Airborne undertook the survey on a kilometre basis with standby charges for inclement weather for a total of \$655,064.52.

Fuel for the helicopter was provided by Hathor at a cost of \$47,845.18. Accommodation at Bell II lodge was also supplied by Hathor at a cost of \$68,805.92.

Peter E. Walcott laid out and supervised the survey at a cost of \$51,107.26.

As a result the cost of the survey to date was \$822,822.88.

PERSONNEL EMPLOYED ON SURVEY.

| <u>Name</u> | <u>Occupation</u> | <u>Address</u> | <u>Dates</u> |
|--------------------|--------------------------|---|--|
| Peter E. Walcott | Geophysicist | Peter E. Walcott & Assoc. 1529 W. 6 th Ave., Vancouver, B.C. | Apr. 10 th – Oct. 12 th , 06 Apr. 3 rd , 07 |
| A. Walcott | “ | “ | Jul. 1 st – 10 th , Oct. 21 st – 30 th 2006 |
| J. Kieley | “ | “ | Jul. 6 th – Sept. 10 th 2006 |
| J. Walcott | Report Prep. | “ | April 7 th , 2006 |
| Fugro Airborne | Listed in their reports | | July 5 th – Oct. 12 th 2006 Nov. 10 th , 06 – Feb. 15 th , 2007 |

CERTIFICATION.


I, Peter E. Walcott, of 605 Rutland Court, Coquitlam, British Columbia, hereby certify that:

1. I am graduate of the University of Toronto in 1962 with a B.A.Sc. in Engineering Physics, Geophysics Option.
2. I have been practicing my profession for the last forty four years.
3. I am a member of the Association of Professional Engineers of British Columbia and Ontario.
4. I hold no interest, direct or indirect in Hathor Exploration Limited, nor do I expect to receive any.


Peter E.Walcott, P.Eng.

Vancouver, B.C.

April 2007




HATHOR EXPLORATION LTD.
ESKAY CREEK PROJECT
CLAIM BLOCKS WITH FLIGHT LINES




| Legend | |
|----------------|-----------------|
| Mineral Titles | Event Number |
| | 411841 |
| | 4112091 |
| | 4112092 |
| | 4112093 |
| | 4112098 |
| | 4112100 |
| | 4112101 |
| | 4112102 |
| | 4111840 |
| | Contour |
| | Road |
| | River Or Stream |
| | Island |
| | Lake |



HATHOR EXPLORATION LTD.
 ESKAY CREEK PROJECT
 CLAIM BLOCKS WITH FLIGHT LINES



HATHOR EXPLORATION LTD.
 ESKAY CREEK PROJECT
 CLAIM BLOCKS WITH GEOLOGY



Legend

- Quaternary Basalt
- Upper Middle Jurassic Bowser Lake Seds, Salmon River Seds
- Middle Jurassic Hazelton Group Volc., Seds,
Salmon River, Betty Creek, Unuk River,
- Jurassic Intrusives
- Triassic Stuhinni Volcanics/Seds
- Permian Asitka Group Marine Seds, Volc.
- Valid Mineral Claims

USA

0 10 km

Hathor Exploration Limited

Iskut River Project
Regional Geology

APPENDIX II

=====

| Tenure Number | Tenure Type | Claim Name | Owner | Map Number | Good To Date | Status | Mining Division | Area | Tag Number |
|---------------|-------------|------------|---------------|------------|--------------|--------|-----------------|-------|------------|
| 330064 | Mineral | SNO 2 | 117069 (100%) | 104G018 | 2008/dec/11 | GOOD | LIARD | 500.0 | 228671 |
| 330065 | Mineral | SNO 3 | 117069 (100%) | 104G018 | 2008/dec/11 | GOOD | LIARD | 300.0 | 228672 |
| 394117 | Mineral | GRACEY 1 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238861 |
| 394118 | Mineral | GRACEY 2 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238862 |
| 394119 | Mineral | GRACEY 3 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238863 |
| 394120 | Mineral | GRACEY 4 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238864 |
| 394121 | Mineral | GRACEY 5 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238865 |
| 394122 | Mineral | GRACEY 6 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238866 |
| 394123 | Mineral | GRACEY 7 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238867 |
| 394124 | Mineral | GRACEY 8 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238868 |
| 394125 | Mineral | GRACEY 9 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 200.0 | 238869 |
| 394126 | Mineral | GRACEY 10 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 238870 |
| 394127 | Mineral | GRACEY 11 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238871 |
| 394128 | Mineral | GRACEY 12 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 200.0 | 238872 |
| 394129 | Mineral | GRACEY 13 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238873 |
| 394130 | Mineral | GRACEY 14 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238874 |
| 394131 | Mineral | GRACEY 15 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238875 |
| 394132 | Mineral | GRACEY 16 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238876 |
| 394133 | Mineral | GRACEY 17 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238877 |
| 394134 | Mineral | GRACEY 18 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238878 |
| 394135 | Mineral | GRACEY 19 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238879 |
| 394136 | Mineral | GRACEY 20 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238880 |
| 394137 | Mineral | GRACEY 21 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238881 |
| 394138 | Mineral | GRACEY 22 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238882 |
| 394139 | Mineral | GRACEY 23 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238883 |
| 394140 | Mineral | GRACEY 24 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238884 |
| 394141 | Mineral | GRACEY 25 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238885 |
| 394142 | Mineral | GRACEY 26 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238886 |
| 394143 | Mineral | GRACEY 27 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238887 |
| 394144 | Mineral | GRACEY 28 | 117069 (100%) | 104B029 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238888 |
| 394145 | Mineral | GRACEY 29 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238909 |
| 394776 | Mineral | BJ 1 | 117069 (100%) | 104B069 | 2008/dec/11 | GOOD | SKEENA | 125.0 | 238931 |
| 394777 | Mineral | BJ 2 | 117069 (100%) | 104B069 | 2008/dec/11 | GOOD | SKEENA | 50.0 | 238932 |
| 394778 | Mineral | BJ 3 | 117069 (100%) | 104B069 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238933 |
| 394779 | Mineral | BJ 4 | 117069 (100%) | 104B069 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238934 |
| 394780 | Mineral | BJ 5 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 100.0 | 238935 |

| | | | | | | | | | |
|--------|---------|-----------|---------------|---------|-------------|------|--------|-------|--------|
| 394781 | Mineral | BJ 6 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 100.0 | 238936 |
| 394782 | Mineral | BJ 7 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238937 |
| 394783 | Mineral | BJ 8 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238938 |
| 394784 | Mineral | BJ 9 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238939 |
| 394785 | Mineral | BJ 10 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238940 |
| 394786 | Mineral | BJ 11 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238941 |
| 394787 | Mineral | BJ 12 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238942 |
| 394788 | Mineral | BJ 13 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 100.0 | 238943 |
| 394789 | Mineral | BJ 13A | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 25.0 | 238930 |
| 394790 | Mineral | BJ 14 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 100.0 | 238944 |
| 394791 | Mineral | BJ 15 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 238945 |
| 394792 | Mineral | BJ 16 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238946 |
| 394793 | Mineral | BJ 17 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238947 |
| 394794 | Mineral | BJ 18 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238948 |
| 394795 | Mineral | BJ 19 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238949 |
| 394796 | Mineral | BJ 20 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 238950 |
| 394797 | Mineral | BJ 21 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238951 |
| 394798 | Mineral | BJ 22 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 225.0 | 238952 |
| 394799 | Mineral | BJ 23 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238953 |
| 394800 | Mineral | BJ 24 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238954 |
| 394801 | Mineral | BJ 25 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238955 |
| 394802 | Mineral | BJ 26 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 238956 |
| 394803 | Mineral | BJ 27 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 200.0 | 238957 |
| 394804 | Mineral | BJ 28 | 117069 (100%) | 104B059 | 2008/dec/11 | GOOD | SKEENA | 100.0 | 238958 |
| 394805 | Mineral | BJ 29 | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238959 |
| 394806 | Mineral | BJ 30 | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238960 |
| 394807 | Mineral | BJ 31 | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238961 |
| 394808 | Mineral | BJ 31A | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 238910 |
| 394809 | Mineral | BJ 32 | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 150.0 | 238962 |
| 394810 | Mineral | BJ 33 | 117069 (100%) | 104B049 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 238963 |
| 394811 | Mineral | BJ 34 | 117069 (100%) | 104B049 | 2009/dec/10 | GOOD | SKEENA | 150.0 | 238964 |
| 394812 | Mineral | BJ 35 | 117069 (100%) | 104B049 | 2009/jan/31 | GOOD | SKEENA | 450.0 | 238965 |
| 394813 | Mineral | MACGOLD 1 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238924 |
| 394814 | Mineral | MACGOLD 2 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238925 |
| 394815 | Mineral | MACGOLD 3 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 400.0 | 238926 |
| 394816 | Mineral | MACGOLD 4 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 400.0 | 238927 |
| 394817 | Mineral | MACGOLD 5 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 300.0 | 238928 |

| | | | | | | | | | |
|--------|---------|-------------|---------------|---------|-------------|------|--------|-------|--------|
| 394818 | Mineral | MACGOLD 6 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 238929 |
| 394819 | Mineral | DELTA 1 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238911 |
| 394820 | Mineral | DELTA 2 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 238912 |
| 394821 | Mineral | DELTA 4 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 150.0 | 238914 |
| 394822 | Mineral | DELTA 5 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238915 |
| 394823 | Mineral | DELTA 6 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238916 |
| 394824 | Mineral | DELTA 8 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238918 |
| 394825 | Mineral | DELTA 7 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238917 |
| 394826 | Mineral | DELTA 9 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238919 |
| 394827 | Mineral | DELTA 10 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238920 |
| 394828 | Mineral | DELTA 11 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238921 |
| 394829 | Mineral | DELTA 12 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 238922 |
| 394830 | Mineral | DELTA 13 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238923 |
| 396995 | Mineral | FLORY 1 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242401 |
| 396996 | Mineral | FLORY 2 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242402 |
| 396997 | Mineral | FLORY 3 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242403 |
| 396998 | Mineral | FLORY 4 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242404 |
| 396999 | Mineral | FLORY 5 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242405 |
| 397000 | Mineral | FLORY 6 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242406 |
| 397001 | Mineral | FLORY 7 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242407 |
| 397002 | Mineral | FLORY 8 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242408 |
| 397003 | Mineral | QUILLIAN 1 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 238991 |
| 397004 | Mineral | QUILLIAN 2 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238992 |
| 397005 | Mineral | QUILLIAN 3 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238993 |
| 397006 | Mineral | QUILLIAN 4 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238994 |
| 397007 | Mineral | QUILLIAN 5 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238995 |
| 397008 | Mineral | QUILLIAN 6 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238996 |
| 397009 | Mineral | QUILLIAN 7 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238997 |
| 397010 | Mineral | QUILLIAN 8 | 117069 (100%) | 104B037 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 238998 |
| 397011 | Mineral | QUILLIAN 9 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 200.0 | 238999 |
| 397012 | Mineral | QUILLIAN 10 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 239000 |
| 397013 | Mineral | QUILLIAN 11 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 238990 |
| 397020 | Mineral | SUN 1 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242409 |
| 397021 | Mineral | SUN 2 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 200.0 | 242410 |
| 397022 | Mineral | SUN 3 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242411 |
| 397023 | Mineral | SUN 4 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242412 |
| 397024 | Mineral | SUN 5 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242413 |

| | | | | | | | | | |
|--------|---------|--------------|---------------|---------|-------------|------|--------|-------|--------|
| 397025 | Mineral | SUN 6 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242414 |
| 397026 | Mineral | SUN 7 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 350.0 | 242415 |
| 397027 | Mineral | SUN 8 | 117069 (100%) | 104B038 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 242416 |
| 397028 | Mineral | SUN 9 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 150.0 | 242417 |
| 397029 | Mineral | SUN 10 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 238978 |
| 397030 | Mineral | SUN 11 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 238979 |
| 397031 | Mineral | PEARLY 1 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242418 |
| 397032 | Mineral | PEARLY 2 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242419 |
| 397033 | Mineral | PEARLY 3 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242420 |
| 397034 | Mineral | PEARLY 4 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242421 |
| 397035 | Mineral | PEARLY 5 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242422 |
| 397036 | Mineral | PEARLY 6 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242423 |
| 397037 | Mineral | PEARLY 7 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242424 |
| 397038 | Mineral | PEARLY 8 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242425 |
| 397039 | Mineral | PEARLY 9 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242426 |
| 397040 | Mineral | PEARLY 10 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242427 |
| 397041 | Mineral | PEARLY 11 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242428 |
| 397044 | Mineral | HAWILSON 1 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242429 |
| 397045 | Mineral | HAWILSON 2 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242430 |
| 397046 | Mineral | HAWILSON 3 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242431 |
| 397047 | Mineral | HAWILSON 4 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242432 |
| 397048 | Mineral | HAWILSON 5 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242433 |
| 397049 | Mineral | HAWILSON 6 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242434 |
| 397050 | Mineral | HAWILSON 7 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242435 |
| 397051 | Mineral | HAWILSON 8 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 300.0 | 242436 |
| 397091 | Mineral | KING CREEK 1 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242471 |
| 397092 | Mineral | KING CREEK 2 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242472 |
| 397093 | Mineral | KING CREEK 3 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242473 |
| 397094 | Mineral | KING CREEK 4 | 117069 (100%) | 104B047 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242474 |
| 397095 | Mineral | KING CREEK 5 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242475 |
| 397096 | Mineral | KING CREEK 6 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 242476 |
| 397097 | Mineral | KING CREEK 7 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242477 |
| 397098 | Mineral | KING CREEK 8 | 117069 (100%) | 104B048 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 242478 |
| 397099 | Mineral | JULIAN 1 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242461 |
| 397100 | Mineral | JULIAN 2 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 150.0 | 242462 |
| 397101 | Mineral | JULIAN 3 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242463 |
| 397102 | Mineral | JULIAN 4 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 300.0 | 242464 |

| | | | | | | | | | |
|--------|---------|-----------|---------------|---------|-------------|------|--------|-------|--------|
| 397103 | Mineral | JULIAN 5 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242465 |
| 397104 | Mineral | JULIAN 6 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242466 |
| 397105 | Mineral | JULIAN 7 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 150.0 | 242467 |
| 397106 | Mineral | JULIAN 9 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 242469 |
| 397107 | Mineral | JULIAN 8 | 117069 (100%) | 104B058 | 2008/dec/11 | GOOD | SKEENA | 50.0 | 242468 |
| 397108 | Mineral | JULIAN 10 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242470 |
| 397109 | Mineral | JULIAN 11 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 100.0 | 242438 |
| 397118 | Mineral | SNIP 1 | 117069 (100%) | 104B066 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242441 |
| 397119 | Mineral | SNIP 2 | 117069 (100%) | 104B066 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242442 |
| 397120 | Mineral | SNIP 3 | 117069 (100%) | 104B066 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242443 |
| 397121 | Mineral | SNIP 4 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242444 |
| 397122 | Mineral | SNIP 5 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242445 |
| 397123 | Mineral | SNIP 8 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 50.0 | 242448 |
| 397124 | Mineral | SNIP 9 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 242449 |
| 397125 | Mineral | SNIP 10 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 150.0 | 242450 |
| 397126 | Mineral | SNIP 11 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242451 |
| 397127 | Mineral | SNIP 12 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242452 |
| 397128 | Mineral | SNIP 13 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242453 |
| 397129 | Mineral | SNIP 14 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242454 |
| 397130 | Mineral | SNIP 15 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242455 |
| 397131 | Mineral | SNIP 16 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242456 |
| 397132 | Mineral | SNIP 17 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 242457 |
| 397133 | Mineral | SNIP 18 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 242458 |
| 397134 | Mineral | SNIP 19 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242459 |
| 397135 | Mineral | SNIP 20 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242460 |
| 401535 | Mineral | GEORGIA 1 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241275 |
| 401536 | Mineral | GEORGIA 2 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 375.0 | 241276 |
| 401537 | Mineral | GEORGIA 3 | 117069 (100%) | 104B056 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241277 |
| 401538 | Mineral | GEORGIA 4 | 117069 (100%) | 104B056 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241278 |
| 401539 | Mineral | GEORGIA 5 | 117069 (100%) | 104B056 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241279 |
| 401540 | Mineral | GEORGIA 6 | 117069 (100%) | 104B056 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241280 |
| 401541 | Mineral | GEORGIA 7 | 117069 (100%) | 104B056 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241170 |
| 401542 | Mineral | JACK 1 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 400.0 | 241281 |
| 401543 | Mineral | JACK 2 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 241282 |
| 401544 | Mineral | JACK 3 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 241283 |
| 401545 | Mineral | JACK 4 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 241284 |
| 401546 | Mineral | JACK 5 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 450.0 | 241285 |

| | | | | | | | | | |
|--------|---------|-----------|---------------|---------|-------------|------|--------|-------|--------|
| 401547 | Mineral | JACK 6 | 117069 (100%) | 104B067 | 2008/dec/11 | GOOD | LIARD | 200.0 | 241166 |
| 401548 | Mineral | TINA 1 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241286 |
| 401549 | Mineral | TINA 2 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241287 |
| 401550 | Mineral | TINA 3 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241288 |
| 401551 | Mineral | TINA 4 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241274 |
| 401552 | Mineral | TINA 5 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241164 |
| 401553 | Mineral | TINA 6 | 117069 (100%) | 104B070 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 241165 |
| 401554 | Mineral | BURRARD 1 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241268 |
| 401555 | Mineral | BURRARD 2 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241269 |
| 401556 | Mineral | BURRARD 3 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241270 |
| 401557 | Mineral | BURRARD 4 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 241167 |
| 401558 | Mineral | BURRARD 5 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 241168 |
| 401559 | Mineral | BURRARD 6 | 117069 (100%) | 104B039 | 2008/dec/11 | GOOD | SKEENA | 400.0 | 241169 |
| 403072 | Mineral | KNIP 1 | 117069 (100%) | 104B050 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242721 |
| 403073 | Mineral | KNIP 3 | 117069 (100%) | 104B050 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242723 |
| 403074 | Mineral | KNIP 2 | 117069 (100%) | 104B050 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242722 |
| 403075 | Mineral | KNIP 4 | 117069 (100%) | 104B050 | 2008/dec/11 | GOOD | SKEENA | 375.0 | 242724 |
| 403076 | Mineral | KNIP 5 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 242725 |
| 403077 | Mineral | KNIP 6 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242726 |
| 403078 | Mineral | KNIP 7 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 250.0 | 242727 |
| 403079 | Mineral | KNIP 8 | 117069 (100%) | 104B040 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242728 |
| 403080 | Mineral | HIT 1 | 117069 (100%) | 103P084 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241197 |
| 403081 | Mineral | HIT 2 | 117069 (100%) | 103P084 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241198 |
| 403082 | Mineral | HIT 3 | 117069 (100%) | 103P084 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241199 |
| 403083 | Mineral | HIT 4 | 117069 (100%) | 103P084 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 241200 |
| 403084 | Mineral | WKR 1 | 117069 (100%) | 103P072 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242711 |
| 403086 | Mineral | WKR 3 | 117069 (100%) | 103P072 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242713 |
| 403088 | Mineral | BF 1 | 117069 (100%) | 103P052 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242729 |
| 403089 | Mineral | BF 3 | 117069 (100%) | 103P052 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242731 |
| 403090 | Mineral | BF 2 | 117069 (100%) | 103P052 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242730 |
| 403091 | Mineral | BF 4 | 117069 (100%) | 103P052 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242732 |
| 403092 | Mineral | BF 5 | 117069 (100%) | 103P052 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 242733 |
| 403093 | Mineral | BF 6 | 117069 (100%) | 103P062 | 2008/dec/11 | GOOD | SKEENA | 500.0 | 242734 |
| 403094 | Mineral | BF 7 | 117069 (100%) | 103P062 | 2008/dec/11 | GOOD | SKEENA | 450.0 | 242735 |
| 403095 | Mineral | ZIP 1 | 117069 (100%) | 104B064 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241192 |
| 403096 | Mineral | ZIP 2 | 117069 (100%) | 104B064 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241193 |
| 403097 | Mineral | ZIP 4 | 117069 (100%) | 104B064 | 2008/dec/11 | GOOD | LIARD | 150.0 | 241195 |

| | | | | | | | | | |
|--------|---------|--------|---------------|---------|-------------|------|-------|-------|--------|
| 403098 | Mineral | ZIP 3 | 117069 (100%) | 104B064 | 2008/dec/11 | GOOD | LIARD | 350.0 | 241194 |
| 403099 | Mineral | NIP 1 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 400.0 | 242701 |
| 403100 | Mineral | NIP 2 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 400.0 | 242702 |
| 403101 | Mineral | NIP 3 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242703 |
| 403102 | Mineral | NIP 4 | 117069 (100%) | 104B057 | 2008/dec/11 | GOOD | LIARD | 500.0 | 242704 |
| 403103 | Mineral | GRIZ 1 | 117069 (100%) | 104B074 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241188 |
| 403104 | Mineral | GRIZ 2 | 117069 (100%) | 104B074 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241189 |
| 403105 | Mineral | GRIZ 3 | 117069 (100%) | 104B074 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241190 |
| 403106 | Mineral | GRIZ 4 | 117069 (100%) | 104B074 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241191 |
| 403107 | Mineral | RET 1 | 117069 (100%) | 104B075 | 2008/dec/11 | GOOD | LIARD | 350.0 | 241178 |
| 403108 | Mineral | RET 2 | 117069 (100%) | 104B075 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241179 |
| 403109 | Mineral | RET 3 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 400.0 | 241180 |
| 403110 | Mineral | RET 4 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 400.0 | 241184 |
| 403111 | Mineral | RET 5 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241181 |
| 403112 | Mineral | RET 6 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241182 |
| 403113 | Mineral | RET 7 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 150.0 | 241185 |
| 403114 | Mineral | RET 8 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241183 |
| 403115 | Mineral | RET 9 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 250.0 | 241186 |
| 403116 | Mineral | RET 10 | 117069 (100%) | 104B076 | 2008/dec/11 | GOOD | LIARD | 500.0 | 241187 |
| 403117 | Mineral | PAC 1 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 500.0 | 242705 |
| 403118 | Mineral | PAC 2 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 450.0 | 242706 |
| 403119 | Mineral | PAC 3 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 500.0 | 242707 |
| 403120 | Mineral | PAC 5 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 100.0 | 242709 |
| 403121 | Mineral | PAC 4 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 500.0 | 242708 |
| 403124 | Mineral | PAC 6 | 117069 (100%) | 104B066 | 2009/nov/14 | GOOD | LIARD | 125.0 | 242710 |
| 407034 | Mineral | IS 1 | 117069 (100%) | 104B066 | 2008/nov/19 | GOOD | LIARD | 500.0 | 245601 |
| 407035 | Mineral | IS 2 | 117069 (100%) | 104B066 | 2008/nov/19 | GOOD | LIARD | 500.0 | 245602 |
| 407037 | Mineral | IS 4 | 117069 (100%) | 104B066 | 2008/nov/20 | GOOD | LIARD | 300.0 | 245604 |
| 407041 | Mineral | IS 8 | 117069 (100%) | 104B076 | 2008/nov/20 | GOOD | LIARD | 250.0 | 245608 |
| 407042 | Mineral | IS 9 | 117069 (100%) | 104B076 | 2008/nov/20 | GOOD | LIARD | 375.0 | 245609 |
| 407043 | Mineral | IS 10 | 117069 (100%) | 104B075 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245610 |
| 407044 | Mineral | IS 11 | 117069 (100%) | 104B075 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245611 |
| 407046 | Mineral | IS 13 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245613 |
| 407047 | Mineral | IS 14 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245614 |
| 407049 | Mineral | IS 16 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245616 |
| 407050 | Mineral | IS 17 | 117069 (100%) | 104B066 | 2009/dec/11 | GOOD | LIARD | 400.0 | 245617 |
| 407123 | Mineral | PIN 1 | 117069 (100%) | 104B056 | 2009/dec/11 | GOOD | LIARD | 350.0 | 241225 |

| | | | | | | | | | |
|--------|---------|---------|---------------|---------|-------------|------|--------|---------|--------|
| 407124 | Mineral | PIN 2 | 117069 (100%) | 104B066 | 2009/dec/11 | GOOD | LIARD | 500.0 | 241226 |
| 407125 | Mineral | PIN 3 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 300.0 | 241227 |
| 407126 | Mineral | PIN 4 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 400.0 | 241228 |
| 407127 | Mineral | PIN 5 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 400.0 | 241229 |
| 407128 | Mineral | PIN 6 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 450.0 | 241230 |
| 407129 | Mineral | PIN 7 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 500.0 | 241231 |
| 407130 | Mineral | PIN 8 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 500.0 | 241232 |
| 407131 | Mineral | PIN 9 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 225.0 | 241235 |
| 407132 | Mineral | PIN 10 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 500.0 | 241234 |
| 407133 | Mineral | PIN 11 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 500.0 | 241233 |
| 407138 | Mineral | HELL 5 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 242777 |
| 407140 | Mineral | HELL 7 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 400.0 | 245637 |
| 407141 | Mineral | HELL 8 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 400.0 | 245638 |
| 407142 | Mineral | HELL 9 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 245639 |
| 407143 | Mineral | HELL 10 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 245640 |
| 407144 | Mineral | HELL 11 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 400.0 | 245641 |
| 407145 | Mineral | HELL 12 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 400.0 | 245642 |
| 407146 | Mineral | FEW 1 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 400.0 | 245643 |
| 407147 | Mineral | FEW 2 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 245644 |
| 407155 | Mineral | LEHUA 3 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 200.0 | 242773 |
| 407156 | Mineral | LEHUA 4 | 117069 (100%) | 104B057 | 2009/dec/11 | GOOD | LIARD | 300.0 | 242774 |
| 407157 | Mineral | KING 1 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 242779 |
| 407158 | Mineral | KING 2 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 100.0 | 245634 |
| 407159 | Mineral | KING 3 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 375.0 | 245635 |
| 407160 | Mineral | KING 4 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 450.0 | 245636 |
| 407161 | Mineral | KING 5 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | LIARD | 300.0 | 245645 |
| 407162 | Mineral | KING 6 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245646 |
| 407163 | Mineral | KING 7 | 117069 (100%) | 104B047 | 2009/dec/11 | GOOD | SKEENA | 500.0 | 245647 |
| 407164 | Mineral | IS 18 | 117069 (100%) | 104B067 | 2009/dec/11 | GOOD | LIARD | 150.0 | 245618 |
| 407165 | Mineral | IS 19 | 117069 (100%) | 104B067 | 2009/dec/11 | GOOD | LIARD | 450.0 | 245619 |
| 407171 | Mineral | IS 25 | 117069 (100%) | 104B077 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245625 |
| 407173 | Mineral | IS 27 | 117069 (100%) | 104B077 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245627 |
| 407174 | Mineral | IS 28 | 117069 (100%) | 104B077 | 2009/dec/11 | GOOD | LIARD | 500.0 | 245628 |
| 407175 | Mineral | IS 29 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 300.0 | 245629 |
| 407176 | Mineral | IS 30 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 225.0 | 245630 |
| 407177 | Mineral | IS 31 | 117069 (100%) | 104B076 | 2009/dec/11 | GOOD | LIARD | 375.0 | 245631 |
| 522498 | Mineral | NEW1 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | | 426.368 | |

| | | | | | | | |
|--------|---------|----------|---------------|------|-------------|------|---------|
| 522499 | Mineral | NEW2 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 408.753 |
| 522500 | Mineral | NEW3 | 117069 (100%) | 104B | 2009/nov/22 | GOOD | 426.374 |
| 522501 | Mineral | NEW4 | 117069 (100%) | 104B | 2009/nov/22 | GOOD | 390.671 |
| 522540 | Mineral | NEW5 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.323 |
| 522541 | Mineral | NEW6 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 284.313 |
| 522591 | Mineral | NEW7 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.455 |
| 522593 | Mineral | NEW8 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.491 |
| 522594 | Mineral | NEW9 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.424 |
| 522595 | Mineral | NEW9 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 142.186 |
| 522653 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.588 |
| 522654 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 426.64 |
| 522655 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 71.093 |
| 522921 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 429.734 |
| 522922 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 429.833 |
| 522923 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 393.987 |
| 522924 | Mineral | NEW | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 429.917 |
| 529829 | Mineral | GLOBE | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 17.938 |
| 537093 | Mineral | MASON1 | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 89.7 |
| 537094 | Mineral | DOC FRAC | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 143.507 |
| 537096 | Mineral | DOC FRAC | 117069 (100%) | 104B | 2009/dec/11 | GOOD | 17.936 |

