

RECEIVED
JUL 25 2007
Gold Commissioner's Office
VANCOUVER, B.C.



Le Baron Prospecting
Port Renfrew, BC

Prospecting, Geological Survey Assessment Report

The Le Baron Prospecting / Le Baron #3
2006 - 2007
Vancouver Island, British Columbia

Victoria Mining Division
NTS: 092C059
Tenure # 409935

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
29,228



Table of Contents

• Title Page	#1
• Table of Contents	#2
• Property Summary, Description, Location, Accessibility, Geology	#3
• Local Area Faults, Tenure Mineralization	#4
• Alteration Zones, Work Program	#5
• Summary, Author, Reference	#6
• Statement of Costs	#7
• Copy of Area Aeromagnetic Map	#8
• Copy of Area Fault Map	#9
• Maps / Working maps	Appendix A
• ALS Chemex, Certificates of Geochemical Analysis	Appendix B
• Photos	#10 – 13
• Conformation of Event	#14

Property Description, Location and Accessibility

The Le Baron # 3 tenure is located within the Victoria Mining Division, Southwestern Vancouver Island, BC, Canada. [See Location Map, 1:5,000,000]. The property is located approximately 75 kilometers west of Victoria on the NTS Map # M092C059.

The tenure consists of 15 unit legacy tenure. Highway 14 runs along the southern part of the mineral tenure. The Minute Creek / Kuitshe Creek Service road and several other logging spur roads traverse throughout the property.

The town of Port Renfrew is approximately 9.5 km from the Minute Creek / Kuitshe Creek Service road. Both of the prevention roads access the property easily, with some of the unused roads requires a 4x4 vehicle. The town of Port Renfrew offers some basic services.

The elevation is approximately 300 – 400 meters above sea level. Much of the area has been logged as recently as 2003, and a young forest is established. The logging several years ago has provide some of the tenure with a system of un- named logging spur roads, which have exposed a lot of valuable information and access to prospecting, also an extensive old growth west coast “rainforest” covers part of the property and is part of the “Old Growth Forest Management Plan” as per the Ministry of Forests.

Climatic conditions in the winter months can bring several weeks of rain. The annual rainfall for the Port Renfrew area is not measured in inches but in feet. The average measurement is 8 – 10 feet of rain. Therefore, area rivers and creeks can come up without warning very fast, but also can drain very fast as well.

Area Geology

The descriptions that follow are based in part on the writer’s geological knowledge, field observations and reference material from portions of the review of the Geological and Exploration Evaluation of the Galleon Gold property, completed by A.A. Burgoyne on behalf of AGC Americas Gold Corp. in September 1997. Other material has been referenced from the historic information publicly available in the ARIS data bank.

Vancouver Island lies within what is known as the Canadian Cordillera and is also classified as Wrangella. The Southwestern part of Vancouver Island is predominantly underlain by Paleozoic and Mesozoic strata intruded by Jurassic and Tertiary Intrusions. The Le Baron # 3 tenure is underlain by the San Juan River Fault, which is composed of the Leech River Formation to the south and the Bonanza Group Volcanics to the north. The San Juan Fault is best described as a plate boundary fault, where the Leech River Formation is severely interrupted as a subduction complex.

The Leech River Fault is a reverse or thrust fault that strikes east and dips 45-75 degrees north, and is at least 40 miles long. The Leech River Fault is a remarkably linear feature that formed in an active plate margin tectonic regime. As a result, Eocene Leech River Fault movement was coeval with the emplacement of the Metchosin and Sooke mafic volcanic intrusive complex. North of the Leech River Fault, a distinctly more mountainous terrain is underlain by Cretaceous Leech River Formation amphibolite to upper green schist grade metamorphic rocks consisting of biotite-garnet schist, mica-rich phyllite. The Leech River Formation consists of Cretaceous sediments (probably shale and interbedded sandstone) and minor volcanic rocks (intermediate tuffs/flows)

Local Area Faults

There are several faults within the area as well. The faults are trending a north eastern pattern and join the San Juan River fault in the north. A copy of a map outlining the area faults is provided in this report. [Galleon Gold Tenures, Americas Gold Corp].

Tenure mineralization

METAPELITES: "a set of metamorphic mineral assemblages, repeatedly associated in space and time, such that there is a constant and therefore predictable relation between mineral composition (i.e. mineral assemblage) and chemical composition."

SCHISTS, PHYLLITES

On the basis of the published descriptions of the Leech River Block it would appear that metamorphosed pelites or shales form the most abundant rock type. These range in composition from carbonaceous chlorite phyllite to carbonaceous **andalusite-staurolite-garnet-biotite** schist reflecting retrograde metamorphism and middle to upper amphibolite grade regional metamorphism. Metapelites, that is, phyllites and schist, are only second in order of apparent abundance after the metasandstones. Because of their original nature and composition, they are the best indicator of regional metamorphic grade and of deformation.

PLUTONIC ROCKS

To date, mapping on the property suggests that intrusive rocks, mainly sills, are concentrated forming a narrow E-W trending zone within the main phyllite sequence. These sills comprise light colored, fine grained 'aplite', medium grained biotite granite, and the occasional diorite. Most sills are less than 10 meters wide, of indeterminate length, and have been injected along the existing metamorphic structure.

QUARTZ VEINS

Several narrow quartz veins were geochemical analyzed but no significant gold values were returned. Additionally these veins are narrow (5-10 cm), have limited strike length and contain only minor sulfides. The older, deformed, quartz veins/stock works found within the phyllite sequences are more extensive. Extensive quartz veins and stock works are also localized to the tenure and to the Leech River Fault System.

ALTERATION ZONES

As one traverses from the lower portion of the Le Baron #3 tenure north, the ground alters extensively, from low terrain to steep sheering sills.

The most extensive mineralization so far found on the Le Baron #3 tenure comprises extensive east-west trending alteration zones localized within phyllite, meta-sandstone and meta-volcanic. These are concordant, in which epidote and quartz are the most abundant minerals followed by variable amounts of biotite, hornblende, occasional pink garnet, magnetite, scattered pyrite and chalcopyrite. The alteration extend over lengths of several hundred meters with widths of up to 40 meters and vary from irregular massive alteration lenses to thin epidote rich stringers localized along foliation planes as discrete bands.

Gold values in these zones are generally low though some quartz veins outside of the Le Baron Tenure showed visible gold.

Work Program

Following up on last seasons technical prospecting program in which the marsh areas were systematically grid staked and surveyed looking at why there is an abundance of gem stones present within the tenure, and not as many indicators to the north of east of this tenure. There is no mention in any of the historic reports of DIM exploration, yet the host rock in the area suggests otherwise. Though diamond exploration is happening in the NWT, and small scale exploration in the interior of the province, none has ever taken place on Vancouver Island that I can find reference to. DIMs are minerals formed in the upper mantle as companion crystals with diamond. They are millions of times more numerous in the kimberlite host rock than diamonds and garnets are of the diamond family.

Work Program

Rock Description

ALS Sample Analysis / GPS References [Lorraine, global map 100]

Rock Chip samples: ALS + GPS references:

B-314596 = Quartz vein, alteration area, GPS: 401735 x 5377750

B-314597 = Biotite, garnet, schist alteration, GPS: 401690 x 5377546

B-314598 = Rhyolite alteration area, GPS: 401917 x 5377108

B-314600 = Phyllite, schist alteration, GPS: 402200 x 5376824

B-314601 = Schist, biotite, garnet alteration, GPS: 402398 x 5376785

B-314602 = Phyllite, schist alteration, GPS: 402420 x 5376782

Stream Sediments: moss matt.

B-314603 = Moss matt / sieve / hand pan, GPS: 401831 x 5377500

B-314604 = Moss matt / sieve / hand pan, GPS: 401968 x 5377052

B-314605 = Moss matt / sieve / hand pan, GPS: 402461 x 5376744

Surveyors Line: 825 meters of surveyor line run, / Parkinson Creek.

Alteration zones: 1625 meters measured and plotted on working maps.

GPS: over 100 plotted way points.

Photos: 40 plus photos

Summary:

The past three years of owning this tenure has given the author a better understanding of the formation of the beginning of the Leech River Fault. In reference to several articles in the Minfile from previous authors, and especially reference to Yorath, Geology of Southern Vancouver Island, first addition, it is very clear that something of great magnitude happened right here. The age of reference seems to be between 40 and 50 million years ago. Not to forget that the area "splay faults" i.e., Parkinson Fault, is much more younger, with suggested major activity of only 25 million years ago, with a possibility of as less than 2800 – 3200 years ago since last activity. The author has found evidence of "breathing" fault lines within this tenure and others in close proximity, it makes one wonder what is happening deep within the earth. Also of importance to note is the abundance of garnets, which can be found in the alteration zones, and freely within the streams and creeks. It makes one wonder why this is to be. Garnet is a key mineral in interpreting the genesis of many igneous and metamorphic rocks of the earth's mantle, yet some are kimberlite indicators.

The future:

The author plans to spend a great deal of time in this area, he also owns the placer rights to these creeks, and he plans to use a systematic approach as to where is the heaviest alteration zone, and close proximity to a water area, and to operate a suction dredge deep within the marsh areas. Also, a sediment sampling program should take place, as some areas of the tenure have a layer of clay which has trapped the "precious stones". Defining the extent of that seam is important.

Author:

1. I am a prospector, with a history of prospecting the West Coast of Vancouver Island.
2. I am the owner of Le Baron Prospecting of Port Renfrew BC.
3. I am a member in good standing with the Vancouver Island Placer Miners Association.
4. I am a member of the VIX [Vancouver Island Exploration Group]
5. I have several large mineral tenures within the area of Port Renfrew.
6. I am currently studying the West Coast Crystalline Intrusion Complex.
7. I have a full understanding of the Plate Tectonics of Southern Vancouver Island.
8. I am working closely with professional geologists for guidance and information in regards to questions I have about structure of the Leech River Complex and surrounding areas.

I here by consent to the use of information in this report to further enhance the exploration of the Le Baron #3 mineral tenure.

Scott Phillips: _____

Date: April 20, 2007

Reference:

Chris Yorath: Geology of Southern Vancouver Island, first and second editions.

A.A. Burgoyne: Galleon Gold Property, 1997

Americas Gold Corp: Galleon Gold Property, 1997

Tre Guis Minerals LTD: Aeromagnetic map

Mineral Titles Online.

ARIS: Le Baron #3 – 28427, Le Baron Placer 28426, Tre-Guis – 27973, Gaffers -26731, Carol -17223, Ox- 14699, Spanish -11322, Murton -16507.

Statement of costs

Scott Phillips [prospector / tenure owner]

FMC # 145817

\$30.00 / hr x 44 hrs \$1,320.00

Labor

\$20.00 / hr x 44 hrs\$880.00

Accommodations

16977 Tsonoquay Dr

\$70.00 x 2 days \$140.00

Transportation

4x4 truck

\$50.00 / day x 5 days \$250.00

Report compilation

Le Baron Prospecting 1.25 days\$350.00


Geochemical Analysis

7 rock chip / 3 sediment \$ Not Inc.


Total Costs / Le Baron #3 / 2006 - 2007..... \$2,940.00
--

**A Copy of Aeromagnetic map / Tre Guis Minerals Ltd.
Reference to ARIS Report 28247, Le Baron #3 2005-2006.**


Showing the location of the Le Baron #3 tenure.
Note: geological "hot spot"



A copy of the area fault map.
 Reference to ARIS Report 28247, Le Baron #3 2005-2006.
 On behalf of Galleon Gold Property / America Gold Corp.



Le Baron #3 Tenure Overview



Legend


- Indian Reserves
- National Parks
- Parks
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)
 - Placer Claim Designation
 - Placer Lease Designation
 - No Staking Reserve
 - Conditional Reserve
 - Release Required Reserve
 - Surface Restriction
 - Recreation Area
 - Others
- Mining Division (MTO)
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
 - Contour - Index
 - Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:250K)
- Transportation - Points (1:250K)
 - Airfield
 - Anchorage - Seaplane
 - Ferry Route
 - Heliport
 - Seaplane Base
 - Air Field
 - Airport
 - Air Feature - Condition Unknown

Scale: 1:100,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Appendix A

Le Baron #3 Legacy Tenure



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)**
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (MTO)
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Annotation (1:20K)
- Transportation - Points (TRIM)**
- Helipad
- Transportation - Lines (TRIM)**
- Airfield
- Airport
- Airstrip
- Airport Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2

Scale: 1:20,000


Map center: 48° 32' 13" N, 124° 19' 40" W

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

A

Le Baron #3

ROADS + CREEKS + PARKINSON FAULT.



Legend

- Indian Reserves
 - National Parks
 - Parks
 - Mineral Titles Grid (LRDW)
 - Reserves (Mineral - LRDW Sites)
 - Placer Claim Designation
 - Placer Lease Designation
 - No Staking Reserve
 - Conditional Reserve
 - Release Required Reserve
 - Surface Restriction
 - Recreation Area
 - Others
 - Mining Division (MTO)
 - Integrated Cadastral Fabric
 - Survey Parcels
 - BCGS Grid
 - Contours (TRIM)
 - Contour - Index
 - Contour - Index.Indefinite
 - Contour - Index.Depression
 - Contour - Index.Depression Indefinite
 - Contour - Intermediate
 - Contour - Intermediate.Indefinite
 - Contour - Intermediate.Depression
 - Contour - Intermediate.Depression Indefinite
 - Area of Exclusion
 - Area of Indefinite Contours
 - Annotation (1:20K)
 - Transportation - Points (TRIM)
 - Helipad
 - Transportation - Lines (TRIM)
- Scale: 1:10,000

This map is a user generated static output from an internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Map center: 48° 32' 29" N, 124° 19' 41" W


Le Baron #3 Working Map



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Reserves (Mineral - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (MTO)
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- n (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)

Scale: 1:5,000



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

XX: Rock CHIPS —●— SURVEYOR LINE.

ZZ: STREAM SEDIMENT —▲— ALTERATION ZONE.: SURVEYED.


Le Baron #3 Working Map



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Reserves (Mineral - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (MTO)
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Transportation - Lines (TRIM)
- Helipad

Scale: 1:5,000



This map is a user generated static output from an internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

XX: Rock chip	! ALTERATION ZONE: SURVEYED
22: STREAM SEDIMENT	

A



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 1
Finalized Date: 2-MAY-2007
This copy reported on 4-MAY-2007
Account: LEBPRO

2

CERTIFICATE VA07039999

Project:

P.O. No.:

This report is for 7 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-APR-2007.

The following have access to data associated with this certificate:

SCOTT PHILLIPS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: LE BARON PROSPECTING
ATTN: SCOTT PHILLIPS
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO



CERTIFICATE OF ANALYSIS VA07039999

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Pl	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
B314596		0.10	0.016	<0.005	<0.001	0.9	5.13	29	420	1.1	3	0.82	<0.5	7	59	44
B314597		0.10	0.005	<0.005	<0.001	<0.5	1.61	7	140	<0.5	<2	0.16	<0.5	1	30	20
B314598		0.12	0.003	<0.005	0.001	<0.5	7.33	6	290	1.1	3	1.54	<0.5	9	76	26
B314599		0.12	0.002	<0.005	<0.001	<0.5	6.70	<5	230	1.0	2	1.56	<0.5	8	52	15
B314600		0.16	0.004	<0.005	<0.001	<0.5	0.95	9	50	<0.5	2	0.17	<0.5	<1	14	9
B314601		0.10	0.004	<0.005	0.001	<0.5	9.73	<5	320	1.6	3	2.25	<0.5	14	86	15
B314602		0.18	0.003	<0.005	0.001	<0.5	9.13	15	540	1.7	2	1.29	<0.5	16	127	57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO

CERTIFICATE OF ANALYSIS VA07039999

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
B314596		3.37	10	0.50	10	0.99	339	6	1.02	30	290	30	0.29	<5	8	274
B314597		1.49	<10	0.27	<10	0.35	247	3	0.21	9	250	7	0.01	<5	3	46
B314598		3.65	10	0.84	20	1.24	624	2	1.58	40	390	10	0.01	<5	12	273
B314599		2.70	10	0.67	10	0.90	469	2	1.71	25	330	12	0.01	<5	9	281
B314600		0.72	<10	0.10	<10	0.16	91	1	0.23	3	60	<2	0.03	<5	1	40
B314601		5.01	20	0.99	20	1.97	1070	1	2.76	45	810	22	0.09	<5	17	378
B314602		5.44	20	1.54	10	1.78	1300	1	1.83	59	90	19	0.01	<5	19	385



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO

CERTIFICATE OF ANALYSIS VA07039999

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
B314596		<20	0.22	<10	<10	95	<10	96
B314597		<20	0.05	<10	<10	21	<10	30
B314598		<20	0.41	<10	<10	110	<10	95
B314599		<20	0.30	<10	<10	76	<10	67
B314600		<20	0.02	<10	<10	11	<10	15
B314601		<20	0.44	<10	<10	147	<10	129
B314602		<20	0.46	<10	<10	152	<10	140



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 1
Finalized Date: 2-MAY-2007
This copy reported on 4-MAY-2007
Account: LEBPRO

M

CERTIFICATE VA07040770

Project:

P.O. No.:

This report is for 3 Sediment samples submitted to our lab in Vancouver, BC, Canada on 23-APR-2007.

The following have access to data associated with this certificate:

SCOTT PHILLIPS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
DRY-22	Drying - Maximum Temp 60C
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: LE BARON PROSPECTING
ATTN: SCOTT PHILLIPS
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO

M

CERTIFICATE OF ANALYSIS VA07040770

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
B314603		0.10	0.001	<0.005	<0.001	<0.5	4.46	<5	290	0.6	2	0.76	<0.5	2	28	7
B314604		0.22	0.003	0.006	<0.001	<0.5	4.25	9	270	0.6	<2	0.80	<0.5	2	26	6
B314605		0.22	0.004	0.007	<0.001	<0.5	4.67	<5	280	0.6	3	1.16	<0.5	4	39	8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO

M

CERTIFICATE OF ANALYSIS VA07040770

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
B314603		2.08	10	0.57	10	0.68	315	1	1.27	8	70	6	0.01	5	6	176
B314604		1.89	10	0.52	10	0.64	350	<1	1.23	10	70	7	<0.01	<5	6	172
B314605		2.57	10	0.59	10	0.85	528	<1	1.24	22	160	5	0.01	<5	8	177



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 2-MAY-2007
Account: LEBPRO

CERTIFICATE OF ANALYSIS VA07040770

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
B314603		<20	0.18	<10	<10	62	<10	39
B314604		<20	0.18	<10	<10	56	<10	37
B314605		<20	0.22	<10	<10	78	<10	51

Photos:

Fresh break, showing the area biotite schist / small garnets imbedded.



Rhyolite / alteration / oxidization.



Photos:

Phyllite / alteration, oxidization with mudstone cap.



Rhyolite / with Quartz vein intrusion / alteration, very heated.



Photos:

Rhyolite / Schist alteration, plate tectonic folding.



Biotite / garnet / schist alteration / fold.



Photos:

Stunted cedar / pine forest / Le Baron #3 floating marsh areas. Very lush green vegetation.



Stunted cedar / pine forest, active spring, 400 + depth. Gem stone source. Some green vegetation, very alkaline soil.

