

29336

ASSESSMENT REPORT
ON THE
BT 1, 2 & 7 CLAIMS
CARIBOO MINING DIVISION BRITISH COLUMBIA
LAT 54° 03' N LONG 121° 36' W
N.T.S. 93 I 4

FOR
26BT RESOURCE DEVELOPMENT CO. LTD.

BY
S. JAIN, P. GEOPH (ALBERTA), P. GEO. (B.C.)
&
W. L. KELSCH, P. GEOPH (ALBERTA)

September 25, 2007

Calgary, Alberta

CONTENTS

	PAGE
INTRODUCTION	
Claim Data	1
Location & Access	1
Geology	1
Current Work	1
Future Work	1
Appendix 1 - Assays from surface rock samples collected in 2007	2
Appendix 2 - Sample locations and susceptibility	3
Appendix 3 - Assays from soil samples collected in 2007	4
Index Map	Back Pocket
Location of Rock & Silt Samples Map	Back Pocket
STATEMENT OF COSTS (October 3, 2006 to September 24, 2007)	5

Claim Data

The cells comprising the claims 1, 2 and 7 were filed by Accurate Mining Services of Quesnel, British Columbia on October 3, 2005 and then transferred to 26 BT Resources Development. They were then assembled into the three claim blocks and the blocks grouped for exploration purposes.

<u>Claim Name</u>	<u>Tenure Number</u>	<u>Anniversary Date</u>
BT 1	520729	October 3, 2007
BT 2	520728	October 3, 2007
BT 7	520730	October 3, 2007

Location & Access

The property lies north of the Fraser River and south of the West Torphy River. The centre of the claims is about 6 kilometres N.N.E. of Sinclair Mills. Access to the claims is by old logging roads. The claims lie between the elevation of 800 meters and 1690 meters in generally rugged terrain. Devil's club and windfallen trees make the claims difficult to traverse.

Geology

Following summary of known geology of Bearpaw ridge closely follows the report by Pell (1994). The area is mapped as Silurian volcanoclastics, felsic and intermediate tuffs, agglomerates of Nonda formation over the ridge, foliated hornblende gneiss on the western slope and coarse grained massive pink syenites in the southwest.

The magnetic data acquired by 26BT from government sources and from surveys flown by 26BT, strongly suggest a magnetite rich intrusive of elliptical shape on the ridge. This is confirmed by the mineralogical analysis of samples. From fifteen holes drilled so far in the general area by 26 BT, it was found that they contain crystalline gabbro with high mafic content. The gabbro is quite heterogeneous laterally as well as vertically. Pell (1994) does not mention this intrusive. Incidentally, the sodalite body mapped by Pell has not been encountered. It appears that this complex intrusive is similar to the North Elbow Lake intrusive described by MacTavish in 1994 but much larger. This area was active longer as it appears to contain a higher content of magnetic material. A mechanism for the Bearspaw intrusive could be the subduction of exotic terrane as it moved northward against an offset on the edge of the North American plate.

Current Work

The work consisted of collecting 12 rock samples and 3 silt samples in a difficult terrain during the summer of 2007. Loring Laboratories of Calgary did a whole rock ICP analysis of these samples and assayed for gold in silt samples. Appendix 1 & 2 is the report and assays of Loring Lab and Appendix 3 shows the coordinates. Unfortunately the results are very discouraging for gold, Iron and Titanium. Odd samples with unusual Vanadium and Barium do not appear to be commercial levels.

Future Work

More analysis and interpretation of the data will be done in the following year. Depending on the funds raised the work next summer will focus on defining the prospective area in the northern part of these claims.



Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
 Calgary Alberta T2K 4W7
 Tel: 274-2777 Fax: 275-0541

TO: 26 BT RESOURCES CO. LTD.
 502, 222 - 58th Ave S.W.,
 Calgary, Alberta
 T2E 2S3

APPENDIX 1 Assays from surface rock samples collected in 2007

FILE: 4 9 9 9 1

DATE: Sept 19, 2007

Attn: Sudhir Jain

WHOLEROCK ICP ANALYSIS

Sample I.D.	Al ₂ O ₃ %	Ba ppm	CaO %	Cr ppm	Fe ₂ O ₃ %	K ₂ O %	MgO %	MnO %	Na ₂ O %	Ni ppm	P ₂ O ₅ %	SO ₃ %	SiO ₂ %	Sr ppm	TiO ₂ %	V ppm	LOI@1000 %	SUM %
CK 701 OC	17.68	15820	4.88	<1	7.93	1.65	1.60	0.16	7.11	21	0.34	0.20	52.87	225	1.64	30	2.64	98.69
CK 702 SS	9.30	646	6.07	402	8.42	1.47	4.00	0.12	2.57	75	0.07	0.06	54.41	350	2.10	240	8.88	97.48
CK 703 OC	11.30	172	0.30	<1	5.44	4.61	0.20	0.17	6.16	7	<0.01	0.13	68.24	60	0.21	90	0.27	97.04
CK 704 SS	9.53	565	9.05	468	10.22	1.17	6.44	0.16	2.49	144	0.11	0.12	43.51	339	2.10	285	13.02	97.92
CK 705 SS	9.61	742	7.50	<1	9.71	1.28	4.28	0.14	4.58	69	0.20	0.12	46.14	444	2.44	255	11.57	97.58
CK 706 OC	12.42	293	11.39	67	4.34	2.31	6.11	0.18	7.25	34	<0.01	0.04	52.43	87	0.32	75	0.74	97.54
CK 707 OC	19.85	599	0.22	33	5.38	6.80	0.10	0.11	9.11	9	<0.01	0.02	55.02	185	0.41	<1	0.89	97.90
CK 708 OC	18.51	695	1.63	<1	7.13	6.58	0.97	0.18	9.84	6	0.12	0.06	50.80	106	0.77	75	0.98	97.58
CK 709 OC	20.05	453	0.28	<1	2.57	7.07	0.08	0.06	9.26	9	<0.01	0.04	57.57	163	0.19	30	0.59	97.74
CK 710 OC	21.98	4421	3.51	<1	7.07	4.65	1.60	0.15	11.88	8	0.14	0.06	44.23	721	1.19	<1	0.98	97.44
CK 711 OC	16.56	1527	0.73	<1	7.09	6.78	0.36	0.11	12.48	9	0.12	0.04	51.09	65	0.81	45	1.22	97.39
CK 712 OC	18.34	789	1.32	201	6.75	7.43	0.53	0.20	9.14	9	0.06	0.05	51.76	95	0.59	30	1.21	97.37
CK 713 OC	16.66	781	0.56	134	6.73	6.26	0.09	0.21	7.07	9	0.07	0.02	57.76	92	0.60	<1	1.33	97.35
CK 714 OC	17.56	831	0.53	33	5.35	6.48	0.09	0.15	7.64	6	0.10	0.02	57.88	109	0.55	<1	1.30	97.65
CK 715 OC	16.78	900	1.13	<1	5.98	6.41	0.49	0.18	7.93	3	0.05	0.05	56.67	174	0.52	150	1.30	97.49

0.2g Sample fused with LiBO₂, and dissolved in 5%HNO₃.

Certified by: _____

Loring Laboratories Ltd.

629 Beaverdam Road N.E.,
Calgary Alberta T2K 4W7
Tel: 274-2777 Fax: 275-0541
loringlabs@telus.net

TO: 26 BT RESOURCES CO. LTD.
502, 222 - 58th Ave S.W.,
Calgary, Alberta
T2E 2S3

APPENDIX 2
Assays from silt samples
collected in 2007

FILE: 4 9 9 9 1
Date : Sept 19, 2007
Samples : Soil

Attn: Sudhir Jain

Certificate of Assay

Sample No.	ppb Gold
<u>"Geochem Analysis"</u>	
CK 702 SS	< 5
CK 704 SS	< 5
CK 705 SS	< 5

I HEREBY CERTIFY that the above results are those assays made by me upon the herein described samples:

Assayer

Rejects and pulps are retained for one month unless specific arrangements are made in advance.

APPENDIX 3
UTM coordinates and susceptibility
for rock and silt samples collected in 2007

SAMPLE LOCATIONS & SUSCEPTIBILITY
 26BT RESOURCE DEVELOPMENT, SEPTEMBER, 2007

SAMPLE NUMBER	LOCATION NORTHING	NAD 83 EASTING	SUSCEPTIBILITY
CK 701 OC	5,990,408	589,971	39.3
CK 702 SS	5,990,308	589,965	
CK 703 OC	5,990,220	589,946	0.14
CK 704 SS	5,990,245	589,921	
CK 705 SS	5,990,231	589,900	
CK 706 OC	5,991,503	590,297	0.1
CK 707 OC	5,991,118	586,478	0.8
CK 708 OC	5,991,128	586,529	12.2
CK 709 OC	5,991,119	586,540	0
CK 710 OC	5,991,087	586,706	10.3
CK 711 OC	5,991,077	586,743	11.3
CK 712 OC	5,991,076	586,793	0.14
CK 713 OC	5,991,119	586,836	1.34
CK 714 OC	5,991,045	586,909	12.2
CK 715 OC	5,991,175	586,999	3.06

STATEMENT OF COSTS
(October 3, 2006 - September 24, 2007)

A. EXPLORATION COSTS

Geological Field Trip

September 17-20, 2007

1-Geologist, \$350/day X 4 days	\$1,400.00
1-Geological Assistant, \$250.00/day X 4 days	1000.00
2-ATV Rental, \$125/day X 4 days X 2	1000.00
1-Rental of Utility Trailer, \$25.00/day X 4 days	100.00
Truck Travel Time, 1256 km X \$0.40/km	502.40
Fuel For Truck & ATV's	394.75
Groceries and Meals	307.78
Sample bags, flagging, gas can, jugs	132.62

SUBTOTAL \$4,837.55

Producing Maps 23.80

B. SAMPLE ANALYSIS

- Loring Laboratories 522.90

TOTAL EXPENSES \$5,384.25



SUDHIR JAIN, PGeo.,BC received M.Tech. in Exploration Geophysics from Indian Institute of Technology and Ph.D. in Geophysics from University of Liverpool. After working for twelve years for Mobil and sundry service companies in U.K., Libya, U.S.A., and Canada, Dr. Jain set up Commonwealth Geophysical, a service company for oil and mineral exploration in 1976. He developed innovative interpretation techniques for geophysical data which quickly became industry standards. He published over 40 papers and was honoured by European and Canadian professional societies.

Since 1974, Dr. Jain has explored for numerous companies in Canada and overseas as well as in Madagascar and Southeastern Alberta on his own account. He is also associated with ore exploration in British Columbia and diamond exploration in Saskatchewan. He is a registered Geoscientist in British Columbia, a member of Association of Professional Engineers, Geologists and Geophysicists of Alberta, and honorary member of Canadian Society of Exploration Geophysicists.

LORNE KELSCH graduated with B.Sc. from University of Manitoba in 1952. After working on seismic data acquisition, processing and interpretation for 22 years with Petty Ray Geophysical, Mr. Kelsch moved to PanCanadian where he worked in various capacities including Chief Geophysicist till his retirement in 1995.

Mr. Kelsch is a professional member of Association of Professional Engineers, Geologists and Geophysicists of Alberta, Canadian Society of Exploration Geophysicists.

26BT INDEX MAP



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (MTO)
- Mineral Tenures (Mineral - MTO)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - MTO Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (MTO)
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes






Scale: 1:50,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.
































Notes: OCTOBER, 2006

Location of Silt Samples 


Location of Rock Samples 



Legend

-  Indian Reserves
-  National Parks
-  Parks
-  Mineral Titles Grid (MTO)
-  Mineral Tenures (Mineral - MTO)
-  Mineral Claim
-  Mineral Lease
-  Reserves (Mineral - MTO Sites)
-  Placer Claim Designation
-  Placer Lease Designation
-  No Staking Reserve
-  Conditional Reserve
-  Release Required Reserve
-  Surface Restriction
-  Recreation Area
-  Others
-  Mining Division (MTO)
-  Integrated Cadastral Fabric
-  BCGS Grid
-  Contours (TRIM)
-  Contour - Index
-  Contour - Index.Indefinite
-  Contour - Index.Depression
-  Contour - Index.Depression Indefinite
-  Contour - Intermediate
-  Contour - Intermediate.Indefinite
-  Contour - Intermediate.Depression
-  Contour - Intermediate.Depression Indefinite
-  Area of Exclusion
-  Area of Indefinite Contours
-  Transportation - Points (TRIM)

Scale: 1:10,000



This map is a user generated static output from an Internet mapping site and is for general informational purposes only. Data layers that appear on this map may or may not be accurate, current, or reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

This map is a user generated static output from an Internet mapping site and is for general informational purposes only. Data layers that appear on this map may or may not be accurate, current, or reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.