


**Assessment Report On
Geochemical Sampling Program On:**

**Nickel-1 Mineral Claim
Nut 2-3-4-5 Mineral Claims
Jack 3, 5, 7, 9, 11, 13, 15 and 17 Mineral Claims
Carp 11-12-13-14-15 Mineral Claim**



**Statement of exploration# 4152517
4152522**



**Located
48 kilometres southwest of
Mackenzie, British Columbia in
Cariboo and Omineca Mining Divisions**

**123 degrees 15 minutes longitude
54 degrees 57 minutes latitude**

**On Behalf of
Mountain Boy Minerals
Stewart, BC**

**Report by
E.R. Kruchkowski, B.Sc., P. Geo.**

29357

August 15, 2007

TABLE OF CONTENTS

	PAGE
SUMMARY	1
INTRODUCTION	2
Location and Access	2
Physiography, Topography and Climate	2
Personnel and Operations	2
Property Ownership	3
Previous work	4
GEOLOGY	7
Regional geology	7
Local Geology	8
Alteration and Mineralization	9
TRENCHING	10
GEOCHEMISTRY	11
Introduction	11
Field Procedure and Laboratory Technique	11
Statistical Treatment of Results	12
INTERPRETATION AND CONCLUSIONS	13
RECOMMENDATIONS	16
REFERENCES	19
CERTIFICATE OF AUTHOR'S QUALIFICATIONS	20
STATEMENT OF COSTS	21
APPENDICES AND ILLUSTRATIONS after page	21
<i>LIST OF APPENDIXES</i>	
Appendix II	Geochemical Analysis
Appendix II	Cumulative Frequency Plots

LIST OF FIGURES

Figure 1	Location Map
Figure 2	Claim Map
Figure 3	Regional Geology Map
Figure 4	Showing Locations & Areas Recommended for Exploration
Figure 5	Index Map of Samples Location
Figure 6	Trench 1, 2 and 3 – ERK – 1 - 13 Samples Location Map
Figure 7	Nickel Showing ERK – 26 - 31 Samples Location Map
Figure 8	Zinc Showing Trench results ERK – 34 – 58 Samples
Figure 9	Soil sampling Grid – Au in ppb.
Figure 10	BOB, JAS, KBB, RA, RS Samples location Map
Figure 11	R 1-29, R 51-90 Samples Location Map
Figure 12	RED, RJ, RA, BOB, and KBB Samples Location Map
Figure 13	RK 1-25 and RS – 350 to 366 Samples Location Map
Figure 14	JAS 91to 142 Samples Location Map
Figure 15	JAS 20 - 54 and JAS 91to 94 Samples Location Map

Table 1 **Anomalous Metal Values**

SUMMARY

The Carp property is located about 48 kilometres southwest of Mackenzie in north-central British Columbia in Cariboo and Omineca mining divisions on NTS maps 93O/3E & 3W, and 93J/14E & 14W. The property consists of 73 mineral claims totaling 14,691 hectares and 20 placer claims totaling 500 hectares.

In April to June 2007, ATW Ventures Ltd completed a geochemical and trenching program on the Nickel-1, Nut 2- 3-4-5, and Jack 3, 5, 7, 9, 11, 13, 15 and 17 as well as Carp 11-12-13-14-15 mineral claims.

The program was designed to test areas of carbonate altered rocks on the Jack claims, nickel bearing limestones on the Nickel 1 claim as well as altered rocks on the Nut claims and areas of zinc mineralization in skarn rocks on the Carp claims.

A total of 1035 soil and silt samples were collected from grid lines as well as along logging roads. A total of 60 rock samples were taken, mainly from 4 trench areas and over the nickel showing on the Nickel 1 claim. The area of the claims is underlain by deep overburden consisting of alluvial gravels. Outcrops form less than 5 % of the survey area.

Fire geochem gave a range of <1 to 882 ppb gold and ICP analysis showed <0.2 to 24.1 ppm Ag, <1 to 993 Cu, 1to 1956 ppm Ni, 2 to >10,000 ppm Pb and 0.1ppm to 7.8 % Zn.

The survey outlined anomalous values for all the above metals in all areas surveyed.

Further work including geochemistry is recommended for the claim area with an estimated budget of \$200,000.

INTRODUCTION

Property Location and Access

The property is located 48 kilometres southwest of Mackenzie in north-central British Columbia in Cariboo and Omineca mining divisions on NTS maps 93O/3E & 3W, and 903J/14E & 14W.

Mackenzie (population 5,000) is the local commercial center situated 48 km northeast from the property, at the end of Highway 39. It is serviced by regularly scheduled Greyhound bus. Mackenzie can provide accommodation and food for the exploration crew as well as all rudimentary equipment and supplies required for exploration.

Access to the area is by Highway 97 which passes close to McLeod Lake. From there, a dense network of active and decommissioned forestry roads provide an easy access to the property using 4-wheel drive vehicles or ATV machines.

Physiography, Topography and Climate

The property is located on the Nechako Plateau in north-central British Columbia. A blanket of glacially deposited material covers much of the property. It ranges in thickness from less than 1 metre to 25-30 metres. Outcrops comprise no more than a few percent of the total property area. The bulk of exposed rocks occurs on ridge tops and along river and creek bottoms. Drumlins and eskers striking northeast are abundant.

Climate of the area is defined by typical warm continental summers, up to 30° C, contrasting with cold, up to 30° below-zero temperatures in winters. Precipitation is moderate, ranging from 200 to 500 mm annually with half of it as snow. The area is covered by forest which includes fir, spruce, balsam and pine. Often (especially along numerous creeks) there is thick underbrush composed of alder, devil's club and wild rose. The field season starts usually in early May and ends in late October or early November. The climate offers no insurmountable impediment to year-round operations (e.g. drilling) on the property.

Personnel and Operations

ATW Ventures Ltd of Vancouver, BC contracted K-6 consulting of Calgary, AB to carry out the geochemical program on the property.

Duz Cho Logging of Mackenzie was contracted to provide equipment for cleaning snow off access roads and trenching. Duz Cho provided a Caterpillar 325 excavator to carry out this work.

Personnel involved in the program are as follows:

S Kruchkowski	prospector	April 23 to June 7, 2007
K. Chernwichan	geological assistant	April 23 to June 7, 2007
B. Humphreys	geological assistant	June 1 to June 7, 2007
J. Hoetzel	geological assistant	April 25 to June 7, 2007
Bobbie, Quilty	geological assistant	May 8 to June 7, 2007
B. Quilty	geological assistant	June 1 to June 7, 2007
A. Lee	geological assistant	May 8 to June 7, 2007

E Kruchkowski and C. Kruchkowski, geologists, provided all geological supervision and trench sampling.

The crew stayed at motels in Mackenzie and drove to the work sites on a daily basis.

Assayers Canada performed all geochemical analysis.

Property Ownership

The property consists of 73 mineral claims in three claim groups as well as 20 placer claims (Figure 2). Mineral claims comprise 14,691 hectares and placer claims 500 hectares. All claims are 100% owned by Mountain Boy Minerals and held in Trust by Edward Kruchkowski.

Relevant claim information is presented below:

List of Mineral Claims

Claim Name	Record No.	Area (ha)	Expiry date
Nut 1	387543	500	June 21, 2007
Nut 2	387544	500	June 21, 2007
Nut 3	387545	500	June 24, 2007
Nut 4	387546	500	June 22, 2007
Nut 5	387547	375	June 20, 2007
Nut 6	387548	250	June 19, 2007
Nut 7	387549	150	June 18, 2007
Nut 8	387548	500	June 12, 2007
Nickel-1	411481	225	June 02, 2007
Stiffleg	532390	241	April 18, 2008
Total 3,741 ha			
Carp 1	387949	450	June 27, 2007
Carp 2	387950	400	June 28, 2007
Carp 3	387951	400	June 28, 2007
Carp 4	387952	400	June 28, 2007
Carp 5	387523	400	June 24, 2007
Carp 6	387497	400	June 24, 2007
Carp 7	387524	500	June 24, 2007

Carp 8	387507	500	June 24, 2007
Carp 9	387525	500	June 24, 2007
Carp 10	387953	500	June 26, 2007
Carp 11	387954	500	June 26, 2007
Carp 12	387508	400	June 14, 2007
Carp 13	387509	400	June 12, 2007
Carp 14	387510	400	June 13, 2007
Carp 15	387511	400	June 15, 2007
Carp 16	387512	400	June 15, 2007
Carp 17	387513	400	June 15, 2007
Carp 18	387514	500	June 15, 2007
Carp 19	387515	400	June 15, 2007
Carp 20	387516	500	June 15, 2007
Carp 21	387522	400	June 15, 2007
Carp 22	387520	400	June 20, 2007
Carp 23	387521	400	June 20, 2007
	Total	9,950 ha	

Claim Name	Record No	Area (ha)	Expiry date
Jack 1-16	387727 – 387742	400	June 17, 2007
Jack 17-20	387743 – 387746	100	June 18, 2007
Jack 21-28	387747 – 387754	200	June 19, 2007
Jack 29-40	387755 – 387766	300	June 21, 2007
	Total	1000 ha	

List of Placer Claims

Claim Name	Record No.	Area (ha)	Expiry date
Boot 1-8	387707 – 387714	200	June 17, 2007
Boot 9-10	387715 – 387716	50	June 18, 2007
Boot 11-14	387717 – 387720	100	June 19, 2007
Boot 15-20	387721 – 387726	150	June 21, 2007
	Total	500 h	

ATW Ventures has an option agreement to earn an 80 % interest in the claims by spending \$800,000.00 over a 3 year period.

Previous Work

JACK CLAIMS

1933-35

In this period, the McDougall River area was extensively worked by Cariboo Northern Development Co. Ltd. and Northern Reef Gold Mines Ltd. These two companies held much of the mineralized ground east of the Reed Creek-McDougall confluence. In 1933, Cariboo Northern Development tested their property and obtained encouraging results. The company Manager reported that several low gravel benches ran as high as \$3.15 per yard (1933) with the yardage ranging from 2 to 13 yards. Fourteen random placer samples assayed as much as \$3.60 per tonne gold with all the concentrates carrying assayable platinum concentrations. In 1934, Northern Reef Gold Mines continued the work with the construction of 26 kilometres of tractor trail from McLeod Lake, ditch and dam construction, and underground workings. A 52-foot long adit with a 28 foot winze at the end was driven 10 feet above the river. Placer testing was carried out in 1934 at four points located just by the river. The results averaged \$1.87 (1934) per cubic yard. Hydraulic mining started in 1935, but was abandoned the same year. No production data is available.

1930's

Students from Alberta carried out a placer test on the McLeod River, just below its confluence with McDougal River. A heavy mineral concentrate obtained from the processing of 300 cubic yards of gravel assayed 780 oz/t platinum. Gold has been removed from the sample by amalgamation.

There are no records of exploration activity in this area until 1980 when property was staked following a regional geochemical survey undertaken by the A.T. syndicate in the same year. Ezekiel Explorations Ltd. optioned the property from A.T. Syndicate in 1981.

1981-89

Ezekiel Explorations conducted extensive exploration in this area from 1981 to 1989. The work included prospecting; heavy mineral, soil, silt and rock sampling; geological mapping; airborne VLF and magnetometer surveys; and ground VLF and magnetometer surveys.

In 1981, detailed heavy mineral sampling was carried out along all streams and rivers draining the property. A total of 66 samples were taken during the survey. Heavy mineral samples collected from the lower McDougall River contained very high concentrations of gold. Substantial part of the placer gold particles was angular and wiry indicating very little transport and thus a local source.

In 1983, a heavy mineral sampling program consisting of 27 samples was carried along the last six kilometers of McDougall River. Very high gold values of up to 20,000 ppb were obtained from this survey. In addition, very high silver values of up to 200 ppm were also obtained. Silver shows a good correlation with gold values indicating the potential use of silver as a pathfinder for gold exploration in this area. Also very high barium (up to 4980 ppm), iron (up to 26.8%) and manganese (up to 10,000ppm) values were obtained which also show a good correlation with gold. High mercury and tungsten values show no correlation with high gold values.

The following year, Ezekiel Explorations continued its program of heavy mineral sampling along McDougall River and its tributaries. Heavy mineral concentrates were

also collected from creeks draining VLF grids. A total of 58 heavy mineral concentrates were collected during the survey. The 1983 results showed very high gold values (up to 140,000 ppb) accompanied by anomalous values of Ag, Cu, Mo, Pb, and Zn. Part of the samples (collected along Bonnington Creek) was mistakenly analyzed as silt samples and was not counted as heavy mineral samples.

1984

A group associated with Mr. Dave Fredlund conducted placer tests along McDougall River. Their unconfirmed reported results for 50 tests ranged from \$5.0 to \$50.0 per yard.

1986

Under the supervision of Mr. K. Gatey, acting for Plasway Nation Research, a placer testing was carried out using a large number of small pits. Gold assays obtained from the placer concentrates ranged from 0.0104 to 0.2122 oz/t.

After 1989, the claims were allowed to lapse and there was no reported exploration activity in the area until 2001 when the McDougal River Syndicate staked the present Carp, Nuts and Jack mineral claims as well as Boot placer claims.

2001

The McDougall River Syndicate carried out heavy mineral sampling along McDougall River. In March 2003, the claims were acquired by Mountain Boy Minerals of Stewart, BC.

2004-2005

Mountain Boy Minerals conducted rock and silt sampling program.

In March 2004 Tercon Placers entered into agreement with Mountain Boy minerals to prospect for placer gold and other precious metals on 20 placer claims (Boot 1 to 20) located on McDougall River. Tercon Placers terminated the agreement the same year as its initial heavy mineral concentrates contained only small amount of gold.

A microscopic study of placer gold obtained from Tercon placer testing on McDougall River (just below the junction with Reed Creek) was carried out. Eight gold grains with attached mineral grains other than quartz were separated. The separated grains were analyzed by Scanning Electron Microscope/Energy-Dispersion X-ray analysis by Mati Raundsepp, Ph.D., from Department of Earth and Ocean Sciences at the University of British Columbia. The purpose of this study was to determine mineral grains other than quartz attached to gold grains.

NORTHERN PART OF CARP CLAIMS

1980-81

Denison Mines Limited carried out an exploration on a few properties in this area. The exploration programs, designed to find copper-molybdenum mineralization included limited geological mapping, soil sampling, trenching, and magnetometer surveys. Discouraged by the results, Denison Mines dropped the properties.

1991

D.L Cooke and Associates staked Cato 1 and 2 mineral claims (which in part overlapped with the former Denison Mine's properties) to cover airborne magnetic anomalies in this area. A reconnaissance program of prospecting, mapping and soil sampling was done on the property to evaluate the potential of the claims for copper, molybdenum and gold mineralization. The property was dropped the following year.

NUT CLAIMS

1997

Prospector R. Osmond conducted a small program of soil and rock sampling on his own Bob claims. This area is now covered by Nickel-1 claim.

2004

Mountain Boy Minerals conducted a small rock and soil sampling program concentrated on Nickel-1 claim where several outcrops of very strongly altered ultramafic rocks with strong "nickel bloom" staining were located.

LIGNITE LAKE

1971

In an area located on the west side of Lignite Lake, an unknown company conducted a short, 610 metre drilling program to test molybdenite bearing quartz porphyry sill. Results of this program are not available.

1973

In the wake of finding a nickel-copper bearing ultramafic float on Nick claims (located just south of Lignite Lake), El Paso Minerals conducted geological mapping, prospecting, ground magnetometer survey along with soil and rock geochemistry.

2005

Mountain Boy Minerals carried out a small rock and soil sampling program on the west side of Lignite Lake.

2006

Mountain Boy Minerals completed a small 3 holes (230.8m) drilling program on Nickel-1 claim. The holes tested very strongly altered ultramafic rocks with strong "nickel bloom" staining.

GEOLOGY

Regional Geology

Geologic mapping of this area on a regional scale was undertaken in 1946 by Armstrong, Tipper and Hoadley of the Geological Survey of Canada. The work was finally completed by Tipper in 1961 as G.S.C. Map 1204A. The following description of the

regional geology in the property area is based on a BCGS map published by the government on the internet.

The property is dominated by four regional lithological units. The area of Jack claims, the most southern portion of Carp claims and most of Nut claims are underlined by Middle to Upper Triassic Takla group composed of mudstone, siltstone and shale. To the northeast this unit is in contact with volcanic rocks of basaltic composition which also belong to Takla group of Triassic to Jurassic age. The northeast part of the Carp claims is dominated by Tertiary age plutonic rocks composed of granite and alkali feldspar granite. The southwest part of Carp claims is underlined by Upper Cretaceous to Eocene age Wolverine metamorphic complex comprised of calcsilicate metamorphic rocks. In the northwest corner of Carp claims there is an occurrence of Cambrian Atan group composed of undivided sedimentary rocks. In the northwest corner of Nut claims there is a small occurrence of late Triassic to early Jurassic ultramafic rocks (unnamed).

The regional geology of the property area is presented on Figure 3.

Local Geology

Jack and Carp claims

The area of Jack claims is dominated by argillites, mudstones and siltstones. The argillite is a black, pyritiferous and locally graphitic, often exposed as loose broken slabs and faces. The siltstones and mudstones are a competent, often laminated rock. Locally, this sedimentary sequence was intruded by igneous rocks ranging from andesite to diorite. The sediments and volcanics appear to have been deposited as a continuous sequence as observed in the river cuts along McDougall River. This sequence of mostly sedimentary rocks has undergone several intrusive episodes which resulted in the formation of numerous dykes ranging in composition from felsic to ultramafic. Multiple fracturing, faulting and shearing events accompany the intrusive episodes.

Going north along the Reed Creek, from the junction with McDougall River these pelitic rocks change gradually to phyllites. Further north, toward Phillip Road, the rocks change to chlorite schist. The area to the north from granite quarry by the Phillip Road (Carp-10 and 11 claims) is occupied by chlorite +/- quartz +/- sericite schists. The schists seem to be a part of Wolverine Metamorphic Complex which underlies the western part of Carp claims. The complex is comprised of granitoid gneiss, garniferous gneiss, micaceous garnitiferous schist, pegmatite and quartzite. Many of the gneisses and schists are mafic rich, approaching amphibolites. Garnets found in the gneisses and schists are of almandine type and occur as euhedral crystals up to 1 cm in size. All schists and gneisses are well foliated. The foliation may be locally contorted but generally strike northeast and dip steeply to the east. Four sets of quartz veins are found in the gneisses. Three are pre-metamorphism and have been deformed by shearing and folding. The fourth is post metamorphism and lacks deformation. Veins of this set strike 020 degrees and dip 60 degrees west. To the north and east, the Wolverine Metamorphic Complex is in contact with granite-monzonite stock (Figure 3). Within the contact zone of this stock, metasomatism has created calc-silicate, siliceous, micaceous skarns in which diopside, garnet, carbonates and epidote are prominent. Locally, magnetite and sulphides are also present. Metasomatic changes and skarn development are most strongly developed in the

northern part of Carp claims where granite-monzonite stock intrudes limestone dominated sedimentary rocks.

Nut claims

The area of Nut claims features very few outcrops. One area with some rock exposure is located around Royer Lake (Figure 4). This part of Nut claims is dominated by argillites and siltstones accompanied by andesite and diorite. Diorite contains 1-2% disseminated pyrite and 1% disseminated magnetite. In the same general area, the Royer Lake showing (Minfile No. 093O044) features a large outcrop of coarsely crystalline pyroxenite with pods of pyrite and magnetite.

In another area, on the Nickel-1 claim, there are a few outcrops of strongly altered ultramafic rock (listwanite). The rocks are very rusty from abundant limonite, and in a few places have a characteristic green colour ("nickel bloom") caused by disseminated secondary nickel minerals.

Alteration and Mineralization

As of 2006, no economic mineralization has been discovered on the property. Three areas characterized by different alteration-mineralization as well as mineralization potential have been distinguished on the Carp property.

JACK CLAIMS AREA

The economic potential of this area is indicated by the presence of a significant amounts of placer gold, part of which has an angular and wiry appearance suggesting its local source. The size of gold particles ranges from dust to pea grain. To date, no source of this placer gold was found. So far, the following types of alteration- mineralization have been found on Jack claims and adjacent areas.

- (a) Quartz, quartz-calcite and calcite veins hosted within argillites. They contain some pyrite+/-minor chalcopyrite. Vein size ranges from less than a 1 cm to 30 metres in width. Samples collected from these veins by Ezekiel Explorations in the 80's returned gold values ranging from trace to 0.022oz/t. The Ruby showing (Minfile No. 093J023) located just by McDougall River close to the confluence with Reed Creek consists of a number of quartz veins hosted in schistose argillites. Some of the veins conform to the orientation of the enclosing rocks while others are crosscutting them. The main workings are situated on a 6 to 9 metres outcrop of quartz which contains a little pyrite and galena. Reported gold and silver values are quite low although fairly significant gold values were reported from the country rocks. Samples from one vein, up to 6 metres wide, assayed up to 171.4 grams per tonne gold (George Cross News Letter#92, 1991).
- 0.□ Foliated cataclastic limestone, which assayed up to 0.044oz/t Au, the best gold value of all rock samples collected by Ezekiel Explorations in this area (Troup A., 1985).

NORTH-NORtheast PARTS OF CARP CLAIMS

Alteration and mineralization in this area is associated with the contact zones of multi phased granitic intrusions which has been emplaced in interbedded metamorphosed limestone and fine grained clastic sediments which most likely belong to the Slide Mountain group. Emplacement of these intrusions appears to be associated with a northerly trending fault system. Metasomatism has created calc-silicate, siliceous, micaceous skarns in which diopside, garnet, carbonates and epidote are prominent. In these skarns abundant magnetite-pyrrhotite mineralization is developed along with varying amounts of molybdenite with lesser chalcopyrite, galena, sphalerite and scheelite. Molybdenite has also been noted as disseminations within the fine grained granites and aplites as well as metasediments. Very limited rock sampling was done in this area. Sampling from six trenches returned values as high as 3.1% molybdenum and 0.68% tungsten over 1.3 metre interval. Copper was weaker with a high of 0.11% Cu over 1.2 m. In another area, a grab sample from massive sulphides returned 8.7% zinc and 0.13% copper. Mineralization related to the contact zone of granitic intrusions is not restricted to the northern part of Carp claims but extends much further to the southeast, past Carp-19 claim, as indicated by the presence of a strong (400-500 gammas above the background) airborne magnetic anomaly (Figure 4). Jack showing, which consists of molybdenite bearing quartz porphyry sill marks the southeastern limit of this type of alteration-mineralization (Figure 4).

NUT CLAIMS AREA

This area features alteration-mineralization related to ultramafic rocks. The Royer Lake showing (Minfile No. 093O044) is located in the northern part of the Nut -1 claim (Figure 4). The showing consists of medium grained magnetite and pyrite in small pods hosted in a rusty, locally gossan-like, coarsely crystalline pyroxenite. The magnetite-pyrite pods, scattered over a 10 by 10 metre, area are exposed in a prominent knob north of Royer Lake.

In another area, on the Nickel-1 claim, there are a few outcrops of strongly altered ultramafic rock (listwanite). The rocks are very rusty from abundant limonite and in a few places have a characteristic green colour caused by disseminated secondary nickel minerals. A couple dozen rock grab samples taken from this altered ultramafic rock by R. Osmond (1977) and the author (2004) returned anomalous values in nickel, chromium and copper. All samples collected in 2004 were also assayed for platinum. No anomalous values were detected.

TRENCHING

Three hand trenches were excavated along a partially exposed outcrop of highly sheared, carbonate altered and limonitic siltstone on the Jack 11 claim. A total of 50 meters of hand trenching was completed in this area. Grab sampling in 2003 yielded 100 ppb gold from this gossanous outcrop. Trenching in 2007 yielded low gold values from the exposed outcrops. Figure 6 shows the values for gold in Trench 1, 2 and 3 –ERK -1-13 Samples Location Map.

Grab sampling was also conducted from old trenches on the Nickel 1 claim. Values up to 0.19 % Ni were obtained from the pentlandite bearing silicified limestone within these trenches. The nickel bearing formation is up to 10 meters wide and is exposed over 75 meters of length. It appears to dip west and drilling in 2006 was in the footwall portion and likely missed the mineralization. Figure 7 shows the Nickel Showing – ERK-26-31 Samples Location Map.

A long trench was excavated on the Carp 11 claim to expose zinc mineralization associated with skarns formed at the contact of granodiorite intruding into calcareous sediments and argillites. The excavator was used to expose 200 meters of outcrop along an old road. Zinc mineralization is exposed in several locations with one 3.05 meter interval assaying 1.88 % zinc with greater than 1 % lead. Grab sampling of a 0.5 meter boulder above the trench and at the base of a steep hill yielded 7.88 % zinc indicating extension of this zone to the north. Figure 8 shows the Zinc Showing-Trench sample results-ERK-34-58.

GEOCHEMISTRY

Introduction

The area of the claims is underlain by deep overburden consisting of alluvial gravels. Outcrops form less than 5% of the survey area.

A total of 1035 soil and silt samples were collected from grid lines as well as along logging roads. A total of 60 rock samples were taken, mainly from 4 trench areas and over the nickel showing on the Nickel 1 claim.

The “B” soil horizon was collected during the soil sampling program. For the rock sampling, where possible only non weathered outcrop and/or mineralization was taken.

Field Procedure and Laboratory Technique

Laboratory procedures for specific metals are presented below:

Procedure summary for gold analysis:

The samples are fluxed, silver is added and mixed. The assays are fused in batches of 24 assays along with a natural standard and a blank. This batch of 26 assays is carried through the whole procedure as a set. After cupellation the precious metal beads are transferred into new glassware, dissolved with aqua regia solution, diluted to volume and mixed.

These resulting solutions are analyzed on an atomic absorption spectrometer using a suitable standard set. The natural standard fused along with this set must be within 2 standard deviations of its known or the whole set is re-assayed.

A minimum of 10% of all assays are rechecked, then reported in parts per billion (ppb).

Detection Limit: 1ppb

Procedure summary for copper, lead, zinc, silver and nickel assays:

Elements Analyzed:

Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sn, Sr, Th, Ti, U, W, Zn

Procedure:

0.500 grams of the sample pulp is digested for 2 hours at 95°C with a 3:1 HCl:HNO₃ mixture. After cooling, the sample is diluted to 25mL with deionized water.

The solutions are analyzed by Inductively Coupled Plasma-Atomic Emission Spectra using standard operating conditions.

Each batch has 24 samples, 3 duplicates, one blank and two standards. Each batch will be rerun if the duplicates or the standards do not match the expected values.

Detection limit and analytical range are element specific.

Complete geochemical results are presented in Appendix I.

Statistical Treatment of Data

A statistical treatment of geochemical data according to standard methods was practical undertaken in order to establish anomalous values. Specific metal distributions were plotted on cumulative frequency plots and a 97.5 percentile on a straight line or normal distribution plot was used to establish anomalous thresholds. Anomalous values for Au, Ag, Zn, Pb, Cu and Ni are as follows:

Table 1 - Anomalous Metal Values

Metal	Threshold Value
Au	30 – ppb
Ag	1.4 – ppm
Zn	140 – ppm
Pb	40 – ppm
Cu	80 – ppm
Ni	60 – ppm

Figure 5 shows the Index Map of Samples Location. Figures 9 to 15 show the location of the soil samples as well as Au, Ag, Cu, Pb and Zn.

Figure 9 shows the Au values on a grid placed over sheared and carbonate altered rocks on the Jack 9, 11 and 13 claims. Most of the anomalous gold values are indicated in the vicinity of trenches 1-3 with gold values up to 882 ppb.

Figure 10 shows the Au, Ag, Cu, Pb and Zn values on the Nickel 1 and Nut 2 and 4 claims. Weakly anomalous values are indicated for all the above metals.

Figure 11 shows the Au, Ag, Cu, Pb and Zn values on the Jack 3, 5, 7, 9, 11, 13, 15 and 17 claims. Weakly anomalous values are indicated for Au, Cu, Pb and Zn.

Figure 12 shows the Au, Ag, Cu, Pb and Zn values on the Nickel 1 and Nut 4 and 5 claims. Weakly anomalous values are indicated for Cu and Zn as well as several highly anomalous gold samples on the Nut 5 claim.

Figure 13 shows the Au, Ag, Cu, Pb and Zn values on the Nut 3 and 4 claims. Weakly anomalous values are indicated for Au, Ag, Cu, and Zn.

Figure 14 shows the Au, Ag, Cu, Pb and Zn values on the Carp 13, 14 and 15 claims. No anomalous values are indicated for this area.

Figure 15 shows the Au, Ag, Cu, Pb and Zn values on the Carp 11 and 12 claims. Weakly anomalous values are indicated for Au, Cu, Pb and Zn.

INTERPRETATION AND CONCLUSIONS

1. The property consists of 73 mineral claims totaling 14,691 hectares and 20 placer claims totaling 500 hectares..
2. In April to June 2007, ATW Ventures Ltd completed a geochemical and trenching program on the Nickel-1, Nut 2-3-4-5, and Jack 3, 5, 7, 9, 11, 13, 15 and 17 as well as Carp 11-12-13-14-15 mineral claims.
3. A total of 1035 soil and silt samples were collected from grid lines as well as along logging roads. A total of 60 rock samples were taken, mainly from 4 trench areas and over the nickel showing on the Nickel 1 claim. The area of the claims is underlain by deep overburden consisting of alluvial gravels. Outcrops form less than 5 % of the survey area.
4. Fire geochem gave a range of <1 to 882 ppb gold and ICP analysis showed <0.2 to 24.1 ppm Ag, <1 to 993 Cu, 1to 1956 ppm Ni, 2 to >10,000 ppm Pb and 0.1ppm to 7.8 % Zn.

5. The survey outlined anomalous values for all the above metals in all areas surveyed.
6. Based on the exploration work performed by various operators from the 1930's - until now, the Carp property features three main areas with different styles of alteration, mineralization as well as mineralization potential (Figure 4). These areas are presented below in order reflecting their importance as exploration targets. All three deserve further investigation. No further exploration work is recommended for the fourth area west of Lignite Lake.

JACK CLAIMS

Most of the exploration work done on the Carp property was conducted in the area covered by these claims. The reason for this is the presence of coarse angular and wiry placer gold in McDougall River detected by several exploration companies which conducted heavy mineral sampling in the area. Also, the placer gold found in McLeod and Parsnip rivers most likely came from this area. Similarly with the author, the previous companies thought that this area has great potential to host a high grade gold deposit since such angular, wiry gold does not travel long distances and thus its sources must be local. However, despite intensive exploration efforts, the source of the placer gold has not been found. Very poor rock exposure is partly to blame. The author of this report is of the opinion that exploration tools used by previous companies in this area were not effective. They relied in most part on a combination of soil sampling and ground geophysics (VLF and Magnetometer). The author's examination of soil results as well as inspection of the areas from which these samples were collected revealed the following. First, all samples with anomalous gold occur as erratic, isolated occurrences with little or no correlation to each other and to underlying bedrock. They reflect the presence of gold within glacial material rather than underlying gold zones. Second, the medium they sampled in most part is a glacial material not a residual soil. The follow up VLF and magnetometer surveys were highly unreliable for detecting mineralized structures as was clearly demonstrated in the Ezekiel Report from 1981. A. Troup, the author of this report, in a chapter summarizing geophysical survey concludes. "Inspection of these conductors by a geologist found the following facts: One conductor was due to a north striking fault. The others were all found to be associated with graphitic and pyritiferous shale and argillite. Surprisingly, a large 30 metre wide quartz vein on this grid gave no VLF response." The numerous quartz and carbonate veins sampled over many years failed to show any significant quantities of gold, which in turn indicates that they are not the source of the placer gold.

A petrographic study by Scanning Electron Microscope/Energy-Dispersion X-ray analysis conducted in 2004 in the Department of Earth and Ocean Sciences at the University of British Columbia provided a few important clues about a rock type the placer gold came from. For the purpose of this study, eight gold grains were separated from heavy mineral concentrate derived from McDougall River. The study was conducted to determine mineral grains other than quartz attached to gold grains. This in turn would indicate the character of rock in which these grains were originally imbedded. The study revealed that seven out of eight grains are associated with the mineral assemblage composed of quartz, K-feldspar, plagioclase, biotite and muscovite. Six out

of eight gold samples contain three or more of these minerals. Less common minerals detected during this study include magnetite, apatite, monazite, rutile, actinolite, spessartine, grunerite, and cassiterite (?).

In conclusion, the study revealed that at least part of the placer gold from McDougall River came from a rock of granitic composition. Examination of heavy mineral and silt samples geochemistry shows a good correlation between silver and gold values indicating a low temperature environment. Silver could be used as a pathfinder to find gold.

NORTH - NORTHEAST PARTS OF CARP CLAIMS

This area features skarn mineralization developed on the contact of granitic intrusions. The skarn zones contain magnetite, pyrrhotite and molybdenite with lesser chalcopyrite, galena, sphalerite and scheelite. Contents of ore minerals vary in broad range. Very limited rock sampling done in this area returned values as high as 3.1% Mo and 0.68% W over a 1.3 metre interval. Copper was weaker with a high of 0.11% Cu over 1.2 m. A grab sample taken from massive sulphides returned 8.7% zinc and 0.13% copper. Despite occasional high values, the overall geochemical results from this area are not encouraging. They do not indicate the presence of significant mineralized zone(s) in the areas explored by previous operators. Their highly erratic nature is typical of skarn mineralization.

However, the author is of the opinion that this area was not fully explored and has the potential to host molybdenum porphyry or copper-molybdenum deposit. This conclusion is supported by the following facts:

- a) Sulphides mineralization was reported not only in skarn but also as disseminations within the fine grained granites and aplites as well as metasediments indicating the potential for the occurrence of a molybdenum-copper porphyry type of mineralization.
- b) The area which may hosts a molybdenum-copper porphyry mineralization is not restricted to the northern part of Carp claims but stretches much further in the southeast direction, past Carp 19 claim, over a distance of 15 kilometres. This is confirmed by the presence of molybdenite bearing quartz porphyry intrusion (Jack showing) in the northeast corner of Carp-19 claim, as well as the presence of a strong (400-500 gammas above the background) airborne magnetic anomaly (Figure 4).

NUT CLAIMS

This area should be examined for the presence of nickel, copper and platinum within ultramafic intrusion located just north of Royer Lake (Nut-1 and Nut-2 claims). The intrusion contains pods of magnetite and pyrite (no records of sampling this intrusion were found). The study of heavy mineral concentrates from McDougall River conducted in 2001 by the McDougall River Syndicate (Kruchkowski, 2002) proved that most platinum and palladium is associated with magnetite.

Elsewhere within the block of the Nut claims (Nickel-1 claim), a few dozen rock and soil samples were collected from a strongly altered ultramafic rock. In 2006 these rocks were tested by 3 short holes totaling 230.8 metres. All samples derived from these rocks (soil, grab samples and core) returned relatively high (in comparison to other rocks from the Carp property) values in nickel, chromium and cobalt. These values however are not anomalous since they are within limits expected for these elements in ultramafic rocks which typically have the highest concentrations of these elements compared to other rock types. No further exploration work is recommended for this area.

AREA WEST OF LIGNITE LAKE

This area features numerous float of altered peridotite located by an old decommissioned forestry road. The float is believed to come from two separate intrusions; size of one of them is estimated at a minimum of 200-300 metres across. A dozen or so samples from these boulders returned anomalous nickel values ranging from 2000 to 3200 ppm, weak copper and no platinum. The boulders contained very little sulphides. Only one boulder contained 5-10 % pyrrhotite and minor chalcopyrite; it assayed only 346 ppm copper. An examination of thin sections from this nickel-bearing rock revealed very little sulphides content. This in turn implies that the nickel is mostly contained within silicate minerals. Nickel tied in silicates is highly refractory and at the present time there is no technology to recover nickel from this type of rock. No further work is recommended for this area.

RECOMMENDATIONS

PHASE I EXPLORATION PROGRAM

JACK CLAIMS

Two to three weeks of prospecting by a geologist and field assistant along McDougall River and its tributary creeks (primarily Reed, Bonnington, Garnetred, and Rocker creeks) is recommended for this area. Special attention should be paid to any signs of alteration and mineralization within rocks of granitic composition. Because of the coarse grained nature of gold particles, rock samples should be as big as possible. It is strongly recommended to prospect directly within river and creek beds during periods of low water levels. It is very important to prospect these places searching for boulders containing visible gold. A small, portable gold detector could be of great help in this task. Finding such boulders would be a very important step in the search for the source of the placer gold from this area.

NORTH - NORTHEAST PARTS OF CARP CLAIMS

The following exploration program conducted in places not investigated by previous companies is recommended for this area:

- (a) Water and stream sediment sampling.
- (b) Follow-up soil sampling.
- (c) Trenching of promising soil anomalies by a full size excavator.

Molybdenum and copper should be the primary elements to assay. Approximately three weeks of sampling by a geologist and field assistant is required to cover the area. In addition, twenty days will be required to trench designated soil anomalies.

NUT CLAIMS

For this area, prospecting and sampling of all occurrences of ultramafic and mafic rocks are recommended. The work should be focused on Nut-1 and Nut-2 claims where GSC geologists mapped an ultramafic intrusion. A helicopter is required for this job since the area is not accessible by road. Five to six days of work by a geologist and field assistant will be required to prospect and sample this area.

PROPOSED BUDGET FOR PHASE I EXPLORATION PROGRAM

<u>ITEM</u>	<u>COST</u>
1) Fees, Insurance, Permits	\$30,000
2) Field Equipment, Supplies, Shipping	\$7,000
3) Food, Accommodation (in Mackenzie)	\$15,000
4) Analyses – soil, water, rock 1,200 samples @ \$25.00	\$30,000
5) Excavator – 200 hours @ 200.00/hour	\$40,000
6) Vehicle rental plus gas	\$5,000
7) Helicopter, 20 hours @ \$1,300/hour	\$26,000
7) Field Personnel 1 Geologist, 50 days @ \$300/day =	\$15,000
1 field technician, 50 days @ \$200/day =	\$10,000
8) Report, Compilation, Graphic Figures	\$5,000
	Sub-Total \$183,000
9) Contingency (10%)	\$17,300
	<u>Total \$20,000</u>

PHASE II EXPLORATION PROGRAM

The second phase of exploration on the Carp property will consist of drilling targets delineated during the first phase of exploration. A total of 2,200 metres of diamond drilling in 20-25 holes is planned for this phase of exploration. An estimated cost of the drilling program is outlined below.

<u>ITEM</u>	<u>COST</u>
1) 2,200 metres @ \$90/meter-direct cost (all inclusive)	\$198,000
2) Road construction	\$35,000
3) Accommodation/supplies	\$5,000

4) Mob/Demob	\$5,000
5) Assaying – 100 samples @ \$20/a sample	\$2,000
6) Geological supervision	\$3,000
7) Core cutting	\$1,000
8) Vehicle rental	\$1,000
9) Report, compilation, graphic figures	\$7,000
10) Permitting and bonding	\$20,000
Subtotal	\$277,000
<u>11) Contingency</u>	<u>\$23,000</u>
Total	<u>\$300,000</u>

REFERENCES

- Bridge D., 2001, Geological, Geochemical and Geophysical report on Snow 1-4 Claims.
Assessment report 26,461.
- Bridge D., 2001, Geological, Geochemical and Geophysical report on Chain 1-4 claims.
Assessment report 26,462
- Brown R.F., 1988, Report on soil geochemistry and line-cutting.
Assessment report 18,157.
- Cooke D.L., 1991, Report on Geochemistry and Geology of the Cato 1 &2 claims.
Assessment report 21,753.
- Dandy, L., 1989 – Geological, Geochemical and Geophysical Report on the G-North and
Plasway Properties. Assessment Report 19,329.
- De Carle, J., 1987 – Report on Combined Helicopter Electromagnetic, Magnetic and
VIF-EM Survey, G-North and Plasway Properties. Assessment Report 16,269
- Faulkner R.L., 1980, Report on the Geology of the Koots-1 claim, Assessment report
8,775.
- Faulkner, 1981, Report on the geology of the Koots 1, Sean -1, Windy-1 claims:
Assessment report 9,921.
- Faulkner R.L, 1981, Report on the geology of the Nite-1 claim, Assessment report 9764.
- Gatey, K., - Testing and Work Report, McDougall River, BC
- Geological Survey of Canada – Maps 979A and 1204A
- Geological Survey of Canada – Aeromagnetic Maps 1563E, 1562G, 1572G and 1573E
- Holmgren, L. and Kowalchuk J.M., 1987; Geology, Geochemists and Geophysics,
Report on the G-North Property. Assessment Report, 15,879
- Konings, M.N., 1984; Airborne Electromagnetic and Magnetic Survey Report on the
G-North Property. Assessment Report 13, 215
- Kruchkowski E., 2002, Report on Geology and Testing of Claim Holdings Owned by
McDougall River Syndicate.
- Kruchkowski E., 2006, Drill Report-Nickel 1 Claim and Boot 17 claim
Minfile Mineral Inventory
- Minister of Mines and Petroleum Resources – Annual Report 1932, pages A88-91
- Minister of Mines and Petroleum Resources – Annual Report 1933, pages A 100-105
- Minister of Mines and Petroleum Resources – Annual Report 1936, pages C31-33
- Montgomery, J.A., 1986 – Report on the McDougall River Placer Gold Prospect
- Richards, G.G., 1986 – Report on the Mineral Potential of the McLeod Prospect.
Assessment Report 16,880.
- Rubles, V.J., 1986 – Occurrences and Distribution of Platinum Group Elements in British
Columbia
- Taylor, 1973; Geology, geochemistry and ground magnetics of the Nick 1-8 and 21-
26 claims, assessment report 4,706.
- Troup A., 1981, Geochemical, Geological and Geophysical report on G-North Property
Assessment report 10,231.
- Troup A. and Darby L., 1983 – Geology, Geochemistry and Geophysics Report on
G-North Property. Assessment Report 12,164
- Troup A., Freeze J.C., 1985; Report on Geochemical, Geological and Geophysical work
on G North claims, Assessment report 13,750.
- Walcott, P.E., 1990 – A Geophysical Report on Magnetic and Electromagnetic Surveying
– MacLeod River area. Assessment Report 19,930.

CERTIFICATE OF AUTHOR'S QUALIFICATIONS

I, Edward R. Kruchkowski, geologist, residing at 23 Templeside Bay, N.E., in the City of Calgary, in the Province of Alberta, hereby certify that:


1. I received a Bachelor of Science degree in Geology from the University of Alberta in 1972.
2. I have been practicing my profession continuously since graduation.
3. I am a member of the Association of Professional Engineers, Geologists and Geophysicists of Alberta.
4. I am a member of the Association of Professional Engineers and Geoscientists of British Columbia.
5. I am a consulting geologist working on behalf of ATW Ventures Ltd
6. The main source of information has been from sampling programs conducted by the author in 2003 and 2004, the 2006 drill program and 2007 geochemical and trenching program as well as numerous assessment and evaluation reports on the property.
7. I authorize ATW Ventures Ltd. And Mountain Boy Minerals Ltd to use information in this report or portions of it in its prospectus, any brochures, promotional material or company reports and consent to the placing of this report in the public file of the Canadian Venture Exchange.


Date:


E.R. Kruchkowski, B.Sc. P.Geo

STATEMENT OF EXPENDITURES

E. Kruchkowski – May 1-June 9 38 days @\$450.00	\$17,100.00
On site supervision and over all project co-ordination.	
C. Kruchkowski –as invoiced	\$7,502.41
A. Lee - as invoiced	\$4,851.60
K. Cherniwhan- as invoiced	\$5,773.00
B. Humphreys- as invoiced	\$5,058.35
S Kruchkowski- as invoiced	\$14,348.50
Bobbie Quilty- as invoiced	\$5,100.00
B. Quilty- as invoiced	\$1,600.00
J. Hoetzl- as invoiced	\$5,476.14
2 quads \$100.00/day for 35 days	\$7,000.00
1 trucks \$100.00/day for 37 days	\$3,700.00
1 truck \$100.00/day for 38 days	\$3,800.00
Analysis – Assayers Canada	\$19,607.41
Drafting	\$5,000.00
Motel costs	\$7,256.73
Doz Cho Logging Invoice for road work and trenching	\$14,482.45
Meal, food, gasoline and airfare expenses	\$18,031.44
Equipment rental – phones, radios, supplies	\$20,000.00
Total	\$165,688.00










Legend:

- 11** Tertiary; unnamed intrusive rocks: granite, alkali feldspar granite
- 10** Upper Cretaceous to Eocene; Wolverine Metamorphic Complex: calc-silicate metamorphic rocks
- 9** Cretaceous; Wolverine Range Plutonic Suite: granite, pegmatitic intrusive rocks
- 8** Late Triassic to Early Jurassic; unnamed ultramafic rocks
- 7** Middle to Upper Triassic; Taidea Group: mudstone, siltstone, shale
- 6** Triassic to Jurassic; Takla Group: basaltic volcanic rocks
- 5** Lower Mississippian to Permian; Slide Mountain Complex: basaltic volcanic rocks
- 4A** Upper Silurian to Lower Devonian; Tapioca Sandstone: undivided sedimentary rocks
- 4** Lower Ordovician; Monkman Quartzite: quartzite, quartz arenite
- 3** Cambrian; Atan Group: undivided sedimentary rocks
- 2** Cambrian to Ordovician; Kechika Group: limestone, slate, siltstone, argillite
- 1A** Upper Proterozoic; Misinchika Group: limestone, marble, calcareous sedimentary rocks
- 1** Upper Proterozoic; unnamed: paragneiss metamorphic rocks
- geological contacts
- fault, thrust
- lake, river
- property boundary

ATW VENTURES LTD.	
CARP PROJECT	
NTS Nos.: 093J / 14E & 14W 093O / 03E & 03W	Omineca & Cariboo Mining Divisions
REGIONAL GEOLOGY MAP	
Drafting: <i>K. Martelene</i>	Date: Jan. 24, 2006
Fig. 3	





Legend:


- road
- lake, river
- mineral claim
- placer claim

ATW VENTURES LTD.	
CARP PROJECT	
NTS Nos.: 093J / 14E & 14W 093O / 03E & 03W	Omineca & Cariboo Mining Divisions
INDEX MAP OF SAMPLES LOCATION	
Drafting: <i>K. Mastalerz</i>	Date: Jan. 24, 2006
	Fig. 5



JACK 11
387737

SAMPLE	WIDTH	AU ppb
ERK-1	3m chip	3
ERK-2	3m chip	7
ERK-3	3m chip	2
ERK-4	3m chip	6
ERK-5	3m chip	3
ERK-6	3m chip	1
ERK-7	3m chip	2
ERK-8	2m chip	17
ERK-9	2m chip	<1
ERK-10	3m chip	2
ERK-11	3m chip	<1
ERK-12	3m chip	<1
ERK-13	Grab	2



To accompany Report by E. Kruchkowski

ATW VENTURES LTD.

CARP PROJECT

Omineca and Cariboo Mining Divisions, B.C.

**TRENCH 1, 2 AND 3
ERK-1-13 SAMPLES
LOCATION MAP**

NTS: 093J / 14E & 14W,
093O / 03E & 03W | SCALE: 1:500

FIGURE: 6

0 5 10 15 20
METRES

SAMPLE No.	TYPE	Ni %
ERK-26	Grab	0.16
ERK-27	Grab	0.04
ERK-28	Grab	0.19
ERK-29	Grab	0.15
ERK-30	Grab	0.15
ERK-31	Grab	0.13

NICKEL 1
411481

489780mE
6098800mN

ERK-26

ERK-27

X ERK-30

ERK-28,29

X ERK-31

Altered silicified
Limestone rusty with
minor Pentlandite

0 METRES 25

To accompany Report by E. Kruchkowski

ATW VENTURES LTD.

CARP PROJECT

Omineca and Cariboo Mining Divisions, B.C.


**NICKEL SHOWING
ERK-26-31 SAMPLES
LOCATION MAP**

NTS: 093J / 14E & 14W.
093O / 03E & 03W

SCALE:
1:500

FIGURE:
7





SAMPLE NO.	TYPE	ZN %
ERK-34	3m chip	0.03
ERK-35	3.3m chip	0.01
ERK-36	3.0m chip	0.006
ERK-37	3.0m chip	0.01
ERK-38	3.0m chip	0.008
ERK-39	3.0m chip	0.07
ERK-40	1.85m chip	0.66
ERK-41	0.9m chip	0.12
ERK-42	3.0m chip	0.09
ERK-43	3.0m chip	0.13
ERK-44	3.0m chip	1.88
ERK-45	1.9m chip	0.67
ERK-46	3.0m chip	0.07
ERK047	3.0m chip	0.13
ERK-48	3.0m chip	0.06
ERK-49	3.0m chip	0.07
ERK-50	Grab	6.88
ERK-51	3.0m chip	0.02
ERK-52	3.0m chip	0.05
ERK-53	2.2m chip	0.002
ERK-54	3.0m chip	0.003
ERK-55	3.0m chip	0.01
ERK-56	3.0m chip	0.01
ERK-57	3.0m chip	0.008
ERK-58	Grab	0.004

CARP 11
387954

Road



0 METRES
25
SCALE 1:500

To accompany Report by E. Kruchkowski


ATW VENTURES LTD.

CARP PROJECT

Omineca and Cariboo Mining Divisions, B.C.

**ZINC SHOWING
TRENCH RESULTS
ERK-34-58 SAMPLES**

NTS:093J / 14E & 14W.
093D / 03E & 03W. SCALE: 1:500 FIGURE: 8



To accompany Report by E. Kruchkowski

ATW VENTURES LTD.

CARP PROJECT

Omineca and Cariboo Mining Divisions, B.C.

SOIL SAMPLING GRID


Au in ppb


Metres
0 100 200
Scale 1:40,000


NTS:093J / 14E & 14W,
093O / 03E & 03W

SCALE: 1:4,000

FIGURE: C







487000 mE

NUT 1

387543

488000 mE

NUT 2


387544

6099000 mN

6099000 mN

NUT 3

387545



SAMPLE	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm
RK-1	3	<0.2	12	9	65
RK-2	<1	<0.2	5	5	88
RK-3	3	0.4	19	13	158
RK-4	2	<0.2	1	7	20
RK-5	8	<0.2	5	10	29
RK-6	5	0.3	14	13	74
RK-7	12	0.4	20	9	64
RK-8	5	0.2	24	13	67
RK-9	4	0.2	18	12	64
RK-10	8	0.7	17	12	66
RK-11	30	0.3	23	15	138
RK-12	11	0.4	35	16	99
RK-13	7	<0.2	28	13	72
RK-14	15	2.1	87	20	144
RK-15	53	0.9	53	19	173
RK-16	5	0.6	21	15	105
RK-17	8	0.3	2	5	14
RK-18	7	<0.2	21	14	71
RK-19	11	0.2	29	18	66
RK-20	5	0.2	16	10	92
RK-21	9	0.3	22	14	124
RK-22	5	0.4	9	11	33
RK-23	7	0.4	26	14	115
RK-24	4	1	9	10	17
RK-25	6	1.4	35	19	124

SAMPLE	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm
RS-350	9	0.4	49	17	86
RS-351	13	0.5	36	17	115
RS-352	9	0.9	28	11	109
RS-353	6	0.7	14	13	85
RS-354	6	1.1	16	15	62
RS-355	7	0.6	13	11	113
RS-356	9	1	15	13	78
RS-357	15	1.6	16	9	107
RS-358	15	<0.2	28	13	103
RS-359	24	0.9	25	11	106
RS-360	5	1.1	19	13	53
RS-361	7	2	26	11	112
RS-362	4	0.5	22	10	120
RS-363	12	0.8	28	17	120
RS-365	5	<0.2	47	11	145
RS-366	5	1.5	25	9	171

6098000 mN

NUT 4

387546

To accompany Report by E. Kruchkowski

ATW VENTURES LTD.**CARP PROJECT**

Omineca and Cariboo Mining Divisions, B.C.

**RK-1 to 25 and RS-350 to 366
SAMPLES LOCATION MAP**NTS:093J / 14E & 14W,
093O / 03E & 03W

SCALE: 1:10,000

FIGURE: 13

0 Metres
Scale 1:10,000



6101000 mN

- JAS-91
- JAS-92
- JAS-93
- JAS-94
- JAS-95
- JAS-96
- JAS-97
- JAS-98
- JAS-99
- JAS-100
- JAS-101
- JAS-102
- JAS-103
- JAS-104
- JAS-105

CARP 13 387509

6100000 mN

CARP 8 387507

6099000 mN

CARP 9 387525

- JAS-106
- JAS-107
- JAS-108
- JAS-109
- JAS-110
- JAS-111
- JAS-112
- JAS-113
- JAS-114
- JAS-115
- JAS-116
- JAS-117
- JAS-118
- JAS-119
- JAS-120
- JAS-121
- JAS-122
- JAS-123
- JAS-124
- JAS-125
- JAS-126
- JAS-127
- JAS-128
- JAS-129
- JAS-130
- JAS-131
- JAS-132
- JAS-133
- JAS-134
- JAS-135
- JAS-136
- JAS-137
- JAS-138
- JAS-139
- JAS-140
- JAS-141
- JAS-142

478000 mE

CARP 14 387510

6101000 mN

CARP 13 387509

6100000 mN

6099000 mN

CARP 15 387511

479000 mE

To accompany Report by E. Kruchkowski

ATW VENTURES LTD.**CARP PROJECT**

Omineca and Cariboo Mining Divisions, B.C.

**JAS-91 to 142 SAMPLES
LOCATION MAP**NTS: 093J / 14E & 14W,
093O / 03E & 03WSCALE:
1:10,000

FIGURE:

14

SAMPLE	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm
JAS-91	2	<0.2	16	5	41
JAS-92	2	<0.2	9	6	43
JAS-93	2	<0.2	5	8	19
JAS-94	3	<0.2	2	3	3
JAS-95	<1	<0.2	7	11	27
JAS-96	3	0.4	3	5	8
JAS-97	3	<0.2	11	10	42
JAS-98	2	<0.2	11	8	43
JAS-99	1	<0.2	4	8	19
JAS-100	1	<0.2	9	7	46
JAS-101	1	<0.2	2	<2	2
JAS-102	1	0.3	18	14	71
JAS-103	3	<0.2	2	<2	3
JAS-104	5	<0.2	18	12	65
JAS-105	1	<0.2	6	3	17
JAS-106	<1	<0.2	25	18	94
JAS-107	<1	<0.2	9	15	35
JAS-108	3	<0.2	11	13	37
JAS-109	13	<0.2	9	7	31
JAS-110	4	<0.2	9	13	29
JAS-111	2	<0.2	7	8	31
JAS-112	2	<0.2	15	8	62
JAS-113	4	<0.2	43	31	108
JAS-114	4	<0.2	35	21	95
JAS-115	1	<0.2	11	8	45
JAS-116	3	<0.2	13	7	37
JAS-117	2	<0.2	8	7	38
JAS-118	1	<0.2	9	11	42
JAS-119	<1	<0.2	2	5	9
JAS-120	2	<0.2	5	8	14
JAS-121	1	0.3	4	8	22
JAS-122	5	<0.2	10	9	46
JAS-123	<1	0.2	10	9	67
JAS-124	1	<0.2	20	9	59
JAS-125	<1	<0.2	6	5	26
JAS-126	2	<0.2	4	8	21
JAS-127	2	0.4	4	4	13
JAS-128	<1	<0.2	11	9	60
JAS-129	<1	<0.2	8	10	59
JAS-130	<1	<0.2	3	4	32
JAS-131	<1	<0.2	9	12	58
JAS-132	<1	0.5	13	15	60
JAS-133	<1	<0.2	3	10	28
JAS-134	<1	<0.2	6	4	30
JAS-135	2	<0.2	3	14	14
JAS-136	<1	<0.2	6	11	38
JAS-137	<1	<0.2	6	9	31
JAS-138	<1	<0.2	1	<2	6
JAS-139	1	0.2	27	12	83
JAS-140	<1	<0.2	15	11	60
JAS-141	<1	0.5	21	21	97
JAS-142	<1	0.3	8	10	20

0 Metres
500
Scale 1:10,000

479000 mE

6099000 mN



478000 mE

6103000 mN

- JAS-54
- JAS-53
- JAS-52
- JAS-51
- JAS-50
- JAS-49
- JAS-48
- JAS-47
- JAS-46

CARP 11 387954

479000 mE

6103000 mN

SAMPLE	Au ppb	Ag ppm	Cu ppm	Pb ppm	Zn ppm
JAS-20	5	<0.2	7	5	41
JAS-21	736	<0.2	6	12	61
JAS-22	3	<0.2	6	7	73
JAS-23	7	<0.2	5	5	69
JAS-24	4	<0.2	<1	2	<1
JAS-25	5	<0.2	3	8	8
JAS-26	3	<0.2	10	9	66
JAS-27	4	<0.2	8	11	48
JAS-28	4	<0.2	12	12	71
JAS-29	5	<0.2	16	11	45
JAS-30	5	<0.2	12	6	40
JAS-31	5	<0.2	18	8	57
JAS-32	3	<0.2	19	9	58
JAS-33	4	<0.2	13	7	54
JAS-34	112	<0.2	10	9	30
JAS-35	4	<0.2	10	7	26
JAS-36	4	<0.2	10	7	9
JAS-37	1	<0.2	8	12	27
JAS-38	6	<0.2	17	17	60
JAS-39	3	<0.2	18	12	60
JAS-40	46	<0.2	7	8	37
JAS-41	8	<0.2	10	11	34
JAS-42	4	<0.2	19	12	77
JAS-43	4	<0.2	52	23	116
JAS-44	4	<0.2	23	12	75
JAS-45	3	<0.2	4	8	17
JAS-46	16	0.3	29	14	70
JAS-47	5	0.8	14	9	26
JAS-48	3	<0.2	18	13	86
JAS-49	5	<0.2	21	13	47
JAS-50	5	<0.2	11	9	27
JAS-51	3	<0.2	23	17	73
JAS-52	47	<0.2	19	22	66
JAS-53	7	0.2	70	118	281
JAS-54	5	0.9	49	521	719
JAS-91	2	<0.2	16	5	41
JAS-92	2	<0.2	9	6	43
JAS-93	2	<0.2	5	8	19
JAS-94	3	<0.2	2	3	3

6102000 mN

CARP 12 387508

CARP 12 387508

6102000 mN

- JAS-26 ● JAS-25
- JAS-23 ● JAS-24
- JAS-22 ● JAS-21
- JAS-20

CARP 13 387509

To accompany Report by E. Kruchkowski

ATW VENTURES LTD.**CARP PROJECT**

Omineca and Cariboo Mining Divisions, B.C.

**JAS 20-54 and JAS 91 to 94
SAMPLES LOCATION MAP**NTS: 093J / 14E & 14W,
093O / 03E & 03W

SCALE: 1:10,000

FIGURE: 15

- JAS-91
- JAS-92
- JAS-93
- JAS-94

0 Metres
Scale 1:10,000

APPENDIX I
ANALYSES

Rock

Certificate Number	Sample Name	ICP Ag ppm	ICP Al %	ICP As ppm	ICP Ba ppm	ICP Be ppm	ICP Bi ppm	ICP Ca ppm	ICP Cd ppm	ICP Co ppm	ICP Cr ppm	ICP Cu ppm	ICP Fe ppm	ICP Hg ppm	ICP K ppm	ICP La ppm	ICP Mg ppm	ICP Mn ppm	ICP Mo ppm	ICP Na ppm	ICP Ni ppm	ICP P ppm	ICP Pb ppm	ICP S ppm	ICP Sb ppm	ICP Sc ppm	ICP Sr ppm	ICP Th ppm	ICP Tl ppm	ICP Tl ppm	ICP U ppm	ICP V ppm	ICP W ppm	ICP Zr ppm	
7V0830RJ	ERK-2007-01	<0.2	1.72	<5	85	0.5	<5	4.86	2	15	34	83	4.51	<1	0.18	11	1.05	987	<2	0.01	27	1625	9	0.03	9	10	133	<5	<0.01	<10	<10	84	<10	100	4
7V0830RJ	ERK-2007-02	<0.2	2.29	<5	103	0.5	<5	2.41	1	11	22	70	5.13	<1	0.15	<10	1.36	974	<2	0.03	13	1396	5	0.03	6	7	75	<5	0.02	<10	14	91	<10	81	5
7V0830RJ	ERK-2007-03	<0.2	1.87	<5	115	<0.5	<5	4.96	1	12	25	71	4.35	<1	0.23	<10	1.03	996	<2	0.02	17	1605	5	0.05	12	8	146	<5	0.01	<10	<10	78	<10	75	4
7V0830RJ	ERK-2007-04	<0.2	1.78	<5	100	<0.5	<5	5.38	2	14	34	75	4.51	<1	0.2	<10	1.02	946	2	0.02	26	1570	3	0.04	9	9	175	<5	0.01	<10	<10	83	<10	92	5
7V0830RJ	ERK-2007-05	<0.2	1.14	<5	113	0.5	<5	0.67	1	17	20	89	4.51	<1	0.18	11	0.55	981	<2	0.01	25	1535	12	0.07	10	11	12	<5	<0.01	<10	12	71	<10	95	3
7V0830RJ	ERK-2007-06	<0.2	1.24	<5	103	0.5	<5	1.76	2	18	28	101	4.58	<1	0.18	13	0.72	1086	4	0.01	36	1530	12	0.04	7	11	41	<5	<0.01	<10	11	76	<10	129	4
7V0830RJ	ERK-2007-07	<0.2	1.89	<5	127	0.5	<5	1.78	2	22	53	107	5.4	<1	0.15	14	1.26	1030	3	0.01	49	1615	13	0.03	16	13	39	<5	<0.01	<10	15	92	<10	106	4
7V0830RJ	ERK-2007-08	<0.2	1.51	7	118	<0.5	<5	2.8	1	15	29	63	4.53	<1	0.18	11	1.01	1111	<2	0.01	20	1622	8	0.04	10	9	97	<5	<0.01	<10	11	71	<10	82	3
7V0830RJ	ERK-2007-09	<0.2	1.36	<5	102	0.6	<5	2.26	2	19	34	95	4.81	<1	0.14	16	0.72	964	6	0.01	32	8173	20	0.03	12	11	70	<5	<0.01	<10	11	77	<10	92	5
7V0830RJ	ERK-2007-10	<0.2	1.93	<5	85	<0.5	<5	0.33	2	25	89	88	5.62	<1	0.13	13	1.35	1201	<2	0.01	39	1507	13	0.01	10	19	7	<5	<0.01	<10	22	116	<10	104	4
7V0830RJ	ERK-2007-11	<0.2	1.92	<5	98	<0.5	<5	0.37	1	18	43	85	4.92	<1	0.15	13	1.23	1192	<2	0.01	32	1629	11	0.01	7	11	9	<5	<0.01	<10	20	87	<10	98	4
7V0830RJ	ERK-2007-12	<0.2	0.31	<5	180	0.5	<5	11.27	1	4	24	55	4.44	<1	0.09	12	3.06	1346	<2	0.01	19	1162	11	0.12	9	11	503	<5	<0.01	<10	<10	74	<10	59	4
7V0830RJ	ERK-2007-13	<0.2	0.23	<5	195	0.5	<5	10.86	1	1	13	54	3.65	<1	0.09	10	3.1	1077	<2	0.01	17	1087	2	0.02	15	7	536	<5	<0.01	<10	<10	54	<10	59	3
7V0830RJ	ERK-2007-14	<0.2	2.35	<5	68	0.5	<5	1.4	1	11	23	58	4.63	<1	0.05	<10	1.49	1194	<2	0.03	10	1656	5	0.02	<5	6	17	<5	0.1	<10	14	102	<10	79	11



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0864-SG1

Company: **K-6 Consulting Group**
Project:
Attn: Ed Kruchkowski

Jun-11-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-22-07

Sample Name	Au ppb	Au-Check ppb
0+50E 0+00N	<1	3
0+50E 0+25N	21	
0+50E 0+50N	15	
0+50E 0+50S	<1	
0+50E 0+75N	5	
0+50E 1+00N	4	
0+50E 1+25N	12	
0+50E 1+50N	<1	
0+50E 1+75N	10	
0+50E 2+00N	<1	
0+50E 2+25N	5	
0+50E 2+50N	2	
0+50E 2+75N	3	
0+50E 3+00N	<1	
0+50E 3+25N	2	
0+50E 3+50N	2	
0+50E 3+75N	<1	
0+50E 4+00N	5	
1+00S 0+00E	5	
1+00S 1+00E	2	5
1+00S 2+00E	251	
1+50S 0+00E	<1	
1+50S 0+50E	<1	
1+50S 1+00E	<1	
*1110	1434	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Assay of Geochemical Samples

Geochemical Analysis Certificate

7V-0864-SG2

Company: K-6 Consulting Group

Jun-11-07

Project:

Attn: Ed Kruchkowski

We hereby certify the following geochemical analysis of 24 soil samples submitted May-22-07

Sample Name	Au ppb	Au-Check ppb
1+50S 2+00E	4	6
1+00E 0+00N	770	
1+00E 0+25N	151	
1+00E 0+50N	<1	
1+00E 0+50S	<1	
1+00E 0+75N	5	
1+00E 1+00N	<1	
1+00E 1+25N	2	
1+00E 1+50N	5	
1+00E 1+75N	9	
1+00E 2+00N	3	
1+00E 2+25N	<1	
1+00E 2+50N	3	
1+00E 2+75N	2	
1+00E 3+00N	<1	
1+00E 3+25N	<1	
1+00E 3+50N	179	
1+00E 3+75N	1	
1+00E 4+00N	9	
1+50E 0+00N	<1	3
1+50E 0+25N	<1	
1+50E 0+50N	2	
1+50E 0+75N	2	
1+50E 1+00N	37	
*1110	1444	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by _____

Geochemical Analysis Certificate

7V-0864-SG3

Company: K-6 Consulting Group
Project:
Attn: Ed Kruchkowski

Jun-11-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-22-07

Sample Name	Au ppb	Au-Check ppb
1+50E 1+25N	<1	
1+50E 1+50N	<1	
1+50E 1+75N	<1	
1+50E 2+00N	<1	
1+50E 2+25N	<1	
1+50E 2+50N	<1	
1+50E 2+75N	3	
1+50E 3+00N	1	
1+50E 3+25N	8	
1+50E 3+50N	5	2
1+50E 4+00N	<1	
2+00E 0+00N	3	
2+00E 0+25N	3	
2+00E 0+50N	2	
2+00E 0+75N	<1	
2+00E 1+00N	12	
2+00E 1+25N	3	
2+00E 1+50N	371	
2+00E 1+75N	115	
2+00E 2+00N	2	3
2+00E 3+25N	<1	
2+00E 3+75N	2	
2+00E 4+00N	<1	
2+00E 0+50S	3	
*1110	1475	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project:

Sample type:

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0864SJ

Date : Jun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
0+50E 0+00N	<0.2	1.97	<5	176	0.7	<5	0.45	1	13	46	25	3.25	<1	0.10	<10	0.70	583	2	0.01	30	449	8	<0.01	6	4	24	5	0.11	<10	11	62	<10	84	3
0+50E 0+25N	<0.2	1.83	<5	136	0.6	<5	0.22	1	15	40	77	4.13	<1	0.06	<10	0.65	506	<2	0.01	38	895	13	<0.01	14	7	11	8	0.05	12	14	68	<10	104	3
0+50E 0+50N	0.2	1.99	7	150	0.8	<5	0.43	2	18	32	93	5.91	<1	0.08	<10	0.52	653	2	0.01	35	1077	17	<0.01	15	9	16	<5	<0.01	<10	20	106	<10	115	4
0+50E 0+50S	<0.2	1.16	<5	116	<0.5	<5	0.24	1	7	27	9.	2.73	<1	0.04	<10	0.28	177	<2	0.01	13	419	12	0.01	<5	2	14	<5	0.09	<10	<10	79	<10	51	2
0+50E 0+75N	<0.2	2.43	<5	109	0.6	<5	0.22	1	20	34	95	5.14	<1	0.10	<10	1.02	611	<2	0.01	32	1093	9	<0.01	12	5	9	<5	<0.01	<10	15	84	<10	97	3
0+50E 1+00N	<0.2	1.30	<5	95	0.6	<5	0.11	2	13	27	47	5.20	<1	0.05	<10	0.21	310	2	0.01	25	1429	10	<0.01	18	7	4	<5	0.01	<10	19	94	<10	125	3
0+50E 1+25N	<0.2	2.07	<5	149	0.6	9	0.12	3	20	10	60	8.99	<1	0.07	<10	0.69	1077	<2	0.01	13	1681	13	0.08	18	9	20	<5	<0.01	17	29	67	<10	157	5
0+50E 1+50N	<0.2	1.77	<5	200	0.6	<5	0.48	2	15	35	31	3.30	<1	0.06	<10	0.40	1445	<2	0.01	22	723	8	<0.01	9	3	26	<5	0.07	<10	14	59	<10	286	2
0+50E 1+75N	<0.2	1.73	8	363	<0.5	<5	0.41	1	13	28	40	3.79	<1	0.04	<10	1.05	847	<2	0.01	21	477	10	<0.01	12	3	21	<5	0.04	<10	14	57	<10	116	3
0+50E 2+00N	<0.2	1.97	5	217	0.9	<5	0.50	1	16	32	60	3.56	<1	0.06	<10	0.51	1003	<2	0.01	31	875	7	<0.01	10	3	28	<5	0.05	<10	14	63	<10	232	2
0+50E 2+25N	<0.2	1.54	<5	137	0.5	<5	0.24	1	8	27	20	3.59	<1	0.06	10	0.43	239	<2	0.01	19	1973	11	<0.01	7	3	11	<5	0.05	<10	<10	64	<10	154	2
0+50E 2+50N	<0.2	0.81	<5	104	<0.5	<5	0.21	1	6	18	12	2.13	<1	0.04	11	0.19	172	<2	0.01	9	391	6	<0.01	9	2	11	<5	0.05	<10	<10	47	<10	111	1
0+50E 2+75N	<0.2	2.21	<5	137	0.9	<5	0.57	1	18	36	49	4.12	<1	0.08	<10	0.55	1789	2	0.01	28	769	13	<0.01	12	5	31	5	0.06	<10	21	81	<10	353	3
0+50E 3+00N	<0.2	2.35	<5	171	0.8	<5	0.54	1	14	31	41	3.51	<1	0.10	10	0.77	757	<2	0.01	25	1369	12	<0.01	13	4	37	5	0.08	<10	<10	81	<10	122	3
0+50E 3+25N	<0.2	1.29	<5	135	0.5	<5	0.66	1	8	27	14	2.71	<1	0.11	11	0.36	573	<2	0.01	17	1516	7	<0.01	9	2	26	<5	0.06	<10	<10	57	<10	157	2
0+50E 3+50N	<0.2	2.24	6	148	1.0	<5	0.38	1	16	41	36	4.19	<1	0.08	13	0.70	440	2	0.01	29	839	14	<0.01	11	4	19	5	0.07	13	11	87	<10	133	3
0+50E 3+75N	<0.2	1.54	<5	141	0.6	<5	0.27	1	9	31	19	2.95	<1	0.06	15	0.32	183	<2	0.01	23	560	13	<0.01	<5	3	12	5	0.07	<10	<10	69	<10	61	2
0+50E 4+00N	<0.2	3.21	<5	153	0.8	<5	0.29	1	16	45	34	4.71	<1	0.05	12	0.75	322	<2	0.01	29	731	7	<0.01	11	5	14	5	0.11	<10	18	112	<10	123	4
1+00S 0+00E	<0.2	1.60	<5	150	0.5	<5	1.37	1	9	34	26	3.06	<1	0.03	<10	0.41	245	<2	0.01	20	652	9	0.05	6	2	73	<5	0.06	<10	<10	72	<10	50	2
1+00S 1+00E	<0.2	1.28	<5	133	0.5	<5	0.58	1	9	25	8	2.80	<1	0.04	11	0.24	165	<2	0.01	14	392	9	<0.01	8	2	28	<5	0.07	<10	<10	60	<10	96	2
1+00S 2+00E	<0.2	1.60	<5	105	<0.5	<5	0.10	2	11	25	22	4.26	<1	0.05	<10	0.40	240	3	0.01	23	1564	11	<0.01	12	4	5	<5	0.01	<10	15	78	<10	182	3
1+50S 0+00E	<0.2	1.74	<5	83	0.5	<5	0.23	1	8	36	14	3.78	<1	0.04	10	0.38	205	<2	0.01	16	1452	5	<0.01	3	10	<5	0.08	<10	10	87	<10	118	3	
1+50S 0+50E	<0.2	1.05	<5	97	<0.5	<5	0.29	1	7	25	5	2.47	<1	0.05	11	0.25	296	<2	0.01	10	1357	9	<0.01	5	2	12	<5	0.08	<10	<10	60	<10	132	1
1+50S 1+00E	<0.2	1.93	<5	130	0.7	<5	0.51	2	15	42	32	4.37	<1	0.08	10	0.46	379	2	0.01	25	492	9	0.02	9	3	29	<5	0.07	<10	12	93	<10	163	2
1+50S 2+00E	0.8	1.18	49	132	1.1	8	0.13	7	12	107	27	6.50	<1	0.02	<10	0.12	1505	10	<0.01	63	1562	13	0.02	25	14	6	<5	<0.01	15	27	357	<10	182	6
1+00E 0+00N	0.5	2.09	42	127	0.9	<5	0.17	4	23	58	221	8.37	1	0.04	<10	0.85	710	<2	0.01	29	1694	18	0.02	19	19	15	<5	0.01	<10	28	165	<10	126	6
1+00E 0+25N	0.2	1.26	6	89	0.5	<5	0.09	2	7	27	16	3.47	1	0.05	<10	0.31	161	<2	0.01	16	1820	9	<0.01	6	3	6	<5	0.04	<10	<10	62	<10	105	4
1+00E 0+50N	0.2	1.36	<5	88	<0.5	<5	0.21	2	7	28	11	3.48	2	0.05	<10	0.30	173	8	0.01	19	2786	7	0.01	9	2	10	<5	0.03	15	12	123	<10	203	3
1+00E 0+50S	0.3	2.42	<5	198	<0.5	<5	0.22	3	13	44	51	6.15	1	0.04	<10	0.91	532	11	0.01	22	795	9	0.03	11	8	13	<5	<0.01	<10	17	143	<10	121	4
1+00E 0+75N	0.2	1.34	5	80	0.5	<5	0.18	2	9	30	20	3.92	<1	0.07	<10	0.42	260	2	0.01	17	2079	12	0.02	7	2	9	<5	0.03	<10	12	68	<10	126	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project:

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0864SJ

Date : Jun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	W ppm	Zn ppm	Zr ppm
1+00E 1+00N	0.2	2.98	7	156	1.0	<5	0.38	2	15	14	83	5.36	2	0.05	<10	1.21	1094	<2	0.01	16	2730	8	0.01	14	4	18	<5	<0.01	<10	24	84	<10	147	4	
1+00E 1+25N	0.6	2.81	5	99	0.6	<5	0.21	2	15	7	42	6.00	2	0.02	<10	1.09	1017	2	0.01	7	558	5	0.01	9	4	18	<5	<0.01	15	21	99	<10	106	4	
1+00E 1+50N	~1.2	1.42	<5	130	0.8	<5	0.94	2	11	22	99	3.36	1	0.03	16	0.33	942	<2	0.01	17	637	9	0.04	8	3	53	<5	0.03	11	19	61	<10	78	2	
1+00E 1+75N	0.3	2.61	<5	550	0.5	<5	0.38	2	10	12	19	4.21	1	0.03	<10	0.88	617	<2	0.01	9	2023	3	0.01	5	3	39	<5	0.03	10	14	72	<10	183	4	
1+00E 2+00N	0.5	1.06	<5	154	<0.5	<5	0.54	1	7	12	25	2.17	<1	0.04	<10	0.39	886	<2	0.01	9	734	4	0.03	7	2	29	<5	0.02	11	12	39	<10	72	2	
1+00E 2+25N	0.4	1.31	<5	84	<0.5	<5	0.22	1	7	15	12	3.49	2	0.05	<10	0.35	314	<2	0.01	9	1208	5	0.02	<5	1	15	<5	0.05	12	<10	74	<10	122	2	
1+00E 2+50N	<0.2	0.70	<5	58	<0.5	<5	0.13	1	4	15	6	2.22	1	0.03	<10	0.17	92	<2	0.01	8	988	10	0.01	<5	1	9	<5	0.04	<10	<10	51	<10	46	1	
1+00E 2+75N	0.3	0.81	<5	53	<0.5	<5	0.07	1	4	15	5	2.29	3	0.04	<10	0.21	127	<2	0.01	9	1076	9	0.01	<5	1	6	<5	0.06	12	<10	46	<10	51	2	
1+00E 3+00N	0.4	1.25	<5	91	<0.5	<5	0.13	1	6	19	11	3.17	1	0.05	<10	0.37	366	<2	0.01	11	1045	7	0.01	5	2	8	<5	0.05	18	11	63	<10	91	2	
1+00E 3+25N	<0.2	0.75	<5	87	<0.5	<5	0.17	1	5	17	8	2.45	1	0.05	<10	0.17	154	2	0.01	9	447	11	0.02	<5	1	12	<5	0.06	<10	<10	55	<10	66	2	
1+00E 3+50N	0.2	0.28	<5	31	<0.5	<5	0.07	1	3	11	3	1.08	1	0.02	<10	0.05	42	<2	0.01	4	169	5	0.01	<5	<1	5	<5	0.03	<10	<10	29	<10	19	1	
1+00E 3+75N	0.2	0.67	<5	42	<0.5	<5	0.15	1	4	15	7	1.97	2	0.03	<10	0.18	122	<2	0.01	9	483	12	0.02	<5	1	8	<5	0.06	<10	<10	47	<10	56	1	
1+00E 4+00N	0.6	1.58	<5	344	0.5	<5	0.19	2	12	23	29	4.16	2	0.06	<10	0.51	945	<2	0.01	14	2173	14	0.01	7	3	65	<5	0.04	<10	13	76	<10	179	3	
1+50E 0+00N	0.2	0.69	5	81	<0.5	<5	0.08	2	10	59	19	3.61	<1	0.04	<10	0.20	264	2	0.01	55	1109	9	0.01	19	3	6	<5	0.01	11	11	63	<10	97	2	
1+50E 0+25N	0.4	1.03	6	163	<0.5	<5	0.12	2	8	23	14	3.05	<1	0.05	<10	0.31	463	<2	0.01	13	658	8	0.02	<5	2	9	<5	0.06	11	<10	73	<10	82	2	
1+50E 0+50N	0.4	0.83	<5	68	<0.5	<5	0.08	1	6	19	8	2.62	1	0.03	<10	0.28	146	2	<0.01	13	338	8	0.01	<5	1	7	<5	0.04	<10	<10	47	<10	80	2	
1+50E 0+75N	<0.2	1.21	6	77	0.6	<5	0.13	1	7	23	19	2.26	1	0.06	<10	0.35	197	<2	0.01	21	1468	5	0.01	<5	2	5	<5	0.03	<10	<10	40	<10	89	3	
1+50E 1+00N	0.2	1.31	10	93	<0.5	<5	0.23	2	7	24	16	3.78	1	0.04	<10	0.34	358	<2	0.01	16	2555	13	0.02	8	2	11	<5	0.03	<10	11	62	<10	112	3	
1+50E 1+25N	<0.2	1.81	5	127	0.8	<5	0.62	2	11	29	34	4.38	2	0.05	<10	0.39	392	<2	0.01	17	947	14	0.04	6	3	38	<5	0.05	<10	18	81	<10	83	3	
1+50E 1+50N	0.7	1.26	<5	214	0.6	<5	0.40	1	9	25	21	3.07	2	0.07	<10	0.35	678	<2	0.01	18	3429	17	0.03	6	2	21	<5	0.03	<10	11	47	<10	141	2	
1+50E 1+75N	<0.2	2.63	<5	157	0.5	<5	0.61	2	12	10	22	5.40	2	0.10	<10	1.05	844	<2	0.01	7	2926	6	0.04	6	3	37	<5	0.01	10	21	90	<10	199	4	
1+50E 2+00N	<0.2	1.83	<5	126	<0.5	<5	0.63	2	8	7	13	4.04	2	0.06	<10	0.42	521	3	0.01	5	392	5	0.03	7	1	35	<5	0.01	13	15	65	<10	95	3	
1+50E 2+25N	0.2	1.27	<5	119	0.5	<5	0.27	2	10	32	22	3.06	2	0.09	<10	0.46	228	<2	0.01	20	821	13	0.03	6	2	26	<5	0.08	12	<10	59	<10	171	2	
1+50E 2+50N	<0.2	0.81	<5	60	<0.5	<5	0.35	1	6	21	11	2.12	<1	0.05	<10	0.26	114	<2	0.01	13	417	12	0.03	<5	2	22	<5	0.07	<10	<10	46	<10	75	2	
1+50E 2+75N	<0.2	1.90	<5	144	0.6	<5	0.54	1	10	32	35	3.29	1	0.03	13	0.59	418	2	0.01	23	255	12	0.03	7	4	31	<5	0.04	<10	16	67	<10	49	3	
1+50E 3+00N	<0.2	1.79	9	148	0.6	<5	0.17	1	10	30	24	3.27	1	0.07	<10	0.49	261	2	0.01	29	586	10	0.02	<5	3	14	<5	0.05	<10	<10	63	<10	122	4	
1+50E 3+25N	0.4	0.67	<5	105	<0.5	<5	0.12	1	6	20	8	1.74	1	0.07	<10	0.24	1080	<2	0.01	11	556	10	0.02	<5	1	8	<5	0.04	19	<10	32	<10	74	1	
1+50E 3+50N	0.2	0.71	<5	66	<0.5	<5	0.10	1	4	14	6	2.16	2	0.04	<10	0.17	191	<2	0.01	7	732	9	0.01	<5	1	9	<5	0.04	12	<10	49	<10	68	1	
1+50E 4+00N	0.3	1.11	<5	142	<0.5	<5	0.34	1	13	22	20	2.87	1	0.07	<10	0.35	771	<2	0.01	16	1247	15	0.02	<5	2	17	<5	0.03	14	11	53	<10	103	2	
2+00E 0+00N	0.2	3.04	9	3732	0.7	<5	0.85	2	10	8	37	3.95	<1	0.12	<10	1.27	1409	<2	0.01	7	2958	12	0.03	10	4	79	<5	0.01	<10	19	68	<10	148	4	

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowsky

Project:

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0864SJ

Date : Sun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi %	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
2+00E 0+25N	0.2	3.10	15	6007	0.7	<5	0.83	2	9	11	45	3.85	1	0.09	<10	1.10	1030	<2	0.01	11	2304	8	0.03	7	3	88	<5	0.04	14	15	67	<10	155	5
2+00E 0+50N	0.4	3.69	<5	181	0.6	<5	0.45	2	11	15	40	4.56	2	0.08	<10	1.33	619	<2	0.01	13	2090	10	0.03	6	3	37	<5	0.01	10	17	98	<10	138	5
2+00E 0+75N	0.3	1.74	<5	92	0.5	<5	0.30	2	8	23	18	3.75	2	0.04	<10	0.39	400	<2	0.01	15	2098	9	0.03	5	2	18	<5	0.05	15	12	63	<10	139	3
2+00E 1+00N	0.2	4.64	14	3049	1.3	<5	0.69	2	17	7	107	5.09	3	0.09	<10	1.24	1271	2	0.02	9	1134	8	0.04	8	5	411	<5	0.13	12	21	128	<10	122	10
2+00E 1+25N	0.5	4.53	8	2684	0.9	<5	0.86	3	19	9	132	6.31	2	0.13	<10	1.47	1262	<2	0.01	9	3906	8	0.04	12	7	942	<5	0.07	11	22	150	<10	185	10
2+00E 1+50N	0.5	1.28	<5	86	0.5	<5	0.12	1	6	19	13	3.09	3	0.04	<10	0.28	203	2	0.01	11	1283	10	0.02	<5	2	11	<5	0.03	<10	<10	52	<10	150	2
2+00E 1+75N	<0.2	0.67	<5	129	<0.5	<5	0.13	1	4	11	7	1.71	3	0.02	<10	0.18	112	<2	0.01	7	320	9	0.02	<5	1	10	<5	0.04	<10	<10	38	<10	42	1
2+00E 2+00N	0.4	2.05	7	153	0.5	<5	0.12	1	8	21	24	3.82	2	0.04	<10	0.54	291	<2	0.01	18	1566	7	0.02	6	2	9	<5	0.02	13	<10	60	<10	111	3
2+00E 3+25N	0.6	2.17	<5	184	0.6	<5	0.65	2	14	53	34	4.91	3	0.04	<10	0.99	602	3	0.01	21	548	12	0.02	5	4	38	<5	0.01	13	18	119	<10	86	4
2+00E 3+75N	0.3	1.10	<5	88	<0.5	<5	0.17	2	8	27	14	3.55	3	0.05	<10	0.30	155	2	0.01	15	469	12	0.02	7	2	13	<5	0.08	11	12	84	<10	77	3
2+00E 4+00N	0.4	1.57	<5	213	<0.5	<5	0.31	2	10	30	18	4.28	1	0.04	<10	0.55	497	<2	0.01	16	1732	11	0.02	<5	3	12	<5	0.08	14	16	95	<10	157	3
2+00E 0+50S	<0.2	2.09	9	215	1.1	<5	0.71	5	41	73	133	7.89	2	0.10	<10	0.97	2115	4	0.01	49	3406	27	0.06	16	31	46	<5	0.01	19	36	166	<10	242	6
1+50E 0+50S	1.1	1.51	15	110	1.3	<5	0.45	5	20	25	141	5.33	<1	0.06	<10	0.43	710	15	0.01	46	2495	20	0.04	17	12	20	<5	<0.01	20	25	142	<10	257	4
1+50E 1+00S	0.4	1.41	7	92	<0.5	<5	0.21	2	9	31	21	3.92	1	0.06	<10	0.53	265	<2	0.01	20	1634	16	0.02	6	3	14	<5	0.06	20	13	89	<10	113	4
1+50E 1+50S	0.6	1.56	<5	76	0.5	<5	0.05	1	6	23	12	2.83	<1	0.03	<10	0.29	211	<2	0.01	13	1211	12	<0.01	9	2	6	<5	0.04	16	10	46	<10	83	4
2+50E 0+50S	0.8	1.30	<5	130	<0.5	<5	0.35	2	11	45	21	3.85	<1	0.04	<10	0.51	1554	2	0.01	29	705	12	0.02	9	7	19	<5	0.02	31	20	72	<10	201	4
2+50E 1+00S	0.5	1.73	8	130	1.2	6	0.34	5	14	47	46	8.35	1	0.11	<10	0.25	611	2	0.01	26	5333	21	0.02	18	10	13	<5	<0.01	24	32	148	<10	184	7
2+50E 1+00N	0.5	1.14	<5	103	<0.5	<5	0.58	1	5	7	6	1.79	<1	0.07	<10	0.30	410	<2	0.01	4	782	10	0.01	5	1	16	<5	0.07	15	13	44	<10	102	2
2+50E 1+25N	0.4	1.88	<5	144	<0.5	<5	0.35	2	9	15	22	4.20	<1	0.04	<10	0.74	672	<2	0.01	7	1676	11	<0.01	<5	3	16	<5	0.10	16	17	120	<10	84	4
2+50E 1+50N	0.3	1.08	<5	83	<0.5	<5	0.24	1	5	10	16	2.30	1	0.08	<10	0.28	574	<2	0.01	8	555	7	0.01	9	1	16	<5	0.01	15	10	33	<10	70	1
2+50E 1+50S	0.3	1.64	11	152	0.7	<5	0.24	3	22	34	106	5.68	<1	0.04	<10	0.56	1092	5	0.01	33	1990	15	0.02	17	9	12	<5	<0.01	14	23	105	<10	188	4
2+50E 1+75N	0.4	1.17	6	295	0.5	<5	0.37	1	6	10	15	2.57	<1	0.04	<10	0.21	483	<2	0.01	7	999	9	0.02	7	1	30	<5	0.02	17	10	36	<10	123	2
2+50E 2+00N	0.2	0.98	<5	105	<0.5	<5	0.14	1	8	23	24	2.13	<1	0.04	<10	0.39	255	<2	0.01	19	238	6	<0.01	8	2	10	<5	0.03	13	<10	31	<10	63	2
2+50E 2+25N	0.4	0.27	<5	39	<0.5	<5	0.07	<1	2	6	3	0.71	<1	0.02	<10	0.05	37	<2	<0.01	3	199	4	0.01	<5	<1	7	<5	0.02	21	<10	16	<10	12	1
2+50E 2+50N	0.5	2.25	<5	120	0.6	<5	0.13	2	8	28	25	4.33	1	0.04	<10	0.55	404	<2	0.01	18	3332	11	<0.01	9	3	10	<5	0.02	20	14	72	<10	126	4
2+50E 2+75N	0.6	1.39	<5	80	<0.5	<5	0.08	1	5	22	14	2.84	<1	0.04	<10	0.32	267	<2	0.01	13	1635	13	0.01	9	2	7	<5	0.02	17	10	46	<10	88	2
2+50E 3+00N	0.8	1.71	6	97	0.7	<5	0.17	2	10	29	34	3.98	<1	0.06	<10	0.46	651	2	0.01	26	2823	13	0.01	10	3	10	<5	0.02	25	15	55	<10	138	4
3+00E 0+50S	0.3	1.20	<5	73	<0.5	<5	0.30	2	13	44	52	5.39	1	0.10	<10	0.31	303	2	0.01	24	1191	12	0.03	10	8	16	<5	0.01	24	18	107	<10	77	3
3+00E 1+00S	0.7	0.76	<5	145	0.7	<5	0.69	3	22	48	94	6.28	1	0.08	<10	0.29	1558	<2	<0.01	44	1311	22	0.02	20	15	23	<5	<0.01	18	29	126	<10	151	4
3+00E 1+50S	0.5	1.12	<5	208	0.5	<5	0.18	1	7	23	18	2.14	<1	0.04	<10	0.36	273	<2	<0.01	17	533	9	0.01	9	2	12	<5	0.04	19	<10	41	<10	52	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assays, Canada

K-6 Consulting Group

Attention: Ed Kruchkowski

Project:

Sample type:

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423Report No : 7V0864SJ
Date : Jun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
3+50E 1+50S	0.2	0.78	<5	52	<0.5	<5	0.11	1	6	22	11	2.60	<1	0.03	<10	0.25	142	<2	0.01	13	863	15	0.01	5	1	8	<5	0.04	15	<10	51	<10	57	2
4+00E 0+00 BL	0.2	0.77	<5	63	<0.5	<5	0.15	1	4	13	9	1.74	<1	0.04	<10	0.19	129	<2	0.01	7	712	6	<0.01	<5	1	8	<5	0.02	10	<10	30	<10	70	1
4+00E 0+25N	0.3	1.75	<5	125	0.5	<5	0.39	1	8	21	34	3.46	<1	0.10	<10	0.54	480	<2	0.01	15	2266	8	<0.01	11	2	19	<5	0.01	12	12	55	<10	99	3
4+00E 0+25S	<0.2	2.00	<5	110	0.9	<5	0.22	1	14	21	50	3.73	<1	0.05	<10	0.71	760	<2	0.01	19	811	11	0.01	11	4	20	<5	0.01	24	16	61	<10	121	3
4+00E 0+50N	<0.2	0.80	<5	72	<0.5	<5	0.21	<1	5	19	5	1.37	<1	0.03	10	0.24	105	<2	0.01	10	277	8	0.03	<5	2	8	<5	0.08	10	<10	36	<10	42	1
4+00E 0+75N	<0.2	2.16	<5	394	0.8	<5	0.43	1	15	33	66	4.15	<1	0.13	18	0.63	964	2	0.01	23	838	10	0.01	6	4	20	<5	0.02	11	20	95	<10	151	2
4+00E 0+75S	<0.2	1.24	6	76	<0.5	<5	0.25	1	7	24	16	2.76	1	0.06	<10	0.35	234	<2	0.01	14	708	6	<0.01	<5	2	10	<5	0.03	20	10	57	<10	97	1
4+00E 1+00N	<0.2	2.49	<5	397	0.6	<5	0.79	2	14	14	32	4.10	<1	0.12	<10	0.74	1792	2	0.01	11	1509	<2	0.01	10	2	36	<5	0.01	14	22	81	<10	153	3
4+00E 1+00S	<0.2	1.68	8	83	<0.5	<5	0.32	1	11	26	22	3.20	<1	0.06	13	0.46	302	<2	0.01	20	462	<2	0.02	<5	2	16	<5	0.03	<10	10	60	<10	141	2
4+00E 1+25S	<0.2	1.48	9	117	0.7	<5	0.56	1	10	32	66	2.90	<1	0.05	29	0.46	475	<2	0.01	24	366	6	0.02	<5	7	26	<5	0.05	21	11	56	<10	68	3
4+00E 1+50S	<0.2	1.29	11	115	0.5	<5	0.77	1	9	30	17	3.40	<1	0.08	11	0.41	341	<2	0.01	21	1135	7	0.03	6	2	32	<5	0.07	20	11	67	<10	76	2
0+50S 0+50W	<0.2	0.93	<5	87	<0.5	<5	0.13	1	7	24	10	2.73	<1	0.04	12	0.26	136	<2	0.01	14	585	6	0.01	<5	2	9	<5	0.08	10	<10	74	<10	54	2
0+25S 1+00W	<0.2	2.21	<5	112	0.5	<5	0.16	1	7	30	11	3.64	1	0.04	<10	0.26	136	<2	0.01	12	3058	6	0.01	<5	3	8	7	0.06	23	11	77	<10	57	3
0+50S 1+00W	<0.2	1.04	<5	81	<0.5	<5	0.15	1	6	24	13	2.14	<1	0.03	<10	0.28	174	<2	0.01	16	1045	7	0.02	<5	2	8	<5	0.05	14	<10	47	<10	39	2
1+00S 0+50W	<0.2	0.88	<5	67	<0.5	<5	0.22	1	5	19	8	1.95	1	0.04	<10	0.19	251	<2	0.01	9	694	5	0.02	<5	1	9	<5	0.06	<10	<10	49	<10	46	1
1+50S 0+50W	<0.2	1.26	<5	95	<0.5	<5	0.21	1	5	25	6	2.58	2	0.03	10	0.21	180	<2	0.01	12	1844	7	0.03	<5	2	10	<5	0.05	17	<10	58	<10	97	1
1+50S 1+00W	<0.2	2.94	11	94	0.9	<5	0.17	2	12	37	20	4.06	2	0.05	11	0.37	518	<2	0.01	25	3298	9	0.02	6	3	8	5	0.06	22	15	73	<10	156	6
0+75S 1+00W	<0.2	2.04	13	88	0.8	<5	0.28	1	14	48	43	3.42	1	0.05	10	0.56	368	<2	0.01	39	1555	5	0.01	7	4	13	8	0.09	<10	14	81	<10	94	4
1+00S 1+00W	<0.2	1.38	7	95	<0.5	<5	0.20	1	8	29	11	2.86	<1	0.06	12	0.27	733	<2	0.01	14	1441	13	0.01	6	2	9	<5	0.07	15	11	63	<10	95	3
0+25S 0+50W	<0.2	1.15	<5	84	<0.5	<5	0.20	1	7	29	13	2.34	<1	0.05	11	0.26	228	<2	0.01	16	505	9	0.02	<5	2	12	<5	0.07	17	10	60	<10	67	2
0+00N 0+50W	<0.2	0.95	5	136	<0.5	<5	0.39	1	6	16	8	2.03	<1	0.07	13	0.34	200	<2	0.01	10	290	6	<0.01	<5	2	20	<5	0.11	<10	<10	46	<10	49	2
0+50N 0+50W	<0.2	3.01	<5	146	1.0	<5	0.25	2	13	46	31	4.96	<1	0.07	14	0.52	226	<2	0.01	38	400	17	0.02	8	5	18	5	0.10	22	16	98	<10	89	7
0+75N 0+50W	0.5	1.74	<5	184	0.8	<5	0.40	1	11	31	20	3.28	<1	0.04	16	0.42	181	<2	0.01	42	407	7	0.04	<5	3	23	<5	0.07	17	<10	61	<10	78	3
0+00N 1+00W	<0.2	2.33	8	99	0.9	<5	0.21	1	9	34	20	4.10	2	0.06	<10	0.37	278	<2	0.01	22	4751	8	0.02	13	3	9	<5	0.06	14	17	78	<10	89	5
1+00N 1+00W	<0.2	0.90	5	68	<0.5	<5	0.09	<1	3	16	10	1.50	1	0.02	<10	0.14	71	<2	0.01	8	709	7	0.02	6	1	5	<5	0.03	<10	<10	32	<10	22	2
0+75N 1+00W	<0.2	2.08	<5	143	0.7	<5	0.18	1	8	34	15	4.14	1	0.04	<10	0.37	199	<2	0.01	18	3240	13	0.02	<5	3	10	<5	0.06	<10	15	84	<10	106	3
1+25N 0+50W	<0.2	1.44	10	98	<0.5	<5	0.17	1	7	28	10	3.58	1	0.03	11	0.32	168	<2	0.01	15	653	8	0.02	<5	2	10	<5	0.06	<10	13	83	<10	81	2
0+25N 0+50W	<0.2	1.79	18	127	0.6	<5	0.28	1	9	32	18	3.14	<1	0.06	11	0.38	337	<2	0.01	19	2419	9	0.01	6	3	14	<5	0.07	<10	15	64	<10	116	2
1+00N 0+50W	<0.2	1.02	8	90	<0.5	<5	0.30	1	6	23	12	2.35	1	0.04	<10	0.25	170	2	0.01	11	759	7	0.01	<5	2	15	<5	0.06	<10	13	58	<10	54	2
1+50N 0+50W	<0.2	1.22	17	106	<0.5	<5	0.23	1	7	24	14	2.62	<1	0.03	<10	0.28	349	<2	0.01	13	955	9	0.02	10	2	11	<5	0.06	<10	15	60	<10	60	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



K-6 Consulting Group

Attention: Ed Kruchkowski

Project:

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0864SJ

Date : Jun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K ppm	La %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
0+25N 1+00W	<0.2	0.59	11	58	<0.5	<5	0.14	<1	3	11	4	1.07	<1	0.03	10	0.10	101	<2	0.01	5	429	3	<0.01	<5	1	6	<5	0.05	<10	<10	28	<10	30	1
0+50N 1+00W	<0.2	0.95	13	71	<0.5	<5	0.23	1	6	20	7	2.00	<1	0.03	11	0.24	126	<2	0.01	9	508	9	0.01	<5	2	10	<5	0.07	16	<10	54	<10	47	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0969-RG1

Company: **K-6 Consulting Group**
Project: ERK-07
Attn: Ed Kruchkowski

Jun-11-07

We hereby certify the following geochemical analysis of 16 rock samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
ERK-07-15	3	5
ERK-07-16	1	
ERK-07-18	3	
ERK-07-19	3	
ERK-07-20	2	
ERK-07-21	7	
ERK-07-22	<1	
ERK-07-23	3	
ERK-07-24	4	
ERK-07-25	1	2
ERK-07-26	2	
ERK-07-27	4	
ERK-07-28	1	
ERK-07-29	2	
ERK-07-30	2	
ERK-07-31	1	
*1110	1474	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: ERK-07

Sample type:

Assaye. Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0969RJ

Date : Jun-11-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi %	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
ERK-07-15	0.2 0.06	<5	45 <0.5	<5	0.41	1	88	719	4	4.67	<1	0.01	<10	>15.00	311	<2	0.01	1956	43	5	0.45	21	7	43	<5	<0.01	21	15	16	<10	3	2		
ERK-07-16	0.3 0.04	7	79 <0.5	<5	1.46	1	72	435	8	4.62	<1	<0.01	<10	>15.00	362	<2	0.01	1464	31	9	0.15	15	6	283	<5	<0.01	16	16	16	<10	5	3		
ERK-07-18	0.4 0.06	8	55 <0.5	<5	<0.01	<1	1	116	2	0.47	<1	0.07	<10	0.08	22	2	<0.01	17	58	6	0.01	8	<1	5	<5	<0.01	14	<10	1	<10	6	1		
ERK-07-19	0.5 0.07	7	49 <0.5	<5	<0.01	<1	<1	111	2	0.34	<1	0.07	<10	0.06	14	2	<0.01	14	52	10	0.02	<5	<1	4	<5	<0.01	12	<10	1	<10	3	1		
ERK-07-20	0.4 0.08	7	50 <0.5	<5	<0.01	<1	1	155	5	0.78	<1	0.07	<10	0.03	23	2	<0.01	12	140	4	0.03	6	<1	5	<5	<0.01	19	<10	2	<10	10	1		
ERK-07-21	0.4 0.93	5	193 <0.5	<5	0.27	2	11	13	35	4.88	<1	0.43	<10	0.40	98	<2	0.02	22	675	11	0.34	5	4	12	<5	0.01	25	10	35	<10	44	3		
ERK-07-22	0.9 0.32	<5	139 <0.5	<5	8.77	2	16	18	17	4.80	1	0.28	<10	0.63	1253	<2	0.03	21	700	6	0.70	7	12	170	<5	<0.01	23	20	11	<10	74	3		
ERK-07-23	0.3 0.44	<5	79 <0.5	<5	0.26	2	66	519	28	6.31	<1	0.02	<10	8.60	995	<2	0.01	417	129	8	<0.01	15	4	17	<5	0.04	28	16	46	<10	55	4		
ERK-07-24	0.5 1.20	11	105 <0.5	<5	0.07	2	2	78	51	3.35	<1	0.15	13	0.84	302	13	0.01	63	470	14	0.05	5	1	20	<5	<0.01	30	<10	29	<10	91	7		
ERK-07-25	0.5 2.40	<5	88 <0.5	<5	0.25	1	4	43	20	4.15	<1	0.08	<10	2.67	757	3	0.03	4	637	5	0.06	6	4	12	<5	0.26	28	11	65	<10	63	7		
ERK-07-26	0.7 0.12	<5	25 <0.5	<5	0.54	1	73	700	10	4.51	<1	0.01	<10	>15.00	483	<2	0.01	1600	43	6	0.13	21	6	55	<5	<0.01	20	13	21	<10	10	2		
ERK-07-27	1.1 0.06	<5	84 <0.5	<5	5.41	<1	18	334	1	4.00	<1	0.01	<10	>15.00	1270	<2	0.01	441	50	6	<0.01	9	5	306	<5	<0.01	27	16	24	<10	19	2		
ERK-07-28	0.3 0.10	<5	23 <0.5	<5	0.11	<1	73	703	4	3.42	<1	<0.01	<10	13.09	614	<2	0.01	1909	48	3	0.40	18	6	9	<5	<0.01	22	13	15	<10	4	2		
ERK-07-29	0.7 0.07	<5	40 <0.5	<5	1.24	1	60	689	<1	4.01	<1	0.01	<10	>15.00	321	<2	0.01	1474	51	5	0.02	18	6	91	<5	<0.01	11	12	16	<10	6	2		
ERK-07-30	0.4 0.08	<5	40 <0.5	<5	1.24	<1	61	741	<1	4.02	<1	0.01	<10	>15.00	319	<2	0.01	1477	49	4	0.02	21	6	91	<5	<0.01	19	14	16	<10	6	2		
ERK-07-31	0.5 0.13	<5	18 <0.5	<5	0.01	1	75	949	2	4.17	<1	<0.01	<10	10.94	297	<2	0.01	1246	61	9	0.07	25	5	6	<5	<0.01	19	11	16	<10	11	2		

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Report - KBB

Geochemical Analysis Certificate

7V-0971-SG1


Company: **K-6 Consulting Group**
Project: **KBB**
Attn: **Ed Kruchkowaski**

Jun-13-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
KBB-1	12	8
KBB-2	17	
KBB-3	7	
KBB-4	10	
KBB-5	25	
KBB-6	4	
KBB-7	7	
KBB-8	9	
KBB-9	6	
KBB-10	18	
KBB-11	7	
KBB-12	7	
KBB-13	9	
KBB-14	10	
KBB-15	15	
KBB-16	5	
KBB-17	14	
KBB-18	20	
KBB-19	4	
KBB-20	11	6
KBB-21	3	
KBB-22	1	
KBB-23	5	
KBB-24	1	
*111012	1434	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0971-SG2

Company: **K-6 Consulting Group**
Project: **KBB**
Attn: **Ed Kruchkowaski**

Jun-13-07

We hereby certify the following geochemical analysis of 4 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
KBB-25	3	8
KBB-26	12	
KBB-27	5	
KBB-28	6	
*1110	1420	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowaski

Project: KBB

Sample type:

Assayer: Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0971SJ

Date : Jun-13-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
KBB-1	<0.2	1.30	16	96	<0.5	<5	0.32	4	67	478	60	4.86	<1	0.04	<10	4.10	1036	<2	0.01	527	904	6	0.02	10	5	1	5	0.01	<10	<10	39	<10	85	6
KBB-2	0.2	1.00	22	103	<0.5	<5	0.68	2	16	35	32	3.17	1	0.02	<10	0.32	912	2	0.01	40	1075	9	0.04	<5	2	19	5	0.02	<10	<10	35	<10	108	4
KBB-3	0.2	0.86	17	88	<0.5	<5	0.21	2	13	39	30	2.58	<1	0.03	<10	0.36	407	<2	0.01	111	1094	8	0.01	<5	2	<1	<5	0.02	<10	<10	33	<10	90	2
KBB-4	0.2	0.89	18	102	<0.5	<5	0.19	2	10	30	29	2.78	<1	0.04	<10	0.28	363	2	0.01	35	1137	7	0.02	<5	2	2	<5	0.02	<10	12	36	<10	93	3
KBB-5	<0.2	0.96	18	85	<0.5	<5	0.23	2	12	33	39	2.73	<1	0.03	<10	0.38	448	<2	0.01	42	1128	6	<0.01	<5	3	1	5	0.03	<10	14	37	<10	90	2
KBB-6	0.2	0.90	9	82	<0.5	<5	0.14	2	6	25	13	2.34	1	0.03	<10	0.26	209	<2	0.01	21	1273	4	0.01	<5	1	2	<5	0.02	<10	15	30	<10	76	2
KBB-7	<0.2	1.04	9	88	<0.5	<5	0.11	2	7	28	11	2.41	<1	0.02	10	0.27	390	<2	0.01	17	1250	5	0.01	<5	1	1	<5	0.03	<10	13	37	<10	70	2
KBB-8	<0.2	0.75	15	92	<0.5	<5	0.35	2	11	27	33	2.49	<1	0.04	13	0.30	487	<2	0.01	35	1057	7	<0.01	<5	3	<1	6	0.03	<10	<10	32	<10	83	3
KBB-9	<0.2	0.70	18	92	<0.5	<5	0.99	2	11	25	31	2.56	<1	0.05	11	0.36	496	<2	0.01	36	1149	8	<0.01	<5	3	11	7	0.02	<10	19	30	<10	93	3
KBB-10	<0.2	0.94	22	89	<0.5	<5	0.27	2	11	29	26	2.89	<1	0.04	10	0.27	352	<2	0.01	34	1258	9	0.01	<5	2	<1	5	0.03	<10	14	35	<10	89	2
KBB-11	<0.2	0.74	17	87	<0.5	<5	0.22	2	10	24	27	2.38	<1	0.04	10	0.26	477	<2	0.01	30	1012	7	0.01	<5	2	<1	<5	0.03	<10	<10	30	<10	76	2
KBB-12	<0.2	0.79	19	87	<0.5	<5	0.22	2	11	25	29	2.60	<1	0.04	<10	0.29	523	<2	0.01	33	1147	11	0.01	<5	2	1	<5	0.02	<10	<10	31	<10	83	2
KBB-13	<0.2	0.70	15	99	<0.5	<5	0.27	2	10	21	23	2.19	<1	0.05	<10	0.26	485	<2	0.01	27	884	5	0.01	<5	2	<1	<5	0.02	<10	<10	28	<10	66	2
KBB-14	<0.2	0.67	11	99	<0.5	<5	0.34	2	9	21	22	2.04	<1	0.03	<10	0.25	475	<2	0.01	25	820	5	0.01	<5	2	<1	<5	0.02	<10	<10	26	<10	57	2
KBB-15	<0.2	0.80	12	82	<0.5	<5	0.18	2	9	23	21	2.25	<1	0.04	<10	0.26	403	<2	0.01	26	892	6	0.01	5	2	1	<5	0.02	<10	<10	29	<10	67	2
KBB-16	<0.2	0.78	11	87	<0.5	<5	0.17	2	8	24	23	2.18	<1	0.04	<10	0.26	361	<2	0.01	27	851	6	0.01	<5	2	<1	<5	0.02	<10	14	28	<10	62	2
KBB-17	<0.2	0.82	14	79	<0.5	<5	0.19	2	10	26	21	2.37	<1	0.03	<10	0.26	335	<2	0.01	29	884	3	0.01	<5	2	1	<5	0.02	<10	13	29	<10	69	2
KBB-18	<0.2	0.93	13	84	<0.5	<5	0.32	2	11	25	25	2.73	<1	0.03	15	0.36	467	<2	0.01	35	1635	9	0.01	<5	2	<1	7	0.02	<10	13	28	<10	99	2
KBB-19	<0.2	0.69	6	101	<0.5	<5	0.14	1	5	17	9	1.51	<1	0.03	<10	0.22	365	<2	0.01	15	528	2	<0.01	<5	1	<1	<5	0.02	<10	<10	22	<10	58	1
KBB-20	<0.2	0.65	7	75	<0.5	<5	0.13	2	5	18	5	2.02	<1	0.03	13	0.19	216	<2	0.01	13	1349	4	<0.01	<5	1	<1	<5	0.02	<10	<10	27	<10	73	1
KBB-21	0.3	0.46	<5	294	<0.5	<5	0.20	6	6	16	12	1.51	<1	0.04	12	0.14	1236	2	0.01	15	704	7	0.01	<5	1	1	<5	0.02	<10	<10	19	<10	159	1
KBB-22	<0.2	0.46	14	122	<0.5	<5	0.23	4	5	11	19	2.79	<1	0.03	<10	0.09	130	5	0.01	26	1397	11	0.01	<5	1	2	5	0.01	<10	26	23	<10	158	3
KBB-23	<0.2	1.18	23	99	0.5	<5	0.66	8	17	26	61	4.25	2	0.04	11	0.45	690	6	0.01	68	3073	19	0.03	5	3	25	6	0.01	<10	13	24	<10	329	7
KBB-24	<0.2	0.47	<5	72	<0.5	<5	0.11	1	2	19	2	0.99	<1	0.05	<10	0.07	48	<2	<0.01	5	409	4	<0.01	<5	<1	<1	<5	0.02	<10	<10	25	<10	41	1
KBB-25	<0.2	0.78	14	93	<0.5	<5	0.19	3	7	24	16	2.20	<1	0.03	<10	0.20	280	<2	0.01	23	1534	9	<0.01	6	2	11	<5	0.02	15	<10	30	<10	85	2
KBB-26	1.8	1.20	8	250	0.6	<5	1.70	6	12	36	46	3.19	1	0.05	12	0.29	2108	3	0.01	51	1030	18	0.07	17	3	98	<5	0.02	16	22	38	<10	68	4
KBB-27	0.3	1.05	<5	215	<0.5	<5	0.50	2	9	32	27	2.38	1	0.05	<10	0.21	841	<2	0.01	30	592	10	0.01	6	4	29	<5	0.02	<10	14	33	<10	64	3
KBB-28	<0.2	0.84	12	95	<0.5	<5	0.17	1	6	24	17	2.55	<1	0.03	<10	0.24	328	<2	<0.01	22	1179	6	0.01	<5	2	9	<5	0.02	<10	<10	35	<10	57	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0968-SG1

Company: K-6 Consulting Group
Project: BOB
Attn: Ed Kruchkowski

Jun-14-07

We hereby certify the following geochemical analysis of 20 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
BOB-1	<1	
BOB-2	8	
BOB-3	6	
BOB-4	3	
BOB-5	8	
BOB-6	5	
BOB-7	8	
BOB-8	15	
BOB-9	11	
BOB-10	9	8
BOB-11	3	
BOB-12	5	
BOB-13	11	
BOB-14	5	
BOB-15	5	
BOB-16	8	
BOB-17	6	
BOB-18	5	
BOB-19	5	
BOB-20	9	6
*1110	1392	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: BOB

Sample type:

Assayers ~anada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0968SJ

Date : Jun-14-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
BOB-1	<0.2	0.71	6	100	<0.5	<5	0.23	1	6	22	15	1.91	<1	0.04	10	0.22	338	<2	0.01	21	937	34	0.01	<5	1	14	<5	0.02	<10	<10	28	<10	50	1
BOB-2	<0.2	0.79	9	115	<0.5	<5	0.70	2	9	24	21	2.24	<1	0.04	<10	0.24	598	2	0.01	28	713	19	# 0.03	<5	2	33	<5	0.02	<10	11	31	<10	59	2
BOB-3	<0.2	0.57	22	97	<0.5	<5	0.16	2	9	23	29	2.48	<1	0.03	10	0.17	189	7	0.01	29	571	17	0.02	<5	2	11	<5	0.02	<10	<10	35	<10	74	2
BOB-4	<0.2	0.79	13	138	<0.5	<5	0.20	2	6	24	13	2.70	1	0.03	<10	0.22	452	2	0.01	19	639	11	0.01	<5	1	14	<5	0.04	<10	<10	43	<10	58	2
BOB-5	0.3	0.79	9	389	0.5	<5	0.41	2	36	23	61	4.41	2	0.06	17	0.26	5737	8	0.01	72	887	27	0.09	7	6	35	<5	0.01	16	34	29	<10	126	3
BOB-6	<0.2	0.85	12	93	<0.5	<5	0.26	1	12	28	30	2.51	1	0.05	14	0.42	541	2	0.01	36	1038	16	0.01	<5	3	15	<5	0.03	<10	<10	35	<10	62	2
BOB-7	<0.2	0.74	7	92	<0.5	<5	0.29	2	15	29	32	2.82	1	0.04	15	0.33	509	2	0.01	50	797	14	0.01	<5	4	15	5	0.03	<10	<10	35	<10	83	3
BOB-8	<0.2	0.95	20	136	0.6	<5	0.36	2	19	31	57	3.49	1	0.05	17	0.44	682	7	0.01	72	932	21	0.02	7	6	20	6	0.02	17	16	38	<10	156	6
BOB-9	<0.2	0.86	9	138	0.5	<5	0.27	2	18	29	57	3.17	<1	0.05	17	0.40	630	4	0.01	55	798	19	<0.01	10	6	16	6	0.02	15	13	39	<10	106	4
BOB-10	<0.2	0.92	12	130	<0.5	<5	0.23	2	15	30	48	3.02	<1	0.05	13	0.44	667	4	0.01	51	981	16	0.01	7	4	15	<5	0.02	14	11	36	<10	117	3
BOB-11	<0.2	1.10	9	177	<0.5	<5	0.27	2	12	30	22	3.16	<1	0.04	10	0.37	856	2	0.01	33	2249	12	<0.01	<5	3	17	<5	0.03	14	11	43	<10	159	2
BOB-12	0.5	0.63	6	85	<0.5	<5	0.14	1	7	20	14	2.14	1	0.03	<10	0.17	431	<2	0.01	19	720	7	0.02	<5	1	10	<5	0.03	15	<10	31	<10	61	1
BOB-13	<0.2	1.20	21	153	0.6	<5	0.35	3	15	33	37	4.20	1	0.05	13	0.35	913	3	0.01	50	1254	21	0.03	9	4	18	<5	0.03	23	19	43	<10	129	3
BOB-14	<0.2	0.38	<5	147	<0.5	<5	0.30	3	8	15	17	1.89	<1	0.05	<10	0.08	581	2	<0.01	13	476	11	0.02	<5	1	14	<5	0.02	<10	<10	31	<10	59	1
BOB-15	<0.2	0.80	6	184	<0.5	<5	0.34	3	12	25	21	3.08	<1	0.07	10	0.26	1026	2	0.01	28	904	19	0.02	5	2	17	<5	0.02	<10	11	37	<10	107	2
BOB-16	<0.2	0.70	5	150	<0.5	<5	0.19	2	9	21	14	2.85	<1	0.06	<10	0.21	538	2	0.01	21	970	10	0.02	<5	1	11	<5	0.02	13	<10	39	<10	74	1
BOB-17	<0.2	2.06	25	177	0.9	6	0.19	3	14	41	35	6.10	2	0.06	11	0.43	679	3	0.01	53	3068	28	0.04	6	5	11	<5	0.02	13	18	59	<10	186	4
BOB-18	0.2	0.86	10	192	<0.5	<5	0.30	2	8	23	20	2.55	<1	0.06	<10	0.26	900	2	0.01	22	958	10	0.03	5	1	15	<5	0.02	16	10	35	<10	74	2
BOB-19	<0.2	0.65	<5	131	<0.5	<5	0.19	1	6	20	9	2.35	1	0.05	11	0.17	216	2	0.01	14	412	9	0.02	<5	1	12	<5	0.04	15	<10	44	<10	50	2
BOB-20	<0.2	1.32	11	138	0.5	<5	0.20	2	9	27	36	3.41	<1	0.04	11	0.32	324	4	0.01	39	1419	14	0.01	8	3	13	<5	0.01	16	10	39	<10	149	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by [Signature]

Geochemical Analysis Certificate

7V-0973-SG1

Company: **K-6 Consulting Group**
Project: **RED**
Attn: **Ed Kruchkowski**

Jun-14-07

We hereby certify the following geochemical analysis of 16 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RED-2	3	4
RED-41	3	
RED-42	96	
RED-43	6	
RED-44	3	
RED-45	19	
RED-46	2	
RED-47	11	
RED-48	5	
RED-49	4	3
RED-50	6	
RED-51	3	
RED-52	2	
RED-53	2	
RED-54	11	
RED-55	2	
*1110	1390	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RED

Sample type:

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0973SJ

Date : Jun-14-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RED-2	<0.2	0.63	10	69	<0.5	<5	0.12	1	4	19	11	2.21	1	0.02	<10	0.18	167	<2	<0.01	16	1416	13	0.01	<5	1	7	<5	0.01	<10	<10	31	<10	64	2
RED-41	0.7	0.76	7	125	<0.5	<5	0.23	2	5	21	15	1.94	<1	0.03	<10	0.20	592	<2	0.01	19	1260	7	0.02	5	1	11	<5	0.02	<10	11	28	<10	78	2
RED-42	<0.2	0.72	5	81	<0.5	<5	0.08	1	3	15	6	1.29	<1	0.01	<10	0.16	80	<2	0.01	9	520	7	0.01	<5	1	6	<5	0.02	13	<10	23	<10	42	1
RED-43	<0.2	0.90	9	111	<0.5	<5	0.23	1	8	26	24	2.22	1	0.05	10	0.33	363	<2	0.01	27	862	8	0.01	<5	2	12	<5	0.02	10	<10	34	<10	68	1
RED-44	0.5	0.88	6	148	<0.5	<5	0.20	1	9	20	12	1.55	1	0.02	<10	0.26	494	<2	0.01	15	413	8	0.02	<5	1	11	<5	0.02	<10	<10	30	<10	60	1
RED-45	<0.2	1.11	10	103	<0.5	<5	0.24	1	7	32	27	2.78	1	0.05	<10	0.35	239	2	0.01	34	959	10	0.01	7	2	11	<5	0.02	<10	12	40	<10	77	2
RED-46	<0.2	0.95	9	138	<0.5	<5	0.17	2	7	27	22	2.47	1	0.03	<10	0.30	289	<2	0.01	28	984	10	0.01	6	1	11	<5	0.02	12	12	36	<10	84	1
RED-47	0.3	1.03	7	181	0.5	<5	0.21	1	8	31	25	2.26	<1	0.03	12	0.31	580	2	0.01	28	457	9	0.01	<5	2	14	<5	0.01	<10	13	35	<10	62	1
RED-48	<0.2	0.87	11	107	<0.5	<5	0.09	1	7	23	14	2.14	<1	0.02	<10	0.32	213	<2	0.01	21	291	10	0.01	7	2	8	<5	0.02	11	<10	33	<10	57	1
RED-49	0.8	1.26	13	227	0.6	<5	0.60	2	10	35	33	3.02	1	0.04	10	0.35	477	2	0.01	37	762	14	0.03	7	3	27	<5	0.02	10	16	45	<10	85	3
RED-50	<0.2	0.55	6	94	<0.5	<5	0.06	1	3	12	7	1.08	<1	0.01	<10	0.15	97	<2	0.01	9	317	6	0.01	<5	1	5	<5	0.01	12	<10	21	<10	44	1
RED-51	0.3	0.87	5	131	<0.5	<5	0.19	1	5	22	13	1.90	<1	0.02	<10	0.30	193	<2	0.01	21	360	10	<0.01	5	2	11	<5	0.01	11	<10	31	<10	64	2
RED-52	<0.2	0.85	8	104	<0.5	<5	0.18	1	5	21	16	1.70	<1	0.02	<10	0.32	198	<2	0.01	22	566	6	0.01	<5	2	10	<5	0.02	11	<10	29	<10	56	1
RED-53	<0.2	0.84	11	84	<0.5	<5	0.12	1	7	21	17	1.95	<1	0.04	<10	0.22	212	<2	0.01	24	823	7	0.01	5	2	7	<5	0.02	10	<10	30	<10	53	2
RED-54	0.5	0.86	15	113	<0.5	<5	0.28	2	11	26	40	2.67	1	0.06	12	0.37	527	<2	0.01	41	980	14	0.01	<5	4	15	<5	0.02	13	13	33	<10	95	2
RED-55	0.2	1.15	16	106	0.5	<5	0.24	1	8	33	28	2.88	1	0.05	<10	0.36	245	2	0.01	35	973	7	0.01	5	2	12	<5	0.02	12	14	41	<10	80	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified Sampling for Gold Prospecting

Geochemical Analysis Certificate

7V-0974-SG1

Company: **K-6 Consulting Group**
Project: **RK**
Attn: **Ed Kruchkowaski**

Jun-15-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RK-1	3	5
RK-2	<1	
RK-3	3	
RK-4	2	
RK-5	8	
RK-6	5	
RK-7	12	
RK-8	5	
RK-9	4	
RK-10	8	
RK-11	30	
RK-12	11	
RK-13	7	
RK-14	15	
RK-15	53	
RK-16	5	
RK-17	8	
RK-18	7	
RK-19	11	
RK-20	5	2
RK-21	9	
RK-22	5	
RK-23	7	
RK-24	4	
*1110	1413	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by Sampling Group 4/07

Geochemical Analysis Certificate

7V-0974-SG2

Company: **K-6 Consulting Group**
Project: RK
Attn: Ed Kruchkowaski

Jun-15-07

We hereby certify the following geochemical analysis of 4 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RK-25	6	5
RK-26	23	
RK-27	25	
RK-28	4	
*1110	1334	
*BLANK	<1	

Certified by

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RK-1	<0.2	0.92	7	116	<0.5	<5	0.28	1	9	27	12	2.27	<1	0.02	<10	0.33	243	<2	0.01	27	439	9	<0.01	<5	2	1	<5	0.02	<10	17	30	<10	65	2
RK-2	<0.2	0.60	<5	93	<0.5	<5	0.09	1	5	20	5	2.04	<1	0.03	<10	0.18	178	<2	0.01	11	303	5	<0.01	<5	1	6	<5	0.03	<10	29	<10	88	1	
RK-3	0.4	2.02	12	144	0.7	<5	0.12	2	11	38	19	3.90	<1	0.03	<10	0.41	274	<2	0.01	42	1455	13	0.02	7	3	9	<5	0.03	17	14	47	<10	158	3
RK-4	<0.2	0.54	<5	38	<0.5	<5	0.02	1	2	9	1	0.95	<1	0.01	<10	0.05	106	<2	0.01	3	459	7	0.01	<5	<1	4	<5	0.03	17	<10	20	<10	20	1
RK-5	<0.2	0.46	5	54	<0.5	<5	0.08	1	2	13	5	1.29	<1	0.02	<10	0.12	73	<2	0.01	8	1291	10	0.01	<5	1	7	<5	0.02	17	<10	19	<10	29	1
RK-6	0.3	0.97	16	78	<0.5	<5	0.19	1	6	27	14	2.53	1	0.03	<10	0.25	261	<2	0.01	20	2717	13	<0.01	<5	2	10	<5	0.02	12	10	35	<10	74	2
RK-7	0.4	0.48	12	23	<0.5	<5	0.08	1	5	16	20	2.03	<1	0.02	<10	0.19	167	2	0.01	18	730	9	<0.01	8	1	6	<5	0.03	13	<10	33	<10	64	1
RK-8	0.2	0.80	10	80	<0.5	<5	0.20	1	9	26	24	2.36	<1	0.03	<10	0.34	369	<2	0.01	30	872	13	<0.01	<5	2	12	<5	0.02	16	<10	32	<10	67	2
RK-9	0.2	0.73	10	51	<0.5	<5	0.09	1	6	22	18	2.63	1	0.02	<10	0.23	130	<2	0.01	18	1138	12	0.02	5	2	8	<5	0.02	13	<10	34	<10	64	3
RK-10	0.7	0.74	17	84	<0.5	<5	0.23	2	7	22	17	2.47	<1	0.03	<10	0.24	239	<2	0.01	21	684	12	0.02	5	2	13	<5	0.02	17	<10	35	<10	66	2
RK-11	0.3	1.04	14	91	<0.5	<5	0.14	2	9	30	23	3.32	<1	0.03	<10	0.31	467	<2	0.01	25	1840	15	0.02	7	2	8	<5	0.02	13	11	42	<10	138	3
RK-12	0.4	1.25	9	124	<0.5	<5	0.23	2	11	33	35	3.08	1	0.03	<10	0.42	303	<2	0.01	42	775	16	0.01	5	3	13	<5	0.03	18	13	38	<10	99	2
RK-13	<0.2	0.78	14	62	<0.5	<5	0.23	1	9	26	28	2.33	1	0.03	<10	0.29	289	2	0.01	32	977	13	0.01	<5	2	11	<5	0.03	18	<10	31	<10	72	2
RK-14	2.1	1.28	29	100	0.6	<5	0.26	3	15	36	87	4.20	<1	0.05	<10	0.45	356	3	0.01	54	1410	20	0.03	8	4	14	<5	0.04	14	15	53	<10	144	3
RK-15	0.9	1.44	37	125	0.6	<5	0.14	3	14	40	53	4.46	2	0.03	<10	0.42	321	3	0.01	51	1254	19	0.02	7	4	8	<5	0.03	17	16	52	<10	173	5
RK-16	0.6	0.87	14	164	<0.5	<5	0.11	2	8	31	21	3.61	1	0.04	<10	0.20	403	3	0.01	21	1483	15	0.01	5	2	8	<5	0.03	16	14	61	<10	105	2
RK-17	0.3	0.23	<5	36	<0.5	<5	0.03	<1	1	7	2	0.62	<1	0.01	<10	0.02	24	<2	0.01	3	206	5	<0.01	<5	<1	4	<5	0.02	14	<10	17	<10	14	<1
RK-18	<0.2	0.95	15	70	<0.5	<5	0.28	2	12	25	21	2.62	<1	0.02	<10	0.29	307	<2	0.01	30	794	14	0.01	<5	2	15	<5	0.02	15	15	28	<10	71	2
RK-19	0.2	0.88	12	126	<0.5	<5	0.28	1	11	30	29	2.66	<1	0.03	<10	0.37	406	<2	0.01	35	655	18	<0.01	7	5	16	<5	0.03	16	13	35	<10	66	3
RK-20	0.2	1.04	8	88	<0.5	<5	0.12	2	8	28	16	3.26	<1	0.02	<10	0.31	214	<2	0.01	22	1012	10	0.02	<5	2	9	<5	0.03	16	12	42	<10	92	2
RK-21	0.3	1.27	13	91	0.5	<5	0.19	2	8	33	22	3.16	<1	0.04	<10	0.38	244	<2	0.01	29	1687	14	0.01	<5	3	11	<5	0.03	16	12	41	<10	124	3
RK-22	0.4	0.61	<5	85	<0.5	<5	0.17	1	3	15	9	1.02	<1	0.03	<10	0.20	141	<2	0.01	11	601	11	0.01	<5	1	10	<5	0.02	17	<10	18	<10	33	1
RK-23	0.4	1.42	17	124	0.5	<5	0.17	2	9	37	26	3.47	<1	0.04	<10	0.40	259	<2	0.01	32	1657	14	0.02	6	3	10	<5	0.03	20	11	47	<10	115	2
RK-24	1.0	0.82	<5	78	<0.5	<5	0.11	<1	2	16	9	0.95	1	0.02	<10	0.15	54	<2	0.01	9	566	10	0.02	<5	1	8	<5	0.01	14	<10	23	<10	17	<1
RK-25	1.4	1.53	16	172	0.7	<5	0.35	3	17	37	35	3.40	<1	0.04	<10	0.34	1230	<2	0.01	35	1053	19	0.02	<5	2	<1	<5	0.02	<10	<10	44	<10	124	3
RK-26	<0.2	1.48	16	113	<0.5	<5	0.26	2	13	38	33	3.07	<1	0.05	15	0.48	388	<2	0.01	45	1171	12	0.01	<5	3	1	7	0.04	<10	18	43	<10	119	3
RK-27	<0.2	1.19	<5	76	<0.5	<5	0.19	1	5	26	12	1.43	<1	0.03	15	0.33	124	<2	0.01	18	692	4	0.01	<5	2	<1	<5	0.03	<10	11	28	<10	56	1
RK-28	<0.2	0.91	10	87	<0.5	<5	0.17	2	7	26	13	2.31	<1	0.03	15	0.32	232	<2	0.01	22	943	9	0.01	<5	2	<1	5	0.03	<10	16	40	<10	65	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0979-SG1

Company: **K-6 Consulting Group**
Project: SS
Attn: Ed Kruchkowski

Jun-18-07

We hereby certify the following geochemical analysis of 1 soil sample
submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
SS-10	7	27
*1110	1360	
*BLANK	<1	

Certified by _____

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: SS

Sample type:

Assaye Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0979SJ


Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
SS-10	<0.2	0.59	12	52	<0.5	<5	0.30	1	10	25	29	2.34	<1	0.03	<10	0.34	432	2	0.01	33	1053	11	0.01	<5	2	9	<5	0.02	<10	15	31	<10	71	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0972-SG1

Company: **K-6 Consulting Group**
Project: RA
Attn: Ed Kruchkoski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RA-1	12	6
RA-2	9	
RA-3	5	
RA-4	8	
RA-5	6	
RA-6	N.S.	
RA-7	7	
RA-8	13	
RA-9	4	
RA-10	5	
RA-11	14	
RA-12	5	
RA-13	1	
RA-14	3	
RA-15	14	
RA-16	4	
RA-17	17	
RA-18	8	
RA-19	5	
RA-20	8	5
RA-21	11	
RA-22	5	
RA-23	9	
RA-24	3	
*1110	1370	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0972-SG2

Company: **K-6 Consulting Group**
Project: RA
Attn: Ed Kruchkoski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RA-25	4	4
RA-26	3	
RA-27	6	
RA-28	18	
RA-29	<1	
RA-30	<1	
RA-31	3	
RA-32	1	
RA-33	1	
RA-34	<1	
RA-35	15	
RA-36	11	
RA-37	5	
RA-38	2	
RA-39	7	
RA-40	5	
RA-41	4	
RA-50	<1	
RA-51	9	
RA-52	2	2
RA-53	4	
RA-54	4	
RA-55	5	
RA-56	8	
*1110	1380	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0972-SG3


Company: **K-6 Consulting Group**
Project: RA
Attn: Ed Kruchkoski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RA-57	1	5
RA-58	8	
RA-59	3	
RA-60	1	
RA-61	1	
RA-62	<1	
RA-63	2	
RA-64	4	
RA-65	1	
RA-66	7	
RA-67	5	
RA-68	6	
RA-69	4	
RA-70	5	
RA-71	4	
RA-72	4	
RA-73	3	
RA-74	60	
RA-75	1	
RA-76	2	5
RA-77	12	
RA-78	4	
RA-79	3	
RA-80	4	
*1110	1362	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0972-SG4

Company: **K-6 Consulting Group**
Project: RA
Attn: Ed Kruchkoski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RA-81	6	
RA-82	6	
RA-83	141	
RA-84	3	
RA-85	3	
RA-86	11	
RA-87	3	
RA-88	7	
RA-89	5	
RA-90	5	5
RA-91	6	
RA-92	3	
RA-93	4	
RA-94	3	
RA-95	263	
RA-96	2	
RA-97	8	
RA-98	7	
RA-99	3	
RA-100	3	12
RA-101	8	
RA-102	5	
RA-103	3	
RA-104	9	
*1110	1464	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel. (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0972-SG5

Company: **K-6 Consulting Group**
Project: RA
Attn: Ed Kruchkoski

Jun-18-07

We hereby certify the following geochemical analysis of 4 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RA-105	25	6
RA-106	11	
RA-107	76	
RA-108	7	
*1110	1430	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkoski

Project: RA

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0972SJ

Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RA-1	0.3	1.05	14	89	<0.5	<5	0.22	2	9	25	29	2.83	1	0.02	<10	0.53	479	2	0.01	39	930	11	0.01	6	2	13	<5	0.01	11	14	27	<10	84	2
RA-2	0.7	0.96	19	157	0.5	<5	0.43	2	14	32	57	3.22	1	0.05	13	0.42	702	3	0.01	48	967	14	0.02	9	6	21	<5	0.02	20	17	34	<10	93	4
RA-3	0.2	0.98	17	112	<0.5	<5	0.31	2	10	26	39	2.85	1	0.03	<10	0.35	475	2	0.01	39	1124	13	0.02	10	3	15	<5	0.02	15	13	34	<10	100	3
RA-4	0.6	0.90	22	122	<0.5	<5	0.39	2	12	26	49	3.00	2	0.03	12	0.39	631	2	0.01	39	785	16	0.02	8	5	18	<5	0.02	18	16	33	<10	85	4
RA-5	0.4	1.52	18	182	0.7	<5	0.47	3	14	41	45	4.23	2	0.04	11	0.38	405	4	0.01	45	666	19	0.04	9	5	23	<5	0.03	17	20	51	<10	94	5
RA-7	<0.2	1.52	27	101	0.6	<5	0.39	2	14	39	42	3.69	1	0.04	11	0.37	450	3	0.01	50	1438	18	0.03	9	3	20	<5	0.03	14	17	48	<10	93	3
RA-8	0.8	0.99	24	134	<0.5	<5	0.40	2	14	33	39	3.63	<1	0.05	<10	0.32	558	2	0.01	50	1658	21	0.02	12	3	22	<5	0.03	16	18	47	<10	106	3
RA-9	0.7	0.73	14	68	<0.5	<5	2.53	2	12	20	45	2.78	1	0.06	10	0.42	627	2	0.01	47	1020	12	0.02	10	4	64	<5	0.02	16	22	28	<10	97	5
RA-10	0.5	0.84	11	57	<0.5	<5	0.27	2	8	25	15	2.89	1	0.03	<10	0.26	254	2	0.01	24	1849	12	0.02	6	1	16	<5	0.02	18	10	33	<10	109	2
RA-11	0.6	0.94	18	94	<0.5	<5	0.57	3	13	25	34	3.12	1	0.04	<10	0.32	604	5	0.01	43	2208	17	0.03	9	2	32	<5	0.02	20	15	33	<10	121	3
RA-12	0.6	1.00	10	160	0.5	<5	0.23	3	6	22	21	2.60	2	0.02	<10	0.18	340	4	0.01	30	682	12	0.02	9	2	15	<5	0.01	13	10	32	<10	74	2
RA-13	0.4	0.59	14	100	<0.5	<5	0.38	2	6	16	17	2.37	2	0.02	<10	0.17	169	6	0.01	29	2090	9	0.01	<5	1	21	<5	0.01	11	12	28	<10	85	2
RA-14	0.8	0.70	11	102	<0.5	<5	0.47	2	5	17	19	2.30	<1	0.03	<10	0.15	238	6	0.01	27	1829	12	0.02	8	1	26	<5	0.01	21	12	27	<10	92	2
RA-15	0.8	0.98	15	107	<0.5	<5	0.35	2	9	23	28	2.85	1	0.04	<10	0.29	372	3	0.01	35	1683	14	0.02	7	2	19	<5	0.02	16	12	31	<10	95	2
RA-16	0.7	0.96	8	111	<0.5	<5	0.23	2	8	24	15	2.73	1	0.04	<10	0.26	418	2	0.01	23	1375	7	0.02	9	1	13	<5	0.02	16	11	36	<10	91	2
RA-17	0.7	0.78	9	114	<0.5	<5	0.27	1	7	21	14	2.02	1	0.03	<10	0.24	449	<2	0.01	20	913	9	0.02	7	2	14	<5	0.02	15	10	30	<10	60	2
RA-18	0.2	0.91	13	102	<0.5	<5	0.25	1	10	28	27	2.62	2	0.04	10	0.30	444	2	0.01	33	1099	11	0.02	9	3	14	<5	0.03	16	10	35	<10	71	2
RA-19	0.3	1.07	20	84	<0.5	<5	0.20	2	10	29	27	2.83	1	0.04	<10	0.30	296	<2	0.01	37	1594	11	0.01	5	3	12	<5	0.03	18	11	37	<10	76	2
RA-20	0.7	0.96	14	126	<0.5	<5	0.12	2	9	26	23	2.97	1	0.03	<10	0.25	382	<2	0.01	28	1106	13	0.01	7	2	11	<5	0.03	22	<10	42	<10	86	2
RA-21	0.7	1.03	17	107	<0.5	<5	0.15	2	10	29	28	3.09	1	0.04	<10	0.28	415	2	0.01	34	1322	14	0.01	7	2	11	<5	0.03	22	11	42	<10	87	2
RA-22	0.6	1.18	26	141	<0.5	<5	0.34	2	17	64	61	4.71	2	0.03	<10	0.77	580	3	0.01	99	1841	19	0.04	8	2	20	<5	0.01	19	23	44	<10	81	3
RA-23	0.8	0.91	35	109	<0.5	<5	0.40	2	33	173	41	3.36	3	0.03	<10	1.06	826	2	0.01	349	1217	18	0.02	9	4	23	<5	0.01	29	17	33	<10	95	3
RA-24	0.5	1.22	10	119	<0.5	<5	0.17	2	7	31	14	3.47	2	0.03	<10	0.34	346	<2	0.01	19	1979	9	0.01	8	2	11	<5	0.03	20	16	56	<10	72	3
RA-25	<0.2	0.79	11	100	<0.5	<5	0.09	2	8	40	13	2.95	1	0.02	<10	0.28	201	<2	0.01	36	1454	9	0.01	6	2	5	<5	0.01	<10	<10	37	<10	80	2
RA-26	<0.2	1.19	<5	177	<0.5	<5	0.09	2	9	35	13	3.51	<1	0.05	<10	0.57	279	2	0.01	25	1974	9	0.01	7	4	6	<5	0.01	10	10	65	<10	106	3
RA-27	0.3	1.64	29	114	0.6	<5	0.27	4	27	76	101	5.27	2	0.05	11	0.94	1256	6	0.01	149	1769	28	0.02	13	7	17	8	0.02	<10	23	57	<10	195	5
RA-28	0.4	2.45	<5	395	<0.5	<5	0.68	4	46	60	83	7.26	2	0.44	<10	1.35	2231	<2	0.01	54	885	8	0.05	13	11	27	<5	0.13	11	32	81	<10	148	4
RA-29	0.5	1.96	<5	509	<0.5	<5	1.11	4	39	65	61	6.29	<1	0.36	<10	0.86	3627	<2	0.01	46	1549	13	0.05	12	11	50	<5	0.08	10	38	75	<10	123	4
RA-30	<0.2	2.00	<5	171	<0.5	<5	0.28	3	31	71	88	5.59	2	0.19	<10	1.19	1163	<2	0.01	51	469	9	0.01	11	17	13	<5	0.05	<10	21	69	<10	100	3
RA-31	0.5	1.48	7	277	<0.5	<5	0.42	3	22	50	57	5.17	2	0.14	<10	0.60	1130	<2	0.01	45	805	10	0.03	11	8	19	<5	0.04	<10	21	54	<10	101	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



K-6 Consulting Group

Attention: Ed Kruchkoski

Project: RA

Sample type:

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0972SJ
Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RA-32	0.7 1.55	<5	514 <0.5	<5 0.80	5	53	32	154	7.45	1	0.12	<10	0.36	5896	<2	0.01	53	1407	15	0.06	18	24	40	<5	0.02	<10	50	40	<10	168	4			
RA-33	0.5 1.67	6	278 <0.5	<5 0.78	3	34	52	77	5.40	<1	0.23	<10	1.06	2799	<2	0.01	78	877	10	0.04	13	11	32	<5	0.06	<10	30	74	<10	123	3			
RA-34	0.7 2.16	<5	525 <0.5	<5 1.03	4	36	32	62	5.37	1	0.34	<10	1.47	3878	<2	0.01	37	1273	5	0.05	14	11	41	<5	0.13	<10	35	113	<10	205	3			
RA-35	<0.2 1.02	19	90 <0.5	<5 0.25	2	16	54	53	3.34	<1	0.05	<10	0.54	585	<2	0.01	90	1131	16	0.01	8	4	13	<5	0.02	<10	10	39	<10	93	3			
RA-36	<0.2 1.14	15	102 <0.5	<5 0.22	2	16	54	52	3.38	<1	0.05	<10	0.54	658	2	0.01	98	1130	17	0.01	6	4	11	<5	0.02	<10	13	39	<10	95	3			
RA-37	<0.2 1.29	19	107 <0.5	<5 0.14	2	13	54	39	3.32	1	0.03	<10	0.49	509	<2	0.01	84	1082	9	0.01	7	3	9	<5	0.02	<10	10	39	<10	91	3			
RA-38	<0.2 0.70	5	127 <0.5	<5 0.13	1	6	34	11	2.08	1	0.03	<10	0.31	490	<2	0.01	19	818	7	0.01	<5	1	7	<5	0.02	<10	38	<10	45	1				
RA-39	<0.2 0.99	11	146 <0.5	<5 2.20	2	16	35	54	3.25	<1	0.07	13	0.64	838	3	0.01	59	868	15	0.02	8	5	59	<5	0.03	<10	19	38	<10	115	5			
RA-40	<0.2 1.11	17	124 <0.5	<5 0.14	2	10	43	28	3.53	1	0.03	12	0.39	230	3	0.01	50	830	13	0.02	6	2	7	<5	0.07	<10	11	48	<10	64	3			
RA-41	<0.2 1.07	10	114 <0.5	<5 0.18	2	14	31	38	3.07	1	0.05	14	0.41	637	2	0.01	47	721	12	0.01	6	3	10	<5	0.03	<10	12	37	<10	100	2			
RA-50	0.4 1.13	<5	134 <0.5	<5 0.21	1	5	21	11	2.02	1	0.03	<10	0.54	692	<2	0.01	31	465	4	<0.01	5	1	11	<5	0.01	<10	21	<10	113	1				
RA-51	1.0 1.07	<5	147 <0.5	<5 0.38	2	10	27	36	2.60	1	0.04	<10	0.41	1162	<2	0.01	39	723	10	0.03	9	3	20	<5	0.01	<10	11	30	<10	103	3			
RA-52	0.4 0.62	<5	127 <0.5	<5 0.12	1	5	14	10	1.34	1	0.03	<10	0.22	847	<2	0.01	16	548	7	0.01	5	1	8	<5	0.01	<10	15	<10	61	1				
RA-53	<0.2 1.33	5	79 <0.5	<5 0.23	1	5	28	21	2.60	1	0.02	<10	0.75	361	<2	0.01	44	839	7	<0.01	6	2	13	<5	0.01	<10	10	25	<10	89	2			
RA-54	0.3 0.70	<5	90 <0.5	<5 0.06	1	4	18	11	1.41	<1	0.02	<10	0.21	203	<2	0.01	14	471	4	<0.01	5	1	5	<5	0.02	<10	10	21	<10	62	1			
RA-55	0.7 0.44	<5	93 <0.5	<5 0.05	1	2	9	3	0.87	1	0.02	<10	0.09	331	<2	0.01	5	550	4	<0.01	<5	<1	5	<5	0.01	<10	<10	14	<10	23	<1			
RA-56	0.4 1.24	16	143 0.5	<5 0.18	2	8	39	23	3.34	1	0.03	<10	0.31	281	2	0.01	30	2342	11	0.01	6	3	12	<5	0.02	<10	<10	45	<10	126	3			
RA-57	0.5 0.59	7	70 <0.5	<5 0.08	1	3	17	5	1.62	1	0.02	<10	0.17	106	<2	0.01	9	1116	8	0.01	<5	1	5	<5	0.01	10	<10	27	<10	42	1			
RA-58	<0.2 1.21	14	101 <0.5	<5 0.15	2	8	34	29	3.21	<1	0.03	<10	0.37	273	2	0.01	39	1312	10	0.01	<5	2	8	<5	0.01	10	12	37	<10	114	2			
RA-59	0.4 0.87	11	101 <0.5	<5 0.17	1	5	25	14	2.43	1	0.04	<10	0.27	215	<2	0.01	19	2146	7	0.01	<5	2	9	<5	0.02	<10	<10	34	<10	80	3			
RA-60	<0.2 0.41	<5	83 <0.5	<5 0.11	1	4	16	7	1.40	1	0.02	<10	0.13	232	<2	0.01	10	317	5	0.01	<5	1	6	<5	0.02	<10	<10	27	<10	50	1			
RA-61	0.4 0.48	7	165 <0.5	<5 0.20	2	5	19	15	1.44	1	0.04	10	0.10	828	<2	0.01	11	465	10	0.01	<5	1	11	<5	0.02	12	<10	25	<10	45	1			
RA-62	0.2 0.30	<5	58 <0.5	<5 0.05	<1	1	16	1	0.40	<1	0.02	12	0.06	54	<2	0.01	7	137	3	<0.01	<5	<1	4	<5	0.02	12	<10	10	<10	12	<1			
RA-63	<0.2 0.69	8	96 <0.5	<5 0.10	1	4	35	6	1.74	<1	0.02	11	0.31	239	<2	0.01	29	959	7	<0.01	<5	1	6	<5	0.02	13	<10	27	<10	56	1			
RA-64	<0.2 0.41	<5	50 <0.5	<5 0.10	1	3	17	4	1.11	1	0.02	<10	0.14	79	<2	0.01	10	582	6	<0.01	<5	1	6	<5	0.03	<10	<10	22	<10	27	1			
RA-65	<0.2 0.82	7	256 <0.5	<5 0.16	2	7	31	15	2.44	1	0.03	<10	0.42	411	<2	0.01	36	1288	7	0.01	<5	2	8	<5	0.01	<10	<10	31	<10	118	2			
RA-66	<0.2 0.50	7	124 <0.5	<5 0.16	1	4	16	8	1.29	1	0.03	<10	0.22	178	<2	0.01	13	512	5	<0.01	<5	1	8	<5	0.01	<10	<10	20	<10	44	1			
RA-67	0.2 0.81	11	95 <0.5	<5 0.18	1	5	26	15	2.45	1	0.02	<10	0.32	201	<2	0.01	27	1963	8	0.01	<5	2	10	<5	0.01	<10	<10	29	<10	84	2			
RA-68	0.3 1.09	14	178 <0.5	<5 0.19	2	9	28	21	2.62	1	0.03	<10	0.31	351	2	0.01	28	857	10	0.01	<5	2	11	<5	0.02	<10	<10	11	<10	38	2			
RA-69	0.3 0.76	8	139 <0.5	<5 0.20	1	5	23	10	1.96	1	0.03	<10	0.32	178	<2	0.01	19	914	6	<0.01	<5	1	11	<5	0.02	<10	<10	30	<10	70	1			

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkoski

Project: RA

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0972SJ

Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RA-70	0.3	1.19	5	167	<0.5	<5	0.34	2	11	35	18	2.72	1	0.04	11	0.45	743	<2	0.01	30	746	8	<0.01	<5	3	17	<5	0.03	<10	14	40	<10	126	2
RA-71	<0.2	0.90	8	111	<0.5	<5	0.21	1	8	27	18	2.19	<1	0.03	11	0.34	416	<2	0.01	27	823	7	0.01	<5	2	10	<5	0.02	<10	10	31	<10	70	1
RA-72	<0.2	1.09	12	123	<0.5	<5	0.21	1	11	29	28	2.97	1	0.05	16	0.41	507	<2	0.01	38	837	14	0.01	<5	3	12	5	0.03	<15	13	36	<10	83	3
RA-73	<0.2	0.80	7	90	<0.5	<5	0.69	1	11	24	25	2.66	1	0.05	14	0.36	479	<2	0.01	37	850	11	0.01	<5	3	18	<5	0.03	<11	12	31	<10	73	2
RA-74	<0.2	0.88	16	77	<0.5	<5	0.14	1	10	32	28	2.61	2	0.03	<10	0.35	263	<2	0.01	41	1039	9	0.01	<5	2	7	<5	0.02	<10	<10	29	<10	68	2
RA-75	<0.2	0.49	<5	80	<0.5	<5	0.41	1	5	16	5	1.61	2	0.04	<10	0.18	138	<2	<0.01	11	747	6	0.01	<5	1	6	<5	0.02	<10	<10	28	<10	34	1
RA-76	<0.2	0.40	7	65	<0.5	<5	0.05	1	2	11	5	1.01	1	0.01	<10	0.08	59	<2	<0.01	10	377	5	<0.01	<5	<1	3	<5	0.01	<10	<10	20	<10	24	<1
RA-77	0.6	1.11	17	58	<0.5	<5	0.09	1	9	34	28	2.62	<1	0.02	<10	0.29	151	2	0.01	46	954	9	0.01	5	2	7	<5	0.02	<10	<10	29	<10	74	3
RA-78	0.5	0.58	8	106	<0.5	<5	0.15	1	4	20	8	1.72	<1	0.03	<10	0.15	207	<2	0.01	15	923	7	0.02	<5	1	9	<5	0.01	<10	<10	27	<10	44	1
RA-79	<0.2	0.47	5	56	<0.5	<5	0.13	<1	1	12	4	0.54	1	0.01	<10	0.06	33	<2	0.01	5	350	4	0.01	<5	1	7	<5	0.01	<10	<10	12	<10	10	1
RA-80	0.9	0.88	18	277	0.7	<5	1.12	4	14	19	41	3.75	1	0.05	11	0.29	1300	8	0.01	67	4605	25	0.03	9	4	62	<5	<0.01	10	19	19	<10	196	5
RA-81	<0.2	1.20	31	95	<0.5	<5	0.22	2	16	33	56	4.20	1	0.03	<10	0.40	298	<2	0.01	55	717	17	0.02	10	4	11	<5	0.02	<10	18	41	<10	87	3
RA-82	0.6	0.89	13	123	<0.5	<5	0.10	2	12	31	35	3.51	1	0.03	<10	0.28	284	2	0.01	35	477	16	0.01	<5	2	7	<5	0.02	11	14	49	<10	63	2
RA-83	0.3	1.07	16	133	<0.5	<5	0.16	2	11	30	33	3.24	<1	0.03	<10	0.31	387	2	0.01	42	723	12	0.02	7	2	10	<5	0.02	11	<10	39	<10	71	2
RA-84	0.4	0.76	11	90	<0.5	<5	0.22	1	4	23	13	2.19	1	0.03	<10	0.23	128	<2	0.01	16	1493	8	0.02	<5	1	11	<5	0.02	<10	<10	29	<10	58	1
RA-85	<0.2	0.71	6	48	<0.5	<5	0.07	1	4	21	10	2.18	<1	0.02	<10	0.16	107	<2	0.01	14	1118	8	0.02	<5	1	5	<5	0.02	<10	<10	34	<10	52	1
RA-86	0.2	0.61	6	79	<0.5	<5	0.08	1	3	13	5	1.05	1	0.02	11	0.17	124	<2	0.01	8	380	4	0.01	<5	1	6	<5	0.02	11	<10	20	<10	32	1
RA-87	<0.2	0.84	<5	84	<0.5	<5	0.14	1	5	22	10	1.88	1	0.03	12	0.28	123	<2	0.01	17	942	5	<0.01	<5	2	8	<5	0.03	<10	<10	29	<10	56	1
RA-88	<0.2	0.45	<5	74	<0.5	<5	0.09	<1	2	11	3	0.64	<1	0.03	10	0.13	80	<2	0.01	6	357	4	0.01	<5	1	5	<5	0.01	<10	<10	12	<10	20	1
RA-89	<0.2	0.51	7	67	<0.5	<5	0.11	1	3	12	6	1.11	<1	0.02	<10	0.15	104	<2	0.01	9	491	3	<0.01	<5	1	6	<5	0.02	10	<10	20	<10	30	1
RA-90	<0.2	0.43	<5	56	<0.5	<5	0.06	1	3	12	4	1.11	<1	0.02	<10	0.12	77	<2	0.01	8	569	5	0.01	<5	1	5	<5	0.02	10	<10	21	<10	29	1
RA-91	<0.2	1.06	18	91	0.5	<5	0.49	3	13	25	45	3.56	<1	0.05	15	0.42	468	8	0.01	50	2941	18	0.01	6	3	28	5	0.01	<10	15	30	<10	184	3
RA-92	0.5	0.56	10	303	<0.5	<5	0.51	3	9	24	14	2.14	<1	0.06	<10	0.14	1894	2	0.01	24	1585	12	0.03	6	1	24	<5	0.01	<10	17	26	<10	130	1
RA-93	2.2	1.50	7	244	1.0	<5	1.19	11	19	42	89	3.74	<1	0.06	14	0.38	2772	3	0.01	96	1135	18	0.04	9	6	66	<5	0.03	24	34	37	<10	265	4
RA-94	<0.2	0.39	9	43	<0.5	<5	0.10	1	4	13	12	1.30	<1	0.02	<10	0.10	118	<2	0.01	11	483	5	<0.01	<5	1	6	<5	0.03	<10	<10	26	<10	37	1
RA-95	<0.2	0.52	<5	117	<0.5	<5	0.13	1	5	17	11	1.36	<1	0.02	<10	0.14	298	<2	0.01	11	291	5	0.01	<5	1	8	<5	0.03	<10	<10	28	<10	33	1
RA-96	<0.2	0.49	5	80	<0.5	<5	0.14	1	3	15	8	1.25	<1	0.02	<10	0.11	168	<2	0.01	9	450	7	0.01	<5	1	7	<5	0.02	<10	<10	29	<10	44	1
RA-97	0.5	0.91	38	86	<0.5	<5	0.09	2	9	33	31	4.13	2	0.02	<10	0.25	297	2	0.01	28	850	19	0.03	7	2	6	<5	0.03	<10	17	55	<10	103	2
RA-98	0.2	0.93	9	110	<0.5	<5	0.18	2	7	26	18	2.77	1	0.03	<10	0.27	335	<2	0.01	16	671	10	0.02	<5	1	10	<5	0.03	<10	12	53	<10	76	1
RA-99	1.0	0.66	5	158	<0.5	<5	0.17	1	4	19	12	1.77	<1	0.03	<10	0.16	257	2	0.01	11	431	9	0.02	<5	1	11	<5	0.02	<10	<10	34	<10	42	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkoski

Project: RA

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0972SJ

Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RA-100	0.2	0.60	<5	121	<0.5	<5	0.24	1	5	14	9	1.19	<1	0.02	<10	0.18	320	<2	0.01	9	249	9	0.01	<5	1	11	<5	0.02	<10	<10	28	<10	21	1
RA-101	<0.2	0.58	6	89	<0.5	<5	0.11	1	4	16	9	1.70	1	0.02	<10	0.17	136	<2	0.01	12	302	6	0.01	<5	1	6	<5	0.02	<10	<10	32	<10	35	1
RA-102	0.4	1.10	10	122	<0.5	<5	0.49	2	9	29	34	2.62	<1	0.03	12	0.30	538	<2	0.01	26	624	9	0.02	<5	3	28	<5	0.02	13	16	39	<10	44	2
RA-103	<0.2	0.51	<5	99	<0.5	<5	0.12	1	3	15	10	1.27	<1	0.01	<10	0.11	110	<2	0.01	9	320	5	0.01	<5	1	7	<5	0.02	<10	<10	27	<10	28	1
RA-104	<0.2	0.43	<5	120	<0.5	<5	0.11	1	2	9	6	0.64	<1	0.01	<10	0.05	40	<2	0.01	5	292	4	0.01	<5	<1	10	<5	0.01	<10	<10	13	<10	21	<1
RA-105	<0.2	0.49	22	154	<0.5	<5	0.20	1	7	19	19	2.44	<1	0.04	<10	0.19	380	<2	0.01	23	702	12	0.02	6	1	9	<5	0.02	<10	12	31	<10	68	2
RA-106	<0.2	0.86	19	179	<0.5	<5	0.07	2	8	27	11	3.52	1	0.02	<10	0.26	434	<2	0.01	18	1372	12	0.01	<5	1	5	<5	0.03	<10	11	58	<10	84	2
RA-107	0.9	0.61	18	260	<0.5	<5	0.28	3	10	24	23	2.77	1	0.02	<10	0.15	1711	2	0.01	20	698	32	0.04	7	1	16	<5	0.03	<10	17	41	<10	89	1
RA-108	<0.2	0.78	18	52	<0.5	<5	0.05	2	5	27	24	2.79	<1	0.02	<10	0.13	134	<2	0.01	22	813	14	0.02	5	1	5	<5	0.03	<10	11	41	<10	46	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0975-SG1

Company: **K-6 Consulting Group**
Project: RS
Attn: Ed Kruchkowski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RS-250	14	
RS-251	11	
RS-252	16	
RS-253	15	
RS-254	3	
RS-255	7	
RS-256	5	
RS-257	8	
RS-258	11	
RS-259	18	20
RS-260	7	
RS-261	18	
RS-262	10	
RS-263	15	
RS-264	9	
RS-265	4	
RS-266	4	
RS-267	3	
RS-268	5	
RS-269	5	4
RS-270	7	
RS-271	7	
RS-272	4	
RS-273	5	
*1110	1504	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0975-SG2


Company: **K-6 Consulting Group**
Project: RS
Attn: Ed Kruchkowski

Jun-18-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RS-274	18	
RS-275	4	
RS-276	5	
RS-277	16	
RS-278	7	
RS-279	9	
RS-280	6	
RS-281	7	
RS-282	7	
RS-283	8	7
RS-350	9	
RS-351	13	
RS-352	9	
RS-353	6	
RS-354	6	
RS-355	7	
RS-356	9	
RS-357	15	
RS-358	15	
RS-359	24	16
RS-360	5	
RS-361	7	
RS-362	4	
RS-363	12	
*1110	1481	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0975-SG3

Company: K-6 Consulting Group
Project: RS
Attn: Ed Kruchkowski

Jun-18-07

We hereby certify the following geochemical analysis of 4 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RS-364	N.S.	
RS-365	5	
RS-366	5	
RS-367	5	9
*1110	1432	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0975SJ

Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RS-250	<0.2	0.48	<5	50	<0.5	<5	0.08	1	3	13	6	1.01	<1	0.02	<10	0.12	77	<2	<0.01	8	307	5	0.01	<5	1	5	<5	0.02	<10	<10	17	<10	35	1
RS-251	<0.2	0.79	17	69	<0.5	<5	0.21	1	8	31	25	2.31	1	0.03	10	0.32	297	<2	0.01	29	976	8	<0.01	5	3	11	<5	0.03	<10	<10	32	<10	68	2
RS-252	<0.2	0.97	12	81	<0.5	<5	0.19	2	8	31	28	2.37	1	0.03	11	0.31	293	2	0.01	31	898	13	<0.01	<5	3	11	<5	0.03	<10	<10	31	<10	75	2
RS-253	<0.2	0.91	17	73	<0.5	<5	0.20	2	10	30	33	2.61	1	0.04	13	0.32	386	2	0.01	37	1033	11	0.01	<5	3	11	<5	0.04	<10	10	34	<10	87	2
RS-254	<0.2	0.95	17	101	<0.5	<5	0.19	2	7	28	24	3.06	<1	0.04	10	0.31	193	2	0.01	32	1895	14	<0.01	<5	2	11	<5	0.02	<10	10	34	<10	107	2
RS-255	<0.2	0.95	13	73	<0.5	<5	0.24	2	13	29	35	2.63	1	0.05	12	0.33	698	<2	0.01	43	1038	9	0.01	5	3	13	<5	0.04	<10	11	34	<10	76	3
RS-256	<0.2	0.96	10	74	<0.5	<5	0.20	1	8	29	23	2.59	<1	0.04	12	0.34	283	<2	0.01	29	976	9	<0.01	<5	2	12	<5	0.03	16	10	33	<10	65	2
RS-257	<0.2	0.98	11	110	<0.5	<5	0.28	1	10	32	34	2.78	<1	0.05	12	0.40	488	2	0.01	36	845	13	<0.01	5	4	14	<5	0.03	<10	<10	36	<10	72	3
RS-258	<0.2	0.93	10	128	<0.5	<5	0.26	1	9	31	32	2.54	1	0.04	12	0.37	353	<2	0.01	37	718	10	0.01	<5	5	14	<5	0.03	<10	<10	33	<10	63	3
RS-259	<0.2	1.31	24	219	0.6	<5	0.46	2	15	49	66	4.01	2	0.08	14	0.52	668	2	0.01	63	1095	19	0.01	9	7	23	5	0.03	<10	18	49	<10	124	5
RS-260	<0.2	0.90	12	75	<0.5	<5	0.22	1	10	28	27	2.53	1	0.03	10	0.33	375	2	0.01	33	1092	11	<0.01	<5	2	11	<5	0.02	<10	10	32	<10	77	2
RS-261	<0.2	1.03	15	81	<0.5	<5	0.23	2	10	33	31	2.84	<1	0.04	10	0.36	366	2	0.01	38	1150	12	0.02	<5	3	12	<5	0.03	<10	10	35	<10	87	2
RS-262	<0.2	0.93	18	84	<0.5	<5	0.19	2	11	31	41	2.80	<1	0.04	11	0.31	433	2	0.01	39	833	11	0.01	<5	3	10	<5	0.03	<10	11	35	<10	88	2
RS-263	<0.2	1.23	21	75	<0.5	<5	0.28	2	15	41	48	3.20	<1	0.04	11	0.39	474	2	0.01	52	1432	13	0.01	6	3	15	<5	0.03	<10	13	42	<10	131	3
RS-264	0.3	1.13	44	108	0.5	<5	0.25	3	19	40	50	4.26	<1	0.03	<10	0.31	438	3	0.01	51	1015	19	0.03	9	3	12	<5	0.03	<10	13	43	<10	111	3
RS-265	<0.2	0.87	10	68	<0.5	<5	0.14	1	8	26	27	2.22	<1	0.04	13	0.27	215	<2	0.01	32	638	10	<0.01	5	2	8	<5	0.03	<10	<10	28	<10	59	2
RS-266	<0.2	1.00	<5	72	<0.5	<5	0.13	1	6	23	13	1.78	<1	0.02	10	0.27	114	<2	0.01	21	509	5	<0.01	<5	2	7	<5	0.02	<10	<10	25	<10	51	2
RS-267	<0.2	0.57	<5	67	<0.5	<5	0.16	1	3	15	5	1.08	<1	0.02	<10	0.20	113	<2	0.01	12	432	4	0.01	<5	1	8	<5	0.01	<10	<10	19	<10	38	1
RS-268	0.6	0.91	6	125	<0.5	<5	0.36	1	6	24	18	1.73	<1	0.03	<10	0.28	451	<2	0.01	20	805	10	0.01	6	2	18	<5	0.02	<10	<10	29	<10	47	1
RS-269	<0.2	0.94	7	85	<0.5	<5	0.19	1	7	26	19	2.25	<1	0.04	<10	0.30	289	<2	0.01	28	846	8	0.01	<5	2	10	<5	0.02	<10	<10	30	<10	57	2
RS-270	<0.2	1.10	12	108	<0.5	<5	0.15	1	8	29	21	2.72	<1	0.03	<10	0.33	213	2	0.01	31	744	9	0.01	<5	2	9	<5	0.03	<10	10	36	<10	76	2
RS-271	<0.2	0.85	<5	92	<0.5	<5	0.24	1	6	24	22	1.94	<1	0.03	12	0.30	277	<2	0.01	29	713	9	0.01	<5	3	13	<5	0.03	<10	<10	26	<10	46	2
RS-272	<0.2	1.06	10	105	<0.5	<5	0.19	1	9	32	26	2.65	<1	0.04	12	0.34	266	2	0.01	34	778	10	<0.01	<5	3	11	<5	0.03	<10	<10	37	<10	72	2
RS-273	<0.2	1.00	10	111	<0.5	<5	0.19	1	13	29	34	2.80	<1	0.07	14	0.36	610	<2	0.01	37	773	15	0.01	<5	4	11	5	0.03	<10	11	38	<10	75	2
RS-274	<0.2	0.94	9	96	<0.5	<5	0.36	1	9	40	20	2.52	<1	0.03	12	0.41	293	2	0.01	30	1146	9	0.01	8	4	18	<5	0.03	13	12	37	<10	51	4
RS-275	<0.2	0.73	9	64	<0.5	<5	0.26	1	7	25	17	1.99	<1	0.03	10	0.31	227	<2	0.01	27	1016	9	0.01	<5	2	13	<5	0.02	12	10	26	<10	59	2
RS-276	0.3	0.71	<5	70	<0.5	<5	0.24	1	6	21	11	1.63	<1	0.02	11	0.30	187	<2	0.01	20	789	8	0.01	5	2	13	<5	0.02	<10	<10	22	<10	43	2
RS-277	0.3	0.71	10	91	<0.5	<5	0.32	1	5	27	25	2.15	<1	0.03	11	0.27	163	<2	0.01	28	1012	11	0.01	<5	4	16	<5	0.02	<10	<10	26	<10	51	3
RS-278	<0.2	0.72	<5	79	<0.5	<5	0.25	1	6	24	18	1.89	<1	0.03	11	0.28	269	<2	0.01	24	776	8	0.01	<5	3	13	<5	0.02	10	<10	24	<10	47	2
RS-279	<0.2	0.77	9	71	<0.5	<5	0.21	1	9	26	19	2.30	<1	0.03	10	0.29	364	<2	0.01	28	789	12	0.01	6	2	11	<5	0.02	<10	<10	29	<10	52	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowsky

Project: RS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0975SJ

Date : Jun-18-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Hg %	K ppm	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm			
RS-280	<0.2	0.78	—	10	—	78	<0.5	—	<5	0.21	1	7	25	19	2.16	<1	0.03	11	0.28	296	<2	0.01	28	860	9	0.01	<5	2	11	<5	0.02	12	<10	28	<10	55	2
RS-281	<0.2	0.77	9	81	<0.5	<5	0.21	1	7	26	20	2.09	<1	0.03	13	0.32	307	<2	0.01	24	782	11	0.01	5	3	12	<5	0.03	12	<10	29	<10	53	1			
RS-282	<0.2	1.06	11	115	<0.5	<5	0.24	1	10	32	29	2.56	<1	0.05	13	0.37	421	<2	0.01	33	868	13	<0.01	5	3	14	<5	0.03	<10	11	36	<10	69	2			
RS-283	<0.2	0.75	10	96	<0.5	<5	0.29	1	11	27	26	2.39	<1	0.04	12	0.33	523	2	0.01	33	995	13	0.02	6	3	15	<5	0.02	13	13	32	<10	67	2			
RS-350	0.4	1.00	10	62	<0.5	<5	0.22	2	8	26	49	2.65	<1	0.03	<10	0.29	252	3	0.01	28	1449	17	0.01	6	2	13	<5	0.02	<10	12	33	<10	86	2			
RS-351	0.5	0.94	15	119	<0.5	<5	0.24	2	11	34	36	2.86	<1	0.03	13	0.40	581	3	0.01	38	869	17	0.02	<5	4	15	<5	0.02	11	12	36	<10	115	2			
RS-352	0.9	1.00	8	106	<0.5	<5	0.23	2	9	35	28	2.68	<1	0.03	14	0.40	570	3	0.01	32	1024	11	0.01	7	3	15	<5	0.02	12	13	36	<10	109	2			
RS-353	0.7	0.82	6	84	<0.5	<5	0.13	2	6	25	14	1.97	<1	0.04	12	0.31	309	2	0.01	17	1121	13	0.01	<5	2	9	<5	0.02	<10	10	28	<10	85	1			
RS-354	1.1	0.92	9	156	<0.5	<5	0.20	2	5	25	16	1.95	<1	0.04	<10	0.25	191	3	0.01	17	589	15	0.02	<5	1	14	<5	0.02	<10	<10	34	<10	62	1			
RS-355	0.6	0.90	8	110	<0.5	<5	0.24	2	7	25	13	2.26	<1	0.04	10	0.27	310	2	0.01	18	1772	11	<0.01	5	2	16	<5	0.02	<10	<10	34	<10	113	2			
RS-356	1.0	0.80	10	87	<0.5	<5	0.19	2	7	25	15	2.13	<1	0.03	10	0.25	308	2	0.01	20	1235	13	0.01	7	2	11	<5	0.02	<10	<10	29	<10	78	1			
RS-357	1.6	1.16	12	88	<0.5	<5	0.18	2	7	35	16	2.66	1	0.02	10	0.25	267	3	0.01	26	1732	9	0.02	5	2	12	<5	0.02	10	11	33	<10	107	3			
RS-358	<0.2	0.79	13	54	<0.5	<5	0.23	2	10	28	28	2.61	<1	0.03	12	0.33	403	4	0.01	28	1362	13	0.01	<5	2	14	<5	0.02	<10	11	34	<10	103	1			
RS-359	0.9	0.96	17	57	<0.5	<5	0.19	2	9	31	25	2.69	<1	0.02	10	0.22	253	4	0.01	32	1868	11	0.01	8	2	12	<5	0.02	<10	10	32	<10	106	2			
RS-360	1.1	0.84	11	164	<0.5	<5	0.94	2	8	31	19	2.53	1	0.03	<10	0.25	246	2	0.01	28	519	13	0.04	5	2	40	<5	0.03	11	17	37	<10	53	2			
RS-361	2.0	1.10	16	118	0.5	<5	0.38	2	11	35	26	3.25	<1	0.03	<10	0.34	297	3	0.01	39	1566	11	0.02	8	2	20	<5	0.02	<10	14	38	<10	112	2			
RS-362	0.5	0.92	11	94	<0.5	<5	0.24	2	9	28	22	2.59	<1	0.03	<10	0.31	368	2	0.01	28	1305	10	0.01	6	2	13	<5	0.02	<10	13	36	<10	120	1			
RS-363	0.8	1.12	9	155	0.5	<5	0.41	3	12	32	28	3.11	<1	0.03	11	0.34	664	2	0.01	32	696	17	0.02	7	2	20	<5	0.02	<10	15	45	<10	120	2			
RS-365	<0.2	1.15	25	75	<0.5	<5	0.17	3	12	43	47	4.02	<1	0.03	<10	0.33	325	<2	0.01	47	2078	11	0.01	<5	3	1	<5	0.03	<10	18	63	<10	145	3			
RS-366	1.5	1.32	24	166	<0.5	<5	0.19	3	12	33	25	3.96	<1	0.03	<10	0.32	404	<2	0.01	31	2093	9	0.01	<5	2	1	6	0.03	<10	13	54	<10	171	3			
RS-367	<0.2	0.85	10	86	<0.5	<5	0.17	2	6	21	10	2.05	<1	0.03	<10	0.22	212	<2	0.01	17	914	7	0.01	<5	1	1	5	0.02	<10	14	34	<10	61	2			

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by [Signature]

Geochemical Analysis Certificate

7V-0970-SG1

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-1	7	6
Jas-2	9	
Jas-3	6	
Jas-4	6	
Jas-5	5	
Jas-6	13	
Jas-7	18	
Jas-8	4	
Jas-9	8	
Jas-10	3	
Jas-11	1	
Jas-12	10	
Jas-13	15	
Jas-14	6	
Jas-15	6	
Jas-16	7	
Jas-17	5	
Jas-18	6	
Jas-19	6	
Jas-20	5	3
Jas-21	736	
Jas-22	3	
Jas-23	7	
Jas-24	4	
*1110	1460	
*BLANK	<1	

Certified by

ASSAYERS
C A N A D A



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0970-SG2

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-25	5	6
Jas-26	3	
Jas-27	4	
Jas-28	4	
Jas-29	5	
Jas-30	5	
Jas-31	5	
Jas-32	3	
Jas-33	4	
Jas-34	112	
Jas-35	4	
Jas-36	4	
Jas-37	1	
Jas-38	6	
Jas-39	3	
Jas-40	46	
Jas-41	8	
Jas-42	4	
Jas-43	4	
Jas-44	4	3
Jas-45	3	
Jas-46	16	
Jas-47	5	
Jas-48	3	
*1110	1480	
*BLANK	<1	

Certified by

A handwritten signature in black ink.

ASSAYERS
C A N A D A**Assayers Canada**
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423**Geochemical Analysis Certificate**

7V-0970-SG3

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-49	5	5
Jas-50	5	
Jas-51	3	
Jas-52	47	
Jas-53	7	
Jas-54	5	
Jas-55	2	
Jas-56	7	
Jas-57	6	
Jas-58	3	
Jas-59	5	
Jas-60	5	
Jas-61	5	
Jas-62	6	
Jas-63	4	
Jas-64	5	
Jas-65	4	
Jas-66	7	
Jas-67	6	
Jas-68	8	8
Jas-69	6	
Jas-70	3	
Jas-71	6	
Jas-72	6	
*1110	1458	
*BLANK	<1	

Certified by

A handwritten signature in black ink.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Given this, January 19, 2008.

Geochemical Analysis Certificate

7V-0970-SG4

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-73	3	2
Jas-74	2	
Jas-75	6	
Jas-76	2	
Jas-77	2	
Jas-78	3	
Jas-79	15	
Jas-80	2	
Jas-81	3	
Jas-82	3	
Jas-83	2	
Jas-84	3	
Jas-85	2	
Jas-86	21	
Jas-87	<1	
Jas-88	1	
Jas-89	10	
Jas-90	4	
Jas-91	2	
Jas-92	2	6
Jas-93	2	
Jas-94	3	
Jas-95	<1	
Jas-96	3	
*1110	1365	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0970-SG5

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-97	3	8
Jas-98	2	
Jas-99	1	
Jas-100	1	
Jas-101	1	
Jas-102	1	
Jas-103	3	
Jas-104	5	
Jas-105	1	
Jas-106	<1	
Jas-107	<1	
Jas-108	3	
Jas-109	13	
Jas-110	4	
Jas-111	2	
Jas-112	2	
Jas-113	4	
Jas-114	4	
Jas-115	1	
Jas-116	3	5
Jas-117	2	
Jas-118	1	
Jas-119	<1	
Jas-120	2	
*1110	1546	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0970-SG6


Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-121	1	3
Jas-122	5	
Jas-123	<1	
Jas-124	1	
Jas-125	<1	
Jas-126	2	
Jas-127	2	
Jas-128	<1	
Jas-129	<1	
Jas-130	<1	
Jas-131	<1	
Jas-132	<1	
Jas-133	<1	
Jas-134	<1	
Jas-135	2	
Jas-136	<1	
Jas-137	<1	
Jas-138	<1	
Jas-139	1	
Jas-140	<1	5
Jas-141	<1	
Jas-142	<1	
Jas-143	1	
Jas-144	<1	
*1110	1509	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by [Signature]

Geochemical Analysis Certificate

7V-0970-SG7

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-145	2	2
Jas-146	2	
Jas-147	2	
Jas-148	1	
Jas-149	1	
Jas-150	<1	
Jas-151	1	
Jas-152	3	
Jas-153	<1	
Jas-154	21	
Jas-155	N.S.	
Jas-156	2	
Jas-157	2	
Jas-158	4	
Jas-159	10	
Jas-160	4	
Jas-161	1	
Jas-162	<1	
Jas-163	5	
Jas-164	7	6
Jas-165	1	
Jas-166	2	
Jas-167	1	
Jas-168	10	
*1110	1335	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Report No. 7V-0970-SG8

Geochemical Analysis Certificate

7V-0970-SG8

Company: **K-6 Consulting Group**
Project: Jas
Attn: Ed Ktruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 3 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
Jas-169	3	5
Jas-170	9	
Jas-171	<1	
*111C	1397	
*BLANK	<1	

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

K-6 Consulting Group

Attention: Ed Ktruchkowski

Project: Jas

Sample type:

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-1	2.3	0.82	6	195	<5	0.65	3	8	29	27	3.66	1	0.10	10	0.27	472	<2	0.01	17	1478	7	0.02	<5	1	8	14	0.05	<10	51	73	<10	61	3	
Jas-2	1.1	0.94	18	170	<5	0.29	4	12	31	38	3.69	<1	0.05	<10	0.38	681	13	0.01	40	1756	13	0.05	<5	2	1	<5	0.02	<10	11	42	<10	173	3	
Jas-3	0.7	0.66	6	162	<5	0.17	2	4	21	13	1.84	<1	0.03	<10	0.20	179	<2	0.01	14	634	4	0.01	<5	1	<1	<5	0.02	<10	23	38	<10	52	1	
Jas-4	0.4	0.82	8	155	<5	0.25	2	10	27	24	2.42	<1	0.05	<10	0.32	914	<2	0.01	27	1105	5	0.02	<5	1	2	5	0.03	<10	36	<10	89	2		
Jas-5	0.8	0.55	6	225	<5	0.39	3	8	24	24	2.31	<1	0.04	<10	0.15	958	2	0.01	18	962	4	0.01	<5	1	1	<5	0.03	<10	<10	44	<10	103	2	
Jas-6	0.3	1.14	14	49	<5	0.13	3	9	32	35	3.63	<1	0.03	12	0.33	233	2	0.01	34	1382	7	0.02	<5	1	2	<5	0.02	<10	26	43	<10	109	3	
Jas-7	0.4	1.49	24	122	<5	0.20	4	13	26	202	4.80	<1	0.06	<10	0.55	336	8	0.01	40	1320	10	0.11	<5	4	10	5	0.01	<10	23	42	<10	131	4	
Jas-8	0.4	0.56	<5	123	<5	0.08	2	4	11	7	1.40	<1	0.05	10	0.25	322	<2	0.01	7	357	2	0.02	<5	1	<1	<5	0.01	<10	<10	24	<10	37	1	
Jas-9	2.3	1.66	10	240	<5	0.11	5	18	34	59	5.20	1	0.08	10	0.29	1624	3	0.01	29	3284	12	0.02	<5	3	1	<5	0.01	<10	<10	66	<10	146	3	
Jas-10	0.6	0.69	<5	170	<5	0.08	4	11	18	14	2.22	1	0.04	10	0.24	1166	<2	0.01	13	961	3	0.01	<5	1	<1	<5	0.01	<10	<10	32	<10	115	1	
Jas-11	<0.2	0.45	<5	121	<5	0.14	1	3	12	3	1.12	<1	0.05	10	0.15	242	<2	0.01	6	446	2	<0.01	<5	1	2	<5	0.03	<10	20	21	<10	34	1	
Jas-12	<0.2	2.29	13	74	<5	0.33	4	19	39	60	5.02	<1	0.04	<10	1.08	859	2	0.01	44	1406	5	0.02	<5	3	2	6	0.01	<10	<10	57	<10	130	5	
Jas-13	<0.2	1.75	11	58	<5	0.30	3	14	35	33	4.96	1	0.04	10	0.47	746	<2	0.01	32	1727	5	0.02	<5	2	4	9	0.03	<10	14	59	<10	69	4	
Jas-14	<0.2	1.71	10	93	<5	0.14	3	16	38	21	4.02	<1	0.04	13	0.52	618	<2	0.01	34	695	3	0.02	<5	2	2	<5	0.04	<10	18	50	<10	75	3	
Jas-15	<0.2	1.12	5	101	<5	0.14	2	8	26	15	2.98	<1	0.05	11	0.33	428	<2	0.01	18	629	5	0.02	<5	1	1	<5	0.04	<10	12	40	<10	63	3	
Jas-16	0.3	0.35	5	142	<5	0.18	2	3	16	27	1.61	<1	0.03	10	0.06	89	2	0.01	12	545	8	0.01	<5	<1	<1	<5	0.03	<10	22	34	<10	29	1	
Jas-17	<0.2	0.71	5	120	<5	0.11	2	7	19	19	2.74	<1	0.04	11	0.22	306	<2	0.01	16	740	4	0.01	<5	1	<1	<5	0.02	<10	<10	40	<10	46	2	
Jas-18	<0.2	0.96	9	224	<5	0.08	2	6	22	14	3.70	<1	0.03	11	0.26	206	<2	0.01	18	512	6	0.01	<5	1	1	<5	0.01	<10	17	41	<10	45	3	
Jas-19	0.2	0.95	11	153	<5	0.33	2	9	29	18	2.83	<1	0.04	11	0.36	228	<2	0.01	38	2526	4	<0.01	<5	2	<1	<5	0.01	<10	14	33	<10	138	2	
Jas-20	<0.2	0.81	<5	132	0.5	<5	0.22	2	6	21	7	2.38	<1	0.06	14	0.29	172	<2	0.01	16	1034	5	0.01	<5	1	1	11	0.03	<10	22	38	<10	41	2
Jas-21	<0.2	0.94	6	115	<5	0.37	2	7	23	6	3.02	<1	0.07	19	0.29	164	<2	0.01	16	2219	12	0.01	<5	1	14	28	0.05	12	39	45	<10	61	2	
Jas-22	<0.2	1.25	<5	97	1.5	<5	0.21	2	9	27	6	3.21	<1	0.06	26	0.40	308	<2	0.01	21	973	7	0.02	<5	1	1	10	0.04	<10	23	45	<10	73	2
Jas-23	<0.2	1.77	8	115	1.0	<5	0.20	3	10	37	5	5.11	<1	0.05	17	0.37	262	<2	0.01	23	3148	5	0.01	<5	2	3	15	0.04	<10	31	68	<10	69	4
Jas-24	<0.2	0.28	<5	42	<5	0.05	<1	1	5	<1	0.32	<1	0.03	11	0.03	30	<2	0.01	2	148	2	0.01	<5	<1	<1	<5	0.02	<10	<10	10	<10	<1	<1	
Jas-25	<0.2	0.38	<5	43	<5	0.03	<1	1	8	3	0.46	<1	0.01	<10	0.05	93	<2	0.01	3	298	8	0.01	<5	<1	6	<5	0.01	<10	<10	8	<10	8	<1	
Jas-26	<0.2	1.60	5	84	0.5	<5	0.12	1	6	27	10	2.76	<1	0.04	15	0.32	157	<2	0.01	17	938	9	0.02	<5	2	8	6	0.04	12	<10	46	<10	66	2
Jas-27	<0.2	1.36	5	83	1.1	<5	0.20	1	5	24	8	1.82	<1	0.04	21	0.36	186	<2	0.01	15	987	11	0.01	<5	1	16	<5	0.03	13	13	29	<10	48	1
Jas-28	<0.2	1.41	7	82	0.5	<5	0.27	2	7	27	12	4.16	1	0.03	19	0.34	252	<2	0.01	18	2129	12	0.03	5	1	20	6	0.03	16	19	65	<10	71	2
Jas-29	<0.2	0.81	8	133	<5	0.39	1	8	20	16	2.05	<1	0.09	25	0.37	333	<2	0.01	20	1434	11	0.01	<5	3	18	38	0.05	13	<10	39	<10	45	1	
Jas-30	<0.2	0.87	<5	103	<5	0.23	1	6	19	12	2.06	<1	0.04	17	0.24	302	<2	0.01	14	837	6	0.02	<5	1	13	<5	0.03	<10	10	39	<10	40	1	

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Ktruchkowski

Project: Jas

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-31	<0.2	1.94	7	111	0.6	<5	0.24	1	7	34	18	3.20	<1	0.06	18	0.45	198	<2	0.01	25	1191	8	0.02	<5	2	12	<5	0.05	10	14	54	<10	57	2
Jas-32	<0.2	1.43	6	123	0.5	<5	0.23	1	8	33	19	2.58	1	0.07	19	0.50	212	<2	0.01	25	1248	9	0.01	<5	2	12	<5	0.06	14	<10	50	<10	58	1
Jas-33	<0.2	1.53	6	72	<0.5	<5	0.15	1	6	31	13	3.22	<1	0.04	18	0.38	155	<2	0.01	19	968	7	0.02	<5	2	9	10	0.05	<10	10	56	<10	54	2
Jas-34	<0.2	0.93	7	71	<0.5	<5	0.10	1	4	26	10	2.14	<1	0.04	15	0.26	109	<2	0.01	14	594	9	0.02	<5	1	8	<5	0.05	<10	<10	52	<10	30	1
Jas-35	<0.2	1.14	<5	51	<0.5	<5	0.17	1	4	20	10	2.36	<1	0.02	17	0.21	102	<2	0.01	12	979	7	0.02	<5	1	8	<5	0.03	<10	<10	43	<10	26	1
Jas-36	<0.2	0.34	<5	46	<0.5	<5	0.02	<1	2	12	10	1.05	<1	0.01	10	0.05	32	<2	0.01	7	330	7	0.02	<5	<1	6	<5	0.02	<10	<10	22	<10	9	<1
Jas-37	<0.2	0.32	<5	111	<0.5	<5	0.06	1	3	12	8	1.40	<1	0.02	13	0.05	291	<2	0.01	6	309	12	0.02	<5	<1	9	<5	0.03	<10	<10	32	<10	27	1
Jas-38	<0.2	1.33	<5	192	0.9	<5	0.26	1	9	27	17	2.54	<1	0.12	32	0.42	422	<2	0.01	20	813	17	0.02	<5	2	19	5	0.06	15	14	48	<10	60	1
Jas-39	<0.2	1.31	<5	122	0.5	<5	0.27	1	8	32	18	3.26	<1	0.11	22	0.46	232	<2	0.01	21	1220	12	0.02	<5	2	19	<5	0.08	15	15	64	<10	60	2
Jas-40	<0.2	0.72	<5	104	<0.5	<5	0.08	1	4	16	7	1.90	<1	0.04	17	0.18	183	<2	0.01	9	533	8	0.01	<5	1	9	<5	0.04	12	<10	36	<10	37	1
Jas-41	<0.2	0.54	<5	164	<0.5	<5	0.25	1	3	17	10	1.33	1	0.07	15	0.18	177	<2	0.01	11	385	11	0.02	<5	1	17	<5	0.04	<10	<10	29	<10	34	1
Jas-42	<0.2	1.40	<5	130	0.5	<5	0.26	1	12	33	19	2.90	<1	0.07	20	0.51	444	<2	0.01	26	783	12	0.02	<5	2	15	<5	0.05	13	14	52	<10	77	2
Jas-43	<0.2	2.30	11	357	1.1	<5	0.43	2	18	65	52	4.17	<1	0.33	25	0.98	614	<2	0.02	53	1045	23	0.02	5	8	29	11	0.12	12	18	91	<10	115	4
Jas-44	<0.2	1.72	<5	151	0.6	<5	0.25	1	9	42	23	2.86	<1	0.11	17	0.59	250	<2	0.01	31	1353	12	0.01	<5	4	15	6	0.07	10	11	59	<10	75	2
Jas-45	<0.2	0.39	<5	43	<0.5	<5	0.05	<1	2	12	4	0.87	<1	0.02	<10	0.10	65	<2	0.01	5	567	8	0.01	<5	1	5	<5	0.02	<10	<10	21	<10	17	<1
Jas-46	0.3	1.26	<5	232	0.8	<5	0.27	2	10	34	29	2.41	1	0.14	24	0.44	626	<2	0.01	27	711	14	0.02	<5	2	19	<5	0.04	16	<10	57	<10	70	1
Jas-47	0.8	0.46	<5	85	<0.5	<5	0.15	1	2	15	14	1.12	<1	0.04	10	0.10	53	<2	0.01	9	729	9	0.02	<5	<1	10	<5	0.02	<10	<10	22	<10	26	<1
Jas-48	<0.2	1.11	<5	154	<0.5	<5	0.27	1	6	31	18	2.73	<1	0.08	16	0.33	217	<2	0.01	20	1713	13	0.02	<5	1	15	<5	0.04	11	<10	60	<10	86	1
Jas-49	<0.2	0.92	14	123	<0.5	<5	0.13	1	6	26	21	2.52	<1	0.04	11	0.19	202	<2	0.01	16	1414	13	0.02	<5	1	7	<5	0.04	<10	11	49	<10	47	1
Jas-50	<0.2	0.63	<5	119	<0.5	<5	0.15	1	4	19	11	1.69	<1	0.03	11	0.15	149	<2	0.01	11	583	9	0.03	<5	1	9	<5	0.04	<10	<10	44	<10	27	1
Jas-51	<0.2	2.26	10	108	0.6	<5	0.23	1	11	39	23	3.76	<1	0.07	15	0.48	307	<2	0.01	26	1272	17	0.03	7	3	14	7	0.06	12	13	64	<10	73	2
Jas-52	<0.2	1.26	8	142	0.5	<5	0.16	2	8	37	19	3.68	<1	0.05	13	0.32	256	<2	0.01	23	1495	22	0.02	8	1	13	<5	0.05	<10	13	78	<10	66	2
Jas-53	0.2	1.76	12	707	1.1	<5	0.44	4	17	46	70	4.50	<1	0.09	20	0.52	1198	6	0.01	47	936	118	0.04	<5	2	41	<5	0.05	<10	28	85	<10	281	2
Jas-54	0.9	2.35	7	83	1.7	<5	0.16	3	15	68	49	5.10	<1	0.10	27	0.77	1654	2	0.01	43	1018	521	0.03	10	5	27	12	0.05	11	23	92	<10	719	3
Jas-55	<0.2	0.44	<5	70	<0.5	<5	0.07	1	3	13	4	1.71	<1	0.02	11	0.10	87	<2	0.01	7	580	16	0.01	<5	1	4	5	0.03	<10	<10	39	<10	33	1
Jas-56	<0.2	0.15	<5	60	<0.5	<5	0.15	<1	2	9	7	0.99	<1	0.03	11	0.04	86	<2	0.01	6	292	10	0.02	5	<1	6	<5	0.03	<10	<10	23	<10	21	<1
Jas-57	<0.2	0.37	5	135	<0.5	<5	0.11	1	3	15	9	1.66	<1	0.02	11	0.07	70	2	0.01	9	965	24	0.03	<5	<1	6	<5	0.02	<10	<10	45	<10	45	1
Jas-58	<0.2	1.10	7	99	0.5	<5	0.11	2	6	22	10	3.86	<1	0.03	19	0.24	196	4	0.01	12	661	27	0.02	7	1	6	9	0.05	<10	14	87	<10	67	2
Jas-59	<0.2	2.73	13	365	1.7	<5	0.53	3	22	54	47	5.92	1	0.16	59	0.93	988	12	0.02	58	2514	69	0.05	9	4	28	39	0.06	25	43	121	<10	241	4
Jas-60	<0.2	1.46	8	154	0.9	<5	0.17	2	8	29	26	3.67	<1	0.07	27	0.33	245	4	0.01	19	793	33	0.04	6	2	14	6	0.10	<10	20	100	<10	84	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RSNO

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0977SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi %	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RSNO-31	0.3	1.28	12	74	<5	0.21	1	7	26	13	2.57	<1	0.04	12	0.32	275	<2	0.01	17	1745	11	0.01	<5	2	11	<5	0.04	11	13	49	<10	60	1	
RSNO-32	<0.2	1.16	<5	110	<5	0.17	1	5	25	12	2.10	<1	0.05	14	0.41	158	<2	0.01	17	632	12	0.01	<5	2	11	<5	0.05	<10	41	<10	49	1		
RSNO-33	<0.2	1.70	9	137	0.5	<5	0.27	1	10	43	25	3.24	1	0.11	14	0.66	263	<2	0.01	32	1349	15	0.01	6	4	14	5	0.06	10	14	74	<10	79	2
RSNO-34	0.6	0.90	<5	170	<5	0.29	1	6	25	16	1.93	<1	0.07	10	0.33	198	<2	0.01	17	926	19	0.02	<5	1	17	<5	0.03	<10	<10	44	<10	50	1	
RSNO-35	<0.2	0.45	<5	51	<5	0.05	1	2	11	3	1.24	<1	0.02	11	0.07	45	<2	<0.01	4	730	16	<0.01	<5	1	5	<5	0.03	<10	<10	38	<10	14	1	
RSNO-36	0.6	1.93	9	100	<5	0.26	2	10	52	22	4.01	<1	0.03	<10	0.72	171	<2	0.01	24	2264	8	0.03	<5	4	11	<5	0.05	<10	12	95	<10	62	2	
RSNO-37	<0.2	2.32	7	90	0.5	<5	0.23	1	14	63	34	3.76	<1	0.05	<10	0.92	287	<2	0.01	34	822	17	0.01	7	5	28	<5	0.09	13	12	91	<10	63	2
RSNO-38	<0.2	2.25	5	146	0.8	<5	0.31	1	19	68	56	3.84	<1	0.12	13	1.16	894	<2	0.01	42	820	19	0.02	6	6	28	<5	0.08	18	21	98	<10	85	2
RSNO-39	0.2	2.11	10	170	0.7	<5	0.21	2	13	49	50	4.22	<1	0.08	13	0.77	478	<2	0.01	37	1920	12	0.01	6	4	13	9	0.05	11	15	91	<10	110	2
RSNO-40	0.3	1.02	<5	231	0.7	<5	0.20	2	8	47	43	2.52	<1	0.09	30	0.32	478	2	0.01	26	662	17	0.04	5	1	27	<5	0.05	14	17	65	<10	51	1
RSNO-41	0.4	1.40	6	127	<5	0.19	1	9	36	21	3.07	<1	0.08	11	0.49	497	<2	0.01	21	1275	11	0.03	6	2	14	<5	0.05	15	14	63	<10	69	2	
RSNO-42	0.6	1.21	<5	109	<5	0.13	1	8	29	20	2.30	1	0.06	12	0.37	216	<2	0.01	19	657	10	0.04	<5	1	13	<5	0.04	16	<10	49	<10	53	1	
RSNO-43	<0.2	1.45	5	228	0.7	<5	0.42	1	12	41	34	2.75	<1	0.15	18	0.68	671	<2	0.01	32	1176	17	0.02	<5	4	25	7	0.06	10	17	72	<10	96	2
RSNO-44	0.2	1.18	<5	138	0.5	<5	0.22	1	8	35	28	2.56	<1	0.09	16	0.44	393	<2	0.01	21	929	15	0.02	<5	2	17	<5	0.05	<10	10	56	<10	61	1
RSNO-45	0.9	1.25	<5	130	<5	0.13	2	7	34	29	2.92	<1	0.07	12	0.41	252	<2	0.01	20	1183	16	0.03	<5	2	15	<5	0.04	<10	<10	50	<10	166	2	
RSNO-46	<0.2	2.43	6	143	0.9	<5	0.23	2	15	59	31	4.29	<1	0.18	13	0.91	327	<2	0.01	60	987	14	0.01	5	4	25	<5	0.09	14	17	70	<10	120	2
RSNO-47	0.3	1.34	6	116	<5	0.32	1	9	40	19	3.16	<1	0.09	12	0.59	255	<2	0.01	28	1868	15	0.02	5	2	24	<5	0.06	<10	11	60	<10	80	2	
RSNO-48	<0.2	1.87	<5	122	0.6	<5	0.24	1	15	40	29	3.03	<1	0.12	14	0.62	385	<2	0.01	29	915	19	0.01	5	3	23	<5	0.07	10	10	60	<10	89	2
RSNO-49	0.5	1.50	<5	126	0.6	<5	0.10	1	9	36	31	3.18	<1	0.08	13	0.55	252	<2	0.01	29	832	17	0.02	10	2	14	<5	0.05	12	13	54	<10	66	2
RSNO-50	<0.2	1.34	<5	89	<5	0.13	1	7	36	14	2.81	<1	0.06	<10	0.46	165	<2	0.01	21	1480	16	0.01	6	2	16	<5	0.04	11	14	59	<10	53	2	
RSNO-51	<0.2	0.95	<5	68	<5	0.13	1	4	28	10	3.17	<1	0.03	11	0.18	83	<2	0.01	14	667	9	0.02	<5	1	7	<5	0.05	<10	18	78	<10	31	2	
RSNO-52	<0.2	1.49	<5	104	0.5	<5	0.15	1	8	35	23	2.84	<1	0.09	13	0.45	266	<2	0.01	20	821	10	0.01	<5	2	9	<5	0.04	<10	18	61	<10	58	2
RSNO-53	<0.2	1.07	<5	97	<5	0.15	1	7	29	25	2.59	<1	0.09	12	0.29	252	2	0.01	18	1884	16	0.04	<5	1	7	<5	0.03	<10	17	65	<10	56	1	
RSNO-54	<0.2	0.92	<5	104	<5	0.14	1	4	21	11	2.56	<1	0.04	<10	0.24	178	<2	0.01	12	2477	12	0.01	<5	1	5	<5	0.03	<10	14	49	<10	46	1	
RSNO-55	<0.2	1.00	<5	132	0.5	<5	0.18	1	8	26	20	2.28	<1	0.09	15	0.32	803	<2	0.01	18	1104	13	0.01	<5	1	9	<5	0.03	<10	20	50	<10	56	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified Analysis for Jun-08-07

Geochemical Analysis Certificate

7V-1088-SG1

Company: K-6 Consulting Group
Project: SS
Attn: Ed Kruchkowaski

Jun-21-07

We hereby certify the following geochemical analysis of 3 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
SS-11	8	14
SS-12	2	
SS-14	3	
*1110	1310	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowaski

Project: SS

Sample type:

Assaye, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1088SJ

Date : Jun-21-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
SS-11	0.9	0.85	9	71	<5	0.24	1	8	26	18	2.11	1	0.06	<10	0.41	238	<2	0.01	20	836	11	<0.01	<5	2	16	<5	0.05	16	<10	44	<10	46	2	
SS-12	<0.2	0.90	<5	85	0.7	<5	0.43	1	11	24	12	2.57	<1	0.08	34	0.36	536	3	0.01	22	1093	26	<0.01	<5	2	24	88	0.05	14	49	52	<10	97	1
SS-14	1.6	1.61	6	259	0.7	<5	0.75	2	13	45	27	2.87	<1	0.17	14	0.60	490	<2	0.01	34	1056	17	0.07	5	2	39	<5	0.08	21	<10	58	<10	115	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Chemical Laboratory for your convenience

Geochemical Analysis Certificate

7V-1091-SG1

Company: **K-6 Consulting Group**
Project: R-16
Attn: Ed Kruchkowaski

Jun-22-07

We hereby certify the following geochemical analysis of 21 soil samples submitted Jun-11-07

Sample Name	Au ppb	Au-Check ppb
R-16-1	4	51
R-16-2	2	
R-16-3	3	
R-16-4	1	
R-16-5	2	
R-16-6	<1	
R-16-7	2	
R-16-8	2	
R-16-9	1	
R-17-10	2	2
R-17-11	2	
R-17-12	<1	
R-17-13	2	
R-17-14	7	
R-17-15	2	
R-17-16	2	
R-17-17	2	
R-17-18	<1	
R-17-19	3	
R-17-20	1	
R-17-21	4	
*1110	1380	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowaski

Project: R-16

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1091SJ


Date : Jun-22-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
R-16-1	0.3	1.23	7	79	0.6	<5	0.29	2	14	34	27	5.47	<1	0.06	15	0.57	1065	8	0.01	32	3469	149	0.03	7	2	14	<5	0.04	15	15	128	<10	306	3
R-16-2	1.4	0.53	8	98	<0.5	8	0.10	2	5	18	24	3.34	<1	0.03	15	0.11	158	11	0.01	14	906	92	0.03	<5	1	11	<5	0.03	13	<10	101	<10	100	1
R-16-3	0.3	0.38	13	185	0.6	<5	0.28	2	3	15	36	1.58	<1	0.04	48	0.06	97	7	0.01	17	441	44	0.01	<5	<1	30	<5	0.03	10	<10	49	<10	100	1
R-16-4	<0.2	0.82	11	104	<0.5	<5	0.19	1	5	13	11	2.99	<1	0.04	26	0.19	280	2	0.01	10	765	55	0.01	<5	1	12	7	0.04	23	15	57	<10	76	1
R-16-5	<0.2	0.45	<5	73	<0.5	<5	0.08	1	4	14	9	2.04	1	0.03	14	0.10	102	3	0.01	9	500	38	<0.01	<5	1	9	<5	0.04	23	<10	73	<10	49	1
R-16-6	<0.2	0.25	9	34	<0.5	6	0.06	1	2	4	2	1.71	<1	0.02	15	0.03	66	<2	0.01	1	108	6	<0.01	<5	<1	7	13	0.04	20	<10	34	<10	13	1
R-16-7	<0.2	0.51	<5	42	<0.5	<5	0.10	1	3	5	1	2.22	<1	0.05	26	0.16	217	<2	0.01	2	646	17	<0.01	6	1	7	32	0.07	20	10	39	<10	34	1
R-16-8	<0.2	1.15	17	97	<0.5	<5	0.46	1	5	13	2	3.68	<1	0.06	49	0.38	383	<2	0.01	7	3450	38	<0.01	9	2	20	37	0.07	37	14	63	<10	66	2
R-16-9	0.4	1.01	9	161	<0.5	<5	0.16	2	7	30	15	3.02	<1	0.07	15	0.36	1551	4	0.01	19	1732	103	0.01	5	2	11	5	0.01	13	<10	83	<10	186	1
R-17-10	2.8	1.41	8	105	0.7	5	0.14	2	11	39	50	4.30	<1	0.06	17	0.47	1343	4	0.01	31	1412	229	0.02	11	2	12	8	0.01	17	12	110	<10	405	2
R-17-11	1.0	0.82	8	150	<0.5	<5	0.26	2	5	25	18	3.07	<1	0.07	16	0.29	801	4	0.01	16	1281	194	0.03	5	1	18	9	0.01	<10	<10	76	<10	300	2
R-17-12	1.1	1.53	<5	167	0.6	<5	0.27	4	17	81	25	4.91	<1	0.10	13	0.75	1486	2	0.01	49	755	200	0.02	8	3	29	5	0.08	21	22	118	<10	437	3
R-17-13	1.3	1.41	9	177	0.7	<5	0.38	2	17	55	20	3.92	<1	0.14	10	0.54	3148	5	0.01	35	1642	235	0.01	9	2	32	<5	0.03	23	22	89	10	428	2
R-17-14	0.6	2.99	<5	99	2.3	<5	0.32	3	30	96	103	6.58	2	0.14	16	1.05	3109	5	0.01	82	1434	632	0.03	12	5	41	7	0.05	33	24	123	<10	913.	3
R-17-15	0.4	2.45	<5	189	1.8	<5	0.67	4	25	67	25	5.12	<1	0.10	14	0.68	3827	<2	0.02	58	1754	230	<0.01	11	4	64	5	0.05	21	25	79	<10	583	3
R-17-16	0.5	1.10	5	183	0.5	<5	0.10	2	9	32	17	3.75	<1	0.07	12	0.27	711	2	0.01	23	1273	57	0.02	12	1	12	<5	0.05	<10	<10	75	<10	186	2
R-17-17	0.2	0.75	12	182	<0.5	<5	0.26	1	7	28	15	3.03	<1	0.05	12	0.25	697	2	0.01	18	1680	46	0.03	<5	1	15	<5	0.04	20	<10	73	<10	88	1
R-17-18	0.4	0.98	13	645	<0.5	5	0.26	2	7	38	38	3.78	<1	0.06	10	0.40	431	6	0.01	29	714	95	0.02	10	1	23	<5	0.04	15	<10	97	<10	195	2
R-17-19	<0.2	0.53	<5	498	<0.5	<5	0.12	2	3	22	51	3.17	<1	0.05	11	0.10	77	4	0.01	12	1132	40	0.09	<5	<1	17	<5	0.03	14	<10	106	<10	61	1
R-17-20	<0.2	0.69	8	122	<0.5	<5	0.11	1	5	17	13	2.52	<1	0.04	11	0.15	101	2	0.01	12	584	40	0.04	5	1	21	<5	0.04	10	<10	59	<10	51	1
R-17-21	<0.2	1.32	<5	277	<0.5	5	0.21	2	6	32	37	4.26	<1	0.11	12	0.34	357	5	0.01	19	1420	45	0.15	9	1	85	<5	0.05	17	14	85	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Private Assaying for our clients

Geochemical Analysis Certificate

7V-1089-RG1

Company: **K-6 Consulting Group**
Project: **Dig**
Attn: **Ed Kruchkowaski**

Jun-25-07

We hereby certify the following geochemical analysis of 16 rock samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
Dig-2	3	3
Dig-3	4	
Dig-4	4	
Dig-5	4	
Dig-6	3	
Dig-7	4	
Dig-8	8	
Dig-9	10	
Dig-10	3	
Dig-11	3	4
Dig-11 DUP	5	
Dig-12	4	
Dig-12 DUP	2	
Dig-13	2	
Dig-13 DUP	3	
Dig-4 DUP	5	
*1110	1300	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowaski

Project: Dig

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1089RJ

Date : Jun-25-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Dig-2	<0.2	0.91	<5	143	<0.5	<5	0.34	1	5	100	19	1.84	<1	0.13	<10	0.49	275	<2	0.02	22	494	7	0.04	15	3	22	<5	0.08	35	12	42	<10	35	5
Dig-3	0.2	1.56	<5	262	0.5	<5	1.30	1	9	89	53	3.38	<1	0.20	11	1.18	668	<2	0.03	33	838	8	0.16	10	8	76	<5	0.05	35	<10	72	<10	66	5
Dig-4	0.6	1.07	<5	152	<0.5	<5	3.48	1	5	65	36	2.42	<1	0.14	11	0.75	533	3	0.02	31	1239	6	0.15	10	3	85	8	0.05	28	30	47	<10	110	7
Dig-5	0.7	1.38	<5	140	<0.5	<5	0.66	1	8	68	36	2.79	<1	0.13	<10	0.81	430	2	0.03	26	794	17	0.01	12	4	42	<5	0.11	13	12	70	<10	51	7
Dig-6	0.3	1.19	<5	141	<0.5	<5	0.58	<1	7	78	31	2.36	<1	0.12	<10	0.68	402	<2	0.04	21	736	15	0.01	6	4	32	6	0.09	15	16	59	<10	45	7
Dig-7	0.3	1.12	<5	216	<0.5	<5	1.15	1	7	59	36	2.60	<1	0.12	<10	0.71	506	2	0.02	31	867	9	<0.01	<5	4	47	<5	0.07	<10	14	61	<10	64	7
Dig-8	0.3	1.28	<5	179	0.5	<5	0.54	1	9	74	44	2.96	<1	0.13	<10	0.69	623	3	0.02	35	904	17	<0.01	<5	5	30	<5	0.07	18	<10	67	<10	75	7
Dig-9	1.0	0.46	<5	264	<0.5	<5	4.16	5	7	45	62	1.81	1	0.08	<10	0.30	279	125	0.01	71	1003	13	0.58	<5	3	217	10	0.01	19	22	33	<10	200	10
Dig-10	0.4	1.92	<5	309	0.8	<5	1.01	1	12	58	42	3.76	<1	0.23	17	1.01	488	<2	0.03	47	873	14	0.02	<5	6	51	5	0.09	25	16	67	<10	102	13
Dig-11	0.6	1.85	<5	150	<0.5	<5	1.31	1	9	55	46	3.58	<1	0.13	<10	1.13	770	<2	0.03	22	1092	6	0.02	6	5	53	<5	0.11	15	28	90	<10	67	9
Dig-11 DUP	1.6	2.15	<5	71	<0.5	<5	7.87	1	7	38	32	4.13	<1	0.15	<10	1.47	1155	<2	0.02	10	1061	<2	0.03	7	5	348	5	0.04	28	56	99	<10	67	5
Dig-12	<0.2	2.62	<5	118	<0.5	<5	1.72	1	10	46	66	4.59	<1	0.21	<10	1.75	1148	<2	0.04	22	1432	3	0.04	7	8	58	6	0.18	33	61	119	<10	82	11
Dig-12 DUP	0.4	2.48	<5	72	<0.5	<5	1.23	<1	12	186	97	3.56	<1	0.08	<10	3.11	514	<2	0.08	175	1300	<2	<0.01	<5	7	68	<5	0.10	44	10	85	<10	39	8
Dig-13	<0.2	1.95	<5	124	0.5	<5	0.39	1	11	17	101	4.10	<1	0.23	12	0.98	948	<2	0.02	15	1522	8	<0.01	16	6	23	<5	<0.01	14	16	58	<10	83	5
Dig-13 DUP	<0.2	1.27	<5	114	0.5	9	0.36	1	13	9	95	3.49	<1	0.25	12	0.46	1004	2	0.01	15	1544	12	<0.01	11	5	20	<5	<0.01	13	16	43	<10	83	3
Dig-4 DUP	0.7	1.24	<5	155	<0.5	<5	9.06	1	4	16	51	3.02	<1	0.16	<10	1.22	916	2	0.01	27	1245	<2	1.20	<5	3	147	5	<0.01	20	23	26	<10	93	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Guaranteed Accuracy for over 30 Years

Geochemical Analysis Certificate

7V-1084-SG1

Company: K-6 Consulting Group
Project: R-YUM
Attn: Ed Kruchkowski

Jun-25-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-YUM-1	17	5
R-YUM-2	6	
R-YUM-3	5	
R-YUM-4	5	
R-YUM-5	2	
R-YUM-6	5	
R-YUM-7	6	
R-YUM-8	2	
R-YUM-9	10	
R-YUM-10	9	
R-YUM-11	5	
R-YUM-12	5	
R-YUM-13	6	
R-YUM-14	6	
R-YUM-15	6	
R-YUM-16	6	
R-YUM-17	4	
R-YUM-18	4	
R-YUM-19	4	
R-YUM-20	9	8
R-YUM-21	6	
R-YUM-22	8	
R-YUM-23	5	
R-YUM-24	5	
*1110	1507	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assurance for the Environment

Geochemical Analysis Certificate

7V-1084-SG2

Company: **K-6 Consulting Group**
Project: **R-YUM**
Attn: **Ed Kruchkowski**

Jun-25-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-YUM-25	3	6
R-YUM-26	5	
R-YUM-27	4	
R-YUM-28	3	
R-YUM-29	5	
R-YUM-30	2	
R-YUM-31	4	
R-YUM-32	7	
R-YUM-33	34	
R-YUM-34	6	
R-YUM-35	3	
R-YUM-36	5	
R-YUM-37	3	
R-YUM-38	4	
R-YUM-39	3	
R-YUM-40	4	
R-YUM-41	4	
R-YUM-42	8	
R-YUM-43	3	
R-YUM-44	2	6
R-YUM-45	2	
R-YUM-46	3	
R-YUM-47	2	
R-YUM-48	3	
*1110	1482	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certifying analysis for your claim.

Geochemical Analysis Certificate

7V-1084-SG3

Company: **K-6 Consulting Group**
Project: R-YUM
Attn: Ed Kruchkowski

Jun-25-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-YUM-49	6	5
R-YUM-50	4	
R-YUM-51	5	
R-YUM-52	4	
R-YUM-53	17	
R-YUM-54	5	
R-YUM-55	5	
R-YUM-56	3	
R-YUM-57	5	
R-YUM-58	6	
R-YUM-59	3	
R-YUM-60	5	
R-YUM-61	3	
R-YUM-62	4	
R-YUM-63	3	
R-YUM-64	5	
R-YUM-65	4	
R-YUM-66	14	
R-YUM-67	8	
R-YUM-68	5	3
R-YUM-69	6	
R-YUM-70	5	
R-YUM-71	4	
R-YUM-72	4	
*1110	1432	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assuring for the Future

Geochemical Analysis Certificate

7V-1084-SG4

Company: **K-6 Consulting Group**
Project: **R-YUM**
Attn: **Ed Kruchkowski**

Jun-25-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-YUM-73	2	5
R-YUM-74	4	
R-YUM-75	4	
R-YUM-76	<1	
R-YUM-77	2	
R-YUM-78	3	
R-YUM-79	4	
R-YUM-80	1	
R-YUM-81	<1	
R-YUM-82	5	5
R-YUM-83	<1	
R-YUM-84	<1	
R-YUM-85	<1	
R-YUM-86	<1	
R-YUM-87	2	
R-YUM-88	22	
R-YUM-89	1	
R-YUM-90	<1	
R-YUM-91	2	
R-YUM-92	<1	
R-YUM-93	2	
R-YUM-94	<1	
R-YUM-95	2	
R-YUM-96	20	
*1110	1483	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified Sampling for Geochemical Analysis

Geochemical Analysis Certificate

7V-1084-SG5

Company: K-6 Consulting Group
Project: R-YUM
Attn: Ed Kruchkowski

Jun-25-07

We hereby certify the following geochemical analysis of 9 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-YUM-97	5	2
R-YUM-98	10	
R-YUM-99	6	
R-YUM-100	22	
R-YUM-101	2	
R-YUM-102	3	
R-YUM-103	4	
R-YUM-104	2	
R-YUM-105	4	
*1110	1384	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-YUM

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **7V1084SJ**

Date : Jun-25-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
R-YUM-1	<0.2	0.76	8	68	<0.5	<5	0.07	1	3	17	5	1.66	<1	0.02	12	0.17	89	<2	<0.01	6	1464	10	0.02	7	1	7	<5	0.03	19	<10	35	<10	29	1
R-YUM-2	<0.2	1.19	<5	141	0.5	<5	0.24	1	8	27	18	2.22	<1	0.08	19	0.42	284	<2	0.01	24	1278	9	0.01	5	2	14	<5	0.05	30	<10	44	<10	60	1
R-YUM-3	<0.2	1.09	8	96	<0.5	<5	0.14	1	5	24	11	1.96	<1	0.04	17	0.30	151	<2	0.01	14	1523	9	0.03	8	2	10	12	0.05	22	<10	46	<10	37	1
R-YUM-4	<0.2	1.17	<5	153	0.5	<5	0.22	1	8	27	19	2.28	<1	0.08	23	0.43	278	<2	0.01	26	1119	11	0.01	7	3	14	10	0.06	28	<10	45	<10	57	2
R-YUM-5	<0.2	1.43	9	145	0.6	<5	0.19	1	6	27	10	2.63	<1	0.04	20	0.36	172	<2	0.01	17	813	13	0.03	6	2	13	6	0.05	28	<10	52	<10	50	1
R-YUM-6	<0.2	0.80	5	90	<0.5	<5	0.15	1	4	17	7	1.84	<1	0.03	19	0.25	117	<2	0.01	10	802	8	0.01	<5	1	12	<5	0.05	28	<10	41	<10	35	1
R-YUM-7	<0.2	1.38	5	147	0.6	<5	0.21	1	9	32	23	2.49	<1	0.10	19	0.51	292	<2	0.01	28	905	12	<0.01	7	3	14	12	0.07	25	<10	49	<10	69	2
R-YUM-8	<0.2	1.11	6	119	<0.5	<5	0.16	1	6	25	13	1.98	<1	0.06	16	0.36	197	<2	0.01	18	689	12	0.03	9	2	11	<5	0.05	24	12	39	<10	48	1
R-YUM-9	<0.2	1.37	<5	123	0.5	<5	0.19	1	7	30	13	2.48	<1	0.05	17	0.48	198	<2	0.01	20	1135	9	0.03	<5	2	13	<5	0.05	37	<10	47	<10	70	1
R-YUM-10	<0.2	1.50	<5	130	0.5	<5	0.21	1	6	31	15	2.71	<1	0.07	16	0.48	173	<2	0.01	22	1478	11	<0.01	7	2	13	8	0.05	30	14	52	<10	81	2
R-YUM-11	0.3	1.80	<5	296	0.9	<5	0.26	1	10	39	25	2.75	1	0.11	16	0.54	505	<2	0.01	30	941	15	0.03	9	2	18	<5	0.04	26	15	50	<10	96	1
R-YUM-12	<0.2	1.00	<5	167	<0.5	<5	0.28	1	6	26	12	1.91	<1	0.06	19	0.48	183	<2	0.01	17	896	8	<0.01	<5	2	18	<5	0.06	34	<10	40	<10	55	1
R-YUM-13	<0.2	1.03	<5	134	<0.5	<5	0.28	1	8	29	14	2.05	<1	0.07	21	0.50	252	<2	0.01	20	807	11	0.01	9	2	17	9	0.07	33	<10	42	<10	54	1
R-YUM-14	<0.2	1.13	7	98	0.5	<5	0.22	1	6	26	13	2.24	<1	0.06	18	0.44	168	<2	0.01	18	1031	11	0.02	<5	2	14	<5	0.06	13	<10	44	<10	57	1
R-YUM-15	<0.2	1.79	<5	222	1.0	<5	0.18	1	11	40	27	3.13	<1	0.15	21	0.69	260	<2	0.01	34	935	23	0.01	8	4	17	6	0.09	37	14	59	<10	74	3
R-YUM-16	<0.2	1.45	<5	151	0.6	<5	0.12	1	6	30	17	2.31	<1	0.07	15	0.41	245	<2	0.01	17	998	20	0.01	6	2	10	<5	0.05	22	<10	45	<10	58	1
R-YUM-17	<0.2	1.83	6	175	0.7	<5	0.06	1	5	37	18	2.50	<1	0.07	18	0.45	145	<2	0.01	18	1250	15	0.02	6	3	10	5	0.06	31	<10	46	<10	61	1
R-YUM-18	<0.2	1.43	9	124	0.5	<5	0.11	1	6	29	16	2.33	<1	0.05	14	0.44	236	<2	0.01	19	1371	15	<0.01	6	3	10	<5	0.05	<10	<10	48	<10	53	1
R-YUM-19	<0.2	0.36	<5	59	<0.5	<5	0.08	<1	3	10	4	0.66	<1	0.02	<10	0.10	228	<2	<0.01	5	347	12	<0.01	<5	<1	8	<5	0.01	21	<10	18	<10	19	<1
R-YUM-20	<0.2	0.90	<5	68	<0.5	<5	0.10	1	4	22	6	2.18	<1	0.03	12	0.22	133	<2	0.01	9	1392	11	0.04	<5	<1	9	<5	0.02	18	<10	50	<10	44	1
R-YUM-21	<0.2	1.75	5	141	0.6	<5	0.07	1	5	37	14	3.42	<1	0.06	14	0.39	145	<2	0.01	17	890	13	0.04	<5	2	9	<5	0.05	32	<10	56	<10	67	2
R-YUM-22	<0.2	1.40	15	331	0.8	<5	0.54	1	12	43	25	2.75	<1	0.10	24	0.57	549	<2	0.01	30	1095	22	0.03	5	4	29	<5	0.06	33	30	54	<10	71	2
R-YUM-23	<0.2	1.34	16	141	0.6	<5	0.20	1	8	27	17	2.39	<1	0.09	19	0.45	324	<2	0.01	19	1014	12	0.01	<5	2	13	7	0.05	30	<10	47	<10	59	1
R-YUM-24	<0.2	1.56	15	121	0.6	<5	0.24	1	8	31	17	2.72	<1	0.08	19	0.48	331	<2	0.01	23	1997	13	<0.01	<5	3	13	<5	0.05	<10	11	52	<10	76	2
R-YUM-25	<0.2	1.15	5	128	<0.5	<5	0.11	1	5	26	14	2.04	<1	0.06	12	0.41	203	<2	0.01	17	750	11	0.01	<5	2	7	<5	0.05	<10	<10	41	<10	50	1
R-YUM-26	<0.2	1.02	<5	219	0.5	<5	0.31	1	8	30	21	2.12	<1	0.08	13	0.45	387	<2	0.01	28	1045	15	0.02	9	2	13	5	0.04	<10	13	44	<10	67	1
R-YUM-27	<0.2	1.11	<5	311	0.6	<5	0.41	1	10	35	27	2.57	<1	0.12	16	0.54	423	<2	0.01	37	1113	19	<0.01	8	4	18	7	0.05	<10	11	50	<10	75	2
R-YUM-28	<0.2	1.07	9	322	0.6	<5	0.44	1	9	56	26	2.44	<1	0.11	16	0.51	552	<2	0.01	37	1129	10	0.01	16	3	19	6	0.05	14	<10	48	<10	76	2
R-YUM-29	<0.2	1.25	7	403	0.6	<5	0.56	1	9	41	25	2.50	<1	0.09	14	0.53	723	<2	0.01	34	1004	13	0.03	8	3	24	<5	0.04	<10	14	53	<10	76	2
R-YUM-30	<0.2	1.09	5	332	0.5	<5	0.51	1	10	42	23	2.08	<1	0.08	14	0.52	347	<2	0.01	32	1079	11	0.05	6	3	24	<5	0.05	14	13	48	<10	69	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-YUM

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1084SJ

Date : Jun-25-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
R-YUM-31	<0.2	1.05	<5	346	<0.5	<5	0.73	1	6	56	16	1.55	<1	0.06	12	0.51	294	<2	0.01	23	1173	8	0.03	<5	3	32	<5	0.04	<10	28	42	<10	66	2
R-YUM-32	<0.2	0.97	<5	148	<0.5	<5	0.24	1	7	29	14	1.95	<1	0.06	11	0.45	252	<2	0.01	19	707	8	<0.01	9	2	11	<5	0.05	<10	<10	42	<10	60	1
R-YUM-33	<0.2	0.55	5	101	<0.5	<5	0.14	<1	4	13	7	0.96	<1	0.03	<10	0.18	311	<2	0.01	9	539	6	0.01	5	<1	6	<5	0.02	<10	<10	21	<10	27	<1
R-YUM-34	<0.2	1.20	<5	115	<0.5	<5	0.23	1	8	28	12	2.12	<1	0.06	12	0.43	376	<2	0.01	20	1110	5	0.01	<5	1	9	<5	0.04	<10	<10	40	<10	61	1
R-YUM-35	0.2	1.10	<5	122	<0.5	<5	0.25	1	6	28	16	1.99	1	0.06	10	0.42	263	<2	0.01	20	1103	8	<0.01	9	1	12	<5	0.04	<10	<10	40	<10	56	1
R-YUM-36	<0.2	1.29	<5	134	<0.5	<5	0.21	1	6	32	19	2.27	<1	0.05	10	0.51	204	<2	0.01	21	1157	4	0.01	8	2	11	<5	0.05	<10	<10	47	<10	62	1
R-YUM-37	<0.2	1.25	12	266	0.6	<5	0.41	1	9	36	24	2.51	<1	0.06	13	0.58	390	<2	0.01	33	853	13	0.01	7	2	22	<5	0.04	20	10	52	<10	82	1
R-YUM-38	<0.2	0.99	<5	189	<0.5	<5	0.34	1	9	29	16	1.89	<1	0.05	10	0.47	343	<2	0.01	31	983	6	0.01	9	2	16	<5	0.04	<10	<10	39	<10	58	1
R-YUM-39	<0.2	0.75	<5	182	<0.5	<5	0.22	1	13	24	12	2.10	<1	0.04	<10	0.24	920	<2	0.01	17	796	14	0.03	11	1	13	<5	0.04	<10	<10	41	<10	59	1
R-YUM-40	<0.2	1.40	<5	331	0.7	<5	0.39	1	15	47	28	2.70	1	0.09	15	0.70	842	<2	0.01	49	1081	11	0.01	5	3	21	<5	0.05	<10	<10	53	<10	93	1
R-YUM-41	<0.2	1.43	8	171	0.5	<5	0.30	1	11	33	22	3.16	<1	0.08	13	0.66	383	<2	0.01	28	1326	4	0.01	<5	3	12	<5	0.05	13	<10	64	<10	69	2
R-YUM-42	<0.2	1.05	10	144	<0.5	<5	0.10	<1	4	24	12	1.78	<1	0.05	13	0.36	112	<2	0.01	14	712	8	0.01	<5	2	9	<5	0.05	<10	<10	41	<10	42	1
R-YUM-43	<0.2	1.70	<5	263	0.6	<5	0.17	1	10	37	31	3.18	<1	0.06	14	0.46	258	<2	0.01	25	866	14	0.04	12	5	12	7	0.05	11	13	64	<10	53	2
R-YUM-44	<0.2	1.36	5	169	0.5	<5	0.23	1	7	29	14	2.84	<1	0.04	10	0.46	192	<2	0.01	22	1691	5	0.01	13	3	9	<5	0.04	<10	<10	60	<10	69	1
R-YUM-45	0.4	1.41	7	122	0.5	<5	0.06	1	3	29	9	2.96	1	0.02	<10	0.24	108	<2	0.01	10	1015	12	0.03	8	2	4	5	0.04	<10	<10	64	<10	48	2
R-YUM-46	<0.2	1.27	5	94	<0.5	<5	0.08	1	5	27	13	2.25	1	0.04	<10	0.36	149	<2	0.01	17	1211	<2	0.02	9	2	6	<5	0.04	10	<10	44	<10	62	1
R-YUM-47	<0.2	0.50	<5	61	<0.5	<5	0.11	<1	2	14	5	1.30	1	0.02	<10	0.17	109	<2	<0.01	7	1175	4	0.01	5	1	8	<5	0.02	12	<10	31	<10	25	1
R-YUM-48	0.2	1.19	7	134	<0.5	<5	0.09	1	4	27	10	2.79	<1	0.03	11	0.25	126	<2	0.01	11	2143	11	<0.01	8	2	6	5	0.04	11	14	63	<10	44	2
R-YUM-49	<0.2	1.40	10	238	0.6	<5	0.47	1	10	34	27	2.78	<1	0.09	16	0.63	459	<2	0.01	29	1843	14	<0.01	<5	4	21	<5	0.05	<10	<10	59	<10	81	1
R-YUM-50	0.8	1.22	<5	178	<0.5	<5	0.15	1	6	40	12	2.45	<1	0.04	14	0.46	409	<2	0.01	18	1330	12	<0.01	<5	2	10	<5	0.06	11	10	51	<10	81	1
R-YUM-51	<0.2	0.99	<5	106	<0.5	<5	0.19	<1	6	36	8	1.82	<1	0.04	18	0.51	186	<2	0.01	49	650	13	<0.01	5	2	14	<5	0.05	<10	<10	34	<10	46	1
R-YUM-52	<0.2	0.61	7	110	<0.5	<5	0.12	1	9	18	7	1.68	<1	0.03	18	0.16	137	<2	0.01	17	336	11	<0.01	<5	1	12	8	0.04	<10	<10	35	<10	29	1
R-YUM-53	<0.2	1.23	<5	144	0.6	<5	0.20	1	8	34	13	3.28	<1	0.06	19	0.32	212	<2	0.01	33	1586	13	<0.01	7	2	11	5	0.05	13	<10	58	<10	63	2
R-YUM-54	<0.2	0.91	6	119	0.5	<5	0.29	<1	7	29	14	1.95	<1	0.07	25	0.42	255	<2	0.01	39	998	10	<0.01	6	2	21	16	0.06	<10	<10	39	<10	47	1
R-YUM-55	<0.2	0.93	<5	84	0.5	<5	0.20	1	6	26	10	1.66	<1	0.04	16	0.31	141	<2	0.01	39	798	6	<0.01	5	2	11	10	0.05	<10	<10	32	<10	36	1
R-YUM-56	<0.2	1.37	<5	117	0.5	<5	0.09	1	5	28	8	2.39	<1	0.03	16	0.24	113	<2	0.01	20	589	8	<0.01	11	2	7	9	0.04	<10	<10	41	<10	50	2
R-YUM-57	<0.2	1.33	<5	143	0.6	<5	0.29	1	9	36	25	2.53	<1	0.12	20	0.52	320	<2	0.01	38	1224	12	<0.01	<5	3	16	9	0.07	<10	<10	50	<10	70	1
R-YUM-58	<0.2	0.85	6	116	0.5	<5	0.28	1	8	23	14	1.86	1	0.07	24	0.35	290	<2	0.01	39	1114	15	<0.01	<5	2	15	14	0.04	13	<10	36	<10	53	1
R-YUM-59	<0.2	1.37	<5	209	1.0	<5	0.18	1	7	35	19	2.38	<1	0.07	24	0.54	357	<2	0.01	39	554	17	<0.01	<5	2	20	5	0.04	10	13	44	<10	82	1
R-YUM-60	<0.2	0.87	<5	93	<0.5	<5	0.20	1	5	22	8	1.66	1	0.03	21	0.34	149	<2	0.01	24	710	6	<0.01	<5	1	14	8	0.04	19	<10	34	<10	46	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-YUM

Sample type:

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1084SJ

Date : Jun-25-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
R-YUM-61	<0.2	1.15	<5	124	0.5	<5	0.18	1	6	30	10	1.88	1	0.07	19	0.47	248	<2	0.01	20	565	12	0.01	<5	2	12	6	0.06	10	<10	38	<10	66	1
R-YUM-62	<0.2	1.12	<5	135	<0.5	<5	0.19	<1	4	27	11	1.58	<1	0.07	17	0.43	171	<2	0.01	18	594	10	<0.01	<5	2	13	<5	0.05	<10	<10	34	<10	57	1
R-YUM-63	0.4	0.70	<5	187	0.6	<5	0.19	1	3	16	13	1.17	2	0.04	28	0.12	173	2	0.01	12	304	26	0.01	<5	1	29	<5	0.02	<10	10	24	<10	51	1
R-YUM-64	<0.2	1.81	<5	201	1.7	<5	0.13	1	8	34	15	2.54	1	0.06	34	0.41	470	9	0.01	35	597	68	<0.01	5	3	21	17	0.03	15	14	44	<10	174	1
R-YUM-65	<0.2	0.36	<5	47	<0.5	<5	0.08	<1	8	50	2	1.35	1	0.01	14	0.34	96	2	0.01	64	248	6	<0.01	<5	1	9	<5	0.02	<10	<10	24	<10	23	1
R-YUM-66	<0.2	0.33	<5	30	<0.5	5	0.07	<1	3	12	4	1.09	<1	0.01	14	0.04	64	<2	0.01	7	156	4	<0.01	<5	1	6	10	0.04	<10	<10	29	<10	15	1
R-YUM-67	0.2	0.74	<5	46	<0.5	<5	0.08	1	6	26	5	2.23	1	0.02	16	0.14	104	3	0.01	20	738	14	<0.01	<5	1	9	<5	0.04	<10	<10	46	<10	39	1
R-YUM-68	0.2	1.49	9	76	<0.5	<5	0.13	1	9	72	8	3.50	<1	0.03	12	0.61	162	<2	0.01	84	1608	8	0.01	6	2	9	<5	0.04	<10	<10	46	<10	78	2
R-YUM-69	<0.2	0.85	<5	115	<0.5	<5	0.20	1	16	79	9	2.34	<1	0.04	17	0.95	346	<2	0.01	144	749	13	<0.01	<5	2	14	6	0.04	18	<10	34	<10	57	1
R-YUM-70	1.0	1.36	179	519	1.0	<5	7.48	2	28	203	33	4.89	1	0.20	28	2.83	867	<2	0.02	86	3142	8	0.58	22	12	223	<5	0.06	20	<10	69	<10	92	8
R-YUM-71	<0.2	0.77	<5	83	<0.5	<5	0.21	<1	6	42	7	1.57	<1	0.03	17	0.46	143	<2	0.01	57	675	5	<0.01	<5	2	11	<5	0.05	<10	<10	31	<10	37	1
R-YUM-72	<0.2	0.78	<5	82	<0.5	<5	0.23	1	7	54	7	1.93	<1	0.03	17	0.84	187	<2	0.01	105	816	4	<0.01	<5	2	13	5	0.05	<10	<10	32	<10	42	1
R-YUM-73	<0.2	1.12	<5	147	0.5	<5	0.09	1	23	60	8	2.12	3	0.03	13	0.45	483	<2	0.01	69	416	17	0.01	7	1	12	<5	0.04	<10	<10	35	<10	48	1
R-YUM-74	<0.2	0.64	<5	89	<0.5	<5	0.25	<1	6	25	7	1.44	2	0.04	16	0.35	189	<2	0.01	39	926	10	<0.01	<5	2	12	7	0.04	12	<10	28	<10	29	1
R-YUM-75	<0.2	0.63	<5	94	<0.5	<5	0.14	1	6	35	6	2.21	2	0.02	10	0.21	111	<2	0.01	31	986	13	<0.01	<5	1	9	5	0.04	<10	<10	40	<10	30	1
R-YUM-76	<0.2	0.86	<5	111	<0.5	<5	0.17	1	10	35	2	1.94	2	0.02	12	0.44	209	<2	0.01	62	590	9	<0.01	5	1	11	<5	0.03	<10	<10	25	<10	51	1
R-YUM-77	<0.2	0.93	<5	67	<0.5	<5	0.15	<1	5	29	5	1.71	4	0.03	14	0.37	131	<2	0.01	31	558	13	<0.01	10	1	10	<5	0.04	19	<10	29	<10	37	1
R-YUM-78	<0.2	0.98	<5	49	<0.5	<5	0.15	1	7	34	5	2.73	2	0.03	17	0.34	156	<2	0.01	29	678	13	<0.01	7	1	8	5	0.05	11	<10	40	<10	37	2
R-YUM-79	<0.2	1.23	<5	76	0.5	<5	0.20	1	8	41	7	2.62	3	0.03	17	0.56	206	<2	0.01	56	936	17	<0.01	6	1	12	<5	0.04	19	<10	41	<10	56	1
R-YUM-80	<0.2	1.37	5	90	0.5	<5	0.21	1	13	58	11	3.13	1	0.05	15	0.93	261	<2	0.01	97	797	17	0.01	5	2	13	5	0.08	15	<10	49	<10	56	2
R-YUM-81	<0.2	1.04	6	63	0.5	<5	0.22	1	5	23	4	2.45	2	0.02	20	0.24	153	<2	0.01	21	1162	19	<0.01	<5	1	12	6	0.04	<10	<10	39	<10	44	1
R-YUM-82	<0.2	0.65	<5	78	0.5	<5	0.31	1	5	12	5	1.78	2	0.05	29	0.21	272	<2	0.01	11	1278	24	<0.01	<5	2	21	36	0.03	20	<10	31	<10	49	1
R-YUM-83	<0.2	1.08	<5	66	0.5	<5	0.07	1	6	15	2	2.00	3	0.03	17	0.12	267	<2	0.01	9	492	7	<0.01	<5	1	11	27	0.03	<10	<10	28	<10	37	2
R-YUM-84	<0.2	0.95	9	56	<0.5	<5	0.11	1	3	14	2	1.98	<1	0.02	15	0.13	154	<2	0.01	8	948	20	<0.01	5	1	10	10	0.03	<10	<10	34	<10	36	1
R-YUM-85	<0.2	0.24	<5	29	<0.5	<5	0.06	<1	2	4	<1	0.43	2	0.01	<10	0.04	24	<2	0.01	2	164	11	<0.01	<5	<1	11	<5	0.01	<10	<10	9	<10	7	<1
R-YUM-86	<0.2	1.17	<5	86	0.5	<5	0.28	1	7	20	6	2.07	2	0.05	24	0.26	217	<2	0.01	20	1482	16	<0.01	9	2	16	11	0.04	17	<10	36	<10	51	1
R-YUM-87	<0.2	0.80	<5	75	<0.5	<5	0.20	1	5	17	4	1.88	2	0.03	19	0.19	187	<2	0.01	16	843	17	<0.01	<5	1	13	8	0.03	14	<10	33	<10	36	1
R-YUM-88	<0.2	1.29	<5	83	0.6	<5	0.19	1	6	28	4	2.70	1	0.04	20	0.26	185	<2	0.01	24	1126	25	<0.01	<5	1	18	5	0.04	13	<10	43	<10	47	2
R-YUM-89	0.2	0.88	<5	76	<0.5	<5	0.09	1	4	29	3	2.01	4	0.03	12	0.24	110	<2	0.01	26	469	19	0.03	<5	<1	11	<5	0.03	19	<10	34	<10	33	1
R-YUM-90	<0.2	0.37	<5	89	<0.5	<5	0.11	1	4	11	5	1.40	1	0.02	14	0.05	134	<2	0.01	9	342	13	0.03	6	<1	18	<5	0.02	<10	<10	26	<10	18	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-YUM

Sample type:

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1084SJ

Date : Jun-25-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	U ppm	V ppm	W ppm	Zn ppm	Zr ppm	
R-YUM-91	<0.2	0.71	<5	101	<0.5	<5	0.21	1	24	49	5	2.35	1	0.05	15	0.66	701	<2	0.01	103	842	21	<0.01	7	2	12	6	0.03	16	<10	28	<10	47	1
R-YUM-92	<0.2	0.72	<5	72	<0.5	<5	0.21	1	5	25	4	1.49	3	0.03	13	0.33	137	<2	0.01	26	780	11	<0.01	<5	1	10	<5	0.04	13	<10	30	<10	33	1
R-YUM-93	<0.2	0.68	<5	88	<0.5	<5	0.16	1	8	37	3	1.51	3	0.03	11	0.47	205	<2	0.01	57	634	17	<0.01	<5	1	9	<5	0.03	10	<10	24	<10	38	1
R-YUM-94	<0.2	0.76	<5	99	<0.5	<5	0.19	1	15	93	3	2.76	<1	0.02	11	1.82	289	<2	0.01	231	941	14	<0.01	6	1	12	<5	0.04	16	<10	39	<10	58	1
R-YUM-95	<0.2	0.94	7	104	<0.5	<5	0.17	1	9	44	7	2.14	3	0.04	15	0.54	206	<2	0.01	57	734	12	<0.01	<5	2	11	<5	0.06	11	<10	39	<10	54	1
R-YUM-96	<0.2	0.87	<5	98	<0.5	<5	0.24	<1	8	41	4	1.76	3	0.04	19	0.75	204	<2	0.01	87	954	15	<0.01	<5	2	16	<5	0.04	13	<10	32	<10	51	1
R-YUM-97	<0.2	0.74	15	67	0.8	<5	0.37	1	4	14	3	1.12	<1	0.03	32	0.27	288	3	0.01	10	1052	49	0.01	<5	1	27	11	0.03	<10	52	19	<10	279	1
R-YUM-98	<0.2	0.62	19	40	0.5	<5	0.14	1	1	8	3	1.01	<1	0.02	18	0.11	99	<2	0.01	4	433	230	0.01	<5	1	12	<5	0.02	<10	<10	19	<10	110	1
R-YUM-99	<0.2	1.50	13	109	0.6	<5	0.34	1	3	10	6	2.44	<1	0.05	26	0.21	615	<2	0.01	8	2765	289	0.01	<5	1	57	23	0.02	<10	10	24	<10	264	2
R-YUM-100	<0.2	1.37	9	61	0.6	<5	0.16	2	4	21	7	3.31	<1	0.03	15	0.19	176	<2	0.01	11	2611	73	0.02	<5	1	17	23	0.03	<10	13	47	<10	102	2
R-YUM-101	<0.2	0.79	16	82	<0.5	<5	0.24	2	4	12	6	1.85	<1	0.04	15	0.15	431	<2	0.01	7	920	25	0.01	<5	1	30	7	0.03	<10	<10	33	<10	76	1
R-YUM-102	<0.2	0.78	13	55	0.9	<5	0.13	1	5	18	9	1.80	1	0.03	17	0.25	147	<2	0.01	14	413	25	0.03	<5	1	10	5	0.03	<10	<10	32	<10	50	1
R-YUM-103	<0.2	0.56	10	82	0.5	<5	0.13	1	3	13	5	1.84	<1	0.02	21	0.12	81	<2	0.01	8	708	60	0.02	<5	1	15	<5	0.03	<10	<10	38	<10	52	1
R-YUM-104	0.3	0.47	13	130	<0.5	<5	0.42	1	3	11	7	1.53	1	0.08	12	0.13	1059	2	0.01	7	772	8	0.04	<5	<1	40	<5	0.02	10	10	26	<10	64	1
R-YUM-105	<0.2	0.45	11	51	<0.5	<5	0.13	1	2	10	2	1.49	1	0.02	10	0.07	144	<2	<0.01	5	893	21	0.02	<5	1	12	8	0.03	<10	<10	34	<10	22	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by [Signature]

Geochemical Analysis Certificate

7V-1086-SG1

Company: **K-6 Consulting Group**
Project: R-Jin
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-Jin-1	4	3
R-Jin-2	3	
R-Jin-3	5	
R-Jin-4	5	
R-Jin-5	5	
R-Jin-6	4	
R-Jin-7	6	
R-Jin-8	5	
R-Jin-9	32	
R-Jin-10	6	
R-Jin-11	4	
R-Jin-12	4	
R-Jin-13	5	
R-Jin-14	4	
R-Jin-15	3	
R-Jin-16	6	
R-Jin-17	3	
R-Jin-18	4	
R-Jin-19	5	
R-Jin-20	5	5
R-Jin-21	6	
R-Jin-22	4	
R-Jin-23	9	
R-Jin-24	5	
*1110	1428	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified by [Signature]

Geochemical Analysis Certificate

7V-1086-SG2

Company: K-6 Consulting Group
Project: R-Jin
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-Jin-25	2	4
R-Jin-26	3	
R-Jin-27	1	
R-Jin-28	<1	
R-Jin-29	1	
R-Jin-30	<1	
R-Jin-31	4	
R-Jin-32	2	
R-Jin-33	1	
R-Jin-34	1	
R-Jin-35	2	
R-Jin-36	3	
R-Jin-37	3	
R-Jin-38	2	
R-Jin-39	1	
R-Jin-40	5	
R-Jin-41	2	
R-Jin-42	1	
R-Jin-43	5	
R-Jin-44	2	4
R-Jin-45	3	
R-Jin-46	7	
R-Jin-47	2	
R-Jin-48	34	
11102	1367	
1	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1086-SG3

Company: **K-6 Consulting Group**
Project: R-Jin
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 5 soil samples
submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
R-Jin-49	1	3
R-Jin-50	2	
R-Jin-51	4	
R-Jin-52	2	
R-Jin-53	4	
*1110	1358	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-Jin

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1086SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis**Aqua Regia Digestion**

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
R-Jin-1	0.2	1.17	<5	95	<0.5	<5	0.11	1	7	23	10	2.41	<1	0.07	10	0.30	158	2	0.01	17	655	17	0.01	14	2	11	<5	0.04	<10	12	39	<10	62	2
R-Jin-2	0.7	0.96	<5	105	<0.5	<5	0.11	1	4	25	8	1.85	1	0.04	11	0.20	89	<2	0.01	9	980	14	0.03	<5	1	11	<5	0.04	11	<10	42	<10	39	1
R-Jin-3	0.2	1.43	<5	202	0.5	<5	0.32	1	8	40	16	3.00	<1	0.12	15	0.53	206	<2	0.01	24	878	22	0.01	8	2	22	<5	0.07	18	<10	58	<10	87	2
R-Jin-4	0.3	1.01	<5	87	<0.5	<5	0.08	1	5	23	9	2.29	1	0.07	15	0.26	100	<2	0.01	11	779	20	0.02	<5	2	11	<5	0.08	22	<10	53	<10	54	1
R-Jin-5	<0.2	2.07	<5	175	0.9	<5	0.40	1	14	46	22	3.44	<1	0.14	21	0.75	438	<2	0.01	34	927	22	<0.01	8	4	24	<5	0.10	22	13	66	<10	111	2
R-Jin-6	<0.2	0.49	<5	51	<0.5	<5	0.03	<1	2	6	2	0.44	<1	0.01	19	0.04	24	<2	<0.01	2	177	8	<0.01	7	1	7	<5	0.06	10	<10	18	<10	10	<1
R-Jin-7	0.3	1.60	<5	101	0.5	<5	0.14	1	6	34	13	3.31	1	0.06	14	0.35	102	<2	0.01	17	733	14	0.03	14	2	12	<5	0.07	29	12	56	<10	65	2
R-Jin-8	0.2	1.89	<5	150	0.8	<5	0.16	1	10	40	21	3.13	<1	0.11	14	0.58	220	<2	0.01	30	1048	18	0.03	9	3	12	<5	0.08	17	10	59	<10	113	2
R-Jin-9	0.5	1.47	<5	135	0.6	<5	0.23	1	10	29	15	2.85	<1	0.08	13	0.43	263	<2	0.01	21	1026	14	0.03	7	2	17	<5	0.05	11	<10	48	<10	79	2
R-Jin-10	0.5	1.05	<5	138	<0.5	<5	0.12	1	7	30	17	2.97	<1	0.08	11	0.37	193	<2	0.01	19	807	12	0.04	13	2	12	<5	0.07	11	10	61	<10	84	2
R-Jin-11	<0.2	1.53	<5	138	0.5	<5	0.15	1	10	38	20	3.75	1	0.11	12	0.48	278	<2	0.01	25	569	19	0.04	<5	2	13	<5	0.09	18	10	71	<10	101	2
R-Jin-12	0.2	0.94	5	75	<0.5	<5	0.08	1	5	25	13	2.27	<1	0.06	12	0.25	112	<2	0.01	13	502	14	0.03	<5	1	10	<5	0.07	14	<10	62	<10	49	1
R-Jin-13	0.4	2.09	<5	137	0.9	<5	0.53	1	12	42	19	3.48	5	0.09	16	0.63	580	<2	0.01	28	665	14	0.04	11	3	24	<5	0.08	18	15	65	<10	120	2
R-Jin-14	0.6	3.27	<5	162	1.5	<5	0.48	1	15	41	18	3.33	<1	0.13	14	0.69	260	<2	0.02	37	1141	10	0.03	9	4	22	<5	0.10	15	11	53	<10	175	2
R-Jin-15	<0.2	3.81	<5	158	1.7	<5	0.41	1	18	50	23	3.62	2	0.20	14	0.87	220	<2	0.02	42	915	25	0.01	10	5	31	6	0.13	18	16	60	<10	104	3
R-Jin-16	0.2	2.23	<5	79	0.8	<5	0.15	1	10	44	17	4.08	2	0.12	14	0.54	178	<2	0.01	26	521	21	0.04	6	3	16	<5	0.14	21	10	55	<10	80	3
R-Jin-17	0.7	1.64	<5	104	0.7	<5	0.59	2	15	34	26	3.70	2	0.09	15	0.38	517	<2	0.01	25	512	19	0.05	9	2	36	<5	0.08	24	11	55	<10	101	2
R-Jin-18	0.5	1.24	<5	111	<0.5	<5	0.21	1	6	25	10	2.10	2	0.05	17	0.44	167	<2	0.01	17	917	12	<0.01	<5	2	13	<5	0.05	23	<10	43	<10	67	1
R-Jin-19	<0.2	1.28	<5	184	0.5	<5	0.32	1	9	30	17	2.31	<1	0.06	14	0.50	320	<2	0.01	23	777	5	0.01	6	3	19	<5	0.04	<10	<10	48	<10	76	1
R-Jin-20	0.4	1.29	<5	148	0.5	<5	0.29	1	7	29	13	2.28	3	0.07	14	0.52	212	<2	0.01	25	863	8	0.02	9	2	17	<5	0.05	<10	<10	40	<10	75	1
R-Jin-21	0.8	1.90	<5	288	0.9	<5	0.41	1	12	36	25	3.19	1	0.08	15	0.52	568	<2	0.01	33	1208	12	0.02	5	3	23	<5	0.04	23	17	60	<10	120	2
R-Jin-22	0.3	1.56	6	205	0.7	<5	0.34	1	9	31	21	2.56	1	0.07	18	0.52	430	<2	0.01	27	1189	6	<0.01	7	2	20	<5	0.04	18	11	48	<10	87	1
R-Jin-23	0.5	1.08	<5	151	<0.5	<5	0.52	<1	8	28	13	2.04	3	0.06	15	0.46	283	<2	0.01	22	1633	8	0.02	6	2	23	<5	0.05	26	10	43	<10	57	1
R-Jin-24	0.5	1.72	<5	240	0.9	<5	0.37	1	8	33	22	2.75	1	0.07	15	0.47	383	<2	0.01	33	1231	5	0.05	5	1	22	<5	0.02	17	14	47	<10	120	1
R-Jin-25	<0.2	1.22	6	196	0.5	<5	0.74	1	8	74	13	2.16	1	0.07	17	0.45	251	<2	0.01	54	2531	8	<0.01	<5	3	29	<5	0.04	<10	<10	37	<10	64	1
R-Jin-26	<0.2	1.31	<5	146	0.5	<5	0.51	1	7	38	12	2.14	<1	0.06	13	0.49	200	<2	0.01	26	2178	5	0.02	7	2	22	<5	0.03	<10	<10	42	<10	78	1
R-Jin-27	0.4	1.91	14	192	0.9	<5	0.41	1	11	53	17	3.29	1	0.06	16	0.59	302	<2	0.01	51	1893	10	<0.01	9	3	19	5	0.04	14	<10	57	<10	125	2
R-Jin-28	<0.2	1.57	6	297	0.6	<5	0.58	1	12	33	14	2.64	2	0.06	16	0.50	608	2	0.01	25	1654	16	0.01	10	2	27	<5	0.04	<10	18	53	<10	73	1
R-Jin-29	0.4	1.55	<5	243	0.7	<5	0.64	1	9	39	19	2.42	1	0.08	18	0.53	445	<2	0.01	31	1938	7	0.01	9	2	30	<5	0.05	13	12	45	<10	68	1
R-Jin-30	<0.2	1.64	<5	146	0.7	<5	0.96	1	7	34	15	2.83	3	0.07	11	0.41	269	<2	0.01	24	5473	12	0.01	7	2	36	<5	0.04	11	<10	51	<10	99	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.


K-6 Consulting Group

Attention: Ed Kruchkowski

Project: R-Jin

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1086SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm	
R-Jin-31	<0.2	1.56	<5	131	0.5	<5	0.24	1	6	29	10	2.91	3	0.05	13	0.33	147	<2	0.01	17	3974	14	0.01	8	3	13	5	0.04	14	10	57	<10	78	2
R-Jin-32	0.3	1.67	<5	104	0.6	<5	0.21	1	6	37	11	2.59	1	0.04	15	0.39	121	<2	0.01	22	1604	12	<0.01	/	2	14	5	0.04	<10	<10	47	<10	69	2
R-Jin-33	<0.2	1.64	5	170	0.7	<5	0.25	1	8	36	18	2.92	<1	0.08	18	0.60	232	<2	0.01	27	1749	13	<0.01	7	3	16	5	0.06	13	<10	53	<10	82	1
R-Jin-34	<0.2	1.51	<5	163	0.7	<5	0.76	1	11	34	16	2.71	1	0.09	19	0.58	454	<2	0.01	33	2725	18	0.01	10	3	35	<5	0.04	<10	11	43	<10	83	1
R-Jin-35	<0.2	2.06	13	118	0.8	<5	0.32	1	8	44	19	3.56	<1	0.12	15	0.70	225	<2	0.01	32	2524	15	<0.01	12	3	15	7	0.05	12	<10	55	<10	108	2
R-Jin-36	0.3	1.29	6	124	0.7	<5	0.65	1	10	37	22	2.73	<1	0.15	26	0.62	281	<2	0.01	38	2411	13	<0.01	11	4	30	6	0.05	<10	<10	41	<10	68	2
R-Jin-37	<0.2	1.63	<5	150	0.7	<5	0.48	1	10	35	19	2.73	2	0.08	19	0.53	537	<2	0.01	34	790	13	0.02	11	3	22	5	0.04	24	12	44	<10	90	2
R-Jin-38	<0.2	0.90	<5	136	<0.5	<5	0.21	1	8	24	12	2.51	1	0.04	<10	0.23	358	<2	0.01	18	2773	10	0.01	<5	2	13	<5	0.03	11	<10	44	<10	63	1
R-Jin-39	0.4	1.19	<5	84	0.5	<5	0.16	1	6	27	12	3.10	1	0.04	10	0.25	112	<2	0.01	20	2832	14	0.02	17	2	11	<5	0.04	<10	<10	51	<10	67	2
R-Jin-40	<0.2	1.60	<5	102	0.5	<5	0.17	1	9	95	25	2.92	1	0.09	14	0.61	235	<2	0.01	29	1019	15	0.02	10	3	13	<5	0.06	16	<10	60	<10	77	1
R-Jin-41	0.2	1.24	6	77	<0.5	<5	0.13	1	5	31	12	2.46	1	0.05	12	0.31	118	<2	0.01	15	906	10	0.01	10	2	12	<5	0.04	11	<10	49	<10	47	2
R-Jin-42	<0.2	1.06	10	90	<0.5	<5	0.17	1	5	25	10	1.87	1	0.03	12	0.35	136	<2	0.01	15	806	8	0.02	5	2	14	<5	0.04	<10	<10	38	<10	44	1
R-Jin-43	0.2	1.59	<5	115	<0.5	<5	0.27	1	7	47	19	3.36	2	0.05	<10	0.55	174	<2	0.01	24	2757	7	<0.01	8	3	17	<5	0.03	11	<10	85	<10	74	2
R-Jin-44	<0.2	1.47	15	101	<0.5	<5	0.20	1	7	64	17	2.65	1	0.05	10	0.57	157	<2	0.01	21	1009	5	<0.01	8	3	12	<5	0.03	12	<10	59	<10	68	1
R-Jin-45	<0.2	1.22	11	80	<0.5	<5	0.11	1	4	24	11	2.88	1	0.05	12	0.38	156	<2	0.01	15	2100	12	0.01	10	2	12	<5	0.03	16	<10	49	<10	54	2
R-Jin-46	<0.2	1.29	8	77	<0.5	<5	0.16	1	5	34	16	2.63	1	0.05	10	0.52	129	<2	0.01	22	959	9	0.01	<5	2	10	<5	0.04	<10	<10	60	<10	51	1
R-Jin-47	<0.2	1.40	16	65	<0.5	<5	0.06	1	5	32	13	3.59	<1	0.04	10	0.31	137	<2	0.01	17	757	10	0.03	<5	2	9	<5	0.04	16	<10	67	<10	57	2
R-Jin-48	<0.2	1.63	<5	80	0.5	<5	0.05	1	6	35	11	3.57	2	0.04	10	0.27	118	<2	0.01	13	743	12	0.01	12	3	7	<5	0.05	<10	<10	78	<10	65	3
R-Jin-49	<0.2	1.26	<5	120	0.5	<5	0.10	1	6	30	11	2.67	5	0.05	<10	0.39	174	<2	0.01	17	811	9	0.01	7	2	8	<5	0.08	<10	<10	66	<10	54	2
R-Jin-50	<0.2	1.16	6	87	<0.5	<5	0.13	1	7	39	10	3.58	2	0.03	<10	0.30	155	<2	0.01	19	1737	12	0.01	6	2	6	<5	0.03	<10	<10	90	<10	51	2
R-Jin-51	<0.2	1.44	<5	120	0.5	<5	0.26	1	9	35	20	2.63	4	0.06	13	0.58	277	<2	0.01	30	769	13	<0.01	10	3	13	<5	0.04	13	<10	49	<10	59	2
R-Jin-52	<0.2	1.29	12	85	<0.5	<5	0.21	1	10	37	19	3.21	2	0.04	<10	0.54	246	<2	0.01	28	870	12	0.01	8	2	10	<5	0.03	<10	<10	68	<10	57	2
R-Jin-53	0.2	2.36	<5	167	0.9	<5	0.16	2	17	53	43	4.06	5	0.10	13	0.68	664	<2	0.01	40	768	12	0.01	11	3	9	<5	0.04	13	<10	78	<10	105	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certifying the following results for your files.

Geochemical Analysis Certificate

7V-1087-SG1

Company: **K-6 Consulting Group**
Project: **JAS**
Attn: **Ed Kruchkowski**

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-155	9	8
JAS-163	5	
JAS-172	3	
JAS-173	20	
JAS-174	3	
JAS-175	5	
JAS-176	3	
JAS-177	1	
JAS-178	4	
JAS-179	6	
JAS-180	5	
JAS-181	5	
JAS-182	7	
JAS-183	8	
JAS-184	3	
JAS-185	5	
JAS-186	3	
JAS-187	4	
JAS-188	3	
JAS-189	8	8
JAS-190	7	
JAS-191	6	
JAS-192	5	
JAS-193	4	
*1110	1424	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG2

Company: K-6 Consulting Group
Project: JAS
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-194	4	5
JAS-195	3	
JAS-196	2	
JAS-197	4	
JAS-198	4	
JAS-199	4	
JAS-200	4	
JAS-201	6	
JAS-202	4	
JAS-203	4	
JAS-204	4	
JAS-205	5	
JAS-206	4	
JAS-207	6	
JAS-208	4	
JAS-209	5	
JAS-210	5	
JAS-211	4	
JAS-212	3	
JAS-213	11	9
JAS-214	5	
JAS-215	4	
JAS-216	4	
JAS-217	7	
*1110	1392	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG3

Company: **K-6 Consulting Group**
Project: **JAS**
Attn: **Ed Kruchkowski**

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-218	7	5
JAS-219	3	
JAS-220	3	
JAS-221	4	
JAS-222	3	
JAS-223	4	
JAS-224	3	
JAS-225	1	
JAS-226	2	
JAS-227	4	5
JAS-228	<1	
JAS-229	460	
JAS-230	2	
JAS-231	4	
JAS-232	18	
JAS-233	<1	
JAS-234	1	
JAS-235	2	
JAS-236	2	
JAS-237	2	
JAS-238	2	
JAS-239	3	
JAS-240	2	
JAS-241	2	
*1110	1413	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assuring for over 40 Years

Geochemical Analysis Certificate

7V-1087-SG4


Company: **K-6 Consulting Group**
Project: **JAS**
Attn: **Ed Kruchkowski**

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-242	<1	
JAS-243	18	
JAS-244	5	
JAS-245	3	
JAS-246	6	
JAS-247	1	
JAS-248	5	
JAS-249	4	
JAS-250	<1	
JAS-251	3	2
JAS-252	1	
JAS-253	1	
JAS-254	2	
JAS-255	7	
JAS-256	3	
JAS-257	6	
JAS-258	3	
JAS-259	1	
JAS-260	4	
JAS-261	3	3
JAS-262	4	
JAS-263	3	
JAS-264	13	
JAS-265	2	
*1110	1362	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG5

Company: K-6 Consulting Group
Project: JAS
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-266	1	
JAS-267	6	
JAS-268	2	
JAS-269	2	
JAS-270	2	
JAS-271	3	
JAS-272	2	
JAS-273	2	
JAS-274	1	
JAS-275	3	4
JAS-276	5	
JAS-277	6	
JAS-278	3	
JAS-279	3	
JAS-280	13	
JAS-281	4	
JAS-282	5	
JAS-283	4	
JAS-284	2	
JAS-285	3	4
JAS-286	2	
JAS-287	2	
JAS-288	2	
JAS-289	1	
*1110	1475	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG6

Company: **K-6 Consulting Group**
Project: **JAS**
Attn: **Ed Kruchkowski**

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-290	5	2
JAS-291	7	
JAS-292	5	
JAS-293	4	
JAS-294	3	
JAS-295	2	
JAS-296	3	
JAS-297	3	
JAS-298	3	
JAS-299	3	
JAS-300	3	
JAS-301	3	
JAS-302	2	
JAS-303	2	
JAS-304	15	
JAS-305	1	
JAS-306	2	
JAS-307	3	
JAS-308	5	
JAS-309	3	4
JAS-310	4	
JAS-311	2	
JAS-312	7	
JAS-313	2	
*1110	1450	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG7

Company: K-6 Consulting Group
Project: JAS
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-314	6	2
JAS-315	3	
JAS-316	3	
JAS-317	2	
JAS-318	2	
JAS-319	5	
JAS-320	4	
JAS-321	4	
JAS-322	3	
JAS-323	3	
JAS-324	5	
JAS-325	3	
JAS-326	3	
JAS-327	1	
JAS-328	10	
JAS-329	1	
JAS-330	3	
JAS-331	1	
JAS-332	5	
JAS-333	3	4
JAS-334	3	
JAS-335	4	
JAS-336	2	
JAS-337	2	
*1110	1422	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1087-SG8

Company: K-6 Consulting Group
Project: JAS
Attn: Ed Kruchkowski

Jun-26-07

We hereby certify the following geochemical analysis of 7 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
JAS-338	2	1
JAS-339	5	
JAS-340	3	
JAS-341-#1	4	
JAS-342	5	
JAS-343	3	
JAS-341-#2	3	
*1110	1407	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowsky

Project: JAS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-155	0.7	1.00	<5	82	<0.5	<5	0.10	1	4	22	11	1.60	<1	0.04	10	0.30	117	<2	0.01	15	684	10	<0.01	11	1	10	<5	0.04	17	<10	30	<10	40	1
JAS-163	<0.2	0.86	<5	124	<0.5	<5	0.19	1	22	74	12	2.58	<1	0.04	11	1.07	534	<2	0.01	182	664	6	<0.01	5	2	14	<5	0.03	<10	<10	34	<10	67	1
JAS-172	0.3	1.00	9	100	<0.5	<5	0.27	1	8	25	11	2.23	<1	0.05	17	0.44	357	<2	0.01	23	762	10	<0.01	11	2	18	<5	0.03	10	12	35	<10	51	1
JAS-173	0.7	1.14	<5	112	0.6	<5	0.26	1	11	53	14	1.79	3	0.03	18	0.32	807	<2	0.01	20	987	10	<0.01	15	2	19	<5	0.03	23	13	41	<10	48	1
JAS-174	0.8	1.15	<5	75	<0.5	<5	0.09	1	6	41	16	2.32	<1	0.03	12	0.35	218	<2	0.01	18	506	10	<0.01	6	1	12	<5	0.04	12	<10	43	<10	51	1
JAS-175	0.5	1.31	5	138	0.6	<5	0.22	1	6	31	21	2.21	<1	0.04	16	0.36	358	<2	0.01	21	576	8	<0.01	9	1	13	<5	0.03	<10	<10	45	<10	57	1
JAS-176	0.3	1.17	<5	71	<0.5	<5	0.12	1	5	26	12	2.03	<1	0.04	13	0.38	160	<2	0.01	17	454	15	<0.01	7	1	11	<5	0.04	11	12	39	<10	54	1
JAS-177	0.2	1.05	6	75	<0.5	<5	0.15	1	5	26	13	2.07	<1	0.04	12	0.37	155	<2	0.01	19	573	9	<0.01	10	1	12	<5	0.05	13	<10	45	<10	50	1
JAS-178	0.4	1.00	<5	81	<0.5	<5	0.10	1	4	21	13	1.88	<1	0.04	11	0.29	165	<2	0.01	15	428	10	<0.01	12	1	11	<5	0.03	<10	<10	38	<10	44	1
JAS-179	0.4	2.08	13	173	0.8	<5	0.14	2	13	45	30	3.95	<1	0.12	15	0.59	762	<2	0.01	36	553	22	0.01	7	2	13	<5	0.05	14	<10	76	<10	114	2
JAS-180	0.8	1.27	6	77	<0.5	<5	0.10	1	5	25	17	2.12	<1	0.04	10	0.38	170	<2	0.01	16	527	15	<0.01	7	1	13	<5	0.03	15	<10	40	<10	54	1
JAS-181	0.3	1.29	<5	77	<0.5	<5	0.17	1	5	27	15	2.52	<1	0.04	12	0.36	200	<2	0.01	20	894	9	<0.01	<5	2	11	<5	0.03	13	<10	48	<10	54	1
JAS-182	0.3	1.00	<5	65	<0.5	<5	0.11	1	4	20	10	2.10	1	0.03	10	0.21	204	<2	0.01	12	848	8	0.03	8	1	10	<5	0.03	<10	<10	42	<10	43	1
JAS-183	0.6	0.94	11	96	<0.5	<5	0.23	1	5	27	15	2.20	<1	0.05	11	0.33	228	<2	0.01	20	1003	11	<0.01	5	1	14	<5	0.03	17	<10	41	<10	50	1
JAS-184	1.2	1.89	<5	188	0.7	<5	0.21	1	8	37	29	2.63	1	0.06	14	0.50	241	<2	0.01	27	774	14	0.01	15	1	16	<5	0.03	13	<10	47	<10	97	1
JAS-185	<0.2	0.89	<5	89	<0.5	<5	0.15	<1	3	18	9	0.98	1	0.02	12	0.19	80	<2	0.01	12	522	9	<0.01	<5	1	10	<5	0.02	11	<10	24	<10	22	1
JAS-186	0.7	0.61	<5	47	<0.5	<5	0.09	<1	2	13	5	0.82	<1	0.02	10	0.15	65	<2	0.01	5	304	6	0.01	7	<1	11	<5	0.03	14	<10	20	<10	18	<1
JAS-187	1.1	0.79	<5	99	<0.5	<5	0.13	1	3	17	8	1.62	1	0.03	11	0.21	101	<2	0.01	9	633	11	0.01	9	1	14	<5	0.05	14	16	36	<10	38	1
JAS-188	0.7	1.01	<5	68	<0.5	<5	0.07	1	4	22	10	1.96	2	0.03	11	0.29	158	<2	0.01	13	400	10	<0.01	5	1	10	<5	0.03	10	<10	38	<10	40	1
JAS-189	0.7	0.74	<5	53	<0.5	<5	0.08	1	3	16	9	1.30	<1	0.02	<10	0.19	81	<2	0.01	10	356	10	0.01	11	<1	10	<5	0.03	<10	<10	30	<10	26	1
JAS-190	1.1	0.93	6	101	<0.5	<5	0.06	<1	4	21	8	1.17	1	0.03	<10	0.22	105	2	0.01	10	481	15	0.01	<5	<1	10	<5	0.01	12	<10	25	<10	39	1
JAS-191	0.3	0.85	<5	121	<0.5	<5	0.17	1	3	19	8	1.38	1	0.02	11	0.28	218	<2	0.01	10	424	15	<0.01	8	1	14	<5	0.02	16	<10	29	<10	46	1
JAS-192	0.3	0.89	<5	93	<0.5	<5	0.18	1	4	27	13	2.30	<1	0.04	<10	0.33	163	<2	0.01	16	540	8	<0.01	5	1	13	<5	0.04	14	13	44	<10	48	1
JAS-193	0.7	1.23	<5	100	<0.5	<5	0.22	1	5	29	14	2.39	2	0.05	12	0.37	155	<2	0.01	17	902	9	0.01	11	1	15	<5	0.03	12	<10	42	<10	54	1
JAS-194	<0.2	1.58	<5	132	0.5	<5	0.17	1	7	37	21	2.94	2	0.06	10	0.45	303	<2	0.01	22	666	14	0.01	6	1	11	<5	0.03	<10	13	49	<10	84	2
JAS-195	<0.2	1.83	<5	132	0.5	<5	0.22	1	8	34	15	2.13	4	0.05	12	0.41	198	<2	0.01	29	940	11	0.01	5	2	12	<5	0.03	<10	13	34	<10	84	1
JAS-196	<0.2	1.16	6	100	<0.5	<5	0.20	1	5	27	11	1.69	<1	0.04	12	0.33	166	<2	0.01	17	749	13	0.01	<5	1	11	<5	0.03	19	10	30	<10	53	1
JAS-197	0.7	0.58	6	160	<0.5	<5	0.22	1	4	18	11	1.69	1	0.02	<10	0.18	120	<2	0.01	12	363	12	0.01	<5	1	15	<5	0.04	<10	12	42	<10	42	1
JAS-198	<0.2	0.67	<5	90	<0.5	<5	0.08	1	2	12	9	0.90	2	0.02	11	0.12	77	<2	0.01	6	394	5	0.01	<5	<1	8	<5	0.01	<10	<10	17	<10	20	<1
JAS-199	<0.2	1.39	11	78	<0.5	<5	0.10	1	4	23	12	2.31	1	0.02	12	0.23	102	2	0.01	11	574	11	0.01	<5	2	9	<5	0.03	15	<10	38	<10	38	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: JAS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-200	0.3	1.27	6	76	<0.5	<5	0.15	1	5	23	13	2.15	3	0.03	13	0.24	130	<2	0.01	12	836	12	0.01	<5	1	10	<5	0.03	11	10	35	<10	40	1
JAS-201	0.3	0.97	6	112	<0.5	<5	0.12	1	5	19	12	1.97	1	0.02	11	0.23	340	2	0.01	12	653	15	0.01	<5	1	10	<5	0.03	14	<10	34	<10	41	1
JAS-202	0.2	1.05	7	86	<0.5	<5	0.13	1	7	26	17	2.65	3	0.03	12	0.35	239	2	0.01	19	544	13	0.01	<5	1	12	<5	0.04	11	15	39	<10	61	1
JAS-203	0.6	1.60	10	270	0.8	<5	0.35	1	8	36	30	2.71	2	0.05	13	0.47	579	3	0.01	25	944	17	<0.01	<5	1	21	<5	0.02	15	18	44	<10	92	2
JAS-204	0.6	0.57	<5	117	<0.5	<5	0.19	<1	2	12	6	0.72	1	0.02	10	0.15	81	<2	0.01	7	325	17	<0.01	<5	<1	13	<5	0.01	15	<10	15	<10	29	<1
JAS-205	0.2	1.07	13	94	0.5	<5	0.23	1	7	28	15	2.15	1	0.03	14	0.36	240	<2	0.01	25	817	13	0.01	<5	2	15	<5	0.03	<10	12	37	<10	73	1
JAS-206	2.4	0.76	12	82	0.5	<5	0.07	<1	1	16	14	0.54	2	0.02	13	0.08	43	<2	0.01	8	911	17	0.04	<5	<1	10	<5	0.01	11	<10	9	<10	18	<1
JAS-207	0.2	0.69	<5	87	<0.5	<5	0.09	1	34	219	5	3.14	<1	0.02	<10	3.60	355	<2	0.01	479	548	3	<0.01	9	3	8	<5	0.02	15	<10	26	<10	47	2
JAS-208	0.2	0.72	<5	96	<0.5	<5	0.17	1	6	23	7	1.26	2	0.03	<10	0.32	174	<2	0.01	19	482	6	<0.01	5	1	10	<5	0.03	<10	<10	26	<10	39	1
JAS-209	0.8	1.11	7	261	<0.5	<5	0.25	1	8	35	23	1.92	3	0.04	10	0.33	422	4	0.01	20	515	16	<0.01	<5	1	18	<5	0.03	11	10	48	<10	54	1
JAS-210	<0.2	1.16	8	135	0.5	<5	0.19	1	7	44	21	2.20	<1	0.04	14	0.49	251	<2	0.01	28	718	14	0.01	<5	2	13	<5	0.05	<10	<10	47	<10	63	1
JAS-211	<0.2	0.51	8	163	<0.5	<5	0.21	1	2	14	8	0.89	2	0.03	11	0.17	153	<2	0.01	9	226	9	0.01	<5	1	16	<5	0.03	<10	10	18	<10	28	<1
JAS-212	0.5	1.29	5	233	0.5	<5	0.28	1	9	37	20	2.34	2	0.04	11	0.49	453	2	0.01	23	663	11	<0.01	10	2	18	<5	0.03	16	13	47	<10	75	1
JAS-213	0.2	0.70	15	122	<0.5	<5	0.15	1	5	19	10	1.45	1	0.03	<10	0.27	149	2	0.01	12	511	9	<0.01	<5	1	13	<5	0.03	<10	<10	30	<10	57	1
JAS-214	0.6	1.24	<5	269	0.7	<5	0.34	1	10	32	25	2.19	2	0.04	15	0.38	366	2	0.01	28	923	19	0.03	<5	3	23	<5	0.03	18	11	43	<10	73	2
JAS-215	1.5	1.95	21	248	1.2	<5	0.14	1	12	43	49	3.40	2	0.05	19	0.42	314	2	0.01	33	592	35	<0.01	<5	3	13	<5	0.03	12	12	66	<10	90	2
JAS-216	<0.2	1.58	22	115	0.5	<5	0.24	1	8	41	24	3.13	1	0.05	13	0.55	250	2	0.01	28	1117	18	<0.01	8	3	15	<5	0.05	<10	16	62	<10	92	2
JAS-217	<0.2	1.03	12	119	<0.5	<5	0.17	1	6	27	13	2.00	3	0.03	11	0.39	240	<2	0.01	18	388	14	0.01	9	1	11	<5	0.03	22	<10	38	<10	67	1
JAS-218	0.7	1.77	25	351	0.9	<5	0.40	2	12	48	60	2.97	<1	0.05	14	0.56	570	2	0.01	44	716	16	0.03	<5	4	22	<5	0.03	<10	13	55	<10	85	2
JAS-219	<0.2	1.09	10	224	<0.5	<5	0.27	1	8	31	19	1.94	1	0.03	12	0.41	306	<2	0.01	18	542	8	0.01	<5	2	15	<5	0.03	<10	<10	44	<10	70	1
JAS-220	<0.2	0.37	<5	164	<0.5	<5	0.18	<1	1	10	9	0.52	1	0.02	10	0.06	62	<2	0.01	5	305	5	0.02	<5	<1	10	<5	0.02	<10	<10	15	<10	13	<1
JAS-221	<0.2	1.23	9	159	0.5	<5	0.24	1	9	35	26	2.43	<1	0.06	16	0.47	332	<2	0.01	28	910	12	0.01	<5	3	12	5	0.07	<10	<10	47	<10	65	2
JAS-222	<0.2	0.81	9	164	<0.5	<5	0.31	1	8	26	19	1.93	1	0.05	17	0.35	365	<2	0.01	21	904	7	0.01	<5	3	13	7	0.07	<10	<10	41	<10	41	1
JAS-223	<0.2	1.11	<5	102	<0.5	<5	0.20	1	6	26	10	2.27	1	0.04	12	0.29	193	<2	0.01	16	1336	7	0.02	<5	2	9	5	0.05	<10	<10	44	<10	55	1
JAS-224	<0.2	1.21	5	182	0.5	<5	0.23	1	6	27	13	2.59	2	0.03	15	0.31	145	<2	0.01	17	556	8	0.02	8	2	12	<5	0.05	<10	<10	45	<10	51	1
JAS-225	<0.2	0.42	5	86	<0.5	<5	0.14	1	3	11	4	0.84	1	0.02	12	0.11	139	<2	0.01	6	349	4	0.01	<5	1	7	<5	0.03	<10	<10	21	<10	20	<1
JAS-226	<0.2	0.88	<5	222	<0.5	<5	0.14	1	10	21	14	1.56	1	0.03	10	0.24	317	<2	0.01	15	434	7	0.02	<5	1	9	<5	0.03	<10	<10	33	<10	42	1
JAS-227	<0.2	1.18	<5	149	<0.5	<5	0.24	1	8	31	21	2.26	<1	0.05	14	0.48	306	<2	0.01	25	662	8	<0.01	5	3	12	<5	0.04	12	<10	42	<10	57	1
JAS-228	<0.2	0.88	<5	163	<0.5	<5	0.23	1	5	21	12	1.54	2	0.03	11	0.32	320	<2	0.01	15	513	5	0.02	<5	2	12	<5	0.03	<10	<10	30	<10	46	1
JAS-229	<0.2	1.28	<5	120	0.5	<5	0.23	1	6	26	10	2.44	1	0.04	10	0.24	164	<2	0.01	18	1782	4	0.01	5	2	12	5	0.04	<10	<10	44	<10	67	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

K-6 Consulting Group

Attention: Ed Kruchkowsky

Project: JAS

Sample type:

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-230	<0.2	0.60	<5	146	<0.5	<5	0.21	1	3	16	4	1.28	1	0.03	12	0.19	144	<2	0.01	8	1031	5	0.01	<5	1	10	<5	0.04	<10	<10	26	<10	42	1
JAS-231	<0.2	0.28	<5	63	<0.5	<5	0.14	<1	2	7	1	0.48	<1	0.03	12	0.05	44	<2	<0.01	2	134	6	0.01	<5	1	7	<5	0.04	<10	<10	15	<10	10	<1
JAS-232	<0.2	0.63	<5	98	<0.5	<5	0.09	1	3	15	5	1.37	1	0.02	13	0.13	126	<2	0.01	7	539	3	0.01	<5	1	5	<5	0.05	<10	<10	32	<10	23	1
JAS-233	0.2	0.27	<5	69	<0.5	<5	0.09	1	2	8	14	1.45	<1	0.02	18	0.03	59	3	0.01	4	300	26	0.02	<5	<1	11	<5	0.03	<10	11	29	<10	33	1
JAS-234	<0.2	0.64	<5	70	<0.5	<5	0.13	1	5	17	9	2.06	<1	0.05	22	0.18	290	4	0.01	10	544	25	0.02	<5	1	13	21	0.06	10	11	41	<10	71	1
JAS-235	<0.2	0.44	<5	85	<0.5	<5	0.10	1	3	11	11	1.56	1	0.03	18	0.10	148	4	0.01	6	419	39	0.04	<5	1	12	<5	0.05	<10	<10	32	<10	42	1
JAS-236	1.4	0.40	<5	163	<0.5	<5	0.19	2	5	20	19	2.69	1	0.02	13	0.07	179	15	<0.01	17	735	48	0.04	<5	<1	9	<5	0.05	<10	<10	108	<10	104	1
JAS-237	0.4	0.54	5	281	0.5	<5	0.18	2	4	23	17	2.87	<1	0.05	<10	0.22	557	25	<0.01	25	773	95	0.05	<5	1	22	<5	0.02	<10	12	196	<10	209	1
JAS-238	<0.2	0.32	<5	46	<0.5	<5	0.13	1	2	4	3	1.45	<1	0.05	17	0.11	137	<2	0.01	1	197	5	0.01	<5	1	5	14	0.04	<10	<10	27	<10	20	1
JAS-239	0.6	0.74	<5	100	<0.5	<5	0.05	1	3	18	13	2.13	<1	0.06	14	0.20	403	2	0.01	11	955	108	0.03	<5	1	5	<5	0.01	<10	<10	68	<10	147	1
JAS-240	2.2	0.99	<5	311	<0.5	<5	0.21	3	6	32	29	4.30	<1	0.10	14	0.39	1654	4	0.01	21	1722	757	0.17	6	2	29	<5	0.05	<10	17	89	<10	349	2
JAS-241	3.8	1.63	<5	156	1.3	<5	0.20	4	12	41	104	5.22	<1	0.08	10	0.47	3538	9	0.01	35	2541	759	0.10	6	2	17	7	<0.01	15	27	122	<10	579	3
JAS-242	0.6	1.14	7	194	0.5	<5	0.35	3	10	38	23	4.25	<1	0.07	10	0.49	1777	2	0.01	24	2174	136	0.03	6	2	24	5	0.04	<10	18	90	<10	355	2
JAS-243	1.8	1.11	5	135	0.6	<5	0.19	3	11	34	24	4.11	<1	0.07	10	0.46	1366	3	0.01	26	2206	116	<0.01	9	2	13	5	0.04	<10	14	83	<10	251	2
JAS-244	0.3	1.89	<5	72	1.1	<5	0.09	3	12	50	31	4.82	<1	0.06	10	0.61	819	3	0.01	31	1176	99	<0.01	6	3	31	7	0.02	<10	13	85	<10	380	3
JAS-245	0.3	1.59	8	95	1.1	<5	0.25	3	13	46	27	4.57	1	0.10	10	0.45	1533	3	0.01	33	908	208	0.01	<5	2	31	<5	0.04	14	16	84	<10	512	2
JAS-246	1.2	1.55	7	321	0.9	<5	0.23	5	17	48	36	4.83	3	0.10	10	0.44	1794	5	0.01	44	1467	122	0.04	<5	2	34	<5	0.06	12	17	85	<10	352	2
JAS-247	0.5	0.56	9	229	<0.5	<5	0.13	2	5	19	14	2.02	<1	0.04	<10	0.18	292	4	0.01	14	490	42	0.01	6	1	10	<5	0.02	<10	<10	54	<10	96	1
JAS-248	0.8	0.72	5	147	<0.5	<5	0.29	2	6	24	27	2.98	<1	0.07	<10	0.19	651	<2	0.01	15	1962	47	0.02	<5	<1	20	<5	0.03	10	<10	64	<10	77	1
JAS-249	0.4	0.64	7	178	<0.5	<5	0.11	2	5	22	24	2.93	<1	0.05	10	0.15	200	3	0.01	15	833	32	0.02	<5	1	15	<5	0.06	15	<10	90	<10	69	2
JAS-250	<0.2	0.65	6	71	<0.5	<5	0.14	1	4	18	8	2.59	1	0.05	<10	0.16	120	<2	0.01	9	1645	42	0.02	<5	1	12	<5	0.05	<10	<10	57	<10	45	1
JAS-251	<0.2	0.64	9	43	<0.5	<5	0.09	1	5	19	8	2.40	<1	0.04	<10	0.18	116	<2	0.01	11	363	13	<0.01	<5	1	8	<5	0.07	<10	<10	69	<10	40	1
JAS-252	<0.2	1.56	9	90	1.0	<5	0.36	2	10	22	13	3.86	<1	0.06	31	0.45	450	5	0.01	20	4145	130	0.01	5	3	15	34	0.04	17	14	67	<10	152	2
JAS-253	1.2	1.74	<5	141	1.0	<5	0.06	4	8	48	27	5.56	2	0.07	13	0.39	1086	5	0.01	22	3695	219	0.09	9	2	17	7	0.01	12	15	115	<10	306	4
JAS-254	<0.2	1.08	6	38	0.7	<5	0.13	1	4	13	12	2.36	<1	0.03	34	0.31	481	3	0.01	12	1068	105	0.01	5	1	6	25	0.01	16	<10	29	<10	193	2
JAS-255	0.6	1.89	7	86	1.3	<5	0.15	2	13	64	50	3.66	<1	0.07	16	0.85	694	2	0.01	94	836	185	0.01	7	4	13	8	0.05	12	13	59	<10	492	2
JAS-256	<0.2	2.58	13	89	1.3	<5	0.18	3	16	56	40	4.75	<1	0.13	17	0.68	679	3	0.01	45	928	121	0.02	12	4	24	11	0.05	21	13	66	<10	214	3
JAS-257	<0.2	2.12	9	96	0.6	<5	0.12	2	13	44	27	3.89	<1	0.05	14	0.53	341	3	0.01	42	1004	50	0.05	5	3	10	<5	0.05	<10	12	59	<10	148	2
JAS-258	1.4	3.10	16	228	1.4	<5	0.37	3	14	135	75	5.54	<1	0.17	<10	0.63	387	3	0.03	94	1324	94	0.13	6	4	47	<5	0.08	<10	15	91	<10	208	3
JAS-259	0.5	2.64	<5	103	1.0	<5	0.24	2	13	49	26	4.08	1	0.06	14	0.56	280	2	0.01	56	1130	20	0.03	<5	3	20	<5	0.05	<10	13	61	<10	78	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: JAS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-260	0.2	0.95	9	40	<0.5	<5	0.07	1	3	13	3	1.77	1	0.02	<10	0.11	103	<2	0.01	4	1118	14	<0.01	<5	1	6	<5	0.07	<10	<10	48	<10	23	2
JAS-261	0.3	0.35	<5	22	<0.5	<5	0.04	<1	1	5	1	0.45	<1	0.01	<10	0.02	107	<2	0.01	2	123	4	<0.01	<5	<1	4	<5	0.04	<10	<10	16	<10	7	<1
JAS-262	4.3	3.17	20	154	0.9	<5	0.22	4	11	48	19	5.66	3	0.07	19	0.43	1899	3	0.02	20	3367	57	<0.01	5	4	35	<5	0.11	70	<10	135	<10	124	4
JAS-263	0.2	0.86	<5	34	<0.5	<5	0.07	1	4	17	5	2.07	1	0.02	<10	0.14	403	<2	0.01	7	1052	11	<0.01	<5	1	6	<5	0.06	11	<10	51	<10	32	3
JAS-264	0.2	1.27	6	46	<0.5	<5	0.07	1	4	19	4	2.31	2	0.03	<10	0.13	381	<2	0.01	6	1358	16	0.01	<5	1	6	<5	0.05	<10	<10	53	<10	40	1
JAS-265	0.9	1.45	5	57	<0.5	<5	0.11	1	5	25	7	2.86	<1	0.03	<10	0.21	397	<2	0.01	10	1772	22	0.01	9	2	11	<5	0.05	19	<10	64	<10	60	3
JAS-266	<0.2	0.76	6	75	<0.5	<5	0.27	1	8	28	18	2.17	<1	0.08	<10	0.39	250	<2	0.01	18	895	2	<0.01	8	2	11	<5	0.07	<10	<10	51	<10	43	2
JAS-267	<0.2	0.67	5	77	<0.5	<5	0.07	1	4	19	10	1.61	<1	0.03	14	0.16	96	2	0.01	10	579	14	0.02	<5	1	5	<5	0.05	16	<10	67	<10	43	1
JAS-268	0.2	0.86	5	102	<0.5	<5	0.13	2	6	25	10	2.45	<1	0.03	13	0.25	305	3	0.01	16	1258	21	0.04	5	1	8	<5	0.07	10	<10	139	<10	110	1
JAS-269	<0.2	0.71	12	79	<0.5	<5	0.12	1	4	22	11	2.20	<1	0.04	11	0.20	207	4	<0.01	15	901	18	0.02	8	1	6	<5	0.06	<10	<10	113	<10	68	1
JAS-270	<0.2	0.48	6	79	<0.5	<5	0.08	1	2	12	3	0.90	<1	0.02	15	0.12	73	<2	<0.01	4	617	8	0.01	<5	1	5	<5	0.04	<10	<10	27	<10	28	<1
JAS-271	1.4	2.59	21	346	1.5	<5	0.55	3	12	41	54	3.85	<1	0.09	10	0.72	266	7	0.01	72	5055	50	0.04	12	2	37	<5	0.04	<10	14	172	<10	357	2
JAS-272	<0.2	2.07	11	137	1.0	<5	0.31	3	11	56	28	4.93	<1	0.09	13	0.71	280	5	0.01	46	3252	46	0.03	13	3	18	<5	0.08	<10	17	251	<10	251	3
JAS-273	0.2	2.13	23	74	0.6	<5	0.22	3	10	37	17	3.28	<1	0.06	16	0.50	242	3	0.01	35	1111	15	0.02	14	3	11	<5	0.06	<10	14	104	<10	281	2
JAS-274	<0.2	2.48	19	148	1.2	<5	0.24	6	14	44	30	3.20	<1	0.09	14	0.71	296	5	0.01	84	788	20	0.03	<5	4	18	<5	0.08	<10	13	108	<10	548	2
JAS-275	<0.2	1.90	7	185	0.7	<5	0.18	4	11	40	21	3.43	<1	0.09	13	0.64	249	6	0.01	43	536	13	0.02	6	3	12	<5	0.09	<10	12	73	<10	322	3
JAS-276	<0.2	1.46	10	105	0.8	<5	0.45	6	10	32	21	2.50	<1	0.06	11	0.40	385	12	0.01	142	869	13	0.04	7	1	24	<5	0.04	<10	14	86	<10	863	1
JAS-277	<0.2	0.62	8	58	<0.5	<5	0.07	1	4	17	7	1.73	<1	0.03	11	0.16	83	<2	0.01	11	1041	8	0.02	<5	1	4	<5	0.04	<10	<10	40	<10	47	1
JAS-278	<0.2	0.95	<5	67	<0.5	<5	0.07	1	4	21	7	1.73	<1	0.04	14	0.24	98	<2	0.01	9	632	10	0.02	8	1	5	<5	0.04	<10	<10	36	<10	38	1
JAS-279	<0.2	1.31	6	92	0.5	<5	0.09	1	7	28	15	2.50	<1	0.06	13	0.31	188	<2	0.01	17	876	13	0.03	7	2	6	<5	0.06	<10	<10	45	<10	64	1
JAS-280	<0.2	1.54	5	140	0.7	<5	0.20	1	9	35	18	2.56	<1	0.07	16	0.54	204	<2	0.01	27	830	9	0.01	8	3	10	5	0.07	10	<10	51	<10	73	1
JAS-281	<0.2	1.20	<5	139	0.6	<5	0.31	1	12	30	20	2.25	<1	0.09	15	0.42	478	<2	0.01	26	746	10	0.03	10	2	14	<5	0.06	12	11	44	<10	62	1
JAS-282	<0.2	1.75	15	211	0.7	<5	0.64	2	16	45	32	3.16	<1	0.21	17	0.73	934	2	0.01	39	947	16	0.04	6	4	28	<5	0.09	13	13	63	<10	110	2
JAS-283	<0.2	1.29	<5	203	0.6	<5	0.24	1	11	36	27	2.41	<1	0.13	17	0.57	304	<2	0.01	31	932	10	0.02	8	4	11	6	0.09	<10	<10	50	<10	69	2
JAS-284	<0.2	1.38	10	178	0.7	<5	0.33	1	11	34	28	2.00	<1	0.11	16	0.50	315	<2	0.01	28	970	8	0.03	8	3	15	<5	0.06	13	<10	42	<10	66	1
JAS-285	1.3	1.64	11	58	0.5	<5	0.10	1	6	32	28	2.92	1	0.05	11	0.25	191	2	0.01	17	1124	9	0.03	6	2	7	<5	0.03	12	<10	48	<10	43	2
JAS-286	<0.2	1.26	10	77	0.5	<5	0.15	1	9	28	14	2.05	<1	0.07	11	0.41	225	<2	0.01	19	574	<2	0.01	11	2	6	<5	0.05	11	<10	36	<10	47	1
JAS-287	<0.2	1.13	7	95	0.5	<5	0.15	1	9	30	18	2.36	<1	0.07	<10	0.42	324	<2	0.01	21	447	2	0.02	6	2	8	<5	0.05	<10	<10	41	<10	63	1
JAS-288	0.2	1.36	5	162	0.6	<5	0.24	1	10	33	19	2.03	<1	0.07	17	0.49	349	<2	0.01	21	653	7	0.02	5	3	12	<5	0.05	<10	<10	42	<10	58	1
JAS-289	<0.2	1.03	8	127	<0.5	<5	0.21	1	9	25	15	1.79	<1	0.06	12	0.35	175	<2	0.01	19	777	3	0.02	5	2	7	<5	0.05	<10	<10	35	<10	45	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: JAS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-290	<0.2	0.51	<5	72	<0.5	<5	0.04	1	3	13	7	0.88	<1	0.02	<10	0.15	53	<2	0.01	6	235	6	<0.01	<5	1	3	<5	0.03	<10	<10	21	<10	23	1
JAS-291	<0.2	2.06	8	196	1.0	<5	0.26	2	18	43	26	3.16	1	0.11	12	0.53	325	<2	0.01	41	744	13	0.02	8	3	12	<5	0.07	11	11	59	<10	103	2
JAS-292	<0.2	1.70	29	144	0.7	<5	0.14	1	12	51	25	2.83	<1	0.13	11	0.65	227	<2	0.01	32	742	15	0.01	6	3	7	<5	0.08	15	<10	51	<10	87	2
JAS-293	<0.2	1.37	<5	162	0.5	<5	0.15	1	9	34	21	2.33	<1	0.09	11	0.55	198	<2	0.01	24	397	12	0.01	<5	3	9	<5	0.06	<10	<10	42	<10	86	1
JAS-294	<0.2	1.76	<5	159	0.7	<5	0.11	1	10	35	31	3.01	<1	0.09	11	0.52	268	<2	0.01	23	650	14	0.03	<5	2	9	<5	0.05	<10	<10	60	<10	80	2
JAS-295	<0.2	0.92	<5	50	<0.5	<5	0.06	1	5	23	12	2.45	<1	0.03	<10	0.22	116	<2	0.01	10	834	7	0.02	<5	2	4	<5	0.05	<10	<10	61	<10	43	1
JAS-296	<0.2	1.83	<5	127	0.5	<5	0.14	1	10	46	39	3.04	<1	0.06	<10	0.67	204	<2	0.01	29	848	9	<0.01	<5	4	5	<5	0.07	<10	<10	64	<10	62	2
JAS-297	<0.2	1.51	<5	123	0.5	<5	0.12	2	9	40	23	4.01	<1	0.07	<10	0.46	166	<2	0.01	23	1090	13	0.03	<5	3	8	<5	0.09	<10	11	98	<10	57	2
JAS-298	0.3	1.51	<5	82	0.5	<5	0.10	1	8	36	20	2.88	<1	0.06	<10	0.39	136	<2	0.01	22	930	12	<0.01	<5	3	5	<5	0.06	<10	<10	55	<10	46	2
JAS-299	<0.2	1.29	<5	166	0.6	<5	0.17	1	10	34	23	2.36	<1	0.13	12	0.52	276	<2	0.01	24	696	10	<0.01	<5	4	8	5	0.07	<10	<10	47	<10	47	2
JAS-300	<0.2	1.09	5	109	<0.5	<5	0.16	1	7	26	13	1.95	<1	0.08	<10	0.32	254	<2	0.01	15	526	8	0.01	<5	2	9	<5	0.04	<10	<10	40	<10	41	1
JAS-301	<0.2	1.17	<5	84	0.5	<5	0.21	1	7	29	14	2.72	<1	0.08	10	0.44	177	2	0.01	20	2403	20	0.01	<5	2	11	<5	0.06	<10	<10	79	<10	115	1
JAS-302	<0.2	1.21	<5	75	<0.5	<5	0.09	2	5	28	12	3.28	<1	0.04	10	0.25	153	2	0.01	13	1397	21	0.02	<5	2	6	<5	0.06	<10	<10	93	<10	52	2
JAS-303	<0.2	1.45	8	85	1.7	<5	0.21	3	11	38	45	3.52	<1	0.09	34	0.33	487	5	0.01	32	841	36	0.02	<5	3	13	<5	0.06	<10	28	88	<10	140	2
JAS-304	<0.2	1.72	<5	179	0.8	<5	0.38	2	10	38	22	3.35	<1	0.11	11	0.57	262	<2	0.01	33	1170	24	0.03	<5	2	19	<5	0.07	<10	<10	99	<10	139	2
JAS-305	<0.2	2.31	<5	162	0.9	<5	0.33	2	12	45	31	3.59	<1	0.14	15	0.90	267	<2	0.01	39	1216	30	0.04	<5	3	25	<5	0.09	10	12	100	<10	134	2
JAS-306	<0.2	1.81	<5	103	0.9	<5	0.20	2	8	36	19	3.21	<1	0.09	12	0.57	178	<2	0.01	22	827	22	0.02	<5	2	12	<5	0.06	<10	<10	74	<10	122	2
JAS-307	<0.2	0.89	<5	116	<0.5	<5	0.09	2	5	22	16	2.37	<1	0.04	<10	0.25	218	2	0.01	15	421	23	0.03	<5	1	8	<5	0.05	<10	<10	83	<10	86	1
JAS-308	<0.2	0.89	<5	117	<0.5	<5	0.09	1	5	22	14	2.09	<1	0.04	<10	0.27	99	<2	0.01	14	523	17	0.01	<5	1	7	<5	0.04	<10	<10	66	<10	67	1
JAS-309	<0.2	1.22	<5	125	0.5	<5	0.65	2	9	29	21	2.21	<1	0.07	10	0.50	524	<2	0.01	25	1065	19	0.04	<5	2	38	<5	0.03	<10	11	51	<10	140	1
JAS-310	<0.2	1.22	<5	126	0.6	<5	0.32	2	7	24	18	2.25	<1	0.06	16	0.34	245	<2	0.01	23	850	22	0.03	<5	1	21	<5	0.04	<10	10	53	<10	77	1
JAS-311	<0.2	1.50	8	87	0.7	<5	0.15	2	7	31	16	3.13	<1	0.07	12	0.44	159	<2	0.01	23	692	24	0.03	<5	2	10	<5	0.05	<10	<10	56	<10	77	2
JAS-312	<0.2	1.57	<5	93	0.7	<5	0.15	2	7	31	14	2.82	<1	0.08	13	0.41	192	<2	0.01	20	908	20	0.01	<5	2	9	<5	0.05	<10	<10	59	<10	99	2
JAS-313	<0.2	0.94	<5	79	<0.5	<5	0.08	1	5	22	9	2.09	<1	0.06	12	0.27	162	<2	0.01	13	1224	17	<0.01	6	1	5	<5	0.04	<10	<10	49	<10	68	1
JAS-314	<0.2	1.48	<5	93	0.7	<5	0.17	2	6	31	16	3.31	<1	0.08	13	0.37	180	2	0.01	20	1848	27	0.02	10	1	9	<5	0.05	<10	10	67	<10	71	2
JAS-315	0.2	0.81	<5	85	<0.5	<5	0.07	1	4	23	13	2.24	<1	0.05	11	0.21	128	2	0.01	14	979	19	0.02	<5	1	6	<5	0.04	<10	<10	70	<10	47	1
JAS-316	<0.2	0.50	<5	44	<0.5	<5	0.14	1	2	14	5	1.21	<1	0.03	<10	0.16	73	<2	0.01	8	1538	11	<0.01	<5	1	6	<5	0.03	<10	<10	29	<10	23	1
JAS-317	0.2	0.86	<5	72	<0.5	<5	0.14	1	5	22	7	1.65	<1	0.04	<10	0.39	128	<2	0.01	20	693	7	0.01	5	1	8	<5	0.04	<10	<10	29	<10	43	1
JAS-318	0.4	0.58	12	36	<0.5	<5	0.09	1	3	14	7	1.52	<1	0.03	<10	0.16	49	<2	0.01	9	1300	9	<0.01	<5	1	7	<5	0.03	<10	<10	40	<10	22	1
JAS-319	1.1	0.52	<5	50	<0.5	<5	0.04	1	1	10	6	0.47	<1	0.03	<10	0.07	41	<2	0.01	4	812	12	0.01	<5	<5	<5	0.01	<10	<10	13	<10	13	<1	

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: JAS

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1087SJ

Date : Jun-26-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
JAS-320	<0.2	0.46	8	48	<0.5	<5	0.12	<1	2	15	4	0.99	<1	0.03	<10	0.12	55	<2	0.01	12	794	12	<0.01	<5	1	6	<5	0.02	<10	<10	24	<10	15	1
JAS-321	2.0	2.52	<5	350	1.9	<5	0.97	2	16	57	37	2.86	4	0.05	41	0.38	533	3	0.01	42	2415	14	0.10	7	1	43	<5	0.01	<10	54	53	<10	62	2
JAS-322	0.3	0.78	6	72	<0.5	<5	0.09	1	2	20	5	1.86	<1	0.03	<10	0.15	45	<2	0.01	9	560	18	0.02	5	1	7	<5	0.03	<10	<10	62	<10	21	1
JAS-323	0.7	2.00	5	162	0.8	<5	0.10	1	7	35	23	2.60	<1	0.06	12	0.35	135	<2	0.01	33	897	17	0.02	7	2	8	<5	0.03	<10	<10	49	<10	53	2
JAS-324	0.6	1.86	6	249	0.9	<5	0.19	1	8	36	23	2.47	<1	0.06	12	0.35	127	2	0.01	40	1016	17	0.03	7	1	13	<5	0.02	<10	<10	45	<10	68	2
JAS-325	0.2	0.76	<5	84	<0.5	<5	0.11	<1	2	18	9	0.80	<1	0.02	<10	0.21	47	<2	0.01	13	661	7	<0.01	<5	<1	7	<5	0.02	<10	<10	22	<10	23	<1
JAS-326	0.5	0.82	<5	90	<0.5	<5	0.13	<1	4	23	7	1.13	<1	0.03	<10	0.38	72	<2	0.01	13	549	5	<0.01	<5	1	9	<5	0.02	12	<10	26	<10	31	1
JAS-327	<0.2	0.65	<5	67	<0.5	<5	0.08	1	3	14	6	1.71	<1	0.02	<10	0.17	63	<2	0.01	8	1034	9	<0.01	<5	1	7	<5	0.03	<10	<10	48	<10	23	1
JAS-328	0.3	1.97	106	122	0.5	<5	0.20	2	10	35	20	4.11	<1	0.04	<10	0.64	327	<2	0.01	26	3149	15	0.01	7	4	17	<5	0.03	<10	<10	95	<10	67	3
JAS-329	0.2	0.33	<5	46	<0.5	<5	0.05	<1	1	5	2	0.47	2	0.01	<10	0.04	69	<2	0.01	3	308	4	<0.01	<5	<1	5	<5	0.01	<10	<10	11	<10	12	<1
JAS-330	<0.2	0.24	<5	36	<0.5	<5	0.15	<1	<1	7	3	0.44	<1	0.04	<10	0.05	47	<2	<0.01	3	689	5	<0.01	<5	<1	5	<5	0.01	<10	<10	12	<10	8	<1
JAS-331	<0.2	0.37	<5	40	<0.5	<5	0.11	1	2	9	4	0.85	<1	0.03	<10	0.11	41	<2	0.01	7	993	10	<0.01	6	1	6	<5	0.02	<10	<10	21	<10	17	<1
JAS-332	<0.2	1.18	<5	100	0.5	<5	0.25	1	6	24	14	2.28	1	0.05	11	0.30	207	<2	0.01	20	1630	10	0.01	7	2	11	<5	0.03	<10	<10	42	<10	57	1
JAS-333	0.3	0.71	6	62	<0.5	<5	0.20	1	2	16	5	1.54	<1	0.02	<10	0.18	75	2	0.01	9	1070	7	0.02	7	<1	10	<5	0.02	<10	<10	37	<10	31	1
JAS-334	0.3	0.65	<5	61	<0.5	<5	0.23	<1	3	15	6	1.21	1	0.03	<10	0.21	87	<2	0.01	11	1443	7	0.01	<5	1	10	<5	0.03	10	<10	26	<10	42	1
JAS-335	2.4	1.68	11	210	1.5	<5	0.44	2	11	42	23	2.27	2	0.03	20	0.27	676	<2	0.01	25	2908	17	0.11	7	<1	23	<5	<0.01	<10	10	46	<10	68	1
JAS-336	<0.2	0.38	<5	36	<0.5	<5	0.06	1	1	11	4	1.23	<1	0.02	<10	0.06	41	<2	<0.01	5	1259	8	0.01	<5	1	5	<5	0.02	<10	<10	31	<10	18	1
JAS-337	<0.2	0.51	6	43	<0.5	<5	0.05	<1	1	10	4	0.52	<1	0.02	<10	0.10	34	<2	0.01	5	499	10	<0.01	<5	<1	5	<5	0.01	<10	<10	12	<10	16	<1
JAS-338	0.2	0.44	<5	71	<0.5	<5	0.10	<1	1	10	6	0.49	<1	0.04	<10	0.06	107	<2	<0.01	4	655	3	0.04	6	<1	7	<5	0.01	<10	<10	12	<10	19	<1
JAS-339	0.3	0.88	<5	120	<0.5	<5	0.14	1	5	21	10	1.76	1	0.04	11	0.25	377	<2	0.01	13	1012	9	0.01	<5	1	7	<5	0.03	14	<10	34	<10	59	1
JAS-340	<0.2	0.93	<5	121	<0.5	<5	0.31	1	5	21	9	1.64	<1	0.04	14	0.37	195	<2	0.01	16	1078	6	<0.01	<5	1	12	<5	0.03	<10	<10	32	<10	62	1
JAS-341-#1	1.3	2.41	6	460	1.4	<5	0.66	4	14	43	43	3.73	<1	0.10	23	0.60	905	<2	0.01	46	1384	22	0.04	12	2	36	<5	0.03	13	19	67	<10	136	2
JAS-342	<0.2	1.57	<5	214	0.6	<5	0.35	1	9	35	17	2.80	<1	0.07	17	0.54	386	<2	0.01	27	1068	7	0.05	<5	2	16	<5	0.04	<10	12	53	<10	91	1
JAS-343	<0.2	1.21	<5	160	0.5	<5	0.31	1	7	27	15	2.17	<1	0.06	14	0.42	281	<2	0.01	23	969	6	0.01	<5	2	13	<5	0.04	<10	<10	43	<10	65	1
JAS-341-#2	0.4	1.10	7	127	<0.5	<5	0.33	1	6	24	12	1.90	2	0.05	12	0.44	251	<2	0.01	18	1171	2	0.02	<5	2	14	<5	0.03	<10	<10	38	<10	77	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified Laboratory Services Inc.

Geochemical Analysis Certificate

7V-1085-SG1

Company: **K-6 Consulting Group**
Project: RVMM
Attn: Ed Kruchkowski

Jun-27-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
RVMM-1	6	6
RVMM-2	4	
RVMM-3	3	
RVMM-4	6	
RVMM-5	3	
RVMM-6	4	
RVMM-7	4	
RVMM-8	5	
RVMM-9	3	
RVMM-10	12	
RVMM-11	3	
RVMM-12	2	
RVMM-13	3	
RVMM-14	8	
RVMM-15	4	
RVMM-16	4	
RVMM-17	3	
RVMM-18	5	
RVMM-19	N.S.	
RVMM-20	5	3
RVMM-21	4	
RVMM-22	5	
RVMM-23	3	
RVMM-24	2	
*11106	1460	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-1085-SG2

Company: **K-6 Consulting Group**
Project: RVMM
Attn: Ed Kruchkowski

Jun-27-07

We hereby certify the following geochemical analysis of 24 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
RVMM-25	3	6
RVMM-26	2	
RVMM-27	<1	
RVMM-28	1	
RVMM-29	5	
RVMM-30	1	
RVMM-31	8	
RVMM-32	4	
RVMM-33	2	
RVMM-34	<1	
RVMM-35	2	
RVMM-36	182	
RVMM-37	10	
RVMM-38	1	
RVMM-39	1	
RVMM-40	<1	
RVMM-41	3	
RVMM-42	2	
RVMM-43	2	
RVMM-44	5	3
RVMM-45	2	
RVMM-46	4	
RVMM-47	4	
RVMM-48	2	
*1110	1412	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Sampling & Analysis

Geochemical Analysis Certificate

7V-1085-SG3

Company: K-6 Consulting Group
Project: RVMM
Attn: Ed Kruchkowski

Jun-27-07

We hereby certify the following geochemical analysis of 22 soil samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
RVMM-49	3	6
RVMM-50	2	
RVMM-51	1	
RVMM-52	9	
RVMM-53	4	
RVMM-54	5	
RVMM-55	19	
RVMM-56	4	
RVMM-57	3	
RVMM-58	8	5
RVMM-59	3	
RVMM-60	4	
RVMM-61	6	
RVMM-62	3	
RVMM-63	7	
RVMM-64	5	
RVMM-65	3	
RVMM-66	5	
RVMM-67	3	
RVMM-68	5	
RVMM-69	N.S.	
RVMM-70	3	
*1110	1482	
*BLANK	<1	

Certified by

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RVMM-1	<0.2	1.67	<5	98	0.7	5	0.30	1	6	29	10	4.17	<1	0.03	38	0.22	263	<2	0.01	16	4272	26	0.02	5	2	17	27	0.03	15	16	68	<10	33	2
RVMM-2	0.3	0.42	<5	58	<0.5	<5	0.11	<1	2	8	4	0.86	<1	0.02	19	0.10	61	<2	0.01	7	221	6	<0.01	5	1	17	<5	0.04	19	<10	21	<10	16	<1
RVMM-3	0.6	0.40	<5	49	<0.5	<5	0.07	1	4	10	7	1.63	<1	0.03	14	0.07	97	<2	0.01	5	313	13	0.03	5	1	12	7	0.07	23	<10	51	<10	23	1
RVMM-4	0.3	1.00	11	95	0.6	<5	0.28	1	6	20	10	2.53	<1	0.06	24	0.25	398	<2	0.01	16	1385	10	0.02	<5	1	26	18	0.05	25	15	48	<10	53	1
RVMM-5	<0.2	0.37	5	42	<0.5	<5	0.07	<1	2	7	3	0.69	<1	0.03	17	0.07	63	<2	0.01	3	194	5	0.01	8	1	14	<5	0.05	20	<10	18	<10	15	<1
RVMM-6	0.4	1.15	<5	74	<0.5	<5	0.12	1	4	21	7	3.37	<1	0.02	17	0.18	142	<2	0.01	9	954	15	0.01	8	1	15	5	0.05	15	<10	66	<10	44	2
RVMM-7	<0.2	0.91	<5	36	<0.5	<5	0.10	1	4	12	4	2.43	<1	0.04	21	0.16	180	<2	0.01	4	1523	10	0.01	9	1	16	23	0.08	21	<10	41	<10	29	1
RVMM-8	<0.2	1.41	<5	59	0.6	<5	0.15	1	5	19	7	3.30	1	0.04	29	0.26	219	<2	0.01	10	1893	11	0.02	5	2	17	29	0.07	36	<10	54	<10	46	2
RVMM-9	0.4	0.77	<5	53	<0.5	<5	0.07	<1	3	12	5	1.52	<1	0.02	20	0.20	107	<2	0.01	7	230	13	0.02	7	1	13	<5	0.04	20	<10	26	<10	34	1
RVMM-10	<0.2	1.16	<5	72	0.6	<5	0.26	1	5	19	9	2.13	<1	0.05	22	0.34	194	<2	0.01	19	1638	7	<0.01	8	2	14	12	0.05	16	<10	38	<10	61	1
RVMM-11	0.7	0.14	<5	36	<0.5	<5	0.06	<1	1	2	4	0.84	<1	0.01	<10	0.01	55	<2	0.01	1	264	<2	0.02	<5	<1	10	<5	0.01	20	<10	15	<10	10	<1
RVMM-12	<0.2	2.24	<5	119	1.1	<5	0.22	1	9	41	13	4.27	<1	0.07	23	0.64	274	<2	0.01	51	1956	12	0.01	15	3	20	20	0.07	37	18	65	<10	82	3
RVMM-13	<0.2	0.29	<5	21	<0.5	<5	0.04	1	3	4	<1	2.21	<1	0.02	30	0.07	154	<2	0.01	2	170	3	<0.01	5	1	9	33	0.10	25	<10	41	<10	12	1
RVMM-14	<0.2	2.07	<5	69	1.1	<5	0.11	1	5	18	6	3.87	<1	0.09	28	0.37	282	<2	0.01	11	2692	16	0.02	8	3	10	33	0.11	21	16	54	<10	52	2
RVMM-15	<0.2	0.27	<5	24	<0.5	<5	0.04	<1	3	5	1	0.94	<1	0.01	12	0.03	72	<2	<0.01	2	267	<2	0.01	<5	<1	6	7	0.05	23	<10	24	<10	9	1
RVMM-16	0.4	0.68	<5	47	<0.5	<5	0.10	1	2	20	3	1.99	<1	0.02	13	0.11	88	<2	<0.01	5	991	8	<0.01	<5	1	11	<5	0.04	13	<10	46	<10	18	1
RVMM-17	1.0	0.53	<5	60	<0.5	<5	0.11	1	3	13	6	1.45	<1	0.02	14	0.12	149	<2	<0.01	8	849	10	<0.01	5	<1	16	<5	0.03	23	<10	27	<10	24	1
RVMM-18	<0.2	0.54	<5	33	<0.5	<5	0.10	<1	3	15	6	1.75	<1	0.02	13	0.14	91	<2	<0.01	7	254	5	0.01	12	1	8	13	0.05	23	<10	44	<10	19	1
RVMM-19	0.4	2.13	9	196	0.8	<5	0.32	1	10	46	25	3.55	<1	0.07	11	0.87	360	4	0.01	35	2259	27	0.02	9	4	20	5	0.10	21	<10	121	<10	195	2
RVMM-20	0.3	2.09	8	108	0.8	<5	0.14	1	8	36	16	3.47	<1	0.07	11	0.49	291	3	0.01	24	858	11	0.02	<5	2	12	<5	0.05	15	<10	66	<10	136	2
RVMM-21	0.5	1.53	<5	117	0.7	<5	0.21	1	7	32	21	2.97	<1	0.09	13	0.49	153	3	0.01	29	914	22	0.01	14	2	16	<5	0.07	14	13	75	<10	92	2
RVMM-22	<0.2	1.77	<5	141	0.8	<5	0.34	1	12	45	26	3.08	<1	0.17	19	0.83	316	5	0.01	33	662	16	<0.01	7	4	25	<5	0.11	33	10	67	<10	110	2
RVMM-23	0.3	1.36	<5	106	1.3	<5	0.93	1	8	27	15	2.25	<1	0.10	36	0.43	624	6	0.01	22	1071	19	0.05	10	2	49	<5	0.04	28	26	50	<10	120	1
RVMM-24	<0.2	1.31	14	101	0.5	<5	0.11	1	6	28	10	2.66	4	0.04	12	0.34	94	5	0.01	18	540	19	<0.01	12	2	12	<5	0.06	<10	12	57	<10	79	1
RVMM-25	0.3	0.64	<5	54	<0.5	<5	0.05	1	4	15	11	2.15	5	0.02	<10	0.12	110	6	<0.01	8	566	15	<0.01	<5	1	11	<5	0.05	<10	<10	55	<10	43	1
RVMM-26	<0.2	3.25	8	129	1.1	<5	0.24	2	11	57	21	4.34	5	0.12	11	0.73	327	<2	0.01	32	2180	23	0.04	10	5	16	6	0.10	25	14	72	<10	86	4
RVMM-27	<0.2	1.69	5	151	0.8	<5	0.58	1	12	42	18	2.51	3	0.15	17	0.67	530	6	0.02	30	1005	24	<0.01	<5	3	34	<5	0.08	17	11	56	<10	132	1
RVMM-28	<0.2	1.18	<5	79	<0.5	<5	0.09	1	5	28	12	3.09	<1	0.04	12	0.28	91	<2	0.01	15	572	17	<0.01	14	2	13	<5	0.06	16	<10	60	<10	48	2
RVMM-29	0.3	1.53	<5	149	0.7	<5	0.16	2	9	34	25	3.31	2	0.07	16	0.42	475	2	0.01	21	667	29	0.02	13	2	17	<5	0.05	<10	10	65	<10	89	2
RVMM-30	0.2	1.59	<5	130	0.7	<5	0.13	1	8	37	28	2.85	<1	0.12	16	0.50	270	<2	0.01	26	537	18	0.01	13	1	15	<5	0.06	19	13	57	<10	86	1
RVMM-31																																		

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RVMM

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1085SJ

Date : Jun-27-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RVMM-32	<0.2	1.48	<5	110	0.6	<5	0.17	1	7	33	25	2.86	<1	0.16	15	0.54	239	<2	0.01	28	803	19	0.02	8	2	15	<5	0.07	14	<10	56	<10	79	1
RVMM-33	0.5	0.74	6	55	<0.5	<5	0.07	<1	3	18	12	1.67	<1	0.07	11	0.25	87	<2	0.01	13	604	14	0.02	<5	1	11	<5	0.04	20	<10	35	<10	47	1
RVMM-34	0.4	1.24	<5	81	<0.5	<5	0.07	1	4	27	19	2.50	3	0.11	12	0.39	127	<2	0.01	20	645	19	0.02	15	1	13	<5	0.06	14	<10	53	<10	59	1
RVMM-35	<0.2	1.61	<5	148	0.6	<5	0.26	1	9	38	32	3.05	2	0.18	13	0.61	308	<2	0.01	29	1126	22	0.02	13	2	19	<5	0.06	13	10	63	<10	90	1
RVMM-36	0.7	1.54	<5	188	0.6	<5	0.38	1	10	37	30	2.79	3	0.15	13	0.58	560	<2	0.01	29	749	17	0.03	<5	2	25	<5	0.06	16	13	59	<10	87	1
RVMM-37	0.7	1.65	7	87	0.6	<5	0.16	2	6	31	38	2.53	1	0.11	14	0.26	117	2	0.01	23	922	18	0.08	8	1	11	<5	0.05	28	<10	53	<10	50	1
RVMM-38	0.6	1.27	<5	136	<0.5	<5	0.26	2	7	38	29	3.15	<1	0.15	12	0.45	220	<2	0.01	25	672	17	0.04	<5	2	15	<5	0.08	17	<10	60	<10	93	1
RVMM-39	0.4	0.38	<5	62	<0.5	<5	0.10	1	1	11	12	0.88	2	0.02	<10	0.06	27	<2	<0.01	7	341	15	0.02	14	<1	11	<5	0.02	13	<10	23	<10	15	<1
RVMM-40	0.9	1.61	13	249	0.7	<5	0.39	2	12	46	38	3.36	3	0.14	16	0.54	431	<2	0.01	34	577	18	0.02	<5	2	26	<5	0.07	29	<10	71	<10	99	2
RVMM-41	0.4	1.31	8	170	0.5	<5	0.27	1	8	34	23	2.55	2	0.12	13	0.48	341	<2	0.01	26	760	14	0.03	5	1	21	<5	0.04	11	14	49	<10	82	1
RVMM-42	0.6	1.10	5	205	0.6	<5	0.38	2	9	29	24	2.65	3	0.11	13	0.32	435	2	0.01	21	612	23	0.05	6	1	25	<5	0.05	15	10	63	<10	78	1
RVMM-43	<0.2	1.56	<5	166	0.7	<5	0.32	1	10	41	21	2.66	2	0.15	14	0.63	509	<2	0.01	28	764	14	<0.01	<5	2	21	<5	0.06	<10	<10	53	<10	96	1
RVMM-44	0.6	2.12	<5	282	0.9	<5	0.54	2	13	52	30	3.37	2	0.18	19	0.71	578	<2	0.01	38	1137	22	0.03	<5	3	32	<5	0.06	12	18	66	<10	148	2
RVMM-45	0.2	0.39	12	63	<0.5	<5	0.05	1	3	14	15	1.33	2	0.05	11	0.12	57	<2	<0.01	12	382	17	0.02	<5	<1	11	<5	0.02	<10	<10	36	<10	56	1
RVMM-46	0.4	0.71	8	89	<0.5	<5	0.11	1	2	19	20	1.30	3	0.06	13	0.19	82	<2	0.01	12	465	16	0.03	9	<1	14	<5	0.02	13	<10	30	<10	43	1
RVMM-47	0.6	0.60	8	144	<0.5	<5	0.17	2	6	26	27	2.50	<1	0.06	11	0.17	120	<2	<0.01	21	392	20	0.01	7	1	23	<5	0.08	26	<10	82	<10	50	1
RVMM-48	<0.2	3.03	8	194	0.8	<5	0.30	2	12	52	34	3.90	1	0.23	12	0.68	346	<2	0.01	39	1309	24	0.03	10	3	22	<5	0.08	20	<10	76	<10	115	2
RVMM-49	<0.2	1.05	8	134	0.6	<5	0.27	2	14	49	26	3.95	1	0.18	12	0.70	375	<2	0.01	36	728	18	0.02	<5	3	15	<5	0.10	<10	10	74	<10	93	2
RVMM-50	0.3	2.18	15	168	0.9	<5	0.16	2	14	52	41	3.86	1	0.19	13	0.65	381	<2	0.01	38	1187	21	0.02	<5	3	10	<5	0.10	<10	12	74	<10	97	2
RVMM-51	<0.2	1.69	6	131	0.6	<5	0.16	2	11	47	22	3.54	<1	0.16	12	0.59	216	<2	0.01	31	1372	14	0.01	<5	3	9	<5	0.09	<10	<10	70	<10	89	2
RVMM-52	0.6	2.21	12	117	0.8	<5	0.17	2	9	47	20	3.60	1	0.13	11	0.60	172	<2	0.01	27	1149	18	0.02	<5	3	9	<5	0.10	<10	<10	69	<10	80	2
RVMM-53	0.5	0.87	7	98	<0.5	<5	0.10	1	4	28	16	2.08	<1	0.05	<10	0.18	107	<2	0.01	13	434	13	0.02	<5	1	8	<5	0.06	<10	<10	57	<10	26	1
RVMM-54	<0.2	2.88	16	315	1.1	<5	0.32	2	22	64	38	4.04	1	0.32	17	0.91	404	2	0.01	65	1187	18	0.03	6	5	20	<5	0.13	19	12	76	<10	151	3
RVMM-55	0.4	2.15	<5	194	0.8	<5	0.26	2	12	48	29	3.45	<1	0.19	12	0.79	195	<2	0.01	40	698	15	0.03	<5	4	16	<5	0.12	14	<10	73	<10	82	2
RVMM-56	<0.2	2.12	7	145	0.8	<5	0.11	2	12	57	28	4.35	<1	0.17	12	0.67	197	2	0.01	38	473	18	0.02	5	4	10	<5	0.13	14	10	72	<10	77	3
RVMM-57	<0.2	2.39	<5	213	1.0	<5	0.21	2	13	54	30	3.70	<1	0.23	13	0.91	204	2	0.01	41	874	17	0.02	<5	5	12	<5	0.13	<10	10	76	<10	86	2
RVMM-58	0.2	2.10	10	269	0.8	<5	0.61	2	18	50	28	3.48	<1	0.20	17	0.73	852	<2	0.02	40	786	15	0.02	<5	4	25	<5	0.10	16	13	66	<10	122	2
RVMM-59	0.3	0.66	<5	171	<0.5	<5	0.09	2	5	22	19	1.73	2	0.06	11	0.18	74	2	0.01	13	337	13	0.01	<5	1	9	<5	0.07	<10	<10	52	<10	31	1
RVMM-60	0.7	1.62	6	153	0.7	<5	0.12	2	9	42	65	3.43	2	0.17	15	0.44	184	<2	0.01	33	817	21	0.04	<5	2	14	<5	0.09	13	<10	69	<10	64	2
RVMM-61	0.4	1.74	5	121	0.6	<5	0.07	2	10	43	42	3.64	1	0.14	14	0.44	200	<2	0.01	30	812	14	0.01	<5	3	9	<5	0.09	<10	<10	69	<10	71	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RVMM

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V1085SJ

Date : Jun-27-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RVMM-62	0.4	1.99	<5	207	0.7	<5	0.14	3	12	56	43	3.72	<1	0.18	15	0.80	264	2	0.01	45	530	15	0.03	<5	4	13	<5	0.11	18	10	83	<10	139	2
RVMM-63	0.8	2.03	5	273	0.9	<5	0.25	3	17	58	50	3.92	<1	0.20	15	0.80	426	<2	0.01	58	500	16	0.01	<5	4	24	<5	0.11	14	<10	77	<10	135	2
RVMM-64	0.7	2.14	<5	320	0.8	<5	0.22	2	15	66	36	3.75	<1	0.26	14	0.93	435	<2	0.01	49	933	16	0.03	<5	4	16	<5	0.12	12	<10	80	<10	108	2
RVMM-65	<0.2	2.22	11	298	0.8	<5	0.19	2	17	76	35	3.84	<1	0.33	14	1.01	339	<2	0.01	54	841	16	<0.01	<5	5	14	<5	0.16	15	<10	85	<10	107	2
RVMM-66	<0.2	1.65	<5	193	0.6	<5	0.15	2	10	55	32	4.00	2	0.18	10	0.59	178	<2	0.01	34	612	20	0.05	<5	3	13	<5	0.12	11	10	84	<10	63	2
RVMM-67	1.0	2.38	10	363	0.9	<5	0.83	4	26	62	65	4.22	<1	0.21	14	0.87	1723	3	0.01	53	1119	17	0.04	<5	4	29	<5	0.09	<10	15	81	<10	160	3
RVMM-68	1.0	1.85	8	239	0.6	<5	0.19	3	11	65	46	4.31	<1	0.16	12	0.62	225	<2	0.01	33	1975	15	0.02	10	4	13	<5	0.12	16	<10	94	<10	101	3
RVMM-70	1.5	2.26	14	334	0.9	<5	0.39	5	20	76	59	4.56	<1	0.15	13	0.76	276	3	0.01	56	1206	18	0.05	<5	4	22	<5	0.17	19	10	99	<10	84	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Certified Geochemistry for over 20 Years

Geochemical Analysis Certificate

7V-1090-RG1

Company: **K-6 Consulting Group**
Project: ERK-07
Attn: Ed Kruchkowaski

Jul-05-07

We hereby certify the following geochemical analysis of 24 rock samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
ERK-07-32	<1	4
ERK-07-33	1	
ERK-07-34	3	
ERK-07-35	<1	
ERK-07-36	3	
ERK-07-37	1	
ERK-07-38	1	
ERK-07-39	4	
ERK-07-40	2	
ERK-07-41	2	3
ERK-07-42	1	
ERK-07-43	2	
ERK-07-44	8	
ERK-07-45	2	
ERK-07-46	<1	
ERK-07-47	<1	
ERK-07-49 Dup	3	
ERK-07-49	3	
ERK-07-50	8	
ERK-07-51	3	
ERK-07-52	3	
ERK-07-53	<1	
ERK-07-54	1	
ERK-07-55	1	
*1110	1320	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Testing for over 10 years

Geochemical Analysis Certificate

7V-1090-RG2

Company: K-6 Consulting Group
Project: ERK-07
Attn: Ed Kruchkowaski

Jul-05-07

We hereby certify the following geochemical analysis of 3 rock samples submitted Jun-08-07

Sample Name	Au ppb	Au-Check ppb
ERK-07-56	3	5
ERK-07-57	6	
ERK-07-58	2	
no number	5	
*1110	1350	
*BLANK	<1	

Certified by

Certificate	Sample	Geochem	Geochem
Number	Name	Au	Au-Check
		ppb	ppb
7V0830RG	ERK-2007-01	3	4
7V0830RG	ERK-2007-02	7	
7V0830RG	ERK-2007-03	2	
7V0830RG	ERK-2007-04	6	
7V0830RG	ERK-2007-05	3	
7V0830RG	ERK-2007-06	1	
7V0830RG	ERK-2007-07	2	
7V0830RG	ERK-2007-08	17	
7V0830RG	ERK-2007-09	<1	
7V0830RG	ERK-2007-10	2	
7V0830RG	ERK-2007-11	<1	
7V0830RG	ERK-2007-12	<1	
7V0830RG	ERK-2007-13	2	
7V0830RG	ERK-2007-14	<1	
7V0830RG	*1110	1459	
7V0830RG	*BLANK	<1	

Certificate Number	Sample Name	ICP Ag ppm	ICP Al ppm	ICP As ppm	ICP Ba ppm	ICP Be ppm	ICP Bi ppm	ICP Ca ppm	ICP Cd ppm	ICP Co ppm	ICP Cr ppm	ICP Cu ppm	ICP Fe ppm	ICP Hg ppm	ICP K ppm	ICP La ppm	ICP Mg ppm	ICP Mn ppm	ICP Mo ppm	ICP Na ppm	ICP Ni ppm	ICP P ppm	ICP Pb ppm	ICP S ppm	ICP Sb ppm	ICP Sc ppm	ICP Sr ppm	ICP Th ppm	ICP Ti ppm	ICP Ti ppm	ICP U ppm	ICP V ppm	ICP W ppm	ICP Zn ppm
7V1090RJ	ERK-07-32	0.9	2.57	<5	56	0.8	<5	4.72	1	13	28	30	2.74	2	0.11	18	0.04	301	2	0.47	28	644	22	1.65	<5	<1	123	5	0.03	<10	11	7	<10	62
7V1090RJ	ERK-07-33	0.5	0.59	<5	42	0.8	<5	0.1	1	1	71	14	3.3	<1	0.1	27	0.23	512	2	0.03	7	529	74	0.11	<5	1	12	17	0.02	14	20	28	<10	60
7V1090RJ	ERK-07-34	0.7	0.99	<5	66	0.9	<5	0.18	2	3	89	42	2.71	1	0.12	30	0.55	2355	<2	0.02	31	709	173	0.12	13	3	10	21	0.01	10	15	45	<10	300
7V1090RJ	ERK-07-35	0.4	1.87	<5	94	1.1	<5	0.25	1	7	74	58	3.07	<1	0.26	26	0.89	1073	5	0.01	39	700	81	0.02	<5	4	15	9	0.02	12	18	117	<10	132
7V1090RJ	ERK-07-36	0.3	1.27	<5	85	<0.5	<5	0.18	1	<1	72	28	2.71	<1	0.2	19	0.66	585	4	0.02	20	522	33	0.11	<5	3	37	6	0.02	<10	10	88	<10	59
7V1090RJ	ERK-07-37	0.4	1.8	<5	125	1	<5	0.27	1	4	80	45	3.35	<1	0.36	22	1.01	788	4	0.01	40	958	32	0.07	<5	6	30	7	0.04	<10	15	136	<10	136
7V1090RJ	ERK-07-38	<0.2	3.57	<5	424	2.1	<5	1.56	2	2	97	100	7.51	<1	0.57	54	2.62	481	<2	0.04	42	8156	9	0.66	10	9	144	5	0.21	30	23	142	<10	81
7V1090RJ	ERK-07-39	7.3	2.16	<5	142	1.3	<5	0.19	3	17	118	131	6.17	<1	0.37	31	1.33	3344	4	0.03	60	685	1668	0.09	<5	8	16	12	0.06	19	33	122	<10	719
7V1090RJ	ERK-07-40	4.6	1.21	<5	147	3.9	<5	2.87	21	10	74	30	3.9	3	0.44	17	0.71	>10000	<2	0.03	24	686	8860	0.48	11	4	111	6	0.08	<10	94	47	45	6604
7V1090RJ	ERK-07-41	2	1.3	<5	89	1	<5	0.24	5	6	85	47	2.86	<1	0.18	26	0.85	3215	2	0.03	32	608	1328	0.03	<5	4	18	12	0.04	<10	19	69	<10	1222
7V1090RJ	ERK-07-42	1.5	1.58	<5	74	0.8	<5	0.22	5	9	94	90	3.68	<1	0.17	30	1.14	2535	<2	0.03	48	683	326	0.11	<5	5	13	11	0.02	16	23	113	<10	904
7V1090RJ	ERK-07-43	2	1.22	6	74	0.8	<5	0.26	5	7	86	83	2.95	<1	0.14	24	0.8	2183	3	0.02	35	675	1569	0.05	<5	4	16	11	0.02	<10	17	74	11	1283
7V1090RJ	ERK-07-44	17.6	2.25	<5	91	1.8	<5	1.67	81	25	81	258	8.34	<1	0.43	36	1.44	5244	5	0.04	35	695	>10000	1.57	<5	7	102	11	0.07	15	39	124	165	>10000
7V1090RJ	ERK-07-45	4.2	1.71	<5	93	2.3	<5	1.49	25	15	82	184	4.45	<1	0.36	21	1.04	6825	<2	0.03	41	598	7484	0.34	8	6	57	9	0.07	10	42	78	48	6707
7V1090RJ	ERK-07-46	0.9	1.7	<5	81	1	<5	0.21	4	12	98	54	3.68	<1	0.37	21	1.04	2326	<2	0.04	44	557	973	0.04	<5	6	18	11	0.06	<10	17	87	<10	726
7V1090RJ	ERK-07-47	1.3	1.96	<5	94	1.5	<5	0.56	7	12	116	85	4.15	<1	0.39	21	1.33	3592	<2	0.04	67	649	1420	0.09	5	6	38	10	0.08	19	25	76	<10	1331
7V1090RJ	ERK-07-49 Dup	1	1.48	6	128	0.9	<5	0.53	2	13	101	165	3.14	<1	0.34	16	1.03	1637	<2	0.04	62	1120	1151	0.05	<5	6	23	<5	0.1	<10	16	86	<10	628
7V1090RJ	ERK-07-49	1.4	1.72	<5	119	1.1	<5	0.3	3	12	97	55	3.51	<1	0.42	23	1.09	2433	<2	0.03	47	927	921	0.08	<5	6	21	10	0.08	18	19	73	<10	693
7V1090RJ	ERK-07-50	24.1	1.17	<5	54	13.3	<5	2.58	281	121	31	983	7.49	2	0.61	<10	0.86	>10000	<2	0.02	16	602	>10000	3.42	<5	2	140	<5	0.06	17	96	51	780	>10000
7V1090RJ	ERK-07-51	0.8	1.83	<5	89	0.8	<5	7.24	2	15	62	31	3.74	1	0.5	15	0.81	1371	<2	0.04	36	585	102	0.11	<5	5	342	<5	0.09	<10	16	60	<10	175
7V1090RJ	ERK-07-52	1.3	1.92	<5	93	0.9	<5	0.3	3	16	83	83	3.73	<1	0.45	14	0.96	1396	<2	0.05	39	409	1229	0.49	<5	5	46	9	0.09	12	18	54	<10	502
7V1090RJ	ERK-07-53	1	2.5	<5	65	1.6	<5	0.77	2	12	75	82	4.47	<1	0.32	19	1.14	2361	<2	0.11	34	633	127	0.81	11	6	82	9	0.08	<10	24	64	<10	202
7V1090RJ	ERK-07-54	0.7	2.51	6	70	1.3	<5	0.75	2	12	89	140	3.89	<1	0.35	14	1.22	2614	<2	0.1	39	595	166	0.03	<5	7	86	10	0.1	<10	18	74	<10	284
7V1090RJ	ERK-07-55	0.9	1.85	7	161	1.4	<5	1.31	2	27	64	142	5.28	<1	0.26	14	0.91	1067	<2	0.04	45	629	30	0.66	<5	4	98	6	0.06	<10	18	58	<10	128
7V1090RJ	ERK-07-56	<0.2	1.33	<5	112	0.6	<5	0.15	1	11	109	53	3.12	5	0.18	10	0.64	417	5	0.02	55	847	54	0.08	14	3	20	6	0.02	12	10	57	<10	110
7V1090RJ	ERK-07-57	0.6	1.47	10	113	0.6	<5	0.18	1	11	77	39	2.97	<1	0.19	10	0.61	379	6	0.04	45	423	46	0.09	<5	4	37	7	0.01	19	11	47	<10	83
7V1090RJ	ERK-07-58	<0.2	0.72	<5	45	<0.5	<5	0.13	1	6	101	12	1.76	4	0.1	13	0.34	276	<2	0.02	14	317	35	0.02	15	2	29	15	0.05	17	<10	20	<10	44
7V1090RJ no number		0.5	1.45	<5	298	0.5	<5	1.52	1	11	80	47	3.33	3	0.18	10	1.09	763	2	0.03	28	872	13	0.21	13	6	84	<5	0.04	<10	10	61	<10	69

K-6 Consulting Group

Attention: Ed Ktruchkowski

Project: Jas

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-61	<0.2	1.26	<5	117	0.5	<5	0.23	1	7	22	13	2.96	<1	0.03	27	0.32	270	<2	0.01	16	1305	26	0.02	8	2	9	15	0.03	10	13	63	<10	88	1
Jas-62	0.2	0.34	<5	70	<0.5	<5	0.10	1	3	15	18	1.72	<1	0.02	18	0.03	50	<2	0.01	8	476	12	0.02	6	<1	9	<5	0.02	13	<10	39	<10	29	1
Jas-63	<0.2	0.29	<5	60	<0.5	<5	0.09	1	3	13	15	1.62	<1	0.02	17	0.02	46	<2	0.01	7	399	14	0.02	<5	<1	6	<5	0.02	<10	<10	36	<10	25	1
Jas-64	<0.2	0.82	<5	113	<0.5	<5	0.31	1	6	19	13	2.65	1	0.04	28	0.21	543	<2	0.01	12	1970	22	0.03	<5	1	15	6	0.03	15	18	50	<10	61	1
Jas-65	<0.2	0.29	6	97	<0.5	<5	0.09	1	3	14	11	1.81	<1	0.02	16	0.04	207	2	0.01	9	610	12	0.01	7	<1	7	<5	0.02	<10	<10	34	<10	22	1
Jas-66	<0.2	1.07	15	58	<0.5	<5	0.32	2	5	25	7	3.02	<1	0.03	22	0.26	154	23	0.01	11	728	17	0.04	<5	1	14	5	0.05	<10	37	179	<10	52	2
Jas-67	<0.2	1.04	18	76	0.7	<5	0.89	4	4	30	13	3.00	1	0.01	37	0.05	101	49	0.01	18	917	22	0.08	5	1	36	<5	0.04	<10	81	261	<10	20	1
Jas-68	<0.2	1.27	7	189	1.0	<5	0.63	2	10	71	22	2.62	<1	0.14	38	0.49	532	6	0.01	43	1356	40	0.04	<5	3	30	15	0.05	<10	42	161	<10	163	2
Jas-69	<0.2	0.87	<5	76	<0.5	<5	0.20	1	4	32	7	1.75	<1	0.03	16	0.26	105	9	0.01	23	577	27	0.03	<5	1	10	<5	0.03	<10	11	119	<10	92	1
Jas-70	<0.2	0.25	6	60	<0.5	<5	0.07	2	3	15	11	1.32	<1	0.02	13	0.04	67	7	0.01	10	290	9	0.01	<5	<1	6	<5	0.03	<10	<10	56	<10	33	1
Jas-71	<0.2	1.40	12	124	0.6	<5	0.42	2	7	54	16	3.68	<1	0.05	18	0.46	299	13	0.01	34	1642	24	0.04	6	1	20	<5	0.04	<10	27	216	<10	160	2
Jas-72	<0.2	1.08	7	146	<0.5	<5	0.68	2	4	42	26	2.92	<1	0.04	11	0.31	198	10	0.01	26	2272	27	0.06	<5	1	32	<5	0.05	<10	16	158	<10	79	1
Jas-73	<0.2	1.53	11	98	<0.5	<5	0.18	2	6	47	27	3.81	<1	0.05	10	0.54	198	9	0.01	29	2509	28	0.06	9	1	10	<5	0.05	<10	170	<10	90	2	
Jas-74	0.2	2.74	7	208	1.0	<5	0.24	1	12	44	27	2.68	<1	0.07	14	0.77	432	6	0.01	39	1195	20	0.03	11	3	18	<5	0.05	<10	12	124	<10	139	2
Jas-75	<0.2	1.50	11	170	0.5	<5	0.21	1	8	39	23	2.72	1	0.06	16	0.57	209	4	0.01	39	912	14	0.03	9	1	14	<5	0.05	<10	15	108	<10	116	1
Jas-76	<0.2	0.57	<5	89	<0.5	<5	0.14	1	3	23	15	1.89	1	0.03	14	0.17	92	7	0.01	18	620	13	0.05	5	<1	11	<5	0.03	<10	12	106	<10	60	1
Jas-77	<0.2	1.36	6	166	0.8	<5	0.41	2	10	33	24	2.98	<1	0.09	23	0.46	516	8	0.01	30	998	22	0.03	16	2	23	<5	0.05	13	11	112	<10	115	2
Jas-78	<0.2	1.03	6	123	0.7	<5	0.28	2	11	27	21	2.65	<1	0.08	23	0.40	600	3	0.01	29	919	18	0.01	9	2	14	13	0.05	<10	10	70	<10	84	2
Jas-79	0.3	0.16	<5	114	<0.5	<5	0.24	2	3	8	18	1.04	<1	0.03	11	0.02	148	2	0.01	7	298	<2	0.01	5	<1	10	<5	0.02	<10	10	22	<10	31	1
Jas-80	<0.2	0.27	<5	37	<0.5	<5	0.05	1	3	6	4	1.06	1	0.04	14	0.08	107	2	0.01	2	241	5	0.01	<5	<1	16	<5	0.02	<10	<10	23	<10	14	1
Jas-81	<0.2	0.77	10	107	<0.5	<5	0.14	1	5	30	18	2.26	<1	0.03	11	0.29	227	10	0.01	26	1268	36	0.02	11	1	10	5	0.04	<10	<10	136	<10	98	1
Jas-82	<0.2	1.91	18	240	1.1	<5	0.28	2	12	61	19	3.58	2	0.07	22	0.72	488	8	0.01	61	2486	59	0.02	13	3	16	27	0.05	14	13	185	<10	267	2
Jas-83	0.4	0.67	<5	176	1.5	<5	0.30	7	9	19	20	2.18	<1	0.04	33	0.16	1998	10	0.01	16	601	23	0.03	<5	1	22	<5	0.02	<10	19	101	<10	66	1
Jas-84	0.2	0.71	12	122	<0.5	<5	0.15	2	6	24	14	2.88	<1	0.03	10	0.20	187	7	0.01	17	430	20	0.04	11	1	10	<5	0.06	<10	<10	191	<10	91	2
Jas-85	1.2	1.23	<5	230	2.2	<5	0.58	7	14	27	51	2.58	<1	0.05	37	0.19	2844	18	0.01	37	1877	53	0.10	12	1	39	<5	0.01	<10	44	113	<10	144	1
Jas-86	0.2	0.95	6	133	<0.5	<5	0.14	2	7	35	30	3.24	<1	0.06	15	0.35	447	8	0.01	30	1101	52	0.04	8	1	9	<5	0.05	<10	<10	209	<10	127	2
Jas-87	0.7	1.30	9	207	0.6	<5	0.27	3	9	33	20	4.52	<1	0.05	14	0.43	516	10	0.01	23	1124	38	0.05	11	1	20	<5	0.05	<10	19	163	<10	114	2
Jas-88	0.6	0.33	<5	67	<0.5	<5	0.21	1	3	14	10	1.24	<1	0.04	<10	0.09	203	5	0.01	8	514	10	0.02	<5	<1	6	<5	0.05	<10	<10	68	<10	34	1
Jas-89	0.2	1.99	9	112	0.7	<5	0.15	2	7	43	21	4.06	<1	0.05	14	0.41	277	7	0.01	24	1102	25	0.03	8	2	10	<5	0.07	11	15	157	<10	109	2
Jas-90	0.9	0.99	13	65	0.5	<5	0.04	1	3	21	25	1.84	<1	0.03	14	0.11	64	3	0.01	11	1261	18	0.02	7	<1	6	<5	0.01	<10	<10	39	<10	32	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.



K-6 Consulting Group

Attention: Ed Ktruchkowski

Project: Jas

Sample type:

Assayer: Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-91	<0.2	1.33	<5	75	<0.5	<5	0.11	1	7	26	16	2.78	<1	0.05	<10	0.38	143	<2	0.01	15	2098	5	0.03	8	2	8	<5	0.04	<10	<10	54	<10	41	2
Jas-92	<0.2	1.32	<5	69	0.5	<5	0.05	1	4	21	9	2.32	<1	0.03	12	0.20	104	<2	0.01	11	1172	6	<0.01	5	2	5	8	0.03	<10	<10	43	<10	43	2
Jas-93	<0.2	0.53	6	42	<0.5	<5	0.04	1	3	15	5	1.90	1	0.02	<10	0.11	119	<2	0.01	5	1096	8	0.01	8	1	3	<5	0.03	<10	<10	56	<10	19	1
Jas-94	<0.2	0.29	5	40	<0.5	<5	0.02	<1	1	7	2	0.41	<1	0.01	10	0.03	19	<2	<0.01	2	156	3	0.01	5	<1	3	<5	0.02	<10	<10	16	<10	3	<1
Jas-95	<0.2	1.04	9	117	<0.5	<5	0.10	1	3	24	7	2.31	1	0.02	10	0.23	81	<2	0.01	10	2203	11	<0.01	12	2	6	<5	0.03	<10	<10	57	<10	27	2
Jas-96	0.4	0.36	5	59	<0.5	<5	0.09	<1	3	9	3	0.55	<1	0.02	<10	0.06	54	<2	0.01	3	209	5	<0.01	10	1	10	<5	0.04	<10	<10	19	<10	8	1
Jas-97	<0.2	1.11	<5	86	<0.5	<5	0.10	1	5	25	11	2.26	<1	0.03	<10	0.27	244	<2	0.01	14	1602	10	0.03	<5	2	7	5	0.03	<10	<10	42	<10	42	2
Jas-98	<0.2	1.30	<5	95	0.5	<5	0.15	1	6	27	11	2.94	<1	0.05	14	0.28	162	<2	0.01	16	830	8	0.03	8	2	15	9	0.05	<10	11	56	<10	43	2
Jas-99	<0.2	0.38	<5	79	<0.5	<5	0.07	1	4	8	4	1.95	<1	0.04	14	0.07	230	<2	0.01	5	300	8	0.03	<5	1	35	7	0.06	<10	33	<10	19	1	
Jas-100	<0.2	1.03	<5	100	<0.5	<5	0.21	1	5	22	9	2.71	<1	0.04	11	0.25	146	<2	0.01	14	1748	7	0.03	7	1	14	<5	0.04	<10	<10	46	<10	46	1
Jas-101	<0.2	0.23	<5	67	<0.5	<5	0.04	<1	<1	5	2	0.13	<1	0.01	<10	0.01	22	<2	<0.01	1	156	<2	0.02	<5	<1	4	<5	0.01	<10	<10	4	<10	2	<1
Jas-102	0.3	1.43	<5	179	0.7	<5	0.15	1	14	34	18	2.46	<1	0.08	14	0.42	522	<2	0.01	27	666	14	0.04	<5	1	14	<5	0.02	<10	<10	51	<10	71	1
Jas-103	<0.2	0.14	<5	50	<0.5	<5	0.03	<1	<1	6	2	0.10	<1	0.01	<10	0.01	8	<2	<0.01	3	129	<2	0.03	<5	<1	7	<5	0.01	<10	<10	3	<10	3	<1
Jas-104	<0.2	1.35	<5	128	0.7	<5	0.12	1	9	32	18	2.80	<1	0.07	15	0.43	417	<2	0.01	30	727	12	0.02	8	1	13	<5	0.04	16	10	51	<10	65	1
Jas-105	<0.2	0.55	<5	57	<0.5	<5	0.04	<1	3	10	6	0.92	<1	0.02	11	0.12	54	<2	<0.01	6	273	3	0.03	<5	<1	6	<5	0.02	12	<10	18	<10	17	1
Jas-106	<0.2	1.92	7	145	1.3	<5	0.07	1	13	38	25	3.60	<1	0.08	21	0.60	505	<2	0.01	43	647	18	0.04	12	2	12	6	0.05	10	12	60	<10	94	2
Jas-107	<0.2	0.63	<5	113	<0.5	<5	0.24	1	7	25	9	2.43	<1	0.04	15	0.24	203	<2	0.01	24	2345	15	0.03	6	1	15	10	0.04	12	11	42	<10	35	1
Jas-108	<0.2	0.72	<5	88	<0.5	<5	0.12	1	5	25	11	2.71	<1	0.04	12	0.28	132	<2	0.01	16	1251	13	0.02	<5	2	11	12	0.05	10	<10	61	<10	37	2
Jas-109	<0.2	0.95	<5	55	<0.5	<5	0.11	1	3	21	9	1.88	<1	0.03	10	0.22	103	<2	0.01	12	682	7	0.04	5	1	8	7	0.03	<10	<10	41	<10	31	1
Jas-110	<0.2	0.83	<5	92	<0.5	<5	0.09	1	5	25	9	2.27	1	0.04	<10	0.18	87	<2	<0.01	12	1306	13	0.04	9	1	9	5	0.05	<10	<10	52	<10	29	1
Jas-111	<0.2	0.57	<5	134	<0.5	<5	0.15	1	3	20	7	1.69	2	0.03	<10	0.18	143	<2	0.01	9	1395	8	0.04	6	1	11	<5	0.03	<10	<10	39	<10	31	1
Jas-112	<0.2	0.96	<5	158	<0.5	<5	0.30	1	8	29	15	2.16	<1	0.06	13	0.42	230	<2	0.01	22	861	8	0.01	<5	2	16	<5	0.04	<10	<10	44	<10	62	1
Jas-113	<0.2	1.47	8	317	0.7	<5	0.59	1	16	68	43	3.33	<1	0.19	17	0.75	610	2	0.01	56	1205	31	0.02	13	6	29	11	0.06	13	13	68	<10	106	4
Jas-114	<0.2	1.47	10	239	0.7	<5	0.40	1	13	52	35	3.15	<1	0.13	16	0.76	516	<2	0.01	39	1026	21	0.02	9	5	23	9	0.06	15	14	66	<10	95	2
Jas-115	<0.2	1.08	<5	114	<0.5	<5	0.21	1	6	27	11	1.97	<1	0.03	10	0.30	139	<2	<0.01	23	1075	8	0.02	<5	1	11	<5	0.03	<10	<10	37	<10	45	1
Jas-116	<0.2	0.74	<5	140	<0.5	<5	0.30	1	7	27	13	1.62	<1	0.05	12	0.37	230	<2	0.01	35	1048	7	0.02	8	2	16	6	0.03	<10	<10	30	<10	37	1
Jas-117	<0.2	0.71	<5	77	<0.5	<5	0.13	1	4	20	8	1.66	<1	0.03	<10	0.23	153	<2	0.01	13	1312	7	0.02	6	1	8	<5	0.03	<10	<10	33	<10	38	1
Jas-118	<0.2	0.65	<5	110	<0.5	<5	0.23	<1	5	21	9	1.36	<1	0.04	<10	0.26	353	<2	0.01	20	754	11	0.02	<5	1	13	<5	0.02	<10	<10	27	<10	42	1
Jas-119	<0.2	0.37	5	43	<0.5	<5	0.05	<1	1	13	2	0.94	<1	0.01	<10	0.07	40	<2	<0.01	7	308	5	0.02	<5	<1	5	<5	0.01	<10	<10	20	<10	9	<1
Jas-120	<0.2	0.55	<5	65	<0.5	<5	0.11	1	2	16	5	1.94	<1	0.02	<10	0.10	96	<2	<0.01	9	674	8	0.03	<5	<1	7	<5	0.02	<10	<10	38	<10	14	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Ktruchkowsky

Project: Jas

Sample type:

Assayer Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-121	0.3 0.50	5	76 <0.5	<5 0.13	<1	2	14	4 0.75	<1 0.02	<10 0.11	107	<2	0.01	9	754	8	0.02	5	<1	11	<5 0.01	<10	<10	15	<10	22	<1							
Jas-122	<0.2 1.07	<5	136 <0.5	<5 0.17	1	4	25	10 1.81	<1 0.03	13 0.30	114	<2	0.01	19	774	9	0.01	<5	1	12	<5 0.03	19	<10	42	<10	46	1							
Jas-123	0.2 1.34	<5	156 0.5	<5 0.22	1	5	31	10 2.79	<1 0.04	13 0.35	181	<2	0.01	18	1165	9	0.02	<5	2	15	<5 0.04	18	14	58	<10	67	1							
Jas-124	<0.2 1.00	<5	185 0.5	<5 0.27	1	8	30	20 2.13	<1 0.08	18 0.42	349	<2	0.01	28	1150	9	<0.01	7	3	17	5 0.06	20	<10	44	<10	59	1							
Jas-125	<0.2 0.57	<5	98 <0.5	<5 0.14	1	4	15	6 0.98	<1 0.03	12 0.17	128	<2	0.01	12	668	5	<0.01	<5	1	11	<5 0.03	12	<10	20	<10	26	<1							
Jas-126	<0.2 0.52	<5	59 <0.5	<5 0.08	<1	2	12	4 1.15	<1 0.02	12 0.10	71	<2	0.01	6	678	8	0.01	5	1	8	<5 0.03	24	<10	28	<10	21	1							
Jas-127	0.4 0.65	<5	46 <0.5	<5 0.01	1	2	15	4 1.20	<1 0.01	10 0.07	37	<2	<0.01	4	650	4	<0.01	5	1	6	<5 0.03	16	<10	24	<10	13	1							
Jas-128	<0.2 1.11	<5	119 0.5	<5 0.17	1	6	37	11 2.38	<1 0.05	14 0.46	231	<2	0.01	38	1121	9	0.01	5	2	12	<5 0.05	14	10	45	<10	60	1							
Jas-129	<0.2 0.87	<5	98 <0.5	<5 0.14	1	12	62	8 2.37	<1 0.04	11 1.04	278	<2	0.01	127	733	10	<0.01	8	2	14	<5 0.04	21	<10	35	<10	59	1							
Jas-130	<0.2 0.48	<5	63 <0.5	<5 0.13	1	4	20	3 0.99	<1 0.01	10 0.27	80	<2	0.01	26	628	4	<0.01	<5	1	10	<5 0.03	15	<10	16	<10	32	<1							
Jas-131	<0.2 0.97	5	98 <0.5	<5 0.26	1	6	33	9 2.17	<1 0.04	22 0.39	218	<2	0.01	37	1270	12	<0.01	8	2	20	7 0.04	28	12	39	<10	58	1							
Jas-132	0.5 1.27	<5	168 0.6	<5 0.13	1	9	29	13 2.31	<1 0.06	16 0.38	256	<2	0.01	24	726	15	0.01	7	1	17	<5 0.05	32	<10	44	<10	60	1							
Jas-133	<0.2 0.66	<5	57 <0.5	<5 0.04	<1	4	15	3 1.24	<1 0.03	13 0.24	115	<2	0.01	9	196	10	0.01	<5	1	8	<5 0.05	12	<10	24	<10	28	1							
Jas-134	<0.2 0.80	<5	61 <0.5	<5 0.05	1	3	20	6 1.40	<1 0.03	14 0.26	109	<2	0.01	15	204	4	<0.01	5	1	10	<5 0.04	15	<10	30	<10	30	1							
Jas-135	<0.2 0.46	<5	46 <0.5	<5 0.05	<1	1	9	3 0.92	<1 0.01	14 0.07	37	<2	0.01	3	722	14	<0.01	<5	1	10	<5 0.04	30	<10	28	<10	14	1							
Jas-136	<0.2 0.78	<5	116 <0.5	<5 0.16	1	3	15	6 1.86	<1 0.03	17 0.14	85	<2	0.01	7	1036	11	<0.01	<5	1	13	7 0.04	27	<10	42	<10	38	1							
Jas-137	<0.2 0.56	<5	76 <0.5	<5 0.15	1	2	11	6 1.31	<1 0.03	21 0.20	144	<2	0.01	7	783	9	0.01	5	1	24	10 0.03	29	<10	26	<10	31	1							
Jas-138	<0.2 0.16	<5	52 <0.5	<5 0.03	<1	<1	5	1 0.13	<1 0.01	<10 0.01	11	<2	<0.01	1	112	<2	<0.01	<5	<1	8	<5 0.01	30	<10	5	<10	6	<1							
Jas-139	0.2 1.44	<5	159 1.1	<5 0.11	1	7	32	27 2.33	<1 0.07	17 0.43	343	2	0.01	28	669	12	0.02	10	2	15	<5 0.03	22	12	42	<10	83	1							
Jas-140	<0.2 0.90	<5	77 <0.5	<5 0.08	1	5	23	15 1.92	<1 0.06	11 0.30	182	3	0.01	20	665	11	0.02	7	1	10	<5 0.03	27	<10	36	<10	60	1							
Jas-141	0.5 0.98	8	107 0.7	<5 0.22	2	5	26	21 2.49	<1 0.09	17 0.31	334	8	0.01	23	821	21	0.02	8	1	22	<5 0.03	18	14	43	<10	97	1							
Jas-142	0.3 0.30	5	67 <0.5	<5 0.07	<1	2	10	8 0.89	<1 0.03	11 0.07	72	<2	<0.01	5	445	10	<0.01	6	<1	10	<5 0.02	19	<10	19	<10	20	<1							
Jas-143	1.5 1.27	<5	112 0.6	<5 0.02	1	6	28	30 2.50	<1 0.08	17 0.24	295	2	0.01	20	936	13	0.04	6	1	9	<5 0.03	16	13	44	<10	50	1							
Jas-144	<0.2 0.50	6	65 <0.5	<5 0.07	1	3	17	8 1.94	<1 0.03	11 0.12	119	<2	0.01	10	721	8	0.01	<5	1	9	<5 0.04	17	<10	45	<10	31	1							
Jas-145	<0.2 0.32	<5	95 <0.5	<5 0.06	<1	3	11	6 1.20	<1 0.02	<10 0.07	161	<2	0.01	6	655	8	<0.01	<5	<1	8	<5 0.02	<10	<10	27	<10	24	1							
Jas-146	0.4 0.47	<5	49 <0.5	<5 0.02	1	2	10	6 1.02	1 0.01	<10 0.06	43	<2	0.01	4	401	8	0.01	<5	<1	6	<5 0.02	31	<10	20	<10	12	1							
Jas-147	0.3 0.41	<5	38 <0.5	<5 0.03	<1	2	8	4 1.20	2 0.02	<10 0.06	64	<2	0.01	3	584	12	0.01	<5	<1	7	<5 0.02	19	<10	26	<10	16	1							
Jas-148	<0.2 0.97	6	94 <0.5	<5 0.05	1	5	28	14 2.37	1 0.05	11 0.27	122	<2	0.01	21	450	11	0.01	<5	2	8	<5 0.05	14	<10	48	<10	43	1							
Jas-149	<0.2 0.62	<5	136 <0.5	<5 0.11	1	8	9	10 2.07	1 0.06	11 0.39	115	<2	0.01	9	93	10	0.01	<5	1	21	<5 0.14	18	<10	50	<10	27	2							
Jas-150	0.6 0.70	<5	100 <0.5	<5 0.21	1	5	25	12 2.06	1 0.04	<10 0.19	170	<2	0.01	20	681	11	0.05	<5	<1	17	<5 0.03	11	<10	44	<10	40	1							

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

K-6 Consulting Group

Attention: Ed Ktruchkowsky

Project: Jas

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0970SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Jas-151	<0.2	1.25	<5	64	<0.5	<5	0.07	2	8	41	16	3.92	1	0.04	11	0.34	169	<2	0.01	30	1267	15	0.01	<5	2	9	<5	0.06	26	<10	70	<10	61	2
Jas-152	0.4	0.57	<5	99	<0.5	<5	0.10	1	3	13	7	1.04	2	0.03	11	0.13	155	<2	0.01	9	483	8	0.01	<5	<1	11	<5	0.02	<10	<10	20	<10	24	1
Jas-153	0.2	0.50	<5	79	<0.5	<5	0.14	<1	3	13	5	1.12	<1	0.04	10	0.15	87	<2	0.01	8	565	7	0.01	<5	<1	11	<5	0.02	<7	<10	23	<10	22	1
Jas-154	0.6	0.65	<5	112	<0.5	<5	0.07	1	3	14	9	1.04	2	0.03	12	0.12	123	<2	0.01	9	473	9	0.02	<5	<1	9	<5	0.02	16	<10	21	<10	22	1
Jas-156	<0.2	0.93	<5	65	<0.5	<5	0.06	1	5	24	10	1.93	1	0.04	<10	0.32	129	<2	0.01	18	357	13	<0.01	5	1	7	<5	0.03	23	<10	35	<10	39	1
Jas-157	0.4	1.21	<5	91	<0.5	<5	0.08	1	8	29	15	2.44	1	0.06	10	0.33	310	<2	0.01	19	819	26	0.03	<5	1	8	<5	0.03	10	<10	44	<10	52	1
Jas-158	0.2	0.98	<5	164	0.5	<5	0.25	1	11	32	17	1.93	1	0.06	14	0.40	366	<2	0.01	40	816	20	0.01	<5	2	16	<5	0.03	16	<10	36	<10	54	1
Jas-159	0.4	0.92	<5	180	<0.5	<5	0.22	1	5	26	13	2.07	3	0.05	11	0.32	198	<2	0.01	19	595	17	0.02	<5	1	18	<5	0.03	16	<10	42	<10	51	1
Jas-160	0.3	1.12	<5	100	<0.5	<5	0.16	1	8	32	18	2.41	2	0.05	14	0.38	311	<2	0.01	23	521	17	<0.01	<5	2	13	<5	0.04	13	<10	49	<10	52	1
Jas-161	<0.2	0.87	<5	90	<0.5	<5	0.21	1	6	24	10	2.14	1	0.04	13	0.31	149	<2	0.01	17	1128	14	<0.01	<5	2	13	<5	0.05	14	<10	44	<10	47	1
Jas-162	<0.2	0.59	<5	78	<0.5	<5	0.13	1	5	17	6	1.49	1	0.05	14	0.19	154	<2	0.01	12	813	13	0.01	<5	1	9	<5	0.04	16	<10	30	<10	39	1
Jas-163	<0.2	1.20	<5	125	0.5	<5	0.15	1	15	79	11	2.69	1	0.04	12	0.66	310	<2	0.01	97	936	10	<0.01	9	2	10	<5	0.04	11	<10	38	<10	62	2
Jas-164	<0.2	0.79	<5	73	<0.5	<5	0.17	1	6	29	6	1.68	1	0.04	14	0.40	135	<2	0.01	32	710	13	<0.01	<5	2	12	<5	0.05	17	<10	31	<10	43	1
Jas-165	1.0	0.77	<5	56	<0.5	<5	0.08	1	4	19	11	1.84	<1	0.02	<10	0.17	95	<2	0.01	10	946	14	0.02	<5	1	11	<5	0.04	28	<10	39	<10	32	1
Jas-166	0.8	0.75	<5	112	<0.5	<5	0.18	1	6	24	30	1.63	1	0.04	<10	0.24	259	<2	0.01	17	539	13	0.01	8	1	17	<5	0.03	22	<10	30	<10	44	1
Jas-167	0.2	0.30	<5	69	<0.5	<5	0.05	<1	2	10	10	0.81	2	0.01	<10	0.03	34	<2	<0.01	6	260	11	0.01	<5	<1	8	<5	0.02	19	<10	24	<10	11	<1
Jas-168	<0.2	0.78	<5	73	<0.5	<5	0.11	1	4	20	10	1.82	1	0.03	<10	0.21	84	<2	0.01	12	763	13	0.01	<5	1	9	<5	0.03	<10	<10	44	<10	34	1
Jas-169	0.2	1.53	<5	80	0.5	<5	0.18	1	6	50	16	2.83	1	0.03	10	0.33	158	<2	0.01	29	972	4	0.02	8	2	9	<5	0.03	<10	13	43	<10	79	2
Jas-170	0.3	1.25	5	211	<0.5	<5	0.32	1	8	31	18	2.20	<1	0.07	11	0.43	441	<2	0.01	20	939	10	0.02	<5	1	21	<5	0.03	<10	<10	43	<10	67	1
Jas-171	0.6	1.54	<5	256	0.6	<5	0.27	1	8	39	30	2.63	<1	0.12	12	0.46	339	<2	0.01	26	665	15	0.02	5	2	16	<5	0.03	<10	<10	50	<10	74	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Geochemical Analysis Certificate

7V-0976-SG1

Company: **K-6 Consulting Group**
Project: RSKI
Attn: Ed Kruchkowski

Jun-19-07

We hereby certify the following geochemical analysis of 20 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RSKI-1	6	6
RSKI-2	4	
RSKI-3	4	
RSKI-4	6	
RSKI-5	3	
RSKI-6	1	
RSKI-7	1	
RSKI-8	3	
RSKI-9	3	
RSKI-10	5	6
RSKI-11	3	
RSKI-12	5	
RSKI-13	8	
RSKI-14	<1	
RSKI-15	8	
RSKI-16	3	
RSKI-17	16	
RSKI-18	16	
RSKI-19	4	
RSKI-20	3	
*1110	1550	
*BLANK	<1	

Certified by _____

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RSKI

Sample type:

Assay, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0976SJ


Date : Jun-19-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RSKI-1	<0.2	1.15	6	140	1.0	<5	0.45	3	8	63	21	2.72	<1	0.05	36	0.38	494	10	0.01	36	766	40	0.04	<5	2	24	13	0.03	20	48	281	<10	145	2
RSKI-2	0.4	0.98	<5	112	0.5	<5	0.60	4	7	48	25	2.43	<1	0.04	23	0.34	540	10	0.01	37	594	22	0.03	<5	2	26	5	0.04	26	56	208	<10	116	1
RSKI-3	0.2	1.23	25	90	0.5	<5	0.30	4	12	37	23	3.29	1	0.04	21	0.36	501	12	0.01	29	827	19	0.04	7	2	17	<5	0.04	27	60	164	<10	142	2
RSKI-4	0.3	0.76	<5	108	<0.5	<5	0.50	2	6	19	16	2.33	1	0.07	19	0.27	558	9	0.01	18	1279	36	0.04	5	1	22	<5	0.03	27	20	77	<10	105	1
RSKI-5	<0.2	1.19	<5	114	0.6	<5	0.16	1	8	26	23	3.27	<1	0.07	22	0.39	274	4	0.01	18	644	29	0.01	<5	1	20	6	0.04	30	20	76	<10	74	2
RSKI-6	0.5	0.63	<5	96	<0.5	<5	0.20	1	5	16	10	2.18	2	0.04	15	0.17	571	3	0.01	9	1053	19	0.03	6	1	13	<5	0.02	23	15	45	<10	46	1
RSKI-7	0.4	0.41	<5	54	<0.5	<5	0.12	1	4	13	9	1.71	1	0.03	<10	0.09	81	3	<0.01	7	538	10	0.02	<5	<1	10	<5	0.02	19	10	38	<10	29	1
RSKI-8	0.7	1.07	<5	132	0.8	<5	0.24	1	7	18	20	2.23	<1	0.07	25	0.29	629	5	0.01	13	949	30	0.04	<5	1	16	<5	0.02	24	20	41	<10	59	1
RSKI-9	0.7	1.18	<5	74	<0.5	<5	0.19	2	5	24	10	3.42	1	0.03	18	0.28	157	3	0.01	12	3809	22	0.03	<5	1	13	5	0.03	29	13	88	<10	64	2
RSKI-10	0.7	0.49	<5	50	<0.5	<5	0.05	1	4	13	9	1.87	<1	0.02	<10	0.12	96	2	<0.01	9	1025	18	0.02	<5	<1	7	<5	0.03	15	<10	55	<10	36	1
RSKI-11	0.8	1.31	<5	84	0.5	<5	0.14	1	6	27	26	3.17	<1	0.06	16	0.30	218	4	0.01	17	1592	23	0.03	5	1	13	<5	0.03	21	16	83	<10	75	2
RSKI-12	0.3	1.14	<5	83	<0.5	<5	0.18	1	5	27	22	2.88	<1	0.06	18	0.28	150	5	0.01	18	1396	29	0.04	6	1	14	<5	0.04	22	16	108	<10	75	2
RSKI-13	0.5	1.02	<5	154	0.6	<5	0.28	2	5	23	20	3.35	1	0.04	33	0.31	146	5	0.01	15	729	24	0.05	<5	1	32	<5	0.04	22	22	93	<10	61	2
RSKI-14	0.4	0.37	<5	72	<0.5	<5	0.18	1	3	13	14	1.95	<1	0.03	11	0.06	253	4	<0.01	7	812	17	0.03	<5	<1	10	<5	0.02	22	<10	57	<10	40	1
RSKI-15	0.6	1.32	<5	121	<0.5	<5	0.14	2	5	37	14	3.82	1	0.03	11	0.66	206	3	0.01	13	723	28	0.04	6	2	10	<5	0.08	17	14	96	<10	89	2
RSKI-16	0.9	0.50	<5	135	<0.5	<5	0.15	1	3	14	13	2.13	1	0.03	13	0.08	243	2	<0.01	8	813	22	0.03	<5	<1	10	<5	0.02	20	11	51	<10	51	1
RSKI-17	1.1	0.47	<5	79	<0.5	<5	0.05	1	4	13	9	2.22	1	0.03	12	0.11	104	3	<0.01	7	721	21	0.02	<5	1	7	<5	0.03	15	10	61	<10	43	1
RSKI-18	0.6	1.54	8	310	0.8	<5	0.16	2	9	23	13	3.71	1	0.04	18	0.31	328	3	0.01	15	1625	43	0.03	10	2	25	14	0.03	24	18	69	<10	127	2
RSKI-19	0.7	0.80	<5	99	<0.5	<5	0.11	1	4	16	10	2.07	1	0.03	12	0.19	365	4	<0.01	10	991	24	0.02	<5	1	10	<5	0.02	16	<10	51	<10	78	1
RSKI-20	0.7	0.16	<5	33	<0.5	<5	0.07	<1	1	6	4	0.48	<1	0.02	<10	0.02	39	<2	<0.01	2	190	8	<0.01	<5	<1	7	<5	0.01	15	<10	13	<10	12	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assuring for over 30 Years

Geochemical Analysis Certificate

7V-0977-SG1

Company: **K-6 Consulting Group**
Project: RSNO
Attn: Ed Kruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RSNO-1	2	8
RSNO-2	2	
RSNO-3	1	
RSNO-4	1	
RSNO-5	1	
RSNO-6	3	
RSNO-7	<1	
RSNO-8	<1	
RSNO-9	<1	
RSNO-10	2	
RSNO-11	1	
RSNO-12	7	
RSNO-13	3	
RSNO-14	<1	
RSNO-15	2	
RSNO-16	12	
RSNO-17	3	
RSNO-18	1	
RSNO-19	1	
RSNO-20	<1	3
RSNO-21	11	
RSNO-22	1	
RSNO-23	2	
RSNO-24	8	
*1110	1418	
*BLANK	<1	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

The only thing you can count on is change.

Geochemical Analysis Certificate

7V-0977-SG2

Company: **K-6 Consulting Group**
Project: RSNO
Attn: Ed Kruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 24 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RSNO-25	2	2
RSNO-26	3	
RSNO-27	2	
RSNO-28	<1	
RSNO-29	<1	
RSNO-30	3	
RSNO-31	3	
RSNO-32	<1	
RSNO-33	4	
RSNO-34	117	
RSNO-35	3	
RSNO-36	1	
RSNO-37	<1	
RSNO-38	2	
RSNO-39	2	
RSNO-40	<1	
RSNO-41	4	
RSNO-42	3	
RSNO-43	5	
RSNO-44	2	5
RSNO-45	3	
RSNO-46	2	
RSNO-47	2	
RSNO-48	3	
*1110	1432	
*BLANK		<1

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assurance Program

Geochemical Analysis Certificate

7V-0977-SG3

Company: **K-6 Consulting Group**
Project: RSNO
Attn: Ed Kruchkowski

Jun-20-07

We hereby certify the following geochemical analysis of 7 soil samples submitted May-30-07

Sample Name	Au ppb	Au-Check ppb
RSNO-49	3	3
RSNO-50	4	
RSNO-51	4	
RSNO-52	3	
RSNO-53	4	
RSNO-54	11	
RSNO-55	3	
*1110	1360	
*BLANK	<1	

Certified by

K-6 Consulting Group

Attention: Ed Kruchkowski

Project: RSNO

Sample type:

Assay, Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 7V0977SJ

Date : Jun-20-07

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi %	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
RSNO-1	<0.2	1.17	<5	127	0.5	<5	0.21	2	9	27	19	3.20	<1	0.06	13	0.37	271	<2	0.01	20	1443	22	0.03	10	1	13	<5	0.03	18	13	72	<10	85	2
RSNO-2	<0.2	0.81	<5	77	<0.5	<5	0.19	1	6	23	17	1.94	1	0.05	10	0.32	187	<2	0.01	16	737	6	0.03	<5	2	11	<5	0.03	12	12	47	<10	45	1
RSNO-3	<0.2	1.26	<5	302	<0.5	<5	0.16	1	9	34	25	2.75	1	0.07	13	0.52	236	<2	0.01	24	648	20	0.02	<5	3	12	<5	0.05	12	11	72	<10	80	1
RSNO-4	<0.2	1.11	<5	164	<0.5	<5	0.19	1	9	32	23	2.51	2	0.06	14	0.49	313	<2	0.01	23	773	11	0.02	5	2	13	<5	0.05	12	<10	62	<10	65	1
RSNO-5	<0.2	1.04	5	110	<0.5	<5	0.21	1	8	29	19	2.50	<1	0.07	12	0.41	519	<2	0.01	21	1170	13	0.02	8	1	11	<5	0.04	10	<10	56	<10	67	1
RSNO-6	<0.2	1.05	<5	213	0.7	<5	0.37	2	11	30	26	2.59	1	0.09	28	0.38	593	5	0.01	29	963	20	0.03	<5	3	20	17	0.04	14	23	57	<10	108	1
RSNO-7	0.4	1.41	<5	446	<0.5	<5	0.14	2	5	29	17	2.89	1	0.03	18	0.29	150	3	0.01	16	881	50	0.03	<5	1	10	<5	0.03	13	13	87	<10	93	2
RSNO-8	0.5	0.27	<5	102	<0.5	<5	0.10	1	2	10	6	1.54	<1	0.02	10	0.05	276	<2	0.01	5	275	7	0.03	<5	<1	8	<5	0.02	13	<10	32	<10	35	1
RSNO-9	0.3	0.98	<5	102	<0.5	<5	0.14	2	6	22	10	3.40	<1	0.04	15	0.33	352	<2	0.01	15	2438	18	0.03	7	1	11	<5	0.04	<10	12	58	<10	71	2
RSNO-10	0.7	0.64	<5	67	<0.5	<5	0.09	1	5	21	12	2.08	2	0.04	12	0.25	165	<2	0.01	14	616	13	0.02	6	1	9	5	0.04	<10	<10	51	<10	51	1
RSNO-11	<0.2	0.91	<5	70	0.5	<5	0.07	1	8	22	18	2.87	2	0.05	19	0.35	319	5	0.01	18	632	32	0.03	5	1	13	<5	0.03	21	12	50	<10	93	1
RSNO-12	<0.2	1.57	5	68	0.7	<5	0.31	1	8	27	29	3.10	1	0.06	20	0.33	303	8	0.01	20	1374	75	0.04	7	2	18	7	0.03	19	13	52	<10	140	2
RSNO-13	<0.2	1.20	<5	98	1.1	<5	0.26	1	7	25	22	2.19	1	0.07	29	0.47	429	8	0.01	18	1100	24	0.02	<5	1	30	<5	0.03	<10	23	36	<10	103	<1
RSNO-14	<0.2	1.14	<5	78	0.9	<5	0.27	1	7	20	15	2.58	<1	0.05	29	0.47	313	11	0.01	14	674	19	0.03	<5	1	34	<5	0.03	13	21	41	<10	95	1
RSNO-15	0.8	0.38	<5	100	<0.5	<5	0.03	1	2	8	21	1.64	<1	0.05	25	0.05	87	6	0.01	6	461	23	0.05	<5	<1	18	<5	0.05	11	10	30	<10	29	1
RSNO-16	1.3	1.73	<5	82	0.7	<5	0.22	3	10	47	26	5.98	1	0.06	18	0.55	602	6	0.01	27	3129	114	0.07	9	2	17	6	0.05	15	18	128	<10	207	3
RSNO-17	<0.2	1.77	<5	140	1.0	<5	0.25	1	11	31	27	3.20	1	0.12	25	0.66	618	4	0.01	30	1412	62	0.02	7	3	13	26	0.07	23	14	87	<10	184	2
RSNO-18	0.5	0.69	<5	59	<0.5	<5	0.11	1	4	10	8	2.92	1	0.05	17	0.18	138	12	0.01	6	1865	46	0.03	9	1	10	19	0.04	15	14	49	<10	38	1
RSNO-19	0.3	1.02	<5	106	0.6	<5	0.27	1	3	10	5	2.92	1	0.06	27	0.30	320	<2	0.01	6	2624	60	0.04	<5	2	13	41	0.02	20	20	32	<10	136	2
RSNO-20	2.8	1.56	<5	83	0.9	<5	0.07	2	6	39	41	4.58	2	0.07	10	0.54	1069	6	<0.01	28	1560	256	0.07	5	2	13	7	0.01	13	18	97	<10	336	3
RSNO-21	0.3	2.44	<5	112	1.9	<5	0.24	4	32	117	68	6.05	<1	0.19	18	1.32	2175	2	0.01	123	1391	686	0.02	11	5	23	23	0.06	26	27	103	<10	603	5
RSNO-22	0.7	1.26	<5	160	<0.5	<5	0.21	2	7	42	16	3.56	1	0.06	<10	0.39	186	<2	0.01	24	1562	18	0.04	6	2	15	<5	0.07	12	<10	94	<10	52	2
RSNO-23	0.9	0.48	<5	45	<0.5	<5	0.12	<1	5	27	6	1.18	<1	0.02	<10	0.27	119	<2	0.01	10	331	6	0.01	<5	1	7	<5	0.08	<10	<10	34	<10	23	1
RSNO-24	0.9	0.79	<5	119	<0.5	<5	0.20	1	8	42	11	2.50	<1	0.04	<10	0.41	278	<2	0.01	30	917	8	0.01	5	1	16	<5	0.06	12	<10	65	<10	43	1
RSNO-25	0.2	1.82	6	120	<0.5	<5	0.20	1	13	73	25	3.08	1	0.08	<10	0.89	284	<2	0.01	45	673	8	0.01	<5	4	11	<5	0.11	<10	14	71	<10	124	2
RSNO-26	1.4	0.66	5	168	<0.5	<5	0.19	1	8	32	19	2.29	<1	0.05	<10	0.35	662	<2	0.01	23	579	13	0.01	<5	2	9	<5	0.06	11	12	52	<10	65	1
RSNO-27	0.2	2.46	<5	193	<0.5	<5	0.28	2	27	67	42	4.97	<1	0.14	<10	1.72	578	<2	0.01	70	1558	7	0.02	7	3	11	<5	0.14	15	18	114	<10	113	3
RSNO-28	0.2	1.09	9	185	0.5	<5	0.15	2	14	89	21	3.46	<1	0.04	13	0.44	318	<2	0.01	132	662	12	0.03	7	1	12	<5	0.03	12	13	52	<10	51	2
RSNO-29	0.4	0.61	<5	188	<0.5	<5	0.52	1	10	30	17	1.85	<1	0.03	12	0.16	261	<2	0.01	59	796	9	0.04	<5	1	23	<5	0.03	<10	12	30	<10	47	1
RSNO-30	1.7	1.11	8	77	<0.5	<5	0.15	1	6	23	20	2.10	<1	0.05	12	0.30	175	<2	0.01	19	1479	10	0.04	<5	<1	9	<5	0.02	12	10	36	<10	42	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

APPENDIX II
CUMULATIVE FREQUENCY PLOTS

