

**Annual Report Re:
Mineral tenure # 519050 (Maid 1)
Victoria Mining Division**

NTS 92C – 070

**BC Geological Survey
Assessment Report
29419**

**Site # 1 N: 48' 36.914
W: 124' 06.396**

Site # 2 N: 418789 – 5384789

**Site # 3 N: 48' 37.040
W: 124' 07.250**

Owner: Brian David Grieve

Operator: Brian David Grieve

Author: Brian David Grieve

Submitted: August 14, 2007




Table of contents

Page 1	Title page
Page 2	Table of contents
Page 3 & 4	Introduction
Page 5	Report of physical exploration and development.
Page 6	Cost statement
Page 7	Dates of work and addendum to page 5
Page 8	addendum to page 5 continued.
Page 9	Findings
Page 10	Map # 1
Page 11	Map # 2
Page 12	Map # 3
Pages 13-17	Assay reports

Introduction

This tenure is located on the North ridge of the San Juan river valley, approximately 24.5 Km East of the Village of Port Renfrew B.C. on Mt. Demers and Mt. Modeste.

Access is via logging roads starting at Mesachie Lake B.C. – Taking the Port Renfrew – Mesachie Lake connector road, then turning left onto “Maid Lake” access road which eventually becomes known as the “Mercer Mainline” road.

At a distance of approximately 32 Km from Mesachie Lake, you arrive at this tenure.(Roads are mostly very rugged and steep, requiring 4 wheel drive.)

The first logging road up these mountains came in from the San Juan river valley in 1956, but was very unreliable due to wash outs and slides.

The current access road was mostly blasted out of rock, making it more reliable except in the winter months. Early prospectors avoided this area because of it's Steep terrain, but Spanish explorers did have

mining activity in the surrounding area.

This tenure is on private lands owned by Timber West Forest Corp. and is under tenure to Brian David Grieve (free miners # 110394) who is also the operator and author of this report.

This tenure is of (Bonanza volcanics) of the Triassic period, with evidence of rich iron, copper and zinc veins with some containing viable amounts of gold. I suspect an ore body present – core drilling would be a better indicator.

Most of the samples taken in the past year were obtained by digging out and exposing ore from suspected deposits by means of trenching. Only best chip samples were sent in for analysis. See assay reports attached to this report.

Magnetite, slight scarning, quartz diorite scattered lenses of epidote are common adjacent to these diggings.

Total area prospected was in a 6 cell area at the south center end of tenure – comprising of approximately 1000m x 1500m square – as indicated on map.

REPORT OF PHYSICAL EXPLORATION AND DEVELOPMENT
Section 15 - Mineral Tenure Act Regulation

1. Event number: 4164368	2. Tenure number(s): 519050	3. Type of Tenure: <input checked="" type="checkbox"/> Mineral, or <input type="checkbox"/> Placer
4. Recorded holder: BRIAN GRIEVE	Address: 7352 WALTON RD., BOX 122 HONEYMOON BAY BC, V0R 1Y0	Phone: 250 749-3306
5. Operator: BRIAN GRIEVE	Address: AS ABOVE	Phone: AS ABOVE
6. Report author: BRIAN GRIEVE	Address: AS ABOVE	Phone: AS ABOVE
7. Qualifications/experience of operator:	48 YRS. PART TIME / FULL TIME PROSPECTOR IN BRITISH COLUMBIA	

8. Brief summary of work activity on claim(s) in recent years (not including this year's new work):	ALL EXPLORATORY WORK DONE WITH HAND TOOLS - SOME SMALL HOLES, TRENCHES ETC. TO OBTAIN FRESH CHIP SAMPLES
---	--

NEW WORK (Attach additional sheets if more space is required)

9. Actual dates work was done: SEE ATTACHED NOTES	10. Tenure number(s) of claim(s) on which this work was performed: 519050
11. Detailed written description of the work activity: state what was done and how it was done, and the results. Mention equipment, machinery, labourers, as applicable. The cost statement (#19 on page 2) must correspond to what is stated here. Attach the 1:10,000 scale map showing the work sites.	SEE ATTACHED NOTES
12. Metric dimensions of workings: (Open cuts, adits, pits, shafts, trenches)	SEE ATTACHED NOTES
13. Amount of material excavated and tested or processed: (metric units)	APPROX 3 1/2 CU METERS
14. Geographic location of work sites: (access description, i.e., how you get to the work site)	SEE ATTACHED NOTES
15. Was GPS used to map work sites? YES If yes, give co-ordinates: SEE ATTACHED NOTES	16. Were work sites marked in the field (e.g., flagging, cut lines)? If yes, indicate how: NO. ONLY GPS WAS USED
17. Are photographs of work sites attached? NO - BROKE NEW CAMERA	18. Was Notice of work filed? Permit number: N/A

COST STATEMENT

19. Expense(s): (complete either hourly rate or daily rate)	Total Hours OR # of days	Hourly Rate	Daily Rate	Total(s) (\$)
Labour cost: (specify type)				
① MAN	34 HRS	\$ 20 ⁰⁰ HR		680. ⁰⁰
② MEN (COMBINED)	54 HRS	\$ 40 ⁰⁰ HR		2,160. ⁰⁰
Equipment & Machinery cost: (specify type)				
NONE BOUGHT				
Lodging / Food:	Rate(s)	Days		
NIL				
Other: (specify)				
NIL				

20. Total costs of work from above: 2,840.⁰⁰

21. Transportation/travel	Rate(s)	Days	Total(s) (\$)
Specify type and full costs.			
4x4 TRUCK			

22. Transportation/travel, maximum 20% of value in 20 :	235. ⁰⁰
Total costs of work (add 20 and 22):	2840. ⁰⁰
Amount claimed for assessment credit on claims:	3075. ⁰⁰

[Handwritten Signature]
 (Signature of Recorded Holder / Agent)

14 AUG / 2007
 (Date)

Important:

Please ensure you attach the 1:10,000 scale map of the work sites.

If ground control or survey work is being claimed please attach plan(s) as required by Section 15 of the Regulations.

This report must be submitted within 30 days of the date you registered the exploration and development work in MTO.

Submit this report in any Service BC Government Agent or Mineral Titles Office, or you can mail to:

Mineral Titles Branch
 Ministry of Energy, Mines and Petroleum Resources
 300 - 865 Hornby Street
 Vancouver, BC V6Z 2G3

Dates of work

item #9

**13th Sept./06 28th Oct./06 29th Oct./06
31st Mar./06 7th Apr./07 14th Apr./07
12th May/07 7th Jul./07 12th jul./07
13th Jul./07**

Item # 11

Several small trenches and holes were hand tool excavated around sulfide indications, to try to find out if ore outcroppings were evident.

The best findings were in 2 trenches containing copper, iron, and gold. One other small trench revealed zinc with gold content.

These findings are marked on attached maps, along with assay results on attached assays. The two trenches encroached on Spur line logging roads and were back filled in accordance with private lands agreements.

Most work was done by two men (54 hrs combined) plus one man had an extra 34 hrs.

Item #12**W-1 meter x L-3 ½ meters x D-1/2meter****W-1 meter x L-9 meters x D-1/2 meter****½ meter x 2 meters x ½ meter 1 cubic meter****Plus more than 20 small holes or shallow scrapings trying to expose any visible ore – all on s/w area of Mt. Demers.****Item # 14****Access to these work sites are via “Mercer Mainline” access Rd.****Item # 15****Three GPS readings of work sites****Site # 1 N: 48’ 36.914****W: 124’ 06.396****Site # 2 N: 418789 – 5384798 UTM zone 10****Site # 3 N: 48’ 37.040****W: 124’ 07.250**

Findings

Host rock is predominately metamorphic and is Bonanza Volcanics. Magnetite, quartz diorite, slight scarning and epidote are adjacent to all samples.

**Site #1 Chip sample taken from N 48' 36.914
W 124' 06.396 contained:
7.2% Fe
More than 10,000 ppm Cu
.90 GM/T Au**

**Site #2 Chip sample taken from
N 418789-5384798 contained
16.95% Fe
more than 10,000 ppm Zn
.60 GM/T Au**

**Site #3 Chip sample taken from
N 48' 37.040 W 124' 07.250
contained high copper and iron
content. As yet no assay report.**


MAID#1



Legend

- Indian Reserves
- National Parks
- Parks
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes

Scale: 1:50,000



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: COPPER SHOWING

Map center: 48° 36' 55" N, 124° 6' 24" W

AREA PROSPECTED OUTLINED IN YELLOW

TRENCHES

PAGE # 10
 MAP # 1

Internet Mapping Framework

#2 TRENCH CITE



Legend

- Indian Reserves
- National Parks
- Parks
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index, Indefinite
- Contour - Index, Depression
- Contour - Index, Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate, Indefinite
- Contour - Intermediate, Depression
- Contour - Intermediate, Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Map center: 48° 36' 39.3" N, 124° 6' 6.4" W



Scale: 1:5,000

COPPER, ZINC, GOLD FINDING
N418789-5384798

PAGE # 11

Internet Mapping Framework #3 TRENCH CITE



Legend

- Indian Reserves
- National Parks
- Parks
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)



0 90 180 m.

Map center: 48° 37' 4.4" N, 124° 7' 18.2" W



Scale: 1:5,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

COPPER, IRON FINDING

N 48° 37.040
W 124° 07.250

PAGE # 12



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Brian Grieve

7352 Walton Rd
Honeymoon Bay BC V0R 1Y0 Canada

Submitted By:

Brian Grieve

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

August 30, 2007

Report Date:

November 29, 2007

Page:

1 of 2

PRELIMINARY REPORT

VAN07001733

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 8

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Weight/g	Report Status
R150	8	Crush, split and pulverize rock to 150 mesh		
G6 Au Pt Pd	7	Fire assay fusion Au Pt Pd by ICP-ES	28.2	Completed
1D	8	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Brian Grieve
7352 Walton Rd
Honeymoon Bay BC V0R 1Y0
Canada

CC:

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

PAGE # 13



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Brian Grieve

7352 Walton Rd
Honeymoon Bay BC V0R 1Y0 Canada

Project:

None Given

Report Date:

November 29, 2007

Page:

2 of 2

Part 1

PRELIMINARY REPORT

VAN07001733

Method	WGHT	G6	G6	G6	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
Unit	kg	GM/T	GM/T	GM/T	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.01	0.01	0.01	1	2	3	1	0.3	1	1	2	0.01	2	8	2	2	1	0.5
SAMPLE 1 <i>GRAVEL</i> Rock		REW	REW	REW	<1	23	113	36	0.8	13	13	334	16.08	13	<8	<2	4	24	0.9
SAMPLE 2 Rock		0.03	<0.01	0.02	<1	63	623	162	20.5	40	22	233	24.68	44	15	<2	<2	67	2.7
SAMPLE 3 Rock		0.04	<0.01	0.04	<1	835	59	29	3.3	67	67	355	39.34	18	23	5	<2	3	5.6
SAMPLE 4 Rock		0.07	<0.01	<0.01	4	>10000	<3	47	8.0	15	87	530	15.86	38	<8	<2	<2	26	0.7
SAMPLE 5 Rock		0.60	<0.01	0.04	<1	2105	50	>10000	8.2	136	206	810	16.95	6	<8	<2	<2	3	451.5
SAMPLE 6 Rock		0.01	<0.01	0.01	1	202	<3	358	<0.3	17	22	3330	12.24	<2	<8	<2	<2	2	3.0
SAMPLE 7 Rock		0.20	<0.01	0.01	2	494	51	>10000	2.2	8	35	762	8.58	206	<8	<2	<2	7	419.4
SAMPLE 8 Rock		0.90	0.01	0.05	2	>10000	<3	527	10.4	197	379	150	7.24	49	<8	<2	<2	61	11.4

BEST SAMPLE TAKEN ON "MAID I" - TENURE # 519050 (2006)
 N 48° 36.914 #1 TRENCH CITE
 W 124° 06.396
 N418789 - 5384798 #2 TRENCH CITE



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Brian Grieve

7352 Walton Rd
Honeymoon Bay BC V0R 1Y0 Canada

Project:

None Given

Report Date:

November 29, 2007

Page:

2 of 2

Part 2

PRELIMINARY REPORT

VAN07001733

Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	
Unit	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	
MDL	3	3	1	0.01	0.001	1	1	0.01	1	0.01	20	0.01	0.01	0.01	2	5	1	
SAMPLE 1 GRAVEL Rock	287	4	691	0.40	0.031	6	106	0.32	27	0.10	<20	0.83	0.06	0.05	3	<5	<1	
SAMPLE 2 Rock	32	4	51	0.45	0.029	<1	3	0.19	11	0.06	<20	0.47	<0.01	<0.01	<2	<5	<1	
SAMPLE 3 Rock	<3	9	4	1.06	0.007	<1	<1	0.08	6	<0.01	<20	0.13	<0.01	<0.01	<2	<5	<1	
SAMPLE 4 Rock	4	3	67	0.30	0.064	2	25	1.40	4	0.16	<20	2.12	<0.01	0.07	<2	<5	<1	
SAMPLE 5 Rock	<3	14	38	0.16	0.011	<1	25	0.52	8	0.06	<20	1.12	0.02	0.03	<2	<5	8	
SAMPLE 6 Rock	<3	<3	103	0.06	0.002	<1	45	4.81	78	0.04	<20	6.83	<0.01	0.34	<2	<5	<1	
SAMPLE 7 Rock	3	<3	48	0.82	0.058	5	6	0.38	21	<0.01	<20	1.35	0.01	0.14	<2	<5	<1	
SAMPLE 8 Rock	4	<3	31	1.98	0.044	<1	33	0.28	2	0.24	<20	0.90	<0.01	<0.01	<2	<5	<1	

SAMPLE TAKEN ON "MAID I" TENURE # 519050

N 48° 36.914

W 124° 06.396

AT #1 TRENCH CITE

N418789-5384798 AT #2 TRENCH CITE



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Brian Grieve

7352 Walton Rd
Honeymoon Bay BC V0R 1Y0 Canada

Project:

None Given

Report Date:

November 29, 2007

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN07001733

Method		1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
Analyte		BI	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Tl	Hg
Unit		ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm
MDL		3	1	0.01	0.001	1	1	0.01	1	0.01	20	0.01	0.01	0.01	2	5	1
Reference Materials																	
STD CDN-PGMS-8	Standard																
STD DS7	Standard	4	83	0.95	0.075	12	190	1.05	393	0.12	37	1.00	0.09	0.45	3	<5	<1
STD DS7	Standard	4	84	0.91	0.075	11	190	1.04	398	0.11	37	0.97	0.09	0.45	3	<5	<1
STD FA10R	Standard																
STD DS7 Expected		4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	4.18	0.2
STD FA10R Expected																	
STD CDN-PGMS-8																	
BLK	Blank	<3	<1	<0.01	<0.001	<1	<1	<0.01	<1	<0.01	<20	<0.01	<0.01	<0.01	<2	<5	<1
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	<3	30	0.38	0.073	5	39	0.56	204	0.11	<20	0.84	0.04	0.47	<2	<5	<1
G1	Prep Blank	<3	30	0.38	0.074	5	40	0.56	197	0.11	<20	0.83	0.04	0.46	<2	<5	<1

PAGE # 16



Acme Labs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Brian Grieve**
7362 Walton Rd
Honeymoon Bay BC V0R 1Y0 Canada

Project: **Nona Given**
Report Date: **November 29, 2007**

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN07001733

Method	WGHT	G6	G6	G6	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd
Unit	kg	GM/T	GM/T	GM/T	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.01	0.01	0.01	1	2	3	1	0.3	1	1	2	0.01	2	8	2	2	1	0.5
Reference Materials																			
STD CDN-PGMS-8	Standard	0.95	0.41	1.44															
STD DS7	Standard				20	131	68	399	0.8	56	10	632	2.50	51	<8	<2	5	71	6.0
STD DS7	Standard				21	106	64	398	0.9	55	9	637	2.53	50	<8	<2	5	68	5.9
STD FA10R	Standard	0.50	0.46	0.47															
STD DS7 Expected					20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	0.07	4.4	68.7	6.38
STD FA10R Expected		0.5	0.5	0.5															
STD CDN-PGMS-8		0.82	0.44	1.5															
BLK	Blank				<1	<2	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<8	<2	<2	<1	<0.5
BLK	Blank	0.01	<0.01	0.01															
BLK	Blank	0.01	<0.01	0.01															
Prep Wash																			
G1	Prep Blank	0.13	<0.01	0.01	<1	6	<3	41	<0.3	3	4	507	1.54	<2	<8	<2	3	41	<0.5
G1	Prep Blank	0.11	<0.01	<0.01	<1	3	<3	41	<0.3	4	4	499	1.54	<2	<8	<2	4	41	<0.5

PAGE # 17