Geochemical Assessment Report

On the

BC Geological Survey Assessment Report 29497

Centre Star Claims

(Ymir Property)

Nelson Mining Division – British Columbia

Latitude 49° 16 'North, Longitude 117° 111 West

NTS 82F/6E

For

Yellowstone Resources Ltd.

By

Gary M. Allen, P. Eng (Manitoba, Ontario)

December 3, 2007

Revised March 12, 2008

Table of Contents

Summary and Conclusions	P4
Recommendations	P4
Estimated Cost of Recommendations	P5
Introduction	P7
Location	P7
Topography & Vegetation	p7
Geology	p7
Mineralogy	p7
Geochemical Survey	p8
Geochemical Results	p8
Claim Data & History	p8
British Columbia Claim Location Map	P9
Claim Map Location	p10
Claim Map Showing Claims Held by Others	p11
Soil Sample Grid Location	P12
Soil Sample grid with Anomalous Gold Results > 10 ppb	p13
All Gold Results in ppb	p14
Silver Results in ppm	p15
Zinc Results in ppm	p16
References	P17
Affidavit of Expenditures	P17
Certificate	P18
Appendix	P19

Summary and Conclusions

Yellowstone Resources Ltd. holds title to the Centre Star property, consisting of 5 cell claims totalling 37 cells, and 8 crown granted mineral claims underlying the cell claims. The property is located 1.5 km southeast of the Ymir in south-eastern British Columbia in the Nelson Mining Division. The Ymir gold mining camp was discovered in 1896 and produced from 1904 and 1917 and from 1932 to 1942.

The claims cover the historic Centre Star Mine, also known as the Wesko Mine, which produced 51,458 tonnes grading 7.5 grams per tonne and 57.4 grams of silver per tonne with some lead and zinc.

The claims were originally staked to cover an area of favourable geology between two past producing mines. Preliminary geological fieldwork and geophysical and geochemical surveys on the claims indicate anomalous gold in the soil samples.

The 2007 field work, conducted August 12, 25 and 26 consisted of 78 geochemical soil samples on 25m spacing on a grid spaced 100 and 200m apart on claim number 521946. The samples were analysed by ACME Analytical Laboratories Ltd. for the full suite of metals. Results confirmed earlier findings of scattered and clumped anomalous gold values in the soils. Of the 78 samples taken, 13 were considered anomalous, i.e. greater than 10 ppb.

Each of the anomalies warrants follow-up exploration to pinpoint the source of gold. The future work recommended includes further geophysical surveying and geochemical sampling as well as surface trenching and if warranted diamond drilling.

Recommendations

A two phase exploration program is recommended to determine the economic potential of the Centre Star claims. The initial phase would comprise of detailed geophysical and geochemical surveying of the anomalous gold areas to better define the source of gold. Concurrent and following the surveys is backhoe trenching.

Contingent upon the results of Phase 1, the proposed Phase II program would consist of diamond drilling of defined targets. The estimated costs for Phases I and II are \$72,000 and \$156,600, respectively, for a total of \$230,000.

Estimated Cost of Recommendations

Phase I Mapping, geophysical surveying, geochemical sampling and backhoe trenching.

Salaries	Geologist for 15 days @ \$400/day	\$6,000
	2 – Assistants for 15 days @ \$400/day	6,000
Accommoda	ations & meals 45 mandays @ \$150/manday	6,750
Tuonanantati	on 15 days @ \$200	2 000
Transportati	on 15 days @ \$200	3,000
Trenching	10 days @ \$150/hr	12,000
Analytical	800 @ \$20/sample	16,000
Report Prepa	aration	5,000
M	4 S	<i>5</i> ,000
Managemen	it fees	5,000
Total		59,750
Contingenci	es 20% of above	12,000
Total Phase	. Т	72,000
	ν = Ψ	· - , 000

Phase II Diamond drilling and trenching of Phase I targets.

Salaries	Geologist for 10 days @ \$400/day Assistants 10 days @ \$400/day	\$4,000 \$4,000
Accommod	ations & meals 10 mandays @ \$100/manday	1,000
Drilling 550	0m @ \$150/m (all included)	82,500

Total Phase I & 1	I	\$228,600
Total Phase II		\$156,600
Contingencies	20% of above	26,100
Total		130,500
Management fees		5,000
Report Preparation	1	6,000
Analytical	1,000 @ \$20/sample	20,000
Trenching	5 days @ \$150/hr	6,000
Transportation	10 days @ \$200	2,000

Introduction

Yellowstone Resources holds title to 5 claims numbered 537400, 537019, 525443, 521946 and 517270. The claims cover an area 780 hectares approximately 1km south-east of the town of Ymir, in the Ymir gold mining camp in south-eastern British Columbia. This report documents the work done on claim numbered 521946 in 2007.

The 2007 exploration program comprised of line flagging and geochemical soil sampling and analysis.

Location

The claims are accessed from Ymir by gravel road following the Oscar Creek Road east about one kilometre to the bridge crossing to the south side of the creek.

Topography & Vegetation

The area lies within the Nelson Range of the Selkirk Mountains. The property lies at elevations ranging from 700m at Ymir to 1600m. It is moderately steep and is covered with cedar, hemlock, fir, larch and in some areas thick underbrush.

Geology

The area is underlain by Jurassic Ymir Group sediments. The sheared and altered argillite and quartzites are intruded by the Nelson batholith comprising granite and granodiorite of the Middle to Late Jurassic Nelson Intrusions. Prominent shear zones 5 to 10 m wide, trend 30 to 55 degrees east with vertical or steep southeast dips, crosscut the host rocks. On the property two such parallel shear zones occur about 122 m apart.

Mineralization

Mineralization in the Ymir camp occurs in a broad contact zone consisting of sheared and altered argillites and quartzite intruded by granite. Ore shoots occur in veins, up to 8 m wide, along fault fissures striking 289 to 300 degrees and dipping steeply northwest.

Geochemical Survey

A total of 78 soil samples were taken on the claims August 12, 25 and 26 2007. The survey grid covered the southern portion of claim number 521946 as shown on Figure 3. Three east-west lines were sampled on a 25m spacing. The lines were 100m and 200m apart.

The overburden is predominantly comprised of a podzolic glacial till. Soil samples of approximately 0.5 kg weight were collected from the B horizon at a depth of 10 to 20cm and placed in Kraft paper bags. The samples were shipped to Acme Laboratories Ltd. in Vancouver, B.C. for atomic absorption analysis. The samples were dried at 60 degrees Centigrade and 100 grams were sieved to -80 mesh. The sample was digested in 1:1:1 aqua regia and analysed by ICP-MS. The results of the analyses are reported in the Appendix.

Geochemical Results

The soil geochemical survey outlined anomalous gold, i.e. >10 parts per billion (ppb), in 13 of the 78 samples taken. The gold values vary from <1 to 184 ppb. There appears to be no correlation between gold and any other element as can be seen on Figures 4, 5 and 6. The gold, silver and zinc numerical values are shown in plan view in these figures. The soil samples were taken to follow the trend between the historic Yankee Girl, the Centre Star and the Dewey Mines. Further work is warranted to test the hypothesis that gold is found in associated rocks in the area between the mines.

Claim Data & History

Tenure #	Good to	Area in hectares
537400	2009/August 19	105.39
537019	2009/August 19	126.46
525443	2009/August 19	210.71
521946	2009/August 19	189.65
517270	2009/August 19	147.53
Total		779.74

Crown Granted Mineral Claims

Lot No. 3244 Gold Island

Lot No. 3766 Centre Star

Lot No. 3769 Redman

Lot No. 3770 Crowfoot


Lot No. 3771 Blind Canyon

Lot No 14680 England Fr.

Lot No 14681 Scotland Fr.

Lot No 14682 Ireland Fr

The Ymir camp was discovered in 1896 and produced gold from 1904 to 1917 and from 1932 to 1942. Total production from the camp was 635,000 tonnes at 10.3 grams/tonne from 6 mines. The Centre Star Mine, which is owned by Yellowstone, produced 51,458 tonnes at 7.5 grams/tonne gold and 57.4 grams per tonne silver with minor lead and zinc mainly from 1934 to 1937.











Figure 3 Claims Held by Others (in Green)














References

- 1. Government of British Columbia MINFILE Record Summary for Yankee Girl, Centre Star and Dewey Mines.
- 2. B. Taylor, G.A. Noel & Associates Inc., Report on the Geology, Soil Geochemistry T.C. 1-8 Mineral Claims Ymir area, July 1983.

Affidavit of Expenses

Doug Murray 3 days @ \$200/day	\$600.00
Helper 3days @ \$100/day	\$300.00
Stan Endersby	\$500.00
Shipping	\$40.00
Assaying	\$1,543.00
Miscellaneous	\$75.00
Telephone	\$45.00
Report Preparation 4 days @ \$500/day	\$2,000.00
Computer @ 10.00/day 3 days	\$40.00
Total	\$5143.00

December 1, 2007

Gary M. Allen

I Gary Allen, certify that:

- I am a consulting mining engineer with offices at 5 Ursa Court, Sudbury, Ontario P3E 6B8.
- I am a graduate of South Dakota School of Mines and Technology with degrees in Mining Engineering B.Sc. and M. Sc.
- I have practiced my profession since 1970 in Canada and the United States.
- I am a member in good standing of the Association of Professional Engineers of Manitoba and Ontario.
- 5. This report is based on field work completed by Doug Murray.
- 6. I am a director of Yellowstone Resources Ltd.

Gary M. Allen 2007-12-05

/soller

Appendix



www.acmelab.com

Method

Code

Client:

Yellowstone Resources Ltd.

1124 Lee St.

White Rock BC V48 4P4 Canada

Submitted By:

Stan Enderaby

Receiving Lab

Acme Analytical Laboratories (Vancouver) Ltd.

Received: Report Date:

Code Description

September 24, 2007 November 12, 2007

Page:

1 of 4

CERTIFICATE OF ANALYSIS

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

CLIENT JOB INFORMATION CENTRE STAR Project: Shipment ID: P.O. Number Number of Samples:

5580 78 Dry at 60C sieve 100g to -80 mesh 1DX 78 1:1:1 Aqua Regla digestion ICP-MS analysis

Number of

Samples

Test Report Wgt (g) Statue

VAN07001774.1

15

Completed

SAMPLE DISPOSAL

RTRN-PLP

Return

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Yellowstone Resources Ltd.

1124 Lee St.

White Rock BC V4B 4P4

Canada

CC:





www.acmelab.com

Client:

Yellowstone Resources Ltd.

1124 Lee St.

White Rock BC V4B 4P4 Canada

Project:

CENTRE STAR

Report Date:

November 12, 2007

Page:

2 01 4

Part 1

CERTIFICATE OF ANALYSIS

VAN07001774.

		Method	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX16	1DX16	1DX15	1DX16	1DX15	1DX16	1DX15	1DX15	1DX16	1DX16	1DX18	1DX15	1DX18	1DX16
		Analyte	Mo	Cu	Pb	Zn	Ag	NI	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	86	ВІ	V	Ca	P
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L0S-0+00E	Soil		1.0	26.5	22.0	160	0.2	31.7	17.8	2978	2.74	19.6	2.4	3.6	2.5	35	1.0	0.6	0.4	42	0,51	0.185
L0S-0+25E	Soil	10210	2.1	27.9	43.9	231	0.2	27.8	14.2	4824	2.67	11.6	1.2	3.1	1.0	22	4.3	1.1	0.5	48	0.20	0.213
LOS-0+50E	Soll		2.2	30.6	24.2	140	0.3	33.9	14.1	1508	2.48	7.2	2.7	3.0	3.1	17	1.5	0.6	0.4	42	0.18	0.194
L03-0+75E	Soft		0.9	22.0	24.6	189	0.3	35.8	9.4	798	2.27	7.8	0.6	3.4	3.5	37	1.0	0.2	0.3	37	0.27	0.234
LOS-1+00E	Soll		0.9	23.2	30.4	341	0.3	42.1	19.4	3513	2.82	12.5	0.0	6.1	2.6	32	5.5	0.8	0.4	48	0.45	0.115
LOS-1+25E	Soll		1.7	32.1	30.1	549	0.5	73.9	14.2	3533	2.70	14.7	1.0	4.7	2.9	47	12,1	0.6	0.4	52	0.46	0.366
LOS-1+50E	Soll		3.6	110.4	33.2	696	1.4	219.0	43.5	2369	4.62	18.3	1.7	6.1	4.1	27	6.6	1.4	0.7	50	0.23	0.152
L0S-1+75E	Soil		6.5	90.7	33.7	728	0.6	145.3	37.3	2029	4.07	5.8	2.0	9.5	3.0	49	7.2	1.0	0.6	70	0.45	0.134
LOS-2+00E	Soil		6.7	62.5	27.2	1455	0.8	132.2	31.0	4117	4.48	4.0	1.0	6.2	2.8	89	20,6	0.0	0.7	126	0.68	0.15
L0S-2+25E	Soll		10.2	58.1	42.5	1344	1.1	105.1	31,9	3352	4.76	0.3	2.1	4.7	2.9	84	17.2	1.4	0.7	90	0.49	0.20
L03-2+50E	Soil		2.3	30.7	10.5	135	0.2	23.6	8.0	481	2.73	5.8	1.1	5.1	3.1	11	0.5	0.5	0.4	48	0.10	0.17
LOS-2+76E	Soil		1.3	21.0	20.1	210	0.3	32.0	15.4	2288	3.01	0.5	0.6	2.6	3.1	34	1.0	0.6	0.5	44	0.35	0.27
L0S-3+00E	Soll		1.6	25.0	18.8	141	0.3	32.2	12.2	850	3.09	6.5	0.8	8.0	3.6	1.0	0.4	0.6	0.6	54	0,19	0,19
L0S-3+25E	Soll		1.1	22.4	27.0	123	0.2	21.2	11.9	1210	2.73	6.6	1.0	4.2	3.2	21	0.7	0.7	0.4	44	0.10	0,23
LOS-3+50E	Soll		0.0	17.0	22.6	150	0.2	31.8	12.2	396	2.90	6.9	0.7	6.5	4,8	20	0.9	0.6	0.4	47	0.22	0.14
L05-3+75E	Soll		1.1	21.7	23.9	135	0.1	32.5	12.9	732	2.97	5.9	0.9	7.3	4.4	29	0.6	0.4	0.5	53	0.37	0.12
LOS-4+00E	Soil		0.7	16.0	37.1	143	0.1	23.0	10.6	1409	2.35	6.4	0.6	2.9	3.0	20	1.1	0.5	0.4	38	0.21	0.18
L0S-4+25E	Soil		1.0	31.0	25.4	159	0.2	37.3	15.6	817	3.03	0.9	0.8	5.5	4.6	30	0.6	0.6	0.4	54	0.36	0.15
L05-4+50E	Soil		1.1	35.0	23.8	196	0.3	44.6	17.3	2084	3.52	0.1	0.9	2.0	3.6	33	1.2	0.5	0.4	04	0.42	0.13
LOS-4+75E	Soil		1.2	28.5	44.1	164	0.2	29.8	14.0	1780	2.99	9.0	0.7	9.7	3.7	33	1.4	0.6	0.5	60	0.32	0.20
LOS-5+00E	Soil		1.5	25.5	23.3	129	0.5	36.4	13.8	242	2.88	5.4	0.9	10.0	5.1	17	0.5	0.5	0.3	48	0.15	0.08
L0S-5+25E	Soil		1.2	30.9	29.3	135	0.3	37,2	18.6	865	2.71	6.1	0.9	0.0	3.2	29	0.8	0.7	0.4	44	0,23	0.12
L0S-5+50E	Sof		1.2	28.4	28.8	127	0.4	33.8	13.7	1040	2.72	5.3	0.0	11.0	2.6	34	1.1	0.7	0.4	40	0.37	0,12
L0S-5+75E	Soll		1.4	35.0	24.3	127	0.3	46.2	18.7	633	2.01	0.1	1.2	14.8	4.0	36	1.2	0.5	0.4	53	0.34	0.07
L05-6+00E	Soil		1.2	24.1	19.2	163	0.2	35.8	14.5	504	2.97	5.5	0.8	3.3	3.8	19	1.0	0.5	0.3	51	0,16	
LOS-6+25E	Soll		1.2	26.6	24.0	233	0.3	37.9	10.7	1851	3.05	6.1	1.5	3.9	3.1	44	3.3	0.3	0.4	48	0.48	
LOS-8+50E	Soll		1.0	27.8	17.3	142	0.2	43.3	15.6	452	3.70	8.4	1.3	4.3	5.3	49	2.6	0.6	0.3	82	0.72	
L05-6+75E	Soll		1.3	31.0	22.5	170	0.4	42.0	19.1	574	3.13	7.0	1.0	4.3	3.9	35	1.3	0.6	0.4	55	0.36	
L03-7+00E	Soil		1.2	30.6	29.0	105	0.4	41.7	20.6	789	3.27	8.7	0.9	4.8	3.4	38	1.8	0.7	0.4	56	0.38	
L1S-0+00E	Soil		1.3	26.3	24.6	174	0.2	28.8	11.9	2004	2.67	9.4	1.1	2.8	3.2	33	1.7	0.6	0.3	46	0.37	0.20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Bignature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Yellowstone Rese

1124 Lee St.

White Rock BC V4B 4P4 C

Project: Report Date: CENTRE STAR

November 12, 2007

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN

	M	lethod	1DX16	1DX15	1DX15	1DX16	1DX16	1DX15	1DX16	1DX15	1DX16	1DX16	1DX16	1DX16	1DX15	1DX16	1DX16	1DX16
	A	nalyte	Le	Cr	Mg	Ba	TI	В	Al	Na	K	W	Hg	Sc	п	5	Ga	8.
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.8
LOS-0+00E	Soil		0	23	0.66	300	0.105	3	2.50	0,017	0.14	0.1	0.03	2.6	0.3	0.07	0	0.0
L08-0+25E	Soll		0	21	0.50	483	0.100	2	2.90	0.016	0.10	0.3	0.05	2.2	0.3	<0.05	10	0.6
LOS-0+50E	Soil		9	21	0.54	144	0.096	3	3.00	0.015	0.10	0.2	0.02	2.6	0.2	<0.05	0	0.7
LOS-0+75E	Soil		10	22	0.48	251	0.092	2	2.86	0.015	0.14	0.2	0.03	2.5	0.2	<0.05	7	0.5
LOS-1+00E	Soll			20	0.71	349	0.123	2	2.47	0.016	0.14	0.2	0.04	2.6	0.3	0.05	9	0.6
LOS-1+25E	Soil		8	28	0.39	407	0.132	3	4.20	0.018	0.09	0.2	0.05	2.6	0.3	0.08	11	1,4
LOS-1+50E	Soll		14	36	0.87	201	0.114	1	3.88	0.017	0.11	0.3	0.05	3.8	0.3	0.08	10	2.5
LOS-1+75E	Soll		12	36	1.14	193	0.108	2	4.01	0.017	0.09	0.2	0.05	3.9	0.5	0.07	10	3.4
L0S-2+00E	Sof		11	48	1.37	333	0.106	3	3.62	0.016	0.13	0.3	0.06	3.4	0.9	0.07	10	3.6
L0S-2+25E	Soll		9	33	0.76	399	0.100	3	3.27	0.015	0.12	0.3	0.07	2.0	0.7	0.06	10	3.1
LOS-2+50E	Soll		9	21	0.43	101	0.122	1	3.43	0.010	0.09	0.3	0.08	2.6	0.2	<0.05	11	1.2
L0S-2+75E	Soll		9	20	0.39	290	0.140	2	3.35	0.014	0.10	0.3	0.04	2.2	0.2	<0.05	12	0.6
L0S-3+00E	Soll		7	26	0.47	154	0.118	1	3.14	0.011	0.11	0.4	0.05	2.5	0.2	< 0.05	11	0.5
LOS-3+25E	Soll		8	20	0.35	132	0.118	3	3.15	0.014	0.12	0.3	0.05	2.3	0.2	<0.05	11	0.7
LOS-3+50E	Soll		10	23	0.52	172	0.128	2	3.66	0.021	0.13	0.3	0.03	2.5	0.2	<0.05	10	40.5
LOS-3+75E	Soll		10	32	0.68	208	0.110	1	2.68	0.017	0.14	0.4	0.03	3.0	0.3	<0.05	0	0.5
LOS-4+00E	Solt		7	21	0.38	209	0.130	1	2.69	0.025	0.13	0.2	0.03	2.1	0.2	<0.05	10	<0.5
LOS-4+25E	Soll		10	32	0.70	251	0.128	2	3.52	0.026	0.17	0.3	0.03	3.2	0.3	<0.05	11	0.6
LOS-4+50E	Soll		11	45	0.88	312	0.128	1	3.50	0.028	0.24	0.2	0.05	3.7	0.3	<0.05	12	0.6
LOS-4+75E	Soll		9	31	0.72	274	0.127	2	3.08	0.022	0.18	0.3	0.04	3.1	0.3	< 0.05	11	0.5
LOS-5+00E	Soll		11	30	0.60	104	0.101	<1	3.18	0.014	0.15	0.3	0.06	2.8	0.2	< 0.05	0	0.7
L0S-5+25E	Soil		12	27	0.63	162	0.086	<1	2.46	0.014	0.18	0.4	0.03	2.6	0.2	< 0.05	8	0.7
LOS-5+50E	Soil		13	31	0.69	203	0.089	1	2.55	0.015	0.22	0.3	0.03	2.9	0.3	<0.05		0.7
LOS-5+76E	Soll		16	35	0.84	169	0.094	<1	2.68	0.015	0.32	0.4	0.04	3.3	0.3	<0.05	8	0.7
LOS-6+00E	Soll		.11	35	0.72	180	0.131	1	3.12	0.017	0.19	0.3	0.03	2.8	0.3	<0.05	10	0.0
LOS-6+25E	Soll		10	32	0.58	278	0.078	2	2.52	0.016	0.19	0.3	0.03	2.7	0.3	<0.05	9	<0.5
LOS-6+50E	Soll		13	71	1.50	231	0.232	1	4.09	0.087	0.34	0.3	0.04	6.7	0.3	<0.05	13	1.3
LOS-6+75E	Soft		11	38	0.84	218	0.118	1	3.40	0.019	0.26	0.4	0.05	3.3	0.3	<0.05	10	0.7
LOS-7+00E	Soll		10	30	0.81	233	0.121	<1	3.26	0.019	0.24	0.4	0.05	3.2	0.3	<0.05	10	0.6
L1S-0+00E	Soit		12	25	0.51	338	0.104	2	2.92	0.013	0.13	0.2	0.03	2.3	0.3	<0.05	9	0.7



www.acmelab.com

Client:

Yellowstone Resources Ltd.

1124 Lee St.

White Rock BC V4B 4P4 Canada

Part 1

Project:

CENTRE STAR

Report Date:

November 12, 2007

Page:

3 of 4

CERTIFICATE OF ANALYSIS

VAN07001774.1

		Method	1DX15	1DX15	1DX15	1DX16	1DX15	1DX16	1DX16	1DX15	1DX15	1DX15	1DX16	1DX16	1DX15	1DX15	1DX16	1DX15	1DX15	1DX16	1DX15	1DX16
		Analyte	Mo	Cu	Pb	Zn	Ag	NI	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	86	ВІ	V	Ca	F
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L1S-0+25E	Soil		1.2	32.7	27.4	226	0.3	35.0	14.3	2444	2.96	10.4	0.9	22.4	3.3	43	3.4	0.6	0.4	52	0,57	0.264
L1S-0+50E	Soil		1.5	35.1	88.8	223	0.2	38.8	17.8	2494	3.08	12.7	0.8	10.7	2.9	37	3.6	1.7	8.0	59	0.46	0.160
L1S-0+75E	Soil		2.3	41.5	32.4	526	0.5	70.9	17.0	3237	3.18	11.0	1.0	3.9	3.4	49	8.0	0.9	0.4	65	0.39	0.327
L1S-1+25E	Soll		15.0	218.5	59.0	1211	1.8	290.4	69.3	3254	6.64	10.2	4.7	16.4	4.2	88	16.2	2.0	0.8	178	0.63	0.164
L1S-1+50E	Soil		7.2	72.1	27.0	594	1.1	110.7	28.3	2112	4.06	5.0	2.0	6.1	3.8	25	4.0	0.9	0.6	91	0.19	0.118
L1S-1+75E	Soil		3.3	45.4	42.8	647	0.3	118.2	26.1	3261	3.70	8.1	1.1	5.9	3.2	66	10.2	0.9	0.8	72	0.58	0.127
L1S-2+00E	Soll		2.9	72.6	32.9	257	0.4	59.6	33.9	2627	3.18	7.9	1.3	6.9	2.1	43	2.0	1.0	0.6	68	0.42	0.144
L1S-2+25E	Soll		2.7	37.0	36.9	203	0.4	49.0	18.7	2048	2.91	11.1	1.4	5.2	2.7	36	2.2	0.9	0.5	51	0,36	0.144
L1S-2+50E	Soil		2.6	54.1	63.6	230	0.4	38.0	26.7	3427	3.12	16.7	1.0	3.6	8.0	24	2.5	1.5	0.7	58	0.22	0.273
L1S-2+75E	Soil		3.2	40.1	23.9	163	. 0.2	38.5	16.7	1863	3.01	7.4	1.2	5.8	2.6	17	1.3	0.7	0.4	63	0.16	0.143
L1S-3+00E	Soll		1.3	29.2	27.6	200	0.2	31.3	17.0	1952	3.27	9.4	0.9	11.0	2.3	24	2.2	0.7	0.4	62	0.21	0.276
L1S-3+25E	Soll		1.2	17.4	28.6	308	0.4	52.6	14.8	3989	2.94	10.5	0.5	5.0	1.9	50	6.9	0.4	0.5	49	0.58	0.298
L1S-3+50E	Soil		1.0	35.2	26.3	145	0.3	37.0	15.8	1535	2.94	7.0	1.0	4.4	3.6	30	1.2	0.6	0.4	63	0.41	0.162
L1S-3+75E	Soil		1.4	31,4	16.0	105	0.2	36.1	15.0	1265	2.81	3.2	0.9	17,6	2.7	30	0.6	0.5	0.4	71	0.39	0,092
L1S-4+00E	Soll		1.5	27,0	18.1	104	0.2	29.8	12.1	1302	2.76	4.2	0.9	3.7	2.5	14	0.7	0.5	0.4	56	0,17	0.175
L1S-4+25E	Soil		0.8	27,2	19.3	121	0.2	31.1	12.4	2253	2.98	4.5	0.7	1.6	2.5	21	1.3	0.6	0.4	58	0.30	0.172
L1S-4+50E	Soil		0.7	21,3	18.4	148	0.2	36.7	14.8	2748	3.24	2.8	0.4	<0.5	2.2	26	1.3	0.4	0.4	62	0.37	0.122
L1S-4+75E	Soil		1.0	22.6	18.5	137	0.2	32.1	14.7	688	3.17	6.2	0.7	1.6	3.3	11	0.7	0.7	0.4	61	0.16	0.221
L1S-5+00E	Soll		1.0	20.5	24.8	145	<0.1	33.6	13.5	474	3.35	9.0	0.4	2.5	3.5	16	0.9	0.9	0.4	73	0.25	0.135
L2S-0+00E	Soll		1.7	24.0	23.2	137	0.2	35.6	13.1	751	2.80	9.5	0.9	1.6	3.7	33	1.2	0.7	0.4	56	0,44	0.157
L2S-0+25E	Soll		1.6	30.1	30.9	246	0.3	37.8	15.3	2070	2.88	11.0	0.9	4.6	2.9	41	3.9	8.0	0.4	55	0.50	0.249
L2S-0+50E	Soll		1.6	49.4	43.8	1008	0.3	62.9	18.0	4472	2.97	9.4	1.1	10.8	2.1	70	11.8	0.9	0.5	56	0.79	0.373
L2S-0+75E	Soll		1.7	56.2	25.3	389	0.5	64.3	15.5	1245	3.03	8.8	1.1	5.1	3.1	43	4.5	0.7	0.3	71	0.44	0.173
L2S-1+25E	Soll		1.2	58.3	25.7	215	0.2	91.7	30.3	1324	4.64	7.8	1.1	3,7	5.9	53	1.4	0.6	0.4	88	0.43	0.33
L2S-1+50E	Soll		1.4	59.3	35.8	242	0.2	85.0	28.9	1702	4.34	8.9	1.0	1.8	5.0	61	1.6	0.7	0.5	82	0.57	0.36
L2S-1+75E	Soll		1.9	21.9	36.2	259	0.1	37.8	16.4	1709	3.02	11.8	0.7	2.2	2.9	29	2.6	0.7	0.5	57	0.40	0.18
L2S-2+00E	Soil		1.3	20.4	27.4	548	0.2	38.5	21.9	2906	3.20	7.7	0.6	2.4	3.7	53	6.0	0.6	0.5	52	0.66	0.31
L2S-2+25E	Soll		1.7	26.0	17.6	258	0.2	43.7	18.8	2684	2.93	6.9	0.7	3.4	3.6	34	3.4	0.4	0.4	52	0.36	0.40
L2S-2+50E	Soll		1.3	58.8	18.5	284	0.3	76.1	26.5	859	3.77	6.3	1.0	10.7	4.7	33	1.7	0.4	0.4	62	0.41	0.22
L2S-2+75E	Soll		1.5	27.9	21.8	302	0.2	64.0	24.5	1537	3.42	5.5	0.7	0.7	4.4	36	3.3	0.5	0.5	57	0.46	0.208



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada Phone (604) 253-3158 Fax (604) 253-1718

www.acmelab.com

Cllent:

Yellowstone Rese

1124 Lee St.

White Rock BC V4B 4P4 C

Project: Report Date: CENTRE STAR

November 12, 2007

Page:

3 of 4

Part 2

CERTIFICATE OF ANALYSIS

1AV

		Method Analyte	1DX16	1DX16 Cr	1DX16 Mg	1DX15 Ba	1DX16 TI	10X18 B	1DX16 Al	1DX15 Na	1DX16	1DX16 W	1DX18 Hg	1DX16 So	1DX16 TI	1DX16	1DX15 Ge	1DX1
		MDL	ppm 1	ppm 1	0.01	ppm 1	0.001	ppm 1	0.01	0.001	0.01	ppm 0.1	0.01	0.1	0.1	0.05	ppm 1	0.0
L1S-0+25E	Soll	-	11	26	0.65	389	0.119	3	3.40	0.022	0.15	0.2	0.04	3.5	0.3	<0.05	10	0.0
L1S-0+50E	Soll		10	32	0.75	295	0.128	2	3.36	0.020	0.20	0.2	0.04	3.9	0.4	<0.05	10	0.6
L18-0+75E	Soll		13	29	0.53	379	0.099	4	3.34	0.039	0.19	0.2	0.03	3.5	0.3	<0.05	9	1.1
L1S-1+25E	Soll		18	50	1.52	319	0.121	2	4.57	0.035	0.28	0.3	0.06	6.9	0.9	0.11	11	8.0
L1S-1+60E	Sol		13	43	1.20	137	0.119	2	4.01	0.012	0.08	0.2	0.05	4.2	0.5	0.06	11	3.2
L1S-1+76E	Soll		13	32	0.68	360	0.122	3	3.49	0.020	0.18	0.3	0.00	2.9	0.5	<0.05	9	1.6
L1S-2+00E	Soll		11	36	0.94	302	0.111	3	3.72	0.014	0.18	0.3	0.05	3.8	0.3	0.11	10	1,2
L1S-2+25E	Soll		12	19	0.44	232	0.112	4	3.91	0.010	0.09	0.3	0.07	3.1	0.2	0.07	9	1.3
L1S-2+60E	Sol		10	25	0.63	241	0.062	1	2.95	0.010	0.14	0.3	0.08	1.9	0.2	0.07	10	1.
L1S-2+75E	Sof		12	24	0.49	182	0.128	2	4.28	0.010	0.10	0.3	0.03	3.5	0.2	<0.05	12	0.0
L1S-3+00E	Soil		12	22	0.68	244	0.092	1	3.09	0.012	0.14	0.2	0.04	2.4	0.2	<0.05	9	0.
L18-3+25E	Soil		8	26	0.43	468	0.000	2	2.96	0.016	0.13	0.2	0.03	2.5	0.2	<0.05	10	0.
L15-3+50E	Soll		11	32	0.79	307	0.157	3	4.93	0.024	0.15	0.4	0.02	3.9	0.3	< 0.05	12	0.
L1S-3+76E	Soll		8	36	1.00	221	0.151	1	4,18	0.016	0.10	0.4	0.03	4.3	0.2	<0.05	10	0.
L1S-4+00E	Soll		0	27	0.53	210	0.122	2	3.96	0.012	0.09	0.3	0.04	3.5	0.3	<0.05	10	<0.
L1S-4+25E	Soll		7	30	0.70	306	0.145	1	3.89	0.013	0.13	0.4	0.03	3.5	0.2	<0.05	12	40.
L1S-4+50E	Solt		6	42	0.93	388	0.162	1	3.78	0.027	0.13	0.3	0.03	3.9	0.3	<0.05	13	<0.
L1S-4+75E	Soll	1919		32	0.60	174	0.151	2	3.99	0.013	0.11	0.3	0.04	3.7	0.2	<0.05	12	0.
L1S-5+00E	Soft		7	41	0.89	150	0.156	1	3.40	0.015	0.10	0.4	0.04	3.7	0.2	<0.05	11	40 .
L2S-0+00E	Soll		11	28	0.64	235	0.129	2	3.90	0.015	0.10	0.3	0.04	3.0	0.2	<0.05	10	0.
L2S-0+25E	Soll		11	32	0.60	489	0.098	2	2.68	0.013	0.17	0.2	0.03	3.0	0.2	<0.05	8	0.
L2S-0+50E	Soll		0	30	0.65	968	0.105	3	3.52	0.021	0.16	0.2	0.04	3.6	0.3	<0.05	0	1.
L2S-0+75E	Sol		11	38	1.17	286	0.111	2	3.80	0.022	0.13	0.2	0.03	4.5	0.4	<0.05	0	1.
L2S-1+26E	Sol		27	79	1.51	570	0.262	3	4.17	0.017	0.42	0.3	0.01	4.5	0.4	< 0.05	11	<0.
L2S-1+50E	Soll		22	70	1.45	624	0.213	3	3.83	0.014	0,38	0.3	0.02	4.0	0.4	<0.05	11	0.
L2S-1+75E	Sof		7	27	0.59	267	0.153	2	3.23	0.024	0.13	0.2	0.04	3.1	0.2	<0.05	11	<0.
L2S-2+00E	Soll		10	32	0.73	513	0.142	3	3.34	0.030	0.21	0.1	0.05	3.0	0.3	<0.05	10	0
L2S-2+25E	Soll		12	28	0.64	370	0.133	3	3.45	0.026	0.17	0.3	0.04	3.8	0.3	<0.05	10	0
L2S-2+50E	Soil		12	35	0.93	272	0.146	3	3.79	0.029	0.17	0.2	0.03	4.1	0.2	<0.05	10	0.
L2S-2+76E	Soll		12	32	0.70	317	0.140	4	3.61	0.029	0.20	0.2	0.03	3.8	0.3	<0.05	10	<0.

This remort augurerades all previous preference and final reports are unsigned and final reports with this file number dated prior to the date on this persistence. Signeture indicates final approvel, preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Client:

Yellowstone Resources Ltd.

1124 Lee St.

White Rock BC V4B 4P4 Canada

Project:

CENTRE STAR

Report Date:

November 12, 2007

Page:

4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN07001774.1

		Method	1DX16	1DX15	1DX16	1DX15	1DX15	1DX15	1DX15	1DX16	1DX15	1DX1										
		Analyte	Mo	Cu	Pb	Zn	Ag	NI	Co	Mn	Fe	As	u	Au	Th	Sr	Cd	Sb	BI	V	Ca	- 1
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	9							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.00
L2S-3+00E	Soil		1.3	48.2	18.7	264	0.2	71.4	26.4	1501	3.40	7.1	0.9	8.0	3.7	45	2.0	0.4	0.4	59	0.63	0.36
L4S-0+00E	Soil		1.6	32.6	21.6	216	0.1	45.7	14.7	395	3.20	8.4	0.8	2.8	5.2	32	0.9	0.6	0.3	60	0.36	0.06
L4S-0+25E	Soil		1.1	26.9	25.2	168	0.2	37.3	14.8	1163	3.08	8.8	0.8	4.7	3.4	20	1.4	0.7	0.4	53	0.18	0.15
L4S-0+50E	Soil		1.2	29.6	19.0	222	0.2	40.8	14.1	696	2.96	8.7	0.8	2.5	3.9	23	1.3	0.5	0.4	53	0.26	0.183
L4S-0+75E	Soil		1.2	18.4	18.3	179	0.2	33.6	11.2	441	2.86	10.8	0.6	183.7	3.3	27	0.7	0.6	0.4	57	0.35	0.08
L4S-1+00E	Soil		1.1	23.7	18.1	195	0.1	35.6	12.6	1005	2.85	9.9	0.6	3.9	3.7	23	1.1	0.4	0.4	56	0.27	0.15
L4S-1+25E	Soil		1.3	32.2	19.8	192	0.3	38.3	12.6	451	2.96	10.1	1.2	2.9	4.5	21	1.6	0.5	0.4	53	0.25	0.13
L4S-1+50E	Soll		0.8	25.9	32.8	190	0.2	36.1	14.1	1234	2.66	10.5	0.9	1.9	3.5	58	2.6	0.6	0.4	47	0.59	0.19
L4S-1+75E	Soll		0.8	26.1	29.9	211	0.2	32.7	13.2	2140	2.72	10.5	0.7	4.4	3.3	32	2.2	0.8	0.4	43	0,31	0,314
L4S-2+00E	Soil		1.0	62.0	19.4	169	0.2	45.7	18.3	1231	3.00	5.3	0.9	6.3	3.6	22	1.3	0.5	0.4	57	0.30	0.07
L4S-2+25E	Soil		1.4	43.7	21.0	215	0.3	51.2	18.5	3345	3.04	5.0	0.7	8.8	3.1	30	2.6	0.5	0.5	51	0.38	0.083
L4S-2+50E	Soil		2.6	33.9	27.9	139	0.3	35.7	15.4	2921	2.71	6.3	0.9	6.0	2.4	37	1.8	0.7	0.6	47	0.45	0.09
L4S-2+75E	Soll		1.2	38.1	22.5	150	0.3	35.5	13.4	1903	2.91	5.2	1.1	6.8	4.1	26	1.3	0.6	0.5	53	0.32	0,112
L4S-3+00E	Soil		0.5	67.6	23.7	178	0.3	64.0	12.2	2624	2.60	4.2	0.7	2.0	2.9	44	1.5	0.5	0.4	58	0.76	0.07
L4S-3+25E	Soll		1.4	42.5	27.2	259	0.3	47.7	18.9	2410	3.02	8.4	1.4	3.1	3.6	28	2.8	0.6	0.5	47	0.43	0.30
L4S-3+75E	Soil		5.1	69.2	13.7	202	0.3	76.4	27.4	1739	3.39	3.1	2.4	7.9	5.1	45	1.9	0.3	0.7	69	0.60	0.16
L4S-4+00E	Soll		0.8	40.4	15.3	168	0.2	52.6	20.3	1104	3.20	3.0	1.0	10.7	5.6	38	0.9	0.3	0.8	54	0,59	0.20
L4S-4+25E	Soll		2.4	55.8	15.4	129	0.3	69.7	24.5	1172	3.48	3.1	1.6	21.6	6.3	31	0.8	0.4	0.7	69	0.40	0.08

Acmelabs ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Project: Report Date: CENTRE STAR

November 12, 2007

Page:

4 of 4

Part 2

CERTIFICATE OF ANALYSIS

		Method	1DX16	1DX16	1DX18	1DX16	10X15	1DX16	1DX15	1DX16	1DX16	1DX15	1DX16	1DX16	1DX16	1DX15	1DX16	1DX16
		Analyte	La	Cr	Mg	Ba	11	8	AI	Na	K	W	Hg	80	TI	8	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
100 4-000		MDL	1	- 1	0.01		0.001		0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.6
L2S-3+00E	Soll		14	65	1.22	511	0.201	2	3.98	0.029	0.31	0.2	0.04	3.7	0.3	<0.05	11	<0.5
L4S-0+00E	Soil		9	36	0.86	223	0.134	2	3.77	0.027	0.18	0.6	0.02	4.1	0.3	< 0.05	10	<0.5
L4S-0+25E	Soll		11	30	0.00	213	0.110	1	3.92	0.015	0.12	0.3	0.03	3.4	0.2	<0.05	10	<0.5
L4S-0+50E	Soll		9	34	0.77	225	0.126	2	4.06	0.023	0.11	0.3	0.03	3.6	0.2	< 0.05	10	0.7
L4S-0+75E	Solt			30	0.66	171	0.118	2	3.27	0.021	0.10	0.3	0.04	3.3	0.2	<0.05	10	0.6
L4S-1+00E	Soll		9	30	0.66	207	0.120	2	3.65	0.021	0.11	0.3	0.03	3.4	0.2	<0.06	10	<0.5
L4S-1+25E	Soll		11	30	0.65	224	0.121	2	4.07	0.019	0.13	0.3	0.04	3.8	0.1	<0.05	10	1.0
L4S-1+50E	Soll		13	26	0.57	273	0.097	3	3.22	0.016	0.15	0.3	0.04	3.2	0.2	<0.05	0	<0.5
L4S-1+75E	Soll		9	25	0.57	339	0.126	2	4.10	0.022	0.12	0.2	0.04	3.0	0.2	<0.05	10	0.6
L43-2+00E	Soll		12	42	1.05	211	0.121	2	3.42	0.016	0.17	0.2	0.02	4.1	0.3	<0.05	0	0.6
L4S-2+25E	Soll		11	37	1.03	484	0.145	3	3.92	0.029	0.10	0.2	0.04	4.3	0.4	<0.05	11	0.8
L4S-2+50E	Soll		11	29	0.68	406	0.118	3	3.54	0.014	0.12	0.2	0.04	3.1	0.3	<0.05	10	0.6
L4S-2+76E	Soll		14	31	0.76	316	0.138	3	3.85	0.014	0.14	0.3	0.04	3.3	0.4	< 0.05	10	40.5
L4S-3+00E	Soll		10	61	2.02	330	0.140	2	2.93	0.034	0.18	0.2	0.02	5.0	0.3	<0.05	0	0.8
L4S-3+25E	Soll		12	22	0.54	397	0.147	4	4.56	0.015	0.14	0.3	0.05	2.0	0.3	< 0.05	12	1.3
L4S-3+76E	Soll		17	45	1.19	362	0.173	2	3.81	0.038	0.29	0.2	0.04	4.0	0.3	<0.05	10	1,1
L48-4+00E	Soll		13	45	1.25	473	0.107	3	3.53	0.042	0.24	0.2	0.03	4.9	0.4	<0.05	0	1.2
L4S-4+25E	Soll		19	47	1.45	204	0.190	3	3.74	0.022	0.30	0.3	0.02	5.2	0.4	<0.05	11	2.0

This report supercodes of previous preferinery and finel reports with this file number deted prior to the date on this certificate. Signeture indicates final approval, preliminary reports are unsigned and about the used for reference order.



Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Yellowstone Resources Ltd.

1124 Lee St. White Rock BC V4B 4P4 Canada

Project:

CENTRE STAR

Report Date:

November 12, 2007

Part 1 1 of 1 Page:

UALITY CC	NTROL Method Analyte Unit MDL	1DX16 Mo	1DX15 Cu ppm	1DX16 Pb ppm	1DX15 Zn ppm	Ag ppm	NI ppm	1DX15 Co ppm 0,1	1DX16 Mn ppm	1DX15 Fe % 0.01	1DX15 As ppm 0.6	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX16 Th ppm 0.1	1DX16 Sr ppm 1	Cd ppm 0.1	1DX15 1 Sb ppm 0.1	1DX15 BI ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
		0.1	0.1	0.1	1	0.1	0.1			0.70	6.6	1,0	4.2	3.2	21	0.7	0.7	0.4	44 46	0.19	0.237
ulp Duplicates		- 11	22.4	27.0	123	0.2	21.2	11.9	1210	2.73	6.4	1.1	4.8	3.3	21	0.7	0.6	0.4		0.19	0.11
0S-3+25E	Soil	1.1	22.0	27.2	124	0.2	22.0	11.9	1271	2.77 4.06	5.0	2.0	6.1	3.8	25	4.0	0.9	0.6		0.18	0.11
REP LOS-3+25E	QC	7.2	72.1	27.0	594	1.1	110.7	28.3	2112	4.04	4.6	1.9	5.5	3.7	24	4.0	0.9	0.0		0.17	0.17
L1S-1+50E	Soll	7.0	66.2	27.5	565	1.1	108.1	27.1	1970	2.76	4.2	0.9	3.7	2.5	14	0.7	0.5			0.16	0.17
REP L1S-1+50E	QC	1.5	27.0	18.1	104	0.2	29.8	12.1	1302	2.76	4.6	0.9	6.3	2.4	14	0.8	0.5	0.4			0.40
L1S-4+00E	Soil	1.3	26.6	18,4	110	0.2	29.1	12.3	1266	2.70	6.9	0.7	3.4	3.6	34	3.4			6)10		0.40
REP L1S-4+00E	QC	1.7	26.0	17.6	258	0.2	. :43.7	18.8	2684	2.90		0.7	1.6	3.5	36	3.7	0.4	0.4	. 00		
L2S-2+25E	Soil	1.6	26.8	17.8	267	0.2		19.7	2681	2.80	0.1							4.0	0 95	0.95	0.0
REP L2S-2+25E	QC	1,0	20.0							2,49	52.0	4.2	101.0	3.6	65		Annual Science of the Owner, where the Party of the Party				
Reference Materials		21.6	112.3	59.3	400	0.8		10.2						4.2							
STD DS7	Standard	20.8		64.7	401	0.9		1					7 63.8	4.2			-		•		3 0.
STD DS7	Standard	20.2		66.5	409	0.9							9 70	4.4							1 <0.0
STD DS7	Standard	20.92		70.6	411	0.89						-	1 <0.	< 0.						2 <0.0	1 <0.0
STD DS7 Expected	Dlank	<0.1		<0.1	<1			-	_			5 <0.	1 <0.							2 <0.0	1 <0.0
BLK	Blank	<0.		<0.1	<1		-			1 <0.0		5 <0.	1 <0.	5 <0.	1 <	1 <0.	.1 40.	-			
BLK BLK	Blank	<0.		1 <0.1	<1	<0.	1 <0.	1 <0.			1										



Client:

Yellowstone Reso

1124 Lee St.

White Rock BC V4B 4P4 Ca

Project Report Date: CENTRE STAR

November 12, 2007

Page:

Part 2 1 of 1

QUALITY CONTROL REPORT

		И

	Method	1DX15 La ppm	1DX18 Cr ppm 1	1DX18 Mg % 0.01	Ba	т	1DX15 B ppm 1	1DX16 AI % 0.01	1DX16 Na % 0.001	1DX16 K % 0.01	1DX16 W ppm 0.1	Hg ppm 0.01	1DX16 5c ppm 0.1	1DX16 TI ppm 0.1	1DX15 5 % 0.05	Ga ppm 1	1DX16 Se ppm 0.5
	Analyte																
	MDL																
Pulp Duplicates																	
LOS-3+25E	Soll	8	20	0.35	132	0.118	3	3,15	0.014	0.12	0.3	0.05	2.3	0.2	<0.05	11	0.7
REP LOS-3+25E	QC	8	21	0.36	137	0.119	2	3.04	0.017	0.12	0.3	0.06	2.3	0.2	<0.05	11	0.6
L18-1+50E	Soll	13	43	1.20	137	0,119	2	4.01	0.012	0.08	0.2	0.05	4.2	0.6	0.00	11	3.2
REP L18-1+50E	QC	12	40	1.21	131	0.112	1	3.87	0.012	0.08	0.2	0.05	4.0	0.4	0.06	11	3.1
L1S-4+00E	Soil	8	27	0.53	210	0.122	2	3.95	0.012	0.09	0.3	0.04	3.5	0.3	< 0.05	10	<0.5
REP L15-4+00E	QC		26	0.51	201	0.117	1	3,60	0.012	0.09	0.3	0.04	3.3	0.2	<0.05	11	1.0
L2S-2+26E	Soil	12	28	0.64	370	0.133	3	3,45	0.026	0.17	0.3	0.04	3.8	0.3	<0.05	10	0.7
REP L28-2+25E	QC	12	29	0.65	377	0.134	4	3.53	0.026	0.19	0.2	0.04	3.7	0.3	< 0.05	10	₹0.5
Reference Materials																	
STD DS7	Standard	-11	160	1.03	384	0.102	40	0.99	0.086	0.44	4.1	0.19	2.4	3.8	0.23	4	3.4
STD DS7	Standard	12	160	1.03	364	0.102	38	1.02	0.091	0.45	4.3	0.21	2.3	4.4	0.22	5	3.8
STD DS7	Standard	13	178	1.07	378	0.113	36	1.00	0.088	0.44	4.6	0.20	2.3	4.2	0.20	5	3.7
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.0	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	< 0.01	<0.1	<0.01	<0.1	<0.1	< 0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	< 0.001	< 0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	< 0.01	<1	< 0.001	<1	< 0.01	< 0.001	< 0.01	<0.1	<0.01	<0.1	<0.1	< 0.05	<1	<0.5

www.acmelab.com