

BC Geological Survey
Assessment Report
29667

DIAMOND DRILLING REPORT

on the

WASI CREEK PROPERTY

Tenure No. 512686

Omineca Mining Division

NTS: 94C/03E

BCGS Map Sheet: 094C.005, 094C.015

Latitude: 56° 6.5' N; Longitude 125° 1.5' W

UTM: NAD 83, Zone 10; 6 220 000N; 374 000 E

Owner: Selkirk Metals Holdings Corp.

Author: Calvin Church, P.Geo.

February 18, 2008

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
29,667

TABLE OF CONTENTS

Section		Title	Page	
A	Report	Introduction	3	
		Property	3	
		Location and Access	3	
		Climate, Topography and Vegetation	4	
		History	4	
		Regional Geology	8	
		Property Geology	8	
		2006 Diamond Drilling	10	
		Recommendations	12	
		List of References	14	
		Statement of Qualifications	16	
		Tables: 1	2006 Drill Hole Summary	10
		2	Significant Drill Hole Intersections – 2006 Program	12
		B	Property	Schedule of Mineral Claims
C	Expenditures	Statement of Expenditures	18	
D	Analytical Reports	Acme Analytical Laboratories Ltd.:	20	
		- Certificates of Analysis (5 reports)		
		- Statement of Analytical Procedures: Group 7AR		
E	Drill Hole Logs	Drill Hole Record		
		Drill Hole Number WZ-06-08		
		Drill Hole Number WZ-06-09		
		Drill Hole Number WZ-06-10		
		Drill Hole Number WZ-06-11		
F	Illustrations			
		Plan Number	Title	Scale
		WA-06-1 (after p.4)	General Location Plan	1:250 000
		WA-06-2 (after p.4)	Mineral Claims	1:50 000
		WA-06-3 (in pocket)	Mineral Claims / Drill Hole Locations	1:20 000
		WA-06-4 (in pocket)	Geology and Drilling Compilation	1:5 000
		WA-06-5 (in pocket)	Drill Section – WZ-06-08 – Looking 261°	1:500
		WA-06-6 (in pocket)	Drill Section – WZ-06-09 – Looking 281°	1:500
		WA-06-7 (in pocket)	Drill Section – WZ-06-10 – Looking 275°	1:500
WA-05-8 (in pocket)	Drill Section – WZ-06-11 – Looking 340°	1:500		

SECTION A: REPORT

INTRODUCTION:

Selkirk Metals Holdings Corp. ("Selkirk Holdings" or "the Company") owns a 100% interest in the Wasi Creek Property. The property was initially acquired by Cross Lake Minerals Ltd. ("Cross Lake") in July 2000 following a review of prospective areas in British Columbia for carbonate-hosted zinc-lead-silver deposits. It was assigned to Selkirk Holdings in June 2005 as a result of a Plan of Arrangement. It was originally staked to cover the area previously known as the Par Property which Cominco Ltd. extensively explored from 1990 to 1995. The Wasi Creek Property is located 150 km northwest of Mackenzie on the south side of the Osilinka River adjacent to Wasi Lake in the Omineca Mining Division. This report summarizes the program of NQ diamond drilling that was carried out by the Company in late November and December 2006 on the Carrie 2 and Par North Zones. The work was conducted on Tenure No. 512686. Four drillholes totaling 1094.0 m were completed.

PROPERTY:

The Wasi Creek Property is comprised of seven cell claims containing an aggregate of 134 cells and covering 2417.457 hectares. These claims represent the conversion in January, April and May 2005 of 11 contiguous legacy mineral claims, three 4 post and eight 2 post, totaling 66 claim units and covering an area of 1650 hectares. The claims are all situated in the Omineca Mining Division. The Property is registered in the name of Selkirk Metals Holdings Corp. It was originally acquired by Cross Lake by staking on four occasions between July 2000 and October 2001 (see Plan Numbers WA-06-2 and WA-06-3). A Schedule of Mineral Claims is appended in Section B and the expiry dates therein are based on the Statement of Work filed on November 26, 2007 as Event #4181783 and assume that this assessment report will be accepted for assessment purposes. None of the cell claims have been surveyed.

By agreement dated September 1, 2004 and amended November 19, 2004, December 5, 2005 and November 28, 2007, Cross Lake granted Bard Ventures Ltd. an option to earn a 50% interest in the Property by incurring aggregate exploration expenditures of \$800,000 on or before December 31, 2008. This agreement was assigned to Selkirk Holdings by Cross Lake in accordance with the aforementioned Plan of Arrangement.

LOCATION AND ACCESS:

The Property is located on the south side of the Osilinka River some 150 km northwest of Mackenzie and 43 km north-northwest of Germansen Landing. The claims are on BCGS map sheets 94C005 and 94C015

and NTS map sheet 94C/3E. Geographic co-ordinates at the centre of the property are 56° 6.5' North latitude; 125° 1.5' West longitude and UTM coordinates are 6220000N and 374000E in Zone 10, NAD 83.


Access to the property is excellent due to extensive logging operations that have been carried out around and on the claims. The easiest access is by using Highway #97 north of Prince George to a small community named Windy Point, 12 km north of McLeod Lake. From Windy Point one drives on the main haulage logging road located on the west side of Williston Lake, north for 170 km and then west for 22 km to the junction of the Osilinka and Wasi Lake Forest Access roads. The Wasi Creek Property is reached by traveling another 18 km along the south side of the Osilinka River on the Wasi Lake Forest access road. There are several secondary forest access roads crossing the claims all of which are navigable with a four wheel drive vehicle.

CLIMATE, TOPOGRAPHY AND VEGETATION:

The Wasi Lake area has cold, high snowfall winters and warm, damp summers. The topography of the property is moderately steep. The lowest elevation is 830 m on the northern boundary of the property along Wasi Creek near its confluence with the Osilinka River while the high point is 1460 m on the ridge located along the eastern boundary of the claims. The slopes are heavily timbered by pine and spruce. In the clear cuts deciduous willows and poplars predominate.

HISTORY:

The earliest recorded work located in the area was in the Annual Report of the Minister of Mines in 1930 documenting the Weber Prospect, located near the northern edge of the present Wasi Creek Property. The report describes the Weber mineralization as disseminated galena, zinc and pyrite in siliceous dolomite of which a 5.18 m channel sample assayed 3.6% Zn, 1.6% Pb, 1oz/ton Ag and 0.02oz/ton Au. The Weber Prospect was restaked and worked intermittently following the discovery and described in the 1954 Geological Survey of Canada Memoir 274, by E.F. Roots entitled "Geology and Mineral Deposits of Aiken Lake Map-Area, British Columbia". He describes the showing as pyrite-galena-sphalerite-barite replacement body in limestone that strikes north 30 degrees west and dips 80 degrees northeast. A grab sample assayed trace Au; 2.0oz/ton Ag; 10.24% Pb and 4.06% barite. An inventory of the numerous carbonate-hosted stratabound zinc, lead, silver and barite showings in the Wasi Creek area is well described in British Columbia Department of Mines Open File Paper 1992-1. The paper is named "Geology of the Usilika Lake Area, Northern Quesnel Trough, B.C.", (94C/3, 4, 6) by F.Ferri, S. Dudka and C. Rees.



PROFESSIONAL
 PROVINCE OF
 C.L. CHURCH
 BRITISH COLUMBIA
 GEOSCIENTIST
 FEB 18 2008


SELKIRK METALS HOLDINGS CORP.	
WASIK CREEK PROPERTY	
GENERAL LOCATION PLAN	
MINING DIVISION: OMINECA	
UTM: NAD 27 ZONE 10	SCALE: 1:250 000
BCGS: 94C.005, 015	NTS: 94C/03E
DATE: FEB 2008	TOPOGRAPHY: EMR
FILE:	FIGURE: WA-06-01

Wasi Creek Property: Nov 27 2007



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)
 - Placer Claim Designation
 - Placer Lease Designation
 - No Staking Reserve
 - Conditional Reserve
 - Release Required Reserve
 - Surface Restriction
 - Recreation Area
 - Others
- Mining Division (MTO)
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
 - Contour - Index
 - Contour - Intermediate
 - Area of Exclusion
 - Area of Indefinite Contours
- Transportation - Points (TRIM)
 - Helipad
- Transportation - Lines (TRIM)
 - Airfield
 - Airport
 - Airstrip
 - Airport, Abandoned
 - Ferry Route
 - Road (Gravel Undivided) - 1 Lane
 - Road (Gravel Undivided) - 2 Lanes
 - Road (Gravel Undivided) - U/C - 1 Lane
 - Road (Gravel Undivided) - U/C - 2 Lanes
 - Road (Paved Divided) - Not Elevated - 1 Lane Each Way
 - Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
 - Road (Paved Divided) - U/C - Not Elevated - 2 Lanes Each Way
 - Road (Paved Undivided) - Not Elevated - 1 Lane
 - Road (Paved Undivided) - Not Elevated - 2 Lanes
 - Road (Paved Undivided) - Not Elevated - 4 Lanes
 - Road (Paved Undivided) - U/C - Not Elevated - 4 Lanes
 - Road (Unimproved)



0 900 1800 m
 FEB 13 2008
 Map center: 56° 6' 20" N, 125° 40' 32" W

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Figure WA-06-02

In 1990 Cominco Ltd. completed a reconnaissance silt and soil geochemical survey on the stratigraphic extensions of the Lower Cambrian to Middle Devonian carbonates that host the known mineral occurrences. The area around the Weber Prospect was highly anomalous so Cominco staked their first two claims covering this prospect and the anomalous areas. Cominco then completed contour and grid soil sampling and outlined a large, highly anomalous area 1.0 by 4.5 km in size in lead, zinc, iron and silver and staked five additional claims.

Cominco Ltd. completed an intense exploration program during 1991. The exploration program consisted of geological mapping, soil sampling, airborne electromagnetic and magnetometer surveys, ground geophysical surveys including HLEM, magnetometer, Induced Polarization and VLF surveys. A trenching program was completed on the target area of the large soil geochemical anomaly and the coincident conductors. There were seven trenches excavated with the best mineralization discovered in trench #3 that assayed 8.4% Zn, 3.5% Pb and 14.2g/t Ag over a width of 17.2 m.

In 1992 Cominco Ltd. completed 16 diamond drillholes totalling 1,346 m in the area of the trenching. The strike length explored is approximately 2.0 km along a fault controlled, base metal mineralized, structure on the east side of Wasi Creek. The work was not filed for assessment credit so there are no records of the results in the provincial data base.

In 1993 Cominco drilled four holes on the north side of the Osilinka River on a separate area and one hole in the Wasi Creek area in the vicinity of the 1992 drilling. The Wasi Creek drillhole was collared near the Duncan Showing and was successful in intersecting two mineralized horizons that assayed 6.9% Zn, 1.6% Pb and 18.4 g/t Ag over a width of 4.5 m and 3.1% Zn, 3.2% Pb and 32.0 g/t Ag over a width of 3.1 m.

In 1994 Cominco constructed more drill access roads and sites and completed four holes totaling 1,164 m, including two vertical holes drilled possibly to complete stratigraphic sections on either side of the fault controlled mineralization.

Cross Lake Minerals Ltd. acquired a 20 unit mineral claim over the property when the ground came open in 2000 and in 2001 added an additional 46 units. The Company carried out a program of geological mapping, stream sediment sampling and trenching in 2001. In 2002, anomalous stream sediment samples were followed up by soil geochemical sampling in areas upstream from the anomalies.

Stream sediments in the Wasi Creek area were sampled by the British Columbia Geological Survey in 1991 and the results are detailed in Open File 1992-11. Four samples were collected in the Wasi Creek Property area (SS-018, SS-130, SS-203, and SS-304) and had the highest in indicator and base metal elements minerals for the entire survey area. The base metal source for the three anomalous samples, SS-018, 130 and 203, are most likely the Duncan and Par mineralized horizons on the east side of Wasi Creek. Stream sediment sample SS-018, the highest in base metal elements of all of the stream sediment samples, was collected from a stream on the west side of Wasi Creek and south of any known mineralization. In July 2002, Cross Lake Minerals Ltd. sampled the same drainage in order to verify the earlier result. The new sample (WS-1) was taken approximately 750 m upstream, and to the west, of the B.C. government sample site location SS-018 on the OSI 2 mineral claim at approximate NAD 27 UTM coordinates 6 219 053 N, 371 988 E at an elevation of 967 m. The sample was lower in base metal values than the B.C. government sample.

The 2002 soil sampling program was designed to test both sides of an unnamed stream that was highly anomalous in base metal elements when sampled previously by the B.C. Geological Survey. Two sample lines were run parallel and approximately 100 m on either side of the stream until its junction with Wasi Creek then in opposite directions along the west bank. A total of 55 soil samples were collected and the total length of lines surveyed was 1350 m. The sampling program was successful in delineating two areas of anomalous base metal elements. Soils anomalous in lead and zinc occur to the north of the unnamed creek and west of Wasi Creek. The details of this 2002 program were set out in the "Soil Geochemical Report on the Wasi Creek Property, OSI 2 and 3 Mineral Claims" by Jim Miller-Tait, P.Geo. dated January 10, 2003, B.C Assessment Report #27,032.

Additional soil sampling programs were carried out on the property in two phases during the summer of 2004. Details of the 2004 Phase 1 program completed in June was titled "Geochemical Sampling Report on the Wasi Creek Property" by Calvin Church, P.Geo. dated October 28, 2004, B.C. Assessment Report #27532. The program was regional in scope and consisted mainly of a series of road traverses transecting the boundaries of the property. A total of 137 soil samples were collected from road cuts at 100 m intervals along roughly 13 km of logging road. Anomalous results from the Phase 1 program were located approximately one km east of the main Par showings on the east half of the OSI claim.

The 2004 Phase 2 geochemical soil sampling program was carried out in September 2004 which reported results of 212 soil samples collected at 25 m intervals along contour traverses above Wasi Creek.

Consistently anomalous soil geochemical anomalies for lead and zinc were returned from traverses below Carrie Mountain where 48% of the samples had values exceeding 1000 ppm Zn and 28% had values between 400 – 1000 ppm Zn. Results from the 2004 Phase 2 geochemical sampling program are summarized in the report titled “Geochemical Sampling Report (2004 Phase 2) on the Wasi Creek Property” by Calvin Church, P.Geo. dated October 15, 2005, BC Assessment Report #27907.

In May 2005 Aeroquest Ltd. completed a helicopter-borne AeroTEM II electromagnetic and magnetometer survey over the Wasi Creek Property for Cross Lake Minerals Ltd. The survey covered an area of 4000 m by 4000 m with 41 east-west lines on 100m spacing and 5 north-south tie lines on 1000 m spacing. A total of 186.8 line km was flown. Details of the survey are set out in an assessment report written for Selkirk Holdings titled “Airborne Geophysical Report on the Wasi Creek Property” by Calvin Church, P.Geo. dated October 15, 2005, BC Assessment Report #27907. An interpretation of the airborne data was conducted by Syd Visser of S.J.V. Consultants Ltd. which was used in conjunction with property scale mapping to identify prospective targets from the airborne EM survey. Some EM targets located over favorable geologic units in areas of anomalous soil geochemistry represented good drill targets.

During June and July 2005 a seven hole diamond drilling program totaling 1053.6 m was completed on the Wasi Creek Property targeting prospective EM conductors identified in the May 2005 airborne survey. No significant mineralization was detected in core from drillhole targets on the east side of Carrie Mountain and west of Wasi Creek. Clean heterolithic limestone and dolomite breccias with a minor clastic component predominate from the collar to the bottom of the hole. The two drillholes (WZ-05-03 and WZ-05-04) targeting shallow EM conductors east of the Main Par horizon intersected thick (60-80 m) intervals of black shale and argillite which were clearly the source of the anomalies there. The holes bottomed in poorly mineralized Sandpile Fm carbonates at depths of about 200 m. Disseminated and replacement style lead-zinc-silver mineralization was recovered from a fence of three holes drilled approximately 300 m west of the Main Fault and 200 - 400 m south of discovery trench T3. Drillhole WZ-05-05 targeted a weak northwest trending conductor that drillhole 92-14 appears to have intersected 50 m south. Low grade pyrite mineralization is common in the upper section of WZ-05-05 where it is hosted by a carbonate breccia consisting of angular fragments of Rosella Fm supported in a variably dolomitized matrix. Minor sphalerite and lesser galena occur as selvages along thin calcite veins except over the short interval of higher grade where sphalerite is seen partially replacing breccia fragments. Two short step-out holes were then completed 50 and 150m north along this weak conductor and encountered similar grades and styles of mineralization. Drill hole WZ-05-06 encountered the widest zone of

mineralization where replacements textures of sphalerite replacing breccia clasts are common from 46 to 60 m depth. Drill core assays returned values of 2.1% Zn, 0.1% Pb and 9.2 g/t Ag over 14.2 m. The chaotic mineralized breccias are thought to represent debris flow/slump features adjacent to a fault scarp. This work was reported in the "Diamond Drilling Report on the Wasi Creek Property" by Calvin Church, P.Geo., dated October 31, 2005, BC Assessment Report #28364.

REGIONAL GEOLOGY:

The following regional geological description has been compiled from papers in the British Columbia Geological Survey Branch Reports of Geological Fieldwork in 1989 and 1991. The Wasi Creek Property is located in an area that straddles the boundary between the Intermontane and Omineca tectostratigraphic belts of the Canadian Cordillera. The Western Intermontane Superterrane is represented by the Slide Mountain and Quesnel terranes. Together with the eastern autochthonous North American stratigraphy, these rocks form part of a southwest-dipping homoclinal sequence. This sequence has been cut by a series of normal faults, which trend northeasterly. With the exception of the eastern pericratonic strata all of the rocks have been weakly metamorphosed.

The Wasi Creek Property is underlain by the pericratonic North American rocks of primarily carbonates and siliciclastics of miogeoclinal origin. These rocks include the Upper Proterozoic Ingenika Group consisting of impure quartzite, schist, phyllite, limestone, feldspathic wacke and arkosic sandstone. Overlying this Group is the Lower Cambrian to Middle Devonian Atan, Razorback, Echo Lake and Otter Lake Groups. These Groups consist of limestone, dolomite, shale, quartzite, and argillaceous limestone. The Lower Cambrian to Middle Devonian limestone and dolomite host the zinc, lead and silver mineralization on the Wasi Creek Property.

PROPERTY GEOLOGY:

The Wasi Creek Property geology is a compilation from Cross Lake's 2001 exploration work, Cominco's 1990-1995 exploration programs and mapping completed by the British Columbia Geological Survey as described in File Paper 1992-1. The paper is named "Geology of the Usilika Lake Area, Northern Quesnel Trough, B.C.", (94C/3, 4, 6) by F.Ferri, S. Dudka and C. Rees. The geological stratigraphy underlying the property are all Paleozoic in age ranging from Lower Cambrian to Mississippian.

The oldest rock units exposed in the claim area are the Lower Cambrian to Middle Devonian carbonates assigned to the Lower Cambrian Mount Kison Formation of the Atan Group. Overlying this unit are the Cambrian and Ordovician Razorback, Middle Ordovician to Lower Devonian Echo Lake Group and

Middle Devonian Otter Lakes Group. This entire carbonate package consists of limestone, dolomite, lesser shale, quartzite and argillaceous limestone. The Atan, Razorback, and Echo Lake Groups are host to the mineralization on the Wasi Creek Property. Overlying the carbonates is the Upper Devonian to Lower Mississippian aged Big Creek Group. The lithology of the Big Creek Group consists of dark grey to blue grey shales, argillites and minor siltstones. Lower Mississippian-aged dacitic tuff units of the Lay Range Assemblage cap the sequence and represent the only major volcanic rock unit observed on the claims. This thick unit is only exposed on the northwest side of a major geological structure which is postulated to occur in the valley bottom of Wasi Lake and Wasi Creek. The rest of the Lay Range Assemblage is absent in the Wasi Creek Area.

Across Wasi Creek Valley, on the southeast side of the northeast trending Wasi structure, outcrops of Pennsylvanian-aged Mount Howell Formation are mapped. Mount Howell Formation lithologies consists of argillite, chert, gabbro and minor basalt, wacke and felsic tuff.

There are numerous carbonate-hosted zinc-lead-silver showings on the Wasi Creek Property but the best exposed mineralization occurs on the east side of Wasi creek and has received the largest amount of exploration work. Three showings (Duncan, Par and Weber) define the mineralized Par horizon, which was the main focus of Cominco's exploration programs, located from south to north over a two kilometre strike length. These showings are located along a fault structure orientated 330 degrees dipping 70 degrees to the northeast and may be the conduit of mineralizing solutions on the property. The fault and the three showings are all located on the east side of a major northeast trending structural lineament that follows the trace of the valley bottom of Wasi Creek and Wasi Lake. Cominco completed the bulk of their exploration work in this area by completing airborne and ground geophysical surveys, seven excavator trenches and 21 diamond drill holes exploring these mineralized structures. Mineralization is considered to be stratabound with most primary features obliterated by deformation. The sulphides consist of sphalerite, galena, pyrite and traces of tetrahedrite while grain size varies from fine grained at the Duncan showing to coarse-grained in showings located northward along the strike of the main Par horizon.

The Carrie 2 showing is located on the west side of the Wasi Valley structure near the northwest edge of the property. The showing was hand trenched, mapped and sampled by Cross Lake Minerals Ltd. during 2001. Carrie 2 mineralization consists of disseminated fine-grained sphalerite, galena and pyrite hosted in brecciated dolomite and limestone with carbonate in-filling of fractures and open spaces. Mineralized weathered exposures are usually oxidized and in some locations hydrozincite is noted. The trench rock chip channel samples assayed as high as 5.01% Zn, 0.89% Pb and 18 g/t Ag.

2006 DIAMOND DRILLING PROGRAM:

Connors Drilling Ltd from Kamloops, B.C. was contracted by Selkirk Holdings to do the diamond drilling on the Wasi Property in late 2006. Drill crews were mobilized on November 2nd to begin plowing the deep snow from the access roads and constructing drill pads prior to the arrival of the diamond drill. Drill crews and geological staff first stayed at the Osilinka logging camp until December 1st and then moved to the Omineca camp until December 18th due to closure of the Oslinka camp. A D7 Cat was parked at the 20 km mark between the Omineca and Osilinka logging camps and was used to help maintain the Wasi access road that follows the south side of the Omineca River and leads to the property.

An insulated Weatherhaven tent was erected on the property and used as a location for logging and splitting core. The drill core was logged and then split for sampling with one half of the core stored in boxes at the property for later reference if needed. The other half was shipped to Acme Analytical Labs Ltd. in Vancouver, B.C. for analysis for 23 elements utilizing the Acme Group 7AR ICP-ES procedure.

Four holes were drilled to test three different targets. The first target was to test mineralization found in Carrie trenches 1, 2 & 3 completed earlier in the year. The trenches are on the west side of Wasi Creek on the east facing slopes of Carrie Mountain. The first two holes drilled were sulphide poor and returned no significant results. The next target was a well defined EM conductor striking at 335° running parallel to the Carrie trenches. The centre of the EM conductor was very close to the collars of the first two Carrie holes so the set up was achieved by spinning the drill around on the same pad. The third target was a step-out hole 100 m to the west of Cominco's hole 92-9 to test the continuity of mineralization at depth and a conductor near the hole collar. Drillhole locations are shown on Plan Numbers WA-06-3 and WA-06-4 and a summary of drillholes appears below in Table 1.

Hole Number	UTM: NAD 83, Zone 10		Elevation (m ASL)	Azimuth	Dip	Length (metres)
	North	East				
WZ-06-08	6221535	373754	845	171°	-50°	280.0
WZ-06-09	6221540	373 750	845	191°	-45°	250.0
WZ-06-10	6221536	373753	845	005°	-65°	263.0
WZ-06-11	6221513	374250	843	070°	-50°	301.0
Total						1094.0

Drillholes WZ-06-08 and WZ-06-09 were drilled to confirm depth continuity of three mineralized samples located in bedrock in Carrie trenches 1, 2 and 3. The holes were collared on the logging road that closely hugs the valley bottom on the east side of Carrie Mountain. Trench mapping was unable to conclude any reliable contacts or strike direction. Three significant samples were discovered in each of the three trenches describing an inferred strike of 106° to 110° . Drillhole WZ-06-08 intersected mostly non-mineralized siltstone/phyllite lithologies with interbeds of argillite. WZ-06-09 was drilled from the same location as WZ-06-08 but at a slightly different azimuth and dip and cuts the same sequence of highly fractured siltstone/phyllites. A fault with abundant gouge and sericite alteration was encountered from 115.0 to 122.0 m. Due to the steep slope it was not possible to construct a drill pad to target any of the potential hanging wall mineralization.

WZ-06-10 was drilled at 005° - 65° to test a large geophysical airborne EM anomaly detected in the Aeroquest survey from May 2005. The anomaly strikes at 335° from UTM coordinate 6222000N, 374360E to 6220950N, 374400E and it has a continuous elevated EM ridge for 110m with an average width of 30 m. Due to the slope of Carrie Mountain and the overburden thickness the hole was angled obliquely to cross-cut the anomaly. A quartz vein cuts the core from 211.8-213.0 m and contains minor reddish-brown sphalerite 1-2%, pyrite 4-6% near the upper contact with large clasts of epidote, minor limonite and abundant ankerite alteration. The upper and lower contacts are at 62° and 18° to core axis respectively. Host rock lithologies of the quartz vein are highly fractured black argillite and interbedded siltstone.

WZ-06-11 was drilled to test the down dip extension of Cominco's 92-09 drillhole and to test an EM conductor near the proposed collar. The best intersection was from 196.25-196.75 m and visually estimated to contain 25-30% honey yellow to minor reddish-brown sphalerite, 6-7% pyrite and 1-2% galena. Visual estimates translate to a grade of 5.6% Zn and 7.0 g/t over 4.5 m (see Table 2). Typically the sulphides are concentrated along quartz carbonate vein selvages up to several centimeters except where sphalerite is seen replacing breccia fragments and infilling permeable carbonate units up to several metres. Selvage type mineralization is seen in a dolomitized quartz carbonate vein which occurs from 21.6-23.4 m containing 30-40% pyrite and minor sphalerite along the hanging wall. The pyrite content in the upper section of the drillhole is the probable source of the EM conductor.

DRILL HOLE	FROM (m)	TO (m)	INTERVAL (m)	ZINC (%)	LEAD (%)	SILVER (g/t)
WZ-06-11	22.0	23.4	1.40	1.67	.013	3.0
WZ-06-11	66.1	66.3	0.2	12.30	26.79	59.0
WZ-06-11	196.25	197.7	1.45	5.61	.41	7.0
including	196.25	196.75	0.5	13.36	0.8	19.0

CONCLUSIONS:

The 2006 drilling program on the Wasi Creek property was not successful in confirming significant base metal mineralization at the Carrie showing. Although surface trenches have returned samples grading up to 7.1% Zn over 4 m, only poorly mineralized sequences of weakly altered siltstone, phyllite and argillite were intersected in drillholes from that area. Property scale mapping in the area of the showing indicate prospective Rosella Formation carbonates but no mineralized carbonate horizons have been intersected in drillholes to date.

Drill programs in 2005 and 2006 have intersected fault controlled mineralized carbonate lithologies on the east side of Wasi Creek known as the Par horizon. The structure is orientated 330/70E and can be traced from the Duncan showing in the south to the Weber showing in the north initially discovered and explored by Cominco between 1990 and 1995. Mineralization intersected in drillholes WZ-05-05, WZ-05-06 and WZ-05-07 is described as minor sphalerite and lesser galena on calcite vein selvages and local sulphide replacement textures of sphalerite replacing breccia carbonate fragments. The mineralization in these three drillholes shows a strike continuity of over 200 m, averaging between 1.5m to 4.5 m thick and grading 3.4%-6.4% Zn, 9.2g/t-14.3g/t Ag. Drillhole WZ-06-11 encountered similar styles of mineralization and Rosella Fm carbonate host lithologies. Significant pyrite is seen in core adjacent to and within the mineralized horizons and is probably the source of the EM anomalies that the drillholes targeted.

RECOMMENDATIONS:

Due to the lack of any mineralization in holes WZ-06-08 and WZ-06-09, a detailed localized compilation of the area immediately surrounding the Carrie trenches and the large EM anomaly, with drilling, surface mapping, trenching and soil geochemical sampling should be done before any further drilling is initiated. The slopes are steep around the trenches and road and pad work will be required. The significant

discovery of 7.1% Zinc over 4 m in trench Carrie #2 is still unexplained and so further work is required to uncover the source of this mineralization. The trench should be mapped in detail and the Carrie #3 trench should be excavated down to bed rock. According to the trenching report excessive wet conditions in Carrie #3 may have not exposed the bed rock enough for detailed sampling. The trenches attempted to expose bedrock over an EM anomaly that strikes at 335° similar to the 330° strike of the mineralized Par horizon.

The main two km Par horizon which links the Duncan, Par and Weber showings should be explored on its west side and extending to the north. A grid should be constructed and a detailed ground geophysical EM survey used to more accurately define targets in those areas. The mineralized Par holes are widely spaced and adding holes between areas of known mineralization, with the help of modern geophysical methods, may result in new discoveries or identify multiple mineralized horizons.

Additional detailed soil geochemical sampling, prospecting and geophysical surveys is recommended for the area south of the Duncan showing considering the success soil sampling surveys have had on this property in the past. This area is under explored relative to other areas on the property and is up ice from the main Par showings. High Zn/Pb ratios in soil geochemical results could be used to identify possible subsurface carbonate breccia mineralization.



Calvin Church, P.Geol.

LIST OF REFERENCES:

Church, C., (2004): Geochemical Sampling Report on the Wasi Creek Property, OSI, OSI 2, OSI 3, TM 2 and TM 3 Mineral Claims, for Cross Lake Minerals Ltd.; NTS 94C/03E; B.C. Assessment Report #27532

Church, C., (2005): Geochemical Sampling Report (2004 Phase 2) on the Wasi Creek Property, Tenure Nos. 511313, 512685 and 512686, for Selkirk Holdings Metals Holdings Corp.; NTS 94C/03E; B.C. Assessment Report #27907

Church, C., (2005): Airborne Geophysical Survey Report on the Wasi Creek Property, Tenure Nos. 503533, 511312, 511313, 511316, 512684, 512685 and 512686, for Selkirk Holdings Metals Holdings Corp.; NTS 94C/03E; B.C. Assessment Report #27907

Church, C., (2005): Diamond Drilling Report on the Wasi Property, Tenure Nos. 512685 & 512686 for Selkirk Metals Holdings Corp.; NTS: 94C/03E; BC Assessment Report #28364

Ferri F., Dudka S., Rees C., (1992): Geology of the Usilika Lake Area, Northern Quesnel Trough, B.C. (94C/3, 4, 6). British Columbia Geological Survey Geological Fieldwork 1991, Paper 1992-1.

Ferri F., Dudka S., Rees C., Meldrum D., Willson M., (1992): Geology, Geochemistry and Mineral Occurrences of the Usilika Lake Area, B.C. (94C/3, 4 and 6). British Columbia Geological Survey Open File 1992-11.

Gabrielse, H.: Unpublished GSC Map of the Mesilinka Map Area, 94C.

Lewis T., (2006): Geochemical and Trenching Program Report on the Wasi Creek Property, Tenure Nos. 387800, 379604, 390515, 390516 for Selkirk Holdings Metal holdings Corp. NTS: 94C/03E

Mansy, J.L. and Gabrielse, H., (1978): Stratigraphic Terminology and Correlation of Upper Proterozoic Rocks in Omineca and Cassiar Mountains, North-Central B.C., GSC Paper 77-19.

Melville D.M. (1990): Carbonate-Hosted Lead-Zinc Occurrences in the Germansen Landing and End Lake Areas (94C/2, 93N/15). British Columbia Geological Fieldwork Exploration in British Columbia 1989, Pages 193 to 196

Miller-Tait, J. (January 2002): Geological Report on the Wasi Creek Property, OSI Mineral Claim, for Cross Lake Minerals Ltd.; NTS 94C/3E; B.C. Assessment Report #26,827

Miller-Tait, J. (January 2003): Soil Geochemical Report on the Wasi Creek Property, OSI 2 and 3 Mineral Claims, for Cross Lake Minerals Ltd.; NTS 94C/3E; B.C. Assessment Report #27,032

Roots, E.F., (1954): Geology and Mineral Deposits of the Aiken Lake Map Area, B.C., GSC Memoir 274.

STATEMENT OF QUALIFICATIONS:

For: Calvin Church, 1733 Napier Street, Vancouver, B.C. V5L 2N1.

I graduated from the University of British Columbia with a Bachelor of Sciences Degree in Geology (1987);

I have been practicing my profession as a geologist in mineral exploration and mining intermittently since 1987;

I am a registered member in good standing as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia;

The observations, conclusions and recommendations contained in this report are based on field examinations, personal sampling, and the evaluation of results of the exploration programs completed by past operators.



Calvin Church, P.Ge.

SECTION B: PROPERTY

WASI CREEK			SCHEDULE OF MINERAL CLAIMS			
PROVINCE: British Columbia			CLAIMS: 7	CELLS: 134	AREA: 2417.457 ha	
MINING DIVISION: Omineca			NTS: 94C/03E		BCGS: 094C.005, 015	
LOCATION: on the south side of the Osilinka River near Wasi Lake some 150 km northwest of Mackenzie, 200 km northeast of Smithers and 43 km north-northwest of Germansen Landing			LATITUDE: 56° 6.5'		LONGITUDE: 125° 1.5'	
			UTM NAD 83	ZONE 10	6 220 000N	374 000E
MAP			PROPERTY INTEREST:			
1:250 000	94C Mesilinka River	Selkirk Metals Holdings Corp. - 100% Bard Ventures Ltd. - 0%				
1:50 000	94C/03 Uslika Lake					
1:20 000	94C005 Conglomerate Mtn.					
1:20 000	94C006 Mount Howell					
1:20 000	94C015 Tenakihi Range					
1:20 000	94C016 End Lake					
AGREEMENT SUMMARY:						
Sep 01, 2004: Letter Option Agreement between Cross Lake Minerals Ltd. and Bard Ventures Ltd. whereby Bard may earn a 50% interest in the Property by incurring aggregate exploration expenditures of \$800,000 by December 31, 2006.						
Nov 19, 2004: Letter amendment whereby first and second work periods combined.						
Jun 16, 2005: Assignment Agreement between Cross Lake Minerals Ltd. and Selkirk Metals Holdings Corp. whereby Cross Lake assigned a 100% interest in the Wasi Creek Property to Selkirk Holdings.						
Dec 05, 2005: Letter amendment whereby work requirement of \$350,000 was extended by one year to December 31, 2006 and an aggregate work of \$800,000 was extended by one year to December 31, 2007.						
Nov 28 2007: Letter amendment whereby aggregate work requirement of \$800,000 was extended by one year to December 31, 2008.						

CLAIM SUMMARY:							
CLAIM NAME	TENURE NUMBER	CELLS/ UNITS	GROSS AREA (hectares)	RECORD DATE (yyyy-mm-dd)	GOOD TO DATE (yyyy-mm-dd)	ANNUAL WORK \$	RECORDED OWNER / REMARKS
Cell Claims:		Cells					
-	503533	17	306.732	2005-01-14	2011-11-01	2453.86	Selkirk Metals Holdings Corp.
W 1A	511312	14	252.471	2005-04-21	2011-11-01	2019.77	"
-	511313	42	758.063	2005-04-21	2011-11-01	6064.50	"
-	511316	4	72.151	2005-04-21	2011-11-01	577.21	"
-	512684	2	36.070	2005-05-16	2011-11-01	288.56	"
-	512685	17	306.698	2005-05-16	2011-11-01	2453.58	"
-	512686	38	685.272	2005-05-16	2011-11-01	5482.18	"
7		134	2417.457			19339.66	

CLAIM BOUNDARY COORDINATES		UTM: NAD 83, ZONE 10		
Corner No.	Cell ID	Cell Corner	Easting	Northing
1	094C02E070B	NE	376 003.631	6 223 164.687
2	094C02E020C	SE	375 869.890	6 218 528.222
3	094C03H012D	SW	374 314.861	6 218 573.307
4	094C03A092C	SE	374 260.697	6 216 718.756
5	094C03A095C	SW	371 538.227	6 216 799.039
6	094C03H055C	NW	371 718.036	6 222 826.295
7	094C03H054D	NE	373 271.567	6 222 780.246
8	094C03H063B	NW	373 285.236	6 223 243.888

Note: Property corners are numbered in a sequence starting at the NE corner of the property and proceeding in a clockwise direction.

SECTION C: EXPENDITURES – Wasi Creek Property-2006 Diamond Drilling Program

Item	Work Performed	Quantities / Rates	Amount
Drilling / Site Work:			
Drilling Contractor: Connors Drilling Ltd. Kamloops, BC	Mobilization / demobilization NQ2 drilling: 1094.0 m Fuel, moving costs, acid tests, extra labour costs, drilling materials, core boxes	1094 m @ \$160.28/m	\$175,347.65
Site Work: Ruskin Construction Ltd.	D7 Bulldozer: Nov 19-30, 2006 Mobilization / demobilization including pilot car Snow plowing, drill site preparation	60 hours @ \$193.04	11,582.75
Site Work: Hat Lake Logging Ltd.	D6R Bulldozer: Dec 1-16, 2006 Mobilization / demobilization Snow plowing, drill site preparation	39 hours @ \$229.74	8,960.00
Subtotal:			195,890.40
Personnel:			
Project Manager: Jim Miller-Tait, Sikanni Mine Development	General project management: Nov 3 – Dec 15, 2006	9 days @ \$525.00	4,725.00
Project Geologist: Mike McCartan, P.Geo. McCardal Holdings Ltd.	Drill program supervision, core logging, data analysis Period: Nov 1, 2006 – Jan 12, 2007	47 days @ \$400.00	18,800.00
Field Assistant: Karry Gray	Core handling and splitting: Period: Nov 22-Dec 18, 2006	27 days @ \$221.60	5,983.28
Subtotal:			12,588.28
Accommodation & Meals:			
Abitibi Consolidated	Osilinka and Omineca Camps: Room and board from Nov 4-Dec 17, 2006 for geological and drilling personnel	175 mandays @ \$128.57	22,500.00
Jim Miller-Tait, Sikanni Mine Development	Travel to and from Wasi Creek site: Nov 3-6, 2006		459.24
Mike McCartan McCardal Holdings Inc.	Period: Nov 1, 2006 - Jan 12 2007	15 days @ \$82.24	1,233.64
Subtotal:			24,192.88
Transportation:			
Jim Miller-Tait, Sikanni Mine Development	Truck expenses traveling from Vancouver to the Wasi Property and return	4 days @ \$75.00 Fuel	300.00 450.01 750.01
Mike McCartan McCardal Holdings Ltd.	Truck expenses traveling to, around and from the Wasi Creek property	8580 km @ \$0.40/km Fuel	3,432.00 651.08 4083.08
Subtotal:			4,833.09

Field Supplies:			
Eagle Building Supplies Quesnel, BC	Equipment and materials for onsite core handling facility:		1,132.63
Acme Analytical Laboratories Ltd.	Sample bags, shipping bags		254.13
Subtotal:			1,386.76
Freight:			
Greyhound Courier Express	Transport of drill core samples from Mackenzie to Vancouver		977.13
Analytical Services:			
Acme Analytical Laboratories Ltd.	ICP-ES 23 element analyses	252 samples	4360.66
Map Preparation:			
Mike J. Davies	Base map preparation, data plotting, geological map and drill sections	8 hours @ \$60.00	480.00
Printing:	Map reproduction		50.00
Subtotal:			530.00
Report Preparation:			
Caledonia Geological Calvin Church, P.Geo.	Data review, interpretation and report preparation	4 days @ \$500.00	2,000.00
Erik Andersen, Land Administrator	Report compilation and editing	10 hours @ \$40.00	400.00
Subtotal:			2,400.00
Total			\$247,159.20
Total Drilling			1,094.0 m
Cost per Metre			\$225.92

Expenditure Apportionment:

Claim Tenure No.	Drilling (metres)	% of Total	Expenditure
512686	1094.0	100.00	\$247,159.20
Total	1094.0	100.00	\$247,159.20

SECTION D: ANALYTICAL RESULTS

1. Analyses carried out by Acme Analytical Laboratories Ltd. of Vancouver, B.C.
 - Certificate of Analysis #A609139 dated December 7, 2006
 - Certificate of Analysis #A609316 dated December 14, 2006
 - Certificate of Analysis #A609317 dated December 14, 2006
 - Certificate of Analysis #A609420 dated December 19, 2006
 - Certificate of Analysis #A609532 dated December 22, 2006
 - Statement of Analytical Procedures: Group 7AR Methods and Specifications



ASSAY CERTIFICATE

JAN 1 2 2007



Selkirk Metals Holdings Ltd. PROJECT WASI File # A609139

Page 1

1255 W. Pender St., Vancouver BC V6E 2V1 Submitted by: Jim Miller-Tait

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	.01	<2	<.001	<.001	.06	2.00	<.01	.009	<.001	<.001	<.01	.63	.075	.001	.63	1.13	.12	.57	<.001	<.001	-
502501	<.001	.001	<.01	<.01	<2	.001	.001	.13	3.20	<.01	.024	<.001	<.001	<.01	1.73	.065	.001	.95	1.17	.02	.48	<.001	<.001	3.7
502502	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.76	<.01	.009	<.001	<.001	<.01	.81	.069	<.001	.55	1.03	.01	.64	<.001	<.001	1.1
502503	<.001	<.001	<.01	<.01	<2	.001	.001	.12	2.76	<.01	.022	<.001	<.001	<.01	1.71	.062	.001	.77	.61	.04	.44	<.001	<.001	3.0
502504	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.19	<.01	.013	<.001	<.001	<.01	1.13	.079	.001	.76	.79	.02	.59	<.001	<.001	5.0
502505	<.001	.001	<.01	<.01	<2	.002	.001	.07	3.67	<.01	.010	<.001	<.001	<.01	.75	.065	.001	.68	.97	.01	.57	.001	<.001	4.7
502506	<.001	.001	<.01	<.01	<2	.002	.001	.07	4.04	<.01	.012	<.001	<.001	<.01	.92	.070	.001	.75	.77	.01	.61	.001	<.001	6.5
502507	<.001	<.001	<.01	<.01	<2	.001	.001	.08	4.06	<.01	.013	<.001	<.001	<.01	1.15	.068	.001	.80	.58	.01	.50	<.001	<.001	6.3
502508	<.001	.001	<.01	<.01	<2	.003	.002	.04	3.46	<.01	.011	<.001	<.001	<.01	1.02	.070	.001	.67	.74	.01	.66	<.001	<.001	4.7
502509	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.26	<.01	.008	<.001	<.001	<.01	.60	.076	.001	.57	.80	.01	.66	<.001	<.001	5.3
502510	<.001	.002	<.01	<.01	<2	.004	.002	.04	3.52	<.01	.005	<.001	<.001	<.01	.30	.070	.001	.56	.80	.01	.83	<.001	<.001	5.8
502511	<.001	.001	<.01	<.01	<2	.002	.001	.09	3.75	<.01	.019	<.001	<.001	<.01	1.53	.089	.001	.81	.82	.01	.61	<.001	<.001	6.0
502512	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.70	<.01	.011	<.001	.001	<.01	.90	.082	.001	.69	.87	.01	.64	<.001	<.001	5.3
502513	<.001	.001	<.01	<.01	<2	.002	.001	.04	3.50	<.01	.012	<.001	<.001	<.01	.92	.084	.001	.61	.83	.01	.67	.001	<.001	5.0
502514	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.07	<.01	.017	<.001	<.001	<.01	1.37	.077	.001	.57	.98	.01	.68	.001	<.001	2.2
502515	<.001	.001	<.01	<.01	<2	.001	.001	.06	3.41	<.01	.016	<.001	<.001	<.01	1.33	.063	.001	.56	.74	.01	.72	<.001	<.001	6.0
502516	<.001	.001	<.01	<.01	<2	.001	.001	.05	3.04	<.01	.017	<.001	.001	<.01	1.39	.060	.001	.54	.72	.01	.73	<.001	<.001	4.5
502517	<.001	.001	<.01	<.01	<2	.001	.001	.05	3.31	<.01	.017	<.001	.001	<.01	1.48	.079	.001	.54	.82	.01	.66	<.001	<.001	4.7
502518	<.001	.001	<.01	<.01	<2	.001	.001	.04	2.62	<.01	.012	<.001	<.001	<.01	1.06	.062	.001	.39	.78	.01	.73	.001	<.001	3.5
502519	<.001	.001	<.01	<.01	<2	.001	.001	.06	2.68	<.01	.021	<.001	<.001	<.01	2.24	.152	.001	.54	.61	.01	.54	.001	<.001	5.4
502521	<.001	.001	<.01	<.01	<2	.001	.001	.04	2.12	<.01	.013	<.001	<.001	<.01	1.81	.134	.001	.38	.67	.01	.59	.001	<.001	4.6
502522	<.001	<.001	<.01	<.01	<2	.001	.001	.04	2.92	<.01	.015	<.001	.001	<.01	1.86	.118	.001	.37	.78	.01	.57	<.001	<.001	6.2
502523	<.001	<.001	<.01	<.01	<2	.001	.001	.04	2.43	<.01	.016	<.001	.001	<.01	1.34	.079	.001	.27	.66	.01	.75	<.001	<.001	6.0
502524	<.001	<.001	<.01	<.01	<2	.001	.001	.05	3.55	<.01	.012	<.001	.001	<.01	1.06	.066	.001	.34	.61	.01	.73	<.001	<.001	5.4
RE 502524	<.001	<.001	<.01	<.01	<2	.001	.001	.05	3.56	<.01	.012	<.001	.001	<.01	1.05	.066	.001	.34	.62	.01	.74	<.001	<.001	-
RRE 502524	<.001	<.001	<.01	<.01	<2	.001	.001	.05	3.49	<.01	.012	<.001	<.001	<.01	1.06	.065	.001	.33	.59	.01	.72	<.001	<.001	-
502525	<.001	<.001	<.01	<.01	<2	.001	.001	.05	3.01	<.01	.021	<.001	.001	<.01	1.98	.087	<.001	.42	.64	.01	.71	<.001	.001	3.6
502526	<.001	.001	<.01	<.01	<2	.001	.001	.06	3.42	<.01	.028	<.001	.001	<.01	2.63	.123	.001	.55	.66	.01	.68	.001	<.001	2.8
502527	<.001	.001	<.01	<.01	<2	.002	.001	.03	2.75	<.01	.016	<.001	.001	<.01	1.27	.088	<.001	.37	.75	.01	.84	<.001	<.001	3.2
502528	<.001	.001	<.01	<.01	<2	.002	.001	.03	2.84	<.01	.017	<.001	<.001	<.01	1.43	.082	.001	.42	.77	.01	.83	.001	.001	4.6
502529	<.001	.002	<.01	<.01	<2	.002	.001	.06	3.39	<.01	.022	<.001	<.001	<.01	1.86	.080	<.001	.55	.67	.01	.71	<.001	.001	4.3
502530	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.25	<.01	.013	<.001	<.001	<.01	1.60	.084	<.001	.40	.64	.01	.65	<.001	<.001	3.5
502531	<.001	.001	<.01	<.01	<2	.001	.001	.06	3.20	<.01	.019	<.001	<.001	<.01	2.25	.085	.001	.48	.61	.01	.55	<.001	<.001	2.2
502532	<.001	.003	<.01	<.01	<2	.002	.001	.01	1.60	<.01	.005	<.001	<.001	<.01	.56	.099	.001	.13	.73	.01	.80	<.001	<.001	1.3
502533	<.001	.002	<.01	<.01	<2	.001	.001	.06	3.23	<.01	.017	<.001	<.001	<.01	2.03	.060	.001	.49	.58	.01	.56	<.001	<.001	6.1
STANDARD R-3	.074	.800	1.92	4.14	200	.532	.062	.07	31.45	.04	.003	.025	.040	<.01	1.34	.051	.013	1.10	1.16	.04	.48	.036	.003	-

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES.
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 7 2006 DATE REPORT MAILED: DEC 21 2006





SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	<.001	<.001	.06	2.00	<.01	.008	<.001	<.001	<.01	.59	.074	.001	.63	1.11	.12	.55	<.001	<.001	-
502534	<.001	.001	<.01	<.01	<2	.001	.001	.04	2.34	<.01	.008	<.001	.001	<.01	.98	.071	.001	.31	.59	.01	.57	<.001	<.001	5.1
502535	<.001	.001	<.01	<.01	<2	.002	.001	.08	3.97	<.01	.016	<.001	.001	<.01	1.99	.056	<.001	.59	.55	.01	.53	<.001	<.001	5.5
502536	<.001	.001	<.01	<.01	<2	.002	.001	.05	2.90	<.01	.012	<.001	<.001	<.01	1.42	.074	.001	.38	.54	.01	.56	<.001	<.001	6.6
502537	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.75	<.01	.013	<.001	<.001	<.01	1.55	.077	<.001	.46	.35	.01	.40	<.001	<.001	4.0
502538	<.001	.001	<.01	<.01	<2	.002	.001	.09	4.20	<.01	.013	<.001	<.001	<.01	1.83	.064	.001	.58	.55	.01	.46	<.001	<.001	3.5
502539	<.001	.003	<.01	.02	<2	.004	.002	.07	6.02	<.01	.005	<.001	<.001	<.01	.49	.075	.001	.76	.40	.01	.34	.001	<.001	1.6
502540	<.001	.003	<.01	.01	<2	.004	.002	.05	5.38	<.01	.003	<.001	.001	<.01	.32	.083	.001	.69	.58	.01	.56	<.001	<.001	3.6
502541	<.001	.002	<.01	.01	<2	.004	.002	.09	5.72	<.01	.003	<.001	.001	<.01	.25	.080	<.001	.73	.34	.01	.36	.001	<.001	6.0
502542	<.001	.002	<.01	.01	<2	.004	.002	.11	5.86	<.01	.004	<.001	<.001	<.01	.54	.080	.001	.78	.79	.01	.53	<.001	<.001	5.6
RE 502542	<.001	.002	<.01	.01	<2	.004	.002	.11	5.77	<.01	.004	<.001	.001	<.01	.54	.081	.001	.79	.84	.01	.54	<.001	<.001	-
RRE 502542	<.001	.002	<.01	.01	<2	.004	.002	.11	5.74	<.01	.004	<.001	.001	<.01	.54	.081	.001	.77	.55	.01	.34	.001	<.001	-
502543	<.001	.002	<.01	.01	<2	.004	.002	.11	5.70	<.01	.004	<.001	.001	<.01	.41	.080	.001	.81	.99	.01	.57	<.001	<.001	6.4
502544	<.001	.004	<.01	<.01	<2	.004	.002	.11	5.47	<.01	.005	<.001	.001	<.01	.71	.083	<.001	.77	.33	.01	.31	.001	<.001	7.0
502545	<.001	.003	<.01	<.01	<2	.003	.002	.10	4.00	<.01	.010	<.001	<.001	<.01	1.29	.076	<.001	.67	.53	.01	.52	<.001	<.001	2.3
502546	<.001	.004	<.01	.01	<2	.004	.002	.11	6.07	<.01	.004	<.001	.001	<.01	.50	.075	.001	.87	.80	.01	.28	<.001	<.001	4.4
502547	<.001	.003	<.01	.01	<2	.004	.003	.09	6.13	<.01	.004	<.001	<.001	<.01	.58	.070	.001	1.03	.68	.01	.49	<.001	<.001	1.5
502548	<.001	.003	<.01	.01	<2	.004	.002	.15	5.57	<.01	.010	<.001	.001	<.01	1.39	.094	.001	.91	.92	.01	.30	<.001	<.001	4.4
502549	<.001	.003	<.01	.01	<2	.004	.002	.08	5.74	<.01	.008	<.001	.001	<.01	1.06	.088	.002	.94	2.24	.02	.52	<.001	<.001	5.6
502550	<.001	.003	<.01	.01	<2	.004	.002	.06	5.15	<.01	.006	<.001	<.001	<.01	.84	.090	.002	.82	1.56	.01	.31	<.001	<.001	4.5
502551	<.001	.001	<.01	<.01	<2	.002	.001	.08	3.57	<.01	.011	<.001	.001	<.01	1.56	.193	.001	.59	1.07	.02	.50	<.001	<.001	1.5
502552	<.001	.001	<.01	<.01	<2	.002	.001	.11	3.54	<.01	.012	<.001	.001	<.01	2.23	.089	.001	.69	.79	.03	.31	<.001	<.001	2.8
502553	<.001	.002	<.01	<.01	<2	.002	.001	.04	2.50	<.01	.011	<.001	.001	<.01	.89	.072	.001	.38	1.07	.01	.93	<.001	<.001	2.2
502554	<.001	<.001	<.01	<.01	<2	.001	.001	.08	2.46	<.01	.019	<.001	<.001	<.01	2.38	.119	<.001	.67	.94	.01	.57	<.001	<.001	.7
502555	<.001	.001	<.01	<.01	<2	.002	.001	.02	2.43	<.01	.010	<.001	<.001	<.01	.84	.135	.001	.39	1.28	.01	.79	<.001	<.001	3.2
502556	<.001	<.001	<.01	<.01	<2	.001	.001	.11	2.30	<.01	.016	<.001	<.001	<.01	2.73	.109	<.001	.71	.87	.01	.54	<.001	<.001	.8
502557	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.37	<.01	.012	<.001	.001	<.01	1.34	.117	.001	.50	.88	.01	.72	<.001	<.001	2.6
502558	<.001	.004	.01	<.01	<2	.003	.001	.03	3.11	.01	.011	<.001	<.001	<.01	1.16	.071	.001	.41	.76	.01	.67	<.001	<.001	1.1
502559	<.001	.001	<.01	<.01	<2	.002	.001	.07	2.77	<.01	.016	<.001	<.001	<.01	2.19	.053	<.001	.67	.69	.01	.66	<.001	<.001	3.0
STANDARD R-3	.076	.814	2.01	4.01	198	.547	.062	.07	31.44	.04	.003	.025	.039	<.01	1.34	.049	.013	1.11	1.12	.04	.47	.046	.002	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE

Selkirk Metals Holdings Ltd. PROJECT WASI File # A609316

1255 W. Pender St., Vancouver BC V6E 2V1 Submitted by: N / A

DEC 18 2006




SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	<.001	<.001	.06	1.96	<.01	.008	<.001	<.001	<.01	.64	.078	.001	.64	1.26	.17	.58	.001	<.001	-
502560	<.001	<.001	<.01	<.01	<2	.002	.001	.06	4.50	<.01	.006	<.001	<.001	<.01	.65	.065	.001	.65	.99	.01	.42	.001	<.001	3.5
502561	<.001	.001	<.01	<.01	<2	.002	.001	.03	3.68	<.01	.007	<.001	<.001	<.01	.61	.068	.001	.61	.84	.01	.51	<.001	<.001	5.4
502562	<.001	.001	<.01	<.01	<2	.002	.001	.09	4.26	<.01	.016	<.001	<.001	<.01	1.58	.070	.001	.86	.75	.01	.45	.001	<.001	5.9
502563	<.001	.001	<.01	<.01	<2	.002	.001	.11	3.78	<.01	.016	<.001	.001	<.01	1.64	.074	.001	.84	.86	.01	.50	.001	<.001	4.8
502564	<.001	.002	<.01	<.01	<2	.003	.002	.05	4.09	<.01	.004	<.001	<.001	<.01	.27	.058	<.001	.39	.40	.01	.48	.001	<.001	4.6
502565	<.001	.001	<.01	.01	<2	.003	.001	.04	3.48	<.01	.008	<.001	<.001	<.01	.59	.061	.001	.40	.75	.01	.75	.001	<.001	5.1
502566	<.001	.001	<.01	.01	<2	.003	.001	.03	2.34	<.01	.005	<.001	<.001	<.01	.33	.052	<.001	.24	.48	.01	.50	.001	<.001	4.2
502567	<.001	.002	.01	.01	<2	.003	.002	.07	4.59	<.01	.016	<.001	<.001	<.01	1.32	.052	.001	.67	.79	.01	.70	<.001	<.001	4.8
502568	<.001	.002	<.01	<.01	<2	.003	.002	.03	3.24	<.01	.008	<.001	<.001	<.01	.54	.095	.001	.35	.93	.01	.71	.001	<.001	5.0
502569	<.001	.002	<.01	<.01	<2	.002	.001	.04	3.43	<.01	.008	<.001	<.001	<.01	.65	.073	.001	.39	1.02	.01	.68	<.001	<.001	6.0
502570	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.64	<.01	.017	<.001	<.001	<.01	1.35	.072	.001	.50	.95	.01	.66	<.001	<.001	6.4
502571	<.001	.001	<.01	<.01	<2	.002	.001	.04	3.18	<.01	.008	<.001	<.001	<.01	.66	.057	.001	.32	.98	.01	.81	<.001	<.001	6.9
502572	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.38	<.01	.021	<.001	<.001	<.01	1.98	.073	.001	.51	.89	.01	.69	.001	<.001	3.4
502573	<.001	.002	.01	<.01	<2	.002	.001	.02	2.09	<.01	.013	<.001	.001	<.01	1.01	.085	.001	.26	.89	.01	.91	.001	<.001	2.1
502574	<.001	.002	<.01	<.01	<2	.002	.002	.02	2.17	<.01	.010	<.001	<.001	<.01	.79	.095	<.001	.23	.48	.01	.62	.001	<.001	2.0
502575	<.001	.002	.01	<.01	<2	.002	.001	.05	2.74	<.01	.021	<.001	<.001	<.01	1.93	.092	.001	.44	.85	.01	.70	<.001	<.001	2.4
502576	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.45	<.01	.023	<.001	<.001	<.01	2.31	.054	.001	.53	.75	.01	.69	.001	<.001	2.5
502577	<.001	.002	<.01	<.01	<2	.002	.002	.05	3.32	<.01	.023	<.001	<.001	<.01	2.39	.096	<.001	.47	.79	.01	.76	.001	<.001	1.4
502578	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.68	<.01	.018	<.001	<.001	<.01	1.93	.064	.001	.46	.63	.01	.64	.001	<.001	.5
RE 502578	<.001	.001	<.01	<.01	<2	.001	.001	.04	2.67	<.01	.019	<.001	.001	<.01	1.96	.066	.001	.46	.62	.01	.64	<.001	<.001	-
RRE 502578	<.001	.001	<.01	<.01	<2	.002	.001	.04	3.02	.01	.016	<.001	.002	<.01	1.77	.062	.001	.41	.80	.01	.70	.001	<.001	-
502579	<.001	.003	<.01	<.01	<2	.001	.001	.04	2.86	<.01	.017	<.001	<.001	<.01	1.96	.056	<.001	.38	.62	.01	.72	.001	<.001	2.4
502580	<.001	.003	<.01	<.01	<2	.004	.002	.03	3.49	<.01	.002	<.001	<.001	<.01	.18	.047	.001	.60	.69	.01	.62	.001	<.001	1.3
502581	<.001	.002	<.01	<.01	<2	.004	.002	.03	3.50	<.01	.002	<.001	.001	<.01	.24	.047	.001	.66	.62	.01	.44	.001	<.001	5.1
502582	<.001	.002	<.01	<.01	<2	.004	.002	.04	3.59	<.01	.003	<.001	.001	<.01	.29	.049	.001	.59	.73	.01	.60	.001	<.001	1.9
502583	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.65	<.01	.003	<.001	<.001	<.01	.32	.056	.001	.52	.65	.01	.57	<.001	<.001	2.4
502584	<.001	.001	<.01	<.01	<2	.003	.002	.05	3.71	<.01	.008	<.001	.001	<.01	.69	.085	.001	.58	1.24	.01	.62	.001	<.001	1.6
502585	<.001	.001	<.01	<.01	<2	.001	.001	.09	3.26	<.01	.029	<.001	.001	<.01	2.39	.569	.001	.60	.85	.01	.55	.001	<.001	2.0
502586	<.001	.001	<.01	<.01	<2	.002	.001	.03	3.07	<.01	.009	<.001	<.001	<.01	.68	.133	.001	.45	.88	.01	.63	.001	<.001	3.1
502587	<.001	.001	<.01	<.01	<2	.002	.001	.05	2.95	<.01	.015	<.001	.001	<.01	1.47	.199	.001	.46	.69	.01	.49	<.001	<.001	1.6
STANDARD R-3	.077	.791	1.99	4.01	202	.544	.061	.07	30.34	.04	.003	.023	.038	<.01	1.34	.049	.014	1.09	1.17	.05	.45	<.001	.002	-

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

JAN 04 2007

Data FA DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:



ASSAY CERTIFICATE



Selkirk Metals Holdings Ltd. PROJECT WASI File # A609317


1255 W. Pender St., Vancouver BC V6E 2V1 Submitted by: N / A

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	<.001	<.001	.06	2.06	<.01	.009	<.001	.001	<.01	.68	.077	.001	.61	1.19	.16	.57	<.001	<.001	-
502588	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.65	<.01	.013	<.001	<.001	<.01	1.24	.221	.001	.42	.77	.01	.62	<.001	<.001	3.0
502589	<.001	.002	<.01	<.01	<2	.003	.002	.03	3.55	<.01	.004	<.001	<.001	<.01	.37	.060	.001	.40	.64	.01	.73	.001	<.001	2.3
502590	<.001	.002	<.01	<.01	<2	.003	.001	.04	3.85	<.01	.009	<.001	<.001	<.01	.92	.096	.001	.50	.69	.01	.70	<.001	<.001	3.3
502591	<.001	.001	<.01	<.01	<2	.002	.001	.04	3.11	<.01	.022	<.001	<.001	<.01	1.76	.053	.001	.35	.57	.01	.78	<.001	<.001	2.2
502592	<.001	.001	<.01	<.01	<2	.001	.001	.03	3.29	.03	.015	<.001	<.001	<.01	1.41	.188	.001	.22	.59	.01	.53	<.001	<.001	1.4
502593	<.001	<.001	<.01	<.01	<2	.001	.001	.02	2.19	.02	.014	<.001	<.001	<.01	1.33	.131	.001	.19	.59	.01	.74	<.001	<.001	3.2
RE 502593	<.001	<.001	<.01	<.01	<2	.001	.001	.02	2.15	.02	.014	<.001	<.001	<.01	1.31	.130	.001	.18	.60	.01	.73	<.001	<.001	-
RRE 502593	<.001	<.001	<.01	<.01	<2	.001	<.001	.02	2.19	.02	.014	<.001	<.001	<.01	1.30	.131	.001	.18	.67	.01	.78	<.001	<.001	-
502594	<.001	<.001	<.01	<.01	<2	.001	.001	.03	2.64	<.01	.015	<.001	<.001	<.01	1.93	.104	.001	.35	.68	.01	.77	.001	<.001	2.5
502595	<.001	.001	<.01	<.01	<2	.001	.001	.03	3.22	.09	.009	<.001	.002	<.01	1.52	.114	.001	.28	.73	.01	.51	.001	<.001	.6
502596	<.001	<.001	<.01	<.01	<2	.001	<.001	.04	2.31	<.01	.012	<.001	<.001	<.01	1.70	.106	.001	.26	.55	.01	.63	<.001	<.001	2.8
502597	<.001	<.001	<.01	<.01	<2	.001	.001	.01	1.21	<.01	.006	<.001	<.001	<.01	.68	.128	.001	.17	.94	.01	.87	<.001	<.001	2.4
502598	<.001	<.001	<.01	<.01	<2	.001	<.001	.02	1.28	<.01	.007	<.001	<.001	<.01	1.00	.106	.001	.22	.74	.01	.59	<.001	.001	1.7
502599	<.001	.003	<.01	<.01	<2	.001	.001	.04	4.40	<.01	.019	<.001	<.001	<.01	1.93	.050	.001	.57	.76	.01	.76	<.001	<.001	2.0
502600	<.001	.001	<.01	<.01	<2	.001	.001	.06	2.61	<.01	.015	<.001	<.001	<.01	1.91	.122	.001	.56	1.07	.01	.85	<.001	<.001	2.0
502601	<.001	.003	<.01	<.01	<2	.004	.002	.02	2.78	<.01	.004	<.001	<.001	<.01	.36	.078	.001	.26	1.00	.01	1.13	<.001	<.001	3.0
502602	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.34	<.01	.011	<.001	<.001	<.01	1.25	.076	.001	.42	.86	.01	.92	<.001	<.001	1.0
502603	<.001	.003	<.01	.04	<2	.003	.002	.01	2.34	<.01	.005	<.001	<.001	<.01	.51	.031	.001	.25	.69	.01	.51	<.001	<.001	.9
502604	<.001	.001	<.01	<.01	<2	.002	.001	.01	2.26	<.01	.003	<.001	<.001	<.01	.26	.055	.001	.18	.79	.01	.95	<.001	<.001	1.1
502605	<.001	.006	<.01	.10	<2	.005	.002	.07	5.18	<.01	.033	<.001	<.001	<.01	3.29	.094	.001	1.16	.74	<.01	.19	<.001	<.001	1.3
502606	<.001	.002	<.01	<.01	<2	.003	.001	.03	2.98	<.01	.006	<.001	<.001	<.01	.61	.095	.001	.33	.85	.01	.89	<.001	<.001	3.2
502607	<.001	.003	<.01	<.01	<2	.002	.002	.05	3.88	<.01	.009	<.001	<.001	<.01	1.06	.063	.001	.66	.86	.01	.67	<.001	<.001	3.3
502608	<.001	.003	<.01	<.01	<2	.002	.002	.04	3.56	<.01	.008	<.001	<.001	<.01	.99	.087	.001	.60	.72	.01	.59	<.001	<.001	1.9
502609	<.001	.002	<.01	<.01	<2	.002	.001	.04	3.67	.01	.009	<.001	<.001	<.01	1.82	.060	.001	.86	1.09	.01	.40	<.001	<.001	1.1
502610	<.001	.001	<.01	<.01	<2	.001	.001	.06	2.75	<.01	.012	<.001	<.001	<.01	1.67	.083	.001	.70	.90	.01	.52	<.001	<.001	2.0
502611	<.001	.001	<.01	<.01	<2	.001	.001	.04	2.52	<.01	.008	<.001	<.001	<.01	1.20	.054	.001	.56	1.06	.01	.53	<.001	<.001	2.3
STANDARD R-3	.077	.794	1.96	4.11	196	.540	.060	.07	31.18	.04	.003	.025	.038	<.01	1.25	.051	.012	1.05	1.05	.04	.43	<.001	.002	-

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

JAN 04 2007

Data FA DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE

Selkirk Metals Holdings Ltd. PROJECT WASI File # A609420 Page 1

JAN 19 2007



1255 W. Pender St., Vancouver BC V6E 2V1 Submitted by: Jim Miller-Tait


SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	<.001	<.001	.06	1.85	<.01	.007	<.001	.001	<.01	.49	.076	.007	.59	1.08	.11	.58	<.001	<.001	-
502673	<.001	.002	<.01	<.01	<2	.003	.001	.05	3.53	<.01	.016	<.001	.001	<.01	.96	.053	.001	.53	.50	.01	.33	<.001	<.001	5.6
502674	<.001	.001	<.01	<.01	<2	.002	.001	.12	3.64	<.01	.045	<.001	.001	<.01	2.86	.048	.001	.99	.73	.01	.48	<.001	<.001	2.6
502675	<.001	.001	<.01	<.01	<2	.003	.001	.07	3.10	<.01	.030	<.001	.001	<.01	1.83	.052	.001	.62	.66	.01	.50	<.001	.001	3.6
502676	<.001	.002	<.01	<.01	<2	.003	.001	.05	2.53	<.01	.022	<.001	<.001	<.01	1.30	.053	.001	.38	.67	.01	.57	<.001	<.001	4.5
RE 502676	<.001	.002	<.01	<.01	<2	.003	.001	.05	2.56	<.01	.022	<.001	.001	<.01	1.30	.054	.001	.38	.68	.01	.58	<.001	<.001	-
RRE 502676	<.001	.002	<.01	<.01	<2	.002	.001	.05	2.53	<.01	.024	<.001	.001	<.01	1.44	.050	.001	.41	.59	.01	.51	<.001	<.001	-
502677	<.001	.002	<.01	<.01	<2	.003	.002	.07	3.69	<.01	.024	<.001	.001	<.01	1.37	.062	.001	.66	.76	.01	.56	<.001	<.001	3.0
502678	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.11	<.01	.011	<.001	.001	<.01	.50	.078	.001	.42	.75	.01	.55	<.001	<.001	2.0
502679	<.001	.002	<.01	<.01	<2	.002	.002	.09	3.43	<.01	.022	<.001	.001	<.01	1.08	.078	.001	.65	.81	.01	.52	<.001	<.001	4.7
502680	<.001	.002	<.01	<.01	<2	.003	.001	.04	3.98	<.01	.007	<.001	.001	<.01	.35	.051	.001	.72	.61	.01	.48	<.001	<.001	4.7
502681	<.001	.002	<.01	<.01	<2	.003	.001	.06	3.58	<.01	.016	<.001	.001	<.01	.66	.066	.001	.74	.70	.02	.59	<.001	<.001	2.2
502682	<.001	.001	<.01	<.01	<2	.003	.001	.04	3.23	<.01	.020	<.001	.002	<.01	1.08	.060	.001	.66	.61	.01	.58	<.001	<.001	1.6
502683	<.001	.002	<.01	<.01	<2	.003	.002	.05	3.90	<.01	.016	<.001	.001	<.01	.66	.072	.001	.81	.72	.02	.55	<.001	<.001	1.3
502684	<.001	.001	<.01	<.01	<2	.002	.001	.06	4.05	<.01	.019	<.001	<.001	<.01	.58	.091	.001	.76	.63	.01	.47	<.001	<.001	2.5
502685	<.001	.001	<.01	.01	<2	.002	.001	.07	4.19	<.01	.023	<.001	<.001	<.01	.83	.065	.001	.86	.54	.01	.41	<.001	<.001	3.0
502686	<.001	.002	<.01	<.01	<2	.002	.001	.04	2.90	<.01	.016	<.001	.001	<.01	.62	.057	.001	.63	.67	.01	.45	<.001	<.001	2.4
502687	<.001	.001	<.01	<.01	<2	.002	.001	.05	3.27	<.01	.023	<.001	<.001	<.01	.98	.095	.001	.50	.53	.01	.43	<.001	<.001	3.1
502688	<.001	.002	<.01	<.01	<2	.002	.002	.03	3.59	<.01	.014	<.001	.001	<.01	.77	.065	.001	.40	.72	.01	.42	<.001	<.001	3.4
502689	<.001	<.001	.05	.13	<2	<.001	<.001	.13	2.58	<.01	.011	.001	.001	<.01	21.00	.004	<.001	10.92	.08	<.01	.02	.001	<.001	3.7
502690	<.001	<.001	<.01	.01	<2	<.001	<.001	.04	.57	<.01	.060	<.001	<.001	<.01	39.25	.003	<.001	2.93	.04	<.01	.01	<.001	<.001	3.2
502691	<.001	<.001	<.01	.03	<2	<.001	<.001	.01	.18	<.01	.060	<.001	<.001	<.01	43.65	.001	<.001	.66	.02	<.01	.01	.001	<.001	3.0
502692	<.001	<.001	<.01	<.01	<2	<.001	<.001	.01	.13	<.01	.054	<.001	<.001	<.01	40.14	.004	<.001	.45	.02	<.01	<.01	.001	<.001	5.9
502693	<.001	<.001	<.01	<.01	<2	<.001	<.001	.02	.46	<.01	.030	<.001	<.001	<.01	41.19	.004	<.001	1.45	.06	<.01	.01	.001	<.001	1.0
502694	<.001	.001	<.01	<.01	<2	.001	.001	.10	3.85	<.01	.021	<.001	<.001	<.01	2.52	.077	.001	.78	.59	.01	.17	.001	<.001	1.5
502695	<.001	.003	<.01	<.01	<2	.002	.002	.22	7.29	<.01	.129	<.001	<.001	<.01	10.79	.674	.001	2.72	.67	.01	.19	<.001	<.001	1.9
502696	<.001	.001	<.01	<.01	<2	.002	.001	.08	3.09	<.01	.023	<.001	.001	<.01	2.63	.077	.001	.69	.51	.02	.22	.001	<.001	4.0
502697	<.001	.001	.01	.02	<2	.002	.001	.07	3.84	<.01	.018	<.001	<.001	<.01	10.61	.040	.001	5.34	.86	.01	.12	.001	<.001	2.2
502698	<.001	.003	<.01	<.01	<2	.003	.002	.09	5.08	<.01	.038	<.001	<.001	<.01	6.58	.217	.001	2.87	1.27	.01	.23	.001	<.001	5.7
502699	<.001	<.001	<.01	<.01	<2	<.001	<.001	.03	.64	<.01	.059	<.001	<.001	<.01	39.94	.008	<.001	1.41	.17	<.01	.02	.001	<.001	1.5
502700	<.001	<.001	.44	.47	4	<.001	<.001	.02	.28	<.01	.055	.001	<.001	<.01	43.42	.003	<.001	.79	.02	<.01	<.01	.001	.001	4.1
502701	<.001	<.001	.45	1.08	4	<.001	<.001	.02	.22	<.01	.058	.002	<.001	<.01	42.99	.003	<.001	.32	.02	<.01	<.01	<.001	.002	2.7
502702	<.001	<.001	1.17	.75	6	<.001	<.001	.01	.25	<.01	.056	.002	<.001	<.01	40.69	.005	<.001	.39	.03	.01	<.01	<.001	.001	1.2
502703	<.001	<.001	.11	.14	<2	<.001	<.001	.01	.20	<.01	.083	<.001	.001	<.01	41.34	.004	<.001	.66	.03	.02	<.01	.001	<.001	4.5
502704	<.001	<.001	<.01	<.01	<2	<.001	<.001	.01	.12	<.01	.061	<.001	<.001	<.01	44.70	.002	<.001	.46	.03	<.01	<.01	.001	<.001	5.5
STANDARD R-3	.076	.809	1.90	4.02	198	.541	.060	.07	29.92	.04	.003	.024	.038	<.01	1.30	.050	.012	1.03	1.10	.04	.44	.001	.002	-

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES. - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

JAN 05 2007

Data FA

DATE RECEIVED: DEC 19 2006 DATE REPORT MAILED:.....





SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	.001	<.001	.05	1.87	<.01	.006	<.001	<.001	<.01	.46	.074	.007	.59	1.01	.09	.55	.001	<.001	-
502705	<.001	<.001	<.01	<.01	<2	.001	<.001	.02	.26	<.01	.062	<.001	.001	<.01	42.59	.003	<.001	1.02	.04	<.01	.01	<.001	<.001	5.2
502706	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.07	<.01	.079	<.001	.001	<.01	36.97	<.001	<.001	.27	.02	<.01	<.01	.001	<.001	3.5
502707	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.05	<.01	.115	<.001	<.001	<.01	43.36	.002	<.001	.56	.02	<.01	<.01	<.001	<.001	3.4
502708	<.001	<.001	<.01	.05	<2	.001	<.001	<.01	.12	<.01	.059	<.001	<.001	<.01	44.09	.002	<.001	.30	.03	<.01	<.01	.001	<.001	2.5
502709	<.001	<.001	.02	.15	<2	.001	<.001	.01	.11	<.01	.069	<.001	.001	<.01	42.20	.005	<.001	.98	.03	<.01	<.01	<.001	<.001	2.3
502710	<.001	<.001	<.01	.08	<2	.001	<.001	.01	.14	<.01	.071	<.001	.001	<.01	42.88	.003	<.001	.62	.04	<.01	.01	.001	<.001	3.4
502711	<.001	<.001	.11	.06	<2	.001	<.001	.01	.14	<.01	.057	<.001	<.001	<.01	43.76	.003	<.001	.63	.02	<.01	<.01	.001	<.001	2.3
502712	<.001	.003	.75	3.84	8	.001	<.001	.01	2.13	<.01	.027	.011	.003	<.01	33.57	<.001	<.001	3.37	.02	<.01	<.01	.010	.002	.8
502713	<.001	<.001	.09	.14	<2	.001	<.001	.01	.18	<.01	.058	<.001	.001	<.01	43.09	<.001	<.001	.47	.01	<.01	<.01	.001	<.001	3.0
502714	<.001	<.001	.03	.27	<2	.001	<.001	.02	.66	<.01	.061	.001	<.001	<.01	43.12	<.001	<.001	.66	.08	<.01	.01	.002	<.001	1.4
502715	<.001	<.001	.04	.11	<2	.001	<.001	.01	.17	<.01	.048	<.001	<.001	<.01	41.44	.002	<.001	.78	.02	.04	<.01	.001	<.001	5.0
502716	<.001	<.001	.04	.39	<2	.001	<.001	<.01	.08	<.01	.062	.001	<.001	<.01	44.26	<.001	<.001	.56	.02	<.01	<.01	.001	<.001	4.1
502717	<.001	<.001	.04	1.18	<2	.001	<.001	.01	.16	<.01	.053	.003	<.001	<.01	41.64	<.001	<.001	.79	.01	.01	<.01	.004	.001	2.7
502718	<.001	<.001	.01	.09	<2	.001	<.001	.01	.11	<.01	.070	<.001	.001	<.01	43.57	<.001	<.001	.38	.01	<.01	<.01	.001	<.001	5.9
502719	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.05	<.01	.070	<.001	<.001	<.01	43.70	.001	<.001	.76	.01	<.01	<.01	<.001	<.001	3.3
502720	<.001	<.001	<.01	.25	<2	.001	<.001	<.01	.18	<.01	.059	.001	.001	<.01	43.65	<.001	<.001	.61	.01	<.01	<.01	.001	<.001	2.9
502721	<.001	<.001	.06	.55	<2	.001	<.001	<.01	.16	<.01	.055	.001	<.001	<.01	43.39	<.001	<.001	.45	.01	<.01	<.01	.001	<.001	1.0
502722	<.001	.006	1.16	13.36	19	.001	<.001	.02	2.58	<.01	.028	.036	.002	<.01	26.68	.008	<.001	3.15	.04	<.01	.01	.041	.010	1.5
502723	<.001	.001	.08	1.41	<2	.001	<.001	.01	.28	<.01	.063	.004	.001	<.01	42.58	<.001	<.001	.28	.01	<.01	<.01	.004	.002	1.3
502724	<.001	<.001	.17	1.64	2	.001	<.001	.01	.31	<.01	.049	.005	<.001	<.01	42.05	.002	<.001	.53	.01	<.01	<.01	.004	.001	1.5
502725	<.001	<.001	.01	.20	<2	.001	<.001	<.01	.10	<.01	.115	<.001	<.001	<.01	43.67	.003	<.001	.18	.02	<.01	<.01	.001	<.001	1.6
502726	<.001	<.001	.02	.15	<2	.001	<.001	<.01	.05	<.01	.138	<.001	<.001	<.01	44.09	.001	<.001	.19	.01	<.01	<.01	<.001	<.001	5.5
502727	<.001	<.001	<.01	.02	<2	.001	<.001	<.01	.06	<.01	.146	<.001	<.001	<.01	42.67	.002	<.001	.53	.02	<.01	.01	<.001	<.001	5.5
502728	<.001	<.001	<.01	.03	<2	.001	<.001	<.01	.05	<.01	.127	<.001	<.001	<.01	43.37	.001	<.001	.84	.02	<.01	<.01	<.001	<.001	5.7
502729	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.08	<.01	.114	<.001	<.001	<.01	42.94	.002	<.001	.61	.02	<.01	.01	<.001	<.001	4.5
502730	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.16	<.01	.102	<.001	<.001	<.01	41.87	.004	<.001	.28	.04	<.01	.01	<.001	<.001	5.0
502731	<.001	<.001	<.01	<.01	<2	.001	<.001	<.01	.25	<.01	.082	<.001	<.001	<.01	41.56	.039	<.001	.30	.08	<.01	.02	<.001	<.001	1.9
502732	<.001	.001	<.01	<.01	<2	.001	<.001	.02	1.67	<.01	.043	<.001	<.001	<.01	27.91	.157	<.001	1.29	.28	.01	.18	<.001	<.001	4.4
502733	<.001	.001	<.01	<.01	<2	.002	.001	.05	2.59	<.01	.028	<.001	.001	<.01	9.64	.092	.001	.57	.60	.01	.50	<.001	<.001	3.0
502734	<.001	.002	<.01	<.01	<2	.003	.002	.02	3.37	<.01	.006	<.001	<.001	<.01	1.11	.046	.001	.62	.76	.01	.70	<.001	<.001	4.2
502735	<.001	.002	<.01	<.01	<2	.003	.001	.03	2.94	<.01	.006	<.001	<.001	<.01	.73	.065	.001	.47	.71	.01	.67	<.001	<.001	7.1
RE 502735	<.001	.002	<.01	<.01	<2	.003	.002	.03	2.85	<.01	.006	<.001	<.001	<.01	.73	.063	.001	.46	.69	.01	.67	<.001	<.001	-
RRE 502735	<.001	.001	<.01	<.01	<2	.003	.001	.04	2.86	<.01	.006	<.001	<.001	<.01	.83	.063	.001	.50	.75	.01	.69	<.001	<.001	-
502736	<.001	.002	<.01	<.01	<2	.003	.001	.03	3.51	<.01	.004	<.001	<.001	<.01	.48	.047	.001	.73	1.44	.02	.72	<.001	<.001	1.6
STANDARD R-3	.076	.811	1.94	4.03	195	.544	.060	.07	30.65	.04	.003	.024	.037	<.01	1.28	.050	.012	1.05	1.09	.04	.43	.010	.001	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo %	Cu %	Pb %	Zn % gm/mt	Ag %	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	.001	<.001	.06	2.08	<.01	.013	<.001	.001	<.01	.78	.079	.001	.64	1.65	.30	.76	<.001	<.001	-
502737	<.001	.002	<.01	<.01	<2	.002	.001	.09	3.97	<.01	.010	<.001	.001	<.01	1.11	.073	.002	.86	1.21	.06	.65	<.001	<.001	3.9
502738	<.001	.001	<.01	<.01	<2	.002	.001	.07	3.59	<.01	.008	<.001	.001	<.01	.80	.068	.001	.77	1.14	.07	.68	<.001	<.001	5.4
502739	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.49	<.01	.005	<.001	.001	<.01	.45	.066	.001	.67	1.26	.06	.81	<.001	<.001	4.9
RE 502739	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.58	<.01	.005	<.001	.001	<.01	.45	.069	.001	.68	1.28	.06	.83	<.001	<.001	-
RRE 502739	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.57	<.01	.005	<.001	.001	<.01	.45	.069	.001	.68	1.25	.06	.81	<.001	<.001	-
502740	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.59	<.01	.005	<.001	.001	<.01	.42	.071	.002	.73	1.41	.07	.85	<.001	<.001	4.7
502741	<.001	.002	<.01	<.01	<2	.003	.002	.03	3.49	<.01	.004	<.001	.001	<.01	.31	.061	.001	.67	1.19	.05	.80	<.001	<.001	2.4
502742	<.001	.002	<.01	<.01	<2	.003	.002	.04	3.76	<.01	.006	<.001	<.001	<.01	.50	.065	.002	.80	1.78	.07	.87	<.001	<.001	5.4
502743	<.001	.001	<.01	<.01	<2	.003	.001	.07	2.85	<.01	.013	<.001	<.001	<.01	1.95	.050	.001	.86	.89	.02	.77	<.001	<.001	6.0
502744	<.001	<.001	<.01	<.01	<2	.001	.001	.08	2.08	<.01	.016	<.001	<.001	<.01	2.64	.051	.001	.95	1.03	.02	.77	<.001	<.001	3.1
502745	<.001	.001	<.01	<.01	<2	.001	.001	.07	3.44	<.01	.009	<.001	.001	<.01	.86	.078	.001	.61	.95	.08	.66	<.001	<.001	3.5
502746	<.001	.002	<.01	<.01	<2	.003	.001	.05	4.23	<.01	.007	<.001	.001	<.01	.66	.078	.001	.76	1.15	.05	.85	<.001	<.001	5.8
502747	<.001	.002	<.01	<.01	<2	.002	.001	.05	3.96	<.01	.008	<.001	.001	<.01	.75	.067	.001	.67	1.08	.06	.82	<.001	<.001	2.4
502748	<.001	.001	<.01	<.01	<2	.003	.002	.04	3.84	<.01	.006	<.001	.001	<.01	.49	.074	.001	.66	1.26	.06	.98	<.001	<.001	3.6
502749	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.78	<.01	.008	<.001	.001	<.01	.64	.096	.001	.64	.99	.07	.68	<.001	<.001	1.6
502750	<.001	.001	<.01	<.01	<2	.002	.001	.07	2.99	<.01	.014	<.001	.001	<.01	1.52	.061	.001	.71	.99	.07	.62	<.001	<.001	2.6
502751	<.001	.002	<.01	<.01	<2	.002	.001	.06	3.31	<.01	.012	<.001	.001	<.01	1.25	.094	.001	.76	1.20	.03	.71	<.001	<.001	2.3
502752	<.001	.002	<.01	<.01	<2	.008	.002	.28	6.26	<.01	.066	<.001	.001	<.01	7.67	.185	.004	2.75	.92	.01	.61	<.001	<.001	1.5
502753	<.001	.003	<.01	<.01	<2	.009	.003	.12	4.97	<.01	.036	<.001	<.001	<.01	3.33	.169	.004	1.50	1.34	.02	.75	<.001	<.001	4.0
STANDARD R-3	.074	.808	1.93	4.04	199	.532	.061	.07	29.86	.04	.003	.025	.037	<.01	1.35	.048	.012	1.07	1.15	.05	.46	<.001	.002	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE

JAN 19 2007



Selkirk Metals Holdings Ltd. PROJECT WASI File # A609532 Page 1

1255 W. Pender St., Vancouver BC V6E 2V1 Submitted by: Jim Miller-Tait

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/mt	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	Ca %	P %	Cr %	Mg %	Al %	Na %	K %	W %	Hg %	Sample kg
G-1	<.001	<.001	<.01	<.01	<2	.001	<.001	.06	2.18	<.01	.013	<.001	<.001	<.01	.82	.074	.018	.65	1.65	.30	.74	<.001	<.001	-
502612	<.001	.001	.01	.05	<2	.001	.001	.03	1.33	<.01	.009	<.001	<.001	<.01	15.20	.018	.001	8.24	.56	.04	.19	<.001	<.001	2.5
502613	<.001	<.001	<.01	.01	<2	.001	<.001	.04	1.03	<.01	.010	<.001	<.001	<.01	19.54	.009	.001	10.12	.29	.03	.06	<.001	<.001	.9
502614	<.001	.004	.13	1.67	3	.018	.003	.03	9.69	.02	.008	.007	.001	<.01	11.52	.015	.001	6.34	.27	.02	.08	<.001	.001	3.0
502615	<.001	.001	<.01	<.01	<2	.003	.002	.02	2.65	.01	.004	<.001	<.001	<.01	2.25	.030	.001	.97	.92	.04	.30	<.001	<.001	3.3
502616	<.001	.002	<.01	<.01	<2	.003	.002	.02	2.40	<.01	.005	<.001	<.001	<.01	2.44	.028	.001	1.10	1.30	.04	.35	<.001	<.001	4.3
502617	<.001	.002	<.01	<.01	<2	.004	.002	.03	2.62	.01	.005	<.001	<.001	<.01	4.23	.023	.001	1.91	.79	.03	.27	<.001	<.001	3.7
502618	<.001	.002	<.01	<.01	<2	.004	.002	.01	1.84	.01	.004	<.001	.001	<.01	2.23	.027	.001	1.01	1.00	.04	.32	<.001	<.001	3.3
502619	<.001	.002	<.01	<.01	<2	.003	.002	.02	1.98	<.01	.003	<.001	<.001	<.01	1.14	.026	.002	.67	1.87	.04	.34	<.001	<.001	3.9
502620	<.001	.002	<.01	<.01	<2	.004	.002	.02	2.10	<.01	.005	<.001	<.001	<.01	2.44	.028	.002	1.48	2.06	.07	.42	<.001	<.001	4.5
502621	<.001	.002	<.01	<.01	<2	.004	.002	.01	1.73	<.01	.005	<.001	.001	<.01	1.36	.031	.002	1.23	2.10	.08	.36	<.001	<.001	3.4
502622	<.001	.001	<.01	<.01	<2	.004	.002	.01	1.83	<.01	.004	<.001	.001	<.01	.99	.030	.002	1.24	2.25	.08	.32	<.001	<.001	3.9
502623	<.001	.001	<.01	<.01	<2	.004	.002	.01	2.31	<.01	.005	<.001	<.001	<.01	2.24	.028	.001	1.34	1.14	.06	.22	<.001	<.001	5.7
502624	<.001	.001	<.01	<.01	<2	.004	.002	.01	2.46	<.01	.004	<.001	.001	<.01	1.68	.028	.001	.88	.98	.06	.23	<.001	<.001	4.5
502625	<.001	.001	<.01	<.01	<2	.004	.002	<.01	2.05	<.01	.003	<.001	<.001	<.01	.82	.030	.001	.59	1.11	.05	.20	<.001	<.001	6.3
RE 502625	<.001	.001	<.01	<.01	<2	.004	.002	<.01	2.04	<.01	.003	<.001	.001	<.01	.82	.028	.001	.58	1.07	.05	.19	<.001	.001	-
RRE 502625	<.001	.001	<.01	<.01	<2	.004	.002	<.01	2.04	<.01	.003	<.001	.001	<.01	.80	.031	.001	.57	.97	.05	.17	<.001	<.001	-
502626	<.001	.001	<.01	<.01	<2	.003	.001	<.01	1.68	<.01	.004	<.001	<.001	<.01	.73	.029	.002	.68	1.63	.08	.24	<.001	<.001	3.8
502627	<.001	.002	.01	<.01	<2	.005	.002	<.01	3.29	<.01	.002	<.001	<.001	<.01	.20	.028	.001	.07	.54	.03	.13	<.001	<.001	2.7
502628	<.001	<.001	.01	<.01	<2	.001	<.001	.03	1.18	<.01	.009	<.001	<.001	<.01	18.24	.012	.001	9.99	.27	.03	.08	<.001	<.001	5.5
502629	<.001	<.001	<.01	<.01	<2	.001	<.001	.03	.75	<.01	.012	<.001	<.001	<.01	19.67	.011	.001	10.49	.22	.03	.08	<.001	<.001	5.2
502630	<.001	<.001	<.01	<.01	<2	.001	<.001	.03	.79	<.01	.015	<.001	<.001	<.01	19.46	.011	.001	9.78	.32	.04	.12	<.001	<.001	5.7
502631	<.001	<.001	<.01	<.01	<2	.001	<.001	.03	.97	<.01	.017	<.001	.001	<.01	19.26	.013	.001	9.00	.22	.03	.10	<.001	<.001	1.6
502632	<.001	.001	<.01	<.01	<2	.002	.001	.03	1.64	<.01	.020	<.001	<.001	<.01	9.30	.028	.001	5.20	.25	.02	.14	<.001	<.001	3.9
502633	<.001	.002	<.01	<.01	<2	.004	.002	<.01	1.53	<.01	.007	<.001	<.001	<.01	.58	.038	.001	.27	.51	.03	.32	<.001	<.001	3.6
502634	<.001	.001	<.01	<.01	<2	.002	.001	.02	1.73	<.01	.013	<.001	<.001	<.01	2.00	.061	<.001	.86	.22	.01	.15	<.001	<.001	4.8
502635	<.001	.002	<.01	<.01	<2	.002	.001	.02	2.65	<.01	.018	<.001	<.001	<.01	2.13	.046	.001	.97	.44	.01	.29	<.001	<.001	6.3
502636	<.001	.006	1.84	1.36	10	.004	.002	.03	3.62	<.01	.014	.011	.001	<.01	1.65	.024	.001	.65	.11	<.01	.07	.001	.001	.8
502637	<.001	.003	.04	.02	<2	.003	.002	.01	4.33	<.01	.007	<.001	<.001	<.01	.64	.067	.001	.70	.60	.01	.35	<.001	<.001	1.1
502638	<.001	.001	.01	.07	<2	.001	<.001	.08	3.68	<.01	.033	.001	<.001	<.01	4.93	.023	.001	1.79	.23	.01	.15	<.001	<.001	.5
502639	<.001	.001	<.01	<.01	<2	.002	.001	.05	4.18	<.01	.017	<.001	<.001	<.01	2.03	.069	.001	.86	.47	.01	.30	<.001	<.001	.8
502640	<.001	.002	<.01	<.01	<2	.003	.002	.02	3.14	<.01	.013	<.001	<.001	<.01	1.32	.067	.001	.76	.32	.01	.21	.001	<.001	4.8
502641	<.001	.001	<.01	<.01	<2	.003	.001	.01	2.16	<.01	.009	<.001	<.001	<.01	.65	.071	.001	.41	.55	.01	.40	<.001	<.001	4.8
502642	<.001	.002	<.01	<.01	<2	.003	.002	.02	2.21	<.01	.019	<.001	<.001	<.01	1.61	.060	<.001	.64	.25	.01	.19	<.001	<.001	5.9
502643	<.001	.003	.02	<.01	<2	.003	.001	.03	3.85	<.01	.013	<.001	<.001	<.01	1.17	.047	.001	.72	.60	.01	.29	<.001	<.001	2.8
STANDARD R-3	.076	.809	1.93	4.03	197	.533	.061	.07	29.69	.04	.003	.023	.037	<.01	1.29	.050	.012	1.03	1.08	.04	.44	.001	.002	-

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 22 2006 DATE REPORT MAILED:

JAN 08 2007





ACME ANALYTICAL

Selkirk Metals Holdings Ltd. PROJECT WASI FILE # A609532




ACME ANALYTICAL

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	Sample
	%	%	%	%	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	kg
G-1	<.001	<.001	<.01	<.01	<2	<.001	<.001	.06	2.06	<.01	.012	<.001	.001	<.01	.78	.078	.001	.64	1.58	.28	.72	.001	<.001	-
502644	<.001	.001	<.01	<.01	<2	.003	.002	.03	4.18	<.01	.009	<.001	<.001	<.01	1.34	.052	.001	.80	.53	.01	.30	<.001	<.001	1.8
502645	<.001	.003	.01	<.01	<2	.002	.002	<.01	1.21	<.01	.003	<.001	.001	<.01	.15	.057	.001	.09	.58	.01	.36	<.001	<.001	1.4
502646	<.001	.002	12.30	26.79	59	.003	.001	.01	5.92	.01	.002	.223	.012	<.01	.52	.041	<.001	.10	.28	.01	.17	.010	.023	.6
502647	<.001	.001	.01	<.01	<2	.002	.001	.05	1.99	<.01	.017	<.001	.001	<.01	2.05	.112	.001	.80	.48	.01	.31	<.001	<.001	1.2
502648	<.001	.002	.01	.03	<2	.002	.001	.05	3.11	<.01	.016	<.001	<.001	<.01	1.63	.057	<.001	.73	.35	.01	.20	<.001	<.001	5.6
502649	<.001	.001	<.01	<.01	<2	.002	.001	.06	2.96	<.01	.021	<.001	<.001	<.01	1.75	.055	.001	.68	.59	.01	.39	<.001	<.001	5.5
502650	<.001	.001	<.01	<.01	<2	.002	.001	.06	3.19	<.01	.024	<.001	<.001	<.01	1.69	.049	.001	.65	.55	.01	.40	.001	<.001	6.2
502651	<.001	.001	<.01	<.01	<2	.002	.001	.05	2.87	<.01	.029	<.001	.001	<.01	2.37	.072	.001	.65	.54	.01	.37	<.001	<.001	5.3
502652	<.001	.001	<.01	<.01	<2	.002	.001	.04	3.52	<.01	.020	<.001	<.001	<.01	1.62	.089	.001	.54	.38	.01	.26	.001	<.001	5.3
502653	<.001	.001	<.01	<.01	<2	.002	.001	.05	2.21	<.01	.028	<.001	<.001	<.01	2.72	.069	<.001	.69	.57	.01	.37	<.001	<.001	4.9
502654	<.001	.001	<.01	<.01	<2	.002	.001	.06	2.69	<.01	.030	<.001	.001	<.01	3.30	.063	.001	.68	.54	.01	.34	<.001	<.001	2.2
502655	<.001	.003	<.01	.06	<2	.003	.002	.06	2.96	<.01	.027	<.001	<.001	<.01	2.91	.054	.001	.69	.55	.01	.37	<.001	<.001	4.3
502656	<.001	.001	<.01	<.01	<2	.003	.001	.03	3.12	<.01	.012	<.001	<.001	<.01	1.05	.045	.001	.39	.38	.01	.26	<.001	<.001	1.9
502657	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.22	<.01	.021	<.001	<.001	<.01	2.12	.065	.001	.47	.57	.01	.35	<.001	<.001	7.1
502658	<.001	.002	<.01	<.01	<2	.002	.001	.04	3.15	<.01	.023	<.001	<.001	<.01	2.24	.057	<.001	.62	.32	.01	.23	<.001	<.001	3.8
RE 502658	<.001	.002	<.01	<.01	<2	.002	.001	.04	3.16	<.01	.024	<.001	<.001	<.01	2.29	.057	<.001	.63	.33	.01	.23	<.001	<.001	-
RRE 502658	<.001	.002	<.01	<.01	<2	.003	.001	.03	3.09	<.01	.020	<.001	<.001	<.01	1.86	.064	.001	.53	.59	.01	.40	<.001	<.001	-
502659	<.001	.001	<.01	<.01	<2	.002	.001	.06	2.51	<.01	.034	<.001	<.001	<.01	3.04	.055	<.001	.93	.45	.01	.32	<.001	<.001	2.8
502660	<.001	.001	.02	<.01	<2	.002	.001	.13	5.16	<.01	.054	<.001	<.001	<.01	6.29	.051	<.001	1.98	.43	.01	.28	<.001	<.001	1.5
502661	<.001	.001	<.01	<.01	<2	.002	.001	.04	2.67	<.01	.022	<.001	<.001	<.01	2.02	.055	<.001	.58	.32	.01	.24	<.001	<.001	4.9
502662	<.001	.002	<.01	<.01	<2	.003	.002	.03	3.86	<.01	.011	<.001	<.001	<.01	.91	.043	.001	.46	.35	.01	.26	<.001	<.001	3.7
502663	<.001	.002	<.01	<.01	<2	.002	.002	.05	3.70	<.01	.030	<.001	<.001	<.01	2.60	.047	<.001	.68	.35	.01	.25	<.001	<.001	5.3
502664	<.001	.002	<.01	<.01	<2	.002	.001	.04	3.04	<.01	.021	<.001	<.001	<.01	2.03	.051	<.001	.50	.46	.01	.35	<.001	<.001	1.9
502665	<.001	.002	<.01	<.01	<2	.002	.001	.06	3.42	<.01	.027	<.001	<.001	<.01	2.66	.047	<.001	.58	.32	.01	.24	.001	<.001	5.5
502666	<.001	.001	<.01	<.01	<2	.003	.001	.03	3.42	<.01	.014	<.001	<.001	<.01	1.04	.046	.001	.40	.66	.01	.43	<.001	<.001	3.1
502667	<.001	.002	<.01	<.01	<2	.002	.001	.06	3.34	<.01	.024	<.001	<.001	<.01	2.04	.074	.001	.49	.43	.01	.31	<.001	<.001	3.3
502668	<.001	.001	<.01	<.01	<2	.001	<.001	.06	1.89	<.01	.019	<.001	<.001	<.01	3.25	.062	<.001	.31	.45	.01	.33	<.001	<.001	3.3
502669	<.001	.002	<.01	<.01	<2	.002	.001	.04	2.81	<.01	.016	<.001	<.001	<.01	1.44	.052	.001	.35	.35	.01	.30	<.001	<.001	4.4
502670	<.001	.002	<.01	<.01	<2	.002	.001	.06	4.18	<.01	.020	<.001	<.001	<.01	1.65	.050	.001	.62	.62	.01	.50	<.001	<.001	5.0
502671	<.001	.002	<.01	<.01	<2	.003	.001	.04	3.62	<.01	.012	<.001	.001	<.01	1.00	.048	.001	.50	.40	.01	.35	.001	<.001	4.1
502672	<.001	.002	<.01	<.01	<2	.003	.001	.06	4.00	<.01	.021	<.001	<.001	<.01	1.68	.042	.001	.71	.59	.01	.49	<.001	<.001	3.8
STANDARD R-3	.076	.801	1.97	4.06	195	.545	.062	.07	30.47	.04	.003	.024	.037	<.01	1.31	.051	.013	1.06	1.13	.05	.45	<.001	.002	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 7AR – MULTI-ELEMENT ASSAY BY ICP-ES • AQUA REGIA DIGESTION



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-177 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 95% passing 150 mesh (100 µm) in a mild-steel ring-and-puck mill. Pulp splits of 1 g are weighed into 100 mL volumetric flasks.

Sample Digestion

A 30 mL aliquot of modified aqua regia solution (equal parts ACS-grade HCl and HNO₃ acids and de-mineralized H₂O) is added and heated in a hot water bath (~95°C) for 1 hour. After cooling for 3 hours the solutions are transferred to 100 mL volumetric flasks and made to volume with 5% HCl. Very high grade samples may require a 1 g per 250 mL or 0.25 g per 250 mL sample to solution ratio for through digestion and accurate determination.

Sample Analysis

Solutions aspirated into a Jarrel Ash Atomcomp model 800 or 975 ICP atomic-emission spectrometer are analysed for a 23 element package comprising: Ag, Al, As, Bi, Ca, Cd, Co, Cr, Cu, Fe, Hg, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, W and Zn.

Quality Control and Data Verification

An Analytical Batch (1 page) comprises 33 samples. QA/QC protocol incorporates a sample-prep blank (SI or G-1) carried through all stages of preparation and analysis as the first sample, a pulp duplicate to monitor analytical precision, a prep duplicate from the -10 mesh rejects to monitor sub-sampling variation (drill core only), two reagent blanks to measure background and aliquots of in-house Standard Reference Materials like STD R-2 to monitor accuracy.

Raw and final data undergo a final verification by a British Columbia Certified Assayer who signs the Analytical Report before it is released to the client. Chief Assayer is Clarence Leong, other certified assayers are Leo Arciaga, Ken Kwok, Marcus Lau, Dean Toye and Jacky Wang.

SECTION E: DRILL HOLE LOGS

Drill Hole Record

Drill Hole Number WZ-06-08

Drill Hole Number WZ-06-09

Drill Hole Number WZ-06-10

Drill Hole Number WZ-06-11

SELKIRK METALS HOLDINGS CORP.										
WASI CREEK PROPERTY			DRILL HOLE RECORD				Co-ordinates: UTM NAD 83, Zone 10			Jan 31 2008
Hole Number	Date Completed	Zone	Length (metres)	OB (m)	Dip	Bearing (azimuth)	North	East	Elevation (m ASL)	Remarks
2005 NQ Diamond Drilling Program (NQTK Core)							Contractor: F. Boisvenu Drilling Ltd.			
WZ-05-01	Jun 20 2005	Carrie S.	102.71	21.33	-90°	-	6 220 392	372 980	1087	Claim 512685
WZ-05-02	Jun 22 2005	Carrie S.	201.46	3.05	-60°	015°	6 220 309	373 339	1066	Claim 512685
WZ-05-03	Jun 26 2005	Par North	196.89	24.38	-52°	068°	6 221 490	374 595	957	Claim 512686
WZ-05-04	Jun 28 2005	Par North	212.13	15.24	-50°	075°	6 221 565	374 673	963	Claim 512686
WZ-05-05	Jun 29 2005	Par Camp	114.60	30.78	-50°	068°	6 220 541	374 527	859	Claim 512686
WZ-05-06	Jun 30 2005	Par Camp	99.06	27.43	-50°	070°	6 220 604	374 518	856	Claim 512686
WZ-05-07	Jul 01 2005	Par Camp	126.79	21.33	-51°	070°	6 220 701	374 468	838	Claim 512686
Total 2005	Holes: 7		1053.64							
2006 NQ Diamond Drilling Program							Contractor: Connors Drilling Ltd.			
WZ-06-08	Nov 30 2006	Carrie 2	280.00	14.40	-50°	171°	6 221 535	373 754	845	Claim 512686
WZ-06-09	Dec 04 2006	Carrie 2	250.00	12.05	-45°	191°	6 221 540	373 750	845	Claim 512686
WZ-06-10	Dec 08 2006	Carrie 2	263.00	26.00	-65°	005°	6 221 536	373 753	845	Claim 512686
WZ-06-11	Dec 15 2006	Par North	301.00	301.0	-50°	070°	6 221 513	374 250	843	Claim 512686
Total 2006	Holes: 4		1094.00							
TOTAL	HOLES: 11		2147.64							

c:\wasi creek\drill hole record

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-06-08

Page# 1

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
collar	0		-50				Drilling SouthEast Carrie trenches 1, 2 & 3
	176	151.7	-51.9				
	281	154.2	-52.4				

PROPERTY: Wasi Creek
 ZONE: Carrie 2
 UTM: NAD 83 Zone 10
 EASTING: 373754.00
 NORTHING: 6221535.00
 ELEVATION: 845.00
 AZIMUTH: 171.00
 DIP: -50.00

Date Begun: November 26, 2006
 Date Finished: November 30, 2006
 Logged by: MJM
 Depth: 280.00
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	Assays		
									ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
0.0	14.5m		Casing and Overburden								
14.50			Phyllite/Siltstone- Light green to gray, generally homogeneous throughout, very fine to fine grained, moderate chlorite alteration, frequent scattered carbonaceous specks, rare calcite, strongly fractured with some gougey sections. Foliation varies from weak to strong averages at ~25 degrees to core axis. Fractures have silky sheen (Sericite)?, occasional blebs and specks of Po & Py. 1-2% sph (blackjack)? elongated almost needle like. Clasts & wedges of Mudstone. Has pelitic characteristics.								
			18.7-19.3- strongly fractured with small gougey sections								
			21.45-22.6- strong chlorite with trace sph, po & py	502501		21.45	22.60	1.15	<.01	<.01	<2
			22.6-23.0 - few blebs of sph 1-2% elongated almost needle like with 1-2% po & py	502502		22.60	23.00	0.40	<.01	<.01	<2
			23.0-24.2 - well foliated averaging 25 degrees to core axis, trace 1% sulphides slightly siliceous	502503		23.00	24.00	1.00	<.01	<.01	<2
			24.0-26.1 - trace to 1% sulphides mostly blackjack sph mostly needle like, abundant sericite	502504		24.00	26.10	2.10	<.01	<.01	<2
			26.1 -28.0 - 1-2% elongated blackjack sph?, abundant gouge strongly fractured.	502505		26.10	28.00	1.90	<.01	<.01	<2
			28.0-30.0 - as above except with numerous quartz veinlets parallel to foliation.	502506		28.00	30.00	2.00	<.01	<.01	<2
			30.0-32.0 - fragmental in part with clay infill on fractures, trace sulphides.	502507		30.00	32.00	2.00	<.01	<.01	<2
			32.0-34.0 - as above	502508		32.00	34.00	2.00	<.01	<.01	<2
			34.0-36.0 - very little foliation 1-2% blackjack sph with trace	502509		34.00	36.00	2.00	<.01	<.01	<2
			36.0-38.0 - very homogeneous texture, strong Sericite, 1-2% elongated sph with minor py	502510		36.00	38.00	2.00	<.01	<.01	<2
			38.0-40.0 - as above with mudstone clasts or inclusions	502511		38.00	40.00	2.00	<.01	<.01	<2
			40.0-42.0 - as above except trace-1% sulphides, weakly foliated	502512		40.00	42.00	2.00	<.01	<.01	<2
			42.0- 44.0- abundant mudstone fragments or clasts, trace sulphides slightly bleached.	502513		42.00	44.00	2.00	<.01	<.01	<2
			44.0-44.8 - strongly bleached	502514		44.00	44.80	0.80	<.01	<.01	<2
			44.8-46.6- strongly bleached, trace to 1% sulphides mostly sph	502515		44.80	46.60	1.80	<.01	<.01	<2
			46.6- 48.15- strongly fractured, trace to 1% sulphides mostly elongated sph.	502516		46.60	48.15	1.55	<.01	<.01	<2
			48.15-50.15- pelitic texture very fine grained, trace sulphides	502517		48.15	50.15	2.00	<.01	<.01	<2
			50.15-51.15 - slightly elevated sulphides mostly sph almost needle like, 2-3%, with minor py, very fine	502518		50.15	51.15	1.00	<.01	<.01	<2
			51.15- 53.15- waxy texture very fine grained trace to 1 % sulphides mostly sph with rare Py, few bds of no sample	502519		51.15	53.15	2.00	<.01	<.01	<2
			53.15-54.75 - pale green chlorite w trace sulphides sph (blackjack), 3cm Qtz veinlet abnt Py & Sericite	502521		53.15	54.75	1.60	<.01	<.01	<2
			54.75-55.60 - well foliated, sulphides have dropped off, well foliated at 40 degrees tca.	502522		54.75	55.60	0.85	<.01	<.01	<2
			57.10-64.9 - Very homogeneous chlorite altered fine grained siltstone/phyllite, trace sulphides.								
			64.9- 73.0- Strongly fractured, sericite coated fractures, Qtz veinlet at 70.2m, no sulfides, dipping at 33 degrees to core axis trace py and sph, chlorite with abundant sericite and minor ankerite.	502523		73.10	75.10	2.00	<.01	<.01	<2
				502524		75.10	76.90	1.80	<.01	<.01	<2
			74.4-75.1- still light green, but strongly elevated silica has an almost cherty texture.	502525		76.90	78.30	1.40	<.01	<.01	<2
			78.3-79.0 - Elongated sulphides, almost needle like, these ones seem more pyritic than mentioned above with 2-3% sulphides mostly Py & minor Blackjack sph	502526		78.30	79.00	0.70	<.01	<.01	<2
			79.0-82.7- very friable with possible fault at ~82m (core loss of 1m) foliation at 32 degrees to core axis, few patches of slightly elevated sulphides average of 1% mostly Py with minor sph, also few thin Qtz veinlets.	502527		79.00	81.0	2.00	<.01	<.01	<2
				502528		81.00	82.3	1.25	<.01	<.01	<2
				502529		82.30	83.1	0.80	<.01	<.01	<2

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-06-08

Page# 2

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
No tests							

PROPERTY: Wasi Creek
 ZONE: Carrie 2
 UTM: NAD 83 Zone 10
 EASTING: 373754.00
 NORTHING: 6221535.00
 ELEVATION: 845.00
 AZIMUTH: 171.00
 DIP: -50.00

Date Begun: November 26, 2006
 Date Finished: November 30, 2006
 Logged by: MJM
 Depth: 280.00
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
14.50	143.45		Phyllite/Siltstone								
			82.7- 104.9 - typical light green(chlorite) with minor sericite present on slip planes, silky almost graphitic texture, minor sulphides. Very homogeneous tex and color. Foliation at 97.8m dips at 35 degrees								
			104.9-110.1 - strongly fractured with no no pieces over 7cm, some gouge.								
			117.0-118.0- fragment to almost breccia, rehealed with ankerite/clay, felspathic, trace sulphides.								
			130.9-143.5- with increasing Argillite bands, foliation at 131.3@65 degrees,								
				502530		130.90	131.65	0.75	<.01	0.0	<2
			130.9-132.3- few thin bands of argillite, minor py and leucoxine associated with argillite	502531		131.65	132.30	0.65	<.01	<.01	<2
			132.3-132.75 - 70% argillite with abundant leucoxine and minor sulphides, mostly py with possible sph.	502532		132.30	132.75	0.45	<.01	<.01	<2
			132.75-134.5- mostly homogeneous phyllite/siltstone, sericite present.	502533		132.75	134.50	1.75	<.01	<.01	<2
			134.5-136.3 - abnt bands of Argillite dip avg of 38 degrees, abnt diss leucoxine, trace sulphides	502534		134.50	136.30	1.80	<.01	<.01	<2
			136.5-140.3- abundant bands of argillite, foliation avg of 45 degrees to core axis	502535		136.30	138.30	2.00	<.01	<.01	<2
				502536		138.30	140.30	2.00	<.01	<.01	<2
			140.3-142.0- contorted with foliaon parallel to core axis, abundant bands of Argillite	502537		140.30	142.00	1.70	<.01	<.01	<2
			142.0- 143.45 - phillite/siltstone with strong sericite few thin bands of argillite, sharp contact with Argillite with minor gouge dipping at 60-70 degrees tca, no visible sulphides waxy texture.	502538		142.00	143.45	1.45	<.01	<.01	<2
143.46	175.30		Argillite - black, very fine grained, fairly homogeneous with feldspar stringers, frequent blobs of Py at 2-3%, abnt blades of Leucoxine?, contacts are graphitic with some slickensides foliation ranges from parallel to core axis to 45 degrees minor dolomitic patches with some Ankerite filled gashes, strongly fractured throughout. Carbonaceous no visible fossils.								
			143.45- 143.95 - contact with siltstone and phillite, 1-2% Py Black very fine grained Argillite.	502539		143.45	143.95	0.50	<.01	0.02	<2
			143.95-145.0- homogeneous fine grained with abundant leucoxine 1-2% Py.	502540		143.95	145.00	1.05	<.01	0.01	<2
			145.0-147.0 - as above	502541		145.00	147.00	2.00	<.01	0.01	<2
			147.0-149.0 - as above	502542		147.00	149.00	2.00	<.01	0.01	<2
			149.0-151.0 - as above with rep sample taken at 143.3	502543		149.00	151.00	2.00	<.01	0.01	<2
			151-153.0 very homogeneous Argillite with minor py seen	502544		151.00	153.00	2.00	<.01	<.01	<2
			153.0-153.7 fedspars micro gashes at 50-60 degrees, patch of Ankerite/dolomite, trace sulphides.	502545		153.00	153.70	0.70	<.01	<.01	<2
			153.7-155.0 - abnt leucoxine and micro gashes, trace Py.	502546		153.70	155.00	1.30	<.01	0.01	<2
			155.3-159.7 - abnt bds ofserite Siltstone and minor Ankerite/Dolomite, bedding or foliation at 42 degrees to core axis, elongated Po and minor Po again almost needle like								
			159.7-167.15- most competent rock so far, generally homogeneous Argillite with abnt leucoxine blades graphitic slips, snow flake shaped Po & Py 1-2%								
			169.8-175.85 - elevated Po and minor Py, contained mostly within Chlorite/Serpentine rich Siltstone/Phyllite bands dipping at ~52 degrees tca, 3-4% sulphides mostly Py with minor Po, possible fault at 170.7 to 172.0 with abundant gouge and one meter core loss avg dip is 52 degrees, some of the bands may be Serpentine with abundant Chlorite, trace and some minor Sericite	502547		169.30	169.80	0.50	<.01	<.01	<2
				502548		169.80	172.00	2.20	<.01	<.01	<2
				502549		172.00	174.00	2.00	<.01	<.01	<2
				502550		174.00	175.30	1.30	<.01	<.01	<2
175.30	204.80		Siltstone/Phyllite - Silicified well laminated and strong silicification, abundant thin Argillite bands moderate sericite alteration and minor chlorite, bedding /foliation at 175.8 dips 50 degrees tca, trace sulphides. Bordering on a mudstone, very fine grained, possible bleaching, 180 65 foliation/								
				502551		175.30	175.85	0.55	<.01	<.01	<2
				502552		175.85	177.00	1.15	<.01	<.01	<2

cont..

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-06-08

Page# 3

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments

PROPERTY: Wasl Creek
 ZONE: Carrie 2
 UTM: NAD 83 Zone 10
 EASTING: 373754.00
 NORTHING: 6221535.00
 ELEVATION: 845.00
 AZIMUTH: 171.00
 DIP: -50.00

Date Begun: November 26, 2006
 Date Finished: November 30, 2006
 Logged by: MJM
 Depth: 280.00
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
175.3	204.80		Siltstone/Phyllite - cont								
			bedding dips at 45 tca. Contact is slightly gradational. Increased argillite bands from 186.5 to 193.0 also more fractured with slickensided slips that are graphitic. Foliation at 193 is 60 degrees tca.								
			Strongly fractured with possible fault at 198.45 @ 32 degrees tca. Very fractured from 198.35 to 199.0m, likely 1.2m core loss through this section.								
			199.0-202.15 with elevated Argillite bands and is usually more fractured.								
			202.35-204.8 - strongly silicified. Fragmental and brecciated, no fizz.								
204.80	207.40		Argillite - mostly black with frequent bands of siltstone to mudstone, very fractured, abundant gouge, dipping at -72 degrees. Fault at 206.55 with 10cm of gouge.								
207.40	218.80		Mudstone/Siltstone - very fine grained, pelitic, light green likely sericite alteration, no visible sulphides. very friable, abundant thin bands of Argillite, foliation at 52 degrees tca. Occasional bands of elevated Chlorite with elongated Po & Py that are almost needle like, small band @ 214.9-215.0, few Calcite stringers. Few Argillite bands. Very sharp contact @ 25 degrees with gouge.								
218.8	238.10		Argillite - interbanded with Mudstone/Siltstone, very fractured from 225.9-227.7 with abundant gouge, fractures @ 42 degrees tca, rare sulphides, foliation @ ~ 45 degrees tca, some bands are are mostly sericite with occasional chlorite, sharp contact @ 44 degrees tca 5-6cm gouge.								
238.1	280.00		Siltstone/Mudstone - very fine grained, very fragmental sections rehealed, very close to a breccia, light green, with calcite fracture filling mostly sericite alteration. Occasional bands of chlorite with elevated sulphides usually very thin bands.								
			238.5-249.7 - strongly fractured with abundant hairline feldspar filled fractures,								
			249.7-251.0 - very homogeneous texture, abnt sericite, elevated silica.	502553		246.85	247.80	0.95	<.01	<.01	<2
			247.8 - 248.05 - calcite matrix, almost breccia, bleached, olive green no visible sulphides.	502554		247.80	248.05	0.25	<.01	<.01	<2
			248.05-249.0 - typical Siltstone/mudstone	502555		248.10	249.00	0.90	<.01	<.01	<2
			249.0-249.25 - fragmental to brecciated, calcareous infill material, sharp upper contact at	502556		249.00	249.35	0.35	<.01	<.01	<2
			249.25- 250.2 - typically fractured with abnt calcite filled fractures with minor Qtz, light green, no visible sulphides.	502557		249.35	250.20	0.85	<.01	<.01	<2
			250.2 - 250.7- fault zone with abnt gouge from 250.30-250.45m mostly Argillite with 15-20% very fine	502558		250.20	250.70	0.50	0.01	<.01	<2
			Py fault dips at 38 degrees tca.								
			250.7- 251.65 - light gray to olive green, light fizz weakly dolmitic?, no visible sulphides.	502559		250.70	251.65	0.95	<.01	<.1	<2
			251.65-255.1 - light grey, beige to olive green, strongly fractured, weakly dolmitic with light pervasive fizz.								
			255.1-265.6 - typical sericite altered siltstone strongly fractured and gougey from 261.3 to 264.1, no visible sulphides, occasional Argillite bands								
			265.6-269.3 - As above except more competent, slightly siliceous.								
			269.3-272.45 - strongly fractured, with fespars filled fractures and micro gashes, one small section peppered with calcareous specks from 269.9-270.2, rock is also competent								
			272.45-280.0 - almost cherty texture, light olive green to light gray, no visible sulphides, strongly								
			fracs with feldspar filled fracs occ Argillite bands, fol @ 277.1 dips 45 degrees tca, weakly dolmitic.	EOH-280m							

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-08

Page 1

From	To	Length	Recovered	%	Core > 10 cm	%
14.50	16.00	1.50	1.3	86.7	0.0	0.0
16.00	19.00	3.00	2.5	82.0	0.3	9.0
19.00	22.00	3.00	2.7	91.3	0.0	0.0
22.00	25.00	3.00	2.9	95.3	1.6	53.3
25.00	28.00	3.00	2.6	88.0	1.0	34.0
28.00	31.00	3.00	3.0	101.0	0.8	25.7
31.00	34.00	3.00	3.0	99.3	1.3	44.3
34.00	37.00	3.00	2.7	90.0	1.2	40.7
37.00	40.00	3.00	3.0	98.7	1.2	38.7
40.00	43.00	3.00	3.0	99.3	1.1	36.7
43.00	46.00	3.00	2.6	86.7	0.5	16.3
46.00	49.00	3.00	3.0	100.0	0.9	29.7
49.00	52.00	3.00	2.6	86.0	0.0	0.0
52.00	55.00	3.00	2.8	93.3	0.9	29.7
55.00	58.00	3.00	2.7	88.3	1.7	56.7
58.00	61.00	3.00	3.0	100.0	0.7	24.7
61.00	64.00	3.00	2.9	97.3	0.7	24.0
64.00	67.00	3.00	3.1	103.3	0.4	13.3
67.00	70.00	3.00	3.1	103.3	0.4	13.3
70.00	73.00	3.00	2.7	88.3	0.1	3.3
73.00	76.00	3.00	2.7	90.0	0.6	20.0
76.00	79.00	3.00	3.0	100.7	0.5	17.7
79.00	82.00	3.00	2.1	71.3	0.0	0.0
82.00	118.00	36.00	spilled	#VALUE!	spilled	#VALUE!
118.00	121.00	3.00	2.8	93.3	1.5	49.0
121.00	124.00	3.00	2.9	95.0	0.6	20.7
124.00	127.00	3.00	2.8	94.0	1.4	45.7
127.00	130.00	3.00	3.1	101.7	2.9	98.0
130.00	133.00	3.00	1.3	41.7	0.9	29.7
133.00	136.00	3.00	2.8	92.0	0.9	29.7
136.00	139.00	3.00	2.9	95.0	0.5	18.0
139.00	142.00	3.00	2.9	96.7	0.7	24.3
142.00	145.00	3.00	3.1	101.7	0.0	0.0
145.00	148.00	3.00	3.1	102.7	0.0	0.0
148.00	151.00	3.00	3.1	103.3	0.3	10.0
151.00	154.00	3.00	3.0	99.0	0.5	18.0
154.00	157.00	3.00	3.0	98.3	1.5	50.0
157.00	160.00	3.00	2.9	95.0	0.0	0.0
160.00	163.00	3.00	2.8	93.3	2.1	69.3
163.00	166.00	3.00	3.0	99.3	1.8	61.3

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-08

Page 2

From	To	Length	Recovered	%	Core	
					> 10 cm	%
166.00	169.00	3.00	2.9	96.7	0.9	29.7
169.00	172.00	3.00	2.1	70.0	0.3	9.7
172.00	175.00	3.00	2.9	95.0	0.1	3.3
175.00	178.00	3.00	2.7	91.3	0.9	28.3
178.00	181.00	3.00	2.8	93.3	1.0	33.0
181.00	184.00	3.00	2.8	1.8	3.0	100.7
184.00	187.00	3.00	2.9	95.3	2.9	95.3
187.00	190.00	3.00	2.6	85.0	0.1	4.7
190.00	193.00	3.00	2.7	90.7	0.1	4.0
193.00	196.00	3.00	2.8	93.3	0.3	10.0
196.00	199.00	3.00	1.8	61.0	0.0	0.0
199.00	202.00	3.00	2.1	70.0	0.0	0.0
202.00	205.00	3.00	2.6	86.7	0.5	15.7
205.00	208.00	3.00	2.8	94.7	0.0	0.0
208.00	211.00	3.00	3.0	100.0	0.5	15.0
211.00	214.00	3.00	2.7	89.0	0.0	0.0
214.00	217.00	3.00	2.9	95.0	1.1	36.7
217.00	220.00	3.00	2.9	95.3	0.2	7.3
220.00	223.00	3.00	2.7	89.0	0.7	22.0
223.00	226.00	3.00	2.6	85.7	0.2	6.3
226.00	229.00	3.00	3.0	101.3	0.0	0.0
229.00	232.00	3.00	2.7	90.0	0.0	0.0
232.00	235.00	3.00	2.8	91.7	0.0	0.0
235.00	238.00	3.00	2.6	87.3	0.0	0.0
238.00	241.00	3.00	2.8	91.7	0.0	0.0
241.00	244.00	3.00	2.7	91.0	0.0	0.0
244.00	247.00	3.00	3.0	100.0	0.7	23.3
247.00	250.00	3.00	2.5	84.0	0.0	0.0
250.00	253.00	3.00	2.7	88.7	0.0	0.0
253.00	256.00	3.00	2.6	88.0	0.3	10.0
256.00	259.00	3.00	2.9	95.0	0.9	31.0
259.00	262.00	3.00	2.3	76.7	0.6	0.2
262.00	265.00	3.00	2.7	89.0	0.3	11.3
265.00	268.00	3.00	2.6	85.0	1.1	37.3
268.00	271.00	3.00	3.0	98.7	1.1	35.0
271.00	274.00	3.00	3.0	100.0	1.2	41.3
274.00	277.00	3.00	2.5	83.3	0.0	0.0
277.00	280.00	3.00	2.8	93.3	0.5	17.3

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-09

Page 1

From	To	Length	Recovered	%	Core > 10 cm	%
12.05	16	3.95	2.95	74.68	0.65	16.46
16	19	3	2.75	91.67	0.85	28.33
19	22	3	2.20	73.33	0.30	10.00
22	25	3	1.94	64.67	0.54	18.00
25	28	3	2.30	76.67	0.22	7.33
28	31	3	2.40	80.00	0.55	18.33
31	34	3	2.00	66.67	0.00	0.00
34	37	3	2.65	88.33	0.00	0.00
37	40	3	2.65	88.33	0.18	6.00
40	43	3	2.70	90.00	0.55	18.33
43	46	3	2.84	94.67	1.40	46.67
46	49	3	2.74	91.33	1.73	57.67
49	52	3	2.81	93.67	1.26	42.00
52	55	3	3.08	102.67	1.22	40.67
55	58	3	2.84	94.67	0.00	0.00
58	61	3	2.69	89.67	0.52	17.33
61	64	3	2.94	98.00	0.53	17.67
64	67	3	2.64	88.00	0.75	25.00
67	70	3	2.75	91.67	0.00	0.00
70	73	3	2.50	83.33	1.05	35.00
73	76	3	2.74	91.33	0.14	4.67
76	79	3	2.70	90.00	0.00	0.00
79	82	3	2.10	70.00	0.00	0.00
82	85	3	2.66	88.67	0.65	21.67
85	88	3	2.14	71.33	0.74	24.67
88	91	3	2.60	86.67	1.12	37.33
91	94	3	2.85	95.00	0.00	0.00
94	97	3	2.47	82.33	0.00	0.00
97	100	3	2.20	73.33	0.00	0.00
100	103	3	2.70	90.00	0.50	16.67
103	106	3	3.05	101.67	0.00	0.00
106	109	3	2.10	70.00	0.00	0.00
109	112	3	2.40	80.00	0.00	0.00
112	115	3	1.00	33.33	0.00	0.00
115	118	3	1.30	43.33	0.00	0.00
118	121	3	1.75	58.33	0.00	0.00
121	124	3	1.87	62.33	0.00	0.00
124	127	3	2.71	90.33	1.75	58.33
127	130	3	2.50	83.33	0.00	0.00
130	133	3	2.00	66.67	0.00	0.00
133	136	3	2.72	90.67	0.39	13.00

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-09

Page 2

From	To	Length	Recovered	%	Core > 10 cm	%
136	139	3	2.97	99.00	0.26	8.67
139	142	3	2.73	91.00	0.69	23.00
142	145	3	2.95	98.33	0.00	0.00
145	148	3	2.94	98.00	0.00	0.00
148	151	3	2.50	83.33	0.00	0.00
151	154	3	2.83	94.33	0.00	0.00
154	157	3	2.70	90.00	0.43	14.33
157	160	3	2.40	80.00	0.66	22.00
160	163	3	2.51	83.67	0.00	0.00
163	166	3	2.50	83.33	0.32	10.67
166	169	3	2.90	96.67	0.00	0.00
169	172	3	2.70	90.00	0.38	12.67
172	175	3	2.85	95.00	0.77	25.67
175	178	3	2.20	73.33	0.00	0.00
178	181	3	2.95	98.33	0.00	0.00
181	184	3	3.00	100.00	0.35	11.67
184	187	3	2.10	70.00	0.30	10.00
187	190	3	2.40	80.00	0.63	21.00
190	193	3	2.50	83.33	0.34	11.33
193	196	3	2.30	76.67	0.00	0.00
196	199	3	2.70	90.00	0.00	0.00
199	202	3	2.75	91.67	0.75	25.00
202	205	3	2.00	66.67	0.42	14.00
205	208	3	2.60	86.67	1.13	37.67
208	211	3	2.40	80.00	0.90	30.00
211	214	3	2.50	83.33	0.31	10.33
214	217	3	2.99	99.67	1.02	34.00
217	220	3	2.73	91.00	1.03	34.33
220	223	3	2.70	90.00	2.40	80.00
223	226	3	2.65	88.33	0.50	16.67
227	229	2	2.80	140.00	0.00	0.00
229	232	3	2.37	79.00	0.00	0.00
232	235	3	2.40	80.00	0.00	0.00
235	238	3	2.45	81.67	0.00	0.00
238	241	3	2.40	80.00	0.00	0.00
241	244	3	2.20	73.33	0.00	0.00
244	247	3	2.40	80.00	0.00	0.00
247	250	3	2.80	93.33	0.15	5.00
250	253	3	1.72	57.33	0.00	0.00

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-06-10

Page# 1

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
collar	0.00		-50				Drilling off
	29.00	345.20	-64.8				
	127.00	351.00	-64.9				
	247.00	6.30	-63.6				

PROPERTY: Wasi Creek
 ZONE: Carrie 2
 UTM: NAD 83 Zone 10
 EASTING: 373753.00
 NORTHING: 6221536.00
 ELEVATION: 844.00
 AZIMUTH: 5.00
 DIP: -65.00

Date Begun: December 4, 2006
 Date Finished: December 8, 2006
 Logged by: MJM
 Depth: 263.0m
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	Assays			
									ICP Pb (%)	ICP Zn (%)	ICP Ag g/t	
0.0	26.00		Casing and Overburden, with core retrieved from 21.9 to 26m									
26.00	176.90		Siltstone/Mudstone- medium grey, very fine grained, argillaceous, some hint of Chlorite, elongated oxidized sulphides, from trace to 2% in localized sections. Weakly dolmatized. Abundant faults and gouge. Chlorite is strong in sections, rare Calcite stringers. Occasional Argillite bands. Very competent									
			29.1-30.4 - fault with abundant gouge, undetermined dip.									
			31.0-32.7- very fine grained with abundant black streaks seem to contain carbonaceous material and minor oxidized Py in ythe elongated black streaks? Seems to end at a 3cm fault filled with gouge dips at -80 degrees tca.									
			32.7-46.85 - moderate to strong chlorite alteration, argillaceous in part, very competent rock compare to rock above, rare calcite stringers, weakly foliated at 42m dipping at 34 degrees.									
			46.85- 69.8m - strongly argillaceous, strongly fractured, maybe minor sericite present, trace sulphides. moderate chlorite alteration, trace to 1% sulphides in localized sections. Short dolmatized sections	502580		69.15	69.85	0.70	<.01	<.01	<2	
			70.15-72.0 - Very competent ground for this hole strong chlorite with minor sericite alteration, 2-3% sulphides with some carbonaceous material.	502581		69.85	71.30	1.45	<.01	<.01	<2	
			72.0-80.9 - very fractured and argillaceous, strong chlorite to bleached, occasional sections with up to 2% sulphides. Foliation at 70.1 dipping at 40 degrees tca.	502582		71.30	72.00	0.70	<.01	<.01	<2	
			82.0-100.3- Strongly chloritic, competent rock, foliation at 88.10 dipping at 25 degrees tca. Trace sulphides.	502583		72.00	73.15	1.15	<.01	<.01	<2	
			100.3-112.05 - strongly fractured to rubby Siltstone /Mudstone, strongly chloritic, minor gouge, trace light green to grey, very argillaceous, abundant quartz stringers, trace sulphides foliation at 40 degrees tca @109.5m									
			112.0-128.1-more competent than above, moderately chloritic/sericite altered, bright white material with Quartz, dolomite Rombs, foliation at 122.2m dips at 40 degrees tca. Few blebs of Py at 120.85m									
			128.1- slightly more grey and argillaceous, minor Quartz, few rare thin bands of Argillite and blebs of Py associated with it, occasional small patches that are are dolmitic.									
			128.1-136.6- very argillaceous with some sections of gouge from 133.35-133.45 & 136.8-136.85 first fault appears to dip at 80 degrees tca & the latter at ~70 degrees tca.									
			136.5-141.5 - slightly elevated quartz and sulphides content									
			136.5-137.5 - homogeneous texture, with 2-3% carbonaceous material and Py	502584		136.50	137.50	1.00	<.01	<.01	<2	
			136.5-138.2 - strongly siliceous and sericite altered, finely disseminated Py 2-3%.	502585		137.50	138.20	0.70	<.01	<.01	<2	
			138.2-139.0 - homogeneous fine grained sericite altered with 2-3% elongated sulphides?	502586		138.20	139.00	0.80	<.01	<.01	<2	
			139.0-139.5 - elevated quartz and sericite	502587		139.00	139.50	0.50	<.01	<.01	<2	
			139.5-140.6 - typical rubble and argillaceous Siltstone	502588		139.50	140.60	1.10	<.01	<.01	<2	
			140.6-141.5 - silicious in part, fragmental almost brecciam strong sericite, trace sulphides, foliation at 141.2 @ 65 degrees tca	502589		140.60	141.50	0.90	<.01	<.01	<2	
			141.5-162.2 - sericite and chlorite alteration, strongly fractured with abundant gouge, argillaceous, trace sulphides.	502590		141.50	142.45	0.95	<.01	<.01	<2	
			162.2-162.7 - elevated silica with very fine disseminated Py at 5-6% strong Sericite, crackled texture some Ankerite present and dolomite stringers.	502591		161.50	162.20	0.70	<.01	<.01	<2	
				502592		162.2	162.70	0.50	<.01	<.01	<2	
				502593		162.7	163.6	0.90	<.01	<.01	<2	

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-08-10

Page# 2

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
No tests							

PROPERTY: Wasl Creek
 ZONE: Carrie 2
 UTM: NAD 83 Zone 10
 EASTING: 373753.00
 NORTHING: 6221536.00
 ELEVATION: 844.00
 AZIMUTH: 5.00
 DIP: -65.00

Date Begun: December 4, 2006
 Date Finished: December 8, 2006
 Logged by: MJM
 Depth: 263.0m
 Core size: NC2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
26.00	176.90		Siltstone/Mudstone - cont.								
			162.7-176.9- typical sericite/chlorite altered, fine grained Siltstone/Mudstone, occasional Limestone stringers, foliation at 41 degrees tca @ 175.5, trace sulphides.								
176.90	185.00		Weak Dolomitic Siltstone/Mudstone - very competent compared to the rock above, light fizz, fizz chalky when dry, occasional limestone. Very homogeneous texture. Trace sulphides.								
185.00	188.40		Argillite 60% with 40% Siltstone very fractured and abundant gouge foliation at 45 degrees, trace sulphides.								
188.40	199.20		Siltstone/Mudstone - strongly fractured fine grained, light green to grey, light sericite alteration few occasional bands of Argillite.								
			191.9-193.0 - slightly coarser sericite altered, abundant fractures	502594		191.90	193.00	1.10	<.01	<.01	<2
			193.0-193.35 - 10-12cm quartz flooded vein dipping @ 89 degrees tca, with 8-10% Py, rare sph, minor Argillite, and one speck of electrum?	502595		193.00	193.35	0.35	<.01	<.01	<2
			193.35-194.5 - typical sericite altered, siltstone, to coarse for Mudstone.	502596		193.35	194.50	1.15	<.01	<.01	<2
			194.5-195.4 - Argillaceous with abundant leucoxene and sericite altered Siltstone	502597		194.50	195.40	0.90	<.01	<.01	<2
			195.4-196.1 - few bull Quartz veinlets dipping at 35 degrees tca.	502598		195.40	196.10	0.70	<.01	<.01	<2
			196.1-196.6 - Quartz veinlets with ankerite/sericite/chlorite/Py breccia dipping at 38 degrees, with minor limestone and possible dolomite, trace epidote, 2-3% Py.	502599		196.10	196.60	0.50	<.01	<.01	<2
			196.6-197.3 - mix of Argillite & sericite altered Siltstone.	502600		196.60	197.30	0.70	<.01	<.01	<2
199.2	211.80		Argillite - Mostly interbedded with Siltstone, 60% argillite and 40% siltstone, foliation at 205.1 m dips at 30 degrees tca. Seems to be elevated Py in the Argillite at 2-4%. Sharp upper contact at 40 degrees tca. Siltstone section from 208.3-209.45 still has thin bands of Argillite	502601		210.20	211.50	1.30	<.01	<.01	<2
			211.5-211.8- slightly bleached siltstone/argillite, irregular contact with Quartz, weakly calcareous weakly dolomitic?	502602		211.50	211.80	0.30	<.01	<.01	<2
211.80	213.45		Quartz Vein - Large postashio to emerald green chunks could be epidote with minor chlorite 4-6% Py, 1-2% sph (near in chunks, minor limonite which may contain sph, abundant ankerite, upper contact at 62 degrees to core axis. Lower contact is sharp at ~18 degrees tca								
			211.8-212.15 - bull quartz with light chunks of light green material, straddles the line between epidote, chlorite, or even Fuschite?, does contain chunks of sph averaging 1-2% and may be contained grained yellowish material. Sharp upper contact at 62 degrees & lower contact at 18 degrees tca.	502603		211.80	212.15	0.35	<.01	0.04	<2
			212.15-212.6 - fine grained black argillite	502604		212.15	212.60	0.45	<.01		
			212.6-213.45 - mostly bull Quartz with 30% dolomite/Ankerite, abundant light green chunks likely epidote, 2-3 % Py, trace Limonite?, irregular lower contact at ~18 degrees tca	502605		212.60	213.45	0.85	<.01	0.01	<2
213.45	214.90		Argillite - 60% argillite & 40% coarse siltstone, sericite alteration, foliated at 214.5 dips at 60 degrees to core axis, contact is gradational	50606		213.45	214.15	0.70	<.01	<.01	<2

SELKIRK METALS HOLDINGS CORP.
WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-10

Page 1

From	To	Length	Recovered	%	Core > 10 cm	%
22.5	25	2.5	1.80	72.00	0.00	0.00
25	28	3	2.70	90.00	0.34	11.33
28	31	3	2.50	83.33	0.28	9.33
31	34	3	2.71	90.33	0.00	0.00
34	37	3	2.72	90.67	0.60	20.00
37	40	3	2.68	89.33	0.50	16.67
40	43	3	2.83	94.33	1.32	44.00
43	46	3	2.87	95.67	1.20	40.00
46	49	3	3.05	101.67	0.57	19.00
49	52	3	2.50	83.33	0.00	0.00
52	55	3	2.55	85.00	0.30	10.00
55	58	3	2.60	86.67	0.00	0.00
58	61	3	2.20	73.33	0.20	6.67
61	64	3	1.60	53.33	0.00	0.00
64	67	3	2.60	86.67	0.00	0.00
67	70	3	2.20	73.33	0.00	0.00
70	73	3	2.90	96.67	1.57	52.33
73	76	3	2.40	80.00	0.48	16.00
76	79	3	3.00	100.00	2.80	93.33
79	82	3	2.80	93.33	2.70	90.00
82	85	3	3.00	100.00	1.56	52.00
85	88	3	2.90	96.67	1.65	55.00
88	91	3	2.85	95.00	1.05	35.00
91	94	3	2.50	83.33	1.20	40.00
94	97	3	3.30	110.00	2.67	89.00
97	100	3	2.90	96.67	0.00	0.00
100	103	3	2.90	96.67	0.00	0.00
103	106	3	2.50	83.33	0.00	0.00
106	109	3	2.55	85.00	0.00	0.00
109	112	3	2.96	98.67	0.41	13.67
112	115	3	2.70	90.00	1.27	42.33
115	118	3	2.80	93.33	1.14	38.00
118	121	3	2.90	96.67	0.00	0.00
121	124	3	2.90	96.67	1.36	45.33
124	127	3	3.00	100.00	1.70	56.67
127	130	3	2.92	97.33	0.00	0.00
130	133	3	2.60	86.67	0.15	5.00
133	136	3	2.30	76.67	0.00	0.00
136	139	3	2.70	90.00	0.85	28.33
139	142	3	2.70	90.00	0.55	18.33

SELKIRK METALS HOLDINGS CORP.
WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-10

Page 2

From	To	Length	Recovered	%	Core	
					> 10 cm	%
142	145	3	2.00	66.67	0.00	0.00
145	148	3	2.60	86.67	0.00	0.00
151	154	3	2.65	88.33	2.00	66.67
154	157	3	2.30	76.67	0.00	0.00
157	160	3	2.75	91.67	0.00	0.00
160	163	3	2.60	86.67	0.30	10.00
163	166	3	2.26	75.33	0.22	7.33
166	169	3	2.20	73.33	0.34	11.33
169	172	3	2.70	90.00	0.22	7.33
172	175	3	2.70	90.00	0.42	14.00
175	178	3	2.77	92.33	0.70	23.33
178	181	3	3.10	103.33	1.20	40.00
181	184	3	2.85	95.00	0.00	0.00
184	187	3	2.40	80.00	0.00	0.00
187	190	3	1.60	53.33	0.00	0.00
190	193	3	2.50	83.33	0.20	6.67
193	196	3	2.45	81.67	0.00	0.00
196	199	3	2.20	73.33	0.00	0.00
199	202	3	2.90	96.67	1.70	56.67
202	205	3	2.60	86.67	0.70	23.33
205	208	3	2.40	80.00	0.60	20.00
208	211	3	2.61	87.00	1.23	41.00
211	214	3	2.80	93.33	1.20	40.00
214	217	3	2.90	96.67	0.93	31.00
217	220	3	3.00	100.00	1.32	44.00
220	223	3	2.60	86.67	1.60	53.33
223	226	3	2.80	93.33	1.10	36.67
226	229	3	2.70	90.00	0.77	25.67
229	232	3	2.50	83.33	1.60	53.33
232	235	3	3.10	103.33	1.70	56.67
235	238	3	2.90	96.67	0.50	16.67
238	241	3	2.80	93.33	0.47	15.67
241	244	3	2.60	86.67	1.50	50.00
244	247	3	2.68	89.33	1.40	46.67
247	250	3	2.50	83.33	1.07	35.67
250	253	3	2.33	77.67	1.10	36.67
253	256	3	2.45	81.67	0.63	21.00
256	259	3	2.50	83.33	0.39	13.00
259	263	4	3.10	77.50	0.14	3.50

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-06-11

Page# 1

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
collar	0.00		-50				Check high Airborne Mag anomaly
	24.00	49.10	-51.4				
	145.00	52.00	-53.7				
	301.00	51.90	-56				

PROPERTY: West Creek
 ZONE: Par North
 UTM: NAD 83 Zone 10
 EASTING: 374250.00
 NORTHING: 6221513.00
 ELEVATION: 843.00
 AZIMUTH: 70.00
 DIP: -50.00

Date Begun: December 11, 2006
 Date Finished: December 15, 2006
 Logged by: MJM
 Depth: 301.0m
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	Assays			
									ICP Pb (%)	ICP Zn (%)	ICP Ag g/t	
0.0	20.00		Casing and Overburden									
20.00	21.60		Argillite - black, strongly fractured from 20-22.0 m.	502612		20.00	21.60	1.60	0.01	0.05	<2	
21.60	23.40		Dolomite Breccia Vein - brecciated at the contacts, remainder like a shear vein, upper contact is undetermined, the lower contact is 50 degrees tca. From 22.0-22.35 is dolomite breccia with 30-40% with sph at 4-6% some as an oxidized yellow orange or the odd patch of reddish brown sph. 22.35-23.0 strongly fractured, gougey abundant dolomite, 30-40% Py with trace sph., 23.0-23.4 almost massive Py -50% Py with 4-6% sph both orange yellow & reddish brown	502613 502614		21.60 22.00	22.00 23.40	0.40 1.40	<.01 0.013	0.01 1.87	<2 3.0	
23.40	25.80		Argillite - with abundant sulphide bands, average 5-7% Py in stringers and bands, black fine grained.	502615 502616		23.40 24.20	24.40 25.80	1.00 1.60	<.01 <.01	<.01 <.01	<2 <2	
25.80	26.60		Argillite - strongly fractured with 1-2% Py, no sph seen with .30m of fault, fracturing dipping at 48 degrees tca.	502617		25.80	26.60	0.80	<.01	<.01	<2	
26.60	27.65		Argillite - black, homogeneous, no visible sulphides, sharp contact with Mudstone/Siltstone	502618		26.60	27.45	0.85	<.01	<.01	<2	
27.65	32.05		Siltstone/Mudstone - sharp contact at 27.65 dipping @70 degrees tca. Visible bedding at 28.6 dipping at 55 degrees tca no visible sulphides. Very homogeneous texture.	502619 502620 502621		27.45 29.00 31.00	29.00 31.00 32.05	1.55 2.00 1.05	<.01 <.01 <.01	<.01 <.01 <.01	<2 <2 <2	
32.05	41.60		Phyllite - olive green with silky looking contacts, friable with clay texture and gouge to vary siliceous, numerous thin bands of dark grey Quartz and finely disseminated Py, 1-2% possible sph yellowish oxidized look, 1-3% at most, 4-5% Py, foliation at 34.5 dipping at 48 degrees tca gradational contact with Dolomitic Siltstone. Foliation at 40.75 dips @ 80 degrees tca. 32.05-33.45 - strong Sericite alteration, fault from 32.9 -33.3, 2-3% Py trace sph 33.45-35.9 - wrinkled, strong sericite alteration, 3-4% disseminated Py, oxidized Py or sph at 2-3% 35.9-37.35 - as above except 5-6% Py, no visible sph, quartz nodules or eyes 37.35-39.4 - with abundant grey quartz, 2-3% Py, occasional Quartz nodules, they are oval to rounded. 39.4-40.75 - abundant quartz eyes or nodules, foliation averages at 80 degrees tca. 40.75-41.6 - grading to siltstone slightly greyish, real contact at 41.6 dipping at 85 degrees tca.	502622 502623 502624 502625 502626 502627		32.05 33.45 35.90 37.35 39.40 40.75	33.45 35.90 37.35 39.40 40.75 41.60	1.40 2.45 1.45 2.05 1.35 0.85	<.01 <.01 <.01 <.01 <.01 0.01	<.01 <.01 <.01 <.01 <.01 <.01	<2 <2 <2 <2 <2 <2	
41.60	48.45		Dolomitic Fragmental Siltstone - almost brecciated in sections but generally heterogeneous with abundant dolomite stringers filling in fractures, 2-5% Py usually within dolomite stringers, fine grained medium light grey. Foliation at 44.65m dips at 32 degrees. From 46.0 to 48.45 has more dolomite stringers and is more fragmental, and very fractured and bleached with contact of fresh Phyllite. Contact dips at ~85 degrees tca	502628 502629 502630 502631		41.60 43.60 45.60 47.75	43.60 45.60 47.75 48.45	2.00 2.00 2.15 0.70	0.01 <.01 <.01 <.01	<.01 <.01 <.01 <.01	<2 <2 <2 <2	
48.45	51.40		Phyllite - olive green, strong sericite alteration, 2-4% Py with trace yellow sph, foliation averages at 78 degrees to core axis. Minor quartz patches.	502632 502633		48.45 49.90	49.90 51.40	1.45 1.50	<.01 <.01	<.01 <.01	<2 <2	
51.40	55.40		Altered & Strongly Sheared Phyllite - very friable, 30% clay, abundant thin bands of Argillite foliation at 44 degrees tca on average, maybe sulphides, but hard to determine with abundant clay	502634 502635		51.40 53.4	53.40 55.40	2.00 2.00	<.01 <.01	<.01 <.01	<2 <2	

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-0611

Page# 2

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments
No tests							

PROPERTY: Wasi Creek
ZONE: Par North
UTM: NAD 83 Zone 10
EASTING: 374250.00
NORTHING: 6221513.00
ELEVATION: 843.00
AZIMUTH: 70.00
DIP: -50.00

Date Begun: December 11, 2006
Date Finished: December 15, 2006
Logged by: MJM
Depth: 301.0m
Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
56.40	56.40		Quartz Vein - in two segment with a section of strongly fractured Phyllite in the first segment of Quartz from 55.4 to 55.8 has about 10-12% ga, 3-5% sph & 3-4% Cpy & Py, they are concentrated in veinlets and blebs, upper contact at 61 degrees, should have elevated Ag.	502636		55.40	55.80	0.40	1.84	1.36	10.0
			55.8-56.2 - strongly altered and friable Phyllite	502637		55.80	56.20	0.40	0.040	0.02	<2
			56.2-56.4 - bull quartz with trace ga, lower contact at ~61 degrees tca.	502638		56.20	56.40	0.20	0.010	0.07	<2
56.60	81.30		Clay Altered Phyllite - very friable, well foliated with up to 30% clay and gouge material, strong sericite alteration, abundant grey quartz, foliation averages 55 degrees to core axis, trace visible Fragmental to brecciated localized sections.	502639		56.40	57.00	0.60	<.01	<.01	<2
				502640		57.00	59.00	2.00	<.01	<.01	<2
				502641		59.00	61.00	2.00	<.01	<.01	<2
				502642		61.00	63.00	2.00	<.01	<.01	<2
				502643		63.00	64.00	1.00	0.020	<.01	<2
			63.0-64.0 - gouge/fault dip~ 40 degrees	502644		64.00	64.60	0.60	<.01	<.01	<2
				502645		64.60	66.10	1.50	<.01	<.01	<2
			66.15-66.21 - massive sph @ ~60%, 2-3% ga, 6-8% Py, with trace Cpy, sharp contact at 45 degree tca.	502646		66.10	66.30	0.20	12.30	26.79	59
				502647		66.30	66.60	0.30	0.01	0.03	<2
			66.8-80.5 - has increased bands of grey quartz with a few minor S folds, no visible sulphide increase	502648		66.60	68.20	1.60	0.010	<.01	0.03
				502649		68.20	70.00	1.80	<.01	<.01	0.03
				502650		70.00	72.00	2.00	<.01	<.01	<2
				502651		72.00	74.00	2.00	<.01	<.01	<2
				502652		74.00	76.00	2.00	<.01	<.01	<2
				502653		76.00	78.00	2.00	<.01	<.01	<2
			78.0-78.7 - two small patches of sph and disseminated Py	502654		78.00	78.70	0.70	<.01	0.06	<2
				502655		78.70	80.30	1.60	<.01	<.01	<2
				502656		80.30	81.30	1.00	<.01	<.01	<2
				502657		81.30	83.30	2.00	<.01	<.01	<2
81.30	89.50		Phyllite - fine grained olive color, much more competent than above, abundant grey mottled grey quartz, minor disseminated Py, Quartz flooded/breccia from 86.15 to 86.75, irregular contact with numerous blebs of Py, and minor yellow brown sph. Strong sericite alteration. Foliation averages 75 degrees tca. Lower contact is ~50 degrees tca.	502658		83.30	85.30	2.00	<.01	<.01	<2
				502659		85.30	86.15	0.85	<.01	<.01	<2
				502660		86.15	86.75	0.60	<.01	<.01	<2
			81.2-86.15 - poorly foliated averages at 35 degrees tca, no visible sulphides, strong sericite, only occasional, mottled dark grey Quartz, trace to 15 sulphides.	502661		86.75	88.25	1.50	<.01	<.01	<2
				502662		88.25	89.50	1.25	<.01	<.01	<2
			86.15-86.75, breccia quartz vein with a few blebs of Py avg of 2-4% and minor sph, contacts are irregular								
89.50	96.75		Strongly Clay Altered Phyllite - 20-30% clay and or gouge with one small competent section from 92.6 to 94.2, no visible sulphides, average foliation at ~38 degrees tca.	502663		89.50	91.50	2.00	<.01	<.01	<2
				502664		91.50	92.30	0.80	<.01	<.01	<2
				502665		92.30	94.20	1.90	<.01	<.01	<2
				502666		94.20	95.50	1.30	<.01	<.01	<2
				502667		95.50	96.75	1.25	<.01	<.01	<2
96.75	104.75		Siltstone - cherty siliceous appearance, very fine grained with visible bedding at 98.1 dips at from 34 degrees tca. Abundant sericite alteration, generally well fractured, has rare dolomite stringers trace sulphides. Contact is gradational. Some phyllite is present.	502668		96.75	98.10	1.35	<.01	<.01	<2
				502669		98.10	100.00	1.90	<.01	<.01	<2
				502670		100.00	102.20	2.20	<.01	<.01	<2
				502671		102.20	103.55	1.35	<.01	<.01	<2
				502672		103.55	104.75	1.20	<.01	<.01	<2

SELKIRK METALS HOLDINGS CORP. - DRILL HOLE LOG

HOLE: WZ-08-11

Page# 4

Tests:	Depth	Azimuth	Dip	Depth	Azimuth	Dip	Comments

PROPERTY: Wasi Creek
 ZONE: Par North
 UTM: NAD 83 Zone 10
 EASTING: 374250.00
 NORTHING: 6221513.00
 ELEVATION: 843.00
 AZIMUTH: 70.00
 DIP: -50.00

Date Begun: December 11, 2006
 Date Finished: December 15, 2006
 Logged by: MJM
 Depth: 301.0m
 Core size: NQ2

From	To	Unit	DESCRIPTION	SAMPLE#	Recovery	From	To	Length	ICP Pb (%)	ICP Zn (%)	ICP Ag g/t
170.0	170.00		Brecciated Limestone - cont								
			170.0-170.5 - dolomitic limestone, no visible sulphides slightly argillaceous.	502699		170.00	170.50	0.50	<.01	<.01	<.2
			170.5-172.0 - as above	502700		170.50	172.00	1.50	0.44	0.47	<.2
			172.0-173.05 - brecciated mostly limestone but dolomitic in part, no visible sulphides.	502701		172.00	173.05	1.05	0.45	1.08	<.2
			173.05-173.4 - few small patches of honey sph with blackjack sph, avg 2-3% random orientation	502702		173.05	173.40	0.35	1.17	0.75	<.2
			173.40-175.2 - white to light grey to bluish limestone, no visible sulphides	502703		173.40	175.20	1.80	0.11	0.14	<.2
			175.2-177.2 - as above	502704		175.20	177.20	2.00	<.01	<.01	<.2
			177.2-179.15 - as above	502705		177.20	179.15	1.95	<.01	<.01	<.2
			179.15-180.35 - light grey with late limestone fractures at 55 degrees tca, dolomitic in part, no visible sulphides.	502706		179.15	180.35	1.20	<.01	<.01	<.2
			180.35-181.8 - as above	502707		180.35	181.80	1.45	<.01	<.01	<.2
			181.8-182.7 - white limestone, no visible bedding few patches of honey sph 1-2%, py 2%.	502708		181.80	182.70	0.90	<.01	0.05	<.2
			182.7-183.55 - white limestone with a few random patches of honey sph 1% or less.	502709		182.70	183.55	0.85	0.02	0.15	<.2
			183.55-184.7 - white limestone, no visible sulphides	502710		183.55	184.70	1.15	<.01	0.08	<.2
			184.7-185.5 - one small veinlet of blackjack and honey sph with py, trace-1% of each.	502711		184.70	185.50	0.80	0.11	0.06	<.2
			185.5-185.7 - crackled texture, 9-11% honey sph, 5-6% fine Py, 1-2% ga, within two contacts at 40 degrees tca.	502712		185.50	185.70	0.20	0.75	3.84	8.00
			185.7- 186.3 - mix of blue gray and white limestone fine to medium grained, no visible sulphides.	502713		185.70	186.30	0.60	0.09	0.14	<.2
			186.3-187.25 - few patches of random honey sph, average 1-2%, trace Py	502714		186.30	187.25	0.95	0.03	0.27	<.2
			187.25-189.30 - few random specks of sph, trace amount, mostly white limestone.	502715		187.25	189.30	2.05	0.04	0.11	<.2
			189.30-190.6 - small wisps of honey sph randomly scattered throughout interval at 1-2%	502716		189.30	190.60	1.30	<.01	0.39	<.2
			190.6-191.6 - abundant random stringers of honey sph at 3-4% with trace to 1% Py and ga	502717		190.60	191.60	1.00	<.01	1.18	<.2
			191.6-193.6 - chalky marbled limestone, no visible sulphides.	502718		191.60	193.60	2.00	<.01	0.09	<.2
			193.6-194.8 - as above.	502719		193.60	194.80	1.20	<.01	<.01	<.2
			194.8-195.85 - random stringers of honey sph averages 1-2% with trace ga & Py.	502720		194.80	195.85	1.05	<.01	0.25	<.2
			195.85-196.25 - slightly mottled with 1-2% Py with 1% blackjack sph, no visible ga	502721		195.85	196.25	0.40	<.01	0.55	<.2
			Mineralized Zone 196.25-197.7								
			196.25- 196.75 - well banded mineralization with 25-30% sph mostly honey colored with minor brownish-red and some blackjack sph, 6-7% Py and 1-2% ga, banding at 42 degrees tca.	502722		196.25	196.75	0.50	0.06	13.36	19.00
			196.75-197.20 - few random stringers of honey sph at 2-4%.	502723		196.75	197.20	0.45	1.16	1.41	<.2
			197.20-197.7 - few nice blobs of honey sph with minor blackjack avg at 5-6%, 1-2% Py & ga, sharp contact with argillaceous blue gray limestone at 65 degrees.	502724		197.20	197.70	0.50	0.08	1.64	2.00
			197.7-198.2 - blue-black dark grey with abundant white random stringers throughout, no visible sulphides. Mineralization seems to be with the marbled or white limestone	502725		197.70	198.20	0.50	0.17	0.20	<.2
			198.2-200.1 - as above.	502726		198.20	200.10	1.90	0.01	0.15	<.2
			200.1-202 - dark grey black to blue, no visible sulphides, foliated at 40 degees tca	502727		200.10	202.00	1.90	0.02	0.02	<.2
			202.0-204.1 - as above.	502728		202.00	204.10	2.10	<.01	0.03	<.2
			204.1-206.0 - as above except slightly mottled more white, no visible sulphides.	502729		204.10	206.00	1.90	<.01	<.01	<.2
			206.0-208.0 - as above	502730		206.00	208.00	2.00	<.01	<.01	<.2
			208.0-208.7 - as above except sharp contact with argillite @ 209.7 dipping at -38 degrees tca.	502731		208.00	208.70	0.70	<.01	<.01	<.2

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-11

Page 1

From	To	Length	Recovered	%	Core > 10 cm	%
20	22	2	1.30	65.00	0.00	0.00
22	25	3	2.70	90.00	1.00	33.33
25	28	3	2.85	95.00	1.30	43.33
28	31	3	2.30	76.67	1.30	43.33
31	34	3	3.10	103.33	0.75	25.00
34	37	3	2.20	73.33	0.38	12.67
37	40	3	2.95	98.33	1.26	42.00
40	43	3	3.05	101.67	1.18	39.33
43	46	3	2.95	98.33	1.50	50.00
46	49	3	2.56	85.33	0.15	5.00
49	52	3	2.83	94.33	0.93	31.00
52	55	3	2.80	93.33	0.00	0.00
55	58	3	2.10	70.00	0.00	0.00
58	61	3	2.40	80.00	0.30	10.00
61	64	3	2.90	96.67	0.00	0.00
64	67	3	2.10	70.00	0.00	0.00
67	70	3	2.95	98.33	0.85	28.33
70	73	3	3.00	100.00	1.98	66.00
73	76	3	3.05	101.67	1.55	51.67
76	79	3	2.40	80.00	0.85	28.33
79	82	3	3.00	100.00	0.56	18.67
82	85	3	2.50	83.33	0.96	32.00
85	88	3	3.00	100.00	1.75	58.33
88	91	3	2.76	92.00	1.27	42.33
91	94	3	3.10	103.33	0.89	29.67
94	97	3	2.70	90.00	0.60	20.00
97	100	3	2.50	83.33	0.50	16.67
100	103	3	2.50	83.33	0.00	0.00
103	106	3	2.80	93.33	0.25	8.33
106	109	3	2.70	90.00	0.83	27.67
109	112	3	2.40	80.00	0.00	0.00
112	115	3	2.60	86.67	0.00	0.00
115	118	3	2.80	2.63	0.00	0.00
118	121	3	2.50	83.33	1.50	50.00
121	124	3	3.10	103.33	1.50	50.00
124	127	3	2.50	83.33	0.00	0.00
127	130	3	2.86	95.33	0.00	0.00
130	133	3	2.75	91.67	0.00	0.00
133	136	3	2.70	90.00	0.00	0.00
136	139	3	2.90	96.67	0.00	0.00

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY

RQD LOG

HOLE: WZ-06-11

Page 2

From	To	Length	Recovered	%	Core	
					> 10 cm	%
139	142	3	2.70	90.00	0.40	13.33
142	145	3	3.01	100.33	0.30	10.00
145	148	3	2.70	2.63	0.75	25.00
148	151	3	2.90	96.67	0.60	20.00
151	154	3	2.88	96.00	0.55	18.33
157	160	3	2.96	98.67	0.00	0.00
160	163	3	2.90	96.67	2.46	82.00
163	166	3	3.04	101.33	2.40	80.00
166	169	3	3.08	102.67	1.81	60.33
169	172	3	3.00	100.00	2.30	76.67
172	175	3	2.93	97.67	2.65	88.33
175	178	3	3.00	100.00	2.35	78.33
178	181	3	2.95	98.33	2.34	78.00
181	184	3	3.00	100.00	1.80	60.00
184	187	3	2.93	97.67	2.60	86.67
187	190	3	2.95	98.33	2.34	78.00
190	193	3	2.95	98.33	2.40	80.00
193	196	3	3.00	100.00	1.92	64.00
196	199	3	3.02	100.67	2.90	96.67
199	202	3	3.03	101.00	2.87	95.67
202	205	3	2.80	93.33	2.26	75.33
205	208	3	2.85	95.00	2.50	83.33
208	211	3	2.52	84.00	1.07	35.67
211	214	3	2.50	83.33	0.52	17.33
214	217	3	2.85	95.00	0.00	0.00
217	220	3	2.65	88.33	0.73	24.33
220	223	3	2.80	93.33	0.27	9.00
223	226	3	2.90	96.67	0.00	0.00
226	229	3	2.93	97.67	0.47	15.67
229	232	3	2.80	93.33	0.37	12.33
232	235	3	2.70	90.00	0.00	0.00
235	238	3	1.40	46.67	0.00	0.00
238	241	3	2.75	91.67	0.00	0.00
241	244	3	2.70	90.00	0.00	0.00
244	247	3	2.60	86.67	0.00	0.00
247	250	3	2.90	96.67	1.06	35.33
250	253	3	2.80	93.33	0.00	0.00
253	256	3	2.60	2.63	0.00	0.00
256	259	3	2.65	88.33	0.60	20.00
259	262	3	2.80	93.33	0.00	0.00

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY


RQD LOG

HOLE: WZ-06-11

From	To	Length	Recovered	%	Core	
					> 10 cm	%
262	265	3	2.90	96.67	0.22	7.33
265	268	3	2.95	98.33	2.36	78.67
268	271	3	2.80	93.33	1.50	50.00
271	274	3	2.71	90.33	0.00	0.00
274	277	3	2.80	93.33	1.27	42.33
277	280	3	3.00	100.00	1.25	41.67
280	283	3	2.60	86.67	2.06	68.67
283	286	3	2.94	2.63	1.90	63.33
286	289	3	2.90	96.67	0.50	16.67
289	292	3	2.88	96.00	0.55	18.33
292	295	3	2.85	95.00	0.94	31.33
295	298	3	3.00	100.00	1.30	43.33
298	301	3	3.00	100.00	0.60	20.00

SECTION F: ILLUSTRATIONS


Plan Number	Title	Scale
WA-06-1 (after p.4)	General Location Plan	1:250 000
WA-06-2 (after p.4)	Mineral Claims	1:50 000
WA-06-3 (in pocket)	Mineral Claims / Drill Hole Locations	1:20 000
WA-06-4 (in pocket)	Geology and Drilling Compilation	1:5 000
WA-06-5 (in pocket)	Drill Section – WZ-06-08 – Looking 261°	1:500
WA-06-6 (in pocket)	Drill Section – WZ-06-09 – Looking 281°	1:500
WA-06-7 (in pocket)	Drill Section – WZ-06-10 – Looking 275°	1:500
WA-05-8 (in pocket)	Drill Section – WZ-06-11 – Looking 340°	1:500



0 Kilometres 0.5 1 1.5 2
 0 Miles 0.25 0.5 0.75 1

Contour Interval 20 metres. Elevation in Metres above Mean Sea Level
 Projection UTM, Zone 10, NAD 83

SELKIRK METALS HOLDINGS CORP.	
WASIK CREEK PROPERTY	
MINERAL CLAIMS	
2006 DRILL HOLE LOCATIONS	
MINING DIVISION: OMINECA	
UTM: NAD 83 ZONE 10	SCALE: 1:20 000
BCGS: 94C.005, 015	NTS: 94C/03E
DATE: FEB 2008	TOPOGRAPHY: BC TRIM
FILE:	FIGURE: WA-06-03



SELKIRK METALS HOLDINGS CORP.
WASI CREEK PROPERTY
 Omineca Mining Division
Drill Section - WZ-06-10
Looking 275°


Date	Feb 7., 2008	Scale	1:500	Figure	WA-06-7
Projection	UTM Zone 10 - NAD83	State/Province	BC		
Author	JMT	File	WasiDDH		

LEGEND

- Shale
- Limestone
- Limestone breccia
- Dolomite
- Dolomite breccia
- Argillite
- Phyllite
- Siltstone
- fault zone
- Quartz vein

Drill hole ID
 Pb (%) Zn (%) Ag (g/t)
 End of hole depth (m)

WZ-06-10
 263m
 6221650mN



LEGEND

- Shale
- Limestone
- Limestone breccia
- Dolomite
- Dolomite breccia
- Argillite
- Phyllite
- Siltstone
- fault zone
- Quartz vein

Drill hole ID

Pb (%) Zn (%) Ag (g/t)


End of hole depth (m)

SELKIRK METALS HOLDINGS CORP.

WASI CREEK PROPERTY
Omineca Mining Division


Drill Section - WZ-06-09
Looking 281°

Date	Feb 7., 2008	Scale	1:500	Figure	WA-06-6
Projection	UTM Zone 10 - NAD83	State/Province	BC		
Author	JMT	File	WasiDDH		



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

29,667



LEGEND


- Shale
- Limestone
- Limestone breccia
- Dolomite
- Dolomite breccia
- Argillite
- Phyllite
- Siltstone
- fault zone
- Quartz vein

Drill hole ID
Pb (%) Zn (%) Ag (g/t)
End of hole depth (m)

SELKIRK METALS HOLDINGS CORP.
WASI CREEK PROPERTY
Omineca Mining Division

Drill Section - WZ-06-08
Looking 261°

Date	Feb 7., 2008	Scale	1:500	Figure	WA-06-5
Projection	UTM Zone 10 - NAD83	State/Province	BC		
Author	JMT	File	WasiDDH		




LEGEND

- Upper Devonian**
- 6 Earn Group
Black carbonaceous, siliceous shale and muddy chert
- Middle Devonian**
- 5 McDone Group
Limestone/dolomite and calcareous/dolomitic shale
- Early Silurian - Early Devonian**
- 4 Sandpile Group
Dolomite and sedimentary breccia
- Middle Ordovician**
- 3 "Road River" equivalent
Grey-black variably calcareous shale
- Lower Cambrian**
- Rosella Formation
 - 2a, b Medium-dark grey, oolitic, argillaceous limestone
 - 2c Medium grey to white crystalline limestone and/or dolomite
 - 2d White to light grey recrystallized dolomite
 - 2e Variably calcareous to non-calcareous shale
 - Transitional Phyllite Unit
 - 1 Interbedded limestone and mudstone and variably calcareous, sericitic, phyllitic mudstone
- 2006 drill hole
 ⊙ previous drill hole
- Pb (%), Zn (%), Ag (g/t) / interval (m)

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
29.567

SELKIRK METALS HOLDINGS CORP.
WASIK CREEK PROPERTY
 Omineca Mining Division
Geology and Drilling
Compilation

Date: Feb 6, 2008 Scale: 1:5,000 Figure
 Projection: UTM Zone 10 - NAD83 Date/Province: BC
 Author: JMT File: WasikBase WA-06-4



SELKIRK METALS HOLDINGS CORP.
WASI CREEK PROPERTY
 Omineca Mining Division
Drill Section - WZ-06-11
 Looking 340°

Date	Feb 7., 2008	Scale	1:500	Figure	WA-06-8
Projection	UTM Zone 10 - NAD83	State/Province	BC		
Author	JMT	File	WasiDDH		

LEGEND

- Shale
- Limestone
- Limestone breccia
- Dolomite
- Dolomite breccia
- Argillite
- Phyllite
- Siltstone
- fault zone
- Quartz vein

Drill hole ID
 Pb (%) Zn (%) Ag (g/t)
 End of hole depth (m)