



Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] <u>Geochemical</u>		TOTAL COST <u>\$17,989.00</u>
AUTHOR(S) <u>G. Ditson, P. Geo., T. Johnson</u>	SIGNATURE(S) 	
<u>D. Yeager, P. Geo., W. Jacobowski, P. Geo.</u>		
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S)	YEAR OF WORK <u>2007</u>	
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S)	<u>4180995/21 NOV 2007</u> <u>4186113/21 DEC 2007</u>	
PROPERTY NAME	<u>HUGE EAST</u>	
CLAIM NAME(S) (on which work was done)	<u>HUGE EAST 1 TO HUGE EAST 10</u>	
COMMODITIES SOUGHT	<u>Copper, zinc</u>	
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN		
MINING DIVISION	NTS <u>094 D 01</u>	
LATITUDE <u>56° 10' 01"</u>	LONGITUDE <u>126° 07' 31"</u> (at centre of work)	
OWNER(S)	1) <u>Amarc Resources Ltd.</u> 2) _____	
MAILING ADDRESS	<u>1020 - 800 West Pender Street</u> <u>Vancouver, B.C. V6C 2V6</u>	
OPERATOR(S) [who paid for the work]	1) <u>same</u> 2) _____	
MAILING ADDRESS	<u>same</u>	
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):	<u>Sitlika, Permian to Jurassic, volcanic and sedimentary</u> <u>rocks, near vertical north-south schistosity</u>	
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS	_____	

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil _____			
Silt _____	61	Huge East 1-10	\$17,989.00
Rock _____			
Other _____			
DRILLING			
(total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
			TOTAL COST \$17,989.00

**Assessment Report on
Geochemical Work**

Performed on the HUGE EAST Property

Located in the Omineca Mining Division

NTS: 94D/01

BCGS: 094D.010, 094D.020, 094D.030

**Centred at approximately
56° 10' 01" N Latitude
126° 07' 31" W Longitude
6,228,396 m N, 678,482 m E
UTM NAD 83, Zone 9**

**Owner: Amarc Resources Ltd.
Operator: Amarc Resources Ltd.**

Claims: HUGE EAST 1-10

Authors:

**Gwendolen Ditson, P.Geo.
Taylor Johnson
David A. Yeager, P.Geo.
Wojtek Jakubowski, P.Geo.**

February 19, 2008

TABLE OF CONTENTS

SUMMARY	1
INTRODUCTION	2
LOCATION AND ACCESS	2
PHYSIOGRAPHY AND CLIMATE	2
CLAIMS	2
Property.....	2
EXPLORATION HISTORY	5
REGIONAL AND LOCAL GEOLOGY	5
SILT GEOCHEMISTRY	7
Copper.....	7
Zinc	7
RECOMMENDATIONS	8
REFERENCES	9
STATEMENTS OF AUTHOR’S QUALIFICATIONS	10
STATEMENT OF COSTS	15
APPENDIX A	Sample Data Table
APPENDIX B	Analytical Procedures
APPENDIX C	Assay Certificates
APPENDIX C	Filing Forms

LIST OF FIGURES

Figure 1	Property Location.....	3
Figure 2	Claims	4
Figure 3a	Regional Geology	6
Figure 4	Sample Location Map.....	In Pocket
Figure 5	Cu in Silt	In Pocket
Figure 6	Zn in Silt	In Pocket

LIST OF TABLES

Table 1. HUGE EAST claims.....	5
Table 2. Silt sample statistics.....	7

SUMMARY

The HUGE EAST property is located in central British Columbia in the Omineca Mining Division. The 1,243 hectare property consists of 10 claims that were staked in November, 2006; they are owned 100% by Amarc Resources Ltd. The property is situated approximately 170 km northeast of Smithers, B.C., on NTS map sheet 94D/01, and is only accessible by helicopter.

The HUGE EAST property is underlain by a sequence of volcanic, sedimentary, metamorphic and intrusive rocks of the upper Paleozoic to lower Mesozoic Sitlika Assemblage. The Sitlika Assemblage is correlated with the Kutcho Creek formation, which hosts the Kutcho Creek massive sulphide deposit.

Geochemical work was performed on the HUGE EAST claims between September 9 and September 11, 2007. A total of 61 silt samples were collected during the survey.

There are two areas of anomalous copper and/or zinc values from silt samples that warrant follow-up. One is a creek on HUGE EAST 6 which contains several anomalous copper values. The other is at the north end of HUGE EAST 3, where the headwaters of two creeks yielded anomalous copper values. One of those samples also contained coincident elevated zinc.

INTRODUCTION

This report documents the results of silt sampling performed on the HUGE EAST Project, located in the Stikine Region of Central B.C. Work was conducted between September 9 and September 11, 2007.

LOCATION AND ACCESS

The HUGE EAST property is situated in central British Columbia in the Omineca Mining Division. The property is located on NTS map 94D/01, and on BCGS maps 094D.010, 094D.020 and 094D.030. The centre of the claim group is approximately 170 kilometers northeast of Smithers, B.C., at 56° 10' 01" N Latitude, 126° 07' 31" W Longitude, or UTM NAD 83, Zone 9, at 6,228,396 m N and 678,482 m E, as shown in Figure 1.

The property is not accessible by road. During the 2007 field season, crews accessed the property by helicopter from the Silver Creek Camp, 60 km southeast of the claims at the junction of Silver and Kenny creeks (Figure 1).

PHYSIOGRAPHY AND CLIMATE


The HUGE EAST property is situated in the Fort St. James Forest District of the Northern Interior Forest Region. The general topography is mountainous with intermittent lakes, swamps and marshes. The southern portion of the claims straddle the Omineca River. The northern portion of the claims cover west-facing slopes of Carruthers Creek. Elevations range from 940 to 1820 m above sea level. The area is forested primarily with lodgepole pine, spruce, and blue Douglas fir, with balsam at higher elevations and scattered patches of aspen. Mature balsam stands are present.

Average temperatures in Fort St. James are 18.2°C in summer and -11.3°C in winter, with annual rainfall averaging 29.5 cm and annual snowfall averaging 192.3 cm, respectively (Environment Canada Climate Weather Office Public Website http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_1961_1990_e.html).

CLAIMS

Property

The HUGE EAST property consists of 10 claims covering an area of 1,242.814 hectares (Figure 2). The claims were staked in November, 2006, for Amarc Resources Ltd. (FMC #146093), who owns 100% of the claims listed in Table 1, below.



- Property boundary
- Gravel road
- Logging road
- + + + Railway




Amarc Resources Ltd.

HUGE EAST

Location

NTS: 93M,N, 94C,D	Figure 1
Date: February 19, 2008	Scale: 1: 600 000
HUGEEAST_AssRpt_Loco_Feb1508.WOR UTM NAD 83, Zone 9	Plotted by : GMD



Amarc Resources Ltd.

**HUGE EAST
Claims**



NTS: 094D/01; BCGS: 094D.010,20,30

Figure 2

Date: February 15, 2008

Scale: 1: 100 000

HUGEEAST_AssRpt_claims_Feb1508.WOR
UTM NAD 83, Zone 9

Plotted by : GMD

Table 1. HUGE EAST claims.

Tenure Number	Claim Name	Issue Date	Expiry Date	Area (ha)
546150	HUGE EAST 1	30-Nov-06	31-Dec-07	449.638
546152	HUGE EAST 2	30-Nov-06	31-Dec-08	89.988
546153	HUGE EAST 3	30-Nov-06	31-Dec-08	342.054
546154	HUGE EAST 4	30-Nov-06	31-Dec-08	288.161
546157	HUGE EAST 5	30-Nov-06	31-Dec-08	270.267
546160	HUGE EAST 6	30-Nov-06	31-Dec-08	252.344
546161	HUGE EAST 7	30-Nov-06	31-Dec-07	450.765
546164	HUGE EAST 8	30-Nov-06	31-Dec-07	450.931
546166	HUGE EAST 9	30-Nov-06	31-Dec-07	342.848
546168	HUGE EAST 10	30-Nov-06	31-Dec-07	216.617

EXPLORATION HISTORY

There is no known previous work on the HUGE EAST claims.


REGIONAL AND LOCAL GEOLOGY

The HUGE EAST property is primarily underlain by rocks of the Permian to Jurassic Sitlika assemblage, part of the Cache Creek Terrane (Figure 3). In this area, the Sitlika assemblage is bounded on the west by upper Triassic Takla sedimentary rocks of Stikine Terrane, and Pennsylvanian to Jurassic metamorphic rocks of the Cache Creek Complex. The eastern contact of the Sitlika assemblage is with the Early Jurassic Hogem batholith of Quesnel Terrane.

Paterson (1974) divided the Sitlika assemblage into three subdivisions: the volcanic unit, the eastern clastic unit and the western clastic unit. The Permian to early Triassic volcanic unit comprises greenschist facies mafic to felsic flow and fragmental rocks, comagmatic mafic to felsic intrusions, and subordinate sedimentary rocks that include sandstone, slate and chert. The Triassic to Jurassic Eastern clastic unit is composed of variably foliated siltstone, sandstone and conglomerate containing felsic volcanic and plutonic clasts; medium to dark grey slate and phyllite. It also locally includes foliated limestone, limestone conglomerate and green chloritic phyllite. The middle to upper Jurassic Western clastic unit consists of dark grey slate; foliated chert pebble conglomerate and chert grain sandstone. It also contains lesser amounts of foliated limestone and grey phyllite containing flattened sedimentary and volcanic lithic granules. The current interpretation (Schiarizza and MacIntyre, 1999) suggests that the western and eastern clastic assemblages are equivalent structural repetitions.


A near vertical, north-south trending schistosity penetrates the majority of the lithologies in the Sitlika assemblage. It represents an axial plane cleavage that reflects folding during a Late Jurassic - Early Cretaceous structural event.

Correlation of the Sitlika assemblage with the Kutcho assemblage, another deformed Permo-Triassic volcanic arc approximately 300 km to the north, was first suggested by Monger, et.al. (1978). Monger and his co-workers suggested that the Kutcho assemblage was originally part of the Sitlika assemblage, but was separated and displaced north along Late Cretaceous to Early



- MID-CRETACEOUS**
MKAgb
 Axelgold Intrusion
 gabbroic to dioritic intrusive rocks
- EARLY JURASSIC**
EJHqm
 Hogem Plutonic Suite
 quartz monzonitic intrusive rocks
- LOWER JURASSIC**
IJHT
 Hazelton Group - Telkwa Formation
 calc-alkaline volcanic rocks
- UPPER TRIASSIC**
uTrTD
 Takla Group - Dewar Formation
 coarse clastic sedimentary rocks
- PERMIAN TO JURASSIC**
PJSgs
 Sitka Assemblage
 greenstone, greenschist metamorphic rocks
- LATE PALEOZOIC TO TRIASSIC**
LPzTrum
 ultramafic rocks
- PERMIAN**
PA
 Asitka Group
 bimodal volcanic rocks
- PENNSYLVANIAN TO JURASSIC**
PnJCgs
 Cache Creek Complex
 greenstone, greenschist metamorphic rocks

— Property boundary



Amarc Resources Ltd.
HUGE EAST
Regional Geology

NTS: 94D/01; BCGS: 094D.010,20,30	Figure 3
Date: February 16, 2008	Scale: 1: 100 000
HUGEEAST_AssRpt_RegGeol_Feb1508.WOR UTM NAD 83, Zone 9	Plotted by : GMD

Tertiary strike slip faults. The Kutcho assemblage hosts the Kutcho Creek Cu-Zn-Ag-Au volcanogenic massive sulfide deposit.

SILT GEOCHEMISTRY

Sixty-one silt samples were collected during the 2007 field season on the HUGE EAST property (Appendix A; Figure 4). Silt samples were collected from active silts, generally from near the centre of the stream. Approximately 0.5 kg of material, with the very coarse fraction sorted out by hand, was placed in a kraft sample bag. Samples were shipped to Acme Analytical Laboratories, who prepared them in Smithers, B.C., and analyzed them in Vancouver, B.C. Analytical procedures are described in Appendix B.

Simple statistical parameters for copper and zinc are presented in Table 2, below.

Table 2. Silt sample statistics.

	Copper (ppm)	Zinc (ppm)
Minimum	11.8	28
Maximum	189.9	139
Mean	55.4	67.6
Median	48.5	66
Standard Deviation	37.1	21
Mean+1SD	92.5	88.6
Mean+2SD	129.6	109.6
Mean+3SD	166.7	130.6
Number of Samples	61	

Copper

One of the southerly-flowing creeks on HUGE EAST 6 yielded copper values up to 189.9 ppm Cu (828667; Figures 4 and 5). All but one of the samples from this creek returned values above the mean. Samples from the upper reaches of two creeks in HUGE EAST 2 and 3 also returned elevated copper values, especially 830790 (122 ppm Cu) and 830301 (110 ppm Cu).

Zinc

Zinc values are generally low (Figure 6). The best value was obtained on HUGE EAST 2, from sample 830790, which contained 139 ppm Zn. This sample also contained elevated copper.

RECOMMENDATIONS

The creek with anomalous copper values on HUGE EAST 6, and the area of elevated copper and partially coincident zinc in the northern portion of HUGE EAST 3, both warrant follow-up. It is recommended that these two areas be prospected. A few soil lines over each of these areas may also help to locate the source of anomalous silt values.

Respectfully submitted,

Gwendolen Ditson, P.Geo.

Taylor Johnson

David A. Yeager, P.Geo.

Wojtek Jakubowski, P.Geo.

REFERENCES

- Environment Canada Climate Weather Office Public Website, accessed January 3, 2008:
http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_1961_1990_e.html
- Monger, J.W.H., Richards, T.A., and Paterson, I.A. (1978): The Hinterland Belt of the Canadian Cordillera: New data from northern and central British Columbia; *Canadian Journal of Earth Sciences*, Volume 15, p. 823-30.
- Patterson, I.A. 1974: Geology of the Cache Creek Group and Mesozoic Rocks at the North End of Stuart Lake Belt, central British Columbia; *in* Report of Activities, November 1973 to March 1974, Geological Survey of Canada, Paper 74-1, part B, p. 31-42.
- Plouffe, A. (1997): Ice flow and late glacial lakes of the Fraser Glaciation, central British Columbia; *in* Cordillera and Pacific margin; Interior Plains and arctic Canada / Cordillère et marge du Pacifique; Plaines intérieures et régions arctique du Canada. Geological Survey of Canada, Current Research no. 1997-A/B, 1997; p. 1331-43.
- Schiarizza, P., and MacIntyre, D., 1999: Geology of the Babine Lake – Takla Lake Area, Central British Columbia (93K/11, 12, 13, 14; 93N/3, 4, 5, 6). *Geological Fieldwork 1998*, Ministry of Energy and Mines, Paper 1999-1, p. 33-68.

STATEMENTS OF AUTHOR'S QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, *Gwendolen May Ditson*, do hereby state that:

1. I am a Compilation Geologist working for Amarc Resources Ltd., with offices located at 1020 – 800 West Pender Street, Vancouver, B.C.
2. I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia, holding License Number 20135.
3. I am a graduate of the University of Southern California (B.S., 1974), and the University of British Columbia (M.Sc., 1978).
4. I have 26 years of experience as an exploration geologist, and have worked in Canada, the United States, Chile, and Mexico.
5. I am an author of this report, and am also responsible for the technical figures.

Signed on the 19th day of February, 2008

Gwendolen May Ditson, M.Sc., P.Geo.

STATEMENT OF QUALIFICATIONS

I, *Taylor R. Johnson*, do hereby state:

1. That I am a Geological Assistant for Hunter Dickinson Inc., with offices located at 1020 – 800 West Pender Street, Vancouver, B.C.
2. That I received a B.A. in Geology from Whitman College, Walla Walla, WA, USA in 2007.
3. That I am an author of this report.

Signed on the 19th day of February, 2008.

Taylor R. Johnson, B.A.

STATEMENT OF QUALIFICATIONS

I, *David A. Yeager*, do hereby state:

1. That I am the Corporate Coordinator of Amarc Resources Ltd., with offices located at 1020 – 800 West Pender Street, Vancouver, B.C.
2. That I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia holding License Number 19855.
3. That I am a graduate of the University of British Columbia (B.Sc., 1972) and have been employed as an exploration and mining geologist since that time.
4. That my experience has given me considerable knowledge in geological, geochemical and geophysical prospecting techniques as well as in the planning, execution and evaluation of exploration drilling programs.
5. That the accompanying Statement of Costs is an accurate statement of expenditures on the project.

Signed on the 19th day of February, 2008

David A. Yeager, P.Geol.

STATEMENT OF QUALIFICATIONS

I, *Wojtek Jakubowski*, of Vancouver, British Columbia, hereby certify that:

1. I am a professional geoscientist residing at #303 639 West 14th Avenue and employed by Hunter Dickinson Inc. of 1020 - 800 West Pender Street, Vancouver, B.C., V6C 2V6.
2. I received a B.Sc. degree in Geological Sciences from McGill University, Montreal, Quebec in 1979.
3. I have practiced my profession for 29 years in Quebec, Northwest Territories, Yukon Territory, British Columbia and Mexico.
4. I am a member of the Association of Professional Engineers and Geoscientists of the province of British Columbia, registration number 19563.
5. I am an author of this report and the supervisor of the field work conducted on the HUGE EAST mineral claims by Amarc Resources Ltd. during the period September 9 to September 11, 2007.

Signed on the 19th day of February, 2008

Wojtek Jakubowski, B.Sc., P. Geo

STATEMENT OF COSTS

HUGE EAST Project, 2007

Project Supervision & Compilation	
Wojtek Jakubowski: 3 days @ \$640/day	\$1,920.00
Mark Rebagliati, P.Eng: 0.5 days @ \$1,030/day	\$515.00
David Yeager, P.Geo: 3 days @ \$630/day	\$1,890.00
Gwendolen Ditson, P.Geo.: 1 day @ 550.00/day	\$550.00
Rentals and Rental Repairs Equipment, tools etc.	\$120.00
Assays Acme Analytical Labs Ltd.	\$1,120.00
Geochemistry HDI (September 9-11, 2007)	
Sam Cameron: 1 day @ \$250/day	\$250.00
Crystal Chung: 1 day @ \$300/day	\$300.00
Jackson Hall: 2 days @ \$260/day	\$520.00
Chris Roe: 1 day @ \$290/day	\$290.00
Yvonne Thornton: 1 day @ \$450/day	\$450.00
Helicopter	\$6,660.00
Field Equipment & Supplies	\$10.00
Meals, travel & accommodation	\$720.00
Report writing & drafting	
Gwendolen Ditson, P.Geo.: 1.5 days @ 550.00/day	\$825.00
Taylor Johnson: 3 days @ 248.00/day	\$744.00
David Yeager, P.Geo.: 1.5 days @ 630.00/day	\$945.00
Wojtek Jakubowski: 0.25 days @ \$640/day	\$160.00
Total:	\$17,989.00

APPENDIX A

SAMPLE DATA TABLE

Sample No.	Easting NAD 83	Northing NAD 83	Cu ppm	Zn ppm
827920	679694	6227783	61.5	58
827921	680004	6227664	16.7	46
827922	680038	6227387	20.7	51
827923	680137	6227151	23.4	47
827924	680077	6226914	20.7	43
827925	680105	6226727	22.3	47
827926	680224	6226212	19.4	37
827927	680271	6225929	19.9	38
827928	680116	6225791	22.8	39
827929	680099	6225755	15.8	43
827930	679892	6225676	11.8	28
827931	679869	6225724	20.4	37
828666	679442	6227493	77.1	80
828667	679515	6227246	189.9	73
828668	679653	6226999	152.3	69
828669	679760	6226829	130.7	64
828670	679893	6226509	82.6	52
828671	679941	6226334	81.8	51
828672	679968	6226059	137.7	76
828690	677739	6230599	22.5	58
828691	677758	6230407	24.1	68
828692	677769	6230203	20.6	67
828693	677824	6230011	27	68
828899	678331	6230349	30.3	55
830100	678181	6230184	37.6	61
830101	678216	6229972	69.2	74
830102	678232	6229781	66.8	68
830103	677899	6229815	26	61
830300	678525	6232127	68.8	103
830301	678571	6231953	110	83
830302	678563	6231965	79.5	94
830303	678591	6231668	80.1	87
830304	678615	6231439	72.9	54
830305	678599	6231438	83.7	81
830306	678573	6231206	65	54
830307	678513	6231011	68.4	51
830308	678484	6230795	67.8	49
830309	678243	6230574	73.2	54
830310	678327	6230463	88.6	105
830362	678709	6230715	86.8	102
830363	678699	6230571	72	87
830364	678710	6230569	38.3	79


Sample #	Easting NAD 83	Northing NAD 83	Cu ppm	Zn ppm
830365	678790	6230450	48.5	83
830366	678833	6230436	25.4	104
830367	678865	6230429	40.8	80
830368	678915	6230161	54.5	73
830369	678960	6230000	54.9	76
830370	678947	6229827	45.7	69
830371	678934	6229700	39.3	66
830372	679047	6229512	42.9	68
830373	678924	6229346	50.2	73
830790	678219	6232244	122	139
830791	677956	6232158	53.4	102
830792	677770	6232049	69.3	99
830793	677544	6231914	66.6	90
830794	677349	6231779	29.6	58
830795	677273	6231614	26.3	60
830796	677357	6231309	22.7	65
830797	677403	6231280	28.8	51
830798	677426	6231128	30.7	65
830799	677586	6230858	21.7	58

APPENDIX B

ANALYTICAL PROCEDURES



METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 1D & 1DX – ICP & ICP-MS ANALYSIS – AQUA REGIA



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-177 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 95% passing 150 mesh (100 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.5 g are weighed into test tubes, 15 and 30 g splits are weighed into beakers.

Sample Digestion

A modified Aqua Regia solution of equal parts concentrated ACS grade HCl and HNO₃ and de-mineralised H₂O is added to each sample to leach for one hour in a hot water bath (>95°C). After cooling the solution is made up to final volume with 5% HCl. Sample weight to solution volume is 1 g per 20 mL.

Sample Analysis

Group 1D: solutions aspirated into a Jarrel Ash AtomComp 800 or 975 ICP or Spectro Ciros Vision emission spectrometer are analysed for 30 elements: Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, Th, Ti, U, V, W, Zn.

Group 1DX: solutions aspirated into a Perkin Elmer Elan 6000/9000 ICP mass spectrometer are analysed for 36 elements: Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Se, Tl, Sr, Th, Ti, U, V, W, Zn.

Quality Control and Data Verification

An Analytical Batch (1 page) comprises 33 samples. QA/QC protocol incorporates a sample-prep blank (SI or G-1) carried through all stages of preparation and analysis as the first sample, a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), two reagent blanks to measure background and aliquots of in-house Standard Reference Materials like STD DS6 to monitor accuracy.

Raw and final data undergo a final verification by a British Columbia Certified Assayer who signs the Analytical Report before it is released to the client. Chief Assayer is Clarence Leong, other certified assayers are Leo Arciaga, Marcus Lau, Ken Kwok and Jacky Wang.

APPENDIX C
ASSAY CERTIFICATES



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Submitted By:

Eric Titley

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

September 18, 2007

Report Date:

November 29, 2007

Page:

1 of 4

CERTIFICATE OF ANALYSIS

SMI07000279.1

CLIENT JOB INFORMATION

Project: Huge East
Shipment ID: 07-28
P.O. Number: ACME FILE: A718438
Number of Samples: 61

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Amarc Resources
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	61	Dry at 60C sieve 100g to -80 mesh		
1DX	61	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
 Report Date: November 29, 2007

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
827920	Silt	0.90	1.1	61.5	3.1	58	<0.1	53.3	21.9	1014	4.56	16.8	0.9	20.1	2.0	49	0.3	2.5	<0.1	116	0.77
827921	Silt	0.70	0.6	16.7	2.7	46	<0.1	16.4	9.8	661	2.40	6.2	2.4	2.2	4.7	34	0.1	0.4	<0.1	51	0.53
827922	Silt	0.80	0.5	20.7	3.0	51	<0.1	20.2	11.1	748	2.72	7.0	2.6	2.5	5.0	45	0.1	0.4	<0.1	59	0.63
827923	Silt	0.90	0.7	23.4	2.8	47	<0.1	25.2	12.0	875	3.20	8.3	2.4	1.1	4.8	48	<0.1	0.6	<0.1	77	0.66
827924	Silt	0.90	0.6	20.7	2.5	43	<0.1	20.2	10.3	535	2.74	6.7	2.0	1.3	4.6	47	<0.1	0.5	<0.1	65	0.69
827925	Silt	0.70	0.6	22.3	2.5	47	<0.1	20.0	11.1	705	2.68	6.9	1.7	409.7	4.1	47	0.1	0.4	<0.1	62	0.63
827926	Silt	0.80	0.3	19.4	2.2	37	<0.1	16.7	9.8	434	2.86	5.6	1.5	1.0	4.4	52	<0.1	0.4	<0.1	76	0.77
827927	Silt	1.00	0.4	19.9	2.3	38	<0.1	15.8	9.7	462	2.47	5.3	2.1	2.3	3.8	49	<0.1	0.4	<0.1	63	0.72
827928	Silt	0.90	0.9	22.8	2.4	39	<0.1	21.2	11.3	497	3.29	6.2	1.7	1.8	5.0	51	<0.1	0.5	<0.1	86	0.77
827929	Silt	0.90	1.5	15.8	2.6	43	<0.1	16.8	8.2	506	3.00	4.3	6.5	0.9	7.1	46	<0.1	0.5	1.2	66	0.49
827930	Silt	0.70	0.6	11.8	2.2	28	<0.1	9.8	6.1	296	2.05	3.6	2.7	1.1	6.0	38	<0.1	0.4	<0.1	48	0.44
827931	Silt	1.00	0.4	20.4	2.3	37	<0.1	15.6	9.7	488	2.63	5.5	1.9	2.4	4.6	53	0.1	0.4	<0.1	67	0.81
828666	Silt	0.80	5.3	77.1	1.9	80	0.2	10.9	28.7	6721	5.71	7.2	1.8	4.9	0.9	167	0.2	0.4	<0.1	123	1.71
828667	Silt	1.20	0.8	189.9	2.3	73	0.2	19.3	25.1	914	6.06	7.1	1.2	4.4	1.5	146	0.1	0.5	<0.1	184	1.56
828668	Silt	1.00	0.8	152.3	1.9	69	0.1	20.0	25.8	957	7.70	9.2	1.8	4.7	1.8	130	0.1	0.4	<0.1	224	1.61
828669	Silt	1.20	0.8	130.7	1.8	64	<0.1	19.1	24.5	948	6.70	8.6	1.8	4.9	1.8	124	<0.1	0.5	<0.1	200	1.56
828670	Silt	1.10	0.5	82.6	1.6	52	<0.1	20.8	22.4	879	8.31	9.6	1.3	4.9	1.9	111	<0.1	0.7	<0.1	227	1.56
828671	Silt	1.10	0.5	81.8	1.4	51	<0.1	19.2	22.5	829	6.91	8.4	1.1	3.8	1.5	115	<0.1	0.5	<0.1	198	1.56
828672	Silt	0.70	1.4	137.7	2.1	76	0.2	25.9	23.7	798	5.08	20.8	5.1	4.1	1.3	92	0.2	0.6	<0.1	119	1.15
828690	Silt	0.60	3.0	22.5	2.5	58	<0.1	10.5	13.9	3983	15.01	93.2	1.1	1.7	1.6	49	0.3	0.6	<0.1	66	0.93
828691	Silt	1.00	2.0	24.1	3.4	68	<0.1	19.4	22.7	6977	5.95	24.0	1.0	0.6	3.1	47	0.2	0.7	<0.1	87	0.82
828692	Silt	0.90	1.9	20.6	2.3	67	<0.1	20.0	21.3	7173	6.51	20.6	0.7	0.9	2.5	37	0.3	0.5	<0.1	75	0.74
828693	Silt	0.90	1.3	27.0	2.9	68	<0.1	21.7	18.0	3472	5.94	17.8	0.8	1.0	2.3	38	0.3	0.8	<0.1	74	0.89
828899	Silt	1.30	0.5	30.3	3.4	55	<0.1	16.5	17.7	965	4.83	8.7	0.7	1.2	1.8	28	0.2	0.5	<0.1	117	0.69
830100	Silt	0.70	0.5	37.6	3.3	61	<0.1	19.5	16.0	783	4.48	7.4	1.2	<0.5	2.1	34	0.2	0.6	<0.1	99	0.79
830101	Silt	1.10	1.1	69.2	2.9	74	<0.1	19.5	19.6	1256	4.81	11.1	1.0	3.1	1.6	48	0.2	1.0	<0.1	107	0.72
830102	Silt	1.00	0.8	66.8	2.9	68	<0.1	20.4	19.1	956	4.68	10.4	1.1	2.3	1.8	44	0.1	0.9	<0.1	107	0.69
830103	Silt	0.80	0.8	26.0	2.7	61	<0.1	17.3	13.8	1207	4.60	12.5	0.9	1.7	2.7	29	0.1	0.6	<0.1	71	0.70
830300	Silt	0.90	1.2	68.8	5.7	103	<0.1	72.5	24.2	1540	5.94	9.4	0.9	3.1	1.0	12	0.3	2.4	<0.1	97	0.23
830301	Silt	0.90	0.8	110.0	2.8	83	<0.1	20.3	26.9	1165	6.02	6.7	0.8	2.9	1.5	72	0.1	1.3	<0.1	155	0.94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
 Report Date: November 29, 2007

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method Analyte Unit MDL	1DX15 P % 0.001	1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	
827920	Silt	0.144	11	75	0.90	157	0.066	5	1.16	0.010	0.16	1.0	0.02	7.3	0.1	0.06	4	0.7
827921	Silt	0.131	20	26	0.72	102	0.075	<1	1.17	0.011	0.17	0.1	<0.01	3.0	0.1	<0.05	5	<0.5
827922	Silt	0.156	24	33	0.76	120	0.078	1	1.30	0.011	0.16	0.1	<0.01	3.5	0.1	0.06	5	0.9
827923	Silt	0.163	22	50	0.74	117	0.081	2	1.15	0.010	0.14	0.5	0.01	3.3	0.1	0.05	4	0.8
827924	Silt	0.186	19	39	0.73	86	0.078	<1	1.13	0.015	0.12	0.3	<0.01	3.3	<0.1	<0.05	4	<0.5
827925	Silt	0.157	20	34	0.77	107	0.079	2	1.20	0.011	0.14	0.2	0.01	3.1	0.1	<0.05	4	<0.5
827926	Silt	0.248	18	36	0.69	69	0.067	1	0.99	0.015	0.10	0.4	<0.01	2.8	<0.1	<0.05	4	<0.5
827927	Silt	0.206	18	31	0.65	78	0.077	<1	1.05	0.012	0.12	0.2	0.02	3.1	<0.1	<0.05	4	<0.5
827928	Silt	0.230	19	48	0.75	75	0.071	2	1.06	0.013	0.12	0.4	<0.01	3.0	<0.1	<0.05	4	0.6
827929	Silt	0.125	27	57	0.57	122	0.072	<1	0.98	0.013	0.18	0.4	0.02	2.4	0.1	<0.05	4	0.7
827930	Silt	0.108	22	36	0.43	79	0.061	1	0.76	0.012	0.10	0.3	<0.01	2.1	<0.1	<0.05	3	<0.5
827931	Silt	0.239	19	36	0.62	81	0.068	1	0.96	0.013	0.11	0.3	<0.01	3.1	<0.1	<0.05	4	0.7
828666	Silt	0.362	10	16	0.99	286	0.072	4	1.31	0.011	0.22	0.3	0.04	3.8	<0.1	0.07	5	1.3
828667	Silt	0.403	12	58	1.42	65	0.121	4	1.82	0.014	0.39	0.5	0.02	5.7	<0.1	<0.05	6	0.8
828668	Silt	0.470	14	57	1.39	66	0.104	3	1.62	0.023	0.38	0.4	<0.01	5.2	<0.1	<0.05	6	0.7
828669	Silt	0.447	14	51	1.36	67	0.099	3	1.55	0.023	0.39	0.3	0.01	5.1	<0.1	<0.05	6	<0.5
828670	Silt	0.455	13	85	1.10	60	0.079	3	1.23	0.032	0.29	0.5	<0.01	4.2	<0.1	<0.05	5	0.7
828671	Silt	0.437	10	82	1.28	56	0.090	3	1.37	0.048	0.31	0.5	<0.01	4.4	<0.1	<0.05	5	0.7
828672	Silt	0.202	14	48	1.22	145	0.084	3	1.73	0.024	0.17	0.5	0.08	7.1	<0.1	0.14	5	1.1
828690	Silt	0.097	12	22	0.51	313	0.046	2	0.99	0.007	0.05	<0.1	0.04	3.4	<0.1	0.11	4	2.7
828691	Silt	0.092	16	38	0.94	307	0.085	1	1.76	0.011	0.08	0.1	0.03	5.5	0.2	0.07	6	1.0
828692	Silt	0.093	15	34	0.91	301	0.060	<1	1.50	0.008	0.06	<0.1	0.03	4.7	0.1	<0.05	5	0.9
828693	Silt	0.085	16	39	0.92	194	0.066	2	1.68	0.010	0.09	0.1	0.03	5.0	<0.1	<0.05	6	1.5
828899	Silt	0.075	10	37	0.83	110	0.083	1	1.55	0.009	0.08	0.1	0.02	4.8	<0.1	<0.05	6	0.8
830100	Silt	0.088	18	35	0.87	127	0.059	2	1.59	0.008	0.10	0.1	0.03	5.4	<0.1	<0.05	5	<0.5
830101	Silt	0.142	12	37	0.95	126	0.066	1	1.43	0.012	0.18	0.3	0.03	5.4	<0.1	<0.05	5	<0.5
830102	Silt	0.142	11	39	1.03	110	0.084	1	1.66	0.008	0.19	0.3	0.02	5.1	<0.1	<0.05	6	0.6
830103	Silt	0.095	14	33	0.82	112	0.068	<1	1.55	0.009	0.08	0.1	0.02	4.8	<0.1	<0.05	5	0.9
830300	Silt	0.101	10	56	0.15	192	0.003	<1	0.60	0.002	0.11	0.7	0.06	10.8	0.1	<0.05	2	1.0
830301	Silt	0.256	11	54	1.36	177	0.094	1	1.64	0.008	0.46	0.3	0.03	7.8	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
 Report Date: November 29, 2007

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830302	Silt	1.00	1.9	79.5	4.9	94	0.1	59.6	23.8	1551	6.00	18.9	0.6	4.9	1.1	27	0.4	2.7	0.1	108	0.56
830303	Silt	1.10	2.5	80.1	3.9	87	0.1	28.1	20.4	1139	5.55	15.2	0.6	4.2	1.3	39	0.4	2.4	0.2	112	0.75
830304	Silt	0.70	0.2	72.9	1.4	54	<0.1	14.4	19.3	736	4.94	4.3	1.3	7.3	1.4	90	<0.1	0.3	<0.1	134	0.93
830305	Silt	1.00	2.1	83.7	3.8	81	<0.1	24.8	20.2	1093	5.52	13.4	0.6	6.3	1.0	39	0.3	2.1	0.1	111	0.65
830306	Silt	0.80	0.3	65.0	1.6	54	<0.1	14.4	18.8	691	4.42	4.9	0.9	7.6	1.3	84	<0.1	0.4	<0.1	120	0.93
830307	Silt	0.70	0.3	68.4	1.4	51	<0.1	13.6	19.0	734	4.04	3.2	1.1	0.9	1.2	82	<0.1	0.3	<0.1	114	0.87
830308	Silt	0.80	0.3	67.8	1.5	49	<0.1	13.8	17.8	674	4.11	3.7	1.0	2.3	1.4	83	<0.1	0.3	<0.1	113	0.93
830309	Silt	1.10	0.4	73.2	1.7	54	<0.1	13.9	19.1	803	4.12	4.9	1.0	2.2	1.3	83	0.1	0.4	<0.1	119	0.90
830310	Silt	0.90	1.1	88.6	4.8	105	0.5	29.9	13.4	1150	3.66	10.3	2.8	3.0	0.5	80	0.8	0.9	<0.1	69	1.83
830362	Silt	0.70	0.6	86.8	3.2	102	0.1	35.3	26.3	1192	5.32	5.4	0.6	2.5	0.8	62	0.3	0.5	<0.1	116	0.88
830363	Silt	1.10	0.8	72.0	3.1	87	0.1	28.3	21.5	981	5.26	6.5	1.9	1.3	0.9	66	0.2	0.6	<0.1	111	0.72
830364	Silt	1.10	1.6	38.3	3.9	79	<0.1	22.2	22.5	2212	6.11	11.7	5.0	2.5	1.4	51	0.2	0.6	<0.1	118	0.66
830365	Silt	1.10	1.5	48.5	3.3	83	<0.1	27.7	20.9	1631	5.41	8.6	3.9	2.2	1.2	63	0.2	0.5	<0.1	114	0.62
830366	Silt	1.10	3.0	25.4	2.8	104	<0.1	16.3	33.9	5485	10.27	22.8	12.7	<0.5	1.0	106	0.4	0.4	<0.1	110	0.83
830367	Silt	1.10	1.1	40.8	3.8	80	<0.1	16.7	18.1	1497	5.13	6.6	9.6	1.9	1.3	76	0.3	0.5	<0.1	94	0.76
830368	Silt	1.10	1.3	54.5	3.5	73	<0.1	24.4	23.6	1894	5.53	10.5	6.5	0.7	1.4	67	0.2	0.5	<0.1	136	0.74
830369	Silt	1.00	1.2	54.9	3.5	76	<0.1	25.8	24.2	2691	6.37	12.3	10.4	1.8	1.1	73	0.3	0.6	<0.1	154	0.87
830370	Silt	1.10	0.8	45.7	3.0	69	<0.1	22.6	21.4	1718	5.73	9.6	7.2	1.8	1.2	62	0.2	0.5	<0.1	150	0.71
830371	Silt	1.30	0.6	39.3	3.6	66	<0.1	23.7	21.0	898	5.95	9.6	4.0	1.8	2.1	40	0.1	0.5	<0.1	162	0.60
830372	Silt	1.10	0.7	42.9	3.7	68	<0.1	22.3	20.4	1129	5.57	10.4	6.2	4.5	1.8	50	0.2	0.5	<0.1	127	0.66
830373	Silt	1.10	1.0	50.2	3.6	73	<0.1	26.4	21.0	1167	5.16	11.2	6.0	0.7	1.9	54	0.2	0.7	<0.1	110	0.71
830790	Silt	0.70	1.3	122.0	7.5	139	<0.1	44.8	31.1	2002	7.23	9.7	0.3	2.9	1.6	13	0.5	0.6	<0.1	110	0.48
830791	Silt	0.40	1.4	53.4	5.0	102	<0.1	27.9	23.0	1088	5.54	6.2	1.3	3.4	0.7	31	0.5	0.5	<0.1	129	0.79
830792	Silt	0.70	1.0	69.3	3.8	99	0.1	34.8	26.7	1022	7.00	8.5	0.9	2.5	1.8	36	0.3	0.6	<0.1	182	0.85
830793	Silt	0.50	0.9	66.6	3.8	90	0.1	28.3	22.6	998	5.63	7.6	0.8	1.4	1.2	38	0.5	0.7	<0.1	138	1.10
830794	Silt	0.60	2.7	29.6	2.8	58	<0.1	22.5	20.1	7609	10.47	19.8	2.2	1.4	1.8	61	0.3	0.5	<0.1	117	1.16
830795	Silt	1.00	0.6	26.3	3.3	60	<0.1	21.4	16.9	775	5.20	4.4	1.2	1.9	2.6	32	0.2	0.5	<0.1	155	0.86
830796	Silt	0.50	3.5	22.7	2.3	65	<0.1	15.9	19.4	>10000	12.98	13.5	1.6	1.2	1.5	104	0.3	0.6	<0.1	68	1.94
830797	Silt	1.10	0.8	28.8	3.4	51	<0.1	21.5	19.2	2311	4.88	9.2	1.0	0.9	3.7	30	0.2	0.7	<0.1	126	0.62
830798	Silt	0.70	1.2	30.7	3.4	65	<0.1	19.8	18.5	8468	7.41	12.0	0.9	1.4	2.4	59	0.2	0.7	<0.1	84	1.20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
 Report Date: November 29, 2007

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method Analyte Unit MDL	1DX15 P % 0.001	1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	
830302	Silt	0.097	10	47	0.37	247	0.008	1	0.78	0.004	0.10	0.8	0.07	9.8	0.2	0.06	3	0.9
830303	Silt	0.139	9	33	0.64	181	0.024	1	1.02	0.004	0.15	0.6	0.07	7.8	0.2	0.11	3	<0.5
830304	Silt	0.228	10	57	1.17	68	0.102	<1	1.60	0.010	0.34	0.2	<0.01	3.9	<0.1	<0.05	5	<0.5
830305	Silt	0.145	10	34	0.61	181	0.032	1	1.06	0.005	0.13	0.5	0.06	6.7	0.1	0.08	3	<0.5
830306	Silt	0.222	9	48	1.11	112	0.091	<1	1.51	0.011	0.30	0.3	0.01	4.0	<0.1	<0.05	5	<0.5
830307	Silt	0.200	9	44	1.12	67	0.098	1	1.60	0.010	0.30	0.3	<0.01	3.9	<0.1	<0.05	6	<0.5
830308	Silt	0.206	9	44	1.08	83	0.096	<1	1.50	0.011	0.29	0.3	0.01	3.7	<0.1	<0.05	5	<0.5
830309	Silt	0.190	10	43	1.14	112	0.100	1	1.62	0.011	0.29	0.2	0.01	4.2	<0.1	<0.05	5	<0.5
830310	Silt	0.122	53	44	0.67	242	0.028	4	1.96	0.009	0.16	0.2	0.10	6.0	0.1	0.12	5	3.7
830362	Silt	0.142	12	118	1.47	170	0.056	<1	2.14	0.011	0.25	0.2	0.02	5.6	<0.1	<0.05	7	0.8
830363	Silt	0.122	10	97	1.21	147	0.060	1	1.91	0.013	0.18	0.1	0.03	6.1	<0.1	<0.05	6	<0.5
830364	Silt	0.080	10	44	1.31	297	0.106	<1	2.10	0.010	0.08	0.2	0.02	5.3	<0.1	<0.05	7	0.5
830365	Silt	0.101	9	69	1.15	213	0.079	<1	1.84	0.010	0.13	0.2	0.02	5.1	<0.1	<0.05	6	0.6
830366	Silt	0.114	9	27	1.05	515	0.070	<1	1.70	0.008	0.05	0.1	0.03	3.9	<0.1	<0.05	6	0.9
830367	Silt	0.092	11	32	0.99	252	0.073	<1	1.80	0.008	0.09	0.1	0.03	4.1	<0.1	<0.05	6	<0.5
830368	Silt	0.082	12	56	1.12	265	0.077	<1	1.77	0.013	0.12	0.2	0.02	5.6	<0.1	<0.05	6	0.8
830369	Silt	0.088	16	57	1.06	286	0.074	<1	1.89	0.022	0.12	0.2	0.04	5.6	<0.1	<0.05	6	1.5
830370	Silt	0.081	11	51	1.01	226	0.079	<1	1.65	0.011	0.10	0.2	0.03	5.2	<0.1	<0.05	6	1.3
830371	Silt	0.089	12	51	1.06	156	0.093	<1	1.80	0.010	0.09	0.2	0.02	5.3	<0.1	<0.05	6	<0.5
830372	Silt	0.088	14	44	1.03	187	0.082	<1	1.82	0.010	0.09	0.1	0.02	6.0	<0.1	<0.05	6	0.9
830373	Silt	0.090	14	49	1.08	208	0.086	<1	1.97	0.014	0.10	0.1	0.02	6.5	<0.1	<0.05	6	<0.5
830790	Silt	0.136	16	86	1.61	128	0.006	1	3.81	0.010	0.06	<0.1	0.03	9.3	<0.1	<0.05	11	<0.5
830791	Silt	0.109	43	64	1.35	103	0.073	1	2.17	0.012	0.13	0.2	0.04	8.2	<0.1	<0.05	7	0.6
830792	Silt	0.080	24	80	1.51	107	0.116	<1	2.34	0.013	0.10	0.1	0.03	9.9	<0.1	<0.05	9	<0.5
830793	Silt	0.094	24	60	1.32	90	0.088	2	2.21	0.016	0.09	0.1	0.05	8.2	<0.1	<0.05	8	0.6
830794	Silt	0.101	16	44	0.91	332	0.070	<1	1.64	0.011	0.09	<0.1	0.07	5.8	0.1	<0.05	6	1.0
830795	Silt	0.079	14	46	0.92	90	0.094	<1	1.52	0.013	0.09	<0.1	0.03	5.1	<0.1	<0.05	6	<0.5
830796	Silt	0.075	22	25	0.50	612	0.027	2	1.22	0.007	0.06	<0.1	0.08	4.3	0.2	0.12	4	0.9
830797	Silt	0.075	15	43	0.86	113	0.078	1	1.36	0.011	0.09	0.1	0.02	4.8	<0.1	<0.05	5	0.6
830798	Silt	0.078	18	37	0.76	307	0.053	1	1.59	0.009	0.09	<0.1	0.04	5.5	0.1	0.06	6	1.2



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
Report Date: November 29, 2007

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830799	Silt	1.10	0.8	21.7	3.2	58	<0.1	19.5	16.5	1499	5.32	11.6	0.9	1.2	3.1	34	0.1	0.5	<0.1	89	0.68



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: Huge East
Report Date: November 29, 2007

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

SMI07000279.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
830799	Silt	0.082	15	39	1.02	100	0.086	<1	1.70	0.011	0.07	0.1	0.02	4.6	<0.1	<0.05	6	0.5

QUALITY CONTROL REPORT


SMI07000279.1



Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
827922	Silt	0.80	0.5	20.7	3.0	51	<0.1	20.2	11.1	748	2.72	7.0	2.6	2.5	5.0	45	0.1	0.4	<0.1	59	0.63
REP 827922	QC		0.5	18.2	2.8	48	<0.1	18.2	10.2	676	2.49	6.1	2.6	1.5	4.9	42	<0.1	0.4	<0.1	57	0.60
828672	Silt	0.70	1.4	137.7	2.1	76	0.2	25.9	23.7	798	5.08	20.8	5.1	4.1	1.3	92	0.2	0.6	<0.1	119	1.15
REP 828672	QC		1.4	128.8	2.2	72	0.2	25.8	23.6	764	4.88	18.7	4.9	4.0	1.2	90	0.2	0.5	<0.1	116	1.10
830310	Silt	0.90	1.1	88.6	4.8	105	0.5	29.9	13.4	1150	3.66	10.3	2.8	3.0	0.5	80	0.8	0.9	<0.1	69	1.83
REP 830310	QC		1.1	85.0	4.0	106	0.4	28.6	12.3	1088	3.56	9.4	2.7	3.0	0.5	72	0.7	1.0	<0.1	65	1.83
830368	Silt	1.10	1.3	54.5	3.5	73	<0.1	24.4	23.6	1894	5.53	10.5	6.5	0.7	1.4	67	0.2	0.5	<0.1	136	0.74
REP 830368	QC		1.1	51.6	3.6	73	<0.1	24.0	23.6	1919	5.78	10.4	6.5	5.0	1.4	65	0.2	0.6	<0.1	143	0.71
Reference Materials																					
STD DS7	Standard		19.1	106.4	56.1	390	0.8	55.3	8.4	587	2.23	46.5	4.3	70.0	3.8	64	6.3	5.4	3.8	81	0.89
STD DS7	Standard		20.7	111.4	65.4	392	0.8	54.1	9.3	627	2.33	46.7	4.8	99.5	4.4	70	6.4	5.9	4.4	88	0.93
STD DS7	Standard		19.0	95.3	64.1	379	0.8	52.4	9.2	612	2.32	49.5	4.8	65.9	4.4	76	6.4	6.1	4.3	81	0.92
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	1.5	2.8	2.8	28	<0.1	2.5	2.8	362	1.50	<0.5	4.4	0.8	7.9	47	<0.1	<0.1	0.2	29	0.53


QUALITY CONTROL REPORT

SMI07000279.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																		
827922	Silt	0.156	24	33	0.76	120	0.078	1	1.30	0.011	0.16	0.1	<0.01	3.5	0.1	0.06	5	0.9
REP 827922	QC	0.140	23	32	0.69	114	0.075	<1	1.16	0.010	0.15	0.1	<0.01	3.3	0.1	<0.05	4	0.9
828672	Silt	0.202	14	48	1.22	145	0.084	3	1.73	0.024	0.17	0.5	0.08	7.1	<0.1	0.14	5	1.1
REP 828672	QC	0.202	13	46	1.16	140	0.080	3	1.69	0.023	0.16	0.3	0.05	7.0	<0.1	0.10	5	1.0
830310	Silt	0.122	53	44	0.67	242	0.028	4	1.96	0.009	0.16	0.2	0.10	6.0	0.1	0.12	5	3.7
REP 830310	QC	0.121	47	43	0.62	222	0.025	3	1.82	0.007	0.16	0.2	0.09	6.1	0.2	0.12	4	3.0
830368	Silt	0.082	12	56	1.12	265	0.077	<1	1.77	0.013	0.12	0.2	0.02	5.6	<0.1	<0.05	6	0.8
REP 830368	QC	0.087	11	56	1.12	258	0.082	<1	1.78	0.013	0.12	0.2	0.02	5.7	<0.1	<0.05	6	0.5
Reference Materials																		
STD DS7	Standard	0.077	11	175	1.01	379	0.115	39	0.97	0.098	0.44	3.9	0.19	2.4	4.2	0.18	4	2.9
STD DS7	Standard	0.074	12	198	0.98	381	0.115	34	0.98	0.088	0.46	3.9	0.20	2.5	4.2	0.22	5	3.8
STD DS7	Standard	0.076	13	176	1.01	372	0.119	38	0.99	0.094	0.47	3.8	0.17	2.7	3.9	0.20	5	4.2
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.141	11	20	0.37	77	0.065	<1	0.61	0.036	0.24	1.0	<0.01	1.5	0.2	<0.05	3	<0.5




-  Claim boundaries
- Contour interval 20 m
-  Silt sample with sample number posted



Amarc Resources Ltd.
HUGE EAST
Sample Locations

NTS: 94D/01; BCGS: 094D.020.030	Figure 4
Date: February 16, 2008	Scale: 1:10 000
HUGE EAST, AssRpt, silt, Feb1508.WOR UTM NAD 83, Zone 9	Plotted by: GMD




Claim boundaries

Contour interval 20 m


ppm Cu in Silt

- 150 to 190 (2)
- 100 to 150 (4)
- 75 to 100 (8)
- 50 to 75 (16)
- 0 to 50 (31)



Amarc Resources Ltd.
HUGE EAST
Copper in Silt


NTS: 94D/01; BCGS: 094D.020.030	Figure 5
Date: February 16, 2008	Scale: 1:10 000
HUGE EAST, AssRpt, silt, Feb1508.WOR	Plotted by: GMD
UTM NAD 83, Zone 9	



Claim boundaries

Contour interval 20 m

ppm Zn in Silt
● 125 to 139 (1)
● 100 to 125 (5)
● 75 to 100 (13)
● 0 to 75 (42)



Amarc Resources Ltd.
HUGE EAST
Zinc in Silt

NTS: 94D/01; BCGS: 094D.020.030	Figure 6
Date: February 16, 2008	Scale: 1:10 000
HUGE EAST, AssRpt, silt, Feb1508.WOR UTM NAD 83, Zone 9	Plotted by: GMD