


Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] GEOLOGICAL GEOCHEMICAL TOTAL COST \$ 87,752

AUTHOR(S) R. J. JOHNSTON SIGNATURE(S) 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) 4184271, 4183492 0200371 YEAR OF WORK 2007

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4184271, 4183492

PROPERTY NAME ZYMO

CLAIM NAME(S) (on which work was done) 560327, 559923, 345732, 345733, 354274, 354273,
367693, 367694, 560328, 560329, 502772, 502767, 559925,
560330

COMMODITIES SOUGHT Cu, Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN _____

MINING DIVISION OMINECA NTS 936/13 1035/16

LATITUDE 54 ° 49 . " LONGITUDE 127 ° 57 . " (at centre of work)

OWNER(S)

1) EASTFIELD RESOURCES LTD. 2) _____

MAILING ADDRESS

110-325 HOWE ST.
VANCOUVER BC V6C 1Z7

OPERATOR(S) [who paid for the work]

1) EASTFIELD RESOURCES LTD 2) _____

MAILING ADDRESS

110-325 HOWE ST.
VANCOUVER BC V6C 1Z7

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Copper-gold porphyry style mineralization occurs in Eocene Nanika (?) intrusions
hosted by Jurassic-Cretaceous Bowser & lower Cretaceous Skeena Group
sediments

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 24924, 25412, 25820,
21723, 18050, 26152,

(OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	10 km x 5 km	559923, 367699, 345732, 345733, 354293, 354294, 367696, 367697, 367698	21938
Photo interpretation		502772	
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other		560329, 560330, 559925	
Airborne		367698, 367698, 560328	
GEOCHEMICAL (number of samples analysed for ...)			
Soil	264	560327, 559923, 570331, 345732, 345733, 560332, 354293, 354294, 367694, 367693, 367696, 367697	21938
Silt	140	11	21938
Rock	136	11	21938
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	87752

**ASSESSMENT REPORT
ON**

EXPLORATION

at

ZYMO PROPERTY,

OMINECA MINING DISTRICT, BRITISH COLUMBIA

NTS: 93L/13, 103I/16
Latitude 54^{049} 'N, Longitude 127^{057} 'W

**Owner;
Eastfield Resources Ltd.
110-325 Howe St.
Vancouver, B.C.
V6C 1Z7**

By

R.J.Johnston, P.Geo.
Feb 15, 2008

TABLE OF CONTENTS

	Page
Introduction	3
Property Description	5
Location, Access and Physiography	7
Exploration History	7
Geology	7
Alteration	9
Structure	9
Mineralization	9
2007 Exploration Programme	10
QAQC	10
Main Zone	10
Reconnaissance	11
Discussion of Exploration Results	12
Geochemistry	12
Geophysics	12
Drilling	13
Conclusions	14
Statement of Expenditures	14
Statement of Qualifications	14
References	14

APPENDICES

APPENDIX 1	Rock Descriptions
APPENDIX 2	Analytical Results

LIST OF FIGURES

	Page	
Figure 1	Location Map	4
Figure 2	Claim Map	6
Figure 3	Regional Geology Map	8
Figure 4	Property Geology Map	attachment
Figure 5	Copper Geochemistry E Side	attachment
Figure 6	Copper Geochemistry W Side	attachment
Figure 7	Copper Geochemistry Main Zone	attachment
Figure 8	Copper Geochemistry New (Hobbes) Showing	attachment

Introduction

The Zymo property is located approximately 45 km west of the town of Smithers in west-central British Columbia. The property is comprised of 24 claims totaling 10,343 hectares. Eastfield has the right to earn a 100% interest from a private corporation, subject to an NSR.

The property is underlain by Bowser and Skeena Group sediments which have been intruded by Eocene intrusions of the Nanika Suite. Porphyry type copper-gold mineralization was discovered in the early 1990's by the optionee, on follow-up of regional copper and stream sediment anomalies. Freeport Copper Company optioned the property in 1999 and drilled six diamond drill holes which encountered anomalous copper and gold values in intrusive and in breccias in the Main Zone area. NDT Resources took an option over the property in 2004 and flew an airborne geophysical survey over it. Mineralization on the property consists of both Cu-Au porphyry type and high sulphidation base metal veins which have returned values of 6 to 7g/t Au.

Eastfield optioned the Zymo property in mid 2007 and carried out a reconnaissance exploration programme from September 20 to October 10, 2007. The programme was designed to look at known areas of mineralization to understand the geology, mineralization and alteration of the area of the previous work, and to assess the economic potential of the rest of the property.

A total of 136 rock, 140 silt and 264 soil samples were collected during this time. The 1997-1998 soil grid was extended to the north for 500m, and the northwest corner was extended 800m to the west. The existing Cu-Au in soil anomaly was extended to the north and northwest. A number of reconnaissance soil lines were also emplaced over magnetic highs that were revealed in the 2004 NDT airborne geophysical survey, and these discovered anomalous values over linear magnetic highs. The silt sampling covered nearly all of the property not previously sampled and had uncovered a number of new anomalies for follow up.

Mapping and prospecting confirmed the porphyry affiliation of the known mineralization in the area of the 1999 drilling (the Main Zone), and also discovered that granodiorite rocks outcrop across large areas of the Zymo ridge, often altered with silica, pyrite, magnetite or biotite. The airborne geophysical survey shows these intrusives as strong magnetic highs. Prospecting of these highs discovered a new showing 4.5km northwest of the Main Zone. This Hobbes showing is comprised of disseminated and vein chalcopyrite in silicified-pyrite-biotite-magnetite altered granodiorite with grab sample values returning up from 1801 to 3295ppm Cu and 76 to 1130 ppb Au. Strongly anomalous soil and silt copper and gold values in this area extend over an area of 0.75 x 1.5km, though the zone still remains to be completely defined.

Probably genetically related to the porphyry mineralization are high sulphidation base metal veins which have returned gold values of over 7g/t Au. Occurrences of these veins was previously known to the north and east of the Main Zone, and a new showing was located in 2007, 3.5km west of the Main Zone in a tributary of Red Canyon Creek.

The next phase of exploration on the property should consist of follow up work on the reconnaissance soil anomalies over the magnetic highs on Zymo ridge, and of stream sediment anomalies in the Red Canyon Creek drainage. More mapping and sampling should take place over the Main Zone and Hobbes Showing in order to identify drill targets.

Zymo Location Map

-  Zymo Location
- Topographic Layers**
 -  Lakes 1:6M
 -  Rivers 1:6M
- BC Border Layers**
 -  BC Border 1:6M



SCALE 1 : 11,236,247




Figure 1: Property Location Map

Property Description

The Zymo property is located in the Omineca Mining Division and is comprised of 24 legacy and cell claims covering 10,231.992 hectares. Eastfield Resources Ltd. has the option to earn a 100% interest in the Zymo property from 811537 Alberta Ltd. by making a total of \$250,000 in cash payments, issuing 600,000 shares and completing \$1,000,000 in exploration expenditures over a five year period and reserving a 3% NSR for the vendor. The NSR on copper production may be reduced to 1.5% by paying the vendors \$1,500,000.

The property is comprised of the following claims:

Table1: Claim Data

Claim Name	Record #	Area (hectares)	Expiry Date
ZYMO-7	345732	500	2010/FEB/18
ZYMO-8	345733	500	2010/FEB/18
ZYMO-9	354273	500	2010/FEB/18
ZYMO-10	354274	500	2010/FEB/18
ZYMO-11	367693	500	2010/FEB/18
ZYMO-12	367694	500	2009/FEB/18
ZYMO-13	367695	500	2010/FEB/18
ZYMO-14	367696	500	2009-FEB/18
ZYMO-15	367697	500	2010/FEB/18
ZYMO-16	367698	500	2010/FEB/18
ZYMO-17	367699	500	2010/FEB/18
MULWAIN4	502772	447.019	2009/JAN/13
MULWAIN3	502767	447.291	2009/JAN/13
ZYMO-19	559923	446.9292	2010/June/5
ZYMO-20	559925	447.0642	2009/June/5
	560326	447.499	2009/June/8
ZYMO	560327	465.6212	2009/June/8
	560328	446.7672	2009/June/8
	560329	465.4257	2009/June/8
	560330	446.8810	2009/June/8
	560331	447.6621	2009/June/8
Z east FF	560332	149.0834	2008/June/8
ZYMO	570330	74.488	2008/Nov/20
ZYMO	570331	111.761	2008/Nov/20
Total:		10,343.49 hectares	

Zymo Claim Map




Figure 2: Zymo Claim Map

Location, Access and Physiography

The Zymo property is located approximately 45 km west of the town of Smithers, B.C. Smithers is a regional centre with scheduled daily air service from Vancouver and a wide variety of service and equipment suppliers as well as government agencies offices. The property is accessed by logging haul roads from Smithers that could provide year round access. This road follows along the north side of Mulwain Creek into the centre of the property and where a bridge has been built across the creek giving access for future road networks in the vicinity of the historical exploration work. Driving time from Smithers to the Mulwain Bridge is approximately one hour.

The property lies in the Hazelton Mountain Range and is centered on a WNW trending ridge which is situated between Mulwain and Red Canyon Creeks. This feature (Zymo Ridge) is of generally subdued topography and elevation, up to 1500m, in sharp contrast to the 2000+ metre mountains on either side. Zymo ridge is covered with mature forest but is marked by an amazing number of grassy bogs that offer excellent helicopter access. These bogs are generally elongated parallel to the ridge and its bounding creeks, suggesting a structural component to their origins. Seven Sisters Provincial Park lies to the northwest of the property.

The property lies in an area of overlapping claims by two First Nations groups, the Gitksan (Kitwanga, BC) and the Kitselas (Terrace, BC). The company is not aware of any known archeological sites on the property (none are shown on the Map Place government maps).

Exploration History

The first noted discovery of mineralization in the Zymo Ridge area was by Corona Corporation in 1987 while following up a government regional geochemical survey gold anomaly on Red Canyon Creek. They noted anomalous gold values in a quartz-sericite-pyrite altered intrusion. Small programs by the optionee in 1990-1 and 1996-7-8 were largely geochemical sampling programs including stream sediment, rock sampling, and the emplacement of a soil grid. A drilling program was completed by Freeport Copper Company in 1999 and an 823 line-kilometre airborne geophysical survey was completed in December, 2004 by NDT Ventures Ltd.

Geology

The Zymo property area is underlain by sedimentary rocks of the Bowser (middle Jurassic-lower Cretaceous) and Skeena (lower Cretaceous) Groups. Eocene intrusions of the Nanika Intrusive Suite cut these host rocks. The lower Jurassic Hazelton Group calc-alkaline volcanics lie along the southern border of the property.

Strong west-northwest to northwesterly trends are reflected in several elements and may describe regional structures. Red Canyon and Mulwain Creeks display parallel northwesterly trends which are also very evident in the airborne magnetic survey in their vicinity. Linear resistivity features can be seen to display northwesterly trends that often parallel or coincide with magnetic features. The contact of the Bowser and Hazelton Groups forms a west-northwesterly linear in the extreme southern part of the property.

The most common rocks on the Zymo property are red and black shales which are interbedded with siltstones, sandstones and conglomerates. Carbonate alteration of these sediments occurs as a halo around the intrusions. Small exposures of green chloritic andesite, locally porphyritic, were noted locally within the sediments. It is unclear if these are part of a volcanic component to the sedimentary package, or are a later intrusive event. These sediments were the only outcrop type mapped on the north side of Mulwain Creek, with only very minor carbonate or sericite alteration noted. This area is underlain by a large very strong magnetic high which suggests the existence of an intrusion at depth. Weakly propylitic altered granodiorite float was common in all of the creeks on the north side of Mulwain Creek, though none was found in outcrop.




Figure 3: Zymo Property: Regional Geology

These sediments are also common on Zymo Ridge, but here they are cut by a number of intrusive bodies which show up as prominent magnetic highs on the airborne geophysics. These intrusive rocks range from diorite to granodiorite, are commonly porphyritic, and are often strongly altered. Silicification is the most widespread alteration type, through sericite-pyrite, potassic feldspar, chlorite, magnetite and biotite alteration have also been noted. Two bodies of intrusive noted in a tributary of Red Canyon Creek, 3.5km west of the Main Zone, appear to be sills.

The largest intrusion known to date hosts the Main Zone mineralization and measures some two by two km. It is generally porphyritic and strongly sericite-pyrite altered, such that original textures are difficult to observe in surface samples. These intrusive rocks have been variably described as diorite, quartz diorite, granodiorite and hornblende-biotite diorite porphyry. Pyrite occurs as disseminations, veins and local stockworks. Quartz veins occur locally, and form sheeted zones and stockworks in some places. Chalcopyrite has been noted in a number of locations in the Main Zone, with a showing of bornite discovered in a small creek 600m north of drill hole ZY-99-05.

Occurrences of late breccia dykes or plugs and associated quartz-carbonate stockworks which host blebs to lenses of massive sulphides have been widely noted in the Freeport drill holes and on surface.

Alteration

The intrusive bodies on Zymo ridge exhibit locally very strong silicification and local k-spar (potassic) alteration which is usually surrounded by wide zones of sericite-pyrite (phyllic) alteration both within the intrusives and in the host sediments. Fe-carbonate alteration is widely noted as a further halo in sediments around the intrusions. This phyllic alteration and the weathering of the pyrite have destroyed much of the original textures in the intrusives and sediments, such that it is often difficult to discern between the two in hand sample. Biotite and magnetite were also noted in some of the intrusions.

Structure

A strong west-northwest fabric is obvious on the property, manifesting itself as topographical and geophysical features. This direction is parallel to the regional structural grain of this part of British Columbia.

Mineralization

Two styles of mineralization occur on the property; calc-alkaline copper-gold porphyry zones, and auriferous base metal vein occurrences in the surrounding rocks. The main porphyry style is described as chalcopyrite-bornite-gold-quartz-carbonate+/-magnetite+/-bitotite. Polished section study revealed an overprinting quartz-Na-alunite-dolomite-chlorite-hematite alteration that is believed to be related to the high sulphidation vein mineralization. These occurrences show strongly anomalous character in Au-Pb-Zn-Au-Cu-Ag-Sb-Bi-As.

Even in areas containing chalcopyrite, and copper values over 0.1%, malachite is rare, possibly due to the acidic nature of the groundwater as a result of the weathering of the abundant pyrite in the phyllic altered zones. The porphyry copper mineralization generally contains gold values in the 0.1-0.2g/t range, though 1130ppb Au was obtained from a 1687ppm Cu sample in the new (Hobbess) showing area. Anomalous, but sub economic molybdenum occurs in areas of high copper values, generally in the 20-30ppm range.

The base metal sulfide veins have been noted in a number of locations on the property, occurring near the edges of the intrusive bodies peripheral to the Cu-Au porphyry mineralization. The veins are as large as 15cm and are composed of sphalerite, galena and pyrite, and have returned gold values of over 7000ppb and 45ppm Ag.

2007 Exploration Programme

The 2007 exploration programme on the Zymo property was conducted by Mincord Exploration Consultants on behalf of Eastfield Resources from September 20 to October 10, 2007. The crew, of one geologist and four technicians, were based in Smithers and accessed the property mostly by helicopter, though three days of road-accessed work in the Mulwain Creek area were also carried out. Increasing snow in the final week of the programme hindered prospecting and mapping. The programme consisted of two parts; to look at the mineralization in the Main Zone to study the geology and styles of mineralization and alteration, and to assess the rest of the property for mineralization. A total of 136 rock, 140 silt and 264 soils samples were collected during the programme.

QA/QC

A comprehensive system of QA/QC was conducted as an important part of the programme to ensure the integrity of the results collected. This involved rigorous sample collection and handling procedures. The rock samples were sealed with cable lock in the field and stored under the geologist's supervision in Smithers. The soil and silt samples were dried in a secure location, also in Smithers. The samples were all delivered by Mincord Exploration personnel to Acme Analytical Laboratories Smithers sample preparation lab.

The samples were ground and split in Smithers by Acme and then moved to their facility in Vancouver for analysis by ICP-Mass Spectrometry for 36 elements. Acme ran duplicate samples and inserted their own standards in order to maintain their own in-house QAQC programme.

Main Zone

Four days were spent prospecting and mapping in the Main Zone area which was found to be underlain by strongly altered porphyritic intrusive rocks with only local sedimentary rocks found in outcrop. Not enough time was spent to learn the relationship between the two rock types, but the sedimentary rocks are probably thin scabs or roof pendants on top of the intrusive. The entire area is strongly sericite-pyrite (phyllitic) altered with silicification (potassic) also common. Magnetite and biotite were also noted in rocks in the southern part of the area. The strong alteration and weathering has destroyed most original textures, though abundant pyrite remains. Chalcopyrite occurs in a number of areas across the zone, and a showing of bornite in sheeted quartz veins was found in a creek 600m north of drill hole ZY-99-05. A sample of this returned 0.92% Cu and 0.26g/t Au, and is referred to as the Bornite Creek showing.

The Main copper showing is located in a small canyon 150m south of drill hole ZY-99-04, and was discovered by Robin Day in the 1990's. A continuous chip sample, of five metre intervals, was collected across the upper part of this showing in 2007 in order to verify previous results. It returned 0.13% Cu and 0.26g/t Au over 65m, with the upper 25m running 0.18% Cu and 0.26g/t Au. The host rocks were strongly sericite-pyrite altered porphyritic granodiorite with strong silicification and quartz veining. The original sample results were confirmed, but the amount of chalcopyrite seen appears to be far less than the copper values would suggest, indicating that copper exists as chalcocite or some other mineral. Hole 99-04 encountered only black shales and was ended at 36m. No other drill hole was located near the showing which remains untested by drilling.

The existing soil grid over the main zone area was extended 500m to the north with two lines emplaced and samples collected on 50m centres. The two northernmost lines of the old grid were also extended 700m to the west. Results showed that the copper and gold in soil anomaly that occurred on the old grid continued to the north and northwest on the new lines and still remains open.

The 1999 drill collars were located and a number of old rock, silt and soil sample sites were also found. The latter locations were found to correlate well with the NDT compilation maps, but the drill collar locations were found to be off by over 200 m. This is attributed to a map datum error, and the corrected coordinates are given in Table 3 below.

Reconnaissance

The reconnaissance portion of the programme was set up to quickly appraise the economic potential of the rest of the Zymo property, which has received no previously recorded exploration, and consisted of prospecting and rock sampling and reconnaissance soil and silt sampling. Silt samples were collected to give coverage to the entire property away from the Main Zone. Eight reconnaissance soil sample lines were also emplaced on the top of Zymo ridge to cover geophysical anomalies obtained from the 2004 airborne geophysical survey. These lines ran northeast-southwest to cut across the trend of the magnetic highs on approximate 500m spacing with samples collected every 50m on these lines.

Prospecting and sampling was conducted over a number of the magnetic highs on Zymo ridge, and one traverse was made from Red Canyon Creek east to the Main zone area. Rock samples of prospective rocks were collected in all areas. Duplicate samples were later sawn to assist in the geological appraisal because of the strong alteration and weathering of the surface samples.

The magnetic highs show the locations of intrusive bodies which were invariably silicified with varying amounts of pyrite. The silicified zones were surrounded by strong sericite-pyrite (phyllic) alteration, with Fe-carbonate altered sediments as a wider halo. Biotite and magnetite were noted in a number of locations. Anomalous copper values in rocks were retrieved from some of the intrusives, and anomalous copper in soil results were obtained from two magnetic highs not yet prospected.

A new copper-gold showing (Hobbes) was discovered in a large magnetic high located on the ridge top 4.5km west-northwest of the Main Zone. Chalcopyrite was found in outcrop in a north flowing creek over a distance of 180 m. The host rock is very strongly silicified and sericite-pyrite altered intrusive. Galena was noted in fine quartz veins in the northernmost outcrop, and magnetite and biotite also occurring locally. As at the Main Showing, malachite was rare. Values from this showing ranged from 1801 to 3295ppm Cu and 71 to 278ppb Au. A sample of altered intrusive float running 1687ppm Cu and 1130 ppb Au was also found 350m east of the showing.

Two reconnaissance soil lines were emplaced over the magnetic high, which extended for 400 m east and west from the copper showings. Both lines returned strongly anomalous copper and gold values, to 2682ppm Cu and 148ppb Au. Strongly anomalous silt samples were also retrieved from 650 m east of the showings (306ppm Cu), and 750 m south (262ppm Cu). The boundaries of the zone have yet to be defined. Only one day was spent on this anomaly, with work hindered by fresh snow.

A number of other magnetic highs were prospected and all were underlain by silicified intrusives. Anomalous copper values were obtained from some of these, and further work will be required.

Three days were spent working around the logging road on the north side of Mulwain Creek, collecting rock and silt samples. Bedrock here was entirely sediments, with only local minor carbonate and sericite alteration found. No copper or gold values of note were obtained from this area.

Discussion of Exploration Results

Geochemistry

Geochemical sampling on the Zymo property was undertaken in several passes and is summarized in the following table:

Table 2: Summary of Geochemical Sampling

Sampler	Year	Rock	Soil	Silt
Corona Corporation	1987-8	69	60	3
Skeena Resources	1990-1	20		77
Robin Day	1996	74		11
Robin Day	1997	50	126	37
Robin Day	1998	42	148	39
Eastfield Resources	2007	136	264	140
	Total	391	598	307

The Main Zone and the new showing both show up well as copper and gold anomalies in silts and soils. Molybdenum and antimony are also anomalous in these areas while arsenic and zinc appear to form a wider halo. New copper and gold anomalies were also found during the 2007 sampling in on the southwest side of Zymo ridge.

Zymo ridge is unusually wet, with very abundant swamps and bogs. This high groundwater flow, combined with possible high acidity due to the weathering of the abundant pyrite in the phyllic altered zones, suggests increased mobility of metals in the surface environment and raises the possibility of displaced soil anomalies.

Approximately 29.7 line-km of soil sampling grid have been completed over the Main Zone. The lines run roughly east-west with samples were collected on 100m centres during the historical work and on 50m centres in 2007. The grid currently covers an area of approximately 3.3 x 2.6 km. A 1.5 x 2.0 kilometre coincidental 50ppm Cu and 25ppb Au anomaly occurs in the northern part of the grid and is open, though fingering, to the north. Four of the six drill holes lie within this anomaly. Several smaller zinc, lead and gold anomalies flank the copper-gold anomaly to the south and east. It is apparent that the two styles of mineralization are reflected in the soil geochemistry and are indicating a zoning relationship.

Along with the extension of the old soil sampling grid to the north during 2007, a number of reconnaissance soil lines were also emplaced across magnetic highs on Zymo ridge. Strongly anomalous Cu (to 2682ppm), Au (to 148ppb) and Mo (to 78ppm) values were returned from the area of the new (Hobbes) Showing 4.5km west-northwest of the Main Zone, and anomalous values were returned from some of the other lines as well, usually coincidental with the magnetic highs.

The previous stream sediment sampling was conducted mainly in the area of the Main Zone. In these surveys it was found that in every creek sampled there were some anomalous metal values. The 2007 silt sampling programme covered the rest of the property and located the Hobbes showing and also generated some new targets on the southwest side of Zymo Ridge. The most significant of these combines the highest gold anomalies with moderate copper anomalies which drain an untested magnetic high two km west of the Main Zone.

Geophysics

An 823 line-kilometre airborne magnetic and EM survey was completed by NDT Ventures Ltd. in December, 2004. The option was dropped before any follow-up work was undertaken. The magnetics show two strong west-northwest trending magnetic highs flanking a relative low over Zymo ridge. This magnetic low hosts a number of distinct magnetic highs which prospecting has shown no be intrusive bodies. Most of these are strongly altered and at least one contains copper mineralization to 0.33%Cu and 1.13g/t Au. More of these isolated magnetic highs have yet to be prospected. In the area between the Main Zone and the Hobbes showing, the magnetic highs occur as long linear features, possibly dykes. These coincide with high resistivity features.

The large intrusion that underlies the Main Zone does not show up as a coherent magnetic feature, but rather as part of the Zymo ridge magnetic low with a number of smaller highs within it. Only two of the six diamond drill holes; ZY-99-04 and 05 intercepted the discrete highs.

The nature of the two magnetic highs that flank Zymo ridge is unknown. No intrusive rocks were found north of Mulwain Creek, though there was abundant propolytically altered intrusive float there, and no work has been done in the southwest part of the property on the west side of Red Canyon Creek.

A magnetic low crosses westerly across the southern boundary of the property and most likely demarks the boundary with the Hazelton Group volcanics to the south.

Drilling

The only drilling to date on the property was carried out by Freeport Copper Company in 1999. As related by Nelson (2000), the drill program was designed to determine whether the alteration system reflected a porphyry system that would be in line with Freeport's requirements. To this end the holes were placed between 250 and 1000 m apart, generally averaging about 500 metre spacing. A total of 1448 m was completed in six holes. This core was located but has been dumped and the boxes stolen, so it is of little use.

The drill holes were located during the 2007 survey and it was found that they had been miss-plotted on the Freeport maps, probably due to a map datum error. The corrected locations (NAD 83 Zone 9) are given in the table below.

Table 3: Freeport Copper Company: Summary of 1999 Drilling Results, Zymo Property

<u>Hole #</u>	<u>Easting</u>	<u>Northing</u>	<u>Dip</u>	<u>Depth (m)</u>	<u>Mineralized Intervals</u>						
					<u>% of core sampled</u>	<u>From (m)</u>	<u>To (m)</u>	<u>interval</u>	<u>Cu (ppm)</u>	<u>Au (ppb)</u>	
ZY-99-01	567161	6076291	-90	307.77	99.5	3.35	307.77	304.42		243	27
ZY-99-02	567392	6076671	-90	301.22	62.7						
ZY-99-03	566767	6075801	-90	298.17	76.3	12.2	298.17	285.97		467	71
					including	12.2	35.98	23.8		0.14%	214
ZY-99-04	566747	6076470	-90	35.98	0	not sampled					
ZY-99-05	567655	6075458	-90	289.02	34.9						
ZY-99-06	566875	6076653	-90	255.49	93.7	11.59	255.49	243.9		375	43
					including	29.88	41.16	11.3		0.14%	99
		Total		1487.65							

All of the holes were entirely in intrusive rocks and associated breccias except for 99-04 which intersected massive black shale and was stopped at 34.9 m. The intrusives and breccias displayed varying alteration including silicification, pyritization, phyllic alteration and anhydrite veining

Drill holes ZY-99-03 and 06 intersected the most significant mineralization indicating the presence of sub-economic but strongly anomalous copper-gold mineralization. Holes 2 and 5 were only partly sampled but the sampling that was completed (shown as % of core in table 2) indicated anomalous Cu throughout, confirming that the alteration/mineralizing system is broad and through-going. Similarly in holes ZY-99-01, 03 and 06, where sampling was almost complete, the anomalous character of Cu and Au is very evident.

None of the existing drill holes has tested any of the principal showings in the Main Zone, and none has tested the highest copper and gold soil anomalies. The closest hole to the main copper Showing; ZY-99-04, was completely in shale and was abandoned at 36m. No drill hole is located within 500m of the Bornite creek showing. Holes ZY-99-01 and 03 are within the copper soil anomaly in the weaker part of the gold soil anomaly; ZY-99-0 5 is not within any significant soil anomaly and holes ZY-99-04 and 06 are on the edge of the highest copper anomaly.

Conclusions

Zymo ridge is underlain by Jurassic and Cretaceous sediments which have been intruded by Eocene intrusions. These intrusions are strongly silica-sericite-pyrite altered and contain porphyry type copper gold mineralization and show as prominent magnetic highs. Two zones of mineralization have been defined to date; the previously known Main Zone, and the Hobbes showing 4.5km to the west-northwest which was discovered in 2007. Freeport Copper Company drilled six holes into the Main Zone area in 1999, though none of these tested the best surface mineralization. Values ranging from 0.18 to 0.33% Cu and 0.08 to 1.13g/t Au have been found on the Hobbes showing, which is over 0.8 by 0.5 km in size so far and remains open.

This mineralization shows up well in geochemical surveys as Cu-Au-Mo anomalies with As and Zn as a wider halo. New targets, both geochemical and geophysical remain to be tested, and additional work is required to delineate the Hobbes showing and to develop drill targets on the two zones in 2008.

Statement of Expenditures

ITEM	DESCRIPTION	AMOUNT
Professional Fees:		
R. Johnston, P.Geo.	35 days x \$680/day	23,800
G. Garratt, P.Geo.	5 days x \$680/day	3,400
Field Personnel Fees:		
J.P. Charbonneau	20 days x \$420/day	8,400
S. Salter	10.5 days x \$360/day	3,780
P. Charbonneau	12.5 x \$385/day	4,812
Rentals:		
Truck	8.28 days x \$80/day	662
Transportation:		
Helicopter	20.5 hrs. x \$1,082/hr.	22,181
Travel Expenses		718
Analytical:		
Rocks:	136 samples x \$22.18/sample	3,016
Silts:	140 samples x \$20/sample	2,800
Soils:	264 samples x \$20/sample	5,280
Field Supplies:	Sample bags, flagging, etc.	804
Communication:	Telephone; courier; satellite phone	223
Accommodation:		
Hotel		3,573
Food		930
Data Compilation/map production		3,373
TOTAL EXPENDITURES:		\$87,752

Statement of Qualifications

I, R.J. Johnston, am a graduate of the University of Saskatchewan with a B.Sc. (Advanced) 1982, in Geological Science.

I, R.J. Johnston, am a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P. Geo.), registration number 19253.

I have practiced my profession since graduation in Western Canada, Mexico and Central America.

I, R.J. Johnston, supervised the exploration programme outlined in this report and personally carried out the mapping, prospecting and rock sampling.

Dated this 11th day of February, 2008.

R.J. Johnston P. Geo.

References

Day, R.C., December 01, 1996: Zymo #1-8 Claims, Reconnaissance Prospecting Report, Omineca Mining Division, BC, AR# 24924.

Day, R.C., November 01, 1997: Zymo #1-10 Claims, Reconnaissance Geological and Geochemical Report, Omineca Mining Division, BC, AR # 25412.

Day, R.C., August 31, 1998: Zymo #7-10 Claims, Reconnaissance Geological & Geochemical Report, Omineca Mining Division, BC, AR # 25820.

Garratt G.L., September 25, 2007: Zymo Property, Executive Summary for Eastfield Resources Ltd.

Jamieson, M.D., September 30, 1991: Geological and Geochemical Sampling Report on the Red 1 and 2 Claims, Omineca Mining Division, BC, by Taiga Consultants Ltd. for Skeena Resources Limited; AR # 21723.

Klassen, R., November 8, 1988: Assessment Report on 1988 Work, Calvin Claim, Red Canyon Creek, Omineca M.D., AR # 18050.

Nelson, F.J., January 24, 2000: Zymo # 7-17 Claims, Core Drilling Program Report, Omineca Mining Division, BC, AR # 26152.

Robertson, K., May 5, 2005: Technical Report For The Zymo Property for NDT Ventures Ltd..

Visage, D., December, 2005: Geophysical Report, Zymo Property for NDT Ventures Ltd.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Submitted By: Glen Garrett

Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.

Received: October 15, 2007

Report Date: November 27, 2007

Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000197.1

CLIENT JOB INFORMATION

Project: ZYMO
Shipment ID: ZY-RK-03
P.O. Number: ACME FILE: A718410
Number of Samples: 46

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Eastfield Resources Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Split and Crush to 70% passing 10 mesh		
1DX	46	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 27, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000197.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
147562	Rock	0.4	2.0	1.9	38.6	9	0.1	1.1	0.4	32	2.86	1.8	<0.1	8.2	0.3	16	<0.1	0.2	1.1	<2	0.01
147563	Rock	0.2	3.2	7.3	14.1	368	<0.1	2.2	3.6	819	2.92	8.2	0.3	4.1	1.4	13	0.3	1.2	<0.1	6	0.31
147564	Rock	1.7	3.8	83.9	5.7	32	0.1	8.3	14.6	438	4.71	1.3	1.0	4.5	3.3	118	<0.1	0.1	0.2	117	1.47
147565	Rock	0.9	8.1	116.7	113.9	114	0.9	2.6	7.4	237	4.99	59.7	0.6	42.1	2.5	10	0.2	2.3	2.4	39	0.05
147566	Rock	1.9	1.6	49.5	112.0	57	0.6	4.1	10.2	229	4.59	36.8	0.7	29.6	2.7	90	<0.1	0.8	1.6	61	0.87
147567	Rock	1.9	1.2	10.1	26.8	57	<0.1	2.8	1.9	304	0.76	6.7	1.2	1.1	1.6	9	0.2	0.6	<0.1	<2	0.07
147568	Rock	1.5	0.6	13.8	11.6	7	0.2	1.8	0.8	35	1.19	27.1	0.2	3.5	0.3	11	<0.1	0.8	2.9	4	0.01
147569	Rock	2	10.6	209.3	15.9	37	0.4	10.7	9.1	288	2.94	2.6	0.3	6.5	2.6	20	0.1	0.1	0.4	66	0.82
147570	Rock	1.5	30.1	68.7	13.3	31	0.3	8.8	9.8	261	5.29	2.5	0.4	7.3	1.6	21	<0.1	0.1	0.8	76	0.32
147571	Rock	2.6	14.3	156.4	13.8	97	0.4	8.9	15.7	1312	3.89	10.2	0.2	2.2	1.7	29	0.5	0.6	0.3	59	1.51
147572	Rock	1.7	2.4	32.7	10.2	44	<0.1	2.9	12.9	417	4.58	4.6	3.0	4.2	10.4	63	<0.1	0.5	0.6	95	1.06
147573	Rock	2.1	2.5	72.7	6.4	52	0.1	6.1	60.6	1541	5.31	2.4	0.4	3.1	1.7	34	0.1	0.2	0.4	58	0.44
147574	Rock	2.11	2.5	70.2	21.7	93	0.3	4.2	7.0	574	6.06	1.8	0.2	3.1	1.3	16	<0.1	0.2	0.8	47	0.04
147575	Rock	2.2	7.8	11.4	37.0	45	0.2	1.6	3.6	135	6.37	9.4	<0.1	3.5	0.2	17	<0.1	0.5	2.4	47	0.02
147576	Rock	2.5	1.5	35.0	6.2	78	0.1	6.7	12.3	813	4.32	2.2	2.7	44.4	7.3	154	0.1	0.1	0.7	101	1.47
147577	Rock	2.11	2.1	196.2	18.9	234	0.4	6.8	18.8	1876	5.87	1.7	0.2	149.7	0.8	27	0.5	0.2	0.1	64	0.26
147578	Rock	2.6	6.2	162.7	36.0	51	0.4	14.2	15.5	1102	4.49	11.4	<0.1	18.6	0.5	20	0.2	0.3	2.7	107	0.80
147579	Rock	1.9	1.5	15.2	18.2	133	0.2	2.3	7.4	954	3.22	8.9	2.7	1.8	7.6	22	0.1	1.2	0.1	41	0.31
147580	Rock	1.8	0.9	13.1	4.1	87	<0.1	2.0	7.9	1109	2.65	1.4	2.9	<0.5	8.3	102	0.1	0.2	<0.1	36	1.65
147581	Rock	2.2	1.7	24.3	57.9	153	0.3	1.8	10.6	1956	2.96	135.8	2.4	5.1	6.4	84	0.8	1.8	0.4	25	2.24
147582	Rock	2.5	0.9	58.6	108.2	294	0.2	86.9	26.4	2333	6.28	101.9	0.6	<0.5	3.8	6	0.4	2.8	0.2	69	0.04
147583	Rock	2.3	2.0	39.8	48.9	107	0.1	79.3	11.4	670	3.78	20.9	0.5	4.1	4.8	6	0.1	0.7	0.1	23	0.03
147584	Rock	1.5	2.0	79.1	7.7	113	0.2	10.8	21.7	2149	4.98	10.0	0.6	<0.5	1.9	162	0.1	0.3	<0.1	69	3.33
147585	Rock	2.3	1.8	16.1	10.3	120	<0.1	3.4	7.2	1857	2.92	4.6	1.9	<0.5	5.3	20	0.2	0.2	<0.1	22	0.69
147586	Rock	7.7	22.0	1568	37.0	77	2.9	2.0	4.8	108	3.64	19.9	3.9	283.5	8.5	14	0.2	1.1	7.5	20	0.14
147587	Rock	5.6	15.0	2374	32.8	79	3.8	2.2	6.5	134	3.97	43.5	3.5	368.0	7.9	15	0.1	2.5	6.6	16	0.10
147588	Rock	6.4	11.2	2417	49.2	169	2.9	3.2	8.1	439	3.90	80.4	3.9	198.1	9.1	21	0.6	4.6	12.8	25	0.37
147589	Rock	7.3	14.1	1937	25.7	93	2.2	2.3	5.0	346	6.32	86.0	2.5	279.0	8.1	17	0.3	3.0	4.1	31	0.23
147590	Rock	8.1	23.5	1032	23.8	55	2.0	1.9	3.2	135	5.00	54.4	2.3	211.4	7.3	18	<0.1	2.4	6.7	25	0.15
147591	Rock	7.8	17.7	1900	33.9	152	2.1	4.3	8.1	607	4.97	17.7	3.8	238.1	10.3	18	0.3	0.8	4.7	38	0.39



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 27, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000197.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
147562	Rock	0.016	2	30	<0.01	140	<0.001	2	0.14	0.014	0.48	<0.1	<0.01	0.3	0.1	0.78	<1	1.5
147563	Rock	0.053	18	5	0.08	349	0.004	3	0.32	0.053	0.24	<0.1	0.02	5.5	<0.1	0.15	2	<0.5
147564	Rock	0.084	7	23	1.27	139	0.155	2	2.95	0.204	0.39	0.1	<0.01	7.5	0.4	0.78	8	<0.5
147565	Rock	0.082	11	3	0.24	109	0.001	<1	1.12	0.012	0.30	<0.1	0.15	3.4	0.3	0.13	3	3.3
147566	Rock	0.122	5	8	0.76	124	0.012	<1	1.90	0.141	0.35	0.1	0.05	4.0	0.4	1.34	5	1.9
147567	Rock	0.015	3	3	0.01	153	<0.001	4	0.52	0.042	0.20	<0.1	<0.01	0.7	0.1	<0.05	1	<0.5
147568	Rock	0.010	3	35	0.02	98	<0.001	2	0.21	0.012	0.23	<0.1	0.02	0.4	0.2	0.25	<1	2.3
147569	Rock	0.039	4	21	0.57	128	0.161	2	1.75	0.081	0.19	0.4	<0.01	6.8	0.1	0.74	6	1.8
147570	Rock	0.071	4	30	0.68	63	0.042	2	1.50	0.093	0.18	0.5	<0.01	5.4	0.2	1.98	6	2.3
147571	Rock	0.031	4	14	1.08	97	0.003	2	1.81	0.026	0.24	<0.1	<0.01	5.7	0.3	0.57	6	1.5
147572	Rock	0.156	21	12	0.93	71	0.041	1	1.58	0.050	0.15	0.1	<0.01	4.2	0.1	1.10	8	0.9
147573	Rock	0.029	6	9	0.75	131	0.010	2	2.81	0.104	0.21	<0.1	0.02	5.1	0.2	0.60	8	<0.5
147574	Rock	0.038	4	9	0.76	295	0.003	2	2.50	0.073	0.24	<0.1	<0.01	4.2	0.3	0.48	7	2.6
147575	Rock	0.140	2	3	0.18	75	0.001	2	0.89	0.075	0.22	<0.1	<0.01	3.8	0.2	0.12	3	1.3
147576	Rock	0.163	21	14	1.13	217	0.074	1	2.61	0.202	0.35	0.2	0.01	6.2	0.7	0.36	7	<0.5
147577	Rock	0.023	6	8	0.64	90	0.010	3	2.78	0.053	0.28	<0.1	0.05	5.4	0.3	0.92	7	0.9
147578	Rock	0.118	3	24	0.51	116	0.002	2	1.37	0.034	0.28	<0.1	0.03	9.2	0.4	0.85	5	<0.5
147579	Rock	0.111	24	2	0.07	320	0.002	1	0.81	0.038	0.14	<0.1	0.31	3.7	0.1	0.27	3	<0.5
147580	Rock	0.129	39	8	0.23	711	0.002	2	0.51	0.041	0.19	0.1	0.01	2.8	0.1	<0.05	2	<0.5
147581	Rock	0.116	24	<1	0.28	208	<0.001	3	0.60	0.021	0.19	<0.1	0.08	2.2	0.3	0.44	1	0.7
147582	Rock	0.046	22	56	0.58	83	<0.001	2	2.20	0.018	0.14	<0.1	0.04	7.8	0.2	<0.05	6	<0.5
147583	Rock	0.062	19	18	0.05	107	<0.001	2	0.66	0.020	0.24	<0.1	0.02	2.8	0.3	0.06	1	1.3
147584	Rock	0.181	22	10	1.01	117	0.001	3	1.97	0.019	0.18	<0.1	0.02	6.3	0.3	0.29	6	<0.5
147585	Rock	0.127	36	2	0.15	180	<0.001	2	0.83	0.026	0.20	<0.1	<0.01	1.8	0.3	<0.05	2	<0.5
147586	Rock	0.141	17	9	0.10	80	0.001	<1	0.52	0.010	0.24	<0.1	0.03	1.8	0.4	1.46	1	3.6
147587	Rock	0.120	13	3	0.04	60	0.001	<1	0.62	0.012	0.29	0.1	0.06	1.5	0.4	1.87	2	4.5
147588	Rock	0.149	14	13	0.30	49	0.002	1	0.82	0.017	0.29	<0.1	0.04	2.0	0.4	1.92	2	3.3
147589	Rock	0.157	8	4	0.31	107	0.003	1	0.84	0.018	0.24	<0.1	0.26	2.1	0.3	1.02	3	6.5
147590	Rock	0.143	9	18	0.11	144	0.001	1	0.68	0.015	0.29	<0.1	0.15	1.5	0.5	0.79	2	4.5
147591	Rock	0.174	17	5	0.66	60	0.003	1	1.31	0.028	0.34	<0.1	0.04	2.5	0.5	1.78	5	3.3



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 27, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000197.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
147592	Rock	7.3	11.6	1651	17.3	71	2.2	3.9	6.2	326	4.48	13.0	3.3	266.1	10.4	18	<0.1	0.5	3.3	35	0.26
147593	Rock	6.9	10.8	806.3	18.8	66	2.0	2.9	3.5	392	5.86	26.1	2.6	297.8	10.2	13	<0.1	0.4	6.2	44	0.18
147594	Rock	6.2	9.2	445.2	17.4	53	2.0	1.6	1.6	361	4.09	22.1	2.1	268.0	9.3	19	<0.1	0.6	6.0	26	0.13
147595	Rock	7.5	12.4	1592	11.4	83	1.6	3.8	6.1	305	4.75	14.0	3.8	479.1	11.1	15	<0.1	0.3	2.0	53	0.27
147596	Rock	7.4	16.0	468.9	21.2	91	1.3	2.4	6.7	386	4.03	16.2	5.6	137.2	13.9	14	0.2	0.3	3.9	29	0.23
147597	Rock	6.4	11.5	360.5	15.4	95	1.4	2.3	4.5	747	4.49	13.3	4.1	159.2	12.6	14	0.1	0.2	2.7	51	0.27
147598	Rock	7.4	20.2	414.2	14.8	82	2.6	2.5	1.5	627	6.79	14.2	2.8	236.4	10.1	18	<0.1	0.4	7.4	49	0.19
147599	Rock	9.2	14.2	1903	33.2	156	1.3	5.0	7.7	755	4.89	12.2	5.6	185.0	11.6	13	0.3	0.1	0.9	64	0.42
147600	Rock	8.6	10.8	1163	21.5	141	2.1	3.8	7.7	902	4.53	5.5	3.9	301.4	10.4	10	0.2	0.2	2.8	42	0.34
140001	Rock	7.9	11.0	857.8	33.0	94	2.1	2.0	3.5	459	4.67	9.5	3.2	248.5	9.8	12	0.2	0.3	6.1	29	0.29
140002	Rock	7.7	11.5	595.1	15.4	92	1.6	2.9	4.4	593	4.98	3.8	3.1	186.6	9.5	13	<0.1	0.1	1.8	54	0.30
140003	Rock	2.2	16.1	70.0	11.2	104	0.6	2.7	9.1	814	2.95	18.2	2.1	11.7	5.5	77	0.4	1.0	2.0	44	2.52
140004	Rock	1.9	2.5	20.6	216.1	164	1.5	3.6	9.9	3972	4.76	22.7	3.7	34.1	7.4	15	1.3	0.4	1.5	7	0.70
140005	Rock	1.6	1.1	69.8	23.9	156	0.5	4.3	10.3	1381	3.17	24.5	3.0	34.7	6.0	74	0.7	0.2	1.4	28	3.10
140006	Rock	1.2	1.0	10.0	10.0	48	0.5	25.4	6.5	183	1.95	20.5	0.3	3.2	0.9	5	0.1	0.2	<0.1	25	0.01
140007	Rock	1.4	0.8	19.2	13.5	41	0.5	3.9	6.5	795	2.01	1.9	3.5	2.8	9.7	98	0.1	0.2	<0.1	40	1.22



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 27, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000197.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
147592	Rock	0.145	12	18	0.48	76	0.003	2	1.14	0.025	0.35	<0.1	0.01	2.0	0.5	1.53	5	3.8
147593	Rock	0.154	10	6	0.59	136	0.003	<1	1.22	0.027	0.32	0.1	0.02	1.8	0.4	1.16	6	4.6
147594	Rock	0.156	12	19	0.46	259	0.002	<1	0.99	0.019	0.31	0.1	0.02	1.5	0.4	0.61	4	4.9
147595	Rock	0.161	12	7	0.73	120	0.013	<1	1.36	0.040	0.41	0.1	0.01	2.7	0.6	1.26	6	4.1
147596	Rock	0.160	19	15	0.58	50	0.003	<1	1.09	0.024	0.31	0.1	<0.01	1.5	0.5	1.92	4	4.4
147597	Rock	0.173	9	6	0.94	118	0.003	<1	1.30	0.020	0.19	0.1	0.01	1.6	0.3	0.85	6	3.2
147598	Rock	0.166	6	5	0.81	316	0.004	<1	1.21	0.017	0.21	0.1	0.02	1.9	0.3	0.39	7	3.3
147599	Rock	0.168	38	7	1.29	74	0.005	<1	1.90	0.025	0.22	<0.1	<0.01	2.3	0.3	0.93	7	1.8
147600	Rock	0.169	9	5	1.00	51	0.006	<1	1.52	0.021	0.28	<0.1	0.01	1.7	0.4	1.65	6	2.5
140001	Rock	0.161	14	4	0.52	79	0.003	<1	0.99	0.014	0.30	<0.1	0.03	1.6	0.4	1.21	4	2.8
140002	Rock	0.181	8	6	0.81	210	0.005	<1	1.32	0.023	0.27	<0.1	<0.01	2.3	0.4	0.51	5	2.4
140003	Rock	0.160	15	3	0.81	37	0.001	2	0.34	0.027	0.16	0.2	0.02	6.5	0.1	1.61	<1	2.0
140004	Rock	0.134	10	2	0.18	13	0.002	3	0.45	0.006	0.29	<0.1	0.07	1.4	0.5	4.42	<1	3.9
140005	Rock	0.134	12	2	0.70	25	0.001	2	0.38	0.018	0.18	<0.1	0.02	4.4	0.3	1.98	<1	1.1
140006	Rock	0.037	2	15	0.03	31	<0.001	1	0.29	0.014	0.13	<0.1	0.06	3.3	<0.1	<0.05	<1	<0.5
140007	Rock	0.085	17	6	0.32	114	0.006	2	0.47	0.031	0.18	0.4	0.03	3.5	<0.1	<0.05	2	<0.5

QUALITY CONTROL REPORT

SMI07000197.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
147575	Rock	2.2	7.8	11.4	37.0	45	0.2	1.6	3.6	135	6.37	9.4	<0.1	3.5	0.2	17	<0.1	0.5	2.4	47	0.02
REP 147575	QC		8.3	11.3	35.0	46	0.2	1.5	3.5	128	6.16	9.5	<0.1	4.4	0.2	17	<0.1	0.4	2.4	46	0.02
Reference Materials																					
STD DS7	Standard		21.4	115.5	74.0	406	0.8	58.9	9.8	605	2.39	47.4	5.4	68.8	5.1	74	6.2	6.3	4.6	78	0.98
STD DS7	Standard		21.0	112.9	72.9	405	0.8	59.2	9.7	630	2.37	46.9	5.2	67.5	5.1	74	6.0	6.3	4.7	77	0.95
STD DS7	Standard		21.6	114.7	69.6	410	0.8	59.6	10.0	641	2.45	47.8	5.2	67.7	5.0	76	6.2	6.6	5.3	84	0.96
STD DS7	Standard		22.6	114.5	72.5	433	0.9	57.1	9.4	631	2.47	49.5	5.3	62.0	5.1	77	6.5	6.4	5.2	83	0.97
STD DS7	Standard		20.6	117.5	82.8	413	1.3	59.6	9.2	621	2.52	49.2	5.8	74.5	5.3	76	6.4	6.4	5.3	90	1.00
STD DS7	Standard		23.2	118.3	77.2	421	1.1	59.6	9.7	652	2.51	51.5	6.0	78.9	5.7	83	6.2	6.8	5.2	87	1.04
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.6	4.2	2.6	52	<0.1	4.0	4.6	559	1.91	0.9	3.0	6.5	5.5	70	<0.1	<0.1	<0.1	35	0.52

QUALITY CONTROL REPORT

SMI07000197.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
147575	Rock	0.140	2	3	0.18	75	0.001	2	0.89	0.075	0.22	<0.1	<0.01	3.8	0.2	0.12	3	1.3
REP 147575	QC	0.139	2	3	0.18	75	0.001	<1	0.86	0.071	0.21	<0.1	<0.01	3.7	0.2	0.12	2	1.4
Reference Materials																		
STD DS7	Standard	0.075	13	180	1.06	379	0.111	35	1.02	0.091	0.43	4.4	0.22	2.4	4.3	0.21	5	3.5
STD DS7	Standard	0.074	13	182	1.04	373	0.111	39	1.02	0.086	0.42	4.3	0.21	2.3	4.3	0.20	5	3.2
STD DS7	Standard	0.071	12	175	1.06	373	0.110	38	1.00	0.082	0.44	4.6	0.21	2.4	4.4	0.20	5	3.5
STD DS7	Standard	0.076	13	184	1.06	384	0.116	40	1.01	0.086	0.45	4.5	0.19	2.4	4.3	0.20	5	3.6
STD DS7	Standard	0.076	13	177	1.10	378	0.128	39	1.05	0.085	0.44	4.6	0.21	2.5	4.5	0.21	5	3.4
STD DS7	Standard	0.079	14	180	1.10	394	0.135	13	1.07	0.091	0.47	4.7	0.21	2.9	4.7	0.21	5	4.4
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.069	8	10	0.59	221	0.122	<1	1.10	0.089	0.52	0.2	<0.01	1.9	0.4	<0.05	5	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Submitted By: Glen Garrett

Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.

Received: October 15, 2007

Report Date: November 21, 2007

Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000207.1

CLIENT JOB INFORMATION

Project: ZYMO
 Shipment ID: ZY-RK-01
 P.O. Number: ACME FILE: A718404
 Number of Samples: 33

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	33	Split and Crush to 70% passing 10 mesh		
1DX	33	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Eastfield Resources Ltd.
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 21, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000207.1

Method Analyte Unit MDL	WGHT	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
130963	Rock	1.5	0.5	0.9	10.6	22	<0.1	1.0	0.9	429	0.86	2.7	1.0	<0.5	1.4	111	<0.1	0.3	<0.1	3	1.47
130964	Rock	1.7	0.9	70.5	8.9	46	<0.1	7.2	17.9	630	3.51	1.5	1.1	<0.5	2.1	667	<0.1	0.1	<0.1	149	2.10
130965	Rock	2.3	0.5	5.4	15.0	45	<0.1	2.2	1.7	2366	1.09	100.2	0.2	<0.5	0.3	504	0.1	1.3	<0.1	5	26.80
130966	Rock	0.6	0.7	96.8	6.0	38	<0.1	28.0	17.2	603	3.69	4.4	0.7	<0.5	1.4	404	0.1	<0.1	<0.1	170	3.27
130967	Rock	1.5	1.0	12.7	9.1	25	<0.1	23.0	5.8	300	1.14	3.8	2.7	<0.5	7.7	73	<0.1	2.9	<0.1	12	1.96
130968	Rock	2.6	1.9	12.1	9.3	40	1.1	3.4	7.1	1012	2.24	27.3	3.0	<0.5	7.3	124	0.2	1.2	0.1	7	3.76
130969	Rock	2.6	0.7	3.7	7.1	53	<0.1	2.7	6.3	1139	2.28	7.1	1.6	<0.5	3.2	235	0.2	1.3	<0.1	33	3.86
130970	Rock	3.7	1.9	32.9	10.4	102	0.2	34.9	12.7	614	3.93	34.9	0.4	2.7	1.2	21	0.4	2.6	0.6	27	0.69
130971	Rock	1.4	2.2	296.4	15.3	104	0.3	6.2	21.2	3436	4.25	88.1	4.9	<0.5	1.0	456	0.3	53.5	0.2	65	17.76
130972	Rock	2.4	0.3	31.8	5.2	53	<0.1	3.5	10.0	816	2.65	8.8	1.2	<0.5	3.2	101	<0.1	6.4	<0.1	45	2.92
130973	Rock	2.4	1.1	19.8	13.3	84	<0.1	40.0	13.4	1891	3.66	41.1	0.5	<0.5	1.4	81	0.2	1.9	0.2	29	2.50
130974	Rock	0.5	4.1	189.3	17.8	52	0.2	5.4	8.6	256	3.08	53.9	5.8	16.6	7.4	22	0.2	0.7	2.1	14	0.98
130975	Rock	1.5	0.6	10.6	7.2	47	<0.1	44.4	10.1	780	3.11	10.6	0.2	<0.5	1.2	78	<0.1	0.7	<0.1	33	1.07
130976	Rock	2.2	0.5	32.2	6.9	85	<0.1	16.8	15.4	927	4.27	4.9	0.2	<0.5	0.6	41	0.2	0.5	<0.1	94	0.50
130977	Rock	1.7	1.2	73.7	14.8	102	0.2	87.2	16.2	389	4.44	10.2	0.4	<0.5	2.0	40	0.6	0.5	0.3	54	0.17
130978	Rock	2.2	0.7	15.4	11.7	39	<0.1	46.4	19.6	834	3.84	23.7	0.6	<0.5	2.0	408	0.2	0.3	<0.1	38	4.65
130979	Rock	2.1	1.8	51.6	15.8	86	0.1	90.1	16.2	442	5.08	11.0	0.5	0.7	3.1	49	0.3	0.4	0.2	62	0.52
130980	Rock	1.7	1.4	69.6	17.2	120	0.2	97.4	21.6	772	4.62	12.6	0.6	<0.5	2.6	55	0.6	0.4	0.3	60	0.20
130981	Rock	1.5	0.7	16.5	8.2	146	<0.1	51.2	13.4	654	2.52	29.8	0.2	<0.5	1.0	28	1.2	0.5	<0.1	26	0.56
130982	Rock	1.5	1.4	36.8	2.8	35	0.1	34.1	10.3	647	4.02	65.1	0.8	1.7	4.4	9	<0.1	1.4	<0.1	33	0.06
130983	Rock	1.7	3.5	44.0	100.9	293	0.7	29.6	6.7	647	3.10	38.3	0.5	8.6	2.3	7	0.9	1.1	1.1	25	0.11
130984	Rock	1.9	0.5	18.1	89.5	165	1.0	6.3	1.5	82	2.26	47.7	0.4	13.4	3.2	5	0.1	1.1	1.1	7	0.02
130985	Rock	1.7	0.7	43.5	52.2	89	0.6	37.8	6.4	211	5.13	114.7	0.4	9.2	3.0	8	<0.1	3.0	1.5	43	0.21
130986	Rock	1.4	1.8	155.0	19.9	96	0.2	4.3	8.3	549	2.56	24.4	1.6	10.7	5.5	35	0.3	0.3	0.9	50	0.84
130987	Rock	1.7	1.4	190.4	153.2	2225	3.6	1.4	4.6	1135	7.35	886.1	3.1	87.1	6.8	7	14.1	2.0	8.4	35	0.25
130988	Rock	2.5	1.5	19.8	15.8	121	<0.1	5.1	8.8	2304	2.56	23.3	2.7	1.1	5.9	76	0.8	0.3	0.2	25	1.75
130989	Rock	1.7	0.1	60.9	11.5	171	<0.1	17.6	19.1	1406	5.58	6.7	0.1	<0.5	0.6	24	0.6	0.1	0.1	43	0.23
130990	Rock	2.2	1.6	14.8	15.0	79	0.1	2.8	7.3	1236	2.98	4.3	3.5	2.6	8.6	97	0.2	0.3	0.3	58	1.86
130991	Rock	2.1	1.5	17.8	36.1	120	0.2	2.4	5.7	1051	3.26	9.3	3.4	0.8	8.0	58	0.1	0.3	0.6	49	1.32
130992	Rock	2	2.2	40.7	7.1	63	0.3	27.5	10.5	155	2.76	27.3	0.5	22.4	1.5	7	0.4	0.1	1.4	12	0.16



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 21, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000207.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
130963	Rock	0.002	2	10	0.05	291	<0.001	4	0.33	0.029	0.15	<0.1	0.04	1.1	0.1	<0.05	<1	<0.5
130964	Rock	0.158	10	13	0.54	129	0.154	6	5.90	3.031	0.06	0.3	<0.01	2.7	<0.1	<0.05	14	<0.5
130965	Rock	0.009	7	7	0.17	29	<0.001	<1	0.24	<0.001	0.05	<0.1	0.03	1.1	<0.1	0.18	<1	<0.5
130966	Rock	0.107	7	79	0.60	101	0.182	8	5.08	1.985	0.05	0.1	<0.01	5.8	<0.1	<0.05	12	<0.5
130967	Rock	0.013	9	24	0.76	23	<0.001	6	0.41	0.016	0.19	<0.1	0.06	3.2	<0.1	<0.05	1	<0.5
130968	Rock	0.119	24	29	0.59	82	<0.001	3	0.66	0.016	0.25	0.1	0.03	2.8	<0.1	0.16	1	<0.5
130969	Rock	0.049	13	17	0.77	2076	<0.001	7	0.55	0.006	0.14	1.7	<0.01	2.2	<0.1	0.08	1	<0.5
130970	Rock	0.049	4	26	0.29	82	<0.001	6	0.62	0.014	0.19	<0.1	0.04	3.8	0.2	1.39	1	0.9
130971	Rock	0.024	8	3	5.19	77	<0.001	5	0.19	0.017	0.07	0.1	0.10	2.5	0.1	0.93	<1	<0.5
130972	Rock	0.165	18	19	0.61	429	0.001	10	0.64	0.020	0.24	0.2	<0.01	6.5	0.1	0.15	2	<0.5
130973	Rock	0.048	11	25	0.63	95	<0.001	5	0.45	0.017	0.15	<0.1	0.02	4.0	0.2	0.12	1	<0.5
130974	Rock	0.150	7	35	0.32	21	0.002	3	0.54	0.010	0.31	<0.1	0.02	1.7	0.3	2.98	2	2.3
130975	Rock	0.040	2	45	0.42	183	0.001	3	1.25	0.013	0.14	<0.1	0.06	2.8	0.1	0.60	4	0.6
130976	Rock	0.081	9	60	0.91	281	0.003	2	1.71	0.053	0.10	<0.1	0.23	7.9	<0.1	0.05	9	<0.5
130977	Rock	0.045	4	64	0.89	492	0.001	3	2.66	0.014	0.23	<0.1	0.07	7.1	<0.1	0.13	8	0.5
130978	Rock	0.092	4	72	0.28	195	<0.001	3	0.57	0.012	0.17	<0.1	<0.01	4.2	<0.1	<0.05	1	<0.5
130979	Rock	0.056	7	72	0.84	373	0.002	4	2.76	0.019	0.26	<0.1	0.13	7.2	0.2	0.32	9	<0.5
130980	Rock	0.045	5	67	0.82	563	0.001	2	2.72	0.015	0.25	<0.1	0.09	8.5	<0.1	<0.05	9	0.5
130981	Rock	0.049	2	33	0.22	253	<0.001	1	0.71	0.008	0.10	<0.1	0.05	3.5	<0.1	<0.05	2	<0.5
130982	Rock	0.059	23	52	0.54	98	0.001	2	2.00	0.031	0.26	<0.1	0.02	3.0	0.2	0.10	5	1.1
130983	Rock	0.025	10	42	0.45	290	0.001	2	1.26	0.013	0.17	<0.1	0.03	1.8	0.1	0.14	4	0.6
130984	Rock	0.050	13	71	0.03	122	<0.001	1	0.40	0.008	0.29	<0.1	0.08	0.9	0.2	0.13	1	<0.5
130985	Rock	0.167	11	19	0.03	155	0.002	<1	0.75	0.014	0.28	<0.1	0.33	5.5	0.5	0.49	2	1.7
130986	Rock	0.136	22	41	0.53	75	0.035	1	1.08	0.049	0.13	0.1	0.03	3.3	0.2	1.00	5	0.7
130987	Rock	0.115	18	11	0.55	24	0.003	<1	1.95	0.005	0.24	0.1	0.18	2.1	0.2	3.41	7	0.6
130988	Rock	0.133	22	32	0.23	160	0.001	<1	0.57	0.023	0.16	<0.1	0.03	1.9	0.2	0.72	2	<0.5
130989	Rock	0.060	7	16	0.58	178	0.001	<1	2.88	0.031	0.15	<0.1	<0.01	6.4	0.2	<0.05	7	<0.5
130990	Rock	0.151	33	38	0.79	180	0.005	1	1.33	0.048	0.15	<0.1	<0.01	2.8	0.2	0.65	6	<0.5
130991	Rock	0.138	26	9	0.71	223	0.002	<1	1.16	0.023	0.18	<0.1	<0.01	3.0	0.2	0.56	5	1.0
130992	Rock	0.050	4	38	0.11	25	<0.001	<1	0.51	0.016	0.24	<0.1	0.03	1.3	0.4	2.23	1	2.7



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 21, 2007

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000207.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
130993	Rock	2.2	1.9	231.2	40.2	141	0.6	3.8	12.4	586	3.58	13.0	6.6	17.1	9.4	95	0.5	0.4	2.7	14	1.05
130994	Rock	1.1	23.3	137.4	45.4	83	1.6	1.7	1.6	261	3.90	17.9	4.2	92.1	10.1	12	0.2	0.3	5.4	23	0.09
130995	Rock	0.6	2.3	54.9	27.3	17	0.4	2.7	7.8	25	3.77	8.7	5.1	16.7	10.2	9	<0.1	<0.1	2.4	6	0.09



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: November 21, 2007

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

SMI07000207.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
130993	Rock	0.139	17	13	0.52	16	0.001	<1	0.66	0.017	0.27	0.1	<0.01	1.2	0.4	3.50	2	2.7
130994	Rock	0.132	9	52	0.41	262	0.004	<1	1.24	0.025	0.58	0.2	0.03	1.3	0.8	0.52	5	3.4
130995	Rock	0.115	26	11	0.05	20	<0.001	1	0.39	0.005	0.22	0.3	0.01	1.0	0.3	3.49	1	1.5

QUALITY CONTROL REPORT

SMI07000207.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
130972	Rock	2.4	0.3	31.8	5.2	53	<0.1	3.5	10.0	816	2.65	8.8	1.2	<0.5	3.2	101	<0.1	6.4	<0.1	45	2.92
REP 130972	QC		0.3	30.8	5.2	49	<0.1	3.5	10.1	795	2.69	8.1	1.2	<0.5	3.2	102	<0.1	5.7	<0.1	45	3.02
Reference Materials																					
STD DS7	Standard		20.4	116.8	76.5	401	0.8	56.0	9.7	694	2.56	44.9	4.9	53.3	4.6	77	5.8	5.2	4.0	84	0.97
STD DS7	Standard		21.3	123.8	72.9	409	0.8	57.6	10.0	736	2.58	46.8	5.6	86.5	5.2	91	6.3	5.9	4.4	91	1.02
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.3	2.9	2.7	43	<0.1	5.2	4.4	533	1.88	<0.5	2.4	<0.5	4.1	58	<0.1	<0.1	<0.1	36	0.44

QUALITY CONTROL REPORT

SMI07000207.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
130972	Rock	0.165	18	19	0.61	429	0.001	10	0.64	0.020	0.24	0.2	<0.01	6.5	0.1	0.15	2	<0.5
REP 130972	QC	0.155	18	17	0.64	415	<0.001	7	0.59	0.018	0.22	0.1	<0.01	6.6	0.1	0.15	1	<0.5
Reference Materials																		
STD DS7	Standard	0.083	13	190	1.11	377	0.134	37	1.14	0.111	0.52	3.7	0.17	2.4	4.2	0.20	6	3.4
STD DS7	Standard	0.076	16	211	1.13	414	0.149	34	1.19	0.110	0.54	4.0	0.20	2.7	4.6	0.19	6	3.9
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.074	8	87	0.60	210	0.113	<1	0.99	0.080	0.54	<0.1	<0.01	1.7	0.4	<0.05	5	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Submitted By: Glen Garrett

Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.

Received: October 23, 2007

Report Date: December 03, 2007

Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000223.1

CLIENT JOB INFORMATION

Project: ZYMO
 Shipment ID: ZY-ST-02
 P.O. Number: ACME FILE: A718429
 Number of Samples: 57

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	57	Split and Crush to 70% passing 10 mesh		
1DX	57	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Eastfield Resources Ltd.
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 03, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000223.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
130996	Rock	1.8	2.5	11.5	15.8	88	<0.1	4.7	5.8	776	2.63	14.7	<0.1	3.8	0.6	112	0.3	1.2	0.1	6	2.11
130997	Rock	1.8	2.7	14.2	7.7	43	<0.1	5.6	7.0	1023	2.00	13.1	3.4	2.3	5.7	114	0.2	4.1	0.3	10	2.37
130998	Rock	0.7	7.9	1.8	32.5	25	<0.1	2.3	1.0	1274	0.94	3.5	0.4	2.3	0.4	860	0.5	3.9	<0.1	3	35.26
130999	Rock	1.1	1.1	285.7	>10000	>10000	45.0	2.2	49.8	691	18.65	199.9	1.3	6126	2.6	26	481.7	4.6	89.4	<2	0.30
131000	Rock	1.5	0.7	15.5	34.6	248	0.3	7.4	11.8	1455	4.29	33.2	0.1	11.2	0.8	68	1.0	2.3	0.2	20	2.90
147360	Rock	1.6	0.8	12.9	573.1	1190	1.0	5.3	6.3	574	3.26	86.3	<0.1	6.5	0.4	29	6.1	14.4	1.3	9	1.19
147361	Rock	1.7	0.7	34.8	3787	6177	4.3	14.4	13.6	1306	7.32	448.1	<0.1	11.3	0.3	185	30.0	6.3	4.1	10	5.29
147362	Rock	1.5	1.3	32.9	259.2	183	1.5	1.3	0.8	50	8.58	1506	<0.1	5.4	0.4	5	0.2	15.7	3.5	10	0.03
147363	Rock	0.23	0.2	5.9	60.2	103	<0.1	2.3	2.9	2859	8.38	2780	<0.1	43.7	0.1	472	0.4	9.8	1.3	33	13.88
147364	Rock	1.9	0.7	4.7	12.9	58	<0.1	10.8	2.4	436	1.47	42.7	<0.1	7.6	0.5	8	0.1	0.6	<0.1	5	0.14
147365	Rock	1.9	8.3	147.4	22.3	256	0.4	10.2	11.9	1636	3.68	64.0	1.8	14.2	2.4	23	1.6	1.0	0.2	55	0.71
147366	Rock	1.7	29.9	47.4	170.4	50	8.1	2.7	2.7	34	4.41	36.0	1.2	234.2	3.1	6	0.2	2.9	10.7	5	0.01
147367	Rock	1.8	32.8	683.4	72.8	119	0.4	5.5	4.1	204	3.52	12.2	4.2	64.4	6.9	39	0.3	0.6	0.7	18	0.30
147368	Rock	2	15.8	9211	51.8	241	4.6	4.8	7.0	50	3.44	593.8	3.1	255.1	3.2	11	0.7	64.8	1.5	7	0.20
147369	Rock	1.8	15.6	454.0	14.3	50	1.5	1.5	1.5	140	4.02	5.8	2.4	102.5	6.7	16	0.1	0.3	0.6	22	0.02
147370	Rock	2.2	19.0	1294	9.6	107	0.6	3.9	8.6	599	3.78	133.1	3.5	64.0	4.3	71	0.6	1.4	0.2	32	1.77
147371	Rock	2.5	7.0	194.3	14.1	98	1.0	1.2	1.1	63	2.87	247.0	0.9	118.4	3.4	19	<0.1	81.0	1.4	15	0.02
147372	Rock	1.8	2.4	2391	22.8	64	1.5	4.1	9.0	598	4.73	138.0	5.8	265.1	6.3	28	0.3	0.8	4.4	19	0.28
147373	Rock	1.4	4.5	50.7	6.7	90	<0.1	10.3	14.1	943	5.47	33.1	0.2	4.3	0.5	42	<0.1	4.2	0.2	83	1.10
147374	Rock	1.7	1.8	75.2	6.0	79	0.1	7.5	10.2	1169	3.14	13.5	1.1	3.2	1.8	49	0.3	1.1	<0.1	46	2.50
147375	Rock	1.8	5.2	64.1	26.9	20	0.2	1.5	2.8	93	2.91	10.0	1.8	13.0	4.9	16	<0.1	0.2	0.4	15	0.09
147376	Rock	2	3.9	99.3	25.2	161	0.1	4.6	8.5	2920	3.24	1.9	1.7	68.6	3.5	41	0.4	0.3	<0.1	47	1.81
147377	Rock	1.9	5.2	91.3	43.7	134	0.3	4.6	9.5	1425	3.05	6.7	2.4	11.8	3.8	276	0.1	<0.1	0.5	32	3.33
147378	Rock	1.7	1.0	39.4	41.0	248	0.2	4.2	9.5	3967	3.03	22.6	1.3	3.8	4.0	97	1.0	2.8	<0.1	66	3.13
147379	Rock	2.2	0.8	7.7	254.5	654	2.4	4.0	7.1	5307	2.72	31.4	2.5	26.3	6.5	53	2.8	0.3	2.1	19	2.96
147380	Rock	2	0.7	46.2	127.4	1921	0.1	4.1	5.9	2952	1.91	13.2	3.9	2.3	7.7	78	10.1	0.4	0.1	22	2.83
147381	Rock	1.7	2.9	22.2	143.1	208	1.6	2.8	7.1	1282	2.73	45.1	3.3	49.7	7.7	35	0.8	0.6	1.6	37	1.09
147382	Rock	1.5	1.8	732.1	9.7	87	0.2	6.1	8.1	474	3.48	7.5	0.9	105.1	4.8	72	0.4	0.6	0.2	50	0.76
147383	Rock	0.5	1.1	17.4	9.7	46	<0.1	5.6	4.1	1427	1.68	5.4	0.2	4.7	0.5	20	0.5	0.1	<0.1	20	0.20
147384	Rock	0.5	1.2	66.3	11.3	49	0.1	3.8	8.0	852	2.66	30.1	2.0	18.9	4.4	73	0.4	0.2	3.5	28	2.97



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 03, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000223.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
130996	Rock	0.042	7	9	0.21	108	<0.001	2	0.33	0.020	0.16	0.1	0.04	3.7	0.2	0.30	<1	0.7
130997	Rock	0.098	19	23	0.39	518	0.002	2	0.40	0.036	0.22	<0.1	0.16	2.4	0.1	0.20	1	<0.5
130998	Rock	0.015	4	3	0.29	1560	<0.001	<1	0.08	0.002	0.05	<0.1	0.11	0.5	0.1	0.32	<1	0.5
130999	Rock	0.057	4	22	0.04	2	<0.001	<1	0.19	0.003	0.15	<0.1	19.15	0.4	0.3	>10	1	8.3
131000	Rock	0.066	7	9	0.33	154	<0.001	2	0.70	0.009	0.16	0.2	0.08	5.3	<0.1	0.89	2	<0.5
147360	Rock	0.024	2	24	0.23	76	<0.001	2	0.37	0.006	0.13	<0.1	0.33	2.7	<0.1	1.31	<1	0.7
147361	Rock	0.053	2	8	0.22	25	<0.001	1	0.29	0.008	0.15	0.1	0.97	3.8	0.1	6.93	<1	2.4
147362	Rock	0.057	7	9	0.01	71	<0.001	3	0.34	0.013	0.19	0.2	0.15	2.8	0.2	0.37	<1	4.5
147363	Rock	0.025	1	13	2.54	36	<0.001	2	0.22	0.004	0.06	0.2	0.10	3.7	<0.1	0.30	<1	<0.5
147364	Rock	0.030	4	79	0.06	35	<0.001	<1	0.26	0.024	0.07	<0.1	0.02	1.6	<0.1	0.05	<1	<0.5
147365	Rock	0.093	15	10	0.16	125	<0.001	8	0.75	0.003	0.18	<0.1	0.11	6.4	0.3	0.68	2	2.4
147366	Rock	0.027	13	34	0.03	38	0.002	21	0.33	0.011	0.29	0.1	0.03	0.5	0.2	3.51	1	6.4
147367	Rock	0.108	23	20	0.09	221	0.001	3	1.09	0.012	0.32	<0.1	0.01	2.5	0.4	0.12	2	1.9
147368	Rock	0.066	5	48	0.03	30	<0.001	<1	0.36	0.006	0.27	0.5	0.47	0.7	0.7	3.49	1	5.1
147369	Rock	0.117	19	16	0.12	326	0.002	<1	0.75	0.010	0.47	0.2	0.02	1.5	0.3	0.17	2	1.5
147370	Rock	0.091	7	23	0.54	126	<0.001	5	0.72	0.015	0.29	0.1	0.03	3.6	0.3	0.84	2	1.0
147371	Rock	0.048	14	30	0.04	436	0.001	1	0.35	0.007	0.32	0.4	<0.01	0.8	0.3	0.36	1	2.1
147372	Rock	0.127	17	23	0.19	29	0.002	2	1.40	0.018	0.50	21.3	0.03	3.0	0.5	3.28	3	2.4
147373	Rock	0.182	11	17	1.24	58	0.004	1	1.47	0.037	0.14	0.2	0.06	8.8	<0.1	2.53	9	2.6
147374	Rock	0.125	14	22	0.65	162	0.002	8	0.80	0.006	0.12	0.3	<0.01	6.8	0.2	0.77	3	1.6
147375	Rock	0.130	21	9	0.06	145	<0.001	<1	0.63	0.013	0.22	<0.1	<0.01	2.0	0.2	0.69	2	4.1
147376	Rock	0.127	23	22	0.24	619	0.002	3	0.94	0.013	0.29	0.1	<0.01	3.1	0.2	0.09	2	<0.5
147377	Rock	0.120	21	8	0.50	172	<0.001	2	0.90	0.014	0.27	<0.1	0.02	3.0	0.2	0.83	3	0.9
147378	Rock	0.162	20	23	0.54	431	0.001	11	0.58	0.019	0.22	<0.1	<0.01	7.8	0.2	0.47	1	<0.5
147379	Rock	0.114	18	9	0.49	49	<0.001	5	0.35	0.004	0.23	<0.1	<0.01	1.9	0.3	2.34	1	0.8
147380	Rock	0.129	28	23	0.56	597	0.001	4	0.60	0.017	0.31	<0.1	0.02	2.1	0.6	0.31	1	0.6
147381	Rock	0.142	24	8	0.29	167	0.002	2	0.64	0.035	0.21	<0.1	<0.01	3.0	0.3	0.85	3	<0.5
147382	Rock	0.090	8	22	0.43	178	0.029	<1	1.28	0.060	0.20	<0.1	0.27	3.2	0.2	0.26	5	1.4
147383	Rock	0.025	4	52	0.31	71	<0.001	<1	1.06	0.028	0.06	<0.1	0.01	3.9	<0.1	0.06	3	<0.5
147384	Rock	0.136	12	22	0.52	40	<0.001	2	0.38	0.022	0.17	<0.1	0.04	4.5	0.2	2.22	<1	0.9



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 03, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000223.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
147385	Rock	0.9	2.6	260.5	7.1	72	0.1	11.0	14.3	647	2.98	5.2	1.9	7.5	4.1	57	0.5	0.2	0.4	23	2.02
147386	Rock	1.6	0.7	33.0	4.7	65	<0.1	9.7	12.6	537	3.66	10.0	0.1	0.7	0.3	83	<0.1	0.3	0.1	31	1.72
147387	Rock	1.5	8.5	24.3	12.8	64	<0.1	27.2	9.1	394	4.19	19.7	0.1	0.9	0.6	8	0.3	1.0	<0.1	42	0.17
147388	Rock	1.6	3.3	33.3	8.3	76	<0.1	102.5	11.4	214	3.44	6.7	0.4	2.5	1.4	12	<0.1	0.5	0.2	50	0.22
147389	Rock	1.7	2.0	12.9	5.1	50	<0.1	17.8	16.3	1098	5.05	12.9	0.4	1.1	1.4	152	<0.1	0.2	<0.1	56	6.10
147390	Rock	1.5	1.4	15.4	10.2	81	<0.1	3.5	9.3	1549	3.48	1.1	3.7	<0.5	8.9	71	0.2	0.2	<0.1	65	0.93
147391	Rock	1.5	1.7	14.3	10.3	52	0.1	6.0	8.6	615	3.00	57.1	0.1	23.8	1.1	22	<0.1	1.9	0.8	45	0.67
147392	Rock	1.5	0.6	50.8	7.7	95	<0.1	10.7	9.2	1104	4.79	9.8	0.1	<0.5	1.2	35	0.3	0.6	2.6	107	1.69
147393	Rock	2.1	1.0	80.0	18.7	45	0.5	0.8	0.3	138	5.77	17.6	<0.1	136.2	0.5	11	<0.1	2.1	3.3	43	0.03
147394	Rock	1.6	0.9	61.1	33.0	76	0.2	2.7	7.6	757	9.61	2.4	0.1	1.3	0.7	17	0.3	0.5	0.7	137	0.05
147395	Rock	2.1	1.8	37.7	15.9	100	0.2	3.0	8.5	582	3.12	8.2	3.0	<0.5	7.2	89	0.8	0.2	0.7	27	2.30
147396	Rock	2.3	1.9	23.6	145.9	439	2.4	5.5	4.8	565	2.50	166.0	0.2	9.0	1.1	11	0.6	1.3	1.8	12	0.05
147397	Rock	2	2.9	23.6	4.7	117	<0.1	11.8	12.3	1078	3.90	10.9	0.4	<0.5	1.0	13	0.3	0.3	<0.1	44	0.21
147398	Rock	1.9	0.3	28.4	7.2	96	<0.1	12.3	15.7	925	4.45	7.6	0.2	<0.5	0.7	82	0.1	0.3	0.1	74	1.27
147399	Rock	1.2	4.4	227.5	3.6	25	<0.1	5.1	17.9	322	3.05	3.7	0.3	6.2	0.9	36	<0.1	0.2	<0.1	34	0.16
147400	Rock	2.1	0.6	17.0	6.3	57	<0.1	1.6	2.5	149	1.66	1.7	0.3	<0.5	0.8	5	<0.1	0.7	<0.1	15	0.06
147551	Rock	2.2	12.9	448.3	5.9	30	0.2	7.2	14.1	275	2.73	5.0	0.3	61.1	1.1	16	<0.1	0.2	0.1	44	0.10
147552	Rock	2.3	34.9	632.3	6.8	31	0.2	7.1	8.8	313	2.02	1.7	0.6	34.4	2.2	41	0.2	<0.1	<0.1	88	0.81
147553	Rock	0.6	6.6	3062	6.2	72	0.9	4.0	15.3	352	4.67	1.4	1.1	278.3	8.9	50	0.3	0.3	0.1	75	0.99
147554	Rock	2.3	33.2	1801	5.8	52	0.6	4.9	24.3	337	3.77	1.6	1.0	76.1	7.6	50	0.2	0.1	0.2	69	1.84
147555	Rock	1.5	24.3	1389	8.5	60	0.3	9.8	29.4	252	5.53	2.1	1.0	34.1	4.7	78	0.2	0.5	0.2	122	1.22
147556	Rock	2.6	41.7	2008	9.0	56	0.7	11.0	27.2	289	4.85	1.8	1.2	93.4	4.8	104	0.2	0.2	0.2	130	1.19
147557	Rock	1.7	1.1	55.6	170.7	145	0.3	31.3	8.7	1124	2.76	10.4	0.2	1.3	2.0	17	0.8	0.4	<0.1	34	0.73
147558	Rock	1.8	1.1	37.7	8.5	65	<0.1	0.9	1.3	721	2.25	2.7	0.4	<0.5	0.8	15	<0.1	1.3	<0.1	11	0.11
147559	Rock	0.4	3.3	780.9	8.4	58	0.4	4.0	9.1	252	6.58	2.5	1.1	107.5	12.0	41	<0.1	0.2	0.1	76	0.23
147560	Rock	1.8	16.5	1687	28.9	27	14.3	1.4	2.1	237	8.12	67.2	0.4	1130	4.9	6	<0.1	5.0	0.9	37	<0.01
147561	Rock	2.7	114.1	3295	4.8	59	0.6	7.2	29.7	439	5.27	8.9	0.8	177.8	4.2	782	0.4	1.0	0.2	46	2.55



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 03, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000223.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
147385	Rock	0.289	15	14	0.34	42	0.001	<1	1.21	0.021	0.18	<0.1	0.02	3.9	0.3	1.82	2	5.8
147386	Rock	0.015	5	15	0.43	133	0.016	1	2.07	0.024	0.18	<0.1	0.03	6.6	<0.1	0.24	5	<0.5
147387	Rock	0.058	2	36	0.53	47	0.001	<1	1.81	0.016	0.06	<0.1	0.17	5.9	<0.1	0.48	7	0.6
147388	Rock	0.051	3	87	0.65	115	0.002	2	1.88	0.019	0.13	<0.1	0.05	6.3	<0.1	0.26	8	<0.5
147389	Rock	0.174	11	11	1.60	372	0.001	1	0.86	0.027	0.07	<0.1	0.15	9.6	<0.1	0.14	2	<0.5
147390	Rock	0.151	36	3	0.82	416	0.009	3	1.55	0.094	0.22	<0.1	0.01	5.1	<0.1	0.29	8	<0.5
147391	Rock	0.039	6	9	0.49	74	0.003	3	1.35	0.055	0.35	<0.1	0.21	4.3	0.6	0.34	5	<0.5
147392	Rock	0.075	8	26	0.79	110	0.004	1	2.08	0.066	0.32	<0.1	0.15	9.8	0.5	0.89	9	0.7
147393	Rock	0.071	6	8	0.31	84	0.001	3	0.90	0.055	0.32	0.1	0.71	3.9	0.7	0.30	5	<0.5
147394	Rock	0.086	5	19	0.81	200	0.002	<1	2.80	0.082	0.14	<0.1	0.01	10.9	0.2	0.26	10	<0.5
147395	Rock	0.140	23	2	0.54	33	0.002	3	0.85	0.034	0.25	<0.1	0.02	2.8	0.2	2.76	3	1.3
147396	Rock	0.044	5	3	0.03	687	<0.001	3	0.58	0.024	0.27	<0.1	0.10	2.4	0.3	0.08	1	<0.5
147397	Rock	0.077	11	6	0.11	159	<0.001	2	0.90	0.036	0.15	<0.1	0.07	7.2	<0.1	<0.05	3	<0.5
147398	Rock	0.077	7	11	0.33	163	0.001	3	1.03	0.059	0.13	<0.1	1.05	10.3	<0.1	<0.05	3	<0.5
147399	Rock	0.050	4	2	0.44	261	0.005	2	2.08	0.088	0.47	<0.1	0.13	6.2	0.4	0.52	5	<0.5
147400	Rock	0.022	10	14	0.01	24	0.009	2	0.30	0.121	0.10	<0.1	0.02	2.5	<0.1	<0.05	<1	<0.5
147551	Rock	0.026	6	3	0.22	190	0.004	2	1.79	0.057	0.65	<0.1	0.03	5.6	0.6	0.83	3	1.3
147552	Rock	0.068	8	8	0.75	196	0.078	1	2.02	0.173	0.54	0.1	0.02	8.0	0.5	0.29	6	0.9
147553	Rock	0.169	15	5	1.19	80	0.063	<1	1.84	0.118	0.23	<0.1	0.27	4.7	0.2	0.50	8	1.7
147554	Rock	0.162	18	5	1.10	44	0.060	1	1.99	0.121	0.31	<0.1	0.16	4.5	0.3	1.38	7	3.3
147555	Rock	0.173	15	10	1.71	31	0.128	2	2.36	0.118	0.35	0.1	0.13	9.1	0.4	2.76	9	5.2
147556	Rock	0.175	16	10	1.89	56	0.144	1	2.38	0.110	0.47	<0.1	0.07	8.8	0.6	2.24	8	4.1
147557	Rock	0.034	12	51	0.59	92	0.002	3	1.59	0.059	0.10	<0.1	0.06	2.4	0.1	0.06	4	0.5
147558	Rock	0.039	4	6	0.06	158	0.027	3	0.32	0.086	0.19	<0.1	<0.01	4.1	0.1	<0.05	2	<0.5
147559	Rock	0.102	9	5	0.33	255	0.010	2	0.84	0.064	0.32	<0.1	0.39	3.5	0.2	0.10	7	<0.5
147560	Rock	0.032	3	11	0.02	89	<0.001	2	0.36	0.006	0.34	<0.1	1.01	0.9	0.4	0.48	2	12.6
147561	Rock	0.170	15	3	1.05	66	0.009	3	1.20	0.034	0.49	<0.1	0.22	8.5	0.4	1.22	3	3.1

QUALITY CONTROL REPORT

SMI07000223.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
130997	Rock	1.8	2.7	14.2	7.7	43	<0.1	5.6	7.0	1023	2.00	13.1	3.4	2.3	5.7	114	0.2	4.1	0.3	10	2.37
REP 130997	QC		2.6	13.6	7.8	42	<0.1	5.8	6.7	1011	2.02	12.6	3.7	1.6	6.1	114	0.3	4.0	0.3	11	2.21
147396	Rock	2.3	1.9	23.6	145.9	439	2.4	5.5	4.8	565	2.50	166.0	0.2	9.0	1.1	11	0.6	1.3	1.8	12	0.05
REP 147396	QC		1.7	23.8	150.8	430	2.3	5.1	4.7	573	2.50	164.5	0.2	5.4	1.1	11	0.5	1.2	1.7	12	0.05
Reference Materials																					
STD DS7	Standard		20.6	117.4	69.8	423	0.8	59.4	10.0	677	2.46	49.8	5.0	63.9	4.6	73	6.4	5.8	4.5	83	0.99
STD DS7	Standard		22.1	113.5	69.3	424	1.0	56.3	9.9	665	2.50	50.1	4.9	63.4	4.6	75	6.3	5.7	4.3	82	1.01
STD DS7	Standard		20.4	106.2	76.8	388	0.8	55.6	9.7	618	2.42	46.4	4.7	66.0	4.1	72	6.0	5.6	4.6	86	0.97
STD DS7	Standard		19.7	108.2	76.3	393	0.8	54.8	9.4	608	2.38	46.6	4.4	70.1	4.2	71	5.5	5.6	4.2	82	0.97
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.9	2.7	2.6	46	<0.1	4.7	4.5	530	1.81	0.5	2.1	3.8	4.0	55	0.2	0.1	0.1	38	0.45

QUALITY CONTROL REPORT

SMI07000223.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
130997	Rock	0.098	19	23	0.39	518	0.002	2	0.40	0.036	0.22	<0.1	0.16	2.4	0.1	0.20	1	<0.5
REP 130997	QC	0.098	20	24	0.39	541	0.002	3	0.40	0.037	0.21	<0.1	0.17	2.3	0.1	0.20	1	<0.5
147396	Rock	0.044	5	3	0.03	687	<0.001	3	0.58	0.024	0.27	<0.1	0.10	2.4	0.3	0.08	1	<0.5
REP 147396	QC	0.043	5	3	0.03	678	<0.001	2	0.60	0.022	0.26	<0.1	0.09	2.4	0.4	0.09	1	0.6
Reference Materials																		
STD DS7	Standard	0.077	14	189	1.10	397	0.127	40	1.05	0.089	0.46	4.5	0.21	2.8	4.3	0.21	5	3.0
STD DS7	Standard	0.077	14	191	1.07	401	0.132	36	1.07	0.091	0.46	4.2	0.22	2.9	4.3	0.20	5	3.4
STD DS7	Standard	0.070	12	183	1.06	341	0.121	38	1.02	0.083	0.41	4.2	0.19	2.3	4.3	0.23	5	4.0
STD DS7	Standard	0.072	12	177	1.04	347	0.118	33	1.00	0.084	0.42	3.9	0.21	2.3	4.2	0.24	5	3.8
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.070	7	51	0.57	205	0.126	1	1.00	0.074	0.49	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Eastfield Resources Ltd.

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Submitted By:

Glen Garrett

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 23, 2007

Report Date:

December 13, 2007

Page:

1 of 3

CERTIFICATE OF ANALYSIS

SMI07000224.1

CLIENT JOB INFORMATION

Project: ZYMO
Shipment ID: ZY-ST-01
P.O. Number: ACME FILE: A718405
Number of Samples: 31

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Eastfield Resources Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	31	Dry at 60C sieve 100g to -80 mesh		
1DX	31	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 13, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000224.1

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	0	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
ZXB-07-01	Silt	1.2	1.4	53.8	13.6	101	0.2	69.8	18.7	908	3.52	8.6	0.5	3.1	1.6	61	0.4	0.5	0.2	43	0.36
ZXB-07-02	Silt	1.4	1.0	38.2	13.0	112	0.2	63.3	19.5	1063	3.71	11.2	0.5	2.9	1.4	44	0.5	0.5	0.2	48	0.38
ZXB-07-03	Silt	1.2	0.9	53.5	11.6	121	0.2	61.5	17.4	1269	4.51	16.7	0.6	3.3	1.0	47	0.5	0.5	0.2	48	0.26
ZXB-07-04	Silt	1.2	1.5	29.3	12.9	147	0.1	33.5	22.5	3880	3.61	18.7	0.5	1.5	0.9	43	0.6	0.8	0.1	54	0.32
ZXB-07-05	Silt	1.2	0.8	25.3	9.3	77	0.2	16.1	11.3	1080	3.17	14.2	0.9	5.0	0.5	83	0.3	1.2	0.1	72	0.95
ZXB-07-06	Silt	1	0.8	23.1	13.5	92	<0.1	27.1	14.0	982	3.63	12.4	0.7	<0.5	1.4	65	0.3	0.7	<0.1	81	0.59
ZXB-07-07	Silt	1	0.9	28.4	8.7	87	<0.1	28.0	15.0	764	3.97	15.0	0.5	1.0	1.7	49	0.1	0.8	0.1	67	0.57
ZXB-07-08	Silt	1.2	1.5	30.3	7.5	82	0.1	20.0	14.2	1852	3.57	13.7	1.9	0.7	0.7	130	0.3	1.4	0.1	79	1.03
ZXB-07-09	Silt	1	2.5	30.5	6.8	74	<0.1	20.3	13.3	1822	3.55	11.3	0.8	1.4	0.8	110	0.2	0.7	0.1	75	1.15
ZXC-07-01	Silt	1.4	1.0	23.9	9.1	91	0.1	29.9	13.8	1000	3.74	13.1	0.6	1.5	1.4	88	0.2	0.5	<0.1	72	0.85
ZXC-07-02	Silt	1	0.9	35.4	7.9	101	<0.1	30.3	16.3	720	4.09	15.2	0.5	1.8	1.7	35	0.1	0.8	0.1	76	0.48
ZXC-07-03	Silt	0.8	1.1	32.7	11.8	106	0.1	50.2	21.4	1168	3.66	16.8	0.5	4.2	1.4	46	0.5	0.6	0.1	55	0.37
ZXC-07-04	Silt	1	1.1	22.6	11.6	94	<0.1	24.2	15.2	1123	3.82	27.3	0.5	0.7	1.1	49	0.3	1.5	<0.1	73	0.56
ZXC-07-05	Silt	1.4	0.9	39.8	9.0	107	<0.1	38.0	17.7	693	4.40	13.7	0.6	1.1	2.0	36	0.2	0.7	0.1	84	0.52
ZXC-07-06	Silt	1	1.2	28.4	7.9	90	0.1	21.7	12.9	757	3.96	17.8	0.4	0.8	0.9	61	0.2	1.0	<0.1	61	0.89
ZXC-07-07	Silt	1.2	1.4	32.9	7.6	81	0.2	20.8	13.8	819	4.11	14.3	0.4	2.9	0.7	85	0.1	1.0	<0.1	64	1.12
ZXC-07-08	Silt	1.4	1.5	24.4	9.6	102	0.1	12.4	12.6	899	4.37	30.3	0.3	1.4	0.8	42	0.2	1.7	<0.1	51	0.60
ZXC-07-09	Silt	1	1.5	24.1	7.9	92	<0.1	18.8	15.4	1132	3.84	15.4	0.8	1.2	0.8	62	0.2	0.7	0.1	63	0.74
ZXC-07-10	Silt	1	1.7	25.8	9.1	111	0.1	20.6	11.0	688	3.42	19.5	0.4	1.0	1.2	29	0.3	1.1	0.1	40	0.48
ZXC-07-11	Silt	1.4	0.7	38.4	8.3	66	0.3	37.1	19.9	908	4.79	13.2	0.5	5.4	0.8	108	0.1	1.5	<0.1	106	1.71
ZXC-07-12	Silt	1.4	1.2	17.2	7.0	93	<0.1	8.9	9.4	743	3.77	15.9	0.3	0.5	0.7	65	0.2	0.7	0.1	40	0.74
ZXC-07-13	Silt	1	0.8	22.8	6.6	74	<0.1	13.3	11.4	1070	3.60	11.8	0.5	1.3	0.7	77	0.2	0.6	<0.1	74	1.09
ZXC-07-14	Silt	0.8	5.9	72.4	6.4	74	0.2	24.5	15.1	2481	3.70	39.2	1.3	1.9	0.3	80	0.3	1.7	<0.1	123	1.38
ZXC-07-15	Silt	1.4	0.6	36.5	7.7	71	0.1	25.3	14.6	1226	4.21	17.5	0.5	1.0	0.9	90	0.2	2.2	0.1	90	1.51
ZXC-07-16	Silt	1	1.0	45.4	20.6	162	0.2	53.5	16.7	1596	3.58	10.5	0.5	2.7	1.5	46	1.0	0.8	0.3	39	0.33
ZXC-07-17	Silt	1	1.4	52.5	24.1	161	0.2	50.4	19.4	1500	3.91	17.5	0.5	3.3	1.9	36	0.7	0.8	0.3	42	0.30
ZXC-07-18	Silt	1.2	1.4	57.4	29.2	172	0.2	52.4	21.3	1712	4.12	20.3	0.6	5.3	1.9	37	0.9	1.0	0.3	41	0.30
ZXC-07-19	Silt	1.2	2.6	61.3	32.5	179	0.2	47.7	21.0	1897	4.26	22.9	0.6	21.8	1.3	32	0.9	1.0	0.4	40	0.28
ZXC-07-20	Silt	1.4	1.9	76.5	65.3	188	0.6	19.7	14.0	2493	3.65	18.9	1.1	10.5	1.0	31	1.1	1.2	1.0	45	0.26
ZXC-07-21	Silt	1	1.3	46.8	39.0	161	0.5	23.3	12.4	1826	3.26	12.3	0.9	8.5	0.6	39	0.8	0.8	0.6	51	0.27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 13, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000224.1

Method Analyte Unit MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	
ZXB-07-01	Silt	0.048	6	41	0.41	568	0.001	18	2.08	0.015	0.13	<0.1	0.07	6.5	0.2	<0.05	5	0.6
ZXB-07-02	Silt	0.062	6	37	0.41	532	0.002	20	1.82	0.017	0.11	<0.1	0.08	6.1	0.1	<0.05	5	0.5
ZXB-07-03	Silt	0.050	6	19	0.17	380	0.002	21	0.76	0.013	0.13	<0.1	0.18	8.9	0.2	<0.05	2	0.5
ZXB-07-04	Silt	0.063	7	23	0.38	276	0.011	26	1.97	0.015	0.08	0.1	0.07	4.5	0.2	<0.05	5	<0.5
ZXB-07-05	Silt	0.083	15	20	0.56	351	0.029	3	2.24	0.013	0.06	0.1	0.09	5.4	0.1	<0.05	5	<0.5
ZXB-07-06	Silt	0.073	9	22	0.48	323	0.025	29	1.51	0.022	0.12	<0.1	0.04	5.7	0.1	<0.05	4	<0.5
ZXB-07-07	Silt	0.067	9	20	0.61	206	0.020	1	1.70	0.080	0.10	<0.1	0.05	6.0	<0.1	<0.05	5	<0.5
ZXB-07-08	Silt	0.090	13	27	0.65	219	0.062	30	2.10	0.038	0.07	0.1	0.13	6.8	<0.1	0.05	4	<0.5
ZXB-07-09	Silt	0.078	10	26	0.74	189	0.079	31	2.67	0.038	0.07	<0.1	0.06	7.3	<0.1	<0.05	6	<0.5
ZXC-07-01	Silt	0.068	9	23	0.53	216	0.057	28	2.02	0.025	0.11	<0.1	0.05	5.3	<0.1	<0.05	6	<0.5
ZXC-07-02	Silt	0.066	9	21	0.57	240	0.016	2	1.58	0.064	0.12	<0.1	0.05	6.3	<0.1	<0.05	4	<0.5
ZXC-07-03	Silt	0.066	6	33	0.47	534	0.004	22	1.80	0.015	0.11	<0.1	0.08	5.4	0.1	<0.05	5	<0.5
ZXC-07-04	Silt	0.065	8	20	0.51	297	0.039	34	1.26	0.026	0.09	<0.1	0.07	5.4	<0.1	0.11	4	<0.5
ZXC-07-05	Silt	0.064	10	25	0.62	230	0.012	22	1.69	0.067	0.16	<0.1	0.05	7.1	<0.1	<0.05	5	<0.5
ZXC-07-06	Silt	0.062	8	23	0.83	188	0.100	29	1.87	0.032	0.08	0.1	0.05	6.5	<0.1	0.09	5	<0.5
ZXC-07-07	Silt	0.060	8	26	0.94	180	0.148	25	2.39	0.040	0.08	0.2	0.05	7.6	<0.1	<0.05	5	<0.5
ZXC-07-08	Silt	0.079	12	15	0.72	125	0.029	28	1.82	0.019	0.08	0.1	0.04	6.0	<0.1	0.12	5	<0.5
ZXC-07-09	Silt	0.065	8	17	0.64	282	0.038	22	2.32	0.024	0.10	<0.1	0.04	6.0	<0.1	<0.05	6	<0.5
ZXC-07-10	Silt	0.073	11	14	0.61	141	0.017	27	1.45	0.021	0.10	<0.1	0.06	5.1	<0.1	0.17	5	<0.5
ZXC-07-11	Silt	0.052	6	50	1.48	232	0.181	32	2.65	0.036	0.06	0.1	0.05	10.2	<0.1	<0.05	6	<0.5
ZXC-07-12	Silt	0.065	9	9	0.49	91	0.135	30	1.93	0.037	0.09	0.1	0.03	6.1	<0.1	0.05	5	<0.5
ZXC-07-13	Silt	0.053	9	19	0.69	118	0.125	32	2.27	0.037	0.07	<0.1	0.05	7.6	<0.1	<0.05	6	<0.5
ZXC-07-14	Silt	0.071	8	59	0.91	253	0.067	32	2.00	0.021	0.04	<0.1	0.11	8.5	0.1	0.06	5	1.8
ZXC-07-15	Silt	0.066	8	35	0.98	181	0.124	4	1.85	0.040	0.06	0.2	0.12	7.8	<0.1	0.15	4	<0.5
ZXC-07-16	Silt	0.076	6	29	0.41	384	0.004	28	1.57	0.018	0.17	<0.1	0.05	5.5	0.1	<0.05	4	<0.5
ZXC-07-17	Silt	0.071	6	22	0.31	318	0.003	23	1.16	0.015	0.11	<0.1	0.09	5.8	0.1	0.07	3	0.6
ZXC-07-18	Silt	0.073	6	20	0.31	385	0.003	26	1.09	0.016	0.11	<0.1	0.08	6.3	0.1	0.15	3	0.6
ZXC-07-19	Silt	0.072	5	18	0.30	287	0.003	20	0.84	0.011	0.06	<0.1	0.10	4.4	0.1	0.25	3	1.2
ZXC-07-20	Silt	0.089	7	13	0.21	260	0.005	18	1.18	0.010	0.04	0.1	0.11	2.2	0.2	0.06	3	1.0
ZXC-07-21	Silt	0.079	7	17	0.32	294	0.006	1	1.55	0.007	0.05	<0.1	0.11	2.5	0.2	0.05	4	0.9



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 13, 2007

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000224.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZXC-07-22	Silt	0.4	1.4	25.8	10.7	99	<0.1	27.1	12.9	798	3.82	37.0	1.0	1.2	1.6	29	0.3	1.5	0.1	47	0.38



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 13, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000224.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZXC-07-22	Silt	0.078	9	18	0.51	199	0.022	30	1.39	0.022	0.09	<0.1	0.06	4.7	<0.1	<0.05	4	0.6

QUALITY CONTROL REPORT

SMI07000224.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
ZXC-07-10	Silt	1	1.7	25.8	9.1	111	0.1	20.6	11.0	688	3.42	19.5	0.4	1.0	1.2	29	0.3	1.1	0.1	40	0.48
REP ZXC-07-10	QC		1.8	29.5	9.2	110	0.1	19.5	10.8	714	3.54	20.3	0.4	1.2	1.2	30	0.4	0.9	0.1	42	0.49
Reference Materials																					
STD DS7	Standard		22.6	123.7	71.7	414	0.9	59.1	10.5	718	2.65	49.5	4.9	83.7	4.3	76	6.0	6.0	4.5	91	0.96
STD DS7	Standard		20.7	127.8	82.2	412	0.8	59.3	10.5	715	2.66	47.8	5.4	59.7	5.1	82	6.3	6.2	4.9	96	0.98
STD DS7	Standard		20.1	105.3	64.0	373	0.8	55.2	9.4	602	2.29	48.0	4.3	64.4	4.3	61	6.0	5.6	4.3	83	0.86
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	0	0.3	2.2	2.4	27	<0.1	2.4	2.5	311	1.31	<0.5	3.8	<0.5	7.3	40	<0.1	<0.1	<0.1	25	0.51

QUALITY CONTROL REPORT

SMI07000224.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
ZXC-07-10	Silt	0.073	11	14	0.61	141	0.017	27	1.45	0.021	0.10	<0.1	0.06	5.1	<0.1	0.17	5	<0.5
REP ZXC-07-10	QC	0.076	11	15	0.61	139	0.019	34	1.48	0.021	0.10	<0.1	0.15	5.3	<0.1	0.18	5	<0.5
Reference Materials																		
STD DS7	Standard	0.077	14	207	1.15	450	0.135	39	1.17	0.104	0.55	4.2	0.20	2.8	4.3	0.20	5	3.5
STD DS7	Standard	0.078	13	215	1.15	436	0.159	42	1.17	0.123	0.56	3.6	0.21	2.9	4.2	0.20	6	3.6
STD DS7	Standard	0.076	11	185	1.02	367	0.106	35	0.98	0.075	0.44	3.9	0.23	2.1	4.2	0.21	5	3.7
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.129	9	17	0.31	66	0.053	<1	0.54	0.040	0.22	0.2	<0.01	1.3	0.2	<0.05	2	<0.5



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Submitted By: Glen Garrett

Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.

Received: October 10, 2007

Report Date: December 29, 2007

Page: 1 of 14

CERTIFICATE OF ANALYSIS

SMI07000396.1

CLIENT JOB INFORMATION

Project: ZYMO
Shipment ID: ZY-ST-02
P.O. Number: ACME FILE: A718545
Number of Samples: 373

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Eastfield Resources Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	373	Dry at 60C sieve 100g to -80 mesh		
1DX	373	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 2 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSC-07-001	Soil	0.20	7.1	118.4	107.7	237	0.6	6.4	15.4	1453	6.19	40.6	15.1	18.8	0.9	145	0.4	2.9	1.7	74	0.49
ZSC-07-002	Soil	0.20	2.9	100.7	77.5	259	0.4	8.9	12.5	5204	4.60	35.3	11.2	15.0	1.0	32	1.2	2.1	1.2	55	0.06
ZSC-07-003	Soil	0.30	4.3	68.3	152.1	180	0.5	5.7	9.1	3765	5.03	43.8	2.0	12.4	0.6	28	0.8	1.8	2.0	56	0.14
ZSC-07-004	Soil	0.40	4.7	35.9	144.0	82	0.3	2.2	7.0	1618	3.92	14.9	1.5	8.9	0.3	13	0.3	1.1	0.6	50	0.04
ZSC-07-005	Soil	0.30	7.9	247.3	73.0	167	0.9	7.6	11.0	699	5.47	41.9	1.8	31.2	1.2	49	0.4	5.8	1.7	63	0.31
ZSC-07-006	Soil	0.20	2.9	133.6	112.0	254	0.5	18.1	18.3	2545	5.44	31.2	3.7	23.2	0.6	27	0.5	2.4	1.1	77	0.14
ZSC-07-007	Soil	0.20	4.5	118.1	87.1	198	1.2	23.3	24.8	3675	4.52	26.3	2.8	11.3	0.5	26	0.6	2.6	0.6	71	0.16
ZSC-07-008	Soil	0.30	1.8	32.1	105.8	120	0.2	7.4	4.9	546	8.53	28.3	0.9	22.4	0.7	7	0.5	2.0	4.6	105	0.03
ZSC-07-009	Soil	0.30	2.9	104.7	77.4	145	0.4	12.8	8.2	393	5.49	38.1	1.1	25.4	3.4	9	0.2	3.1	1.7	65	0.02
ZSC-07-010	Soil	0.30	5.0	120.1	81.5	287	0.4	22.4	13.1	485	6.02	45.5	2.3	51.7	2.1	12	0.3	3.0	2.1	75	0.03
ZSC-07-011	Soil	0.30	1.1	42.8	39.7	262	0.9	45.1	9.3	790	4.33	30.8	1.8	11.1	0.4	21	0.2	1.4	0.8	79	0.15
ZSC-07-012	Soil	0.50	3.0	81.5	219.7	207	1.7	36.2	10.5	1310	6.85	124.6	0.3	68.0	1.2	7	0.1	3.4	6.5	53	0.01
ZSC-07-013	Soil	0.40	1.5	46.8	47.8	138	0.2	22.0	9.1	451	4.78	41.1	0.9	9.0	1.5	18	0.1	3.5	1.7	80	0.04
ZSC-07-014	Soil	0.30	2.1	81.6	50.3	157	1.4	22.3	8.4	527	4.77	30.1	2.3	18.8	2.5	10	0.4	1.4	1.2	57	0.07
ZSC-07-015	Soil	0.30	1.7	41.5	58.4	76	0.8	9.7	4.5	255	3.86	21.0	1.0	7.9	0.6	9	0.3	1.3	0.8	74	0.04
ZSC-07-016	Soil	0.40	1.6	23.0	40.7	122	0.2	26.9	23.0	2571	6.20	15.7	0.4	1.4	1.1	7	1.4	1.2	0.9	48	0.01
ZSC-07-017	Soil	0.30	1.1	30.0	18.7	108	0.2	23.5	8.7	257	3.75	16.1	0.6	2.4	0.9	14	0.3	1.6	0.2	72	0.04
ZSC-07-018	Soil	0.30	2.2	47.8	61.7	108	0.7	13.4	6.0	309	4.23	44.9	1.0	11.3	0.9	14	0.5	2.9	0.8	76	0.07
ZSC-07-019	Soil	0.30	2.2	37.5	28.3	83	0.6	18.4	10.2	644	5.87	29.8	1.1	5.3	1.0	12	0.4	1.9	0.3	83	0.04
ZSC-07-020	Soil	0.40	1.5	26.3	35.4	68	0.2	8.5	4.9	817	4.00	21.4	0.5	1.8	0.3	16	0.2	1.3	0.5	83	0.02
ZSC-07-021	Soil	0.30	1.7	33.8	49.8	58	0.3	7.3	5.6	985	5.69	28.6	0.7	2.8	0.4	12	0.3	2.2	0.5	91	0.02
ZSC-07-022	Soil	0.30	1.3	89.9	29.8	144	0.8	16.0	8.0	1262	3.96	33.7	1.9	13.6	0.3	18	0.6	2.2	1.2	65	0.05
ZSC-07-023	Soil	0.20	1.4	38.5	23.1	105	0.6	14.9	7.1	310	4.13	17.9	1.0	8.4	1.3	14	0.3	1.6	0.3	70	0.06
ZSC-07-024	Soil	0.30	2.5	69.7	130.3	160	0.3	13.4	7.2	409	6.17	32.9	1.6	19.4	2.7	13	0.6	1.8	1.0	85	0.09
ZSC-07-025	Soil	0.40	1.7	67.7	44.0	146	0.4	17.5	7.8	281	4.42	22.8	1.4	10.6	1.6	24	0.3	1.4	0.6	69	0.26
ZSC-07-026	Soil	0.30	2.1	54.4	26.2	88	<0.1	9.9	8.2	455	5.87	19.0	1.3	7.0	3.2	10	0.1	1.3	0.4	89	0.04
ZSC-07-027	Soil	0.30	2.3	68.5	41.2	99	0.6	9.6	14.4	1619	8.94	19.6	0.8	9.7	1.4	7	0.4	1.3	0.5	147	0.02
ZSC-07-028	Soil	0.30	1.8	24.8	33.0	57	0.1	6.5	4.1	412	5.75	23.7	0.6	6.9	1.2	12	0.1	1.7	0.7	85	0.02
ZSC-07-029	Soil	0.20	2.4	103.7	49.8	123	0.5	12.5	9.0	504	5.77	36.2	1.2	16.5	2.3	11	0.7	2.7	1.0	73	0.02
ZSC-07-030	Soil	0.20	1.4	16.9	7.6	36	0.1	3.5	4.3	241	2.06	11.6	0.2	13.6	0.2	11	0.1	0.8	0.1	68	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 2 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZSC-07-001	Soil	0.185	42	12	0.20	167	0.007	2	1.90	0.007	0.07	0.2	0.16	2.8	0.3	<0.05	8	2.7
ZSC-07-002	Soil	0.191	24	15	0.20	154	0.008	1	2.10	0.007	0.08	0.1	0.12	2.6	0.4	<0.05	5	2.2
ZSC-07-003	Soil	0.230	14	12	0.13	183	0.006	2	1.66	0.006	0.08	0.1	0.10	0.8	0.3	<0.05	6	1.1
ZSC-07-004	Soil	0.145	12	8	0.06	136	0.005	<1	1.39	0.004	0.04	0.1	0.11	0.5	0.3	<0.05	5	0.6
ZSC-07-005	Soil	0.139	13	15	0.23	186	0.007	2	1.91	0.006	0.10	0.1	0.13	1.9	0.3	<0.05	5	2.2
ZSC-07-006	Soil	0.165	31	23	0.30	127	0.012	5	3.03	0.008	0.10	0.1	0.29	4.2	0.3	<0.05	8	2.4
ZSC-07-007	Soil	0.145	19	25	0.36	115	0.015	2	2.71	0.008	0.09	0.1	0.27	3.7	0.3	<0.05	7	2.4
ZSC-07-008	Soil	0.073	7	18	0.18	56	0.015	11	1.83	0.008	0.04	0.2	0.10	1.8	0.3	<0.05	14	0.8
ZSC-07-009	Soil	0.060	7	21	0.26	56	0.005	2	2.93	0.005	0.05	0.1	0.15	3.0	0.3	<0.05	5	2.1
ZSC-07-010	Soil	0.063	18	28	0.39	81	0.008	3	3.53	0.008	0.08	0.2	0.17	8.5	0.3	<0.05	7	2.2
ZSC-07-011	Soil	0.111	21	23	0.18	257	0.010	3	2.23	0.006	0.07	0.2	0.53	4.3	0.3	<0.05	8	1.6
ZSC-07-012	Soil	0.169	12	21	0.03	66	0.003	15	0.47	0.008	0.07	0.1	0.13	2.9	0.3	0.10	4	1.1
ZSC-07-013	Soil	0.048	7	29	0.46	75	0.012	4	2.94	0.007	0.09	0.1	0.16	4.8	0.2	<0.05	7	0.9
ZSC-07-014	Soil	0.121	14	24	0.29	72	0.010	2	3.92	0.006	0.05	0.2	0.49	4.8	0.2	<0.05	9	2.6
ZSC-07-015	Soil	0.054	8	20	0.21	59	0.015	2	1.95	0.006	0.06	0.1	0.13	2.4	0.3	<0.05	10	0.7
ZSC-07-016	Soil	0.128	15	22	0.12	106	0.003	2	1.36	0.005	0.08	<0.1	0.08	2.8	0.2	<0.05	4	0.8
ZSC-07-017	Soil	0.037	7	27	0.40	90	0.010	2	2.94	0.006	0.05	0.1	0.10	3.6	0.2	<0.05	7	0.6
ZSC-07-018	Soil	0.142	7	23	0.26	66	0.011	2	2.07	0.005	0.06	0.2	0.18	2.6	0.2	<0.05	7	1.0
ZSC-07-019	Soil	0.058	7	28	0.41	68	0.025	2	2.37	0.006	0.07	0.1	0.17	4.2	0.1	<0.05	10	1.0
ZSC-07-020	Soil	0.064	7	18	0.14	63	0.014	<1	1.50	0.005	0.06	<0.1	0.04	1.6	0.3	<0.05	10	<0.5
ZSC-07-021	Soil	0.073	6	22	0.13	58	0.012	2	2.03	0.004	0.06	0.1	0.08	2.2	0.3	<0.05	11	0.8
ZSC-07-022	Soil	0.099	13	23	0.34	92	0.010	2	2.11	0.005	0.08	0.1	0.13	2.6	0.2	<0.05	7	1.3
ZSC-07-023	Soil	0.060	9	22	0.31	73	0.015	2	3.01	0.006	0.05	0.2	0.18	4.1	0.1	<0.05	7	1.0
ZSC-07-024	Soil	0.116	10	27	0.28	60	0.014	2	3.10	0.007	0.05	0.2	0.24	3.7	0.3	<0.05	8	1.9
ZSC-07-025	Soil	0.060	7	26	0.38	157	0.007	3	2.95	0.009	0.07	0.2	0.14	3.4	0.3	<0.05	8	1.4
ZSC-07-026	Soil	0.055	10	17	0.36	74	0.011	2	3.87	0.008	0.07	0.2	0.13	4.8	0.2	<0.05	10	1.3
ZSC-07-027	Soil	0.161	7	24	0.13	72	0.004	10	2.18	0.012	0.03	0.2	0.42	7.0	0.2	<0.05	7	1.1
ZSC-07-028	Soil	0.077	6	17	0.17	49	0.008	2	2.09	0.005	0.05	0.2	0.58	2.3	0.3	<0.05	10	0.8
ZSC-07-029	Soil	0.076	10	20	0.35	104	0.005	2	3.16	0.007	0.09	0.1	0.26	4.0	0.4	<0.05	8	1.5
ZSC-07-030	Soil	0.094	5	9	0.08	98	0.003	2	1.01	0.005	0.04	<0.1	0.16	1.6	0.2	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 3 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSC-07-031	Soil	0.30	0.6	7.1	8.6	16	0.1	1.1	0.9	72	0.61	3.6	0.3	3.8	0.1	7	<0.1	0.2	0.2	21	0.05
ZSC-07-032	Soil	0.30	2.4	77.6	46.4	107	0.4	10.0	6.7	835	4.41	27.7	1.3	21.4	0.3	27	0.3	3.6	1.4	72	0.30
ZSC-07-033	Soil	0.30	3.5	129.3	53.8	149	1.9	6.1	10.0	779	3.41	29.1	1.8	18.3	1.4	27	0.3	4.7	1.2	68	0.23
ZSC-07-034	Soil	0.20	3.6	114.1	94.4	141	0.3	14.6	9.2	547	6.20	39.5	1.4	20.7	1.7	39	0.2	3.0	1.9	77	0.23
ZSC-07-035	Soil	0.30	2.9	128.0	61.4	195	0.5	14.8	10.2	766	3.66	22.9	1.9	24.3	1.8	33	0.4	3.2	1.2	59	0.14
ZSC-07-036	Soil	0.20	4.6	112.5	94.6	142	0.6	9.8	5.6	323	6.22	44.5	1.7	34.8	4.7	15	0.4	5.6	1.4	61	0.07
ZSC-07-037	Soil	0.20	6.7	175.6	120.7	136	0.5	7.1	7.4	614	8.16	58.2	3.1	56.2	2.0	17	0.5	6.6	2.3	68	0.10
ZSC-07-038	Soil	0.30	3.3	91.0	116.3	107	0.6	3.6	3.6	305	4.77	40.8	1.2	33.6	2.1	9	0.3	3.9	1.9	66	0.02
ZSC-07-039	Soil	0.30	4.2	125.0	227.1	144	2.5	4.9	5.5	603	7.45	74.4	2.2	38.1	5.0	11	0.5	5.1	3.9	84	0.03
ZSC-07-040	Soil	0.20	6.6	157.6	150.1	356	1.2	16.8	22.7	>10000	5.52	38.6	4.9	17.7	1.5	100	5.0	2.9	1.5	58	0.36
ZSC-07-041	Soil	0.20	4.4	149.0	148.8	171	0.9	5.9	4.5	308	8.36	55.8	1.6	30.5	5.9	11	0.2	4.8	3.1	65	0.02
ZSC-07-042	Soil	0.30	2.9	231.6	268.1	255	0.6	13.9	8.2	691	5.29	45.6	1.5	57.7	5.5	16	0.4	4.3	2.3	61	0.03
ZSC-07-043	Soil	0.30	4.0	97.5	132.6	153	1.9	8.2	7.0	609	6.97	71.1	3.2	24.9	0.6	58	0.3	5.0	2.9	108	0.20
ZSC-07-044	Soil	0.30	2.9	96.4	127.6	251	1.4	9.4	8.5	3260	6.18	50.0	2.5	34.1	2.8	82	0.8	2.7	2.4	57	0.33
ZSC-07-045	Soil	0.20	3.1	141.0	134.9	227	0.7	12.2	12.2	2668	4.96	45.4	2.4	27.7	1.3	54	0.6	3.6	2.3	62	0.25
ZSC-07-046	Soil	0.40	6.6	303.5	261.9	238	0.3	12.1	17.3	1172	7.03	64.1	3.0	78.1	2.8	23	0.4	8.8	3.0	59	0.11
ZSC-07-047	Soil	0.20	4.2	155.9	55.4	85	2.2	4.5	3.0	239	6.58	37.6	3.7	32.5	0.4	18	0.3	3.7	1.7	64	0.06
ZSC-07-048	Soil	0.20	4.7	153.8	82.9	125	2.4	3.7	3.3	218	4.70	38.6	1.7	42.2	0.4	42	0.2	3.6	4.3	69	0.21
ZSC-07-049	Soil	0.30	5.4	209.1	83.7	141	1.1	10.3	7.7	434	8.28	71.5	3.2	56.5	1.1	16	0.3	7.8	3.2	81	0.05
ZSC-07-050	Soil	0.30	5.2	181.5	73.1	117	0.7	9.4	8.4	460	7.37	51.7	3.0	34.4	2.4	30	0.2	4.8	3.7	123	0.05
ZSC-07-051	Soil	0.20	4.8	189.6	56.0	99	1.4	11.1	7.7	600	6.89	35.8	3.5	43.4	0.9	22	0.6	3.7	2.0	83	0.07
ZSC-07-052	Soil	0.20	5.1	173.8	30.7	121	0.2	6.9	5.2	1760	4.78	24.8	3.9	43.8	1.7	113	0.2	2.5	3.0	69	0.28
ZSC-07-053	Soil	0.30	3.1	136.5	103.2	84	0.4	7.1	3.2	196	5.47	26.8	1.3	41.9	1.4	30	0.2	2.8	4.6	61	0.03
ZSC-07-054	Soil	0.20	3.2	126.4	41.7	139	0.5	13.7	7.2	439	6.59	33.0	1.7	25.2	0.7	35	0.2	2.1	1.6	112	0.20
ZSC-07-055	Soil	0.30	4.7	393.4	53.2	54	3.5	3.5	2.3	117	4.01	22.7	2.0	67.5	1.6	16	0.4	1.4	2.5	67	0.07
ZSC-07-056	Soil	0.30	5.2	231.5	80.4	113	1.5	7.9	5.4	292	7.91	46.5	0.9	61.1	3.3	11	0.2	4.7	2.0	75	0.02
ZSC-07-057	Soil	0.30	4.5	111.6	35.8	51	0.6	3.1	2.4	145	3.15	24.2	0.8	23.1	2.0	6	<0.1	1.8	1.2	63	0.01
ZSC-07-058	Soil	0.30	2.5	195.5	139.3	245	0.6	17.9	11.6	702	5.07	30.9	1.7	34.0	5.0	17	0.5	2.6	2.0	71	0.08
ZSC-07-059	Soil	0.40	10.6	299.1	195.2	147	0.9	4.9	5.9	690	12.51	57.1	2.2	66.9	5.8	10	0.5	4.6	3.8	78	0.06
ZSC-07-060	Soil	0.30	4.6	396.3	233.7	316	1.3	7.5	13.2	1906	8.86	139.8	3.4	32.4	0.8	25	1.2	9.1	4.3	66	0.13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 3 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	Analyte	Unit	MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm
ZSC-07-031	Soil			0.061	6	5	0.04	62	0.003	10	0.82	0.011	0.04	<0.1	0.14	0.5	0.2	<0.05	6	<0.5
ZSC-07-032	Soil			0.106	11	16	0.30	243	0.008	3	1.75	0.007	0.09	0.2	0.08	1.7	0.2	<0.05	8	1.1
ZSC-07-033	Soil			0.079	14	11	0.15	223	0.004	1	1.63	0.006	0.08	0.3	0.11	2.8	0.4	<0.05	6	1.6
ZSC-07-034	Soil			0.146	8	25	0.29	180	0.006	2	2.13	0.006	0.09	0.2	0.06	3.0	0.3	<0.05	9	1.5
ZSC-07-035	Soil			0.087	12	19	0.26	241	0.004	3	2.10	0.007	0.11	0.2	0.06	3.0	0.3	<0.05	6	1.7
ZSC-07-036	Soil			0.121	8	19	0.19	70	0.004	2	2.94	0.006	0.06	0.4	0.21	2.7	0.3	<0.05	5	1.6
ZSC-07-037	Soil			0.142	15	18	0.21	70	0.011	2	2.51	0.006	0.08	0.3	0.26	3.0	0.3	<0.05	8	3.2
ZSC-07-038	Soil			0.083	8	10	0.08	52	0.006	8	1.62	0.010	0.04	0.3	0.09	1.7	0.4	<0.05	6	0.9
ZSC-07-039	Soil			0.179	9	17	0.10	64	0.015	2	2.75	0.006	0.07	0.3	0.23	2.8	0.4	<0.05	8	3.1
ZSC-07-040	Soil			0.208	23	11	0.19	396	0.005	15	2.05	0.014	0.07	0.2	0.20	3.4	0.8	<0.05	6	3.2
ZSC-07-041	Soil			0.080	7	21	0.17	49	0.005	12	2.73	0.011	0.05	0.2	0.20	2.9	0.3	<0.05	6	2.0
ZSC-07-042	Soil			0.071	8	22	0.30	69	0.003	3	2.73	0.006	0.11	0.1	0.16	4.0	0.5	<0.05	6	2.0
ZSC-07-043	Soil			0.107	14	15	0.32	132	0.019	1	1.85	0.006	0.12	0.2	0.15	1.9	0.3	<0.05	11	1.9
ZSC-07-044	Soil			0.182	11	14	0.23	290	0.003	1	2.13	0.007	0.08	0.1	0.11	3.8	0.4	0.05	5	1.7
ZSC-07-045	Soil			0.109	13	14	0.25	204	0.006	2	1.59	0.007	0.10	0.1	0.11	3.1	0.3	<0.05	6	2.2
ZSC-07-046	Soil			0.139	12	17	0.26	60	0.013	2	1.94	0.006	0.08	0.3	0.20	3.6	0.3	<0.05	4	4.6
ZSC-07-047	Soil			0.126	13	14	0.13	85	0.014	3	1.55	0.005	0.07	0.2	0.25	1.4	0.3	<0.05	6	2.4
ZSC-07-048	Soil			0.126	13	10	0.11	151	0.009	2	1.10	0.005	0.09	0.2	0.16	1.1	0.3	0.05	6	2.6
ZSC-07-049	Soil			0.158	12	16	0.22	53	0.024	2	1.64	0.006	0.06	0.4	0.27	2.5	0.2	<0.05	8	4.6
ZSC-07-050	Soil			0.117	13	19	0.32	93	0.048	2	1.85	0.006	0.09	0.3	0.15	3.3	0.3	<0.05	11	2.7
ZSC-07-051	Soil			0.115	12	20	0.29	78	0.023	2	1.98	0.007	0.09	0.2	0.26	2.4	0.3	<0.05	9	2.1
ZSC-07-052	Soil			0.076	15	13	0.23	110	0.004	1	1.94	0.028	0.07	0.2	0.10	3.0	0.3	<0.05	7	1.3
ZSC-07-053	Soil			0.060	7	15	0.16	187	0.006	15	1.27	0.010	0.08	0.2	0.17	1.7	0.3	0.07	7	2.0
ZSC-07-054	Soil			0.089	12	20	0.37	141	0.013	14	1.85	0.013	0.08	0.2	0.08	2.6	0.1	<0.05	10	1.4
ZSC-07-055	Soil			0.107	12	12	0.09	127	0.005	1	2.12	0.008	0.08	0.1	0.22	1.6	0.5	<0.05	8	2.0
ZSC-07-056	Soil			0.107	6	20	0.24	47	0.011	2	2.13	0.005	0.06	0.2	0.23	3.0	0.3	<0.05	6	1.9
ZSC-07-057	Soil			0.109	7	7	0.06	55	0.008	11	1.38	0.010	0.03	0.2	0.07	1.4	0.3	<0.05	7	1.0
ZSC-07-058	Soil			0.120	7	21	0.36	86	0.011	3	4.88	0.007	0.08	<0.1	0.21	4.6	0.2	<0.05	5	3.0
ZSC-07-059	Soil			0.267	7	18	0.19	52	0.011	1	3.12	0.005	0.06	0.2	0.30	3.2	0.3	<0.05	7	3.3
ZSC-07-060	Soil			0.158	22	14	0.23	61	0.008	2	1.66	0.005	0.03	0.1	0.12	1.7	0.1	0.06	5	2.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
ZSC-07-061	Soil	0.20	7.3	253.5	181.3	133	2.0	4.5	5.4	493	10.07	50.2	1.6	73.4	3.6	10	0.7	3.7	4.2	52	0.03
ZSC-07-062	Soil	0.20	8.4	1044	107.8	217	1.2	9.6	21.4	2979	9.12	141.9	11.2	90.1	5.2	9	0.3	3.9	3.1	43	0.02
ZSC-07-063	Soil	0.20	1.5	43.4	41.5	119	2.7	12.0	6.9	427	5.50	15.9	0.8	4.2	1.7	6	0.4	1.3	0.3	68	0.02
ZSC-07-064	Soil	0.30	2.1	68.6	59.8	117	3.2	11.8	7.1	405	7.41	25.3	1.0	8.7	3.2	5	0.1	1.3	0.5	120	0.03
ZSC-07-065	Soil	0.30	4.4	92.4	142.8	89	0.8	5.5	4.1	350	8.38	49.6	1.0	12.3	2.9	4	<0.1	3.5	2.1	89	0.01
ZSC-07-066	Soil	0.30	25.0	191.1	98.8	190	2.1	2.7	4.7	725	8.83	90.5	2.7	12.4	4.2	5	<0.1	7.9	4.7	42	<0.01
ZSC-07-067	Soil	0.30	2.9	81.9	63.8	181	0.6	12.3	11.5	810	5.24	59.3	1.2	7.0	1.3	26	0.2	2.9	1.3	69	0.19
ZSC-07-068	Soil	0.20	3.2	65.6	57.8	100	0.2	11.0	6.2	376	6.17	84.2	0.7	9.7	1.5	8	0.2	5.2	0.8	63	0.02
ZSC-07-069	Soil	0.20	3.1	37.8	66.8	129	1.4	10.3	6.0	484	7.41	63.3	0.5	6.2	1.3	5	0.4	3.6	0.8	91	0.02
ZSC-07-070	Soil	0.30	3.3	27.5	23.0	109	0.9	3.1	3.4	194	4.10	14.4	2.4	1.7	5.0	9	0.4	0.8	0.4	41	0.03
ZSC-07-071	Soil	0.30	1.2	13.8	20.0	59	0.4	1.9	1.7	216	2.05	268.2	1.1	27.5	3.5	8	0.3	2.7	0.6	31	0.03
ZSC-07-072	Soil	0.20	2.7	36.2	83.3	119	1.1	4.3	6.9	680	7.87	199.8	1.5	7.7	3.0	7	0.7	3.6	1.7	53	0.02
ZSC-07-073	Soil	0.20	2.3	85.6	107.0	340	1.1	20.2	14.9	848	4.84	60.1	3.2	6.1	2.1	15	1.2	1.8	1.2	60	0.09
ZSC-07-074	Soil	0.30	2.1	20.7	261.7	154	1.3	5.0	36.1	6943	5.17	56.7	1.5	3.0	0.6	70	0.9	1.5	0.7	55	0.70
ZSC-07-075	Soil	0.40	2.1	29.9	1231	609	0.4	4.7	8.5	1913	7.20	1086	3.0	18.5	6.2	5	0.7	8.2	1.0	40	0.04
ZSC-07-076	Soil	0.30	2.2	38.3	104.5	130	0.6	7.4	8.4	541	7.70	38.2	0.9	5.7	2.7	6	0.3	2.4	1.0	80	0.01
ZSC-07-077	Soil	0.30	2.1	34.9	51.6	66	0.3	11.3	4.4	191	8.35	79.1	0.7	9.9	2.0	6	0.2	4.8	0.7	74	0.02
ZSC-07-078	Soil	0.20	2.1	47.1	109.5	143	1.6	9.5	7.4	696	8.35	75.9	0.8	8.0	1.1	5	0.3	4.6	1.1	91	0.01
ZSC-07-079	Soil	0.20	2.2	49.0	74.4	106	0.2	13.2	7.4	283	5.33	65.2	0.9	9.3	2.5	7	0.2	3.0	0.5	57	0.02
ZSC-07-080	Soil	0.30	2.7	46.8	95.9	77	0.2	8.9	4.9	350	5.04	31.3	1.5	14.8	1.2	6	0.3	2.5	0.5	76	0.02
ZSC-07-081	Soil	0.30	2.2	44.7	62.4	117	0.6	12.9	6.2	310	5.02	45.3	1.2	10.9	0.5	9	0.8	2.8	1.2	76	0.03
ZSC-07-082	Soil	0.20	1.8	28.1	25.5	85	0.3	17.1	7.6	428	5.16	22.7	1.0	1.7	0.2	15	0.4	1.3	0.2	78	0.08
ZSC-07-083	Soil	0.20	3.1	60.2	59.2	72	0.2	8.6	5.2	231	6.84	26.2	1.0	11.2	2.0	6	0.3	2.3	0.8	83	0.02
ZSC-07-084	Soil	0.20	3.2	41.6	74.7	108	2.1	13.6	11.4	749	6.89	23.4	0.9	10.9	1.3	17	0.5	2.0	0.6	80	0.15
ZSC-07-085	Soil	0.30	2.4	21.8	43.0	72	<0.1	6.8	4.3	261	5.86	24.1	0.7	2.6	0.6	8	0.2	2.3	0.6	112	0.02
ZSC-07-086	Soil	0.30	4.2	135.4	92.6	246	1.5	20.0	9.6	1369	4.87	37.4	1.7	32.8	2.3	19	0.5	1.5	2.4	67	0.12
ZSC-07-087	Soil	0.20	1.7	33.8	44.5	32	1.1	3.8	1.7	97	2.82	18.5	0.7	8.5	0.3	6	0.3	0.8	0.9	57	0.02
ZSC-07-088	Soil	0.20	2.8	70.9	99.7	89	1.0	10.8	5.9	433	8.27	30.3	1.5	15.3	2.4	7	0.4	2.6	1.1	75	0.03
ZSC-07-089	Soil	0.30	3.9	149.5	140.8	180	0.2	13.0	17.1	2060	6.66	45.1	2.9	17.3	0.8	11	0.3	3.2	1.8	75	0.06
ZSC-07-090	Soil	0.20	3.2	169.4	68.3	159	0.4	13.4	5.4	319	4.29	26.8	1.9	23.2	1.3	8	0.2	2.2	1.2	50	0.09



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 4 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZSC-07-061	Soil	0.148	5	10	0.12	58	0.003	1	2.63	0.004	0.03	0.1	0.20	2.4	0.2	0.06	6	3.0
ZSC-07-062	Soil	0.196	15	11	0.18	62	0.002	2	2.48	0.004	0.05	0.2	0.23	7.0	0.3	<0.05	3	4.0
ZSC-07-063	Soil	0.113	4	27	0.28	48	0.008	2	4.12	0.006	0.03	0.2	0.30	3.7	<0.1	<0.05	7	0.9
ZSC-07-064	Soil	0.118	4	29	0.58	49	0.019	1	6.66	0.005	0.03	0.1	0.25	4.4	<0.1	<0.05	8	0.8
ZSC-07-065	Soil	0.140	7	16	0.15	43	0.006	<1	1.99	0.003	0.03	0.2	0.08	2.1	0.3	<0.05	9	0.9
ZSC-07-066	Soil	0.437	22	6	0.03	34	0.004	2	0.88	0.002	0.04	0.2	0.07	0.8	0.6	<0.05	4	4.6
ZSC-07-067	Soil	0.055	11	17	0.26	82	0.005	2	1.66	0.006	0.04	<0.1	0.11	3.9	0.2	<0.05	5	0.8
ZSC-07-068	Soil	0.057	4	22	0.20	53	0.005	1	2.17	0.004	0.04	0.2	0.11	2.7	0.3	<0.05	7	1.1
ZSC-07-069	Soil	0.081	5	21	0.16	36	0.006	1	1.94	0.004	0.03	0.2	0.11	3.0	0.2	<0.05	9	0.6
ZSC-07-070	Soil	0.124	22	7	0.17	76	0.001	1	4.34	0.007	0.03	0.2	0.17	2.1	0.1	<0.05	7	1.0
ZSC-07-071	Soil	0.051	26	5	0.04	83	0.002	1	1.78	0.008	0.02	0.1	0.07	1.0	0.4	<0.05	5	<0.5
ZSC-07-072	Soil	0.194	15	8	0.08	119	0.004	1	1.51	0.005	0.04	0.1	0.17	1.7	0.3	<0.05	5	1.5
ZSC-07-073	Soil	0.073	30	21	0.35	202	0.004	2	2.07	0.006	0.06	0.2	0.12	4.0	0.2	<0.05	7	0.9
ZSC-07-074	Soil	0.209	15	6	0.15	283	0.006	2	1.36	0.008	0.04	0.1	0.08	0.7	0.3	0.06	6	0.6
ZSC-07-075	Soil	0.157	18	8	0.09	138	0.002	2	2.16	0.003	0.05	<0.1	0.14	2.6	0.7	<0.05	4	1.0
ZSC-07-076	Soil	0.085	7	18	0.21	48	0.005	2	2.26	0.004	0.04	0.2	0.13	3.1	0.3	<0.05	7	1.1
ZSC-07-077	Soil	0.109	6	24	0.13	43	0.007	2	1.63	0.003	0.03	0.2	0.09	2.5	0.3	<0.05	7	1.0
ZSC-07-078	Soil	0.064	7	20	0.15	33	0.019	<1	1.24	0.003	0.03	0.2	0.08	2.5	0.2	<0.05	8	0.9
ZSC-07-079	Soil	0.062	5	25	0.28	64	0.004	3	3.77	0.004	0.04	0.1	0.16	3.7	0.2	<0.05	4	1.2
ZSC-07-080	Soil	0.058	6	21	0.16	45	0.011	3	2.09	0.004	0.03	0.2	0.20	2.3	0.2	<0.05	8	0.9
ZSC-07-081	Soil	0.090	5	21	0.29	57	0.010	2	2.05	0.004	0.05	0.2	0.18	1.7	0.2	<0.05	7	0.7
ZSC-07-082	Soil	0.088	7	20	0.36	147	0.010	2	1.82	0.005	0.05	0.1	0.06	1.8	0.1	<0.05	8	0.6
ZSC-07-083	Soil	0.049	7	19	0.22	42	0.006	1	2.62	0.004	0.04	0.2	0.12	3.0	0.2	<0.05	9	0.9
ZSC-07-084	Soil	0.075	7	21	0.39	112	0.007	2	2.70	0.007	0.04	0.2	0.15	3.1	0.1	<0.05	8	0.8
ZSC-07-085	Soil	0.027	4	17	0.22	56	0.017	1	1.32	0.004	0.03	0.2	0.04	2.1	0.1	<0.05	9	<0.5
ZSC-07-086	Soil	0.118	8	25	0.34	186	0.003	2	2.54	0.007	0.06	0.1	0.17	3.5	0.2	<0.05	6	1.3
ZSC-07-087	Soil	0.052	6	11	0.08	42	0.012	1	1.30	0.005	0.04	0.2	0.11	1.1	0.2	<0.05	8	<0.5
ZSC-07-088	Soil	0.100	5	27	0.26	53	0.009	2	2.74	0.005	0.04	0.2	0.24	3.0	0.2	<0.05	7	1.5
ZSC-07-089	Soil	0.120	9	22	0.28	59	0.013	2	1.64	0.004	0.04	0.1	0.11	3.1	0.2	<0.05	6	2.3
ZSC-07-090	Soil	0.095	8	17	0.27	41	0.006	2	1.57	0.004	0.05	<0.1	0.12	2.7	0.2	<0.05	5	1.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 5 of 14 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSC-07-091	Soil	0.30	3.1	135.0	56.2	160	0.6	13.3	8.1	828	4.25	32.9	1.7	35.4	0.9	9	0.2	2.7	1.9	59	0.05
ZXC-07-023	Soil	0.50	3.2	54.7	97.6	333	0.5	20.4	21.8	8004	4.62	71.1	1.1	9.6	1.1	41	5.3	2.9	1.5	39	0.38
ZXC-07-024	Soil	0.50	2.6	27.9	62.8	217	0.3	19.6	33.9	>10000	4.61	60.4	0.8	16.2	1.1	35	3.6	1.8	0.5	43	0.29
ZXC-07-025	Soil	0.70	2.2	51.5	63.4	220	0.3	15.7	15.9	2368	4.13	71.3	0.6	9.0	1.0	33	1.6	2.9	1.1	30	0.34
ZXC-07-026	Soil	0.10	1.8	82.7	81.5	184	2.7	18.8	6.9	3370	1.48	22.6	1.9	11.2	0.2	106	3.9	2.3	0.4	15	1.24
ZXC-07-027	Soil	0.70	2.5	96.4	123.2	298	0.9	28.4	24.9	2979	6.13	111.9	1.0	103.8	1.9	32	1.9	4.6	2.2	50	0.40
ZXC-07-028	Soil	0.40	2.6	49.0	78.8	168	0.3	13.3	14.2	2057	4.87	70.1	1.0	13.9	0.7	17	0.5	2.5	0.9	54	0.15
ZXC-07-029	Soil	0.50	3.2	64.3	94.2	297	0.6	22.8	34.1	>10000	5.74	63.8	1.2	23.2	1.2	39	3.3	2.3	0.8	56	0.38
ZXC-07-030	Soil	0.60	2.8	56.6	76.9	253	0.5	17.1	16.9	2621	4.44	68.7	1.0	23.4	1.2	34	1.4	2.7	0.8	54	0.35
ZXC-07-031	Soil	0.50	1.2	52.0	11.2	135	<0.1	12.5	19.9	1251	4.13	22.9	0.2	148.1	0.7	46	0.5	0.6	0.2	43	0.54
ZXC-07-031A	Soil	0.20	6.0	52.0	120.8	337	1.4	26.4	31.0	>10000	5.56	258.2	2.0	21.9	1.2	35	5.6	1.9	0.9	44	0.34
ZXC-07-032	Soil	0.70	1.1	32.5	12.5	96	<0.1	23.5	15.4	1275	4.03	13.8	0.3	2.0	0.9	48	0.4	1.1	0.2	50	0.47
ZXC-07-032A	Soil	0.40	3.1	18.0	69.3	139	0.3	9.5	30.9	8434	8.95	156.5	0.6	13.3	1.1	32	1.2	1.4	0.5	45	0.30
ZXC-07-033	Soil	0.40	3.0	85.9	32.9	181	0.3	17.9	15.9	2269	3.99	24.0	0.7	7.3	0.5	77	2.7	1.4	0.4	63	0.50
ZXC-07-034	Soil	0.60	18.0	471.7	31.5	121	0.2	23.1	30.0	1518	6.48	49.6	0.9	59.2	2.2	61	0.8	3.8	2.0	52	0.41
ZXC-07-035	Soil	0.50	1.3	42.1	14.0	109	<0.1	30.7	17.0	1168	4.12	20.6	0.4	1.5	1.2	49	0.4	1.1	0.2	44	0.49
ZXC-07-036	Soil	0.60	1.9	100.6	15.1	122	<0.1	41.5	19.2	1497	4.40	19.6	0.4	2.6	1.5	63	0.6	1.3	0.2	51	0.46
ZXC-07-037	Soil	0.50	1.2	44.0	12.0	112	<0.1	39.0	18.4	1051	4.98	21.5	0.3	2.0	1.3	59	0.3	1.8	0.2	54	0.64
ZXC-07-038	Soil	0.50	1.3	35.2	14.9	107	0.1	40.9	16.9	1863	4.34	19.9	0.5	3.5	1.5	56	0.4	1.2	0.3	56	0.45
ZXC-07-039	Soil	0.50	1.2	30.7	15.0	107	0.1	37.4	17.1	1297	4.09	16.5	0.3	2.3	1.2	39	0.5	1.2	0.2	51	0.38
ZXC-07-040	Soil	0.60	1.2	30.7	15.9	110	0.1	40.7	17.9	2330	4.19	16.0	0.5	2.5	1.2	41	0.6	0.7	0.2	46	0.34
ZXC-07-041	Soil	0.60	1.1	33.2	18.7	91	0.1	38.3	14.6	1469	3.86	11.6	0.5	3.4	1.5	49	0.4	0.7	0.2	49	0.45
ZXC-07-042	Soil	0.60	1.5	50.8	14.3	117	0.1	48.6	17.6	1048	5.29	20.2	0.4	3.2	1.6	48	0.4	1.3	0.3	54	0.53
ZXC-07-043	Soil	0.60	1.1	27.0	13.0	97	0.1	31.5	12.7	1140	3.52	9.0	0.4	2.2	1.1	47	0.4	0.6	0.2	53	0.43
ZXC-07-044	Soil	0.40	15.1	247.1	39.7	115	0.1	16.0	62.3	2695	2.91	31.7	1.0	6.2	1.3	54	0.4	1.2	0.5	35	0.23
ZXP-07-001	Soil	0.60	3.8	49.1	107.7	343	0.5	15.1	15.9	3298	5.36	153.5	0.7	32.4	1.0	37	1.9	6.3	1.4	30	0.45
ZXP-07-002	Soil	0.50	1.9	36.7	116.2	340	0.4	15.8	15.6	3498	5.99	176.3	0.5	51.4	0.9	39	1.8	7.1	1.0	30	0.43
ZXP-07-003	Soil	0.50	2.0	25.9	66.6	234	0.4	12.4	13.0	2458	4.35	62.1	0.5	10.9	0.7	35	1.5	4.2	0.3	32	0.50
ZXP-07-004	Soil	0.40	3.8	78.9	363.4	567	1.1	23.8	31.5	6304	9.56	535.7	0.6	140.5	1.1	52	4.3	14.9	5.4	41	0.51
ZXP-07-005	Soil	0.30	2.1	45.9	253.8	582	1.0	16.2	16.1	3662	5.57	175.7	0.8	73.3	0.8	33	3.6	12.0	1.3	39	0.49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 5 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5		
ZSC-07-091	Soil	0.085	7	21	0.25	61	0.006	3	1.63	0.004	0.05	0.2	0.13	2.1	0.2	0.06	6	1.3
ZXC-07-023	Soil	0.133	11	13	0.22	315	0.005	12	1.43	0.012	0.04	0.1	0.15	3.0	0.4	0.19	3	1.6
ZXC-07-024	Soil	0.098	9	10	0.21	347	0.006	12	1.07	0.012	0.04	<0.1	0.10	2.7	0.4	0.13	3	0.7
ZXC-07-025	Soil	0.086	9	10	0.25	181	0.004	13	0.85	0.012	0.04	0.2	0.11	3.1	0.1	0.23	2	1.5
ZXC-07-026	Soil	0.172	19	12	0.19	296	0.003	25	1.07	0.020	0.34	0.2	0.26	1.2	0.2	0.18	1	1.2
ZXC-07-027	Soil	0.086	9	12	0.24	78	0.011	2	0.74	0.012	0.07	0.2	0.21	3.9	0.2	2.18	3	2.3
ZXC-07-028	Soil	0.099	10	13	0.20	95	0.008	2	1.32	0.004	0.06	0.1	0.31	2.8	0.2	<0.05	4	1.3
ZXC-07-029	Soil	0.112	16	16	0.19	322	0.007	2	1.83	0.006	0.04	0.1	0.15	4.2	0.4	<0.05	4	1.4
ZXC-07-030	Soil	0.090	10	12	0.26	180	0.012	2	1.20	0.007	0.04	0.1	0.12	4.0	0.1	0.31	3	0.7
ZXC-07-031	Soil	0.068	7	11	0.71	146	0.001	<1	1.98	0.009	0.05	<0.1	0.03	5.5	<0.1	<0.05	6	<0.5
ZXC-07-031A	Soil	0.156	29	13	0.16	294	0.006	1	2.17	0.007	0.05	0.1	0.19	6.0	0.6	0.07	4	1.5
ZXC-07-032	Soil	0.057	7	18	0.51	185	0.004	1	1.77	0.014	0.06	<0.1	0.07	5.1	<0.1	<0.05	5	<0.5
ZXC-07-032A	Soil	0.101	12	9	0.15	238	0.004	1	0.97	0.005	0.03	0.1	0.11	2.2	0.4	0.06	3	0.7
ZXC-07-033	Soil	0.099	10	16	0.29	215	0.009	2	1.42	0.012	0.05	0.2	0.09	3.0	0.2	0.05	4	1.1
ZXC-07-034	Soil	0.125	10	14	0.50	176	0.005	2	1.31	0.013	0.07	<0.1	0.11	4.7	0.2	0.32	4	2.8
ZXC-07-035	Soil	0.069	6	21	0.52	221	0.005	17	1.30	0.018	0.06	<0.1	0.08	5.1	<0.1	0.08	4	0.5
ZXC-07-036	Soil	0.067	6	23	0.54	257	0.008	3	1.16	0.018	0.08	<0.1	0.15	6.5	0.1	0.11	4	0.6
ZXC-07-037	Soil	0.067	5	21	0.61	241	0.007	1	1.31	0.016	0.08	<0.1	0.16	8.0	<0.1	0.15	4	<0.5
ZXC-07-038	Soil	0.063	6	26	0.50	305	0.018	3	1.50	0.012	0.09	<0.1	0.11	5.7	0.1	0.11	5	<0.5
ZXC-07-039	Soil	0.067	5	21	0.48	396	0.003	3	1.74	0.009	0.08	<0.1	0.09	5.4	0.1	<0.05	5	0.6
ZXC-07-040	Soil	0.077	6	24	0.38	252	0.009	3	1.33	0.011	0.08	<0.1	0.08	5.1	0.1	<0.05	4	<0.5
ZXC-07-041	Soil	0.075	6	27	0.52	207	0.011	3	1.67	0.010	0.09	<0.1	0.05	4.6	0.1	<0.05	5	0.5
ZXC-07-042	Soil	0.068	5	24	0.61	224	0.008	3	1.02	0.014	0.08	<0.1	0.30	8.5	0.1	0.23	4	0.7
ZXC-07-043	Soil	0.065	6	24	0.45	230	0.005	2	1.87	0.010	0.07	<0.1	0.07	4.2	0.1	<0.05	5	<0.5
ZXC-07-044	Soil	0.096	10	13	0.25	179	0.007	26	1.40	0.012	0.05	0.1	0.07	2.7	0.2	0.10	3	0.9
ZXP-07-001	Soil	0.125	12	10	0.23	287	0.002	20	0.98	0.011	0.05	0.4	0.24	4.4	0.2	0.25	3	1.5
ZXP-07-002	Soil	0.106	11	9	0.20	286	0.003	2	0.88	0.006	0.05	0.4	0.26	4.6	0.2	0.30	2	0.7
ZXP-07-003	Soil	0.112	13	9	0.18	179	0.003	20	1.16	0.011	0.05	0.3	0.18	4.4	0.2	0.07	3	0.9
ZXP-07-004	Soil	0.153	12	12	0.21	428	0.003	17	0.97	0.012	0.05	0.6	0.98	6.2	0.3	0.30	3	1.8
ZXP-07-005	Soil	0.138	15	12	0.22	197	0.004	3	1.02	0.004	0.06	0.2	0.46	3.8	0.2	0.15	3	1.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
ZXP-07-006	Soil	0.50	1.8	26.3	42.8	234	0.2	12.2	19.7	7947	6.89	30.5	0.6	5.9	0.9	73	1.6	0.7	0.4	49	0.51
ZXP-07-007	Soil	0.50	3.1	19.6	63.8	631	0.4	22.8	47.5	>10000	9.72	119.7	1.2	3.8	1.1	56	4.1	1.1	0.5	49	0.34
ZXP-07-008	Soil	0.30	2.9	54.6	98.5	292	0.9	20.1	18.2	>10000	5.17	75.4	1.0	19.9	1.3	27	2.6	3.0	1.3	47	0.22
ZXP-07-009	Soil	0.50	3.0	50.3	76.2	263	0.4	22.3	23.1	>10000	6.50	81.8	0.7	48.5	1.3	30	3.5	1.5	0.7	43	0.30
ZXP-07-010	Soil	0.50	2.6	56.4	81.7	321	0.7	19.7	17.9	8036	5.85	81.7	1.2	37.1	1.2	43	2.9	2.4	1.5	44	0.54
ZXP-07-011	Soil	0.60	4.7	69.6	86.7	298	0.6	20.1	22.8	6902	5.96	97.8	0.9	16.6	1.3	37	3.2	2.9	2.3	40	0.44
ZXP-07-012	Soil	0.50	6.4	39.0	57.4	301	0.6	20.3	19.7	>10000	9.57	129.8	0.8	18.1	1.0	66	3.9	1.7	0.7	35	0.67
ZXP-07-013	Soil	0.50	3.0	53.9	60.9	262	0.5	16.8	16.0	5058	4.97	87.8	1.0	16.3	0.9	47	3.9	2.7	0.8	36	0.63
ZXP-07-014	Soil	0.30	3.3	52.3	62.7	285	0.4	13.4	16.6	3235	6.43	157.9	0.7	12.0	0.9	44	2.0	4.8	1.2	32	0.57
ZXP-07-015	Soil	0.50	6.4	67.2	54.9	192	0.4	14.5	15.7	4011	4.92	69.6	0.8	20.3	1.0	30	2.5	2.2	0.8	40	0.36
ZXP-07-016	Soil	0.60	7.3	47.4	32.7	110	0.1	9.8	14.2	2610	9.12	80.8	0.5	7.3	1.3	35	1.0	1.1	0.4	44	0.36
ZXP-07-017	Soil	0.50	2.5	42.3	123.8	377	0.6	21.3	17.8	6355	5.03	122.5	1.1	21.3	1.3	41	4.2	3.8	1.2	54	0.43
ZXP-07-019	Soil	0.60	3.3	69.0	114.9	460	0.9	17.7	14.8	4729	5.00	184.4	1.2	28.9	1.1	51	4.6	7.3	2.4	39	0.65
ZXP-07-020	Soil	0.60	8.5	73.5	329.6	671	1.6	17.9	13.5	5526	4.87	265.5	1.1	432.7	1.1	40	5.6	12.1	1.7	48	0.41
ZXP-07-021	Soil	0.30	9.3	63.0	266.5	647	1.8	27.7	36.8	>10000	12.70	317.2	2.1	136.3	1.3	45	8.5	4.8	1.1	41	0.41
ZXP-07-022	Soil	0.60	2.9	61.2	168.1	583	1.1	34.0	15.4	9882	5.10	118.2	1.9	279.4	1.3	58	5.3	3.9	1.8	48	0.59
ZXP-07-023	Soil	0.70	1.5	48.7	93.1	294	0.7	26.7	14.2	1949	4.35	59.5	1.2	23.4	1.8	40	1.6	3.1	0.8	64	0.43
ZXP-07-024	Soil	0.60	2.7	54.4	187.6	646	1.1	29.4	14.3	>10000	5.01	87.0	2.4	28.1	1.3	56	4.0	2.7	1.3	45	0.68
ZXP-07-025	Soil	0.60	1.5	38.4	101.9	351	0.7	22.2	12.4	2793	4.18	54.4	1.5	165.6	1.6	38	1.8	2.6	0.8	66	0.41
ZXP-07-026	Soil	0.70	1.4	31.3	38.5	133	0.2	12.5	9.1	1084	4.09	34.4	0.8	25.8	1.3	22	0.7	2.0	0.4	53	0.28
ZXP-07-027	Soil	0.50	1.1	35.4	35.5	132	0.2	10.5	10.5	1209	3.74	27.5	0.8	6.6	1.2	24	0.7	2.2	0.4	47	0.30
ZSC-07-092	Soil	0.30	9.2	146.9	112.1	166	0.5	13.3	13.0	1026	6.94	107.8	1.4	34.3	1.5	8	0.3	3.5	1.1	60	0.05
ZSC-07-093	Soil	0.20	11.7	191.9	135.2	127	0.4	11.6	11.2	764	6.88	552.6	2.6	26.8	0.9	9	0.4	3.7	1.1	74	0.02
ZSC-07-094	Soil	0.30	41.7	435.7	116.4	191	0.5	13.3	22.7	1319	7.50	76.0	4.3	52.1	1.6	11	0.2	3.6	1.3	63	0.05
ZSC-07-095	Soil	0.20	36.1	262.0	28.2	27	3.1	2.0	2.1	115	3.10	29.5	1.1	23.2	0.6	5	<0.1	1.0	1.0	51	<0.01
ZSC-07-096	Soil	0.20	25.3	91.7	118.5	127	0.3	12.7	14.7	1057	7.84	58.5	1.1	22.9	1.8	6	0.4	3.0	1.1	56	0.02
ZSC-07-097	Soil	0.20	10.8	1004	57.1	49	0.7	4.6	9.9	405	3.36	19.8	3.1	8.2	0.3	32	0.2	0.8	0.8	56	0.12
ZSC-07-098	Soil	0.20	29.0	506.9	69.6	131	0.7	13.5	25.9	927	7.38	40.7	1.7	40.2	0.9	19	0.2	4.0	0.9	72	0.11
ZSC-07-099	Soil	0.30	29.9	599.1	38.7	106	0.2	11.2	14.2	518	3.93	32.5	1.6	11.3	0.5	17	0.4	2.1	0.9	57	0.05
ZSC-07-100	Soil	0.30	5.3	158.8	63.2	178	<0.1	15.5	15.5	2845	5.64	43.2	1.6	15.0	0.6	16	0.2	2.2	1.1	66	0.04



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 6 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method Analyte Unit MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 TI ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	
ZXP-07-006	Soil	0.097	8	7	0.20	558	0.001	<1	1.34	0.009	0.04	<0.1	0.08	5.0	0.1	0.05	4	1.1
ZXP-07-007	Soil	0.146	15	11	0.22	1442	0.004	<1	1.38	0.006	0.04	0.1	0.09	3.6	0.6	0.06	5	1.1
ZXP-07-008	Soil	0.114	10	11	0.18	419	0.004	2	1.12	0.008	0.07	0.1	0.12	3.2	0.4	0.13	6	0.7
ZXP-07-009	Soil	0.103	12	12	0.24	447	0.004	18	1.25	0.011	0.04	<0.1	0.10	3.5	0.3	<0.05	5	0.8
ZXP-07-010	Soil	0.107	12	11	0.23	417	0.005	2	1.07	0.010	0.06	0.1	0.16	4.0	0.2	0.45	4	1.6
ZXP-07-011	Soil	0.113	11	10	0.24	328	0.004	21	1.10	0.015	0.05	0.1	0.15	3.9	0.3	0.37	4	1.9
ZXP-07-012	Soil	0.116	12	8	0.19	1276	0.004	1	1.10	0.008	0.04	<0.1	0.12	3.5	0.3	0.07	5	2.2
ZXP-07-013	Soil	0.108	14	8	0.22	302	0.005	2	0.95	0.009	0.05	<0.1	0.10	4.1	0.2	0.22	4	2.6
ZXP-07-014	Soil	0.143	12	7	0.25	245	0.003	20	1.03	0.015	0.06	0.1	0.11	4.5	0.2	0.27	3	2.4
ZXP-07-015	Soil	0.103	11	9	0.21	230	0.004	2	1.26	0.007	0.05	<0.1	0.12	3.4	0.3	0.09	4	2.4
ZXP-07-016	Soil	0.086	10	10	0.29	223	0.004	2	1.18	0.007	0.05	<0.1	0.06	2.9	0.2	<0.05	3	2.6
ZXP-07-017	Soil	0.117	15	13	0.21	311	0.005	2	1.61	0.011	0.06	0.3	0.14	4.5	0.5	0.09	3	0.8
ZXP-07-019	Soil	0.138	16	10	0.20	328	0.004	3	1.17	0.009	0.07	0.3	0.26	4.4	0.3	0.15	2	1.9
ZXP-07-020	Soil	0.115	12	12	0.19	277	0.006	3	1.06	0.008	0.06	0.3	0.26	4.3	0.4	0.12	2	1.1
ZXP-07-021	Soil	0.186	26	9	0.13	1140	0.004	2	1.06	0.008	0.05	0.2	0.24	4.5	0.6	0.08	3	1.6
ZXP-07-022	Soil	0.114	16	11	0.25	589	0.007	3	0.99	0.015	0.07	0.2	0.18	4.7	0.3	0.38	3	1.1
ZXP-07-023	Soil	0.090	11	13	0.25	215	0.021	3	0.61	0.015	0.07	0.1	0.10	4.8	0.1	0.44	2	0.9
ZXP-07-024	Soil	0.091	12	10	0.17	957	0.008	2	0.57	0.004	0.05	0.1	0.09	3.2	0.3	0.16	3	1.5
ZXP-07-025	Soil	0.091	10	13	0.20	253	0.022	3	0.63	0.009	0.05	0.2	0.08	3.7	0.1	0.23	2	0.5
ZXP-07-026	Soil	0.082	9	14	0.35	133	0.024	1	0.73	0.010	0.05	0.2	0.33	4.6	<0.1	0.05	3	0.7
ZXP-07-027	Soil	0.081	9	12	0.38	149	0.021	1	0.79	0.010	0.04	0.2	0.07	5.1	<0.1	<0.05	3	0.8
ZSC-07-092	Soil	0.155	7	18	0.26	62	0.006	2	2.33	0.006	0.06	0.2	0.22	2.7	0.2	<0.05	5	2.8
ZSC-07-093	Soil	0.075	8	17	0.23	46	0.009	<1	1.89	0.005	0.06	0.2	0.19	2.0	0.2	<0.05	7	3.0
ZSC-07-094	Soil	0.110	13	14	0.24	47	0.010	2	1.49	0.004	0.06	0.1	0.21	3.4	0.2	0.07	5	4.7
ZSC-07-095	Soil	0.151	22	6	0.05	30	0.003	<1	1.54	0.003	0.04	0.2	0.09	0.8	0.3	0.06	6	1.4
ZSC-07-096	Soil	0.110	6	18	0.23	51	0.005	1	2.21	0.004	0.06	0.1	0.15	2.7	0.2	0.05	6	4.1
ZSC-07-097	Soil	0.090	61	12	0.11	164	0.007	1	1.95	0.005	0.06	0.2	0.13	2.5	0.4	0.06	7	2.0
ZSC-07-098	Soil	0.092	15	18	0.29	63	0.007	2	2.02	0.005	0.07	0.1	0.13	2.5	0.3	0.09	7	8.5
ZSC-07-099	Soil	0.070	17	14	0.23	71	0.005	2	1.62	0.005	0.07	0.1	0.06	2.1	0.2	<0.05	5	1.4
ZSC-07-100	Soil	0.115	8	21	0.31	89	0.009	3	2.07	0.005	0.08	0.1	0.08	3.1	0.2	<0.05	7	2.9



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 7 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSC-07-101	Soil	0.20	22.2	151.3	37.9	59	0.1	9.1	4.6	277	6.13	33.5	0.9	31.2	0.5	77	0.4	2.2	0.9	72	0.33
ZSC-07-102	Soil	0.30	64.5	479.9	23.9	74	0.2	7.7	6.0	1219	5.75	88.3	1.1	48.0	0.4	37	0.3	6.5	1.0	57	0.16
ZSC-07-103	Soil	0.30	8.7	675.3	26.4	96	0.2	15.8	7.4	276	5.28	48.3	1.3	24.0	1.1	28	0.2	2.7	0.8	60	0.14
ZSC-07-104	Soil	0.30	78.4	708.0	51.1	103	0.1	11.0	80.7	5366	7.46	52.0	2.1	51.6	0.5	111	0.6	2.3	0.8	92	0.63
ZSC-07-105	Soil	0.30	15.8	425.2	62.8	104	0.2	22.1	22.4	495	5.19	29.9	1.3	32.0	2.4	25	0.2	2.3	0.6	47	0.10
ZSC-07-106	Soil	0.40	37.1	1673	41.5	84	0.3	12.3	8.6	394	5.75	36.7	1.7	74.6	2.7	34	0.4	3.1	1.2	62	0.12
ZSC-07-107	Soil	0.40	57.4	663.3	29.6	50	0.2	6.0	6.1	809	3.43	31.3	1.0	93.1	0.9	9	0.2	3.7	1.3	66	0.03
ZSC-07-108	Soil	0.30	35.0	2682	43.0	64	0.6	7.2	8.2	606	6.21	34.1	2.2	148.4	2.8	15	0.2	5.2	1.1	58	0.05
ZSC-07-109	Soil	0.20	43.3	1130	53.0	85	0.4	8.0	6.6	430	5.54	35.4	1.0	43.5	0.4	13	0.5	3.6	1.1	74	0.08
ZSC-07-110	Soil	0.30	35.0	673.6	44.2	105	0.3	13.5	10.4	585	5.47	32.0	1.2	22.6	1.3	17	0.5	5.1	0.8	64	0.04
ZSC-07-111	Soil	0.10	34.6	428.3	31.4	59	2.1	7.5	18.8	587	5.35	24.2	7.2	47.8	2.3	7	0.3	1.8	0.4	31	0.07
ZSC-07-112	Soil	0.20	7.3	74.8	68.7	122	0.4	13.7	8.2	884	5.97	142.0	1.5	39.8	1.7	9	0.2	2.2	0.7	73	0.04
ZSC-07-113	Soil	0.30	3.6	68.4	56.4	145	0.5	14.9	9.7	786	4.80	64.8	1.2	11.2	0.5	10	0.3	2.8	0.8	68	0.03
ZSC-07-114	Soil	0.30	35.7	242.5	91.4	125	2.8	11.2	11.4	624	7.16	201.9	5.4	40.0	1.7	9	0.4	2.4	1.9	63	0.03
ZSC-07-115	Soil	0.30	152.4	977.0	54.9	113	0.3	6.8	18.7	951	14.43	448.4	6.9	198.0	10.1	6	0.3	10.3	2.7	26	0.05
ZSC-07-116	Soil	0.20	10.0	94.3	72.6	139	0.3	11.6	8.9	619	6.92	59.6	1.4	16.9	0.8	12	0.3	2.4	1.0	78	0.09
ZSC-07-117	Soil	0.30	11.2	114.3	127.6	201	1.4	11.9	8.2	631	6.82	80.6	1.3	24.2	1.6	7	0.3	2.8	2.5	66	0.03
ZSC-07-118	Soil	0.30	9.3	101.8	159.9	277	0.3	15.4	15.3	1345	7.50	99.2	1.2	27.1	1.7	12	0.4	3.9	1.5	80	0.11
ZSC-07-119	Soil	0.30	4.2	361.4	161.8	321	1.0	19.3	28.5	1023	5.79	122.6	2.8	29.2	1.9	15	0.5	4.7	1.9	71	0.08
ZSC-07-120	Soil	0.30	1.9	86.5	51.1	269	0.8	16.0	11.2	733	4.37	35.6	2.1	21.3	1.5	12	0.4	1.6	0.9	64	0.04
ZSC-07-121	Soil	0.30	3.2	65.8	83.0	184	0.7	11.5	9.7	1058	7.82	60.4	0.9	29.8	1.0	8	0.3	3.1	1.0	78	0.05
ZSC-07-122	Soil	0.30	2.0	56.6	120.7	480	1.8	36.1	20.1	1761	4.88	81.5	2.2	17.1	1.5	23	0.5	4.9	1.3	77	0.12
ZSC-07-123	Soil	0.20	2.7	83.8	107.1	249	0.2	17.0	11.4	756	5.99	55.4	1.1	29.5	1.6	10	0.4	3.5	2.0	62	0.06
ZSC-07-124	Soil	0.20	2.3	38.0	69.5	80	0.4	4.6	4.6	365	4.65	27.5	0.8	24.0	0.9	7	0.3	1.3	1.1	91	0.02
ZSC-07-125	Soil	0.30	2.5	70.5	117.3	381	1.1	16.9	22.5	1232	5.80	95.8	2.5	38.9	1.1	22	0.6	3.1	3.0	70	0.16
ZSC-07-126	Soil	0.20	3.7	79.6	81.5	538	2.4	22.5	18.3	4238	6.10	78.9	3.5	42.9	0.9	25	1.6	2.4	1.4	55	0.23
ZSC-07-127	Soil	0.30	6.1	91.8	85.2	159	0.3	11.5	8.9	521	6.56	60.1	1.4	24.6	1.7	11	0.4	2.7	1.3	66	0.07
ZSC-07-128	Soil	0.20	2.2	43.4	43.6	151	0.6	15.8	10.9	822	4.85	45.7	0.9	8.0	1.8	11	0.4	2.9	0.7	74	0.03
ZSC-07-129	Soil	0.30	2.2	38.8	27.9	197	<0.1	15.5	13.2	1237	4.52	45.5	2.4	3.8	1.3	31	0.5	1.7	0.3	64	0.31
ZSC-07-130	Soil	0.30	2.5	93.1	66.9	222	1.0	22.8	12.7	864	4.55	78.4	2.3	16.1	1.5	18	0.5	3.7	0.6	62	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 7 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZSC-07-101	Soil	0.057	7	14	0.15	117	0.007	1	1.49	0.010	0.06	0.2	0.05	1.7	0.3	<0.05	10	2.8
ZSC-07-102	Soil	0.085	9	12	0.12	121	0.005	1	1.18	0.005	0.06	0.2	0.04	1.7	0.2	<0.05	7	5.0
ZSC-07-103	Soil	0.078	8	19	0.34	87	0.005	2	2.33	0.009	0.09	<0.1	0.17	2.9	0.3	<0.05	7	2.9
ZSC-07-104	Soil	0.182	14	15	0.71	216	0.015	2	2.06	0.012	0.16	<0.1	0.08	2.9	0.4	0.09	9	6.8
ZSC-07-105	Soil	0.071	8	16	0.36	99	0.005	1	1.66	0.012	0.11	<0.1	0.11	4.8	0.2	<0.05	5	2.6
ZSC-07-106	Soil	0.080	11	16	0.29	147	0.003	2	2.46	0.005	0.08	0.2	0.13	3.3	0.2	0.06	6	3.3
ZSC-07-107	Soil	0.054	8	11	0.16	73	0.003	1	1.48	0.004	0.08	0.1	0.04	1.9	0.3	<0.05	7	0.9
ZSC-07-108	Soil	0.090	10	15	0.15	114	0.002	2	2.34	0.004	0.07	0.1	0.16	2.9	0.4	<0.05	7	2.4
ZSC-07-109	Soil	0.086	7	14	0.15	115	0.005	1	1.54	0.005	0.06	0.2	0.07	1.6	0.3	<0.05	8	1.7
ZSC-07-110	Soil	0.068	7	17	0.23	110	0.005	2	1.56	0.006	0.08	0.1	0.07	2.6	0.2	<0.05	6	2.1
ZSC-07-111	Soil	0.219	32	12	0.13	42	0.020	2	5.35	0.008	0.05	0.2	0.50	9.3	0.2	0.12	5	4.4
ZSC-07-112	Soil	0.186	6	22	0.27	60	0.008	2	2.81	0.005	0.07	0.2	0.15	2.9	0.3	<0.05	7	0.8
ZSC-07-113	Soil	0.109	6	20	0.31	61	0.008	3	1.80	0.005	0.09	0.1	0.13	2.4	0.2	<0.05	6	1.1
ZSC-07-114	Soil	0.129	15	17	0.24	49	0.011	2	3.23	0.006	0.05	0.2	0.28	3.2	0.2	<0.05	8	2.7
ZSC-07-115	Soil	0.225	44	8	0.06	97	0.002	1	2.04	0.004	0.07	0.2	0.18	2.5	0.3	0.08	3	5.5
ZSC-07-116	Soil	0.163	9	20	0.29	54	0.017	2	2.32	0.005	0.06	0.2	0.19	3.1	0.1	<0.05	8	1.3
ZSC-07-117	Soil	0.132	9	19	0.26	57	0.006	1	1.80	0.004	0.06	0.2	0.15	2.8	0.2	<0.05	7	1.8
ZSC-07-118	Soil	0.155	9	21	0.31	54	0.012	2	2.10	0.004	0.05	0.2	0.18	4.1	0.2	<0.05	5	2.5
ZSC-07-119	Soil	0.097	21	16	0.29	82	0.009	2	2.74	0.007	0.09	0.2	0.15	10.5	0.2	<0.05	5	4.6
ZSC-07-120	Soil	0.084	14	17	0.28	75	0.004	2	2.75	0.006	0.07	0.1	0.17	3.1	0.2	<0.05	7	1.5
ZSC-07-121	Soil	0.152	8	20	0.21	65	0.011	1	1.94	0.004	0.04	0.2	0.19	3.2	0.2	<0.05	6	1.5
ZSC-07-122	Soil	0.145	18	26	0.35	143	0.007	3	2.96	0.008	0.10	0.1	0.23	6.9	0.3	<0.05	6	1.5
ZSC-07-123	Soil	0.110	10	21	0.28	71	0.005	1	2.29	0.004	0.06	0.2	0.23	3.4	0.2	<0.05	5	1.3
ZSC-07-124	Soil	0.104	9	14	0.11	51	0.007	<1	2.33	0.004	0.05	0.2	0.12	2.6	0.3	<0.05	12	1.0
ZSC-07-125	Soil	0.142	17	19	0.26	86	0.010	2	2.01	0.007	0.08	0.2	0.23	5.0	0.2	<0.05	5	2.0
ZSC-07-126	Soil	0.134	21	16	0.27	177	0.009	1	2.02	0.007	0.08	0.1	0.33	5.4	0.3	<0.05	6	2.6
ZSC-07-127	Soil	0.103	11	18	0.22	67	0.008	<1	2.10	0.005	0.06	0.2	0.20	2.9	0.3	<0.05	8	1.8
ZSC-07-128	Soil	0.065	7	25	0.25	94	0.007	2	2.59	0.005	0.06	0.1	0.12	3.4	0.2	<0.05	7	0.8
ZSC-07-129	Soil	0.058	11	14	0.23	334	0.004	19	1.13	0.011	0.07	<0.1	0.06	4.6	0.2	<0.05	3	0.9
ZSC-07-130	Soil	0.085	20	23	0.33	134	0.006	2	2.38	0.007	0.08	<0.1	0.16	4.6	0.3	<0.05	6	1.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 8 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSC-07-131	Soil	0.30	2.5	64.4	173.2	131	0.9	8.0	10.4	1540	4.84	95.5	2.6	12.9	0.4	31	0.8	2.5	1.4	48	0.34
ZSC-07-132	Soil	0.30	1.4	25.3	25.8	83	0.9	5.4	4.4	392	3.01	32.2	0.7	6.8	0.2	16	0.2	1.7	0.9	58	0.14
ZSC-07-133	Soil	0.20	1.9	30.4	159.5	177	0.5	14.4	18.7	1956	5.99	46.5	1.9	8.5	0.8	28	0.6	2.1	0.6	72	0.28
ZSC-07-134	Soil	0.30	5.9	46.0	156.3	289	1.3	13.7	9.5	1200	6.76	281.7	1.5	14.2	2.2	10	0.5	3.0	1.3	52	0.06
ZSC-07-135	Soil	0.30	2.6	22.4	65.8	90	0.8	3.1	8.0	1259	6.90	110.2	2.6	1.3	3.8	11	0.8	1.1	0.4	43	0.03
ZSC-07-136	Soil	0.20	2.3	27.5	89.7	109	0.8	9.1	6.0	635	8.25	154.8	0.6	5.0	2.0	7	0.1	1.9	1.9	68	0.02
ZSC-07-137	Soil	0.30	1.9	67.9	191.8	271	1.7	37.6	19.2	1572	7.84	114.6	0.9	15.2	3.8	7	0.6	3.4	1.3	56	0.02
ZSP-07-001	Soil	0.10	1.4	25.8	24.4	74	0.4	5.5	3.5	427	1.92	19.6	0.3	2.8	0.1	16	0.1	1.4	0.4	46	0.11
ZSP-07-002	Soil	0.20	2.6	7.5	44.1	103	0.2	4.2	9.2	5258	6.76	96.6	0.4	1.2	0.1	13	0.4	1.2	0.8	64	0.05
ZSP-07-003	Soil	0.20	1.0	14.7	24.7	51	0.6	7.4	3.7	262	3.97	22.1	0.4	2.1	0.5	14	0.1	2.1	0.3	80	0.02
ZSP-07-004	Soil	0.30	1.0	30.8	88.6	964	3.0	16.2	12.5	3981	4.30	142.9	1.9	3.8	0.2	35	1.9	3.2	0.4	61	0.23
ZSP-07-005	Soil	0.20	2.6	25.3	23.8	71	0.7	13.5	5.9	286	6.36	35.8	1.2	3.3	0.3	23	0.6	1.7	0.4	104	0.10
ZSP-07-006	Soil	0.20	2.0	16.0	129.1	92	1.5	8.1	8.0	7587	4.75	84.9	0.5	20.5	0.2	55	0.5	1.5	1.0	62	0.32
ZSP-07-007	Soil	0.30	3.6	53.2	22.6	80	0.2	2.6	3.0	111	3.49	32.3	0.5	21.3	0.9	8	<0.1	1.8	1.6	75	0.02
ZSP-07-008	Soil	0.30	1.5	35.8	99.4	118	0.3	11.5	10.6	1809	6.36	97.2	0.7	3.3	0.7	9	0.3	3.2	1.2	79	0.02
ZSP-07-009	Soil	0.30	3.2	23.1	29.4	62	0.5	6.9	4.2	236	4.13	22.7	0.6	3.2	0.5	13	0.2	1.9	0.5	104	0.03
ZSP-07-010	Soil	0.20	4.8	74.6	45.0	135	0.8	14.1	7.8	480	5.57	208.8	0.9	15.8	0.4	15	0.8	2.8	0.9	100	0.03
ZSP-07-011	Soil	0.20	10.2	51.8	30.9	81	0.3	7.3	3.9	206	4.61	23.8	0.7	5.4	1.4	12	0.2	1.2	0.7	95	0.02
ZSP-07-012	Soil	0.30	14.9	83.9	21.2	70	0.2	5.7	5.6	186	4.41	116.2	0.4	31.2	0.6	14	<0.1	5.1	0.7	116	0.03
ZSP-07-013	Soil	0.30	3.3	74.6	151.6	191	0.6	12.0	5.1	410	6.07	48.8	0.8	13.1	1.0	12	0.8	2.8	1.0	83	0.04
ZSP-07-014	Soil	0.20	2.7	67.8	44.4	108	0.8	12.6	6.7	332	5.57	28.7	1.0	15.3	0.9	10	0.7	1.8	0.9	65	0.05
ZSP-07-015	Soil	0.30	3.7	9.3	19.2	19	0.2	2.8	1.1	184	1.70	8.0	0.6	16.5	1.1	28	<0.1	0.9	0.4	34	0.09
ZSP-07-016	Soil	0.30	3.1	46.2	57.5	60	0.9	6.9	3.5	186	5.43	17.7	1.0	10.9	1.1	10	0.1	1.3	1.0	71	0.03
ZSP-07-017	Soil	0.30	2.3	50.6	79.9	81	1.0	8.0	5.6	455	3.27	22.1	1.7	30.0	0.9	12	0.6	1.0	1.7	64	0.07
ZSP-07-018	Soil	0.20	2.9	85.7	59.9	107	0.4	10.8	5.1	259	7.50	24.8	0.8	10.1	1.9	6	0.3	1.7	1.1	81	0.03
ZSP-07-019	Soil	0.20	2.6	58.7	39.7	94	0.2	14.2	6.3	268	5.97	20.4	1.1	13.1	1.9	10	0.4	1.2	0.8	94	0.04
ZSP-07-020	Soil	0.20	2.0	53.2	53.4	86	0.2	11.0	5.5	305	6.30	21.2	0.7	9.7	2.2	7	0.2	1.2	0.9	85	0.02
ZSP-07-021	Soil	0.20	4.1	73.1	61.1	178	0.8	13.6	16.8	3316	5.73	24.1	2.4	12.4	0.9	37	0.7	1.5	0.8	71	0.56
ZSP-07-022	Soil	0.30	1.9	57.6	32.1	84	<0.1	11.1	4.6	283	4.66	19.7	0.4	22.4	1.1	6	<0.1	1.4	0.6	75	0.02
ZSP-07-023	Soil	0.20	2.7	50.9	55.9	99	0.6	15.9	8.7	346	5.56	22.7	1.1	10.1	1.7	46	0.4	1.1	0.8	65	0.37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 8 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
ZSC-07-131	Soil	0.155	32	12	0.05	614	0.004	2	1.29	0.004	0.08	0.2	0.14	1.0	0.3	0.06	7	0.9
ZSC-07-132	Soil	0.110	10	10	0.06	105	0.013	1	0.58	0.003	0.07	0.1	0.05	0.8	0.1	<0.05	5	0.5
ZSC-07-133	Soil	0.116	16	24	0.27	185	0.008	2	2.55	0.006	0.08	0.1	0.14	3.0	0.3	<0.05	9	1.1
ZSC-07-134	Soil	0.104	17	17	0.16	102	0.004	<1	2.27	0.005	0.08	0.1	0.17	2.6	0.4	<0.05	6	1.4
ZSC-07-135	Soil	0.427	36	7	0.09	96	0.004	2	2.18	0.006	0.06	0.1	0.12	1.7	0.3	<0.05	8	1.3
ZSC-07-136	Soil	0.107	11	19	0.14	69	0.004	<1	2.05	0.004	0.07	0.1	0.10	2.4	0.4	<0.05	9	<0.5
ZSC-07-137	Soil	0.075	11	33	0.16	64	0.003	<1	2.20	0.005	0.05	<0.1	0.19	3.9	0.5	<0.05	5	2.8
ZSP-07-001	Soil	0.079	4	11	0.08	52	0.003	13	0.66	0.014	0.09	0.1	0.15	0.9	0.1	<0.05	4	0.6
ZSP-07-002	Soil	0.210	5	11	0.06	301	0.004	6	0.93	0.011	0.05	<0.1	0.08	0.6	0.2	<0.05	7	0.8
ZSP-07-003	Soil	0.103	6	18	0.14	60	0.014	3	1.25	0.004	0.08	0.1	0.07	2.0	0.3	<0.05	9	0.5
ZSP-07-004	Soil	0.186	7	20	0.26	333	0.007	2	1.95	0.009	0.10	0.1	0.13	2.0	0.2	<0.05	6	1.7
ZSP-07-005	Soil	0.098	6	25	0.28	156	0.026	3	2.41	0.006	0.08	0.2	0.12	2.3	0.1	<0.05	12	1.5
ZSP-07-006	Soil	0.086	8	15	0.13	499	0.007	2	1.09	0.008	0.10	<0.1	0.94	1.0	0.3	<0.05	7	0.6
ZSP-07-007	Soil	0.083	28	5	0.03	45	0.003	1	0.67	0.004	0.06	0.1	0.05	1.0	0.3	<0.05	5	0.5
ZSP-07-008	Soil	0.120	5	19	0.16	63	0.005	6	1.44	0.010	0.05	0.1	0.11	2.0	0.3	<0.05	9	1.1
ZSP-07-009	Soil	0.051	6	17	0.14	72	0.022	2	1.41	0.004	0.08	0.1	0.06	2.1	0.2	<0.05	10	<0.5
ZSP-07-010	Soil	0.063	8	21	0.27	99	0.013	2	2.20	0.005	0.09	0.1	0.15	2.7	0.3	<0.05	10	1.1
ZSP-07-011	Soil	0.031	6	18	0.15	61	0.011	2	1.96	0.007	0.07	<0.1	0.06	2.8	0.3	<0.05	9	<0.5
ZSP-07-012	Soil	0.059	6	11	0.04	82	0.012	1	0.68	0.002	0.05	0.2	0.05	3.0	0.3	<0.05	7	1.2
ZSP-07-013	Soil	0.193	5	22	0.17	75	0.009	1	1.77	0.005	0.07	0.1	0.11	2.6	0.2	<0.05	9	1.2
ZSP-07-014	Soil	0.134	5	21	0.21	75	0.008	2	2.27	0.006	0.05	0.1	0.16	2.6	0.2	<0.05	6	1.2
ZSP-07-015	Soil	0.039	7	9	0.09	157	0.002	<1	1.21	0.006	0.08	<0.1	0.06	1.2	0.3	<0.05	7	<0.5
ZSP-07-016	Soil	0.057	7	18	0.17	84	0.004	<1	1.83	0.005	0.07	0.1	0.11	2.2	0.3	<0.05	9	1.5
ZSP-07-017	Soil	0.098	11	18	0.20	96	0.007	2	2.36	0.007	0.08	0.2	0.14	2.0	0.4	<0.05	9	1.5
ZSP-07-018	Soil	0.060	5	22	0.20	48	0.006	2	1.98	0.005	0.05	0.1	0.13	2.8	0.2	<0.05	7	1.2
ZSP-07-019	Soil	0.097	8	22	0.36	85	0.008	3	3.30	0.006	0.06	0.1	0.16	4.0	0.2	<0.05	9	0.8
ZSP-07-020	Soil	0.039	6	24	0.21	48	0.005	1	2.61	0.006	0.05	<0.1	0.09	3.5	0.3	<0.05	10	0.7
ZSP-07-021	Soil	0.244	32	21	0.26	154	0.011	2	2.55	0.009	0.06	0.1	0.21	5.2	0.3	<0.05	7	2.6
ZSP-07-022	Soil	0.047	5	20	0.17	45	0.005	2	1.79	0.005	0.04	<0.1	0.05	3.1	0.3	<0.05	7	0.7
ZSP-07-023	Soil	0.059	7	24	0.23	167	0.005	2	2.55	0.007	0.05	<0.1	0.13	3.4	0.2	<0.05	6	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 9 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSP-07-024	Soil	0.20	2.2	96.9	71.1	133	0.5	18.1	6.7	349	5.90	23.2	0.7	9.1	1.7	8	0.4	1.4	1.0	76	0.02
ZSP-07-025	Soil	0.20	2.8	72.3	60.4	97	0.4	12.0	5.7	274	5.30	29.6	1.0	11.3	1.5	13	0.3	1.5	1.2	79	0.06
ZSP-07-026	Soil	0.20	2.7	56.8	56.3	120	0.4	8.8	4.0	222	5.02	23.5	0.7	21.1	0.7	18	0.3	1.2	1.2	79	0.08
ZSP-07-027	Soil	0.20	2.8	46.3	34.5	72	0.6	5.6	3.2	193	4.40	18.2	0.8	19.4	1.7	9	0.2	1.0	0.9	74	0.03
ZSP-07-028	Soil	0.20	4.4	138.2	60.1	146	0.5	12.1	5.5	339	5.61	30.6	1.9	20.8	1.1	10	0.2	2.4	1.5	75	0.03
ZSP-07-029	Soil	0.20	3.1	42.4	43.5	106	0.2	10.8	4.4	208	4.58	21.4	0.8	9.0	0.9	19	0.4	1.2	1.4	77	0.11
ZSP-07-030	Soil	0.30	1.9	75.6	29.7	127	0.4	28.5	11.8	344	4.92	19.0	0.9	9.5	2.7	9	0.2	1.4	0.4	75	0.03
ZSP-07-031	Soil	0.20	2.4	71.9	38.6	94	1.8	17.2	5.2	313	7.35	23.1	0.9	9.7	0.7	11	0.2	1.6	0.7	80	0.04
ZSP-07-032	Soil	0.20	2.3	74.0	34.1	115	0.5	24.2	7.4	412	7.94	21.7	0.9	9.1	2.0	9	0.2	1.9	0.5	74	0.03
ZSP-07-033	Soil	0.20	2.7	30.8	24.9	66	0.5	11.4	5.8	320	6.95	24.3	1.0	3.2	0.5	26	0.5	1.8	0.3	106	0.07
ZSP-07-034	Soil	0.20	2.8	24.9	29.0	286	0.3	13.4	10.4	6387	6.63	31.1	1.0	7.2	1.2	19	0.9	0.7	0.4	84	0.09
ZSP-07-035	Soil	0.30	1.5	32.2	37.9	61	1.0	7.8	5.1	230	3.79	18.2	1.1	3.6	0.5	13	0.2	0.9	0.7	92	0.04
ZSP-07-036	Soil	0.20	2.3	90.2	124.0	170	0.4	13.3	4.9	228	4.84	34.3	1.2	25.9	2.0	11	0.4	1.5	1.1	65	0.06
ZSP-07-037	Soil	0.50	2.2	46.2	125.9	218	3.1	14.6	6.2	295	5.39	46.1	1.1	19.8	1.6	13	0.2	2.2	1.0	71	0.06
ZSP-07-038	Soil	0.20	0.6	10.5	20.6	52	0.3	6.2	4.6	811	2.17	10.9	0.6	1.2	<0.1	31	0.3	0.8	0.4	58	0.23
ZSP-07-039	Soil	0.20	1.8	36.9	109.2	94	1.3	10.5	5.6	433	8.15	43.6	1.1	12.2	2.0	12	0.4	2.3	0.9	96	0.03
ZSP-07-040	Soil	0.20	1.1	30.4	241.5	237	0.9	17.7	7.2	685	6.75	172.3	0.6	3.4	2.3	6	0.3	2.0	1.3	60	0.02
ZSP-07-041	Soil	0.20	1.7	40.5	35.8	69	0.4	7.1	4.2	361	7.77	30.6	0.9	4.5	1.2	11	0.2	2.0	1.8	107	0.02
ZSP-07-042	Soil	0.20	7.3	145.1	104.6	100	0.5	6.0	4.5	398	11.05	33.2	2.7	7.4	5.5	22	0.3	1.7	3.5	44	0.02
ZSP-07-043	Soil	0.30	1.7	59.9	28.3	74	1.4	5.7	4.9	302	6.26	32.0	0.6	3.5	0.7	10	0.2	1.4	0.4	82	0.02
ZSP-07-044	Soil	0.30	2.5	106.5	92.7	747	2.5	19.0	15.6	2264	4.35	388.8	3.4	17.3	0.9	31	3.8	4.0	1.0	50	0.28
ZSP-07-045	Soil	0.20	2.2	48.5	93.2	274	1.1	11.9	7.3	698	5.40	107.3	1.6	14.7	0.4	14	1.2	2.5	1.6	68	0.14
ZSP-07-046	Soil	0.30	2.3	44.7	120.4	186	0.7	7.8	8.5	1567	7.45	142.2	1.7	24.5	4.1	7	0.7	1.8	2.0	53	0.04
ZSP-07-047	Soil	0.30	2.8	59.2	112.2	151	0.9	12.1	10.6	1215	5.57	134.2	2.0	40.3	3.3	11	0.6	3.2	1.2	51	0.04
ZSP-07-048	Soil	0.20	1.1	15.5	48.7	122	1.0	6.5	3.2	473	2.28	25.3	0.9	6.9	0.6	38	0.5	0.7	0.8	47	0.11
ZSP-07-049	Soil	0.20	1.3	24.2	32.8	94	0.4	12.3	4.6	263	4.67	46.3	0.7	5.1	0.4	14	0.4	1.2	0.4	78	0.11
ZSP-07-050	Soil	0.10	0.9	14.9	25.8	46	2.9	4.8	2.0	235	1.35	25.2	1.2	5.0	0.2	24	0.9	0.8	0.3	27	0.19
ZSP-07-051	Soil	0.20	1.0	34.8	37.3	288	0.8	14.4	6.3	1556	3.34	128.5	2.1	4.3	0.2	35	1.6	1.3	0.5	55	0.26
ZSP-07-052	Soil	0.20	1.8	55.2	106.7	217	2.2	10.8	4.7	272	5.46	77.6	1.8	8.3	0.8	15	0.8	2.1	0.8	79	0.07
ZSP-07-053	Soil	0.20	1.7	36.5	44.1	111	0.3	15.3	11.2	756	6.83	25.6	1.2	3.9	2.2	10	0.2	2.1	0.3	103	0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 9 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZSP-07-024	Soil	0.076	5	27	0.24	62	0.004	3	2.25	0.006	0.07	<0.1	0.08	3.7	0.4	<0.05	7	1.3
ZSP-07-025	Soil	0.091	7	22	0.22	76	0.006	3	1.92	0.006	0.08	<0.1	0.08	2.7	0.3	<0.05	9	1.3
ZSP-07-026	Soil	0.110	6	16	0.13	128	0.006	1	1.14	0.005	0.10	<0.1	0.04	1.8	0.2	<0.05	9	0.8
ZSP-07-027	Soil	0.113	7	12	0.09	49	0.006	<1	2.07	0.007	0.04	0.2	0.11	2.3	0.2	<0.05	8	1.0
ZSP-07-028	Soil	0.081	9	21	0.19	76	0.007	1	1.95	0.005	0.07	0.1	0.13	2.8	0.3	<0.05	7	1.2
ZSP-07-029	Soil	0.076	6	22	0.22	332	0.004	<1	1.88	0.007	0.07	<0.1	0.04	2.3	0.3	<0.05	8	0.7
ZSP-07-030	Soil	0.047	4	42	0.32	64	0.004	2	2.97	0.007	0.06	<0.1	0.18	4.5	0.2	<0.05	7	1.4
ZSP-07-031	Soil	0.105	6	34	0.25	61	0.006	2	1.97	0.007	0.06	0.1	0.11	2.2	0.3	<0.05	9	1.1
ZSP-07-032	Soil	0.060	4	42	0.33	55	0.006	3	2.55	0.006	0.05	0.1	0.17	4.4	0.2	<0.05	8	1.9
ZSP-07-033	Soil	0.055	6	25	0.29	104	0.024	2	2.39	0.007	0.06	0.1	0.10	3.0	0.1	<0.05	9	<0.5
ZSP-07-034	Soil	0.149	11	12	0.36	245	0.007	2	2.32	0.008	0.05	<0.1	0.12	3.9	0.1	<0.05	9	1.2
ZSP-07-035	Soil	0.071	8	19	0.25	80	0.009	<1	2.12	0.007	0.06	0.1	0.11	2.1	0.2	<0.05	11	0.8
ZSP-07-036	Soil	0.074	8	22	0.30	56	0.007	2	2.46	0.006	0.07	0.1	0.22	2.8	0.3	<0.05	7	1.3
ZSP-07-037	Soil	0.066	12	22	0.28	67	0.010	2	2.41	0.006	0.05	0.2	0.37	3.2	0.3	<0.05	5	1.3
ZSP-07-038	Soil	0.043	6	13	0.17	195	0.017	2	1.35	0.007	0.07	<0.1	0.03	1.1	0.2	<0.05	7	<0.5
ZSP-07-039	Soil	0.080	7	26	0.28	51	0.025	3	2.40	0.005	0.07	0.2	0.19	3.2	0.3	<0.05	13	0.9
ZSP-07-040	Soil	0.048	8	25	0.13	77	0.002	3	1.82	0.009	0.04	<0.1	0.12	2.6	0.4	<0.05	6	1.0
ZSP-07-041	Soil	0.160	7	17	0.15	56	0.019	2	1.70	0.005	0.06	0.2	0.15	2.4	0.2	<0.05	13	1.0
ZSP-07-042	Soil	0.178	8	9	0.10	157	0.006	2	2.34	0.012	0.08	0.2	0.20	2.0	0.4	0.07	6	4.7
ZSP-07-043	Soil	0.152	6	13	0.08	63	0.005	<1	1.10	0.007	0.06	<0.1	0.08	3.6	0.2	<0.05	6	<0.5
ZSP-07-044	Soil	0.105	27	17	0.27	171	0.004	1	2.02	0.011	0.08	0.1	0.43	5.3	0.3	<0.05	5	2.4
ZSP-07-045	Soil	0.082	13	14	0.19	152	0.011	2	1.48	0.008	0.07	0.2	0.09	1.6	0.3	<0.05	9	0.9
ZSP-07-046	Soil	0.150	11	10	0.17	69	0.003	<1	2.10	0.004	0.05	<0.1	0.16	1.8	0.3	<0.05	8	1.6
ZSP-07-047	Soil	0.125	13	17	0.23	66	0.006	3	3.04	0.006	0.07	<0.1	0.25	2.5	0.3	<0.05	6	0.8
ZSP-07-048	Soil	0.062	13	14	0.16	214	0.005	2	1.97	0.007	0.07	<0.1	0.07	1.3	0.4	<0.05	7	<0.5
ZSP-07-049	Soil	0.081	6	20	0.26	122	0.007	9	1.51	0.012	0.07	0.1	0.09	1.9	<0.1	<0.05	8	<0.5
ZSP-07-050	Soil	0.072	15	7	0.11	236	0.003	8	0.90	0.013	0.06	0.1	0.21	0.4	0.2	<0.05	6	0.7
ZSP-07-051	Soil	0.164	12	19	0.29	190	0.009	3	1.70	0.010	0.10	<0.1	0.10	1.4	0.2	<0.05	7	0.6
ZSP-07-052	Soil	0.067	16	19	0.19	111	0.012	3	2.13	0.006	0.08	0.2	0.24	3.2	0.4	<0.05	10	0.7
ZSP-07-053	Soil	0.077	5	30	0.32	69	0.014	3	3.08	0.004	0.04	0.1	0.16	4.0	0.2	<0.05	9	0.9



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 10 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSP-07-054	Soil	0.20	1.4	26.7	26.4	77	0.2	10.3	5.2	382	4.86	25.7	0.7	3.1	0.7	11	0.4	1.8	0.3	81	0.04
ZSP-07-055	Soil	0.30	2.4	17.3	21.3	52	0.4	6.1	3.5	255	4.66	35.4	0.7	2.7	0.4	9	0.3	1.8	0.5	104	0.02
ZSP-07-056	Soil	0.30	2.2	26.3	73.6	68	0.6	6.9	4.7	515	5.85	41.4	0.9	17.0	0.6	7	0.6	2.1	1.4	98	0.02
ZSP-07-057	Soil	0.30	1.8	29.5	65.8	83	0.6	7.6	4.5	277	4.08	29.7	0.8	14.1	1.1	8	0.1	2.2	0.8	81	0.02
ZSP-07-058	Soil	0.30	1.6	16.6	41.6	182	0.2	10.3	9.0	1937	3.50	23.8	0.7	4.1	0.2	17	0.8	1.4	0.7	66	0.10
ZSP-07-059	Soil	0.30	1.2	30.3	42.9	132	0.5	8.6	4.5	351	2.57	17.5	1.0	24.3	0.1	18	0.6	1.6	1.3	51	0.10
ZSP-07-060	Soil	0.30	3.0	72.4	103.2	106	0.5	7.6	4.4	264	7.47	40.4	0.8	53.1	1.2	6	0.6	1.2	1.9	69	0.04
ZSP-07-061	Soil	0.30	1.9	26.6	35.7	58	1.4	8.9	4.3	192	3.66	17.3	1.0	4.0	0.3	8	0.2	1.1	0.6	64	0.03
ZSP-07-062	Soil	0.40	3.2	62.8	112.0	104	0.4	10.0	17.6	4637	5.95	30.3	1.3	13.6	1.6	15	0.7	1.0	2.1	70	0.12
ZSP-07-063	Soil	0.40	1.8	35.4	52.9	122	1.3	12.3	7.0	400	3.29	16.4	1.4	7.1	0.2	17	0.1	1.1	0.9	68	0.07
ZSP-07-064	Soil	0.30	2.5	93.8	64.9	139	1.2	8.2	5.7	555	3.61	25.1	1.8	33.5	0.1	18	0.3	1.9	2.4	60	0.14
ZSP-07-065	Soil	0.30	2.8	23.3	12.6	45	0.1	8.5	10.6	2165	5.56	18.2	0.3	8.0	0.8	20	0.3	0.7	0.3	63	0.12
ZSP-07-066	Soil	0.30	2.4	49.7	23.1	74	0.2	13.5	5.4	262	3.79	22.5	0.5	9.2	0.5	5	0.2	1.2	1.4	100	0.02
ZSP-07-067	Soil	0.20	1.7	32.3	23.4	72	0.4	9.6	4.0	161	3.63	15.7	0.8	6.3	0.6	12	0.2	0.8	0.7	69	0.07
ZSP-07-068	Soil	0.30	2.9	88.2	36.8	123	0.3	7.7	4.4	214	3.66	21.8	1.1	26.9	0.2	6	0.3	1.8	0.9	76	0.03
ZSP-07-069	Soil	0.30	3.0	43.2	45.9	44	1.4	3.5	2.3	152	3.65	23.5	0.7	11.5	0.6	5	0.3	1.0	1.6	61	0.02
ZSP-07-070	Soil	0.20	2.2	24.7	46.4	38	1.2	5.5	3.8	284	3.31	16.7	0.7	55.7	0.5	5	0.2	0.7	0.9	54	0.02
ZSP-07-071	Soil	0.30	2.4	65.4	43.6	76	2.0	9.7	4.7	243	4.75	22.4	1.7	27.1	0.4	16	0.3	1.2	1.7	58	0.09
ZSP-07-072	Soil	0.30	2.3	77.9	63.5	124	0.7	15.5	12.0	2212	3.45	27.4	1.4	11.7	0.8	25	0.5	1.0	1.1	46	0.18
ZSP-07-073	Soil	0.30	2.9	61.0	79.5	66	0.7	6.7	3.5	347	6.93	29.4	0.7	17.9	1.5	4	0.2	1.6	1.6	59	0.02
ZSP-07-074	Soil	0.30	2.5	34.4	15.6	58	0.7	8.0	3.3	121	3.19	17.7	0.4	6.9	1.0	4	<0.1	1.1	0.9	75	0.02
ZSP-07-075	Soil	0.20	4.3	65.5	46.6	79	0.7	6.3	4.1	306	6.25	28.7	0.8	17.1	0.4	9	0.8	2.1	1.5	90	0.05
ZSP-07-076	Soil	0.20	1.9	78.8	48.2	143	0.2	10.2	9.0	546	3.78	27.7	0.9	11.9	0.8	32	0.2	2.4	1.0	59	0.31
ZSP-07-077	Soil	0.30	2.6	29.6	23.6	62	0.2	5.4	4.2	213	3.12	21.6	0.5	11.9	0.6	17	0.1	1.1	1.0	74	0.14
ZSP-07-078	Soil	0.30	2.0	79.2	49.5	86	0.4	11.5	5.8	287	3.23	20.6	1.1	25.5	0.4	21	0.2	1.6	1.0	58	0.14
ZSP-07-079	Soil	0.20	2.9	54.3	44.1	91	0.2	5.1	5.1	419	3.43	26.8	0.9	36.6	0.2	32	0.3	2.6	1.3	64	0.30
ZSP-07-080	Soil	0.30	2.9	60.0	42.8	101	0.2	8.1	4.6	320	3.62	24.4	0.7	30.0	0.3	36	0.2	1.7	1.2	64	0.41
ZSP-07-081	Soil	0.30	4.0	219.0	111.9	171	0.4	16.1	7.2	279	6.84	34.2	1.4	42.9	3.8	7	0.4	2.5	1.9	65	0.02
ZSP-07-082	Soil	0.30	3.1	151.5	86.4	165	0.6	15.9	15.5	1087	5.50	31.0	1.0	20.7	1.2	37	0.3	2.1	1.6	65	0.36
ZSP-07-083	Soil	0.20	2.9	140.8	60.7	145	0.9	15.6	10.2	749	4.25	23.1	1.7	27.9	2.2	13	0.2	1.3	1.6	59	0.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 10 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZSP-07-054	Soil	0.185	4	19	0.21	55	0.011	2	1.85	0.005	0.04	0.2	0.26	2.0	0.2	<0.05	7	0.6
ZSP-07-055	Soil	0.076	6	17	0.11	49	0.015	2	1.50	0.003	0.03	0.2	0.08	1.5	0.2	<0.05	11	<0.5
ZSP-07-056	Soil	0.068	6	17	0.11	45	0.011	1	1.85	0.003	0.03	0.2	0.12	1.4	0.2	<0.05	10	0.7
ZSP-07-057	Soil	0.070	6	18	0.11	38	0.010	1	1.49	0.003	0.04	0.2	0.15	1.8	0.3	<0.05	7	0.9
ZSP-07-058	Soil	0.050	5	16	0.16	260	0.009	<1	1.36	0.006	0.06	0.1	0.05	1.4	0.2	<0.05	7	<0.5
ZSP-07-059	Soil	0.069	7	13	0.13	194	0.008	2	1.17	0.005	0.06	0.2	0.07	0.7	0.1	<0.05	5	0.6
ZSP-07-060	Soil	0.082	5	18	0.13	59	0.008	8	1.58	0.007	0.03	0.2	0.12	1.7	0.2	<0.05	6	0.9
ZSP-07-061	Soil	0.041	6	17	0.21	49	0.012	1	1.60	0.004	0.04	0.1	0.11	1.3	0.1	<0.05	7	0.7
ZSP-07-062	Soil	0.088	8	14	0.15	198	0.003	<1	1.40	0.004	0.06	0.1	0.06	2.2	0.3	<0.05	7	0.6
ZSP-07-063	Soil	0.113	6	19	0.29	85	0.009	2	1.63	0.005	0.07	0.1	0.13	1.2	0.2	<0.05	6	0.7
ZSP-07-064	Soil	0.114	10	15	0.17	122	0.012	2	1.41	0.005	0.07	0.2	0.09	0.8	0.3	<0.05	6	1.2
ZSP-07-065	Soil	0.028	5	12	0.08	414	0.002	<1	0.92	0.005	0.04	<0.1	0.03	2.0	0.2	<0.05	6	0.5
ZSP-07-066	Soil	0.072	4	18	0.10	50	0.006	<1	1.34	0.004	0.05	<0.1	0.04	2.2	0.2	<0.05	9	<0.5
ZSP-07-067	Soil	0.067	7	16	0.17	127	0.006	2	1.68	0.005	0.05	0.1	0.09	1.9	0.2	<0.05	7	<0.5
ZSP-07-068	Soil	0.059	9	12	0.04	54	0.010	1	0.86	0.003	0.03	0.1	0.06	1.4	0.1	<0.05	6	0.6
ZSP-07-069	Soil	0.042	4	9	0.06	41	0.008	10	1.05	0.006	0.03	0.1	0.07	0.9	0.2	<0.05	6	0.9
ZSP-07-070	Soil	0.082	6	13	0.10	107	0.003	1	1.19	0.004	0.04	<0.1	0.19	1.2	0.2	<0.05	6	0.5
ZSP-07-071	Soil	0.145	9	21	0.13	126	0.012	1	1.56	0.005	0.05	0.1	0.27	2.1	0.1	<0.05	7	1.4
ZSP-07-072	Soil	0.135	10	15	0.21	174	0.004	2	1.36	0.007	0.08	<0.1	0.11	2.7	0.2	0.05	4	1.1
ZSP-07-073	Soil	0.169	5	19	0.09	29	0.005	1	1.26	0.003	0.04	0.1	0.10	1.6	0.2	<0.05	6	1.0
ZSP-07-074	Soil	0.059	5	11	0.05	24	0.004	<1	0.97	0.002	0.04	0.1	0.05	1.7	0.2	<0.05	7	0.6
ZSP-07-075	Soil	0.070	6	14	0.10	49	0.010	<1	1.65	0.004	0.04	0.2	0.10	1.4	0.2	<0.05	8	1.2
ZSP-07-076	Soil	0.080	8	14	0.25	307	0.011	1	1.07	0.006	0.07	0.2	0.05	2.0	0.2	<0.05	4	<0.5
ZSP-07-077	Soil	0.063	5	10	0.08	91	0.005	2	1.01	0.005	0.05	0.1	0.05	1.9	0.2	<0.05	6	<0.5
ZSP-07-078	Soil	0.063	7	15	0.17	123	0.006	1	1.36	0.005	0.08	0.1	0.07	1.4	0.2	<0.05	6	0.8
ZSP-07-079	Soil	0.063	8	10	0.09	227	0.007	<1	0.84	0.005	0.06	0.2	0.04	0.9	0.1	<0.05	6	<0.5
ZSP-07-080	Soil	0.058	6	13	0.13	313	0.006	<1	0.97	0.005	0.07	0.2	0.03	1.2	0.2	<0.05	5	<0.5
ZSP-07-081	Soil	0.066	10	25	0.23	82	0.003	2	2.24	0.004	0.06	<0.1	0.12	4.0	0.4	<0.05	6	2.0
ZSP-07-082	Soil	0.108	7	19	0.28	205	0.006	<1	1.51	0.005	0.06	0.1	0.09	2.9	0.2	<0.05	5	1.0
ZSP-07-083	Soil	0.102	10	22	0.24	202	0.003	1	1.99	0.006	0.08	<0.1	0.14	3.8	0.2	<0.05	6	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 11 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSP-07-084	Soil	0.20	5.1	139.7	150.8	125	0.6	7.8	9.7	1025	6.81	57.9	1.2	34.5	0.4	17	0.5	24.1	2.2	83	0.11
ZSP-07-085	Soil	0.20	3.5	84.7	77.2	90	5.7	3.7	3.0	228	4.74	35.6	2.3	26.9	0.2	20	0.3	2.8	1.9	61	0.16
ZSP-07-086	Soil	0.20	3.4	115.2	106.5	186	0.6	6.2	4.3	375	5.48	49.7	0.9	24.0	1.3	17	0.3	5.1	2.9	73	0.12
ZSP-07-087	Soil	0.30	1.2	12.3	11.4	18	0.2	0.8	1.1	146	1.17	7.8	0.4	17.9	0.6	18	<0.1	1.2	0.3	40	0.20
ZSP-07-088	Soil	0.40	3.0	55.9	45.1	110	0.8	7.6	6.7	726	5.16	26.3	0.8	25.3	2.2	8	0.5	1.7	0.9	61	0.02
ZSP-07-089	Soil	0.30	3.1	81.2	44.6	69	0.2	9.8	4.1	156	3.80	33.2	0.9	32.0	0.5	13	0.2	2.3	3.0	71	0.07
ZSP-07-090	Soil	0.20	1.2	8.6	3.5	26	<0.1	14.4	3.9	105	1.30	14.3	<0.1	0.6	0.4	9	<0.1	0.2	<0.1	31	0.03
ZSP-07-091	Soil	0.30	0.4	5.5	2.2	24	0.1	8.5	2.0	15	0.72	2.1	<0.1	33.8	0.6	3	<0.1	<0.1	<0.1	26	<0.01
ZSP-07-092	Soil	0.20	4.4	147.1	74.6	108	2.6	9.3	6.9	348	6.88	44.0	1.8	35.6	0.4	31	1.0	1.7	2.6	76	0.17
ZSP-07-093	Soil	0.20	1.6	15.8	10.4	92	0.5	19.9	6.3	1586	13.46	19.7	0.5	0.9	1.3	6	0.4	0.3	0.2	67	0.02
ZSP-07-094	Soil	0.20	3.7	72.7	21.1	72	0.3	3.9	2.7	159	3.50	19.8	0.6	21.5	0.5	12	0.1	1.6	1.6	85	0.06
ZSP-07-095	Soil	0.20	4.0	131.8	67.9	105	1.7	4.6	4.3	297	7.81	31.9	1.0	34.4	1.4	13	0.3	2.6	3.0	83	0.03
ZSP-07-096	Soil	0.20	5.7	196.1	147.9	187	1.0	10.8	6.5	288	5.56	36.4	1.7	25.4	3.5	11	0.4	2.9	2.6	74	0.06
ZSP-07-097	Soil	0.30	11.7	117.3	94.0	126	0.7	3.5	4.9	305	8.65	68.9	2.3	18.4	1.3	28	0.2	2.7	5.6	150	0.09
ZSP-07-098	Soil	0.20	3.2	29.9	21.3	48	1.6	2.5	2.0	96	2.46	15.2	0.5	15.5	1.1	4	<0.1	1.2	0.8	74	<0.01
ZSP-07-099	Soil	0.20	2.9	78.5	72.3	117	0.9	8.6	5.1	242	5.38	28.9	1.9	17.9	0.3	23	0.4	1.7	1.9	95	0.13
ZSP-07-100	Soil	0.20	5.0	160.3	136.6	199	3.4	7.3	5.8	265	8.03	72.9	1.8	39.8	5.2	9	0.2	4.9	4.3	75	0.03
ZSP-07-101	Soil	0.20	3.2	133.1	77.0	154	2.7	7.2	5.2	304	9.75	55.8	1.1	11.0	3.6	7	0.2	4.1	3.0	105	0.01
ZSP-07-102	Soil	0.30	1.4	24.5	11.2	42	0.2	4.7	3.0	157	2.59	11.4	0.4	1.9	0.8	12	0.1	1.5	0.2	113	0.01
ZSP-07-103	Soil	0.60	3.6	339.9	276.0	514	1.4	18.2	15.1	1395	4.89	58.3	2.8	43.9	4.4	46	2.7	5.2	2.5	67	0.43
ZSP-07-104	Soil	0.20	3.6	231.6	372.0	355	0.8	13.5	17.2	812	5.22	52.3	2.4	45.0	4.5	15	0.6	4.4	3.1	57	0.12
ZSP-07-105	Soil	0.30	5.9	91.4	274.7	117	2.2	5.4	13.7	1806	7.30	55.3	4.0	17.6	0.8	16	0.7	3.4	4.1	81	0.11
ZSP-07-106	Soil	0.30	2.8	58.4	54.3	140	0.4	5.7	5.5	255	4.40	39.4	0.9	21.0	1.3	12	0.3	2.7	2.4	119	0.03
ZSP-07-107	Soil	0.20	3.3	95.1	48.3	28	4.3	2.1	0.8	119	27.12	37.6	2.5	12.0	12.3	2	0.2	1.2	0.5	21	<0.01
ZSP-07-108	Soil	0.20	6.0	285.0	163.0	247	2.4	12.0	19.0	1234	5.30	35.5	3.0	63.1	3.8	19	0.5	2.6	2.6	63	0.08
ZSP-07-109	Soil	0.20	3.2	262.7	136.9	486	0.7	14.6	11.9	1872	5.64	45.2	3.6	24.0	0.8	23	0.9	3.2	1.9	89	0.12
ZSP-07-110	Soil	0.20	2.1	232.1	92.9	165	1.2	10.0	7.3	696	5.25	22.5	10.9	8.7	0.4	31	0.3	2.2	1.0	112	0.09
ZSP-07-111	Soil	0.20	1.8	886.1	126.9	703	3.8	15.9	93.3	>10000	1.78	71.1	51.6	13.2	1.7	182	5.5	0.9	0.8	17	0.89
ZSP-07-112	Soil	0.10	3.2	4020	90.8	864	0.9	32.5	67.9	>10000	3.99	118.0	61.9	14.1	2.1	10	21.5	1.8	0.7	9	0.05
ZSP-07-113	Soil	0.30	2.4	24.9	17.7	60	0.1	2.2	3.0	184	2.40	31.5	0.8	21.9	2.1	7	<0.1	1.2	2.2	66	0.03



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 11 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method Analyte Unit MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 TI ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	
ZSP-07-084	Soil	0.308	7	14	0.11	106	0.011	2	1.04	0.004	0.06	0.2	0.09	1.2	0.2	<0.05	8	1.6
ZSP-07-085	Soil	0.096	10	10	0.07	93	0.009	<1	1.29	0.005	0.05	0.2	0.46	0.7	0.3	<0.05	6	1.5
ZSP-07-086	Soil	0.077	7	12	0.08	69	0.010	<1	0.82	0.003	0.05	0.2	0.06	1.8	0.2	<0.05	7	1.2
ZSP-07-087	Soil	0.008	5	3	0.04	145	0.020	1	0.50	0.002	0.03	<0.1	0.02	0.5	0.2	<0.05	5	<0.5
ZSP-07-088	Soil	0.086	6	15	0.12	67	0.003	<1	1.83	0.004	0.04	<0.1	0.10	2.6	0.2	<0.05	5	0.8
ZSP-07-089	Soil	0.055	7	13	0.10	96	0.009	2	1.20	0.007	0.06	0.2	0.04	1.6	0.2	<0.05	7	0.8
ZSP-07-090	Soil	0.037	2	8	0.03	33	<0.001	8	0.89	0.006	0.06	<0.1	0.01	1.4	0.1	<0.05	5	<0.5
ZSP-07-091	Soil	0.019	3	10	0.02	21	<0.001	5	0.76	0.005	0.05	<0.1	<0.01	1.3	<0.1	<0.05	4	<0.5
ZSP-07-092	Soil	0.161	10	18	0.22	186	0.013	3	1.89	0.010	0.05	0.2	0.16	1.5	0.2	0.06	9	2.3
ZSP-07-093	Soil	0.151	4	22	0.08	63	0.002	2	1.94	0.005	0.03	0.1	0.10	4.0	0.1	<0.05	7	<0.5
ZSP-07-094	Soil	0.043	6	9	0.07	59	0.011	3	0.89	0.006	0.05	0.2	0.06	1.4	0.4	0.07	8	<0.5
ZSP-07-095	Soil	0.094	6	13	0.15	78	0.017	4	1.45	0.005	0.04	0.2	0.09	1.7	0.3	<0.05	7	1.3
ZSP-07-096	Soil	0.118	9	19	0.28	80	0.010	3	1.96	0.006	0.07	0.2	0.15	3.7	0.4	<0.05	6	2.0
ZSP-07-097	Soil	0.182	24	9	0.07	88	0.018	2	1.00	0.008	0.06	0.2	0.10	1.1	0.2	0.05	12	3.1
ZSP-07-098	Soil	0.030	7	7	0.03	37	0.013	3	0.71	0.003	0.04	0.1	0.07	1.1	0.3	<0.05	6	<0.5
ZSP-07-099	Soil	0.081	9	16	0.22	105	0.017	3	1.63	0.006	0.06	0.2	0.16	1.5	0.3	<0.05	11	1.4
ZSP-07-100	Soil	0.127	12	20	0.23	83	0.009	2	1.87	0.004	0.07	0.2	0.18	3.2	0.5	<0.05	8	2.0
ZSP-07-101	Soil	0.094	6	29	0.16	60	0.012	2	2.91	0.005	0.04	0.2	0.17	3.7	0.4	<0.05	12	1.0
ZSP-07-102	Soil	0.012	5	13	0.04	44	0.031	3	0.53	0.002	0.04	0.1	0.03	1.3	<0.1	<0.05	7	<0.5
ZSP-07-103	Soil	0.099	18	18	0.40	296	0.020	3	1.44	0.015	0.12	0.2	0.18	7.1	0.3	0.20	5	2.1
ZSP-07-104	Soil	0.132	14	18	0.30	77	0.009	3	2.20	0.007	0.08	0.2	0.21	3.8	0.3	<0.05	4	3.2
ZSP-07-105	Soil	0.170	22	12	0.14	107	0.012	2	1.52	0.004	0.05	0.2	0.21	1.8	0.3	<0.05	6	5.0
ZSP-07-106	Soil	0.042	12	11	0.09	92	0.034	3	0.88	0.004	0.05	0.2	0.04	2.2	0.3	<0.05	9	0.6
ZSP-07-107	Soil	0.517	2	5	0.02	40	0.018	2	0.69	0.003	0.02	0.1	0.15	0.8	<0.1	0.19	2	4.8
ZSP-07-108	Soil	0.083	13	20	0.27	147	0.005	2	2.31	0.007	0.06	0.1	0.21	4.2	0.4	<0.05	5	1.6
ZSP-07-109	Soil	0.133	33	24	0.40	85	0.014	2	2.17	0.007	0.09	0.2	0.11	2.7	0.3	0.08	8	3.5
ZSP-07-110	Soil	0.070	38	19	0.19	40	0.032	2	1.35	0.009	0.06	0.2	0.13	2.1	0.2	0.07	8	1.5
ZSP-07-111	Soil	0.224	94	7	0.08	56	0.009	4	9.16	0.008	0.03	<0.1	0.13	3.7	0.2	0.24	5	5.3
ZSP-07-112	Soil	0.320	157	7	0.04	167	0.008	2	>10	0.003	0.01	0.2	0.25	9.4	0.7	0.18	7	7.3
ZSP-07-113	Soil	0.053	13	4	0.03	33	0.003	3	1.00	0.003	0.03	0.1	0.03	1.1	0.5	<0.05	9	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 12 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSP-07-114	Soil	0.20	2.0	75.3	139.9	321	1.9	8.5	8.4	678	4.61	34.1	4.4	11.5	0.8	71	0.4	1.9	1.6	77	0.40
ZSP-07-115	Soil	0.30	1.7	33.7	25.2	73	0.1	7.6	6.7	358	4.39	19.9	1.0	3.4	1.0	12	0.2	3.1	1.2	78	0.04
ZSP-07-116	Soil	0.20	1.3	38.8	24.1	86	0.3	14.2	8.0	415	4.79	21.2	1.3	3.3	0.2	36	0.1	2.0	0.3	129	0.07
ZSP-07-117	Soil	0.30	2.6	46.9	30.8	81	0.8	11.3	7.2	513	6.69	32.1	1.8	3.8	0.6	26	0.4	2.2	0.4	116	0.11
ZSP-07-118	Soil	0.30	1.2	23.9	14.7	112	<0.1	20.3	9.1	467	5.31	17.8	0.8	1.6	0.6	33	0.3	1.5	0.2	77	0.15
ZSP-07-119	Soil	0.20	1.0	19.7	20.1	89	<0.1	9.8	7.2	397	4.64	9.6	1.6	2.7	1.6	15	0.1	0.8	0.2	108	0.05
ZSP-07-120	Soil	0.20	0.7	31.5	12.4	101	0.3	16.8	10.3	546	3.63	10.4	3.3	2.6	0.4	63	0.3	0.8	0.2	73	0.30
ZSP-07-121	Soil	0.20	1.0	40.0	25.4	95	0.6	8.5	9.8	741	3.82	8.2	5.5	3.9	0.3	79	0.6	0.5	0.3	71	0.41
ZSP-07-122	Soil	0.30	0.6	23.8	22.1	90	0.1	7.0	10.7	1182	5.48	9.9	1.4	2.8	1.1	24	0.4	0.5	0.1	86	0.16
ZSP-07-123	Soil	0.20	1.4	40.7	54.8	107	0.2	15.5	10.8	821	6.84	46.5	1.1	8.5	0.4	39	0.2	4.4	0.7	90	0.10
ZSP-07-124	Soil	0.30	1.6	31.0	22.1	74	0.1	12.7	5.4	337	4.72	30.0	0.6	2.5	0.2	15	0.2	2.7	0.5	125	0.03
ZSP-07-125	Soil	0.30	0.4	29.2	8.0	67	0.1	5.7	6.7	307	3.45	5.6	2.3	1.7	4.4	12	0.2	0.2	<0.1	82	0.09
ZSP-07-126	Soil	0.40	0.6	33.6	11.4	75	<0.1	6.8	7.5	455	3.89	13.3	1.6	1.4	2.7	14	0.2	0.6	0.1	79	0.11
ZSP-07-127	Soil	0.40	0.6	35.2	8.4	141	0.2	7.7	9.5	744	3.84	10.2	1.9	1.8	3.0	35	0.2	0.3	<0.1	92	0.27
ZXP-07-028	Soil	0.50	1.0	13.2	10.2	64	<0.1	19.8	17.3	754	4.58	18.1	0.3	1.5	0.9	20	0.1	0.8	<0.1	54	0.15
ZXP-07-029	Soil	0.60	1.7	29.8	16.1	99	<0.1	28.3	22.3	2119	4.70	17.4	0.4	2.0	0.9	39	0.4	1.2	0.2	49	0.36
ZXP-07-030	Soil	0.40	1.5	27.8	15.1	94	<0.1	31.7	25.9	3635	4.95	22.8	0.4	2.1	1.0	30	0.5	1.4	0.2	53	0.29
ZXP-07-031	Soil	0.40	2.0	17.9	13.7	105	<0.1	21.9	34.7	5969	6.11	34.8	0.4	1.5	0.6	33	0.6	0.7	0.1	51	0.36
ZXP-07-032	Soil	0.60	1.6	39.3	17.8	100	0.1	36.1	23.3	2449	4.91	27.3	0.5	3.8	1.1	47	0.5	1.5	0.2	57	0.46
ZXP-07-033	Soil	0.50	1.7	19.9	12.7	64	<0.1	15.7	22.4	3170	3.95	15.6	0.3	<0.5	0.7	15	0.1	0.7	0.1	49	0.11
ZXP-07-034	Soil	0.70	1.1	36.8	12.1	97	<0.1	25.5	16.5	1136	4.45	21.0	0.3	2.4	1.0	34	0.3	1.6	0.2	58	0.38
ZXP-07-035	Soil	0.50	1.6	53.0	15.8	121	0.1	54.8	24.7	2659	5.44	26.8	0.4	3.5	1.4	47	0.5	2.4	0.2	51	0.53
ZXP-07-036	Soil	0.50	2.7	52.6	27.0	105	0.2	26.1	37.9	4293	5.26	26.5	0.5	4.9	1.0	36	0.6	1.8	0.3	63	0.37
ZXP-07-037	Soil	0.50	3.1	45.9	35.3	116	0.1	18.5	31.8	4769	5.81	41.9	0.6	9.5	0.9	29	0.9	1.4	0.4	54	0.27
ZXP-07-038	Soil	0.60	2.5	33.9	20.8	108	<0.1	16.3	19.7	2166	4.49	28.8	0.6	5.4	0.7	29	0.4	1.3	0.2	50	0.37
ZXP-07-039	Soil	0.50	1.6	39.6	16.7	94	<0.1	23.4	41.3	6259	5.04	21.4	0.5	1.9	1.1	26	0.4	1.2	0.2	62	0.23
ZXP-07-040	Soil	0.60	1.1	37.4	12.0	92	<0.1	22.2	17.7	1107	4.10	14.9	0.3	2.1	0.9	41	0.2	1.1	0.2	51	0.51
ZXP-07-041	Soil	0.50	1.7	39.6	21.7	122	0.1	13.9	16.9	1842	4.51	115.8	0.6	7.6	0.8	35	0.6	2.8	0.3	46	0.47
ZXP-07-042	Soil	0.50	1.2	41.5	13.0	96	<0.1	27.8	18.2	1360	4.16	15.9	0.4	3.0	1.1	60	0.2	1.1	0.2	58	1.10
ZXP-07-043	Soil	0.50	1.5	24.9	14.2	98	<0.1	25.0	34.2	6188	4.99	21.7	0.4	2.2	0.9	39	0.5	0.9	0.1	54	0.38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 12 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
ZSP-07-114	Soil	0.078	32	15	0.16	74	0.008	2	1.54	0.006	0.05	0.2	0.17	2.8	0.3	<0.05	8	1.3
ZSP-07-115	Soil	0.130	5	11	0.14	73	0.008	3	1.57	0.005	0.05	0.1	0.06	2.1	0.3	<0.05	8	<0.5
ZSP-07-116	Soil	0.062	7	22	0.36	115	0.039	2	1.76	0.009	0.05	0.2	0.13	2.7	0.2	<0.05	12	<0.5
ZSP-07-117	Soil	0.391	10	28	0.23	151	0.048	2	2.37	0.010	0.03	0.2	0.29	4.1	0.1	<0.05	12	1.1
ZSP-07-118	Soil	0.063	6	24	0.39	162	0.021	3	2.25	0.011	0.04	0.2	0.09	3.2	<0.1	<0.05	7	<0.5
ZSP-07-119	Soil	0.043	8	16	0.22	115	0.026	1	2.08	0.016	0.02	0.2	0.12	3.1	<0.1	<0.05	12	<0.5
ZSP-07-120	Soil	0.088	13	18	0.55	219	0.018	2	2.50	0.014	0.03	<0.1	0.08	3.5	<0.1	<0.05	7	0.6
ZSP-07-121	Soil	0.099	26	12	0.19	395	0.020	2	1.91	0.009	0.02	0.1	0.10	2.4	<0.1	<0.05	12	0.6
ZSP-07-122	Soil	0.489	8	11	0.15	195	0.010	1	2.36	0.005	0.04	0.2	0.08	1.9	<0.1	<0.05	15	0.5
ZSP-07-123	Soil	0.371	6	21	0.22	227	0.015	3	1.67	0.007	0.07	0.2	0.11	2.2	0.2	<0.05	11	0.6
ZSP-07-124	Soil	0.044	5	18	0.10	91	0.036	3	0.89	0.004	0.04	0.2	0.08	1.9	<0.1	<0.05	11	<0.5
ZSP-07-125	Soil	0.117	14	7	0.13	162	0.006	1	2.59	0.007	0.04	<0.1	0.06	3.8	<0.1	<0.05	8	<0.5
ZSP-07-126	Soil	0.250	6	10	0.13	155	0.004	2	2.83	0.006	0.04	0.1	0.09	3.7	<0.1	<0.05	7	<0.5
ZSP-07-127	Soil	0.224	13	8	0.19	368	0.004	4	2.73	0.008	0.06	<0.1	0.08	5.5	<0.1	<0.05	6	<0.5
ZXP-07-028	Soil	0.057	4	18	0.45	128	0.006	<1	1.67	0.007	0.04	<0.1	0.06	3.5	0.1	<0.05	5	0.6
ZXP-07-029	Soil	0.055	5	16	0.42	243	0.002	<1	1.64	0.014	0.05	<0.1	0.17	5.6	<0.1	<0.05	5	0.6
ZXP-07-030	Soil	0.067	6	20	0.43	190	0.007	1	1.43	0.013	0.06	<0.1	0.26	5.2	0.1	<0.05	4	<0.5
ZXP-07-031	Soil	0.065	5	16	0.35	212	0.004	<1	1.50	0.007	0.04	<0.1	0.08	3.4	0.1	<0.05	4	0.9
ZXP-07-032	Soil	0.071	6	22	0.49	223	0.007	1	1.56	0.014	0.07	<0.1	0.14	6.0	0.1	0.10	5	1.1
ZXP-07-033	Soil	0.053	4	14	0.36	106	0.006	<1	1.81	0.009	0.05	<0.1	0.08	3.1	0.2	<0.05	5	0.7
ZXP-07-034	Soil	0.062	6	16	0.65	150	0.007	2	1.51	0.013	0.06	<0.1	0.13	6.7	<0.1	0.09	5	<0.5
ZXP-07-035	Soil	0.069	6	21	0.67	264	0.004	2	1.26	0.011	0.09	<0.1	0.26	8.0	0.1	0.12	4	0.6
ZXP-07-036	Soil	0.070	7	21	0.45	186	0.011	2	1.79	0.014	0.06	<0.1	0.15	5.3	0.2	0.39	5	1.3
ZXP-07-037	Soil	0.073	8	14	0.35	174	0.006	1	1.69	0.011	0.05	<0.1	0.09	3.9	0.2	0.09	4	1.3
ZXP-07-038	Soil	0.083	8	14	0.42	109	0.007	1	1.51	0.008	0.05	<0.1	0.07	4.3	0.1	0.05	4	1.3
ZXP-07-039	Soil	0.054	6	17	0.40	167	0.011	<1	1.82	0.008	0.05	<0.1	0.10	5.7	0.2	<0.05	5	<0.5
ZXP-07-040	Soil	0.062	7	15	0.58	170	0.007	<1	1.81	0.013	0.06	<0.1	0.10	6.2	<0.1	0.06	5	0.6
ZXP-07-041	Soil	0.096	8	12	0.40	122	0.004	1	1.60	0.008	0.05	<0.1	0.09	5.6	0.1	0.06	4	1.1
ZXP-07-042	Soil	0.058	7	18	0.62	168	0.022	2	1.67	0.015	0.08	<0.1	0.12	6.5	<0.1	0.10	5	<0.5
ZXP-07-043	Soil	0.068	6	17	0.50	203	0.009	<1	1.82	0.012	0.08	<0.1	0.11	5.0	0.2	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 13 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZXP-07-044	Soil	0.70	1.1	38.0	13.0	92	<0.1	23.7	18.1	1086	4.21	13.7	0.3	4.1	0.9	42	0.3	0.9	0.2	55	0.52
ZXP-07-045	Soil	0.50	2.7	31.5	13.6	119	0.2	19.9	21.3	3468	4.09	15.6	0.5	6.7	0.7	48	0.6	0.6	0.2	49	0.62
ZXP-07-046	Soil	0.50	1.3	40.5	13.1	93	<0.1	24.1	18.3	1545	4.29	16.2	0.4	4.4	1.0	43	0.3	1.0	0.2	59	0.57
ZXP-07-047	Soil	0.50	1.4	47.0	14.2	93	0.1	20.7	18.2	1183	4.14	16.5	0.4	2.8	0.9	36	0.3	1.0	0.2	53	0.46
ZXP-07-048	Soil	0.50	1.5	43.8	15.9	94	<0.1	15.9	16.8	1029	3.80	14.7	0.3	2.6	0.8	36	0.2	0.7	0.2	47	0.48
ZXP-07-049	Soil	0.50	1.1	39.2	10.0	91	<0.1	14.7	16.4	975	3.79	9.9	0.2	0.5	0.8	38	0.2	0.5	0.2	44	0.58
ZXP-07-050	Soil	0.60	2.3	56.6	29.0	133	0.1	22.4	18.3	1736	4.40	22.5	0.5	5.0	1.2	38	0.7	1.1	0.4	51	0.44
ZXP-07-051	Soil	0.40	2.2	60.6	36.5	130	0.2	17.8	16.9	1870	4.25	28.6	0.5	8.1	1.1	29	0.6	1.3	0.7	55	0.32
ZXP-07-052	Soil	0.50	3.3	78.3	42.9	143	0.3	25.7	22.8	2394	4.96	36.0	0.7	93.9	1.3	38	0.7	1.8	0.7	53	0.40
ZXP-07-053	Soil	0.50	2.0	59.3	19.9	108	0.1	20.4	17.9	1310	4.31	22.6	0.4	5.4	1.1	38	0.4	1.2	0.3	49	0.50
ZXP-07-054	Soil	0.40	4.9	92.9	80.2	243	0.5	29.7	38.1	>10000	5.44	54.1	0.9	13.6	1.4	38	3.4	1.8	1.0	51	0.28
ZXP-07-055	Soil	0.40	3.7	83.8	79.1	196	0.4	21.1	22.4	5481	4.32	50.9	1.0	25.3	1.0	42	2.4	2.0	0.9	49	0.37
ZXP-07-056	Soil	0.40	4.8	109.0	81.0	187	0.5	17.6	20.1	2882	4.77	61.6	1.1	386.9	1.3	35	1.0	2.4	1.1	51	0.31
ZXP-07-057	Soil	0.50	2.3	72.9	34.7	153	0.4	20.5	19.4	1259	5.10	35.1	1.3	8.8	1.2	37	0.7	1.3	0.6	56	0.47
ZXP-07-058	Soil	0.50	5.5	120.1	74.4	239	0.7	19.0	23.3	2391	5.76	67.5	1.2	30.9	1.4	30	1.8	2.9	1.3	59	0.34
ZXP-07-059	Soil	0.60	1.6	34.4	14.0	107	0.1	53.2	19.0	1600	4.22	13.7	0.7	2.7	1.8	37	0.3	0.8	0.2	59	0.29
ZXP-07-060	Soil	0.50	2.1	42.0	15.9	110	0.1	61.5	18.5	1281	3.99	12.6	0.5	2.7	1.4	38	0.5	0.9	0.2	49	0.31
ZXP-07-061	Soil	0.50	1.7	41.5	15.8	110	0.2	59.8	20.4	1839	4.20	12.0	0.5	3.0	1.1	36	0.8	0.7	0.2	45	0.29
ZXP-07-062	Soil	0.50	1.4	31.4	12.3	118	<0.1	60.8	18.8	2373	4.54	14.4	0.4	2.4	1.1	27	0.8	0.7	0.2	43	0.20
ZXP-07-063	Soil	0.50	1.9	22.1	10.9	129	0.1	80.7	27.6	7883	5.86	25.7	0.4	3.1	0.7	35	0.8	0.6	0.2	48	0.24
ZXP-07-064	Soil	0.60	1.4	28.8	10.6	93	0.2	34.2	12.9	1236	3.45	10.7	0.4	2.1	0.8	35	0.2	0.5	0.2	45	0.33
ZXP-07-065	Soil	0.50	1.3	29.5	14.7	97	0.1	39.8	15.4	1469	3.47	10.1	0.4	2.6	1.0	30	0.4	0.5	0.2	48	0.32
ZXP-07-066	Soil	0.60	1.2	31.8	14.9	103	0.2	34.2	15.4	1412	3.51	11.6	0.6	1.7	0.8	49	0.6	0.7	0.2	59	0.46
ZXP-07-067	Soil	0.50	1.7	25.8	16.1	137	0.2	34.8	19.8	5164	4.57	19.1	0.6	1.7	0.7	63	1.2	0.7	0.2	55	0.44
ZXP-07-068	Soil	0.50	1.0	40.3	13.9	115	0.3	41.9	15.9	1266	3.42	8.5	0.6	9.6	0.9	50	0.4	0.6	0.2	50	0.32
ZXP-07-069	Soil	0.50	2.3	45.1	76.4	277	0.6	23.5	15.0	2327	3.70	46.0	1.8	33.1	1.2	42	1.6	2.3	0.7	53	0.34
ZXP-07-070	Soil	0.40	1.6	37.7	67.8	241	0.7	35.9	15.0	1838	3.28	51.3	1.7	9.6	1.6	36	1.3	1.4	0.4	33	0.33
ZXP-07-071	Soil	0.50	3.1	33.0	65.3	240	0.4	35.8	21.1	5256	4.01	35.7	1.7	10.3	1.0	51	2.8	1.5	0.3	56	0.43
ZXP-07-072	Soil	0.40	1.6	25.0	33.9	144	0.4	18.9	12.8	2970	3.33	22.3	1.9	28.2	0.5	52	1.5	1.2	0.3	57	0.36
ZXP-07-073	Soil	0.60	1.9	14.7	24.0	118	0.3	18.1	11.2	1875	3.24	18.8	3.0	9.8	1.0	38	0.6	0.9	0.2	62	0.30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 13 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
ZXP-07-044	Soil	0.069	7	16	0.58	136	0.012	<1	1.85	0.012	0.06	<0.1	0.10	6.4	<0.1	0.12	5	0.6
ZXP-07-045	Soil	0.083	7	14	0.38	182	0.004	<1	1.88	0.008	0.05	<0.1	0.10	4.3	0.2	<0.05	5	1.2
ZXP-07-046	Soil	0.061	6	16	0.60	129	0.015	<1	1.67	0.016	0.06	<0.1	0.11	5.6	<0.1	0.12	5	0.5
ZXP-07-047	Soil	0.063	7	15	0.52	144	0.010	<1	1.75	0.014	0.06	<0.1	0.10	5.7	<0.1	0.15	5	0.6
ZXP-07-048	Soil	0.058	8	12	0.47	154	0.003	<1	1.79	0.015	0.05	<0.1	0.05	5.3	<0.1	<0.05	5	0.7
ZXP-07-049	Soil	0.058	6	12	0.49	117	0.001	<1	1.98	0.011	0.04	<0.1	0.08	5.9	<0.1	<0.05	5	0.6
ZXP-07-050	Soil	0.071	7	14	0.41	197	0.005	1	1.57	0.014	0.06	<0.1	0.22	4.8	0.1	0.10	4	0.8
ZXP-07-051	Soil	0.065	7	13	0.41	183	0.005	<1	1.61	0.011	0.06	<0.1	0.08	4.3	0.1	0.19	5	0.8
ZXP-07-052	Soil	0.079	7	14	0.41	170	0.009	1	1.38	0.012	0.07	<0.1	0.09	4.6	0.1	0.69	4	1.6
ZXP-07-053	Soil	0.068	8	13	0.47	161	0.004	<1	1.65	0.013	0.06	<0.1	0.07	5.5	<0.1	0.23	4	1.3
ZXP-07-054	Soil	0.121	9	13	0.24	346	0.004	<1	1.63	0.015	0.05	<0.1	0.12	3.6	0.4	<0.05	4	1.2
ZXP-07-055	Soil	0.117	11	13	0.28	284	0.008	2	1.35	0.021	0.07	<0.1	0.12	3.6	0.3	0.12	3	1.5
ZXP-07-056	Soil	0.106	11	14	0.27	242	0.010	2	1.39	0.024	0.08	<0.1	0.13	3.7	0.2	0.09	3	1.7
ZXP-07-057	Soil	0.075	8	14	0.47	166	0.007	<1	1.54	0.016	0.06	<0.1	0.11	5.3	<0.1	0.51	4	1.3
ZXP-07-058	Soil	0.092	10	15	0.30	234	0.013	11	1.16	0.025	0.05	0.1	0.10	4.3	0.2	0.37	3	1.8
ZXP-07-059	Soil	0.066	7	30	0.47	322	0.004	2	1.62	0.008	0.09	<0.1	0.45	5.3	<0.1	<0.05	5	<0.5
ZXP-07-060	Soil	0.068	5	31	0.40	335	0.003	2	1.43	0.010	0.09	<0.1	0.11	5.8	0.1	<0.05	4	0.5
ZXP-07-061	Soil	0.084	5	28	0.32	348	0.002	1	1.39	0.009	0.09	<0.1	0.13	5.0	0.1	<0.05	4	0.8
ZXP-07-062	Soil	0.067	4	17	0.19	327	0.002	<1	1.01	0.008	0.07	<0.1	0.20	4.7	0.1	<0.05	3	0.5
ZXP-07-063	Soil	0.080	4	17	0.18	782	0.002	<1	1.16	0.006	0.06	0.1	0.37	4.2	0.1	<0.05	3	0.6
ZXP-07-064	Soil	0.093	5	23	0.36	329	0.002	<1	1.62	0.009	0.07	<0.1	0.14	4.2	0.1	<0.05	4	0.6
ZXP-07-065	Soil	0.062	5	26	0.42	222	0.004	<1	1.77	0.007	0.07	<0.1	0.06	3.6	0.1	<0.05	5	0.6
ZXP-07-066	Soil	0.079	7	25	0.45	238	0.011	<1	1.90	0.015	0.08	0.1	0.08	4.0	0.1	<0.05	5	0.7
ZXP-07-067	Soil	0.088	7	23	0.39	509	0.007	8	1.77	0.013	0.06	0.1	0.08	3.2	0.2	<0.05	5	<0.5
ZXP-07-068	Soil	0.094	8	29	0.38	394	0.005	2	1.88	0.005	0.11	<0.1	0.08	3.7	0.1	<0.05	6	0.7
ZXP-07-069	Soil	0.092	13	15	0.20	323	0.009	2	1.07	0.014	0.07	0.1	0.14	3.8	0.2	0.06	3	0.7
ZXP-07-070	Soil	0.082	10	16	0.16	360	0.002	2	0.65	0.010	0.09	<0.1	0.14	4.2	0.2	0.07	1	0.7
ZXP-07-071	Soil	0.106	12	32	0.24	409	0.007	12	1.25	0.018	0.06	0.2	0.11	4.0	0.3	0.07	3	0.7
ZXP-07-072	Soil	0.117	14	18	0.19	336	0.012	2	1.28	0.009	0.06	0.1	0.12	3.2	0.2	<0.05	3	0.6
ZXP-07-073	Soil	0.085	12	18	0.21	257	0.012	2	1.14	0.009	0.06	0.1	0.12	3.4	0.2	<0.05	3	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 14 of 14 Part 1

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
ZXP-07-074	Soil	0.50	3.1	18.4	23.2	156	0.5	24.4	13.0	9083	2.86	17.1	8.0	2.7	0.7	78	2.1	0.8	0.2	37	1.07
ZXP-07-075	Soil	0.60	1.8	26.4	34.2	124	0.2	27.7	15.5	2610	3.55	26.7	1.6	3.8	1.5	37	0.7	1.2	0.3	54	0.27
ZXP-07-076	Soil	0.60	2.2	26.5	44.6	132	0.2	26.3	31.0	7175	4.76	42.0	0.9	5.5	1.4	42	0.8	1.6	0.4	59	0.34
ZXP-07-077	Soil	0.40	1.0	18.1	16.8	107	0.2	35.3	16.1	2340	2.91	46.9	1.2	2.9	0.6	58	0.7	0.6	0.1	43	0.44
ZXP-07-078	Soil	0.30	3.8	17.1	21.8	398	0.4	49.6	61.7	>10000	8.97	39.7	2.2	1.3	1.3	107	7.5	0.8	0.1	48	0.48
ZXP-07-079	Soil	0.50	0.9	14.1	11.9	83	<0.1	21.3	15.5	5682	3.12	13.8	0.7	3.1	1.3	52	0.6	0.8	0.1	48	0.36
ZXP-07-080	Soil	0.60	1.2	19.4	15.7	137	0.1	28.9	14.7	2095	3.66	21.1	0.8	2.3	1.0	33	0.7	0.9	0.2	59	0.32
ZXP-07-081	Soil	0.50	3.8	14.1	24.1	211	0.2	28.8	39.3	>10000	6.31	40.7	2.0	3.5	1.1	82	3.5	1.0	0.2	64	0.44
ZXB-07-010	Soil	0.50	6.5	75.5	67.4	886	0.2	92.8	63.1	>10000	7.84	40.9	0.8	6.2	1.2	59	6.5	1.2	0.6	48	0.43
ZXB-07-011	Soil	0.50	7.6	305.8	73.9	109	0.2	19.8	309.5	>10000	9.93	52.4	1.6	22.8	1.8	31	1.1	3.1	0.6	38	0.16
ZXC-07-045	Soil	0.40	5.4	262.5	40.9	108	0.2	15.2	79.4	1916	3.43	154.1	1.0	8.9	1.0	42	0.4	1.0	0.3	37	0.23
ZXC-07-046	Soil	0.40	2.2	44.0	39.4	211	0.2	22.3	21.6	3088	4.71	39.7	0.4	9.4	1.0	29	1.3	1.3	0.3	46	0.30
ZXC-07-047	Soil	0.50	1.0	28.5	44.4	215	0.3	18.5	14.8	2059	3.61	17.0	1.2	5.8	0.9	99	1.3	1.3	0.3	75	0.62



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO

Report Date: December 29, 2007

Page: 14 of 14 Part 2

CERTIFICATE OF ANALYSIS

SMI07000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
ZXP-07-074	Soil	0.117	23	14	0.22	822	0.006	4	1.33	0.008	0.05	0.1	0.16	3.9	0.3	0.09	2	2.4
ZXP-07-075	Soil	0.078	10	21	0.22	345	0.006	2	1.10	0.011	0.09	0.1	0.13	3.9	0.2	<0.05	3	<0.5
ZXP-07-076	Soil	0.084	9	20	0.30	397	0.008	3	1.04	0.010	0.09	0.1	0.13	4.1	0.2	0.17	3	0.6
ZXP-07-077	Soil	0.071	7	24	0.18	519	0.003	5	0.90	0.008	0.12	<0.1	0.16	4.1	0.2	<0.05	2	<0.5
ZXP-07-078	Soil	0.213	22	15	0.08	2397	0.006	<1	2.20	0.006	0.03	0.1	0.19	5.0	1.1	0.06	3	0.9
ZXP-07-079	Soil	0.081	6	21	0.14	442	0.005	3	0.77	0.009	0.13	<0.1	0.04	3.4	0.3	<0.05	2	<0.5
ZXP-07-080	Soil	0.073	6	23	0.19	336	0.011	12	0.60	0.011	0.05	<0.1	0.06	3.5	0.1	0.12	2	<0.5
ZXP-07-081	Soil	0.097	13	19	0.20	1162	0.006	12	1.58	0.010	0.04	0.2	0.14	3.9	0.4	<0.05	3	0.5
ZXB-07-010	Soil	0.095	8	27	0.20	1187	0.003	7	1.04	0.009	0.06	0.1	0.10	4.3	0.4	0.15	4	1.0
ZXB-07-011	Soil	0.096	26	13	0.16	112	0.004	<1	1.92	0.005	0.05	<0.1	0.11	3.4	0.5	0.14	3	4.1
ZXC-07-045	Soil	0.086	15	16	0.25	193	0.004	10	1.94	0.011	0.04	0.1	0.09	2.9	0.3	0.16	3	1.2
ZXC-07-046	Soil	0.071	10	13	0.63	375	0.002	2	1.64	0.008	0.10	<0.1	0.08	4.0	0.2	0.09	5	0.9
ZXC-07-047	Soil	0.096	11	19	0.43	279	0.037	2	1.35	0.028	0.08	0.1	0.08	3.8	0.1	0.06	4	0.5

QUALITY CONTROL REPORT

SMI07000396.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
ZSC-07-003	Soil	0.30	4.3	68.3	152.1	180	0.5	5.7	9.1	3765	5.03	43.8	2.0	12.4	0.6	28	0.8	1.8	2.0	56	0.14
REP ZSC-07-003	QC		4.5	71.5	149.5	192	0.5	5.4	9.6	3933	4.97	45.1	2.1	12.1	0.5	29	0.7	1.8	1.9	60	0.13
ZSC-07-008	Soil	0.30	1.8	32.1	105.8	120	0.2	7.4	4.9	546	8.53	28.3	0.9	22.4	0.7	7	0.5	2.0	4.6	105	0.03
REP ZSC-07-008	QC		1.9	32.7	102.5	129	0.2	8.1	5.3	567	8.81	29.4	0.9	22.7	0.9	7	0.6	2.0	4.6	101	0.03
ZSC-07-031	Soil	0.30	0.6	7.1	8.6	16	0.1	1.1	0.9	72	0.61	3.6	0.3	3.8	0.1	7	<0.1	0.2	0.2	21	0.05
REP ZSC-07-031	QC		0.7	7.6	8.2	16	0.1	1.2	0.9	76	0.61	3.6	0.3	3.6	0.1	7	<0.1	0.2	0.2	21	0.04
ZSC-07-057	Soil	0.30	4.5	111.6	35.8	51	0.6	3.1	2.4	145	3.15	24.2	0.8	23.1	2.0	6	<0.1	1.8	1.2	63	0.01
REP ZSC-07-057	QC		4.3	113.0	36.4	53	0.6	2.8	2.6	147	3.20	23.2	0.8	40.6	2.0	6	0.1	1.9	1.3	62	0.01
ZSC-07-070	Soil	0.30	3.3	27.5	23.0	109	0.9	3.1	3.4	194	4.10	14.4	2.4	1.7	5.0	9	0.4	0.8	0.4	41	0.03
REP ZSC-07-070	QC		3.2	27.3	24.1	109	1.0	2.8	3.7	198	4.10	14.9	2.4	1.9	5.3	9	0.5	0.7	0.4	42	0.03
ZXC-07-023	Soil	0.50	3.2	54.7	97.6	333	0.5	20.4	21.8	8004	4.62	71.1	1.1	9.6	1.1	41	5.3	2.9	1.5	39	0.38
REP ZXC-07-023	QC		3.1	57.5	95.6	319	0.5	19.7	21.5	8406	4.39	67.9	1.1	12.7	1.2	45	5.7	2.7	1.7	39	0.40
ZXC-07-026	Soil	0.10	1.8	82.7	81.5	184	2.7	18.8	6.9	3370	1.48	22.6	1.9	11.2	0.2	106	3.9	2.3	0.4	15	1.24
REP ZXC-07-026	QC		1.6	80.0	80.6	185	2.4	18.9	7.0	3325	1.46	22.4	1.8	9.0	0.2	100	3.6	2.2	0.4	14	1.15
ZXC-07-031	Soil	0.50	1.2	52.0	11.2	135	<0.1	12.5	19.9	1251	4.13	22.9	0.2	148.1	0.7	46	0.5	0.6	0.2	43	0.54
REP ZXC-07-031	QC		1.3	48.0	11.2	121	<0.1	12.1	18.4	1256	4.07	21.5	0.2	4.7	0.6	47	0.6	0.6	0.2	38	0.54
ZXP-07-012	Soil	0.50	6.4	39.0	57.4	301	0.6	20.3	19.7	>10000	9.57	129.8	0.8	18.1	1.0	66	3.9	1.7	0.7	35	0.67
REP ZXP-07-012	QC		6.1	39.5	55.5	310	0.5	20.5	19.2	>10000	9.68	125.8	0.8	16.3	1.0	67	3.9	1.7	0.7	35	0.67
ZXP-07-021	Soil	0.30	9.3	63.0	266.5	647	1.8	27.7	36.8	>10000	12.70	317.2	2.1	136.3	1.3	45	8.5	4.8	1.1	41	0.41
REP ZXP-07-021	QC		8.4	56.9	237.8	606	1.5	28.7	33.3	>10000	11.35	293.7	2.0	21.4	1.2	41	7.9	4.7	1.1	39	0.37
ZSC-07-102	Soil	0.30	64.5	479.9	23.9	74	0.2	7.7	6.0	1219	5.75	88.3	1.1	48.0	0.4	37	0.3	6.5	1.0	57	0.16
REP ZSC-07-102	QC		63.4	463.6	23.7	71	0.2	8.1	5.8	1210	5.53	85.1	1.1	54.5	0.4	37	0.3	6.6	1.0	53	0.15
ZSC-07-130	Soil	0.30	2.5	93.1	66.9	222	1.0	22.8	12.7	864	4.55	78.4	2.3	16.1	1.5	18	0.5	3.7	0.6	62	0.07
REP ZSC-07-130	QC		2.6	92.7	67.8	219	0.9	23.1	12.5	819	4.60	76.8	2.3	18.2	1.5	18	0.4	3.5	0.6	61	0.08
ZSP-07-008	Soil	0.30	1.5	35.8	99.4	118	0.3	11.5	10.6	1809	6.36	97.2	0.7	3.3	0.7	9	0.3	3.2	1.2	79	0.02
REP ZSP-07-008	QC		1.4	33.9	99.8	109	0.3	10.0	10.0	1805	5.84	96.4	0.7	4.8	0.5	9	0.3	3.4	1.2	74	0.02
ZSP-07-021	Soil	0.20	4.1	73.1	61.1	178	0.8	13.6	16.8	3316	5.73	24.1	2.4	12.4	0.9	37	0.7	1.5	0.8	71	0.56
REP ZSP-07-021	QC		4.1	70.5	57.1	165	0.8	14.1	17.6	3174	5.54	23.7	2.4	11.9	1.6	36	0.7	1.3	0.8	64	0.54

QUALITY CONTROL REPORT

SMI07000396.1

Method	Analyte	Unit	MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm
Pulp Duplicates																				
ZSC-07-003	Soil			0.230	14	12	0.13	183	0.006	2	1.66	0.006	0.08	0.1	0.10	0.8	0.3	<0.05	6	1.1
REP ZSC-07-003	QC			0.228	13	12	0.12	176	0.007	2	1.68	0.005	0.08	0.1	0.11	0.8	0.3	0.06	6	0.9
ZSC-07-008	Soil			0.073	7	18	0.18	56	0.015	11	1.83	0.008	0.04	0.2	0.10	1.8	0.3	<0.05	14	0.8
REP ZSC-07-008	QC			0.079	8	19	0.18	61	0.011	10	1.97	0.009	0.04	0.2	0.10	1.8	0.3	<0.05	15	1.0
ZSC-07-031	Soil			0.061	6	5	0.04	62	0.003	10	0.82	0.011	0.04	<0.1	0.14	0.5	0.2	<0.05	6	<0.5
REP ZSC-07-031	QC			0.064	6	5	0.04	61	0.003	8	0.80	0.010	0.03	<0.1	0.11	0.5	0.2	<0.05	6	<0.5
ZSC-07-057	Soil			0.109	7	7	0.06	55	0.008	11	1.38	0.010	0.03	0.2	0.07	1.4	0.3	<0.05	7	1.0
REP ZSC-07-057	QC			0.105	7	7	0.06	50	0.009	11	1.40	0.010	0.03	0.1	0.09	1.2	0.3	<0.05	7	1.1
ZSC-07-070	Soil			0.124	22	7	0.17	76	0.001	1	4.34	0.007	0.03	0.2	0.17	2.1	0.1	<0.05	7	1.0
REP ZSC-07-070	QC			0.124	23	7	0.18	82	0.001	<1	4.34	0.008	0.03	0.2	0.17	2.3	0.1	<0.05	7	1.1
ZXC-07-023	Soil			0.133	11	13	0.22	315	0.005	12	1.43	0.012	0.04	0.1	0.15	3.0	0.4	0.19	3	1.6
REP ZXC-07-023	QC			0.135	12	12	0.22	337	0.005	13	1.46	0.013	0.04	0.2	0.13	3.1	0.5	0.12	3	1.6
ZXC-07-026	Soil			0.172	19	12	0.19	296	0.003	25	1.07	0.020	0.34	0.2	0.26	1.2	0.2	0.18	1	1.2
REP ZXC-07-026	QC			0.168	19	10	0.18	283	0.003	20	1.04	0.018	0.32	0.2	0.30	1.1	0.2	0.18	2	1.3
ZXC-07-031	Soil			0.068	7	11	0.71	146	0.001	<1	1.98	0.009	0.05	<0.1	0.03	5.5	<0.1	<0.05	6	<0.5
REP ZXC-07-031	QC			0.068	7	11	0.70	148	<0.001	<1	1.94	0.009	0.05	<0.1	0.02	5.4	<0.1	<0.05	5	<0.5
ZXP-07-012	Soil			0.116	12	8	0.19	1276	0.004	1	1.10	0.008	0.04	<0.1	0.12	3.5	0.3	0.07	5	2.2
REP ZXP-07-012	QC			0.119	13	8	0.19	1279	0.004	2	1.13	0.008	0.05	0.1	0.11	3.7	0.3	0.10	5	2.0
ZXP-07-021	Soil			0.186	26	9	0.13	1140	0.004	2	1.06	0.008	0.05	0.2	0.24	4.5	0.6	0.08	3	1.6
REP ZXP-07-021	QC			0.163	24	9	0.12	1066	0.004	2	0.97	0.006	0.05	0.2	0.22	4.4	0.5	0.06	3	1.3
ZSC-07-102	Soil			0.085	9	12	0.12	121	0.005	1	1.18	0.005	0.06	0.2	0.04	1.7	0.2	<0.05	7	5.0
REP ZSC-07-102	QC			0.078	9	13	0.12	117	0.006	1	1.10	0.005	0.06	0.2	0.03	1.6	0.2	<0.05	7	4.9
ZSC-07-130	Soil			0.085	20	23	0.33	134	0.006	2	2.38	0.007	0.08	<0.1	0.16	4.6	0.3	<0.05	6	1.4
REP ZSC-07-130	QC			0.083	22	23	0.33	136	0.005	2	2.44	0.006	0.09	0.1	0.15	4.5	0.3	<0.05	6	1.6
ZSP-07-008	Soil			0.120	5	19	0.16	63	0.005	6	1.44	0.010	0.05	0.1	0.11	2.0	0.3	<0.05	9	1.1
REP ZSP-07-008	QC			0.122	5	20	0.15	61	0.007	9	1.38	0.008	0.05	0.1	0.13	1.8	0.3	<0.05	8	1.1
ZSP-07-021	Soil			0.244	32	21	0.26	154	0.011	2	2.55	0.009	0.06	0.1	0.21	5.2	0.3	<0.05	7	2.6
REP ZSP-07-021	QC			0.237	32	20	0.25	150	0.007	1	2.43	0.009	0.05	0.1	0.19	6.8	0.2	<0.05	7	1.9

QUALITY CONTROL REPORT

SMI07000396.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
ZSP-07-044	Soil	0.30	2.5	106.5	92.7	747	2.5	19.0	15.6	2264	4.35	388.8	3.4	17.3	0.9	31	3.8	4.0	1.0	50	0.28	
REP ZSP-07-044	QC		2.5	119.2	94.5	771	2.5	20.5	16.0	2322	4.83	419.2	3.4	16.8	1.3	28	3.7	3.7	1.1	51	0.30	
ZSP-07-064	Soil	0.30	2.5	93.8	64.9	139	1.2	8.2	5.7	555	3.61	25.1	1.8	33.5	0.1	18	0.3	1.9	2.4	60	0.14	
REP ZSP-07-064	QC		2.2	85.4	60.2	129	1.0	8.2	5.3	497	3.27	23.3	1.6	36.3	<0.1	17	0.2	0.9	2.2	50	0.13	
ZSP-07-072	Soil	0.30	2.3	77.9	63.5	124	0.7	15.5	12.0	2212	3.45	27.4	1.4	11.7	0.8	25	0.5	1.0	1.1	46	0.18	
REP ZSP-07-072	QC		2.1	73.1	58.7	116	0.7	14.3	11.4	2065	3.25	25.6	1.3	15.4	0.3	23	0.4	0.6	1.1	41	0.17	
ZSP-07-099	Soil	0.20	2.9	78.5	72.3	117	0.9	8.6	5.1	242	5.38	28.9	1.9	17.9	0.3	23	0.4	1.7	1.9	95	0.13	
REP ZSP-07-099	QC		2.9	78.2	73.5	116	0.9	8.5	5.1	241	5.30	29.0	2.0	17.4	0.3	23	0.4	1.7	2.0	97	0.13	
ZSP-07-110	Soil	0.20	2.1	232.1	92.9	165	1.2	10.0	7.3	696	5.25	22.5	10.9	8.7	0.4	31	0.3	2.2	1.0	112	0.09	
REP ZSP-07-110	QC		2.1	225.0	96.6	162	1.2	8.6	6.8	649	4.96	22.0	10.6	7.5	0.6	31	0.3	2.0	1.0	104	0.09	
ZXP-07-033	Soil	0.50	1.7	19.9	12.7	64	<0.1	15.7	22.4	3170	3.95	15.6	0.3	<0.5	0.7	15	0.1	0.7	0.1	49	0.11	
REP ZXP-07-033	QC		1.7	19.5	12.7	67	<0.1	15.8	22.1	3123	3.95	15.3	0.3	1.8	0.6	15	0.1	0.7	0.1	50	0.11	
ZXP-07-044	Soil	0.70	1.1	38.0	13.0	92	<0.1	23.7	18.1	1086	4.21	13.7	0.3	4.1	0.9	42	0.3	0.9	0.2	55	0.52	
REP ZXP-07-044	QC		0.9	37.4	12.4	90	<0.1	20.6	17.3	1059	4.00	13.3	0.3	1.8	0.9	40	0.3	1.0	0.2	52	0.52	
ZXP-07-073	Soil	0.60	1.9	14.7	24.0	118	0.3	18.1	11.2	1875	3.24	18.8	3.0	9.8	1.0	38	0.6	0.9	0.2	62	0.30	
REP ZXP-07-073	QC		2.0	14.5	25.2	119	0.3	18.1	11.0	1931	3.26	19.3	2.9	3.1	1.0	40	0.7	0.9	0.2	61	0.31	
Reference Materials																						
STD DS7	Standard		21.2	122.0	73.5	421	0.9	58.0	9.5	653	2.53	50.7	5.1	63.3	5.3	82	6.6	6.4	4.8	90	1.05	
STD DS7	Standard		22.0	113.9	75.2	408	0.8	57.4	9.5	662	2.48	51.5	5.7	102.6	5.4	91	6.5	6.8	5.0	94	1.08	
STD DS7	Standard		22.2	116.5	73.7	402	0.8	58.9	9.9	614	2.39	49.1	5.3	66.3	5.1	80	6.7	6.3	5.2	86	0.89	
STD DS7	Standard		20.7	100.4	72.3	396	0.8	52.1	8.6	613	2.42	49.5	5.0	123.9	5.0	95	6.3	6.3	4.4	88	1.01	
STD DS7	Standard		20.5	101.5	67.3	399	0.8	54.3	8.5	602	2.39	52.7	5.0	73.0	4.4	74	7.0	6.4	4.9	84	0.96	
STD DS7	Standard		19.4	104.2	64.8	383	0.8	52.8	9.0	617	2.41	51.4	4.7	68.1	4.3	71	6.5	6.2	4.6	85	0.89	
STD DS7	Standard		20.8	102.4	65.7	404	0.9	51.1	9.7	633	2.41	51.7	4.7	62.8	4.9	86	7.0	6.6	4.7	87	1.00	
STD DS7	Standard		19.6	101.6	66.9	361	0.8	53.1	9.3	578	2.21	43.4	4.7	61.5	4.6	70	5.9	5.8	4.5	83	0.87	
STD DS7	Standard		20.1	108.3	68.2	391	0.8	56.1	9.4	602	2.33	46.0	5.0	76.5	4.6	74	6.0	6.0	4.6	86	0.95	
STD DS7	Standard		19.9	95.8	63.8	370	0.8	53.6	9.0	605	2.34	46.9	4.4	71.2	4.0	61	6.1	5.6	4.0	81	0.90	
STD DS7	Standard		20.3	99.9	73.1	397	0.8	54.8	9.0	612	2.23	49.4	5.3	70.7	4.6	76	7.2	6.6	5.2	81	0.91	
STD DS7	Standard		18.6	113.7	68.7	397	0.8	56.5	9.2	614	2.37	46.0	4.5	63.6	4.1	69	6.1	5.9	4.4	85	0.85	

QUALITY CONTROL REPORT

SMI07000396.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
ZSP-07-044	Soil	0.105	27	17	0.27	171	0.004	1	2.02	0.011	0.08	0.1	0.43	5.3	0.3	<0.05	5	2.4
REP ZSP-07-044	QC	0.110	29	18	0.29	172	0.003	5	1.93	0.016	0.07	<0.1	0.43	6.5	0.3	<0.05	5	1.3
ZSP-07-064	Soil	0.114	10	15	0.17	122	0.012	2	1.41	0.005	0.07	0.2	0.09	0.8	0.3	<0.05	6	1.2
REP ZSP-07-064	QC	0.093	8	12	0.15	118	0.007	11	1.24	0.008	0.05	<0.1	0.10	0.5	0.2	<0.05	5	1.0
ZSP-07-072	Soil	0.135	10	15	0.21	174	0.004	2	1.36	0.007	0.08	<0.1	0.11	2.7	0.2	0.05	4	1.1
REP ZSP-07-072	QC	0.106	9	14	0.18	166	0.003	11	1.22	0.010	0.06	<0.1	0.09	1.2	0.2	<0.05	3	1.0
ZSP-07-099	Soil	0.081	9	16	0.22	105	0.017	3	1.63	0.006	0.06	0.2	0.16	1.5	0.3	<0.05	11	1.4
REP ZSP-07-099	QC	0.082	10	17	0.22	105	0.017	1	1.82	0.007	0.06	0.2	0.17	1.6	0.3	<0.05	11	1.4
ZSP-07-110	Soil	0.070	38	19	0.19	40	0.032	2	1.35	0.009	0.06	0.2	0.13	2.1	0.2	0.07	8	1.5
REP ZSP-07-110	QC	0.065	38	18	0.19	40	0.022	1	1.22	0.007	0.06	0.1	0.12	2.3	0.2	<0.05	8	1.5
ZXP-07-033	Soil	0.053	4	14	0.36	106	0.006	<1	1.81	0.009	0.05	<0.1	0.08	3.1	0.2	<0.05	5	0.7
REP ZXP-07-033	QC	0.054	5	14	0.37	109	0.007	1	1.79	0.007	0.05	<0.1	0.08	3.2	0.2	<0.05	5	<0.5
ZXP-07-044	Soil	0.069	7	16	0.58	136	0.012	<1	1.85	0.012	0.06	<0.1	0.10	6.4	<0.1	0.12	5	0.6
REP ZXP-07-044	QC	0.067	7	15	0.57	132	0.011	<1	1.82	0.011	0.06	<0.1	0.10	5.9	<0.1	0.11	5	0.9
ZXP-07-073	Soil	0.085	12	18	0.21	257	0.012	2	1.14	0.009	0.06	0.1	0.12	3.4	0.2	<0.05	3	<0.5
REP ZXP-07-073	QC	0.087	12	18	0.22	259	0.012	3	1.16	0.012	0.06	0.1	0.35	3.4	0.2	<0.05	3	<0.5
Reference Materials																		
STD DS7	Standard	0.075	15	216	1.07	379	0.135	39	1.08	0.096	0.47	4.4	0.19	2.5	4.2	0.20	6	4.5
STD DS7	Standard	0.076	17	222	1.12	397	0.153	38	1.16	0.106	0.49	4.3	0.21	2.8	4.5	0.20	6	4.4
STD DS7	Standard	0.072	14	208	0.98	406	0.131	41	0.99	0.102	0.40	4.1	0.19	2.7	4.5	0.15	5	3.6
STD DS7	Standard	0.073	16	195	1.01	398	0.134	42	1.07	0.101	0.47	3.9	0.20	2.6	4.3	0.15	5	3.9
STD DS7	Standard	0.078	14	188	1.01	407	0.112	46	0.96	0.104	0.49	4.0	0.18	2.4	4.4	0.22	5	3.5
STD DS7	Standard	0.079	12	186	1.00	401	0.110	39	0.96	0.090	0.47	3.9	0.19	2.2	4.4	0.18	5	3.6
STD DS7	Standard	0.078	15	210	1.06	439	0.128	41	1.10	0.110	0.49	3.9	0.20	2.5	4.2	0.19	6	3.8
STD DS7	Standard	0.072	13	198	0.96	350	0.120	39	0.94	0.086	0.40	3.7	0.18	2.3	3.9	0.17	5	3.3
STD DS7	Standard	0.071	13	200	1.00	365	0.132	40	1.00	0.091	0.43	3.6	0.21	2.5	4.2	0.18	4	3.6
STD DS7	Standard	0.072	12	200	1.01	367	0.102	40	0.98	0.089	0.45	3.8	0.19	2.1	4.2	0.19	4	3.6
STD DS7	Standard	0.083	12	180	1.04	369	0.117	39	0.97	0.088	0.43	3.5	0.19	2.4	4.2	0.22	4	4.2
STD DS7	Standard	0.073	11	193	1.07	352	0.113	37	0.94	0.087	0.44	3.6	0.19	2.3	3.8	0.20	4	3.3

QUALITY CONTROL REPORT

SMI07000396.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	6	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	3.2	19.5	2.8	30	<0.1	21.6	4.2	353	1.60	0.5	4.2	<0.5	8.2	49	<0.1	0.5	0.1	32	0.56



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Eastfield Resources Ltd.

110 - 325 Howe St.
 Vancouver BC V6C 1Z7 Canada

Project: ZYMO


Report Date: December 29, 2007

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

SMI07000396.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.125	10	24	0.48	63	0.066	1	0.56	0.027	0.22	0.7	<0.01	1.5	0.2	0.07	3	<0.5



Eastfield Resources Ltd.
**Zymo Property
 Geology Map**
 Nad 83 Zone 9


Date: 7/2/2008
 Author: R. Johnston P. Geo.
 Office:
 Drawing: Fig 4
 Scale: 1:10000 Projection: Custom Projection

0 100 200 400
 metres

LEGEND

- intrusive breccia
- intrusive rocks; diorite-granodite; generally porphyritic
- chloritic andesite
- undifferentiated shales, sandstone, conglomerate

sil pervasive silicification
 ser sericite alteration
 carb Fe-carbonate alteration
 dol dolomite
 qv qtz vein
 stkw qtz stockwork
 int intrusive breccia
 cp chalcocopyrite
 bo bornite
 py pyrite
 sp sphalerite
 ga galena



Showing


N

N


Main
Zone

Eastfield Resources Ltd.	
Zymo Property	
Cu Geochemistry in ppm	
East Half	
Date: 8/2/2008	
Author: R. Johnston P. Geo.	
Office:	
Drawing: Fig 5	
Scale: 1:7500	Projection: UTM Zone 9 (NAD 83)

zymo_2007_rocks_final_utms_ass by Cu	
■	1,000 to 9,500 (19)
■	200 to 1,000 (19)
■	50 to 200 (35)
■	0 to 50 (63)
zymo_2007_sits_final_utms_ass by Cu	
▲	100 to 470 (7)
▲	50 to 100 (60)
▲	0 to 50 (93)
zymo_2007_soils_results_utms_m by Cu	
●	1,000 to 4,000 (6)
●	500 to 1,000 (8)
●	100 to 500 (71)
●	0 to 100 (178)
zymo_1_dry_soils_with_utms_ass by Cu ppm	
●	1,000 to 3,070 (3)
●	500 to 1,000 (1)
●	100 to 500 (68)
●	0 to 100 (241)



New Showing



zymo_2007_rocks_final_utmss_ass by Cu
 ■ 1000 to 9500 (119)
 ■ 500 to 1000 (8)
 ■ 50 to 200 (35)
 ■ 0 to 50 (63)

zymo_2007_silts_final_utmss_ass by Cu
 ▲ 100 to 472 (7)
 ▲ 50 to 100 (40)
 ▲ 0 to 50 (93)

zymo_2007_soils_results_utmss_m by Cu
 ● 1000 to 4000 (6)
 ● 500 to 1000 (6)
 ● 100 to 500 (71)
 ● 0 to 100 (179)

zymo_7_day_soils_with_utmss_ass by Cu_ppm
 ● 1000 to 3000 (3)
 ● 500 to 1000 (1)
 ● 100 to 500 (49)
 ● 0 to 100 (241)

Eastfield Resources Ltd.
 Zymo Property
 Cu Geochemistry
 West Half, in ppm

Date: 8/2/2008
 Author: R.Johnston P.Geo.
 Office:
 Drawing: Fig 6

Scale: 1:10000 Projection: Custom Projection

0 100 200 400
 metres

Main
Copper
Showing


Bornite Creek

Eastfield Resources Ltd.	
Zymo Property	
Main Zone	
Cu Geochemistry	
Nad 83 Z9	
Date: 8/2/2008	
Author: R. Johnston P.Geo.	
Office:	
Drawing: Fig 7	
Scale: 1:2000	Projection: UTM Zone 9 (NAD 83)

0 20 40 80
metres

zymo_2007_rocks_final_utms_ass by Cu	
■	1000 to 5000 (119)
■	200 to 1000 (119)
■	50 to 200 (235)
■	0 to 50 (63)
zymo_2007_silts_final_utms_ass by Cu	
▲	100 to 472 (7)
▲	50 to 100 (40)
▲	0 to 50 (63)
zymo_2007_soils_results_utms_m by Cu	
●	1000 to 4000 (5)
●	500 to 1000 (8)
●	100 to 500 (71)
○	0 to 100 (179)
zymo_r_day_soils_with_utms_ass by Cu_ppm	
●	1,000 to 3,870 (3)
●	500 to 1,000 (1)
●	100 to 500 (46)
○	0 to 100 (241)

New Showing



zymo_2007_rocks_final_utms_ass by Cu

- 1000 to 5000 (19)
- 200 to 1000 (19)
- 50 to 200 (25)
- 0 to 50 (63)

zymo_2007_silts_final_utms_ass by Cu

- 100 to 472 (7)
- 50 to 100 (40)
- 0 to 50 (93)

zymo_2007_silts_results_utms_m by Cu

- 1000 to 4000 (5)
- 500 to 1000 (8)
- 100 to 500 (71)
- 0 to 100 (179)

zymo_r_day_silts_with_utms_ass by Cu_ppm

- 1000 to 3870 (3)
- 500 to 1000 (1)
- 100 to 500 (46)
- 0 to 100 (241)

Eastfield Resources Ltd. Zymo Property New Showing Cu Geochemistry ppm		
		Date: 8/2/2008
		Author: R. Johnston P. Geo.
		Office:
Drawing: Fig 8		
Scale: 1:2000	Projection: Custom Projection	
0 20 40 80		