


Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] Turnagain Property Diamond Drill Report TOTAL COST \$ 1,391,523.40

AUTHOR(S) G. Ross, J.E. Scheel SIGNATURE(S) 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) MX-1-505, SM1-07-0100439-0611 YEAR OF WORK 2007

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4182548 30 November 2007

PROPERTY NAME Turnagain

CLAIM NAME(S) (on which work was done) 407627, 511330, 511337, 570455

COMMODITIES SOUGHT Ni, Cu, Co, Pt, Pd

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 104 I 014

MINING DIVISION Liard NTS 104 Z 7W

LATITUDE 58° 28' 30" LONGITUDE 128° 51' 15" (at centre of work)

OWNER(S)

1) Hard Creek Nickel Corp. 2) _____

MAILING ADDRESS

1050 - 1090 W. Georgia Street
Vancouver BC V6E 3V7

OPERATOR(S) [who paid for the work]

1) Hard Creek Nickel Corp 2) _____

MAILING ADDRESS

As above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Turnagain ultramafic complex, Alaskan-type, dunite, wehrlite, pyroxenite,
disseminated sulphide, intercumulus sulphide, pentlandite, pyrrhotite,
mid to late Jurassic, fault banded

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 2956 3206 3735 4097

8055 15994 16458 24911 25475 27646 28101 28840

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	6312.60 m 20 N2 holes and 1 P2 hole	407627, 511330, 511337 570455	\$797,553.50
Non-core			
RELATED TECHNICAL			
Sampling/assaying		+ analytical	\$113,399.53
Petrographic		+ logging, splitting	\$71,320.00
Mineralographic		+ camp costs	\$69,400.00
Metallurgic		+ fuel	\$57,707.13
		+ core boxes, bags	\$23,333.20
		+ site prep	\$14,400.00
		+ shipping	\$1,785.00
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)		+ mobilization + additives	\$63,000.00
Topographic/Photogrammetric (scale, area)		+ helicopter support	\$179,635.68
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST			\$1,391,523.04

BC Geological Survey
Assessment Report
29748

TITLE: 2007 DIAMOND DRILLING REPORT ON
THE TURNAGAIN PROPERTY

CLAIMS WORKED: 511337, 570455, 511330, 407627

RECORD NUMBERS: 511337, 570455, 511330, 407627

MINING DIVISION: LIARD

NTS MAP SHEET: 104I/07W

MINERAL TITLES
REFERENCES MAP: M104I 046

LATITUDE: 58°27' - 58°30'

LONGITUDE: 128°48' - 128°56'

CLAIM OWNER: HARD CREEK NICKEL CORP. (#103195)

OPERATOR: HARD CREEK NICKEL CORP.

DATE SUBMITTED: 22 May 2008

AUTHORS: G. ROSS, J.E.SCHEEL

TABLE OF CONTENTS

	Page
INTRODUCTION	1
PROPERTY DESCRIPTION AND ACCESS	1
PREVIOUS WORK	1
GEOLOGICAL SETTING	6
REGIONAL SETTING	6
PROPERTY GEOLOGY	7
MINERALIZATION	7
2007 DIAMOND DRILLING PROGRAM	9
ANALYTICAL TECHNIQUES	9
DRILL HOLE RESULTS	10
CONCLUSIONS	15
RECOMMENDATIONS	15
REFERENCES	16

List of Figures

	Page	
Figure 1	General Location - Turnagain Property	2
Figure 2	Claim Map - Turnagain Property	3
Figure 3	Claim Map - 1:50,000	4
Figure 4	Property Geology and Occurrences	8
Figure 5	Drill Hole Location Map	11

Appendices

Appendix A	Claims List	17
Appendix B	Drill Logs	20
Appendix C	Downhole Surveys	132
Appendix D	Cross-Sections	162
Appendix E	Analytical Techniques and Results	180
Appendix F	Statement of Costs	434
Appendix G	Statements of Qualifications	437

INTRODUCTION

The Turnagain Property of Hard Creek Nickel Corp. (previously named Canadian Metals Exploration Limited) has been sporadically explored for nickel-copper-platinum-palladium mineralization since the mid-1960s. Disseminated interstitial sulphide grains and blebs are the most widespread type of mineralization within the ultramafic suite of rocks. In some locations, sulphide blebs coalesce to produce net-textured to locally massive sulphide intervals in dunite, wehrlite and olivine clinopyroxenite. Where disseminated sulphides occur in dunite or wehrlite, nickel sulphide (principally pentlandite) is commonly present in sufficient concentrations to be of economic interest.

For the past several years Hard Creek Nickel Corp. has been conducting diamond drilling programs focused mainly on the Horsetrail and Northwest Zones, known zones of low grade nickel mineralization north of the Turnagain River in the southeast portion of the intrusion, as well as other prospective areas of the intrusion. This report describes 21 holes from Hard Creek Nickel Corp.'s 2007 diamond drilling program, comprising 6,312.95 m of drilling.

PROPERTY DESCRIPTION AND ACCESS

The Turnagain Property is located in the Liard Mining Division, 65 km east of the community of Dease Lake and 1,350 km north-northwest of Vancouver (Figure 1). The property covers approximately 24,000 ha, spread across mineral titles maps 104I 03, 104I 046, 104I 047, 104I 055 and 104I 056 and comprises one four-post claim and 56 electronically acquired claims. Claim details are summarized in Appendix A and their locations are illustrated in Figures 2 and 3.

The property can be accessed by helicopter and fixed-wing aircraft from Dease Lake to a recently upgraded 930 m long gravel strip located beside the exploration camp and core storage. During the drier months, access via the Turnagain River – Kutcho Creek mining road from Dease Lake is possible. Several drill roads provide access to portions of the property on both sides of the Turnagain River.

An exploration camp was constructed on the property in April, 2003. Prior to this date, exploration was based in the placer mining camp located at Wheaton Creek (Boulder City) some 15 km east of the property. All core drilled before late April, 2003, by previous operators and Canadian Metals, is stored at the placer camp. The majority of the core from the 2003 program and all core from the 2004 – 2007 drill programs is stored in core racks beside the airstrip on the Turnagain Property.

The Turnagain Property covers a south-facing slope which begins just above 1,780 m elevation and extends down to the Turnagain River at 1,000 m elevation.

Outcrop exposure is abundant between tree line and the ridge crest, except for approximately one percent exposure in the Horsetrail area, but is poor over most of the claim block located west of the Turnagain River. Exposure is abundant on the low ridge extending east from the Turnagain River on claim 570455.

PREVIOUS WORK

Nickel and copper sulphides were first recognized in rusty weathering exposures of the Discovery showing on the bank of the Turnagain River in about 1956. Falconbridge Nickel Mines acquired the property in 1966 and, during the next seven years, completed an airborne geophysical survey, ground geophysical surveys, geological mapping, geochemical surveys, and 2,895 m of core drilling in approximately 28 widely spaced holes (McDougall and Clark, 1972, 1973). During the early 1970s, adjacent claims were investigated with a geochemical survey by Union Minière



Figure 1

HARD CREEK NICKEL CORP.	
Turnagain Ni-Co-PGE Project Liard M.D., British Columbia	
Date: 5/2/2008	Location Map
Author: GPR	
Office: HNC	
Drawing: 1 of 5	
Scale: as shown	




Figure 2

HARD CREEK NICKEL CORP.

**Turnagain Ni-Co-PGE
Project
Claim Map
Entire Property**

Date: 22/1/2008
 Author: GPR
 Office: HNC
 Drawing: 2 of 5

Projection: UTM Zone 9 (NAD 83)

0 1 2 4
kilometres




Figure 3 508222
HARD CREEK NICKEL CORP.

Date: 13/2/2008	Turnagain Ni-Co-PGE Project Claim Map Showing Work Areas
Author: GPR	
Office: HNC	
Drawing: 3 of 5	
Scale: 1:50000	Projection: UTM Zone 9 (NAD 83)

Exploration and Mining Corporation Ltd (UMEX) (Burgoyne, 1971). Once the Falconbridge and UMEX claims expired, a number of the showings were restaked and tested with short, small diameter core holes. Three EX-sized core holes totaling 55.5 m were drilled on the left bank of the Turnagain in 1977 (Brown, 1978). No significant intersections were reported and the collars have not been located. In 1979 a single drill hole of 17 m depth was drilled near the right bank of the Turnagain River and intersected unmineralized quartz diorite (Cukor, 1980).

By the mid-1980s, exploration interest shifted to platinum group elements. The Falconbridge core was re-sampled and a geochemical survey for platinum group elements was conducted for Equinox Resources Ltd. (Cukor, 1987; Page, 1986).

In 1996 Bren-Mar Resources Ltd. (predecessor to Canadian Metals Exploration Ltd.) optioned the Cub claim from J. Schussler and E. Hatzl. Between 1996 and 1998 Bren-Mar completed an airborne magnetic survey over 45 sq. km., 19 core holes totaling 3,889 m, down-hole pulse electromagnetic surveys in four of the 1997-1998 drill holes and preliminary metallurgical test work on drill core composite samples (Livgard, 1996; Downing, 1998).

Canadian Metals Exploration Ltd. resumed exploration in 2002 with an induced polarization and ground magnetic survey followed by 1687 m of diamond drilling in seven holes (Downing, 2003; Woods, 2003). The 2003 exploration program emphasized diamond drilling and resulted in 23 holes, including the deepening of one 2002 hole, for a total of 8,769 m. Results from three drill holes were documented by Canadian Metals in 2004 (Baldys and Hitchins 2004).

Hard Creek Nickel Corp. conducted a comprehensive exploration program over the claim block in 2004 (Assessment Report # 27646) including:

- 1700 line-km helicopter-borne magnetic and electromagnetic survey
- 14 line-km of detailed ground magnetometer, transient EM, and VLF surveys over the Horsetrail Zone
- transient EM surveys in nine boreholes
- collection of approximately 3000 soil samples
- several lines of biogeochemical sample collection
- geological mapping of the exposed ultramafic lithology
- 1:20,000 scale air photography and preparation of base maps
- 7,387 m of core drilling in 49 holes
- more than 4,000 core samples analyzed for 30 elements including Ni, Cu, Co, S, Pt and Pd

The 2005 exploration program was similarly extensive (Assessment Report # 28101) and included:

- follow-up prospecting and interpretation of geophysical targets
- further borehole transient EM surveys in 13 holes for a total of 7,400 m
- more than 1,900 fill-in soil geochemistry samples
- continued geological mapping
- 7,144 m of diamond drilling in 37 holes
- more than 3,700 core samples analyzed for 30 elements including Ni, Cu, Co, S, Pt and Pd

The 2006 exploration program was somewhat more extensive (Assessment Report # 28840) and included:

- further prospecting and interpretation of geophysical targets
- small program of infill soil sampling
- continued geological mapping
- 19,121.8 m of diamond drilling in 69 holes
- more than 4,500 core samples analyzed for 30 elements including Ni, Cu, Co, S, Pt and Pd

The 2007 exploration program was more extensive still and included:

- further prospecting
- continued geological mapping
- 24,869.9 m of NQ and PQ diamond drilling in 73 holes
- metallurgical and grinding tests of PQ composite samples
- more than 6,000 core samples analyzed for 30 elements including Ni, Cu, Co, S, Pt and Pd

GEOLOGICAL SETTING

Regional Geology

The Turnagain Property is hosted by an ultramafic complex of Middle to Late Jurassic age within Paleozoic metasedimentary and metavolcanic rocks assigned to the Road River Formation along the faulted terrane boundary between the cratonic margin and accreted terrane (Gabrielse, 1998). Hornfelsed metasediments found within the ultramafic complex are Early Permian (Scheel, 2007). There has been some uncertainty as to the age and origin of the Paleozoic rocks adjacent to the Turnagain ultramafic complex and Nixon (1998) has presented two interpretations. One interpretation suggests that the Paleozoic rocks are autochthonous and range in age from Cambrian to Upper Paleozoic – Triassic. An alternative interpretation, and the one favoured by Nixon, places the Turnagain ultramafic complex within an imbricated sequence of Late Paleozoic to Triassic sedimentary and volcanic rocks which were thrust eastward onto the margin of the North American craton. Support for this latter interpretation comes in part from the belief that the Turnagain ultramafic body is a zoned Alaskan-type complex and that other known examples in the northwestern Cordillera occur in accretionary terranes. Despite the differing interpretations, both place the Turnagain ultramafic body proximal to a major terrane boundary, a geological environment similar to many of the major nickel-bearing ultramafic intrusions of the Canadian Shield.

A number of non-zoned, apparently alpine-type ultramafic bodies are exposed in rocks of the Cache Creek terrane, south and west of the Turnagain ultramafic body. Most of these are strongly serpentinized and host a number of asbestos and jade occurrences.

Property Geology

The property covers the known extent of a zoned Alaskan-type ultramafic intrusion, which measures 8 km by 3 km and is elongate in a northwest direction, conformable to the regional structural grain. The ultramafic body is in fault contact with Paleozoic(?) graphitic metasedimentary rocks along its northern and eastern margins. The southern contact is poorly exposed but several drill holes have penetrated the contact and intersected deformed, graphitic, phyllitic rocks in fault contact with the ultramafic body. Locally, the phyllitic rocks display a weak brownish cast, suggestive of minor thermal alteration. Within the intrusion, hornfelsed metasediments of uncertain affinity show a range of stronger thermal effects.

The ultramafic complex consists of a central, well exposed dunite core and an outer zone of more poorly exposed dunite, wehrlite, olivine clinopyroxenite, clinopyroxenite and hornblendite. Poorly exposed hornblendite and clinopyroxenite dominate the south-central portion of the complex (Fig 4). All of these rock types and gradations between them have been interpreted as crystal cumulates (Clark, 1980; Nixon, 1998). Narrow bands and schlieren of millimetre-sized chromite crystals have been noted in dunite exposures and drill core. Phlogopite is a minor accessory mineral but is locally conspicuous in dunite and wehrlite.

Alteration varies from weak to intense serpentinization with several types of serpentine present. Generally, serpentinization is not intense. Most of the prominent magnetic anomaly coinciding with the ultramafic generally results from magnetite produced during serpentinization rather than from cumulus magnetite. Talc replacement of narrow felsic dykes, some faults and adjacent wallrock is often intense and is later than most of the serpentine alteration.

Fine-grained tremolite often occurs with serpentine alteration but comprises the majority of some core intervals, particularly where clinopyroxene appears to have been present originally.


The Turnagain ultramafic body is considered to be an Alaskan-type intrusion due to the following features (Nixon, 1998):

- orthopyroxene is lacking
- clinopyroxene compositions are diopsidic and comparable to other Alaskan-type intrusions
- ultramafic cumulates are restricted to mixtures of olivine and clinopyroxene with minor chromite, rare amphibole and trace phlogopite
- localized chromitite layers in the dunite have been remobilized to form schlieren and syndepositional folds, features that are characteristic of all Alaskan-type intrusions in British Columbia

The Turnagain Complex is broadly zoned but, with a few local exceptions, generally lacks fine original structures such as magmatic layering.

MINERALIZATION

The Turnagain ultramafic complex differs from most other Alaskan-type intrusions in at least one important aspect: it hosts half a dozen known occurrences of magmatic pyrrhotite-pentlandite-chalcopyrite mineralization (Fig. 4). In drill core these sulphides generally occur as disseminated zones of interstitial to blebby sulphides that locally coalesce to form net-textured zones of sulphides enclosing silicate grains. Short sections of semi-massive to massive sulphides are occasionally in contact with overlying(?) net-textured sulphides and rarely in sharp contact with only weakly disseminated sulphides. The latter occurrences are interpreted to be the result of the remobilization of primary interstitial sulphide into fractures or shears during deformation and, in rare cases, may represent original massive sulphide horizons or pods. Host rock of most of the



Legend

- Di - diorite with minor quartz diorite, tonalite and granodiorite
- Du - dunite with minor wehrlite
- Sp - serpentinite, dunite protolith
- Wh - wehrlite with minor dunite and olivine clinopyroxenite
- mtcPx - magnetite clinopyroxenite and hornblende clinopyroxenite, undivided
- cPx - olivine clinopyroxenite and clinopyroxenite, undivided
- Hfs - hornfels, volcanic wacke protolith
- Hb - hornblendite
- Phy - graphitic, locally pyritic phyllite with minor tuff and siltstone
- Wk - volcanic wacke to tuffaceous phyllite

- ★ Mineral occurrence
- - - - - inferred lithologic contact
- — — — — observed lithologic contact
- - - - - inferred fault
- — — — — observed fault
- ▲▲▲▲▲ inferred thrust fault
- ▲▲▲▲▲ observed thrust fault



Figure 4

HARD CREEK NICKEL CORP.

Turnagain Ni-Co-PGE Project

Geology and Mineral Occurrences

Date: 5/2/2008
 Author: GPR
 Office: HNC
 Drawing: 1 of 1
 Scale: 1:20000
 Projection: UTM Zone 9 (NAD 83)

disseminated to interstitial mineralization is dark grey coloured dunite and wehrlite. Low-grade sulphide-rich intercepts are commonly adjacent to, or within, more pyroxene-rich lithologies, whereas high-grade sulphide-rich intercepts are typically observed in serpentinized dunite and wehrlite.

Short intervals of vein or massive pyrrhotite, usually with varying amounts of veinlet-stringer chalcopyrite, massive graphite and blebby to massive magnetite, are spatially related to faults and zones of intense serpentine-tremolite alteration. These sulphide occurrences usually have a lower pentlandite/pyrrhotite ratio than primary sulphide intervals and might represent partial remobilization from nearby primary sulphides during a post-magmatic event.

2007 DIAMOND DRILL PROGRAM

This report documents 21 holes from the 2007 diamond drilling program conducted from May 25 to November 9, 2007. DJ Drilling of Surrey, BC supplied the crews and equipment. The drill rigs used were one skid-mounted LY38 and one skid-mounted LF90 drilling NQ size core, one skid-mounted LF125 drilling both NQ and PQ size core and one helicopter-supported LF70 drilling NQ size core. A 206B helicopter from Pacific Western Helicopters of Dease Lake was used for drill moves and crew changes for holes 07-230 – 07-240. Recoveries were generally better than 95% and down hole surveys indicate that holes generally deviate only a few metres from collar to end of hole. The 2007 targets consisted of AeroTEM conductors, magnetic anomalies, soil anomalies, and potential extensions of known mineralization.

Analytical Techniques

All core was split into four metre or shorter sample intervals and the bagged samples were shipped by helicopter and truck to Acme Analytical Laboratories Ltd. in Smithers BC for preparation and Vancouver, BC for analyses for as many as 30 elements. Most elements were determined by ICP-emission spectrometry following four-acid digestion (HF-HClO₄-HNO₃-HCl). Platinum, palladium and gold were measured by ICP-ES following lead collection fire assay fusion of a 30 g sample.

Since ICP-ES analysis for nickel and cobalt following four-acid digestion includes nickel and cobalt from both silicate minerals (mainly olivine) and sulphide minerals, a second sample pulp was subjected to a sulphide-specific digestion of ammonium citrate-hydrogen peroxide.

Analytical results were considered to be of exploration significance when nickel results from the four-acid digestion were $\geq 0.25\%$ and were supported by sulphur values $\geq 0.20\%$. Generally, when these two conditions are satisfied more than 70% of the total nickel occurs in sulphide minerals. Certificates of analyses for all elements and descriptions of Acme's analytical methods are included in Appendix C.

Ten percent of the sample pulps were check analyzed by IPL of Richmond, BC. Comparison of analytical results for reference standards between the two laboratories were within ten percent of accepted values. Nickel blanks and standards were inserted in the sample sequence every 30 and 25 samples, respectively, and duplicate pulps were analyzed every 30 samples as part of the QC/QA procedure.


Drill Hole Results

Locations below are given in UTM coordinates (Zone 9, NAD 83) and shown in Figure 5. A summary of the 21 holes is presented below and the reader is referred to Appendix B for the detailed drill logs.

Hole	Easting	Northing	Elevation /m	Azimuth / ^o	Inclination / ^o	Depth /m	Drill Used	Diameter
07-168	509,326	6,481,829	1,090.0	184.6	-84.6	517.0	LY38	NQ
07-194	509,489	6,481,953	1,092.9	038.6	-49.7	382.9	LY38	NQ
07-200	509,500	6,481,768	1,066.5	179.6	-59.4	312.8	LY38	NQ
07-201	508,736	6,481,504	1,132.2	185.9	-67.2	666.6	LF125	NQ
07-203	509,708	6,481,673	1,025.8	177.6	-59.9	453.3	LY38	NQ
07-206	509,975	6,481,694	1,031.3	065.9	-57.4	358.8	LF125	NQ
07-224M	508,833	6,481,486	1,136.9	179.8	-85.0	42.7	LF125	PQ
07-225	508,832	6,481,486	1,122.0	178.8	-58.8	675.2	LF125	NQ
07-230	505,618	6,484,204	1,630.0	180.0	-60.0	239.6	LF70	NQ
07-231	505,905	6,484,236	1,633.7	180.0	-60.0	245.1	LF70	NQ
07-232	506,369	6,483,714	1,586.9	180.0	-60.0	223.4	LF70	NQ
07-233	507,376	6,483,374	1,575.0	225.0	-60.0	225.0	LF70	NQ
07-234	506,765	6,483,656	1,627.7	180.0	-70.0	246.3	LF70	NQ
07-235	507,376	6,483,374	1,575.0	045.0	-60.0	207.1	LF70	NQ
07-236	511,185	6,481,355	1,170.0	180.0	-85.0	230.9	LF70	NQ
07-237	510,889	6,481,643	1,125.2	180.0	-58.8	305.1	LF70	NQ
07-238	510,889	6,481,643	1,125.2	180.0	-70.0	26.5	LF70	NQ
07-239	510,889	6,481,643	1,125.2	180.0	-85.0	167.1	LF70	NQ
07-240	510,337	6,481,587	1,050.0	180.0	-60.0	308.5	LF70	NQ
07-243	508,943	6,481,697	1,161.8	354.9	-49.1	416.1	LF125	NQ
07-247	508,893	6,481,509	1,117.4	000.5	-50.1	355.1	LF125	NQ

Hole 07-168 was a deepening of hole 06-168 that was drilled to intercept an inferred extension to mineralization encountered in hole 06-131 and 06-134 in the Duffy Zone. Hole 07-168 intersected barren to weakly mineralized, generally weakly serpentinized dunite, with short fault zones from a depth of 291.40 m to 410.80 m. Serpentinization and sulphide estimates increased slightly from this point to a depth of 482.90 m, at which a sharp gradation to olivine clinopyroxenite accompanied by an increase in sulphides was encountered. From this depth to the end of the hole, lithologies remained relatively clinopyroxene-rich and visual sulphide estimates remained below 0.5%. Analyses returned no significant results. Hole 07-168 failed to extend the Duffy Zone mineralization.

Hole 07-194 was drilled as a step-out from holes 06-132 and 06-133 and to test the contact area to the northeast of the Duffy Zone. Hole 07-194 intersected dunite with both serpentinization and sulphides increasing down hole to a depth of 157.70m. From this depth to a depth of 324.80 m mildly to intensely tremolite- and talc-altered dunite with variable sulphide estimates was intersected. From 324.80 m to the ultramafic contact at 382.85 m, an increasingly magnesite-altered, graphitic, serpentinized dunite was intersected. At 382.85 m a short fault zone was followed by the graphitic and quartz-rich phyllite in contact with the ultramafic intrusion. Analyses returned total nickel values of 0.25% from 92 to 132 m and from 324 to 340 m. Hole 07-194 aided in both characterizing and extending the Duffy Zone mineralization as well as defining the contact between the Turnagain ultramafic intrusion its surrounding metasedimentary lithologies.



Legend

- Di - diorite with minor quartz diorite, tonalite and granodiorite
- Du - dunite with minor wehrlite
- Sp - serpentinite, dunite protolith
- Wh - wehrlite with minor dunite and olivine clinopyroxenite
- mtcPx - magnetite clinopyroxenite and hornblende clinopyroxenite, undivided
- cPx - olivine clinopyroxenite and clinopyroxenite, undivided
- Hfs - hornfels, volcanic wacke protolith
- Hb - hornblendite
- Phy - graphitic, locally pyritic phyllite with minor tuff and siltstone
- Wk - volcanic wacke to tuffaceous phyllite

- - - - - inferred lithologic contact
- — — — — observed lithologic contact
- - - - - inferred fault
- — — — — observed fault
- ▲▲▲▲▲ inferred thrust fault
- ▲▲▲▲▲ observed thrust fault



Figure 5

HARD CREEK NICKEL CORP.

Turnagain Ni-Co-PGE Project	
Geology and Drill Hole Plan	
Date: 5/2/2008	
Author: GPR	
Office: HNC	
Drawing: 5 of	
Scale: 1:20000	Projection: UTM Zone 9 (NAD 83)

Kutchok

Hole 07-200 was drilled as a step-out from previously defined Duffy Zone mineralization to the north. Hole 07-200 intersected weakly to moderately serpentinized dunite with visual sulphide estimates generally near or below 0.1%, but reaching 0.5% over one 12 m interval. The abundance of sheared zones increased slightly downhole, while sulphides generally remained at or near trace levels. Analyses returned no significant results. Hole 07-200 aided in delineating the extent of the Duffy Zone mineralization.

Hole 07-201 was drilled in a southerly direction from the north of the Horsetrail Zone. It was drilled to test the depth of the ultramafic intrusion in the Horsetrail Zone and to test for a northerly extension to the Horsetrail mineralization. Hole 07-201 intersected largely barren dunite to a depth of 153.85 m, where a small diorite dyke and fault lead into a long wehrlite intersection to a depth of 242.40 m. From this depth to 515.90 m was a long package of variably altered clinopyroxenite to dunite. Serpentinized dunite with minor wehrlite was intersected from 515.90 m until a faulted contact with graphitic, quartz-rich phyllite at 643.60 m. The hole remained in phyllite until EOH at 666.60 m. Apart from visual sulphide estimates of roughly 2% from 174-212 m, sulphide abundances were generally below 0.5%. Analyses returned total nickel values of 0.24% from 332 to 364 m and 0.20% from 572 to 640 m. Hole 07-201 aided in extending the limits of the Horsetrail mineralization and in determining the depth of the ultramafic contact beneath the northern Horsetrail Deposit.

Hole 07-203 was drilled to test the area of deep overburden between the Horsetrail mineralization and the Discovery outcrop to the east. Hole 07-203 intersected variably serpentinized dunite and wehrlite with no to trace sulphides through its entire length, save for a short, intensely serpentinized dunite with 0.5% sulphides from 406.45m to 413.80 m. Analyses returned no significant results. Hole 07-203 aided in constraining the extent of the Horsetrail mineralization.

Hole 07-206 was drilled to test the area underneath the Discovery outcrop in the area of holes 97-06 and 97-07 and to intersect the ultramafic contact. Hole 07-206 intersected variably serpentinized and graphitic wehrlite with visual sulphide estimates ranging from 0.5 to 3.0% to a depth of 98.00 m. A faulted contact separated this wehrlite from sheared metasediments with minor interfingered wehrlite to a depth of 126.50 m. Serpentinized wehrlite with 2.0% sulphides and minor metasediment inclusions followed to a depth of 155.50 m. From this depth to 324.50 m was a long sequence of olivine clinopyroxenite and clinopyroxenite with minor wehrlite while sulphides generally remained above 1.5%. At 324.50 m a faulted contact between sulphide-poor wehrlite and sheared, graphitic, quartz-rich phyllite was encountered. Phyllite was intersected until end of hole at 358.75 m. Analyses returned total nickel values of 0.29% from 29.55 to 84 m and 0.40% from 244 to 272 m and platinum+palladium values of 384 ppb from 260 to 268 m. Hole 07-206 extended the mineralization encountered in holes 97-06 and 97-07 and delineated the ultramafic contact.

Hole 07-224M was drilled with PQ core for collection of green dunite for comminution and metallurgical testing. It intersected barren green dunite from 6.80 m to end of hole at 42.65 m. Hole 07-224M was not sampled for multi-element analyses. Hole 07-224M successfully extracted adequate green dunite for test use.

Hole 07-225 was drilled as an infill hole to test for a down-dip extension of the central Horsetrail Zone and to intersect the basal contact of the ultramafic in the Horsetrail Zone. Hole 07-225 intersected green dunite and variably serpentinized dunite with numerous short intervals of appreciable sulphides to a depth of 219.00 m. From this depth a suite of variably serpentine- and/or tremolite-altered wehrlite and dunite with minor olivine clinopyroxenite with variable sulphide content was intersected to a depth 657.20 m. A short interval of intense magnesite-altered ultramafic and an altered dyke mark the contact with the underlying phyllite at a depth of 660.10 m. This graphitic phyllite was encountered until end of hole at 675.15 m. Analyses returned total nickel values of 0.22% from 576 to 592 m. Hole 07-225 aided in characterizing the

Horsetrail mineralization and in determining the depth of the ultramafic contact in the northern Horsetrail.

Hole 07-230 was drilled to test beneath outcrops of finely disseminated sulphide mineralization in the Mandible Area. Hole 07-230 intersected variably tremolite- and serpentine-altered wehrlite and dunite with two short intervals of calc-silicate inclusion near surface. Visual sulphide estimates remained below 0.5%. Analyses returned no significant results. Hole 07-230 suggests that there is limited potential for additional low-grade nickel resource in the Mandible Area.

Hole 07-231 was also drilled to test the area beneath finely disseminated mineralization in outcrop in the Mandible Area. Hole 07-231 intersected variably serpentinized dunite and wehrlite with short intervals of moderate carbonate alteration and minor olivine clinopyroxenite. Visual sulphide estimates generally remained below 1.0% and were often at trace levels. Analyses returned no significant results. Hole 07-231 was unsuccessful in extending eastward the potential for mineralization in the Mandible Area.

Hole 07-232 was drilled to test the area beneath nickel and PGE mineralization found in dunite and wehrlite subcrop in the Central Area in 2004 and 2005. Hole 07-232 intersected variably serpentinized dunite with visual sulphide estimates remaining at or below 0.5% to a depth of 161.00 m. From this depth to 216.00 m, a partially brecciated epidote-altered diorite with trace chalcopyrite was intersected. The hole then remained in altered wehrlite until end of hole at 223.40 m. Analyses returned no significant results. Hole 07-232 failed to extend nickel and PGE mineralization in the Central Area.

Hole 07-233 was drilled to test the area beneath nickel mineralization found in dunite and wehrlite outcrops in the Central Area in 2005. Hole 07-233 intersected geologically complex units. It intersected a sequence of variably serpentine-, tremolite- and magnetite-altered dunite and wehrlite, minor epidote-altered diorite dykes, magnetite clinopyroxenite and hornblendite before ending at 224.95 m. Visual sulphide estimates remained at or below 0.5% and are commonly less than 0.15%. Analyses returned no significant results. Hole 07-233 failed to extend nickel mineralization in the Central Area.

Hole 07-234 was drilled to test a magnetic anomaly coincident with dunite outcrops and an inferred serpentinite band. Hole 07-234 intersected variably serpentine- and tremolite-altered dunite and wehrlite with a few short intersection of diorite. Visual sulphide estimates were generally below 0.5%, but occasionally 3% and even 10% over short intervals. Analyses returned total nickel values of 0.23% from 48 to 60 m. Hole 07-234 encountered some interesting grades near surface, but failed to fully explain the magnetic anomaly found in the area.

Hole 07-235 was drilled to test nickel grades found in dunite and wehrlite outcrop and float in the Central Area. Hole 07-235 intersected generally weakly serpentinized dunite and wehrlite cut by abundant diorite to hornblendite dykes. Visual sulphide estimates generally remained less than 1.0%. Analyses returned no significant results. Hole 07-235 failed to extend the nickel mineralization found at surface.

Hole 07-236 was drilled to test the area beneath a mildly gossanous clinopyroxenite outcrop in the Cliff Area. Hole 07-236 intersected variably serpentinized olivine clinopyroxenite and wehrlite to a depth of 198.50 m with visual sulphide estimates variable between trace and 7%. At 198.50 m depth, a faulted, graphitic phyllite was encountered for about 1 metre before a 3 metre interval of intensely talc-altered olivine clinopyroxenite which, in turn, was followed by a mixture of phyllite and hornfelsed metasediments until end of hole at 230.85 m. Analyses returned no significant results. Hole 07-236 failed to discover new mineralization in the Cliff, but succeeded in determining the depth to the ultramafic contact in the eastern Cliff Area.

Hole 07-237 was drilled to test the central part of the Cliff Area near a mineralized wehrlite outcrop and to determine the depth to the ultramafic contact. Hole 07-237 intersected olivine clinopyroxenite and clinopyroxenite with visual sulphide estimates of up to 5% to a depth of 37.80 m. From this depth to 276.15 m, the hole intersected variably serpentinized dunite and wehrlite with rare olivine clinopyroxenite and clinopyroxenite with visual sulphide estimates ranging 0.5 to 7.0%. At 276.15 m a faulted, graphitic phyllite was intersected until end of hole at 305.10 m. Analyses returned total nickel values of 0.25% and platinum+palladium values of 340 ppb from 112 to 124 m and total nickel values of 0.21% and platinum+palladium values of 629 ppb from 204 to 216 m. Hole 07-237 succeeded in intersecting sulphide-rich dunite and wehrlite over long intervals and discovering new and prospective mineralization in the Cliff Area.

Hole 07-238 was drilled at an incorrect inclination due to a miscommunication between geology and drilling staff. Hole 07-238 intersected serpentinized wehrlite with near trace visual sulphide estimates to a depth of 21.80 m. From this depth to 24.90 m, a calc-silicate inclusion was intersected before a short interval of weakly altered wehrlite to end of hole at 26.50 m. Analyses returned total nickel values of 0.17% and platinum+palladium values of 298 ppb from 6.5 to 16 m.

Hole 07-239 was drilled at the originally-intended inclination of hole 07-238: -85°. Hole 07-239 intersected serpentinized wehrlite with trace disseminated sulphides to a depth of 18.40 m. A short intersection of a calc-silicate inclusion followed to a depth of 20.50 m. From this depth to 40.10 m was intensely serpentinized wehrlite with visual sulphides averaging 0.3%. From 40.10 m to 127.10 m was a long interval of moderately to intensely serpentinized dunite with minor wehrlite and visual sulphide estimates ranging from trace to 0.5%. At 127.10 m, a faulted contact between overlying serpentinized wehrlite and graphitic phyllite was encountered. The hole remained in sulphide-bearing, graphitic phyllite until end of hole at 167.05 m. Analyses returned total nickel values of 0.22% and platinum+palladium values of 270 ppb from 64 to 120 m. Hole 07-239 succeeded in demonstrating continuity of mineralization encountered in hole 07-237 and provided an indication of the attitude of this mineralization.

Hole 07-240 was drilled to test an AeroTEM EM conductor in the southwest portion of the Cliff Area. Hole 07-240 intersected variably serpentinized olivine clinopyroxenite and wehrlite with visual sulphide estimates ranging from trace to 5% to a depth of 64.55 m. At this depth a short fault zone preceded an olivine clinopyroxenite and wehrlite interval with 4-10% sulphide from 66.80 to 118.70 m. From this depth to 302.5 m, olivine clinopyroxenite with minor wehrlite and significantly lower sulphide percentages was intersected. A short fault zone separates overlying ultramafic lithologies from the underlying graphitic phyllite which was intersected until end of hole at 308.45 m. Analyses returned total nickel values of 0.18% and platinum+palladium values of 260 ppb from 66.2 to 125 m and total nickel values of 0.37% and platinum+palladium values of 260 ppb from 211 to 223 m. Hole 07-240 succeeded in finding a new style of sulphide mineralization in the Cliff Area and the sulphides encountered likely explain of the EM conductor.

Hole 07-243 was drilled to test the area to the north of the Horsetrail Deposit towards an inferred fault-controlled serpentinite. Hole 07-243 intersected green to intensely serpentinized dunite with visual sulphide estimates ranging from 0 to 0.2% over its entire length, save for a short interval of 0.7% near surface, to end of hole at 416.05 m. Analyses returned no significant results. Hole 07-243 failed to encounter new mineralization to the north of the Horsetrail Deposit.

Hole 07-247 was drilled to the south of hole 07-243 to test for a northerly Horsetrail extension in a large, overburden covered area. Hole 07-247 intersected green to moderately serpentinized dunite and wehrlite with visual sulphide estimates of zero to 0.1% over its entire length of 355.10 m. Analyses returned no significant results. Hole 07-247 failed to encounter a northerly extension of the Horsetrail Deposit.

CONCLUSIONS

Holes 07-230 to 07-235 were drilled in the Mandible and Central Areas in the northwest portion of the intrusion to test targets indicated by outcrop samples, soil geochemical anomalies and total magnetic anomalies. Although hole 07-234 intersected a short interval of encouraging nickel grades near surface, the exploration campaign in this area was disappointing. Holes 07-234 and 07-235 intersected slightly more diorite than anticipated, indicating that the diorite band near the centre of the property may be larger than has previously been mapped. There remains, however, a band of outcropping dunite and wehrlite with encouraging grab sample nickel results extending west from hole 07-230.

Holes 07-201 and 07-225 were drilled slightly north of the known Horsetrail mineralization to determine the depth to the ultramafic contact and to test for a northerly Horsetrail extension of mineralization. Hole 07-201 intersected nickel grades that extend the Horsetrail mineralization to the north while hole 07-225 intersected no significant intervals. Both holes succeeded in determining the depth to the base of the ultramafic. Also, both holes show that the contact between the ultramafic and graphitic phyllite is a fault contact, supporting the theory that the Turnagain ultramafic body is the remnants of a large thrust sheet.

Hole 07-224M was drilled as part of a successful campaign to acquire PQ sized core of various lithologies for comminution and metallurgical testing.

Holes 07-243 and 07-247 were drilled to find northerly extensions to Horsetrail mineralization. Analyses returned no significant results. It appears as though the Horsetrail mineralization does not extend north of hole 07-225.

Holes 07-168, 07-194 and 07-200 were drilled to test for extensions to Duffy Zone mineralization discovered in the 2006 drilling campaign. Holes 07-168 and 07-194 were successful in extending mineralization to the north and to the west, however, hole 07-200 failed to extend Duffy Zone mineralization to the south. Duffy Zone mineralization appears to trend in a northeasterly-southwesterly direction.

Hole 07-203 failed to indicate continuity of mineralization between the Horsetrail and Discovery outcrop while hole 07-206 intersected encouraging nickel grades at depth below the Discovery outcrop.

Holes 07-236 to 07-240 were drilled in the prospective Cliff Area. Holes 07-237 to 07-240 intersected very encouraging nickel, platinum and palladium grades, expanding on known mineralization encountered in pre-NI43-101 drill holes completed in 1997, while hole 07-236 intersected no significant intervals.

RECOMMENDATIONS

The holes described in this report succeeded in extending the known mineralization in the Horsetrail Deposit and Duffy Zones, discovered a new area of nickel and PGM mineralization in the Cliff Area and aided in delineating the ultramafic intrusive contact. Further drilling should be conducted to test for extensions of the mineralization encountered in the Cliff Area and in the Duffy Zone. More drilling is required to further delineate the extent of the Horsetrail Zone and to bring the entire nickel-cobalt resource to NI43-101 measured and indicated status. A program of Horsetrail and Northwest Zone infill drilling and Cliff Area exploration is in the planning process for the 2008 season. Infill drilling on 100 m centres will better define the limits of mineralization for further resource estimates.

REFERENCES

- Baldys, C. and Hitchins, A. (2004): Turnagain Nickel Property Diamond Drill Report on Cub Claim, BC Ministry of Energy and Mines Assessment Report 27341.
- Baldys, C. and Hitchins, A. (2005): Diamond Drill Report on the Cub Claim, BC Ministry of Energy and Mines Assessment Report 27646.
- Brown, D. H. (1978): Assessment Report on Diamond Drilling, Nickel-Star Property, BC Ministry of Energy and Mines Assessment Report 6725.
- Burgoyne, Alfred A. (1971): Geochemical Soil Survey, Agnes and Sand Mineral Claims, Liard Mining Division, BC Ministry of Energy and Mines Assessment Report 3206.
- Clark, Thomas (1980): Petrology of the Turnagain Ultramafic Complex, Northwestern British Columbia, Canadian Journal of Earth Sciences, vol. 17, no.6, pp. 744-757.
- Cukor, V. (1980): Cub Mineral Claim, Turnagain River Area, Liard Mining Division, BC Ministry of Energy and Mines Assessment Report 8055.
- Cukor, V. (1987): Geological Report on the Cub Claims, Liard Mining Division, BC Ministry of Energy and Mines Assessment Report 16458.
- Downing, B. (1998): Turnagain Nickel-Cobalt Project, BC Ministry of Energy and Mines Assessment Report 25475.
- Downing, B. (2003): Report on Turnagain Nickel, Cobalt, Copper, PGM Project, BC Ministry of Energy and Mines Assessment Report 27119.
- Gabrielse, H. (1998): Geology of Cry Lake and Dease Lake Map Areas, North Central British Columbia, Geological Survey of Canada Bulletin 504.
- Livgard, E. (1996): Exploration 1996, Cub Claims, Liard Mining Division, BC Ministry of Energy and Mines Assessment Report 24911.
- McDougall, J.J. and Clark, T. (1972): Geological Report on the South Group Mineral Claims, Turnagain River, BC, BC Ministry of Energy and Mines Assessment Report 3735.
- McDougall, J.J. and Clark, T. (1973): Geological Report on the North Group Mineral Claims, Turnagain River, BC, BC Ministry of Energy and Mines Assessment Report 4097.
- Nixon, G.T. (1998): Ni-Cu Mineralization in the Turnagain Alaskan-type Complex: A Unique Magmatic Environment in Geological Fieldwork 1997, pp. 18-1 to 18-10.
- Page, Jay W. (1986): Report on a Geochemical Survey on the Turnagain Property, Liard Mining Division, BC Ministry of Energy and Mines Assessment Report 15994.
- Scheel, J.E. (2007): Age and Origin of the Turnagain Alaskan-type Intrusion and Associated Ni-Sulphide Mineralization, North-Central British Columbia, Canada; unpublished M.Sc. thesis, *University of British Columbia*, 210 p.
- Woods, D.V. and Downing, B. (2003): Geophysical Interpretation Report on Magnetic and Induced Polarization-Resistivity Surveys, BC Ministry of Energy and Mines Assessment Report 27119.

Appendix A

Claims List

Tenure Number	Claim Name	Area	Good To Date
407627	PUP 4	500.0	2018/jan/01
501131	Drift 1	421.965	2018/jan/12
501168	Drift 2	421.755	2018/jan/12
501234	Drift 3	421.729	2018/jan/12
501298	Drift 4	421.794	2018/jan/12
503365		793.347	2018/feb/18
508218	Dinah 1	407.204	2018/mar/03
508219	Dinah 2	407.052	2018/mar/03
508221	Dinah 3	406.859	2018/mar/03
508222	Dinah 4	406.701	2018/mar/03
508223	Dinah 5	407.096	2018/mar/03
508225	Dinah 6	407.096	2018/mar/03
508226	Dinah 7	254.575	2018/mar/03
508227	Dinah 8	407.298	2018/mar/03
508228	Dinah 9	135.529	2018/mar/03
508229	Dinah 10	203.4	2018/mar/03
510889		1627.862	2018/apr/07
510892		1219.257	2018/apr/07
510910		1424.279	2018/apr/07
510911		1066.865	2018/apr/07
510912		779.891	2018/apr/07
511214		979.883	2018/feb/18
511226		1216.076	2018/feb/18
511227		506.714	2018/feb/17
511230		760.466	2018/feb/17
511234		185.888	2018/feb/16
511244		489.918	2018/feb/18
511251		473.406	2018/feb/17
511257		1014.444	2018/feb/17
511279		896.687	2018/feb/17
511304		1149.679	2018/feb/17
511305		270.959	2018/sep/27
511306		881.166	2018/feb/19
511329		1015.364	2018/sep/27
511330		592.594	2017/dec/01
511337		1065.752	2017/dec/01
511340		253.92	2017/dec/01
511344		270.999	2018/feb/19
511347		474.339	2018/apr/07
511348		389.388	2017/dec/01
511586		236.94	2018/jan/01
511593		101.549	2018/jan/01
511627		592.115	2017/dec/01
511628		708.952	2018/feb/18
511629		472.918	2018/feb/18
528780	T1	67.745	2018/feb/23

Tenure Number	Claim Name	Area	Good To Date
528781	T2	203.314	2018/feb/23
528782	T3	152.557	2018/feb/23
528784	T4	288.253	2018/feb/23
528787	T5	169.649	2018/feb/23
528788	T6	270.22	2018/feb/23
528789	T7	422.475	2018/feb/23
528790	T8	253.607	2018/feb/23
570454		456.79	2018/may/26
570455		236.961	2018/may/26
570456		220.172	2018/may/26
570457		16.93	2018/may/26

Expiry dates are conditional upon the acceptance of this assesement report.

Appendix B

DRILL LOG LEGEND

Sample Data

- depths in metres
- sample numbers correlate with analytical sheets

Sulphide Summary

- visual estimates in percent

Mineralogy and Description

- dominant rock forming mineral identified
- content and other minerals and alterations designated

Symbol	Definition
act	actinolite
alt	altered (undetermined)
am	amphibole
an	andradite, andraditic
as	asbestose
B	blank
b	broken
bge	beige
blk	black
bn	brown
brn am	brown amphibole
bt	biotite, biotitic
Bx	breccia
c	competent
ca	carbonate
chry	chrysotile
clay	clay
cpx	clinopyroxene
cPx	clinopyroxenite
cs	calc-silicate
CS	calc-silicate inclusion
Cu	copper
D	duplicate
Di	diorite
Dk	dyke
Du	dunite
ep	epidote
f	fractured
Flt	fault, faulted
fol	foliated
fs	feldspar
gDu	green dunite
gn	green
gr	graphite, graphitic

Symbol	Definition
grt	garnet, garnetiferous
gy	grey
hb	hornblende, hornblenditic
Hb	hornblendite
Hf	hornfels
l	intense
lt	light
M	moderate
ma	magnesite, magnesitic
mc	mica, micaceous
med	medium
MSD	metasediment
musc	muscovite, muscovitic
N	none
ol	olivine
ox	oxides
ph	phlogopite, phlogopitic
Phy	phyllite
pnk	pink
qtz	quartz, quartziferous
rd	red
sh	sheared
si	silica, siliceous
sp	serpentine, serpentinized
STD	standard
tl	talc, talcose
tr	tremolite
UM	ultramafic (undetermined)
uv	uvarovite
W	weak
Wh	wehrlite
wt	white
/45	angle to core axis
/-1	no preferred angle

Hole 07-168

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-168	291.40	320.90			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	N	W	N	N	Cu-W	gngy	Du	sp	c/-1	
07-168	291.40	296.00	569164																				
07-168	296.00	300.00	569165																				
07-168	300.00	304.00	569166																				
07-168	304.00	308.00	569167																				
07-168	308.00	312.00	569168																				
07-168	312.00	316.00	569169																				
07-168			569170	B																			
07-168	316.00	320.00	569171																				
07-168	320.90	358.50			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	W	N	N	N	gn	gDu	sp	c/-1	
07-168	320.00	324.00	569172																				
07-168	324.00	328.00	569173																				
07-168	328.00	332.00	569174																				
07-168			569175	STD																			
07-168			569176	STD																			
07-168	332.00	336.00	569177																				
07-168	336.00	340.00	569178																				
07-168	340.00	344.00	569179																				
07-168	344.00	348.00	569180																				
07-168	348.00	352.00	569181																				
07-168	352.00	356.00	569182																				
07-168	356.00	360.00	569183																				
07-168	358.50	367.00			0.00	0.00	0.00	0.00	0.00	0	ol	W	M	W	W	N	N	N	gn	gDu	sp	c/-1	
07-168	360.00	364.00	569184																				
07-168	364.00	368.00	569185																				
07-168	367.00	370.60			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	W	N	N	uv-W	gygn	Du	sp	f/10,f/45	
07-168	370.60	387.40			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	N	W	N	N	uv-W	gn	gDu	sp	c/-1	
07-168	368.00	372.00	569186																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-168	372.00	376.00	569187																				
07-168	376.00	380.00	569188																				
07-168	380.00	384.00	569189																				
07-168	384.00	388.00	569190	D																			
07-168	387.40	388.50			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	M	W	N	N	N	gygn	Flt	sp	FLT	
07-168	388.50	404.50			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	N	W	N	N	N	ltgy	Du	sp	c/-1	
07-168	388.00	392.00	569191																				
07-168	392.00	396.00	569192																				
07-168	396.00	400.00	569193																				
07-168	400.00	404.00	569194																				
07-168	404.50	410.80			0.05	0.05	0.05	0.05	0.00	0	ol	W	W	W	M	N	N	N	gngy	shspDu	sp	sh/70	
07-168	404.00	408.00	569195																				
07-168	410.80	444.50			0.10	0.00	0.10	0.10	0.00	0	ol	W	M	N	M	N	N	N	gygn	spDu	sp	c/-1	
07-168	408.00	412.00	569196																				
07-168	412.00	416.00	569197																				
07-168	416.00	420.00	569198																				
07-168	420.00	424.00	569199																				
07-168			569200	STD																			
07-168			569201	STD																			
07-168	424.00	428.00	569202																				
07-168	428.00	432.00	569203																				
07-168	432.00	436.00	569204																				
07-168	436.00	440.00	569205																				
07-168	440.00	444.00	569206																				
07-168	444.50	455.30			0.30	0.00	0.30	0.30	0.00	0	ol	M	N	N	M	N	N	N	medgy	spDu	sp	c/-1	
07-168	444.00	448.00	569207																				
07-168	448.00	452.00	569208																				
07-168	452.00	456.00	569209																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-168	455.30	482.90			0.10	0.00	0.50	0.40	0.00	0	ol	W	M	N	M	N	N	N	gngy	Du	sp	c/-1
07-168	456.00	460.00	569210																			
07-168	460.00	464.00	569211																			
07-168	464.00	468.00	569212																			
07-168	468.00	472.00	569213																			
07-168	472.00	476.00	569214																			
07-168	476.00	480.00	569215																			
07-168	480.00	484.00	569216																			
07-168	482.90	483.85			0.40	0.10	0.50	0.20	0.00	0	cpx	M	W	N	M	N	N	N	medgy	ocpx	sp	sh/40
07-168	484.00	488.00	569217																			
07-168	483.85	484.50			0.00	0.00	0.00	0.00	0.00	0	ol	M	N	W	M	N	N	N	medgy	Flt	sp	FLT
07-168	484.50	485.80			0.30	0.20	0.50	0.20	0.00	0	ol	M	W	N	M	N	N	N	medgy	ocpx	sp	f/40
07-168	488.00	492.00	569218																			
07-168	485.80	511.45			0.40	0.30	0.70	0.20	0.10	0	ol	M	W	N	N	N	M	ca-M	medgy	altWh	sp,ca	c/-1,sh/10
07-168	492.00	496.00	569219																			
07-168	496.00	500.00	569220	D																		
07-168	500.00	504.00	569221																			
07-168	504.00	508.00	569222																			
07-168	508.00	512.00	569223																			
07-168	511.45	513.40			0.20	0.30	0.50	0.10	0.10	0	cpx	M	N	N	W	N	W	ca-W	medgy	ocpx	sp	c/-1
07-168	513.40	516.95			0.20	0.00	0.20	0.10	0.00	0	ol	M	W	N	W	N	N	N	dkgy	spWh	sp	c/-1
07-168	512.00	516.95	569224																			
07-168			569225	STD																		
07-168			569226	STD																		

Hole 07-194

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-194	0.00	4.60																					
07-194	4.60	94.50			0.05	0.05	0.10	0.00	0.00	0	ol	W	M	W	M	N	N	ma-M	gn	gDu	gnsp	c/-1	
07-194	4.60	8.00	568997																				
07-194	8.00	12.00	568998																				
07-194	12.00	16.00	568999																				
07-194			569000	STD																			
07-194			569001	STD																			
07-194	16.00	20.00	569002																				
07-194	20.00	24.00	569003																				
07-194	24.00	28.00	569004																				
07-194	28.00	32.00	569005																				
07-194	32.00	36.00	569006																				
07-194	36.00	40.00	569007																				
07-194	40.00	44.00	569008																				
07-194	44.00	48.00	569009																				
07-194	48.00	52.00	569010	D																			
07-194	52.00	56.00	569011																				
07-194	56.00	60.00	569012																				
07-194	60.00	64.00	569013																				
07-194	64.00	68.00	569014																				
07-194	68.00	72.00	569015																				
07-194	72.00	76.00	569016																				
07-194	76.00	80.00	569017																				
07-194	80.00	84.00	569018																				
07-194	84.00	88.00	569019																				
07-194			569020	B																			
07-194	88.00	92.00	569021																				
07-194	92.00	96.00	569022																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-194	94.50	111.50			0.50	0.50	1.00	0.05	0.00	0.05	ol	W	W	N	W	N	W	ma-M	gy	Du	bksp	c/-1
07-194	96.00	100.00	569023																			
07-194	100.00	104.00	569024																			
07-194			569025	STD																		
07-194			569026	STD																		
07-194	104.00	108.00	569027																			
07-194	108.00	112.00	569028																			
07-194	111.50	138.60			2.00	0.05	2.05	0.10	0.00	0	ol	l	N	W	l	N	N	N	dkgy	spDu	bksp	c/-1
07-194	112.00	116.00	569029																			
07-194	116.00	120.00	569030																			
07-194	120.00	124.00	569031																			
07-194	124.00	128.00	569032																			
07-194	128.00	132.00	569033																			
07-194	132.00	136.00	569034																			
07-194	136.00	140.00	569035																			
07-194	138.60	157.70			1.00	0.05	1.05	0.05	0.00	0	ol	M	W	W	M	N	N	chry-M	medgy	spDu	bksp	c/-1
07-194	140.00	144.00	569036																			
07-194	144.00	148.00	569037																			
07-194	148.00	152.00	569038																			
07-194	152.00	156.00	569039																			
07-194	157.70	207.60			1.50	0.50	2.00	0.10	0.00	0	ol	W	N	N	W	N	W	ca-W	ltgy	trDu	tr	c/-1
07-194	156.00	160.00	569040	D																		
07-194	160.00	164.00	569041																			
07-194	164.00	168.00	569042																			
07-194	168.00	172.00	569043																			
07-194	172.00	176.00	569044																			
07-194	176.00	180.00	569045																			
07-194	180.00	184.00	569046																			

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY							GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-194	184.00	188.00	569047																					
07-194	188.00	192.00	569048																					
07-194	192.00	196.00	569049																					
07-194			569050	STD																				
07-194			569051	STD																				
07-194	196.00	200.00	569052																					
07-194	200.00	204.00	569053																					
07-194	204.00	208.00	569054																					
07-194	207.60	229.10			0.50	2.00	2.50	0.10	0.50	0	ol	W	W	W	W	N	M	tr-M	ltgy	trDu	tr	c/-1		
07-194	208.00	212.00	569055																					
07-194	212.00	216.00	569056																					
07-194	216.00	220.00	569057																					
07-194	220.00	224.00	569058																					
07-194	224.00	228.00	569059																					
07-194	228.00	232.00	569060																					
07-194	229.10	267.60			0.05	0.50	0.55	0.05	0.05	0	ol	W	W	W	W	N	N	tr-W	ltgy	trDu	tr	c/-1		
07-194	232.00	236.00	569061																					
07-194	236.00	240.00	569062																					
07-194	240.00	244.00	569063																					
07-194	244.00	248.00	569064																					
07-194	248.00	252.00	569065																					
07-194	252.00	256.00	569066																					
07-194	256.00	260.00	569067																					
07-194	260.00	264.00	569068																					
07-194	264.00	268.00	569069																					
07-194	267.60	273.10			0.00	0.05	0.05	0.00	0.00	0	ol	M	W	M	W	N	M	N	medgy	Flt	tl	ft		
07-194	268.00	272.00	569070	D																				
07-194	272.00	276.00	569071																					

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT
07-194	273.10	297.90			1.00	0.50	1.50	0.05	0.05	0	ol	W	N	I	W	N	M	N	medgy	shtlDu	tl	sh/-1
07-194	276.00	280.00	569072																			
07-194	280.00	284.00	569073																			
07-194	284.00	288.00	569074																			
07-194			569075	STD																		
07-194			569076	STD																		
07-194	288.00	292.00	569077																			
07-194	292.00	296.00	569078																			
07-194	297.90	324.80			0.05	0.50	0.55	0.00	0.40	0	ol	M	W	W	W	N	M	N	medgy	spDu	bksp	c/-1
07-194	296.00	300.00	569079																			
07-194			569080	B																		
07-194	300.00	304.00	569081																			
07-194	304.00	308.00	569082																			
07-194	308.00	312.00	569083																			
07-194	312.00	316.00	569084																			
07-194	316.00	320.00	569085																			
07-194	320.00	324.00	569086																			
07-194	324.80	341.50			1.50	0.05	1.55	0.10	0.05	0	ol	I	M	W	M	N	W	ma-M	dkgy	spDu	bksp	f/-1
07-194	324.00	328.00	569087																			
07-194	328.00	332.00	569088																			
07-194	332.00	336.00	569089																			
07-194	336.00	340.00	569090																			
07-194	341.50	367.90			0.05	0.50	0.55	0.00	0.20	0	ol	M	W	W	W	N	W	ma-W	medgy	spDu	bksp	c/-1
07-194	340.00	344.00	569091																			
07-194	344.00	348.00	569092																			
07-194	348.00	352.00	569093																			
07-194	352.00	356.00	569094																			
07-194	356.00	360.00	569095																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-194	360.00	364.00	569096																				
07-194	364.00	368.00	569097																				
07-194	367.90	382.85			0.00	1.50	1.50	0.00	0.05	py - 0.5	qtz	N	N	N	N	N	I	N	medgy	grPhyl	gr	fol/30-40	
07-194	368.00	372.00	569098																				
07-194	372.00	376.00	569099																				
07-194			569100	STD																			
07-194			569101	STD																			
07-194	376.00	380.00	569102																				
07-194	380.00	382.85	569103																				

Hole 07-200

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-200	0.00	9.15																					
07-200	9.15	27.40			1.00	0.00	1.00	0.00	0.50	0	ol	M	W	W	M	N	N	ca-W	dkgy	altDu	bksp	c/-1	
07-200	9.15	12.00	569227																				
07-200	12.00	16.00	569228																				
07-200	16.00	20.00	569229																				
07-200			569230	B																			
07-200	20.00	24.00	569231																				
07-200	24.00	28.00	569232																				
07-200	27.40	61.50			0.05	0.00	0.05	0.00	0.00	0	ol	M	W	W	M	N	N	N	medgy	spDu	bksp	c/-1	
07-200	28.00	32.00	569233																				
07-200	32.00	36.00	569234																				
07-200	36.00	40.00	569235																				
07-200	40.00	44.00	569236																				
07-200	44.00	48.00	569237																				
07-200	48.00	52.00	569238																				
07-200	52.00	56.00	569239																				
07-200	56.00	60.00	569240																				
07-200	61.50	75.70			1.50	0.00	1.50	1.00	0.00	0	ol	l	W	W	l	N	N	N	dkgy	spDu	bksp	c/-1	
07-200	60.00	64.00	569241																				
07-200	64.00	68.00	569242																				
07-200	68.00	72.00	569243																				
07-200	72.00	76.00	569244																				
07-200	75.70	93.85			0.05	1.00	1.05	0.00	1.00	0	ol	M	W	W	M	N	N	N	medgy	spDu	bksp	c/-1	
07-200	76.00	80.00	569245																				
07-200	80.00	84.00	569246																				
07-200	84.00	88.00	569247																				
07-200	88.00	92.00	569248																				
07-200	92.00	96.00	569249																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-200			569250	STD																			
07-200			569251	STD																			
07-200	93.85	108.50			0.50	0.00	0.50	0.50	0.00	0	ol	M	W	W	W	N	N	N	medgy	Du	bksp	c/-1	
07-200	96.00	100.00	569252																				
07-200	100.00	104.00	569253																				
07-200	104.00	108.00	569254																				
07-200	108.50	114.35			0.05	0.00	0.05	0.00	0.00	0	ol	W	W	N	W	N	N	N	medgy	Du	bksp	c/-1	
07-200	108.00	112.00	569255																				
07-200	112.00	116.00	569256																				
07-200	114.35	124.25			0.05	0.00	0.05	0.00	0.00	0	ol	M	W	N	M	N	N	ma-W	medgy	spDu	bksp	c/-1	
07-200	116.00	120.00	569257																				
07-200	120.00	124.00	569258																				
07-200	124.25	149.70			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	W	N	N	N	gygn	gDu	bksp	c/-1	
07-200	124.00	128.00	569259																				
07-200			569260	B																			
07-200	128.00	132.00	569261																				
07-200	132.00	136.00	569262																				
07-200	136.00	140.00	569263																				
07-200	140.00	144.00	569264																				
07-200	144.00	148.00	569265																				
07-200	149.70	172.50			0.00	0.00	0.00	0.00	0.00	0	ol	W	M	W	W	N	N	ma-W	gngy	gDu	gnsp	c/-1	
07-200	148.00	152.00	569266																				
07-200	152.00	156.00	569267																				
07-200	156.00	160.00	569268																				
07-200	160.00	164.00	569269																				
07-200	164.00	168.00	569270																				
07-200	168.00	172.00	569271																				
07-200	172.50	209.30			0.05	0.00	0.05	0.00	0.00	0	ol	N-W	N	N	M	N	N	N	dkgybn	gDu	sp	c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-200	172.00	176.00	569272																					
07-200	176.00	180.00	569273																					
07-200	180.00	184.00	569274																					
07-200			569275	STD																				
07-200			569276	STD																				
07-200	184.00	188.00	569277																					
07-200	188.00	192.00	569278																					
07-200	192.00	196.00	569279																					
07-200	196.00	200.00	569280																					
07-200	200.00	204.00	569281																					
07-200	204.00	208.00	569282																					
07-200	208.00	212.00	569283																					
07-200	209.30	213.20			0.00	0.10	0.10	0.00	0.00	0	ol	W	M	M	I	N	N	N	gygn	shspDu	sp	sh/30-70		
07-200	212.00	216.00	569284																					
07-200	213.20	259.10			0.00	0.00	0.00	0.00	0.00	0	ol	N	W							gDu	sp	f/30-50		
07-200	216.00	220.00	569285																					
07-200	220.00	224.00	569286																					
07-200	224.00	228.00	569287																					
07-200	228.00	232.00	569288																					
07-200	232.00	236.00	569289																					
07-200			569290	B																				
07-200	236.00	240.00	569291																					
07-200	240.00	244.00	569292																					
07-200	244.00	248.00	569293																					
07-200	259.10	270.00			0.00	0.05	0.05	0.00	0.00	0	ol	W	M	W						spDu	sp	f/30-60		
07-200	248.00	252.00	569294																					
07-200	252.00	256.00	569295																					
07-200	256.00	260.00	569296																					

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY							
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-200	260.00	264.00	569297																					
07-200	264.00	268.00	569298																					
07-200	268.00	272.00	569299																					
07-200			569300	STD																				
07-200			569301	STD																				
07-200	270.00	278.30			0.00	0.05	0.05	0.05	0.00	0	ol	W	M	W	M	N	N			shgDu	sp	sh		
07-200	272.00	276.00	569302																					
07-200	276.00	280.00	569303																					
07-200	278.30	312.75			0.00	0.05	0.05	0.00	0.00	0	ol	W	W	W	M	N	N							
07-200	280.00	284.00	569304																					
07-200	284.00	288.00	569305																					
07-200	288.00	292.00	569306																					
07-200	292.00	296.00	569307																					
07-200	296.00	300.00	569308																					
07-200	300.00	304.00	569309																					
07-200	304.00	308.00	569310																					
07-200	308.00	312.00	569311																					

Hole 07-201

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	0.00	3.05																					
07-201	3.05	18.00			2.50	0.50	3.00	0.30	0.00	0	ol	W	W	W	W	N	N	N	gy	Du	bksp	c/-1	
07-201	3.05	8.00	357701																				
07-201	8.00	12.00	357702																				
07-201	12.00	16.00	357703																				
07-201	16.00	20.00	357704																				
07-201	18.00	48.20			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	N	gy	Du	bksp	c/-1	
07-201	20.00	24.00	357705																				
07-201	24.00	28.00	357706																				
07-201	28.00	32.00	357707																				
07-201	32.00	36.00	357708																				
07-201	36.00	40.00	357709																				
07-201	48.20	109.00			0.25	0.00	0.25	0.05	0.00	0	ol	W	W	W	W	N	N	ca	gy	Du	bksp	c/-1	
07-201			357710	B																			
07-201	40.00	44.00	357711																				
07-201	44.00	48.00	357712																				
07-201	48.00	52.00	357713																				
07-201	52.00	56.00	357714																				
07-201	56.00	60.00	357715																				
07-201	60.00	64.00	357716																				
07-201	64.00	68.00	357717																				
07-201	68.00	72.00	357718																				
07-201	72.00	76.00	357719																				
07-201	76.00	80.00	357720																				
07-201	80.00	84.00	357721																				
07-201	84.00	88.00	357722																				
07-201	88.00	92.00	357723																				
07-201	92.00	96.00	357724																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-201			357725	STD																				
07-201			357726	STD																				
07-201	96.00	100.00	357727																					
07-201	100.00	104.00	357728																					
07-201	104.00	108.00	357729																					
07-201	109.00	138.25			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	W	ph	gy	Du	bksp	c/-1		
07-201	108.00	112.00	357730	D																				
07-201	112.00	116.00	357731																					
07-201	116.00	120.00	357732																					
07-201	120.00	124.00	357733																					
07-201	124.00	128.00	357734																					
07-201	128.00	132.00	357735																					
07-201	132.00	136.00	357736																					
07-201	136.00	140.00	357737																					
07-201	138.25	145.90			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	ph,an	gy	shDu	bksp	sh		
07-201	140.00	144.00	357738																					
07-201	144.00	148.00	357739																					
07-201			357740	B																				
07-201	145.90	151.85			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	M	N	N	N	gy	Du	bksp	c/-1		
07-201	148.00	152.00	357741																					
07-201	151.85	153.85			0.00	0.00	0.00	0.00	0.00	0	fs	N	N	N	N	N	N	fs,am	pnkgn	DiDk	ep	c/-1		
07-201	153.85	155.85			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	W	N	N	N	gy	DuFlt	bksp	b		
07-201	152.00	156.00	357742																					
07-201	155.85	174.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	ph	gy	Wh	bksp	c/-1		
07-201	156.00	160.00	357743																					
07-201	160.00	164.00	357744																					
07-201	164.00	168.00	357745																					
07-201	168.00	172.00	357746																					

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	172.00	176.00	357747																				
07-201	174.00	180.00			2.50	0.00	2.50	0.25	0.00	0	ol	W	W	W	W	N	N	N	gy	Wh	bksp	c/-1	
07-201	176.00	180.00	357748																				
07-201	180.00	184.00	357749																				
07-201			357750	STD																			
07-201			357751	STD																			
07-201	184.00	188.00	357752																				
07-201	188.00	192.00	357753																				
07-201	192.00	196.00	357754																				
07-201	196.00	200.00	357755																				
07-201	180.00	209.50			1.00	0.00	1.00	0.05	0.00	0	ol	W	W	W	W	N	N	N	gy	Wh	bksp	c/-1	
07-201	200.00	204.00	357756																				
07-201	204.00	208.00	357757																				
07-201	209.50	217.50			3.00	0.05	3.05	0.30	0.00	0	ol	M	W	W	M	N	N	N	gy	Wh	bksp	c/-1	
07-201	208.00	212.00	357758																				
07-201	212.00	216.00	357759																				
07-201	216.00	220.00	357760	D																			
07-201	217.50	242.40			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	M	N	N	N	gy	Wh	bksp	c/-1	
07-201	220.00	224.00	357761																				
07-201	224.00	228.00	357762																				
07-201	228.00	232.00	357763																				
07-201	232.00	236.00	357764																				
07-201	236.00	240.00	357765																				
07-201	240.00	244.00	357766																				
07-201	242.40	255.00			0.05	0.00	0.05	0.00	0.00	0	cpx	W	N	N	M	N	W	tr	gy	trocp	tr	c/-1	
07-201	244.00	248.00	357767																				
07-201	248.00	252.00	357768																				
07-201	252.00	256.00	357769																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201			357770	B																			
07-201	255.00	304.35			0.50	0.50	1.00	0.00	0.00	0	cpx	W	N	W	W	N	W	N	gngy	ocpx	bksp	c/-1	
07-201	256.00	260.00	357771																				
07-201	260.00	264.00	357772																				
07-201	264.00	268.00	357773																				
07-201	268.00	272.00	357774																				
07-201			357775	STD																			
07-201			357776	STD																			
07-201	272.00	276.00	357777																				
07-201	276.00	280.00	357778																				
07-201	280.00	284.00	357779																				
07-201	284.00	288.00	357780																				
07-201	288.00	292.00	357781																				
07-201	292.00	296.00	357782																				
07-201	296.00	300.00	357783																				
07-201	300.00	304.00	357784																				
07-201	304.00	308.00	357785																				
07-201	304.35	316.00			0.50	0.00	0.50	0.05	0.00	0	ol	M	W	W	W	N	W	ca	gygn	spWh	bksp	b	
07-201	308.00	312.00	357786																				
07-201	312.00	316.00	357787																				
07-201	316.00	323.85			0.50	0.50	1.00	0.10	0.00	0	cpx	W	W	W	W	N	W	ca	gngy	Wh	sp	c/-1	
07-201	316.00	320.00	357788																				
07-201	320.00	324.00	357789																				
07-201	323.85	325.45			0.50	1.00	1.50	0.05	0.00	0	cpx	N	N	N	N	N	N	bt	gnbn	btcPx	bt	c/-1	
07-201	325.45	326.40			0.50	0.50	1.00	0.10	0.00	0	cpx	W	W	W	W	N	W	ca	gngy	Wh	sp	c/-1	
07-201	324.00	328.00	357790	D																			
07-201	326.40	328.95			2.00	0.00	2.00	0.20	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	328.00	332.00	357791																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	328.95	331.85			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	331.85	336.00			1.50	0.00	1.50	0.20	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	332.00	336.00	357792																				
07-201	336.00	337.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	336.00	340.00	357793																				
07-201	337.00	339.25			0.50	0.00	0.50	0.05	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	339.25	342.35			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	340.00	344.00	357794																				
07-201	342.35	345.35			3.00	0.00	3.00	0.30	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	344.00	348.00	357795																				
07-201	345.35	351.15			0.50	0.00	0.50	0.05	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	348.00	352.00	357796																				
07-201	351.15	355.15			2.50	0.00	2.50	0.25	0.00	0	ol	W	W	W	W	N	N	ph,tr	gy	Wh	bksp	c/-1	
07-201	352.00	356.00	357797																				
07-201	355.15	362.35			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	M	N	W	tr	dkgy	trDu	tr	b	
07-201	356.00	360.00	357798																				
07-201	360.00	364.00	357799																				
07-201			357800	STD																			
07-201			357801	STD																			
07-201	362.35	364.15			2.00	0.00	2.00	0.20	0.00	0	ol	M	W	W	M	N	W	tr	dkgy	trWh	tr	c/-1	
07-201	364.15	385.70			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	M	N	W	tr	dkgy	trWh	tr	b	
07-201	364.00	368.00	357802																				
07-201	368.00	372.00	357803																				
07-201	372.00	376.00	357804																				
07-201	376.00	380.00	357805																				
07-201	380.00	384.00	357806																				
07-201	384.00	388.00	357807																				
07-201	385.70	400.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	N	tr	gy	Wh	tr	c/-1	

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	388.00	392.00	357808																				
07-201	392.00	396.00	357809																				
07-201	396.00	400.00	357810																				
07-201	400.00	413.00			0.05	0.00	0.05	0.05	0.00	0	ol	M	M	W	M	N	N	tr,as	gy	spDu	sp	c/-1	
07-201	400.00	404.00	357811																				
07-201	404.00	408.00	357812																				
07-201	408.00	412.00	357813																				
07-201	413.00	438.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	l	W	N	W	ep,fs	gy	altDu	tl	b	
07-201	412.00	416.00	357814																				
07-201	416.00	420.00	357815																				
07-201	420.00	424.00	357816	D																			
07-201	424.00	428.00	357817																				
07-201	428.00	432.00	357818																				
07-201	432.00	436.00	357819																				
07-201	436.00	400.00	357820																				
07-201	438.00	441.20			0.20	0.00	0.20	0.05	0.00	0	ol	M	W	W	W	N	W	tr	blk	trWh	tr	c/-1	
07-201	440.00	444.00	357821																				
07-201	441.20	465.00			0.20	0.00	0.20	0.05	0.00	0	ol	M	W	W	W	N	W	tr	dkgy	trDu	tr	c/-1	
07-201	444.00	448.00	357822																				
07-201	448.00	454.15	357823																				
07-201	454.15	456.00	357824																				
07-201			357825	STD																			
07-201			357826	STD																			
07-201	456.00	460.00	357827																				
07-201	460.00	464.00	357828																				
07-201	464.00	468.00	357829																				
07-201			357830	B																			
07-201	468.00	472.00	357831																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	465.00	488.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	W	ca,tr	ltgy	trDu	tr	c/-1	
07-201	472.00	476.00	357832																				
07-201	476.00	480.00	357833																				
07-201	480.00	484.00	357834																				
07-201	484.00	488.00	357835																				
07-201	488.00	493.00			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	W	ca,tr	ltgy	trDu	tr	b	
07-201	488.00	492.00	357836																				
07-201	492.00	496.00	357837																				
07-201	493.00	498.40			0.05	0.00	0.05	0.05	0.00	0	ol	W	W	W	W	N	W	ca,tr	ltgy	trDu	tr	c/-1	
07-201	496.00	500.00	357838																				
07-201	500.00	504.00	357839																				
07-201	498.40	515.90			0.05	0.10	0.15	0.05	0.00	0	ol	W	W	W	W	N	W	ca,tr,ph	gy	trDu	tr	c/-1	
07-201	504.00	508.00	357840																				
07-201	508.00	512.00	357841																				
07-201	512.00	516.00	357842																				
07-201	515.90	543.70			0.05	0.00	0.05	0.05	0.00	0	ol	M	W	W	M	N	N	tr,ca	gy	spWh	bksp	c/-1	
07-201	516.00	520.00	357843																				
07-201	520.00	524.00	357844																				
07-201	524.00	528.00	357845																				
07-201	528.00	532.00	357846																				
07-201	532.00	536.00	357847																				
07-201	536.00	540.00	357848																				
07-201	543.70	544.90			0.05	0.00	0.05	0.05	0.00	0	ol	M	W	W	M	N	N	tr,ca	gy	spWh-Flt	bksp	b,sh/10	
07-201	540.00	544.00	357849																				
07-201			357850	STD																			
07-201			357851	STD																			
07-201	544.00	548.00	357852																				
07-201	544.90	556.10			0.10	0.00	0.10	0.10	0.00	0	ol	M	M	W	M	N	N	ma-W	medgy	spDu	sp	f/70	

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201	548.00	552.00	357853																				
07-201	552.00	556.00	357854																				
07-201	556.00	560.00	357855																				
07-201	556.10	566.10			0.05	0.00	0.05	0.05	0.00	0	ol	W	I	M	M	N	N	ma-W	mdgygn	spDuBx	sp	ft	
07-201	560.00	564.00	357856																				
07-201	564.00	568.00	357857																				
07-201	566.10	570.90			0.00	0.00	0.00	0.00	0.00	0	ma	W	M	M	W	N	N	ma-M	ltgy-wt	MaDk	ma	f/60	
07-201	568.00	572.00	357858																				
07-201	570.90	594.00			0.50	0.00	0.50	0.20	0.00	0	ol	M	M	W	M	N	W	ma-W	medgy	spDu	sp	f/60,ft	
07-201	572.00	576.00	357859																				
07-201			357860	B																			
07-201	576.00	580.00	357861																				
07-201	580.00	584.00	357862																				
07-201	584.00	588.00	357863																				
07-201	588.00	592.00	357864																				
07-201	592.00	596.00	357865																				
07-201	594.00	611.65			0.30	0.00	0.30	0.10	0.00	0	ol	M	W	W	M	N	M	ma-W,	medgy	spDu	sp	f/70	
07-201	596.00	600.00	357866																				
07-201	600.00	604.00	357867																				
07-201	604.00	608.00	357868																				
07-201	608.00	612.00	357869																				
07-201	611.65	621.50			0.10	0.00	0.10	0.10	0.00	0	ol	M	M	W	M	N	W	tr-W	medgy	spDu-Dks	sp	f/45,ft	
07-201	612.00	616.00	357870																				
07-201	616.00	620.00	357871																				
07-201	620.00	624.00	357872																				
07-201	621.50	641.05			0.40	0.00	0.40	0.10	0.00	0	ol	M	W	W	M	N	M	tr-W	dkgy	spDu	sp	f/60	
07-201	624.00	628.00	357873																				
07-201	628.00	632.00	357874																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-201			357875	STD																			
07-201			357876	STD																			
07-201	632.00	636.00	357877																				
07-201	636.00	640.00	357878																				
07-201	640.00	644.00	357879																				
07-201	641.05	643.60			0.00	0.00	0.00	0.00	0.00	0	qtz	W	M	I	N	N	W	N	ltgy	Flt	tl	ft	
07-201	643.60	666.60			0.00	8.00	8.00	0.00	0.00	0	qtz	N	N	N	W	N	I	N	mdgy	grPhy	gr	c/-1	
07-201	644.00	648.00	357880	D																			
07-201	648.00	652.00	357881																				
07-201	652.00	666.60	not sampled																				

Hole 07-203

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-203	0.00	38.70																					
07-203	38.70	42.20			0.05	0.05	0.05	0.05	0.00	0	ol	W	W	N	M	N	N	N	ltgy	Du	mt	c/-1,sh/60	
07-203	38.70	40.00	569312																				
07-203	40.00	44.00	569313																				
07-203	42.20	49.00			0.00	0.25	0.25	0.25	0.00	0	ol	l	W	N	M	N	N	tr-W	dkgy	spDu	bksp	sh/-1,f/-1	
07-203	44.00	48.00	569314																				
07-203	49.00	57.90			0.00	0.10	0.10	0.10	0.00	0	ol	M	W	N	W	N	N	tr-W	medgy	trspDu	tr,sp	c/-1,f/30	
07-203	48.00	52.00	569315																				
07-203	52.00	56.00	569316																				
07-203	57.90	60.00			0.05	0.05	0.05	0.05	0.00	0	ol	M	N	N	M	N	N	tr-M	gnblk	trspWh	sp,tr	sh/25	
07-203	56.00	60.00	569317																				
07-203	60.00	68.10			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	N	M	N	N	tr-M	gnblk	trspDu	sp,tr	f/50	
07-203	60.00	64.00	569318																				
07-203	64.00	68.00	569319																				
07-203			569320	B																			
07-203	68.10	88.40			0.00	0.05	0.05	0.05	0.00	0	ol	M	N	N	M	N	N	tr-M	gnblk	trspWh	sp,tr	c/-1,f/50	
07-203	68.00	72.00	569321																				
07-203	72.00	76.00	569322																				
07-203	76.00	80.00	569323																				
07-203	80.00	84.00	569324																				
07-203			569325	STD																			
07-203			569326	STD																			
07-203	84.00	88.00	569327																				
07-203	88.40	92.20			0.00	0.05	0.05	0.00	0.00	0	ol	M	W	W	M	N	N	tr-M	dkgy	trspWh	sp,tr	c/-1,f/20	
07-203	88.00	92.00	569328																				
07-203	92.20	95.30			0.00	0.00	0.00	0.00	0.00	0	qtz	W	W	W	N	N	N	N	gnbn	CS	cs	f/50	
07-203	92.00	96.00	569329																				
07-203	95.30	101.50			0.00	0.05	0.05	0.00	0.00	0	ol	M	N	N	W	N	N	tr-W	medgy	spWh	bksp	f/50	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-203	96.00	100.00	569330																				
07-203	101.50	111.75			0.00	0.05	0.05	0.00	0.00	0	ol	M	W	M	N	N	N	ca-M	gygnbn	altWh	sp,ca	sh/60,f/25	
07-203	100.00	104.00	569331																				
07-203	104.00	108.00	569332																				
07-203	108.00	112.00	59333																				
07-203	111.75	115.75			0.00	0.05	0.05	0.00	0.00	py-0.05	ol	M	W	N	M	N	N	N	dkgy	spWh	bksp	c/-1	
07-203	112.00	116.00	569334																				
07-203	115.75	118.20			0.00	0.05	0.05	0.05	0.00	0	ol	M	M	W	W	N	W	N	dkgygn	altWh	bksp	f/-1	
07-203	116.00	120.00	569335																				
07-203	118.20	131.90			0.00	0.05	0.05	0.05	0.00	0	ol	M	M	N	M	N	N	tr-W	gygn	spDu-Wh	bksp	f/60,sh/30	
07-203	120.00	124.00	59336																				
07-203	124.00	128.00	569337																				
07-203	128.00	132.00	569338																				
07-203	131.90	133.40			0.00	0.05	0.05	0.05	0.00	0	sp	M	M	W	M	N	N	tr-W	dkgy	Flt	sp	sh/-1,b/-1	
07-203	133.40	143.10			0.00	0.05	0.05	0.05	0.00	0	ol	W	N	W	M	N	N	tr-W	ltgy	Wh	mt	c/-1	
07-203	132.00	136.00	569339																				
07-203	136.00	140.00	569340	D																			
07-203	140.00	144.00	569341																				
07-203	143.10	144.80			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	N	W	N	N	tr-W	dkgy	spDu	bksp	sh/20	
07-203	144.80	174.65			0.00	0.05	0.05	0.05	0.00	py-0.05	ol	W	N	N	M	N	N	tr-M	dkgybn	trspWh	tr,mt	f/30,c/-1	
07-203	144.00	148.00	569342																				
07-203	148.00	152.00	569343																				
07-203	152.00	156.00	569344																				
07-203	156.00	160.00	569345																				
07-203	160.00	164.00	569346																				
07-203	164.00	168.00	569347																				
07-203	168.00	172.00	569348																				
07-203	174.65	186.15			0.00	0.05	0.05	0.05	0.00	0	ol	W	N	N	M	N	N	tr-M	gygn	trspDu	tr,mt	f/30,c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-203	172.00	176.00	569349																				
07-203			569350	STD																			
07-203			569351	STD																			
07-203	176.00	180.00	569352																				
07-203	180.00	184.00	569353																				
07-203	184.00	188.00	569354																				
07-203	186.15	201.50			0.00	0.05	0.05	0.05	0.00	0	ol	M	M	N	W	N	N	tr-W	medgy	spDu	sp	sh/65,sh/-10	
07-203	188.00	192.00	569355																				
07-203	192.00	196.00	569356																				
07-203	196.00	200.00	569357																				
07-203	201.50	206.00			0.00	0.05	0.05	0.05	0.00	0	ol	W	W	N	W	N	N	tr-W	gy	spDu	bksp	c/-1	
07-203	200.00	204.00	569358																				
07-203	204.00	208.00	569359																				
07-203	206.00	208.55			0.00	0.00	0.00	0.00	0.00	0	ol	M	M	N	M	N	N	tr-W	gngy	spDu	sp	sh/30,c/60	
07-203	208.55	224.55			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	N	M	N	N	tr-M	dkgy	trspWh	tr,sp	sh/45,c/-1	
07-203	208.00	212.00	569360																				
07-203	212.00	216.00	569361																				
07-203	216.00	220.00	569362																				
07-203	220.00	224.00	569363																				
07-203	224.55	233.35			0.00	0.05	0.05	0.00	0.00	py-0.05	ol	M	W	N	M	N	N	tr-W	dkgy	spDu	bksp	c/-1	
07-203	224.00	228.00	569364																				
07-203	228.00	232.00	569365																				
07-203	233.35	241.00			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	N	M	N	N	tr-M	dkgy	trspDu	tr,bksp	sh/50	
07-203	232.00	236.00	569366																				
07-203	236.00	240.00	569367																				
07-203	241.00	272.85			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	N	M	N	N	tr-M	md-dkgy	trspDu	tr,sp	c/-1,f/45	
07-203	240.00	244.00	569368																				
07-203	244.00	248.00	569369																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-203	248.00	252.00	569370	D																				
07-203	252.00	256.00	569371																					
07-203	256.00	260.00	569372																					
07-203	260.00	264.00	569373																					
07-203	264.00	268.00	569374																					
07-203			569375	STD																				
07-203			569376	STD																				
07-203	268.00	272.00	569377																					
07-203	272.85	284.00			0.00	0.00	0.00	0.00	0.00	0	tl	M	W	I	N	N	N	tr-W	gygn	trDu	tl	sh/45		
07-203	272.00	276.00	569378																					
07-203	276.00	280.00	569379																					
07-203			569380	B																				
07-203	280.00	284.00	569381																					
07-203	284.00	288.50			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	N	M	N	N	tr-M	dkgy	trspDu	tr,bksp	sh/70		
07-203	284.00	288.00	569382																					
07-203	288.50	298.90			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	N	W	N	N	tr-M	medgy	trspDu	tr,bksp	c/-1		
07-203	288.00	292.00	569383																					
07-203	292.00	296.00	569384																					
07-203	296.00	300.00	569385																					
07-203	298.90	305.65			0.00	0.05	0.05	0.05	0.00	0	sp	I	M	W	M	N	N	tr-W	dkgy	spDu-Sp	sp	f/60,sh/20		
07-203	300.00	304.00	569386																					
07-203	305.65	332.05			0.00	0.05	0.05	0.00	0.00	py-0.05	ol	W	W	N	W	N	N	tr-W	ltgy	Du	bksp	c/-1,f/60		
07-203	304.00	308.00	569387																					
07-203	308.00	312.00	569388																					
07-203	312.00	316.00	569389																					
07-203	316.00	320.00	569390																					
07-203	320.00	324.00	569391																					
07-203	324.00	328.00	569392																					

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-203	328.00	332.00	569393																				
07-203	332.05	335.20			0.00	0.05	0.05	0.05	0.00	0	ol	M	M	N	W	N	N	tr-W	medgy	spDu	sp	sh/45,sh/20	
07-203	332.00	336.00	569394																				
07-203	335.20	381.35			0.00	0.05	0.05	0.05	0.00	0	ol	W	W	N	W	N	N	tr-W	ltgy	Du	bksp	c/-1,f/65	
07-203	336.00	340.00	569395																				
07-203	340.00	344.00	569396																				
07-203	344.00	348.00	569397																				
07-203	348.00	352.00	569398																				
07-203	352.00	356.00	569399																				
07-203			569400	STD																			
07-203			569401	STD																			
07-203	356.00	360.00	569402																				
07-203	360.00	364.00	569403																				
07-203	364.00	368.00	569404																				
07-203	368.00	372.00	569405																				
07-203	381.35	386.30			0.00	0.10	0.10	0.10	0.00	0	ol	W	W	N	M	N	N	tr-W	medgy	spDu	sp	c/-1	
07-203	372.00	376.00	569406																				
07-203	376.00	380.00	569407																				
07-203	380.00	384.00	569408																				
07-203	384.00	388.00	569409																				
07-203	386.30	399.85			0.00	0.25	0.25	0.25	0.00	0	ol	M	M	N	M	N	N	tr-W	dkgy	spDu	sp	sh/65,sh/40	
07-203			569410	B																			
07-203	388.00	392.00	569411																				
07-203	392.00	396.00	569412																				
07-203	396.00	400.00	569413																				
07-203	399.85	403.10			0.00	0.05	0.05	0.05	0.00	0	ol	W	W	N	M	N	N	tr-M	ltgy	trDu	tr	c/-1,sh/35	
07-203	400.00	404.00	569414																				
07-203	403.10	406.45			0.00	0.35	0.35	0.35	0.00	0	ol	W	W	N	M	N	N	tr-M	ltgy	trDu	tr	c/-1	

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-203	406.45	413.80			0.00	0.50	0.50	0.50	0.00	0	sp	l	M	N	l	N	N	tr-W	dkgybk	spDu	sp	sh/50,sh/65
07-203	404.00	408.00	569415																			
07-203	408.00	412.00	568416																			
07-203	413.80	420.10			0.00	0.10	0.10	0.10	0.00	0	sp	l	W	N	l	N	N	tr-W	dkgybk	spDu	sp	c/-1
07-203	412.00	416.00	569417																			
07-203	416.00	420.00	569418																			
07-203	420.10	435.15			0.05	0.25	0.25	0.25	0.00	0	ol	M	W	N	W	N	N	tr-M	dkgy	trspDu	tr,bksp	sh/30,sh/65
07-203	420.00	424.00	569419																			
07-203	424.00	428.00	569420																			
07-203	428.00	432.00	569421																			
07-203	432.00	436.00	569422																			
07-203	435.15	439.25			0.20	0.05	0.25	0.05	0.00	0	ol	M	M	N	M	N	N	tr-M	dkgy	trspDu	tr,bksp	sh/65,sh/20
07-203	436.00	440.00	569423																			
07-203	439.25	453.25			0.05	0.35	0.35	0.35	0.00	0	ol	M	W	N	M	N	N	tr-M	dkgngy	trspDu	sp,tr	sh/60,sh/20
07-203	440.00	444.00	569424																			
07-203			569425	STD																		
07-203			569426	STD																		
07-203	444.00	448.00	569427																			
07-203	448.00	452.00	569428																			
07-203	452.00	453.25	569429																			

Hole 07-206

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-206	0.00	29.55																					
07-206	29.55	47.50			1.50	0.50	2.00	0.50	0.00	0	ol	M	N	W	I	N	N	as-W	gy	spWh	sp	c/-1	
07-206	29.55	32.00	569430	D																			
07-206	32.00	36.00	569431																				
07-206	36.00	40.00	569432																				
07-206	40.00	44.00	569433																				
07-206	44.00	48.00	569434																				
07-206	47.50	81.40			2.00	0.00	2.00	0.70	0.00	0	ol	I	N	W	I	N	W	as-M	gy	trspWh	sp	c/-1	
07-206	48.00	52.00	569435																				
07-206	52.00	56.00	569436																				
07-206	56.00	60.00	569437																				
07-206	60.00	64.00	569438																				
07-206	64.00	68.00	569439																				
07-206			569440	B																			
07-206	68.00	72.00	569441																				
07-206	72.00	76.00	569442																				
07-206	76.00	80.00	569443																				
07-206	80.00	84.00	569444																				
07-206	81.40	86.50			0.50	2.00	2.50	0.30	0.10	py-0.1	ol	M	N	W	M	N	M	ca-W	gy	spWh	sp	b/-1	
07-206	84.00	88.00	569445																				
07-206	86.50	98.00			0.50	2.50	3.00	0.10	0.20	py-0.1	ol	M	N	W	W	N	I	ca-W	gy	flt-spWh	sp	F/-1	
07-206	88.00	92.00	569446																				
07-206	92.00	96.00	569447																				
07-206	96.00	100.00	569448																				
07-206	98.00	126.50			0.00	3.00	3.00	0.10	0.00	0	qtz	N	N	M	N	N	I	ca-W	gy	Flt-MSD	gr	c/-1,b/-1	
07-206	100.00	104.00	569449																				
07-206			569450	STD																			
07-206			569451	STD																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-206	104.00	108.00	569452																				
07-206	108.00	112.00	569453																				
07-206	112.00	116.00	569454																				
07-206	116.00	120.00	569455																				
07-206	120.00	124.00	569456																				
07-206	124.00	128.00	569457																				
07-206	126.50	148.50			0.50	1.50	2.00	0.10	0.05	py-0.1	ol	M	W	M	M	N	W	ca-W	gy	trspWh	sp	c/-1	
07-206	128.00	132.00	569458																				
07-206	132.00	136.00	569459																				
07-206	136.00	140.00	569460	D																			
07-206	140.00	144.00	569461																				
07-206	144.00	148.00	569462																				
07-206	148.50	155.50			0.00	2.00	2.00	0.05	0.10	0	qtz	N	N	W	N	N	I	ca-W	gy	Hf-Flt	sp	c/-1,b/-1	
07-206	148.00	152.00	569463																				
07-206	152.00	153.60	569464																				
07-206	155.50	172.80			0.00	3.00	3.00	0.00	0.20	po	cpx	W	W	W	W	N	I	as-W	gy	ocpx	sp	c/-1	
07-206	153.60	156.00	569465																				
07-206	156.00	160.00	569466																				
07-206	160.00	164.00	569467																				
07-206	164.00	168.00	569468																				
07-206	168.00	172.00	569469																				
07-206	172.80	178.00			0.00	1.75	1.75	0.05	0.05	0	cpx	W	N	N	M	N	M	ca-W	gy	Flt	mt	b/-1	
07-206			569470	B																			
07-206	172.00	176.00	569471																				
07-206	176.00	180.00	569472																				
07-206	178.00	197.50			0.30	1.20	1.50	0.05	0.10	py-0.05	cpx	W	W	W	W	N	W	ca-W	gy	ocpx-cpx	sp	c/-1,b/-1	
07-206	180.00	184.00	569473																				
07-206	184.00	188.00	569474																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY							
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-206			569475	STD																				
07-206			569476	STD																				
07-206	188.00	192.00	569477																					
07-206	192.00	196.00	569478																					
07-206	196.00	200.00	569479																					
07-206	197.50	213.00			3.00	1.00	4.00	0.60	0.20	py-0.1	cpx	l	W	W	M	N	M	ca-M	gy	ocpx-cpx	sp	c/-1		
07-206	200.00	204.00	569480																					
07-206	204.00	208.00	569481																					
07-206	208.00	212.00	569482																					
07-206	212.00	216.00	569483																					
07-206	213.00	243.00			2.00	0.50	2.50	0.50	0.10	py-0.1	cpx	l	W	W	l	N	M	ca-M	gy	spocpx	sp	c/-1		
07-206	216.00	220.00																						
07-206	220.00	224.00																						
07-206	224.00	228.00																						
07-206	228.00	232.00																						
07-206	232.00	236.00																						
07-206	236.00	240.00																						
07-206	240.00	244.00	D																					
07-206	243.00	273.00			2.00	0.00	2.00	0.40	0.00	0	ol	M	W	W	M	N	M	as-W	gy	spWh	sp	c/-1		
07-206	244.00	248.00	569491																					
07-206	248.00	252.00	569492																					
07-206	252.00	256.00	569493																					
07-206	256.00	260.00	569494																					
07-206	260.00	264.00	569495																					
07-206	264.00	268.00	569496																					
07-206	268.00	272.00	569497																					
07-206	273.00	289.00			0.10	0.00	0.40	1.00	0.00	0	ol	M	W	l	M	N	M	ca-W	gy	shspWh	sp	sh/-1		
07-206	272.00	276.00	569498																					

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-206	276.00	280.00	569499																				
07-206			569500	STD																			
07-206			569501	STD																			
07-206	280.00	284.00	569502																				
07-206	284.00	288.00	569503																				
07-206	288.00	292.00	569504																				
07-206	289.00	324.50			0.50	0.00	0.50	0.05	0.00	0	ol	M	W	M	M	N	M	as-W	gy	trspWh	sp	c/-1	
07-206	292.00	296.00	569505																				
07-206	296.00	300.00	569506																				
07-206	300.00	304.00	569507																				
07-206	304.00	308.00	569508																				
07-206	308.00	312.00	569509																				
07-206	312.00	316.00	569510																				
07-206	316.00	320.00	569511																				
07-206	320.00	324.00	569512																				
07-206	324.50	358.75			1.00	1.00	2.00	0.05	0.20	py-0.3	qtz	N	N	M	N	N	I	ca-M	gy	grqtzPhy	si	sh/60-75	
07-206	324.00	328.00	569513																				
07-206	328.00	332.00	569514																				
07-206	332.00	336.00	569515																				
07-206	336.00	340.00	569516																				
07-206	340.00	344.00	569517																				
07-206	344.00	348.00	569518																				
07-206	348.00	352.00	569519																				
07-206	352.00	356.00	569520	D																			
07-206	356.00	358.75	569521																				

Hole 07-224M

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT
07-224M	0.00	6.80																				
07-224M	6.80	42.65			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	W	W	W	W	N	ca-W	gn	gDu	sp	c/-1
07-224M	6.80	42.65	not sampled																			

Hole 07-225

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	0.00	6.10																					
07-225	6.10	20.90			0.05	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	W	N	N	N	gn	gDu	mt	c/-1	
07-225	6.10	8.00	358308																				
07-225	8.00	12.00	358309																				
07-225	12.00	16.00	358310																				
07-225	16.00	20.00	358311																				
07-225	20.90	25.70			3.50	0.05	3.50	0.25	0.00	0.00	ol	W	N	N	W	N	N	N	gygn	gDu	bksp	c/-1,f/55	
07-225	20.00	24.00	358312																				
07-225	25.70	32.65			0.50	0.00	0.50	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gngy	gDu	bksp	c/-1	
07-225	24.00	28.00	358313																				
07-225	28.00	32.00	358314																				
07-225	32.65	40.50			0.05	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	W	N	N	N	gn	gDu	bksp	c/-1	
07-225	32.00	36.00	358315																				
07-225	36.00	40.00	358316																				
07-225	40.50	46.90			1.00	0.05	1.00	0.10	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	40.00	44.00	358317																				
07-225	44.00	48.00	358318																				
07-225	46.90	56.30			0.05	0.00	0.05	0.00	0.00	0.00	ol	M	W	N	W	N	N	N	gy	Du-spDu	bksp	c/-1,sh/10	
07-225	48.00	52.00	358319																				
07-225	52.00	56.00	358320	D																			
07-225	56.30	63.85			0.10	0.05	0.10	0.05	0.00	0.00	ol	M	N	N	W	N	N	N	gy	spDu	bksp	c/-1,f/60	
07-225	56.00	60.00	358321																				
07-225	60.00	64.00	358322																				
07-225	63.85	65.65			0.00	0.00	0.00	0.00	0.00	0.00	hb	W	N	M	N	N	N	N	gybn	altDk	tl	f/60	
07-225	65.65	74.20			0.50	0.00	0.50	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	64.00	68.00	358323																				
07-225	68.00	72.00	358324																				
07-225			358325	S																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225			358326	S																			
07-225	72.00	76.00	358327																				
07-225	74.20	77.10			0.10	0.00	0.10	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	77.10	80.50			0.30	0.00	0.30	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	76.00	80.00	358328																				
07-225	80.50	84.50			1.00	0.00	1.00	0.10	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	80.00	84.00	358329																				
07-225			358330	B																			
07-225	84.50	85.55			0.10	0.00	0.10	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	85.55	88.90			0.05	0.00	0.05	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	84.00	88.00	358331																				
07-225	88.90	92.75			0.50	0.00	0.50	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	88.00	92.00	358332																				
07-225	92.75	96.85			0.05	0.00	0.05	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	92.00	96.00	358333																				
07-225	96.85	109.70			0.10	0.00	0.10	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1,f/-1	
07-225	96.00	100.00	358334																				
07-225	100.00	104.00	358335																				
07-225	104.00	108.00	358336																				
07-225	109.70	113.20			0.05	0.05	0.05	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1	
07-225	108.00	112.00	358337																				
07-225	113.20	123.45			0.40	0.10	0.50	0.05	0.00	0.00	ol	M	N	N	M	N	N	N	gy	Du	bksp	c/-1,f/60	
07-225	112.00	116.00	358338																				
07-225	116.00	120.00	358339																				
07-225	120.00	124.00	358340																				
07-225	123.45	128.75			0.00	0.20	0.20	0.10	0.00	0.05 py	sp	l	W	N	M	N	N	N	dkgy	Sp-Du	bksp	sh/25,sh/-1	
07-225	124.00	128.00	358341																				
07-225	128.75	132.75			0.50	0.00	0.50	0.05	0.00	0.00	ol	M	N	N	W	N	N	N	dkgy	spDu	bksp	c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	128.00	132.00	358342																				
07-225	132.75	139.60			0.15	0.00	0.15	0.05	0.00	0.00	ol	M	N	N	W	N	N	N	gy	spDu	bksp	sh/50,c/-1	
07-225	132.00	136.00	358343																				
07-225	136.00	140.00	358344																				
07-225	139.60	149.05			0.05	0.05	0.05	0.05	0.00	0.00	ol	M	W	N	M	N	N	N	dkgy	spDu	bksp	f/40,c/-1	
07-225	140.00	144.00	358345																				
07-225	144.00	148.00	358346																				
07-225	149.05	150.70			0.00	0.00	0.00	0.00	0.00	0.00	hb	W	W	W	W	N	N	ca-W	bngn	altDk	cb	f/50	
07-225	148.00	152.00	358347																				
07-225	150.70	158.80			0.20	0.00	0.20	0.05	0.00	0.00	ol	M	N	N	M	N	W	N	dkgy	spDu	bksp	sh/30	
07-225	152.00	156.00	358348																				
07-225	156.00	160.00	358349																				
07-225			358350	STD																			
07-225			358351	STD																			
07-225	158.80	160.70			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Wh	bksp	c/-1	
07-225	160.70	168.95			0.50	0.00	0.50	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	sh/70,c/-1	
07-225	160.00	164.00	358352																				
07-225	164.00	168.00	358353																				
07-225	168.95	173.20			0.20	0.00	0.20	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1,sh/45	
07-225	168.00	172.00	358354																				
07-225	173.20	196.25			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	W	W	W	N	N	N	gygn	Du	bksp	c/-1	
07-225	172.00	176.00	358355																				
07-225	176.00	180.00	358356																				
07-225	180.00	184.00	358357																				
07-225	148.00	188.00	358358																				
07-225	188.00	192.00	358359																				
07-225			358360	B																			
07-225	192.00	196.00	358361																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	196.25	204.80			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gngy	gDu	bksp		
07-225	196.00	200.00	358362																				
07-225	200.00	204.00	358363																				
07-225	204.80	219.00			0.05	0.00	0.05	0.00	0.00	0.00	ol	M	W	W	W	N	N	N	gy	spDu	bksp	c/-1,sh/60	
07-225	204.00	208.00	358364																				
07-225	208.00	212.00	358365																				
07-225	212.00	216.00	358366																				
07-225	216.00	220.00	358367																				
07-225	219.00	224.10			0.20	0.05	0.20	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gygn	Wh	bksp	c/-1,sh/60	
07-225	220.00	224.00	358368																				
07-225	224.10	227.05			0.40	0.10	0.50	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gygn	Wh	bksp	c/-1	
07-225	224.00	228.00	358369																				
07-225	227.05	229.20			3.00	0.05	3.00	0.10	0.00	0.00	ol	M	N	N	M	N	N	N	gy	spWh	bksp		
07-225	229.20	234.35			0.10	0.00	0.10	0.00	0.00	0.00	ol	M	N	N	M	N	N	N	dkgy	spWh	bksp	sh/25. sh/60	
07-225	228.00	232.00	358370																				
07-225	232.00	236.00	358371																				
07-225	234.35	237.75			0.00	0.05	0.05	0.00	0.00	0.00	ol	M	W	W	M	N	W	N	dkgy	Flt	bksp	sh/-1	
07-225	237.75	243.65			0.20	0.10	0.30	0.05	0.00	0.00	ol	M	N	N	M	N	N	N	gy	spWh	bksp	f/45,sh/65	
07-225	236.00	240.00	358372																				
07-225	240.00	244.00	358373																				
07-225	243.65	246.25			0.90	0.10	1.00	0.05	0.00	0.00	ol	M	N	N	M	N	N	N	gy	shspWh	bksp	sh/45	
07-225	244.00	248.00	358374																				
07-225			358375	STD																			
07-225			358376	STD																			
07-225	246.25	255.85			1.90	0.10	2.00	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Wh	bksp	c/-1	
07-225	248.00	252.00	358377																				
07-225	252.00	256.00	358378																				
07-225	255.85	263.40			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	N	N	W	N	N	N	gy	Du	bksp	c/-1,sh/60	

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	256.00	260.00	358379																				
07-225	260.00	264.00	358380	D																			
07-225	263.40	267.40			0.00	0.05	0.05	0.05	0.00	0.00	sp	M	M	W	M	N	N	N	dkgy	Flt	bksp	sh/60	
07-225	264.00	268.00	358381																				
07-225	267.40	308.50			0.00	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	W	N	N	N	gngy	Du	bksp	c/-1,f/60	
07-225	268.00	272.00	358382																				
07-225	272.00	276.00	358383																				
07-225	276.00	280.00	358384																				
07-225	280.00	284.00	358385																				
07-225	284.00	288.00	358386																				
07-225	288.00	292.00	358387																				
07-225	292.00	296.00	358388																				
07-225	296.00	300.00	358389																				
07-225			358390	B																			
07-225	300.00	304.00	358391																				
07-225	304.00	308.00	358392																				
07-225	308.50	320.00			0.00	0.05	0.05	0.05	0.00	py-0.05	ol	M	M	W	M	N	N	N	dkgy	spDu	bksp	sh/70,sh/30	
07-225	308.00	312.00	358393																				
07-225	312.00	316.00	358394																				
07-225	316.00	320.00	358395																				
07-225	320.00	350.00			0.00	0.05	0.05	0.00	0.00	py-0.05	ol	W	W	W	W	N	N	tr-W	gy	Du	bksp	c/-1,sh/70	
07-225	320.00	324.00	358396																				
07-225	324.00	328.00	358397																				
07-225	328.00	332.00	358398																				
07-225	332.00	336.00	358399																				
07-225			358400	STD																			
07-225			358401	STD																			
07-225	336.00	340.00	358402																				

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	340.00	344.00	358403																				
07-225	344.00	348.00	358404																				
07-225	348.00	352.00	358405																				
07-225	350.00	358.15			0.10	0.00	0.10	0.05	0.00	0.00	ol	W	N	N	W	N	N	tr-W	gy	Du	bksp	c/-1,sh/70	
07-225	352.00	356.00	358406																				
07-225	356.00	360.00	358407																				
07-225	358.15	364.70			2.00	0.05	2.00	0.05	0.00	0.00	ol	M	N	N	M	N	W	N	dkgy	spWh	bksp	c/-1,sh/60	
07-225	360.00	364.00	358408																				
07-225	364.70	366.60			2.50	0.50	3.00	0.05	0.00	0.00	cpx	M	N	N	M	N	W	N	dkgy	spWh	bksp	sh/0,sh/60	
07-225	364.00	368.00	358409																				
07-225	366.60	369.35			0.80	0.20	1.00	0.05	0.00	0.00	cpx	W	N	N	W	N	W	N	ltgy	cPx	bksp	sh/30,sh/10	
07-225	369.35	375.05			0.75	0.00	0.75	0.05	0.00	0.00	ol	M	W	N	M	N	N	tr-W	dkgy	spWh	bksp	sh/60,c/-1	
07-225	368.00	372.00	358410	D																			
07-225	372.00	376.00	358411																				
07-225	375.05	377.05			0.05	1.00	1.00	0.00	0.00	0.00	cpx	M	N	N	M	N	N	tr-W	gngy	ocpx	bksp	sh/60	
07-225	377.05	395.25			0.05	0.00	0.05	0.00	0.00	0.00	ol	M	W	N	M	N	N	tr-W	dkgy	spWh	bksp	c/-1,sh/60	
07-225	376.00	380.00	358412																				
07-225	380.00	384.00	358413																				
07-225	384.00	388.00	358414																				
07-225	388.00	392.00	358415																				
07-225	392.00	396.00	358416																				
07-225	395.25	396.20			2.00	0.00	2.00	0.05	0.00	0.00	ol	M	N	N	M	N	N	tr-W	dkgy	spWh	bksp	sh/60	
07-225	396.20	413.00			0.10	0.00	0.10	0.05	0.00	0.00	ol	M	N	N	M	N	N	tr-W	dkgy	spDu	bksp	c/-1,sh/-1	
07-225	396.00	400.00	358417																				
07-225	400.00	404.00	358418																				
07-225	404.00	408.00	358419																				
07-225			358420	B																			
07-225	408.00	412.00	358421																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	413.00	418.65			0.10	0.00	0.10	0.05	0.00	0.00	ol	M	N	N	M	N	N	tr-W	dkgy	spWh	bksp	sh/60,c/-1	
07-225	412.00	416.00	358422																				
07-225	416.00	420.00	358423																				
07-225	418.65	419.50			2.00	0.00	2.00	0.30	0.00	0.00	ol	M	N	W	M	N	N	tr-W	gy	spDu	bksp	f/30	
07-225	419.50	421.00			0.05	0.00	0.05	0.00	0.00	0.00	sp	M	W	N	M	N	N	ma-M	dkgy-gnrd	CS	sp,ma	f/60	
07-225	421.00	426.75			0.05	0.00	0.05	0.05	0.00	0.00	ol	M	W	N	M	N	N	tr-W	dkgy	spDu	bksp	f/45	
07-225	420.00	424.00	358424																				
07-225			358425	STD																			
07-225			358426	STD																			
07-225	424.00	428.00	358427																				
07-225	426.75	433.05			0.00	0.10	0.10	0.10	0.00	0.00	ol	M	N	W	M	N	N	tr-W	dkgy	spDu	bksp	f/35	
07-225	428.00	432.00	358428																				
07-225	433.05	434.40			0.00	0.00	0.00	0.00	0.00	0.00	ep	N	W	W	N	N	N	N	bge	altDk	ep	sh/80	
07-225	434.40	437.75			0.00	0.10	0.10	0.05	0.00	py-0.1	sp	l	W	N	l	N	N	tr-W	dkgy	spDu	bksp	sh/70	
07-225	432.00	436.00	358429																				
07-225	437.75	439.75			0.00	0.10	0.10	0.05	0.00	py-0.1	ol	l	W	N	l	N	N	tr-W	dkgy	spDu	bksp	sh/25,c/-1	
07-225	436.00	440.00	358430																				
07-225	439.75	458.60			0.00	0.20	0.20	0.05	0.00	py-0.15	ol	M	W	N	M	N	N	tr-W	dkgy	spDu	bksp	sh/45,c/-1	
07-225	440.00	444.00	358431																				
07-225	444.00	448.00	358432																				
07-225	448.00	452.00	358433																				
07-225	452.00	456.00	358434																				
07-225	458.60	477.25			0.05	0.00	0.05	0.00	0.00	0.00	ol	M	N	N	M	N	N	tr-W	gy	spDu	bksp	c/-1	
07-225	456.00	460.00	358435																				
07-225	460.00	464.00	358436																				
07-225	464.00	468.00	358437																				
07-225	468.00	472.00	358438																				
07-225	472.00	476.00	358439																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-225	477.25	479.50			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	W	W	M	N	N	tr-W	dkgy	spDu	bksp	sh/45
07-225	476.00	480.00	358440	D																		
07-225	479.50	480.85			0.00	0.00	0.00	0.00	0.00	0.00	hb	N	W	M	N	N	N	N	bn	altDk	si	f/70
07-225	480.85	485.90			0.00	0.05	0.05	0.00	0.00	0.00	sp	l	W	N	l	N	N	tr-W	dkgy	Sp	bksp	sh/45
07-225	480.00	484.00	358441																			
07-225	485.90	488.60			0.00	0.00	0.00	0.00	0.00	0.00	hb	N	N	M	N	N	N	N	dkbn	altDk	tl	f/-1
07-225	484.00	488.00	358442																			
07-225	488.60	501.40			0.00	0.10	0.10	0.05	0.00	py-0.05	ol	M	W	N	M	N	N	tr-W	dkgy	spDu	bksp	c/-1,sh/45
07-225	488.00	492.00	358443																			
07-225	492.00	496.00	358444																			
07-225	496.00	500.00	358445																			
07-225	501.40	515.25			0.00	0.05	0.05	0.05	0.00	0.00	ol	M	M	N	M	N	N	tr-W	dkgygn	spDu	sp	sh/60,sh/20
07-225	500.00	504.00	358446																			
07-225	504.00	508.00	358447																			
07-225	508.00	512.00	358448																			
07-225	512.00	516.00	358449																			
07-225			358450	STD																		
07-225			358451	STD																		
07-225	515.25	529.00			0.00	0.05	0.05	0.05	0.00	0.00	ol	M	N	N	W	N	N	tr-W	gydkgy	spDu	bksp	c/-1,sh/30
07-225	516.00	520.00	358452																			
07-225	520.00	524.00	358453																			
07-225	524.00	528.00	358454																			
07-225	529.00	536.95			0.00	0.05	0.05	0.00	0.00	0.00	ol	M	M	W	M	N	N	tr-W	dkgygn	shspDu	sp	sh/20,sh/45
07-225	528.00	532.00	358455																			
07-225	532.00	536.00	358456																			
07-225	536.95	552.90			0.00	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	W	N	N	tr-W	gy	Du	bksp	c/-1
07-225	536.00	540.00	358457																			
07-225	540.00	544.00	358458																			

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-225	544.00	548.00	358459																				
07-225	548.00	552.00	358460																				
07-225	552.90	583.65			0.00	0.10	0.10	0.10	0.00	py-0.05	ol	W	W	N	W	N	N	tr-W	gy	Du	bksp	c/-2	
07-225	552.00	556.00	358461																				
07-225	556.00	560.00	358462	SG																			
07-225	560.00	564.00	358463																				
07-225	564.00	568.00	358464																				
07-225	568.00	572.00	358465																				
07-225	572.00	576.00	358466																				
07-225	576.00	580.00	358467																				
07-225	580.00	584.00	358468																				
07-225	583.65	586.65			2.00	0.05	2.00	0.10	0.05	0.00	ol	W	W	N	W	N	N	tr-W	gygn	Du	bksp	sh/40	
07-225	584.00	588.00	358469																				
07-225	586.65	588.40			0.05	0.05	0.05	0.00	0.00	0.00	sp	M	M	N	M	N	W	ma-M	dkgngy	shDuBx	sp,ma	sh/20,sh/30	
07-225	588.40	597.00			2.00	0.05	2.00	0.10	0.00	0.00	ol	M	W	N	M	N	N	ma-W	dkgy	spDu	bksp	sh/30	
07-225	588.00	592.00	358470	D																			
07-225	592.00	596.00	358471																				
07-225	597.00	603.25			1.75	0.05	1.75	0.10	0.00	0.00	ol	M	M	N	M	N	N	ma-M	dkgygnwt	spDu	sp,ma	sh/30	
07-225	596.00	606.00	358472																				
07-225	600.00	604.00	358473																				
07-225	603.25	617.45			1.00	0.50	1.50	0.05	0.00	0.00	sp	M	M	W	M	N	N	ma-l	gngy	altDu	ma	sh/40,sh/0	
07-225	604.00	608.00	358474																				
07-225			358475	STD																			
07-225			358476	STD																			
07-225	608.00	612.00	358477																				
07-225	612.00	616.00	358478																				
07-225	617.45	622.15			0.20	0.30	0.50	0.10	0.05	0.00	ol	M	W	N	M	N	N	ma-M	gngy	altDu	ma	sh/40	
07-225	616.00	620.00	358479																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY						GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-225			358480	B																			
07-225	620.00	624.00	358481																				
07-225	622.15	629.40			5.00	0.05	5.00	0.10	0.05	0.00		M	W	N	M	N	N	tr-M	dkgy	trspDu	tr,sp	c/-1,sh/-1	
07-225	624.00	628.00	358482																				
07-225	629.40	644.50			2.00	1.00	3.00	0.05	0.00	0.00	sp	M	W	N	M	N	N	tr-M	dkgy	trspWh	tr,bksp	c/-1,sh/80	
07-225	628.00	632.00	358483																				
07-225	632.00	636.00	358484																				
07-225	636.00	640.00	358485																				
07-225	640.00	644.00	358486																				
07-225	644.50	657.20			3.00	0.05	3.00	0.10	0.00	0.00	ol	M	W	N	M	N	N	tr-M	dkgy	trspWh	tr,sp	sh/70,sh/45	
07-225	644.00	648.00	358487																				
07-225	648.00	652.00	358488																				
07-225	652.00	656.00	358489																				
07-225	657.20	660.10			0.05	0.00	0.05	0.00	0.00	0.00	ma	W	N	W	N	N	N	ma-l	gnwt	altUM	ma	sh/70,sh/25	
07-225	656.00	660.00	358490																				
07-225	660.10	675.15			0.00	5.00	5.00	0.00	0.00	py-1.5	qtz	N	N	N	N	N	I	N	blkbn	Phy	si	c/-1,sh/-1	
07-225	660.00	664.00	358491																				
07-225	664.00	675.15	not sampled																				

Hole 07-230

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-230	0.00	10.65																					
07-230	10.65	13.80			0.15	0.00	0.15	0.05	0.05	0	cs	N	N	N	N	N	N	ca-M	ltgn	CS	cs	b/-1	
07-230	10.65	16.00	645501																				
07-230	13.80	33.00			0.50	0.00	0.50	0.10	0.00	py-0.3	ol	W	N	W	M	N	W	ca-W	gn	trspWh	tr	c/-1	
07-230	16.00	20.00	645502																				
07-230	20.00	24.00	645503																				
07-230	24.00	28.00	645504																				
07-230	28.00	32.00	645505																				
07-230	33.00	41.50			0.15	0.00	0.15	0.05	0.05	0	cs	W	N	W	W	N	W	ca-W	ltgn	CS	cs	c/-1	
07-230	32.00	36.00	645506																				
07-230	36.00	40.00	645507																				
07-230	41.50	64.40			0.35	0.00	0.35	0.15	0.00	cu-0.05	ol	M	N	W	M	N	W	ca-l	gn	trspWh	tr,sp	b/-1	
07-230	40.00	44.00	645508																				
07-230	44.00	48.00	645509																				
07-230	48.00	52.00	645510																				
07-230	52.00	56.00	645511																				
07-230	56.00	60.00	645512																				
07-230	60.00	64.00	645513																				
07-230	64.40	95.10			0.30	0.00	0.30	0.10	0.05	0	ol	M	W	M	M	N	N	ca-W	gy	sptrDu	sp,tr	b/-1,c/-1	
07-230	64.00	68.00	645514																				
07-230	68.00	72.00	645515																				
07-230	72.00	76.00	645516																				
07-230	76.00	80.00	645517																				
07-230	80.00	84.00	645518																				
07-230	84.00	88.00	645519																				
07-230	88.00	92.00	645520	D																			
07-230	92.00	96.00	645521																				
07-230	95.10	139.25			0.30	0.00	0.30	0.10	0.05	0	ol	M	W	M	M	N	N	ca-M	gygn	sptrDu	sp,tr	c/-1,b/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-230	96.00	100.00	645522																				
07-230	100.00	104.00	645523																				
07-230	104.00	108.00	645524																				
07-230			645525	STD																			
07-230			645526	STD																			
07-230	108.00	112.00	645527																				
07-230	112.00	116.00	645528																				
07-230	116.00	120.00	645529																				
07-230			645530	B																			
07-230	120.00	124.00	645531																				
07-230	124.00	128.00	645532																				
07-230	128.00	132.00	645533																				
07-230	132.00	136.00	645534																				
07-230	136.00	140.00	645535																				
07-230	139.25	144.00			0.10	0.00	0.10	0.05	0.00	0	ol	M	W	W	M	W	N	ca-W	gygn	uvsptrDu	sp,tr	c/-1	
07-230	140.00	144.00	645536																				
07-230	144.00	232.25			0.10	0.00	0.10	0.05	0.00	0	ol	M	W	W	M	N	N	ca-W	gygn	trspDu	tr,sp	c/-1,b/-1	
07-230	144.00	148.00	645537																				
07-230	148.00	152.00	645538																				
07-230	152.00	156.00	645539																				
07-230	156.00	160.00	645540																				
07-230	160.00	164.00	645541																				
07-230	164.00	168.00	645542																				
07-230	168.00	172.00	645543																				
07-230	172.00	176.00	645544																				
07-230	176.00	180.00	645545																				
07-230	180.00	184.00	645546																				
07-230	184.00	188.00	645547																				

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-230	188.00	192.00	645548																				
07-230	192.00	196.00	645549																				
07-230			645550	STD																			
07-230			645551	STD																			
07-230	196.00	200.00	645552																				
07-230	200.00	204.00	645553																				
07-230	204.00	208.00	645554																				
07-230	208.00	212.00	645555																				
07-230	212.00	216.00	645556																				
07-230	216.00	220.00	645557																				
07-230	220.00	224.00	645558																				
07-230	224.00	228.00	645559																				
07-230			645560	B																			
07-230	228.00	232.00	645561																				
07-230	232.25	239.60			0.20	0.00	0.20	0.10	0.00	0	ol	M	W	W	M	N	W	ca-W	gn	spDu	sp	b/-1	
07-230	232.00	236.00	645562																				
07-230	236.00	239.60	645563																				

Hole 07-231

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-231	0.00	1.30																					
07-231	1.30	24.30			0.05	0.00	0.05	0.00	0.00	0	ol	W	M	W	W	N	N	ca-M	gn	gDu	gnsp	c/-1	
07-231	1.30	4.00	645564																				
07-231	4.00	8.00	645565																				
07-231	8.00	12.00	645566																				
07-231	12.00	16.00	645567																				
07-231	16.00	20.00	645568																				
07-231	20.00	24.00	645569																				
07-231	24.30	50.50			0.50	0.00	0.50	0.05	0.00	0	ol	M	W	W	M	N	N	ca-W	ltgy	spWh	bksp	c/-1	
07-231	24.00	28.00	645570																				
07-231	28.00	32.00	645571																				
07-231	32.00	36.00	645572																				
07-231	36.00	40.00	645573																				
07-231	40.00	44.00	645574																				
07-231			645575	STD																			
07-231			645576	STD																			
07-231	44.00	48.00	645577																				
07-231	48.00	52.00	645578																				
07-231	50.50	55.70			1.00	0.00	1.00	0.50	0.00	0	ol	M	W	W	M	N	N	ca-W	dkgy	spWh	bksp	c/-1	
07-231	52.00	56.00	645579																				
07-231	55.70	103.60			0.05	0.00	0.05	0.00	0.00	0	ol	M	W	W	M	N	N	ca-W	ltgy	spWh	bksp	c/-1	
07-231	56.00	60.00	645580	D																			
07-231	60.00	64.00	645581																				
07-231	64.00	68.00	645582																				
07-231	68.00	72.00	645583																				
07-231	72.00	76.00	645584																				
07-231	76.00	80.00	645585																				
07-231	80.00	84.00	645586																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-231	84.00	88.00	645587																				
07-231	88.00	92.00	645588																				
07-231	92.00	96.00	645589																				
07-231			645590	B																			
07-231	96.00	100.00	645591																				
07-231	100.00	124.00	645592																				
07-231	103.60	120.90			0.05	0.00	0.05	0.00	0.00	0	ol	W	W	W	W	N	N	ca-W	ltgy	Wh	bksp	c/-1	
07-231	104.00	108.00	645593																				
07-231	108.00	112.00	645594																				
07-231	112.00	116.00	645595																				
07-231	116.00	120.00	645596																				
07-231	120.90	130.45			0.00	0.00	0.00	0.00	0.00	0	ol	M	M	W	W	N	N	ca-l	ltgn	caspDuBx	ca	f/-1	
07-231	120.00	124.00	645597																				
07-231	124.00	128.00	645598																				
07-231	128.00	132.00	645599																				
07-231			645600	STD																			
07-231			645601	STD																			
07-231	130.45	157.40			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	W	N	N	ca-M	medgy	spWh	bksp	c/-1	
07-231	132.00	136.00	645602																				
07-231	136.00	140.00	645603																				
07-231	140.00	144.00	645604																				
07-231	144.00	148.00	645605																				
07-231	148.00	152.00	645606																				
07-231	152.00	156.00	645607																				
07-231	157.40	176.80			0.00	0.00	0.00	0.00	0.00	0	ol	M	W	W	M	N	N	ca-l	medgy	spcaWh	ca	f/-1	
07-231	156.00	160.00	645608																				
07-231	160.00	164.00	645609																				
07-231	164.00	168.00	645610	D																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-231	168.00	172.00	645611																				
07-231	172.00	176.00	645612																				
07-231	176.80	184.10			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	N	W	N	N	ca-M	gn	gDu	ca	c/-1	
07-231	176.00	180.00	645613																				
07-231	180.00	184.00	645614																				
07-231	184.10	194.20			0.00	0.05	0.05	0.00	0.05	0	cpx	W	W	N	M	N	N	ca-M	medgy	caWh	ca	c/-1	
07-231	184.00	188.00	645615																				
07-231	188.00	192.00	645616																				
07-231	192.00	196.00	645617																				
07-231	194.20	200.00			0.00	0.00	0.00	0.00	0.00	0	cpx	W	N	W	W	N	N	ca-W	medgy	cPx	ca	c/-1	
07-231	196.00	200.00	645618																				
07-231	200.00	203.80			1.00	0.00	1.00	0.00	1.00	0	ol	M	W	N	M	N	N	ca-M	dkgy	spWh	bksp	c/-1	
07-231	200.00	204.00	645619																				
07-231			645620	B																			
07-231	203.80	230.30			0.05	0.00	0.05	0.00	0.05	0	cpx	W	N	W	W	N	N	ca-W	ltgy	cPx	bksp	c/-1	
07-231	204.00	208.00	645621																				
07-231	208.00	212.00	645622																				
07-231	212.00	216.00	645623																				
07-231	216.00	220.00	645624																				
07-231			645625	STD																			
07-231			645626	STD																			
07-231	220.00	224.00	645627																				
07-231	224.00	228.00	645628																				
07-231	228.00	232.00	645629																				
07-231	230.30	245.05			0.50	0.00	0.50	0.00	0.50	0	cpx	M	W	W	M	N	N	ca-W	medgy	spWh	bksp	c/-1	
07-231	232.00	236.00	645630																				
07-231	236.00	240.00	645631																				
07-231	240.00	244.00	645632																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-231	244.00	245.05	645633																			

Hole 07-232

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-232	0.00	9.80																					
07-232	9.80	19.00			0.30	0.00	0.50	0.30	0.00	0	ol	M	N	N	I	N	N	ca-W	dkgy	spDu	sp	c/-1	
07-232	9.80	14.00	645634																				
07-232	14.00	18.00	645635																				
07-232	19.00	34.00			0.20	0.00	0.20	0.10	0.00	0	ol	M	N	W	I	N	N	ca-M	dkgybn	Flt	sp	c/-1	
07-232	18.00	22.00	645636																				
07-232	22.00	24.00	645637																				
07-232	24.00	28.00	645638																				
07-232	28.00	32.00	645639																				
07-232	32.00	36.00	645640																				
07-232	34.00	73.00			0.20	0.00	0.20	0.10	0.00	0	ol	W	W	W	M	N	N	N	dkgy	spDu	sp	c/-1	
07-232	36.00	40.00	645641																				
07-232	40.00	44.00	645642																				
07-232	44.00	48.00	645643																				
07-232	48.00	52.00	645644																				
07-232	52.00	56.00	645645																				
07-232	56.00	60.00	645646																				
07-232	60.00	64.00	645647																				
07-232	64.00	68.00	645648																				
07-232	68.00	72.00	645649																				
07-232			645650																				
07-232			645651																				
07-232	73.00	80.30			0.40	0.00	0.40	0.10	0.00	0	ol	W	W	N	M	N	W	ca-W	gy	Du	sp	c/-1	
07-232	72.00	76.00	645652																				
07-232	76.00	80.00	645653																				
07-232	80.30	83.00			0.10	0.00	0.10	0.00	0.00	0	sp	M	M	W	I	N	N	N	ltgnblk	shDu	sp	sh/30-45	
07-232	80.00	84.00	645654																				
07-232	83.00	161.00			0.20	0.00	0.20	0.05	0.00	0	sp	W	N	N	M	N	N	N	ltgy	Du	sp	c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-232	84.00	88.00	645655																				
07-232	88.00	92.00	645656																				
07-232	92.00	96.00	645657																				
07-232	96.00	100.00	645658																				
07-232	100.00	104.00	645659																				
07-232	104.00	108.00	645660																				
07-232	108.00	112.00	645661																				
07-232	112.00	116.00	645662																				
07-232	116.00	120.00	645663																				
07-232	120.00	124.00	645664																				
07-232	124.00	128.00	645665																				
07-232	128.00	132.00	645666																				
07-232	132.00	136.00	645667																				
07-232	136.00	140.00	645668																				
07-232	140.00	144.00	645669																				
07-232	144.00	148.00	645670																				
07-232	148.00	152.00	645671																				
07-232	152.00	156.00	645672																				
07-232	156.00	160.00	645673																				
07-232	161.00	169.20			0.00	0.30	0.30	0.00	0.05	py	fs	N	N	N	N	N	N	N	gygn	altDi	ep	c/-1	
07-232	160.00	164.00	645674																				
07-232			645675	STD																			
07-232			645676	STD																			
07-232	164.00	168.00	645677																				
07-232	169.20	170.40			0.00	0.05	0.05	0.00	0.00	0	tl	N	N	I	N	N	N	N	bnltgy	Flt	tl	flt/70	
07-232	168.00	172.00	645678																				
07-232	170.40	216.00			0.00	0.50	0.50	0.00	0.05	py	fs	N	N	N	N	N	N	N	gygn	altDi	ep	c/-1	
07-232	172.00	176.00	645679																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-232			645680	B																		
07-232	176.00	212.00	not sampled																			
07-232	212.00	216.00	645681																			
07-232	216.00	223.40			0.00	0.50	0.50	0.00	0.05	py	alt	N	N	N	M	N	N	act-l	dkgy	altWh-Du	act	f/10-60
07-232	216.00	220.00	645682																			
07-232	220.00	223.40	645683																			

Hole 07-233

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-233	0.00	2.45																					
07-233	2.45	20.50			0.05	0.00	0.05	0.05	0.00	0	ol	M	W	W	M	N	N	N	medgy	spDu	bksp	b/-1,c/-1	
07-233	2.45	6.00	645684																				
07-233	6.00	10.00	645685																				
07-233	10.00	14.00	645686																				
07-233	14.00	18.00	645687																				
07-233	18.00	22.00	645688																				
07-233	20.50	32.90			0.00	1.05	0.05	0.00	0.00	0	sp	l	W	W	M	N	W	N	dkgybk	Flt	bksp	b/-1,sh/-1	
07-233	22.00	26.00	645689																				
07-233	26.00	30.00	645690																				
07-233	30.00	34.00	645691																				
07-233	32.90	38.90			0.10	0.10	0.20	0.10	0.00	0	ol	M	W	N	W	N	N	N	dkgy	spDu	bksp	sh/45,c/-1	
07-233	34.00	38.00	645692																				
07-233	38.90	50.15			0.50	0.05	0.50	0.00	0.00	0	hb	W	N	N	W	N	N	N	blkwt	Di	ep	f/45,c/-1	
07-233	38.00	42.00	645693																				
07-233	42.00	46.00	645694																				
07-233	46.00	50.00	645695																				
07-233	50.15	60.35			0.00	0.50	0.50	0.00	0.05	0	ol	W	N	N	l	N	N	N	dkgy	spDu	mt	sh/35	
07-233	50.00	54.00	645696																				
07-233	54.00	58.00	645697																				
07-233	58.00	62.00	645698																				
07-233	60.35	68.55			0.05	0.00	0.05	0.00	0.00	0	hb	N	N	N	N	N	N	N	gnwt	Di	ep	f/65,sh/30	
07-233	62.00	66.00	645699																				
07-233			645700	STD																			
07-233			645701	STD																			
07-233	66.00	70.00	645702																				
07-233	68.55	69.75			0.00	0.00	0.00	0.00	0.00	0	sp	M	M	M	N	N	N	N	gygn	Flt	tl	b/-1,sh/-1	
07-233	69.75	86.20			0.05	2.50	0.00	2.50	0.00	0	ol	M	W	W	M	N	N	tr-W	dkgy	trspDu	bksp	sh/60,f/30	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-233	70.00	74.00	645703																				
07-233	74.00	78.00	645704																				
07-233	78.00	82.00	645705																				
07-233	82.00	86.00	645706																				
07-233	86.20	91.35			0.05	0.00	0.05	0.00	0.00	py-0.05	hb	N	N	N	N	N	N	N	blkwt	Di	ep	f/60,f/30	
07-233	86.00	90.00	645707																				
07-233	91.35	95.50			0.10	0.00	0.10	0.00	0.05	0	hb	M	W	N	W	N	N	N	gygn	hbDu	ep	f/80,c/-1	
07-233	90.00	94.00	645708																				
07-233	94.00	98.00	645709																				
07-233			645710	B																			
07-233	95.50	101.15			0.05	0.00	0.05	0.00	0.00	0	ol	M	W	N	W	N	N	N	gygn	Flt	clay	b/-1	
07-233	101.15	103.35			0.00	0.05	0.05	0.05	0.00	0	ol	W	W	N	M	N	N	N	dkgy	spDu	mt	c/-1	
07-233	98.00	102.00	645711																				
07-233	103.35	115.65			0.10	0.05	0.10	0.00	0.00	py-0.05	hb	W	N	N	W	N	N	N	gygn	hbDu	ep	f/60,c/-1	
07-233	102.00	106.00	645712																				
07-233	106.00	110.00	645713																				
07-233	110.00	114.00	645714																				
07-233	115.65	117.75			0.05	0.00	0.05	0.00	0.00	0	sp	M	W	N	W	N	N	N	dkgy	Flt	sp	b/-1	
07-233	114.00	118.00	645715																				
07-233	117.75	122.50			0.20	0.05	0.20	0.00	0.05	py-0.05	cpx	W	N	N	W	N	N	N	gnltgy	cPx	bksp	f/35,f/60	
07-233	118.00	122.00	645716																				
07-233	122.50	124.35			0.05	0.05	0.10	0.05	0.05	py-0.05	cpx	W	N	W	W	N	N	N	ltgngy	cPx	bksp	f/5	
07-233	124.35	136.80			0.00	0.15	0.15	0.00	0.05	py-0.05	hb	W	N	N	W	N	N	N	dkgn	hbDu	ep	f/45	
07-233	122.00	126.00	645717																				
07-233	126.00	130.00	645718																				
07-233	130.00	134.00	645719																				
07-233	136.80	140.50			2.00	0.05	2.00	0.00	0.05	py-0.05	ol	M	W	W	M	N	N	N	dkgy	Flt	bksp	sh/-1	
07-233	134.00	138.00	645720																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-233	140.50	145.80			0.50	0.00	0.50	0.00	0.00	0	fs	N	N	N	N	N	N	N	wtgn	Di	ep	f/60,f/35
07-233	138.00	142.00	645721																			
07-233	145.80	148.75			1.50	0.00	1.50	0.00	0.00	0	ol	M	N	W	W	N	N	N	dkgygn	hbDu	bksp	f/45
07-233	142.00	146.00	645722																			
07-233	148.75	151.00			0.00	0.05	0.05	0.05	0.00	0	sp	M	W	W	W	N	N	N	gndkgy	Flt	bksp	sh/-1
07-233	146.00	150.00	645723																			
07-233	151.00	156.30			0.00	0.05	0.05	0.05	0.00	0	ol	M	W	W	W	N	N	N	dkgy	hbDu	tl,mc	f/55
07-233	150.00	154.00	645724																			
07-233			645725	STD																		
07-233			645726	STD																		
07-233	156.30	157.20			0.00	0.00	0.00	0.00	0.00	0	sp	W	M	M	N	N	N	N	dkgygn	Flt	sp	sh/-1,b/-1
07-233	154.00	158.00	645727																			
07-233	157.20	169.35			1.50	0.05	1.50	0.00	0.05	py-0.05	ep	W	N	W	W	N	N	N	dkgngy	hbDi	ep	f/65,f/25
07-233	158.00	162.00	645728																			
07-233	162.00	166.00	645729																			
07-233	169.35	186.90			1.00	0.50	1.50	0.00	0.05	0	ol	M	W	W	M	N	N	N	dkgy	spDu	bksp	f/60,f/30
07-233	166.00	170.00	645730	D																		
07-233	170.00	174.00	645731																			
07-233	174.00	178.00	645732																			
07-233	178.00	182.00	645733																			
07-233	182.00	186.00	645734																			
07-233	186.90	198.75			0.20	0.05	0.20	0.00	0.05	py-0.05	sp	M	W	M	W	N	N	N	dkgy	shspDu	bksp	sh/30,f/10
07-233	186.00	190.00	645735																			
07-233	190.00	194.00	645736																			
07-233	194.00	198.00	645737																			
07-233	198.75	209.20			0.05	0.00	0.05	0.05	0.00	0	ol	M	M	W	M	N	N	N	dkgygn	Flt	sp,tl	sh/40
07-233	198.00	202.00	645738																			
07-233	202.00	206.00	645739																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-233			645740	B																			
07-233	209.20	219.40			0.05	0.05	0.10	0.00	0.00	py-0.05	hb	N	N	N	M	N	N	N	dkgnbk	Hb		c/-1,f/45	
07-233	206.00	210.00	645741																				
07-233	210.00	214.00	645742																				
07-233	214.00	218.00	645743																				
07-233	219.40	222.50			0.00	0.05	0.05	0.00	0.00	py-0.05	cpx	N	N	N	N	N	N	N	gnbk	hbcpx		c/-1	
07-233	218.00	222.00	645744																				
07-233	222.50	224.95			0.00	0.00	0.00	0.00	0.00	0	ol	W	W	W	M	N	N	N	medgy	Du	mt	c/-1	
07-233	222.00	224.95	645745																				

Hole 07-234

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-234	0.00	3.05																					
07-234	3.05	6.60			0.30	0.00	0.30	0.05	0.00	0.00	ol	W	W	N	W	N	N	N	dkgngy	Du	sp	f/70	
07-234	3.05	8.00	645746																				
07-234	6.60	17.70			0.20	0.05	0.25	0.05	0.00	0.00	ol	M	W	W	W	N	N	tr-W	dkgy	spDu	bksp	sh/60,sh/5	
07-234	8.00	12.00	645747																				
07-234	12.00	16.00	645748																				
07-234	17.70	27.80			0.05	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	M	N	W	N	medgy	Du	mt	c/-1,f/30	
07-234	16.00	20.00	645749																				
07-234			645750	STD																			
07-234			645751	STD																			
07-234	20.00	24.00	645752																				
07-234	24.00	28.00	645753																				
07-234	27.80	31.90			1.00	0.50	1.50	0.05	0.00	0.00	ol	M	W	N	M	N	N	tr-W	dkgy	sprDu	bksp	f/-1	
07-234	28.00	32.00	645754																				
07-234	31.90	39.35			1.50	0.00	1.50	0.10	0.00	0.00	ol	M	M	W	W	N	N	tr-W	dkgy	spDu	bksp	sh/-1,b/-1	
07-234	32.00	36.00	645755																				
07-234	36.00	40.00	645756																				
07-234	39.35	61.35			3.00	0.05	3.00	0.10	0.00	0.00	ol	M	W	N	M	N	N	W-M	dkgy	trspDu	tr,bksp	f/60,c/-1	
07-234	40.00	44.00	645757																				
07-234	44.00	48.00	645758																				
07-234	48.00	52.00	645759																				
07-234	52.00	56.00	645760	D																			
07-234	56.00	60.00	645761																				
07-234	61.35	64.45			0.05	0.00	0.05	0.00	0.00	0.00	ol	M	W	N	W	N	W	N	dkgy	Flt	sp	sh/-1,b/-1	
07-234	60.00	64.00	645762																				
07-234	64.45	86.45			0.05	0.00	0.05	0.00	0.00	0.00	hb	N	N	N	N	N	N	N	bngn	altDi	si	c/-1	
07-234	64.00	68.00	645763																				
07-234	68.00	72.00	645764																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-234	72.00	76.00	645765																				
07-234	76.00	80.00	645766																				
07-234	80.00	84.00	645767																				
07-234	86.45	94.20			0.00	0.05	0.05	0.05	0.00	0.00	sp	l	M	N	l	N	N	tr-W	dkgy	spDu	sp	sh/45	
07-234	84.00	88.00	645768																				
07-234	88.00	92.00	645769																				
07-234			645770	B																			
07-234	92.00	96.00	645771																				
07-234	94.20	105.50			0.00	0.05	0.05	0.05	0.00	0.00	ol	W	W	N	l	N	N	tr-W	ltgy	Du	mt	f/45,c/-1	
07-234	96.00	100.00	645772																				
07-234	100.00	104.00	645773																				
07-234	105.50	108.15			0.00	0.05	0.05	0.05	0.00	0.00	ol	M	M	W	l	N	N	tr-W	medgy-wt	Flt	sp	sh/20,sh/-1	
07-234	104.00	108.00	645774																				
07-234			645775	STD																			
07-234			645776	STD																			
07-234	108.15	111.75			0.00	0.05	0.05	0.05	0.00	0.00	ol	M	W	N	l	N	N	N	ltgy	spDu	mt	sh/40	
07-234	108.00	112.00	645777																				
07-234	111.75	113.00			0.00	0.00	0.00	0.00	0.00	0.00	hb	W	N	M	N	N	N	N	gybn	altDk	ep-tl	sh/-1	
07-234	113.00	119.35			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	W	W	M	N	N	N	medgy	spDu	bksp	c/-1	
07-234	112.00	116.00	645778																				
07-234	116.00	120.00	645779																				
07-234	119.35	124.90			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	W	W	M	N	N	N	medgy	spDu-Dks	bksp	sh/-1	
07-234	120.00	124.00	645780																				
07-234	124.90	144.20			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	W	W	M	N	N	as-W	ltgy	trDu	tr	c/-1	
07-234	124.00	128.00	645781																				
07-234	128.00	132.00	645782																				
07-234	132.00	136.00	645783																				
07-234	136.00	140.00	645784																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-234	140.00	144.00	645785																				
07-234	144.20	166.20			0.50	0.00	0.50	0.00	0.00	0.50	ol	M	W	W	W	N	N	tr-W	ltgy	spDu-Dks	bksp	c/-1	
07-234	144.00	148.00	645786																				
07-234	148.00	152.00	645787																				
07-234	152.00	156.00	645788																				
07-234	156.00	160.00	645789																				
07-234	160.00	164.00	645790	D																			
07-234	164.00	168.00	645791																				
07-234	166.20	187.10			3.00	0.00	3.00	0.00	0.00	py-3.0	fs	W	N	N	W	N	N	tr-W	gygn	Di	si	c/-1	
07-234	168.00	172.00	645792																				
07-234	172.00	176.00	645793																				
07-234	176.00	180.00	645794																				
07-234	180.00	184.00	645795																				
07-234	184.00	188.00	645796																				
07-234	187.10	204.70			0.05	0.00	0.05	0.05	0.00	0.00	ol	M	W	W	M	N	N	tr-W	medgy	spDu	bksp	c/-1	
07-234	188.00	192.00	645797																				
07-234	192.00	196.00	645798																				
07-234	196.00	200.00	645799																				
07-234			645800	STD																			
07-234			645801	STD																			
07-234	200.00	204.00	645802																				
07-234	204.70	216.10			0.50	0.50	1.00	0.00	0.00	py-1.0	ol	M	W	M	W	N	N	N	medgy	altDu	tr	c/-1	
07-234	204.00	208.00	645803																				
07-234	208.00	212.00	645804																				
07-234	212.00	216.00	645805																				
07-234	216.10	232.50			5.00	5.00	10.00	0.00	2.00	py-0.5	ol	M	W	W	M	N	N	N	ltgy	spWh-Dks	bksp	c/-1	
07-234	216.00	220.00	645806																				
07-234	220.00	224.00	645807																				

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY						GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-234	224.00	228.00	645808																			
07-234	228.00	232.00	645809																			
07-234	232.50	246.30			0.50	0.00	0.50	0.00	0.00	0.50	ol	M	W	W	M	N	N	N	ltgy	spWh-Dks	bksp	c/-1
07-234	232.00	236.00	645810																			
07-234	236.00	240.00	645811																			
07-234	240.00	244.00	645812																			
07-234	244.00	246.30	645813																			

Hole 07-235

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-235	0.00	5.20																					
07-235	5.20	11.90			0.20	0.00	0.20	0.05	0.00	0	ol	W	N	N	W	N	N	N	medgy	Du	sp	f/45	
07-235	5.20	8.00	645815																				
07-235	8.00	12.00	645816																				
07-235	11.90	19.40			0.50	0.00	0.50	0.00	0.00	0	hb	N	N	N	N	N	N	ep-M	dkgn	hbDi	ep	f/80	
07-235	12.00	16.00	645817																				
07-235	16.00	20.00	645818																				
07-235	19.40	25.25			0.30	0.00	0.30	0.00	0.10	0	ol	W	N	N	W	N	N	N	medgy	Wh	sp	c/-1	
07-235	20.00	24.00	645819																				
07-235	24.00	28.00	645820																				
07-235	25.25	34.75			1.00	0.00	1.00	0.00	0.10	0	hb	N	N	W	N	N	N	ep-m	dkgn	fsHb	ep	f/30	
07-235	28.00	32.00	645821																				
07-235	32.00	36.00	645822																				
07-235	34.75	46.40			0.40	0.00	0.40	0.10	0.10	0	ol	W	N	W	W	N	N	ep-M	medgy	Wh	sp	c/-1	
07-235	36.00	40.00	645823																				
07-235	40.00	44.00	645824																				
07-235			645825	STD																			
07-235			645826	STD																			
07-235	44.00	48.00	645827																				
07-235	46.40	53.05			0.50	0.00	0.50	0.00	0.00	0	hb	N	N	N	N	N	N	ep-m	dkgn	hbDi	ep	c/-1	
07-235	48.00	52.00	645828																				
07-235	53.05	56.60			0.20	0.00	0.20	0.05	0.05	0	ol	W	N	N	M	N	N	ca-W	medgy	cpxWhBx	sp	c/-1	
07-235	52.00	56.00	645829																				
07-235			645830	B																			
07-235	56.60	69.40			1.00	0.00	1.00	0.00	0.10	0	hb	N	N	N	N	N	N	ep-M	dkgn	fsHb	ep	c/-1	
07-235	56.00	60.00	645831																				
07-235	60.00	64.00	645832																				
07-235	64.00	68.00	645833																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-235	69.40	88.85			0.20	0.05	0.20	0.00	0.00	0	ol	M	N	N	M	N	N	N	medgy	Wh	sp	c/-1
07-235	68.00	72.00	645834																			
07-235	72.00	76.00	645835																			
07-235	76.00	80.00	645836																			
07-235	80.00	84.00	645837																			
07-235	84.00	88.00	645838																			
07-235	88.85	92.35			1.00	0.00	1.00	0.00	0.00	0	hb	N	N	N	N	N	N	ep-M	medgn	hbDi	ep	c/-1
07-235	88.00	92.00	645839																			
07-235	92.35	100.00			0.50	0.00	0.50	0.00	0.05	0	hb	N	N	N	N	N	N	ep-W	dkgn	fsHb	ep	c/-1
07-235	92.00	96.00	645840	D																		
07-235	96.00	100.00	645841																			
07-235	100.00	104.05			1.50	0.00	1.50	0.05	0.05	0	ol	W	N	N	W	N	N	ep-W	medgy	fsWhBx	sp	f/40
07-235	100.00	104.00	645842																			
07-235	104.05	118.60			1.00	0.00	1.00	0.00	0.05	0	hb	N	N	N	N	N	N	ep-M	medgn	fsHb	ep	c/-1
07-235	104.00	108.00	645843																			
07-235	108.00	112.00	645844																			
07-235	112.00	116.00	645845																			
07-235	116.00	120.00	645846																			
07-235	118.60	133.35			0.70	0.00	0.70	0.00	0.05	0	hb	N	N	N	N	N	N	ep-W	dkgn	fsHb	ep	c/-1
07-235	120.00	124.00	645847																			
07-235	124.00	128.00	645848																			
07-235	128.00	132.00	645849																			
07-235			645850	STD																		
07-235			645851	STD																		
07-235	133.35	139.05			0.10	0.05	0.10	0.00	0.00	0	ol	M	W	N	M	N	N	ca-W	dkgy	spWh	sp	c/-1
07-235	132.00	136.00	645852																			
07-235	136.00	140.00	645853																			
07-235	139.05	142.10			1.30	0.20	1.50	0.00	0.05	0	hb	N	N	N	N	N	N	ep-M	medgn	fsHb	ep	c/-1

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-235	140.00	144.00	645854																				
07-235	142.10	147.50			0.40	0.10	0.30	0.00	0.00	0	ol	W	N	W	M	N	N	ca-M	medgy	spWh	sp	c/-1	
07-235	144.00	148.00	645855																				
07-235	147.50	177.00			1.00	0.00	1.00	0.00	0.20	0	hb	N	N	N	N	N	N	ep-l	medgn	hbDi	ep	c/-1	
07-235	148.00	152.00	645856																				
07-235	152.00	156.00	645857																				
07-235	156.00	160.00	645858																				
07-235	160.00	164.00	645859																				
07-235			645860	B																			
07-235	164.00	168.00	645861																				
07-235	168.00	172.00	645862																				
07-235	172.00	176.00	645863																				
07-235	177.00	180.90			1.50	0.00	1.50	0.00	0.20	0	ol	M	N	N	M	N	N	ca-W	medgy	altspWh	sp	c/-1	
07-235	176.00	180.00	645864																				
07-235	180.90	205.05			0.50	0.00	0.50	0.00	0.10	0	hb	N	N	N	N	N	N	ep-l	dkgn	hbDi	ep	c/-1	
07-235	180.00	184.00	645865																				
07-235	184.00	188.00	645866																				
07-235	188.00	192.00	645867																				
07-235	192.00	196.00	645868																				
07-235	196.00	200.00	645869																				
07-235	200.00	204.00	645870	D																			
07-235	205.05	207.50			0.20	0.00	0.20	0.05	0.00	0	ol	W	N	N	M	N	N	ca-W	medgy	spWh	sp	c/-1	
07-235	204.00	207.05	645871																				

Hole 07-236

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-236	0.00	2.60																					
07-236	2.60	12.80			0.80	0.20	1.00	0.00	0.10	0.00	cpx	W	W	N	W	N	N	N	gngy	ocpx	bksp	c/-1	
07-236	2.60	4.00	645872																				
07-236	4.00	8.00	645873																				
07-236	8.00	12.00	645874																				
07-236			645875	STD																			
07-236			645876	STD																			
07-236	12.80	19.45			1.00	0.50	1.50	0.00	0.30	0.00	cpx	W	N	N	W	N	N	ca-W	gngy	ocpx	bksp	c/-1	
07-236	12.00	16.00	645877																				
07-236	16.00	20.00	645878																				
07-236	19.45	25.90			1.00	0.00	1.00	0.00	0.10	0.00	ol	W	N	W	W	N	N	ca-W	ltgy	Wh	bksp	c/-1	
07-236	20.00	24.00	645879																				
07-236	25.90	48.50			0.40	0.10	0.50	0.10	0.00	0.00	ol	W	W	N	W	N	N	N	medgy	Wh	bksp	c/-1	
07-236	24.00	28.00	645880																				
07-236	28.00	32.00	645881																				
07-236	32.00	36.00	645882																				
07-236	36.00	40.00	645883																				
07-236	40.00	44.00	645884																				
07-236	44.00	48.00	645885																				
07-236	48.50	58.00			1.00	0.50	1.50	0.20	0.00	0.00	ol	M	N	W	M	N	N	ca-W	medgy	spWh	bksp	c/-1	
07-236	48.00	52.00	645886																				
07-236	52.00	56.00	645887																				
07-236	56.00	60.00	645888																				
07-236	58.00	61.60			2.00	1.00	3.00	0.50	0.10	0.00	ol	M	N	W	M	N	N	N	medgy	spWh	bksp	c/-1	
07-236	61.60	74.00			0.30	0.05	0.30	0.05	0.00	0.00	ol	W	N	N	W	N	N	N	medgy	Wh	bksp	c/-1	
07-236	60.00	64.00	645889																				
07-236	64.00	68.00	645891																				
07-236	68.00	72.00	645892																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-236	72.00	76.00	645893																				
07-236	74.00	94.90			2.50	0.50	3.00	0.30	0.05	0.00	ol	W	N	N	M	N	N	N	medgy	Wh	bksp	c/-1	
07-236	76.00	80.00	645894																				
07-236	80.00	84.00	645895																				
07-236	84.00	88.00	645896																				
07-236	88.00	92.00	645897																				
07-236	92.00	96.00	645898																				
07-236	94.90	102.40			1.00	0.50	1.50	0.10	0.10	0.00	ol	M	N	W	M	N	N	ca-W	medgy	spWh	bksp	f/60	
07-236	96.00	100.00	645899																				
07-236			645900	STD																			
07-236			645901	STD																			
07-236	100.00	104.00	645902																				
07-236	102.40	105.90			0.00	0.10	0.10	0.00	0.00	0.00	cpx	W	M	N	W	N	N	N	gngy	ocpx	gnsp	f/40	
07-236	105.90	110.85			0.50	0.00	0.50	0.10	0.05	0.00	ol	W	N	N	M	N	N	ca-W	medgy	Wh	bksp	c/-1	
07-236	104.00	108.00	645903																				
07-236	108.00	112.00	645904																				
07-236	110.85	112.10			0.20	0.30	0.50	0.00	0.10	0.00	cpx	W	M	N	W	N	N	N	gngy	cPx	gnsp	c/-1	
07-236	112.10	122.15			1.00	0.50	1.50	0.30	0.10	0.00	ol	M	W	N	I	N	N	N	medgy	Wh	bksp	c/-1	
07-236	112.00	116.00	645905																				
07-236	116.00	120.00	645906																				
07-236	122.15	154.35			0.80	0.20	1.00	0.20	0.05	0.00	ol	W	W	W	M	N	N	ca-W	medgy	Wh-ocPx	bksp	c/-1	
07-236	120.00	124.00	645907																				
07-236	124.00	128.00	645908																				
07-236	128.00	132.00	645909																				
07-236	132.00	136.00	645910																				
07-236	136.00	140.00	645911																				
07-236	140.00	144.00	645912																				
07-236	144.00	148.00	645913																				

SAMPLE DATA					SULPHIDES					SIL MINERALOGY								GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-236	148.00	152.00	645914																				
07-236	152.00	156.00	645915																				
07-236	154.35	155.50			0.10	0.00	0.10	0.00	0.00	0.00	cpx	W	M	W	W	N	N	N	gngy	cPx	gnsp	c/-1	
07-236	155.50	165.80			0.50	0.00	0.50	0.10	0.00	0.00	ol	M	N	N	M	N	N	N	medgy	spDu	bksp	c/-1	
07-236	156.00	160.00	645916																				
07-236	160.00	164.00	645917																				
07-236	165.80	173.60			3.50	1.50	5.00	0.40	0.30	0.00	ol	M	W	N	I	N	N	N	dkgy	spWh	bksp	c/-1	
07-236	164.00	168.00	645918																				
07-236	168.00	172.00	645919																				
07-236			645920	B																			
07-236	173.60	198.50			3.00	4.00	7.00	1.50	1.00	0.00	cpx	M	W	N	W	N	N	N	gngy	Wh-cPx	bksp	c/-1	
07-236	172.00	176.00	645921																				
07-236	176.00	180.00	645922																				
07-236	180.00	184.00	645923																				
07-236	184.00	188.00	645924																				
07-236			645925	STD																			
07-236			645926	STD																			
07-236	188.00	192.00	645927																				
07-236	192.00	196.00	645928																				
07-236	196.00	200.00	645929																				
07-236	198.50	199.60			0.00	2.00	2.00	0.00	0.00	0.00	qtz	N	N	N	N	N	I	N	gy	Flt	gr	ft	
07-236	200.00	204.00	645930	D																			
07-236	199.60	202.70			0.00	0.00	0.00	0.00	0.00	0.00	cpx	W	W	I	N	N	N	musc-W	gngy	tlcpx	tl	f/30	
07-236	202.70	207.80			0.00	1.00	1.00	0.00	0.00	0.00	qtz	N	N	N	N	N	M	N	ltgy	grPhy	gr	c/-1	
07-236	204.00	208.00	645931																				
07-236	207.80	218.25			0.00	1.00	1.00	0.00	0.00	0.00	qtz	N	N	N	N	N	W	N	gy	Hf	gr	f/30	
07-236	208.00	212.00	645932																				
07-236	212.00	216.00	645933																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-236	216.00	220.00	645934																				
07-236	218.25	230.85			0.00	0.50	0.50	0.00	0.00	0.00	qtz	N	N	N	N	N	W	N	ltgy	grPhy	gr	f/30,f/60	
07-236	220.00	224.00	645935																				
07-236	224.00	228.00	645936																				
07-236	228.00	230.45	645937																				

Hole 07-237

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-237	0.00	6.10																					
07-237	6.10	8.00	357902																				
07-237	8.00	12.00	357903																				
07-237	12.00	16.00	357904																				
07-237	6.10	15.80			1.00	1.50	2.50	0.30	1.50	po,py	cpx	W	M	W	I	N	N	N	gy	ocpx	sp	b/-1	
07-237	15.80	25.90			1.00	2.00	3.00	0.70	1.00	po,py	cpx	W	W	W	M	N	N	N	gy	cPx	sp	c/-1	
07-237	16.00	20.00	357905																				
07-237	20.00	24.00	357906																				
07-237	25.90	27.15			1.00	0.50	1.50	0.50	0.70	po,py	cpx	M	W	N	I	N	N	N	gy	ocpx	sp	b/-1	
07-237	24.00	18.00	357907																				
07-237	27.15	37.80			3.00	2.00	5.00	0.70	2.00	po,py	cpx	M	W	W	M	N	N	N	gy	ocpx	sp	c/-1	
07-237	28.00	32.00	357908																				
07-237	32.00	36.00	357909																				
07-237	36.00	40.00	357910	D																			
07-237	37.80	43.65			1.00	0.10	1.10	0.30	0.10	po	ol	I	W	W	M	N	N	N	blk	Flt	sp	b/-1	
07-237	40.00	44.00	357911																				
07-237	43.65	48.00			2.00	0.00	2.00	0.70	0.00	po	ol	I	W	W	M	N	N	N	blk	spWh	sp	c/-1	
07-237	44.00	48.00	357912																				
07-237	48.00	49.30			0.05	0.00	0.05	0.05	0.00	po	ol	I	W	W	M	N	N	N	blk	Flt	sp	f/-1	
07-237	48.00	52.00	357913																				
07-237	49.30	65.85			0.20	0.00	0.20	0.10	0.00	po	ol	I	W	W	M	N	N	N	blk	spWh	sp	c/-1	
07-237	52.00	56.00	357914																				
07-237	56.00	60.00	357915																				
07-237	60.00	64.00	357916																				
07-237	65.85	73.00			1.00	0.00	1.00	0.50	0.00	po	ol	I	W	N	I	N	N	N	blk	spWh	sp	c/-1	
07-237	64.00	68.00	357917																				
07-237	68.00	72.00	357918																				
07-237	73.00	75.80			0.50	0.00	0.50	0.05	0.00	po	cpx	M	W	N	M	N	N	N	gy	cPx	tr	c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-237	72.00	76.00	357919																				
07-237	75.80	97.60			1.00	0.00	1.00	0.30	0.00	po	ol	l	M	N	l	N	N	N	blk	spWh	sp	c/-1	
07-237			357920	B																			
07-237	76.00	80.00	357921																				
07-237	80.00	84.00	357922																				
07-237	84.00	88.00	357923																				
07-237	88.00	92.00	357924																				
07-237			357925	STD																			
07-237			357926	STD																			
07-237	92.00	96.00	357927																				
07-237	97.60	109.00			1.00	0.00	1.00	0.50	0.00	po	ol	l	W	N	l	N	N	N	blk	spDu	sp	c/-1	
07-237	96.00	100.00	357928																				
07-237	100.00	104.00	357929																				
07-237	104.00	108.00	357930																				
07-237	109.00	116.10			1.00	0.00	1.00	0.70	0.00	po	ol	l	W	N	l	N	N	N	blk	spWh	sp	b/-1	
07-237	108.00	112.00	357931																				
07-237	112.00	116.00	357932																				
07-237	116.10	142.00			4.00	1.00	5.00	1.50	0.05	po	ol	l	W	N	l	N	N	N	blk	spWh	sp	c/-1	
07-237	116.00	120.00	357933																				
07-237	120.00	124.00	357934																				
07-237	124.00	128.00	357935																				
07-237	128.00	132.00	357936																				
07-237	132.00	136.00	357937																				
07-237	136.00	140.00	357938																				
07-237	140.00	144.00	357939																				
07-237	142.00	167.80			1.50	0.50	2.00	0.70	0.05	po	cpx	l	W	N	l	N	N	N	gy	spDu	sp	c/-1	
07-237	144.00	148.00	357940	D																			
07-237	148.00	152.00	357941																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-237	152.00	156.00	357942																				
07-237	156.00	160.00	357943																				
07-237	160.00	164.00	357944																				
07-237	164.00	168.00	357945																				
07-237	167.80	195.00			5.00	0.00	5.00	1.00	0.00	po	ol	l	W	N	l	N	N	N	blk	spDu	sp	c/-1	
07-237	168.00	172.00	357946																				
07-237	172.00	176.00	357947																				
07-237	176.00	180.00	357948																				
07-237	180.00	184.00	357949																				
07-237			357950	STD																			
07-237			357951	STD																			
07-237	184.00	188.00	357952																				
07-237	188.00	192.00	357953																				
07-237	192.00	196.00	357954																				
07-237	195.00	203.00			0.70	0.00	0.70	0.40	0.00	po	ol	l	M	N	l	N	N	N	gy	spDu	sp	c/-1	
07-237	196.00	200.00	357955																				
07-237	200.00	204.00	357956																				
07-237	203.00	224.75			3.00	0.00	3.00	1.00	0.00	ml,po	ol	l	W	N	l	N	N	N	blk	spWh	sp	c/-1	
07-237	204.00	208.00	357957																				
07-237	208.00	212.00	357958																				
07-237	212.00	216.00	357959																				
07-237	216.00	220.00	357960																				
07-237	220.00	224.00	357961																				
07-237	224.75	227.90			0.50	0.00	0.50	0.05	0.00	po	cpx	M	W	N	M	N	N	N	gn	spocpx	sp	c/-1	
07-237	224.00	228.00	357962																				
07-237	227.90	241.10			2.00	0.00	2.00	1.00	0.00	po	ol	l	M	N	l	N	N	N	blk	spWh	sp	c/-1	
07-237	228.00	232.00	357963																				
07-237	232.00	236.00	357964																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-237	236.00	240.00	357965																				
07-237	241.10	249.90			1.00	0.00	1.00	0.30	0.00	po	ol	l	M	M	M	N	N	N	gy	spWh	sp	b/-1	
07-237	240.00	244.00	357966																				
07-237	244.00	248.00	357967																				
07-237	249.90	264.00			1.00	0.50	1.50	0.05	0.05	po	ol	M	M	l	W	N	N	N	gy	spWh	sp	c/-1	
07-237	248.00	252.00	357968																				
07-237	252.00	256.00	357969																				
07-237	256.00	260.00	357970	D																			
07-237	260.00	264.00	357971																				
07-237	264.00	271.00			4.00	0.50	4.50	0.05	0.30	po	cpx	M	M	M	W	N	N	N	gy	spocpx	sp	c/-1	
07-237	264.00	268.00	357972																				
07-237	268.00	272.00	357973																				
07-237	271.00	276.15			0.50	1.00	1.50	0.05	0.50	po	ol	W	M	l	W	N	W	N	gy	Flt	tl	f/-1	
07-237	272.00	276.00	357974																				
07-237	276.15	279.90			0.00	1.00	1.00	0.00	0.20	py	qtz	N	N	N	N	N	l	N	gy	Flt	gr	f/-1	
07-237			357975	STD																			
07-237			357976	STD																			
07-237	276.00	280.00	357977																				
07-237	279.90	305.10			0.00	1.00	1.00	0.00	0.20	py	qtz	N	N	N	N	N	l	N	gy	Phy	gr	b/-1	
07-237			357978																				
07-237	280.00	284.00	357979																				
07-237			357980	B																			
07-237	284.00	288.00	357981																				
07-237	292.00	296.00	357982																				
07-237	296.00	300.00	357983																				

Hole 07-238

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-238	0.00	6.50																					
07-238	6.50	7.90			0.10	0.00	0.10	0.00	0.00	0.00	ol	l	W	N	M	N	W	ox-M,ca-W	dkgy	spWh	bksp	b/-1,f/-1	
07-238	6.50	12.00	645938																				
07-238	7.90	21.80			0.20	0.00	0.20	0.10	0.00	0.00	ol	l	M	N	l	N	M	ca-W	dkgybk	spWh	bksp	f/40,sh/30	
07-238	12.00	16.00	645939																				
07-238	16.00	20.00	645940																				
07-238	21.80	24.90			0.00	0.00	0.00	0.00	0.00	0.00	grt	N	N	N	N	N	N	ca-W	gnbrn	CS	cs	c/-1	
07-238	20.00	24.00	645941																				
07-238	24.90	26.50			0.10	0.00	0.10	0.05	0.00	0.00	ol	l	M	N	M	N	W	ca-W	dkgybk	altspWh	bksp	b/-1,f/-1	
07-238	24.00	26.50	645942																				
07-238			645942A	STD																			

Hole 07-239

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unbridged	dominant alteration	structure c/b/f/sh/FLT	
07-239	0.00	6.50																					
07-239	6.50	18.40			0.10	0.00	0.10	0.05	0.00	po	ol	l	W	W	M	N	W	N	blk	spWh	sp	b/45	
07-239	6.50	8.00	645943																				
07-239	8.00	12.00	645944																				
07-239	12.00	16.00	645945																				
07-239	18.40	20.50			0.00	0.00	0.00	0.00	0.00	0.00	qtz	N	N	N	N	N	N	N	wt	CS	cs	b/60	
07-239	16.00	20.00	645946																				
07-239	20.50	21.85			0.05	0.00	0.05	0.05	0.00	po	cpx	l	M	W	l	N	N	N	blk	spWh	sp	b/45	
07-239	20.00	24.00	645947																				
07-239	21.85	31.30			0.20	0.00	0.20	0.10	0.00	po	ol	l	W	N	l	N	N	N	blk	spWh	sp	c/-1	
07-239	24.00	28.00	645948																				
07-239	28.00	32.00	645949																				
07-239	31.30	37.90			0.50	0.00	0.50	0.30	0.00	po	ol	l	M	N	l	N	W	N	gy	spWh	sp	b/45	
07-239			645950	STD																			
07-239			645951	STD																			
07-239	32.00	36.00	645952																				
07-239	37.90	40.10			0.10	0.00	0.10	0.05	0.00	po	ol	l	M	N	l	N	N	N	blk	spWh	sp	c/-1	
07-239	36.00	40.00	645953																				
07-239	40.10	48.15			0.10	0.00	0.00	0.05	0.00	po	ol	M	M	W	M	N	N	N	gn	spDu	sp	b/30	
07-239	40.00	44.00	645954																				
07-239	44.00	48.00	645955																				
07-239	48.15	64.00			0.30	0.00	0.30	0.10	0.00	po	ol	M	M	W	l	N	N	N	blk	spDu	sp	c/-1	
07-239	48.00	52.00	645956																				
07-239	52.00	56.00	645957																				
07-239	56.00	60.00	645958																				
07-239	60.00	64.00	645959																				
07-239	64.00	75.50			0.70	0.30	1.00	0.40	0.10	po	ol	l	W	N	l	N	N	N	blk	spDu	sp	c/-1	
07-239	64.00	68.00	645960	D																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-239	68.00	72.00	645961																				
07-239	72.00	76.00	645962																				
07-239	75.50	91.20			0.10	0.00	0.10	0.05	0.00	po	ol	M	M	W	M	N	N	N	gy	spDu	sp	c/-1	
07-239	76.00	80.00	645963																				
07-239	80.00	84.00	645964																				
07-239	84.00	88.00	645965																				
07-239	88.00	92.00	645966																				
07-239	91.20	99.00			0.10	0.40	0.50	0.05	0.30	po	ol	W	M	W	W	N	N	N	gn	Flt	sp	ft	
07-239	92.00	96.00	645967																				
07-239	96.00	100.00	645968																				
07-239	99.00	108.80			0.10	0.20	0.30	0.05	0.10	po	ol	M	M	W	I	N	N	N	gy	spDu	sp	b/60	
07-239	100.00	104.00	645969																				
07-239	104.00	108.00	645970																				
07-239	108.80	109.10			0.10	0.10	0.20	0.05	0.05	po	ol	M	M	M	M	N	W	N	gn	Flt	sp	b/45	
07-239	108.00	112.00	645971																				
07-239	109.10	122.40			0.10	0.10	0.20	0.05	0.10	po	ol	M	M	M	I	N	W	N	gy	spWh	sp	b/45	
07-239	112.00	116.00	645972																				
07-239	116.00	120.00	645973																				
07-239	120.00	124.00	645974																				
07-239	122.40	127.10			0.05	0.05	0.05	0.00	0.05	po	ol	N	M	N	W	N	W	N	gy	spDu	sp	c/-1	
07-239			645975	STD																			
07-239			645976	STD																			
07-239	124.00	128.00	645977																				
07-239	127.10	127.45			0.00	0.00	0.00	0.00	0.00	0.00	gr	N	N	N	N	N	I	N	gy	Flt	gr	ft	
07-239	128.00	132.00	645978																				
07-239	127.45	147.05			0.00	1.00	1.00	0.00	0.50	py	gr	N	N	N	N	N	I	N	gy	Phy	gr	c/-1	
07-239	132.00	136.00	645979																				
07-239			645980	B																			

SAMPLE DATA				SULPHIDES					SIL	MINERALOGY						GEOLOGY							
Hole #	From	To	Sample No.	QC/QA	% magnetic sulph	% non-magnetic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-239	136.00	140.00	645981																				
07-239	140.00	144.00	645982																				
07-239	144.00	148.00	645983																				
07-239	148.00	152.00	645984																				
07-239	152.00	156.00	645985																				
07-239	156.00	160.00	645986																				
07-239	160.00	164.00	645987																				
07-239	164.00	167.05	645988																				

Hole 07-240

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-240	0.00	19.40																					
07-240	19.40	32.55			2.00	0.00	2.00	0.05	0.50	po	cpx	M	M	N	M	N	N	N	gn	ocpx	sp	c/-1	
07-240	19.40	24.00	645989																				
07-240	24.00	28.00	645990	D																			
07-240	28.00	32.55	645991																				
07-240	32.55	32.65			0.00	0.00	0.00	0.00	0.00	0.00	cpx	W	M	N	W	N	N	N	gn	Flt	sp	ft	
07-240	32.65	41.10			0.10	0.00	0.10	0.05	0.00	po	ol	I	M	W	I	N	N	N	blk	spWh	sp	c/-1	
07-240	32.55	36.00	645992																				
07-240	36.00	40.00	645993																				
07-240	40.00	42.00	645994																				
07-240	41.10	46.15			1.50	0.50	2.00	0.10	0.50	po	cpx	M	W	N	M	N	N	N	bn	ocpx	sp	c/-1	
07-240	42.00	46.15	645995																				
07-240	46.15	50.20			1.50	0.00	1.50	0.50	0.30	po	ol	I	W	N	I	N	N	N	blk	spWh	sp	c/-1	
07-240	46.15	50.20	645996																				
07-240	50.20	64.55			3.00	2.00	5.00	0.50	1.00	po	cpx	M	M	W	W	N	N	N	gn	ocpx	sp	c/-1	
07-240	50.20	54.00	645997																				
07-240	54.00	58.00	645998																				
07-240	58.00	62.00	645999																				
07-240			646000	STD																			
07-240			646001	STD																			
07-240	62.00	66.15	646002																				
07-240	64.55	66.80			0.10	0.50	0.60	0.05	0.20	po	cpx	W	M	M	W	N	N	N	gn	Flt	tl	ft	
07-240	66.80	70.80			7.00	3.00	10.00	0.05	2.00	po	cpx	I	M	W	M	N	M	N	gy	ocpx	sp	c/-1	
07-240	66.15	70.00	646003																				
07-240	70.00	74.00	646004																				
07-240	74.00	78.00	646005																				
07-240	78.00	82.00	646006																				
07-240	82.00	86.00	646007																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-240	71.10	88.10			7.00	3.00	10.00	0.05	2.00	po	cpx	l	M	W	l	N	M	N	gy	ocpx	sp	c-1	
07-240	86.00	88.10	646008																				
07-240	88.10	96.10			5.00	2.00	7.00	0.50	2.00	po	ol	l	W	N	l	N	M	N	blk	spWh	sp	b/30	
07-240	88.10	92.00	646009																				
07-240			646010	B																			
07-240	92.00	96.10	646011																				
07-240	96.10	98.95			6.00	4.00	10.00	0.10	1.00	po	cpx	l	W	N	M	N	M	N	gy	ocpx	sp	b/45	
07-240	98.95	99.00			6.00	4.00	10.00	0.10	1.00	po	cpx	l	W	N	M	N	M	N	blk	Flt	sp	ft	
07-240	96.10	100.00	646012																				
07-240	100.00	104.00	646013																				
07-240	104.00	108.15	646014																				
07-240	99.00	108.15			6.00	4.00	10.00	0.10	1.00	po	cpx	l	W	N	M	N	M	N	gy	ocpx	sp	b/45	
07-240	108.15	110.20			3.00	1.00	4.00	0.20	0.50	po	ol	l	W	W	l	N	M	N	blk	spWh	sp	b/60	
07-240	108.15	110.20	646015																				
07-240	110.20	118.70			5.00	2.00	7.00	0.10	0.50	po	cpx	l	W	N	M	N	W	N	gy	ocpx	sp	b/45	
07-240	110.20	114.00	646016																				
07-240	114.00	118.00	646017																				
07-240	118.70	125.00			0.10	0.10	0.20	0.05	0.05	po	ol	l	W	W	M	N	N	N	blk	spWh	sp	b/45	
07-240	118.00	121.50	646018																				
07-240	121.50	125.00	646019																				
07-240	125.00	149.80			0.05	0.00	0.05	0.00	0.00	po	cpx	l	M	W	M	N	N	N	gy	ocpx	sp	c/-1	
07-240	125.00	129.00	646020																				
07-240	129.00	133.00	646021																				
07-240	133.00	137.00	646022																				
07-240	137.00	141.00	646023																				
07-240	141.00	145.00	646024																				
07-240			646025	STD																			
07-240			646026	STD																			

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-240	145.00	149.00	646027																				
07-240	149.80	151.70			0.10	0.10	0.20	0.00	0.05	po	cpx	l	M	W	M	N	N	N	gy	Flt	sp	FLT	
07-240	149.00	153.00	646028																				
07-240	151.70	155.50			0.20	0.10	0.30	0.00	0.05	po	cpx	l	W	N	M	N	N	N	gy	ocpx	sp	c/-1	
07-240	153.00	155.50	646029																				
07-240	155.50	170.90			4.00	1.00	5.00	0.70	0.80	po	cpx	l	W	N	M	N	N	N	gy	ocpx	sp	c/-1	
07-240	155.50	159.00	646030	D																			
07-240	159.00	163.00	646031																				
07-240	163.00	167.00	646032																				
07-240	167.00	169.30	646033																				
07-240	169.30	170.90	646034																				
07-240	170.90	176.75			1.50	0.10	1.60	0.10	0.20	po	ol	l	W	N	l	N	N	N	blk	spWh	sp	b/30	
07-240	170.90	174.00	646035																				
07-240	174.00	176.75	646036																				
07-240	176.75	183.85			0.10	0.00	0.10	0.00	0.05	po	cpx	l	N	N	W	N	N	N	gn	ocpx	sp	c/-1	
07-240	176.75	180.00	646037																				
07-240	180.00	183.85	646038																				
07-240	183.85	185.35			0.00	0.10	0.10	0.00	0.05	po	cs	W	W	M	N	N	N	N	gy	altUM	tl	b/45	
07-240	185.35	185.40			0.00	0.10	0.10	0.00	0.05	po	cs	W	W	M	N	N	N	N	gy	Flt	cs	ft,b/45	
07-240	185.40	186.40			0.00	0.10	0.10	0.00	0.05	po	cs	W	W	M	N	N	N	N	gy	altUM	tl	b/45	
07-240	183.85	186.40	646039																				
07-240			646040	B																			
07-240	186.40	197.00			3.00	2.00	5.00	0.05	1.00	po	cpx	M	M	W	M	N	N	N	gn	cPx	tr	c/-1	
07-240	186.40	190.00	646041																				
07-240	190.00	193.50	646042																				
07-240	193.50	197.00	646043																				
07-240	197.00	198.25			0.00	0.00	0.00	0.00	0.00	0.00	qtz	N	N	N	N	N	N	N	wt	CS	ca	c/-1	
07-240	197.00	198.25	646044																				

SAMPLE DATA					SULPHIDES						SIL	MINERALOGY							GEOLOGY			
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-240	198.25	205.00			0.10	0.10	0.20	0.05	0.05	po	cpx	l	M	W	l	N	N	N	gy	ocpx	sp	c/-1
07-240	198.25	202.00	646045																			
07-240	202.00	205.00	646046																			
07-240	205.00	211.40			0.70	0.30	1.00	0.10	0.30	po	cpx	l	W	N	l	N	N	N	gy	ocpx	sp	c/-1
07-240	205.00	209.00	646047																			
07-240	209.00	211.00	646048																			
07-240	211.40	223.00			8.00	2.00	10.00	0.50	1.00	po	ol	l	W	N	l	N	N	N	blk	spWh	sp	c/-1
07-240	211.00	215.00	646049																			
07-240			646050	STD																		
07-240			646051	STD																		
07-240	215.00	219.00	646052																			
07-240	219.00	223.00	646053																			
07-240	223.00	229.00			5.00	2.00	7.00	0.05	0.50	po	cpx	l	W	N	l	N	N	N	gy	ocpx	sp	c/-1
07-240	223.00	226.00	646054																			
07-240	226.00	229.00	646055																			
07-240	229.00	242.80			1.00	0.50	1.50	0.05	0.50	po	cpx	l	W	N	l	N	N	N	gy	ocpx	sp	c/-1
07-240	229.00	233.00	646056																			
07-240	233.00	237.00	646057																			
07-240	237.00	240.00	646058																			
07-240	240.00	242.80	646059																			
07-240	242.80	244.70			0.10	0.50	0.60	0.05	0.20	po	cpx	M	W	N	W	N	N	N	gy	cPx	tr	c/-1
07-240	244.70	244.80			0.10	0.50	0.60	0.05	0.20	po	cpx	M	W	N	W	N	N	tl-M	gy	Flt	tr	ft
07-240	242.80	246.00	646060	D																		
07-240	244.80	246.80			0.10	0.50	0.60	0.05	0.20	po	cpx	M	W	N	W	N	N	N	gy	cPx	tr	c/-1
07-240	246.80	246.85			0.10	0.50	0.60	0.05	0.20	po	cpx	M	W	N	W	N	N	tl-M	gy	Flt	tr	ft
07-240	246.85	249.50			0.10	0.50	0.60	0.05	0.20	po	cpx	M	W	N	W	N	N	N	gy	cPx	tr	c/-1
07-240	246.00	249.50	646061																			
07-240	249.50	256.50			1.50	0.50	1.00	0.05	0.10	po	cpx	M	W	W	W	N	N	N	gy	cPx	tr	c/-1

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-240	249.50	253.00	646062																				
07-240	253.00	256.00	646063																				
07-240	256.50	287.80			0.20	0.10	0.30	0.00	0.05	po	cpx	W	W	N	W	N	N	N	gn	cPx	tr	c/-1	
07-240	256.00	260.00	646064																				
07-240	260.00	264.00	646065																				
07-240	264.00	268.00	646066																				
07-240	268.00	272.00	646067																				
07-240	272.00	276.00	646068																				
07-240	276.00	280.00	646069																				
07-240	280.00	284.00	646070																				
07-240	284.00	287.80	646071																				
07-240	287.80	302.50			0.10	0.50	0.60	0.00	0.20	po	cpx	W	W	W	N	N	W	N	gn	cPx	tr	c/-1	
07-240	287.80	292.00	646072																				
07-240	292.00	296.00	646073																				
07-240	296.00	300.00	646074																				
07-240			646075	STD																			
07-240			646076	STD																			
07-240	300.00	302.50	646077																				
07-240	302.50	308.45			0.00	0.50	0.50	0.00	0.10	po	gr	N	W	W	N	N	I	N	gy	Phy	gr	c/-1	
07-240	302.50	306.00	646078																				
07-240	306.00	308.15	646079																				
07-240			646080	B																			

Hole 07-243

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-243	0.00	5.95																					
07-243	5.95	17.00			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	M	N	N	N	gn	gDu	sp	c/-1	
07-243	5.95	8.00	358492																				
07-243	8.00	12.00	358493																				
07-243	12.00	16.00	358494																				
07-243	17.00	28.10			0.70	0.00	0.70	0.70	0.00	0.00	ol	W	W	W	M	N	N	N	gn	gDu	sp	c/-1	
07-243	16.00	20.00	358495																				
07-243	20.00	24.00	358496																				
07-243	24.00	28.00	358497																				
07-243	28.10	109.90			0.10	0.00	0.10	0.10	0.00	cu	ol	W	W	W	M	W	N	N	gn	gDu	sp	c/-1	
07-243	28.00	32.00	358498																				
07-243	32.00	36.00	358499																				
07-243			358500	STD																			
07-243			358501	STD																			
07-243	36.00	40.00	358502																				
07-243	40.00	44.00	358503																				
07-243	44.00	48.00	358504																				
07-243	48.00	52.00	358505																				
07-243	52.00	56.00	358506																				
07-243	56.00	60.00	358507																				
07-243	60.00	64.00	358508																				
07-243	64.00	68.00	358509																				
07-243	68.00	72.00	358510	D																			
07-243	109.90	138.95			0.20	0.00	0.20	0.20	0.00	cu	ol	W	W	N	M	W	N	N	gy	Du	sp	c/-1	
07-243	72.00	76.00	358511																				
07-243	76.00	80.00	358512																				
07-243	80.00	84.00	358513																				
07-243	84.00	88.00	358514																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-243	88.00	94.00	358515																				
07-243	92.00	96.00	358516																				
07-243	96.00	100.00	358517																				
07-243	100.00	104.00	358518																				
07-243	104.00	108.00	358519																				
07-243	108.00	112.00	358520																				
07-243	112.00	116.00	358521																				
07-243	116.00	120.00	358522																				
07-243	120.00	124.00	358523																				
07-243	124.00	128.00	358524																				
07-243			358525	STD																			
07-243			358526	STD																			
07-243	128.00	132.00	358527																				
07-243	132.00	136.00	358528																				
07-243	138.95	150.00			0.05	0.00	0.05	0.05	0.00	0.00	ol	M	W	W	M	N	N	N	gy	Flt	sp	ft	
07-243	136.00	140.00	358529																				
07-243			358530	B																			
07-243	140.00	144.00	358531																				
07-243	144.00	148.00	358532																				
07-243	148.00	152.00	358533																				
07-243	150.00	202.00			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	M	W	N	N	gy	Du	sp	c/-1	
07-243	152.00	156.00	358534																				
07-243	156.00	160.00	358535																				
07-243	160.00	164.00	358536																				
07-243	164.00	168.00	358537																				
07-243	168.00	172.00	358538																				
07-243	172.00	176.00	358539																				
07-243	176.00	180.00	358540	D																			

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT		
07-243	180.00	184.00	358541																					
07-243	184.00	188.00	358542																					
07-243	188.00	192.00	358543																					
07-243	192.00	196.00	358544																					
07-243	196.00	200.00	358545																					
07-243	200.00	204.00	358546																					
07-243	202.00	206.70			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	M	W	W	N	N	N	gy	spDu	sp	c/-1		
07-243	204.00	208.00	358547																					
07-243	206.70	245.50			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	W	W	N	N	gn	gDu	sp	c/-1		
07-243	208.00	212.00	358548																					
07-243	212.00	216.00	358549																					
07-243			358550	STD																				
07-243			358551	STD																				
07-243	216.00	220.00	358552																					
07-243	220.00	224.00	358553																					
07-243	224.00	228.00	358554																					
07-243	228.00	232.00	358555																					
07-243	232.00	236.00	358556																					
07-243	236.00	240.00	358557																					
07-243	240.00	244.00	358558																					
07-243	245.50	248.00			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	M	l	W	N	N	ca	gn	Flt	tl	ft		
07-243	244.00	248.00	358559																					
07-243			358560	B																				
07-243	248.00	352.95			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	M	W	N	N	gn	gDu	sp	c/-1		
07-243	248.00	252.00	358561																					
07-243	252.00	256.00	358562																					
07-243	256.00	260.00	358563																					
07-243	260.00	264.00	358564																					

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-243	264.00	268.00	358565																				
07-243	268.00	272.00	358566																				
07-243	272.00	276.00	358567																				
07-243	276.00	280.00	358568																				
07-243	280.00	284.00	358569																				
07-243	284.00	288.00	358570																				
07-243	288.00	292.00	358571																				
07-243	292.00	296.00	358572																				
07-243	296.00	300.00	358573																				
07-243	300.00	304.00	358574																				
07-243			358575	STD																			
07-243			358576	STD																			
07-243	304.00	308.00	358577																				
07-243	308.00	312.00	358578																				
07-243	312.00	316.00	358579																				
07-243	316.00	320.00	358580																				
07-243	320.00	324.00	358581																				
07-243	324.00	328.00	358582																				
07-243	328.00	332.00	358583																				
07-243	332.00	336.00	358584																				
07-243	336.00	340.00	358585																				
07-243	340.00	344.00	358586																				
07-243	344.00	348.00	358587																				
07-243	348.00	352.00	358588																				
07-243	352.95	357.30			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	M	W	M	W	N	N	gy	spDu	sp	b	
07-243	352.00	356.00	358589																				
07-243			358590	B																			
07-243	357.30	357.90			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	M	M	M	N	N	N	blk	Flt	sp	ft	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY				
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT
07-243	356.00	360.00	358591																			
07-243	257.90	365.60			0.05	0.00	0.05	0.05	0.00	0.00	ol	M	M	M	M	N	N	N	blk	spDu	sp	c/-1
07-243	360.00	364.00	358592																			
07-243	365.60	367.05			0.00	0.00	0.00	0.00	0.00	0.00	ol	l	M	W	M	N	N	N	blk	spDu	sp	sh
07-243	364.00	368.00	358593																			
07-243	367.05	373.40			0.05	0.05	0.10	0.05	0.00	0.00	ol	l	M	W	l	N	N	N	blk	spDu	sp	c/-1
07-243	368.00	372.00	358594																			
07-243	373.40	416.05			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	M	W	N	N	gy	Du	sp	c/-1
07-243	372.00	376.00	358595																			
07-243	376.00	380.00	358596																			
07-243	380.00	384.00	358597																			
07-243	384.00	388.00	358598																			
07-243	388.00	392.00	358599																			
07-243			358600	STD																		
07-243			358601	STD																		
07-243	392.00	396.00	358602																			
07-243	396.00	400.00	358603																			
07-243	400.00	404.00	358604																			
07-243	404.00	408.00	358605																			
07-243	404.00	412.00	358606																			
07-243	408.00	416.05	358607																			

Hole 07-247

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-247	0.00	8.90																					
07-247	8.90	25.00			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	W	N	N	ca,as	gy	Du	bksp	c/-1	
07-247	8.90	12.00	358608																				
07-247	12.00	16.00	358609																				
07-247	16.00	20.00	358610	D																			
07-247	20.00	24.00	358611																				
07-247	25.00	51.00			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	W	W	W	N	N	ca,as	gy	Wh	bksp	c/-1	
07-247	24.00	28.00	358612																				
07-247	28.00	32.00	358613																				
07-247	51.00	51.50			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	I	I	M	N	N	ca	gn	Flt	sp	ft/-1	
07-247	32.00	36.00	358614																				
07-247	36.00	40.00	358615																				
07-247	40.00	44.00	358616																				
07-247	44.00	48.00	358617																				
07-247	48.00	52.00	358618																				
07-247	51.50	82.00			0.05	0.00	0.05	0.05	0.00	0.00	ol	W	W	W	W	N	N	ca,as	gy	Du	bksp	c/-1	
07-247	52.00	56.00	358619																				
07-247	56.00	60.00	358620																				
07-247	60.00	64.00	358621																				
07-247	64.00	68.00	358622																				
07-247	68.00	72.00	358623																				
07-247	72.00	76.00	358624																				
07-247			358625	STD																			
07-247			358626	STD																			
07-247	76.00	80.00	358627																				
07-247	80.00	84.00	358628																				
07-247	82.00	109.00			0.05	0.00	0.05	0.05	0.00	po	ol	M	W	W	M	N	N	ca	gy	spDu	bksp	c/-1	
07-247	84.00	88.00	358629																				

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY							GEOLOGY					
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-247			358630	B																			
07-247	88.00	92.00	358631																				
07-247	92.00	96.00	358632																				
07-247	96.00	100.00	358633																				
07-247	100.00	104.00	358634																				
07-247	104.00	108.00	358635																				
07-247	109.00	128.00			0.05	0.00	0.05	0.05	0.00	po	ol	M	W	W	M	N	N	as	gy	spDu	bksp	c/-1	
07-247	108.00	112.00	358636																				
07-247	112.00	116.00	358637																				
07-247	116.00	120.00	358638																				
07-247	120.00	124.00	358639																				
07-247	124.00	128.00	358640	D																			
07-247	128.00	149.00			0.05	0.05	0.10	0.05	0.00	po	ol	W	W	W	M	N	N	as	gy	Du	bksp	c/-1	
07-247	128.00	132.00	358641																				
07-247	132.00	136.00	358642																				
07-247	136.00	140.00	358643																				
07-247	140.00	144.00	358644																				
07-247	144.00	148.00	358645																				
07-247	149.00	173.00			0.05	0.05	0.10	0.05	0.00	po	ol	W	W	W	W	N	N	as	gngy	gDu	bksp	c/-1	
07-247	148.00	152.00	358646																				
07-247	152.00	156.00	358647																				
07-247	156.00	160.00	358648																				
07-247	160.00	164.00	358649																				
07-247			358650	STD																			
07-247			358651	STD																			
07-247	164.00	168.00	358652																				
07-247	168.00	172.00	358653																				
07-247	173.00	299.00			0.05	0.00	0.05	0.05	0.00	po	ol	W	W	W	W	N	N	as,an	gn	gDu	bksp	c/-1	

SAMPLE DATA					SULPHIDES					SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magnatic sulph	% non-magnatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-247	172.00	176.00	358654																				
07-247	176.00	180.00	358655																				
07-247	180.00	184.00	358656																				
07-247	184.00	188.00	358657																				
07-247	188.00	192.00	358658																				
07-247	192.00	196.00	358659																				
07-247			358660	B																			
07-247	196.00	200.00	358661																				
07-247	200.00	204.00	358662																				
07-247	204.00	208.00	358663																				
07-247	208.00	212.00	358664																				
07-247	212.00	216.00	358665																				
07-247	216.00	220.00	358666																				
07-247	220.00	224.00	358667																				
07-247	224.00	228.00	358668																				
07-247	228.00	232.00	358669																				
07-247	232.00	236.00	358670	D																			
07-247	236.00	240.00	358671																				
07-247	240.00	244.00	358672																				
07-247	244.00	248.00	358673																				
07-247	248.00	252.00	358674																				
07-247			358675	STD																			
07-247			358676	STD																			
07-247	252.00	256.00	358677																				
07-247	256.00	260.00	358678																				
07-247	260.00	264.00	358679																				
07-247	264.00	268.00	358680																				
07-247	268.00	272.00	358681																				

SAMPLE DATA				SULPHIDES						SIL	MINERALOGY						GEOLOGY						
Hole #	From	To	Sample No.	QC/QA	% magmatic sulph	% non-magmatic sulph	% total sulph	% pn	% cpy	other sulph	dominant silicate	black serpentine	other serpentine	talc	magnetite	chromite	graphite	other min	color code	unabridged	dominant alteration	structure c/b/f/sh/FLT	
07-247	272.00	276.00	358682																				
07-247	276.00	280.00	358683																				
07-247	280.00	284.00	358684																				
07-247	284.00	288.00	358685																				
07-247	299.00	325.00			0.00	0.00	0.00	0.00	0.00	0.00	ol	W	W	W	W	N	N	as,ca	gy	gDu-Du	bksp	c/-1	
07-247	288.00	292.00	358686																				
07-247	292.00	296.00	358687																				
07-247	296.00	300.00	358688																				
07-247	300.00	304.00	358689																				
07-247			358690	B																			
07-247	304.00	308.00	358691																				
07-247	308.00	312.00	358692																				
07-247	312.00	316.00	358693																				
07-247	316.00	320.00	358694																				
07-247	320.00	324.00	358695																				
07-247	325.00	355.10			0.00	0.00	0.00	0.00	0.00	0.00	ol	M	W	W	M	N	N	as,ca	gy	spDu	bksp	c/-1	
07-247	324.00	328.00	358696																				
07-247	328.00	332.00	358697																				
07-247	332.00	336.00	358698																				
07-247	336.00	340.00	358699																				
07-247			358700	STD																			
07-247			358701	STD																			
07-247	340.00	344.00	358702																				
07-247	344.00	348.00	358703																				
07-247	348.00	352.00	358704																				
07-247	352.00	355.10	358705																				

Appendix C

Hole 07-168

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-168	0.00	184.6	-84.1	07-168	150.00	171.1	-85.4
07-168	3.00	181.8	-84.4	07-168	153.00	171.3	-85.5
07-168	6.00	179.5	-84.7	07-168	156.00	171.0	-85.5
07-168	9.00	178.4	-84.8	07-168	159.00	171.1	-85.4
07-168	12.00	178.0	-84.7	07-168	162.00	171.3	-85.5
07-168	15.00	177.8	-84.8	07-168	165.00	171.2	-85.5
07-168	18.00	177.4	-84.7	07-168	168.00	170.9	-85.5
07-168	21.00	176.9	-84.7	07-168	171.00	170.5	-85.5
07-168	24.00	176.6	-84.8	07-168	174.00	170.2	-85.5
07-168	27.00	176.5	-84.8	07-168	177.00	169.8	-85.6
07-168	30.00	176.1	-84.8	07-168	180.00	169.6	-85.6
07-168	33.00	175.6	-84.8	07-168	183.00	169.3	-85.6
07-168	36.00	175.8	-84.9	07-168	186.00	169.6	-85.5
07-168	39.00	175.6	-84.9	07-168	189.00	169.7	-85.6
07-168	42.00	175.8	-84.9	07-168	192.00	170.0	-85.6
07-168	45.00	175.9	-84.9	07-168	195.00	170.0	-85.6
07-168	48.00	175.9	-84.9	07-168	198.00	170.1	-85.6
07-168	51.00	175.7	-84.9	07-168	201.00	170.5	-85.6
07-168	54.00	175.7	-85.0	07-168	204.00	170.7	-85.7
07-168	57.00	176.1	-85.0	07-168	207.00	171.1	-85.7
07-168	60.00	175.7	-85.0	07-168	210.00	171.0	-85.7
07-168	63.00	175.6	-85.0	07-168	213.00	170.7	-85.7
07-168	66.00	175.0	-85.0	07-168	216.00	170.3	-85.8
07-168	69.00	175.1	-85.0	07-168	219.00	169.9	-85.7
07-168	72.00	174.6	-85.0	07-168	222.00	170.3	-85.8
07-168	75.00	174.4	-85.1	07-168	225.00	170.6	-85.8
07-168	78.00	173.8	-85.1	07-168	228.00	170.9	-85.8
07-168	81.00	173.6	-85.2	07-168	231.00	171.1	-85.8
07-168	84.00	173.4	-85.1	07-168	234.00	171.3	-85.8
07-168	87.00	173.0	-85.2	07-168	237.00	171.7	-85.9
07-168	90.00	172.8	-85.2	07-168	240.00	171.3	-85.9
07-168	93.00	172.7	-85.2	07-168	243.00	171.3	-86.0
07-168	96.00	172.9	-85.2	07-168	246.00	171.0	-86.0
07-168	99.00	172.8	-85.2	07-168	249.00	171.0	-86.0
07-168	102.00	173.2	-85.2	07-168	252.00	171.0	-86.0
07-168	105.00	172.8	-85.2	07-168	255.00	170.9	-86.1
07-168	108.00	172.4	-85.3	07-168	258.00	170.3	-85.4
07-168	111.00	172.0	-85.3	07-168	261.00	169.9	-86.1
07-168	114.00	171.6	-85.3	07-168	264.00	169.7	-86.1
07-168	117.00	171.4	-85.3	07-168	267.00	169.6	-86.1
07-168	120.00	170.9	-85.3	07-168	270.00	169.4	-86.1
07-168	123.00	171.2	-85.3	07-168	273.00	169.7	-86.1
07-168	126.00	171.5	-85.4	07-168	276.00	169.2	-86.1
07-168	129.00	171.0	-85.3	07-168	279.00	168.5	-86.0
07-168	132.00	170.7	-85.4	07-168	282.00	168.1	-86.0
07-168	135.00	170.6	-85.4	07-168	285.00	168.6	-86.1
07-168	138.00	170.3	-85.4	07-168	288.00	168.7	-86.1
07-168	141.00	170.5	-85.4	07-168	291.00	169.3	-86.1
07-168	144.00	170.4	-85.4	07-168	294.00	169.7	-86.2
07-168	147.00	170.8	-85.5	07-168	297.00	170.1	-86.2

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-168	300.00	171.1	-86.2	07-168	450.00	161.9	-86.5
07-168	303.00	171.6	-86.2	07-168	453.00	161.5	-86.5
07-168	306.00	171.8	-86.3	07-168	456.00	161.6	-86.4
07-168	309.00	171.8	-86.2	07-168	459.00	161.1	-86.4
07-168	312.00	172.3	-86.3	07-168	462.00	161.8	-86.5
07-168	315.00	171.9	-86.3	07-168	465.00	162.0	-86.5
07-168	318.00	171.3	-86.2	07-168	468.00	162.2	-86.5
07-168	321.00	171.1	-86.3	07-168	471.00	162.7	-86.5
07-168	324.00	170.6	-86.2	07-168	474.00	162.6	-86.5
07-168	327.00	170.0	-86.3	07-168	477.00	162.2	-86.5
07-168	330.00	169.3	-86.4	07-168	480.00	162.1	-86.6
07-168	333.00	168.2	-86.4	07-168	483.00	161.8	-86.6
07-168	336.00	168.1	-86.3	07-168	486.00	163.0	-86.6
07-168	339.00	168.1	-86.4	07-168	489.00	164.8	-86.6
07-168	342.00	167.5	-86.4	07-168	495.00	167.5	-86.6
07-168	345.00	167.3	-86.5				
07-168	348.00	166.5	-86.4				
07-168	351.00	165.8	-86.4				
07-168	354.00	165.8	-86.3				
07-168	357.00	165.5	-86.4				
07-168	360.00	165.4	-86.4				
07-168	363.00	164.6	-86.4				
07-168	366.00	163.9	-86.4				
07-168	369.00	163.9	-86.4				
07-168	372.00	163.9	-86.4				
07-168	375.00	162.9	-86.4				
07-168	378.00	162.3	-86.3				
07-168	381.00	162.4	-86.4				
07-168	384.00	161.7	-86.4				
07-168	387.00	161.3	-86.3				
07-168	390.00	161.4	-86.4				
07-168	393.00	161.1	-86.3				
07-168	396.00	160.7	-86.4				
07-168	399.00	160.1	-86.4				
07-168	402.00	159.2	-86.4				
07-168	405.00	158.9	-86.3				
07-168	408.00	158.9	-86.4				
07-168	411.00	159.4	-86.4				
07-168	414.00	159.8	-86.4				
07-168	417.00	159.9	-86.3				
07-168	420.00	160.7	-86.4				
07-168	423.00	160.8	-86.3				
07-168	426.00	160.8	-86.4				
07-168	429.00	161.1	-86.4				
07-168	432.00	161.1	-86.4				
07-168	435.00	161.4	-86.3				
07-168	438.00	161.5	-86.4				
07-168	441.00	162.2	-86.4				
07-168	444.00	161.9	-86.4				
07-168	447.00	161.4	-86.5				

Hole 07-194

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-194	0.00	038.6	-50.4	07-194	150.00	039.1	-50.5
07-194	3.00	038.4	-50.6	07-194	153.00	039.1	-50.4
07-194	6.00	038.4	-50.5	07-194	156.00	039.1	-50.5
07-194	9.00	038.3	-50.5	07-194	159.00	039.2	-50.5
07-194	12.00	038.3	-50.5	07-194	162.00	039.2	-50.5
07-194	15.00	038.2	-50.6	07-194	165.00	039.3	-50.4
07-194	18.00	038.2	-50.5	07-194	168.00	039.3	-50.6
07-194	21.00	038.2	-50.5	07-194	171.00	039.3	-50.6
07-194	24.00	038.2	-50.4	07-194	174.00	039.4	-50.6
07-194	27.00	038.2	-50.4	07-194	177.00	039.4	-50.6
07-194	30.00	038.1	-50.3	07-194	180.00	039.5	-50.6
07-194	33.00	038.1	-50.3	07-194	183.00	039.5	-50.6
07-194	36.00	038.1	-50.3	07-194	186.00	039.5	-50.6
07-194	39.00	038.2	-50.3	07-194	189.00	039.5	-50.6
07-194	42.00	038.2	-50.3	07-194	192.00	039.5	-50.5
07-194	45.00	038.2	-50.3	07-194	195.00	039.4	-50.6
07-194	48.00	038.1	-50.3	07-194	198.00	039.3	-50.6
07-194	51.00	038.1	-50.3	07-194	201.00	039.2	-50.5
07-194	54.00	038.0	-50.3	07-194	204.00	039.2	-50.5
07-194	57.00	038.0	-50.3	07-194	207.00	039.2	-50.5
07-194	60.00	038.0	-50.2	07-194	210.00	039.2	-50.6
07-194	63.00	037.9	-50.3	07-194	213.00	039.0	-50.6
07-194	66.00	037.9	-50.3	07-194	216.00	039.0	-50.7
07-194	69.00	037.9	-50.3	07-194	219.00	039.0	-50.6
07-194	72.00	037.9	-50.4	07-194	222.00	039.0	-50.6
07-194	75.00	037.9	-50.4	07-194	225.00	039.0	-50.6
07-194	78.00	037.9	-50.4	07-194	228.00	038.9	-50.6
07-194	81.00	037.9	-50.5	07-194	231.00	039.0	-50.6
07-194	84.00	037.9	-50.4	07-194	234.00	039.0	-50.6
07-194	87.00	037.9	-50.4	07-194	237.00	039.0	-50.6
07-194	90.00	038.0	-50.4	07-194	240.00	038.9	-50.6
07-194	93.00	038.1	-50.5	07-194	243.00	038.8	-50.7
07-194	96.00	038.1	-50.5	07-194	246.00	038.8	-50.7
07-194	99.00	038.2	-50.5	07-194	249.00	038.6	-50.7
07-194	102.00	038.2	-50.5	07-194	252.00	038.5	-50.6
07-194	105.00	038.3	-50.5	07-194	255.00	038.3	-50.7
07-194	108.00	038.3	-50.5	07-194	258.00	038.3	-50.9
07-194	111.00	038.4	-50.5	07-194	261.00	038.3	-50.9
07-194	114.00	038.4	-50.6	07-194	264.00	038.3	-50.9
07-194	117.00	038.6	-50.5	07-194	267.00	038.2	-50.9
07-194	120.00	038.7	-50.5	07-194	270.00	038.1	-50.9
07-194	123.00	038.7	-50.5	07-194	273.00	038.0	-50.9
07-194	126.00	038.7	-50.5	07-194	276.00	037.9	-50.9
07-194	129.00	038.8	-50.5	07-194	279.00	037.8	-50.9
07-194	132.00	038.8	-50.4	07-194	282.00	037.8	-50.9
07-194	135.00	038.8	-50.4	07-194	285.00	037.8	-50.9
07-194	138.00	038.9	-50.4	07-194	288.00	037.8	-50.9
07-194	141.00	038.9	-50.4	07-194	291.00	037.8	-50.9
07-194	144.00	039.0	-50.4	07-194	294.00	037.8	-51.0
07-194	147.00	039.0	-50.4	07-194	297.00	037.8	-51.0

Hole #	Depth	Azimuth	Inclination
07-194	300.00	037.8	-51.0
07-194	303.00	037.8	-51.1
07-194	306.00	037.8	-51.2
07-194	309.00	037.8	-51.2
07-194	312.00	037.7	-51.2
07-194	315.00	037.6	-51.2
07-194	318.00	037.6	-51.1
07-194	321.00	037.5	-51.2
07-194	324.00	037.5	-51.2
07-194	327.00	037.6	-51.2
07-194	330.00	037.7	-51.2
07-194	333.00	037.7	-51.2
07-194	336.00	037.6	-51.2
07-194	339.00	037.6	-51.3
07-194	342.00	037.6	-51.3
07-194	345.00	037.6	-51.2
07-194	348.00	037.6	-51.2
07-194	351.00	037.6	-51.3
07-194	354.00	037.5	-51.3
07-194	357.00	037.4	-51.3
07-194	360.00	037.3	-51.3
07-194	363.00	037.1	-51.4
07-194	369.00	037.1	-51.2

Hole 07-200

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-200	0.00	179.6	-58.8	07-200	150.00	182.7	-56.4
07-200	3.00	178.8	-58.7	07-200	153.00	182.8	-56.4
07-200	6.00	178.8	-57.4	07-200	156.00	182.9	-56.4
07-200	9.00	178.9	-56.7	07-200	159.00	182.9	-56.5
07-200	12.00	179.0	-56.7	07-200	162.00	182.9	-56.4
07-200	15.00	179.0	-56.7	07-200	165.00	183.0	-56.4
07-200	18.00	179.1	-56.7	07-200	168.00	183.1	-56.4
07-200	21.00	179.1	-56.7	07-200	171.00	183.2	-56.4
07-200	24.00	179.3	-56.6	07-200	174.00	183.3	-56.5
07-200	27.00	179.3	-56.7	07-200	177.00	183.3	-56.4
07-200	30.00	179.3	-56.7	07-200	180.00	183.3	-56.4
07-200	33.00	179.4	-56.7	07-200	183.00	183.3	-56.4
07-200	36.00	179.4	-56.7	07-200	186.00	183.4	-56.4
07-200	39.00	179.4	-56.8	07-200	189.00	183.4	-56.4
07-200	42.00	179.6	-56.7	07-200	192.00	183.5	-56.4
07-200	45.00	179.7	-56.7	07-200	195.00	183.6	-56.4
07-200	48.00	179.7	-56.8	07-200	198.00	183.7	-56.4
07-200	51.00	179.8	-56.8	07-200	201.00	183.8	-56.3
07-200	54.00	179.9	-56.8	07-200	204.00	183.9	-56.3
07-200	57.00	180.0	-56.9	07-200	207.00	183.9	-56.3
07-200	60.00	180.1	-56.8	07-200	210.00	184.0	-56.3
07-200	63.00	180.3	-56.7	07-200	213.00	184.1	-56.2
07-200	66.00	180.5	-56.8	07-200	216.00	184.1	-56.2
07-200	69.00	180.7	-56.7	07-200	219.00	184.2	-56.2
07-200	72.00	180.8	-56.7	07-200	222.00	184.2	-56.2
07-200	75.00	181.0	-56.7	07-200	225.00	184.3	-56.2
07-200	78.00	181.2	-56.6	07-200	228.00	184.3	-56.2
07-200	81.00	181.4	-56.6	07-200	231.00	184.3	-56.2
07-200	84.00	181.5	-56.6	07-200	234.00	184.3	-56.2
07-200	87.00	181.6	-56.5	07-200	237.00	184.5	-56.2
07-200	90.00	181.6	-56.6	07-200	240.00	184.5	-56.3
07-200	93.00	181.7	-56.6	07-200	243.00	184.6	-56.3
07-200	96.00	181.7	-56.5	07-200	246.00	184.7	-56.3
07-200	99.00	181.8	-56.5	07-200	249.00	184.7	-56.3
07-200	102.00	181.7	-56.5	07-200	252.00	184.8	-56.3
07-200	105.00	181.8	-56.5	07-200	255.00	184.9	-56.3
07-200	108.00	181.8	-56.5	07-200	258.00	185.0	-56.3
07-200	111.00	181.8	-56.5	07-200	261.00	185.1	-56.3
07-200	114.00	181.9	-56.5	07-200	264.00	185.2	-56.3
07-200	117.00	182.0	-56.4	07-200	267.00	185.3	-56.3
07-200	120.00	182.1	-56.4	07-200	270.00	185.4	-56.2
07-200	123.00	182.1	-56.4	07-200	273.00	185.4	-56.2
07-200	126.00	182.2	-56.4	07-200	276.00	185.5	-56.2
07-200	129.00	182.2	-56.5	07-200	279.00	185.6	-56.2
07-200	132.00	182.2	-56.4	07-200	282.00	185.8	-56.2
07-200	135.00	182.3	-56.4	07-200	285.00	185.8	-56.2
07-200	138.00	182.4	-56.5	07-200	288.00	185.8	-56.1
07-200	141.00	182.4	-56.4	07-200	291.00	185.7	-56.1
07-200	144.00	182.5	-56.4	07-200	294.00	185.8	-56.1
07-200	147.00	182.6	-56.4	07-200	297.00	185.9	-56.1

Hole #	Depth	Azimuth	Inclination
07-200	300.00	186.0	-56.1
07-200	303.00	186.1	-56.0
07-200	306.00	186.2	-56.0
07-200	312.00	186.3	-55.8

Hole 07-201

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-201	0.00	185.9	-67.0	07-201	150.00	185.4	-67.8
07-201	3.00	185.9	-67.2	07-201	153.00	185.3	-67.8
07-201	6.00	186.0	-67.4	07-201	156.00	185.2	-67.8
07-201	9.00	186.1	-67.2	07-201	159.00	185.1	-67.9
07-201	12.00	186.1	-67.3	07-201	162.00	184.9	-67.9
07-201	15.00	186.1	-67.3	07-201	165.00	184.9	-67.9
07-201	18.00	186.1	-67.3	07-201	168.00	184.8	-68.0
07-201	21.00	186.1	-67.4	07-201	171.00	184.8	-68.0
07-201	24.00	186.0	-67.5	07-201	174.00	184.7	-68.0
07-201	27.00	186.0	-67.4	07-201	177.00	184.8	-68.0
07-201	30.00	186.0	-67.3	07-201	180.00	184.7	-68.0
07-201	33.00	186.0	-67.3	07-201	183.00	184.6	-68.1
07-201	36.00	186.0	-67.5	07-201	186.00	184.5	-68.0
07-201	39.00	186.0	-67.3	07-201	189.00	184.5	-68.1
07-201	42.00	185.9	-67.4	07-201	192.00	184.5	-68.2
07-201	45.00	185.9	-67.4	07-201	195.00	184.5	-68.1
07-201	48.00	186.0	-67.3	07-201	198.00	184.5	-68.1
07-201	51.00	185.9	-67.3	07-201	201.00	184.4	-68.1
07-201	54.00	185.9	-67.3	07-201	204.00	184.3	-68.1
07-201	57.00	185.9	-67.3	07-201	207.00	184.3	-68.2
07-201	60.00	185.8	-67.4	07-201	210.00	184.2	-68.2
07-201	63.00	185.9	-67.3	07-201	213.00	184.1	-68.2
07-201	66.00	185.8	-67.4	07-201	216.00	183.9	-68.2
07-201	69.00	185.8	-67.4	07-201	219.00	183.8	-68.2
07-201	72.00	185.8	-67.4	07-201	222.00	183.8	-68.2
07-201	75.00	185.9	-67.5	07-201	225.00	183.8	-68.3
07-201	78.00	185.9	-67.7	07-201	228.00	183.7	-68.4
07-201	81.00	186.0	-67.5	07-201	231.00	183.6	-68.3
07-201	84.00	185.9	-67.6	07-201	234.00	183.4	-68.3
07-201	87.00	185.9	-67.6	07-201	237.00	183.3	-68.3
07-201	90.00	185.9	-67.5	07-201	240.00	183.3	-68.4
07-201	93.00	185.9	-67.6	07-201	243.00	183.1	-68.3
07-201	96.00	185.9	-67.5	07-201	246.00	183.2	-68.4
07-201	99.00	185.9	-67.5	07-201	249.00	183.3	-68.4
07-201	102.00	185.9	-67.5	07-201	252.00	183.2	-68.4
07-201	105.00	185.9	-67.6	07-201	255.00	183.2	-68.4
07-201	108.00	185.9	-67.5	07-201	258.00	183.3	-68.4
07-201	111.00	185.9	-67.5	07-201	261.00	183.2	-68.5
07-201	114.00	186.0	-67.6	07-201	264.00	183.1	-68.4
07-201	117.00	185.9	-67.7	07-201	267.00	183.2	-68.5
07-201	120.00	185.9	-67.8	07-201	270.00	183.1	-68.4
07-201	123.00	186.0	-67.7	07-201	273.00	183.0	-68.5
07-201	126.00	185.9	-67.7	07-201	276.00	183.0	-68.5
07-201	129.00	185.9	-67.6	07-201	279.00	183.0	-68.6
07-201	132.00	185.8	-67.9	07-201	282.00	183.0	-68.5
07-201	135.00	185.7	-67.8	07-201	285.00	182.9	-68.6
07-201	138.00	185.6	-67.8	07-201	288.00	183.0	-68.5
07-201	141.00	185.5	-67.9	07-201	291.00	182.9	-68.6
07-201	144.00	185.4	-67.9	07-201	294.00	182.9	-68.5
07-201	147.00	185.4	-67.9	07-201	297.00	183.0	-68.7

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-201	300.00	183.0	-68.7	07-201	450.00	185.1	-69.5
07-201	303.00	183.0	-68.7	07-201	453.00	185.2	-69.5
07-201	306.00	182.9	-68.8	07-201	456.00	185.4	-69.5
07-201	309.00	182.7	-68.9	07-201	459.00	185.5	-69.7
07-201	312.00	182.6	-68.8	07-201	462.00	185.6	-69.5
07-201	315.00	182.5	-68.8	07-201	465.00	185.6	-69.6
07-201	318.00	182.5	-69.0	07-201	468.00	185.8	-69.4
07-201	321.00	182.4	-69.0	07-201	471.00	186.1	-69.5
07-201	324.00	182.3	-69.0	07-201	474.00	186.6	-69.5
07-201	327.00	182.2	-69.1	07-201	477.00	187.3	-69.5
07-201	330.00	182.1	-69.2	07-201	480.00	187.9	-69.9
07-201	333.00	182.2	-69.2	07-201	483.00	188.2	-70.1
07-201	336.00	182.6	-69.3	07-201	486.00	188.4	-70.0
07-201	339.00	182.5	-69.3	07-201	489.00	188.4	-70.1
07-201	342.00	182.3	-69.4	07-201	492.00	188.5	-70.1
07-201	345.00	182.4	-69.4	07-201	495.00	188.5	-70.1
07-201	348.00	182.6	-69.4	07-201	498.00	188.6	-70.1
07-201	351.00	182.7	-69.5	07-201	501.00	188.7	-70.1
07-201	354.00	182.8	-69.4	07-201	504.00	188.7	-70.1
07-201	357.00	182.9	-69.6	07-201	507.00	188.8	-70.1
07-201	360.00	182.9	-69.6	07-201	510.00	188.8	-70.2
07-201	363.00	183.0	-69.7	07-201	513.00	188.9	-70.1
07-201	366.00	183.1	-69.7	07-201	516.00	189.0	-70.1
07-201	369.00	183.1	-69.8	07-201	519.00	189.1	-70.1
07-201	372.00	183.0	-69.8	07-201	522.00	189.1	-70.1
07-201	375.00	183.1	-69.7	07-201	525.00	189.2	-70.1
07-201	378.00	183.0	-69.7	07-201	528.00	189.2	-70.1
07-201	381.00	183.0	-69.7	07-201	531.00	189.3	-70.1
07-201	384.00	183.0	-69.8	07-201	534.00	189.3	-70.0
07-201	387.00	183.0	-69.8	07-201	537.00	189.3	-70.0
07-201	390.00	183.1	-69.8	07-201	540.00	189.4	-70.0
07-201	393.00	183.2	-69.9	07-201	543.00	189.5	-70.0
07-201	396.00	183.3	-69.9	07-201	546.00	189.6	-69.9
07-201	399.00	183.3	-69.9	07-201	549.00	189.7	-69.9
07-201	402.00	183.4	-69.8	07-201	552.00	189.7	-69.9
07-201	405.00	183.4	-69.7	07-201	555.00	189.7	-69.9
07-201	408.00	183.4	-69.6	07-201	558.00	189.7	-69.9
07-201	411.00	183.5	-69.5	07-201	561.00	189.8	-69.9
07-201	414.00	183.6	-69.6	07-201	564.00	189.7	-69.9
07-201	417.00	183.6	-69.6	07-201	567.00	189.8	-69.9
07-201	420.00	183.7	-69.5	07-201	570.00	189.9	-69.9
07-201	423.00	183.9	-69.6	07-201	573.00	190.1	-69.8
07-201	426.00	184.0	-69.5	07-201	576.00	190.5	-69.9
07-201	429.00	184.1	-69.6	07-201	582.00	191.1	-69.8
07-201	432.00	184.2	-69.6				
07-201	435.00	184.3	-69.5				
07-201	438.00	184.4	-69.5				
07-201	441.00	184.5	-69.6				
07-201	444.00	184.7	-69.6				
07-201	447.00	184.9	-69.6				

Hole 07-206

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-206	0.00	065.9	-60.7	07-206	150.00	065.9	-56.9
07-206	3.00	066.3	-60.2	07-206	153.00	065.9	-56.9
07-206	6.00	066.0	-59.7	07-206	156.00	065.9	-56.9
07-206	9.00	065.5	-59.4	07-206	159.00	065.9	-57.0
07-206	12.00	065.2	-59.2	07-206	162.00	066.0	-57.0
07-206	15.00	066.1	-59.2	07-206	165.00	066.0	-57.0
07-206	18.00	066.7	-59.2	07-206	168.00	066.0	-57.1
07-206	21.00	066.0	-58.7	07-206	171.00	065.9	-57.1
07-206	24.00	065.4	-58.0	07-206	174.00	065.9	-57.1
07-206	27.00	065.2	-57.7	07-206	177.00	065.9	-57.1
07-206	30.00	065.3	-57.7	07-206	180.00	065.9	-57.1
07-206	33.00	065.2	-57.7	07-206	183.00	065.9	-57.1
07-206	36.00	065.2	-57.7	07-206	186.00	065.9	-57.2
07-206	39.00	065.2	-57.7	07-206	189.00	066.0	-57.1
07-206	42.00	065.2	-57.8	07-206	192.00	066.1	-57.2
07-206	45.00	065.2	-57.8	07-206	195.00	066.1	-57.2
07-206	48.00	065.2	-57.8	07-206	198.00	066.1	-57.2
07-206	51.00	065.3	-57.8	07-206	201.00	066.1	-57.3
07-206	54.00	065.3	-57.7	07-206	204.00	066.2	-57.3
07-206	57.00	065.4	-57.6	07-206	207.00	066.2	-57.2
07-206	60.00	065.5	-57.6	07-206	210.00	066.3	-57.3
07-206	63.00	065.5	-57.6	07-206	213.00	066.3	-57.2
07-206	66.00	065.6	-57.6	07-206	216.00	066.3	-57.2
07-206	69.00	065.6	-57.6	07-206	219.00	066.3	-57.2
07-206	72.00	065.6	-57.5	07-206	222.00	066.3	-57.3
07-206	75.00	065.7	-57.5	07-206	225.00	066.3	-57.3
07-206	78.00	065.8	-57.6	07-206	228.00	066.3	-57.3
07-206	81.00	065.8	-57.6	07-206	231.00	066.3	-57.3
07-206	84.00	065.9	-57.5	07-206	234.00	066.2	-57.3
07-206	87.00	065.9	-57.4	07-206	237.00	066.2	-57.4
07-206	90.00	065.9	-57.4	07-206	240.00	066.2	-57.5
07-206	93.00	066.0	-57.4	07-206	243.00	066.2	-57.4
07-206	96.00	066.1	-57.3	07-206	246.00	066.3	-57.4
07-206	99.00	066.1	-57.2	07-206	249.00	066.3	-57.4
07-206	102.00	066.1	-57.2	07-206	252.00	066.3	-57.3
07-206	105.00	066.1	-57.1	07-206	255.00	066.3	-57.4
07-206	108.00	066.0	-57.1	07-206	258.00	066.3	-57.3
07-206	111.00	065.9	-57.1	07-206	261.00	066.2	-57.5
07-206	114.00	065.8	-57.0	07-206	264.00	066.2	-57.5
07-206	117.00	065.8	-57.0	07-206	267.00	066.3	-57.4
07-206	120.00	065.7	-57.0	07-206	270.00	066.4	-57.4
07-206	123.00	065.7	-56.9	07-206	273.00	066.4	-57.6
07-206	126.00	065.8	-56.9	07-206	276.00	066.5	-57.5
07-206	129.00	065.8	-56.9	07-206	279.00	066.4	-57.5
07-206	132.00	065.8	-56.9	07-206	282.00	066.4	-57.6
07-206	135.00	065.8	-56.9	07-206	285.00	066.3	-57.5
07-206	138.00	065.9	-56.9	07-206	288.00	066.3	-57.5
07-206	141.00	066.0	-56.9	07-206	291.00	066.3	-57.5
07-206	144.00	066.0	-56.9	07-206	294.00	066.2	-57.5
07-206	147.00	066.0	-56.9	07-206	297.00	066.3	-57.5

Hole #	Depth	Azimuth	Inclination
07-206	300.00	066.2	-57.5
07-206	303.00	066.2	-57.5
07-206	306.00	066.2	-57.4
07-206	309.00	066.2	-57.5
07-206	312.00	066.3	-57.5
07-206	315.00	066.3	-57.5
07-206	318.00	066.3	-57.4
07-206	321.00	066.3	-57.6
07-206	324.00	066.1	-57.6
07-206	330.00	065.7	-57.4

Hole 07-224M

No Downhole Survey

Hole 07-225

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-225	0.00	178.8	-58.9	07-225	150.00	178.6	-59.9
07-225	3.00	178.9	-58.8	07-225	153.00	178.5	-59.9
07-225	6.00	179.0	-58.7	07-225	156.00	178.4	-59.8
07-225	9.00	179.0	-58.7	07-225	159.00	178.3	-59.9
07-225	12.00	179.1	-58.7	07-225	162.00	178.2	-59.9
07-225	15.00	179.1	-58.8	07-225	165.00	178.2	-59.9
07-225	18.00	179.2	-58.8	07-225	168.00	178.2	-59.9
07-225	21.00	179.2	-58.8	07-225	171.00	178.2	-60.0
07-225	24.00	179.2	-58.8	07-225	174.00	178.2	-59.9
07-225	27.00	179.3	-58.8	07-225	177.00	178.2	-59.9
07-225	30.00	179.4	-58.8	07-225	180.00	178.1	-59.9
07-225	33.00	179.4	-58.8	07-225	183.00	178.1	-60.0
07-225	36.00	179.5	-58.8	07-225	186.00	178.2	-60.0
07-225	39.00	179.5	-58.9	07-225	189.00	178.1	-60.1
07-225	42.00	179.5	-59.0	07-225	192.00	178.1	-60.2
07-225	45.00	179.4	-58.9	07-225	195.00	178.1	-60.2
07-225	48.00	179.4	-58.9	07-225	198.00	178.0	-60.1
07-225	51.00	179.4	-58.9	07-225	201.00	178.0	-60.2
07-225	54.00	179.4	-59.0	07-225	204.00	178.0	-60.1
07-225	57.00	179.4	-59.0	07-225	207.00	178.0	-60.1
07-225	60.00	179.4	-59.0	07-225	210.00	178.0	-60.2
07-225	63.00	179.4	-59.0	07-225	213.00	178.0	-60.3
07-225	66.00	179.3	-58.9	07-225	216.00	178.0	-60.3
07-225	69.00	179.3	-59.0	07-225	219.00	177.9	-60.3
07-225	72.00	179.3	-58.9	07-225	222.00	178.0	-60.3
07-225	75.00	179.3	-59.0	07-225	225.00	177.9	-60.4
07-225	78.00	179.2	-59.1	07-225	228.00	177.8	-60.3
07-225	81.00	179.2	-59.1	07-225	231.00	177.8	-60.3
07-225	84.00	179.1	-59.1	07-225	234.00	177.8	-60.2
07-225	87.00	179.1	-59.2	07-225	237.00	177.8	-60.2
07-225	90.00	179.1	-59.3	07-225	240.00	177.9	-60.3
07-225	93.00	179.1	-59.2	07-225	243.00	177.9	-60.4
07-225	96.00	179.1	-59.3	07-225	246.00	178.0	-60.4
07-225	99.00	179.0	-59.3	07-225	249.00	178.1	-60.5
07-225	102.00	179.0	-59.4	07-225	252.00	178.1	-60.5
07-225	105.00	179.1	-59.4	07-225	255.00	178.2	-60.6
07-225	108.00	179.0	-59.4	07-225	258.00	178.2	-60.7
07-225	111.00	179.0	-59.4	07-225	261.00	178.2	-60.7
07-225	114.00	178.9	-59.4	07-225	264.00	178.1	-60.7
07-225	117.00	178.9	-59.5	07-225	267.00	178.2	-60.8
07-225	120.00	178.9	-59.6	07-225	270.00	178.1	-60.9
07-225	123.00	178.9	-59.6	07-225	273.00	178.1	-60.9
07-225	126.00	178.7	-59.7	07-225	276.00	178.0	-60.9
07-225	129.00	178.6	-59.7	07-225	279.00	178.0	-61.0
07-225	132.00	178.6	-59.7	07-225	282.00	177.9	-61.0
07-225	135.00	178.6	-59.7	07-225	285.00	177.9	-61.1
07-225	138.00	178.5	-59.7	07-225	288.00	177.9	-61.1
07-225	141.00	178.6	-59.8	07-225	291.00	177.8	-61.1
07-225	144.00	178.5	-59.8	07-225	294.00	177.8	-61.1
07-225	147.00	178.6	-59.8	07-225	297.00	177.8	-61.1

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-225	300.00	177.7	-61.1	07-225	450.00	178.2	-60.0
07-225	303.00	177.7	-61.2	07-225	453.00	178.2	-60.0
07-225	306.00	177.5	-61.1	07-225	456.00	178.3	-60.0
07-225	309.00	177.4	-61.1	07-225	459.00	178.3	-60.0
07-225	312.00	177.3	-61.2	07-225	462.00	178.4	-59.9
07-225	315.00	177.2	-61.1	07-225	465.00	178.4	-59.9
07-225	318.00	177.1	-61.1	07-225	468.00	178.5	-59.8
07-225	321.00	177.1	-61.1	07-225	471.00	178.6	-59.7
07-225	324.00	177.1	-61.2	07-225	474.00	178.7	-59.7
07-225	327.00	177.0	-61.2	07-225	477.00	178.7	-59.6
07-225	330.00	177.0	-61.2	07-225	480.00	178.7	-59.5
07-225	333.00	176.9	-61.2	07-225	483.00	178.7	-59.5
07-225	336.00	176.9	-61.3	07-225	486.00	178.8	-59.4
07-225	339.00	177.0	-61.3	07-225	489.00	178.8	-59.4
07-225	342.00	177.0	-61.2	07-225	492.00	178.8	-59.2
07-225	345.00	177.0	-61.2	07-225	495.00	178.8	-59.3
07-225	348.00	177.1	-61.2	07-225	498.00	178.9	-59.1
07-225	351.00	177.1	-61.2	07-225	501.00	179.0	-59.1
07-225	354.00	177.1	-61.2	07-225	504.00	178.9	-59.1
07-225	357.00	177.1	-61.2	07-225	507.00	178.9	-58.9
07-225	360.00	177.2	-61.2	07-225	510.00	178.9	-58.9
07-225	363.00	177.3	-61.1	07-225	513.00	179.0	-58.8
07-225	366.00	177.3	-61.1	07-225	516.00	179.1	-58.8
07-225	369.00	177.3	-61.0	07-225	519.00	179.1	-58.8
07-225	372.00	177.4	-61.0	07-225	522.00	179.1	-58.7
07-225	375.00	177.4	-61.1	07-225	525.00	179.2	-58.6
07-225	378.00	177.4	-61.1	07-225	528.00	179.3	-58.6
07-225	381.00	177.5	-61.1	07-225	531.00	179.3	-58.6
07-225	384.00	177.5	-61.0	07-225	534.00	179.3	-58.5
07-225	387.00	177.6	-61.0	07-225	537.00	179.3	-58.5
07-225	390.00	177.6	-61.0	07-225	540.00	179.4	-58.4
07-225	393.00	177.7	-61.0	07-225	543.00	179.3	-58.4
07-225	396.00	177.6	-60.9	07-225	546.00	179.3	-58.4
07-225	399.00	177.7	-60.9	07-225	549.00	179.3	-58.2
07-225	402.00	177.7	-60.9	07-225	552.00	179.2	-58.2
07-225	405.00	177.8	-60.8	07-225	555.00	179.2	-58.2
07-225	408.00	177.8	-60.8	07-225	561.00	179.1	-58.1
07-225	411.00	177.9	-60.8				
07-225	414.00	177.9	-60.7				
07-225	417.00	178.0	-60.6				
07-225	420.00	178.0	-60.6				
07-225	423.00	178.0	-60.5				
07-225	426.00	178.0	-60.5				
07-225	429.00	178.0	-60.4				
07-225	432.00	178.0	-60.4				
07-225	435.00	178.1	-60.4				
07-225	438.00	178.1	-60.4				
07-225	441.00	178.1	-60.3				
07-225	444.00	178.1	-60.2				
07-225	447.00	178.1	-60.1				

Holes 07-230 – 07-236

No Downhole Surveys

Hole 07-237

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-237	0.00	180.0	-58.8	07-237	153.00	183.6	-58.3
07-237	3.00	180.1	-58.5	07-237	156.00	183.6	-58.3
07-237	6.00	180.1	-58.5	07-237	159.00	183.7	-58.2
07-237	9.00	180.1	-58.6	07-237	162.00	183.8	-58.2
07-237	12.00	180.1	-58.5	07-237	165.00	183.8	-58.1
07-237	15.00	180.1	-58.6	07-237	168.00	183.9	-58.0
07-237	18.00	180.2	-58.5	07-237	171.00	184.0	-58.0
07-237	21.00	180.3	-58.6	07-237	174.00	184.1	-57.9
07-237	24.00	180.3	-58.6	07-237	177.00	184.1	-57.8
07-237	27.00	180.5	-58.6	07-237	180.00	184.2	-57.8
07-237	30.00	180.4	-58.4	07-237	183.00	184.3	-57.7
07-237	33.00	180.6	-58.4	07-237	186.00	184.4	-57.6
07-237	36.00	180.7	-58.3	07-237	189.00	184.5	-57.5
07-237	39.00	180.7	-58.4	07-237	192.00	184.6	-57.4
07-237	42.00	180.8	-58.2	07-237	195.00	184.7	-57.4
07-237	45.00	180.9	-58.2	07-237	198.00	184.7	-57.3
07-237	48.00	181.0	-58.1	07-237	201.00	184.8	-57.2
07-237	51.00	181.1	-58.0	07-237	204.00	184.9	-57.2
07-237	54.00	181.2	-58.0	07-237	207.00	184.9	-57.1
07-237	57.00	181.2	-58.0	07-237	210.00	184.9	-57.0
07-237	60.00	181.2	-57.8	07-237	213.00	185.0	-56.9
07-237	63.00	181.2	-57.9	07-237	216.00	185.0	-56.9
07-237	66.00	181.3	-57.8	07-237	219.00	185.1	-56.8
07-237	69.00	181.5	-57.8	07-237	222.00	185.1	-56.7
07-237	72.00	181.6	-57.8	07-237	225.00	185.2	-56.6
07-237	75.00	181.7	-57.7	07-237	228.00	185.3	-56.5
07-237	78.00	181.8	-57.7	07-237	231.00	185.3	-56.5
07-237	81.00	181.9	-57.7	07-237	234.00	185.4	-56.4
07-237	84.00	182.0	-57.7	07-237	237.00	185.5	-56.2
07-237	87.00	182.2	-57.8	07-237	240.00	185.5	-56.2
07-237	90.00	182.2	-57.9	07-237	243.00	185.6	-56.2
07-237	93.00	182.3	-58.0	07-237	246.00	185.6	-56.1
07-237	96.00	182.4	-58.1	07-237	249.00	185.6	-56.0
07-237	99.00	182.5	-58.1	07-237	252.00	185.6	-55.9
07-237	102.00	182.6	-58.1	07-237	255.00	185.5	-55.8
07-237	105.00	182.7	-58.2	07-237	258.00	185.6	-55.8
07-237	108.00	182.8	-58.3	07-237	261.00	185.5	-55.7
07-237	111.00	182.8	-58.2	07-237	264.00	185.5	-55.6
07-237	114.00	182.9	-58.3	07-237	267.00	185.4	-55.6
07-237	117.00	182.8	-58.5	07-237	270.00	185.4	-55.6
07-237	120.00	182.8	-58.4	07-237	273.00	185.5	-55.6
07-237	123.00	182.8	-58.6	07-237	276.00	185.7	-55.5
07-237	126.00	182.9	-58.6	07-237	279.00	185.8	-55.5
07-237	129.00	182.9	-58.6	07-237	282.00	185.9	-55.5
07-237	132.00	183.0	-58.7	07-237	285.00	186.0	-55.4
07-237	135.00	183.1	-58.7	07-237	288.00	186.0	-55.3
07-237	138.00	183.2	-58.7	07-237	291.00	186.1	-55.2
07-237	141.00	183.4	-58.5	07-237	294.00	186.2	-55.2
07-237	144.00	183.5	-58.6	07-237	297.00	186.3	-55.1
07-237	147.00	183.5	-58.5	07-237	300.00	186.4	-54.9
07-237	150.00	183.5	-58.4	07-237	303.00	186.6	-54.8

Hole 07-243

Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-243	0.00	354.9	-49.9	07-243	153.00	353.1	-51.8
07-243	3.00	354.9	-50.1	07-243	156.00	353.0	-51.9
07-243	6.00	354.9	-50.2	07-243	159.00	352.9	-51.8
07-243	9.00	354.8	-50.3	07-243	162.00	352.9	-51.9
07-243	12.00	354.7	-50.3	07-243	165.00	352.7	-51.9
07-243	15.00	354.6	-50.4	07-243	168.00	352.6	-51.9
07-243	18.00	354.5	-50.4	07-243	171.00	352.5	-52.1
07-243	21.00	354.4	-50.4	07-243	174.00	352.5	-52.1
07-243	24.00	354.4	-50.5	07-243	177.00	352.5	-52.2
07-243	27.00	354.3	-50.5	07-243	180.00	352.4	-52.1
07-243	30.00	354.2	-50.6	07-243	183.00	352.4	-52.1
07-243	33.00	354.2	-50.7	07-243	186.00	352.3	-52.1
07-243	36.00	354.1	-50.7	07-243	189.00	352.2	-52.1
07-243	39.00	354.1	-50.8	07-243	192.00	352.0	-52.1
07-243	42.00	354.0	-50.9	07-243	195.00	352.0	-52.2
07-243	45.00	354.0	-50.9	07-243	198.00	351.9	-52.2
07-243	48.00	354.0	-50.9	07-243	201.00	351.9	-52.3
07-243	51.00	354.0	-50.9	07-243	204.00	351.9	-52.3
07-243	54.00	353.9	-51.0	07-243	207.00	351.9	-52.3
07-243	57.00	353.9	-51.0	07-243	210.00	351.9	-52.3
07-243	60.00	353.8	-51.0	07-243	213.00	351.8	-52.3
07-243	63.00	353.8	-51.1	07-243	216.00	351.8	-52.2
07-243	66.00	353.8	-51.1	07-243	219.00	351.9	-52.2
07-243	69.00	353.8	-51.1	07-243	222.00	351.9	-52.2
07-243	72.00	353.8	-51.1	07-243	225.00	351.9	-52.2
07-243	75.00	353.7	-51.2	07-243	228.00	351.8	-52.2
07-243	78.00	353.7	-51.2	07-243	231.00	351.9	-52.1
07-243	81.00	353.7	-51.3	07-243	234.00	351.9	-52.1
07-243	84.00	353.6	-51.4	07-243	237.00	351.9	-52.1
07-243	87.00	353.5	-51.4	07-243	240.00	351.8	-52.1
07-243	90.00	353.4	-51.5	07-243	243.00	351.8	-52.1
07-243	93.00	353.4	-51.6	07-243	246.00	351.7	-52.0
07-243	96.00	353.3	-51.6	07-243	249.00	351.6	-52.0
07-243	99.00	353.2	-51.7	07-243	252.00	351.6	-52.0
07-243	102.00	353.1	-51.7	07-243	255.00	351.5	-52.0
07-243	105.00	353.1	-51.8	07-243	258.00	351.5	-51.9
07-243	108.00	353.1	-51.9	07-243	261.00	351.4	-51.9
07-243	111.00	353.0	-51.9	07-243	264.00	351.3	-51.9
07-243	114.00	353.0	-52.0	07-243	267.00	351.2	-51.8
07-243	117.00	353.0	-52.0	07-243	270.00	351.1	-51.8
07-243	120.00	353.0	-52.0	07-243	273.00	350.9	-51.8
07-243	123.00	353.0	-52.0	07-243	276.00	350.9	-51.8
07-243	126.00	353.0	-52.0	07-243	279.00	350.8	-51.8
07-243	129.00	353.0	-52.0	07-243	282.00	350.7	-51.8
07-243	132.00	353.1	-52.0	07-243	285.00	350.6	-51.8
07-243	135.00	353.1	-51.9	07-243	288.00	350.5	-51.8
07-243	138.00	353.1	-51.9	07-243	291.00	350.4	-51.8
07-243	141.00	353.1	-51.8	07-243	294.00	350.3	-51.7
07-243	144.00	353.2	-51.8	07-243	297.00	350.2	-51.7
07-243	147.00	353.2	-51.8	07-243	300.00	350.2	-51.7
07-243	150.00	353.2	-51.8	07-243	303.00	350.1	-51.7

Hole #	Depth	Azimuth	Inclination
07-243	306.00	350.0	-51.7
07-243	309.00	350.0	-51.7
07-243	312.00	350.0	-51.7
07-243	315.00	349.9	-51.6
07-243	318.00	349.9	-51.5
07-243	321.00	349.9	-51.6
07-243	324.00	349.8	-51.5
07-243	327.00	349.8	-51.5
07-243	330.00	349.8	-51.4
07-243	333.00	349.7	-51.3
07-243	336.00	349.7	-51.3
07-243	339.00	349.6	-51.3
07-243	342.00	349.6	-51.3
07-243	345.00	349.6	-51.2
07-243	348.00	349.6	-51.1
07-243	351.00	349.6	-51.1
07-243	354.00	349.7	-51.0
07-243	357.00	349.7	-50.9
07-243	360.00	349.7	-50.8
07-243	363.00	349.7	-50.8
07-243	366.00	349.7	-50.7
07-243	369.00	349.7	-50.7
07-243	372.00	349.6	-50.6
07-243	375.00	349.6	-50.6
07-243	378.00	349.6	-50.5
07-243	381.00	349.6	-50.4
07-243	384.00	349.6	-50.4
07-243	387.00	349.6	-50.3
07-243	390.00	349.6	-50.4
07-243	396.00	349.6	-50.3

Hole 07-247


Hole #	Depth	Azimuth	Inclination	Hole #	Depth	Azimuth	Inclination
07-247	0.00	000.5	-50.1	07-247	153.00	002.2	-49.2
07-247	3.00	000.4	-50.1	07-247	156.00	002.2	-49.1
07-247	6.00	000.3	-50.1	07-247	159.00	002.2	-49.1
07-247	9.00	000.3	-50.0	07-247	162.00	002.3	-49.0
07-247	12.00	000.4	-50.0	07-247	165.00	002.3	-48.9
07-247	15.00	000.5	-50.1	07-247	168.00	002.3	-48.9
07-247	18.00	000.5	-50.1	07-247	171.00	002.5	-48.9
07-247	21.00	000.5	-50.1	07-247	174.00	002.6	-48.8
07-247	24.00	000.5	-50.1	07-247	177.00	002.7	-48.8
07-247	27.00	000.5	-50.2	07-247	180.00	002.7	-48.7
07-247	30.00	000.5	-50.2	07-247	183.00	002.8	-48.7
07-247	33.00	000.5	-50.2	07-247	186.00	002.8	-48.7
07-247	36.00	000.5	-50.2	07-247	189.00	003.0	-48.7
07-247	39.00	000.5	-50.3	07-247	192.00	003.0	-48.7
07-247	42.00	000.5	-50.3	07-247	195.00	003.0	-48.6
07-247	45.00	000.5	-50.2	07-247	198.00	003.0	-48.6
07-247	48.00	000.5	-50.3	07-247	201.00	003.2	-48.6
07-247	51.00	000.6	-50.2	07-247	204.00	003.2	-48.7
07-247	54.00	000.6	-50.2	07-247	207.00	003.3	-48.7
07-247	57.00	000.6	-50.2	07-247	210.00	003.3	-48.7
07-247	60.00	000.7	-50.2	07-247	213.00	003.4	-48.8
07-247	63.00	000.7	-50.2	07-247	216.00	003.4	-48.8
07-247	66.00	000.7	-50.2	07-247	219.00	003.5	-48.8
07-247	69.00	000.7	-50.2	07-247	222.00	003.5	-48.8
07-247	72.00	000.8	-50.1	07-247	225.00	003.6	-48.9
07-247	75.00	000.9	-50.1	07-247	228.00	003.7	-48.9
07-247	78.00	001.0	-50.1	07-247	231.00	003.7	-48.9
07-247	81.00	001.0	-50.1	07-247	234.00	003.6	-48.9
07-247	84.00	001.0	-50.0	07-247	237.00	003.6	-48.9
07-247	87.00	001.1	-50.1	07-247	240.00	003.6	-48.9
07-247	90.00	001.1	-50.0	07-247	243.00	003.6	-48.9
07-247	93.00	001.2	-50.1	07-247	246.00	003.6	-48.9
07-247	96.00	001.3	-50.0	07-247	249.00	003.6	-48.8
07-247	99.00	001.3	-50.0	07-247	252.00	003.6	-48.8
07-247	102.00	001.5	-50.0	07-247	255.00	003.6	-48.8
07-247	105.00	001.6	-50.0	07-247	258.00	003.6	-48.7
07-247	108.00	001.7	-50.0	07-247	261.00	003.6	-48.6
07-247	111.00	001.7	-49.9	07-247	264.00	003.6	-48.6
07-247	114.00	001.8	-49.9	07-247	267.00	003.6	-48.5
07-247	117.00	001.9	-49.9	07-247	270.00	003.6	-48.5
07-247	120.00	001.9	-49.9	07-247	273.00	003.5	-48.4
07-247	123.00	002.0	-49.8	07-247	276.00	003.6	-48.4
07-247	126.00	002.1	-49.8	07-247	279.00	003.6	-48.4
07-247	129.00	002.1	-49.8	07-247	282.00	003.6	-48.4
07-247	132.00	002.1	-49.7	07-247	285.00	003.6	-48.3
07-247	135.00	002.2	-49.7	07-247	288.00	003.7	-48.3
07-247	138.00	002.2	-49.6	07-247	291.00	003.7	-48.2
07-247	141.00	002.1	-49.5	07-247	294.00	003.8	-47.8
07-247	144.00	002.1	-49.4	07-247	297.00	003.9	-48.0
07-247	147.00	002.1	-49.4	07-247	300.00	004.0	-48.0

Appendix D

6483900 mE 6484000 mE 6484100 mE 6484200 mE 6484300 mE

S N

E 505625



0.066 CS-trspWh2
 0.15 trspWh 24.74
 0.149 trspWh 23.77
 0.161 trspWh 24.84
 0.131 trspWh 20.82
 0.06 CS
 0.021 CS
 0.093 trspWh 14.96
 0.101 trspWh 11.33
 0.072 trspWh 20.76
 0.062 trspWh 22.74
 0.065 trspWh 24.26
 0.116 trspWh 26.91
 0.132 trspWh 25.96
 0.111 sptrDu 25.48
 0.111 sptrDu 25.79
 0.146 sptrDu 26.4
 0.108 sptrDu 28.52
 0.154 sptrDu 28
 0.102 sptrDu 27.61
 0.098 sptrDu 26.76
 0.123 sptrDu 26.95
 0.133 sptrDu 27.39
 0.125 sptrDu 26.62
 0.168 sptrDu 28.15
 0.145 sptrDu 24.11
 0.158 sptrDu 26.45
 0.142 sptrDu 26.72
 0.114 sptrDu 25.54
 0.217 sptrDu 27.2
 0.127 sptrDu 26.1
 0.177 sptrDu 26.12
 0.154 sptrDu 25.87
 0.156 trspDu 26
 0.116 trspDu 26.58
 0.129 trspDu 24.45
 0.151 trspDu 22.07
 0.12 trspDu 25.73
 0.127 trspDu 25.77
 0.139 trspDu 21
 0.129 trspDu 21.34
 0.102 trspDu 25.07
 0.117 trspDu 25.9
 0.099 trspDu 25.93
 0.098 trspDu 25.16
 0.117 trspDu 26.25
 0.11 trspDu 25.42
 0.106 trspDu 25.25
 0.087 trspDu 25.53
 0.115 trspDu 26.6
 0.087 trspDu 25.72
 0.14 trspDu 26.06
 0.141 trspDu 23.29
 0.123 spDu 22.87
 0.066 spDu 22.1
 18.3

Legend

	Dunite, serpentinized dunite, and serpentinite		Green dunite and serpentinized green dunite
	Wehrilite and serpentinized wehrilite		Olivine clinopyroxenite and clinopyroxenite
	Hornblende clinopyroxenite, magnetite clinopyroxenite		Hornblende and feldspathic hornblende
	Hornfels, calc-silicate, inclusion		Dikes of: diorite, granodiorite, hornblende, felspathic hornblende; undifferentiated
	Phyllite		>0.1 % sulphide Ni grade envelope
	>0.2 % sulphide Ni grade envelope		>0.3 % sulphide Ni grade envelope

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology, and the numbers to the far right are total Mg assays.

6483900 mN

S


6484000 mN

6484100 mN

6484200 mN


6484300 mN

N
E 505900



1600 m

1500 m



Map Scale - 1:500

Legend

	Dunite, serpentinized dunite, and serpentinite		Green dunite and serpentinized green dunite
	Wehrlite and serpentinized wehrlite		Olivine clinopyroxenite and clinopyroxenite
	Hornblende clinopyroxenite, magnetite clinopyroxenite		Hornblende and feldspathic hornblende
	Hornfels, calc-silicate, inclusion		Dikes of: diorite, granodiorite, hornblende, feldspathic hornblende; undifferentiated
	Phyllite		>0.1 % sulphide Ni grade envelope
	>0.2 % sulphide Ni grade envelope		>0.3 % sulphide Ni grade envelope

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology, and the numbers to the far right are total Mg assays.

6483400 mN

S

6483500 mN

6483600 mN

6483700 mN

6483800 mN



1600 m

E 506370

07-232

1500 m

3



Map Scale - 1:500

Legend

- Dunite, serpentinized dunite, and serpentinite
- Wehrlite and serpentinized wehrlite
- Hornblende clinopyroxenite, magnetite clinopyroxenite
- Hornfels, calc-silicate, inclusion
- Phyllite
- >0.2 % sulphide Ni grade envelope
- Green dunite and serpentinized green dunite
- Olivine clinopyroxenite and clinopyroxenite
- Hornblende and feldspathic hornblende
- Dikes of: diorite, granodiorite, hornblende, feldspathic hornblende; undifferentiated
- >0.1 % sulphide Ni grade envelope
- >0.3 % sulphide Ni grade envelope

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology, and the numbers to the far right are total Mg assays.

6483400 mE

6483500 mE

6483600 mE

6483700 mE

6483800 mE

S

N



07-234

E 506760

1600 m

1500 m

1400 m



Map Scale - 1:500

Legend

	Dunite, serpentinized dunite, and serpentinite		Green dunite and serpentinized green dunite
	Wehrlite and serpentinized wehrlite		Olivine clinopyroxenite and clinopyroxenite
	Hornblende clinopyroxenite, magnetite clinopyroxenite		Hornblende and feldspathic hornblende
	Hornfels, calc-silicate, inclusion		Dikes of: diorite, granodiorite, hornblende, feldspathic hornblende; undifferentiated
	Phyllite		>0.1 % sulphide Ni grade envelope
	>0.2 % sulphide Ni grade envelope		>0.3 % sulphide Ni grade envelope

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology, and the numbers to the far right are total Mg assays.

E 507250
N 6483250

SW

E 507350
N 6483350

E 507450
N 6483450

NE



E 507550
N 6483550

1600 m

E 507250 - E 507550
N 6483250 - N 6483550
45 degrees azimuth

1500 m

1400 m




Map Scale - 1:500

Legend

- Dunite, serpentinized dunite, and serpentine
- Green dunite and serpentinized green dunite
- Wehrlite and serpentinized wehrlite
- Olivine clinopyroxenite and clinopyroxenite
- Hornblende clinopyroxenite, magnetite clinopyroxenite
- Hornblende and feldspathic hornblende
- Hornfels, calc-silicate, inclusion
- Dikes of: diorite, granodiorite, hornblende, felspathic hornblende; undifferentiated
- Phyllite
- >0.1 % sulphide Ni grade envelope
- >0.3 % sulphide Ni grade envelope
- >0.2 % sulphide Ni grade envelope

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology, and the numbers to the far right are total Mg assays.



S
6480800 mN

6480900 mN

6481000 mN

6481100 mN

6481200 mN

6481300 mN

6481400 mN

6481500 mN

6481600 mN

6481700 mN

6481800 mN

1200 m

1100 m

1000 m

900 m


800 m

700 m

N
E 508730


Legend

- | | | | |
|--|---|--|--|
| | Dunite, serpentized dunite, and serpentinite | | Green dunite and serpentized green dunite |
| | Wehrlite and serpentized wehrlite | | Olivine clinopyroxenite and clinopyroxenite |
| | Hornblende clinopyroxenite, magnetite clinopyroxenite | | Hornblendite and feldspathic hornblendite |
| | Hornfels, calc-silicate, inclusion | | Dikes of: diorite, granodiorite, hornblendite, felspathic hornblendite, undifferentiated |
| | Phyllite | | >0.1 % sulphide Ni grade envelope |
| | >0.2 % sulphide Ni grade envelope | | >0.3 % sulphide Ni grade envelope |



Map Scale - 1:1250


Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.



N
E 508835


Legend

- | | | | |
|--|---|--|--|
| | Dunite, serpentized dunite, and serpentinite | | Green dunite and serpentized green dunite |
| | Wehrlite and serpentized wehrlite | | Olivine clinopyroxenite and clinopyroxenite |
| | Hornblende clinopyroxenite, magnetite clinopyroxenite | | Hornblendite and feldspathic hornblendite |
| | Hornfels, calc-silicate, inclusion | | Dikes of: diorite, granodiorite, hornblendite, felspathic hornblendite; undifferentiated |
| | Phyllite | | >0.1 % sulphide Ni grade envelope |
| | >0.2 % sulphide Ni grade envelope | | >0.3 % sulphide Ni grade envelope |




Map Scale - 1:1250

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.




- Legend**
- Dunite, serpentinized dunite, and serpentinite
 - Green dunite and serpentinized green dunite
 - Wehrlite and serpentinized wehrlite
 - Olivine clinopyroxenite and clinopyroxenite
 - Hornblende clinopyroxenite, magnetite clinopyroxenite
 - Hornblende and feldspathic hornblende
 - Hornfels, calc-silicate, inclusion
 - Dikes of: diorite, granodiorite, hornblende, feldspathic hornblende; undifferentiated
 - Phyllite
 - >0.1 % sulphide Ni grade envelope
 - >0.2 % sulphide Ni grade envelope
 - >0.3 % sulphide Ni grade envelope




Map Scale - 1:1250

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.




Legend

- | | | | |
|--|---|--|--|
| | Dunite, serpentinized dunite, and serpentinite | | Green dunite and serpentinized green dunite |
| | Wehrilite and serpentinized wehrilite | | Olivine clinopyroxenite and clinopyroxenite |
| | Hornblende clinopyroxenite, magnetite clinopyroxenite | | Hornblende and feldspathic hornblende |
| | Hornfels, calc-silicate, inclusion | | Dikes of: diorite, granodiorite, hornblende, felspathic hornblende; undifferentiated |
| | Phyllite | | >0.1 % sulphide Ni grade envelope |
| | >0.2 % sulphide Ni grade envelope | | >0.3 % sulphide Ni grade envelope |



Map Scale - 1:1000


Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.



Legend

	Dunite, serpentinized dunite, and serpentinite		Green dunite and serpentinized green dunite
	Wehrlite and serpentinized wehrlite		Olivine clinopyroxenite and clinopyroxenite
	Hornblende clinopyroxenite, magnetite clinopyroxenite		Hornblende and feldspathic hornblende
	Hornfels, calc-silicate, inclusion		Dikes of: diorite, granodiorite, hornblende, feldspathic hornblende; undifferentiated
	Phyllite		>0.1 % sulphide Ni grade envelope
	>0.2 % sulphide Ni grade envelope		>0.3 % sulphide Ni grade envelope


Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.




Legend

- | | | | |
|--|---|--|--|
| | Dunite, serpentinized dunite, and serpentinite | | Green dunite and serpentinized green dunite |
| | Wehrilite and serpentinized wehrilite | | Olivine clinopyroxenite and clinopyroxenite |
| | Hornblende clinopyroxenite, magnetite clinopyroxenite | | Hornblende and feldspathic hornblende |
| | Hornfels, calc-silicate, inclusion | | Dikes of: diorite, granodiorite, hornblende, felspathic hornblende; undifferentiated |
| | Phyllite | | >0.1 % sulphide Ni grade envelope |
| | >0.2 % sulphide Ni grade envelope | | >0.3 % sulphide Ni grade envelope |

Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.



Map Scale - 1:1250



SSW

NNE

E 509900
N 6481660

E 510000
N 6481706

E 510100
N 6481753

E 510200
N 6481800

E 510300
N 6481845

E 510400
N 6481892

07-206

97-06

97-07


E 509900 - E 510300
N 6481660 - N 6481845
65 degrees azimuth

1000 m

900 m

800 m


700 m



13


Legend


- Dunite, serpentinized dunite, and serpentinite
- Green dunite and serpentinized green dunite
- Wehrlite and serpentinized wehrlite
- Olivine clinopyroxenite and clinopyroxenite
- Hornblende clinopyroxenite, magnetite clinopyroxenite
- Hornblende and feldspathic hornblende
- Hornfels, calc-silicate, inclusion
- Dikes of: diorite, granodiorite, hornblende, felspathic hornblende; undifferentiated
- Phyllite
- >0.1 % sulphide Ni grade envelope
- >0.2 % sulphide Ni grade envelope
- >0.3 % sulphide Ni grade envelope



Map Scale - 1:750


Note: Cross sections with no 0.1 % grade envelopes either do not contain enough information for interpretation, or the space between 0.2 % grade envelopes is all above 0.1 % sulphide Ni. The numbers to the left of the drill traces are sulphide Ni assays; the text to the right is the logged lithology; and the numbers to the far right are total Mg assays.





Appendix E

GENERAL SAMPLE PREPARATION METHODS



Comments

Receiving: Samples arrive via courier, post or by client drop-off; shipment inspected for completeness.

Sorting and Inspection: Samples sorted and inspected for quality of use (quantity and condition). Pulp samples inspected for homogeneity and fineness. Coarse pulps are screened or pulverized after getting client's approval.

Drying: Wet or damp samples are dried at 60°C (40°C if specified by the client).

Sieving: Soil and sediment sieved to -80 mesh ASTM (-177 microns) unless client specifies otherwise. Sieve cleaned by brush and compressed air between samples. Reference material G-1 (pulp made of granite blank) is carried as first sample in sequence (sieve>weigh>digest>analyse) to monitor background noise.


Crushing and Pulverizing: Rock and Drill Core crushed to 70% passing 10 mesh (2 mm), homogenized, riffle split (250 g subsample) and pulverized to 95% passing 150 mesh (100 microns). Crusher and pulverizer are cleaned by brush and compressed air between routine samples. Granite wash scours equipment after high-grade samples, between changes in rock colour and at end of each file. Granite is crushed and pulverized as first sample in sequence and carried through to analysis to monitor background noise.

Compositing: Equal weights of crushed, pulverized or sieved material from 2 or more samples are combined and pulverized for 60+ seconds to produce a homogeneous mixture.

Storage: Pulp samples (up to 100g for soils or sediments and up to 250 g for rock and drill core) are archived for 3 months at no cost. Soil and sediment rejects are discarded immediately. Rock and drill core rejects are stored for 3 months at no charge. Client may request additional storage, return or disposal of pulps and rejects after initial free storage period.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 7TD – MULTI-ELEMENT ASSAY BY ICP-ES • 4-ACID DIGESTION

Analytical Process



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-177 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 95% passing 150 mesh (100 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.5 g are weighed into Teflon test tubes.

Sample Digestion

A 20 mL aliquot of the acid solution (2:2:1:1 H₂O-HF-HClO₄-HNO₃) is added, heated until fuming on a hot plate and taken to dryness. A 16 mL aliquot of 50% HCl is added to the residue and heated in a hot-water bath (~95°C) for 30 minutes. After cooling the solutions are transferred to 100 mL volumetric flasks and made to volume with 5% HCl.

Sample Analysis

Solutions aspirated into a Spectro Ciros Vision ICP emission spectrograph are analysed for a 22 element package comprising: Ag, Al, As, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, W and Zn. Very high grade samples may require a 1 g to 250 mL or 0.25 g to 250 mL sample to solution ratio for accurate determination.


Quality Control and Data Verification

An Analytical Batch (1 page) comprises 36 samples. QA/QC protocol incorporates a sample-prep blank (G-1) carried through all stages of preparation and analysis as the first sample, a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and an aliquot of in-house Standard Reference Materials like STD R3 to monitor accuracy.

Raw and final data undergo a final verification by a British Columbia Certified Assayer who signs the Analytical Report before it is released to the client.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 8 – NI-SULPHIDE ASSAY BY ICP-ES

Analytical Process



Comments

Sample Preparation

Assaying is warranted for representative well-mineralized samples (eg. Ni > 0.5%). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g aliquot is riffle split and pulverized to 95% passing 150 mesh (100 μ m) in a mild-steel ring-and-puck mill. Aliquots of 1.000 \pm 0.002 g are weighed into 250 mL plastic bottles. Acme's Quality Control protocol requires a pulp duplicates to monitor analytical precision and an aliquots of certified reference material UM-2 or UM-4 and/or in-house reference material R-3 to monitor accuracy in each batch of 36 samples. Drill core programs will include a pulp from a 2nd crushed fraction split (rejects duplicate) to measure method precision.

Sample Digestion

Samples are cold leached with a mixture of 40 mLs of 10% ammonium citrate and 20 mLs of 35% hydrogen peroxide that is agitated and allowed to leach. Solutions are filtered into a beaker and the residue is rinsed 3X with de-ionized water. HCl is added to the solution and is heated in hot water bath (95°C) for 1 hour then allowed to cool. Solutions are made up to volume (100 mL volumetric flask) with de-ionized water. Acme's QA/QC protocol requires simultaneous digestion of two reagent blanks inserted in each batch.

Sample Analysis

Sample solutions are aspirated into a Spectro Ciros Vision ICP emission spectrograph to determine Ni.

Calculation


This leach extracts Ni sulphide only.

Data Evaluation

Raw and final data from the ICP-ES undergoes a final verification by a British Columbia Certified Assayer who then signs the Analytical Report before it is released to the client.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 3B & 3B-MS - PRECIOUS METALS BY FIRE GEOCHEM

Analytical Process



Comments

Sample Preparation

Soils and sediments are dried (60°C) and sieved to -80 mesh ASTM (-177 μm). Rocks and drill core are crushed and pulverized to 95% -150 mesh ASTM (-100 μm). Splits of 30 gm (client may select 50 gm option) are weighed into fire assay crucibles. Quality control samples comprising blanks, duplicates and reference materials OxF41 or FA-100S (Rocklabs CRM and in-house standard reference materials) added to each batch of 34 samples monitor background, precision and accuracy, respectively.

Sample Digestion

A fire assay charge comprising fluxes, litharge and a Ag inquant is custom mixed for each sample. Fusing at 1050°C for 1 hour liberates Au, Ag, Pt, Pd and Rh. The Pb button is recovered after cooling and cupelled at 950°C to render a Ag ± Au ± Pt ± Pd ± Rh dore bead. After weighing, the bead is parted in HNO₃ leaving Au (± PGE) sponge. Adding concentrated HCl dissolves the sponges.

Sample Analysis


Solutions are analysed by ICP-ES (Jarrel Ash AtomComp model 800 or 975) analysis of the solutions to determine Au, Pt, and Pd. Group 3B-MS analyses the same solutions by ICP-MS (Perkin Elmer Elan 6000) to determine Au, Pt, Pd and Rh to much lower detection limits. Owing to the limited solubility of Rh in a Ag inquant, results are qualitative.

Data Evaluation

Data is inspected by the Fire Assay Supervisor then undergoes final verification by a British Columbia Certified Assayer who signs the Analytical Report before release to the client.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE

GROUP 2A: TOTAL CARBON & SULPHUR



Comments

Sample Preparation

Soils and sediments are dried (60°C) and sieved to -80 mesh ASTM (-177 microns), rocks and drill core are crushed and pulverized to -150 mesh ASTM (-100 microns). Moss-mat samples are dried (60°C), macerated then sieved to recover -80 mesh sediment or ashed at 550°C (upon a client's request). Sample splits (0.1 g) are placed in Leco crucibles. Duplicate splits of crushed (rejects duplicate) and pulverized (pulp duplicate) fractions are included with every 36 drill core or trench samples to define sample homogeneity (reject duplicate) and analytical precision (pulp duplicate). Duplicate pulp splits (only) are included in every batch of soil, sediment and routine rock samples. A blank and in-house standard material STD CSC are carried through weighing, ignition and analytical stages to monitor accuracy.

Sample Analysis

Analysis is by infrared adsorption using a Leco CS244 or CS200 Carbon-Sulphur analyser. After precise weighing, induction flux is added and the sample is ignited at >1650°C in an induction furnace. A carrier gas sweeps up released carbon and sulphur to be measured by adsorption in an infrared spectrometric cell. Results are total and attributed to the presence of carbon and sulphur in all forms.

Data Evaluation

Raw and final data from the Leco Carbon-Sulphur analyser undergoes a final verification by a British Columbia Certified Assayer who must sign the analytical report before release to the client.

Hole 07-168



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 27, 2007
 Report Date: November 16, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000109.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-168A
 P.O. Number: ACME FILE: A718273
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	50	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000109.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569164	Drill Core	10.4	<2	12	14	<0.001	0.003	<0.02	<0.01	<2	0.228	0.013	0.13	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.30
569165	Drill Core	12.8	<2	21	19	<0.001	0.020	<0.02	<0.01	<2	0.222	0.013	0.14	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.18
569166	Drill Core	9.9	<2	20	16	<0.001	0.004	0.03	<0.01	<2	0.222	0.013	0.13	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569167	Drill Core	11.6	<2	25	21	<0.001	0.005	0.88	<0.01	<2	0.217	0.013	0.13	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.53
569168	Drill Core	11.3	<2	5	4	<0.001	0.003	<0.02	<0.01	<2	0.216	0.013	0.13	7.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.57
569169	Drill Core	11.9	<2	35	20	<0.001	0.004	<0.02	<0.01	<2	0.187	0.013	0.13	8.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.96
569170	Drill Core	0.7	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.18	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.98
569171	Drill Core	11.1	<2	95	59	<0.001	0.006	<0.02	<0.01	<2	0.237	0.014	0.13	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
569172	Drill Core	12.2	<2	24	16	<0.001	0.015	<0.02	<0.01	<2	0.193	0.014	0.12	9.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.88
569173	Drill Core	10.3	<2	15	20	<0.001	0.002	<0.02	<0.01	<2	0.179	0.013	0.11	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.23
569174	Drill Core	10.2	<2	7	9	<0.001	0.001	<0.02	<0.01	<2	0.222	0.014	0.12	7.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
569175	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.098	<0.02	<0.01	2	0.327	0.016	0.05	9.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.24
569176	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.048	<0.02	<0.01	<2	0.403	0.027	0.12	13.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.15
569177	Drill Core	9.2	<2	4	<2	<0.001	0.003	<0.02	0.02	<2	0.244	0.013	0.10	8.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.58
569178	Drill Core	12.2	<2	7	3	<0.001	<0.001	<0.02	<0.01	<2	0.258	0.013	0.12	7.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.35
569179	Drill Core	11.8	<2	12	16	<0.001	<0.001	<0.02	<0.01	<2	0.264	0.013	0.12	6.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
RRE 569179	Drill Core		<2	14	17	<0.001	<0.001	<0.02	<0.01	<2	0.264	0.013	0.11	6.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
569180	Drill Core	12.3	<2	9	8	<0.001	<0.001	<0.02	<0.01	<2	0.249	0.014	0.11	7.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
569181	Drill Core	11	<2	77	72	<0.001	0.001	<0.02	<0.01	<2	0.302	0.014	0.12	7.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
569182	Drill Core	11.8	<2	<3	4	<0.001	<0.001	<0.02	<0.01	<2	0.259	0.013	0.12	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
569183	Drill Core	13	<2	17	12	<0.001	<0.001	<0.02	<0.01	<2	0.270	0.013	0.12	7.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
569184	Drill Core	11.5	12	42	24	<0.001	0.009	0.03	0.05	2	0.290	0.014	0.11	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
569185	Drill Core	12.1	<2	12	11	<0.001	<0.001	<0.02	<0.01	<2	0.276	0.013	0.11	6.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.44
569186	Drill Core	11	<2	15	11	<0.001	<0.001	<0.02	<0.01	<2	0.279	0.013	0.10	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
569187	Drill Core	12.5	<2	6	4	<0.001	<0.001	<0.02	<0.01	<2	0.288	0.013	0.11	6.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
569188	Drill Core	11.5	5	9	4	<0.001	<0.001	<0.02	<0.01	<2	0.279	0.012	0.11	6.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
569189	Drill Core	11.1	2	21	13	<0.001	<0.001	<0.02	<0.01	<2	0.263	0.014	0.13	7.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
569190A	Drill Core	10.2	2	3	5	<0.001	<0.001	<0.02	<0.01	<2	0.258	0.013	0.12	6.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569190B	Drill Core		3	4	4	<0.001	<0.001	<0.02	<0.01	<2	0.255	0.013	0.12	6.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569191	Drill Core	10.3	4	42	35	<0.001	0.001	<0.02	<0.01	<2	0.262	0.014	0.12	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000109.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569164	Drill Core	<0.01	0.144	24.21	0.03	0.19	0.02	<0.01	<0.01	0.08	0.003	0.086	0.005	0.64	2.17	0.06	N.A.
569165	Drill Core	<0.01	0.213	25.19	0.03	0.19	0.03	<0.01	<0.01	0.11	0.009	0.086	0.004	0.56	1.53	0.10	N.A.
569166	Drill Core	<0.01	0.272	26.19	0.03	0.11	<0.01	<0.01	<0.01	0.07	0.005	0.084	0.005	0.50	1.59	0.06	N.A.
569167	Drill Core	<0.01	0.217	26.11	0.03	0.11	<0.01	<0.01	<0.01	0.06	0.004	0.073	0.004	0.51	1.60	0.05	N.A.
569168	Drill Core	<0.01	0.203	25.49	0.03	0.17	<0.01	<0.01	<0.01	0.07	0.002	0.085	0.005	0.44	1.81	0.06	N.A.
569169	Drill Core	<0.01	0.200	25.47	0.02	0.12	0.01	<0.01	<0.01	<0.01	0.005	0.068	0.004	0.35	1.33	0.05	N.A.
569170	Drill Core	0.02	0.003	0.40	0.07	8.14	3.59	1.18	<0.01	0.03	<0.001	0.001	<0.001	0.10	0.07	<0.02	N.A.
569171	Drill Core	<0.01	0.209	25.66	0.03	0.17	<0.01	<0.01	<0.01	0.08	0.006	0.112	0.005	0.36	1.53	0.07	N.A.
569172	Drill Core	<0.01	0.184	25.90	0.04	0.20	<0.01	<0.01	<0.01	0.04	0.013	0.062	0.004	0.48	1.79	0.03	3.21
569173	Drill Core	<0.01	0.229	26.82	0.02	0.12	<0.01	<0.01	<0.01	0.03	0.002	0.044	0.003	0.45	1.72	<0.02	N.A.
569174	Drill Core	<0.01	0.218	27.57	0.02	0.17	<0.01	0.01	<0.01	0.01	0.002	0.053	0.002	0.45	1.94	0.02	N.A.
569175	Rock Pulp	<0.01	0.452	14.97	0.14	2.98	0.24	0.05	<0.01	0.77	0.095	0.248	0.011	0.58	0.61	1.00	N.A.
569176	Rock Pulp	<0.01	0.213	21.35	0.02	0.29	0.03	0.10	<0.01	2.33	0.049	0.407	0.025	1.21	1.65	4.07	N.A.
569177	Drill Core	<0.01	0.189	26.28	0.01	0.11	<0.01	<0.01	<0.01	0.05	0.002	0.089	0.002	0.39	2.30	0.03	N.A.
569178	Drill Core	<0.01	0.245	27.47	0.01	0.06	<0.01	<0.01	<0.01	0.03	<0.001	0.050	0.002	0.40	1.53	<0.02	N.A.
569179	Drill Core	<0.01	0.214	27.23	0.01	0.08	<0.01	<0.01	<0.01	0.02	<0.001	0.074	0.002	0.35	1.72	0.03	N.A.
RRE 569179	Drill Core	<0.01	0.209	27.42	0.01	0.08	<0.01	<0.01	<0.01	0.02	<0.001	0.081	0.002	0.34	1.59	0.03	N.A.
569180	Drill Core	<0.01	0.214	26.81	0.01	0.08	<0.01	<0.01	<0.01	0.02	<0.001	0.084	0.003	0.38	2.15	0.03	N.A.
569181	Drill Core	<0.01	0.222	27.49	<0.01	0.05	<0.01	<0.01	<0.01	0.03	0.001	0.091	0.002	0.47	2.03	0.03	N.A.
569182	Drill Core	<0.01	0.215	27.81	0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.053	0.002	0.41	1.70	0.02	N.A.
569183	Drill Core	<0.01	0.251	27.90	<0.01	0.05	<0.01	<0.01	<0.01	0.02	<0.001	0.060	0.002	0.43	1.72	0.02	N.A.
569184	Drill Core	<0.01	0.265	27.59	<0.01	0.08	<0.01	<0.01	<0.01	0.18	<0.001	0.079	0.002	0.43	2.12	0.03	N.A.
569185	Drill Core	<0.01	0.185	27.36	0.02	0.14	<0.01	<0.01	<0.01	0.03	<0.001	0.094	0.002	0.42	2.30	0.03	N.A.
569186	Drill Core	<0.01	0.232	26.99	0.01	0.13	<0.01	<0.01	<0.01	0.04	<0.001	0.112	0.003	0.33	2.60	0.04	N.A.
569187	Drill Core	<0.01	0.240	27.50	0.01	0.07	<0.01	<0.01	<0.01	0.03	<0.001	0.096	0.003	0.39	2.48	0.03	N.A.
569188	Drill Core	<0.01	0.168	28.16	0.01	0.09	<0.01	<0.01	<0.01	0.03	<0.001	0.095	0.002	0.28	1.84	0.03	N.A.
569189	Drill Core	<0.01	0.222	28.26	<0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.001	0.051	0.002	0.40	1.69	<0.02	N.A.
569190A	Drill Core	<0.01	0.222	27.49	<0.01	0.05	<0.01	<0.01	<0.01	0.03	<0.001	0.073	0.003	0.45	2.90	0.02	N.A.
569190B	Drill Core	<0.01	0.222	27.87	<0.01	0.04	<0.01	<0.01	<0.01	0.02	<0.001	0.070	0.003	0.46	2.76	0.03	N.A.
569191	Drill Core	<0.01	0.195	26.62	0.01	0.09	<0.01	<0.01	<0.01	0.03	0.001	0.100	0.003	0.43	2.45	0.04	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000109.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
569192	Drill Core	11.2	3	38	28	<0.001	0.003	<0.02	<0.01	<2	0.250	0.015	0.13	8.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569193	Drill Core	11.4	5	42	26	<0.001	0.016	<0.02	<0.01	<2	0.252	0.018	0.11	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569194	Drill Core	11.4	6	41	44	<0.001	0.003	<0.02	<0.01	<2	0.385	0.015	0.10	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569195	Drill Core	9.7	15	46	56	<0.001	0.002	<0.02	<0.01	<2	0.257	0.014	0.11	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569196	Drill Core	11.4	3	8	6	<0.001	<0.001	<0.02	<0.01	<2	0.269	0.013	0.12	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569197	Drill Core	10.7	<2	11	12	<0.001	<0.001	<0.02	<0.01	<2	0.265	0.013	0.10	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569198	Drill Core	11.4	<2	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.287	0.012	0.09	6.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569199	Drill Core	11.2	<2	11	6	<0.001	<0.001	<0.02	<0.01	<2	0.294	0.013	0.12	7.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569200	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.055	<0.02	0.02	<2	0.233	0.011	0.10	8.96	<0.02	<0.01	<0.001	<0.01	<0.01	0.02
569201	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.048	<0.02	<0.01	<2	0.399	0.027	0.12	13.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569202	Drill Core	10.7	13	45	37	<0.001	<0.001	<0.02	<0.01	<2	0.296	0.013	0.11	6.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569203	Drill Core	11	5	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.276	0.012	0.09	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569204	Drill Core	11.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.263	0.012	0.10	7.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569205	Drill Core	10.6	4	3	2	<0.001	<0.001	<0.02	<0.01	<2	0.274	0.011	0.09	6.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
RRE 569205	Drill Core		3	7	<2	<0.001	<0.001	<0.02	<0.01	<2	0.276	0.011	0.09	6.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569206	Drill Core	11.6	15	22	23	<0.001	<0.001	<0.02	<0.01	<2	0.297	0.013	0.12	7.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569207	Drill Core	11.3	12	19	15	<0.001	0.027	<0.02	<0.01	<2	0.263	0.015	0.08	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569208	Drill Core	11.4	11	43	23	<0.001	0.033	<0.02	<0.01	<2	0.228	0.015	0.12	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569209	Drill Core	10.4	7	26	16	<0.001	0.019	<0.02	<0.01	<2	0.251	0.014	0.13	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
569210	Drill Core	11.4	9	45	25	<0.001	0.030	<0.02	<0.01	<2	0.256	0.015	0.13	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000109.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569192	Drill Core	<0.01	0.302	27.42	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.003	0.062	0.002	0.41	1.80	0.03	N.A.
569193	Drill Core	<0.01	0.252	27.90	<0.01	0.05	<0.01	<0.01	<0.01	0.03	0.014	0.112	0.004	0.37	1.96	0.05	N.A.
569194	Drill Core	<0.01	0.098	27.43	<0.01	0.05	<0.01	<0.01	<0.01	0.06	0.002	0.200	0.004	0.28	2.09	0.07	N.A.
569195	Drill Core	<0.01	0.115	26.06	0.01	0.11	<0.01	<0.01	<0.01	0.06	<0.001	0.161	0.003	0.30	3.13	0.06	N.A.
569196	Drill Core	<0.01	0.138	27.77	0.01	0.07	<0.01	<0.01	<0.01	0.04	<0.001	0.113	0.002	0.26	1.77	0.04	N.A.
569197	Drill Core	<0.01	0.069	26.73	<0.01	0.05	<0.01	<0.01	<0.01	0.05	<0.001	0.127	0.002	0.15	1.44	0.05	N.A.
569198	Drill Core	<0.01	0.058	26.18	<0.01	0.03	<0.01	<0.01	<0.01	0.06	<0.001	0.160	0.004	0.18	1.80	0.06	N.A.
569199	Drill Core	<0.01	0.164	27.54	<0.01	0.04	<0.01	<0.01	<0.01	0.03	<0.001	0.075	0.002	0.19	1.15	0.03	N.A.
569200	Rock Pulp	0.01	0.887	13.35	0.19	3.88	0.32	0.11	<0.01	0.50	0.057	0.180	0.007	0.30	0.24	0.49	N.A.
569201	Rock Pulp	0.01	0.187	20.63	0.02	0.29	0.03	0.09	<0.01	3.15	0.048	0.386	0.024	1.31	2.00	4.16	N.A.
569202	Drill Core	<0.01	0.119	26.66	<0.01	0.07	<0.01	<0.01	<0.01	0.05	<0.001	0.142	0.003	0.21	1.76	0.05	3.06
569203	Drill Core	<0.01	0.088	26.75	<0.01	0.04	<0.01	<0.01	<0.01	0.06	<0.001	0.150	0.003	0.13	1.36	0.07	N.A.
569204	Drill Core	<0.01	0.139	26.52	<0.01	0.04	<0.01	<0.01	<0.01	0.06	<0.001	0.142	0.003	0.15	1.51	0.06	N.A.
569205	Drill Core	<0.01	0.120	26.70	<0.01	0.07	<0.01	<0.01	<0.01	0.06	<0.001	0.154	0.003	0.17	1.60	0.07	N.A.
RRE 569205	Drill Core	<0.01	0.114	26.71	<0.01	0.07	<0.01	<0.01	<0.01	0.06	<0.001	0.148	0.003	0.16	1.44	0.07	N.A.
569206	Drill Core	<0.01	0.195	27.08	<0.01	0.04	<0.01	<0.01	<0.01	0.07	<0.001	0.116	0.004	0.22	1.22	0.08	N.A.
569207	Drill Core	<0.01	0.161	25.25	<0.01	0.06	<0.01	0.05	<0.01	0.13	0.022	0.182	0.010	0.28	2.50	0.14	N.A.
569208	Drill Core	<0.01	0.189	25.05	<0.01	0.06	<0.01	<0.01	<0.01	0.11	0.027	0.147	0.009	0.29	1.99	0.12	N.A.
569209	Drill Core	<0.01	0.237	25.38	<0.01	0.05	<0.01	<0.01	<0.01	0.14	0.015	0.169	0.008	0.31	1.64	0.17	N.A.
569210	Drill Core	<0.01	0.218	25.48	<0.01	0.04	<0.01	<0.01	<0.01	0.13	0.023	0.166	0.008	0.28	1.25	0.15	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: November 13, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000110.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-168B
 P.O. Number: ACME FILE: A718274
 Number of Samples: 18

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	16	Crush, split and pulverize drill to 150 mesh		
3B	18	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	18	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	18	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	18	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: **Hard Creek Nickel Corporation**
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 13, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000110.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569211	Drill Core	11.1	<2	22	15	<0.001	0.012	<0.02	<0.01	<2	0.236	0.014	0.11	8.53	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
569212	Drill Core	12	5	42	31	<0.001	0.023	<0.02	<0.01	<2	0.251	0.016	0.12	9.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569213	Drill Core	11.5	<2	9	11	<0.001	0.002	<0.02	<0.01	<2	0.237	0.013	0.13	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569214	Drill Core	11.4	<2	9	8	<0.001	0.007	<0.02	<0.01	<2	0.207	0.013	0.10	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569215	Drill Core	11.6	3	17	17	<0.001	0.013	<0.02	<0.01	<2	0.253	0.013	0.11	8.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569216	Drill Core	11.3	5	11	14	<0.001	0.033	<0.02	<0.01	<2	0.194	0.011	0.10	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.13
569217	Drill Core	9.2	<2	14	23	<0.001	0.018	<0.02	0.01	<2	0.158	0.009	0.14	6.34	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	3.36
569218	Drill Core	9.9	<2	5	10	<0.001	0.023	<0.02	0.01	<2	0.167	0.009	0.14	7.13	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	1.39
RRE 569218	Drill Core		2	7	10	<0.001	0.021	<0.02	0.01	<2	0.162	0.009	0.14	6.94	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	1.38
569219	Drill Core	11.1	5	42	21	<0.001	0.037	<0.02	0.02	<2	0.148	0.010	0.15	7.80	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	1.47
569220A	Drill Core	10	<2	<3	7	<0.001	0.014	<0.02	0.01	<2	0.159	0.008	0.13	6.95	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	0.82
569220B	Drill Core		<2	5	6	<0.001	0.015	<0.02	0.01	<2	0.159	0.008	0.13	6.96	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	0.86
569221	Drill Core	10.3	2	<3	11	<0.001	0.019	<0.02	0.02	<2	0.187	0.010	0.13	7.09	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	0.61
569222	Drill Core	11.7	5	11	17	0.002	0.056	<0.02	0.02	<2	0.163	0.011	0.15	10.27	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	1.36
569223	Drill Core	11.1	3	9	13	<0.001	0.028	<0.02	0.01	<2	0.168	0.010	0.15	8.36	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	1.37
569224	Drill Core	12.7	<2	5	7	<0.001	0.008	<0.02	0.01	<2	0.204	0.011	0.11	7.01	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	0.90
569225	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.056	<0.02	0.02	<2	0.230	0.011	0.10	9.21	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.22
569226	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.048	<0.02	<0.01	<2	0.397	0.027	0.12	13.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 13, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000110.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569211	Drill Core	<0.01	0.166	27.37	<0.01	0.06	0.01	<0.01	<0.01	0.12	0.009	0.169	0.008	0.26	1.23	0.15	N.A.
569212	Drill Core	<0.01	0.209	26.91	<0.01	0.06	<0.01	<0.01	<0.01	0.16	0.020	0.220	0.011	0.31	1.57	0.18	2.79
569213	Drill Core	<0.01	0.196	28.81	<0.01	0.05	<0.01	<0.01	<0.01	0.11	0.002	0.170	0.007	0.24	1.77	0.12	N.A.
569214	Drill Core	<0.01	0.131	28.25	<0.01	0.03	<0.01	<0.01	<0.01	0.10	0.006	0.139	0.007	0.22	1.51	0.10	N.A.
569215	Drill Core	<0.01	0.130	26.00	<0.01	0.06	<0.01	<0.01	<0.01	0.15	0.012	0.218	0.009	0.22	1.20	0.16	N.A.
569216	Drill Core	<0.01	0.124	22.96	0.03	0.18	<0.01	<0.01	<0.01	0.15	0.033	0.196	0.009	0.20	1.07	0.16	N.A.
569217	Drill Core	<0.01	0.088	18.31	0.06	0.44	0.03	0.01	<0.01	0.47	0.017	0.138	0.006	0.27	0.48	0.49	N.A.
569218	Drill Core	<0.01	0.110	17.95	0.06	0.49	0.04	0.03	<0.01	0.57	0.021	0.134	0.006	0.30	0.44	0.63	N.A.
RRE 569218	Drill Core	<0.01	0.106	18.64	0.06	0.47	0.04	0.03	<0.01	0.54	0.020	0.137	0.006	0.28	0.42	0.57	N.A.
569219	Drill Core	<0.01	0.127	18.10	0.07	0.52	0.05	0.03	<0.01	0.88	0.040	0.143	0.008	0.36	0.47	1.03	N.A.
569220A	Drill Core	<0.01	0.117	19.43	0.05	0.45	0.02	0.02	<0.01	0.59	0.014	0.127	0.006	0.25	0.33	0.65	N.A.
569220B	Drill Core	<0.01	0.126	19.27	0.06	0.46	0.02	0.02	<0.01	0.60	0.015	0.134	0.006	0.28	0.43	0.67	N.A.
569221	Drill Core	<0.01	0.119	20.22	0.05	0.46	0.02	0.01	<0.01	0.60	0.017	0.160	0.007	0.30	0.42	0.64	N.A.
569222	Drill Core	<0.01	0.126	17.58	0.08	0.98	0.04	0.03	<0.01	1.78	0.056	0.146	0.009	0.44	0.39	2.09	2.98
569223	Drill Core	<0.01	0.123	18.98	0.07	0.86	0.02	0.02	<0.01	0.90	0.028	0.149	0.008	0.35	0.47	0.97	N.A.
569224	Drill Core	<0.01	0.186	22.23	0.03	0.30	<0.01	<0.01	<0.01	0.39	0.007	0.195	0.009	0.25	0.75	0.39	N.A.
569225	Rock Pulp	0.01	1.068	14.02	0.18	4.12	0.36	0.11	<0.01	0.45	0.054	0.193	0.007	0.30	0.22	0.46	N.A.
569226	Rock Pulp	<0.01	0.168	21.81	0.02	0.28	0.03	0.10	<0.01	3.21	0.046	0.419	0.022	1.04	1.43	4.11	N.A.

Hole 07-194



ASSAY CERTIFICATE




Hard Creek Nickel Corporation PROJECT Tur C07-194A File # A718187 Page 1
1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/t	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	V %	Ca %	P %	Cr %	Mg %	Ti %	Al %	Na %	K %	W %	S %
G1	<.001	<.001	<.02	<.01	<2	.001	<.001	.07	2.29	<.02	.07	<.001	<.01	<.01	.01	2.42	.08	.001	.68	.24	8.41	2.79	3.24	<.01	<.01
568997	<.001	.006	<.02	.01	<2	.219	.012	.14	8.12	<.02	<.01	<.001	<.01	<.01	.01	1.78	<.01	.218	25.03	.02	.13	.03	.01	<.01	.09
568998	<.001	.010	<.02	<.01	<2	.173	.012	.13	7.82	<.02	<.01	<.001	<.01	<.01	.01	3.82	<.01	.194	22.91	.03	.18	.04	.01	<.01	.08
568999	<.001	.005	<.02	<.01	<2	.211	.013	.12	7.41	<.02	<.01	<.001	<.01	<.01	<.01	1.17	<.01	.210	24.64	.01	.09	.01	<.01	<.01	.09
569000 (pulp)	<.001	.053	<.02	.02	<2	.225	.011	.10	8.23	<.02	<.01	<.001	<.01	<.01	.02	4.13	<.01	.865	13.30	.18	3.89	.34	.11	<.01	.43
569001 (pulp)	<.001	.029	<.02	<.01	<2	.245	.016	.11	8.50	<.02	<.01	<.001	<.01	<.01	<.01	.68	<.01	.147	24.11	.02	.30	.01	.07	<.01	1.23
569002	<.001	.002	<.02	<.01	<2	.203	.012	.11	6.70	<.02	<.01	<.001	<.01	<.01	<.01	.53	<.01	.246	25.41	.01	.11	.01	.01	<.01	.08
569003	<.001	.002	<.02	<.01	<2	.216	.013	.12	6.90	<.02	<.01	<.001	<.01	<.01	<.01	.81	.01	.266	26.01	.01	.09	.01	<.01	<.01	.06
569004	<.001	.001	<.02	<.01	<2	.221	.013	.13	7.02	<.02	<.01	<.001	<.01	<.01	<.01	.73	<.01	.365	26.47	.01	.09	.01	<.01	<.01	.08
569005	<.001	.002	<.02	<.01	<2	.231	.012	.12	7.09	<.02	<.01	<.001	<.01	<.01	<.01	.83	<.01	.146	26.53	.01	.07	.01	<.01	<.01	.07
RE 569005	<.001	.002	<.02	<.01	<2	.232	.012	.12	7.10	<.02	<.01	<.001	<.01	<.01	<.01	.79	<.01	.136	25.77	.01	.07	.01	<.01	<.01	.07
RRE 569005	<.001	.002	<.02	<.01	<2	.233	.012	.12	6.98	<.02	<.01	<.001	<.01	<.01	<.01	.83	<.01	.142	26.83	.01	.06	.01	<.01	<.01	.06
569006	<.001	.003	<.02	<.01	<2	.231	.013	.13	7.41	<.02	<.01	<.001	<.01	<.01	<.01	.72	<.01	.298	26.84	.01	.10	.01	<.01	<.01	.06
569007	<.001	.003	<.02	<.01	<2	.252	.013	.11	6.90	<.02	<.01	<.001	<.01	<.01	<.01	.22	<.01	.134	26.69	.01	.09	<.01	<.01	<.01	.11
569008	<.001	.003	<.02	<.01	<2	.252	.013	.13	7.47	<.02	<.01	<.001	<.01	<.01	<.01	.32	<.01	.166	28.01	.01	.06	<.01	<.01	<.01	.08
569009	<.001	.003	<.02	<.01	<2	.246	.012	.11	6.92	<.02	<.01	<.001	<.01	<.01	<.01	.21	<.01	.183	27.26	.01	.09	<.01	<.01	<.01	.10
569010A	<.001	.004	<.02	.01	<2	.239	.013	.13	7.57	<.02	<.01	<.001	<.01	<.01	<.01	.28	<.01	.198	27.79	.01	.07	<.01	<.01	<.01	.10
569010B	<.001	.003	<.02	<.01	<2	.247	.013	.13	7.90	<.02	<.01	<.001	<.01	<.01	<.01	.30	<.01	.186	28.38	.01	.07	<.01	<.01	<.01	.08
569011	<.001	.004	<.02	<.01	<2	.223	.015	.14	8.23	<.02	<.01	<.001	<.01	<.01	<.01	.42	<.01	.359	27.58	.02	.10	<.01	<.01	<.01	.08
569012	<.001	.003	<.02	<.01	<2	.241	.013	.12	6.86	<.02	<.01	<.001	<.01	<.01	<.01	.31	<.01	.265	27.36	.01	.08	<.01	<.01	<.01	.06
569013	<.001	.013	<.02	<.01	<2	.251	.013	.10	6.54	<.02	<.01	<.001	<.01	<.01	<.01	.42	<.01	.258	27.71	.01	.08	<.01	<.01	<.01	.09
569014	<.001	.024	<.02	<.01	<2	.248	.013	.11	6.62	<.02	<.01	<.001	<.01	<.01	<.01	.16	<.01	.156	28.29	.01	.07	<.01	<.01	<.01	.11
569015	<.001	.009	<.02	<.01	<2	.243	.013	.12	7.20	<.02	<.01	<.001	<.01	<.01	<.01	.21	<.01	.152	27.47	.01	.07	<.01	<.01	<.01	.10
569016	<.001	.004	<.02	<.01	<2	.239	.013	.12	7.86	<.02	<.01	<.001	<.01	<.01	<.01	.30	<.01	.147	27.20	.01	.09	<.01	<.01	<.01	.10
569017	<.001	.004	<.02	<.01	<2	.222	.013	.13	8.47	<.02	<.01	<.001	<.01	<.01	<.01	.28	<.01	.163	26.55	.01	.07	<.01	<.01	<.01	.07
569018	<.001	.004	<.02	<.01	<2	.216	.013	.12	7.42	<.02	<.01	<.001	<.01	<.01	<.01	.78	<.01	.190	26.75	.02	.11	<.01	<.01	<.01	.08
569019	<.001	.003	<.02	<.01	<2	.220	.013	.11	6.72	<.02	<.01	<.001	<.01	<.01	<.01	.74	<.01	.242	28.21	.01	.11	<.01	<.01	<.01	.09
569020	<.001	<.001	<.02	<.01	<2	.001	<.001	.07	1.18	<.02	.08	<.001	<.01	<.01	<.01	2.06	<.02	.003	.34	.08	8.17	3.81	1.24	<.01	<.01
569021	<.001	.004	<.02	<.01	<2	.232	.012	.09	6.26	<.02	<.01	<.001	<.01	<.01	<.01	1.31	<.01	.139	24.67	.02	.13	.01	<.01	<.01	.12
569022	<.001	.007	<.02	<.01	<2	.241	.013	.13	7.31	<.02	<.01	<.001	<.01	<.01	.01	1.05	<.01	.207	25.26	.01	.15	.01	<.01	<.01	.20
569023	<.001	.029	<.02	<.01	<2	.226	.014	.14	8.67	<.02	<.01	<.001	<.01	<.01	.01	1.90	<.01	.139	23.66	.02	.11	.01	<.01	<.01	.80
569024	<.001	.028	<.02	<.01	<2	.256	.018	.14	9.90	<.02	<.01	<.001	<.01	<.01	.01	1.60	<.01	.173	22.72	.02	.11	.01	.01	<.01	.99
569025 (pulp)	<.001	.094	<.02	<.01	6	.332	.016	.05	9.01	<.02	<.01	<.001	<.01	<.01	.01	3.23	<.01	.358	14.96	.14	3.00	.24	.05	<.01	.87
569026 (pulp)	<.001	.047	<.02	<.01	<2	.401	.027	.12	12.84	<.02	<.01	<.001	<.01	<.01	.01	1.16	<.01	.145	21.57	.02	.29	.03	.10	<.01	3.28
569027	<.001	.007	<.02	<.01	2	.185	.012	.13	8.34	<.02	<.01	<.001	<.01	<.01	.01	1.24	<.01	.160	22.69	.02	.14	.02	.02	<.01	.26
STANDARD R-3	.079	.819	1.99	4.20	209	.548	.061	.10	32.41	.03	<.01	.024	.04	<.01	.02	2.24	.05	.020	1.73	.18	2.49	.34	.61	<.01	17.55

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: DRILL CORE P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: AUG 16 2007 DATE REPORT MAILED: AUG 23 2007



SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/t	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	V %	Ca %	P %	Cr %	Mg %	Ti %	Al %	Na %	K %	W %	S %
G-1	<.001	.007	<.02	<.01	<2	.001	<.001	.07	2.10	<.02	.07	<.001	<.01	<.01	<.01	2.27	.07	.001	.68	.21	7.70	2.61	3.01	<.01	<.01
569028	<.001	.028	<.02	<.01	<2	.301	.018	.11	8.48	<.02	<.01	<.001	<.01	<.01	<.01	.25	<.01	.131	24.97	.01	.05	.01	.01	<.01	.49
569029	<.001	.016	<.02	<.01	<2	.288	.012	.10	6.79	<.02	<.01	<.001	<.01	<.01	<.01	.28	<.01	.079	26.47	.01	.07	<.01	.01	<.01	.40
569030	<.001	.021	<.02	<.01	<2	.309	.015	.11	7.67	<.02	<.01	<.001	<.01	<.01	<.01	.35	<.01	.083	25.50	.01	.05	<.01	<.01	<.01	.54
569031	.002	.026	<.02	<.01	<2	.273	.015	.14	9.13	<.02	<.01	<.001	<.01	<.01	.01	.27	<.01	.096	24.41	.01	.05	<.01	<.01	<.01	.49
569032	.002	.029	<.02	<.01	<2	.197	.015	.08	8.62	<.02	<.01	.001	<.01	<.01	.01	.67	<.01	.124	22.43	.02	.11	<.01	<.01	<.01	.43
569033	<.001	.015	<.02	<.01	<2	.211	.012	.12	6.61	<.02	<.01	<.001	<.01	<.01	.01	.08	<.01	.103	23.31	.02	.10	<.01	<.01	<.01	.37
569034	<.001	.020	<.02	<.01	<2	.180	.011	.13	7.38	<.02	<.01	<.001	<.01	<.01	.01	.10	<.01	.156	22.93	.02	.12	<.01	<.01	<.01	.30
569035	<.001	.029	<.02	<.01	<2	.198	.017	.12	8.64	<.02	<.01	<.001	<.01	<.01	.01	.14	<.01	.120	22.94	.02	.08	<.01	<.01	<.01	.41
569036	<.001	.017	<.02	<.01	<2	.178	.016	.06	7.98	<.02	<.01	<.001	<.01	<.01	.01	.43	<.01	.093	22.29	.02	.12	.02	.02	<.01	.38
RE 569036	<.001	.016	<.02	<.01	<2	.174	.015	.06	7.68	<.02	<.01	.001	<.01	<.01	.01	.43	<.01	.087	21.75	.02	.12	.02	.02	<.01	.37
569037	<.001	.008	<.02	<.01	<2	.209	.010	.13	7.55	<.02	<.01	<.001	<.01	<.01	.01	.30	<.01	.106	22.48	.02	.12	.01	.01	<.01	.27
569038	<.001	.008	<.02	<.01	<2	.223	.011	.12	7.34	<.02	<.01	<.001	<.01	<.01	.01	.03	<.01	.087	23.56	.01	.09	<.01	<.01	<.01	.30
569039	<.001	.007	<.02	<.01	<2	.200	.011	.15	7.90	<.02	<.01	<.001	<.01	<.01	.01	.14	<.01	.124	23.59	.02	.11	.02	<.01	<.01	.25
569040A	<.001	.009	<.02	<.01	<2	.216	.012	.15	8.19	<.02	<.01	<.001	<.01	<.01	.01	.53	<.01	.128	22.75	.02	.14	.01	.01	<.01	.35
569040B	<.001	.009	<.02	<.01	<2	.205	.012	.14	8.50	<.02	<.01	<.001	<.01	<.01	.01	.47	<.01	.120	22.05	.02	.13	<.01	<.01	<.01	.32
569041	<.001	.017	<.02	<.01	<2	.193	.011	.13	7.94	<.02	<.01	<.001	<.01	<.01	.02	2.01	<.01	.155	20.93	.03	.20	<.01	<.01	<.01	.49
569042	<.001	.013	<.02	<.01	<2	.219	.011	.11	7.99	<.02	<.01	<.001	<.01	<.01	.01	.41	<.01	.106	22.33	.02	.12	.01	<.01	<.01	.43
569043	<.001	.011	<.02	<.01	<2	.218	.010	.12	7.97	<.02	<.01	<.001	<.01	<.01	.01	.94	<.01	.106	21.38	.03	.13	.01	<.01	<.01	.41
STANDARD R-3	.079	.817	1.95	3.97	202	.524	.060	.09	32.42	<.02	<.01	.023	.04	<.01	.02	2.23	.05	.021	1.67	.17	2.46	.33	.59	<.01	15.94

Sample type: DRILL CORE P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE


Hard Creek Nickel Corporation PROJECT Tur C07-194A File # A718187 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	Cu* %	Ni* %	Co* %	Fe* %	Mg* %
G1	<.001	<.001	<.001	.06	.02
568997	.005	.118	.006	.54	1.55
568998	.008	.101	.006	.43	1.28
568999	.005	.121	.007	.49	1.74
569000 (pulp)	.055	.190	.007	.30	.23
569001 (pulp)	.029	.237	.013	.79	2.09
569002	.002	.106	.007	.44	1.86
569003	.001	.091	.006	.39	1.54
569004	.001	.076	.004	.52	2.10
569005	.001	.084	.004	.58	1.99
RE 569005	.001	.084	.004	.58	2.03
RRE 569005	.001	.073	.003	.44	1.47
569006	.002	.094	.004	.58	1.95
569007	.002	.158	.008	.45	1.97
569008	.002	.102	.004	.37	1.29
569009	.003	.127	.006	.44	1.70
569010A	.002	.112	.006	.37	1.15
569010B	.002	.118	.006	.50	1.76
569011	.003	.108	.007	.47	1.53
569012	.002	.119	.006	.59	1.91
569013	.009	.116	.006	.39	1.30
569014	.022	.127	.006	.53	1.90
569015	.006	.125	.006	.39	1.15
569016	.003	.152	.008	.49	1.73
569017	.003	.119	.007	.52	1.74
569018	.003	.108	.006	.39	1.64
569019	.002	.122	.007	.35	1.54
569020	<.001	.001	<.001	.06	.02
569021	.003	.188	.008	.35	1.61
569022	.006	.165	.008	.36	1.40
569023	.024	.196	.010	.46	.79
569024	.025	.241	.014	.64	1.06
569025 (pulp)	.089	.256	.010	.69	.93
569026 (pulp)	.043	.415	.024	1.21	1.84
569027	.006	.164	.009	.24	.66
STANDARD R-3	.757	.421	.052	4.57	.16

CU* NI* CO* FE* MG* - LEACHED WITH H2O2 + NH4 CITRATE.
- SAMPLE TYPE: DRILL CORE P150
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: AUG 16 2007 DATE REPORT MAILED: AUG 22 2007





SAMPLE#	Cu* %	Ni* %	Co* %	Fe* %	Mg* %
G-1	<.001	<.001	<.001	.03	.02
569028	.028	.316	.016	.56	1.62
569029	.014	.283	.010	.52	2.10
569030	.018	.321	.013	.56	1.95
569031	.023	.292	.013	.58	2.11
569032	.026	.222	.014	.45	1.40
569033	.013	.234	.011	.48	1.46
569034	.016	.192	.010	.38	1.40
569035	.026	.224	.015	.44	1.34
569036	.013	.190	.014	.29	1.10
RE 569036	.014	.195	.014	.29	1.11
569037	.006	.220	.009	.33	1.15
569038	.006	.240	.010	.29	1.14
569039	.006	.212	.009	.28	1.17
569040A	.007	.216	.010	.27	.93
569040B	.007	.219	.010	.27	.92
569041	.014	.183	.009	.35	.90
569042	.011	.228	.010	.29	.78
569043	.010	.242	.010	.30	.76
STANDARD R-3	.769	.424	.050	4.05	.13

Sample type: DRILL CORE P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEM PRECIOUS METALS ANALYSIS



Hard Creek Nickel Corporation PROJECT Tur C07-194A File # A718187 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
G1	4	<3	<2	-
568997	4	5	10	9.1
568998	4	5	10	11.2
568999	2	22	28	10.3
569000 (pulp) IS	-	-	-	-
569001 (pulp) IS	-	-	-	-
569002	7	3	6	10.8
569003	<2	3	10	11.1
569004	3	4	6	11.5
569005	2	<3	6	9.6
RE 569005	<2	4	4	-
RRE 569005	<2	<3	5	-
569006	<2	4	6	11.1
569007	<2	17	26	10.1
569008	<2	12	9	10.3
569009	<2	<3	9	10.4
569010A	<2	<3	7	11.0
569010B	<2	<3	10	-
569011	<2	15	21	10.9
569012	<2	4	6	10.7
569013	<2	<3	7	11.5
569014	<2	11	14	10.2
569015	<2	3	12	10.5
569016	<2	11	12	10.2
569017	<2	14	17	9.7
569018	<2	4	6	9.5
569019	<2	4	7	10.6
569020	<2	<3	<2	1.9
569021	<2	3	15	9.1
569022	<2	10	15	10.3
569023	<2	10	13	10.3
569024	<2	5	15	9.6
569025 (pulp) IS	-	-	-	-
569026 (pulp) IS	-	-	-	-
569027	<2	3	5	10.3
STANDARD FA-10R	491	462	470	-

GROUP 3B - FIRE GEOCHEM AU, PT, PD - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: DRILL CORE P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: AUG 16 2007 DATE REPORT MAILED:.....

AUG 23 2007

200

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
G-1	<2	<3	<2	-
569028	<2	18	17	9.9
569029	<2	30	33	9.4
569030	<2	24	25	10.1
569031	<2	22	22	10.3
569032	6	12	17	8.6
569033	3	12	9	8.3
569034	3	20	10	8.8
569035	2	18	15	9.1
569036	5	21	18	8.0
RE 569036	4	19	22	-
569037	5	6	5	7.7
569038	<2	9	9	8.7
569039	<2	10	12	8.0
569040A	<2	10	11	9.0
569040B	<2	11	14	-
569041	<2	8	15	8.7
569042	<2	7	14	8.6
569043	2	15	14	8.5
STANDARD FA-10R	483	481	482	-

Sample type: DRILL CORE P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE

Hard Creek Nickel Corporation PROJECT Tur C07-194A File # A718187 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE# S/TOT
%

G1	<.02
568997	.08
568998	.10
568999	.09
569000 (pulp)	.46
569001 (pulp)	1.39
569002	.07
569003	.05
569004	.07
569005	.07
RE 569005	.06
RRE 569005	.07
569006	.08
569007	.12
569008	.09
569009	.10
569010A	.08
569010B	.09
569011	.14
569012	.08
569013	.11
569014	.08
569015	.11
569016	.06
569017	.12
569018	.08
569019	.11
569020	.03
569021	.11
569022	.25
569023	.95
569024	1.16
569025 (pulp)	1.03
569026 (pulp)	4.16
569027	.30
STANDARD CSC	4.12

TOTAL S GROUP 2A BY LECO.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE P150

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.


Data FA

DATE RECEIVED: AUG 16 2007

DATE REPORT MAILED: AUG. 29, 2007

202

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	S/TOT %
G-1	<.02
569028	.69
569029	.52
569030	.72
569031	.58
569032	.52
569033	.47
569034	.35
569035	.51
569036	.50
RE 569036	.48
569037	.33
569038	.37
569039	.29
569040A	.43
569040B	.42
569041	.55
569042	.52
569043	.53
STANDARD CSC	4.27

Sample type: DRILL CORE P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194A File # A718187A

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	S.G. Sample	
	- kg	
569012	3.08	10.7
569022	3.13	10.3
569032	2.74	8.6

S.G. GROUP 8 BY SPECIFIC GRAVITY.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE

SEP 04 2007

Data ___ FA ___

DATE RECEIVED: AUG 16 2007 DATE REPORT MAILED:.....





ASSAY CERTIFICATE

Hard Creek Nickel Corporation PROJECT Tur C07-194B File # A718604
1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

PHONE (604) 253-3158 FAX (604) 253-1716

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/t	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	V %	Ca %	P %	Cr %	Mg %	Ti %	Al %	Na %	K %	W %	S %
G-1	<.001	.001	<.02	.02	<2	.003	.001	.08	2.32	<.02	.07	<.001	<.01	<.01	.01	2.42	.08	.003	.95	.23	8.07	2.76	3.10	<.01	<.01
569044	<.001	.016	<.02	.03	<2	.221	.010	.14	7.10	<.02	<.01	<.001	<.01	<.01	.02	2.07	<.01	.110	20.63	.03	.19	.02	.01	<.01	<.01
569045	<.001	.012	<.02	.01	<2	.185	.010	.17	7.21	<.02	<.01	<.001	<.01	<.01	.02	2.58	<.01	.144	19.59	.04	.26	.01	.01	<.01	.45
569046	<.001	.010	<.02	.01	<2	.180	.011	.14	7.49	<.02	<.01	<.001	<.01	<.01	.01	1.55	<.01	.124	21.19	.03	.16	<.01	<.01	<.01	.46
569047	<.001	.026	<.02	.01	<2	.251	.012	.16	7.67	<.02	<.01	<.001	<.01	<.01	.02	1.93	<.01	.117	20.11	.04	.22	.01	<.01	<.01	.34
569048	<.001	.020	<.02	.01	<2	.183	.012	.18	8.34	<.02	<.01	<.001	<.01	<.01	.02	3.29	<.01	.212	17.67	.05	.33	.01	<.01	<.01	.66
569049	<.001	.014	<.02	.01	<2	.211	.011	.18	7.71	<.02	<.01	<.001	<.01	<.01	.02	1.48	<.01	.138	19.26	.04	.28	.01	<.01	<.01	.82
569050 (pulp)	<.001	.054	<.02	.02	<2	.223	.011	.11	8.37	<.02	<.01	<.001	<.01	<.01	.02	4.31	<.01	.949	13.72	.18	4.03	.33	.11	<.01	.55
569051	<.001	.046	<.02	<.01	<2	.391	.027	.12	12.69	<.02	<.01	<.001	<.01	<.01	.02	4.31	<.01	.179	21.33	.02	.28	.03	.09	<.01	.40
569052	<.001	.012	<.02	.01	<2	.167	.010	.18	7.26	<.02	<.01	<.001	<.01	<.01	.01	1.15	<.01	.179	21.33	.02	.28	.03	.09	<.01	2.77
569053	<.001	.009	<.02	.01	<2	.161	.009	.19	7.28	<.02	<.01	<.001	<.01	<.01	.02	2.50	<.01	.132	19.03	.04	.27	.01	<.01	<.01	.52
569054	<.001	.007	<.02	.01	<2	.163	.010	.17	7.91	<.02	<.01	<.001	<.01	<.01	.02	1.21	<.01	.094	19.64	.05	.32	.01	.01	<.01	.33
569055	<.001	.007	<.02	.01	<2	.154	.010	.19	7.81	<.02	<.01	<.001	<.01	<.01	.02	.97	<.01	.087	19.02	.06	.38	.01	.01	<.01	.32
569056	<.001	.016	<.02	.01	<2	.198	.012	.19	8.13	<.02	<.01	<.001	<.01	<.01	.02	1.14	<.01	.117	17.98	.08	.68	.02	.03	<.01	.34
569057	<.001	.013	<.02	.01	<2	.129	.010	.21	8.14	<.02	<.01	<.001	<.01	<.01	.03	1.62	<.01	.129	17.90	.09	.92	.03	.05	<.01	.79
569058	<.001	.011	<.02	.01	<2	.169	.011	.18	7.85	<.02	<.01	<.001	<.01	<.01	.02	.61	<.01	.111	19.15	.08	1.03	.01	.02	<.01	.81
569059	<.001	.009	<.02	.01	<2	.200	.011	.14	6.90	<.02	<.01	<.001	<.01	<.01	.02	.65	<.01	.085	19.15	.12	1.86	.01	.06	<.01	.63
569060	<.001	.006	<.02	<.01	<2	.166	.010	.13	6.90	<.02	<.01	<.001	<.01	<.01	.02	1.80	.01	.079	19.04	.19	1.60	.03	.06	<.01	.53
569061	<.001	.005	<.02	.01	<2	.190	.010	.13	6.23	<.02	<.01	<.001	<.01	<.01	.01	.52	<.01	.099	20.25	.14	1.51	.01	.08	<.01	.32
569062	<.001	.005	<.02	.01	<2	.183	.010	.16	6.82	<.02	<.01	<.001	<.01	<.01	.01	.61	.01	.077	19.62	.11	1.12	.01	.07	<.01	.37
RE 569062	<.001	.005	<.02	.01	<2	.183	.010	.16	6.82	<.02	<.01	<.001	<.01	<.01	.01	.61	.01	.077	19.62	.11	1.12	.01	.07	<.01	.35
RRE 569062	<.001	.005	<.02	.01	<2	.183	.010	.16	6.75	<.02	<.01	<.001	<.01	<.01	.01	.62	.01	.075	19.90	.11	1.12	.01	.08	<.01	.34
569063	<.001	.009	<.02	<.01	<2	.128	.009	.16	6.94	<.02	<.01	<.001	<.01	<.01	.01	.57	.01	.074	19.77	.10	1.09	.01	.07	<.01	.33
569064	<.001	.036	<.02	.01	<2	.185	.015	.15	8.10	<.02	<.01	<.001	<.01	<.01	.02	2.25	<.01	.096	18.03	.10	1.11	.04	.04	<.01	.48
569065	<.001	.027	<.02	<.01	<2	.262	.019	.10	7.82	<.02	.01	<.001	<.01	<.01	.01	1.18	<.01	.160	21.05	.04	.43	<.01	.04	<.01	1.30
569066	<.001	.008	<.02	<.01	<2	.187	.011	.10	5.59	<.02	.01	<.001	<.01	<.01	.01	1.07	<.01	.104	21.03	.06	.58	<.01	.03	<.01	.85
STANDARD R-3	.080	.823	2.05	4.27	204	.543	.063	.10	32.53	.03	<.01	.023	.04	<.01	.02	2.26	.05	.021	1.75	.18	2.51	.34	.60	<.01	16.04

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCl) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA

DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED: Sept. 4/07.

REVISED COPY





ASSAY CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194B File # A718604
1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#


Cu* Ni* Co* Fe* Mg*
% % % % %

G-1	.001	.003	<.001	.10	.09
569044	.017	.245	.009	.33	.75
569045	.011	.196	.009	.31	.65
569046	.010	.192	.010	.27	.81
569047	.028	.272	.011	.39	.70
569048	.021	.191	.010	.40	.50
569049	.014	.196	.008	.61	1.19
569050 (pulp)	.058	.196	.007	.32	.29
569051	.048	.417	.023	1.09	1.62
569052	.012	.168	.008	.47	1.07
569053	.009	.133	.006	.39	.72
569054	.007	.148	.007	.29	.69
569055	.008	.121	.006	.37	.63
569056	.016	.182	.009	.42	.49
569057	.013	.114	.007	.41	.56
569058	.011	.150	.008	.37	.59
569059	.009	.169	.007	.49	.91
569060	.007	.133	.006	.30	.58
569061	.004	.160	.006	.39	.87
569062	.005	.151	.006	.40	.78
RE 569062	.005	.147	.006	.35	.66
RRE 569062	.005	.151	.006	.35	.69
569063	.010	.109	.006	.34	.56
569064	.038	.182	.012	.77	1.11
569065	.028	.258	.016	.40	.99
569066	.009	.177	.008	.32	1.08
STANDARD R-3	.778	.416	.051	3.40	.13

CU* NI* CO* FE* MG* - LEACHED WITH H2O2 + NH4 CITRATE.
- SAMPLE TYPE: DRILL CORE R150
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____

DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED: Sept 4/07





GEOCHEM PRECIOUS METALS ANALYSIS



Hard Creek Nickel Corporation PROJECT Tur C07-194B File # A718604

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
G-1	<2	<3	<2	-
569044	5	25	34	8.3
569045	6	6	17	9.6
569046	3	5	5	8.6
569047	8	15	34	9.4
569048	11	7	11	9.8
569049	14	10	16	9.7
569050 (pulp)	-	-	-	-
569051 (empty)	-	-	-	-
569052	3	9	8	10.0
569053	3	4	5	9.9
569054	4	4	4	8.8
569055	7	4	4	9.2
569056	5	6	9	9.6
569057	6	3	7	9.4
569058	6	9	6	8.7
569059	3	5	5	8.9
569060	11	4	4	9.3
569061	3	5	14	8.9
569062	4	9	12	8.8
RE 569062	4	9	11	-
RRE 569062	4	10	10	-
569063	2	3	5	8.9
569064	12	15	25	10.0
569065	15	32	29	9.8
569066	44	8	7	9.3
STANDARD FA-10R	493	490	490	-


GROUP 3B - FIRE GEOCHEM AU, PT, PD - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.

GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.

- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

SEP 05 2007

Data FA DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194B File # A718604

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	S/TOT %
---------	---------

G-1	<.02
569044	.63
569045	.62
569046	.46
569047	.96
569048	1.11
569049	.72
569050 (pulp)	.53
569051	4.06
569052	.70
569053	.40
569054	.43
569055	.43
569056	1.05
569057	1.04
569058	.86
569059	.69
569060	.47
569061	.48
569062	.42
RE 569062	.44
RRE 569062	.40
569063	.61
569064	1.51
569065	1.29
569066	.48
STANDARD CSC	4.11

TOTAL S GROUP 2A BY LECO.
- SAMPLE TYPE: DRILL CORE R150
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ___ FA ___

DATE RECEIVED: AUG 13 2007

DATE REPORT MAILED: AUG 31 2007





ASSAY CERTIFICATE




Hard Creek Nickel Corporation PROJECT Tur C07-194B File # A718604A
1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	S.G.	Sample kg
569052	2.78	10.0
569062	2.72	8.8

S.G. GROUP 8 BY SPECIFIC GRAVITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: DRILL CORE

SEP 04 2007

Data ___ FA ___ DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194C File # A718605 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/t	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	V %	Ca %	P %	Cr %	Mg %	Ti %	Al %	Na %	K %	W %	S %	
G-1	<.001	<.001	<.02	<.01	<2	.001	<.001	.08	2.32	<.02	.07	<.001	<.01	<.01	<.01	2.34	.07	.001	.68	.23	7.65	2.72	2.76	<.01	<.01	
569067	<.001	.011	<.02	.01	<2	.174	.010	.13	7.22	<.02	<.01	<.001	<.01	<.01	.02	1.43	<.01	.107	19.44	.09	.96	.09	.05	<.01	.78	
569068	<.001	.004	<.02	.01	<2	.193	.010	.11	6.07	<.02	<.01	<.001	<.01	<.01	.01	.97	.02	.058	21.90	.09	.82	.04	.02	<.01	.28	
569069	<.001	.007	<.02	.01	<2	.218	.009	.12	5.37	<.02	<.01	<.001	<.01	<.01	.01	.71	<.01	.048	20.79	.07	.60	.02	.02	<.01	.30	
569070A	<.001	.006	<.02	.01	<2	.133	.007	.19	5.67	<.02	<.01	<.001	<.01	<.01	.01	1.70	.01	.068	16.87	.16	1.35	.07	.23	<.01	.27	
569070B	<.001	.006	<.02	.01	<2	.129	.007	.20	5.59	<.02	<.01	<.001	<.01	<.01	.01	1.70	.01	.072	16.78	.19	1.33	.07	.24	<.01	.27	
569071	<.001	.003	<.02	<.01	<2	.215	.010	.11	5.27	<.02	<.01	<.001	<.01	<.01	.01	.26	<.01	.060	22.01	.11	1.03	.02	.02	<.01	.24	
569072	<.001	.012	<.02	.01	3	.176	.010	.13	6.06	<.02	<.01	<.001	<.01	<.01	.01	.24	<.01	.083	20.10	.11	1.00	.02	.02	<.01	.66	
569073	<.001	.007	<.02	.02	<2	.136	.008	.15	5.70	<.02	<.01	<.001	<.01	<.01	.02	1.14	<.01	.101	19.03	.13	.99	.03	.02	<.01	.58	
569074	.002	.012	<.02	.02	<2	.102	.007	.16	6.08	<.02	<.01	<.001	<.01	<.01	.04	2.28	<.01	.113	17.11	.11	.64	.05	.01	<.01	.89	
569075 (pulp)	<.001	.055	<.02	.02	<2	.237	.011	.11	8.91	<.02	<.01	<.001	<.01	<.01	.02	4.33	<.01	.968	14.59	.19	4.20	.33	.10	<.01	.44	
569076 (empty)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
569077	<.001	.009	<.02	.02	<2	.163	.007	.13	5.80	<.02	<.01	<.001	<.01	<.01	.02	.71	<.01	.070	17.01	.12	.65	.02	.01	<.01	.69	
569078	.006	.011	<.02	.05	2	.126	.007	.18	6.80	<.02	<.01	.001	<.01	<.01	.04	2.77	<.01	.107	14.87	.18	1.71	.06	.01	<.01	.67	
569079	.003	.020	<.02	.04	<2	.102	.008	.14	8.70	<.02	<.01	<.001	<.01	<.01	.05	1.21	<.01	.120	17.03	.19	1.51	.04	.02	<.01	1.35	
569080 (rock)	.002	.001	<.02	.01	<2	.009	.001	.07	1.64	<.02	.08	<.001	<.01	<.01	.01	1.84	.02	.005	.80	.08	7.50	3.46	1.12	<.01	.17	
569081	.003	.011	<.02	.03	<2	.168	.009	.14	6.45	<.02	<.01	<.001	<.01	<.01	.03	1.06	<.01	.080	19.19	.12	.95	.05	.02	<.01	.73	
569082	.003	.027	<.02	.02	2	.096	.008	.17	7.51	<.02	<.01	.001	<.01	<.01	.05	5.65	.03	.105	13.23	.09	.39	.07	.02	<.01	1.56	
569083	<.001	.011	<.02	.02	<2	.149	.009	.15	6.83	<.02	<.01	<.001	<.01	<.01	.02	1.83	<.01	.118	19.48	.08	.52	.03	.01	<.01	.57	
RE 569083	<.001	.011	<.02	.02	<2	.148	.009	.15	6.81	<.02	<.01	<.001	<.01	<.01	.02	1.89	<.01	.115	19.97	.08	.52	.03	.01	<.01	.56	
RRE 569083	<.001	.011	<.02	.02	<2	.149	.009	.15	6.85	<.02	<.01	<.001	<.01	<.01	.02	1.85	<.01	.116	19.22	.08	.51	.03	.01	<.01	.58	
569084	.001	.028	<.02	.02	<2	.161	.010	.18	8.20	<.02	<.01	<.001	<.01	<.01	.03	2.34	<.01	.079	18.16	.08	.53	.03	.01	<.01	1.34	
569085	.006	.026	<.02	.02	<2	.147	.010	.20	7.88	<.02	<.01	<.001	<.01	<.01	.04	3.87	.02	.122	17.14	.09	.39	.04	.02	<.01	1.39	
569086	.003	.025	<.02	.02	<2	.124	.009	.23	8.08	<.02	<.01	<.001	<.01	<.01	.03	4.81	.01	.115	15.79	.10	.42	.05	.02	<.01	1.27	
569087	<.001	.011	<.02	.01	2	.213	.010	.17	6.42	<.02	<.01	<.001	<.01	<.01	.02	2.20	<.01	.095	20.17	.07	.41	.03	.01	<.01	.59	
569088	<.001	.012	<.02	.01	<2	.319	.013	.06	6.93	<.02	<.01	<.001	<.01	<.01	.01	.14	<.01	.192	22.86	.02	.16	.01	<.01	<.01	.38	
569089	<.001	.010	<.02	<.01	<2	.253	.012	.08	6.03	<.02	<.01	<.001	<.01	<.01	.01	.10	<.01	.073	22.62	.02	.19	.01	<.01	<.01	.31	
569090	<.001	.006	<.02	<.01	<2	.201	.011	.06	6.32	<.02	<.01	<.001	<.01	<.01	.01	.03	<.01	.083	23.21	.02	.14	.01	<.01	<.01	.22	
569091	<.001	.009	<.02	<.01	<2	.186	.009	.17	5.86	<.02	<.01	<.001	<.01	<.01	.01	1.98	.01	.066	20.47	.07	1.19	.01	.01	<.01	.41	
569092	<.001	.014	<.02	.01	<2	.157	.009	.16	5.72	<.02	<.01	<.001	<.01	<.01	.01	3.56	<.01	.101	17.87	.06	.52	.03	.01	<.01	.48	
569093	<.001	.013	<.02	.01	<2	.147	.009	.18	6.30	<.02	<.01	<.001	<.01	<.01	.02	2.75	<.01	.095	18.28	.07	.94	.03	.01	<.01	.61	
569094	<.001	.020	<.02	.01	<2	.210	.011	.16	6.38	<.02	<.01	<.001	<.01	<.01	.02	1.42	<.01	.103	18.43	.07	.46	.03	.01	<.01	.59	
569095	<.001	.011	<.02	.01	<2	.145	.008	.17	6.05	<.02	<.01	<.001	<.01	<.01	.02	1.56	.02	.078	18.04	.11	1.60	.03	.09	<.01	.31	
569096	<.001	.034	<.02	.01	<2	.171	.012	.18	7.09	<.02	<.01	<.001	<.01	<.01	.02	2.71	<.01	.115	17.70	.09	.47	.04	.01	<.01	.79	
569097	<.001	.016	<.02	<.01	<2	.211	.010	.11	6.87	<.02	<.01	<.001	<.01	<.01	.01	.23	<.01	.083	22.06	.03	.21	.01	<.01	<.01	.40	
STANDARD R-3	.076	.828	2.11	4.27	202	.543	.061	.09	31.51	.03	<.01	.022	.03	<.01	.02	2.22	.05	.019	1.62	.18	2.42	.33	.61	<.01	15.68	

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED: SEP 04 2007





SAMPLE#	Mo %	Cu %	Pb %	Zn %	Ag gm/t	Ni %	Co %	Mn %	Fe %	As %	Sr %	Cd %	Sb %	Bi %	V %	Ca %	P %	Cr %	Mg %	Ti %	Al %	Na %	K %	W %	S %
G-1	<.001	<.001	<.02	<.01	<2	.001	<.001	.07	2.25	<.02	.07	<.001	<.01	<.01	<.01	2.38	.07	.013	.65	.22	8.21	2.70	2.95	<.01	<.01
569098	.001	.010	<.02	.02	2	.056	.004	.09	5.02	<.02	.01	<.001	<.01	<.01	.02	1.45	.03	.082	8.04	.21	4.87	1.49	1.16	<.01	.82
569099	.002	.006	<.02	.02	<2	.007	.001	.08	3.93	<.02	.02	<.001	<.01	<.01	.02	1.60	.06	.007	1.49	.27	7.26	1.73	2.16	<.01	.81
569100 (pulp)	<.001	.097	<.02	<.01	7	.344	.015	.05	8.93	<.02	<.01	<.001	<.01	<.01	.01	3.03	.01	.408	14.68	.14	2.82	.24	.05	<.01	.82
569101	<.001	.030	<.02	<.01	3	.251	.016	.11	8.57	<.02	<.01	<.001	<.01	<.01	<.01	.67	<.01	.176	23.53	.02	.30	.01	.07	<.01	1.03
569102	<.001	.005	<.02	.01	2	.006	.001	.08	3.48	<.02	.02	<.001	<.01	<.01	.01	1.54	.06	.007	1.58	.26	6.78	1.60	1.84	<.01	.76
569103	<.001	.005	<.02	.01	3	.006	.001	.12	3.25	<.02	.02	<.001	<.01	<.01	.01	2.31	.06	.005	1.48	.20	6.19	1.57	1.76	<.01	.75
STANDARD R-3	.075	.791	1.93	3.99	195	.536	.061	.09	31.11	.03	<.01	.023	.03	<.01	.02	2.12	.05	.020	1.66	.17	2.37	.33	.60	<.01	15.34

Sample type: DRILL CORE R150.



ASSAY CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194C File # A718605 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross


SAMPLE#	Cu* %	Ni* %	Co* %	Fe* %	Mg* %
G-1	<.001	<.001	<.001	.07	.03
569067	.010	.146	.007	.37	.55
569068	.003	.132	.005	.29	.78
569069	.006	.163	.005	.24	.53
569070A	.005	.079	.003	.14	.28
569070B	.005	.076	.003	.13	.25
569071	.002	.160	.006	.23	.51
569072	.011	.133	.007	.26	.37
569073	.006	.101	.005	.19	.33
569074	.011	.076	.005	.16	.20
569075 (pulp)	.057	.203	.006	.30	.32
569076	.046	.423	.022	1.21	1.96
569077	.009	.111	.004	.16	.17
569078	.009	.052	.003	.13	.17
569079	.019	.076	.005	.30	.30
569080 (rock)	.001	.006	<.001	.05	.05
569081	.011	.127	.005	.30	.39
569082	.026	.077	.005	.45	.32
569083	.010	.122	.006	.31	.54
RE 569083	.009	.123	.006	.39	.71
RRE 569083	.010	.123	.006	.34	.59
569084	.028	.131	.008	.47	.40
569085	.027	.128	.007	.46	.44
569086	.025	.113	.007	.55	.60
569087	.010	.181	.007	.34	.79
569088	.010	.307	.010	.36	.93
569089	.010	.258	.010	.33	.90
569090	.005	.205	.009	.24	.84
569091	.008	.163	.006	.27	.67
569092	.013	.125	.006	.30	.53
569093	.013	.118	.006	.30	.46
569094	.021	.162	.007	.29	.31
569095	.012	.107	.004	.23	.37
569096	.033	.145	.008	.39	.38
569097	.014	.179	.006	.34	.67
STANDARD R-3	.750	.426	.051	4.31	.18

CU* NI* CO* FE* MG* - LEACHED WITH H2O2 + NH4 CITRATE.
- SAMPLE TYPE: DRILL CORE R150
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____

DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED: Sept 4/07

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Cu* %	Ni* %	Co* %	Fe* %	Mg* %
G-1	<.001	<.001	<.001	.14	.11
569098	.009	.037	.002	.49	.33
569099	.005	.004	.001	.86	.48
569100 (pulp)	.095	.242	.010	.68	.86
569101	.031	.219	.012	.93	2.90
569102	.004	.003	<.001	1.03	.61
569103	.004	.004	<.001	1.36	.80
STANDARD R-3	.762	.422	.054	7.60	.14

Sample type: DRILL CORE R150.

GEOCHEM PRECIOUS METALS ANALYSIS

Hard Creek Nickel Corporation PROJECT Tur C07-194C File # A718605 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
G-1	<2	<3	<2	-
569067	<2	11	4	9.2
569068	9	6	4	9.0
569069	12	13	15	7.0
569070A	<2	3	3	9.6
569070B	<2	3	4	-
569071	<2	5	4	8.1
569072	<2	4	8	7.6
569073	<2	4	4	9.3
569074	<2	<3	4	7.6
569075 (pulp) NS	-	-	-	-
569076 NS	-	-	-	-
569077	<2	8	8	8.4
569078	4	6	12	10.4
569079	<2	<3	12	8.7
569080 (rock)	<2	<3	3	1.8
569081	4	6	9	9.3
569082	33	7	12	10.5
569083	4	7	8	9.1
RE 569083	3	8	8	-
RRE 569083	4	6	7	-
569084	3	4	11	9.4
569085	5	13	18	9.6
569086	4	5	15	9.2
569087	<2	70	100	9.1
569088	<2	264	303	8.6
569089	50	23	53	9.2
569090	5	12	22	9.5
569091	54	13	23	9.2
569092	<2	4	8	8.5
569093	3	4	10	8.9
569094	7	41	36	9.8
569095	6	8	12	8.7
569096	2	14	20	8.6
569097	25	61	47	8.9
STANDARD FA-10R	486	483	470	-

GROUP 3B - FIRE GEOCHEM AU, PT, PD - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.
GROUP 6 AU RECOMMENDED IF >10PPM FOR 30 GM, >5PPM FOR 50 GM.
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED: SEP 04 2007



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** ppb	Pt** ppb	Pd** ppb	Sample kg
G-1	2	<3	<2	-
569098	3	3	6	8.7
569099	5	<3	3	7.9
569100 (pulp) NS	-	-	-	-
569101 NS	-	-	-	-
569102	4	<3	13	4.7
569103	4	<3	4	5.4
STANDARD FA-10R	461	469	475	-

Sample type: DRILL CORE R150.

GEOCHEMICAL ANALYSIS CERTIFICATE

Hard Creek Nickel Corporation PROJECT Tur C07-194C File # A718605 Page 1

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross



SAMPLE#	S/TOT %
---------	---------

G-1	<.02
569067	1.00
569068	.34
569069	.42
569070A	.37
569070B	.39
569071	.30
569072	.94
569073	.84
569074	1.22
569075 (pulp)	.51
569076	4.30
569077	1.05
569078	.81
569079	1.72
569080 (rock)	.25
569081	.98
569082	1.71
569083	.69
RE 569083	.72
RRE 569083	.72
569084	1.54
569085	1.59
569086	1.55
569087	.67
569088	.54
569089	.50
569090	.33
569091	.56
569092	.62
569093	.80
569094	.89
569095	.42
569096	1.05
569097	.57
STANDARD CSC	4.24

TOTAL S GROUP 2A BY LECO.
 - SAMPLE TYPE: DRILL CORE R150
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ___ FA ___ DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED:..... AUG 31 2007





SAMPLE#	S/TOT %
G-1	.04
569098	1.13
569099	1.00
569100 (pulp)	1.08
569101	1.33
569102	.93
569103	.93
STANDARD CSC	4.09

Sample type: DRILL CORE R150.



ASSAY CERTIFICATE



Hard Creek Nickel Corporation PROJECT Tur C07-194C File # A718605A

1060 - 1090 W. Georgia St, Vancouver BC V6E 3V7 Submitted by: Greg Ross

SAMPLE#	S.G. Sample	
	-	kg
569072	2.73	7.6
569082	3.02	10.5
569102	2.69	4.7

S.G. GROUP 8 BY SPECIFIC GRAVITY.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE

SEP 04 2007

Data ___ FA ___

DATE RECEIVED: AUG 13 2007 DATE REPORT MAILED:.....



Hole 07-200



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: October 26, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000049.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID:
 P.O. Number: ACME FILE: A718260
 Number of Samples: 34

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	34	Crush, split and pulverize drill core to 150 mesh		Completed
3B	34	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	34	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	34	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	34	Analysis by Leco		Completed
Specific Gravity	34	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000049.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	ppm	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569227	Drill Core	7.9	4	5	3	<0.001	0.002	<0.02	<0.01	<2	0.252	0.014	0.14	8.16	<0.02	<0.01	<0.001	<0.01	<0.01	88.87	0.82
569228	Drill Core	11.3	<2	3	<2	<0.001	0.003	<0.02	<0.01	<2	0.214	0.013	0.13	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	68.22	1.05
569229	Drill Core	8.7	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.167	0.011	0.10	6.76	<0.02	0.02	<0.001	<0.01	<0.01	79.16	2.49
RRE 569229	Drill Core		3	4	2	<0.001	0.002	<0.02	<0.01	<2	0.169	0.011	0.10	6.78	<0.02	0.02	<0.001	<0.01	<0.01	68.31	2.10
569230	Drill Core	1.2	2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.00	<0.02	0.09	<0.001	<0.01	<0.01	7.13	2.11
569231	Drill Core	8.9	<2	4	<2	<0.001	0.005	<0.02	<0.01	<2	0.162	0.009	0.10	5.44	<0.02	<0.01	<0.001	<0.01	<0.01	54.32	4.74
569232	Drill Core	11.4	<2	4	2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.014	0.13	7.43	<0.02	<0.01	<0.001	<0.01	<0.01	68.50	0.70
569233	Drill Core	11.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.232	0.013	0.13	7.53	<0.02	<0.01	<0.001	<0.01	<0.01	60.24	0.30
569234	Drill Core	10.6	4	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.222	0.013	0.13	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	59.20	0.15
569235	Drill Core	10.6	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.220	0.012	0.12	7.13	<0.02	<0.01	<0.001	<0.01	<0.01	56.84	0.46
569236	Drill Core	9.8	20	5	11	<0.001	0.001	<0.02	<0.01	<2	0.208	0.013	0.12	7.05	<0.02	<0.01	<0.001	<0.01	<0.01	53.70	0.83
569237	Drill Core	10.8	<2	3	2	<0.001	<0.001	<0.02	<0.01	<2	0.213	0.013	0.12	7.46	<0.02	<0.01	<0.001	<0.01	<0.01	45.16	0.54
569238	Drill Core	10.7	54	5	<2	<0.001	0.001	<0.02	<0.01	<2	0.231	0.014	0.13	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	55.37	0.44
569239	Drill Core	10.9	3	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.196	0.013	0.12	7.55	<0.02	<0.01	<0.001	<0.01	<0.01	57.56	0.67
569240	Drill Core	10.4	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.190	0.012	0.12	8.39	<0.02	<0.01	<0.001	<0.01	<0.01	64.11	0.31
569241	Drill Core	10.7	2	4	5	<0.001	0.004	<0.02	<0.01	<2	0.194	0.012	0.12	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	97.92	0.47
569242	Drill Core	10	<2	<3	<2	<0.001	0.006	<0.02	<0.01	<2	0.173	0.012	0.11	7.37	<0.02	<0.01	<0.001	<0.01	<0.01	137.6	0.62
569243	Drill Core	8.5	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.182	0.011	0.13	6.94	<0.02	<0.01	<0.001	<0.01	<0.01	89.22	0.71
569244	Drill Core	10.1	<2	5	3	<0.001	0.006	<0.02	<0.01	<2	0.198	0.011	0.13	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	35.74	0.59
569245	Drill Core	9.5	10	<3	2	<0.001	0.005	<0.02	<0.01	<2	0.105	0.007	0.10	5.97	<0.02	0.03	<0.001	<0.01	<0.01	112.6	2.31
569246	Drill Core	10.4	<2	<3	<2	<0.001	0.008	<0.02	<0.01	<2	0.044	0.004	0.15	6.14	<0.02	0.08	<0.001	<0.01	<0.01	186.6	5.80
569247	Drill Core	9.7	4	4	3	<0.001	0.009	<0.02	<0.01	<2	0.175	0.009	0.13	6.34	<0.02	0.02	<0.001	<0.01	<0.01	45.84	4.39
569248	Drill Core	10.4	4	<3	<2	<0.001	0.008	<0.02	<0.01	<2	0.218	0.011	0.12	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	28.76	1.74
569249	Drill Core	10.3	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.225	0.012	0.11	6.66	<0.02	<0.01	<0.001	<0.01	<0.01	19.79	0.96
569250	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	<2	0.341	0.016	0.05	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	105.7	3.32
569251	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.028	<0.02	<0.01	<2	0.235	0.016	0.11	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	22.45	0.69
569252	Drill Core	11.4	2	<3	3	<0.001	<0.001	<0.02	<0.01	<2	0.215	0.013	0.11	7.19	<0.02	<0.01	<0.001	<0.01	<0.01	30.19	0.88
569253	Drill Core	10.9	<2	3	3	<0.001	0.006	<0.02	<0.01	<2	0.211	0.013	0.11	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	23.86	0.66
569254	Drill Core	11.3	<2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.214	0.013	0.12	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	19.63	0.78
569255	Drill Core	11.4	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.209	0.013	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	30.38	0.83



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000049.1

Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
	%	%	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	0
569227	Drill Core	0.01	0.150	26.41	174.8	0.10	0.01	<0.01	<0.01	0.08	0.002	0.112	0.006	0.31	1.44	0.10	N.A.
569228	Drill Core	0.01	0.186	25.68	198.6	0.14	<0.01	<0.01	<0.01	0.07	0.002	0.097	0.006	0.32	1.93	0.10	N.A.
569229	Drill Core	0.03	0.140	21.50	688.4	1.40	0.02	0.31	<0.01	0.07	0.002	0.097	0.007	0.18	0.91	0.09	N.A.
RRE 569229	Drill Core	0.02	0.140	21.40	538.5	1.22	0.02	0.26	<0.01	0.08	0.002	0.090	0.006	0.17	0.79	0.10	N.A.
569230	Drill Core	0.03	0.003	0.22	702.1	8.26	3.84	1.16	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	0.03	<0.02	N.A.
569231	Drill Core	0.02	0.197	19.52	396.3	0.93	<0.01	0.01	<0.01	0.08	0.005	0.127	0.007	0.22	0.59	0.12	N.A.
569232	Drill Core	<0.01	0.214	26.67	143.8	0.10	<0.01	<0.01	<0.01	0.06	<0.001	0.092	0.005	0.26	1.43	0.07	2.93
569233	Drill Core	<0.01	0.248	27.08	109.8	0.08	<0.01	<0.01	<0.01	0.04	<0.001	0.073	0.004	0.31	1.29	0.05	N.A.
569234	Drill Core	<0.01	0.272	26.98	110.6	0.09	<0.01	<0.01	<0.01	0.06	0.001	0.089	0.005	0.34	2.05	0.06	N.A.
569235	Drill Core	0.01	0.214	25.42	114.9	0.09	<0.01	<0.01	<0.01	0.06	0.001	0.097	0.005	0.33	2.11	0.06	N.A.
569236	Drill Core	<0.01	0.237	25.36	179.0	0.13	<0.01	<0.01	<0.01	0.08	<0.001	0.105	0.006	0.29	2.31	0.08	N.A.
569237	Drill Core	<0.01	0.223	26.19	131.1	0.10	<0.01	<0.01	<0.01	0.06	<0.001	0.081	0.005	0.30	2.11	0.06	N.A.
569238	Drill Core	<0.01	0.213	27.07	119.8	0.08	<0.01	<0.01	<0.01	0.06	0.001	0.082	0.005	0.30	1.68	0.08	N.A.
569239	Drill Core	<0.01	0.264	25.93	156.4	0.13	<0.01	<0.01	<0.01	0.06	0.004	0.075	0.005	0.31	1.60	0.06	N.A.
569240	Drill Core	<0.01	0.269	25.95	134.1	0.10	<0.01	<0.01	<0.01	0.07	0.002	0.084	0.005	0.28	1.80	0.07	N.A.
569241	Drill Core	<0.01	0.236	24.69	273.0	0.27	<0.01	<0.01	<0.01	0.04	0.004	0.095	0.006	0.26	2.11	0.10	N.A.
569242	Drill Core	<0.01	0.210	23.66	370.0	0.41	<0.01	0.01	<0.01	0.11	0.004	0.121	0.008	0.23	1.77	0.12	N.A.
569243	Drill Core	<0.01	0.176	23.45	452.7	0.43	<0.01	<0.01	<0.01	0.11	0.002	0.123	0.007	0.25	1.75	0.11	N.A.
569244	Drill Core	<0.01	0.142	23.06	213.7	0.51	0.23	0.03	<0.01	0.13	0.005	0.150	0.008	0.25	1.58	0.15	N.A.
569245	Drill Core	0.07	0.157	14.65	1630	3.76	1.28	0.70	<0.01	0.21	0.006	0.086	0.004	0.21	0.27	0.23	N.A.
569246	Drill Core	0.13	0.052	6.63	3174	7.35	2.59	1.89	<0.01	0.15	0.008	0.031	0.002	0.22	0.23	0.11	N.A.
569247	Drill Core	0.02	0.137	19.56	617.8	1.67	0.69	0.23	<0.01	0.13	0.008	0.116	0.005	0.28	0.99	0.12	N.A.
569248	Drill Core	<0.01	0.102	23.57	245.9	0.28	<0.01	<0.01	<0.01	0.11	0.007	0.129	0.006	0.34	1.34	0.11	N.A.
569249	Drill Core	<0.01	0.150	26.07	132.3	0.09	<0.01	<0.01	<0.01	<0.01	<0.001	0.049	0.003	0.38	1.55	0.04	N.A.
569250	Rock Pulp	<0.01	0.379	15.92	1453	2.83	0.25	0.05	<0.01	0.95	0.085	0.225	0.009	0.53	0.54	0.97	N.A.
569251	Rock Pulp	<0.01	0.135	23.95	208.3	0.30	<0.01	0.07	<0.01	0.99	0.029	0.228	0.012	0.74	1.98	1.38	N.A.
569252	Drill Core	<0.01	0.160	27.00	99.26	0.06	<0.01	<0.01	<0.01	0.03	<0.001	0.045	0.002	0.40	1.44	0.04	3.15
569253	Drill Core	<0.01	0.166	26.43	96.74	0.06	<0.01	<0.01	<0.01	0.07	0.005	0.081	0.004	0.36	2.11	0.06	N.A.
569254	Drill Core	<0.01	0.220	26.77	85.91	0.06	<0.01	<0.01	<0.01	0.04	<0.001	0.039	0.002	0.38	1.48	0.03	N.A.
569255	Drill Core	<0.01	0.291	26.00	103.3	0.07	<0.01	<0.01	<0.01	0.06	0.002	0.076	0.004	0.39	1.89	0.06	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: October 26, 2007

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000049.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	ppm	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569256	Drill Core	10.4	<2	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.215	0.013	0.12	7.83	<0.02	<0.01	<0.001	<0.01	<0.01	34.44	0.90
569257	Drill Core	10.8	<2	<3	5	<0.001	0.003	<0.02	<0.01	<2	0.202	0.012	0.12	7.89	<0.02	<0.01	<0.001	<0.01	<0.01	26.60	1.05
569258	Drill Core	11.4	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.214	0.013	0.12	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	20.47	0.77
569259	Drill Core	9.8	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.169	0.009	0.11	6.41	<0.02	0.02	<0.001	<0.01	<0.01	49.39	2.11



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: October 26, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000049.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569256	Drill Core	<0.01	0.309	25.46	120.8	0.08	<0.01	<0.01	<0.01	0.07	0.002	0.090	0.004	0.34	1.86	0.07	N.A.
569257	Drill Core	<0.01	0.294	24.78	248.0	0.10	<0.01	<0.01	<0.01	0.08	0.003	0.102	0.005	0.28	1.80	0.06	N.A.
569258	Drill Core	<0.01	0.310	26.93	99.22	0.06	<0.01	<0.01	<0.01	0.04	0.001	0.046	0.003	0.44	1.61	0.06	N.A.
569259	Drill Core	0.02	0.177	20.82	602.1	1.45	0.29	0.30	<0.01	0.13	0.003	0.126	0.006	0.33	2.46	0.11	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 30, 2007
 Report Date: October 26, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000064.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-200B
 P.O. Number: ACME FILE: A718295
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	50	Crush, split and pulverize drill core to 150 mesh		Completed
3B	50	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco		Completed
Specific Gravity	50	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000064.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569260	Drill Core	1.6	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.11	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.01
569261	Drill Core	11.7	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.012	0.12	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.48
569262	Drill Core	10.9	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.232	0.013	0.12	7.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.09
569263	Drill Core	10.9	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.225	0.013	0.12	7.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.04
569264	Drill Core	11.6	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.220	0.014	0.12	7.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
569265	Drill Core	11.5	<2	5	3	<0.001	<0.001	<0.02	<0.01	<2	0.222	0.013	0.12	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569266	Drill Core	11.5	<2	6	3	<0.001	0.002	<0.02	<0.01	<2	0.216	0.013	0.12	7.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.66
569267	Drill Core	10.7	<2	5	<2	<0.001	0.001	<0.02	<0.01	<2	0.222	0.014	0.13	8.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.44
569268	Drill Core	12.1	<2	4	2	<0.001	0.005	<0.02	<0.01	<2	0.236	0.013	0.12	7.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.37
569269	Drill Core	11.4	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.222	0.013	0.12	7.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.40
569270	Drill Core	11.3	<2	3	2	<0.001	<0.001	<0.02	<0.01	<2	0.201	0.013	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.99
569271	Drill Core	11.2	<2	5	2	<0.001	0.002	<0.02	<0.01	<2	0.222	0.011	0.11	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.08
569272	Drill Core	11	<2	4	3	<0.001	0.002	<0.02	<0.01	<2	0.232	0.013	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.84
569273	Drill Core	11.4	<2	4	6	<0.001	<0.001	<0.02	<0.01	<2	0.211	0.013	0.13	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
569274	Drill Core	11	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.222	0.013	0.13	7.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
569275	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.101	<0.02	0.01	<2	0.360	0.017	0.05	9.48	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.35
569276	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.058	<0.02	0.02	<2	0.249	0.012	0.11	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.38
569277	Drill Core	11	<2	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.236	0.014	0.14	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.84
RRE 569277	Drill Core	<0.01	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.234	0.014	0.14	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.79
569278	Drill Core	11.1	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.226	0.014	0.14	8.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.08
569279	Drill Core	10.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.222	0.015	0.13	7.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
569280A	Drill Core	11	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.203	0.014	0.12	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
569280B	Drill Core		<2	<3	3	<0.001	<0.001	<0.02	<0.01	<2	0.194	0.014	0.12	7.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
569281	Drill Core	11.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.175	0.014	0.12	7.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
569282	Drill Core	11.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.204	0.015	0.14	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
569283	Drill Core	10.7	<2	3	3	<0.001	0.002	<0.02	<0.01	<2	0.215	0.013	0.14	7.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.03
569284	Drill Core	11.6	<2	9	10	<0.001	0.004	<0.02	<0.01	<2	0.146	0.013	0.13	8.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.08
569285	Drill Core	12	<2	<3	4	<0.001	0.003	<0.02	<0.01	<2	0.159	0.012	0.13	7.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.90
569286	Drill Core	10.6	<2	14	16	<0.001	0.007	<0.02	<0.01	<2	0.123	0.011	0.12	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.01
569287	Drill Core	11.7	<2	<3	4	<0.001	0.006	<0.02	<0.01	<2	0.116	0.010	0.12	6.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.68



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000064.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569260	Drill Core	0.01	<0.001	0.23	0.07	7.50	3.72	1.33	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	<0.01	<0.02	N.A.
569261	Drill Core	<0.01	0.231	28.14	0.02	0.13	0.04	0.02	<0.01	<0.01	<0.001	0.032	0.002	0.54	2.00	0.02	N.A.
569262	Drill Core	<0.01	0.256	29.01	0.02	0.15	0.05	0.02	<0.01	0.02	<0.001	0.050	0.003	0.59	2.51	0.03	N.A.
569263	Drill Core	<0.01	0.202	28.26	0.01	0.08	0.01	<0.01	<0.01	0.02	<0.001	0.059	0.004	0.57	2.71	0.02	N.A.
569264	Drill Core	<0.01	0.227	28.60	0.01	0.08	0.02	<0.01	<0.01	0.02	<0.001	0.042	0.003	0.57	2.24	0.02	N.A.
569265	Drill Core	<0.01	0.245	27.60	0.01	0.08	0.01	<0.01	<0.01	0.03	<0.001	0.065	0.004	0.51	2.28	0.04	N.A.
569266	Drill Core	<0.01	0.197	27.71	0.02	0.11	0.02	<0.01	<0.01	0.03	0.002	0.062	0.004	0.48	2.28	0.04	N.A.
569267	Drill Core	<0.01	0.223	29.40	0.01	0.08	<0.01	<0.01	<0.01	0.02	0.001	0.048	0.003	0.50	2.00	0.02	N.A.
569268	Drill Core	<0.01	0.203	28.68	0.01	0.09	0.02	<0.01	<0.01	0.03	0.004	0.076	0.004	0.50	2.40	0.06	N.A.
569269	Drill Core	<0.01	0.214	28.88	0.02	0.15	0.01	<0.01	<0.01	0.03	0.001	0.067	0.004	0.51	2.45	0.04	N.A.
569270	Drill Core	<0.01	0.227	27.96	0.01	0.10	0.01	<0.01	<0.01	0.03	<0.001	0.061	0.004	0.63	2.57	0.06	3.10
569271	Drill Core	<0.01	0.145	26.38	0.03	0.17	0.01	<0.01	<0.01	0.04	0.002	0.092	0.005	0.38	2.39	0.06	N.A.
569272	Drill Core	<0.01	0.213	28.09	0.02	0.11	0.02	<0.01	<0.01	0.03	0.002	0.069	0.004	0.59	2.37	0.06	N.A.
569273	Drill Core	<0.01	0.193	27.51	0.01	0.07	<0.01	<0.01	<0.01	0.02	<0.001	0.052	0.003	0.55	2.24	0.03	N.A.
569274	Drill Core	<0.01	0.281	27.32	0.01	0.08	<0.01	<0.01	<0.01	0.01	0.002	0.044	0.003	0.61	2.14	<0.02	N.A.
569275	Rock Pulp	<0.01	0.456	16.35	0.14	3.03	0.25	0.05	<0.01	0.90	0.090	0.238	0.010	0.55	0.64	1.10	N.A.
569276	Rock Pulp	<0.01	1.219	14.87	0.19	4.22	0.35	0.11	<0.01	0.47	0.056	0.184	0.007	0.35	0.27	0.56	N.A.
569277	Drill Core	<0.01	0.293	28.15	0.01	0.08	0.01	<0.01	<0.01	0.02	0.002	0.061	0.003	0.56	2.03	0.03	N.A.
RRE 569277	Drill Core	<0.01	0.325	28.11	0.01	0.09	<0.01	<0.01	<0.01	0.03	0.001	0.062	0.003	0.57	2.18	0.04	N.A.
569278	Drill Core	<0.01	0.220	28.23	0.01	0.08	0.01	<0.01	<0.01	0.02	0.001	0.046	0.003	0.53	1.89	0.05	N.A.
569279	Drill Core	<0.01	0.228	28.63	<0.01	0.06	<0.01	<0.01	<0.01	0.01	<0.001	0.048	0.003	0.54	2.37	<0.02	N.A.
569280A	Drill Core	<0.01	0.248	29.68	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.001	0.034	0.002	0.52	2.26	0.02	N.A.
569280B	Drill Core	<0.01	0.247	29.37	0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.037	0.002	0.59	2.53	0.02	N.A.
569281	Drill Core	<0.01	0.207	29.15	<0.01	0.07	<0.01	<0.01	<0.01	0.01	<0.001	0.056	0.002	0.42	2.54	0.03	N.A.
569282	Drill Core	<0.01	0.208	30.41	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.001	0.024	0.001	0.32	1.51	<0.02	N.A.
569283	Drill Core	<0.01	0.169	26.67	0.02	0.13	<0.01	<0.01	<0.01	0.04	0.001	0.107	0.005	0.33	2.39	0.04	N.A.
569284	Drill Core	<0.01	0.164	24.47	0.03	0.12	0.02	<0.01	<0.01	0.04	0.004	0.073	0.006	0.35	1.60	0.06	N.A.
569285	Drill Core	<0.01	0.136	24.10	0.04	0.17	0.03	<0.01	<0.01	0.02	0.003	0.046	0.003	0.50	1.77	0.04	N.A.
569286	Drill Core	<0.01	0.204	20.50	0.04	0.21	0.05	<0.01	<0.01	<0.01	0.006	0.047	0.004	0.39	1.62	0.04	N.A.
569287	Drill Core	<0.01	0.196	18.90	0.05	0.25	0.05	<0.01	<0.01	<0.01	0.005	0.046	0.004	0.29	1.35	0.05	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000064.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569288	Drill Core	11.7	<2	<3	2	<0.001	0.006	<0.02	<0.01	<2	0.092	0.008	0.11	5.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	9.60
569289	Drill Core	10.5	<2	7	10	<0.001	0.024	<0.02	<0.01	<2	0.131	0.010	0.12	6.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.62
569290	Drill Core	1.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.21	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.09
569291	Drill Core	12.4	<2	3	6	<0.001	0.004	<0.02	<0.01	<2	0.165	0.012	0.13	7.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.40
569292	Drill Core	11.6	<2	9	10	<0.001	0.004	<0.02	<0.01	<2	0.157	0.013	0.15	8.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.73
569293	Drill Core	11.8	7	12	10	<0.001	0.012	<0.02	<0.01	<2	0.162	0.012	0.13	8.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.51
569294	Drill Core	11.8	6	5	3	<0.001	0.008	<0.02	<0.01	<2	0.184	0.012	0.14	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.63
569295	Drill Core	11.2	<2	3	3	<0.001	0.003	<0.02	<0.01	<2	0.188	0.013	0.14	8.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.30
569296	Drill Core	11.2	<2	15	14	<0.001	0.010	<0.02	<0.01	<2	0.187	0.012	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
569297	Drill Core	8.3	3	3	2	<0.001	0.001	<0.02	<0.01	<2	0.187	0.013	0.12	7.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
569298	Drill Core	13.7	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.198	0.012	0.13	8.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
569299	Drill Core	10	3	3	2	<0.001	0.004	<0.02	<0.01	<2	0.181	0.012	0.12	8.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.17
569300	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.031	<0.02	<0.01	<2	0.260	0.017	0.12	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.73
569301	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	<0.01	<2	0.423	0.029	0.13	12.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
569302	Drill Core	9.6	4	7	3	<0.001	0.001	<0.02	0.01	<2	0.203	0.013	0.09	7.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
569303	Drill Core	10.3	12	6	8	<0.001	0.002	<0.02	<0.01	<2	0.220	0.013	0.14	7.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
569304	Drill Core	10.5	21	7	6	<0.001	0.002	<0.02	<0.01	<2	0.241	0.013	0.14	8.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
569305	Drill Core	9.9	16	5	5	<0.001	0.001	<0.02	<0.01	<2	0.238	0.013	0.13	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.54
569306	Drill Core	11.8	7	<3	5	<0.001	0.003	<0.02	<0.01	<2	0.240	0.013	0.13	7.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.08
569307	Drill Core	12	10	16	16	<0.001	0.002	<0.02	0.01	<2	0.233	0.014	0.15	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.08



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 26, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000064.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569288	Drill Core	<0.01	0.183	17.38	0.06	0.30	0.07	<0.01	<0.01	<0.01	0.005	0.036	0.003	0.29	1.27	0.04	N.A.
569289	Drill Core	<0.01	0.200	18.47	0.05	0.25	0.06	<0.01	<0.01	0.02	0.021	0.073	0.005	0.39	1.47	0.09	N.A.
569290	Drill Core	0.02	0.002	0.52	0.07	8.00	3.58	1.20	<0.01	<0.01	<0.001	0.001	<0.001	0.12	0.09	0.03	N.A.
569291	Drill Core	<0.01	0.214	23.34	0.03	0.16	0.05	<0.01	<0.01	<0.01	0.004	0.056	0.004	0.49	1.91	0.05	N.A.
569292	Drill Core	<0.01	0.232	25.59	0.02	0.16	0.05	0.01	<0.01	0.01	0.003	0.038	0.003	0.54	1.81	0.03	N.A.
569293	Drill Core	<0.01	0.179	26.13	0.01	0.09	<0.01	0.01	<0.01	0.06	0.013	0.070	0.005	0.48	2.41	0.06	N.A.
569294	Drill Core	<0.01	0.198	27.67	0.01	0.09	<0.01	0.01	<0.01	0.03	0.008	0.053	0.004	0.57	2.03	0.05	N.A.
569295	Drill Core	<0.01	0.190	27.57	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.003	0.063	0.004	0.57	2.30	0.10	N.A.
569296	Drill Core	<0.01	0.199	27.49	<0.01	0.06	<0.01	<0.01	<0.01	0.04	0.009	0.069	0.004	0.51	2.23	0.09	N.A.
569297	Drill Core	<0.01	0.194	27.80	<0.01	0.06	<0.01	<0.01	<0.01	0.04	0.002	0.079	0.006	0.43	2.22	0.06	N.A.
569298	Drill Core	<0.01	0.185	26.73	0.02	0.16	<0.01	<0.01	<0.01	0.04	0.002	0.085	0.006	0.53	2.85	0.05	N.A.
569299	Drill Core	0.06	0.193	23.20	0.15	0.89	<0.01	0.02	<0.01	0.04	0.005	0.091	0.006	0.43	2.49	0.05	N.A.
569300	Rock Pulp	<0.01	0.157	25.38	0.02	0.32	<0.01	0.08	<0.01	1.06	0.031	0.232	0.013	0.86	2.35	1.36	N.A.
569301	Rock Pulp	<0.01	0.209	21.68	0.02	0.30	0.03	0.10	<0.01	2.81	0.047	0.395	0.025	1.16	1.64	4.14	N.A.
569302	Drill Core	<0.01	0.226	25.45	0.02	0.15	<0.01	<0.01	<0.01	0.07	0.001	0.131	0.008	0.43	2.94	0.08	2.94
569303	Drill Core	<0.01	0.337	25.87	0.01	0.13	<0.01	<0.01	<0.01	0.05	0.002	0.107	0.006	0.46	2.72	0.07	N.A.
569304	Drill Core	<0.01	0.184	26.21	0.01	0.09	<0.01	<0.01	<0.01	0.06	0.002	0.105	0.006	0.52	2.74	0.07	N.A.
569305	Drill Core	<0.01	0.142	26.53	0.01	0.09	<0.01	<0.01	<0.01	0.06	0.001	0.121	0.007	0.50	3.41	0.08	N.A.
569306	Drill Core	<0.01	0.207	26.85	<0.01	0.09	<0.01	<0.01	<0.01	0.05	0.002	0.103	0.006	0.49	2.37	0.07	N.A.
569307	Drill Core	<0.01	0.275	26.80	<0.01	0.08	<0.01	<0.01	<0.01	0.06	0.002	0.089	0.005	0.48	2.27	0.03	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 30, 2007
 Report Date: October 25, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000061.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-200C
 P.O. Number: ACME FILE: A718292
 Number of Samples: 6

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	6	Crush, split and pulverize drill core to 150 mesh		Completed
3B	6	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	6	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	6	Leached with H2O2 + NH4 citrate	1	Completed
2A (C&S)	6	Analysis by Leco		Completed
Specific Gravity	6	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 25, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000061.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569308	Drill Core	11	8	10	13	<0.001	0.005	<0.02	<0.01	<2	0.223	0.012	0.14	8.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
569309	Drill Core	11.2	10	14	12	<0.001	0.012	<0.02	<0.01	<2	0.183	0.012	0.14	8.97	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.90
569310	Drill Core	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
569310A	Drill Core	10.4	<2	<3	6	<0.001	0.003	<0.02	<0.01	<2	0.207	0.013	0.14	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
569310B	Drill Core		<2	<3	7	<0.001	0.003	<0.02	<0.01	<2	0.216	0.013	0.14	8.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
569311	Drill Core	13.3	<2	13	19	<0.001	0.003	<0.02	<0.01	<2	0.240	0.013	0.14	8.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 25, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000061.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569308	Drill Core	<0.01	0.263	26.81	0.01	0.15	0.02	0.02	<0.01	0.05	0.004	0.087	0.005	0.42	1.98	0.08	N.A.
569309	Drill Core	0.03	0.173	24.77	0.15	0.89	0.03	0.09	<0.01	0.04	0.010	0.071	0.005	0.34	1.65	0.05	N.A.
569310	Drill Core	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	3.14
569310A	Drill Core	<0.01	0.179	27.59	0.01	0.10	<0.01	<0.01	<0.01	0.04	0.003	0.072	0.005	0.39	1.83	0.07	N.A.
569310B	Drill Core	<0.01	0.170	28.21	0.01	0.11	<0.01	<0.01	<0.01	0.06	0.003	0.076	0.005	0.41	2.00	0.06	N.A.
569311	Drill Core	<0.01	0.137	27.76	0.01	0.08	<0.01	<0.01	<0.01	0.07	0.003	0.112	0.006	0.36	2.06	0.08	N.A.

Hole 07-201



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7 Canada

Submitted By:

Sandy Smeeton

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

August 30, 2007

Report Date:

October 19, 2007

Page:

1 of 2

CERTIFICATE OF ANALYSIS

SMI07000059.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
Shipment ID: C07-201A
P.O. Number: ACME FILE: A718290
Number of Samples: 28

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	28	Crush, split and pulverize drill core to 150 mesh		Completed
3B	28	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	28	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	28	Leached with H2O2 + NH4 citrate	1	Completed
2A (C&S)	28	Analysis by Leco		Completed
Specific Gravity	28	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000059.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357701	Drill Core	11.2	<2	13	13	<0.001	0.001	<0.02	<0.01	<2	0.191	0.015	0.17	10.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
357702	Drill Core	11.2	7	70	80	<0.001	0.004	<0.02	<0.01	<2	0.201	0.016	0.16	9.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
357703	Drill Core	10.9	3	29	29	<0.001	0.025	<0.02	<0.01	<2	0.177	0.013	0.14	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.90
357704	Drill Core	11.8	9	7	4	<0.001	0.017	<0.02	<0.01	<2	0.183	0.012	0.14	8.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.89
357705	Drill Core	12	11	30	28	<0.001	0.030	<0.02	<0.01	<2	0.220	0.012	0.14	7.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.19
357706	Drill Core	12.2	3	17	15	<0.001	0.015	<0.02	<0.01	<2	0.195	0.012	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.36
357707	Drill Core	10.8	4	13	12	<0.001	0.041	<0.02	<0.01	<2	0.237	0.013	0.14	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.83
357708	Drill Core	11.2	<2	18	17	<0.001	0.005	<0.02	<0.01	<2	0.184	0.014	0.14	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.75
357709	Drill Core	10.6	<2	13	12	<0.001	0.007	<0.02	<0.01	<2	0.201	0.014	0.14	8.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
357710	Drill Core	10.8	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.08	1.11	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.98
357711	Drill Core	11.6	5	29	35	<0.001	0.007	<0.02	<0.01	<2	0.199	0.014	0.15	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
357712	Drill Core	10.3	<2	22	24	<0.001	0.002	<0.02	<0.01	<2	0.192	0.014	0.14	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
357713	Drill Core	8.2	2	16	19	<0.001	0.014	<0.02	<0.01	<2	0.168	0.011	0.14	6.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.05
RRE 357713	Drill Core		<2	24	23	<0.001	0.014	<0.02	<0.01	<2	0.164	0.011	0.14	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.35
357714	Drill Core	10.3	<2	8	8	<0.001	0.009	<0.02	<0.01	<2	0.189	0.012	0.12	7.32	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	2.11
357715	Drill Core	10.3	<2	10	11	<0.001	0.013	<0.02	<0.01	<2	0.225	0.016	0.13	8.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
357716	Drill Core	10.1	2	15	16	<0.001	0.017	<0.02	<0.01	<2	0.250	0.013	0.14	8.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.89
357717	Drill Core	11.2	3	18	16	<0.001	0.010	<0.02	<0.01	<2	0.237	0.012	0.13	8.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
357718	Drill Core	11.8	5	21	21	<0.001	0.015	<0.02	<0.01	<2	0.254	0.015	0.14	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
357719	Drill Core	12.2	2	22	23	<0.001	0.025	<0.02	<0.01	<2	0.285	0.017	0.14	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
357720	Drill Core	11.2	<2	15	18	<0.001	0.019	<0.02	<0.01	<2	0.234	0.015	0.15	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
357721	Drill Core	11	2	12	10	<0.001	0.020	<0.02	<0.01	<2	0.213	0.012	0.14	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
357722	Drill Core	10.9	3	11	11	<0.001	0.017	<0.02	<0.01	<2	0.199	0.012	0.13	8.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.40
357723	Drill Core	11.2	<2	10	7	<0.001	0.014	<0.02	<0.01	<2	0.242	0.015	0.14	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
357724	Drill Core	11.2	<2	15	14	<0.001	0.018	<0.02	<0.01	<2	0.269	0.019	0.14	9.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
357725	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.100	<0.02	<0.01	<2	0.357	0.017	0.05	9.37	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.21
357726	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.263	0.017	0.12	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
357727	Drill Core	11.2	<2	20	22	<0.001	0.013	<0.02	<0.01	<2	0.256	0.015	0.15	9.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.50



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000059.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357701	Drill Core	<0.01	0.231	27.13	0.03	0.11	<0.01	<0.01	<0.01	0.03	0.001	0.051	0.004	0.43	1.39	0.08	N.A.
357702	Drill Core	<0.01	0.131	26.30	0.02	0.11	0.02	0.02	<0.01	0.08	0.003	0.085	0.005	0.46	1.60	0.11	3.20
357703	Drill Core	<0.01	0.153	22.96	0.03	0.15	0.04	<0.01	<0.01	0.68	0.022	0.119	0.007	0.59	1.23	0.78	N.A.
357704	Drill Core	<0.01	0.106	22.50	0.03	0.16	0.05	<0.01	<0.01	0.47	0.017	0.097	0.005	0.54	1.19	0.55	N.A.
357705	Drill Core	<0.01	0.150	23.32	0.03	0.14	0.04	<0.01	<0.01	0.26	0.029	0.105	0.004	0.57	1.28	0.29	N.A.
357706	Drill Core	<0.01	0.135	24.47	0.02	0.13	0.03	<0.01	<0.01	0.16	0.013	0.083	0.004	0.51	1.42	0.20	N.A.
357707	Drill Core	<0.01	0.172	25.16	0.02	0.09	0.02	<0.01	<0.01	0.23	0.040	0.105	0.004	0.61	1.56	0.25	N.A.
357708	Drill Core	<0.01	0.138	27.10	0.01	0.06	<0.01	<0.01	<0.01	0.05	0.004	0.045	0.003	0.59	1.79	0.09	N.A.
357709	Drill Core	<0.01	0.183	28.06	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.006	0.039	0.003	0.50	1.61	0.05	N.A.
357710	Drill Core	0.01	0.006	0.51	0.07	7.79	3.71	1.24	<0.01	<0.01	<0.001	0.001	<0.001	0.08	0.10	<0.02	N.A.
357711	Drill Core	<0.01	0.193	28.35	0.01	0.03	<0.01	<0.01	<0.01	0.05	0.007	0.045	0.003	0.53	1.75	0.05	N.A.
357712	Drill Core	<0.01	0.151	28.27	<0.01	0.09	0.03	0.01	<0.01	0.04	0.003	0.052	0.003	0.48	1.62	0.05	3.20
357713	Drill Core	<0.01	0.160	23.11	<0.01	0.31	<0.01	<0.01	<0.01	0.37	0.012	0.125	0.007	0.39	0.97	0.35	N.A.
RRE 357713	Drill Core	<0.01	0.148	23.22	<0.01	0.38	<0.01	0.01	<0.01	0.36	0.012	0.123	0.007	0.41	1.09	0.36	N.A.
357714	Drill Core	0.02	0.117	22.58	0.06	1.58	0.17	0.95	<0.01	0.22	0.009	0.133	0.007	0.36	1.31	0.21	N.A.
357715	Drill Core	<0.01	0.144	28.00	0.01	0.07	<0.01	<0.01	<0.01	0.37	0.012	0.131	0.007	0.54	1.72	0.37	N.A.
357716	Drill Core	0.02	0.155	23.83	0.09	1.35	0.04	0.33	<0.01	0.37	0.016	0.174	0.007	0.47	1.32	0.38	N.A.
357717	Drill Core	<0.01	0.169	26.73	0.02	0.16	<0.01	<0.01	<0.01	0.19	0.010	0.108	0.005	0.48	1.53	0.18	N.A.
357718	Drill Core	<0.01	0.183	27.63	0.02	0.29	<0.01	<0.01	<0.01	0.32	0.014	0.133	0.005	0.52	1.48	0.32	N.A.
357719	Drill Core	<0.01	0.153	27.44	0.03	0.30	<0.01	0.06	<0.01	0.52	0.024	0.178	0.008	0.65	1.67	0.52	N.A.
357720	Drill Core	<0.01	0.151	27.76	0.01	0.03	<0.01	<0.01	<0.01	0.40	0.018	0.130	0.006	0.62	1.97	0.39	N.A.
357721	Drill Core	<0.01	0.163	26.69	0.02	0.07	<0.01	<0.01	<0.01	0.29	0.018	0.107	0.005	0.57	2.27	0.27	N.A.
357722	Drill Core	<0.01	0.134	25.62	0.05	0.26	<0.01	<0.01	<0.01	0.21	0.016	0.114	0.006	0.49	1.86	0.20	N.A.
357723	Drill Core	<0.01	0.122	27.48	0.01	0.05	<0.01	<0.01	<0.01	0.29	0.014	0.118	0.006	0.56	1.84	0.30	N.A.
357724	Drill Core	<0.01	0.103	27.90	<0.01	<0.01	<0.01	<0.01	<0.01	0.79	0.016	0.176	0.010	0.61	1.58	0.84	N.A.
357725	Rock Pulp	<0.01	0.423	15.34	0.14	3.04	0.24	0.05	<0.01	0.93	0.086	0.241	0.010	0.62	0.85	1.03	N.A.
357726	Rock Pulp	<0.01	0.120	25.14	0.02	0.27	<0.01	0.07	<0.01	1.21	0.029	0.220	0.012	0.75	2.10	1.41	N.A.
357727	Drill Core	<0.01	0.103	27.98	0.01	0.01	<0.01	<0.01	<0.01	0.43	0.013	0.138	0.006	0.60	1.53	0.48	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 04, 2007
 Report Date: October 29, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000090.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-201B
 P.O. Number: ACME FILE: A718311
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	49	Crush, split and pulverize drill core to 150 mesh		
3B	49	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco		Completed
Specific Gravity	49	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000090.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
357728	Drill Core	10.7	<2	6	6	<0.001	0.009	<0.02	<0.01	<2	0.209	0.011	0.13	8.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357729	Drill Core	11	<2	8	9	<0.001	0.014	<0.02	<0.01	2	0.238	0.013	0.14	8.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357730A	Drill Core	10.8	<2	10	9	<0.001	0.012	<0.02	<0.01	<2	0.208	0.013	0.13	8.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357730B	Drill Core		<2	10	9	<0.001	0.014	<0.02	<0.01	<2	0.213	0.013	0.13	7.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357731	Drill Core	11.9	<2	32	34	<0.001	0.016	<0.02	<0.01	<2	0.209	0.012	0.14	8.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357732	Drill Core	11.3	<2	19	21	<0.001	0.021	<0.02	<0.01	<2	0.211	0.012	0.14	8.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357733	Drill Core	11.6	<2	19	17	<0.001	0.037	<0.02	<0.01	<2	0.231	0.015	0.14	8.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357734	Drill Core	12	<2	37	50	<0.001	0.012	<0.02	<0.01	<2	0.202	0.012	0.15	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357735	Drill Core	11.7	<2	32	37	<0.001	0.005	<0.02	<0.01	<2	0.222	0.012	0.14	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357736	Drill Core	11.6	21	28	33	<0.001	0.005	<0.02	<0.01	<2	0.236	0.012	0.14	8.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357737	Drill Core	12	<2	54	64	<0.001	0.006	<0.02	<0.01	<2	0.244	0.012	0.14	8.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357738	Drill Core	10.4	<2	85	78	<0.001	0.003	<0.02	<0.01	<2	0.233	0.013	0.14	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357739	Drill Core	10.4	<2	85	106	<0.001	0.014	<0.02	<0.01	<2	0.228	0.013	0.13	8.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
RRE 357739	Drill Core		<2	95	118	<0.001	0.016	<0.02	<0.01	<2	0.236	0.013	0.13	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357740	Drill Core	1.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.06	<0.02	0.08	<0.001	<0.01	<0.01	<0.01
357741	Drill Core	11.2	<2	8	11	<0.001	0.003	<0.02	<0.01	<2	0.208	0.012	0.15	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357742	Drill Core	8.4	<2	9	8	<0.001	0.011	<0.02	<0.01	4	0.073	0.005	0.11	5.55	<0.02	0.08	<0.001	<0.01	<0.01	0.01
357743	Drill Core	11.4	<2	86	79	<0.001	0.028	<0.02	<0.01	2	0.291	0.012	0.13	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357744	Drill Core	11.8	<2	19	19	<0.001	0.021	<0.02	<0.01	<2	0.222	0.012	0.13	8.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357745	Drill Core	10.2	<2	23	24	<0.001	0.013	<0.02	<0.01	<2	0.245	0.013	0.14	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357746	Drill Core	11.7	<2	7	8	<0.001	0.009	<0.02	<0.01	<2	0.212	0.012	0.14	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357747	Drill Core	12.1	<2	14	13	<0.001	0.023	<0.02	<0.01	<2	0.199	0.015	0.15	10.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357748	Drill Core	11.1	5	15	14	<0.001	0.039	<0.02	<0.01	<2	0.219	0.015	0.14	10.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357749	Drill Core	11	<2	30	29	<0.001	0.040	<0.02	<0.01	<2	0.192	0.012	0.13	9.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357750	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.099	<0.02	<0.01	<2	0.338	0.015	0.05	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	0.01
357751	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.410	0.027	0.12	13.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357752	Drill Core	12	<2	28	26	<0.001	0.022	<0.02	<0.01	<2	0.201	0.013	0.13	8.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357753	Drill Core	11.1	<2	17	15	<0.001	0.007	<0.02	<0.01	<2	0.194	0.013	0.13	8.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357754	Drill Core	11	<2	86	81	<0.001	0.027	<0.02	<0.01	<2	0.218	0.015	0.13	8.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
357755	Drill Core	11.8	<2	18	21	<0.001	0.021	<0.02	<0.01	<2	0.223	0.015	0.15	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000090.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357728	Drill Core	<0.01	0.166	27.58	<0.01	0.05	<0.01	<0.01	<0.01	0.14	0.011	0.093	0.005	0.61	2.24	0.15	
357729	Drill Core	<0.01	0.145	27.27	0.02	0.12	0.02	<0.01	<0.01	0.28	0.015	0.132	0.007	0.58	1.71	0.31	
357730A	Drill Core	<0.01	0.163	26.86	0.01	0.07	0.01	<0.01	<0.01	0.20	0.015	0.108	0.005	0.67	1.79	0.22	
357730B	Drill Core	<0.01	0.149	27.19	0.02	0.08	0.02	<0.01	<0.01	0.20	0.016	0.105	0.005	0.60	1.60	0.20	
357731	Drill Core	<0.01	0.140	27.20	0.01	0.07	<0.01	<0.01	<0.01	0.13	0.018	0.090	0.005	0.64	1.94	0.11	
357732	Drill Core	<0.01	0.155	25.95	0.01	0.07	0.01	<0.01	<0.01	0.27	0.024	0.113	0.006	0.84	2.10	0.26	3.18
357733	Drill Core	<0.01	0.216	26.77	0.01	0.07	<0.01	<0.01	<0.01	0.49	0.040	0.163	0.009	0.76	1.93	0.51	
357734	Drill Core	<0.01	0.140	27.53	<0.01	0.05	<0.01	<0.01	<0.01	0.10	0.014	0.072	0.004	0.64	1.94	0.08	
357735	Drill Core	<0.01	0.161	26.85	0.01	0.06	<0.01	<0.01	<0.01	0.10	0.006	0.083	0.005	0.68	2.03	0.09	
357736	Drill Core	<0.01	0.139	27.66	<0.01	0.06	0.01	<0.01	<0.01	0.09	0.006	0.097	0.005	0.59	1.86	0.09	
357737	Drill Core	<0.01	0.153	26.83	<0.01	0.06	0.01	<0.01	<0.01	0.13	0.006	0.130	0.006	0.56	2.31	0.11	
357738	Drill Core	<0.01	0.173	27.64	<0.01	0.05	<0.01	<0.01	<0.01	0.08	0.004	0.134	0.007	0.56	2.47	0.12	
357739	Drill Core	<0.01	0.129	27.69	0.02	0.10	0.01	<0.01	<0.01	0.17	0.016	0.160	0.009	0.59	2.66	0.14	
RRE 357739	Drill Core	<0.01	0.136	27.08	0.02	0.12	0.02	<0.01	<0.01	0.18	0.018	0.163	0.009	0.62	2.84	0.14	
357740	Drill Core	0.01	0.004	0.43	0.06	8.28	3.64	1.09	<0.01	<0.01	<0.001	0.002	<0.001	0.07	0.10	<0.02	
357741	Drill Core	<0.01	0.167	26.34	<0.01	0.14	<0.01	0.03	<0.01	0.07	0.004	0.092	0.005	0.44	1.67	0.06	
357742	Drill Core	0.07	0.057	9.81	0.20	6.35	2.67	1.12	<0.01	0.21	0.013	0.079	0.004	0.28	0.50	0.20	
357743	Drill Core	<0.01	0.137	25.21	0.02	0.10	0.03	<0.01	<0.01	0.34	0.034	0.179	0.006	0.79	1.61	0.40	
357744	Drill Core	<0.01	0.108	25.95	0.02	0.20	0.07	0.01	<0.01	0.34	0.023	0.126	0.006	0.66	1.58	0.38	
357745	Drill Core	<0.01	0.248	23.86	0.03	0.17	0.02	<0.01	<0.01	0.29	0.013	0.129	0.006	0.62	1.82	0.27	
357746	Drill Core	<0.01	0.289	23.82	0.02	0.13	0.02	<0.01	<0.01	0.21	0.009	0.120	0.006	0.58	1.87	0.20	
357747	Drill Core	<0.01	0.148	24.80	0.02	0.09	0.02	<0.01	<0.01	0.57	0.038	0.139	0.008	0.82	1.59	0.63	
357748	Drill Core	<0.01	0.149	24.06	0.02	0.24	0.01	<0.01	<0.01	0.64	0.044	0.193	0.010	0.82	1.55	0.74	
357749	Drill Core	<0.01	0.257	24.34	0.01	0.11	<0.01	<0.01	<0.01	0.25	0.044	0.130	0.007	0.59	1.89	0.23	
357750	Rock Pulp	<0.01	0.340	14.60	0.14	2.64	0.24	0.05	<0.01	0.81	0.093	0.251	0.011	0.55	0.58	0.95	
357751	Rock Pulp	<0.01	0.227	21.11	0.02	0.28	0.03	0.10	<0.01	2.84	0.050	0.413	0.026	1.27	1.52	4.23	
357752	Drill Core	<0.01	0.231	23.89	0.01	0.07	0.01	<0.01	<0.01	0.15	0.025	0.091	0.004	0.58	1.50	0.14	3.18
357753	Drill Core	<0.01	0.212	25.77	0.01	0.08	0.01	<0.01	<0.01	0.07	0.007	0.067	0.004	0.46	1.54	0.07	
357754	Drill Core	<0.01	0.168	25.86	0.01	0.07	0.01	<0.01	<0.01	0.16	0.032	0.104	0.005	0.67	1.77	0.16	
357755	Drill Core	<0.01	0.188	25.72	0.01	0.08	0.01	<0.01	<0.01	0.26	0.020	0.109	0.006	0.70	1.88	0.24	



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000090.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357756	Drill Core	11.5	<2	27	27	<0.001	0.023	<0.02	<0.01	<2	0.207	0.014	0.14	8.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.29
357757	Drill Core	11.3	<2	25	34	<0.001	0.062	<0.02	<0.01	<2	0.240	0.013	0.13	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.36
357758	Drill Core	11.3	<2	27	33	<0.001	0.052	<0.02	<0.01	<2	0.331	0.015	0.13	8.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.19
357759	Drill Core	12.1	<2	13	14	<0.001	0.042	<0.02	<0.01	<2	0.303	0.022	0.14	10.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.12
357760A	Drill Core	11.7	<2	17	19	<0.001	0.022	<0.02	<0.01	<2	0.204	0.018	0.15	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.52
357760B	Drill Core		<2	17	15	<0.001	0.022	<0.02	<0.01	2	0.211	0.017	0.15	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.63
357761	Drill Core	11.7	4	20	21	<0.001	0.025	<0.02	0.01	<2	0.200	0.013	0.16	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.09
357762	Drill Core	10.2	2	20	24	<0.001	0.019	<0.02	<0.01	<2	0.203	0.013	0.14	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.33
357763	Drill Core	10.7	<2	10	9	<0.001	0.022	<0.02	<0.01	<2	0.178	0.012	0.14	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.46
357764	Drill Core	10.1	<2	35	32	<0.001	0.006	<0.02	<0.01	2	0.148	0.011	0.15	8.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.39
357765	Drill Core	10.5	<2	14	14	<0.001	0.017	<0.02	<0.01	<2	0.160	0.013	0.16	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.39
357766	Drill Core	9.9	<2	21	16	<0.001	0.017	<0.02	<0.01	<2	0.101	0.010	0.14	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.83
357767	Drill Core	11.6	<2	5	5	<0.001	0.021	<0.02	<0.01	<2	0.055	0.008	0.11	5.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	12.73
357768	Drill Core	12.2	<2	<3	<2	<0.001	0.019	<0.02	<0.01	2	0.115	0.010	0.12	5.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.69
357769	Drill Core	10.2	5	8	8	<0.001	0.028	<0.02	<0.01	<2	0.121	0.011	0.12	6.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.57
357770	Drill Core	1.4	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.08	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.05
357771	Drill Core	11.2	<2	20	23	<0.001	0.014	<0.02	<0.01	2	0.033	0.006	0.10	4.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	13.63
357772	Drill Core	10.2	3	117	118	<0.001	0.024	<0.02	<0.01	<2	0.097	0.009	0.12	5.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	10.16
357773	Drill Core	13	3	106	124	<0.001	0.044	<0.02	<0.01	<2	0.026	0.007	0.11	4.68	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.67



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000090.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357756	Drill Core	<0.01	0.181	25.15	0.02	0.10	0.01	<0.01	<0.01	0.16	0.024	0.094	0.006	0.57	1.94	0.15	
357757	Drill Core	<0.01	0.220	23.60	0.02	0.13	0.02	<0.01	<0.01	0.29	0.065	0.158	0.007	0.58	1.93	0.27	
357758	Drill Core	<0.01	0.206	22.69	0.04	0.20	0.02	0.02	<0.01	0.46	0.057	0.274	0.011	0.79	1.87	0.48	
357759	Drill Core	<0.01	0.185	23.61	0.05	0.22	0.02	<0.01	<0.01	1.00	0.045	0.272	0.017	0.87	1.38	1.30	
357760A	Drill Core	<0.01	0.185	24.57	0.02	0.09	0.02	<0.01	<0.01	0.46	0.023	0.141	0.011	0.67	1.72	0.51	
357760B	Drill Core	<0.01	0.161	25.20	0.03	0.14	0.03	<0.01	<0.01	0.46	0.021	0.126	0.010	0.62	1.68	0.52	
357761	Drill Core	<0.01	0.188	24.47	0.04	0.16	0.03	<0.01	<0.01	0.19	0.023	0.087	0.005	0.51	1.40	0.19	
357762	Drill Core	<0.01	0.174	24.33	0.02	0.13	0.01	<0.01	<0.01	0.24	0.018	0.125	0.008	0.52	1.62	0.24	3.26
357763	Drill Core	<0.01	0.144	23.88	0.02	0.24	0.01	<0.01	<0.01	0.27	0.020	0.115	0.008	0.45	1.75	0.26	
357764	Drill Core	0.02	0.142	21.43	0.08	0.83	0.03	<0.01	<0.01	0.22	0.005	0.094	0.006	0.33	1.29	0.17	
357765	Drill Core	<0.01	0.189	24.11	0.03	0.14	0.02	<0.01	<0.01	0.19	0.016	0.088	0.006	0.51	1.55	0.27	
357766	Drill Core	<0.01	0.170	17.72	0.06	0.29	0.06	<0.01	<0.01	0.41	0.017	0.076	0.006	0.35	0.90	0.37	
357767	Drill Core	<0.01	0.131	13.69	0.08	0.36	0.11	<0.01	<0.01	0.51	0.021	0.044	0.005	0.27	0.53	0.42	
357768	Drill Core	<0.01	0.152	19.66	0.04	0.23	0.07	<0.01	<0.01	0.31	0.019	0.062	0.004	0.36	0.98	0.23	
357769	Drill Core	<0.01	0.200	20.24	0.04	0.21	0.06	<0.01	<0.01	0.39	0.026	0.075	0.005	0.45	1.56	0.33	
357770	Drill Core	0.02	0.004	0.40	0.07	8.05	3.70	1.26	<0.01	0.03	<0.001	0.001	<0.001	0.06	0.06	<0.02	
357771	Drill Core	<0.01	0.117	12.27	0.07	0.38	0.11	<0.01	<0.01	0.43	0.015	0.027	0.003	0.17	0.37	0.29	
357772	Drill Core	<0.01	0.166	15.69	0.06	0.45	0.11	0.01	<0.01	0.47	0.022	0.067	0.005	0.24	0.52	0.43	3.20
357773	Drill Core	<0.01	0.079	12.70	0.09	0.47	0.12	0.01	<0.01	0.57	0.045	0.020	0.004	0.20	0.37	0.47	



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 04, 2007
 Report Date: October 27, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000089.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-201C
 P.O. Number: ACME FILE: A718309
 Number of Samples: 25

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	25	Crush, split and pulverize drill core to 150 mesh		
3B	25	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	25	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	25	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	25	Analysis by Leco		Completed
Specific Gravity	25	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 27, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000089.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357774	Drill Core	11.1	2	31	38	<0.001	0.077	<0.02	<0.01	<2	0.077	0.013	0.12	6.83	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.00
357775	Rock Pulp		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
357776	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.051	<0.02	<0.01	<2	0.431	0.029	0.13	13.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
357777	Drill Core	11.1	<2	37	35	<0.001	0.035	<0.02	<0.01	<2	0.076	0.008	0.15	6.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.17
357778	Drill Core	11.7	<2	63	67	<0.001	0.047	<0.02	<0.01	<2	0.022	0.008	0.13	6.15	<0.02	0.02	<0.001	<0.01	<0.01	0.01	13.26
357779	Drill Core	8.9	4	96	106	<0.001	0.102	<0.02	<0.01	<2	0.023	0.011	0.12	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.52
RRE 357779	Drill Core		3	83	86	<0.001	0.116	<0.02	<0.01	<2	0.022	0.012	0.12	6.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.76
357780	Drill Core	10.7	<2	133	164	<0.001	0.137	<0.02	<0.01	<2	0.020	0.012	0.11	6.97	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.02
357781	Drill Core	10.2	<2	50	66	<0.001	0.134	<0.02	<0.01	<2	0.024	0.015	0.11	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.28
357782	Drill Core	11	3	51	55	<0.001	0.042	<0.02	<0.01	<2	0.040	0.008	0.11	6.24	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.29
357783	Drill Core	11.1	<2	20	18	<0.001	0.087	<0.02	<0.01	<2	0.024	0.010	0.12	6.83	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.93
357784	Drill Core	10	2	64	65	<0.001	0.145	<0.02	<0.01	<2	0.037	0.015	0.11	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.68
357785	Drill Core	10.4	3	26	23	<0.001	0.032	<0.02	<0.01	<2	0.149	0.012	0.11	7.93	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.93
357786	Drill Core	10	4	45	47	<0.001	0.010	<0.02	<0.01	<2	0.077	0.008	0.13	6.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.79
357787	Drill Core	10.9	<2	89	86	<0.001	0.031	<0.02	<0.01	<2	0.069	0.007	0.11	5.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.40
357788	Drill Core	10.6	6	73	74	<0.001	0.054	<0.02	<0.01	<2	0.068	0.010	0.11	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	9.60
357789	Drill Core	11.4	4	73	52	<0.001	0.110	<0.02	<0.01	<2	0.063	0.021	0.11	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.74
357790A	Drill Core	11	2	47	42	<0.001	0.076	<0.02	<0.01	<2	0.091	0.018	0.11	9.53	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	7.88
357790B	Drill Core		<2	47	49	<0.001	0.086	<0.02	<0.01	<2	0.107	0.021	0.12	9.85	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.00
357791	Drill Core	11.5	4	22	24	<0.001	0.028	<0.02	<0.01	<2	0.232	0.014	0.13	7.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.47
357792	Drill Core	11.7	<2	37	43	<0.001	0.015	<0.02	<0.01	<2	0.246	0.012	0.12	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.47
357793	Drill Core	11.5	2	29	29	<0.001	0.014	<0.02	<0.01	<2	0.214	0.014	0.15	8.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.09
357794	Drill Core	12	3	40	35	<0.001	0.043	<0.02	<0.01	<2	0.281	0.014	0.13	7.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.30
357795	Drill Core	11.5	2	75	90	<0.001	0.055	<0.02	<0.01	<2	0.347	0.015	0.14	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.18
357796	Drill Core	11	2	14	16	<0.001	0.016	<0.02	<0.01	<2	0.219	0.013	0.14	8.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.43



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 27, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000089.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357774	Drill Core	<0.01	0.091	14.61	0.08	0.42	0.08	0.04	<0.01	1.21	0.067	0.054	0.009	0.35	0.44	1.29	N.A.
357775	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	0.014	0.047	0.002	0.08	0.07	0.50	N.A.
357776	Rock Pulp	<0.01	0.174	22.82	0.02	0.26	0.02	0.10	<0.01	3.46	0.047	0.405	0.023	1.06	1.51	4.28	N.A.
357777	Drill Core	0.01	0.121	15.71	0.07	0.45	0.07	0.06	<0.01	0.49	0.028	0.059	0.005	0.20	0.35	0.63	N.A.
357778	Drill Core	0.01	0.094	12.04	0.12	0.92	0.12	0.12	<0.01	0.78	0.039	0.019	0.006	0.26	0.30	0.97	N.A.
357779	Drill Core	<0.01	0.086	11.55	0.10	0.73	0.10	0.01	<0.01	1.31	0.086	0.022	0.009	0.49	0.35	1.69	N.A.
RRE 357779	Drill Core	0.01	0.078	11.33	0.10	0.77	0.09	0.01	<0.01	1.39	0.099	0.022	0.010	0.62	0.40	1.81	N.A.
357780	Drill Core	0.01	0.070	12.07	0.11	0.58	0.10	<0.01	<0.01	1.30	0.110	0.020	0.010	0.40	0.28	1.63	N.A.
357781	Drill Core	<0.01	0.062	11.63	0.11	0.64	0.09	<0.01	<0.01	1.99	0.118	0.023	0.013	0.52	0.32	2.46	N.A.
357782	Drill Core	<0.01	0.083	12.71	0.12	0.66	0.10	0.01	<0.01	0.60	0.036	0.036	0.006	0.24	0.35	0.75	3.41
357783	Drill Core	0.01	0.071	11.36	0.13	0.86	0.10	0.01	<0.01	0.99	0.074	0.025	0.008	0.34	0.27	1.36	N.A.
357784	Drill Core	0.01	0.072	11.46	0.20	0.97	0.08	0.05	<0.01	1.70	0.129	0.038	0.014	0.51	0.33	2.23	N.A.
357785	Drill Core	0.02	0.154	21.01	0.12	0.65	0.03	0.13	<0.01	0.44	0.028	0.124	0.009	0.32	0.80	0.50	N.A.
357786	Drill Core	0.03	0.149	14.85	0.15	0.82	0.09	0.08	<0.01	0.05	0.010	0.062	0.005	0.19	0.47	0.14	N.A.
357787	Drill Core	0.02	0.237	14.00	0.12	0.80	0.07	<0.01	<0.01	0.06	0.031	0.040	0.003	0.17	0.46	0.14	N.A.
357788	Drill Core	<0.01	0.113	15.58	0.08	0.46	0.08	<0.01	<0.01	0.20	0.051	0.048	0.006	0.24	0.63	0.30	N.A.
357789	Drill Core	<0.01	0.078	11.20	0.17	0.99	0.10	0.05	<0.01	1.92	0.085	0.058	0.018	0.40	0.35	2.51	N.A.
357790A	Drill Core	0.01	0.104	14.23	0.29	1.72	0.07	0.95	<0.01	1.09	0.066	0.079	0.014	0.42	0.51	1.41	N.A.
357790B	Drill Core	<0.01	0.108	14.57	0.28	1.61	0.07	0.82	<0.01	1.28	0.074	0.092	0.017	0.50	0.59	1.69	N.A.
357791	Drill Core	<0.01	0.134	25.64	0.04	0.18	0.02	0.03	<0.01	0.33	0.026	0.102	0.005	0.47	1.21	0.37	N.A.
357792	Drill Core	<0.01	0.121	23.53	0.03	0.17	0.03	<0.01	<0.01	0.43	0.015	0.155	0.006	0.49	1.13	0.49	2.72
357793	Drill Core	0.01	0.260	25.24	0.03	0.20	0.02	0.02	<0.01	0.22	0.013	0.095	0.005	0.41	1.28	0.26	N.A.
357794	Drill Core	<0.01	0.198	26.30	0.03	0.18	0.02	0.03	<0.01	0.33	0.037	0.133	0.005	0.60	1.67	0.35	N.A.
357795	Drill Core	<0.01	0.200	25.36	0.05	0.28	0.02	0.08	<0.01	0.46	0.049	0.208	0.007	0.63	1.38	0.48	N.A.
357796	Drill Core	<0.01	0.165	24.52	0.04	0.24	0.02	0.03	<0.01	0.30	0.014	0.119	0.006	0.39	1.15	0.33	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 03, 2007
 Report Date: January 25, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000118.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-201D
 P.O. Number: ACME FILE: A718333
 Number of Samples: 43

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	39	Crush, split and pulverize drill core to 150 mesh		
3B	39	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	43	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	43	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	43	Analysis by Leco	0.1	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 25, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000118.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357797	Drill Core	11.00	2	7	8	<0.001	0.013	<0.02	<0.01	<2	0.190	0.011	0.12	6.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.83
357798	Drill Core	9.30	4	7	6	<0.001	0.016	<0.02	<0.01	<2	0.161	0.010	0.11	6.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
357799	Drill Core	10.00	3	7	8	<0.001	0.010	<0.02	<0.01	<2	0.230	0.012	0.11	5.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.59
357800	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	0.02	<2	0.231	0.011	0.10	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	3.98
357801	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.028	<0.02	<0.01	<2	0.259	0.016	0.11	8.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
357802	Drill Core	10.20	14	4	5	<0.001	0.011	<0.02	<0.01	<2	0.194	0.011	0.10	6.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.79
RRE 357802	Drill Core		16	3	4	<0.001	0.011	<0.02	<0.01	<2	0.187	0.011	0.10	6.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.69
357803	Drill Core	10.00	6	6	7	<0.001	0.003	<0.02	<0.01	<2	0.173	0.012	0.11	5.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
357804	Drill Core	9.90	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.224	0.010	0.10	5.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
357805	Drill Core	9.50	3	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.218	0.010	0.10	5.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
357806	Drill Core	8.80	69	11	5	<0.001	0.002	<0.02	<0.01	<2	0.206	0.009	0.09	4.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
357807	Drill Core	10.70	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.225	0.011	0.10	5.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
357808	Drill Core	10.40	<2	6	4	<0.001	0.003	<0.02	<0.01	<2	0.231	0.012	0.10	5.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
357809	Drill Core	11.60	<2	5	2	<0.001	0.003	<0.02	<0.01	<2	0.227	0.013	0.11	5.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
357810	Drill Core	9.00	<2	3	4	<0.001	0.018	<0.02	<0.01	<2	0.191	0.011	0.10	6.33	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.00
357811	Drill Core	10.10	4	3	<2	<0.001	0.001	<0.02	<0.01	<2	0.236	0.012	0.12	5.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
357812	Drill Core	9.50	<2	4	6	<0.001	0.002	<0.02	<0.01	<2	0.204	0.011	0.09	5.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
357813	Drill Core	10.10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.202	0.011	0.09	5.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
357814	Drill Core	10.10	52	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.187	0.010	0.10	4.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.86
357815	Drill Core	9.80	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.140	0.008	0.12	5.14	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	1.79
357816	Drill Core	9.10	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.095	0.007	0.14	4.96	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	3.06
357817	Drill Core	8.40	<2	5	3	<0.001	0.003	<0.02	<0.01	<2	0.188	0.010	0.10	4.56	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	1.66
357818	Drill Core	9.00	<2	<3	3	<0.001	0.044	<0.02	<0.01	<2	0.164	0.010	0.13	5.91	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	1.88
357819	Drill Core	9.90	<2	7	5	<0.001	0.010	<0.02	<0.01	<2	0.051	0.005	0.15	6.03	<0.02	0.05	<0.001	<0.01	<0.01	0.02	5.44
357820A	Drill Core	8.80	9	8	7	<0.001	0.005	<0.02	<0.01	<2	0.135	0.007	0.12	4.50	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.89
357820B	Drill Core		<2	9	8	<0.001	0.005	<0.02	<0.01	<2	0.139	0.007	0.12	4.50	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.87
357821	Drill Core	10.10	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.219	0.011	0.10	5.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
357822	Drill Core	9.80	<2	<3	6	<0.001	0.002	<0.02	<0.01	<2	0.209	0.010	0.09	4.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
357823	Drill Core	14.00	<2	4	4	<0.001	0.005	<0.02	<0.01	<2	0.198	0.009	0.08	4.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.98
357824	Drill Core	4.70	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.215	0.010	0.06	4.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 25, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000118.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
357797	Drill Core	<0.01	0.143	22.11	0.04	0.30	0.01	0.03	<0.01	0.26	0.014	0.160	0.009	0.32	1.03	0.29
357798	Drill Core	<0.01	0.133	21.28	0.04	0.37	<0.01	0.04	<0.01	0.26	0.015	0.161	0.009	0.26	0.80	0.28
357799	Drill Core	<0.01	0.100	22.50	0.03	0.26	<0.01	0.06	<0.01	0.24	0.010	0.188	0.009	0.33	1.26	0.26
357800	Rock Pulp	<0.01	0.957	12.79	0.17	3.87	0.28	0.11	<0.01	0.43	0.053	0.183	0.007	0.30	0.25	0.48
357801	Rock Pulp	<0.01	0.153	24.28	0.02	0.30	<0.01	0.07	<0.01	1.08	0.028	0.218	0.012	0.74	1.96	1.36
357802	Drill Core	<0.01	0.139	23.08	0.02	0.13	<0.01	<0.01	<0.01	0.18	0.009	0.132	0.007	0.31	1.28	0.20
RRE 357802	Drill Core	<0.01	0.123	22.30	0.02	0.13	<0.01	<0.01	<0.01	0.18	0.011	0.130	0.007	0.31	1.47	0.20
357803	Drill Core	<0.01	0.189	24.16	0.02	0.20	<0.01	0.01	<0.01	0.14	0.003	0.121	0.008	0.34	2.01	0.14
357804	Drill Core	<0.01	0.207	24.96	0.03	0.40	<0.01	0.04	<0.01	0.13	0.001	0.152	0.006	0.24	1.88	0.15
357805	Drill Core	<0.01	0.205	23.65	0.03	0.30	<0.01	0.03	<0.01	0.11	0.001	0.141	0.006	0.21	1.46	0.11
357806	Drill Core	<0.01	0.149	21.53	0.03	0.36	<0.01	0.03	<0.01	0.11	0.002	0.177	0.007	0.17	0.81	0.13
357807	Drill Core	<0.01	0.241	23.55	0.03	0.30	<0.01	0.07	<0.01	0.08	0.001	0.120	0.005	0.24	1.20	0.08
357808	Drill Core	<0.01	0.309	26.38	0.02	0.14	<0.01	0.01	<0.01	0.09	0.002	0.105	0.005	0.30	2.16	0.09
357809	Drill Core	<0.01	0.287	26.63	0.02	0.12	<0.01	<0.01	<0.01	0.06	0.002	0.080	0.005	0.38	1.76	0.07
357810	Drill Core	0.02	0.226	22.46	0.10	0.79	<0.01	0.01	<0.01	0.11	0.016	0.108	0.006	0.22	1.05	0.12
357811	Drill Core	<0.01	0.227	25.73	0.02	0.12	<0.01	0.02	<0.01	0.13	<0.001	0.182	0.009	0.38	2.69	0.12
357812	Drill Core	<0.01	0.233	23.27	0.03	0.32	<0.01	<0.01	<0.01	0.13	0.001	0.185	0.010	0.25	2.20	0.14
357813	Drill Core	<0.01	0.153	24.04	0.01	0.19	<0.01	<0.01	<0.01	0.13	<0.001	0.188	0.011	0.27	2.22	0.13
357814	Drill Core	<0.01	0.171	22.38	0.03	1.03	<0.01	0.34	<0.01	0.09	<0.001	0.131	0.007	0.19	1.24	0.10
357815	Drill Core	0.03	0.170	18.26	0.12	3.14	1.16	0.74	<0.01	0.08	<0.001	0.112	0.006	0.21	1.22	0.08
357816	Drill Core	0.07	0.119	12.93	0.19	5.35	1.68	0.86	<0.01	0.06	<0.001	0.082	0.005	0.14	0.53	0.07
357817	Drill Core	<0.01	0.153	20.45	0.04	1.41	0.09	0.37	<0.01	0.18	0.002	0.146	0.007	0.24	0.53	0.18
357818	Drill Core	0.04	0.169	19.90	0.13	1.90	0.02	0.05	<0.01	0.25	0.041	0.152	0.008	0.35	0.68	0.27
357819	Drill Core	0.08	0.054	8.96	0.34	5.56	1.55	1.38	<0.01	0.16	0.010	0.037	0.002	0.17	0.17	0.19
357820A	Drill Core	0.04	0.098	15.34	0.11	3.06	1.26	0.89	<0.01	0.21	0.005	0.123	0.006	0.20	0.65	0.25
357820B	Drill Core	0.04	0.106	15.97	0.11	2.93	1.21	0.86	<0.01	0.22	0.005	0.127	0.006	0.21	0.71	0.25
357821	Drill Core	<0.01	0.146	23.31	0.01	0.11	<0.01	<0.01	<0.01	0.13	0.001	0.183	0.009	0.23	1.25	0.15
357822	Drill Core	<0.01	0.150	23.20	0.03	0.37	<0.01	0.02	<0.01	0.10	0.001	0.153	0.007	0.23	1.45	0.12
357823	Drill Core	<0.01	0.153	21.82	0.04	0.67	0.05	0.27	<0.01	0.19	0.004	0.168	0.007	0.31	1.02	0.22
357824	Drill Core	<0.01	0.131	24.02	0.03	0.31	<0.01	0.04	<0.01	0.20	<0.001	0.185	0.008	0.29	0.82	0.21



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 25, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000118.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357825	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.340	0.015	0.05	8.68	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.21
357826	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.046	<0.02	<0.01	<2	0.403	0.026	0.12	12.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
357827	Drill Core	9.30	<2	<3	4	0.002	0.009	<0.02	<0.01	<2	0.191	0.009	0.09	4.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
357828	Drill Core	9.50	<2	<3	5	<0.001	0.003	<0.02	<0.01	<2	0.215	0.011	0.09	5.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
357829	Drill Core	10.10	<2	<3	6	<0.001	0.002	<0.02	<0.01	<2	0.225	0.011	0.09	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20
357830	Drill Core	1.50	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.19	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.91
357831	Drill Core	10.00	<2	4	<2	<0.001	0.001	<0.02	<0.01	<2	0.225	0.010	0.09	4.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
357832	Drill Core	10.30	3	6	3	<0.001	0.002	<0.02	<0.01	3	0.245	0.011	0.09	5.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
357833	Drill Core	9.50	4	<3	3	<0.001	0.004	<0.02	0.01	<2	0.237	0.011	0.11	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
357834	Drill Core	10.30	4	47	48	<0.001	0.006	<0.02	<0.01	<2	0.241	0.011	0.10	5.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.63
357835	Drill Core	10.10	5	62	60	0.001	0.016	<0.02	<0.01	<2	0.252	0.012	0.12	5.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.90
357836	Drill Core	9.20	7	44	48	0.002	0.020	<0.02	0.01	<2	0.158	0.010	0.16	7.71	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	2.60
357837	Drill Core	9.20	18	17	24	<0.001	0.002	<0.02	<0.01	<2	0.236	0.010	0.09	4.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 25, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000118.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
357825	Rock Pulp	<0.01	0.383	14.82	0.13	2.84	0.22	0.05	<0.01	0.82	0.082	0.235	0.010	0.49	0.51	1.00
357826	Rock Pulp	<0.01	0.194	20.98	0.02	0.26	0.03	0.09	<0.01	3.10	0.048	0.407	0.025	1.06	1.48	4.20
357827	Drill Core	0.02	0.138	19.44	0.08	1.43	0.11	0.61	<0.01	0.18	0.008	0.154	0.007	0.25	0.52	0.23
357828	Drill Core	<0.01	0.161	24.17	0.04	0.46	<0.01	0.03	<0.01	0.16	0.003	0.195	0.009	0.22	0.98	0.16
357829	Drill Core	<0.01	0.141	26.10	0.03	0.38	<0.01	0.04	<0.01	0.13	0.001	0.164	0.007	0.28	1.24	0.12
357830	Drill Core	0.02	0.001	0.21	0.07	7.96	3.70	1.33	<0.01	0.02	<0.001	<0.001	<0.001	0.07	<0.01	<0.02
357831	Drill Core	<0.01	0.129	23.60	0.04	0.48	<0.01	0.03	<0.01	0.11	<0.001	0.099	0.004	0.13	0.42	0.13
357832	Drill Core	<0.01	0.139	25.41	0.03	0.35	<0.01	0.05	<0.01	0.12	<0.001	0.105	0.005	0.17	0.67	0.14
357833	Drill Core	<0.01	0.157	23.51	0.04	0.39	<0.01	0.03	<0.01	0.15	0.004	0.149	0.006	0.24	0.87	0.16
357834	Drill Core	<0.01	0.202	24.47	0.03	0.36	<0.01	0.02	<0.01	0.19	0.006	0.164	0.007	0.24	0.92	0.20
357835	Drill Core	<0.01	0.175	22.47	0.05	0.56	0.01	0.10	<0.01	0.52	0.014	0.203	0.009	0.34	0.79	0.58
357836	Drill Core	0.02	0.121	17.81	0.10	0.83	0.13	0.57	<0.01	0.90	0.019	0.148	0.008	0.54	0.52	0.96
357837	Drill Core	<0.01	0.179	23.50	0.05	0.57	<0.01	0.05	<0.01	0.12	0.002	0.149	0.005	0.24	0.92	0.13



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 03, 2007
 Report Date: November 16, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000160.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-201E
 P.O. Number: ACME FILE: A718368
 Number of Samples: 46

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	42	Crush, split and pulverize drill core to 150 mesh		
3B	44	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	46	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	46	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	46	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000160.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357838	Drill Core	9.8	3	10	7	<0.001	0.004	<0.02	<0.01	<2	0.232	0.011	0.10	6.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.17
357839	Drill Core	11	<2	7	5	<0.001	0.003	<0.02	<0.01	<2	0.256	0.012	0.09	6.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.75
357840	Drill Core	9	4	4	4	<0.001	0.002	<0.02	<0.01	<2	0.231	0.011	0.09	5.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.48
357841	Drill Core	9.7	7	6	5	<0.001	0.003	<0.02	0.01	<2	0.217	0.010	0.11	5.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.47
357842	Drill Core	10	<2	20	25	<0.001	0.012	<0.02	0.01	<2	0.159	0.009	0.14	6.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	2.47
RRE 357842	Drill Core		<2	45	33	<0.001	0.012	<0.02	0.01	<2	0.163	0.009	0.14	7.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	2.33
357843	Drill Core	11.1	<2	32	35	<0.001	0.011	<0.02	0.01	<2	0.211	0.013	0.13	8.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.02
357844	Drill Core	12.2	<2	10	11	<0.001	0.007	<0.02	<0.01	<2	0.178	0.012	0.13	8.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.07
357845	Drill Core	12.2	<2	8	18	<0.001	0.004	<0.02	<0.01	<2	0.204	0.013	0.13	8.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.97
357846	Drill Core	11.2	2	7	6	<0.001	0.004	<0.02	<0.01	<2	0.178	0.012	0.12	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.96
357847	Drill Core	10.1	<2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.202	0.011	0.11	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.62
357848	Drill Core	10.1	6	6	7	<0.001	0.003	<0.02	<0.01	<2	0.220	0.012	0.12	7.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.79
357849	Drill Core	10	<2	15	16	<0.001	0.003	<0.02	<0.01	<2	0.215	0.013	0.12	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
357850	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.253	0.017	0.11	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
357851	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.02	<2	0.228	0.011	0.10	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.17
357852	Drill Core	9.6	<2	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.218	0.012	0.12	7.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
357853	Drill Core	10.7	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.181	0.012	0.11	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.67
357854	Drill Core	9.2	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.200	0.012	0.11	6.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.90
357855	Drill Core	9.3	18	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.173	0.010	0.10	6.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.51
357856	Drill Core	9.3	3	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.209	0.011	0.10	6.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.63
357857	Drill Core	9.6	<2	<3	2	<0.001	0.002	<0.02	<0.01	2	0.157	0.010	0.08	5.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
357858	Drill Core	9.5	5	7	8	<0.001	0.008	<0.02	<0.01	<2	0.172	0.011	0.09	5.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
357859	Drill Core	9.4	7	11	15	<0.001	0.021	<0.02	<0.01	<2	0.212	0.013	0.11	7.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.50
357860	Drill Core	1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.006	<0.001	0.07	1.25	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.91
357861	Drill Core	9.3	<2	6	7	<0.001	0.016	<0.02	<0.01	<2	0.195	0.013	0.11	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.21
357862	Drill Core	9.2	<2	8	10	<0.001	0.014	<0.02	<0.01	<2	0.229	0.014	0.11	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
357863	Drill Core	9.5	3	4	7	<0.001	0.024	<0.02	<0.01	2	0.210	0.013	0.12	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
357864	Drill Core	9.8	<2	7	9	<0.001	0.009	<0.02	<0.01	<2	0.208	0.014	0.11	8.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
357865	Drill Core	9.1	<2	10	14	<0.001	0.014	<0.02	<0.01	<2	0.277	0.016	0.11	7.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
357866	Drill Core	9.6	7	15	18	<0.001	0.028	<0.02	<0.01	<2	0.242	0.014	0.10	8.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000160.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357838	Drill Core	0.02	0.219	23.89	0.06	0.95	0.15	0.35	<0.01	0.09	0.003	0.110	0.005	0.47	1.75	0.08	N.A.
357839	Drill Core	<0.01	0.216	27.04	0.03	0.25	<0.01	0.07	<0.01	0.07	0.002	0.096	0.004	0.46	2.04	0.07	N.A.
357840	Drill Core	<0.01	0.187	25.05	0.05	0.44	<0.01	0.09	<0.01	0.08	0.002	0.141	0.005	0.25	1.19	0.06	N.A.
357841	Drill Core	<0.01	0.177	24.55	0.06	0.50	0.01	0.10	<0.01	0.10	0.003	0.120	0.004	0.29	1.10	0.09	N.A.
357842	Drill Core	<0.01	0.241	20.07	0.07	0.50	0.03	0.02	<0.01	0.43	0.010	0.134	0.007	0.29	0.53	0.44	3.05
RRE 357842	Drill Core	<0.01	0.256	20.20	0.07	0.49	0.02	0.02	<0.01	0.44	0.010	0.138	0.006	0.29	0.51	0.46	N.A.
357843	Drill Core	<0.01	0.348	25.37	0.04	0.26	0.02	<0.01	<0.01	0.24	0.010	0.100	0.005	0.55	1.98	0.27	N.A.
357844	Drill Core	<0.01	0.219	23.83	0.04	0.20	0.03	<0.01	<0.01	0.10	0.006	0.074	0.004	0.40	1.37	0.10	N.A.
357845	Drill Core	<0.01	0.252	25.02	0.02	0.16	0.02	<0.01	<0.01	0.07	0.004	0.072	0.004	0.50	1.79	0.07	N.A.
357846	Drill Core	<0.01	0.197	24.96	0.02	0.12	0.01	<0.01	<0.01	0.06	0.004	0.091	0.006	0.40	2.23	0.07	N.A.
357847	Drill Core	<0.01	0.183	24.62	0.01	0.11	<0.01	<0.01	<0.01	0.08	0.001	0.129	0.007	0.31	2.20	0.07	N.A.
357848	Drill Core	<0.01	0.174	25.30	0.01	0.09	<0.01	<0.01	<0.01	0.05	0.003	0.090	0.005	0.32	1.87	0.04	N.A.
357849	Drill Core	<0.01	0.249	26.75	0.01	0.08	<0.01	<0.01	<0.01	0.06	0.003	0.115	0.006	0.29	2.10	0.06	N.A.
357850	Rock Pulp	<0.01	0.136	25.67	0.02	0.32	<0.01	0.07	<0.01	1.07	0.030	0.232	0.012	0.83	2.36	1.33	N.A.
357851	Rock Pulp	<0.01	0.893	13.70	0.19	3.87	0.36	0.11	<0.01	0.44	0.055	0.175	0.007	0.31	0.26	0.49	N.A.
357852	Drill Core	<0.01	0.220	26.16	0.01	0.09	<0.01	<0.01	<0.01	0.07	0.002	0.124	0.007	0.21	1.67	0.08	2.75
357853	Drill Core	<0.01	0.195	24.65	0.01	0.10	<0.01	<0.01	<0.01	0.04	0.001	0.079	0.005	0.22	1.50	0.05	N.A.
357854	Drill Core	<0.01	0.241	25.72	0.01	0.09	<0.01	<0.01	<0.01	0.05	0.001	0.101	0.006	0.21	1.94	0.05	N.A.
357855	Drill Core	<0.01	0.148	21.40	0.01	0.10	<0.01	<0.01	<0.01	0.09	0.002	0.131	0.007	0.23	1.51	0.08	N.A.
357856	Drill Core	<0.01	0.187	23.26	<0.01	0.05	<0.01	<0.01	<0.01	0.07	<0.001	0.118	0.006	0.29	2.20	0.04	N.A.
357857	Drill Core	<0.01	0.238	20.31	<0.01	0.07	0.01	<0.01	<0.01	0.11	0.002	0.080	0.006	0.26	0.74	0.14	N.A.
357858	Drill Core	<0.01	0.193	19.57	<0.01	0.10	0.01	0.02	<0.01	0.14	0.007	0.081	0.006	0.34	0.83	0.19	N.A.
357859	Drill Core	<0.01	0.244	23.04	<0.01	0.06	<0.01	<0.01	<0.01	0.24	0.019	0.166	0.009	0.64	1.83	0.26	N.A.
357860	Drill Core	0.02	0.011	1.07	0.06	7.54	3.47	1.13	<0.01	<0.01	<0.001	0.003	<0.001	0.04	0.09	<0.02	N.A.
357861	Drill Core	<0.01	0.206	22.22	<0.01	0.07	<0.01	<0.01	<0.01	0.26	0.014	0.155	0.009	0.78	2.13	0.25	N.A.
357862	Drill Core	<0.01	0.212	23.12	<0.01	0.06	<0.01	<0.01	<0.01	0.32	0.012	0.195	0.011	0.60	1.80	0.34	N.A.
357863	Drill Core	<0.01	0.216	23.79	<0.01	0.05	<0.01	<0.01	<0.01	0.31	0.029	0.181	0.011	0.57	1.96	0.33	N.A.
357864	Drill Core	<0.01	0.186	25.15	<0.01	0.04	<0.01	<0.01	<0.01	0.28	0.009	0.172	0.010	0.56	2.39	0.26	N.A.
357865	Drill Core	<0.01	0.245	23.00	<0.01	0.05	<0.01	<0.01	<0.01	0.37	0.013	0.264	0.013	0.52	1.86	0.38	N.A.
357866	Drill Core	<0.01	0.205	23.07	<0.01	0.09	<0.01	<0.01	<0.01	0.36	0.025	0.231	0.012	0.45	1.57	0.34	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000160.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357867	Drill Core	9.7	<2	14	15	<0.001	0.015	<0.02	<0.01	<2	0.207	0.014	0.11	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
357868	Drill Core	10.3	<2	9	9	<0.001	0.012	<0.02	<0.01	<2	0.197	0.013	0.10	7.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.05
357869	Drill Core	9.7	7	5	7	<0.001	0.010	<0.02	<0.01	<2	0.191	0.013	0.11	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
357870	Drill Core	9.7	3	<3	5	<0.001	0.009	<0.02	<0.01	<2	0.171	0.012	0.10	7.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.02
357871	Drill Core	8.9	<2	4	6	<0.001	0.011	<0.02	<0.01	<2	0.185	0.013	0.09	6.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
357872	Drill Core	9.8	<2	10	13	<0.001	0.010	<0.02	<0.01	<2	0.186	0.013	0.10	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
357873	Drill Core	9.5	5	4	4	<0.001	0.024	<0.02	<0.01	<2	0.171	0.013	0.12	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
357874	Drill Core	9.7	7	37	34	<0.001	0.048	<0.02	<0.01	<2	0.223	0.018	0.10	7.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
357875	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.098	<0.02	<0.01	<2	0.343	0.016	0.05	9.41	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.22
357876	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.048	<0.02	<0.01	<2	0.410	0.028	0.12	13.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
357877	Drill Core	9.2	4	13	13	<0.001	0.025	<0.02	<0.01	<2	0.130	0.015	0.09	7.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
357878	Drill Core	9.4	7	17	17	<0.001	0.017	<0.02	<0.01	<2	0.243	0.014	0.08	5.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.78
357879	Drill Core	9.4	<2	6	10	<0.001	0.019	<0.02	<0.01	<2	0.099	0.008	0.10	5.03	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	2.70
357880A	Drill Core	10.5	<2	<3	3	0.001	0.009	<0.02	0.02	<2	0.010	0.002	0.11	5.10	<0.02	0.06	<0.001	<0.01	<0.01	0.02	3.42
357880B	Drill Core		<2	<3	3	0.002	0.010	<0.02	0.02	<2	0.008	0.002	0.11	5.03	<0.02	0.06	<0.001	<0.01	<0.01	0.02	3.39
357881	Drill Core	10.5	<2	<3	<2	<0.001	0.008	<0.02	0.02	<2	0.006	0.002	0.13	5.68	<0.02	0.03	<0.001	<0.01	<0.01	0.02	3.42



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000160.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357867	Drill Core	<0.01	0.210	22.35	0.01	0.10	<0.01	<0.01	<0.01	0.27	0.014	0.199	0.012	0.32	1.30	0.25	N.A.
357868	Drill Core	<0.01	0.184	23.70	<0.01	0.07	<0.01	<0.01	<0.01	0.25	0.011	0.197	0.012	0.32	1.55	0.24	N.A.
357869	Drill Core	<0.01	0.215	24.08	<0.01	0.06	<0.01	<0.01	<0.01	0.22	0.009	0.190	0.012	0.33	1.52	0.22	N.A.
357870	Drill Core	<0.01	0.205	22.00	<0.01	0.05	<0.01	<0.01	<0.01	0.24	0.008	0.162	0.010	0.29	0.99	0.25	N.A.
357871	Drill Core	<0.01	0.185	22.35	<0.01	0.05	<0.01	<0.01	<0.01	0.25	0.009	0.183	0.012	0.29	1.05	0.24	N.A.
357872	Drill Core	0.01	0.226	25.45	<0.01	0.08	<0.01	<0.01	<0.01	0.32	0.008	0.180	0.011	0.38	1.97	0.38	2.83
357873	Drill Core	<0.01	0.284	23.68	0.01	0.11	<0.01	<0.01	<0.01	0.35	0.023	0.178	0.012	0.45	2.15	0.41	N.A.
357874	Drill Core	<0.01	0.254	25.73	<0.01	0.06	<0.01	<0.01	<0.01	0.50	0.049	0.230	0.017	0.58	3.30	0.55	N.A.
357875	Rock Pulp	0.02	0.383	14.85	0.14	2.86	0.24	0.05	<0.01	0.90	0.092	0.242	0.010	0.62	0.74	1.03	N.A.
357876	Rock Pulp	0.01	0.181	22.02	0.02	0.28	0.03	0.10	<0.01	3.29	0.048	0.396	0.024	1.21	1.82	4.18	N.A.
357877	Drill Core	0.31	0.243	26.18	<0.01	0.07	<0.01	<0.01	<0.01	0.30	0.024	0.128	0.012	0.37	3.06	0.30	N.A.
357878	Drill Core	0.02	0.141	25.67	<0.01	0.06	<0.01	<0.01	<0.01	0.38	0.015	0.242	0.013	0.50	2.53	0.45	N.A.
357879	Drill Core	0.06	0.090	13.77	0.15	3.54	0.06	0.33	<0.01	0.36	0.018	0.058	0.004	0.22	0.43	0.45	N.A.
357880A	Drill Core	0.11	0.013	2.81	0.42	7.31	0.72	2.18	<0.01	0.69	0.009	0.006	<0.001	0.24	0.18	0.80	N.A.
357880B	Drill Core	0.11	0.012	2.54	0.42	7.55	0.55	2.30	<0.01	0.79	0.010	0.004	0.001	0.32	0.18	0.91	N.A.
357881	Drill Core	0.11	0.010	2.50	0.44	8.24	2.05	2.07	<0.01	0.67	0.008	0.003	<0.001	0.29	0.12	0.80	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By:

Sandy Smeeton

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

September 03, 2007

Report Date:

January 25, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

SMI07000196.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-201D
 P.O. Number: ACME FILE: A718333
 Number of Samples: 3

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
G8SG	3	Specific Gravity on Pulp		Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage


ADDITIONAL COMMENTS

S.G. from powder material from Job SMI07000118

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 25, 2008

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS

SMI07000196.1

	Method	G8SG
	Analyte	SG
	Unit	
	MDL	0
357802	Core Pulp	3.07
357812	Core Pulp	2.90
357832	Core Pulp	3.01

Hole 07-203



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 02, 2007
 Report Date: October 27, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000116.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-203A
 P.O. Number: ACME FILE: A718331
 Number of Samples: 19

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	19	Crush, split and pulverize drill core to 150 mesh		
3B	19	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	19	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	19	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	19	Analysis by Leco		Completed
Specific Gravity	19	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 27, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000116.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569312	Drill Core	4.5	<2	8	10	<0.001	0.006	<0.02	<0.01	<2	0.209	0.012	0.14	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.85
569313	Drill Core	7.2	<2	8	10	<0.001	0.004	<0.02	<0.01	<2	0.177	0.012	0.14	8.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.19
569314	Drill Core	8.4	6	5	4	<0.001	0.006	<0.02	<0.01	<2	0.151	0.010	0.11	7.60	<0.02	0.01	<0.001	<0.01	<0.01	0.01	2.61
569315	Drill Core	10.1	<2	6	8	<0.001	0.004	<0.02	<0.01	<2	0.163	0.011	0.14	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.09
569316	Drill Core	10.4	<2	<3	3	<0.001	0.005	<0.02	<0.01	<2	0.202	0.012	0.15	8.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.25
569317	Drill Core	10.1	<2	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.212	0.011	0.14	7.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.84
569318	Drill Core	8.9	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.199	0.012	0.12	7.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.46
569319	Drill Core	9.6	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.229	0.012	0.14	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
569320	Drill Core	1.5	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.005	<0.001	0.08	1.23	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.97
569321	Drill Core	9.8	<2	<3	<2	<0.001	0.003	<0.02	<0.01	2	0.229	0.011	0.12	7.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.81
569322	Drill Core	9.3	<2	5	5	<0.001	0.003	<0.02	<0.01	<2	0.185	0.010	0.10	6.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.86
RRE 569322	Drill Core		<2	4	4	<0.001	0.004	<0.02	<0.01	<2	0.182	0.010	0.11	7.11	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.18
569323	Drill Core	10.5	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.217	0.011	0.12	6.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.24
569324	Drill Core	10.5	<2	4	3	<0.001	0.003	<0.02	<0.01	<2	0.206	0.011	0.12	6.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.47
569325	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.048	<0.02	<0.01	<2	0.415	0.027	0.13	12.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569326	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.01	<2	0.237	0.011	0.11	8.78	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.37
569327	Drill Core	10.2	<2	3	4	<0.001	0.003	<0.02	<0.01	<2	0.185	0.011	0.12	7.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.13
569328	Drill Core	9.5	3	5	5	<0.001	0.005	<0.02	<0.01	<2	0.166	0.010	0.11	6.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.57
569329	Drill Core	9.3	3	<3	<2	<0.001	0.014	<0.02	<0.01	<2	0.076	0.008	0.15	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.16



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 27, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000116.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569312	Drill Core	<0.01	0.131	23.80	0.07	0.42	0.08	0.04	<0.01	0.14	0.004	0.104	0.004	0.37	1.32	0.12	2.72
569313	Drill Core	<0.01	0.176	23.60	0.05	0.28	0.03	0.01	<0.01	0.11	0.003	0.075	0.005	0.27	1.33	0.10	N.A.
569314	Drill Core	0.03	0.144	20.27	0.13	1.31	0.02	0.07	<0.01	0.16	0.005	0.114	0.006	0.21	1.10	0.14	N.A.
569315	Drill Core	0.03	0.113	22.63	0.12	1.17	0.01	0.03	<0.01	0.11	0.003	0.077	0.004	0.26	1.13	0.09	N.A.
569316	Drill Core	<0.01	0.183	24.57	0.06	0.46	0.07	0.06	<0.01	0.22	0.004	0.100	0.005	0.31	1.27	0.21	N.A.
569317	Drill Core	<0.01	0.165	25.35	0.06	0.46	0.01	0.06	<0.01	0.10	0.002	0.093	0.004	0.26	1.12	0.10	N.A.
569318	Drill Core	<0.01	0.190	24.24	0.08	0.76	<0.01	0.11	<0.01	0.11	0.003	0.096	0.005	0.21	1.20	0.12	N.A.
569319	Drill Core	<0.01	0.226	24.89	0.06	0.69	<0.01	0.10	<0.01	0.13	0.003	0.121	0.006	0.22	1.11	0.13	N.A.
569320	Drill Core	0.02	0.005	0.82	0.07	7.91	3.64	1.33	<0.01	<0.01	<0.001	0.003	<0.001	0.08	0.13	<0.02	N.A.
569321	Drill Core	0.01	0.155	25.11	0.06	0.67	<0.01	0.10	<0.01	0.13	0.002	0.131	0.006	0.21	1.13	0.14	N.A.
569322	Drill Core	0.03	0.100	20.42	0.19	1.80	0.04	0.25	<0.01	0.15	0.003	0.142	0.007	0.20	0.78	0.14	2.81
RRE 569322	Drill Core	0.03	0.100	20.96	0.19	1.84	0.01	0.21	<0.01	0.15	0.003	0.137	0.006	0.22	0.87	0.13	N.A.
569323	Drill Core	0.01	0.146	25.09	0.07	0.81	<0.01	0.10	<0.01	0.10	0.001	0.108	0.005	0.20	1.08	0.10	N.A.
569324	Drill Core	0.01	0.184	24.01	0.07	0.84	<0.01	0.09	<0.01	0.12	0.002	0.122	0.006	0.18	0.99	0.11	N.A.
569325	Rock Pulp	<0.01	0.190	22.02	0.03	0.29	0.03	0.09	<0.01	3.06	0.045	0.359	0.021	1.01	1.52	3.89	N.A.
569326	Rock Pulp	<0.01	0.909	13.89	0.18	3.94	0.34	0.11	<0.01	0.48	0.055	0.175	0.006	0.32	0.25	0.49	N.A.
569327	Drill Core	0.02	0.208	23.44	0.09	0.94	0.01	0.11	<0.01	0.11	0.002	0.117	0.006	0.17	0.93	0.10	N.A.
569328	Drill Core	0.02	0.131	20.29	0.14	1.41	0.03	0.14	<0.01	0.15	0.005	0.120	0.007	0.19	0.72	0.14	N.A.
569329	Drill Core	0.04	0.084	13.01	0.64	4.14	0.22	0.33	<0.01	0.06	0.014	0.044	0.003	0.21	0.54	0.09	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 07, 2007
 Report Date: November 24, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000134.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-203B
 P.O. Number: ACME FILE: A718328
 Number of Samples: 47

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	47	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	47	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	47	Analysis by Leco	0.1	Completed
Specific Gravity	4	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000134.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569330	Drill Core	9.2	2	4	2	<0.001	0.002	<0.02	<0.01	<2	0.197	0.011	0.13	6.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
569331	Drill Core	8.9	<2	3	<2	<0.001	0.003	<0.02	<0.01	<2	0.192	0.010	0.11	6.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
569332	Drill Core	8.9	<2	4	<2	<0.001	0.005	<0.02	<0.01	<2	0.084	0.006	0.12	5.61	<0.02	0.04	<0.001	<0.01	<0.01	0.01	4.87
569333	Drill Core	8.3	<2	4	4	<0.001	0.003	<0.02	<0.01	<2	0.112	0.008	0.14	6.24	<0.02	0.07	<0.001	<0.01	<0.01	0.01	3.80
569334	Drill Core	9.3	15	5	6	<0.001	0.005	<0.02	<0.01	<2	0.197	0.011	0.11	7.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.49
569335	Drill Core	9	7	<3	5	<0.001	0.004	<0.02	<0.01	<2	0.141	0.009	0.14	6.71	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	1.69
569336	Drill Core	8.2	<2	<3	2	<0.001	0.003	<0.02	<0.01	<2	0.147	0.010	0.10	6.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.71
RRE 569336	Drill Core		<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.135	0.009	0.10	6.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.26
569337	Drill Core	9.7	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.188	0.011	0.12	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.93
569338	Drill Core	10	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.170	0.011	0.11	7.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.01
569339	Drill Core	9.3	<2	4	3	<0.001	0.003	<0.02	<0.01	<2	0.166	0.012	0.10	7.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.66
569340A	Drill Core	9.7	<2	3	2	<0.001	0.002	<0.02	<0.01	<2	0.167	0.011	0.11	7.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.78
569340B	Drill Core		<2	3	2	<0.001	0.002	<0.02	<0.01	<2	0.176	0.012	0.12	7.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.79
569341	Drill Core	8.8	<2	<3	3	<0.001	0.006	<0.02	<0.01	<2	0.170	0.011	0.12	7.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.04
569342	Drill Core	8.9	<2	5	3	<0.001	0.003	<0.02	<0.01	<2	0.172	0.010	0.11	6.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.87
569343	Drill Core	10.1	<2	<3	5	<0.001	0.003	<0.02	<0.01	<2	0.180	0.011	0.12	7.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.90
569344	Drill Core	9.9	<2	<3	2	<0.001	0.003	<0.02	<0.01	<2	0.188	0.010	0.11	7.21	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.53
569345	Drill Core	10.2	<2	4	8	<0.001	0.005	<0.02	<0.01	<2	0.153	0.011	0.11	6.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.92
569346	Drill Core	10.1	<2	7	2	<0.001	0.003	<0.02	<0.01	<2	0.177	0.010	0.12	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.38
569347	Drill Core	10.3	<2	3	4	<0.001	0.006	<0.02	<0.01	<2	0.174	0.010	0.12	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.92
569348	Drill Core	11	<2	<3	5	<0.001	0.004	<0.02	<0.01	<2	0.149	0.011	0.12	7.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.26
569349	Drill Core	10.2	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.171	0.011	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
569350	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.056	<0.02	0.02	<2	0.229	0.012	0.11	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.24
569351	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.250	0.016	0.11	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
569352	Drill Core	10.7	<2	4	4	<0.001	0.004	<0.02	<0.01	<2	0.173	0.011	0.12	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.59
569353	Drill Core	10.5	<2	4	4	<0.001	0.004	<0.02	<0.01	<2	0.167	0.012	0.11	7.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.71
569354	Drill Core	11.4	<2	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.244	0.012	0.10	5.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.61
569355	Drill Core	9.5	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.270	0.011	0.07	4.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
569356	Drill Core	9.9	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.267	0.010	0.08	4.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.86
569357	Drill Core	8.9	<2	3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.243	0.010	0.08	4.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.33



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000134.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569330	Drill Core	0.02	0.134	24.15	0.07	0.78	0.01	0.13	<0.01	0.11	0.002	0.144	0.007	0.18	1.09	0.11	
569331	Drill Core	0.01	0.157	22.01	0.07	0.82	0.03	0.14	<0.01	0.13	0.002	0.155	0.007	0.16	1.08	0.13	
569332	Drill Core	0.08	0.094	12.55	0.23	4.47	1.05	1.75	<0.01	0.12	0.004	0.067	0.003	0.14	0.30	0.08	2.76
569333	Drill Core	0.07	0.097	15.53	0.19	4.26	0.08	0.93	<0.01	0.20	0.004	0.097	0.005	0.22	0.52	0.18	
569334	Drill Core	<0.01	0.180	22.76	0.05	0.46	0.01	0.06	<0.01	0.20	0.004	0.188	0.009	0.31	1.27	0.21	
569335	Drill Core	0.03	0.139	19.08	0.16	1.57	0.49	0.30	<0.01	0.13	0.003	0.109	0.006	0.21	0.90	0.14	
569336	Drill Core	<0.01	0.149	22.36	0.06	0.64	<0.01	0.08	<0.01	0.14	0.002	0.116	0.007	0.18	1.51	0.13	
RRE 569336	Drill Core	<0.01	0.144	21.92	0.06	0.61	<0.01	0.07	<0.01	0.06	0.002	0.112	0.007	0.18	1.47	0.12	
569337	Drill Core	0.01	0.118	23.98	0.05	0.68	<0.01	0.09	<0.01	0.14	0.002	0.129	0.007	0.20	1.30	0.12	
569338	Drill Core	0.01	0.126	23.13	0.06	0.72	<0.01	0.06	<0.01	0.13	0.002	0.133	0.007	0.19	1.13	0.12	
569339	Drill Core	0.01	0.154	23.77	0.08	0.75	<0.01	0.07	<0.01	0.11	0.002	0.124	0.007	0.17	0.93	0.10	
569340A	Drill Core	0.01	0.111	22.69	0.09	0.98	<0.01	0.20	<0.01	0.10	0.002	0.123	0.007	0.18	0.78	0.10	
569340B	Drill Core	0.01	0.128	23.57	0.09	1.01	<0.01	0.21	<0.01	0.10	0.002	0.119	0.007	0.17	0.71	0.10	
569341	Drill Core	0.01	0.115	20.47	0.10	1.05	0.02	0.17	<0.01	0.17	0.006	0.132	0.007	0.19	0.70	0.15	
569342	Drill Core	0.02	0.095	20.79	0.12	1.28	<0.01	0.25	<0.01	0.12	0.003	0.135	0.007	0.16	0.58	0.11	
569343	Drill Core	0.02	0.106	22.25	0.12	1.12	<0.01	0.18	<0.01	0.11	0.003	0.112	0.005	0.15	0.70	0.08	
569344	Drill Core	0.02	0.079	21.75	0.10	1.09	0.01	0.12	<0.01	0.14	0.003	0.140	0.007	0.19	0.63	0.12	
569345	Drill Core	0.02	0.119	20.94	0.16	1.10	0.01	0.15	<0.01	0.13	0.005	0.126	0.007	0.17	0.70	0.10	
569346	Drill Core	0.02	0.101	21.06	0.11	1.21	0.01	0.20	<0.01	0.16	0.003	0.135	0.006	0.19	0.67	0.15	
569347	Drill Core	0.02	0.096	20.78	0.09	0.87	0.01	0.10	<0.01	0.19	0.005	0.144	0.007	0.21	0.67	0.18	
569348	Drill Core	0.02	0.132	22.16	0.07	0.90	0.01	0.13	<0.01	0.12	0.004	0.112	0.006	0.18	0.67	0.11	
569349	Drill Core	0.02	0.205	23.85	0.06	0.86	<0.01	0.15	<0.01	0.10	0.003	0.120	0.006	0.19	0.88	0.10	
569350	Rock Pulp	<0.01	1.144	13.92	0.19	4.16	0.33	0.11	<0.01	0.44	0.050	0.176	0.006	0.27	0.21	0.50	
569351	Rock Pulp	<0.01	0.159	24.76	0.02	0.32	<0.01	0.07	<0.01	1.10	0.028	0.224	0.011	0.71	1.82	1.42	
569352	Drill Core	0.02	0.142	23.58	0.07	0.92	<0.01	0.11	<0.01	0.09	0.004	0.112	0.006	0.17	0.69	0.10	2.90
569353	Drill Core	<0.01	0.151	23.97	0.05	0.53	<0.01	0.05	<0.01	0.07	0.004	0.093	0.006	0.17	0.89	0.06	
569354	Drill Core	<0.01	0.142	27.53	0.03	0.45	<0.01	0.06	<0.01	0.06	<0.001	0.077	0.004	0.18	0.99	0.06	
569355	Drill Core	<0.01	0.060	26.96	0.04	0.49	<0.01	0.06	<0.01	0.14	0.001	0.136	0.005	0.21	1.51	0.11	
569356	Drill Core	<0.01	0.193	26.45	0.03	0.43	<0.01	0.05	<0.01	0.11	0.002	0.138	0.005	0.23	1.72	0.14	
569357	Drill Core	<0.01	0.127	24.50	0.03	0.50	<0.01	0.03	<0.01	0.14	0.001	0.159	0.006	0.18	1.79	0.13	



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000134.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569358	Drill Core	9.7	<2	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.242	0.011	0.09	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.49
569359	Drill Core	10.9	3	3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.201	0.011	0.10	5.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.12
569360	Drill Core	10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.192	0.010	0.09	6.02	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	1.53
569361	Drill Core	8.3	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.205	0.009	0.08	4.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.42
569362	Drill Core	8.4	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.186	0.009	0.11	5.77	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	2.25
569363	Drill Core	9.1	<2	3	4	<0.001	0.002	<0.02	<0.01	<2	0.178	0.010	0.10	7.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.94
569364	Drill Core	10.3	<2	6	10	<0.001	0.016	<0.02	<0.01	<2	0.173	0.012	0.12	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.66
569365	Drill Core	10.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.247	0.011	0.09	5.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
569366	Drill Core	8.8	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.253	0.011	0.11	5.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.44
569367	Drill Core	9.4	<2	6	3	<0.001	0.003	<0.02	<0.01	<2	0.205	0.009	0.10	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.90
569368	Drill Core	12.4	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.233	0.010	0.11	6.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
569369	Drill Core	10.3	<2	<3	2	<0.001	0.001	<0.02	<0.01	<2	0.199	0.011	0.10	6.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569370A	Drill Core	9.7	<2	4	2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.013	0.10	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
569370B	Drill Core		<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.223	0.012	0.10	7.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.87
569371	Drill Core	10.6	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.188	0.012	0.12	7.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.06
569372	Drill Core	10.3	3	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.178	0.012	0.11	6.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
569373	Drill Core	10	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.210	0.011	0.10	5.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000134.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569358	Drill Core	0.01	0.170	26.05	0.03	0.62	<0.01	0.08	<0.01	0.08	<0.001	0.105	0.005	0.15	1.10	0.07	
569359	Drill Core	<0.01	0.143	24.94	0.08	0.77	<0.01	0.07	<0.01	0.06	<0.001	0.079	0.004	0.14	0.87	0.06	
569360	Drill Core	0.03	0.093	22.12	0.13	1.66	0.06	0.49	<0.01	0.06	0.002	0.106	0.004	0.12	0.67	0.06	
569361	Drill Core	<0.01	0.064	22.10	0.10	1.10	<0.01	0.46	<0.01	0.05	0.002	0.074	0.003	0.11	0.61	0.04	
569362	Drill Core	0.02	0.120	20.13	0.11	1.42	0.01	0.37	<0.01	0.06	0.002	0.097	0.004	0.14	0.48	0.06	2.75
569363	Drill Core	0.01	0.161	21.76	0.04	0.72	<0.01	0.09	<0.01	0.13	0.001	0.148	0.007	0.16	0.52	0.16	
569364	Drill Core	0.02	0.125	22.88	0.07	0.97	<0.01	0.07	<0.01	0.10	0.018	0.109	0.007	0.16	0.77	0.12	
569365	Drill Core	<0.01	0.105	26.47	0.02	0.34	<0.01	0.05	<0.01	0.08	<0.001	0.115	0.005	0.21	1.30	0.09	
569366	Drill Core	<0.01	0.096	25.96	0.02	0.30	<0.01	0.04	<0.01	0.10	<0.001	0.137	0.005	0.26	1.80	0.11	
569367	Drill Core	0.03	0.202	22.34	0.08	1.51	<0.01	0.06	<0.01	0.10	0.003	0.117	0.005	0.15	0.83	0.10	
569368	Drill Core	<0.01	0.159	25.94	0.04	0.97	<0.01	0.07	<0.01	0.05	0.002	0.079	0.003	0.17	0.91	0.05	
569369	Drill Core	<0.01	0.128	24.99	0.03	0.47	<0.01	0.04	<0.01	0.05	<0.001	0.073	0.004	0.14	0.95	0.05	
569370A	Drill Core	<0.01	0.088	24.81	0.02	0.32	<0.01	<0.01	<0.01	0.07	<0.001	0.112	0.006	0.15	1.12	0.08	
569370B	Drill Core	<0.01	0.092	24.89	0.02	0.31	<0.01	0.01	<0.01	0.06	<0.001	0.096	0.005	0.15	1.06	0.07	
569371	Drill Core	<0.01	0.151	24.43	0.03	0.30	<0.01	<0.01	<0.01	0.04	<0.001	0.059	0.003	0.18	1.05	0.04	
569372	Drill Core	0.01	0.138	25.45	0.03	0.45	<0.01	0.03	<0.01	0.04	0.001	0.057	0.004	0.14	1.06	0.05	3.04
569373	Drill Core	0.01	0.225	24.75	0.05	0.77	<0.01	0.07	<0.01	0.06	0.001	0.093	0.005	0.16	1.21	0.06	



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 07, 2007
 Report Date: January 21, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000135.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-203C
 P.O. Number: ACME FILE: A718330
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	47	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 21, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000135.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569374	Drill Core	10.70	17	<3	4	<0.001	0.001	<0.02	<0.01	<2	0.238	0.012	0.10	6.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
569375	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	<0.01	<2	0.405	0.027	0.12	13.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569376	Rock Pulp		I.S.	I.S.	I.S.	0.003	0.392	0.14	0.03	12	0.092	0.004	0.10	6.89	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.36
569377	Drill Core	10.10	5	6	7	<0.001	<0.001	<0.02	<0.01	<2	0.215	0.011	0.09	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.67
569378	Drill Core	8.00	11	4	3	<0.001	0.001	<0.02	<0.01	<2	0.176	0.010	0.09	5.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.96
569379	Drill Core	9.30	22	<3	2	<0.001	0.005	<0.02	<0.01	<2	0.123	0.007	0.13	6.75	<0.02	0.07	<0.001	<0.01	<0.01	0.02	4.07
569380	Drill Core	1.10	2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.03	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.97
569381	Drill Core	8.40	4	<3	<2	<0.001	0.004	<0.02	<0.01	<2	0.102	0.006	0.13	6.47	<0.02	0.12	<0.001	<0.01	<0.01	0.02	5.24
569382	Drill Core	9.10	<2	<3	4	<0.001	0.001	<0.02	<0.01	<2	0.204	0.009	0.08	5.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
569383	Drill Core	9.70	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.201	0.011	0.10	6.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.89
569384	Drill Core	9.90	<2	4	4	<0.001	<0.001	<0.02	<0.01	<2	0.213	0.011	0.11	7.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.97
569385	Drill Core	9.50	<2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.172	0.013	0.13	7.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
569386	Drill Core	7.70	3	4	3	<0.001	<0.001	<0.02	<0.01	<2	0.174	0.011	0.09	7.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.58
569387	Drill Core	12.00	3	<3	2	<0.001	0.002	<0.02	<0.01	<2	0.145	0.010	0.11	6.92	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.97
569388	Drill Core	10.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.012	0.10	6.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
569389	Drill Core	10.90	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.250	0.012	0.10	6.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
569390	Drill Core	10.90	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.241	0.012	0.10	6.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.08
569391	Drill Core	11.20	105	<3	5	<0.001	<0.001	<0.02	<0.01	<2	0.220	0.013	0.09	5.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
569392	Drill Core	11.00	104	3	7	<0.001	<0.001	<0.02	<0.01	<2	0.229	0.013	0.10	6.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
RRE 569392	Drill Core		795	3	7	<0.001	<0.001	<0.02	<0.01	<2	0.232	0.013	0.10	6.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
569393	Drill Core	11.20	4	<3	4	<0.001	<0.001	<0.02	<0.01	<2	0.230	0.013	0.10	6.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.05
569394	Drill Core	10.30	5	<3	5	<0.001	0.003	<0.02	<0.01	<2	0.221	0.011	0.10	6.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
569395	Drill Core	11.20	<2	4	6	<0.001	<0.001	<0.02	<0.01	<2	0.225	0.013	0.10	5.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569396	Drill Core	11.10	<2	3	3	<0.001	<0.001	<0.02	<0.01	<2	0.218	0.012	0.10	5.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569397	Drill Core	11.00	<2	21	6	<0.001	<0.001	<0.02	<0.01	<2	0.235	0.013	0.10	6.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
569398	Drill Core	10.30	25	5	7	<0.001	<0.001	<0.02	<0.01	<2	0.204	0.013	0.10	6.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.07
569399	Drill Core	10.60	3	4	6	<0.001	<0.001	<0.02	<0.01	<2	0.206	0.013	0.11	7.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569400	Rock Pulp		2	9	46	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
569401	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	0.02	<2	0.399	0.027	0.12	13.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.14
569402	Drill Core	11.40	<2	<3	3	<0.001	<0.001	<0.02	<0.01	<2	0.215	0.013	0.11	6.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 21, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000135.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569374	Drill Core	0.01	0.299	24.68	0.04	0.51	0.02	0.06	<0.01	0.05	<0.001	0.078	0.003	0.15	0.89	0.06	N.A.
569375	Rock Pulp	<0.01	0.168	20.96	0.02	0.29	0.03	0.10	<0.01	3.13	0.047	0.395	0.023	1.19	1.57	4.27	N.A.
569376	Rock Pulp	0.08	0.098	1.64	0.24	7.43	1.34	1.95	<0.01	1.17	0.349	0.014	0.001	1.53	0.27	1.14	N.A.
569377	Drill Core	0.01	0.127	22.77	0.03	0.39	<0.01	0.04	<0.01	0.08	<0.001	0.092	0.005	0.14	0.90	0.06	N.A.
569378	Drill Core	0.02	0.164	20.65	0.08	1.27	<0.01	0.03	<0.01	0.06	0.001	0.080	0.004	0.15	0.60	0.09	N.A.
569379	Drill Core	0.07	0.171	13.79	0.33	4.02	0.23	1.08	<0.01	0.04	0.004	0.062	0.002	0.15	0.36	0.06	N.A.
569380	Drill Core	0.02	0.002	0.30	0.07	7.80	3.70	1.14	<0.01	<0.01	<0.001	<0.001	<0.001	0.02	0.02	<0.02	N.A.
569381	Drill Core	0.07	0.112	13.52	0.28	3.93	0.07	1.04	<0.01	0.04	0.001	0.147	0.006	0.14	0.75	0.06	N.A.
569382	Drill Core	<0.01	0.217	20.89	0.08	0.88	0.01	0.10	<0.01	0.13	0.003	0.049	0.002	0.13	0.45	0.17	N.A.
569383	Drill Core	<0.01	0.174	23.66	0.04	0.52	<0.01	0.05	<0.01	0.07	<0.001	0.090	0.005	0.18	1.07	0.09	N.A.
569384	Drill Core	<0.01	0.159	23.84	0.02	0.28	<0.01	0.01	<0.01	0.09	<0.001	0.111	0.005	0.21	1.13	0.11	N.A.
569385	Drill Core	<0.01	0.188	24.45	0.02	0.27	<0.01	0.02	<0.01	0.06	<0.001	0.073	0.005	0.18	1.22	0.08	N.A.
569386	Drill Core	<0.01	0.168	22.45	0.03	0.43	<0.01	<0.01	<0.01	0.11	<0.001	0.108	0.007	0.13	1.02	0.14	N.A.
569387	Drill Core	0.03	0.124	20.35	0.14	1.55	0.04	0.47	<0.01	0.04	0.002	0.059	0.004	0.15	1.04	0.06	N.A.
569388	Drill Core	<0.01	0.182	25.14	0.02	0.25	<0.01	0.01	<0.01	0.04	<0.001	0.063	0.003	0.15	1.08	0.06	N.A.
569389	Drill Core	<0.01	0.169	27.48	0.02	0.19	<0.01	<0.01	<0.01	0.02	<0.001	0.039	0.002	0.21	1.04	0.03	N.A.
569390	Drill Core	<0.01	0.158	26.05	0.01	0.15	<0.01	<0.01	<0.01	0.02	<0.001	0.038	0.002	0.21	1.06	0.03	N.A.
569391	Drill Core	<0.01	0.178	26.18	0.01	0.15	<0.01	<0.01	<0.01	0.04	<0.001	0.081	0.004	0.20	1.24	0.06	N.A.
569392	Drill Core	<0.01	0.229	28.98	0.01	0.13	<0.01	<0.01	<0.01	0.03	<0.001	0.062	0.003	0.22	1.40	0.05	3.11
RRE 569392	Drill Core	<0.01	0.213	29.19	0.01	0.13	<0.01	<0.01	<0.01	0.03	<0.001	0.065	0.003	0.22	1.49	0.05	N.A.
569393	Drill Core	<0.01	0.415	29.02	0.02	0.21	<0.01	<0.01	<0.01	0.03	<0.001	0.049	0.003	0.24	1.29	0.05	N.A.
569394	Drill Core	<0.01	0.276	26.87	0.03	0.44	<0.01	0.03	<0.01	0.03	0.003	0.085	0.004	0.23	2.07	0.05	N.A.
569395	Drill Core	<0.01	0.298	29.40	0.01	0.15	<0.01	<0.01	<0.01	0.02	<0.001	0.059	0.003	0.29	1.79	0.04	N.A.
569396	Drill Core	<0.01	0.194	28.02	0.01	0.13	<0.01	<0.01	<0.01	0.04	<0.001	0.108	0.005	0.20	2.20	0.06	N.A.
569397	Drill Core	<0.01	0.181	29.05	0.01	0.14	<0.01	<0.01	<0.01	0.05	<0.001	0.095	0.004	0.14	1.39	0.07	N.A.
569398	Drill Core	<0.01	0.238	28.64	0.02	0.26	<0.01	<0.01	<0.01	0.04	<0.001	0.081	0.004	0.14	1.44	0.06	N.A.
569399	Drill Core	<0.01	0.299	28.40	0.01	0.12	<0.01	<0.01	<0.01	0.03	<0.001	0.050	0.003	0.15	1.30	0.04	N.A.
569400	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	0.58	N.A.
569401	Rock Pulp	<0.01	0.202	22.11	0.02	0.29	0.03	0.09	<0.01	3.00	0.045	0.389	0.023	1.21	1.66	4.10	N.A.
569402	Drill Core	<0.01	0.247	28.59	0.02	0.16	<0.01	<0.01	<0.01	0.05	<0.001	0.065	0.004	0.26	2.10	0.03	3.12



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 21, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000135.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569403	Drill Core	11.10	4	<3	7	<0.001	0.001	<0.02	<0.01	<2	0.248	0.013	0.11	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569404	Drill Core	10.40	16	4	6	<0.001	0.002	<0.02	<0.01	<2	0.233	0.012	0.10	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
569405	Drill Core	9.70	3	12	7	<0.001	<0.001	<0.02	<0.01	<2	0.225	0.012	0.10	7.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.02
569406	Drill Core	10.90	29	<3	5	<0.001	<0.001	<0.02	<0.01	<2	0.192	0.013	0.11	7.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569407	Drill Core	10.30	I.S.	I.S.	I.S.	<0.001	<0.001	<0.02	<0.01	<2	0.206	0.013	0.12	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.05
569408	Drill Core	10.10	26	12	12	<0.001	0.013	<0.02	<0.01	<2	0.220	0.012	0.11	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.34
569409	Drill Core	10.50	23	14	13	<0.001	0.004	<0.02	<0.01	<2	0.223	0.013	0.12	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569410	Drill Core	1.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	1.07	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.94
569411	Drill Core	9.60	<2	7	5	<0.001	0.003	<0.02	<0.01	2	0.205	0.012	0.11	7.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.01
569412	Drill Core	9.10	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.196	0.012	0.11	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.02
RRE 569412	Drill Core		<2	5	6	<0.001	0.002	<0.02	<0.01	<2	0.190	0.012	0.11	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.02
569413	Drill Core	8.80	2	7	10	<0.001	0.003	<0.02	<0.01	<2	0.190	0.011	0.11	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
569414	Drill Core	10.80	<2	14	19	<0.001	0.003	<0.02	<0.01	<2	0.209	0.012	0.11	7.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569415	Drill Core	10.00	<2	10	7	<0.001	0.003	<0.02	<0.01	<2	0.210	0.012	0.09	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
569416	Drill Core	9.70	<2	7	4	<0.001	0.007	<0.02	<0.01	<2	0.182	0.011	0.10	8.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
569417	Drill Core	10.10	47	10	5	<0.001	0.009	<0.02	<0.01	<2	0.193	0.011	0.14	7.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.50
569418	Drill Core	9.30	<2	4	<2	<0.001	0.022	<0.02	<0.01	<2	0.129	0.011	0.12	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
569419	Drill Core	9.20	<2	<3	<2	<0.001	0.006	<0.02	<0.01	<2	0.093	0.010	0.12	8.48	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	0.65
569420	Drill Core	10.30	4	24	25	<0.001	0.004	<0.02	<0.01	<2	0.153	0.010	0.14	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.10
569421	Drill Core	9.70	<2	14	15	<0.001	0.011	<0.02	<0.01	<2	0.191	0.010	0.11	5.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 21, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000135.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569403	Drill Core	<0.01	0.228	29.28	0.01	0.11	<0.01	<0.01	<0.01	0.03	0.001	0.055	0.002	0.18	1.10	0.04	N.A.
569404	Drill Core	<0.01	0.253	28.09	0.02	0.16	<0.01	<0.01	<0.01	0.04	0.001	0.105	0.004	0.16	1.94	0.06	N.A.
569405	Drill Core	<0.01	0.262	27.81	0.01	0.13	<0.01	<0.01	<0.01	0.05	<0.001	0.115	0.005	0.13	1.98	0.06	N.A.
569406	Drill Core	<0.01	0.220	27.71	0.01	0.12	<0.01	<0.01	<0.01	0.06	<0.001	0.070	0.004	0.15	1.62	0.05	N.A.
569407	Drill Core	<0.01	0.287	27.44	0.01	0.15	<0.01	<0.01	<0.01	0.05	<0.001	0.078	0.004	0.18	1.33	I.S.	N.A.
569408	Drill Core	<0.01	0.257	24.06	0.01	0.14	<0.01	<0.01	<0.01	0.07	0.011	0.113	0.006	0.22	1.43	0.09	N.A.
569409	Drill Core	<0.01	0.150	25.48	<0.01	0.11	<0.01	<0.01	<0.01	0.08	0.004	0.127	0.006	0.21	1.16	0.11	N.A.
569410	Drill Core	0.01	0.001	0.33	0.07	7.84	3.58	1.19	<0.01	<0.01	0.003	0.167	0.009	0.25	2.55	<0.02	N.A.
569411	Drill Core	<0.01	0.171	23.62	<0.01	0.09	<0.01	<0.01	<0.01	0.11	0.004	0.167	0.009	0.25	2.53	0.14	N.A.
569412	Drill Core	<0.01	0.269	24.20	<0.01	0.12	<0.01	<0.01	<0.01	0.12	0.003	0.166	0.010	0.26	3.28	0.14	2.78
RRE 569412	Drill Core	<0.01	0.248	23.82	<0.01	0.11	<0.01	<0.01	<0.01	0.11	0.003	0.164	0.010	0.26	3.21	0.14	N.A.
569413	Drill Core	<0.01	0.219	23.76	0.01	0.11	<0.01	<0.01	<0.01	0.13	0.003	0.168	0.009	0.26	2.97	0.16	N.A.
569414	Drill Core	<0.01	0.213	24.55	0.01	0.12	<0.01	<0.01	<0.01	0.13	0.003	0.190	0.010	0.23	2.21	0.16	N.A.
569415	Drill Core	<0.01	0.160	24.49	0.01	0.10	<0.01	<0.01	<0.01	0.13	0.003	0.192	0.009	0.18	0.97	0.17	N.A.
569416	Drill Core	<0.01	0.252	22.56	0.02	0.18	<0.01	<0.01	<0.01	0.14	0.007	0.168	0.010	0.20	1.48	0.17	N.A.
569417	Drill Core	<0.01	0.278	23.98	0.02	0.20	<0.01	<0.01	<0.01	0.19	0.008	0.161	0.009	0.22	1.59	0.18	N.A.
569418	Drill Core	<0.01	0.257	21.92	0.03	0.22	<0.01	<0.01	<0.01	0.14	0.019	0.104	0.008	0.19	1.49	0.16	N.A.
569419	Drill Core	<0.01	0.270	21.04	0.04	0.27	<0.01	<0.01	<0.01	0.07	0.005	0.064	0.007	0.09	0.74	0.10	N.A.
569420	Drill Core	0.02	0.189	18.51	0.04	0.72	<0.01	0.05	<0.01	0.11	0.004	0.124	0.007	0.14	0.45	0.15	N.A.
569421	Drill Core	<0.01	0.141	21.44	0.04	0.41	<0.01	0.04	<0.01	0.16	0.009	0.163	0.008	0.19	0.83	0.20	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 09, 2007
 Report Date: January 21, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000135A.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-203C
 P.O. Number: ACME FILE: A718330
 Number of Samples: 1

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P150	1	Resplit from reject - pulverize to 150 mesh		
3B	1	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	1	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	1	Leached with H2O + NH4 citrate	1	Completed
2A (Total S)	1	Analysis by Leco	0.1	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 21, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000135A.1

Method	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	0.01	
569407	Drill Core	13	3	7	<0.001	<0.001	<0.02	<0.01	<2	0.205	0.013	0.12	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06	<0.01



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 21, 2008

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000135A.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	
569407 Drill Core	0.294	25.95	0.01	0.15	<0.01	<0.01	<0.01	0.06	<0.001	0.079	0.004	0.19	1.40	0.06	

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 01, 2007
 Report Date: December 31, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000152.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-203D
 P.O. Number: ACME FILE: A718356
 Number of Samples: 8

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	6	Crush, split and pulverize drill core to 150 mesh		
3B	6	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	8	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	8	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	8	Analysis by Leco	0.1	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000152.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569422	Drill Core	9.8	<2	6	5	<0.001	0.004	<0.02	<0.01	<2	0.151	0.009	0.12	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.69
569423	Drill Core	9	<2	11	14	<0.001	0.007	<0.02	<0.01	3	0.195	0.008	0.10	4.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.57
569424	Drill Core	8.8	<2	7	4	<0.001	0.005	<0.02	<0.01	<2	0.187	0.009	0.10	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.38
569425	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.028	<0.02	<0.01	<2	0.247	0.015	0.11	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
569426	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	<2	0.328	0.014	0.05	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.18
569427	Drill Core	8.3	<2	6	5	<0.001	0.006	<0.02	<0.01	<2	0.182	0.009	0.10	5.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
569428	Drill Core	9	<2	7	12	<0.001	0.008	<0.02	<0.01	<2	0.186	0.009	0.10	5.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.67
569429	Drill Core	3	<2	24	34	<0.001	0.006	<0.02	0.01	3	0.210	0.009	0.12	5.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.18



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000152.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
569422	Drill Core	0.01	0.098	20.52	0.11	1.13	0.02	0.05	<0.01	0.12	0.005	0.132	0.007	0.17	0.48	0.13
569423	Drill Core	<0.01	0.079	21.77	0.12	0.91	0.01	0.10	<0.01	0.15	0.007	0.181	0.008	0.19	0.53	0.15
569424	Drill Core	<0.01	0.066	20.95	0.09	0.85	<0.01	0.10	<0.01	0.13	0.005	0.177	0.009	0.17	0.52	0.12
569425	Rock Pulp	<0.01	0.144	24.83	0.02	0.28	<0.01	0.07	<0.01	1.04	0.030	0.227	0.012	0.78	2.06	1.36
569426	Rock Pulp	<0.01	0.430	14.91	0.12	2.94	0.23	0.04	<0.01	0.82	0.091	0.245	0.010	0.51	0.55	0.99
569427	Drill Core	<0.01	0.050	20.91	0.08	0.84	<0.01	0.14	<0.01	0.16	0.007	0.176	0.009	0.20	0.47	0.18
569428	Drill Core	<0.01	0.063	21.02	0.08	0.92	<0.01	0.13	<0.01	0.23	0.009	0.170	0.008	0.25	0.51	0.24
569429	Drill Core	<0.01	0.184	19.97	0.07	1.10	<0.01	0.17	<0.01	0.21	0.006	0.177	0.007	0.24	0.44	0.20

Hole 07-206



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 18, 2007
 Report Date: December 12, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000217.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-206A
 P.O. Number: ACME FILE: A718425
 Number of Samples: 52

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	48	Crush, split and pulverize drill core to 150 mesh		
3B	48	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	52	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	52	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	52	Analysis by Leco	0.1	Completed
G8SG	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 12, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000217.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569430A	Drill Core	6.4	5	11	10	<0.001	0.009	<0.02	<0.01	<2	0.191	0.012	0.11	6.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569430B	Drill Core		7	11	12	<0.001	0.009	<0.02	<0.01	<2	0.188	0.011	0.11	6.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
569431	Drill Core	10.3	6	14	12	<0.001	0.018	<0.02	<0.01	<2	0.205	0.013	0.14	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569432	Drill Core	9.7	<2	11	9	<0.001	0.010	<0.02	<0.01	<2	0.166	0.011	0.13	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
569433	Drill Core	9.5	<2	8	9	<0.001	0.009	<0.02	<0.01	<2	0.248	0.013	0.12	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
569434	Drill Core	9	5	16	22	<0.001	0.032	<0.02	<0.01	2	0.241	0.013	0.12	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
569435	Drill Core	4	2	11	9	<0.001	0.031	<0.02	<0.01	<2	0.194	0.012	0.11	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569436	Drill Core	10.2	3	44	49	<0.001	0.038	<0.02	<0.01	<2	0.349	0.022	0.17	8.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
569437	Drill Core	8	<2	16	19	<0.001	0.024	<0.02	<0.01	<2	0.223	0.013	0.15	6.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
569438	Drill Core	10.2	4	15	15	<0.001	0.061	<0.02	<0.01	<2	0.240	0.014	0.15	9.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
569439	Drill Core	9.7	<2	30	24	<0.001	0.019	<0.02	<0.01	<2	0.279	0.014	0.13	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
569440	Drill Core	1.4	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.06	1.13	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.96
569441	Drill Core	9.2	<2	18	17	<0.001	0.005	<0.02	<0.01	<2	0.213	0.010	0.11	7.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.03
569442	Drill Core	8.2	<2	24	30	<0.001	0.007	<0.02	<0.01	<2	0.242	0.010	0.10	8.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.05
569443	Drill Core	9.6	8	65	64	<0.001	0.039	<0.02	<0.01	2	0.702	0.026	0.12	7.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.08
569444	Drill Core	7.6	4	82	87	<0.001	0.042	<0.02	<0.01	<2	0.627	0.021	0.08	7.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
RRE 569444	Drill Core		8	70	98	<0.001	0.037	<0.02	<0.01	<2	0.647	0.022	0.08	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
569445	Drill Core	10.1	6	9	13	0.001	0.039	<0.02	0.01	<2	0.150	0.011	0.17	10.37	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	4.48
569446	Drill Core	9.3	16	19	35	<0.001	0.055	<0.02	<0.01	<2	0.078	0.014	0.17	11.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	10.71
569447	Drill Core	8.9	9	54	45	<0.001	0.032	<0.02	0.01	<2	0.052	0.010	0.18	9.33	<0.02	0.01	<0.001	<0.01	<0.01	0.03	9.45
569448	Drill Core	8.9	12	8	11	<0.001	0.009	<0.02	0.01	<2	0.049	0.005	0.18	5.48	<0.02	0.02	<0.001	<0.01	<0.01	0.01	2.78
569449	Drill Core	8.6	4	<3	6	<0.001	0.010	<0.02	0.01	<2	0.012	0.001	0.21	2.86	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	2.45
569450	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.02	<2	0.226	0.011	0.10	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.31
569451	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	<0.01	<2	0.405	0.028	0.12	13.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.15
569452	Drill Core	9.3	18	<3	4	<0.001	0.010	<0.02	0.01	<2	0.010	0.001	0.19	3.26	<0.02	0.01	<0.001	<0.01	<0.01	0.01	1.73
569453	Drill Core	9.5	7	7	11	0.002	0.012	<0.02	0.03	<2	0.053	0.004	0.18	5.30	<0.02	0.04	<0.001	<0.01	<0.01	0.02	3.67
569454	Drill Core	9.4	3	4	9	0.003	0.009	<0.02	0.03	<2	0.072	0.005	0.17	6.26	<0.02	0.02	<0.001	<0.01	<0.01	0.04	4.90
569455	Drill Core	9.8	<2	7	8	0.001	0.012	<0.02	0.03	<2	0.076	0.005	0.17	6.95	<0.02	0.01	<0.001	<0.01	<0.01	0.03	3.23
569456	Drill Core	7.8	7	14	14	<0.001	0.022	<0.02	0.02	<2	0.085	0.006	0.35	8.09	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	1.98
569457	Drill Core	8.9	<2	5	11	0.002	0.014	<0.02	0.03	<2	0.120	0.008	0.15	7.38	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	2.39



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 12, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000217.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569430A	Drill Core	<0.01	0.148	21.61	0.06	0.75	<0.01	0.05	<0.01	0.19	0.008	0.177	0.009	0.28	1.18	0.25	N.A.
569430B	Drill Core	<0.01	0.138	20.71	0.06	0.82	0.03	0.08	<0.01	0.23	0.008	0.180	0.009	0.28	1.01	0.23	N.A.
569431	Drill Core	<0.01	0.132	22.41	0.04	0.58	<0.01	0.03	<0.01	0.26	0.018	0.186	0.010	0.41	1.45	0.31	N.A.
569432	Drill Core	<0.01	0.142	22.36	0.04	0.70	<0.01	0.03	<0.01	0.22	0.009	0.144	0.008	0.25	0.99	0.27	2.90
569433	Drill Core	<0.01	0.071	22.90	0.04	0.58	<0.01	0.02	<0.01	0.28	0.008	0.210	0.010	0.35	1.23	0.35	N.A.
569434	Drill Core	<0.01	0.118	21.81	0.04	0.54	<0.01	0.02	<0.01	0.39	0.031	0.214	0.010	0.39	1.02	0.47	N.A.
569435	Drill Core	<0.01	0.172	22.48	0.03	0.32	<0.01	<0.01	<0.01	0.33	0.027	0.169	0.010	0.36	1.59	0.40	N.A.
569436	Drill Core	<0.01	0.099	23.03	0.02	0.17	<0.01	<0.01	<0.01	0.69	0.033	0.327	0.019	0.61	2.25	0.88	N.A.
569437	Drill Core	<0.01	0.101	22.83	0.02	0.20	<0.01	<0.01	<0.01	0.34	0.020	0.198	0.011	0.40	2.14	0.39	N.A.
569438	Drill Core	<0.01	0.190	22.07	0.02	0.22	<0.01	<0.01	<0.01	0.38	0.055	0.218	0.012	0.45	2.16	0.42	N.A.
569439	Drill Core	<0.01	0.209	22.70	0.03	0.29	<0.01	<0.01	<0.01	0.32	0.017	0.264	0.012	0.39	2.13	0.36	N.A.
569440	Drill Core	0.02	0.001	0.29	0.07	7.68	3.61	1.18	<0.01	<0.01	<0.001	0.002	<0.001	0.08	0.06	<0.02	N.A.
569441	Drill Core	<0.01	0.124	21.84	0.02	0.29	<0.01	<0.01	<0.01	0.25	0.004	0.189	0.008	0.27	2.05	0.28	N.A.
569442	Drill Core	<0.01	0.167	21.74	0.03	0.45	0.03	0.01	<0.01	0.29	0.006	0.218	0.009	0.33	1.79	0.33	2.54
569443	Drill Core	<0.01	0.177	21.97	0.04	0.48	<0.01	0.02	<0.01	0.91	0.033	0.664	0.023	0.88	1.79	1.22	N.A.
569444	Drill Core	0.01	0.191	21.24	0.04	0.68	<0.01	0.02	<0.01	1.17	0.036	0.576	0.018	0.83	0.99	1.48	N.A.
RRE 569444	Drill Core	0.01	0.207	21.29	0.04	0.68	<0.01	0.02	<0.01	1.11	0.030	0.577	0.018	0.68	0.65	1.47	N.A.
569445	Drill Core	0.03	0.130	14.44	0.39	1.78	0.18	0.22	<0.01	1.44	0.040	0.111	0.008	0.75	0.53	1.62	N.A.
569446	Drill Core	0.02	0.085	9.80	0.30	1.14	0.12	0.04	<0.01	2.25	0.056	0.062	0.011	1.71	0.98	3.17	N.A.
569447	Drill Core	0.02	0.115	11.36	0.20	1.17	0.08	0.08	<0.01	1.89	0.029	0.037	0.007	0.57	0.24	2.16	N.A.
569448	Drill Core	0.04	0.072	8.55	0.27	3.23	1.56	0.68	<0.01	0.46	0.007	0.025	0.002	0.37	0.37	0.54	N.A.
569449	Drill Core	0.04	0.008	2.12	0.25	4.08	2.14	2.04	<0.01	0.50	0.010	0.009	<0.001	0.56	0.38	0.57	N.A.
569450	Rock Pulp	<0.01	0.918	13.43	0.18	3.93	0.34	0.11	<0.01	0.44	0.056	0.181	0.006	0.44	0.40	0.46	N.A.
569451	Rock Pulp	<0.01	0.167	22.24	0.02	0.30	0.03	0.10	<0.01	2.72	0.040	0.368	0.020	1.28	1.80	4.15	N.A.
569452	Drill Core	0.04	0.010	1.84	0.30	4.51	2.68	1.62	<0.01	0.71	0.010	0.006	<0.001	0.39	0.13	0.87	N.A.
569453	Drill Core	0.06	0.047	5.08	0.27	3.81	2.56	0.96	<0.01	1.04	0.013	0.039	0.002	0.97	0.93	1.19	N.A.
569454	Drill Core	0.11	0.092	9.50	0.25	2.34	0.88	1.51	<0.01	0.51	0.010	0.051	0.003	0.27	0.15	0.66	N.A.
569455	Drill Core	0.09	0.080	9.99	0.29	3.54	1.68	1.44	<0.01	0.68	0.013	0.040	0.002	0.26	0.15	0.86	N.A.
569456	Drill Core	0.06	0.111	10.71	0.30	1.30	0.36	0.87	<0.01	1.14	0.027	0.058	0.005	0.26	0.15	1.63	N.A.
569457	Drill Core	0.01	0.158	15.31	0.13	0.98	0.16	0.34	<0.01	0.88	0.015	0.084	0.006	0.24	0.23	1.15	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 12, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000217.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569458	Drill Core	10.1	<2	6	7	<0.001	0.013	<0.02	<0.01	<2	0.156	0.010	0.12	7.56	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.33
569459	Drill Core	9.1	<2	5	4	<0.001	0.007	<0.02	<0.01	<2	0.186	0.010	0.11	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
569460A	Drill Core	10.1	<2	<3	3	<0.001	0.004	<0.02	<0.01	<2	0.198	0.010	0.09	6.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	0.41
569460B	Drill Core		2	3	3	<0.001	0.004	<0.02	<0.01	<2	0.196	0.010	0.09	6.44	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	0.43
569461	Drill Core	9.3	<2	6	8	<0.001	0.005	<0.02	0.01	<2	0.179	0.009	0.14	6.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.42
569462	Drill Core	9.3	3	41	23	0.001	0.021	<0.02	0.01	<2	0.217	0.014	0.11	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
569463	Drill Core	7.3	3	4	8	0.004	0.015	<0.02	0.04	<2	0.063	0.006	0.10	7.85	<0.02	0.05	<0.001	<0.01	<0.01	0.05	5.82
569464	Drill Core	3.6	3	<3	4	0.006	0.011	<0.02	0.06	<2	0.017	0.002	0.05	5.10	<0.02	0.02	0.001	<0.01	<0.01	0.05	4.19
569465	Drill Core	7	7	4	7	0.006	0.032	<0.02	0.03	<2	0.027	0.009	0.12	12.13	<0.02	<0.01	<0.001	<0.01	<0.01	0.11	9.49
RRE 569465	Drill Core		3	<3	7	0.006	0.035	<0.02	0.03	<2	0.028	0.009	0.13	12.38	<0.02	<0.01	<0.001	<0.01	<0.01	0.12	9.32
569466	Drill Core	10.6	28	<3	2	0.001	0.011	<0.02	<0.01	<2	0.016	0.006	0.15	9.21	<0.02	<0.01	<0.001	<0.01	<0.01	0.10	11.46
569467	Drill Core	11.2	56	<3	5	0.001	0.012	<0.02	<0.01	<2	0.015	0.007	0.18	9.80	<0.02	<0.01	<0.001	<0.01	<0.01	0.11	10.50
569468	Drill Core	10.9	12	4	5	0.003	0.063	<0.02	<0.01	<2	0.030	0.014	0.13	13.58	<0.02	<0.01	<0.001	<0.01	<0.01	0.09	11.03
569469	Drill Core	12.3	5	<3	3	0.002	0.031	<0.02	<0.01	<2	0.027	0.010	0.13	9.08	<0.02	0.02	<0.001	<0.01	<0.01	0.07	12.46
569470	Drill Core	1.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.06	1.02	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.07
569471	Drill Core	7.4	<2	10	11	<0.001	0.026	<0.02	<0.01	<2	0.049	0.010	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	10.72
569472	Drill Core	8.3	5	57	77	<0.001	0.056	<0.02	<0.01	<2	0.067	0.012	0.12	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.97
569473	Drill Core	10.9	3	<3	<2	<0.001	0.064	<0.02	<0.01	<2	0.078	0.011	0.09	4.81	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	14.31
569474	Drill Core	8.6	<2	35	22	<0.001	0.040	<0.02	<0.01	<2	0.100	0.010	0.09	4.78	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.93
569475	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.405	0.027	0.12	13.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
569476	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	3	0.335	0.015	0.05	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.17
569477	Drill Core	10.6	<2	17	11	<0.001	0.064	<0.02	<0.01	3	0.106	0.010	0.09	4.70	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	14.29



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 12, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000217.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569458	Drill Core	0.02	0.078	19.20	0.12	1.12	0.03	0.09	<0.01	0.43	0.014	0.142	0.008	0.32	0.58	0.53	N.A.
569459	Drill Core	0.01	0.075	20.89	0.13	1.36	0.01	0.12	<0.01	0.18	0.007	0.154	0.007	0.27	0.59	0.23	N.A.
569460A	Drill Core	0.03	0.102	22.11	0.13	1.38	<0.01	0.10	<0.01	0.16	0.004	0.165	0.007	0.22	0.55	0.20	N.A.
569460B	Drill Core	0.02	0.096	21.66	0.13	1.41	<0.01	0.12	<0.01	0.18	0.004	0.173	0.007	0.23	0.63	0.19	N.A.
569461	Drill Core	0.04	0.058	19.50	0.17	2.28	<0.01	0.07	<0.01	0.14	0.005	0.148	0.006	0.26	0.54	0.18	N.A.
569462	Drill Core	0.03	0.066	20.38	0.14	1.37	0.04	0.04	<0.01	1.31	0.021	0.188	0.011	0.48	0.42	1.54	N.A.
569463	Drill Core	0.07	0.057	8.24	0.53	4.43	1.97	0.87	<0.01	2.19	0.015	0.049	0.004	0.44	0.17	2.44	N.A.
569464	Drill Core	0.07	0.013	2.19	0.41	6.15	4.40	0.56	<0.01	2.20	0.012	0.010	0.001	0.39	0.06	2.53	N.A.
569465	Drill Core	0.01	0.050	8.19	0.22	1.61	0.36	0.80	<0.01	4.19	0.033	0.012	0.004	0.81	0.09	5.11	N.A.
RRE 569465	Drill Core	0.02	0.049	8.05	0.22	1.70	0.38	0.84	<0.01	4.22	0.035	0.012	0.004	1.57	0.29	5.19	N.A.
569466	Drill Core	<0.01	0.051	9.84	0.31	1.09	0.19	0.04	<0.01	1.67	0.010	0.009	0.003	0.71	0.23	2.12	N.A.
569467	Drill Core	<0.01	0.035	10.08	0.26	0.81	0.18	0.04	<0.01	1.90	0.012	0.007	0.004	0.47	0.11	2.28	N.A.
569468	Drill Core	<0.01	0.053	8.77	0.26	0.90	0.17	0.03	<0.01	4.36	0.062	0.014	0.007	1.08	0.12	5.19	N.A.
569469	Drill Core	<0.01	0.098	9.63	0.26	1.20	0.17	0.08	<0.01	1.75	0.032	0.015	0.005	0.47	0.11	2.39	N.A.
569470	Drill Core	0.01	0.005	0.20	0.07	8.12	3.70	1.34	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	0.01	<0.02	N.A.
569471	Drill Core	0.01	0.110	11.85	0.20	1.27	0.12	0.02	<0.01	0.97	0.028	0.038	0.007	0.33	0.22	1.30	N.A.
569472	Drill Core	0.02	0.131	13.72	0.20	0.93	0.05	<0.01	<0.01	0.90	0.058	0.061	0.009	0.34	0.34	1.06	2.78
569473	Drill Core	<0.01	0.173	11.49	0.11	0.53	0.10	<0.01	<0.01	0.79	0.062	0.069	0.008	0.30	0.19	0.97	N.A.
569474	Drill Core	<0.01	0.159	12.12	0.13	0.61	0.10	<0.01	<0.01	0.69	0.042	0.093	0.008	0.31	0.26	0.92	N.A.
569475	Rock Pulp	<0.01	0.174	21.90	0.02	0.30	0.03	0.09	<0.01	2.68	0.047	0.387	0.023	1.16	1.76	3.42	N.A.
569476	Rock Pulp	<0.01	0.367	15.04	0.14	2.85	0.24	0.05	<0.01	0.78	0.095	0.255	0.011	0.64	0.76	0.93	N.A.
569477	Drill Core	<0.01	0.192	11.64	0.11	0.48	0.11	<0.01	<0.01	0.75	0.065	0.104	0.009	0.44	0.41	0.91	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 04, 2007
 Report Date: January 02, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000249.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-206B
 P.O. Number: ACME FILE: A718448
 Number of Samples: 47

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	47	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	47	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	47	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000249.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569478	Drill Core	10.3	3	73	66	<0.001	0.045	<0.02	<0.01	<2	0.063	0.009	0.10	6.34	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	10.48
569479	Drill Core	9.7	<2	21	38	<0.001	0.047	<0.02	<0.01	<2	0.068	0.011	0.10	6.51	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	7.53
569480	Drill Core	10.2	<2	32	34	<0.001	0.053	<0.02	<0.01	<2	0.109	0.014	0.12	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.63
569481	Drill Core	10.4	<2	9	15	<0.001	0.052	<0.02	<0.01	<2	0.028	0.012	0.10	6.71	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	10.74
569482	Drill Core	10.9	<2	20	22	<0.001	0.031	<0.02	<0.01	<2	0.050	0.010	0.10	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	9.26
569483	Drill Core	9.2	2	48	60	<0.001	0.057	<0.02	<0.01	<2	0.104	0.013	0.13	8.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.90
569484	Drill Core	9.9	<2	22	47	<0.001	0.041	<0.02	<0.01	<2	0.129	0.016	0.10	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.86
569485	Drill Core	9.8	32	37	42	<0.001	0.045	<0.02	<0.01	<2	0.117	0.015	0.14	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.47
569486	Drill Core	9.5	<2	40	63	<0.001	0.082	<0.02	<0.01	<2	0.119	0.013	0.14	8.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.13
569487	Drill Core	10.8	<2	58	73	<0.001	0.052	<0.02	<0.01	<2	0.098	0.010	0.13	7.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.92
569488	Drill Core	10.9	<2	38	36	<0.001	0.022	<0.02	<0.01	<2	0.072	0.010	0.13	8.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.40
569489	Drill Core	8.9	<2	25	21	<0.001	0.013	<0.02	<0.01	<2	0.072	0.011	0.14	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.19
569490A	Drill Core	9.8	<2	45	47	<0.001	0.011	<0.02	<0.01	<2	0.091	0.011	0.14	7.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.04
569490B	Drill Core		<2	43	44	<0.001	0.010	<0.02	<0.01	<2	0.091	0.011	0.13	7.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.12
569491	Drill Core	9.7	<2	9	19	<0.001	0.035	<0.02	<0.01	<2	0.201	0.011	0.12	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.33
569492	Drill Core	9.5	<2	21	36	<0.001	0.029	<0.02	<0.01	<2	0.207	0.011	0.13	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.99
569493	Drill Core	8.9	<2	12	17	<0.001	0.036	<0.02	<0.01	<2	0.221	0.012	0.17	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
RRE 569493	Drill Core		<2	13	16	<0.001	0.034	<0.02	<0.01	<2	0.222	0.012	0.16	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
569494	Drill Core	9.4	<2	49	60	<0.001	0.038	<0.02	<0.01	<2	0.256	0.013	0.12	7.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.30
569495	Drill Core	8.9	2	210	166	<0.001	0.066	<0.02	<0.01	<2	0.253	0.019	0.15	9.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
569496	Drill Core	8.8	2	177	215	<0.001	0.039	<0.02	<0.01	<2	0.207	0.013	0.14	8.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
569497	Drill Core	8.3	<2	61	65	<0.001	0.018	<0.02	0.01	<2	0.197	0.014	0.17	9.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
569498	Drill Core	8.5	<2	46	76	<0.001	0.004	<0.02	<0.01	<2	0.127	0.012	0.14	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.56
569499	Drill Core	10.4	<2	11	12	<0.001	0.003	<0.02	<0.01	<2	0.113	0.011	0.14	8.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
569500	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.094	<0.02	<0.01	<2	0.327	0.015	0.05	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.12
569501	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.048	<0.02	<0.01	<2	0.392	0.027	0.12	12.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.12
569502	Drill Core	9.4	<2	39	45	<0.001	0.002	<0.02	<0.01	<2	0.121	0.011	0.15	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.80
569503	Drill Core	9.4	<2	8	11	<0.001	0.002	<0.02	<0.01	<2	0.142	0.012	0.15	8.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.93
569504	Drill Core	9.8	<2	10	13	<0.001	0.003	<0.02	<0.01	<2	0.146	0.012	0.14	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.58
569505	Drill Core	9.7	<2	11	11	<0.001	0.001	<0.02	<0.01	<2	0.143	0.012	0.15	8.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.89



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000249.1

Method Analyte Unit	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
MDL	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	0
569478	Drill Core	0.01	0.137	12.51	0.08	0.39	0.07	0.01	<0.01	0.82	0.045	0.058	0.009	0.44	0.30	1.02	N.A.
569479	Drill Core	<0.01	0.069	14.87	0.07	0.35	0.03	<0.01	<0.01	0.86	0.048	0.063	0.010	0.41	0.42	1.23	N.A.
569480	Drill Core	0.03	0.074	15.16	0.11	1.02	0.02	<0.01	<0.01	1.07	0.053	0.099	0.013	0.48	0.46	1.39	N.A.
569481	Drill Core	<0.01	0.090	12.43	0.09	0.36	0.06	<0.01	<0.01	0.94	0.053	0.023	0.011	0.45	0.37	1.21	N.A.
569482	Drill Core	<0.01	0.106	13.66	0.09	0.36	0.06	<0.01	<0.01	0.68	0.030	0.045	0.009	0.39	0.59	0.86	3.05
569483	Drill Core	<0.01	0.138	18.32	0.03	0.24	0.01	<0.01	<0.01	0.69	0.056	0.098	0.013	0.44	0.98	0.91	N.A.
569484	Drill Core	<0.01	0.172	16.27	0.06	0.25	0.05	<0.01	<0.01	0.71	0.038	0.124	0.015	0.43	0.81	0.84	N.A.
569485	Drill Core	<0.01	0.129	17.54	0.05	0.26	0.03	<0.01	<0.01	0.59	0.040	0.109	0.014	0.38	1.01	0.71	N.A.
569486	Drill Core	<0.01	0.153	17.67	0.05	0.44	0.02	<0.01	<0.01	0.61	0.075	0.109	0.012	0.45	1.01	0.70	N.A.
569487	Drill Core	0.02	0.117	14.57	0.15	1.06	0.04	<0.01	<0.01	0.43	0.049	0.090	0.009	0.32	0.73	0.50	N.A.
569488	Drill Core	0.02	0.059	16.47	0.17	1.12	0.01	<0.01	<0.01	0.27	0.019	0.064	0.008	0.23	0.96	0.30	N.A.
569489	Drill Core	<0.01	0.052	19.31	0.04	0.26	<0.01	<0.01	<0.01	0.22	0.011	0.064	0.010	0.19	0.92	0.25	N.A.
569490A	Drill Core	<0.01	0.059	19.74	0.04	0.22	0.01	<0.01	<0.01	0.21	0.010	0.080	0.010	0.16	0.69	0.24	N.A.
569490B	Drill Core	<0.01	0.058	19.50	0.04	0.23	0.01	<0.01	<0.01	0.21	0.009	0.079	0.009	0.16	0.71	0.22	N.A.
569491	Drill Core	<0.01	0.089	19.76	0.04	0.22	<0.01	<0.01	<0.01	0.40	0.033	0.194	0.011	0.33	0.91	0.46	N.A.
569492	Drill Core	<0.01	0.114	19.08	0.04	0.17	<0.01	<0.01	<0.01	0.44	0.029	0.196	0.011	0.32	0.55	0.50	N.A.
569493	Drill Core	<0.01	0.085	20.73	0.03	0.12	<0.01	<0.01	<0.01	0.47	0.034	0.206	0.012	0.49	1.43	0.51	N.A.
RRE 569493	Drill Core	<0.01	0.080	20.94	0.02	0.11	<0.01	<0.01	<0.01	0.46	0.033	0.210	0.012	0.48	1.33	0.48	N.A.
569494	Drill Core	<0.01	0.077	20.69	0.03	0.11	<0.01	<0.01	<0.01	0.49	0.036	0.249	0.013	0.50	1.05	0.53	N.A.
569495	Drill Core	<0.01	0.114	19.93	0.04	0.14	<0.01	<0.01	<0.01	0.47	0.062	0.235	0.019	0.41	1.03	0.50	N.A.
569496	Drill Core	<0.01	0.079	20.62	0.03	0.12	<0.01	<0.01	<0.01	0.33	0.036	0.187	0.012	0.32	0.84	0.33	N.A.
569497	Drill Core	<0.01	0.190	20.02	0.04	0.22	<0.01	<0.01	<0.01	0.26	0.017	0.172	0.012	0.26	0.88	0.27	N.A.
569498	Drill Core	<0.01	0.080	19.67	0.02	0.12	<0.01	<0.01	<0.01	0.11	0.004	0.092	0.009	0.16	0.85	0.13	N.A.
569499	Drill Core	<0.01	0.094	17.92	0.02	0.17	0.01	<0.01	<0.01	0.13	0.003	0.035	0.005	0.15	0.60	0.14	N.A.
569500	Rock Pulp	0.01	0.348	13.90	0.13	2.71	0.22	0.04	<0.01	0.92	0.094	0.249	0.011	0.96	1.11	1.03	N.A.
569501	Rock Pulp	0.01	0.163	19.77	0.02	0.29	0.03	0.09	<0.01	3.10	0.048	0.382	0.026	1.85	2.35	4.36	N.A.
569502	Drill Core	<0.01	0.104	18.34	0.03	0.18	<0.01	<0.01	<0.01	0.08	0.002	0.047	0.007	0.11	0.68	0.12	2.79
569503	Drill Core	<0.01	0.105	19.62	0.03	0.18	<0.01	<0.01	<0.01	0.09	0.002	0.071	0.009	0.15	1.13	0.26	N.A.
569504	Drill Core	<0.01	0.120	19.93	0.02	0.12	<0.01	<0.01	<0.01	0.11	0.003	0.081	0.009	0.15	1.01	0.15	N.A.
569505	Drill Core	<0.01	0.128	19.79	0.03	0.16	<0.01	<0.01	<0.01	0.13	0.002	0.090	0.009	0.17	1.17	0.15	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000249.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
569506	Drill Core	9.3	<2	23	22	<0.001	0.003	<0.02	<0.01	<2	0.137	0.012	0.13	8.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569507	Drill Core	10.5	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.153	0.012	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569508	Drill Core	9.5	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.138	0.011	0.13	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569509	Drill Core	10.2	<2	10	13	<0.001	0.002	<0.02	<0.01	<2	0.165	0.013	0.12	8.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569510	Drill Core	10.3	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.159	0.012	0.13	8.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569511	Drill Core	10.2	<2	15	7	<0.001	0.002	<0.02	<0.01	<2	0.158	0.012	0.12	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569512	Drill Core	10.2	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.151	0.011	0.12	6.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	
569513	Drill Core	8.7	30	6	5	<0.001	0.005	<0.02	0.01	<2	0.094	0.007	0.11	6.13	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	
569514	Drill Core	9.1	<2	<3	<2	<0.001	0.005	<0.02	0.01	<2	0.006	0.001	0.10	3.57	<0.02	0.02	<0.001	<0.01	<0.01	0.01	
569515	Drill Core	10.3	6	<3	<2	<0.001	0.005	<0.02	0.02	<2	0.006	0.002	0.09	4.63	<0.02	0.02	<0.001	<0.01	<0.01	0.02	
569516	Drill Core	9.9	5	<3	<2	<0.001	0.006	<0.02	0.02	<2	0.006	0.001	0.06	3.86	<0.02	0.02	<0.001	<0.01	<0.01	0.02	
569517	Drill Core	10.8	3	<3	<2	<0.001	0.006	<0.02	0.02	<2	0.006	0.002	0.06	4.93	<0.02	0.02	<0.001	<0.01	<0.01	0.02	
569518	Drill Core	9.9	<2	<3	<2	<0.001	0.005	<0.02	0.01	<2	0.005	0.001	0.05	4.11	<0.02	0.01	<0.001	<0.01	<0.01	0.01	
569519	Drill Core	9.7	<2	3	3	<0.001	0.004	<0.02	<0.01	<2	0.005	0.002	0.05	3.97	<0.02	0.01	<0.001	<0.01	<0.01	0.01	
569520A	Drill Core	10.2	<2	<3	<2	<0.001	0.004	<0.02	0.01	<2	0.005	0.002	0.07	4.00	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	
569520B	Drill Core	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.004	0.001	0.07	3.81	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.08	
569521	Drill Core	6.3	3	4	<2	<0.001	0.005	<0.02	0.01	<2	0.005	0.002	0.05	4.09	<0.02	0.01	<0.001	<0.01	<0.01	0.01	



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 02, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000249.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
569506	Drill Core	<0.01	0.134	20.03	0.03	0.15	<0.01	<0.01	<0.01	0.10	0.003	0.107	0.010	0.16	1.38	0.14	N.A.
569507	Drill Core	<0.01	0.155	20.86	0.03	0.13	<0.01	<0.01	<0.01	0.11	0.003	0.127	0.010	0.16	1.66	0.14	N.A.
569508	Drill Core	<0.01	0.196	20.64	0.05	0.19	<0.01	<0.01	<0.01	0.11	0.002	0.112	0.009	0.13	1.63	0.15	N.A.
569509	Drill Core	<0.01	0.179	22.70	0.05	0.19	<0.01	<0.01	<0.01	0.11	0.002	0.145	0.011	0.17	1.46	0.15	N.A.
569510	Drill Core	<0.01	0.170	22.94	0.03	0.15	<0.01	<0.01	<0.01	0.12	0.002	0.142	0.011	0.19	1.93	0.18	N.A.
569511	Drill Core	<0.01	0.178	20.38	0.03	0.15	<0.01	<0.01	<0.01	0.10	0.001	0.150	0.010	0.14	1.13	0.17	N.A.
569512	Drill Core	<0.01	0.168	20.18	0.03	0.12	<0.01	<0.01	<0.01	0.14	0.003	0.152	0.010	0.15	1.39	0.19	N.A.
569513	Drill Core	0.02	0.090	11.22	0.13	3.66	1.17	0.94	<0.01	0.92	0.005	0.085	0.005	0.57	0.83	1.00	N.A.
569514	Drill Core	0.06	0.009	2.06	0.25	6.70	2.88	1.70	<0.01	0.92	0.005	0.003	<0.001	0.84	0.89	1.18	N.A.
569515	Drill Core	0.09	0.012	1.88	0.29	7.88	2.16	2.38	<0.01	1.09	0.005	0.002	<0.001	0.67	0.51	1.25	N.A.
569516	Drill Core	0.06	0.011	1.44	0.32	8.05	2.19	2.74	<0.01	1.32	0.006	0.002	<0.001	0.47	0.37	1.47	N.A.
569517	Drill Core	0.06	0.008	1.27	0.34	8.77	2.44	2.85	<0.01	1.77	0.006	0.002	<0.001	0.52	0.32	1.93	N.A.
569518	Drill Core	0.06	0.011	1.22	0.31	7.77	1.89	2.59	<0.01	0.97	0.005	0.002	<0.001	0.47	0.26	1.16	N.A.
569519	Drill Core	0.06	0.007	1.79	0.26	7.84	1.68	2.50	<0.01	0.33	0.005	0.001	<0.001	0.53	0.37	0.45	N.A.
569520A	Drill Core	0.06	0.009	1.94	0.26	7.71	1.57	2.36	<0.01	0.41	0.005	0.001	<0.001	0.58	0.44	0.51	N.A.
569520B	Drill Core	0.06	0.006	1.89	0.23	7.51	1.59	2.37	<0.01	0.36	0.005	0.001	<0.001	0.64	0.46	0.47	N.A.
569521	Drill Core	0.06	0.009	1.88	0.28	8.48	1.41	2.92	<0.01	0.50	0.005	0.001	<0.001	0.45	0.33	0.63	N.A.

Hole 07-225



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 01, 2007
 Report Date: January 28, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000371.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-225A
 P.O. Number: ACME FILE: A718581
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: **Hard Creek Nickel Corporation**
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 28, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000371.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358308	Drill Core	6.90	<2	<3	4	<0.001	0.004	<0.02	<0.01	<2	0.217	0.013	0.13	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
358309	Drill Core	10.70	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.207	0.014	0.14	8.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
358310	Drill Core	10.30	3	76	77	<0.001	0.024	<0.02	<0.01	<2	0.215	0.014	0.13	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
358311	Drill Core	10.50	9	104	121	<0.001	0.049	<0.02	<0.01	<2	0.303	0.017	0.14	8.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
358312	Drill Core	10.30	8	83	85	<0.001	0.070	<0.02	<0.01	<2	0.223	0.024	0.12	9.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
358313	Drill Core	9.40	<2	22	31	<0.001	0.029	<0.02	<0.01	<2	0.228	0.018	0.12	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358314	Drill Core	10.70	<2	<3	5	<0.001	0.016	<0.02	<0.01	<2	0.218	0.013	0.12	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
358315	Drill Core	9.80	<2	7	11	<0.001	0.019	<0.02	<0.01	<2	0.214	0.014	0.13	8.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.54
358316	Drill Core	10.70	<2	11	7	<0.001	0.006	<0.02	<0.01	<2	0.232	0.013	0.13	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
358317	Drill Core	10.20	<2	19	17	<0.001	0.025	<0.02	0.01	<2	0.219	0.015	0.13	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.21
358318	Drill Core	10.30	<2	11	9	<0.001	0.018	<0.02	<0.01	<2	0.214	0.015	0.13	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
358319	Drill Core	10.00	<2	9	14	<0.001	0.007	<0.02	<0.01	<2	0.230	0.013	0.13	8.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
358320A	Drill Core	9.30	<2	8	6	<0.001	0.010	<0.02	<0.01	<2	0.203	0.011	0.13	8.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.36
358320B	Drill Core		<2	7	6	<0.001	0.009	<0.02	<0.01	<2	0.200	0.011	0.13	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.43
358321	Drill Core	9.70	<2	7	7	<0.001	0.018	<0.02	<0.01	<2	0.225	0.013	0.13	8.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
358322	Drill Core	10.10	<2	12	17	<0.001	0.011	<0.02	<0.01	<2	0.253	0.013	0.12	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
358323	Drill Core	9.30	<2	8	6	<0.001	0.018	<0.02	<0.01	<2	0.143	0.011	0.14	7.73	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	3.86
358324	Drill Core	10.30	<2	5	6	<0.001	0.020	<0.02	<0.01	<2	0.197	0.017	0.14	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.30
358325	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	<0.01	<2	0.403	0.027	0.12	13.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.15
358326	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.02	<2	0.227	0.011	0.10	9.21	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.19
358327	Drill Core	10.60	<2	6	8	<0.001	0.010	<0.02	<0.01	<2	0.214	0.013	0.13	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.07
358328	Drill Core	9.70	<2	9	9	<0.001	0.014	<0.02	<0.01	<2	0.193	0.013	0.13	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.33
358329	Drill Core	10.40	<2	<3	6	<0.001	0.023	<0.02	<0.01	<2	0.175	0.016	0.14	10.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.12
358330	Drill Core	1.50	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.08	1.18	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.94
358331	Drill Core	10.60	<2	11	10	<0.001	0.009	<0.02	<0.01	<2	0.177	0.013	0.14	8.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.67
358332	Drill Core	10.30	<2	12	11	<0.001	0.012	<0.02	<0.01	<2	0.186	0.012	0.14	8.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.53
RRE 358332	Drill Core		<2	12	12	<0.001	0.013	<0.02	0.01	<2	0.199	0.012	0.15	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.25
358333	Drill Core	10.50	<2	11	15	<0.001	0.011	<0.02	0.01	<2	0.225	0.012	0.15	9.82	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.81
358334	Drill Core	9.40	<2	10	12	<0.001	0.014	<0.02	<0.01	<2	0.200	0.013	0.14	9.11	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.94
358335	Drill Core	9.80	<2	4	7	<0.001	0.010	<0.02	0.01	<2	0.227	0.012	0.14	8.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.64



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 28, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000371.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358308	Drill Core	<0.01	0.106	25.74	<0.01	0.05	0.01	<0.01	<0.01	0.03	0.004	0.028	0.002	0.55	1.49	0.03	N.A.
358309	Drill Core	<0.01	0.188	26.22	0.02	0.09	<0.01	<0.01	<0.01	0.03	0.003	0.033	0.003	0.54	1.51	0.03	N.A.
358310	Drill Core	<0.01	0.208	25.06	0.01	0.08	<0.01	<0.01	<0.01	0.06	0.022	0.055	0.004	0.59	1.71	0.06	N.A.
358311	Drill Core	<0.01	0.107	26.69	<0.01	0.04	<0.01	<0.01	<0.01	0.14	0.045	0.106	0.005	0.68	1.56	0.14	N.A.
358312	Drill Core	0.01	0.113	25.16	<0.01	0.06	<0.01	<0.01	<0.01	0.71	0.069	0.126	0.012	0.91	1.56	0.92	N.A.
358313	Drill Core	<0.01	0.150	25.03	0.01	0.06	<0.01	<0.01	<0.01	0.59	0.028	0.130	0.008	0.80	1.42	0.80	N.A.
358314	Drill Core	<0.01	0.172	25.36	<0.01	0.05	<0.01	<0.01	<0.01	0.39	0.016	0.101	0.005	0.78	1.72	0.46	N.A.
358315	Drill Core	<0.01	0.125	24.65	0.01	0.06	<0.01	<0.01	<0.01	0.14	0.018	0.073	0.004	0.63	1.47	0.19	N.A.
358316	Drill Core	<0.01	0.143	25.94	0.01	0.07	0.10	<0.01	<0.01	0.06	0.006	0.040	0.003	0.55	1.50	0.07	N.A.
358317	Drill Core	<0.01	0.139	23.84	0.03	0.19	0.02	0.03	<0.01	0.54	0.023	0.133	0.007	0.86	1.66	0.70	N.A.
358318	Drill Core	<0.01	0.128	25.29	0.01	0.06	<0.01	<0.01	<0.01	0.53	0.018	0.125	0.007	0.79	1.60	0.61	N.A.
358319	Drill Core	<0.01	0.155	25.57	0.01	0.07	<0.01	<0.01	<0.01	0.20	0.007	0.079	0.004	0.66	1.60	0.22	N.A.
358320A	Drill Core	<0.01	0.165	23.49	0.03	0.30	<0.01	<0.01	<0.01	0.23	0.009	0.084	0.005	0.60	1.76	0.22	N.A.
358320B	Drill Core	<0.01	0.158	22.98	0.03	0.31	<0.01	<0.01	<0.01	0.22	0.008	0.085	0.005	0.61	1.71	0.21	N.A.
358321	Drill Core	<0.01	0.134	25.52	0.02	0.09	<0.01	<0.01	<0.01	0.22	0.016	0.118	0.006	0.58	1.73	0.23	N.A.
358322	Drill Core	<0.01	0.102	24.45	0.01	0.11	<0.01	<0.01	<0.01	0.26	0.010	0.125	0.006	0.53	1.30	0.25	N.A.
358323	Drill Core	0.04	0.077	17.21	0.11	2.46	0.27	0.91	<0.01	0.51	0.016	0.102	0.007	0.51	0.98	0.55	N.A.
358324	Drill Core	<0.01	0.150	24.66	0.02	0.10	<0.01	<0.01	<0.01	0.62	0.019	0.134	0.009	0.76	1.41	0.76	N.A.
358325	Rock Pulp	<0.01	0.163	20.21	0.02	0.28	0.04	0.09	<0.01	3.00	0.048	0.406	0.025	1.31	1.61	4.09	N.A.
358326	Rock Pulp	0.02	0.983	12.83	0.18	3.88	0.30	0.11	<0.01	0.49	0.056	0.186	0.007	0.41	0.35	0.48	N.A.
358327	Drill Core	<0.01	0.127	23.61	0.02	0.11	0.01	<0.01	<0.01	0.38	0.009	0.125	0.006	0.72	1.46	0.50	N.A.
358328	Drill Core	<0.01	0.109	22.69	0.02	0.08	0.01	<0.01	<0.01	0.46	0.014	0.128	0.007	0.70	1.28	0.65	N.A.
358329	Drill Core	<0.01	0.142	22.99	0.02	0.08	0.01	<0.01	<0.01	0.79	0.022	0.141	0.010	0.74	1.17	1.26	N.A.
358330	Drill Core	0.02	0.003	0.38	0.07	7.72	3.15	1.12	<0.01	0.01	<0.001	0.002	<0.001	0.08	0.06	<0.02	N.A.
358331	Drill Core	0.01	0.157	24.12	0.02	0.10	0.02	<0.01	<0.01	0.39	0.009	0.086	0.005	0.57	1.11	0.46	N.A.
358332	Drill Core	<0.01	0.131	21.29	0.03	0.21	0.06	0.01	<0.01	0.48	0.012	0.118	0.006	0.61	1.06	0.63	3.23
RRE 358332	Drill Core	<0.01	0.132	21.93	0.03	0.15	0.03	<0.01	<0.01	0.49	0.012	0.121	0.006	0.59	1.00	0.61	N.A.
358333	Drill Core	<0.01	0.113	22.44	0.03	0.13	0.03	<0.01	<0.01	0.50	0.011	0.133	0.006	0.67	1.16	0.62	N.A.
358334	Drill Core	<0.01	0.122	22.10	0.03	0.17	0.02	<0.01	<0.01	0.57	0.014	0.148	0.008	0.63	1.24	0.79	N.A.
358335	Drill Core	<0.01	0.135	22.91	0.03	0.13	0.01	<0.01	<0.01	0.44	0.010	0.153	0.007	0.66	1.45	0.56	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 28, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000371.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358336	Drill Core	9.60	<2	7	8	<0.001	0.016	<0.02	<0.01	<2	0.179	0.013	0.15	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.40
358337	Drill Core	10.00	<2	13	11	<0.001	0.020	<0.02	0.01	<2	0.160	0.013	0.14	9.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.37
358338	Drill Core	11.80	<2	9	10	<0.001	0.022	<0.02	<0.01	<2	0.179	0.014	0.14	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.30
358339	Drill Core	10.50	<2	3	8	<0.001	0.029	<0.02	<0.01	<2	0.172	0.017	0.13	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.55
358340	Drill Core	11.10	<2	5	5	<0.001	0.019	<0.02	<0.01	<2	0.137	0.012	0.14	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.29
358341	Drill Core	10.00	<2	4	5	<0.001	0.023	<0.02	0.01	<2	0.156	0.013	0.13	8.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.45
358342	Drill Core	10.90	<2	22	16	<0.001	0.034	<0.02	0.01	<2	0.313	0.022	0.15	12.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.41
358343	Drill Core	10.80	3	29	25	<0.001	0.026	<0.02	<0.01	<2	0.191	0.014	0.15	9.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.93
358344	Drill Core	11.10	<2	8	11	<0.001	0.015	<0.02	<0.01	<2	0.199	0.013	0.14	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.93
358345	Drill Core	9.80	<2	28	44	<0.001	0.022	<0.02	<0.01	<2	0.285	0.018	0.14	9.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.43
358346	Drill Core	9.40	<2	17	19	<0.001	0.012	<0.02	<0.01	<2	0.207	0.013	0.14	8.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
358347	Drill Core	9.60	<2	7	11	<0.001	0.027	<0.02	<0.01	<2	0.123	0.012	0.13	8.80	<0.02	0.06	<0.001	<0.01	<0.01	0.01	6.26
358348	Drill Core	10.00	<2	16	20	<0.001	0.035	<0.02	<0.01	<2	0.173	0.016	0.13	9.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.48
358349	Drill Core	10.30	2	22	19	<0.001	0.047	<0.02	<0.01	<2	0.260	0.014	0.14	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.74
358350	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.053	<0.02	0.02	<2	0.219	0.010	0.10	8.61	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.02
358351	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.241	0.016	0.11	8.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.67
358352	Drill Core	10.50	2	24	24	<0.001	0.033	<0.02	<0.01	<2	0.249	0.015	0.14	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.45
358353	Drill Core	10.80	<2	25	30	<0.001	0.037	<0.02	<0.01	<2	0.264	0.017	0.14	9.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.81
358354	Drill Core	10.60	<2	12	20	<0.001	0.050	<0.02	<0.01	<2	0.300	0.018	0.13	9.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.87



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 28, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000371.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358336	Drill Core	<0.01	0.123	20.90	0.03	0.16	0.03	<0.01	<0.01	0.58	0.015	0.134	0.008	0.58	1.00	0.82	N.A.
358337	Drill Core	<0.01	0.178	22.52	0.02	0.09	0.01	<0.01	<0.01	0.61	0.018	0.122	0.009	0.64	1.24	0.83	N.A.
358338	Drill Core	<0.01	0.108	23.10	0.02	0.09	0.01	<0.01	<0.01	0.67	0.021	0.125	0.009	0.62	1.13	1.00	N.A.
358339	Drill Core	0.01	0.121	20.89	0.02	0.12	0.03	<0.01	<0.01	0.88	0.027	0.140	0.013	0.68	1.06	1.37	N.A.
358340	Drill Core	<0.01	0.152	21.15	0.02	0.10	0.02	<0.01	<0.01	0.48	0.018	0.104	0.007	0.58	1.12	0.71	N.A.
358341	Drill Core	<0.01	0.166	21.89	0.02	0.12	0.02	<0.01	<0.01	0.52	0.019	0.119	0.008	0.58	1.37	0.70	N.A.
358342	Drill Core	<0.01	0.162	22.66	0.02	0.13	0.02	0.01	<0.01	1.37	0.030	0.255	0.015	0.83	1.12	2.06	3.29
358343	Drill Core	0.01	0.161	22.27	0.02	0.11	0.02	<0.01	<0.01	0.65	0.023	0.135	0.008	0.69	1.21	0.90	N.A.
358344	Drill Core	<0.01	0.147	22.34	0.03	0.15	0.02	<0.01	<0.01	0.43	0.013	0.144	0.008	0.58	1.27	0.54	N.A.
358345	Drill Core	0.01	0.140	22.52	0.03	0.19	0.01	0.03	<0.01	0.49	0.019	0.202	0.011	0.67	1.35	0.59	N.A.
358346	Drill Core	0.01	0.156	23.62	0.01	0.14	<0.01	<0.01	<0.01	0.22	0.010	0.105	0.006	0.45	1.38	0.21	N.A.
358347	Drill Core	0.04	0.115	17.12	0.13	2.10	0.03	0.13	<0.01	0.45	0.021	0.073	0.007	0.30	0.59	0.62	N.A.
358348	Drill Core	<0.01	0.215	21.26	0.02	0.14	0.01	<0.01	<0.01	0.62	0.031	0.127	0.010	0.68	1.20	0.86	N.A.
358349	Drill Core	<0.01	0.176	23.01	0.02	0.13	0.02	<0.01	<0.01	0.37	0.043	0.141	0.006	0.66	1.24	0.45	N.A.
358350	Rock Pulp	0.02	0.949	12.30	0.17	3.80	0.29	0.11	<0.01	0.45	0.055	0.175	0.007	0.35	0.27	0.50	N.A.
358351	Rock Pulp	0.01	0.128	22.02	0.02	0.30	0.01	0.07	<0.01	1.02	0.030	0.226	0.012	0.87	2.16	1.38	N.A.
358352	Drill Core	0.01	0.181	24.06	0.01	0.10	0.01	<0.01	<0.01	0.36	0.029	0.124	0.006	0.73	1.42	0.44	3.15
358353	Drill Core	<0.01	0.175	24.65	0.01	0.09	<0.01	<0.01	<0.01	0.60	0.034	0.169	0.008	0.83	1.38	0.79	N.A.
358354	Drill Core	<0.01	0.109	24.82	<0.01	0.08	<0.01	<0.01	<0.01	0.61	0.048	0.199	0.009	0.84	1.35	0.82	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 01, 2007
 Report Date: January 26, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000389.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-225B
 P.O. Number: ACME FILE: A718592
 Number of Samples: 51

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	47	Crush, split and pulverize drill core to 150 mesh		
3B	47	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	51	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	51	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	51	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000389.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358355	Drill Core	10.00	2	29	24	<0.001	0.022	<0.02	<0.01	<2	0.304	0.014	0.13	8.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
358356	Drill Core	10.30	<2	10	13	<0.001	0.007	<0.02	<0.01	<2	0.248	0.014	0.12	7.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
358357	Drill Core	9.70	<2	21	19	<0.001	0.010	<0.02	<0.01	<2	0.249	0.013	0.12	7.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52
358358	Drill Core	10.10	<2	17	18	<0.001	0.007	<0.02	<0.01	<2	0.260	0.014	0.12	7.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
358359	Drill Core	10.30	<2	13	9	<0.001	0.007	<0.02	<0.01	<2	0.232	0.012	0.13	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.78
358360	Drill Core	2.00	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.01	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.04
358361	Drill Core	10.70	<2	17	14	<0.001	0.009	<0.02	<0.01	<2	0.264	0.014	0.13	8.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.97
358362	Drill Core	10.60	<2	20	19	<0.001	0.020	<0.02	<0.01	<2	0.236	0.012	0.12	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.06
358363	Drill Core	11.00	<2	7	7	<0.001	0.002	<0.02	<0.01	<2	0.219	0.013	0.13	8.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.92
358364	Drill Core	10.10	<2	22	23	<0.001	0.013	<0.02	<0.01	<2	0.240	0.013	0.12	7.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
358365	Drill Core	10.20	<2	25	32	<0.001	0.025	<0.02	<0.01	<2	0.238	0.014	0.13	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.98
358366	Drill Core	10.00	<2	14	14	<0.001	0.010	<0.02	<0.01	<2	0.218	0.012	0.12	7.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.24
358367	Drill Core	10.80	<2	12	13	<0.001	0.013	<0.02	<0.01	<2	0.208	0.014	0.11	7.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.11
358368	Drill Core	10.20	<2	5	5	<0.001	0.010	<0.02	<0.01	<2	0.169	0.012	0.13	8.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.78
358369	Drill Core	10.20	<2	12	13	<0.001	0.031	<0.02	<0.01	<2	0.200	0.015	0.14	10.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.80
RRE 358369	Drill Core	<2	14	13	<0.001	0.031	<0.02	<0.01	<2	0.198	0.015	0.14	10.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	1.82
358370	Drill Core	10.30	3	8	10	<0.001	0.019	<0.02	<0.01	<2	0.198	0.014	0.13	9.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.86
358371	Drill Core	9.30	2	14	14	<0.001	0.011	<0.02	<0.01	<2	0.229	0.013	0.13	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.43
358372	Drill Core	10.10	3	12	11	<0.001	0.010	<0.02	<0.01	<2	0.195	0.012	0.14	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.52
358373	Drill Core	10.60	<2	14	16	<0.001	0.016	<0.02	<0.01	<2	0.208	0.013	0.14	9.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.03
358374	Drill Core	8.60	3	22	14	<0.001	0.031	<0.02	0.03	<2	0.160	0.013	0.14	11.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.85
358375	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.053	<0.02	0.02	<2	0.220	0.011	0.10	8.93	<0.02	<0.01	<0.001	0.01	<0.01	0.02	4.22
358376	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.402	0.027	0.12	13.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.17
358377	Drill Core	10.20	2	7	7	<0.001	0.025	<0.02	<0.01	<2	0.119	0.012	0.13	9.56	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	6.24
358378	Drill Core	11.30	3	54	55	<0.001	0.032	<0.02	<0.01	<2	0.200	0.015	0.13	8.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.82
358379	Drill Core	10.60	<2	15	9	<0.001	0.003	<0.02	<0.01	<2	0.185	0.014	0.12	6.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
358380A	Drill Core	9.50	<2	5	3	<0.001	0.007	<0.02	<0.01	<2	0.219	0.014	0.11	6.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
358380B	Drill Core		<2	6	6	<0.001	0.007	<0.02	<0.01	<2	0.215	0.013	0.11	6.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.49
358381	Drill Core	9.70	<2	7	17	<0.001	0.005	<0.02	<0.01	<2	0.261	0.012	0.09	5.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
358382	Drill Core	10.10	<2	5	<2	<0.001	<0.001	<0.02	<0.01	<2	0.293	0.011	0.09	5.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.50



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000389.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358355	Drill Core	<0.01	0.133	27.24	<0.01	0.09	0.01	<0.01	<0.01	0.24	0.020	0.143	0.005	0.61	1.69	0.24	N.A.
358356	Drill Core	<0.01	0.174	26.80	<0.01	0.08	<0.01	<0.01	<0.01	0.11	0.006	0.085	0.004	0.48	1.71	0.11	N.A.
358357	Drill Core	<0.01	0.164	26.23	0.02	0.11	<0.01	<0.01	<0.01	0.08	0.010	0.078	0.004	0.46	1.45	0.09	N.A.
358358	Drill Core	<0.01	0.188	26.61	0.01	0.09	<0.01	<0.01	<0.01	0.09	0.006	0.102	0.005	0.40	1.58	0.10	N.A.
358359	Drill Core	<0.01	0.215	25.77	0.02	0.15	<0.01	0.03	<0.01	0.05	0.007	0.052	0.003	0.44	1.35	0.06	N.A.
358360	Drill Core	0.01	<0.001	0.28	0.07	8.17	3.81	1.23	<0.01	<0.01	<0.001	0.002	<0.001	0.06	0.04	<0.02	N.A.
358361	Drill Core	<0.01	0.174	26.60	0.01	0.08	0.01	<0.01	<0.01	0.12	0.008	0.086	0.004	0.50	1.29	0.15	N.A.
358362	Drill Core	<0.01	0.184	25.07	0.02	0.12	0.01	<0.01	<0.01	0.12	0.019	0.101	0.004	0.47	1.39	0.16	N.A.
358363	Drill Core	<0.01	0.186	26.37	0.01	0.09	0.01	<0.01	<0.01	0.09	0.003	0.058	0.003	0.41	1.27	0.07	N.A.
358364	Drill Core	<0.01	0.165	26.41	0.01	0.07	<0.01	<0.01	<0.01	0.11	0.013	0.100	0.005	0.42	1.68	0.12	N.A.
358365	Drill Core	<0.01	0.279	25.85	0.02	0.12	0.01	<0.01	<0.01	0.16	0.023	0.101	0.005	0.51	1.72	0.17	N.A.
358366	Drill Core	<0.01	0.152	24.24	0.02	0.15	0.02	<0.01	<0.01	0.11	0.009	0.092	0.004	0.43	1.35	0.14	N.A.
358367	Drill Core	<0.01	0.111	23.92	0.03	0.16	0.03	<0.01	<0.01	0.27	0.012	0.093	0.006	0.47	1.21	0.32	N.A.
358368	Drill Core	<0.01	0.167	22.89	0.03	0.14	0.03	<0.01	<0.01	0.27	0.009	0.096	0.005	0.46	1.08	0.34	N.A.
358369	Drill Core	<0.01	0.203	23.25	0.02	0.14	0.02	<0.01	<0.01	0.52	0.031	0.147	0.008	0.60	1.03	0.68	N.A.
RRE 358369	Drill Core	<0.01	0.205	23.51	0.02	0.14	0.02	<0.01	<0.01	0.50	0.029	0.142	0.008	0.58	0.95	0.69	N.A.
358370	Drill Core	<0.01	0.189	22.95	0.03	0.15	0.03	<0.01	<0.01	0.41	0.017	0.139	0.008	0.53	1.30	0.47	N.A.
358371	Drill Core	<0.01	0.217	24.29	0.02	0.14	0.01	<0.01	<0.01	0.28	0.010	0.136	0.006	0.69	1.75	0.30	N.A.
358372	Drill Core	<0.01	0.175	23.18	0.03	0.20	0.02	<0.01	<0.01	0.32	0.008	0.127	0.006	0.47	1.27	0.36	3.23
358373	Drill Core	<0.01	0.166	21.24	0.04	0.20	0.04	0.01	<0.01	0.60	0.014	0.143	0.007	0.59	0.91	0.80	N.A.
358374	Drill Core	<0.01	0.102	19.46	0.05	0.30	0.04	0.06	<0.01	1.22	0.024	0.125	0.009	0.74	0.90	1.62	N.A.
358375	Rock Pulp	<0.01	1.082	13.36	0.18	3.98	0.33	0.11	<0.01	0.47	0.057	0.179	0.007	0.38	0.28	0.44	N.A.
358376	Rock Pulp	<0.01	0.208	21.34	0.02	0.28	0.03	0.10	<0.01	2.90	0.047	0.379	0.023	1.27	1.61	4.11	N.A.
358377	Drill Core	<0.01	0.103	18.77	0.04	0.24	0.06	<0.01	<0.01	0.95	0.025	0.099	0.008	0.56	0.70	1.38	N.A.
358378	Drill Core	<0.01	0.142	24.17	0.02	0.18	0.03	0.04	<0.01	0.43	0.032	0.094	0.006	0.49	0.88	0.58	N.A.
358379	Drill Core	<0.01	0.190	27.62	0.01	0.14	<0.01	0.02	<0.01	0.03	0.002	0.031	0.003	0.32	1.16	0.03	N.A.
358380A	Drill Core	<0.01	0.167	26.85	0.02	0.16	<0.01	0.01	<0.01	0.06	0.006	0.060	0.004	0.34	1.62	0.07	N.A.
358380B	Drill Core	<0.01	0.156	27.16	0.02	0.15	<0.01	<0.01	<0.01	0.06	0.006	0.062	0.004	0.33	1.60	0.07	N.A.
358381	Drill Core	<0.01	0.145	26.22	0.02	0.20	<0.01	0.01	<0.01	0.12	0.005	0.134	0.006	0.36	2.02	0.13	N.A.
358382	Drill Core	<0.01	0.211	27.50	0.01	0.14	<0.01	0.03	<0.01	0.04	<0.001	0.044	0.002	0.37	1.52	0.03	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 26, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000389.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358383	Drill Core	10.30	<2	4	2	<0.001	<0.001	<0.02	<0.01	<2	0.268	0.011	0.11	6.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.90
358384	Drill Core	10.30	<2	13	10	<0.001	0.001	<0.02	<0.01	<2	0.270	0.011	0.11	6.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.81
358385	Drill Core	10.10	<2	12	8	<0.001	<0.001	<0.02	<0.01	<2	0.281	0.011	0.11	6.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
358386	Drill Core	10.00	3	8	5	<0.001	0.001	<0.02	<0.01	<2	0.293	0.011	0.10	5.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52
358387	Drill Core	10.00	<2	3	<2	<0.001	0.001	<0.02	<0.01	<2	0.283	0.011	0.10	5.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.90
358388	Drill Core	10.20	<2	10	5	<0.001	<0.001	<0.02	<0.01	<2	0.281	0.012	0.12	7.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
358389	Drill Core	9.70	<2	5	<2	<0.001	<0.001	<0.02	<0.01	<2	0.287	0.012	0.10	5.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
358390	Drill Core	2.40	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.07	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.10
358391	Drill Core	9.70	<2	10	7	<0.001	<0.001	<0.02	<0.01	<2	0.279	0.012	0.10	6.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358392	Drill Core	9.80	<2	12	12	<0.001	<0.001	<0.02	<0.01	<2	0.285	0.012	0.10	6.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
358393	Drill Core	8.60	<2	16	11	<0.001	0.001	<0.02	<0.01	<2	0.243	0.010	0.10	6.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.20
358394	Drill Core	9.30	<2	3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.280	0.011	0.10	5.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.34
358395	Drill Core	9.10	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.281	0.011	0.09	5.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
358396	Drill Core	9.40	3	10	9	<0.001	<0.001	<0.02	<0.01	<2	0.287	0.011	0.10	5.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
358397	Drill Core	9.70	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.286	0.011	0.11	5.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358398	Drill Core	10.20	<2	<3	5	<0.001	0.001	<0.02	<0.01	<2	0.255	0.012	0.10	6.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
RRE 358398	Drill Core		<2	<3	4	<0.001	0.001	<0.02	<0.01	<2	0.269	0.012	0.11	6.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
358399	Drill Core	10.30	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.208	0.013	0.11	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
358400	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.245	0.017	0.11	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.67
358401	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	<2	0.339	0.015	0.05	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.14
358402	Drill Core	10.30	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.204	0.013	0.13	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.95



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 26, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000389.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358383	Drill Core	<0.01	0.168	25.87	0.02	0.16	<0.01	0.03	<0.01	0.04	<0.001	0.057	0.003	0.46	1.68	0.05	N.A.
358384	Drill Core	<0.01	0.268	26.03	0.02	0.17	<0.01	0.05	<0.01	0.03	0.002	0.061	0.002	0.46	1.37	0.04	N.A.
358385	Drill Core	<0.01	0.274	26.65	0.01	0.18	<0.01	0.03	<0.01	0.05	0.001	0.080	0.003	0.42	1.57	0.06	N.A.
358386	Drill Core	<0.01	0.190	26.17	0.01	0.13	<0.01	0.03	<0.01	0.04	0.001	0.061	0.002	0.42	1.40	0.04	N.A.
358387	Drill Core	<0.01	0.333	26.38	0.02	0.28	<0.01	0.03	<0.01	0.06	0.001	0.069	0.003	0.38	1.37	0.05	N.A.
358388	Drill Core	<0.01	0.420	26.64	0.02	0.18	<0.01	0.03	<0.01	0.06	<0.001	0.072	0.003	0.40	1.27	0.06	N.A.
358389	Drill Core	<0.01	0.162	26.72	0.02	0.15	<0.01	0.01	<0.01	0.07	<0.001	0.096	0.004	0.39	1.62	0.09	N.A.
358390	Drill Core	0.02	<0.001	0.25	0.08	8.11	3.81	1.21	<0.01	<0.01	<0.001	<0.001	<0.001	0.04	0.02	<0.02	N.A.
358391	Drill Core	<0.01	0.245	26.24	0.03	0.22	<0.01	0.04	<0.01	0.07	<0.001	0.093	0.004	0.33	1.25	0.08	N.A.
358392	Drill Core	<0.01	0.228	26.63	0.03	0.24	<0.01	0.06	<0.01	0.06	<0.001	0.079	0.003	0.34	1.31	0.07	3.11
358393	Drill Core	<0.01	0.305	24.97	0.04	0.36	0.01	0.06	<0.01	0.10	<0.001	0.115	0.004	0.33	2.01	0.12	N.A.
358394	Drill Core	<0.01	0.421	25.53	0.03	0.23	<0.01	0.03	<0.01	0.11	<0.001	0.120	0.004	0.35	2.27	0.13	N.A.
358395	Drill Core	<0.01	0.216	25.46	0.03	0.26	<0.01	0.03	<0.01	0.16	0.001	0.189	0.006	0.40	2.68	0.18	N.A.
358396	Drill Core	<0.01	0.291	25.57	0.03	0.28	<0.01	0.04	<0.01	0.11	<0.001	0.136	0.005	0.35	1.75	0.13	N.A.
358397	Drill Core	<0.01	0.393	27.54	0.02	0.22	<0.01	0.03	<0.01	0.07	0.001	0.119	0.004	0.36	1.80	0.11	N.A.
358398	Drill Core	<0.01	0.243	26.29	0.03	0.25	<0.01	0.03	<0.01	0.13	0.001	0.136	0.006	0.32	1.44	0.13	N.A.
RRE 358398	Drill Core	<0.01	0.236	26.15	0.03	0.25	<0.01	0.03	<0.01	0.13	0.001	0.138	0.006	0.33	1.54	0.13	N.A.
358399	Drill Core	<0.01	0.284	26.02	0.03	0.31	<0.01	0.08	<0.01	0.06	<0.001	0.058	0.003	0.33	1.30	0.07	N.A.
358400	Rock Pulp	<0.01	0.136	23.43	0.02	0.30	<0.01	0.07	<0.01	1.13	0.030	0.234	0.013	0.95	2.30	1.41	N.A.
358401	Rock Pulp	<0.01	0.352	14.60	0.16	2.71	0.24	0.05	<0.01	0.90	0.092	0.248	0.010	0.60	0.64	1.00	N.A.
358402	Drill Core	<0.01	0.258	25.18	0.05	0.43	<0.01	0.13	<0.01	0.07	<0.001	0.069	0.004	0.28	1.06	0.08	3.21



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 01, 2007
 Report Date: January 26, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000388.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-225C
 P.O. Number: ACME FILE: A718591
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: **Hard Creek Nickel Corporation**
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	47	Crush, split and pulverize drill core to 150 mesh		
3B	47	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000388.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358403	Drill Core	9.50	<2	12	11	<0.001	0.002	<0.02	<0.01	<2	0.197	0.012	0.12	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
358404	Drill Core	9.90	3	32	35	<0.001	0.006	<0.02	<0.01	<2	0.187	0.012	0.12	7.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.08
358405	Drill Core	10.80	<2	72	62	<0.001	0.009	<0.02	<0.01	<2	0.217	0.013	0.15	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.60
358406	Drill Core	10.90	<2	24	15	<0.001	0.021	<0.02	<0.01	<2	0.238	0.013	0.15	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.95
358407	Drill Core	10.60	<2	8	7	<0.001	0.029	<0.02	<0.01	<2	0.237	0.013	0.14	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.46
358408	Drill Core	10.30	3	10	7	<0.001	0.036	<0.02	<0.01	<2	0.162	0.014	0.14	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.53
358409	Drill Core	9.80	3	7	5	<0.001	0.065	<0.02	<0.01	<2	0.102	0.018	0.09	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.81
358410A	Drill Core	10.30	<2	<3	6	<0.001	0.059	<0.02	<0.01	<2	0.062	0.009	0.12	8.56	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	8.36
358410B	Drill Core		<2	6	5	<0.001	0.061	<0.02	<0.01	<2	0.059	0.009	0.12	8.53	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	8.64
358411	Drill Core	10.30	<2	31	16	<0.001	0.019	<0.02	<0.01	<2	0.100	0.011	0.13	8.09	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	7.46
358412	Drill Core	10.20	<2	50	29	<0.001	0.039	<0.02	<0.01	<2	0.162	0.012	0.13	7.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.20
358413	Drill Core	10.50	<2	5	4	<0.001	0.005	<0.02	<0.01	<2	0.207	0.011	0.12	6.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.38
358414	Drill Core	10.00	<2	9	5	<0.001	0.004	<0.02	<0.01	<2	0.181	0.011	0.13	7.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.54
RRE 358414	Drill Core		<2	9	6	<0.001	0.004	<0.02	<0.01	<2	0.187	0.011	0.13	7.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.52
358415	Drill Core	10.30	<2	6	6	<0.001	0.008	<0.02	<0.01	<2	0.183	0.011	0.12	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.39
358416	Drill Core	10.20	2	14	12	<0.001	0.015	<0.02	<0.01	<2	0.247	0.014	0.14	8.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.35
358417	Drill Core	9.40	22	16	15	<0.001	0.016	<0.02	<0.01	<2	0.194	0.014	0.15	9.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.82
358418	Drill Core	10.30	<2	14	14	<0.001	0.020	<0.02	<0.01	<2	0.196	0.014	0.15	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
358419	Drill Core	10.90	<2	14	15	<0.001	0.013	<0.02	<0.01	<2	0.195	0.014	0.16	9.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.92
358420	Drill Core	2.70	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.08	1.58	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	2.14
358421	Drill Core	10.40	<2	19	14	<0.001	0.019	<0.02	<0.01	<2	0.171	0.013	0.15	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.34
358422	Drill Core	10.10	<2	20	14	<0.001	0.018	<0.02	<0.01	<2	0.160	0.011	0.14	7.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.39
358423	Drill Core	9.60	2	17	14	<0.001	0.068	<0.02	<0.01	<2	0.212	0.011	0.14	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.36
358424	Drill Core	9.70	<2	11	12	<0.001	0.011	<0.02	<0.01	<2	0.151	0.010	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.28
358425	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.056	<0.02	0.02	<2	0.228	0.011	0.11	9.48	<0.02	<0.01	<0.001	0.01	<0.01	0.02	4.31
358426	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.048	<0.02	<0.01	<2	0.403	0.027	0.13	13.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.17
358427	Drill Core	9.40	<2	5	6	<0.001	0.014	<0.02	<0.01	<2	0.168	0.012	0.11	7.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.17
358428	Drill Core	10.10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.189	0.011	0.13	7.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.10
358429	Drill Core	10.00	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.139	0.008	0.12	5.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.70
358430	Drill Core	8.90	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.199	0.012	0.13	7.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000388.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358403	Drill Core	<0.01	0.109	24.22	0.04	0.40	0.02	0.13	<0.01	0.14	0.002	0.109	0.006	0.51	2.77	0.14	N.A.
358404	Drill Core	<0.01	0.131	23.55	0.05	0.46	0.01	0.09	<0.01	0.13	0.005	0.096	0.006	0.37	1.72	0.14	N.A.
358405	Drill Core	<0.01	0.171	23.17	0.04	0.30	0.02	0.08	<0.01	0.19	0.009	0.129	0.007	0.60	2.37	0.18	N.A.
358406	Drill Core	0.01	0.180	23.57	0.04	0.33	0.02	0.08	<0.01	0.24	0.019	0.128	0.006	0.64	1.82	0.23	N.A.
358407	Drill Core	0.01	0.162	21.76	0.05	0.32	0.03	0.08	<0.01	0.55	0.028	0.166	0.007	0.97	2.47	0.57	N.A.
358408	Drill Core	<0.01	0.174	22.53	0.04	0.25	0.02	0.02	<0.01	0.83	0.036	0.127	0.010	0.89	2.48	0.91	N.A.
358409	Drill Core	<0.01	0.258	15.30	0.06	0.41	0.06	0.02	<0.01	1.89	0.064	0.091	0.016	0.92	1.16	2.28	N.A.
358410A	Drill Core	<0.01	0.215	15.26	0.08	0.45	0.07	0.02	<0.01	1.14	0.058	0.053	0.008	0.72	1.21	1.25	N.A.
358410B	Drill Core	<0.01	0.221	15.22	0.08	0.47	0.07	0.02	<0.01	1.11	0.058	0.050	0.007	0.69	1.22	1.23	N.A.
358411	Drill Core	<0.01	0.158	16.94	0.08	0.41	0.05	<0.01	<0.01	0.53	0.016	0.084	0.007	0.35	0.66	0.52	N.A.
358412	Drill Core	<0.01	0.162	21.89	0.06	0.36	0.04	0.01	<0.01	0.30	0.036	0.090	0.006	0.42	1.27	0.27	3.20
358413	Drill Core	<0.01	0.177	24.88	0.03	0.21	0.01	<0.01	<0.01	0.11	0.004	0.097	0.005	0.33	1.34	0.11	N.A.
358414	Drill Core	<0.01	0.210	24.48	0.03	0.45	0.01	0.01	<0.01	0.09	0.004	0.095	0.005	0.37	1.57	0.09	N.A.
RRE 358414	Drill Core	<0.01	0.207	24.95	0.04	0.49	0.01	<0.01	<0.01	0.09	0.003	0.096	0.005	0.39	1.71	0.10	N.A.
358415	Drill Core	<0.01	0.156	24.33	0.03	0.63	<0.01	<0.01	<0.01	0.13	0.008	0.105	0.006	0.34	1.62	0.11	N.A.
358416	Drill Core	<0.01	0.250	24.66	0.03	0.20	0.01	<0.01	<0.01	0.27	0.013	0.189	0.010	0.40	1.30	0.27	N.A.
358417	Drill Core	<0.01	0.241	24.70	0.03	0.20	<0.01	<0.01	<0.01	0.21	0.014	0.147	0.009	0.38	1.65	0.19	N.A.
358418	Drill Core	<0.01	0.226	24.84	0.04	0.21	<0.01	<0.01	<0.01	0.27	0.017	0.129	0.008	0.46	1.26	0.28	N.A.
358419	Drill Core	<0.01	0.215	24.97	0.03	0.22	<0.01	<0.01	<0.01	0.22	0.010	0.118	0.007	0.41	1.17	0.23	N.A.
358420	Drill Core	0.04	0.004	0.43	0.10	8.07	3.64	1.20	<0.01	<0.01	<0.001	0.001	<0.001	0.08	0.05	<0.02	N.A.
358421	Drill Core	<0.01	0.201	24.81	0.04	0.24	0.02	0.01	<0.01	0.20	0.016	0.103	0.006	0.33	0.94	0.21	N.A.
358422	Drill Core	<0.01	0.163	21.90	0.06	0.41	0.03	0.02	<0.01	0.19	0.015	0.101	0.006	0.37	1.24	0.22	N.A.
358423	Drill Core	<0.01	0.233	21.67	0.04	0.26	0.02	<0.01	<0.01	0.33	0.062	0.176	0.008	0.45	1.07	0.38	N.A.
358424	Drill Core	<0.01	0.164	19.57	0.06	1.19	0.01	<0.01	<0.01	0.15	0.009	0.115	0.007	0.23	0.67	0.14	N.A.
358425	Rock Pulp	<0.01	1.196	13.59	0.19	4.19	0.36	0.11	<0.01	0.46	0.055	0.188	0.007	0.43	0.35	0.45	N.A.
358426	Rock Pulp	<0.01	0.202	21.37	0.02	0.29	0.03	0.10	<0.01	3.03	0.045	0.394	0.024	1.26	1.46	4.17	N.A.
358427	Drill Core	<0.01	0.168	21.06	0.03	0.55	0.01	<0.01	<0.01	0.17	0.010	0.146	0.009	0.24	0.80	0.17	N.A.
358428	Drill Core	<0.01	0.226	23.96	0.02	0.30	<0.01	<0.01	<0.01	0.12	0.002	0.133	0.008	0.25	1.20	0.10	N.A.
358429	Drill Core	0.03	0.204	16.89	0.12	2.98	0.01	<0.01	<0.01	0.08	0.001	0.105	0.005	0.17	0.70	0.09	N.A.
358430	Drill Core	<0.01	0.256	24.65	0.01	0.17	<0.01	<0.01	<0.01	0.13	0.001	0.166	0.009	0.26	1.72	0.10	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000388.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358431	Drill Core	8.80	<2	5	3	<0.001	0.002	<0.02	<0.01	<2	0.193	0.012	0.10	7.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
358432	Drill Core	9.10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.185	0.012	0.14	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
358433	Drill Core	9.00	<2	<3	2	<0.001	0.003	<0.02	<0.01	<2	0.185	0.012	0.13	7.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
358434	Drill Core	9.90	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.206	0.012	0.13	7.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
358435	Drill Core	10.00	<2	5	2	<0.001	0.001	<0.02	<0.01	<2	0.184	0.011	0.12	7.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
358436	Drill Core	10.70	5	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.173	0.012	0.12	6.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.05
358437	Drill Core	10.20	<2	<3	4	<0.001	0.001	<0.02	<0.01	<2	0.182	0.012	0.12	7.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
358438	Drill Core	10.60	<2	4	3	<0.001	<0.001	<0.02	<0.01	<2	0.190	0.012	0.12	6.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
358439	Drill Core	10.30	3	<3	6	<0.001	<0.001	<0.02	<0.01	<2	0.201	0.012	0.12	6.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
358440A	Drill Core	9.40	<2	5	6	<0.001	0.005	<0.02	<0.01	<2	0.147	0.010	0.11	6.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.38
358440B	Drill Core		<2	9	7	<0.001	0.005	<0.02	<0.01	<2	0.155	0.011	0.12	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.58
358441	Drill Core	9.20	<2	4	9	<0.001	0.004	<0.02	<0.01	<2	0.163	0.010	0.11	6.65	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.91
358442	Drill Core	10.00	<2	8	5	<0.001	0.008	<0.02	<0.01	<2	0.098	0.007	0.12	6.72	<0.02	0.04	<0.001	<0.01	<0.01	0.02	3.42
RRE 358442	Drill Core		<2	<3	6	<0.001	0.008	<0.02	<0.01	<2	0.102	0.007	0.11	6.68	<0.02	0.03	<0.001	<0.01	<0.01	0.01	3.29
358443	Drill Core	9.30	8	29	35	<0.001	0.051	<0.02	<0.01	<2	0.155	0.011	0.09	6.15	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	0.99
358444	Drill Core	9.70	<2	24	26	<0.001	0.033	<0.02	<0.01	<2	0.186	0.012	0.09	5.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
358445	Drill Core	9.40	72	20	19	<0.001	0.069	<0.02	<0.01	<2	0.241	0.014	0.10	6.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
358446	Drill Core	10.10	4	19	22	<0.001	0.013	<0.02	<0.01	<2	0.208	0.013	0.09	6.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.49
358447	Drill Core	9.90	3	13	14	<0.001	0.003	<0.02	<0.01	<2	0.192	0.013	0.11	6.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 26, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000388.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358431	Drill Core	<0.01	0.224	24.66	0.02	0.20	<0.01	<0.01	<0.01	0.13	0.001	0.145	0.008	0.20	1.25	0.09	N.A.
358432	Drill Core	<0.01	0.239	23.99	0.02	0.14	<0.01	<0.01	<0.01	0.13	0.002	0.148	0.009	0.37	2.18	0.08	2.96
358433	Drill Core	0.01	0.140	24.00	0.04	0.83	<0.01	0.06	<0.01	0.10	0.002	0.132	0.008	0.25	1.44	0.09	N.A.
358434	Drill Core	<0.01	0.174	26.18	0.01	0.15	<0.01	<0.01	<0.01	0.08	0.001	0.110	0.006	0.34	2.06	0.05	N.A.
358435	Drill Core	<0.01	0.171	24.33	0.03	0.58	0.04	<0.01	<0.01	0.10	<0.001	0.100	0.006	0.30	1.69	0.05	N.A.
358436	Drill Core	<0.01	0.202	24.34	0.01	0.11	0.01	<0.01	<0.01	0.07	0.002	0.102	0.006	0.23	1.41	0.05	N.A.
358437	Drill Core	<0.01	0.247	24.80	0.01	0.10	0.01	<0.01	<0.01	0.05	0.001	0.082	0.005	0.32	1.61	0.04	N.A.
358438	Drill Core	<0.01	0.249	26.22	<0.01	0.08	<0.01	<0.01	<0.01	0.04	<0.001	0.073	0.004	0.26	1.34	0.03	N.A.
358439	Drill Core	<0.01	0.206	26.41	<0.01	0.06	<0.01	<0.01	<0.01	0.08	<0.001	0.118	0.006	0.35	2.36	0.06	N.A.
358440A	Drill Core	0.01	0.229	21.27	0.08	0.99	0.23	0.24	<0.01	0.10	0.005	0.116	0.007	0.29	1.83	0.07	N.A.
358440B	Drill Core	0.01	0.224	22.09	0.09	0.95	0.15	0.28	<0.01	0.11	0.005	0.115	0.007	0.29	1.91	0.08	N.A.
358441	Drill Core	0.02	0.159	21.86	0.05	1.37	0.70	0.16	<0.01	0.16	0.003	0.123	0.007	0.32	1.45	0.15	N.A.
358442	Drill Core	0.07	0.103	13.90	0.24	4.34	1.27	0.95	<0.01	0.24	0.007	0.090	0.005	0.34	0.73	0.22	N.A.
RRE 358442	Drill Core	0.07	0.102	14.31	0.23	4.11	1.20	0.93	<0.01	0.23	0.007	0.093	0.005	0.32	0.68	0.21	N.A.
358443	Drill Core	0.02	0.136	21.19	0.07	1.42	0.31	0.35	<0.01	0.19	0.040	0.119	0.007	0.30	1.03	0.16	N.A.
358444	Drill Core	<0.01	0.196	23.84	<0.01	0.52	<0.01	0.20	<0.01	0.11	0.034	0.121	0.008	0.40	2.28	0.09	N.A.
358445	Drill Core	<0.01	0.215	25.02	<0.01	0.05	<0.01	<0.01	<0.01	0.15	0.069	0.160	0.008	0.50	3.12	0.13	N.A.
358446	Drill Core	<0.01	0.218	26.01	0.01	0.15	<0.01	<0.01	<0.01	0.07	0.012	0.116	0.007	0.37	2.26	0.06	N.A.
358447	Drill Core	<0.01	0.263	25.64	<0.01	0.05	<0.01	<0.01	<0.01	0.05	0.002	0.088	0.006	0.41	2.75	0.04	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 26, 2008

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

SMI07000388.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
Pulp Duplicates																					
358415	Drill Core	10.30	<2	6	6	<0.001	0.008	<0.02	<0.01	<2	0.183	0.011	0.12	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.39
REP 358415	QC																				
358421	Drill Core	10.40	<2	19	14	<0.001	0.019	<0.02	<0.01	<2	0.171	0.013	0.15	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.34
REP 358421	QC		<2	17	14																
358424	Drill Core	9.70	<2	11	12	<0.001	0.011	<0.02	<0.01	<2	0.151	0.010	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.28
REP 358424	QC																				
358430	Drill Core	8.90	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.199	0.012	0.13	7.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
REP 358430	QC																				
358432	Drill Core	9.10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.185	0.012	0.14	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
REP 358432	QC																				
358435	Drill Core	10.00	<2	5	2	<0.001	0.001	<0.02	<0.01	<2	0.184	0.011	0.12	7.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
REP 358435	QC					<0.001	0.001	<0.02	<0.01	<2	0.181	0.011	0.12	6.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
358441	Drill Core	9.20	<2	4	9	<0.001	0.004	<0.02	<0.01	<2	0.163	0.010	0.11	6.65	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.91
REP 358441	QC		2	4	7																
Reference Materials																					
STD CDN-PGMS-14	Standard		262	127	421																
STD CDN-PGMS-14	Standard		260	115	409																
STD CDN-PGMS-14	Standard		256	123	432																
STD CSC	Standard																				
STD CSC	Standard																				
STD FA10R	Standard		480	486	472																
STD FA10R	Standard		494	491	484																
STD FA10R	Standard		475	470	467																
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD R3NI	Standard																				
STD R3NI	Standard																				
STD R3NI	Standard																				

QUALITY CONTROL REPORT

SMI07000388.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
Pulp Duplicates																	
358415	Drill Core	<0.01	0.156	24.33	0.03	0.63	<0.01	<0.01	<0.01	0.13	0.008	0.105	0.006	0.34	1.62	0.11	N.A.
REP 358415	QC															0.12	
358421	Drill Core	<0.01	0.201	24.81	0.04	0.24	0.02	0.01	<0.01	0.20	0.016	0.103	0.006	0.33	0.94	0.21	N.A.
REP 358421	QC																
358424	Drill Core	<0.01	0.164	19.57	0.06	1.19	0.01	<0.01	<0.01	0.15	0.009	0.115	0.007	0.23	0.67	0.14	N.A.
REP 358424	QC										0.009	0.110	0.007	0.22	0.64		
358430	Drill Core	<0.01	0.256	24.65	0.01	0.17	<0.01	<0.01	<0.01	0.13	0.001	0.166	0.009	0.26	1.72	0.10	N.A.
REP 358430	QC										0.002	0.165	0.009	0.26	1.73		
358432	Drill Core	<0.01	0.239	23.99	0.02	0.14	<0.01	<0.01	<0.01	0.13	0.002	0.148	0.009	0.37	2.18	0.08	2.96
REP 358432	QC															0.09	
358435	Drill Core	<0.01	0.171	24.33	0.03	0.58	0.04	<0.01	<0.01	0.10	<0.001	0.100	0.006	0.30	1.69	0.05	N.A.
REP 358435	QC	<0.01	0.174	23.96	0.03	0.57	0.04	<0.01	<0.01	0.07							
358441	Drill Core	0.02	0.159	21.86	0.05	1.37	0.70	0.16	<0.01	0.16	0.003	0.123	0.007	0.32	1.45	0.15	N.A.
REP 358441	QC																
Reference Materials																	
STD CDN-PGMS-14	Standard																
STD CDN-PGMS-14	Standard																
STD CDN-PGMS-14	Standard																
STD CSC	Standard																4.24
STD CSC	Standard																4.21
STD FA10R	Standard																
STD FA10R	Standard																
STD FA10R	Standard																
STD OREAS76A	Standard																18.21
STD OREAS76A	Standard																18.94
STD R3NI	Standard										0.714	0.411	0.054	4.53	0.15		
STD R3NI	Standard										0.784	0.413	0.051	4.62	0.13		
STD R3NI	Standard										0.768	0.432	0.053	11.18	0.19		

QUALITY CONTROL REPORT

SMI07000388.1

		WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
		0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
STD R3T	Standard					0.078	0.797	2.02	4.11	198	0.549	0.064	0.09	33.47	<0.02	<0.01	0.025	0.04	<0.01	0.02	2.26
STD R3T	Standard					0.077	0.815	2.01	4.05	197	0.543	0.063	0.09	33.26	<0.02	<0.01	0.025	0.04	<0.01	0.02	2.23
STD R3T	Standard					0.079	0.826	2.02	4.16	197	0.544	0.062	0.10	33.49	<0.02	<0.01	0.024	0.04	0.01	0.02	2.25
STD R3T	Standard					0.079	0.829	2.00	4.15	197	0.546	0.062	0.10	33.57	<0.02	<0.01	0.024	0.04	0.01	0.02	2.25
STD R3T	Standard					0.079	0.823	2.02	4.15	198	0.547	0.062	0.09	33.32	<0.02	<0.01	0.024	0.04	0.01	0.02	2.26
STD R3T	Standard					0.077	0.817	2.00	4.09	196	0.541	0.062	0.09	33.30	<0.02	<0.01	0.024	0.04	0.01	0.02	2.25
STD FA10R Expected			500	500	500																
STD CDN-PGMS-14			259	119	451																
STD R3T Expected						0.077	0.805	1.98	4.1	190	0.525	0.061	0.09	34.17	0.04	0.01	0.024	0.04			2.23
STD CSC Expected																					
STD OREAS76A Expected																					
STD R3NI Expected																					
BLK	Blank		<2	<3	<2																
BLK	Blank		<2	<3	<2																
BLK	Blank		<2	<3	<2																
BLK	Blank		<2	<3	<2																
BLK	Blank		<2	<3	<2																
BLK	Blank		<2	<3	<2																
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank					<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	2.28	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	2.42



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: January 26, 2008

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

SMI07000388.1

		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
STD R3T	Standard	0.08	0.021	1.71	0.18	2.42	0.45	0.60	<0.01	16.78							
STD R3T	Standard	0.07	0.021	1.70	0.19	2.39	0.50	0.59	<0.01	16.59							
STD R3T	Standard	0.05	0.020	1.70	0.18	2.48	0.35	0.60	0.01	15.98							
STD R3T	Standard	0.05	0.022	1.70	0.17	2.49	0.35	0.60	0.01	16.10							
STD R3T	Standard	0.05	0.020	1.69	0.17	2.49	0.35	0.60	<0.01	15.89							
STD R3T	Standard	0.05	0.020	1.68	0.17	2.47	0.34	0.60	<0.01	15.88							
STD FA10R Expected																	
STD CDN-PGMS-14																	
STD R3T Expected		0.05	0.02	1.64		2.44	0.31	0.59									
STD CSC Expected																	4.19
STD OREAS76A Expected																	18
STD R3NI Expected												0.42					
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01							
BLK	Blank	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01							
BLK	Blank	<0.01	<0.001	0.12	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01							
BLK	Blank																<0.02
BLK	Blank																<0.02
BLK	Blank										<0.001	<0.001	<0.001	<0.01	<0.01		
BLK	Blank										<0.001	<0.001	<0.001	<0.01	<0.01		
BLK	Blank										<0.001	<0.001	<0.001	<0.01	<0.01		
Prep Wash																	
G1	Prep Blank	0.08	0.002	0.76	0.22	7.97	2.64	2.90	<0.01	<0.01	<0.001	<0.001	<0.001	0.08	0.04	<0.02	N.A.

Hole 07-230



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 20, 2007
 Report Date: October 29, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000026.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-230A
 P.O. Number
 Number of Samples: 46

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush split and pulverize drill core to 150mesh		
3B	46	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	46	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	46	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	46	Analysis by Leco		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000026.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645501	Drill Core	10.8	7	<3	<2	<0.001	0.007	<0.02	<0.01	<2	0.088	0.006	0.12	6.69	<0.02	0.13	<0.001	<0.01	<0.01	0.02	8.03
645502	Drill Core	10	<2	3	7	<0.001	0.003	<0.02	0.01	<2	0.212	0.011	0.11	5.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
645503	Drill Core	10.2	4	5	2	<0.001	0.004	<0.02	<0.01	<2	0.198	0.010	0.10	5.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.00
645504	Drill Core	9.6	3	<3	2	<0.001	0.003	<0.02	0.01	<2	0.226	0.011	0.10	6.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
645505	Drill Core	9	8	5	3	<0.001	0.005	<0.02	<0.01	<2	0.168	0.010	0.11	6.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.80
645506	Drill Core	10	3	6	3	<0.001	0.007	<0.02	<0.01	<2	0.079	0.006	0.10	4.33	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.68
645507	Drill Core	10.1	4	14	17	<0.001	0.011	<0.02	<0.01	<2	0.037	0.005	0.09	3.99	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.71
645508	Drill Core	8.1	<2	11	9	<0.001	0.008	<0.02	<0.01	<2	0.153	0.009	0.12	6.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.51
645509	Drill Core	7	2	9	5	<0.001	0.002	<0.02	<0.01	<2	0.152	0.011	0.10	6.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.94
645510	Drill Core	9.4	2	19	13	<0.001	0.002	<0.02	<0.01	<2	0.148	0.011	0.12	7.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.32
645511	Drill Core	10.3	<2	7	4	<0.001	<0.001	<0.02	<0.01	<2	0.202	0.012	0.14	8.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.85
645512	Drill Core	10.5	<2	<3	4	<0.001	<0.001	<0.02	<0.01	<2	0.210	0.012	0.13	7.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.07
645513	Drill Core	8.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.231	0.012	0.13	7.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
645514	Drill Core	10.1	<2	8	8	<0.001	0.001	<0.02	<0.01	<2	0.236	0.011	0.13	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
645515	Drill Core	8.6	2	8	7	<0.001	<0.001	<0.02	<0.01	<2	0.243	0.012	0.12	6.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.78
645516	Drill Core	6.8	2	4	2	<0.001	<0.001	<0.02	<0.01	<2	0.272	0.012	0.12	6.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
645517	Drill Core	8.6	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.276	0.012	0.11	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
645518	Drill Core	8.8	5	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.255	0.011	0.11	6.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
645519	Drill Core	9.2	3	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.255	0.012	0.12	7.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
645520A	Drill Core	10.5	<2	9	7	<0.001	<0.001	<0.02	<0.01	<2	0.248	0.012	0.12	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
645520B	Drill Core	0	<2	8	5	<0.001	<0.001	<0.02	<0.01	<2	0.256	0.012	0.13	7.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
645521	Drill Core	9	<2	3	4	<0.001	<0.001	<0.02	<0.01	<2	0.213	0.013	0.13	7.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52
645522	Drill Core	9.5	<2	52	42	<0.001	0.004	<0.02	<0.01	<2	0.212	0.014	0.14	7.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.29
645523	Drill Core	10.6	<2	13	8	<0.001	0.003	<0.02	<0.01	<2	0.197	0.013	0.14	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.86
645524	Drill Core	9.8	<2	4	3	<0.001	0.003	<0.02	<0.01	<2	0.208	0.013	0.13	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.58
645525	Rock Pulp	0	I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.345	0.015	0.05	9.25	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.26
645526	Rock Pulp	0	I.S.	I.S.	I.S.	<0.001	0.031	<0.02	<0.01	<2	0.254	0.016	0.12	8.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
645527	Drill Core	9	<2	9	7	<0.001	0.003	<0.02	<0.01	<2	0.212	0.012	0.08	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.48
645528	Drill Core	9.8	<2	9	11	<0.001	0.002	<0.02	0.01	<2	0.242	0.013	0.12	7.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
645529	Drill Core	9.8	<2	15	18	<0.001	0.002	<0.02	<0.01	<2	0.248	0.013	0.12	6.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.07



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000026.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
645501	Drill Core	0.04	0.094	12.82	0.51	4.67	0.15	0.17	<0.01	0.16	0.006	0.066	0.003	0.16	0.24	0.23
645502	Drill Core	0.01	0.114	24.74	0.05	0.81	0.02	0.11	<0.01	0.17	0.002	0.150	0.007	0.17	0.71	0.18
645503	Drill Core	0.01	0.093	23.77	0.04	0.68	<0.01	0.06	<0.01	0.15	0.003	0.149	0.007	0.17	0.55	0.19
645504	Drill Core	0.01	0.215	24.84	0.06	0.95	<0.01	0.15	<0.01	0.19	0.002	0.161	0.007	0.17	0.62	0.19
645505	Drill Core	<0.01	0.135	20.82	0.14	1.24	0.01	0.03	<0.01	0.13	0.004	0.131	0.006	0.17	0.44	0.15
645506	Drill Core	<0.01	0.111	14.96	0.16	1.26	0.06	0.06	<0.01	0.06	0.006	0.060	0.003	0.11	0.33	0.09
645507	Drill Core	<0.01	0.082	11.33	0.19	1.40	0.10	0.02	<0.01	0.04	0.010	0.021	0.002	0.10	0.19	0.06
645508	Drill Core	<0.01	0.098	20.76	0.08	0.75	0.03	0.02	<0.01	0.12	0.007	0.093	0.006	0.17	0.57	0.18
645509	Drill Core	<0.01	0.143	22.74	0.06	0.62	<0.01	0.02	<0.01	0.09	0.001	0.101	0.006	0.14	0.79	0.11
645510	Drill Core	<0.01	0.217	24.26	0.06	0.68	<0.01	0.02	<0.01	0.07	0.001	0.072	0.005	0.15	0.90	0.07
645511	Drill Core	<0.01	0.170	26.91	0.06	0.68	<0.01	0.05	<0.01	0.06	<0.001	0.065	0.004	0.21	0.95	0.05
645512	Drill Core	<0.01	0.169	25.96	0.07	0.69	<0.01	0.06	<0.01	0.05	<0.001	0.062	0.004	0.27	1.07	0.06
645513	Drill Core	<0.01	0.213	25.48	0.05	0.53	<0.01	0.03	<0.01	0.09	<0.001	0.116	0.007	0.46	2.29	0.12
645514	Drill Core	<0.01	0.285	25.79	0.04	0.42	<0.01	0.02	<0.01	0.09	0.001	0.132	0.007	0.39	2.25	0.13
645515	Drill Core	<0.01	0.183	26.40	0.04	0.37	<0.01	0.01	<0.01	0.08	<0.001	0.111	0.006	0.41	2.06	0.13
645516	Drill Core	<0.01	0.159	28.52	0.03	0.28	<0.01	<0.01	<0.01	0.08	<0.001	0.111	0.006	0.59	2.47	0.08
645517	Drill Core	<0.01	0.135	28.00	0.02	0.21	<0.01	<0.01	<0.01	0.10	<0.001	0.146	0.007	0.45	2.43	0.11
645518	Drill Core	<0.01	0.184	27.61	0.02	0.18	<0.01	<0.01	<0.01	0.07	<0.001	0.108	0.006	0.58	2.61	0.08
645519	Drill Core	<0.01	0.243	26.76	0.03	0.31	<0.01	<0.01	<0.01	0.11	<0.001	0.154	0.007	0.38	2.22	0.12
645520A	Drill Core	<0.01	0.149	26.72	0.02	0.15	<0.01	<0.01	<0.01	0.06	0.004	0.102	0.006	0.54	1.95	0.10
645520B	Drill Core	<0.01	0.173	28.37	0.02	0.15	<0.01	<0.01	<0.01	0.06	0.001	0.095	0.006	0.53	1.91	0.08
645521	Drill Core	<0.01	0.202	26.95	0.05	0.43	<0.01	0.01	<0.01	0.07	<0.001	0.098	0.006	0.32	1.36	0.05
645522	Drill Core	<0.01	0.214	27.39	0.02	0.16	<0.01	<0.01	<0.01	0.09	0.004	0.123	0.008	0.28	1.25	0.13
645523	Drill Core	<0.01	0.318	26.62	0.02	0.21	<0.01	<0.01	<0.01	0.09	0.003	0.133	0.008	0.23	1.12	0.08
645524	Drill Core	<0.01	0.325	28.15	0.02	0.20	<0.01	<0.01	<0.01	0.09	0.002	0.125	0.008	0.31	1.91	0.10
645525	Rock Pulp	<0.01	0.414	16.22	0.14	2.87	0.24	0.05	<0.01	0.86	0.087	0.254	0.010	0.50	0.55	1.04
645526	Rock Pulp	<0.01	0.161	24.60	0.02	0.32	<0.01	0.07	<0.01	1.10	0.031	0.228	0.013	0.77	2.07	1.37
645527	Drill Core	<0.01	0.370	24.11	0.05	0.43	<0.01	<0.01	<0.01	0.14	0.002	0.168	0.009	0.26	1.84	0.17
645528	Drill Core	<0.01	0.720	26.45	0.03	0.30	<0.01	<0.01	<0.01	0.09	0.002	0.145	0.007	0.35	2.14	0.14
645529	Drill Core	<0.01	0.345	26.72	0.01	0.17	<0.01	<0.01	<0.01	0.11	0.001	0.158	0.008	0.45	2.70	0.09



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000026.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645530	Rock	0.8	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.09	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.90
645531	Drill Core	10	<2	9	8	<0.001	0.005	<0.02	<0.01	<2	0.205	0.012	0.09	7.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.78
645532	Drill Core	10.2	<2	18	18	<0.001	0.006	<0.02	<0.01	<2	0.208	0.013	0.13	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
645533	Drill Core	10.5	25	46	59	<0.001	0.054	<0.02	<0.01	<2	0.279	0.015	0.12	7.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.66
645534	Drill Core	10.4	2	14	16	<0.001	0.016	<0.02	<0.01	<2	0.203	0.013	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.99
645535	Drill Core	11.2	<2	5	4	<0.001	0.003	<0.02	<0.01	<2	0.229	0.012	0.13	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
645536	Drill Core	10.7	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.233	0.012	0.15	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
645537	Drill Core	10.4	11	8	8	<0.001	0.001	<0.02	<0.01	<2	0.245	0.013	0.12	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
645538	Drill Core	9.7	2	6	6	<0.001	0.001	<0.02	<0.01	<2	0.208	0.011	0.11	7.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.53
645539	Drill Core	9	3	5	6	<0.001	0.011	<0.02	<0.01	<2	0.192	0.011	0.12	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.90
645540	Drill Core	9.9	<2	6	6	<0.001	0.002	<0.02	<0.01	<2	0.224	0.012	0.15	7.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.88
645541	Drill Core	9.8	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.238	0.013	0.13	8.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
645542	Drill Core	10	17	9	10	<0.001	0.012	<0.02	<0.01	<2	0.179	0.010	0.12	7.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.23
645543	Drill Core	8.5	3	8	9	<0.001	0.010	<0.02	<0.01	<2	0.185	0.010	0.10	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.34
645544	Drill Core	10.8	<2	9	11	<0.001	0.002	<0.02	0.01	<2	0.229	0.012	0.13	7.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
645545	Drill Core	10	10	17	19	<0.001	0.005	<0.02	<0.01	<2	0.249	0.013	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000026.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
645530	Rock	0.02	0.005	0.36	0.07	7.25	3.58	1.15	<0.01	<0.01	<0.001	0.001	<0.001	0.08	0.05	<0.02
645531	Drill Core	0.01	0.140	25.54	0.03	0.25	<0.01	<0.01	<0.01	0.10	0.004	0.142	0.008	0.37	2.14	0.11
645532	Drill Core	<0.01	0.222	27.20	0.01	0.14	<0.01	<0.01	<0.01	0.08	0.005	0.114	0.007	0.37	1.77	0.10
645533	Drill Core	<0.01	0.178	26.10	0.02	0.14	<0.01	<0.01	<0.01	0.14	0.043	0.217	0.011	0.37	1.77	0.19
645534	Drill Core	<0.01	0.200	26.12	0.02	0.13	<0.01	<0.01	<0.01	0.08	0.012	0.127	0.008	0.34	2.01	0.10
645535	Drill Core	<0.01	0.165	25.87	<0.01	0.10	<0.01	<0.01	<0.01	0.10	0.003	0.177	0.009	0.29	1.85	0.12
645536	Drill Core	<0.01	0.262	26.00	0.01	0.14	<0.01	<0.01	<0.01	0.09	0.002	0.154	0.008	0.34	2.25	0.11
645537	Drill Core	<0.01	0.155	26.58	0.01	0.13	<0.01	<0.01	<0.01	0.09	0.001	0.156	0.008	0.29	1.91	0.07
645538	Drill Core	0.07	0.143	24.45	0.11	0.77	0.01	0.08	<0.01	0.05	0.001	0.100	0.005	0.19	1.15	0.06
645539	Drill Core	0.02	0.140	22.07	0.19	0.84	<0.01	0.01	<0.01	0.05	0.009	0.116	0.007	0.22	1.32	0.10
645540	Drill Core	<0.01	0.243	25.73	0.02	0.21	<0.01	<0.01	<0.01	0.07	0.002	0.129	0.007	0.26	1.70	0.07
645541	Drill Core	<0.01	0.131	25.77	0.03	0.22	<0.01	<0.01	<0.01	0.09	0.002	0.151	0.008	0.31	2.06	0.12
645542	Drill Core	0.02	0.136	21.00	0.09	1.62	<0.01	0.03	<0.01	0.05	0.010	0.120	0.006	0.16	1.08	0.14
645543	Drill Core	0.02	0.167	21.34	0.11	1.16	<0.01	0.03	<0.01	0.07	0.009	0.127	0.007	0.12	0.93	0.10
645544	Drill Core	<0.01	0.305	25.07	0.04	0.35	<0.01	<0.01	<0.01	0.08	0.002	0.139	0.007	0.26	1.68	0.09
645545	Drill Core	<0.01	0.156	25.90	<0.01	0.09	<0.01	<0.01	<0.01	0.08	0.004	0.129	0.006	0.42	2.16	0.10



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 20, 2007
 Report Date: October 01, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000030.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-230A
 P.O. Number
 Number of Samples: 3

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
Specific Gravity	3	Specific Gravity on Drill Core		Completed


SAMPLE DISPOSAL

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7 Canada

Project:

Turnagain Ni

Report Date:

October 01, 2007

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

SMI0700030.1

	Method	G8SG
	Analyte	SG
	Unit	
	MDL	0
645502	Drill Core	2.89
645512	Drill Core	3.10
645532	Drill Core	3.04



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 20, 2007
 Report Date: October 29, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000027.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-230B
 P.O. Number
 Number of Samples: 19

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	19	Crush, split and pulverize drill core to 150 mesh		
3B	19	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	19	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	19	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	19	Analysis by Leco		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000027.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645546	Drill Core	11.2	<2	17	20	<0.001	0.002	<0.02	<0.01	<2	0.212	0.014	0.14	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
645547	Drill Core	10.8	<2	21	22	<0.001	0.005	<0.02	<0.01	<2	0.210	0.014	0.13	7.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.66
645548	Drill Core	11	3	44	64	<0.001	0.002	<0.02	<0.01	<2	0.205	0.013	0.14	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
645549	Drill Core	11.2	8	15	17	<0.001	0.001	<0.02	<0.01	<2	0.205	0.014	0.14	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
645550	Rock Pulp	0	I.S.	I.S.	I.S.	<0.001	0.057	<0.02	0.02	<2	0.242	0.012	0.11	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.36
645551	Rock Pulp	0	I.S.	I.S.	I.S.	0.001	0.049	<0.02	<0.01	<2	0.417	0.028	0.13	12.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.17
645552	Drill Core	9.1	5	10	10	<0.001	0.013	<0.02	<0.01	<2	0.195	0.013	0.12	7.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.93
645553	Drill Core	9.4	8	7	7	<0.001	<0.001	<0.02	<0.01	<2	0.217	0.014	0.13	7.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
645554	Drill Core	11.5	<2	3	3	<0.001	<0.001	<0.02	<0.01	<2	0.230	0.014	0.13	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
645555	Drill Core	9.4	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.240	0.014	0.13	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.07
645556	Drill Core	8.4	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.235	0.013	0.12	7.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
645557	Drill Core	8.3	2	3	3	<0.001	<0.001	<0.02	<0.01	<2	0.241	0.014	0.13	7.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
645558	Drill Core	9.1	<2	5	5	<0.001	<0.001	<0.02	<0.01	<2	0.220	0.013	0.13	7.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.29
645559	Drill Core	9.9	8	14	14	<0.001	0.006	<0.02	<0.01	<2	0.214	0.014	0.11	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.61
645560	Rock	0.8	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.08	1.14	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.88
645561	Drill Core	8.6	25	37	37	<0.001	0.011	<0.02	<0.01	<2	0.221	0.014	0.08	7.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
645562A	Drill Core	8.4	<2	<3	<2	<0.001	0.008	<0.02	<0.01	<2	0.192	0.010	0.06	5.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.66
645562B	Drill Core	0	2	4	4	<0.001	0.009	<0.02	<0.01	<2	0.194	0.010	0.06	5.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.83
645563	Drill Core	8.6	<2	3	3	<0.001	0.014	<0.02	<0.01	<2	0.133	0.008	0.09	6.57	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.31



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 29, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000027.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
645546	Drill Core	<0.01	0.173	25.93	<0.01	0.09	<0.01	<0.01	<0.01	0.06	0.002	0.102	0.006	0.36	1.89	0.08
645547	Drill Core	<0.01	0.202	25.16	0.01	0.29	<0.01	<0.01	<0.01	0.07	0.004	0.117	0.007	0.26	1.58	0.08
645548	Drill Core	<0.01	0.187	26.25	0.01	0.16	<0.01	<0.01	<0.01	0.05	0.002	0.099	0.006	0.27	1.59	0.11
645549	Drill Core	<0.01	0.265	26.42	<0.01	0.11	<0.01	<0.01	<0.01	0.05	0.001	0.098	0.006	0.29	1.81	0.07
645550	Rock Pulp	<0.01	1.010	13.81	0.19	4.27	0.34	0.12	<0.01	0.44	0.054	0.182	0.007	0.34	0.44	0.49
645551	Rock Pulp	<0.01	0.179	21.32	0.02	0.30	0.03	0.10	<0.01	3.10	0.047	0.402	0.024	1.23	1.98	4.11
645552	Drill Core	<0.01	0.195	25.25	<0.01	0.10	<0.01	<0.01	<0.01	0.05	0.009	0.117	0.008	0.36	3.17	0.09
645553	Drill Core	<0.01	0.196	25.53	<0.01	0.10	<0.01	<0.01	<0.01	0.05	<0.001	0.110	0.006	0.40	2.73	0.08
645554	Drill Core	<0.01	0.183	25.86	0.01	0.16	<0.01	<0.01	<0.01	0.04	<0.001	0.106	0.006	0.30	2.34	0.04
645555	Drill Core	<0.01	0.180	26.60	<0.01	0.12	<0.01	<0.01	<0.01	0.03	<0.001	0.087	0.004	0.32	2.04	0.04
645556	Drill Core	<0.01	0.179	25.72	0.02	0.19	<0.01	<0.01	<0.01	0.05	0.001	0.130	0.007	0.37	3.28	0.05
645557	Drill Core	<0.01	0.165	26.06	0.01	0.13	<0.01	0.02	<0.01	0.06	<0.001	0.115	0.006	0.42	2.51	0.09
645558	Drill Core	<0.01	0.219	25.63	<0.01	0.10	<0.01	<0.01	<0.01	0.04	<0.001	0.087	0.005	0.41	2.19	0.07
645559	Drill Core	0.01	0.235	23.29	0.05	0.39	<0.01	<0.01	<0.01	0.08	0.006	0.140	0.008	0.21	1.73	0.10
645560	Rock	0.01	0.001	0.39	0.08	7.30	3.66	1.24	<0.01	<0.01	<0.001	0.001	<0.001	0.05	0.07	<0.02
645561	Drill Core	<0.01	0.140	22.87	0.04	0.36	<0.01	<0.01	<0.01	0.10	0.009	0.141	0.009	0.23	1.84	0.12
645562A	Drill Core	<0.01	0.097	22.10	0.04	1.09	0.01	0.02	<0.01	0.08	0.008	0.123	0.007	0.10	0.78	0.11
645562B	Drill Core	0.02	0.092	21.74	0.05	1.12	<0.01	0.01	<0.01	0.10	0.008	0.124	0.007	0.11	0.78	0.07
645563	Drill Core	0.02	0.092	18.30	0.49	2.42	0.02	0.12	<0.01	0.01	0.012	0.066	0.004	0.09	0.56	0.05



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 20, 2007
 Report Date: October 01, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000031.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-230B
 P.O. Number
 Number of Samples: 1

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
Specific Gravity	1	Specific Gravity on Drill Core		Completed


SAMPLE DISPOSAL

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7 Canada

Project:

Turnagain Ni

Report Date:

October 01, 2007

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

SMI0700031.1

Method	G8SG
Analyte	SG
Unit	
MDL	0
645552	Drill Core 2.94

Hole 07-231



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 20, 2007
 Report Date: October 19, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000022.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-231A
 P.O. Number: ACME File: A718244
 Number of Samples: 51

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	51	Crush, split and pulverize drill core to 150 mesh		Completed
3B	51	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	51	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	51	Leached with H2O2 + NH4 citrate	1	Completed
2A (C&S)	51	Analysis by Leco		Completed
Specific Gravity	51	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000022.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645564	Drill Core	6.9	2	4	9	<0.001	0.002	<0.02	<0.01	<2	0.256	0.013	0.14	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
645565	Drill Core	10.3	<2	5	3	<0.001	0.004	<0.02	<0.01	<2	0.219	0.012	0.11	7.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.64
645566	Drill Core	7.9	5	7	2	<0.001	0.005	<0.02	<0.01	<2	0.212	0.012	0.10	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.81
645567	Drill Core	10.1	5	13	17	<0.001	0.003	<0.02	<0.01	<2	0.221	0.013	0.13	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.56
645568	Drill Core	10.5	5	4	6	<0.001	0.008	<0.02	<0.01	<2	0.213	0.012	0.12	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
645569	Drill Core	7.4	4	3	5	<0.001	0.005	<0.02	<0.01	<2	0.207	0.012	0.12	6.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
645570	Drill Core	11.1	4	7	6	<0.001	0.009	<0.02	<0.01	<2	0.227	0.013	0.14	7.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.88
RRE 645570	Drill Core		4	11	9	<0.001	0.009	<0.02	<0.01	<2	0.231	0.014	0.14	7.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.99
645571	Drill Core	11.1	4	7	8	<0.001	0.021	<0.02	<0.01	<2	0.216	0.014	0.14	7.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
645572	Drill Core	11.4	5	26	26	<0.001	0.006	<0.02	<0.01	<2	0.214	0.013	0.14	8.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
645573	Drill Core	9.4	2	11	12	<0.001	0.009	<0.02	<0.01	<2	0.201	0.012	0.12	7.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
645574	Drill Core	10.8	3	15	25	<0.001	0.007	<0.02	<0.01	<2	0.222	0.012	0.11	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.31
645575	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.055	<0.02	0.02	<2	0.239	0.011	0.11	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.38
645576	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.048	<0.02	<0.01	<2	0.428	0.028	0.13	12.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
645577	Drill Core	9.4	4	4	3	<0.001	0.009	<0.02	<0.01	<2	0.198	0.012	0.11	7.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.81
645578	Drill Core	10.3	<2	<3	<2	<0.001	0.019	<0.02	<0.01	<2	0.197	0.012	0.12	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.73
645579	Drill Core	10.3	<2	7	2	<0.001	0.007	<0.02	<0.01	<2	0.205	0.013	0.13	8.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
645580A	Drill Core	11.5	3	6	6	<0.001	0.006	<0.02	<0.01	<2	0.177	0.013	0.15	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.94
645580B	Drill Core		<2	6	5	<0.001	0.005	<0.02	<0.01	<2	0.180	0.013	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.94
645581	Drill Core	10.3	3	3	<2	<0.001	0.006	<0.02	<0.01	<2	0.196	0.013	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
645582	Drill Core	10.1	<2	15	20	<0.001	0.009	<0.02	<0.01	<2	0.207	0.014	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.63
645583	Drill Core	10.1	2	23	19	<0.001	0.006	<0.02	<0.01	<2	0.234	0.016	0.14	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
645584	Drill Core	10	<2	10	7	<0.001	0.002	<0.02	<0.01	<2	0.175	0.013	0.14	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
645585	Drill Core	10.5	3	8	3	<0.001	0.009	<0.02	<0.01	<2	0.175	0.013	0.14	8.08	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.96
645586	Drill Core	9.9	<2	5	2	<0.001	0.006	<0.02	<0.01	<2	0.171	0.013	0.13	7.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.35
645587	Drill Core	10.6	<2	3	<2	<0.001	0.006	<0.02	<0.01	<2	0.200	0.013	0.14	8.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.73
645588	Drill Core	10.3	<2	9	9	<0.001	0.004	<0.02	<0.01	<2	0.192	0.013	0.14	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
645589	Drill Core	10	<2	15	28	<0.001	0.003	<0.02	<0.01	<2	0.181	0.013	0.13	8.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.85
645590	Drill Core	1.1	<2	3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.18	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.03
645591	Drill Core	10.3	<2	5	6	<0.001	0.003	<0.02	<0.01	<2	0.173	0.013	0.12	7.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.49



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI0700022.1

Method Analyte Unit MDL	7TD P	7TD Cr	7TD Mg	7TD Ti	7TD Al	7TD Na	7TD K	7TD W	7TD S	8NiS Cu	8NiS Ni	8NiS Co	8NiS Fe	8NiS Mg	2A C/S S/TOT	G8SG SG	
645564	Drill Core	<0.01	0.182	27.21	0.02	0.26	<0.01	0.01	<0.01	0.10	0.001	0.084	0.005	0.35	1.28	0.09	N.A.
645565	Drill Core	<0.01	0.153	24.63	0.04	0.55	<0.01	0.05	<0.01	0.10	0.002	0.104	0.006	0.28	1.02	0.14	N.A.
645566	Drill Core	<0.01	0.132	24.39	0.03	0.33	<0.01	0.01	<0.01	0.11	0.004	0.143	0.008	0.35	1.68	0.12	N.A.
645567	Drill Core	0.01	0.140	26.14	0.07	0.55	<0.01	0.01	<0.01	0.09	0.003	0.108	0.006	0.39	1.71	0.12	N.A.
645568	Drill Core	<0.01	0.153	25.91	0.08	0.26	<0.01	<0.01	<0.01	0.13	0.007	0.141	0.008	0.35	2.10	0.13	N.A.
645569	Drill Core	<0.01	0.169	25.38	0.02	0.31	<0.01	0.01	<0.01	0.13	0.004	0.128	0.007	0.26	1.66	0.16	N.A.
645570	Drill Core	<0.01	0.234	25.44	0.03	0.39	<0.01	<0.01	<0.01	0.13	0.008	0.164	0.009	0.33	1.58	0.15	N.A.
RRE 645570	Drill Core	<0.01	0.213	25.03	0.03	0.42	<0.01	<0.01	<0.01	0.14	0.008	0.159	0.009	0.31	1.42	0.14	N.A.
645571	Drill Core	<0.01	0.202	26.25	0.01	0.17	<0.01	<0.01	<0.01	0.14	0.019	0.148	0.008	0.38	1.93	0.15	N.A.
645572	Drill Core	<0.01	0.221	25.49	0.03	0.25	<0.01	<0.01	<0.01	0.12	0.005	0.125	0.007	0.30	1.37	0.14	2.96
645573	Drill Core	<0.01	0.179	24.99	0.03	0.35	<0.01	<0.01	<0.01	0.12	0.007	0.140	0.008	0.28	1.36	0.14	N.A.
645574	Drill Core	<0.01	0.121	23.88	0.03	0.36	<0.01	<0.01	<0.01	0.13	0.005	0.149	0.007	0.21	0.75	0.18	N.A.
645575	Rock Pulp	<0.01	0.860	14.14	0.19	4.05	0.33	0.11	<0.01	0.40	0.058	0.191	0.007	0.35	0.27	0.51	N.A.
645576	Rock Pulp	<0.01	0.156	21.87	0.02	0.29	0.03	0.10	<0.01	2.99	0.046	0.388	0.023	1.12	1.51	4.15	N.A.
645577	Drill Core	<0.01	0.140	23.77	0.03	0.33	<0.01	<0.01	<0.01	0.14	0.007	0.150	0.009	0.25	1.02	0.16	N.A.
645578	Drill Core	<0.01	0.127	23.97	0.06	0.50	<0.01	0.02	<0.01	0.14	0.017	0.137	0.008	0.28	1.13	0.20	N.A.
645579	Drill Core	<0.01	0.176	23.79	0.02	0.20	<0.01	<0.01	<0.01	0.15	0.006	0.148	0.008	0.31	1.41	0.16	N.A.
645580A	Drill Core	<0.01	0.209	24.75	0.02	0.16	<0.01	<0.01	<0.01	0.09	0.005	0.094	0.007	0.34	1.41	0.07	N.A.
645580B	Drill Core	<0.01	0.219	25.08	0.02	0.17	<0.01	<0.01	<0.01	0.08	0.005	0.094	0.006	0.32	1.38	0.09	N.A.
645581	Drill Core	<0.01	0.146	25.08	0.02	0.16	<0.01	<0.01	<0.01	0.09	0.005	0.110	0.007	0.30	1.36	0.17	N.A.
645582	Drill Core	<0.01	0.191	24.85	0.02	0.16	<0.01	<0.01	<0.01	0.11	0.008	0.122	0.008	0.37	1.81	0.11	3.05
645583	Drill Core	<0.01	0.213	26.62	0.01	0.10	<0.01	<0.01	<0.01	0.13	0.005	0.141	0.009	0.52	2.29	0.13	N.A.
645584	Drill Core	<0.01	0.202	26.50	0.03	0.23	<0.01	<0.01	<0.01	0.06	0.002	0.079	0.006	0.45	1.79	0.06	N.A.
645585	Drill Core	0.02	0.233	24.84	0.05	0.66	0.01	0.15	<0.01	0.08	0.008	0.071	0.005	0.44	1.64	0.08	N.A.
645586	Drill Core	<0.01	0.185	24.69	0.04	0.52	<0.01	0.03	<0.01	0.09	0.005	0.092	0.007	0.37	1.68	0.10	N.A.
645587	Drill Core	<0.01	0.204	26.01	0.03	0.33	<0.01	<0.01	<0.01	0.08	0.005	0.092	0.006	0.41	1.58	0.12	N.A.
645588	Drill Core	<0.01	0.199	26.53	0.02	0.24	<0.01	0.02	<0.01	0.09	0.004	0.092	0.006	0.40	1.79	0.09	N.A.
645589	Drill Core	<0.01	0.165	25.45	0.03	0.27	<0.01	<0.01	<0.01	0.09	0.003	0.098	0.007	0.32	1.61	0.10	N.A.
645590	Drill Core	0.02	0.003	0.49	0.08	8.08	3.68	1.22	<0.01	<0.01	<0.001	0.001	<0.001	0.05	0.06	<0.02	N.A.
645591	Drill Core	<0.01	0.191	25.42	0.03	0.57	<0.01	0.04	<0.01	0.09	0.002	0.103	0.007	0.24	1.22	0.11	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000022.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645592	Drill Core	9.8	<2	10	<2	<0.001	0.003	<0.02	<0.01	<2	0.173	0.012	0.10	7.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
645593	Drill Core	10	<2	7	4	<0.001	0.003	<0.02	<0.01	<2	0.172	0.013	0.14	8.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
645594	Drill Core	10.3	<2	9	6	<0.001	0.004	<0.02	<0.01	<2	0.184	0.013	0.14	8.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.84
645595	Drill Core	10.3	<2	4	<2	<0.001	0.004	<0.02	<0.01	<2	0.202	0.013	0.14	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.88
645596	Drill Core	10.5	<2	9	6	<0.001	0.004	<0.02	<0.01	<2	0.192	0.013	0.14	7.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.66
645597	Drill Core	10.5	3	11	5	<0.001	0.004	<0.02	<0.01	<2	0.133	0.010	0.11	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.59
645598	Drill Core	10	4	9	5	<0.001	0.003	<0.02	<0.01	<2	0.066	0.007	0.12	6.85	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	7.68
645599	Drill Core	9.5	<2	5	3	<0.001	0.004	<0.02	<0.01	<2	0.173	0.010	0.08	6.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.87
645600	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	<2	0.338	0.016	0.05	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.11
645601	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.031	<0.02	<0.01	<2	0.262	0.017	0.12	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.75
645602	Drill Core	10.4	5	15	11	<0.001	0.005	<0.02	<0.01	<2	0.232	0.012	0.12	6.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.83
645603	Drill Core	10.5	<2	11	9	<0.001	0.009	<0.02	<0.01	<2	0.150	0.012	0.12	7.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.04
645604	Drill Core	10.7	<2	14	11	<0.001	0.011	<0.02	<0.01	<2	0.172	0.012	0.12	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.86
645605	Drill Core	10.3	<2	6	5	<0.001	0.007	<0.02	0.02	<2	0.201	0.013	0.13	7.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.38
RRE 645605	Drill Core		<2	8	10	<0.001	0.009	<0.02	<0.01	<2	0.195	0.013	0.13	7.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.11
645606	Drill Core	11.6	<2	4	7	<0.001	0.006	<0.02	<0.01	<2	0.185	0.012	0.13	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.29
645607	Drill Core	10.7	<2	8	8	<0.001	0.004	<0.02	<0.01	<2	0.189	0.011	0.12	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.42
645608	Drill Core	10.3	6	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.179	0.010	0.12	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.40
645609	Drill Core	9.7	<2	4	4	<0.001	0.005	<0.02	<0.01	<2	0.152	0.009	0.10	6.74	<0.02	0.01	<0.001	<0.01	<0.01	0.01	3.79
645610A	Drill Core	6.7	4	8	<2	<0.001	0.002	<0.02	<0.01	<2	0.192	0.009	0.09	5.98	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	2.47
645610B	Drill Core		4	7	3	<0.001	0.003	<0.02	<0.01	<2	0.184	0.009	0.09	5.73	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	2.48



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: October 19, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI0700022.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645592	Drill Core	<0.01	0.180	24.40	0.03	0.45	<0.01	0.01	<0.01	0.12	0.003	0.124	0.008	0.25	1.60	0.13	N.A.
645593	Drill Core	<0.01	0.257	25.49	0.03	0.30	<0.01	<0.01	<0.01	0.09	0.002	0.087	0.006	0.39	1.68	0.10	N.A.
645594	Drill Core	<0.01	0.280	25.66	0.02	0.17	<0.01	<0.01	<0.01	0.08	0.003	0.076	0.005	0.40	1.45	0.10	N.A.
645595	Drill Core	<0.01	0.318	26.27	0.02	0.19	<0.01	<0.01	<0.01	0.07	0.003	0.069	0.004	0.37	1.26	0.08	N.A.
645596	Drill Core	<0.01	0.346	25.33	0.04	0.29	0.01	<0.01	<0.01	0.07	0.002	0.063	0.004	0.40	1.40	0.09	N.A.
645597	Drill Core	0.02	0.220	21.64	0.10	1.22	0.01	0.04	<0.01	0.12	0.003	0.088	0.005	0.24	0.95	0.14	N.A.
645598	Drill Core	0.05	0.100	14.76	0.26	3.88	0.03	0.06	<0.01	0.03	0.002	0.040	0.003	0.17	0.70	0.08	N.A.
645599	Drill Core	<0.01	0.137	22.59	0.08	0.85	<0.01	<0.01	<0.01	0.12	0.002	0.127	0.007	0.22	0.87	0.13	N.A.
645600	Rock Pulp	<0.01	0.424	15.46	0.14	2.81	0.23	0.05	<0.01	0.79	0.085	0.227	0.009	0.48	0.57	1.03	N.A.
645601	Rock Pulp	<0.01	0.157	26.29	0.02	0.34	<0.01	0.07	<0.01	1.07	0.030	0.220	0.012	0.75	2.17	1.37	N.A.
645602	Drill Core	<0.01	0.168	26.44	0.04	0.32	<0.01	<0.01	<0.01	0.15	0.004	0.128	0.006	0.35	1.34	0.17	2.87
645603	Drill Core	<0.01	0.159	22.88	0.15	0.92	0.02	0.03	<0.01	0.15	0.008	0.097	0.007	0.27	1.02	0.19	N.A.
645604	Drill Core	<0.01	0.160	25.20	0.10	0.79	<0.01	0.04	<0.01	0.13	0.008	0.112	0.007	0.25	0.99	0.15	N.A.
645605	Drill Core	<0.01	0.195	26.81	0.05	0.33	<0.01	0.02	<0.01	0.13	0.005	0.103	0.006	0.32	1.29	0.11	N.A.
RRE 645605	Drill Core	<0.01	0.198	26.25	0.05	0.31	<0.01	0.02	<0.01	0.11	0.007	0.106	0.006	0.30	1.20	0.10	N.A.
645606	Drill Core	<0.01	0.168	25.57	0.11	0.62	0.01	<0.01	<0.01	0.08	0.005	0.092	0.006	0.28	1.15	0.10	N.A.
645607	Drill Core	<0.01	0.175	25.13	0.10	0.64	<0.01	<0.01	<0.01	0.09	0.003	0.093	0.005	0.24	1.07	0.11	N.A.
645608	Drill Core	0.02	0.122	22.08	0.24	1.14	0.02	0.15	<0.01	0.11	0.004	0.089	0.005	0.26	0.92	0.15	N.A.
645609	Drill Core	<0.01	0.093	18.39	0.22	1.68	0.01	0.15	<0.01	0.16	0.004	0.100	0.004	0.29	0.65	0.19	N.A.
645610A	Drill Core	<0.01	0.072	22.18	0.11	0.74	<0.01	<0.01	<0.01	0.14	0.001	0.109	0.004	0.33	1.08	0.13	N.A.
645610B	Drill Core	<0.01	0.071	20.82	0.11	0.74	<0.01	<0.01	<0.01	0.14	0.001	0.110	0.004	0.34	1.07	0.13	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: November 05, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000052.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID:
 P.O. Number: ACME FILE: A718265
 Number of Samples: 24

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	24	Crush, split and pulverize drill core to 150 mesh		Completed
3B	22	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	24	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	24	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	24	Analysis by Leco		Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 05, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000052.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645611	Drill Core	8.2	8	<3	2	<0.001	0.004	<0.02	<0.01	<2	0.176	0.009	0.10	5.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.12
645612	Drill Core	7.3	2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.152	0.009	0.11	6.96	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.69
645613	Drill Core	9.5	<2	<3	4	<0.001	0.003	<0.02	<0.01	<2	0.231	0.011	0.11	6.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.84
645614	Drill Core	10.3	4	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.207	0.011	0.10	6.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.41
645615	Drill Core	9.9	5	<3	<2	<0.001	0.006	<0.02	<0.01	2	0.148	0.011	0.13	8.09	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.26
RRE 645615	Drill Core		3	<3	4	<0.001	0.004	<0.02	<0.01	<2	0.221	0.013	0.12	7.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.56
645616	Drill Core	9.3	<2	4	2	<0.001	0.010	<0.02	<0.01	<2	0.056	0.008	0.13	7.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	10.18
645617	Drill Core	10.8	2	<3	6	<0.001	0.013	<0.02	<0.01	3	0.032	0.006	0.12	5.85	<0.02	0.06	<0.001	<0.01	<0.01	0.02	12.00
645618	Drill Core	9.6	6	5	5	<0.001	0.011	<0.02	<0.01	<2	0.154	0.010	0.13	8.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.30
645619	Drill Core	9.9	2	6	5	<0.001	0.008	<0.02	<0.01	<2	0.177	0.012	0.12	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.52
645620	Drill Core	0.9	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	3	<0.001	<0.001	0.06	0.98	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.00
645621	Drill Core	11.1	2	13	15	<0.001	0.013	<0.02	<0.01	<2	0.047	0.006	0.12	5.93	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.07
645622	Drill Core	10.7	2	11	12	<0.001	0.037	<0.02	<0.01	<2	0.038	0.006	0.12	7.33	<0.02	0.02	<0.001	<0.01	<0.01	0.03	10.36
645623	Drill Core	11.2	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.047	0.006	0.10	5.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.46
645624	Drill Core	10.3	<2	<3	3	<0.001	0.005	<0.02	<0.01	<2	0.047	0.005	0.11	4.83	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.10
645625	Rock Pulp		I.S.	I.S.	I.S.	0.003	0.379	0.14	0.03	15	0.093	0.003	0.11	6.52	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.31
645626	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.257	0.016	0.12	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
645627	Drill Core	9.9	<2	19	29	<0.001	0.012	<0.02	<0.01	2	0.063	0.006	0.11	5.45	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.79
645628	Drill Core	10.5	70	6	6	<0.001	0.012	<0.02	<0.01	3	0.100	0.008	0.11	5.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	9.39
645629	Drill Core	10.7	<2	6	4	<0.001	0.010	<0.02	<0.01	<2	0.101	0.009	0.12	6.93	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.73
645630	Drill Core	10.3	2	17	19	<0.001	0.007	<0.02	<0.01	<2	0.205	0.012	0.11	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.87
645631	Drill Core	11.1	3	7	5	<0.001	0.005	<0.02	<0.01	<2	0.245	0.013	0.11	6.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.42
645632	Drill Core	9.9	3	5	5	<0.001	0.005	<0.02	<0.01	<2	0.196	0.013	0.12	7.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.72
645633	Drill Core	2.4	<2	8	7	<0.001	0.002	<0.02	<0.01	<2	0.207	0.012	0.11	6.56	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	1.40



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 05, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000052.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645611	Drill Core	0.02	0.097	20.10	0.14	1.19	<0.01	<0.01	<0.01	0.12	0.003	0.088	0.004	0.27	0.90	0.14	N.A.
645612	Drill Core	0.04	0.108	18.75	0.30	1.79	0.01	0.22	<0.01	0.06	0.002	0.061	0.003	0.17	0.56	0.08	N.A.
645613	Drill Core	0.01	0.139	24.71	0.13	0.85	<0.01	<0.01	<0.01	0.09	0.003	0.081	0.004	0.14	0.62	0.09	N.A.
645614	Drill Core	<0.01	0.274	24.76	0.06	0.60	<0.01	<0.01	<0.01	0.07	<0.001	0.072	0.003	0.14	0.64	0.08	N.A.
645615	Drill Core	0.01	0.208	21.36	0.26	1.35	0.03	<0.01	<0.01	0.11	0.007	0.082	0.006	0.14	0.52	0.11	N.A.
RRE 645615	Drill Core	<0.01	0.187	25.67	0.05	0.47	0.01	0.01	<0.01	0.10	0.004	0.107	0.006	0.18	0.91	0.11	N.A.
645616	Drill Core	0.03	0.114	13.36	0.34	1.62	0.09	<0.01	<0.01	0.14	0.012	0.040	0.004	0.13	0.21	0.14	N.A.
645617	Drill Core	0.03	0.084	10.84	0.26	3.10	0.11	1.03	<0.01	0.08	0.014	0.012	0.001	0.07	0.08	0.07	N.A.
645618	Drill Core	0.02	0.129	20.33	0.19	1.05	0.02	0.10	<0.01	0.17	0.010	0.092	0.006	0.14	0.37	0.20	N.A.
645619	Drill Core	0.01	0.121	22.00	0.16	0.90	0.01	0.05	<0.01	0.20	0.008	0.108	0.006	0.14	0.42	0.21	N.A.
645620	Drill Core	0.02	0.002	0.24	0.07	7.18	3.73	1.18	<0.01	<0.01	<0.001	<0.001	<0.001	0.01	0.02	<0.02	N.A.
645621	Drill Core	0.01	0.102	12.27	0.26	1.31	0.11	0.16	<0.01	0.17	0.014	0.029	0.003	0.11	0.12	0.19	N.A.
645622	Drill Core	0.02	0.119	10.49	0.58	2.59	0.15	1.73	<0.01	0.33	0.038	0.020	0.003	0.12	0.07	0.41	3.18
645623	Drill Core	<0.01	0.159	12.77	0.20	1.12	0.13	0.10	<0.01	0.11	0.006	0.024	0.002	0.09	0.13	0.11	N.A.
645624	Drill Core	<0.01	0.158	13.33	0.18	0.85	0.12	<0.01	<0.01	0.07	0.006	0.024	0.002	0.07	0.14	0.05	N.A.
645625	Rock Pulp	0.08	0.101	1.75	0.25	7.69	1.35	1.96	<0.01	1.11	0.399	0.009	0.001	1.30	0.30	1.15	N.A.
645626	Rock Pulp	<0.01	0.141	24.97	0.02	0.31	<0.01	0.05	<0.01	1.06	0.030	0.219	0.012	0.78	2.21	1.37	N.A.
645627	Drill Core	<0.01	0.132	13.97	0.20	1.00	0.10	<0.01	<0.01	0.10	0.011	0.038	0.003	0.09	0.14	0.11	N.A.
645628	Drill Core	<0.01	0.110	16.70	0.14	0.60	0.08	0.01	<0.01	0.11	0.013	0.055	0.004	0.12	0.28	0.12	N.A.
645629	Drill Core	<0.01	0.110	16.69	0.22	1.09	0.06	<0.01	<0.01	0.14	0.011	0.060	0.005	0.13	0.33	0.16	N.A.
645630	Drill Core	<0.01	0.156	24.32	0.07	0.49	<0.01	<0.01	<0.01	0.13	0.005	0.110	0.006	0.17	0.66	0.15	N.A.
645631	Drill Core	<0.01	0.159	28.23	0.09	0.53	<0.01	0.01	<0.01	0.10	0.004	0.073	0.004	0.18	0.73	0.11	N.A.
645632	Drill Core	<0.01	0.224	25.64	0.09	0.52	<0.01	<0.01	<0.01	0.11	0.004	0.106	0.006	0.17	0.74	0.12	2.61
645633	Drill Core	<0.01	0.266	25.37	0.09	0.71	<0.01	<0.01	<0.01	0.10	0.001	0.092	0.005	0.14	0.63	0.11	N.A.

Hole 07-232



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: December 10, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000057.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-232A
 P.O. Number: ACME FILE: A718267
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		Completed
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000057.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645634	Drill Core	10.7	<2	22	18	<0.001	0.009	<0.02	<0.01	<2	0.227	0.014	0.13	7.53	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.75
645635	Drill Core	9.3	<2	39	38	<0.001	0.005	<0.02	<0.01	<2	0.231	0.013	0.12	7.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
645636	Drill Core	8.9	<2	53	42	<0.001	0.003	<0.02	<0.01	<2	0.126	0.010	0.09	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.25
645637	Drill Core	3.7	<2	31	28	<0.001	0.005	<0.02	<0.01	<2	0.168	0.011	0.07	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.96
645638	Drill Core	4.2	<2	11	11	<0.001	0.004	<0.02	<0.01	<2	0.068	0.005	0.21	5.10	<0.02	0.03	<0.001	<0.01	<0.01	0.01	8.60
645639	Drill Core	5.7	<2	4	3	<0.001	0.005	0.07	<0.01	<2	0.132	0.009	0.10	6.54	<0.02	0.05	<0.001	<0.01	<0.01	<0.01	3.02
645640A	Drill Core	9.3	<2	<3	<2	<0.001	0.004	<0.02	<0.01	<2	0.186	0.012	0.08	6.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
645640B	Drill Core		<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.183	0.012	0.08	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
645641	Drill Core	9.5	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.213	0.013	0.13	7.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
645642	Drill Core	9.8	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.206	0.012	0.11	6.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
645643	Drill Core	10.1	<2	<3	<2	<0.001	0.002	<0.02	0.01	<2	0.214	0.013	0.12	6.57	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20
645644	Drill Core	10.2	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.234	0.012	0.11	6.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
645645	Drill Core	10.3	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.239	0.012	0.11	6.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
645646	Drill Core	10.2	<2	14	32	<0.001	0.002	<0.02	<0.01	<2	0.235	0.012	0.10	5.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.35
645647	Drill Core	10.1	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.196	0.011	0.09	5.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.63
645648	Drill Core	10.3	<2	4	<2	<0.001	0.002	<0.02	<0.01	<2	0.210	0.012	0.12	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.34
645649	Drill Core	9.8	<2	4	2	<0.001	0.003	<0.02	<0.01	<2	0.195	0.013	0.13	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
645650	Drill Core		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.409	0.026	0.12	12.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.15
645651	Drill Core		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.260	0.016	0.11	8.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
645652	Drill Core	9.2	<2	7	6	<0.001	0.004	<0.02	<0.01	<2	0.194	0.012	0.12	7.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.59
645653	Drill Core	9.6	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.157	0.009	0.08	5.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.50
645654	Drill Core	7.4	<2	3	<2	<0.001	0.002	<0.02	<0.01	<2	0.213	0.012	0.12	6.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.54
645655	Drill Core	9.9	<2	8	7	<0.001	0.001	<0.02	<0.01	<2	0.198	0.012	0.12	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.95
645656	Drill Core	10.3	<2	38	35	<0.001	0.003	<0.02	<0.01	<2	0.207	0.014	0.13	8.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.56
645657	Drill Core	10.5	<2	6	4	<0.001	0.002	<0.02	<0.01	<2	0.185	0.012	0.12	7.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.57
645658	Drill Core	10.4	<2	12	8	<0.001	0.002	<0.02	<0.01	<2	0.189	0.012	0.12	7.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.27
645659	Drill Core	10.3	<2	5	5	<0.001	0.002	<0.02	<0.01	<2	0.198	0.013	0.12	8.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.11
645660	Drill Core	10.7	<2	5	4	<0.001	0.003	<0.02	<0.01	<2	0.173	0.013	0.13	8.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
RRE 645660	Drill Core		<2	12	34	<0.001	0.006	<0.02	<0.01	<2	0.174	0.011	0.10	7.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.99
645661	Drill Core	9.8	<2	7	16	<0.001	0.002	<0.02	<0.01	<2	0.157	0.012	0.13	8.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.42



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000057.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645634	Drill Core	<0.01	0.167	25.99	0.03	0.22	<0.01	<0.01	<0.01	0.13	0.008	0.155	0.009	0.23	1.05	0.13	N.A.
645635	Drill Core	<0.01	0.184	24.98	0.02	0.20	<0.01	<0.01	<0.01	0.15	0.005	0.189	0.011	0.27	1.15	0.14	N.A.
645636	Drill Core	0.02	0.114	21.67	0.13	1.28	<0.01	0.06	<0.01	0.09	0.002	0.087	0.006	0.12	0.57	0.06	N.A.
645637	Drill Core	<0.01	0.151	21.84	0.03	0.47	<0.01	<0.01	<0.01	0.13	0.003	0.129	0.008	0.15	0.64	0.07	N.A.
645638	Drill Core	0.10	0.068	12.61	0.23	5.38	0.03	0.52	<0.01	0.01	0.002	0.025	0.002	0.07	0.42	<0.02	N.A.
645639	Drill Core	0.05	0.114	18.62	0.12	2.44	<0.01	0.31	<0.01	0.08	0.002	0.083	0.005	0.16	0.53	0.05	N.A.
645640A	Drill Core	<0.01	0.174	24.06	0.03	0.38	<0.01	<0.01	<0.01	0.12	0.002	0.130	0.007	0.17	0.72	0.10	N.A.
645640B	Drill Core	<0.01	0.170	24.23	0.03	0.41	<0.01	<0.01	<0.01	0.12	0.002	0.138	0.008	0.18	0.78	0.08	N.A.
645641	Drill Core	<0.01	0.257	26.54	0.03	0.18	<0.01	<0.01	<0.01	0.11	0.003	0.155	0.009	0.27	1.62	0.09	N.A.
645642	Drill Core	<0.01	0.201	26.79	0.02	0.15	<0.01	<0.01	<0.01	0.09	0.003	0.116	0.007	0.27	1.59	0.08	N.A.
645643	Drill Core	<0.01	0.183	27.58	0.02	0.13	<0.01	<0.01	<0.01	0.09	0.002	0.104	0.006	0.28	1.54	0.07	N.A.
645644	Drill Core	<0.01	0.192	27.89	0.01	0.11	<0.01	<0.01	<0.01	0.09	0.001	0.100	0.006	0.41	2.03	0.08	N.A.
645645	Drill Core	<0.01	0.167	27.25	0.02	0.14	<0.01	<0.01	<0.01	0.08	0.002	0.090	0.005	0.37	1.90	0.07	N.A.
645646	Drill Core	<0.01	0.206	27.31	0.02	0.18	<0.01	<0.01	<0.01	0.14	0.001	0.111	0.006	0.41	2.11	0.12	N.A.
645647	Drill Core	0.02	0.143	23.58	0.08	0.67	<0.01	<0.01	<0.01	0.15	0.002	0.127	0.007	0.25	1.29	0.12	N.A.
645648	Drill Core	<0.01	0.200	26.17	0.02	0.16	<0.01	<0.01	<0.01	0.10	0.001	0.080	0.005	0.30	1.42	0.09	N.A.
645649	Drill Core	<0.01	0.182	26.02	0.03	0.19	<0.01	<0.01	<0.01	0.10	0.002	0.100	0.006	0.31	1.46	0.09	N.A.
645650	Drill Core	<0.01	0.210	21.53	0.02	0.28	0.03	0.09	<0.01	2.81	0.048	0.393	0.024	1.15	1.69	4.09	N.A.
645651	Drill Core	<0.01	0.152	25.32	0.02	0.31	<0.01	0.07	<0.01	1.04	0.035	0.232	0.013	0.83	2.34	1.41	N.A.
645652	Drill Core	<0.01	0.171	24.76	0.05	0.43	<0.01	<0.01	<0.01	0.16	0.003	0.144	0.009	0.22	1.10	0.14	3.15
645653	Drill Core	0.02	0.113	20.31	0.11	1.38	0.01	0.27	<0.01	0.10	0.002	0.089	0.005	0.16	0.52	0.08	N.A.
645654	Drill Core	<0.01	0.200	25.14	0.06	0.45	<0.01	<0.01	<0.01	0.10	0.002	0.123	0.007	0.26	1.52	0.09	N.A.
645655	Drill Core	<0.01	0.174	25.36	0.04	0.63	<0.01	0.16	<0.01	0.08	0.001	0.090	0.005	0.26	1.06	0.06	N.A.
645656	Drill Core	<0.01	0.157	27.66	0.02	0.14	<0.01	<0.01	<0.01	0.06	0.003	0.076	0.005	0.35	1.66	0.05	N.A.
645657	Drill Core	0.01	0.141	25.44	0.05	0.70	0.04	0.19	<0.01	0.08	0.002	0.095	0.006	0.26	1.00	0.07	N.A.
645658	Drill Core	<0.01	0.161	26.04	0.03	0.22	<0.01	<0.01	<0.01	0.08	0.002	0.092	0.006	0.36	1.70	0.07	N.A.
645659	Drill Core	<0.01	0.220	26.62	0.03	0.22	<0.01	<0.01	<0.01	0.08	0.002	0.089	0.005	0.24	1.06	0.08	N.A.
645660	Drill Core	<0.01	0.185	25.80	0.03	0.24	<0.01	<0.01	<0.01	0.11	0.002	0.088	0.006	0.25	1.12	0.11	N.A.
RRE 645660	Drill Core	0.01	0.136	24.02	0.06	0.64	<0.01	<0.01	<0.01	0.17	0.005	0.124	0.008	0.23	1.16	0.15	N.A.
645661	Drill Core	<0.01	0.120	25.62	0.03	0.23	<0.01	<0.01	<0.01	0.08	0.002	0.082	0.006	0.22	1.14	0.08	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000057.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645662	Drill Core	11.2	<2	7	8	<0.001	0.005	<0.02	<0.01	<2	0.204	0.013	0.13	7.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.53
645663	Drill Core	10.5	<2	6	10	<0.001	0.003	<0.02	<0.01	<2	0.163	0.013	0.13	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.74
645664	Drill Core	10.2	<2	5	5	<0.001	0.005	<0.02	<0.01	<2	0.194	0.012	0.13	7.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.91
645665	Drill Core	10.8	<2	<3	<2	<0.001	0.006	<0.02	<0.01	<2	0.192	0.012	0.12	7.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.95
645666	Drill Core	9.5	2	9	12	<0.001	0.006	<0.02	<0.01	<2	0.180	0.012	0.12	7.62	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	3.38
645667	Drill Core	11.4	<2	5	7	<0.001	0.011	<0.02	<0.01	<2	0.189	0.013	0.14	8.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.71
645668	Drill Core	10.4	<2	17	19	<0.001	0.009	<0.02	<0.01	<2	0.166	0.013	0.14	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.13
645669	Drill Core	10	<2	6	7	<0.001	0.003	<0.02	<0.01	<2	0.187	0.013	0.13	7.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.43
645670A	Drill Core	11.1	<2	<3	4	<0.001	0.002	<0.02	<0.01	<2	0.182	0.013	0.14	8.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.15
645670B	Drill Core		<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.178	0.013	0.14	7.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.11
645671	Drill Core	10.7	<2	5	3	<0.001	0.002	<0.02	<0.01	<2	0.195	0.012	0.12	7.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.97
645672	Drill Core	10.1	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.199	0.012	0.15	8.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.53
645673	Drill Core	9.5	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.187	0.011	0.15	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.56
645674	Drill Core	10.1	<2	8	6	<0.001	0.013	<0.02	0.02	<2	0.056	0.007	0.16	8.18	<0.02	0.06	<0.001	<0.01	<0.01	0.02	6.42
645675	Drill Core		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	<2	0.341	0.016	0.05	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.11
645676	Drill Core		I.S.	I.S.	I.S.	0.001	0.012	<0.02	<0.01	<2	0.089	0.003	0.08	4.61	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	3.55
645677	Drill Core	10.4	<2	4	5	<0.001	0.012	<0.02	<0.01	<2	0.012	0.004	0.16	7.00	<0.02	0.09	<0.001	<0.01	<0.01	0.03	8.01
645678	Drill Core	9.6	<2	6	8	<0.001	0.008	<0.02	<0.01	<2	0.030	0.004	0.16	7.06	<0.02	0.08	<0.001	<0.01	<0.01	0.03	6.45
645679	Drill Core	9.7	<2	6	8	<0.001	0.012	<0.02	<0.01	<2	0.004	0.003	0.15	6.81	<0.02	0.09	<0.001	<0.01	<0.01	0.03	6.40



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000057.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645662	Drill Core	<0.01	0.210	25.76	0.04	0.31	<0.01	<0.01	<0.01	0.12	0.003	0.092	0.005	0.20	0.85	0.12	N.A.
645663	Drill Core	<0.01	0.140	25.54	0.04	0.25	<0.01	<0.01	<0.01	0.10	0.003	0.089	0.006	0.25	1.31	0.09	3.14
645664	Drill Core	<0.01	0.201	25.05	0.04	0.33	<0.01	<0.01	<0.01	0.14	0.004	0.116	0.007	0.22	0.97	0.14	N.A.
645665	Drill Core	<0.01	0.137	25.40	0.08	0.63	<0.01	0.02	<0.01	0.13	0.006	0.105	0.006	0.27	1.33	0.08	N.A.
645666	Drill Core	<0.01	0.106	21.98	0.06	0.73	0.05	0.20	<0.01	0.17	0.005	0.127	0.007	0.22	0.71	0.16	N.A.
645667	Drill Core	<0.01	0.139	25.57	0.05	0.38	0.01	0.04	<0.01	0.15	0.008	0.105	0.006	0.29	1.03	0.18	N.A.
645668	Drill Core	<0.01	0.139	24.53	0.06	0.40	0.02	0.03	<0.01	0.15	0.008	0.094	0.006	0.38	1.41	0.17	N.A.
645669	Drill Core	<0.01	0.130	26.12	0.04	0.47	<0.01	0.04	<0.01	0.10	0.002	0.089	0.006	0.27	1.26	0.11	N.A.
645670A	Drill Core	<0.01	0.156	26.04	0.05	0.39	<0.01	0.02	<0.01	0.08	0.001	0.086	0.006	0.29	1.35	0.07	N.A.
645670B	Drill Core	<0.01	0.162	25.68	0.05	0.38	<0.01	0.01	<0.01	0.08	<0.001	0.083	0.005	0.26	1.15	0.11	N.A.
645671	Drill Core	<0.01	0.129	23.47	0.10	0.60	0.01	<0.01	<0.01	0.10	0.001	0.092	0.006	0.34	1.44	0.11	N.A.
645672	Drill Core	<0.01	0.126	24.13	0.07	0.63	<0.01	0.02	<0.01	0.14	0.001	0.128	0.007	0.26	1.17	0.15	3.21
645673	Drill Core	0.02	0.112	20.53	0.08	1.08	<0.01	0.01	<0.01	0.16	0.004	0.154	0.008	0.25	0.92	0.18	N.A.
645674	Drill Core	0.11	0.060	10.01	0.34	4.84	1.27	1.13	<0.01	0.40	0.012	0.045	0.004	0.50	0.74	0.46	N.A.
645675	Drill Core	<0.01	0.418	15.30	0.13	2.88	0.23	0.05	<0.01	0.87	0.089	0.247	0.010	0.59	0.73	1.05	N.A.
645676	Drill Core	0.05	0.084	1.62	0.29	7.83	2.33	1.18	<0.01	0.28	0.008	0.012	<0.001	0.46	0.12	0.30	N.A.
645677	Drill Core	0.13	0.032	5.50	0.40	7.50	2.57	1.17	<0.01	0.37	0.011	0.006	0.001	0.23	0.20	0.47	N.A.
645678	Drill Core	0.14	0.032	6.01	0.41	7.33	2.04	1.77	<0.01	0.28	0.008	0.007	<0.001	0.19	0.14	0.35	N.A.
645679	Drill Core	0.14	0.006	3.11	0.48	8.93	3.37	1.33	<0.01	0.50	0.011	0.001	<0.001	0.74	0.31	0.62	N.A.

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: November 24, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000054.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID:
 P.O. Number: ACME FILE: A718264
 Number of Samples: 7

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	7	Crush, split and pulverize drill core to 150 mesh		Completed
3B	7	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	7	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	7	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	7	Analysis by Leco	0.1	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000054.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645679A	Drill Core	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.001	0.001	0.10	3.78	<0.02	0.06	<0.001	<0.01	<0.01	0.01	4.67	
645679	Drill Core	8.9	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.001	0.001	0.09	3.69	<0.02	0.06	<0.001	<0.01	<0.01	0.01	4.47
645680	Drill Core	0.7	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.08	1.57	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	2.05
645681	Drill Core	10.3	<2	10	10	<0.001	0.010	<0.02	<0.01	<2	0.007	0.003	0.17	7.81	<0.02	0.11	<0.001	<0.01	<0.01	0.03	6.63
645682	Drill Core	7.8	<2	43	61	<0.001	0.019	<0.02	<0.01	<2	0.107	0.007	0.14	6.37	<0.02	0.03	<0.001	<0.01	<0.01	0.01	6.35
645683A	Drill Core		I.S.	I.S.	I.S.	0.002	0.013	<0.02	<0.01	<2	0.090	0.003	0.08	5.07	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	3.82
645683	Drill Core	8.3	<2	72	98	<0.001	0.024	<0.02	<0.01	<2	0.081	0.006	0.14	7.22	<0.02	0.06	<0.001	<0.01	<0.01	0.02	4.81



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 24, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000054.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
645679A	Drill Core	0.10	0.003	1.46	0.26	8.98	4.08	2.31	<0.01	0.47	0.006	<0.001	<0.001	0.25	0.06	0.33
645679	Drill Core	0.10	0.003	1.42	0.25	8.80	3.97	2.11	<0.01	0.44	0.006	<0.001	<0.001	0.16	0.03	0.64
645680	Drill Core	0.03	0.002	0.33	0.11	7.94	3.61	1.23	<0.01	<0.01	<0.001	<0.001	<0.001	0.07	0.02	<0.02
645681	Drill Core	0.17	0.014	3.81	0.50	9.16	3.07	1.29	<0.01	0.43	0.011	<0.001	<0.001	0.25	0.07	0.46
645682	Drill Core	0.06	0.096	11.93	0.19	4.19	0.57	0.21	<0.01	0.34	0.020	0.007	<0.001	0.25	0.26	0.35
645683A	Drill Core	0.05	0.089	1.71	0.32	8.47	2.56	1.19	<0.01	0.30	0.009	0.011	<0.001	0.61	0.12	0.31
645683	Drill Core	0.13	0.061	10.05	0.35	6.70	1.24	0.75	<0.01	0.36	0.025	0.015	<0.001	0.18	0.12	0.31

Hole 07-233



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 23, 2007
 Report Date: December 08, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000111.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-233A
 P.O. Number: ACME FILE: A718275
 Number of Samples: 33

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	31	Crush, split and pulverize drill core to 150 mesh		
3B	31	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	33	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	33	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	33	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Pulp		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 08, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000111.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645684	Drill Core	7.5	<2	8	8	<0.001	0.003	<0.02	<0.01	<2	0.161	0.013	0.14	8.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
645685	Drill Core	9.1	<2	4	5	<0.001	0.001	<0.02	<0.01	<2	0.156	0.012	0.14	7.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.74
645686	Drill Core	9.7	<2	4	4	<0.001	0.002	<0.02	<0.01	<2	0.094	0.009	0.14	8.45	<0.02	0.03	<0.001	<0.01	<0.01	0.01	3.55
645687	Drill Core	9.3	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.158	0.011	0.14	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.55
645688	Drill Core	7.1	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.160	0.012	0.12	7.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
645689	Drill Core	3	2	4	4	<0.001	0.003	<0.02	<0.01	<2	0.177	0.012	0.13	7.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
645690	Drill Core	6.9	<2	<3	2	<0.001	0.003	<0.02	<0.01	<2	0.171	0.012	0.13	8.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
645691	Drill Core	5.8	<2	<3	4	<0.001	0.002	<0.02	<0.01	<2	0.172	0.011	0.10	6.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
645692	Drill Core	9.8	<2	<3	2	<0.001	0.014	<0.02	<0.01	<2	0.096	0.009	0.16	9.67	<0.02	0.04	<0.001	<0.01	<0.01	0.02	4.74
645693	Drill Core	11.8	<2	3	4	<0.001	0.021	<0.02	<0.01	<2	0.039	0.007	0.20	11.47	<0.02	0.04	<0.001	<0.01	<0.01	0.04	7.37
645694	Drill Core	10.3	<2	4	2	<0.001	0.017	<0.02	<0.01	<2	0.012	0.005	0.19	10.47	<0.02	0.06	<0.001	<0.01	<0.01	0.04	8.47
645695	Drill Core	10.8	<2	5	5	<0.001	0.016	<0.02	<0.01	<2	0.074	0.008	0.17	9.93	<0.02	0.03	<0.001	<0.01	<0.01	0.03	6.21
645696	Drill Core	9.3	<2	15	9	<0.001	0.024	<0.02	<0.01	<2	0.133	0.010	0.15	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.30
645697	Drill Core	9.7	<2	6	4	<0.001	0.010	<0.02	<0.01	<2	0.101	0.008	0.15	8.08	<0.02	0.06	<0.001	<0.01	<0.01	0.02	3.65
645698	Drill Core	9.4	<2	<3	2	<0.001	0.012	<0.02	<0.01	<2	0.093	0.008	0.18	8.73	<0.02	0.04	<0.001	<0.01	<0.01	0.02	5.15
RRE 645698	Drill Core		<2	<3	2	<0.001	0.011	<0.02	<0.01	<2	0.083	0.008	0.18	8.75	<0.02	0.05	<0.001	<0.01	<0.01	0.02	5.40
645699	Drill Core	10.3	<2	3	<2	<0.001	0.011	<0.02	<0.01	<2	0.029	0.005	0.18	9.06	<0.02	0.09	<0.001	<0.01	<0.01	0.03	8.91
645700	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.346	0.015	0.05	9.14	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.25
645701	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.047	<0.02	<0.01	<2	0.407	0.027	0.12	13.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
645702	Drill Core	9.6	<2	4	3	<0.001	0.005	<0.02	<0.01	<2	0.036	0.005	0.21	8.82	<0.02	0.08	<0.001	<0.01	<0.01	0.03	7.88
645703	Drill Core	9	<2	<3	<2	<0.001	0.006	<0.02	<0.01	<2	0.150	0.010	0.13	7.63	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.29
645704	Drill Core	10.5	<2	10	7	<0.001	0.040	<0.02	<0.01	<2	0.074	0.010	0.22	11.62	<0.02	0.01	<0.001	<0.01	<0.01	0.03	5.03
645705	Drill Core	10	<2	4	4	<0.001	0.013	<0.02	<0.01	<2	0.069	0.007	0.20	9.45	<0.02	0.05	<0.001	<0.01	<0.01	0.02	5.99
645706	Drill Core	9.7	<2	<3	<2	<0.001	0.004	<0.02	<0.01	<2	0.151	0.011	0.14	8.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.80
645707	Drill Core	8.9	<2	<3	12	<0.001	0.013	<0.02	<0.01	<2	0.008	0.005	0.20	9.98	<0.02	0.08	<0.001	<0.01	<0.01	0.04	9.50
645708	Drill Core	10.6	<2	7	6	<0.001	0.015	<0.02	<0.01	<2	0.041	0.006	0.18	8.44	<0.02	0.04	<0.001	<0.01	<0.01	0.03	8.96
645709	Drill Core	5.4	<2	16	16	<0.001	0.019	<0.02	<0.01	<2	0.092	0.009	0.16	8.41	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	5.79
645710	Drill Core	1.5	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	1.16	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.03
645711	Drill Core	6	<2	6	3	<0.001	0.004	<0.02	<0.01	<2	0.160	0.010	0.12	7.79	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	2.85
645712	Drill Core	8.8	<2	25	19	<0.001	0.023	<0.02	<0.01	<2	0.071	0.008	0.17	8.76	<0.02	0.03	<0.001	<0.01	<0.01	0.03	7.26



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 08, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000111.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645684	Drill Core	<0.01	0.493	23.99	0.03	0.32	0.05	<0.01	<0.01	0.11	0.002	0.113	0.008	0.23	1.09	0.13	N.A.
645685	Drill Core	<0.01	0.178	23.63	0.04	0.74	0.02	0.05	<0.01	0.14	<0.001	0.115	0.008	0.25	1.19	0.14	N.A.
645686	Drill Core	0.05	0.127	16.32	0.18	2.93	0.64	1.14	<0.01	0.12	0.002	0.079	0.006	0.21	0.84	0.09	N.A.
645687	Drill Core	<0.01	0.158	22.60	0.04	1.36	0.02	0.52	<0.01	0.14	0.001	0.137	0.009	0.21	1.08	0.14	N.A.
645688	Drill Core	<0.01	0.133	22.59	0.03	0.72	0.01	0.04	<0.01	0.15	0.002	0.139	0.009	0.23	1.10	0.14	N.A.
645689	Drill Core	<0.01	0.173	23.84	0.02	0.18	<0.01	<0.01	<0.01	0.45	0.002	0.151	0.010	0.62	3.01	0.45	N.A.
645690	Drill Core	<0.01	0.173	23.94	0.02	0.21	<0.01	<0.01	<0.01	0.24	0.002	0.133	0.009	0.30	1.31	0.24	2.75
645691	Drill Core	<0.01	0.132	23.13	0.02	0.29	<0.01	<0.01	<0.01	0.21	0.001	0.154	0.009	0.28	1.14	0.21	N.A.
645692	Drill Core	0.14	0.093	14.53	0.36	4.07	0.35	0.66	<0.01	0.52	0.013	0.078	0.005	0.35	0.82	0.53	N.A.
645693	Drill Core	0.23	0.037	8.41	0.62	5.88	1.04	1.04	<0.01	0.69	0.021	0.029	0.002	0.37	0.36	0.78	N.A.
645694	Drill Core	0.26	0.014	5.26	0.64	7.63	1.00	1.32	<0.01	0.62	0.017	0.008	0.002	0.45	0.22	0.72	N.A.
645695	Drill Core	0.16	0.074	12.57	0.44	4.96	0.75	0.53	<0.01	0.59	0.016	0.056	0.004	0.39	0.61	0.64	N.A.
645696	Drill Core	0.05	0.086	17.98	0.20	2.66	0.19	0.26	<0.01	0.76	0.024	0.112	0.007	0.70	1.49	0.98	N.A.
645697	Drill Core	0.07	0.082	14.18	0.23	4.73	0.98	1.30	<0.01	0.20	0.009	0.062	0.004	0.22	0.41	0.17	N.A.
645698	Drill Core	0.11	0.079	13.39	0.29	4.77	0.60	0.89	<0.01	0.30	0.011	0.064	0.004	0.24	0.47	0.30	N.A.
RRE 645698	Drill Core	0.12	0.076	12.36	0.32	5.11	0.61	1.00	<0.01	0.26	0.010	0.056	0.003	0.24	0.41	0.22	N.A.
645699	Drill Core	0.21	0.021	5.71	0.44	8.05	1.24	1.43	<0.01	0.44	0.011	0.023	0.002	0.57	0.48	0.38	N.A.
645700	Rock Pulp	<0.01	0.426	15.29	0.14	2.98	0.24	0.05	<0.01	0.86	0.087	0.241	0.009	0.49	0.57	1.00	N.A.
645701	Rock Pulp	<0.01	0.207	22.15	0.02	0.29	0.03	0.09	<0.01	3.04	0.043	0.376	0.022	0.97	1.38	4.21	N.A.
645702	Drill Core	0.20	0.032	7.20	0.44	7.08	1.03	1.16	<0.01	0.19	0.004	0.026	0.002	0.22	0.28	0.14	3.02
645703	Drill Core	0.04	0.105	18.57	0.12	2.52	0.19	0.54	<0.01	0.77	0.005	0.134	0.007	0.36	0.83	0.93	N.A.
645704	Drill Core	0.21	0.080	13.11	0.47	4.72	0.67	0.34	<0.01	0.94	0.039	0.060	0.005	1.14	1.55	1.10	N.A.
645705	Drill Core	0.14	0.062	12.62	0.38	6.02	0.45	0.34	<0.01	0.36	0.012	0.054	0.004	0.29	0.48	0.36	N.A.
645706	Drill Core	0.03	0.142	20.43	0.11	1.91	0.06	0.06	<0.01	0.30	0.003	0.133	0.008	0.26	0.85	0.34	N.A.
645707	Drill Core	0.26	0.012	4.41	0.63	9.46	1.52	1.07	<0.01	0.31	0.012	0.006	0.001	0.35	0.21	0.24	N.A.
645708	Drill Core	0.15	0.053	9.00	0.45	5.79	0.92	0.99	<0.01	0.45	0.014	0.025	0.002	0.31	0.32	0.43	N.A.
645709	Drill Core	0.06	0.102	15.23	0.28	2.81	0.30	0.25	<0.01	0.60	0.017	0.058	0.004	0.32	0.55	0.70	N.A.
645710	Drill Core	0.02	0.001	0.31	0.07	8.23	3.61	1.27	<0.01	0.03	<0.001	<0.001	<0.001	0.10	0.04	<0.02	N.A.
645711	Drill Core	0.02	0.122	20.36	0.13	1.31	0.10	0.09	<0.01	0.39	0.004	0.151	0.008	0.37	1.20	0.40	N.A.
645712	Drill Core	0.09	0.078	12.24	0.46	4.06	0.72	0.76	<0.01	0.51	0.023	0.047	0.003	0.42	0.58	0.54	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 08, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000111.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645713	Drill Core	12.3	<2	15	15	<0.001	0.009	<0.02	<0.01	<2	0.039	0.007	0.19	9.08	<0.02	0.03	<0.001	<0.01	<0.01	0.03	8.66
645714	Drill Core	10.6	<2	6	5	<0.001	0.012	<0.02	<0.01	<2	0.081	0.008	0.15	7.87	<0.02	0.04	<0.001	<0.01	<0.01	0.02	5.02
645715	Drill Core	6.5	<2	14	14	<0.001	0.011	<0.02	<0.01	<2	0.072	0.008	0.16	7.82	<0.02	0.01	<0.001	<0.01	<0.01	0.02	7.94



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 08, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000111.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645713	Drill Core	0.10	0.056	9.26	0.58	4.99	1.07	1.15	<0.01	0.32	0.009	0.020	0.002	0.36	0.44	0.27	N.A.
645714	Drill Core	0.07	0.072	12.89	0.33	4.48	1.20	0.61	<0.01	0.44	0.012	0.059	0.004	0.31	0.62	0.48	N.A.
645715	Drill Core	0.07	0.093	12.57	0.33	3.62	0.63	0.72	<0.01	0.50	0.011	0.043	0.003	0.31	0.46	0.47	N.A.

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: August 30, 2007
 Report Date: November 16, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000063.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-233B
 P.O. Number: ACME FILE: A718294
 Number of Samples: 33

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	32	Crush, split and pulverize drill core to 150 mesh		Completed
3B	32	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	32	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	32	Leached with H2O2 + NH4 citrate	1	Completed
2A (C&S)	32	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000063.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645716	Drill Core	10.6	2	8	11	<0.001	0.033	<0.02	<0.01	<2	0.075	0.006	0.14	6.27	<0.02	0.02	<0.001	<0.01	<0.01	0.02	12.22
645717	Drill Core	9.9	4	10	11	<0.001	0.032	<0.02	<0.01	<2	0.039	0.007	0.16	7.99	<0.02	0.03	<0.001	<0.01	<0.01	0.03	10.15
645718	Drill Core	10.8	<2	6	7	<0.001	0.017	<0.02	0.01	<2	0.026	0.006	0.18	9.15	<0.02	0.03	<0.001	<0.01	<0.01	0.04	10.19
645719	Drill Core	11	5	15	17	<0.001	0.022	<0.02	<0.01	<2	0.052	0.007	0.16	8.32	<0.02	0.03	<0.001	<0.01	<0.01	0.03	8.75
645720	Drill Core	10	4	31	26	<0.001	0.037	<0.02	<0.01	<2	0.068	0.007	0.17	8.11	<0.02	0.05	<0.001	<0.01	<0.01	0.03	9.71
645721	Drill Core	8.3	<2	23	19	<0.001	0.024	<0.02	0.01	<2	0.085	0.006	0.16	8.26	<0.02	0.07	<0.001	<0.01	<0.01	0.03	7.06
645722	Drill Core	10.7	<2	<3	6	<0.001	0.012	<0.02	<0.01	<2	0.006	0.003	0.18	7.88	<0.02	0.12	<0.001	<0.01	<0.01	0.04	9.20
645723	Drill Core	9.6	<2	9	11	<0.001	0.010	<0.02	<0.01	<2	0.114	0.007	0.16	7.64	<0.02	0.02	<0.001	<0.01	<0.01	0.01	4.42
645724	Drill Core	10.1	2	19	6	<0.001	0.008	<0.02	<0.01	<2	0.096	0.008	0.16	8.92	<0.02	0.04	<0.001	<0.01	<0.01	0.02	5.00
RRE 645724	Drill Core		5	5	9	<0.001	0.007	<0.02	<0.01	<2	0.081	0.007	0.16	8.94	<0.02	0.03	<0.001	<0.01	<0.01	0.02	4.77
645725	Rock Pulp		I.S.	I.S.	I.S.	0.003	0.408	0.14	0.03	14	0.094	0.004	0.11	6.70	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.42
645726	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.262	0.017	0.12	9.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
645727	Drill Core	9.4	2	<3	4	<0.001	0.008	<0.02	0.01	<2	0.062	0.006	0.17	8.72	<0.02	0.05	<0.001	<0.01	<0.01	0.02	4.93
645728	Drill Core	11.3	<2	<3	9	<0.001	0.013	<0.02	0.01	<2	0.020	0.005	0.20	10.26	<0.02	0.06	<0.001	<0.01	<0.01	0.04	8.36
645729	Drill Core	10.6	2	12	11	<0.001	0.028	<0.02	0.01	<2	0.036	0.005	0.19	10.58	<0.02	0.05	<0.001	<0.01	<0.01	0.04	7.93
645730	Drill Core	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
645730A	Drill Core	11.7	8	6	6	<0.001	0.020	<0.02	0.01	<2	0.024	0.005	0.20	10.87	<0.02	0.06	<0.001	<0.01	<0.01	0.04	8.38
645730B	Drill Core		4	<3	6	<0.001	0.022	<0.02	0.01	<2	0.018	0.005	0.20	11.12	<0.02	0.05	<0.001	<0.01	<0.01	0.04	8.53
645731	Drill Core	9.2	<2	15	16	<0.001	0.029	<0.02	<0.01	<2	0.102	0.009	0.15	7.31	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.03
645732	Drill Core	11	5	44	38	<0.001	0.019	<0.02	<0.01	<2	0.083	0.007	0.18	10.90	<0.02	0.04	<0.001	<0.01	<0.01	0.04	7.17
645733	Drill Core	10.3	5	40	40	<0.001	0.009	<0.02	0.01	<2	0.126	0.008	0.18	9.95	<0.02	0.03	<0.001	<0.01	<0.01	0.02	5.15
645734	Drill Core	10.4	<2	7	6	<0.001	0.004	<0.02	0.01	<2	0.214	0.010	0.16	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.20
645735	Drill Core	11	3	17	18	<0.001	0.044	<0.02	<0.01	<2	0.128	0.010	0.15	8.41	<0.02	0.03	<0.001	<0.01	<0.01	0.01	3.67
645736	Drill Core	6.3	3	16	27	<0.001	0.009	<0.02	<0.01	<2	0.113	0.008	0.15	7.79	<0.02	0.02	<0.001	<0.01	<0.01	0.02	4.95
645737	Drill Core	9.3	<2	21	27	<0.001	0.079	<0.02	<0.01	<2	0.104	0.008	0.15	8.53	<0.02	0.03	<0.001	<0.01	<0.01	0.02	5.96
645738	Drill Core	6.6	<2	42	47	<0.001	0.007	<0.02	<0.01	<2	0.188	0.011	0.13	7.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.63
645739	Drill Core	7.7	2	24	24	<0.001	0.006	<0.02	<0.01	<2	0.135	0.010	0.12	6.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.63
645740	Drill Core	1.2	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.09	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.05
645741	Drill Core	7.5	7	30	36	<0.001	0.010	<0.02	<0.01	<2	0.089	0.008	0.14	8.66	<0.02	0.02	<0.001	<0.01	<0.01	0.02	4.09
645742	Drill Core	9.2	<2	35	39	<0.001	0.008	<0.02	<0.01	<2	0.008	0.006	0.14	13.65	<0.02	0.04	<0.001	<0.01	<0.01	0.07	7.91



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000063.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645716	Drill Core	0.06	0.129	10.42	0.30	2.81	0.59	0.59	<0.01	0.36	0.034	0.049	0.002	0.29	0.19	0.57	N.A.
645717	Drill Core	0.11	0.062	9.89	0.47	4.32	0.85	0.70	<0.01	0.50	0.032	0.018	0.002	0.37	0.26	0.68	N.A.
645718	Drill Core	0.20	0.052	9.08	0.59	4.82	1.09	0.64	<0.01	0.41	0.015	0.012	0.002	0.46	0.35	0.66	N.A.
645719	Drill Core	0.13	0.049	10.94	0.44	4.23	1.06	0.59	<0.01	0.42	0.021	0.031	0.003	0.49	0.69	0.62	N.A.
645720	Drill Core	0.15	0.060	8.61	0.42	5.50	1.11	0.62	<0.01	0.79	0.038	0.045	0.003	0.66	0.48	1.12	N.A.
645721	Drill Core	0.18	0.051	9.23	0.42	6.55	1.59	0.58	<0.01	0.55	0.024	0.067	0.004	0.31	0.33	0.79	N.A.
645722	Drill Core	0.24	0.007	3.74	0.57	10.40	2.30	0.57	<0.01	0.23	0.011	0.002	<0.001	0.26	0.16	0.42	3.05
645723	Drill Core	0.06	0.082	15.20	0.21	3.48	0.54	0.51	<0.01	0.46	0.009	0.082	0.005	0.27	0.44	0.67	N.A.
645724	Drill Core	0.11	0.079	13.80	0.35	5.26	0.84	1.03	<0.01	0.31	0.007	0.057	0.004	0.23	0.35	0.39	N.A.
RRE 645724	Drill Core	0.11	0.087	13.23	0.36	5.04	0.74	1.13	<0.01	0.37	0.006	0.050	0.004	0.26	0.39	0.39	N.A.
645725	Rock Pulp	0.08	0.105	1.76	0.26	7.90	1.32	1.90	<0.01	1.23	0.375	0.009	0.001	1.30	0.34	1.21	N.A.
645726	Rock Pulp	<0.01	0.147	25.34	0.02	0.33	<0.01	0.07	<0.01	1.19	0.028	0.201	0.011	0.71	2.01	1.37	N.A.
645727	Drill Core	0.12	0.053	10.86	0.39	6.80	1.11	1.54	<0.01	0.24	0.008	0.026	0.002	0.22	0.28	0.24	N.A.
645728	Drill Core	0.16	0.021	6.65	0.65	8.04	1.83	1.07	<0.01	0.41	0.013	0.010	0.001	0.26	0.18	0.52	N.A.
645729	Drill Core	0.22	0.034	7.99	0.64	7.53	1.49	0.90	<0.01	0.65	0.029	0.022	0.002	0.25	0.20	0.86	N.A.
645730	Drill Core	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	3.17
645730A	Drill Core	0.26	0.018	7.14	0.70	7.11	1.64	1.01	<0.01	0.49	0.021	0.011	0.001	0.26	0.18	0.66	N.A.
645730B	Drill Core	0.29	0.024	6.95	0.77	7.30	1.72	1.03	<0.01	0.40	0.022	0.007	0.001	0.55	0.46	0.49	N.A.
645731	Drill Core	0.04	0.072	13.97	0.23	2.54	0.20	0.16	<0.01	0.61	0.029	0.077	0.005	0.30	0.46	0.76	N.A.
645732	Drill Core	0.34	0.067	11.79	0.47	4.66	0.55	0.61	<0.01	0.64	0.021	0.066	0.004	0.49	0.76	0.88	N.A.
645733	Drill Core	0.23	0.097	16.36	0.31	3.21	0.37	0.24	<0.01	0.30	0.010	0.091	0.005	0.27	0.78	0.32	N.A.
645734	Drill Core	<0.01	0.135	24.42	0.04	0.40	<0.01	0.03	<0.01	0.18	0.004	0.162	0.007	0.24	1.05	0.24	N.A.
645735	Drill Core	0.07	0.108	16.96	0.20	2.92	0.34	0.51	<0.01	0.56	0.047	0.110	0.007	0.29	0.42	0.73	N.A.
645736	Drill Core	0.08	0.102	16.52	0.24	3.04	0.35	0.22	<0.01	0.16	0.009	0.084	0.005	0.25	0.60	0.18	N.A.
645737	Drill Core	0.15	0.073	14.77	0.26	3.39	0.38	0.68	<0.01	0.63	0.082	0.083	0.005	0.45	0.78	0.84	N.A.
645738	Drill Core	<0.01	0.143	23.65	0.03	0.36	<0.01	0.04	<0.01	0.14	0.007	0.119	0.006	0.28	1.14	0.13	N.A.
645739	Drill Core	<0.01	0.148	20.51	0.06	0.55	<0.01	0.03	<0.01	0.12	0.005	0.100	0.006	0.20	1.07	0.16	N.A.
645740	Drill Core	0.02	<0.001	0.44	0.06	8.38	3.75	1.19	<0.01	<0.01	<0.001	0.001	<0.001	0.07	0.07	<0.02	N.A.
645741	Drill Core	0.07	0.077	16.08	0.30	3.53	0.42	0.55	<0.01	0.11	0.010	0.063	0.004	0.19	0.59	0.12	N.A.
645742	Drill Core	0.03	0.003	7.08	0.83	6.68	1.52	1.36	<0.01	0.12	0.010	0.002	<0.001	0.28	0.16	0.12	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000063.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645743	Drill Core	10.5	2	25	34	<0.001	0.013	<0.02	<0.01	<2	0.004	0.006	0.14	15.47	<0.02	0.04	<0.001	<0.01	<0.01	0.08	7.89
645744	Drill Core	11.6	3	50	23	<0.001	0.001	<0.02	<0.01	<2	0.008	0.005	0.15	11.04	<0.02	0.04	<0.001	<0.01	<0.01	0.05	9.17
645745	Drill Core	6.7	4	11	7	<0.001	0.004	<0.02	<0.01	<2	0.156	0.011	0.13	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.07



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000063.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645743	Drill Core	0.14	<0.001	6.88	0.92	6.28	1.41	0.89	<0.01	0.11	0.015	<0.001	<0.001	0.24	0.15	0.16	N.A.
645744	Drill Core	0.08	0.009	6.84	0.71	5.99	1.69	0.96	<0.01	0.10	0.002	<0.001	<0.001	0.19	0.12	0.02	N.A.
645745	Drill Core	0.02	0.124	21.28	0.12	1.33	0.29	0.17	<0.01	0.11	0.005	0.095	0.006	0.18	0.79	0.09	N.A.

Hole 07-234

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 09, 2007
 Report Date: December 10, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000168.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-234A
 P.O. Number: ACME FILE: A718388
 Number of Samples: 51

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	47	Crush, split and pulverize drill core to 150 mesh		
3B	51	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	51	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	51	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	51	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000168.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645746	Drill Core	9.7	<2	11	14	<0.001	0.009	<0.02	<0.01	<2	0.147	0.010	0.09	5.43	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	0.85
645747	Drill Core	7.4	<2	3	5	<0.001	0.007	<0.02	<0.01	2	0.103	0.008	0.12	5.04	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.80
645748	Drill Core	5.6	<2	25	35	<0.001	0.006	<0.02	<0.01	<2	0.191	0.013	0.08	6.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
645749	Drill Core	7.3	2	8	9	<0.001	0.007	<0.02	<0.01	<2	0.202	0.012	0.11	6.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
645750	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.250	0.017	0.11	9.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
645751	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.02	<2	0.232	0.011	0.10	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.41
645752	Drill Core	9.3	4	17	17	<0.001	0.008	<0.02	<0.01	<2	0.183	0.013	0.11	7.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.48
645753	Drill Core	9	<2	11	11	<0.001	0.019	<0.02	<0.01	<2	0.103	0.009	0.12	5.13	<0.02	0.05	<0.001	<0.01	<0.01	<0.01	1.93
645754	Drill Core	9.3	7	32	30	<0.001	0.072	<0.02	<0.01	<2	0.237	0.015	0.09	6.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
645755	Drill Core	7.3	3	<3	3	<0.001	0.007	<0.02	<0.01	<2	0.147	0.011	0.08	6.14	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.97
645756	Drill Core	3.9	<2	4	3	<0.001	0.008	<0.02	<0.01	<2	0.152	0.011	0.14	6.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
645757	Drill Core	8	7	3	3	<0.001	0.006	<0.02	<0.01	<2	0.188	0.012	0.07	6.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
645758	Drill Core	8.5	6	<3	2	<0.001	0.005	<0.02	<0.01	<2	0.191	0.011	0.07	6.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
645759	Drill Core	8.3	2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.200	0.011	0.06	6.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
645760A	Drill Core	7.8	2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.249	0.011	0.06	5.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
645760B	Drill Core		2	<3	2	<0.001	0.005	<0.02	<0.01	<2	0.246	0.012	0.06	5.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
645761	Drill Core	9.7	3	20	18	<0.001	0.007	<0.02	<0.01	<2	0.244	0.012	0.09	6.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
RRE 645761	Drill Core		3	12	8	<0.001	0.007	<0.02	<0.01	<2	0.246	0.011	0.09	5.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
645762	Drill Core	8	2	6	5	<0.001	0.003	<0.02	<0.01	<2	0.180	0.010	0.08	5.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.95
645763	Drill Core	7.6	2	5	7	<0.001	0.021	<0.02	<0.01	<2	0.024	0.003	0.10	5.44	<0.02	0.04	<0.001	<0.01	<0.01	0.02	4.79
645764	Drill Core	10.4	3	3	6	<0.001	0.019	<0.02	<0.01	<2	0.036	0.005	0.15	6.27	<0.02	0.06	<0.001	<0.01	<0.01	0.02	7.07
645765	Drill Core	9.5	<2	5	8	<0.001	0.016	<0.02	<0.01	<2	0.044	0.005	0.15	6.39	<0.02	0.07	<0.001	<0.01	<0.01	0.02	6.15
645766	Drill Core	10.8	<2	11	10	<0.001	0.011	<0.02	<0.01	<2	0.015	0.003	0.14	6.14	<0.02	0.08	<0.001	<0.01	<0.01	0.02	6.35
645767	Drill Core	10	<2	10	11	<0.001	0.011	<0.02	<0.01	<2	0.018	0.003	0.14	6.22	<0.02	0.08	<0.001	<0.01	<0.01	0.02	5.66
645768	Drill Core	10	2	20	24	<0.001	0.022	<0.02	<0.01	<2	0.051	0.005	0.16	6.95	<0.02	0.08	<0.001	<0.01	<0.01	0.02	5.60
645769	Drill Core	10.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.12	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.03
645770	Drill Core	1.9	3	69	62	<0.001	0.010	<0.02	<0.01	<2	0.174	0.013	0.10	6.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.09
645771	Drill Core	9.1	3	13	15	<0.001	0.016	<0.02	<0.01	<2	0.228	0.012	0.11	5.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
645772	Drill Core	9.2	<2	4	4	<0.001	0.006	<0.02	<0.01	<2	0.194	0.013	0.10	6.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
645773	Drill Core	10	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.224	0.013	0.11	6.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000168.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645746	Drill Core	0.02	0.116	17.05	0.07	2.82	1.25	0.27	<0.01	0.64	0.009	0.142	0.008	0.37	0.43	0.72	N.A.
645747	Drill Core	0.04	0.110	14.27	0.11	4.56	1.76	0.77	<0.01	0.13	0.007	0.080	0.004	0.17	0.36	0.15	N.A.
645748	Drill Core	<0.01	0.166	23.11	0.01	0.29	0.02	<0.01	<0.01	0.27	0.006	0.170	0.010	0.24	0.53	0.30	N.A.
645749	Drill Core	<0.01	0.173	24.54	0.04	0.48	0.02	<0.01	<0.01	0.16	0.007	0.187	0.010	0.22	1.73	0.20	N.A.
645750	Rock Pulp	<0.01	0.145	24.53	0.02	0.31	<0.01	0.07	<0.01	1.12	0.030	0.216	0.012	0.73	1.89	1.44	N.A.
645751	Rock Pulp	<0.01	0.974	13.21	0.19	4.04	0.35	0.11	<0.01	0.49	0.053	0.174	0.007	0.26	0.20	0.51	N.A.
645752	Drill Core	<0.01	0.142	23.58	0.05	0.33	<0.01	<0.01	<0.01	0.16	0.007	0.160	0.010	0.23	1.79	0.19	N.A.
645753	Drill Core	0.04	0.081	14.70	0.09	4.07	1.91	0.46	<0.01	0.16	0.018	0.089	0.006	0.20	0.56	0.18	N.A.
645754	Drill Core	<0.01	0.196	23.27	0.02	0.39	<0.01	<0.01	<0.01	0.49	0.064	0.217	0.013	0.44	0.90	0.56	N.A.
645755	Drill Core	0.01	0.158	20.03	0.07	1.80	0.05	1.37	<0.01	0.29	0.006	0.116	0.008	0.21	0.49	0.33	N.A.
645756	Drill Core	<0.01	0.190	21.48	0.04	1.50	<0.01	0.10	<0.01	0.28	0.008	0.136	0.008	0.26	0.56	0.36	N.A.
645757	Drill Core	<0.01	0.230	23.68	0.03	0.24	<0.01	0.02	<0.01	0.32	0.005	0.181	0.011	0.39	1.12	0.34	N.A.
645758	Drill Core	<0.01	0.184	22.49	0.03	0.38	<0.01	0.02	<0.01	0.32	0.005	0.197	0.011	0.36	0.81	0.37	N.A.
645759	Drill Core	<0.01	0.128	23.00	0.05	0.73	<0.01	0.01	<0.01	0.47	0.005	0.199	0.009	0.31	0.59	0.55	N.A.
645760A	Drill Core	<0.01	0.155	23.26	0.01	0.20	<0.01	<0.01	<0.01	0.51	0.004	0.215	0.010	0.36	0.83	0.66	N.A.
645760B	Drill Core	<0.01	0.146	23.62	0.02	0.22	<0.01	<0.01	<0.01	0.53	0.004	0.235	0.011	0.37	0.83	0.65	N.A.
645761	Drill Core	<0.01	0.191	25.03	0.01	0.17	<0.01	<0.01	<0.01	0.40	0.006	0.230	0.010	0.43	1.32	0.50	N.A.
RRE 645761	Drill Core	<0.01	0.183	24.65	0.01	0.16	<0.01	<0.01	<0.01	0.43	0.006	0.235	0.010	0.46	1.41	0.52	N.A.
645762	Drill Core	<0.01	0.152	21.10	0.04	0.99	0.02	0.16	<0.01	0.19	0.003	0.134	0.006	0.22	0.64	0.18	2.67
645763	Drill Core	0.10	0.028	4.41	0.39	6.69	3.70	1.40	<0.01	0.61	0.023	0.017	0.002	0.27	0.21	0.69	N.A.
645764	Drill Core	0.09	0.030	6.23	0.30	6.72	2.14	1.44	<0.01	0.38	0.019	0.020	0.003	0.21	0.20	0.43	N.A.
645765	Drill Core	0.07	0.018	5.59	0.37	7.20	2.40	1.42	<0.01	0.24	0.015	0.031	0.002	0.71	0.76	0.25	N.A.
645766	Drill Core	0.10	0.019	4.42	0.39	7.72	2.92	1.69	<0.01	0.41	0.011	0.006	0.001	0.64	0.46	0.49	N.A.
645767	Drill Core	0.09	0.023	4.69	0.41	8.16	3.39	1.57	<0.01	0.39	0.014	0.010	0.001	0.24	0.16	0.50	N.A.
645768	Drill Core	0.11	0.075	9.17	0.35	6.40	2.04	0.93	<0.01	0.29	0.022	0.040	0.003	0.18	0.30	0.34	N.A.
645769	Drill Core	<0.01	0.001	0.26	0.08	8.28	3.68	1.11	<0.01	<0.01	<0.001	<0.001	<0.001	0.04	0.02	<0.02	N.A.
645770	Drill Core	0.01	0.155	22.77	0.12	0.76	0.04	0.04	<0.01	0.15	0.009	0.131	0.009	0.17	1.06	0.16	N.A.
645771	Drill Core	<0.01	0.130	25.44	0.02	0.36	0.09	0.04	<0.01	0.17	0.016	0.195	0.010	0.25	2.14	0.17	N.A.
645772	Drill Core	<0.01	0.130	26.30	0.01	0.17	<0.01	0.01	<0.01	0.12	0.007	0.161	0.010	0.18	2.07	0.12	2.95
645773	Drill Core	<0.01	0.141	25.56	0.02	0.24	<0.01	<0.01	<0.01	0.13	0.002	0.140	0.008	0.22	1.65	0.11	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000168.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
645774	Drill Core	8.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.233	0.013	0.11	6.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645775	Rock Pulp		<2	24	47	<0.001	0.011	<0.02	<0.01	<2	0.044	0.002	0.02	1.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645776	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.046	<0.02	<0.01	<2	0.413	0.028	0.12	13.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645777	Drill Core	9.6	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.200	0.011	0.11	6.79	<0.02	0.01	<0.001	<0.01	<0.01	<0.01
645778	Drill Core	9.1	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.198	0.011	0.14	6.93	<0.02	0.01	<0.001	<0.01	<0.01	<0.01
645779	Drill Core	9.5	<2	3	2	<0.001	0.002	<0.02	0.04	8	0.215	0.011	0.11	6.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645780	Drill Core	6.4	<2	5	3	<0.001	0.002	<0.02	0.04	6	0.173	0.009	0.11	6.64	<0.02	0.03	<0.001	<0.01	<0.01	<0.01
645781	Drill Core	8.1	<2	4	<2	<0.001	0.001	<0.02	0.04	8	0.210	0.011	0.12	6.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645782	Drill Core	9.8	<2	4	<2	<0.001	0.001	<0.02	0.04	7	0.185	0.011	0.12	6.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645783	Drill Core	10.7	<2	4	3	<0.001	<0.001	<0.02	0.04	6	0.172	0.012	0.14	7.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645784	Drill Core	9.1	4	14	10	<0.001	0.002	<0.02	0.04	9	0.152	0.011	0.12	7.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645785	Drill Core	9.7	<2	5	3	<0.001	<0.001	<0.02	0.04	8	0.194	0.012	0.12	6.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
RRE 645785	Drill Core		<2	4	2	<0.001	<0.001	<0.02	0.04	8	0.188	0.012	0.12	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
645786	Drill Core	8.3	<2	10	7	<0.001	0.010	<0.02	0.04	8	0.054	0.005	0.16	7.67	<0.02	0.09	<0.001	<0.01	<0.01	0.02
645787	Drill Core	10.3	<2	8	6	<0.001	0.009	<0.02	0.04	7	0.045	0.005	0.20	8.74	<0.02	0.06	<0.001	<0.01	<0.01	0.03
645788	Drill Core	7.4	<2	8	4	<0.001	0.007	<0.02	0.04	10	0.087	0.007	0.15	7.36	<0.02	0.05	<0.001	<0.01	<0.01	0.02
645789	Drill Core	9	<2	9	7	<0.001	0.011	<0.02	0.04	7	0.014	0.003	0.20	9.29	<0.02	0.14	<0.001	<0.01	<0.01	0.03
645790A	Drill Core	9.3	3	7	4	<0.001	0.001	<0.02	0.04	5	0.144	0.009	0.12	6.51	<0.02	0.02	<0.001	<0.01	<0.01	<0.01
645790B	Drill Core		<2	6	4	<0.001	0.001	<0.02	0.04	8	0.149	0.009	0.12	7.03	<0.02	0.01	<0.001	<0.01	<0.01	<0.01
645791	Drill Core	8.5	<2	16	15	<0.001	0.013	<0.02	0.04	6	0.066	0.005	0.13	6.94	<0.02	0.05	<0.001	<0.01	<0.01	0.02
645792	Drill Core	10.3	<2	5	3	<0.001	0.008	<0.02	0.04	8	0.005	0.001	0.14	5.57	<0.02	0.10	<0.001	<0.01	<0.01	0.02



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000168.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645774	Drill Core	<0.01	0.199	24.47	0.02	0.39	<0.01	0.02	<0.01	0.12	0.001	0.173	0.009	0.22	1.89	0.16	N.A.
645775	Rock Pulp	<0.01	0.239	2.69	0.04	0.87	0.07	0.02	<0.01	0.09	0.013	0.042	0.002	0.06	0.06	I.S.	N.A.
645776	Rock Pulp	<0.01	0.170	21.64	0.02	0.29	0.03	0.10	<0.01	3.07	0.047	0.390	0.024	1.05	1.45	4.06	N.A.
645777	Drill Core	<0.01	0.154	24.18	0.04	0.78	<0.01	0.10	<0.01	0.11	0.001	0.166	0.009	0.18	1.78	0.13	N.A.
645778	Drill Core	0.03	0.131	22.03	0.10	1.41	<0.01	0.12	<0.01	0.10	0.002	0.132	0.007	0.18	1.03	0.10	N.A.
645779	Drill Core	<0.01	0.139	24.98	0.06	1.05	0.16	0.12	<0.01	0.13	0.002	0.123	0.006	0.21	1.46	0.13	N.A.
645780	Drill Core	0.03	0.129	19.21	0.13	2.48	0.02	0.16	<0.01	0.11	0.001	0.127	0.007	0.16	0.81	0.10	N.A.
645781	Drill Core	<0.01	0.189	23.81	0.04	0.62	0.04	0.03	<0.01	0.11	0.001	0.127	0.007	0.13	1.03	0.09	N.A.
645782	Drill Core	<0.01	0.179	24.60	0.04	0.53	<0.01	0.03	<0.01	0.09	<0.001	0.107	0.006	0.12	0.96	0.07	N.A.
645783	Drill Core	<0.01	0.154	22.76	0.05	0.80	<0.01	0.04	<0.01	0.07	<0.001	0.078	0.005	0.12	0.98	0.05	N.A.
645784	Drill Core	<0.01	0.187	23.37	0.06	0.68	<0.01	0.04	<0.01	0.09	0.002	0.083	0.006	0.11	1.18	0.06	N.A.
645785	Drill Core	<0.01	0.175	24.24	0.03	0.27	<0.01	0.01	<0.01	0.09	<0.001	0.103	0.007	0.13	1.00	0.08	N.A.
RRE 645785	Drill Core	<0.01	0.183	24.18	0.03	0.26	<0.01	0.01	<0.01	0.09	<0.001	0.100	0.006	0.14	1.17	0.07	N.A.
645786	Drill Core	0.15	0.052	9.08	0.39	6.21	1.36	0.87	<0.01	0.50	0.010	0.045	0.003	0.36	0.51	0.60	N.A.
645787	Drill Core	0.16	0.044	7.82	0.46	6.08	1.00	1.35	<0.01	0.25	0.010	0.031	0.002	0.37	0.29	0.27	N.A.
645788	Drill Core	0.10	0.100	13.41	0.31	4.43	0.24	0.38	<0.01	0.38	0.008	0.063	0.004	0.37	0.44	0.43	N.A.
645789	Drill Core	0.22	0.014	4.87	0.56	7.67	0.97	1.65	<0.01	0.12	0.012	0.009	<0.001	0.30	0.16	0.13	N.A.
645790A	Drill Core	0.01	0.124	18.88	0.09	1.63	0.03	0.20	<0.01	0.18	0.001	0.105	0.007	0.23	0.72	0.18	N.A.
645790B	Drill Core	<0.01	0.130	18.76	0.08	1.28	0.02	0.13	<0.01	0.18	0.001	0.111	0.007	0.23	0.74	0.18	N.A.
645791	Drill Core	0.09	0.104	10.86	0.36	4.76	1.35	0.76	<0.01	0.65	0.014	0.056	0.004	0.63	0.53	0.77	N.A.
645792	Drill Core	0.15	0.007	3.14	0.38	8.86	3.18	1.09	<0.01	0.27	0.008	0.002	<0.001	0.30	0.11	0.27	2.94



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 15, 2007
 Report Date: November 16, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000194.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-234B
 P.O. Number: ACME FILE: A718414
 Number of Samples: 22

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	20	Crush, split and pulverize drill core to 150 mesh		
3B	22	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	22	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	22	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	22	Analysis by Leco	0.1	Completed
Specific Gravity	1	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000194.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645793	Drill Core	9.9	<2	<3	7	<0.001	0.011	<0.02	<0.01	<2	0.010	0.003	0.16	6.88	<0.02	0.09	<0.001	<0.01	<0.01	0.02	7.50
645794	Drill Core	9.8	<2	7	7	<0.001	0.016	<0.02	0.01	<2	0.049	0.005	0.14	6.40	<0.02	0.04	<0.001	<0.01	<0.01	0.02	5.45
645795	Drill Core	10	<2	<3	3	<0.001	0.009	<0.02	<0.01	<2	0.054	0.004	0.14	6.36	<0.02	0.08	<0.001	<0.01	<0.01	0.02	5.70
645796	Drill Core	10.5	<2	<3	<2	<0.001	0.008	<0.02	<0.01	<2	0.045	0.004	0.15	6.08	<0.02	0.09	<0.001	<0.01	<0.01	0.02	5.66
645797	Drill Core	9.5	<2	27	26	<0.001	0.007	<0.02	<0.01	<2	0.137	0.009	0.11	7.48	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.98
645798	Drill Core	10.1	<2	10	9	<0.001	0.003	<0.02	<0.01	<2	0.177	0.010	0.11	6.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.89
645799	Drill Core	9.8	<2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.171	0.010	0.10	6.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.96
645800	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	8	0.335	0.016	0.05	9.51	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.28
645801	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.253	0.016	0.11	9.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
645802	Drill Core	9.3	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.165	0.009	0.10	5.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.10
645803	Drill Core	9	<2	5	6	<0.001	0.004	<0.02	<0.01	<2	0.135	0.008	0.11	6.44	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.35
645804	Drill Core	10.6	<2	<3	5	<0.001	0.008	<0.02	<0.01	<2	0.115	0.007	0.14	7.49	<0.02	0.03	<0.001	<0.01	<0.01	0.02	3.86
RRE 645804	Drill Core		<2	3	4	<0.001	0.008	<0.02	<0.01	<2	0.112	0.007	0.14	7.21	<0.02	0.02	<0.001	<0.01	<0.01	0.02	3.66
645805	Drill Core	9.7	<2	<3	2	<0.001	0.006	<0.02	<0.01	<2	0.143	0.008	0.12	6.32	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.56
645806	Drill Core	10.7	<2	16	18	<0.001	0.063	<0.02	0.01	2	0.038	0.008	0.14	8.69	<0.02	0.06	<0.001	<0.01	<0.01	0.03	7.09
645807	Drill Core	11.2	<2	4	9	<0.001	0.048	<0.02	<0.01	<2	0.004	0.008	0.13	13.86	<0.02	0.03	<0.001	<0.01	<0.01	0.07	9.65
645808	Drill Core	11.9	<2	4	5	<0.001	0.084	<0.02	<0.01	2	0.005	0.010	0.16	16.70	<0.02	0.01	<0.001	<0.01	<0.01	0.12	10.10
645809	Drill Core	11.5	<2	3	4	<0.001	0.079	<0.02	<0.01	<2	0.011	0.013	0.13	12.87	<0.02	0.01	<0.001	<0.01	<0.01	0.05	8.26
645810	Drill Core	11.6	<2	3	3	<0.001	0.014	<0.02	<0.01	<2	0.023	0.004	0.15	6.63	<0.02	0.07	<0.001	<0.01	<0.01	0.02	6.67
645811	Drill Core	8.8	<2	<3	3	<0.001	0.005	<0.02	<0.01	<2	0.133	0.008	0.12	6.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.00
645812	Drill Core	9.3	<2	3	4	<0.001	0.006	<0.02	<0.01	<2	0.122	0.007	0.12	7.54	<0.02	0.03	<0.001	<0.01	<0.01	0.02	3.99
645813	Drill Core	6.6	4	6	5	<0.001	0.005	<0.02	<0.01	<2	0.032	0.004	0.14	7.25	<0.02	0.09	<0.001	<0.01	<0.01	0.03	6.58



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000194.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	ppm	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645793	Drill Core	0.15	0.014	3.98	0.42	8.57	2.90	1.43	<0.01	4587	0.011	0.002	<0.001	0.36	0.17	0.50	N.A.
645794	Drill Core	0.10	0.064	8.82	0.30	5.44	2.19	0.81	<0.01	7765	0.015	0.034	0.002	0.26	0.23	0.88	N.A.
645795	Drill Core	0.10	0.051	8.18	0.30	6.98	2.27	0.85	<0.01	4089	0.009	0.045	0.003	0.50	0.91	0.46	N.A.
645796	Drill Core	0.12	0.029	7.19	0.30	7.82	2.66	0.79	<0.01	3902	0.007	0.034	0.002	0.39	0.56	0.42	N.A.
645797	Drill Core	0.03	0.083	19.31	0.12	2.19	0.04	0.03	<0.01	2608	0.007	0.113	0.006	0.23	0.61	0.28	N.A.
645798	Drill Core	0.02	0.073	21.28	0.08	1.40	0.03	0.04	<0.01	1722	0.002	0.131	0.006	0.21	0.64	0.15	N.A.
645799	Drill Core	<0.01	0.087	21.70	0.04	0.60	<0.01	<0.01	<0.01	1959	0.001	0.144	0.007	0.20	0.75	0.18	N.A.
645800	Rock Pulp	<0.01	0.380	14.96	0.14	2.90	0.23	0.05	<0.01	9459	0.079	0.228	0.009	0.52	0.63	0.97	N.A.
645801	Rock Pulp	<0.01	0.126	24.30	0.02	0.30	<0.01	0.07	<0.01	11882	0.026	0.214	0.011	0.67	1.89	1.38	N.A.
645802	Drill Core	0.02	0.058	20.01	0.07	1.78	0.06	0.17	<0.01	2912	0.003	0.138	0.006	0.25	0.77	0.27	N.A.
645803	Drill Core	0.03	0.082	18.04	0.16	2.80	0.17	0.76	<0.01	3458	0.004	0.105	0.005	0.21	0.50	0.31	N.A.
645804	Drill Core	0.10	0.064	14.63	0.26	3.79	0.26	1.43	<0.01	3552	0.008	0.076	0.004	0.26	0.52	0.33	N.A.
RRE 645804	Drill Core	0.10	0.062	15.50	0.29	3.77	0.26	1.48	<0.01	3402	0.008	0.071	0.004	0.18	0.28	0.32	N.A.
645805	Drill Core	0.04	0.066	17.34	0.21	2.85	0.24	0.55	<0.01	4005	0.005	0.100	0.005	0.19	0.27	0.36	N.A.
645806	Drill Core	0.09	0.036	7.10	0.42	5.34	1.83	1.47	<0.01	13287	0.053	0.014	0.002	0.57	0.23	1.30	N.A.
645807	Drill Core	0.06	0.007	6.32	1.09	4.44	1.13	1.01	<0.01	14319	0.051	0.005	0.002	1.15	0.56	1.46	N.A.
645808	Drill Core	0.03	0.012	6.77	0.92	2.76	0.91	0.46	<0.01	17834	0.092	0.002	0.004	1.37	0.42	1.70	N.A.
645809	Drill Core	0.01	0.027	9.06	0.42	2.33	1.03	0.20	<0.01	19838	0.079	0.004	0.004	0.78	0.18	1.90	N.A.
645810	Drill Core	0.13	0.017	5.54	0.33	7.44	2.85	1.29	<0.01	6938	0.014	0.013	0.001	0.29	0.10	0.66	N.A.
645811	Drill Core	0.04	0.057	16.79	0.19	2.98	0.18	0.68	<0.01	2644	0.006	0.089	0.004	0.21	0.44	0.25	N.A.
645812	Drill Core	0.08	0.053	14.86	0.25	3.93	0.47	0.58	<0.01	2436	0.006	0.078	0.003	0.24	0.55	0.24	2.71
645813	Drill Core	0.14	0.018	5.67	0.38	7.30	2.74	1.15	<0.01	3082	0.005	0.019	0.001	0.62	0.78	0.31	N.A.

Hole 07-235



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 09, 2007
 Report Date: December 10, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000169.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-235A
 P.O. Number: ACME FILE: A718389
 Number of Samples: 51

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	47	Crush, split and pulverize drill core to 150 mesh		
3B	50	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	51	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	51	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	51	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000169.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645815	Drill Core	7.2	4	9	8	<0.001	0.015	<0.02	<0.01	<2	0.148	0.012	0.15	9.41	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.03
645816	Drill Core	9.1	3	9	6	<0.001	0.009	<0.02	<0.01	<2	0.137	0.010	0.12	8.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	2.74
645817	Drill Core	10.6	4	9	7	<0.001	0.023	<0.02	<0.01	<2	0.030	0.005	0.19	9.62	<0.02	0.06	<0.001	<0.01	<0.01	0.03	9.04
645818	Drill Core	10.2	3	11	12	<0.001	0.015	<0.02	<0.01	<2	0.064	0.006	0.15	8.02	<0.02	0.03	<0.001	<0.01	<0.01	0.02	6.80
645819	Drill Core	9.3	2	21	22	<0.001	0.022	<0.02	<0.01	<2	0.156	0.010	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.19
645820	Drill Core	10.4	6	<3	3	<0.001	0.014	<0.02	<0.01	<2	0.072	0.007	0.13	8.16	<0.02	0.05	<0.001	<0.01	<0.01	0.02	4.86
645821	Drill Core	9.6	<2	<3	4	<0.001	0.025	<0.02	<0.01	<2	0.032	0.005	0.16	9.16	<0.02	0.04	<0.001	<0.01	<0.01	0.03	7.68
645822	Drill Core	9.3	3	4	6	<0.001	0.018	<0.02	<0.01	<2	0.086	0.008	0.12	7.47	<0.02	0.03	<0.001	<0.01	<0.01	0.01	4.08
645823	Drill Core	9.9	<2	14	17	<0.001	0.032	<0.02	<0.01	<2	0.158	0.010	0.12	7.81	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	3.05
645824	Drill Core	10.3	<2	11	11	<0.001	0.009	<0.02	<0.01	<2	0.137	0.010	0.13	7.95	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.74
645825	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.056	<0.02	0.02	<2	0.230	0.011	0.10	9.25	<0.02	<0.01	<0.001	0.01	<0.01	0.02	4.28
645826	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.049	<0.02	<0.01	<2	0.408	0.028	0.12	13.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
645827	Drill Core	10.1	<2	6	3	<0.001	0.008	<0.02	<0.01	<2	0.058	0.006	0.15	8.70	<0.02	0.04	<0.001	<0.01	<0.01	0.02	5.48
645828	Drill Core	11.1	<2	4	2	<0.001	0.022	<0.02	0.01	<2	0.008	0.005	0.18	11.97	<0.02	0.06	<0.001	<0.01	<0.01	0.05	8.87
645829	Drill Core	9.7	<2	6	6	<0.001	0.019	<0.02	0.01	<2	0.098	0.008	0.15	9.46	<0.02	0.01	<0.001	<0.01	<0.01	0.02	4.20
RRE 645829	Drill Core		<2	6	7	<0.001	0.017	<0.02	<0.01	<2	0.104	0.009	0.15	9.01	<0.02	0.01	<0.001	<0.01	<0.01	0.02	3.99
645830	Drill Core	1.3	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	1.16	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.05
645831	Drill Core	10.9	<2	8	8	<0.001	0.015	<0.02	<0.01	<2	0.042	0.006	0.16	9.74	<0.02	0.04	<0.001	<0.01	<0.01	0.03	7.53
645832	Drill Core	10.5	<2	4	6	<0.001	0.027	<0.02	0.01	<2	0.023	0.006	0.17	11.07	<0.02	0.04	<0.001	<0.01	<0.01	0.04	7.10
645833	Drill Core	11.3	<2	3	3	<0.001	0.022	<0.02	<0.01	<2	0.022	0.005	0.18	10.58	<0.02	0.04	<0.001	<0.01	<0.01	0.04	8.64
645834	Drill Core	10.4	<2	8	8	<0.001	0.008	<0.02	<0.01	<2	0.079	0.008	0.15	7.82	<0.02	0.01	<0.001	<0.01	<0.01	0.02	7.00
645835	Drill Core	9.1	<2	3	2	<0.001	0.008	<0.02	<0.01	<2	0.091	0.009	0.16	8.86	<0.02	0.01	<0.001	<0.01	<0.01	0.02	4.33
645836	Drill Core	9.9	3	<3	<2	<0.001	0.004	<0.02	<0.01	<2	0.107	0.010	0.13	8.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.70
645837	Drill Core	10.2	3	9	7	<0.001	0.011	<0.02	<0.01	<2	0.072	0.007	0.14	8.06	<0.02	0.03	<0.001	<0.01	<0.01	0.02	6.82
645838	Drill Core	10.8	<2	35	33	<0.001	0.122	<0.02	<0.01	<2	0.062	0.013	0.14	9.30	<0.02	0.03	<0.001	<0.01	<0.01	0.02	9.99
645839	Drill Core	10.9	<2	12	12	<0.001	0.045	<0.02	<0.01	<2	0.012	0.005	0.16	9.41	<0.02	0.06	<0.001	<0.01	<0.01	0.03	9.62
645840A	Drill Core	11.3	<2	4	3	<0.001	0.017	<0.02	0.01	<2	0.005	0.005	0.19	12.18	<0.02	0.05	<0.001	<0.01	<0.01	0.05	8.65
645840B	Drill Core		<2	<3	2	<0.001	0.017	<0.02	0.01	<2	0.004	0.005	0.19	11.85	<0.02	0.05	<0.001	<0.01	<0.01	0.05	8.84
645841	Drill Core	10.5	<2	9	7	<0.001	0.012	<0.02	0.01	<2	0.007	0.005	0.20	12.06	<0.02	0.04	<0.001	<0.01	<0.01	0.05	8.66
645842	Drill Core	9.4	<2	6	3	<0.001	0.013	<0.02	<0.01	<2	0.112	0.009	0.15	9.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	3.91



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000169.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645815	Drill Core	0.08	0.116	20.31	0.17	1.79	0.22	0.17	<0.01	0.21	0.013	0.086	0.006	0.31	0.96	0.25	N.A.
645816	Drill Core	0.06	0.119	18.45	0.15	1.61	0.15	0.20	<0.01	0.32	0.008	0.104	0.007	0.27	0.66	0.29	N.A.
645817	Drill Core	0.23	0.038	8.15	0.54	5.83	0.88	1.10	<0.01	0.57	0.022	0.012	0.001	0.44	0.25	0.55	N.A.
645818	Drill Core	0.11	0.074	11.17	0.34	4.21	1.02	0.92	<0.01	0.40	0.014	0.039	0.003	0.36	0.36	0.40	N.A.
645819	Drill Core	0.04	0.106	18.85	0.12	1.61	0.11	0.08	<0.01	0.32	0.019	0.116	0.007	0.27	0.64	0.30	N.A.
645820	Drill Core	0.17	0.074	11.48	0.34	4.95	1.30	0.89	<0.01	0.40	0.014	0.055	0.004	0.33	0.31	0.38	N.A.
645821	Drill Core	0.17	0.059	7.34	0.51	6.49	1.74	0.94	<0.01	0.89	0.023	0.013	0.002	0.49	0.14	0.81	N.A.
645822	Drill Core	0.06	0.094	13.19	0.20	4.05	1.43	0.30	<0.01	0.57	0.018	0.058	0.005	0.36	0.41	0.57	2.89
645823	Drill Core	0.04	0.149	17.70	0.13	2.25	0.06	0.15	<0.01	0.54	0.031	0.120	0.006	0.32	0.42	0.54	N.A.
645824	Drill Core	0.04	0.114	17.85	0.14	2.31	0.14	0.18	<0.01	0.27	0.008	0.094	0.006	0.20	0.41	0.25	N.A.
645825	Rock Pulp	<0.01	1.097	13.27	0.18	4.10	0.35	0.11	<0.01	0.45	0.054	0.176	0.007	0.40	0.30	0.49	N.A.
645826	Rock Pulp	<0.01	0.181	21.01	0.02	0.29	0.03	0.10	<0.01	2.91	0.046	0.376	0.024	1.41	1.69	4.21	N.A.
645827	Drill Core	0.16	0.068	11.22	0.45	5.52	0.73	0.51	<0.01	0.24	0.007	0.042	0.003	0.21	0.28	0.28	N.A.
645828	Drill Core	0.41	0.009	5.45	0.75	7.80	1.51	1.09	<0.01	0.82	0.020	0.003	0.001	0.58	0.13	0.81	N.A.
645829	Drill Core	0.15	0.102	15.25	0.30	2.70	0.45	0.28	<0.01	0.57	0.017	0.069	0.005	0.39	0.43	0.56	N.A.
RRE 645829	Drill Core	0.13	0.106	15.62	0.27	2.43	0.39	0.24	<0.01	0.47	0.016	0.073	0.005	0.36	0.45	0.47	N.A.
645830	Drill Core	0.02	0.001	0.31	0.07	7.88	3.69	1.18	<0.01	<0.01	<0.001	<0.001	<0.001	0.07	0.04	<0.02	N.A.
645831	Drill Core	0.14	0.045	9.35	0.54	5.51	1.07	0.73	<0.01	0.38	0.014	0.028	0.002	0.32	0.22	0.38	N.A.
645832	Drill Core	0.15	0.024	8.30	0.68	6.88	1.03	1.12	<0.01	0.64	0.026	0.009	0.001	0.45	0.18	0.72	3.15
645833	Drill Core	0.21	0.025	8.11	0.64	5.78	0.99	0.89	<0.01	0.75	0.021	0.007	0.001	0.58	0.26	0.68	N.A.
645834	Drill Core	0.09	0.083	13.92	0.24	2.83	0.19	0.09	<0.01	0.36	0.008	0.052	0.004	0.23	0.28	0.31	N.A.
645835	Drill Core	0.10	0.115	15.52	0.24	3.45	0.06	0.03	<0.01	0.44	0.007	0.054	0.004	0.26	0.29	0.37	N.A.
645836	Drill Core	0.04	0.098	17.90	0.13	1.66	0.05	0.02	<0.01	0.18	0.003	0.069	0.006	0.15	0.43	0.16	N.A.
645837	Drill Core	0.07	0.087	12.74	0.24	3.20	0.25	0.15	<0.01	0.27	0.011	0.047	0.004	0.23	0.29	0.26	N.A.
645838	Drill Core	0.09	0.060	9.53	0.31	3.70	0.51	0.39	<0.01	2.09	0.116	0.037	0.005	0.99	0.14	2.01	N.A.
645839	Drill Core	0.16	0.020	5.23	0.53	7.57	1.68	0.58	<0.01	1.28	0.045	0.005	0.002	0.79	0.14	1.25	N.A.
645840A	Drill Core	0.25	0.006	5.41	0.79	7.63	1.58	0.94	<0.01	0.53	0.015	0.001	<0.001	0.51	0.16	0.51	N.A.
645840B	Drill Core	0.27	0.006	5.18	0.79	8.12	1.60	0.91	<0.01	0.56	0.015	<0.001	<0.001	0.44	0.12	0.54	N.A.
645841	Drill Core	0.28	0.015	5.83	0.83	7.42	1.66	1.12	<0.01	0.53	0.012	0.001	<0.001	0.36	0.13	0.49	N.A.
645842	Drill Core	0.08	0.163	15.23	0.24	3.15	0.10	0.08	<0.01	0.63	0.013	0.056	0.003	0.28	0.37	0.62	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000169.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645843	Drill Core	10.1	<2	8	5	<0.001	0.025	<0.02	0.01	<2	0.009	0.005	0.19	12.49	<0.02	0.03	<0.001	<0.01	<0.01	0.04	7.34
645844	Drill Core	10.6	<2	9	7	<0.001	0.011	<0.02	0.01	<2	0.008	0.005	0.19	11.00	<0.02	0.04	<0.001	<0.01	<0.01	0.04	8.44
645845	Drill Core	10.4	<2	6	6	<0.001	0.024	<0.02	0.01	<2	0.011	0.005	0.19	11.88	<0.02	0.05	<0.001	<0.01	<0.01	0.04	8.37
645846	Drill Core	10.6	3	5	4	<0.001	0.006	<0.02	0.01	<2	0.030	0.005	0.17	10.53	<0.02	0.05	<0.001	<0.01	<0.01	0.03	7.64
645847	Drill Core	10.6	<2	10	7	<0.001	0.005	<0.02	<0.01	<2	0.009	0.004	0.17	9.24	<0.02	0.06	<0.001	<0.01	<0.01	0.04	8.03
645848	Drill Core	10.3	<2	<3	6	<0.001	0.019	<0.02	0.01	<2	0.004	0.004	0.20	11.08	<0.02	0.07	<0.001	<0.01	<0.01	0.04	9.09
645849	Drill Core	10.9	<2	5	7	<0.001	0.015	<0.02	0.01	<2	0.005	0.004	0.21	12.18	<0.02	0.05	<0.001	<0.01	<0.01	0.05	9.09
645850	Rock Pulp		<2	19	49	0.002	0.058	<0.02	0.02	5	0.231	0.012	0.11	9.48	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.34
645851	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.050	<0.02	<0.01	<2	0.400	0.027	0.12	13.21	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
645852	Drill Core	9.8	<2	5	6	<0.001	0.006	<0.02	<0.01	<2	0.116	0.007	0.14	7.61	<0.02	0.02	<0.001	<0.01	<0.01	0.02	5.58
645853	Drill Core	10.1	<2	4	4	<0.001	0.004	<0.02	<0.01	<2	0.132	0.008	0.15	7.93	<0.02	0.07	<0.001	<0.01	<0.01	0.01	5.20
RRE 645853	Drill Core		<2	4	5	<0.001	0.004	<0.02	<0.01	<2	0.140	0.008	0.16	7.86	<0.02	0.07	<0.001	<0.01	<0.01	0.01	5.19
645854	Drill Core	10.1	<2	4	4	<0.001	0.007	<0.02	<0.01	<2	0.097	0.007	0.16	9.41	<0.02	0.04	<0.001	<0.01	<0.01	0.02	6.12
645855	Drill Core	10.2	<2	9	10	<0.001	0.007	<0.02	<0.01	<2	0.120	0.010	0.14	7.87	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	3.35
645856	Drill Core	10	<2	6	7	<0.001	0.015	<0.02	<0.01	<2	0.005	0.003	0.16	8.26	<0.02	0.07	<0.001	<0.01	<0.01	0.03	7.63
645857	Drill Core	11.1	<2	8	8	<0.001	0.016	<0.02	<0.01	<2	0.006	0.004	0.18	9.81	<0.02	0.07	<0.001	<0.01	<0.01	0.04	8.18
645858	Drill Core	10.1	<2	9	8	<0.001	0.030	<0.02	<0.01	<2	0.005	0.005	0.18	11.32	<0.02	0.05	<0.001	<0.01	<0.01	0.05	8.80
645859	Drill Core	11	<2	11	10	<0.001	0.023	<0.02	0.01	<2	0.006	0.005	0.20	11.19	<0.02	0.05	<0.001	<0.01	<0.01	0.05	8.66
645860	Drill Core	2.2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.19	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.18
645861	Drill Core	11.5	<2	9	9	<0.001	0.019	<0.02	<0.01	<2	0.010	0.005	0.19	11.94	<0.02	0.04	<0.001	<0.01	<0.01	0.05	8.27
645862	Drill Core	11.4	<2	8	10	<0.001	0.012	<0.02	0.01	<2	0.007	0.004	0.19	10.96	<0.02	0.04	<0.001	<0.01	<0.01	0.05	8.86



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 10, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000169.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645843	Drill Core	0.35	0.012	5.93	0.81	6.85	1.60	2.00	<0.01	0.71	0.026	0.001	<0.001	0.39	0.15	0.63	N.A.
645844	Drill Core	0.20	0.014	5.58	0.74	7.06	2.07	1.00	<0.01	0.28	0.011	0.001	<0.001	0.32	0.20	0.28	N.A.
645845	Drill Core	0.37	0.017	5.86	0.79	7.06	1.68	1.23	<0.01	0.78	0.024	0.003	<0.001	0.80	0.40	0.73	N.A.
645846	Drill Core	0.31	0.037	7.10	0.63	6.01	1.66	1.29	<0.01	0.29	0.006	0.014	0.001	0.27	0.36	0.30	N.A.
645847	Drill Core	0.17	0.017	5.17	0.62	7.91	2.10	1.16	<0.01	0.28	0.006	<0.001	<0.001	0.22	0.11	0.28	N.A.
645848	Drill Core	0.31	0.006	4.43	0.76	8.52	2.02	1.07	<0.01	0.69	0.019	<0.001	<0.001	0.55	0.22	0.60	N.A.
645849	Drill Core	0.32	0.008	4.88	0.83	7.67	1.74	1.20	<0.01	0.61	0.016	<0.001	<0.001	0.40	0.12	0.57	N.A.
645850	Rock Pulp	<0.01	1.210	13.57	0.18	4.22	0.36	0.08	<0.01	0.52	0.060	0.183	0.007	0.35	0.37	0.46	N.A.
645851	Rock Pulp	<0.01	0.123	21.27	0.02	0.30	0.03	0.09	<0.01	3.05	0.049	0.388	0.024	1.05	1.49	4.23	N.A.
645852	Drill Core	0.08	0.058	14.48	0.26	3.10	0.34	0.37	<0.01	0.21	0.006	0.054	0.003	0.13	0.67	0.20	3.17
645853	Drill Core	0.07	0.064	14.24	0.23	3.04	0.06	0.12	<0.01	0.27	0.004	0.067	0.004	0.19	0.68	0.23	N.A.
RRE 645853	Drill Core	0.07	0.065	15.19	0.23	2.99	0.04	0.12	<0.01	0.25	0.004	0.069	0.004	0.16	0.68	0.23	N.A.
645854	Drill Core	0.18	0.067	11.91	0.37	3.43	0.43	0.63	<0.01	0.48	0.007	0.021	0.002	0.23	0.41	0.42	N.A.
645855	Drill Core	0.04	0.079	17.86	0.13	1.81	0.16	0.05	<0.01	0.29	0.007	0.071	0.006	0.18	0.83	0.26	N.A.
645856	Drill Core	0.19	0.010	3.74	0.57	7.95	2.88	0.72	<0.01	0.47	0.016	<0.001	<0.001	0.34	0.14	0.41	N.A.
645857	Drill Core	0.23	0.009	4.46	0.66	7.81	1.97	1.07	<0.01	0.52	0.017	<0.001	<0.001	0.31	0.13	0.46	N.A.
645858	Drill Core	0.17	0.007	4.95	0.71	6.77	1.80	1.10	<0.01	0.68	0.031	<0.001	<0.001	0.38	0.14	0.62	N.A.
645859	Drill Core	0.25	0.009	4.96	0.77	7.54	1.62	1.07	<0.01	0.55	0.025	<0.001	<0.001	0.38	0.21	0.51	N.A.
645860	Drill Core	0.02	<0.001	0.23	0.07	8.31	3.63	1.15	<0.01	<0.01	<0.001	<0.001	<0.001	0.10	0.03	<0.02	N.A.
645861	Drill Core	0.23	0.015	5.78	0.77	7.06	1.51	0.94	<0.01	0.42	0.020	<0.001	<0.001	0.34	0.19	0.40	N.A.
645862	Drill Core	0.23	0.012	5.56	0.73	6.88	1.55	1.09	<0.01	0.40	0.013	<0.001	<0.001	0.29	0.13	0.34	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 15, 2007
 Report Date: November 16, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000199.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-235B
 P.O. Number: ACME FILE: A718407
 Number of Samples: 11

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	10	Crush, split and pulverize drill core to 150 mesh		
3B	11	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	11	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	11	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	11	Analysis by Leco	0.1	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000199.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	ppm	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0	0.01	
645863	Drill Core	10.6	<2	8	7	<0.001	0.027	<0.02	0.01	<2	0.012	0.005	0.19	11.01	<0.02	0.05	<0.001	<0.01	<0.01	438.8	8.45
645864	Drill Core	10.9	<2	64	76	<0.001	0.041	<0.02	<0.01	<2	0.195	0.011	0.14	9.00	<0.02	0.02	<0.001	<0.01	<0.01	144.0	4.23
645865	Drill Core	10.8	<2	15	15	<0.001	0.016	<0.02	0.02	<2	0.052	0.006	0.17	9.84	<0.02	0.05	<0.001	<0.01	<0.01	347.1	6.97
645866	Drill Core	11	<2	10	9	<0.001	0.005	<0.02	0.01	<2	0.006	0.004	0.19	10.29	<0.02	0.06	<0.001	<0.01	<0.01	450.4	8.65
645867	Drill Core	10.9	<2	7	3	<0.001	0.008	<0.02	0.01	<2	0.006	0.004	0.17	8.97	<0.02	0.07	<0.001	<0.01	<0.01	380.8	8.00
645868	Drill Core	11.1	<2	8	7	<0.001	0.004	<0.02	0.01	<2	0.006	0.004	0.19	9.67	<0.02	0.06	<0.001	<0.01	<0.01	417.7	7.51
645869	Drill Core	11.2	<2	3	4	<0.001	0.006	<0.02	0.01	<2	0.006	0.004	0.19	9.44	<0.02	0.07	<0.001	<0.01	<0.01	400.4	8.15
645870A	Drill Core	11.2	<2	9	7	<0.001	0.005	<0.02	0.01	<2	0.006	0.004	0.19	8.97	<0.02	0.07	<0.001	<0.01	<0.01	384.7	7.84
645870B	Drill Core		<2	7	6	<0.001	0.005	<0.02	0.01	<2	0.006	0.004	0.19	8.95	<0.02	0.07	<0.001	<0.01	<0.01	383.4	8.00
645871	Drill Core	7.5	<2	5	4	<0.001	0.004	<0.02	<0.01	<2	0.069	0.006	0.17	7.10	<0.02	0.04	<0.001	<0.01	<0.01	173.9	5.36
645871A	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.344	0.015	0.05	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	120.8	3.14



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: November 16, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000199.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S
Analyte	P	Cr	Mg	Ti	Al	Na	K	W		Cu	Ni	Co	Fe	Mg	S/TOT
Unit	%	%	%	ppm	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02
645863	Drill Core	0.22	0.010	5.58	7406	7.20	1.29	1.11	<0.01	0.027	<0.001	0.001	0.57	0.21	0.80
645864	Drill Core	0.08	0.090	14.64	2169	3.28	0.42	0.13	<0.01	0.042	0.060	0.004	0.31	0.40	0.73
645865	Drill Core	0.17	0.040	7.79	5866	6.38	1.35	0.84	<0.01	0.015	0.008	0.001	0.20	0.15	0.37
645866	Drill Core	0.22	0.010	5.10	7483	7.98	1.69	1.18	<0.01	0.005	<0.001	<0.001	0.19	0.08	0.24
645867	Drill Core	0.21	0.009	4.47	6506	8.90	2.20	0.91	<0.01	0.007	<0.001	<0.001	0.29	0.08	0.46
645868	Drill Core	0.21	0.008	5.22	7169	8.37	1.83	1.58	<0.01	0.004	<0.001	<0.001	0.23	0.11	0.30
645869	Drill Core	0.21	0.007	4.79	6712	8.52	1.91	1.14	<0.01	0.006	<0.001	<0.001	0.28	0.11	0.37
645870A	Drill Core	0.20	0.009	4.78	6579	8.24	2.16	0.99	<0.01	0.006	<0.001	<0.001	0.20	0.08	0.27
645870B	Drill Core	0.20	0.009	4.76	6574	8.37	2.16	0.98	<0.01	0.006	<0.001	<0.001	0.29	0.15	0.24
645871	Drill Core	0.09	0.050	10.54	3039	5.57	1.37	0.38	<0.01	0.005	0.003	<0.001	0.09	0.08	0.15
645871A	Rock Pulp	<0.01	0.286	14.96	1413	2.72	0.23	0.05	<0.01	0.095	0.240	0.010	0.60	0.68	0.98

Hole 07-236



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 18, 2007
 Report Date: December 05, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000216.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-236A
 P.O. Number: ACME FILE: A718424
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
G8SG	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 05, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000216.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645872	Drill Core	4.9	<2	6	5	<0.001	0.042	<0.02	<0.01	<2	0.044	0.009	0.08	4.60	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	14.11
645873	Drill Core	11.9	<2	16	29	<0.001	0.013	<0.02	<0.01	<2	0.053	0.007	0.10	5.06	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.22
645874	Drill Core	11.4	<2	46	51	<0.001	0.028	<0.02	<0.01	<2	0.056	0.007	0.09	4.71	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.19
645875	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.053	<0.02	0.02	<2	0.219	0.011	0.10	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.23
645876	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.244	0.017	0.11	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
645877	Drill Core	12.3	<2	27	18	<0.001	0.030	<0.02	<0.01	<2	0.055	0.008	0.10	5.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.26
645878	Drill Core	11.6	<2	15	15	<0.001	0.042	<0.02	<0.01	<2	0.080	0.009	0.10	5.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.21
645879	Drill Core	11.6	<2	16	19	<0.001	0.014	<0.02	<0.01	<2	0.124	0.014	0.15	9.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.04
645880	Drill Core	11.4	<2	9	11	<0.001	0.005	<0.02	<0.01	<2	0.138	0.014	0.14	8.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.44
645881	Drill Core	11.6	<2	15	19	<0.001	0.006	<0.02	<0.01	<2	0.124	0.014	0.14	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.08
645882	Drill Core	11.2	8	19	24	<0.001	0.016	<0.02	<0.01	<2	0.106	0.012	0.15	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.35
645883	Drill Core	10.4	<2	7	12	<0.001	0.014	<0.02	<0.01	<2	0.114	0.014	0.16	9.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.99
645884	Drill Core	10.4	2	9	13	<0.001	0.012	<0.02	<0.01	<2	0.098	0.013	0.16	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.62
645885	Drill Core	11.6	2	20	41	<0.001	0.019	<0.02	<0.01	<2	0.110	0.014	0.16	9.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.09
645886	Drill Core	9.7	3	9	13	<0.001	0.016	<0.02	<0.01	<2	0.117	0.014	0.16	10.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.19
645887	Drill Core	10.9	4	9	20	<0.001	0.023	<0.02	<0.01	<2	0.121	0.014	0.16	9.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.51
645888	Drill Core	10.6	<2	12	17	<0.001	0.030	<0.02	<0.01	<2	0.124	0.015	0.14	9.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.29
RRE 645888	Drill Core		<2	17	18	<0.001	0.031	<0.02	<0.01	<2	0.133	0.016	0.14	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.12
645889	Drill Core	10.4	<2	5	8	<0.001	0.022	<0.02	<0.01	<2	0.133	0.016	0.14	9.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.18
645890	Drill Core	2	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.003	<0.001	0.07	1.26	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.02
645891	Drill Core	10.3	<2	26	25	<0.001	0.009	<0.02	<0.01	<2	0.129	0.014	0.15	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.37
645892	Drill Core	10.3	<2	16	21	<0.001	0.018	<0.02	<0.01	<2	0.137	0.015	0.15	9.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.66
645893	Drill Core	10.4	3	20	35	<0.001	0.045	<0.02	<0.01	<2	0.159	0.015	0.13	8.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.30
645894	Drill Core	10.4	<2	18	23	<0.001	0.024	<0.02	<0.01	<2	0.136	0.015	0.14	9.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.52
645895	Drill Core	10.8	4	14	19	<0.001	0.016	<0.02	<0.01	<2	0.121	0.015	0.15	9.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.38
645896	Drill Core	10.7	<2	27	34	<0.001	0.021	<0.02	<0.01	<2	0.144	0.015	0.15	9.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
645897	Drill Core	10.4	<2	11	25	<0.001	0.031	<0.02	<0.01	<2	0.152	0.018	0.15	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.87
645898	Drill Core	9.9	<2	14	27	<0.001	0.013	<0.02	<0.01	<2	0.096	0.012	0.15	8.95	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.58
645899	Drill Core	9.6	<2	9	14	<0.001	0.009	<0.02	<0.01	<2	0.106	0.013	0.14	8.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.63
645900	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.093	<0.02	<0.01	<2	0.329	0.015	0.05	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.17



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 05, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000216.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645872	Drill Core	<0.01	0.135	11.12	0.14	0.54	0.14	0.01	<0.01	0.72	0.046	0.039	0.006	0.64	0.41	0.74	3.27
645873	Drill Core	0.02	0.135	13.78	0.18	0.97	0.13	0.35	<0.01	0.28	0.014	0.033	0.003	0.25	0.32	0.24	N.A.
645874	Drill Core	<0.01	0.161	12.50	0.13	0.63	0.09	<0.01	<0.01	0.42	0.029	0.048	0.005	0.41	0.70	0.37	N.A.
645875	Rock Pulp	0.01	1.084	13.30	0.19	4.01	0.32	0.11	<0.01	0.49	0.059	0.190	0.007	0.46	0.32	0.46	N.A.
645876	Rock Pulp	<0.01	0.145	23.85	0.02	0.31	<0.01	0.08	<0.01	1.12	0.030	0.227	0.012	1.03	2.58	1.33	N.A.
645877	Drill Core	<0.01	0.147	13.82	0.11	0.40	0.10	0.01	<0.01	0.54	0.031	0.042	0.005	0.35	0.54	0.50	N.A.
645878	Drill Core	<0.01	0.163	14.27	0.11	0.46	0.09	<0.01	<0.01	0.61	0.045	0.060	0.005	0.38	0.46	0.56	N.A.
645879	Drill Core	<0.01	0.161	22.24	0.06	0.32	0.03	0.01	<0.01	0.29	0.014	0.065	0.005	0.44	0.94	0.24	N.A.
645880	Drill Core	<0.01	0.206	24.23	0.06	0.44	0.05	0.03	<0.01	0.12	0.005	0.052	0.004	0.44	1.23	0.12	N.A.
645881	Drill Core	<0.01	0.145	23.81	0.06	0.40	0.05	0.05	<0.01	0.10	0.006	0.035	0.003	0.38	1.09	0.10	N.A.
645882	Drill Core	<0.01	0.135	20.62	0.08	0.60	0.05	0.06	<0.01	0.22	0.016	0.059	0.006	0.38	0.96	0.21	3.15
645883	Drill Core	<0.01	0.131	22.45	0.04	0.22	0.02	<0.01	<0.01	0.20	0.013	0.052	0.005	0.46	1.25	0.19	N.A.
645884	Drill Core	<0.01	0.130	21.68	0.10	0.57	0.08	0.12	<0.01	0.20	0.012	0.047	0.005	0.40	1.02	0.20	N.A.
645885	Drill Core	<0.01	0.151	22.25	0.05	0.28	0.03	0.01	<0.01	0.36	0.019	0.062	0.006	0.53	1.46	0.31	N.A.
645886	Drill Core	0.01	0.175	20.42	0.10	0.64	0.02	<0.01	<0.01	0.36	0.014	0.090	0.009	0.40	1.10	0.36	N.A.
645887	Drill Core	<0.01	0.170	23.20	0.04	0.27	0.02	<0.01	<0.01	0.35	0.022	0.073	0.007	0.56	1.51	0.37	N.A.
645888	Drill Core	0.02	0.153	20.44	0.13	0.88	0.06	0.15	<0.01	0.52	0.029	0.099	0.009	0.45	0.92	0.56	N.A.
RRE 645888	Drill Core	0.02	0.159	20.51	0.12	0.77	0.06	0.10	<0.01	0.56	0.031	0.108	0.010	0.50	1.07	0.65	N.A.
645889	Drill Core	0.01	0.174	22.22	0.07	0.51	0.02	0.14	<0.01	0.38	0.023	0.076	0.007	0.62	1.52	0.38	N.A.
645890	Drill Core	0.02	0.004	0.54	0.07	7.96	3.69	1.16	<0.01	0.02	<0.001	0.002	<0.001	0.09	0.08	<0.02	N.A.
645891	Drill Core	<0.01	0.160	23.17	0.06	0.32	0.02	<0.01	<0.01	0.12	0.010	0.053	0.005	0.52	1.63	0.11	N.A.
645892	Drill Core	<0.01	0.167	25.77	0.04	0.22	0.02	0.01	<0.01	0.11	0.019	0.051	0.005	0.60	1.81	0.10	3.24
645893	Drill Core	<0.01	0.152	23.15	0.05	0.25	0.03	<0.01	<0.01	0.47	0.050	0.110	0.008	0.66	1.49	0.46	N.A.
645894	Drill Core	<0.01	0.176	24.41	0.05	0.26	0.01	<0.01	<0.01	0.30	0.026	0.072	0.006	0.54	1.42	0.30	N.A.
645895	Drill Core	0.01	0.181	24.61	0.05	0.39	0.01	0.09	<0.01	0.19	0.015	0.054	0.005	0.55	1.58	0.22	N.A.
645896	Drill Core	<0.01	0.194	25.56	0.03	0.28	<0.01	<0.01	<0.01	0.13	0.021	0.062	0.005	0.51	1.50	0.12	N.A.
645897	Drill Core	<0.01	0.161	24.53	0.02	0.13	<0.01	<0.01	<0.01	0.38	0.035	0.094	0.008	0.69	1.81	0.39	N.A.
645898	Drill Core	0.03	0.107	19.39	0.16	1.61	0.04	0.80	<0.01	0.21	0.014	0.055	0.006	0.37	0.93	0.22	N.A.
645899	Drill Core	<0.01	0.161	23.36	0.04	0.21	0.01	0.05	<0.01	0.10	0.009	0.046	0.005	0.48	1.76	0.10	N.A.
645900	Rock Pulp	<0.01	0.420	14.49	0.14	2.85	0.24	0.05	<0.01	0.93	0.095	0.246	0.010	0.74	0.83	1.01	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 05, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000216.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645901	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.242	0.016	0.12	8.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
645902	Drill Core	10.2	<2	17	25	<0.001	0.014	<0.02	<0.01	<2	0.075	0.009	0.12	7.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.78
645903	Drill Core	10.3	<2	17	17	<0.001	0.020	<0.02	<0.01	<2	0.081	0.009	0.12	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	8.24
645904	Drill Core	10.4	3	8	13	<0.001	0.015	<0.02	<0.01	<2	0.086	0.010	0.13	7.49	<0.02	0.04	<0.001	<0.01	<0.01	<0.01	6.88
645905	Drill Core	9.4	<2	13	22	<0.001	0.022	<0.02	<0.01	2	0.102	0.012	0.13	8.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.57
645906	Drill Core	10.6	<2	10	12	<0.001	0.016	<0.02	<0.01	<2	0.082	0.011	0.11	6.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.10
645907	Drill Core	8.7	<2	24	22	<0.001	0.006	<0.02	<0.01	<2	0.070	0.011	0.13	7.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.95
645908	Drill Core	9	<2	21	10	<0.001	0.007	<0.02	<0.01	<2	0.085	0.011	0.14	7.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.80
645909	Drill Core	9.1	<2	16	20	<0.001	0.012	<0.02	<0.01	<2	0.072	0.010	0.12	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.55
645910	Drill Core	9.7	<2	30	27	<0.001	0.022	<0.02	<0.01	<2	0.094	0.014	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.00
RRE 645910	Drill Core		<2	23	29	<0.001	0.019	<0.02	<0.01	<2	0.091	0.013	0.13	7.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.71
645911	Drill Core	9.7	7	14	18	<0.001	0.009	<0.02	<0.01	<2	0.074	0.010	0.13	7.15	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	6.69
645912	Drill Core	9.4	7	28	30	<0.001	0.015	<0.02	<0.01	<2	0.050	0.007	0.12	5.55	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.40
645913	Drill Core	9.5	<2	11	19	<0.001	0.016	<0.02	<0.01	<2	0.041	0.006	0.13	5.48	<0.02	0.01	<0.001	<0.01	<0.01	0.01	11.90
645914	Drill Core	9.6	6	12	16	<0.001	0.007	<0.02	<0.01	<2	0.072	0.011	0.13	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.95
645915	Drill Core	10.1	3	8	12	<0.001	0.006	<0.02	<0.01	<2	0.046	0.008	0.11	5.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.03
645916	Drill Core	8.3	<2	10	16	<0.001	0.005	<0.02	<0.01	<2	0.069	0.012	0.15	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.10
645917	Drill Core	10.8	<2	4	6	<0.001	0.004	<0.02	<0.01	<2	0.085	0.012	0.16	10.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.01
645918	Drill Core	9.9	3	10	15	<0.001	0.008	<0.02	<0.01	<2	0.077	0.010	0.15	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.23



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 05, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000216.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645901	Rock Pulp	<0.01	0.134	24.00	0.02	0.30	<0.01	0.08	<0.01	1.13	0.032	0.227	0.013	0.99	2.56	1.28	N.A.
645902	Drill Core	0.01	0.126	17.52	0.12	0.92	0.05	0.04	<0.01	0.14	0.015	0.039	0.004	0.36	1.03	0.12	N.A.
645903	Drill Core	<0.01	0.130	17.44	0.09	0.45	0.06	<0.01	<0.01	0.16	0.020	0.047	0.004	0.29	0.90	0.11	N.A.
645904	Drill Core	0.01	0.127	18.04	0.10	0.79	0.05	0.03	<0.01	0.17	0.015	0.049	0.005	0.37	1.13	0.14	N.A.
645905	Drill Core	<0.01	0.134	20.61	0.08	0.76	0.04	0.06	<0.01	0.19	0.024	0.064	0.006	0.39	1.07	0.21	N.A.
645906	Drill Core	<0.01	0.140	19.01	0.07	0.32	0.04	<0.01	<0.01	0.18	0.021	0.073	0.006	0.36	0.95	0.28	N.A.
645907	Drill Core	<0.01	0.085	19.43	0.08	0.47	0.03	<0.01	<0.01	0.10	0.016	0.054	0.006	0.27	0.86	0.26	N.A.
645908	Drill Core	<0.01	0.122	20.19	0.08	0.47	0.04	<0.01	<0.01	0.10	0.008	0.050	0.006	0.20	0.67	0.15	N.A.
645909	Drill Core	<0.01	0.113	17.60	0.11	0.74	0.05	0.02	<0.01	0.17	0.013	0.053	0.007	0.20	0.60	0.24	N.A.
645910	Drill Core	<0.01	0.125	21.10	0.07	0.34	0.03	<0.01	<0.01	0.35	0.023	0.067	0.009	0.28	0.78	0.44	N.A.
RRE 645910	Drill Core	<0.01	0.124	21.35	0.06	0.33	0.03	<0.01	<0.01	0.30	0.020	0.063	0.008	0.26	0.76	0.38	N.A.
645911	Drill Core	0.01	0.115	18.27	0.14	0.91	0.04	0.04	<0.01	0.08	0.010	0.048	0.006	0.16	0.61	0.12	N.A.
645912	Drill Core	<0.01	0.115	13.16	0.17	1.00	0.06	<0.01	<0.01	0.24	0.015	0.039	0.005	0.15	0.43	0.27	N.A.
645913	Drill Core	0.04	0.149	12.49	0.23	1.43	0.07	0.04	<0.01	0.11	0.017	0.028	0.004	0.12	0.27	0.15	N.A.
645914	Drill Core	<0.01	0.094	18.43	0.08	0.49	0.03	<0.01	<0.01	0.12	0.007	0.047	0.007	0.16	0.62	0.15	N.A.
645915	Drill Core	<0.01	0.109	13.98	0.10	0.53	0.04	<0.01	<0.01	0.12	0.007	0.036	0.006	0.15	0.50	0.17	N.A.
645916	Drill Core	<0.01	0.093	21.38	0.07	0.35	0.03	<0.01	<0.01	0.12	0.005	0.036	0.005	0.26	0.89	0.15	N.A.
645917	Drill Core	<0.01	0.103	22.49	0.06	0.28	0.03	<0.01	<0.01	0.11	0.004	0.044	0.005	0.27	0.91	0.15	N.A.
645918	Drill Core	<0.01	0.104	19.84	0.11	0.47	0.04	<0.01	<0.01	0.16	0.009	0.046	0.005	0.25	0.76	0.19	N.A.

CERTIFICATE OF ANALYSIS

SMI07000228.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-236B
 P.O. Number: ACME FILE: A718445
 Number of Samples: 21

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	19	Crush, split and pulverize drill core to 150 mesh		
3B	19	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	21	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	21	Phosphoric acid leach, ICP-ES analysis	1	Completed
2A (Total S)	21	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 13, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000228.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645919	Drill Core	9.6	<2	22	26	<0.001	0.016	<0.02	<0.01	<2	0.088	0.011	0.15	9.66	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	5.17
645920	Drill Core	1.5	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.08	1.31	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.98
645921	Drill Core	10.3	<2	15	22	<0.001	0.040	<0.02	<0.01	<2	0.077	0.012	0.13	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	8.05
645922	Drill Core	10.1	<2	25	23	<0.001	0.049	<0.02	<0.01	<2	0.056	0.014	0.12	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.55
645923	Drill Core	9.7	<2	19	28	<0.001	0.037	<0.02	<0.01	<2	0.065	0.010	0.13	8.76	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	7.64
645924	Drill Core	9.7	<2	20	21	<0.001	0.034	<0.02	<0.01	<2	0.039	0.007	0.13	7.91	<0.02	0.01	<0.001	<0.01	<0.01	0.03	11.07
645925	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.018	<0.02	<0.01	<2	0.062	0.003	<0.01	1.76	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
645926	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.241	0.016	0.11	9.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
645927	Drill Core	10.2	<2	5	10	<0.001	0.053	<0.02	<0.01	<2	0.022	0.011	0.13	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	10.33
645928	Drill Core	9.5	50	3	4	<0.001	0.063	<0.02	<0.01	<2	0.011	0.011	0.12	8.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	10.17
645929	Drill Core	9.3	3	<3	8	<0.001	0.034	<0.02	0.04	<2	0.052	0.011	0.12	9.92	<0.02	0.02	<0.001	<0.01	<0.01	0.05	7.89
645930A	Drill Core	8.9	<2	<3	3	0.001	0.006	<0.02	0.03	<2	0.070	0.006	0.09	6.07	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.19
645930B	Drill Core		<2	<3	4	<0.001	0.005	<0.02	0.03	<2	0.063	0.006	0.09	5.87	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.07
645931	Drill Core	8.6	7	<3	6	0.003	0.012	<0.02	0.05	<2	0.013	0.002	0.09	4.53	<0.02	<0.01	<0.001	<0.01	<0.01	0.04	1.30
RRE 645931	Drill Core		9	<3	7	0.003	0.012	<0.02	0.04	<2	0.011	0.002	0.09	4.39	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	1.20
645932	Drill Core	8.3	8	<3	6	0.001	0.007	<0.02	0.02	<2	0.011	0.001	0.10	2.75	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	1.44
645933	Drill Core	8.3	7	<3	4	<0.001	0.007	<0.02	0.01	<2	0.007	0.002	0.16	3.31	<0.02	0.02	<0.001	<0.01	<0.01	0.01	2.10
645934	Drill Core	8.6	8	<3	5	0.001	0.008	<0.02	0.02	<2	0.016	0.002	0.14	3.88	<0.02	0.02	<0.001	<0.01	<0.01	0.02	3.19
645935	Drill Core	4.6	11	21	29	<0.001	0.014	<0.02	0.01	<2	0.173	0.010	0.17	5.53	0.09	0.07	<0.001	<0.01	<0.01	<0.01	7.76
645936	Drill Core	8.2	24	<3	5	<0.001	0.009	<0.02	0.01	<2	0.101	0.007	0.11	5.79	<0.02	0.04	<0.001	<0.01	<0.01	0.01	4.48
645937	Drill Core	4.9	4	15	8	0.002	0.006	<0.02	0.03	<2	0.017	0.002	0.11	4.81	<0.02	0.04	<0.001	<0.01	<0.01	0.03	3.53



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 13, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000228.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645919	Drill Core	0.02	0.142	18.94	0.13	0.90	0.04	0.10	<0.01	0.29	0.015	0.060	0.007	0.34	0.71	0.39	N.A.
645920	Drill Core	0.02	<0.001	0.25	0.09	7.95	3.74	1.25	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	<0.01	<0.02	N.A.
645921	Drill Core	<0.01	0.158	15.83	0.14	0.54	0.05	<0.01	<0.01	0.56	0.040	0.064	0.009	0.49	0.63	0.78	N.A.
645922	Drill Core	<0.01	0.163	13.29	0.15	0.67	0.07	<0.01	<0.01	1.13	0.051	0.051	0.013	0.84	0.40	1.75	3.15
645923	Drill Core	<0.01	0.117	14.59	0.16	0.81	0.05	<0.01	<0.01	0.83	0.037	0.055	0.009	0.58	0.36	1.29	N.A.
645924	Drill Core	0.04	0.122	11.73	0.31	1.61	0.13	0.02	<0.01	0.64	0.035	0.031	0.005	0.50	0.26	1.00	N.A.
645925	Rock Pulp	<0.01	0.061	2.73	0.03	0.48	0.04	<0.01	<0.01	0.16	0.090	0.247	0.011	0.99	1.20	1.04	N.A.
645926	Rock Pulp	<0.01	0.130	23.80	0.02	0.30	<0.01	0.07	<0.01	1.07	0.030	0.212	0.013	1.13	3.03	1.44	N.A.
645927	Drill Core	0.02	0.093	11.91	0.28	1.48	0.11	0.02	<0.01	1.24	0.055	0.016	0.009	0.81	0.23	1.93	N.A.
645928	Drill Core	<0.01	0.071	11.85	0.21	1.10	0.16	0.04	<0.01	1.34	0.069	0.009	0.009	1.09	0.30	2.02	N.A.
645929	Drill Core	0.10	0.135	9.09	0.53	3.70	0.26	1.87	<0.01	0.95	0.034	0.031	0.007	0.51	0.12	1.20	N.A.
645930A	Drill Core	0.05	0.099	10.21	0.32	4.68	1.06	1.14	<0.01	0.87	0.006	0.046	0.003	0.34	0.12	1.26	N.A.
645930B	Drill Core	0.05	0.093	9.59	0.32	4.89	1.06	1.32	<0.01	0.82	0.005	0.041	0.003	0.32	0.12	1.22	N.A.
645931	Drill Core	0.05	0.013	1.86	0.31	6.74	1.34	2.92	<0.01	1.37	0.013	0.009	<0.001	0.50	0.08	1.80	N.A.
RRE 645931	Drill Core	0.05	0.014	1.84	0.29	6.51	1.42	2.85	<0.01	1.27	0.013	0.009	<0.001	0.50	0.09	1.67	N.A.
645932	Drill Core	0.05	0.009	1.83	0.17	4.61	0.45	1.77	<0.01	0.62	0.008	0.008	<0.001	0.36	0.09	0.80	2.72
645933	Drill Core	0.05	0.007	1.59	0.11	4.71	0.76	1.44	<0.01	0.49	0.008	0.004	<0.001	0.33	0.10	0.72	N.A.
645934	Drill Core	0.07	0.019	2.78	0.11	4.11	0.83	1.21	<0.01	0.92	0.008	0.011	0.001	1.04	0.83	1.12	N.A.
645935	Drill Core	0.01	0.185	11.74	0.02	1.47	0.04	0.09	<0.01	0.69	0.014	0.152	0.009	1.45	2.32	0.85	N.A.
645936	Drill Core	0.04	0.139	12.11	0.03	2.27	0.09	0.11	<0.01	0.83	0.009	0.087	0.006	1.04	1.66	1.11	N.A.
645937	Drill Core	0.07	0.023	3.26	0.15	6.60	1.43	1.72	<0.01	0.86	0.006	0.012	0.002	1.15	0.97	1.10	N.A.

Hole 07-237

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 04, 2007
 Report Date: December 14, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000250.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-237A
 P.O. Number: ACME FILE: A718449
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	46	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Phosphoric acid leach, ICP-ES analysis	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000250.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357901	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.339	0.016	0.05	9.59	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.27
357902	Drill Core	5.7	<2	9	9	<0.001	0.044	<0.02	<0.01	<2	0.023	0.015	0.11	8.48	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.17
357903	Drill Core	8.4	<2	5	9	<0.001	0.055	<0.02	<0.01	<2	0.049	0.019	0.12	9.93	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.37
357904	Drill Core	8.7	<2	6	11	<0.001	0.061	<0.02	<0.01	<2	0.014	0.012	0.14	10.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.98
357905	Drill Core	9.1	<2	22	33	<0.001	0.036	<0.02	<0.01	<2	0.053	0.008	0.11	6.16	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.24
357906	Drill Core	9.3	4	23	30	<0.001	0.033	<0.02	<0.01	<2	0.046	0.008	0.13	6.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.24
357907	Drill Core	9.5	<2	18	20	<0.001	0.029	<0.02	<0.01	<2	0.046	0.007	0.15	7.36	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.40
357908	Drill Core	9.1	<2	14	18	<0.001	0.064	<0.02	<0.01	<2	0.038	0.010	0.13	8.23	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.79
357909	Drill Core	9.3	<2	36	34	<0.001	0.140	<0.02	<0.01	<2	0.064	0.017	0.14	11.90	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	8.83
357910A	Drill Core	8.5	<2	29	29	<0.001	0.081	<0.02	<0.01	<2	0.085	0.018	0.14	10.40	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	7.46
357910B	Drill Core		<2	22	24	<0.001	0.084	<0.02	<0.01	<2	0.088	0.018	0.14	10.89	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	7.27
357911	Drill Core	9	<2	85	102	<0.001	0.053	<0.02	<0.01	<2	0.108	0.013	0.15	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	6.24
357912	Drill Core	8.8	3	39	36	<0.001	0.071	<0.02	<0.01	<2	0.170	0.014	0.12	9.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.80
RRE 357912	Drill Core		3	31	33	<0.001	0.069	<0.02	<0.01	<2	0.167	0.014	0.12	9.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.75
357913	Drill Core	8	37	32	32	<0.001	0.020	<0.02	<0.01	<2	0.128	0.012	0.12	9.26	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.57
357914	Drill Core	8.5	2	13	15	<0.001	0.021	<0.02	<0.01	<2	0.115	0.012	0.14	9.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
357915	Drill Core	8	4	38	32	<0.001	0.033	<0.02	<0.01	<2	0.113	0.012	0.13	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
357916	Drill Core	7.8	3	27	27	<0.001	0.029	<0.02	<0.01	<2	0.100	0.012	0.15	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
357917	Drill Core	8.6	2	26	21	<0.001	0.025	<0.02	<0.01	<2	0.117	0.013	0.14	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
357918	Drill Core	8.5	<2	14	11	<0.001	0.009	<0.02	<0.01	<2	0.097	0.013	0.15	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
357919	Drill Core	8	<2	31	26	<0.001	0.013	<0.02	<0.01	<2	0.095	0.013	0.13	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.44
357920	Drill Core	0.8	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	1.14	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.98
357921	Drill Core	8.3	<2	33	36	<0.001	0.014	<0.02	<0.01	<2	0.087	0.010	0.13	8.54	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.37
357922	Drill Core	8.4	<2	67	66	<0.001	0.030	<0.02	<0.01	<2	0.119	0.013	0.14	8.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.93
357923	Drill Core	8.5	<2	56	70	<0.001	0.015	<0.02	<0.01	<2	0.136	0.013	0.14	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
357924	Drill Core	8.3	5	121	143	<0.001	0.013	<0.02	<0.01	<2	0.135	0.013	0.12	9.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
357925	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.968	<0.02	0.02	4	1.225	0.037	0.10	20.44	<0.02	0.02	<0.001	<0.01	<0.01	0.01	3.36
357926	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.032	<0.02	<0.01	<2	0.256	0.016	0.11	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
357927	Drill Core	8.3	3	74	68	<0.001	0.022	<0.02	<0.01	<2	0.146	0.013	0.16	9.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.26
357928	Drill Core	9	2	104	107	<0.001	0.023	<0.02	<0.01	<2	0.181	0.014	0.16	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.51



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000250.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357901	Rock Pulp	<0.01	0.393	14.80	0.14	2.95	0.24	0.05	<0.01	0.85	0.086	0.247	0.010	0.52	1.00	N.A.	
357902	Drill Core	<0.01	0.082	12.38	0.15	0.86	0.12	<0.01	<0.01	1.03	0.044	0.020	0.013	0.55	0.29	1.33	N.A.
357903	Drill Core	<0.01	0.061	11.44	0.16	1.16	0.08	0.01	<0.01	0.62	0.056	0.047	0.016	0.34	0.35	0.82	N.A.
357904	Drill Core	0.02	0.036	10.84	0.22	1.79	0.06	<0.01	<0.01	0.21	0.062	0.010	0.007	0.26	0.42	0.32	N.A.
357905	Drill Core	0.01	0.092	11.64	0.21	1.11	0.09	<0.01	<0.01	0.39	0.035	0.050	0.006	0.25	0.34	0.53	N.A.
357906	Drill Core	0.01	0.091	11.90	0.24	1.27	0.08	0.02	<0.01	0.42	0.034	0.043	0.006	0.25	0.35	0.60	N.A.
357907	Drill Core	<0.01	0.093	11.64	0.17	0.67	0.11	0.02	<0.01	0.66	0.029	0.043	0.006	0.30	0.40	0.90	N.A.
357908	Drill Core	<0.01	0.056	11.56	0.20	1.03	0.07	<0.01	<0.01	1.24	0.066	0.039	0.009	0.51	0.39	1.70	N.A.
357909	Drill Core	0.01	0.054	12.74	0.15	0.74	0.04	<0.01	<0.01	2.03	0.143	0.063	0.016	0.74	0.48	2.82	N.A.
357910A	Drill Core	0.03	0.055	14.77	0.19	1.84	0.02	0.01	<0.01	0.59	0.081	0.082	0.016	0.29	0.54	0.86	N.A.
357910B	Drill Core	0.04	0.056	14.88	0.19	1.84	0.02	0.01	<0.01	0.60	0.086	0.087	0.017	0.31	0.66	0.84	N.A.
357911	Drill Core	0.03	0.090	15.86	0.18	1.76	0.02	<0.01	<0.01	0.24	0.050	0.102	0.011	0.22	0.52	0.34	N.A.
357912	Drill Core	0.02	0.050	19.58	0.12	1.30	<0.01	<0.01	<0.01	0.38	0.060	0.174	0.013	0.31	0.81	0.40	2.86
RRE 357912	Drill Core	0.02	0.045	19.62	0.12	1.28	<0.01	<0.01	<0.01	0.36	0.059	0.169	0.013	0.30	0.75	0.47	N.A.
357913	Drill Core	<0.01	0.135	20.59	0.05	0.39	<0.01	<0.01	<0.01	0.35	0.017	0.118	0.011	0.22	0.95	0.47	N.A.
357914	Drill Core	<0.01	0.171	21.65	0.04	0.20	<0.01	<0.01	<0.01	0.23	0.013	0.094	0.010	0.20	1.06	0.25	N.A.
357915	Drill Core	<0.01	0.120	22.62	0.03	0.20	<0.01	<0.01	<0.01	0.25	0.020	0.096	0.010	0.20	0.99	0.29	N.A.
357916	Drill Core	<0.01	0.116	21.94	0.03	0.18	<0.01	<0.01	<0.01	0.29	0.021	0.092	0.011	0.31	1.42	0.24	N.A.
357917	Drill Core	<0.01	0.188	22.61	0.04	0.19	<0.01	<0.01	<0.01	0.25	0.017	0.106	0.011	0.21	1.37	0.28	N.A.
357918	Drill Core	<0.01	0.127	22.75	0.04	0.23	<0.01	<0.01	<0.01	0.21	0.006	0.096	0.011	0.17	1.18	0.27	N.A.
357919	Drill Core	<0.01	0.067	22.43	0.05	0.28	<0.01	<0.01	<0.01	0.21	0.009	0.088	0.011	0.16	0.99	0.25	N.A.
357920	Drill Core	0.01	0.002	0.47	0.07	7.95	3.70	1.14	<0.01	<0.01	<0.001	0.001	<0.001	0.07	0.08	<0.02	N.A.
357921	Drill Core	0.03	0.105	20.14	0.15	1.22	<0.01	<0.01	<0.01	0.20	0.008	0.079	0.009	0.14	0.93	0.24	N.A.
357922	Drill Core	<0.01	0.116	22.20	0.08	0.52	<0.01	<0.01	<0.01	0.29	0.019	0.111	0.011	0.21	1.00	0.35	2.73
357923	Drill Core	<0.01	0.206	22.86	0.04	0.31	<0.01	<0.01	<0.01	0.28	0.009	0.126	0.011	0.21	1.41	0.32	N.A.
357924	Drill Core	<0.01	0.209	22.12	0.08	0.48	<0.01	<0.01	<0.01	0.26	0.008	0.121	0.011	0.22	1.30	0.30	N.A.
357925	Rock Pulp	0.05	0.024	2.67	0.31	5.64	1.51	0.84	<0.01	6.61	0.979	1.105	0.032	2.37	0.05	8.81	N.A.
357926	Rock Pulp	<0.01	0.145	23.68	0.02	0.32	<0.01	0.07	<0.01	1.11	0.029	0.226	0.012	0.83	2.18	1.41	N.A.
357927	Drill Core	<0.01	0.149	23.38	0.03	0.24	<0.01	<0.01	<0.01	0.22	0.015	0.131	0.011	0.21	1.32	0.25	N.A.
357928	Drill Core	<0.01	0.168	22.13	0.06	0.51	<0.01	<0.01	<0.01	0.26	0.015	0.160	0.011	0.22	1.14	0.31	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000250.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357929	Drill Core	8.7	3	74	64	<0.001	0.021	<0.02	<0.01	<2	0.172	0.013	0.13	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
357930	Drill Core	7.3	3	36	35	<0.001	0.020	<0.02	<0.01	<2	0.128	0.011	0.09	9.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
357931	Drill Core	8.8	3	32	39	<0.001	0.029	<0.02	<0.01	<2	0.182	0.012	0.15	9.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
357932	Drill Core	8.5	2	134	146	<0.001	0.029	<0.02	<0.01	<2	0.192	0.012	0.09	8.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
357933	Drill Core	10.3	7	244	244	<0.001	0.042	<0.02	<0.01	<2	0.310	0.016	0.12	8.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
357934	Drill Core	8.7	5	132	119	<0.001	0.050	<0.02	<0.01	<2	0.251	0.018	0.12	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
357935	Drill Core	8.1	4	114	103	<0.001	0.080	<0.02	<0.01	<2	0.267	0.026	0.13	11.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.31
357936	Drill Core	7.5	5	73	101	<0.001	0.176	<0.02	<0.01	<2	0.288	0.031	0.10	13.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.48
357937	Drill Core	9.4	7	58	54	<0.001	0.277	<0.02	<0.01	<2	0.206	0.022	0.13	12.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
357938	Drill Core	9.4	4	107	137	<0.001	0.230	<0.02	<0.01	<2	0.269	0.024	0.13	12.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
357939	Drill Core	9.1	2	110	75	<0.001	0.132	<0.02	<0.01	<2	0.170	0.017	0.15	11.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
357940A	Drill Core	9.1	<2	51	57	<0.001	0.040	<0.02	<0.01	<2	0.133	0.015	0.12	9.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.19
357940B	Drill Core		<2	42	75	<0.001	0.039	<0.02	<0.01	<2	0.145	0.016	0.12	10.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.18
357941	Drill Core	7.7	<2	208	247	<0.001	0.061	<0.02	<0.01	<2	0.195	0.013	0.12	9.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.06
357942	Drill Core	8.3	3	113	173	<0.001	0.032	<0.02	<0.01	<2	0.244	0.014	0.13	9.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
357943	Drill Core	7.6	3	405	444	<0.001	0.022	<0.02	<0.01	<2	0.229	0.014	0.12	9.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
357944	Drill Core	9.2	<2	265	297	<0.001	0.047	<0.02	<0.01	<2	0.269	0.014	0.12	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.56
357945	Drill Core	9.1	3	427	419	<0.001	0.053	<0.02	<0.01	<2	0.246	0.021	0.11	8.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52
357946	Drill Core	9.2	3	143	85	<0.001	0.208	<0.02	<0.01	<2	0.187	0.027	0.17	10.82	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.75



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000250.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357929	Drill Core	<0.01	0.161	21.49	0.08	0.73	<0.01	<0.01	<0.01	0.29	0.012	0.145	0.010	0.21	0.95	0.34	N.A.
357930	Drill Core	<0.01	0.145	20.96	0.11	0.61	<0.01	0.01	<0.01	0.30	0.012	0.113	0.009	0.18	0.81	0.38	N.A.
357931	Drill Core	<0.01	0.094	22.73	0.03	0.31	<0.01	0.03	<0.01	0.48	0.023	0.182	0.011	0.33	1.20	0.59	N.A.
357932	Drill Core	0.02	0.078	21.95	0.09	0.45	<0.01	0.01	<0.01	0.53	0.022	0.184	0.011	0.39	1.17	0.68	2.80
357933	Drill Core	<0.01	0.095	23.63	0.02	0.17	<0.01	<0.01	<0.01	1.11	0.029	0.293	0.015	0.49	1.41	1.23	N.A.
357934	Drill Core	<0.01	0.119	22.88	0.02	0.17	<0.01	<0.01	<0.01	1.03	0.033	0.213	0.015	0.39	1.00	1.23	N.A.
357935	Drill Core	<0.01	0.152	22.28	0.02	0.19	<0.01	<0.01	<0.01	1.39	0.059	0.231	0.022	0.47	1.01	1.68	N.A.
357936	Drill Core	<0.01	0.139	20.94	0.03	0.34	<0.01	<0.01	<0.01	2.34	0.128	0.225	0.025	0.63	0.79	2.78	N.A.
357937	Drill Core	<0.01	0.110	21.36	0.09	0.31	<0.01	<0.01	<0.01	1.95	0.218	0.174	0.019	0.77	1.00	2.27	N.A.
357938	Drill Core	<0.01	0.126	22.49	0.01	0.11	<0.01	<0.01	<0.01	2.17	0.183	0.222	0.020	0.79	0.89	2.46	N.A.
357939	Drill Core	<0.01	0.174	21.82	0.02	0.13	<0.01	<0.01	<0.01	1.15	0.104	0.145	0.014	0.54	1.35	1.37	N.A.
357940A	Drill Core	<0.01	0.128	21.18	0.04	0.42	<0.01	<0.01	<0.01	0.65	0.031	0.112	0.012	0.26	0.90	0.74	N.A.
357940B	Drill Core	<0.01	0.142	21.70	0.03	0.36	<0.01	<0.01	<0.01	0.67	0.030	0.123	0.013	0.27	0.90	0.77	N.A.
357941	Drill Core	<0.01	0.059	21.96	0.06	0.45	<0.01	<0.01	<0.01	0.84	0.047	0.169	0.011	0.37	0.97	0.95	N.A.
357942	Drill Core	<0.01	0.055	22.53	0.05	0.45	<0.01	<0.01	<0.01	0.79	0.020	0.208	0.012	0.35	0.96	0.85	N.A.
357943	Drill Core	0.01	0.095	21.87	0.10	0.49	<0.01	<0.01	<0.01	0.58	0.013	0.203	0.012	0.33	0.96	0.65	N.A.
357944	Drill Core	<0.01	0.238	23.03	0.07	0.47	<0.01	<0.01	<0.01	0.66	0.029	0.215	0.011	0.36	0.77	0.71	N.A.
357945	Drill Core	<0.01	0.196	22.53	0.05	0.41	<0.01	0.01	<0.01	0.69	0.035	0.206	0.016	0.42	1.13	0.78	N.A.
357946	Drill Core	<0.01	0.342	21.72	0.02	0.17	<0.01	<0.01	<0.01	0.84	0.157	0.155	0.022	0.58	1.36	0.88	N.A.

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 04, 2007
 Report Date: December 14, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000248.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-237B
 P.O. Number: ACME FILE: A718447
 Number of Samples: 40

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	36	Crush, split and pulverize drill core to 150 mesh		
3B	36	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	40	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	40	Phosphoric acid leach, ICP-ES analysis	1	Completed
2A (Total S)	40	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000248.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357947	Drill Core	8.7	<2	21	25	<0.001	0.058	<0.02	<0.01	2	0.116	0.023	0.13	10.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.05
357948	Drill Core	9.3	<2	28	44	<0.001	0.104	<0.02	<0.01	<2	0.187	0.027	0.13	11.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.52
357949	Drill Core	9.4	<2	31	47	<0.001	0.143	<0.02	<0.01	<2	0.192	0.030	0.12	12.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.49
357950	Rock Pulp		I.S.	I.S.	I.S.	0.003	0.408	0.14	0.03	11	0.093	0.003	0.11	7.07	0.02	0.05	<0.001	<0.01	<0.01	0.01	3.27
357951	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.049	<0.02	<0.01	<2	0.406	0.028	0.13	13.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.14
357952	Drill Core	9.5	<2	32	42	<0.001	0.102	<0.02	<0.01	<2	0.153	0.034	0.14	12.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.02
357953	Drill Core	9.1	<2	33	38	<0.001	0.066	<0.02	<0.01	<2	0.159	0.021	0.14	11.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
357954	Drill Core	9.3	<2	50	56	<0.001	0.092	<0.02	<0.01	<2	0.201	0.022	0.13	11.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.47
357955	Drill Core	8.2	<2	11	5	<0.001	0.013	<0.02	<0.01	<2	0.114	0.012	0.15	9.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.87
357956	Drill Core	8.8	<2	41	39	<0.001	0.010	<0.02	<0.01	<2	0.147	0.014	0.13	10.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.86
357957	Drill Core	8.6	4	611	591	<0.001	0.019	<0.02	<0.01	<2	0.200	0.014	0.13	9.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.20
357958	Drill Core	7.7	2	234	173	<0.001	0.034	<0.02	<0.01	<2	0.275	0.016	0.14	9.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.00
357959	Drill Core	7.6	<2	151	127	<0.001	0.025	<0.02	<0.01	<2	0.164	0.013	0.14	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.40
357960	Drill Core	8.7	3	31	35	<0.001	0.045	<0.02	<0.01	<2	0.180	0.015	0.14	9.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.50
357961	Drill Core	8.6	<2	18	20	<0.001	0.046	<0.02	<0.01	<2	0.126	0.016	0.13	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.58
RRE 357961	Drill Core		<2	10	16	<0.001	0.050	<0.02	<0.01	3	0.124	0.016	0.13	9.18	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.82
357962	Drill Core	8.9	<2	8	7	<0.001	0.009	<0.02	<0.01	<2	0.079	0.009	0.12	6.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.28
357963	Drill Core	8.3	<2	40	40	<0.001	0.013	<0.02	<0.01	<2	0.104	0.013	0.14	9.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.47
357964	Drill Core	8.7	<2	13	13	<0.001	0.008	<0.02	<0.01	<2	0.107	0.011	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.95
357965	Drill Core	8.8	<2	12	15	<0.001	0.008	<0.02	<0.01	<2	0.122	0.010	0.13	7.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.34
357966	Drill Core	8.4	<2	9	13	<0.001	0.009	<0.02	<0.01	<2	0.114	0.009	0.12	7.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.96
357967	Drill Core	8.6	<2	16	17	<0.001	0.012	<0.02	<0.01	<2	0.109	0.010	0.11	7.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.34
357968	Drill Core	8.4	<2	17	21	<0.001	0.022	<0.02	<0.01	<2	0.108	0.010	0.11	6.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.22
357969	Drill Core	9	<2	41	44	<0.001	0.043	<0.02	<0.01	<2	0.088	0.014	0.13	8.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.84
357970A	Drill Core	7.5	71	10	12	<0.001	0.014	<0.02	<0.01	<2	0.100	0.010	0.13	7.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.84
357970B	Drill Core		10	14	12	<0.001	0.016	<0.02	<0.01	<2	0.100	0.010	0.12	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.68
357971	Drill Core	8.3	16	10	9	<0.001	0.013	<0.02	<0.01	<2	0.137	0.010	0.11	8.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.14
357972	Drill Core	6.4	<2	6	8	<0.001	0.042	<0.02	<0.01	2	0.076	0.017	0.11	8.99	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	3.78
357973	Drill Core	9.4	<2	6	11	<0.001	0.044	<0.02	<0.01	<2	0.257	0.015	0.12	9.26	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.71
357974	Drill Core	7.4	24	6	8	<0.001	0.021	<0.02	<0.01	<2	0.153	0.011	0.19	7.55	0.02	0.07	<0.001	<0.01	<0.01	<0.01	6.47



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000248.1

Method Analyte Unit	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
MDL	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	0
357947	Drill Core	<0.01	0.074	23.96	0.08	0.47	<0.01	<0.01	<0.01	0.51	0.058	0.109	0.019	0.42	1.79	0.64	N.A.
357948	Drill Core	<0.01	0.149	23.29	0.04	0.39	0.06	0.06	<0.01	0.86	0.101	0.186	0.025	0.60	1.47	1.24	N.A.
357949	Drill Core	<0.01	0.142	23.53	0.02	0.17	<0.01	<0.01	<0.01	1.10	0.140	0.189	0.029	0.78	1.71	1.40	N.A.
357950	Rock Pulp	0.08	0.102	1.73	0.25	7.66	1.38	1.99	<0.01	1.18	0.388	0.010	0.001	1.85	0.33	1.18	N.A.
357951	Rock Pulp	<0.01	0.199	22.43	0.02	0.29	0.03	0.08	<0.01	2.89	0.049	0.378	0.024	1.78	2.55	4.18	N.A.
357952	Drill Core	<0.01	0.134	24.79	0.01	0.09	<0.01	<0.01	<0.01	0.95	0.100	0.141	0.029	0.65	1.51	1.27	3.02
357953	Drill Core	<0.01	0.083	25.42	0.01	0.08	<0.01	<0.01	<0.01	0.77	0.062	0.153	0.020	0.50	1.64	1.05	N.A.
357954	Drill Core	<0.01	0.110	21.95	0.07	0.37	<0.01	<0.01	<0.01	0.83	0.089	0.191	0.019	0.69	1.68	1.07	N.A.
357955	Drill Core	0.02	0.230	20.88	0.10	1.19	<0.01	<0.01	<0.01	0.29	0.012	0.095	0.010	0.39	1.31	0.38	N.A.
357956	Drill Core	0.01	0.212	23.07	0.06	0.54	<0.01	<0.01	<0.01	0.26	0.008	0.128	0.011	0.23	1.12	0.32	N.A.
357957	Drill Core	<0.01	0.138	23.63	0.03	0.26	<0.01	<0.01	<0.01	0.36	0.016	0.181	0.012	0.32	1.17	0.41	N.A.
357958	Drill Core	<0.01	0.320	23.29	0.04	0.27	<0.01	<0.01	<0.01	0.49	0.032	0.255	0.014	0.43	1.19	0.55	N.A.
357959	Drill Core	<0.01	0.251	22.40	0.03	0.42	<0.01	<0.01	<0.01	0.38	0.022	0.152	0.011	0.28	1.01	0.43	N.A.
357960	Drill Core	<0.01	0.234	23.02	0.03	0.24	<0.01	<0.01	<0.01	0.43	0.038	0.155	0.012	0.31	1.05	0.50	N.A.
357961	Drill Core	<0.01	0.159	19.31	0.08	0.51	0.02	<0.01	<0.01	0.61	0.048	0.113	0.013	0.39	0.67	0.80	N.A.
RRE 357961	Drill Core	<0.01	0.162	18.21	0.08	0.50	0.02	<0.01	<0.01	0.58	0.050	0.112	0.013	0.37	0.64	0.85	N.A.
357962	Drill Core	<0.01	0.174	16.82	0.08	0.46	0.04	<0.01	<0.01	0.24	0.009	0.060	0.007	0.16	0.44	0.31	3.15
357963	Drill Core	<0.01	0.184	21.42	0.07	0.40	<0.01	<0.01	<0.01	0.28	0.012	0.081	0.010	0.20	0.68	0.35	N.A.
357964	Drill Core	0.01	0.133	19.38	0.10	0.73	<0.01	<0.01	<0.01	0.31	0.008	0.086	0.009	0.35	0.90	0.44	N.A.
357965	Drill Core	<0.01	0.139	21.33	0.03	0.18	<0.01	<0.01	<0.01	0.31	0.008	0.108	0.008	0.33	0.85	0.43	N.A.
357966	Drill Core	<0.01	0.151	22.19	0.04	0.20	<0.01	<0.01	<0.01	0.29	0.009	0.101	0.007	0.23	0.69	0.38	N.A.
357967	Drill Core	<0.01	0.177	16.03	0.09	0.58	0.02	<0.01	<0.01	0.61	0.013	0.086	0.008	0.49	0.94	0.87	N.A.
357968	Drill Core	<0.01	0.175	16.33	0.07	0.38	0.02	<0.01	<0.01	0.65	0.022	0.080	0.007	0.64	1.51	0.92	N.A.
357969	Drill Core	<0.01	0.132	18.39	0.03	0.17	<0.01	<0.01	<0.01	0.79	0.015	0.068	0.006	0.60	1.48	1.08	N.A.
357970A	Drill Core	<0.01	0.143	18.28	0.05	0.34	<0.01	<0.01	<0.01	0.71	0.045	0.063	0.007	0.75	1.42	0.89	N.A.
357970B	Drill Core	<0.01	0.139	18.76	0.05	0.36	<0.01	<0.01	<0.01	0.72	0.015	0.065	0.005	0.58	1.37	0.97	N.A.
357971	Drill Core	<0.01	0.114	18.86	0.03	0.15	<0.01	<0.01	<0.01	0.85	0.014	0.104	0.007	0.60	1.26	1.24	N.A.
357972	Drill Core	<0.01	0.235	15.79	0.05	0.24	<0.01	<0.01	<0.01	1.52	0.045	0.051	0.010	0.88	1.53	2.69	2.83
357973	Drill Core	<0.01	0.177	17.25	0.04	0.19	<0.01	<0.01	<0.01	1.18	0.046	0.206	0.010	1.02	1.16	2.27	N.A.
357974	Drill Core	<0.01	0.191	14.89	0.01	0.38	<0.01	<0.01	<0.01	0.95	0.022	0.128	0.008	1.32	2.38	1.40	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000248.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
357975	Rock Pulp	I.S.	I.S.	I.S.	<0.001	0.099	<0.02	<0.01	<2	0.342	0.015	0.05	9.66	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.20	
357976	Rock Pulp	I.S.	I.S.	I.S.	0.001	0.048	<0.02	<0.01	<2	0.412	0.028	0.13	13.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16	
357977	Drill Core	7.1	10	<3	2	<0.001	0.007	<0.02	0.02	<2	0.012	0.002	0.07	4.09	<0.02	0.02	<0.001	<0.01	<0.01	0.02	1.57
357978	Drill Core	8.3	5	3	4	0.001	0.010	<0.02	0.01	<2	0.009	<0.001	0.09	3.32	<0.02	0.02	<0.001	<0.01	<0.01	0.02	2.00
357979	Drill Core	10.3	5	<3	3	<0.001	0.006	<0.02	0.01	<2	0.006	0.001	0.09	3.15	<0.02	0.03	<0.001	<0.01	<0.01	0.01	2.24
357980	Drill Core	0.7	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.08	1.18	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.96
357981	Drill Core	9.1	<2	<3	3	<0.001	0.005	<0.02	0.02	<2	0.006	0.001	0.07	4.68	<0.02	0.02	<0.001	<0.01	<0.01	0.01	0.97
357982	Drill Core	8.4	3	<3	3	<0.001	0.006	<0.02	0.01	<2	0.006	0.001	0.14	3.27	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.70
357983	Drill Core	8.6	<2	<3	2	0.002	0.005	<0.02	0.01	<2	0.006	0.001	0.08	4.08	<0.02	0.02	<0.001	<0.01	<0.01	0.01	2.07
357984	Drill Core	8.3	<2	<3	<2	<0.001	0.003	<0.02	0.01	<2	0.005	0.001	0.09	4.20	<0.02	0.03	<0.001	<0.01	<0.01	0.01	3.11



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 14, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000248.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
357975	Rock Pulp	<0.01	0.390	14.94	0.15	2.87	0.24	0.04	<0.01	0.91	0.101	0.247	0.011	0.98	1.20	1.07	N.A.
357976	Rock Pulp	<0.01	0.199	21.96	0.02	0.29	0.03	0.09	<0.01	3.12	0.050	0.360	0.024	1.75	2.46	4.33	N.A.
357977	Drill Core	0.06	0.011	2.09	0.22	6.37	1.79	1.65	<0.01	0.94	0.007	0.008	0.001	1.29	0.55	1.01	N.A.
357978	Drill Core	0.06	0.009	2.01	0.15	5.18	0.61	1.91	<0.01	0.63	0.010	0.006	<0.001	1.15	0.76	0.69	N.A.
357979	Drill Core	0.05	0.005	1.33	0.20	5.85	1.73	1.65	<0.01	0.55	0.006	0.004	<0.001	0.89	0.44	0.81	N.A.
357980	Drill Core	0.02	<0.001	0.19	0.07	7.61	3.37	1.17	<0.01	<0.01	<0.001	<0.001	<0.001	0.05	<0.01	<0.02	N.A.
357981	Drill Core	0.06	0.007	1.85	0.29	8.60	2.40	2.24	<0.01	0.46	0.005	0.002	<0.001	0.43	0.14	0.56	N.A.
357982	Drill Core	0.05	0.005	1.87	0.21	5.66	1.38	1.51	<0.01	0.31	0.006	0.003	<0.001	0.49	0.32	0.37	N.A.
357983	Drill Core	0.06	0.007	1.84	0.34	8.21	1.99	2.29	<0.01	0.47	0.006	0.003	<0.001	0.54	0.18	0.50	N.A.
357984	Drill Core	0.07	0.006	1.90	0.32	7.91	1.89	2.41	<0.01	0.28	0.003	0.002	<0.001	0.54	0.24	0.32	N.A.

Hole 07-238



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 04, 2007
 Report Date: December 15, 2007
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

SMI07000251.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-238A
 P.O. Number: ACME FILE: A718450
 Number of Samples: 6

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	5	Crush, split and pulverize drill core 150 mesh		
3B	5	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	6	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	6	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	6	Analysis by Leco	0.1	Completed
Specific Gravity	1	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: **Hard Creek Nickel Corporation**
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 15, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000251.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645938	Drill Core	11.2	4	45	124	<0.001	0.010	<0.02	<0.01	<2	0.157	0.012	0.14	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.61
645939	Drill Core	8.3	4	230	245	<0.001	0.051	<0.02	<0.01	<2	0.181	0.016	0.11	9.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.41
645940	Drill Core	8.7	11	26	23	<0.001	0.034	<0.02	<0.01	<2	0.164	0.014	0.09	8.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
645941	Drill Core	8.3	<2	23	12	<0.001	0.004	<0.02	<0.01	<2	0.065	0.008	0.12	8.11	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.26
645942	Drill Core	3.9	<2	123	104	<0.001	0.010	<0.02	<0.01	<2	0.068	0.008	0.13	9.13	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	6.14
645942A	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.096	<0.02	<0.01	<2	0.311	0.015	0.05	8.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.13



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 15, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000251.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645938	Drill Core	<0.01	0.151	21.56	0.05	0.32	0.02	0.01	<0.01	0.20	0.009	0.157	0.010	0.41	2.79	0.26	N.A.
645939	Drill Core	0.01	0.092	20.00	0.09	0.68	<0.01	<0.01	<0.01	0.25	0.047	0.164	0.012	0.22	0.68	0.31	N.A.
645940	Drill Core	<0.01	0.179	21.17	0.04	0.39	<0.01	<0.01	<0.01	0.26	0.028	0.128	0.010	0.25	1.04	0.33	N.A.
645941	Drill Core	0.07	0.054	12.48	0.31	3.65	<0.01	<0.01	<0.01	0.12	0.003	0.050	0.005	0.12	0.60	0.08	N.A.
645942	Drill Core	0.10	0.060	14.87	0.46	3.57	<0.01	0.02	<0.01	0.15	0.010	0.043	0.004	0.14	0.41	0.17	3.08
645942A	Rock Pulp	<0.01	0.352	14.48	0.14	2.75	0.23	0.05	<0.01	0.82	0.090	0.239	0.010	0.55	0.62	1.03	N.A.

Hole 07-239



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 12, 2007
 Report Date: January 02, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000255.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-239A
 P.O. Number: ACME FILE: A718481
 Number of Samples: 49

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	45	Crush, split and pulverize drill core to 150 mesh		
3B	45	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	49	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	49	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	49	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000255.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645943	Drill Core	3	<2	60	54	<0.001	0.004	<0.02	<0.01	<2	0.153	0.012	0.12	8.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
645944	Drill Core	9.8	<2	24	42	<0.001	0.005	<0.02	<0.01	<2	0.139	0.013	0.14	9.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.11
645945	Drill Core	6.1	<2	19	11	<0.001	0.007	<0.02	<0.01	<2	0.138	0.013	0.13	8.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
645946	Drill Core	8.3	<2	18	21	<0.001	0.004	<0.02	<0.01	<2	0.089	0.010	0.12	8.48	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	4.38
645947	Drill Core	7.4	<2	20	17	<0.001	0.010	<0.02	<0.01	<2	0.104	0.012	0.13	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.61
645948	Drill Core	8.4	3	107	104	<0.001	0.074	<0.02	<0.01	<2	0.202	0.015	0.17	9.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.56
645949	Drill Core	8.4	<2	38	29	<0.001	0.045	<0.02	<0.01	<2	0.171	0.013	0.14	9.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.08
645950	Drill Core		I.S.	I.S.	I.S.	<0.001	0.031	<0.02	<0.01	<2	0.249	0.016	0.11	9.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
645951	Drill Core		I.S.	I.S.	I.S.	<0.001	0.055	<0.02	0.02	<2	0.239	0.011	0.11	9.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.11
645952	Drill Core	6.8	<2	72	60	<0.001	0.023	<0.02	<0.01	<2	0.201	0.013	0.13	8.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
RRE 645952	Drill Core		5	58	58	<0.001	0.023	<0.02	<0.01	<2	0.207	0.013	0.13	8.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
645953	Drill Core	7.7	<2	12	6	<0.001	0.008	<0.02	<0.01	<2	0.190	0.014	0.17	9.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
645954	Drill Core	8.2	<2	5	6	<0.001	0.005	<0.02	<0.01	<2	0.160	0.012	0.12	8.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
645955	Drill Core	7.3	<2	3	<2	<0.001	0.007	<0.02	<0.01	<2	0.155	0.012	0.10	7.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
645956	Drill Core	8.8	<2	12	7	<0.001	0.021	<0.02	<0.01	<2	0.189	0.013	0.17	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.94
645957	Drill Core	7	<2	9	11	<0.001	0.021	<0.02	<0.01	<2	0.151	0.011	0.09	8.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.77
645958	Drill Core	8	<2	11	8	<0.001	0.011	<0.02	<0.01	<2	0.174	0.013	0.12	8.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.82
645959	Drill Core	8.7	<2	21	13	<0.001	0.007	<0.02	<0.01	<2	0.152	0.012	0.13	9.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.00
645960A	Drill Core	8.4	4	421	421	<0.001	0.023	<0.02	<0.01	<2	0.278	0.015	0.14	9.53	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.67
645960B	Drill Core		2	305	330	<0.001	0.021	<0.02	<0.01	<2	0.262	0.014	0.13	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
645961	Drill Core	9.1	7	147	159	<0.001	0.141	<0.02	<0.01	<2	0.325	0.015	0.14	9.51	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
645962	Drill Core	9	8	170	165	<0.001	0.226	<0.02	<0.01	<2	0.489	0.016	0.14	9.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
645963	Drill Core	8.7	<2	536	625	<0.001	0.025	<0.02	<0.01	<2	0.221	0.012	0.13	8.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.51
645964	Drill Core	8.7	<2	54	44	<0.001	0.008	<0.02	<0.01	<2	0.210	0.012	0.15	9.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
645965	Drill Core	8.9	<2	19	9	<0.001	0.005	<0.02	<0.01	<2	0.205	0.013	0.13	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
645966	Drill Core	8.7	<2	23	23	<0.001	0.006	<0.02	<0.01	<2	0.191	0.013	0.11	9.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
645967	Drill Core	7.2	<2	16	20	<0.001	0.079	<0.02	<0.01	<2	0.130	0.024	0.10	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
645968	Drill Core	8.8	2	16	22	<0.001	0.081	<0.02	<0.01	<2	0.122	0.026	0.12	9.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
645969	Drill Core	8.4	<2	49	44	<0.001	0.116	<0.02	<0.01	<2	0.172	0.032	0.11	10.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
645970	Drill Core	6.1	<2	16	16	<0.001	0.056	<0.02	<0.01	<2	0.142	0.017	0.12	9.75	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	0.88



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000255.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645943	Drill Core	<0.01	0.101	21.60	0.03	0.48	0.16	0.11	<0.01	0.15	0.003	0.136	0.011	0.26	2.62	0.17	N.A.
645944	Drill Core	<0.01	0.121	21.39	0.07	0.38	<0.01	<0.01	<0.01	0.13	0.004	0.115	0.011	0.21	1.59	0.16	N.A.
645945	Drill Core	0.04	0.098	22.01	0.07	0.47	<0.01	0.02	<0.01	0.17	0.007	0.116	0.011	0.25	1.64	0.20	N.A.
645946	Drill Core	0.06	0.084	17.19	0.25	2.34	<0.01	<0.01	<0.01	0.12	0.003	0.060	0.006	0.15	0.97	0.13	N.A.
645947	Drill Core	0.02	0.076	20.98	0.12	1.05	<0.01	0.01	<0.01	0.13	0.008	0.073	0.008	0.19	1.03	0.16	N.A.
645948	Drill Core	<0.01	0.182	23.51	0.02	0.15	<0.01	<0.01	<0.01	0.26	0.066	0.175	0.012	0.36	1.58	0.31	N.A.
645949	Drill Core	<0.01	0.156	23.28	0.03	0.23	<0.01	<0.01	<0.01	0.21	0.039	0.134	0.010	0.30	1.56	0.24	N.A.
645950	Drill Core	<0.01	0.111	23.99	0.02	0.31	<0.01	0.07	<0.01	1.04	0.029	0.217	0.012	1.23	3.17	1.40	N.A.
645951	Drill Core	<0.01	1.041	13.13	0.18	3.94	0.36	0.11	<0.01	0.43	0.056	0.180	0.007	0.56	0.54	0.51	N.A.
645952	Drill Core	<0.01	0.083	20.50	0.02	0.17	<0.01	<0.01	<0.01	0.19	0.020	0.181	0.011	0.43	1.60	0.30	2.85
RRE 645952	Drill Core	<0.01	0.086	22.20	0.02	0.17	<0.01	<0.01	<0.01	0.21	0.020	0.186	0.011	0.45	1.77	0.30	N.A.
645953	Drill Core	<0.01	0.161	23.55	0.02	0.13	<0.01	<0.01	<0.01	0.19	0.006	0.152	0.011	0.28	1.48	0.27	N.A.
645954	Drill Core	<0.01	0.105	20.64	0.03	0.38	<0.01	0.01	<0.01	0.54	0.005	0.147	0.008	0.37	1.01	0.90	N.A.
645955	Drill Core	<0.01	0.119	20.29	0.01	0.10	0.01	<0.01	<0.01	0.42	0.006	0.137	0.008	0.33	0.72	0.78	N.A.
645956	Drill Core	<0.01	0.085	21.97	0.03	0.24	<0.01	<0.01	<0.01	0.27	0.018	0.171	0.010	0.32	1.29	0.35	N.A.
645957	Drill Core	<0.01	0.056	21.57	0.10	0.71	<0.01	<0.01	<0.01	0.17	0.016	0.109	0.007	0.24	1.03	0.23	N.A.
645958	Drill Core	0.01	0.043	22.40	0.05	0.61	<0.01	<0.01	<0.01	0.16	0.008	0.153	0.010	0.19	1.23	0.18	N.A.
645959	Drill Core	0.02	0.085	21.55	0.17	0.98	<0.01	<0.01	<0.01	0.13	0.005	0.112	0.008	0.15	0.88	0.17	N.A.
645960A	Drill Core	<0.01	0.053	23.79	0.03	0.18	<0.01	<0.01	<0.01	0.25	0.020	0.267	0.013	0.30	1.61	0.31	N.A.
645960B	Drill Core	<0.01	0.043	22.92	0.03	0.16	<0.01	<0.01	<0.01	0.23	0.019	0.250	0.012	0.27	1.45	0.30	N.A.
645961	Drill Core	<0.01	0.095	23.12	0.06	0.35	<0.01	<0.01	<0.01	0.42	0.122	0.303	0.013	0.47	1.11	0.50	N.A.
645962	Drill Core	0.01	0.071	23.51	0.03	0.26	<0.01	<0.01	<0.01	0.64	0.200	0.474	0.013	0.72	1.11	0.79	N.A.
645963	Drill Core	<0.01	0.059	22.12	0.09	0.57	<0.01	<0.01	<0.01	0.20	0.022	0.187	0.009	0.25	1.16	0.23	N.A.
645964	Drill Core	<0.01	0.060	23.03	0.02	0.20	<0.01	<0.01	<0.01	0.15	0.007	0.198	0.010	0.20	1.15	0.20	N.A.
645965	Drill Core	<0.01	0.059	24.89	0.03	0.23	<0.01	<0.01	<0.01	0.15	0.003	0.181	0.011	0.19	1.14	0.18	N.A.
645966	Drill Core	<0.01	0.091	23.68	0.02	0.14	<0.01	<0.01	<0.01	0.16	0.005	0.172	0.011	0.20	1.11	0.22	N.A.
645967	Drill Core	<0.01	0.072	19.76	0.06	0.34	0.01	<0.01	<0.01	0.35	0.080	0.114	0.014	0.34	0.55	0.72	N.A.
645968	Drill Core	<0.01	0.109	20.13	0.02	0.17	0.01	<0.01	<0.01	0.16	0.080	0.100	0.018	0.27	0.55	0.29	N.A.
645969	Drill Core	<0.01	0.081	20.71	0.05	0.30	<0.01	<0.01	<0.01	0.19	0.112	0.154	0.026	0.30	0.63	0.31	N.A.
645970	Drill Core	0.05	0.087	20.84	0.12	1.49	<0.01	<0.01	<0.01	0.13	0.055	0.126	0.013	0.24	0.99	0.18	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000255.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645971	Drill Core	10	<2	11	14	<0.001	0.035	<0.02	<0.01	<2	0.123	0.020	0.08	8.88	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	1.00
645972	Drill Core	6.5	<2	83	86	<0.001	0.035	<0.02	<0.01	<2	0.187	0.016	0.09	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
645973	Drill Core	8.2	<2	288	341	<0.001	0.061	<0.02	<0.01	<2	0.251	0.012	0.12	7.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
645974	Drill Core	9.1	3	14	6	<0.001	0.003	<0.02	<0.01	<2	0.171	0.012	0.11	7.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
645975	Drill Core		I.S.	I.S.	I.S.	0.003	0.425	0.13	0.03	11	0.088	0.004	0.11	6.58	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.71
645976	Drill Core		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.236	0.016	0.11	8.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
645977	Drill Core	9.5	120	8	9	<0.001	0.004	<0.02	<0.01	<2	0.108	0.008	0.10	5.97	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	1.75
645978	Drill Core	7	7	<3	3	0.002	0.009	<0.02	0.02	<2	0.006	0.001	0.08	3.69	<0.02	0.02	<0.001	<0.01	<0.01	0.02	1.81
645979	Drill Core	6.4	12	<3	4	0.001	0.006	<0.02	0.01	<2	0.005	0.001	0.07	3.06	<0.02	0.02	<0.001	<0.01	<0.01	0.02	1.77
645980	Drill Core	1.5	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.06	1.09	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.96
645981	Drill Core	7.4	10	<3	2	0.001	0.006	<0.02	0.02	<2	0.006	0.001	0.07	3.64	<0.02	0.02	<0.001	<0.01	<0.01	0.02	1.82
645982	Drill Core	6.9	4	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.004	0.001	0.10	2.85	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.25
RRE 645982	Drill Core		7	<3	<2	<0.001	0.004	<0.02	0.01	<2	0.004	0.001	0.10	3.12	<0.02	0.02	<0.001	<0.01	<0.01	0.01	2.17
645983	Drill Core	4.1	6	<3	2	<0.001	0.004	<0.02	0.01	<2	0.004	0.001	0.08	4.00	<0.02	0.02	<0.001	<0.01	<0.01	0.01	1.89
645984	Drill Core	7.2	11	<3	<2	<0.001	0.005	<0.02	0.01	<2	0.005	0.001	0.08	3.99	<0.02	0.02	<0.001	<0.01	<0.01	0.01	1.84
645985	Drill Core	8.8	7	<3	3	0.001	0.005	<0.02	0.02	<2	0.006	0.001	0.07	4.52	<0.02	0.02	<0.001	<0.01	<0.01	0.02	1.86
645986	Drill Core	8.2	3	<3	<2	<0.001	0.004	<0.02	0.01	<2	0.004	0.002	0.07	4.36	<0.02	0.02	<0.001	<0.01	<0.01	0.01	2.04
645987	Drill Core	8.6	10	<3	2	0.003	0.005	<0.02	0.02	<2	0.005	0.002	0.06	4.03	<0.02	0.02	<0.001	<0.01	<0.01	0.02	2.58
645988	Drill Core	6.5	5	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.003	0.001	0.07	3.34	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	3.38



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: January 02, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000255.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645971	Drill Core	<0.01	0.115	21.05	0.02	0.18	<0.01	<0.01	<0.01	0.10	0.034	0.101	0.016	0.19	0.78	0.14	N.A.
645972	Drill Core	<0.01	0.113	22.13	0.02	0.14	<0.01	<0.01	<0.01	0.14	0.034	0.169	0.014	0.25	0.78	0.20	2.78
645973	Drill Core	<0.01	0.124	21.77	0.01	0.08	<0.01	<0.01	<0.01	0.25	0.062	0.231	0.011	0.38	0.69	0.47	N.A.
645974	Drill Core	<0.01	0.103	21.51	0.01	0.07	<0.01	<0.01	<0.01	0.19	0.003	0.129	0.006	0.27	0.57	0.27	N.A.
645975	Drill Core	0.07	0.090	1.84	0.27	8.12	1.45	2.05	<0.01	1.13	0.367	0.009	<0.001	1.46	0.28	1.19	N.A.
645976	Drill Core	<0.01	0.129	23.33	0.02	0.30	<0.01	0.07	<0.01	1.05	0.028	0.217	0.011	0.86	2.29	1.44	N.A.
645977	Drill Core	0.02	0.081	14.66	0.08	1.74	0.06	0.37	<0.01	0.49	0.004	0.085	0.003	0.30	0.56	0.63	N.A.
645978	Drill Core	0.06	0.007	1.84	0.34	6.99	2.35	1.93	<0.01	0.98	0.010	0.003	<0.001	0.51	0.46	1.36	N.A.
645979	Drill Core	0.06	0.006	1.50	0.28	5.21	1.20	1.81	<0.01	1.01	0.007	0.003	<0.001	0.66	0.51	1.30	N.A.
645980	Drill Core	0.02	<0.001	0.22	0.08	7.79	3.53	1.23	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	<0.01	<0.02	N.A.
645981	Drill Core	0.06	0.008	1.53	0.30	6.37	1.37	2.10	<0.01	1.13	0.007	0.003	<0.001	0.58	0.35	1.43	N.A.
645982	Drill Core	0.05	0.005	1.32	0.25	5.19	1.62	1.33	<0.01	0.45	0.004	0.002	<0.001	0.63	0.42	0.57	2.70
RRE 645982	Drill Core	0.05	0.006	1.39	0.26	5.72	1.59	1.62	<0.01	0.53	0.004	0.002	<0.001	0.64	0.41	0.66	N.A.
645983	Drill Core	0.05	0.007	1.58	0.33	7.45	1.60	2.20	<0.01	0.60	0.004	0.002	<0.001	0.70	0.36	0.68	N.A.
645984	Drill Core	0.06	0.007	1.55	0.35	7.95	1.74	2.50	<0.01	0.62	0.005	0.002	<0.001	0.77	0.44	0.81	N.A.
645985	Drill Core	0.06	0.008	1.57	0.36	8.29	1.89	2.68	<0.01	1.01	0.006	0.002	<0.001	0.68	0.36	1.32	N.A.
645986	Drill Core	0.06	0.006	1.84	0.35	8.57	1.60	2.73	<0.01	0.39	0.004	0.001	<0.001	0.64	0.41	0.56	N.A.
645987	Drill Core	0.06	0.006	1.56	0.32	7.77	2.04	2.58	<0.01	1.23	0.005	0.002	<0.001	0.77	0.55	1.66	N.A.
645988	Drill Core	0.06	0.006	1.88	0.29	6.83	2.43	1.83	<0.01	0.70	0.003	0.001	<0.001	0.85	0.71	0.87	N.A.

Hole 07-240



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: October 18, 2007
 Report Date: December 31, 2007
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000314.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-240A
 P.O. Number: ACME FILE: A718528
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	47	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS

Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000314.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
645989	Drill Core	1.2	<2	5	11	<0.001	0.063	<0.02	<0.01	<2	0.055	0.018	0.09	8.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	11.77
645990A	Drill Core	10.3	<2	29	47	<0.001	0.047	<0.02	<0.01	<2	0.073	0.013	0.10	7.49	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.47
645990B	Drill Core		<2	29	33	<0.001	0.044	<0.02	<0.01	<2	0.069	0.012	0.09	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.01
645991	Drill Core	12.2	<2	31	54	<0.001	0.061	<0.02	<0.01	<2	0.066	0.012	0.10	6.35	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.28
645992	Drill Core	7.1	<2	<3	5	<0.001	0.005	<0.02	<0.01	<2	0.069	0.012	0.12	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.78
645993	Drill Core	9.8	<2	20	21	<0.001	0.010	<0.02	<0.01	<2	0.065	0.010	0.12	7.65	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.05
645994	Drill Core	5.6	5	21	26	<0.001	0.013	<0.02	<0.01	<2	0.056	0.010	0.12	7.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.72
645995	Drill Core	10.6	<2	94	96	<0.001	0.038	<0.02	<0.01	<2	0.072	0.009	0.10	5.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.17
645996	Drill Core	10.3	5	72	68	<0.001	0.038	<0.02	<0.01	<2	0.134	0.015	0.12	9.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.98
645997	Drill Core	11	<2	34	38	<0.001	0.114	<0.02	<0.01	<2	0.195	0.025	0.09	8.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.38
645998	Drill Core	10.2	<2	34	31	<0.001	0.104	<0.02	<0.01	<2	0.108	0.019	0.09	7.66	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	13.01
645999	Drill Core	10.6	<2	13	19	<0.001	0.081	<0.02	<0.01	<2	0.072	0.017	0.09	7.47	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.62
646000	Rock Pulp		16	366	390	<0.001	0.095	<0.02	<0.01	<2	0.333	0.015	0.05	9.57	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.27
646001	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.044	<0.02	<0.01	<2	0.391	0.026	0.12	13.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.14
646002	Drill Core	9.9	<2	44	64	<0.001	0.098	<0.02	<0.01	<2	0.089	0.016	0.10	7.32	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.94
RRE 646002	Drill Core		<2	65	75	<0.001	0.097	<0.02	<0.01	<2	0.090	0.016	0.09	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.71
646003	Drill Core	10.3	<2	62	65	<0.001	0.232	<0.02	<0.01	<2	0.198	0.038	0.10	12.21	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.60
646004	Drill Core	10.7	4	66	51	<0.001	0.147	<0.02	<0.01	<2	0.124	0.025	0.10	9.61	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.86
646005	Drill Core	11.5	3	28	54	<0.001	0.209	<0.02	<0.01	<2	0.159	0.035	0.09	11.88	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.87
646006	Drill Core	11.6	4	92	100	<0.001	0.148	<0.02	<0.01	<2	0.210	0.033	0.10	11.54	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.15
646007	Drill Core	10.4	9	91	111	<0.001	0.198	<0.02	<0.01	<2	0.129	0.016	0.10	8.40	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.16
646008	Drill Core	6.4	8	133	132	<0.001	0.151	<0.02	<0.01	<2	0.127	0.016	0.10	8.79	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.66
646009	Drill Core	7.5	9	183	160	<0.001	0.089	<0.02	<0.01	<2	0.157	0.014	0.12	8.53	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	6.63
646010	Drill Core	1.6	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	<0.001	<0.001	0.06	1.03	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.97
646011	Drill Core	10.3	5	99	188	<0.001	0.138	<0.02	<0.01	<2	0.201	0.016	0.11	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	6.99
646012	Drill Core	8.9	3	151	179	<0.001	0.108	<0.02	<0.01	<2	0.212	0.026	0.09	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.22
646013	Drill Core	10.3	4	34	45	<0.001	0.209	<0.02	<0.01	<2	0.139	0.037	0.09	12.63	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.36
646014	Drill Core	9.9	2	43	58	<0.001	0.121	<0.02	<0.01	<2	0.120	0.022	0.10	9.29	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.57
646015	Drill Core	4.9	43	297	357	<0.001	0.170	<0.02	<0.01	<2	0.398	0.019	0.10	10.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.88
646016	Drill Core	9.2	5	154	200	<0.001	0.135	<0.02	<0.01	<2	0.252	0.018	0.11	9.64	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	8.95



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000314.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
645989	Drill Core	<0.01	0.135	11.49	0.13	0.70	0.09	<0.01	<0.01	1.87	0.063	0.049	0.017	0.73	0.24	2.45	N.A.
645990A	Drill Core	<0.01	0.155	12.61	0.13	0.70	0.08	<0.01	<0.01	0.97	0.049	0.070	0.011	0.50	0.39	1.24	N.A.
645990B	Drill Core	<0.01	0.154	12.93	0.13	0.65	0.08	<0.01	<0.01	0.88	0.047	0.064	0.010	0.64	0.64	1.19	N.A.
645991	Drill Core	<0.01	0.178	11.46	0.15	0.85	0.09	0.01	<0.01	0.89	0.065	0.069	0.011	0.71	0.66	1.10	N.A.
645992	Drill Core	<0.01	0.077	20.76	0.05	0.27	0.01	<0.01	<0.01	0.12	0.005	0.060	0.009	0.13	0.63	0.17	N.A.
645993	Drill Core	<0.01	0.074	18.37	0.06	0.38	0.03	<0.01	<0.01	0.17	0.010	0.060	0.008	0.16	0.70	0.22	N.A.
645994	Drill Core	<0.01	0.075	17.16	0.08	0.41	0.04	<0.01	<0.01	0.21	0.012	0.049	0.008	0.15	0.58	0.29	N.A.
645995	Drill Core	<0.01	0.152	12.85	0.15	0.73	0.06	<0.01	<0.01	0.43	0.039	0.067	0.007	0.27	0.45	0.58	N.A.
645996	Drill Core	<0.01	0.138	20.38	0.06	0.29	0.02	<0.01	<0.01	0.43	0.036	0.121	0.012	0.29	0.77	0.54	N.A.
645997	Drill Core	<0.01	0.206	11.81	0.11	0.56	0.08	<0.01	<0.01	2.08	0.118	0.199	0.025	1.20	0.45	2.82	N.A.
645998	Drill Core	<0.01	0.178	11.50	0.14	0.80	0.08	<0.01	<0.01	1.54	0.109	0.112	0.019	0.97	0.51	2.21	N.A.
645999	Drill Core	<0.01	0.198	12.63	0.12	0.52	0.09	<0.01	<0.01	1.69	0.082	0.072	0.017	0.82	0.45	2.14	N.A.
646000	Rock Pulp	0.03	0.411	14.91	0.14	2.91	0.23	0.05	<0.01	0.84	0.089	0.239	0.010	0.77	0.92	1.05	N.A.
646001	Rock Pulp	<0.01	0.225	21.61	0.02	0.28	0.03	0.10	<0.01	2.99	0.046	0.388	0.025	1.51	1.83	4.32	N.A.
646002	Drill Core	0.01	0.190	11.49	0.17	0.99	0.09	<0.01	<0.01	1.33	0.100	0.088	0.015	0.55	0.23	1.95	3.19
RRE 646002	Drill Core	0.01	0.192	11.29	0.16	0.90	0.09	<0.01	<0.01	1.44	0.101	0.092	0.015	0.73	0.32	2.08	N.A.
646003	Drill Core	<0.01	0.231	11.35	0.12	0.55	0.07	<0.01	<0.01	3.20	0.248	0.195	0.040	1.84	0.33	5.01	N.A.
646004	Drill Core	<0.01	0.200	12.00	0.14	0.74	0.07	<0.01	<0.01	2.24	0.153	0.128	0.026	0.97	0.49	3.09	N.A.
646005	Drill Core	<0.01	0.225	10.09	0.12	0.53	0.08	<0.01	<0.01	3.18	0.222	0.164	0.036	2.81	0.69	4.78	N.A.
646006	Drill Core	0.01	0.181	10.90	0.18	0.88	0.08	<0.01	<0.01	2.88	0.149	0.206	0.035	1.44	0.37	4.35	N.A.
646007	Drill Core	<0.01	0.173	13.16	0.13	0.64	0.08	<0.01	<0.01	1.34	0.188	0.132	0.015	0.76	0.49	1.94	N.A.
646008	Drill Core	<0.01	0.178	12.66	0.19	0.83	0.08	<0.01	<0.01	1.39	0.148	0.134	0.016	0.75	0.56	1.96	N.A.
646009	Drill Core	<0.01	0.168	16.41	0.11	0.62	0.04	<0.01	<0.01	1.04	0.084	0.161	0.014	0.55	0.68	1.48	N.A.
646010	Drill Core	0.02	0.001	0.24	0.07	8.24	3.58	1.15	<0.01	<0.01	0.001	<0.001	<0.001	0.07	0.03	0.02	N.A.
646011	Drill Core	<0.01	0.239	16.21	0.12	0.67	0.05	<0.01	<0.01	1.29	0.129	0.190	0.015	0.71	0.83	1.79	N.A.
646012	Drill Core	<0.01	0.177	11.91	0.14	0.72	0.07	<0.01	<0.01	2.19	0.113	0.220	0.027	1.15	0.55	2.96	3.28
646013	Drill Core	<0.01	0.190	11.36	0.10	0.46	0.07	<0.01	<0.01	3.17	0.213	0.135	0.037	1.53	0.46	4.61	N.A.
646014	Drill Core	<0.01	0.163	11.82	0.14	0.66	0.07	<0.01	<0.01	1.81	0.114	0.120	0.021	0.78	0.46	2.38	N.A.
646015	Drill Core	<0.01	0.052	20.58	0.05	0.27	0.01	<0.01	<0.01	1.65	0.162	0.382	0.019	0.98	0.72	2.31	N.A.
646016	Drill Core	<0.01	0.156	14.80	0.13	0.62	0.06	<0.01	<0.01	1.36	0.127	0.239	0.017	0.95	1.11	1.93	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000314.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
646017	Drill Core	11.2	3	90	194	<0.001	0.162	<0.02	<0.01	<2	0.263	0.020	0.10	7.99	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.72
646018	Drill Core	8.3	7	257	265	<0.001	0.057	<0.02	<0.01	<2	0.110	0.010	0.11	8.30	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	7.83
646019	Drill Core	8.2	2	201	173	<0.001	0.019	<0.02	<0.01	<2	0.139	0.015	0.14	9.93	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.83
646020	Drill Core	10.3	<2	5	6	<0.001	0.005	<0.02	<0.01	<2	0.066	0.008	0.10	5.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.96
646021	Drill Core	8.9	<2	12	8	<0.001	0.004	<0.02	<0.01	<2	0.062	0.008	0.10	6.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	8.21
646022	Drill Core	10.7	<2	9	7	<0.001	0.007	<0.02	<0.01	<2	0.060	0.009	0.14	8.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.73
646023	Drill Core	11	<2	13	19	<0.001	0.009	<0.02	<0.01	<2	0.067	0.008	0.10	5.95	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	8.59
646024	Drill Core	9.3	<2	15	18	<0.001	0.005	<0.02	<0.01	<2	0.056	0.007	0.11	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	10.37
646025	Rock Pulp		I.S.	I.S.	I.S.	0.003	0.379	0.14	0.04	13	0.094	0.003	0.11	6.74	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.40
646026	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.046	<0.02	<0.01	<2	0.386	0.026	0.12	13.40	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.17
646027	Drill Core	10.5	<2	<3	3	<0.001	0.007	<0.02	<0.01	<2	0.041	0.006	0.10	4.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	12.25
646028	Drill Core	8.9	<2	17	25	<0.001	0.055	<0.02	<0.01	<2	0.074	0.010	0.10	5.76	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.08
646029	Drill Core	6.7	<2	28	39	<0.001	0.013	<0.02	<0.01	<2	0.035	0.006	0.10	5.02	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	12.97
646030	Drill Core	10.3	<2	74	68	<0.001	0.064	<0.02	<0.01	<2	0.098	0.011	0.10	5.68	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	13.00
646031	Drill Core	10.3	<2	26	38	<0.001	0.117	<0.02	<0.01	<2	0.173	0.024	0.09	8.36	<0.02	<0.01	<0.001	<0.01	<0.01	0.03	10.98
646032	Drill Core	9.7	3	47	46	<0.001	0.106	<0.02	<0.01	<2	0.168	0.018	0.09	7.28	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	10.25
RRE 646032	Drill Core		2	65	59	<0.001	0.102	<0.02	<0.01	<2	0.174	0.018	0.09	7.44	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	10.58
646033	Drill Core	6.1	2	24	36	<0.001	0.094	<0.02	<0.01	<2	0.129	0.012	0.09	5.40	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	12.73
646034	Drill Core	3.7	4	40	46	<0.001	0.043	<0.02	<0.01	<2	0.046	0.006	0.09	5.21	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.18
646035	Drill Core	6.8	9	304	354	<0.001	0.041	<0.02	<0.01	<2	0.108	0.012	0.09	6.32	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.83



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000314.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
646017	Drill Core	<0.01	0.174	11.89	0.15	0.76	0.09	<0.01	<0.01	1.36	0.167	0.269	0.020	0.86	0.49	2.00	N.A.
646018	Drill Core	<0.01	0.117	16.50	0.12	0.59	0.05	<0.01	<0.01	0.42	0.053	0.105	0.009	0.33	0.74	0.54	N.A.
646019	Drill Core	<0.01	0.230	23.29	0.04	0.23	<0.01	<0.01	<0.01	0.26	0.017	0.112	0.011	0.26	0.95	0.33	N.A.
646020	Drill Core	<0.01	0.138	16.52	0.09	0.38	0.06	<0.01	<0.01	0.08	0.004	0.053	0.006	0.13	0.72	0.11	N.A.
646021	Drill Core	<0.01	0.145	16.36	0.09	0.47	0.06	<0.01	<0.01	0.08	0.003	0.047	0.005	0.10	0.46	0.11	N.A.
646022	Drill Core	0.01	0.142	15.42	0.14	0.65	0.06	<0.01	<0.01	0.17	0.006	0.046	0.007	0.13	0.64	0.18	N.A.
646023	Drill Core	<0.01	0.147	15.22	0.11	0.53	0.09	<0.01	<0.01	0.17	0.008	0.050	0.006	0.10	0.41	0.18	N.A.
646024	Drill Core	<0.01	0.228	13.75	0.09	0.47	0.08	<0.01	<0.01	0.14	0.004	0.042	0.005	0.10	0.43	0.15	N.A.
646025	Rock Pulp	0.08	0.091	1.69	0.26	7.53	1.36	1.98	<0.01	1.24	0.370	0.009	0.001	1.44	0.30	1.15	N.A.
646026	Rock Pulp	0.01	0.229	20.74	0.02	0.30	0.04	0.10	<0.01	3.32	0.046	0.378	0.023	1.25	1.59	4.19	N.A.
646027	Drill Core	<0.01	0.261	13.37	0.10	0.46	0.09	<0.01	<0.01	0.07	0.006	0.027	0.003	0.07	0.30	0.12	N.A.
646028	Drill Core	<0.01	0.149	12.68	0.15	0.85	0.06	<0.01	<0.01	0.49	0.052	0.069	0.009	0.24	0.40	0.63	N.A.
646029	Drill Core	<0.01	0.136	12.38	0.17	0.80	0.07	<0.01	<0.01	0.16	0.013	0.028	0.004	0.12	0.28	0.27	N.A.
646030	Drill Core	<0.01	0.166	12.40	0.15	0.74	0.05	<0.01	<0.01	0.80	0.050	0.070	0.007	0.27	0.28	1.00	N.A.
646031	Drill Core	<0.01	0.130	12.16	0.13	0.60	0.06	<0.01	<0.01	1.69	0.116	0.167	0.022	0.56	0.32	2.39	N.A.
646032	Drill Core	<0.01	0.156	13.16	0.11	0.49	0.05	<0.01	<0.01	1.26	0.104	0.161	0.016	0.46	0.33	1.80	3.21
RRE 646032	Drill Core	<0.01	0.158	13.75	0.11	0.50	0.05	<0.01	<0.01	1.26	0.100	0.164	0.016	0.47	0.33	1.80	N.A.
646033	Drill Core	<0.01	0.177	12.92	0.11	0.50	0.06	<0.01	<0.01	1.01	0.091	0.122	0.010	0.43	0.40	1.24	N.A.
646034	Drill Core	<0.01	0.200	13.11	0.13	0.61	0.06	<0.01	<0.01	0.30	0.040	0.035	0.005	0.14	0.35	0.37	N.A.
646035	Drill Core	<0.01	0.130	18.38	0.06	0.34	0.02	<0.01	<0.01	0.54	0.040	0.106	0.011	0.24	0.62	0.71	N.A.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7 Canada

Submitted By:

Sandy Smeeton

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 18, 2007

Report Date:

December 31, 2007

Page:

1 of 3

CERTIFICATE OF ANALYSIS

SMI07000312.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
Shipment ID: C07-240B
P.O. Number: ACME FILE: A718525
Number of Samples: 47

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
1060 - 1090 W. Georgia St.
Vancouver BC V6E 3V7
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	43	Crush, split and pulverize drill core to 150 mesh		
3B	43	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	47	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	47	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	47	Analysis by Leco	0.1	Completed
Specific Gravity	3	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000312.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
646036	Drill Core	7.2	4	87	91	<0.001	0.028	<0.02	<0.01	<2	0.102	0.012	0.10	6.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.10
646037	Drill Core	9	<2	<3	5	<0.001	0.012	<0.02	<0.01	<2	0.041	0.006	0.10	4.66	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.95
646038	Drill Core	10.3	<2	7	7	<0.001	0.016	<0.02	<0.01	<2	0.048	0.007	0.10	5.34	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.79
646039	Drill Core	5.8	<2	50	65	<0.001	0.044	<0.02	<0.01	<2	0.126	0.011	0.11	6.49	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.00
646040	Drill Core	1.3	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.06	1.00	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.89
646041	Drill Core	8	<2	60	73	<0.001	0.049	<0.02	<0.01	<2	0.122	0.011	0.09	5.70	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.32
646042	Drill Core	10.3	<2	24	33	<0.001	0.039	<0.02	<0.01	<2	0.078	0.010	0.09	5.08	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.92
RRE 646042	Drill Core		<2	69	39	<0.001	0.044	<0.02	<0.01	<2	0.085	0.011	0.09	5.44	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.94
646043	Drill Core	8.3	2	7	11	<0.001	0.022	<0.02	<0.01	<2	0.022	0.005	0.14	5.90	<0.02	0.58	<0.001	<0.01	<0.01	0.02	15.18
646044	Drill Core	3.1	<2	11	15	<0.001	0.014	<0.02	<0.01	<2	0.054	0.007	0.11	5.64	<0.02	0.02	<0.001	<0.01	<0.01	0.01	10.35
646045	Drill Core	8.3	3	22	25	<0.001	0.012	<0.02	<0.01	<2	0.053	0.007	0.09	4.74	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.52
646046	Drill Core	7.3	7	90	100	<0.001	0.049	<0.02	<0.01	<2	0.103	0.012	0.11	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.07
646047	Drill Core	10.1	5	49	44	<0.001	0.079	<0.02	<0.01	<2	0.139	0.012	0.09	5.42	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.12
646048	Drill Core	5.4	7	34	39	<0.001	0.093	<0.02	<0.01	<2	0.129	0.014	0.11	6.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	7.37
646049	Drill Core	8.9	6	170	95	<0.001	0.203	<0.02	<0.01	<2	0.352	0.031	0.12	11.33	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.56
646050	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.886	<0.02	0.02	3	1.139	0.035	0.09	18.25	<0.02	0.02	<0.001	<0.01	<0.01	0.01	3.05
646051	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.044	<0.02	<0.01	<2	0.393	0.026	0.12	12.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
646052	Drill Core	8.4	11	42	142	<0.001	0.254	<0.02	<0.01	<2	0.420	0.033	0.12	12.02	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.53
646053	Drill Core	10.2	12	163	141	<0.001	0.240	<0.02	<0.01	<2	0.334	0.033	0.11	11.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.00
646054	Drill Core	8.7	6	46	64	<0.001	0.169	<0.02	<0.01	<2	0.204	0.026	0.11	9.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	9.65
646055	Drill Core	8.9	3	21	35	<0.001	0.080	<0.02	<0.01	<2	0.123	0.017	0.10	7.15	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	10.60
646056	Drill Core	11.2	7	23	24	<0.001	0.048	<0.02	<0.01	<2	0.089	0.013	0.11	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	9.03
646057	Drill Core	11.4	5	42	45	<0.001	0.028	<0.02	<0.01	<2	0.073	0.012	0.12	7.94	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	6.67
646058	Drill Core	7.8	3	55	60	<0.001	0.020	<0.02	<0.01	<2	0.064	0.012	0.12	7.64	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	5.33
646059	Drill Core	6.1	2	70	55	<0.001	0.019	<0.02	<0.01	<2	0.064	0.012	0.12	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.11
646060A	Drill Core	9.3	<2	48	50	<0.001	0.051	<0.02	<0.01	<2	0.076	0.012	0.11	6.50	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.30
646060B	Drill Core		<2	77	56	<0.001	0.057	<0.02	<0.01	<2	0.080	0.013	0.11	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	11.58
646061	Drill Core	10.2	<2	12	14	<0.001	0.043	<0.02	<0.01	<2	0.040	0.009	0.13	6.69	<0.02	0.02	<0.001	<0.01	<0.01	0.02	10.77
646062	Drill Core	9.6	<2	23	27	<0.001	0.027	<0.02	<0.01	<2	0.047	0.010	0.12	6.67	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.15
646063	Drill Core	8.5	<2	<3	7	<0.001	0.039	<0.02	<0.01	<2	0.036	0.013	0.11	7.03	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	11.55



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000312.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
646036	Drill Core	<0.01	0.139	18.50	0.07	0.34	0.03	<0.01	<0.01	0.31	0.026	0.098	0.010	0.20	0.42	0.39	N.A.
646037	Drill Core	<0.01	0.173	12.73	0.15	0.76	0.06	<0.01	<0.01	0.16	0.010	0.028	0.004	0.09	0.17	0.20	N.A.
646038	Drill Core	<0.01	0.144	11.68	0.17	1.07	0.06	<0.01	<0.01	0.26	0.015	0.039	0.005	0.14	0.24	0.34	N.A.
646039	Drill Core	0.03	0.124	14.16	0.14	1.67	0.03	<0.01	<0.01	0.45	0.042	0.119	0.009	0.23	0.21	0.62	N.A.
646040	Drill Core	0.02	0.002	0.27	0.07	7.14	3.43	1.15	<0.01	<0.01	<0.001	<0.001	<0.001	0.06	0.02	<0.02	N.A.
646041	Drill Core	0.01	0.151	12.78	0.15	0.98	0.06	<0.01	<0.01	0.71	0.051	0.123	0.010	0.29	0.18	1.10	N.A.
646042	Drill Core	<0.01	0.176	11.98	0.11	0.77	0.07	<0.01	<0.01	0.75	0.040	0.072	0.008	0.26	0.17	1.03	3.19
RRE 646042	Drill Core	0.01	0.183	11.95	0.12	0.77	0.07	<0.01	<0.01	0.81	0.044	0.076	0.009	0.28	0.20	1.11	N.A.
646043	Drill Core	0.11	0.038	4.56	0.36	7.10	0.06	<0.01	<0.01	0.23	0.020	0.017	0.002	0.12	0.05	0.35	N.A.
646044	Drill Core	0.04	0.128	12.44	0.21	1.71	0.06	<0.01	<0.01	0.21	0.014	0.043	0.004	0.14	0.17	0.29	N.A.
646045	Drill Core	<0.01	0.155	13.15	0.11	0.59	0.06	<0.01	<0.01	0.18	0.012	0.043	0.005	0.12	0.22	0.23	N.A.
646046	Drill Core	0.02	0.088	16.94	0.12	0.96	0.02	<0.01	<0.01	0.39	0.047	0.096	0.010	0.20	0.34	0.57	N.A.
646047	Drill Core	<0.01	0.124	13.65	0.11	0.46	0.07	<0.01	<0.01	0.72	0.078	0.142	0.010	0.33	0.25	0.97	N.A.
646048	Drill Core	0.03	0.111	15.74	0.09	0.46	0.05	<0.01	<0.01	0.67	0.090	0.129	0.012	0.31	0.36	0.95	N.A.
646049	Drill Core	<0.01	0.111	17.80	0.05	0.31	0.02	<0.01	<0.01	1.89	0.200	0.353	0.031	0.80	0.45	2.96	N.A.
646050	Rock Pulp	0.06	0.026	2.56	0.28	5.10	1.38	0.82	<0.01	5.78	0.921	1.151	0.032	2.18	0.03	9.08	N.A.
646051	Rock Pulp	0.01	0.205	21.51	0.02	0.27	0.03	0.09	<0.01	2.71	0.047	0.411	0.025	1.22	1.45	4.16	N.A.
646052	Drill Core	0.01	0.112	17.30	0.07	0.44	0.02	<0.01	<0.01	2.10	0.242	0.420	0.032	0.86	0.44	3.35	2.83
646053	Drill Core	<0.01	0.112	15.75	0.11	0.61	0.03	<0.01	<0.01	1.89	0.233	0.334	0.032	0.94	0.67	3.41	N.A.
646054	Drill Core	<0.01	0.172	13.38	0.11	0.44	0.06	<0.01	<0.01	1.65	0.161	0.196	0.024	0.61	0.27	2.78	N.A.
646055	Drill Core	<0.01	0.141	13.32	0.12	0.53	0.06	<0.01	<0.01	1.01	0.077	0.126	0.015	0.44	0.54	1.56	N.A.
646056	Drill Core	<0.01	0.125	15.10	0.13	0.63	0.05	<0.01	<0.01	0.68	0.045	0.082	0.011	0.22	0.32	0.98	N.A.
646057	Drill Core	<0.01	0.117	16.49	0.10	0.49	0.03	<0.01	<0.01	0.52	0.025	0.067	0.010	0.17	0.33	0.74	N.A.
646058	Drill Core	<0.01	0.153	17.85	0.09	0.45	0.03	<0.01	<0.01	0.41	0.019	0.062	0.010	0.15	0.42	0.53	N.A.
646059	Drill Core	<0.01	0.135	19.15	0.08	0.40	0.02	<0.01	<0.01	0.42	0.019	0.065	0.010	0.16	0.43	0.54	N.A.
646060A	Drill Core	<0.01	0.151	12.45	0.14	0.61	0.06	<0.01	<0.01	0.86	0.051	0.071	0.010	0.25	0.18	1.34	N.A.
646060B	Drill Core	<0.01	0.146	12.69	0.15	0.62	0.06	<0.01	<0.01	0.88	0.057	0.076	0.011	0.34	0.32	1.37	N.A.
646061	Drill Core	0.01	0.133	11.29	0.17	1.09	0.11	0.02	<0.01	0.72	0.044	0.031	0.006	0.27	0.34	1.03	N.A.
646062	Drill Core	<0.01	0.122	11.74	0.18	0.74	0.12	0.02	<0.01	0.80	0.028	0.039	0.007	0.33	0.31	1.22	N.A.
646063	Drill Core	<0.01	0.087	11.29	0.19	0.82	0.15	0.03	<0.01	1.07	0.039	0.027	0.008	0.27	0.19	1.66	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000312.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
646064	Drill Core	11.5	<2	15	9	<0.001	0.035	<0.02	<0.01	<2	0.051	0.008	0.10	4.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	14.18
646065	Drill Core	10.5	<2	17	15	<0.001	0.088	<0.02	<0.01	<2	0.106	0.011	0.09	5.26	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	14.47
646066	Drill Core	11	<2	96	92	<0.001	0.095	<0.02	<0.01	<2	0.080	0.006	0.09	4.41	<0.02	0.02	<0.001	<0.01	<0.01	0.02	14.23
646067	Drill Core	10.4	<2	130	122	<0.001	0.067	<0.02	<0.01	<2	0.061	0.006	0.09	4.64	<0.02	0.02	<0.001	<0.01	<0.01	0.02	13.66
646068	Drill Core	11.4	<2	53	61	<0.001	0.083	<0.02	<0.01	<2	0.094	0.006	0.09	4.64	<0.02	0.02	<0.001	<0.01	<0.01	0.02	13.84
646069	Drill Core	10.8	<2	8	10	<0.001	0.032	<0.02	<0.01	<2	0.057	0.006	0.09	4.77	<0.02	<0.01	<0.001	<0.01	<0.01	0.02	13.25
646070	Drill Core	11	<2	18	18	<0.001	0.061	<0.02	<0.01	<2	0.067	0.009	0.10	5.67	<0.02	0.01	<0.001	<0.01	<0.01	0.02	12.75
646071	Drill Core	10.3	<2	12	12	<0.001	0.033	<0.02	<0.01	<2	0.037	0.009	0.11	6.04	<0.02	0.01	<0.001	<0.01	<0.01	0.03	13.58
646072	Drill Core	13.4	<2	<3	8	0.001	0.024	<0.02	<0.01	<2	0.017	0.013	0.15	10.32	<0.02	0.02	<0.001	<0.01	<0.01	0.04	10.41
RRE 646072	Drill Core		<2	<3	6	0.001	0.024	<0.02	<0.01	<2	0.018	0.013	0.14	10.51	<0.02	0.02	<0.001	<0.01	<0.01	0.04	10.23
646073	Drill Core	11.8	<2	23	25	<0.001	0.036	<0.02	<0.01	<2	0.038	0.009	0.14	8.12	<0.02	0.02	<0.001	<0.01	<0.01	0.03	11.18
646074	Drill Core	10.9	<2	8	14	<0.001	0.031	<0.02	<0.01	<2	0.028	0.010	0.14	8.90	<0.02	0.01	<0.001	<0.01	<0.01	0.04	10.66
646075	Rock Pulp		I.S.	I.S.	I.S.	0.004	0.397	0.13	0.03	12	0.090	0.004	0.10	6.63	0.03	0.05	<0.001	<0.01	<0.01	0.01	3.35
646076	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.044	<0.02	<0.01	<2	0.384	0.026	0.12	13.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.14
646077	Drill Core	6.6	5	4	11	0.001	0.021	<0.02	0.03	<2	0.016	0.007	0.17	9.26	<0.02	0.01	<0.001	<0.01	<0.01	0.05	7.27
646078	Drill Core	8.9	11	<3	11	0.006	0.014	<0.02	0.06	<2	0.015	0.003	0.19	5.51	<0.02	<0.01	<0.001	<0.01	<0.01	0.08	2.57
646079	Drill Core	7.1	9	<3	4	<0.001	0.011	<0.02	0.02	3	0.008	0.008	0.26	12.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.12	7.19



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: December 31, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000312.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
646064	Drill Core	<0.01	0.162	9.87	0.23	1.05	0.21	0.03	<0.01	0.36	0.036	0.039	0.004	0.20	0.14	0.55	N.A.
646065	Drill Core	<0.01	0.163	9.84	0.23	0.97	0.20	0.03	<0.01	0.67	0.086	0.094	0.007	0.29	0.09	1.02	N.A.
646066	Drill Core	<0.01	0.156	9.95	0.25	1.05	0.22	0.04	<0.01	0.18	0.093	0.062	0.003	0.19	0.06	0.31	N.A.
646067	Drill Core	0.02	0.150	10.15	0.26	1.37	0.22	0.04	<0.01	0.11	0.065	0.039	0.002	0.16	0.07	0.22	N.A.
646068	Drill Core	0.01	0.167	10.14	0.25	1.21	0.21	0.04	<0.01	0.28	0.080	0.075	0.003	0.26	0.15	0.43	N.A.
646069	Drill Core	<0.01	0.149	10.38	0.22	1.06	0.21	0.04	<0.01	0.34	0.034	0.043	0.003	0.39	0.37	0.52	N.A.
646070	Drill Core	<0.01	0.136	10.11	0.24	1.08	0.21	0.05	<0.01	0.62	0.064	0.051	0.005	0.33	0.12	0.95	N.A.
646071	Drill Core	<0.01	0.112	10.42	0.25	0.98	0.21	0.04	<0.01	0.68	0.036	0.026	0.005	0.58	0.35	1.01	N.A.
646072	Drill Core	0.07	0.042	9.51	0.54	2.52	0.28	0.10	<0.01	1.36	0.024	0.008	0.005	0.51	0.15	2.07	3.06
RRE 646072	Drill Core	0.07	0.041	9.28	0.53	2.54	0.26	0.10	<0.01	1.39	0.025	0.008	0.005	0.49	0.15	2.13	N.A.
646073	Drill Core	0.07	0.061	8.74	0.59	3.06	0.40	0.34	<0.01	0.60	0.038	0.028	0.004	0.85	0.46	1.03	N.A.
646074	Drill Core	0.05	0.056	8.78	0.58	3.03	0.44	0.26	<0.01	0.63	0.033	0.014	0.004	0.38	0.12	1.10	N.A.
646075	Rock Pulp	0.08	0.087	1.69	0.28	7.54	1.37	1.88	<0.01	1.09	0.375	0.010	0.001	1.84	0.27	1.22	N.A.
646076	Rock Pulp	<0.01	0.143	22.41	0.02	0.29	0.03	0.08	<0.01	2.72	0.044	0.377	0.023	1.21	1.49	4.34	N.A.
646077	Drill Core	0.08	0.039	6.41	0.67	3.44	0.99	0.73	<0.01	1.43	0.022	0.007	0.002	0.44	0.07	1.81	N.A.
646078	Drill Core	0.06	0.017	3.66	0.50	2.86	1.08	0.91	<0.01	1.43	0.015	0.007	<0.001	0.66	0.17	1.74	N.A.
646079	Drill Core	0.03	0.012	8.31	2.59	1.42	0.19	0.26	<0.01	0.92	0.011	0.003	0.002	0.53	0.20	1.20	N.A.

Hole 07-243

CERTIFICATE OF ANALYSIS

SMI07000408.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-243A
 P.O. Number: ACME FILE: A718817
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	46	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	4	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000408.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
358492	Drill Core	5.60	<2	4	6	<0.001	0.003	<0.02	<0.01	<2	0.165	0.017	0.13	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358493	Drill Core	10.40	<2	62	53	<0.001	0.003	<0.02	<0.01	<2	0.246	0.017	0.14	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358494	Drill Core	9.90	8	145	99	<0.001	0.036	<0.02	<0.01	<2	0.301	0.017	0.14	9.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
RRE 358494	Drill Core		8	145	97	<0.001	0.035	<0.02	<0.01	<2	0.299	0.017	0.14	9.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358495	Drill Core	9.50	3	20	18	<0.001	0.061	<0.02	<0.01	<2	0.147	0.020	0.13	10.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358496	Drill Core	9.90	<2	10	14	<0.001	0.033	<0.02	<0.01	<2	0.143	0.020	0.12	10.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358497	Drill Core	10.50	<2	34	27	<0.001	0.035	<0.02	<0.01	<2	0.161	0.018	0.12	9.99	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358498	Drill Core	9.90	4	33	31	<0.001	0.026	<0.02	<0.01	<2	0.221	0.015	0.13	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358499	Drill Core	11.00	7	60	55	<0.001	0.020	<0.02	<0.01	<2	0.263	0.016	0.15	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358500	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.096	<0.02	<0.01	<2	0.333	0.016	0.05	9.35	<0.02	<0.01	<0.001	<0.01	<0.01	0.01
358501	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.049	<0.02	<0.01	<2	0.406	0.028	0.12	13.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358502	Drill Core	10.60	4	16	29	<0.001	0.011	<0.02	<0.01	<2	0.256	0.016	0.15	9.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358503	Drill Core	9.60	<2	6	6	<0.001	0.007	<0.02	<0.01	<2	0.223	0.016	0.14	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358504	Drill Core	10.40	7	198	98	<0.001	0.016	<0.02	<0.01	<2	0.328	0.017	0.14	9.10	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358505	Drill Core	11.00	5	38	33	<0.001	0.024	<0.02	<0.01	<2	0.254	0.018	0.14	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358506	Drill Core	10.10	<2	16	11	<0.001	0.013	<0.02	<0.01	<2	0.210	0.018	0.14	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358507	Drill Core	10.90	<2	18	12	<0.001	0.009	<0.02	<0.01	<2	0.276	0.016	0.14	9.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358508	Drill Core	9.90	<2	<3	3	<0.001	0.005	<0.02	<0.01	<2	0.215	0.016	0.15	9.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358509	Drill Core	10.90	14	11	14	<0.001	0.010	<0.02	<0.01	<2	0.219	0.016	0.15	9.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358510A	Drill Core	10.60	18	66	65	<0.001	0.126	<0.02	<0.01	<2	0.372	0.018	0.15	9.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358510B	Drill Core		17	67	64	<0.001	0.129	<0.02	<0.01	<2	0.373	0.019	0.15	10.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358511	Drill Core	11.50	27	186	144	<0.001	0.122	<0.02	<0.01	<2	0.408	0.018	0.14	9.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358512	Drill Core	11.40	19	105	94	<0.001	0.098	<0.02	<0.01	<2	0.384	0.018	0.13	8.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358513	Drill Core	10.40	37	71	52	<0.001	0.220	<0.02	<0.01	<2	0.407	0.022	0.12	8.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358514	Drill Core	10.70	8	20	16	<0.001	0.038	<0.02	<0.01	<2	0.240	0.019	0.12	7.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358515	Drill Core	10.30	6	89	64	<0.001	0.016	<0.02	<0.01	<2	0.337	0.016	0.13	8.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358516	Drill Core	11.10	25	198	182	<0.001	0.088	<0.02	<0.01	<2	0.419	0.018	0.12	8.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358517	Drill Core	10.60	<2	15	12	<0.001	0.004	<0.02	<0.01	<2	0.270	0.016	0.11	7.23	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358518	Drill Core	10.90	<2	5	3	<0.001	0.002	<0.02	<0.01	<2	0.234	0.015	0.13	8.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358519	Drill Core	10.50	<2	9	13	<0.001	0.002	<0.02	<0.01	<2	0.231	0.014	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000408.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358492	Drill Core	<0.01	0.211	29.24	<0.01	0.06	<0.01	<0.01	<0.01	0.02	0.003	0.021	0.002	0.44	1.30	0.03	N.A.
358493	Drill Core	<0.01	0.145	28.04	0.01	0.06	<0.01	<0.01	<0.01	0.04	0.003	0.050	0.003	0.50	1.41	0.04	3.21
358494	Drill Core	<0.01	0.108	28.23	<0.01	0.04	<0.01	<0.01	<0.01	0.09	0.031	0.053	0.003	0.51	1.13	0.11	N.A.
RRE 358494	Drill Core	<0.01	0.100	28.56	<0.01	0.03	<0.01	<0.01	<0.01	0.09	0.031	0.053	0.003	0.52	1.16	0.10	N.A.
358495	Drill Core	<0.01	0.132	27.80	<0.01	0.04	<0.01	<0.01	<0.01	0.36	0.060	0.071	0.008	0.74	1.70	0.46	N.A.
358496	Drill Core	<0.01	0.117	28.14	<0.01	0.05	<0.01	<0.01	<0.01	0.43	0.030	0.063	0.007	0.70	1.43	0.58	N.A.
358497	Drill Core	<0.01	0.109	27.50	<0.01	0.04	<0.01	<0.01	<0.01	0.39	0.033	0.068	0.006	0.79	1.57	0.54	N.A.
358498	Drill Core	<0.01	0.163	28.01	<0.01	0.04	<0.01	<0.01	<0.01	0.10	0.023	0.043	0.003	0.60	1.50	0.12	N.A.
358499	Drill Core	<0.01	0.161	27.62	<0.01	0.04	<0.01	<0.01	<0.01	0.06	0.017	0.050	0.003	0.53	1.29	0.07	N.A.
358500	Rock Pulp	<0.01	0.422	15.12	0.14	2.85	0.24	0.05	<0.01	0.85	0.093	0.246	0.010	0.79	1.02	0.97	N.A.
358501	Rock Pulp	<0.01	0.186	21.86	0.02	0.29	0.03	0.10	<0.01	2.56	0.045	0.391	0.023	1.46	1.83	4.01	N.A.
358502	Drill Core	<0.01	0.118	28.03	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.010	0.032	0.002	0.49	1.21	0.03	N.A.
358503	Drill Core	<0.01	0.131	27.57	<0.01	0.03	<0.01	<0.01	<0.01	0.04	0.006	0.045	0.003	0.50	1.44	0.05	N.A.
358504	Drill Core	<0.01	0.112	28.17	<0.01	0.03	<0.01	<0.01	<0.01	0.05	0.014	0.067	0.003	0.51	1.19	0.06	N.A.
358505	Drill Core	<0.01	0.169	28.62	<0.01	0.05	<0.01	<0.01	<0.01	0.04	0.023	0.045	0.003	0.55	1.33	0.05	N.A.
358506	Drill Core	<0.01	0.207	28.30	<0.01	0.04	<0.01	<0.01	<0.01	0.04	0.011	0.042	0.003	0.55	1.42	0.05	N.A.
358507	Drill Core	<0.01	0.203	27.48	0.01	0.05	<0.01	<0.01	<0.01	0.04	0.008	0.056	0.003	0.56	1.39	0.05	N.A.
358508	Drill Core	<0.01	0.084	26.97	<0.01	0.03	<0.01	<0.01	<0.01	0.03	0.005	0.034	0.003	0.53	1.27	0.04	N.A.
358509	Drill Core	<0.01	0.086	27.42	<0.01	0.03	<0.01	<0.01	<0.01	0.05	0.009	0.036	0.003	0.57	1.33	0.06	N.A.
358510A	Drill Core	<0.01	0.170	26.27	0.01	0.05	<0.01	<0.01	<0.01	0.28	0.123	0.205	0.007	0.88	1.69	0.31	N.A.
358510B	Drill Core	<0.01	0.179	27.31	0.01	0.05	<0.01	<0.01	<0.01	0.31	0.120	0.198	0.007	0.85	1.62	0.31	N.A.
358511	Drill Core	<0.01	0.178	27.59	0.01	0.07	<0.01	<0.01	<0.01	0.17	0.115	0.162	0.005	0.67	1.44	0.19	N.A.
358512	Drill Core	<0.01	0.309	27.91	0.02	0.09	<0.01	<0.01	<0.01	0.12	0.093	0.127	0.004	0.65	1.35	0.14	3.17
358513	Drill Core	<0.01	0.185	28.08	0.01	0.06	<0.01	<0.01	<0.01	0.19	0.205	0.173	0.006	0.69	1.49	0.22	N.A.
358514	Drill Core	<0.01	0.266	28.52	0.01	0.06	<0.01	<0.01	<0.01	0.05	0.035	0.056	0.004	0.52	1.61	0.05	N.A.
358515	Drill Core	<0.01	0.252	28.32	0.01	0.06	<0.01	<0.01	<0.01	0.05	0.015	0.091	0.004	0.54	1.76	0.06	N.A.
358516	Drill Core	<0.01	0.242	25.97	0.02	0.06	<0.01	<0.01	<0.01	0.15	0.086	0.189	0.006	0.64	1.75	0.17	N.A.
358517	Drill Core	<0.01	0.175	28.42	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.003	0.057	0.004	0.48	1.69	0.04	N.A.
358518	Drill Core	<0.01	0.191	26.90	0.01	0.07	<0.01	<0.01	<0.01	0.03	0.001	0.058	0.004	0.52	1.77	0.04	N.A.
358519	Drill Core	<0.01	0.188	26.52	0.01	0.07	<0.01	<0.01	<0.01	0.02	0.002	0.054	0.003	0.48	1.58	0.04	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000408.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358520	Drill Core	10.60	<2	<3	2	<0.001	0.004	<0.02	<0.01	<2	0.244	0.014	0.12	7.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
358521	Drill Core	10.40	8	72	77	<0.001	0.037	<0.02	<0.01	<2	0.382	0.016	0.10	7.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
358522	Drill Core	10.60	6	72	70	<0.001	0.045	<0.02	<0.01	<2	0.428	0.015	0.11	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
358523	Drill Core	10.60	25	149	163	<0.001	0.322	<0.02	<0.01	<2	0.799	0.024	0.12	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
358524	Drill Core	10.60	39	111	97	<0.001	0.203	<0.02	<0.01	<2	0.616	0.023	0.12	8.59	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358525	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.054	<0.02	0.02	<2	0.225	0.012	0.10	9.19	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.16
358526	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.046	<0.02	<0.01	<2	0.383	0.027	0.12	12.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.12
358527	Drill Core	10.90	3	57	50	<0.001	0.014	<0.02	<0.01	<2	0.296	0.019	0.11	7.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.36
358528	Drill Core	11.00	<2	12	4	<0.001	0.002	<0.02	<0.01	<2	0.249	0.020	0.10	7.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
358529	Drill Core	10.90	<2	27	20	<0.001	0.004	<0.02	<0.01	<2	0.285	0.019	0.10	6.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358530	Drill Core	1.90	2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.06	1.04	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.87
358531	Drill Core	7.20	<2	3	3	<0.001	0.005	<0.02	<0.01	<2	0.227	0.012	0.11	7.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.34
358532	Drill Core	9.80	<2	23	12	<0.001	<0.001	<0.02	<0.01	<2	0.269	0.013	0.11	7.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
RRE 358532	Drill Core		<2	20	11	<0.001	0.001	<0.02	<0.01	<2	0.275	0.013	0.11	7.41	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20
358533	Drill Core	10.70	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.256	0.013	0.12	7.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
358534	Drill Core	10.70	<2	9	8	<0.001	0.006	<0.02	<0.01	<2	0.263	0.015	0.11	7.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
358535	Drill Core	9.80	<2	7	7	<0.001	0.002	<0.02	<0.01	<2	0.285	0.015	0.10	7.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.47
358536	Drill Core	10.50	<2	9	4	<0.001	<0.001	<0.02	<0.01	<2	0.272	0.013	0.11	7.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
358537	Drill Core	10.40	15	130	84	<0.001	0.021	<0.02	<0.01	2	0.348	0.014	0.12	7.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358538	Drill Core	10.40	2	4	2	<0.001	<0.001	<0.02	<0.01	<2	0.258	0.013	0.11	7.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.44



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 15, 2008

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

SMI07000408.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358520	Drill Core	<0.01	0.198	26.89	<0.01	0.05	<0.01	<0.01	<0.01	0.04	0.003	0.079	0.004	0.48	1.99	0.05	N.A.
358521	Drill Core	<0.01	0.194	27.91	<0.01	0.04	<0.01	<0.01	<0.01	0.09	0.036	0.164	0.006	0.54	2.18	0.12	N.A.
358522	Drill Core	<0.01	0.293	26.55	<0.01	0.06	<0.01	<0.01	<0.01	0.12	0.043	0.176	0.005	0.60	2.24	0.13	3.12
358523	Drill Core	<0.01	0.180	27.12	<0.01	0.04	<0.01	<0.01	<0.01	0.58	0.300	0.585	0.013	1.14	1.97	0.66	N.A.
358524	Drill Core	<0.01	0.213	26.32	0.01	0.06	<0.01	<0.01	<0.01	0.32	0.200	0.393	0.010	0.76	1.93	0.35	N.A.
358525	Rock Pulp	<0.01	1.099	13.23	0.18	4.09	0.33	0.11	<0.01	0.45	0.056	0.190	0.007	0.39	0.27	0.48	N.A.
358526	Rock Pulp	<0.01	0.189	21.40	0.02	0.28	0.03	0.09	<0.01	3.01	0.049	0.411	0.025	1.27	1.59	4.16	N.A.
358527	Drill Core	<0.01	0.199	26.90	<0.01	0.06	<0.01	<0.01	<0.01	0.05	0.011	0.083	0.005	0.46	1.73	0.05	N.A.
358528	Drill Core	<0.01	0.224	28.14	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.002	0.059	0.005	0.41	1.74	0.02	N.A.
358529	Drill Core	<0.01	0.167	27.64	<0.01	0.05	<0.01	<0.01	<0.01	0.04	0.003	0.094	0.006	0.39	2.29	0.03	N.A.
358530	Drill Core	0.02	0.002	0.24	0.06	7.72	3.63	1.16	<0.01	<0.01	<0.001	<0.001	<0.001	0.05	0.03	<0.02	N.A.
358531	Drill Core	<0.01	0.293	25.08	0.01	0.08	<0.01	<0.01	<0.01	0.05	0.001	0.128	0.005	0.45	3.16	0.04	N.A.
358532	Drill Core	<0.01	0.212	26.55	0.01	0.07	<0.01	<0.01	<0.01	0.02	<0.001	0.079	0.003	0.40	2.05	0.03	3.07
RRE 358532	Drill Core	<0.01	0.235	27.58	0.01	0.07	<0.01	<0.01	<0.01	0.03	<0.001	0.081	0.003	0.41	2.18	0.03	N.A.
358533	Drill Core	<0.01	0.292	26.72	0.02	0.11	<0.01	<0.01	<0.01	0.02	0.002	0.067	0.003	0.41	1.82	0.03	N.A.
358534	Drill Core	<0.01	0.237	28.34	0.01	0.08	<0.01	<0.01	<0.01	0.04	0.006	0.082	0.004	0.36	1.61	0.05	N.A.
358535	Drill Core	<0.01	0.214	26.16	0.01	0.08	<0.01	<0.01	<0.01	0.05	0.002	0.119	0.006	0.30	1.77	0.06	N.A.
358536	Drill Core	<0.01	0.297	25.92	0.02	0.10	<0.01	<0.01	<0.01	0.03	<0.001	0.091	0.003	0.35	1.66	0.04	N.A.
358537	Drill Core	<0.01	0.221	27.12	0.01	0.07	<0.01	<0.01	<0.01	0.04	0.017	0.106	0.003	0.35	1.32	0.05	N.A.
358538	Drill Core	<0.01	0.231	26.21	0.01	0.09	<0.01	<0.01	<0.01	0.02	<0.001	0.084	0.003	0.43	2.47	0.03	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 13, 2007
 Report Date: February 15, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000417.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-243B
 P.O. Number: ACME FILE: A718835
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	46	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	1	Specific Gravity on Drill Core		Completed
G8SG	1	Specific Gravity on Pulp		Completed

ADDITIONAL COMMENTS

Invoice To: **Hard Creek Nickel Corporation**
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 15, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000417.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358539	Drill Core	10.60	<2	5	<2	<0.001	<0.001	<0.02	<0.01	<2	0.273	0.014	0.12	8.39	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
358540	Drill Core	11.00	<2	11	4	<0.001	0.004	<0.02	<0.01	<2	0.242	0.012	0.10	9.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52
358541	Drill Core	10.70	<2	8	3	<0.001	<0.001	<0.02	<0.01	<2	0.224	0.014	0.13	8.84	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
358542	Drill Core	10.50	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.014	0.13	8.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
358543	Drill Core	10.40	<2	8	2	<0.001	<0.001	<0.02	<0.01	<2	0.251	0.013	0.12	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
358544	Drill Core	10.50	<2	7	3	<0.001	0.001	<0.02	<0.01	<2	0.243	0.013	0.11	7.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.39
358545	Drill Core	10.60	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.245	0.013	0.11	7.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.06
358546	Drill Core	10.10	<2	5	<2	<0.001	0.002	<0.02	<0.01	<2	0.220	0.013	0.11	6.38	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.89
358547	Drill Core	10.10	<2	4	<2	<0.001	0.004	<0.02	<0.01	<2	0.215	0.012	0.11	6.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.71
358548	Drill Core	10.00	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.246	0.012	0.10	6.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.62
358549	Drill Core	10.10	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.233	0.013	0.11	7.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.29
358550	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.094	<0.02	<0.01	<2	0.335	0.015	0.05	9.04	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.14
358551	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.253	0.016	0.11	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.70
358552	Drill Core	11.30	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.252	0.013	0.12	8.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358553	Drill Core	11.40	<2	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.259	0.013	0.11	6.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
RRE 358553	Drill Core		<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.261	0.013	0.11	6.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358554	Drill Core	10.40	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.243	0.013	0.10	6.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
358555	Drill Core	11.40	<2	7	4	<0.001	0.002	<0.02	<0.01	<2	0.251	0.013	0.10	6.24	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
358556	Drill Core	10.70	2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.262	0.013	0.09	5.53	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
358557	Drill Core	10.50	3	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.228	0.014	0.11	6.53	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
358558	Drill Core	10.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.225	0.013	0.11	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
358559	Drill Core	9.30	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.227	0.012	0.09	5.66	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.60
358560	Drill Core	2.00	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.002	<0.001	0.07	1.04	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	2.09
358561	Drill Core	10.10	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.255	0.013	0.09	5.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.51
358562	Drill Core	11.20	<2	5	13	<0.001	<0.001	<0.02	<0.01	<2	0.254	0.014	0.11	6.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
358563	Drill Core	11.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.213	0.014	0.11	6.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
358564	Drill Core	10.70	3	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.228	0.013	0.11	6.36	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
358565	Drill Core	11.40	2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.241	0.013	0.11	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
358566	Drill Core	10.70	2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.221	0.013	0.12	7.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.42
358567	Drill Core	11.20	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.260	0.012	0.09	5.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.52



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000417.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0	0
358539	Drill Core	<0.01	0.260	27.87	0.01	0.08	<0.01	<0.01	<0.01	0.02	0.004	0.102	0.003	0.43	2.06	0.03	N.A.	N.A.
358540	Drill Core	<0.01	0.343	25.24	0.01	0.10	<0.01	<0.01	<0.01	0.03	<0.001	0.061	0.002	0.48	1.82	0.05	N.A.	N.A.
358541	Drill Core	<0.01	0.266	26.54	0.01	0.07	<0.01	<0.01	<0.01	0.02	<0.001	0.075	0.002	0.58	2.38	0.04	N.A.	N.A.
358542	Drill Core	<0.01	0.299	27.58	0.01	0.07	<0.01	<0.01	<0.01	<0.01	<0.001	0.041	0.002	0.60	1.99	<0.02	N.A.	N.A.
358543	Drill Core	<0.01	0.217	27.77	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.001	0.064	0.002	0.48	1.89	0.03	N.A.	N.A.
358544	Drill Core	<0.01	0.204	26.92	<0.01	0.05	<0.01	<0.01	<0.01	0.01	0.001	0.060	0.003	0.48	1.81	0.03	N.A.	N.A.
358545	Drill Core	<0.01	0.235	27.39	0.01	0.06	<0.01	<0.01	<0.01	0.02	0.002	0.074	0.003	0.53	2.27	0.04	N.A.	N.A.
358546	Drill Core	<0.01	0.235	27.23	0.01	0.08	<0.01	<0.01	<0.01	0.03	0.002	0.081	0.004	0.48	2.44	0.03	N.A.	N.A.
358547	Drill Core	<0.01	0.153	26.41	<0.01	0.05	<0.01	<0.01	<0.01	0.04	0.005	0.099	0.005	0.40	2.98	0.05	N.A.	N.A.
358548	Drill Core	<0.01	0.177	27.61	0.01	0.08	<0.01	<0.01	<0.01	0.02	<0.001	0.081	0.003	0.46	2.22	0.03	N.A.	N.A.
358549	Drill Core	<0.01	0.231	27.37	0.01	0.08	<0.01	<0.01	<0.01	<0.01	0.002	0.050	0.002	0.50	2.09	0.02	N.A.	N.A.
358550	Rock Pulp	<0.01	0.325	14.64	0.14	2.68	0.23	0.05	<0.01	0.80	0.095	0.248	0.011	1.14	1.05	1.00	N.A.	N.A.
358551	Rock Pulp	<0.01	0.138	25.54	0.02	0.31	<0.01	0.07	<0.01	1.07	0.031	0.225	0.013	1.26	3.08	1.36	N.A.	N.A.
358552	Drill Core	<0.01	0.135	28.37	<0.01	0.05	<0.01	<0.01	<0.01	0.01	<0.001	0.049	0.002	0.49	1.78	<0.02	3.16	N.A.
358553	Drill Core	<0.01	0.222	29.78	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.034	0.001	0.49	1.89	<0.02	N.A.	N.A.
RRE 358553	Drill Core	<0.01	0.226	29.43	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.033	<0.001	0.44	1.71	<0.02	N.A.	N.A.
358554	Drill Core	<0.01	0.256	29.38	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	0.002	0.041	0.002	0.50	2.19	<0.02	N.A.	N.A.
358555	Drill Core	<0.01	0.368	28.97	0.01	0.09	<0.01	<0.01	<0.01	0.01	0.002	0.054	0.002	0.41	1.85	0.02	N.A.	N.A.
358556	Drill Core	<0.01	0.331	29.29	<0.01	0.07	<0.01	<0.01	<0.01	<0.01	0.001	0.047	0.002	0.43	2.12	0.02	N.A.	N.A.
358557	Drill Core	<0.01	0.481	29.37	<0.01	0.09	<0.01	<0.01	<0.01	0.03	<0.001	0.036	0.001	0.43	1.73	0.02	N.A.	N.A.
358558	Drill Core	<0.01	0.244	28.80	<0.01	0.06	<0.01	<0.01	<0.01	0.01	<0.001	0.045	0.002	0.48	2.14	<0.02	N.A.	N.A.
358559	Drill Core	<0.01	0.284	27.08	<0.01	0.11	<0.01	<0.01	<0.01	0.03	<0.001	0.091	0.003	0.44	2.57	0.04	N.A.	N.A.
358560	Drill Core	0.01	0.001	0.46	0.07	8.24	3.64	1.27	<0.01	<0.01	<0.001	<0.001	<0.001	0.08	0.04	<0.02	N.A.	N.A.
358561	Drill Core	<0.01	0.232	29.84	<0.01	0.07	<0.01	<0.01	<0.01	<0.01	<0.001	0.049	0.001	0.44	2.11	<0.02	N.A.	N.A.
358562	Drill Core	<0.01	0.276	29.45	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.001	0.039	0.001	0.49	2.00	<0.02	N.A.	N.A.
358563	Drill Core	<0.01	0.215	28.64	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.001	0.030	0.001	0.53	2.04	<0.02	N.A.	N.A.
358564	Drill Core	<0.01	0.264	27.08	<0.01	0.07	<0.01	<0.01	<0.01	<0.01	<0.001	0.052	0.001	0.54	2.20	0.02	N.A.	N.A.
358565	Drill Core	<0.01	0.243	26.92	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.034	0.001	0.60	2.04	<0.02	N.A.	N.A.
358566	Drill Core	<0.01	0.192	26.96	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.036	0.001	0.59	1.95	0.02	N.A.	N.A.
358567	Drill Core	<0.01	0.225	27.88	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.001	0.040	0.002	0.49	2.07	0.02	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000417.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358568	Drill Core	10.60	3	7	7	<0.001	0.002	<0.02	<0.01	<2	0.238	0.013	0.10	6.12	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
358569	Drill Core	11.30	<2	5	<2	<0.001	0.003	<0.02	<0.01	<2	0.240	0.012	0.10	6.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.68
358570A	Drill Core	10.70	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.243	0.013	0.11	6.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.73
358570B	Drill Core		<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.245	0.013	0.11	6.46	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.80
358571	Drill Core	10.60	<2	15	<2	<0.001	<0.001	<0.02	<0.01	<2	0.230	0.014	0.13	7.56	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
358572	Drill Core	11.20	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.231	0.013	0.11	6.44	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358573	Drill Core	10.70	<2	5	<2	<0.001	<0.001	<0.02	<0.01	<2	0.209	0.012	0.10	6.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
358574	Drill Core	10.90	<2	7	3	<0.001	<0.001	<0.02	<0.01	<2	0.203	0.012	0.10	6.06	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.66
358575	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.091	<0.02	<0.01	<2	0.320	0.015	0.04	8.27	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.03
358576	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.028	<0.02	<0.01	<2	0.234	0.016	0.10	7.98	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.65
358577	Drill Core	10.50	<2	4	<2	<0.001	0.001	<0.02	<0.01	<2	0.215	0.012	0.10	5.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.33
358578	Drill Core	11.20	4	6	5	<0.001	0.002	<0.02	<0.01	<2	0.247	0.013	0.11	6.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.30
358579	Drill Core	10.40	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.237	0.012	0.09	5.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
358580	Drill Core	10.50	<2	5	2	<0.001	<0.001	<0.02	<0.01	<2	0.254	0.013	0.10	6.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
358581	Drill Core	11.20	<2	4	<2	<0.001	0.001	<0.02	<0.01	<2	0.232	0.012	0.09	6.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.24
358582	Drill Core	11.00	<2	4	<2	<0.001	0.004	<0.02	<0.01	<2	0.229	0.013	0.11	6.72	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.41
358583	Drill Core	11.30	2	5	4	<0.001	0.006	<0.02	<0.01	<2	0.224	0.014	0.10	6.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
RRE 358583	Drill Core		3	7	3	<0.001	0.005	<0.02	<0.01	<2	0.226	0.014	0.10	6.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
358584	Drill Core	11.20	4	8	4	<0.001	0.004	<0.02	<0.01	<2	0.216	0.014	0.10	6.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
358585	Drill Core	11.00	3	4	<2	<0.001	0.002	<0.02	<0.01	<2	0.214	0.014	0.10	6.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.51



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000417.1

Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG	G8SG
Analyte	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG	SG
Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%		
MDL	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0	0
358568	Drill Core	<0.01	0.166	28.12	<0.01	0.05	<0.01	<0.01	<0.01	0.01	0.002	0.046	0.002	0.48	1.91	0.03	N.A.	N.A.
358569	Drill Core	<0.01	0.190	28.43	<0.01	0.07	0.01	<0.01	<0.01	0.04	0.006	0.050	0.002	0.45	2.05	0.02	N.A.	N.A.
358570A	Drill Core	<0.01	0.143	29.06	<0.01	0.04	<0.01	<0.01	<0.01	0.01	0.002	0.054	0.003	0.52	2.11	0.03	N.A.	N.A.
358570B	Drill Core	<0.01	0.160	29.20	<0.01	0.04	<0.01	<0.01	<0.01	0.02	0.002	0.053	0.003	0.52	2.21	0.03	N.A.	N.A.
358571	Drill Core	<0.01	0.184	28.93	<0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.001	0.030	0.001	0.65	2.07	<0.02	N.A.	N.A.
358572	Drill Core	<0.01	0.164	27.29	<0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.001	0.033	0.002	0.62	2.10	<0.02	N.A.	1800615
358573	Drill Core	<0.01	0.180	27.29	<0.01	0.06	<0.01	<0.01	<0.01	0.01	<0.001	0.040	0.002	0.57	2.28	0.02	N.A.	N.A.
358574	Drill Core	<0.01	0.163	26.45	<0.01	0.05	<0.01	<0.01	<0.01	0.01	0.001	0.051	0.002	0.49	2.06	0.03	N.A.	N.A.
358575	Rock Pulp	<0.01	0.391	13.86	0.13	2.79	0.22	0.05	<0.01	0.80	0.097	0.253	0.012	1.14	1.28	1.02	N.A.	N.A.
358576	Rock Pulp	<0.01	0.155	23.52	0.02	0.29	<0.01	0.07	<0.01	1.02	0.031	0.220	0.013	1.20	3.34	1.39	N.A.	N.A.
358577	Drill Core	<0.01	0.227	26.65	<0.01	0.06	<0.01	<0.01	<0.01	0.01	0.001	0.050	0.002	0.52	2.44	0.02	N.A.	N.A.
358578	Drill Core	<0.01	0.238	27.94	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.002	0.049	0.002	0.50	2.29	0.02	N.A.	N.A.
358579	Drill Core	<0.01	0.266	27.38	<0.01	0.06	<0.01	<0.01	<0.01	0.01	<0.001	0.053	0.003	0.41	2.25	0.03	N.A.	N.A.
358580	Drill Core	<0.01	0.322	28.61	<0.01	0.06	<0.01	<0.01	<0.01	0.01	<0.001	0.047	0.002	0.43	2.20	<0.02	N.A.	N.A.
358581	Drill Core	<0.01	0.262	26.38	<0.01	0.06	<0.01	<0.01	<0.01	0.01	0.001	0.056	0.002	0.40	2.24	<0.02	N.A.	N.A.
358582	Drill Core	<0.01	0.235	27.83	<0.01	0.05	0.03	<0.01	<0.01	0.01	0.003	0.050	0.003	0.53	2.43	0.03	N.A.	N.A.
358583	Drill Core	<0.01	0.190	27.32	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.005	0.047	0.003	0.41	2.08	0.02	N.A.	N.A.
RRE 358583	Drill Core	<0.01	0.199	27.67	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.004	0.046	0.002	0.41	2.09	0.03	N.A.	N.A.
358584	Drill Core	<0.01	0.137	28.17	<0.01	0.04	<0.01	<0.01	<0.01	0.01	0.003	0.049	0.002	0.43	2.29	0.03	N.A.	N.A.
358585	Drill Core	<0.01	0.165	27.38	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.001	0.057	0.002	0.37	2.08	0.03	N.A.	N.A.

CERTIFICATE OF ANALYSIS

SMI07000411.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-243C
 P.O. Number: ACME FILE: A718820
 Number of Samples: 23

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	21	Crush, split and pulverize drill core to 150 mesh		
3B	21	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	23	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	23	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	23	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 14, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

SMI07000411.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358586	Drill Core	10.40	4	12	4	<0.001	<0.001	<0.02	<0.01	<2	0.201	0.014	0.09	6.34	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.28
358587	Drill Core	10.90	4	9	5	<0.001	<0.001	<0.02	<0.01	<2	0.235	0.013	0.12	7.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358588	Drill Core	10.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.248	0.013	0.12	7.61	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
358589	Drill Core	9.20	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.200	0.013	0.11	7.25	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.67
358590	Drill Core	2.10	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.06	1.15	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.90
358591	Drill Core	9.60	<2	3	<2	<0.001	0.001	<0.02	<0.01	<2	0.210	0.013	0.10	7.13	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
358592	Drill Core	10.20	<2	<3	<2	<0.001	0.003	<0.02	<0.01	<2	0.228	0.011	0.10	5.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.71
RRE 358592	Drill Core		<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.226	0.011	0.09	5.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.72
358593	Drill Core	9.00	<2	<3	3	<0.001	0.006	<0.02	<0.01	<2	0.146	0.010	0.12	5.94	<0.02	0.02	<0.001	<0.01	<0.01	<0.01	2.45
358594	Drill Core	9.70	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.242	0.012	0.09	5.78	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
358595	Drill Core	10.20	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.209	0.013	0.11	6.73	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
358596	Drill Core	9.60	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.222	0.012	0.09	5.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
358597	Drill Core	11.10	<2	<3	7	<0.001	0.002	<0.02	<0.01	<2	0.207	0.014	0.10	6.80	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
358598	Drill Core	11.30	2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.215	0.013	0.11	6.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.46
358599	Drill Core	10.30	2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.227	0.014	0.10	6.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
358600	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.055	<0.02	0.02	<2	0.232	0.011	0.10	9.15	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.18
358601	Rock Pulp		I.S.	I.S.	I.S.	0.001	0.047	<0.02	<0.01	<2	0.392	0.026	0.12	12.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
358602	Drill Core	11.10	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.203	0.014	0.11	7.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23
358603	Drill Core	10.20	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.171	0.012	0.11	7.00	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	1.41
358604	Drill Core	10.90	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.202	0.013	0.10	6.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.57
358605	Drill Core	11.00	5	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.267	0.013	0.09	5.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.45
358606	Drill Core	10.80	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.263	0.013	0.09	5.83	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.38
358607	Drill Core	11.60	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.238	0.014	0.09	6.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 14, 2008

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

SMI07000411.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358586	Drill Core	<0.01	0.167	26.90	<0.01	0.07	<0.01	<0.01	<0.01	0.02	<0.001	0.065	0.003	0.33	2.43	0.03	N.A.
358587	Drill Core	<0.01	0.144	26.22	0.01	0.09	<0.01	<0.01	<0.01	0.02	<0.001	0.069	0.003	0.40	2.22	0.03	N.A.
358588	Drill Core	<0.01	0.140	26.44	<0.01	0.06	<0.01	<0.01	<0.01	0.05	<0.001	0.065	0.003	0.42	2.04	0.03	N.A.
358589	Drill Core	<0.01	0.169	23.92	0.04	0.49	<0.01	<0.01	<0.01	0.05	0.002	0.087	0.006	0.29	2.61	0.05	N.A.
358590	Drill Core	0.02	<0.001	0.29	0.07	8.22	3.55	1.16	<0.01	<0.01	<0.001	<0.001	<0.001	0.07	0.05	<0.02	N.A.
358591	Drill Core	<0.01	0.245	24.21	0.01	0.09	<0.01	<0.01	<0.01	0.09	0.001	0.166	0.010	0.22	3.74	0.09	N.A.
358592	Drill Core	<0.01	0.220	24.45	<0.01	0.09	<0.01	<0.01	<0.01	0.12	0.002	0.182	0.008	0.23	2.73	0.11	2.86
RRE 358592	Drill Core	<0.01	0.199	24.05	<0.01	0.07	<0.01	<0.01	<0.01	0.12	0.003	0.185	0.009	0.22	2.55	0.11	N.A.
358593	Drill Core	0.05	0.138	18.44	0.13	2.51	0.14	0.51	<0.01	0.08	0.006	0.093	0.007	0.17	1.01	0.07	N.A.
358594	Drill Core	<0.01	0.576	25.57	0.01	0.11	<0.01	<0.01	<0.01	0.09	0.002	0.179	0.007	0.26	2.65	0.09	N.A.
358595	Drill Core	<0.01	0.639	25.56	0.01	0.13	<0.01	<0.01	<0.01	0.05	<0.001	0.105	0.005	0.25	2.36	0.06	N.A.
358596	Drill Core	<0.01	0.231	25.65	<0.01	0.10	<0.01	<0.01	<0.01	0.03	0.002	0.066	0.004	0.25	1.80	0.04	N.A.
358597	Drill Core	<0.01	0.254	26.70	<0.01	0.07	<0.01	<0.01	<0.01	0.01	0.002	0.042	0.003	0.38	2.05	0.02	N.A.
358598	Drill Core	<0.01	0.300	26.79	0.01	0.07	<0.01	<0.01	<0.01	<0.01	<0.001	0.034	0.002	0.37	1.85	<0.02	N.A.
358599	Drill Core	<0.01	0.339	27.45	<0.01	0.07	<0.01	<0.01	<0.01	0.01	0.001	0.041	0.002	0.37	1.95	<0.02	N.A.
358600	Rock Pulp	<0.01	1.019	13.44	0.18	3.96	0.31	0.11	<0.01	0.43	0.059	0.189	0.007	0.53	0.45	0.42	N.A.
358601	Rock Pulp	<0.01	0.176	20.45	0.02	0.28	0.03	0.09	<0.01	2.78	0.048	0.373	0.024	1.61	2.14	4.12	N.A.
358602	Drill Core	<0.01	0.245	27.21	<0.01	0.07	<0.01	<0.01	<0.01	0.02	0.003	0.037	0.003	0.45	2.01	<0.02	3.14
358603	Drill Core	0.01	0.316	23.57	0.05	0.88	<0.01	0.28	<0.01	0.04	<0.001	0.072	0.005	0.21	1.73	0.05	N.A.
358604	Drill Core	<0.01	0.176	26.21	0.03	0.57	<0.01	0.15	<0.01	0.03	0.001	0.057	0.004	0.29	1.61	0.03	N.A.
358605	Drill Core	<0.01	0.181	28.43	<0.01	0.07	<0.01	<0.01	<0.01	0.03	<0.001	0.061	0.003	0.29	2.08	0.03	N.A.
358606	Drill Core	<0.01	0.344	28.31	<0.01	0.09	<0.01	<0.01	<0.01	0.03	<0.001	0.063	0.002	0.30	2.01	0.03	N.A.
358607	Drill Core	<0.01	0.236	28.01	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.001	0.037	0.002	0.37	2.12	0.02	N.A.

Hole 07-247

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 13, 2007
 Report Date: February 15, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000418.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-247A
 P.O. Number: ACME FILE: A718836
 Number of Samples: 50

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	46	Crush, split and pulverize drill core to 150 mesh		
3B	46	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	50	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	50	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	50	Analysis by Leco	0.1	Completed
Specific Gravity	4	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 15, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000418.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358608	Drill Core	7.30	<2	69	79	<0.001	0.124	<0.02	<0.01	<2	0.259	0.015	0.12	6.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.44
358609	Drill Core	9.40	4	82	76	<0.001	0.118	<0.02	<0.01	<2	0.224	0.016	0.12	7.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.32
358610A	Drill Core	10.80	11	154	121	<0.001	0.053	<0.02	<0.01	<2	0.164	0.014	0.13	8.35	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.86
358610B	Drill Core		2	114	96	<0.001	0.064	<0.02	<0.01	<2	0.161	0.013	0.13	7.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	4.39
358611	Drill Core	10.10	4	114	110	<0.001	0.034	<0.02	<0.01	<2	0.154	0.014	0.15	9.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	3.26
358612	Drill Core	11.00	<2	53	53	<0.001	0.020	<0.02	<0.01	<2	0.208	0.014	0.14	9.11	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.19
358613	Drill Core	11.40	<2	26	26	<0.001	0.012	<0.02	<0.01	<2	0.186	0.013	0.15	9.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.78
358614	Drill Core	10.30	3	82	76	<0.001	0.012	<0.02	<0.01	<2	0.190	0.014	0.16	10.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.54
358615	Drill Core	11.20	2	56	45	<0.001	0.005	<0.02	<0.01	<2	0.180	0.014	0.16	10.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.77
358616	Drill Core	10.70	4	47	59	<0.001	0.011	<0.02	<0.01	<2	0.189	0.014	0.16	10.29	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.62
358617	Drill Core	10.60	<2	6	7	<0.001	0.004	<0.02	0.01	<2	0.170	0.014	0.14	9.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.00
358618	Drill Core	9.80	<2	7	7	<0.001	0.002	<0.02	<0.01	<2	0.186	0.014	0.14	9.28	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.86
358619	Drill Core	10.30	<2	4	3	<0.001	<0.001	<0.02	<0.01	<2	0.158	0.012	0.15	9.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.61
358620	Drill Core	9.40	<2	19	17	<0.001	0.008	<0.02	<0.01	<2	0.155	0.012	0.14	9.20	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.31
358621	Drill Core	11.10	3	58	64	<0.001	0.008	<0.02	<0.01	<2	0.183	0.014	0.16	10.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.32
358622	Drill Core	10.40	<2	8	11	<0.001	0.007	<0.02	<0.01	<2	0.153	0.013	0.15	9.75	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	2.27
358623	Drill Core	11.00	4	50	57	<0.001	0.015	<0.02	<0.01	<2	0.197	0.014	0.16	10.16	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.39
358624	Drill Core	10.40	3	50	47	<0.001	0.010	<0.02	<0.01	<2	0.204	0.015	0.16	9.91	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.40
358625	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.096	<0.02	<0.01	<2	0.339	0.015	0.05	9.27	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.19
358626	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.029	<0.02	<0.01	<2	0.250	0.016	0.11	8.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.69
358627	Drill Core	10.00	<2	35	24	<0.001	0.003	<0.02	<0.01	<2	0.193	0.015	0.14	9.17	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
358628	Drill Core	8.30	<2	17	12	<0.001	0.004	<0.02	<0.01	<2	0.122	0.010	0.14	7.40	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	2.20
358629	Drill Core	9.30	<2	<3	<2	<0.001	0.019	<0.02	<0.01	<2	0.184	0.012	0.10	6.71	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.79
358630	Drill Core	2.80	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.10	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	1.93
358631	Drill Core	9.20	<2	12	9	<0.001	0.012	<0.02	<0.01	<2	0.128	0.009	0.11	6.89	<0.02	0.03	<0.001	<0.01	<0.01	<0.01	2.21
358632	Drill Core	10.00	<2	40	31	<0.001	0.005	<0.02	<0.01	<2	0.196	0.014	0.13	8.30	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.13
RRE 358632	Drill Core		<2	42	22	<0.001	0.007	<0.02	<0.01	<2	0.196	0.014	0.14	8.50	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
358633	Drill Core	10.10	<2	21	15	<0.001	0.011	<0.02	<0.01	<2	0.190	0.014	0.12	8.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.19
358634	Drill Core	10.50	<2	67	70	<0.001	0.006	<0.02	<0.01	<2	0.196	0.014	0.14	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
358635	Drill Core	8.70	<2	6	6	<0.001	0.009	<0.02	<0.01	<2	0.106	0.008	0.11	6.50	<0.02	0.07	<0.001	<0.01	<0.01	<0.01	4.39



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 15, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000418.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358608	Drill Core	<0.01	0.135	25.76	0.02	0.11	0.01	0.23	<0.01	0.27	0.120	0.127	0.007	0.71	2.20	0.29	N.A.
358609	Drill Core	<0.01	0.146	24.96	0.04	0.15	0.02	<0.01	<0.01	0.27	0.117	0.122	0.008	0.78	2.15	0.28	N.A.
358610A	Drill Core	<0.01	0.172	22.65	0.04	0.17	0.03	<0.01	<0.01	0.16	0.052	0.102	0.007	0.56	1.63	0.19	N.A.
358610B	Drill Core	<0.01	0.153	22.24	0.04	0.18	0.03	0.01	<0.01	0.16	0.061	0.093	0.007	0.52	1.49	0.18	N.A.
358611	Drill Core	<0.01	0.141	23.62	0.04	0.14	0.03	<0.01	<0.01	0.19	0.034	0.066	0.005	0.70	1.69	0.23	N.A.
358612	Drill Core	<0.01	0.146	24.82	0.03	0.11	0.02	<0.01	<0.01	0.08	0.020	0.066	0.004	0.60	1.77	0.10	3.29
358613	Drill Core	<0.01	0.137	25.44	0.02	0.10	0.02	0.04	<0.01	0.04	0.012	0.042	0.003	0.63	1.80	0.06	N.A.
358614	Drill Core	<0.01	0.128	24.71	0.03	0.11	0.01	<0.01	<0.01	0.07	0.012	0.064	0.005	0.69	1.99	0.08	N.A.
358615	Drill Core	<0.01	0.141	24.87	0.02	0.09	0.02	0.02	<0.01	0.04	0.005	0.050	0.004	0.67	1.84	0.06	N.A.
358616	Drill Core	<0.01	0.137	25.09	0.02	0.08	0.01	<0.01	<0.01	0.04	0.010	0.056	0.004	0.64	1.89	0.06	N.A.
358617	Drill Core	<0.01	0.394	25.06	0.03	0.17	0.02	<0.01	<0.01	0.06	0.004	0.045	0.004	0.65	2.28	0.05	N.A.
358618	Drill Core	<0.01	0.174	25.60	0.02	0.06	<0.01	0.03	<0.01	0.07	0.002	0.057	0.005	0.68	2.09	0.08	N.A.
358619	Drill Core	<0.01	0.165	24.39	0.04	0.15	0.02	<0.01	<0.01	0.03	<0.001	0.039	0.003	0.59	1.87	0.04	N.A.
358620	Drill Core	0.01	0.128	23.26	0.04	0.58	0.01	<0.01	<0.01	0.05	0.007	0.051	0.004	0.63	1.92	0.08	N.A.
358621	Drill Core	<0.01	0.149	25.15	0.03	0.15	0.01	<0.01	<0.01	0.06	0.008	0.060	0.004	0.62	1.89	0.08	N.A.
358622	Drill Core	<0.01	0.126	24.69	0.03	0.13	0.02	<0.01	<0.01	0.02	0.007	0.036	0.003	0.54	1.52	0.04	N.A.
358623	Drill Core	<0.01	0.186	25.49	0.03	0.12	0.01	0.03	<0.01	0.04	0.015	0.054	0.004	0.78	2.20	0.06	N.A.
358624	Drill Core	<0.01	0.163	27.15	0.01	0.05	<0.01	0.02	<0.01	0.04	0.008	0.046	0.004	0.59	1.76	0.05	N.A.
358625	Rock Pulp	<0.01	0.347	14.72	0.14	2.80	0.23	0.05	<0.01	0.84	0.096	0.241	0.011	1.03	1.09	1.02	N.A.
358626	Rock Pulp	<0.01	0.136	24.87	0.02	0.31	<0.01	0.07	<0.01	1.05	0.030	0.208	0.012	1.12	3.07	1.36	N.A.
358627	Drill Core	<0.01	0.185	27.89	0.02	0.13	<0.01	0.02	<0.01	0.06	0.003	0.055	0.005	0.65	2.41	0.07	N.A.
358628	Drill Core	0.03	0.102	19.40	0.10	2.97	1.09	0.46	<0.01	0.07	0.003	0.051	0.005	0.43	1.68	0.09	N.A.
358629	Drill Core	0.02	0.177	23.65	0.03	0.88	0.15	0.10	<0.01	0.14	0.018	0.101	0.007	0.46	1.63	0.16	N.A.
358630	Drill Core	0.02	<0.001	0.27	0.07	7.64	3.50	1.15	<0.01	<0.01	<0.001	<0.001	<0.001	0.09	0.05	0.02	N.A.
358631	Drill Core	0.05	0.087	17.47	0.13	3.46	1.34	0.68	<0.01	0.08	0.011	0.086	0.006	0.29	1.16	0.10	N.A.
358632	Drill Core	<0.01	0.144	26.85	<0.01	0.07	<0.01	<0.01	<0.01	0.07	0.005	0.077	0.006	0.63	2.26	0.08	3.14
RRE 358632	Drill Core	<0.01	0.140	27.41	<0.01	0.06	<0.01	<0.01	<0.01	0.07	0.007	0.082	0.006	0.68	2.44	0.09	N.A.
358633	Drill Core	<0.01	0.203	25.72	0.02	0.09	<0.01	<0.01	<0.01	0.10	0.011	0.109	0.008	0.67	2.98	0.12	N.A.
358634	Drill Core	<0.01	0.174	26.66	0.01	0.07	<0.01	<0.01	<0.01	0.12	0.007	0.115	0.009	0.47	2.07	0.11	N.A.
358635	Drill Core	0.05	0.157	14.93	0.15	3.86	0.78	0.52	<0.01	0.14	0.008	0.094	0.007	0.27	0.79	0.17	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 15, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000418.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358636	Drill Core	9.30	<2	31	24	<0.001	0.007	<0.02	<0.01	<2	0.165	0.012	0.12	7.22	<0.02	0.01	<0.001	<0.01	<0.01	<0.01	1.37
358637	Drill Core	10.10	<2	11	10	<0.001	0.003	<0.02	<0.01	<2	0.214	0.014	0.14	7.77	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.06
358638	Drill Core	10.00	4	60	34	<0.001	0.005	<0.02	<0.01	<2	0.229	0.014	0.13	7.49	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.07
358639	Drill Core	9.40	9	33	20	<0.001	0.003	<0.02	<0.01	<2	0.230	0.014	0.12	8.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.04
358640A	Drill Core	9.20	<2	42	43	<0.001	0.002	<0.02	<0.01	<2	0.200	0.013	0.13	7.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.10
358640B	Drill Core		<2	80	67	<0.001	0.002	<0.02	<0.01	<2	0.210	0.013	0.13	6.79	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.09
358641	Drill Core	9.80	<2	44	43	<0.001	0.005	<0.02	<0.01	<2	0.219	0.014	0.14	8.04	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.18
358642	Drill Core	10.60	21	155	135	<0.001	0.106	<0.02	<0.01	<2	0.256	0.016	0.14	9.62	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358643	Drill Core	10.60	24	30	31	<0.001	0.108	<0.02	<0.01	<2	0.205	0.017	0.13	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.64
358644	Drill Core	10.80	4	37	36	<0.001	0.021	<0.02	<0.01	<2	0.266	0.013	0.13	8.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.43
358645	Drill Core	8.80	8	168	175	<0.001	0.021	<0.02	<0.01	<2	0.273	0.013	0.12	7.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.54
358646	Drill Core	11.20	6	95	125	<0.001	0.021	<0.02	<0.01	<2	0.270	0.013	0.14	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.83
358647	Drill Core	10.50	2	22	27	<0.001	0.003	<0.02	<0.01	<2	0.225	0.013	0.13	7.26	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.76
358648	Drill Core	9.90	2	5	11	<0.001	0.007	<0.02	<0.01	<2	0.211	0.014	0.13	9.67	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.53
358649	Drill Core	10.50	2	4	6	<0.001	0.002	<0.02	<0.01	<2	0.217	0.014	0.15	8.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.37
358650	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.055	<0.02	0.02	<2	0.225	0.011	0.10	8.98	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	4.19
358651	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.393	0.027	0.12	13.07	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.13
358652	Drill Core	10.80	<2	3	4	<0.001	0.001	<0.02	<0.01	<2	0.211	0.013	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.27
358653	Drill Core	10.30	<2	8	4	<0.001	0.002	<0.02	<0.01	<2	0.215	0.013	0.12	7.52	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
358654	Drill Core	10.30	<2	9	10	<0.001	0.007	<0.02	<0.01	<2	0.238	0.014	0.13	8.85	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.23



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 15, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000418.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358636	Drill Core	0.02	0.140	23.64	0.05	1.06	0.06	0.41	<0.01	0.11	0.007	0.127	0.009	0.37	2.17	0.12	N.A.
358637	Drill Core	<0.01	0.167	27.47	<0.01	0.06	<0.01	<0.01	<0.01	0.10	0.003	0.131	0.009	0.59	3.15	0.11	N.A.
358638	Drill Core	<0.01	0.143	27.46	0.01	0.07	<0.01	<0.01	<0.01	0.10	0.004	0.131	0.008	0.49	2.72	0.13	N.A.
358639	Drill Core	<0.01	0.155	26.65	<0.01	0.05	<0.01	<0.01	<0.01	0.15	0.003	0.169	0.010	0.65	4.08	0.17	N.A.
358640A	Drill Core	<0.01	0.146	26.15	<0.01	0.06	<0.01	<0.01	<0.01	0.14	0.002	0.164	0.010	0.54	4.08	0.16	N.A.
358640B	Drill Core	<0.01	0.138	25.58	<0.01	0.05	<0.01	<0.01	<0.01	0.14	0.002	0.167	0.010	0.56	3.63	0.17	N.A.
358641	Drill Core	<0.01	0.092	27.05	<0.01	0.03	<0.01	<0.01	<0.01	0.07	0.005	0.099	0.007	0.61	2.45	0.09	N.A.
358642	Drill Core	<0.01	0.156	25.49	0.01	0.05	<0.01	<0.01	<0.01	0.16	0.112	0.163	0.010	0.71	2.38	0.18	3.24
358643	Drill Core	<0.01	0.106	24.70	0.02	0.06	<0.01	<0.01	<0.01	0.13	0.120	0.139	0.010	0.72	2.42	0.15	N.A.
358644	Drill Core	<0.01	0.112	26.21	0.01	0.05	<0.01	<0.01	<0.01	0.08	0.024	0.121	0.006	0.63	2.30	0.11	N.A.
358645	Drill Core	<0.01	0.135	25.47	0.01	0.06	<0.01	<0.01	<0.01	0.11	0.023	0.146	0.007	0.74	2.94	0.13	N.A.
358646	Drill Core	<0.01	0.124	26.40	0.02	0.06	<0.01	<0.01	<0.01	0.10	0.025	0.146	0.007	0.65	2.32	0.14	N.A.
358647	Drill Core	<0.01	0.134	26.79	0.01	0.06	<0.01	<0.01	<0.01	0.05	0.004	0.075	0.005	0.52	2.01	0.06	N.A.
358648	Drill Core	<0.01	0.194	26.78	0.01	0.05	<0.01	0.38	<0.01	0.07	0.007	0.098	0.006	0.61	2.44	0.08	N.A.
358649	Drill Core	<0.01	0.209	27.37	0.01	0.05	<0.01	<0.01	<0.01	0.03	0.003	0.063	0.004	0.71	2.25	0.05	N.A.
358650	Rock Pulp	<0.01	0.964	13.36	0.19	3.95	0.33	0.10	<0.01	0.44	0.062	0.185	0.008	0.53	0.47	0.50	N.A.
358651	Rock Pulp	<0.01	0.201	21.32	0.02	0.28	0.03	0.09	<0.01	2.99	0.055	0.389	0.029	2.04	2.55	4.17	N.A.
358652	Drill Core	<0.01	0.160	26.85	0.01	0.07	<0.01	<0.01	<0.01	0.06	0.002	0.088	0.006	0.60	2.41	0.08	3.03
358653	Drill Core	<0.01	0.157	26.26	<0.01	0.04	<0.01	<0.01	<0.01	0.05	0.002	0.081	0.005	0.69	2.67	0.06	N.A.
358654	Drill Core	<0.01	0.196	26.22	<0.01	0.04	<0.01	<0.01	<0.01	0.06	0.008	0.092	0.005	0.52	2.16	0.08	N.A.

Client: Hard Creek Nickel Corporation

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Submitted By: Sandy Smeeton
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: November 11, 2007
 Report Date: February 14, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI07000403.1

CLIENT JOB INFORMATION

Project: Turnagain Ni
 Shipment ID: C07-247B
 P.O. Number: ACME FILE: A718812
 Number of Samples: 54

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Hard Creek Nickel Corporation
 1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	50	Crush, split and pulverize drill core to 150 mesh		
3B	50	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed
7TD	54	4 Acid digestion ICP-ES analysis	0.5	Completed
8NiS	54	Leached with H2O2 + NH4 citrate	1	Completed
2A (Total S)	54	Analysis by Leco	0.1	Completed
Specific Gravity	2	Specific Gravity on Drill Core		Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 14, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000403.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%	
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	
358655	Drill Core	10.50	<2	15	16	<0.001	0.011	<0.02	<0.01	<2	0.246	0.014	0.14	9.14	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.22
358656	Drill Core	10.20	<2	8	9	<0.001	0.003	<0.02	<0.01	<2	0.246	0.013	0.14	9.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358657	Drill Core	11.10	19	17	13	<0.001	0.003	<0.02	<0.01	<2	0.243	0.015	0.13	8.55	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20
RRE 358657	Drill Core		<2	9	14	<0.001	0.002	<0.02	<0.01	<2	0.218	0.014	0.12	8.03	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
358658	Drill Core	11.00	<2	<3	<2	<0.001	0.002	<0.02	<0.01	<2	0.207	0.014	0.14	8.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.32
358659	Drill Core	10.40	<2	<3	4	<0.001	0.001	<0.02	<0.01	<2	0.257	0.014	0.14	8.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.16
358660	Drill Core	2.70	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.001	<0.001	0.07	1.12	<0.02	0.08	<0.001	<0.01	<0.01	<0.01	1.93
358661	Drill Core	9.60	<2	24	29	<0.001	0.003	<0.02	<0.01	<2	0.266	0.014	0.14	9.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358662	Drill Core	9.80	<2	15	13	<0.001	0.003	<0.02	<0.01	<2	0.245	0.014	0.13	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.12
358663	Drill Core	10.10	<2	11	7	<0.001	0.002	<0.02	<0.01	<2	0.240	0.013	0.15	9.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358664	Drill Core	10.30	<2	16	11	<0.001	0.002	<0.02	<0.01	<2	0.232	0.015	0.14	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358665	Drill Core	10.40	<2	14	18	<0.001	0.003	<0.02	<0.01	<2	0.214	0.014	0.14	9.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358666	Drill Core	10.20	<2	30	25	<0.001	0.008	<0.02	<0.01	<2	0.240	0.014	0.13	8.74	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358667	Drill Core	11.00	2	10	<2	<0.001	<0.001	<0.02	<0.01	<2	0.205	0.015	0.11	7.09	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358668	Drill Core	10.30	<2	10	3	<0.001	0.001	<0.02	<0.01	<2	0.221	0.014	0.13	8.15	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
358669	Drill Core	10.10	2	27	21	<0.001	0.012	<0.02	<0.01	<2	0.224	0.014	0.13	8.60	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
358670A	Drill Core	11.20	6	36	25	<0.001	0.020	<0.02	<0.01	<2	0.255	0.015	0.14	9.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.17
358670B	Drill Core		4	29	22	<0.001	0.020	<0.02	<0.01	<2	0.244	0.015	0.13	8.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.15
358671	Drill Core	10.90	<2	10	7	<0.001	0.004	<0.02	<0.01	<2	0.217	0.013	0.14	9.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.20
358672	Drill Core	10.30	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.220	0.014	0.12	7.88	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.14
358673	Drill Core	10.40	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.191	0.013	0.12	7.45	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.21
358674	Drill Core	9.60	<2	<3	3	<0.001	0.003	<0.02	<0.01	<2	0.225	0.013	0.11	6.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.11
358675	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.047	<0.02	<0.01	<2	0.407	0.028	0.12	13.42	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.16
358676	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.097	<0.02	<0.01	<2	0.340	0.016	0.05	9.84	<0.02	<0.01	<0.001	<0.01	<0.01	0.01	3.21
358677	Drill Core	10.00	<2	10	8	<0.001	<0.001	<0.02	<0.01	<2	0.222	0.014	0.12	7.68	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
358678	Drill Core	11.00	7	<3	<2	<0.001	0.004	<0.02	<0.01	<2	0.222	0.013	0.11	6.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.25
358679	Drill Core	10.90	<2	8	10	<0.001	<0.001	<0.02	<0.01	<2	0.218	0.013	0.11	7.43	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.24
358680	Drill Core	10.90	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.186	0.012	0.11	7.05	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	1.14
358681	Drill Core	11.10	<2	10	13	<0.001	<0.001	<0.02	<0.01	<2	0.217	0.013	0.12	7.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.39
358682	Drill Core	10.80	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.206	0.012	0.11	7.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	0.63



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni
 Report Date: February 14, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000403.1

Method Analyte Unit MDL	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
	P	Cr	Mg	Ti	Al	Na	K	W	S	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358655	Drill Core	<0.01	0.242	28.61	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.011	0.059	0.003	0.56	1.52	0.05	N.A.
358656	Drill Core	<0.01	0.193	29.34	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.003	0.055	0.003	0.52	1.54	0.05	N.A.
358657	Drill Core	<0.01	0.202	28.31	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.003	0.046	0.003	0.57	1.56	0.04	N.A.
RRE 358657	Drill Core	<0.01	0.199	27.18	<0.01	0.06	0.02	<0.01	<0.01	0.02	0.003	0.047	0.003	0.60	1.77	0.03	N.A.
358658	Drill Core	<0.01	0.163	27.64	0.01	0.09	<0.01	<0.01	<0.01	0.01	0.002	0.029	0.002	0.53	1.55	<0.02	N.A.
358659	Drill Core	<0.01	0.211	28.55	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	0.001	0.035	0.002	0.62	1.79	<0.02	N.A.
358660	Drill Core	0.02	0.002	0.33	0.07	8.14	3.49	1.15	<0.01	<0.01	<0.001	<0.001	<0.001	0.10	0.05	<0.02	N.A.
358661	Drill Core	<0.01	0.162	27.16	<0.01	0.04	<0.01	<0.01	<0.01	0.01	0.003	0.037	0.002	0.60	1.67	0.02	N.A.
358662	Drill Core	<0.01	0.176	28.28	<0.01	0.06	<0.01	<0.01	<0.01	0.02	0.002	0.045	0.003	0.57	1.77	0.03	N.A.
358663	Drill Core	<0.01	0.262	26.92	0.01	0.06	<0.01	<0.01	<0.01	0.03	0.002	0.059	0.003	0.69	1.96	0.04	N.A.
358664	Drill Core	<0.01	0.163	27.79	<0.01	0.04	<0.01	<0.01	<0.01	0.01	0.002	0.036	0.002	0.57	1.61	0.03	N.A.
358665	Drill Core	<0.01	0.211	26.31	<0.01	0.05	<0.01	<0.01	<0.01	0.02	0.003	0.047	0.003	0.60	1.61	0.03	N.A.
358666	Drill Core	<0.01	0.205	27.69	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.008	0.047	0.003	0.55	1.70	0.03	N.A.
358667	Drill Core	<0.01	0.216	29.01	<0.01	0.06	<0.01	<0.01	<0.01	0.02	<0.001	0.043	0.003	0.54	2.10	0.02	N.A.
358668	Drill Core	<0.01	0.182	27.94	<0.01	0.07	<0.01	<0.01	<0.01	0.02	<0.001	0.037	0.003	0.51	1.72	0.02	N.A.
358669	Drill Core	<0.01	0.224	28.12	<0.01	0.06	<0.01	<0.01	<0.01	0.03	0.009	0.061	0.003	0.59	1.94	0.04	N.A.
358670A	Drill Core	<0.01	0.183	28.00	<0.01	0.05	0.01	<0.01	<0.01	0.04	0.020	0.068	0.003	0.62	1.69	0.05	N.A.
358670B	Drill Core	<0.01	0.178	28.34	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.017	0.063	0.003	0.58	1.62	0.04	N.A.
358671	Drill Core	<0.01	0.147	27.68	0.01	0.06	<0.01	<0.01	<0.01	0.02	0.004	0.057	0.003	0.65	2.04	0.03	N.A.
358672	Drill Core	<0.01	0.147	28.27	<0.01	0.06	<0.01	<0.01	<0.01	0.02	<0.001	0.046	0.003	0.57	1.98	0.03	3.18
358673	Drill Core	<0.01	0.177	27.42	0.01	0.08	<0.01	<0.01	<0.01	0.02	0.001	0.048	0.003	0.62	2.38	0.02	N.A.
358674	Drill Core	<0.01	0.217	28.29	<0.01	0.07	<0.01	<0.01	<0.01	0.01	0.003	0.046	0.003	0.54	2.06	0.02	N.A.
358675	Rock Pulp	<0.01	0.194	22.09	0.02	0.29	0.03	0.12	<0.01	2.94	0.048	0.392	0.024	1.55	1.63	4.12	N.A.
358676	Rock Pulp	0.01	0.418	14.90	0.15	2.86	0.24	0.05	<0.01	0.85	0.097	0.257	0.011	0.98	0.89	0.97	N.A.
358677	Drill Core	<0.01	0.167	28.43	0.02	0.10	<0.01	0.09	<0.01	0.02	<0.001	0.040	0.002	0.49	1.84	0.02	N.A.
358678	Drill Core	<0.01	0.194	26.09	<0.01	0.08	<0.01	<0.01	<0.01	0.04	0.008	0.037	0.002	0.48	1.77	<0.02	N.A.
358679	Drill Core	<0.01	0.175	26.14	0.01	0.10	<0.01	<0.01	<0.01	0.05	<0.001	0.041	0.002	0.45	1.78	0.03	N.A.
358680	Drill Core	<0.01	0.138	24.57	0.02	0.14	<0.01	<0.01	<0.01	0.05	<0.001	0.032	0.002	0.42	1.58	0.02	N.A.
358681	Drill Core	<0.01	0.127	25.96	0.01	0.08	<0.01	<0.01	<0.01	0.04	0.003	0.031	0.002	0.54	1.64	<0.02	N.A.
358682	Drill Core	<0.01	0.144	24.38	0.03	0.22	<0.01	0.04	<0.01	0.06	<0.001	0.055	0.003	0.42	1.75	0.03	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 14, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI07000403.1

Method	WGHT	3B	3B	3B	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppb	ppb	ppb	%	%	%	%	GM/T	%	%	%	%	%	%	%	%	%	%	%
MDL	0.01	2	3	2	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01
358683	Drill Core	11.80	<2	<3	2	<0.001	<0.001	<0.02	<0.01	<2	0.211	0.013	0.13	8.19	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358684	Drill Core	10.50	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.213	0.013	0.14	8.90	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358685	Drill Core	11.00	<2	4	<2	<0.001	<0.001	<0.02	<0.01	<2	0.221	0.013	0.13	8.37	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358686	Drill Core	11.40	3	138	94	<0.001	0.007	<0.02	<0.01	<2	0.267	0.015	0.14	8.58	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358687	Drill Core	10.90	<2	<3	2	<0.001	0.001	<0.02	<0.01	<2	0.225	0.013	0.13	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358688	Drill Core	10.50	<2	<3	<2	<0.001	0.005	<0.02	<0.01	<2	0.215	0.012	0.12	7.69	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358689	Drill Core	10.10	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.187	0.012	0.11	7.86	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358690	Drill Core	3.10	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	0.07	1.14	<0.02	0.08	<0.001	<0.01	<0.01	<0.01
358691	Drill Core	9.80	<2	<3	3	<0.001	0.001	<0.02	<0.01	<2	0.195	0.012	0.10	7.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358692	Drill Core	11.00	<2	3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.219	0.013	0.12	7.81	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358693	Drill Core	11.10	<2	<3	<2	<0.001	<0.001	<0.02	<0.01	<2	0.222	0.014	0.12	7.89	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358694	Drill Core	11.40	<2	31	20	<0.001	0.002	<0.02	<0.01	<2	0.234	0.014	0.13	7.87	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358695	Drill Core	10.40	<2	<3	3	<0.001	0.001	<0.02	<0.01	2	0.199	0.013	0.12	8.63	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358696	Drill Core	11.20	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.212	0.012	0.15	8.31	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358697	Drill Core	9.80	<2	<3	3	<0.001	0.002	<0.02	<0.01	<2	0.199	0.013	0.09	7.70	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358698	Drill Core	10.60	<2	6	3	<0.001	0.002	<0.02	<0.01	<2	0.232	0.013	0.09	7.08	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358699	Drill Core	10.10	<2	20	21	<0.001	0.001	<0.02	<0.01	<2	0.235	0.011	0.09	6.96	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358700	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.095	<0.02	<0.01	2	0.331	0.015	0.05	9.23	<0.02	<0.01	<0.001	<0.01	<0.01	0.01
358701	Rock Pulp		I.S.	I.S.	I.S.	<0.001	0.030	<0.02	<0.01	<2	0.245	0.016	0.11	9.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358702	Drill Core	10.00	<2	<3	<2	<0.001	0.001	<0.02	<0.01	<2	0.213	0.012	0.10	7.47	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358703	Drill Core	9.70	<2	10	2	<0.001	0.001	<0.02	<0.01	<2	0.200	0.011	0.10	8.00	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
RRE 358703	Drill Core		<2	<3	5	<0.001	0.001	<0.02	<0.01	<2	0.202	0.011	0.09	7.97	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358704	Drill Core	10.30	<2	13	13	<0.001	0.002	<0.02	<0.01	<2	0.244	0.014	0.13	8.22	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01
358705	Drill Core	7.00	<2	<3	3	<0.001	0.004	<0.02	<0.01	<2	0.197	0.011	0.11	6.92	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Hard Creek Nickel Corporation**

1060 - 1090 W. Georgia St.
 Vancouver BC V6E 3V7 Canada

Project: Turnagain Ni

Report Date: February 14, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

SMI07000403.1

Method		7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	8NiS	8NiS	8NiS	8NiS	8NiS	2A C/S	G8SG
Analyte		P	Cr	Mg	Ti	Al	Na	K	W	S	Cu	Ni	Co	Fe	Mg	S/TOT	SG
Unit		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL		0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.02	0
358683	Drill Core	<0.01	0.156	25.74	0.01	0.07	<0.01	<0.01	<0.01	0.05	<0.001	0.044	0.003	0.59	1.84	0.03	N.A.
358684	Drill Core	<0.01	0.220	25.22	0.02	0.10	<0.01	<0.01	<0.01	0.05	0.001	0.048	0.003	0.48	1.60	0.02	N.A.
358685	Drill Core	<0.01	0.181	25.49	0.01	0.08	<0.01	<0.01	<0.01	0.05	<0.001	0.043	0.003	0.52	1.67	0.02	N.A.
358686	Drill Core	<0.01	0.177	25.11	0.01	0.06	<0.01	<0.01	<0.01	0.08	0.006	0.084	0.004	0.58	1.69	0.06	N.A.
358687	Drill Core	<0.01	0.146	25.78	0.01	0.17	<0.01	<0.01	<0.01	0.06	0.001	0.056	0.004	0.45	1.53	0.04	N.A.
358688	Drill Core	<0.01	0.150	24.40	<0.01	0.10	<0.01	<0.01	<0.01	0.09	0.004	0.090	0.005	0.30	1.43	0.07	N.A.
358689	Drill Core	0.02	0.170	23.37	0.08	0.97	<0.01	<0.01	<0.01	0.09	0.002	0.088	0.006	0.23	1.12	0.07	N.A.
358690	Drill Core	0.02	0.002	0.27	0.07	7.93	3.54	1.18	<0.01	0.03	<0.001	<0.001	<0.001	0.05	0.03	<0.02	N.A.
358691	Drill Core	<0.01	0.208	23.80	0.01	0.24	<0.01	<0.01	<0.01	0.10	<0.001	0.087	0.006	0.25	1.42	0.08	N.A.
358692	Drill Core	<0.01	0.201	24.97	0.02	0.16	<0.01	<0.01	<0.01	0.08	<0.001	0.070	0.005	0.44	1.79	0.05	3.19
358693	Drill Core	<0.01	0.169	26.17	<0.01	0.04	<0.01	<0.01	<0.01	0.05	<0.001	0.053	0.003	0.31	1.33	0.04	N.A.
358694	Drill Core	<0.01	0.352	26.11	<0.01	0.06	<0.01	<0.01	<0.01	0.07	0.002	0.077	0.004	0.34	1.32	0.05	N.A.
358695	Drill Core	<0.01	0.254	23.40	0.03	0.22	<0.01	<0.01	<0.01	0.10	0.001	0.108	0.006	0.25	1.39	0.08	N.A.
358696	Drill Core	<0.01	0.210	24.65	0.01	0.08	<0.01	<0.01	<0.01	0.11	0.002	0.133	0.006	0.23	1.33	0.10	N.A.
358697	Drill Core	<0.01	0.155	23.01	0.02	0.31	<0.01	<0.01	<0.01	0.12	<0.001	0.126	0.007	0.15	1.06	0.10	N.A.
358698	Drill Core	<0.01	0.142	24.60	<0.01	0.15	<0.01	<0.01	<0.01	0.11	0.001	0.167	0.008	0.21	1.39	0.13	N.A.
358699	Drill Core	0.02	0.065	22.63	0.05	1.19	<0.01	<0.01	<0.01	0.14	0.001	0.174	0.007	0.20	1.27	0.13	N.A.
358700	Rock Pulp	<0.01	0.417	14.28	0.14	2.87	0.23	0.05	<0.01	0.85	0.092	0.244	0.010	0.58	0.62	0.97	N.A.
358701	Rock Pulp	<0.01	0.134	23.37	0.02	0.31	<0.01	0.07	<0.01	1.05	0.030	0.224	0.012	0.89	2.26	1.37	N.A.
358702	Drill Core	<0.01	0.206	23.40	0.01	0.32	<0.01	<0.01	<0.01	0.13	0.001	0.144	0.007	0.19	1.65	0.11	N.A.
358703	Drill Core	0.01	0.225	22.41	0.06	0.62	<0.01	<0.01	<0.01	0.12	0.001	0.138	0.007	0.19	1.50	0.11	N.A.
RRE 358703	Drill Core	0.01	0.207	22.59	0.05	0.59	<0.01	<0.01	<0.01	0.13	0.001	0.139	0.007	0.19	1.51	0.12	N.A.
358704	Drill Core	<0.01	0.150	24.77	<0.01	0.08	<0.01	<0.01	<0.01	0.14	0.001	0.172	0.008	0.22	1.33	0.13	N.A.
358705	Drill Core	0.01	0.128	20.89	0.05	1.02	<0.01	<0.01	<0.01	0.15	0.003	0.141	0.008	0.18	0.77	0.12	N.A.

Appendix F

2007 TURNAGAIN PROJECT ASSESSMENT COSTS

DUFFY - DISCOVERY AREA

Hole	Depth (m)	Direct Drilling	Logging, splitting	Analytical	Camp Costs	Claim
07-168	225.55	\$ 30,825.50	\$ 3,640.00	\$ 4,521.71	\$ 3,800.00	Claim 511330 deepened 06-168 from 291.4 to 516.95m
07-194	382.85	\$ 48,668.25	\$ 4,360.00	\$ 7,359.22	\$ 4,000.00	Claim 407627
07-200	312.75	\$ 37,525.25	\$ 3,980.00	\$ 6,067.96	\$ 3,100.00	Claim 511330
07-203	453.25	\$ 46,301.50	\$ 4,360.00	\$ 4,413.20	\$ 4,400.00	Claim 511330
07-206	358.75	\$ 54,638.75	\$ 3,640.00	\$ 6,524.91	\$ 4,000.00	Claim 511330
	1733.15	\$ 217,959.25	\$ 19,980.00	\$ 28,887.00	\$ 19,300.00	

Diesel 13,285 litres @ \$1.03/ litre	\$ 13,683.77
Core boxes, sample bags, shipping bags	\$ 6,857.00
Site prep., road work and reclamation (backhoe, D6)	\$ 14,400.00
Mobilizing equipment, rods, mud and fuel: 56hr. Delta time at \$225/hr	\$ 12,600.00

Total Expenses = \$ 333,667.02

D.J. Drilling invoices #293, 300, 306, 316, 327 and 331

Acme Analytical file # A718187, 718260, 718273, 718274, 718292, 718311, 718328, 718331, 718604
718605

Jedway Enterprises Ltd. #441, 460, 534

CLIFF AREA

Hole	Depth (m)	Direct Drilling	Logging, splitting	Analytical	Camp Costs	Claim
07-236	230.45	\$ 28,136.50	\$ 2,720.00	\$ 4,566.58	\$ 2,200.00	claim 407627
07-237	305.10	\$ 39,666.50	\$ 3,640.00	\$ 5,584.60	\$ 3,000.00	claim 407627
07-238	26.50	\$ 3,698.00	\$ 380.00	\$ 392.51	\$ 300.00	claim 407627
07-239	167.05	\$ 19,772.50	\$ 1,480.00	\$ 3,289.76	\$ 1,600.00	claim 407627
07-240	308.45	\$ 38,933.00	\$ 3,640.00	\$ 6,509.83	\$ 3,400.00	claim 511330
	1037.55	\$ 130,206.50	\$ 11,860.00	\$ 20,343.28	\$ 10,500.00	

Helicopter; drill moves and crew changes 48.5hrs @ \$1,054.20/hr	\$ 51,128.70
Mobe and demobe drill from property; 84hrs Delta time @\$225/hr	\$ 18,900.00
Core boxes, sample bags, shipping bags	\$ 4,140.20
Trucking samples to Smithers via Bandstra	\$ 725.00
Diesel 19,030 litres @ \$1.03/litre	\$ 19,600.00

Total Expenses = \$ 267,403.68

D.J. Drilling invoices #318 and 326

Acme Analytical file #A718424, 718445, 718449, 718447, 718450

Jedway Enterprises Ltd. #460 and 494

Pacific Western Helicopters flight ticket #38771 to 39249; Sept. 12 to Oct. 2, 2007

MANDIBLE - CENTRAL AREA

Hole	Depth (m)	Direct Drilling	Logging, splitting	Analytical	Camp Costs	Claim
07-230	239.60	\$ 28,874.00	\$ 2,920.00	\$ 4,435.83	\$ 3,420.00	Claim 511337
07-231	245.05	\$ 29,673.50	\$ 2,920.00	\$ 4,921.03	\$ 3,420.00	Claim 511337
07-232	223.40	\$ 28,990.50	\$ 2,920.00	\$ 3,702.27	\$ 3,420.00	Claim 511337
07-233	224.95	\$ 29,591.50	\$ 2,920.00	\$ 4,291.57	\$ 3,420.00	Claim 511337
07-234	246.30	\$ 33,481.50	\$ 3,460.00	\$ 4,714.41	\$ 3,600.00	Claim 511337
07-235	207.05	\$ 27,318.00	\$ 2,920.00	\$ 4,122.41	\$ 3,420.00	Claim 511337
	1386.35	\$ 177,929.00	\$ 18,060.00	\$ 26,187.52	\$ 20,700.00	

Helicopter; drill moves and crew changes 111.1hrs @ \$1,054.20/hr \$ 117,121.62
 Core boxes, sample bags, shipping bags \$ 4,666.50
 Trucking samples to Smithers \$ 1,060.00

Total Expenses = \$ 365,724.64

D.J. Drilling invoices #299,308 and 318

Acme Analytical file # Van1000531 - Van1000533, A718244, 718265, 718275, 718294, 718388, 718414
 718389, 718407

Pacific Western Helicopters flight tickets #37398 - 38771; Aug. 1 - Sept. 12, 2007

HORSETRAIL AREA

Hole	Depth (m)	Direct Drilling	Logging, splitting	Analytical	Camp Costs	Claim
07-201	666.60	\$ 88,503.00	\$ 6,180.00	\$ 12,835.81	\$ 6,300.00	Claim 511330
07-224M	42.65	\$ 12,337.00	\$ 380.00		\$ 500.00	Claim 511330
07-225	675.15	\$ 91,254.25	\$ 6,180.00	\$ 9,806.04	\$ 5,900.00	Claim 511330
07-243	416.05	\$ 35,251.50	\$ 3,980.00	\$ 8,259.41	\$ 2,900.00	Claim 511330
07-247	355.10	\$ 44,113.00	\$ 4,700.00	\$ 7,069.47	\$ 3,300.00	Claim 511330
	2155.55	\$ 271,458.75	\$ 21,420.00	\$ 37,970.73	\$ 18,900.00	

Diesel 23,712 litres @\$1.03/litre \$ 24,423.36
 Mobilize LF 125, rods, mud etc. \$ 31,500.00
 Core boxes, sample bags, shipping bags \$ 7,669.50
 Helicopter to fly samples to Dease Lake \$ 11,385.36

Total Expenses = \$424,727.70

D.J. Drilling invoices #309, 316, 343, 358

Acme Analytical file # A718290, 718311, 718309, 718333, 719368, 718581, 718592, 718591

Jedway Enterprises Ltd. #534 and 556

GRAND TOTAL = \$1,391,523.40


Appendix G

STATEMENT OF QUALIFICATIONS

GREG ROSS

I, GREG ROSS, of 201 – 3707 Cambie Street, Vancouver, BC, hereby certify that:

1. I am a Hard Creek Nickel Corp. staff geologist.
2. I hold a B.Sc. in Earth Science from the University of Victoria, awarded in 2006.
3. I hold the designation of Geoscientist-in-Training (GIT) from the Association of Professional Engineers and Geoscientists of the Province of British Columbia, awarded in 2008.
4. This report is based on my examination of data collected in 2007 while working for Hard Creek Nickel Corp., having observed and performed a portion of the work reported herein.



Gregory Ross

22 May 2008
Date

STATEMENT OF QUALIFICATIONS

J. ERIK SCHEEL

I, J. ERIK SCHEEL, of 103 – 43 East 15th Avenue, Vancouver, BC, hereby certify that:

1. I am a salaried employee retained by Hard Creek Nickel Corporation for geological services
2. I hold a B.Sc.H in Geological Sciences from the University of Alberta, awarded in 2004, and a M.Sc. in Geological Sciences from the University of British Columbia, awarded in 2007.
3. I am a G.I.T. with APEGBC, awarded in 2008.
4. I have read and understood the report, largely written by the first author, and have 1) made editorial changes based on my knowledge of the deposit, and 2) drafted the map and cross sections of the reported holes in Appendix D. I also observed and performed a portion of the work herein during my time as a consulting geologist and salaried employee with Hard Creek Nickel Corp., and during my M.Sc. research.



J. Erik Scheel

May 22, 2008
Date