

**BC Geological Survey
Assessment Report
29817**

Geochemical Report, 2008

-- on the --

**Geoff Claims, Nicola M.D.
British Columbia**

Located: 45 km southeast of Merrit, B.C.

92H/16

49 deg 27 min N; 120 deg 26 min W

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

Prepared by:

John R. Kerr, P. Eng.

#208 – 515 West Pender Street

Vancouver, B.C. V6B 6H5

April 20, 2008

(Amended September 3, 2008)

Index:

Page Number

Summary ----- Foreword

Introduction:

- General Statement----- 1
- Location and Access----- 1
- Topography and Vegetation----- 1
- Claims----- 1
- History----- 2

Geology:

- Regional Geology----- 3
- Property Geology----- 3

Field Program, 2006----- 4

Geochemical Results----- 5

Conclusions and Recommendations----- 6

Maps:

- Figure 1 – Location Map
- Figure 2 – Claim Map
- Figure 3 – Geological Plan
- Figure 4 – Geochemical Plan - Copper
- Figure 5 – Geochemical Plan – Gold
- Figure 6 – Geochemical Plan - Copper Distribution in Soil
- Figure 7 – Copper Distribution in Soil (G-01)
- Figure 8 – Copper Distribution in Soil (G-15 and 16)

Appendices:

- Appendix A - Cost Statement
- Appendix B – Sample Descriptions
- Appendix C – Geochemical Data
- Appendix D – Writer’s Certificate

SUMMARY

The Geoff claims are located in the Nicola Mining Division, 30 kilometers southeast of Merritt, B.C. Access is good to the property leaving Highway 97C (The Connector) or Highway 5A along well-travelled logging roads.

The property consists of 5 contiguous claims (77 cells or partial cells), see attached diagram. 2006 assessment work has been applied, all claims currently in good standing to March and April 2010. All claims are recorded in the name of John R. Kerr (113998).

The geological environment is suited to host porphyry copper (gold) mineralization similar in nature to the Prime deposit, located 7 kilometers to the west and other porphyry deposits of the Kamloops/Princeton area. The bulk of the property is underlain by volcanics and sediments of the Triassic Nicola Group. The eastern area of the property is underlain by two phases of felsic intrusive rock of Jurassic/Tertiary age. The Pennask batholith lies on the eastern margin of the claims.

The Pennask batholith hosts the Siwash vein-gold deposit that was mined by Fairfield Minerals in the 1990s. Almaden Minerals now control the property. In excess of 50,000 ounces of gold were recovered from the deposit, and Almaden now reports 846,000 tonnes grading 10.3 g/t gold (0.3opt) in a measured/indicated category and over 1 million tonnes in an inferred category. The Geoff claims also has potential for this style of mineralization.

In 2007, an \$13,000 assessment work program was completed on the property, consisting of regional silt geochemistry, detailed grid soil sampling, rock-chip sampling, and prospecting. Work was oriented to evaluate the potential of both porphyry copper and vein gold deposits. Both styles of mineralization are indicated.

- 1) Porphyry Potential: The south-central area of the property indicates an area of copper/gold enrichment in rock (350ppm copper and 670 opt gold), with underlying geology suited for porphyry style mineralization. Anomalous soil samples are associated with the rock outcrop areas. From the work completed to date a 400 x 200 meter soil anomaly has been delineated, with soils ranging to 164ppm copper and 19ppb gold.
- 2) Vein-style Gold Potential: Silt from one creek along the eastern property boundary was sampled containing anomalous gold to 56ppb. This area of the claims is underlain by the Pennask Batholith, the same rock unit hosting the Siwash vein gold deposit.

The property warrants further investigation and extended grid soil sampling in the main anomalous area and continued regional prospecting and geochemistry over the entire claim block is recommended as the next phase of work.

INTRODUCTION

General Statement:

The Geoff claims were staked as the result of a claim and data research program conducted by Mr. Geoffrey J. Kerr, BSc, in the Kamloops/Nicola/Similkameen districts of Southern British Columbia and the Quesnel Trough district of central British Columbia. The objective of the program was to study promising ground that was available for the discovery of porphyry copper (gold, molybdenum) deposits and epithermal and mesothermal vein/structurally controlled gold deposits.

In June, 2006, a regional geochemical silt sampling program of the claim area was completed on the claims to identify areas that required further detailed work. The 2007 program included detailed gridwork over areas of interest indicated from the regional program as well as collected additional silt samples on the claims and surrounding area. This report is a compilation of the results in compliance with the ministry requirement to file assessment work.

Location and Access: The claims are located 45 km southeast of Merritt, B.C. in the Nicola MD. The geographic coordinates are 49 deg 27 min N; 120 deg 26 min W (92H/16). Access is possible from Highway 97C, (The Coquihalla Connector) at the Pothole Lake turn-off, 40 km southeast of Merritt, and then southeast along well-maintained gravel roads a distance of 13 km to the western margins of the property. Old logging roads provide access to most portions of the claims.

Topography and Vegetation: The claim area is all located within the area of the Interior Plateau, with relatively gentle topography. Elevations range 1370 to 1700 meters(asl).

Prior to logging, the area was 100% forested with stands of fir, balsam, hemlock and pine. Over the past twenty years, 40% of the claim area has been logged by small clear-cut methods, some of the logged areas within the past two years. Secondary growth is therefore in various stages.

Claims: The property consists of 5 mining claims (1627 hectares) in the Nicola Mining Division located under the recently adapted MTO cell unit acquisition system (CGS).


<u>Claim Name</u>	<u>Tenure No.</u>	<u>Area (h/a)</u>	<u>Expiry Date*</u>
Geoff 1	532908	271	April 23, 2010
Geoff 2	532902	501	April 23, 2010
Geoff 3	532905	375	April 23, 2010
Geoff 4	555229	250	March 28, 2010
Geoff 5	555230	230	March 28, 2010

*On acceptance of this report

All claims are recorded in the name of John R. Kerr (113998), the beneficial owner.

Fig 1

Location Map - Geoff Claims



Legend

- Provincial Boundary (1:6M)
- Boundary (International)
- Boundary (Interprovincial)
- NTS Grid
- Transportation - Lines (1:6M)
 - Road - Trunk
 - Road - Main
 - Rail Line
- Water - Lines (1:6M)
 - River/Stream - Definite
 - Lake - Definite
 - Island - Definite
 - Coastline - Definite
- Water - Polygons (1:6M)
 - River/Stream - Definite
 - Lake - Definite
- Major Cities

Scale: 1:10,000,000

0 175 350 km.


Map center: 54°8' N, 122°56' W

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Fig. 2

Geoff Claims

Location Map.



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane

Scale: 1:50,000



Map center: 49° 46' 52" N, 120° 23' 37" W

--- Access Roads

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

History: Mining and mineral exploration in the Merritt/Princeton area dates to the nineteenth century. Most early exploration focused on the copper/gold belt of the Similkameen River, Summers Creek and Kentucky Lake areas. Success in these areas included the discovery and development of the Similco, Prime and Axe porphyry copper and gold deposits. Most of this work was done in the period 1960 – 1980. Recent exploration has been stimulated by noted increases in the price of base and precious metals.

In the early 1990s, Fairfield Minerals followed up RGS surveys and known placer-gold workings in Siwash Creek resulting in the discovery of the Siwash lode gold deposit at Elk Lake. Fairfield recovered 50,000 ounces of gold from this deposit. Almaden Minerals Ltd. currently own the deposit and report 846,000 tonnes grading 10.3 gm/tonne gold.

There is very little reference to historical work having been completed on the Geoff claims. Several gold and copper showing are documented in the area, one possibly being located along the eastern margin of the claims.

GEOLOGY

Regional Geology: The regional geology from published Ministry maps is shown on Figure 3. The principle rocks in the area are volcanic and sedimentary lithologies of the Triassic Nicola Group, the most dominant rock in the area of the claims being andesite breccias and volcanic flows.

Intruding the Nicola volcanic rock group are two phases of intrusive rock. The earliest are late Triassic/early Jurassic granodiorite stocks, intruded by the Pennask Batholith, a mid Jurassic granite. Overlying all rocks are Tertiary basic volcanic flows and breccias.

Property Geology: The property has not been geologically mapped in detail, except for the roadside outcrops examined in this report. The three Mesozoic rock units have all been confirmed on the property and in general, are similar to the interpretation provided by public documents. It was noted that an intrusive rock lies along the eastern boundary of the Geoff 2 claim in the northern portion of the claims.

Alteration and rusting are common in all rock types in the southern portion of the claims. Mineralization of potential economic interest has not been located, however rocks in the southern area contain abundant pyrite. Alteration includes epidote, calcite, chlorite, quartz, sericite and various clay minerals.


The property has the potential two types of economic mineral deposits:

- 1) Alkalic porphyry copper and gold deposits similar in nature to Similco, Axe and Prime deposits. This type of deposit is indicated by geochemistry in the southern and northern area of the property and moderate to intense alteration in the southern portion of the property.
- 2) Mesothermal vein gold deposits similar in nature to the Siwash vein deposit of Almaden Minerals. This type of deposit is possibly indicated by geochemistry in the eastern portion of the claims. Vein material has not been identified on the property.

Fig. 3

Geoff Claims

Geology Plan



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane

Map center: 49° 46' 52" N, 120° 29' 37" W

Scale: 1:50,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Pennask Batholith
 Triassic/Jurassic Granodiorite
 Triassic Nicola Group (mainly volcanics)
 Mineral Showings

FIELD PROGRAM, 2007

A two-man, nine day soil and reconnaissance sampling program venture was completed on the claims during the periods May 27 – June 1, and October 14 – 16, 2007. The purpose of the program was to follow up anomalous stream anomalies indicated from the 2006 field program by completing detailed soil traverses over the anomalous areas. Four areas were selected for follow-up.

- 1) A large area indicated by anomalous gold and copper from 2006 samples G-11, 13 and 14 in the southern portion of the claims. A total of 5.8 km of grid lines were established in this area as shown on Figure 6. A total of 89 soil samples were collected in this area.
- 2) Small local fan-out grid lines were extended east, west, north and south of silt station G-15 in the southern portion of the claims. Soil values indicated insignificant content of copper and are not plotted Figure 8. A total of 15 soil samples were collected from this area.
- 3) Small local fan-out grid lines were extended east, north and south of silt station G-16 in the southern portion of the claims. Soil values indicated insignificant content of copper and are plotted Figure 8. A total of 14 samples were collected from this area.
- 4) Two grid lines upstream of anomalous silt station G-01. Results are plotted Figure 7. A total of 13 soil samples were collected from this area.

A total of 131 soil samples were collected from local grids. In addition, a total of 12 rock chip samples and 1 silt samples were collected from showing areas, outcrop areas and creeks within and near the property boundary.

At the site, UTM coordinates and elevations were noted by GPS for rock chip and silt locations, as well as other data pertinent to creek, rock type, noted colours and mineralization. UTM and elevations were noted at the beginning of each soil travers. All samples were placed in brown kraft soil envelopes and delivered to the laboratories of Acme Analytical Laboratories Ltd. A 1DX, multi-spectrographic (MS) analysis for thirty-seven elements on 15 gm of -80 mesh material (soil and silt) and pulverized fines (rock and PC). Further details of analysis methodology, including results are attached as Appendix C.

GEOCHEMICAL RESULTS

The 2006 results of analysis have indicated the presence of anomalous gold and copper in rock, silt and soil samples on the claim block. Four of these area were followed up with small local and detailed grids. The following discusses the results of each grid area:

- 1) An area 1000m x 800m was selected for detailed soil sampling, see Figure 6. Copper results indicate that of the 89 soils collected, sixteen were in a category defined as possibly anomalous (50 – 100ppm) and four fell into a category defined as probably anomalous (>100ppm). None of the sample results are defined as definitely anomalous. An anomalous zone 400m in a NS direction and up to 200m in an EW direction is the most significant anomaly interpreted on this grid, values ranging to 164ppm copper.

Other metals of importance were generally quite erratic in distribution showing only moderate sympathy with copper values. The following summarizes results:

- Gold ranges up to 44ppb, with 2-3 values 10 – 30ppb.
- Silver values were all less 0.5ppm and of no significance.
- Molybdenum ranged to 2.3ppm.
- Zinc ranged to 593ppm, with a number of samples 100-300ppm.
- Lead ranged to 413ppm, most samples less than 20ppm.

The anomaly(ies) are open to both the east and south. Further work on the grid should include further detailed soil sampling in these directions.


- 2) The strong soil and rock chip sample collected at sample station G-15 in 2006 could not be duplicated. The highest soil sample in the area was 81ppm copper and additional rock chips from outcrop indicated 88 – 110ppm copper. One soil sample contained anomalous (19ppb) gold. There were no other metals of interest detected in soil or rock. The area is marginally close to the property boundary and no further work is recommended at this time.
- 3) The strong rock-chip sample collected at station G-16 in 2007 was duplicated (505ppm copper and 55ppb gold). Soils in the vicinity ranged to 55ppm copper and 12ppb gold. No further work is recommended in the area at this time.
- 4) The two grid lines upstream from 2007 station G-01 ranged to 78ppm copper and 11ppb gold. This area of the property is considered of no further interest.

Other areas of the property that should be tested by detailed soil sampling are the two anomalous areas in the eastern portion of the claims. One area has silt values ranging to 131ppm copper and 25ppb gold, and the second area has one silt sample of 118ppm copper. Additional rock-chip and silt samples collected on and near the property contained no values of immediate interest.

Fig. 4

Geoff Claims

Geochemical Plan - Copper



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid (LRDW)
- Mineral Tenures (Mineral - LRDW)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

143 ppm Cu
 11 Samples Location
 - Anomalous Area
 51-80ppm Possibly Anomalous
 81-140ppm Probably Anomalous
 71-100ppm Definitely Anomalous

Fig. 5

Geoff Claims

Geochemical Plan - Gold



- ### Legend
- Indian Reserves
 - National Parks
 - Parks
 - Mineral Titles Grid (LRDW)
 - Mineral Tenures (Mineral - LRDW)
 - Mineral Claim
 - Mineral Lease
 - Reserves (Mineral - LRDW Sites)
 - Placer Claim Designation
 - Placer Lease Designation
 - No Staking Reserve
 - Conditional Reserve
 - Release Required Reserve
 - Surface Restriction
 - Recreation Area
 - Others
 - BCGS Grid
 - Contours (1:250K)
 - Contour - Index
 - Contour - Intermediate
 - Area of Exclusion
 - Area of Indefinite Contours
 - Transportation - Points (TRIM)
 - Helipad
 - Transportation - Lines (TRIM)
 - Airfield
 - Airport
 - Airstrip
 - Airport Abandoned
 - Ferry Route
 - Road (Gravel Undivided) - 1 Lane
 - Road (Gravel Undivided) - 2 Lanes
 - Road (Gravel Undivided) - UIC - 1 Lane

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.


Map center: 49° 46' 52" N, 120° 29' 37" W

● 11-25ppb Possibly Anomalous
 ● 26-50ppb Probe By Anomalous
 ● 75ppb Definitely Anomalous

○ 11 Sample No. Location
 ○ Anomalous Area

GEOFF CLAIMS, Nicola M. D.
 Copper Distribution in Soil
 Fig. 6

Scale: 1:5,000
 Date: April, 2008







Figure 8. Copper Distribution in Soils

Figure 7. Copper Distribution in Soils



GEOFF CLARKE
September, 2008.

CONCLUSIONS and RECOMMENDATIONS

The 2007 field program was successful in identifying target areas within the Geoff claim boundary suited for further detailed exploration. One of the target areas is indicative of the presence of a copper/gold porphyry system. The next phase of exploration would be detailed more comprehensive grid soil sampling, geological mapping and sampling. Geophysical surveys, including induced polarization surveys would be then warranted over anomalous geochemical targets, prior to selecting targets for diamond drilling.

Respectfully Submitted by:



John R. Kerr, P. Eng.
April 20, 2008

Amended: Sept. 3, 2008
J.

APPENDIX A – Cost Statement

COST STATEMENT
Geoff Claims
Nicola Mining Division, B.C.

Work Completed: May 27 – June 1 and October 14 – 16, 2007

Labour:	John R. Kerr, P. Eng. 9 days @ 600/day	\$ 5400.00
	Geoffrey J. Kerr, Assistant 9 days @ 150/day	<u>1350.00</u>
		\$ 6,750.00
Vehicle Rental:	1620 km @ 0.65/km	1,053.00
Room and Board:	16 man days @ 80/m/d	1,280.00
Laboratory Analysis:	13 rocks and silts	244.08
	132 soils	<u>2188.18</u>
		2,432.28
Misc Supplies and Communications:		184.60
Report:	John R. Kerr, P. Eng.	1,200.00
	Copying and Binding	<u>120.00</u>
		<u>1,320.00</u>
Total:		\$ 13,019.88

APPENDIX B – Sample Descriptions

Appendix B: Sample Descriptions

Geoff Claims, Nicola M.D.

Sample No.	UTM Coordinates (NAD27)		Sample Description	Cu ppm	Au ppb
	Northing	Easting			
2006 Samples					
G-01 – Silt - PC	5519618	686379	Small creek, o/c Nicola volcs	117.8	11.0
G-02 - Silt	5518104	685217	Small creek	44.2	3.5
G-03 – Silt - PC	5517584	685786	Small creek	38.5	5.1
G-04 – Silt	5518495	686327	Small creek	36.5	5.4
G-05 – Silt	5518436	686754	Dry creek bed, base of root	32.7	2.5
G-06 – Silt	5518025	686475	Dry creek	18.6	3.0
G-07 – Silt	5516230	685562	Small creek	31.1	3.4
G-08 – Rock	5515290	689887	Dillard Creek	50.0	5.1
G-09 – Silt	5515551	686408	Pennask Bath, rusty, altd chip/6m	37.6	4.0
G-10 – Rock	5516127	686668	Small dry swampy creek	0.2	1.6
G-11 – Silt - PC	5515890	687128	Nicola volcs, rusty patches grab	85.1	2.1
G-12 – Silt	5514714	687269	Small creek, good gravel	2.6	4.3
G-13 – Soil - Rock	5514611	687310	Small creek	143.7	4.4
G-14 – Silt	5513408	687315	Small creek	43.0	3.1
G-15 – Soil - Rock	5513787	687672	Small creek	56.3	11.0
G-16 – Rock	5513337	687913	Rusty soil	344.6	38.8
G-17 – Silt	5517325	687146	o/c Nic volcs, diss py, grab	51.0	4.3
G-18 – Silt	5517263	687732	Small creek	54.5	211.6
G-19 – Silt	5517371	688014	Soil	209.6	72.6
G-20 – Silt	5518336	688830	o/c Nic vols, alt and rusty chip/1.5m	60.0	16.0
G-21 – Rock	5518801	688659	o/c granite, rusty altd chip/2m	495.7	670.3
G-22 – Silt	5519578	688358	Dry creek bed	55.1	3.1
G-23 – Soil	5519682	688260	Small creek	69.8	1.9
G-24 – Silt - PC	5519509	688461	Small creek	46.2	3.2
G-25 – Silt	5516780	687747	Creek	68.2	3.5
G-26 – Silt	5516778	687753	o/c granodiorite, rusty/alt chip/1.5m	13.2	5.6
G-27 – Rock	5516300	688500	Small creek	117.7	3.2
			Small creek	43.7	11.4
			Main creek	130.6	4.4
			Small creek	40.8	2.0
			Small creek	130.5	55.8
			Small creek	21.7	7.5
			o/c rusty granite, grab	1.6	5.9
2007 Samples					
G-15A – Rock	5513852	687675	o/c Nicola volcs, altd and rusty	109.8	28.8
G-15B – Rock	as above		as above	105.4	21.6
G-15C – Rock	as above		as above	87.7	6.0
G-16 – Rock	5513337	687913	Duplicate sample, 2006	503.9	55.1
G-28 – Silt	L11+00E	7+80N	Small Creek	75.5	3.5
G-29 – Silt	5514867	687540	Small Creek	69.0	2.4
G-30 – Rock	5523180	683244	o/c rusty and altd grd, pinkish cast	16.5	14.7
G-31 – Rock	5523259	688261	o/c rusty grd, as above	14.6	0.5
G-32 – Rock	5525987	680752	sub o/c rusty altd grd	8.9	0.5
G-33 – Rock	5525374	681365	sub o/c rusty dior, fault zone	40.7	0.5
G-34 – Silt	5523737	683282	Leonard Creek	27.1	0.5
G-35 – Rock	5524533	683053	sub o/c grd, rusty and altd	7.4	0.5
G-36 – Rock	5525852	682548	o/c grd, rusty and sheared	1.6	0.5

APPENDIX C – Geochemical Analytical Reports



GEOCHEMICAL ANALYSIS CERTIFICATE



Kerr, John PROJECT Merrit File # A705043

208 - 515 W Pender St., Vancouver BC V6B 6H5 Submitted by: John Kerr

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.8	2.3	2.9	48	<.1	8.1	4.6	552	1.85	<.5	2.1	.7	4.2	56	<.1	<.1	.1	41	.55	.088	8	104	.58	197	.138	1	.88	.073	.50	.1	<.01	2.3	.4	<.05	5	<.5
G10E 5+50N	.3	25.5	4.7	37	.1	12.4	7.9	304	2.01	1.3	.7	1.2	.6	23	.1	.1	.1	62	.61	.024	3	24	.37	75	.125	<1	1.56	.033	.06	<.1	.01	2.1	<.1	<.05	5	.5
G10E 4+50N	.5	30.9	25.3	184	.2	18.5	13.2	285	2.99	3.2	.3	2.2	.8	19	.2	.2	.1	92	.29	.051	3	29	.56	77	.125	<1	1.62	.018	.08	.1	.02	2.5	.1	<.05	6	<.5
G10E 3+50N	.3	53.9	9.3	71	<.1	17.7	12.4	443	3.40	3.4	.4	44.8	1.3	41	.1	.4	.1	114	.74	.079	7	37	.69	90	.125	1	1.21	.029	.13	.1	.02	6.7	.1	<.05	4	<.5
G10E 2+50N	.5	115.8	23.6	124	.3	25.1	23.3	909	4.99	4.9	.8	6.6	1.0	26	.2	.4	.1	147	.98	.072	8	38	1.10	151	.142	<1	1.95	.036	.45	.1	.03	15.6	.5	<.05	7	.7
G10E 1+50N	1.0	163.6	10.2	144	<.1	74.9	37.6	1399	5.31	2.5	.5	2.9	.9	19	.2	.2	.1	146	1.03	.113	5	101	2.09	177	.231	1	2.36	.030	.78	.1	.02	9.3	.4	<.05	8	.6
G10E 0+50N	.3	48.4	4.4	40	<.1	18.1	13.3	506	3.21	3.7	.5	7.1	1.3	44	.1	.3	.1	115	.91	.132	7	49	.95	95	.144	2	1.37	.042	.18	.2	.02	5.4	.1	<.05	5	<.5
G11E 3+50N	.6	58.4	8.5	63	.1	16.6	13.7	334	3.27	2.7	.3	3.7	.6	16	.1	.1	.1	96	.35	.074	3	24	.64	72	.148	1	1.75	.019	.06	.2	.04	2.4	<.1	<.05	7	<.5
G11E 3+00N	.5	29.2	8.7	102	.3	14.4	10.2	475	2.39	2.5	.3	2.5	.7	20	.2	.1	.1	74	.37	.114	3	25	.44	82	.114	<1	1.62	.022	.06	.1	.03	2.1	.1	<.05	6	<.5
G11E 2+50N	.4	78.3	7.3	132	.3	117.7	15.3	229	2.46	1.6	.2	2.7	.5	17	.2	.1	.1	65	.38	.098	3	126	1.21	67	.110	2	1.97	.027	.05	.1	.04	1.9	<.1	<.05	6	<.5
G11E 1+50N	.4	37.5	6.6	49	<.1	17.1	10.1	189	2.54	2.4	.3	1.3	.9	14	<.1	.1	.1	86	.27	.094	3	34	.51	45	.135	2	1.70	.025	.06	.2	.02	2.4	<.1	<.05	6	<.5
STANDARD D	20.9	113.2	73.5	413	.9	57.3	9.8	607	2.41	52.3	5.3	62.2	5.1	73	6.0	6.3	4.8	85	1.05	.091	14	199	1.13	389	.137	47	1.02	.100	.46	4.2	.21	2.8	4.2	.23	4	3.8

Standard is STANDARD DS7.


GROUP 1DX - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

- SAMPLE TYPE: SOIL SS80 60C

Data *[Signature]* FA _____

DATE RECEIVED: JUL 17 2007 DATE REPORT MAILED: 01 2007





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	1.0	2.9	4.9	47	<.1	7.2	4.1	526	1.88	.5	2.9	1.1	4.3	61	.1	.1	.1	35	.55	.080	8	94	.53	182	.118	1	.93	.074	.44	.5	<.01	2.2	.3	<.05	5	<.5
G-16E 1+00E	.5	31.1	14.8	138	.2	17.3	11.5	541	2.65	3.5	.3	.9	.8	25	.2	.3	.1	79	.38	.096	3	28	.40	76	.102	1	1.63	.024	.06	.2	.02	2.9	.1	<.05	6	<.5
STANDARD DS7	20.8	109.0	69.4	401	.9	58.5	9.8	636	2.43	49.3	4.9	114.6	4.6	75	6.4	6.0	4.5	87	1.00	.080	13	227	1.07	377	.124	36	1.02	.089	.44	4.1	.21	2.8	4.3	.21	5	4.0

Sample type: SOIL SS80 60C.



GEOCHEMICAL ANALYSIS CERTIFICATE




Kerr, John PROJECT Merrit File # A703443
208 - 515 W Pender St., Vancouver BC V6B 6H5 Submitted by: John Kerr

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-1	.1	42.9	2.3	49	<.1	4.2	5.0	577	2.15	.6	2.0	1.7	3.7	56	<.1	<.1	.1	40	.51	.079	7	8	.61	219	.138	1	1.01	.063	.52	.1	<.01	2.3	.4	<.05	5	<.5
G-15A	1.5	109.8	2.3	23	.3	43.2	29.5	283	6.63	5.6	.2	28.8	.8	18	.1	.4	.2	99	.62	.115	4	44	.73	22	.175	2	1.11	.047	.12	.4	.09	4.0	.1	3.75	5	2.8
G-15B	.7	105.4	1.3	13	.3	41.4	20.8	112	6.13	5.6	.3	21.6	1.3	42	<.1	.6	.3	55	.75	.074	5	14	.29	20	.178	2	.82	.035	.08	.3	.04	2.2	<.1	4.47	5	3.5
G-15C	1.3	87.7	9.5	152	.3	4.9	11.2	542	2.95	104.8	.6	6.0	2.3	15	.7	3.1	.2	29	.48	.090	6	4	.13	441	.009	4	.58	.012	.18	.2	.04	4.2	.2	.26	2	.8
G-16	4.1	503.9	2.3	20	.7	5.7	14.8	358	3.27	8.2	1.1	55.1	1.7	17	.1	.4	.1	87	.49	.095	7	16	.48	45	.091	1	.85	.050	.12	.5	.01	5.0	.1	.07	4	.5
STANDARD DS7	20.5	107.6	72.7	405	.9	58.3	9.7	631	2.41	47.6	5.1	73.0	4.8	77	6.2	5.9	4.6	86	.95	.081	15	212	1.06	373	.129	42	.98	.090	.43	4.0	.20	2.6	4.3	.21	5	4.0

GROUP 1DX - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150

Data *JK* FA _____

DATE RECEIVED: JUN 1 2007 DATE REPORT MAILED: *June 19/07*





GEOCHEMICAL ANALYSIS CERTIFICATE



Kerr, John PROJECT Merrit File # A703444


208 - 515 W Pender St., Vancouver BC V6B 6H5 Submitted by: John Kerr

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
G-28	.9	75.4	19.3	224	.4	24.3	12.9	1138	3.14	5.1	.3	3.5	.8	40	1.2	.3	.1	82	1.02	.065	6	46	.74	103	.096	2	1.74	.027	.09	.3	.03	4.5	.1	<.05	5	.7
G-29	5.0	69.0	4.5	64	.5	15.4	16.2	7253	2.57	11.9	2.1	2.4	.2	68	.7	.3	.1	50	1.87	.108	6	25	.31	319	.029	4	1.40	.024	.05	.1	.16	2.4	.4	.20	4	3.3
STANDARD DS7	20.4	111.0	69.5	405	.9	57.8	10.0	652	2.48	48.5	4.9	75.3	4.4	68	6.6	6.1	4.6	89	.93	.080	12	167	1.06	375	.120	40	.95	.074	.44	4.0	.21	2.6	4.4	.23	5	4.0

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SILT SS80 60C

Data *FA*

DATE RECEIVED: JUN 1 2007 DATE REPORT MAILED: JUN 21 2007





ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 22, 2007

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN07002123.1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	1	0.1	0.1	2	0.01	0.001	
G8E 6+70N	Soil	0.3	61.6	5.7	48	0.1	16.9	10.0	474	2.45	2.3	0.8	1.7	0.9	33	<0.1	0.1	<0.1	64	0.62	0.040
G8E 6+00N	Soil	0.6	28.1	5.1	52	0.2	12.8	8.9	278	2.52	2.8	0.3	2.7	0.9	24	<0.1	0.2	<0.1	76	0.32	0.138
G8E 5+50N	Soil	0.3	21.6	4.7	51	0.2	10.4	7.5	159	2.41	2.4	0.2	2.0	0.8	17	<0.1	0.1	<0.1	74	0.24	0.112
G8E 5+00N	Soil	0.6	69.7	5.4	66	0.5	17.0	7.4	168	2.52	4.2	1.0	2.6	0.9	39	0.1	0.2	0.1	61	0.77	0.077
G8E 4+50N	Soil	0.6	34.8	6.5	75	0.1	10.1	7.4	136	1.92	1.9	0.3	2.4	0.5	26	0.1	0.2	0.1	57	0.37	0.033
G8E 4+00N	Soil	1.6	24.6	4.3	39	<0.1	7.0	5.6	97	1.83	1.7	0.3	4.6	0.4	24	0.1	0.1	<0.1	57	0.43	0.021
G8E 3+50N	Soil	1.5	38.8	8.1	61	0.1	12.2	8.5	147	2.17	2.0	0.2	3.9	0.6	17	<0.1	0.2	0.1	63	0.20	0.030
G8E 3+00N	Soil	1.1	46.2	6.4	70	0.3	10.7	9.3	183	2.22	3.3	0.2	2.6	0.7	11	0.1	0.2	0.1	61	0.16	0.067
G8E 2+50N	Soil	1.0	62.5	6.2	53	0.2	27.8	9.7	269	1.93	1.9	0.5	1.3	0.3	26	0.2	0.1	0.1	53	0.77	0.031
G8E 2+00N	Soil	0.5	47.6	6.1	48	<0.1	13.1	9.1	184	2.31	3.5	0.3	5.2	0.8	16	<0.1	0.3	<0.1	72	0.25	0.096
G8E 1+50N	Soil	0.4	35.8	5.1	26	<0.1	7.9	5.9	96	1.89	2.8	0.3	11.5	0.6	16	<0.1	0.2	<0.1	64	0.21	0.044
G8E 1+00N	Soil	0.4	40.2	5.5	35	<0.1	11.0	7.6	141	2.32	3.1	0.3	3.5	0.8	17	<0.1	0.2	<0.1	71	0.26	0.087
G9E 6+00N	Soil	0.7	23.1	4.8	35	<0.1	9.9	7.7	174	2.05	1.7	0.2	2.6	0.7	22	<0.1	0.1	<0.1	63	0.29	0.087
G9E 5+50N	Soil	0.2	48.8	4.6	49	<0.1	13.7	8.1	266	2.12	1.7	0.3	1.5	0.9	24	<0.1	0.1	<0.1	64	0.34	0.038
G9E 5+00N	Soil	0.6	46.7	3.1	69	0.2	6.4	4.6	137	1.29	1.4	0.4	2.5	0.2	49	0.4	<0.1	<0.1	32	1.30	0.032
G9E 4+50N	Soil	0.2	47.1	4.6	45	<0.1	13.1	8.1	260	2.06	1.5	0.3	3.4	0.8	22	<0.1	<0.1	<0.1	60	0.31	0.038
G9E 4+00N	Soil	0.5	18.7	2.6	29	0.2	3.7	2.7	78	0.86	0.9	0.2	0.9	0.1	40	0.2	0.1	<0.1	25	1.22	0.020
G9E 3+00N	Soil	0.4	33.9	6.9	53	0.1	12.2	7.9	131	2.19	2.4	0.3	4.0	0.9	17	<0.1	0.2	<0.1	62	0.25	0.091
G9E 2+50N	Soil	0.4	20.6	4.7	38	<0.1	10.5	6.2	136	1.81	1.7	0.2	1.6	0.4	21	<0.1	0.1	<0.1	56	0.41	0.036
G9E 2+00N	Soil	0.5	39.2	5.0	64	0.2	10.6	8.4	206	2.03	6.1	0.2	7.4	0.5	13	<0.1	0.2	<0.1	59	0.19	0.080
G9E 1+50N	Soil	0.5	47.5	4.0	53	0.2	12.0	10.5	202	2.41	4.2	0.2	5.8	0.7	14	0.1	0.1	<0.1	71	0.18	0.101
G9E 1+00N	Soil	0.2	23.0	4.5	45	0.2	10.3	6.5	247	1.74	1.4	0.2	1.7	0.4	24	0.1	0.1	<0.1	57	0.52	0.038
G12E 6+00N	Soil	0.7	46.6	21.9	155	0.2	24.4	15.8	440	3.04	5.3	0.3	3.0	0.8	18	0.1	0.1	<0.1	90	0.33	0.074
G12E 5+50N	Soil	0.3	56.2	5.2	48	<0.1	18.0	11.1	372	2.90	3.5	0.4	4.1	1.5	29	<0.1	0.2	<0.1	97	0.61	0.091
G12E 5+00N	Soil	2.3	88.4	412.7	593	0.2	28.5	23.1	1944	4.27	45.7	1.8	28.1	2.7	27	1.1	1.5	<0.1	87	0.77	0.097
G12E 4+50N	Soil	0.5	46.0	20.8	177	0.4	19.2	10.4	214	2.46	2.8	0.2	1.4	0.5	19	0.2	0.2	<0.1	73	0.35	0.079
G12E 4+00N	Soil	0.8	55.3	12.0	120	0.2	18.7	10.1	322	2.45	2.5	0.3	1.8	0.9	16	<0.1	0.2	<0.1	71	0.26	0.088
G12E 3+50N	Soil	0.6	27.9	7.5	67	0.1	13.6	8.6	171	2.32	1.6	0.2	1.8	0.7	17	<0.1	0.1	<0.1	71	0.27	0.089
G12E 3+00N	Soil	0.7	35.2	11.6	95	0.2	13.0	6.2	113	1.89	2.5	0.3	4.7	0.6	11	<0.1	0.1	<0.1	49	0.21	0.075
G12E 2+50N	Soil	0.9	44.6	8.9	71	0.2	25.8	11.2	187	2.59	2.4	0.2	2.3	0.6	14	<0.1	0.2	<0.1	81	0.22	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 22, 2007

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN07002123.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
G8E 6+70N	Soil			7	29	0.53	165	0.108	2	2.37	0.029	0.07	<0.1	0.03	3.8	<0.1	<0.05	6	<0.5
G8E 6+00N	Soil			4	29	0.41	63	0.108	1	1.65	0.024	0.04	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5
G8E 5+50N	Soil			3	27	0.38	41	0.109	2	1.46	0.022	0.03	<0.1	0.02	2.0	<0.1	<0.05	6	<0.5
G8E 5+00N	Soil			6	25	0.39	182	0.106	1	2.63	0.032	0.07	0.1	0.05	3.5	<0.1	<0.05	6	0.7
G8E 4+50N	Soil			3	19	0.35	46	0.084	2	1.21	0.019	0.03	<0.1	0.03	1.8	<0.1	<0.05	5	<0.5
G8E 4+00N	Soil			2	17	0.26	31	0.083	2	1.15	0.020	0.03	<0.1	0.03	1.8	<0.1	<0.05	5	<0.5
G8E 3+50N	Soil			2	21	0.36	42	0.080	1	1.63	0.017	0.03	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5
G8E 3+00N	Soil			2	18	0.27	36	0.087	2	1.60	0.017	0.03	0.2	0.02	1.6	<0.1	<0.05	6	0.7
G8E 2+50N	Soil			4	37	0.50	56	0.068	3	1.63	0.028	0.03	0.2	0.03	1.5	<0.1	<0.05	5	1.0
G8E 2+00N	Soil			3	25	0.37	43	0.058	2	1.12	0.009	0.03	<0.1	0.02	2.3	<0.1	<0.05	4	<0.5
G8E 1+50N	Soil			3	22	0.24	39	0.056	2	0.96	0.011	0.03	0.1	0.04	2.0	<0.1	<0.05	3	<0.5
G8E 1+00N	Soil			3	24	0.30	35	0.058	1	1.00	0.009	0.03	0.1	0.03	2.6	<0.1	<0.05	3	<0.5
G9E 6+00N	Soil			3	21	0.34	60	0.081	2	1.18	0.016	0.04	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5
G9E 5+50N	Soil			3	23	0.50	121	0.106	<1	1.68	0.023	0.06	<0.1	<0.01	2.4	<0.1	<0.05	5	<0.5
G9E 5+00N	Soil			3	12	0.20	67	0.051	2	1.04	0.019	0.02	<0.1	0.03	1.1	<0.1	0.08	4	<0.5
G9E 4+50N	Soil			3	23	0.48	126	0.098	1	1.63	0.022	0.06	<0.1	0.01	2.2	<0.1	<0.05	5	<0.5
G9E 4+00N	Soil			1	7	0.16	49	0.046	2	0.61	0.024	0.03	<0.1	0.03	0.8	<0.1	0.07	2	<0.5
G9E 3+00N	Soil			4	25	0.32	54	0.089	2	1.60	0.016	0.05	0.1	0.05	2.6	<0.1	<0.05	6	<0.5
G9E 2+50N	Soil			2	20	0.31	39	0.082	4	1.14	0.013	0.05	0.1	0.04	1.8	<0.1	<0.05	4	<0.5
G9E 2+00N	Soil			2	21	0.44	50	0.075	1	1.40	0.013	0.03	<0.1	0.04	1.5	<0.1	<0.05	5	<0.5
G9E 1+50N	Soil			2	22	0.55	49	0.088	1	1.87	0.016	0.04	0.1	0.03	2.3	<0.1	<0.05	6	<0.5
G9E 1+00N	Soil			3	20	0.34	58	0.082	2	1.14	0.015	0.06	0.1	0.04	1.7	<0.1	<0.05	4	<0.5
G12E 6+00N	Soil			3	36	0.82	109	0.138	1	2.36	0.022	0.08	<0.1	0.01	3.3	<0.1	<0.05	8	<0.5
G12E 5+50N	Soil			6	42	0.73	74	0.096	2	1.20	0.019	0.16	<0.1	0.01	4.6	<0.1	<0.05	4	<0.5
G12E 5+00N	Soil			20	27	0.48	136	0.032	1	1.04	0.012	0.16	0.3	1.99	10.6	13.8	<0.05	3	<0.5
G12E 4+50N	Soil			2	35	0.43	81	0.067	1	1.51	0.018	0.05	0.1	0.02	2.5	<0.1	<0.05	5	<0.5
G12E 4+00N	Soil			3	31	0.43	63	0.095	2	1.90	0.017	0.07	0.2	0.03	2.5	<0.1	<0.05	6	<0.5
G12E 3+50N	Soil			2	31	0.37	61	0.086	1	1.29	0.017	0.05	0.2	0.02	2.0	<0.1	<0.05	5	<0.5
G12E 3+00N	Soil			2	22	0.27	70	0.074	1	1.43	0.016	0.04	<0.1	0.05	1.5	<0.1	<0.05	6	<0.5
G12E 2+50N	Soil			2	34	0.53	55	0.109	1	1.50	0.017	0.04	0.1	0.03	1.9	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
208 - 515 W Pender St.
Vancouver BC V6B 6H5 Canada

Project: None Given
Report Date: December 22, 2007

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN07002123.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
G12E 2+00N	Soil	0.8	34.2	16.5	134	0.2	19.3	9.5	501	2.09	1.8	0.2	2.8	0.4	25	0.2	0.2	0.1	61	0.50	0.038
G12E 1+70N	Soil	0.5	17.8	18.4	170	0.3	13.6	8.3	264	1.95	2.4	0.2	8.8	0.3	17	0.1	0.2	0.1	55	0.40	0.043
G13E 6+50N	Soil	0.4	40.6	7.9	105	0.1	15.9	11.6	912	2.60	2.3	0.2	1.1	0.5	14	0.1	0.1	0.1	85	0.26	0.080
G13E 6+00N	Soil	0.5	46.3	20.2	173	0.2	17.3	11.1	1444	2.45	2.7	0.3	0.8	0.8	22	0.2	0.2	<0.1	76	0.44	0.099
G13E 5+50N	Soil	0.6	32.9	6.9	97	<0.1	16.4	10.6	501	2.63	3.1	0.3	3.4	0.9	16	0.1	0.1	<0.1	78	0.26	0.096
G13E 5+00N	Soil	0.4	32.8	5.8	83	0.1	26.0	13.6	298	2.90	1.3	0.1	0.9	0.4	13	<0.1	0.1	<0.1	95	0.32	0.056
G13E 4+00N	Soil	0.5	27.7	7.1	61	0.1	12.9	8.1	250	2.18	2.7	0.3	3.0	1.0	14	<0.1	0.1	<0.1	65	0.21	0.094
G13E 3+50N	Soil	0.5	35.2	10.5	112	0.2	18.3	7.6	148	2.07	2.0	0.4	1.2	0.6	26	<0.1	<0.1	<0.1	59	0.49	0.062
G13E 3+00N	Soil	1.5	89.0	7.9	109	0.2	17.4	14.3	204	2.97	2.1	0.3	1.5	0.6	11	<0.1	0.1	0.1	85	0.21	0.074
G13E 2+50N	Soil	1.0	21.0	7.0	41	0.1	9.5	6.2	106	1.97	2.0	0.2	0.9	0.7	12	<0.1	<0.1	<0.1	60	0.19	0.076
G13E 2+00N	Soil	0.6	25.4	8.4	85	0.2	16.3	7.8	198	2.04	2.2	0.3	2.5	0.7	15	<0.1	0.1	0.1	55	0.21	0.093
G13E 4+00E	Soil	0.8	57.8	5.6	77	0.2	25.8	13.2	400	2.91	3.2	0.3	2.1	0.7	15	<0.1	0.1	0.1	85	0.22	0.083
G16E 2+00N	Soil	0.6	18.9	17.4	169	0.2	11.8	9.3	365	2.11	2.9	0.2	2.8	0.8	15	0.1	0.1	0.1	59	0.20	0.095
G16E 1+50N	Soil	0.5	29.5	17.8	144	0.2	14.4	8.9	466	2.03	3.2	0.3	2.6	1.0	19	0.2	0.1	0.1	56	0.22	0.093
G16E 1+00N	Soil	0.5	25.1	18.1	124	0.1	11.9	10.1	245	2.56	7.7	0.3	5.3	0.7	21	<0.1	0.2	0.1	78	0.31	0.093
G16E 0+50N	Soil	1.3	37.2	14.9	109	0.2	10.7	10.0	328	2.79	4.5	0.4	3.9	1.2	19	0.1	0.2	0.1	74	0.26	0.092
G16E 0+50W	Soil	0.5	27.7	18.5	102	0.1	10.7	8.6	361	2.28	4.6	0.3	6.0	1.2	20	0.2	0.2	0.1	65	0.27	0.100
G16E 0+00	Soil	0.9	46.1	17.9	109	0.2	12.3	9.7	437	2.38	6.7	0.3	3.9	1.0	16	0.2	0.2	0.2	65	0.22	0.061
G16E 0+50S	Soil	0.7	31.6	10.3	81	0.2	12.3	9.6	280	2.46	4.7	0.3	7.3	1.2	18	<0.1	0.2	0.2	68	0.25	0.091
G16E 1+00S	Soil	0.7	26.1	8.1	68	<0.1	10.5	9.0	256	2.17	2.7	0.4	3.5	1.0	16	<0.1	0.2	<0.1	62	0.20	0.080
G16E 1+50S	Soil	0.3	49.1	12.0	63	<0.1	13.8	8.6	267	2.62	5.9	0.3	9.3	1.0	29	<0.1	0.3	<0.1	83	0.45	0.055
G16E 2+00S	Soil	0.4	55.2	9.2	50	<0.1	18.0	13.0	354	3.24	8.5	0.3	11.9	1.0	33	<0.1	0.8	<0.1	101	0.54	0.082
G16E 0+50E	Soil	0.4	19.2	8.4	104	0.2	10.7	7.7	380	1.67	1.8	0.2	3.1	0.7	18	0.2	0.1	<0.1	49	0.21	0.078
G16E 1+00E	Soil	0.5	27.1	13.6	122	0.1	13.4	9.3	457	2.10	3.0	0.3	5.0	0.7	19	0.1	0.2	<0.1	60	0.27	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 22, 2007

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN07002123.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
G12E 2+00N	Soil			2	28	0.45	91	0.103	1	1.56	0.021	0.04	0.1	0.04	1.8	<0.1	<0.05	5	<0.5
G12E 1+70N	Soil			2	20	0.35	44	0.094	1	1.28	0.020	0.05	<0.1	0.03	1.5	<0.1	<0.05	6	<0.5
G13E 6+50N	Soil			2	27	0.69	55	0.122	<1	1.84	0.022	0.06	0.2	0.03	2.1	<0.1	<0.05	6	<0.5
G13E 6+00N	Soil			3	33	0.57	121	0.099	2	2.09	0.019	0.06	0.1	0.04	2.8	<0.1	<0.05	6	<0.5
G13E 5+50N	Soil			3	36	0.52	60	0.104	1	1.72	0.018	0.04	0.2	0.02	2.3	<0.1	<0.05	6	<0.5
G13E 5+00N	Soil			2	42	0.77	68	0.145	1	1.60	0.018	0.09	0.1	0.03	2.4	<0.1	<0.05	7	<0.5
G13E 4+00N	Soil			3	23	0.30	46	0.078	<1	1.37	0.014	0.03	0.1	0.03	2.1	<0.1	<0.05	4	<0.5
G13E 3+50N	Soil			3	30	0.42	102	0.089	2	1.84	0.022	0.05	0.1	0.03	1.9	<0.1	<0.05	6	<0.5
G13E 3+00N	Soil			2	19	0.57	64	0.133	<1	2.27	0.020	0.06	0.1	0.03	2.6	<0.1	<0.05	8	<0.5
G13E 2+50N	Soil			2	22	0.30	32	0.094	<1	1.27	0.016	0.03	0.2	0.03	1.6	<0.1	<0.05	5	<0.5
G13E 2+00N	Soil			2	28	0.37	67	0.091	2	1.69	0.020	0.06	0.1	0.04	1.7	<0.1	<0.05	6	<0.5
G13E 4+00E	Soil			3	43	0.60	76	0.101	2	1.95	0.021	0.06	<0.1	0.01	2.8	0.1	<0.05	7	<0.5
G16E 2+00N	Soil			3	20	0.30	49	0.080	1	1.56	0.021	0.04	0.2	0.02	2.1	<0.1	<0.05	6	<0.5
G16E 1+50N	Soil			4	20	0.32	102	0.066	<1	1.58	0.021	0.05	0.2	<0.01	2.3	<0.1	<0.05	6	<0.5
G16E 1+00N	Soil			3	25	0.45	50	0.087	2	1.34	0.030	0.05	0.2	0.01	2.5	<0.1	<0.05	5	<0.5
G16E 0+50N	Soil			5	18	0.49	150	0.091	<1	1.65	0.019	0.09	0.4	0.01	3.0	<0.1	<0.05	6	<0.5
G16E 0+50W	Soil			5	21	0.37	69	0.084	2	1.48	0.022	0.05	0.3	0.02	2.5	<0.1	<0.05	5	<0.5
G16E 0+00	Soil			4	20	0.35	101	0.076	1	1.71	0.018	0.08	0.3	0.02	2.3	<0.1	<0.05	6	<0.5
G16E 0+50S	Soil			3	20	0.40	89	0.088	<1	1.72	0.023	0.07	0.2	0.02	2.7	<0.1	<0.05	5	<0.5
G16E 1+00S	Soil			3	19	0.34	66	0.094	1	1.68	0.019	0.04	0.2	0.03	2.0	<0.1	<0.05	5	<0.5
G16E 1+50S	Soil			5	29	0.50	77	0.103	2	1.14	0.023	0.11	0.1	0.02	3.9	<0.1	<0.05	4	<0.5
G16E 2+00S	Soil			5	38	0.73	91	0.108	1	1.24	0.026	0.16	0.2	0.02	3.7	<0.1	<0.05	4	<0.5
G16E 0+50E	Soil			2	17	0.29	60	0.083	<1	1.27	0.019	0.04	0.1	0.04	1.6	<0.1	<0.05	4	<0.5
G16E 1+00E	Soil			3	22	0.34	67	0.075	<1	1.37	0.021	0.06	0.1	0.03	2.2	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 22, 2007

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN07002123.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																							
G8E 6+70N	Soil			0.3	61.6	5.7	48	0.1	16.9	10.0	474	2.45	2.3	0.8	1.7	0.9	33	<0.1	0.1	<0.1	64	0.62	0.040
REP G8E 6+70N	QC			0.4	61.8	5.6	51	0.1	17.8	10.1	481	2.56	2.3	0.8	2.3	1.1	35	<0.1	0.1	0.1	68	0.63	0.039
G9E 2+50N	Soil			0.4	20.6	4.7	38	<0.1	10.5	6.2	136	1.81	1.7	0.2	1.6	0.4	21	<0.1	0.1	<0.1	56	0.41	0.036
REP G9E 2+50N	QC			0.5	29.9	6.0	56	0.1	11.7	7.1	165	2.01	2.1	0.2	1.3	0.5	21	<0.1	0.2	<0.1	60	0.38	0.048
G13E 5+00N	Soil			0.4	32.8	5.8	83	0.1	26.0	13.6	298	2.90	1.3	0.1	0.9	0.4	13	<0.1	0.1	<0.1	95	0.32	0.056
REP G13E 5+00N	QC			0.5	30.6	6.2	85	0.2	27.8	13.3	301	2.83	1.9	0.1	1.3	0.4	13	<0.1	0.1	<0.1	91	0.31	0.059
G16E 1+50S	Soil			0.3	49.1	12.0	63	<0.1	13.8	8.6	267	2.62	5.9	0.3	9.3	1.0	29	<0.1	0.3	<0.1	83	0.45	0.055
REP G16E 1+50S	QC			0.5	49.3	12.6	67	<0.1	14.8	8.7	274	2.70	6.2	0.4	11.5	1.1	30	<0.1	0.3	<0.1	86	0.47	0.056
Reference Materials																							
STD DS7	Standard			20.0	102.9	62.3	387	0.8	52.8	8.7	567	2.29	46.8	4.7	70.4	4.5	68	5.6	5.1	4.1	84	0.93	0.071
STD DS7	Standard			20.8	109.2	59.6	398	0.9	53.9	9.9	637	2.37	48.7	4.4	76.0	4.1	69	6.2	5.1	3.9	84	0.97	0.079
STD DS7	Standard			20.0	99.5	62.1	396	0.9	54.6	9.2	604	2.34	50.7	4.5	62.5	4.0	66	6.0	5.6	4.1	88	0.91	0.076
STD DS7	Standard			18.9	99.9	64.5	385	0.8	53.8	9.4	591	2.28	42.1	4.6	67.8	4.3	71	5.4	5.2	4.4	83	0.89	0.067
STD DS7 Expected				20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 22, 2007

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN07002123.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5
Pulp Duplicates																	
G8E 6+70N	Soil	7	29	0.53	165	0.108	2	2.37	0.029	0.07	<0.1	0.03	3.8	<0.1	<0.05	6	<0.5
REP G8E 6+70N	QC	7	30	0.55	170	0.123	2	2.50	0.028	0.07	<0.1	0.02	4.0	<0.1	<0.05	7	<0.5
G9E 2+50N	Soil	2	20	0.31	39	0.082	4	1.14	0.013	0.05	0.1	0.04	1.8	<0.1	<0.05	4	<0.5
REP G9E 2+50N	QC	2	22	0.35	46	0.082	3	1.31	0.014	0.06	0.1	0.04	1.8	<0.1	<0.05	5	<0.5
G13E 5+00N	Soil	2	42	0.77	68	0.145	1	1.60	0.018	0.09	0.1	0.03	2.4	<0.1	<0.05	7	<0.5
REP G13E 5+00N	QC	2	40	0.78	73	0.140	1	1.62	0.018	0.09	0.1	0.03	2.3	<0.1	<0.05	6	<0.5
G16E 1+50S	Soil	5	29	0.50	77	0.103	2	1.14	0.023	0.11	0.1	0.02	3.9	<0.1	<0.05	4	<0.5
REP G16E 1+50S	QC	5	31	0.51	76	0.107	2	1.14	0.024	0.12	0.1	<0.01	4.0	<0.1	<0.05	4	<0.5
Reference Materials																	
STD DS7	Standard	13	181	1.02	375	0.118	38	1.00	0.086	0.43	3.5	0.19	2.4	3.9	0.21	5	3.3
STD DS7	Standard	12	197	1.06	360	0.126	43	1.02	0.093	0.47	3.6	0.20	2.4	4.1	0.19	5	4.0
STD DS7	Standard	11	174	1.03	387	0.112	40	0.96	0.087	0.45	4.4	0.20	2.2	4.3	0.18	4	4.2
STD DS7	Standard	13	186	0.99	359	0.119	39	0.94	0.081	0.42	3.7	0.21	2.6	3.8	0.19	5	3.2
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: Kerr, John
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
Report Date: November 27, 2007

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS **VAN07002122.1**

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
G-34	Silt	0.2	27.1	1.6	30	<0.1	14.9	7.8	477	1.82	1.1	0.5	3.3	0.8	33	<0.1	0.1	<0.1	69	0.75	0.088

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: November 27, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN07002122.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
G-34	Silt	4	27	0.54	86	0.081	3	1.09	0.025	0.03	<0.1	0.04	3.4	<0.1	<0.05	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
Report Date: November 27, 2007

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT **VAN07002122.1**

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	20.2	120.2	66.1	399	0.8	57.0	10.1	689	2.58	48.7	4.4	69.4	4.1	72	5.9	5.1	4.1	91	0.94	0.073
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: November 27, 2007

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN07002122.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	12	207	1.13	421	0.135	40	1.15	0.100	0.53	3.7	0.20	2.7	4.1	0.17	6	4.0
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 04, 2007

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN07002120.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
G-16D	Rock	2.5	53.3	11.6	60	<0.1	5.7	11.0	636	4.46	2.4	0.5	3.2	1.5	37	0.3	2.4	<0.1	137	0.63	0.086
G-16E	Rock	1.4	145.5	13.4	37	0.2	5.3	14.2	412	3.88	3.4	1.0	15.9	1.6	16	0.2	0.5	<0.1	156	0.64	0.084
G-30	Rock	1.0	16.5	13.4	43	0.2	11.3	6.9	450	1.69	17.8	1.1	14.7	1.8	27	0.2	1.4	0.2	19	0.67	0.068
G-31	Rock	0.4	14.6	11.6	43	<0.1	2.6	5.5	617	2.00	1.6	0.6	<0.5	1.9	53	0.2	0.4	<0.1	22	1.24	0.076
G-32(R)	Rock	1.6	8.9	15.4	44	<0.1	7.4	7.6	412	1.90	18.1	0.8	<0.5	1.7	91	0.1	0.3	0.1	9	3.08	0.072
G-33	Rock	1.1	40.7	5.0	32	<0.1	4.7	7.5	885	3.01	5.0	0.4	<0.5	2.1	17	0.1	0.2	<0.1	76	0.38	0.112
G-35	Rock	0.3	7.4	10.2	47	<0.1	7.6	7.6	478	1.64	1.4	0.8	<0.5	3.3	103	0.2	0.2	<0.1	22	2.14	0.070
G-36	Rock	0.2	1.6	3.7	28	<0.1	4.7	5.1	551	1.70	0.7	0.5	<0.5	1.9	40	<0.1	<0.1	<0.1	20	2.77	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 04, 2007

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN07002120.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
G-16D	Rock	7	12	0.44	230	0.027	2	1.41	0.123	0.14	0.4	0.05	10.7	0.1	<0.05	5	<0.5
G-16E	Rock	9	15	0.15	104	0.063	2	0.40	0.040	0.09	68.4	0.03	5.2	0.1	0.13	3	<0.5
G-30	Rock	11	10	0.12	970	0.002	2	0.35	0.022	0.16	<0.1	<0.01	2.8	<0.1	0.08	1	<0.5
G-31	Rock	13	4	0.46	287	0.003	1	0.73	0.027	0.14	0.2	<0.01	1.9	<0.1	<0.05	4	<0.5
G-32(R)	Rock	13	2	0.13	1061	<0.001	5	0.55	0.012	0.19	<0.1	0.09	3.3	<0.1	0.10	1	<0.5
G-33	Rock	10	5	0.13	441	0.003	5	0.67	0.021	0.15	<0.1	<0.01	7.2	<0.1	<0.05	3	<0.5
G-35	Rock	16	5	0.22	71	0.004	4	0.60	0.019	0.16	<0.1	<0.01	1.7	<0.1	<0.05	2	<0.5
G-36	Rock	9	2	0.22	145	0.001	6	0.34	0.012	0.15	<0.1	0.01	2.1	<0.1	<0.05	1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 04, 2007

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN07002120.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	20.5	104.6	72.0	398	0.8	54.1	9.4	607	2.40	45.0	5.2	62.0	4.4	63	6.0	5.7	4.9	81	0.91	0.075
STD DS7	Standard	21.4	108.5	69.7	397	0.9	59.9	10.1	641	2.40	47.6	4.8	77.7	4.6	67	6.4	5.9	5.0	88	0.94	0.074
STD DS7	Expected	20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank	0.5	4.4	34.0	134	0.2	5.2	4.5	544	1.91	2.1	2.4	<0.5	3.9	48	0.6	0.3	<0.1	36	0.43	0.075
G1	Prep Blank	0.6	3.9	48.0	125	<0.1	5.3	4.4	561	1.86	5.6	2.4	<0.5	4.0	43	0.6	0.2	<0.1	36	0.43	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Kerr, John**
 208 - 515 W Pender St.
 Vancouver BC V6B 6H5 Canada

Project: None Given
 Report Date: December 04, 2007

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN07002120.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	12	179	1.04	396	0.107	40	0.98	0.068	0.42	4.3	0.21	2.2	4.8	0.21	5	3.6
STD DS7	Standard	13	194	1.09	399	0.113	44	1.02	0.070	0.44	4.3	0.22	2.5	4.5	0.21	5	3.9
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																	
G1	Prep Blank	6	10	0.59	482	0.109	2	0.93	0.043	0.47	0.1	<0.01	1.6	0.4	<0.05	5	<0.5
G1	Prep Blank	7	10	0.61	218	0.111	2	0.93	0.044	0.48	<0.1	<0.01	1.8	0.4	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

APPENDIX D – Writer’s Certificate


APPENDIX D - Writer's Certificate

I, **John R. Kerr**, of the City of Vancouver, B.C. hereby certify that:

- 1) I graduated with a BAsC degree in geological engineering from the University of British Columbia, Vancouver, B.C. in 1964.
- 2) I am a consulting, contract geologist, with my address of business 208 - 515 West Pender Street, Vancouver, B.C. V6B 6H5.
- 3) I am a member in good standing of the Association of Engineers and Geoscientists of the Province of British Columbia (#6858).
- 4) I have worked as a geologist continuously for 43 years since graduation.
- 5) I am responsible for the preparation of the entire report entitled **GEOCHEMICAL REPORT, 2008 on the GEOFF CLAIMS, British Columbia**, and dated April 20, 2008, relating to the Geoff 1, 2, 3, 4 and 5 mining claims. I visited and worked on the property during the periods May 27 - June 1 and October 14 - 16, 2007. Work was completed on the Geoff 1, 2, and 3 claims.
- 6) I am the beneficial owner of the claims and they are recorded under my name (FMC 113998).

I consent to the filing of the this Report with any regulatory authority and publication by them, including electronic publication in the public company files on their web-sites accessible by the public.

Certified



John R. Kerr, Eng.

Date: April 20, 2008

Amended: Sept. 3, 2008
J.