

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

**TITLE OF REPORT : 2007 SOIL GEOCHEMICAL SURVEY on the TYLER
MINERAL CLAIM GROUP**

TOTAL COST: \$4058.62

**AUTHOR(S): Rufus Combs (property owner)
SIGNATURE(S)**

**BC Geological Survey
Assessment Report
29837**

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S) : 4167758, 2007/AUG/31

YEAR OF WORK: 2007

PROPERTY NAME: TYLER Group

CLAIM NAME(S) (on which work was done): 516476, 516477

COMMODITIES SOUGHT: Au, Cu, Mo

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN

MINING DIVISION : Cariboo

NTS / BCGS: 093A.043

LATITUDE _52o __26' ___18" (52.438333)

LONGITUDE _121o __34' ___46" (121.579444)

UTM Zone 10 EASTING 598457 NORTHING 5810724

OWNER(S): Rufus Combs

MAILING ADDRESS: #62 – 1400 Western Ave., Williams Lake, BC, V2G 4S66

OPERATOR(S) [who paid for the work]: Owner

MAILING ADDRESS

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude **do not use abbreviations or codes):**

Soil geochemical survey in Quesnel Trough looking for Mount Polley style sulphide mineralization

**REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT
NUMBERS: N/A**

BC Geological Survey
Assessment Report
29837

2007 Soil Geochemical Survey
on the
Tyler Mineral Claim Group

Prepared by:
Rufus A. Combs
Property Owner
#62 – 1400 Western Avenue
Williams Lake, BC, V2G 4S6

Located: BCGS 093A.043
52.438333 North
-121.579444 East

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: MACPHERSON, FRANCES
JEAN (116548) Submitter: MACPHERSON, FRANCES
JEAN (116548)
Recorded: 2007/AUG/31 Effective: 2007/AUG/31
D/E Date: 2007/AUG/31

Your report is due in 90 days. Please attach a copy of this confirmation page to the front of your report.

Event Number: 4167758

Work Start Date: 2007/MAY/12 **Total Value of Work:** \$ 3659.62
Work Stop Date: 2007/JUN/16 **Mine Permit No:**

Work Type: Technical Work
Technical Items: Geochemical, Prospecting

Summary of the work value:

Tenure #	Claim Name/Property	Issue Date	Good To Date	New Good To Date	# of Days Forward	Area in Ha	Work Value Due	Submission Fee
516476		2005/jul/08	2007/sep/01	2008/sep/01	366	295.68	\$ 1182.70	\$ 118.59
516477	TYLER 2	2005/jul/08	2007/sep/01	2008/sep/01	366	295.63	\$ 1182.51	\$ 118.58

Total required work value: \$ 2365.21

PAC name: Rufus Combs
Debited PAC amount: \$ 0.00
Credited PAC amount: \$ 1294.41

Total Submission Fees: \$ 237.17

Total Paid: \$ 237.17

The event was successfully saved.

Table of Contents

Table of Contents	1
Table of Figures	1
Introduction.....	2
Location and Access	2
Topography and Vegetation.....	2
Property.....	2
Regional Geology	7
Property Geology	7
Conclusion & Recommendations	7
Statement of Qualifications.....	7
Appendix A: Cost Statement.....	8
Appendix B: Assays.....	10
Appendix C: Soil Sample Locations.....	13

Table of Figures

Figure 1: Location.....	3
Figure 2: Claim Detail & Topography.....	4
Figure 3: Property Geology.....	5
Figure 4: 2007 Soil Sample Program.....	6

Introduction

Recent increases in the prices of commodities, namely copper, gold and molybdenum, a new porphyry copper/gold discovery by Imperials Metals Corp near their Mount Polley Mine, and recent airborne geophysical release in the Horsefly area, in addition to a more favorable mining climate in British Columbia were the premise for a continuation of a multi-year soil sampling program on the Tyler Mineral Claims.

Location and Access

The claims are located in the Cariboo region of Central British Columbia, approximately 43km northeast of Williams Lake and 20km due south of Likely, British Columbia. The claims are located on BCGS mapsheet 093A.043. Geographical coordinates of the central portion of the claims are 52.438333 North and 121.579444 East.

Access to the claims from Likely is approximately 56.5km south via Likely Road, east southeast on Beaver Valley Road, then north along the Choate Creek logging road. The interior of the claims are only accessible via four wheel drive all terrain vehicle.

Topography and Vegetation

The claims are located in the moderate terrain of the Interior Plateau with elevations ranging from 800 to 900m (asl). Choate Creek runs through the interior of the claims and, particularly in the northeast section, there are several low-lying swampy areas.

There is a mixture of Lodgepole Pine and Englemann Spruce interspersed with fir and cedar. Underbrush tends to consist of devil's club. The majority of the area is second growth.

Property

The Tyler Mineral Group is comprised of two tenures converted from legacy into cells. Property details follow in Table 1:

Tenure No	Tenure Type	Claim Name	Issue Date	Good To Date	Area/Ha
516476	Mineral		2005/JUL/08	2008/SEP/01	295.675
516477	Mineral	TYLER 2	2005/JUL/08	2008/SEP/01	295.628


Total Hectares

591.303


Tyler Mineral Group



SCALE 1 : 8,677,682




Tyler Mineral Group



Map Center: 52.4333N 121.5763W

SCALE 1 : 25,000



Bedrock Geology













Mineral Titles Layers


-  MTO Mineral Claim Outlines
-  Mineral

Topographic Layers


-  Roads 1:20K undefined
-  Lakes 1:20K (<100K)
-  Rivers 1:20K (<100K)
-  Sea


BCGS Geology Layers 2005

-  **Bedrock geology - by age and rock class (solid)**
- AGE UNKNOWN
 -  intrusive rocks
 -  metamorphic rocks
- CENOZOIC
 -  intrusive rocks
- QUATERNARY TO RECENT
 -  alluvium, till
 -  sedimentary rocks
 -  volcanic rocks
- NEOGENE TO RECENT
 -  sedimentary rocks
 -  volcanic rocks
- NEOGENE
 -  intrusive rocks
 -  sedimentary rocks
- PALEOGENE TO NEOGENE
 -  volcanic rocks



SCALE 1 : 35,000





 Claim Outline


 Wetland

 Creek

 Road

5 Sample Number
+ Soil Sample Site
27 Zn (ppm) in Soil

R. Combs 2007 Soil Survey



Map Sheet 093A 043

Regional Geology

The Tyler Claims are located within the Quesnel Trough geological belt consisting of generally mafic to andesitic volcanic rocks of the Triassic/Jurassic age, intruded by plutons of similar or younger ages. The Quesnel Trough is a prolific mineral belt hosting many volcanic and intrusive-hosted Cu, Mo and Au deposits. The Tyler Claims lie 15km southeast of the recently re-opened Mount Polley Mine site.

Property Geology

Soil sampling programs throughout the past several years have so far failed to identify anomalous areas. This is likely due to the depth of glacial till.

Conclusion & Recommendations

This limited sampling program has once again failed to identify anomalous targets within the claim area.

A program of bark geochemical sampling may be indicated for future programs that may provide have a higher degree of success in identifying deep anomalous areas.

Statement of Qualifications

I have owned the Tyler mineral property since June of 2004. In 2005 the Tyler #1 to Tyler #8 2-post mineral claims were converted into cell tenure 516476. In July 2005, I acquired the adjoining property, Tyler 2 tenure 516477.

For the first several years of owning the property I completed general prospecting and searching for bedrock outcroppings. Since 2005 I have conducted several geochemical soil sampling projects on the properties.

I have been prospecting since 1995.

Rufus A. Combs
#62 – 14400 Western Avenue
Williams Lake, BC, V2G 4S6

Appendix A
Cost Statement

2007 Statement of Costs
Tyler Mineral Soil Geophysical Program
Work conducted from May 12 to June 16 2007
Work performed on Mineral Tenures 516476, 516477

Date	Work	Item	KM	Hrs/Days	Rate	Cost
12/05/2007	Line 200N 0E to 200N 1000E	Foreman		10	\$30/hr	\$300.00
		Mileage	164		0.5	\$82.00
		4x4 Quad		1	\$50	\$50.00
26/05/2007	Line 200N 200W to 200N 1000W	Foreman		10	\$30/hr	\$300.00
		Labor		10	\$20/hr	\$200.00
		Mileage	164		0.5	\$82.00
		4x4 Quad		2	\$50	\$100.00
02/06/2007	Line 400N 0W to 400N 1000W	Foreman		10	\$30/hr	\$300.00
		Labor		10	\$20/hr	\$200.00
		Mileage	164		0.5	\$82.00
		4x4 Quad		2	\$50	\$100.00
09/06/2007	Line 600N 200W to 600N 1000W	Foreman		10	\$30/hr	\$300.00
		Labor		10	\$20/hr	\$200.00
		Mileage	164		0.5	\$82.00
		4x4 Quad		2	\$50	\$100.00
16/06/2007	Line 600N 200W to 600N 1000W	Foreman		10	\$30/hr	\$300.00
		Labor		10	\$20/hr	\$200.00
		Mileage	164		0.5	\$82.00
		4x4 Quad		2	\$50	\$100.00
31/05/2007	Eco Tech Laboratory Ltd	AK07-0500				\$142.46
08/08/2007	Eco Tech Laboratory Ltd	AK07-0894				\$356.16
31/12/2007	CaseyMap CAD	Drafting				\$240.00
31/12/2007	Accurate Mining Services	Report Assembly				\$160.00
Total 2007 Expenditures						\$4,058.62

90 Total Person Hours

Appendix B

Assays

30-May-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2007- 500

Rufus Combs
#62 - 1400 Western Avenue
Williams Lake, BC
V2G 4S6

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 6
Sample Type: Soil
Submitted by: Rufus Combs

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zr
1	200N-0E	5	<0.2	0.90	10	60	10	0.46	<1	11	31	15	1.98	10	0.45	204	<1	0.02	16	450	28	10	<20	36	0.05	<10	41	<10	5	24
2	200N-200E	5	<0.2	0.67	5	50	10	0.45	<1	9	29	14	1.72	<10	0.37	227	<1	0.01	16	420	20	<5	<20	33	0.04	<10	41	<10	5	21
3	200N-400E	5	<0.2	1.10	5	55	10	0.41	<1	10	30	14	1.92	<10	0.49	177	<1	0.01	20	530	28	10	<20	29	0.05	<10	40	<10	3	34
4	200N-600E	5	<0.2	0.96	10	70	10	0.50	<1	10	31	17	1.93	10	0.46	189	1	0.02	17	380	30	15	<20	40	0.05	<10	42	<10	6	32
5	200N-800E	5	<0.2	1.08	5	60	<5	0.44	<1	10	30	17	1.92	10	0.49	245	3	0.02	20	660	28	20	<20	28	0.04	<10	41	<10	5	27
6	200N-1000E	5	<0.2	1.34	10	75	<5	0.42	<1	15	38	22	2.69	10	0.63	478	2	0.02	23	280	36	15	<20	35	0.05	<10	46	<10	4	35

QC DATA:


Repeat:

1	200N-0E	5	<0.2	0.83	5	50	5	0.39	<1	9	26	13	1.70	<10	0.39	196	<1	0.01	14	370	22	5	<20	32	0.04	<10	35	<10	4	24
2	200N-200E	5																												
3	200N-400E	5																												
4	200N-600E	5																												
5	200N-800E	<5																												
6	200N-1000E	10																												

Standard:

SE29	610																													
OXD43	405																													
Till-3		1.3	1.10	75	40	<5	0.60	<1	12	60	19	1.90	10	0.53	271	1	0.02	28	420	32	5	<20	10	0.06	<10	39	<10	10	37	

JJ/sa
dl/498e
XLS/07



ECO TECH LABORATORY LTD.
Jukka Jeehouse
B.C. Certified Assayer

8-Aug-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2007- 894

Rufus Combs
#62-14c
Williams Lake, BC
V2G 4S1

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 15
Sample Type: Soil
Submitted by: Rufus Combs

Values in ppm unless otherwise reported
Fire Assay

Et #.	Tag #	Au ppb	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	200N 200W	<5	<0.2	1.27	30	60	15	0.31	<1	11	31	17	2.25	10	0.48	313	3	0.01	20	540	30	5	<20	36	0.07	<10	57	<10	3	40
2	200N 400W	<5	<0.2	1.19	20	70	15	0.31	<1	14	35	19	2.56	10	0.44	627	4	<0.01	22	510	28	15	<20	35	0.06	<10	65	<10	3	51
3	200N 800W	5	<0.2	1.15	30	50	<5	0.21	<1	8	27	11	1.75	<10	0.38	157	4	<0.01	16	540	26	10	<20	18	0.05	<10	45	<10	2	35
4	200N 800W	5	<0.2	0.93	15	60	15	0.37	<1	12	35	14	2.18	10	0.47	393	2	0.01	19	940	22	<5	<20	31	0.06	<10	58	<10	3	40
5	200N 1000W	5	<0.2	0.91	25	55	10	0.19	<1	10	32	12	2.11	<10	0.32	288	<1	<0.01	13	620	22	<5	<20	17	0.06	<10	56	<10	1	49
6	400N OE	5	<0.2	1.31	15	75	15	0.43	<1	14	40	21	2.72	10	0.55	513	5	0.01	28	490	32	20	<20	48	0.06	<10	53	<10	5	47
7	400N 200E	<5	<0.2	0.57	20	35	5	0.19	<1	5	18	8	1.28	<10	0.27	122	<1	<0.01	12	290	16	<5	<20	19	0.05	<10	34	<10	2	19
8	400N 400E	<5	<0.2	0.95	20	70	5	0.18	<1	7	30	10	2.12	<10	0.28	177	<1	<0.01	12	360	24	<5	<20	22	0.05	<10	58	<10	<1	43
9	400N 800E	5	0.3	2.00	35	155	20	0.61	<1	16	41	26	3.04	20	0.67	322	7	0.04	39	570	42	25	<20	137	0.07	<10	73	<10	9	44
10	400N 1000E	10	<0.2	1.02	20	45	15	0.19	<1	8	23	11	2.02	10	0.40	190	<1	<0.01	13	340	24	<5	<20	31	0.06	<10	47	<10	2	46
11	400N 200W	10	0.2	1.43	35	80	15	0.37	<1	13	35	26	2.78	10	0.55	374	6	0.01	28	310	34	20	<20	54	0.06	<10	65	<10	6	39
12	400N 400W	<5	<0.2	0.76	25	45	5	0.24	<1	8	24	10	1.77	<10	0.35	188	<1	<0.01	15	580	20	<5	<20	35	0.06	<10	44	<10	3	28
13	400N 600W	10	<0.2	0.88	30	55	15	0.26	<1	11	31	17	2.16	10	0.39	354	3	<0.01	17	480	24	<5	<20	29	0.06	<10	59	<10	4	36
14	400N 800W	5	<0.2	0.83	25	85	15	0.30	<1	10	30	11	2.10	<10	0.35	186	3	<0.01	19	900	22	10	<20	33	0.05	<10	51	<10	2	51
15	400N 1000W	<5	0.2	1.02	25	100	15	0.23	<1	9	38	12	2.45	<10	0.30	173	4	<0.01	17	840	26	10	<20	35	0.06	<10	72	<10	2	68

QC DATA:

Repeat:


1	200N 200W	<5	<0.2	1.27	30	65	15	0.30	<1	11	31	17	2.22	10	0.48	314	4	0.01	22	510	30	15	<20	42	0.06	<10	57	<10	3	40
10	400N 1000E	5																												

Standard:

Till 3			1.5	1.07	85	45	10	0.50	2	12	58	19	2.03	10	0.58	291	1	0.02	30	466	30	55	<20	10	0.06	<10	36	<10	5	38
Se29		600																												

Au - Fire Assay - AA Finish

ICP - Aqua Regia Digestion - ICP Finish


ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

08-16-2007

04:26:10 p.m.

Eco Tech Laboratory

250 573 4557
MJ/ml
M/7120
KLS/07

Appendix C
2007 Soil Sample Locations

2007 Locations
Combs Soil Samples

STATION	EASTING	NORTHING
200N 0E	596467	5810686
200N 200E	596674	5810680
200N 400E	596855	5810677
200N 600E	597055	5810680
200N 800E	597255	5810685
200N 1000E	597460	5810688
200N 200W	596279	5810671
200N 400W	596070	5810667
200N 600W	595868	5810663
200N 800W	595667	5810659
200N 1000W	595498	5810655
400N 0W	596448	5810839
400N 200W	596636	5810843
400N 400W	597200	5810854
400N 600W	595864	5810828
400N 800W	595664	5810824
400N 1000W	595498	5810821
600N 200W	596302	5810885
600N 400W	596087	5810880
600N 600W	595892	5810877
600N 800W	595692	5810873
600N 1000W	595536	5810870
600N 200E	596636	5810843
600N 400E	596859	5810847
600N 600E	597242	5810855
600N 1000E	597445	5810859