


BC Geological Survey
Assessment Report
29942

Prospecting, Soil and Rock Geochemistry Report
Do Drop Property



NTS 82G 083, 093

Operator:
Ruby Red Resources

Owners:
Ruby Red Resources

Work Performed Summer of 2007

Report Written By Sean Kennedy, Prospector

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

March 2007

29,942

Table of Contents

		Page	
1.0	Introduction		2
2.0	Property		2
3.0	Access		3
4.0	Physiography		3
5.0	History		
6.0	Geology		3
7.0	Prospecting and Rock Geochemistry		4
8.0	Soils		5
9.0	Conclusions and Recommendations		6
10.0	Statement of Costs		7
11.0	Statement of Qualifications		7
Property Location Map		Page	2
1:10,000 Sample Map With Cu in ppm		Page	8
1: 5,000 Prospecting Map		Page	9

Sample Locations and Descriptions

Appendix 1

Soil Grid With Cu in ppm

Appendix 2

Rock Geochemistry Results

Appendix 3

Soil Geochemistry Results


Appendix 4

1.0 Introduction

During the field season of 2007 a program of prospecting, rock geochemistry, and soil geochemistry was conducted at the Dew Drop property in southeast BC. The program consisted of 72 rock samples, and 364 soil samples. The purpose of the program was to do some follow up work on high copper assays from a contour soil program carried out the year before over a lacolithic(?) multiphase, Cretaceous(?) intrusive system that intrudes Cambrian siltstones and carbonates in the Hughes Range of the Rocky Mountains.

2.0 Property

The property is comprised of twelve claim blocks on the Wildhorse River drainage. These claim blocks are wholly owned by Ruby Red Resources.



3.0 Access

This property is easily accessed from highway 95 N of Cranbrook, B.C. Good condition logging roads from the Fort Steele turn off will take you the rest of the way, roughly 37 km further up.

4.0 Physiography

The property is located on the headwaters of Wildhorse River. Elevation on the property ranges from 1640 meters 2680 meters. Once on the property there is a network of old exploration and logging roads, while brushed in and washed out, they make a great access network for the property and with minimal effort could be fixed into proper driving condition. The property ranges from flat meadows and creek beds to cliffy sections and talus. Slopes are generally shallow and timbered with balsam, larch, and spruce, although in some spots, mainly in old logging blocks, thick alder is present. Towards the ridges trees thin out and the magnificence of the Rockies is unveiled.

5.0 History

The Dew Drop has been held under tenure by major and junior mining companies and private individuals. Old workings including exploration pits were noted on the property. The property has seen some limited diamond drilling by Placer Dome.

6.0 Regional Geology

Underlying the Hughes Range are fine-grained Precambrian clastic rocks of the Purcell Supergroup, including the Ft. Steele, Aldridge, Creston, Kitchener, Van Creek, Nichol Creek, and Sheppard formations, Cambrian Jubilee and McKay formations, as well as Devonian volcanics underly eastern parts of the area. Several cretaceous monzonite-granitic stocks intrude the area, locally hornfelsing and skarning surrounding country rock. A number of gabbro/diorite sills and dykes, termed Moyie sills, intrude the area. Structure is generally north dipping. The area is dissected by a number of east-west synsedimentary faults. Northerly trending thrust faulting is evident as are overturned sections.

Property Geology

Sedimentary rocks in the area belong to the Cambrian Jubilee and McKay Formations that consist mostly of graphitic siltstones and carbonates. The sediments have been intruded by a probable mid to late Cretaceous granitic/multiphase complex. The dimensions of the granite appear to be sill-like. In the focus area of the property the sediments have been locally skarned and hornfelsed by the intrusions. The skarn zones are often tremolite, sphene, chlorite, and epidote rich. The hornfels are obvious red weathering zones. Along

the east facing slope above the road that crosses the pass into Nichol Creek to the north a broad zone of altered sediments and intrusive dyking is located. The area is pyrite flooded (up to 3 percent disseminated), silica flooded, carbonate altered, hematite and magnetite rich, this area is referred to as the Fault Breccia Zone. It contains numerous fault breccias and is likely associated with a north trending fault that has been previously mapped to the east in the valley bottom. This is the main structural feature on the property. The rock in this area is quite altered and distinguishing various types is often next to impossible.

7.0 Prospecting and Rock Geochemistry

Prospecting on the property was done by Mike Kennedy, Eric Holm, Jarred Johnson, and Sean Kennedy. The main focus of the program was to follow up high copper in soil numbers obtained from the previous years contour soil program. Two creeks drain the central portion of the property, both of which flow in easterly directions. Prospecting and subsequent rock geochemistry was focused on the northern of the two drainages. 72 rock samples were collected and analyzed by Acme Analytical Labs in Vancouver. Rock sample descriptions and locations are included in the appendix as well as results. A prospecting map as well as a sample location map with Cu in ppm is included.

West of the FBZ the intrusive complex is exposed. Phases of the complex include granite, syenite, diorite, and gabbro. Locally the intrusive rocks, mainly the granitic/syenite types, contain potassic, and propylitic alteration. While some of these phases appear to be distinct sills (measurements of the contact with interbedded carbonate skarn units were obtained) it is probable that they are indicative of fractional crystallization within the complex. The most recognizable intrusive unit is a gabbro(?) that contains disseminated sphene(?), massive hornblende with some crystal grains over two centimetres in width, and abundant disseminated magnetite (due to skarning of the unit ?). The gabbro was noted in a number of locations to “layer” into a finer grained equivalent rock.

Breccia pipes were found in a number of locations on the property. The pipes were poorly exposed and their geometry could only be guessed at. They were noted to be cross-cutting, and up to a few metres wide. They contained a number of different intrusive type fragments and associated alteration assemblages.

Mineralization at the Dew Drop is controlled by veins and fractures and also as disseminations and massive sulphide lenses in the hornfels/skarn zones. There appears to be four distinct styles of mineralization based on the elemental components and field observations.

The first is sheeted and stockwork auriferous quartz veins with associated bismuth, lead, and copper. These veins are common at the FBZ as well as in flat (sheeted) zones (parallel to the sill orientations?) in other areas of the property, they range from narrow veinlets with little associated alteration to large (greater than 100 m in diameter) zones with intense alteration. Previous programs conducted by Ruby Red returned values up to

five-thousand ppb Au, the FBZ was also previously drilled by Placer Dome and yielded values up to a couple of hundred ppb Au over significant widths with associated copper.

Secondly there are a number of east-west trending relatively flat quartz veins with galena and chalcopyrite mineralization, these veins tend to assay high in silver, while a number of them exist on the property any of significant widths or a zone of high density veins was not seen on surface.

The third type of mineralization was discovered this year during field work and is characterized by massive sulphide veins and associated disseminated copper mineralization within the gabbro unit. A number of high-grade magnetite, pyrite, chalcopyrite (up to 7% Cu), galena, sphalerite, gold, and silver bearing veins were found across a width in excess of 350 meters. The veins were typically narrow, up to 20 cm wide, and had a general EW trend with a steep southerly dip, associated with some of the zones was a steeply dipping northerly trending cleavage. While these veins were found in a number of intrusive rock types they seem to be more associated with the magnetite-hornblende-sphene rich gabbro. This unit is mineralized (semi-massive sulphide) with disseminated and fracture copper mineralization over an area greater than 500 metres, grabs returned a number of values in excess of one percent copper. The width of the gabbro unit cannot be determined from the surface, however it is exposed in the lower cliffs of the basin and is seen in outcrop in the basin floor, it is probable that this may be two or more different gabbros, but the exposed unit in the cliffs is over 15 metres thick. This mineralization is poorly understood but very significant and may be related to skarning or could be primary with the gabbro or both. A magnetic anomaly is obvious in the regional government magnetics that appears to terminate along the northern portion of the intrusive complex (where most of the prospecting took place) in an east-west linear and may indicate a possible mineralizing structure.

The fourth type of mineralization is found within the contact skarn and hornfels zone and is characterized as massive pyrite-pyrrhotite lenses with significant chalcopyrite, bornite, and native copper. Disseminated native copper was also found at the FBZ with a grab sample assay of over 3% Cu and appeared to be related to a contact zone.

8.0 Soils and Geochemistry

A soil grid of ten lines spaced at 100 meters with sample nodes every 25 meters was completed between the two easterly flowing creeks near the headwaters of Wildhorse creek. The grid was started at 609230 E and 5519550 N. In total 364 samples were collected and analyzed by Acme Analytical Labs. Poor soil horizons due to large-scale disturbances from logging activities hindered the program in the southern portion of the grid as well as a strong magnetic anomaly that "pulled" to the southwest. The soils highlight a broad zone of generally high copper numbers. A plot of copper in ppm is included in the appendix.

9.0 Conclusions and Recommendations

During the field season of 2007 a program of prospecting, rock geochemistry and soil geochemistry was completed over the Dew Drop property in southeast BC. The property is focused on a laccolithic intrusive complex intruding sedimentary carbonates and siltstones. The program collected 72 rock samples and 364 soil samples that show a large area of highly anomalous copper-gold-silver mineralization associated with the intrusions. A number of massive sulphide veins containing up to 7% copper were discovered over a broad area.

Further work on the property is warranted; a soil program should be finished over the known extent of the intrusive complex, both north and south of the existing grid. Prospecting and rock geochemistry should be utilized to work outboard of the aforementioned mineralization. Mapping should be done to define any structural implications of the mineralization as well to define alteration patterns and intrusive contacts. Access should be upgraded by clearing off existing roads.

10.0 Statement of Costs


Prospecting and Soil Sampling		
Sean Kennedy, Prospector	July 07	\$1818
Mike Kennedy, Prospector	July 07	\$2299.50
Eric Holm, Prospector	July 07	\$700
Jared Johnson, Prospector	July 07	\$750
Sean Kennedy, Prospector	Aug 07	\$2130
Mike Kennedy, Prospector	Aug 07	\$2883
Eric Holm, Prospector	Aug 07	\$700
Jared Johnson, Prospector	Aug 07	\$300
Sarah Kennedy, Prospector	Aug 07	\$175
Peter Klewchuck, Geologist	Aug 07	\$1070
Rock Geochemistry	72 @ \$20/sample	\$1440
Soil Geochemistry	364 @\$16/sample	\$5824
Report Writing (Sean Kennedy)	4 days @ \$300/day	\$1200
Miscellaneous office expenses		\$56
Total		\$21,345.50
12% administration		<u>\$2561.46</u>
Total cost		\$23,906.96

11.0 Statement of Qualifications


I, Sean Kennedy, certify that:

1. I am an independent prospector residing at 272 Kimbrook Crescent, Kimberley, BC.
2. I have been actively prospecting in the East Kootenay district of BC for the past 15 years, and have made my living solely by prospecting for the past 8 years.
3. I have been employed as a professional prospector by junior mineral exploration companies.
4. I own and maintain mineral claims in BC, and have optioned claims to exploration companies

Rock Geochemistry With Cu in ppm



Prospecting Map



APPENDIX 1

Sample #	UTM E	UTM N	Description
DD07-01	609056	5520439	Greenish epidote rich syenite, pink alt,CuPy,hem fractures,py
DD07-02	609056	5520439	Fractured white syenite,lots of carb alt, mal,CuPy,Py
DD07-03	609094	5520428	Qtz brecc. carb,py,lim
DD07-04	609076	5520479	Grey fractured syenite,qtz veins,carb alt,Py
DD07-05	609076	5520479	Grey syenite,hem,CuPy,mal, float
DD07-06	609055	5520573	Grey, qtz rich syenite, carb alt,Py,hem,CuPy
DD07-07	609026	5520553	Carb alt grey-blue syenite, qtz/py rich,CuPy stringers and disseminations
DD07-08	609012	5520539	Brecciated limestone, qtz/Py rich fractures some CuPy, carb alt
DD07-09	609012	5520539	Carb alt, biotite rich syenite CuPy/Py
DD07-10	609009	5520534	Old digging qtz vein, Py, hem, carb alt, 185/63E
DD07-11,12, 13	608950	5520451	Massive Py/Po/CuPy/ZnS/PbS vein in blueish syenite
DD07-14	609004	5520467	Same as 5 in place, 105/vertical dip
DD07-15	608916	5520830	Gry syenite dyke cutting limestone, amber garnet,chlorite,magnetite
DD07-16	608881	5520908	Gry syenite dyke cutting limestone, amber garnet,chlorite,magnetite
DD07-17	608888	5520951	Gry syenite dyke cutting limestone, amber garnet,chlorite,magnetite
DD07-18,19	608782	5520413	Syenite with CuPy, malachite, green alteration
DD07-20	608773	5520417	Skarn with CuPy/py along fractures, carbonate alt, chlorite mica
DD07-21,22	608765	5520419	Skarn with CuPy/py along fractures, carbonate alt, chlorite mica
DD07-23	608756	5520434	Altered syenite with CuPy, lim/py in fractures and disseminations
DD07-24,25	608728	5520494	Quartz float, PbS, py, CuPy
DD07-26	Creek 25m past goat trail above road		Fractured Syenite,Py rich, hem, carb alt

DD07-27	609045	5520726	Carb altered syenite, disseminated CuPy,hem,Py
DD07-28	609010	5520722	Syenite, carb alt, biotite rich, diss CuPy, hem
DD07-29	40m above DD07-26		Hornblende rich intrusive, CuPy, mal along fractures and disseminations
DD07-30	Same as DD07-29		Intrusive contact, CuPy, mal, in fractures and disseminations
DD07-31	608953	5520644	Hornblende rich intrusion, chloritic, mal, CuPy, magnetite, biotite lots of amber garnets
DD07-32	608752	5520430	Porphyry textured syenite, carb alt, near hornblende rich intrusive contact,CuPy
DD07-33	608721	5520412	Cu in fractures and diss in hornblende rich intrusion and syenite
DD07-34	608692	5520424	Hornblende rich intrusion, chlorite, lots of Py/CuPy
DD07-35	608653	5520407	Hornblende, chlorite rich, lots of Py/CuPy, strike 270/65S dip, massive sulphide fract
DD07-36	same as DD07-35		Hornblende, chlorite rich, lots of Py/CuPy, strike 270/65S dip, massive sulphide fract
DD07-37	608298	5520549	Rusty syenite float, fractures with CuPy, mal, azurite, ilm/py
DD07-38	608341	5520439	Silicic H-fels, lots of CuPy,Py, some native Cu, bornite, 20M wide zone
DD07-39	608341	5520439	Silicic H-fels, lots of CuPy, Py
DD07-40	608401	5520465	Silicic H-fels, lots of CuPy, Py
DD07-41	608420	5520470	Rusty monzonite, Py/CuPy, chlorite
DD07-42	608421	5520502	Hornblende rich intrusion lots of CuPy and bornite, magnetite
DD07-43	608421	5520502	Hornblende rich intrusion Cu rich, magnetite
DD07-44	608417	5520512	Hornblende rich intrusion Cu rich, magnetite
DD07-45	608936	5520402	Hornblende rich intrusion Cu rich, magnetite, azurite
DD07-46	608886	5520524	Hornblende rich intrusion Cu rich, magnetite, azurite
DD07-47/49			not taken
DD07-50	608560	5520557	Skarn zone w/chlorite banding, CuPy,Po/Py, chlorite, narrow Syenite sills 340/35E
DD07-51	608560	5520557	In footwall zone of last sample,CuPy seams in skarn, chloritic
DD07-52	608499	5520591	Skarn zone similar to DD07-51

DD07-53	608484	5520581	Granite/monzonite, porphyry, labradorite, biotite, diss CuPy and mal in subcrop
DD07-54	608498	5520570	Granite/monzonite, porphyry, labradorite, biotite, diss CuPy and mal in subcrop
DD07-55	608503	5520544	Zone of coarse diorite, porphyry, chlorite seams, garnet, CuPy, mal
DD07-56	608534	5520553	Zone of coarse diorite, porphyry, chlorite seams, garnet, CuPy, mal
DD07-57	608532	5520543	Zone of coarse diorite, porphyry, chlorite seams, garnet, CuPy, mal
DD07-58	608510	5520541	H-blende rich unit, disseminated CuPy/mal, strike 100/56S dip
DD07-59	608499	5520541	H-blende rich unit, disseminated CuPy/mal, strike 100/56S dip
DD07-60	608410	5520526	H-blende rich unit, disseminated CuPy/mal, strike 100/56S dip
DD07-61,62	608365	5520570	H-blende rich unit, disseminated CuPy/mal, strike 100/56S dip
DD07-63	610049	5519547	H-blende unit w/ Cu and magnetite, contact of h-blende/syenite 54/50S(?) massive sulphide vein strikes 74/75S dip
DD07-64	610049	5519547	Massive sulphide veins in monzonite, magnetite, CuPy strikes 135/70S dip 3M wide
DD07-65	610049	5519547	Same zone as last - mal and azurite in pink syenite phase
DD07-66	608607	5520403	Massive sulphide material along N/S fracture zone
DD07-67	608616	5520392	H-Blende intrusion CuPy/mal/magnetite in fractures and disseminations
DD07-68	608617	5520369	H-Blende intrusion CuPy/mal/magnetite, lensy mineralization
DD07-69	608602	5520307	Coarse porphyry syenite, chloritic, Py/CuPy disseminated in matrix
DD07-70	608569	5520316	Qtz-monzonite with CuPy/Py/mal disseminated
DD07-71	608569	5520316	H-Fels with CuPy/Py, greenish coloured, strike 160/75W dip, strong cleavage 164/45E
DD07-72	608470	5520328	Rusty monzonite, chlorite, disseminated CuPy/Py

APPENDIX 2

Cu (ppm)
DoDrop SOIL GRID

+100000	23.1	859	1226	2582	462	518	2516	401	74
	870	1119	211	1015	1014	117	1264	344	
2610	737	432	1267	1781	949	2739	1026	613	982
	913	1018	2545	1869	1343	930	1506	2514	343
124	3961	949	783	965	1374	258	1029	2392	1016
	2387	1415	1055	940	2524	1662	1499	2723	844
200.6	1585	1589	986	1836	1260	1282	1086	439	371
	2408	1490	716	1615	914	633	1212	740	570
93.1	1022	1209	1645	1952	1639	1201	2605	2738	2416
	2100	1084	1375	1167	1504	2721	2873	129	1112
	583	479	1322	713	425	1110	494	1007	2733
	517	551	753	81	1007	526	621	1015	1647
81.5	64.5	927	935	570	908	544	765	714	635
	600	949	949	389	516	411	941	735	786
1323	571	461	104	1010	924	679	517	830	785
	893	380	224	367	555	1313	1498	597	892
27.9	21.0	294	582	.	.	362	331	823	307
	146	224	137	.	.	932	563	218	1110
	83.9	519	.	739	268	1724	815	1292	1430
	1126	550	.	679	1215	125	491	410	981
	409	.	224	295	969	1692	581	912	450
	766	.	1117	1117	1117	1117	1117	1117	1117

APPENDIX 3

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
SAMPLES	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DD-07-01	<1	35	5	51	<.3	16	5	327
DD-07-03	5	7	7	19	0.3	8	11	3205
DD-07-04	1	46	20	14	0.5	3	13	1119
DD-07-05	2	>10000	8	186	49.1	9	19	565
DD-07-06	1	51	12	10	0.4	2	7	672
DD-07-07	1	642	11	44	0.6	6	11	1683
DD-07-08	2	55	8	39	0.3	5	8	2356
DD-07-09	1	814	12	37	0.3	4	5	1150
DD-07-10	1	1126	10	73	0.5	17	11	2631
DD-07-11	31	>10000	6945	>10000	57	111	453	1264
DD-07-12	9	>10000	43	252	20.6	153	843	574
DD-07-13	9	>10000	507	576	15.5	27	619	1766
DD-07-14	1	6130	11	59	0.5	9	29	851
DD-07-15	<1	47	55	49	<0.3	1	1	272
DD-07-16	<1	43	11	22	<0.3	2	2	288
DD-07-17	<1	147	6	20	<0.3	5	5	498
DD-07-18	1	2137	40	82	1.5	2	15	522
DD-07-19	1	1252	8	45	0.9	1	10	567
DD-07-20	1	414	10	101	0.5	3	20	3329
DD-07-21	1	536	<3	87	<.3	3	22	2367
DD-07-22	1	3764	5	134	<.3	10	20	1173
DD-07-23	1	1620	11	78	<.3	3	13	1092
DD-07-24	<1	52	328	52	0.7	1	2	343
RE DD-07-24	<1	54	329	51	0.9	1	2	357
DD-07-25	1	368	2099	572	9.5	1	1	213
DD-07-26	1	65	20	9	<.3	3	5	596
DD-07-27	1	792	20	29	0.3	6	10	938
DD-07-28	3	366	14	62	<.3	6	9	645
DD-07-29	1	3466	10	19	4.1	18	5	553
DD-07-30	1	377	<3	46	0.3	31	12	1304
DD-07-31	<1	1838	4	24	1.7	3	4	199
DD-07-32	1	>10000	208	82	3.1	13	39	634
DD-07-34	1	1595	42	31	1.1	34	32	273
DD-07-35	4	>10000	80	159	44.3	145	300	573
DD-07-36	4	>10000	103	90	34.2	135	373	304
DD-07-37	<1	576	45	45	<0.3	2	4	337
DD-07-38	<1	4963	<3	91	2	27	14	115
DD-07-39	<1	1270	26	14	<0.3	37	19	80
DD-07-40	3	838	<3	31	<0.3	35	15	82
DD-07-41	2	798	7	11	<0.3	11	11	54
DD-07-42	<1	>10000	8	101	39.5	9	23	265
DD-07-43	<1	6153	6	54	3.9	5	9	581
DD-07-44	<1	550	<3	131	3.8	19	23	1434
DD-07-45	<1	705	6	30	<0.3	1	4	397

DD07-46	<1	807	7	30	0.3	6	7	812
DD07-50	<1	347	<3	12	<0.3	29	10	83
DD07-51	2	2068	4	11	0.4	43	36	69
DD07-52	3	910	7	11	0.5	12	10	176
DD07-53	<1	837	13	30	0.7	1	3	325
DD07-54	2	1432	4	21	0.7	18	9	90
DD07-55	<1	1285	6	36	<0.3	2	4	478
DD07-56	<1	501	7	18	0.5	1	2	260
DD07-57	<1	1238	8	14	1.6	2	2	253
DD07-58	<1	1735	9	58	3.5	5	9	564
DD07-59	<1	3904	16	56	5.4	2	7	749
DD07-60	<1	2078	15	41	1.7	3	7	318
DD07-61	<1	2526	6	27	2.5	2	3	210
DD07-62	<1	1496	6	71	1.2	5	10	483
DD07-63	<1	1285	6	40	1.8	6	11	423
DD07-64	<1	>10000	39	123	77.3	28	8	216
DD07-65	<1	>10000	7	209	<0.3	26	54	447
DD07-66	<1	>10000	23	63	53.6	8	27	319
DD07-67	<1	2074	9	71	<0.3	3	10	1363
DD07-68	<1	1826	8	30	2.6	20	19	1084
DD07-69	<1	429	9	36	<0.3	3	9	393
DD07-70	1	1964	12	32	1.8	2	2	293
DD07-71	<1	1507	6	22	<0.3	34	21	157
DD07-72	<1	265	7	18	0.4	4	7	140

ELEMENT	Fe	As	U	Au	Th	Sr	Cd	Sb
SAMPLES	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DD-07-01	1.65	3	8	<2	11	79	<.5	<3
DD-07-03	5.96	2	<8	<2	8	576	<.5	<3
DD-07-04	3.68	12	8	<2	5	287	<.5	4
DD-07-05	11.85	5	<8	2	11	287	<.5	<3
DD-07-06	1.82	15	<8	<2	5	179	<.5	<3
DD-07-07	4.73	3	<8	<2	7	379	<.5	5
DD-07-08	3.8	12	<8	<2	11	314	<.5	4
DD-07-09	3.78	3	<8	<2	6	336	<.5	9
DD-07-10	5.36	2	<8	<2	6	386	<.5	3
DD-07-11	30.81	3634	<8	3	4	12	105	89
DD-07-12	32.86	166	<8	4	4	11	1.7	<3
DD-07-13	29.59	91	<8	4	9	20	1.8	<3
DD-07-14	5.22	5	<8	<2	9	226	<.5	<3
DD07-15	0.9	<2	<8	<2	18	145	<0.5	<3
DD07-16	1.31	<2	<8	<2	7	128	<0.5	<3
DD07-17	2.5	<2	10	<2	6	83	<0.5	<3
DD-07-18	4.47	16	<8	<2	6	244	<.5	<3
DD-07-19	4.38	4	<8	<2	8	213	<.5	<3
DD-07-20	6.72	903	<8	<2	6	255	<.5	61
DD-07-21	10.52	323	<8	<2	12	245	<.5	10
DD-07-22	10.53	15	<8	<2	8	137	<.5	14

DD-07-23	6.46	4	<8	<2	11	199	<.5	<3
DD-07-24	0.36	3	<8	<2	<2	1564	<.5	<3
RE DD-07-24	0.37	3	<8	<2	<2	1564	<.5	<3
DD-07-25	0.31	93	<8	<2	<2	760	5.5	53
DD-07-26	2.09	3	<8	<2	8	197	<.5	<3
DD-07-27	3.3	7	<8	<2	6	224	<.5	<3
DD-07-28	2.7	3	<8	<2	14	190	<.5	<3
DD-07-29	2.54	3	<8	<2	9	146	<.5	<3
DD-07-30	3.41	3	<8	<2	3	317	<.5	3
DD-07-31	2.87	<2	<8	<2	4	102	<.5	3
DD-07-32	9.16	31	<8	<2	6	119	<.5	<3
DD-07-34	4.13	3	<8	<2	<2	53	<.5	<3
DD-07-35	27.26	13	<8	3	20	296	<.5	<3
DD-07-36	23.28	19	<8	4	21	328	<.5	<3
DD-07-37	1.34	<2	<8	<2	12	210	0.5	<3
DD-07-38	2.9	<2	11	<2	7	53	2.2	<3
DD-07-39	3.94	<2	<8	<2	6	39	0.6	<3
DD-07-40	2.27	<2	10	<2	8	50	0.8	<3
DD-07-41	2.31	<2	9	<2	4	87	<0.5	<3
DD-07-42	7.76	<2	18	<2	9	142	3.7	<3
DD-07-43	3.49	<2	9	<2	9	179	<0.5	<3
DD-07-44	26.45	2	48	<2	21	201	1.8	<3
DD-07-45	1.9	<2	<8	<2	11	99	<0.5	<3
DD-07-46	3.55	<2	14	<2	11	122	<0.5	<3
DD-07-50	1.41	<2	<8	<2	5	47	<0.5	<3
DD-07-51	2.53	<2	<8	<2	7	70	<0.5	<3
DD-07-52	3.78	<2	<8	<2	7	49	<0.5	<3
DD-07-53	1.45	<2	<8	<2	4	89	<0.5	<3
DD-07-54	0.9	<2	<8	<2	5	459	<0.5	<3
DD-07-55	1.58	<2	<8	<2	7	161	<0.5	<3
DD-07-56	0.84	<2	<8	<2	5	275	<0.5	<3
DD-07-57	0.94	<2	<8	<2	4	215	<0.5	<3
DD-07-58	4.71	<2	<8	<2	6	105	<0.5	<3
DD-07-59	2.2	<2	<8	<2	8	117	<0.5	<3
DD-07-60	2.92	<2	<8	<2	6	197	<0.5	<3
DD-07-61	0.97	<2	<8	<2	4	182	<0.5	<3
DD-07-62	4.82	<2	<8	<2	8	99	<0.5	<3
DD-07-63	8.19	<2	<8	<2	8	108	<0.5	<3
DD-07-64	21.66	26	<8	<2	17	141	2.3	<3
DD-07-65	0.96	<2	10	<2	30	39	1.2	<3
DD-07-66	13.19	2	<8	<2	7	156	1.1	<3
DD-07-67	5.36	<2	<8	<2	16	149	0.9	<3
DD-07-68	4.2	<2	<8	<2	6	54	0.5	<3
DD-07-69	2.88	<2	<8	<2	8	219	<0.5	<3
DD-07-70	0.93	<2	<8	<2	7	163	<0.5	<3
DD-07-71	3.02	<2	<8	<2	14	74	<0.5	<3
DD-07-72	2.57	<2	<8	<2	6	108	<0.5	<3

ELEMENT	Bi	V	Ca	P	La	Cr	Mg	Ba
SAMPLES	ppm	ppm	%	%	ppm	ppm	%	ppm
DD-07-01	<3	36	1.55	0.028	16	31	0.82	110
DD-07-03	5	38	7.98	0.095	20	7	1.7	46
DD-07-04	6	58	1.39	0.126	28	4	0.17	185
DD-07-05	11	154	2.06	0.749	101	8	0.47	131
DD-07-06	3	37	1.98	0.053	19	6	0.22	490
DD-07-07	3	170	7.18	0.227	70	9	1.42	913
DD-07-08	7	74	9.13	0.073	34	4	1.36	1020
DD-07-09	<3	162	5.98	0.135	38	5	0.77	1735
DD-07-10	3	265	9.1	0.048	27	35	1.95	528
DD-07-11	<3	61	2.13	0.026	11	12	0.17	11
DD-07-12	<3	91	1.03	0.039	14	13	0.21	8
DD-07-13	<3	455	2.03	0.06	28	15	0.77	33
DD-07-14	<3	153	1.11	0.198	46	10	0.73	820
DD-07-15	<3	31	1.71	0.012	14	4	0.08	76
DD-07-16	<3	34	0.73	0.032	13	16	0.09	67
DD-07-17	<3	104	1.61	0.079	19	6	0.09	100
DD-07-18	<3	194	1.17	0.232	46	3	0.37	304
DD-07-19	<3	203	1.57	0.365	66	3	0.41	385
DD-07-20	4	188	10.12	0.25	54	8	2.64	132
DD-07-21	3	392	5.81	0.413	98	9	1.2	28
DD-07-22	<3	439	3	0.388	75	13	0.83	36
DD-07-23	<3	287	2.7	0.484	86	11	0.44	710
DD-07-24	7	11	1.75	0.007	15	6	0.02	1721
RE DD-07-24	8	10	1.79	0.006	15	10	0.02	1771
DD-07-25	39	7	0.46	0.002	5	8	0.01	677
DD-07-26	<3	33	2.71	0.045	17	4	0.29	275
DD-07-27	<3	99	2.76	0.123	21	10	0.62	91
DD-07-28	<3	81	2.22	0.162	22	12	0.77	232
DD-07-29	5	197	2.35	0.357	49	3	0.23	371
DD-07-30	<3	135	5.48	0.042	20	88	1.53	102
DD-07-31	<3	156	0.8	0.133	28	10	0.09	148
DD-07-32	<3	356	1.67	0.277	53	6	0.27	187
DD-07-34	<3	68	0.64	0.059	16	15	0.28	62
DD-07-35	4	143	3.92	1.617	203	10	0.36	41
DD-07-36	6	151	4.36	1.627	232	10	0.26	36
DD-07-37	<3	32	1.31	0.015	10	14	0.02	108
DD-07-38	<3	13	1.72	0.044	18	16	0.73	6
DD-07-39	<3	10	1.39	0.062	16	19	0.51	4
DD-07-40	<3	19	1.19	0.044	18	33	0.91	9
DD-07-41	<3	10	0.45	0.098	18	12	0.04	42
DD-07-42	18	50	0.9	0.235	33	2	0.21	96
DD-07-43	4	130	3.39	0.984	115	13	0.44	27
DD-07-44	<3	688	3.48	1.409	189	4	0.15	25
DD-07-45	<3	74	1.9	0.499	74	11	0.16	16
DD-07-46	<3	176	3.49	0.594	77	8	0.21	22
DD-07-50	<3	23	0.73	0.044	15	49	0.51	16

DD07-51	<3	8	1.34	0.035	15	6	0.19	8
DD07-52	<3	29	1.22	0.04	10	20	0.47	53
DD07-53	<3	40	0.48	0.01	7	2	0.06	35
DD07-54	<3	10	2	0.035	13	11	0.34	37
DD07-55	<3	90	1.57	0.17	29	5	0.22	92
DD07-56	<3	50	0.99	0.046	15	12	0.1	92
DD07-57	<3	50	0.87	0.046	13	5	0.07	94
DD07-58	4	200	1.26	0.211	34	20	0.27	113
DD07-59	5	85	1.77	0.238	41	3	0.89	190
DD07-60	<3	126	1.19	0.298	38	13	0.16	150
DD07-61	<3	39	0.96	0.169	25	3	0.11	219
DD07-62	<3	172	1.47	0.324	52	11	0.52	47
DD07-63	<3	398	1.27	0.324	59	9	0.19	38
DD07-64	7	91	2.09	1.244	125	8	0.21	73
DD07-65	<3	25	0.27	0.016	12	2	0.07	51
DD07-66	15	243	1.62	0.556	57	17	0.15	77
DD07-67	3	333	4.45	0.427	73	6	0.35	113
DD07-68	5	304	3.38	0.155	34	42	0.23	70
DD07-69	4	57	1.07	0.134	28	4	0.35	266
DD07-70	<3	23	1	0.026	16	12	0.08	88
DD07-71	3	12	1.72	0.018	22	8	0.36	15
DD07-72	<3	75	0.51	0.091	20	16	0.1	56

ELEMENT	Ti	B	Al	Na	K	W	Au*
SAMPLES	%	ppm	%	%	%	ppm	ppb
DD-07-01	0.12	<20	0.95	0.08	0.39	<2	2.4
DD-07-03	<.01	<20	0.16	0.02	0.14	<2	21.4
DD-07-04	0.01	<20	0.21	0.03	0.18	<2	110.3
DD-07-05	0.1	<20	0.48	0.06	0.18	7	341.4
DD-07-06	0.01	<20	0.14	0.05	0.07	2	34.6
DD-07-07	0.02	<20	0.45	0.05	0.15	2	73.7
DD-07-08	<.01	<20	0.14	0.02	0.06	<2	53.3
DD-07-09	0.05	<20	0.79	0.04	0.41	<2	14.2
DD-07-10	0.13	<20	1.02	0.06	0.7	5	65.7
DD-07-11	0.05	<20	1.04	0.01	0.04	<2	499
DD-07-12	0.04	<20	0.86	0.01	0.05	17	403.5
DD-07-13	0.27	<20	1.84	0.03	0.16	16	283
DD-07-14	0.16	<20	0.73	0.07	0.15	2	25.1
DD07-15	0.03	<20	0.44	0.07	0.22	<2	1.2
DD07-16	0.07	<20	0.4	0.07	0.2	<2	<0.5
DD07-17	0.11	<20	0.35	0.05	0.15	<2	<0.5
DD-07-18	0.26	<20	0.31	0.05	0.09	<2	23.6
DD-07-19	0.21	<20	0.29	0.05	0.06	2	20.2
DD-07-20	0.01	<20	0.26	0.01	0.11	<2	7.1
DD-07-21	0.16	<20	0.51	0.04	0.08	2	10.1
DD-07-22	0.15	<20	0.63	0.05	0.05	2	44.4
DD-07-23	0.14	<20	0.3	0.07	0.07	<2	13.4
DD-07-24	0.01	<20	0.02	0.01	<.01	<2	1.1

RE DD-07-24	0.01	<20	0.02	0.01	<.01	<2	2.1
DD-07-25	<.01	<20	0.01	0.01	<.01	2	3.1
DD-07-26	0.01	<20	0.19	0.03	0.15	2	31.4
DD-07-27	0.09	<20	0.32	0.04	0.28	<2	152.3
DD-07-28	0.09	<20	0.53	0.05	0.49	<2	6.6
DD-07-29	0.18	<20	0.41	0.03	0.06	<2	17.1
DD-07-30	0.17	<20	1.44	0.08	0.9	<2	10.7
DD-07-31	0.28	<20	0.19	0.03	0.05	<2	50.7
DD-07-32	0.29	<20	0.33	0.03	0.09	3	481.8
DD-07-34	0.19	<20	0.3	0.04	0.03	<2	18.1
DD-07-35	0.16	<20	0.49	0.03	0.05	16	574.4
DD-07-36	0.14	<20	0.31	0.05	0.08	14	1146.4
DD07-37	0.02	<20	0.21	0.06	0.21	<2	0.7
DD07-38	0.07	<20	2.85	0.2	0.47	2	11.9
DD07-39	0.05	<20	1.7	0.09	0.11	<2	1.1
DD07-40	0.1	<20	2.16	0.23	0.62	<2	2.1
DD07-41	0.1	<20	0.29	0.07	0.14	<2	2.2
DD07-42	0.11	<20	0.38	0.05	0.17	24	660.3
DD07-43	0.09	<20	0.34	0.09	0.05	3	401.7
DD07-44	0.06	<20	0.16	0.05	0.09	<2	43.4
DD07-45	0.14	<20	0.25	0.08	0.08	<2	15.3
DD07-46	0.15	<20	0.47	0.03	0.04	<2	13.6
DD07-50	0.1	<20	1.35	0.34	0.48	<2	1.5
DD07-51	0.04	<20	1.78	0.3	0.12	<2	2.6
DD07-52	0.08	<20	1.22	0.07	0.14	<2	1.2
DD07-53	0.05	<20	0.35	0.07	0.21	<2	4.8
DD07-54	0.03	<20	3.46	1.02	0.24	<2	9.4
DD07-55	0.17	<20	0.47	0.08	0.21	<2	6.4
DD07-56	0.12	<20	0.34	0.07	0.22	<2	4.5
DD07-57	0.11	<20	0.28	0.05	0.21	<2	15.6
DD07-58	0.21	<20	0.35	0.09	0.12	<2	85.1
DD07-59	0.16	<20	0.9	0.1	0.54	<2	72.4
DD07-60	0.14	<20	0.22	0.06	0.12	<2	51.9
DD07-61	0.12	<20	0.3	0.06	0.18	<2	55.2
DD07-62	0.22	<20	0.44	0.07	0.24	<2	36.4
DD07-63	0.24	<20	0.25	0.05	0.08	<2	56.6
DD07-64	0.06	<20	0.31	0.02	0.07	<2	466.8
DD07-65	0.03	<20	0.37	0.06	0.2	<2	19.4
DD07-66	0.1	<20	0.21	0.03	0.07	<2	942.5
DD07-67	0.25	<20	0.81	0.03	0.02	<2	30.5
DD07-68	0.35	<20	0.49	0.02	0.03	<2	21.4
DD07-69	0.15	<20	0.62	0.12	0.23	<2	2.7
DD07-70	0.05	<20	1.19	0.57	0.2	<2	28.8
DD07-71	0.06	<20	2.33	0.21	0.13	<2	1.7
DD07-72	0.13	<20	0.41	0.09	0.18	<2	<0.5



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Submitted By:

Sean Kennedy

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 25, 2007

Report Date:

March 19, 2008

Page:

1 of 14

CERTIFICATE OF ANALYSIS

VAN08003975

CLIENT JOB INFORMATION

Project: Dew Drop
Shipment ID:
P.O. Number
Number of Samples: 368

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	365	Dry at 60C sieve 100g to -80 mesh		
	1DX	365	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ruby Red Resources Inc.
207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6
Canada

CC: D. Anderson
Peter Klewchuk



Clarence Leong

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmelab.com

Page: 2 of 14 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01		
L1000N + 500W	Soil	0.7	23.1	16.2	9	0.2	2.7	1.0	33	2.12	17.5	1.4	3.7	3.4	5	0.2	0.4	0.3	40	0.03	0.061
L1000N + 475W	Soil	0.9	89.0	102.3	65	0.2	9.1	5.3	306	3.27	18.6	1.6	2.3	5.6	20	0.2	0.4	3.5	78	0.13	0.057
L1000N + 450W	Soil	1.0	85.9	37.8	105	0.1	18.6	9.7	482	2.85	72.1	1.3	2.1	6.3	8	0.3	0.8	0.7	54	0.21	0.107
L1000N + 425W	Soil	1.0	111.6	75.2	133	0.5	10.8	8.3	601	5.07	330.5	1.2	1.8	3.7	7	0.3	4.3	0.6	133	0.15	0.074
L1000N + 400W	Soil	2.5	122.6	75.6	132	0.5	9.2	8.3	519	5.96	405.1	1.1	2.8	4.5	11	0.2	7.8	19.7	160	0.11	0.197
L1000N + 375W	Soil	1.2	21.1	28.0	32	0.2	5.0	1.9	132	4.26	94.8	1.0	2.7	3.5	5	0.2	0.8	1.1	104	0.23	0.121
L1000N + 350W	Soil	1.0	258.8	38.4	111	0.2	12.9	11.3	791	5.37	171.1	2.3	2.5	7.2	18	0.2	1.0	0.9	175	1.05	0.183
L1000N + 325W	Soil	0.6	107.5	9.0	159	0.1	7.6	9.7	974	4.77	16.5	1.3	3.9	3.9	43	0.1	0.5	0.4	128	0.55	0.133
L1000N + 300W	Soil	1.5	46.2	13.6	57	0.4	7.3	4.1	879	3.86	22.0	1.6	12.6	5.5	12	0.2	0.4	0.5	95	0.19	0.309
L1000N + 275W	Soil	1.4	108.4	47.3	96	0.2	11.9	7.7	443	5.06	98.5	1.4	23.3	5.3	12	0.2	0.7	1.2	118	0.31	0.172
L1000N + 250W	Soil	1.8	51.8	18.3	67	0.1	13.4	8.3	946	6.54	230.4	2.1	1.9	5.7	8	0.2	1.3	1.2	130	0.07	0.233
L1000N + 225W	Soil	0.8	14.7	23.6	25	0.2	6.5	2.4	98	2.22	8.7	0.9	4.7	2.6	4	0.1	0.5	0.8	52	0.07	0.051
L1000N + 200W	Soil	0.8	251.6	23.3	110	0.2	8.2	6.1	483	3.56	17.1	2.1	15.8	4.8	29	0.3	0.5	0.7	103	0.52	0.052
L1000N + 175W	Soil	1.9	126.1	27.6	92	0.2	11.8	12.0	872	6.78	12.2	2.6	23.8	7.8	25	0.2	2.2	2.6	156	0.21	0.082
L1000N + 075W	Soil	2.7	34.4	32.9	116	0.2	16.6	33.6	3490	9.50	11.2	3.0	85.9	3.3	41	0.2	1.3	9.5	127	0.51	0.258
L1000N + 050W	Soil	0.9	40.1	17.5	80	0.2	14.3	11.0	679	4.06	6.5	2.3	33.6	4.0	26	0.2	0.7	2.1	65	0.26	0.187
L900N + 1000W	Soil	0.7	261.0	41.5	97	<0.1	43.4	10.9	635	2.44	4.2	2.4	1.0	4.2	16	0.2	0.1	0.8	61	0.26	0.024
L900N + 0975W	Soil	1.4	91.3	17.5	74	0.1	22.7	10.2	240	2.96	3.3	0.9	1.4	5.7	14	0.2	0.3	0.4	58	0.17	0.057
L900N + 0925W	Soil	1.8	101.8	18.1	81	0.1	21.4	9.3	471	2.79	4.2	1.2	2.5	7.3	11	0.2	0.3	0.5	52	0.19	0.056
L900N + 0900W	Soil	1.7	77.7	16.2	63	<0.1	22.9	9.2	319	3.06	3.6	1.0	1.8	5.9	9	0.1	0.2	0.4	57	0.24	0.050
L900N + 0875W	Soil	4.0	254.5	66.6	62	0.1	35.2	19.6	243	3.52	3.6	1.6	2.1	7.8	10	0.2	0.2	1.1	51	0.28	0.052
L900N + 0850W	Soil	3.3	403.2	22.8	99	<0.1	38.4	14.8	187	2.91	3.1	1.3	1.6	7.4	14	0.2	0.2	0.4	60	0.23	0.052
L900N + 0825W	Soil	3.1	106.4	41.3	91	<0.1	18.1	6.2	184	3.45	5.5	1.3	3.3	11.1	10	0.2	0.4	0.8	64	0.15	0.093
L900N + 0800W	Soil	2.1	126.7	25.6	84	<0.1	20.5	8.5	242	2.48	5.1	1.7	2.0	6.9	8	0.1	0.3	0.5	50	0.15	0.068
L900N + 0775W	Soil	1.8	134.3	28.8	91	0.1	20.0	8.8	369	2.78	4.1	1.6	2.5	7.9	11	0.1	0.3	0.6	56	0.24	0.070
L900N + 0750W	Soil	1.4	178.5	18.2	89	0.1	36.0	11.4	479	3.27	8.3	1.2	1.8	7.3	11	0.2	0.3	0.4	61	0.22	0.056
L900N + 0725W	Soil	1.4	83.0	16.0	70	0.1	16.2	5.6	295	2.47	3.0	0.9	2.2	4.5	11	<0.1	0.2	0.4	51	0.24	0.029
L900N + 0700W	Soil	1.8	94.9	19.0	67	0.2	17.3	7.0	124	2.50	3.9	1.4	2.1	5.7	7	0.2	0.2	0.3	51	0.14	0.043
L900N + 0675W	Soil	1.9	150.6	39.0	75	0.2	25.2	10.7	315	2.52	4.4	1.2	2.0	5.6	9	0.2	0.3	0.7	44	0.18	0.048
L900N + 0650W	Soil	1.2	217.8	38.3	90	0.1	19.0	6.8	208	2.43	5.1	3.0	2.7	7.4	9	0.2	0.2	0.5	43	0.18	0.080

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

2 of 14 Part 2

VAN08003975.1

CERTIFICATE OF ANALYSIS

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5
L1000N + 500W	Soil	5	8	0.03	28	0.115	1	3.62	0.016	0.02	0.2	0.11	2.3	<0.1	0.05	10	<0.5
L1000N + 475W	Soil	9	16	0.47	51	0.134	2	2.88	0.015	0.06	0.4	0.06	2.5	0.1	<0.05	12	<0.5
L1000N + 450W	Soil	7	27	0.53	77	0.094	2	3.23	0.013	0.07	0.4	0.09	2.3	0.2	<0.05	9	<0.5
L1000N + 425W	Soil	11	23	0.39	92	0.055	1	2.46	0.012	0.05	0.5	0.16	3.1	0.2	<0.05	11	<0.5
L1000N + 400W	Soil	19	13	0.30	172	0.074	2	2.23	0.014	0.06	0.7	0.07	3.6	0.2	<0.05	12	<0.5
L1000N + 375W	Soil	6	12	0.11	70	0.152	1	2.44	0.015	0.04	0.4	0.08	1.8	<0.1	0.05	20	<0.5
L1000N + 350W	Soil	14	19	0.76	109	0.158	1	2.36	0.014	0.07	0.5	0.06	4.0	0.1	<0.05	12	<0.5
L1000N + 325W	Soil	11	10	2.54	119	0.160	2	3.16	0.018	0.11	0.7	0.05	2.1	<0.1	<0.05	14	<0.5
L1000N + 300W	Soil	8	14	0.40	120	0.154	1	5.09	0.019	0.07	0.5	0.10	3.3	0.1	<0.05	14	<0.5
L1000N + 275W	Soil	11	20	0.66	82	0.139	2	2.24	0.016	0.06	0.6	0.06	2.9	0.1	<0.05	14	<0.5
L1000N + 250W	Soil	14	16	0.29	144	0.078	2	2.52	0.015	0.06	0.4	0.07	6.3	<0.1	0.05	13	<0.5
L1000N + 225W	Soil	11	14	0.14	50	0.071	<1	1.69	0.015	0.04	0.2	0.03	1.3	<0.1	<0.05	13	<0.5
L1000N + 200W	Soil	13	12	3.00	91	0.119	8	2.51	0.018	0.07	0.6	0.04	1.7	<0.1	<0.05	12	<0.5
L1000N + 175W	Soil	20	13	0.80	357	0.041	2	2.90	0.013	0.08	0.6	0.08	4.1	<0.1	<0.05	11	<0.5
L1000N + 075W	Soil	28	18	0.53	708	0.043	4	1.51	0.014	0.09	1.2	0.06	4.8	0.1	0.13	8	0.6
L1000N + 050W	Soil	27	14	0.59	430	0.107	2	4.27	0.032	0.06	0.3	0.10	4.8	0.1	0.09	10	<0.5
L900N + 1000W	Soil	9	33	6.59	76	0.090	11	2.69	0.017	0.05	0.7	0.03	2.9	0.2	<0.05	9	<0.5
L900N + 0975W	Soil	12	39	0.80	63	0.145	2	3.24	0.015	0.06	0.7	0.05	2.9	0.2	<0.05	14	<0.5
L900N + 0925W	Soil	12	33	0.59	80	0.118	3	3.14	0.015	0.07	0.5	0.07	2.6	0.2	<0.05	11	<0.5
L900N + 0900W	Soil	12	38	0.60	54	0.132	3	3.10	0.017	0.08	0.8	0.03	2.9	0.2	<0.05	12	<0.5
L900N + 0875W	Soil	15	43	0.83	69	0.136	1	3.94	0.018	0.05	1.0	0.06	3.4	0.1	<0.05	11	0.7
L900N + 0850W	Soil	13	63	1.28	55	0.145	2	3.81	0.016	0.05	0.6	0.05	3.9	0.1	<0.05	12	0.6
L900N + 0825W	Soil	9	27	0.38	61	0.121	2	3.03	0.012	0.07	0.6	0.07	2.3	0.2	<0.05	13	<0.5
L900N + 0800W	Soil	9	25	0.41	57	0.136	2	3.86	0.014	0.06	0.4	0.08	2.9	0.2	<0.05	11	0.6
L900N + 0775W	Soil	10	27	0.44	72	0.114	2	3.35	0.014	0.06	0.5	0.06	2.6	0.2	<0.05	9	0.6
L900N + 0750W	Soil	10	57	1.22	79	0.158	2	3.27	0.019	0.06	1.2	0.03	2.6	0.2	<0.05	13	<0.5
L900N + 0725W	Soil	8	33	0.46	56	0.130	1	2.20	0.015	0.05	0.7	0.04	1.9	0.2	<0.05	11	<0.5
L900N + 0700W	Soil	8	33	0.39	52	0.141	1	3.41	0.021	0.04	0.6	0.06	2.3	0.1	<0.05	11	<0.5
L900N + 0675W	Soil	9	37	0.54	58	0.121	2	3.02	0.020	0.06	0.6	0.07	2.3	0.2	<0.05	10	<0.5
L900N + 0650W	Soil	9	22	0.45	51	0.144	2	4.63	0.018	0.05	0.5	0.09	3.1	0.1	<0.05	12	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

3 of 14

Part 1

CERTIFICATE OF ANALYSIS

VAN08003975.1

Analyte	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L900N + 0625W	Soil	1.7	251.1	78.0	181	0.1	18.0	7.7	564	3.13	9.2	3.3	2.7	10.0	9	0.3	0.7	2.4	62	0.10	0.060
L900N + 0600W	Soil	1.2	102.0	28.6	85	0.2	13.1	5.4	442	2.60	7.4	1.7	4.4	7.1	8	0.2	0.6	0.5	49	0.09	0.093
L900N + 0575W	Soil	1.4	34.8	35.4	99	0.1	16.0	7.6	687	3.18	7.4	1.2	3.0	4.9	11	0.2	2.6	0.7	57	0.08	0.110
L900N + 0550W	Soil	1.3	62.3	75.8	108	0.2	10.9	5.2	251	2.41	45.3	1.8	4.1	4.6	7	0.2	0.7	0.4	43	0.05	0.100
L900N + 0525W	Soil	1.4	65.1	24.6	74	0.4	12.2	5.8	1251	2.67	51.6	1.6	3.9	5.0	7	0.2	0.6	0.5	56	0.05	0.098
L900N + 500W	Soil	1.2	88.2	34.4	69	0.3	10.0	7.4	416	3.48	365.1	2.5	1.6	7.8	6	0.1	1.8	0.9	63	0.04	0.087
L900N + 0475W	Soil	1.1	25.3	20.5	52	0.2	8.2	5.3	434	2.28	9.0	2.2	4.2	5.6	6	0.2	0.4	0.4	39	0.05	0.129
L900N + 0425W	Soil	1.2	118.4	24.0	51	0.2	7.2	3.4	391	2.94	68.9	1.7	3.6	4.5	9	0.1	1.5	1.7	68	0.20	0.070
L900N + 0400W	Soil	1.1	243.0	24.0	126	0.2	10.3	8.2	1400	3.23	10.5	3.2	5.3	6.4	81	0.2	0.5	0.5	104	1.03	0.065
L900N + 0375W	Soil	1.0	89.0	29.5	49	0.2	6.3	3.1	268	3.47	6.0	2.9	6.5	7.8	18	0.1	0.4	0.8	120	0.51	0.070
L900N + 0325W	Soil	1.8	140.2	18.0	77	0.2	8.7	7.7	665	4.71	13.3	2.2	3.9	6.3	19	0.2	0.9	1.3	141	0.59	0.126
L900N + 0300W	Soil	1.3	96.4	26.0	106	0.2	12.2	9.7	533	4.51	28.0	2.5	25.9	8.0	11	0.2	1.1	1.9	124	0.32	0.181
L900N + 0275W	Soil	1.1	16.7	14.3	31	0.2	4.7	2.5	376	2.43	3.5	1.3	4.5	4.0	6	0.1	0.3	0.5	53	0.20	0.082
L900N + 0250W	Soil	1.1	21.2	24.2	30	0.3	5.2	2.7	235	3.54	7.8	1.2	7.4	4.3	6	0.2	0.5	0.6	81	0.10	0.090
L900N + 0225W	Soil	1.1	248.8	40.8	167	<0.1	20.2	15.4	1378	5.00	10.5	3.3	51.4	12.6	52	0.4	1.3	0.4	123	1.20	0.067
L900N + 0175W	Soil	1.2	207.0	14.3	120	<0.1	27.8	17.2	1289	4.94	8.1	2.4	17.4	8.7	35	0.2	1.4	0.3	98	0.82	0.053
L900N + 0150W	Soil	1.5	95.8	12.6	107	<0.1	32.5	11.6	976	5.31	7.3	1.5	7.4	3.9	12	0.2	1.3	0.5	102	0.18	0.094
L900N + 0125W	Soil	1.6	99.1	12.9	120	0.1	29.9	11.3	643	5.60	8.9	1.5	13.4	4.4	17	0.2	1.8	0.6	105	0.34	0.117
L900N + 0100W	Soil	1.3	86.3	10.9	122	<0.1	30.0	11.4	405	5.49	7.1	1.5	3.1	5.2	13	0.1	0.9	0.6	107	0.16	0.131
L900N + 0075W	Soil	1.0	62.7	9.8	77	0.1	17.8	6.8	333	3.61	4.7	1.3	4.5	4.4	9	0.2	0.7	0.6	82	0.11	0.088
L900N + 0050W	Soil	0.7	119.5	13.9	72	<0.1	33.1	15.5	1551	4.21	4.1	1.7	20.0	8.2	44	0.2	0.7	0.4	102	5.05	0.091
L900N + 0025W	Soil	1.0	60.0	11.6	143	0.2	20.3	9.3	747	4.38	5.7	1.1	3.0	1.5	15	0.2	0.6	0.5	89	0.30	0.176
L900N + 0000W	Soil	0.6	50.0	15.8	126	0.1	30.5	11.8	1595	3.12	6.6	1.1	2.2	1.6	19	0.4	0.5	0.4	59	0.68	0.124
L800N + 1000W	Soil	1.2	124.0	24.2	118	0.3	23.8	10.8	287	2.60	3.1	1.9	3.3	4.7	13	0.2	0.3	0.6	66	0.16	0.051
L800N + 0975W	Soil	1.6	238.7	22.5	101	0.1	29.6	9.8	186	2.72	4.9	2.2	3.1	8.5	14	0.2	0.3	0.6	78	0.18	0.049
L800N + 0950W	Soil	2.7	348.5	44.4	94	0.1	21.8	9.1	317	3.33	4.5	1.7	4.9	7.7	15	0.2	0.5	0.9	77	0.24	0.060
L800N + 0925W	Soil	2.0	196.4	15.0	86	0.1	32.2	11.0	229	3.19	4.0	1.3	2.1	6.1	13	0.2	0.2	0.4	59	0.27	0.079
L800N + 0900W	Soil	2.3	94.8	34.0	81	0.1	21.0	7.0	222	3.51	2.9	1.5	3.0	7.1	13	0.2	0.3	0.8	80	0.45	0.045
L800N + 0875W	Soil	2.7	105.5	26.7	67	0.2	26.0	10.4	183	2.95	3.6	1.5	3.5	8.5	8	0.2	0.2	0.5	57	0.24	0.063
L800N + 0850W	Soil	2.2	78.3	37.1	60	0.1	23.8	8.6	220	2.97	4.0	1.5	3.4	8.4	10	0.2	0.3	0.9	58	0.39	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

Page: 3 of 14 Part 2

VAN08003975.1

CERTIFICATE OF ANALYSIS

Analyte	Method	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L900N + 0625W	Soil	14	24	0.67	117	0.103	2	3.66	0.011	0.07	0.4	0.09	2.6	0.2	<0.05	12	0.7
L900N + 0600W	Soil	6	18	0.25	63	0.149	3	4.39	0.019	0.08	0.3	0.11	2.3	0.1	<0.05	12	0.6
L900N + 0575W	Soil	7	21	0.35	72	0.160	2	4.37	0.017	0.07	0.3	0.10	2.6	0.2	<0.05	13	<0.5
L900N + 0550W	Soil	7	15	0.21	56	0.141	1	5.08	0.022	0.05	0.3	0.13	2.6	0.1	<0.05	11	0.8
L900N + 0525W	Soil	10	22	0.24	74	0.130	1	4.35	0.019	0.06	0.3	0.12	3.3	0.2	<0.05	14	0.6
L900N + 500W	Soil	13	14	0.39	78	0.032	2	2.57	0.011	0.07	0.4	0.11	2.7	0.3	<0.05	9	<0.5
L900N + 0475W	Soil	6	13	0.15	50	0.141	2	5.87	0.020	0.04	0.3	0.12	2.6	<0.1	<0.05	13	0.9
L900N + 0425W	Soil	12	13	0.26	63	0.055	2	2.14	0.012	0.06	0.4	0.09	1.8	0.2	<0.05	12	0.5
L900N + 0400W	Soil	11	17	1.62	80	0.174	6	3.14	0.017	0.07	0.5	0.06	2.7	0.2	<0.05	17	<0.5
L900N + 0375W	Soil	13	16	0.35	60	0.158	2	2.91	0.017	0.06	0.5	0.07	3.2	0.1	<0.05	17	<0.5
L900N + 0325W	Soil	14	14	0.95	73	0.148	2	2.55	0.020	0.08	1.4	0.07	3.5	0.1	<0.05	15	0.6
L900N + 0300W	Soil	13	21	1.14	69	0.100	2	2.88	0.017	0.08	0.8	0.06	3.2	0.1	<0.05	12	0.7
L900N + 0275W	Soil	8	12	0.14	63	0.104	<1	3.27	0.018	0.04	0.2	0.08	2.2	<0.1	<0.05	13	<0.5
L900N + 0250W	Soil	8	16	0.16	53	0.129	1	4.30	0.017	0.04	0.3	0.08	2.3	<0.1	<0.05	15	<0.5
L900N + 0225W	Soil	43	25	4.09	173	0.131	3	3.89	0.031	0.20	0.8	0.03	6.1	0.4	<0.05	15	<0.5
L900N + 0175W	Soil	23	34	4.50	147	0.109	3	3.94	0.025	0.19	0.5	0.03	4.9	0.3	<0.05	15	<0.5
L900N + 0150W	Soil	18	38	0.92	251	0.047	3	3.11	0.019	0.12	0.4	0.05	4.3	0.2	<0.05	12	<0.5
L900N + 0125W	Soil	16	37	1.16	238	0.045	2	2.99	0.015	0.18	0.3	0.04	4.0	0.2	<0.05	12	<0.5
L900N + 0100W	Soil	16	39	0.91	233	0.060	3	2.76	0.017	0.17	0.3	0.03	4.7	0.2	<0.05	13	<0.5
L900N + 0075W	Soil	13	30	0.48	115	0.047	2	2.38	0.015	0.13	0.3	0.05	3.5	0.2	<0.05	11	<0.5
L900N + 0050W	Soil	45	39	3.52	202	0.046	2	1.84	0.022	0.15	0.3	0.03	9.1	0.1	0.05	6	<0.5
L900N + 0025W	Soil	13	37	0.72	267	0.043	2	2.54	0.026	0.14	0.4	0.03	2.4	0.2	<0.05	14	<0.5
L900N + 0000W	Soil	31	43	2.71	208	0.042	5	3.55	0.018	0.19	0.2	0.03	3.5	0.2	<0.05	10	<0.5
L800N + 1000W	Soil	12	33	1.33	88	0.165	4	4.02	0.022	0.09	0.5	0.06	3.1	0.3	<0.05	14	<0.5
L800N + 0975W	Soil	12	42	1.69	64	0.140	3	3.68	0.013	0.09	0.7	0.06	3.1	0.2	<0.05	12	<0.5
L800N + 0950W	Soil	13	44	0.70	51	0.177	3	3.60	0.015	0.08	0.5	0.06	3.3	0.3	<0.05	14	1.0
L800N + 0925W	Soil	13	51	0.87	50	0.151	3	4.54	0.017	0.07	0.6	0.09	4.1	0.2	<0.05	12	0.6
L800N + 0900W	Soil	15	43	0.62	49	0.165	3	2.76	0.012	0.08	1.0	0.06	2.5	0.3	<0.05	15	0.6
L800N + 0875W	Soil	14	49	0.85	43	0.164	3	4.99	0.016	0.06	0.5	0.05	3.3	0.2	<0.05	12	0.6
L800N + 0850W	Soil	17	41	0.58	44	0.148	2	3.42	0.015	0.07	0.6	0.03	2.9	0.2	<0.05	13	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

4 of 14

Part 1

CERTIFICATE OF ANALYSIS

VAN08003975.1

Analyte	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L800N + 0825W	Soil	1.8	94.0	31.5	62	0.2	16.6	5.9	182	3.12	3.9	1.6	3.9	7.5	9	0.1	0.3	0.8	66	0.24	0.066
L800N + 0800W	Soil	1.5	96.5	27.3	71	0.2	17.7	5.4	186	2.63	4.1	1.5	3.8	7.2	9	0.2	0.4	0.6	58	0.23	0.054
L800N + 0775W	Soil	1.7	252.6	29.7	61	<0.1	31.2	9.7	225	3.14	4.9	1.5	2.4	9.1	12	0.2	0.3	0.6	71	0.34	0.065
L800N + 0750W	Soil	1.3	137.8	23.9	69	0.2	20.8	8.4	596	2.91	5.0	1.8	3.6	8.6	13	<0.1	0.4	0.5	68	0.48	0.049
L800N + 0725W	Soil	1.4	166.2	27.0	84	0.1	21.9	8.0	287	2.79	5.5	1.7	3.1	8.5	12	0.2	0.3	0.6	59	0.33	0.059
L800N + 0700W	Soil	1.5	256.6	37.4	56	0.1	19.6	6.7	217	2.72	5.9	2.4	3.2	12.8	11	0.2	0.3	0.6	54	0.34	0.070
L800N + 0675W	Soil	1.3	149.4	29.4	70	0.3	15.4	6.0	195	2.82	9.8	1.4	3.4	7.6	9	0.1	0.5	0.7	56	0.20	0.067
L800N + 0650W	Soil	1.4	168.4	25.9	64	0.2	19.0	7.3	240	3.00	12.7	2.0	3.2	9.5	10	0.2	0.6	0.6	62	0.32	0.066
L800N + 0625W	Soil	1.2	272.3	31.7	70	<0.1	24.8	9.0	206	2.84	8.7	2.7	3.1	12.7	13	0.2	0.5	0.7	63	0.65	0.075
L800N + 0600W	Soil	1.3	239.2	48.2	70	0.2	31.2	11.8	251	3.11	6.7	2.3	2.7	12.6	13	0.1	0.3	0.9	70	0.58	0.046
L800N + 0575W	Soil	1.1	84.4	20.7	54	0.2	12.2	4.4	168	2.50	14.3	2.4	3.5	8.6	7	<0.1	0.6	0.6	48	0.14	0.093
L800N + 0550W	Soil	1.2	104.6	27.6	76	0.1	15.4	5.9	206	3.18	12.6	1.8	3.5	9.5	10	0.2	1.2	1.1	73	0.27	0.072
L800N + 0525W	Soil	1.1	90.2	24.1	73	0.2	13.4	5.8	276	2.85	26.3	1.7	3.2	8.5	9	0.2	1.1	0.9	69	0.27	0.074
L800N + 0500W	Soil	0.8	66.5	63.9	125	0.4	12.8	8.2	1510	3.90	30.4	1.6	2.5	5.2	11	0.1	0.9	6.6	97	0.26	0.096
L800N + 0475W	Soil	1.2	53.7	17.8	64	0.1	11.8	6.2	575	3.89	77.3	1.5	4.9	7.3	7	0.1	0.9	1.2	82	0.08	0.096
L800N + 0425W	Soil	0.8	66.3	20.9	51	0.1	11.1	6.6	277	3.37	33.1	1.6	21.8	6.1	11	<0.1	0.6	1.4	87	0.22	0.102
L800N + 0400W	Soil	1.0	109.6	24.2	62	0.1	13.4	7.0	632	3.13	43.9	2.2	8.8	8.0	15	0.1	0.8	0.9	84	0.34	0.106
L800N + 0375W	Soil	0.8	27.6	24.3	43	0.3	6.9	2.9	207	3.04	44.2	1.4	3.9	5.1	12	0.1	0.5	0.7	78	0.31	0.058
L800N + 0350W	Soil	1.0	120.7	31.6	96	0.1	11.5	8.3	747	4.40	66.7	4.1	4.9	9.9	23	0.3	0.7	1.0	165	2.10	0.063
L800N + 0325W	Soil	1.1	25.3	29.8	29	0.2	6.0	2.6	140	3.18	16.1	1.5	2.6	6.2	6	0.1	0.3	0.5	82	0.22	0.180
L800N + 0300W	Soil	1.2	58.1	19.7	60	0.5	8.5	4.3	410	2.85	18.6	1.8	3.3	6.1	9	0.2	0.3	0.4	63	0.19	0.119
L800N + 0275W	Soil	1.2	268.0	54.0	131	0.1	14.4	12.2	524	5.17	186.3	2.3	6.2	8.4	31	0.2	1.5	0.9	165	0.66	0.130
L800N + 0250W	Soil	1.2	223.2	44.8	110	0.3	22.4	9.8	356	4.00	50.9	3.7	8.8	10.1	22	0.2	0.7	1.0	122	0.45	0.072
L800N + 0225W	Soil	1.1	25.6	8.9	30	0.5	5.8	2.8	107	2.26	6.9	1.5	6.5	3.9	7	0.2	0.2	0.2	38	0.08	0.109
L800N + 0200W	Soil	0.9	22.0	13.8	66	0.4	7.5	3.7	225	2.81	6.2	1.2	2.9	4.1	6	0.2	0.2	0.3	51	0.10	0.103
L800N + 0175W	Soil	1.6	93.7	20.5	189	<0.1	28.2	13.5	1784	5.44	12.5	5.3	6.4	16.9	17	0.3	0.8	0.5	199	0.34	0.044
L800N + 0150W	Soil	1.8	71.9	17.6	93	<0.1	24.6	13.4	901	4.57	8.2	2.8	19.3	14.9	12	0.1	0.9	0.9	132	0.17	0.032
L800N + 0125W	Soil	0.7	71.8	10.2	42	<0.1	37.7	15.3	914	4.38	5.2	2.1	26.0	12.7	30	0.1	0.5	0.7	81	0.63	0.037
L800N + 0100W	Soil	1.7	83.2	26.6	86	0.4	29.7	12.5	456	4.65	6.6	2.3	18.2	7.0	21	0.1	0.5	3.4	93	0.43	0.079
L800N + 0075W	Soil	1.2	57.9	10.6	78	<0.1	26.1	12.2	703	4.67	6.3	2.5	9.7	5.4	19	0.1	0.5	0.7	91	0.47	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

4 of 14

Part 2

VAN08003975.1

CERTIFICATE OF ANALYSIS

Analyte	Method	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L800N + 0825W	Soil	11	38	0.48	44	0.186	3	4.66	0.019	0.06	0.4	0.05	3.4	0.3	<0.05	14	0.6
L800N + 0800W	Soil	12	40	0.68	50	0.167	2	3.60	0.016	0.07	0.4	0.06	2.9	0.3	<0.05	13	0.9
L800N + 0775W	Soil	14	58	1.17	65	0.140	2	3.71	0.014	0.07	0.7	0.06	2.9	0.2	<0.05	12	0.9
L800N + 0750W	Soil	17	33	0.50	57	0.138	2	2.94	0.016	0.07	0.5	0.04	2.6	0.2	<0.05	11	0.8
L800N + 0725W	Soil	14	36	0.56	60	0.143	2	3.30	0.018	0.08	0.4	0.05	2.9	0.3	<0.05	11	0.7
L800N + 0700W	Soil	14	42	0.50	38	0.129	2	4.46	0.020	0.06	0.6	0.07	3.2	0.2	<0.05	9	0.9
L800N + 0675W	Soil	11	29	0.38	50	0.131	2	3.21	0.021	0.08	0.4	0.06	2.6	0.2	<0.05	12	<0.5
L800N + 0650W	Soil	14	34	0.46	63	0.123	2	3.67	0.017	0.07	0.5	0.07	3.0	0.2	<0.05	12	0.9
L800N + 0625W	Soil	17	36	0.52	53	0.097	2	3.34	0.013	0.06	0.8	0.08	3.1	<0.1	<0.05	8	1.0
L800N + 0600W	Soil	17	47	0.58	65	0.148	1	3.61	0.020	0.06	0.8	0.05	3.9	<0.1	<0.05	10	0.5
L800N + 0575W	Soil	8	21	0.26	40	0.126	1	5.78	0.023	0.05	0.3	0.09	3.8	0.1	<0.05	11	0.9
L800N + 0550W	Soil	13	27	0.38	55	0.079	1	2.89	0.012	0.07	0.4	0.06	2.7	0.1	<0.05	10	0.6
L800N + 0525W	Soil	11	22	0.43	69	0.079	2	3.62	0.018	0.06	0.4	0.09	2.6	0.1	<0.05	11	0.5
L800N + 0500W	Soil	21	21	1.74	142	0.084	5	2.60	0.018	0.14	0.4	0.05	2.7	0.4	<0.05	11	<0.5
L800N + 0475W	Soil	11	21	0.28	92	0.070	2	2.95	0.019	0.07	0.2	0.05	3.0	0.2	<0.05	12	<0.5
L800N + 0425W	Soil	13	16	0.45	68	0.074	1	2.34	0.014	0.06	0.5	0.06	2.6	0.1	<0.05	10	<0.5
L800N + 0400W	Soil	15	19	0.51	60	0.072	2	2.70	0.014	0.06	0.5	0.07	3.0	0.2	<0.05	10	0.7
L800N + 0375W	Soil	11	16	0.22	33	0.072	2	2.51	0.013	0.04	0.4	0.07	1.7	0.1	<0.05	13	0.6
L800N + 0350W	Soil	15	18	0.78	55	0.147	1	2.66	0.015	0.04	0.9	0.04	3.7	<0.1	<0.05	11	0.6
L800N + 0325W	Soil	8	15	0.12	36	0.150	1	4.13	0.021	0.03	0.3	0.07	2.3	<0.1	<0.05	17	<0.5
L800N + 0300W	Soil	7	17	0.47	45	0.115	1	5.00	0.017	0.04	0.5	0.13	3.0	0.1	<0.05	10	<0.5
L800N + 0275W	Soil	20	19	1.28	87	0.121	6	2.84	0.016	0.07	0.8	0.04	4.6	0.1	<0.05	11	<0.5
L800N + 0250W	Soil	17	35	2.69	79	0.138	3	3.65	0.020	0.08	0.7	0.04	4.6	0.2	<0.05	13	<0.5
L800N + 0225W	Soil	4	13	0.15	33	0.119	<1	6.77	0.026	0.02	0.2	0.07	2.6	<0.1	<0.05	9	0.7
L800N + 0200W	Soil	7	16	0.25	81	0.102	<1	5.37	0.016	0.03	0.2	0.07	2.3	0.1	<0.05	11	<0.5
L800N + 0175W	Soil	106	26	1.82	131	0.060	<1	2.30	0.016	0.07	0.6	0.03	6.3	0.1	<0.05	12	<0.5
L800N + 0150W	Soil	31	31	1.12	231	0.045	2	2.91	0.012	0.12	0.3	0.02	5.2	0.2	<0.05	13	<0.5
L800N + 0125W	Soil	62	63	1.21	306	0.101	2	2.55	0.033	0.11	0.2	0.04	11.0	0.1	<0.05	9	<0.5
L800N + 0100W	Soil	26	41	1.47	242	0.043	2	2.99	0.020	0.13	0.4	0.03	3.8	0.2	<0.05	13	<0.5
L800N + 0075W	Soil	18	32	1.02	254	0.044	1	2.90	0.016	0.10	0.4	0.04	3.3	0.1	<0.05	13	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

5 of 14

Part 1

VAN03003975.1

CERTIFICATE OF ANALYSIS

Method	Analyte	1DX15																				
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%									
MDL	Unit	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L800N + 0050W	Soil	1.1	27.3	18.2	73	0.1	15.1	6.2	338	3.59	4.7	1.9	36.7	6.8	9	0.1	0.3	0.7	62	0.16	0.158	
L800N + 0025W	Soil	1.3	47.5	11.4	79	<0.1	18.3	6.9	616	3.85	7.5	2.6	24.8	6.1	12	0.2	0.5	0.6	83	0.31	0.061	
L800N + 0000W	Soil	1.3	82.6	11.8	72	<0.1	24.8	11.1	1952	4.56	11.4	2.9	27.4	5.5	19	0.2	0.6	0.5	99	0.43	0.071	
L700N + 1000W	Soil	0.7	200.6	49.0	111	<0.1	26.3	10.6	743	3.16	4.0	5.0	1.5	11.1	11	0.5	0.3	0.7	99	0.55	0.048	
L700N + 0975W	Soil	1.0	240.8	70.2	116	0.1	31.3	12.6	1406	3.65	5.8	4.5	2.8	11.0	18	0.4	0.6	1.2	109	0.46	0.071	
L700N + 0950W	Soil	1.4	150.5	53.7	101	0.2	29.0	13.8	437	3.47	4.9	2.9	2.1	7.6	17	0.2	0.5	1.1	82	0.63	0.060	
L700N + 0925W	Soil	1.4	149.0	31.6	86	0.1	31.1	12.3	558	3.70	4.2	2.1	1.9	9.4	11	0.2	0.3	0.8	79	0.32	0.051	
L700N + 0900W	Soil	1.3	151.9	20.2	79	<0.1	32.3	12.3	388	3.12	3.0	2.0	1.5	9.7	11	0.1	0.2	0.4	67	0.28	0.058	
L700N + 0875W	Soil	1.2	74.6	19.6	48	0.2	16.6	5.8	147	2.80	3.6	1.2	2.7	6.3	9	0.2	0.3	0.4	53	0.21	0.065	
L700N + 0850W	Soil	1.3	98.6	22.2	76	0.1	26.9	11.1	418	3.36	3.3	1.4	2.2	7.1	11	0.2	0.3	0.5	60	0.32	0.058	
L700N + 0825W	Soil	2.0	164.5	32.5	79	<0.1	21.3	10.2	357	3.21	4.6	1.9	5.2	9.1	13	0.2	0.3	0.7	68	0.34	0.064	
L700N + 0800W	Soil	1.5	183.0	34.3	82	<0.1	26.1	11.6	332	2.90	3.9	2.0	2.6	10.7	12	0.1	0.2	0.6	64	0.34	0.054	
L700N + 0775W	Soil	1.3	91.4	26.7	62	0.1	17.6	7.2	328	2.58	2.6	1.2	1.6	6.4	13	0.1	0.2	0.6	60	0.34	0.047	
L700N + 0750W	Soil	1.7	130.0	29.7	62	<0.1	19.7	7.5	176	3.15	3.1	1.6	2.1	9.6	13	0.1	0.2	0.7	64	0.42	0.048	
L700N + 0725W	Soil	1.4	63.3	30.3	51	<0.1	15.5	5.8	163	2.38	4.0	1.3	1.0	5.9	14	0.2	0.2	1.4	61	0.43	0.028	
L700N + 0700W	Soil	1.5	128.2	35.7	95	<0.1	29.2	14.0	578	3.13	11.1	2.3	1.5	6.9	18	0.3	0.8	0.8	82	0.51	0.039	
L700N + 0675W	Soil	2.0	126.2	28.4	74	0.1	23.9	9.9	255	3.01	3.8	1.7	1.8	8.9	13	0.1	0.3	0.6	65	0.46	0.040	
L700N + 0650W	Soil	2.3	108.6	33.2	72	<0.1	22.9	10.2	316	2.88	4.3	1.7	2.8	9.4	11	0.1	0.3	0.7	60	0.45	0.053	
L700N + 0625W	Soil	1.8	79.0	23.5	66	0.1	14.8	7.2	184	2.79	4.6	1.2	2.1	6.8	8	0.1	0.3	0.5	62	0.25	0.045	
L700N + 0600W	Soil	2.1	43.9	18.6	62	<0.1	14.0	5.6	262	2.59	3.3	1.0	1.5	5.4	9	<0.1	0.3	0.5	62	0.34	0.035	
L700N + 0575W	Soil	1.6	57.0	19.8	65	0.1	13.5	5.5	271	2.71	3.9	1.3	2.2	7.0	7	0.2	0.3	0.5	58	0.28	0.041	
L700N + 0550W	Soil	1.0	37.7	21.9	50	0.1	9.4	4.7	204	2.85	10.6	1.0	1.3	6.0	7	<0.1	0.6	0.7	56	0.20	0.051	
L700N + 0525W	Soil	0.9	111.8	21.0	47	0.2	14.3	6.9	181	2.32	20.6	1.7	1.1	8.1	8	0.1	1.0	0.5	45	0.26	0.047	
L700N + 0500W	Soil	1.1	37.1	23.5	42	0.1	7.2	2.7	174	2.52	9.2	1.5	1.7	6.2	6	<0.1	0.7	0.7	51	0.18	0.071	
L700N + 0475W	Soil	1.3	33.3	27.6	71	0.3	10.0	3.9	229	3.12	20.6	1.3	2.4	6.6	7	<0.1	0.6	0.9	63	0.15	0.093	
L700N + 0450W	Soil	0.9	52.4	33.2	74	0.2	9.3	5.5	748	2.70	28.1	1.4	4.1	5.0	15	0.1	0.6	1.2	67	0.16	0.076	
L700N + 0425W	Soil	0.9	17.5	20.4	59	0.2	7.9	4.0	286	2.64	8.6	1.0	7.6	4.6	9	0.1	0.4	1.1	70	0.20	0.075	
L700N + 0400W	Soil	0.8	73.3	38.0	87	0.3	10.1	8.5	608	3.14	76.4	1.7	7.2	6.8	12	0.1	0.7	1.1	81	0.22	0.078	
L700N + 0375W	Soil	0.8	58.1	39.1	78	0.2	9.1	4.6	378	2.92	43.3	1.8	3.4	6.4	15	0.1	0.8	1.2	82	0.42	0.086	
L700N + 0350W	Soil	0.8	41.4	19.7	59	0.2	8.1	4.4	498	3.28	58.3	1.5	3.1	5.0	12	0.1	0.8	0.9	93	0.32	0.063	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

Page: 5 of 14 Part 2

CERTIFICATE OF ANALYSIS

VAN08003975.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L800N + 0050W	Soil	12	25	0.43	144	0.102	2	3.64	0.022	0.06	0.3	0.06	2.6	0.1	<0.05	12	<0.5
L800N + 0025W	Soil	19	27	0.71	168	0.078	2	2.22	0.018	0.08	0.4	0.03	2.8	0.1	<0.05	14	<0.5
L800N + 0000W	Soil	38	30	1.14	258	0.034	2	2.41	0.013	0.10	0.4	0.03	4.5	0.2	<0.05	10	<0.5
L700N + 1000W	Soil	29	49	8.12	61	0.159	8	5.90	0.020	0.09	0.5	0.03	8.6	0.5	<0.05	18	<0.5
L700N + 0975W	Soil	35	59	6.28	80	0.155	6	5.47	0.023	0.10	0.6	0.04	6.7	0.5	<0.05	16	<0.5
L700N + 0950W	Soil	17	50	3.52	83	0.151	4	4.94	0.019	0.10	1.0	0.04	4.0	0.3	<0.05	14	<0.5
L700N + 0925W	Soil	16	53	2.70	60	0.184	4	4.51	0.015	0.09	0.7	0.03	3.9	0.3	<0.05	15	<0.5
L700N + 0900W	Soil	19	58	2.00	57	0.179	3	4.09	0.016	0.07	0.7	0.03	4.2	0.3	<0.05	13	<0.5
L700N + 0875W	Soil	9	32	0.59	44	0.145	2	4.20	0.015	0.05	0.6	0.08	2.7	0.1	<0.05	12	<0.5
L700N + 0850W	Soil	17	42	0.84	61	0.155	3	3.09	0.014	0.07	0.6	0.04	3.0	0.2	<0.05	13	<0.5
L700N + 0825W	Soil	17	37	0.66	59	0.154	3	3.27	0.018	0.08	0.6	0.04	3.3	0.2	<0.05	12	0.7
L700N + 0800W	Soil	16	36	1.72	57	0.144	3	3.72	0.016	0.06	0.7	0.04	3.6	0.2	<0.05	11	<0.5
L700N + 0775W	Soil	14	33	0.67	54	0.141	2	2.95	0.013	0.05	0.7	0.05	2.5	0.2	<0.05	13	<0.5
L700N + 0750W	Soil	15	39	0.66	50	0.146	2	3.26	0.012	0.07	0.7	0.05	3.0	0.2	<0.05	12	<0.5
L700N + 0725W	Soil	16	28	0.43	59	0.140	2	2.07	0.013	0.07	0.6	0.04	2.3	0.2	<0.05	13	<0.5
L700N + 0700W	Soil	18	55	0.63	196	0.140	2	3.39	0.019	0.07	0.6	0.03	3.1	0.2	<0.05	12	<0.5
L700N + 0675W	Soil	16	38	0.59	81	0.151	2	3.19	0.014	0.07	0.6	0.04	3.0	0.1	<0.05	12	<0.5
L700N + 0650W	Soil	16	34	0.55	64	0.114	2	2.93	0.011	0.06	0.6	0.04	2.8	0.1	<0.05	11	0.6
L700N + 0625W	Soil	8	31	0.47	62	0.115	2	3.28	0.015	0.05	0.5	0.03	2.5	0.1	<0.05	11	<0.5
L700N + 0600W	Soil	10	26	0.42	76	0.111	1	2.22	0.014	0.05	0.5	0.03	2.1	0.2	<0.05	12	<0.5
L700N + 0575W	Soil	9	24	0.38	52	0.113	2	2.72	0.015	0.05	0.4	0.05	2.2	0.1	<0.05	12	<0.5
L700N + 0550W	Soil	9	19	0.29	49	0.053	1	2.53	0.014	0.05	0.4	0.05	1.9	<0.1	<0.05	12	<0.5
L700N + 0525W	Soil	11	21	0.31	73	0.072	2	3.07	0.015	0.04	0.5	0.08	2.8	<0.1	<0.05	9	<0.5
L700N + 0500W	Soil	8	21	0.22	44	0.084	1	3.31	0.015	0.05	0.3	0.07	2.2	0.1	<0.05	12	0.8
L700N + 0475W	Soil	8	22	0.29	52	0.096	2	3.62	0.015	0.05	0.4	0.08	2.0	<0.1	<0.05	11	<0.5
L700N + 0450W	Soil	10	17	0.34	70	0.086	2	2.11	0.028	0.07	0.4	0.05	2.1	0.1	<0.05	10	<0.5
L700N + 0425W	Soil	9	17	0.39	52	0.096	2	1.98	0.016	0.06	0.3	0.05	1.6	0.1	<0.05	13	<0.5
L700N + 0400W	Soil	14	17	0.44	70	0.085	2	2.32	0.016	0.07	0.5	0.08	2.4	0.1	<0.05	11	<0.5
L700N + 0375W	Soil	10	16	0.40	51	0.081	1	2.25	0.017	0.06	0.6	0.06	1.9	0.1	<0.05	10	0.6
L700N + 0350W	Soil	13	17	0.41	58	0.078	2	1.80	0.013	0.06	0.4	0.05	2.2	0.1	<0.05	12	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmelab.com

Page: 6 of 14 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppb	ppm	%													
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L700N + 0325W	Soil	0.7	36.0	31.4	63	0.1	6.8	3.7	346	3.19	36.3	1.6	8.4	4.8	17	0.1	0.8	0.7	107	0.67	0.094
L700N + 0300W	Soil	0.8	53.3	33.0	57	<0.1	7.0	4.6	355	3.33	42.4	1.8	3.6	5.1	18	<0.1	0.7	0.8	107	0.54	0.069
L700N + 0275W	Soil	0.8	44.3	19.0	58	0.1	7.6	3.8	372	2.54	21.0	1.7	5.2	5.1	16	0.2	0.5	0.8	93	0.43	0.050
L700N + 0250W	Soil	1.2	79.6	18.7	92	0.3	13.2	7.7	319	2.98	15.1	1.7	3.6	5.9	11	<0.1	0.4	0.6	63	0.23	0.082
L700N + 0225W	Soil	0.8	40.8	21.4	56	0.4	7.0	3.5	167	2.83	8.3	1.2	4.1	3.9	7	0.1	0.9	0.7	64	0.13	0.103
L700N + 0200W	Soil	1.1	32.1	16.2	64	0.3	9.3	4.2	336	2.40	6.1	1.3	1.8	4.2	6	0.2	0.3	0.7	50	0.09	0.124
L700N + 0175W	Soil	1.4	45.2	17.1	63	0.3	10.3	6.2	353	2.84	11.4	1.8	3.6	6.3	6	0.1	0.4	0.5	52	0.09	0.144
L700N + 0150W	Soil	1.3	73.3	15.3	85	0.4	17.9	8.4	564	2.63	6.2	1.7	5.0	5.4	7	0.1	0.3	0.4	52	0.12	0.125
L700N + 0125W	Soil	1.1	115.5	17.1	65	0.1	16.9	7.1	316	3.61	8.0	1.6	22.3	5.4	18	0.2	0.8	0.6	93	0.37	0.051
L700N + 0100W	Soil	0.8	59.5	21.1	112	0.2	13.8	7.0	351	3.00	18.3	1.4	6.4	5.6	12	0.2	0.4	0.7	71	0.25	0.147
L700N + 0050W	Soil	0.6	23.1	14.5	66	<0.1	24.9	10.3	315	3.14	6.2	0.7	2.2	4.1	6	0.2	0.8	0.4	57	0.09	0.058
L600N + 1000W	Soil	0.7	93.1	51.6	93	<0.1	35.9	12.7	1009	3.24	5.4	4.5	2.1	9.3	23	0.4	0.8	0.8	87	0.76	0.107
L600N + 0975W	Soil	1.3	270.0	31.8	67	<0.1	33.2	15.5	368	3.81	5.1	3.2	3.9	12.4	35	0.1	0.3	0.6	79	0.29	0.046
L600N + 0950W	Soil	0.7	107.2	37.4	92	<0.1	55.1	15.9	782	3.55	4.7	3.8	3.8	10.6	30	0.3	0.4	0.5	96	0.47	0.092
L600N + 0925W	Soil	0.4	103.1	34.0	81	<0.1	69.0	18.8	953	3.53	2.9	3.5	2.9	11.3	54	0.3	0.3	0.4	93	0.97	0.130
L600N + 0875W	Soil	1.0	137.5	26.1	70	0.1	28.1	12.9	383	2.89	3.7	1.6	2.7	7.4	13	0.2	0.3	0.4	64	0.42	0.053
L600N + 0850W	Soil	1.1	120.9	33.1	97	<0.1	23.4	10.2	386	3.10	3.9	1.6	1.6	7.4	11	0.1	0.3	0.6	60	0.24	0.078
L600N + 0825W	Soil	1.0	115.7	22.0	90	<0.1	23.2	11.0	652	3.05	3.1	1.3	1.5	6.1	12	0.1	0.3	0.5	66	0.35	0.043
L600N + 0800W	Soil	1.1	164.5	40.5	142	<0.1	21.2	12.0	1778	3.36	11.3	2.4	5.1	6.9	13	0.2	2.0	0.9	77	0.25	0.089
L600N + 0775W	Soil	1.5	150.8	37.0	121	<0.1	25.4	12.4	657	3.23	10.4	2.2	1.5	7.2	12	0.4	0.9	0.6	61	0.28	0.087
L600N + 0750W	Soil	1.6	195.2	32.2	111	<0.1	25.9	12.0	623	3.32	13.2	3.2	1.5	8.6	14	0.2	0.5	0.6	79	0.35	0.040
L600N + 0725W	Soil	1.1	272.7	30.5	114	<0.1	30.0	12.1	790	3.12	7.7	3.0	2.1	7.9	17	0.2	0.6	0.7	76	0.41	0.039
L600N + 0700W	Soil	1.1	167.9	32.4	124	0.2	20.3	9.3	609	3.35	5.8	1.7	1.4	7.3	12	0.2	0.5	0.8	61	0.24	0.067
L600N + 0675W	Soil	1.2	287.9	32.9	118	<0.1	21.6	9.0	244	3.07	11.1	2.3	1.7	10.2	10	0.2	1.2	0.7	56	0.21	0.084
L600N + 0650W	Soil	1.1	120.1	21.7	74	0.2	21.3	9.8	309	2.83	3.3	1.2	3.3	6.6	15	0.1	0.3	0.5	61	0.46	0.040
L600N + 0625W	Soil	1.4	170.9	26.9	106	<0.1	23.8	9.8	334	2.88	5.6	1.4	1.8	8.1	10	0.2	0.4	0.6	58	0.35	0.049
L600N + 0600W	Soil	1.4	250.5	31.7	46	<0.1	31.2	13.3	287	2.82	4.0	2.3	0.7	11.0	15	0.1	0.2	0.7	63	0.54	0.034
L600N + 0575W	Soil	1.5	111.2	33.7	115	0.1	19.3	9.3	774	2.94	5.7	1.8	2.0	5.8	10	0.2	0.5	0.8	63	0.33	0.073
L600N + 0550W	Soil	1.8	279.5	29.4	48	<0.1	31.2	12.8	261	2.87	3.5	1.7	2.0	11.9	18	0.2	0.3	0.5	64	0.56	0.036
L600N + 0525W	Soil	1.3	92.6	25.8	57	0.1	14.5	7.1	357	2.74	6.3	1.4	<0.5	7.7	13	0.1	0.6	0.7	63	0.40	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

6 of 14

Part 2

CERTIFICATE OF ANALYSIS

VAN08003975.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L700N + 0325W	Soil	9	13	0.42	51	0.115	2	1.57	0.014	0.05	0.7	0.03	1.7	<0.1	<0.05	10	<0.5
L700N + 0300W	Soil	10	14	0.42	55	0.097	1	1.58	0.018	0.06	0.6	0.03	1.7	<0.1	<0.05	11	0.7
L700N + 0275W	Soil	13	14	0.67	48	0.100	1	1.72	0.016	0.06	0.5	0.04	2.1	0.1	<0.05	12	<0.5
L700N + 0250W	Soil	11	23	0.70	72	0.105	1	3.40	0.014	0.06	0.5	0.06	2.8	0.1	<0.05	10	<0.5
L700N + 0225W	Soil	9	15	0.39	73	0.128	2	3.34	0.020	0.05	0.3	0.07	2.2	<0.1	<0.05	16	<0.5
L700N + 0200W	Soil	7	16	0.58	66	0.127	3	4.06	0.020	0.05	0.3	0.07	2.3	<0.1	<0.05	12	<0.5
L700N + 0175W	Soil	9	18	0.47	63	0.123	<1	4.95	0.018	0.05	0.5	0.07	3.5	0.1	<0.05	11	0.9
L700N + 0150W	Soil	9	18	0.56	77	0.126	2	4.54	0.019	0.05	0.6	0.09	2.8	<0.1	<0.05	11	0.7
L700N + 0125W	Soil	13	26	0.92	102	0.083	<1	2.40	0.016	0.07	0.5	0.03	2.5	0.1	<0.05	10	<0.5
L700N + 0100W	Soil	9	18	0.67	96	0.091	2	2.96	0.015	0.07	0.5	0.06	2.1	0.1	<0.05	9	0.7
L700N + 0050W	Soil	10	37	2.85	90	0.084	9	3.70	0.010	0.09	1.3	0.04	2.2	<0.1	<0.05	11	<0.5
L600N + 1000W	Soil	27	57	4.10	55	0.124	6	3.67	0.030	0.09	0.6	0.03	4.5	0.2	<0.05	10	<0.5
L600N + 0975W	Soil	19	44	3.26	81	0.140	4	3.97	0.021	0.08	0.9	0.03	4.5	0.3	<0.05	11	<0.5
L600N + 0950W	Soil	18	78	3.39	114	0.187	3	4.31	0.042	0.10	0.5	0.04	3.6	0.2	<0.05	13	<0.5
L600N + 0925W	Soil	33	92	3.79	106	0.221	4	3.86	0.079	0.11	0.7	0.02	5.0	0.2	<0.05	11	0.6
L600N + 0875W	Soil	17	51	2.15	79	0.141	5	3.54	0.017	0.08	0.7	0.04	3.4	0.2	<0.05	12	<0.5
L600N + 0850W	Soil	12	46	1.57	57	0.121	3	3.38	0.015	0.07	0.7	0.05	2.9	0.2	<0.05	12	<0.5
L600N + 0825W	Soil	14	48	1.51	66	0.154	2	2.81	0.017	0.07	0.6	0.03	2.8	0.2	<0.05	12	0.7
L600N + 0800W	Soil	15	35	1.90	87	0.116	3	3.02	0.017	0.10	0.7	0.04	3.2	0.2	<0.05	13	<0.5
L600N + 0775W	Soil	19	38	1.39	83	0.109	3	3.30	0.016	0.09	0.5	0.03	3.2	0.2	<0.05	11	0.7
L600N + 0750W	Soil	20	46	3.01	108	0.133	4	3.97	0.017	0.09	0.7	0.03	4.0	0.3	<0.05	13	0.6
L600N + 0725W	Soil	23	49	2.93	160	0.122	5	3.85	0.019	0.10	0.6	0.02	4.6	0.3	<0.05	12	0.5
L600N + 0700W	Soil	13	33	1.34	78	0.124	2	3.29	0.015	0.07	0.5	0.04	2.9	0.2	<0.05	12	<0.5
L600N + 0675W	Soil	13	29	0.93	81	0.127	3	4.32	0.015	0.07	0.5	0.05	3.3	0.1	<0.05	11	0.6
L600N + 0650W	Soil	15	33	1.02	53	0.140	3	2.54	0.016	0.07	0.7	0.04	2.4	0.2	<0.05	11	<0.5
L600N + 0625W	Soil	13	33	0.79	59	0.118	2	3.26	0.012	0.06	0.5	0.05	2.6	0.2	<0.05	11	0.5
L600N + 0600W	Soil	22	44	4.04	67	0.122	7	3.60	0.016	0.09	1.1	0.05	4.2	0.3	<0.05	10	0.5
L600N + 0575W	Soil	13	29	0.52	89	0.115	2	3.20	0.013	0.07	0.5	0.06	2.5	0.2	<0.05	12	<0.5
L600N + 0550W	Soil	20	44	1.02	81	0.159	3	3.47	0.013	0.08	0.8	0.02	3.6	0.2	<0.05	12	1.0
L600N + 0525W	Soil	13	28	0.43	48	0.140	2	2.83	0.016	0.08	0.6	0.06	2.5	0.2	<0.05	12	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2000

www.acmelab.com

Page: 7 of 14 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L600N + 0500W	Soil	1.5	241.8	32.0	70	<0.1	26.6	12.2	319	3.33	24.8	2.0	1.5	11.6	16	0.3	4.7	0.7	71	0.48	0.048
L600N + 0475W	Soil	2.1	134.6	23.6	60	<0.1	24.4	11.1	248	2.77	8.5	1.7	<0.5	9.2	13	0.2	0.4	0.6	65	0.56	0.055
L600N + 0450W	Soil	0.9	173.7	26.4	57	0.1	17.2	8.6	343	2.68	14.6	2.3	2.4	11.0	16	0.1	0.7	0.6	76	0.63	0.039
L600N + 0425W	Soil	0.9	58.0	23.6	71	0.2	12.2	7.0	345	2.97	23.3	1.8	3.8	6.4	14	0.1	0.5	0.7	80	0.50	0.069
L600N + 0400W	Soil	0.9	43.7	35.3	79	0.2	11.4	7.6	484	3.39	35.5	1.3	7.5	5.9	14	0.2	0.5	1.2	88	0.27	0.065
L600N + 0375W	Soil	0.8	43.5	49.1	96	0.2	10.7	6.6	275	2.94	36.3	1.7	2.4	5.9	15	0.2	0.5	7.0	76	0.39	0.063
L600N + 0350W	Soil	1.2	39.7	29.0	65	0.4	9.2	4.5	359	3.43	26.2	1.7	5.7	6.8	12	0.1	0.6	0.9	86	0.49	0.098
L600N + 0325W	Soil	0.9	31.9	22.8	64	0.3	8.2	5.7	260	2.53	14.8	1.7	9.9	4.7	9	0.1	0.4	0.6	55	0.26	0.129
L600N + 0300W	Soil	1.1	61.5	21.0	79	0.1	12.8	7.1	263	3.46	30.5	2.4	9.6	8.6	16	<0.1	0.5	0.8	84	0.63	0.072
L600N + 0275W	Soil	0.8	26.9	17.3	59	0.2	6.3	3.7	153	2.34	11.8	1.1	2.9	4.4	7	0.1	0.2	0.4	47	0.16	0.094
L600N + 0250W	Soil	0.8	69.0	22.2	84	0.1	8.8	7.2	443	3.50	45.5	1.3	3.6	4.7	14	0.1	0.5	0.7	105	0.41	0.122
L600N + 0225W	Soil	1.2	119.8	37.2	133	0.3	13.6	8.6	296	4.25	71.1	1.6	12.1	7.1	13	0.2	0.8	1.0	98	0.27	0.141
L600N + 0200W	Soil	0.8	125.5	21.0	102	0.1	19.6	11.2	317	4.62	12.4	1.5	5.1	6.8	13	0.3	0.9	0.8	112	0.24	0.187
L600N + 0175W	Soil	1.1	124.4	18.6	128	0.1	23.2	10.6	319	3.55	10.8	1.8	4.6	5.5	16	0.3	0.4	0.5	76	0.37	0.179
L600N + 0150W	Soil	0.9	61.4	26.9	106	0.2	13.5	7.4	313	3.26	25.6	1.4	3.8	5.3	14	0.2	0.6	0.9	84	0.34	0.128
L600N + 0125W	Soil	0.8	49.1	17.7	92	0.2	12.9	6.3	339	2.84	15.8	1.3	13.3	4.2	15	0.2	0.5	0.5	78	0.30	0.090
L600N + 0100W	Soil	1.1	40.8	20.5	97	0.2	13.2	8.7	560	3.02	8.0	1.3	3.3	5.7	7	0.1	0.3	0.4	74	0.10	0.202
L600N + 0075W	Soil	0.7	52.0	16.3	77	<0.1	25.8	12.2	223	3.17	9.8	1.2	3.8	6.1	13	0.3	0.4	0.3	73	0.26	0.059
L600N + 0050W	Soil	0.5	9.5	7.6	54	<0.1	27.2	12.3	225	3.02	4.3	0.6	<0.5	4.7	5	0.1	0.8	0.3	49	0.11	0.057
L600N + 0000W	Soil	I.S.																			
L500N + 0975W	Soil	0.9	51.7	29.7	91	<0.1	19.5	8.5	288	3.11	4.2	2.6	4.1	6.3	10	0.2	0.3	0.6	67	0.21	0.047
L500N + 0925W	Soil	0.8	55.7	28.5	84	<0.1	23.1	10.0	544	2.84	3.5	2.5	2.4	5.7	16	0.2	0.3	0.5	68	0.34	0.058
L500N + 0900W	Soil	1.2	58.8	32.7	97	0.1	30.4	13.6	499	3.32	3.6	3.1	2.4	6.1	21	<0.1	0.3	0.5	82	0.46	0.077
L500N + 0875W	Soil	0.6	75.3	37.3	96	<0.1	31.5	11.2	1186	3.14	3.8	3.9	3.1	10.2	24	0.3	0.4	0.6	83	0.49	0.073
L500N + 0850W	Soil	1.0	44.9	31.2	92	0.1	18.1	9.1	470	2.99	3.7	2.0	1.8	5.4	11	0.2	0.3	0.6	72	0.21	0.053
L500N + 0825W	Soil	1.3	86.1	30.2	95	<0.1	25.9	11.1	934	3.08	3.9	2.8	4.3	7.2	15	0.3	0.4	0.5	76	0.40	0.060
L500N + 0800W	Soil	1.5	132.2	28.7	89	0.1	23.6	10.8	428	3.14	5.0	2.4	3.1	7.9	16	0.2	0.6	0.5	75	0.38	0.044
L500N + 0775W	Soil	1.3	100.7	34.4	99	<0.1	25.7	10.9	691	3.31	3.9	2.6	4.1	7.3	15	0.3	0.4	0.6	82	0.36	0.050
L500N + 0750W	Soil	1.1	79.3	27.2	84	<0.1	20.2	9.4	378	2.83	3.9	1.7	2.6	6.3	11	0.1	0.3	0.6	65	0.28	0.044
L500N + 0725W	Soil	0.9	57.6	23.7	91	<0.1	23.9	10.2	310	2.93	4.5	2.0	2.5	6.3	14	0.2	0.3	0.4	62	0.27	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

7 of 14

Part 2

CERTIFICATE OF ANALYSIS

VAN08003975 1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L600N + 0500W	Soil	16	35	0.74	58	0.107	2	3.01	0.011	0.07	0.8	0.06	3.1	0.2	<0.05	9	0.8
L600N + 0475W	Soil	14	31	0.45	49	0.111	2	3.04	0.014	0.05	0.5	0.04	2.7	0.1	<0.05	10	0.6
L600N + 0450W	Soil	15	23	0.51	49	0.102	2	2.34	0.016	0.06	0.5	0.03	2.7	<0.1	<0.05	8	<0.5
L600N + 0425W	Soil	11	18	0.36	62	0.114	2	3.14	0.017	0.06	0.4	0.05	2.4	0.2	<0.05	11	0.6
L600N + 0400W	Soil	12	18	0.42	71	0.124	2	2.44	0.024	0.07	0.4	0.06	2.3	0.2	<0.05	12	0.6
L600N + 0375W	Soil	12	17	0.37	62	0.093	2	2.44	0.013	0.07	0.3	0.05	2.3	0.1	<0.05	9	<0.5
L600N + 0350W	Soil	9	19	0.31	60	0.137	2	3.27	0.016	0.06	0.5	0.07	2.4	0.1	<0.05	13	<0.5
L600N + 0325W	Soil	8	13	0.22	50	0.136	2	4.24	0.019	0.05	0.5	0.09	2.5	0.1	<0.05	11	0.7
L600N + 0300W	Soil	12	19	0.51	85	0.108	1	3.36	0.017	0.06	0.5	0.05	2.6	0.1	<0.05	11	<0.5
L600N + 0275W	Soil	6	11	0.17	59	0.116	1	4.25	0.018	0.04	0.2	0.04	2.0	<0.1	<0.05	10	<0.5
L600N + 0250W	Soil	12	12	0.75	69	0.145	2	2.42	0.019	0.07	0.5	0.04	2.6	<0.1	<0.05	12	<0.5
L600N + 0225W	Soil	14	21	0.74	82	0.107	2	3.22	0.013	0.08	0.4	0.07	3.0	0.2	<0.05	12	0.6
L600N + 0200W	Soil	15	25	0.70	72	0.090	2	2.26	0.013	0.08	0.6	0.05	4.7	0.1	<0.05	12	0.8
L600N + 0175W	Soil	13	28	1.68	97	0.128	3	3.12	0.016	0.07	0.6	0.03	2.9	0.2	<0.05	12	<0.5
L600N + 0150W	Soil	11	16	0.59	106	0.126	2	2.78	0.019	0.08	0.5	0.06	2.3	0.1	<0.05	11	<0.5
L600N + 0125W	Soil	10	15	0.47	93	0.087	2	2.44	0.018	0.07	0.5	0.06	1.9	<0.1	<0.05	9	<0.5
L600N + 0100W	Soil	6	17	0.50	63	0.145	2	4.95	0.019	0.06	0.3	0.08	3.1	0.1	<0.05	12	1.1
L600N + 0075W	Soil	17	35	2.47	68	0.076	2	3.60	0.011	0.10	0.3	0.06	2.4	0.1	<0.05	10	<0.5
L600N + 0050W	Soil	12	40	3.37	81	0.092	3	4.29	0.012	0.11	2.2	0.04	2.8	0.1	<0.05	11	<0.5
L600N + 0000W	Soil	I.S.															
L500N + 0975W	Soil	10	34	1.78	50	0.130	2	3.82	0.018	0.05	0.5	0.07	2.7	0.1	<0.05	13	<0.5
L500N + 0925W	Soil	15	39	1.91	59	0.173	3	3.53	0.032	0.07	0.4	0.05	3.2	0.2	<0.05	12	0.5
L500N + 0900W	Soil	14	50	2.19	52	0.188	4	3.88	0.032	0.09	0.7	0.05	3.2	0.2	<0.05	12	<0.5
L500N + 0875W	Soil	25	55	3.16	61	0.183	5	3.74	0.033	0.10	0.5	0.05	4.3	0.2	<0.05	12	<0.5
L500N + 0850W	Soil	12	37	2.02	86	0.151	3	4.19	0.018	0.06	0.3	0.07	3.1	0.2	<0.05	13	<0.5
L500N + 0825W	Soil	18	47	3.25	84	0.161	5	3.97	0.021	0.08	0.5	0.04	3.9	0.3	<0.05	12	0.6
L500N + 0800W	Soil	15	42	2.23	88	0.159	3	3.35	0.019	0.08	0.6	0.05	3.4	0.2	<0.05	12	<0.5
L500N + 0775W	Soil	17	49	3.68	74	0.168	5	4.30	0.018	0.09	0.5	0.03	4.2	0.2	<0.05	13	<0.5
L500N + 0750W	Soil	13	36	1.74	65	0.152	3	3.37	0.017	0.07	0.5	0.05	2.7	0.2	<0.05	12	<0.5
L500N + 0725W	Soil	12	36	1.71	75	0.152	3	3.67	0.022	0.08	0.5	0.08	2.9	0.2	<0.05	11	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client

Ruby Red Resources Inc

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 200

www.acmelab.com

Page: 8 of 14 Part

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L500N + 0700W	Soil	1.1	42.5	24.4	78	<0.1	18.0	8.5	578	2.63	3.3	1.3	7.4	3.8	9	0.2	0.4	0.6	64	0.23	0.032
L500N + 0675W	Soil	0.4	65.9	28.9	42	<0.1	14.7	7.1	460	1.97	2.9	2.3	4.7	5.3	25	0.2	0.4	0.4	48	4.93	0.065
L500N + 0650W	Soil	1.0	141.0	32.0	64	<0.1	27.1	11.4	258	2.88	4.2	2.6	4.0	8.9	12	0.2	0.3	0.5	70	0.42	0.046
L500N + 0625W	Soil	0.9	159.5	40.2	72	<0.1	28.0	11.8	632	3.27	4.6	3.5	1.4	11.4	12	0.3	0.4	0.7	84	0.61	0.052
L500N + 0600W	Soil	1.4	48.8	23.1	81	<0.1	14.7	8.8	694	2.85	5.4	0.9	0.8	3.8	7	0.1	0.3	0.6	57	0.20	0.045
L500N + 0575W	Soil	1.2	164.7	35.0	55	<0.1	25.1	11.8	459	3.09	4.4	2.6	1.4	9.7	14	0.2	0.4	0.6	71	0.64	0.037
L500N + 0550W	Soil	1.2	160.5	23.2	67	<0.1	20.3	9.1	294	2.83	17.5	1.7	7.4	6.7	10	0.1	0.5	0.7	57	0.32	0.048
L500N + 0525W	Soil	0.9	129.6	36.2	68	<0.1	26.0	10.8	721	3.15	5.3	2.9	1.2	8.1	11	0.3	0.3	0.6	82	0.43	0.044
L500N + 0500W	Soil	1.7	212.3	26.5	39	<0.1	25.3	12.5	172	2.77	15.7	1.7	2.3	8.1	12	0.2	0.3	0.5	59	0.35	0.034
L500N + 0475W	Soil	0.8	23.7	19.0	48	<0.1	7.0	3.8	184	2.30	5.1	0.8	1.3	3.6	7	0.1	0.3	0.6	51	0.17	0.053
L500N + 0450W	Soil	1.1	54.8	20.2	46	0.1	9.9	5.0	161	2.46	7.9	1.1	1.2	5.0	7	0.2	0.4	0.5	47	0.19	0.076
L500N + 0425W	Soil	1.3	98.8	29.6	56	<0.1	15.7	7.5	184	2.87	17.7	1.3	0.6	7.8	9	0.2	0.7	0.6	58	0.27	0.062
L500N + 0400W	Soil	0.7	208.7	52.3	82	<0.1	13.1	8.2	262	3.13	10.0	2.5	13.6	6.4	15	0.2	0.7	2.2	82	0.38	0.053
L500N + 0375W	Soil	0.8	175.7	28.1	50	<0.1	18.5	11.9	280	3.09	20.8	2.3	7.1	9.9	13	0.2	0.7	1.0	73	0.42	0.043
L500N + 0350W	Soil	0.8	90.5	24.9	66	0.1	10.1	6.6	299	3.19	51.8	1.7	2.5	5.2	15	0.1	0.8	0.9	78	0.40	0.062
L500N + 0325W	Soil	0.8	54.1	23.3	76	0.1	9.3	5.5	257	2.71	29.9	1.6	2.0	5.9	9	0.1	0.6	0.7	61	0.23	0.106
L500N + 0300W	Soil	0.8	28.4	26.7	59	0.1	7.4	4.0	301	3.63	17.7	1.1	3.2	3.6	9	0.2	0.6	1.6	86	0.28	0.119
L500N + 0275W	Soil	0.9	112.9	25.7	84	<0.1	14.1	8.3	325	3.65	56.8	1.9	4.1	6.0	14	0.2	0.9	0.9	95	0.44	0.096
L500N + 0250W	Soil	1.4	17.4	20.6	34	0.2	5.2	2.7	118	3.15	14.0	1.0	3.1	3.4	6	0.2	0.3	0.5	65	0.16	0.092
L500N + 0225W	Soil	2.2	59.6	21.1	63	0.4	9.3	5.2	159	2.97	46.6	2.4	2.0	5.4	11	0.2	0.4	0.5	62	0.23	0.114
L500N + 0200W	Soil	0.8	61.2	23.8	64	<0.1	9.1	5.7	435	3.40	22.0	1.3	6.4	4.4	14	0.1	0.6	0.9	88	0.44	0.088
L500N + 0175W	Soil	1.2	115.7	31.2	73	<0.1	10.8	8.0	537	3.52	46.2	1.6	6.6	5.0	20	0.2	0.7	0.9	97	0.45	0.089
L500N + 0150W	Soil	1.6	66.6	26.9	70	0.1	11.6	8.0	848	3.75	33.6	1.7	10.1	4.8	17	0.3	0.7	0.8	106	0.45	0.081
L500N + 0125W	Soil	1.0	154.8	27.0	69	<0.1	15.7	10.5	478	3.75	45.6	2.6	14.8	8.9	18	0.1	1.0	0.9	103	0.46	0.078
L500N + 0100W	Soil	1.1	62.1	20.2	110	0.2	16.8	11.1	420	3.32	15.6	1.2	8.9	4.6	11	0.3	0.5	0.6	71	0.25	0.126
L500N + 0075W	Soil	0.9	20.6	20.7	69	0.2	7.0	4.7	240	2.67	9.9	0.8	4.4	3.0	7	0.2	0.4	0.6	55	0.17	0.193
L500N + 0050W	Soil	1.1	75.7	21.7	81	0.1	12.4	8.1	541	2.96	22.2	1.5	6.4	4.9	13	0.2	0.5	0.6	76	0.34	0.094
L500N + 0000W	Soil	0.5	63.6	19.1	61	<0.1	20.0	10.2	662	2.88	15.2	1.0	5.3	3.5	14	0.2	0.6	0.5	63	0.80	0.065
L400N + 1000W	Soil	1.0	81.5	41.3	113	<0.1	21.8	10.0	833	3.10	5.9	5.0	5.0	8.6	10	0.4	0.6	0.7	85	0.24	0.050
L400N + 0950W	Soil	0.7	64.5	27.7	91	<0.1	49.5	15.1	1019	3.39	3.3	4.3	4.1	7.4	23	0.2	0.3	0.4	94	0.53	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

8 of 14 Part 2

CERTIFICATE OF ANALYSIS

VAND8003975.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L500N + 0700W	Soil	9	31	1.38	84	0.115	2	2.30	0.012	0.05	0.6	0.03	2.2	0.2	<0.05	12	<0.5
L500N + 0675W	Soil	18	28	5.12	44	0.063	3	2.27	0.014	0.04	0.5	0.03	2.9	0.2	0.09	7	<0.5
L500N + 0650W	Soil	14	51	3.13	63	0.107	3	3.73	0.014	0.05	0.6	0.04	3.8	0.2	<0.05	11	<0.5
L500N + 0625W	Soil	26	58	5.35	48	0.129	6	4.28	0.018	0.08	0.7	0.04	5.8	0.4	<0.05	12	<0.5
L500N + 0600W	Soil	9	26	0.59	74	0.111	2	2.55	0.011	0.05	0.5	0.04	1.9	0.1	<0.05	13	0.5
L500N + 0575W	Soil	19	46	3.42	68	0.127	3	3.93	0.018	0.07	0.7	0.03	4.3	0.3	<0.05	12	<0.5
L500N + 0550W	Soil	11	27	1.16	76	0.067	4	2.63	0.009	0.06	0.6	0.05	2.1	0.1	<0.05	8	0.5
L500N + 0525W	Soil	19	49	4.96	69	0.114	5	4.31	0.014	0.08	0.6	0.03	4.7	0.3	<0.05	13	<0.5
L500N + 0500W	Soil	18	39	1.56	67	0.093	3	2.88	0.012	0.04	0.9	0.04	3.4	0.1	<0.05	10	0.6
L500N + 0475W	Soil	7	16	0.24	66	0.091	1	2.47	0.012	0.04	0.3	0.04	1.5	0.1	<0.05	11	<0.5
L500N + 0450W	Soil	7	17	0.25	52	0.102	1	3.48	0.012	0.04	0.4	0.05	2.1	<0.1	<0.05	10	<0.5
L500N + 0425W	Soil	8	25	0.43	72	0.100	2	3.43	0.012	0.05	0.5	0.04	2.3	0.1	<0.05	10	<0.5
L500N + 0400W	Soil	11	21	1.88	59	0.070	2	2.23	0.012	0.05	0.6	0.03	2.5	0.1	<0.05	8	<0.5
L500N + 0375W	Soil	15	29	0.95	82	0.083	1	2.10	0.010	0.06	0.7	0.03	3.3	<0.1	<0.05	7	<0.5
L500N + 0350W	Soil	10	17	0.51	70	0.066	2	2.04	0.012	0.05	0.6	0.05	1.8	<0.1	<0.05	9	<0.5
L500N + 0325W	Soil	9	15	0.39	59	0.073	1	2.60	0.011	0.05	0.5	0.06	2.1	0.1	<0.05	8	<0.5
L500N + 0300W	Soil	9	14	0.32	61	0.108	<1	1.46	0.011	0.06	0.5	0.06	1.4	<0.1	<0.05	16	<0.5
L500N + 0275W	Soil	10	20	0.77	94	0.051	1	2.34	0.010	0.05	0.7	0.04	2.2	<0.1	<0.05	9	<0.5
L500N + 0250W	Soil	5	13	0.12	50	0.138	<1	3.46	0.018	0.03	0.3	0.07	1.6	<0.1	<0.05	14	<0.5
L500N + 0225W	Soil	7	18	0.25	101	0.158	1	5.06	0.018	0.04	0.5	0.09	2.6	<0.1	<0.05	12	<0.5
L500N + 0200W	Soil	12	17	0.55	83	0.083	1	1.51	0.013	0.06	0.6	0.05	2.0	<0.1	<0.05	12	<0.5
L500N + 0175W	Soil	15	17	0.65	110	0.069	2	1.65	0.016	0.09	0.7	0.04	2.5	0.1	<0.05	9	<0.5
L500N + 0150W	Soil	15	20	0.67	102	0.093	2	1.69	0.014	0.07	0.7	0.04	2.8	0.1	<0.05	9	<0.5
L500N + 0125W	Soil	19	21	0.98	138	0.090	2	2.24	0.014	0.08	0.6	0.04	4.3	<0.1	<0.05	8	<0.5
L500N + 0100W	Soil	10	19	0.61	113	0.081	1	2.80	0.012	0.07	0.6	0.04	2.1	0.1	<0.05	9	<0.5
L500N + 0075W	Soil	6	15	0.23	75	0.088	<1	2.61	0.012	0.05	0.4	0.06	1.6	<0.1	<0.05	11	0.6
L500N + 0050W	Soil	12	18	0.65	116	0.075	1	2.33	0.013	0.06	0.5	0.06	2.4	<0.1	<0.05	8	<0.5
L500N + 0000W	Soil	14	27	2.44	114	0.067	2	2.87	0.012	0.11	1.3	0.03	2.8	0.1	<0.05	9	<0.5
L400N + 1000W	Soil	13	40	1.89	65	0.134	4	3.06	0.020	0.09	0.6	0.05	2.6	0.3	<0.05	11	<0.5
L400N + 0950W	Soil	12	91	3.28	110	0.159	3	3.60	0.023	0.07	0.7	0.03	3.1	0.2	<0.05	11	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2B 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmefab.com

Page: 9 of 14 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L400N + 0925W	Soil	0.8	60.0	22.5	88	0.1	16.8	8.7	1414	2.62	4.0	7.8	2.1	4.6	14	0.5	0.3	0.4	57	0.21	0.063
L400N + 0875W	Soil	1.0	94.9	27.3	63	<0.1	27.3	11.2	927	3.03	4.1	3.3	9.6	8.2	10	0.3	0.4	0.5	70	0.23	0.057
L400N + 0850W	Soil	0.6	92.7	28.9	88	<0.1	23.3	10.9	1940	2.68	3.0	5.2	3.0	9.5	14	0.2	0.4	0.4	74	0.35	0.072
L400N + 0826W	Soil	0.6	84.8	23.6	105	<0.1	22.3	9.5	393	2.72	3.6	3.5	6.3	9.7	14	0.2	0.3	0.4	71	0.37	0.052
L400N + 0775W	Soil	1.2	38.9	24.1	67	0.1	12.8	6.0	208	2.96	4.0	1.6	1.5	5.1	6	0.1	0.3	0.6	57	0.12	0.054
L400N + 0750W	Soil	1.0	93.5	28.3	74	<0.1	21.1	10.3	205	2.95	6.0	2.3	2.6	6.5	7	0.2	0.5	0.5	59	0.19	0.043
L400N + 0725W	Soil	1.0	51.6	26.7	86	<0.1	18.4	8.8	375	2.82	2.7	2.9	6.0	6.8	10	<0.1	0.3	0.6	79	0.23	0.032
L400N + 0700W	Soil	1.8	57.0	25.8	75	<0.1	24.4	13.7	240	2.82	4.2	4.1	2.9	7.5	6	0.1	0.3	0.3	69	0.14	0.045
L400N + 0675W	Soil	1.2	41.1	25.0	68	0.1	16.0	6.8	243	2.87	2.3	1.5	4.8	5.0	12	0.1	0.3	0.5	73	0.28	0.037
L400N + 0625W	Soil	1.0	94.1	33.1	107	0.1	26.5	11.8	804	3.24	3.4	2.6	2.9	6.2	13	0.2	0.5	0.6	81	0.38	0.039
L400N + 0600W	Soil	0.9	90.8	33.4	64	<0.1	24.2	11.0	654	2.94	5.3	5.8	0.7	8.5	19	0.3	0.4	0.6	78	0.56	0.025
L400N + 0575W	Soil	1.1	73.5	34.4	82	<0.1	25.6	11.8	366	3.36	4.9	3.3	4.6	8.2	12	0.2	0.3	0.5	81	0.42	0.031
L400N + 0550W	Soil	1.4	54.4	28.2	69	<0.1	15.9	7.1	320	3.12	5.8	1.2	35.2	5.5	10	0.1	0.3	0.6	76	0.29	0.050
L400N + 0525W	Soil	1.1	75.6	21.5	77	0.2	15.8	8.0	196	2.41	5.1	1.5	0.6	6.1	8	0.2	0.3	0.5	56	0.28	0.055
L400N + 0500W	Soil	0.9	70.5	25.4	63	<0.1	19.9	8.7	273	3.10	5.7	2.9	3.4	7.1	18	0.2	0.3	0.5	88	0.52	0.046
DL400N + 500W	Soil	1.4	138.3	25.6	65	<0.1	24.0	11.5	258	2.79	10.2	1.7	13.5	8.5	14	0.1	0.4	0.5	68	0.48	0.033
DL400N + 425W	Soil	1.0	39.4	30.8	108	0.1	16.6	9.0	442	3.15	5.2	1.7	5.7	5.8	18	0.1	0.4	0.7	77	0.37	0.074
DL400N + 400W	Soil	0.9	77.1	31.9	100	0.2	18.3	9.9	327	2.95	11.3	2.4	2.9	6.1	13	0.2	0.5	0.7	72	0.35	0.060
DL400N + 375W	Soil	0.9	95.1	33.3	65	0.1	18.0	10.1	501	2.86	7.1	2.5	3.9	7.1	17	0.2	0.5	0.7	78	0.48	0.045
DL400N + 300W	Soil	0.8	63.5	26.6	111	0.1	19.4	10.5	212	2.91	9.1	2.5	2.6	7.9	13	0.2	0.3	0.5	72	0.34	0.044
DL400N + 250W	Soil	1.0	97.6	27.4	74	0.2	18.2	9.9	233	3.07	18.1	2.3	34.9	9.9	11	0.2	0.5	0.6	72	0.30	0.093
DL400N + 225W	Soil	1.3	48.5	28.0	70	0.2	13.1	7.7	234	3.29	15.1	1.5	8.8	5.9	12	0.1	0.5	0.7	78	0.30	0.111
DL400N + 200W	Soil	1.7	73.4	25.4	58	0.1	13.6	7.3	334	3.05	10.6	2.2	6.8	6.4	19	0.1	0.5	1.1	86	0.51	0.079
DL400N + 175W	Soil	1.7	46.9	20.5	93	0.2	11.4	7.5	224	3.38	16.0	1.8	4.5	5.3	10	0.2	0.4	0.6	81	0.38	0.085
DL400N + 150W	Soil	1.3	39.8	17.2	104	0.2	15.2	8.7	496	3.27	6.1	1.1	2.7	3.5	12	0.1	0.4	0.4	70	0.23	0.191
DL400N + 125W	Soil	2.0	65.0	26.4	94	0.2	16.5	8.5	241	3.86	13.7	1.4	22.2	5.5	16	0.1	0.5	0.6	105	0.31	0.061
DL400N + 100W	Soil	1.9	55.9	25.9	103	0.4	19.5	11.9	231	3.73	14.8	2.4	19.9	6.2	15	0.2	0.3	0.6	85	0.25	0.071
DL400N + 075W	Soil	0.9	128.7	24.4	71	0.1	20.5	11.5	391	3.48	17.5	1.7	6.5	6.6	18	0.1	0.5	0.5	101	0.41	0.057
DL400N + 050W	Soil	1.0	56.2	19.9	104	0.2	20.5	10.0	308	3.61	9.6	1.2	6.1	5.3	14	0.2	0.3	0.6	84	0.28	0.070
DL400N + 025W	Soil	1.1	57.4	21.1	90	0.2	16.6	8.2	253	3.82	11.4	1.4	5.5	5.3	17	<0.1	0.4	0.6	108	0.34	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

9 of 14

Part 2

CERTIFICATE OF ANALYSIS

VAN08003975.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L400N + 0925W	Soil	17	27	1.12	89	0.122	2	4.46	0.022	0.05	0.7	0.08	3.1	0.2	<0.05	12	<0.5
L400N + 0875W	Soil	13	52	2.65	89	0.122	3	4.00	0.016	0.05	0.6	0.05	3.3	0.2	<0.05	11	<0.5
L400N + 0850W	Soil	13	54	3.06	85	0.103	5	2.87	0.018	0.07	0.5	0.04	2.9	0.3	<0.05	10	<0.5
L400N + 0825W	Soil	12	41	1.94	95	0.122	3	2.45	0.016	0.08	0.8	0.05	2.5	0.1	<0.05	10	<0.5
L400N + 0775W	Soil	7	26	0.97	52	0.148	2	3.62	0.015	0.05	0.6	0.09	2.3	0.1	<0.05	14	0.5
L400N + 0750W	Soil	9	35	1.67	56	0.117	2	3.81	0.012	0.04	0.7	0.06	2.7	0.1	<0.05	11	<0.5
L400N + 0725W	Soil	11	38	1.79	68	0.144	2	3.02	0.013	0.07	0.5	0.03	2.5	0.2	<0.05	12	<0.5
L400N + 0700W	Soil	7	49	2.78	62	0.134	2	6.00	0.013	0.04	0.4	0.06	3.3	0.1	<0.05	10	0.5
L400N + 0675W	Soil	9	35	1.50	87	0.164	3	2.94	0.016	0.06	0.5	0.06	2.4	<0.1	<0.05	14	<0.5
L400N + 0625W	Soil	13	48	2.02	115	0.156	4	3.35	0.017	0.08	0.5	0.03	3.1	0.2	<0.05	12	<0.5
L400N + 0600W	Soil	20	50	1.72	134	0.184	4	4.37	0.028	0.07	0.5	0.02	3.6	0.2	<0.05	10	0.6
L400N + 0575W	Soil	14	47	3.07	113	0.161	4	4.78	0.022	0.08	0.6	0.03	3.4	0.2	<0.05	12	<0.5
L400N + 0550W	Soil	10	30	0.53	82	0.159	2	3.15	0.019	0.06	0.4	0.05	2.3	<0.1	<0.05	13	<0.5
L400N + 0525W	Soil	10	27	0.44	60	0.148	1	3.33	0.016	0.05	0.4	0.05	2.7	0.2	<0.05	10	<0.5
L400N + 0500W	Soil	13	35	1.23	81	0.138	3	2.24	0.019	0.09	0.5	0.04	2.3	0.1	<0.05	11	<0.5
DL400N + 500W	Soil	14	38	1.25	67	0.143	3	2.99	0.015	0.07	0.6	0.03	2.9	0.2	<0.05	10	<0.5
DL400N + 425W	Soil	11	32	0.87	120	0.124	3	2.41	0.019	0.08	0.4	0.06	2.0	0.1	<0.05	12	<0.5
DL400N + 400W	Soil	12	30	1.58	95	0.092	3	2.80	0.021	0.08	0.4	0.05	2.2	0.1	<0.05	9	<0.5
DL400N + 375W	Soil	14	35	1.31	99	0.117	3	2.59	0.018	0.09	0.6	0.03	2.4	0.1	<0.05	9	<0.5
DL400N + 300W	Soil	12	34	1.16	98	0.102	3	2.88	0.022	0.09	0.4	0.04	2.8	0.1	<0.05	9	<0.5
DL400N + 250W	Soil	12	25	0.63	87	0.118	2	3.85	0.015	0.06	0.4	0.06	3.0	0.1	<0.05	10	<0.5
DL400N + 225W	Soil	10	21	0.50	102	0.105	1	3.28	0.014	0.07	0.5	0.05	2.0	0.1	<0.05	11	<0.5
DL400N + 200W	Soil	13	25	0.93	69	0.098	2	1.94	0.017	0.07	0.6	0.04	2.0	0.1	<0.05	10	<0.5
DL400N + 175W	Soil	9	18	0.44	59	0.104	2	3.75	0.013	0.05	0.5	0.04	1.9	<0.1	<0.05	9	0.7
DL400N + 150W	Soil	8	23	0.88	106	0.146	1	4.32	0.020	0.06	0.4	0.07	2.0	0.1	<0.05	12	<0.5
DL400N + 125W	Soil	12	26	1.08	109	0.142	3	3.18	0.015	0.08	0.5	0.06	2.5	0.1	<0.05	12	<0.5
DL400N + 100W	Soil	11	27	0.94	119	0.149	2	4.88	0.019	0.07	0.6	0.05	3.0	0.1	<0.05	12	<0.5
DL400N + 075W	Soil	16	30	1.24	116	0.094	2	2.65	0.013	0.09	0.6	0.03	2.7	<0.1	<0.05	8	0.5
DL400N + 050W	Soil	11	26	1.02	128	0.111	2	3.02	0.012	0.10	0.6	0.04	2.1	0.1	<0.05	11	<0.5
DL400N + 025W	Soil	13	25	0.89	112	0.131	2	2.28	0.013	0.10	0.6	0.03	2.3	0.1	<0.05	12	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

10 of 14 Part 1

VAN08003975 1

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
MDL		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
DL400N + 000W	Soil		1.0	32.0	17.1	88	0.2	18.4	7.7	262	2.87	4.1	0.8	1.9	3.1	12	<0.1	0.3	0.4	65	0.27	0.071
L300N + 1000W	Soil		0.8	132.3	49.3	100	<0.1	26.3	11.5	1003	3.09	6.3	5.8	3.4	6.0	15	0.3	0.5	0.6	81	0.31	0.079
L300N + 0975W	Soil		0.9	89.3	46.0	111	0.1	23.0	10.6	660	3.05	5.4	6.0	3.5	6.1	13	0.4	0.5	0.6	86	0.26	0.086
L300N + 0950W	Soil		0.7	57.1	30.2	114	0.2	21.2	9.1	598	2.81	4.5	4.1	3.7	4.3	14	0.3	0.4	0.5	74	0.35	0.062
L300N + 0925W	Soil		0.7	38.0	27.4	97	0.1	18.2	7.2	264	2.77	3.4	3.1	6.5	5.4	11	0.1	0.3	0.4	74	0.23	0.056
L300N + 0900W	Soil		0.7	40.6	27.1	135	0.1	20.1	9.0	809	2.79	3.8	3.1	3.4	3.9	13	0.2	0.4	0.4	74	0.24	0.066
L300N + 0875W	Soil		0.8	27.1	22.3	81	0.2	14.2	7.0	1539	2.46	3.0	2.5	2.7	3.1	9	0.2	0.3	0.4	59	0.16	0.045
L300N + 0850W	Soil		0.6	70.6	31.8	80	0.1	23.7	8.8	513	2.84	4.1	4.5	8.0	8.8	19	0.3	0.5	0.5	87	0.58	0.062
L300N + 825W	Soil		0.5	30.7	25.4	77	0.1	12.8	6.7	275	2.48	2.4	4.2	10.0	7.5	18	0.3	0.3	0.4	85	0.28	0.023
L300N + 0800W	Soil		0.8	101.0	29.5	65	0.2	24.5	11.4	402	2.77	9.0	5.2	7.5	9.0	18	0.2	0.3	0.3	82	0.40	0.050
L300N + 0775W	Soil		0.7	55.5	27.7	96	0.2	20.9	9.2	934	2.77	6.4	4.8	3.6	6.2	17	0.3	0.5	0.5	82	0.84	0.070
L300N + 0750W	Soil		0.8	47.4	19.5	88	0.1	17.5	6.9	350	2.67	3.9	4.5	11.7	8.7	11	0.1	0.3	0.3	82	0.25	0.059
L300N + 0725W	Soil		0.9	137.3	31.7	110	<0.1	25.0	11.1	1894	2.87	9.6	4.4	2.1	5.8	14	0.4	0.6	0.6	87	0.38	0.049
L300N + 0700W	Soil		1.0	67.9	24.9	74	<0.1	22.5	10.2	237	2.78	4.9	2.5	2.1	6.7	9	0.2	0.4	0.4	51	0.16	0.045
L300N + 0675W	Soil		1.1	149.8	29.7	67	<0.1	25.6	11.7	445	2.83	4.1	3.1	4.5	8.9	13	0.2	0.5	0.5	67	0.35	0.070
L300N + 0650W	Soil		0.9	51.7	22.3	64	<0.1	18.4	7.5	283	2.54	3.7	1.9	5.1	5.2	8	0.1	0.3	0.4	59	0.17	0.040
L300N + 0625W	Soil		0.8	59.7	24.3	81	<0.1	20.2	7.9	304	2.72	3.8	2.0	1.7	6.4	8	0.2	0.4	0.5	64	0.16	0.041
L300N + 0600W	Soil		0.8	83.0	29.3	84	0.1	19.1	9.7	1170	2.83	7.1	4.7	5.7	5.9	17	0.3	0.5	0.5	73	0.50	0.039
L300N + 0575W	Soil		1.2	54.2	20.7	71	0.1	17.8	8.5	208	2.82	6.1	2.5	4.7	7.1	9	0.2	0.3	0.4	63	0.20	0.039
L300N + 0550W	Soil		1.1	78.5	22.4	54	<0.1	15.8	8.7	197	2.52	6.2	3.3	1.6	8.2	8	0.1	0.3	0.4	56	0.20	0.033
L300N + 0525W	Soil		1.1	47.9	23.2	83	<0.1	17.5	7.6	436	2.74	7.1	1.6	8.0	5.1	9	0.1	0.3	0.6	61	0.24	0.042
DL300N + 500W	Soil		1.0	46.2	20.9	65	0.1	11.9	5.3	195	2.96	6.3	0.9	6.5	3.8	6	0.1	0.4	0.6	55	0.13	0.070
DL300N + 475W	Soil		0.9	59.8	20.8	58	<0.1	13.0	6.9	267	3.05	14.2	1.2	9.3	5.0	11	0.1	0.5	0.6	68	0.25	0.084
DL300N + 450W	Soil		1.2	53.0	23.3	60	0.2	14.7	7.7	150	2.84	5.7	1.9	<0.5	5.6	7	0.2	0.4	0.4	49	0.15	0.050
DL300N + 425W	Soil		1.2	44.7	24.0	65	0.1	8.5	3.3	364	3.09	6.6	1.3	2.1	6.0	11	<0.1	0.4	0.4	51	0.17	0.146
DL300N + 400W	Soil		0.8	62.1	28.2	77	<0.1	14.9	8.2	477	2.52	5.2	2.4	2.4	6.0	10	0.1	0.4	0.6	55	0.21	0.092
DL300N + 375W	Soil		0.8	20.5	20.0	59	0.1	7.9	4.1	233	2.33	2.5	0.8	3.4	3.1	8	0.2	0.3	0.6	42	0.13	0.093
DL300N + 300W	Soil		0.8	96.2	19.6	130	0.1	16.0	8.1	383	3.18	16.0	1.3	3.6	5.1	14	0.3	0.5	0.6	69	0.27	0.125
DL300N + 225W	Soil		1.4	56.3	23.4	54	0.1	12.4	7.8	183	3.20	9.6	1.6	16.5	6.6	12	0.2	0.5	0.6	65	0.24	0.076
DL300N + 175W	Soil		2.1	36.3	42.0	65	0.2	8.9	5.4	377	2.86	11.5	1.0	8.6	2.3	11	0.2	0.5	1.3	62	0.20	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

10 of 14 Part 2

CERTIFICATE OF ANALYSIS

VAN06003975.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
DL400N + 000W	Soil	10	27	1.37	111	0.128	2	3.81	0.016	0.08	0.5	0.05	1.9	0.1	<0.05	12	<0.5
L300N + 1000W	Soil	29	40	2.02	64	0.141	5	4.97	0.025	0.08	0.3	0.07	3.9	0.3	<0.05	11	0.6
L300N + 0975W	Soil	20	44	1.63	67	0.139	4	3.85	0.024	0.09	0.4	0.06	3.1	0.3	<0.05	11	0.6
L300N + 0950W	Soil	11	42	1.58	85	0.139	3	3.30	0.021	0.08	0.4	0.05	2.5	0.2	<0.05	11	0.7
L300N + 0925W	Soil	9	41	1.52	66	0.172	2	4.04	0.021	0.07	0.3	0.06	2.4	0.1	<0.05	13	<0.5
L300N + 0900W	Soil	10	43	2.25	77	0.151	8	3.82	0.022	0.07	0.3	0.04	2.4	0.2	<0.05	12	0.6
L300N + 0875W	Soil	8	34	0.92	76	0.137	2	3.28	0.022	0.05	0.3	0.06	1.8	0.2	<0.05	11	<0.5
L300N + 0850W	Soil	17	55	3.49	51	0.135	6	2.98	0.023	0.08	0.4	0.03	3.2	0.2	<0.05	11	<0.5
L300N + 825W	Soil	9	42	1.73	86	0.151	3	2.43	0.025	0.09	0.3	0.02	2.2	0.1	<0.05	12	<0.5
L300N + 0800W	Soil	13	54	2.21	74	0.145	4	3.58	0.022	0.09	0.7	0.04	3.3	0.2	<0.05	8	<0.5
L300N + 0775W	Soil	13	43	2.19	68	0.139	5	3.44	0.022	0.08	0.5	0.05	2.7	0.2	<0.05	10	<0.5
L300N + 0750W	Soil	9	49	2.16	81	0.158	6	3.56	0.017	0.09	0.5	0.05	2.6	0.1	<0.05	11	<0.5
L300N + 0725W	Soil	24	41	2.36	91	0.098	3	3.50	0.017	0.06	0.4	0.04	3.4	0.2	<0.05	11	<0.5
L300N + 0700W	Soil	9	31	1.78	77	0.128	3	4.50	0.016	0.05	0.4	0.06	3.2	0.2	<0.05	11	<0.5
L300N + 0675W	Soil	16	55	3.10	62	0.103	5	3.23	0.014	0.06	0.5	0.04	3.5	0.2	<0.05	10	0.7
L300N + 0650W	Soil	9	30	1.07	75	0.103	2	3.18	0.014	0.05	0.5	0.04	2.1	0.1	<0.05	11	<0.5
L300N + 0625W	Soil	9	38	1.63	77	0.114	2	3.27	0.013	0.06	0.5	0.04	2.4	0.1	<0.05	11	<0.5
L300N + 0600W	Soil	26	40	1.69	114	0.110	4	3.42	0.017	0.06	0.6	0.06	2.8	0.2	<0.05	10	<0.5
L300N + 0575W	Soil	8	33	1.39	61	0.122	2	3.47	0.015	0.06	0.5	0.06	2.2	<0.1	<0.05	10	<0.5
L300N + 0550W	Soil	10	27	1.27	64	0.101	2	3.23	0.013	0.05	0.4	0.03	2.3	<0.1	<0.05	10	<0.5
L300N + 0525W	Soil	8	28	1.00	101	0.103	2	2.54	0.011	0.05	0.5	0.04	1.8	0.1	<0.05	11	0.6
DL300N + 500W	Soil	7	19	0.53	79	0.092	<1	2.57	0.012	0.05	0.4	0.05	1.6	0.1	<0.05	12	<0.5
DL300N + 475W	Soil	9	22	0.58	97	0.086	1	2.53	0.016	0.06	0.5	0.03	1.9	0.1	<0.05	11	0.5
DL300N + 450W	Soil	8	24	0.73	76	0.136	2	4.82	0.018	0.05	0.5	0.06	2.3	<0.1	<0.05	12	<0.5
DL300N + 425W	Soil	3	25	0.26	95	0.139	1	5.64	0.018	0.04	0.5	0.15	2.2	<0.1	<0.05	13	<0.5
DL300N + 400W	Soil	9	23	1.19	100	0.101	3	3.19	0.015	0.05	0.3	0.07	2.4	0.1	<0.05	10	<0.5
DL300N + 375W	Soil	6	16	0.32	56	0.094	<1	2.02	0.015	0.04	0.2	0.04	1.1	0.1	<0.05	11	<0.5
DL300N + 300W	Soil	9	25	1.12	118	0.084	1	2.98	0.012	0.06	0.7	0.03	2.1	0.1	<0.05	9	<0.5
DL300N + 225W	Soil	8	22	0.54	86	0.095	<1	3.19	0.014	0.06	0.5	0.04	2.0	<0.1	<0.05	11	<0.5
DL300N + 175W	Soil	8	17	0.46	101	0.082	1	1.52	0.015	0.06	0.4	0.03	1.1	0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmelab.com

Page: 11 of 14 Part

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
		ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%											
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	2	0.01	0.001	
DL300N + 150W	Soil	2.1	36.5	24.8	109	0.2	11.1	7.5	522	2.93	15.5	2.0	6.0	3.6	30	0.2	0.4	0.6	62	0.50	0.089
DL300N + 125W	Soil	3.0	82.5	23.6	45	0.3	14.0	7.9	410	2.69	21.9	3.3	1.6	5.7	38	0.4	0.6	0.4	50	0.56	0.038
DL300N + 100W	Soil	1.0	46.3	29.6	72	0.1	9.0	6.2	504	2.94	53.3	1.3	5.4	3.5	13	0.1	0.7	0.6	86	0.45	0.089
DL300N + 075W	Soil	4.2	28.8	18.8	40	<0.1	11.7	5.9	171	2.83	9.4	1.1	3.7	2.9	18	0.1	0.4	0.6	74	0.35	0.026
DL300N + 050W	Soil	1.1	162.3	25.4	58	<0.1	18.2	10.6	259	3.17	22.1	1.5	17.8	6.7	15	0.1	0.6	0.5	72	0.30	0.056
DL300N + 025W	Soil	0.6	28.4	18.6	64	0.3	10.3	6.2	281	2.45	6.6	1.0	2.9	2.6	8	0.2	0.3	0.4	51	0.13	0.093
L200N + 1000W	Soil	0.8	27.9	26.5	130	0.2	13.1	7.0	1006	2.60	6.0	5.2	3.9	2.9	14	0.2	0.5	0.4	64	0.24	0.086
L200N + 0975W	Soil	0.7	14.6	24.1	97	<0.1	12.2	6.0	321	2.83	4.6	2.6	4.6	4.2	9	0.2	0.4	0.4	58	0.17	0.094
L200N + 0950W	Soil	0.5	21.0	21.4	91	<0.1	15.2	6.3	215	3.03	5.3	3.3	10.5	4.4	13	0.1	0.4	0.5	94	0.22	0.078
L200N + 0925W	Soil	0.5	22.9	28.0	119	0.2	13.4	7.1	1432	2.43	4.5	3.0	3.4	2.8	13	0.3	0.4	0.4	66	0.27	0.156
L200N + 0900W	Soil	0.4	29.4	25.4	29	0.2	8.4	5.3	143	2.37	7.5	5.1	5.7	2.8	12	0.3	0.2	0.3	46	0.46	0.056
L200N + 0875W	Soil	0.8	137.7	49.5	101	<0.1	25.7	10.6	1583	3.03	6.7	6.0	3.3	8.4	17	0.3	0.5	0.6	88	0.40	0.056
L200N + 0850W	Soil	0.5	58.2	38.0	86	<0.1	23.8	10.3	696	2.72	4.5	4.3	24.9	9.0	20	0.2	0.6	0.5	75	0.46	0.082
L200N + 0625W	Soil	0.8	49.2	13.2	29	<0.1	13.8	5.4	149	1.93	2.1	1.3	2.6	2.7	10	<0.1	0.3	0.2	56	0.21	0.021
L200N + 0600W	Soil	1.4	36.2	14.3	54	<0.1	15.9	7.2	191	3.22	4.7	1.3	1.5	3.6	10	0.1	0.4	0.3	48	0.17	0.029
L200N + 0575W	Soil	0.7	55.3	12.6	60	0.1	17.3	7.3	192	2.86	8.6	1.4	4.5	3.8	15	0.2	0.4	0.3	50	0.34	0.040
L200N + 0550W	Soil	0.8	33.1	15.7	44	0.1	9.3	4.2	149	3.02	10.9	0.9	2.4	3.0	10	0.1	0.5	0.4	70	0.18	0.037
L200N + 0525W	Soil	1.1	22.8	14.0	27	0.1	7.3	2.8	133	3.26	7.5	1.4	2.2	3.1	6	0.3	0.4	0.3	65	0.11	0.043
DL200N + 500W-B	Soil	1.1	82.3	17.3	33	0.1	10.1	4.9	103	2.68	9.4	2.0	4.1	6.3	7	0.2	0.4	0.3	46	0.15	0.051
DL200N + 425W	Soil	0.7	117.0	22.1	57	0.1	22.9	9.7	224	2.66	16.8	4.4	6.3	7.5	12	0.3	0.5	0.3	77	0.29	0.048
DL200N + 400W	Soil	0.8	30.7	16.8	42	0.3	7.8	3.3	176	2.30	6.0	0.8	3.9	2.5	6	0.1	0.3	0.5	59	0.09	0.043
DL200N + 375W	Soil	0.9	120.5	27.5	48	<0.1	17.2	8.8	235	2.95	20.3	2.5	7.0	5.9	16	0.2	0.6	0.6	81	0.31	0.046
DL200N + 300W	Soil	0.6	47.9	21.6	76	<0.1	16.1	6.9	227	2.48	4.6	4.5	10.8	9.9	15	0.2	0.4	0.3	76	0.26	0.029
DL200N + 275W	Soil	0.3	113.7	24.7	47	<0.1	19.2	7.7	648	1.86	4.2	4.8	6.6	13.9	19	0.2	0.4	0.2	65	0.62	0.087
DL200N + 250W	Soil	0.8	25.0	18.1	53	<0.1	8.1	3.7	96	2.74	5.1	1.6	2.2	4.6	5	0.2	0.3	0.3	49	0.08	0.079
DL200N + 200W	Soil	0.9	59.1	23.0	71	0.1	20.5	9.5	217	2.64	6.5	3.7	4.2	9.7	10	0.2	0.3	0.4	70	0.21	0.034
DL200N + 175W	Soil	0.7	52.3	21.9	66	0.1	15.2	6.8	170	2.93	11.7	2.2	2.9	5.8	12	0.2	0.5	0.5	68	0.26	0.102
DL200N + 150W	Soil	1.3	17.6	20.4	36	0.1	6.3	3.1	92	2.57	5.0	1.3	3.8	3.2	8	0.1	0.3	0.5	62	0.16	0.031
DL200N + 100W	Soil	0.9	81.6	24.5	89	0.1	20.4	11.3	237	3.21	17.7	2.8	3.6	6.8	22	0.2	0.4	0.4	82	0.45	0.061
DL200N + 075W	Soil	0.8	107.1	24.3	41	<0.1	20.1	12.2	283	2.89	18.1	2.7	9.1	10.8	14	0.2	1.0	0.4	82	0.37	0.055

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

11 of 14 Part 2

CERTIFICATE OF ANALYSIS

VAN08003975 1

Analyte Unit MDL	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
DL300N + 150W	Soil	10	17	0.71	166	0.090	2	2.52	0.020	0.08	0.6	0.07	1.8	<0.1	<0.05	10	<0.5
DL300N + 125W	Soil	15	27	0.48	174	0.108	2	3.67	0.027	0.06	0.7	0.07	3.1	0.1	<0.05	9	1.0
DL300N + 100W	Soil	8	13	0.46	104	0.088	1	1.94	0.014	0.05	0.5	0.06	1.6	<0.1	<0.05	9	<0.5
DL300N + 075W	Soil	7	21	0.71	76	0.081	2	1.61	0.013	0.06	0.6	0.02	1.3	<0.1	<0.05	10	<0.5
DL300N + 050W	Soil	12	24	1.09	126	0.061	1	2.71	0.012	0.06	0.5	0.05	2.3	0.1	<0.05	8	<0.5
DL300N + 025W	Soil	8	14	0.71	91	0.102	1	2.70	0.016	0.06	0.4	0.05	1.5	0.1	<0.05	11	<0.5
L200N + 1000W	Soil	10	35	1.52	93	0.093	3	3.30	0.017	0.06	0.3	0.06	2.0	0.2	<0.05	10	<0.5
L200N + 0975W	Soil	6	28	1.23	84	0.123	2	3.67	0.014	0.05	0.3	0.09	2.2	0.1	<0.05	12	<0.5
L200N + 0950W	Soil	8	50	2.55	73	0.104	4	2.50	0.013	0.06	0.5	0.02	2.6	<0.1	<0.05	12	<0.5
L200N + 0925W	Soil	7	43	2.04	127	0.082	3	2.55	0.014	0.06	0.3	0.06	2.0	0.2	<0.05	11	<0.5
L200N + 0900W	Soil	13	26	0.75	49	0.119	2	5.72	0.020	0.04	0.4	0.09	2.5	0.1	0.06	11	<0.5
L200N + 0875W	Soil	25	45	2.30	71	0.115	3	3.50	0.023	0.07	0.6	0.05	3.9	0.6	<0.05	10	0.5
L200N + 0850W	Soil	21	53	2.98	90	0.106	6	2.66	0.024	0.08	0.5	0.04	3.4	0.2	<0.05	10	<0.5
L200N + 0825W	Soil	8	31	1.11	37	0.096	2	1.77	0.014	0.04	0.5	0.03	1.5	<0.1	0.05	10	<0.5
L200N + 0800W	Soil	13	28	1.10	67	0.115	2	2.80	0.013	0.05	0.7	0.06	2.1	0.1	<0.05	13	<0.5
L200N + 0575W	Soil	11	35	1.14	59	0.058	1	2.91	0.011	0.05	0.9	0.05	2.2	0.1	<0.05	8	<0.5
L200N + 0550W	Soil	9	20	0.52	45	0.059	<1	1.40	0.010	0.05	0.4	0.06	1.5	<0.1	<0.05	10	<0.5
L200N + 0525W	Soil	7	17	0.42	37	0.090	1	3.12	0.011	0.03	0.3	0.11	1.7	<0.1	<0.05	13	<0.5
DL200N + 500W-B	Soil	10	27	0.51	52	0.082	1	4.10	0.015	0.03	0.7	0.08	2.8	<0.1	<0.05	9	0.6
DL200N + 425W	Soil	10	49	3.65	53	0.104	7	3.05	0.014	0.05	0.8	0.06	2.8	0.1	<0.05	10	<0.5
DL200N + 400W	Soil	6	15	0.37	68	0.107	<1	2.22	0.016	0.03	0.3	0.05	1.7	0.1	<0.05	12	<0.5
DL200N + 375W	Soil	11	30	1.77	51	0.074	2	2.46	0.011	0.04	0.8	0.04	1.7	<0.1	<0.05	7	0.6
DL200N + 300W	Soil	9	41	2.63	79	0.107	5	2.75	0.015	0.07	0.5	0.03	2.2	0.1	<0.05	9	<0.5
DL200N + 275W	Soil	31	41	4.14	60	0.083	8	2.10	0.023	0.07	0.5	0.02	3.5	0.2	<0.05	7	<0.5
DL200N + 250W	Soil	5	17	0.50	58	0.108	2	4.65	0.012	0.02	0.3	0.09	1.8	<0.1	<0.05	11	<0.5
DL200N + 200W	Soil	8	41	1.50	60	0.135	3	3.42	0.013	0.04	0.6	0.08	3.0	<0.1	<0.05	10	<0.5
DL200N + 175W	Soil	9	23	0.89	83	0.072	2	2.12	0.009	0.04	0.5	0.05	1.6	<0.1	<0.05	9	<0.5
DL200N + 150W	Soil	6	13	0.17	63	0.113	<1	2.11	0.013	0.03	0.4	0.04	1.6	<0.1	<0.05	11	<0.5
DL200N + 100W	Soil	10	34	1.48	105	0.095	3	3.25	0.012	0.04	0.7	0.07	2.6	<0.1	<0.05	8	<0.5
DL200N + 075W	Soil	13	32	1.71	87	0.088	3	2.86	0.012	0.05	0.7	0.04	3.5	<0.1	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmefab.com

Page: 12 of 14 Part

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001
DL200N + 050W	Soil	0.9	100.8	24.6	51	<0.1	16.2	10.5	482	2.99	17.8	3.2	7.0	9.1	20	0.2	0.5	0.4	75	0.74 0.070
DL200N + 025W	Soil	0.9	32.0	18.0	61	0.2	12.9	6.6	308	2.94	8.1	1.1	2.7	3.7	7	0.2	0.3	0.3	55	0.12 0.146
DL200N + 000W	Soil	0.8	53.7	19.9	63	0.2	15.2	7.7	168	2.80	8.9	1.5	4.1	6.1	9	0.1	0.3	0.4	67	0.19 0.099
L100N + 925W	Soil	0.3	112.6	27.4	100	<0.1	11.2	5.3	766	1.85	13.9	5.5	9.0	8.1	12	0.3	2.2	0.2	77	0.26 0.039
L100N + 900W	Soil	0.4	83.9	27.7	92	<0.1	11.7	6.1	574	2.18	14.0	5.5	14.8	7.1	9	0.3	1.4	0.2	79	0.15 0.038
L100N + 875W	Soil	0.6	55.0	29.4	107	<0.1	12.3	6.6	1038	2.29	10.5	6.8	5.5	4.3	10	0.2	1.0	0.3	75	0.23 0.049
L100N + 800W	Soil	0.8	56.9	31.3	154	<0.1	13.6	7.9	2408	2.32	11.4	7.6	3.1	2.5	16	0.4	0.9	0.4	76	0.35 0.083
L100N + 700W	Soil	1.1	73.8	11.9	12	<0.1	6.0	2.2	43	2.18	4.7	1.7	2.5	6.2	6	0.1	0.2	0.2	40	0.09 0.051
L100N + 675W	Soil	0.8	67.4	15.9	14	0.2	6.5	2.2	56	1.88	4.3	1.6	3.7	4.7	6	<0.1	0.5	0.2	32	0.11 0.056
L100N + 650W	Soil	1.3	26.8	14.7	20	0.2	7.2	2.4	94	2.38	2.9	1.0	2.3	3.4	6	0.2	0.2	0.3	45	0.12 0.041
L100N + 625W	Soil	1.1	121.5	29.8	56	<0.1	18.4	6.9	136	2.63	4.7	1.7	2.8	8.0	12	0.1	0.3	0.6	52	0.43 0.039
L100N + 600W	Soil	1.0	172.6	49.6	73	0.2	18.7	9.2	241	2.09	4.8	3.7	2.1	17.2	28	0.2	0.2	1.1	47	0.54 0.082
L100N + 575W	Soil	0.6	12.5	12.4	8	0.1	3.0	1.1	29	1.44	2.2	1.1	2.2	2.5	4	<0.1	0.1	0.2	28	0.04 0.031
L100N + 550W	Soil	1.0	86.5	35.6	62	0.3	15.4	6.4	204	2.91	4.4	1.7	2.6	5.3	13	0.1	0.2	0.4	56	0.32 0.084
L100N + 525W	Soil	0.9	49.1	17.4	20	0.1	7.3	2.7	102	3.15	4.6	2.1	2.8	6.2	5	0.2	0.2	0.3	63	0.10 0.103
L100N + 500W	Soil	0.8	128.2	18.1	55	<0.1	16.9	7.9	186	2.29	6.9	2.4	3.7	6.5	11	0.2	0.5	0.3	60	0.44 0.059
L100N + 500W-B	Soil	1.0	19.8	15.4	31	0.1	6.2	2.9	196	2.63	6.1	1.6	3.2	4.1	5	0.2	0.3	0.3	52	0.09 0.068
L100N + 475W	Soil	1.0	41.0	21.2	47	0.2	10.2	3.6	95	2.68	9.3	1.9	2.3	6.7	7	0.1	0.5	0.3	59	0.15 0.057
L100N + 450W	Soil	0.8	143.0	24.1	65	<0.1	21.6	8.6	169	2.66	6.2	3.3	7.0	9.5	14	0.3	0.7	0.3	83	0.39 0.032
L100N + 425W	Soil	0.7	90.1	17.1	86	<0.1	16.7	7.8	190	2.79	9.3	2.9	3.1	7.9	9	0.2	0.8	0.3	74	0.28 0.053
L100N + 400W	Soil	0.6	34.1	14.7	59	0.2	11.4	4.6	125	2.67	6.3	2.5	3.9	5.2	7	0.3	0.5	0.2	78	0.14 0.056
L100N + 375W	Soil	I.S.																		
L100N + 350W	Soil	1.3	73.1	20.0	123	0.2	17.8	10.0	1252	2.49	9.1	15.2	2.2	5.4	15	0.4	0.4	0.3	60	0.28 0.087
L100N + 325W	Soil	0.7	64.5	26.3	81	<0.1	22.1	11.3	597	3.33	6.6	2.5	6.0	7.1	11	0.2	0.4	0.4	83	0.29 0.128
L100N + 300W	Soil	0.9	51.0	17.4	45	<0.1	14.2	6.5	130	2.64	7.0	1.5	3.7	4.4	12	0.2	0.3	0.4	62	0.22 0.035
L100N + 275W	Soil	0.7	33.9	17.0	45	0.4	8.9	4.8	116	2.04	16.6	7.5	2.5	2.6	44	0.2	0.2	0.3	44	0.47 0.048
L100N + 225W	Soil	0.7	15.4	14.7	21	0.1	5.1	2.3	68	1.87	3.3	1.0	11.6	2.1	4	<0.1	0.2	0.4	48	0.08 0.019
L100N + 200W	Soil	0.6	102.0	21.7	43	<0.1	12.7	5.8	300	1.70	4.4	2.9	3.8	6.7	13	0.2	0.5	0.3	52	0.23 0.040
L100N + 175W	Soil	0.7	87.1	27.7	33	<0.1	19.1	8.9	252	2.20	10.3	8.9	1.9	6.2	18	0.2	0.3	0.4	53	0.24 0.029
L100N + 100W	Soil	0.5	86.4	21.5	53	<0.1	16.2	7.5	499	2.00	6.4	3.9	33.8	9.3	24	0.2	0.4	0.3	62	1.60 0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

Page: 12 of 14 Part 2

VAN08003975.1

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	1DX15															
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
DL200N + 050W	Soil		21	27	1.97	116	0.082	5	2.33	0.016	0.09	0.7	0.04	3.8	0.1	<0.05	7	<0.5
DL200N + 025W	Soil		5	33	0.45	73	0.140	2	4.48	0.017	0.03	0.6	0.05	2.4	<0.1	<0.05	10	<0.5
DL200N + 000W	Soil		8	23	0.70	77	0.115	1	3.95	0.014	0.04	0.5	0.07	2.7	<0.1	<0.05	10	<0.5
L100N + 925W	Soil		10	27	4.02	72	0.082	6	2.48	0.016	0.10	0.4	0.04	1.8	0.2	<0.05	10	<0.5
L100N + 900W	Soil		11	30	2.94	68	0.089	4	2.81	0.016	0.09	0.4	0.05	1.9	0.2	<0.05	11	<0.5
L100N + 875W	Soil		12	27	2.40	91	0.085	4	2.79	0.013	0.07	0.4	0.04	1.7	0.2	<0.05	11	<0.5
L100N + 800W	Soil		15	32	2.43	118	0.084	4	3.07	0.016	0.08	0.4	0.05	1.8	0.3	0.05	11	<0.5
L100N + 700W	Soil		10	23	0.20	17	0.133	<1	5.51	0.021	0.02	0.4	0.08	3.0	<0.1	<0.05	9	0.6
L100N + 675W	Soil		7	18	0.19	16	0.112	<1	4.13	0.023	0.02	0.3	0.08	2.8	<0.1	<0.05	8	0.6
L100N + 650W	Soil		8	25	0.24	39	0.103	<1	2.37	0.014	0.03	0.2	0.08	1.9	<0.1	<0.05	12	<0.5
L100N + 625W	Soil		14	40	0.73	48	0.072	1	2.76	0.014	0.04	0.8	0.06	2.9	0.1	<0.05	8	<0.5
L100N + 600W	Soil		12	19	1.14	92	0.055	1	5.09	0.016	0.03	2.5	0.07	1.8	0.1	<0.05	9	<0.5
L100N + 575W	Soil		6	10	0.05	27	0.131	<1	3.13	0.023	0.02	0.1	0.04	2.2	<0.1	<0.05	10	<0.5
L100N + 550W	Soil		8	27	0.63	41	0.108	1	3.69	0.015	0.04	0.5	0.10	2.2	<0.1	<0.05	11	0.5
L100N + 525W	Soil		7	25	0.15	25	0.147	<1	5.10	0.016	0.02	0.3	0.08	2.6	<0.1	<0.05	14	0.5
L100N + 500W	Soil		11	28	0.95	51	0.114	2	2.93	0.016	0.08	0.7	0.05	2.1	0.1	<0.05	10	<0.5
L100N + 500W-B	Soil		5	17	0.23	36	0.118	1	4.52	0.016	0.03	0.3	0.10	2.0	<0.1	<0.05	11	0.7
L100N + 475W	Soil		6	28	0.49	52	0.114	1	4.00	0.016	0.04	0.6	0.08	2.2	<0.1	<0.05	10	<0.5
L100N + 450W	Soil		12	41	1.86	77	0.112	3	2.99	0.015	0.11	1.2	0.04	2.5	0.1	<0.05	10	<0.5
L100N + 425W	Soil		10	34	1.80	62	0.099	3	3.13	0.011	0.08	0.7	0.05	2.2	<0.1	<0.05	10	<0.5
L100N + 400W	Soil		7	25	1.34	60	0.135	3	3.45	0.016	0.05	0.4	0.06	2.0	<0.1	<0.05	12	<0.5
L100N + 375W	Soil		I.S.															
L100N + 350W	Soil		18	30	0.76	92	0.121	2	3.87	0.018	0.06	0.9	0.06	2.9	0.2	<0.05	10	0.6
L100N + 325W	Soil		13	32	5.14	135	0.110	9	3.76	0.015	0.12	0.5	0.04	3.3	0.1	<0.05	13	<0.5
L100N + 300W	Soil		6	28	1.03	67	0.104	2	2.74	0.011	0.03	0.6	0.04	2.0	<0.1	0.05	11	<0.5
L100N + 275W	Soil		8	19	0.35	66	0.128	1	3.73	0.017	0.03	0.8	0.08	1.3	<0.1	0.05	6	<0.5
L100N + 225W	Soil		5	11	0.21	43	0.065	<1	1.37	0.012	0.02	0.3	0.04	1.0	<0.1	<0.05	8	<0.5
L100N + 200W	Soil		17	25	1.97	69	0.070	3	1.78	0.011	0.07	0.4	0.04	2.0	0.2	<0.05	7	<0.5
L100N + 175W	Soil		22	30	1.31	92	0.044	2	2.54	0.009	0.04	0.6	0.05	2.6	0.1	0.05	6	<0.5
L100N + 100W	Soil		16	34	3.50	91	0.078	6	2.08	0.020	0.07	0.5	0.03	2.5	0.1	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

13 of 14 Part 1

CERTIFICATE OF ANALYSIS

VAN08003975.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L100N + 075W	Soil	0.3	99.9	18.8	45	<0.1	13.7	6.6	564	1.61	5.4	3.4	8.4	8.7	33	0.2	0.4	0.2	53	3.25	0.085
L100N + 050W	Soil	0.3	94.7	18.2	45	<0.1	12.9	6.3	484	1.52	10.5	2.6	10.9	6.0	33	0.1	0.4	0.3	46	3.91	0.059
L100N + 025W	Soil	1.1	18.0	20.8	50	0.1	8.1	4.1	104	2.41	4.3	1.0	1.1	3.4	4	0.1	0.2	0.3	44	0.07	0.059
L100N + 000W	Soil	1.3	44.4	19.0	55	<0.1	13.1	5.5	200	2.38	10.5	1.3	4.1	3.6	11	0.3	0.3	0.3	47	0.22	0.113
L00N + 875W	Soil	0.7	44.5	16.9	58	0.2	8.6	4.6	1298	1.81	3.9	1.2	3.6	0.8	7	0.2	0.3	0.4	42	0.09	0.076
L00N + 850W	Soil	0.9	60.9	35.4	53	<0.1	10.2	4.3	1014	2.43	4.0	1.6	2.8	1.6	10	0.1	0.3	0.9	58	0.14	0.099
L00N + 825W	Soil	0.8	42.5	27.4	44	0.1	6.2	3.4	487	1.96	2.7	2.4	2.7	2.1	9	<0.1	0.2	0.5	56	0.17	0.086
L00N + 775W	Soil	0.5	27.4	37.5	43	<0.1	5.8	3.7	310	2.00	3.4	1.8	12.9	2.6	14	<0.1	0.2	0.9	70	0.19	0.070
L00N + 750W	Soil	0.8	22.9	20.3	33	<0.1	4.6	2.8	545	2.56	3.4	1.4	2.1	1.5	8	0.2	0.2	0.5	53	0.08	0.128
L00N + 725W	Soil	0.9	21.9	19.3	15	0.2	4.3	2.0	233	1.42	2.4	1.3	2.0	1.2	5	<0.1	0.1	0.4	35	0.07	0.103
L00N + 700W	Soil	0.5	28.5	20.8	13	0.1	2.5	0.6	54	0.83	1.4	1.1	3.6	1.0	4	<0.1	0.1	0.4	23	0.09	0.036
L00N + 675W	Soil	0.5	187.3	35.2	34	<0.1	18.5	6.1	169	1.63	2.7	1.7	0.9	8.1	14	<0.1	0.1	1.0	36	0.38	0.054
L00N + 650W	Soil	0.5	96.9	15.0	52	0.1	15.1	5.8	190	1.79	2.3	1.5	1.7	3.8	9	<0.1	0.1	0.3	42	0.22	0.028
L00N + 625W	Soil	0.9	78.1	19.7	28	0.2	8.0	3.0	111	1.90	2.7	1.5	3.4	4.2	5	<0.1	0.2	0.4	40	0.11	0.042
L00N + 600W	Soil	0.6	169.2	24.4	46	0.2	17.0	6.6	161	1.97	2.7	1.6	2.6	5.0	9	0.1	0.2	0.6	44	0.26	0.035
L00N + 575W	Soil	0.5	42.4	14.8	24	0.1	5.9	2.5	88	1.40	2.3	1.1	1.6	2.2	6	<0.1	0.2	0.3	32	0.14	0.042
L00N + 550W	Soil	0.6	52.1	15.2	24	0.1	7.3	3.0	92	1.87	4.1	0.8	3.2	2.1	4	0.1	0.2	0.3	38	0.09	0.047
L00N + 525W	Soil	1.0	41.9	14.1	34	<0.1	8.4	3.6	200	2.76	6.8	1.1	2.1	3.8	4	<0.1	0.2	0.4	58	0.12	0.044
L00N + 500W	Soil	0.8	80.2	14.4	64	<0.1	10.2	5.1	176	2.77	7.3	1.4	10.1	4.4	8	0.1	0.3	0.3	63	0.17	0.059
L00N + 500W-B	Soil	1.0	48.5	23.8	61	0.1	13.2	4.9	168	2.13	3.8	1.7	2.2	4.0	10	0.2	0.2	0.4	36	0.25	0.046
L00N + 475W	Soil	0.8	36.4	34.7	34	0.2	9.0	3.5	76	2.02	3.4	1.3	1.3	2.2	10	0.2	0.1	0.5	44	0.15	0.024
L00N + 450W	Soil	1.1	45.0	25.1	65	<0.1	13.0	5.7	168	2.67	4.8	1.8	1.6	4.7	7	0.2	0.3	0.5	51	0.16	0.051
L00N + 425W	Soil	1.0	62.5	27.9	64	0.1	10.8	5.3	177	2.31	6.2	1.6	2.8	7.5	12	0.1	0.2	0.6	39	0.17	0.136
L00N + 400W	Soil	0.4	208.9	18.5	49	<0.1	14.9	7.3	218	1.60	6.5	3.4	<0.5	4.4	23	0.1	0.1	0.3	41	0.51	0.063
L00N + 375W	Soil	0.9	51.7	15.4	44	0.2	11.4	4.7	123	1.89	4.3	1.7	1.7	4.0	9	0.2	0.2	0.3	39	0.22	0.049
L00N + 350W	Soil	0.7	119.7	17.6	45	<0.1	15.3	6.5	151	1.70	3.9	2.8	3.1	5.4	15	<0.1	0.2	0.3	46	0.37	0.029
L00N + 325W	Soil	1.4	73.1	16.3	49	<0.1	13.5	6.5	137	2.31	6.8	2.8	1.3	3.7	23	0.1	0.2	0.4	63	0.50	0.034
L00N + 300W	Soil	1.5	56.1	24.1	57	0.2	13.1	7.1	228	2.16	17.2	7.1	2.4	3.8	24	0.2	0.3	0.4	49	0.36	0.062
L00N + 275W	Soil	1.3	87.8	20.9	78	<0.1	19.2	10.1	199	2.59	7.1	2.6	3.4	6.5	19	0.2	0.3	0.4	65	0.51	0.045
L00N + 250W	Soil	2.0	41.4	16.2	53	0.1	9.9	6.4	216	1.86	5.6	5.0	2.3	3.8	9	<0.1	0.4	0.3	44	0.19	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

13 of 14 Part 2

VAND8003975 1

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	1DX15															
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L100N + 075W	Soil		20	30	4.97	71	0.056	8	1.54	0.022	0.07	0.4	0.03	2.4	0.2	<0.05	5	<0.5
L100N + 050W	Soil		14	23	4.14	84	0.046	5	1.37	0.019	0.06	0.4	0.04	1.9	0.1	0.06	5	<0.5
L100N + 025W	Soil		5	19	0.37	68	0.109	<1	3.91	0.015	0.02	0.3	0.06	1.7	<0.1	0.08	10	<0.5
L100N + 000W	Soil		7	24	0.72	91	0.074	1	2.77	0.011	0.03	0.4	0.09	1.7	0.1	<0.05	8	0.5
LOON + 875W	Soil		6	14	0.41	52	0.054	2	1.68	0.010	0.04	0.3	0.04	0.7	0.2	0.06	8	<0.5
LOON + 850W	Soil		6	18	0.41	33	0.081	<1	1.35	0.010	0.04	0.3	0.05	0.9	0.1	0.07	12	<0.5
LOON + 825W	Soil		8	12	0.33	30	0.090	<1	2.11	0.011	0.04	0.3	0.05	1.4	0.2	0.08	10	<0.5
LOON + 775W	Soil		7	10	0.44	35	0.082	<1	0.88	0.011	0.04	0.3	0.07	0.9	0.2	0.05	8	<0.5
LOON + 750W	Soil		6	12	0.22	34	0.068	<1	1.78	0.010	0.03	0.3	0.10	1.0	0.1	0.06	9	<0.5
LOON + 725W	Soil		6	8	0.10	23	0.072	<1	2.27	0.013	0.02	0.2	0.06	1.2	0.2	0.06	7	<0.5
LOON + 700W	Soil		6	10	0.07	30	0.053	<1	1.61	0.011	0.02	0.1	0.04	0.9	0.1	<0.05	8	<0.5
LOON + 675W	Soil		10	23	0.62	30	0.039	<1	1.96	0.009	0.02	1.1	0.04	1.4	<0.1	<0.05	4	<0.5
LOON + 650W	Soil		7	28	1.08	33	0.056	1	1.93	0.009	0.03	0.6	0.03	1.1	<0.1	<0.05	7	<0.5
LOON + 625W	Soil		6	19	0.33	27	0.083	<1	2.73	0.012	0.02	0.3	0.07	1.7	<0.1	<0.05	8	0.6
LOON + 600W	Soil		8	25	0.75	36	0.058	<1	2.05	0.009	0.04	0.7	0.05	1.2	0.1	<0.05	6	<0.5
LOON + 575W	Soil		5	14	0.25	23	0.064	<1	1.81	0.010	0.02	0.2	0.05	1.1	<0.1	<0.05	6	<0.5
LOON + 550W	Soil		5	15	0.29	23	0.067	<1	2.60	0.011	0.02	0.2	0.10	1.4	<0.1	<0.05	8	<0.5
LOON + 525W	Soil		6	25	0.36	30	0.064	<1	3.13	0.009	0.02	0.4	0.09	2.1	<0.1	<0.05	9	0.5
LOON + 500W	Soil		6	20	0.99	34	0.099	2	2.44	0.014	0.03	0.9	0.07	1.2	<0.1	<0.05	11	<0.5
LOON + 500W-B	Soil		7	23	0.58	60	0.078	2	2.42	0.013	0.03	0.5	0.08	1.4	<0.1	<0.05	8	<0.5
LOON + 475W	Soil		8	16	0.27	55	0.101	<1	1.36	0.012	0.03	0.4	0.04	1.2	<0.1	<0.05	10	<0.5
LOON + 450W	Soil		10	20	0.61	52	0.081	2	2.08	0.008	0.04	0.7	0.06	1.4	0.1	<0.05	9	<0.5
LOON + 425W	Soil		5	14	0.44	67	0.123	1	3.72	0.017	0.03	0.7	0.07	1.2	<0.1	<0.05	10	<0.5
LOON + 400W	Soil		11	21	2.19	60	0.052	4	2.14	0.014	0.04	0.7	0.02	1.1	<0.1	<0.05	7	<0.5
LOON + 375W	Soil		6	22	0.42	49	0.097	1	3.14	0.013	0.04	0.6	0.06	1.6	<0.1	<0.05	8	<0.5
LOON + 350W	Soil		8	21	0.67	65	0.067	1	2.07	0.014	0.06	0.6	0.04	1.4	<0.1	<0.05	6	<0.5
LOON + 325W	Soil		10	26	0.67	93	0.078	<1	1.67	0.014	0.04	0.7	0.02	1.3	<0.1	<0.05	9	<0.5
LOON + 300W	Soil		8	20	0.43	126	0.086	1	3.57	0.019	0.04	0.7	0.04	1.4	<0.1	<0.05	8	<0.5
LOON + 275W	Soil		11	30	0.93	84	0.063	2	2.58	0.011	0.06	0.7	0.04	2.0	<0.1	<0.05	7	<0.5
LOON + 250W	Soil		8	16	0.47	61	0.100	<1	2.26	0.011	0.03	0.5	0.03	1.5	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

14 of 14 Part 1

VAN08003975 1

CERTIFICATE OF ANALYSIS

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%							
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LOON + 225W	Soil	1.4	69.7	21.2	56	0.2	13.7	6.6	260	2.03	8.3	7.1	3.9	4.6	31	0.3	0.3	0.3	50	0.39	0.045
LOON + 200W	Soil	1.1	104.0	20.4	38	0.4	14.4	8.2	127	2.25	8.7	18.1	4.2	6.1	28	0.5	0.3	0.3	47	0.35	0.045
LOON + 150W	Soil	0.9	68.5	15.1	48	<0.1	14.8	6.6	164	2.61	7.2	3.1	6.2	7.2	17	0.2	0.4	0.4	86	0.47	0.074
LOON + 125W	Soil	0.9	51.2	18.0	70	0.2	16.6	8.5	175	2.36	5.1	2.5	3.1	5.7	13	0.2	0.3	0.2	62	0.26	0.054
LOON + 075W	Soil	0.6	85.7	21.7	53	<0.1	18.0	8.2	298	2.17	5.3	3.3	5.6	7.3	18	0.2	0.3	0.3	70	0.50	0.059
LOON + 050W	Soil	I.S.																			
LOON + 025W	Soil	1.2	33.0	28.1	67	0.1	31.6	12.8	141	3.63	50.8	2.6	4.4	4.4	47	0.5	0.8	0.3	59	0.72	0.071
LOON + 000W	Soil	1.1	71.6	27.7	55	0.1	18.5	7.2	194	2.17	10.6	3.3	3.8	6.4	19	0.3	0.3	0.4	64	0.39	0.069



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

14 of 14 Part 2

VAN08003975.1

CERTIFICATE OF ANALYSIS

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5
LOON + 225W	Soil	12	23	0.58	118	0.101	2	2.91	0.021	0.04	0.7	0.06	2.2	0.1	<0.05	9	<0.5
LOON + 200W	Soil	16	24	0.80	57	0.126	2	4.31	0.027	0.04	0.8	0.08	2.3	0.1	<0.05	7	0.6
LOON + 150W	Soil	11	32	1.44	50	0.118	4	1.67	0.013	0.06	0.7	0.04	2.2	<0.1	<0.05	10	<0.5
LOON + 125W	Soil	8	35	1.62	103	0.113	4	3.93	0.016	0.04	0.5	0.06	2.2	<0.1	<0.05	9	<0.5
LOON + 075W	Soil	12	34	2.13	74	0.113	5	2.68	0.021	0.06	0.6	0.04	2.4	0.1	<0.05	9	<0.5
LOON + 050W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
LOON + 025W	Soil	7	195	1.06	85	0.123	4	4.93	0.019	0.04	1.9	0.10	2.8	0.1	<0.05	9	<0.5
LOON + 000W	Soil	11	33	1.52	104	0.098	6	2.44	0.015	0.05	0.8	0.07	2.1	<0.1	<0.05	8	<0.5



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

1 of 3 Part 1

VAN080039751

QUALITY CONTROL REPORT

Method	Analyte	1DX15																				
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%									
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																						
L1000N + 450W	Soil	1.0	85.9	37.9	105	0.1	18.6	9.7	482	2.85	72.1	1.3	2.1	6.3	8	0.3	0.8	0.7	54	0.21	0.107	
REP L1000N + 450W	QC	1.0	87.3	37.5	107	0.1	19.0	9.8	482	2.91	73.4	1.3	1.7	6.2	8	0.2	0.8	0.7	54	0.20	0.107	
L900N + 0700W	Soil	1.8	94.9	19.0	67	0.2	17.3	7.0	124	2.50	3.9	1.4	2.1	5.7	7	0.2	0.2	0.3	51	0.14	0.043	
REP L900N + 0700W	QC	1.8	96.5	19.7	68	0.2	17.8	6.9	126	2.52	4.0	1.4	2.1	5.9	7	0.2	0.2	0.4	51	0.15	0.042	
L900N + 0025W	Soil	1.0	60.0	11.6	143	0.2	20.3	9.3	747	4.38	5.7	1.1	3.0	1.5	15	0.2	0.6	0.5	89	0.30	0.176	
REP L900N + 0025W	QC	1.0	63.4	12.6	149	0.2	21.9	9.6	830	4.69	6.2	1.2	20.4	1.5	16	0.2	0.5	0.6	92	0.31	0.184	
L800N + 0975W	Soil	1.6	238.7	22.5	101	0.1	29.6	9.8	186	2.72	4.9	2.2	3.1	8.5	14	0.2	0.3	0.6	78	0.18	0.049	
REP L800N + 0975W	QC	1.6	229.4	22.9	97	0.1	29.4	10.2	193	2.78	4.7	2.2	2.7	8.4	15	0.1	0.3	0.6	80	0.18	0.049	
L800N + 0125W	Soil	0.7	71.8	10.2	42	<0.1	37.7	15.3	914	4.38	5.2	2.1	26.0	12.7	30	0.1	0.5	0.7	81	0.63	0.037	
REP L800N + 0125W	QC	0.8	70.8	10.0	42	<0.1	37.7	14.8	903	4.37	5.0	2.0	27.3	11.9	30	0.1	0.5	0.7	76	0.60	0.036	
L700N + 0825W	Soil	2.0	164.5	32.5	79	<0.1	21.3	10.2	357	3.21	4.6	1.9	5.2	9.1	13	0.2	0.3	0.7	68	0.34	0.064	
REP L700N + 0825W	QC	2.1	158.5	32.7	80	<0.1	20.2	10.0	350	3.07	4.3	1.8	2.9	9.0	13	0.2	0.3	0.7	68	0.34	0.064	
L700N + 0450W	Soil	0.9	52.4	33.2	74	0.2	9.3	5.5	748	2.70	28.1	1.4	4.1	5.0	15	0.1	0.6	1.2	67	0.16	0.076	
REP L700N + 0450W	QC	0.8	50.2	33.9	75	0.2	10.1	5.6	701	2.64	28.6	1.4	2.8	5.1	15	<0.1	0.6	1.1	70	0.16	0.080	
L600N + 0800W	Soil	1.1	164.5	40.5	142	<0.1	21.2	12.0	1778	3.36	11.3	2.4	5.1	6.9	13	0.2	2.0	0.9	77	0.25	0.089	
REP L600N + 0800W	QC	1.2	166.3	41.4	143	<0.1	21.6	12.5	1789	3.61	11.2	2.4	2.0	6.9	14	0.3	2.1	0.8	79	0.24	0.089	
L600N + 0575W	Soil	1.5	111.2	33.7	115	0.1	19.3	9.3	774	2.94	5.7	1.8	2.0	5.8	10	0.2	0.5	0.8	63	0.33	0.073	
REP L600N + 0575W	QC	1.4	110.1	33.4	114	0.1	18.4	9.1	746	2.87	5.7	1.7	0.8	5.7	11	0.3	0.5	0.8	61	0.34	0.072	
L600N + 0075W	Soil	0.7	52.0	16.3	77	<0.1	25.8	12.2	223	3.17	9.8	1.2	3.8	6.1	13	0.3	0.4	0.3	73	0.26	0.059	
REP L600N + 0075W	QC	0.8	49.8	17.3	79	<0.1	26.2	12.1	223	3.14	9.6	1.1	2.6	5.9	13	0.2	0.4	0.3	71	0.25	0.060	
L500N + 0625W	Soil	0.9	159.5	40.2	72	<0.1	28.0	11.8	632	3.27	4.6	3.5	1.4	11.4	12	0.3	0.4	0.7	84	0.61	0.052	
REP L500N + 0625W	QC	1.0	157.4	39.2	69	<0.1	27.9	11.5	632	3.13	4.5	3.6	2.1	11.8	12	0.3	0.4	0.7	82	0.58	0.051	
L500N + 0225W	Soil	2.2	59.6	21.1	63	0.4	9.3	5.2	159	2.97	46.6	2.4	2.0	5.4	11	0.2	0.4	0.5	62	0.23	0.114	
REP L500N + 0225W	QC	2.2	58.1	19.9	61	0.4	9.5	5.0	162	2.99	47.0	2.3	2.3	5.4	10	0.2	0.5	0.5	62	0.23	0.117	
L400N + 0525W	Soil	1.1	75.6	21.5	77	0.2	15.8	8.0	196	2.41	5.1	1.5	0.6	6.1	8	0.2	0.3	0.5	56	0.28	0.055	
REP L400N + 0525W	QC	1.4	76.6	21.5	77	0.2	16.5	7.9	196	2.45	4.9	1.6	2.6	5.7	8	0.1	0.3	0.5	55	0.28	0.051	
L300N + 0800W	Soil	0.8	101.0	29.5	65	0.2	24.5	11.4	402	2.77	9.0	5.2	7.5	9.0	18	0.2	0.3	0.3	82	0.40	0.050	
REP L300N + 0800W	QC	0.7	102.4	28.1	64	0.2	26.9	11.3	406	2.78	8.8	5.3	14.6	8.9	19	0.2	0.4	0.4	82	0.39	0.051	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

Page: 1 of 3 Part 2

VAN08003975 1

QUALITY CONTROL REPORT

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm						
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
L1000N + 450W	Soil	7	27	0.53	77	0.094	2	3.23	0.013	0.07	0.4	0.09	2.3	0.2	<0.05	9	<0.5
REP L1000N + 450W	QC	7	27	0.52	80	0.092	2	3.24	0.012	0.06	0.4	0.08	2.3	0.2	<0.05	9	<0.5
L900N + 0700W	Soil	8	33	0.39	52	0.141	1	3.41	0.021	0.04	0.6	0.06	2.3	0.1	<0.05	11	<0.5
REP L900N + 0700W	QC	8	33	0.39	54	0.146	2	3.40	0.021	0.04	0.5	0.07	2.4	0.1	<0.05	11	0.7
L900N + 0025W	Soil	13	37	0.72	287	0.043	2	2.54	0.026	0.14	0.4	0.03	2.4	0.2	<0.05	14	<0.5
REP L900N + 0025W	QC	13	38	0.77	292	0.046	2	2.67	0.028	0.15	0.3	0.04	2.6	0.2	<0.05	14	<0.5
L800N + 0975W	Soil	12	42	1.69	64	0.140	3	3.68	0.013	0.09	0.7	0.06	3.1	0.2	<0.05	12	<0.5
REP L800N + 0975W	QC	13	44	1.68	67	0.144	3	3.79	0.014	0.10	0.6	0.05	3.2	0.3	<0.05	11	<0.5
L800N + 0125W	Soil	62	63	1.21	306	0.101	2	2.55	0.033	0.11	0.2	0.04	11.0	0.1	<0.05	9	<0.5
REP L800N + 0125W	QC	60	61	1.22	304	0.089	2	2.52	0.032	0.10	0.2	0.03	10.2	0.1	<0.05	8	<0.5
L700N + 0825W	Soil	17	37	0.66	59	0.154	3	3.27	0.018	0.08	0.6	0.04	3.3	0.2	<0.05	12	0.7
REP L700N + 0825W	QC	17	36	0.65	58	0.146	2	3.36	0.016	0.07	0.6	0.04	3.3	0.2	<0.05	12	<0.5
L700N + 0450W	Soil	10	17	0.34	70	0.086	2	2.11	0.028	0.07	0.4	0.05	2.1	0.1	<0.05	10	<0.5
REP L700N + 0450W	QC	10	17	0.35	71	0.087	2	2.18	0.020	0.07	0.4	0.04	2.2	0.1	<0.05	10	<0.5
L600N + 0800W	Soil	15	35	1.90	87	0.116	3	3.02	0.017	0.10	0.7	0.04	3.2	0.2	<0.05	13	<0.5
REP L600N + 0800W	QC	16	35	1.93	88	0.123	4	2.99	0.015	0.09	0.8	0.05	3.2	0.2	<0.05	12	<0.5
L600N + 0575W	Soil	13	29	0.52	89	0.115	2	3.20	0.013	0.07	0.5	0.06	2.5	0.2	<0.05	12	<0.5
REP L600N + 0575W	QC	14	28	0.50	90	0.118	3	3.04	0.017	0.07	0.5	0.07	2.4	0.2	<0.05	12	0.6
L600N + 0075W	Soil	17	35	2.47	68	0.076	2	3.60	0.011	0.10	0.3	0.06	2.4	0.1	<0.05	10	<0.5
REP L600N + 0075W	QC	17	34	2.45	66	0.076	3	3.58	0.012	0.09	0.5	0.05	2.5	<0.1	<0.05	9	<0.5
L500N + 0625W	Soil	26	58	5.35	48	0.129	6	4.28	0.018	0.08	0.7	0.04	5.8	0.4	<0.05	12	<0.5
REP L500N + 0625W	QC	26	57	5.31	49	0.131	6	4.30	0.017	0.08	0.7	0.05	5.7	0.4	<0.05	12	<0.5
L500N + 0225W	Soil	7	18	0.25	101	0.158	1	5.06	0.018	0.04	0.5	0.09	2.6	<0.1	<0.05	12	<0.5
REP L500N + 0225W	QC	8	17	0.26	101	0.155	1	5.36	0.018	0.04	0.4	0.08	2.6	<0.1	<0.05	12	0.5
L400N + 0525W	Soil	10	27	0.44	60	0.148	1	3.33	0.016	0.05	0.4	0.05	2.7	0.2	<0.05	10	<0.5
REP L400N + 0525W	QC	10	27	0.45	61	0.143	1	3.37	0.016	0.05	0.4	0.04	2.8	0.2	<0.05	10	0.6
L300N + 0800W	Soil	13	54	2.21	74	0.145	4	3.58	0.022	0.09	0.7	0.04	3.3	0.2	<0.05	8	<0.5
REP L300N + 0800W	QC	14	53	2.28	74	0.149	4	3.71	0.025	0.08	0.8	0.04	3.0	0.2	<0.05	9	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 20

www.acmelab.com

Page: 2 of 3 Part 1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15																				
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P						
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%														
DL300N + 475W	Soil	0.9	59.8	20.8	58	<0.1	13.0	6.9	267	3.05	14.2	1.2	9.3	5.0	11	0.1	0.5	0.6	68	0.25	0.0841						
REP DL300N + 475W	QC	1.0	60.5	20.3	61	<0.1	13.9	6.8	269	3.15	14.2	1.3	167.9	4.7	11	<0.1	0.5	0.6	67	0.23	0.0841						
L200N + 0575W	Soil	0.7	55.3	12.6	60	0.1	17.3	7.3	192	2.86	8.6	1.4	4.5	3.8	15	0.2	0.4	0.3	50	0.34	0.0401						
REP L200N + 0575W	QC	0.9	56.7	12.2	60	0.1	18.0	7.3	198	2.82	8.2	1.2	2.3	3.7	15	0.3	0.3	0.3	51	0.32	0.0391						
DL200N + 400W	Soil	0.8	30.7	16.8	42	0.3	7.8	3.3	176	2.30	6.0	0.8	3.9	2.5	6	0.1	0.3	0.5	59	0.09	0.0431						
REP DL200N + 400W	QC	0.8	30.0	16.2	41	0.3	7.4	3.3	166	2.25	6.0	0.8	3.1	2.4	6	0.2	0.3	0.5	58	0.08	0.0421						
L100N + 675W	Soil	0.8	67.4	15.9	14	0.2	6.5	2.2	56	1.88	4.3	1.6	3.7	4.7	6	<0.1	0.5	0.2	32	0.11	0.0561						
REP L100N + 675W	QC	0.8	65.2	16.3	13	0.2	6.5	2.1	54	1.76	4.1	1.7	5.4	4.7	7	<0.1	0.5	0.2	32	0.11	0.0561						
L100N + 225W	Soil	0.7	15.4	14.7	21	0.1	5.1	2.3	68	1.87	3.3	1.0	11.6	2.1	4	<0.1	0.2	0.4	48	0.08	0.0191						
REP L100N + 225W	QC	0.7	16.6	14.8	22	<0.1	5.2	2.5	67	1.90	3.4	1.2	5.6	2.1	4	0.1	0.3	0.4	49	0.08	0.0191						
LOON + 350W	Soil	0.7	119.7	17.6	45	<0.1	15.3	6.5	151	1.70	3.9	2.8	3.1	5.4	15	<0.1	0.2	0.3	46	0.37	0.0291						
REP LOON + 350W	QC	0.7	119.9	17.8	46	<0.1	15.2	6.6	157	1.72	4.0	2.6	1.6	5.3	15	0.1	0.3	0.3	45	0.39	0.0291						
LOON + 125W	Soil	0.9	51.2	18.0	70	0.2	16.6	8.5	175	2.36	5.1	2.5	3.1	5.7	13	0.2	0.3	0.2	62	0.26	0.0541						
REP LOON + 125W	QC	0.8	49.4	17.8	69	0.2	16.7	8.4	172	2.37	5.1	2.4	4.0	5.6	13	0.2	0.3	0.2	59	0.25	0.0511						
Reference Materials																											
STD DS7	Standard	22.4	114.8	73.8	418	0.9	62.6	10.5	713	2.61	54.6	5.8	70.5	5.7	92	7.1	7.2	5.4	96	1.14	0.0911						
STD DS7	Standard	21.7	110.9	72.9	423	0.8	60.8	10.5	696	2.61	53.0	5.8	64.4	5.8	87	7.3	6.9	5.2	92	1.10	0.0881						
STD DS7	Standard	20.6	100.1	70.5	404	0.9	57.2	9.2	622	2.44	53.2	5.3	86.0	5.0	90	6.6	6.6	4.9	85	0.99	0.0841						
STD DS7	Standard	20.9	108.6	73.4	403	0.8	60.9	10.1	648	2.50	52.7	5.3	72.6	5.0	78	6.8	6.4	5.0	89	0.98	0.0861						
STD DS7	Standard	20.6	102.3	72.4	393	0.8	55.7	8.9	620	2.36	49.8	5.1	70.7	4.4	79	5.9	6.7	4.8	84	0.91	0.0801						
STD DS7	Standard	20.1	106.7	68.9	408	0.8	58.0	9.4	643	2.46	51.4	4.9	89.2	4.3	74	6.1	6.6	5.0	88	0.94	0.0821						
STD DS7	Standard	22.9	110.4	79.1	405	0.9	60.1	10.7	702	2.62	47.0	5.7	80.9	5.6	82	6.0	6.5	4.8	98	1.12	0.0761						
STD DS7	Standard	18.6	92.8	63.2	354	0.7	52.1	8.6	510	1.99	40.2	4.4	55.4	4.0	61	5.6	5.5	4.2	78	0.76	0.0651						
STD DS7	Standard	21.5	105.5	70.2	395	0.9	57.3	10.0	627	2.39	48.4	5.7	70.5	5.4	80	7.1	6.5	4.8	92	1.02	0.0821						
STD DS7	Standard	21.1	105.7	74.3	403	0.8	60.6	10.4	641	2.42	51.9	5.8	69.7	5.6	73	7.0	6.4	4.8	91	0.98	0.0861						
STD DS7	Standard	21.3	107.0	68.1	414	0.9	60.3	10.0	649	2.49	50.0	5.0	66.4	4.8	84	6.2	6.1	4.6	89	1.05	0.0811						
STD DS7	Standard	20.6	130.7	70.5	408	0.8	56.3	9.4	592	2.30	48.4	5.1	63.5	4.6	63	6.5	6.3	4.7	86	0.87	0.0811						
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08						
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.1	<2	<0.01	<0.001	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

www.acmelab.com

Page: 2 of 3 Part 2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	
1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.1	0.1	0.1	0.1	0.1	0.05	1	0.5
DL300N + 475W	Soil	9	22	0.58	97	0.086	1	2.53	0.016	0.06	0.5	0.03	1.9	0.1	<0.05	11	0.5
REP DL300N + 475W	QC	10	22	0.59	95	0.085	1	2.50	0.017	0.06	0.5	0.05	1.9	0.1	<0.05	10	<0.5
L200N + 0575W	Soil	11	35	1.14	59	0.058	1	2.91	0.011	0.05	0.9	0.05	2.2	0.1	<0.05	8	<0.5
REP L200N + 0575W	QC	11	35	1.14	60	0.055	2	2.96	0.011	0.05	0.8	0.05	2.3	<0.1	<0.05	9	<0.5
DL200N + 400W	Soil	6	15	0.37	68	0.107	<1	2.22	0.016	0.03	0.3	0.05	1.7	0.1	<0.05	12	<0.5
REP DL200N + 400W	QC	5	14	0.36	66	0.103	1	2.16	0.017	0.03	0.3	0.04	1.7	<0.1	<0.05	11	<0.5
L100N + 675W	Soil	7	18	0.19	16	0.112	<1	4.13	0.023	0.02	0.3	0.08	2.8	<0.1	<0.05	8	0.6
REP L100N + 675W	QC	7	17	0.19	16	0.111	<1	4.11	0.023	0.02	0.3	0.08	2.8	<0.1	<0.05	8	0.7
L100N + 225W	Soil	5	11	0.21	43	0.065	<1	1.37	0.012	0.02	0.3	0.04	1.0	<0.1	<0.05	8	<0.5
REP L100N + 225W	QC	5	12	0.21	44	0.068	<1	1.37	0.009	0.02	0.3	0.04	1.0	<0.1	0.05	8	<0.5
L00N + 350W	Soil	8	21	0.67	65	0.067	1	2.07	0.014	0.06	0.6	0.04	1.4	<0.1	<0.05	6	<0.5
REP L00N + 350W	QC	8	21	0.66	65	0.070	2	2.00	0.013	0.07	0.6	0.04	1.5	<0.1	<0.05	6	<0.5
L00N + 125W	Soil	8	35	1.62	103	0.113	4	3.83	0.016	0.04	0.5	0.06	2.2	<0.1	<0.05	9	<0.5
REP L00N + 125W	QC	7	34	1.59	98	0.106	4	3.84	0.015	0.04	0.5	0.05	2.1	<0.1	<0.05	9	<0.5
Reference Materials																	
STD DS7	Standard	17	247	1.14	438	0.148	44	1.23	0.116	0.53	4.2	0.22	3.4	4.8	0.20	5	4.0
STD DS7	Standard	16	234	1.11	414	0.138	42	1.15	0.108	0.50	4.1	0.20	3.0	4.4	0.20	6	3.8
STD DS7	Standard	15	209	1.11	401	0.124	45	1.12	0.114	0.50	3.5	0.21	2.7	4.3	0.17	5	3.7
STD DS7	Standard	13	212	1.03	391	0.119	41	1.01	0.092	0.48	3.7	0.19	2.6	4.4	0.24	5	3.6
STD DS7	Standard	13	211	1.04	379	0.113	44	0.99	0.094	0.44	3.6	0.19	2.3	4.6	0.22	5	2.9
STD DS7	Standard	12	211	1.07	395	0.116	44	1.01	0.091	0.45	4.2	0.22	2.4	5.0	0.24	5	3.4
STD DS7	Standard	15	254	1.11	370	0.144	41	1.15	0.116	0.50	3.8	0.20	3.0	4.5	0.23	5	3.2
STD DS7	Standard	10	184	0.88	334	0.106	30	0.82	0.069	0.36	3.3	0.19	1.9	3.9	0.20	3	3.3
STD DS7	Standard	15	218	1.06	385	0.131	43	1.07	0.107	0.46	4.0	0.19	3.2	4.4	0.22	5	3.3
STD DS7	Standard	13	216	1.03	368	0.130	41	1.02	0.094	0.45	3.9	0.20	2.5	4.2	0.21	5	3.3
STD DS7	Standard	15	217	1.07	393	0.134	42	1.09	0.108	0.48	4.2	0.20	3.0	4.8	0.19	5	3.7
STD DS7	Standard	12	164	1.01	364	0.116	38	0.95	0.070	0.44	3.6	0.19	2.2	4.2	0.21	4	3.3
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: March 19, 2008

Page: 3 of 3 Part



AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

March 19, 2008

Page:

3 of 3

Part 2

QUALITY CONTROL REPORT

VAN03003975 1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5