


A GEOLOGICAL, PROSPECTING AND GEOCHEMICAL REPORT ON THE
BOOT CLAIMS

BOOT PROPERTY



Fort Steele Mining Division

Trim Map 082G043

UTMs 5476500N 604000E

BC Geological Survey
Assessment Report
30133

Tenure Numbers 505013, 526447, 539590, 571424

Owner – Klondike Gold Corp.
711 – 675 West Hastings Street
Vancouver, B.C.
V6B 1N2

(Option from A.Paulson, W.Jackaman)

Operator – Klondike Gold Corp.

Consultant – Anderson Minsearch Consultants
3205 6th. St. South
Cranbrook, B.C.
V1C 6K1

Prospector – Sean Kennedy/Mike Kennedy

Author – Douglas Anderson, P.Eng.

Submitted August, 2008

GEOLOGICAL SURVEY BRANCH
REPORT

30133

TABLE OF CONTENTS

	Page
1.0 Introduction	1.0
2.0 Property Definition, History, and Background Information	1.0
3.0 Summary of Work Done	1.0
4.0 Prospecting Report	1.0
5.0 Geological Mapping	2.0
6.0 Geochemistry	3.0
7.0 Summary and Conclusions	3.0
8.0 Itemized Cost Statement	3.0
9.0 Author's Qualifications	4.0

List of Illustrations

Figure 1	Location Map	Scale 1:11,486,078
Figure 2	Claim Map	Scale 1:67,107
Figure 3	Soil Geochemistry Map	Scale – see bar scale
Figure 4	Geology Map	Scale – see bar scale

Appendix A Soil Geochem Analytical Results

Appendix B Rock Geochem Analytical Results and Location of soil and rock samples.

A GEOLOGICAL, PROSPECTING AND GEOCHEMICAL REPORT FOR THE BOOT PROPERTY

1.0 Introduction

The Boot property is a small block of claims located about 18 air kilometers southeast of Cranbrook, B.C. The property covers a ridge and east-facing mountainside which occurs on the west flank of the Rocky Mountain Trench. The total area of the property is 1155.53 hectares. Centered around UTMs 5476500N and 604000E the Tenure numbers include: 505013, 526447, 539590, and 571424.

Access is gained from Cranbrook along Highway 3 taking the Haha Creek Forest Service road then numerous secondary (old) logging roads to access the east side. Alternatively, the west side can be accessed up the Gold Creek road south from Cranbrook then up secondary logging roads to various parts of the property. The top of the ridge and west side have been clearcut logged in part. The property ranges in elevation from 975 metres to 1600 metres ASL.

2.0 Property Definition, History, and Background Information

The Boot property which occurs on the west side of the Rocky Mountain Trench is similar to most of this geographic region in that not much mineral exploration has been conducted here. The Proterozoic to mid-Paleozoic rocks have not attracted much attention. A paucity of outcrop and a lack of prospective ground with mineralized showings have contributed to the limited history. On the Boot itself, short adits and some trenching were done on quartz veins in faults containing hematite. This work probably dates from the first half of the 20th century.

3.0 Summary of Work Done

Geological mapping of the core area was undertaken at a scale of 1:10000. Several days of prospecting were also done. Three lines of reconnaissance-scale soil geochem were conducted by taking 143 soil samples on three roughly east-west lines.

4.0 Prospecting Report

Four man days were spent prospecting on the Boot property mostly in the vicinity of a number of small trenches and adits that were used to explore hematite breccia mineralization. Seven rock samples were collected and sent to Acme Analytical Labs for 30 element ICP plus ppb Au.

Boot Property Location Map

Boot Property Location


Topographic Layers

Lakes 1:6M

Rivers 1:6M

BC Border Layers


BC Border 1:6M



Map Center: 54.4781N 124.7082W

N

SCALE 1 : 11,486,078



Boot Property Claim Map

Mineral Titles Layers

- Boot Property Tenure
- All Mineral Tenures


Topographic Layers

- Railways 1:20K
- Roads 1:20K
 - Gravel Road
 - Paved Road
 - Rough Road
- Lakes 1:20K
- Rivers 1:20K

Grid Layers

- Grid 1:20K - labels
- Grid 1:20K - outline

BC Border Layers



SCALE 1 : 67,107



One sample was collected near the northern boundary of the property in a recent logging block where sparse outcrops of Nichol Creek Volcanics exist. The volcanics were altered with carbonate, chlorite, and hematite in quartz veins and fractures. Some of the volcanics appear to have a welded texture with fine-grained grey silica. In a few locations minor amounts of chalcopyrite were found infilling quartz and calcite amygdules.

Another sample was collected upsection from the last in an interbedded sequence of fine-grained green siltstones and pebbly quartzite hosted within the volcanic section. The rock has a conspicuous carbonate rind and the quartzite contained disseminated chalcopyrite. The siltstones were noted as having ripple beds.

Two samples were collected from the largest working, and adit that was drifted to explore what appears to be bedding parallel massive hematite rich material possibly hosted in a local unconformity. In character the zone looks like a banded iron formation with massive hematite and silica. There is some fracturing and brecciation evident in the unit as well as vuggy quartz veining and carbonate alteration.

Two other samples were collected from a series of diggings on what appeared to be a crosscutting hematite breccia hosted within a rosy stromatolitic dolomite unit, probably the basal Sheppard formation. Alteration was similar to what was seen at the larger adit with carbonate and vuggy quartz. Hematite was also mostly massive specularite. (See Appendix B for analyses.)

5.0 Geological Mapping

The Boot claims lie on the west side of the Rocky Mountain Trench, a long linear north-trending valley that extends from Montana to the Yukon territory. In the East Kootenay, the RMT follows a significant normal fault. Located within the RMT, the Boot property is underlain by Middle Proterozoic Purcell Supergroup rocks and some Paleozoic miogeoclinal rocks. Block faulting and unconformable relationships have juxtaposed this mixture of variously-aged rock as it has for the trench in general.

The sequence of rocks exposed on the Boot from oldest to youngest is as follows. The Nicol Creek volcanics of amygdaloidal basalts and fine volcaniclastics is overlain unconformably by a variably colored quartzitic wacke (sandstone) which is medium to thick bedded and fine to medium grained. Ranging from red to white to grey the sandstone does contain pebbly clasts locally. It is considered part of the base of the Sheppard Formation. Above are thin to medium bedded wackes, some of which are reddish in color. Some are probably dolomitic and contain patches of siderite. Overlying are buff weathering stromatolitic dolomites which form good outcrops. This sequence is likely incomplete because of the poor outcrop situation. This is considered the top of the Sheppard and the overlying thin bedded grey to green siltstones with some contained carbonate are basal Gateway Formation. On the east edge of the property are totally

different carbonate rocks indicated to be Devonian Fairholme formation by government mapping.

The structural setting on the west flank of the RMT is complicated by the Mid-Proterozoic sediments and volcanics being unconformably overlain by variously-aged Paleozoic rocks. There are numerous NNW trending normal faults which parallel the RMT fault. These longitudinal faults are cross-cut by smaller-scale northeast-southwest oriented faults yielding block faulted terrain. At least one such normal fault occurs on the property. The Nicol Creek through Sheppard through Gateway section is evident in the northeast-oriented dips which are slightly steeper than the mountain slope. Government mapping indicates a profound unconformity on the southeast portion of the property with Upper Devonian Fairholme rocks resting on the Gateway sediments.

Mineralization is restricted to a narrow, west-trending shear zone which contains quartz veins with siderite and hematite. The low percentage of outcrop must be taken into account however. The shear cuts an interval of pink, thin to medium bedded, fine dolomitic wackes. There are a few other quartz veins which contain specularite. Very minor chalcopyrite was found in the upper part of the Nicol Creek.

6.0 Geochemistry

Three soil lines were completed across the northeast facing slope of the property. Lines spaced at roughly 500 metres were sampled every 50 metres. This wide-spaced sampling is considered a reconnaissance test of the claims. The 143 soils were taken from the B horizon and put in kraft bags for storage and shipping. Acme Labs did the analytical work of 1:1:1 Aqua Regia digestion ICP-MS analysis for 36 elements.

There are no anomalous values for some of the elements considered important such as copper, silver, gold, bismuth, cobalt, uranium or some rare earths.

7.0 Summary and Conclusions

The geological mapping has documented the presence of the Sheppard Formation which was previously unrecognized in the area. This may be significant as these rocks are known to contain copper and cobalt mineralizatin elsewhere along the RMT. The limited amount of exposure makes a conclusive evaluation difficult. What is seen is weak, narrow zones of mineralization without base or precious metals. The soil geochem, although wide-spaced, is negative with no indication of significant metals or pathfinder elements.

8.0 Itemized Cost Statement

Geology – Anderson Minsearch Consultants @ \$500/d doing mapping	\$3925.00
Truck rental and use at \$75/d and 0.75/km	343.50

Prospecting – SK, MK,EH at \$300/d and \$200/d	1375.00
Truck rental and use as above	450.00
Soil Geochem sampling - field work \$175/d plus truck charges as above	2050.00
Map production – Noble Exploration Services Ltd.	520.00
Supervision – Vancouver based – TH – 1 day	<u>550.00</u>
Total Cost	\$9213.50

9.0 Author's Qualifications


I, Douglas Anderson, Consulting Geological Engineer, have my office at 3205 6th. St. South in Cranbrook, B.C., V1C 6K1.

I graduated from the University of British Columbia in 1969 with a Bachelor of Applied Science in Geological Engineering.

I have practiced my profession since 1969, predominantly with one large mining company, in a number of capacities all over Western Canada and currently within southeastern B.C. as a mineral exploration consultant.

I am a Registered Professional Engineer and member of the Association of Professional Engineers and Geoscientists of B.C., and I am authorized to use their seal which has been affixed to this report.

I am also a Fellow of the Geological Association of Canada.




Douglas Anderson, P.Eng., BSc., FGAC





**Geology of the
Boot IOCG Property**
Cranbrook Area, Southeastern BC

Geology by D. Anderson 2008

0 200 500 m
NAD 1983
UTM ZONE 11









852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Submitted By:

Trygve Hoy
Acme Analytical Laboratories (Vancouver) Ltd.

Receiving Lab:

December 07, 2007

Received:

February 04, 2008

Report Date:

Page:

1 of 6

CERTIFICATE OF ANALYSIS

VAN08003274.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 143

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	143	Dry at 60C sieve 100g to -80 mesh		
1DX	143	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2
Canada

CC: D. Dobson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

Report Date:

None Given

February 04, 2008

Appendix A

www.acmelab.com

Page

2 of 6 Part

CERTIFICATE OF ANALYSIS

VAN08003274.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L1+000	Soil	0.4	10.0	6.4	36	<0.1	12.3	5.7	384	1.50	2.2	0.5	0.6	2.5	17	<0.1	0.2	0.2	20	0.20	0.168
L1+050	Soil	0.3	8.1	5.9	44	<0.1	11.6	5.8	441	1.54	1.7	0.4	0.7	2.1	19	<0.1	0.1	0.1	20	0.20	0.258
L1+100	Soil	0.4	8.0	7.5	44	<0.1	12.4	4.5	454	1.42	2.3	0.6	<0.5	2.6	22	<0.1	0.2	0.2	21	0.23	0.321
L1+150	Soil	0.3	13.5	5.8	36	<0.1	10.2	4.8	532	1.29	2.4	0.5	0.7	2.0	18	<0.1	<0.1	0.2	18	0.18	0.197
L1+200	Soil	0.4	9.2	7.5	41	<0.1	12.5	6.2	780	1.78	3.0	0.6	0.9	2.9	18	<0.1	0.2	0.2	25	0.14	0.289
L1+250	Soil	0.3	7.3	6.4	34	<0.1	12.6	6.0	487	1.78	2.2	0.3	<0.5	2.4	14	<0.1	0.2	0.2	21	0.18	0.156
L1+300	Soil	0.3	10.6	8.3	25	<0.1	10.4	5.6	268	1.34	2.0	0.5	0.7	2.2	19	<0.1	0.1	0.2	20	0.20	0.115
L1+350	Soil	0.3	5.1	7.3	34	<0.1	12.1	6.7	282	1.98	1.4	0.3	<0.5	2.7	11	<0.1	0.3	0.2	21	0.18	0.059
L1+400	Soil	0.2	7.2	6.2	32	<0.1	11.2	5.8	383	1.57	2.0	0.3	<0.5	2.3	12	<0.1	0.2	0.2	17	0.18	0.094
L1+450	Soil	0.2	5.2	7.2	31	<0.1	12.2	5.7	225	1.68	1.6	0.3	0.7	2.6	9	<0.1	0.2	0.2	16	0.13	0.089
L1+500	Soil	0.2	5.9	5.6	29	<0.1	12.2	5.4	153	1.71	1.9	0.3	<0.5	2.6	10	<0.1	0.2	0.2	17	0.17	0.118
L1+550	Soil	0.3	7.2	8.2	43	<0.1	13.2	5.7	321	1.63	3.7	0.4	0.6	2.7	13	<0.1	0.2	0.2	19	0.16	0.185
L1+600	Soil	0.2	6.6	6.5	27	<0.1	11.8	5.8	235	1.64	1.7	0.3	<0.5	3.0	13	<0.1	0.2	0.2	18	0.16	0.091
L1+650	Soil	0.4	7.8	8.0	37	<0.1	14.1	7.0	305	1.94	2.8	0.3	<0.5	3.0	13	<0.1	0.2	0.2	20	0.14	0.236
L1+700	Soil	0.3	7.7	6.6	33	<0.1	11.2	4.8	298	1.41	2.6	0.4	<0.5	2.3	19	<0.1	0.2	0.2	18	0.19	0.176
L1+750	Soil	0.2	5.5	6.6	40	<0.1	11.8	4.6	216	1.48	2.6	0.3	<0.5	2.8	14	<0.1	0.2	0.2	15	0.16	0.138
L1+800	Soil	0.2	7.0	6.5	33	<0.1	15.2	5.0	167	1.50	2.8	0.3	<0.5	2.3	11	<0.1	0.1	0.1	16	0.11	0.151
L1+850	Soil	0.2	7.0	6.6	29	<0.1	13.4	5.1	209	1.45	2.9	0.4	<0.5	2.9	12	<0.1	0.1	0.1	17	0.14	0.077
L1+900	Soil	0.2	6.1	6.9	28	<0.1	13.7	4.8	112	1.50	3.0	0.3	<0.5	2.5	12	<0.1	0.2	0.1	16	0.11	0.163
L1+950	Soil	0.2	7.5	5.9	28	<0.1	12.8	5.2	136	1.44	3.3	0.4	<0.5	2.8	15	<0.1	0.1	0.1	17	0.16	0.099
L1+1000	Soil	0.2	7.2	7.2	31	<0.1	11.8	5.4	170	1.52	3.0	0.3	<0.5	2.8	13	<0.1	0.2	0.1	16	0.13	0.158
L1+1050	Soil	0.3	6.8	8.1	51	<0.1	12.7	5.2	166	1.87	2.0	0.4	<0.5	3.6	16	<0.1	0.2	0.2	17	0.23	0.041
L1+1100	Soil	0.2	6.6	6.7	42	<0.1	12.6	5.1	172	1.55	3.1	0.4	<0.5	2.5	15	<0.1	0.2	0.2	17	0.17	0.210
L1+1150	Soil	0.3	7.4	6.7	42	<0.1	11.1	6.0	387	1.75	2.5	0.4	<0.5	2.4	16	<0.1	0.3	0.2	20	0.23	0.225
L1+1200	Soil	0.2	8.2	5.6	34	<0.1	13.3	6.9	216	1.99	2.4	0.4	0.8	2.8	14	<0.1	0.3	0.2	23	0.15	0.126
L1+1250	Soil	0.2	6.8	5.9	29	<0.1	10.5	5.1	116	1.62	2.5	0.4	<0.5	2.6	12	<0.1	0.2	0.1	18	0.16	0.203
L1+1300	Soil	0.2	6.4	5.5	26	<0.1	10.9	5.9	101	1.75	1.9	0.3	<0.5	3.0	11	<0.1	0.1	0.1	18	0.15	0.113
L1+1350	Soil	0.2	5.9	5.1	22	<0.1	10.2	4.6	154	1.40	2.1	0.3	0.6	2.7	11	<0.1	0.2	0.1	16	0.11	0.093
L1+1400	Soil	0.2	6.5	5.4	28	<0.1	10.6	4.7	133	1.47	2.4	0.4	0.6	2.7	15	<0.1	0.2	0.1	18	0.20	0.128
L1+1450	Soil	0.3	7.3	5.4	30	<0.1	9.8	4.1	279	1.30	2.9	0.4	0.7	2.3	20	<0.1	0.1	0.1	16	0.29	0.219

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

None Given

Report Date:

February 04, 2008

Page:

2 of 6

Part 2

CERTIFICATE OF ANALYSIS

VAN08003274.1

Analyte	Method	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L1+000	Soil	7	8	0.31	314	0.076	2	2.29	0.020	0.07	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5
L1+050	Soil	8	8	0.34	350	0.063	3	2.12	0.020	0.10	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5
L1+100	Soil	5	7	0.18	369	0.111	8	3.26	0.029	0.08	0.1	0.03	1.8	0.1	<0.05	7	<0.5
L1+150	Soil	7	7	0.21	302	0.078	1	2.10	0.024	0.07	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5
L1+200	Soil	8	9	0.29	391	0.085	2	2.80	0.021	0.06	0.2	0.03	2.2	<0.1	<0.05	7	<0.5
L1+250	Soil	9	9	0.33	307	0.047	2	1.69	0.013	0.11	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L1+300	Soil	5	7	0.16	216	0.117	3	3.05	0.030	0.06	0.2	0.03	1.5	<0.1	<0.05	7	<0.5
L1+350	Soil	12	11	0.51	209	0.046	4	2.11	0.010	0.12	<0.1	0.02	1.4	<0.1	<0.05	6	<0.5
L1+400	Soil	8	9	0.33	260	0.053	3	1.97	0.018	0.12	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
L1+450	Soil	12	10	0.38	339	0.034	2	1.83	0.009	0.08	<0.1	0.01	1.3	<0.1	<0.05	6	<0.5
L1+500	Soil	10	9	0.37	350	0.033	2	1.68	0.012	0.09	<0.1	0.01	1.4	<0.1	<0.05	5	<0.5
L1+550	Soil	8	10	0.30	344	0.056	3	1.96	0.015	0.08	0.2	0.03	1.5	<0.1	<0.05	6	<0.5
L1+600	Soil	10	9	0.41	252	0.046	2	1.82	0.014	0.10	0.2	0.02	1.5	<0.1	<0.05	5	<0.5
L1+650	Soil	8	10	0.42	312	0.063	2	2.20	0.015	0.08	0.1	0.01	1.8	<0.1	<0.05	7	<0.5
L1+700	Soil	8	8	0.27	236	0.065	3	1.95	0.020	0.10	0.1	0.02	1.6	<0.1	<0.05	5	<0.5
L1+750	Soil	9	9	0.30	407	0.048	3	1.77	0.014	0.09	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5
L1+800	Soil	7	9	0.26	271	0.063	2	2.33	0.016	0.09	0.1	0.01	1.3	<0.1	<0.05	6	<0.5
L1+850	Soil	10	8	0.31	191	0.057	3	1.87	0.015	0.08	<0.1	0.02	1.2	<0.1	<0.05	5	<0.5
L1+900	Soil	8	9	0.27	281	0.065	2	2.03	0.016	0.08	0.2	0.02	1.2	<0.1	<0.05	6	<0.5
L1+950	Soil	11	9	0.32	212	0.063	2	1.94	0.019	0.07	0.1	0.01	1.4	<0.1	<0.05	5	<0.5
L1+1000	Soil	9	9	0.29	302	0.052	2	1.85	0.015	0.07	0.1	0.01	1.3	<0.1	<0.05	5	<0.5
L1+1050	Soil	11	11	0.34	236	0.064	4	2.28	0.020	0.10	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
L1+1100	Soil	8	9	0.28	277	0.069	3	2.16	0.018	0.07	<0.1	0.02	1.5	<0.1	<0.05	6	<0.5
L1+1150	Soil	8	9	0.37	287	0.062	2	2.08	0.016	0.08	<0.1	0.01	1.7	<0.1	<0.05	6	<0.5
L1+1200	Soil	10	10	0.42	322	0.048	2	2.12	0.019	0.08	0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L1+1250	Soil	9	9	0.35	307	0.056	2	2.12	0.017	0.06	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5
L1+1300	Soil	11	10	0.41	310	0.039	3	2.03	0.016	0.10	<0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L1+1350	Soil	11	8	0.31	161	0.047	2	1.63	0.017	0.08	0.1	0.02	1.0	<0.1	<0.05	4	<0.5
L1+1400	Soil	10	8	0.29	212	0.060	3	1.92	0.021	0.07	0.1	0.02	1.4	<0.1	<0.05	5	<0.5
L1+1450	Soil	8	8	0.23	218	0.066	3	1.97	0.023	0.08	0.1	0.02	1.5	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

**711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada**

Project: None Given

Report Date: February 04, 2008

www.acmelab.com

Page

3 of 6 Part

CERTIFICATE OF ANALYSIS

VAN08003274.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L1+1500	Soil	0.4	8.6	6.3	39	<0.1	11.6	4.8	482	1.42	2.8	0.4	<0.5	2.6	25	<0.1	0.2	0.1	16	0.22	0.384
L1+1550	Soil	0.4	11.5	7.3	36	<0.1	11.4	4.8	250	1.51	3.1	0.8	0.8	3.0	23	<0.1	0.1	0.2	23	0.21	0.163
L1+1600	Soil	0.4	9.3	7.0	34	<0.1	12.6	4.9	386	1.42	2.9	0.5	5.3	2.5	22	<0.1	0.2	0.2	21	0.20	0.175
L1+1650	Soil	0.4	7.5	6.4	47	<0.1	12.8	4.6	482	1.37	2.8	0.4	<0.5	2.6	19	<0.1	0.1	0.2	18	0.14	0.283
L1+1700	Soil	0.4	9.8	9.3	43	<0.1	15.4	6.5	192	2.05	3.1	0.6	<0.5	3.8	18	<0.1	0.2	0.2	25	0.18	0.143
L1+1750	Soil	0.3	6.2	7.8	42	<0.1	13.8	5.1	166	1.70	3.0	0.4	<0.5	3.1	13	<0.1	0.2	0.2	19	0.14	0.237
L1+1800	Soil	0.4	8.3	7.1	49	<0.1	13.4	5.1	236	1.62	3.3	0.5	0.7	3.1	16	<0.1	0.2	0.2	20	0.14	0.232
L1+1850	Soil	0.3	8.2	6.3	26	<0.1	13.6	5.0	219	1.58	3.4	0.4	0.6	2.9	16	<0.1	0.2	0.1	20	0.16	0.162
L1+1900	Soil	0.4	7.4	6.9	28	<0.1	12.6	4.7	269	1.56	2.7	0.4	0.7	2.6	21	<0.1	0.2	0.1	18	0.21	0.147
L2+000	Soil	0.3	10.3	6.6	40	<0.1	13.0	7.0	377	1.82	2.4	0.4	1.6	2.3	13	<0.1	0.2	0.1	25	0.17	0.183
L2+050	Soil	0.3	8.4	6.5	37	<0.1	12.1	6.2	365	1.66	2.4	0.3	0.6	2.3	21	<0.1	0.1	0.1	23	0.28	0.271
L2+100	Soil	0.4	11.0	6.8	25	<0.1	12.7	5.4	235	1.61	3.7	0.5	0.9	2.5	14	<0.1	0.1	0.2	23	0.22	0.194
L2+150	Soil	0.3	9.7	5.6	20	<0.1	11.3	4.5	285	1.37	2.3	0.5	<0.5	2.3	19	<0.1	<0.1	0.1	21	0.23	0.146
L2+200	Soil	0.2	8.9	5.6	23	<0.1	12.6	5.9	163	1.58	2.9	0.4	<0.5	2.7	16	<0.1	0.2	0.1	22	0.18	0.089
L2+250	Soil	0.3	10.8	5.3	20	<0.1	12.7	5.8	207	1.57	2.3	0.4	<0.5	2.5	17	<0.1	0.2	0.1	23	0.18	0.111
L2+300	Soil	0.2	8.0	5.5	18	<0.1	11.1	4.5	184	1.34	2.4	0.4	<0.5	2.3	22	<0.1	0.1	0.2	21	0.28	0.188
L2+350	Soil	0.3	16.8	7.0	24	<0.1	14.7	9.6	138	2.07	2.9	0.6	<0.5	3.3	22	<0.1	0.2	0.2	25	0.25	0.076
L2+400	Soil	0.4	12.1	8.7	38	<0.1	16.8	11.4	161	2.75	3.0	0.8	0.6	4.2	16	<0.1	0.3	0.2	36	0.24	0.086
L2+450	Soil	0.4	12.1	7.0	41	<0.1	14.2	8.4	279	2.18	2.3	0.7	<0.5	3.9	13	<0.1	0.2	0.2	29	0.13	0.111
L2+500	Soil	0.4	10.8	8.1	51	<0.1	16.9	9.5	345	2.46	3.0	0.4	<0.5	3.5	14	<0.1	0.3	0.2	33	0.16	0.167
L2+550	Soil	0.3	8.1	6.8	32	<0.1	15.2	8.7	276	2.39	2.6	0.4	<0.5	2.9	15	<0.1	0.3	0.2	31	0.22	0.172
L2+600	Soil	0.3	7.9	5.8	20	<0.1	11.0	5.1	355	1.56	2.4	0.4	0.5	2.2	19	<0.1	0.2	0.1	20	0.31	0.234
L2+650	Soil	0.4	8.7	5.8	21	<0.1	10.5	4.8	471	1.42	1.7	0.4	<0.5	1.9	21	<0.1	0.1	0.1	23	0.27	0.091
L2+700	Soil	0.5	4.9	11.5	51	<0.1	15.7	10.5	1738	3.23	3.1	0.7	0.7	4.1	16	0.2	0.4	0.2	37	0.41	0.167
L2+750	Soil	0.3	9.1	6.8	31	<0.1	14.5	7.9	188	2.10	2.1	0.5	<0.5	3.8	15	<0.1	0.3	0.1	24	0.20	0.164
L2+800	Soil	0.3	7.6	5.7	46	<0.1	11.0	4.0	291	1.20	2.5	0.3	<0.5	1.9	21	<0.1	<0.1	0.1	18	0.25	0.228
L2+850	Soil	0.3	4.0	6.0	35	<0.1	9.4	4.1	745	1.17	2.3	0.3	<0.5	1.8	14	<0.1	0.1	0.1	17	0.18	0.206
L2+900	Soil	0.3	5.5	5.3	28	<0.1	13.4	7.5	231	2.12	1.2	0.3	<0.5	2.5	9	<0.1	0.2	0.1	27	0.12	0.084
L2+950	Soil	0.5	8.8	7.8	22	<0.1	11.9	6.2	474	1.72	2.9	0.5	0.6	2.8	18	<0.1	0.2	0.2	28	0.18	0.124
L2+1000	Soil	0.6	9.1	9.0	38	<0.1	15.0	8.7	317	2.31	1.9	0.7	0.7	3.5	14	<0.1	0.3	0.2	33	0.15	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given

Report Date: February 04, 2008

www.acmelab.com

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08003274.1

Analyte	Method	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5
L1+1500	Soil	8	9	0.25	305	0.072	5	2.36	0.024	0.11	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L1+1550	Soil	8	8	0.21	165	0.110	4	2.99	0.043	0.09	0.2	0.03	2.6	0.1	<0.05	7	<0.5
L1+1600	Soil	7	8	0.20	266	0.098	3	2.75	0.039	0.07	0.1	0.02	1.9	<0.1	<0.05	7	<0.5
L1+1650	Soil	6	8	0.21	320	0.080	2	2.42	0.025	0.07	0.1	0.02	2.0	<0.1	<0.05	6	<0.5
L1+1700	Soil	10	12	0.37	276	0.089	2	2.91	0.024	0.08	0.2	0.03	2.2	0.1	<0.05	8	<0.5
L1+1750	Soil	10	11	0.33	316	0.063	3	2.29	0.016	0.12	<0.1	0.02	1.6	<0.1	<0.05	7	<0.5
L1+1800	Soil	8	11	0.26	329	0.080	3	2.68	0.025	0.09	0.1	0.02	1.9	<0.1	<0.05	6	<0.5
L1+1850	Soil	10	10	0.28	241	0.071	4	2.22	0.020	0.09	0.2	0.02	1.5	<0.1	<0.05	6	<0.5
L1+1900	Soil	8	8	0.24	288	0.079	3	2.47	0.025	0.08	0.1	0.02	1.8	<0.1	<0.05	7	<0.5
L2+000	Soil	11	11	0.41	254	0.057	2	2.03	0.019	0.08	0.1	0.02	1.7	<0.1	<0.05	6	<0.5
L2+050	Soil	8	10	0.29	290	0.070	3	2.14	0.021	0.09	<0.1	0.02	1.9	<0.1	<0.05	6	<0.5
L2+100	Soil	8	10	0.25	222	0.083	3	2.32	0.024	0.09	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L2+150	Soil	7	8	0.18	199	0.085	2	2.28	0.033	0.06	0.1	0.03	2.2	<0.1	<0.05	6	<0.5
L2+200	Soil	10	10	0.35	186	0.069	2	2.20	0.027	0.09	0.1	0.02	1.6	<0.1	<0.05	6	<0.5
L2+250	Soil	8	9	0.29	209	0.083	3	2.52	0.038	0.09	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L2+300	Soil	6	8	0.20	139	0.099	4	2.63	0.040	0.10	0.2	0.03	1.8	<0.1	<0.05	6	<0.5
L2+350	Soil	11	12	0.48	261	0.085	3	2.62	0.039	0.11	0.1	0.02	3.4	<0.1	<0.05	7	<0.5
L2+400	Soil	17	16	0.59	229	0.086	4	3.16	0.024	0.12	0.1	0.04	3.3	0.1	<0.05	9	<0.5
L2+450	Soil	14	13	0.50	281	0.075	3	2.62	0.026	0.10	0.1	0.03	3.4	0.1	<0.05	7	<0.5
L2+500	Soil	12	14	0.58	295	0.082	5	3.02	0.021	0.13	0.2	0.02	2.4	0.1	<0.05	9	<0.5
L2+550	Soil	10	12	0.51	256	0.082	4	2.85	0.022	0.11	0.1	0.03	2.1	<0.1	<0.05	7	<0.5
L2+600	Soil	6	9	0.25	291	0.077	4	2.28	0.032	0.07	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5
L2+650	Soil	6	7	0.20	193	0.099	3	2.57	0.046	0.06	<0.1	0.03	2.1	<0.1	<0.05	7	<0.5
L2+700	Soil	13	15	0.39	327	0.099	7	2.92	0.026	0.11	0.2	0.05	3.4	0.1	<0.05	7	<0.5
L2+750	Soil	12	12	0.46	318	0.069	5	2.35	0.024	0.13	0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L2+800	Soil	5	7	0.16	218	0.092	3	2.45	0.036	0.08	0.1	0.02	1.7	<0.1	<0.05	6	<0.5
L2+850	Soil	6	8	0.16	294	0.065	3	1.89	0.021	0.09	0.1	0.02	1.4	<0.1	<0.05	6	<0.5
L2+900	Soil	13	12	0.53	216	0.046	4	2.11	0.014	0.10	<0.1	0.02	2.0	<0.1	<0.05	7	<0.5
L2+950	Soil	7	9	0.23	190	0.119	5	3.36	0.035	0.07	0.1	0.04	1.9	<0.1	<0.05	8	<0.5
L2+1000	Soil	13	13	0.42	405	0.093	4	3.11	0.026	0.10	0.1	0.03	2.7	0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

None Given

Report Date:

February 04, 2008

Page:

4 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08003274.1

Analyte	Method	1DX15																				
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.8	0.1	1	0.1	0.1	2	0.01	0.001		
L2+1050	Soil	0.3	7.9	9.8	49	<0.1	14.7	8.8	230	2.52	2.1	0.7	1.5	3.8	18	<0.1	0.4	0.3	31	0.24	0.115	
L2+1100	Soil	0.1	7.4	5.0	18	<0.1	11.1	4.8	150	1.52	2.1	0.4	0.6	2.4	16	<0.1	0.2	0.1	16	0.23	0.203	
L2+1150	Soil	0.2	6.3	4.7	25	<0.1	9.4	4.8	323	1.35	1.7	0.3	<0.5	2.1	13	<0.1	0.2	0.1	16	0.16	0.164	
L2+1300	Soil	0.3	6.0	9.2	25	<0.1	10.4	5.3	847	1.77	1.6	0.4	1.1	2.5	17	<0.1	0.3	0.2	20	0.22	0.059	
L2+1350	Soil	0.4	7.0	7.8	28	<0.1	13.8	8.1	116	2.47	1.9	0.4	1.8	3.5	8	<0.1	0.4	0.2	28	0.12	0.026	
L2+1400	Soil	0.3	6.9	6.3	33	<0.1	10.9	6.5	128	1.84	1.3	0.5	<0.5	3.3	10	<0.1	0.2	0.2	19	0.09	0.060	
L2+1450	Soil	0.3	8.0	6.1	21	<0.1	10.6	6.3	112	1.88	1.6	0.4	<0.5	3.2	8	<0.1	0.3	0.2	20	0.08	0.061	
L2+1500	Soil	0.3	9.4	10.3	25	<0.1	13.8	8.4	256	1.95	2.2	0.4	0.6	2.9	15	<0.1	0.3	0.2	23	0.14	0.076	
L2+1550	Soil	0.4	4.2	8.1	33	<0.1	10.4	5.5	751	1.58	1.6	0.3	<0.5	2.2	13	<0.1	0.2	0.2	18	0.14	0.130	
L2+1600	Soil	0.5	7.3	8.8	27	<0.1	11.3	5.6	371	1.59	2.7	0.4	1.0	2.1	16	<0.1	0.2	0.2	23	0.15	0.141	
L2+1650	Soil	0.3	6.2	6.7	30	<0.1	11.2	5.2	482	1.37	1.8	0.5	<0.5	2.5	17	<0.1	0.2	0.2	18	0.25	0.190	
L2+1700	Soil	0.4	7.6	11.3	43	<0.1	15.3	9.8	870	2.14	2.5	0.4	0.9	2.9	17	<0.1	0.4	0.3	24	0.18	0.035	
L2+1750	Soil	0.6	8.2	10.0	49	<0.1	14.7	8.1	171	2.48	3.1	0.7	1.0	3.5	8	<0.1	0.4	0.3	30	0.09	0.088	
L2+1800	Soil	0.3	7.2	8.7	41	<0.1	12.2	5.7	320	1.70	2.2	0.5	2.0	2.8	15	<0.1	0.2	0.2	20	0.20	0.109	
L2+1850	Soil	0.4	9.8	11.6	33	<0.1	13.9	8.6	161	2.17	2.6	0.6	<0.5	4.1	12	<0.1	0.3	0.2	24	0.15	0.117	
L2+1900	Soil	0.4	5.5	9.6	32	<0.1	13.3	7.4	506	1.96	2.2	0.3	<0.5	2.3	10	<0.1	0.3	0.2	24	0.14	0.112	
L2+1950	Soil	0.3	5.2	8.0	34	<0.1	11.6	5.5	348	1.57	1.6	0.3	0.9	2.2	11	<0.1	0.2	0.2	19	0.12	0.075	
L2+2000	Soil	0.4	5.3	7.0	34	<0.1	14.1	7.4	134	2.23	2.4	0.5	<0.5	3.4	7	<0.1	0.4	0.2	22	0.07	0.054	
L2+2100	Soil	0.2	6.1	5.0	18	<0.1	10.9	5.3	145	1.62	2.1	0.3	0.5	2.3	10	<0.1	0.2	0.1	17	0.12	0.182	
L2+2150	Soil	0.5	6.3	9.3	55	<0.1	10.7	6.4	698	1.84	3.2	0.5	<0.5	2.4	14	<0.1	0.2	0.2	21	0.18	0.281	
L2+2200	Soil	0.2	6.6	6.1	26	<0.1	10.5	4.1	355	1.29	2.6	0.4	<0.5	2.1	17	<0.1	0.1	0.1	15	0.19	0.218	
L2+2250	Soil	0.2	5.8	5.8	25	<0.1	12.2	4.8	109	1.54	1.4	0.4	<0.5	2.9	14	<0.1	0.2	0.1	15	0.17	0.139	
L2+2300	Soil	0.2	5.1	4.5	18	<0.1	9.3	4.1	116	1.23	1.5	0.3	0.9	2.4	12	<0.1	0.1	0.1	13	0.13	0.074	
L2+2350	Soil	0.2	4.4	6.6	25	<0.1	10.9	4.6	138	1.65	2.2	0.3	<0.5	3.1	12	<0.1	0.2	0.2	15	0.14	0.152	
L2+2400	Soil	0.2	6.1	6.2	27	<0.1	11.2	4.6	121	1.50	3.9	0.5	<0.5	2.8	14	<0.1	0.2	0.2	17	0.16	0.244	
L2+2450	Soil	0.2	12.4	4.1	17	<0.1	12.1	8.5	219	2.19	2.0	0.3	<0.5	4.0	12	<0.1	0.4	0.1	20	1.45	0.083	
L2+2500	Soil	0.2	3.8	5.4	23	<0.1	10.1	4.5	151	1.48	2.0	0.3	<0.5	2.6	12	<0.1	0.2	0.1	15	0.14	0.188	
L3+000	Soil	0.2	8.6	5.3	27	<0.1	11.3	5.2	125	1.39	1.5	0.4	<0.5	1.7	20	<0.1	<0.1	0.1	19	0.20	0.155	
L3+050	Soil	0.3	5.9	6.2	37	<0.1	12.7	9.0	571	2.23	1.7	0.3	<0.5	2.0	15	<0.1	0.1	0.2	26	0.17	0.140	
L3+100	Soil	0.3	8.8	6.6	23	<0.1	11.9	5.5	411	1.53	4.0	0.4	<0.5	2.3	19	<0.1	0.1	0.2	22	0.22	0.217	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given
Report Date: February 04, 2008

www.acmelab.com

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08003274.1

Method	1DX15																
Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ge	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L2+1050	Soil	12	12	0.50	219	0.080	4	2.79	0.014	0.11	0.2	0.02	2.4	0.1	0.11	8	<0.5
L2+1100	Soil	8	8	0.29	153	0.058	4	1.93	0.018	0.10	0.1	0.01	1.4	<0.1	0.10	5	<0.5
L2+1150	Soil	9	8	0.28	229	0.040	4	1.55	0.017	0.10	0.1	0.01	1.4	<0.1	0.08	4	<0.5
L2+1300	Soil	8	9	0.26	346	0.072	2	2.25	0.018	0.09	0.1	0.02	1.4	<0.1	0.07	6	<0.5
L2+1350	Soil	14	14	0.64	172	0.030	2	2.11	0.006	0.08	0.1	<0.01	1.7	<0.1	0.06	6	<0.5
L2+1400	Soil	10	10	0.42	233	0.045	2	2.01	0.013	0.07	0.1	0.02	1.3	<0.1	<0.05	6	<0.5
L2+1450	Soil	13	9	0.45	243	0.043	2	1.82	0.011	0.07	0.1	0.02	1.4	<0.1	<0.05	5	<0.5
L2+1500	Soil	10	10	0.30	218	0.064	2	2.45	0.018	0.08	0.2	0.02	1.5	<0.1	0.05	7	<0.5
L2+1550	Soil	10	10	0.31	287	0.037	3	1.51	0.010	0.09	0.1	0.02	1.1	<0.1	<0.05	5	<0.5
L2+1600	Soil	5	7	0.15	207	0.107	1	2.89	0.021	0.05	0.2	0.02	1.1	<0.1	<0.05	9	<0.5
L2+1650	Soil	9	8	0.22	233	0.066	4	2.18	0.020	0.10	0.1	0.03	1.6	<0.1	<0.05	5	<0.5
L2+1700	Soil	11	12	0.42	509	0.061	3	2.45	0.012	0.10	0.1	0.02	1.6	0.1	<0.05	7	<0.5
L2+1750	Soil	12	14	0.45	166	0.071	3	2.68	0.009	0.09	0.2	0.05	1.9	0.1	<0.05	8	<0.5
L2+1800	Soil	9	9	0.28	392	0.075	3	2.56	0.023	0.11	0.2	0.02	1.4	<0.1	<0.05	7	<0.5
L2+1850	Soil	12	11	0.53	207	0.066	2	2.38	0.011	0.11	0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L2+1900	Soil	9	10	0.40	210	0.047	2	1.79	0.010	0.08	0.1	0.02	1.1	<0.1	<0.05	6	<0.5
L2+1950	Soil	8	9	0.27	308	0.054	2	1.92	0.013	0.10	0.1	0.01	1.0	<0.1	<0.05	6	<0.5
L2+2000	Soil	15	12	0.49	195	0.035	2	1.97	0.005	0.08	0.1	0.02	1.4	<0.1	<0.05	6	<0.5
L2+2100	Soil	10	8	0.44	185	0.041	3	1.67	0.012	0.10	0.1	0.01	1.2	<0.1	<0.05	5	<0.5
L2+2150	Soil	7	10	0.28	356	0.073	3	2.66	0.017	0.09	0.1	0.04	1.6	<0.1	<0.05	8	<0.5
L2+2200	Soil	7	7	0.20	246	0.064	3	1.94	0.018	0.09	0.1	0.02	1.2	<0.1	<0.05	6	<0.5
L2+2250	Soil	11	9	0.29	185	0.048	2	1.82	0.015	0.10	0.1	0.01	1.2	<0.1	<0.05	5	<0.5
L2+2300	Soil	11	7	0.24	134	0.041	2	1.44	0.015	0.07	0.1	0.02	0.9	<0.1	<0.05	4	<0.5
L2+2350	Soil	10	9	0.29	242	0.038	2	1.85	0.010	0.10	0.1	0.02	1.1	<0.1	0.06	6	<0.5
L2+2400	Soil	9	8	0.22	173	0.068	3	2.25	0.018	0.09	0.2	0.01	1.3	<0.1	<0.05	6	<0.5
L2+2450	Soil	21	12	0.96	107	0.018	5	1.20	0.006	0.15	0.1	0.04	2.5	<0.1	0.09	4	0.6
L2+2500	Soil	11	8	0.30	223	0.039	3	1.58	0.011	0.09	0.1	0.01	1.1	<0.1	0.06	5	<0.5
L3+000	Soil	7	7	0.24	155	0.075	2	2.16	0.030	0.10	0.1	0.01	1.6	<0.1	<0.05	7	<0.5
L3+050	Soil	9	10	0.60	301	0.048	3	2.20	0.014	0.12	<0.1	0.02	1.9	<0.1	<0.05	7	<0.5
L3+100	Soil	5	7	0.23	121	0.088	3	2.77	0.027	0.08	0.1	0.02	1.5	<0.1	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given

Report Date: February 04, 2008

www.acmelab.com

Page

5 of 6

Part

CERTIFICATE OF ANALYSIS

VAN08003274 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L3+150	Soil	0.4	8.7	5.5	34	<0.1	10.0	5.1	558	1.24	2.1	0.5	<0.5	1.9	15	<0.1	<0.1	0.1	17	0.15	0.160
L3+250	Soil	0.5	13.2	7.2	40	<0.1	16.6	14.4	1365	3.33	2.0	0.3	<0.5	3.4	12	<0.1	0.3	0.2	40	0.24	0.045
L3+300	Soil	0.3	24.3	8.3	58	<0.1	20.0	10.5	378	2.88	3.5	0.5	<0.5	3.6	12	<0.1	0.2	0.2	32	0.19	0.215
L3+350	Soil	0.5	7.6	6.7	20	<0.1	11.0	4.6	782	1.51	3.4	0.4	0.9	2.3	18	<0.1	0.1	0.2	19	0.22	0.340
L3+400	Soil	0.2	6.1	6.2	19	<0.1	13.3	6.2	352	1.95	2.4	0.3	<0.5	2.8	10	<0.1	0.3	0.2	23	0.17	0.152
L3+450	Soil	0.2	5.8	6.1	21	<0.1	12.0	6.0	253	1.95	1.7	0.4	<0.5	2.6	13	<0.1	0.3	0.2	22	0.21	0.119
L3+500	Soil	0.3	5.1	5.5	23	<0.1	10.4	5.3	505	1.40	1.4	0.3	<0.5	2.1	10	<0.1	0.1	0.2	19	0.18	0.072
L3+550	Soil	0.3	7.1	5.2	25	<0.1	13.8	8.2	472	2.12	1.7	0.3	<0.5	2.7	9	<0.1	0.2	0.2	23	0.13	0.174
L3+600	Soil	0.4	7.0	6.8	37	<0.1	13.2	6.8	587	1.85	2.0	0.3	<0.5	2.3	12	0.1	0.2	0.2	24	0.26	0.180
L3+650	Soil	0.3	7.3	4.9	35	<0.1	14.7	11.4	287	2.80	1.3	0.4	<0.5	3.0	6	<0.1	0.3	0.1	33	0.11	0.043
L3+700	Soil	0.2	2.8	4.9	25	<0.1	5.7	3.6	722	1.16	0.8	0.3	<0.5	1.3	6	<0.1	0.2	0.1	12	0.10	0.041
L3+750	Soil	0.3	5.5	6.3	33	<0.1	12.1	7.0	359	2.02	1.8	0.5	0.6	3.1	9	<0.1	0.2	0.1	23	0.17	0.085
L3+800	Soil	0.2	4.3	5.2	29	<0.1	9.4	6.0	190	1.82	1.2	0.3	<0.5	3.1	6	<0.1	0.2	0.1	19	0.11	0.112
L3+850	Soil	0.3	4.2	6.7	27	<0.1	10.8	5.2	556	1.33	1.6	0.3	<0.5	2.0	9	<0.1	0.1	0.2	19	0.11	0.164
L3+900	Soil	0.3	6.5	6.3	30	<0.1	15.4	6.3	858	1.63	2.3	0.4	<0.5	2.4	12	<0.1	0.2	0.2	22	0.13	0.123
L3+950	Soil	0.3	9.0	8.2	25	<0.1	13.2	5.4	843	1.38	2.5	0.4	<0.5	2.1	15	<0.1	0.2	0.2	22	0.16	0.374
L3+1000	Soil	0.4	6.4	6.3	31	<0.1	14.8	5.8	638	1.55	2.1	0.3	<0.5	2.4	10	<0.1	0.2	0.2	21	0.11	0.170
L3+1050	Soil	0.4	6.0	6.7	39	<0.1	9.8	4.5	1578	1.21	2.0	0.3	<0.5	1.8	13	<0.1	<0.1	0.2	20	0.15	0.178
L3+1100	Soil	0.4	8.4	7.3	48	<0.1	13.6	7.2	555	1.86	2.0	0.6	0.5	3.2	11	0.1	0.2	0.2	24	0.15	0.116
L3+1150	Soil	0.3	14.0	7.1	24	<0.1	10.2	5.7	112	1.49	1.8	1.1	0.6	3.3	21	<0.1	0.2	0.1	22	0.18	0.187
L3+1200	Soil	0.3	8.5	7.9	32	<0.1	11.4	5.4	207	1.62	2.4	0.6	<0.5	3.0	16	<0.1	0.2	0.2	25	0.17	0.175
L3+1250	Soil	0.3	5.8	8.0	41	<0.1	12.7	6.6	955	1.79	1.7	0.3	0.6	2.9	18	<0.1	0.2	0.2	22	0.19	0.133
L3+1300	Soil	0.3	9.0	6.9	35	<0.1	14.7	8.3	303	2.14	1.9	0.5	<0.5	3.6	12	<0.1	0.3	0.2	25	0.15	0.074
L3+1350	Soil	0.4	7.7	6.7	36	<0.1	12.0	5.2	343	1.44	2.9	0.4	<0.5	2.3	12	<0.1	0.1	0.2	18	0.11	0.249
L3+1400	Soil	0.2	2.7	4.8	16	<0.1	8.2	6.0	335	1.51	0.8	0.3	<0.5	1.7	6	<0.1	0.1	0.1	19	0.13	0.073
L3+1450	Soil	0.2	6.5	5.6	23	<0.1	13.3	6.5	254	1.72	2.4	0.4	0.6	3.0	8	<0.1	0.2	0.1	22	0.11	0.131
L3+1500	Soil	0.4	6.6	7.6	19	<0.1	9.0	4.4	196	1.44	2.1	0.3	<0.5	1.7	13	<0.1	0.2	0.2	23	0.16	0.122
L3+1550	Soil	0.4	5.8	7.3	28	<0.1	13.9	6.8	338	1.93	2.2	0.3	<0.5	2.9	9	<0.1	0.2	0.2	24	0.15	0.135
L3+1600	Soil	0.4	9.3	7.4	24	<0.1	14.1	5.5	292	1.57	2.2	0.5	<0.5	3.1	11	<0.1	0.1	0.2	24	0.12	0.124
L3+1650	Soil	0.4	10.0	6.6	30	<0.1	11.5	5.2	678	1.37	1.7	0.6	<0.5	2.4	15	<0.1	0.1	0.2	20	0.18	0.187

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given
Report Date: February 04, 2008

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08003274.1

Analyte	Method	1DX15															
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L3+150	Soil	6	7	0.21	203	0.064	3	2.07	0.023	0.09	0.1	0.02	1.5	<0.1	<0.05	6	<0.5
L3+250	Soil	16	14	1.07	259	0.039	4	2.22	0.005	0.16	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5
L3+300	Soil	11	16	0.75	384	0.044	3	3.36	0.015	0.18	0.1	0.03	4.4	0.1	<0.05	9	<0.5
L3+350	Soil	4	6	0.15	227	0.096	2	3.14	0.026	0.05	0.2	0.03	1.4	<0.1	<0.05	7	<0.5
L3+400	Soil	10	8	0.38	196	0.054	3	2.21	0.016	0.11	<0.1	0.01	1.7	<0.1	<0.05	6	<0.5
L3+450	Soil	10	9	0.33	161	0.045	2	1.85	0.021	0.10	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L3+500	Soil	9	9	0.30	220	0.041	2	1.54	0.013	0.07	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
L3+550	Soil	12	11	0.61	245	0.030	2	1.72	0.011	0.07	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5
L3+600	Soil	8	10	0.42	250	0.049	3	2.02	0.018	0.08	0.1	0.02	2.3	<0.1	<0.05	8	<0.5
L3+650	Soil	16	14	0.85	173	0.024	3	1.68	0.006	0.07	0.1	0.02	2.5	<0.1	<0.05	5	<0.5
L3+700	Soil	9	6	0.22	121	0.026	2	0.80	0.009	0.07	<0.1	0.02	0.9	<0.1	<0.05	3	<0.5
L3+750	Soil	13	10	0.41	248	0.041	5	2.10	0.012	0.09	0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L3+800	Soil	15	10	0.43	128	0.022	2	1.13	0.007	0.07	0.1	0.01	1.5	<0.1	<0.05	4	<0.5
L3+850	Soil	8	8	0.24	173	0.049	2	1.54	0.012	0.06	0.2	0.02	1.3	<0.1	<0.05	5	<0.5
L3+900	Soil	8	9	0.30	162	0.073	1	2.24	0.018	0.06	0.1	0.03	1.7	0.1	<0.05	6	<0.5
L3+950	Soil	5	8	0.18	175	0.091	2	2.60	0.021	0.06	0.2	0.03	1.7	<0.1	<0.05	7	<0.5
L3+1000	Soil	6	9	0.28	153	0.080	1	2.40	0.017	0.06	0.1	0.02	1.5	<0.1	<0.05	7	<0.5
L3+1050	Soil	5	7	0.16	202	0.087	2	2.22	0.024	0.07	0.1	0.02	1.6	<0.1	<0.05	6	<0.5
L3+1100	Soil	14	12	0.43	216	0.065	2	2.13	0.013	0.09	0.1	0.02	2.2	<0.1	<0.05	8	<0.5
L3+1150	Soil	11	8	0.23	126	0.121	2	3.11	0.039	0.07	0.2	0.04	4.2	<0.1	<0.05	7	<0.5
L3+1200	Soil	5	8	0.21	132	0.129	3	3.34	0.023	0.06	0.2	0.04	2.0	<0.1	<0.05	8	<0.5
L3+1250	Soil	11	11	0.41	250	0.075	3	2.15	0.014	0.11	0.1	0.02	1.9	<0.1	<0.05	6	<0.5
L3+1300	Soil	14	13	0.56	168	0.058	3	2.26	0.011	0.11	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5
L3+1350	Soil	6	8	0.24	159	0.079	2	2.22	0.021	0.06	0.1	0.03	1.7	<0.1	<0.05	6	<0.5
L3+1400	Soil	13	10	0.36	128	0.025	1	1.19	0.007	0.07	<0.1	0.01	1.3	<0.1	<0.05	4	<0.5
L3+1450	Soil	12	10	0.38	145	0.052	2	1.97	0.013	0.07	0.1	0.02	1.7	<0.1	<0.05	5	<0.5
L3+1500	Soil	4	8	0.15	126	0.112	2	2.87	0.024	0.06	0.2	0.04	1.3	<0.1	<0.05	8	<0.5
L3+1550	Soil	11	12	0.43	147	0.057	2	2.11	0.008	0.11	0.2	0.02	1.5	<0.1	<0.05	7	<0.5
L3+1600	Soil	9	10	0.25	158	0.095	2	2.78	0.026	0.06	0.2	0.03	1.9	<0.1	<0.05	7	<0.5
L3+1650	Soil	8	9	0.20	189	0.089	2	2.64	0.026	0.07	0.1	0.03	2.4	0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given
Report Date: February 04, 2000

www.acmelab.com

Page: 6 of 6 Part

CERTIFICATE OF ANALYSIS

VAN08003274.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%							
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
L3+1700	Soil	0.6	8.4	9.2	46	<0.1	15.0	7.6	1309	2.00	2.9	0.4	1.0	2.6	14	<0.1	0.3	0.2	25	0.19	0.132
L3+1750	Soil	0.5	9.0	9.2	56	<0.1	13.1	5.9	859	1.77	2.8	0.5	1.2	2.1	20	0.1	0.2	0.2	26	0.28	0.193
L3+1800	Soil	0.5	8.4	8.8	41	<0.1	15.2	6.0	1555	1.64	2.4	0.4	<0.5	2.7	17	<0.1	0.2	0.2	22	0.19	0.116
L3+1850	Soil	0.9	8.2	10.3	60	<0.1	13.8	7.6	1672	1.99	2.6	0.4	0.9	2.0	11	0.1	0.3	0.2	25	0.13	0.128
L3+1900	Soil	0.4	8.6	10.2	50	<0.1	15.3	8.5	435	2.03	2.6	0.5	0.5	3.8	12	<0.1	0.3	0.3	24	0.14	0.098
L3+1950	Soil	0.5	5.6	9.2	63	<0.1	13.4	7.1	884	1.86	1.7	0.3	<0.5	3.2	11	<0.1	0.2	0.2	22	0.11	0.070
L3+2000	Soil	0.4	5.7	7.5	35	<0.1	12.2	4.9	376	1.36	2.3	0.3	<0.5	2.4	15	<0.1	0.1	0.2	18	0.23	0.153
L3+2050	Soil	0.3	5.6	5.9	24	<0.1	14.0	5.4	195	1.50	2.1	0.4	<0.5	2.8	11	<0.1	0.2	0.1	18	0.14	0.159
L3+2100	Soil	0.3	5.5	5.2	20	<0.1	13.5	5.7	184	1.61	1.9	0.4	<0.5	2.9	13	<0.1	0.2	0.1	19	0.14	0.155
L3+2150	Soil	0.3	5.9	8.0	39	<0.1	14.9	7.4	724	2.37	2.6	0.4	<0.5	2.7	10	<0.1	0.4	0.2	26	0.13	0.091
L3+2200	Soil	0.1	3.6	4.7	19	<0.1	11.9	5.4	94	1.52	1.6	0.3	<0.5	3.4	10	<0.1	0.2	0.1	14	0.11	0.069
L3+2250	Soil	0.2	3.1	4.3	22	<0.1	7.7	3.3	183	0.97	1.2	0.3	<0.5	2.5	10	<0.1	0.1	0.1	11	0.13	0.114
L3+2300	Soil	0.2	5.3	4.7	12	<0.1	9.3	4.6	110	1.37	2.3	0.5	0.8	4.4	5	<0.1	0.4	0.2	14	0.19	0.058
L3+2350	Soil	0.2	3.6	4.5	12	<0.1	9.4	3.9	250	1.06	1.5	0.3	1.3	2.2	10	<0.1	0.2	0.1	13	0.13	0.128
L3+2400	Soil	0.3	6.9	7.4	32	<0.1	15.8	6.4	124	1.86	2.3	0.4	0.9	3.3	7	<0.1	0.2	0.2	21	0.08	0.097
L3+2450	Soil	0.4	4.7	6.5	20	<0.1	10.8	4.2	587	1.39	1.5	0.4	0.8	2.5	8	<0.1	0.2	0.1	17	0.11	0.119
L3+2500	Soil	0.4	11.3	6.0	27	<0.1	12.2	4.0	451	1.30	1.8	0.5	0.8	2.2	18	<0.1	0.1	0.1	16	0.23	0.278
L3+2550	Soil	0.3	5.5	6.2	31	<0.1	13.4	5.3	504	1.36	1.8	0.3	<0.5	2.2	13	<0.1	0.2	0.1	18	0.14	0.133
L3+2600	Soil	0.4	6.8	8.3	25	<0.1	14.0	5.4	291	1.63	2.7	0.5	1.2	2.7	17	<0.1	0.2	0.2	22	0.19	0.192
L3+2650	Soil	0.3	6.8	6.2	27	<0.1	11.8	4.3	518	1.30	2.1	0.6	1.2	2.5	17	<0.1	0.2	0.1	17	0.24	0.168
L3+2700	Soil	0.3	7.0	7.7	33	<0.1	13.0	6.9	138	2.18	2.3	0.5	<0.5	4.2	10	<0.1	0.4	0.2	20	0.18	0.127
L3+2750	Soil	0.2	5.2	7.3	30	<0.1	10.8	4.8	304	1.53	1.7	0.4	1.8	2.9	16	<0.1	0.3	0.1	15	0.21	0.107
L3+2800	Soil	0.3	5.1	6.9	32	<0.1	10.5	5.6	188	1.85	2.4	0.5	<0.5	3.2	12	<0.1	0.3	0.2	19	0.20	0.133



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given

Report Date: February 04, 2008

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08003274.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L3+1700	Soil	10	13	0.41	259	0.068	3	2.57	0.013	0.11	0.2	0.03	1.9	0.1	<0.05	8	<0.5
L3+1750	Soil	7	10	0.27	228	0.107	2	3.06	0.018	0.07	0.2	0.04	1.7	0.1	<0.05	8	<0.5
L3+1800	Soil	7	10	0.27	273	0.095	2	2.62	0.018	0.08	0.2	0.03	1.6	0.1	<0.05	7	<0.5
L3+1850	Soil	10	14	0.39	285	0.067	9	2.19	0.010	0.09	0.1	0.04	1.7	0.1	<0.05	8	<0.5
L3+1900	Soil	12	14	0.45	230	0.063	3	2.32	0.011	0.10	0.1	0.02	1.9	<0.1	<0.05	7	<0.5
L3+1950	Soil	12	13	0.41	288	0.052	2	1.98	0.008	0.09	0.1	0.02	1.6	0.1	<0.05	6	<0.5
L3+2000	Soil	7	9	0.24	221	0.068	3	2.15	0.016	0.09	0.1	0.02	1.5	0.1	<0.05	6	<0.5
L3+2050	Soil	10	10	0.32	142	0.053	2	1.76	0.010	0.09	0.1	0.02	1.4	<0.1	<0.05	5	<0.5
L3+2100	Soil	12	10	0.36	128	0.047	2	1.68	0.011	0.08	0.1	0.02	1.5	<0.1	<0.05	5	<0.5
L3+2150	Soil	15	15	0.53	225	0.046	3	1.83	0.007	0.11	0.1	0.03	1.7	<0.1	<0.05	7	<0.5
L3+2200	Soil	17	10	0.45	150	0.030	3	1.38	0.006	0.10	<0.1	0.01	1.3	<0.1	<0.05	4	<0.5
L3+2250	Soil	11	8	0.20	156	0.036	5	1.28	0.012	0.09	0.1	0.01	1.2	<0.1	<0.05	4	<0.5
L3+2300	Soil	16	9	0.32	65	0.030	4	1.34	0.010	0.08	0.1	0.02	2.0	<0.1	<0.05	3	<0.5
L3+2350	Soil	10	7	0.20	75	0.038	2	1.39	0.011	0.07	0.1	0.01	1.0	<0.1	<0.05	4	<0.5
L3+2400	Soil	11	13	0.37	186	0.033	1	1.89	0.006	0.08	0.1	0.01	1.4	<0.1	<0.05	5	<0.5
L3+2450	Soil	10	9	0.21	158	0.044	1	1.56	0.010	0.08	0.1	0.02	1.3	<0.1	<0.05	5	<0.5
L3+2500	Soil	7	7	0.19	259	0.066	2	1.95	0.017	0.10	0.1	0.01	1.9	<0.1	<0.05	5	<0.5
L3+2550	Soil	8	9	0.24	141	0.052	2	1.81	0.013	0.09	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
L3+2600	Soil	6	8	0.23	180	0.098	2	2.85	0.020	0.07	0.2	0.03	1.7	<0.1	<0.05	7	<0.5
L3+2650	Soil	9	8	0.19	171	0.074	3	2.20	0.021	0.10	0.1	0.03	2.4	<0.1	<0.05	5	<0.5
L3+2700	Soil	12	13	0.44	209	0.037	4	2.15	0.007	0.12	0.2	0.02	2.2	<0.1	<0.05	6	<0.5
L3+2750	Soil	9	9	0.30	175	0.052	3	1.86	0.014	0.11	<0.1	<0.01	1.8	<0.1	<0.05	5	<0.5
L3+2800	Soil	13	10	0.35	90	0.038	4	1.86	0.010	0.15	0.1	0.01	1.7	<0.1	<0.05	5	<0.5



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client: Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given
Report Date: February 04, 2000

www.acmefab.com

Page: 1 of 1 Part

QUALITY CONTROL REPORT

VAN08003274.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
L1+900	Soil	0.2	6.1	6.9	28	<0.1	13.7	4.8	112	1.50	3.0	0.3	<0.5	2.5	12	<0.1	0.2	0.1	16	0.11	0.163
REP L1+900	QC	0.2	6.5	6.9	25	<0.1	14.3	4.5	112	1.51	3.5	0.3	<0.5	2.5	12	<0.1	0.2	0.1	16	0.12	0.164
L2+100	Soil	0.4	11.0	6.8	25	<0.1	12.7	5.4	235	1.61	3.7	0.5	0.9	2.5	14	<0.1	0.1	0.2	23	0.22	0.194
REP L2+100	QC	0.4	11.3	6.8	25	<0.1	12.5	5.7	241	1.62	3.5	0.5	<0.5	2.4	14	<0.1	0.1	0.2	23	0.22	0.193
L2+700	Soil	0.5	4.9	11.5	51	<0.1	15.7	10.5	1738	3.23	3.1	0.7	0.7	4.1	16	0.2	0.4	0.2	37	0.41	0.167
REP L2+700	QC	0.6	5.1	11.8	51	<0.1	15.2	10.3	1739	3.17	3.1	0.7	0.6	4.1	17	0.2	0.4	0.2	37	0.41	0.161
L2+1600	Soil	0.5	7.3	8.8	27	<0.1	11.3	5.6	371	1.59	2.7	0.4	1.0	2.1	16	<0.1	0.2	0.2	23	0.15	0.141
REP L2+1600	QC	0.5	6.4	8.9	26	<0.1	10.3	5.5	382	1.57	2.7	0.4	0.8	2.0	15	<0.1	0.2	0.2	22	0.15	0.145
L3+050	Soil	0.3	5.9	6.2	37	<0.1	12.7	9.0	571	2.23	1.7	0.3	<0.5	2.0	15	<0.1	0.1	0.2	26	0.17	0.140
REP L3+050	QC	0.3	5.7	6.2	36	<0.1	12.2	8.6	569	2.22	1.4	0.2	<0.5	2.1	16	<0.1	0.1	0.2	25	0.18	0.136
L3+1300	Soil	0.3	9.0	6.9	35	<0.1	14.7	8.3	303	2.14	1.9	0.5	<0.5	3.6	12	<0.1	0.3	0.2	25	0.15	0.074
REP L3+1300	QC	0.3	9.2	7.4	34	<0.1	15.0	8.3	301	2.15	1.9	0.5	0.7	3.7	12	<0.1	0.3	0.2	25	0.16	0.075
L3+1550	Soil	0.4	5.8	7.3	28	<0.1	13.9	6.8	338	1.93	2.2	0.3	<0.5	2.9	9	<0.1	0.2	0.2	24	0.15	0.135
REP L3+1550	QC	0.5	5.7	7.5	28	<0.1	13.4	6.7	342	1.94	2.3	0.3	0.8	2.8	9	<0.1	0.2	0.2	25	0.16	0.139
L3+2400	Soil	0.3	6.9	7.4	32	<0.1	15.8	6.4	124	1.86	2.3	0.4	0.9	3.3	7	<0.1	0.2	0.2	21	0.08	0.097
REP L3+2400	QC	0.4	6.5	7.4	33	<0.1	15.5	6.1	120	1.84	2.3	0.5	0.7	3.3	7	<0.1	0.2	0.2	21	0.08	0.096
Reference Materials																					
STD DS7	Standard	20.2	102.9	69.3	399	0.9	56.3	9.5	649	2.45	52.9	5.0	97.7	4.6	75	6.4	6.2	4.7	85	0.97	0.088
STD DS7	Standard	20.7	104.6	63.6	376	0.8	58.0	9.6	583	2.25	45.1	4.5	60.4	4.3	66	5.9	5.5	4.0	86	0.90	0.074
STD DS7	Standard	21.7	106.3	66.2	392	0.8	59.4	10.0	604	2.34	46.6	5.0	70.7	4.7	71	6.2	5.6	4.2	87	0.96	0.075
STD DS7	Standard	22.3	107.5	74.5	404	0.8	58.6	9.9	637	2.43	50.4	5.3	69.4	5.0	77	6.3	6.6	4.8	92	0.99	0.075
STD DS7	Standard	22.6	108.3	67.3	412	0.9	62.4	10.5	650	2.55	54.3	5.0	65.9	4.9	79	6.3	6.2	4.3	97	1.07	0.081
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

None Given

Report Date:

February 04, 2008

www.acmelab.com

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN08003274.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ge	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
L1+900	Soil	8	9	0.27	281	0.065	2	2.03	0.016	0.08	0.2	0.02	1.2	<0.1	<0.05	6	<0.5
REP L1+900	QC	7	9	0.27	285	0.065	2	2.11	0.016	0.08	0.1	0.02	1.1	<0.1	<0.05	6	<0.5
L2+100	Soil	8	10	0.25	222	0.083	3	2.32	0.024	0.09	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
REP L2+100	QC	8	9	0.25	222	0.080	3	2.36	0.023	0.09	0.2	0.03	1.8	<0.1	<0.05	7	<0.5
L2+700	Soil	13	15	0.39	327	0.099	7	2.92	0.026	0.11	0.2	0.05	3.4	0.1	<0.05	7	<0.5
REP L2+700	QC	13	14	0.39	321	0.097	5	2.85	0.026	0.11	0.1	0.04	3.4	0.2	<0.05	7	<0.5
L2+1600	Soil	5	7	0.15	207	0.107	1	2.89	0.021	0.05	0.2	0.02	1.1	<0.1	<0.05	9	<0.5
REP L2+1600	QC	5	7	0.16	205	0.112	2	3.08	0.022	0.05	0.2	0.03	1.0	<0.1	<0.05	8	<0.5
L3+050	Soil	9	10	0.60	301	0.048	3	2.20	0.014	0.12	<0.1	0.02	1.9	<0.1	<0.05	7	<0.5
REP L3+050	QC	10	11	0.58	299	0.051	3	2.26	0.017	0.13	<0.1	0.01	1.9	<0.1	<0.05	7	<0.5
L3+1300	Soil	14	13	0.56	168	0.058	3	2.26	0.011	0.11	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5
REP L3+1300	QC	14	13	0.56	175	0.058	3	2.27	0.010	0.11	0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L3+1550	Soil	11	12	0.43	147	0.057	2	2.11	0.008	0.11	0.2	0.02	1.5	<0.1	<0.05	7	<0.5
REP L3+1550	QC	12	12	0.43	150	0.057	2	2.15	0.009	0.11	0.2	0.02	1.6	<0.1	<0.05	6	<0.5
L3+2400	Soil	11	13	0.37	186	0.033	1	1.89	0.006	0.08	0.1	0.01	1.4	<0.1	<0.05	5	<0.5
REP L3+2400	QC	10	13	0.36	190	0.030	2	1.85	0.005	0.08	0.1	0.02	1.3	<0.1	<0.05	4	<0.5
Reference Materials																	
STD DS7	Standard	13	203	1.05	390	0.111	41	0.98	0.094	0.44	3.9	0.22	2.3	4.2	0.25	5	4.5
STD DS7	Standard	12	210	1.01	333	0.113	41	0.96	0.087	0.42	3.8	0.18	2.4	4.0	0.21	5	3.8
STD DS7	Standard	13	218	1.03	361	0.121	41	1.02	0.092	0.42	3.8	0.21	2.6	4.2	0.21	5	3.5
STD DS7	Standard	13	221	1.03	391	0.128	42	1.03	0.093	0.43	3.7	0.21	2.4	4.2	0.18	5	4.0
STD DS7	Standard	15	238	1.09	383	0.137	43	1.12	0.108	0.47	4.0	0.20	2.8	4.3	0.26	5	3.9
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BOOT PROPERTY

SOUTHEAST BC

Sample # UTM E UTM N Descriptions

Boot-1	603473	5477559	Qtz/carb vein with specularite, lim, in volcanics, hematite along cleavage plains, strike 170/dip 54 W
Boot-2	603491	5477213	Amyg. Basalt, carb. Alt, CuPy in amygdols
Boot-3	603754	5477089	Siltstone, orange/brown, ripple beds, chlorite gashes with Cupy some pebbly arenites with carbonaceous rind and diss. CuPy near the top of the Nichol Creek, possibly interbedded in volcanics
Boot-4,5	604250	5476892	Hematite bx. Looks like a BIF, taken out of adit/dump, qtz crystal veins, specularite, carb alt, hosted in a carbonate rich unit
Boot-6,7	604028	5476587	Hematite bx. In rosy stromatalitic dolomites (basal Sheppard?) and oolites, massive calcite, qtz-crystal-vug-veins minor lim, cross-cutting?, strike 180/dip 44 E, old pits and trenches

Soil Line UTMS

Coordinate UTM E UTM N

L 1+ 00	603550	5477350
L1 + 1950	605463	5476744
L2 + 00	603400	5476850
L2 + 700	604028	5476587
L2 + 1300	604603	5476377
L2 + 2000	605271	5476122
L2 + 2500	605721	5475942
L3 + 00	603200	5476400
L3 + 1000	604120	5475960
L3 + 2100	605229	5475616
L3 + 2800	605833	5475443



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Klondike Gold Corp.**

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Submitted By: Sean Kennedy
Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
Received: December 07, 2007
Report Date: February 04, 2008
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08003273.1

CLIENT JOB INFORMATION

Project: None Given

Shipment ID:

P.O. Number

Number of Samples: 7

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	7	Crush, split and pulverize rock to 150 mesh		
3A	7	Ignite samples, acid digest. Au by ICP-MS analysis	15	Completed
1DD	7	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
711 - 675 W. Hastings St.
Vancouver BC V6B 1N2
Canada

CC: D. Dobson
Trygve Hoy



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project: None Given
Report Date: February 04, 2000

www.acmelab.com

Page: 2 of 2 Part

CERTIFICATE OF ANALYSIS

VAN08003273.1

	Method	3A	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.5	1	2	3	1	0.3	1	1	2	0.01	2	8	2	2	1	0.5	3	3	1	0.01	
BOOT-1	Rock	<0.5	<1	<2	4	32	<0.3	10	9	777	5.33	4	<8	<2	<2	4	0.8	<3	4	99	0.41
BOOT-2	Rock	1.7	<1	1212	<3	78	<0.3	27	48	793	7.78	<2	<8	<2	<2	12	0.9	<3	7	115	1.51
BOOT-3	Rock	<0.5	<1	193	<3	6	<0.3	4	7	1629	1.72	3	<8	<2	3	43	<0.5	<3	<3	5	5.59
BOOT-4	Rock	<0.5	<1	4	<3	3	<0.3	1	<1	111	2.96	<2	<8	<2	<2	5	<0.5	<3	<3	25	1.24
BOOT-5	Rock	<0.5	<1	4	<3	4	<0.3	2	1	314	3.67	<2	<8	<2	2	10	<0.5	<3	<3	32	3.12
BOOT-6	Rock	<0.5	1	<2	10	6	<0.3	5	<1	32	11.82	7	<8	<2	3	3	<0.5	9	<3	32	0.04
BOOT-7	Rock	<0.5	2	<2	8	6	<0.3	4	2	106	12.91	12	<8	<2	2	2	<0.5	10	<3	64	0.03



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

None Given

Report Date

February 04, 200

www.acmellab.com

Page

1 of 1 Part

QUALITY CONTROL REPORT

VAN08003273 1

	Method	3A	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D		
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.5	1	2	3	1	0.3	1	1	2	0.01	2	8	2	2	1	0.5	3	3	1	0.01		
Pulp Duplicates																						
BOOT-1	Rock	<0.5	<1	<2	4	32	<0.3	10	9	777	5.33	4	<8	<2	<2	4	0.8	<3	4	99	0.41	
REP BOOT-1	QC	<1	<2	4	30	<0.3	10	9	755	5.08	<2	<8	<2	<2	4	0.5	<3	<3	98	0.39		
Reference Materials																						
STD DS7	Standard		20	102	67	416	0.8	54	9	612	2.46	52	<8	<2	4	75	6.1	8	7	71	0.98	
STD DS7	Standard		19	97	63	390	0.6	49	8	575	2.25	47	<8	<2	4	71	5.9	3	6	68	0.94	
STD DS7	Standard		20	103	66	398	0.8	54	9	633	2.40	48	<8	<2	5	76	6.0	<3	<3	79	1.00	
STD DS7	Standard		20	104	68	398	0.8	54	9	617	2.39	47	<8	<2	5	75	5.7	5	4	80	0.98	
STD OXD57	Standard		384.5																			
STD OXD57	Standard		384.9																			
STD OXD57 Expected			413																			
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	0.07	4.4	68.7	8.38	5.86	4.51	86	0.93	
BLK	Blank		<0.5																			
BLK	Blank		<1	<2	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<8	<2	<2	<1	<0.5	<3	<3	<1	<0.01	
BLK	Blank		<1	<2	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<8	<2	<2	<1	<0.5	<3	<3	<1	<0.01	
Prep Wash																						
G1	Prep Blank		<0.5	<1	<2	<3	46	<0.3	4	4	558	1.87	<2	<8	<2	3	60	<0.5	<3	5	30	0.49
G1	Prep Blank		<0.5	<1	2	<3	44	<0.3	3	3	535	1.82	<2	<8	<2	3	57	<0.5	<3	<3	30	0.49



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Klondike Gold Corp.

711 - 675 W. Hastings St.
Vancouver BC V6B 1N2 Canada

Project:

None Given

Report Date:

February 04, 2008

www.acmelab.com

Page:

1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08003273.1

Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
MDL	0.001	1	1	0.01	1	0.01	10	0.01	0.01	0.01	2
Pulp Duplicates											
BOOT-1	Rock	0.100	18	9	1.30	57	0.03	10	1.27	0.07	0.05
REP BOOT-1	QC	0.095	17	8	1.24	55	0.03	14	1.21	0.07	0.05
Reference Materials											
STD DS7	Standard	0.073	13	205	1.05	391	0.12	39	1.01	0.09	0.44
STD DS7	Standard	0.069	12	186	1.02	370	0.11	39	0.95	0.08	0.41
STD DS7	Standard	0.074	13	201	1.08	396	0.12	33	1.04	0.09	0.45
STD DS7	Standard	0.073	12	199	1.04	395	0.11	44	1.03	0.09	0.44
STD OXD57	Standard										
STD OXD57	Standard										
STD OXD57 Expected											
STD DS7 Expected		0.08	12.7	183	1.05	370.3	0.124	38.6	0.959	0.073	0.44
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.01	<10	<0.01	<0.01	<0.01
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.01	<10	<0.01	<0.01	<0.01
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.01	<10	<0.01	<0.01	<0.01
Prep Wash											
G1	Prep Blank	0.070	8	12	0.60	224	0.13	<10	0.99	0.07	0.53
G1	Prep Blank	0.071	7	11	0.57	213	0.12	11	0.98	0.07	0.50