

**RECEIVED**  
NOV 05 2008  
Gold Commissioner's Office  
VANCOUVER, B.C.

BC Geological Survey  
Assessment Report  
30301

ASSESSMENT REPORT

of the

**OK COPPER PROPERTY**

VANCOUVER MINING DIVISION, BRITISH COLUMBIA

NTS: 92K/02E  
(092K007)

Latitude 50 degrees, 02' N, Longitude 124 degrees, 38' W

Owner

**EASTFIELD RESOURCES LTD.**

Suite 110 – 325 Howe St.  
Vancouver, B.C.  
V6C 1Z7

Joint Venture Partner

**PROPHECY RESOURCE CORP.**

Suite 1400 – 400 Burrard Street,  
Vancouver, BC, V6C 3G2

By

J.W. Morton, P.Geo.

November 3, 2008

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT  
30,301

## TABLE OF CONTENTS

<b>INTRODUCTION</b>	<b>Page 1</b>
<b>GENERAL GEOGRAPHIC and PYSIOGRAPHIC POITION and ACCESS</b>	<b>1</b>
<b>LOCATION MAP</b>	<b>3</b>
<b>PROPERTY DEFINITION:</b>	
<b>List of Claims</b>	<b>3</b>
<b>Owner and Option Partner</b>	<b>3</b>
<b>HISTORY</b>	<b>4</b>
<b>CLAIM MAP</b>	<b>5</b>
<b>GEOLOGICAL SETTING</b>	<b>7</b>
<b>MAY-JUNE 2007 FIELD PROGRAM</b>	<b>10</b>
<b>RECOMMENDATION</b>	<b>11</b>
<b>DRILL HOLE LOCATION MAP NORTH LAKE AREA</b>	<b>12</b>
<b>DRILL HOLE LOCATION MAP SOUTH BRECCIA AREA</b>	<b>13</b>
<b>ITEMIZED COST STATEMENT</b>	<b>14</b>
<b>AUTHOR QUALIFICATION</b>	<b>15</b>
<b>ANALYTICAL CERTIFICATES</b>	<b>APPENDIX</b>
<b>OK-08-01 to OK-08-06 DRILL LOGS</b>	<b>APPENDIX</b>

## **INTRODUCTION**

During the months of May, and June and 2008 Prophecy Resource Corp. funded the completion of six diamond drill holes totaling 1,448 metres at the Okeover (OK) copper-molybdenum project located immediately north of the coastal British Columbia city of Powell River. The most significant result of the current program was hole 08-Ok-03, located 90 metres to the south of the nearest hole in the current North Lake Zone resource area. Hole 08-Ok-03 intersected 45.5 metres grading 0.33% copper and 0.003% molybdenum including 12 metres grading 0.41% copper and 0.001% molybdenum. This hole creates an open southern edge in this direction. The North Lake Zone is one of eight known areas of significant copper-molybdenum mineralization on the Okeover property.

Total program costs for 2008 were \$315,862.

## **GENERAL GEOGRAPHIC and PHYSIOGRAPHIC POSITION and ACCESS**

The OK copper-molybdenum property consists of fourteen contiguous mineral claims located in the Vancouver Mining Division of southwestern British Columbia 25 kilometres north of Powell River and 145 kilometres northwest of Vancouver. Collectively, the claims cover an area of approximately 5233 hectares between latitudes 49°59.5' and 50°04.6' North and longitudes 124°37.0' and 124°41.2'

The OK copper property is situated on the southwest coast of British Columbia and borders the south shore of Theodosia Inlet. Mineral claims comprising the property are about midway between Powell Lake on the east and Okeover Inlet on the west. The southern part of the property is accessible by vehicle via highway 101 and secondary logging roads from the community of Powell River. Road distance is about 35 kilometres; driving time is approximately one hour. The preferred access route from the BC ferry terminal in the southern part of Powell River (Westview) is northwest by way of highway 101 to Southview Road, a distance of 15 kilometres, then north on Southview Road for 10 kilometres to a stop sign which marks the junction with Branch 02 of the Theodosia 6423 Forest Service Road (FSR). Conventional vehicles are adequate to this point; steeper grades and loose gravel on the FSR roads are best negotiated by 4-wheel

drive vehicles. Traveling west on the Branch 02 road for 6 kilometres leads to Branch 03 which extends north 3.3 kilometres to the southern part of the OK property.

Logging roads, which provide access to the northern claims area from Theodosia Inlet, are currently accessible only by barge.

Powell River, a community of 18,000 offering most supplies and services, is 120 kilometres northwest of Vancouver and may be reached by highway and coastal ferry. Daily scheduled airline service from Vancouver is also available.


The OK property is situated in the Pacific Ranges of the southern Coast Mountains. Elevations within the property area range from sea level at Theodosia Inlet to a maximum of 1100 metres and average between 800 and 900 metres within an upland, plateau-like area which is prevalent throughout much of the central property area. The claims area is bordered on the east by the Bunster Hills which rise between 100 and 200 metres above the plateau surface. Relatively moderate slopes prevail between the upland surface and Okeover Inlet to the west while the northern claims area features steep slopes to Theodosia Inlet.

The climate is typical of the southwest coast of British Columbia with mild winters and an annual precipitation of about 110 centimetres. Temperatures between the months of June and September average between 18 and 24 degrees Celsius; mean January temperatures are slightly above freezing. Fieldwork is best carried out between early spring and late fall.

All claims are registered in the name of Eastfield Resources Ltd. and are subject to a March 4, 2003 option agreement with Robert Edward Mickle of Likely, B.C. whereby Eastfield has the right to earn a 100% interest in the property subject to a 2.5% net smelter royalty interest which may be purchased from the vendor for \$2 million on commencement of commercial production. Cash payments to the vendor totaling \$88,000 over a five years period are due at six month intervals in addition to the annual issuance of Eastfield securities amounting to 125,000 shares over the life of the agreement.

Prophecy Resource Corp. is Eastfield's option partner on the OK property and can earn a 60% interest in the OK property, by making cash payments and/or stock issuances





amounting to \$105,000 to Eastfield over the next four years plus incurring exploration expenditures totaling \$1 million over the same time frame.

#### CLAIM STATUS

Claim Name	Record #	Hectares	Expiry Date
Ok A	258171	500	Nov. 30, 2010
Ok B	258172	500	Nov. 30, 2010
Ok C	258173	500	Nov. 30, 2010
Ok D	258174	450	Nov. 30, 2010
Ok E	258175	250	Nov. 30, 2010
Ok F	258176	375	Nov. 30, 2010
Ok G	258177	500	Nov. 30, 2010
Ok H	504530	519.3	Jan. 21, 2011
OK Connector	519763	166	Sept. 7, 2011
OK West	533994	291.4	May 12, 2011
OK Northwest	539544	82.5	Aug. 17, 2011
OKE	543423	477	Oct. 17, 2011
OKE1	543424	228	Oct. 17, 2011
SOUTHWEST	558043	<u>394</u>	May 3, 2011
<b>Total</b>		<b>5,233</b>	

#### HISTORY


Copper and molybdenum mineralization was discovered in creek bottoms in the central part of on the OK property by the current registered owner in 1965. Between 1966 and 1977, seven companies carried out a number of geological, geochemical and geophysical surveys, mechanical trenching and more than 14000 metres of drilling. Companies included Noranda Exploration Company Ltd., Asarco Exploration Company of Canada Limited, Falconbridge Nickel Mines Ltd., Duval International Corporation, Granite Mountain Mines Ltd., Sierra Empire and Western Mines Ltd.

Drilling completed between 1966 and 1977 consisted of 13,832 metres of diamond drilling in 82 holes and 12 vertical percussion holes totaling 732 metres. Most of the diamond drill holes were inclined at  $-45^{\circ}$  or less and five were vertical holes. Average hole length was 169 metres and the deepest hole drilled was 363 metres in length. Average vertical depth tested was between 120 and 140 metres below surface.

Vertical percussion holes were drilled to 61 metres depths. Readily available reports pertaining to drilling include only those of Western Mines Ltd. in 1974 and 1977.



# OK CLAIMS



## Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Tenures (Mineral - MTO)
- Mineral Claim
- Mineral Lease
- Reserves (Mineral - MTO Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (MTO)
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airfield
- Anchorage - Seaplane
- Ferry Route
- Helipoint
- Seaplane Base
- Air Field
- Airport
- Air Feature - Condition Unknown
- Airport Abandoned

Map center: 50°2' N, 124°39' W



Scale: 1:90,989

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Original drill logs and analytical results for core and cuttings samples from all holes drilled between 1966 and 1977 were digitized in the late 1980s and these data were acquired on behalf of Goldrush Resources Ltd. in late 2004.

Work on the property between 1979 and 1982, undertaken by Aquarius Resources Ltd., was mainly directed to a breccia zone with enhanced copper, molybdenum and silver values in the southern property area. Work included limited diamond drilling (3 holes totaling 205 metres), geological mapping, an Induced Polarization geophysical survey and soil geochemical surveys, road building and trenching).

CanQuest Resource Corporation acquired the rights to the property in the early 1990s and a reconnaissance geological mapping and sampling program was undertaken in the area of the southern breccia zone in 1994. A small grid (4.2 line kilometres) was established in 1995 to cover this area in the south-central part of the OK C mineral claim and an Induced Polarization survey was completed. An area of higher chargeability identified by this survey was tested by one short (154 metres) inclined diamond drill hole in 1996. Follow-up work in 1997 included mapping of bedrock exposed in newly constructed logging roads. An expanded program in 1998 consisted of geological mapping and bedrock chip sampling in other areas of the property plus limited soil geochemical sampling and orientation magnetometer, VLF-EM and Self Potential geophysical surveys in selected areas.

A geological mapping, prospecting and bedrock sampling program on the OK property was undertaken by Mincord Exploration Consultants Ltd. on behalf of Lumina Copper Corp. in October of 2003. This work, which was mainly directed to bedrock exposures along logging roads in the central southern property area, included geological mapping at 1:5000 scale, petrographic studies and the collection and subsequent analyses of 81 rock samples.

An airborne geophysical survey over a large part of the property was completed between July 12 and 15, 2004 by Fugro Airborne Surveys Corp. on behalf of Goldrush Resources Ltd. This survey, conducted by helicopter, involved the collection of electromagnetic, resistivity and magnetic data. Goldrush also funded a six hole, 975 metre diamond drilling program in 2005.

Surface work on the OK property in May and June of 2006 included the

collection and analyses of several hundred soil samples from two grid areas and road and drill pad construction in the North Lake area using a large excavator.

In 2007 Prophecy completed two diamond drill programs on the OK property with the first program consisting of seven drill holes totaling 1,229 metres and the second consisting of a further three holes totaling 782 metres.

## **GEOLOGICAL SETTING**

### **Regional Setting**

The OK property is situated in the western part of the Coast Plutonic Complex which is coincident with the Coast tectonic belt extending along the western margin of mainland British Columbia. The complex consists mainly of a series of granitic plutons which intrude volcanic and sedimentary rocks along its eastern margin. Numerous pendants of metavolcanic and metasedimentary rocks plus orthogneisses are present within the granitic rocks which range in age from Jurassic to Tertiary.

The regional setting of the OK property is somewhat unique inasmuch as most of the known porphyry copper-molybdenum deposits in the Canadian Cordillera are situated in the Intermontane Superterrane east of the Coast Plutonic Complex and to a lesser degree in the Insular Superterrane to the west. Notable exceptions are some porphyry molybdenum deposits in British Columbia and the Alaskan panhandle which are related to younger granitic intrusions within the Coast Plutonic Complex. Examples include the large Quartz Hill molybdenum deposit east of Ketchikan in southeastern Alaska and the Salal Creek and Gem porphyry molybdenum prospects in southwestern British Columbia. The Don porphyry copper-molybdenum prospect, north of Jervis Inlet some 40 kilometres east of the OK property, is a relatively recent discovery (early 1980s) of porphyry mineralization within Coast granitic terrane.

Some previous investigators have remarked on the position of the OK intrusive complex between two apparent subcircular structures including East Redonda Island to the north and Powell Lake to the east. These features may represent collapsed caldera structures.

Granitic rocks of the Coast Plutonic Complex in the immediate area of the OK property include granodiorites, quartz diorites and more basic diorites and gabbros.

Screens or pendants of intermediate to basic volcanic rocks have been reported. Radiometric ages of similar granitic rocks in southwestern British Columbia range from early to mid Cretaceous.

### **Property Geology**

In the central part of the property, older Coast Plutonic Complex granitic rocks have been intruded by the OK intrusive complex which is elongate in a northerly direction and measures 3.6 (north-south) x 2.3 kilometres (east-west) and may be longer in the north-south direction. The age of this complex is not known but it is reasonable to assume a late Cretaceous to mid-Tertiary age (75 – 35 Ga), similar to other mineralized granitic intrusions on Vancouver Island (Catface, Mt. Washington) and elsewhere in the southwestern British Columbia mainland (Gem, Salal Creek).

Contacts between the intrusive complex and older Coast granitic rocks have been observed along the northern and eastern margins of the complex where some development of gneisses in the older rocks has been reported by Meyer et al in 1976. Williams in 1998 refers to the granitic rocks of the complex displacing older Coast diorites and gabbros.

The OK intrusive complex features multiple intrusive events, a characteristic of many porphyry deposits. At least six intrusive phases were noted by N.C. CARTER, Ph.D. P.Eng., during a brief examination of the southern property area in 1984. The two principal intrusive phases include an earlier, variably altered, fine- to medium-grained, equigranular granodiorite which is intruded by a large, northerly-trending, dyke-like body of quartz-feldspar porphyry featuring crowded feldspar phenocrysts and scattered 1 centimetre-size, rounded quartz “eyes”.

An adjunct of the 2003 geological mapping program involved diamond sawing of a number of rock samples for sodium cobaltinitrate staining to determine the potassium feldspar content. This work suggests that the dominant intrusive phase of the OK intrusive complex is of quartz diorite composition rather than granodiorite. A leucocratic quartz diorite phase is prevalent in the central claims area and the younger quartz-feldspar porphyry also appears to be of quartz diorite composition.

Younger, definitely post-mineral intrusive phases include narrow, aphanitic and

porphyritic mafic dykes and hornblende diorites, termed diabase by some workers. These occur as steeply-dipping, north-northeast and north-northwest-trending dykes of up to 3 metres or more in width. Previous drilling suggested that these dykes occurred as swarms within a 1 kilometre-wide, north-northeast-trending zone in the central property area. Discontinuous, fine-grained "andesite" dykes of variable orientation, and locally referred to as lamprophyre, apparently represent the youngest intrusive phase.

Drilling in 2005 identified at least two distinct post-minerals dyke phases and confirmed the vertical to subvertical nature of most of these dykes. Precise strike orientations remain to be determined but in the central property area they may be trending both north-northwest and roughly east-west.

Of interest is an intermineral intrusive breccia first recognized in the southern grid area in 1979. The geometry of this breccia zone is not well defined although trenching and limited drilling has suggested a north-northwest trend for the zone with widths of between 10 and 30 metres and an indicated strike length of at least 100 metres. This zone, examined by the writer in 1984 and again in 2004, has characteristics of intrusive breccias typical of most porphyry deposits. Rounded to subangular, closely-spaced, several centimeter clasts of varying lithology are contained in a fine-grained chloritic matrix containing a good percentage of sulphide minerals. Geological investigations in 2003 showed the breccia zone as being central to a northwest-trending, 600 x 300 metres, structurally complex fracture zone. Daimond drilling in this area in 2007 included hole 08-08 with 39.7 metres grading 0.27% Cu and 0.045% MoS<sub>2</sub>. In 2008 the final drill hole of the program Ok-Ok-06 returned only anomalous values with a few individual (three metre) sample intervals returning values to 0.28% Cu and 0.029% Mo.

North-northeast striking faults cut and offset both Coast granitic rocks and the intrusive complex. These are thought to post-date mineralization and possibly provided conduits for the some of the post-mineral dyke swarms.

Propylitic alteration, present in all phases of the OK intrusive complex, is locally overprinted by potassic, phyllic and argillic alteration facies.

Mapping of alteration, undertaken in the southern half of the property, completed in the early 1980's, indicated moderate to strong sericite and kaolinite (phyllic-argillic) alteration centred on the breccia zone and in an area south of the Claim Lake zone.

Elsewhere within the property there is limited evidence of an inner potassic alteration zone developed in quartz diorite (previously referred to as granodiorite) which grades outward to through phyllic, argillic and propylitic alteration zones typical of porphyry systems. Meyer in 1976 describes strong quartz-sericite alteration of the central quartz-feldspar porphyry dyke which grades outward to predominantly chlorite-epidote alteration in the bordering quartz "granodiorite".

At least two stages of quartz veining and quartz stockwork development are evident within the OK intrusive complex. Attendant sulphide mineralization consists of pyrite, chalcopyrite and molybdenite with lesser bornite, sphalerite and magnetite occurring in narrow quartz-filled fractures and quartz veinlet stockworks which have a predominant east to northeast trend. Molybdenite occurs as selvages along the margins of quartz veinlets and also coats dry fractures.

Younger quartz veinlet stockworks are best developed in the central, later phase quartz-feldspar porphyry dyke but it is significant that these contain little or no sulphide mineralization. The older, leucocratic quartz diorite ("granodiorite") phase marginal to the quartz-feldspar porphyry hosts the best copper and lesser molybdenum mineralization suggesting that the later intrusive phase may have been the mineralizing unit. The most widespread copper (+molybdenum) mineralization is best developed along the eastern flank of the quartz-feldspar porphyry dyke. Some smaller mineralized zones also occur along the west flank of the dyke; this may be an expression of lesser drill-testing of this area.

Minor pyrite occurs with chalcopyrite and molybdenite but is most widespread in peripheral zones as a typical pyrite halo.

Eight copper-molybdenum zones have been explored by previous drilling over a northerly trend of 5 kilometres. Most of these mineralized zones contain apparent large volumes of low copper (0.10-0.20%) with molybdenum values.

#### **MAY-JUNE 2008 PROGRAM**

Six diamond drill holes totaling 1,448 metres were completed in May and June 2008. Of these holes five were completed in the North Lake Zone while one was completed in the South Breccia area. The most significant result of the current program was hole 08-Ok-



03, located 90 metres to the south of the nearest hole in the current resource area. Hole 08-Ok-03 intersected 45.5 metres grading 0.33% copper and 0.003% molybdenum including 12 metres grading 0.41% copper and 0.001% molybdenum. This hole creates an open southern edge in this direction.

A summary of significant drill results is as follows:


Hole	Intercept (m)	From (m)	To (m)	Cu %	Mo %
08-Ok-01	57.0	113.0	170.0	0.30	0.003
Including	42.0	122.0	164.0	0.33	0.003
08-Ok-02	26.3	72.5	98.8	0.26	0.002
and	16.5	107.3	123.8	0.33	0.003
08-Ok-03	198.5	39.5	238.0	0.16	0.001
Including	45.5	39.5	85.0	0.33	0.003
Including	12.0	73.0	85.0	0.41	0.001
08-Ok-04	2.2	98.2	98.0	0.21	0.004
08-Ok-05	46.4	2.1	48.5	0.10	0.001

Ok-Ok-06, drilled three kilometres further to the south returned only anomalous values with individual three metres sample intervals returning values to 0.28% Cu and 0.029% Mo.

## RECOMMENDATIONS


Additional drilling is recommended in several areas of the property, particularly the south side of the North Lake area. During the 2008 program hole 66-01 was successfully relocated near the north end of Claim Lake. Hole 66-01, was drilled westerly on a 45° angle. This hole intersected 101 metres grading 0.34% Cu and 0.021% MoS<sub>2</sub>, Hole 66-01 and currently forms the western boundary to drilling. It is recommended that new access be established to this site (relatively easy) and further drilling be undertaken to the west of it.

# Okeover (OK) Project North Lake Area Drill Plan



Drill sites prepared but not yet used indicated in square boxes

DIAMOND DRILL HOLES  
SOUTH BRECCIA AREA  
2007 & 2008



**COST STATEMENT**

Professional Fees	Bob Johnson P.Geo, 9 days	\$6,120	May 1-15, 2008
Professional Fees	J.W. (Bill) Morton P.Geo, 1 day	\$680	May 1-15, 2008
Field Personnel Fees	J. P Charbonneau, 8 days	\$3,360	May 1-15, 2008
Professional Fees	J.W. (Bill) Morton P.Geo, 2 day	\$1,360	May 16-31, 2008
Professional Fees	Bob Johnson P.Geo, 15 days	\$10,200	May 16-31, 2008
Field Personnel Fees	J. P Charbonneau, 16 days	\$6,720	May 16-31, 2008
Field Personnel Fees	Dean Louie, 10 days	\$3,300	May 16-31, 2008
Professional Fees	Bob Johnson P.Geo, 12 days	\$8,160	June 1-15, 2008
Field Personnel Fees	J. P Charbonneau, 15 days	\$6,300	June 1-15, 2008
Field Personnel Fees	Dean Louie, 13 days	\$4,290	June 1-15, 2008
Field Personnel Fees	J. P Charbonneau, 6 days	\$2,520	June 16-31, 2008
Field Personnel Fees	Dean Louie, 4 days	\$1,320	June 16-31, 2008

Total Personnel	\$54,330.00
ATV Mincord, one unit, 33 days, @ \$75 day,	\$2,475.00
ATV Val Geo-Tech, one unit, 34 days @ \$68.45+ PST,	\$2,327.25
Truck Johnson, 29 days @ \$80 day,	\$2,320.00
Truck Val Geo-Tech, 40 days @ \$96.30,	\$3,852.00
Truck Morton 3 days @ \$80,	\$240.00
Printer Rental Mincord, 39 days @ \$5,	\$195.00
Radio Rental Mincord, (3 units), 39 days @ \$5 each,	\$585.00
Core Splitter Mincord, 39 days @ \$10,	\$390.00
Chainsaw Rental, 12 days @ \$25,	\$300.00
Travel Expenses,	\$2,259.51
Field Equipment and Supplies,	\$2,368.09
Drilling, 1448 metres @ \$140 metre (all in),	\$202,720.00
Analysis, 480 samples @ \$32.22,	\$15,464.10
Communications,	\$358.43
Food and Accommodation, 88 man days	\$8,166.00
Miscellaneous,	\$61.25
Fuel,	\$7,222.43
Bulldozer,	\$5,499.13
Freight,	\$1,830.79
GST,	<u>\$2,898.75</u>
<b>Sub total</b>	<b>\$315,862.70</b>

## **AUTHOR QUALIFICATIONS**

### **JW. (Bill) Morton P.Geo**

I, J.W. Morton am a graduate of Carleton University Ottawa with a B.Sc. (1972) in Geology and a graduate of the University of British Columbia with a M. Sc. (1976) in Graduate Studies.

I, J.W Morton have been a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Geo.) since 1991.

I, J.W. Morton have practiced my profession since graduation throughout Western Canada, the Western USA and Mexico.

I, J.W Morton supervised the work outlined in this report.

Signed this 3rd day of November, 2008

Hole #	OK08-01			Loc Method; GPS		dip tests				Start Date: May 21, 2008			
Property:	OK			UTM E	381966	depth	dip	az	corrected	Completion: May 24, 2008			
Depth (m);	295.05			UTM N	5544479	295.05	-47		-40	Logged By: Johnston			
Core size;	BTW			NAD 83 Z10						Date logged: May 22-25, 2008			
Drilled by;	Beaudoin Drilling			Azimuth: 245°									
NOTES;				Inclination: -47°									
OK08-01				Elevation:	914m					values in ppm except where noted			
depth (m)	description			litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu	
from	to												
0	3.05	casing					419372	3.05	6.40	3.35	52	21	3138
							419373	6.40	9.40	3.00	76	3	2566
3.05	6.40	<b>quartz diorite</b>					419374	9.40	11.89	2.49	88	2	923
		gy gm; 20-40% wh felds 1-3mm; minor qtz xtls; 10% mafics alt to gn chl; mod sil'n					419375	11.89	14.00	2.11	66	9	1599
		minor diss py; minor cp, sometimes with bk rim; chalcocite?					419376	14.00	17.00	3.00	106	9	1341
		or-bn surface weath on frax to 21m					419377	17.00	20.00	3.00	97	10	2044
							419378	20.00	23.45	3.45	93	41	2776
6.40	11.89	<b>mafic dyke</b>					419379	23.45	26.35	2.90	98	2	477
		dk gn chl'd gm; 5% 1mm wh, gn ep alt felds					419380	26.35	30.00	3.65	102	25	1582
							419381	30.00	33.00	3.00	100	15	1313
11.89	95.5	<b>quartz diorite</b>					419382	33.00	36.00	3.00	100	13	1101
		gy gm; 20-40% wh felds 1-3mm; minor qtz xtls; 10% mafics alt to gn chl					419383	36.00	39.00	3.00	103	44	1526
		mod sil'n; variable ser'n; local ep stringers; local gyp vns					419384	39.00	42.00	3.00	95	89	2062
		fine fresh bk biot masses to 5mm from 33m					419385	42.00	45.00	3.00	103	13	1324
		wh-gy 1-5mm qtz vns; locally almost a stockwork; gen low CA; local minor cp, mgt					419386	45.00	48.00	3.00	100	5	1763
		cp minor throughout; diss, in qv's, in gn chl frax					419387	48.00	51.00	3.00	85	8	1791
		minor py; cp>py; local mal					419388	51.00	54.00	3.00	104	31	1294
		13.35-13.62m; gn mafic dyke; 10cm wh-gy qv at upper contact					419389	54.00	57.00	3.00	103	4	1968
		19.8-23.45m; cp inc to 0.5%, mostly as blebs with chl in qv's					419390	57.00	60.00	3.00	101	20	2551
		22.0-23.45m; cp inc to 1%					419391	60.00	63.00	3.00	97	7	1593
		21.4m; 10cm qv with pk stringers; rhodochrosite?					419392	63.00	66.00	3.00	100	9	1902
		22-23.45m; cp inc to 1%; minor mo					419393	66.00	69.00	3.00	90	7	2772
		24.35-26.35m; gn mafic dyke; 10% fine gn ep alt felds; incl 10cm qtz diorite xeno with 0.5% cp at 24.0m					419394	69.00	72.00	3.00	101	20	1613
		26.45-27.0m; dk gy clay-py seams to 0.5cm					419395	72.00	75.00	3.00	101	70	3928
		26.6m; 10cm mafic dyke					419396	75.00	78.00	3.00	95	24	2290
		28.3m; 5% cp in 30CA qv					419397	78.00	81.00	3.00	107	11	2429
		33m; cp dec to minor; py>cp					419398	81.00	84.00	3.00	102	19	1712
		34-37m; local mo with cp					419399	84.00	87.00	3.00	95	19	2206
		39-49m; cp inc to 0.5%, with gn chl frax, dry frax					419400	87.00	90.00	3.00	101	2	2588
		49m; 1m sil'd fracture zone; v abund qv's to 30cm; common ep; minor py, tr cp; sim 10cm zones at 61.5, 62.5m; 1.5m zone at 90.6m					419401	90.00	93.00	3.00	90	33	1948
		50-95.5m; cp inc to 0.5%; gn saus alt felds					419402	Standard PM 192				13	72
		57.5m; 3cm 45CA qv with mo on margins					419403	93.00	95.50	2.50	112	9	1706
		74.5m; 1cm gob of cp					419404	95.50	98.50	3.00	100	2	494
		90.3m; 30cm fg mafic dyke					419405	106.63	109.63	3.00	101	1	191

OK08-01				Elevation:	914m				values in ppm except where noted				
depth (m)		description	litho code	alt	sample #	from	to (m)	length	rec %	Mo	Cu		
from	to					(m)		(m)					
		90-95.5m; local pk k-feld? stringers; minor mo			419406	109.63	113.00	3.37	97	9	1810		
					419407	113.00	116.00	3.00	100	20	2310		
95.5	109.63	<b>mafic dyke</b>			419408	116.00	119.00	3.00	103	8	1899		
		gn chl gm with wh felds to 3mm; locally ep alt			419409	119.00	122.00	3.00	101	101	2888		
		45CA contacts			419410	122.00	125.00	3.00	102	52	3341		
					419411	125.00	128.00	3.00	100	7	2642		
109.63	130.8	<b>quartz diorite</b>			419412	128.00	131.00	3.00	90	16	5073		
		as above; mod sil'n, local ser alt; local fresh biot masses			419413	131.00	134.00	3.00	101	35	1420		
		cp to 1% in qv's, dry frax; with local mgt; cp>py			419414	134.00	137.00	3.00	99	9	3346		
		119-125m; chl alt bx zone; fg gn chl flooding, but can discern qtz dior and feldspar porphyry frags; section incl qv's to 10cm with cp blebs; minor mo, cp on frax			419415	137.00	140.00	3.00	106	6	2424		
					419416	140.00	143.00	3.00	100	68	5081		
130.8	139.95	<b>feldspar porphyry dyke</b>			419417	143.00	146.00	3.00	100	9	3205		
		gn chl gm with 10% 2-5mm wh felds; local subround qtz diorite xenos to 10cm; local bleached intervals			419418	146.00	149.00	3.00	100	18	3735		
		cp to 1%, 0.2% overall; in diss and qv's; py>cp			419419	149.00	152.00	3.00	106	5	2929		
		py to 1%; diss and stringers			419420	152.00	155.00	3.00	101	3	2180		
		45CA lower contact			419421	155.00	158.00	3.00	101	65	4502		
					419422	158.00	161.00	3.00	100	110	2703		
139.95	179.40	<b>quartz diorite</b>			419423	161.00	164.00	3.00	99	6	3184		
		as above; chl alt mafics; fresh fg biot masses			419424	164.00	167.00	3.00	97	9	2223		
		cp to 1% in frax, diss; cp>py; local mo in qv's			419425	167.00	170.00	3.00	115	30	2565		
		gn chl alt zones in upper 2m			419426	170.00	173.00	3.00	93	3	1482		
		143-179.4m; local qtz-pk k-feld vns/fine dykes			419427	173.00	176.00	3.00	97	1	1324		
		154.3m; 20cm 30CA sil-chl alt shear; 1m chl alt halo with 1% cp			419428	176.00	179.40	3.40	97	18	1247		
		167-179.4m; cp dec to 0.2%			419429	179.40	182.90	3.50	97	1	82		
					419430	182.90	186.35	3.45	107	1	77		
179.40	186.35	<b>mafic dyke</b>			419431	186.35	189.50	3.15	103	2	3362		
		gy-gn chl gm; scattered 1-2mm gn ep alt felds; bk hb's			419432	Standard PM 192				13	86		
		45CA upper, 60CA lower contact			419433	189.50	192.50	3.00	101	21	4027		
		local of stringers - minor pk rhodochrosite vns.			419434	192.50	195.50	3.00	93	26	1672		
					419435	195.50	198.50	3.00	92	1	1329		
186.35	206.06	<b>feldspar porphyry</b>			419436	198.50	201.50	3.00	108	1	300		
		sim to qtz diorite as above, though with coarse; crowded wh zoned plag felds 2-4mm; minor qtz xtls to 4mm			419437	201.50	204.50	3.00	99	3	2692		
		minor mafics; local subround qtz diorite xenos			419438	204.50	206.06	1.56	101	1	1620		
		mgt as fine clots, stringers			419439	206.06	209.06	3.00	100	2	51		
		local pk ksp alt; flooding around frax and in pk stringers			419440	209.06	211.15	2.09	100	3	137		
		local pk qtz-k-feld vns			419441	211.15	214.50	3.35	95	2	2025		
		187-191.5m; cp to 1% as diss, clots			419442	214.50	217.50	3.00	100	2	1737		
		194m; chl-hem alt halo around 40cm fg mafic dyke at 195m			419443	217.50	220.50	3.00	97	2	1585		
		198.7-200.25m; fg gn mafic dyke; 45CA lower contact			419444	220.50	223.50	3.00	99	2	538		
		203-206.07m; cp inc; in qv's			419445	223.50	226.34	2.84	99	2	1254		
					419446	226.34	228.50	2.16	105	2	228		
206.06	211.15	<b>mafic dyke</b>			419447	228.50	230.87	2.37	99	0	32		
		gn chl gm with 20% 2-3mm wh felds; local hb masses			419448	230.87	234.00	3.13	101	19	314		





Hole #	OK08-02			Loc Method; GPS		dip tests				Start Date: May 25, 2008			
Property:	OK			UTM E	381914	depth	dip	az	corrected	Completion: May 26, 2008			
Depth (m);	179.53			UTM N	5544490	179.53			-52	Logged By: Johnston			
Core size;	BTW			NAD 83 Z10						Date logged: May 26-27, 2008			
Drilled by;	Beaudoin Drilling			Azimuth: 245°									
NOTES;				Inclination: -44°									
OK08-02				Elevation: 911m						values in ppm except where noted			
depth (m)	description			litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu	
from	to												
0	2.13	casing					419471	2.13	5.13	3.00	87	0.8	344.0
							419472	8.20	11.20	3.00	85	0.8	239.0
2.13	11.20	<b>mafic dyke</b>					419473	11.20	14.20	3.00	102	28.2	1461.6
		gn chl gm; 10% 1-2mm felds					419474	14.20	17.20	3.00	89	15.3	1532.2
							419475	17.20	20.20	3.00	102	15.4	2371.8
11.20	39.62	<b>quartz diorite</b>					419476	20.20	23.20	3.00	100	30.8	2774.5
		lt gy gm; crowded 1-2 mm wh plag felds, locally zoned; local free qtz; 10% mafics gone to gn chl					419477	23.20	26.20	3.00	106	18.0	2699.3
		mod sil'n; local qtz vns					419478	26.20	29.20	3.00	100	6.2	1296.5
		cp in dry frax, in chl frax; tr mo; minor py					419479	29.20	32.20	3.00	99	3.4	1330.4
		11.2-28m; minor cp, locally to 0.2%					419480	32.20	35.20	3.00	93	22.0	1557.0
		17.5-26m; strong stwk of gn chl frax, cp inc to 0.2%					419481	35.20	38.00	2.80	110	17.2	1262.2
		20-39.62m; local cp					419482	38.00	39.62	1.62	102	20.8	1702.3
		bottom 0.75m to lower contact; bx zone; qd frags in fg gy carb matrix					419483	39.62	42.62	3.00	100	0.8	20.1
							419484	48.30	51.30	3.00	92	1.5	48.2
39.62	51.30	<b>mafic dyke</b>					419485	51.30	54.50	3.20	100	19.6	1747.6
		chloritic gm; 10% 0.5-1 mm felds locally ep alt, local hb; ep stringers					419486	54.50	57.50	3.00	101	22.9	2022.0
		39.9m; 40cm bx; ang dyke frags in gy carb matrix					419487	57.50	60.50	3.00	99	45.8	2017.8
		70CA upper, 20CA lower contact					419488	60.50	63.50	3.00	98	28.5	846.4
							419489	63.50	66.50	3.00	97	5.8	1393.9
51.30	98.75	<b>quartz diorite</b>					419490	66.50	69.50	3.00	100	24.4	1776.9
		lt gy gm; crowded 1-2 mm wh plag felds, locally zoned; local free qtz; 10% mafics gone to gn chl					419491	69.50	72.50	3.00	97	12.6	729.2
		mod sil'n; chl alt mafics; minor ser					419492	Standard PM 192				11.7	82.2
		py minor to 85m; inc to 1% after; py>cp overall					419493	72.50	75.50	3.00	100	53.5	2392.7
		cp locally to 1%					419494	75.50	78.50	3.00	100	7.0	3230.2
		55-57.5m; sil-chl alt bx zones with qtz vn's around 2 x 30 cm mafic dykes					419495	78.50	81.50	3.00	100	18.3	3314.1
		51.3-66m; 0.1-0.2% cp in dry frax, qv's; cp>py					419496	81.50	84.50	3.00	102	21.2	2639.4
		66-85m; cp inc. to 0.5%, in chl vns, qtz vn's, dry frax					419497	84.50	87.50	3.00	100	2.2	1119.2
		70.5-73m; sil'd bx zone; abund qv's, chl, ep; no textures left; minor cp, mo					419498	87.50	90.50	3.00	100	25.4	2809.3
		73-85m; cp to 1% in chl vns, minor qtz vns, local dry frax					419499	90.50	93.30	2.80	100	27.8	2844.4
		85-88m; cp dec to 0.1%; py inc to 0.5%					419500	93.30	96.50	3.20	100	38.2	2406.8
		88-98.75m; cp to 1% in sil-chl alt zone, qtz vn's, abund chl; minor py					830501	96.50	98.75	2.25	100	16.4	2150.7
							830502	98.75	101.75	3.00	99	1.8	97.6
98.75	107.30	<b>mafic dyke</b>					830503	104.30	107.30	3.00	94	1.9	103.4





Hole #	OK08-03			Loc Method: GPS		dip tests				Start Date: May 27, 2008				
Property:	OK			UTM E	381998	depth		dip		az		corrected		Completion: May 30, 2008
Depth (m);	289.05			UTM N	5544382	216.53	-53							Logged By: Johnston
Core size;	BTW			NAD 83 Z10										Date logged: May 28-31, 2008
Drilled by;	Beaudoin Drilling			Azimuth: 245°										
NOTES;				Inclination: -45°										
OK08-03				Elevation:	944									values in ppm except where noted
depth (m)	description			litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu		
from	to													
0	2.13	casing					830526	2.13	5.60	3.47	63	1.2	909.2	
							830527	5.60	8.60	3.00	103	4	1138.1	
2.13	5.60	<b>mafic dyke</b>					830528	8.60	11.05	2.45	86	16.1	858.1	
		fg gn chl; fine felds					830529	11.05	14.00	2.95	92	0.6	167.6	
							830530	14.00	17.00	3.00	102	0.5	1052.0	
5.60	11.05	<b>quartz diorite</b>					830531	17.00	20.00	3.00	77	0.6	492.3	
		20-30% 1-2mm felds; local qtz; 10-20% mafics to chl					830532	20.00	23.00	3.00	104	0.5	361.2	
		local qv's to 20cm; mod ser alt; mal on frax					830533	23.00	26.00	3.00	87	0.5	526.9	
		cp to 0.1% as fine blebs with bk mineral; (chalcocite?)					830534	26.00	29.00	3.00	103	0.8	597.0	
		tr py					830535	29.00	32.00	3.00	100	0.5	375.7	
							830536	32.00	35.00	3.00	97	89.1	958.1	
11.05	39.97	<b>mafic dyke</b>					830537	35.00	38.00	3.00	92	1.1	318.7	
		gn chl gm; 20% 0.5-1mm felds					830538	38.00	39.47	1.47	95	1.3	557.8	
		minor wh carb vns					830539	39.47	43.00	3.53	95	85.8	1494.2	
		local mal on frax to 36m; with bk mineral (chalcocite or pyrolusite?)					830540	43.00	46.00	3.00	107	23.9	1182.0	
		32.4-33.88m; xeno of qtz diorite with local cp					830541	46.00	49.00	3.00	112	140.7	2080.0	
		37.8m; core run along qtz diorite xeno contact for 20cm					830542	49.00	52.00	3.00	97	18.5	2203.6	
							830543	52.00	55.00	3.00	100	4.6	1667.5	
39.97	97.20	<b>quartz diorite</b>					830544	55.00	58.00	3.00	100	23.5	1283.2	
		20-30% 1-2mm felds; local qtz; 10-20% mafics to chl; local bk hb masses					830545	58.00	61.00	3.00	100	12.7	1686.7	
		local strong coarse ser; common chl clots, vnlt's, usually with cp; tr ep; wk-mod sil'n; tr mgt					830546	61.00	64.00	3.00	100	15.2	1138.6	
		qv's to 1cm up to 1-2/metre					830547	64.00	67.00	3.00	90	12.6	1569.5	
		cp to 0.2% in chl, blebs, vnlt's, local dry frax					830548	67.00	70.00	3.00	106	11.6	1737.2	
		cp>py; tr mo					830549	70.00	73.00	3.00	102	37.8	1208.2	
		local mal on frax to 82.5m					830550	73.00	76.00	3.00	100	17.3	1903.3	
		44.5m; low CA bk clay frax					830551	76.00	79.00	3.00	102	5.8	2366.6	
		50m; feox fracture zone with tr mal; local bk chalcocite?					830552	79.00	82.00	3.00	99	9.2	7626.7	
		52-62m; py inc, >cp					830553	Standard PM 192				11.7	81.6	
		62-75m; cp inc to 0.2%					830554	82.00	85.00	3.00	102	3.1	4373.1	
		75-85m; cp inc to 0.5%					830555	85.00	88.00	3.00	100	3.4	1688.5	
		79.80-80.75, 83.0-83.0m; fg gy-gn dykes (not the usual mafic dyke); 1% diss cp					830556	88.00	91.00	3.00	99	3.9	1430.9	
		81.2-83.0m; abund mottled chl clots to 5mm					830557	91.00	94.00	3.00	95	9.1	972.9	
		91.8-97.2m; mafic dykes to 40cm					830558	94.00	97.20	3.20	100	14.5	2092.3	
							830559	97.20	100.20	3.00	100	1	13.1	
97.20	113.82	<b>mafic dyke</b>					830560	100.20	103.20	3.00	94	0.5	38.5	
		dk gn chl alt dyke; minor felds to 1mm; local wh carb vns; local ep; local qtz diorite xenos					830561	103.20	106.20	3.00	106	2.6	578.6	

OK08-03				Elevation: 944						values in ppm except where noted			
depth (m)		description	litho code	alt	sample #	from	to (m)	length (m)	rec %	Mo	Cu		
from	to					(m)							
		103.75-104.66m; qd xeno with 0.2% cp			830562	106.20	109.20	3.00	100	1	326.3		
		105.8-106.94m; qd xeno with 0.2% cp			830563	109.20	112.20	3.00	101	6.1	1857.5		
		109.05-110.48m; qd xeno with minor cp			830564	112.20	113.82	1.62	100	1.9	612.4		
		110.90-111.42m; qd xeno with 0.3% cp			830565	113.82	117.00	3.18	106	6.9	1776.4		
		112.05-112.60m; qd xeno			830566	117.00	120.00	3.00	97	18.2	2144.5		
					830567	120.00	123.00	3.00	97	26.7	1501.9		
113.82	152	<b>quartz diorite</b>			830568	123.00	126.00	3.00	99	6.9	1767.9		
		as above; local saus alt gm			830569	126.00	129.00	3.00	70	4.7	2049.9		
		mod ep frax; mod sil'n			830570	129.00	132.00	3.00	103	4.9	1992.6		
		top 0.6m bx'd, sil-chl alt			830571	132.00	135.00	3.00	97	1.4	1177.5		
		113.82-116m; local 1cm 45CA bk clay shears			830572	135.00	138.00	3.00	101	5.3	845.1		
		118-121.7m; mafic dykes from 0.06-1.2m			830573	138.00	141.00	3.00	102	9	1793.4		
		113.82-129m; local sil'd bx, crackle bx zones; cp to 0.3%			830574	141.00	144.00	3.00	97	6.3	2326.4		
		126.5m; v broken, rubbly core			830575	144.00	147.00	3.00	99	1.8	2591.5		
		129-133m; cp dec to minor, most in qv's			830576	147.00	150.00	3.00	102	10	1890.6		
		134.2m; qv's to 50cm; locally with py in frax			830577	150.00	153.00	3.00	97	3	2073.8		
		136.8m; 40cm mafic dyke with abund ep			830578	153.00	156.00	3.00	97	12.7	1578.7		
		133-146m; cp inc to 0.5% in gn chl alt'n			830579	156.00	159.00	3.00	101	23	1371.7		
		146m; inc saus alt; cp dec to 0.1-0.2 %			830580	159.00	162.00	3.00	101	4.2	1645.3		
					830581	162.00	165.00	3.00	99	7.4	1213.8		
152	157	<b>breccia zone</b>			830582	165.00	168.00	3.00	97	5	1700.0		
		strongly saus-sil alt tectonic bx; indistinct subround qtz dior frags to 5cm; incl sil'd fine bx zones			830583	Standard PM 192				11.9	77.2		
		local ep stringers; local qtz vns			830584	168.00	171.00	3.00	105	28.6	1358.6		
		0.2% cp in frax, qv's, with chl clots			830585	171.00	174.00	3.00	98	3.7	1159.7		
					830586	174.00	177.00	3.00	102	6.8	1139.1		
157	186.74	<b>quartz diorite</b>			830587	177.00	180.00	3.00	98	3.4	891.0		
		ser-saus alt dk gn gm; abund fine bk biot? masses; often with cp			830588	180.00	183.00	3.00	100	4.5	1373.4		
		local gyp on frax; local coarse ser; wk-mod chl +/-mgt clots			830589	183.00	186.74	3.74	100	16.2	1016.5		
		0.1-0.2% cp as dry frax, diss, in chl +/-mgt clots			830590	186.74	189.74	3.00	100	0.3	69.9		
		common lt gn sil-saus alt frax/bx zones as 152-157m above			830591	189.74	192.97	3.23	100	0.3	83.8		
		local open space carb gyp vns with cp xtls			830592	192.97	196.00	3.03	100	4.9	746.6		
					830593	196.00	199.00	3.00	102	2.1	2208.6		
186.74	192.97	<b>mafic dyke</b>			830594	199.00	202.00	3.00	98	12.1	1325.1		
		fg gn chl gm; minor felds			830595	202.00	205.00	3.00	103	3.3	2031.0		
		strong ep alt			830596	205.00	208.00	3.00	98	2.7	1198.7		
					830597	208.00	211.00	3.00	98	1.1	878.2		
192.97	211.5	<b>quartz diorite</b>			830598	211.00	214.00	3.00	100	5.6	1259.7		
		local ser-saus alt zones to 4m with dk gy-bk biot-mgt alt			830599	214.00	217.00	3.00	100	29.1	1029.2		
		common qv's to 40cm; ep as stringers; gy carb vns			830600	217.00	220.00	3.00	97	2.6	711.5		
		minor cp in saus zones			830601	220.00	223.00	3.00	101	4.9	685.1		
		0.2-0.5% cp in mgt zones			830602	223.00	226.00	3.00	98	5.5	792.2		
					830603	226.00	229.00	3.00	101	4.5	1269.3		
211.5	245.4	<b>quartz diorite with chl alt bx zones</b>			830604	229.00	232.00	3.00	102	2.7	3086.0		



Hole #	OK08-04			Loc Method: GPS		dip tests				Start Date: May 31, 2008			
Property:	OK			UTM E	381929	depth		dip		az		corrected	Completion: June 2, 2008
Depth (m):	210.31			UTM N	5544359	150.91	-51						Logged By: Johnston
Core size:	BTW			NAD 83 Z10									Date logged: Jun 1-3, 2008
Drilled by:	Beaudoin Drilling			Azimuth: 245°									
NOTES:				Inclination: -45°									
OK08-04				Elevation: 949m									values in ppm except where noted
depth (m)	description			litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu	
from	to												
0	2.23	casing					830620	2.23	3.58	1.35	100	15.7	1856.3
							830621	3.58	7.70	4.12	82	0.9	343.8
2.23	3.58	<b>quartz diorite</b>					830622	7.70	9.48	1.78	109	3.7	3193.9
		lt gy gm; 20% 2-3mm felds; 10% chl mafics to chl					830623	9.48	10.23	0.75	100	1.6	152.4
		mod sil'n					830624	10.23	13.5	3.27	90	8.9	2398.3
		strongly weathered					830625	13.50	16.50	3.00	95	2.5	3138.6
		0.5% cp with bk coating; chalcocite?; tr py; minor mal					830626	16.50	19.50	3.00	87	25.1	1237.1
							830627	19.50	22.50	3.00	100	25	1857.4
3.58	7.70	<b>mafic dyke</b>					830628	22.50	25.50	3.00	97	64.7	1853.3
		dk gn chloritic; 5% scat 1mm felds					830629	25.50	28.50	3.00	99	131.8	2964.2
		minor mal; incl 2 x 5cm qtz dior xenos					830630	28.50	31.50	3.00	102	26.5	2301.8
							830631	31.50	34.50	3.00	100	105.2	2616.4
7.70	9.48	<b>quartz diorite</b>					830632	34.50	37.50	3.00	85	28.2	2195.8
		mod sil'd, lt gy; 20% 2-3mm felds; 10% chl mafics to chl					830633	37.50	40.50	3.00	103	4.6	2086.7
		tr qtz vns					830634	40.50	43.50	3.00	100	31	2812.4
							830635	43.50	46.50	3.00	102	36.9	2366.7
9.48	10.23	<b>mafic dyke</b>					830636	46.50	49.50	3.00	104	148.7	2297.4
		as above					830637	49.50	52.50	3.00	97	5.7	1223
							830638	52.50	55.50	3.00	104	45.3	1006
10.23	19.10	<b>brecciated qtz diorite</b>					830639	55.50	58.50	3.00	100	4.5	1766.2
		lt gy-gn, bx'd; strong sil-ser alt; most textures obliterated					830640	58.50	61.50	3.00	94	34.5	2044.8
		v broken					830641	61.50	64.50	3.00	100	32.6	2023.9
		diss cp; to 0.5% to 16m; dec to minor after					830642	64.50	67.50	3.00	103	290.3	2300.5
		local gn chl-clay alt 45CA frax					830643	Standard PM 192				11.9	79.8
		16.35-16.89m; mafic dyke					830644	67.50	70.50	3.00	82	9.9	1823.6
							830645	70.50	73.50	3.00	113	57.4	2098.7
19.10	33.0	<b>quartz diorite</b>					830646	73.50	76.50	3.00	100	43.7	1967
		gn saus-ser alt; with bx'd zones					830647	76.50	79.50	3.00	82	46.4	2344.3
		mod sil'n; locally broken					830648	79.50	82.50	3.00	103	12.9	1395.8
		cp diss to 0.2%; minor py; local minor mo in qv's, on 30CA					830649	82.50	85.50	3.00	110	3.6	1370.8
		Feox-clay frax											
		from 23m; core more comp, less broken					830650	85.50	88.50	3.00	100	18.4	2876.1
		32.5m; 10CA clay shear with cp					830651	88.50	91.50	3.00	99	29.9	1871.5
		31-33m; 0CA sil-ser-chl bx zone					830652	91.50	94.50	3.00	110	26.1	2617.4
							830653	94.50	97.50	3.00	92	10.5	2804.8
33.0	43.7	<b>intrusive breccia</b>					830654	97.50	100.50	3.00	100	7	2354.5
		strong sil-ser-saus alt 0.5-5cm int frags in fg int matrix					830655	100.50	103.50	3.00	102	15.6	1677
		qv's to 5cm locally with cp					830656	103.50	106.50	3.00	100	1.8	1062.5
		cp 0.2% as diss, on dry frax; local mo on frax					830657	106.50	109.50	3.00	101	2.4	746.5
							830658	109.50	112.50	3.00	101	3.8	495.3
43.7	54.35	<b>tectonic breccia</b>					830659	112.50	114.15	1.65	100	41.7	1637.5







Hole #	OK08-05			Loc Method; GPS		dip tests				Start Date: June 3, 2008		
Property:	OK			UTM E	381812	depth	dip	az	corrected	Completion: June 4, 2008		
Depth (m);	167.64			UTM N	5544564	no test				Logged By: Johnston		
Core size;	BTW			NAD 83 Z10						Date logged: June 4-7, 2008		
Drilled by;	Beaudoin Drilling			Azimuth: 245°								
NOTES:				Inclination: -43°								
OK08-05				Elevation: 902m		values in ppm except where noted						
depth (m)		description		litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu
from	to											
0	2.13	casing				832692	2.13	3.05	0.92	65	9.6	465.4
						830693	3.05	6.60	3.55	95	1.7	530.1
2.13	3.05	<b>quartz diorite</b>				828694	6.60	9.60	3.00	70	8	1898.9
		20% 1-5mm felds; local qtz eyes; 10-20% chl alt mafics				826695	9.60	11.85	2.25	97	23.8	2011.7
		surface weathered throughout; tr py				824696	11.85	14.85	3.00	107	3.5	232.4
						822697	18.96	21.96	3.00	97	1.3	170.4
3.05	6.60	<b>mafic dyke</b>				820698	21.96	24.96	3.00	101	4.5	1708.9
		dk gn chl gm with 5% scattered gn ep alt felds to 1mm				818699	24.96	27.96	3.00	101	16.2	1587.9
		incl single 5cm qtz dior xeno				816700	27.96	31.62	3.66	99	9.7	1845.3
						814701	31.62	34.62	3.00	98	3.2	496
6.60	11.85	<b>quartz diorite</b>				812702	34.62	37.62	3.00	100	12	813.8
		20% 1-5mm felds; local qtz eyes; 10-20% chl alt mafics				810703	Standard PM 192				11.6	77.4
		surface weathering cont				808704	37.62	40.62	3.00	100	5.9	948.6
		qv's to 3cm; with minor cp, chalcocite?; tr mo?				806705	40.62	42.57	1.95	99	2.5	387.1
		diss cp masses to 0.2%; py=cp				804706	42.57	45.57	3.00	99	40.2	1453.6
		local mafic dykes to 25cm				802707	45.57	48.57	3.00	101	11.8	1301.9
						800708	48.57	51.13	2.56	99	7.7	450.7
11.85	21.96	<b>mafic dyke</b>				798709	51.13	53.00	1.87	94	0.5	106.1
		gn chl gm; 10-20% with felds to 1mm; local bk hb				796710	53.00	56.42	3.42	94	0.2	26.7
		strong ep veining, some flooding				794711	56.42	59.50	3.08	99	0.3	16
		local gn fg massive xenos of other mafic dykes				792712	59.50	62.50	3.00	101	0.8	23.1
		tr mal on frax at 21.34m				790713	62.50	65.50	3.00	95	0.8	15.1
						788714	65.50	68.50	3.00	100	0.5	14.6
21.96	31.62	<b>quartz diorite</b>				786715	68.50	71.50	3.00	92	0.7	4.1
		20% 1-5mm felds; local qtz eyes; 10-20% chl alt mafics				784716	71.50	74.50	3.00	104	2.3	57.2
		strong sil; local gn ser-saus alt				782717	74.50	77.50	3.00	101	1.9	136.3
		surface weath on frax continue				780718	77.50	80.50	3.00	100	1.7	46
		qv's to 30cm; mal on frax				778719	80.50	83.50	3.00	100	1.2	45.3
		diss cp to 0.1%; no chalcocite; py>cp though still minor; tr mo				776720	83.50	86.50	3.00	100	1.6	128.6
		24.4-25.55m; mafic dyke				774721	86.50	88.48	1.98	99	1.5	75.8
		27-31.62m; inc gn chl; inc cp to 0.2%				772722	88.48	91.48	3.00	100	0.6	44.7
						770723	95.32	98.32	3.00	102	0.9	10.7
31.62	42.57	<b>mafic dyke</b>				768724	98.32	100.86	2.54	101	2.3	1472.9
		gn chl gm; local fine felds				766725	100.86	103.86	3.00	98	1.4	52.2
		strong ep flooding, vnits				764726	103.86	106.00	2.14	99	1.8	70.2
		34.0m; 40cm sil'd qtz dior xeno; incl qv's with diss cp				762727	106.00	109.00	3.00	100	2.2	162.6
		37.95-38.2m; v sil'd qtz dior xeno with diss cp, mal				760728	109.00	112.00	3.00	100	2.1	63.8
		39.50-40.67m; v sil'd qtz dior xeno				758729	112.00	115.00	3.00	115	2.7	98.4
		41.0-41.50m; v sil'd qtz dior xeno				756730	115.00	118.50	3.50	88	2	115.9
						754731	118.50	121.50	3.00	100	0.4	16.1






Hole #	OK08-06			Loc Method; GPS		dip tests				Start Date: June 5, 2008			
Property:	OK			UTM E	383123	depth	dip	az	corrected	Completion: June 8, 2008			
Depth (m);	306.63			UTM N	5541927	no test				Logged By: Johnston			
Core size;	BTW			NAD 83 Z10						Date logged: June 7-9, 2008			
Drilled by;	Beaudoin Drilling			Azimuth: 245°									
NOTES;				Inclination: -58°									
OK08-06				Elevation: 911m		values in ppm except where noted							
depth (m)	description			litho code	alt	sample #	from (m)	to (m)	length (m)	rec %	Mo	Cu	
from	to												
0	2.13	casing					830749	2.13	5.00	2.87	84	1.1	90.2
							830750	5.00	8.00	3.00	106	0.8	108.2
2.13	25.25	<b>quartz diorite</b>					830751	8.00	11.00	3.00	103	4.6	83.6
		leucocratic gm; 30-40% 1mm crowded feldspars; 5% qtz; 2-5% gn chl alt mafics					830752	11.00	14.00	3.00	98	0.7	107.8
		2% bk fresh alteration biots					830753	14.00	17.00	3.00	95	1.2	127
		local gn ser-saus alt					830754	17.00	20.00	3.00	100	0.6	112.9
		py diss, dry frax, vns to 1-2%					830755	20.00	23.00	3.00	98	0.6	63.7
							830756	23.00	25.25	2.25	104	0.9	70.7
25.25	30.25	<b>mafic dyke</b>					830757	25.25	27.25	2.00	100	1.2	52.5
		bk massive mafic dyke; wk chl alt; carb vnlts					830758	27.25	30.25	3.00	92	1.2	62.6
		contains qtz dior xenos to 40cm					830759	30.25	33.50	3.25	100	2.6	97
		upper 80CA, lower 30CA contacts					830760	33.50	36.50	3.00	97	0.5	93.1
							830761	36.50	39.50	3.00	98	9.9	159
30.25	50.69	<b>quartz diorite</b>					830762	39.50	42.50	3.00	100	0.7	76.9
		leucocratic gm; 30-40% 1mm crowded feldspars; 5% qtz; 2-5% gn chl alt mafics					830763	Standard				24	>10000.0
		inc gn saus alt than above; locally with ser; no biot					830764	42.50	45.50	3.00	97	2	93.9
		local qtz-carb vns					830765	45.50	48.50	3.00	91	1.7	291.1
		py 0.5-1% diss, frax; tr cp					830766	48.50	50.69	2.19	100	0.6	192.8
		43.5m; 70cm mafic dyke					830767	50.69	53.69	3.00	101	64.5	416.5
		47-50.69m; strong gn chl frax					830768	53.69	56.69	3.00	97	21.2	201.2
							830769	56.69	59.69	3.00	100	35.8	422.9
50.69	61.90	<b>sil-ser altered quartz diorite</b>					830770	59.69	61.90	2.21	100	33.6	262.8
		wh, bleached; v strong sil'n; can see felds only locally; no mafics; strong wh ser on frax					830771	61.90	64.90	3.00	99	2.9	195.6
		py as diss, local irreg masses to 5cm (bx filling)					830772	73.15	76.15	3.00	99	0.5	74
		tr cp around edges of py locally					830773	76.15	78.23	2.08	100	37.2	71.9
		mo fractures throughout; sim to hole OK07-08					830774	78.23	80.75	2.52	100	4.3	88.6
		56.5m; 40cm mafic dyke					830775	80.75	84.00	3.25	100	160.3	61.5
							830776	84.00	87.00	3.00	100	58.1	48.8
61.90	76.15	<b>mafic dyke</b>					830777	87.00	90.00	3.00	100	110.7	111
		dk gn chl gm; minor fine wh felds					830778	90.00	93.00	3.00	100	81.8	382.8
		wh carb vns; minor ep					830779	93.00	96.00	3.00	94	162	262.7
							830780	96.00	99.00	3.00	100	103.8	234
76.15	78.23	<b>sil-ser altered quartz diorite</b>					830781	99.00	102.00	3.00	103	73.7	298.7
		as above; coarse ser on frax					830782	102.00	105.00	3.00	101	59.4	431.2
		diss py to 1%; tr mo					830783	105.00	108.00	3.00	100	95.8	234.4
							830784	108.00	111.00	3.00	99	61.5	339.6
78.23	80.75	<b>mafic dyke</b>					830785	111.00	114.00	3.00	100	68.1	637.9
		fg gn-bk gm; minor felds; minor carb vnlts					830786	114.00	117.00	3.00	100	22.6	359.9

OK08-06				Elevation: 911m						values in ppm except where noted			
depth (m)		description	litho code	alt	sample #	from	to (m)	length (m)	rec %	Mo	Cu		
from	to					(m)							
		79.45-80.14m; sil'd qtz dior xeno			830787	117.00	120.00	3.00	100	70	479.3		
					830788	120.00	121.47	1.47	93	108	665.1		
80.75	121.47	<b>sil-ser altered quartz diorite</b>			830789	121.47	124.87	3.40	102	1.9	146.1		
		as above; wh ser on frax			830790	128.23	131.23	3.00	98	2.1	60.9		
		mo on local frax, crackle bx filling			830791	131.23	134.00	2.77	100	171.8	539.3		
		diss with py to 1%, locally as irreg masses to 2cm (bx filling as at South Breccia zone); tr cp on edges of py masses			830792	134.00	137.00	3.00	100	3.5	2822.9		
		local clay shears with vfg bk py.			830793	Standard				32.2	>10000.0		
		91.5m; 10CA gn chl-clay shears run along core; minor saus in wallrock			830794	137.00	140.00	3.00	100	2.2	129.8		
		101.03-103.10m; mafic dyke			830795	140.00	143.00	3.00	101	6.3	50.6		
		104.10-104.42m; mafic dyke			830796	143.00	146.00	3.00	102	9.1	141.7		
		106.60-107.71m; mafic dyke			830797	146.00	149.00	3.00	99	35.4	300.5		
		102m; mo frax dec to minor			830798	149.00	152.00	3.00	100	91.4	393.5		
		112.5m; 40cm with 1-3 cm spaced 60CA sheeted py vns			830799	152.00	155.00	3.00	100	38.8	456.7		
		119-121.47m; inc py masses to 3cm; with qtz; inc mo frax			830800	155.00	158.00	3.00	101	43.4	339.2		
		119.5m; 20cm mafic dyke			830801	158.00	161.00	3.00	98	34.7	468.7		
					830802	161.00	164.00	3.00	101	25.6	497.6		
121.47	131.23	<b>mafic dyke</b>			830803	164.00	167.00	3.00	100	43.2	554.7		
		gn chl gm; no felds; abund carb vns			830804	167.00	170.00	3.00	100	71.3	250.1		
		124.54-124.87m; xeno of qtz dior incl cp in 1cm gy qv			830805	170.00	173.00	3.00	97	28.2	425.5		
					830806	173.00	176.00	3.00	101	23.9	393.5		
131.23	188.0	<b>ser alt quartz diorite</b>			830807	176.00	179.00	3.00	97	6	353.8		
		as above with weaker sil'n, stronger ser'n			830808	179.00	182.00	3.00	102	25.6	378.6		
		py masses to 2cm; > 1% diss overall to 135m; dec after that			830809	182.00	185.00	3.00	100	36.7	792.4		
		local mo on frax to 135			830810	185.00	188.00	3.00	101	30.7	467.5		
		cp on dry frax, locally with cp, to 134			830811	188.00	191.00	3.00	94	19.4	609		
		134-136m; cp to 0.5% in dk gy strongly ser'd zones; cp dec with inc sil'n			830812	191.00	194.00	3.00	103	65.8	240.2		
		134-145.7m; half of interval made up of mafic dykes to 1.3m; host qtz dior strongly sil-ser alt; cp to 0.1% cp; local mo; py>cp			830813	194.00	197.00	3.00	100	2.8	149.9		
		138.0-139.32m; mafic dyke			830814	197.00	200.00	3.00	99	35.4	291.8		
		139.64-140.56m; mafic dyke			830815	200.00	203.00	3.00	99	43.2	300.9		
		150m; cp minor, in qv's; diss py to 0.5%			830816	203.00	206.00	3.00	101	103.1	408.8		
		170m; tr cp			830817	206.00	209.00	3.00	98	74.8	376.7		
		180m; inc sil'n with cp to 0.1%; mo in diss & qv's to 185.5m			830818	209.00	212.00	3.00	102	40.7	545.2		
		185.5-188m; zone with mafic dykes to 30cm			830819	212.00	215.00	3.00	101	19	339.1		
					830820	215.00	216.15	1.15	100	8.8	533.8		
188.0	192.28	<b>quartz diorite</b>			830821	216.15	219.59	3.44	100	7.8	179.2		
		ser-sil alt dec; textures visible; 40% 1-2mm wh zoned felds; 5% qtz; 5-10% fine gn chl alt mafics; looks like qtz dior from N Lake Zone			830822	224.30	227.30	3.00	101	2.2	35		
		py 0.5% in diss, stringers; cp to 0.1%; minor mo			830823	Standard				23.9	>10000.0		
					830824	227.30	230.50	3.20	97	35.1	536.7		
192.28	204.22	<b>mafic dyke</b>			830825	230.50	233.50	3.00	98	56.8	447.4		
		gn chl gm with minor fine felds; wh carb vns			830826	233.50	236.50	3.00	100	80.9	1629.5		





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

2 of 6 Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
419372	Drill Core	2.57	21.3	3138	9.6	105	0.9	3.2	6.0	274	1.49	4.3	<0.1	11.8	0.3	41	0.6	0.2	<0.1	19	0.35
419373	Drill Core	4.19	3.2	2566	9.6	128	0.3	7.4	19.4	708	4.09	4.2	<0.1	6.0	0.2	141	0.7	0.2	<0.1	77	1.38
419374	Drill Core	4.12	1.7	923.0	3.0	121	0.3	7.9	23.4	879	4.35	2.5	<0.1	5.7	0.2	97	0.4	0.1	<0.1	71	1.28
419375	Drill Core	3.70	8.7	1599	4.7	50	0.3	4.0	4.8	229	1.13	1.4	<0.1	4.2	0.2	105	0.3	0.2	<0.1	15	0.40
419376	Drill Core	5.37	9.4	1341	4.5	38	0.4	1.6	3.2	140	0.89	0.8	<0.1	3.0	0.2	144	0.3	0.2	<0.1	13	0.29
419377	Drill Core	5.07	9.7	2044	1.9	34	0.5	1.7	2.5	132	0.86	<0.5	<0.1	3.0	0.2	131	0.3	<0.1	<0.1	10	0.22
419378	Drill Core	5.21	40.9	2776	2.4	44	0.5	1.9	3.9	164	1.05	1.1	<0.1	4.6	0.3	124	0.3	0.1	<0.1	11	0.31
419379	Drill Core	5.21	2.4	476.9	2.0	104	0.3	12.6	20.1	709	3.14	1.6	<0.1	4.1	0.2	52	0.1	0.1	<0.1	51	0.94
419380	Drill Core	6.39	24.6	1582	1.3	38	0.5	1.8	3.8	161	1.00	<0.5	<0.1	5.7	0.2	71	0.2	<0.1	<0.1	11	1.15
419381	Drill Core	5.02	14.9	1313	1.3	33	0.5	2.1	3.4	157	1.06	0.5	<0.1	2.1	0.2	49	0.2	<0.1	<0.1	12	0.67
419382	Drill Core	5.04	13.1	1101	1.6	31	0.3	2.3	3.1	150	1.19	<0.5	<0.1	3.2	0.3	158	0.2	<0.1	<0.1	17	0.41
419383	Drill Core	5.25	43.8	1526	1.5	29	0.5	2.1	3.0	136	1.00	<0.5	<0.1	4.6	0.2	127	0.2	<0.1	<0.1	14	0.42
419384	Drill Core	4.67	89.1	2062	1.0	32	0.6	1.4	3.3	154	1.23	<0.5	<0.1	4.7	0.2	150	0.3	<0.1	<0.1	15	0.32
419385	Drill Core	5.43	12.6	1324	1.3	27	0.4	2.4	2.8	136	1.15	<0.5	<0.1	2.6	0.3	87	0.2	<0.1	<0.1	18	0.41
419386	Drill Core	5.46	4.9	1763	1.5	28	0.5	1.4	3.4	139	1.13	<0.5	<0.1	5.5	0.3	116	0.2	<0.1	<0.1	18	0.48
419387	Drill Core	4.31	8.2	1791	1.7	30	0.5	2.3	3.0	151	0.98	0.6	<0.1	4.2	0.4	150	0.2	<0.1	<0.1	14	1.15
419388	Drill Core	5.09	31.4	1294	1.6	27	0.4	2.0	3.3	160	1.09	<0.5	<0.1	2.1	0.4	85	0.2	<0.1	<0.1	13	0.64
419389	Drill Core	5.29	4.0	1967	1.5	30	0.6	1.9	3.3	141	1.13	<0.5	<0.1	4.1	0.5	155	0.2	<0.1	<0.1	13	0.77
419390	Drill Core	5.11	20.1	2550	1.1	29	0.9	2.1	3.3	132	1.02	<0.5	<0.1	4.7	0.3	67	0.3	0.1	<0.1	9	0.61
419391	Drill Core	5.09	7.2	1593	1.3	23	0.4	2.1	3.4	151	0.78	<0.5	<0.1	1.3	0.3	40	0.1	0.1	<0.1	7	1.70
419392	Drill Core	4.92	9.2	1902	1.4	28	0.6	1.4	2.8	148	0.86	<0.5	<0.1	4.0	0.3	42	0.2	0.1	<0.1	10	0.62
419393	Drill Core	4.72	6.9	2772	1.5	28	0.7	1.2	3.0	161	1.00	<0.5	<0.1	5.8	0.4	76	0.2	0.1	<0.1	9	0.94
419394	Drill Core	5.41	20.0	1613	1.3	25	0.6	1.4	2.8	136	0.88	<0.5	<0.1	3.1	0.4	48	0.2	<0.1	<0.1	11	0.47
419395	Drill Core	5.24	69.7	3928	1.0	33	1.2	1.7	3.5	122	1.13	<0.5	<0.1	5.2	0.3	89	0.3	<0.1	<0.1	11	0.33
419396	Drill Core	5.22	23.9	2290	1.5	27	0.7	1.8	2.9	126	0.74	<0.5	<0.1	2.3	0.3	68	0.3	<0.1	<0.1	9	0.57
419397	Drill Core	5.80	10.8	2429	2.7	41	0.6	1.5	3.2	153	0.89	0.5	<0.1	2.2	0.3	89	0.2	<0.1	<0.1	10	0.74
419398	Drill Core	5.27	19.1	1712	2.2	34	0.6	1.4	3.0	150	0.89	0.6	<0.1	3.7	0.3	142	0.2	<0.1	<0.1	12	1.32
419399	Drill Core	4.69	19.0	2206	1.8	33	0.7	2.2	2.9	134	0.83	<0.5	<0.1	2.5	0.3	72	0.2	<0.1	<0.1	11	0.52
419400	Drill Core	5.30	1.5	2588	1.7	36	0.7	1.9	3.1	176	1.06	<0.5	<0.1	5.7	0.3	72	0.2	<0.1	<0.1	12	0.59
419401	Drill Core	4.76	32.8	1948	3.1	63	0.8	18.0	9.0	360	1.61	0.9	<0.1	4.1	0.3	46	0.1	0.2	<0.1	32	0.67

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





# Acme Labs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:


3 of 6

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
419402	Drill Core	0.09	12.5	72.1	10.7	81	0.4	30.7	181.1	740	3.76	6591	2.2	334.2	1.3	94	0.3	10.9	15.5	36	6.17
419403	Drill Core	5.10	8.6	1705	1.5	29	0.5	2.7	3.1	159	0.75	4.1	<0.1	2.4	0.3	32	0.1	0.1	<0.1	10	0.57
419404	Drill Core	5.54	2.3	493.9	3.1	125	0.3	7.7	16.4	787	3.03	1.2	0.2	8.9	0.5	79	0.1	0.2	<0.1	59	1.16
419405	Drill Core	5.86	1.0	190.6	4.1	115	<0.1	29.3	18.7	731	2.62	3.3	<0.1	3.6	0.2	84	<0.1	0.2	<0.1	66	1.52
419406	Drill Core	5.78	8.7	1810	7.3	53	0.7	10.9	6.2	244	1.06	<0.5	<0.1	6.8	0.2	53	0.3	<0.1	<0.1	22	0.42
419407	Drill Core	5.20	20.1	2310	12.8	44	0.7	1.5	2.8	105	0.81	0.6	<0.1	4.3	0.2	88	0.3	0.1	<0.1	10	0.33
419408	Drill Core	5.38	8.2	1898	5.2	35	0.5	2.1	3.2	142	1.07	0.7	<0.1	6.5	0.2	23	0.2	<0.1	<0.1	16	0.33
419409	Drill Core	5.12	100.6	2888	7.1	42	0.7	1.8	2.9	159	0.99	0.7	<0.1	8.8	0.3	22	0.3	0.1	<0.1	11	0.20
419410	Drill Core	5.43	51.6	3341	3.9	57	0.9	3.8	4.6	206	1.34	<0.5	<0.1	10.3	0.4	42	0.3	<0.1	<0.1	18	0.27
419411	Drill Core	5.34	7.1	2642	4.9	49	0.9	2.5	3.7	199	1.11	0.6	<0.1	7.4	0.3	43	0.3	<0.1	<0.1	15	0.27
419412	Drill Core	4.79	16.3	5073	3.7	43	1.3	3.4	4.2	161	1.06	0.6	<0.1	4.4	0.5	30	0.4	<0.1	<0.1	9	0.29
419413	Drill Core	5.30	34.6	1420	2.9	37	0.4	1.9	3.5	149	1.12	<0.5	<0.1	7.3	0.3	22	0.2	<0.1	<0.1	16	0.23
419414	Drill Core	5.00	8.9	3345	2.3	41	1.0	2.1	4.5	186	1.22	<0.5	<0.1	6.3	0.3	27	0.2	<0.1	<0.1	9	0.23
419415	Drill Core	5.66	6.3	2424	3.9	44	0.8	2.1	3.5	140	1.08	0.5	<0.1	5.7	0.3	39	0.3	<0.1	<0.1	14	0.25
419416	Drill Core	5.22	68.4	5080	1.8	34	1.1	2.5	3.9	160	0.97	<0.5	<0.1	13.2	0.3	72	0.2	<0.1	<0.1	7	0.32
419417	Drill Core	5.17	9.1	3205	3.7	44	0.8	1.9	4.3	135	1.26	0.5	<0.1	15.5	0.3	27	0.3	<0.1	<0.1	17	0.29
419418	Drill Core	5.20	18.3	3735	2.1	39	0.9	2.1	3.1	111	0.90	<0.5	<0.1	9.7	0.3	25	0.4	<0.1	<0.1	12	0.28
419419	Drill Core	5.41	5.1	2929	2.8	36	1.0	1.9	3.3	150	0.95	<0.5	<0.1	8.0	0.3	67	0.4	<0.1	<0.1	14	0.31
419420	Drill Core	5.32	3.0	2180	2.5	44	0.9	2.6	3.1	157	1.02	<0.5	<0.1	7.0	0.4	54	0.3	<0.1	<0.1	15	0.29
419421	Drill Core	5.23	64.5	4502	1.6	36	1.2	2.6	3.7	173	0.94	<0.5	<0.1	11.7	0.2	54	0.3	<0.1	<0.1	8	0.26
419422	Drill Core	5.22	110.1	2703	2.0	36	0.7	1.6	2.9	148	0.84	<0.5	<0.1	14.9	0.3	58	0.3	<0.1	<0.1	12	0.44
419423	Drill Core	5.25	6.3	3184	1.4	30	0.9	2.2	3.2	125	1.00	<0.5	<0.1	15.2	0.3	49	0.3	<0.1	<0.1	14	0.29
419424	Drill Core	4.89	9.4	2223	2.0	30	0.9	2.1	3.1	114	0.77	<0.5	<0.1	27.2	0.3	34	0.2	<0.1	0.6	8	0.41
419425	Drill Core	6.19	29.8	2565	1.7	30	0.8	2.2	2.8	124	0.84	<0.5	<0.1	9.2	0.2	43	0.3	<0.1	<0.1	10	0.40
419426	Drill Core	4.65	2.9	1482	1.6	27	0.4	1.7	3.2	118	0.98	<0.5	<0.1	4.5	0.3	72	0.1	<0.1	<0.1	16	0.33
419427	Drill Core	4.81	1.2	1324	1.1	21	0.3	2.5	2.5	111	0.87	<0.5	<0.1	6.8	0.3	61	<0.1	<0.1	<0.1	13	0.30
419428	Drill Core	5.70	17.5	1247	1.9	30	0.3	2.0	2.6	145	0.70	<0.5	<0.1	4.7	0.3	38	0.1	<0.1	<0.1	10	0.67
419429	Drill Core	6.07	0.5	82.0	1.1	73	<0.1	12.3	21.5	811	3.64	2.0	0.1	2.6	0.2	50	<0.1	<0.1	<0.1	102	2.48
419430	Drill Core	7.33	0.7	76.5	0.9	65	<0.1	11.7	21.7	731	3.62	1.6	0.1	1.2	0.2	47	<0.1	<0.1	<0.1	94	1.60
419431	Drill Core	5.66	2.1	3362	1.0	27	0.8	1.8	2.7	104	0.83	1.6	<0.1	1.1	0.2	21	0.3	<0.1	<0.1	8	0.16



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project: OK

Report Date: June 09, 2008


Page: 4 of 6 Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
419432	Drill Core	0.09	13.0	86.4	12.2	85	0.5	33.1	191.6	747	3.77	6729	2.5	358.6	1.4	85	0.3	10.5	16.0	42	6.25
419433	Drill Core	5.22	21.0	4027	1.2	34	1.2	1.5	3.0	142	0.90	1.7	<0.1	2.8	0.3	48	0.4	<0.1	<0.1	7	0.26
419434	Drill Core	4.85	25.6	1672	3.3	39	0.7	6.6	5.6	197	1.29	3.2	<0.1	4.8	0.3	337	0.3	<0.1	<0.1	21	1.17
419435	Drill Core	4.84	1.4	1329	1.6	42	0.7	3.3	5.5	193	1.29	1.0	<0.1	7.3	0.2	53	0.3	<0.1	<0.1	22	0.53
419436	Drill Core	5.77	1.3	300.4	15.4	84	0.2	10.6	12.4	463	2.08	1.6	0.2	3.0	0.4	73	0.5	0.3	<0.1	56	2.41
419437	Drill Core	5.01	2.5	2692	1.6	28	1.0	1.6	3.3	114	0.90	0.8	<0.1	2.0	0.2	32	0.4	<0.1	<0.1	8	0.29
419438	Drill Core	2.55	0.7	1620	14.8	46	0.6	2.5	4.1	156	1.04	1.1	<0.1	3.4	0.2	39	0.4	0.1	<0.1	10	0.55
419439	Drill Core	5.32	2.2	51.0	1.6	50	<0.1	9.0	12.9	499	2.39	1.5	0.3	<0.5	0.8	58	<0.1	0.1	<0.1	52	1.23
419440	Drill Core	3.93	2.9	136.5	2.1	58	0.1	9.9	12.9	490	2.53	1.5	0.3	<0.5	0.7	69	<0.1	0.1	<0.1	52	1.02
419441	Drill Core	5.38	2.4	2025	2.0	39	0.9	4.3	5.3	183	1.22	0.9	<0.1	2.1	0.2	56	0.4	<0.1	<0.1	17	0.42
419442	Drill Core	5.06	1.9	1737	1.4	34	0.8	2.0	3.2	139	0.95	0.8	<0.1	2.1	0.2	40	0.4	<0.1	<0.1	7	0.38
419443	Drill Core	5.45	1.5	1585	1.6	67	1.1	8.4	9.1	309	1.63	1.0	<0.1	0.7	0.2	37	0.6	<0.1	<0.1	24	0.54
419444	Drill Core	5.24	2.0	537.6	1.5	68	0.4	7.6	10.1	366	1.70	0.6	<0.1	<0.5	0.2	45	<0.1	<0.1	<0.1	36	0.68
419445	Drill Core	4.56	1.7	1254	1.5	37	1.1	3.8	4.0	187	1.00	<0.5	<0.1	0.7	0.3	30	0.2	<0.1	<0.1	12	0.54
419446	Drill Core	4.34	2.3	227.9	3.2	190	0.1	74.8	23.2	837	2.49	0.6	0.1	<0.5	0.3	84	0.1	0.1	<0.1	62	1.90
419447	Drill Core	4.54	0.4	32.0	1.7	76	<0.1	14.1	20.5	652	2.87	1.6	<0.1	<0.5	0.2	104	<0.1	0.3	<0.1	87	1.38
419448	Drill Core	6.09	18.8	314.3	2.0	25	0.4	3.3	2.8	161	0.72	<0.5	0.1	<0.5	1.0	55	<0.1	<0.1	<0.1	12	0.70
419449	Drill Core	4.86	11.4	53.8	2.0	18	<0.1	3.4	1.4	101	0.44	<0.5	<0.1	<0.5	0.4	22	<0.1	<0.1	<0.1	5	0.67
419450	Drill Core	4.92	13.8	211.0	2.5	24	0.3	3.0	2.5	162	0.72	<0.5	0.1	<0.5	1.1	107	<0.1	<0.1	<0.1	12	0.50
419451	Drill Core	4.44	13.2	170.3	2.2	18	0.2	2.6	1.8	124	0.52	0.7	<0.1	<0.5	0.7	73	<0.1	<0.1	<0.1	7	0.56
419452	Drill Core	6.18	158.6	270.2	2.2	24	0.3	3.2	2.4	154	0.70	0.6	<0.1	<0.5	0.9	72	<0.1	0.1	<0.1	9	0.53
419453	Drill Core	4.89	7.3	163.3	1.6	24	0.1	3.9	2.4	150	0.72	<0.5	0.1	<0.5	0.9	125	<0.1	<0.1	<0.1	13	0.60
419454	Drill Core	4.75	7.2	349.4	1.3	26	0.2	2.5	2.7	179	0.88	0.7	0.1	1.4	1.0	126	<0.1	<0.1	<0.1	19	0.58
419455	Drill Core	5.21	6.1	206.4	1.2	25	0.2	3.9	2.6	199	0.81	<0.5	<0.1	1.3	1.2	103	<0.1	<0.1	<0.1	16	0.59
419456	Drill Core	5.29	1.7	56.3	1.6	46	<0.1	3.6	4.5	375	1.68	0.8	<0.1	3.3	1.2	72	<0.1	0.1	<0.1	26	1.08
419457	Drill Core	5.50	14.6	128.8	2.7	47	0.2	10.4	6.0	438	1.45	<0.5	0.2	2.6	1.1	81	<0.1	<0.1	<0.1	32	1.14
419458	Drill Core	4.78	5.4	33.6	0.5	6	<0.1	3.0	0.7	66	0.42	0.5	<0.1	<0.5	0.3	24	<0.1	<0.1	<0.1	3	0.27
419459	Drill Core	5.75	6.0	20.9	0.8	5	<0.1	2.1	0.6	60	0.37	<0.5	<0.1	<0.5	0.2	9	<0.1	<0.1	<0.1	<2	0.19
419460	Drill Core	4.41	9.4	57.0	1.6	38	<0.1	5.4	8.9	477	2.12	0.8	0.1	<0.5	0.2	50	<0.1	0.1	<0.1	55	1.32
419461	Drill Core	3.51	1.9	70.4	2.9	76	<0.1	20.8	21.0	1033	4.46	1.5	0.3	3.3	1.0	130	<0.1	0.3	<0.1	127	4.30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

5 of 6


Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	Unit	MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm		
419462	Drill Core			0.11	11.8	77.8	11.1	79	0.4	31.7	163.1	715	3.65	6178	2.3	309.1	1.4	82	0.2	10.0	14.6	43	6.17
419463	Drill Core			5.13	1.7	66.7	3.6	79	<0.1	20.5	21.0	867	4.17	2.5	0.4	<0.5	0.9	148	0.1	0.3	<0.1	120	3.21
419464	Drill Core			5.59	9.9	30.1	1.2	17	<0.1	2.3	1.6	144	0.57	0.7	<0.1	0.9	0.4	50	<0.1	<0.1	<0.1	8	0.61
419465	Drill Core			5.36	3.7	83.7	2.5	42	<0.1	7.7	8.3	391	1.66	2.3	<0.1	3.1	0.7	98	<0.1	0.1	<0.1	42	1.33
419466	Drill Core			4.58	17.1	93.2	1.7	27	0.1	2.7	2.6	216	0.85	0.5	<0.1	5.2	1.0	133	<0.1	<0.1	<0.1	13	0.81
419467	Drill Core			5.32	25.1	157.1	1.6	32	0.1	3.5	2.8	219	0.84	0.7	<0.1	1.4	0.7	153	<0.1	<0.1	<0.1	14	0.68
419468	Drill Core			5.38	27.7	238.7	1.5	31	0.2	3.0	2.7	210	0.97	<0.5	<0.1	1.5	0.5	83	<0.1	0.1	<0.1	15	0.72
419469	Drill Core			5.79	42.5	96.0	2.0	38	<0.1	3.1	3.9	332	1.37	0.6	0.2	2.1	0.6	59	<0.1	0.1	<0.1	19	1.60
419470	Drill Core			4.69	0.9	36.3	1.5	37	<0.1	4.6	6.2	429	1.80	0.8	0.1	2.7	0.5	137	<0.1	<0.1	<0.1	36	1.79
419471	Drill Core			4.79	0.8	344.0	2.2	59	<0.1	6.9	7.8	440	1.86	2.3	0.4	2.2	0.8	59	0.1	0.1	<0.1	27	0.89
419472	Drill Core			5.04	0.8	239.0	2.4	47	0.1	5.1	7.3	427	1.83	2.4	0.3	0.6	0.7	93	<0.1	0.2	<0.1	27	1.21
419473	Drill Core			5.55	28.2	1462	1.6	33	0.5	2.8	3.2	157	0.92	0.9	<0.1	5.3	0.4	59	0.2	<0.1	<0.1	15	0.38
419474	Drill Core			4.70	15.3	1532	1.6	34	0.5	1.6	3.0	127	0.97	0.7	<0.1	2.1	0.3	80	0.2	<0.1	<0.1	18	0.56
419475	Drill Core			5.43	15.4	2372	3.9	30	0.6	2.0	3.1	141	0.92	0.6	<0.1	3.2	0.3	62	0.3	<0.1	<0.1	11	0.29
419476	Drill Core			4.92	30.8	2774	3.3	44	0.7	3.0	3.8	169	1.17	<0.5	<0.1	9.1	0.3	204	0.4	<0.1	0.1	17	0.43
419477	Drill Core			5.46	18.0	2699	1.3	46	0.6	2.6	5.2	206	1.47	<0.5	<0.1	6.6	0.4	301	0.4	<0.1	<0.1	19	0.41
419478	Drill Core			5.37	6.2	1297	1.5	38	0.4	2.5	3.7	159	1.02	<0.5	<0.1	2.0	0.3	82	0.2	<0.1	<0.1	14	0.53
419479	Drill Core			4.95	3.4	1330	1.2	32	0.5	1.5	3.4	140	1.09	<0.5	<0.1	2.9	0.3	120	0.1	<0.1	<0.1	15	0.43
419480	Drill Core			4.83	22.0	1557	1.7	28	0.4	2.1	3.6	125	0.97	0.6	<0.1	1.4	0.3	58	0.2	<0.1	<0.1	12	0.46
419481	Drill Core			5.05	17.2	1262	1.3	27	0.5	1.2	3.0	131	0.94	0.6	<0.1	3.0	0.2	84	0.1	<0.1	<0.1	14	0.45
419482	Drill Core			2.93	20.8	1702	2.4	23	0.4	1.2	2.4	130	0.70	0.7	<0.1	2.8	0.2	166	0.1	<0.1	<0.1	8	4.01
419483	Drill Core			5.36	0.8	20.1	1.6	46	<0.1	5.4	7.2	475	1.87	1.2	0.3	<0.5	0.5	61	<0.1	0.1	<0.1	21	2.65
419484	Drill Core			4.68	1.5	48.2	1.6	45	0.1	6.0	8.3	498	2.05	1.9	0.3	2.5	0.5	76	<0.1	0.1	<0.1	27	1.37
419485	Drill Core			5.92	19.6	1748	1.4	29	0.6	1.1	3.3	146	0.95	1.5	<0.1	3.9	0.2	143	0.2	<0.1	<0.1	12	0.74
419486	Drill Core			5.37	22.9	2022	2.9	66	0.6	10.5	7.1	240	1.11	0.9	<0.1	3.6	0.2	66	0.3	0.1	<0.1	24	0.62
419487	Drill Core			5.08	45.8	2018	1.8	32	0.9	2.7	2.8	123	0.74	<0.5	<0.1	1.1	0.2	40	0.2	<0.1	<0.1	10	0.46
419488	Drill Core			5.05	28.5	846.4	1.6	37	0.5	3.6	3.7	166	0.86	<0.5	<0.1	1.7	0.2	45	0.1	<0.1	<0.1	13	0.73
419489	Drill Core			5.21	5.8	1394	2.0	64	0.5	7.6	4.0	195	0.84	0.5	<0.1	1.9	0.2	31	0.3	<0.1	<0.1	12	0.66
419490	Drill Core			5.25	24.4	1777	1.1	31	0.5	1.7	2.7	120	0.82	<0.5	<0.1	1.7	0.2	59	0.2	<0.1	<0.1	10	0.30
419491	Drill Core			5.17	12.6	729.2	0.9	32	0.2	2.1	1.9	163	0.62	0.8	<0.1	1.6	0.2	32	0.1	<0.1	<0.1	6	0.55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

**Project:** OK


**Report Date:** June 09, 2008

**Page:** 6 of 6 Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
419492	Drill Core	0.10	11.7	82.2	10.4	79	0.4	30.6	165.2	690	3.55	6174	2.1	332.2	1.2	80	0.3	10.4	14.5	37	5.94



# Acme Labs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

2 of 6

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1F15	1F15	1F15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Mo	Cu	Pb
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
419372	Drill Core	0.036	3	8	0.54	151	0.055	1	1.23	0.087	0.05	0.1	0.03	1.3	<0.1	0.17	3	1.1	22.91	3138	10.95
419373	Drill Core	0.114	4	3	1.62	225	0.157	1	3.49	0.208	0.03	<0.1	0.02	2.4	<0.1	0.55	8	<0.5	3.23	2452	10.86
419374	Drill Core	0.117	4	3	2.10	156	0.166	2	3.16	0.161	0.03	0.1	0.01	2.4	<0.1	0.15	8	<0.5	1.63	837.4	3.10
419375	Drill Core	0.028	3	9	0.48	154	0.057	1	1.08	0.104	0.06	0.1	0.01	1.1	<0.1	0.10	3	0.6	9.55	1643	5.88
419376	Drill Core	0.021	3	9	0.32	279	0.045	<1	0.78	0.082	0.05	0.1	0.01	0.8	<0.1	0.13	2	<0.5	9.58	1294	4.90
419377	Drill Core	0.017	2	4	0.26	228	0.028	<1	0.78	0.067	0.07	<0.1	<0.01	0.6	<0.1	0.18	2	0.5	9.73	1975	2.09
419378	Drill Core	0.024	2	8	0.30	204	0.036	<1	0.74	0.076	0.06	0.2	<0.01	0.7	<0.1	0.27	2	1.2	40.32	2850	2.73
419379	Drill Core	0.081	3	8	2.12	31	0.161	2	2.49	0.058	0.02	<0.1	<0.01	2.4	<0.1	0.12	7	<0.5	2.45	518.8	1.82
419380	Drill Core	0.029	2	5	0.36	260	0.049	<1	0.95	0.080	0.06	0.2	<0.01	0.8	<0.1	0.24	3	0.6	22.81	1572	1.41
419381	Drill Core	0.030	3	8	0.36	99	0.052	2	0.93	0.090	0.07	<0.1	<0.01	0.9	<0.1	0.32	3	0.8	14.22	1279	1.43
419382	Drill Core	0.027	3	17	0.34	197	0.064	1	0.82	0.129	0.08	0.1	<0.01	1.0	<0.1	0.24	3	<0.5	12.81	1071	1.80
419383	Drill Core	0.023	3	9	0.30	170	0.051	1	0.89	0.103	0.08	<0.1	<0.01	1.1	<0.1	0.28	3	<0.5	39.56	1464	1.58
419384	Drill Core	0.022	2	10	0.35	196	0.047	<1	0.73	0.082	0.06	<0.1	<0.01	0.9	<0.1	0.37	3	0.9	87.28	2007	1.09
419385	Drill Core	0.023	3	13	0.31	167	0.052	<1	0.88	0.101	0.08	<0.1	<0.01	1.2	<0.1	0.25	3	0.5	11.98	1306	1.50
419386	Drill Core	0.028	3	12	0.36	223	0.058	1	0.86	0.102	0.09	0.1	<0.01	1.2	<0.1	0.27	3	<0.5	4.32	1681	1.34
419387	Drill Core	0.026	3	6	0.32	274	0.039	1	1.31	0.098	0.08	<0.1	0.01	1.0	<0.1	0.21	4	0.9	7.82	1766	1.80
419388	Drill Core	0.031	3	14	0.36	234	0.050	1	1.13	0.131	0.07	0.2	<0.01	1.0	<0.1	0.19	4	0.5	29.97	1265	1.75
419389	Drill Core	0.027	3	12	0.32	352	0.056	2	1.28	0.147	0.08	0.1	<0.01	1.4	<0.1	0.28	4	0.7	3.99	1852	1.76
419390	Drill Core	0.026	2	7	0.30	145	0.029	<1	0.93	0.083	0.07	<0.1	0.01	0.8	<0.1	0.28	3	0.5	17.04	2401	1.18
419391	Drill Core	0.023	2	10	0.25	46	0.040	1	1.33	0.083	0.07	0.1	<0.01	0.5	<0.1	0.16	4	0.6	6.90	1538	1.46
419392	Drill Core	0.024	3	10	0.29	92	0.037	1	1.00	0.094	0.06	<0.1	0.01	0.9	<0.1	0.19	3	0.7	8.57	1835	1.58
419393	Drill Core	0.021	3	8	0.33	387	0.027	2	1.07	0.091	0.07	<0.1	0.01	0.8	<0.1	0.26	3	1.0	6.09	2648	1.51
419394	Drill Core	0.021	3	13	0.29	141	0.048	1	0.95	0.112	0.08	<0.1	<0.01	1.0	<0.1	0.18	3	<0.5	20.90	1646	1.50
419395	Drill Core	0.018	3	13	0.29	191	0.040	<1	0.67	0.074	0.06	<0.1	<0.01	0.8	<0.1	0.43	3	1.3	60.49	3687	0.96
419396	Drill Core	0.020	3	7	0.26	142	0.041	1	0.95	0.101	0.07	0.1	<0.01	0.8	<0.1	0.21	3	0.9	23.09	2340	1.71
419397	Drill Core	0.022	3	12	0.30	192	0.036	1	1.17	0.117	0.09	0.1	0.01	1.0	<0.1	0.24	3	0.8	9.72	2296	3.21
419398	Drill Core	0.025	3	10	0.31	356	0.048	2	1.30	0.116	0.07	<0.1	0.01	1.2	<0.1	0.23	4	0.7	18.30	1644	2.53
419399	Drill Core	0.025	3	7	0.32	215	0.044	<1	0.99	0.100	0.07	<0.1	<0.01	0.9	<0.1	0.23	3	0.5	18.38	2083	2.05
419400	Drill Core	0.024	3	13	0.32	175	0.033	<1	0.91	0.111	0.07	0.1	<0.01	0.8	<0.1	0.26	3	0.9	1.40	2457	1.74
419401	Drill Core	0.032	2	41	1.11	82	0.073	1	1.63	0.114	0.10	0.1	<0.01	3.0	<0.1	0.24	5	0.7	32.62	1898	3.66



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:


3 of 6 Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1F15	1F15	1F15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Mo	Cu	Pb
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
419402	Drill Core	0.117	11	12	0.22	18	0.041	50	1.15	0.065	0.05	0.9	0.01	1.4	<0.1	1.16	4	13.9	11.27	83.38	12.40
419403	Drill Core	0.022	3	7	0.30	57	0.040	<1	0.88	0.097	0.07	<0.1	<0.01	0.9	<0.1	0.17	4	0.7	7.82	1663	1.65
419404	Drill Core	0.063	3	26	1.98	45	0.140	2	2.51	0.069	0.05	0.2	<0.01	4.9	<0.1	0.07	8	<0.5	2.13	489.5	3.21
419405	Drill Core	0.051	2	69	2.09	18	0.116	2	3.25	0.198	0.01	<0.1	<0.01	3.5	<0.1	0.12	7	<0.5	1.00	194.0	4.98
419406	Drill Core	0.023	2	23	0.73	45	0.055	1	1.01	0.072	0.05	<0.1	<0.01	1.5	<0.1	0.25	3	0.6	8.50	1837	8.38
419407	Drill Core	0.015	2	11	0.27	68	0.023	<1	0.75	0.076	0.07	0.1	<0.01	0.5	<0.1	0.23	2	0.8	19.82	2198	14.02
419408	Drill Core	0.022	3	8	0.34	79	0.042	<1	0.65	0.076	0.08	<0.1	<0.01	1.0	<0.1	0.23	2	1.0	10.03	2013	6.77
419409	Drill Core	0.013	2	11	0.33	53	0.025	<1	0.63	0.068	0.06	<0.1	<0.01	0.7	<0.1	0.37	2	1.5	103.2	2959	8.77
419410	Drill Core	0.022	3	10	0.46	90	0.043	<1	0.85	0.074	0.07	0.1	<0.01	1.2	<0.1	0.36	3	1.3	52.71	3188	4.42
419411	Drill Core	0.022	3	11	0.42	67	0.035	<1	0.73	0.067	0.05	0.1	<0.01	1.0	<0.1	0.44	2	1.2	6.12	2540	5.52
419412	Drill Core	0.014	3	13	0.32	74	0.023	<1	0.94	0.072	0.11	0.1	<0.01	0.7	<0.1	0.50	2	2.0	17.47	5004	4.42
419413	Drill Core	0.017	2	12	0.36	53	0.048	<1	0.67	0.071	0.06	0.1	<0.01	1.0	<0.1	0.30	3	0.9	39.54	1501	3.63
419414	Drill Core	0.012	2	8	0.34	55	0.024	<1	0.77	0.071	0.07	<0.1	<0.01	0.7	<0.1	0.55	3	1.5	9.70	3326	3.00
419415	Drill Core	0.015	2	12	0.32	89	0.036	<1	0.75	0.075	0.06	0.1	<0.01	0.9	<0.1	0.54	2	1.3	6.40	2444	4.32
419416	Drill Core	0.012	2	11	0.34	94	0.010	<1	0.89	0.069	0.10	<0.1	<0.01	0.5	<0.1	0.47	2	1.7	62.29	5127	2.11
419417	Drill Core	0.017	2	6	0.30	78	0.049	<1	0.62	0.083	0.05	0.1	<0.01	0.9	<0.1	0.38	3	1.7	9.00	3175	3.97
419418	Drill Core	0.016	2	11	0.26	68	0.036	<1	0.64	0.075	0.04	0.1	<0.01	0.8	<0.1	0.34	2	0.9	19.18	3819	2.80
419419	Drill Core	0.016	3	11	0.31	92	0.045	<1	0.73	0.092	0.05	<0.1	<0.01	0.8	<0.1	0.29	2	0.9	5.14	2971	3.29
419420	Drill Core	0.017	2	5	0.34	57	0.051	<1	0.72	0.080	0.04	0.1	<0.01	0.9	<0.1	0.30	3	0.9	3.09	2123	3.03
419421	Drill Core	0.009	2	13	0.33	70	0.019	<1	0.76	0.075	0.06	<0.1	<0.01	0.7	<0.1	0.41	2	1.7	53.61	4521	2.05
419422	Drill Core	0.016	2	12	0.30	90	0.038	<1	0.83	0.084	0.05	0.1	<0.01	0.8	<0.1	0.27	3	1.3	109.7	2726	2.47
419423	Drill Core	0.018	2	6	0.30	74	0.048	<1	0.65	0.077	0.04	<0.1	<0.01	0.8	<0.1	0.29	2	1.2	6.65	3237	1.69
419424	Drill Core	0.016	2	17	0.25	75	0.047	<1	0.81	0.096	0.08	0.1	<0.01	0.8	<0.1	0.27	2	0.8	9.42	2206	2.10
419425	Drill Core	0.018	2	9	0.28	105	0.039	<1	0.78	0.076	0.05	<0.1	<0.01	0.8	<0.1	0.26	2	1.0	33.56	2578	2.12
419426	Drill Core	0.022	2	7	0.36	107	0.058	<1	0.74	0.081	0.04	0.1	<0.01	0.8	<0.1	0.15	2	0.6	2.92	1528	3.51
419427	Drill Core	0.018	3	12	0.30	69	0.045	<1	0.64	0.074	0.04	<0.1	<0.01	0.8	<0.1	0.13	2	0.7	1.29	1299	1.36
419428	Drill Core	0.030	3	11	0.33	76	0.037	<1	0.76	0.074	0.06	<0.1	<0.01	0.8	<0.1	0.12	3	0.5	17.50	1270	1.93
419429	Drill Core	0.056	3	9	2.24	41	0.193	3	3.24	0.058	0.02	0.1	<0.01	4.0	<0.1	<0.05	8	0.6	0.51	82.19	0.97
419430	Drill Core	0.055	3	10	2.28	14	0.181	2	3.00	0.057	0.02	<0.1	<0.01	3.5	<0.1	<0.05	8	<0.5	0.68	80.89	0.90
419431	Drill Core	0.004	2	9	0.24	84	0.021	<1	0.52	0.064	0.05	<0.1	<0.01	0.4	<0.1	0.35	2	1.0	2.16	3403	1.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

4 of 6

Part 2

## CERTIFICATE OF ANALYSIS

VAN08006176.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1F15	1F15	1F15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Mo	Cu	Pb	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.01	0.01	
419432	Drill Core	0.120	12	14	0.23	20	0.042	52	1.21	0.073	0.05	0.9	<0.01	1.3	<0.1	1.20	3	13.3	12.44	83.90	13.20
419433	Drill Core	0.004	2	6	0.27	144	0.017	2	0.67	0.072	0.06	<0.1	<0.01	0.5	<0.1	0.40	2	1.3	22.97	4000	1.46
419434	Drill Core	0.019	3	15	0.49	352	0.041	3	1.70	0.114	0.06	0.1	<0.01	1.7	<0.1	0.40	4	1.3	25.95	1614	3.86
419435	Drill Core	0.025	2	12	0.56	72	0.075	1	1.06	0.092	0.05	0.1	<0.01	1.2	<0.1	0.16	3	<0.5	1.49	1363	1.86
419436	Drill Core	0.051	3	19	1.27	75	0.140	<1	1.81	0.068	0.04	0.3	<0.01	4.6	<0.1	0.11	4	<0.5	1.53	339.6	17.68
419437	Drill Core	0.014	2	7	0.29	54	0.040	1	0.58	0.057	0.05	0.2	<0.01	0.5	<0.1	0.25	2	1.4	3.01	2860	2.01
419438	Drill Core	0.020	2	11	0.34	60	0.053	<1	0.71	0.078	0.06	0.2	<0.01	0.7	<0.1	0.21	3	0.8	0.76	1613	16.64
419439	Drill Core	0.055	4	16	1.27	37	0.127	2	1.98	0.098	0.04	0.2	<0.01	2.7	<0.1	<0.05	5	0.6	2.31	54.95	1.77
419440	Drill Core	0.053	4	18	1.38	55	0.135	2	2.13	0.115	0.05	0.2	<0.01	3.3	<0.1	<0.05	5	<0.5	2.63	135.2	1.90
419441	Drill Core	0.022	2	16	0.47	63	0.066	1	1.02	0.129	0.06	0.2	<0.01	1.2	<0.1	0.24	3	0.6	2.07	2010	2.30
419442	Drill Core	0.020	2	8	0.25	65	0.048	<1	0.76	0.091	0.07	0.2	<0.01	0.7	<0.1	0.25	2	0.6	1.78	1728	1.53
419443	Drill Core	0.025	2	12	0.83	47	0.086	<1	1.35	0.095	0.09	0.2	<0.01	2.1	<0.1	0.29	4	0.8	1.47	1615	1.81
419444	Drill Core	0.031	2	14	1.07	70	0.121	1	1.48	0.072	0.05	0.1	<0.01	2.8	<0.1	0.10	4	<0.5	2.09	561.9	1.59
419445	Drill Core	0.025	2	9	0.42	24	0.076	<1	0.98	0.113	0.05	0.1	<0.01	1.4	<0.1	0.20	3	<0.5	1.71	1271	1.59
419446	Drill Core	0.058	2	105	2.87	26	0.138	<1	2.87	0.038	0.01	0.1	<0.01	5.2	<0.1	0.07	7	<0.5	1.94	213.5	3.20
419447	Drill Core	0.057	3	30	2.22	20	0.155	1	2.50	0.058	<0.01	<0.1	<0.01	6.4	<0.1	<0.05	7	<0.5	0.35	31.53	1.50
419448	Drill Core	0.030	4	15	0.36	87	0.072	<1	0.95	0.099	0.05	0.1	<0.01	1.3	<0.1	<0.05	3	<0.5	17.05	282.8	2.06
419449	Drill Core	0.017	2	9	0.17	39	0.036	1	0.62	0.055	0.04	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5	10.12	49.74	2.19
419450	Drill Core	0.036	4	18	0.35	210	0.077	1	0.77	0.098	0.05	0.1	<0.01	1.2	<0.1	<0.05	3	<0.5	12.83	194.7	2.64
419451	Drill Core	0.029	3	9	0.27	138	0.053	2	0.82	0.096	0.06	<0.1	<0.01	1.0	<0.1	<0.05	3	<0.5	12.15	161.7	2.29
419452	Drill Core	0.028	4	14	0.34	102	0.066	<1	0.91	0.101	0.09	0.1	<0.01	1.1	<0.1	<0.05	3	<0.5	164.4	260.1	2.16
419453	Drill Core	0.028	5	15	0.33	237	0.073	<1	0.85	0.101	0.06	<0.1	<0.01	1.1	<0.1	<0.05	3	<0.5	6.93	153.7	1.56
419454	Drill Core	0.035	5	11	0.40	128	0.079	1	0.98	0.114	0.07	<0.1	<0.01	1.4	<0.1	<0.05	3	<0.5	6.71	361.5	1.58
419455	Drill Core	0.028	5	13	0.38	134	0.067	1	0.78	0.085	0.06	<0.1	<0.01	1.2	<0.1	<0.05	3	<0.5	5.77	212.4	1.89
419456	Drill Core	0.060	5	7	0.55	61	0.055	1	1.44	0.103	0.08	0.1	<0.01	1.5	<0.1	0.32	5	<0.5	1.62	60.19	2.68
419457	Drill Core	0.056	7	26	0.79	76	0.079	<1	1.31	0.108	0.07	0.1	<0.01	2.5	<0.1	0.12	4	<0.5	13.61	129.5	2.72
419458	Drill Core	0.005	2	10	0.07	31	0.016	<1	0.30	0.030	0.02	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	4.95	33.41	0.53
419459	Drill Core	0.003	<1	17	0.04	15	0.008	<1	0.23	0.027	0.03	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	5.62	19.87	0.70
419460	Drill Core	0.038	3	13	0.78	34	0.101	<1	1.41	0.081	0.04	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	8.88	55.35	1.64
419461	Drill Core	0.082	6	39	2.51	53	0.215	2	4.20	0.225	0.08	<0.1	<0.01	7.7	<0.1	<0.05	10	<0.5	1.63	65.95	2.84

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

5 of 6

Part 2


## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1F15	1F15	1F15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Mo	Cu	Pb
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.1	0.1	0.05	1	0.5	0.01	0.01	0.01	
419462	Drill Core	0.114	12	13	0.21	16	0.043	51	1.24	0.073	0.05	1.0	<0.01	1.4	<0.1	1.14	3	13.0	11.00	78.30	12.39
419463	Drill Core	0.080	6	34	2.39	101	0.209	2	3.62	0.148	0.07	0.1	<0.01	6.9	<0.1	<0.05	8	<0.5	1.65	68.88	3.79
419464	Drill Core	0.027	2	16	0.20	62	0.034	<1	0.72	0.077	0.05	0.1	<0.01	0.9	<0.1	<0.05	2	<0.5	9.12	27.90	1.15
419465	Drill Core	0.058	4	9	0.95	102	0.110	2	1.84	0.099	0.07	0.1	<0.01	2.7	<0.1	0.10	5	<0.5	3.45	81.78	2.52
419466	Drill Core	0.041	5	13	0.42	167	0.071	1	1.10	0.097	0.06	<0.1	<0.01	1.3	<0.1	0.11	4	<0.5	17.44	99.11	1.83
419467	Drill Core	0.027	4	8	0.42	178	0.081	1	1.14	0.128	0.06	0.1	<0.01	1.5	<0.1	<0.05	4	<0.5	22.68	152.8	1.57
419468	Drill Core	0.030	3	13	0.41	166	0.064	2	1.14	0.101	0.11	0.2	<0.01	1.3	<0.1	0.09	4	<0.5	27.03	238.4	1.61
419469	Drill Core	0.114	6	5	0.52	82	0.023	3	1.42	0.078	0.13	0.2	<0.01	1.5	<0.1	0.30	6	<0.5	41.73	95.54	2.21
419470	Drill Core	0.043	4	14	0.79	300	0.031	2	1.71	0.099	0.09	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	0.83	36.99	1.66
419471	Drill Core	0.053	6	5	0.81	48	0.147	2	1.77	0.074	0.10	0.3	<0.01	1.9	<0.1	<0.05	5	<0.5	0.79	362.0	2.18
419472	Drill Core	0.051	5	5	0.78	107	0.137	1	2.00	0.078	0.09	0.2	<0.01	1.9	<0.1	<0.05	6	<0.5	0.74	237.1	2.20
419473	Drill Core	0.024	3	7	0.33	84	0.051	2	0.96	0.128	0.09	0.1	<0.01	1.1	<0.1	0.19	3	0.5	25.21	1455	1.81
419474	Drill Core	0.025	3	7	0.31	161	0.054	1	1.05	0.099	0.07	0.1	<0.01	1.0	<0.1	0.17	3	0.5	14.86	1538	1.73
419475	Drill Core	0.017	3	8	0.30	135	0.029	<1	0.67	0.059	0.05	<0.1	<0.01	0.5	<0.1	0.28	2	0.8	14.03	2340	4.07
419476	Drill Core	0.024	3	9	0.39	244	0.050	<1	0.87	0.074	0.07	<0.1	<0.01	1.0	<0.1	0.42	3	0.6	30.24	2724	3.24
419477	Drill Core	0.036	3	8	0.50	281	0.064	<1	0.95	0.057	0.07	<0.1	<0.01	1.1	<0.1	0.36	3	1.0	16.23	2661	1.49
419478	Drill Core	0.035	3	6	0.43	126	0.070	<1	1.01	0.070	0.06	<0.1	<0.01	1.0	<0.1	0.18	3	<0.5	6.24	1319	1.61
419479	Drill Core	0.030	3	7	0.39	171	0.067	<1	0.86	0.070	0.05	<0.1	<0.01	0.9	<0.1	0.26	3	<0.5	3.74	1390	1.34
419480	Drill Core	0.025	2	8	0.32	86	0.056	<1	0.83	0.074	0.06	<0.1	<0.01	0.7	<0.1	0.32	3	0.8	20.40	1570	1.77
419481	Drill Core	0.024	2	6	0.32	142	0.059	<1	0.77	0.066	0.05	<0.1	<0.01	0.7	<0.1	0.26	3	<0.5	16.45	1313	1.39
419482	Drill Core	0.017	3	4	0.23	238	0.021	<1	1.70	0.084	0.06	<0.1	0.01	0.6	<0.1	0.23	3	0.7	20.64	1725	2.19
419483	Drill Core	0.049	5	5	0.72	73	0.091	<1	1.55	0.065	0.10	<0.1	<0.01	1.7	<0.1	<0.05	5	<0.5	0.75	21.99	1.59
419484	Drill Core	0.054	4	5	0.83	83	0.101	1	1.60	0.081	0.07	0.2	<0.01	1.9	<0.1	0.13	6	<0.5	1.36	50.89	1.66
419485	Drill Core	0.025	2	5	0.31	163	0.039	<1	1.02	0.093	0.05	0.1	<0.01	0.6	<0.1	0.28	3	1.3	19.45	1822	1.66
419486	Drill Core	0.026	2	24	0.85	79	0.075	<1	1.25	0.065	0.07	0.1	<0.01	1.9	<0.1	0.25	3	0.7	23.13	2190	3.25
419487	Drill Core	0.020	2	8	0.30	80	0.048	<1	0.81	0.069	0.07	<0.1	<0.01	0.8	<0.1	0.23	3	0.6	43.65	2149	2.05
419488	Drill Core	0.027	2	11	0.41	294	0.058	<1	0.95	0.077	0.06	0.2	<0.01	0.9	<0.1	0.17	3	<0.5	29.06	927.8	1.90
419489	Drill Core	0.029	1	16	0.54	136	0.044	<1	1.01	0.054	0.11	0.1	<0.01	1.0	<0.1	0.17	3	<0.5	5.68	1414	2.09
419490	Drill Core	0.022	2	8	0.29	92	0.044	<1	0.69	0.063	0.05	<0.1	<0.01	0.5	<0.1	0.25	2	0.6	27.41	1814	1.35
419491	Drill Core	0.031	2	7	0.27	83	0.035	<1	0.96	0.053	0.13	<0.1	<0.01	0.5	<0.1	0.08	3	<0.5	11.98	769.3	1.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

**Project:** OK


**Report Date:** June 09, 2008

**Page:** 6 of 6 Part 2

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Mo	Cu	Pb	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.01	0.01	
419492	Drill Core	0.110	11	13	0.21	17	0.042	50	1.13	0.063	0.04	0.8	<0.01	1.4	<0.1	1.13	3	13.8	11.27	77.64	12.00



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

2 of 6

Part 3

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
Unit		ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
MDL		0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01
419372	Drill Core	106.2	906	3.1	6.5	289	1.44	4.4	<0.1	14.5	0.3	43.6	0.52	0.19	0.06	19	0.33	0.036	2.7	8.2	0.51
419373	Drill Core	129.1	327	8.1	19.9	727	4.08	4.6	<0.1	7.2	0.2	139.9	0.73	0.22	<0.02	73	1.28	0.122	5.2	3.1	1.58
419374	Drill Core	119.4	221	7.9	21.9	857	4.14	2.4	0.1	5.1	0.2	84.5	0.41	0.11	<0.02	65	1.11	0.111	4.1	3.1	1.83
419375	Drill Core	51.9	298	4.2	5.0	245	1.08	1.7	<0.1	5.7	0.3	102.7	0.30	0.20	0.02	15	0.38	0.028	2.9	8.8	0.49
419376	Drill Core	37.6	371	1.7	2.9	144	0.86	0.9	<0.1	5.3	0.3	149.6	0.29	0.15	0.03	12	0.26	0.021	2.6	9.2	0.30
419377	Drill Core	33.4	494	1.8	2.7	139	0.86	0.7	<0.1	3.4	0.2	144.8	0.29	0.06	<0.02	9	0.22	0.017	2.2	4.3	0.24
419378	Drill Core	42.5	527	1.9	4.0	169	0.97	1.4	<0.1	4.2	0.3	128.6	0.31	0.13	<0.02	10	0.28	0.024	2.4	8.0	0.29
419379	Drill Core	111.1	300	13.1	21.3	759	3.28	1.9	0.1	5.6	0.2	56.5	0.12	0.12	<0.02	53	0.95	0.086	3.6	8.2	2.10
419380	Drill Core	34.4	484	1.7	3.8	168	0.93	0.7	<0.1	3.5	0.3	72.3	0.25	0.08	0.03	11	1.11	0.028	2.4	5.0	0.35
419381	Drill Core	31.2	471	2.1	3.2	149	0.96	0.6	<0.1	3.2	0.3	50.4	0.20	0.06	0.02	12	0.64	0.028	2.5	7.5	0.33
419382	Drill Core	28.5	326	2.0	3.2	150	1.17	0.8	<0.1	4.3	0.3	159.1	0.15	0.06	0.04	17	0.37	0.028	3.0	16.6	0.33
419383	Drill Core	26.0	433	2.1	2.7	126	0.90	0.7	<0.1	5.8	0.2	135.3	0.22	0.04	0.02	13	0.37	0.020	2.7	7.6	0.26
419384	Drill Core	30.7	512	1.4	3.2	151	1.13	0.4	<0.1	5.1	0.2	155.1	0.23	0.03	<0.02	15	0.30	0.021	2.4	9.8	0.32
419385	Drill Core	23.4	349	2.8	2.8	132	1.08	0.5	<0.1	3.2	0.3	81.3	0.17	0.03	<0.02	18	0.38	0.024	2.6	12.1	0.29
419386	Drill Core	24.2	436	1.5	3.1	137	1.04	0.6	<0.1	5.4	0.3	98.4	0.17	0.04	<0.02	17	0.41	0.025	2.9	11.6	0.32
419387	Drill Core	29.0	435	2.0	3.2	149	0.90	0.8	<0.1	4.4	0.4	153.1	0.19	0.05	<0.02	12	1.11	0.026	3.1	6.3	0.31
419388	Drill Core	26.9	406	2.0	3.3	163	1.03	0.7	<0.1	2.4	0.5	82.4	0.14	0.08	<0.02	13	0.60	0.030	3.3	14.3	0.35
419389	Drill Core	28.6	557	1.7	3.3	134	1.00	0.7	<0.1	4.9	0.5	155.8	0.23	0.06	<0.02	13	0.72	0.028	3.3	11.6	0.31
419390	Drill Core	25.3	852	2.0	3.0	128	0.93	0.7	<0.1	3.8	0.4	67.2	0.29	0.11	0.02	8	0.58	0.026	2.3	6.5	0.28
419391	Drill Core	23.1	434	2.2	3.4	148	0.75	0.6	<0.1	2.1	0.3	35.9	0.17	0.09	<0.02	7	1.58	0.025	1.8	9.8	0.24
419392	Drill Core	27.6	641	1.7	3.0	146	0.84	0.5	<0.1	3.1	0.4	43.6	0.25	0.11	<0.02	9	0.58	0.024	2.6	10.2	0.28
419393	Drill Core	26.8	656	1.5	2.9	151	0.91	0.5	<0.1	4.4	0.4	77.8	0.23	0.10	<0.02	9	0.90	0.021	2.8	7.2	0.32
419394	Drill Core	27.4	618	2.0	3.2	147	0.89	0.5	<0.1	2.1	0.4	57.1	0.19	0.09	0.02	12	0.48	0.024	3.2	15.4	0.30
419395	Drill Core	30.4	1002	1.5	3.2	116	1.01	0.6	<0.1	5.3	0.3	74.2	0.34	0.05	<0.02	10	0.28	0.016	2.6	12.1	0.25
419396	Drill Core	28.5	780	2.0	3.3	139	0.73	0.7	<0.1	2.9	0.4	75.8	0.27	0.07	0.03	8	0.56	0.022	3.0	7.8	0.27
419397	Drill Core	40.1	653	1.8	3.2	157	0.84	0.8	<0.1	4.2	0.4	82.2	0.23	0.07	<0.02	9	0.69	0.021	3.0	12.1	0.30
419398	Drill Core	33.6	578	1.5	2.9	150	0.87	0.6	<0.1	4.3	0.3	149.5	0.18	0.06	0.03	12	1.28	0.025	3.2	9.8	0.29
419399	Drill Core	33.7	693	2.3	3.0	148	0.81	0.8	<0.1	2.5	0.4	79.7	0.23	0.06	<0.02	11	0.51	0.027	3.3	7.3	0.30
419400	Drill Core	31.5	674	1.8	3.1	162	0.94	0.6	<0.1	6.3	0.3	69.5	0.22	0.07	0.03	10	0.54	0.023	2.8	12.3	0.29
419401	Drill Core	67.7	863	19.7	9.6	375	1.55	1.3	<0.1	5.0	0.3	48.7	0.22	0.14	0.05	31	0.64	0.031	2.4	41.4	1.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

3 of 6

Part 3

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
Unit		ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
MDL		0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01
419402	Drill Core	80.4	391	31.3	170.2	729	3.66	6400	2.5	341.7	1.4	86.6	0.27	11.03	16.41	32	6.01	0.124	11.2	12.8	0.21
419403	Drill Core	27.6	492	2.5	3.4	163	0.73	1.4	<0.1	3.1	0.3	31.8	0.14	0.11	0.04	9	0.56	0.022	2.7	7.4	0.28
419404	Drill Core	124.9	261	8.3	16.6	770	2.95	1.0	0.2	0.7	0.5	72.5	0.12	0.15	0.04	55	1.04	0.061	3.2	24.2	1.88
419405	Drill Core	116.9	113	29.2	17.9	763	2.79	3.9	0.1	2.1	0.2	100.4	0.08	0.27	0.12	66	1.63	0.060	2.1	69.6	2.11
419406	Drill Core	56.4	792	11.3	6.5	249	1.16	0.7	<0.1	6.7	0.3	58.5	0.27	0.13	0.06	21	0.42	0.029	2.0	23.3	0.72
419407	Drill Core	42.0	729	1.5	2.6	111	0.79	0.5	<0.1	4.9	0.2	91.6	0.25	0.16	0.05	11	0.32	0.017	2.6	10.6	0.23
419408	Drill Core	43.3	541	2.8	3.4	163	1.21	0.7	<0.1	8.4	0.3	28.5	0.24	0.12	0.04	16	0.35	0.030	3.2	8.7	0.38
419409	Drill Core	48.1	760	1.8	3.1	183	1.12	0.7	<0.1	9.3	0.4	25.5	0.31	0.13	0.04	11	0.21	0.017	3.0	12.3	0.34
419410	Drill Core	57.2	879	3.9	4.6	199	1.34	0.5	<0.1	11.1	0.4	44.5	0.26	0.07	0.06	17	0.26	0.025	3.4	10.8	0.41
419411	Drill Core	50.0	825	2.3	3.5	205	1.17	0.6	<0.1	6.9	0.4	45.6	0.27	0.06	0.03	16	0.23	0.025	2.9	11.6	0.39
419412	Drill Core	49.0	1477	3.6	4.5	166	1.13	1.0	<0.1	4.7	0.6	33.2	0.40	0.06	0.07	8	0.31	0.017	3.0	13.1	0.32
419413	Drill Core	43.4	500	2.4	3.9	166	1.31	0.4	<0.1	7.8	0.4	26.9	0.16	0.06	0.05	18	0.27	0.021	3.1	13.6	0.37
419414	Drill Core	46.3	1176	2.8	4.6	195	1.27	0.6	<0.1	4.8	0.4	32.2	0.26	0.05	0.05	9	0.23	0.013	2.7	8.8	0.33
419415	Drill Core	48.1	877	2.0	3.7	153	1.17	0.7	<0.1	6.2	0.4	43.4	0.24	0.05	0.05	14	0.23	0.017	2.4	12.6	0.33
419416	Drill Core	41.0	1187	2.6	4.5	168	1.08	0.6	<0.1	13.9	0.3	84.5	0.29	0.05	0.06	7	0.34	0.015	1.9	11.8	0.34
419417	Drill Core	45.9	861	1.8	4.2	155	1.32	0.5	<0.1	13.8	0.4	28.8	0.32	0.06	0.03	19	0.28	0.018	2.4	6.4	0.28
419418	Drill Core	45.9	1069	2.3	3.3	133	1.04	0.5	<0.1	11.3	0.3	29.0	0.40	0.04	0.02	12	0.31	0.020	2.0	12.3	0.27
419419	Drill Core	41.0	1021	2.2	3.3	153	1.02	0.4	<0.1	7.2	0.4	75.0	0.32	0.04	0.03	14	0.32	0.018	3.1	12.1	0.31
419420	Drill Core	44.9	903	2.6	3.2	164	1.10	0.4	<0.1	9.1	0.4	56.6	0.27	0.06	0.08	17	0.28	0.020	2.8	6.0	0.33
419421	Drill Core	40.8	1256	2.8	3.7	178	1.00	0.5	<0.1	12.0	0.3	61.9	0.28	0.06	0.05	8	0.27	0.012	2.1	13.6	0.32
419422	Drill Core	37.8	801	1.7	2.9	145	0.94	0.2	<0.1	16.3	0.3	61.5	0.17	0.04	0.08	13	0.48	0.018	2.6	12.5	0.29
419423	Drill Core	35.6	981	2.5	3.5	147	1.13	0.3	<0.1	21.8	0.3	55.6	0.27	0.05	0.08	15	0.31	0.022	2.8	6.5	0.30
419424	Drill Core	30.8	902	1.8	3.1	114	0.80	0.5	<0.1	24.2	0.3	32.2	0.20	0.07	0.72	9	0.43	0.018	2.1	17.1	0.24
419425	Drill Core	32.4	920	2.5	2.9	138	0.93	0.6	<0.1	8.6	0.3	47.2	0.23	0.05	0.06	12	0.41	0.020	2.1	10.6	0.30
419426	Drill Core	29.2	465	1.9	3.2	130	1.10	0.2	<0.1	4.1	0.3	82.9	0.15	0.05	0.05	18	0.33	0.026	2.7	7.6	0.36
419427	Drill Core	22.7	337	2.8	2.6	122	0.95	0.4	<0.1	6.8	0.3	67.2	0.11	0.03	0.04	16	0.33	0.020	3.0	14.5	0.31
419428	Drill Core	29.4	377	1.6	2.5	142	0.73	0.4	<0.1	4.8	0.3	37.8	0.11	0.04	<0.02	15	0.64	0.032	2.8	11.4	0.35
419429	Drill Core	71.6	69	11.1	20.0	745	3.57	2.0	0.1	1.0	0.2	46.2	0.04	0.08	<0.02	88	2.17	0.057	3.0	6.9	2.06
419430	Drill Core	62.7	59	11.2	19.7	717	3.65	1.6	0.1	1.9	0.2	43.7	0.03	0.06	<0.02	82	1.40	0.062	3.2	11.6	2.27
419431	Drill Core	30.2	1040	2.1	3.1	125	0.91	1.9	<0.1	3.6	0.3	24.9	0.34	0.04	0.02	10	0.19	0.005	2.1	11.6	0.23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

4 of 6

Part 3

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
Unit		ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
MDL		0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	
419432	Drill Core	82.6	443	32.2	170.7	713	3.53	6219	2.6	383.5	1.6	87.9	0.25	11.62	17.84	35	6.02	0.117	12.6	13.1	0.22
419433	Drill Core	41.0	1288	1.8	3.4	155	0.99	1.7	<0.1	4.5	0.3	57.5	0.51	0.04	0.03	9	0.26	0.005	2.3	6.7	0.27
419434	Drill Core	41.3	681	6.6	5.6	189	1.29	3.0	<0.1	6.6	0.3	336.1	0.32	0.10	0.04	25	1.07	0.019	2.9	15.0	0.47
419435	Drill Core	45.4	691	3.4	5.8	196	1.35	1.2	<0.1	4.8	0.2	59.0	0.33	0.07	0.06	21	0.53	0.028	2.6	14.0	0.55
419436	Drill Core	93.3	265	11.2	13.4	476	2.21	2.1	0.2	2.6	0.5	88.5	0.50	0.39	0.06	55	2.56	0.056	3.9	20.4	1.35
419437	Drill Core	34.3	1189	2.0	3.4	131	1.05	0.8	<0.1	7.6	0.2	41.3	0.42	0.08	0.04	11	0.34	0.018	2.0	9.5	0.30
419438	Drill Core	46.2	655	2.5	3.9	169	1.12	1.4	<0.1	5.8	0.3	40.6	0.40	0.10	0.05	13	0.54	0.024	2.7	12.1	0.32
419439	Drill Core	54.9	60	9.3	12.5	465	2.36	1.7	0.3	<0.2	0.8	63.1	0.06	0.12	<0.02	47	1.20	0.056	4.6	17.7	1.28
419440	Drill Core	60.9	127	9.6	12.7	512	2.44	1.2	0.3	2.3	0.7	69.0	0.08	0.12	0.03	43	0.84	0.055	4.2	17.5	1.38
419441	Drill Core	39.6	1003	4.1	4.9	195	1.20	0.2	<0.1	1.8	0.2	66.6	0.45	0.09	0.06	14	0.37	0.022	2.3	15.6	0.46
419442	Drill Core	34.0	869	1.9	3.2	154	0.96	0.5	<0.1	2.5	0.2	44.8	0.42	0.06	0.04	5	0.35	0.019	2.0	7.6	0.24
419443	Drill Core	73.8	1239	7.7	9.2	305	1.54	0.3	<0.1	3.2	0.2	34.8	0.68	0.07	0.03	19	0.45	0.027	1.7	10.1	0.81
419444	Drill Core	73.1	427	7.4	9.6	360	1.64	0.3	<0.1	1.2	0.2	42.4	0.12	0.09	0.03	30	0.56	0.039	2.0	12.7	1.07
419445	Drill Core	38.8	1109	4.0	3.8	205	1.01	<0.1	<0.1	1.4	0.3	29.4	0.27	0.06	0.03	9	0.45	0.027	1.9	8.3	0.40
419446	Drill Core	190.4	139	67.9	20.6	738	2.26	0.2	0.1	2.4	0.3	81.4	0.19	0.13	0.03	51	1.64	0.057	2.2	97.4	2.76
419447	Drill Core	74.1	40	13.4	19.9	613	2.48	0.7	<0.1	0.4	0.2	92.6	0.03	0.29	<0.02	72	1.17	0.058	2.6	27.6	2.19
419448	Drill Core	25.0	357	2.6	2.5	161	0.70	<0.1	0.1	1.1	0.9	56.4	0.04	0.08	<0.02	9	0.60	0.027	4.1	12.7	0.33
419449	Drill Core	17.9	62	3.5	1.2	108	0.42	<0.1	<0.1	0.5	0.4	23.4	<0.01	0.05	<0.02	4	0.61	0.017	2.0	9.0	0.17
419450	Drill Core	21.0	221	2.5	2.2	169	0.73	0.1	0.1	0.7	1.1	121.2	0.03	0.05	<0.02	9	0.43	0.034	4.0	13.8	0.34
419451	Drill Core	17.4	147	2.3	1.6	128	0.52	0.3	<0.1	0.7	0.7	79.1	0.04	0.05	<0.02	6	0.51	0.028	3.0	7.1	0.25
419452	Drill Core	21.9	256	2.6	2.2	162	0.69	0.2	<0.1	1.3	0.8	75.7	0.02	0.12	<0.02	7	0.45	0.028	3.5	12.4	0.32
419453	Drill Core	20.7	134	3.6	2.2	158	0.73	0.2	<0.1	0.3	0.9	135.2	0.01	0.05	<0.02	10	0.52	0.028	5.0	12.2	0.31
419454	Drill Core	26.4	195	2.2	2.6	180	0.88	0.3	<0.1	0.7	1.0	135.5	0.04	0.04	<0.02	15	0.47	0.035	4.9	8.6	0.38
419455	Drill Core	23.7	185	3.6	2.4	209	0.82	0.1	<0.1	1.3	1.3	121.7	0.02	0.06	<0.02	12	0.53	0.029	4.7	12.1	0.36
419456	Drill Core	50.8	106	3.6	4.6	360	1.64	0.5	0.1	3.8	1.3	74.6	0.11	0.12	0.03	23	0.93	0.066	4.5	6.1	0.55
419457	Drill Core	50.0	183	10.0	5.8	412	1.41	0.2	0.2	4.5	1.1	85.0	0.03	0.08	<0.02	29	1.06	0.055	6.3	24.7	0.78
419458	Drill Core	5.1	38	3.1	0.6	71	0.40	<0.1	<0.1	<0.2	0.3	26.3	<0.01	0.05	<0.02	2	0.26	0.005	1.4	8.4	0.07
419459	Drill Core	4.7	24	1.6	0.5	62	0.35	<0.1	<0.1	0.5	0.2	9.5	0.01	0.03	<0.02	<2	0.17	0.003	0.8	15.9	0.04
419460	Drill Core	36.0	66	4.8	8.3	427	2.02	0.8	<0.1	0.9	0.2	50.0	0.06	0.11	<0.02	47	1.17	0.039	2.7	10.9	0.74
419461	Drill Core	79.6	95	18.8	20.1	902	4.12	1.0	0.3	3.6	0.9	126.5	0.09	0.24	<0.02	115	3.76	0.079	6.2	37.1	2.22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

5 of 6

Part 3

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg
Unit		ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
MDL		0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.2	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	
419462	Drill Core	82.0	389	30.9	165.9	638	3.33	5754	2.5	329.7	1.4	89.4	0.24	11.04	16.97	33	5.74	0.114	10.8	11.3	0.21
419463	Drill Core	78.7	75	20.0	20.6	868	3.87	1.4	0.3	1.2	0.8	133.9	0.07	0.19	0.06	100	2.89	0.082	5.7	35.2	2.28
419464	Drill Core	15.0	34	2.4	1.4	142	0.55	<0.1	<0.1	3.2	0.4	53.2	<0.01	0.07	0.03	6	0.56	0.025	2.2	13.6	0.18
419465	Drill Core	43.0	105	7.1	7.9	372	1.56	1.5	<0.1	3.4	0.7	100.2	0.04	0.14	0.03	36	1.17	0.054	3.4	8.0	0.92
419466	Drill Core	29.1	127	2.5	2.9	221	0.83	0.3	<0.1	7.2	1.0	144.9	0.03	0.07	0.03	10	0.73	0.041	4.2	12.4	0.39
419467	Drill Core	31.3	118	2.9	2.7	213	0.76	0.2	<0.1	1.4	0.7	156.7	0.05	0.06	<0.02	10	0.57	0.026	3.2	7.1	0.37
419468	Drill Core	29.4	186	2.6	2.8	204	0.90	<0.1	<0.1	2.1	0.5	84.7	0.06	0.11	0.04	12	0.62	0.029	3.0	10.1	0.37
419469	Drill Core	39.4	104	3.2	4.0	308	1.28	0.3	0.2	3.4	0.6	61.9	0.05	0.12	0.05	15	1.46	0.117	6.0	4.8	0.47
419470	Drill Core	36.0	53	4.1	5.8	415	1.70	0.6	0.1	2.9	0.5	134.7	0.03	0.10	<0.02	33	1.66	0.042	4.4	13.9	0.73
419471	Drill Core	60.1	91	6.5	8.1	414	1.77	1.3	0.4	2.3	0.8	48.4	0.09	0.13	<0.02	21	0.69	0.053	5.5	4.7	0.78
419472	Drill Core	47.8	124	5.1	7.6	415	1.73	1.7	0.3	1.8	0.7	90.9	0.03	0.14	0.06	21	1.03	0.051	4.8	5.5	0.75
419473	Drill Core	32.5	535	2.4	3.2	161	0.89	0.9	<0.1	4.5	0.4	59.1	0.16	0.06	0.04	11	0.32	0.022	2.6	6.1	0.30
419474	Drill Core	34.6	545	1.6	3.1	150	0.97	0.5	<0.1	2.0	0.4	90.0	0.17	0.05	<0.02	15	0.48	0.025	2.7	6.5	0.29
419475	Drill Core	32.1	681	2.0	2.8	139	0.89	0.5	<0.1	3.6	0.4	71.5	0.28	0.05	0.03	10	0.29	0.021	2.3	7.2	0.28
419476	Drill Core	51.8	867	3.2	4.0	192	1.22	0.4	<0.1	10.8	0.4	242.4	0.41	0.05	0.11	16	0.45	0.030	2.8	9.0	0.42
419477	Drill Core	48.5	736	2.6	5.1	221	1.46	0.4	<0.1	7.9	0.5	335.7	0.34	0.04	0.03	20	0.42	0.040	3.5	8.4	0.51
419478	Drill Core	44.0	569	2.3	3.8	176	1.04	0.5	<0.1	3.0	0.4	100.2	0.17	0.07	0.03	14	0.53	0.043	2.6	6.3	0.46
419479	Drill Core	38.4	697	1.7	3.7	165	1.14	0.3	<0.1	4.6	0.3	147.1	0.22	0.05	0.03	16	0.48	0.038	3.0	7.3	0.41
419480	Drill Core	33.8	543	2.0	3.5	134	0.98	0.8	<0.1	2.7	0.3	68.8	0.25	0.05	0.04	12	0.51	0.030	2.3	7.8	0.33
419481	Drill Core	28.7	538	1.2	2.8	140	0.97	0.6	<0.1	3.6	0.3	101.2	0.18	0.05	0.03	13	0.44	0.029	2.4	6.4	0.32
419482	Drill Core	25.0	478	1.3	2.4	137	0.72	0.8	<0.1	4.4	0.2	183.8	0.23	0.07	0.05	8	3.92	0.021	2.7	4.4	0.24
419483	Drill Core	48.3	39	4.8	7.2	495	1.80	1.4	0.2	1.0	0.6	67.4	0.05	0.11	<0.02	20	2.64	0.057	4.4	4.8	0.73
419484	Drill Core	45.3	120	5.5	7.8	526	2.05	1.9	0.3	2.7	0.6	86.3	0.05	0.15	0.03	26	1.39	0.064	4.3	5.0	0.85
419485	Drill Core	32.0	714	1.2	3.3	158	0.97	1.8	<0.1	5.8	0.2	164.1	0.24	0.08	0.04	13	0.77	0.031	2.7	5.3	0.33
419486	Drill Core	81.1	836	11.2	7.2	272	1.10	1.1	<0.1	4.7	0.3	80.2	0.50	0.16	0.05	24	0.63	0.035	2.1	23.5	0.89
419487	Drill Core	35.7	943	2.2	2.6	129	0.77	0.7	<0.1	2.0	0.3	46.9	0.27	0.08	0.05	10	0.46	0.024	2.3	6.6	0.30
419488	Drill Core	45.4	552	3.7	4.0	185	0.89	0.8	<0.1	2.3	0.3	55.5	0.20	0.09	0.04	14	0.72	0.035	2.3	11.9	0.45
419489	Drill Core	69.3	550	7.5	4.0	201	0.83	0.7	<0.1	3.6	0.2	35.2	0.42	0.09	0.03	11	0.63	0.035	1.5	15.4	0.53
419490	Drill Core	32.4	568	1.8	2.9	124	0.85	0.5	<0.1	2.1	0.3	66.5	0.20	0.04	0.03	10	0.32	0.025	2.2	9.3	0.28
419491	Drill Core	34.5	236	2.0	1.6	159	0.59	0.8	<0.1	1.7	0.3	37.0	0.12	0.13	0.02	7	0.51	0.036	1.7	5.8	0.28

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

6 of 6

Part 3

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	
Unit	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	
MDL	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	
419492	Drill Core	86.5	450	28.6	160.6	686	3.58	6076	2.4	396.0	1.4	94.3	0.31	12.89	18.64	34	5.82	0.141	10.6	11.7	0.23



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

2 of 6


Part 4

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn
Unit		ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1
419372	Drill Core	138.1	0.059	1	1.14	0.080	0.05	0.2	2.0	0.03	0.17	22	1.1	0.04	3.8	0.11	<0.1	0.08	0.08	1.4	0.3
419373	Drill Core	248.6	0.159	2	3.28	0.199	0.03	<0.1	3.8	<0.02	0.52	14	0.5	0.06	9.8	0.47	0.1	0.29	0.09	1.3	0.3
419374	Drill Core	132.1	0.156	2	2.84	0.144	0.03	<0.1	4.5	<0.02	0.14	15	0.3	0.04	9.0	0.22	0.1	0.31	0.13	1.0	0.1
419375	Drill Core	157.0	0.062	1	1.12	0.115	0.07	0.1	2.7	0.03	0.10	14	0.7	0.06	3.6	0.10	<0.1	0.09	0.13	1.9	0.3
419376	Drill Core	244.9	0.048	<1	0.69	0.076	0.05	0.1	1.3	<0.02	0.12	7	0.5	0.03	2.8	0.06	<0.1	0.04	0.09	1.3	0.2
419377	Drill Core	212.2	0.030	<1	0.62	0.066	0.06	0.1	1.3	<0.02	0.18	<5	0.7	0.04	2.6	0.06	<0.1	0.03	0.08	1.5	0.1
419378	Drill Core	196.5	0.036	<1	0.66	0.071	0.06	0.2	1.2	<0.02	0.26	6	1.3	0.03	2.6	0.08	<0.1	0.04	0.08	1.5	0.2
419379	Drill Core	31.7	0.169	2	2.59	0.071	0.02	0.1	4.2	<0.02	0.12	<5	0.3	0.02	8.3	0.08	0.1	0.38	0.19	0.5	0.4
419380	Drill Core	265.0	0.055	<1	0.81	0.081	0.05	0.1	1.8	<0.02	0.25	6	0.8	<0.02	3.3	0.10	<0.1	0.05	0.17	1.9	0.3
419381	Drill Core	89.2	0.051	<1	0.83	0.086	0.06	<0.1	1.6	<0.02	0.30	<5	0.7	0.02	3.5	0.08	<0.1	0.02	0.16	1.9	0.2
419382	Drill Core	181.1	0.065	<1	0.75	0.119	0.08	0.1	1.9	<0.02	0.23	<5	0.6	0.04	3.8	0.08	<0.1	<0.02	0.15	2.1	0.2
419383	Drill Core	159.3	0.047	<1	0.72	0.107	0.07	<0.1	3.1	<0.02	0.25	5	0.8	0.03	3.2	0.09	<0.1	<0.02	0.25	2.1	0.2
419384	Drill Core	170.2	0.048	<1	0.65	0.079	0.06	<0.1	1.5	<0.02	0.33	<5	1.0	<0.02	3.2	0.07	<0.1	0.02	0.15	1.5	0.2
419385	Drill Core	152.5	0.053	<1	0.77	0.125	0.08	<0.1	3.4	<0.02	0.24	<5	0.6	<0.02	3.7	0.09	<0.1	0.03	0.29	2.3	0.2
419386	Drill Core	181.3	0.053	<1	0.70	0.093	0.07	<0.1	2.0	<0.02	0.26	<5	0.9	<0.02	3.4	0.08	<0.1	0.02	0.14	2.1	0.2
419387	Drill Core	243.5	0.036	1	1.23	0.089	0.07	0.1	1.3	<0.02	0.21	10	0.7	<0.02	4.5	0.17	<0.1	<0.02	0.11	2.0	0.2
419388	Drill Core	217.0	0.051	1	1.12	0.141	0.08	0.1	2.9	<0.02	0.18	5	0.6	0.03	4.5	0.09	<0.1	0.02	0.21	2.1	0.2
419389	Drill Core	321.6	0.061	1	1.22	0.141	0.07	0.1	2.9	<0.02	0.26	5	0.9	<0.02	4.8	0.12	<0.1	0.02	0.28	2.2	0.2
419390	Drill Core	127.5	0.031	1	0.85	0.089	0.06	<0.1	2.0	<0.02	0.27	9	1.0	<0.02	3.4	0.09	<0.1	<0.02	0.11	1.8	0.2
419391	Drill Core	40.3	0.039	<1	1.15	0.072	0.06	0.1	0.7	<0.02	0.16	<5	0.6	0.02	4.7	0.21	<0.1	0.03	0.07	1.9	0.1
419392	Drill Core	86.2	0.037	<1	0.82	0.123	0.06	0.1	3.2	<0.02	0.19	7	0.7	0.05	3.7	0.07	<0.1	<0.02	0.21	1.6	0.2
419393	Drill Core	373.1	0.028	1	0.95	0.091	0.07	<0.1	1.7	<0.02	0.26	8	1.2	0.02	3.7	0.08	<0.1	<0.02	0.11	1.9	0.2
419394	Drill Core	151.2	0.059	1	1.09	0.165	0.10	0.1	3.8	<0.02	0.17	<5	0.7	0.04	4.2	0.09	<0.1	0.02	0.32	2.4	0.2
419395	Drill Core	155.6	0.035	<1	0.54	0.071	0.05	<0.1	1.1	<0.02	0.37	<5	1.9	0.02	2.6	0.07	<0.1	<0.02	0.11	1.3	0.2
419396	Drill Core	143.6	0.046	<1	1.02	0.138	0.08	0.1	3.8	<0.02	0.21	<5	0.9	0.02	3.8	0.08	<0.1	0.02	0.30	2.2	0.2
419397	Drill Core	177.9	0.037	1	1.12	0.126	0.09	0.1	2.9	<0.02	0.23	5	1.1	0.04	4.1	0.11	<0.1	0.02	0.19	2.3	0.2
419398	Drill Core	323.2	0.052	1	1.27	0.126	0.07	0.1	2.9	<0.02	0.23	7	0.8	0.06	4.5	0.10	<0.1	0.03	0.26	2.1	0.2
419399	Drill Core	203.0	0.054	<1	1.02	0.137	0.08	0.1	3.2	<0.02	0.22	<5	0.9	<0.02	3.8	0.07	<0.1	0.02	0.20	2.2	0.2
419400	Drill Core	152.0	0.031	<1	0.74	0.096	0.06	0.1	1.3	<0.02	0.25	<5	1.2	<0.02	3.4	0.06	<0.1	<0.02	0.09	1.6	0.2
419401	Drill Core	81.1	0.084	1	1.67	0.139	0.12	0.2	6.5	<0.02	0.24	<5	1.0	0.06	5.6	0.11	<0.1	0.09	0.15	3.0	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

3 of 6

Part 4

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	Unit	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
			Ba	Tl	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn
			ppm	%	ppm	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL			0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.1	0.1	
419402	Drill Core		19.0	0.040	49	1.04	0.063	0.05	1.0	2.2	0.04	1.13	<5	15.8	4.45	3.8	0.83	0.2	0.27	0.18	3.3	0.8
419403	Drill Core		56.8	0.043	<1	0.79	0.100	0.07	0.1	2.1	<0.02	0.17	<5	0.7	0.03	4.0	0.13	<0.1	0.04	0.21	2.3	0.2
419404	Drill Core		47.0	0.143	1	2.38	0.076	0.05	0.1	7.2	<0.02	0.06	<5	0.3	<0.02	9.5	0.20	0.1	0.32	0.24	1.7	0.3
419405	Drill Core		17.5	0.148	2	3.30	0.211	0.02	0.1	4.4	<0.02	0.13	<5	0.3	0.07	6.8	0.07	0.1	0.20	0.07	0.4	0.2
419406	Drill Core		44.4	0.055	<1	0.92	0.080	0.06	<0.1	1.7	<0.02	0.26	10	0.8	0.07	2.5	0.08	<0.1	0.04	0.08	1.2	0.1
419407	Drill Core		68.3	0.026	<1	0.61	0.076	0.08	0.1	0.6	<0.02	0.22	13	0.8	<0.02	1.8	0.08	<0.1	<0.02	0.09	1.6	0.1
419408	Drill Core		79.9	0.049	1	0.64	0.095	0.10	<0.1	1.2	<0.02	0.26	9	0.8	<0.02	2.8	0.11	<0.1	<0.02	0.15	2.4	0.2
419409	Drill Core		55.2	0.029	<1	0.60	0.077	0.06	<0.1	0.8	<0.02	0.40	9	1.2	<0.02	2.2	0.06	<0.1	<0.02	0.11	1.3	0.1
419410	Drill Core		89.4	0.045	<1	0.75	0.074	0.08	0.1	1.3	<0.02	0.40	6	1.3	<0.02	3.0	0.09	<0.1	<0.02	0.17	1.8	0.2
419411	Drill Core		61.4	0.035	<1	0.59	0.071	0.06	<0.1	1.0	<0.02	0.46	5	1.1	<0.02	2.3	0.06	<0.1	<0.02	0.08	1.2	0.1
419412	Drill Core		77.8	0.026	<1	0.74	0.078	0.12	0.1	0.9	<0.02	0.51	7	1.6	<0.02	2.5	0.14	<0.1	<0.02	0.13	2.7	0.2
419413	Drill Core		57.1	0.058	<1	0.64	0.076	0.08	0.1	1.2	<0.02	0.34	<5	0.8	<0.02	2.8	0.09	<0.1	<0.02	0.20	1.8	0.2
419414	Drill Core		56.9	0.026	<1	0.66	0.080	0.08	<0.1	0.8	<0.02	0.57	<5	1.5	0.03	2.7	0.07	<0.1	<0.02	0.13	1.8	0.1
419415	Drill Core		84.4	0.038	<1	0.61	0.087	0.06	0.1	1.0	<0.02	0.56	<5	1.2	0.02	2.5	0.06	<0.1	<0.02	0.14	1.5	0.2
419416	Drill Core		101.3	0.011	<1	0.84	0.079	0.12	<0.1	0.5	<0.02	0.48	<5	2.0	0.04	2.4	0.14	<0.1	<0.02	0.07	2.5	0.2
419417	Drill Core		70.4	0.052	<1	0.58	0.082	0.06	0.1	1.0	<0.02	0.41	5	1.3	<0.02	2.4	0.05	<0.1	<0.02	0.18	1.4	0.2
419418	Drill Core		73.8	0.041	<1	0.56	0.089	0.05	0.1	1.0	<0.02	0.38	6	1.4	0.02	2.2	0.05	<0.1	<0.02	0.16	1.1	0.2
419419	Drill Core		89.6	0.048	<1	0.66	0.107	0.06	0.1	0.9	<0.02	0.31	7	1.0	<0.02	2.4	0.04	<0.1	0.02	0.17	1.2	0.2
419420	Drill Core		60.3	0.054	<1	0.65	0.085	0.05	0.1	0.9	<0.02	0.31	5	1.0	0.02	2.6	0.04	<0.1	<0.02	0.20	1.1	0.2
419421	Drill Core		69.9	0.021	<1	0.67	0.079	0.08	<0.1	0.8	<0.02	0.43	<5	1.7	0.02	2.1	0.08	<0.1	<0.02	0.10	1.5	0.2
419422	Drill Core		89.6	0.042	<1	0.74	0.097	0.06	<0.1	1.1	<0.02	0.28	6	1.2	0.03	2.5	0.07	<0.1	<0.02	0.20	1.1	0.2
419423	Drill Core		76.2	0.052	<1	0.61	0.085	0.05	<0.1	1.0	<0.02	0.32	<5	1.2	0.03	2.4	0.05	<0.1	<0.02	0.19	1.2	0.2
419424	Drill Core		63.4	0.048	<1	0.59	0.086	0.08	0.1	0.9	<0.02	0.29	<5	0.7	0.37	2.3	0.06	<0.1	<0.02	0.26	1.6	0.2
419425	Drill Core		105.6	0.043	<1	0.65	0.083	0.05	<0.1	0.9	<0.02	0.29	<5	0.9	<0.02	2.5	0.06	<0.1	<0.02	0.19	1.2	0.2
419426	Drill Core		103.2	0.061	<1	0.65	0.091	0.05	<0.1	0.9	<0.02	0.15	<5	0.6	<0.02	2.6	0.06	<0.1	<0.02	0.22	1.2	0.2
419427	Drill Core		65.6	0.053	<1	0.63	0.081	0.05	<0.1	1.0	<0.02	0.12	<5	0.6	<0.02	2.4	0.06	<0.1	<0.02	0.20	1.4	0.2
419428	Drill Core		64.7	0.037	<1	0.68	0.075	0.06	<0.1	1.0	<0.02	0.12	8	0.5	<0.02	2.4	0.09	<0.1	<0.02	0.15	1.6	0.1
419429	Drill Core		37.3	0.191	3	2.85	0.049	0.02	<0.1	4.3	<0.02	<0.02	<5	0.2	0.02	7.2	0.21	<0.1	0.28	0.05	0.6	0.1
419430	Drill Core		14.1	0.175	2	2.90	0.056	0.02	<0.1	3.7	<0.02	<0.02	<5	0.1	<0.02	7.1	0.26	0.1	0.27	0.04	0.6	0.2
419431	Drill Core		91.6	0.028	<1	0.50	0.069	0.06	<0.1	0.6	<0.02	0.38	<5	1.2	<0.02	1.8	0.08	<0.1	<0.02	0.09	1.5	0.2





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

4 of 6

Part 4

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn
Unit		ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1
419432	Drill Core	17.0	0.042	48	1.11	0.066	0.05	0.9	1.4	0.04	1.08	8	13.2	3.65	3.0	0.73	0.2	0.23	0.18	3.0	0.9
419433	Drill Core	137.5	0.019	1	0.63	0.077	0.06	<0.1	0.8	<0.02	0.42	<5	1.4	<0.02	2.1	0.12	<0.1	<0.02	0.06	1.6	0.2
419434	Drill Core	312.7	0.043	2	1.48	0.109	0.05	<0.1	1.9	<0.02	0.40	9	0.9	0.04	3.9	0.73	<0.1	0.06	0.14	2.3	0.3
419435	Drill Core	63.4	0.082	<1	1.04	0.099	0.05	0.1	1.6	<0.02	0.16	<5	0.7	0.03	3.5	0.13	<0.1	0.04	0.17	1.4	0.2
419436	Drill Core	77.6	0.165	<1	1.88	0.070	0.05	0.3	6.2	<0.02	0.11	<5	0.3	<0.02	5.0	0.15	0.1	0.23	0.14	1.5	0.3
419437	Drill Core	56.4	0.049	<1	0.59	0.069	0.06	0.3	0.8	<0.02	0.27	<5	1.2	<0.02	2.5	0.07	<0.1	<0.02	0.23	1.7	0.2
419438	Drill Core	57.2	0.060	<1	0.68	0.077	0.06	0.2	0.9	<0.02	0.20	<5	0.6	0.02	2.9	0.09	<0.1	0.02	0.22	2.0	0.2
419439	Drill Core	33.2	0.137	2	1.91	0.096	0.04	0.2	3.1	<0.02	0.02	<5	0.1	<0.02	5.7	0.13	0.1	0.43	0.18	1.2	0.3
419440	Drill Core	51.5	0.117	<1	1.93	0.089	0.05	0.1	2.8	<0.02	0.05	7	<0.1	<0.02	5.4	0.09	<0.1	0.35	0.13	1.2	0.3
419441	Drill Core	57.2	0.068	<1	0.84	0.110	0.05	0.1	1.5	<0.02	0.25	5	0.4	<0.02	2.9	0.06	<0.1	0.05	0.13	1.5	0.3
419442	Drill Core	58.2	0.044	<1	0.59	0.081	0.06	0.2	0.7	<0.02	0.26	<5	0.5	<0.02	2.3	0.06	<0.1	<0.02	0.16	1.8	0.1
419443	Drill Core	38.5	0.075	<1	1.18	0.070	0.07	0.1	1.7	<0.02	0.30	<5	0.4	<0.02	3.6	0.05	<0.1	0.05	0.10	1.9	0.2
419444	Drill Core	57.7	0.114	<1	1.39	0.061	0.05	0.2	2.7	<0.02	0.11	6	<0.1	<0.02	4.2	0.05	<0.1	0.15	0.16	1.3	0.2
419445	Drill Core	21.7	0.075	<1	0.75	0.096	0.05	0.1	1.4	<0.02	0.21	9	0.3	0.02	3.0	0.04	<0.1	0.02	0.29	1.3	0.2
419446	Drill Core	23.4	0.134	<1	2.51	0.038	0.01	0.1	5.4	<0.02	0.07	14	<0.1	0.04	6.7	0.20	<0.1	0.23	0.06	0.5	0.2
419447	Drill Core	17.5	0.151	<1	2.33	0.050	<0.01	0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	6.8	0.06	0.1	0.18	0.06	0.2	0.2
419448	Drill Core	72.8	0.067	<1	0.73	0.085	0.04	0.1	1.4	<0.02	0.05	<5	<0.1	<0.02	2.7	0.04	<0.1	0.02	0.23	1.0	0.2
419449	Drill Core	36.5	0.036	<1	0.61	0.047	0.04	<0.1	1.2	<0.02	<0.02	<5	<0.1	<0.02	1.9	0.07	<0.1	0.02	0.25	1.1	0.1
419450	Drill Core	188.1	0.068	<1	0.66	0.077	0.04	<0.1	1.0	<0.02	0.03	<5	<0.1	<0.02	2.6	0.05	<0.1	0.02	0.16	1.0	0.2
419451	Drill Core	123.1	0.052	2	0.68	0.089	0.06	<0.1	1.4	<0.02	0.03	7	<0.1	<0.02	2.5	0.06	<0.1	<0.02	0.24	1.4	0.2
419452	Drill Core	90.8	0.060	<1	0.74	0.088	0.07	0.1	1.2	<0.02	0.05	<5	0.2	0.02	2.8	0.08	<0.1	<0.02	0.30	1.8	0.2
419453	Drill Core	207.8	0.066	<1	0.69	0.087	0.05	<0.1	1.2	<0.02	0.04	<5	<0.1	<0.02	2.5	0.06	<0.1	<0.02	0.18	1.2	0.2
419454	Drill Core	123.5	0.073	<1	0.75	0.100	0.06	<0.1	1.6	<0.02	0.04	<5	<0.1	<0.02	3.1	0.07	<0.1	0.02	0.21	1.5	0.3
419455	Drill Core	125.6	0.065	1	0.66	0.068	0.05	<0.1	1.1	<0.02	0.03	<5	<0.1	<0.02	2.6	0.07	<0.1	<0.02	0.15	1.4	0.2
419456	Drill Core	57.6	0.054	<1	1.20	0.092	0.07	<0.1	1.6	<0.02	0.33	7	<0.1	0.05	5.2	0.11	<0.1	0.03	0.17	1.6	0.1
419457	Drill Core	69.2	0.074	<1	1.18	0.092	0.06	<0.1	2.5	<0.02	0.12	6	<0.1	0.07	4.1	0.08	<0.1	0.03	0.14	1.4	0.2
419458	Drill Core	29.5	0.015	<1	0.27	0.026	0.02	<0.1	0.8	<0.02	<0.02	6	<0.1	<0.02	0.9	0.05	<0.1	<0.02	0.16	0.5	0.1
419459	Drill Core	12.3	0.008	<1	0.20	0.025	0.03	<0.1	0.7	<0.02	<0.02	6	<0.1	0.03	0.6	0.04	<0.1	<0.02	0.09	0.7	<0.1
419460	Drill Core	33.0	0.093	<1	1.27	0.059	0.04	<0.1	2.9	<0.02	0.02	6	<0.1	<0.02	4.3	0.13	<0.1	0.18	0.09	1.1	0.2
419461	Drill Core	43.1	0.191	<1	3.53	0.171	0.08	<0.1	7.4	<0.02	<0.02	<5	<0.1	<0.02	8.9	0.23	<0.1	0.23	0.09	2.3	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

5 of 6

Part 4

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn
Unit		ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
419462	Drill Core	16.9	0.037	48	1.02	0.053	0.04	0.7	1.5	0.03	1.08	5	12.1	3.70	2.8	0.63	0.1	0.16	0.12	2.5	0.7
419463	Drill Core	91.0	0.168	<1	3.21	0.122	0.06	<0.1	6.4	<0.02	<0.02	<5	<0.1	<0.02	8.0	0.23	<0.1	0.19	0.10	1.8	0.3
419464	Drill Core	54.9	0.031	<1	0.57	0.057	0.04	0.1	1.1	<0.02	0.04	6	<0.1	<0.02	2.1	0.06	<0.1	0.02	0.26	1.0	<0.1
419465	Drill Core	94.5	0.110	<1	1.72	0.086	0.06	0.1	2.8	<0.02	0.10	8	0.1	0.03	4.8	0.15	<0.1	0.11	0.13	1.7	0.2
419466	Drill Core	164.4	0.067	<1	0.91	0.088	0.05	<0.1	1.5	<0.02	0.12	10	<0.1	0.03	3.1	0.07	<0.1	<0.02	0.36	1.1	0.2
419467	Drill Core	166.3	0.070	<1	0.84	0.094	0.04	<0.1	1.6	<0.02	0.03	<5	0.2	0.03	3.0	0.06	<0.1	<0.02	0.31	1.0	0.2
419468	Drill Core	151.6	0.060	<1	0.92	0.088	0.08	0.1	1.4	<0.02	0.09	6	0.1	<0.02	3.4	0.11	<0.1	<0.02	0.27	2.2	0.2
419469	Drill Core	67.9	0.019	1	1.22	0.060	0.11	0.2	1.6	0.03	0.31	<5	<0.1	0.04	5.1	0.44	<0.1	0.02	0.10	3.1	0.2
419470	Drill Core	260.6	0.033	2	1.54	0.077	0.07	<0.1	3.3	<0.02	<0.02	6	<0.1	0.03	5.2	0.22	<0.1	0.02	0.08	2.0	0.2
419471	Drill Core	44.3	0.147	1	1.58	0.064	0.09	0.3	2.0	<0.02	<0.02	<5	<0.1	<0.02	4.8	0.08	<0.1	0.56	0.30	2.1	0.5
419472	Drill Core	101.5	0.118	<1	1.77	0.058	0.08	0.2	1.6	<0.02	0.03	8	<0.1	0.02	5.4	0.16	<0.1	0.35	0.12	1.9	0.4
419473	Drill Core	69.2	0.047	<1	0.66	0.086	0.06	0.1	1.0	<0.02	0.20	<5	0.4	<0.02	2.4	0.06	<0.1	<0.02	0.11	1.6	0.2
419474	Drill Core	161.3	0.057	<1	0.81	0.084	0.06	0.1	1.2	<0.02	0.17	7	0.4	<0.02	2.9	0.06	<0.1	0.02	0.17	1.5	0.2
419475	Drill Core	134.1	0.025	1	0.58	0.066	0.05	<0.1	0.9	<0.02	0.27	5	0.9	0.03	2.2	0.06	<0.1	<0.02	0.10	1.4	2.1
419476	Drill Core	269.4	0.047	<1	1.04	0.084	0.08	0.1	1.4	<0.02	0.44	<5	1.3	0.05	3.2	0.08	<0.1	0.02	0.13	1.9	1.1
419477	Drill Core	313.5	0.068	1	1.03	0.073	0.09	<0.1	1.5	<0.02	0.35	<5	1.2	0.03	3.6	0.08	<0.1	<0.02	0.15	2.1	0.3
419478	Drill Core	139.6	0.067	1	1.13	0.089	0.07	0.1	1.7	<0.02	0.18	<5	0.6	<0.02	3.9	0.08	<0.1	0.03	0.27	2.1	0.3
419479	Drill Core	191.5	0.068	1	1.02	0.090	0.06	0.1	1.6	<0.02	0.27	7	0.7	0.03	3.4	0.07	<0.1	<0.02	0.22	1.8	0.2
419480	Drill Core	94.6	0.050	<1	0.68	0.092	0.06	0.1	1.2	<0.02	0.32	<5	0.8	0.04	2.8	0.06	<0.1	0.03	0.18	1.6	0.2
419481	Drill Core	152.2	0.054	<1	0.71	0.077	0.05	<0.1	1.1	<0.02	0.27	<5	0.6	<0.02	2.8	0.05	<0.1	0.03	0.16	1.4	0.2
419482	Drill Core	265.1	0.020	<1	1.69	0.093	0.07	<0.1	0.8	0.03	0.25	9	0.6	0.03	3.7	0.20	<0.1	<0.02	0.05	1.8	0.2
419483	Drill Core	74.7	0.078	1	1.62	0.072	0.11	0.1	2.3	<0.02	0.05	<5	0.1	<0.02	4.8	0.23	<0.1	0.31	0.16	3.0	0.2
419484	Drill Core	90.4	0.095	2	1.76	0.092	0.09	0.2	2.5	<0.02	0.13	<5	0.1	<0.02	6.1	0.26	<0.1	0.40	0.15	2.3	0.3
419485	Drill Core	178.6	0.043	1	1.21	0.111	0.07	0.1	1.1	<0.02	0.29	<5	0.8	0.03	3.1	0.08	<0.1	<0.02	0.14	1.7	0.2
419486	Drill Core	100.5	0.076	1	1.50	0.098	0.10	0.1	3.2	<0.02	0.25	<5	0.8	0.03	3.6	0.09	<0.1	0.07	0.14	2.3	0.2
419487	Drill Core	87.9	0.044	<1	0.77	0.079	0.09	0.1	1.3	<0.02	0.24	<5	0.6	0.02	2.9	0.10	<0.1	0.02	0.20	2.1	0.2
419488	Drill Core	346.8	0.060	1	1.13	0.114	0.08	0.2	1.9	<0.02	0.18	<5	0.5	0.04	3.7	0.07	<0.1	0.04	0.30	2.1	0.2
419489	Drill Core	154.3	0.043	1	1.08	0.064	0.13	0.1	1.7	<0.02	0.17	6	0.4	<0.02	3.0	0.12	<0.1	0.03	0.15	2.9	0.1
419490	Drill Core	94.4	0.050	<1	0.62	0.081	0.06	<0.1	1.1	<0.02	0.25	<5	0.7	0.03	2.2	0.04	<0.1	<0.02	0.17	1.3	0.2
419491	Drill Core	96.4	0.033	1	1.06	0.076	0.16	<0.1	1.1	0.02	0.08	<5	0.4	<0.02	3.3	0.12	<0.1	<0.02	0.16	3.8	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

6 of 6

Part 4

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	
Unit	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	
419492	Drill Core	20.0	0.036	54	1.05	0.070	0.05	0.8	1.6	0.04	1.10	6	13.5	3.93	3.0	0.77	0.2	0.22	0.16	2.8	0.9



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

2 of 6

Part 5

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

	Method Analyte Unit MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
419372	Drill Core	<0.05	2.1	3.68	5.8	<0.02	10	0.2	3.6	<10	<2
419373	Drill Core	<0.05	8.7	9.47	12.0	<0.02	<1	0.4	10.1	<10	<2
419374	Drill Core	<0.05	9.6	8.88	10.4	<0.02	<1	0.2	9.3	<10	<2
419375	Drill Core	<0.05	2.1	3.04	6.3	<0.02	10	0.2	3.1	<10	<2
419376	Drill Core	<0.05	0.7	2.67	5.6	<0.02	7	0.2	2.0	<10	<2
419377	Drill Core	<0.05	0.5	2.10	4.6	0.03	5	0.2	1.8	<10	<2
419378	Drill Core	<0.05	0.8	2.48	5.1	0.03	43	0.2	2.1	<10	<2
419379	Drill Core	<0.05	11.7	6.42	8.7	<0.02	2	0.3	10.1	<10	<2
419380	Drill Core	<0.05	1.1	2.33	5.0	<0.02	19	0.3	2.5	<10	<2
419381	Drill Core	<0.05	0.4	3.05	5.6	<0.02	15	<0.1	2.6	<10	<2
419382	Drill Core	<0.05	0.5	3.32	6.4	<0.02	9	0.2	2.5	<10	<2
419383	Drill Core	<0.05	0.3	2.65	5.8	<0.02	47	0.1	2.2	<10	<2
419384	Drill Core	<0.05	0.4	2.74	5.3	0.02	111	0.2	2.7	<10	<2
419385	Drill Core	<0.05	0.5	2.60	6.1	<0.02	9	0.2	2.4	<10	<2
419386	Drill Core	<0.05	0.4	3.09	6.3	0.02	5	0.1	2.6	<10	<2
419387	Drill Core	<0.05	0.4	2.94	6.5	<0.02	5	0.5	3.2	<10	<2
419388	Drill Core	<0.05	0.4	3.13	6.9	<0.02	26	0.3	3.5	<10	<2
419389	Drill Core	<0.05	0.3	3.30	6.9	0.03	2	0.3	2.4	<10	<2
419390	Drill Core	<0.05	0.2	2.44	5.0	0.02	13	0.3	2.8	<10	<2
419391	Drill Core	<0.05	0.4	2.15	3.9	<0.02	7	0.5	2.9	<10	<2
419392	Drill Core	<0.05	0.4	2.47	5.5	<0.02	10	0.3	3.1	<10	<2
419393	Drill Core	<0.05	0.3	2.67	6.2	0.03	5	0.4	3.6	<10	<2
419394	Drill Core	<0.05	0.6	3.14	7.5	<0.02	23	0.2	3.0	<10	<2
419395	Drill Core	<0.05	0.5	2.32	5.6	0.06	43	0.2	2.6	<10	<2
419396	Drill Core	<0.05	0.5	2.41	6.2	<0.02	18	0.3	2.8	<10	<2
419397	Drill Core	<0.05	0.4	2.70	6.2	0.03	9	0.4	3.4	<10	<2
419398	Drill Core	<0.05	0.5	3.08	6.8	<0.02	17	0.3	2.7	<10	<2
419399	Drill Core	<0.05	1.4	2.92	6.8	<0.02	14	0.3	2.7	<10	<2
419400	Drill Core	<0.05	0.3	2.77	5.7	0.03	<1	0.2	2.7	<10	<2
419401	Drill Core	<0.05	1.9	3.42	5.1	<0.02	27	0.2	9.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

3 of 6


Part 5

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
419402	Drill Core	<0.05	9.3	8.09	13.4	0.07	7	0.2	8.9	<10	<2
419403	Drill Core	<0.05	0.5	2.36	5.6	<0.02	6	0.2	3.1	<10	<2
419404	Drill Core	<0.05	9.5	5.35	7.0	<0.02	<1	0.4	12.8	<10	<2
419405	Drill Core	<0.05	4.3	4.63	4.8	<0.02	<1	0.2	12.2	<10	<2
419406	Drill Core	<0.05	0.9	2.87	4.3	0.02	10	0.1	4.5	<10	<2
419407	Drill Core	<0.05	0.5	2.28	5.4	0.02	15	0.4	3.1	<10	<2
419408	Drill Core	<0.05	0.3	3.89	6.9	0.03	5	0.1	3.4	<10	<2
419409	Drill Core	<0.05	0.4	2.74	6.2	0.03	108	0.1	3.6	15	<2
419410	Drill Core	<0.05	0.3	3.53	7.1	0.04	61	0.2	5.1	<10	<2
419411	Drill Core	<0.05	0.5	2.89	6.0	0.03	4	0.2	3.4	<10	<2
419412	Drill Core	<0.05	0.4	2.10	6.0	0.07	11	0.3	3.5	<10	<2
419413	Drill Core	<0.05	0.4	3.33	6.5	<0.02	34	0.2	3.4	<10	<2
419414	Drill Core	<0.05	0.4	2.57	5.5	0.05	7	0.2	3.3	<10	<2
419415	Drill Core	<0.05	0.5	2.49	4.9	0.03	5	0.2	2.7	<10	<2
419416	Drill Core	<0.05	0.3	2.09	3.8	0.08	58	0.5	5.0	<10	<2
419417	Drill Core	<0.05	0.5	2.32	4.8	0.04	8	<0.1	2.4	<10	<2
419418	Drill Core	<0.05	0.3	2.24	4.2	0.05	16	<0.1	2.4	<10	<2
419419	Drill Core	<0.05	0.5	2.68	6.6	0.03	3	0.2	2.8	<10	<2
419420	Drill Core	<0.05	0.4	2.92	6.1	<0.02	1	<0.1	2.8	<10	<2
419421	Drill Core	<0.05	0.2	2.09	4.3	0.07	38	0.2	2.9	<10	<2
419422	Drill Core	<0.05	0.4	2.47	5.3	<0.02	95	0.2	2.2	<10	<2
419423	Drill Core	<0.05	0.3	2.75	6.0	0.04	5	0.2	2.2	<10	<2
419424	Drill Core	<0.05	0.6	1.85	4.2	<0.02	5	<0.1	1.7	<10	<2
419425	Drill Core	<0.05	0.3	2.40	4.6	<0.02	25	0.2	2.1	<10	<2
419426	Drill Core	<0.05	0.5	3.04	5.7	<0.02	4	0.1	2.6	<10	<2
419427	Drill Core	<0.05	0.3	2.98	6.5	<0.02	<1	0.2	2.2	<10	<2
419428	Drill Core	<0.05	0.3	3.62	5.9	<0.02	8	0.2	2.7	<10	<2
419429	Drill Core	<0.05	10.1	5.99	7.0	<0.02	<1	0.1	9.7	<10	2
419430	Drill Core	<0.05	8.9	5.98	7.6	<0.02	<1	0.2	10.0	<10	<2
419431	Drill Core	<0.05	0.3	1.04	4.2	0.03	1	<0.1	2.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project: OK

Report Date: June 09, 2008


Page: 4 of 6 Part 5

## CERTIFICATE OF ANALYSIS

## VAN08006176.1

	Method Analyte Unit MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
419432	Drill Core	<0.05	8.3	8.83	14.3	0.07	14	0.2	8.1	<10	2
419433	Drill Core	<0.05	0.6	1.10	4.4	0.04	26	<0.1	3.1	<10	<2
419434	Drill Core	<0.05	1.1	2.49	5.6	<0.02	22	0.2	4.1	<10	<2
419435	Drill Core	<0.05	1.6	3.26	5.5	<0.02	<1	0.1	3.4	<10	<2
419436	Drill Core	<0.05	7.3	7.87	9.0	<0.02	<1	0.3	6.0	<10	<2
419437	Drill Core	<0.05	0.4	2.31	4.1	0.04	<1	0.1	1.9	<10	<2
419438	Drill Core	<0.05	0.6	2.86	5.5	<0.02	<1	0.2	2.1	<10	<2
419439	Drill Core	<0.05	12.0	6.32	10.4	<0.02	<1	0.2	6.0	<10	<2
419440	Drill Core	<0.05	9.9	6.31	10.1	<0.02	<1	0.3	6.7	<10	<2
419441	Drill Core	<0.05	1.3	2.91	4.9	<0.02	2	0.2	2.5	<10	<2
419442	Drill Core	<0.05	0.4	2.41	4.3	<0.02	2	0.1	1.8	<10	<2
419443	Drill Core	<0.05	0.9	2.89	3.7	<0.02	<1	0.2	4.3	<10	<2
419444	Drill Core	<0.05	2.9	3.65	4.4	<0.02	2	<0.1	6.4	<10	<2
419445	Drill Core	<0.05	0.5	2.86	4.0	<0.02	3	0.1	3.3	<10	<2
419446	Drill Core	<0.05	4.9	4.27	5.1	<0.02	<1	0.2	12.5	<10	<2
419447	Drill Core	<0.05	5.2	4.57	6.3	<0.02	<1	<0.1	10.0	<10	4
419448	Drill Core	<0.05	0.5	2.64	8.3	<0.02	18	0.1	2.2	<10	<2
419449	Drill Core	<0.05	0.3	1.63	3.8	<0.02	11	<0.1	1.1	<10	<2
419450	Drill Core	<0.05	0.3	3.44	8.5	<0.02	15	0.2	2.1	<10	<2
419451	Drill Core	<0.05	0.3	2.68	6.6	<0.02	15	0.3	1.9	<10	<2
419452	Drill Core	<0.05	0.4	2.80	7.1	<0.02	127	0.2	2.4	<10	<2
419453	Drill Core	<0.05	0.3	3.22	10.4	<0.02	5	0.1	2.0	<10	<2
419454	Drill Core	<0.05	0.3	3.49	10.2	<0.02	7	0.2	2.1	<10	<2
419455	Drill Core	<0.05	0.2	2.85	9.0	<0.02	2	0.2	2.6	<10	<2
419456	Drill Core	<0.05	0.6	3.98	8.9	<0.02	<1	0.3	4.4	<10	<2
419457	Drill Core	<0.05	0.7	5.44	12.7	<0.02	10	0.1	4.1	<10	<2
419458	Drill Core	<0.05	<0.1	0.70	2.6	<0.02	1	<0.1	0.4	<10	<2
419459	Drill Core	<0.05	0.2	0.50	1.6	<0.02	4	<0.1	0.3	<10	<2
419460	Drill Core	<0.05	4.8	5.08	6.1	<0.02	8	<0.1	3.5	<10	<2
419461	Drill Core	<0.05	6.5	10.87	14.1	<0.02	1	0.2	10.2	12	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

5 of 6

Part 5

## CERTIFICATE OF ANALYSIS

### VAN08006176.1

	Method Analyte Unit MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
419462	Drill Core	<0.05	7.0	7.88	13.1	0.05	12	<0.1	7.2	<10	3
419463	Drill Core	<0.05	6.9	10.49	13.4	0.02	<1	0.2	8.6	<10	<2
419464	Drill Core	<0.05	0.4	1.49	4.1	<0.02	7	0.2	0.9	<10	<2
419465	Drill Core	<0.05	2.8	4.39	7.2	<0.02	2	<0.1	4.7	<10	<2
419466	Drill Core	<0.05	0.4	3.66	9.0	<0.02	16	0.2	2.7	<10	<2
419467	Drill Core	<0.05	0.3	2.77	6.6	<0.02	21	0.2	2.3	<10	<2
419468	Drill Core	<0.05	0.3	2.63	6.1	<0.02	18	0.4	2.1	<10	<2
419469	Drill Core	<0.05	0.4	4.92	12.0	<0.02	40	0.2	3.5	<10	<2
419470	Drill Core	<0.05	0.8	4.97	9.2	<0.02	1	0.2	5.3	<10	<2
419471	Drill Core	<0.05	13.5	5.69	11.6	<0.02	<1	0.2	5.8	<10	<2
419472	Drill Core	<0.05	10.6	5.37	10.5	<0.02	<1	0.2	5.5	<10	<2
419473	Drill Core	<0.05	0.5	2.66	5.6	<0.02	23	0.2	2.3	<10	<2
419474	Drill Core	<0.05	0.4	3.00	5.7	<0.02	11	<0.1	1.9	<10	<2
419475	Drill Core	<0.05	0.4	2.40	5.7	<0.02	18	<0.1	2.2	<10	<2
419476	Drill Core	<0.05	0.3	3.36	7.1	0.03	27	0.1	3.0	<10	<2
419477	Drill Core	<0.05	0.3	4.00	9.2	0.04	18	0.1	4.2	<10	<2
419478	Drill Core	<0.05	0.5	3.81	6.7	<0.02	8	<0.1	3.7	<10	<2
419479	Drill Core	<0.05	0.4	3.61	7.4	<0.02	5	0.2	3.2	<10	<2
419480	Drill Core	<0.05	0.5	2.61	5.7	<0.02	23	<0.1	2.6	<10	<2
419481	Drill Core	<0.05	0.3	2.67	5.7	<0.02	19	0.2	2.6	<10	<2
419482	Drill Core	<0.05	0.3	2.22	6.2	<0.02	20	0.2	1.9	<10	<2
419483	Drill Core	<0.05	10.6	5.08	11.4	<0.02	<1	0.2	6.2	<10	<2
419484	Drill Core	<0.05	10.9	5.41	11.9	<0.02	1	0.3	7.9	<10	<2
419485	Drill Core	<0.05	0.5	2.71	6.3	<0.02	20	0.2	2.6	<10	<2
419486	Drill Core	<0.05	1.7	2.75	4.9	<0.02	23	0.2	6.5	<10	<2
419487	Drill Core	<0.05	0.4	2.17	6.2	<0.02	36	0.3	2.7	<10	<2
419488	Drill Core	<0.05	0.8	2.78	5.5	<0.02	41	0.2	4.1	<10	<2
419489	Drill Core	<0.05	0.9	2.28	3.6	<0.02	7	0.2	5.0	<10	<2
419490	Drill Core	<0.05	0.3	2.55	4.7	<0.02	40	0.2	2.6	11	<2
419491	Drill Core	<0.05	0.5	2.25	3.7	0.02	15	0.2	3.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 09, 2008

Page:

6 of 6


Part 5

## CERTIFICATE OF ANALYSIS

VAN08006176.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
419492	Drill Core	<0.05	7.8	7.71	14.0	0.06	13	0.2	8.9	<10	<2





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

2 of 6

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006257.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
419493	Drill Core	5.35	53.5	2393	0.9	36	0.9	1.3	3.0	167	1.00	0.9	<0.1	6.3	0.3	32	0.3	<0.1	<0.1	14	0.31
419494	Drill Core	4.98	7.0	3230	1.2	38	0.9	1.4	3.8	143	0.91	<0.5	<0.1	8.5	0.3	31	0.4	<0.1	<0.1	11	0.24
419495	Drill Core	5.20	18.3	3314	2.3	47	1.0	1.4	3.6	166	1.08	0.8	<0.1	5.5	0.3	43	0.4	<0.1	<0.1	15	0.27
419496	Drill Core	5.24	21.2	2639	2.6	40	0.9	1.5	2.9	138	0.88	1.1	<0.1	6.6	0.3	35	0.3	0.1	<0.1	12	0.32
419497	Drill Core	5.16	2.2	1119	1.3	39	0.4	1.1	2.6	182	1.02	0.5	<0.1	6.5	0.3	53	0.2	<0.1	<0.1	15	0.60
419498	Drill Core	5.60	25.4	2809	1.6	35	1.0	1.5	2.9	139	0.91	0.6	<0.1	10.4	0.6	59	0.2	<0.1	0.2	13	0.59
419499	Drill Core	5.08	27.8	2844	3.8	41	0.9	1.2	3.2	146	0.94	0.5	<0.1	10.3	0.3	43	0.3	<0.1	<0.1	8	0.24
419500	Drill Core	5.37	38.2	2407	2.1	34	0.9	1.6	2.8	180	0.79	<0.5	<0.1	5.2	0.4	64	0.1	<0.1	<0.1	9	0.46
830501	Drill Core	4.06	16.4	2151	2.0	40	0.9	1.3	2.5	249	0.76	0.7	<0.1	9.7	0.6	75	0.1	<0.1	<0.1	10	0.70
830502	Drill Core	5.41	1.8	97.6	8.5	123	<0.1	22.3	25.3	1140	5.16	1.6	0.3	2.7	0.8	86	<0.1	0.2	<0.1	135	3.64
830503	Drill Core	5.14	1.9	103.4	2.7	85	<0.1	20.8	24.0	1116	5.51	0.9	0.3	2.5	1.1	127	0.1	0.2	<0.1	154	4.63
830504	Drill Core	5.41	77.8	4556	1.2	30	1.9	1.6	3.3	114	1.00	0.6	<0.1	28.7	0.4	141	0.4	<0.1	<0.1	7	0.31
830505	Drill Core	5.48	119.7	2182	1.4	46	0.7	1.1	2.4	139	0.80	0.7	<0.1	7.7	0.4	61	0.2	<0.1	<0.1	12	0.33
830506	Drill Core	5.06	53.7	1859	1.1	24	0.6	1.4	2.4	116	0.74	<0.5	<0.1	6.4	0.4	53	0.1	<0.1	<0.1	10	0.26
830507	Drill Core	5.12	9.8	2399	10.9	302	0.8	5.9	3.9	217	1.25	2.2	0.1	14.9	0.5	68	0.3	12.7	<0.1	13	0.33
830508	Drill Core	4.24	163.7	4273	1.6	28	1.2	1.7	3.6	158	0.88	0.6	<0.1	7.7	0.5	67	0.3	<0.1	<0.1	7	0.33
830509	Drill Core	3.07	16.1	5194	1.5	30	1.4	1.2	4.1	140	0.95	0.8	<0.1	6.9	0.3	118	0.3	<0.1	<0.1	9	0.45
830510	Drill Core	5.83	1.0	176.3	5.2	97	0.1	109.9	27.3	671	3.40	2.1	0.1	<0.5	0.3	65	<0.1	0.2	<0.1	90	2.28
830511	Drill Core	4.74	1.2	160.8	4.2	81	<0.1	68.4	24.1	772	3.25	2.5	0.3	3.1	0.7	124	0.1	0.3	<0.1	92	3.55
830512	Drill Core	5.20	0.9	104.9	4.1	77	<0.1	121.0	27.3	784	4.00	3.4	0.2	6.6	0.5	165	0.1	0.2	0.2	106	3.22
830513	Drill Core	3.72	28.5	1172	9.9	69	0.7	39.3	8.8	289	1.41	4.7	0.1	9.1	0.3	51	0.5	0.1	<0.1	29	1.01
830514	Drill Core	5.58	1.9	155.6	4.5	129	0.1	20.7	21.7	806	3.32	2.5	0.2	1.8	0.7	60	0.3	0.3	<0.1	86	1.13
830515	Drill Core	5.81	1.9	112.6	3.4	95	<0.1	20.5	22.4	841	3.70	3.1	0.3	2.9	0.9	79	0.1	0.3	<0.1	100	2.14
830516	Drill Core	5.11	20.1	1370	1.5	23	0.7	1.5	3.0	122	0.89	1.1	<0.1	7.9	0.2	44	0.1	<0.1	<0.1	9	0.37
830517	Drill Core	5.04	10.7	1623	3.7	41	1.0	3.3	6.2	300	1.53	3.7	<0.1	13.8	0.3	72	0.2	0.1	<0.1	28	0.86
830518	Drill Core	5.04	21.7	1265	4.4	97	0.9	4.4	6.6	364	1.48	3.4	<0.1	5.4	0.3	39	0.6	0.1	0.1	21	0.69
830519	Drill Core	5.82	4.4	1496	2.7	31	0.9	1.3	3.3	187	0.86	1.0	<0.1	2.1	0.3	51	0.3	<0.1	<0.1	9	1.51
830520	Drill Core	5.08	1.9	69.6	3.8	72	<0.1	10.7	15.3	524	2.57	1.1	0.2	4.1	0.5	94	<0.1	0.1	<0.1	66	2.08
830521	Drill Core	5.49	1.7	350.9	2.0	76	0.2	7.2	11.6	389	1.71	<0.5	0.1	2.5	0.3	36	0.2	<0.1	<0.1	43	0.57
830522	Rock Pulp	0.05	12.3	84.2	11.1	80	0.4	32.7	172.5	662	3.56	6290	2.2	331.3	1.3	87	0.3	11.2	15.1	35	5.65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

3 of 6

Part 1

## CERTIFICATE OF ANALYSIS

### VAN08006257.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830523	Drill Core	5.03	5.5	775.3	1.7	81	0.5	9.6	14.6	448	2.05	2.1	0.1	1.8	0.3	36	0.2	<0.1	<0.1	50	0.55
830524	Drill Core	7.09	1.8	1076	1.8	139	1.2	15.0	17.2	625	2.46	<0.5	<0.1	2.3	0.3	49	0.2	0.2	<0.1	56	0.83
830525	Drill Core	5.10	1.3	340.1	2.1	34	0.3	5.9	3.5	193	0.73	<0.5	0.1	2.4	1.0	68	0.1	<0.1	<0.1	17	1.12
830526	Drill Core	4.20	1.2	909.2	1.9	123	<0.1	118.2	29.6	768	2.89	<0.5	0.2	3.2	0.4	62	0.3	0.1	<0.1	81	0.81
830527	Drill Core	5.76	4.0	1138	1.0	28	0.4	1.7	3.1	154	0.72	<0.5	<0.1	2.3	0.3	69	0.1	<0.1	<0.1	15	0.27
830528	Drill Core	3.85	16.1	858.1	1.0	25	0.3	2.1	2.7	145	0.53	<0.5	<0.1	1.7	0.3	44	0.2	0.1	<0.1	10	0.32
830529	Drill Core	4.40	0.6	167.6	2.0	44	<0.1	0.9	3.9	693	1.48	<0.5	0.2	<0.5	0.8	39	<0.1	0.2	<0.1	11	0.69
830530	Drill Core	5.13	0.5	1052	2.9	48	<0.1	1.1	3.8	660	1.42	<0.5	0.2	<0.5	0.9	35	0.1	0.2	<0.1	8	0.60
830531	Drill Core	4.33	0.6	492.3	2.0	53	<0.1	0.7	3.7	666	1.40	<0.5	0.2	<0.5	0.9	41	0.2	0.1	<0.1	9	0.54
830532	Drill Core	5.51	0.5	361.2	2.1	49	<0.1	1.1	3.7	625	1.42	<0.5	0.2	1.1	0.9	52	0.1	0.2	<0.1	10	0.68
830533	Drill Core	4.62	0.5	526.9	2.1	45	<0.1	0.9	3.9	668	1.42	<0.5	0.2	<0.5	0.9	50	0.1	0.2	<0.1	9	0.79
830534	Drill Core	5.43	0.8	597.0	2.7	54	<0.1	0.9	3.8	688	1.41	<0.5	0.2	0.7	0.9	41	0.3	0.2	<0.1	8	0.75
830535	Drill Core	5.24	0.5	375.7	2.4	42	<0.1	0.7	3.6	683	1.44	<0.5	0.2	<0.5	0.8	48	0.1	0.2	<0.1	9	0.88
830536	Drill Core	5.23	89.1	958.1	1.7	38	0.3	1.2	3.4	419	1.11	<0.5	0.1	2.0	0.5	75	0.2	0.2	<0.1	11	0.76
830537	Drill Core	4.55	1.1	318.7	2.0	44	<0.1	0.9	3.8	641	1.48	<0.5	0.2	<0.5	0.6	45	0.1	0.2	<0.1	12	0.77
830538	Drill Core	3.63	1.3	557.8	2.9	48	0.2	0.7	4.2	655	1.42	<0.5	0.2	1.1	0.6	47	0.1	0.2	<0.1	13	1.23
830539	Drill Core	5.09	85.8	1494	1.1	28	0.4	1.0	3.3	180	0.93	<0.5	<0.1	2.9	0.3	122	0.2	0.1	<0.1	19	0.52
830540	Drill Core	5.00	23.9	1182	1.7	29	0.4	1.2	2.7	144	0.83	<0.5	<0.1	1.3	0.2	111	0.2	<0.1	<0.1	14	0.99
830541	Drill Core	5.99	140.7	2080	1.5	34	0.6	1.3	3.6	156	0.90	<0.5	<0.1	3.1	0.3	120	0.3	<0.1	<0.1	16	0.46
830542	Drill Core	5.18	18.5	2204	1.2	27	0.4	1.4	3.6	150	1.06	<0.5	<0.1	7.8	0.3	126	0.2	<0.1	<0.1	22	0.44
830543	Drill Core	5.26	4.6	1668	1.3	26	0.5	1.2	2.9	124	0.86	<0.5	<0.1	2.8	0.3	99	0.2	<0.1	<0.1	17	0.52
830544	Drill Core	5.28	23.5	1283	1.0	25	0.4	1.3	3.2	112	0.83	<0.5	<0.1	3.3	0.4	72	0.2	<0.1	<0.1	17	0.53
830545	Drill Core	5.12	12.7	1687	1.1	29	0.4	1.3	3.3	138	1.05	<0.5	<0.1	7.5	0.3	123	0.1	<0.1	<0.1	21	0.40
830546	Drill Core	5.27	15.2	1139	1.3	28	0.4	1.5	3.3	131	1.22	<0.5	<0.1	7.2	0.3	132	0.1	<0.1	<0.1	23	0.51
830547	Drill Core	4.67	12.6	1569	1.0	79	0.6	1.0	3.5	160	1.12	<0.5	<0.1	10.6	0.3	138	0.5	<0.1	<0.1	20	0.41
830548	Drill Core	5.45	11.6	1737	1.2	44	0.5	1.4	3.8	145	1.02	<0.5	<0.1	7.9	0.3	125	0.2	<0.1	<0.1	19	0.39
830549	Drill Core	5.40	37.8	1208	1.7	30	0.4	1.2	3.1	137	0.85	<0.5	<0.1	3.7	0.3	73	0.2	<0.1	<0.1	14	0.45
830550	Drill Core	5.42	17.3	1903	1.5	35	0.7	1.4	3.1	147	0.69	<0.5	<0.1	2.5	0.3	42	0.1	0.2	<0.1	12	0.45
830551	Drill Core	5.58	5.8	2367	1.3	29	0.5	1.2	3.1	134	0.73	<0.5	<0.1	5.4	0.4	61	0.2	<0.1	<0.1	13	0.40
830552	Drill Core	5.41	9.2	7627	2.3	97	1.5	2.7	7.6	365	1.62	<0.5	<0.1	11.0	0.3	182	0.7	<0.1	<0.1	13	0.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:


4 of 6

Part 1

## CERTIFICATE OF ANALYSIS

### VAN08006257.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830553	Rock Pulp	0.05	11.7	81.6	11.3	83	0.4	31.4	185.6	705	3.72	6438	2.3	326.8	1.3	88	0.3	11.3	16.1	38	5.86
830554	Drill Core	5.57	3.1	4373	2.4	60	1.0	2.4	5.7	246	1.33	<0.5	<0.1	10.3	0.3	106	0.5	<0.1	<0.1	13	0.38
830555	Drill Core	5.54	3.4	1688	0.9	26	0.7	1.2	2.6	144	0.80	0.9	<0.1	20.8	0.3	94	0.2	<0.1	0.1	10	0.48
830556	Drill Core	5.32	3.9	1431	1.0	28	0.5	1.2	2.9	149	0.92	0.6	<0.1	11.9	0.3	78	0.1	<0.1	<0.1	10	0.61
830557	Drill Core	5.26	9.1	972.9	2.6	53	0.5	4.4	6.7	335	1.28	0.5	<0.1	6.7	0.3	70	<0.1	0.2	<0.1	19	1.35
830558	Drill Core	5.56	14.5	2092	3.1	38	0.8	2.7	5.2	267	1.18	8.9	<0.1	11.5	0.3	87	0.2	0.3	<0.1	17	1.30
830559	Drill Core	5.89	1.0	13.1	1.2	107	0.2	0.3	12.4	1091	3.48	1.7	<0.1	10.2	<0.1	145	<0.1	0.3	<0.1	29	2.09
830560	Drill Core	4.88	0.5	38.5	1.0	109	<0.1	5.5	19.5	1604	5.55	2.0	<0.1	7.1	0.2	263	<0.1	0.2	<0.1	74	3.20
830561	Drill Core	5.76	2.6	578.6	1.9	53	0.3	3.5	10.9	760	2.91	1.9	<0.1	16.3	0.2	151	<0.1	0.1	<0.1	50	1.77
830562	Drill Core	5.50	1.0	326.3	1.5	69	0.2	0.4	8.8	927	3.13	1.6	<0.1	5.2	0.2	137	<0.1	<0.1	<0.1	31	1.59
830563	Drill Core	5.32	6.1	1857	6.0	62	0.7	2.4	7.9	429	1.96	2.0	<0.1	11.0	0.3	143	0.5	<0.1	<0.1	31	1.02
830564	Drill Core	3.06	1.9	612.4	0.8	74	0.3	5.9	17.0	684	3.28	2.1	<0.1	7.1	0.2	79	0.2	0.1	<0.1	52	1.05
830565	Drill Core	5.63	6.9	1776	1.7	33	0.8	1.6	3.6	167	0.88	<0.5	<0.1	2.9	0.3	80	0.2	0.1	<0.1	10	0.76
830566	Drill Core	5.83	18.2	2145	2.0	77	0.9	14.2	8.9	389	1.64	0.9	<0.1	2.4	0.4	110	0.4	0.1	<0.1	21	1.32
830567	Drill Core	5.54	26.7	1502	2.7	63	0.4	2.1	7.2	533	1.92	4.0	<0.1	2.5	0.4	160	0.2	0.1	<0.1	20	1.33
830568	Drill Core	5.25	6.9	1768	2.2	38	0.6	2.1	3.3	180	0.78	<0.5	<0.1	2.5	0.5	152	0.3	<0.1	<0.1	11	0.78
830569	Drill Core	3.41	4.7	2050	3.3	36	0.7	1.9	3.6	163	0.78	<0.5	<0.1	1.3	0.4	59	0.3	<0.1	<0.1	11	0.46
830570	Drill Core	5.44	4.9	1993	2.6	44	0.7	2.7	4.2	188	0.95	<0.5	0.1	2.1	0.7	86	0.4	<0.1	<0.1	13	0.44
830571	Drill Core	4.97	1.4	1177	4.0	31	0.7	2.0	2.9	137	0.73	<0.5	<0.1	3.1	0.5	79	0.2	<0.1	0.2	8	0.32
830572	Drill Core	5.30	5.3	845.1	2.9	56	0.5	1.7	5.0	277	1.42	<0.5	<0.1	5.2	0.5	57	0.2	<0.1	0.2	11	0.57
830573	Drill Core	5.70	9.0	1793	1.8	39	1.0	2.6	4.1	203	0.98	<0.5	<0.1	6.1	0.5	163	0.3	<0.1	<0.1	14	0.45
830574	Drill Core	5.26	6.3	2326	1.4	36	0.7	1.9	3.2	165	0.91	<0.5	<0.1	3.8	0.4	127	0.3	<0.1	<0.1	11	0.33
830575	Drill Core	5.36	1.8	2592	1.4	32	0.9	1.7	3.2	145	0.77	<0.5	<0.1	4.4	0.4	135	0.4	<0.1	0.1	10	0.44
830576	Drill Core	5.13	10.0	1891	1.8	44	0.6	2.9	4.6	196	0.83	<0.5	<0.1	1.0	0.7	124	0.3	<0.1	<0.1	13	0.83
830577	Drill Core	5.20	3.0	2074	1.5	47	1.1	3.7	5.2	238	1.21	<0.5	0.1	3.4	0.5	198	0.4	<0.1	<0.1	20	0.45
830578	Drill Core	4.84	12.7	1579	0.9	42	0.5	3.7	4.4	177	1.05	<0.5	0.1	1.7	0.7	399	0.2	<0.1	<0.1	17	0.42
830579	Drill Core	5.31	23.0	1372	1.5	55	0.7	6.2	6.6	244	1.56	<0.5	0.2	3.3	0.6	134	0.2	<0.1	<0.1	27	0.68
830580	Drill Core	5.49	4.2	1645	1.0	38	0.5	3.4	3.7	164	0.76	<0.5	<0.1	1.1	0.6	74	0.2	<0.1	<0.1	10	0.52
830581	Drill Core	4.89	7.4	1214	1.0	38	0.4	2.5	3.7	181	0.86	<0.5	<0.1	2.6	0.7	176	0.1	<0.1	<0.1	12	0.54
830582	Drill Core	5.26	5.0	1700	1.0	55	1.0	3.1	4.1	225	1.09	<0.5	0.1	6.1	0.7	90	0.2	<0.1	<0.1	19	0.50



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

5 of 6

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006257.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	2	0.01	
830583	Rock Pulp	0.05	11.9	77.2	11.5	82	0.4	30.4	163.5	642	3.42	6001	2.2	346.6	1.3	97	0.3	10.8	16.0	32	5.83
830584	Drill Core	5.76	28.6	1359	1.3	49	0.5	3.2	4.2	221	1.15	1.0	0.1	8.6	0.6	98	0.2	<0.1	<0.1	19	0.68
830585	Drill Core	5.17	3.7	1160	1.0	35	0.5	3.1	3.4	171	0.93	<0.5	<0.1	12.7	0.5	106	0.2	<0.1	<0.1	18	0.44
830586	Drill Core	5.34	6.8	1139	0.5	31	0.6	2.5	3.4	162	0.93	0.5	<0.1	7.7	0.5	66	<0.1	<0.1	<0.1	17	0.27
830587	Drill Core	5.29	3.4	891.0	0.9	34	0.5	2.3	3.3	175	0.90	<0.5	<0.1	11.8	0.5	83	0.1	<0.1	<0.1	17	0.41
830588	Drill Core	5.23	4.5	1373	1.5	40	0.6	2.5	4.0	194	1.08	0.5	0.1	9.0	0.6	177	0.2	<0.1	<0.1	18	0.62
830589	Drill Core	6.87	16.2	1016	1.3	34	0.4	2.8	3.5	199	0.93	<0.5	<0.1	7.1	0.5	108	<0.1	<0.1	<0.1	16	0.50
830590	Drill Core	5.70	0.3	69.9	1.5	64	0.2	12.8	20.8	705	3.06	0.9	<0.1	6.7	0.2	91	<0.1	0.2	0.1	89	1.79
830591	Drill Core	6.04	0.3	83.8	1.0	69	<0.1	13.7	20.9	631	2.66	0.9	<0.1	2.4	0.2	64	<0.1	0.2	<0.1	74	1.37
830592	Drill Core	5.23	4.9	746.6	1.2	55	0.3	5.6	6.2	294	1.42	<0.5	0.1	4.7	0.6	304	<0.1	<0.1	<0.1	30	1.13
830593	Drill Core	5.31	2.1	2209	0.8	30	1.0	2.6	3.5	164	0.95	<0.5	0.5	24.9	0.4	179	0.2	<0.1	0.4	19	0.34
830594	Drill Core	4.97	12.1	1325	0.8	38	0.5	3.3	4.6	201	1.10	<0.5	<0.1	8.2	0.6	42	0.1	<0.1	0.1	21	0.30
830595	Drill Core	5.30	3.3	2031	1.0	34	0.8	2.1	3.0	134	0.73	<0.5	<0.1	6.9	0.4	92	0.2	<0.1	0.1	12	0.33
830596	Drill Core	5.32	2.7	1199	1.3	41	0.5	4.4	4.5	197	0.86	<0.5	<0.1	3.1	0.7	104	0.2	<0.1	<0.1	15	0.44
830597	Drill Core	5.42	1.1	878.2	1.1	31	0.3	30.4	4.6	171	0.78	0.6	<0.1	1.3	0.5	116	<0.1	<0.1	<0.1	12	0.47
830598	Drill Core	5.46	5.6	1260	1.3	37	0.6	4.3	4.5	172	1.02	<0.5	<0.1	1.9	0.5	141	0.2	<0.1	<0.1	18	0.38
830599	Drill Core	5.32	29.1	1029	1.4	41	0.5	7.5	5.1	193	1.05	<0.5	0.1	<0.5	0.5	42	0.1	<0.1	<0.1	16	0.46
830600	Drill Core	5.08	2.6	711.5	0.7	48	0.3	6.7	6.4	285	1.61	<0.5	0.2	5.2	0.7	67	<0.1	<0.1	<0.1	38	0.39
830601	Drill Core	5.10	4.9	685.1	1.1	47	0.3	6.2	5.9	255	1.60	0.6	0.1	2.8	0.9	29	<0.1	<0.1	<0.1	34	0.35
830602	Drill Core	5.19	5.5	792.2	1.4	32	0.4	3.8	4.0	181	0.87	0.6	0.1	2.7	0.7	27	<0.1	<0.1	<0.1	16	0.39
830603	Drill Core	5.35	4.5	1269	0.9	30	0.7	3.7	3.4	153	0.76	<0.5	<0.1	7.1	0.9	47	<0.1	<0.1	<0.1	13	0.27
830604	Drill Core	5.27	2.7	3086	1.1	35	1.6	3.8	4.8	172	1.10	<0.5	<0.1	30.3	0.7	25	0.2	<0.1	0.2	17	0.33
830605	Drill Core	5.09	1.8	2046	0.9	30	1.0	4.0	4.1	150	1.08	<0.5	<0.1	12.3	0.6	29	0.2	<0.1	<0.1	18	0.30
830606	Drill Core	5.17	3.8	2257	0.9	40	1.0	5.8	5.9	210	1.40	<0.5	0.1	11.3	0.9	35	0.2	<0.1	0.2	31	0.35
830607	Drill Core	5.42	1.3	982.1	0.8	30	0.6	3.2	4.0	162	1.03	0.5	0.1	10.0	0.6	33	<0.1	<0.1	0.2	24	0.32
830608	Drill Core	5.34	1.1	556.0	0.7	36	0.3	5.1	5.2	220	1.26	<0.5	<0.1	4.3	0.7	25	<0.1	<0.1	<0.1	29	0.37
830609	Drill Core	1.99	1.4	605.2	0.5	27	0.4	3.8	4.2	202	0.99	0.5	<0.1	6.2	0.6	18	<0.1	0.1	<0.1	20	0.34
830610	Drill Core	4.94	2.1	85.0	1.1	68	<0.1	5.9	12.2	495	2.59	0.5	0.1	0.6	0.4	58	<0.1	<0.1	<0.1	55	0.94
830611	Drill Core	4.96	2.1	92.3	3.1	61	0.1	5.5	12.2	574	2.76	1.3	0.1	<0.5	0.4	80	0.1	<0.1	<0.1	64	1.11
830612	Drill Core	5.26	3.3	1671	0.8	39	0.9	4.8	5.3	229	1.20	<0.5	0.1	7.4	0.9	41	0.2	<0.1	0.1	26	0.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project: OK

Report Date: June 11, 2008

Page: 6 of 6 Part 1

## CERTIFICATE OF ANALYSIS

### VAN08006257.1

	Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830613	Rock Pulp	0.05	11.8	79.1	11.6	82	0.4	31.0	171.7	673	3.65	6406	2.5	342.7	1.3	91	0.3	11.1	16.3	38	5.98
830614	Drill Core	5.21	1.9	1088	0.8	44	0.7	4.8	5.9	263	1.82	1.9	<0.1	6.4	0.7	39	0.2	<0.1	<0.1	44	0.37
830615	Drill Core	5.10	1.1	455.8	0.6	37	0.3	3.8	4.3	194	1.08	0.7	<0.1	4.2	0.6	55	<0.1	<0.1	<0.1	21	0.36
830616	Drill Core	4.65	0.9	309.1	2.6	51	0.2	7.0	4.5	204	0.81	<0.5	<0.1	2.5	0.5	74	0.2	<0.1	<0.1	17	0.51
830617	Drill Core	5.20	0.8	44.1	3.1	54	<0.1	88.2	22.7	657	3.26	2.0	0.2	1.2	0.4	125	<0.1	0.2	<0.1	93	2.70
830618	Drill Core	6.17	2.0	72.0	3.1	95	<0.1	145.2	28.5	793	2.93	1.2	0.1	2.3	0.3	65	0.1	0.1	<0.1	87	2.70
830619	Drill Core	7.26	0.3	29.2	1.9	281	<0.1	208.5	35.8	1205	3.47	0.7	0.1	0.7	0.2	59	<0.1	<0.1	<0.1	97	2.44
830620	Drill Core	2.29	15.7	1856	3.3	35	1.0	3.3	3.5	210	0.94	1.9	<0.1	6.9	0.5	87	0.1	<0.1	<0.1	9	0.22
830621	Drill Core	6.19	0.9	343.8	1.2	86	0.1	9.5	22.4	933	4.44	3.9	<0.1	2.6	0.2	111	0.1	0.1	<0.1	87	1.69



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

2 of 6

Part 2

## CERTIFICATE OF ANALYSIS

### VAN08006257.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
419493	Drill Core	0.030	2	6	0.31	84	0.043	<1	0.66	0.078	0.08	<0.1	<0.01	1.9	<0.1	0.31	3	0.9
419494	Drill Core	0.022	2	6	0.30	73	0.036	<1	0.58	0.061	0.04	<0.1	<0.01	1.7	<0.1	0.35	2	1.2
419495	Drill Core	0.026	3	8	0.32	85	0.034	<1	0.63	0.071	0.06	<0.1	<0.01	1.2	<0.1	0.42	2	1.3
419496	Drill Core	0.026	2	8	0.26	86	0.026	<1	0.57	0.058	0.07	<0.1	<0.01	1.4	<0.1	0.43	2	0.7
419497	Drill Core	0.029	2	8	0.33	70	0.022	1	0.69	0.076	0.06	<0.1	<0.01	1.3	<0.1	0.33	3	0.8
419498	Drill Core	0.018	3	9	0.25	79	0.015	<1	0.58	0.068	0.07	<0.1	<0.01	1.0	<0.1	0.30	2	0.9
419499	Drill Core	0.013	2	9	0.26	110	0.016	1	0.68	0.073	0.09	<0.1	<0.01	1.7	<0.1	0.52	2	1.2
419500	Drill Core	0.024	2	8	0.30	80	0.018	<1	0.74	0.067	0.08	<0.1	<0.01	1.3	<0.1	0.34	2	1.0
830501	Drill Core	0.022	2	10	0.29	70	0.014	<1	0.61	0.058	0.07	<0.1	<0.01	1.0	<0.1	0.28	2	0.7
830502	Drill Core	0.096	6	42	2.66	44	0.130	<1	3.66	0.118	0.06	<0.1	<0.01	12.2	<0.1	<0.05	9	<0.5
830503	Drill Core	0.097	6	41	2.50	46	0.172	2	4.35	0.198	0.07	<0.1	<0.01	14.4	<0.1	<0.05	10	<0.5
830504	Drill Core	0.015	2	11	0.25	84	0.013	1	0.64	0.050	0.11	<0.1	<0.01	0.9	<0.1	0.61	2	1.8
830505	Drill Core	0.021	2	8	0.29	70	0.029	<1	0.63	0.070	0.06	<0.1	<0.01	1.7	<0.1	0.27	2	0.8
830506	Drill Core	0.020	2	13	0.25	75	0.035	<1	0.62	0.074	0.05	<0.1	<0.01	1.9	<0.1	0.20	2	0.7
830507	Drill Core	0.023	2	12	0.34	94	0.024	<1	0.69	0.066	0.06	0.1	<0.01	1.2	<0.1	0.51	3	0.9
830508	Drill Core	0.010	2	11	0.29	127	0.014	<1	0.73	0.064	0.07	<0.1	<0.01	2.0	<0.1	0.42	2	1.6
830509	Drill Core	0.013	2	8	0.26	226	0.021	<1	0.73	0.071	0.07	<0.1	<0.01	1.5	<0.1	0.50	2	1.4
830510	Drill Core	0.071	3	137	2.89	41	0.171	2	2.84	0.054	0.03	<0.1	<0.01	6.5	<0.1	0.13	8	<0.5
830511	Drill Core	0.084	5	105	2.69	91	0.186	2	2.81	0.058	0.03	<0.1	<0.01	8.3	<0.1	0.22	7	<0.5
830512	Drill Core	0.073	3	140	3.56	266	0.140	2	3.84	0.175	0.04	<0.1	<0.01	6.3	<0.1	0.22	8	<0.5
830513	Drill Core	0.026	2	44	1.03	86	0.068	1	1.31	0.080	0.08	0.1	<0.01	3.9	<0.1	0.36	4	<0.5
830514	Drill Core	0.096	5	35	2.59	23	0.194	1	2.50	0.044	0.02	0.2	<0.01	8.3	<0.1	0.08	6	<0.5
830515	Drill Core	0.098	5	34	2.57	36	0.212	1	2.94	0.061	0.04	0.2	<0.01	9.1	<0.1	0.09	7	<0.5
830516	Drill Core	0.021	2	11	0.25	58	0.046	<1	0.56	0.067	0.07	<0.1	<0.01	2.0	<0.1	0.20	2	<0.5
830517	Drill Core	0.030	2	9	0.58	110	0.074	2	1.23	0.118	0.11	<0.1	<0.01	4.2	<0.1	0.30	4	0.8
830518	Drill Core	0.033	2	12	0.64	46	0.083	1	1.13	0.064	0.08	0.2	<0.01	2.7	<0.1	0.53	4	0.9
830519	Drill Core	0.022	2	7	0.29	82	0.047	<1	0.93	0.070	0.07	0.1	<0.01	1.7	<0.1	0.25	3	<0.5
830520	Drill Core	0.060	4	17	1.58	151	0.136	2	2.49	0.118	0.03	0.2	<0.01	3.2	<0.1	0.08	6	0.8
830521	Drill Core	0.044	3	19	1.22	24	0.130	2	1.57	0.065	0.04	0.2	<0.01	2.2	<0.1	0.05	4	0.8
830522	Rock Pulp	0.123	9	12	0.21	18	0.033	47	0.97	0.063	0.05	0.7	<0.01	1.3	<0.1	1.11	3	13.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

3 of 6

Part 2

## CERTIFICATE OF ANALYSIS

VAN08006257.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830523	Drill Core	0.048	2	17	1.49	25	0.116	<1	1.73	0.049	0.03	0.2	<0.01	2.2	<0.1	0.12	5	0.9
830524	Drill Core	0.071	2	18	1.83	23	0.142	1	2.18	0.059	0.04	0.2	<0.01	3.1	<0.1	0.16	6	1.1
830525	Drill Core	0.060	4	17	0.47	114	0.027	1	1.10	0.061	0.06	<0.1	<0.01	1.1	<0.1	0.05	3	0.9
830526	Drill Core	0.076	4	151	3.56	61	0.180	1	3.02	0.038	0.02	0.2	<0.01	3.0	<0.1	<0.05	6	0.6
830527	Drill Core	0.026	3	8	0.33	122	0.056	1	0.76	0.074	0.05	0.1	<0.01	0.6	<0.1	0.08	2	0.9
830528	Drill Core	0.024	2	8	0.28	49	0.050	<1	0.80	0.064	0.06	0.1	<0.01	0.5	<0.1	<0.05	2	0.9
830529	Drill Core	0.055	5	5	0.47	42	0.052	2	1.26	0.077	0.15	<0.1	<0.01	1.2	<0.1	<0.05	4	0.7
830530	Drill Core	0.055	6	4	0.48	59	0.033	2	1.28	0.074	0.17	<0.1	<0.01	1.3	<0.1	<0.05	4	0.8
830531	Drill Core	0.054	6	3	0.48	63	0.030	1	1.22	0.057	0.12	<0.1	<0.01	0.8	<0.1	<0.05	4	0.7
830532	Drill Core	0.053	6	4	0.48	68	0.044	1	1.31	0.046	0.12	<0.1	<0.01	0.8	<0.1	<0.05	5	0.9
830533	Drill Core	0.056	6	6	0.49	54	0.023	2	1.31	0.087	0.15	<0.1	<0.01	1.3	<0.1	<0.05	4	0.9
830534	Drill Core	0.055	7	4	0.47	51	0.014	2	1.25	0.053	0.16	<0.1	<0.01	1.1	<0.1	<0.05	4	0.8
830535	Drill Core	0.053	6	6	0.47	58	0.026	2	1.10	0.057	0.16	0.1	<0.01	1.0	<0.1	<0.05	4	0.7
830536	Drill Core	0.040	4	5	0.39	183	0.022	2	0.92	0.053	0.11	<0.1	<0.01	0.8	<0.1	0.11	3	1.0
830537	Drill Core	0.050	5	5	0.47	121	0.013	2	1.03	0.063	0.13	<0.1	<0.01	1.1	<0.1	<0.05	4	0.7
830538	Drill Core	0.049	7	3	0.45	69	0.011	2	1.05	0.044	0.14	0.1	<0.01	1.4	<0.1	0.09	4	0.9
830539	Drill Core	0.025	3	9	0.33	257	0.046	<1	0.90	0.078	0.06	<0.1	<0.01	1.0	<0.1	0.21	3	1.3
830540	Drill Core	0.022	3	6	0.28	259	0.044	<1	1.18	0.063	0.06	<0.1	<0.01	0.5	<0.1	0.23	4	1.1
830541	Drill Core	0.023	3	11	0.31	228	0.050	<1	0.97	0.101	0.07	0.1	<0.01	1.0	<0.1	0.31	3	1.4
830542	Drill Core	0.025	3	10	0.35	208	0.071	<1	0.89	0.075	0.07	<0.1	<0.01	1.2	<0.1	0.31	3	1.7
830543	Drill Core	0.024	3	11	0.30	176	0.059	1	0.90	0.092	0.05	<0.1	<0.01	1.1	<0.1	0.21	3	1.4
830544	Drill Core	0.026	3	9	0.31	148	0.064	1	0.84	0.070	0.05	<0.1	<0.01	0.9	<0.1	0.19	3	0.9
830545	Drill Core	0.027	3	12	0.33	122	0.066	1	0.85	0.097	0.06	0.1	<0.01	1.0	<0.1	0.24	3	1.2
830546	Drill Core	0.029	3	9	0.33	144	0.067	<1	0.89	0.091	0.05	<0.1	<0.01	1.1	<0.1	0.25	4	1.2
830547	Drill Core	0.025	3	9	0.31	158	0.057	<1	0.69	0.072	0.08	0.1	<0.01	0.8	<0.1	0.29	3	1.2
830548	Drill Core	0.027	3	9	0.31	171	0.062	<1	0.87	0.082	0.05	<0.1	<0.01	0.9	<0.1	0.28	3	1.3
830549	Drill Core	0.024	3	9	0.30	163	0.053	<1	1.01	0.107	0.09	0.2	<0.01	1.0	<0.1	0.20	3	1.3
830550	Drill Core	0.025	2	8	0.27	92	0.042	<1	0.81	0.067	0.06	0.1	<0.01	0.6	<0.1	0.22	3	1.6
830551	Drill Core	0.021	3	11	0.28	124	0.041	1	0.78	0.070	0.06	0.2	<0.01	0.7	<0.1	0.23	2	1.8
830552	Drill Core	0.020	3	9	0.72	263	0.026	1	1.37	0.064	0.10	0.1	0.02	1.1	<0.1	0.76	4	3.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

## CERTIFICATE OF ANALYSIS

VAN08006257.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830553	Rock Pulp	0.118	11	13	0.22	19	0.038	50	1.02	0.069	0.05	0.8	<0.01	1.4	<0.1	1.12	3	14.7
830554	Drill Core	0.020	3	11	0.45	170	0.038	1	1.15	0.113	0.10	0.1	0.01	1.3	<0.1	0.55	3	2.4
830555	Drill Core	0.021	2	8	0.25	143	0.035	<1	0.52	0.073	0.06	<0.1	<0.01	0.6	<0.1	0.25	2	0.9
830556	Drill Core	0.022	2	7	0.28	115	0.035	1	0.62	0.076	0.06	<0.1	<0.01	0.6	<0.1	0.22	2	0.6
830557	Drill Core	0.030	2	11	0.68	82	0.031	2	1.09	0.054	0.10	0.1	<0.01	1.4	<0.1	0.11	3	<0.5
830558	Drill Core	0.026	2	8	0.54	167	0.021	2	1.34	0.100	0.18	0.2	<0.01	1.4	<0.1	0.23	3	1.0
830559	Drill Core	0.102	5	1	1.64	147	0.070	<1	2.95	0.117	0.04	<0.1	<0.01	1.7	<0.1	0.18	8	<0.5
830560	Drill Core	0.124	6	13	2.54	245	0.107	1	4.71	0.390	0.04	<0.1	<0.01	3.7	<0.1	0.12	12	<0.5
830561	Drill Core	0.053	3	10	1.22	159	0.057	1	2.11	0.178	0.08	<0.1	<0.01	2.8	<0.1	0.13	6	0.5
830562	Drill Core	0.075	4	3	1.09	70	0.055	1	2.30	0.245	0.07	<0.1	<0.01	1.8	<0.1	0.06	7	<0.5
830563	Drill Core	0.047	3	4	0.73	194	0.066	2	1.77	0.208	0.09	<0.1	<0.01	1.2	<0.1	0.29	5	0.9
830564	Drill Core	0.096	4	3	1.57	82	0.125	4	2.27	0.145	0.05	<0.1	<0.01	1.4	<0.1	0.31	6	<0.5
830565	Drill Core	0.033	2	6	0.40	160	0.062	1	1.04	0.142	0.09	<0.1	<0.01	0.6	<0.1	0.21	3	0.9
830566	Drill Core	0.038	4	25	1.03	253	0.037	<1	1.52	0.086	0.09	<0.1	<0.01	1.9	<0.1	0.30	5	1.1
830567	Drill Core	0.057	4	6	0.85	240	0.038	1	1.67	0.114	0.06	<0.1	<0.01	1.5	<0.1	0.40	5	0.7
830568	Drill Core	0.026	3	8	0.38	440	0.040	1	1.03	0.101	0.07	0.1	<0.01	0.8	<0.1	0.20	3	0.5
830569	Drill Core	0.028	2	7	0.38	122	0.062	<1	0.94	0.156	0.07	0.1	<0.01	0.5	<0.1	0.19	3	0.8
830570	Drill Core	0.030	3	11	0.44	192	0.071	<1	0.98	0.159	0.07	0.1	<0.01	0.7	<0.1	0.21	4	0.7
830571	Drill Core	0.020	2	8	0.35	168	0.049	<1	0.83	0.136	0.07	0.1	<0.01	0.8	<0.1	0.15	3	0.6
830572	Drill Core	0.041	2	9	0.57	101	0.057	<1	1.24	0.124	0.10	<0.1	<0.01	0.9	<0.1	0.36	4	<0.5
830573	Drill Core	0.029	3	11	0.43	202	0.068	1	1.09	0.175	0.06	0.1	<0.01	1.0	<0.1	0.20	4	0.9
830574	Drill Core	0.020	3	8	0.38	143	0.052	<1	0.76	0.080	0.05	0.2	<0.01	0.7	<0.1	0.24	3	1.0
830575	Drill Core	0.021	2	6	0.31	175	0.048	<1	0.80	0.096	0.05	0.1	<0.01	0.7	<0.1	0.24	2	0.9
830576	Drill Core	0.050	3	6	0.52	180	0.080	<1	1.15	0.167	0.07	0.1	<0.01	0.7	<0.1	0.15	4	0.8
830577	Drill Core	0.035	3	12	0.60	180	0.075	<1	1.07	0.114	0.05	0.1	<0.01	1.4	<0.1	0.25	3	0.9
830578	Drill Core	0.032	4	9	0.56	108	0.066	<1	1.00	0.076	0.04	0.1	<0.01	1.2	<0.1	0.19	3	0.5
830579	Drill Core	0.044	3	16	0.80	52	0.101	<1	1.37	0.115	0.07	0.2	<0.01	1.8	<0.1	0.28	5	0.7
830580	Drill Core	0.025	2	10	0.41	72	0.061	<1	0.96	0.105	0.07	0.1	<0.01	0.5	<0.1	0.14	3	0.7
830581	Drill Core	0.029	3	9	0.44	156	0.063	<1	1.09	0.146	0.09	0.1	<0.01	0.5	<0.1	0.16	3	0.8
830582	Drill Core	0.027	4	12	0.52	106	0.081	<1	0.79	0.083	0.11	0.1	<0.01	1.7	<0.1	0.27	3	0.8





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

5 of 6

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006257.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830583	Rock Pulp	0.124	10	12	0.21	17	0.032	45	1.02	0.066	0.05	0.8	<0.01	1.0	<0.1	1.08	3	14.0
830584	Drill Core	0.027	3	10	0.49	104	0.080	<1	1.07	0.162	0.07	0.2	<0.01	1.1	<0.1	0.22	4	0.7
830585	Drill Core	0.032	4	8	0.45	88	0.072	<1	0.77	0.088	0.09	0.1	<0.01	1.4	<0.1	0.17	3	0.5
830586	Drill Core	0.022	3	11	0.43	70	0.069	<1	0.64	0.059	0.10	0.1	<0.01	1.3	<0.1	0.19	3	0.7
830587	Drill Core	0.028	3	8	0.40	94	0.072	<1	0.84	0.117	0.10	0.1	<0.01	1.1	<0.1	0.15	3	0.5
830588	Drill Core	0.033	3	10	0.46	110	0.078	<1	1.01	0.097	0.06	0.1	<0.01	1.0	<0.1	0.22	4	0.8
830589	Drill Core	0.026	3	9	0.40	88	0.071	<1	0.95	0.144	0.07	0.1	<0.01	1.3	<0.1	0.19	3	<0.5
830590	Drill Core	0.058	3	32	2.30	53	0.143	1	2.66	0.119	0.02	<0.1	<0.01	6.6	<0.1	0.13	7	<0.5
830591	Drill Core	0.057	2	31	2.35	45	0.132	1	2.35	0.060	0.01	<0.1	<0.01	5.1	<0.1	<0.05	7	<0.5
830592	Drill Core	0.038	4	16	0.77	97	0.093	<1	1.40	0.088	0.07	<0.1	<0.01	2.1	<0.1	0.14	4	<0.5
830593	Drill Core	0.026	3	9	0.40	74	0.058	<1	0.67	0.054	0.09	<0.1	<0.01	1.2	<0.1	0.21	3	1.0
830594	Drill Core	0.031	3	12	0.56	80	0.082	<1	0.84	0.057	0.06	<0.1	<0.01	1.6	<0.1	0.18	3	0.8
830595	Drill Core	0.023	3	10	0.36	75	0.060	<1	0.82	0.069	0.05	0.1	<0.01	1.1	<0.1	0.21	3	1.1
830596	Drill Core	0.032	2	8	0.48	64	0.079	<1	0.88	0.059	0.04	0.1	<0.01	1.0	<0.1	0.15	3	0.6
830597	Drill Core	0.028	3	10	0.41	90	0.061	<1	0.88	0.082	0.05	0.2	<0.01	0.9	<0.1	0.13	3	<0.5
830598	Drill Core	0.030	3	10	0.48	131	0.075	<1	0.94	0.069	0.04	0.1	<0.01	1.4	<0.1	0.26	3	0.9
830599	Drill Core	0.037	2	16	0.57	88	0.081	<1	1.00	0.058	0.04	0.2	<0.01	1.4	<0.1	0.11	4	<0.5
830600	Drill Core	0.050	4	14	0.77	99	0.105	<1	0.97	0.062	0.13	0.2	<0.01	2.6	<0.1	0.06	4	0.6
830601	Drill Core	0.031	4	14	0.71	51	0.098	<1	1.01	0.072	0.08	0.2	<0.01	2.1	<0.1	0.07	4	0.7
830602	Drill Core	0.032	3	10	0.51	44	0.072	<1	0.91	0.068	0.06	0.2	<0.01	1.5	<0.1	0.08	3	<0.5
830603	Drill Core	0.025	3	16	0.42	32	0.057	<1	0.76	0.074	0.05	0.1	<0.01	1.1	<0.1	0.12	3	1.1
830604	Drill Core	0.029	3	8	0.48	37	0.066	<1	0.72	0.055	0.06	0.1	<0.01	1.0	<0.1	0.26	3	2.0
830605	Drill Core	0.027	3	14	0.41	46	0.067	<1	0.68	0.065	0.04	0.1	<0.01	1.2	<0.1	0.19	3	1.1
830606	Drill Core	0.034	4	13	0.66	45	0.102	1	0.90	0.068	0.07	0.1	<0.01	2.1	<0.1	0.20	4	1.2
830607	Drill Core	0.024	3	16	0.48	51	0.084	<1	0.75	0.068	0.07	0.1	<0.01	1.6	<0.1	0.08	3	<0.5
830608	Drill Core	0.029	3	17	0.66	58	0.102	<1	0.86	0.055	0.13	0.1	<0.01	2.4	<0.1	0.06	4	<0.5
830609	Drill Core	0.038	3	15	0.55	22	0.082	<1	0.72	0.065	0.04	0.1	<0.01	1.5	<0.1	0.06	3	<0.5
830610	Drill Core	0.058	3	10	1.20	19	0.107	1	2.00	0.111	0.03	0.1	<0.01	2.6	<0.1	<0.05	6	<0.5
830611	Drill Core	0.058	3	14	1.22	23	0.111	2	2.11	0.135	0.04	0.1	<0.01	2.6	<0.1	<0.05	6	<0.5
830612	Drill Core	0.037	3	12	0.66	51	0.088	<1	0.92	0.060	0.05	0.2	<0.01	1.8	<0.1	0.15	3	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.  
Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 11, 2008

Page:

6 of 6

Part 2

## CERTIFICATE OF ANALYSIS

VAN08006257.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830613	Rock Pulp	0.125	11	13	0.22	18	0.039	61	1.06	0.074	0.05	0.8	<0.01	1.4	<0.1	1.11	3	15.1
830614	Drill Core	0.050	4	14	0.65	56	0.105	<1	0.96	0.072	0.06	0.2	<0.01	1.7	<0.1	0.10	4	0.5
830615	Drill Core	0.035	3	11	0.53	90	0.083	<1	0.83	0.056	0.03	0.1	<0.01	1.4	<0.1	0.06	3	<0.5
830616	Drill Core	0.030	3	20	0.59	50	0.084	<1	1.00	0.067	0.05	0.1	<0.01	1.3	<0.1	<0.05	3	<0.5
830617	Drill Core	0.062	4	105	2.77	23	0.147	2	3.41	0.195	0.03	<0.1	<0.01	4.8	<0.1	<0.05	8	<0.5
830618	Drill Core	0.063	2	226	3.98	28	0.141	2	3.02	0.034	0.04	0.1	<0.01	6.1	<0.1	<0.05	7	<0.5
830619	Drill Core	0.070	2	311	5.29	4	0.162	1	3.99	0.019	<0.01	0.1	<0.01	7.3	<0.1	<0.05	9	<0.5
830620	Drill Core	0.018	4	7	0.42	141	0.028	<1	1.07	0.063	0.06	0.1	<0.01	0.9	<0.1	0.13	2	1.4
830621	Drill Core	0.122	5	4	1.99	106	0.183	2	3.16	0.159	0.03	<0.1	<0.01	3.2	<0.1	0.05	8	<0.5



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:

2 of 4


Part 1

## CERTIFICATE OF ANALYSIS

### VAN08006378.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830622	Drill Core	3.14	3.7	3194	5.3	62	0.8	4.2	3.7	155	0.94	3.0	<0.1	10.2	0.5	59	0.5	1.3	<0.1	9	0.27
830623	Drill Core	1.41	1.6	152.4	2.9	107	<0.1	7.0	19.1	1039	4.63	3.4	0.1	3.6	0.2	102	<0.1	0.3	<0.1	93	2.79
830624	Drill Core	5.61	8.9	2398	3.0	35	0.5	3.3	2.8	149	0.79	0.7	<0.1	3.5	0.6	21	0.4	0.3	<0.1	6	0.84
830625	Drill Core	5.16	2.5	3139	3.6	34	0.7	3.3	3.5	198	0.93	1.5	<0.1	4.6	0.6	24	0.4	0.8	<0.1	7	1.36
830626	Drill Core	4.94	25.1	1237	3.2	51	0.6	4.3	6.9	289	1.55	1.3	<0.1	5.4	0.5	35	0.3	0.4	<0.1	20	1.33
830627	Drill Core	5.30	25.0	1857	2.5	53	0.7	7.8	5.7	193	1.06	0.5	<0.1	3.2	0.5	49	0.2	0.3	<0.1	15	0.68
830628	Drill Core	5.07	64.7	1853	2.2	28	0.5	1.9	2.7	115	0.73	0.6	<0.1	2.1	0.5	147	0.2	0.2	<0.1	10	0.55
830629	Drill Core	5.31	131.8	2964	1.5	32	0.9	2.4	3.2	122	0.85	0.7	<0.1	3.0	0.5	162	0.3	0.1	<0.1	12	0.39
830630	Drill Core	5.39	26.5	2302	1.9	38	0.6	2.1	3.2	147	0.89	0.8	<0.1	4.0	0.5	138	0.1	0.3	<0.1	9	0.33
830631	Drill Core	5.21	105.2	2616	3.7	55	1.3	4.2	4.5	169	1.12	1.5	0.1	7.5	0.4	193	0.7	2.3	<0.1	14	0.74
830632	Drill Core	5.21	28.2	2196	2.6	33	0.8	2.8	3.7	172	0.96	0.8	<0.1	6.4	0.5	80	0.3	0.3	<0.1	12	0.59
830633	Drill Core	5.14	4.6	2087	1.9	36	0.8	2.2	4.1	172	0.97	1.0	0.1	2.9	0.5	104	0.3	0.1	<0.1	15	0.45
830634	Drill Core	5.51	31.0	2812	1.6	48	1.2	3.8	5.6	234	1.46	0.8	0.1	3.9	0.6	171	0.4	0.2	<0.1	22	0.48
830635	Drill Core	5.68	36.9	2367	2.6	38	0.9	4.3	4.0	169	1.05	1.0	<0.1	2.7	0.5	76	0.4	0.3	<0.1	12	0.46
830636	Drill Core	5.80	148.7	2297	11.7	21	1.0	2.3	2.5	110	0.77	1.1	<0.1	3.6	0.4	43	0.3	0.3	<0.1	6	0.59
830637	Drill Core	4.82	5.7	1223	6.6	30	1.2	2.8	3.4	223	0.75	1.2	<0.1	7.4	0.6	50	0.3	0.3	<0.1	8	3.77
830638	Drill Core	5.61	45.3	1006	11.1	31	0.5	2.9	3.3	200	0.87	1.1	<0.1	5.2	0.4	85	0.1	0.3	<0.1	11	0.77
830639	Drill Core	5.24	4.5	1766	2.5	42	0.7	3.5	4.1	238	1.09	1.2	<0.1	3.0	0.5	42	0.2	0.2	<0.1	18	0.56
830640	Drill Core	4.90	34.5	2045	1.9	34	0.7	2.5	2.7	171	0.82	0.8	<0.1	3.7	0.5	41	0.3	0.1	<0.1	10	0.45
830641	Drill Core	5.53	32.6	2024	1.7	39	0.8	3.3	3.7	189	1.01	0.7	<0.1	3.2	0.4	46	0.4	<0.1	<0.1	14	0.48
830642	Drill Core	5.58	290.3	2301	1.8	45	0.7	2.8	3.9	225	1.15	<0.5	<0.1	5.1	0.5	56	0.4	0.1	<0.1	18	0.70
830643	Rock Pulp	0.13	11.9	79.8	11.1	80	0.4	30.2	162.2	657	3.49	6229	2.2	335.7	1.2	86	0.3	10.3	14.5	34	6.01
830644	Drill Core	4.54	9.9	1824	1.5	51	0.7	2.9	4.8	289	1.24	1.2	0.1	12.3	0.8	35	0.2	0.1	<0.1	23	0.66
830645	Drill Core	5.92	57.4	2099	6.3	30	0.5	2.7	2.9	165	0.89	1.1	<0.1	3.3	0.5	66	0.2	0.1	<0.1	12	0.35
830646	Drill Core	5.20	43.7	1967	2.5	52	0.5	3.7	6.5	296	1.58	1.1	<0.1	5.5	0.6	124	0.4	0.2	<0.1	29	0.69
830647	Drill Core	5.01	46.4	2344	2.0	45	0.6	2.6	3.4	197	0.93	0.7	<0.1	4.8	0.5	98	0.3	<0.1	<0.1	13	0.67
830648	Drill Core	5.19	12.9	1396	1.5	41	0.5	4.1	3.8	216	1.16	1.2	<0.1	7.3	0.7	223	0.2	<0.1	<0.1	19	0.66
830649	Drill Core	5.63	3.6	1371	2.0	36	0.6	3.0	3.5	172	1.06	0.9	<0.1	13.7	0.6	53	0.2	<0.1	<0.1	17	0.61
830650	Drill Core	5.28	18.4	2876	2.5	39	0.8	2.9	3.9	201	1.09	1.2	<0.1	5.3	0.5	72	0.3	0.1	<0.1	13	0.79
830651	Drill Core	5.47	29.9	1872	4.7	38	0.6	3.3	3.0	219	0.91	0.8	<0.1	5.6	0.4	96	0.3	0.1	<0.1	12	1.15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:

3 of 4


Part 1

## CERTIFICATE OF ANALYSIS

### VAN08006378.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830652	Drill Core	5.56	26.1	2617	2.9	43	0.6	2.9	3.5	190	0.94	0.6	<0.1	6.2	0.6	38	0.3	0.1	<0.1	13	0.96
830653	Drill Core	4.92	10.5	2805	1.7	35	1.0	2.9	3.3	176	0.94	0.6	<0.1	4.2	0.5	45	0.3	<0.1	<0.1	11	1.59
830654	Drill Core	5.42	7.0	2355	1.8	47	0.7	4.3	3.7	240	1.04	0.6	0.1	1.1	0.7	152	0.3	0.2	<0.1	14	0.88
830655	Drill Core	5.35	15.6	1677	2.3	49	0.6	3.7	4.5	253	1.24	0.6	0.1	3.8	1.0	264	0.3	<0.1	<0.1	20	0.58
830656	Drill Core	5.17	1.8	1062	1.8	40	0.5	3.8	4.1	239	1.02	9.5	0.1	<0.5	0.8	212	<0.1	<0.1	<0.1	17	0.41
830657	Drill Core	5.02	2.4	746.5	1.9	57	0.4	6.0	5.8	307	1.50	<0.5	0.2	2.0	1.0	227	0.1	<0.1	<0.1	25	0.50
830658	Drill Core	5.25	3.8	495.3	1.7	53	0.2	4.0	4.5	249	1.19	<0.5	0.1	<0.5	0.6	148	0.1	0.1	<0.1	20	0.45
830659	Drill Core	2.82	41.7	1638	1.8	53	0.6	5.7	5.9	300	1.68	<0.5	0.1	5.8	0.9	185	0.2	<0.1	<0.1	36	0.53
830660	Drill Core	6.11	0.5	97.0	2.3	87	<0.1	14.8	20.7	714	2.68	1.1	<0.1	3.3	0.2	82	<0.1	0.3	<0.1	69	1.16
830661	Drill Core	5.46	2.7	996.7	1.8	44	0.5	2.9	3.6	242	0.83	0.6	<0.1	0.8	1.1	68	0.2	0.1	<0.1	17	0.36
830662	Drill Core	5.31	2.6	1141	2.0	55	0.5	4.3	4.0	246	1.15	<0.5	0.1	2.3	0.7	45	0.2	<0.1	<0.1	21	0.33
830663	Drill Core	5.11	28.2	2074	1.9	56	0.9	3.4	4.6	250	1.23	0.5	0.1	10.1	0.8	43	0.4	0.1	0.1	21	0.38
830664	Drill Core	5.14	12.2	1305	1.9	39	0.5	3.5	3.5	212	0.88	0.7	0.1	1.9	1.2	39	0.2	<0.1	<0.1	13	0.37
830665	Drill Core	5.18	4.6	661.9	1.5	44	0.2	5.8	4.7	253	1.51	<0.5	0.1	1.7	1.3	47	0.1	<0.1	<0.1	29	0.38
830666	Drill Core	4.80	4.9	1731	1.5	38	0.7	2.6	3.1	198	0.78	0.6	<0.1	6.5	0.9	36	0.2	0.1	<0.1	12	0.35
830667	Drill Core	4.99	1.7	717.9	1.4	43	0.3	4.1	4.8	228	1.13	0.8	0.1	2.3	0.8	44	0.1	<0.1	<0.1	24	0.51
830668	Drill Core	5.16	2.3	855.9	0.9	58	0.3	8.3	7.3	314	1.78	<0.5	0.1	7.6	0.9	46	0.1	<0.1	<0.1	34	0.50
830669	Drill Core	4.91	8.3	1080	1.5	46	0.6	3.6	3.9	270	1.02	0.6	0.1	<0.5	1.0	108	0.2	0.1	<0.1	15	0.55
830670	Drill Core	3.44	10.7	1034	1.5	42	0.6	3.3	3.5	246	0.85	<0.5	0.1	1.1	0.9	108	0.2	<0.1	<0.1	13	0.42
830671	Drill Core	5.94	2.5	137.9	4.2	65	<0.1	6.4	11.1	531	2.70	1.1	0.2	<0.5	0.5	114	<0.1	0.2	<0.1	58	1.03
830672	Drill Core	5.49	2.7	74.0	2.0	61	<0.1	5.3	11.5	564	2.72	0.7	0.2	1.6	0.4	79	<0.1	0.2	<0.1	55	1.11
830673	Rock Pulp	0.13	10.7	74.1	11.3	78	0.3	29.2	158.3	633	3.33	5880	2.2	328.3	1.4	80	0.3	11.2	15.4	29	5.79
830674	Drill Core	5.97	24.3	1176	2.1	36	0.5	3.0	3.8	212	0.88	1.4	0.1	3.0	0.9	59	0.3	0.4	<0.1	16	0.49
830675	Drill Core	5.88	6.5	1419	2.0	37	0.6	3.7	3.3	216	0.92	1.1	0.1	2.5	0.8	43	0.3	0.1	<0.1	16	0.52
830676	Drill Core	5.27	8.5	1553	1.5	55	0.6	6.8	7.0	299	1.83	1.2	0.2	7.5	0.7	56	0.3	0.1	<0.1	39	0.65
830677	Drill Core	5.18	1.3	533.7	0.9	40	0.3	5.2	5.8	255	1.47	0.7	0.1	2.4	0.7	42	<0.1	0.1	<0.1	32	0.48
830678	Drill Core	5.18	4.3	1116	1.3	36	0.3	5.4	3.9	232	1.16	0.9	0.1	5.4	0.9	32	<0.1	<0.1	<0.1	20	0.35
830679	Drill Core	4.54	16.3	1409	1.4	36	0.6	3.0	3.7	218	1.02	0.6	0.1	8.0	0.9	46	0.1	<0.1	<0.1	18	0.33
830680	Drill Core	6.01	5.0	711.3	1.5	35	0.3	3.4	3.6	222	0.94	1.0	0.1	1.5	0.9	120	0.1	<0.1	<0.1	17	0.44
830681	Drill Core	4.90	22.8	1542	1.1	30	0.6	4.6	2.8	186	0.78	0.9	<0.1	6.8	0.9	34	0.2	0.1	<0.1	11	0.45

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:


4 of 4

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006378.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
830682	Drill Core	4.92	1.5	882.3	1.2	29	0.4	3.5	3.4	228	0.71	0.9	<0.1	2.2	0.8	130	0.1	0.1	<0.1	9	0.54	
830683	Drill Core	5.20	4.2	1222	1.1	32	0.5	3.5	3.9	222	0.91	1.1	<0.1	0.8	0.9	163	0.2	0.1	<0.1	15	0.72	
830684	Drill Core	5.04	10.1	1564	1.1	42	0.8	4.6	3.8	250	0.86	0.8	<0.1	3.5	0.8	156	0.3	<0.1	<0.1	16	0.46	
830685	Drill Core	5.07	7.0	1138	5.2	105	0.6	34.4	9.8	382	1.46	1.0	0.1	4.6	0.8	157	0.4	<0.1	<0.1	37	0.78	
830686	Drill Core	5.66	7.6	693.3	2.2	79	0.5	20.1	7.1	373	1.46	0.8	0.2	1.3	1.1	140	0.2	<0.1	<0.1	33	1.28	
830687	Drill Core	5.20	1.4	172.7	4.2	223	<0.1	115.7	24.7	959	3.33	1.8	0.2	1.1	0.3	97	0.2	0.2	<0.1	94	1.95	
830688	Drill Core	5.19	0.3	77.4	4.5	102	<0.1	136.7	25.3	561	2.38	2.1	0.1	1.1	0.2	56	0.1	0.1	<0.1	66	1.45	
830689	Drill Core	5.31	0.5	40.4	1.4	22	<0.1	2.8	1.9	183	0.59	0.8	<0.1	6.8	0.6	31	<0.1	<0.1	<0.1	5	0.52	
830690	Drill Core	5.68	0.4	25.8	0.9	22	<0.1	1.4	1.6	180	0.75	0.5	<0.1	4.8	0.6	35	<0.1	<0.1	<0.1	6	0.24	
830691	Drill Core	4.73	0.6	80.1	0.8	26	0.1	1.1	1.7	249	0.87	<0.5	<0.1	1.8	0.6	60	<0.1	<0.1	<0.1	9	0.60	
830692	Drill Core	0.91	9.6	465.4	1.8	58	0.8	6.2	5.8	351	1.51	1.3	0.2	6.0	0.6	95	0.3	0.1	<0.1	22	0.38	
830693	Drill Core	7.14	1.7	530.1	2.4	127	0.2	5.2	14.3	982	3.41	2.8	0.1	4.8	0.2	53	0.5	0.2	0.1	55	0.76	
830694	Drill Core	3.37	8.0	1899	2.4	58	0.9	4.4	7.8	292	1.45	1.4	0.1	3.4	0.6	77	0.5	0.1	0.1	26	0.51	
830695	Drill Core	5.98	23.8	2012	3.2	56	0.8	4.7	5.9	268	1.26	0.8	0.1	6.5	0.7	65	1.2	<0.1	<0.1	21	0.37	
830696	Drill Core	3.94	3.5	232.4	2.8	98	<0.1	24.2	19.3	663	2.77	2.0	0.1	1.3	0.3	86	0.1	<0.1	<0.1	54	1.09	
830697	Drill Core	5.61	1.3	170.4	1.8	96	<0.1	15.5	17.9	679	2.95	1.4	0.2	0.5	0.5	59	0.1	<0.1	<0.1	52	0.80	



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:

2 of 4

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006378.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830622	Drill Core			0.019	3	7	0.30	139	0.033	1	0.60	0.071	0.07	0.1	<0.01	0.5	<0.1	0.24	2	1.0
830623	Drill Core			0.121	5	2	1.72	302	0.144	2	3.24	0.167	0.04	0.2	<0.01	4.3	<0.1	0.26	9	<0.5
830624	Drill Core			0.014	5	7	0.25	58	0.003	1	0.51	0.060	0.05	<0.1	0.02	0.6	<0.1	0.29	2	0.8
830625	Drill Core			0.015	5	9	0.28	65	<0.001	2	0.65	0.062	0.08	<0.1	0.01	1.0	<0.1	0.40	2	1.6
830626	Drill Core			0.041	4	7	0.60	95	0.015	1	1.13	0.054	0.09	<0.1	<0.01	2.2	<0.1	0.40	4	0.5
830627	Drill Core			0.035	2	20	0.62	74	0.077	1	1.08	0.080	0.07	0.2	0.01	1.8	<0.1	0.20	4	0.8
830628	Drill Core			0.027	3	9	0.30	388	0.042	1	0.83	0.107	0.07	0.1	<0.01	1.1	<0.1	0.19	3	0.7
830629	Drill Core			0.022	2	7	0.31	297	0.046	1	0.84	0.091	0.09	0.1	<0.01	1.3	<0.1	0.30	3	1.2
830630	Drill Core			0.034	2	13	0.36	299	0.032	1	0.84	0.078	0.11	0.2	0.02	0.9	<0.1	0.23	3	0.8
830631	Drill Core			0.041	3	8	0.44	354	0.045	2	1.21	0.094	0.11	0.3	<0.01	1.5	<0.1	0.31	3	1.1
830632	Drill Core			0.025	3	11	0.38	168	0.041	2	0.93	0.089	0.08	0.2	<0.01	1.2	<0.1	0.24	3	0.8
830633	Drill Core			0.031	3	6	0.40	162	0.066	1	0.85	0.099	0.06	0.2	<0.01	1.2	<0.1	0.27	3	1.0
830634	Drill Core			0.031	3	11	0.56	225	0.080	<1	1.03	0.082	0.06	0.2	<0.01	1.6	<0.1	0.42	4	1.2
830635	Drill Core			0.030	2	9	0.40	132	0.068	1	1.00	0.098	0.15	0.2	<0.01	1.7	<0.1	0.30	3	1.0
830636	Drill Core			0.027	3	9	0.22	130	0.008	2	0.89	0.044	0.20	0.1	<0.01	0.8	<0.1	0.26	2	0.8
830637	Drill Core			0.033	6	5	0.31	71	<0.001	2	2.11	0.047	0.17	<0.1	<0.01	0.9	<0.1	0.22	5	0.7
830638	Drill Core			0.032	2	9	0.41	211	0.019	2	1.19	0.105	0.11	0.1	0.01	1.1	<0.1	0.14	3	0.6
830639	Drill Core			0.027	3	10	0.41	110	0.051	1	0.95	0.122	0.08	0.1	<0.01	1.7	<0.1	0.28	3	1.1
830640	Drill Core			0.021	3	11	0.29	124	0.040	1	0.74	0.091	0.07	0.2	<0.01	1.3	<0.1	0.25	3	0.6
830641	Drill Core			0.027	2	10	0.36	127	0.049	2	0.90	0.108	0.09	0.1	<0.01	1.4	<0.1	0.30	3	0.8
830642	Drill Core			0.024	3	10	0.41	170	0.055	1	0.93	0.095	0.10	0.2	<0.01	1.7	<0.1	0.38	3	0.8
830643	Rock Pulp			0.123	10	11	0.20	18	0.036	43	1.03	0.060	0.05	0.7	<0.01	1.5	<0.1	1.12	3	12.5
830644	Drill Core			0.032	4	12	0.54	165	0.068	<1	0.85	0.087	0.07	0.2	<0.01	1.7	<0.1	0.30	4	0.8
830645	Drill Core			0.024	2	8	0.37	129	0.038	1	0.92	0.080	0.09	0.1	<0.01	1.3	<0.1	0.24	3	1.2
830646	Drill Core			0.040	4	10	0.66	175	0.099	<1	1.25	0.090	0.07	0.2	<0.01	2.5	<0.1	0.31	4	0.7
830647	Drill Core			0.022	3	9	0.38	143	0.052	1	0.89	0.067	0.11	0.2	<0.01	1.3	<0.1	0.33	3	0.7
830648	Drill Core			0.026	4	10	0.44	220	0.071	1	0.82	0.088	0.09	0.2	<0.01	1.5	<0.1	0.40	3	1.0
830649	Drill Core			0.024	3	10	0.39	161	0.068	<1	0.73	0.077	0.06	0.2	<0.01	1.4	<0.1	0.29	3	0.7
830650	Drill Core			0.026	3	10	0.41	244	0.051	1	0.98	0.079	0.11	0.2	<0.01	1.2	<0.1	0.33	3	1.5
830651	Drill Core			0.026	3	8	0.36	401	0.053	1	0.97	0.096	0.10	0.2	<0.01	1.4	<0.1	0.20	3	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:

3 of 4

Part 2

## CERTIFICATE OF ANALYSIS

### VAN08006378.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830652	Drill Core	0.025	3	10	0.37	76	0.043	1	0.86	0.097	0.08	0.2	<0.01	1.5	<0.1	0.32	3	0.8
830653	Drill Core	0.026	3	8	0.36	41	0.040	1	1.05	0.053	0.09	0.2	<0.01	0.9	<0.1	0.27	3	1.0
830654	Drill Core	0.033	3	9	0.45	181	0.070	1	1.08	0.095	0.13	0.2	<0.01	1.3	<0.1	0.32	3	0.8
830655	Drill Core	0.029	4	11	0.50	163	0.085	<1	0.94	0.104	0.08	0.1	<0.01	1.6	<0.1	0.36	3	1.1
830656	Drill Core	0.022	3	14	0.48	138	0.071	<1	0.87	0.089	0.06	0.1	<0.01	1.7	<0.1	0.21	3	<0.5
830657	Drill Core	0.037	4	17	0.67	91	0.116	<1	1.14	0.139	0.06	0.2	<0.01	2.4	<0.1	0.21	4	<0.5
830658	Drill Core	0.032	3	15	0.59	69	0.085	<1	0.93	0.083	0.06	0.2	<0.01	1.5	<0.1	0.13	4	<0.5
830659	Drill Core	0.032	5	12	0.77	153	0.114	<1	1.07	0.071	0.09	0.1	<0.01	2.4	<0.1	0.37	4	<0.5
830660	Drill Core	0.061	2	29	2.61	40	0.154	1	2.71	0.073	0.01	0.1	<0.01	6.0	<0.1	<0.05	8	<0.5
830661	Drill Core	0.023	3	9	0.43	45	0.087	<1	0.70	0.108	0.04	0.1	<0.01	1.3	<0.1	0.12	3	<0.5
830662	Drill Core	0.034	3	11	0.58	82	0.096	<1	0.83	0.076	0.06	0.2	<0.01	1.5	<0.1	0.15	3	<0.5
830663	Drill Core	0.032	4	13	0.53	73	0.106	<1	0.83	0.112	0.08	0.2	<0.01	1.7	<0.1	0.21	3	0.7
830664	Drill Core	0.026	3	14	0.39	49	0.068	<1	0.74	0.113	0.08	0.1	<0.01	1.1	<0.1	0.15	3	<0.5
830665	Drill Core	0.029	4	13	0.57	67	0.110	<1	0.86	0.103	0.10	0.1	<0.01	2.2	<0.1	0.15	3	<0.5
830666	Drill Core	0.018	3	11	0.30	59	0.057	<1	0.57	0.110	0.08	0.2	<0.01	1.0	<0.1	0.17	2	0.7
830667	Drill Core	0.038	4	12	0.59	94	0.126	<1	1.09	0.112	0.09	0.2	<0.01	2.2	<0.1	0.08	4	<0.5
830668	Drill Core	0.047	4	17	0.87	68	0.130	<1	1.26	0.101	0.10	0.2	<0.01	3.3	<0.1	0.10	5	<0.5
830669	Drill Core	0.045	3	10	0.56	115	0.076	<1	0.98	0.091	0.10	0.2	<0.01	1.5	<0.1	0.13	3	<0.5
830670	Drill Core	0.026	3	12	0.39	77	0.072	<1	0.73	0.102	0.08	0.1	<0.01	1.0	<0.1	0.12	3	<0.5
830671	Drill Core	0.059	4	11	1.21	42	0.142	2	2.06	0.142	0.06	0.1	<0.01	3.0	<0.1	<0.05	5	<0.5
830672	Drill Core	0.059	4	12	1.16	47	0.110	2	1.96	0.159	0.08	0.1	<0.01	3.0	<0.1	<0.05	6	<0.5
830673	Rock Pulp	0.114	10	10	0.21	17	0.031	43	0.98	0.067	0.04	0.6	<0.01	1.2	<0.1	1.10	3	13.2
830674	Drill Core	0.035	3	11	0.38	105	0.068	2	0.86	0.113	0.12	0.2	<0.01	1.3	<0.1	0.20	3	<0.5
830675	Drill Core	0.026	3	9	0.40	220	0.070	<1	0.75	0.087	0.10	0.1	<0.01	1.2	<0.1	0.21	3	0.9
830676	Drill Core	0.047	4	18	0.88	113	0.156	<1	1.32	0.103	0.09	0.2	<0.01	2.8	<0.1	0.15	5	<0.5
830677	Drill Core	0.040	4	16	0.73	87	0.136	<1	1.02	0.093	0.06	0.1	<0.01	2.6	<0.1	0.05	4	<0.5
830678	Drill Core	0.026	4	13	0.51	71	0.090	<1	0.79	0.100	0.09	<0.1	<0.01	1.9	<0.1	0.11	3	<0.5
830679	Drill Core	0.024	4	12	0.43	66	0.089	<1	0.75	0.098	0.08	0.1	<0.01	1.6	<0.1	0.14	3	0.5
830680	Drill Core	0.030	4	13	0.42	86	0.093	<1	0.92	0.132	0.07	0.2	<0.01	1.5	<0.1	0.08	3	<0.5
830681	Drill Core	0.023	2	13	0.31	127	0.054	<1	0.83	0.070	0.10	0.1	0.01	1.0	<0.1	0.15	3	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 18, 2008

Page:

4 of 4

Part 2

## CERTIFICATE OF ANALYSIS

VAN08006378.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830682	Drill Core	0.027	3	11	0.38	101	0.047	2	1.06	0.096	0.14	0.2	<0.01	1.1	<0.1	0.08	3	<0.5
830683	Drill Core	0.022	4	12	0.41	74	0.058	<1	1.10	0.115	0.11	0.1	<0.01	1.4	<0.1	0.15	4	0.6
830684	Drill Core	0.026	2	11	0.46	63	0.068	<1	0.99	0.098	0.08	0.1	<0.01	1.4	<0.1	0.16	3	0.7
830685	Drill Core	0.040	3	43	1.33	60	0.122	<1	1.70	0.098	0.06	0.2	<0.01	3.3	<0.1	0.15	5	<0.5
830686	Drill Core	0.043	3	31	1.01	73	0.128	<1	1.46	0.074	0.08	0.2	<0.01	3.1	<0.1	0.11	5	<0.5
830687	Drill Core	0.053	3	151	3.72	41	0.193	<1	3.24	0.054	0.02	0.1	0.01	6.6	<0.1	0.06	8	<0.5
830688	Drill Core	0.053	2	192	3.83	18	0.139	1	2.88	0.033	<0.01	0.2	<0.01	5.2	<0.1	<0.05	6	<0.5
830689	Drill Core	0.021	2	7	0.23	33	0.021	2	0.60	0.074	0.07	<0.1	<0.01	0.6	<0.1	0.08	2	<0.5
830690	Drill Core	0.018	2	5	0.21	69	0.028	2	0.48	0.067	0.05	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
830691	Drill Core	0.017	2	6	0.21	205	0.030	1	0.66	0.088	0.10	<0.1	<0.01	0.9	<0.1	<0.05	3	<0.5
830692	Drill Core	0.045	3	17	0.78	97	0.135	1	1.14	0.064	0.08	0.1	<0.01	1.6	<0.1	0.07	4	0.6
830693	Drill Core	0.107	4	6	1.45	23	0.158	1	1.95	0.073	0.04	0.1	<0.01	2.8	<0.1	0.13	7	0.7
830694	Drill Core	0.046	2	9	0.76	53	0.121	1	1.07	0.063	0.03	0.2	<0.01	1.4	<0.1	0.22	4	0.7
830695	Drill Core	0.031	3	11	0.66	90	0.089	<1	0.96	0.088	0.05	<0.1	<0.01	1.6	<0.1	0.23	3	<0.5
830696	Drill Core	0.069	3	30	2.10	33	0.174	2	2.71	0.115	0.03	0.2	<0.01	2.7	<0.1	0.07	6	<0.5
830697	Drill Core	0.075	4	19	1.96	29	0.162	2	2.24	0.065	0.05	0.2	<0.01	3.2	<0.1	<0.05	6	<0.5





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

2 of 5


Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830698	Drill Core	5.32	4.5	1709	1.6	53	0.9	7.5	9.0	290	1.41	1.3	0.3	3.5	0.7	39	0.2	0.1	<0.1	26	0.59
830699	Drill Core	5.38	16.2	1588	3.6	92	0.9	10.6	12.4	440	2.25	1.1	0.2	1.9	0.6	46	0.4	0.1	<0.1	40	0.57
830700	Drill Core	6.36	9.7	1845	1.4	55	0.9	5.4	6.4	236	1.27	<0.5	0.1	2.1	0.5	30	0.5	<0.1	<0.1	15	0.42
830701	Drill Core	5.75	3.2	496.0	5.7	104	0.3	14.4	21.1	698	3.07	0.7	<0.1	1.9	0.2	61	0.1	0.1	<0.1	69	0.98
830702	Drill Core	5.76	12.0	813.8	1.8	116	0.4	18.7	21.8	769	3.32	1.1	0.1	0.9	0.3	59	0.2	<0.1	<0.1	60	0.79
830703	Rock Pulp		11.6	77.4	11.2	75	0.4	28.4	152.7	630	3.43	5993	2.1	327.4	1.4	87	0.3	10.7	16.1	26	5.71
830704	Drill Core	5.39	5.9	948.6	3.7	71	0.5	15.0	14.5	480	2.31	1.4	0.1	0.6	0.5	72	0.1	0.1	<0.1	51	0.86
830705	Drill Core	3.43	2.5	387.1	1.3	117	0.2	15.5	23.0	702	3.20	1.4	0.1	0.9	0.2	57	<0.1	0.1	<0.1	66	0.86
830706	Drill Core	5.09	40.2	1454	1.6	310	0.8	10.8	9.8	372	1.85	0.5	0.2	3.4	0.7	45	5.4	<0.1	<0.1	27	0.61
830707	Drill Core	5.37	11.8	1302	2.6	78	0.7	7.7	9.6	366	1.79	0.8	0.3	3.2	0.9	54	0.4	0.2	<0.1	28	0.69
830708	Drill Core	5.30	7.7	450.7	2.6	118	0.2	6.4	14.2	596	2.69	0.6	<0.1	7.4	0.3	57	0.2	0.3	<0.1	34	1.06
830709	Drill Core	3.15	0.5	106.1	2.5	20	<0.1	1.4	2.0	269	0.79	0.6	<0.1	<0.5	0.6	38	0.1	0.3	<0.1	<2	2.44
830710	Drill Core	6.26	0.2	26.7	3.5	82	<0.1	5.9	18.0	1088	4.37	0.8	<0.1	3.1	0.2	86	0.2	0.1	<0.1	80	5.55
830711	Drill Core	5.51	0.3	16.0	1.8	22	<0.1	1.2	2.4	184	1.00	<0.5	<0.1	0.9	0.5	35	<0.1	0.2	<0.1	5	1.29
830712	Drill Core	5.22	0.8	23.1	1.1	25	<0.1	0.8	2.2	186	0.87	0.6	<0.1	0.9	0.4	44	<0.1	<0.1	<0.1	7	0.54
830713	Drill Core	4.84	0.8	15.1	1.1	18	<0.1	1.3	1.9	164	0.86	<0.5	<0.1	1.1	0.5	30	<0.1	<0.1	<0.1	7	0.65
830714	Drill Core	5.47	0.5	14.6	1.8	21	<0.1	0.8	1.7	201	0.86	<0.5	<0.1	0.9	0.5	36	<0.1	0.2	<0.1	3	1.37
830715	Drill Core	4.72	0.7	4.1	2.0	20	<0.1	1.3	1.8	216	0.88	<0.5	<0.1	<0.5	0.6	32	<0.1	<0.1	<0.1	3	1.36
830716	Drill Core	5.78	2.3	57.2	1.3	17	<0.1	0.9	1.7	202	0.86	<0.5	<0.1	2.4	0.6	31	<0.1	<0.1	<0.1	2	0.89
830717	Drill Core	5.44	1.9	136.3	1.2	17	<0.1	1.8	1.6	148	0.75	<0.5	<0.1	1.6	0.6	39	<0.1	<0.1	<0.1	<2	0.75
830718	Drill Core	5.60	1.7	46.0	1.4	18	<0.1	0.8	1.6	196	0.91	<0.5	<0.1	1.2	0.6	72	<0.1	<0.1	<0.1	5	1.38
830719	Drill Core	5.13	1.2	45.3	1.2	19	<0.1	1.5	2.6	189	1.05	0.8	<0.1	2.0	0.6	102	<0.1	<0.1	<0.1	9	0.91
830720	Drill Core	5.23	1.6	128.6	1.4	23	<0.1	1.5	2.8	199	1.33	<0.5	<0.1	1.1	0.5	48	<0.1	<0.1	<0.1	15	1.24
830721	Drill Core	3.39	1.5	75.8	1.5	25	<0.1	2.3	3.4	235	1.22	<0.5	<0.1	1.3	0.5	50	<0.1	<0.1	<0.1	15	1.05
830722	Drill Core	5.94	0.6	44.7	1.1	90	<0.1	2.1	19.4	1031	4.48	0.9	<0.1	0.7	0.2	147	0.2	<0.1	<0.1	78	2.20
830723	Drill Core	5.48	0.9	10.7	2.6	41	<0.1	0.7	4.6	741	1.68	<0.5	0.2	0.7	0.5	94	<0.1	<0.1	<0.1	8	2.50
830724	Drill Core	4.74	2.3	1473	2.2	31	8.2	1.6	3.3	209	0.97	<0.5	<0.1	286.1	0.6	54	0.2	0.1	0.2	5	0.94
830725	Drill Core	5.49	1.4	52.2	1.9	93	0.1	14.0	15.6	801	2.86	0.7	0.3	1.9	0.5	71	<0.1	0.2	<0.1	63	1.51
830726	Drill Core	3.90	1.8	70.2	2.1	66	<0.1	18.2	20.3	1018	4.34	1.5	0.3	1.9	0.8	141	<0.1	0.2	<0.1	110	3.96
830727	Drill Core	5.29	2.2	162.6	1.8	17	0.5	1.1	2.2	160	0.98	0.5	0.1	50.3	0.6	35	<0.1	<0.1	0.3	<2	0.90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:


3 of 5

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
830728	Drill Core	5.63	2.1	63.8	1.4	17	<0.1	1.1	2.0	184	0.89	<0.5	0.1	2.6	0.6	30	<0.1	<0.1	<0.1	2	1.41
830729	Drill Core	6.52	2.7	98.4	1.5	15	<0.1	0.7	1.5	169	0.85	<0.5	<0.1	1.8	0.6	28	<0.1	<0.1	<0.1	<2	1.45
830730	Drill Core	5.49	2.0	115.9	1.6	15	0.2	0.7	1.7	190	0.83	<0.5	<0.1	6.0	0.5	38	<0.1	<0.1	<0.1	<2	1.43
830731	Drill Core	5.65	0.4	16.1	4.1	45	<0.1	5.2	8.3	523	1.95	0.8	0.3	0.9	0.5	63	<0.1	0.3	<0.1	18	1.98
830732	Drill Core	4.62	0.9	29.8	2.3	43	<0.1	5.7	7.9	486	1.76	0.9	0.2	<0.5	0.5	61	<0.1	0.3	<0.1	15	1.88
830733	Rock Pulp		21.0	>10000	9.2	80	2.4	717.5	23.3	1004	10.21	11.6	0.1	861.2	0.8	58	0.3	5.2	0.7	43	1.59
830734	Drill Core	3.65	2.7	119.5	1.6	15	0.2	1.9	2.6	135	0.73	3.3	<0.1	12.1	0.5	34	<0.1	0.2	<0.1	6	0.82
830735	Drill Core	6.00	1.3	44.6	1.9	58	<0.1	12.3	17.9	654	2.64	2.0	0.2	1.1	0.5	75	<0.1	0.2	<0.1	59	1.39
830736	Drill Core	5.31	1.1	63.0	3.4	70	<0.1	11.4	14.8	590	2.72	1.2	0.2	<0.5	0.6	67	0.1	0.5	<0.1	56	1.90
830737	Drill Core	5.56	4.3	69.2	3.6	64	<0.1	8.1	12.2	570	2.35	0.6	0.2	<0.5	0.6	61	0.1	0.2	<0.1	30	2.06
830738	Drill Core	6.58	62.7	242.5	6.1	54	0.2	2.2	5.6	419	1.58	<0.5	0.6	0.6	0.4	63	1.9	<0.1	<0.1	8	3.65
830739	Drill Core	5.52	22.2	200.7	4.1	60	0.3	2.0	5.2	372	1.62	<0.5	0.2	<0.5	0.4	56	1.0	<0.1	<0.1	11	3.20
830740	Drill Core	5.65	132.3	277.2	4.8	59	0.3	2.7	5.2	449	1.59	<0.5	0.3	<0.5	0.5	65	1.2	<0.1	<0.1	11	3.60
830741	Drill Core	5.76	39.7	283.0	4.1	56	0.3	1.6	4.2	381	1.40	<0.5	0.3	0.6	0.4	65	1.0	<0.1	<0.1	11	3.42
830742	Drill Core	5.39	3.4	161.8	4.0	70	0.2	2.5	4.4	446	1.57	<0.5	0.2	<0.5	0.4	65	0.8	0.1	<0.1	15	2.53
830743	Drill Core	5.59	11.5	121.4	2.4	69	0.1	2.3	5.0	416	1.64	<0.5	0.3	<0.5	0.4	65	0.5	0.2	<0.1	20	1.43
830744	Drill Core	5.59	34.9	73.6	2.5	56	0.1	2.3	4.7	453	1.67	<0.5	0.2	<0.5	0.4	67	0.2	0.1	<0.1	18	1.94
830745	Drill Core	5.44	2.7	85.2	1.7	64	<0.1	2.1	5.1	310	1.39	0.6	0.2	<0.5	0.4	59	0.1	0.2	<0.1	14	0.87
830746	Drill Core	4.27	10.5	75.7	1.6	66	<0.1	3.4	4.8	288	1.31	<0.5	0.2	<0.5	0.4	64	0.1	0.2	<0.1	14	0.69
830747	Drill Core	5.39	2.8	101.7	4.4	132	0.1	5.9	12.7	639	2.69	1.5	0.2	<0.5	0.4	60	0.1	0.2	<0.1	53	0.82
830748	Drill Core	2.42	7.3	70.6	2.9	114	<0.1	5.7	11.6	566	2.29	0.9	0.2	0.6	0.4	79	0.1	0.2	<0.1	46	0.94
830749	Drill Core	4.04	1.1	90.2	1.7	264	0.1	1.4	4.6	314	1.22	0.6	0.2	1.4	0.5	42	1.9	0.1	<0.1	8	0.67
830750	Drill Core	5.58	0.8	108.2	2.2	157	0.1	2.2	2.0	375	1.17	0.8	0.2	0.8	0.3	45	0.9	0.1	<0.1	11	0.84
830751	Drill Core	5.40	4.6	83.6	2.3	101	0.1	1.4	3.4	308	1.37	0.6	0.2	1.2	0.3	76	0.5	<0.1	<0.1	8	0.87
830752	Drill Core	5.43	0.7	107.8	2.3	159	0.1	2.6	2.6	265	1.41	<0.5	0.5	1.0	0.4	68	1.4	0.1	<0.1	8	0.85
830753	Drill Core	5.12	1.2	127.0	1.8	135	0.2	1.7	3.5	295	1.38	<0.5	0.6	1.4	0.4	57	0.8	0.1	<0.1	11	0.71
830754	Drill Core	5.50	0.6	112.9	1.8	275	0.1	2.7	2.2	342	1.30	0.7	0.4	1.4	0.4	42	1.8	0.1	<0.1	15	0.76
830755	Drill Core	5.07	0.6	63.7	2.0	156	<0.1	1.9	2.5	359	1.49	1.8	0.4	<0.5	0.4	36	0.8	0.1	<0.1	18	0.88
830756	Drill Core	3.99	0.9	70.7	1.7	94	<0.1	2.9	2.5	323	1.39	1.8	0.3	0.6	0.3	42	0.4	0.1	<0.1	16	0.88
830757	Drill Core	4.45	1.2	52.5	4.0	92	<0.1	69.8	26.8	1212	4.46	3.4	0.1	<0.5	0.2	137	<0.1	0.5	<0.1	139	3.95



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

4 of 5

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	Analyte	WGHT	1DX15																		
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830758	Drill Core	4.42	1.2	62.6	4.3	360	0.1	68.2	22.7	1457	4.07	7.3	0.2	2.4	0.2	58	1.0	0.1	<0.1	75	3.74
830759	Drill Core	5.74	2.6	97.0	2.3	146	0.1	4.1	4.6	358	1.41	1.8	0.1	1.4	0.4	45	0.8	0.1	<0.1	11	1.79
830760	Drill Core	5.24	0.5	93.1	2.2	173	0.1	2.7	5.3	367	1.42	1.1	0.2	0.7	0.4	37	1.0	<0.1	<0.1	16	1.47
830761	Drill Core	5.26	9.9	159.0	2.4	151	0.1	3.1	4.5	272	1.40	0.7	0.2	<0.5	0.4	28	0.9	0.1	<0.1	13	1.08
830762	Drill Core	5.35	0.7	76.9	1.7	142	<0.1	1.9	4.2	288	1.26	0.9	0.2	<0.5	0.4	67	0.8	0.1	<0.1	16	1.95
830763	Rock Pulp		24.0	>10000	10.3	90	2.7	753.5	25.9	1108	11.42	13.4	0.1	973.9	1.0	64	0.3	5.8	0.8	52	1.73
830764	Drill Core	5.33	2.0	93.9	1.5	132	<0.1	3.3	8.8	485	2.30	3.3	0.3	<0.5	0.4	58	0.6	0.2	<0.1	44	1.39
830765	Drill Core	4.74	1.7	291.1	3.5	205	0.2	5.2	6.7	329	1.71	1.6	0.3	0.8	0.5	46	1.2	0.1	<0.1	19	0.99
830766	Drill Core	3.77	0.6	192.8	1.7	142	0.2	2.3	4.6	286	1.23	1.3	0.2	0.6	0.4	64	0.7	0.2	<0.1	18	0.95
830767	Drill Core	5.34	64.5	416.5	7.4	103	0.4	1.8	5.9	66	1.24	1.7	<0.1	1.5	0.5	303	0.9	0.1	<0.1	5	0.55
830768	Drill Core	5.20	21.2	201.2	5.6	16	0.1	1.6	2.7	77	0.71	1.3	0.1	0.9	0.6	64	<0.1	<0.1	<0.1	5	0.35
830769	Drill Core	5.48	35.8	422.9	5.9	51	0.2	1.9	7.2	185	1.58	6.5	0.1	0.9	0.7	31	0.3	0.1	<0.1	10	0.54
830770	Drill Core	4.18	33.6	262.8	4.0	73	0.3	1.3	8.1	59	1.75	3.0	<0.1	2.1	0.5	66	0.9	0.1	<0.1	<2	0.45
830771	Drill Core	5.53	2.9	195.6	2.7	116	0.3	6.5	16.8	1018	4.49	6.9	0.4	1.3	0.9	68	<0.1	0.2	<0.1	55	3.00
830772	Drill Core	5.93	0.5	74.0	2.3	103	<0.1	5.3	17.3	1003	4.69	4.3	0.4	<0.5	0.7	90	<0.1	0.2	<0.1	51	3.33
830773	Drill Core	3.52	37.2	71.9	2.1	42	<0.1	0.5	3.1	69	0.89	2.5	<0.1	<0.5	0.5	166	0.4	<0.1	<0.1	2	0.75
830774	Drill Core	4.54	4.3	88.6	1.7	119	0.1	11.2	17.1	841	3.79	6.3	<0.1	1.5	0.2	115	<0.1	0.1	<0.1	57	3.37
830775	Drill Core	5.81	160.3	61.5	2.0	26	<0.1	0.5	2.7	42	0.77	<0.5	<0.1	0.8	0.5	213	0.3	<0.1	<0.1	<2	0.39
830776	Drill Core	5.42	58.1	48.8	4.1	31	<0.1	1.0	2.6	44	0.75	0.8	<0.1	<0.5	0.5	69	0.4	<0.1	<0.1	3	0.28
830777	Drill Core	4.86	110.7	111.0	5.2	76	0.1	0.6	3.5	31	1.35	0.9	<0.1	<0.5	0.5	49	0.9	<0.1	<0.1	<2	0.23
830778	Drill Core	4.93	81.8	382.8	7.9	51	0.3	1.2	5.6	86	1.16	1.5	0.1	<0.5	0.4	169	0.6	<0.1	<0.1	5	0.80
830779	Drill Core	4.63	162.0	262.7	5.5	29	0.2	0.8	5.5	42	0.95	1.3	<0.1	0.9	0.5	57	0.3	<0.1	<0.1	3	0.45
830780	Drill Core	4.82	103.8	234.0	6.6	46	0.2	1.2	51.4	23	2.31	1.2	0.1	<0.5	0.5	137	0.5	<0.1	<0.1	<2	0.42
830781	Drill Core	5.50	73.7	298.7	3.5	45	0.2	12.6	19.6	381	2.39	1.5	0.1	<0.5	0.5	228	0.2	0.3	<0.1	34	1.89
830782	Drill Core	5.92	59.4	431.2	4.7	58	0.3	20.4	14.9	475	2.49	2.7	<0.1	<0.5	0.4	82	0.2	0.4	<0.1	54	2.16
830783	Drill Core	5.35	95.8	234.4	3.1	132	0.2	15.9	12.2	532	2.63	5.8	0.2	0.7	0.4	147	0.5	0.1	<0.1	38	2.67
830784	Drill Core	5.30	61.5	339.6	2.0	6	0.3	1.3	3.0	71	1.11	1.0	<0.1	1.3	0.5	195	<0.1	<0.1	<0.1	<2	1.13
830785	Drill Core	5.17	88.1	637.9	3.1	29	0.4	0.7	3.9	51	0.85	1.1	<0.1	1.3	0.6	153	0.5	<0.1	<0.1	3	0.78
830786	Drill Core	5.27	22.6	359.9	2.0	8	0.3	1.1	2.1	68	0.67	0.8	0.9	<0.5	0.5	82	0.1	<0.1	<0.1	<2	0.83
830787	Drill Core	5.57	70.0	479.3	2.6	38	0.3	1.1	13.0	94	2.25	1.9	0.3	2.0	0.4	54	0.4	<0.1	<0.1	6	0.64

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:


5 of 5

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

	Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830788	Drill Core	2.41	108.0	665.1	2.5	11	0.4	1.5	8.5	41	1.84	2.1	<0.1	1.6	0.4	27	0.2	<0.1	<0.1	3	0.69
830789	Drill Core	6.78	1.9	146.1	2.1	76	0.1	7.9	20.5	1013	4.85	3.0	0.1	<0.5	0.4	143	0.1	0.1	<0.1	109	3.85
830790	Drill Core	5.52	2.1	60.9	1.7	97	<0.1	8.3	20.9	948	4.58	6.2	0.2	1.0	0.3	91	<0.1	0.2	<0.1	107	3.69
830791	Drill Core	5.04	171.8	539.3	4.3	29	0.3	0.7	1.9	41	1.02	3.9	0.1	1.5	0.4	20	0.3	<0.1	0.1	3	0.26
830792	Drill Core	5.26	3.5	2823	5.5	5068	2.8	1.1	1.0	47	1.94	2.4	1.1	11.0	0.3	34	39.9	0.1	2.1	3	0.31
830793	Rock Pulp		32.2	>10000	9.2	88	2.7	1303	33.1	1116	11.52	14.1	0.1	882.2	0.9	59	0.3	5.7	0.7	57	1.68
830794	Drill Core	5.41	2.2	129.8	1.8	132	0.1	8.8	14.1	711	2.98	2.7	0.1	1.3	0.3	69	0.2	<0.1	<0.1	60	2.16
830795	Drill Core	5.47	6.3	50.6	2.5	241	<0.1	59.3	22.0	1285	4.16	1.3	0.1	<0.5	0.3	123	<0.1	<0.1	<0.1	83	3.77
830796	Drill Core	5.37	9.1	141.7	2.1	209	<0.1	80.8	20.4	1084	3.23	0.7	<0.1	<0.5	0.2	184	<0.1	<0.1	<0.1	67	3.36
830797	Drill Core	5.09	35.4	300.5	30.4	59	0.2	2.2	2.3	120	0.82	0.6	0.1	<0.5	0.3	41	0.6	<0.1	<0.1	5	0.32
830798	Drill Core	4.98	91.4	393.5	4.8	31	0.3	1.6	2.4	137	0.81	0.7	0.2	<0.5	0.3	50	0.1	<0.1	<0.1	6	0.42
830799	Drill Core	5.65	38.8	456.7	6.1	83	0.3	8.3	5.3	380	1.33	<0.5	0.4	<0.5	0.4	72	0.2	<0.1	<0.1	14	0.87
830800	Drill Core	5.33	43.4	339.2	1.8	39	0.2	1.9	3.1	163	1.10	7.1	0.5	0.8	0.9	54	0.1	<0.1	<0.1	7	0.34



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

2 of 5

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
830698	Drill Core	0.049	3	16	0.95	26	0.119	<1	1.26	0.068	0.03	0.2	<0.01	2.3	<0.1	0.10	4	<0.5
830699	Drill Core	0.062	3	19	1.29	67	0.130	<1	1.67	0.077	0.06	0.2	<0.01	2.8	<0.1	0.29	5	<0.5
830700	Drill Core	0.040	2	10	0.65	25	0.086	<1	1.11	0.069	0.06	0.1	<0.01	1.4	<0.1	0.21	3	<0.5
830701	Drill Core	0.065	2	11	2.29	27	0.178	1	2.62	0.045	0.04	0.2	<0.01	4.2	<0.1	0.05	6	<0.5
830702	Drill Core	0.079	2	20	2.46	33	0.153	<1	2.61	0.051	0.03	0.2	<0.01	3.6	<0.1	0.14	7	<0.5
830703	Rock Pulp	0.116	10	10	0.22	17	0.034	47	0.94	0.063	0.04	0.7	<0.01	1.3	<0.1	1.13	3	12.1
830704	Drill Core	0.054	2	20	1.66	50	0.142	<1	2.02	0.052	0.03	0.5	<0.01	2.7	<0.1	0.08	5	<0.5
830705	Drill Core	0.073	2	13	2.50	20	0.172	<1	2.66	0.043	0.02	0.1	<0.01	3.8	<0.1	<0.05	7	<0.5
830706	Drill Core	0.051	2	17	1.07	29	0.131	<1	1.51	0.058	0.08	0.2	<0.01	2.5	<0.1	0.18	5	<0.5
830707	Drill Core	0.049	2	13	1.06	35	0.130	<1	1.44	0.035	0.10	0.3	0.01	2.4	<0.1	0.22	5	<0.5
830708	Drill Core	0.071	3	6	1.51	260	0.063	1	2.36	0.042	0.12	0.1	<0.01	2.7	<0.1	<0.05	6	<0.5
830709	Drill Core	0.015	5	4	0.13	228	0.001	<1	0.54	0.033	0.10	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
830710	Drill Core	0.095	8	2	1.67	172	0.003	1	2.76	0.027	0.10	<0.1	<0.01	5.9	<0.1	<0.05	8	<0.5
830711	Drill Core	0.012	4	4	0.30	347	0.005	<1	0.74	0.054	0.07	<0.1	<0.01	0.7	<0.1	<0.05	3	<0.5
830712	Drill Core	0.010	3	5	0.25	248	0.038	<1	0.66	0.068	0.05	<0.1	<0.01	0.7	<0.1	<0.05	2	<0.5
830713	Drill Core	0.007	3	4	0.22	165	0.033	<1	0.59	0.064	0.06	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
830714	Drill Core	0.020	4	6	0.19	326	0.004	<1	0.60	0.054	0.07	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
830715	Drill Core	0.017	4	5	0.21	276	0.003	<1	0.60	0.054	0.06	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
830716	Drill Core	0.016	3	6	0.21	237	0.019	<1	0.63	0.057	0.10	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
830717	Drill Core	0.010	2	6	0.18	154	0.031	<1	0.68	0.083	0.08	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
830718	Drill Core	0.010	2	6	0.21	277	0.017	<1	0.80	0.067	0.07	<0.1	<0.01	0.7	<0.1	<0.05	2	<0.5
830719	Drill Core	0.007	2	6	0.28	171	0.040	<1	0.79	0.079	0.05	<0.1	<0.01	1.2	<0.1	<0.05	3	<0.5
830720	Drill Core	0.017	3	7	0.32	99	0.047	<1	0.84	0.075	0.06	<0.1	0.01	1.3	<0.1	<0.05	3	<0.5
830721	Drill Core	0.014	2	7	0.39	100	0.046	<1	0.88	0.076	0.05	<0.1	<0.01	1.3	<0.1	<0.05	3	<0.5
830722	Drill Core	0.137	4	2	1.92	52	0.077	<1	3.37	0.174	0.04	<0.1	<0.01	2.6	<0.1	<0.05	10	<0.5
830723	Drill Core	0.062	7	2	0.59	366	0.009	2	1.69	0.067	0.21	<0.1	<0.01	1.5	<0.1	<0.05	4	<0.5
830724	Drill Core	0.019	3	4	0.24	351	0.023	1	0.83	0.068	0.10	<0.1	0.01	0.7	<0.1	0.34	2	<0.5
830725	Drill Core	0.078	5	23	1.86	217	0.167	1	2.34	0.064	0.06	0.1	<0.01	6.5	<0.1	<0.05	7	<0.5
830726	Drill Core	0.084	6	32	2.40	118	0.194	2	3.63	0.162	0.08	0.1	<0.01	8.2	<0.1	<0.05	9	<0.5
830727	Drill Core	0.009	3	5	0.24	214	0.025	<1	0.87	0.077	0.08	<0.1	0.10	0.9	<0.1	0.08	3	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

3 of 5

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
830728	Drill Core	0.009	5	3	0.22	270	0.002	<1	0.67	0.054	0.08	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
830729	Drill Core	0.007	5	6	0.18	177	<0.001	<1	0.59	0.056	0.09	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
830730	Drill Core	0.006	5	5	0.18	470	<0.001	<1	0.53	0.053	0.08	<0.1	<0.01	0.5	<0.1	0.10	2	<0.5
830731	Drill Core	0.061	8	4	0.83	326	0.006	2	1.51	0.057	0.17	<0.1	<0.01	1.7	<0.1	<0.05	4	<0.5
830732	Drill Core	0.060	5	4	0.79	356	0.060	2	1.65	0.075	0.22	0.2	<0.01	1.4	<0.1	<0.05	4	<0.5
830733	Rock Pulp	0.059	3	847	0.76	31	0.003	7	0.75	0.030	0.38	2.0	0.94	3.5	0.1	3.00	3	17.8
830734	Drill Core	0.007	2	4	0.23	88	0.035	60	0.78	0.099	0.08	0.1	<0.01	0.5	<0.1	0.16	2	<0.5
830735	Drill Core	0.060	5	23	2.03	341	0.157	1	2.32	0.068	0.07	0.1	<0.01	3.5	<0.1	0.07	5	<0.5
830736	Drill Core	0.056	6	18	1.70	119	0.062	2	2.39	0.060	0.12	0.2	<0.01	3.9	<0.1	<0.05	5	<0.5
830737	Drill Core	0.057	5	10	1.27	227	0.034	1	1.98	0.051	0.16	0.2	<0.01	2.6	<0.1	0.07	5	<0.5
830738	Drill Core	0.051	6	3	0.18	135	<0.001	1	0.85	0.037	0.18	<0.1	<0.01	1.3	<0.1	0.71	2	<0.5
830739	Drill Core	0.054	7	4	0.21	236	<0.001	2	0.95	0.050	0.18	<0.1	<0.01	1.3	<0.1	0.49	3	<0.5
830740	Drill Core	0.051	7	4	0.23	172	<0.001	1	0.93	0.049	0.17	<0.1	0.01	1.4	<0.1	0.56	3	<0.5
830741	Drill Core	0.048	7	4	0.29	405	<0.001	<1	1.23	0.059	0.14	<0.1	0.01	1.1	<0.1	0.32	3	<0.5
830742	Drill Core	0.048	6	5	0.47	389	0.002	1	1.10	0.055	0.14	<0.1	<0.01	1.2	<0.1	0.32	4	<0.5
830743	Drill Core	0.050	5	7	0.51	233	0.030	2	0.98	0.072	0.15	<0.1	0.02	1.2	<0.1	0.56	4	<0.5
830744	Drill Core	0.045	5	6	0.47	178	0.023	3	0.97	0.062	0.17	<0.1	<0.01	1.1	<0.1	0.61	4	0.6
830745	Drill Core	0.047	3	8	0.47	208	0.061	1	1.06	0.089	0.14	0.1	<0.01	0.9	<0.1	0.49	3	<0.5
830746	Drill Core	0.049	2	6	0.50	288	0.074	2	1.30	0.093	0.14	0.1	<0.01	1.0	<0.1	0.29	4	<0.5
830747	Drill Core	0.057	3	9	1.43	68	0.121	2	2.15	0.083	0.10	0.2	<0.01	4.1	<0.1	<0.05	7	<0.5
830748	Drill Core	0.054	3	8	1.19	51	0.112	2	1.91	0.086	0.06	0.2	<0.01	2.7	<0.1	0.07	5	<0.5
830749	Drill Core	0.026	2	6	0.23	113	0.033	1	0.56	0.066	0.13	0.2	<0.01	0.4	<0.1	0.76	2	<0.5
830750	Drill Core	0.031	2	7	0.29	232	0.044	<1	0.95	0.085	0.13	0.1	<0.01	0.8	<0.1	0.53	3	<0.5
830751	Drill Core	0.031	2	6	0.25	134	0.015	<1	0.62	0.059	0.14	0.1	<0.01	0.5	<0.1	1.02	2	<0.5
830752	Drill Core	0.031	2	6	0.25	123	0.021	1	0.69	0.076	0.14	0.3	<0.01	0.6	<0.1	1.15	2	<0.5
830753	Drill Core	0.030	3	8	0.29	144	0.045	1	0.85	0.091	0.11	0.3	<0.01	0.8	<0.1	0.94	3	<0.5
830754	Drill Core	0.034	3	7	0.33	127	0.056	<1	1.03	0.107	0.12	0.1	0.01	1.4	<0.1	0.63	3	<0.5
830755	Drill Core	0.034	3	8	0.35	77	0.060	1	0.99	0.097	0.12	0.1	<0.01	1.1	<0.1	0.50	4	<0.5
830756	Drill Core	0.031	3	6	0.35	95	0.055	1	1.04	0.089	0.12	<0.1	<0.01	1.0	<0.1	0.49	3	<0.5
830757	Drill Core	0.064	3	115	3.57	170	0.179	1	4.58	0.191	0.06	0.1	<0.01	12.3	<0.1	<0.05	11	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

4 of 5

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830758	Drill Core	0.060	3	60	2.97	84	0.106	2	3.41	0.046	0.20	0.2	0.03	6.2	<0.1	0.32	9	<0.5
830759	Drill Core	0.040	2	6	0.38	120	0.059	1	1.14	0.059	0.19	0.2	0.03	1.1	<0.1	0.84	3	<0.5
830760	Drill Core	0.039	3	7	0.43	86	0.068	1	1.25	0.067	0.19	0.2	0.03	1.5	<0.1	0.50	4	<0.5
830761	Drill Core	0.043	3	5	0.37	52	0.061	1	1.27	0.081	0.18	0.1	0.01	1.2	<0.1	0.84	3	<0.5
830762	Drill Core	0.043	3	6	0.38	70	0.087	1	1.67	0.057	0.11	0.2	0.03	0.9	<0.1	0.45	5	<0.5
830763	Rock Pulp	0.061	3	939	0.83	37	0.003	9	0.92	0.033	0.48	2.1	1.04	3.9	0.1	3.25	4	20.2
830764	Drill Core	0.061	4	7	0.86	60	0.147	1	1.79	0.067	0.12	0.2	0.02	2.5	<0.1	0.38	6	<0.5
830765	Drill Core	0.049	3	9	0.55	114	0.084	1	1.55	0.106	0.17	0.3	0.04	1.5	<0.1	0.79	5	<0.5
830766	Drill Core	0.048	3	9	0.44	52	0.084	<1	1.26	0.116	0.12	0.3	0.03	1.5	<0.1	0.45	4	<0.5
830767	Drill Core	0.019	2	6	0.18	124	0.027	<1	0.81	0.100	0.12	0.3	0.05	0.5	<0.1	1.22	2	1.0
830768	Drill Core	0.018	3	6	0.17	136	0.026	<1	0.45	0.074	0.06	0.3	<0.01	0.4	<0.1	0.59	1	0.7
830769	Drill Core	0.036	3	5	0.39	72	0.046	<1	0.95	0.094	0.14	0.4	<0.01	1.4	<0.1	1.13	3	0.9
830770	Drill Core	0.016	2	10	0.13	93	0.022	<1	0.43	0.084	0.07	0.3	0.02	0.2	<0.1	1.79	1	1.2
830771	Drill Core	0.119	8	3	1.78	229	0.131	1	2.59	0.033	0.19	0.6	<0.01	3.7	<0.1	0.41	9	<0.5
830772	Drill Core	0.118	8	4	1.89	155	0.087	1	2.65	0.036	0.21	0.2	<0.01	3.8	<0.1	0.12	8	<0.5
830773	Drill Core	0.014	2	4	0.12	208	0.015	<1	0.54	0.056	0.11	0.2	<0.01	0.2	<0.1	0.80	1	0.7
830774	Drill Core	0.051	3	6	1.87	296	0.076	<1	2.49	0.064	0.19	0.3	<0.01	5.1	<0.1	0.37	6	<0.5
830775	Drill Core	0.014	2	6	0.08	186	0.010	<1	0.38	0.065	0.10	0.2	<0.01	<0.1	<0.1	0.80	<1	0.8
830776	Drill Core	0.014	3	5	0.08	196	0.013	<1	0.61	0.093	0.13	0.2	<0.01	0.5	<0.1	0.73	1	0.8
830777	Drill Core	0.014	2	5	0.04	95	0.009	<1	0.59	0.094	0.17	0.3	0.01	0.6	<0.1	1.42	1	1.7
830778	Drill Core	0.024	2	6	0.17	172	0.019	1	1.16	0.079	0.27	0.4	<0.01	0.9	<0.1	1.17	2	0.9
830779	Drill Core	0.018	2	4	0.06	107	0.015	<1	0.62	0.057	0.13	0.4	<0.01	0.2	<0.1	1.01	1	1.0
830780	Drill Core	0.017	4	4	0.01	69	0.007	<1	0.56	0.072	0.15	0.5	0.02	0.2	<0.1	2.59	<1	3.3
830781	Drill Core	0.031	3	15	1.15	179	0.053	<1	1.78	0.104	0.13	0.3	<0.01	2.7	<0.1	0.90	4	1.0
830782	Drill Core	0.036	3	21	1.68	96	0.095	<1	2.16	0.122	0.10	0.4	<0.01	4.4	<0.1	0.32	5	<0.5
830783	Drill Core	0.046	3	26	1.41	183	0.102	<1	2.02	0.043	0.11	0.6	<0.01	3.2	<0.1	0.56	6	0.6
830784	Drill Core	0.010	3	7	0.04	158	0.007	1	0.36	0.062	0.13	0.2	<0.01	<0.1	<0.1	1.24	1	1.2
830785	Drill Core	0.011	3	5	0.05	179	0.011	<1	0.30	0.047	0.12	0.3	<0.01	0.2	<0.1	0.92	<1	1.0
830786	Drill Core	0.012	3	6	0.05	267	0.013	<1	0.39	0.056	0.11	0.2	<0.01	0.2	<0.1	0.68	1	0.9
830787	Drill Core	0.018	2	11	0.15	90	0.023	<1	0.50	0.035	0.15	0.6	<0.01	0.5	<0.1	2.18	1	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 26, 2008

Page:

5 of 5

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006526.1

	Method	1DX15																
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
830788	Drill Core	0.008	2	7	0.03	60	0.005	<1	0.23	0.034	0.11	0.2	<0.01	0.1	<0.1	1.97	<1	1.7
830789	Drill Core	0.078	5	20	2.24	100	0.150	<1	3.43	0.148	0.12	0.2	<0.01	7.0	<0.1	0.19	9	<0.5
830790	Drill Core	0.073	5	20	2.24	60	0.184	1	3.05	0.067	0.10	0.3	<0.01	6.9	<0.1	0.16	9	<0.5
830791	Drill Core	0.008	1	6	0.05	72	0.007	<1	0.33	0.026	0.17	0.3	<0.01	0.3	<0.1	1.05	<1	1.0
830792	Drill Core	0.014	<1	5	0.04	74	0.008	<1	0.31	0.019	0.17	2.8	0.04	0.2	<0.1	2.12	<1	2.5
830793	Rock Pulp	0.062	3	1629	0.81	45	0.004	8	0.97	0.034	0.47	3.5	1.02	4.0	0.1	3.34	4	19.1
830794	Drill Core	0.050	3	17	1.62	62	0.118	<1	2.15	0.065	0.12	0.5	<0.01	2.7	<0.1	0.21	6	<0.5
830795	Drill Core	0.076	3	87	2.74	117	0.125	<1	3.35	0.052	0.13	0.6	<0.01	5.5	<0.1	0.06	9	<0.5
830796	Drill Core	0.051	2	119	2.73	161	0.108	<1	2.92	0.034	0.08	0.4	<0.01	4.6	<0.1	0.07	7	0.6
830797	Drill Core	0.029	2	9	0.22	57	0.038	<1	0.58	0.068	0.09	0.2	<0.01	0.3	<0.1	0.59	2	0.8
830798	Drill Core	0.039	2	8	0.21	66	0.037	<1	0.83	0.104	0.13	0.2	<0.01	0.7	<0.1	0.56	3	<0.5
830799	Drill Core	0.033	2	14	0.51	104	0.045	<1	0.97	0.049	0.15	0.3	<0.01	0.8	<0.1	0.54	3	0.5
830800	Drill Core	0.023	3	11	0.19	88	0.038	<1	0.69	0.054	0.15	0.2	<0.01	0.4	<0.1	0.84	2	0.7





# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 28, 2008

Page:

2 of 3

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006605.1

Method	Analyte	WGHT	1DX15																			
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
830801	Drill Core	5.37	34.7	468.7	2.3	41	0.3	3.1	2.9	161	1.16	0.6	0.5	1.6	0.8	41	0.2	<0.1	<0.1	6	0.27	
830802	Drill Core	5.89	25.6	497.8	1.9	46	0.3	3.7	2.4	147	1.04	<0.5	0.2	1.8	0.6	32	0.3	<0.1	<0.1	4	0.28	
830803	Drill Core	5.79	43.2	554.7	1.3	34	0.3	5.4	3.5	130	1.02	1.0	<0.1	<0.5	0.8	25	0.2	<0.1	<0.1	5	0.26	
830804	Drill Core	5.78	71.3	250.1	2.1	30	0.3	6.6	3.5	165	1.07	0.7	<0.1	0.6	0.4	36	<0.1	<0.1	<0.1	8	0.35	
830805	Drill Core	5.48	28.2	425.5	2.1	74	0.3	1.8	1.8	109	0.95	<0.5	<0.1	0.8	0.5	26	0.5	<0.1	<0.1	3	0.31	
830806	Drill Core	6.14	23.9	393.5	1.7	28	0.2	2.1	1.8	89	0.99	0.5	<0.1	0.5	0.4	29	0.2	<0.1	<0.1	2	0.14	
830807	Drill Core	6.05	6.0	353.8	1.4	48	0.2	4.2	1.7	88	1.02	<0.5	<0.1	0.6	0.4	29	0.4	<0.1	<0.1	<2	0.17	
830808	Drill Core	5.88	25.6	378.6	1.9	20	0.3	1.6	1.7	70	0.89	<0.5	<0.1	0.9	0.4	32	0.2	<0.1	<0.1	2	0.21	
830809	Drill Core	5.84	36.7	792.4	1.7	88	0.6	2.1	1.9	71	1.08	1.1	<0.1	0.9	0.4	24	0.9	<0.1	<0.1	<2	0.19	
830810	Drill Core	6.12	30.7	467.5	1.9	66	0.2	26.3	9.7	472	2.04	1.2	0.2	2.6	0.6	52	<0.1	<0.1	<0.1	29	1.14	
830811	Drill Core	5.64	19.4	609.0	2.2	80	0.3	32.7	7.1	378	1.61	1.7	<0.1	1.6	0.7	54	0.3	<0.1	<0.1	23	1.57	
830812	Drill Core	5.35	65.8	240.2	2.2	37	0.1	69.8	16.1	605	3.06	2.4	<0.1	3.0	0.5	116	0.1	<0.1	<0.1	63	2.54	
830813	Drill Core	5.21	2.8	149.9	2.1	80	0.1	87.7	19.1	857	3.53	4.1	<0.1	4.7	0.3	279	<0.1	0.1	<0.1	79	4.02	
830814	Drill Core	5.49	35.4	291.8	2.4	50	0.2	83.3	21.3	820	3.62	4.9	<0.1	2.5	0.3	154	<0.1	0.1	<0.1	73	3.49	
830815	Drill Core	5.85	43.2	300.9	3.4	102	0.2	63.4	14.8	736	2.58	3.3	<0.1	2.9	0.4	141	0.7	<0.1	<0.1	54	2.58	
830816	Drill Core	6.32	103.1	408.8	3.7	53	0.2	54.4	16.5	696	3.02	2.3	<0.1	4.3	0.3	129	0.1	<0.1	<0.1	63	2.62	
830817	Drill Core	5.21	74.8	376.7	2.2	17	0.2	1.4	2.1	176	0.98	0.9	0.1	2.9	0.4	84	<0.1	<0.1	<0.1	4	0.55	
830818	Drill Core	5.61	40.7	545.2	4.8	20	0.4	2.6	2.6	204	0.95	0.7	0.2	2.2	0.4	60	<0.1	<0.1	<0.1	3	0.92	
830819	Drill Core	5.25	19.0	339.1	4.2	23	0.4	3.2	1.9	159	0.77	0.6	0.2	1.2	0.4	22	<0.1	<0.1	<0.1	3	0.69	
830820	Drill Core	1.85	8.8	533.8	1.9	21	0.3	1.6	2.6	219	0.83	0.6	<0.1	1.7	0.4	23	<0.1	<0.1	<0.1	3	0.75	
830821	Drill Core	5.96	7.8	179.2	1.9	72	0.1	2.6	7.2	750	2.27	0.8	<0.1	1.4	0.3	115	<0.1	<0.1	<0.1	27	2.87	
830822	Drill Core	5.01	2.2	35.0	2.1	70	<0.1	4.4	8.4	592	2.38	0.8	<0.1	1.1	0.3	118	0.1	<0.1	<0.1	37	2.26	
830823	Rock Pulp	0.13	23.9	>10000	7.8	92	2.8	779.6	27.1	1118	10.50	14.6	0.1	956.6	0.8	65	0.3	5.9	0.7	50	1.77	
830824	Drill Core	6.04	35.1	536.7	1.6	20	0.3	1.1	1.9	179	0.82	0.6	0.2	2.5	0.4	26	<0.1	<0.1	<0.1	4	0.33	
830825	Drill Core	5.95	56.8	447.4	2.3	32	0.2	32.4	8.4	369	1.82	1.2	0.2	2.9	0.4	64	<0.1	0.2	<0.1	29	1.04	
830826	Drill Core	5.63	80.9	1630	1.3	20	0.6	2.2	4.0	151	1.07	0.8	0.1	10.7	0.4	92	0.1	<0.1	<0.1	6	0.22	
830827	Drill Core	5.07	51.5	444.6	1.9	18	0.2	1.1	1.8	157	0.80	<0.5	0.1	2.4	0.4	34	<0.1	<0.1	<0.1	2	0.28	
830828	Drill Core	5.82	40.2	352.1	1.9	21	0.2	1.9	1.9	204	0.80	0.6	0.1	1.6	0.3	30	<0.1	<0.1	<0.1	3	0.38	
830829	Drill Core	6.23	18.2	416.9	3.5	35	0.3	12.3	7.9	314	1.41	1.2	0.2	2.9	0.5	56	<0.1	0.2	<0.1	24	0.96	
830830	Drill Core	5.73	40.8	593.4	4.2	24	0.3	0.9	2.5	178	0.82	0.6	0.1	1.7	0.4	39	<0.1	<0.1	<0.1	2	0.33	



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 28, 2008

Page:

3 of 3

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08006605.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
830831	Drill Core	4.82	80.6	1167	3.3	26	0.5	2.3	2.1	175	0.89	0.5	0.1	4.3	0.4	62	<0.1	<0.1	<0.1	4	0.21
830832	Drill Core	5.32	26.7	711.5	3.9	65	0.4	9.8	3.4	237	0.93	0.6	0.1	1.5	0.4	31	0.3	<0.1	<0.1	8	0.41
830833	Drill Core	5.68	67.2	968.3	1.1	18	0.5	1.7	2.2	183	0.84	0.8	<0.1	3.4	0.3	22	<0.1	<0.1	<0.1	<2	0.50
830834	Drill Core	5.58	152.1	1069	1.8	85	0.6	40.3	10.0	640	2.05	1.0	0.1	3.2	0.4	73	<0.1	0.1	<0.1	37	1.30
830835	Drill Core	6.05	54.2	795.9	1.5	30	0.4	16.7	4.5	266	1.21	0.8	0.2	3.6	0.4	104	<0.1	<0.1	<0.1	12	0.82
830836	Drill Core	5.98	51.3	686.1	1.4	19	0.3	1.8	1.7	194	0.80	1.2	0.2	4.6	0.4	48	<0.1	0.1	<0.1	3	0.43
830837	Drill Core	5.88	23.8	563.3	1.3	23	0.3	1.3	2.0	232	0.89	0.6	0.2	2.7	0.5	32	<0.1	<0.1	<0.1	3	0.57
830838	Drill Core	4.09	20.5	482.9	2.0	31	0.2	4.7	2.4	222	0.76	0.9	0.3	2.2	0.4	28	<0.1	<0.1	<0.1	4	0.76
830839	Drill Core	6.49	17.4	661.0	2.1	78	0.4	15.1	5.3	618	1.79	1.9	0.2	1.5	0.4	58	<0.1	<0.1	<0.1	18	1.17
830840	Drill Core	5.99	46.0	501.0	3.9	2559	0.4	24.1	10.3	510	1.92	8.0	0.2	3.2	0.6	63	12.0	0.7	<0.1	29	1.34
830841	Drill Core	4.99	292.3	718.1	1.6	27	0.4	4.7	2.6	250	0.89	1.1	0.2	4.3	0.4	28	<0.1	0.2	<0.1	4	0.86
830842	Drill Core	6.06	83.3	677.1	1.4	33	0.4	9.2	5.2	281	1.33	1.1	0.1	2.0	0.4	69	<0.1	0.1	<0.1	13	0.78
830843	Drill Core	5.20	12.1	527.3	2.0	20	0.3	1.3	2.2	176	0.79	<0.5	0.4	1.2	0.4	34	<0.1	<0.1	<0.1	2	0.42
830844	Drill Core	6.10	23.3	418.6	1.7	83	0.2	4.3	14.1	817	3.28	1.4	0.2	2.5	0.5	87	0.1	0.1	<0.1	61	1.53
830845	Drill Core	5.75	32.4	379.6	2.7	68	0.3	2.0	7.6	511	2.02	1.4	0.2	2.6	0.5	72	0.2	0.1	<0.1	35	0.93
830846	Drill Core	5.50	11.2	326.2	2.3	41	0.1	44.2	13.6	535	2.39	1.4	0.1	3.8	0.3	86	<0.1	0.1	<0.1	47	1.38
830847	Drill Core	6.20	15.8	424.5	1.6	36	0.2	27.5	10.6	455	2.08	2.9	0.1	3.8	0.4	72	<0.1	0.2	<0.1	40	1.56
830848	Drill Core	5.90	25.7	286.9	2.4	64	0.2	40.8	14.3	652	2.76	1.1	0.2	1.3	0.4	121	<0.1	<0.1	<0.1	68	2.21
830849	Drill Core	5.25	18.7	699.4	1.7	39	0.4	13.0	7.2	378	1.57	2.1	0.5	2.7	0.4	38	<0.1	<0.1	<0.1	13	0.90
830850	Drill Core	2.10	4.6	182.4	1.8	19	0.1	2.6	1.9	208	0.89	0.7	0.2	1.1	0.4	28	<0.1	<0.1	<0.1	4	0.27



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 28, 2008

Page:

2 of 3

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006605.1

	Method	1DX15																
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
830801	Drill Core	0.019	3	8	0.20	70	0.043	<1	0.60	0.061	0.14	0.2	<0.01	0.6	<0.1	0.81	2	0.7
830802	Drill Core	0.022	3	7	0.19	60	0.037	<1	0.59	0.061	0.13	0.4	<0.01	0.6	<0.1	0.73	2	<0.5
830803	Drill Core	0.014	3	9	0.28	61	0.031	<1	0.69	0.042	0.17	0.3	<0.01	1.1	<0.1	0.67	2	<0.5
830804	Drill Core	0.015	3	11	0.37	63	0.047	<1	0.74	0.060	0.12	0.6	<0.01	1.0	<0.1	0.61	3	<0.5
830805	Drill Core	0.013	3	7	0.16	49	0.030	<1	0.58	0.067	0.13	0.2	0.01	0.8	<0.1	0.68	2	<0.5
830806	Drill Core	0.008	3	12	0.11	69	0.026	<1	0.36	0.060	0.11	0.1	<0.01	0.4	<0.1	0.81	2	<0.5
830807	Drill Core	0.012	3	9	0.09	77	0.026	<1	0.39	0.052	0.13	0.2	<0.01	0.4	<0.1	0.82	2	<0.5
830808	Drill Core	0.013	2	8	0.08	82	0.026	<1	0.40	0.060	0.13	0.2	<0.01	0.6	<0.1	0.72	1	0.6
830809	Drill Core	0.013	2	6	0.09	68	0.028	<1	0.33	0.042	0.13	0.1	<0.01	0.3	<0.1	0.98	1	0.8
830810	Drill Core	0.036	3	38	1.08	81	0.105	<1	1.43	0.057	0.16	0.2	<0.01	2.8	<0.1	0.59	4	<0.5
830811	Drill Core	0.018	2	36	0.88	85	0.057	<1	1.54	0.043	0.11	0.1	0.02	2.3	<0.1	0.62	4	0.6
830812	Drill Core	0.047	3	93	2.27	91	0.059	<1	2.39	0.089	0.06	0.1	<0.01	5.6	<0.1	0.25	7	<0.5
830813	Drill Core	0.053	4	99	2.80	233	0.080	1	3.36	0.084	0.04	0.1	<0.01	6.4	<0.1	0.11	8	0.5
830814	Drill Core	0.057	4	91	2.86	142	0.077	1	3.02	0.072	0.11	0.1	<0.01	6.5	<0.1	0.17	8	0.7
830815	Drill Core	0.037	3	67	1.73	189	0.101	1	2.25	0.101	0.07	0.2	<0.01	5.5	<0.1	0.34	5	0.8
830816	Drill Core	0.045	3	73	2.06	155	0.098	<1	2.48	0.098	0.11	0.2	<0.01	5.6	<0.1	0.23	6	0.7
830817	Drill Core	0.012	3	8	0.19	128	0.028	<1	0.72	0.084	0.09	0.1	<0.01	0.8	<0.1	0.47	3	0.6
830818	Drill Core	0.017	2	10	0.16	96	0.028	<1	0.82	0.066	0.11	0.2	<0.01	0.4	<0.1	0.40	3	<0.5
830819	Drill Core	0.016	2	8	0.15	38	0.030	<1	0.81	0.064	0.08	0.2	<0.01	0.7	<0.1	0.28	3	<0.5
830820	Drill Core	0.014	2	11	0.14	75	0.024	<1	0.64	0.079	0.12	<0.1	<0.01	0.7	<0.1	0.30	2	<0.5
830821	Drill Core	0.054	3	4	0.64	144	0.047	1	2.41	0.138	0.13	0.1	<0.01	2.9	<0.1	0.12	5	<0.5
830822	Drill Core	0.070	3	7	0.77	80	0.096	<1	2.67	0.182	0.13	0.2	<0.01	4.4	<0.1	<0.05	6	<0.5
830823	Rock Pulp	0.057	3	928	0.83	31	0.002	5	0.81	0.030	0.36	1.9	0.92	3.8	0.1	3.26	3	20.1
830824	Drill Core	0.013	2	9	0.16	62	0.029	<1	0.41	0.060	0.08	0.2	<0.01	0.3	<0.1	0.28	2	0.5
830825	Drill Core	0.027	3	57	1.09	91	0.071	<1	1.21	0.068	0.07	0.2	<0.01	1.4	<0.1	0.25	5	<0.5
830826	Drill Core	0.009	2	9	0.14	159	0.018	<1	0.43	0.047	0.08	0.1	<0.01	0.2	<0.1	0.49	2	1.0
830827	Drill Core	0.012	3	13	0.16	73	0.032	<1	0.45	0.073	0.08	0.1	<0.01	0.3	<0.1	0.27	2	<0.5
830828	Drill Core	0.012	2	8	0.18	65	0.030	<1	0.42	0.055	0.07	0.1	<0.01	0.3	<0.1	0.25	2	<0.5
830829	Drill Core	0.017	3	45	0.84	78	0.073	<1	1.11	0.074	0.07	0.2	<0.01	2.0	<0.1	0.27	4	<0.5
830830	Drill Core	0.012	2	7	0.16	104	0.028	<1	0.54	0.063	0.09	0.2	<0.01	0.4	<0.1	0.31	2	<0.5



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

OK

Report Date:

June 28, 2008

Page:

3 of 3

Part 2

## CERTIFICATE OF ANALYSIS

## VAN08006605.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
830831	Drill Core	0.009	3	12	0.16	134	0.032	<1	0.43	0.067	0.09	0.2	<0.01	0.3	<0.1	0.33	2	<0.5
830832	Drill Core	0.019	2	19	0.38	42	0.046	<1	0.73	0.070	0.07	0.2	<0.01	0.9	<0.1	0.29	3	<0.5
830833	Drill Core	0.011	2	12	0.13	69	0.018	<1	0.40	0.064	0.10	0.2	<0.01	0.2	<0.1	0.38	2	<0.5
830834	Drill Core	0.025	3	50	1.24	224	0.074	<1	1.67	0.108	0.10	0.2	<0.01	3.7	<0.1	0.29	5	<0.5
830835	Drill Core	0.015	3	25	0.51	165	0.037	<1	0.85	0.071	0.10	0.2	<0.01	1.2	<0.1	0.30	3	<0.5
830836	Drill Core	0.010	3	10	0.16	112	0.029	<1	0.43	0.070	0.09	0.1	<0.01	0.3	<0.1	0.25	2	<0.5
830837	Drill Core	0.012	2	8	0.17	99	0.027	<1	0.56	0.069	0.11	0.2	<0.01	0.4	<0.1	0.25	2	<0.5
830838	Drill Core	0.015	2	8	0.24	73	0.037	<1	0.81	0.069	0.11	0.2	0.01	0.7	<0.1	0.17	3	<0.5
830839	Drill Core	0.024	2	18	0.74	141	0.060	<1	1.40	0.075	0.12	0.3	<0.01	1.7	<0.1	0.30	4	<0.5
830840	Drill Core	0.049	4	26	0.94	95	0.115	5	1.64	0.048	0.17	0.4	0.17	2.6	<0.1	0.41	4	0.7
830841	Drill Core	0.014	2	12	0.21	78	0.018	2	0.57	0.056	0.12	0.2	0.01	0.6	<0.1	0.36	2	<0.5
830842	Drill Core	0.015	2	18	0.48	119	0.025	<1	0.82	0.058	0.10	0.2	<0.01	1.3	<0.1	0.53	2	0.7
830843	Drill Core	0.011	2	9	0.14	85	0.021	<1	0.56	0.076	0.10	0.2	<0.01	0.5	<0.1	0.31	2	<0.5
830844	Drill Core	0.056	5	5	1.29	89	0.135	<1	1.82	0.076	0.06	0.1	<0.01	2.3	<0.1	0.16	6	<0.5
830845	Drill Core	0.034	3	9	0.68	110	0.099	<1	1.18	0.085	0.08	0.3	0.01	1.7	<0.1	0.23	4	<0.5
830846	Drill Core	0.029	2	59	1.70	218	0.098	<1	2.18	0.137	0.06	0.3	<0.01	3.7	<0.1	0.15	6	<0.5
830847	Drill Core	0.030	3	48	1.28	123	0.073	1	1.53	0.094	0.09	<0.1	<0.01	2.6	<0.1	0.14	5	0.5
830848	Drill Core	0.043	3	90	1.71	106	0.086	<1	2.55	0.176	0.07	<0.1	<0.01	4.3	<0.1	0.11	7	<0.5
830849	Drill Core	0.021	2	25	0.61	82	0.037	<1	0.91	0.063	0.12	<0.1	<0.01	0.9	<0.1	0.39	3	0.5
830850	Drill Core	0.016	3	7	0.20	77	0.031	<1	0.51	0.078	0.10	<0.1	<0.01	0.3	<0.1	0.20	2	<0.5