

# **VICTORY RESOURCES CORPORATION**

## **ASSESSMENT REPORT**

(Event Number 4238883)

*on a*

## **DIAMOND DRILL PROGRAM**

(May 1, 2008 to September 27, 2008)

*on the*

## **WEN CLAIM**

*of the*

## **TONI (AU/WEN) PROPERTY**

**Nicola Mining Division**

**NTS 092H.098**

**Vancouver, B.C.**

**Laurence Sookochoff, PEng**

Sookochoff Consultants Inc.

November 19, 2008

page 1 of 15

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**TABLE OF CONTENTS**

	page
Summary -----	4.
Introduction -----	5.
Property Description and Location -----	5.
Accessibility, Climate, Local Resources, Infrastructure and Physiography	6.
History -----	6.
Geology: Regional -----	7.
Geology: WEN Claim -----	7.
Mineralization -----	8.
2008 Diamond Drill Program -----	9.
Conclusions -----	9.
Selected References -----	11.
Statement of Costs -----	12.
Certificate -----	13.

**Illustrations**

	Following page
Figure 1. Location Map -----	4.
Figure 2. Claim Map -----	5.
Figure 3. Claim Map -----	5.
Figure 4. Drill Hole Location on Orthophoto -----	8.
Figure 5. Drill Hole Location on UTM Grid -----	8.
Figure 6. Drill Hole VRW 08-1 Section -----	9.

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**APPENDICES**

Appendix I ----- Assay Certificate

Appendix II ----- VRW 08-1 Diamond Drill Logs

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

## **SUMMARY**

The HN-WEN mineral prospect, designated as MINFILE 092HNE058 and within the confines of the WEN claim, was explored in the early 1990's when three short adits were driven on exposures containing chalcopyrite-bearing quartz veins. The HN-WEN prospect area was subsequently explored by many companies with one of the more recent, by George Resources Company Ltd. in a completion of 16-hole, 1,636.8 metre diamond drill program within the area of the HN-WEN prospect. Verley (2002) reports that from the seven diamond-drill holes of a completed to test the Main Vein of the HN-WEN prospect, significant mineralization was only intersected in two holes. Drill-hole W96-1 averaged 16.578 gm/t Au, 18.185 gm/t Ag, and 0.75% Cu over 6.55 metres of a core interval. Assays of core from drill-hole W96-16 returned 3.95 gm/t Au, 9.856 gm/t Ag, and 1.12% Cu over 2.36 metres.


The results from the remainder of the 16 diamond drill holes, which were drilled on the Stockwork Zone and the Upper Zone indicated widespread and locally high-grade copper mineralization (3.6% Cu over 1.68 metres in W96-3) of the Stockwork Zone, or erratically distributed mineralization throughout the area of the Upper Zone.

The MMI soil survey results were interpreted to indicate that the Main vein, as reported, does dip steeply westerly with its indicated surface outcrop location expressed as one of the highest gold anomalies of the survey. The high-grade Main vein gold intersection was indicated as a lower-order gold anomaly; suppressed by its depth from surface. Based on the interpreted results of the Main Vein, other locations of potentially mineralized veins are indicated within the 2006 MMI soil survey area.

Although drill hole VRW 08-1 was projected to intersect the gold bearing zone intersected in WR 96-1 (3.81 metres of 28.43 g/t Au and 0.98% Cu) within three metres, there was no indication of the zone in the assays of the VRW 08-1 core. However, the geological indications in the core, with the stockwork of quartz/carbonate veins, the alteration, and the anomalous mercury (Hg) values may indicate a proximal quartz vein hosting gold values.

The reported strike and dip of the VRW 08-1 drill hole gold bearing zone, or the possibility of a mineralized "shoot" could be substantiated by additional diamond drilling.

# VICTORY RESOURCES CORPORATION



**Figure 1. LOCATION MAP**

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

## **INTRODUCTION**

From May 1, 2008 to September 27, 2008 a diamond drill program consisting of one drill hole of 88.39 metres was completed on the WEN claim. The purpose of the drill hole (VRW 08-1) was to test the intersection of a 1996 drill hole (W96-1) in which 3.31 metres of 28.43 grams per tonne gold was reported.

This report describes the nature of, and the results of the work program, and was prepared as a final requirement for the assessment work (Event No. 4238883) applied to the claims as listed under the heading of Property Description and Location.

Information for this report was obtained from sources as cited under Selected References and from the supervision of the drill program as reported on herein.

## **PROPERTY DESCRIPTION AND LOCATION**

The Toni property is comprised of 88 contiguous mineral claims covering an area of 34,351 hectares. The five claims of the Toni property (WEN Claim Group), to which the assessment work\* is applied, cover an area of 1434.456 hectares, are indicated on the accompanying maps, and are listed as follows.

<u>Tenure Number</u>	<u>Type</u>	<u>Claim Name</u>	<u>Good Until</u>	<u>Area (ha)</u>
<a href="#">520757</a>	Mineral	WEN	20091108	499.041
<a href="#">520759</a>	Mineral	LUCKY GOLD	20101108	83.146
<a href="#">520823</a>	Mineral	HARRY NESBITT	20091108	291.053
<a href="#">567126</a>	Mineral	AU-WEN EAST	20091005	498.848
<a href="#">567539</a>	Mineral	AU-WEN	20111005	62.368

Total Area: 1434.456

\*Upon the approval of the assessment work filing, Event Number 4238883, which this report forms a part thereof.

The WEN claim is located within NTS M092H098 in the Nicola Mining Division, 223 kilometres at 070 degrees from Vancouver, 30 km at 128.7 degrees from Merritt and seven kilometres at 080 degrees Aspen Grove. The work area (Diamond Drill VRW 08-1) was at 5535088N, 683106E (NAD 83).

Sookochoff Consultants Inc.

November 19, 2008

page 5 of 15

# VICTORY RESOURCES CORPORATION

TONI PROPERTY: Nicola Mining Division




Figure 2. CLAIM MAP: WEN GROUP

# VICTORY RESOURCES CORPORATION

WEN Group/TONI Property, NICOLA M.D.




Figure 3. CLAIM MAP for Event # 4238883



## **ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY**

Access is southward from Merritt via the Coquihalla connector Highway for 42 kilometres to the Loon Lake road; thence westward and northward to the “8” kilometre signpost; thence 100 metres northward from this point, the western fork of the road is taken for less than one kilometre to a dirt road leading eastward to an outhouse approximately 30 metres distant. The outhouse is at the location of former drill-sites and core storage. This road also provides access to all the 1996 and 2002 drill-sites and the original HN-WEN prospect (MINFILE No 092HNE058).

The region is situated within the dry belt of British Columbia with rainfall between 25 and 30 cm per year. Temperatures during the summer months could reach a high of 35° and average 25°C with the winter temperatures reaching a low of -10° and averaging 8°. On the WEN claim snow cover on the ground could be from December to April and would not hamper a year-round exploration program.

Sufficient water for all phases of the exploration program could be available from the many lakes and creeks, which are located within the confines of the property. Water may be scarce during the summer months and any water required for exploratory purposes, would be transported.

Merritt, or Kamloops, historic mining centres could be a source of experienced and reliable exploration and mining personnel and a supply for most mining related equipment. Kamloops is serviced daily by commercial airline and is a hub for road and rail transportation. Vancouver, a port city on the southwest corner of, and the largest city in the Province of British Columbia is four hours distant by road and less than one hour by air from Kamloops.

## **HISTORY**

The HN-WEN prospect, designated as MINFILE 092HNE058 and within the confines of the WEN claim, was explored in the early 1990's when three short adits were driven on exposures containing chalcopyrite-bearing quartz veins. The WEN prospect was subsequently explored by Consolidated Skeena Mines in the 1960's when an airborne magnetic survey and geochemical soil survey was conducted in the area. In 1971 W. Petrie of Merritt acquired the Hill claims which included the WEN showing and in 1972 optioned the claims to Nitracell Canada. Nitracell conducted a program of line-cutting, soil sampling, geological mapping, induced polarization and magnetometer surveys, in addition to a five-hole 884.6 metre diamond drill program. In 1996, George Resources Company Ltd. initiated a 16-hole, 1,636.8 metre diamond drill program within the area of the WEN showing. In 2002 Lateegra Resources Corp. completed two diamond drill holes in the HN-WEN area. The highest assay was 0.10% Cu and <0.10 gm/t Au over a 2.74 metre core interval.

## **GEOLOGY: REGIONAL**

The Aspen Grove geological district is located within the regional Quesnel Trough, a 30 to 60, km wide belt of Lower Mesozoic volcanic and related strata enclosed between older rocks and much invaded by batholiths and lesser intrusions (Campbell and Tipper, 1970). The southern part is the well-known Nicola belt, continuing nearly 200 km to its termination at the U.S. border and containing the important copper deposits of Highland Valley, Craigmont, Copper Mountain, Afton, Brenda, in addition to the historic Hedley gold camp.

The Nicola Group has been divided into western, central, and eastern belts on the basis of lithology and lithochemistry and by major fault systems. Variation from calc-alkaline to shoshinitic compositions from west to east has been interpreted to reflect eastward dipping subduction in the Nicola arc. The WEN claim is situated within the eastern belt of the Nicola Group which is bounded on the west by the northerly striking Kentucky-Alleyne fault zone.

## **GEOLOGY: WEN CLAIM**

The WEN claim is located along a contact between amphibolite/ kyanite grade metamorphic rocks and a succession of upper Triassic mudstone, siltstone, shale, and fine clastic sedimentary rocks, both of the Eastern Volcanic Upper Triassic Belt of Nicola Group Volcanics. The contact between the volcanic rocks and the argillites is parallel to the bedding.

The sedimentary-pyroclastic component is at least 50 metres thick and strikes north-northwesterly, dipping approximately 70 degrees west. Presumably subvolcanic, dioritic hornblende porphyry sills intrude the volcanics and sediments. The volcanics have been intruded by three steeply dipping, northwesterly striking quartz-feldspar porphyry dykes in the vicinity of the Main vein and associated stockwork zones at the HN-WEN prospect. Steeply dipping, easterly striking shears are inferred to crosscut the mineralized area.

The area of the HN-WEN prospect is reportedly (MINFILE) underlain by augite porphyritic volcanic flows of andesitic to basaltic composition, fragmental rocks including tuff and breccia, and argillites. The argillites are dark grey to black, well bedded, locally limy, and are somewhat carbonaceous and pyritic. Minor rock types present include feldspar porphyry and locally lenses of diorite. At, and to the north and east of the northeastern corner of the WEN claim is the contact with the Early Jurassic Pennask batholith, a large intrusion of medium-grained granodiorite to quartz diorite.

## **MINERALIZATION**

The mineralization (MINFILE) at the HN-WEN prospect is restricted to the volcanics and is exposed in three adits, at least eight trenches, and is marked by alteration of mainly epidotization, silicification, carbonatization, moderate chloritization, and local pyritization. Chalcopyrite is the only copper mineral: it is disseminated, or concentrated in quartz and calcite veins and veinlets between 0.3 and 30 centimetres thick, usually about eight centimetres thick. Pyrite, pyrrhotite, and rare specular hematite are also present in the veins. Locally, oxidation has produced abundant malachite, azurite, and limonite.

The mineralized zone measures 760 by 90 metres and has a depth of about 75 metres. Diamond drilling indicates that the mineralized zone strikes 160 degrees and dips vertically or steeply east; so it is not parallel to the volcanic-sedimentary contact, indicating that the contact is not a controlling factor. Rather, the veins hosting the mineralization are structurally controlled by numerous faults and fractures which consistently strike 160 degrees and dip 85 degrees east (AR 4230).

Some significant copper and silver values have been obtained from the workings and diamond drill core. A 1.5 metre chip sample from Adit Number 1 reportedly assayed 4.39 % copper, 92.6 grams per tonne silver, and 0.7 grams per tonne gold. A grab sample from the same adit reportedly assayed 4.84% copper, 46.6 grams per tonne silver, and 0.7 grams per tonne gold. Both samples were reportedly from oxidized material and may not be representative of grade throughout the deposit. A drill core sample (Hole HNS 72-1) assayed 1.12 % copper and 3.4 grams per tonne silver (AR 4230).

Verley (2002) reports that from the seven diamond-drill holes of a 16 diamond drill hole program completed in 1996, to test the Main Vein of the HN-WEN prospect, significant mineralization was only intersected in two holes. Drill-hole W96-1 averaged 16.578 gm/t Au, 18.185 gm/t Ag, and 0.75% Cu over 6.55 metres of core. Assays of core from drill-hole 96-16 returned 3.95 gm/t Au, 9.856 gm/t Ag, and 1.12% Cu over 2.36 metres.

Verley (2002) concludes that it is probable that the high-grade mineralization intersected in diamond-drill hole W96-1, forms a shoot with an as yet an unknown rake within the vein.

The results from the remainder of the 16 diamond drill holes, which were drilled on the Stockwork Zone and the Upper Zone indicated widespread and locally high-grade copper mineralization (3.6% over 1.68 metres in W96-3) of the Stockwork Zone, or erratically distributed mineralization throughout the area of the Upper Zone.

# VICTORY RESOURCES CORPORATION

WEN Group/TONI Property, NICOLA M.D.



Figure 4. DRILL HOLE LOCATION ON ORTHOPHOTO

# VICTORY RESOURCES CORPORATION

WEN Group/TONI Property, NICOLA M.D.




Figure 5. DRILL HOLE LOCATION ON UTM GRID

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**2008 DIAMOND DRILL PROGRAM**

The particulars of the diamond drill hole completed on the Wen claim is as follows.

Diamond Drill Hole: VRW 08-1

Location: 683,106E; 5,535,088N

Purpose: To test a 1996 drill (W 96-1) intersection of a gold bearing zone.

Azimuth: 075°

Dip: 60°

Length: 88.39 metres

Results: Intersected propylitically Nicola volcanic altered volcanics which host a stockwork of quartz/carbonate veins and variable degrees of pyrite. No significant mineralization was intersected as revealed by an assay of 117.3 ppm Cu (0.01% Cu) and 4.5 ppb Au from a core interval sample of an indicated mineral zone at the bottom one metre of the drill hole (Figure 6). This interval also returned an anomalous assay of 0.24 ppm Hg.

Acme Analytical report VAN 08007304 reporting analytical results and sample preparation is attached as Appendix I.

The core is stored within 25 metres of drill hole VRW 08-1.

**CONCLUSIONS**

Although drill hole VRW 08-1 was projected to intersect the gold bearing zone intersected in WR 96-1 (3.81 metres of 28.43 g/t Au and 0.98% Cu) within three metres, there was no indication of the zone in the assays of the VRW 08-1 core. However, the geological indications in the core, with the stockwork of quartz/carbonate veins, the alteration, and the anomalous mercury (Hg) values may indicate a proximal quartz vein hosting gold values.

The reported strike and dip of the VRW 08-1 drill hole gold bearing zone, or the possibility of a mineralized “shoot” could be substantiated by additional diamond drilling.

# VICTORY RESOURCES CORPORATION

WEN Group/TONI Property, Nicola M.D.




Figure 6. DH VRW 08-1 SECTION

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

Respectfully submitted,



Laurence Sookochoff, PEng



*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**SELECTED REFERENCES**

- Kierans, M.D.**, 1972: Mineral Exploration Report on the Hill Group, Wart Mountain Area for Nitracell Canada Ltd. AR 4230.
- MapPlace** – Map Data
- Mark, D.G.** – Maps and information on the results of the MMI soil survey on the WEN Claim of the AU/WEN property.
- MtOnline** - MINFILE downloads.
- Sookchoff, L.** – 2007: Geochemical Assessment Report on a MMI Soil Geochem Survey on the WEN Claim for Victory Resources Corporation.
- Sookchoff, L.** – 2008: Geochemical Assessment Report on a MMI Soil Geochem Survey on the TOE Claim Group for Victory Resources Corporation.
- Sookchoff, L.** – 2008: Assessment Report on a Diamond Drill Program on the TOE Claim Group for Victory Resources Corporation.
- Sookchoff, L.** – 2008: Summary Report and Recommendation on the TOE Claim Group for Victory Resources Corporation.
- Verzosa, R.S.** 2005: Summary Report on the AU/WEN Property for Victory Resources Corporation..
- Verley, C.G.** 1997: Geological and Geochemical Report on the AU Claim Group for George Resources Company Ltd. AR 24806.
- Verley, C.G.** 1997: Diamond Drilling Report on the WEN Claim Group for George Resources Company Ltd. AR 24800.
- Verley, C.G.** 2002: Preliminary Assessment Report on the AU/WEN and TOE Claim Groups for Commerce Resources Corp.

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**STATEMENT of COSTS**

The diamond drilling of DH VRW08-1 was completed to the value as follows:

Diamond drill costs (Contract)

DH VRW 08-1	
89 metres @ \$93.00 per metre	\$ 8,277.00
Expenses: Laurence Sookochoff, PEng	
Auto rental, gas, motel, & related expenses:	1,455.00
Assays:	35.50
Report & associated costs	<u>2,000.00</u>
	\$ 11,762.50
	=====

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

**CERTIFICATE**

I, Laurence Sookochoff, of the City of Vancouver, in the Province of British Columbia, do hereby certify:

That I am a Consulting Geologist and principal of Sookochoff Consultants Inc. with an address at 120 125A-1030 Denman Street, Vancouver, BC V6G 2M6.

I, Laurence Sookochoff, further certify that:

- 1) I am a graduate of the University of British Columbia (1966) and hold a B.Sc. degree in Geology.
- 2) I have been practicing my profession for the past forty two years.
- 3) I am registered and in good standing with the Association of Professional Engineers and Geoscientists of British Columbia.
- 4) The information for this report is based on information as itemized in the Selected Reference section of this report and from the supervision and management of the diamond drill program as reported on herein.
- 5) I have no interest in the TONI Property or the WEN Claim Group as described herein.
- 6) I am a director, and have an option as to 150,000 shares, of Victory Resources Corporation.



Laurence Sookochoff, P. Eng.

Vancouver, BC

Sookochoff Consultants Inc.

November 19, 2008

page 13 of 15

*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

Appendix I

**ASSAY CERTIFICATE**

	<b>ACME ANALYTICAL LABORATORIES LTD.</b>			<b>Final Report</b>										
	<b>Client:</b>	<b>Victory Resources Corp.</b>												
	<b>File Created:</b>	<b>30-Jul-08</b>												
	<b>Job Number:</b>	<b>VAN08007304</b>												
	<b>Number of Samples:</b>	<b>42</b>												
	<b>Project:</b>	<b>None Given</b>												
	<b>Shipment ID:</b>													
	<b>P.O. Number:</b>													
	<b>Received:</b>	<b>15-Jul-08</b>												
		Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Analyte	Wgt	<b>Mo</b>	<b>Cu</b>	<b>Pb</b>	<b>Zn</b>	<b>Ag</b>	<b>Ni</b>	<b>Co</b>	<b>Mn</b>	<b>Fe</b>		
		Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	
		MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01		
	Sample	Type												
		<b>827528 Drill Core</b>	<b>1.4</b>	<b>0.6</b>	<b>117.3</b>	<b>3.5</b>	<b>31</b>	<b>&lt;0.1</b>	<b>24.6</b>	<b>28.5</b>	<b>997</b>	<b>5.7</b>		
	Pulp Duplicates													
		827511 Drill Core	2.25	0.6	70.8	1	26	0.2	29.3	20.6	392	4.23		
		827511 REP		0.6	69	0.9	25	<0.1	28.6	20.6	358	4.06		
		827544 Drill Core	1.52	25.9	6340.4	11.3	20	9.4	17.7	55.9	125	4.74		
		827544 REP		25.8	6359	11.5	19	9.2	18	55.4	126	4.61		
	Preparation Duplicates													
		827538 Drill Core	3.99	0.2	136.9	2	39	0.1	246	20.8	373	2.39		
		827538 DUP		0.3	139.9	2	40	0.1	249	21.9	369	2.4		
	Reference Materials													
		STD DS7		21	115.9	73.5	399	0.9	57.3	9.3	602	2.34		
		STD DS7		20.1	101.8	74.2	392	0.8	56.1	9.2	609	2.35		
		STD R3A												
		STD R3A												
		STD DS7		19.9	110.3	70.4	404	0.8	58.7	9.7	631	2.33		
		STD DS7		20.6	128.6	78.3	432	0.9	62.7	10.4	673	2.51		
		BLK		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01		
		BLK												
		BLK		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01		
	Prep Wash													
		G1 Prep Blank	<0.01	0.3	5.5	3.3	50	<0.1	4.8	5.1	562	2.05		
		G1 Prep Blank	<0.01	0.3	12	2.5	50	<0.1	5.5	5.1	579	1.95		

ACME ANALYTICAL LABORATORIES LTD.			Final Report										
Client:	Victory Resources Corp.												
File Created:	30-Jul-08												
Job Number:	VAN08007304												
Number of Samples:	42												
Project:	None Given												
Shipment ID:													
P.O. Number:													
Received:	15-Jul-08												
	Method	WGHT		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt		As	U	Au	Th	Sr	Cd	Sb	Bi	V	
	Unit	KG		PPM	PPM	PPB	PPM	PPM	PPM	PPM	PPM	PPM	
	MDL	0.01		0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
Sample	Type												
	<b>827528</b>	<b>Drill Core</b>	<b>1.4</b>	<b>6.9</b>	<b>0.3</b>	<b>4.5</b>	<b>1</b>	<b>140</b>	<b>0.1</b>	<b>8.9</b>	<b>&lt;0.1</b>	<b>181</b>	
Pulp Duplicates													
	827511	Drill Core	2.25	1.3	0.4	2.6	0.9	99	<0.1	<0.1	<0.1	191	
	827511	REP		1.2	0.4	2.8	0.9	96	<0.1	<0.1	<0.1	183	
	827544	Drill Core	1.52	77.7	0.1	373.4	0.2	12	2.3	8.1	3.5	8	
	827544	REP		77.5	<0.1	538.3	0.2	12	2.1	8.1	3.3	8	
Preparation Duplicates													
	827538	Drill Core	3.99	0.5	0.3	<0.5	0.5	57	<0.1	0.1	<0.1	74	
	827538	DUP		<0.5	0.2	<0.5	0.6	59	0.1	<0.1	<0.1	75	
Reference Materials													
STD DS7	STD			51.1	5.2	52.1	4.9	76	6.4	5.6	4.7	80	
STD DS7	STD			49.1	4.8	61.4	4.3	72	5.6	5.2	4.9	82	
STD R3A	STD												
STD R3A	STD												
STD DS7	STD			49.4	4.8	51.9	4.1	57	6.2	3.8	4.1	87	
STD DS7	STD			55	6.5	66.2	4.6	62	6.3	3.8	4.7	94	
BLK	BLK			<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	BLK												
BLK	BLK			<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash													
G1	Prep Blank	<0.01		<0.5	2.7	0.7	4.6	56	<0.1	<0.1	<0.1	42	
G1	Prep Blank	<0.01		<0.5	2.8	<0.5	4	60	<0.1	<0.1	<0.1	42	

ACME ANALYTICAL LABORATORIES LTD.			Final Report											
Client:	Victory Resources Corp.													
File Created:	30-Jul-08													
Job Number:	VAN08007304													
Number of Samples:	42													
Project:	None Given													
Shipment ID:														
P.O. Number:														
Received:	15-Jul-08													
	Method	WGHT		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	Analyte	Wgt		Ca	P	La	Cr	Mg	Ba	Ti	B	Al		
	Unit	KG		%	%	PPM	PPM	%	PPM	%	PPM	%		
	MDL	0.01		0.01	0.001		1	1	0.01		1	0.001	20	0.01
Sample	Type													
	<b>827528</b>	<b>Drill Core</b>		<b>1.4</b>	<b>6.63</b>	<b>0.178</b>	<b>5</b>	<b>47</b>	<b>2.69</b>	<b>445</b>	<b>0.055</b>	<b>&lt;20</b>		<b>1.93</b>
Pulp Duplicates														
	827511	Drill Core		2.25	1.21	0.154	3	56	2.52	139	0.159	<20		3.1
	827511	REP			1.19	0.144	3	54	2.44	146	0.15	<20		3.01
	827544	Drill Core		1.52	0.91	0.02	<1		21	0.33	20	0.001	<20	0.15
	827544	REP			0.93	0.018	<1		19	0.33	20	0.001	<20	0.15
Preparation Duplicates														
	827538	Drill Core		3.99	1.84	0.108	2	566	2.62	173	0.12	<20		2.28
	827538	DUP			1.87	0.104	3	586	2.74	181	0.129	<20		2.35
Reference Materials														
	STD DS7	STD			0.94	0.075	12	182	1.04	393	0.126		31	1
	STD DS7	STD			0.92	0.074	11	187	1.02	398	0.121		38	0.96
	STD R3A	STD												
	STD R3A	STD												
	STD DS7	STD			0.91	0.076	11	194	1.02	393	0.1		28	0.95
	STD DS7	STD			1.02	0.083	12	211	1.11	418	0.111		48	1.06
	BLK	BLK			<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20		<0.01
	BLK	BLK												
	BLK	BLK			<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20		<0.01
Prep Wash														
	G1	Prep Blank		<0.01	0.56	0.08	7	11	0.64	235	0.15	<20		1.01
	G1	Prep Blank		<0.01	0.53	0.082	7	12	0.64	246	0.151	<20		1.04

ACME ANALYTICAL LABORATORIES LTD.			Final Report										
Client:	Victory Resources Corp.												
File Created:	30-Jul-08												
Job Number:	VAN08007304												
Number of Samples:	42												
Project:	None Given												
Shipment ID:													
P.O. Number:													
Received:	15-Jul-08												
	Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7AR
	Analyte	Wgt	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Cu	
	Unit	KG	%	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	%
	MDL	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.001	
Sample	Type												
	<b>827528</b>	<b>Drill Core</b>	<b>1.4</b>	<b>0.024</b>	<b>1.07</b>	<b>0.4</b>	<b>0.66</b>	<b>18.6</b>	<b>0.3</b>	<b>0.16</b>	<b>7</b>	<b>&lt;0.5</b>	
Pulp Duplicates													
	827511	Drill Core	2.25	0.245	1.22	<0.1	<0.01	10.9	0.2	1.94	10	3.1	
	827511	REP		0.243	1.1	<0.1	<0.01	10.3	0.1	1.93	9	2.3	
	827544	Drill Core	1.52	0.003	0.04	1.8	0.67	1.5	0.1	4.73	<1	18.1	
	827544	REP		0.003	0.04	1.8	0.73	1.5	<0.1	4.59	<1	18.5	
Preparation Duplicates													
	827538	Drill Core	3.99	0.067	1.22	<0.1	<0.01	2.6	0.2	<0.05	6	<0.5	
	827538	DUP		0.07	1.23	<0.1	<0.01	2.8	0.2	<0.05	6	<0.5	
Reference Materials													
STD DS7	STD		0.085	0.44	3.5	0.21	2.4	4.3	0.2	5	3.4		
STD DS7	STD		0.084	0.43	3.4	0.19	2.3	4.3	0.2	5	4		
STD R3A	STD												0.814
STD R3A	STD												0.817
STD DS7	STD		0.084	0.42	3.5	0.18	1.7	4	0.2	5	3.9		
STD DS7	STD		0.097	0.47	3.8	0.23	2.1	4.5	0.21	5	4.5		
BLK	BLK		<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5		
BLK	BLK												<0.001
BLK	BLK		<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5		
Prep Wash													
G1	Prep Blank	<0.01	0.072	0.52	<0.1	<0.01	2.2	0.4	<0.05	5	<0.5		
G1	Prep Blank	<0.01	0.079	0.54	<0.1	<0.01	2.1	0.4	<0.05	5	<0.5		



*Victory Resources Corporation  
Diamond Drilling Assessment Report  
WEN Claim*

Appendix II

**DIAMOND DRILL LOGS**

**VRW 08-1**



VICTORY RESOURCES COPORATION										page 2 of 2			
Project: WEN Drill Hole: DDH-W-08-01													
Depth (m)		Fractures	Lithological Description	Mineralization (0-10)		Sampling			Assay				
Feet	Metres			Py	Cpy	From (m)	To (m)	Sample #	Cu	As	Au	Hg	
									ppm	ppm	ppb	ppm	
<b>Casing 11.28m, 37'</b>													
45.92	14	50	<b>Aphanitic grey volcanics.</b> Augite phenos and										
55.76	17	45	stringers of qtz/carbonate. Rusty fractures,	3									
65.60	20	20	big py flakes	2									
75.44	23	25		3									
85.28	26	15	Heavy qtz in veins, heavily fractured	2									
95.12	29	65	Basaltic w/ quartz crystals	2									
104.96	32	30	Qtz stringers and ~2 cm veins w/ fractures	1									
114.80	35	85	<b>Greenstone</b> , thick qtz veins ~ 5 - 6 cm	1									
124.64	38	30	" " and ep	4									
134.48	41	35	<b>Basalt</b> vertical veins, big py flakes	5									
144.32	44	80	Veins w/ fract, vuggy porosity on qtz	3									
154.16	47	30	<b>Aphanitic grey volcanics.</b> Still qtz, py	1									
164.00	50	40	<b>Greenstone porphyry.</b> Py on fract	1									
173.84	53	20	Very qtz/carb veins	1									
183.68	56	30	Kspar xeno thick qtz vein, ep, hem	2									
193.52	59	35	Vert qtz stringers, kspar, but not as thick	3									
203.36	62	20	<b>Aphanitic grey volcanics.</b> Porphyritic	3									
213.20	65	25	" " Not porphyritic	3									
223.04	68	30	<b>Basaltic</b> section w/ stringers then back to	2									
232.88	71	25	<b>Greenstone</b>										
242.72	74	20											
252.56	77	30	Hem, ep, slight gouge. Qtz carbo veins										
262.40	80	25	Gouged, feldspar xeno's and stringers	1									
272.24	83	25	Vert fracture w/ qtz carbo vein, k\spars	2	1								
282.08	86	40	<b>Aphanitic grey volcanics.</b> Stringers, veins, py and cpy in veins										
291.92	88.39	35	Green w/ ep and qtz stringers		1	87.39	88.39	827528	117.3	6.9	4.5	0.24	
<b>EOH = 88.39 m</b>													