ASSESSMENT REPORT

BC Geological Survey Assessment Report 30463

RECEIVED

Prospecting Survey

on the

JAN 2 0 2009

Gold Commissioner's Office VANCOUVER, B.C.

of the

Little Oliver Creek Claims

(Oliver North #569665)

(Oliver 2 #579123)

(Oliver 4 #589305)

Terrace Map Area

(103I/16E)

Lat. 54 49' 00" N Long. 128 13' 11" W

Author: Ronald J. Bilquist

(Owner/Operator)

12th January 2009

GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORT



Table of Contents

Page

- 1. Index Map
- 2. Introduction (Access and Location, The Property, Summary of Work)
- 3. Claim Map
- 4. Analysis
- 5. Rock and Waypoint Descriptions
- 6. Geology, Technical Data (Purpose)
- 7. Technical Data Continued, (Results and Interpretation)
- 8. Technical Data Continued, (Conclusions)
- 9. References
- 10. Expenditure Details
- 11. Statement of Qualifications

Appendix:

- (i) Sample Preparation and Analysis
- (ii) Certificate of Analysis

In the Pouch


Prospectors Maps

LO-01

West Area

LO-02

South East Area



Introduction:

a. Access and Location – The Little Oliver Creek property is located within the Terrace 1:250000 map sheet (103I) approximately 40 kilometres north from the city of Terrace. The property can be accessed by highway 16 north from Terrace to Little Oliver Creek where, about 500 metres south of Little Oliver Creek, an old overgrown logging road leads easterly into the claims area.

The claims cover the steep mountain sides to the north and south of Little Oliver Creek and straddle the creek bottom in the eastern portions of the claims. The terrain is very rugged with extremely steep slopes and cliffs. Vegetation is comprised of thick second growth coniferous forest in the areas that have been logged as well as large areas of stunted coniferous and deciduous trees and brush on the steep slide slopes.


b. The Property – The property consists of three claims comprising a total of 1155.522 hectares.

Oliver North Record #569665 465.89 Hectares
Oliver 2 Record #579123 465.93 Hectares
Oliver 4 Record #589305 223.7 Hectares

The current owner/operator is Ronald John Bilquist the author of this report.

The claims were acquired due to rumoured gold values associated with copper and magnetite in outcrops both north and south of Little Oliver Creek. A search of ARIS turned up an assessment report by Tom Richards on geology and prospecting of the Two Goat 1-4 (two post) mineral claims June of 1980. Copper and magnetite mineralization is mentioned in this report. This report will deal with the prospecting of the present claims that cover this area and will try to give an adequate overview of the now known mineral occurrences on the claims as well as the potential for new mineral discoveries.

c. Summary of Work Done – A total of 6 days between the 5th and 10th of August 2008 were spent traveling and prospecting the claim. We took a hotel in Terrace which is only a 30 minute drive from the property. The main logging road which accesses the claim area was walked and prospected with short traverses off the road into the steep hill sides and cliffs on the south. A couple of traverses were attempted across the creek to the north but the water was high making access a challenge and only limited prospecting could be carried out north of the creek. One other short traverse was managed into the bluffs on the north side of the creek as well as a longer traverse commenced from an old logging road north of Little Oliver Creek. In total 14 rock samples were taken for analysis and representative samples of these were kept for later viewing when the analysis was completed. We also took 'type' rocks and labelled these with gps waypoint numbers. These rocks were taken to assist in identifying the geology as well as to better get a feel for any alteration when back home. Some of the samples were cut with a diamond saw to get an understanding of the nature of the mineralization. A few hours were spent studying the satellite images to determine if any structures were evident.



Little Oliver Rock Sample Analysis

| | Au | Ag | Mo | Cu | Pb | Zn | Ni | Co | Mn | Fe | As | Sr | Cd | Sb | Bi | Ca | Р | Сг | Mg | Al | Na | K | W | Hg |
|--------|-------|------|--------|--------|-------|-------|---------|--------|-------|-------|-------|--------|--------|--------|-------|------|-------|---------|-------|------|-------|------|--------|---------|
| | GM/T | GM/T | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |
| OL0001 | 0.03 | 5 | <0.001 | 0.097 | <0.01 | <0.01 | <0.001 | 0.003 | 0.03 | 6.58 | <0.01 | 0.001 | <0.001 | <0.001 | <0.01 | 0.03 | 0.009 | < 0.001 | 0.56 | 1.31 | 0.06 | 0.82 | <0.001 | <0.001 |
| OL0002 | <0.01 | 8 | <0.001 | 0.002 | <0.01 | <0.01 | 0.001 | <0.001 | 0.02 | 1.32 | <0.01 | 0.004 | <0.001 | <0.001 | <0.01 | 0.88 | 0.086 | 0.003 | 0.4 | 0.72 | 0.05 | 0.09 | <0.001 | < 0.001 |
| OL0003 | <0.01 | <5 | <0.001 | 0.001 | <0.01 | <0.01 | <0.001 | <0.001 | 0.02 | 0.85 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 0.44 | 0.006 | 0.001 | 0.03 | 0.11 | 0.03 | 0.06 | <0.001 | < 0.001 |
| OL0004 | <0.01 | <5 | <0.001 | 0.002 | <0.01 | <0.01 | < 0.001 | <0.001 | 0.02 | 1.33 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 0.02 | 0.005 | 0.001 | 0.09 | 0.45 | 0.03 | 0.14 | <0.001 | <0.001 |
| OL0005 | <0.01 | <5 | <0.001 | <0.001 | <0.01 | <0.01 | <0.001 | 0.001 | <0.01 | 1.22 | <0.01 | 0.001 | <0.001 | <0.001 | <0.01 | 0.16 | 0.009 | 0.001 | 0.09 | 0.29 | 0.05 | 0.15 | <0.001 | <0.001 |
| OL0006 | <0.01 | <5 | <0.001 | 0.003 | <0.01 | <0.01 | <0.001 | <0.001 | 0.02 | 1.99 | <0.01 | 0.001 | <0.001 | <0.001 | <0.01 | 0.17 | 0.007 | <0.001 | 0.15 | 0.48 | 0.05 | 0.28 | <0.001 | <0.001 |
| OL0007 | <0.01 | <5 | <0.001 | <0.001 | <0.01 | <0.01 | <0.001 | <0.001 | <0.01 | 2.22 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 80.0 | 0.068 | <0.001 | <0.01 | 0.22 | 0.05 | 0.15 | <0.001 | < 0.001 |
| OL0008 | <0.01 | <5 | <0.001 | 0.001 | <0.01 | <0.01 | <0.001 | 0.002 | 0.12 | 6.3 | <0.01 | 0.002 | <0.001 | <0.001 | <0.01 | 1.83 | 0.186 | 0.001 | 1.27 | 1.52 | 0.07 | 1.12 | <0.001 | <0.001 |
| OL0009 | <0.01 | <5 | <0.001 | 0.001 | <0.01 | <0.01 | <0.001 | 0.002 | 0.1 | 8.55 | <0.01 | 0.002 | <0.001 | <0.001 | <0.01 | 1.45 | 0.275 | <0.001 | 1.51 | 1.8 | 0.08 | 1.11 | <0.001 | <0.001 |
| OL0010 | 0.01 | 51 | <0.001 | 0.356 | 0.21 | <0.01 | <0.001 | <0.001 | 0.03 | 17.14 | <0.01 | 0.001 | <0.001 | <0.001 | <0.01 | 0.1 | 0.015 | <0.001 | 0.21 | 0.67 | 0.01 | 0.15 | 0.002 | <0.001 |
| OL0011 | <0.01 | 15 | <0.001 | 0.015 | <0.01 | 0.01 | 0.001 | 0.002 | 0.09 | 3.43 | <0.01 | 0.016 | <0.001 | <0.001 | <0.01 | 4.36 | 0.033 | 0.004 | 1.58 | 1.5 | 0.03 | 0.4 | <0.001 | <0.001 |
| OL0012 | <0.01 | <5 | <0.001 | <0.001 | <0.01 | <0.01 | < 0.001 | <0.001 | 0.02 | 1.98 | <0.01 | 0.002 | <0.001 | <0.001 | <0.01 | 0.44 | 0.059 | <0.001 | 0.49 | 0.69 | 80.0 | 0.03 | <0.001 | <0.001 |
| OL0013 | 3.62 | 7 | <0.001 | 0.441 | 0.04 | <0.01 | <0.001 | 0.001 | 0.22 | 20.76 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 0.02 | 0.015 | 0.001 | 1.52 | 3.67 | <0.01 | 0.33 | 0.017 | <0.001 |
| OL0014 | 1.56 | 12 | <0.001 | 1.226 | 0.01 | <0.01 | 0.001 | 0.003 | 0.2 | 18.46 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 80.0 | 0.048 | 0.002 | 1.92 | 4.47 | 0.01 | 1.61 | 0.007 | <0.001 |

Little Oliver Rock and Waypoint Descriptions

| Sample | Description |
|----------|--|
| OL0001 | green fine grained volcanic w/magnetite; 1 cm qtz veins w/fine pyrite and specular hematite on fractures; Cu? |
| OL0002 | fine grained green volcanic w/quartz viens w/occas pyrite and chalcopyrite; epidote rimming qtz; weakly magnetic. |
| OL0003 | fine blue volc tuff w/qtz stockwork; crystal lined open spaces; no sulphides; non magnetic. |
| OL0004 | pale green volc w/fine oolitic text; 2 cm qtz veins w/occas fine py and rusty spots w/cpy? Non magnetic and weak slickensides |
| OL0005 | fine grained weakly pyritic siliceous rock; non magnetic. |
| OL0006 | blue colored fine grained banded tuff w/qtz vein and occas py; weakly magnetic; trace chalcopyrite(?) |
| OL0007 | rhyolite(?) grey w/qtz stockwork; approx 2-5 % disseminated pyrite. |
| OL0008 | quartz vein w/coarse pyrite 2-5 cm wide cutting dark blue medium pyritic dacite; evidence of shearing and dark green chlorite. |
| OL0009 | semi massive to massive 'banded' pyrite in same rock as OL0008; occas epidote |
| OL0010 | quartz-hematite-magnetite breccia w/occas epidote; qtz veinlet stockworks and massive magnetite; slickenside |
| OL0011 | sheared volcanic(?) tuff w/creamy white qtz veinlets; no sulphides |
| OL0012 | siliceous tuff w/chlorite (prop alt) and about 5% pyrite, minor specular hematite |
| OL0013 | angular float of dark colored, grainy dacite(?) with magnetite and malachite; quartz; very magnetic |
| OL0014 | subcrop of the same rock as OL0013; very magnetic |
| Waypoint | |
| W01 | siliceous ignimbrite w/dark fiame and about 1% pyrite |
| W02 | same as W01 but appears 'more' welded |
| W03 | fine grained dark green dacite w/trace pyrite and minor propylite alteration |
| W04 | medium grained siliceous dacite w/about 1% pyrite and minor propylite alteration |
| W05 | rhyolite(?) w/minor chlorite (propylite alteration) |
| W06 | medium grained dacite or intrusive; weakly propylitic |
| W07 | same as W06 but a little coarser grained |

2. Geology:

a. Regional – The Terrace area has been mapped very recently by the BCGS at a scale of 1:70000; Open File 2007-4 by J.L. Nelson, R. Kennedy, J. Angen and S. Newman. The Little Oliver Creek area, where the claims lie, has been mapped primarily as Telkwa Formation, Lower Jurassic volcanics (with possible intrusive) rhyolite and dacites, coherent, flow banded or volcaniclastic in nature. There appears to be some question in the western regions of the claims whether the rocks are dacites or intrusive.

In the north-eastern area of the claims, north of Little Oliver Creek, are sedimentary rocks described as "Bivalve bearing green, grey and brown sandstone; thin intervals of tuffaceous and glauconitic siltstone". These sediments are mapped as Lower Cretaceous Smithers Formation.

Intrusive rocks are mapped in the central area of the claims straddling Little Oliver Creek. The intrusive is elongated in a northwest direction and is about 2000 meters by 600 meters in size. It is mapped as Palaeocene "foliated to unfoliated; granite, granodiorite, diorite".

b. Property – While prospecting, three distinct geological features were noted. On the eastern side of the claims the rock appears to be dark green, weakly foliated dacite. This rock had considerable pyrite, semi massive to massive with the foliation giving the pyrite the appearance of being banded. Although not seen in place, abundant angular boulders of a grey to white 'rhyolite' with 2 to 5% pyrite were also noted in this area.

In the western regions of the claims the rock appears to be a dark green dacite but where the grain size becomes larger the rock appears to be *possibly* intrusive in nature.

In one narrow zone, in the central area of the claim, breccias are noted with clasts being quartz as well as a tan to orange colored volcanic. The clasts are approximately 1 centimetre in size. In places the breccia is welded with magnetite and in other areas is silicified and the clasts are hard to identify. In the silicified breccia, magnetite is absent but there is disseminated pyrite. Slickenside was also noted in this area. An outcrop just west of this location was identified as an ignimbrite with elongated fragments (fiame) quite evident.

3. Technical Data:

a. Purpose – As mentioned above in the introduction this area was chosen as a prospect due to rumoured gold and copper mineralization with magnetite as well as one old assessment report that mentions fairly widespread copper mineralization in an area north of Little Oliver Creek.

The main purpose of this prospecting venture was to try locate the area(s) where the rumoured gold, copper with magnetite was as well as to locate the copper reported in the old assessment report. Secondary to this, but not at all of lesser importance, was to determine whether the area has potential for a significant ore deposit.

b. Results and Interpretation – A number of prospecting traverses were carried out including one along the old logging road which lies on the south side of Little Oliver Creek. A few short traverses, both to the south and to the north off this road were taken. One traverse was from an old road north of Little Oliver Creek in very steep terrain where copper and magnetite with gold values was rumoured by prospectors who had previously worked this area. Angular float of quartz/magnetite with malachite copper stain was found (OL0013). A little further upslope, sub crop of the same material was sampled (OL0014). Both of these samples were highly anomalous in gold and copper with 18 to 20% iron. The rock appeared to be intrusive although the dacites in this region, if indeed they are dacite, appear to be intrusive when the grain size increases. These samples were taken very close to the area on the regional geology map where the small intrusive is mapped as well as an inferred fault. More sampling in this area is definitely warranted to determine the nature and the extent of the mineralization.

During one short traverse across Little Oliver Creek into the cliffs, malachite was noted spotting the outcrop in a number of places. This area is extremely steep and only one sample was taken from the talus rubble at this time. This sample, OL0001 was weakly anomalous in gold and copper and had 6.58% iron as well as quartz veinlets. The rock again appeared to be grey dacite and rhyolite (?)

A fault zone was located on the south side of Little Oliver Creek. This set of structures was first noticed in a brief satellite interpretation. Breccias welded with magnetite and silicified in places was sampled (OL0010 to OL0012). Sample OL0010 and OL0011 were anomalous in silver, copper and iron. OL0011 also had secondary calcite. Sample OL0012 had disseminated pyrite with minor specular hematite and strong propylite (chlorite) alteration. Slickenside and gouge was also noted in this area. This zone is definitely a fault which has been mineralized and seems to have some potential for size.

Just to the east of this area outcrops were green propylitic dacites with occasional quartz veinlets. Occasional pyrite was noted as disseminations and on fracture planes. None of the samples taken here was anomalous but pyrite was noted

Further to the east, just north of a washed out bridge on the logging road, large angular (proximal) float boulders were found on the south side of the creek. Two of the boulders were a dark green propylitic, foliated dacite, one with a 2 – 5 centimetre wide quartz vein and both with coarse, semi massive to massive pyrite. The pyrite appears to be banded or conforming to the strong foliation of the rock. There are also tiny quartz veinlets which appear to be stress fractures cross cutting the foliation. The foliation along with the stress fractures likely means that a structure is probably very close by. Unfortunately these rocks were not found in place but due to their angularity it is thought that they are very proximal. Samples OL0008 and OL0009 were taken here and, other than strong iron in the analysis, the results for these rocks were disappointing. Sample OL0007 was also taken in this area. At first we thought this rock

may be a rhyolite but on closer examination it appears to be a white, possible silica altered, volcanic tuff with disseminated pyrite and rare quartz veinlets. A weak foliation is also evident. This rock was also not anomalous but what it does help to show is that a structure is likely close by.

A number of lineaments thought to be faults were observed on satellite images throughout the claim area. There seems to be two dominant trends of these lineaments; one trending approximately south by southeast (about 150 degrees) and a second set trending approximately south by southwest (about 200 degrees). The best mineralization to date seems to be coincident with these possible structures especially where they seem to intersect.

4. Conclusions:

- Significant copper mineralization, generally with gold and silver values, is present within the claims.
- b. The mineralization appears to be related to structures and the intersecting of structures as well as possibly to a Palaeocene intrusion in the central area of the claims north of Little Oliver Creek.
- c. Magnetite and quartz is almost invariably a 'signature' of mineralization. The more magnetite the higher the gold values.
- d. More prospecting is definitely warranted along the structures and proximal to the intrusive rocks.
- e. The terrain is very rugged and difficult to navigate when prospecting but there are numerous small drainages cutting down the steep slopes. It is recommended that a stream sediment program be couples with any further prospecting in the area.

Respectfully Submitted;

Ron Bilquist, Prospector

Ren Bill

12th January 2009

References:

- 1. Open File 2007-4 Geology of the Terrace Map Area British Columbia (103l 9, 10, 15, 16) by J.L. Nelson, R. Kennedy, J. Angen, and S. Newman.
- 2. Assessment Report 8133; Two Goat Mineral Claims 1 to 4, Omenica Mining Division, 103I/16 by Tom Richards, June 1980.

Little Oliver Expeditures

| Item | Details | | | | Totals |
|--|-------------------------------------|---------|-----------|------------|------------|
| Personnel (Name)* / Position | Field Days (list actual days) | Days | Rate | Subtotal* | |
| Ron Bilquist/Prospector | August 5th to 9th, 2008 | - | | \$2,000.00 | |
| Kelly Bilquist/Prospector | August 5th to 9th, 2009 | 5 | | \$1,750.00 | |
| | | | | | \$3,750.00 |
| Office Studies | List Personnel (note - Office onl | v) | | | , , |
| Report preparation | Ron Bilguist | 1.5 | \$350.00 | \$525.00 | \$525.00 |
| Ground Exploration Surveys | Area in Hectares/List Personnel | | | | |
| Prospect | | field e | xpenditur | es above | |
| Transportation | | No. | Rate | Subtotal | |
| truck rental | August 6 to 10th, 2009 | 5.00 | \$75.00 | \$375.00 | |
| fuel | | | \$0.00 | \$426.39 | |
| Other | Ferries | | | \$177.90 | |
| | | | | \$979.29 | \$979.29 |
| Accommodation & Food | Rates per day | | | | |
| Hotel | 2 @ \$85.00,2 @ \$115.00 (plus tax) | | \$0.00 | \$461.26 | |
| Meals | actual cost | | \$0.00 | \$311.21 | |
| | | | | \$772.47 | \$772.47 |
| Miscellaneous | | | | | |
| Other (Specify) | batteries,bags,flagging | | | \$35.88 | |
| | | | | \$35.88 | \$35.88 |
| Equipment Rentals | | | | | |
| Field Gear (Specify) | | | \$0.00 | \$0.00 | |
| Other (Specify) | | | | | |
| | | | | \$0.00 | \$0.00 |
| Freight, rock samples | | | | | |
| Analysis | 14 (prep and analysis) | | \$36.23 | \$507.26 | |
| | | | \$0.00 | \$0.00 | |
| British St. Sales Sa | | | | \$507.26 | \$507.26 |
| TOTAL Expenditures | | | | | \$6,569.90 |

AUTHORS QUALIFICATIONS:

- I have worked full time in the mining exploration business for 40 years. During this time I have been self employed as a prospector as well as employed by numerous exploration companies on both salary and contract basis. My work has been primarily prospecting but duties from time to time have also included trenching, trench mapping, drilling and blasting, claim staking, line cutting and grid construction, geochemical surveys, geophysical surveys, geological mapping, draughting, diamond drilling and drill supervision. I have also been involved with project generation and research and have worked with a wide variety of geological models and concepts.
- During my career I have prospected throughout Canada, the Yukon and NWT as well as Argentina and Mexico.
- I have written an exam to qualify as a prospector for the Department of Mines and Petroleum Resources. This exam took place at the department office in Nanaimo in 1975 and was supervised by W.C. Robinson, P. Eng.
- In 1992 I successfully completed the *Petrology for Prospectors Course* sponsored by the Ministry of Energy, Mines and Petroleum Resources: course instructor T.A. Richards, Ph.D.
- In 1994 I took a short course on Drift Exploration in glaciated and mountainous terrain put on by the BCGS Branch Short Course, Cordilleran Roundup, January 24, 1994.
- I have also been on a number of mine tours; copper porphyries include Island Copper in B.C.,
 Bingham and Silver Bell North in Utah and Nevada, Escondida, Zaldivar, Spence and
 Chuquicamata in Chile. I have had tours of a number of small epithermal gold mines in the
 Carlin Trend of Nevada as well as the Skukum in the Yukon.

Signed

Ronald J. Bilquist

Run B. O.

Dated at Gabriola B.C. this

12th day of January, 2009

Appendix

(i) Sample Preparation and Analysis:

The rock samples were placed in poly ore bags. Where possible a witness sample of each rock sample was retained and is available for viewing. The samples were shipped by Greyhound directly to Acme Laboratories Limited of Vancouver, British Columbia, an ISO 9001 accredited laboratory. Acme Laboratories is located at 1020 Cordova St. East Vancouver BC, V6A 4A3. Their phone number is (604) 253-3158. Included with the shipment of samples was a request for analysis by their Group 7AR, a 23 element ICP analysis with a fire assay for Au and Ag using their Group G6.

All samples were crushed, split and pulverized to a 200 mesh size and the samples analysed for 23 elements followed by a fire assay for gold and silver.

ACME Group 7 - 7AR uses a Hot Aqua Regia digestion on a 1 gram split for base-metal sulphide and precious-metal ores with ICP analysis determined by emission spectrometry.

ACME Group 6 – G6 is a Fire Assay on a 30 gram sample

Appendix Continued

(ii) Certificate of Analysis (following pages):



www.acmelab.com

Client:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7 Canada

Submitted By:

Ron Bilguist

Receiving Lab:

Canada-Vancouver

Received:

October 01, 2008

Report Date:

October 17, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

CLIENT JOB INFORMATION

Project:

None Given

Shipment ID:

P.O. Number

Number of Samples:

14

SAMPLE DISPOSAL

STOR-PLP

Store After 90 days Invoice for Storage

DISP-RJT

Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7


Canada

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|----------------|----------------------|---|-----------------|------------------|
| R150 | 14 | Crush, split and pulverize rock to 200 mesh | | |
| G6 | 14 | Ag Au by fire assay | 30 | Completed |
| 7AR | 14 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 1 | Completed |

ADDITIONAL COMMENTS

VAN08009869.1



CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Client:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7 Canada

Project:

None Given

October 17, 2008

Report Date:

Page:

2 of 2

| | | | | | | | | | 5 E 3 A 5 | | | i ago. | | | 2012 | | | | | | |
|---------------------------------------|---------|------|--------|-------|---------|---------|--------|-------|-----------|---------|---------|--------|-------|--------|---------|---------|---------|--------|------|-------|---------|
| CERTIFICATE OF ANALYSIS VAN08009869.1 | | | | | | | | | | | | | | | | | | | | | |
| | Method | WGHT | G6 | G6 | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR |
| | Analyte | Wgt | Au | Ag | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Sr | Cd | Sb | Bi | Ca | Р | Cı |
| | Unit | kg | gm/mt | gm/mt | % | % | % | % | gm/mt | % | % | % | % | % | % | % | % | % | % | % | % |
| | MDL | 0.01 | 0.01 | 5 | 0.001 | 0.001 | 0.01 | 0.01 | 2 | 0.001 | 0.001 | 0.01 | 0.01 | 0.01 | 0.001 | 0.001 | 0.001 | 0.01 | 0.01 | 0.001 | 0.001 |
| OL0001 | Rock | 0.24 | 0.03 | 5 | <0.001 | 0.097 | <0.01 | <0.01 | 5 | <0.001 | 0.003 | 0.03 | 6.58 | <0.01 | 0.001 | <0.001 | <0.001 | <0.01 | 0.03 | 0.009 | <0.001 |
| OL0002 | Rock | 0.94 | <0.01 | 8 | <0.001 | 0.002 | <0.01 | <0.01 | <2 | 0.001 | <0.001 | 0.02 | 1.32 | <0.01 | 0.004 | <0.001 | < 0.001 | <0.01 | 88.0 | 0.086 | 0.003 |
| OL0003 | Rock | 0.84 | <0.01 | <5 | < 0.001 | 0.001 | < 0.01 | <0.01 | <2 | < 0.001 | < 0.001 | 0.02 | 0.85 | < 0.01 | < 0.001 | < 0.001 | < 0.001 | <0.01 | 0.44 | 0.006 | 0.001 |
| OL0004 | Rock | 0.86 | <0.01 | <5 | <0.001 | 0.002 | <0.01 | <0.01 | <2 | < 0.001 | < 0.001 | 0.02 | 1.33 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | 0.02 | 0.005 | 0.001 |
| OL0005 | Rock | 0.43 | <0.01 | <5 | <0.001 | < 0.001 | < 0.01 | <0.01 | <2 | < 0.001 | 0.001 | <0.01 | 1.22 | <0.01 | 0.001 | < 0.001 | < 0.001 | <0.01 | 0.16 | 0.009 | 0.001 |
| OL0006 | Rock | 0.55 | <0.01 | <5 | <0.001 | 0.003 | <0.01 | <0.01 | <2 | < 0.001 | < 0.001 | 0.02 | 1.99 | < 0.01 | 0.001 | < 0.001 | < 0.001 | <0.01 | 0.17 | 0.007 | < 0.001 |
| OL0007 | Rock | 1.24 | <0.01 | <5 | < 0.001 | <0.001 | <0.01 | <0.01 | <2 | < 0.001 | < 0.001 | <0.01 | 2.22 | < 0.01 | < 0.001 | < 0.001 | <0.001 | < 0.01 | 0.08 | 0.068 | <0.001 |
| OL0008 | Rock | 0.83 | <0.01 | <5 | < 0.001 | 0.001 | <0.01 | <0.01 | <2 | < 0.001 | 0.002 | 0.12 | 6.30 | <0.01 | 0.002 | < 0.001 | < 0.001 | <0.01 | 1.83 | 0.186 | 0.001 |
| OL0009 | Rock | 0.86 | <0.01 | <5 | <0.001 | 0.001 | <0.01 | <0.01 | <2 | <0.001 | 0.002 | 0.10 | 8.55 | <0.01 | 0.002 | < 0.001 | <0.001 | <0.01 | 1.45 | 0.275 | < 0.001 |
| OL0010 | Rock | 0.46 | 0.01 | 51 | <0.001 | 0.356 | 0.21 | <0.01 | 49 | <0.001 | < 0.001 | 0.03 | 17.14 | < 0.01 | 0.001 | < 0.001 | < 0.001 | <0.01 | 0.10 | 0.015 | < 0.001 |
| OL0011 | Rock | 1.31 | <0.01 | 15 | <0.001 | 0.015 | < 0.01 | 0.01 | 4 | 0.001 | 0.002 | 0.09 | 3.43 | < 0.01 | 0.016 | < 0.001 | < 0.001 | < 0.01 | 4.36 | 0.033 | 0.004 |
| OL0012 | Rock | 0.89 | < 0.01 | <5 | < 0.001 | <0.001 | <0.01 | <0.01 | <2 | <0.001 | <0.001 | 0.02 | 1.98 | < 0.01 | 0.002 | < 0.001 | < 0.001 | <0.01 | 0.44 | 0.059 | <0.001 |
| OL0013 | Rock | 0.56 | 3.62 | 7 | <0.001 | 0.441 | 0.04 | <0.01 | 6 | <0.001 | 0.001 | 0.22 | 20.76 | <0.01 | <0.001 | < 0.001 | <0.001 | <0.01 | 0.02 | 0.015 | 0.001 |
| OL0014 | Rock | 0.80 | 1.56 | 12 | <0.001 | 1.226 | 0.01 | <0.01 | 11 | 0.001 | 0.003 | 0.20 | 18.46 | < 0.01 | <0.001 | < 0.001 | <0.001 | < 0.01 | 0.08 | 0.048 | 0.002 |



www.acmelab.com

Client:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7 Canada

Project:

None Given

Report Date:

October 17, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08009869.1

| | м | ethod | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR |
|--------|------|--------|-------|------|-------|------|---------|--------|
| | A | nalyte | Mg | Al | Na | K | W | Hg |
| | | Unit | % | % | % | % | % | % |
| | | MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.001 | 0.001 |
| OL0001 | Rock | | 0.56 | 1.31 | 0.06 | 0.82 | <0.001 | <0.001 |
| OL0002 | Rock | | 0.40 | 0.72 | 0.05 | 0.09 | <0.001 | <0.001 |
| OL0003 | Rock | | 0.03 | 0.11 | 0.03 | 0.06 | <0.001 | <0.001 |
| OL0004 | Rock | | 0.09 | 0.45 | 0.03 | 0.14 | <0.001 | <0.001 |
| OL0005 | Rock | 1 | 0.09 | 0.29 | 0.05 | 0.15 | <0.001 | <0.001 |
| OL0006 | Rock | 1 | 0.15 | 0.48 | 0.05 | 0.28 | <0.001 | <0.001 |
| OL0007 | Rock | | <0.01 | 0.22 | 0.05 | 0.15 | <0.001 | <0.001 |
| OL0008 | Rock | | 1.27 | 1.52 | 0.07 | 1.12 | <0.001 | <0.001 |
| OL0009 | Rock | | 1,51 | 1.80 | 0.08 | 1.11 | <0.001 | <0.001 |
| OL0010 | Rock | 1 | 0.21 | 0.67 | 0.01 | 0.15 | 0.002 | <0.001 |
| OL0011 | Rock | | 1.58 | 1.50 | 0.03 | 0.40 | < 0.001 | <0.001 |
| OL0012 | Rock | 1 | 0.49 | 0.69 | 0.08 | 0.03 | <0.001 | <0.001 |
| OL0013 | Rock | | 1.52 | 3.67 | <0.01 | 0.33 | 0.017 | <0.001 |
| OL0014 | Rock | | 1.92 | 4.47 | 0.01 | 1.61 | 0.007 | <0.001 |



Client:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7 Canada

Project:

None Given

October 17, 2008

Report Date:

www.acmelab.com

Page:

1 of 1

Part 1

| QUALITY CO | ONTROL | REP | OR' | T | | | | | | | | | | | | VA | 80 N | 009 | 869. | .1 | |
|---------------------|-------------------|-------------|---------------|------------|------------|------------|-----------|-----------|------------|------------|------------|-----------|-----------|-----------|------------|------------|-------------|-----------|-----------|------------|------------|
| | Method Analyte | WGHT Wgt | G6 Au | G6 Ag | 7AR Mo | 7AR Cu | 7AR Pb | 7AR Zn | 7AR Ag | 7AR Ni | 7AR Co | 7AR Mn | 7AR Fe | 7AR As | 7AR Sr | 7AR Cd | 7AR Sb | 7AR Bi | 7AR Ca | 7AR P | 7AR Cr |
| | Unit MDL | kg 0.01 | gm/mt 0.01 | gm/mt 5 | % 0.001 | % 0.001 | % 0.01 | % 0.01 | gm/mt 2 | % 0.001 | % 0.001 | % 0.01 | % 0.01 | % 0.01 | % 0.001 | % 0.001 | % 0.001 | % 0.01 | % 0.81 | % 0.001 | % 0.001 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD R4A | Standard | | | | 0.056 | 0.507 | 1.49 | 3.23 | 87 | 0.343 | 0.039 | 0.06 | 22.43 | 0.02 | 0.003 | 0.018 | 0.013 | <0.01 | 0.93 | 0.042 | 0.012 |
| STD SF-3A | Standard | | | | 0.024 | 0.763 | 0.92 | 1.07 | 52 | 0.338 | 0.017 | 0.41 | 7.65 | <0.01 | 0.005 | 0.004 | <0.001 | <0.01 | 2.55 | 0.052 | 0.016 |
| STD \$P17 | Standard | | 18.58 | 57 | | | | | | | | | | | | | | | | | ļ |
| STD SP17 | Standard | | 18.32 | 58 | | | | | | | | | | | | | | | | |] |
| STD R4A Expected | 1 | | | | 0.055 | 0.502 | 1.503 | 3.31 | 86 | 0.336 | 0.04 | 0.057 | 23.381 | 0.023 | 0.0036 | 0.017 | 0.012 | 0.0024 | 0.938 | 0.042 | 0.012 |
| STD SF-3A Expected | | | | | 0.0308 | 0.7705 | 0.9625 | 1.0628 | 54 | 0.3365 | 0.0183 | 0.4247 | 7.91 | 0.0046 | 0.005 | 0.0045 | 0.001 | 0 | 2.59 | 0.054 | 0.0167 |
| STD SP17 Expected | | | 18.13 | 59.16 | | | | | | | | | | | | | | | | | 1 |
| BLK | Blank | | | | <0.001 | <0.001 | <0.01 | <0.01 | <2 | <0.001 | < 0.001 | <0.01 | <0.01 | <0.01 | <0.001 | <0.001 | <0.001 | <0.01 | <0.01 | <0.001 | <0.001 |
| BLK | Blank | | <0.01 | <5 | | | | | | | | | | | | | | | | | 1 |
| BLK | Blank | | < 0.01 | <5 | | | | | | | | | | | | | | | | | 1 |
| Prep Wash | • | | | | | | | | | | | | | | | | | | | | ļ |
| G1 | Prep Blank | <0.01 | <0.01 | <5 | <0.001 | <0.001 | 0.02 | 0.01 | 6 | <0.001 | <0.001 | 0.06 | 2.12 | <0.01 | 0.006 | < 0.001 | <0.001 | <0.01 | 0.57 | 0.078 | 0.001 |



Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Vintage Prospecting

1410 Degnen Rd

Gabrilola BC V0R 1X7 Canada

Project:

None Given

Report Date:

October 17, 2008

Page:

1 of 1

Part 2 VAN08009869.1

QUALITY CONTROL REPORT

| | Method | 7AR | 7AR | 7AR | 7AR | 7AR | 7AR |
|---------------------|------------|-------|-------|-------|-------|---------|---------|
| | Analyte | Mg | Al | Na | K | W | Hg |
| | Unit | % | % | % | % | % | % |
| | MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.001 | 0.001 |
| Reference Materials | : | | | | | | |
| STD R4A | Standard | 0.83 | 1.25 | 0.07 | 0.50 | <0.001 | <0.001 |
| STD SF-3A | Standard | 4.13 | 0.99 | 0.49 | 0.98 | < 0.001 | <0.001 |
| STD SP17 | Standard | | | | | | |
| STD SP17 | Standard | | | | | | |
| STD R4A Expected | · | 0.831 | 1.249 | 0.066 | 0.506 | 0 | 0.001 |
| STD SF-3A Expected | | 4.27 | 1 | 0.47 | 0.99 | 0 | 0.00006 |
| STD SP17 Expected | • | | | | | | |
| BLK | Blank | <0.01 | <0.01 | <0.01 | <0.01 | <0.001 | <0.001 |
| BLK | Blank | | | | | | |
| BLK | Blank | | | | | | |
| Prep Wash | • | | | | | | |
| G1 | Prep Blank | 0.62 | 1.08 | 0.10 | 0.53 | <0.001 | <0.001 |

