

RECEIVED
FEB - 4 2009
Gold Commissioner's Office
VANCOUVER, B.C.



Le Baron Prospecting
Port Renfrew, BC

Prospecting and Geochemical Assessment Report

Le Baron Prospecting / Loup Creek Project
Vancouver Island, British Columbia
Tenure # 535898

**BC Geological Survey
Assessment Report
30516**

Victoria Mining Division
NTS: M092C069, M092C079
48 degrees - 41'- 0" north x 124 degrees - 26'- 55" west



**BC GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**


30,516

Report by:
Scott Phillips
Le Baron Prospecting
16977 Tsonaquay Dr
Port Renfrew BC
V0S-1K0

2008

FIGURE MAP A

Le Baron Prospecting / tenure 535898 / overview map



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airfield
- Anchorage - Seaplane
- Ferry Route
- Heliport
- Seaplane Base
- Air Field
- Airport
- Air Feature - Condition Unknown
- Airport Abandoned

Map center: 48°37' N, 124°22' W

Scale: 1:150,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.



1.0 Introduction:

This report describes the results of exploration activities including prospecting, technical surveys and geochemical analysis starting in June 11, 2008 and ending in July 31, 2008. The purpose is to continue exploration programs and begin investigating the ultramafic potential of these tenures. These tenures, which consist of two adjoining claims and a separate tenure are centered at approximately 124° 20' west longitude, 48°43' north latitude, approximately 19 km north of Port Renfrew, BC, Canada.

These Tenures are located within the Seymour Range, which is just north of the town of Port Renfrew BC. Port Renfrew is approximately 100 west of the capital city of Victoria, BC. The Loup Creek and Hemmingsen Creek mineral tenures are located within the giant mineral tenure project known as the "Pearson Project" which is currently being conducted by Pacific Iron Ore Corporation, from Calgary

The following table summarizes the total work performed on all the claims, which is subsequently described in detail in the following report sections:

**2.0 Exploration work: overview
2008 Prospecting Program**

Total combined Work Conducted and Samples Taken 2008 Tenures 535890 and 535899		
No's	Work description	Details
1.	GPS – survey trails - meters	2495 meters
2.	GPS – survey lines – road side - meters	1046 meters
3.	Total number of rock chip samples collected	40 rock chip
4.	Total number of soil sediment samples collected	N / A
5.	Total number of stream sediment samples collected	12 moss matt
6.	Total number of samples geochemical assayed	4 geochemical
7.	Microscopic field work – testing	20 hrs
8.	Total area prospected	N / A
9.	Related technical information – photos – home flame analysis, rock sawing samples	15 photos 20 hrs analyzing samples



**Le Baron Prospecting
Port Renfrew, BC**

3.0 Location and access.

Note:

This is a “second pass” over the tenure, based upon information gathered in the first pass, this time around we targeted specific areas that were identified for follow-up exploration. Geochemical analysis of rock chip samples obtained were analyzed utilizing ALS Laboratories of Vancouver BC. A systematic sampling program occurred, utilizing GPS survey lines over areas of interest.

The Loup Creek tenure is located 12 kilometers north of Port Renfrew BC, southern Vancouver Island. Access is along a well traveled logging road, the Gordon River Main line. Access to the tenure is south of the Loup Creek bridge, up the Loup Creek spur 4000. This spur line is drivable in a 4x4. Logging in 2006 has exposed a lot of bedrock, out crops, and some intrusions. Take spur road 4330, this spur road traverses a corner of the tenure, boundary marked, access to peak is by trail though logging slash.

4.0 Geological Description.

This tenure is located within the Seymour Range, which is just north of the town of Port Renfrew BC. Port Renfrew is approximately 100 west of the capital city of Victoria, BC.

The Loup Creek mineral tenure is located within the giant mineral tenure project known within the mining community as the “Pearson Project”, Pacific Iron Ore Corporation, from Calgary, Alberta. They have a base office based out of Port Renfrew. Mr Perry Heatherington is the head field supervisor, (PIO) has been conducting for the past few years diamond drilling and aero magnetic mapping.

The Loup Creek tenure lie within Wrangell, this tenure is strategically located also within the “Pearson Project” as to be in line with the huge intrusion of the West Coast Crystalline Intrusion, West Coast Complex, Gabbros, Peridotites, along with ultramafic intrusions, of the Paleozoic-Mesozoic, There is also limestones of the Quatsino Formation, Triassic era. Volcanic rock of the Lower Jurassic Bonanza Group is also present in the area.

5.0 Tenure Mineralization

The Loup Creek tenure is underlain by the heavy volcanics of The Sicker Group and is part of the much larger West Coast Complex. The common rock is diorite, with and abundance of black and green serpentine, massive formations of limestone from the Parsons Bay Formation can be found in the area, not in the tenure, also heavy plate tectonics and significant volcanic activity has occurred in the area throughout time. Though the Loup Creek tenure is just west of the Gordon River, there is green serpentine, and magnesite / limestone that can be found within the tenure.



**Le Baron Prospecting
Port Renfrew, BC**

6.0 Area Exploration Information

The Port Renfrew area has undergone many years of exploration, from the Spanish prior to the turn of the century, to Noranda Mining, in the late 1960's to 70's, and to the most recent large scale exploration program by Emerald Field Resources Corporation, from Kenora, Ontario which in the past several years has been drilling, and a major aero magnetic project which has shown the vast intrusion in the Port Renfrew area is of significant size, and of depth. This deposit is of economic value.

All information can be found within the Ministry of Energy and Mines, Minfile data base, and also reports within the ARIS data base, using Port Renfrew as the basis of a search engine. Area prospectors continue to explore and develop their mineral tenures within the area, gathering data, including geochemical analysis is key to a better understanding of a vast intrusion which is said to be of economic potential to British Columbia.

7.0 Exploration Program / Specifications and Technical Information;

- Geochemical Analysis, sampling methods, rock type.
 - All work and sample sites marked on working maps / in field
- 1.0 Analytical procedures / ME-ICP61, = 33 element full digestion
 - 2.0 Sampling methods, all samples were conducted using basic tools, hammer chisel, pry bars, field loup, and all samples were field bagged, tagged, and field map plotted. GPS wpts of each sample site were also taken for future reference. Stream sediment samples were taken using a plastic classifier, and hand gold pan of moss matt samples, magnet to remove magnetite.
 - 3.0 Geochemical analysis;
40+ rock samples were taken, 4 samples submitted for analysis.
12 stream sediment samples taken, 0 submitted for analysis.
 - 4.0 Home inspection, all field samples taken, all were analyzed using a microscope at 1-40,000.
 - 5.0 Survey line; 3541 meters of survey line, on trails, roads, were run within the tenure mentioned in report, GPS locations were taken of each start / stop survey line, as well rock exposures and water tributaries.
 - 6.0 Road / spur survey was conducted using GPS [Lorraine, global map 100] to plot out existing access roads and mark onto field maps for future reference.

The Loup Creek Tenure, the target rock type is the ultramafic intrusions.



**Le Baron Prospecting
Port Renfrew, BC**

8.0 Loup Creek Project: exploration to date.

During the “first pass” recent logging of the south portion of the tenure has exposed a great deal of bed rock. A historic fire, 1989, the Loup Creek fire has burned an abundance of cover soil away from the bed rock in the western portion of the mountain peak, exposing some nice ultramafic intrusions.

Roadside rock chip sampling and basic stream / creek sediment sampling occurred..

The discovery of several “intrusions” or alterations of the host rock which were discovered, they are ultramafic in nature, there is also some nice alteration areas in the discovered in the back side of the mountain peak.

During the second pass, two days were set aside to “follow up” the prior exploration. With the assistance of two labours, we collected samples systematically from two areas of interest, Area A – south / west face of mountain, and Area B – north east face of mountain. (see technical information for details on exploration).

Systematic surveying was conducted around the peak of the mountain, logging and a forest fire a few years ago has left a lot of danger trees or standing snags, high winds during the winter months have also left a lot of “blow down” where prior logging has exposed to the elements.

9.0 Conclusions

We recommend follow-up exploration for the possible presence of a magnetic body underneath this tenure. The Bugaboo iron showing is not far south /east of this tenure. The crown grant tenures, Conqueror, Daniel, Cyrus, Jennie, David are all very prized for their iron. Mount Walbran to the east of this tenure is of volcanic nature and at the time of this exploration program, Pacific Iron Ore was exploring the area close by.

This and other tenures owned by our group are strategically placed over known anomalies throughout the Pearson Project, we intended to continue with exploration and possible option agreements in the future with Pacific Iron Ore.



**Le Baron Prospecting
Port Renfrew, BC**

10.0 Statement of Costs:

Loup Creek Project: tenure #535898

Dates of exploration:
June 14, 15th 2008 – 20 hrs

Scott Phillips / tenure owner – field supervisor
Prospector / FMC #145817

\$30.00 x 20 hrs =\$600.00

Raymond Benty – labor
\$20.00 x 20 hrs =\$400.00

Robert Bradshaw – labor
\$20.00 x 20 hrs =\$400.00

Transportation
Truck 4x4 / \$50.00 / day x 2 days =\$100.00

Accommodations
16977 Tsonaquay Dr
Port Renfrew BC
\$70.00 / day x 1 days =\$70.00

ALS Laboratories – certificate of analysis – VA08082592
Cost not included(\$114.82)

Le Baron Prospecting
Report compilation \$350.00 / day x 1 =\$350.00

Total Costs	\$1920.00
--------------------------	------------------

Summary of exploration:

A systematic approach to grid surveying the top of the mountain in this tenure was conducted. The purpose was to explore for the potential of a magnetic body below. A GPS was used along with forestry topographic maps obtained through Teal Jones, Timber Company for mapping and road identification of un-named logging spur roads. Road side rock chip sampling occurred and areas of interest were prospected more closely. A survey trail was established to gain access to the peak of the mountain in tenure #535898 a survey and rock chip sampling occurred along with geochemical analysis.



10.0 Interpretation of sample specific Data.
In reference to Certificate of Analysis # VA08082592
4 Rock Chip samples
Tenure #535898

Reference Figure map C

Sample #	Rock Description	GPS Location	Field notes
Als chemex reference#	<host>	Lorance Global map	Field rock description, location
H031055	Sulfide-covellite	393458 x 5393157	Sulfide exposure, pyrite, iron
H01056	Sulfide-covellite	393170 x 5313190	Sulfide exposure, iron, minor pyrite
H031057	serpentine	393166 x 5392900	serpentine dyke, grayish green
H031058	gabbro	393366 x 5392867	Olivine gabbro, alteration area

Note:

All field samples were taken, re-broken and studied in detail, under a 1-40,000 microscope, all samples were tagged and stored for future reference. The two sample of interest were H031055 – H031058, both samples were of interest, and in unusual areas of alteration. H031055 may prove a magnetic body of size is underneath. Sediment samples down stream were very magnetic. H031058 – this area will be closely re-explored in its relation of olivine gabbro and peridotite potential. Thin slice microscopic analysis was conducted.

Rock Chip samples = 40 samples:

All rock samples were collected in areas of alteration, sulfides, gabbros and serpentines.

Stream Sediment = 12 samples: gold pan, magnet

Sediment samples were obtained in some creek courses to get a “snapshot” of sediment erosion. Magnet sampling was used to measure heavy metal erosion, and any other magnetics. Future geochemical analysis is recommended.

Survey line:

Survey lines – Line A = 1465 meters
Line B = 1030 meters
Road survey - 1046 meters
Total meters. = 3541 meters


Figure map C

Le Baron Prospecting / working reference map



Legend

- Indian Reserves
- National Parks
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
 - Contour - Index
 - Contour - Index.Indefinite
 - Contour - Index.Depression
 - Contour - Index.Depression Indefinite
 - Contour - Intermediate
 - Contour - Intermediate.Indefinite
 - Contour - Intermediate.Depression
 - Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad



Map centre 118° 40' 53.5" W 24° 27' 3.5" N

This map is a user generated static output from an Internet mapping site a reference only. Data layers that appear on this map may or may not be as otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: + GPS survey
XX = GPS sampling


Le Baron Prospecting / working reference map - Spur RDS



Legend

- Indian Reserves
- National Parks
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad

Scale: 1:12,000



Map center: 48° 40' 58" N, 124° 26' 52" W

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **LE BARON PROSPECTING**
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

INVOICE NUMBER 1755853

BILLING INFORMATION	
Certificate:	VA08082592
Sample Type:	Rock
Account:	LEBPRO
Date:	10-JUL-2008
Project:	Loup Creek Project
P.O. No.:	
Quote:	
Terms:	Due on Receipt C3
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	30.00	30.00
4	PREP-31	Crush, Split, Pulverize	6.55	26.20
1.16	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.65	0.75
4	ME-ICP61	33 element four acid ICP-AES	7.65	30.60
4	GEO-4ACID	Four acid "near total" dig	5.45	21.80

To: **LE BARON PROSPECTING**
ATTN: SCOTT PHILLIPS
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

SUBTOTAL (CAD) \$	109.35
R100938885 GST \$	5.47
TOTAL PAYABLE (CAD) \$	114.82

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

mailed



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 1

Finalized Date: 10-JUL-2008

This copy reported on 2-OCT-2008

Account: LEBPRO

CERTIFICATE VA08082592

Project: Loup Creek Project

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 20-JUN-2008.

The following have access to data associated with this certificate:

SCOTT PHILLIPS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: LE BARON PROSPECTING
ATTN: SCOTT PHILLIPS
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING

9298 CHESTNUT RD.

CHEMAINUS BC V0R 1K5

Page: 2 - A

Total # Pages: 2 (A - C)

Finalized Date: 10-JUL-2008

Account: LEBPRO

Project: Loup Creek Project

CERTIFICATE OF ANALYSIS VA08082592

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
H031055		0.46	1.3	2.50	11	10	<0.5	<2	11.15	<0.5	540	19	6940	22.2	<10	0.01
H031056		0.32	0.9	0.58	30	60	0.6	<2	13.80	1.4	506	<1	2150	18.70	10	0.01
H031057		0.24	<0.5	4.35	43	270	<0.5	<2	0.14	<0.5	8	73	72	1.98	10	1.35
H031058		0.14	<0.5	8.18	<5	180	0.5	<2	3.07	<0.5	30	22	108	6.44	10	0.29



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 10-JUL-2008
Account: LEBPRO

Project: Loup Creek Project

CERTIFICATE OF ANALYSIS VA08082592

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
	Analyte	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
Units		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
LOR		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
H031055		<10	0.49	2340	4	0.02	366	1740	<2	>10.0	<5	5	16	<20	0.16	10
H031056		<10	1.34	2540	<1	0.02	6	20	3	3.62	<5	<1	10	<20	0.01	<10
H031057		10	0.16	50	9	0.16	16	60	2	0.07	7	15	33	<20	0.21	<10
H031058		10	3.43	1155	2	3.34	15	800	3	2.24	<5	26	316	<20	0.40	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 10-JUL-2008
Account: LEBPRO

Project: Loup Creek Project

CERTIFICATE OF ANALYSIS VA08082592

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm
	LOR	10	1	10	2
H031055		<10	68	<10	20
H031056		<10	7	20	238
H031057		<10	162	<10	45
H031058		20	220	<10	61



**Le Baron Prospecting
Port Renfrew, BC**

11.0 E-mail conformation of event

From: **MT.online@gov.bc.ca**
Sent: June 17, 2008 11:20:42 PM
To: bobttmorris@shaw.ca; scottphillips53@msn.com
Event Number: 4221596
Event Type: Exploration and Development Work / Expiry Date Change

Work Type Code: B

Required Work Amount: 853.04

Total Work Amount: 1920.00

Total Amount Paid: 85.3

PAC Name: LeBaron

PAC Debit: 0.00

Tenure Number: 535898
Tenure Type: M
Tenure Subtype: C
Claim Name: LE BARON
Old Good To Date: 2008/jun/18
New Good To Date: 2009/jun/18
Tenure Required Work Amount: 853.04
Tenure Submission Fee: 85.30

Your technical work report is due in 90 days as per Section 33 of the Mineral Tenure Act and Section 16 and Schedule A of the Mineral Tenure Act Regulation. Please attach a copy of your confirmation page to the front of your report.