

EVENT #4238975

RECEIVED
JAN 30 2009
Gold Commissioner's Office
VANCOUVER, B.C.

RECEIVED
NOV 10 2009
Gold Commissioner's Office
VANCOUVER, B.C.

ASSESSMENT REPORT ON THE MC CLAIMS

(Geochemical and Geophysical)
McBride River Area

BC Geological Survey
Assessment Report
30531

Liard Mining District
British Columbia, Canada
Northing 6450000 m Easting 492000 m
Longitude 129° 10' W Latitude 59° 05' N
UTM Zone 10
Map Sheets 104I/03

For

REMINGTON RESOURCES INC.

#202 - 750 West Pender Street
Vancouver, BC
V6C 2T7

Author:

Robert G. Krause, B.Sc.

Date: January 29, 2009

REVISED: NOVEMBER 9, 2009

BC GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
30531

Table of Contents

| | |
|--|----|
| 1. Summary and Introduction..... | 1 |
| 2. Property Description..... | 4 |
| 3. Access, Climate, Local Resources, Infrastructure and Physiography..... | 6 |
| 4. History..... | 7 |
| 5. Recent Exploration Work..... | 8 |
| 6. Geological Setting..... | 9 |
| 6.1 Regional Geology | |
| 6.2 Property Geology | |
| 7. Regional Geophysics..... | 12 |
| 8. Regional Geochemistry..... | 13 |
| 9. 2008 Geochemical and Geophysical Program..... | 14 |
| 10. Conclusions..... | 15 |
| 11. Statement of Expenditures..... | 16 |
| 12. Statement of Qualifications..... | 17 |
| 13. Reference..... | 18 |

List of Figures

| | | | |
|--------|-------|--------------------------------------|----|
| Figure | I) | Property Location Map..... | 3 |
| | II) | Claim Map..... | 5 |
| | III) | Regional Geology..... | 10 |
| | IV) | Property Geology..... | 10 |
| | V) | 2008 Soil Sample Location Map Grid I | |
| | VI) | 2008 Soil Sample Au and Ag Results | |
| | VII) | 2008 Soil Sample Cu and Zn Results | |
| | VIII) | 2008 Grid II Location | |

List of Tables

| | |
|----------|--------|
| Table I: | Claims |
|----------|--------|

Appendix A

Acme Analytical: Geochemical Report

Summary and Introduction

During the month of July 2008, a four man crew provided by Nicholson & Associates was mobilized to Dease Lake, Northern B.C. arriving July 11, 2008.

I flew to Dease Lake and the crew was mobilized to the project site on July 13, 2008. Camp gear and supplies were flown from Dease Lake to the project by float plane and then positioned on the claim block by Jim Reed base pilot for PWH helicopter.

Two grids were established on previously determined location and one grid was soil sampled, with a VLF-Em and magnetometer survey conducted concurrently. Due to a computer failure all em and magnetometer data was lost.

A total of 50 line kilometres of VLF-Em and magnetometer surveys were completed, while localized on 2 grids, a soil sampling survey accompanied by VLF-Em and magnetometer survey was completed. Grid 2 was not soil sampled.

A total of 245 soil samples were taken, these samples were taken from the B1 and B2 horizons and the values for gold and silver are plotted on figure #6, with copper and zinc plotted on figure 7.

Results from Acme Analytical Laboratories are located in Appendix (A).

The MC Claims are located in one contiguous claim group 60 kilometres southeast of Dease Lake in northern British Columbia. A review of historical and current geological reports of the area and a visit to the property was undertaken.

Placer gold was first found at the headwaters of the Turnagain River in 1874 but the first placer mineral activities of note in the region occurred in the 1930's. In the 1950's an asbestos geological reserve in the ultramafic rocks was delineated to the north east and in the 1960's a porphyry copper molybdenum resource was located to the north. In the 1970's a Kuroko type (Kutcho Creek) volcanogenic massive sulphide deposit was discovered 46 kilometers east of the MC Claims. Subsequent exploration activity led to discovery of the Discovery Gold Vein on the claims in the 1980's.

The regional geology of the area consists of a discontinuous succession of volcanic and sedimentary strata, bounded to the north and east by the northwesterly trending King Salmon Thrust fault and to the west and southwest by the Triassic-Jurassic granodiorites of the Hotailuh batholith. A succession of volcanic and sedimentary island arc rocks are deformed by movement along the King Salmon Thrust and a conjugate(?) system of northeasterly faults.

The main deposit type that has been identified to date on the property is a high grade gold quartz vein. Two additional deposit types could be related to this mineralizing event: 1) an epithermal gold vein deposit; and 2) a buried intrusive porphyry with a third deposit type suggested related to volcanogenic massive sulphides.

On the property, sub-aerial red, maroon and grey volcanic tuff and breccia are overlain by a coarse conglomerate, an intermediate unit of dark grey to black shales, siltstones and tuffs with minor greywackes and an upper unit of grey green marine andesites and tuffs. In the south, massive andesite flows and pyroclastics, including the "sheared and mineralized" andesite agglomerate appear tuffs and shales are found east of the Discovery Vein. Intrusions of diorite or andesite are present in the area. The northwesterly thrust fault and "conjugate(?)" northeasterly trending block fault system are observed.



2.0 PROPERTY DESCRIPTION AND LOCATION


The properties are located 60 kilometres southeast of Dease Lake in northern British Columbia. (Figure 1, UTM Zone 10, Map Sheet 104I/03). The main British Columbia Highway 37 to Dease Lake is located 40 kilometres to the west of the claim groups and an old winter road and placer mining trails come to within six kilometers of the property. Permitting for initial exploration work has already been initiated.

The property consists of seven contiguous unpatented mineral claims that were staked and recorded in accordance with the new Mineral Tenure Regulations of the British Columbia Government. The claims are displayed on Figure 2 and shown in Table 1. No legal survey of the claims has been undertaken since it is not common exploration practice to conduct such surveying at these early stages of exploration.

Table 1. Remington Resources Inc. Claims

| Converted File # | # of Cells | Original Claim Name | Hectares | Map Sheet | Expiry Date |
|------------------|------------|---------------------|------------------|-----------|---------------|
| 521667 | 24 | Birdie 1 | | 104I 03 | Oct. 31, 2011 |
| 521668 | 21 | Birdie 2 | 358.38 | 104I 03 | Oct. 31, 2011 |
| 521669 | 24 | Birdie 3 | 409.74 | 104I 03 | Oct. 31, 2011 |
| 544322 | 23 | MC 1 | 392.44 | 104I 03 | Oct 24, 2011 |
| 544323 | 25 | MC 2 | 426.351 | 104I 03 | Oct 24, 2011 |
| 544324 | 21 | MC 3 | 358.177 | 104I 03 | Oct 24, 2011 |
| 544325 | 18 | MC 4 | 307.144 | 104I 03 | Oct 24, 2011 |
| 544779 | 25 | MC 5 | 426.823 | 104I 03 | Nov. 1, 2011 |
| 544780 | 23 | MC 6 | 392.693 | 104I 03 | Nov. 1, 2011 |
| 544781 | 21 | MC 7 | 358.539 | 104I 03 | Nov. 1, 2011 |
| TOTAL | 225 | UNITS | 3,839.717 | | |

All claims staked in British Columbia require \$0.40 worth of assessment work per hectare to be undertaken in years 1-3, followed by \$0.80 per hectare per year thereafter. There are no known environmental concerns or parks designated for any area contained within the claims. The property has no encumbrances.



**2008
Soil Grid 1**

2008 Grid 2

REMINGTON RESOURCES INC.

McBRIDE PROJECT

McBRIDE RIVER AREA
LIARD MINING DIVISION, B.C.

**CLAIM AND
GRID LOCATIONS MAP**

DATE: Jan., 2009

FIGURE NO. 2

3.0 ACCESS, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY

Access to the property is by helicopter with availability of locally based aircraft in Dease Lake. The winter road access to the MC Claims comes off the main British Columbia Highway 37, approximately 10 kilometres to the south of Dease Lake. Dease Lake has regular scheduled air service from Smithers, British Columbia. Smithers and Terrace, British Columbia, which locally supply this region, are approximately 7 hours to the south along the main highway.

The area topography is rugged rising from the McBride River at 1000 metres to the top of area mountain ranges at over 1900 metres. The valleys are steep sided with forest vegetation of spruce, balsam and poplar trees with dwarf balsam and alder, grasses, lichen and mosses on the flat "mesa" like uplands and poorly drained areas above the tree line. Most of the claims lie in the latter environment with relief of 200 metres. Climate is also typical of the area with temperatures in the +10°C range for summer to the -15°C range during winter and substantial precipitation of over 700 mm including over 400 cm of snow during the October to April portion of the year. All the major river drainages flow year round and a dependable supply of water is available below the 1500 – 1600 metre elevation level.

The major river drainages of the claims flow to the Pacific Ocean, and the continental divide between the Pacific Ocean and the Arctic Ocean lies a short distance to the north.

The region has had an active history in mining operations, has been permitted for mineral exploration and heavy equipment and operators are available. Smithers, BC, Terrace, BC and Watson Lake, Yukon, are population centres with over 30,000 people that are within a three- to seven-hour drive, and Dease Lake is 60 kilometres northwest of the MC Claims. All these centres have been intimately involved with mineral exploration and mining operations and are able to provide all amenities including police, hospitals, groceries, fuel, helicopter services, hardware and other necessary items. Drilling companies are present in communities nearby while assay facilities are located in Prince George, BC and Vancouver, British Columbia.

4.0 HISTORY

Placer gold was first found at the headwaters of the Turnagain River in 1874 with the first mineral activities of note in the region occurred with the 1930's discovery of placer gold on the Wheaton (Boulder), Alice Shea and Faulkner Creeks. These tributaries of the main Turnagain River have been intermittently mined up to the present with more recent sporadic operations on the Settea Creek area six kilometres adjacent and downstream to the northeast of the MC Claims. The coarse gold of this area was renowned and a 52-ounce Turnagain Nugget was purchased by the British Columbia government. Overall production was just over 10,000 grams (approximately 300 oz.) in the 1930's. Jade from other creeks in the Wolverine and Letain Lakes area has also been placer mined and lode occurrences have been identified at Alice Shea Creek and other areas.

In the 1950's an asbestos geological reserve in the ultramafic rocks of the area of 15.7 million tonnes was blocked out at Letain Lake (Minfile # 104I 006) 30 kilometres to the northeast of the claims and in the 1960's the Eaglehead porphyry copper molybdenum deposit 35 kilometres to the north was drilled with a resource of 30 million tonnes estimated (non-43-101 compliant resource) (Minfile #104I 008).

The most recent exploration work in the area was initiated in the 1970's with the discovery of the Kuroko type volcanogenic massive sulphide Kutcho "deposit" approximately 46 kilometres to the east of the MC Claims (Minfile # 104I 060). Reserves for the three zones at Kutcho are: Kutcho - 17 million tonnes grading 1.62 per cent copper, 2.32 per cent zinc, 29.2 grams per tonne silver and 0.39 gram per tonne gold; Sumac - approximately 10 million tonnes grading 1.0 per cent copper and 1.2 per cent zinc; and Esso West - about 1 to 1.5 million tonnes of approximately double Kutcho grades (CIM Special Volume 37 (1986), page 122).

A government airborne magnetic survey that covered the NTS sheets in the area of the properties was completed for the Geological Survey of Canada in 1978 and a joint federal and provincial stream sediment survey was completed in the 1990's.

5.0 RECENT EXPLORATION WORK

Specific property exploration on the claims has occurred from the discovery of the main vein throughout the 1980's and sporadically into the 1990's. Assessment reports filed with the Mineral Titles Ministry outlined the work that has been done by previous claim holders in the area included prospecting, geological mapping and hand trenching.

No drilling or evidence of drilling or machinery trenching was observed.

During the summer of 2005, a contract line cutting and soil sampling crew from Nicholson and Associates cut and flagged the baseline and grid over the main portion of the property (Figure 2).

6.0 GEOLOGICAL SETTING

6.1 Regional Geology

The regional geology of this area is well summarized by Yeager and others (see references) in their various assessment reports and was confirmed in a broad scale by the author during his time in the area with visits to other regional showings and on the property directly.

The discontinuous succession of volcanic and sedimentary strata is bounded to the north and east by the northwesterly trending King Salmon Thrust fault and to the west and southwest by the Triassic-Jurassic granodiorites of the Hotailuh batholith. The upper plate of the King Salmon Thrust consists of the ultramafic - sedimentary Mississippian - Permian Cache Creek group which also contains the volcanics of the Kutcho formation and the sedimentary lower Jurassic Laberge Group Inklin formation (Figure 3).


Between these two geological boundaries and hosting the company's MC claim group is a succession of volcanic and sedimentary island arc environment rocks ranging in age from upper Triassic Sinwa Formation to middle Jurassic Hazelton group (in part "Toodoggone Volcanics") and include the upper Triassic Stuhini volcanics to the west of the property. The trend of these rock units is generally northwest (parallel to the King Salmon Thrust) but dip, depending on local deformation, is to the southwest or northeast.

Throughout the region are younger, coarse, clastic sedimentary and basalt lava rocks of the Tertiary to Quaternary age in small scattered and inconspicuous pods.

Deformation of the area is believed to be related to the movement along the King Salmon Thrust and a conjugate(?) system of northeasterly trending block faults which cut the geological units.

6.2 Property Geology

The property's geology was mapped in the early 1980's exploration program and was shown to be underlain by green and purplish red volcanic and volcanoclastic strata dipping gently to the east (5°-30°) with the steeper dips to the east (Figure 4). The author has relied on the previous workers (Yeager, Ikona early 1980's and Rayner mid 1980's) mapping for most of this section adding his observations where appropriate.




| | |
|--|---|
| PLISTOCENE AND RECENT | |
| Qs | Clay and glacial till, stream deposits, lacustrine beds, soil |
| JURASSIC | |
| MIDDLE TO LATE JURASSIC | |
| MLJSC | SHOUBERT CREEK PLUTON: biotite-muscovite gneiss |
| MLJsd | Basin and biotite-corniferous gneiss |
| MIDDLE JURASSIC (BASIC), in situ | |
| MJKb | SHOUBERT LATE GROUP: andesite, conglomerate, siltstone, mafic-ultramafic flows, tuffs, breccia, agglomerate, tuffs and tuffaceous, rhyolite, rhyolitic volcanics; MJKb: dominantly andesitic; may be, in part, younger than Middle Jurassic |
| JURASSIC | |
| EARLY TO MIDDLE JURASSIC | |
| MTJF | THREE SISTERS PLUTON: mafic, potassic, ringed phase: biotite-corniferous gneiss; muscovite, garnet, quartz; MTKb: mafic, ringed phase: biotite-corniferous gneiss; muscovite, quartz, pyroxene; MTKc: mafic, ringed phase: biotite-corniferous gneiss; quartz, clinopyroxene, biotite, and quartz monzonite |
| LOWER JURASSIC | |
| LAKWONG FORMATION (LJF, U) | |
| LJF | Light-colored greywacke, shales, siltstone, conglomerate, tuff, sandstone, breccia, calcareous sandstone, fossiliferous conglomerate |
| LJFb | Conglomerate, shale, tuff, Torosite |
| LJFg | Greywacke, shale, minor conglomerate, rarely Pliambachian |
| LJFh | Mafic and granitic siltstone, pyroclastic volcanic rocks, agglomerate, flows, age uncertain |
| TRIASSIC AND (?) JURASSIC | |
| TJv | Grey and mafic phylloids, porphyry, andesite, rhyolite, conglomerate, siltstone, micaceous breccia, rhyolite micro-ash, shale, T2: rhyolite, breccia, welded tuff |
| TRIASSIC GROUP | |
| TJv | Upper part, massive and pillared porphyry, mafic basalt, local basal granitic tuff conglomerate; uTSt, rhyolite breccia with granitic clasts |
| LATE TRIASSIC | |
| LTCh | CACHE HILL PLUTON: hornblende quartz monzonite, granodiorite, weakly to moderately foliated monzonite (and associated equivalents); age indeterminate |
| JURASSIC | |
| CACHE CREEK TERRANE | |
| Ji | LOWER JURASSIC (part, Middle Jurassic) |
| Ji | PLUTONIC FORMATION: pervasively chlorite, phylloids, greywacke, pebbles and calcareous conglomerates |
| TRIASSIC | |
| UPPER TRIASSIC | |
| uTSt | SHOUBERT FORMATION: breccia, commonly argillaceous and red |
| LOWER TRIASSIC | |
| LJF | KITCHIKO FORMATION: mafic to rhyolite tuffs (flow, breccia, crystal tuff), fine grained volcanic sediments, basal cone, conglomerate (may be basal tuffite formation, in part), tuff, and/or calcareous, tuffs, and possibly Cache Creek rocks; T2: mafic/basalt; T2g: gabbro |
| MISSISSIPPIAN TO TRIASSIC | |
| MJK | CACHE CREEK COMPLEX (MJK, MTK) |
| MJK | KADAKIA FORMATION: dark, mafic gneiss; minor amphibole, plagioclase and volcanic rocks; mafic volcanic rocks and metasedimentary equivalents; MTK: andesite and volcanic, unfoliated |
| EARLY JURASSIC | |
| EJMR | SAGELEAD PLUTON: biotite-corniferous quartz monzonite, granodiorite, quartz diorite |
| UPPER MISSISSIPPIAN TO PERMIAN | |
| MPc | Siltstone, age uncertain |
| MPv | Mafic volcanics, greenstone, agglomerate |
| MPp | Quartz gneiss to porphyritic gneiss, diorite; MPp: fine grained, foliated gneiss, granitoid; may include small reworked bodies |
| MPu | Pyroxene, quartz, granitoid, generally unfoliated; locally includes parts of mafic gneiss and small bodies of hornblende, rhyolite, and tuff |
| UPPER TRIASSIC | |
| uTSt | CACHE HILL FORMATION: light porphyry, mafic porphyry, tuff, agglomerate, pyroclastic, minor shale, siltstone, and greywacke; may include some LTd |
| UPPER PALEOZOIC(?) AND/OR TRIASSIC(?) | |
| uTSt | Mafic to felsic volcanics, tuff, chert, phylloids, argillite, quartz-sericite schist, crystalline Triassic, source assignment uncertain |
| ORDOVICIAN AND SILURIAN | |
| LOWER ORDOVICIAN TO LOWER SILURIAN (AREAS TO WHICH) | |
| OL | ROAD RIVER FORMATION: leucocratic, granitic; grey siltstone, Siltstone, lower part, shaly, quartz, greenstone, and/or mafic; OLd: mafic, and/or mafic, calcareous shale, shaly, phylloids, minor hornblende, siliceous, and/or mafic, calcareous; Ordovician to Devonian; Silurian and possibly younger |

REMINGTON RESOURCES INC.

McBRIDE PROJECT
 McBRIDE RIVER AREA
 LIARD MINING DIVISION, B.C.

REGIONAL GEOLOGY MAP

DATE: Jan., 2009 | FIGURE NO. 3



The oldest rocks in the vicinity of the claims consist of sub-aerial red, maroon and grey volcanic tuff and breccia (Telkwa Formation) overlain by a coarse conglomerate, a intermediate unit of dark grey to black shales, siltstones and tuffs with minor greywackes and an upper unit of grey green marine andesites and tuffs. This formation is overlain by greywacke, shale and minor conglomerate that is reported to be part of the Laberge Group and the southern most extent of the Whitehorse Trough.

The western and southern portion of the property is underlain by massive andesite flows and pyroclastics, including the "sheared and mineralized" andesite agglomerate. Angular to sub-angular fragments of maroon porphyritic volcanics (quartz eyes) and green volcanics up to 20 millimetres and breccia fragments up to four centimetres were observed by the author. The area of the mineralized shear zone has what appear to be pillow selvage rims which suggest tops to the south. These volcanics appear to be part of the Telkwa Formation.

Tuffs and shales (Takwahoni Facies Laberge Group) were found on the eastern portion of the property and appear to strike north south. The argillites on the east side of the Discovery Vein are possibly part of this unit as it appears to be close to the fault mapped contact.

On the extreme south of the property, tuffs and fine grained sediments with some limestone members ("Toodoggone Volcanics") are located. This unit appears to overlie the black shale and argillite to the southeast.


An intrusive diorite dyke was noted to the southeast of the property while fine grained diorite or andesite intrudes the argillites.

Contact relationships between the green and purplish volcanic strata, including the agglomerates, was reported as appearing to be normal and conformable.


The dominant property scale structures are related to the northwesterly striking King Salmon Thrust fault. Imbricate thrust faulting as well as open style folding parallel to this major fault direction are reported. The contact between the Telkwa and Takwahoni units is mapped as a parallel northwesterly structure. A "conjugate (?)" northeasterly trending block fault system is observed in regional linears and regional fracture system between 25° to 40° with a vertical dip.

487000E 488000E 489000E 490000E 491000E 492000E 493000E 494000E 495000E 496000E 497000E

6454000N
6453000N
6452000N
6451000N
6450000N
6449000N
6448000N
6447000N
6446000N
6445000N
6444000N
6443000N
6442000N
6441000N






LEGEND



**LABERGE GROUP
Tawahoni Formation**

-  Argillite, greywacke, wacke, conglomerate turbidites
-  Conglomerate coarse clastic sedimentary rocks
- Lower Jurassic**
-  Greywacke shale, minor conglomerate
-  Mudstone, siltstone shale, fine clastic sedimentary rocks
- Upper Triassic to Lower Jurassic**
-  Volcanics

-  Showing
-  Fault
-  Airphoto Lineaments

REMINGTON RESOURCES INC.

McBRIDE PROJECT

McBRIDE RIVER AREA
LIARD MINING DIVISION, B.C.

PROPERTY GEOLOGY MAP

DATE: Jan., 2009 | FIGURE NO. 4

7.0 Geophysics – Region A

The aeromagnetic survey was conducted by the Geological Survey of Canada (“GSC”) as part of their program to cover most of the map sheets of Canada with aeromagnetic surveys. Completed in 1981 the surveys were under the control of the GSC. No correction was made for regional variation and the magnetic data was compiled from information recorded along the flight lines over the area. No further details are available. The GSC aeromagnetic map sheet is 104 I/3 (Aeromagnetic Map 9-93^G).

A magnetic low was observed in the central area of the claims close to the Discovery Vein.

EXPLORATION GEOCHEMISTRY

8.0 Regional Geochem Survey

The regional geochem survey was completed under the auspices of the government of British Columbia and was released to the public in the early 1990's as the NTS104I Cry Lake Regional Geochemical Survey ("RGS 44"). The results were obtained by analyzing archived sediment pulps collected in 1981 under a joint Federal and Provincial stream sediment and water survey. Fine grained stream sediment material, one to two kilograms in weight, was collected from active stream channels and placed in kraft bags and unfiltered water samples excluding suspended particles were collected. Field observations of the sample site were recorded. Field dried samples were shipped to Kamloops Research Assay and Laboratory for final preparation before being sent to Chemex Laboratories in North Vancouver for analysis. Water samples were analyzed by Bondar Clegg. Analytical reproductivity gave a high degree of confidence in the quality of both the field sampling and analytical methods.

The area of the MC Claims has several creeks draining it and demonstrated the following characteristics. Not unexpectedly gold and base metal values were in the higher percentiles for these creeks. Specifically, in the highest percentile, copper was found in creeks to the north and south and gold and zinc (and mercury) on the main creek draining the area of the Discovery Vein and the B Vein to the south. Lead and molybdenum were associated with all these creeks in the middle percentile range reported. The drainage area size and sample density does not lend itself to any meaningful interpretation other than the area being anomalous and worthy of further investigation.

The oldest rocks in the vicinity of the claims consist of sub-aerial red, maroon and grey volcanic tuff and breccia (Telkwa Formation) overlain by a coarse conglomerate, a intermediate unit of dark grey to black shales, siltstones and tuffs with minor greywackes and an upper unit of grey green marine andesites and tuffs. This formation is overlain by greywacke, shale and minor conglomerate that is reported to be part of the Laberge Group and the southern most extent of the Whitehorse Trough.

The western and southern portion of the property is underlain by massive andesite flows and pyroclastics, including the "sheared and mineralized" andesite agglomerate. Angular to sub-angular fragments of maroon porphyritic volcanics (quartz eyes) and green volcanics up to 20 millimetres and breccia fragments up to four centimetres were observed by the author. The area of the mineralized shear zone has what appear to be pillow selvage rims which suggest tops to the south. These volcanics appear to be part of the Telkwa Formation.

Tuffs and shales (Takwahoni Facies Laberge Group) were found on the eastern portion of the property and appear to strike north south. The argillites on the east side of the Discovery Vein are possibly part of this unit as it appears to be close to the fault mapped contact.

On the extreme south of the property, tuffs and fine grained sediments with some limestone members ("Toodoggone Volcanics") are located. This unit appears to overlie the black shale and argillite to the southeast.

An intrusive diorite dyke was noted to the southeast of the property while fine grained diorite or andesite intrudes the argillites.

Contact relationships between the green and purplish volcanic strata, including the agglomerates, was reported as appearing to be normal and conformable.

The dominant property scale structures are related to the northwesterly striking King Salmon Thrust fault. Imbricate thrust faulting as well as open style folding parallel to this major fault direction are reported. The contact between the Telkwa and Takwahoni units is mapped as a parallel northwesterly structure. A "conjugate (?)" northeasterly trending block fault system is observed in regional linears and regional fracture system between 25° to 40° with a vertical dip.

10.0 CONCLUSIONS

Due to the loss of the geophysical data it has been decided that Aeroquest be contracted to conduct an electromagnetic magnetometer survey over the complete property.

As of the completion of this report the airborne survey has been completed and the company is awaiting receipt of the report which it will file as further assessment.

11.0

STATEMENT OF EXPENDITURES

| PERSONNEL | Day Rate | No. of Days (July) | Totals |
|-------------------------------------|-------------|-----------------------|------------------|
| Ryan Belanger | \$ 325 | 2 | 650.00 |
| Chris Chamberlain | \$ 215 | 23 | 4,945.00 |
| Andrew Hewlett | \$ 275 | 20.5 | 5,637.50 |
| James Southall | \$ 275 | 25 | 6,875.00 |
| Holiday pay - (\$18,107.50 x 4%) | | | 724.30 |
| EI, CPP & WCB | | | 1,874.09 |
| Ian Somers | \$ 325 | 22 | <u>7,150.00</u> |
| TOTAL PERSONNEL | | | \$ 27,856 |
| CONTRACTORS | | | |
| CJL Enterprises | | | 278.12 |
| Geological consulting | \$ 325 | 11.5 | 3,737.50 |
| Nicholson & Associates | \$1,000/mth | 1 | 1,000.00 |
| Pacific Western Helicopters | | | 11,400.15 |
| Acme Labs | | | 2,775.85 |
| Geodrafting map preparation | | | <u>1,087.50</u> |
| TOTAL CONTRACTORS | | | \$ 20,279 |
| EQUIPMENT RENTAL | | | |
| Ian Somers - truck rental | \$ 100 | 22 | 2,200.00 |
| Nicholson & Associates - 4X4 Truck | \$ 95 | 25 | 2,375.00 |
| 623548 BC Ltd. - Mag VLF | \$ 150 | 12.5 | 1,875.00 |
| Shipping for Mag | | | <u>379.12</u> |
| TOTAL EQUIPMENT RENTAL | | | \$ 6,829 |
| SUPPLIES | | | |
| Bandstra shipping | | | 81.45 |
| Camp supplies | | | 2,176.30 |
| Fuel (propane, diesel and gasoline) | | | 2,343.67 |
| Super A Foods | | | 4,198.54 |
| Travel | | | <u>5,912.59</u> |
| TOTAL SUPPLIES | | | 14,713 |
| TOTAL EXPENDITURES | | | 69,677 |

CERTIFICATE OF ANALYSIS

VAN08008611.1

CLIENT JOB INFORMATION

Project: McBride
 Shipment ID:
 P.O. Number
 Number of Samples: 245

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Remington Resources Inc.
 202 - 750 W. Pender Street
 Vancouver BC V6C 2T7
 Canada

CC: Michele Pillon

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 245 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 245 | Dry at 60C | | |
| 1DD | 245 | 1:1:1 Aqua Regia digestion ICP-ES analysis | 0.5 | Completed |

ADDITIONAL COMMENTS





1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Remington Resources Inc.

202 - 750 W. Pender Street
Vancouver BC V6C 2T7 Canada

Project:

McBride

Report Date:

September 09, 2008

Page:

2 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | | |
|----------------|---------|------|-----|-----|-----|-----|-----|------|-----|-----|------|------|----|-----|-----|-----|-----|------|-----|-----|-----|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| L37+00N 32+50E | Soil | | | 1 | 27 | 9 | 100 | 0.4 | 32 | 15 | 1039 | 3.43 | <2 | <8 | <2 | <2 | 20 | <0.5 | <3 | 4 | 96 | 0.31 | 0.029 |
| L37+00N 32+75E | Soil | | | <1 | 25 | 7 | 55 | 0.4 | 53 | 10 | 281 | 3.73 | 7 | <8 | <2 | <2 | 13 | <0.5 | <3 | <3 | 98 | 0.13 | 0.016 |
| L37+00N 33+00E | Soil | | | 2 | 23 | 49 | 171 | 0.4 | 33 | 12 | 1232 | 3.31 | 13 | <8 | <2 | <2 | 19 | 0.8 | <3 | <3 | 89 | 0.37 | 0.028 |
| L37+00N 33+25E | Soil | | | <1 | 22 | 5 | 63 | <0.3 | 33 | 7 | 368 | 2.65 | 6 | <8 | <2 | <2 | 23 | <0.5 | <3 | 4 | 71 | 0.35 | 0.041 |
| L37+00N 33+50E | Soil | | | 1 | 22 | 5 | 78 | <0.3 | 43 | 15 | 738 | 4.51 | <2 | <8 | <2 | <2 | 27 | <0.5 | <3 | <3 | 83 | 0.67 | 0.073 |
| L37+00N 33+75E | Soil | | | <1 | 17 | 4 | 43 | <0.3 | 23 | 9 | 416 | 2.65 | 5 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 79 | 0.24 | 0.050 |
| L37+00N 34+00E | Soil | | | 2 | 20 | 5 | 122 | 0.4 | 33 | 12 | 718 | 5.02 | 3 | 8 | <2 | <2 | 18 | <0.5 | 4 | <3 | 86 | 0.24 | 0.068 |
| L37+00N 34+25E | Soil | | | 1 | 18 | <3 | 77 | <0.3 | 33 | 10 | 336 | 3.22 | <2 | <8 | 2 | <2 | 15 | <0.5 | <3 | <3 | 83 | 0.18 | 0.034 |
| L37+00N 34+50E | Soil | | | 3 | 10 | 23 | 267 | <0.3 | 17 | 13 | 972 | 5.18 | 7 | <8 | <2 | <2 | 9 | 0.9 | 3 | <3 | 96 | 0.08 | 0.042 |
| L37+00N 34+75E | Soil | | | 3 | 23 | 4 | 127 | <0.3 | 25 | 6 | 361 | 5.05 | 8 | 9 | 2 | 3 | 14 | <0.5 | <3 | <3 | 79 | 0.18 | 0.028 |
| L37+00N 35+00E | Soil | | | <1 | 15 | <3 | 52 | <0.3 | 23 | 7 | 254 | 3.13 | 4 | <8 | <2 | <2 | 19 | <0.5 | <3 | <3 | 92 | 0.31 | 0.043 |
| L37+00N 35+50E | Soil | | | <1 | 19 | <3 | 52 | 0.3 | 28 | 7 | 283 | 3.05 | 4 | <8 | <2 | <2 | 17 | <0.5 | <3 | <3 | 82 | 0.19 | 0.044 |
| L37+00N 35+75E | Soil | | | 1 | 10 | 7 | 90 | <0.3 | 20 | 7 | 315 | 2.99 | <2 | <8 | <2 | <2 | 26 | <0.5 | <3 | <3 | 86 | 0.50 | 0.035 |
| L37+00N 36+00E | Soil | | | 1 | 17 | <3 | 58 | 0.4 | 24 | 12 | 472 | 4.69 | 2 | <8 | 2 | <2 | 15 | <0.5 | <3 | <3 | 133 | 0.19 | 0.051 |
| L37+00N 36+25E | Soil | | | 3 | 12 | 8 | 95 | 0.5 | 24 | 9 | 392 | 5.17 | 5 | <8 | 2 | 4 | 12 | <0.5 | <3 | <3 | 96 | 0.16 | 0.062 |
| L37+00N 36+50E | Soil | | | 3 | 12 | 7 | 154 | <0.3 | 18 | 11 | 879 | 4.87 | <2 | <8 | <2 | <2 | 19 | 0.9 | <3 | <3 | 131 | 0.24 | 0.046 |
| L37+00N 36+75E | Soil | | | 3 | 45 | 6 | 162 | <0.3 | 38 | 13 | 1018 | 4.16 | 6 | <8 | <2 | <2 | 44 | 1.2 | <3 | <3 | 81 | 0.94 | 0.085 |
| L37+00N 37+25E | Soil | | | <1 | 12 | <3 | 38 | <0.3 | 22 | 7 | 248 | 3.08 | 6 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 89 | 0.26 | 0.030 |
| L37+00N 37+50E | Soil | | | 3 | 15 | 8 | 72 | 0.4 | 34 | 12 | 301 | 4.18 | 4 | <8 | <2 | 3 | 11 | <0.5 | <3 | 4 | 77 | 0.11 | 0.035 |
| L37+00N 37+75E | Soil | | | 3 | 23 | 16 | 111 | 0.4 | 17 | 9 | 510 | 3.86 | <2 | <8 | 2 | <2 | 23 | 0.6 | <3 | <3 | 94 | 0.42 | 0.052 |
| L37+00N 38+00E | Soil | | | 3 | 17 | 5 | 65 | 0.3 | 28 | 9 | 385 | 3.75 | 5 | <8 | <2 | <2 | 23 | <0.5 | <3 | <3 | 87 | 0.33 | 0.039 |
| L37+00N 38+25E | Soil | | | 2 | 21 | 12 | 92 | <0.3 | 22 | 6 | 355 | 3.89 | 6 | <8 | <2 | <2 | 12 | <0.5 | <3 | <3 | 95 | 0.11 | 0.042 |
| L37+00N 38+50E | Soil | | | 1 | 19 | 6 | 60 | <0.3 | 31 | 9 | 290 | 3.22 | 7 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 85 | 0.13 | 0.034 |
| L37+00N 38+75E | Soil | | | 2 | 15 | <3 | 71 | 0.5 | 16 | 7 | 320 | 4.58 | 4 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 119 | 0.19 | 0.042 |
| L37+00N 39+00E | Soil | | | 2 | 17 | 3 | 108 | <0.3 | 28 | 9 | 407 | 3.81 | 4 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 82 | 0.20 | 0.050 |
| L37+00N 39+50E | Soil | | | <1 | 16 | 6 | 66 | <0.3 | 21 | 13 | 586 | 3.35 | 4 | <8 | <2 | <2 | 21 | <0.5 | <3 | <3 | 106 | 0.32 | 0.031 |
| L36+50N 31+25E | Soil | | | <1 | 6 | <3 | 74 | <0.3 | 4 | <1 | 1897 | 0.14 | <2 | <8 | <2 | <2 | 53 | <0.5 | <3 | <3 | 3 | 1.43 | 0.106 |
| L36+50N 31+50E | Soil | | | <1 | 6 | 6 | 69 | <0.3 | 7 | 8 | 1753 | 1.25 | 4 | <8 | <2 | <2 | 14 | 0.8 | <3 | <3 | 30 | 0.46 | 0.094 |
| L36+50N 32+25E | Soil | | | 1 | 18 | 10 | 85 | <0.3 | 28 | 7 | 352 | 3.86 | 15 | <8 | <2 | <2 | 10 | <0.5 | <3 | <3 | 103 | 0.09 | 0.046 |
| L36+50N 32+50E | Soil | | | 2 | 35 | 5 | 64 | <0.3 | 36 | 9 | 320 | 4.05 | 8 | <8 | <2 | <2 | 17 | <0.5 | <3 | <3 | 76 | 0.23 | 0.040 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.
 202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
Report Date: September 09, 2008

Page: 2 of 10 **Part** 2

CERTIFICATE OF ANALYSIS **VAN08008611.1**

| Method | Analyte | Unit | MDL | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D |
|----------------|---------|------|-----|-----|-----|------|-----|-------|-----|------|------|------|-----|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| L37+00N 32+50E | Soil | | | 8 | 39 | 0.49 | 149 | 0.08 | <20 | 2.38 | 0.01 | 0.06 | <2 |
| L37+00N 32+75E | Soil | | | 5 | 50 | 0.79 | 132 | 0.06 | <20 | 2.70 | 0.01 | 0.05 | <2 |
| L37+00N 33+00E | Soil | | | 11 | 32 | 0.50 | 228 | 0.06 | <20 | 2.20 | 0.01 | 0.09 | <2 |
| L37+00N 33+25E | Soil | | | 15 | 34 | 0.61 | 141 | 0.08 | <20 | 1.82 | 0.02 | 0.05 | <2 |
| L37+00N 33+50E | Soil | | | 21 | 34 | 0.89 | 134 | 0.32 | <20 | 2.56 | 0.06 | 0.06 | <2 |
| L37+00N 33+75E | Soil | | | 8 | 24 | 0.50 | 75 | 0.08 | <20 | 1.43 | 0.02 | 0.05 | <2 |
| L37+00N 34+00E | Soil | | | 22 | 37 | 0.50 | 213 | 0.35 | <20 | 2.95 | 0.04 | 0.06 | 2 |
| L37+00N 34+25E | Soil | | | 8 | 31 | 0.62 | 117 | 0.10 | <20 | 2.28 | 0.02 | 0.05 | 2 |
| L37+00N 34+50E | Soil | | | 13 | 28 | 0.27 | 140 | 0.14 | <20 | 1.89 | 0.01 | 0.05 | 2 |
| L37+00N 34+75E | Soil | | | 13 | 29 | 0.45 | 98 | 0.12 | <20 | 2.32 | 0.03 | 0.06 | 4 |
| L37+00N 35+00E | Soil | | | 6 | 26 | 0.56 | 84 | 0.08 | <20 | 1.65 | 0.02 | 0.04 | 3 |
| L37+00N 35+50E | Soil | | | 7 | 29 | 0.60 | 91 | 0.08 | <20 | 1.83 | 0.01 | 0.05 | <2 |
| L37+00N 35+75E | Soil | | | 8 | 24 | 0.59 | 111 | 0.10 | <20 | 1.40 | 0.02 | 0.05 | <2 |
| L37+00N 36+00E | Soil | | | 15 | 30 | 0.55 | 65 | 0.10 | <20 | 2.10 | 0.02 | 0.05 | 3 |
| L37+00N 36+25E | Soil | | | 16 | 30 | 0.47 | 86 | 0.16 | <20 | 2.68 | 0.03 | 0.06 | 2 |
| L37+00N 36+50E | Soil | | | 10 | 26 | 0.57 | 111 | 0.14 | <20 | 1.80 | 0.02 | 0.07 | 2 |
| L37+00N 36+75E | Soil | | | 16 | 35 | 0.67 | 328 | 0.19 | <20 | 2.54 | 0.04 | 0.07 | 3 |
| L37+00N 37+25E | Soil | | | 9 | 26 | 0.53 | 75 | 0.09 | <20 | 1.91 | 0.01 | 0.04 | 3 |
| L37+00N 37+50E | Soil | | | 13 | 34 | 0.51 | 103 | 0.12 | <20 | 3.79 | 0.02 | 0.06 | <2 |
| L37+00N 37+75E | Soil | | | 15 | 25 | 0.41 | 172 | 0.14 | <20 | 1.54 | 0.02 | 0.06 | 2 |
| L37+00N 38+00E | Soil | | | 10 | 29 | 0.61 | 129 | 0.17 | <20 | 1.82 | 0.02 | 0.05 | <2 |
| L37+00N 38+25E | Soil | | | 9 | 30 | 0.44 | 94 | 0.10 | <20 | 2.57 | 0.01 | 0.05 | <2 |
| L37+00N 38+50E | Soil | | | 7 | 29 | 0.62 | 99 | 0.11 | <20 | 2.23 | 0.01 | 0.05 | <2 |
| L37+00N 38+75E | Soil | | | 10 | 26 | 0.54 | 84 | 0.13 | <20 | 2.31 | 0.02 | 0.05 | 2 |
| L37+00N 39+00E | Soil | | | 12 | 30 | 0.64 | 89 | 0.13 | <20 | 2.00 | 0.02 | 0.06 | 3 |
| L37+00N 39+50E | Soil | | | 9 | 19 | 0.89 | 101 | 0.15 | <20 | 2.17 | 0.03 | 0.05 | <2 |
| L36+50N 31+25E | Soil | | | 1 | 3 | 0.10 | 139 | <0.01 | <20 | 0.11 | 0.03 | 0.15 | <2 |
| L36+50N 31+50E | Soil | | | 6 | 6 | 0.59 | 76 | 0.01 | <20 | 0.83 | 0.01 | 0.07 | 2 |
| L36+50N 32+25E | Soil | | | 9 | 36 | 0.50 | 121 | 0.07 | <20 | 2.48 | 0.01 | 0.05 | <2 |
| L36+50N 32+50E | Soil | | | 11 | 34 | 0.55 | 109 | 0.10 | <20 | 2.72 | 0.02 | 0.07 | <2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.
 202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 3 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method Analyte Unit MDL | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|-------------------------|------|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|------|-------|-------|
| | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| L36+50N 32+75E | Soil | 1 | 12 | 8 | 68 | <0.3 | 20 | 6 | 264 | 3.00 | 2 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 94 | 0.13 | 0.020 |
| L36+50N 33+00E | Soil | 1 | 21 | 5 | 70 | <0.3 | 38 | 10 | 300 | 3.91 | 5 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 85 | 0.16 | 0.035 |
| L36+50N 33+25E | Soil | 2 | 22 | 3 | 153 | 0.4 | 37 | 10 | 611 | 4.71 | 7 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 96 | 0.23 | 0.056 |
| L36+50N 33+50E | Soil | 2 | 19 | 12 | 103 | 0.5 | 36 | 11 | 479 | 4.20 | 4 | <8 | <2 | 2 | 22 | <0.5 | <3 | <3 | 80 | 0.30 | 0.061 |
| L36+50N 33+75E | Soil | <1 | 14 | 6 | 46 | <0.3 | 30 | 8 | 326 | 3.39 | 5 | <8 | <2 | <2 | 20 | <0.5 | <3 | <3 | 88 | 0.21 | 0.024 |
| L36+50N 34+00E | Soil | <1 | 22 | <3 | 45 | <0.3 | 28 | 8 | 321 | 2.88 | 4 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 85 | 0.14 | 0.018 |
| L36+50N 34+25E | Soil | <1 | 31 | 4 | 38 | 0.3 | 28 | 8 | 290 | 2.71 | 6 | <8 | <2 | 2 | 20 | <0.5 | <3 | <3 | 82 | 0.28 | 0.049 |
| L36+50N 34+75E | Soil | <1 | 19 | 5 | 57 | 0.5 | 37 | 10 | 278 | 3.21 | 7 | <8 | <2 | 2 | 15 | <0.5 | <3 | 5 | 94 | 0.14 | 0.019 |
| L36+50N 35+00E | Soil | <1 | 19 | 6 | 49 | 0.3 | 25 | 8 | 350 | 2.89 | 7 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 87 | 0.16 | 0.030 |
| L36+50N 35+25E | Soil | <1 | 37 | 8 | 65 | <0.3 | 36 | 9 | 422 | 3.38 | 6 | <8 | <2 | 2 | 23 | <0.5 | <3 | <3 | 87 | 0.31 | 0.038 |
| L36+50N 35+50E | Soil | <1 | 65 | 7 | 62 | 0.4 | 23 | 7 | 278 | 2.92 | 5 | <8 | <2 | 3 | 21 | <0.5 | <3 | <3 | 87 | 0.21 | 0.036 |
| L36+50N 35+75E | Soil | 1 | 40 | 4 | 83 | 0.6 | 37 | 9 | 418 | 4.55 | 5 | <8 | <2 | 2 | 17 | <0.5 | <3 | <3 | 114 | 0.22 | 0.046 |
| L36+50N 36+00E | Soil | <1 | 22 | 5 | 122 | 0.4 | 29 | 9 | 571 | 4.45 | 4 | <8 | <2 | 3 | 27 | 0.6 | <3 | <3 | 120 | 0.52 | 0.058 |
| L36+50N 36+25E | Soil | <1 | 23 | 7 | 81 | <0.3 | 35 | 12 | 586 | 3.69 | 8 | <8 | <2 | <2 | 21 | <0.5 | <3 | <3 | 109 | 0.26 | 0.069 |
| L36+50N 36+50E | Soil | 2 | 46 | 7 | 97 | 0.6 | 41 | 14 | 992 | 4.32 | 5 | <8 | <2 | <2 | 55 | 0.9 | <3 | <3 | 84 | 1.16 | 0.073 |
| L36+50N 36+75E | Soil | <1 | 16 | 5 | 60 | 0.4 | 30 | 7 | 308 | 3.16 | 9 | <8 | <2 | 2 | 14 | <0.5 | <3 | <3 | 87 | 0.18 | 0.036 |
| L36+50N 37+00E | Soil | <1 | 14 | 4 | 54 | <0.3 | 27 | 9 | 300 | 2.88 | 6 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 83 | 0.17 | 0.025 |
| L36+50N 37+75E | Soil | 3 | 17 | 9 | 121 | 0.5 | 23 | 9 | 462 | 5.40 | 8 | <8 | <2 | <2 | 11 | <0.5 | <3 | <3 | 91 | 0.13 | 0.052 |
| L36+50N 38+50E | Soil | <1 | 16 | 4 | 76 | 0.5 | 27 | 8 | 484 | 2.89 | 4 | <8 | <2 | <2 | 24 | <0.5 | <3 | <3 | 86 | 0.45 | 0.057 |
| L36+00N 30+00E | Soil | 2 | 39 | 9 | 229 | 0.7 | 50 | 18 | 1696 | 5.49 | 7 | <8 | <2 | 3 | 26 | <0.5 | <3 | <3 | 126 | 0.65 | 0.065 |
| L36+00N 30+25E | Soil | <1 | 17 | <3 | 43 | <0.3 | 26 | 7 | 302 | 2.88 | 4 | <8 | <2 | 3 | 16 | <0.5 | <3 | <3 | 80 | 0.18 | 0.025 |
| L36+00N 30+50E | Soil | <1 | 24 | 6 | 88 | <0.3 | 45 | 9 | 282 | 4.48 | 8 | <8 | <2 | 3 | 16 | <0.5 | <3 | 4 | 96 | 0.19 | 0.038 |
| L36+00N 30+75E | Soil | <1 | 18 | <3 | 55 | <0.3 | 43 | 9 | 231 | 2.73 | 5 | <8 | <2 | 2 | 15 | <0.5 | <3 | <3 | 73 | 0.17 | 0.037 |
| L36+00N 31+00E | Soil | 2 | 11 | 6 | 112 | <0.3 | 19 | 5 | 272 | 3.64 | 5 | <8 | <2 | 2 | 15 | <0.5 | <3 | <3 | 100 | 0.27 | 0.021 |
| L36+00N 31+25E | Soil | 1 | 15 | 7 | 79 | 0.4 | 28 | 7 | 263 | 3.82 | 7 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 77 | 0.16 | 0.035 |
| L36+00N 31+50E | Soil | 2 | 15 | 9 | 80 | 0.8 | 28 | 7 | 241 | 4.59 | 8 | <8 | <2 | 5 | 10 | <0.5 | <3 | <3 | 64 | 0.11 | 0.046 |
| L36+00N 32+00E | Soil | 2 | 79 | 12 | 69 | 1.0 | 51 | 13 | 649 | 4.28 | 4 | <8 | <2 | <2 | 55 | <0.5 | <3 | 5 | 76 | 1.34 | 0.115 |
| L36+00N 32+25E | Soil | 2 | 72 | 5 | 70 | 0.3 | 29 | 11 | 459 | 2.86 | 4 | <8 | <2 | <2 | 29 | <0.5 | <3 | <3 | 77 | 0.65 | 0.051 |
| L36+00N 32+50E | Soil | 1 | 20 | <3 | 53 | <0.3 | 38 | 9 | 261 | 3.10 | 4 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 82 | 0.13 | 0.027 |
| L36+00N 32+75E | Soil | 1 | 30 | 13 | 133 | 0.9 | 52 | 13 | 370 | 5.25 | 4 | <8 | <2 | 4 | 18 | <0.5 | <3 | <3 | 92 | 0.16 | 0.061 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Remington Resources Inc.
202 - 750 W. Pender Street
Vancouver BC V6C 2T7 Canada

Project: McBride
Report Date: September 09, 2008

Page: 3 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|---------|------|-----|-----|------|-----|------|-----|------|------|------|----|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
| MDL | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | |
| | | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | |
| L36+50N 32+75E | Soil | | 7 | 27 | 0.45 | 94 | 0.09 | <20 | 1.93 | 0.01 | 0.05 | <2 |
| L36+50N 33+00E | Soil | | 14 | 38 | 0.57 | 159 | 0.11 | <20 | 2.81 | 0.02 | 0.07 | <2 |
| L36+50N 33+25E | Soil | | 13 | 44 | 0.63 | 164 | 0.13 | <20 | 3.04 | 0.02 | 0.08 | 3 |
| L36+50N 33+50E | Soil | | 12 | 37 | 0.54 | 166 | 0.18 | <20 | 2.79 | 0.02 | 0.07 | 2 |
| L36+50N 33+75E | Soil | | 5 | 33 | 0.62 | 78 | 0.10 | <20 | 1.60 | 0.01 | 0.05 | <2 |
| L36+50N 34+00E | Soil | | 10 | 31 | 0.61 | 99 | 0.09 | <20 | 2.12 | 0.01 | 0.04 | <2 |
| L36+50N 34+25E | Soil | | 8 | 33 | 0.63 | 98 | 0.08 | <20 | 1.80 | 0.02 | 0.04 | <2 |
| L36+50N 34+75E | Soil | | 6 | 39 | 0.67 | 99 | 0.08 | <20 | 2.54 | 0.01 | 0.05 | <2 |
| L36+50N 35+00E | Soil | | 8 | 28 | 0.57 | 88 | 0.09 | <20 | 2.14 | 0.01 | 0.04 | <2 |
| L36+50N 35+25E | Soil | | 17 | 38 | 0.71 | 158 | 0.09 | <20 | 2.43 | 0.02 | 0.06 | <2 |
| L36+50N 35+50E | Soil | | 11 | 28 | 0.55 | 134 | 0.10 | <20 | 1.81 | 0.02 | 0.06 | <2 |
| L36+50N 35+75E | Soil | | 11 | 37 | 0.64 | 122 | 0.11 | <20 | 2.19 | 0.02 | 0.07 | <2 |
| L36+50N 36+00E | Soil | | 10 | 32 | 0.64 | 118 | 0.12 | <20 | 1.72 | 0.02 | 0.06 | <2 |
| L36+50N 36+25E | Soil | | 8 | 37 | 0.79 | 112 | 0.09 | <20 | 2.01 | 0.02 | 0.08 | <2 |
| L36+50N 36+50E | Soil | | 22 | 33 | 0.76 | 257 | 0.22 | <20 | 2.76 | 0.04 | 0.06 | <2 |
| L36+50N 36+75E | Soil | | 5 | 34 | 0.63 | 74 | 0.07 | <20 | 1.76 | 0.01 | 0.05 | <2 |
| L36+50N 37+00E | Soil | | 6 | 29 | 0.63 | 87 | 0.10 | <20 | 2.01 | 0.01 | 0.04 | <2 |
| L36+50N 37+75E | Soil | | 16 | 33 | 0.50 | 89 | 0.17 | <20 | 2.67 | 0.02 | 0.06 | <2 |
| L36+50N 38+50E | Soil | | 8 | 30 | 0.60 | 140 | 0.08 | <20 | 1.78 | 0.02 | 0.06 | <2 |
| L36+00N 30+00E | Soil | | 16 | 58 | 0.77 | 270 | 0.16 | <20 | 3.73 | 0.02 | 0.12 | <2 |
| L36+00N 30+25E | Soil | | 8 | 28 | 0.53 | 93 | 0.09 | <20 | 1.93 | 0.02 | 0.04 | <2 |
| L36+00N 30+50E | Soil | | 9 | 41 | 0.66 | 217 | 0.09 | <20 | 2.98 | 0.02 | 0.06 | <2 |
| L36+00N 30+75E | Soil | | 7 | 38 | 0.69 | 118 | 0.06 | <20 | 2.28 | 0.01 | 0.06 | <2 |
| L36+00N 31+00E | Soil | | 10 | 30 | 0.36 | 88 | 0.13 | <20 | 1.82 | 0.01 | 0.05 | <2 |
| L36+00N 31+25E | Soil | | 12 | 32 | 0.41 | 131 | 0.14 | <20 | 2.53 | 0.02 | 0.05 | <2 |
| L36+00N 31+50E | Soil | | 17 | 33 | 0.30 | 151 | 0.19 | <20 | 3.51 | 0.03 | 0.05 | <2 |
| L36+00N 32+00E | Soil | | 38 | 46 | 0.54 | 388 | 0.04 | <20 | 3.64 | 0.02 | 0.07 | 2 |
| L36+00N 32+25E | Soil | | 20 | 35 | 0.44 | 297 | 0.06 | <20 | 2.38 | 0.02 | 0.07 | <2 |
| L36+00N 32+50E | Soil | | 6 | 37 | 0.62 | 103 | 0.08 | <20 | 2.31 | 0.01 | 0.06 | <2 |
| L36+00N 32+75E | Soil | | 19 | 49 | 0.57 | 230 | 0.21 | <20 | 3.99 | 0.03 | 0.10 | <2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride

Report Date: September 09, 2008

Page: 4 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D Mo | 1D Cu | 1D Pb | 1D Zn | 1D Ag | 1D Ni | 1D Co | 1D Mn | 1D Fe | 1D As | 1D U | 1D Au | 1D Th | 1D Sr | 1D Cd | 1D Sb | 1D Bi | 1D V | 1D Ca | 1D P |
|----------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| L36+00N 33+00E | Soil | | | 3 | 61 | <3 | 168 | 1.0 | 69 | 26 | 4922 | 4.34 | 6 | <8 | <2 | <2 | 73 | 2.0 | <3 | <3 | 88 | 1.76 | 0.177 |
| L36+00N 33+25E | Soil | | | 3 | 33 | 5 | 81 | 0.8 | 39 | 15 | 1416 | 3.67 | 6 | <8 | <2 | <2 | 43 | <0.5 | <3 | <3 | 74 | 1.04 | 0.119 |
| L36+00N 33+75E | Soil | | | <1 | 61 | 4 | 37 | 0.3 | 25 | 7 | 261 | 2.57 | <2 | <8 | <2 | 2 | 16 | <0.5 | <3 | <3 | 76 | 0.18 | 0.031 |
| L36+00N 34+00E | Soil | | | 2 | 14 | <3 | 93 | 0.4 | 25 | 7 | 274 | 3.69 | 4 | <8 | <2 | 2 | 13 | <0.5 | <3 | <3 | 73 | 0.12 | 0.040 |
| L36+00N 34+25E | Soil | | | 4 | 49 | 11 | 97 | 1.3 | 61 | 13 | 487 | 5.87 | 10 | 9 | <2 | 7 | 14 | <0.5 | <3 | <3 | 88 | 0.09 | 0.038 |
| L36+00N 34+50E | Soil | | | 3 | 17 | 3 | 93 | 0.5 | 38 | 8 | 389 | 4.62 | 6 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 83 | 0.19 | 0.061 |
| L36+00N 34+75E | Soil | | | <1 | 15 | 5 | 75 | <0.3 | 27 | 8 | 294 | 3.33 | 3 | <8 | <2 | <2 | 17 | <0.5 | <3 | <3 | 100 | 0.16 | 0.020 |
| L36+00N 35+00E | Soil | | | 1 | 27 | 5 | 70 | 0.3 | 35 | 9 | 358 | 3.45 | 5 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 109 | 0.18 | 0.034 |
| L36+00N 35+25E | Soil | | | 2 | 17 | 6 | 114 | 0.6 | 36 | 9 | 365 | 4.27 | 3 | <8 | <2 | 2 | 15 | <0.5 | <3 | <3 | 87 | 0.12 | 0.037 |
| L36+00N 35+50E | Soil | | | 1 | 19 | 4 | 100 | 0.5 | 29 | 8 | 425 | 4.08 | 6 | <8 | <2 | 3 | 25 | <0.5 | <3 | <3 | 90 | 0.24 | 0.047 |
| L36+00N 35+75E | Soil | | | 1 | 19 | <3 | 72 | 0.4 | 34 | 8 | 326 | 3.48 | 3 | <8 | <2 | <2 | 19 | <0.5 | 3 | <3 | 93 | 0.19 | 0.040 |
| L36+00N 36+00E | Soil | | | 1 | 13 | 4 | 78 | <0.3 | 25 | 7 | 297 | 3.10 | <2 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 83 | 0.18 | 0.055 |
| L36+00N 36+25E | Soil | | | 2 | 13 | 9 | 62 | 0.4 | 23 | 6 | 238 | 3.96 | 5 | <8 | <2 | 3 | 14 | <0.5 | <3 | <3 | 80 | 0.13 | 0.049 |
| L36+00N 36+50E | Soil | | | 2 | 128 | 11 | 269 | 0.8 | 49 | 12 | 1077 | 3.77 | 11 | <8 | <2 | <2 | 69 | 2.5 | <3 | <3 | 66 | 1.59 | 0.154 |
| L36+00N 36+75E | Soil | | | 2 | 27 | 14 | 79 | 0.5 | 28 | 8 | 361 | 3.52 | 5 | <8 | <2 | 3 | 31 | <0.5 | <3 | <3 | 71 | 0.43 | 0.046 |
| L36+00N 37+00E | Soil | | | <1 | 11 | 7 | 38 | <0.3 | 13 | 5 | 185 | 2.80 | 5 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 101 | 0.12 | 0.020 |
| L36+00N 37+25E | Soil | | | 2 | 9 | 7 | 80 | <0.3 | 14 | 6 | 255 | 3.16 | 4 | <8 | <2 | 2 | 11 | <0.5 | <3 | <3 | 88 | 0.09 | 0.024 |
| L36+00N 37+50E | Soil | | | 2 | 32 | 7 | 71 | 0.3 | 35 | 9 | 665 | 3.30 | 2 | <8 | <2 | <2 | 29 | 0.8 | <3 | <3 | 68 | 0.46 | 0.062 |
| L36+00N 37+75E | Soil | | | 2 | 19 | 10 | 76 | 0.3 | 28 | 10 | 700 | 4.16 | 3 | <8 | <2 | 2 | 27 | <0.5 | <3 | <3 | 76 | 0.34 | 0.046 |
| L36+00N 38+00E | Soil | | | 2 | 13 | 4 | 44 | 0.3 | 19 | 6 | 215 | 2.07 | 2 | <8 | <2 | <2 | 20 | <0.5 | <3 | <3 | 61 | 0.29 | 0.035 |
| L36+00N 38+25E | Soil | | | 3 | 17 | 14 | 108 | 0.5 | 35 | 9 | 376 | 5.27 | 7 | <8 | <2 | 4 | 16 | 0.7 | 4 | <3 | 72 | 0.22 | 0.056 |
| L36+00N 38+50E | Soil | | | <1 | 20 | 12 | 66 | 0.5 | 15 | 11 | 346 | 3.65 | 4 | <8 | <2 | <2 | 12 | 1.2 | <3 | <3 | 131 | 0.12 | 0.023 |
| L36+00N 38+75E | Soil | | | 1 | 17 | 7 | 116 | 0.4 | 28 | 11 | 531 | 4.96 | 7 | <8 | <2 | 3 | 16 | 1.0 | <3 | <3 | 99 | 0.17 | 0.051 |
| L36+00N 39+25E | Soil | | | 2 | 58 | 11 | 88 | 0.5 | 36 | 24 | 2627 | 4.86 | 5 | <8 | <2 | 2 | 45 | 0.9 | <3 | <3 | 81 | 0.64 | 0.105 |
| L36+00N 39+50E | Soil | | | 5 | 78 | 11 | 69 | 0.5 | 25 | 10 | 661 | 2.91 | 6 | 13 | <2 | <2 | 163 | 1.8 | <3 | <3 | 57 | 2.56 | 0.090 |
| L36+00N 39+75E | Soil | | | 3 | 67 | 6 | 69 | 0.6 | 31 | 8 | 482 | 2.59 | 5 | 17 | <2 | <2 | 94 | 0.9 | <3 | <3 | 48 | 1.77 | 0.113 |
| L36+00N 40+00E | Soil | | | <1 | 35 | 7 | 15 | 0.5 | 13 | 5 | 531 | 0.71 | <2 | <8 | <2 | <2 | 184 | 1.1 | <3 | <3 | 10 | 4.37 | 0.123 |
| L35+50N 30+00E | Soil | | | 1 | 19 | 5 | 63 | <0.3 | 39 | 9 | 244 | 3.80 | 6 | <8 | <2 | <2 | 12 | <0.5 | <3 | <3 | 83 | 0.10 | 0.035 |
| L35+50N 30+25E | Soil | | | 1 | 26 | 9 | 109 | 0.4 | 31 | 13 | 1246 | 3.83 | <2 | <8 | <2 | 2 | 44 | 0.6 | 4 | <3 | 66 | 1.10 | 0.084 |
| L35+50N 31+00E | Soil | | | 1 | 17 | <3 | 50 | <0.3 | 40 | 10 | 249 | 3.27 | 5 | <8 | <2 | 2 | 17 | <0.5 | <3 | <3 | 77 | 0.20 | 0.024 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 4 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D La ppm | 1D Cr ppm | 1D Mg % | 1D Ba ppm | 1D Ti % | 1D B ppm | 1D Al % | 1D Na % | 1D K % | 1D W ppm |
|----------------|---------|------|-----|-----------------|-----------------|---------------|-----------------|---------------|----------------|---------------|---------------|--------------|----------------|
| | | | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| L36+00N 33+00E | Soil | | | 21 | 57 | 0.75 | 611 | 0.03 | <20 | 4.25 | 0.03 | 0.14 | <2 |
| L36+00N 33+25E | Soil | | | 18 | 37 | 0.59 | 291 | 0.06 | <20 | 2.77 | 0.02 | 0.08 | <2 |
| L36+00N 33+75E | Soil | | | 9 | 27 | 0.53 | 75 | 0.09 | <20 | 1.62 | 0.01 | 0.04 | <2 |
| L36+00N 34+00E | Soil | | | 12 | 28 | 0.46 | 98 | 0.11 | <20 | 2.55 | 0.02 | 0.04 | <2 |
| L36+00N 34+25E | Soil | | | 22 | 53 | 0.75 | 309 | 0.13 | <20 | 5.22 | 0.03 | 0.11 | <2 |
| L36+00N 34+50E | Soil | | | 13 | 41 | 0.68 | 134 | 0.12 | <20 | 2.56 | 0.02 | 0.09 | <2 |
| L36+00N 34+75E | Soil | | | 6 | 31 | 0.57 | 83 | 0.10 | <20 | 2.14 | 0.01 | 0.05 | <2 |
| L36+00N 35+00E | Soil | | | 7 | 39 | 0.70 | 110 | 0.08 | <20 | 2.79 | 0.01 | 0.07 | <2 |
| L36+00N 35+25E | Soil | | | 10 | 37 | 0.56 | 132 | 0.11 | <20 | 3.26 | 0.02 | 0.07 | <2 |
| L36+00N 35+50E | Soil | | | 11 | 33 | 0.53 | 130 | 0.12 | <20 | 2.32 | 0.02 | 0.07 | <2 |
| L36+00N 35+75E | Soil | | | 9 | 35 | 0.67 | 137 | 0.08 | <20 | 2.14 | 0.01 | 0.08 | <2 |
| L36+00N 36+00E | Soil | | | 8 | 29 | 0.48 | 113 | 0.10 | <20 | 1.75 | 0.01 | 0.06 | <2 |
| L36+00N 36+25E | Soil | | | 12 | 29 | 0.45 | 96 | 0.14 | <20 | 1.96 | 0.02 | 0.05 | <2 |
| L36+00N 36+50E | Soil | | | 28 | 41 | 0.69 | 439 | 0.06 | <20 | 3.61 | 0.03 | 0.09 | <2 |
| L36+00N 36+75E | Soil | | | 18 | 28 | 0.51 | 141 | 0.10 | <20 | 2.37 | 0.02 | 0.05 | <2 |
| L36+00N 37+00E | Soil | | | 5 | 19 | 0.35 | 57 | 0.11 | <20 | 1.35 | 0.01 | 0.03 | <2 |
| L36+00N 37+25E | Soil | | | 8 | 21 | 0.40 | 78 | 0.13 | <20 | 1.51 | 0.01 | 0.04 | <2 |
| L36+00N 37+50E | Soil | | | 14 | 33 | 0.63 | 168 | 0.09 | <20 | 2.23 | 0.02 | 0.05 | <2 |
| L36+00N 37+75E | Soil | | | 13 | 33 | 0.45 | 144 | 0.25 | <20 | 2.31 | 0.02 | 0.04 | <2 |
| L36+00N 38+00E | Soil | | | 8 | 21 | 0.53 | 96 | 0.08 | <20 | 1.38 | 0.01 | 0.03 | <2 |
| L36+00N 38+25E | Soil | | | 15 | 33 | 0.58 | 118 | 0.24 | <20 | 2.70 | 0.02 | 0.04 | <2 |
| L36+00N 38+50E | Soil | | | 8 | 22 | 0.76 | 73 | 0.19 | <20 | 1.85 | 0.02 | 0.03 | <2 |
| L36+00N 38+75E | Soil | | | 12 | 30 | 0.58 | 138 | 0.14 | <20 | 2.33 | 0.02 | 0.05 | <2 |
| L36+00N 39+25E | Soil | | | 24 | 35 | 0.45 | 321 | 0.08 | <20 | 3.20 | 0.02 | 0.06 | <2 |
| L36+00N 39+50E | Soil | | | 18 | 27 | 0.49 | 206 | 0.13 | <20 | 2.00 | 0.04 | 0.04 | <2 |
| L36+00N 39+75E | Soil | | | 27 | 28 | 0.54 | 320 | 0.05 | <20 | 2.73 | 0.03 | 0.05 | <2 |
| L36+00N 40+00E | Soil | | | 13 | 8 | 0.20 | 315 | <0.01 | <20 | 1.04 | 0.02 | 0.02 | <2 |
| L35+50N 30+00E | Soil | | | 5 | 39 | 0.64 | 120 | 0.05 | <20 | 2.40 | <0.01 | 0.04 | <2 |
| L35+50N 30+25E | Soil | | | 19 | 32 | 0.47 | 186 | 0.24 | <20 | 2.52 | 0.03 | 0.04 | <2 |
| L35+50N 31+00E | Soil | | | 5 | 38 | 0.72 | 102 | 0.06 | <20 | 2.17 | 0.01 | 0.04 | <2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project:

McBride

Report Date:

September 09, 2008

Page:

5 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|---------|------|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|------|-------|
| | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| MDL | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| L35+50N 31+25E | Soil | | 3 | 62 | 8 | 75 | 1.4 | 56 | 33 | 6575 | 4.57 | 2 | <8 | <2 | 3 | 76 | 0.6 | <3 | <3 | 72 | 1.53 | 0.245 |
| L35+50N 31+50E | Soil | | <1 | 9 | 6 | 69 | <0.3 | 18 | 6 | 239 | 2.35 | 3 | <8 | <2 | <2 | 21 | <0.5 | <3 | <3 | 73 | 0.24 | 0.021 |
| L35+50N 31+75E | Soil | | 1 | 14 | 8 | 53 | <0.3 | 22 | 6 | 238 | 2.77 | 4 | <8 | <2 | <2 | 19 | <0.5 | <3 | <3 | 74 | 0.20 | 0.024 |
| L35+50N 32+00E | Soil | | 1 | 16 | 7 | 82 | <0.3 | 27 | 8 | 268 | 3.73 | 3 | <8 | <2 | 3 | 15 | <0.5 | <3 | <3 | 82 | 0.09 | 0.025 |
| L35+50N 32+25E | Soil | | 1 | 18 | 4 | 78 | <0.3 | 42 | 11 | 264 | 3.78 | 6 | <8 | <2 | 3 | 16 | <0.5 | 3 | <3 | 70 | 0.14 | 0.034 |
| L35+50N 32+50E | Soil | | 1 | 15 | 9 | 63 | <0.3 | 18 | 5 | 269 | 3.07 | 4 | <8 | <2 | <2 | 25 | <0.5 | <3 | <3 | 74 | 0.24 | 0.035 |
| L35+50N 32+75E | Soil | | <1 | 22 | 8 | 51 | <0.3 | 29 | 8 | 300 | 3.40 | 5 | <8 | <2 | 2 | 17 | <0.5 | <3 | <3 | 82 | 0.12 | 0.033 |
| L35+50N 33+00E | Soil | | 1 | 44 | 6 | 109 | 0.4 | 42 | 10 | 1575 | 2.81 | 4 | <8 | <2 | <2 | 68 | 1.1 | <3 | <3 | 49 | 1.70 | 0.118 |
| L35+50N 33+25E | Soil | | 1 | 15 | 5 | 69 | <0.3 | 30 | 9 | 421 | 3.39 | 3 | <8 | <2 | 2 | 21 | <0.5 | <3 | <3 | 75 | 0.33 | 0.064 |
| L35+50N 33+75E | Soil | | <1 | 18 | 6 | 47 | <0.3 | 27 | 8 | 290 | 3.69 | 5 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 82 | 0.09 | 0.025 |
| L35+50N 34+00E | Soil | | <1 | 9 | 4 | 47 | <0.3 | 17 | 5 | 193 | 2.26 | 2 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 60 | 0.15 | 0.026 |
| L35+50N 34+25E | Soil | | <1 | 15 | 7 | 59 | <0.3 | 27 | 8 | 273 | 3.31 | 3 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 74 | 0.13 | 0.032 |
| L35+50N 34+50E | Soil | | <1 | 11 | 6 | 57 | <0.3 | 20 | 6 | 211 | 3.06 | 2 | <8 | <2 | <2 | 14 | <0.5 | <3 | 3 | 69 | 0.11 | 0.027 |
| L35+50N 34+75E | Soil | | <1 | 20 | 9 | 57 | <0.3 | 29 | 8 | 244 | 2.82 | 3 | <8 | <2 | <2 | 22 | <0.5 | <3 | <3 | 66 | 0.26 | 0.047 |
| L35+50N 35+00E | Soil | | 2 | 39 | 10 | 115 | <0.3 | 46 | 12 | 654 | 4.45 | 7 | <8 | <2 | 3 | 23 | 0.5 | <3 | <3 | 83 | 0.20 | 0.063 |
| L35+50N 35+25E | Soil | | <1 | 12 | 4 | 38 | <0.3 | 22 | 7 | 224 | 2.84 | 3 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 69 | 0.13 | 0.022 |
| L35+50N 35+50E | Soil | | 1 | 25 | 5 | 65 | <0.3 | 36 | 9 | 560 | 3.73 | 4 | <8 | <2 | 2 | 12 | <0.5 | <3 | <3 | 79 | 0.11 | 0.037 |
| L35+50N 35+75E | Soil | | <1 | 17 | 4 | 50 | <0.3 | 25 | 7 | 260 | 2.61 | 3 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 65 | 0.16 | 0.043 |
| L35+50N 36+00E | Soil | | <1 | 18 | 3 | 70 | <0.3 | 33 | 8 | 336 | 3.37 | 4 | <8 | <2 | 3 | 15 | <0.5 | <3 | 4 | 81 | 0.16 | 0.044 |
| L35+50N 36+25E | Soil | | <1 | 13 | <3 | 52 | <0.3 | 30 | 8 | 242 | 2.78 | <2 | <8 | <2 | 2 | 13 | <0.5 | <3 | <3 | 69 | 0.13 | 0.043 |
| L35+50N 36+50E | Soil | | <1 | 15 | <3 | 50 | 0.3 | 29 | 9 | 250 | 4.89 | 5 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 145 | 0.18 | 0.059 |
| L35+50N 36+75E | Soil | | <1 | 20 | 7 | 40 | <0.3 | 29 | 8 | 283 | 2.70 | 3 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 74 | 0.18 | 0.042 |
| L35+50N 37+00E | Soil | | 3 | 33 | 7 | 99 | 0.3 | 22 | 7 | 608 | 2.86 | 4 | <8 | <2 | <2 | 39 | 0.5 | <3 | <3 | 65 | 0.73 | 0.066 |
| L35+50N 37+25E | Soil | | 1 | 13 | 5 | 74 | <0.3 | 29 | 8 | 495 | 3.96 | 5 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 81 | 0.23 | 0.045 |
| L35+50N 37+50E | Soil | | <1 | 16 | 3 | 51 | <0.3 | 29 | 9 | 236 | 3.24 | 4 | <8 | <2 | <2 | 12 | <0.5 | <3 | <3 | 89 | 0.16 | 0.045 |
| L35+50N 37+75E | Soil | | 2 | 93 | 8 | 89 | 0.7 | 53 | 12 | 902 | 4.29 | 7 | <8 | <2 | 3 | 41 | <0.5 | <3 | <3 | 78 | 0.81 | 0.079 |
| L35+50N 38+00E | Soil | | 1 | 23 | 6 | 43 | <0.3 | 20 | 7 | 352 | 2.49 | 3 | 10 | <2 | <2 | 27 | <0.5 | <3 | <3 | 67 | 0.34 | 0.052 |
| L35+50N 38+25E | Soil | | 1 | 13 | 5 | 76 | <0.3 | 17 | 9 | 419 | 3.46 | 5 | <8 | <2 | <2 | 17 | <0.5 | <3 | <3 | 117 | 0.15 | 0.032 |
| L35+50N 38+50E | Soil | | <1 | 14 | 4 | 61 | <0.3 | 26 | 8 | 341 | 3.87 | 6 | <8 | <2 | <2 | 10 | <0.5 | <3 | <3 | 92 | 0.09 | 0.032 |
| L35+50N 38+75E | Soil | | <1 | 22 | <3 | 74 | 0.3 | 24 | 8 | 351 | 3.21 | 5 | <8 | <2 | <2 | 13 | <0.5 | <3 | <3 | 87 | 0.13 | 0.027 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.
 202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 5 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D |
|----------------|---------|------|-----|-----|------|-----|------|-----|------|------|------|-----|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
| MDL | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm |
| | | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| L35+50N 31+25E | Soil | | 46 | 46 | 0.59 | 651 | 0.03 | <20 | 3.97 | 0.03 | 0.08 | <2 |
| L35+50N 31+50E | Soil | | 5 | 23 | 0.37 | 95 | 0.09 | <20 | 1.24 | 0.01 | 0.05 | <2 |
| L35+50N 31+75E | Soil | | 8 | 28 | 0.47 | 138 | 0.08 | <20 | 1.73 | 0.01 | 0.04 | <2 |
| L35+50N 32+00E | Soil | | 9 | 35 | 0.41 | 147 | 0.13 | <20 | 2.45 | 0.01 | 0.04 | <2 |
| L35+50N 32+25E | Soil | | 7 | 36 | 0.56 | 156 | 0.08 | <20 | 2.47 | 0.01 | 0.05 | <2 |
| L35+50N 32+50E | Soil | | 13 | 25 | 0.32 | 179 | 0.11 | <20 | 1.51 | 0.01 | 0.05 | <2 |
| L35+50N 32+75E | Soil | | 10 | 32 | 0.57 | 142 | 0.08 | <20 | 2.06 | 0.01 | 0.04 | <2 |
| L35+50N 33+00E | Soil | | 17 | 34 | 0.54 | 298 | 0.04 | <20 | 2.39 | 0.03 | 0.10 | <2 |
| L35+50N 33+25E | Soil | | 12 | 27 | 0.64 | 114 | 0.15 | <20 | 1.87 | 0.02 | 0.05 | <2 |
| L35+50N 33+75E | Soil | | 8 | 33 | 0.48 | 113 | 0.12 | <20 | 2.33 | 0.01 | 0.04 | <2 |
| L35+50N 34+00E | Soil | | 5 | 21 | 0.36 | 81 | 0.08 | <20 | 1.48 | 0.01 | 0.03 | <2 |
| L35+50N 34+25E | Soil | | 7 | 29 | 0.52 | 98 | 0.10 | <20 | 2.18 | 0.01 | 0.05 | <2 |
| L35+50N 34+50E | Soil | | 8 | 24 | 0.34 | 100 | 0.10 | <20 | 2.11 | 0.01 | 0.04 | <2 |
| L35+50N 34+75E | Soil | | 10 | 29 | 0.56 | 126 | 0.08 | <20 | 1.89 | 0.01 | 0.06 | <2 |
| L35+50N 35+00E | Soil | | 15 | 47 | 0.73 | 222 | 0.08 | <20 | 3.47 | 0.02 | 0.09 | <2 |
| L35+50N 35+25E | Soil | | 5 | 24 | 0.48 | 86 | 0.09 | <20 | 1.38 | 0.01 | 0.03 | <2 |
| L35+50N 35+50E | Soil | | 10 | 36 | 0.58 | 138 | 0.08 | <20 | 2.82 | 0.01 | 0.06 | <2 |
| L35+50N 35+75E | Soil | | 6 | 26 | 0.56 | 100 | 0.07 | <20 | 1.50 | 0.01 | 0.04 | <2 |
| L35+50N 36+00E | Soil | | 9 | 33 | 0.62 | 122 | 0.09 | <20 | 1.95 | 0.01 | 0.07 | <2 |
| L35+50N 36+25E | Soil | | 6 | 28 | 0.56 | 85 | 0.06 | <20 | 1.72 | 0.01 | 0.04 | <2 |
| L35+50N 36+50E | Soil | | 7 | 33 | 0.48 | 72 | 0.09 | <20 | 1.59 | 0.01 | 0.05 | <2 |
| L35+50N 36+75E | Soil | | 7 | 26 | 0.54 | 96 | 0.06 | <20 | 1.78 | 0.01 | 0.05 | <2 |
| L35+50N 37+00E | Soil | | 13 | 25 | 0.44 | 160 | 0.07 | <20 | 1.70 | 0.02 | 0.05 | <2 |
| L35+50N 37+25E | Soil | | 11 | 31 | 0.53 | 86 | 0.14 | <20 | 1.72 | 0.02 | 0.05 | <2 |
| L35+50N 37+50E | Soil | | 6 | 27 | 0.54 | 71 | 0.06 | <20 | 2.04 | 0.01 | 0.04 | <2 |
| L35+50N 37+75E | Soil | | 27 | 41 | 0.67 | 307 | 0.08 | <20 | 3.67 | 0.02 | 0.07 | <2 |
| L35+50N 38+00E | Soil | | 9 | 22 | 0.37 | 112 | 0.06 | <20 | 1.37 | 0.01 | 0.03 | <2 |
| L35+50N 38+25E | Soil | | 9 | 22 | 0.70 | 104 | 0.18 | <20 | 1.55 | 0.02 | 0.05 | <2 |
| L35+50N 38+50E | Soil | | 7 | 30 | 0.55 | 71 | 0.11 | <20 | 1.82 | 0.02 | 0.05 | <2 |
| L35+50N 38+75E | Soil | | 8 | 26 | 0.55 | 79 | 0.10 | <20 | 2.06 | 0.01 | 0.04 | 3 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 6 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | | |
|----------------|---------|------|-----|-----|-----|-----|-----|------|-----|----|-----|------|-----|-----|-----|-----|-----|------|----|----|----|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | % | | |
| L35+50N 39+25E | Soil | | | <1 | 12 | 7 | 82 | 0.5 | 20 | 7 | 296 | 3.57 | 6 | <8 | <2 | <2 | 16 | <0.5 | <3 | <3 | 87 | 0.17 | 0.025 |
| L35+50N 39+50E | Soil | | | 6 | 76 | 4 | 101 | 0.8 | 37 | 11 | 647 | 2.94 | 7 | 10 | <2 | <2 | 84 | 1.0 | <3 | 4 | 68 | 1.40 | 0.075 |
| L35+50N 39+75E | Soil | | | 5 | 85 | 11 | 64 | 0.7 | 31 | 8 | 689 | 2.67 | 4 | 16 | <2 | <2 | 117 | 1.5 | <3 | <3 | 55 | 2.30 | 0.116 |
| L35+50N 40+00E | Soil | | | <1 | 21 | 3 | 47 | <0.3 | 21 | 9 | 363 | 2.52 | 4 | <8 | <2 | <2 | 33 | <0.5 | <3 | <3 | 74 | 0.60 | 0.032 |
| L35+00N 35+75E | Soil | | | 2 | 42 | 10 | 85 | <0.3 | 38 | 11 | 614 | 4.18 | 4 | 11 | <2 | <2 | 21 | <0.5 | <3 | <3 | 87 | 0.19 | 0.055 |
| L35+00N 36+00E | Soil | | | <1 | 11 | 9 | 68 | <0.3 | 17 | 7 | 402 | 3.15 | 3 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 88 | 0.23 | 0.033 |
| L35+00N 36+25E | Soil | | | <1 | 11 | 4 | 58 | 0.4 | 20 | 6 | 219 | 2.35 | 3 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 69 | 0.14 | 0.030 |
| L35+00N 36+50E | Soil | | | 1 | 49 | 10 | 120 | 0.6 | 31 | 10 | 406 | 3.41 | 3 | <8 | <2 | 3 | 26 | 0.6 | <3 | <3 | 86 | 0.41 | 0.022 |
| L35+00N 36+75E | Soil | | | <1 | 11 | 6 | 65 | <0.3 | 21 | 6 | 225 | 3.00 | 2 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 79 | 0.11 | 0.048 |
| L35+00N 37+00E | Soil | | | <1 | 13 | 11 | 127 | 0.7 | 30 | 9 | 300 | 4.17 | 6 | <8 | <2 | 2 | 11 | <0.5 | <3 | <3 | 68 | 0.10 | 0.061 |
| L35+00N 37+25E | Soil | | | <1 | 71 | 7 | 122 | 0.4 | 29 | 8 | 509 | 2.32 | 8 | 8 | <2 | <2 | 71 | 0.9 | <3 | <3 | 54 | 1.34 | 0.073 |
| L35+00N 37+50E | Soil | | | <1 | 423 | 7 | 83 | 1.0 | 58 | 12 | 803 | 3.46 | 12 | 16 | <2 | 3 | 146 | <0.5 | <3 | 4 | 80 | 1.76 | 0.067 |
| L35+00N 37+75E | Soil | | | <1 | 34 | 7 | 45 | 0.5 | 15 | 5 | 468 | 1.19 | 3 | <8 | <2 | 2 | 156 | 1.7 | <3 | 4 | 27 | 3.23 | 0.085 |
| L35+00N 38+00E | Soil | | | <1 | 52 | 9 | 57 | 0.4 | 29 | 10 | 608 | 3.12 | 7 | <8 | <2 | <2 | 32 | <0.5 | <3 | <3 | 83 | 0.72 | 0.050 |
| L35+00N 38+50E | Soil | | | <1 | 10 | 7 | 40 | <0.3 | 16 | 5 | 221 | 2.29 | 6 | <8 | <2 | <2 | 11 | <0.5 | <3 | 4 | 68 | 0.10 | 0.029 |
| L35+00N 38+75E | Soil | | | <1 | 16 | 3 | 55 | <0.3 | 28 | 8 | 283 | 3.49 | 4 | <8 | <2 | 2 | 15 | <0.5 | <3 | 3 | 84 | 0.14 | 0.037 |
| L35+00N 39+00E | Soil | | | <1 | 16 | 7 | 102 | <0.3 | 30 | 8 | 364 | 3.95 | 9 | <8 | <2 | <2 | 14 | <0.5 | <3 | 4 | 87 | 0.15 | 0.037 |
| L35+00N 39+25E | Soil | | | <1 | 13 | 9 | 68 | <0.3 | 28 | 8 | 308 | 3.54 | 7 | <8 | <2 | 3 | 14 | <0.5 | <3 | <3 | 84 | 0.13 | 0.025 |
| L35+00N 40+00E | Soil | | | 2 | 44 | 7 | 48 | 0.6 | 21 | 7 | 469 | 2.02 | 6 | <8 | <2 | 2 | 83 | 0.7 | <3 | <3 | 56 | 1.63 | 0.085 |
| L34+50N 34+75E | Soil | | | <1 | 20 | 3 | 57 | 0.4 | 27 | 7 | 273 | 3.31 | 9 | <8 | <2 | 3 | 11 | <0.5 | <3 | <3 | 88 | 0.12 | 0.032 |
| L34+50N 35+25E | Soil | | | <1 | 24 | 14 | 78 | 0.6 | 34 | 7 | 370 | 4.60 | 7 | 11 | <2 | 4 | 14 | <0.5 | <3 | <3 | 77 | 0.28 | 0.037 |
| L34+50N 35+50E | Soil | | | <1 | 14 | 6 | 47 | <0.3 | 24 | 6 | 229 | 2.67 | 4 | <8 | <2 | 3 | 13 | <0.5 | <3 | <3 | 71 | 0.16 | 0.022 |
| L34+50N 35+75E | Soil | | | <1 | 19 | 6 | 83 | 0.5 | 26 | 10 | 493 | 3.25 | 2 | 10 | <2 | <2 | 12 | <0.5 | <3 | <3 | 82 | 0.11 | 0.025 |
| L34+50N 36+00E | Soil | | | 2 | 13 | 11 | 167 | 0.5 | 25 | 7 | 564 | 4.67 | 6 | <8 | <2 | 2 | 14 | <0.5 | <3 | <3 | 87 | 0.19 | 0.049 |
| L34+50N 36+25E | Soil | | | <1 | 39 | 5 | 52 | <0.3 | 27 | 6 | 243 | 2.16 | 6 | <8 | <2 | <2 | 45 | <0.5 | <3 | <3 | 56 | 0.88 | 0.052 |
| L34+50N 36+50E | Soil | | | 1 | 256 | <3 | 95 | 0.6 | 25 | 5 | 512 | 1.39 | 5 | 11 | <2 | 3 | 139 | 2.5 | <3 | <3 | 27 | 3.75 | 0.103 |
| L34+50N 36+75E | Soil | | | 2 | 27 | 4 | 69 | <0.3 | 51 | 17 | 685 | 5.53 | 6 | <8 | <2 | 6 | 20 | <0.5 | <3 | <3 | 90 | 0.31 | 0.069 |
| L34+50N 37+00E | Soil | | | <1 | 8 | 6 | 86 | <0.3 | 19 | 7 | 251 | 3.82 | 7 | <8 | <2 | 3 | 13 | <0.5 | <3 | <3 | 91 | 0.12 | 0.072 |
| L34+50N 37+25E | Soil | | | 1 | 11 | <3 | 84 | <0.3 | 26 | 9 | 335 | 3.82 | 4 | <8 | <2 | 2 | 13 | <0.5 | <3 | <3 | 97 | 0.14 | 0.080 |
| L34+50N 37+50E | Soil | | | <1 | 19 | <3 | 64 | <0.3 | 33 | 9 | 271 | 3.57 | 8 | <8 | <2 | 3 | 18 | <0.5 | <3 | <3 | 97 | 0.18 | 0.051 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 6 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D |
|----------------|------|-----|------|------|------|------|------|------|------|------|----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 0.01 | 2 |
| L35+50N 39+25E | Soil | 11 | 25 | 0.46 | 103 | 0.11 | <20 | 1.95 | 0.01 | 0.05 | <2 |
| L35+50N 39+50E | Soil | 17 | 35 | 0.71 | 183 | 0.06 | <20 | 2.09 | 0.02 | 0.04 | 2 |
| L35+50N 39+75E | Soil | 30 | 28 | 0.51 | 284 | 0.05 | <20 | 2.54 | 0.03 | 0.05 | <2 |
| L35+50N 40+00E | Soil | 6 | 27 | 0.74 | 162 | 0.10 | <20 | 1.53 | 0.03 | 0.04 | <2 |
| L35+00N 35+75E | Soil | 18 | 38 | 0.56 | 219 | 0.06 | <20 | 2.57 | 0.01 | 0.08 | <2 |
| L35+00N 36+00E | Soil | 7 | 22 | 0.36 | 96 | 0.08 | <20 | 1.29 | 0.01 | 0.05 | <2 |
| L35+00N 36+25E | Soil | 8 | 25 | 0.47 | 96 | 0.08 | <20 | 1.48 | 0.01 | 0.06 | <2 |
| L35+00N 36+50E | Soil | 11 | 37 | 0.54 | 191 | 0.08 | <20 | 2.34 | 0.02 | 0.07 | <2 |
| L35+00N 36+75E | Soil | 8 | 27 | 0.47 | 98 | 0.09 | <20 | 1.57 | 0.01 | 0.06 | 2 |
| L35+00N 37+00E | Soil | 14 | 32 | 0.37 | 119 | 0.13 | <20 | 2.84 | 0.02 | 0.06 | <2 |
| L35+00N 37+25E | Soil | 14 | 26 | 0.56 | 228 | 0.05 | <20 | 1.73 | 0.02 | 0.06 | <2 |
| L35+00N 37+50E | Soil | 51 | 54 | 0.96 | 336 | 0.03 | <20 | 3.15 | 0.02 | 0.12 | <2 |
| L35+00N 37+75E | Soil | 12 | 13 | 0.30 | 234 | 0.03 | <20 | 1.16 | 0.02 | 0.03 | <2 |
| L35+00N 38+00E | Soil | 14 | 30 | 0.53 | 140 | 0.08 | <20 | 1.86 | 0.02 | 0.04 | <2 |
| L35+00N 38+50E | Soil | 5 | 21 | 0.39 | 64 | 0.06 | <20 | 1.44 | 0.01 | 0.03 | <2 |
| L35+00N 38+75E | Soil | 8 | 31 | 0.58 | 123 | 0.11 | <20 | 2.08 | 0.02 | 0.05 | <2 |
| L35+00N 39+00E | Soil | 9 | 29 | 0.56 | 112 | 0.10 | <20 | 2.33 | 0.02 | 0.07 | <2 |
| L35+00N 39+25E | Soil | 8 | 32 | 0.52 | 126 | 0.09 | <20 | 2.06 | 0.01 | 0.05 | <2 |
| L35+00N 40+00E | Soil | 10 | 22 | 0.57 | 187 | 0.05 | <20 | 1.53 | 0.03 | 0.05 | <2 |
| L34+50N 34+75E | Soil | 8 | 32 | 0.46 | 87 | 0.08 | <20 | 2.51 | 0.01 | 0.04 | <2 |
| L34+50N 35+25E | Soil | 19 | 35 | 0.51 | 110 | 0.08 | <20 | 2.99 | 0.01 | 0.06 | <2 |
| L34+50N 35+50E | Soil | 6 | 25 | 0.52 | 74 | 0.07 | <20 | 1.67 | 0.01 | 0.04 | <2 |
| L34+50N 35+75E | Soil | 9 | 28 | 0.51 | 127 | 0.08 | <20 | 1.84 | 0.01 | 0.05 | <2 |
| L34+50N 36+00E | Soil | 15 | 30 | 0.38 | 149 | 0.13 | <20 | 1.91 | 0.01 | 0.07 | <2 |
| L34+50N 36+25E | Soil | 16 | 28 | 0.45 | 246 | 0.05 | <20 | 1.89 | 0.02 | 0.06 | <2 |
| L34+50N 36+50E | Soil | 22 | 24 | 0.36 | 480 | 0.02 | <20 | 1.34 | 0.02 | 0.05 | <2 |
| L34+50N 36+75E | Soil | 27 | 39 | 0.75 | 183 | 0.45 | <20 | 3.94 | 0.04 | 0.05 | <2 |
| L34+50N 37+00E | Soil | 9 | 26 | 0.45 | 94 | 0.14 | <20 | 1.70 | 0.02 | 0.06 | <2 |
| L34+50N 37+25E | Soil | 6 | 28 | 0.65 | 110 | 0.09 | <20 | 1.69 | 0.02 | 0.05 | <2 |
| L34+50N 37+50E | Soil | 9 | 31 | 0.61 | 122 | 0.05 | <20 | 1.91 | 0.01 | 0.07 | 2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Remington Resources Inc.

202 - 750 W. Pender Street
Vancouver BC V6C 2T7 Canada

Project:

McBride

Report Date:

September 09, 2008

Page:

7 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D Mo | 1D Cu | 1D Pb | 1D Zn | 1D Ag | 1D Ni | 1D Co | 1D Mn | 1D Fe | 1D As | 1D U | 1D Au | 1D Th | 1D Sr | 1D Cd | 1D Sb | 1D Bi | 1D V | 1D Ca | 1D P |
|----------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| L34+50N 37+75E | Soil | | | 2 | 76 | 4 | 116 | <0.3 | 36 | 9 | 764 | 2.72 | 12 | <8 | <2 | 2 | 123 | 1.3 | <3 | <3 | 61 | 2.02 | 0.113 |
| L34+50N 38+00E | Soil | | | 2 | 10 | <3 | 48 | <0.3 | 19 | 6 | 230 | 2.37 | 4 | <8 | <2 | 2 | 22 | <0.5 | <3 | <3 | 75 | 0.19 | 0.025 |
| L34+50N 38+25E | Soil | | | 2 | 12 | 5 | 92 | <0.3 | 30 | 9 | 467 | 4.90 | 12 | <8 | <2 | 4 | 21 | <0.5 | <3 | <3 | 94 | 0.19 | 0.057 |
| L34+50N 39+25E | Soil | | | <1 | 70 | 6 | 72 | 0.5 | 60 | 9 | 414 | 3.85 | 10 | <8 | <2 | <2 | 103 | <0.5 | <3 | <3 | 78 | 1.55 | 0.118 |
| L34+50N 39+50E | Soil | | | 5 | 61 | 7 | 56 | 0.3 | 27 | 7 | 485 | 2.00 | 7 | <8 | <2 | <2 | 134 | 0.8 | <3 | <3 | 46 | 2.96 | 0.112 |
| L34+50N 39+75E | Soil | | | 3 | 66 | 7 | 62 | 0.5 | 23 | 8 | 706 | 2.09 | 4 | <8 | <2 | 3 | 82 | 0.6 | <3 | <3 | 57 | 1.74 | 0.107 |
| L34+50N 40+00E | Soil | | | 3 | 41 | 6 | 153 | <0.3 | 17 | 5 | 469 | 2.90 | 3 | <8 | <2 | 3 | 72 | <0.5 | <3 | <3 | 53 | 1.53 | 0.061 |
| L34+00N 34+75E | Soil | | | <1 | 13 | 5 | 61 | <0.3 | 25 | 7 | 326 | 3.41 | 7 | <8 | <2 | 3 | 16 | <0.5 | <3 | <3 | 96 | 0.19 | 0.028 |
| L34+00N 35+00E | Soil | | | 1 | 20 | 33 | 109 | <0.3 | 21 | 7 | 609 | 4.55 | 4 | <8 | <2 | 4 | 10 | 0.6 | <3 | <3 | 97 | 0.11 | 0.045 |
| L34+00N 35+25E | Soil | | | <1 | 23 | 11 | 98 | <0.3 | 29 | 7 | 326 | 3.80 | 7 | <8 | <2 | 4 | 14 | <0.5 | <3 | <3 | 77 | 0.18 | 0.031 |
| L34+00N 35+75E | Soil | | | <1 | 19 | 11 | 100 | <0.3 | 36 | 9 | 401 | 4.15 | 8 | <8 | <2 | 5 | 12 | <0.5 | <3 | <3 | 102 | 0.16 | 0.033 |
| L34+00N 36+00E | Soil | | | 2 | 14 | 6 | 81 | <0.3 | 23 | 7 | 570 | 3.62 | 5 | <8 | <2 | 5 | 12 | <0.5 | <3 | <3 | 76 | 0.21 | 0.030 |
| L34+00N 36+25E | Soil | | | 2 | 10 | 8 | 79 | 0.4 | 19 | 5 | 231 | 3.41 | 3 | <8 | <2 | 3 | 16 | <0.5 | <3 | <3 | 83 | 0.23 | 0.028 |
| L34+00N 36+50E | Soil | | | 1 | 154 | 3 | 162 | 0.7 | 50 | 8 | 614 | 2.75 | 8 | <8 | <2 | 3 | 94 | 1.5 | <3 | <3 | 52 | 2.51 | 0.120 |
| L34+00N 36+75E | Soil | | | <1 | 25 | <3 | 57 | <0.3 | 51 | 10 | 250 | 3.07 | 4 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 83 | 0.09 | 0.020 |
| L34+00N 37+00E | Soil | | | <1 | 21 | 6 | 74 | <0.3 | 50 | 9 | 306 | 3.52 | 5 | <8 | <2 | 4 | 13 | <0.5 | <3 | <3 | 84 | 0.13 | 0.049 |
| L34+00N 37+25E | Soil | | | <1 | 16 | <3 | 41 | <0.3 | 30 | 7 | 239 | 2.40 | 7 | <8 | <2 | 4 | 16 | <0.5 | <3 | <3 | 65 | 0.20 | 0.036 |
| L34+00N 37+50E | Soil | | | <1 | 9 | 5 | 65 | <0.3 | 27 | 6 | 239 | 3.01 | 6 | <8 | <2 | 3 | 21 | <0.5 | <3 | <3 | 80 | 0.31 | 0.025 |
| L34+00N 37+75E | Soil | | | 2 | 69 | 7 | 110 | <0.3 | 44 | 13 | 945 | 3.62 | 10 | <8 | <2 | 3 | 85 | 0.5 | <3 | <3 | 76 | 1.24 | 0.107 |
| L34+00N 38+00E | Soil | | | <1 | 15 | <3 | 49 | <0.3 | 27 | 7 | 315 | 2.56 | <2 | <8 | <2 | 4 | 31 | <0.5 | <3 | <3 | 78 | 0.33 | 0.053 |
| L34+00N 38+25E | Soil | | | 1 | 12 | <3 | 36 | 0.3 | 23 | 6 | 215 | 2.37 | 2 | <8 | <2 | 3 | 17 | <0.5 | <3 | <3 | 69 | 0.18 | 0.041 |
| L34+00N 38+75E | Soil | | | <1 | 13 | <3 | 35 | <0.3 | 20 | 6 | 308 | 2.22 | 2 | <8 | <2 | 3 | 25 | <0.5 | <3 | <3 | 67 | 0.32 | 0.052 |
| L34+00N 39+00E | Soil | | | 2 | 31 | 4 | 43 | <0.3 | 26 | 9 | 908 | 2.22 | 4 | <8 | <2 | 3 | 72 | <0.5 | <3 | <3 | 56 | 0.98 | 0.084 |
| L34+00N 39+25E | Soil | | | 2 | 51 | 8 | 79 | 0.3 | 36 | 11 | 629 | 3.11 | 3 | 9 | <2 | 3 | 71 | <0.5 | <3 | <3 | 73 | 1.33 | 0.050 |
| L34+00N 40+00E | Soil | | | 1 | 15 | 5 | 79 | <0.3 | 27 | 8 | 302 | 2.37 | 3 | <8 | <2 | 2 | 22 | <0.5 | <3 | <3 | 69 | 0.36 | 0.021 |
| L33+50N 32+00E | Soil | | | 2 | 11 | 7 | 107 | <0.3 | 28 | 10 | 310 | 4.48 | 3 | <8 | <2 | 8 | 8 | <0.5 | <3 | <3 | 71 | 0.07 | 0.047 |
| L33+50N 32+25E | Soil | | | <1 | 16 | 4 | 65 | <0.3 | 27 | 10 | 354 | 4.84 | 6 | <8 | <2 | 4 | 12 | <0.5 | <3 | <3 | 135 | 0.13 | 0.027 |
| L33+50N 32+50E | Soil | | | <1 | 12 | 3 | 41 | <0.3 | 19 | 6 | 209 | 2.99 | 7 | <8 | <2 | 4 | 10 | <0.5 | <3 | <3 | 88 | 0.09 | 0.028 |
| L33+50N 32+75E | Soil | | | <1 | 21 | 4 | 29 | <0.3 | 18 | 5 | 201 | 2.12 | 4 | <8 | <2 | 2 | 18 | <0.5 | <3 | <3 | 65 | 0.15 | 0.010 |
| L33+50N 33+50E | Soil | | | <1 | 16 | 5 | 40 | <0.3 | 25 | 6 | 231 | 2.49 | 2 | <8 | <2 | 4 | 18 | <0.5 | <3 | <3 | 77 | 0.17 | 0.020 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 7 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|---------|------|-----|-----|------|-----|------|-----|------|------|------|----|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
| MDL | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | |
| | | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| L34+50N 37+75E | Soil | | 20 | 32 | 0.60 | 323 | 0.05 | <20 | 2.39 | 0.03 | 0.06 | <2 |
| L34+50N 38+00E | Soil | | 6 | 24 | 0.51 | 75 | 0.10 | <20 | 1.28 | 0.02 | 0.04 | <2 |
| L34+50N 38+25E | Soil | | 13 | 32 | 0.53 | 87 | 0.26 | <20 | 1.85 | 0.03 | 0.05 | <2 |
| L34+50N 39+25E | Soil | | 50 | 48 | 0.70 | 536 | 0.02 | <20 | 4.18 | 0.02 | 0.08 | <2 |
| L34+50N 39+50E | Soil | | 12 | 23 | 0.45 | 375 | 0.03 | <20 | 1.68 | 0.02 | 0.04 | <2 |
| L34+50N 39+75E | Soil | | 13 | 24 | 0.58 | 465 | 0.05 | <20 | 1.69 | 0.02 | 0.04 | <2 |
| L34+50N 40+00E | Soil | | 13 | 20 | 0.33 | 503 | 0.07 | <20 | 1.53 | 0.02 | 0.04 | <2 |
| L34+00N 34+75E | Soil | | 8 | 28 | 0.56 | 137 | 0.10 | <20 | 2.01 | 0.02 | 0.04 | <2 |
| L34+00N 35+00E | Soil | | 15 | 31 | 0.31 | 174 | 0.11 | <20 | 2.39 | 0.02 | 0.05 | <2 |
| L34+00N 35+25E | Soil | | 25 | 28 | 0.48 | 146 | 0.10 | <20 | 3.18 | 0.02 | 0.05 | <2 |
| L34+00N 35+75E | Soil | | 10 | 35 | 0.55 | 122 | 0.10 | <20 | 2.83 | 0.02 | 0.05 | <2 |
| L34+00N 36+00E | Soil | | 11 | 25 | 0.40 | 105 | 0.11 | <20 | 1.82 | 0.01 | 0.05 | <2 |
| L34+00N 36+25E | Soil | | 7 | 22 | 0.34 | 103 | 0.10 | <20 | 1.57 | 0.02 | 0.05 | <2 |
| L34+00N 36+50E | Soil | | 39 | 38 | 0.62 | 529 | 0.04 | <20 | 2.89 | 0.02 | 0.09 | <2 |
| L34+00N 36+75E | Soil | | 7 | 45 | 0.76 | 107 | 0.05 | <20 | 2.16 | 0.02 | 0.04 | <2 |
| L34+00N 37+00E | Soil | | 6 | 46 | 0.76 | 102 | 0.05 | <20 | 2.13 | 0.01 | 0.05 | <2 |
| L34+00N 37+25E | Soil | | 7 | 28 | 0.58 | 94 | 0.05 | <20 | 1.55 | 0.02 | 0.04 | <2 |
| L34+00N 37+50E | Soil | | 7 | 30 | 0.55 | 113 | 0.08 | <20 | 1.63 | 0.02 | 0.05 | 2 |
| L34+00N 37+75E | Soil | | 24 | 37 | 0.70 | 352 | 0.08 | <20 | 2.93 | 0.03 | 0.08 | <2 |
| L34+00N 38+00E | Soil | | 7 | 26 | 0.55 | 92 | 0.06 | <20 | 1.38 | 0.02 | 0.05 | 2 |
| L34+00N 38+25E | Soil | | 5 | 22 | 0.45 | 76 | 0.06 | <20 | 1.16 | 0.01 | 0.04 | <2 |
| L34+00N 38+75E | Soil | | 6 | 20 | 0.55 | 77 | 0.07 | <20 | 1.11 | 0.02 | 0.03 | <2 |
| L34+00N 39+00E | Soil | | 14 | 24 | 0.51 | 242 | 0.04 | <20 | 1.63 | 0.02 | 0.04 | <2 |
| L34+00N 39+25E | Soil | | 12 | 34 | 0.68 | 386 | 0.07 | <20 | 2.14 | 0.03 | 0.07 | <2 |
| L34+00N 40+00E | Soil | | 6 | 25 | 0.57 | 169 | 0.06 | <20 | 1.56 | 0.01 | 0.05 | <2 |
| L33+50N 32+00E | Soil | | 12 | 31 | 0.31 | 134 | 0.12 | <20 | 3.44 | 0.02 | 0.05 | 3 |
| L33+50N 32+25E | Soil | | 7 | 29 | 0.68 | 115 | 0.12 | <20 | 2.27 | 0.02 | 0.04 | 2 |
| L33+50N 32+50E | Soil | | 6 | 22 | 0.41 | 62 | 0.07 | <20 | 1.70 | 0.01 | 0.03 | 2 |
| L33+50N 32+75E | Soil | | 10 | 23 | 0.48 | 93 | 0.07 | <20 | 1.38 | 0.02 | 0.03 | 3 |
| L33+50N 33+50E | Soil | | 7 | 28 | 0.54 | 115 | 0.07 | <20 | 1.65 | 0.01 | 0.03 | <2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|------|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| L33+50N 33+75E | Soil | 2 | 53 | 6 | 64 | 0.4 | 48 | 10 | 580 | 4.05 | 5 | <8 | <2 | 3 | 64 | <0.5 | <3 | <3 | 72 | 0.91 | 0.083 |
| L33+50N 34+00E | Soil | 2 | 30 | 5 | 87 | <0.3 | 36 | 8 | 460 | 4.49 | 7 | 8 | <2 | 5 | 12 | <0.5 | <3 | 6 | 79 | 0.14 | 0.047 |
| L33+50N 34+75E | Soil | <1 | 21 | <3 | 42 | <0.3 | 29 | 7 | 294 | 2.31 | <2 | <8 | <2 | 3 | 16 | <0.5 | <3 | 4 | 67 | 0.25 | 0.039 |
| L33+50N 35+00E | Soil | 2 | 19 | <3 | 60 | <0.3 | 32 | 8 | 276 | 3.74 | 5 | <8 | <2 | 3 | 11 | <0.5 | <3 | <3 | 89 | 0.10 | 0.033 |
| L33+50N 35+50E | Soil | 1 | 26 | 7 | 86 | <0.3 | 34 | 10 | 598 | 4.05 | 4 | <8 | <2 | 3 | 15 | <0.5 | <3 | <3 | 97 | 0.16 | 0.034 |
| L33+50N 35+75E | Soil | 1 | 15 | 5 | 120 | 0.3 | 31 | 9 | 384 | 4.22 | 5 | <8 | <2 | 2 | 13 | <0.5 | <3 | 4 | 92 | 0.16 | 0.037 |
| L33+50N 36+00E | Soil | <1 | 12 | <3 | 63 | <0.3 | 24 | 7 | 251 | 3.13 | 5 | <8 | <2 | 3 | 13 | <0.5 | <3 | <3 | 76 | 0.11 | 0.042 |
| L33+50N 36+25E | Soil | <1 | 15 | <3 | 57 | <0.3 | 34 | 9 | 300 | 3.04 | 3 | <8 | <2 | 2 | 14 | <0.5 | <3 | <3 | 77 | 0.14 | 0.070 |
| L33+50N 36+50E | Soil | <1 | 23 | 5 | 90 | <0.3 | 39 | 11 | 505 | 3.66 | 4 | <8 | <2 | 3 | 15 | <0.5 | <3 | <3 | 91 | 0.14 | 0.043 |
| L33+50N 36+75E | Soil | <1 | 20 | <3 | 68 | <0.3 | 38 | 8 | 337 | 3.18 | 4 | <8 | <2 | 2 | 14 | <0.5 | <3 | <3 | 83 | 0.14 | 0.039 |
| L33+50N 37+50E | Soil | 1 | 16 | <3 | 85 | <0.3 | 44 | 8 | 275 | 3.49 | 4 | <8 | <2 | <2 | 12 | <0.5 | <3 | <3 | 83 | 0.12 | 0.048 |
| L33+50N 37+75E | Soil | <1 | 23 | <3 | 62 | <0.3 | 45 | 9 | 342 | 3.25 | 4 | <8 | <2 | 3 | 17 | <0.5 | <3 | <3 | 83 | 0.18 | 0.032 |
| L33+50N 38+00E | Soil | 2 | 51 | 10 | 92 | <0.3 | 39 | 10 | 539 | 3.59 | 5 | <8 | <2 | <2 | 56 | <0.5 | <3 | <3 | 83 | 0.84 | 0.038 |
| L33+50N 38+25E | Soil | 2 | 29 | 6 | 99 | <0.3 | 40 | 12 | 793 | 3.85 | 4 | <8 | <2 | 2 | 58 | <0.5 | <3 | 4 | 78 | 0.63 | 0.074 |
| L33+00N 35+75E | Soil | <1 | 16 | 5 | 60 | <0.3 | 20 | 8 | 609 | 3.01 | <2 | <8 | <2 | <2 | 21 | <0.5 | 3 | <3 | 83 | 0.25 | 0.033 |
| L33+00N 36+00E | Soil | <1 | 17 | 5 | 110 | <0.3 | 32 | 8 | 284 | 3.84 | 7 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 72 | 0.13 | 0.049 |
| L33+00N 36+25E | Soil | 1 | 17 | <3 | 85 | <0.3 | 31 | 10 | 597 | 3.28 | 3 | <8 | <2 | 2 | 19 | <0.5 | <3 | <3 | 83 | 0.33 | 0.037 |
| L33+00N 36+50E | Soil | <1 | 14 | <3 | 78 | <0.3 | 31 | 9 | 354 | 3.44 | 5 | <8 | <2 | <2 | 16 | <0.5 | <3 | 6 | 90 | 0.23 | 0.042 |
| L33+00N 36+75E | Soil | 1 | 17 | <3 | 61 | <0.3 | 37 | 8 | 369 | 3.74 | 6 | <8 | <2 | 4 | 23 | <0.5 | <3 | <3 | 84 | 0.20 | 0.022 |
| L33+00N 37+00E | Soil | 2 | 23 | <3 | 108 | <0.3 | 42 | 9 | 373 | 4.44 | 10 | <8 | <2 | 6 | 12 | <0.5 | <3 | <3 | 72 | 0.08 | 0.050 |
| L33+00N 37+25E | Soil | <1 | 19 | <3 | 59 | <0.3 | 48 | 9 | 273 | 3.48 | 5 | <8 | <2 | 3 | 15 | <0.5 | <3 | <3 | 87 | 0.14 | 0.022 |
| L33+00N 37+50E | Soil | <1 | 17 | <3 | 67 | <0.3 | 39 | 8 | 474 | 2.92 | 3 | <8 | <2 | 2 | 17 | <0.5 | <3 | <3 | 78 | 0.17 | 0.040 |
| L33+00N 37+75E | Soil | <1 | 13 | <3 | 70 | <0.3 | 35 | 7 | 310 | 2.92 | 6 | <8 | <2 | <2 | 13 | <0.5 | <3 | 4 | 73 | 0.10 | 0.037 |
| L33+00N 38+00E | Soil | <1 | 12 | <3 | 58 | <0.3 | 37 | 7 | 339 | 2.62 | 2 | <8 | <2 | <2 | 19 | <0.5 | <3 | <3 | 64 | 0.23 | 0.032 |
| L33+00N 38+25E | Soil | <1 | 135 | <3 | 103 | 1.1 | 74 | 13 | 953 | 4.08 | 8 | <8 | <2 | <2 | 139 | 1.0 | <3 | <3 | 90 | 1.30 | 0.083 |
| L33+00N 38+50E | Soil | <1 | 21 | <3 | 46 | <0.3 | 27 | 7 | 334 | 2.61 | 3 | <8 | <2 | <2 | 30 | <0.5 | <3 | <3 | 68 | 0.28 | 0.053 |
| L33+00N 38+75E | Soil | 1 | 29 | <3 | 96 | 0.3 | 62 | 10 | 374 | 4.01 | 4 | <8 | <2 | 3 | 14 | <0.5 | <3 | 4 | 85 | 0.14 | 0.046 |
| L32+50N 30+00E | Soil | <1 | 32 | 61 | 96 | <0.3 | 43 | 10 | 482 | 5.06 | 11 | <8 | <2 | 5 | 16 | 0.6 | <3 | <3 | 83 | 0.33 | 0.038 |
| L32+50N 30+25E | Soil | <1 | 261 | 39 | 112 | 0.9 | 66 | 15 | 1216 | 4.44 | 19 | 12 | <2 | 3 | 46 | <0.5 | 4 | <3 | 114 | 1.53 | 0.044 |
| L32+50N 30+50E | Soil | 1 | 9 | 6 | 121 | <0.3 | 19 | 8 | 368 | 4.34 | 7 | <8 | <2 | <2 | 13 | <0.5 | <3 | <3 | 103 | 0.24 | 0.044 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride

Report Date: September 09, 2008

Page: 8 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|------|-----|------|------|------|------|------|------|------|------|----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 | |
| L33+50N 33+75E | Soil | 64 | 37 | 0.57 | 399 | 0.10 | <20 | 3.91 | 0.03 | 0.06 | <2 |
| L33+50N 34+00E | Soil | 18 | 35 | 0.50 | 145 | 0.11 | <20 | 3.69 | 0.02 | 0.06 | <2 |
| L33+50N 34+75E | Soil | 9 | 27 | 0.56 | 99 | 0.07 | <20 | 1.81 | 0.02 | 0.04 | <2 |
| L33+50N 35+00E | Soil | 10 | 34 | 0.55 | 102 | 0.09 | <20 | 3.03 | 0.02 | 0.04 | <2 |
| L33+50N 35+50E | Soil | 14 | 36 | 0.63 | 173 | 0.09 | <20 | 2.79 | 0.02 | 0.06 | <2 |
| L33+50N 35+75E | Soil | 10 | 32 | 0.52 | 144 | 0.14 | <20 | 2.39 | 0.02 | 0.05 | <2 |
| L33+50N 36+00E | Soil | 8 | 27 | 0.44 | 98 | 0.10 | <20 | 1.97 | 0.02 | 0.04 | <2 |
| L33+50N 36+25E | Soil | 5 | 30 | 0.59 | 129 | 0.06 | <20 | 1.88 | 0.01 | 0.05 | <2 |
| L33+50N 36+50E | Soil | 12 | 39 | 0.74 | 159 | 0.08 | <20 | 2.54 | 0.02 | 0.06 | <2 |
| L33+50N 36+75E | Soil | 8 | 38 | 0.70 | 111 | 0.06 | <20 | 1.88 | 0.02 | 0.05 | <2 |
| L33+50N 37+50E | Soil | 7 | 43 | 0.71 | 109 | 0.06 | <20 | 2.07 | 0.01 | 0.07 | <2 |
| L33+50N 37+75E | Soil | 7 | 42 | 0.78 | 100 | 0.07 | <20 | 1.86 | 0.02 | 0.07 | <2 |
| L33+50N 38+00E | Soil | 15 | 38 | 0.65 | 288 | 0.07 | <20 | 2.52 | 0.02 | 0.06 | <2 |
| L33+50N 38+25E | Soil | 18 | 33 | 0.65 | 208 | 0.13 | <20 | 2.52 | 0.03 | 0.06 | <2 |
| L33+00N 35+75E | Soil | 9 | 22 | 0.37 | 120 | 0.08 | <20 | 1.53 | 0.01 | 0.09 | <2 |
| L33+00N 36+00E | Soil | 12 | 31 | 0.47 | 123 | 0.10 | <20 | 2.89 | 0.02 | 0.05 | <2 |
| L33+00N 36+25E | Soil | 7 | 29 | 0.57 | 164 | 0.08 | <20 | 1.67 | 0.02 | 0.06 | <2 |
| L33+00N 36+50E | Soil | 6 | 30 | 0.53 | 119 | 0.07 | <20 | 1.47 | 0.01 | 0.06 | <2 |
| L33+00N 36+75E | Soil | 13 | 37 | 0.61 | 181 | 0.07 | <20 | 2.51 | 0.02 | 0.04 | <2 |
| L33+00N 37+00E | Soil | 14 | 36 | 0.52 | 108 | 0.13 | <20 | 3.63 | 0.02 | 0.06 | <2 |
| L33+00N 37+25E | Soil | 6 | 44 | 0.74 | 134 | 0.07 | <20 | 2.20 | 0.01 | 0.05 | <2 |
| L33+00N 37+50E | Soil | 6 | 38 | 0.73 | 150 | 0.05 | <20 | 1.66 | 0.01 | 0.05 | <2 |
| L33+00N 37+75E | Soil | 6 | 38 | 0.59 | 107 | 0.04 | <20 | 1.78 | 0.01 | 0.05 | <2 |
| L33+00N 38+00E | Soil | 7 | 36 | 0.64 | 118 | 0.05 | <20 | 1.42 | 0.01 | 0.05 | <2 |
| L33+00N 38+25E | Soil | 29 | 54 | 0.85 | 386 | 0.05 | <20 | 3.38 | 0.02 | 0.10 | <2 |
| L33+00N 38+50E | Soil | 11 | 28 | 0.56 | 119 | 0.07 | <20 | 1.61 | 0.02 | 0.04 | <2 |
| L33+00N 38+75E | Soil | 10 | 48 | 0.77 | 151 | 0.06 | <20 | 2.87 | 0.01 | 0.09 | <2 |
| L32+50N 30+00E | Soil | 16 | 35 | 0.61 | 99 | 0.21 | <20 | 3.09 | 0.02 | 0.05 | <2 |
| L32+50N 30+25E | Soil | 111 | 63 | 1.25 | 379 | 0.03 | <20 | 5.20 | 0.02 | 0.13 | <2 |
| L32+50N 30+50E | Soil | 8 | 27 | 0.41 | 103 | 0.12 | <20 | 1.69 | 0.01 | 0.06 | 2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.
202 - 750 W. Pender Street
Vancouver BC V6C 2T7 Canada

Project: McBride
Report Date: September 09, 2008

Page: 9 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|------|-----|-----|-----|-----|------|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit: | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 | |
| L32+50N 30+75E | Soil | 1 | 22 | 6 | 213 | <0.3 | 30 | 11 | 899 | 4.36 | 4 | <8 | <2 | 3 | 21 | 1.3 | <3 | <3 | 95 | 0.35 | 0.050 |
| L32+50N 31+00E | Soil | <1 | 75 | 5 | 108 | 0.4 | 55 | 10 | 951 | 4.50 | 4 | <8 | <2 | <2 | 43 | 0.8 | <3 | <3 | 83 | 0.85 | 0.094 |
| L32+50N 31+25E | Soil | <1 | 32 | 4 | 55 | <0.3 | 29 | 7 | 403 | 2.67 | <2 | <8 | <2 | <2 | 30 | <0.5 | <3 | <3 | 64 | 0.64 | 0.063 |
| L32+50N 31+50E | Soil | <1 | 65 | 3 | 88 | <0.3 | 43 | 8 | 759 | 3.24 | 6 | <8 | <2 | <2 | 73 | 0.6 | <3 | <3 | 65 | 1.88 | 0.095 |
| L32+50N 32+00E | Soil | <1 | 44 | <3 | 63 | <0.3 | 12 | 12 | 802 | 3.47 | 3 | <8 | <2 | 3 | 33 | <0.5 | <3 | <3 | 112 | 1.26 | 0.074 |
| L32+50N 32+25E | Soil | <1 | 42 | 5 | 71 | <0.3 | 34 | 8 | 730 | 3.17 | 3 | <8 | <2 | <2 | 48 | <0.5 | <3 | <3 | 71 | 1.01 | 0.059 |
| L32+50N 32+50E | Soil | 2 | 44 | 6 | 126 | 0.5 | 36 | 11 | 1021 | 3.80 | 8 | <8 | <2 | <2 | 37 | 0.8 | <3 | <3 | 79 | 0.75 | 0.048 |
| L32+50N 32+75E | Soil | 1 | 11 | <3 | 53 | <0.3 | 23 | 6 | 288 | 3.10 | 6 | <8 | <2 | 2 | 15 | <0.5 | <3 | <3 | 74 | 0.18 | 0.040 |
| L32+50N 33+25E | Soil | 1 | 13 | 7 | 52 | 0.5 | 21 | 6 | 291 | 3.02 | 10 | <8 | <2 | <2 | 11 | <0.5 | <3 | <3 | 74 | 0.12 | 0.026 |
| L32+50N 33+50E | Soil | 1 | 19 | 3 | 51 | 0.4 | 26 | 7 | 257 | 4.01 | 9 | <8 | <2 | 4 | 9 | <0.5 | <3 | <3 | 88 | 0.07 | 0.027 |
| L32+50N 33+75E | Soil | 1 | 20 | <3 | 80 | <0.3 | 19 | 9 | 429 | 3.28 | 9 | <8 | <2 | 2 | 15 | <0.5 | <3 | <3 | 94 | 0.16 | 0.068 |
| L32+50N 34+00E | Soil | 1 | 10 | <3 | 44 | <0.3 | 20 | 5 | 235 | 2.99 | 5 | <8 | <2 | 2 | 9 | <0.5 | <3 | <3 | 77 | 0.08 | 0.017 |
| L32+50N 34+25E | Soil | 1 | 17 | <3 | 79 | <0.3 | 32 | 8 | 277 | 3.38 | 10 | <8 | <2 | 2 | 9 | <0.5 | <3 | <3 | 88 | 0.08 | 0.033 |
| L32+50N 34+50E | Soil | 2 | 24 | 6 | 89 | <0.3 | 49 | 13 | 1246 | 4.49 | 6 | <8 | <2 | 5 | 46 | <0.5 | <3 | <3 | 93 | 0.67 | 0.031 |
| L32+50N 34+75E | Soil | 3 | 11 | 8 | 90 | 0.3 | 27 | 8 | 422 | 5.58 | 6 | <8 | <2 | 4 | 14 | <0.5 | <3 | <3 | 78 | 0.19 | 0.041 |
| L32+50N 35+00E | Soil | 1 | 17 | 4 | 90 | <0.3 | 38 | 7 | 573 | 3.81 | 9 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 90 | 0.26 | 0.041 |
| L32+50N 35+25E | Soil | <1 | 17 | <3 | 58 | 0.4 | 25 | 8 | 297 | 3.36 | 7 | <8 | <2 | 3 | 10 | <0.5 | <3 | <3 | 80 | 0.09 | 0.023 |
| L32+50N 35+50E | Soil | 1 | 18 | 9 | 62 | 0.8 | 19 | 5 | 206 | 3.35 | 6 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 80 | 0.11 | 0.043 |
| L32+50N 36+00E | Soil | 1 | 38 | 6 | 94 | 0.7 | 22 | 7 | 432 | 3.17 | 3 | <8 | <2 | <2 | 24 | <0.5 | <3 | <3 | 82 | 0.43 | 0.032 |
| L32+50N 36+25E | Soil | 2 | 15 | 6 | 131 | 1.1 | 26 | 8 | 328 | 4.84 | 7 | <8 | <2 | 6 | 8 | <0.5 | <3 | <3 | 55 | 0.10 | 0.053 |
| L32+50N 36+50E | Soil | 1 | 49 | 6 | 116 | 1.0 | 56 | 12 | 933 | 4.40 | 8 | <8 | <2 | 3 | 35 | 0.9 | <3 | <3 | 92 | 0.70 | 0.042 |
| L32+50N 36+75E | Soil | 2 | 14 | 6 | 105 | 0.4 | 31 | 8 | 306 | 4.15 | 7 | <8 | <2 | 2 | 19 | <0.5 | <3 | <3 | 101 | 0.29 | 0.034 |
| L32+50N 37+00E | Soil | 2 | 23 | 3 | 79 | <0.3 | 46 | 15 | 715 | 4.81 | 7 | <8 | <2 | 3 | 22 | <0.5 | <3 | <3 | 107 | 0.32 | 0.033 |
| L32+50N 37+25E | Soil | 2 | 34 | 6 | 73 | <0.3 | 44 | 9 | 343 | 4.33 | 16 | <8 | <2 | 3 | 12 | <0.5 | <3 | <3 | 84 | 0.12 | 0.051 |
| L32+50N 37+50E | Soil | 2 | 23 | <3 | 66 | 0.3 | 52 | 11 | 387 | 4.79 | 8 | <8 | <2 | 5 | 14 | <0.5 | <3 | <3 | 83 | 0.15 | 0.055 |
| L32+50N 37+75E | Soil | 2 | 10 | 4 | 91 | 0.4 | 27 | 6 | 271 | 3.84 | 3 | <8 | <2 | <2 | 15 | <0.5 | <3 | <3 | 84 | 0.17 | 0.053 |
| L32+50N 38+00E | Soil | 2 | 33 | 10 | 158 | 0.7 | 50 | 17 | 1349 | 4.76 | 5 | <8 | <2 | <2 | 31 | <0.5 | <3 | <3 | 94 | 0.39 | 0.081 |
| L32+50N 38+25E | Soil | 2 | 62 | <3 | 112 | 0.6 | 43 | 9 | 571 | 3.13 | 11 | <8 | <2 | <2 | 75 | <0.5 | <3 | <3 | 70 | 1.05 | 0.093 |
| L32+50N 38+50E | Soil | 2 | 12 | 4 | 72 | 0.3 | 26 | 8 | 543 | 2.75 | 4 | <8 | <2 | 2 | 29 | <0.5 | <3 | <3 | 75 | 0.31 | 0.028 |
| L32+50N 38+75E | Soil | 3 | 32 | 4 | 58 | 0.6 | 32 | 9 | 501 | 2.48 | 4 | <8 | <2 | <2 | 64 | <0.5 | <3 | <3 | 65 | 1.13 | 0.067 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.
 202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride
 Report Date: September 09, 2008

Page: 9 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|------|-----|------|------|------|------|------|------|------|------|----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 | |
| L32+50N 30+75E | Soil | 12 | 33 | 0.50 | 157 | 0.14 | <20 | 2.47 | 0.02 | 0.06 | <2 |
| L32+50N 31+00E | Soil | 32 | 47 | 0.63 | 272 | 0.07 | <20 | 3.78 | 0.02 | 0.08 | <2 |
| L32+50N 31+25E | Soil | 15 | 28 | 0.64 | 139 | 0.06 | <20 | 1.89 | 0.02 | 0.05 | <2 |
| L32+50N 31+50E | Soil | 26 | 36 | 0.61 | 374 | 0.05 | <20 | 2.75 | 0.03 | 0.08 | <2 |
| L32+50N 32+00E | Soil | 14 | 11 | 0.74 | 83 | 0.24 | <20 | 1.40 | 0.02 | 0.02 | <2 |
| L32+50N 32+25E | Soil | 22 | 32 | 0.49 | 242 | 0.06 | <20 | 2.28 | 0.02 | 0.05 | <2 |
| L32+50N 32+50E | Soil | 15 | 32 | 0.50 | 229 | 0.11 | <20 | 2.15 | 0.02 | 0.06 | <2 |
| L32+50N 32+75E | Soil | 6 | 23 | 0.47 | 77 | 0.08 | <20 | 1.62 | 0.01 | 0.03 | <2 |
| L32+50N 33+25E | Soil | 8 | 22 | 0.43 | 93 | 0.10 | <20 | 1.55 | 0.01 | 0.03 | <2 |
| L32+50N 33+50E | Soil | 11 | 32 | 0.42 | 89 | 0.14 | <20 | 2.56 | 0.02 | 0.04 | <2 |
| L32+50N 33+75E | Soil | 8 | 22 | 0.64 | 77 | 0.11 | <20 | 3.20 | 0.02 | 0.05 | <2 |
| L32+50N 34+00E | Soil | 7 | 24 | 0.39 | 69 | 0.09 | <20 | 1.72 | 0.01 | 0.03 | <2 |
| L32+50N 34+25E | Soil | 7 | 32 | 0.56 | 83 | 0.10 | <20 | 2.81 | 0.01 | 0.04 | <2 |
| L32+50N 34+50E | Soil | 13 | 43 | 0.75 | 447 | 0.17 | <20 | 3.09 | 0.02 | 0.07 | <2 |
| L32+50N 34+75E | Soil | 15 | 28 | 0.39 | 147 | 0.17 | <20 | 2.63 | 0.02 | 0.05 | <2 |
| L32+50N 35+00E | Soil | 13 | 35 | 0.56 | 222 | 0.16 | <20 | 2.33 | 0.02 | 0.05 | <2 |
| L32+50N 35+25E | Soil | 6 | 25 | 0.54 | 97 | 0.08 | <20 | 1.59 | 0.01 | 0.03 | <2 |
| L32+50N 35+50E | Soil | 12 | 23 | 0.31 | 136 | 0.08 | <20 | 1.68 | 0.01 | 0.04 | <2 |
| L32+50N 36+00E | Soil | 14 | 26 | 0.37 | 358 | 0.10 | <20 | 1.75 | 0.02 | 0.05 | <2 |
| L32+50N 36+25E | Soil | 13 | 28 | 0.27 | 110 | 0.16 | <20 | 3.91 | 0.03 | 0.05 | <2 |
| L32+50N 36+50E | Soil | 18 | 46 | 0.67 | 326 | 0.14 | <20 | 3.28 | 0.03 | 0.08 | <2 |
| L32+50N 36+75E | Soil | 9 | 29 | 0.53 | 119 | 0.11 | <20 | 2.04 | 0.01 | 0.05 | <2 |
| L32+50N 37+00E | Soil | 12 | 56 | 0.89 | 175 | 0.13 | <20 | 2.87 | 0.02 | 0.06 | <2 |
| L32+50N 37+25E | Soil | 11 | 37 | 0.64 | 129 | 0.08 | <20 | 2.93 | 0.01 | 0.05 | <2 |
| L32+50N 37+50E | Soil | 14 | 40 | 0.58 | 114 | 0.20 | <20 | 3.31 | 0.02 | 0.05 | <2 |
| L32+50N 37+75E | Soil | 9 | 32 | 0.47 | 161 | 0.07 | <20 | 1.68 | 0.01 | 0.05 | 2 |
| L32+50N 38+00E | Soil | 17 | 48 | 0.58 | 271 | 0.12 | <20 | 2.92 | 0.02 | 0.07 | <2 |
| L32+50N 38+25E | Soil | 19 | 36 | 0.69 | 300 | 0.06 | <20 | 2.59 | 0.02 | 0.07 | <2 |
| L32+50N 38+50E | Soil | 8 | 30 | 0.53 | 120 | 0.09 | <20 | 1.49 | 0.02 | 0.04 | <2 |
| L32+50N 38+75E | Soil | 10 | 29 | 0.59 | 210 | 0.06 | <20 | 1.77 | 0.02 | 0.06 | <2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride

Report Date: September 09, 2008

Page: 10 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | Analyte | Unit | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|----------------|---------|------|-----|-----|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|-----|------|-----|----|----|------|-------|
| | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| MDL | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| L32+50N 39+00E | Soil | | 2 | 25 | 5 | 52 | 0.4 | 30 | 8 | 566 | 2.40 | 3 | <8 | <2 | <2 | 54 | <0.5 | <3 | <3 | 70 | 0.85 | 0.063 |
| L32+50N 39+25E | Soil | | <1 | 19 | <3 | 40 | <0.3 | 27 | 7 | 286 | 2.53 | 4 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 72 | 0.24 | 0.046 |
| L32+50N 39+50E | Soil | | <1 | 10 | 8 | 47 | <0.3 | 25 | 6 | 305 | 2.92 | 4 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 73 | 0.16 | 0.020 |
| L32+50N 39+75E | Soil | | 1 | 16 | 6 | 69 | 0.3 | 35 | 9 | 585 | 3.59 | 3 | <8 | <2 | <2 | 23 | <0.5 | <3 | <3 | 86 | 0.32 | 0.025 |
| L32+50N 40+00E | Soil | | <1 | 10 | <3 | 47 | <0.3 | 22 | 6 | 332 | 2.22 | 2 | <8 | <2 | <2 | 18 | <0.5 | <3 | <3 | 64 | 0.24 | 0.014 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
 Vancouver BC V6C 2T7 Canada

Project: McBride

Report Date: September 09, 2008

Page: 10 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D |
|---------------------|-----|-----|------|-----|------|-----|------|------|------|-----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm |
| MDL | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| L32+50N 39+00E Soil | 9 | 31 | 0.63 | 208 | 0.05 | <20 | 1.77 | 0.02 | 0.05 | <2 |
| L32+50N 39+25E Soil | 6 | 27 | 0.54 | 77 | 0.07 | <20 | 1.45 | 0.01 | 0.04 | <2 |
| L32+50N 39+50E Soil | 5 | 26 | 0.51 | 76 | 0.07 | <20 | 1.48 | 0.01 | 0.03 | 2 |
| L32+50N 39+75E Soil | 10 | 34 | 0.70 | 164 | 0.09 | <20 | 2.18 | 0.02 | 0.05 | <2 |
| L32+50N 40+00E Soil | 6 | 25 | 0.50 | 98 | 0.06 | <20 | 1.41 | 0.01 | 0.03 | <2 |



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Remington Resources Inc.

202 - 750 W. Pender Street
Vancouver BC V6C 2T7 Canada

Project: McBride

Report Date: September 09, 2008

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN08008611.1

| Method | Analyte | Unit | MDL | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | | |
|---------------------|----------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|-----|------|-----|-----|-----|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | | | |
| L37+00N 34+50E | Soil | | | 3 | 10 | 23 | 267 | <0.3 | 17 | 13 | 972 | 5.18 | 7 | <8 | <2 | <2 | 9 | 0.9 | 3 | <3 | 96 | 0.08 | 0.042 |
| REP L37+00N 34+50E | QC | | | 2 | 10 | 23 | 273 | 0.3 | 16 | 13 | 981 | 5.34 | 6 | 8 | 2 | <2 | 9 | 0.7 | <3 | <3 | 96 | 0.08 | 0.042 |
| L36+00N 32+25E | Soil | | | 2 | 72 | 5 | 70 | 0.3 | 29 | 11 | 459 | 2.86 | 4 | <8 | <2 | <2 | 29 | <0.5 | <3 | <3 | 77 | 0.65 | 0.051 |
| REP L36+00N 32+25E | QC | | | 1 | 75 | 6 | 70 | 0.6 | 29 | 11 | 479 | 2.95 | 3 | <8 | <2 | <2 | 30 | <0.5 | <3 | <3 | 78 | 0.65 | 0.052 |
| L36+00N 38+75E | Soil | | | 1 | 17 | 7 | 116 | 0.4 | 28 | 11 | 531 | 4.96 | 7 | <8 | <2 | 3 | 16 | 1.0 | <3 | <3 | 99 | 0.17 | 0.051 |
| REP L36+00N 38+75E | QC | | | 1 | 17 | 9 | 119 | <0.3 | 28 | 11 | 553 | 4.99 | 9 | <8 | <2 | 3 | 16 | 1.0 | <3 | <3 | 96 | 0.16 | 0.053 |
| L35+00N 36+25E | Soil | | | <1 | 11 | 4 | 58 | 0.4 | 20 | 6 | 219 | 2.35 | 3 | <8 | <2 | <2 | 14 | <0.5 | <3 | <3 | 69 | 0.14 | 0.030 |
| REP L35+00N 36+25E | QC | | | <1 | 11 | 6 | 59 | <0.3 | 20 | 5 | 219 | 2.36 | 4 | <8 | <2 | <2 | 14 | <0.5 | <3 | 4 | 71 | 0.14 | 0.031 |
| L34+00N 36+50E | Soil | | | 1 | 154 | 3 | 162 | 0.7 | 50 | 8 | 614 | 2.75 | 8 | <8 | <2 | 3 | 94 | 1.5 | <3 | <3 | 52 | 2.51 | 0.120 |
| REP L34+00N 36+50E | QC | | | 1 | 148 | 4 | 167 | 0.6 | 50 | 8 | 609 | 2.79 | 9 | <8 | <2 | 3 | 90 | 1.5 | <3 | <3 | 53 | 2.42 | 0.119 |
| L32+50N 32+25E | Soil | | | <1 | 42 | 5 | 71 | <0.3 | 34 | 8 | 730 | 3.17 | 3 | <8 | <2 | <2 | 48 | <0.5 | <3 | <3 | 71 | 1.01 | 0.059 |
| REP L32+50N 32+25E | QC | | | <1 | 40 | <3 | 68 | <0.3 | 33 | 7 | 700 | 3.19 | 5 | <8 | <2 | <2 | 47 | <0.5 | <3 | <3 | 69 | 0.95 | 0.055 |
| L32+50N 36+50E | Soil | | | 1 | 49 | 6 | 116 | 1.0 | 56 | 12 | 933 | 4.40 | 8 | <8 | <2 | 3 | 35 | 0.9 | <3 | <3 | 92 | 0.70 | 0.042 |
| REP L32+50N 36+50E | QC | | | 1 | 49 | 7 | 116 | 0.9 | 56 | 13 | 931 | 4.52 | 7 | <8 | <2 | 3 | 35 | 0.7 | <3 | <3 | 92 | 0.70 | 0.042 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | | | 19 | 101 | 60 | 406 | 0.7 | 55 | 9 | 616 | 2.45 | 50 | <8 | <2 | 6 | 73 | 6.0 | 4 | 5 | 98 | 0.96 | 0.073 |
| STD DS7 | Standard | | | 20 | 104 | 64 | 401 | 0.9 | 55 | 9 | 633 | 2.45 | 51 | <8 | <2 | 6 | 75 | 5.8 | 4 | <3 | 100 | 1.00 | 0.074 |
| STD DS7 | Standard | | | 20 | 103 | 63 | 401 | 0.9 | 55 | 9 | 625 | 2.43 | 46 | <8 | <2 | 3 | 72 | 5.9 | 7 | 10 | 98 | 0.94 | 0.075 |
| STD DS7 | Standard | | | 20 | 108 | 62 | 412 | 0.9 | 57 | 9 | 644 | 2.49 | 50 | <8 | <2 | 5 | 74 | 6.0 | 6 | 6 | 102 | 0.98 | 0.076 |
| STD DS7 | Standard | | | 19 | 104 | 59 | 396 | 1.3 | 56 | 9 | 654 | 2.49 | 49 | <8 | <2 | 5 | 66 | 5.8 | 5 | <3 | 100 | 0.90 | 0.074 |
| STD DS7 | Standard | | | 19 | 106 | 64 | 409 | 1.1 | 56 | 9 | 652 | 2.57 | 53 | <8 | <2 | 4 | 69 | 5.8 | 3 | 5 | 102 | 0.93 | 0.073 |
| STD DS7 | Standard | | | 20 | 109 | 65 | 382 | 0.9 | 53 | 10 | 704 | 2.50 | 50 | <8 | <2 | 5 | 71 | 5.9 | 9 | 4 | 90 | 0.93 | 0.070 |
| STD DS7 | Standard | | | 19 | 101 | 61 | 384 | 0.9 | 51 | 9 | 653 | 2.40 | 48 | <8 | <2 | 5 | 68 | 5.7 | 7 | 4 | 87 | 0.91 | 0.069 |
| STD DS7 | Standard | | | 18 | 104 | 63 | 383 | 1.0 | 52 | 9 | 603 | 2.35 | 48 | <8 | <2 | 5 | 64 | 5.6 | <3 | 8 | 94 | 0.88 | 0.071 |
| STD DS7 | Standard | | | 19 | 102 | 65 | 387 | 1.7 | 52 | 9 | 645 | 2.44 | 51 | 10 | <2 | 5 | 66 | 5.6 | 7 | 7 | 98 | 0.89 | 0.071 |
| STD DS7 | Standard | | | 19 | 109 | 58 | 411 | 1.0 | 54 | 9 | 677 | 2.63 | 52 | 10 | <2 | 3 | 71 | 5.7 | 6 | 9 | 104 | 0.98 | 0.072 |
| STD DS7 | Standard | | | 19 | 104 | 61 | 403 | 0.9 | 56 | 9 | 709 | 2.67 | 48 | <8 | <2 | 4 | 72 | 5.7 | 5 | 6 | 102 | 1.01 | 0.073 |
| STD DS7 | Standard | | | 19 | 107 | 62 | 390 | 1.1 | 56 | 10 | 753 | 2.80 | 50 | <8 | <2 | 5 | 71 | 5.9 | 5 | 5 | 110 | 0.97 | 0.072 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT

VAN08008611.1

| Method | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|---------------------|----------|-----|------|------|------|------|------|------|------|------|----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 | |
| Pulp Duplicates | | | | | | | | | | | |
| L37+00N 34+50E | Soil | 13 | 28 | 0.27 | 140 | 0.14 | <20 | 1.89 | 0.01 | 0.05 | 2 |
| REP L37+00N 34+50E | QC | 13 | 27 | 0.27 | 142 | 0.14 | <20 | 1.92 | 0.01 | 0.05 | <2 |
| L36+00N 32+25E | Soil | 20 | 35 | 0.44 | 297 | 0.06 | <20 | 2.38 | 0.02 | 0.07 | <2 |
| REP L36+00N 32+25E | QC | 21 | 35 | 0.44 | 301 | 0.06 | <20 | 2.33 | 0.02 | 0.07 | <2 |
| L36+00N 38+75E | Soil | 12 | 30 | 0.58 | 138 | 0.14 | <20 | 2.33 | 0.02 | 0.05 | <2 |
| REP L36+00N 38+75E | QC | 12 | 30 | 0.59 | 146 | 0.14 | <20 | 2.23 | 0.02 | 0.05 | <2 |
| L35+00N 36+25E | Soil | 8 | 25 | 0.47 | 96 | 0.08 | <20 | 1.48 | 0.01 | 0.06 | <2 |
| REP L35+00N 36+25E | QC | 8 | 26 | 0.47 | 98 | 0.08 | <20 | 1.50 | 0.01 | 0.06 | <2 |
| L34+00N 36+50E | Soil | 39 | 38 | 0.62 | 529 | 0.04 | <20 | 2.89 | 0.02 | 0.09 | <2 |
| REP L34+00N 36+50E | QC | 38 | 40 | 0.64 | 527 | 0.04 | <20 | 2.91 | 0.02 | 0.09 | <2 |
| L32+50N 32+25E | Soil | 22 | 32 | 0.49 | 242 | 0.06 | <20 | 2.28 | 0.02 | 0.05 | <2 |
| REP L32+50N 32+25E | QC | 21 | 30 | 0.49 | 240 | 0.06 | <20 | 2.19 | 0.02 | 0.05 | <2 |
| L32+50N 36+50E | Soil | 18 | 46 | 0.67 | 326 | 0.14 | <20 | 3.28 | 0.03 | 0.08 | <2 |
| REP L32+50N 36+50E | QC | 18 | 45 | 0.70 | 335 | 0.14 | <20 | 3.32 | 0.03 | 0.08 | <2 |
| Reference Materials | | | | | | | | | | | |
| STD DS7 | Standard | 13 | 199 | 1.06 | 410 | 0.12 | 44 | 1.07 | 0.11 | 0.48 | 5 |
| STD DS7 | Standard | 13 | 199 | 1.05 | 411 | 0.12 | 42 | 1.11 | 0.11 | 0.48 | 4 |
| STD DS7 | Standard | 13 | 199 | 1.04 | 407 | 0.12 | 47 | 1.05 | 0.11 | 0.47 | 2 |
| STD DS7 | Standard | 13 | 205 | 1.11 | 420 | 0.12 | 43 | 1.10 | 0.10 | 0.48 | 4 |
| STD DS7 | Standard | 12 | 157 | 1.09 | 412 | 0.12 | 43 | 1.04 | 0.09 | 0.49 | 5 |
| STD DS7 | Standard | 12 | 163 | 1.10 | 429 | 0.12 | 46 | 1.08 | 0.09 | 0.52 | 4 |
| STD DS7 | Standard | 12 | 154 | 1.14 | 423 | 0.13 | 37 | 1.13 | 0.09 | 0.53 | 4 |
| STD DS7 | Standard | 12 | 151 | 1.06 | 406 | 0.12 | 32 | 1.04 | 0.08 | 0.49 | 4 |
| STD DS7 | Standard | 12 | 156 | 1.02 | 390 | 0.11 | 38 | 0.96 | 0.08 | 0.45 | 4 |
| STD DS7 | Standard | 12 | 156 | 1.05 | 406 | 0.12 | 37 | 1.02 | 0.08 | 0.49 | 4 |
| STD DS7 | Standard | 14 | 168 | 1.13 | 432 | 0.13 | 38 | 1.13 | 0.09 | 0.53 | 6 |
| STD DS7 | Standard | 13 | 169 | 1.17 | 449 | 0.14 | 36 | 1.19 | 0.10 | 0.55 | 6 |
| STD DS7 | Standard | 13 | 167 | 1.21 | 477 | 0.15 | 40 | 1.26 | 0.10 | 0.61 | 3 |

QUALITY CONTROL REPORT

VAN08008611.1

| | | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | 1D | |
|------------------|----------|-----|-----|-----|-----|------|-----|-----|-----|-------|-----|-----|------|-----|-----|------|-----|-----|-----|-------|--------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 1 | 1 | 3 | 1 | 0.3 | 1 | 1 | 2 | 0.01 | 2 | 8 | 2 | 2 | 1 | 0.5 | 3 | 3 | 1 | 0.01 | 0.001 |
| STD DS7 | Standard | 20 | 110 | 65 | 411 | 1.1 | 56 | 9 | 712 | 2.68 | 49 | <8 | <2 | 4 | 72 | 6.3 | 5 | 4 | 106 | 1.00 | 0.074 |
| STD DS7 Expected | | 21 | 109 | 71 | 411 | 0.9 | 56 | 10 | 627 | 2.39 | 48 | 5 | 0.07 | 4 | 69 | 6.4 | 6 | 5 | 86 | 0.93 | 0.08 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |
| BLK | Blank | <1 | <1 | <3 | <1 | <0.3 | <1 | <1 | <2 | <0.01 | <2 | <8 | <2 | <2 | <1 | <0.5 | <3 | <3 | <1 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN08008611.1

| | | 1D La ppm | 1D Cr ppm | 1D Mg % | 1D Ba ppm | 1D Ti % | 1D B ppm | 1D Al % | 1D Na % | 1D K % | 1D W ppm |
|------------------|----------|-----------------|-----------------|---------------|-----------------|---------------|----------------|---------------|---------------|--------------|----------------|
| | | 1 | 1 | 0.01 | 1 | 0.01 | 20 | 0.01 | 0.01 | 0.01 | 2 |
| STD DS7 | Standard | 13 | 170 | 1.19 | 449 | 0.14 | 40 | 1.18 | 0.09 | 0.55 | 4 |
| STD DS7 Expected | | 13 | 163 | 1.05 | 370 | 0.12 | 39 | 0.959 | 0.073 | 0.44 | 4 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.01 | <20 | <0.01 | <0.01 | <0.01 | <2 |

13.0 REFERENCES

- Gabrielse, H., et al. 1977 Open File 610, Geology of Cry Lake I (104-1) Map Area
- Gabrielse, H. 1978 Operation Dease. Current Research, Part A, I Geol. Surv. Can., Paper 78-1A, pp.
- Kimt H 1986 Assessment Report on the D Claim Group
- Kimt H 1987 Assessment Report Prospecting B1 Claim
- Rayner, G.H. 1982. A report; on the Choa Joint Venture Project. Private Report.
- Rayner, G.H. 1986. A report; on the D Claim Group Mineral Property.
- Tipper, H.W. and Richards, T.A. 1976. Jurassic stratigraphy and history of north-central British Columbia; Geol. Surv. Can., Bull. 270.
- Tipper, H.W. 1978 Jurassic biostratigraph, Cry Lake map-area, British Columbia; Current Research, Part A, Geol. Surv. Can., Paper 78-1A, pp. 25-27
- Visagie D.A. 1991 Geochemical Report on the McBride Property Assessment Report 20986
- Yeager, D.A. and Ikona, C.K. 1982 Report on the D1-D13 Mineral Claims
- Yeager, D.A. and Ikona, C.K. 1983 Report on the D1-D13 Mineral Claims
- Yeager, D.A. and Ikona, C.K. 1984 Report on the D1-D13 Mineral Claims
- Yeager, D.A. and Ikona, C.K. 1983 Report on the Hi, D3,D4,DG,D8, D9
- Stevenson, L. April 2007 Summary Geological and Geophysical Report on the Mc Claims McBride River Area



521667

SCALE 1:5000




REMINGTON RESOURCES INC.

McBRIDE PROJECT
 McBRIDE RIVER AREA
 LIARD MINING DIVISION, B.C.

GRID 1
2008 SOIL SAMPLE
LOCATIONS MAP


DATE: January, 2009

FIGURE NO. 5



521667

SCALE 1:5000



LEGEND


Au in ppm ● Ag in ppm


REMINGTON RESOURCES INC.

McBRIDE PROJECT
 McBRIDE RIVER AREA
 LIARD MINING DIVISION, B.C.

GRID 1
2008 SOIL SAMPLING
Au and Ag Results

DATE: January, 2009 FIGURE NO. 6





6,450,000 mN

6,450,000 mN

6,449,500 mN

6,449,500 mN

6,449,000 mN

491,000 mE

491,500 mE

492,000 mE

492,500 mE

544322

Camp



PROPERTY BOUNDARY

L43+60-60+00

L42+00-60+00

SCALE 1:5,000



REMINGTON RESOURCES INC.

McBRIDE PROJECT
McBRIDE RIVER AREA
LIARD MINING DIVISION, B.C.

2008 GRID 2 LOCATION MAP

DATE: January, 2009

FIGURE NO. 8