

Ministry of Energy, Mines & Petroleum Resources  
Mining & Minerals Division  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]:

TOTAL COST: \$ 451,163.00

AUTHOR(S): Mahdad Saghezchi

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): Mine Act permit # MX-10-218

YEAR OF WORK: 2007/8

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S):

PROPERTY NAME: Cowtrail

CLAIM NAME(S) (on which the work was done): Cowtrail 1, Cowtrail 2, Rat 1-6.

COMMODITIES SOUGHT: GOLD, COPPER

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 93A112 93A116

MINING DIVISION: Cariboo

NTS/BCGS: 93A/043

LATITUDE: 52 ° 26 N ' " LONGITUDE: 121 ° 22 W ' " (at centre of work)

OWNER(S):

1) Cariboo Rose Resources Ltd

2)

MAILING ADDRESS:

suite 110-325 Howe Street, Vancouver, BC, V6C 1Z7, Canada

OPERATOR(S) [who paid for the work]:

1) Dajin Resources Corp

2)

MAILING ADDRESS:

480-789 W. Pender St Vancouver B.C V6C 1H2

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):  
Quesnel Terrane, Mesozoic age volcanic-sedimentary belt intruded by alkalic intrusive.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 27825, 28318, 29056

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
<b>GEOLOGICAL (scale, area)</b>			
Ground, mapping			
Photo interpretation			
<b>GEOPHYSICAL (line-kilometres)</b>			
<b>Ground</b>			
Magnetic			
Electromagnetic			
Induced Polarization			
Radlometric			
Seismic			
Other			
<b>Airborne</b>			
<b>GEOCHEMICAL (number of samples analysed for...)</b>			
Soil 1194 Samples, Assayed by ACME G1DX & G3A		Cowtrail 1, Cowtrail 2, Rat 1-6.	\$30,148.50
Silt			
Rock 446 Core Samples ACME G1DX & G3A		Cowtrail 1, Cowtrail 2, Rat 1-6.	\$ 9,896.74
Other			
<b>DRILLING (total metres; number of holes, size)</b>			
Core 7 holes, HQ, Total: 1241 m		Cowtrail 1, Cowtrail 2, Rat 1-6.	\$ 185,063.54
Non-core			
<b>RELATED TECHNICAL</b>			
Sampling/assaying			
Petrographic Vancouver Petrographic (report# 070901)		Cowtrail 1, Cowtrail 2, Rat 1-6.	\$ 2,571.00
Mineralographic			
Metallurgic			
<b>PROSPECTING (scale, area)</b>			
<b>PREPARATORY / PHYSICAL</b>			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
<b>TOTAL COST:</b>			<b>\$ 451,163.00</b>

**BC Geological Survey  
Assessment Report  
30539**

**SUMMARY REPORT**

On the

**2007 EXPLORATION PROGRAM**

Completed on the

**THE COWTRAIL MINERAL PROPERTY**

**CARIBOO MINING DISTRICT, BRITISH COLUMBIA**

NTS: 093A/043

Latitude 52°26'N, Longitude 121°22' W  
(Centre)

**For**

**DAJIN RESOURCES CORP.**

Suite #480-789 W Pender St  
Vancouver B.C V6C 1H2

**(Operator)**

**And**

**CARIBOO ROSE LTD.**

Suite 110 - 325 Howe Street  
Vancouver, BC, V6C1Z7

**(Owner)**

**BY**

**Mahdad Saghezchi GIT**

**25 June 2008**

# Table of Contents

Page

1.SUMMARY .....	1
2.ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY.....	2
3.EXPLORATION HISTORY .....	3
4.CLAIM INFORMATION .....	4
5.GEOLOGICAL SETTING .....	6
5.1 Regional geology .....	6
5.2 Property geology .....	7
6.REGIONAL MINERALIZATION.....	7
7.2007 EXPLORATION PROGRAM .....	8
7.1 Cowtrail Soil sampling program.....	8
7.2 Cowtrail diamond drill program.....	9
7.3 Diamond drilling results and analysis.....	11
8.ASSAYING METHODS .....	16
9.CONCLUSION AND RECOMMENDATION .....	16
10.COST STATEMENT .....	17
11.AUTHOR QUALIFICATION .....	18
12.REFERENCES .....	19

## TABLES

1.List of Claims.....	4
2. Soil sample Threshold table.....	9

## LIST OF FIGURES

1.A: Dajin Cowtrail Property Location .....	2
1.B: Dajin Cowtrail Claim Map.....	5
2.Cowtrail Regional Geology map .....	6
3.Cowtrail IP chargeability map with DDH locations .....	13
4.Cowtrail Drill hole location.....	14

5.Cowtrail Cross sections location map .....	15
--	----

## **Appendixes**

Appendix A: Cowtrail 2007 Drill Program Core logs and assay result .....	21
Appendix B: Thin section report of Cowtrail core samples .....	60
Appendix C: Gold values in soil and soil sample location .....	97
Appendix D: Copper values in soil and soil sample location.....	99
Appendix E: Bubble map of gold in the soil and soil sample location .....	101
Appendix F: Bubble map of Copper in soil and soil sample location .....	103
Appendix G: Soil sample location map.....	105
Appendix H: Cowtrail DDH Cross sections location .....	107
Appendix H1: Cowtrail DDH cross sections .....	108
Appendix I: Soil sample assay certificates.....	115
Appendix J: Drill core sample assay certificates .....	239

## 1. SUMMARY

David Jenkins reports on 2006; "The Cowtrail Mineral Property, consisting of the Cowtrail, Rat and Jim claims were staked in 2004 to cover airborne geophysical anomalies derived from surveys completed in 1967 and 2004. The Cowtrail property was assembled in 2005 by combining the Cowtrail claims staked by Wildrose Resources Ltd. in January 2004 with the Rat and Jim claims staked by Amarc Resources Ltd. in March and April 2004 (Wildrose was subsequently reorganized into Wildrose Resources Ltd and Cariboo Rose Resources Ltd. in 2006). In 2005 Wildrose (now Cariboo Rose Resources Ltd.) granted an option to Dajin Resources Corp. to earn a 65% interest in the Cowtrail claims by making cash and share payments and completing one million dollars in exploration by November 2010.

In 2006 Dajin Resources Corp. completed approximately 20 kilometers of cut grid line and completed induced polarization (IP) and magnetometer surveys on this grid."

In 2007 Dajin completed a 7 diamond drill hole exploration program on seven of ten identified IP anomalies on its Cowtrail property. In total 1420 m was drilled using HQ gauge equipment. At the same time Dajin collected 1200 soil samples from along the previous year's IP lines and along intermediate lines.

The result from soil sampling program shows several anomalous gold and copper regions on claims 407994, 409498 and 407995 having copper values as high as 296 PPM and gold values as high as 78.7 PPB.

The highlight of the Drill project was the mineralized zone encountered in DDH 01, carrying 1.16 g/t gold and .043 % Cu over 18.2 m from 130.2m to 148.4m. Several more zones with weekly anomalous gold and copper values were encountered through this hole and others.

The 2007 Cowtrail soil sampling and drill program started on late September 2007 and field work was completed on December 2007. The last drill core assay results were received on January 15, 2008 and the last soil assay results were received on March 21, 2008. The report was completed by June 25, 2008.


This report describes Dajin's 2007 diamond drilling and soil sampling survey on its Cowtrail property and records the principal results of those programs.

## 2. ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The southern boundary of the Cowtrail property is located approximately 4 km north of the village of Horsefly and 65 km northeast of Williams Lake, British Columbia. The property covers the east side of the Horsefly River valley and its immediate uplands. Elevations on the property vary between 727 metres (2390 feet) and 1,035 metres (3,400 feet). Access to the area is provided by a paved road from 150 Mile House to Horsefly, and then several bush roads from ranches occupying the Horsefly River valley. The climate of this area is modified continental, with cold, snowy winters and long warm summers. Being located just east of the BC interior dry belt, the area receives (yearly) about 40 cm of precipitation, with much of it falling in the winter as snow. The village of Horsefly has basic amenities: a motel, two corner stores, gas pumps, a bar and a restaurant. Several hundred people live in the area with forestry, and agriculture providing the main employment opportunities. Some heavy equipment is available locally for hire; but most is sourced from the regional centre of Williams Lake.

Quaternary glaciations were extensive in this area with several advances and interglacial periods recognized. The till-covered hillsides have poorly developed first-order stream drainages supporting a heavy growth of fir, spruce, balsam and birch.

**Figure 1A; Cowtrail property location.**



### 3. EXPLORATION HISTORY

David Jenkins reports in 2006; “The Quesnel Trough, including the Cowtrail Claim Group, has been an active exploration area since placer gold was discovered in the Horsefly and Quesnel rivers in 1859. The Cariboo Bell property, subsequently renamed the Mount Polley property, was discovered in 1964 by following up a government airborne magnetometer survey. A deposit consisting of 82 million tons grading 0.3% copper and 0.42 g/t gold was subsequently outlined and was put into production by Imperial Metals Corporation in 1997. In 2001 the mine was put on care and maintenance due to low metal prices, but was put back into production in April 2005. In 2003 reconnaissance exploration completed at the Mount Polley Mine property was successful in locating the higher grade Northeast Zone which has upgraded reserves and resources of this property and increased the overall economics and attractiveness of the operation. In 1997 reconnaissance drilling undertaken by Eastfield Resources Ltd. (then in a project partnership with Imperial Metals Corporation) identified “The Middle Lake Intrusive Entity” in the area that is now on the Cowtrail 1 claim south of Hooker Lake.

The “Middle Lake Entity”, where drilled, included potassic altered syenodiorite (predominantly monzonite porphyry), crowded feldspar porphyry and (quartz)-microdiorite. This intrusive, which was discovered by following up reconnaissance “IP” completed in 1996 is blind and is overlain by wet, clay rich, glacial fluvial till. Holes 97- 20, 21 and 22 were drilled on  $\pm 200$  meter intervals over a 400 meter extent in the target. These holes encountered well-altered alkalic intrusive over much of their full lengths. The alteration is dominantly potassic and includes abundant secondary potassium feldspar and biotite. While no economic grades of mineralization were encountered the holes were highly anomalous. The first 59.6 metres of hole 97-B-20 averaged 402 ppm Cu and 32 ppb Au with the highest 3-metre sample being 1280 ppm Cu and 82 ppb Au. The first 57 metres of hole 97-B-21 averaged 355 ppm Cu and 13 ppb Au with the highest 3-metre sample being 835 ppm Cu and 46 ppb Au. The bottom of hole 97-B-21 (last 18.1 metres) is noteworthy in its high molybdenum content that averages 55 ppm Mo with 3 meter samples to 103 ppm. Hole 97-B-21 is the most northerly hole. The northern limit of the 1996 induced polarization survey (line 3000N) returned the strongest chargeable response but was close to where, at the time, the Eastfield / Imperial Metals claims ran onto competitor claims. The Eastfield / Imperial Metals and the competitor claims subsequently lapsed and the area was re-staked in January 2004 by Wildrose Resources Ltd. Subsequent airborne magnetometer surveying completed by the Ministry of Energy and Mines in 2003 and released in 2004, shows a well defined total field magnetic feature extending to the northwest of holes 1997-B-20, 21 and 22. The magnetic feature is 2.1 kilometers long and varies from 450 to 650 metres in width. The access road developed by Eastfield into this area in 1997 followed a cattle trail used by local ranchers and is the origin of the current name of the project. Recent logging that occurred in this area after 1997 upgraded the road and consequently access into this area is now excellent. The release of map Horsefly Open File 2004-9 by the BC Ministry of Energy and Mines caused considerable staking to occur. Amarc Resources Ltd. was one of the first groups to complete staking and acquired the Rat



and the Jim claim groups to cover portions of the airborne magnetic target not covered by the Cowtrail Claims. In 2004 Amarc completed an extensive program of induced polarization surveying on the Rat and the Jim claims. A single diamond drill hole followed up this work in November 2004. This hole intersected a continuous sequence of pyroxene rich volcanic flows belonging to the Takla Group. The hole contained abundant pyrite, averaging 5% to 6% throughout the hole, but did not return any significant copper or gold values. A single sample was anomalous in molybdenum content and returned a 45 ppm value.

In April 2005 the Cowtrail, Rat and Jim claims were consolidated into a single property.”

In 2006 Dajin Resources Corp. established approximately 20 kilometers of cut grid line and completed induced polarization and magnetometer surveys on this grid.

#### 4. CLAIM INFORMATION



Cowtrail property consists of 32 claims totaling 4400 ha, the following table shows claim statistics of the Cowtrail property. Claims that exploration has been performed on are marked by asterisks. Please refer to Figure 1 B on the following page for Cowtrail claim map. Claims that work has been performed on are marked by asterisk.

**Table 1 Claim Data**

Tenure Number	Type	Claim Name	Good Until	Claims worked on	Area (ha)
407994	Mineral	COWTRAIL 1	20090330	*****	500
407995	Mineral	COWTRAIL 2	20090330	*****	500
409429	Mineral	JIM 1	20090328		500
409430	Mineral	JIM 2	20090328		300
409431	Mineral	JIM 7	20090329		500
409432	Mineral	JIM 8	20090329		500
409433	Mineral	JIM 3	20090327		25
409434	Mineral	JIM 4	20090327		25
409435	Mineral	JIM 5	20090327		25
409436	Mineral	JIM 6	20090327		25
409437	Mineral	JIM 9	20090328		25
409438	Mineral	JIM 10	20090328		25
409439	Mineral	JIM 11	20090328		25
409440	Mineral	JIM 14	20090328		25
409441	Mineral	JIM 15	20090328		25
409442	Mineral	JIM 16	20090328		25

409443	Mineral	JIM 17	20090329		25
409444	Mineral	JIM 18	20090329		25
409445	Mineral	JIM 19	20090329		25
409446	Mineral	JIM 20	20090329		25
409447	Mineral	JIM 21	20090329		25
409496	Mineral	RAT 1	20090402	*****	500
409497	Mineral	RAT 2	20090402	*****	500
409498	Mineral	RAT 3	20090401	*****	25
409499	Mineral	RAT 4	20090401	*****	25
409500	Mineral	RAT 5	20090401	*****	25
409501	Mineral	RAT 6	20090401	*****	25
409502	Mineral	RAT 7	20090401		25
409797	Mineral	JIM 22	20090422		25
409798	Mineral	JIM 23	20090422		25
409799	Mineral	JIM 24	20090422		25
409800	Mineral	JIM 25	20090422		25
Total area					4400

Figure 1B Cowtrail claim map




## 5. GEOLOGICAL SETTING

### 5.1 Regional Geology

Geologically, the Cowtrail property is located in a tectono stratigraphic feature known as the Quesnel Terrane, a 30 kilometer wide, northwest-trending, Early Mesozoic age volcanic sedimentary belt. The Quesnel Terrane in the Horsefly area is a fault-bounded region that is flanked to the east by Precambrian to Paleozoic rocks of the Barkerville and Slide Mountain terranes and to the west by Paleozoic rocks of the Cache Creek terrane. Figure 2 shows the Cowtrail regional geology.

**Figure 2 Cowtrail Regional Geology**



### 5.2 Property Geology

The Cowtrail property is mainly covered by thick bush and a thick layer of glacial till which makes mapping on the property difficult and no detailed geological map of the property exists.

The oldest rocks on the property belong to the Triassic to Jurassic Age Takla Group and consist of (1) a submarine sequence of augite basalt flows and wackes that are overlain by (2) massive felsic tuff breccias (probably volcanic equivalents of cross cutting alkali intrusives) which in turn are overlain by (3) a dark grey siltstone. The youngest unit (4) is maroon analcite-bearing basalt flows and breccias of probable subaqueous origin. At least three intrusive centres are known to exist on the claims including the "Middle Lake Alkalic Entity", the "Hooker Lake syenodiorite" and the, carbonate altered, "BM" felsic unit. Two of the known intrusive centres - The Middle Lake Entity and the Hooker Lake syenodiorite - may be coeval with the younger volcanic lithologies and are probably subvolcanic in origin. They occur as virtual windows in a till covered terrain and may coalesce under this cover.

## 6. MINERALIZATION

Mineral exploration programs conducted in the Cariboo section of the Quesnel Terrane area of B.C. in the mid-1960's to the late-1970's led to the discovery of several alkali porphyry copper, copper-gold and gold deposits. Most notable in this area are:

DEPOSIT:

### Afton Mine

31 million tonnes 1.1% copper and .58 grams/ tonne gold (with significant new reserves recently discovered by New gold Inc and Abacus Mining and Exploration Corporation -New Gold currently with 68 million tonnes grading 1.08% Cu, 0.85g/t Au ).

### Mount Polley Mine

82 million tons .3% copper and .42 grams/tonne gold (with significant new reserves recently discovered by Imperial Metals Corporation).

### "QR" Mine

1.33 million tons 4.6 grams/tonne gold (currently being reassessed for production by Cross Lake Minerals Ltd.)

Structure and hydrothermal alteration predominantly control the copper and gold mineralization in all the deposits of this type. Another analogue occurring outside the Cariboo is the Galore Creek Deposit owned by Novagold Resources Inc.

## **7. 2007 EXPLORATION PROGRAM.**

In October 2007 Dajin started a comprehensive soil sampling program on its Cowtrail property alongside a 7 hole diamond drill exploration program. In total 1210 soil samples were collected from 19 soil sample lines and over 1420 m of "HQ" gauge core were drilled. Following is a detailed description of each program.

The 2007 Cowtrail soil sampling and drill program started in late September 2007 and field work was completed in December 2007. The last drill core assay results were received on January 15, 2008 and the last soil assay results were received on March 21, 2008. The report was completed by June 25, 2008.

### **7.1 2007 Cowtrail soil sampling program**

In October the soil sampling program started on the Cowtrail property, 19 soil sample lines were established on and between previous year's (2006) IP lines. The objective was to better define the geology of the area by examining the soil geochemistry. Over 1200 soil samples were collected and the geochemical data was plotted on maps. Two crews, each consisting of two soil samplers, worked on lines approximately 200 meters apart from each other collecting samples weighing approximately 400 grams at 25 meter intervals. Soil samples were collected from B Horizon. Each sample site was flagged with two different colors and an aluminum tag with the sample ID was placed at the site. Notes were taken describing the characteristics of the area and the soil that was sampled including color, slope, and textures. The soils B horizon in the area is in some areas poorly developed or absent. The GPS coordinates of sample location were taken and recorded. The sample ID was written on each Kraft sample bag. Sample bags were brought back to the camp and were appropriately air dried. Approximately 30 samples would be placed in a rice bag and on the rice bag the sample ID's and intervals were recorded. Accordingly, in each rice bag, a requisition sheet for lab analysis was placed and samples were sent by Greyhound bus from Williams Lake to ACME Laboratories at Vancouver. In total 19 lines, each approximately 1 km, were sampled totaling over 1200 samples.

The person in charge of the overall quality and progress of the soil sampling program was Mr. Mahdad Saghezchi. Mr. Saghezchi is a geologist, graduated from University of British Columbia. Mr. Brian Doubt was in charge of the daily progress of the soil sampling program. Mr. Doubt is a geological technician with over 15 years of experience in the field. Soil samplers of the project were Mr. Paul Hoffman, Mr. Miya Muganza, Mr. Olgierd Nowicki and Mr. Conrad Sarzynick. Mr. Hoffman is a soil sampler with over 10 years of experience in the field and Mr. Muganza is a tree planter with experience working in the bush. All crew members were trained under supervision of Mr. Saghezchi and Mr. Doubt for both soil sampling and core cutting except Mr. Nowicki who was only trained for soil sampling.

Analytical results were plotted on maps and using graphical techniques, threshold values were determined. These are summarized in the following table. Please refer to Appendixes C, D, E, F and G on pages 97-106 for a complete list of maps showing soil sample locations and their respective gold and copper values.

**Table 2 Soil Sample Threshold Levels**

Class	Bubble size	Au(.5g)ppb	%ile	Cu ppm	%ile
Peak value		78.7		507.2	
Mean value		1.97		48.7	
Zone III	5			>141	98
Zone II	4	>17	98.7	101-141	96.7
Zone I	2	3_17	91.6	61-101	83
Background	1	<3	10.4	<61	22.7

The copper zones I and II show an anomalous region on northern parts of claim 407594 and center of claims 409496 and 409497. These zones are identified as having a high magnetic signature based on the previous year's IP survey. Drill DDH 06 and DDH 07 are in this region of high mag anomaly, however; the holes did not produce any encouraging results.

Zone III of copper shows a stronger and smaller anomalous region on north and western parts of claim 407594.

Zones I and II for gold shows anomalous regions in south western parts of claim 407594. These regions create a north-west striking pattern that indicates the possibility that extension of this trend might lead to the region near hole DDH 01 in which assay results return values of gold as high as 2.33 g/t over a ten feet interval.

The result from the soil sampling program shows several anomalous gold and copper regions on claims 407994, 409498 and 407995 having copper values as high as 507.2 PPM and gold values as high as 78.7 PPB.

## 7.2 2007 Cowtrail diamond drill program

In Mid-October a seven hole diamond drilling program was completed alongside the soil sampling program. The drilling program was designed as an initial follow up to Dajin's 2006 geophysical survey carried out in a search for a copper-gold porphyry prospect and consisted of drilling a single hole in each of several selected IP chargeability anomalies located on the periphery of a magnetic intrusive body. The IP lines are spaced at 1,312 feet (400 meters) intervals. Eastfield Resources Ltd. (TSX-V: ETF) and its joint venture partner

Imperial Metals Corp. (TSX: III) drilled a hole in 1997 that intersected long intervals of weak copper-gold and molybdenum mineralization at the southern boundary of the magnetic intrusion suggesting a potential to host a porphyry copper-gold deposit. The intrusion, which is indicated in both airborne and ground based surveys, extends northerly for more than three kilometers from the Eastfield drill hole.

The 2007 drill program was run under the supervision of Mr. Saghezchi and he was in charge of logging and processing the core. Mr. Sarzynick and Mr. Muganza were the core cutters. They were trained for core splitting under the supervision of Mr. Saghezchi.

In total seven diamond drill holes each 200 meters (except hole #5 at 221 meters) were completed on the Cowtrail property totaling 1241 meters drilling. Drilling services were provided by Atlas Drilling Ltd. Laboratory analysis was provided by ACME Laboratories in Vancouver, Core logging and sampling was provided by Dajin resources Corp.

Night time temperatures occasionally dropped to -25 degree Celsius so some delays were encountered from frozen waterlines. The program was completed on December 13. Figure 3 shows the location of Dajin's 2007 diamond drill exploration program on the IP map.

Core collected from each DDH was placed inside appropriately labeled core boxes and was brought back to the core shack at the camp. Every core box was marked with the hole identifier and depth interval which core was collected from. Each core box was analyzed for RQD and core recovery. Notes were recorded on standardized logs. Cores were photographed after the RQD and recoveries were recorded. Then they were logged for geological characteristics, paying particular attention to changes in lithology, structure, veining and mineralogy. Core was then split in half along its axis using a diamond blade saw. Core was sampled in three meters intervals (10 ft). A three meter sampling interval was selected since lithological and mineralogical changes were mainly gradational and few definite contacts were present. Core samples were placed in a plastic bag and on the plastic bag the sample numbers were marked and uniquely numbered sample tag was placed inside. Samples were then placed in rice bags with their intervals marked on the bag and a requisition sheet for laboratory analysis was placed in each rice bag. Assay Standards were inserted in the assay stream every ten samples and later were compared to lab analysis. All the standards were in the required plus or minus two standard deviation range which confirmed the lab's accuracy in analysis. Samples were shipped by Greyhound bus from Williams Lake to ACME laboratories in Vancouver.

Ten core sample were also sent to Vancouver Petrographics for thin section analysis and aid in identifying lithology of the units present

In order to avoid contamination of samples the diamond saw would be washed every day.

### 7.3 Diamond drilling results and analysis.

Out of ten planned drill holes, seven holes were completed. All the holes had an azimuth of 55 degree with an angle of -45 degree. There was thin overburden in most holes (around 10-15 meters) except hole number 5 which had near 63 meters of overburden. Most of the drilled holes were penetrating in a “hypabyssal porphyritic basalt that contains phenocrysts of plagioclase and clinopyroxene and minor ones of hornblende and biotite in a groundmass of plagioclase and clinopyroxene with disseminated patches of magnetite and lesser ones of pyrite”(John G.Payne report #070901, 2007). A few small zones of “hypabyssal diorite that is dominated by prismatic plagioclase (altered slightly to moderately to sericite and slightly to locally moderately to epidote) and lesser hornblende (altered completely to chlorite-ankerite-[leucoxene]) and biotite (altered completely to chlorite-leucoxene), with interstitial patches of chlorite, quartz, K-feldspar, and hematite, and disseminated grains of pyrite.”(John G.Payne report #070901, 2007) were also hit.

The most notable hole being “hole DDH.01 which intersected a zone of potassium altered micro diorite in contact with a pyritic metavolcanic unit which zone carries **1.16 g/t gold and 0.043% copper** over 60.0 feet (18.3 meters) from 427 feet (130.2 meters) to 487 feet (148.4 meters). DDH.01 is anomalous in gold over 165 feet (50.3 meters) from the 82 feet (25.0 meters) in depth to 247 feet (75.3 meters) in depth with gold values generally several times background levels. Anomalous gold reappears in the hole at 357 feet (108.8 meters) and most gold analyses are anomalous from that depth to the bottom of the hole at 657 feet (200.3 meters).” ( Dave Jenkins 2007) Diamond drill hole DDH.01 was drilled near the projected northerly continuation of an airborne resistivity anomaly from the Eastfield work and near the southerly projection of a weak gold in soil feature from Dajin’s 2007 soil sampling.

DDH 02 mainly hits a porphyritic meta basalt (logged as coarse grained meta volcanic/ angular clastic meta volcanic) unit with hematite stains in fractures and throughout the hole, small zones of pyritization are also present in fractures. No significant assay results are present in this hole.

DDH 03 hits sections of “a mainly a very fine grained andesite, probably of tuffaceous origin. It contains scattered coarse grains of plagioclase (altered strongly to sericite) and minor quartz in a groundmass of finer grained plagioclase with much less abundant chlorite. It was altered slightly to moderately to ankerite and sericite.”(John G.Payne report #070901, 2007). (Logged as an andesitic Meta volcanic). DDH 03 encountered weakly anomalous copper from 67 feet (20.4 meters) to 287 feet (87.5 meters).

DDH 04 hits several weakly mineralized basaltic and dioritic sections. It contains weakly anomalous copper, with a maximum value of 360 ppm from 70 feet (21.3 meters) to 497 feet (151.5 meters) and within that interval samples taken from 387 feet (118.0 meters) to 437 feet (133.2 meters) average 28 ppb gold. Copper is also weakly anomalous



from 547 feet (166.7 meters) to 657 feet (200.3 meters) with a maximum value of 780 ppm copper. That interval also contains a sample with 70 ppm molybdenum and another sample with 72 ppb gold.

DDH 05 mainly hits zones of a “porphyritic andesite that contains abundant phenocrysts of plagioclase” and “porphyritic hypabyssal potassic diorite that contains scattered phenocrysts of plagioclase” (John G.Payne report #070901, 2007). Drill hole DDH.05 is anomalous in gold, lead and zinc between 407 feet (124.1 meters) and 487 feet (148.4 meters) with maximum values of gold at 98 ppb, lead at 685 ppm and zinc at 1,502 ppm.

DDH 06 and DDH 07 both hit similar porphyritic basalt and porphyritic andesite unit with few zones of microdiorite; however neither hole shows significant mineralization and their results are not encouraging.

Figure 3 on the following page shows the Cowtrail DDH locations on IP chargeability map.

Figure 4 on pages 13 show the 2007 exploration program drill hole location.

Based on the results from Dajin’s 2007 drill program; the long intercepts of anomalous gold, copper and other base metals in the very widely spaced drill holes continues to suggest potential for economic mineralization at the Cowtrail project.

All drill hole logs plus their respective sample assay values are presented in Appendix A page 21.

Several cross sections are made in order to better aid the lithological correlation between drill holes while showing respective values of gold and copper in a bar format on the side, figure 5 on page 14 shows the location of the cross sections and a complete list of cross sections are attached in Appendix H on page 107. It should be noted that drill holes are widely spaced and care should be taken while correlating the lithology between them.





Figure 4: Cowtrail Drill hole location



**Dajin Resources Corp.**

**Cowtrail drill hole location**

- DDH Location
- Road Lines
- Lakes, Wetlands Areas
- Streams, Rivers Lines


**Dajin Resources Corp.**

**Cowtrail Project**  
Cariboo Mining Division, B.C, Canada

**2007 DDH LOCATION**

Scale: 1:20,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

Figure 5: Cowtrail Cross sections location map



## **8. Assaying methods**

The soil samples were assayed by ACME laboratories in Vancouver using two methods, 0.5 gram group 1DX and 30 gram group 3A (only for gold). Core samples were assayed using 30 gram group 1DX. ACME describes each method as following.

### G1DX

“GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.”

### G3A

“Analysis: AU\* GROUP 3A - IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (30 gm)”

All assay certificates are provided in Appendix I and J pages 118 and 242.

## **9. Conclusion and Recommendation**

Based on the 2007 exploration program on the Cowtrail property, it can be concluded that the property holds a potential for economic mineralization and further exploration is warranted. A more comprehensive drilling program is recommended on the property with drill holes penetrating higher than 200m so that the possibility of the presence of an intrusive body with potential mineralization, under the basaltic units can be tested. In selecting future drill targets it should be taken into consideration that DDH 01 is located on the edge of a zone of changing magnetic feature from low to high, and historic hole 97-B-21 is located in a similar zone, therefore there is the possibility that mineralization is occurring at the contacts of these magnetic highs and lows, a possible contact zone between basaltic units and underlying intrusive diorite.

## 10. Cost Statement

<b>Cowtrail Project Consulting.....</b>	
Brian Doubt (Geo technician) Sept 2007-Dec2007 ) 80 Days @ 400\$/day	\$32,000
Dominin Blue (Printing center)	\$1,174.00
Vancouver Petrographics (report #070901)	\$2,571.00
Traumatech (emergency response plan preparation (ERP))	\$300.00
Interior health (safety Audit)	\$169.00
<b>Assay.....</b>	
1194 soil samples (G1DX .5 gm and G3A 30 gm) @25.25 \$/ sample	\$30,148.50
446 Core samples (G1DX 30 gm) @ 22.19 \$/sample	\$9,896.74
CDN Resources Laboratories (Standards) 78 standards each at 12.24 \$	\$876.87
<b>Transportation.....</b>	
Greyhound Courier Express (sample shipment to Vancouver Lab)	\$2,779.71
<b>Field Supplies.....</b>	
Deakin Equipment (tent for core shack etc)	\$8,618.57
<b>Field Personnel.....</b>	
Conrad Sarzynick (Core and Soil sampler) 74 Days @ 250 \$/day	\$18,500
Paul Hoffman (Soil Sampler) 31 Days @ 250 \$/day	\$7,750
Miya Muganza (Soil Sampler) 82 Days @ 250\$/day	\$20,500
Alex Baliulis ( Temp Soil Sampler) 8 Days @ 250\$/day	\$2,000
Olqierd Nowicki (Soil Sampler) 47 Days @ 250\$/day	\$11,750
Carmen Muetchele (Cook) 50 Days @ 300\$/day	\$15,000
Bonnie Gardner (Cook) 38 Days @ 300\$/day	\$11,400
Mahdad Saghezchi (Geologist)78 Days @ 450\$/day	\$35,100
<b>Truck Rental.....</b>	
Brian Doubt (Truck rental) 80 Days @ 70\$/day	\$5,600
Ron Ridley Rentals Ltd (one truck) 3 months @ 1,800 \$/month	\$5,400
<b>Food.....</b>	
Meals, Save on food	\$10,800
<b>Excavation.....</b>	
G&S Logging Co Ltd	\$32,830.25
Black Creek Contracting	\$935
<b>Drilling.....</b>	
Atlas Drilling	185,063.54
<b>TOTAL.....</b>	<b>\$451,163.00</b>

## 11. Author Qualification

I Mahdad Saghezchi do hereby certify:

I am the author of this report, portions of which have with the permission of D. Jenkins and J.W Morton been extracted or paraphrased from earlier reports by D. Jenkins and J.W Morton.

I am a graduate of University of British Columbia (2007)

I am a member of Association of Professional Engineers and Geoscientist of B.C (GIT)

I have practiced my Profession as a GIT since graduation.



June 24, 2008

Mahdad Saghezchi

## 12. References

**Bailey, D.G., (1990):** Geology of the Central Quesnel Belt, British Columbia; B.C.

**Ministry of Energy Mines and Petroleum Resources,** Open File 1990-31, Map with notes, 100,000.

**Campbell, R.R., (1978):** Quesnel Lake; Geological Survey of Canada, Open File Map 574.

**Gabrielse, H., J.W.H. Monger, J.O. Wheeler, and C.J. Yorath, (1991):** Part A. Morphogeological Belts, Tectonic Assemblages, and Terranes; in Chapter 2 of Geology Of the Cordilleran Orogen in Canada; Geological Survey of Canada, Geology of Canada, No. 4, pp.15-28.

**Geological survey of Canada, Department of Energy, Mines and Resources, (1967)** Aeromagnetic Series map 5239G, Horsefly British Columbia.

**Geological Survey of Canada and BC Ministry of Energy and Mines,** GSC Open files 4615, 4616 and 4617 (also published by BC Ministry of Energy and Mines as Horsefly Open File 2004-9).

**Morton, J.W. (1997)** The Beekeeper-Arab Property, Cariboo Mining District British Columbia, 1997 Diamond Drill Program, Filed as an Assessment Report with the BC Ministry of Energy and Mines.

**Morton J.W. ( June, 2005)** Summary Report on the 2004 Exploration Program on the Cowtrail Mineral property, filled for Assessment Report requirements with the BC Ministry of Mines and Energy Resources.

**Morton, J.W. (April 2006)** Summary Report on the 2004 Exploration Program on the Cowtrail Mineral property, filled for Assessment Report requirements with the BC Ministry of Mines and Energy Resources.

**Jenkins D (April2006)** Summary Report on the 2006 Exploration Program on the Cowtrail Mineral property, filled for Assessment Report requirements with the BC Ministry of Mines and Energy Resources.

**Payne, J (2007)** Petrographic report # 070901 prepared for Dajin Resources Corp.



## **Appendixes**

Appendix A; Cowtrail 2007 Drill Program Core logs and Assay result

Appendix B; Thin section report of Cowtrail core samples

Appendix C; Gold values in soil and soil sample location

Appendix D; Copper values in soil and soil sample location

Appendix E; Bubble map of gold in the soil and soil sample location

Appendix F; Bubble map of Copper in soil and soil sample location

Appendix G; Soil sample location map

Appendix H; Cowtrail DDH Cross sections

Appendix H1; Cowtrail DDH cross sections (showing lithology and Gold values)

Appendix H2; Cowtrail DDH cross sections (showing lithology and Copper values)

Appendix I; Soil sample assay certificates

Appendix J; Drill core sample assay certificates

**Appendix A:** Cowtrail 2007 Drill Program Core logs and Assay result

<b>07-DDH-01</b>		Started 12 oct 07			Finished 15/10/07			<b>Cowtrial Project B.C</b>			Core Size HQ				
E (NAD83 UTM) 609760 E					N 5809380			Driller - Atlas Drilling			Logged by M.Saghezchi				
Hole Survey		Depth	Az	Ang	<b>TD 657 ft</b>			Start		Finish		Depth		Az	Ang
		82 ft	55	45	EI 767 m			Depth		Az	Ang	657		55	45.2
Depth (ft)								82ft		55	45	657		55	45.2
From					To	%Rec	RQD	Rock	ChlEpi	Mag	Description				
											Rock Codes				
											1 Brecciated Meta volcanic				
											2 Dark Biege Microdiorite				
											3 Green Meta Volcanic				
											4 very fine grained epidotite				
											Sample#	red tag	Cu %	Au g/t	Mo %
82					87						Cased at 82 ft				
82					87						1062	14212	0.0077	0.0218	0.00023
87					97	89	43	2	2	1	82-127 Dark biege fine grained Micro diorite, with epidote grains 5% 1 to 3 mm, low mag, epi grains fine to 127, veins 1 every 5 cm with, 30 % with Kalt 1 to 2 mm. qrtz dominant in veins, chl and illmenite in frax 1-2 % pyrite .01 Chalco?				
97					107	95	64	2	2	1	127-137 fine epi grains possible fault zone at 132 with high epi. K alt veins 3 or 4 every 5 cm.				
107					117	90	63	2	2	1	137-157 low mag, moving into brecciated Meta volcanic with phenocryst of sub rounded feldspars, 1cm-3cm blabs of pyrite 1% low veins, 1 every 15 cm, couple of veins 1mm with k alt, chl in frax.				
117					127	98	43	2	2	1	157-167 highly fractionated possible fault zone.				
127					137	98	37	2	2	1					
137					147	95	41	1	2	1					
147					157	96	77	1	2	1					
157					167	63	19	1	2	1					
167					177	30	16	1	2	1	167-177 Gradational fining of grains, low mag, pyrite 1% low veins.				
											1071	14221	0.0107	0.0175	0.00019

177	187	98	68	4	2	1	177-187 at 180 entering a zone of milky green grey fine grained epidotite..01 % pyrite. At 182 10 cm of same zone with blabs of 2 mm epi, phenocrysts. No veins	1072	14222	0.0032	0.0367	0.00004
187	197	98	44	3	2	1	187-197 moving into fine grained dark green MV with low veins 1 every 10 cm and 2-3 % pyritization in 2 By 3 cm zones	1073	14223	0.0047	0.061	0.00005
197	207	82	23	3	2	1	197-207 same as above 202-205 possible fault zone	1074	14224	0.019	0.0164	0.00011
207	217	99	65	3	2	1	207-217 fine grained dark MV increasing in veins qrtz and cc 1 every 3 cm 1-2mm at 211-214 a zone of high veins 1 every 1 cm , a vain of qrtz with 30% pyrite, small veins with Kalt, low mag, low Illmenite, chl in frax.	1075	14225	0.0083	0.0223	0.00007
217	227	98	63	1	2	1	217-227 fine grained, high epi , low veins 2 % pyrite, near 227 parts of a broken cc vein	1076	14226	0.0132	0.0232	0.0001
227	237	93	45	1	2	1	227-242 moving into Brecciated MV at 232 veinlts of qrtz with K alt common, epi in phenocryst with pyrite [] in it, veins broken up ,239-242 very low veins	1077	14227	0.003	0.0093	0.00006
237	247	98	80	1	2	1		1078	14228	0.0135	0.0099	0.0002
247	257	101	89	3	2	1	242-247 moving into fine grained meta volcanic,with vey few veins , low pyrite .01% epi content varies, near 247 small zone of pyrit .5cm by 2cm	1079	14229	0.0167	0.0113	0.0003
257	267	98	82	4	2	3	247-257 dark, fine grained green Meta volcanic,1mm veins every 3 cm, low veins, less .1% pyrite, near 256 a high mag, high mafic zone with epi in phenocryst.,dark fine grained epi 1mm,.1mm grains of red hematite in frax.	1080	14230	0.0121	0.002	0.00017
267	277	98	55	1	2	1	257-267 milky grey green, very fine grained with dark mafic veins 90 CA at 259 fine grained low veins, less 1% pyrite, chl in frax	1081	14231	0.012	0.0031	0.00015
277	287	87	52	1	2	1	267-272 high bracciated and veining, veins 2 every 1cm 1-3mm 50% Kaltered, porphyroclastic, low pyrite 1%	1082	14232	0.0143	0.0066	0.00004

287	297	92	55	4	2	1	272-287 Brecciated MV with pyrite blabs 1-3% phenocryst of feld spars 1mm to 3cm, low veins, near 287 few veins 1mm with Kalt	1083	14233	0.0136	0.0011	0.00005
297	307	95	36	4	2	1		287-307 fine grained hihg epi, milky dark green, low veins, low mag, till 302 then brecciated MV	1084	14234	0.0116	0.0019
307	317	83	20	4	2	1	307-317 312-327 same milky green fine grained low vein, 1mm every 5 cm, gradational more epi till 327	1085	14235	0.0095	0.0005	0.00016
317	327	88	34	4	2	1		1086	14236	0.0084	0.0005	0.00006
327	337	98	34	4	2	1	327-337 same milky green zone at 331 a zone of high vein 20 cm cc vein 3cm with 3 % pyrite, cc veins 1 every 4 cm, the zone becomes a mixture of dark mafic (hardness 6) with milky green, (two immiscible fluids?), layers of mfic 3 cm 80 CA un uniform, veins 1 every 3 cm of cc. low mag and pyrite.	1087	14237	0.0064	0.0005	0.00073
337	347	94	53	4	3	1	337-347 Mixture becomes courser grain, still relatively fine with cc veins 1-2 cm 10 CA small 1mm by 3mm pyritization near veins. At 345 a zone of 1 mm veinlts K alt	1088	14238	0.011	0.0005	0.00036
347	357	73	9	4	2	1	347-357 a zone of high stress- possible fault , vnltts of cc with pink K alt every 2 cm, 1% pyrite, chl in frax, epi [] increases 5% feldspars, grains near 356	1089	14239	0.0008	0.0021	0.00004
357	367	96	55	2	2	1	357-367 Fine grained micro diorite 357-360 low vein, mod mag, mixed with MV, low pyrite, less 1% 360-367 increase in veins 1mm-1cm concentrated at 363-364 2% veins 50 % with K alt , .01 % chalc?? Low mag 2-3 % pyrite, colored more biege green. Biotite(moscuvite) present,364-367less veins, few veinlts with Kalt 2-3% pyrite.	1090	14240	0.0273	0.0154	0.00011

367	377	97	69	2	2	1	<p>367-377 Approaching 372-375 fining grains, less green micro diorite with frax with 2mm-3cm long 90 % pyrite,1% chalco? And overall 3-5% pyrite,low mag,at 372-375 zones of K alt, illmenite in frax, 375-377 lower veins, 1 every 5 cm, 1-2mm with 80 % kalt</p> <p>377-387 fine grained MV with 40 % epi grains, and fine grains of biotite( moscovite), low mag, low vein,1 .5mm every 2cm, 20 % with Kalt, less 1% pyrite.</p> <p>382-387 382 30 cm a zone of mixture layered two immiscible fluids mixing, with epi veins and few Kalt veins, moving into green beige micro diorite. Kalt vein every 3cm, overall low vein, with 5 % epi 5% biotite, low pyrite.</p> <p>387-417 Moving into fine grained dark green almost basaltic, mod mag, veinlts 1mm K alt, concentrated at 394 and 401, low pyrite less 1% overall, very few veins, coarsening the grade as near 417, chl in frax.</p> <p>417-467 Dark beige micro diorite a zone of high K alt, vnltts of qrtz and cc abundant, 80 % with k alt 1-3 mm zones of pyritization, at 434-436 and 447-452, low mag pyritization in frax and veins , blabs of it. At 447-452 over 5% overall 3-6 %, 422-427 possible fault zone, pyrite chl in frax, nearing 460 lowering veins coarsening grains 1mm vein every 10 cm, epi in small 1cm by 2 cm blabs, pyrite near veins 1-3 % over all to 467</p>	1091	14241	0.014	0.005	0.00008
377	387	95	59	3	2	1		1092	14242	0.0058	0.0121	0.00039
387	397	100	70	3	2	1		1093	14243	0.0685	0.0547	0.00013
397	407	98	37	4	2	2		1094	14244	0.0064	0.0022	0.00004
407	417	100	83	4	2	2		1095	14245	0.0085	0.0042	0.00004
417	427	100	23	2	3	1		1096	14246	0.0107	0.0142	0.00005
427	437	100	73	2	3	1		1097	14247	0.0763	1.919	0.0006
437	447	97	79	2	3	1		1098	14248	0.0146	0.3472	0.00098
447	457	103	90	2	3	1		1099	14249	0.0655	2.332	0.00066
457	467	98	88	2	3	1		1	14251	0.0262	0.595	0.00018

467	477	97	58	3	2	1	467-477 Epi rich MV near 470-472 a zone of highly veined 80 CA 20 % pyrite 1% chalco? In qrtz and cc veins, sulphides grey in veins, similar zone 15 cm at 474	2	14252	0.0476	1.307	0.00009
477	487	91	47	3	2	1	477-487 at 482 a 10 cm vein with 10 % pyrite low mag, qrtz vein 2 cm 80 CA 1-2 % pyrite overall , at 484 possible fault zone 1m	3	14253	0.0261	0.2885	0.00005
487	497	93	51	3	2	1	487-497 very few veins, low mag, 2 2cm vein 70 CA 5 % pyrite at 489 similar veins at 491 and 492	4	14254	0.0094	0.0436	0.00006
497	507	98	67	3	2	1	497- 517 near 497 rapid coarsening of grains to brecciated MV , veins not common 1 cc vein 1mm very 20 cm , grains of 1mm to 1cm of epi ,feld 1% pyrite , chl in frax, the zone continues to 517.	5	14255	0.0071	0.0132	0.00003
507	517	98	78	1	2	1	517-527 517-522 a zone of mixture between brecciated MV and fine grained dark green biege Micro diorite, highly veined, qrtz vein with 30 % pyrite and grey sulphides inside, scattered broken cc veins , as approaching 527 fine grained low mag, needle like biotite(tremolite?) crystals in ground mass, low pyrite less 1%. low vein, 1 every 10 cm, chl in frax, near 527 epi grains 5% 1mm, more pyrite 2% , chl in frax	6	14256	0.0088	0.0189	0.00017
517	527	91	61	1	2	1		7	14257	0.0066	0.0341	0.0001
527	537	98	85	2	3	1	527-537 the same zone diorite becomes finer grained med light beige, near 532, with layers of epi 1 cm to 2 cm.	8	14258	0.0087	0.0332	0.00031
537	547	95	84	2	2	1	537-547 near 537 10 cm of high [] qrtz veins 1mm 80 CA with 20 % pyrite, at 537 1mm veins of talc(sericite?) every 10 cm to 542.542-547 very fine grained diorite with pyrite in frax, very low veins, chl in frax, low mag, 3- 5% pyrite till 547	9	14259	0.019	0.0633	0.00028
547	557	100	65	3	2	1		11	14261	0.0082	0.0279	0.00012

557	567	94	47	1	2	1	547-557 A zone of mixture between coarse grained MV and diorite, low veins, 2% pyrite, epi in frax, chl in frax, possible chalco 1mm-2mm less 1%, 552-557 Talc bearing (sricite?) dark green-black soft rock.	12	14262	0.0131	0.0516	0.00012
567	577	100	26	3	2	1	557-567 557-561 brecciated coarse 1mm-1cm MV with very few veins, 561-567 possible fault zone.	13	14263	0.0009	0.0002	0.0017
577	587	98	25	1	2	1	567-572 fine grained MV with 1 cc vein every 2cm, at 567-569 with 60 % veins , 1mm with K alt, low pyrite less 1%, 572-577 possible fault zone , few veins 1mm with k Alt	14	14264	0.0002	0.0003	0.0024
587	597	98	62	3	2	1	577-587 Brecciated coarse grain MV, grains epi 1cm to 584, then very fine grained MV, with low pyrite 1%, low mag, low vein, 1cc vein every 10 cm.	15	14265	5E-05	0.0003	0.0046
597	607	94	54	3	2	1	587-607 the same zone cont fine grained MV at 606 few parts of a broken vein qrtz and cc.	16	14266	9E-05	0.0003	0.0002
607	617	98	54	3	1	1	607-617 same fine grained MV at 607 for 40 cm a zone with 10 % frax, of pyrite going though, low qrtz or cc vein, some chalco less 1%,overall 2-3 % pyrite, lower epi content	17	14267	0.0116	0.0544	0.00008
617	627	95	73	4	3	1	617-627 a zone of mixture of two immiscible fluids, fine grained milky green MV, and dark mafic layers , at 623 a zone 30 cm with 4 qrtz vein and high pyrite content, 10 % overall.	18	14268	0.0203	0.1688	0.00021
627	637	98	78	3	2	1	527-637 fine grained MV very few veins, 1every 20 cm , low pyrite, less 1% chl in frax.	19	14269	0.0117	0.0472	0.0001
637	647	100	89	1	2	1	637 647 moving into Brecciated Mv coarse grains, 1cm-2cm plag and epi, low vein, low pyrite or sulphides	21	14271	0.01	0.0865	0.00027
647	657	100	91	1	2	1	647-657 end of hole fine grained MV few cc veins, 1 every 10 cm, low mag, 1 % pyrite.	22	14272	0.0111	0.0896	0.0006

<b>07-DDH-02</b>		Started 22/10/07			Finished 12/17/07			<b>Cow Trial Project B.C</b>						Core Size HQ				
E (NAD83 UTM) 0610000 E					N 5809500			Driller - Atlas Drilling						Logged by M.Saghezchi				
Hole Survey		Depth	Az	Ang	<b>TD 657 ft</b>			Start			Finish			Depth	Az	Ang		
		40 ft	55	45	EI 778 m			Depth	Az	Ang	Depth	Az	Ang	657	55	45.5		
Depth (ft)								40ft	55	45	657	55	45	Lab Acme				
From	To	%Rec	RQD	Rock	ChlEpi	Mag	Description						Rock Codes					
													1 Px alt Chl bearing angular clast MV					
													2 Px alt Chl coarse grained MV					
40	47						40-57 Coarse grained, porphyroclastic dark green, muscovite, biotite bearing Volcanic, muscovite, biotite 30 % ( dark green , flaky mica) phenocrysts 3cm,5cm inside secondary muscovite minerals, high mag, low vein, and 2 % red orange hematite Grains 1-2 cm.						sample #	Red tag	Cu %	Au g/t	Mo %	
													23	14273	0.01029	0.0025	0.00006	
47	57	95	92	1	2	3	57-67 same as above finer grained with light bluish, greenish sericite						24	14274	0.00663	0.0014	0.00004	
57	67	98	73	1	2	3							25	14275	0.00715	0.0005	0.00005	
67	77	100	94	1	2	3	67-77 A vein zone at 69 3or 4 veins 1 cm qrtz with dark red brown, hematite.						26	14276	0.00825	0.0005	0.00004	
77	87	98	78	1	2	3							27	14277	0.00808	0.0005	0.00004	
87	97	98	90	1	2	3	77-87 more epi 2- 3 % , muscovite/biotite finer grained , at 82 2 layers 1mm with red orange hematite, chl in frax						28	14278	0.00792	0.001	0.00004	
97	107	99	89	1	2	3							29	14279	0.00654	0.0005	0.00006	
107	117	98	86	1	2	3	87-97 2-3 % hematite, hematite grains near97, increase in epi content, mafic porphyroclast 2cm-3cm with secondary musc/epi in them. 97-107 same as above , fine grained less 1mm grains, at 102 4 1mm layer of hematite, red orange , sericite and chl in frax.						31	14281	0.00732	0.0011	0.00005	
117	127	99	63	1	2	3							32	14282	0.00749	0.0007	0.00006	
							107- 127 same fine grained at 121 possible fault , chl in frax, at 121 couple of hematite vintls 1mm											



127	137	100	93	1	2	3	127-137 increase epi, to 20 % with mafic phenocrysts 2-3 cm with epi crystals 2mm forming. High biotite moscovite content.	33	14283	0.00888	0.0011	0.00005	
137	147	102	94	1	2	3		137-147 few veinlets of hematite stains at 139 1 cc vein, 3 near 147, epi/chl alt high, with 1-2 mafic mineral phenocrysts	34	14284	0.0077	0.0013	0.00007
147	157	98	88	1	2	3		147-157 high mag, with 30 % moscovite, 5% biotite 5% epi, 10 % mafic grains, 3cm-4cm, are with muscovite and epi secondary mineralization, some hematite grains 3 or 4 1-2 mm, 1cc vein 1mm every half meter chl/epi in frax with low hematite stains.	35	14285	0.00821	0.001	0.00005
157	167	103	103	2	3	3		157-197 only few veins with hematite in them, almost no veins, high mag, chl/epi, red orange hematite in frax.	36	14286	0.00837	0.0005	0.00004
167	177	97	88	2	3	3			37	14287	0.00797	0.0008	0.00005
177	187	100	91	2	3	3			38	14288	0.0062	0.0007	0.00004
187	197	98	94	2	3	3			39	14289	0.00705	0.0005	0.00004
197	207	98	89	2	3	3		197-210 addition of a baby blue soft mineral (H3) (anhydrates???) 5% and 10CA strains of it 210-217 no more anhydrates, Talc(sericite?) soft green pearly luster at frax one or two seen., a veinlet of hematite red dark orange 30 cm 10 CA at 210-211 and couple of qrtz, hematite Kalt veins at 214	41	14291	0.00686	0.0013	0.00006
207	217	103	95	2	3	3			42	14292	0.00684	0.0029	0.00003
217	227	97	87	2	3	3		217-227 high mag, very few veins, the whole rock unit has been H5 high mag, different composition, feld/muscovite and mod green translucent mineral, muscovite defined as micaceous dark green mineral, flaky( biotite??)	43	14293	0.00725	0.0005	0.00004
227	237	100	96	1	2	3	227-257 very few veins chl in frax, low epi, low feldspars, few layers at 231 with hematite 20CA 2mm, homogenous, few mafic phenocryst. at 257 for 30 cm small zone with hematite dark brown layer 1-2mm every 2 cm and couple of cc veins possible K alt in them (pinkish)	44	14294	0.00732	0.0011	0.00003	
237	247	100	98	1	2	3		45	14295	0.00683	0.0005	0.00003	

247	257	98	86	1	2	3	<p>267-277 same rock finer grains, 1-2 mm less epi, high mag, very few veins chl in frax,                      277-287 at 279 4 veins 1-3mm of cc with red orange hematite and epi in rims, at 282 similar zone, at 285 high frax zone, with chl in frax with hematite.                      287-297 higher epi content 5-10 % with lower moscovite, to 2-3 % couple of cc vein 80CA 1cm with hematite on rims.                      297-307 3 or 4 hematite bearing cc veins at 302, grains 2-3 mm near 307 1 more cc vein with hematite 2mm at 30 CA                      307-317 same as above near 314-317 cc bearing hematite 1mm every 10 cm , fine grains less 1mm                      317-337 fine grained more mafic, low biotite/epi 1 hmetie bearing cc vein 30CA every half meter                      337-347 same as above, at 342 couple of hematite veins 1 mm going for 20 cm at 10 Ca and 2 similar vein 2mm at 347                      347-357 from 350-353 coarse grains 1-2mm with higher epi content 10 % ,couple of hematite bearing veins at 348 1mm, 30 CA                      357-367 grains 1-3 mm with 1 % grains of hematite 1-2mm and grains with hematite on rims, 1-2mm , 1cc 1mm vein every 40 cm with epi on rims.                      367-377 30 % moscovite,30 % mafic 28% ground mass of chl (light blue green soft H4) very few veins, chl in frax, less 1% hematite grains1-2 mm red orange,at384 a possible fault zone, with very small les .01 % fine grains pyrite in frax.</p>	46	14296	0.00694	0.002	0.00003
257	267	103	90	2	2	3		47	14297	0.00924	0.002	0.00004
267	277	101	98	2	2	3		48	14298	0.0073	0.0016	0.00003
277	287	96	88	2	2	3		49	14299	0.00715	0.0016	0.00003
287	297	98	97	2	2	3		51	14501	0.00747	0.0007	0.00002
297	307	103	103	2	2	3		<b>52</b>	14502	0.00713	0.0005	0.00002
307	317	98	97	2	2	3		<b>53</b>	14503	0.00704	0.0005	0.00001
317	327	98	81	2	2	3		<b>54</b>	14504	0.00687	0.0009	0.00001
327	337	103	87	2	2	3		<b>55</b>	14505	0.00734	0.0005	0.00002
337	347	97	80	2	2	3		<b>56</b>	14506	0.00667	0.0008	0.00001
347	357	100	87	2	2	3		<b>57</b>	14507	0.00802	0.0007	0.00001
357	367	100	89	2	2	3		<b>58</b>	14508	0.00754	0.0005	0.00002

367	377	100	92	2	2	3	387-427 increasing in light blue green ground mass to 32 % very few vein almost none, 427-437 possible fault zone at 427-430 mafic grains 2-3mm 35 %	59	14509	0.00736	0.0009	0.00002
377	387	91	67	2	2	3		61	14511	0.00718	0.0013	0.00002
387	397	100	97	2	2	3		62	14512	0.00559	0.0012	0.00005
397	407	100	93	2	2	3		63	14513	0.0063	0.0009	0.00004
407	417	100	87	2	2	3		64	14514	0.00576	0.0017	0.00004
417	427	103	83	2	2	3	65	14515	0.00633	0.0008	0.00005	
427	437	94	69	2	2	3	66	14516	0.00599	0.0019	0.00004	
437	447	98	98	2	2	3	67	14517	0.00588	0.0011	0.00004	
447	457	100	84	2	2	3	68	14518	0.00598	0.0011	0.00004	
457	467	103	93	2	2	3	69	14519	0.00668	0.0025	0.00005	
467	477	103	103	1	2	3	71	14521	0.00808	0.0024	0.00005	
477	487	95	89	1	2	3	72	14522	0.00828	0.0012	0.00006	
487	497	100	83	1	2	3	73	14523	0.01271	0.0007	0.00004	
497	507	100	100	1	2	3	74	14524	0.00892	0.0009	0.00005	
507	517	100	93	1	2	3	75	14525	0.00834	0.0011	0.00004	
517	527	99	98	1	2	3	76	14526	0.00822	0.0022	0.00004	
527	537	99	81	1	2	3	77	14527	0.00977	0.0022	0.00004	
537	547	103	83	1	2	3	78	14528	0.00808	0.002	0.00004	

437-447 at 439 1 vein hematite rich 90 CA 2mm and at 440 1 vein 1cm qtz at rims hematite , red orange and alt halo of chl epi

447-467 mafic ground mass grains 3mm-5mm1% with 1mm hematite grains , high mag, increasing in blue green mineral soft (chl?) in ground mass 25-30 %

467-527 35 % ground mass of bluish green chl, muscovite/biotite 30 % and mafic grains 1-2mm, and 5 % popyrocclasts of mafic 1cm to 4cm,with secondary muscovite mineral in them less.01 % 1mm grains of red orange hematite, at467-469 few cc veins 1 every 5cm, 20 CA with epi at rims and small K alt with hematite.

527-537 same zone .1 % hematite in grains 1-2mm, 1cc vein every half meter, at 40CA chol in frax, increase in green muscovite content to 35 %  
537-547 540 -543 high frax, 1 every 30 cm, with chl and hematite in frax.

547	557	100	65	1	2	3	547-557 at 550 30 cm zone of high frax, with chl and hematite in frax, at555 4 2mm cc veins with chl and dark brown soft illmenite 90 CA	79	14529	0.00993	0.0011	0.00003
557	567	100	77	1	2	3	557-567 highest vein zone so far, fine grained less 1mm 50 % mafic, 20 % musc, and chl 559,1 qrtz vein every 3 cm , hematite rich ,1mm-2mm qrtz 35 CA, at560 4 cm vein of qrtz 80 CA with zone of hematite dark brown red, from 561-564 one 50 cm long 2mm qrtz vein with pink red hematite in the vein, the veins are red brown, chl in frax.	81	14531	0.00727	0.001	0.00004
567	577	98	83	1	1	3	567,597 70 % mafic, with 2-3 qrtz vein 90 CA chl in frax, and green talc? In mafic 1-2mm musc grains 20 %, lower chl epi content, darker green, black like porphyritic with muscovite.	82	14532	0.01035	0.0019	0.00004
577	587	100	99	1	1	3	597-607 black mafic with muscovite phenocrysts 5%, 1-2mm, and 5 % light blue anhydrates,(6H)to 600,607 high mafic 60% fine grains,1mm with 5% dark brown feldspars.	83	14533	0.00783	0.0013	0.00004
587	597	100	93	1	1	3		84	14534	0.00771	0.0014	0.00004
597	607	100	83	1	1	3		85	14535	0.00923	0.0005	0.00005
607	617	101	87	1	2	3	607-617 607-610 silicacious,with light blue cc soft, chl in frax, porhyritic with musc phenocrysts, 610-617 same fine grained MV	86	14536	0.00735	0.0007	0.00003
617	627	100	81	1	3	3	617-627 It contous to 620 at 620 higher musc and chl content to 30 % with 1mm hematite vein, dark brown every 5 cm for half meter.	87	14537	0.00766	0.0009	0.00002
627	637	101	82	1	3	3	627-637 chl in frax some parts talc(light green soft)increase in chl/musc content to 35% coarsening grains to 1-2mm	88	14538	0.00777	0.0006	0.00003
637	647	101	96	1	2	3	637-647 637-643 same zone, 643-647 porphyritic mafic with musc grains 5% , 630-645 chl bleu green ( torquise color, soft)	89	14539	0.00776	0.0007	0.00003
647	657	96	81	1	3	3	647-657 same high 35 % chl/musc rich, with chl in frax, at 655 one qrtz vein 50% hematite	91	14541	0.0074	0.0011	0.00007

<b>07-DDH-03</b>		Start 10/11/07			Finish 13/11/07		<b>Cow Trial Project B.C</b>						Core Size HQ				
E (NAD83 UTM) 609765					N 5809620		Driller - Atlas Drilling						Logged by M.Saghezchi				
Hole Survey		Depth	Az	Ang	<b>TD 657</b>		Start			Finish			Depth	Az	Ang		
		60 ft	55	45	EI 861 m		Depth	Az	Ang	Depth	Az	Ang	657 ft	55	45		
Depth (ft)							60 ft	55	45	657	55	45	Lab Acme				
From	To	%Rec	RQD	Rock	ChlEpi	Mag	Description						Rock Codes				
							Cased at 60 ft 60-87 Andesite, basalt, mafic phenocrysts clast with biotite as secondary mineral, str mag, fine ground mass with 5-10 % 1-2mm phenocrysts of biotite, cc vnlt 1 every 2cm, 1mm hem ,5 % of each frax hem altered,1% k alt.						1-Px alt chl bearing, high mag,andesitic angular clast MV				
													2-Green MV				
													3 Px alt chl bearing andesitic coarse grained MV				
													Sample #	Red tag	Cu %	Au g/t	Mo %
67	77	27	0	1	2	3											
77	87	80	22	1	2	3	87-97 1 qrtz vnlt every 5cm , mv dark green grey basalt. one 2mm layered vein at 90 with k alt, 2% 1-2mm hem red orange, chl in frax.						92	14542	0.0133	0.0015	9E-05
87	97	73	45	1	2	3	97-107 same unit at 105 couple of k alt vns 5 CA 1mm						93	14543	0.0133	0.0016	8E-05
							107 117 same unit lower veins, higher biotite(pyroxene altered chl?) 10-15 % at 116,a zone of high veins 115-116,veins cross cutting ,low k alt,lower hem,.01%						94	14544	0.013	0.0007	5E-05
97	107	86	39	1	2	3	117- 127Rock unit str H 7 , same unit 1 vein 1mm qrtz every 3cm, chl in frax, 5-10% biotite, few qrtz vns .5cm at 122 with pink k alt						95	14545	0.0122	0.0016	5E-05
107	117	100	63	1	2	3							96	14546	0.0176	0.0015	7E-05

117	127	100	43	1	2	3	127-137 at 130 str brecciation with qrtz veins cross cutting for 30 cm and k alt, increase in hem strains in ground mass, more brownish color , and k alt grains of feldspar? 1-2mm 1% 130-137 low veins, 1every 30 cm,less .1 mm,qrtz,hem and chl in frax.	97	14547	0.014	0.0019	7E-05
127	137	77	48	1	2	3		137-147 low recovery , low veins, 1every 10 cm	98	14548	0.0121	0.0032
137	147	73	18	1	2	3	147-157 at 150 str vein, milky qrtz, green white , low k alt, 150-157 increase in fine ground mass , hem altered to brownish color, qrtz veins 80-90CA 1mm-2mm every 10 cm,with 50 % k alt, chl and hem in frax.	99	14549	0.0122	0.0006	4E-05
147	157	98	74	1	2	3	157-177 lower vein content, 1 qrtz vein every 20 cm, 1-2mm , 50% k alt, highly frax, zone, hem and chl in frax, cc crystallization in 10 % frax, veins 30 - 40 CA	101	14551	0.0148	0.0021	6E-05
157	167	88	22	1	2	3	177-187 highly veined 1mm qrtz,cc veins every 2cm ave 30 CA chl in frax, lower bio 2-3 % chl in frax, k alt grains 1-2mm, from 177-180 2 %, ground mass more brownish color, (hem alt?) starting to move to fine grained dark green mv.	102	14552	0.0124	0.002	6E-05
167	177	105	39	1	2	3		103	14553	0.0128	0.0034	4E-05
177	187	98	79	1	2	3	187-197 transition zone, very fine grained ground mass, low bio, 1-2 %, 1mm cc,qrtz veins every 2 cm 40 CA 10 % veins with k alt, ground mass, dark green grey.	104	14554	0.012	0.002	4E-05
187	197	96	45	2	2	3	197-217 same as above at 200,202,209 30 cm zones of high brown colored hem (hard , dark brown , Albite alt?), at 209-217 lower veins , moving into mv, higher bio 3%, 1cc vein every 5 cm, chl in frax.	105	14555	0.0159	0.0042	6E-05
197	207	103	74	2	2	3	217-237 porphyritic mv, dark torquise blue green ground mass, high mag, low vein, 1mm cc vein every 20 cm, 1mm bio grains 15-20 %, 15-20 % mafic grains, loess .01 % hem brown, orange 1mm grains. To 227, 227-237 increase in grain size, 2-3mm of mafic minerals 5-10 % , 15-20 % bio , 2-3 % hem altered brown grains.	106	14556	0.0148	0.0028	8E-05

207	217	93	51	2	2	3
217	227	100	73	2	2	3
227	237	102	100	2	2	3
237	247	102	76	2	2	3
247	257	104	77	2	2	3
257	267	99	75	2	2	3
267	277	92	43	2	2	3
277	287	83	28	2	2	3
287	297	100	83	2	2	3
297	307	91	87	2	2	3
307	317	100	95	2	2	3

237-247 moving into very fine grained ground mass, dark green grey, 5-15% bio,2-3% black metallic sulphides, low vein, 1qrtz every 10 cm, 20 % with k alt, hem in frax, near 240 1-2mm crystals of bio 2-3 % and 2-3 % k alt brown grains

247-257 fine grained mv, with hem alt, ground mass, brownish green colored,,cc,qrtz veins 1mm every 5cm, 20 CA, 2-3 % bio, 1% 1-2mm hem alt grains (feldsp?,albite?)

257-267 fine grained mv, dark green grey with high 2% hem altered 4-5 mm grains

267-277 lower hem in ground mass, lower veins, 1cc every 10 cm, hem,chl in frax, one 10 cm hem alt zone at 275, hem stratitions.

277-287 possible fault zone, low veins, till 282, 282-287 blue green ground mass,5-10 % biotite (pyroxene alt to chl?) .01 % hem alt grains

287-297 coarsening grains to 2-3 mm grains ,10 % bio 1-2mm,,5 mm-2cm hem alt grains, brownish orange, high mag, few cc veins 20 CA, at 290, bluish brown colored ground mass ,290-297 homogenous grains size 1-2mm ,lower brown hem grains, 1%

297-307 homogenous grains size 1-2mm metav,low veins 1cc,qrt every 10 cm, 20 % with k alt

307-317 same as above, near 315-317 coarsening mafic grains, 3-4 mm with qrtz k alt veins every 5 cm, chl in frax, at 307 two k alt veins 2mm, 80 CA

107	14557	0.0126	0.0006	7E-05
108	14558	0.0088	0.0009	5E-05
109	14559	0.0124	0.0024	6E-05
111	14561	0.0101	0.0019	7E-05
112	14562	0.0122	0.0023	8E-05
113	14563	0.0083	0.001	5E-05
114	14564	0.0133	0.0023	6E-05
115	14565	0.0106	0.0014	7E-05
116	14566	0.0078	0.0017	4E-05
117	14567	0.0063	0.002	3E-05
118	14568	0.0072	0.0017	7E-05

317	327	100	72	2	2	3	317-337 fine grained homo ground mass 10 % bio, 1-2mm ,2% hem alt grains, 1-2mm, 5% mafic minerals 1-2mm, chl in frax, grains become very fine grained 1mm from 330-337 one 1cm qrtz veins at 333 with hem red orange alt 5CA , few veins one every 20 cm, 1mm, few with k alt	119	14569	0.0072	0.0016	4E-05
327	337	103	70	2	2	3	337-347 same fine grained MV, high frax zone, possible fault zone, at 343 one qrtz vein 1 cm, 30 CA with k alt and possible 1 % chlaco????, at rims, at 345, 10 cm zone of high hem alt ,increasing grains size near 347	121	14571	0.0076	0.0023	8E-05
337	347	102	56	2	2	3	347-357 hihg mag volcanoclastic MV,mafic minerals, 10 % 1-2 mm, chl in frax, 1cc vein every 30 cm , 20CA 80 % with hem/k alt?	122	14572	0.0081	0.0019	7E-05
347	357	104	79	3	2	3	357-367 a highly hem alt in ground mass, hem alt as bands 70 CA throughout, one highly hem alt vein 10CA 5mm at 360 and two 2cm banded similar veins at 363, hem in frax with chl	123	14573	0.01	0.0019	4E-05
357	367	102	83	3	2	3	367-377 MV, increasing grains size to 2mm-5mm, near 377 1cc vein every 20 cm, ground mass 10-15% bio 1-2mm, 3-5mm mafic grains, 5% epi , hem alt grains up to 1.5 cm 2% one 1cm qrtz vein with hem alt at 375	124	14574	0.0077	0.0005	6E-05
367	377	97	76	3	2	3	377-387 volcanoclastic MV, homo, 10-15% bio( alt pyroxene???) 5-10 % 3mm-1cm hem alt grains, 15-20 % mafic 1-2 mm, high mag, very few veins, some frax 1 every 20 cm, with chl in frax, low hem in ground mass	125	14575	0.0075	0.0017	3E-05
377	387	100	81	3	2	3	387-397 same as above , at 392 30 cm zone of hem alt grain (feld?????,albite?) with secondary bio and calcite grains.chl in frax	126	14576	0.0056	0.0016	5E-05
387	397	99	91	3	2	3	397-407 few veins , near 407 one 1cm layered qrtz vein with k alt, 90 CA, few similar veins present.	127	14577	0.0074	0.0022	5E-05



397	407	97	92	3	2	3	407-447 high mag, volcanoclastic MV, bio grains 1mm-5mm 10-20 % ,10-20 % mafic grains 2mm-2cm,2% 2mm-1cm hem alt grains, few veins, chl in frax, two hem alt veins at 440 and 443, hem in frax, decrease in H to 5	128	14578	0.0062	0.0031	5E-05
407	417	100	80	3	2	3	447-457 Volcano clastic MV, with porphyritic andesite clasts with bio as porphyroclasts. Increase in grain size of mafic clasts(andesite? Dark grey, black ground mass?) up to 4cm, with 15 % bio 2-3mm crystals in ground mass, lower hem alt grains 1%, few cc vein, two at 450 10cm apart 60CA and one 1cm at 452 with k alt 60 CA, high epi content up to 5% chl in frax	129	14579	0.0075	0.0038	5E-05
417	427	104	96	3	2	3		131	14581	0.0079	0.0032	9E-05
427	437	102	93	3	2	3		132	14582	0.0086	0.001	6E-05
437	447	103	92	3	2	3		133	14583	0.0097	0.0011	4E-05
447	457	100	98	3	3	3		134	14584	0.0085	0.0037	5E-05
457	467	99	92	3	3	3		135	14585	0.0079	0.0011	3E-05
467	477	102	102	3	3	3		136	14586	0.0088	0.0025	5E-05
477	487	92	83	3	2	3		137	14587	0.0089	0.0036	4E-05
487	497	105	84	3	2	3	477-487 up to 40 % mafic clasts pophyritic andesite with bio secondary ,two 5mm cc veins with partially hem alt at 482,40CA, chl in frax.	138	14588	0.0101	0.0018	3E-05
497	507	102	89	3	2	3	487-497 at 494 two hem alt qrtz veins 10CA 1-3mm small veins near them	139	14589	0.0083	0.0022	5E-05
507	517	103	91	3	2	3	497-507 497-500 pophyritic andesite ,dark mafic ground mass, with 15% bio grains 1-2mm,at500 a hem alt clast(albite???) 30cm with calcite crystals 5% and 15%bio,500-507 10% mafic porphyritic clast ave 5 cm, at 504 one 10 cm hem alt clast, dark brown red, with calcite and bio.	141	14591	0.0106	0.0023	6E-05
517	527	102	93	3	2	3		142	14592	0.0089	0.0036	5E-05

527	537	103	96	3	2	3
537	547	102	67	3	2	3
547	557	98	95	3	2	3
557	567	100	95	3	2	3
567	577	102	84	3	2	3
577	587	103	98	3	2	3
587	597	100	89	3	3	3
597	607	102	93	3	3	3
607	617	100	100	3	3	3
617	627	100	100	3	2	3
627	637	98	90	3	2	3

507-557 volcanoclastic MV, with porphyritic andesite with bio,10% clast of andesite with bio, 1% small grains up to 5mm of hem alt, 10-15 % bio(pyroxene alt to chl?) chl in frax, mag grains 1mm visible, 1cc vein 1mm every 1m

557-567 fine grained matrix, 1mm bio 15-20% ,2% hem alt 2mm grains, 30-40 % mafic grains 1mm, and 5% over 3cm mafic clast with secondary bio, hem in frax with chl, few cc veins 1mm at 557 with hem alt.

567-587 approaching 584 10 cm mafic pophyritic clast with bio secondary, chl in frax, 1cc vein every 1m , one 1cm hem alt vein 80 CA at 584

587-617 coarsening the grade, 1mm visible mag grains 10-15 % , 10-15 % mafic grains less 1mm, few veins ,one 3mm 80CA vein at 590 , increase in epicontent, 590-597 5-10 cm mafic clasts with secondary bio, at 593 one cc vein 70 CA with low hem 2mm, chl in frax, 597-617 similar zone , less 1 % hem alt grains, at610 one qrtz vein 85 CA 5mm with red orange hem alt, similar vein at 615.

617-627 decrease in clast size more veins, at 620 4 scattered qrtz veins hem alt, 80 CA 2mm, similar veins at 621,622,623,625,626,at 625 two 1 cm veins

627-637 lower mafic clast, one qrtz vein 2mm every 1m with hem alt, near 637 six or seven scattered hem alt veins at 75CA

143	14593	0.006	0.0017	6E-05
144	14594	0.0083	0.0022	3E-05
145	14595	0.0073	0.0012	4E-05
146	14596	0.0089	0.002	2E-05
147	14597	0.0097	0.0025	7E-05
148	14598	0.0102	0.0019	4E-05
149	14599	0.0094	0.002	6E-05
151	10601	0.0091	0.0011	4E-05
152	10602	0.0086	0.0018	4E-05
153	10603	0.0054	0.0012	3E-05
154	10604	0.0056	0.0014	4E-05

637	647	102	99	3	2	3	637-657 lower over 3 cm mafic clast, homo ground mass, hem in frax with chl, higher mafic ground mass 45%. 1 hem alt vein red orange every 20 cm, at 645 10 cm zone of 85 CA hem alt veins, similar zone at 655. end of the hole at 657 200 m	155	10605	0.0069	0.0008	3E-05
647	657	95	70	3	2	3		156	10606	0.0069	0.0014	3E-05

<b>07-DDH-04</b>		Started 22/10/07			Finished 22/10/07		<b>Cow Trial Project B.C</b>						Core Size HQ						
E (NAD83 UTM) 608803 E				N 5810116				Driller - Atlas Drilling						Logged by M.Saghezchi					
Hole Survey		Depth	Az	Ang	<b>TD 657 ft</b>			Start			Finish			Depth		Az	Ang		
		70 ft	55	45	EI 847 m			Depth		Az	Ang	Depth		Az	Ang	657 55 45			
Depth (ft)								70ft		55	45	657		55	45.2	Lab Acme			
From	To	%Rec	RQD	Rock	Chl	Mag	Description						Rockcodes						
70	77						70-77 Dark green,metavolc,fine grained,small K-alt at 73 and 74,,increasing mafic minerals to 77,,pyrite 2-3 % fine graines scattered , mod mag,chl in frax  77-87 few visible Grains of K-spar alt, pyrite lower, less 1%,chl dominant,epi in frax and near veins,cc 90 CA 1mm to 3mm every 5cm, dark green with more dark green hard, fine grained minerals,						1 Basalt						
													2 K-Altered Monzonite						
													3 Green Meta Volcanic						
													4 Dark biege micro diorite						
													5 Porphyritic andesite						
							Sample #	Red tags	Cu %	Au g/t	Mo %								
							1003	14353	0.0136	0.0094	0.00008								
77	87	81	50	3	2	1						1004	14354	0.0098	0.0069	0.00007			
87	97	85	40	3	2	1							1005	14355	0.0098	0.0043	0.00008		

97	107	88	28	3	2	1	87-97 Fine grained dark green meta volc, pyrite in frad 1% ,cc veins and qrts veins 2mm thick every 3 cm, k-alt in frac and inside near veins, poss tourmaline crystals in veins and near frax, hard (H 7.5), light green, chl,epi in frax,	1006	14356	0.0089	0.0055	0.00005
107	117	90	40	3	2	1	97-107 Meta volcanic, less cc vns, 1 in 5 cm, vns of cc and qrts with poss soft(h4.5) dark gray sulphides, couple of zones of k Alt, chl in frax, mod magnetic,, tourmaline 1% ??. Very low pyrite.	1007	14357	0.0107	0.0032	0.00012
117	127	98	79	3	2	1	107-117 dark green meta volc, fine grained , veins qrts and cc every 1 cm, Dark red orange hematite in few veins?,(cuprite???) ilmentie in frax?, low pyrite less 1 %	1008	14358	0.0162	0.003	0.00026
127	137	100	80	3	2	1	117-127 increasing pyrite in frax, almost dominant 2- 3 % total, lower cc-qrts veins, few hematite(cuprite ?) in frax,mod mag, finer grain, more epi dominant 60 % in fine grains, very few k-alt in small grains, very small chalc, .01%	1009	14359	0.0117	0.0031	0.00029
137	147	100	55	4	2	1	127-137 Dark, green meta volc, fine grained, low cc,qtz vein, pyrite in veins 2mm thick going across at 20 CA in 135 concentrated near 1mm thick k-alt veins, mag and hematite low.	1010	14360	0.0122	0.0022	0.00037
147	157	94	45	4	2	1	137-157 micro diorite, fining grains, dark,beige,green zone, with small 1mm veins every 3cm,50 % of the veins with k-alt lower pyrite content, 1% till152, a zone of pyritization, with hematite and illmenite?? Over 30 % pyrite at the zone.	1011	14361	0.036	0.0046	0.00325
157	167	95	68	4	1	1	157-167 fine grained micro diorite, 1mmveins every 3cm, muscovite? In 1-2mm grains abundant, at 160 ,164 zones of strong pyritization around 7 % and overall 1-3 % pyrite, less 1 % possible chalco, hematite(cuprtie?) in frax few in overall, few veins .01% with k alt, illmenite in frax	1012	14362	0.0268	0.0065	0.00064
167	177	98	66	4	2	1	167-177 strong zone of pyritization, 5% hematiet at 170-175 (cuprite?) in zones 1 cm dark orange, and at 156 a zone of k-alt with cc veins illmenite in frax, at 177 another zone of high pyritization and k alt in cc veins at around 10-20 CA.	1013	14363	0.0239	0.0034	0.00009

177	187	98	67	5	1	2	<p>177-187 Dark green grey, fine grained andesite with epi porphyroclast , starting 177-182 grains fining epi porphyroclasts 20 %, 1-3mm, pyrite less 1% veins cc every 10 cm, 20 CA small zone of k-alt at 183 3cm by 2cm.</p> <p>187-207 Green biege micro diorite, siliceous, a zone of kalt, biotite grains less 1mm abundant 1-5 % pyrite low, epi chl. Ciens in some part with k-alt1 every 10 cm, epi concentration higher.</p> <p>202- a zone of k alt in veins 5-7every 10 cm.</p> <p>207-217 dark green meta volc, increasing in pyritization in veins at 210 , a zone of possible mix or brecciation, pyrite in frax 100 % and overall 3-5 % veins cc cross cutting, bitotie and feld present at 214, fine grained low veins , biotite 7 % at 216 a zone of k alt veins 30 cm long.</p> <p>217-237 dark green biotite rich meta volc, bioti 10 % veins of cc at 330 abundant, with some low k alt . The zone continuous to 233 the epi content increases, fine dark with porphyclast, epi 2mm to 240, illmenite in frax.</p> <p>240-260 dark green biotite rich zone with high epi from 260-267 fining grains, veins of cc and klat 1 every 10 cm.</p> <p>267-277 starting 267 more biotite, some hematite present in veins (cuprite?) and frax a zone of possible shear, veins of k alt going across at 270-277, 275 pyrite in frax less 1 %</p> <p>277-287 a zone of fine grain epi bitotie scattered veins of cc abundant, possible layer of illeminite, (dark black layers 90 CA) pyrite more near veins up to 2%</p>	1014	14364	0.0175	0.0028	0.00011
187	197	93	52	4	2	2		1015	14365	0.0205	0.0036	0.00022
197	207	100	69	4	2	2		1016	14366	0.0079	0.0037	0.00006
207	217	98	74	3	2	2		1017	14367	0.0164	0.0029	0.00016
217	227	99	86	5	2	2		1018	14368	0.0113	0.005	0.00025
227	237	98	60	3	2	2		1019	14369	0.0153	0.0049	0.00015
237	247	98	70	3	2	2		1020	14370	0.0158	0.0056	0.0001
247	257	96	53	3	2	2		1021	14371	0.0236	0.0062	0.00008
257	267	100	72	3	2	2		1022	14372	0.0132	0.0056	0.0001

267	277	98	68	3	2	2
277	287	99	79		2	2
287	297	98	52	5	2	2
297	307	96	83	5	2	2
307	317	99	72	3	1	3
317	327	97	46	3	2	3
327	337	100	80	3	2	3
337	347	100	90	4	2	2
347	357	100	86	3	2	2
357	367	100	86	4	2	2
367	377	89	54	3	2	2

287-307 at 287 to 290 zone of k alt in veins scattered 1 to 2 cm low pyrite 1 % the zone starts to move toward epi porphyriclasts, black fine grained andesite with epi clasts, chl in frax, low pyrite ,small 1mm cc veins every 2 cm, 1 % k alt in veins , some biotite, near 305 gradational change to fin grained meta volcanic 2- 3 % pyrite more in frax.

307-337 strongly magnetic, possible shear zone, 307-310, bitotie medium grey-green volcanic, abundant biotite,, highly veined , low pyrite, chl in frax, 310-337 small 4 veins of k alt every 10 cm vein of cc 1 every 4 cm, 3 % pyrite.

337-347 337-340 highly k alt veined zone , Hematite ( cuprite?) in frax, mod mag, chl in frax, yellowish green grey, the zone continuous to 340 then back to regular micro diorite, mod mag, he veins of cc with k alt scattered 1 every 2 cm, 1 to 3 mm

347-367 dark green meta volc, k alt at veins, pyrite less 1% less .01 chalco in veins, veins 10 CA every 10 cm, 1mm to 1 cm, cc in nature, near 355 a zone of micro diorite beige , green, k alt highly veined , hematite ( cuprite?) in veins,.1 % chl in frax, the zone continues to 367 but gradational change to dark green meta volc.

367-377 possible fault zone

1023	14373	0.0104	0.0077	0.00011
1024	14374	0.015	0.0059	0.00025
1025	14375	0.0156	0.0038	0.00015
1026	14376	0.0167	0.0031	0.00017
1027	14377	0.0142	0.0033	0.0009
1028	14378	0.0108	0.0052	0.00018
1029	14379	0.0118	0.005	0.00017
1030	14380	0.01	0.0048	0.00015
1031	14381	0.0122	0.0032	0.00024
1032	14382	0.0125	0.0095	0.00031
1033	14383	0.0134	0.0037	0.00056

377	387	95	70	4	2	2	<p>377-387 A gradational change to MV higher pyrite content 2% at 385 the zone changes to beige green micro diorite, 2- 3% pyrite , highly veined to 389 back to green meta volcanic, at 392 z zone of silification highly veined of cc and qtz to 397 , Hematite ( cuprite?) in veins, illmenite/chl in frax, in some parts solution of fine grained green with dark green porphyroblast of 1mm epi.</p>	1034	14384	0.0136	0.0055	0.00042	
387	397	98	90	4	2	1		<p>397-422 a zone of mixture between green volcanic and beige green micro diorite, cc veins common scattered 1mm-1cm at 399 to 401 a qtz vein 1 cm to 2 cm with sulphides and Hematite (cuprite?) 401-407 possible faulting chl in frax, fine grained 1-2 % pyrite low mag,407-422 a zone of micro diorite 2-3 % pyrite at 415 2 veins of 2 mm of Hematite( cuprite ) 20 CA going for 60 cm, at 419 a vein of 1mm of hematite(cuprite ) going for 35 cm, smallest veins of same nature. At 420 qtz veins 2cm thick 20 CA common to 422 with chl and possible dark grey sulphides.</p>	1035	14385	0.0116	0.0225	0.00017
397	407	94	49	4	2	1			1036	14386	0.0076	0.0335	0.00016
407	417	95	64	4	2	1			1037	14387	0.0122	0.0133	0.00021
417	427	97	80	4	2	1			1038	14388	0.0077	0.0282	0.00011
427	437	99	76		2	2	1039		14389	0.0125	0.013	0.00027	
437	447	96	70	3	2	2	<p>422- 435 a zone of mixture between green meta volc and micro diorite, pyrite 1-2 m 5% to 435 cc veins scattered 1 every 1cm</p> <p>435- 497 a zone of high stress, frax, and vein less 1mm every .5 cm, k alt minimal, at 439 2 veins of kalt and qtz veins of 2 mm. Red orange hematite( cuprite?) in frax, with chl in frax, at 440 a zone of 1cm, pyritization in veins 10 cm long 15 CA, 447 a zone of cc veins 1-2 cm in 30 cm breacciation, pyrite 2-3 % pyrite, k alt in cc qtz at 485, bitotie fine grained throughout., 487, micro diorite, sheared with chl in frax, and vns 30 cm long , at 495 a kalt vein 1 cm thick 120 CA with pyrite at rims, in 30 cm long. veins cc 1 cm every 10 cm with k alt.</p>	1040	14390	0.0131	0.0041	0.00036	
447	457	97	43	3	2	2		1041	14391	0.0107	0.0016	0.00039	

457	467	96	69	3	2	2
467	477	93	74	3	2	2
477	487	98	81	3	2	2
487	497	94	78	4	2	2
497	507	95	57	4	2	2
507	517	78	18	4	2	2
517	527	98	61	4	2	1
527	537	92	40	4	2	1
537	547	95	69	4	2	1
547	557	92	64	4	2	2
557	567	93	58	3	2	2
567	577	98	78			
577	587	99	73	3	2	2
587	597	100	87	3	2	2
597	607	98	91	3	2	2
607	617	98	64	4	2	1
617	627	98	85	4	2	2
627	637	100	91	4	2	1

497-507 same Micro diorite zone, with less 1% pyrite mod stressed, veins every 1 cm.  
 507-550 from 507 micro diorite with biotite and 1% pyrite , chl in frax, 509 to 517 possible fault zone wins of cc 1mm every 2 cm , some with k alt, mod mag starting 540 increase in pyritization in frax 5% total to 547 finer grain dark green, volcanic , ground mass 50% pyrite one zone of 2 cm by 2cm of red orange hematite( cuprite?) and small zone of it 1% hematite till 550.

607-617 beige green micro diorite 1 qrtz vein every 2 cm, 2 % pyrite, hematite and chl in frax, near 617 low k alt veins 80 CA  
 617-627 highly veined beige green microdiorite, near 620 zone of mix of epidotic veins and k alt veins , pyrite 2-3 % near 624 a mix of layered vein with red orange hematite ( cuprite?) in 30 cm lon 10 CA qrtz vein  
 627-637 same as above greener epidote and a vein similar to 620 for 40 cm, hematite more common.

1042	14392	0.0103	0.0019	0.00038
1043	14393	0.016	0.0032	0.0004
1044	14394	0.0112	0.0032	0.00036
1045	14395	0.013	0.0052	0.00031
1046	14396	0.01	0.003	0.00025
1047	14397	0.0058	0.0023	0.00018
1048	14398	0.0046	0.0029	0.00018
1049	14399	0.0079	0.0088	0.00017
1050	14400	0.0187	0.0141	0.00036
1051	14201	0.0781	0.0919	0.00116
1052	14202	0.013	0.0037	0.00033
1053	14203	0.016	0.0049	0.00023
1054	14204	0.0178	0.0022	0.00013
1055	14205	0.0112	0.0013	0.00012
1056	14206	0.0146	0.0038	0.00033
1057	14207	0.0128	0.0031	0.0007
1058	14208	0.0139	0.0025	0.00021
1059	14209	0.0142	0.0011	0.00022



637	647	100	93	3	3	3	637-657 gradational change to green meta volcanic, 637-647 a zone of brecciation epi content high 40% with 1 % tourmaline ( mistaken with biotite???) crystals and 3% biotite strongly mag 1-3 % pyrite then decrease fine grained lee mag low vein 1% till the end.	1060	14210	0.0119	0.0005	0.00012
647	657	98	93	3	2	1		1061	14211	0.0139	0.0028	0.00016

<b>07-DDH-05</b> Started 22/10/07 Finished 22/10/07							<b>Cow Trial Project B.C</b>						Core Size HQ												
E (NAD83 UTM) 0608177							N 5810238							Driller - Atlas Drilling					Logged by M.Saghezchi						
Hole Survey							Depth Az Ang TD 737 ft							Start Finish							Depth Az Ang				
210 ft							55 45 EI 804 m							Depth Az Ang Depth Az Ang							737 55 45				
Depth (ft)							210 55 45							737 55 45							Lab Acme				
From	To	%Rec	RQD%	Rock	ChlEpi	Mag	Description										Rock Codes								
							210 feet of overburden										1 Basalt								
							Cased at 210										2 K-Altered Monzonite								
							217-227 weak pyrite weak Chalco, Hematite oxidation Qtz vnlts and epi in qrts vnlts @90 Ca										3 Green Meta Volcanic								
217	227	62	28	1	1	0	227-247 at 230 k-alt monz, 1-3 %pyrite, str hematite, mod sericite,										sample#	Red tag	Cu %	Au g/t	Mo %				
227	237	88	48	2	2	0	247-257 end of K monz, low hem, epi alt, 1-3 % Pyrite near vns and 2mm zones, some N-Cu										951	14301	0.0039	0.0006	5E-05				
237	247	87	37	2	2	0	qtz abd CC in vnl dff angle ave 40 CA										952	14302	0.0047	0.0021	0.0001				
247	257	80	25	1	1	0	267-277 in some parts 1- 3 % pyrite, low chalco, low vns										953	14303	0.0053	0.0021	0.0002				
257	267	84	37	1	1	0											954	14304	0.0037	0.0018	0.0002				
267	277	53	10	1	1	0											955	14305	0.0038	0.0005	8E-05				
																	956	14306	0.0052	0.0008	0.0001				

277	287	58	0	1	2	0	287-297 str hematite, chl in frax, CC veins 5 every 10 cm	957	14307	0.0057	0.0013	0.0002		
287	297	98	34	1	1	1		297-317 chl altered same zone	958	14308	0.0034	0.0015	5E-05	
297	307	88	51	1	1	2		317-337 possible fault at 320 low hem, low pyrite zones	959	14309	0.0035	0.0017	0.0001	
307	317	88	43	1	1	0			960	14310	0.0019	0.001	9E-05	
317	327	41	3	1	1	0			961	14311	0.0038	0.001	4E-05	
327	337	79	19	1	1	1			962	14312	0.0076	0.0005	0.0006	
337	347	94	18	2	2	2		337-347 Increasing epi alt,K-alt epi some times in vns and frax some hem, low pyrite	963	14313	0.0066	0.0005	0.0001	
347	357	84	30	2	2	2			at 340 the K mon zone some tour , some mag	964	14314	0.006	0.0024	0.0002
357	367	61	16	2	2	2			347-357 weak chalco disseminated	965	14315	0.0054	0.0015	0.0001
367	377	83	20	2	2	2		357-367 weak N cu,Epi chl alt,weak pyrite zones.hematite in Frax	966	14316	0.0061	0.0009	0.0002	
377	387	92	37	2	2	2	367-387 possible fault zone increasing changing to basalt zone, finer grain. Angular clast present of spars		967	14317	0.0062	0.0011	0.0001	
387	397	80	18	2	2	2	Epidote sometimes forms along rims of the clasts.	968	14318	0.0048	0.001	0.0001		
397	407	83	28	3	3	1		387-397 mod hematite, weak chalco, weak pyrite	969	14319	0.0044	0.0035	0.0002	
407	417	79	12	3	3	1	397- 407 Green meta volcanic at 400 ,fault contact, brecciate at the zone cc vnlts at 35 CA	970	14320	0.0124	0.0321	0.0002		
417	427	93	16	1	2	1		pyrite concentration along frax low mag, and tourmaline.	971	14321	0.0081	0.0023	0.0003	
427	437	90	19	1	2	1	407-417 1-2 % pyrite some chalc,gradtional change to basalt some pyrite and chalc at cc veins	972	14322	0.0055	0.0006	0.0001		
437	447	95	40	1	2	1		417-427 small zones of pyrite 2 mm 3% abundant, epidote forms in cc vnlts 1 mm long 6 in 20 cm	973	14323	0.005	0.0005	0.0001	
447	457	93	54	1	2	1	427-437 chl alt, chl forms in frax planes, ow vnts 1-2 % pyrite contc in vnlts epi low only in or near vns	974	14324	0.0062	0.0015	0.0001		
457	467	76	42	1	2	1		437-467 pyrite concentrated in planes, sometimes consuming the hole vnlts, 10 every 40 cm vns,	975	14325	0.0054	0.001	0.0002	
467	477	85	49	1	2	1	Pyrite abundant 3 % vns 1 mm thick on average. pyrite near epidotic veins	976	14326	0.0034	0.0006	0.0003		
477	487	87	52	3	3	1		977	14327	0.0035	0.0217	7E-05		

487	497	93	33	3	3	1		978	14328	0.0044	0.0102	4E-05
497	507	97	71	3	3	1	467-477 basalt changing to meta volcanic at contact, 30 @ CA pyrite concentration up to 5% epi low tour low	979	14329	0.0013	0.007	3E-05
507	517	94	65	3	3	1		980	14330	0.0014	0.008	3E-05
517	527	89	24	3	3	1		981	14331	0.0017	0.0064	3E-05
527	537	82	16	3	3	1	477-497 1-2 mm phenocryst of plag-feld 2-4\$ pyrite eipidote in vns and clast epi abundant,serictie???	982	14332	0.0024	0.0041	4E-05
537	547	73	18	3	3	1		983	14333	0.0038	0.0031	3E-05
							497-527 1-2 % pyrites near 520 K spar alt increasing weak hematite, some illmenite at frax? At 517					
547	557	83	38	3	3	1		984	14334	0.0079	0.0005	7E-05
							a zone of epi concentration with higher pyrite content, at 523 a zone of fine grained epi with some kspar					
557	567	81	8	3	3	1		985	14335	0.0029	0.0039	4E-05
567	577	81	16	3	3	1	986	14336	0.0006	0.0005	3E-05	
							527-567 the zone of kspar alt cont to 535 then decreases, epi alt pyrite 3% chalc?1 %					
577	587	87	65	3	3	1		987	14337	0.0008	0.0005	5E-05
587	597	83	26	3	3	1	988	14338	0.0025	0.0005	6E-05	
							567-577 chl in frax, phenocryst size start to increase, looks breccia, 3mm size,1-2% pyrite.no hem,illmenite					
597	607	90	23	3	3	1		989	14339	0.0013	0.0021	3E-05
							577-617 the size of phenocryst increase substantially to few cm, 50 % of mass angular					
607	617	94	48	3	3	1		990	14340	0.0008	0.0017	4E-05
							chl,epi,cc at same veins forming vnls of epi every 50 cm at 600 a zone of possible phenocryst of					
617	627	93	60	3	3	1		991	14341	0.0054	0.0063	5E-05
627	637	89	28	3	3	1	plag altered k alt, with 3% pyrite, cc vnlt 35 @CA	992	14342	0.0042	0.005	0.0002
637	647	96	28	3	3	1		993	14343	0.0028	0.0062	9E-05
							617-627 at 629 a zone of cc vnlt 35 @ CA 1 every 10 cm					
647	657	90	41	3	3	1		994	14344	0.0028	0.0014	0.0001
							627-647 1-2 % pyrite strong zone of shearing at 630 to 640 more alt, fine grained 2-3 pyrite abundant cc vns					
657	667	87	28	3	3	1		995	14345	0.0032	0.0029	6E-05

667	677	93	42	3	3	1	cross cutting less phenocryst, chl in fraxm pyrite in fra, 640-647 starts coarsening epidote phenocrysts vns, less abundant some possible chlco pyrite ? 1 % 647-657 brecciated ,starting of a shear zone chl abundant, cc vns abundant, average 90 CA graphite in frax, pyrite in frax up to 5 % 657- 667 possible fault zone at 659 at 693 increasing maic minerals, cc vns 30 @ CA vns 2mm thick every 10 cm, some pyrite 2% more concentrated in vns 697-737 at 697 a zone of brecciation and possible fault , the unit start finer grain and moves to basalt, at the the zone high 3-4% pyrite content., basalt unit with low mag,illm,ch epi	996	14346	0.0013	0.0019	4E-05
677	687	91	46	3	3	1		997	14347	0.0011	0.0005	3E-05
687	697	99	57	3	3	1		998	14348	0.0045	0.0005	3E-05
697	707	79	29	3	3	1		999	14349	0.0078	0.0005	0.0002
707	717	99	48	1	1	1		1000	14350	0.0118	0.01	0.0001
717	727	89	55	1	1	1		1001	14351	0.0125	0.0154	0.0001
727	737	80	28	1	1	1		1002	14352	0.0054	0.0017	0.0001

<b>07-DDH-06</b>		Started 22/10/07		Finish 22/22/07		<b>Cowtrial Project B.C</b>					Core Size HQ				
E (NAD83 UTM) 0608442		N 5810821		Driller - Atlas Drilling					Logged by M.Saghezchi						
Hole Survey		Depth	Az	Ang	<b>TD 657</b>		Start		Finish			Depth	Az	Ang	
		10	55	45	El 847 m		Depth	Az	Ang	Depth	Az	Ang	657	55	45
Depth (ft)							10	55	45	657	55	45	Lab ACME		
From	To	%Rec	RQD	Rock	ChlEpi	Mag	Description					Rock Codes			
							Cased at 10 ft 10-17 green meta volcanic with 5-10 % 1-2mm px alt to chl, at 15 10 cm of qrtz in between 1-3 cm porphyritic andesite clasts, with hem /k alt 3 % of the zone is qrtz					Px alt chl bearing high mag angular clast			
												1 MV			
												2 Porphyritic Andesite			
												3 K-alt Monzonite			
							Sample #	Red tag	Cu %	Au g/t	Mo %				
10	17	55	52	1	2	3									

17	27	100	88	1	2	3	17-27 fine grained dark green matrix, 5 % sub rounded porphyritic andesite clasts at 22 a layered qrtz vein 2cm with 1 % hem/k alt 30 CA, H7 , High mag	226	10676	0.0145	0.0013	0.0001
27	37	102	98	1	2	3	27-67 sub rounded clasts of porphhyritic dark green grey andesite, with 5 % 1-2mm px alt to chl, at 30-35 hem alt 5% between clasts, brownish colorgournd mass, 1% less 1mm visible mag grains, at 43 10cm zone of 5% qrtz between clasts with hem pink color alt, couple of brown red colored 2mm qrtz veins at 58 , 40CA. Overall low vein or sulphides ,from 60-67 higher over 5cm porphyritic andesite clasts becoming more homogenous MV, chl in frax.	227	10677	0.0147	0.0015	0.0001
37	47	100	100	1	2	3		228	10678	0.0139	0.0025	0.0001
47	57	100	100	1	2	3		229	10679	0.015	0.0016	0.0001
57	67	102	99	1	2	3		231	10681	0.014	0.0018	0.0001
67	77	100	93	1	2	3		232	10682	0.0147	0.0023	0.0001
77	87	100	91	1	2	3	77-87 similar to above 83-87 hem alt in ground mass, brownish color, with 3-4 1cm qrtz blabs with pink hem alt.	233	10683	0.0138	0.0016	0.0001
87	97	100	93	2	2	3	87-117 decrease in clast size, entering a zone at 92 similar to porpyritic andesite , dark green grey, silicious,with 5-10 % px alt to chl, chl in frax, low vein, less 1mm,less 1%,visible mag grains. the zone cont to 120.107-110 more siliceous.	234	10684	0.0136	0.002	0.0001
97	107	100	99	2	2	3		235	10685	0.0141	0.0007	0.0001
107	117	99	93	2	2	3		236	10686	0.0176	0.0024	0.0002
117	127	100	100	2	2	3		237	10687	0.0161	0.0024	0.0001
127	137	100	100	1	2	3	120-137 volcanoclastic, MV, sub rounded clasts of same rock, 1cm,4cm.5-10 % 1-2mm px alt to chl ,groundmass very fine grained green blue, at130 one 1cm hem alt qrtz vein 30 CA, small blabs of 1-2mm qrtz with hem alt scattered.	238	10688	0.0163	0.0025	0.0002

137	147	100	98	2	2	3	137-150 dark green grey, porphyritic andesite, at 142 small zone of 10 cm with scattered qrtz veins 10 % pink hem alt.	239	10689	0.0161	0.0017	0.0001
147	157	100	98	2	2	3	150-160 back to volcano clastic mv,150-157 small 1mm qrtz in between grains, 1% with 10 % pink hem alt, 157-160 clast size reduction to 1-2cm , moving into porphyritic andesite.	241	10691	0.0168	0.0028	0.0002
157	167	99	94		2	3	160-167 porphyritic andesite , one 1mm qrtz vein No alt every 30 cm.	242	10692	0.0158	0.0016	0.0001
167	177	103	102	1	2	3	167-177 moving into volcanoclastic MV at170 1cm by 2cm qrtz blabs with 5% pink k/hem alt.few .5cm by .5cm similar zone at 173 ,one 1mm qrtz no alt every 2cm between grains.	243	10693	0.0159	0.0019	0.0001
177	187	99	94	1	2	3	177-187 volcanoclastic MV at 180 10cm of 1mm qrtz vein 3 or 4 scattered with 50 % pink alt /hem alt.	244	10694	0.0172	0.0013	0.0001
187	197	103	95	2	2	3	187-217 porphyritic andesite , dark green grey ground mass 5-10 % px alt to chl,1-2mm and 2 % visible mag grains less 1mm.hem (dust brown) in frax, low vein ,one 1mm qrtz vein every 50 cm,chl in frax, small zones of volcanoclastic at 200 .one 5mm qrtz vein 30CA with hem alt.	245	10695	0.0167	0.0025	0.0001
197	207	100	97	2	2	3		246	10696	0.016	0.0025	0.0001
207	217	98	94	2	2	3		247	10697	0.0167	0.0019	0.0001
217	227	103	88	1	2	3	217-227 Moving into volcanoclastic with 10 % andesitic volcanic clasts 1cm-3cm, a qrtz blab at 223 with 10 % hem alt at rims.1cm by 3cm.	248	10698	0.0156	0.0041	0.0001
227	237	105	105	1	2	3	227-237 mixture more andesitic from 227-237 at 235 and 236 10cm zone of qrtz between clasts 1cm by 2cm with 50% hem alt.	249	10699	0.0177	0.0035	0.0002
237	247	100	90	1	2	3	237-247 same as above ,qrtz in between frax, at 240,243,244,246 1cm by 2cm 60 % hem pink alt	251	10701	0.0146	0.003	0.0001
247	257	99	93	1	2	3	247-257 volcanoclastic MV, from 350-353 1% qrtz between clast 10 % hem alt.	252	10702	0.0152	0.0026	0.0001

257	267	100	83	1	2	3	257-287 volcanoclastic MV, chl in frax, and 1cm-4cm andsitic clasts, low vein, high frax zone at 270-277 with 2% qtz in between frax, 5% hem alt, chl in frax, high mag, 277-287 one qtz vein zone between frax, 1cm by 2cm, every 5cm, with 30% pink hem alt, hem and chl in frax, dark green grey ground mass.	253	10703	0.0163	0.0028	0.0001
267	277	103	86	1	2	3		254	10704	0.0218	0.0026	0.0002
277	287	100	99	1	2	3	287-297 volcanoclastic MV, low vein, 30% porphyritic andesite clasts, 1-5cm.	255	10705	0.0171	0.0025	0.0002
287	297	100	90	1	2	3		256	10706	0.0156	0.0035	0.0002
297	307	100	95	1	2	3	297-307 one qtz concentration between clasts 1cm-3cm every 10cm with 30% hem/kalt. Pink.	257	10707	0.0144	0.0031	0.0002
307	317	100	93	1	2	3		258	10708	0.0175	0.0035	0.0001
317	327	98	83	1	3	3	307-317 volcanoclastic MV, 3 or 4 1cm by 1cm qtz in between clasts with 50% pink hem alt at 310.  317-327 increase in epi in ground mass, 1 qtz vein 20CA 1mm every 5cm, one 5mm by 5mm qtz [] between clasts with 60% pink hem alt every 30cm.	259	10709	0.0173	0.0055	0.0002
327	337	105	95	2	2	3		261	10711	0.0159	0.0036	0.0002
337	347	100	57	2	2	3	327-352 mixture between porphyritic andesite and volcanoclastic, chl in frax, at 335 10cm by 20cm of 2% qtz [] in between clasts, 70% hem k alt. 340-352 porphyritic andesite with 10-15% 1-3mm epi crystals and 5-10% px alt to chl crystals. high mag, H6.5 chl and hem in frax. 1 qtz vein 1mm every 20cm with 10% pink brown hem alt	262	10712	0.0129	0.0029	0.0001
347	357	102	83	2	2	3		263	10713	0.0139	0.0027	6E-05
357	367	102	90	2	2	3	352-370 porphyritic andesite, 1 qtz vein less .1mm every 10cm low alt, 70-80 CA  370--380 possible fault zone, near 377 2cm of 1% qtz vein 1cm 50% pink hem alt.	264	10714	0.0153	0.0031	0.0001
367	377	94	47	2	2	3		265	10715	0.0157	0.0005	0.0001
							380-390 porphyritic andesite smaller px alt to chl less 1mm 10%. at 380 20cm of layered qtz vein low alt, 2% hem pink k alt, low sulphides.					

377	387	99	76	2	3	3	390-397 possible fault zone, hem and chl in frax.	266	10716	0.0147	0.0024	0.0002	
387	397	96	40	2	2	3		397-407 one qrtz vein 1mm every 5cm 30CA, hem and chl in frax, lighter ground mass to green gray porphyritic andesite increase in H to 7,less 1% 1mm visible mag grains 5-10 % less 1mm px alt to chl	267	10717	0.0142	0.0005	8E-05
397	407	101	84	2	2	3		407-467 green grey porphyritic andesite, one qrtz vein less one mm every 10cm, low alt. from 407-417 less .1% 1mm hem alt grains, chl in frax, 5-10 % less 1mm px alt chl . Less 1%less 1mm visible mag grains. At 433-435 qrtz vein 1cm going through 5CA low alt.	268	10718	0.0157	0.0019	9E-05
407	417	102	96	2	2	3			269	10719	0.0151	0.0017	0.0001
417	427	98	98	2	2	3			271	10721	0.0165	0.0026	0.0001
427	437	100	100	2	2	3			272	10722	0.0143	0.0017	5E-05
437	447	103	98	2	2	3			273	10723	0.0166	0.0033	5E-05
447	457	101	88	2	2	3			274	10724	0.0151	0.0009	5E-05
457	467	100	96	2	2	3			275	10725	0.0173	0.0008	6E-05
467	477	99	75	1	2	3			467-487 starting 475 high frax, highly veined of cc nature with light green soft talc mod hem alt, cc going through 0-5 CA 30% of zone approaching from 485 going back to porphyritic andesite.	276	10726	0.017	0.0013
477	487	100	95	1	2	3	277	10727		0.0141	0.0029	5E-05	
487	497	102	91	1	2	3	487-497 487-490 increase in light blue green mineral in ground mass , 10 % clasts of up to 5cm of porphyritic andesite.	278	10728	0.0163	0.0005	5E-05	
497	507	99	98	1	2	3	497-507 volcanoclastic Mv, with 1mm-1cm clast of porphyritic andesite, ground mass mod alt by hem, chl in frax,cc in between clast giving the zone lighter green brown color.	279	10729	0.0212	0.001	0.0002	
507	517	101	98	1	2	3	507-517 507-512 higher cc in-between clasts, ave clast size 5mm , approaching 512 increase in clast at 512 3 or 4 qrtz veins and qrtz between frax, up to 3mm 30 CA with 10 % pink hem alt.	281	10731	0.0144	0.0024	0.0001	



517	527	100	88	1	2	3	517-537 Volcanoclastic Mv, low vein one 1mm blab of qrtz with pink he alt every 30 cm.	282	10732	0.0149	0.0014	0.0001
527	537	100	100	1	2	3		283	10733	0.0149	0.0021	0.0001
537	547	102	102	2	2	3		284	10734	0.0157	0.0015	0.0001
547	557	101	101	2	2	3	537-547 low vein increasingly entering porphyritic andesite unit.	285	10735	0.0164	0.0013	0.0001
557	567	100	88	2	2	3	547-587 fine-grained porphyritic andesite 1-2mm px alt chl one 1mm qrtz vein 30CA every 3cm 30% with pink hem alt,at572-575 zone of [] of 1cm by 2cm qrtz blabs with 50 % kalt/hem alt???	286	10736	0.015	0.0005	9E-05
567	577	102	100	2	2	3		287	10737	0.0152	0.0023	0.0002
577	587	100	91	2	2	3		288	10738	0.0155	0.0024	8E-05
587	597	98	90	2	2	3	587-597 one qrtz vein 30CA 1mm every 5cm at590 2cm qrtz vein with partial hem alt and 3 or 4 smaller 1cm veins at 591-593, increase in px alt chl size to 2-3mm	289	10739	0.0137	0.0008	0.0002
597	607	100	96	2	1	1		291	10741	0.0144	0.0033	8E-05
607	617	100	89	3	1	1	597-607 strong hem alt at groundmass at 600-603 with 4 or 5 qrtz veins at 603 30CA low k alt ,low mag,5-10% cc replacing px alt to chl grains 1-2mm.	292	10742	0.0113	0.0022	3E-05
617	627	95	58	3	1	1	607-612 same zone as above str hem alt in ground mass, 5-10% cc replacing px alt chl 1-2mm grains ,low veins hem in frax, soft H5	293	10743	0.0037	0.002	1E-05
627	637	102	88	2	2	3	612-627 entering a zone of quartz monzonite low mag, H7,chl alt low, low sulphides, they appear as less 1mm vnlt inside the qrtz vein, dark grey black colorless 1%,layers of black grey sulphides less 1mm inside qrtz every 40cm, light green white color ,hem alt str at point, highly frax at 620-625 indication of faulting and hydrothermal fluid activity,(it was indicated water table was hit at this point by drillers)	294	10744	0.0123	0.0022	6E-05
637	647	102	93	2	2	3		627-630 back to porphyritic andesite with 1mm-1cm 5% px alt to chl	295	10745	0.0155	0.0053
647	657	99	91	2	2	3	630-657one qrtz vein 1mm-2mm every 10cm, with low alt , smaller px alt chl grains 1-2mm	296	10746	0.0155	0.0013	9E-05

<b>07-DDH-07</b>		Started 18/11/07			Finish 26/11/07		<b>Cow Trial Project B.C</b>			Core Size HQ						
E (NAD83 UTM) 0608635					N 5811005		Driller - Atlas Drilling			Logged by M.Saghezchi						
Hole Survey		Depth	Az	Ang	<b>TD 657</b>		Start		Finish		Depth Az Ang					
		40	55	45	EI 952 m		Depth Az Ang		Depth Az Ang		657 55 45					
Depth (ft)							657 55 45		657 55 45		Lab ACME					
From	To	%Rec	RQD	Rock	Chl	Mag	Description					Rock code				
							Cased at 40,  40-47 porphyritic andesite, dark green, grey matrix with phenocryst of bio(pyroxene alt to chl?). 2mm 10% and 2-3% visible grains of less 1mm mag, high mag, H 6.5, very few veins or frax, less 1mm veins of cc cross cutting every one meter, low chl in frax, low epi					1 Porphyritic Andesite with px alt chl				
												2 basalt				
												3 Green Meta Volcanic				
												4 Dark biege Micro diorite				
27	37											Sample #	Red tag	Cu %	Au g/t	Mo %
37	47											157	10607	0.016	0.0019	0.0001
47	57	103	100	1	2	3						158	10608	0.0145	0.0028	9E-05
57	67	99	93	1	2	3	57-67 same as above at 60 small blabs of 1cm k alt in qtz, pink orange, at 62 few brecciated vein of qtz 35CA, with 50% k alt, clasts 1cm, small veinlets less 1mm of cc and qtz every 10cm, at 66.5 10cm frax zone					159	10609	0.0147	0.0024	0.0001
67	77	100	88	1	2	3	67-77 same as above, small round brecciated at 73 with rounded clast 1cm-3cm, with calcite cemented, small blabs of .5cm k alt qtz grains at 70, one zone of .5cm brecciated k alt qtz vein at 74.					161	10611	0.0157	0.0014	0.0002

77	87	98	90	1	2	3	77-87 at 82 one 3cm by 1cm calcite crystallization with pink k alt at rims, and two clasts of qtz 3cm by 3cm at 85 with 1mm layers of k alt at rims, composition homogenous till this part, with small zones of brecciation since 40 ft	162	10612	0.0141	0.0017	0.0001
87	97	102	99	1	2	3	87-97 at 92 1cm by 2cm qtz blabs with pink k alt at rims, small blabs of qtz less 1cm 1 % in low brecciation zone	163	10613	0.0141	0.0017	0.0001
97	107	102	94	1	2	3	97-107 brecciation between clasts of dark grey andesite and dark green grey andesite, 10 % bio(px alt to chl?) few veins, less 1% visible less 1mm mag grains, less 1% k alt 1mm qtz blabs	164	10614	0.0134	0.0022	0.0001
107	117	98	94	1	2	3	107-117 at 109 few blabs of k alt qtz grains 1cm by 1cm ,few qtz veins at 111 10cm apart, no alt	165	10615	0.015	0.0015	0.0001
117	127	102	93	1	2	3	117-127 at 120 a 5cm layered 90CA of dust brown hem alt.at 120 a zone of 2 cm of qtz vein with k alt. from 121-124 2 % k alt qtz , not in veins but in matrix as blabs or in between grains. at 125 three frax with hem brownish red in frax, to 127 no visible vein except at 126.5 one 1mm qtz vein 30 CA	166	10616	0.015	0.0024	0.0001
127	137	99	93	1	2	3	127-137 127-132 .1 % less 1mm grains of k alt qtz, at 134 30 cm layered and scattered qtz veins with k alt 90CA	167	10617	0.0149	0.0024	0.0001
137	147	102	92	1	2	3	137-157 homogenous, low vein high mag, at 150 10 cm of brecciated qtz veins with 10 % k alt at rims, brown red, till 157, homo,porphyritic and with px alt to chl	168	10618	0.0159	0.0016	0.0001
147	157	99	97	1	2	3		169	10619	0.0145	0.0024	0.0001
157	167	103	93	1	2	3	157-167 few blabs of 1cmby1cm qtz with pink kalt ,few frax 10 cm apart from 157-167	171	10621	0.0156	0.0029	0.0001
167	177	102	96	1	2	3	167-177 at 170 7cm zone of brecciated qtz veins 30CA with 30% k alt and few grains of qtz till 172 with similar k alt ,1%	172	10622	0.0142	0.0011	0.0001

177	187	100	99	1	2	3	177-187 at 179-182 best zone so far 1m of brecciate qrtz veins 30% with 50% k alt,182-185 few veins 2mm of qrtz with k alt going through,185-186 similar qrtz veins brecciate zone 20 % qrtz veins, 30 % of it with pink kalt.	173	10623	0.0142	0.0022	0.0002
187	197	98	93	1	2	3	187-207 at 189 15cm of qrtz brecciated ave 10% with 20 % of it k alt, 189 -193 1 % 1mm k alt qrtz veins , the rest of the zone is porphyritic andesite with 15 % bio(px alt to chl?) 1-2mm and 1-2 % less 1mm mag grains, low vein? Almost none.	174	10624	0.0144	0.0012	0.0001
197	207	100	98	1	2	3		175	10625	0.0168	0.0021	0.0001
207	217	100	100	1	2	3	Porphyritic andesite with 15 % pyroxene alt to chl, 1-2mm, low vein, one 1.5 cm brecciated qrtz vein at 212,with fine grained metallic sulphides less .1 %present in vein, and k alt clasts, 30 CA,similar veins at 217,222,227	176	10626	0.0167	0.001	0.0001
217	227	98	92	1	2	3		177	10627	0.0161	0.0009	0.0002
227	237	105	104	1	2	3		178	10628	0.0166	0.0013	0.0002
237	247	103	98	1	2	3	227-237 same as above one 3cm qrtz vein with possible grey sulphides at 240 with scattered k alt 1-3 mm veins in 10cm zone around it 30 CA	179	10629	0.0165	0.0016	0.0002
247	257	100	97	1	3	3	237-247 at 240 scattered k alt qrtz vein , one 2cm orange red hem alt vein 20 CA, one qrtz vein 2mm every 10 cm ,on ave 30 CA	181	10631	0.016	0.0021	0.0001
257	267	102	90	1	2	3	247-257 at 247 2 cm brecciated orange red k alt qrtz vein 20 CA, ground mass more epi alt, 250-253 1 % 1mm round hem alt red orange grains.	182	10632	0.0155	0.0015	0.0001
267	277	99	84	1	2	3	257-287 very few veins, at 260 3 or 4 k alt vein orange red, 1-3mm 30 CA	183	10633	0.0161	0.0012	9E-05
277	287	103	84	1	2	3		184	10634	0.0146	0.0008	0.0001
287	297	100	98	1	2	3	287-297 at 292 a 15 cm zone of k alt qrtz veins, brecciated pink-orange , similar 3cm zones at295 297-307 one 1mm cc vein every 10 cm , near 307 for 20 cm a zone with orange red hem alt grains 1-2mm	185	10635	0.0153	0.0009	0.0001
297	307	98	76	1	2	3		186	10636	0.016	0.0026	0.0001

307	317	98	84	1	2	3	307-317 starting 310 increase in hem stain in ground mass, 10 % epi, 5-10 % px alt chl, highly frax , cc and qrtz veins cross cutting every 1cm 1-3mm,at 310 visible less .1 mm possible COPPER??? Metallic copper color mineral, very low .1 % near hem alt grains, as approaching 313 ground mass brown orange, with k alt grains 1-2mm 1%	187	10637	0.0148	0.001	7E-05
317	327	100	85	2	1	3	317-327 grey basaltic unit, very fine grained ground mass, with hem in frax, and 1-2 % pyrite, and 1% visible mag grains, there are less .1 %, sparkles of a metallic copper colored mineral(COPPER ??????,Pyrite staining??),one qrtz vein every 10 cm , more as approaching 327	188	10638	0.0105	0.0005	0.0001
327	337	102	87	2	1	3	327-337 It's a zone of mixture between basaltic unit and porphyritic andesite , highly brecciated from 327-333 , more andesitic, becoming porphyritic andesite unit	189	10639	0.0111	0.0005	9E-05
337	347	98	87	1	2	3	337-357 porphyritic andesite, few veins, near 357 from 355-357 a zone of 60cm brecciated 1-2cm qrtz vein with k alt	191	10641	0.016	0.0019	0.0001
347	357	103	100	1	2	3	357-377 near 358 one 2 cm by 1cm k alt qrtz vein , the rest 1 qrtz vein 2mm every 15 cm , at 363-367 highly frax/stress zone . Low veins at the zone.	192	10642	0.015	0.0016	0.0001
357	367	97	68	1	2	3	377-397 more frax, hem in frax, 1 qrtz 1mm vein every 5cm ,near 397 20 cm zone of 1cm qrtz veins with k alt/hem alt pink brown.	193	10643	0.0166	0.0013	0.0001
367	377	103	99	1	2	3		194	10644	0.0146	0.0011	0.0001
377	387	90	63	1	2	3	397-407 397-400 highly px alt to chl around 25 % with 2% 1mm-1cm qrtz veins with k alt /hem alt at rims,400-407 back to 10 % px alt to chl, with less 1% mag 1mm. At 404-405.5 a frax zone with 20 % k alt qrtz veins.	195	10645	0.0141	0.0011	0.0001
387	397	102	83	1	2	3		407-437 same as above, high mag, low vein, at	196	10646	0.0143	0.0009

397	407	103	89	1	2	3	410 one scattered 1cm qrtz vein with hem at rims, 415 similar zone.	197	10647	0.0136	0.0006	0.0001
407	417	100	77	1	2	3		198	10648	0.0166	0.0007	0.0001
417	427	98	73	1	2	3		199	10649	0.016	0.0014	0.0001
427	437	100	100	1	2	3		201	10651	0.0158	0.0024	0.0001
437	447	100	93	1	2	3	437-457 at 434 for 40 cm , a zone of qrtz veins 15 % cross cutting , 40 % hem/k alt, pink red, visible mag grains less 1mm less 1% and lower px alt to chl to 5-10 % , finer mass, ground mass more dark green black, str mag, at 440 20 cm similar qrtz veins at 80 CA, to 457 few veins , one 1mm qrtz vein with no k alt every 50 cm.	202	10652	0.0165	0.0007	0.0001
447	457	100	100	1	2	3		203	10653	0.0167	0.0014	0.0001
457	467	100	98	3	3	3	457-477 ground mass finer grained meta volcanic, px alt to chl in ground mass less visible grains, from 460 -467 one 1cm qrtz vein with k alt or hem alt , pinkish orange every 20 cm , ave 60 CA, more epi, 2 % visible mag grains less .1 mm, 467-477 near 477 back to porphyritic andesite.	204	10654	0.0158	0.0013	0.0001
467	477	99	97	3	3	3		205	10655	0.0149	0.0008	0.0002
477	487	100	98	1	2	3	477-487 porphyritic andesite 10-15 % 1-2mm px alt to chl, 1-2% visible mag grains, less 1mm,ground mass dark green grey, at 482 1cm layered qrtz vein with k alt/hem red orange, 85 CA, near 487 similar vein, over all low veins. 487-517 Same as above, lower px alt to chl, 5-10 % , at 490-494 1cm qrtz veins with hem alt red orange 70CA, 1qrtz vein 1mm every 50 cm, at 497-507 less .1 % hem alt grains 1mm, 506-510 1m of 1cm qrtz veins every 3cm, with layered hem alt, and hem stains in ground mass, 1mm .1 % hem alt grains, high mag, less 1% visible less 1mm mag grains.	206	10656	0.0153	0.0016	0.0001
487	497	102	94	1	2	3		207	10657	0.0159	0.0011	0.0001
497	507	98	78	1	2	3		208	10658	0.0158	0.0016	0.0001
507	517	100	70	1	2	3	209	10659	0.0161	0.0013	0.0001	

517	527	100	95	1	2	3	517-537 porphyritic andesite 10-15 % px alt to chl, less 1% 1mm hem alt grains, low veins, 1qtz less 1mm every 1m, near 517, 30 cm zone with 1 % qrtz veins cross cutting with hem alt /k alt pinkish red.	211	10661	0.0161	0.002	0.0001	
527	537	100	93	1	2	3		212	10662	0.0171	0.002	0.0001	
537	547	100	97	1	2	3	537-597 dark green grey porphyritic andesite, low veins, 1qtz vein 1mm every 50 cm, less .1 % 1mm hem alt grains, cc in frax, high mag, small compositional inconsistent variations in grains size in ground mass, 10-15 % px alt to chl 1-2mm and less 1mm mag grains less 1%, at 592, for 1m qrtz veins 1mm-3mm every 5 cm , 50 % with hem alt orange red.	213	10663	0.0146	0.0028	0.0001	
547	557	100	90	1	2	3		214	10664	0.0152	0.0016	9E-05	
557	567	98	96	1	2	3		215	10665	0.0155	0.0013	0.0001	
567	577	98	85	1	2	3		216	10666	0.0155	0.0018	0.0001	
577	587	100	73	1	2	3		217	10667	0.0156	0.0024	0.0001	
587	597	102	83	1	2	3		218	10668	0.0159	0.0021	0.0001	
597	607	100	98	1	2	3		219	10669	0.0156	0.0018	9E-05	
607	617	103	93		2	3	607-617 at 608 few qrtz veins 1cm with hem/k alt 80 CA 615-617 green-blue ground mass, MV, addition of light turquoise blue green mineral in ground mass, less 1%pyrite. Less 1% less 1mm mag grains , chl/epi alt.	221	10671	0.0159	0.0022	0.0001	
617	627	100	92	1	2	3		222	10672	0.0158	0.0023	8E-05	
627	637	103	95		2	3	617-627 porphyritic andesite, at 620-623 a zone of hem alt in ground mass , low vein, 1mm qrtz vein every 50 cm, not altered.	627-637 the zone is a mixture between fine grained mv and porphyritic andesite, epi, chl alt, few veins, qrtz 1-3mm at 630 -633 with hem alt 40CA starting to gradationally go to Micro diorite unit.	223	10673	0.0148	0.0012	9E-05

637	647	98	57	4	1	3	637-650 light brown-green micro diorite, with less 1mm less 1% biotite, dark brown black, less .1 % less 1mm mafic mineral metallic mag, low veins , high frax, ground mass altered, brown feldspathic and 5 % green alt chl?, cc in frax	224	10674	0.0073	0.0036	0.0002
647	657	93	50		1	3		650-657 gradational change to green MV with 5% Px alt to Chl, and green ground mass mixture of epi/chl H6-7 for all the units in the hole.	225	10675	0.0103	0.0026



M.Saghezchi GIT

Report 070901 for

**David Jenkins, Brian Findlay**

**Dajin Resources Corp.,**

**480-789 West Pender Street,**

**Vancouver, B.C., V6C 1H2**

**November 2007**

**Samples: 07-DDH-04: 79'9"**

**07-DDH-05: 227'7", 239'3", 252'9", 297', 349', 511', 521'9", 548'5", 580'11"**

### **Summary:**

Samples are grouped as follows:

#### **1: Mafic Volcanic Rocks**

**Sample 07-DDH-04 79'9"** is a hypabyssal porphyritic basalt that contains phenocrysts of plagioclase and clinopyroxene and minor ones of hornblende and biotite in a groundmass of plagioclase and clinopyroxene with disseminated patches of magnetite and lesser ones of pyrite. Several veinlets are of tremolite, calc-silicate, and calcite with patches of pyrite and minor chlorite.

A few veinlets are of quartz and much less abundant tremolite.

**Sample 07-DDH-05 521'4"** is an amygdaloidal porphyritic andesite that contains abundant phenocrysts of plagioclase (altered moderately to strongly to epidote-ankerite) and equant phenocrysts of hornblende (?; altered completely to quartz-epidote-ankerite) in a groundmass of plagioclase with minor chlorite and leucoxene. Pyrite forms disseminated grains. Amygdules are of chlorite with minor to moderately abundant quartz along their margins.

#### **2: Hypabyssal Diorite**

**Sample 07-DDH-05 239'3"** is a hypabyssal diorite that is dominated by prismatic plagioclase (altered slightly to moderately to sericite and slightly to locally moderately to epidote) and lesser hornblende (altered completely to chlorite-ankerite-[leucoxene]) and biotite (altered completely to chlorite-leucoxene), with interstitial patches of chlorite, quartz, K-feldspar, and hematite, and disseminated grains of pyrite. A vein, a few veinlets, and several replacement patches are of ankerite with lesser quartz and scattered patches of pyrite. A few wispy veinlets up to 0.01 mm wide are of calcite.

**Sample 07-DDH-05 349'** is a porphyritic hypabyssal potassic diorite that contains scattered phenocrysts of plagioclase (altered slightly to moderately to sericite and slightly to locally moderately to epidote) and lesser hornblende (altered completely to chlorite-ankerite-[leucoxene]) in a groundmass of finer grained prismatic plagioclase and equant hornblende (similar alteration as phenocrysts) with interstitial patches of K-feldspar, chlorite, epidote, quartz, and ilmenite/sphene, and disseminated grains of pyrite. A discontinuous veinlet is of ankerite.

### **3: Heterolithic Andesite Tuff, Lapilli Tuff**

**Sample 07-DDH-05 252'9"** is mainly a very fine grained andesite, probably of tuffaceous origin. It contains scattered coarser grains of plagioclase (altered strongly to sericite) and minor quartz in a groundmass of finer grained plagioclase with much less abundant chlorite. It was altered slightly to moderately to ankerite and sericite. Near one end is a patch of andesite whose core was replaced by much coarser grained ankerite with disseminated pyrite and patches of sericite, and whose rim was altered moderately to strongly to sericite and ankerite. Along the margin of the inclusion is a curved lens containing abundant euhedral to subhedral pyrite grains. Minor disseminated sulphides in both host rock and inclusion are chalcopyrite, sphalerite, and galena.

**Sample 07-DDH-05 297'** is an andesite tuff that contains two main zones, A and B, with an irregular contact. In Zone A, angular fragments of plagioclase, lesser ones of K-feldspar, and minor ones of quartz are set in a much finer grained groundmass dominated by plagioclase with lesser ankerite and minor chlorite and leucoxene. In Zone B, similar fragments are enclosed in a matrix dominated by ankerite with scattered patches of chlorite. Pyrite forms disseminated clusters of grains. Ankerite also forms lenses that fill numerous tension fractures.

**Sample 07-DDH-05 511'** is a heterolithic andesite tuff that contains fragments of plagioclase and quartz grains, and several types of aphanitic andesite and dacite in a tuffaceous groundmass dominated by plagioclase and lesser ankerite and chlorite. Some fragments were altered to ankerite and/or epidote.

**Sample 07-DDH-05 548'5"** is a heterolithic andesite tuff that contains large fragments of plagioclase phenocrysts (altered strongly to epidote-ankerite-sericite) and several of non-porphyritic and porphyritic latite, non-porphyritic andesite, and hypabyssal latite, and abundant small fragments of plagioclase (altered moderately to sericite) in a groundmass dominated by plagioclase with lesser chlorite and leucoxene. A vein is of calcite and lesser gypsum. A few veinlets are of calcite; one occurs along a zone of cataclastic deformation.

**Sample 07-DDH-05 580'11"** is a heterolithic andesite lapilli tuff/breccia that contains abundant fragments up to a few cm in size of a variety of types of andesite, latite and diabase, and fragments of plagioclase in a groundmass of extremely fine grained plagioclase and lesser chlorite. Alteration of plagioclase is moderate to strong to one or more of sericite, ankerite, and epidote, and varies widely between large fragments. One latite(?) fragment was altered very strongly to epidote-ankerite-(quartz).

**4: Altered Strongly (Origin Uncertain)**

**Sample 07-DDH 05 227'7"** is an altered andesite(?) that contains minor phenocrysts of apatite and one of plagioclase in a groundmass of ankerite with patches of K-feldspar and of chlorite, and locally disseminated grains of quartz. Pyrite forms minor disseminated subhedral grains. A vein and a few veinlets are of ankerite.

**John G. Payne, Ph.D., P.Geol.**

**Tel: (604)-597-1080**

**Fax: (604)-597-1080 (call first)**

**email: jgpayne@telus.net**

**Sample 07-DDH-04 79'9" Hypabyssal Porphyritic Basalt**

**Veinlets: Calcsilicate-Tremolite-Calcite-Pyrite-(Chlorite);**

**Quartz-Calcsilicate**

Phenocrysts of plagioclase and clinopyroxene and minor ones of hornblende and biotite are set in a groundmass of plagioclase and clinopyroxene with disseminated patches of magnetite and lesser ones of pyrite. Several veinlets are of tremolite, calc-silicate, and calcite with patches of pyrite and minor chlorite. A few veinlets are of quartz and much less abundant tremolite.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
<b>phenocrysts</b>		
plagioclase	30-35	0.2-0.7
clinopyroxene	8-10	0.3-0.8
hornblende	0.5	0.7-1.2
biotite	0.1	0.5-0.7
<b>groundmass</b>		
plagioclase	25-30	0.005-0.03

clinopyroxene	8-10	0.01-0.03	
magnetite	4- 5	0.05-0.15	(a few up to 0.2 mm)
pyrite	0.3	0.02-0.05	(a few up to 0.1 mm)
apatite	0.2	0.05-0.15	
chalcopyrite	trace	0.015-0.03	

**veinlets**

- 1) tremolite-calcite-calcsilicate-pyrite-(chlorite) 5- 7 0.03-0.1 (tr, ct, cs, py); 0.02-0.05 (cl)
- 2) quartz-calcsilicate 1- 2 0.05-0.3 (qz), 0.03-0.08 (cs)

Plagioclase forms subhedral to euhedral, equant to prismatic phenocrysts that were altered slightly to sericite.

Clinopyroxene forms subhedral to anhedral, equant phenocrysts, a few of which were altered slightly to biotite with pleochroism from pale to light brown.

Hornblende forms a few subhedral prismatic phenocrysts with pleochroism from medium to dark greenish brown. Some are rimmed by clusters of magnetite (0.1-0.02 mm).

Biotite forms a few ragged phenocrysts with pleochroism, from light to medium brown.

The groundmass is dominated by an intergrowth of plagioclase and granular clinopyroxene. A few patches up to 1.5 mm in size are of cryptocrystalline material, probably a mixture of plagioclase and sericite.

Magnetite forms disseminated equant anhedral grains and clusters of grains, some with very irregular outlines. Some patches of groundmass up to 0.3 mm in size contain abundant disseminated magnetite (0.003-0.015 mm).

Pyrite forms disseminated clusters up to 0.15 mm in size of anhedral to locally subhedral grains.

Chalcopyrite forms a few anhedral grains patches associated with pyrite.

Apatite forms disseminated subhedral to euhedral grains.

Several veins and veinlets from 0.05-0.4 mm wide are dominated by one or more of calcsilicate, tremolite, calcite, and generally lesser chlorite. The calcsilicate resembles tremolite but has poor

cleavage, has parallel extinction, and is length-fast. Pyrite forms disseminated patches commonly of moderately fractured grains, mainly from 0.2-0.5 mm long and locally up to 2 mm long.

A few veinlets up to 0.3 mm wide are dominated by quartz with much less abundant calcisilicate; this also has poor cleavage, parallel extinction, and is length-fast.

**Sample 07-DDH 05 227'7" Altered Andesite(?)**

Minor phenocrysts of apatite and one of plagioclase are set in a groundmass of ankerite with patches of K-feldspar and of chlorite, and locally disseminated grains of quartz. Pyrite forms minor disseminated subhedral grains. A vein and a few veinlets are of ankerite.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>	
<b>phenocrysts</b>			
apatite	minor	0.15-0.3	
plagioclase	minor	0.5	
<b>groundmass</b>			
ankerite	65-70	0.05-0.5	(a few up to 1.5 mm across)
K-feldspar	15-17	0.005-0.03	
chlorite	12-15	0.01-0.03	
quartz	3- 4	0.02-0.05	
leucoxene	0.3	cryptocrystalline-0.005	
pyrite	0.2	0.05-0.15	(a few up to 0.2 mm across)
rutile	0.1	0.005-0.02	
apatite	0.1	0.05-0.08	

Apatite forms scattered, euhedral, equant to prismatic phenocrysts.

Plagioclase forms one anhedral phenocryst that was altered slightly to sericite.

In the groundmass, calcite forms very irregular grains and clusters of grains, many of which have a porphyroblastic texture.

K-feldspar forms aggregates of unoriented anhedral to slightly prismatic grains.

Chlorite forms disseminated patches from 0.05-0.25 mm in size.

Quartz forms disseminated equant grains intergrown moderately with K-feldspar towards one end of the section.

Apatite forms disseminated subhedral stubby prismatic grains.

Rutile forms disseminated grains and clusters of a few to several grains, in part associated with chlorite.

Leucoxene forms disseminated irregular patches up to 0.3 mm in size.

A vein up to 1.5 mm wide and a few veinlets from 0.05-0.15 mm wide are of ankerite. In the vein, ankerite grains are oriented subparallel to the length of the vein.

**Sample 07-DDH-05 239'3" Hypabyssal Diorite**

**Alteration: Chlorite-Sericite-Epidote-Pyrite-Leucoxene**

**Veins: Ankerite-Quartz-Pyrite**

The sample is dominated by prismatic plagioclase (altered slightly to moderately to sericite and slightly to locally moderately to epidote) and lesser hornblende (altered completely to chlorite-ankerite-[leucoxene]) and biotite (altered completely to chlorite-leucoxene), with interstitial patches of chlorite, quartz, K-feldspar, and hematite, and disseminated grains of pyrite. A vein, a few veinlets, and several replacement patches are of ankerite with lesser quartz and scattered patches of pyrite. A few wispy veinlets up to 0.01 mm wide are of calcite.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
plagioclase	70-75%	0.3-1.0 (a few up to 1.5 mm long)
hornblende	8-10	0.3-0.5
chlorite	4- 5	0.02-0.05
quartz	2- 3	0.05-0.2
K-feldspar	2- 3	0.02-0.05
pyrite	1- 2	0.1-0.3
leucoxene/rutile	0.5	0.01-0.03

biotite	0.3	0.3-0.5
hematite	0.1	0.05-0.1

**replacement, vein, veinlets**

1) ankerite-quartz-pyrite	5- 7	0.3-1 (ct); 0.1-0.3 (qz); 0.2-1 (py)
2) calcite	trace	0.01-0.03

Plagioclase forms subhedral to euhedral prismatic grains that were altered moderately to sericite and locally to ragged patches of epidote.

Hornblende forms subhedral to anhedral equant grains that were altered completely to chlorite with locally abundant patches of ankerite, and with disseminated patches of leucoxene and scattered patches of sericite. Some grains were altered completely to sericite and epidote; it is uncertain whether these represent altered plagioclase or altered hornblende.

Biotite forms as few equant flakes that were altered completely to chlorite and lenses of leucoxene parallel to cleavage.

Chlorite forms interstitial patches up to 0.1 mm in size.

Quartz forms interstitial, equant grains.

K-feldspar forms disseminated interstitial grains and patches.

Pyrite forms disseminated grains and clusters of a few subhedral to anhedral grains, many of which contain inclusions of silicates and rutile.

Leucoxene forms disseminated grains and patches, in part as a replacement of hornblende and biotite, and in part probably as a replacement of sphene.

Hematite forms scattered platy grains with a medium to deep reddish brown colour, mainly associated with interstitial patches of chlorite.

Several replacement patches from 1-2 mm in size are of medium grained ankerite and quartz.

A vein up to 1 mm wide and a few veinlets up to 0.3 mm wide are of ankerite and lesser quartz. with scattered patches of pyrite and minor calcite.

A few wispy veinlets up to 0.02 mm wide are of calcite.

**Sample 07-DDH-05 252'9"****Andesite Tuff(?)****Alteration: Ankerite-Sericite-Pyrite**

The sample is mainly a very fine grained andesite, probably of tuffaceous origin. It contains scattered coarser grains of plagioclase (altered strongly to sericite) and minor quartz in a groundmass of finer grained plagioclase with much less abundant chlorite. It was altered slightly to moderately to ankerite and sericite. Near one end is a patch of andesite whose core was replaced by much coarser grained ankerite with disseminated pyrite and patches of sericite, and whose rim was altered moderately to strongly to sericite and ankerite. Along the margin of the inclusion is a curved lens containing abundant euhedral to subhedral pyrite grains. Minor disseminated sulphides in both host rock and inclusion are chalcopyrite, sphalerite, and galena.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>	
<b>coarser grains</b>			
plagioclase	5- 7	0.05-0.08	
quartz	0.5	0.03-0.06	(a few up to 0.1 mm)
<b>groundmass</b>			
plagioclase	25-30%	0.01-0.03	
sericite	17-20	0.01-0.02	
ankerite	17-20	0.05-0.3	(a few up to 1 mm across)
chlorite	4- 5	0.01-0.02	
pyrite	0.2	0.02-0.05	
leucoxene	0.1	dusty-0.01	
chalcopyrite	0.1	0.03-0.05	
sphalerite	minor	0.03-0.05	
carbonaceous opaque	minor	amorphous	
galena	trace	0.03-0.05	
apatite	trace	0.05	
<b>inclusion</b>			



ankerite	5- 7	0.05-0.3	
sericite	3- 4	0.01-0.02	
plagioclase	2- 3	0.01-0.03	
pyrite	2- 3	0.07-0.15	(one grain 1 mm across)
sphalerite	trace	0.05-0.1	
chalcopyrite	trace	0.01-0.02	

**veinlets**

ankerite	3- 4	0.03-0.1	
----------	------	----------	--

Plagioclase forms disseminated prismatic to equant grains (0.05-0.07 mm) that were altered moderately to strongly to sericite.

Quartz forms scattered equant anhedral grains.

The groundmass is dominated by plagioclase with lesser chlorite and contains disseminated subhedral to anhedral grains of pyrite and disseminated spots of leucoxene. Sericite forms disseminated flakes and patches. Ankerite forms disseminated grains, larger ones of which have a porphyroblastic texture and ragged outlines. Towards the inclusion, sericite and ankerite become dominant.

**Sample 07-DDH-05 252'9"**

Pyrite forms anhedral to subhedral grains that commonly occur within larger ankerite grains.

Leucoxene forms a dusty wash in the groundmass and is concentrated in spots up to 0.03 mm in size.

Chalcopyrite forms a few equant patches up to 0.05 mm in size, some of which also contain minor to moderately abundant pyrite.

Galena forms one equant patch 0.05 mm across associated with lesser chalcopyrite and pyrite.

Sphalerite forms a few equant to slightly elongate patches up to 0.05 mm in size; sphalerite contains 3-5% exsolution blebs of chalcopyrite.

One sulphide patch 0.1 mm across consists of an intergrowth of chalcopyrite, sphalerite (with exsolution blebs of chalcopyrite) and lesser pyrite and galena.

Carbonaceous opaque forms scattered patches up to 0.07 mm in size.

Apatite forms a few subhedral stubby prismatic grains.

Bordering the inclusion is an arcuate zone up to 1.5 mm wide containing abundant euhedral pyrite grains in a matrix of plagioclase (altered strongly to sericite) and minor ankerite. Pyrite grains contain abundant inclusions of sericite and ankerite. Interior to this is a concentric ring up to 1.5 mm wide dominated by sericite with abundant ankerite and minor plagioclase and pyrite.

The broad core of the inclusion is dominated by coarser grained ankerite with irregular interstitial to irregular patches dominated by dense intergrowths of sericite. Pyrite forms one large grain (with abundant inclusions of sericite and ankerite) and several areas of smaller grains (free of inclusions), mainly included in ankerite.

Sphalerite forms a few anhedral patches that contain 3-5% exsolution blebs of chalcopyrite.

Chalcopyrite forms a few anhedral grains associated with pyrite clusters in ankerite.

Several somewhat irregular veinlets from 0.05-0.2 mm wide are of ankerite.

**Sample 07-DDH-05 297'      Zoned Andesite Tuff**

**Alteration: Ankerite-(Sericite-Chlorite)**

**Veins, Veinlets: Ankerite**

The sample contains two main zones, A and B, with an irregular contact. In Zone A, angular fragments of plagioclase, lesser ones of K-feldspar, and minor ones of quartz are set in a much finer grained groundmass dominated by plagioclase with lesser ankerite and minor chlorite and leucoxene. In Zone B, similar fragments are enclosed in a matrix dominated by ankerite with scattered patches of chlorite. Pyrite forms disseminated clusters of grains. Ankerite also forms lenses that fill numerous tension fractures.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>	
<b>coarser grains</b>			
plagioclase	7- 8%	0.1-0.25	(a few from 0.3-0.6 mm)
K-feldspar	1	0.07-0.12	(a few up to 0.3 mm)
quartz	0.1	0.05-0.07	
<b>groundmass</b>			

plagioclase	40-45	0.005-0.01	(mainly in Zone A)
ankerite	35-40	0.03-0.1	(mainly in Zone B)
chlorite	3- 4	0.01-0.03	
pyrite	0.3	0.03-0.1	
leucoxene	0.2	dusty-0.01	
carbonaceous opaque	minor	amorphous	
rutile	minor	0.04-0.07	
chalcopyrite	trace	0.03-0.04	

**veinlets, tension fracture-fillings**

ankerite	7- 8	0.05-0.2	
----------	------	----------	--

Plagioclase forms scattered subhedral prismatic grains (0.1-0.25 mm) that were altered slightly to moderately to sericite and/or ankerite. It also forms finer, equant grains (0.03-0.07 mm) with similar alteration.

K-feldspar forms disseminated anhedral equant grains, whose presence and distribution is best seen on the stained offcut block.

Quartz forms minor angular equant grains.

A few fragments up to 0.4 mm in size are of trachyte composed of unoriented prismatic grains of K-feldspar (0.02-0.05 mm).

Chlorite forms disseminated equant patches averaging 0.1 mm in size, mainly in Zone B.

In Zone A, the groundmass is dominated by plagioclase with much less abundant ankerite and chlorite, and minor disseminated pyrite and leucoxene.

In Zone B, the groundmass is dominated by ankerite with much less abundant plagioclase and sericite.

Pyrite forms disseminated subhedral to anhedral grains and clusters of spheroidal aggregates averaging 0.02-0.05 mm in diameter. One elongate patch is 1 mm long.

Carbonaceous opaque forms a few anhedral patches and one elongate rectangular patch 0.2 mm long.

Rutile forms disseminated anhedral to subhedral grains.

Chalcopyrite forms minor anhedral patches associated with pyrite.

Numerous tension fractures up to 2 mm wide are filled with ankerite.

**Sample 07-DDH-05 349' Porphyritic Hypabyssal Potassic Diorite**

**Alteration: Chlorite-Sericite-Epidote-Pyrite-Leucoxene**

Scattered phenocrysts of plagioclase (altered slightly to moderately to sericite and slightly to locally moderately to epidote) and lesser hornblende (altered completely to chlorite-ankerite-[leucoxene]) are set in a groundmass of finer grained prismatic plagioclase and equant hornblende (similar alteration as phenocrysts) with interstitial patches of K-feldspar, chlorite, epidote, quartz, and ilmenite/sphene, and disseminated grains of pyrite. A discontinuous veinlet is of ankerite.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>	
<b>phenocrysts</b>			
plagioclase	3- 4%	1.5-2.5	
hornblende	3- 4	1.2-1.7	
<b>groundmass</b>			
plagioclase	65-70%	0.3-1.0	(a few up to 1.5 mm long)
hornblende	5- 7	0.3-0.5	(a few up to 1.7 mm long)
K-feldspar	4- 5	0.02-0.05	
ankerite	3- 4	0.2-0.8	
quartz	2- 3	0.3-0.8	
epidote	2- 3	0.2-0.4	
magnetite	1- 2	0.03-0.05	
sphene/leucoxene	1	0.01-0.03	
chalcopyrite	minor	0.02-0.03	
apatite	minor	0.03-0.07	
pyrite	trace	0.02-0.05	
<b>veinlet</b>			

ankerite            minor            0.05-0.1

Plagioclase forms scattered prismatic phenocrysts that were altered slightly to locally moderately to disseminated flakes of sericite. It contains dusty hematite grains that give the grains a brownish grey colour.

Hornblende forms scattered prismatic phenocrysts that were altered completely to intergrowths of chlorite and ankerite, with disseminated patches of leucoxene.

In the groundmass, plagioclase forms prismatic grains that were altered slightly to moderately to disseminated flakes of sericite and dusty hematite (as in the phenocrysts) and scattered patches of epidote. Many grains were altered slightly to K-feldspar along their margins.

Chlorite forms interstitial patches, mainly from 0.1-0.15 mm in size.

Epidote forms disseminated anhedral patches up to 1 mm in size; it probably is a replacement of plagioclase.

Ankerite forms irregular interstitial patches.

Magnetite forms disseminated equant subhedral grains that commonly are associated with sphene.

Sphene/leucoxene forms ragged clusters of grains associated with magnetite; some of it may be secondary after ilmenite.

Chalcopyrite forms a few anhedral patches up to 0.1 mm across.

Apatite forms disseminated subhedral to anhedral prismatic grains.

Pyrite forms disseminated anhedral patches up to 0.05 mm in size.

A discontinuous veinlet 0.05 mm wide is of ankerite.

### **Sample 07-DDH-05 511'      Andesite Heterolithic Tuff**

Fragments of plagioclase and quartz grains, and several types of aphanitic andesite and dacite are set in a tuffaceous groundmass dominated by plagioclase and lesser ankerite and chlorite. Some fragments were altered to ankerite and/or epidote.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
<b>fragments</b>		
plagioclase	7- 8%	0.2-0.4
epidote	4- 5	0.05-0.3
ankerite	4- 5	0.1-0.5
andesite	10-12	0.005-0.015
dacite	1	0.005-0.015
quartz	0.3	0.2-0.4
<b>groundmass</b>		
plagioclase	50-55	0.005-0.02
chlorite	4- 5	0.005-0.02
ankerite	4- 5	0.1-0.5
pyrite	2- 3	0.1-0.5 (a few up to 1 mm across)
chalcopyrite	trace	0.02-0.05
<b>amygdules(?)</b>		
quartz	0.2	0.05-0.07

Plagioclase forms angular fragments, many of which were altered moderately to strongly to one or more of extremely fine grained sericite, and coarser grains of epidote and ankerite.

Quartz forms angular grains.

Andesite fragments range from porphyritic to non-porphyritic. Plagioclase phenocrysts were altered moderately to strongly to one or more of sericite, epidote, and ankerite.

One andesite fragment contains abundant lathy plagioclase grains (0.05-0.08 mm long) in a much finer grained groundmass dominated by plagioclase.

Dacite fragments are up to 1 mm in size and are dominated by moderately to strongly intergrown plagioclase and quartz.

The groundmass is dominated by unoriented grains of plagioclase.

Chlorite forms interstitial grains and a few patches up to 0.1 mm in size.

Ankerite forms disseminated grains, probably in large part of porphyroblastic origin.

Pyrite forms disseminated subhedral to euhedral grains and clusters of grains, most of the larger grains of which contain 5-10% irregular silicate inclusions. One also contains a few irregular inclusions of chalcopyrite.

One elongate patch 0.3 mm long contains subhedral rutile grains along the edge and a core of ankerite.

Quartz forms scattered oval-shaped patches up to 0.4 mm long of aggregates of anhedral grains; they resemble amygdules in texture.

**Sample 07-DDH-05 521'4"**

**Amygdaloidal Porphyritic Andesite**

**Alteration: Epidote-Ankerite-(Sericite-Quartz)**

**Amygdules: Chlorite-(Quartz)**

Abundant phenocrysts of plagioclase (altered moderately to strongly to epidote-ankerite) and equant phenocrysts of hornblende (?; altered completely to quartz-epidote-ankerite) are set in a groundmass of plagioclase with minor chlorite and leucoxene. Pyrite forms disseminated grains. Amygdules are of chlorite with minor to moderately abundant quartz along their margins.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
<b>phenocrysts</b>		
plagioclase	25-30%	0.7-1.5
hornblende	3- 4	0.5-0.8 (a few up to 1.5 mm long)
<b>groundmass</b>		
plagioclase	50-55	0.02-0.05
chlorite	4- 5	0.01-0.03
leucoxene	0.5	cryptocrystalline
pyrite	0.3	0.1-0.3
<b>amygdules</b>		
chlorite	5- 7	0.002-0.03

quartz	0.5	0.03-0.05
ankerite	0.3	0.2-0.7
sericite	0.2	0.01-0.02
epidote	0.2	0.05-0.07
<b>veinlets</b>		
1) ankerite	trace	0.02-0.05

Plagioclase forms subhedral to euhedral prismatic phenocrysts that were altered moderately to completely to intergrowths of epidote and ankerite with less abundant disseminated grains and clusters of sericite.

Hornblende(?) forms subhedral to euhedral, mainly equant phenocrysts that were altered completely to intergrowths of quartz, epidote, and ankerite with patches of leucoxene and locally minor chlorite.

The groundmass is dominated by an intergrowth of equant plagioclase with scattered unoriented lathy grains (0.03-0.05 mm), with minor chlorite and leucoxene.

Pyrite forms disseminated anhedral to subhedral grains.

Abundant irregular amygdules from 0.3-1 mm in size are dominated by chlorite which ranges from cryptocrystalline along the margins to equant grains 0.01-0.02 mm across in the core. Commonly coarser grained cores contain clusters of radiating crystals. Some amygdules contain minor to moderately abundant quartz along their margins. A few contain ankerite in their cores or along their margins. A few contain patches of sericite, mainly towards the margins. A few contain patches of epidote, mainly towards their margins.

A wispy discontinuous irregular veinlet up to 0.05 mm wide is of ankerite.



**Sample 07-DDH-05 548'5"****Andesite Heterolithic Tuff****Veins: Calcite-(Gypsum); Calcite**

Large fragments of plagioclase phenocrysts (altered strongly to epidote-ankerite-sericite) and several of non-porphyritic and porphyritic latite, non-porphyritic andesite, and hypabyssal latite, and abundant small fragments of plagioclase (altered moderately to sericite) are set in a groundmass dominated by plagioclase with lesser chlorite and leucoxene. A vein is of calcite and lesser gypsum. A few veinlets are of calcite; one occurs along a zone of cataclastic deformation.

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
<b>fragments</b>		
plagioclase	35-40%	0.1-0.2 (a few from 0.5-1.2 mm)
latite	5- 7	0.1-0.4 (phenos); 0.003-0.01 (groundmass)
andesite	3- 4	0.002-0.02
quartz	minor	0.05-0.15
<b>groundmass</b>		
plagioclase	35-40	0.01-0.03
chlorite	5- 7	0.01-0.03
leucoxene	0.5	dusty-0.01
pyrite	0.1	0.05-0.3
<b>vein, veinlet</b>		
1) calcite-(gypsum)	4- 5	0.3-0.7 (ct), 0.05-0.3 (gy)

Plagioclase forms subhedral to anhedral equant to prismatic grains that were altered moderately to strongly to sericite with patches of ankerite and epidote.

One subrounded fragment 2 mm across consist of plagioclase (altered moderately to sericite) and replaced strongly by patches of ankerite and epidote.

Several fragments are of non-porphyritic to slightly porphyritic andesite. They are characterized by unoriented lathy plagioclase in the groundmass, which is dominated by

plagioclase with lesser chlorite. Some lathy plagioclase is altered moderately to strongly to sericite. Some fragments contain 1-2% disseminated patches of leucoxene (0.01-0.03 mm).

A few fragments of porphyritic latite contain subhedral to euhedral plagioclase phenocrysts (0.1-0.5 mm; altered moderately to strongly to sericite and lesser ankerite) in a groundmass of equant plagioclase (0.003-0.007 mm).

One fragment is of hypabyssal latite that is dominated by moderately interlocking plagioclase grains (0.05-0.1 mm) with scattered patches up to 0.08 mm in size of epidote. One fragment of hypabyssal latite consists of equant, slightly interlocking grains of plagioclase that were altered slightly to disseminated flakes of sericite.

Quartz forms scattered subrounded grains.

The groundmass is dominated by plagioclase with much less abundant chlorite and leucoxene.

Pyrite forms disseminated grains and clusters of a few grains in both fragments and groundmass.

Quartz forms a few patches up to 1 mm in size of anhedral grains; textures of some suggest that they are amygdules.

### **Sample 07-DDH-05 548'5"**

A vein up to 1.5 mm wide is dominated by calcite and gypsum, with gypsum mainly along the margins of the vein and calcite in the core. Some gypsum grains have euhedral terminations against the calcite core. Some patches of gypsum are very fine grained (0.03-0.07 mm).

A discontinuous veinlet up to 1 mm wide is of calcite; in places it appears to have formed along a zone of cataclastic deformation up to 0.3 mm wide.

### **Sample 07-DDH-05 580'11"**

### **Heterolithic Andesite Lapilli Tuff/Breccia**

Abundant fragments up to a few cm in size of a variety of types of andesite, latite, and diabase, and fragments of plagioclase are set in a groundmass of extremely fine grained plagioclase and lesser chlorite. Alteration of plagioclase is moderate to strong to one or more of sericite, ankerite, and epidote, and varies widely between large fragments. One latite(?) fragment was altered very strongly to epidote-ankerite-(quartz).

<b>mineral</b>	<b>percentage</b>	<b>main grain size range (mm)</b>
<b>fragments</b>		
latite	25-30%	0.01-0.03 (groundmass); 0.3-1 (phenos)
epidote-ankerite-quartz-plagioclase	12-15	0.3-0.5
andesite	10-12	0.01-0.03 (groundmass); 0.1-0.8 (phenos)
plagioclase	7- 8	0.1-0.7
diabase	3- 4	0.1-0.2 (groundmass); 0.5-0.7 (phenos)
<b>groundmass</b>		
plagioclase	25-30	0.02-0.05
chlorite	4- 5	0.02-0.03
leucoxene	0.3	dusty-0.01
pyrite	0.3	0.05-0.3

Fragment 1 is a porphyritic hypabyssal latite that contains phenocrysts of plagioclase (altered slightly to sericite) in a groundmass of unoriented interlocking plagioclase, with disseminated patches of chlorite and lesser ones of leucoxene, epidote, and quartz. One replacement patch up to 1 mm long is of ankerite-epidote-(quartz). A few amygdules up to 1 mm in size consist of subhedral to euhedral prismatic grains of quartz in a matrix of cryptocrystalline chlorite.

Fragment 2 is a porphyritic hypabyssal latite that contains abundant euhedral phenocrysts of plagioclase (0.2-1.0 mm; altered moderately to sericite with minor to abundant ankerite and minor epidote) and a few hornblende grains (0.3-0.5 mm; altered completely to chlorite and minor epidote) in a groundmass of unoriented plagioclase (0.02-0.03 mm) with disseminated patches of chlorite, of quartz, and of epidote, spots up to 0.15 mm in size of leucoxene, and minor prismatic apatite grains (up to 0.1 mm), and minor equant grains of pyrite.

Fragment 3 is a hypabyssal diabase that contains scattered phenocrysts of plagioclase (altered completely to epidote) in a groundmass of prismatic plagioclase with minor interstitial epidote, chlorite, and leucoxene.

Fragment 4 is of latite that was altered strongly to epidote, ankerite, and less abundant quartz, with relic patches of groundmass plagioclase

Fragment 5 is an intergrowth of subhedral prismatic plagioclase (altered moderately to patches of epidote and clusters of sericite) with minor ankerite and with 5-7% interstitial patches of chlorite and leucoxene.

Fragment 6 is strongly altered and dominated by an irregular patchy intergrowth of ankerite and chlorite-(leucoxene) with lesser patches of plagioclase and of epidote.

Fragment 7 is a hypabyssal andesite that contains euhedral phenocrysts of hornblende (altered completely to chlorite and minor leucoxene) and of plagioclase (altered moderately to sericite and lesser patches of epidote) in a groundmass dominated by equant plagioclase and much less abundant chlorite.

### **Sample 07-DDH-05 580'11"**

Smaller fragments are of similar types as the larger fragments, mainly plagioclase (altered slightly to moderately to sericite or epidote-ankerite), andesite (commonly with lathy plagioclase in the groundmass), and latite (equant plagioclase in the groundmass).

The groundmass of the rock is of plagioclase and chlorite with much less abundant leucoxene, and with scattered patches of ankerite and of epidote.

Pyrite forms disseminated equant grains.

### **Photographic Notes:**

The scanned sections show the gross textural features of the sections; these features are seen much better on the digital image than on the printed image. Sample numbers are shown in or near the top left of the photos and photo numbers at or near the lower left. The letter in the lower right-hand corner indicates the lighting conditions: P = plane light, X = plane light in crossed nicols, R = reflected light, RP = reflected light and plane light, RX = reflected light (uncrossed nicols) and transmitted light in crossed nicols. Locations of digital photographs (by photo number) are shown on the scanned sections. Descriptions of individual photographs are given at the end of the report.

## List of Photographs

<b>Photo Sample</b>	<b>Description</b>
<b>01 07-DDH-04 79'9"</b>	phenocrysts of plagioclase (altered slightly to sericite) and clinopyroxene and patches of magnetite in a groundmass of plagioclase with lesser clinopyroxene and magnetite.
<b>02 07-DDH-04 79'9"</b>	to the left: small plagioclase and clinopyroxene phenocrysts and patches of magnetite in a groundmass of finer grained plagioclase, clinopyroxene, and magnetite; to the right: vein of calcsilicate-chlorite-calcite with lenses of pyrite.
<b>03 07-DDH 05 227'7"</b>	apatite phenocryst in groundmass of irregular grains of ankerite, interstitial patches of K-feldspar, disseminated patches of chlorite, and minor disseminated patches of leucoxene.
<b>04 07-DDH 05 227'7"</b>	K-feldspar (a few very small phenocrysts in a finer grained groundmass) replaced by ankerite and minor chlorite and cut by a vein and veinlet of ankerite.
<b>05 07-DDH-05 239'3"</b>	prismatic plagioclase (altered moderately to sericite and lesser ankerite) and minor hornblende (altered completely to ankerite-chlorite), with interstitial patches of quartz, chlorite-hematite, and K-feldspar.
<b>06 07-DDH-05 239'3"</b>	large hornblende phenocryst (altered completely to ankerite-leucoxene) intergrown with smaller prismatic plagioclase grains(altered slightly to moderately to sericite) with interstitial patches of chlorite and lesser hematite and ankerite, with disseminated patches of subhedral to euhedral pyrite; cut by veinlet of ankerite-(quartz).
<b>07 07-DDH-05 252'9"</b>	scattered subhedral grains of plagioclase (altered moderately to sericite-ankerite), a few rounded grains of quartz, and one euhedral grain of apatite in a groundmass of finer grained plagioclase and disseminated sericite, with patches of ankerite, including one large patch that contains abundant pyrite grains.

**08 07-DDH-05 262'9"** to the left: core of inclusion: coarse ankerite with disseminated grains of pyrite and minor chalcopyrite and patches of sericite; to the right: altered zone: ankerite, sericite, and minor chlorite and leucoxene.

**09 07-DDH-05 252'9"** ankerite containing a sulphide patch composed of chalcopyrite, sphalerite (with exsolution blebs of chalcopyrite), and adjacent grains of pyrite and galena.

**10 07-DDH-05 297'** contact: to the left: Zone A: angular grains of plagioclase and a few of K-feldspar aggregates in a groundmass of much finer grained plagioclase with disseminated patches of ankerite, disseminated flakes of sericite, and minor clusters of pyrite and patches of chlorite; to the right: angular plagioclase grains in a matrix of ankerite.; veinlet of ankerite along the contact.

**11 07-DDH-05 297'** Zone B: plagioclase grains in a groundmass dominated by ankerite with patches of chlorite and minor patches of pyrite; vein of ankerite 0.4 mm wide with minor lenses of chlorite.

**12 07-DDH-05 349'** hornblende phenocryst (altered completely to chlorite-ankerite) intergrown with prismatic plagioclase (altered slightly to moderately to sericite and lesser K-feldspar and ankerite) with patches of epidote (probably after plagioclase), interstitial patches of chlorite, one interstitial patch of quartz-(epidote) and disseminated grains of ilmenite (altered partly to sphene).

**13 07-DDH-05 349'** prismatic plagioclase phenocryst and prismatic groundmass plagioclase (altered slightly to moderately to sericite and patches of epidote), interstitial patches of K-feldspar, quartz, and chlorite, and disseminated grains of magnetite.

**14 07-DDH-05 511'** fragments of epidote-ankerite, one of dacite (plagioclase-quartz), and a few of plagioclase in a tuffaceous matrix dominated by plagioclase and chlorite.

**15 07-DDH-05 511'** large fragment of andesite flow containing lathy plagioclase, fragments of epidote and ankerite (probably in part at least after plagioclase), of plagioclase (altered slightly to sericite and epidote), and one of a quartz aggregate in a groundmass of plagioclase with much less abundant chlorite and minor quartz.

**16 07-DDH-05 521'4"** phenocrysts of plagioclase (altered moderately to strongly to epidote-ankerite and lesser sericite) in a groundmass of much finer grained plagioclase with minor chlorite and leucoxene; a large irregular amygdule contains patches of quartz and of ankerite-epidote along or near its margins and chlorite in its core; chlorite ranges from cryptocrystalline near the margins to clusters of radiating flakes in the core.

**17 07-DDH-05 521'4"** phenocrysts of plagioclase (altered moderately to epidote and minor ankerite) and one large phenocryst to hornblende (altered completely to quartz with lesser patches of epidote and of cryptocrystalline chlorite) in a groundmass of plagioclase with minor chlorite and leucoxene; amygdules of chlorite (lower left corner and small patch below large plagioclase phenocryst).

**18 07-DDH-05 548'5"** to the left: large fragment of porphyritic andesite containing lathy plagioclase grains (altered moderately to sericite) in a cryptocrystalline groundmass of plagioclase, chlorite, and leucoxene; in the centre: fragments of plagioclase (altered moderately to sericite) and one of quartz in a groundmass of extremely fine grained plagioclase with much less abundant chlorite and leucoxene and with scattered patches of ankerite and minor patches of pyrite; to the right (top): fragment of porphyritic latite with plagioclase phenocrysts (altered strongly to ankerite and sericite) in a groundmass of equant plagioclase.

**19 07-DDH-05 548'5"** to the right (top): large fragment of porphyritic latite with plagioclase phenocrysts (altered strongly to sericite and minor ankerite) in a groundmass of equant plagioclase; (bottom) smaller fragments of plagioclase (altered slightly to moderately to sericite) and patches of ankerite in a groundmass of plagioclase and much less abundant chlorite and leucoxene; to the left: slightly banded vein of calcite-gypsum.

**20 07-DDH-05 580'11"** Fragment 1: plagioclase phenocrysts (altered moderately to sericite and minor ankerite) in a groundmass dominated by plagioclase with much less abundant chlorite, sericite, and leucoxene, with a larger patch of leucoxene and an amygdule of chlorite with minor quartz.


**21 07-DDH-05 580'11"** Fragment 3: replacement patch of epidote-(ankerite) in a groundmass of prismatic plagioclase with much less abundant interstitial chlorite, a few small patches of epidote, and a few patches of leucoxene.

**22 07-DDH-05 580'11"** to the right: Fragment 4: epidote with lesser ankerite and minor quartz; to the left: fragments of dacite (plagioclase-quartz), plagioclase (altered moderately to epidote), epidote, and andesite in a groundmass of plagioclase and chlorite with a few patches of leucoxene.

**23 07-DDH-05 580'11"** Fragment 7: phenocrysts of plagioclase (altered moderately to strongly to sericite-epidote) and hornblende (altered completely to chlorite-epidote) in a groundmass dominated by equant plagioclase with much less abundant sericite and chlorite; a cluster of subhedral pyrite grains with an adjacent patch of epidote.


### Thin section Photographs

01. 07-DDH-04 79'9"







02. 07-DDH-04 79'9"




03. 07-DDH 05 227'7"




04. 07-DDH-05 227'7"




05. 07-DDH-05 239'3"




06. 07-DDH-05 239'3"




07. 07-DDH-05 282'9"




08. 07-DDH-05 252'9"




09. 07-DDH-05 252'9"




10. 07-DDH-05 297'




11. 07-DDH-05 297'




12. 07-DDH-05 349'




13. 07-DDH-05 349'




14. 07-DDH-05 511'




15. 07-DDH-05 511'



16. 07-DDH-05 521'4"




17. 07-DDH-05 521'4"







18. 07-DDH-05 548'5"




19. 07-DDH-05 548'5"




20. 07-DDH-05 580'11"




21. 07-DDH-05 580'11"




07-DDH-05 580'11"




22. 07-DDH-05 580'11"




# 070901 dajin blocks




### 070901 dajin sections





Appendix C: Gold values in soil and soil sample location North half



**Dajin Resources Corp.**

123.4 Au PPB

● Sample Location

— Roads

■ Lakes Wet lands

— Streams,rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C, Canada

**Gold Value**

**North Half**

---

Scale: 1:5,000 Datum: NAD 83


Date: May 23, 2008 UTM Zone: 10

BY: M.S



Values < 5 PPB Au were rounded to Zero for mapping software compatibility.

100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver, B.C Canada V6C 1H2



M.Saghezchi GIT



**Dajin Resources Corp.**

**Gold Value**

123.4 Au PPB

● Sample Location

— Roads

■ Lakes Wet lands

— Streams,rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C. Canada

**Gold Value**

**South Half**


Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S.	

Values < 5 PPB Au were rounded to Zero for mapping software compatibility.


98

0 100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C. Canada V6C 1H2



M.Saghezchi G1T



**Dajin Resources Corp.**

**Copper Value**

- Sample Location
- Roads
- Lakes Wet lands
- Streams,rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C, Canada

**Copper Value**

**North Half**

---

Scale: 1:5,000      Datum: NAD 83


Date: May 23, 2008      UTM Zone: 10

BY: M.S



100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C Canada V6C 1H2





M.Saghezchi GIT



**Dajin Resources Corp.**

**Copper Value**

123.4 Cu PPM

○ Sample Location

— Roads

■ Lakes Wet lands

— Streams,rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C, Canada


**Copper Value**

**South Half**

Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

0 100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C Canada V6C 1H2



**Dajin Resources Corp.**

**Gold Value**

- Au PFB
- <1
- 1..5
- 5..15
- 15..20
- 20..35
- >35

— Roads

— Lakes/Wet lands

— Streams/Rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C. Canada

**Gold Bubble Map**

**North Half**


---

Scale: 1:5,000      Datum: NAD 83


Date: May 23, 2008      UTM Zone: 10

BY: M.S.

100 m



M.Saghezchi GIT



**Dajin Resources Corp.**

Gold Value	
•	<1
•	1..5
•	5..15
•	15..20
•	20..35
•	>35
—	Roads
■	Lakes Wet lands
—	Streams,rivers



**Dajin Resources Corp.**

**Cowtrail Project**  
Cariboo Mining Division, B.C, Canada

**Gold Bubble Map**  
**South Half**

Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

0 100 m



**Dajin Resources Corp.**

**Copper Value**

- Cu PPM <31
- 31...54
- 54...78
- 78...101
- 101...141
- >141

— Roads

— Lakes Wet lands

— Streams,rivers

**Dajin Resources Corp.**

**Cowtrail Project**

Cariboo Mining Division, B.C, Canada


**Copper Bubble Map**

**North Half**


Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C Canada V6C 1H2



M.Saghezchi GIT



**Dajin Resources Corp.**

Copper Value	
•	Cu PPM <31
•	31...54
•	54...78
•	78...101
•	101...141
•	>141

— Roads  
 — Lakes Wet lands  
 — Streams,rivers

**Dajin Resources Corp.**


**Cowtrail Project**  
 Cariboo Mining Division, B.C., Canada

**Copper Bubble Map**  
 South Half

Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

0 100 m

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C Canada V6C 1H2



**Dajin Resources Corp.**  
Soil sample location

- Sample Location
- Roads
- Lakes/Wet lands
- Streams, rivers

**Dajin Resources Corp.**


**Cowtrail Project**  
Cariboo Mining Division, B.C. Canada

**Soil Sample Location**  
North Half


Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	

100 m

Dajin Resources Corp., Suite 480-789 West Pender St Vancouver B.C. Canada V6C 1H2



M.Saghezi GT



**Dajin Resources Corp.**  
Soil Sample Location

- Sample location
- Roads
- Lakes Wet lands
- Streams,rivers

Dajin Resources Corp. Suite 480-789 West Pender St Vancouver B.C Canada V6C 1H2

**Dajin Resources Corp.**


**Cowtrail Project**  
Cariboo Mining Division, B.C, Canada

**Soil Sample Location**  
**South Half**

Scale: 1:5,000	Datum: NAD 83
Date: May 23, 2008	UTM Zone: 10
BY: M.S	


0 100 m


Appendix H: Cowtrail cross sections location map








Appendix H1: Cowtrail cross sections showing lithology and copper,gold values



















ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins  
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.  
 Received: November 08, 2007  
 Report Date: December 15, 2007  
 Page: 1 of 6

## CERTIFICATE OF ANALYSIS

VAN07002447.1

### CLIENT JOB INFORMATION

Project: CDWtrail  
 Shipment ID:  
 P.O. Number  
 Number of Samples: 141

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2  
 Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	141	Dry at 60C sieve 100g to -80 mesh		
Split Reject	141	Reject sample split/packet		
Dry at 60C	141	Dry at 60C		
1DX	141	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 2 of 6 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L25+50N 28+25E	Soil	0.9	61.5	6.4	64	0.2	38.7	14.6	447	3.45	8.6	0.5	4.0	2.0	35	0.4	0.3	<0.1	103	0.52	0.073
L25+50N 28+50E	Soil	0.8	23.4	6.1	120	0.2	34.7	12.9	524	3.04	4.8	0.4	6.6	1.9	19	0.4	0.2	0.1	78	0.28	0.118
L25+50N 29+00E	Soil	0.7	45.3	5.4	47	<0.1	39.9	12.8	304	3.07	7.6	0.5	5.5	2.5	43	0.1	0.2	<0.1	85	0.45	0.064
L25+50N 29+25E	Soil	1.1	42.4	6.6	86	0.2	35.9	15.3	679	3.26	5.8	0.9	5.1	2.2	62	0.3	0.3	<0.1	88	0.72	0.048
L25+50N 29+50E	Soil	0.9	44.9	6.0	47	0.1	38.7	12.7	288	3.34	7.9	0.6	5.8	2.6	32	0.3	0.3	<0.1	88	0.34	0.040
L25+50N 30+00E	Soil	0.6	26.9	5.8	74	0.2	38.6	12.9	333	3.45	5.8	0.5	1.8	2.6	53	0.2	0.2	0.1	83	0.55	0.074
L25+50N 30+25E	Soil	0.7	47.7	6.8	85	0.1	34.7	15.0	718	3.30	6.5	0.5	4.5	2.2	48	0.2	0.2	<0.1	94	0.56	0.051
L25+50N 30+50E	Soil	0.8	36.0	6.1	80	0.2	35.1	12.2	334	3.39	6.2	0.4	3.4	2.4	49	0.1	0.2	0.1	86	0.56	0.149
L25+50N 30+75E	Soil	0.6	38.1	4.9	82	0.2	41.3	12.8	337	3.50	6.8	0.5	3.7	2.2	69	0.2	0.1	<0.1	97	0.66	0.096
L25+50N 31+00E	Soil	0.6	34.9	5.2	75	0.2	36.9	12.3	373	3.56	6.3	0.5	3.0	1.8	58	0.3	0.2	<0.1	100	0.71	0.102
L25+50N 31+25E	Soil	0.8	41.7	5.3	83	0.2	40.9	13.5	349	3.88	7.0	0.5	2.6	2.0	60	0.3	0.2	<0.1	102	0.67	0.229
L25+50N 31+50E	Soil	0.5	34.0	5.4	111	0.3	41.8	12.6	367	3.58	5.0	0.4	1.7	2.4	45	0.2	0.2	0.1	88	0.42	0.200
L25+50N 31+75E	Soil	0.6	34.6	5.2	97	0.2	42.9	14.4	398	3.91	6.0	0.5	1.6	1.6	80	0.3	0.1	<0.1	117	0.88	0.082
L25+50N 32+00E	Soil	0.7	45.8	5.3	65	0.3	39.4	12.8	364	3.70	8.0	0.6	2.2	2.6	50	0.3	0.2	0.1	93	0.58	0.123
L25+50N 32+25E	Soil	1.2	27.4	5.0	109	0.3	39.8	12.9	340	4.02	18.4	0.6	2.1	1.4	49	0.5	0.2	<0.1	111	0.56	0.210
L25+50N 32+50E	Soil	0.8	25.8	5.0	98	0.2	35.7	11.9	372	3.52	5.1	0.4	1.5	1.2	51	0.4	0.1	<0.1	107	0.64	0.099
L25+50N 32+75E	Soil	0.5	56.5	5.5	55	<0.1	34.8	14.7	607	3.34	7.2	0.7	11.9	2.8	114	0.2	0.2	<0.1	111	1.23	0.063
L25+50N 33+00E	Soil	1.1	35.2	6.3	99	0.3	43.0	13.5	334	3.90	7.9	0.6	2.7	1.8	53	0.3	0.2	0.1	106	0.67	0.053
L25+50N 33+25E	Soil	0.8	23.9	5.6	158	0.3	41.9	15.2	447	3.86	7.9	0.5	2.3	1.8	40	0.4	0.2	<0.1	101	0.37	0.141
L25+50N 33+50E	Soil	1.0	58.0	7.1	71	0.1	46.0	15.1	560	3.89	9.4	0.8	21.1	2.5	94	0.3	0.3	<0.1	116	0.95	0.048
L25+50N 33+75E	Soil	0.7	61.1	6.2	62	0.1	29.4	12.2	595	2.98	7.0	0.9	2.9	3.0	47	0.3	0.3	0.1	70	0.68	0.035
L25+50N 34+00E	Soil	0.7	90.7	6.4	75	0.3	31.7	12.4	751	3.03	6.7	1.3	5.0	2.3	58	0.3	0.3	0.1	73	0.86	0.046
L25+50N 34+25E	Soil	0.8	29.1	6.4	99	0.1	31.1	12.9	771	2.91	5.1	0.7	4.8	2.9	40	0.3	0.3	0.1	73	0.53	0.041
L25+50N 34+50E	Soil	0.6	46.3	6.1	52	<0.1	36.8	14.0	513	2.62	6.9	0.6	4.5	3.5	47	0.3	0.6	<0.1	63	0.70	0.063
L25+50N 35+00E	Soil	0.8	63.4	9.0	81	0.2	54.1	17.9	721	3.63	12.0	0.6	10.8	4.9	69	0.3	1.1	0.2	78	1.12	0.078
L25+50N 35+25E	Soil	1.1	27.4	6.9	123	0.3	40.6	13.8	338	4.20	7.2	0.4	3.6	2.2	43	0.2	0.5	0.2	96	0.42	0.118
L25+50N 35+50E	Soil	1.0	24.5	7.9	140	0.2	44.1	17.6	548	4.69	9.6	0.5	4.4	1.8	37	0.4	0.7	0.2	114	0.48	0.213
L25+50N 35+75E	Soil	1.1	21.3	7.0	169	0.3	38.0	14.5	452	4.53	16.7	0.4	9.5	1.7	32	0.4	0.9	0.2	108	0.36	0.128
L25+50N 36+00E	Soil	0.9	14.7	5.9	100	0.1	23.5	10.0	308	3.16	54.4	0.4	22.3	2.7	15	0.2	1.9	0.1	67	0.21	0.044
L25+50N 36+25E	Soil	0.9	27.7	7.4	107	0.2	32.7	12.1	572	3.91	57.7	0.4	14.5	2.9	25	0.3	1.9	0.1	87	0.36	0.034



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 2 of 6 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
L25+50N 28+25E	Soil	8	66	0.71	63	0.090	3	2.00	0.008	0.08	0.2	0.04	3.8	<0.1	<0.05	6	<0.5
L25+50N 28+50E	Soil	7	54	0.54	56	0.078	3	2.06	0.007	0.08	0.1	0.03	2.9	<0.1	<0.05	5	<0.5
L25+50N 29+00E	Soil	8	60	0.64	80	0.087	3	2.18	0.008	0.06	0.2	0.02	3.4	<0.1	<0.05	5	<0.5
L25+50N 29+25E	Soil	8	58	0.78	93	0.097	5	2.05	0.019	0.08	<0.1	0.03	4.8	<0.1	<0.05	5	0.6
L25+50N 29+50E	Soil	10	61	0.62	66	0.094	2	2.11	0.008	0.06	<0.1	0.05	3.5	<0.1	<0.05	5	<0.5
L25+50N 30+00E	Soil	9	49	0.81	80	0.097	2	2.45	0.008	0.09	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5
L25+50N 30+25E	Soil	9	56	0.76	67	0.093	2	2.45	0.011	0.08	0.1	0.03	4.7	<0.1	<0.05	7	<0.5
L25+50N 30+50E	Soil	8	47	0.74	76	0.084	5	2.50	0.012	0.11	0.1	0.03	3.4	<0.1	<0.05	7	<0.5
L25+50N 30+75E	Soil	7	46	0.87	74	0.101	3	3.77	0.008	0.11	0.1	0.04	3.4	<0.1	<0.05	8	<0.5
L25+50N 31+00E	Soil	7	50	0.81	91	0.103	4	2.91	0.009	0.11	0.1	0.04	4.0	<0.1	<0.05	8	<0.5
L25+50N 31+25E	Soil	7	56	0.88	79	0.093	3	3.06	0.009	0.08	0.1	0.04	4.1	<0.1	<0.05	8	<0.5
L25+50N 31+50E	Soil	8	49	0.79	90	0.094	3	2.74	0.009	0.09	0.1	0.03	4.1	<0.1	<0.05	8	<0.5
L25+50N 31+75E	Soil	6	46	0.89	84	0.122	3	3.28	0.008	0.10	<0.1	0.04	4.7	<0.1	<0.05	10	<0.5
L25+50N 32+00E	Soil	8	54	0.85	99	0.089	3	2.60	0.008	0.10	0.1	0.03	3.9	<0.1	<0.05	7	<0.5
L25+50N 32+25E	Soil	5	53	0.87	93	0.093	3	3.73	0.007	0.07	0.1	0.04	4.0	<0.1	<0.05	9	<0.5
L25+50N 32+50E	Soil	4	45	0.69	101	0.107	<1	3.42	0.009	0.06	0.1	0.04	4.2	<0.1	<0.05	8	<0.5
L25+50N 32+75E	Soil	10	55	0.94	83	0.122	3	2.65	0.017	0.09	0.1	0.06	6.4	<0.1	<0.05	6	<0.5
L25+50N 33+00E	Soil	6	52	0.85	107	0.110	2	3.45	0.010	0.07	<0.1	0.03	4.2	<0.1	<0.05	9	0.5
L25+50N 33+25E	Soil	6	50	0.93	105	0.106	3	3.18	0.008	0.08	0.1	0.02	3.8	<0.1	<0.05	8	<0.5
L25+50N 33+50E	Soil	9	64	1.10	105	0.126	3	3.00	0.011	0.13	<0.1	0.03	5.0	<0.1	<0.05	7	0.5
L25+50N 33+75E	Soil	13	51	0.70	82	0.080	4	1.54	0.019	0.06	0.1	0.03	4.7	0.1	<0.05	4	<0.5
L25+50N 34+00E	Soil	13	54	0.68	86	0.067	4	1.73	0.018	0.05	<0.1	0.06	5.0	<0.1	<0.05	5	0.8
L25+50N 34+25E	Soil	8	57	0.62	86	0.086	2	1.55	0.014	0.05	<0.1	0.03	3.7	<0.1	<0.05	4	<0.5
L25+50N 34+50E	Soil	12	48	0.77	61	0.089	4	1.29	0.033	0.08	0.1	0.07	3.6	<0.1	<0.05	4	<0.5
L25+50N 35+00E	Soil	15	59	1.16	128	0.115	7	1.93	0.032	0.22	0.2	0.05	5.6	0.1	<0.05	5	<0.5
L25+50N 35+25E	Soil	7	56	0.63	119	0.096	4	2.56	0.010	0.09	0.2	0.03	3.0	<0.1	<0.05	8	<0.5
L25+50N 35+50E	Soil	7	68	0.68	105	0.115	3	2.39	0.012	0.09	0.1	0.03	3.2	<0.1	<0.05	9	<0.5
L25+50N 35+75E	Soil	7	61	0.64	135	0.110	4	2.30	0.010	0.08	0.2	0.02	3.2	<0.1	<0.05	9	<0.5
L25+50N 36+00E	Soil	9	48	0.41	70	0.061	2	1.49	0.010	0.05	<0.1	0.03	2.6	<0.1	<0.05	4	<0.5
L25+50N 36+25E	Soil	9	55	0.60	136	0.083	3	1.79	0.010	0.07	0.1	0.03	3.0	<0.1	<0.05	5	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 3 of 6 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L25+50N 36+50E	Soil			0.8	17.1	6.7	110	0.2	25.8	12.5	463	3.41	8.8	0.4	1.3	2.1	26	0.3	0.4	0.1	80	0.38	0.054
L25+50N 36+75E	Soil			0.3	34.5	5.1	50	0.2	30.5	8.9	241	2.33	4.1	0.6	5.4	1.8	42	0.1	0.3	<0.1	64	0.68	0.037
L25+50N 37+00E	Soil			1.1	21.6	6.3	72	0.1	29.4	10.0	234	3.44	4.0	0.5	1.7	2.4	26	0.1	0.2	0.1	88	0.30	0.037
L25+50N 37+25E	Soil			0.7	32.1	5.6	62	0.1	47.1	14.2	448	3.29	4.3	0.5	1.6	3.4	42	0.1	0.2	<0.1	77	0.42	0.062
L25+50N 37+50E	Soil			0.7	36.4	6.3	52	0.2	38.8	12.3	374	2.97	2.9	1.1	2.0	4.2	44	<0.1	0.2	0.1	64	0.50	0.038
L25+50N 37+75E	Soil			1.0	29.8	6.4	62	0.2	47.2	14.3	271	3.74	3.6	0.6	2.2	3.7	42	0.1	0.1	0.1	83	0.39	0.042
L25+50N 38+00E	Soil			0.6	31.3	5.3	56	<0.1	52.8	15.4	370	3.34	4.0	0.5	1.2	3.1	28	0.1	0.2	<0.1	81	0.39	0.122
L25+50N 38+25E	Soil			0.8	28.5	5.8	71	0.2	58.0	17.2	309	3.99	3.7	0.5	4.1	2.8	39	0.1	0.2	<0.1	98	0.43	0.120
L25+50N 38+50E	Soil			0.9	39.9	6.0	76	0.2	71.1	18.8	420	4.29	4.0	0.6	<0.5	2.6	43	0.2	0.2	0.1	112	0.56	0.091
L25+50N 38+75E	Soil			0.7	65.4	5.6	54	0.1	49.0	15.7	485	3.13	3.9	0.6	3.6	3.8	42	0.1	0.4	<0.1	89	0.49	0.074
L25+50N 39+00E	Soil			0.8	36.0	5.0	97	0.1	54.2	15.7	392	3.43	4.2	0.4	2.7	2.1	30	0.2	0.2	<0.1	90	0.37	0.197
L25+50N 39+25E	Soil			0.7	53.5	6.8	73	0.2	55.6	17.4	756	3.33	3.8	0.6	2.1	3.8	40	0.3	0.3	0.1	81	0.50	0.080
L25+50N 39+50E	Soil			1.0	34.5	6.2	256	0.3	52.7	20.2	631	3.93	4.3	0.5	1.5	2.0	39	0.6	0.3	0.1	101	0.46	0.205
L25+50N 39+75E	Soil			1.3	42.4	6.8	182	0.2	56.3	21.3	385	5.01	5.8	0.5	3.0	1.9	39	0.5	0.4	0.1	133	0.44	0.266
L25+50N 40+00E	Soil			0.9	19.3	7.8	140	0.2	23.7	11.0	988	2.97	4.0	0.4	1.5	2.0	38	0.4	0.3	0.2	84	0.36	0.125
L25+50N 40+25E	Soil			1.6	40.1	7.8	180	0.2	56.8	20.2	446	4.95	8.4	0.5	8.7	2.1	41	0.5	0.5	0.2	132	0.43	0.098
L25+50N 40+75E	Soil			0.5	78.8	6.9	92	<0.1	41.7	17.8	587	3.42	5.1	0.7	1.4	5.3	43	0.2	0.2	<0.1	100	0.42	0.049
L25+50N 41+00E	Soil			0.5	38.7	5.4	61	0.1	36.1	15.0	526	3.30	2.6	0.4	1.5	3.0	55	0.2	0.2	<0.1	90	0.71	0.052
L25+50N 41+25E	Soil			0.5	51.4	5.7	125	0.2	37.8	15.2	435	3.22	5.3	0.9	1.4	2.7	70	0.3	0.2	<0.1	95	0.74	0.061
L25+50N 41+50E	Soil			0.6	40.6	7.3	85	<0.1	42.1	15.6	424	4.13	5.2	0.6	1.7	2.2	62	0.2	<0.1	<0.1	124	0.51	0.079
L25+50N 41+75E	Soil			0.7	42.8	7.7	163	0.2	49.3	21.2	619	4.26	4.2	0.4	1.1	2.4	42	0.3	0.2	0.1	110	0.49	0.238
L25+50N 42+00E	Soil			0.6	25.6	6.9	124	<0.1	39.2	17.6	416	4.15	3.4	0.4	2.8	2.3	47	0.2	0.1	0.1	99	0.42	0.285
L25+50N 42+25E	Soil			0.5	62.5	5.1	83	<0.1	53.3	18.3	428	3.81	2.7	0.5	1.5	2.8	41	<0.1	0.2	<0.1	105	0.52	0.156
L25+50N 42+50E	Soil			0.7	88.6	6.0	96	<0.1	53.8	20.4	460	4.06	3.5	0.5	1.2	2.7	45	0.1	0.1	<0.1	111	0.48	0.130
L25+50N 42+75E	Soil			0.7	45.9	5.5	133	<0.1	55.0	17.5	443	3.65	3.8	0.4	1.7	1.9	40	0.3	0.2	<0.1	100	0.48	0.152
L25+50N 43+00E	Soil			0.4	71.6	6.3	99	<0.1	39.6	18.6	430	4.19	4.5	0.4	0.9	2.3	61	0.1	0.1	0.1	107	0.52	0.217
L25+50N 43+25E	Soil			0.5	140.5	8.2	116	<0.1	31.6	19.3	544	4.41	4.0	0.4	1.0	1.4	62	0.2	0.1	0.1	130	0.60	0.165
L25+50N 43+50E	Soil			0.4	51.7	7.9	153	<0.1	25.8	16.7	551	3.68	2.8	0.3	0.7	1.3	69	0.2	0.1	0.1	115	0.59	0.229
L25+50N 43+75E	Soil			0.4	76.8	7.7	145	<0.1	28.2	17.9	875	3.77	3.3	0.3	<0.5	1.4	93	0.2	0.1	0.1	119	0.86	0.136
L25+50N 44+00E	Soil			0.4	130.1	7.1	74	<0.1	28.3	20.8	591	4.45	2.8	0.5	0.5	1.2	74	0.1	0.1	<0.1	144	0.67	0.076



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 3 of 6 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L25+50N 36+50E	Soil	7	50	0.49	59	0.089	2	1.67	0.008	0.07	0.2	0.01	2.3	<0.1	<0.05	5	<0.5
L25+50N 36+75E	Soil	9	54	0.67	69	0.090	3	1.62	0.017	0.05	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5
L25+50N 37+00E	Soil	9	56	0.48	52	0.123	2	1.96	0.010	0.05	0.1	0.01	2.5	<0.1	<0.05	7	<0.5
L25+50N 37+25E	Soil	11	62	0.75	90	0.107	3	2.24	0.012	0.06	0.1	0.04	2.8	<0.1	<0.05	6	<0.5
L25+50N 37+50E	Soil	15	57	0.77	62	0.086	2	2.03	0.015	0.07	<0.1	0.04	4.4	<0.1	<0.05	5	<0.5
L25+50N 37+75E	Soil	13	63	0.78	76	0.107	2	2.68	0.012	0.07	0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L25+50N 38+00E	Soil	10	68	0.70	60	0.115	3	2.05	0.012	0.08	0.1	0.02	2.7	<0.1	<0.05	5	<0.5
L25+50N 38+25E	Soil	9	70	0.75	92	0.124	3	2.61	0.010	0.09	0.2	0.04	2.8	<0.1	<0.05	7	<0.5
L25+50N 38+50E	Soil	9	82	0.81	92	0.150	3	3.24	0.011	0.07	0.1	0.04	3.8	<0.1	<0.05	9	<0.5
L25+50N 38+75E	Soil	12	77	0.87	52	0.121	3	2.01	0.014	0.12	0.1	0.04	4.2	0.1	<0.05	5	<0.5
L25+50N 39+00E	Soil	7	79	0.77	96	0.109	3	2.16	0.011	0.07	0.2	0.02	2.8	<0.1	<0.05	6	<0.5
L25+50N 39+25E	Soil	14	76	0.92	74	0.118	3	2.16	0.014	0.13	0.1	0.04	4.3	<0.1	<0.05	6	<0.5
L25+50N 39+50E	Soil	6	68	0.85	91	0.130	4	2.53	0.013	0.12	0.2	0.03	4.1	<0.1	<0.05	9	<0.5
L25+50N 39+75E	Soil	5	80	0.88	91	0.143	4	3.23	0.012	0.16	0.2	0.04	3.7	<0.1	<0.05	10	<0.5
L25+50N 40+00E	Soil	7	60	0.48	99	0.110	3	1.46	0.009	0.09	0.1	0.03	2.2	<0.1	<0.05	7	<0.5
L25+50N 40+25E	Soil	7	82	0.81	78	0.157	5	3.03	0.012	0.14	0.2	0.03	3.5	<0.1	<0.05	10	<0.5
L25+50N 40+75E	Soil	20	64	0.75	55	0.097	2	2.14	0.017	0.12	<0.1	<0.01	5.1	0.1	<0.05	5	<0.5
L25+50N 41+00E	Soil	8	95	0.71	50	0.115	5	1.80	0.131	0.10	<0.1	0.02	3.4	<0.1	<0.05	4	<0.5
L25+50N 41+25E	Soil	13	54	0.67	60	0.093	6	2.47	0.016	0.10	<0.1	0.05	3.7	<0.1	<0.05	6	<0.5
L25+50N 41+50E	Soil	7	81	0.55	68	0.135	5	2.98	0.017	0.10	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L25+50N 41+75E	Soil	7	76	0.83	82	0.141	5	2.75	0.015	0.13	0.1	0.02	4.1	<0.1	<0.05	9	<0.5
L25+50N 42+00E	Soil	6	84	0.58	74	0.147	6	2.70	0.012	0.15	0.1	0.03	3.3	<0.1	<0.05	9	<0.5
L25+50N 42+25E	Soil	7	85	0.87	54	0.143	5	2.97	0.013	0.14	0.1	<0.01	3.9	<0.1	<0.05	7	<0.5
L25+50N 42+50E	Soil	8	80	0.91	70	0.149	5	3.21	0.014	0.15	0.1	0.02	4.0	<0.1	<0.05	7	<0.5
L25+50N 42+75E	Soil	5	79	0.74	57	0.139	5	2.79	0.012	0.13	0.1	0.01	3.0	<0.1	<0.05	7	<0.5
L25+50N 43+00E	Soil	6	67	0.62	131	0.101	6	3.69	0.018	0.18	0.1	0.02	3.9	<0.1	<0.05	7	0.5
L25+50N 43+25E	Soil	3	58	0.84	94	0.137	7	4.48	0.024	0.39	0.2	0.03	4.3	<0.1	<0.05	9	<0.5
L25+50N 43+50E	Soil	4	63	0.57	102	0.137	8	2.82	0.022	0.39	0.1	0.02	3.1	<0.1	<0.05	8	<0.5
L25+50N 43+75E	Soil	4	62	0.67	90	0.136	12	3.27	0.021	0.45	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5
L25+50N 44+00E	Soil	5	79	0.82	61	0.146	7	3.78	0.045	0.25	0.2	0.01	4.9	<0.1	<0.05	8	0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 4 of 6 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L25+50N 44+25E	Soil			0.4	144.4	8.9	94	<0.1	24.6	21.5	1001	4.51	2.5	0.4	1.6	1.0	85	0.2	<0.1	<0.1	147	0.88	0.190
L25+50N 44+50E	Soil			0.3	86.9	7.0	65	<0.1	27.0	18.7	524	4.12	1.8	0.2	<0.5	0.9	69	<0.1	<0.1	<0.1	125	0.67	0.079
L25+50N 44+75E	Soil			0.4	110.0	5.9	72	<0.1	31.1	19.5	642	4.46	3.0	0.4	1.5	1.2	84	<0.1	<0.1	<0.1	128	0.67	0.093
L25+50N 45+25E	Soil			0.3	130.3	7.1	78	<0.1	25.4	20.6	534	4.62	2.5	0.4	0.9	1.1	70	<0.1	<0.1	<0.1	128	0.71	0.084
L25+50N 45+50E	Soil			0.5	61.0	6.5	112	<0.1	31.5	20.3	549	4.44	2.0	0.3	<0.5	1.0	39	0.1	<0.1	<0.1	128	0.58	0.133
L25+50N 45+75E	Soil			0.5	123.0	6.7	121	0.1	44.1	22.9	404	4.80	3.4	0.4	1.1	1.4	49	0.2	<0.1	<0.1	134	0.57	0.224
L25+50N 46+00E	Soil			0.4	51.7	4.8	97	0.1	45.5	17.3	318	3.57	2.2	0.4	<0.5	1.6	39	0.1	0.1	<0.1	99	0.42	0.107
L25+50N 46+25E	Soil			0.4	47.7	4.4	86	<0.1	43.0	15.8	308	3.41	1.8	0.4	0.7	2.3	47	<0.1	0.1	<0.1	89	0.55	0.078
L25+50N 46+50E	Soil			0.5	77.7	8.1	115	<0.1	40.4	21.2	519	4.22	2.5	0.3	0.6	1.5	60	0.2	0.1	<0.1	104	0.59	0.149
L25+50N 46+75E	Soil			0.5	68.7	6.8	109	<0.1	38.8	18.3	590	3.99	2.6	0.4	<0.5	1.8	54	<0.1	0.1	<0.1	103	0.55	0.142
L25+50N 47+00E	Soil			0.5	65.3	7.7	173	0.1	38.2	19.3	659	4.17	2.8	0.3	0.7	1.4	46	0.2	0.1	<0.1	106	0.43	0.280
L25+50N 47+25E	Soil			0.4	89.9	7.6	141	<0.1	33.7	20.2	588	4.34	2.7	0.3	0.6	1.2	45	0.2	<0.1	<0.1	111	0.39	0.215
L25+50N 47+50E	Soil			0.4	61.5	6.2	112	<0.1	43.4	18.7	481	3.92	2.7	0.4	<0.5	1.8	63	0.2	0.1	<0.1	104	0.46	0.208
L25+50N 47+75E	Soil			0.3	92.5	7.7	91	<0.1	33.4	24.7	412	5.17	2.5	0.3	<0.5	1.1	77	0.1	<0.1	<0.1	146	0.64	0.050
L25+50N 48+00E	Soil			0.9	39.1	5.9	64	<0.1	30.8	15.9	345	3.66	1.6	0.3	1.1	1.3	60	<0.1	0.1	<0.1	118	0.47	0.033
L25+50N 48+25E	Soil			0.4	84.9	7.7	115	<0.1	44.7	20.0	387	4.32	3.1	0.4	1.0	1.8	83	0.1	0.1	<0.1	105	0.62	0.252
L25+50N 48+50E	Soil			0.3	66.8	6.5	119	<0.1	29.2	17.8	590	3.86	2.0	0.3	1.2	1.4	59	0.1	<0.1	<0.1	96	0.57	0.110
L25+50N 48+75E	Soil			0.3	129.6	6.7	66	<0.1	29.0	20.2	402	4.66	2.2	0.4	1.4	1.5	80	<0.1	0.1	<0.1	125	0.58	0.038
L25+50N 49+00E	Soil			0.5	76.1	6.9	134	<0.1	30.6	19.2	647	4.04	2.4	0.2	1.1	0.9	75	0.1	<0.1	<0.1	112	0.59	0.155
L25+50N 49+25E	Soil			0.4	62.3	7.3	180	<0.1	22.6	16.5	827	3.75	2.3	0.2	<0.5	1.0	40	0.2	<0.1	<0.1	99	0.40	0.171
L25+50N 49+50E	Soil			0.4	83.0	7.4	188	<0.1	29.2	19.4	759	4.25	2.6	0.3	<0.5	1.2	67	0.1	<0.1	<0.1	113	0.52	0.155
L25+50N 50+00E	Soil			0.4	165.0	6.8	58	<0.1	28.1	21.1	442	4.88	2.6	0.5	0.8	1.7	111	<0.1	0.1	<0.1	141	0.77	0.051
L25+50N 50+25E	Soil			0.5	162.9	8.4	106	<0.1	29.9	22.9	512	4.58	2.9	0.3	1.1	1.2	81	0.1	<0.1	<0.1	137	0.54	0.170
L25+50N 50+50E	Soil			0.5	82.4	7.4	116	<0.1	25.9	21.6	420	4.59	2.2	0.2	<0.5	0.9	63	0.1	0.1	<0.1	128	0.41	0.188
L25+50N 50+75E	Soil			0.5	91.0	8.3	141	<0.1	32.6	19.2	643	4.31	2.5	0.3	1.0	1.5	50	0.2	<0.1	<0.1	113	0.43	0.323
L25+50N 51+00E	Soil			0.2	141.3	6.4	62	<0.1	24.8	18.8	488	4.79	2.2	0.5	1.1	1.5	110	<0.1	<0.1	<0.1	133	0.71	0.038
L24+50N 26+00E	Soil			0.4	40.5	5.4	77	0.2	38.7	14.1	444	2.98	4.7	0.5	4.3	3.0	47	0.2	0.2	<0.1	83	0.52	0.105
L24+50N 26+25E	Soil			0.4	28.4	4.0	63	0.1	32.2	10.5	370	2.73	2.5	0.5	1.9	3.2	32	0.2	0.1	<0.1	77	0.36	0.029
L24+50N 26+50E	Soil			0.7	32.9	6.7	100	0.2	37.8	12.8	393	3.47	4.4	0.5	1.0	3.6	45	0.3	0.2	0.1	79	0.48	0.239
L24+50N 26+75E	Soil			0.5	43.0	4.6	58	0.1	45.9	12.2	295	2.75	4.2	0.4	3.8	1.9	48	0.2	0.2	0.1	68	0.49	0.170



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 4 of 6 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L25+50N 44+25E	Soil	4	72	0.80	71	0.151	9	4.12	0.040	0.42	0.1	0.03	5.4	<0.1	<0.05	9	0.6
L25+50N 44+50E	Soil	3	70	0.75	59	0.155	9	3.83	0.022	0.32	<0.1	0.02	3.8	<0.1	<0.05	8	<0.5
L25+50N 44+75E	Soil	6	77	0.79	86	0.130	4	3.70	0.024	0.21	<0.1	0.02	5.5	<0.1	<0.05	8	<0.5
L25+50N 45+25E	Soil	4	65	0.77	56	0.164	7	4.75	0.024	0.33	<0.1	0.01	4.3	<0.1	<0.05	8	<0.5
L25+50N 45+50E	Soil	3	81	0.70	61	0.172	6	3.80	0.012	0.27	<0.1	0.01	3.3	<0.1	<0.05	9	<0.5
L25+50N 45+75E	Soil	4	73	0.91	77	0.175	6	5.00	0.017	0.27	0.2	0.03	4.0	<0.1	<0.05	10	<0.5
L25+50N 46+00E	Soil	5	80	0.76	58	0.145	5	3.19	0.013	0.22	0.1	0.02	3.2	<0.1	<0.05	8	<0.5
L25+50N 46+25E	Soil	8	84	0.86	77	0.156	5	2.45	0.017	0.21	<0.1	0.02	3.7	<0.1	<0.05	6	<0.5
L25+50N 46+50E	Soil	5	68	0.73	98	0.166	9	4.47	0.032	0.47	0.1	0.03	3.7	<0.1	<0.05	10	<0.5
L25+50N 46+75E	Soil	6	77	0.77	123	0.163	7	4.06	0.018	0.32	0.1	0.02	4.1	<0.1	<0.05	9	<0.5
L25+50N 47+00E	Soil	4	68	0.72	203	0.159	6	4.19	0.013	0.31	0.1	0.02	3.8	<0.1	<0.05	9	<0.5
L25+50N 47+25E	Soil	4	70	0.73	146	0.151	5	4.34	0.017	0.28	0.1	0.02	3.4	<0.1	<0.05	9	<0.5
L25+50N 47+50E	Soil	6	73	0.85	141	0.154	5	3.66	0.013	0.27	0.1	0.02	4.0	<0.1	<0.05	8	<0.5
L25+50N 47+75E	Soil	4	75	0.93	146	0.165	8	4.72	0.030	0.29	0.1	0.02	4.3	<0.1	<0.05	9	<0.5
L25+50N 48+00E	Soil	5	72	0.60	75	0.147	5	2.96	0.016	0.19	0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L25+50N 48+25E	Soil	5	67	0.85	127	0.156	7	4.59	0.024	0.34	0.1	0.02	4.0	<0.1	<0.05	10	<0.5
L25+50N 48+50E	Soil	4	69	0.70	85	0.151	5	3.65	0.021	0.30	0.1	0.02	3.7	<0.1	<0.05	7	<0.5
L25+50N 48+75E	Soil	6	73	0.89	127	0.159	6	4.20	0.129	0.30	0.1	0.02	6.1	<0.1	<0.05	8	<0.5
L25+50N 49+00E	Soil	3	68	0.69	128	0.143	6	4.17	0.018	0.32	0.1	0.03	3.6	<0.1	<0.05	9	<0.5
L25+50N 49+25E	Soil	3	64	0.50	151	0.150	7	3.60	0.025	0.41	<0.1	0.03	3.0	<0.1	<0.05	9	<0.5
L25+50N 49+50E	Soil	4	58	0.74	169	0.111	10	4.49	0.035	0.46	<0.1	0.03	4.0	<0.1	<0.05	10	<0.5
L25+50N 50+00E	Soil	7	76	0.96	95	0.183	5	4.63	0.078	0.36	<0.1	0.02	7.6	<0.1	<0.05	9	<0.5
L25+50N 50+25E	Soil	3	63	0.91	121	0.169	7	5.61	0.020	0.40	0.2	0.03	3.8	<0.1	<0.05	10	<0.5
L25+50N 50+50E	Soil	3	68	0.62	163	0.131	5	4.30	0.013	0.27	0.1	0.04	3.7	<0.1	<0.05	10	<0.5
L25+50N 50+75E	Soil	4	66	0.79	177	0.152	8	4.61	0.028	0.39	0.1	0.03	3.9	<0.1	<0.05	11	<0.5
L25+50N 51+00E	Soil	7	72	1.02	180	0.152	7	4.46	0.200	0.34	<0.1	0.02	8.1	<0.1	<0.05	8	<0.5
L24+50N 26+00E	Soil	10	70	0.74	82	0.111	2	2.04	0.020	0.13	0.1	0.03	3.8	<0.1	<0.05	6	<0.5
L24+50N 26+25E	Soil	11	59	0.58	84	0.106	2	1.79	0.013	0.10	0.1	0.01	3.0	<0.1	<0.05	5	<0.5
L24+50N 26+50E	Soil	11	62	0.78	109	0.099	3	2.10	0.012	0.13	0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L24+50N 26+75E	Soil	6	67	0.73	98	0.094	3	1.96	0.009	0.11	0.1	0.03	2.7	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 5 of 6 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L24+50N 27+00E	Soil			0.5	19.7	4.9	91	<0.1	27.9	10.4	380	2.33	2.8	0.3	3.1	1.7	35	0.2	0.2	<0.1	64	0.38	0.103
L24+50N 27+25E	Soil			0.4	23.2	5.4	72	0.1	30.4	12.1	295	2.71	3.5	0.3	2.0	2.1	27	0.3	0.2	<0.1	68	0.32	0.149
L24+50N 27+50E	Soil			0.7	26.7	5.4	85	0.1	30.4	11.1	370	2.67	3.5	0.4	1.3	2.5	26	0.2	0.2	0.1	65	0.29	0.120
L24+50N 27+75E	Soil			0.5	57.4	6.7	57	0.2	40.8	15.5	535	3.16	3.8	0.7	2.4	3.7	38	0.2	0.3	0.1	81	0.44	0.034
L24+50N 28+00E	Soil			0.6	39.5	6.0	73	0.1	36.2	13.4	544	2.95	3.6	0.5	2.2	2.8	39	0.3	0.2	0.1	75	0.43	0.055
L24+50N 28+25E	Soil			0.6	35.4	5.5	66	<0.1	31.9	11.9	290	2.79	3.3	0.5	2.8	2.3	50	0.2	0.2	<0.1	87	0.42	0.047
L24+50N 28+50E	Soil			0.7	44.4	5.2	61	0.1	33.2	13.5	501	2.65	3.4	0.5	2.1	2.1	39	0.3	0.3	<0.1	82	0.50	0.057
L24+50N 28+75E	Soil			0.6	38.8	5.2	61	<0.1	34.1	13.2	366	2.73	3.9	0.5	5.2	2.2	36	0.2	0.3	<0.1	88	0.42	0.050
L24+50N 29+00E	Soil			0.5	40.4	4.9	55	0.1	39.0	12.7	279	2.75	4.2	0.4	2.0	1.9	33	0.2	0.2	<0.1	88	0.36	0.053
L24+50N 29+25E	Soil			0.5	39.3	5.2	56	<0.1	31.6	12.5	292	2.85	4.2	0.4	4.2	2.1	28	0.2	0.2	<0.1	93	0.35	0.067
L24+50N 29+50E	Soil			0.4	31.7	4.2	54	0.1	25.9	9.7	287	2.29	2.3	0.4	1.9	2.5	21	0.1	0.2	<0.1	63	0.30	0.045
L24+50N 29+75E	Soil			0.4	27.0	4.2	59	<0.1	23.7	9.4	301	2.30	2.3	0.4	2.2	2.4	23	0.1	0.2	<0.1	61	0.28	0.051
L24+50N 30+00E	Soil			0.4	29.9	4.6	53	<0.1	26.1	10.5	259	2.44	2.4	0.4	1.6	2.3	24	0.2	0.1	<0.1	67	0.29	0.036
L24+50N 30+25E	Soil			0.4	36.6	4.2	50	<0.1	30.6	10.1	274	2.48	3.1	0.6	2.2	2.5	32	0.2	0.2	<0.1	69	0.37	0.030
L24+50N 30+50E	Soil			1.3	172.4	12.0	113	0.7	72.1	20.3	1474	5.07	10.2	3.7	4.0	3.2	96	0.6	0.4	0.2	126	1.09	0.060
L24+50N 30+75E	Soil			0.6	43.7	5.1	83	0.2	49.3	15.3	376	3.93	7.4	0.9	2.3	1.9	113	0.3	0.2	<0.1	115	0.89	0.123
L24+50N 31+00E	Soil			0.7	28.1	6.4	116	0.2	41.7	15.3	386	4.20	8.8	1.0	1.1	1.7	72	0.4	0.2	0.1	119	0.65	0.189
L24+50N 31+25E	Soil			0.9	98.2	9.0	130	0.4	45.5	15.6	942	3.59	6.8	2.6	4.7	2.1	81	0.6	0.2	0.1	110	0.88	0.042
L24+50N 31+50E	Soil			0.7	41.6	6.7	121	0.2	41.0	14.7	395	3.91	7.3	0.6	30.8	1.6	78	0.6	0.2	<0.1	115	0.75	0.143
L24+50N 31+75E	Soil			1.1	52.6	8.1	238	0.3	48.1	21.0	682	4.49	8.0	0.7	1.2	1.5	65	0.8	0.2	0.1	141	0.65	0.203
L24+50N 32+00E	Soil			2.0	190.4	13.1	141	0.5	52.8	19.8	1517	4.32	27.2	2.6	1.7	1.7	96	1.2	0.3	0.2	140	1.28	0.055
L24+50N 32+25E	Soil			1.5	49.9	9.6	140	0.1	41.0	16.6	566	3.60	9.3	0.9	1.1	2.1	81	0.6	0.2	0.1	108	0.87	0.026
L24+50N 32+50E	Soil			0.9	44.8	9.4	272	0.4	38.8	15.2	473	3.55	12.2	1.2	2.4	2.0	60	0.8	0.2	0.2	100	0.71	0.047
L24+50N 32+75E	Soil			1.1	80.6	12.7	153	0.3	49.6	21.7	921	4.39	19.8	1.4	1.6	4.0	87	0.5	0.3	0.2	112	1.10	0.030
L24+50N 33+00E	Soil			1.2	94.6	8.7	184	0.1	49.2	18.1	665	4.08	22.1	0.7	1.6	1.3	111	0.5	0.2	<0.1	141	1.07	0.046
L24+50N 33+25E	Soil			1.9	33.1	5.7	347	0.2	37.5	15.6	880	3.12	7.0	0.7	0.6	1.0	63	0.8	0.3	0.1	95	0.57	0.304
L24+50N 33+50E	Soil			1.6	52.6	4.8	229	0.2	40.5	12.6	408	3.19	8.3	0.7	1.1	1.2	62	0.4	0.3	<0.1	92	0.54	0.189
L24+50N 33+75E	Soil			1.8	52.1	5.5	317	0.1	51.8	16.5	520	3.56	10.1	0.8	1.2	1.2	67	0.6	0.3	<0.1	110	0.43	0.182
L24+50N 34+00E	Soil			0.7	20.6	5.7	159	0.2	28.1	10.7	316	2.86	6.2	0.4	0.8	1.2	33	0.3	0.2	<0.1	81	0.27	0.150
L24+50N 34+25E	Soil			1.2	51.6	6.5	191	0.1	36.6	13.9	880	3.04	12.2	0.6	0.6	1.2	53	0.4	0.2	<0.1	101	0.44	0.144



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 5 of 6 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L24+50N 27+00E	Soil	6	59	0.51	71	0.094	3	1.37	0.008	0.08	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5
L24+50N 27+25E	Soil	6	56	0.50	59	0.089	3	1.61	0.009	0.08	<0.1	0.01	2.4	<0.1	<0.05	5	<0.5
L24+50N 27+50E	Soil	8	54	0.53	66	0.094	3	1.58	0.009	0.09	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L24+50N 27+75E	Soil	12	65	0.79	70	0.113	3	1.81	0.015	0.12	0.1	0.05	6.7	<0.1	<0.05	5	<0.5
L24+50N 28+00E	Soil	11	61	0.68	69	0.098	2	1.69	0.011	0.08	<0.1	0.03	3.9	<0.1	<0.05	5	<0.5
L24+50N 28+25E	Soil	7	62	0.66	65	0.111	3	1.62	0.012	0.07	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5
L24+50N 28+50E	Soil	8	60	0.66	73	0.116	3	1.55	0.013	0.08	0.1	0.03	4.2	<0.1	<0.05	5	<0.5
L24+50N 28+75E	Soil	8	66	0.62	54	0.127	3	1.47	0.016	0.08	<0.1	0.03	3.9	<0.1	<0.05	5	<0.5
L24+50N 29+00E	Soil	6	70	0.64	70	0.116	2	1.65	0.012	0.07	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
L24+50N 29+25E	Soil	7	61	0.69	58	0.129	2	1.52	0.012	0.07	<0.1	0.02	3.7	<0.1	<0.05	5	<0.5
L24+50N 29+50E	Soil	8	50	0.52	40	0.091	3	1.27	0.010	0.09	<0.1	0.02	3.0	<0.1	<0.05	4	<0.5
L24+50N 29+75E	Soil	9	48	0.50	47	0.089	2	1.18	0.009	0.07	<0.1	0.02	2.8	<0.1	<0.05	4	<0.5
L24+50N 30+00E	Soil	9	52	0.54	45	0.091	2	1.29	0.010	0.06	<0.1	0.01	2.8	<0.1	<0.05	4	<0.5
L24+50N 30+25E	Soil	10	50	0.63	49	0.098	2	1.33	0.013	0.07	<0.1	0.03	4.0	<0.1	<0.05	4	<0.5
L24+50N 30+50E	Soil	19	84	1.25	163	0.111	25	4.15	0.026	0.17	0.1	0.20	16.5	0.1	<0.05	11	0.8
L24+50N 30+75E	Soil	7	51	1.04	114	0.140	4	3.70	0.011	0.12	<0.1	0.04	5.8	<0.1	<0.05	9	<0.5
L24+50N 31+00E	Soil	5	52	0.90	74	0.130	4	3.59	0.009	0.08	<0.1	0.05	5.2	<0.1	<0.05	11	<0.5
L24+50N 31+25E	Soil	14	57	0.90	107	0.111	3	2.93	0.017	0.08	<0.1	0.10	8.5	<0.1	<0.05	8	0.6
L24+50N 31+50E	Soil	6	62	0.94	97	0.124	3	3.36	0.009	0.09	0.1	0.04	4.4	<0.1	<0.05	9	<0.5
L24+50N 31+75E	Soil	5	54	0.91	85	0.147	5	4.18	0.011	0.07	0.1	0.05	5.7	<0.1	<0.05	11	<0.5
L24+50N 32+00E	Soil	12	58	0.83	160	0.078	4	4.06	0.012	0.08	0.1	0.13	8.6	0.2	<0.05	10	0.9
L24+50N 32+25E	Soil	7	53	0.99	111	0.107	2	2.83	0.015	0.07	<0.1	0.03	5.1	0.1	<0.05	8	<0.5
L24+50N 32+50E	Soil	10	51	0.79	87	0.122	3	2.68	0.013	0.09	<0.1	0.04	4.6	<0.1	<0.05	8	<0.5
L24+50N 32+75E	Soil	12	69	1.31	126	0.132	3	3.19	0.020	0.12	<0.1	0.06	8.1	0.1	<0.05	9	0.7
L24+50N 33+00E	Soil	4	67	1.32	134	0.138	3	4.23	0.012	0.09	<0.1	0.04	6.0	<0.1	<0.05	10	0.6
L24+50N 33+25E	Soil	4	42	0.81	162	0.085	3	2.62	0.009	0.07	0.1	0.05	3.7	0.2	<0.05	8	<0.5
L24+50N 33+50E	Soil	4	41	0.84	252	0.080	2	2.87	0.009	0.06	0.1	0.05	3.6	0.2	<0.05	9	<0.5
L24+50N 33+75E	Soil	4	49	1.00	234	0.099	3	3.16	0.010	0.06	0.1	0.03	4.3	0.2	<0.05	10	<0.5
L24+50N 34+00E	Soil	4	46	0.62	104	0.097	2	2.00	0.008	0.06	0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L24+50N 34+25E	Soil	4	56	0.79	179	0.096	2	2.57	0.008	0.06	0.1	0.03	4.3	<0.1	<0.05	7	<0.5



CERTIFICATE OF ANALYSIS

VAN07002447.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L24+50N 34+50E	Soil	1.2	40.7	10.4	290	0.2	46.0	17.7	1372	4.18	14.7	0.5	0.8	1.0	70	0.8	0.2	0.1	126	0.56	0.275	
L24+50N 34+75E	Soil	0.9	39.2	8.1	188	0.2	41.8	15.7	615	3.75	15.1	0.6	1.2	1.0	65	0.5	0.2	<0.1	120	0.74	0.163	
L24+50N 35+00E	Soil	1.6	204.0	8.3	78	0.9	46.7	17.3	1005	4.15	13.8	2.7	13.2	2.5	87	0.7	0.5	0.2	112	1.01	0.056	
L24+50N 35+25E	Soil	1.4	266.2	7.2	99	0.5	44.5	18.1	994	4.18	11.7	2.1	9.1	1.8	77	0.6	0.5	0.2	99	0.90	0.057	
L24+50N 35+50E	Soil	0.9	65.1	5.3	65	<0.1	60.0	17.9	532	3.77	11.0	0.4	10.4	1.5	47	0.3	0.4	0.2	110	0.44	0.029	
L24+50N 35+75E	Soil	0.7	98.7	6.1	81	0.3	57.8	19.9	813	4.02	15.0	0.5	7.8	2.6	75	0.4	0.9	0.1	117	1.44	0.098	
L24+50N 36+00E	Soil	0.7	70.2	6.2	66	0.1	41.1	17.0	650	3.00	7.7	0.5	4.8	2.8	69	0.4	0.8	0.1	83	1.44	0.073	
L24+50N 36+25E	Soil	0.7	43.6	5.6	61	<0.1	31.7	16.9	729	3.05	11.5	0.4	36.5	1.7	41	0.2	1.8	0.1	80	0.80	0.072	
L24+50N 36+50E	Soil	1.7	63.9	7.0	90	<0.1	40.5	17.7	933	3.72	85.2	0.4	71.5	3.0	41	0.4	4.1	0.1	84	0.67	0.067	
L24+50N 36+75E	Soil	0.8	49.6	7.8	94	<0.1	37.1	15.7	965	3.77	40.3	0.4	34.1	3.9	36	0.3	2.5	0.2	74	0.55	0.033	
L24+50N 37+00E	Soil	0.5	12.5	5.9	177	0.1	14.0	8.8	547	2.53	14.2	0.2	1.3	2.2	20	0.3	1.0	0.2	51	0.20	0.063	
L24+50N 37+25E	Soil	1.0	22.7	6.3	185	0.1	18.2	14.1	389	4.15	44.9	0.2	20.7	1.7	16	0.3	2.7	0.1	71	0.24	0.058	
L24+50N 37+50E	Soil	0.7	18.6	9.6	366	0.3	13.1	10.2	785	3.64	28.2	0.3	8.4	1.6	19	0.9	2.2	0.2	62	0.28	0.086	
L24+50N 37+75E	Soil	0.9	24.7	8.9	212	0.3	23.3	13.1	614	4.25	18.7	0.3	3.4	1.7	25	0.8	1.4	0.2	91	0.36	0.050	
L24+50N 38+25E	Soil	0.8	16.7	10.7	53	0.1	31.7	10.9	418	2.90	2.5	0.3	1.0	1.7	24	0.1	0.2	<0.1	85	0.31	0.040	
L24+50N 38+50E	Soil	0.5	22.3	5.6	75	0.1	39.1	13.0	253	3.44	2.3	0.4	1.6	2.4	29	0.2	0.2	<0.1	80	0.34	0.144	
L24+50N 38+75E	Soil	0.6	33.5	4.4	43	<0.1	34.7	12.2	289	2.72	2.2	0.4	0.8	2.2	26	0.1	0.1	<0.1	86	0.36	0.052	
L24+50N 39+00E	Soil	0.5	23.9	4.3	43	<0.1	28.0	10.3	274	2.57	1.7	0.4	1.1	2.1	26	<0.1	0.1	<0.1	76	0.34	0.036	
L24+50N 39+25E	Soil	0.6	21.5	5.0	54	<0.1	32.4	11.1	380	2.65	1.8	0.4	0.8	2.1	23	<0.1	0.1	<0.1	74	0.31	0.059	
L24+50N 39+50E	Soil	0.5	19.1	4.9	78	0.1	29.3	11.3	241	2.69	1.3	0.3	1.0	2.5	26	0.1	0.1	<0.1	71	0.28	0.048	
L24+50N 39+75E	Soil	0.4	23.8	5.0	68	<0.1	41.0	12.8	437	2.74	2.1	0.5	1.2	3.2	32	0.2	0.2	<0.1	64	0.40	0.074	



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 15, 2007

**Page:** 6 of 6 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002447.1**

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.05	1	0.5	
L24+50N 34+50E	Soil	4	66	0.98	250	0.129	3	3.66	0.009	0.09	0.1	0.04	5.2	<0.1	<0.05	12	<0.5
L24+50N 34+75E	Soil	4	54	0.88	149	0.113	3	3.59	0.008	0.10	0.1	0.04	4.0	<0.1	<0.05	9	<0.5
L24+50N 35+00E	Soil	15	62	0.93	196	0.099	4	2.81	0.018	0.10	0.1	0.15	13.3	0.1	<0.05	7	1.2
L24+50N 35+25E	Soil	13	56	0.82	168	0.069	4	2.18	0.030	0.07	0.1	0.10	9.3	0.1	<0.05	6	1.3
L24+50N 35+50E	Soil	5	50	0.95	160	0.101	3	2.00	0.011	0.06	0.1	0.02	4.3	<0.1	<0.05	6	<0.5
L24+50N 35+75E	Soil	10	58	1.28	133	0.145	9	1.96	0.050	0.15	0.1	0.09	8.7	0.1	0.06	6	0.7
L24+50N 36+00E	Soil	9	53	0.90	94	0.111	5	1.42	0.030	0.12	0.1	0.07	5.1	<0.1	<0.05	5	1.3
L24+50N 36+25E	Soil	7	50	0.80	90	0.089	5	1.34	0.025	0.09	0.1	0.06	5.1	<0.1	0.10	4	0.8
L24+50N 36+50E	Soil	11	52	0.82	172	0.096	5	1.52	0.017	0.13	0.1	0.12	6.8	<0.1	<0.05	5	0.6
L24+50N 36+75E	Soil	13	51	0.75	283	0.084	5	1.79	0.015	0.22	0.1	0.05	6.0	<0.1	<0.05	5	<0.5
L24+50N 37+00E	Soil	9	30	0.29	292	0.024	2	1.28	0.009	0.06	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5
L24+50N 37+25E	Soil	6	30	0.48	151	0.016	3	1.50	0.006	0.07	<0.1	0.02	2.6	<0.1	<0.05	5	0.7
L24+50N 37+50E	Soil	6	25	0.49	220	0.013	3	1.64	0.008	0.08	0.1	0.03	2.8	<0.1	<0.05	5	<0.5
L24+50N 37+75E	Soil	6	38	0.44	252	0.020	3	1.94	0.013	0.06	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5
L24+50N 38+25E	Soil	6	61	0.54	77	0.099	1	1.83	0.009	0.07	0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L24+50N 38+50E	Soil	7	64	0.65	65	0.112	2	2.17	0.010	0.06	0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L24+50N 38+75E	Soil	7	62	0.61	38	0.117	1	1.85	0.009	0.06	0.1	0.02	2.4	<0.1	<0.05	5	<0.5
L24+50N 39+00E	Soil	7	58	0.59	41	0.097	2	1.59	0.011	0.05	<0.1	0.01	2.3	<0.1	<0.05	5	<0.5
L24+50N 39+25E	Soil	7	61	0.56	45	0.106	2	1.73	0.010	0.05	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5
L24+50N 39+50E	Soil	9	55	0.64	57	0.102	2	1.84	0.011	0.07	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5
L24+50N 39+75E	Soil	10	65	0.75	62	0.092	2	1.83	0.013	0.10	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: CDWtrail

Report Date: December 15, 2007

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN07002447.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca ppm 0.01	P % 0.001	
Pulp Duplicates																					
L25+50N 32+00E	Soil	0.7	45.8	5.3	65	0.3	39.4	12.8	364	3.70	8.0	0.6	2.2	2.6	50	0.3	0.2	0.1	93	0.58	0.123
REP L25+50N 32+00E	QC	0.8	45.9	5.1	66	0.3	38.1	12.5	359	3.62	7.8	0.5	2.7	2.6	50	0.3	0.2	<0.1	90	0.55	0.125
L25+50N 35+00E	Soil	0.8	63.4	9.0	81	0.2	54.1	17.9	721	3.63	12.0	0.6	10.8	4.9	69	0.3	1.1	0.2	78	1.12	0.078
REP L25+50N 35+00E	QC	0.8	61.1	9.0	76	0.2	54.7	17.9	710	3.63	11.6	0.6	9.2	4.9	67	0.3	1.1	0.2	77	1.10	0.078
L25+50N 40+25E	Soil	1.6	40.1	7.8	180	0.2	56.8	20.2	446	4.95	8.4	0.5	8.7	2.1	41	0.5	0.5	0.2	132	0.43	0.098
REP L25+50N 40+25E	QC	1.6	39.8	8.2	176	0.3	59.0	20.4	453	5.04	8.4	0.5	2.4	2.1	41	0.6	0.4	0.2	132	0.44	0.099
L25+50N 45+75E	Soil	0.5	123.0	6.7	121	0.1	44.1	22.9	404	4.80	3.4	0.4	1.1	1.4	49	0.2	<0.1	<0.1	134	0.57	0.224
REP L25+50N 45+75E	QC	0.7	122.2	7.3	116	<0.1	43.4	21.6	411	4.79	3.2	0.4	0.5	1.5	51	0.2	0.1	<0.1	132	0.54	0.223
L25+50N 48+75E	Soil	0.3	129.6	6.7	66	<0.1	29.0	20.2	402	4.66	2.2	0.4	1.4	1.5	80	<0.1	0.1	<0.1	125	0.58	0.038
REP L25+50N 48+75E	QC	0.4	126.2	6.8	65	<0.1	27.9	19.3	389	4.42	1.9	0.4	0.8	1.4	80	0.1	<0.1	<0.1	124	0.61	0.040
L24+50N 26+75E	Soil	0.5	43.0	4.6	58	0.1	45.9	12.2	295	2.75	4.2	0.4	3.8	1.9	48	0.2	0.2	0.1	68	0.49	0.170
REP L24+50N 26+75E	QC	0.5	43.9	4.5	61	0.1	46.7	12.5	293	2.74	4.3	0.4	1.4	2.0	49	0.2	0.2	0.1	69	0.49	0.168
L24+50N 33+75E	Soil	1.8	52.1	5.5	317	0.1	51.8	16.5	520	3.56	10.1	0.8	1.2	1.2	67	0.6	0.3	<0.1	110	0.43	0.182
REP L24+50N 33+75E	QC	1.7	51.0	5.1	313	0.1	50.8	16.5	504	3.48	9.9	0.7	0.6	1.1	65	0.6	0.2	<0.1	107	0.44	0.184
Reference Materials																					
STD DS7	Standard	19.8	104.3	71.8	397	0.9	53.1	9.1	624	2.42	48.0	5.3	65.8	4.9	82	6.0	6.3	4.6	86	0.97	0.073
STD DS7	Standard	21.2	109.0	70.0	393	0.8	57.3	9.6	610	2.38	46.5	5.0	69.1	4.9	74	6.6	6.1	4.7	86	0.92	0.072
STD DS7	Standard	19.0	106.9	70.0	383	0.8	54.1	9.3	617	2.35	46.6	5.0	70.7	4.7	80	6.0	6.4	4.7	85	0.92	0.073
STD DS7	Standard	21.8	118.1	73.4	413	0.9	61.5	10.4	638	2.52	48.6	5.1	66.3	4.7	68	5.9	5.8	4.4	93	0.89	0.078
STD DS7	Standard	20.4	112.5	65.3	398	0.9	57.4	9.2	648	2.42	47.4	4.9	64.1	4.8	81	6.1	5.7	4.0	95	1.06	0.075
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

December 15, 2007

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

VAN07002447.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
L25+50N 32+00E	Soil	8	54	0.85	99	0.089	3	2.60	0.008	0.10	0.1	0.03	3.9	<0.1	<0.05	7	<0.5
REP L25+50N 32+00E	QC	8	51	0.86	95	0.087	3	2.63	0.007	0.10	0.1	0.04	3.8	<0.1	<0.05	7	<0.5
L25+50N 35+00E	Soil	15	59	1.16	128	0.115	7	1.93	0.032	0.22	0.2	0.05	5.6	0.1	<0.05	5	<0.5
REP L25+50N 35+00E	QC	14	58	1.15	127	0.113	6	1.83	0.032	0.21	0.2	0.05	5.5	0.1	<0.05	5	<0.5
L25+50N 40+25E	Soil	7	82	0.81	78	0.157	5	3.03	0.012	0.14	0.2	0.03	3.5	<0.1	<0.05	10	<0.5
REP L25+50N 40+25E	QC	7	82	0.84	79	0.161	4	3.11	0.013	0.15	0.3	0.03	3.9	<0.1	<0.05	10	<0.5
L25+50N 45+75E	Soil	4	73	0.91	77	0.175	6	5.00	0.017	0.27	0.2	0.03	4.0	<0.1	<0.05	10	<0.5
REP L25+50N 45+75E	QC	4	72	0.88	81	0.168	7	4.94	0.016	0.27	0.2	0.03	3.9	<0.1	<0.05	10	<0.5
L25+50N 48+75E	Soil	6	73	0.89	127	0.159	6	4.20	0.129	0.30	0.1	0.02	6.1	<0.1	<0.05	8	<0.5
REP L25+50N 48+75E	QC	6	74	0.86	126	0.163	7	4.32	0.126	0.29	0.1	0.02	6.4	<0.1	<0.05	8	<0.5
L24+50N 26+75E	Soil	6	67	0.73	98	0.094	3	1.96	0.009	0.11	0.1	0.03	2.7	<0.1	<0.05	6	<0.5
REP L24+50N 26+75E	QC	6	68	0.72	95	0.095	4	1.89	0.011	0.11	0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L24+50N 33+75E	Soil	4	49	1.00	234	0.099	3	3.16	0.010	0.06	0.1	0.03	4.3	0.2	<0.05	10	<0.5
REP L24+50N 33+75E	QC	4	47	1.02	231	0.092	2	3.13	0.010	0.06	<0.1	0.04	4.2	0.1	<0.05	9	<0.5
Reference Materials																	
STD DS7	Standard	14	200	1.04	386	0.130	41	1.03	0.094	0.45	4.1	0.19	2.4	4.2	0.18	5	3.5
STD DS7	Standard	13	195	1.04	383	0.127	39	0.95	0.088	0.45	4.0	0.19	2.5	4.2	0.23	5	3.6
STD DS7	Standard	13	193	1.04	389	0.122	39	1.05	0.097	0.44	3.7	0.20	2.5	4.3	0.19	5	3.3
STD DS7	Standard	12	214	1.12	378	0.120	46	1.04	0.092	0.43	4.1	0.19	2.5	4.3	0.19	5	3.7
STD DS7	Standard	14	211	1.11	389	0.136	40	1.11	0.102	0.48	3.7	0.18	2.9	4.3	0.20	5	3.9
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



M.Saghezchi GIT

ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 10, 2007

Report Date:

January 21, 2008

Page:

1 of 9

## CERTIFICATE OF ANALYSIS

VAN07002954.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 225

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	225	Dry at 60C sieve 100g to -80 mesh		
Split Reject	225	Reject sample split/packet		
Dry at 60C	225	Dry at 60C		
3A	225	Ignite samples, acid digest, Au by ICP-MS analysis	30	Completed
1DX	225	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 9 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L26+00N 28+25E	Soil			3.8	0.5	10.0	4.9	69	0.2	17.6	8.8	277	2.13	2.5	0.3	1.5	1.3	29	0.3	<0.1	0.1	47	0.34
L26+00N 28+50E	Soil			2.4	0.7	46.5	5.8	42	0.6	47.4	14.4	651	3.38	9.7	0.9	3.8	1.3	51	0.5	0.3	0.1	94	0.73
L26+00N 28+75E	Soil			2.9	1.7	69.7	8.1	90	0.4	48.9	18.2	806	3.71	7.4	1.4	3.7	2.6	56	0.9	0.3	0.2	73	0.80
L26+00N 29+00E	Soil			4.0	1.3	41.6	7.5	76	0.2	41.7	17.6	700	3.29	5.8	0.9	3.0	4.0	47	0.5	0.4	0.2	68	0.75
L26+00N 29+25E	Soil			2.6	1.4	64.6	7.3	73	0.3	47.2	16.8	687	3.52	5.9	2.5	3.4	1.2	81	0.8	0.3	0.2	70	1.36
L26+00N 29+50E	Soil			3.3	1.0	45.6	5.9	54	0.1	31.4	11.7	445	2.75	4.4	0.9	3.4	2.4	48	0.2	0.2	0.1	66	0.81
L26+00N 29+75E	Soil			4.0	1.8	55.7	7.7	79	0.2	45.0	16.4	849	3.65	6.3	1.0	3.0	3.8	55	0.4	0.3	0.2	70	0.82
L26+00N 30+00E	Soil			5.7	1.2	49.5	6.3	59	0.1	36.2	14.7	551	2.96	5.2	0.8	3.8	3.7	47	0.3	0.3	0.1	69	0.69
L26+00N 30+25E	Soil			2.3	1.0	50.4	7.2	81	0.1	41.1	13.2	294	3.02	4.4	0.8	3.9	4.0	51	0.4	0.3	0.2	61	0.76
L26+00N 30+50E	Soil			3.8	1.1	40.2	6.6	64	0.1	33.2	12.4	255	2.50	5.9	0.9	3.3	3.1	76	0.3	0.3	0.1	65	0.85
L26+00N 30+75E	Soil			3.7	1.3	30.4	6.4	49	<0.1	29.8	13.8	476	2.79	9.8	0.8	1.7	2.6	72	0.2	0.2	0.1	64	0.82
L26+00N 31+00E	Soil			2.5	0.7	30.9	4.9	56	<0.1	32.0	12.5	395	2.45	5.1	0.7	1.6	3.1	68	0.4	0.2	<0.1	53	1.06
L26+00N 31+50E	Soil			3.3	1.1	37.8	5.8	62	0.1	34.5	15.6	661	2.95	9.1	0.7	4.5	3.0	58	0.3	0.3	0.1	65	0.71
L26+00N 31+75E	Soil			60.3	1.0	45.9	7.1	73	0.1	44.0	17.0	637	3.09	9.4	1.5	2.6	2.9	80	0.4	0.3	0.1	66	0.88
L26+00N 32+00E	Soil			10.7	0.9	39.7	6.1	64	0.1	38.7	15.2	568	2.89	8.3	1.0	1.4	3.2	69	0.2	0.2	0.1	67	0.75
L26+00N 32+25E	Soil			3.7	1.3	40.8	6.0	63	0.1	38.5	15.0	609	2.91	7.4	1.2	1.3	3.0	50	0.3	0.3	0.1	63	0.63
L26+00N 32+50E	Soil			2.3	0.7	36.2	5.6	54	0.1	38.2	13.3	601	2.66	8.0	0.8	2.2	2.8	59	0.3	0.2	0.1	61	0.72
L26+00N 32+75E	Soil			3.7	1.1	32.4	5.7	49	0.1	33.6	14.3	489	2.60	8.0	0.9	0.8	2.3	54	0.1	0.2	0.1	60	0.63
L26+00N 33+00E	Soil			1.8	0.5	32.6	4.3	38	<0.1	29.7	11.3	465	2.22	8.6	0.7	1.3	2.7	43	0.2	0.2	<0.1	60	0.58
L26+00N 33+25E	Soil			25.4	0.6	31.7	4.2	45	<0.1	30.5	11.6	395	2.29	7.3	0.5	0.9	2.1	46	0.2	0.2	<0.1	58	0.63
L26+00N 33+50E	Soil			27.0	0.8	41.8	4.5	53	0.1	30.9	17.6	764	3.77	17.8	0.5	12.6	1.5	41	0.2	1.3	0.1	90	0.74
L26+00N 33+75E	Soil			19.7	0.8	35.8	5.3	62	0.1	33.2	18.0	918	3.57	15.8	0.6	7.3	1.3	46	0.2	1.1	0.1	85	0.87
L26+00N 34+00E	Soil			33.0	0.8	44.0	5.7	66	0.1	38.8	15.5	670	2.84	12.1	0.4	8.3	2.0	33	0.4	1.0	0.1	64	0.60
L26+00N 34+25E	Soil			20.1	1.1	79.6	5.9	71	0.2	44.2	19.4	914	3.79	20.5	0.5	15.4	1.8	47	0.4	1.2	<0.1	96	0.85
L26+00N 34+50E	Soil			15.2	1.3	95.6	6.7	86	0.2	46.7	22.2	1316	3.91	19.7	0.7	13.4	1.3	42	0.6	1.1	0.1	98	0.78
L26+00N 34+75E	Soil			18.8	1.3	76.6	6.0	86	0.2	48.7	20.8	835	4.58	30.1	0.5	15.9	1.4	34	0.4	1.1	0.1	113	0.56
L26+00N 35+00E	Soil			28.6	1.7	87.2	9.9	90	0.2	62.0	22.7	827	6.10	54.3	0.6	18.1	1.8	44	0.3	2.4	0.2	166	0.55
L26+00N 35+25E	Soil			11.7	1.0	53.3	4.7	60	0.1	39.8	16.2	657	3.27	17.4	0.4	8.1	1.0	29	0.2	1.0	<0.1	84	0.59
L26+00N 35+50E	Soil			15.3	0.6	35.3	4.9	52	0.1	33.2	16.8	854	3.24	15.7	0.4	11.4	1.4	35	0.2	1.4	0.1	86	0.65
L26+00N 35+75E	Soil			3.1	0.9	44.5	10.5	71	0.1	46.2	16.4	603	3.55	4.9	0.6	2.0	5.8	200	0.2	0.4	0.2	48	3.58



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L26+00N 28+25E	Soil	0.177	6	37	0.39	94	0.069	<20	1.16	0.005	0.10	<0.1	0.01	2.0	<0.1	<0.05	5	<0.5
L26+00N 28+50E	Soil	0.095	12	83	0.68	93	0.069	<20	1.74	0.014	0.11	0.1	0.05	6.1	0.2	<0.05	5	<0.5
L26+00N 28+75E	Soil	0.067	21	65	0.97	107	0.087	<20	2.15	0.017	0.24	0.1	0.05	4.8	0.2	<0.05	7	1.3
L26+00N 29+00E	Soil	0.099	17	60	0.91	89	0.093	<20	1.74	0.019	0.21	0.1	0.03	4.3	0.2	<0.05	6	0.5
L26+00N 29+25E	Soil	0.108	17	61	0.81	105	0.061	<20	1.74	0.020	0.15	<0.1	0.09	3.2	0.2	<0.05	6	1.6
L26+00N 29+50E	Soil	0.071	13	56	0.67	72	0.082	<20	1.40	0.016	0.09	0.1	0.05	3.6	<0.1	<0.05	4	0.5
L26+00N 29+75E	Soil	0.088	19	61	0.92	104	0.096	<20	1.96	0.024	0.20	<0.1	0.06	4.6	0.2	<0.05	6	0.9
L26+00N 30+00E	Soil	0.071	15	57	0.76	77	0.092	<20	1.59	0.016	0.12	0.1	0.05	4.0	0.1	<0.05	5	1.2
L26+00N 30+25E	Soil	0.099	15	54	0.89	98	0.089	<20	1.68	0.024	0.21	<0.1	0.05	4.2	0.2	<0.05	6	1.0
L26+00N 30+50E	Soil	0.115	14	55	0.77	111	0.077	<20	1.38	0.051	0.11	<0.1	0.05	4.3	0.1	<0.05	4	1.0
L26+00N 30+75E	Soil	0.103	14	51	0.73	113	0.071	<20	1.33	0.044	0.08	<0.1	0.05	3.9	0.1	<0.05	4	0.8
L26+00N 31+00E	Soil	0.094	12	42	0.66	105	0.073	<20	1.07	0.031	0.09	<0.1	0.03	3.0	<0.1	<0.05	4	0.7
L26+00N 31+50E	Soil	0.096	14	48	0.67	106	0.070	<20	1.19	0.047	0.09	<0.1	0.08	4.2	0.1	<0.05	4	0.9
L26+00N 31+75E	Soil	0.121	17	61	0.80	150	0.078	<20	1.42	0.042	0.11	0.3	0.04	4.1	0.2	<0.05	5	0.9
L26+00N 32+00E	Soil	0.109	16	56	0.72	142	0.084	<20	1.33	0.040	0.09	<0.1	0.03	3.8	<0.1	<0.05	4	0.7
L26+00N 32+25E	Soil	0.099	16	55	0.71	116	0.083	<20	1.33	0.030	0.11	<0.1	0.04	3.8	0.1	<0.05	4	1.0
L26+00N 32+50E	Soil	0.102	15	51	0.68	125	0.077	<20	1.21	0.043	0.08	<0.1	0.04	3.7	0.1	<0.05	4	0.8
L26+00N 32+75E	Soil	0.092	14	53	0.63	114	0.068	<20	1.15	0.029	0.06	<0.1	0.03	3.4	<0.1	<0.05	4	0.6
L26+00N 33+00E	Soil	0.073	10	39	0.62	78	0.063	<20	1.01	0.034	0.05	<0.1	0.04	3.2	<0.1	<0.05	3	1.0
L26+00N 33+25E	Soil	0.085	10	43	0.63	88	0.069	<20	1.07	0.044	0.06	<0.1	0.03	3.1	0.1	<0.05	3	0.5
L26+00N 33+50E	Soil	0.082	8	55	0.68	80	0.071	<20	1.16	0.040	0.07	0.2	0.04	4.8	<0.1	<0.05	4	0.7
L26+00N 33+75E	Soil	0.072	7	52	0.75	86	0.072	<20	1.40	0.015	0.09	<0.1	0.03	3.8	<0.1	<0.05	5	1.1
L26+00N 34+00E	Soil	0.078	9	38	0.71	86	0.066	<20	1.15	0.017	0.12	0.2	0.05	3.5	<0.1	<0.05	4	1.3
L26+00N 34+25E	Soil	0.078	8	59	0.80	99	0.093	<20	1.62	0.032	0.08	<0.1	0.10	5.6	0.1	<0.05	5	1.3
L26+00N 34+50E	Soil	0.086	14	57	0.77	91	0.081	<20	1.79	0.016	0.08	<0.1	0.07	5.6	<0.1	<0.05	5	1.4
L26+00N 34+75E	Soil	0.087	7	73	0.83	103	0.086	<20	1.90	0.033	0.07	<0.1	0.05	4.6	0.1	<0.05	6	0.8
L26+00N 35+00E	Soil	0.119	6	77	0.95	257	0.082	<20	2.91	0.012	0.07	0.1	0.05	5.6	0.1	<0.05	7	1.3
L26+00N 35+25E	Soil	0.069	5	52	0.71	116	0.071	<20	1.56	0.015	0.06	0.2	0.04	3.4	<0.1	<0.05	5	0.6
L26+00N 35+50E	Soil	0.068	8	52	0.66	110	0.064	<20	1.15	0.022	0.06	<0.1	0.04	4.2	<0.1	<0.05	4	1.1
L26+00N 35+75E	Soil	0.069	16	52	1.01	77	0.064	<20	1.62	0.016	0.18	0.1	0.04	2.9	0.1	0.08	5	0.8



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 3 of 9 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L26+00N 36+00E	Soil			37.0	1.0	37.6	6.3	145	0.3	45.6	17.1	771	4.34	17.3	0.4	3.8	1.3	26	0.5	0.7	0.1	99	0.40
L26+00N 36+25E	Soil			54.0	2.5	129.9	11.6	99	0.3	59.9	31.8	1821	8.90	48.2	0.9	54.6	1.9	54	0.6	2.3	0.2	175	0.77
L26+00N 36+50E	Soil			5.8	1.2	38.1	6.7	159	0.3	47.7	17.5	705	4.89	17.5	0.5	3.3	1.7	34	0.7	0.7	0.1	110	0.54
L26+00N 36+75E	Soil			0.9	0.6	14.1	5.4	201	0.2	35.5	13.2	464	3.34	2.3	0.4	0.9	2.4	15	0.5	0.1	0.1	65	0.24
L26+00N 37+00E	Soil			0.6	0.4	9.4	5.8	60	<0.1	22.1	8.1	361	2.59	1.7	0.3	<0.5	2.8	18	0.1	<0.1	0.1	47	0.30
L26+00N 37+25E	Soil			0.7	0.3	18.3	6.7	45	<0.1	29.0	10.8	322	2.70	2.4	0.5	<0.5	5.0	18	<0.1	<0.1	0.1	34	0.28
L26+00N 37+50E	Soil			<0.5	0.3	17.8	6.2	48	<0.1	26.5	10.7	372	2.48	1.6	0.3	0.5	3.2	16	<0.1	0.1	0.1	38	0.22
L26+00N 37+75E	Soil			1.4	0.6	20.4	5.1	73	0.2	39.5	11.7	321	3.06	3.0	0.4	<0.5	2.1	23	0.2	0.2	0.1	64	0.31
L26+00N 38+00E	Soil			1.5	0.7	17.5	6.6	64	0.3	24.7	12.3	1130	2.31	1.6	0.4	<0.5	1.6	21	0.2	0.1	0.1	51	0.30
L26+00N 38+25E	Soil			0.5	0.8	15.6	5.9	113	0.2	32.9	13.9	512	3.28	1.9	0.3	0.7	1.2	23	0.5	0.1	0.1	83	0.31
L26+00N 38+50E	Soil			0.6	0.6	20.2	5.6	79	0.1	27.3	12.4	594	2.57	1.6	0.3	<0.5	0.8	21	0.3	0.1	0.1	71	0.36
L26+00N 38+75E	Soil			19.5	1.1	31.3	7.4	154	0.3	44.1	16.2	783	3.84	3.1	0.4	0.5	1.2	24	0.3	0.2	0.2	91	0.33
L26+00N 39+00E	Soil			0.5	0.6	12.7	8.3	123	0.2	17.6	9.0	745	2.06	1.1	0.2	<0.5	0.7	40	0.7	<0.1	0.2	52	0.52
L26+00N 39+25E	Soil			0.9	1.1	81.0	7.8	119	0.4	53.3	18.2	1447	3.28	3.3	1.2	0.6	2.3	54	0.8	0.2	0.1	89	0.66
L26+00N 39+50E	Soil			1.4	0.8	127.7	7.2	100	0.2	58.1	18.5	754	3.31	5.7	0.8	0.6	2.0	51	0.6	0.2	0.1	109	0.75
L26+00N 39+75E	Soil			1.0	1.0	27.2	7.5	169	0.2	41.0	15.2	360	4.42	3.3	0.5	<0.5	1.0	32	0.4	0.2	0.1	104	0.43
L26+00N 40+00E	Soil			5.0	0.8	27.1	7.0	158	0.2	38.1	14.7	586	3.47	2.8	0.3	<0.5	1.0	24	0.4	0.2	0.1	81	0.32
L26+00N 40+50E	Soil			1.7	0.6	114.7	7.3	93	0.3	49.8	19.6	1577	3.48	3.4	0.6	<0.5	1.3	76	0.6	0.2	0.1	90	1.08
L26+00N 40+75E	Soil			<0.5	0.8	59.7	7.0	102	0.2	52.6	19.2	948	3.32	3.7	0.8	<0.5	1.5	38	0.3	0.1	0.1	97	0.57
L26+00N 41+00E	Soil			2.3	0.9	38.4	6.0	153	0.2	48.8	16.4	389	4.29	4.1	0.4	0.9	1.6	33	0.3	0.2	0.1	102	0.54
L26+00N 41+25E	Soil			2.8	1.0	37.0	6.2	149	0.2	50.9	16.3	388	4.28	5.0	0.4	14.7	1.3	36	0.3	0.2	0.1	112	0.50
L26+00N 41+50E	Soil			1.5	0.9	27.0	6.7	85	0.1	33.4	16.4	808	2.97	2.5	0.3	1.4	1.1	33	0.2	0.2	<0.1	77	0.46
L26+00N 41+75E	Soil			1.0	0.9	33.1	7.2	174	0.3	42.8	20.7	530	4.58	4.0	0.3	<0.5	0.8	34	0.4	0.2	0.1	110	0.50
L26+00N 42+00E	Soil			13.2	1.2	51.5	5.5	147	0.4	52.3	20.9	705	4.00	3.9	0.5	1.1	1.1	28	0.4	0.2	0.1	108	0.48
L26+00N 42+25E	Soil			<0.5	0.6	28.4	4.8	134	0.2	41.2	15.8	376	3.30	3.7	0.3	<0.5	1.5	38	0.3	0.2	0.1	73	0.40
L26+00N 42+50E	Soil			1.3	0.7	32.3	5.7	123	0.1	45.4	17.7	647	3.63	3.9	0.3	0.9	1.5	33	0.3	0.2	<0.1	91	0.42
L26+00N 42+75E	Soil			<0.5	0.9	33.3	5.6	64	<0.1	54.9	19.2	389	3.79	2.8	0.3	<0.5	1.4	30	0.1	0.1	<0.1	117	0.39
L26+00N 43+00E	Soil			<0.5	0.9	23.4	7.5	95	<0.1	38.6	16.6	746	3.88	3.1	0.4	<0.5	1.4	31	0.3	0.1	0.1	97	0.48
L26+00N 43+25E	Soil			4.1	0.7	47.9	5.9	136	<0.1	43.6	18.5	555	3.66	2.8	0.4	<0.5	1.6	35	0.3	0.1	0.1	91	0.52
L26+00N 43+50E	Soil			0.5	0.6	25.2	6.6	156	<0.1	37.9	16.8	551	3.30	2.3	0.4	0.6	1.4	27	0.4	<0.1	0.1	76	0.37





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 3 of 9 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L26+00N 36+00E	Soil	0.182	6	55	0.72	110	0.083	<20	2.28	0.008	0.10	0.1	0.03	3.0	<0.1	<0.05	7	0.5
L26+00N 36+25E	Soil	0.103	15	56	1.03	173	0.129	<20	2.28	0.033	0.12	0.2	0.12	13.3	0.2	<0.05	7	2.3
L26+00N 36+50E	Soil	0.297	7	69	0.79	139	0.086	<20	2.67	0.010	0.13	0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L26+00N 36+75E	Soil	0.208	8	57	0.52	87	0.083	<20	2.03	0.007	0.12	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L26+00N 37+00E	Soil	0.153	9	40	0.43	58	0.069	<20	1.23	0.007	0.07	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5
L26+00N 37+25E	Soil	0.084	17	41	0.63	39	0.048	<20	1.23	0.008	0.10	<0.1	<0.01	1.9	<0.1	<0.05	4	<0.5
L26+00N 37+50E	Soil	0.084	10	38	0.61	35	0.052	<20	1.25	0.004	0.09	<0.1	0.01	1.5	<0.1	<0.05	4	<0.5
L26+00N 37+75E	Soil	0.122	8	52	0.67	58	0.079	<20	1.86	0.005	0.08	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5
L26+00N 38+00E	Soil	0.061	9	48	0.37	68	0.064	<20	1.49	0.006	0.07	<0.1	0.03	2.4	<0.1	<0.05	5	<0.5
L26+00N 38+25E	Soil	0.182	5	63	0.54	62	0.102	<20	1.82	0.006	0.08	0.1	0.02	1.8	<0.1	<0.05	8	<0.5
L26+00N 38+50E	Soil	0.153	4	59	0.50	46	0.090	<20	1.30	0.007	0.05	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5
L26+00N 38+75E	Soil	0.239	5	64	0.71	64	0.100	<20	2.34	0.008	0.07	0.2	0.03	2.4	<0.1	<0.05	9	<0.5
L26+00N 39+00E	Soil	0.110	5	38	0.29	74	0.092	<20	0.93	0.007	0.08	<0.1	0.03	1.3	<0.1	<0.05	6	<0.5
L26+00N 39+25E	Soil	0.051	11	66	0.75	72	0.095	<20	2.33	0.016	0.11	<0.1	0.07	4.3	0.1	<0.05	7	0.7
L26+00N 39+50E	Soil	0.039	9	69	0.92	47	0.103	<20	2.14	0.015	0.09	<0.1	0.05	4.2	0.1	<0.05	6	0.6
L26+00N 39+75E	Soil	0.201	5	74	0.67	51	0.112	<20	2.30	0.007	0.06	0.2	0.03	2.3	<0.1	<0.05	9	<0.5
L26+00N 40+00E	Soil	0.225	4	61	0.63	63	0.092	<20	2.00	0.006	0.08	0.1	0.03	2.1	<0.1	<0.05	8	<0.5
L26+00N 40+50E	Soil	0.057	9	80	0.82	86	0.084	<20	2.20	0.066	0.10	<0.1	0.05	5.2	<0.1	<0.05	5	0.9
L26+00N 40+75E	Soil	0.055	8	65	0.79	65	0.091	<20	2.55	0.011	0.10	<0.1	0.04	3.5	<0.1	<0.05	7	<0.5
L26+00N 41+00E	Soil	0.177	5	67	0.77	57	0.113	<20	2.47	0.006	0.08	0.1	0.04	2.7	<0.1	<0.05	9	<0.5
L26+00N 41+25E	Soil	0.207	4	67	0.84	49	0.105	<20	2.30	0.007	0.10	0.2	0.04	2.6	<0.1	<0.05	8	<0.5
L26+00N 41+50E	Soil	0.094	5	55	0.57	48	0.084	<20	1.59	0.007	0.08	0.1	0.03	2.1	<0.1	<0.05	6	<0.5
L26+00N 41+75E	Soil	0.251	3	73	0.87	51	0.120	<20	2.34	0.016	0.09	0.1	0.04	2.5	<0.1	<0.05	10	<0.5
L26+00N 42+00E	Soil	0.168	5	84	0.77	51	0.111	<20	2.69	0.008	0.07	0.2	0.06	3.1	<0.1	<0.05	8	0.6
L26+00N 42+25E	Soil	0.299	5	63	0.63	64	0.089	<20	2.03	0.006	0.07	0.1	0.03	2.3	<0.1	<0.05	7	<0.5
L26+00N 42+50E	Soil	0.309	4	72	0.67	74	0.102	<20	2.25	0.006	0.07	0.1	0.04	2.8	<0.1	<0.05	7	<0.5
L26+00N 42+75E	Soil	0.071	5	100	0.88	60	0.098	<20	2.44	0.016	0.07	<0.1	0.03	2.2	<0.1	<0.05	7	<0.5
L26+00N 43+00E	Soil	0.134	5	60	0.49	76	0.127	<20	2.60	0.008	0.13	<0.1	0.04	2.5	<0.1	<0.05	9	0.6
L26+00N 43+25E	Soil	0.201	5	60	0.71	60	0.116	<20	2.63	0.010	0.12	<0.1	0.03	2.6	<0.1	<0.05	8	<0.5
L26+00N 43+50E	Soil	0.238	4	62	0.56	74	0.110	<20	2.27	0.012	0.13	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 4 of 9 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L26+00N 43+75E	Soil	<0.5	0.5	55.4	4.9	85	<0.1	49.5	16.3	369	3.42	2.9	0.4	<0.5	2.6	35	0.1	0.1	<0.1	78	0.49
L26+00N 44+00E	Soil	1.7	0.6	40.5	6.0	58	<0.1	37.6	16.4	363	3.38	2.6	0.4	<0.5	4.1	22	<0.1	0.1	<0.1	74	0.33
L26+00N 44+25E	Soil	<0.5	0.4	20.1	6.0	102	<0.1	24.9	11.1	519	2.55	1.9	0.2	<0.5	1.4	37	0.2	<0.1	0.1	67	0.33
L26+00N 44+50E	Soil	<0.5	0.3	39.7	6.7	147	<0.1	24.7	15.0	495	2.99	2.2	0.2	0.7	0.9	91	0.2	<0.1	<0.1	73	0.64
L26+00N 44+75E	Soil	<0.5	0.4	67.5	8.4	116	<0.1	25.5	18.8	751	3.99	1.5	0.3	<0.5	1.0	79	0.2	<0.1	<0.1	99	0.71
L26+00N 45+00E	Soil	0.6	0.2	92.1	8.3	83	<0.1	18.9	17.7	651	3.92	1.5	0.3	0.5	0.9	62	<0.1	<0.1	<0.1	95	0.72
L26+00N 45+25E	Soil	1.4	0.3	76.7	8.2	83	<0.1	18.5	15.7	713	3.57	1.4	0.3	0.9	0.8	80	<0.1	<0.1	<0.1	90	0.83
L26+00N 45+50E	Soil	<0.5	0.3	67.6	7.6	108	<0.1	21.8	17.2	663	3.64	1.7	0.2	<0.5	0.7	62	0.1	<0.1	<0.1	94	0.59
L26+00N 45+75E	Soil	<0.5	0.3	65.0	9.9	129	<0.1	20.6	16.9	979	3.43	1.8	0.2	<0.5	0.8	45	0.1	<0.1	<0.1	78	0.31
L26+00N 46+00E	Soil	<0.5	0.3	117.4	10.6	63	<0.1	23.6	18.0	487	3.84	1.9	0.4	1.1	1.4	59	<0.1	<0.1	<0.1	91	0.63
L26+00N 46+25E	Soil	<0.5	0.5	71.5	7.3	137	<0.1	38.4	18.1	515	3.77	2.7	0.3	<0.5	1.3	37	0.1	<0.1	<0.1	92	0.42
L26+00N 46+50E	Soil	<0.5	0.4	96.3	5.5	79	<0.1	36.4	16.7	358	3.57	1.9	0.4	<0.5	1.4	55	<0.1	<0.1	<0.1	91	0.59
L26+00N 46+75E	Soil	0.7	0.3	79.4	7.5	104	<0.1	25.5	16.0	355	3.21	1.6	0.3	1.1	1.0	56	0.1	<0.1	<0.1	80	0.46
L26+00N 47+00E	Soil	<0.5	0.2	55.0	7.1	103	<0.1	26.3	16.7	385	3.38	1.5	0.3	0.8	0.9	39	0.1	<0.1	<0.1	84	0.45
L26+00N 47+25E	Soil	<0.5	0.3	82.5	8.2	124	<0.1	30.8	18.1	417	3.74	1.9	0.3	1.2	1.1	45	0.1	<0.1	<0.1	88	0.46
L26+00N 47+50E	Soil	<0.5	0.3	53.9	8.3	112	<0.1	22.9	14.5	735	3.30	2.0	0.2	0.6	0.9	63	0.1	<0.1	<0.1	81	0.60
L26+00N 47+75E	Soil	1.1	0.4	50.3	6.9	90	<0.1	24.3	16.3	550	3.34	1.8	0.3	1.0	1.0	39	0.1	<0.1	<0.1	90	0.46
L26+00N 48+00E	Soil	<0.5	0.3	82.5	8.2	109	<0.1	27.9	19.0	505	4.01	1.5	0.3	0.5	1.0	46	0.1	<0.1	<0.1	101	0.52
L26+00N 48+25E	Soil	1.5	0.3	118.5	9.1	109	<0.1	30.6	20.1	616	4.12	1.9	0.3	0.9	1.2	66	0.2	<0.1	<0.1	103	0.58
L26+00N 48+50E	Soil	1.3	0.4	56.6	5.7	58	<0.1	46.2	19.5	332	3.67	2.5	0.4	2.0	2.4	43	0.1	0.1	<0.1	99	0.54
L26+00N 48+75E	Soil	0.5	0.5	64.9	9.0	131	<0.1	28.4	17.7	566	3.74	2.5	0.3	1.2	1.0	53	0.2	<0.1	<0.1	90	0.49
L26+00N 49+00E	Soil	0.8	0.3	73.9	7.8	75	<0.1	31.4	17.6	414	3.89	2.9	0.3	0.6	1.2	46	0.1	<0.1	<0.1	93	0.43
L26+00N 49+25E	Soil	<0.5	0.5	54.0	9.2	161	<0.1	27.2	17.3	838	3.79	2.5	0.3	0.5	1.2	32	0.2	<0.1	<0.1	94	0.28
L26+00N 49+50E	Soil	<0.5	0.3	88.8	7.6	85	<0.1	28.6	16.4	437	3.73	2.7	0.3	1.3	1.2	57	0.1	<0.1	<0.1	89	0.46
L26+00N 49+75E	Soil	0.6	0.4	91.2	9.6	127	<0.1	32.0	18.7	447	3.91	3.1	0.3	1.1	1.2	60	0.2	<0.1	<0.1	98	0.56
L26+00N 50+00E	Soil	0.6	0.7	134.8	9.6	120	<0.1	33.1	22.1	612	4.39	3.6	0.4	0.7	1.4	58	<0.1	<0.1	<0.1	105	0.56
L26+00N 50+25E	Soil	0.5	0.4	73.6	9.6	97	<0.1	26.8	18.0	347	4.01	3.5	0.4	0.7	1.2	53	<0.1	<0.1	<0.1	98	0.49
L26+00N 50+50E	Soil	<0.5	0.3	119.2	8.7	108	<0.1	27.5	20.7	505	4.31	2.0	0.3	1.2	1.1	62	<0.1	<0.1	<0.1	108	0.53
L26+00N 50+75E	Soil	<0.5	0.4	69.9	5.9	87	<0.1	28.7	18.6	437	3.98	1.9	0.2	0.9	0.8	74	<0.1	<0.1	<0.1	97	0.61
L26+00N 51+00E	Soil	0.8	0.3	118.4	8.3	80	<0.1	27.3	22.1	450	4.36	3.7	0.3	0.7	1.0	66	<0.1	<0.1	<0.1	102	0.50



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 4 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L26+00N 43+75E	Soil	0.121	7	65	0.90	58	0.104	<20	2.76	0.009	0.16	<0.1	0.02	2.8	<0.1	<0.05	7	<0.5
L26+00N 44+00E	Soil	0.047	12	63	0.84	35	0.106	<20	1.70	0.008	0.16	<0.1	0.01	3.0	<0.1	<0.05	6	<0.5
L26+00N 44+25E	Soil	0.122	5	65	0.42	71	0.097	<20	1.69	0.008	0.13	<0.1	0.01	2.2	<0.1	<0.05	6	<0.5
L26+00N 44+50E	Soil	0.217	3	53	0.48	79	0.111	<20	2.87	0.008	0.29	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L26+00N 44+75E	Soil	0.139	4	54	0.68	84	0.128	<20	4.07	0.016	0.35	<0.1	0.02	3.0	<0.1	<0.05	9	<0.5
L26+00N 45+00E	Soil	0.104	3	50	0.72	50	0.129	<20	3.88	0.025	0.35	<0.1	0.01	3.0	<0.1	<0.05	8	<0.5
L26+00N 45+25E	Soil	0.102	3	48	0.58	58	0.115	<20	3.48	0.019	0.40	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5
L26+00N 45+50E	Soil	0.142	3	55	0.60	62	0.112	<20	3.24	0.012	0.36	<0.1	0.02	2.7	<0.1	<0.05	8	<0.5
L26+00N 45+75E	Soil	0.163	3	46	0.43	90	0.093	<20	3.41	0.015	0.37	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5
L26+00N 46+00E	Soil	0.079	6	54	0.66	50	0.132	<20	3.63	0.114	0.30	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5
L26+00N 46+25E	Soil	0.268	3	56	0.67	74	0.126	<20	3.79	0.007	0.21	0.1	0.03	2.7	<0.1	<0.05	9	<0.5
L26+00N 46+50E	Soil	0.102	5	66	0.76	53	0.132	<20	3.42	0.016	0.20	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5
L26+00N 46+75E	Soil	0.095	3	51	0.58	85	0.125	<20	3.36	0.019	0.18	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L26+00N 47+00E	Soil	0.112	3	59	0.54	74	0.130	<20	3.33	0.009	0.24	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L26+00N 47+25E	Soil	0.181	3	56	0.67	89	0.137	<20	3.86	0.009	0.27	<0.1	0.02	3.0	<0.1	<0.05	8	<0.5
L26+00N 47+50E	Soil	0.112	3	56	0.52	133	0.129	<20	3.40	0.011	0.33	<0.1	0.04	2.4	<0.1	<0.05	7	<0.5
L26+00N 47+75E	Soil	0.126	3	61	0.47	90	0.127	<20	3.00	0.011	0.18	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5
L26+00N 48+00E	Soil	0.093	3	65	0.65	98	0.143	<20	4.47	0.012	0.30	<0.1	0.02	3.1	<0.1	<0.05	8	<0.5
L26+00N 48+25E	Soil	0.174	3	57	0.83	156	0.138	<20	5.27	0.011	0.37	<0.1	0.02	3.1	<0.1	<0.05	9	<0.5
L26+00N 48+50E	Soil	0.069	7	83	0.95	87	0.153	<20	2.63	0.010	0.19	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5
L26+00N 48+75E	Soil	0.233	3	56	0.56	146	0.131	<20	4.16	0.014	0.27	<0.1	0.03	2.7	<0.1	<0.05	9	<0.5
L26+00N 49+00E	Soil	0.128	3	62	0.62	142	0.134	<20	3.99	0.017	0.19	<0.1	0.03	3.3	<0.1	<0.05	7	<0.5
L26+00N 49+25E	Soil	0.219	3	64	0.46	167	0.129	<20	3.06	0.009	0.23	<0.1	0.03	2.7	<0.1	<0.05	8	<0.5
L26+00N 49+50E	Soil	0.153	3	58	0.66	159	0.127	<20	3.95	0.017	0.22	<0.1	0.02	3.5	<0.1	<0.05	7	<0.5
L26+00N 49+75E	Soil	0.263	3	59	0.62	113	0.125	<20	3.98	0.019	0.27	0.1	0.03	2.8	<0.1	<0.05	8	<0.5
L26+00N 50+00E	Soil	0.210	4	57	0.73	148	0.125	<20	4.93	0.019	0.27	0.1	0.04	3.3	<0.1	<0.05	9	<0.5
L26+00N 50+25E	Soil	0.315	3	55	0.58	184	0.103	<20	4.26	0.018	0.22	<0.1	0.03	3.8	<0.1	<0.05	10	<0.5
L26+00N 50+50E	Soil	0.127	3	62	0.76	132	0.129	<20	4.87	0.077	0.34	<0.1	0.02	3.3	<0.1	<0.05	9	<0.5
L26+00N 50+75E	Soil	0.084	3	69	0.70	148	0.125	<20	4.09	0.013	0.22	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5
L26+00N 51+00E	Soil	0.125	3	62	0.76	140	0.131	<20	5.11	0.030	0.39	<0.1	0.03	3.7	<0.1	<0.05	9	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 5 of 9 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L26+00N 51+25E	Soil			<0.5	0.3	88.8	7.1	84	<0.1	26.9	18.1	564	4.11	1.7	0.3	0.6	1.0	43	0.1	<0.1	<0.1	96	0.39
L26+00N 51+50E	Soil			0.9	0.3	43.3	5.9	104	<0.1	34.0	19.1	402	3.70	1.4	0.2	1.7	0.9	45	0.1	<0.1	<0.1	94	0.38
L26+00N 51+75E	Soil			0.6	0.5	85.5	6.8	81	<0.1	35.7	18.7	304	4.10	2.6	0.3	0.5	0.9	52	0.1	<0.1	<0.1	105	0.41
L26+00N 52+00E	Soil			<0.5	0.5	131.4	6.7	62	<0.1	52.3	24.4	424	4.62	3.4	0.4	1.1	1.4	94	0.1	<0.1	<0.1	117	0.52
L26+00N 52+25E	Soil			2.3	0.5	205.1	10.9	55	<0.1	26.6	21.1	1005	4.48	7.3	1.5	2.8	1.6	148	0.1	<0.1	<0.1	128	0.72
L26+00N 52+50E	Soil			2.1	0.4	63.7	7.9	100	<0.1	26.6	18.5	841	3.55	1.7	0.3	1.1	1.0	45	0.1	<0.1	<0.1	93	0.48
L26+00N 52+75E	Soil			1.6	0.4	106.0	6.7	102	<0.1	33.2	19.9	390	3.86	1.8	0.3	<0.5	1.0	57	0.1	<0.1	<0.1	101	0.56
L26+00N 53+00E	Soil			1.6	0.5	90.5	8.0	141	<0.1	35.5	21.5	520	4.07	2.1	0.3	<0.5	1.2	46	<0.1	<0.1	<0.1	103	0.45
L26+00N 53+25E	Soil			0.6	0.6	94.1	8.0	132	<0.1	40.3	22.8	797	4.06	1.9	0.3	0.7	1.4	39	0.2	<0.1	<0.1	107	0.46
L26+00N 53+50E	Soil			0.9	0.5	70.3	7.4	120	<0.1	39.2	19.5	708	4.06	2.5	0.3	1.0	1.1	43	0.1	<0.1	<0.1	102	0.45
L26+00N 53+75E	Soil			1.1	0.3	85.0	7.0	115	<0.1	32.2	18.3	460	3.69	1.4	0.3	<0.5	1.2	48	<0.1	<0.1	<0.1	94	0.51
L26+00N 54+00E	Soil			0.5	0.4	37.9	6.7	153	<0.1	30.3	16.8	729	3.30	1.7	0.2	0.9	0.9	43	0.1	<0.1	<0.1	90	0.47
L26+00N 54+25E	Soil			0.6	0.5	67.3	8.6	109	<0.1	35.6	18.8	526	3.60	1.9	0.3	3.1	1.6	43	0.1	0.1	<0.1	94	0.47
L26+00N 54+50E	Soil			<0.5	0.4	106.2	8.8	105	<0.1	33.4	18.8	480	3.94	2.1	0.3	0.6	1.0	41	0.1	<0.1	<0.1	105	0.43
L26+00N 54+75E	Soil			0.7	0.3	81.6	7.7	139	<0.1	38.4	21.2	563	4.32	2.3	0.4	0.7	1.3	51	0.2	<0.1	<0.1	109	0.47
L26+00N 55+00E	Soil			<0.5	0.5	60.1	6.6	150	<0.1	39.6	20.6	441	4.04	2.3	0.3	<0.5	1.2	53	0.2	<0.1	<0.1	114	0.47
L26+00N 55+25E	Soil			1.0	0.4	57.8	7.4	126	<0.1	32.1	19.2	741	3.64	2.5	0.3	<0.5	1.1	71	0.2	<0.1	<0.1	100	0.53
L26+00N 55+50E	Soil			0.5	0.7	48.1	7.1	151	<0.1	36.0	18.5	697	3.53	2.3	0.4	<0.5	1.3	55	0.2	<0.1	0.1	95	0.45
L26+00N 55+75E	Soil			167.7	0.3	50.8	5.0	62	<0.1	33.9	16.2	492	3.40	1.1	0.3	5.0	1.0	42	<0.1	<0.1	<0.1	88	0.52
L26+00N 56+00E	Soil			20.7	0.4	57.6	5.9	88	<0.1	32.6	16.5	608	3.34	1.7	0.2	<0.5	0.9	52	0.1	<0.1	<0.1	89	0.51
L25+00N 25+25E	Soil			8.5	0.7	33.4	4.9	51	0.1	35.6	11.1	431	2.80	3.5	0.4	1.8	2.4	33	0.1	0.1	0.1	70	0.32
L25+00N 25+50E	Soil			4.0	0.6	25.9	5.4	98	0.1	40.3	12.0	420	3.03	3.6	0.3	<0.5	1.6	32	0.3	<0.1	<0.1	82	0.37
L25+00N 25+75E	Soil			3.1	0.8	41.5	5.6	116	0.1	53.0	14.4	479	3.20	4.3	0.4	0.6	1.8	41	0.4	<0.1	0.1	84	0.48
L25+00N 26+00E	Soil			2.5	1.0	32.6	6.0	97	0.2	33.1	12.9	1617	2.71	3.6	0.3	2.7	1.6	35	0.6	0.1	0.1	67	0.41
L25+00N 26+25E	Soil			1.8	0.3	20.7	6.3	58	<0.1	28.2	11.4	337	2.59	2.3	0.4	0.6	3.6	23	0.1	<0.1	0.1	40	0.30
L25+00N 26+50E	Soil			4.4	0.7	39.7	5.3	61	<0.1	38.0	13.8	597	2.87	3.6	0.5	2.0	2.2	39	0.2	0.2	<0.1	79	0.48
L25+00N 26+75E	Soil			2.3	0.6	16.8	6.6	153	0.2	28.7	16.7	447	3.08	3.0	0.3	<0.5	1.8	35	0.5	0.1	0.1	68	0.43
L25+00N 27+00E	Soil			<0.5	0.3	13.4	4.2	71	<0.1	18.9	7.9	195	2.07	1.7	0.3	1.6	2.5	21	0.2	0.1	<0.1	45	0.30
L25+00N 27+25E	Soil			0.7	1.0	27.1	6.6	67	0.1	25.1	10.3	456	3.07	3.6	0.4	1.1	2.5	26	0.2	0.1	0.1	74	0.37
L25+00N 27+50E	Soil			1.8	0.9	29.8	5.6	52	<0.1	34.2	11.4	314	2.84	5.8	0.6	1.6	2.8	34	0.2	0.2	<0.1	61	0.41



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 5 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L26+00N 51+25E	Soil	0.102	3	64	0.68	156	0.113	<20	4.89	0.019	0.40	<0.1	0.03	4.2	<0.1	<0.05	8	<0.5
L26+00N 51+50E	Soil	0.194	3	73	0.72	137	0.117	<20	2.91	0.005	0.16	<0.1	0.02	3.2	<0.1	<0.05	8	<0.5
L26+00N 51+75E	Soil	0.216	2	71	0.79	139	0.130	<20	4.12	0.008	0.17	0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L26+00N 52+00E	Soil	0.128	4	76	1.14	148	0.121	<20	4.84	0.019	0.17	<0.1	0.04	4.5	<0.1	<0.05	8	<0.5
L26+00N 52+25E	Soil	0.081	5	67	0.84	220	0.039	<20	5.65	0.500	0.31	<0.1	0.08	9.9	<0.1	<0.05	8	0.9
L26+00N 52+50E	Soil	0.132	3	61	0.61	88	0.142	<20	3.55	0.011	0.23	<0.1	0.03	2.8	<0.1	<0.05	8	<0.5
L26+00N 52+75E	Soil	0.158	3	63	0.83	70	0.143	<20	4.40	0.017	0.29	0.1	0.02	3.2	<0.1	<0.05	8	<0.5
L26+00N 53+00E	Soil	0.214	3	65	0.87	106	0.145	<20	4.40	0.016	0.25	<0.1	0.02	3.0	<0.1	<0.05	9	<0.5
L26+00N 53+25E	Soil	0.162	4	71	0.86	90	0.149	<20	4.17	0.014	0.22	<0.1	0.02	3.4	<0.1	<0.05	9	<0.5
L26+00N 53+50E	Soil	0.211	3	69	0.80	119	0.144	<20	4.28	0.014	0.24	<0.1	0.02	3.0	<0.1	<0.05	9	<0.5
L26+00N 53+75E	Soil	0.144	3	59	0.78	97	0.133	<20	4.45	0.019	0.26	<0.1	0.03	3.0	<0.1	<0.05	8	<0.5
L26+00N 54+00E	Soil	0.156	3	63	0.58	120	0.134	<20	3.21	0.008	0.24	<0.1	0.02	2.5	<0.1	<0.05	8	<0.5
L26+00N 54+25E	Soil	0.155	4	66	0.77	101	0.137	<20	3.31	0.013	0.22	0.1	0.02	3.0	<0.1	<0.05	8	<0.5
L26+00N 54+50E	Soil	0.172	3	58	0.75	108	0.139	<20	4.33	0.016	0.31	0.1	0.03	2.6	<0.1	<0.05	9	0.6
L26+00N 54+75E	Soil	0.207	4	68	0.92	95	0.154	<20	4.88	0.011	0.24	0.1	0.02	3.5	<0.1	<0.05	10	<0.5
L26+00N 55+00E	Soil	0.207	3	62	0.78	82	0.160	<20	3.94	0.011	0.16	<0.1	0.03	3.3	<0.1	<0.05	9	<0.5
L26+00N 55+25E	Soil	0.187	3	70	0.63	89	0.147	<20	3.30	0.011	0.19	<0.1	0.03	2.9	<0.1	<0.05	9	<0.5
L26+00N 55+50E	Soil	0.224	4	63	0.67	104	0.139	<20	3.46	0.011	0.14	<0.1	0.04	2.7	<0.1	<0.05	9	<0.5
L26+00N 55+75E	Soil	0.058	3	79	0.70	50	0.142	<20	2.83	0.012	0.11	<0.1	<0.01	3.1	<0.1	<0.05	7	<0.5
L26+00N 56+00E	Soil	0.100	3	70	0.71	86	0.141	<20	3.10	0.013	0.16	<0.1	<0.01	2.7	<0.1	<0.05	7	<0.5
L25+00N 25+25E	Soil	0.138	7	51	0.54	77	0.089	<20	1.72	0.009	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5
L25+00N 25+50E	Soil	0.202	4	59	0.53	76	0.092	<20	1.80	0.007	0.08	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5
L25+00N 25+75E	Soil	0.177	6	57	0.67	90	0.085	<20	2.29	0.010	0.09	<0.1	0.03	2.7	<0.1	<0.05	6	<0.5
L25+00N 26+00E	Soil	0.141	7	52	0.49	127	0.071	<20	1.65	0.009	0.10	<0.1	0.04	2.5	<0.1	<0.05	5	<0.5
L25+00N 26+25E	Soil	0.072	12	39	0.64	41	0.062	<20	1.26	0.007	0.11	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5
L25+00N 26+50E	Soil	0.036	8	57	0.62	66	0.102	<20	1.76	0.010	0.11	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5
L25+00N 26+75E	Soil	0.187	6	59	0.49	92	0.105	<20	1.54	0.008	0.12	<0.1	<0.01	2.3	<0.1	<0.05	7	<0.5
L25+00N 27+00E	Soil	0.080	10	39	0.44	35	0.070	<20	1.03	0.007	0.08	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5
L25+00N 27+25E	Soil	0.029	9	47	0.43	52	0.095	<20	1.27	0.008	0.10	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5
L25+00N 27+50E	Soil	0.035	9	47	0.57	55	0.075	<20	1.76	0.010	0.07	<0.1	0.02	3.0	<0.1	<0.05	4	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 6 of 9 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L25+00N 27+75E	Soil			3.7	0.9	169.4	8.7	70	0.6	53.9	17.3	753	3.84	7.6	1.3	2.5	3.2	45	0.6	0.3	0.2	94	0.59
L25+00N 28+00E	Soil			2.9	0.7	55.0	6.9	59	0.2	38.4	13.8	638	3.34	5.3	0.6	2.6	2.9	33	0.3	0.2	0.1	74	0.42
L25+00N 28+25E	Soil			1.4	1.2	35.5	7.2	98	0.2	31.7	13.9	1103	3.07	4.2	0.5	1.1	2.5	30	0.5	0.1	0.1	67	0.38
L25+00N 28+50E	Soil			1.8	0.6	43.6	5.4	70	0.1	36.3	12.0	397	2.91	4.4	0.5	1.9	2.3	34	0.3	0.2	0.9	79	0.42
L25+00N 29+00E	Soil			9.7	0.9	48.5	7.1	59	0.1	38.1	14.8	476	3.24	5.2	0.6	2.4	3.4	33	0.2	0.1	0.1	68	0.41
L25+00N 29+25E	Soil			3.1	0.6	21.5	5.8	52	<0.1	33.1	10.3	235	2.83	3.4	0.6	0.9	3.6	29	0.2	<0.1	0.1	54	0.31
L25+00N 29+50E	Soil			2.2	0.7	42.7	6.7	54	<0.1	40.5	14.2	312	3.54	6.3	0.5	0.8	4.3	33	0.1	0.2	0.1	69	0.38
L25+00N 29+75E	Soil			<0.5	1.3	41.1	7.6	56	0.2	26.8	11.9	349	3.06	3.7	0.9	1.7	2.2	49	0.4	0.1	0.2	73	0.50
L25+00N 30+00E	Soil			0.7	1.4	38.7	7.2	93	0.1	30.4	14.3	468	2.95	4.3	1.0	1.5	1.9	69	0.6	0.1	0.1	66	0.72
L25+00N 30+25E	Soil			2.9	1.0	46.6	6.6	64	0.1	37.1	14.4	478	3.34	4.4	1.4	1.0	2.1	65	0.5	0.1	0.1	73	0.71
L25+00N 30+50E	Soil			4.3	0.8	62.3	7.9	105	0.2	43.4	14.8	857	3.33	5.8	0.8	3.8	2.4	40	0.4	0.2	0.1	92	0.49
L25+00N 31+00E	Soil			3.7	0.6	64.1	6.5	56	0.2	35.3	11.4	425	3.01	5.3	0.8	3.1	2.7	57	0.4	0.2	0.1	72	0.66
L25+00N 31+25E	Soil			1.4	0.7	30.2	5.4	68	0.1	32.0	10.6	414	2.88	4.1	0.5	<0.5	1.9	60	0.3	0.2	0.1	62	0.63
L25+00N 31+50E	Soil			2.2	1.2	74.5	9.1	80	0.3	48.8	16.1	593	3.77	8.0	0.7	1.3	1.8	63	0.5	0.2	0.2	92	0.64
L25+00N 31+75E	Soil			1.2	0.9	32.5	5.0	70	0.1	31.2	12.3	561	2.98	4.2	0.5	0.8	1.7	64	0.4	<0.1	<0.1	84	0.76
L25+00N 32+00E	Soil			0.9	0.8	33.7	5.7	96	0.2	42.6	14.3	556	3.56	5.7	0.5	0.7	1.5	85	0.3	0.1	0.1	104	0.87
L25+00N 32+25E	Soil			2.3	0.4	56.4	5.1	47	<0.1	32.7	10.3	324	2.66	3.1	2.5	2.7	1.7	115	<0.1	0.1	<0.1	70	1.51
L25+00N 32+75E	Soil			1.6	0.8	41.4	7.6	75	0.1	33.9	12.4	486	3.41	5.9	0.6	1.3	2.5	73	0.5	0.1	0.1	86	0.86
L25+00N 33+00E	Soil			1.4	0.7	33.8	6.5	95	0.1	38.7	14.6	513	3.56	7.7	0.8	1.3	2.8	64	0.4	0.1	0.1	91	0.68
L25+00N 33+25E	Soil			1.3	1.0	25.6	6.9	118	0.2	33.2	13.7	361	3.38	4.5	1.0	2.0	1.6	52	0.3	<0.1	0.1	91	0.65
L25+00N 33+50E	Soil			0.9	0.9	41.3	6.2	79	<0.1	37.5	14.6	485	3.48	8.2	0.7	1.2	2.0	92	0.2	0.1	<0.1	108	0.84
L25+00N 33+75E	Soil			1.0	0.8	35.7	5.7	54	<0.1	36.8	13.8	383	3.15	6.8	0.5	3.0	2.1	69	0.2	0.1	<0.1	90	0.61
L25+00N 34+00E	Soil			0.6	0.8	56.3	6.2	57	<0.1	40.3	16.6	535	3.46	6.3	0.6	1.1	2.7	79	0.2	0.1	<0.1	87	0.95
L25+00N 34+25E	Soil			<0.5	0.9	73.9	7.1	64	0.1	34.4	13.4	680	2.98	6.7	1.0	1.3	2.2	49	0.3	0.2	0.1	63	0.81
L25+00N 34+50E	Soil			3.6	0.5	27.0	4.9	55	0.1	34.4	10.5	269	2.78	3.2	0.6	1.1	3.8	29	<0.1	0.1	0.1	60	0.32
L25+00N 34+75E	Soil			9.5	0.4	19.8	5.2	119	0.2	38.3	13.9	290	3.38	4.5	0.5	2.0	2.8	27	0.2	0.2	0.1	72	0.29
L25+00N 35+00E	Soil			2.9	0.6	59.9	7.3	59	0.2	40.4	15.1	793	3.59	6.5	1.0	1.7	4.4	40	0.2	0.2	0.2	81	0.56
L25+00N 35+25E	Soil			8.2	0.4	51.5	6.4	46	<0.1	35.6	12.7	436	3.02	5.2	0.7	1.4	5.3	47	<0.1	0.2	0.1	63	0.59
L25+00N 35+50E	Soil			2.4	0.5	35.4	5.4	51	<0.1	40.8	13.3	406	2.76	3.5	0.6	1.4	4.1	44	<0.1	0.2	0.1	62	0.55
L25+00N 35+75E	Soil			3.0	0.6	50.6	7.1	65	0.1	40.1	13.3	428	2.67	4.0	0.6	<0.5	4.3	52	0.3	0.3	0.2	59	0.77



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 6 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L25+00N 27+75E	Soil	0.040	15	67	0.84	82	0.090	<20	2.28	0.012	0.10	<0.1	0.08	7.5	<0.1	<0.05	7	0.8
L25+00N 28+00E	Soil	0.052	14	47	0.77	77	0.081	<20	1.84	0.009	0.09	<0.1	0.03	4.9	<0.1	<0.05	6	<0.5
L25+00N 28+25E	Soil	0.046	11	52	0.63	74	0.073	<20	1.73	0.008	0.08	<0.1	0.04	3.5	<0.1	<0.05	5	<0.5
L25+00N 28+50E	Soil	0.037	9	56	0.72	52	0.093	<20	1.64	0.009	0.07	<0.1	0.03	4.3	<0.1	<0.05	5	<0.5
L25+00N 29+00E	Soil	0.037	12	52	0.75	67	0.072	<20	1.80	0.010	0.07	<0.1	0.02	4.1	<0.1	<0.05	5	<0.5
L25+00N 29+25E	Soil	0.024	14	44	0.65	55	0.063	<20	1.60	0.008	0.06	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
L25+00N 29+50E	Soil	0.040	13	51	0.73	65	0.087	<20	2.07	0.008	0.09	0.1	0.02	3.2	<0.1	<0.05	5	<0.5
L25+00N 29+75E	Soil	0.030	9	43	0.47	72	0.085	<20	1.70	0.010	0.07	<0.1	0.02	2.7	<0.1	<0.05	5	0.6
L25+00N 30+00E	Soil	0.036	8	46	0.55	75	0.081	<20	1.77	0.016	0.07	<0.1	0.02	3.2	<0.1	<0.05	5	0.8
L25+00N 30+25E	Soil	0.042	10	58	0.83	91	0.072	<20	2.02	0.020	0.07	0.1	0.03	4.1	<0.1	<0.05	6	0.7
L25+00N 30+50E	Soil	0.032	10	61	0.72	68	0.100	<20	1.88	0.012	0.08	<0.1	0.04	5.5	<0.1	<0.05	5	<0.5
L25+00N 31+00E	Soil	0.055	12	46	0.76	67	0.083	<20	1.94	0.012	0.10	<0.1	0.04	5.4	<0.1	<0.05	5	<0.5
L25+00N 31+25E	Soil	0.055	9	40	0.61	76	0.077	<20	1.76	0.008	0.09	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5
L25+00N 31+50E	Soil	0.058	12	52	0.76	105	0.086	<20	2.72	0.009	0.10	0.1	0.04	5.7	<0.1	<0.05	7	<0.5
L25+00N 31+75E	Soil	0.050	8	41	0.66	68	0.101	<20	2.52	0.008	0.10	<0.1	0.03	3.9	<0.1	<0.05	7	<0.5
L25+00N 32+00E	Soil	0.074	7	48	0.93	90	0.128	<20	2.98	0.011	0.09	<0.1	0.03	4.3	<0.1	<0.05	9	<0.5
L25+00N 32+25E	Soil	0.056	8	40	0.95	86	0.086	<20	2.36	0.034	0.08	<0.1	0.06	4.6	<0.1	<0.05	6	0.8
L25+00N 32+75E	Soil	0.029	7	44	0.89	110	0.093	<20	2.55	0.012	0.11	<0.1	0.02	4.3	<0.1	<0.05	7	<0.5
L25+00N 33+00E	Soil	0.033	8	45	0.87	133	0.106	<20	2.75	0.016	0.07	<0.1	0.04	4.6	<0.1	<0.05	7	<0.5
L25+00N 33+25E	Soil	0.047	7	43	0.68	90	0.110	<20	2.82	0.012	0.06	<0.1	0.05	3.9	<0.1	<0.05	8	0.6
L25+00N 33+50E	Soil	0.029	7	48	0.97	107	0.120	<20	2.98	0.011	0.09	<0.1	0.02	4.1	<0.1	<0.05	7	0.5
L25+00N 33+75E	Soil	0.022	6	51	0.80	131	0.123	<20	2.42	0.012	0.07	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5
L25+00N 34+00E	Soil	0.030	8	55	0.99	174	0.102	<20	2.44	0.017	0.07	<0.1	0.03	4.7	<0.1	<0.05	6	<0.5
L25+00N 34+25E	Soil	0.033	9	44	0.69	112	0.070	<20	1.67	0.014	0.06	<0.1	0.04	3.7	<0.1	<0.05	4	0.8
L25+00N 34+50E	Soil	0.030	14	53	0.72	63	0.086	<20	1.75	0.008	0.06	0.1	0.02	3.3	<0.1	<0.05	5	<0.5
L25+00N 34+75E	Soil	0.167	9	51	0.67	78	0.094	<20	2.24	0.007	0.09	0.1	0.02	3.0	<0.1	<0.05	6	<0.5
L25+00N 35+00E	Soil	0.027	17	57	0.74	107	0.096	<20	2.08	0.018	0.10	0.2	0.06	7.0	<0.1	<0.05	6	<0.5
L25+00N 35+25E	Soil	0.054	19	48	0.83	61	0.092	<20	1.65	0.016	0.06	0.1	0.05	6.0	<0.1	<0.05	5	<0.5
L25+00N 35+50E	Soil	0.049	13	51	0.89	50	0.099	<20	1.67	0.019	0.08	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5
L25+00N 35+75E	Soil	0.067	14	47	0.80	62	0.087	<20	1.46	0.020	0.14	0.2	0.05	3.9	<0.1	<0.05	4	0.7



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 7 of 9 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L25+00N 36+00E	Soil	4.0	0.6	51.8	6.9	66	0.1	48.2	15.1	595	2.99	5.0	0.6	2.6	3.1	60	0.3	0.3	0.1	64	1.08
L25+00N 36+25E	Soil	352.1	1.0	47.9	6.5	65	0.2	21.5	23.3	1231	4.01	20.8	0.4	49.1	0.6	67	0.3	2.4	0.2	87	1.27
L25+00N 36+50E	Soil	56.3	1.1	68.1	6.6	91	0.2	31.0	21.0	890	4.05	26.8	0.4	45.2	1.5	81	0.7	3.0	0.2	89	1.95
L25+00N 37+00E	Soil	6.6	0.6	16.4	5.3	140	0.1	25.0	10.5	299	3.28	25.5	0.4	6.0	2.9	19	0.2	0.8	0.1	60	0.20
L25+00N 37+25E	Soil	3.7	0.6	25.4	6.7	120	0.1	34.5	11.7	284	3.48	22.6	0.5	3.6	3.6	21	0.2	1.1	0.1	65	0.26
L25+00N 37+50E	Soil	5.2	0.6	16.7	7.3	230	0.2	25.7	11.3	383	3.82	21.6	0.3	3.5	2.5	23	0.4	0.7	0.1	68	0.36
L25+00N 37+75E	Soil	31.2	0.8	52.3	11.6	205	0.2	27.3	14.0	779	4.39	43.0	0.8	28.7	2.7	21	0.4	1.2	0.2	86	0.26
L25+00N 38+00E	Soil	3.6	0.6	43.9	6.7	55	0.3	49.3	12.7	412	3.22	4.6	0.8	0.8	2.5	42	0.1	0.2	0.1	77	0.69
L25+00N 38+25E	Soil	7.4	0.5	18.4	5.6	106	0.1	34.2	12.0	280	2.92	2.9	0.4	<0.5	2.2	27	0.2	0.1	0.1	69	0.39
L25+00N 38+50E	Soil	2.3	0.7	28.2	5.1	60	0.1	53.5	15.2	236	3.27	3.3	0.5	2.0	2.9	36	0.1	0.1	<0.1	77	0.37
L25+00N 38+75E	Soil	2.0	0.6	32.6	4.5	46	0.1	46.2	12.8	281	2.90	2.5	0.5	<0.5	2.5	31	0.1	0.1	<0.1	82	0.48
L25+00N 39+00E	Soil	2.3	1.1	77.0	5.8	73	0.1	58.4	22.1	824	3.33	4.1	0.5	0.8	2.0	42	0.2	0.3	<0.1	104	0.53
L25+00N 39+25E	Soil	<0.5	0.7	34.7	5.2	50	0.1	44.8	13.0	359	2.90	2.0	0.4	<0.5	1.7	28	0.1	0.1	<0.1	79	0.35
L25+00N 39+50E	Soil	0.8	0.6	20.1	6.5	71	<0.1	37.1	11.9	227	2.95	2.0	0.5	<0.5	3.3	17	0.1	<0.1	0.1	54	0.19
L25+00N 39+75E	Soil	1.6	0.4	21.6	4.4	60	0.1	45.3	12.2	255	2.77	1.9	0.4	<0.5	2.8	23	0.1	0.1	<0.1	64	0.36
L25+00N 40+00E	Soil	1.2	0.5	22.8	5.6	56	<0.1	45.5	11.8	355	2.66	2.2	0.6	<0.5	3.1	30	0.1	0.1	<0.1	64	0.45
L25+00N 40+25E	Soil	<0.5	0.4	18.0	5.7	65	<0.1	35.5	11.5	299	2.46	1.6	0.4	<0.5	4.5	22	0.1	0.1	0.1	47	0.28
L25+00N 40+50E	Soil	1.6	0.6	33.6	7.0	57	<0.1	41.2	13.9	272	3.17	2.1	0.6	1.0	5.3	29	0.1	0.2	0.1	56	0.31
L25+00N 40+75E	Soil	2.2	0.6	31.0	6.2	77	0.2	38.3	13.8	384	2.63	3.1	0.5	0.6	2.9	54	0.5	0.2	0.1	57	0.59
L25+00N 41+00E	Soil	5.5	1.2	78.5	12.9	135	0.3	57.3	20.3	775	3.93	12.4	0.6	5.5	1.9	73	0.7	0.6	0.2	95	0.84
L25+00N 41+25E	Soil	1.2	0.6	22.7	4.3	52	<0.1	37.6	11.7	263	2.32	1.7	0.5	<0.5	3.3	20	<0.1	0.1	0.1	54	0.30
L25+00N 41+50E	Soil	2.2	1.1	30.7	6.1	119	0.1	51.7	17.7	498	3.81	4.0	0.4	<0.5	1.6	25	0.2	0.2	0.1	103	0.33
L25+00N 41+75E	Soil	0.7	0.8	40.6	5.6	86	<0.1	54.3	17.3	588	3.48	2.9	0.5	<0.5	2.3	28	0.2	0.2	<0.1	91	0.39
L25+00N 42+00E	Soil	1.6	0.7	33.1	4.8	65	<0.1	38.1	13.4	331	2.95	1.8	0.4	1.0	2.7	25	0.1	0.1	0.1	80	0.35
L25+00N 42+25E	Soil	1.2	0.7	12.7	6.0	64	<0.1	29.0	11.8	263	2.78	1.6	0.4	<0.5	3.4	23	<0.1	0.1	0.1	63	0.26
L25+00N 42+50E	Soil	2.5	0.7	82.2	8.8	78	0.2	43.8	20.8	1018	4.04	4.4	0.7	0.5	1.2	90	0.4	0.3	<0.1	110	1.29
L25+00N 42+75E	Soil	0.6	0.5	30.3	6.4	95	0.1	35.5	14.4	416	3.02	2.6	0.5	<0.5	2.9	38	0.3	0.1	0.1	86	0.55
L25+00N 43+00E	Soil	1.3	0.7	41.0	9.5	90	<0.1	43.3	17.2	700	3.48	3.2	0.6	<0.5	4.7	39	0.5	0.2	0.2	67	0.60
L25+00N 43+25E	Soil	<0.5	0.8	35.2	6.1	83	<0.1	46.7	17.1	506	3.34	2.5	0.5	<0.5	3.2	27	0.2	0.2	0.1	85	0.43
L25+00N 43+50E	Soil	0.9	0.8	32.8	5.3	75	<0.1	39.9	15.6	318	2.99	2.2	0.4	0.5	3.0	30	0.1	0.2	<0.1	80	0.45





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 7 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L25+00N 36+00E	Soil	0.064	12	48	0.99	69	0.094	<20	1.65	0.022	0.17	0.2	0.06	4.3	<0.1	<0.05	5	0.7
L25+00N 36+25E	Soil	0.126	7	30	0.61	290	0.050	<20	1.22	0.034	0.11	0.2	0.08	6.9	<0.1	0.21	4	1.9
L25+00N 36+50E	Soil	0.078	7	40	0.86	196	0.077	<20	1.22	0.043	0.16	0.2	0.11	5.9	<0.1	0.22	4	1.5
L25+00N 37+00E	Soil	0.033	13	43	0.57	161	0.037	<20	1.69	0.006	0.05	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5
L25+00N 37+25E	Soil	0.059	14	53	0.69	114	0.070	<20	2.06	0.007	0.06	0.2	0.02	2.7	<0.1	<0.05	6	<0.5
L25+00N 37+50E	Soil	0.082	10	43	0.58	174	0.049	<20	1.79	0.007	0.08	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L25+00N 37+75E	Soil	0.038	20	47	0.51	167	0.045	<20	2.11	0.008	0.07	<0.1	0.06	9.9	<0.1	<0.05	6	1.0
L25+00N 38+00E	Soil	0.038	11	74	0.82	119	0.118	<20	2.35	0.015	0.08	0.1	0.03	6.3	<0.1	<0.05	6	0.6
L25+00N 38+25E	Soil	0.122	9	61	0.54	61	0.109	<20	1.79	0.009	0.07	<0.1	0.01	2.7	<0.1	<0.05	6	<0.5
L25+00N 38+50E	Soil	0.056	10	61	0.76	67	0.111	<20	2.46	0.009	0.06	0.1	0.01	2.9	<0.1	<0.05	6	<0.5
L25+00N 38+75E	Soil	0.066	9	69	0.70	47	0.112	<20	2.09	0.008	0.08	<0.1	0.01	2.6	<0.1	<0.05	5	<0.5
L25+00N 39+00E	Soil	0.083	7	84	0.97	65	0.126	<20	2.47	0.015	0.08	0.1	0.03	4.3	0.1	<0.05	6	0.6
L25+00N 39+25E	Soil	0.047	10	65	0.73	68	0.100	<20	2.12	0.010	0.06	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5
L25+00N 39+50E	Soil	0.089	14	53	0.60	60	0.059	<20	2.00	0.007	0.08	0.1	<0.01	2.0	<0.1	<0.05	6	<0.5
L25+00N 39+75E	Soil	0.103	10	70	0.73	56	0.101	<20	1.89	0.009	0.09	<0.1	<0.01	2.7	<0.1	<0.05	5	<0.5
L25+00N 40+00E	Soil	0.051	11	62	0.82	66	0.115	<20	1.68	0.011	0.10	<0.1	0.01	3.0	<0.1	<0.05	5	<0.5
L25+00N 40+25E	Soil	0.061	14	50	0.63	51	0.082	<20	1.51	0.008	0.14	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5
L25+00N 40+50E	Soil	0.023	18	60	0.88	48	0.071	<20	2.00	0.009	0.07	<0.1	0.01	3.3	<0.1	<0.05	5	<0.5
L25+00N 40+75E	Soil	0.081	13	57	0.63	58	0.084	<20	1.47	0.007	0.12	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5
L25+00N 41+00E	Soil	0.228	8	69	0.86	116	0.110	<20	2.45	0.010	0.12	0.1	0.03	4.0	0.1	<0.05	7	0.7
L25+00N 41+25E	Soil	0.063	11	58	0.67	30	0.087	<20	1.38	0.008	0.10	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5
L25+00N 41+50E	Soil	0.164	6	87	0.67	73	0.126	<20	2.31	0.009	0.10	0.2	0.02	2.7	<0.1	<0.05	7	<0.5
L25+00N 41+75E	Soil	0.133	9	83	0.79	73	0.118	<20	2.26	0.010	0.11	0.1	0.02	3.4	<0.1	<0.05	6	<0.5
L25+00N 42+00E	Soil	0.066	9	67	0.71	48	0.111	<20	1.74	0.010	0.10	0.2	0.01	3.0	<0.1	<0.05	6	<0.5
L25+00N 42+25E	Soil	0.035	13	56	0.66	41	0.100	<20	1.53	0.007	0.11	<0.1	<0.01	2.1	<0.1	<0.05	5	<0.5
L25+00N 42+50E	Soil	0.059	8	82	1.21	64	0.115	<20	2.17	0.040	0.09	0.1	0.05	6.1	<0.1	<0.05	6	1.2
L25+00N 42+75E	Soil	0.028	10	71	0.73	49	0.123	<20	1.90	0.015	0.09	<0.1	<0.01	3.7	<0.1	<0.05	5	<0.5
L25+00N 43+00E	Soil	0.088	17	65	0.88	72	0.102	<20	1.94	0.011	0.22	0.1	0.02	4.1	<0.1	<0.05	6	<0.5
L25+00N 43+25E	Soil	0.111	9	83	0.87	52	0.126	<20	2.19	0.012	0.15	0.1	<0.01	4.2	<0.1	<0.05	6	<0.5
L25+00N 43+50E	Soil	0.099	9	77	0.74	48	0.119	<20	1.89	0.011	0.13	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 8 of 9 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L25+00N 43+75E	Soil	1.4	0.7	47.9	4.8	58	<0.1	41.9	14.5	410	3.11	2.3	0.6	16.0	2.5	26	0.1	0.2	<0.1	83	0.41
L25+00N 44+00E	Soil	1.0	0.5	30.3	4.8	73	<0.1	36.6	13.7	317	3.00	2.0	0.4	0.6	2.3	32	0.2	0.1	<0.1	74	0.42
L25+00N 44+25E	Soil	1.1	0.4	40.8	4.4	64	<0.1	37.3	14.8	382	3.04	2.3	0.4	1.4	1.8	34	0.2	0.1	<0.1	82	0.50
L25+00N 44+50E	Soil	0.6	0.4	19.3	3.4	56	<0.1	38.6	12.3	279	2.38	1.2	0.3	<0.5	1.6	22	<0.1	0.1	<0.1	65	0.30
L25+00N 44+75E	Soil	1.0	0.4	39.9	4.4	87	<0.1	38.4	14.8	466	2.95	2.1	0.3	0.8	1.3	26	0.3	0.1	<0.1	82	0.45
L25+00N 45+00E	Soil	1.0	0.3	33.0	3.1	48	<0.1	40.3	12.9	226	2.50	1.6	0.3	<0.5	1.7	22	0.1	0.1	<0.1	69	0.33
L25+00N 45+25E	Soil	1.1	0.3	46.0	3.2	51	<0.1	43.5	14.5	260	2.82	2.0	0.4	0.8	1.7	27	0.1	<0.1	<0.1	84	0.39
L25+00N 45+50E	Soil	<0.5	0.4	31.6	3.5	46	<0.1	38.0	13.7	271	2.45	1.3	0.3	<0.5	1.5	24	0.1	0.1	<0.1	70	0.34
L25+00N 45+75E	Soil	0.7	0.4	16.4	5.7	163	0.2	31.4	16.1	421	2.72	1.7	0.3	<0.5	1.5	35	0.3	<0.1	<0.1	60	0.28
L25+00N 46+00E	Soil	1.0	0.7	66.6	11.3	93	<0.1	17.5	16.0	967	3.15	2.1	0.3	1.3	0.9	81	0.3	<0.1	<0.1	78	0.68
L25+00N 46+25E	Soil	1.1	0.4	79.1	6.2	114	<0.1	38.7	19.2	709	3.54	2.2	0.3	<0.5	1.2	78	0.3	<0.1	<0.1	92	0.59
L25+00N 46+50E	Soil	2.0	1.6	195.8	8.8	50	0.3	46.5	18.9	3186	4.64	7.9	0.7	1.3	2.1	180	0.2	0.2	0.1	108	1.29
L25+00N 46+75E	Soil	0.9	0.3	31.7	4.1	91	<0.1	37.0	14.7	347	2.86	1.5	0.3	<0.5	1.2	44	0.1	<0.1	<0.1	77	0.46
L25+00N 47+00E	Soil	0.7	0.4	43.4	4.9	90	<0.1	36.7	14.7	543	3.02	1.5	0.3	<0.5	1.3	42	0.1	0.1	<0.1	80	0.41
L25+00N 47+25E	Soil	0.7	0.6	112.0	6.8	113	<0.1	38.9	18.6	470	3.91	1.9	0.3	<0.5	1.5	47	0.1	<0.1	<0.1	97	0.39
L25+00N 47+50E	Soil	1.2	0.7	96.5	11.9	91	<0.1	16.1	17.1	678	3.35	3.3	0.3	0.9	0.9	38	0.1	<0.1	<0.1	79	0.49
L25+00N 47+75E	Soil	0.7	0.4	52.7	6.5	135	<0.1	33.4	17.5	561	3.37	1.7	0.2	<0.5	1.2	36	0.1	<0.1	<0.1	77	0.39
L25+00N 48+00E	Soil	<0.5	0.5	70.5	7.0	71	<0.1	29.1	16.1	488	3.60	2.4	0.2	<0.5	1.0	48	<0.1	<0.1	<0.1	87	0.42
L25+00N 48+25E	Soil	0.6	0.3	60.4	5.5	97	<0.1	25.4	15.2	414	3.20	1.7	0.2	<0.5	0.8	48	<0.1	<0.1	<0.1	76	0.40
L25+00N 48+50E	Soil	0.6	0.6	54.2	8.8	148	<0.1	19.8	16.6	885	3.40	2.8	0.2	<0.5	0.7	46	0.2	<0.1	<0.1	82	0.58
L25+00N 48+75E	Soil	0.8	0.4	101.1	8.3	105	<0.1	34.5	20.2	490	4.29	3.0	0.3	<0.5	1.2	54	0.2	<0.1	<0.1	103	0.48
L25+00N 49+00E	Soil	0.7	0.4	51.9	6.7	141	<0.1	29.4	18.2	1055	3.61	1.0	0.2	0.6	0.9	49	0.2	<0.1	<0.1	99	0.52
L25+00N 49+25E	Soil	1.8	0.7	49.1	8.0	134	<0.1	25.7	16.3	725	3.63	1.7	0.3	<0.5	1.0	62	0.1	<0.1	<0.1	99	0.32
L25+00N 49+50E	Soil	<0.5	0.7	49.7	6.8	116	<0.1	25.0	12.9	746	2.74	1.4	0.3	0.7	0.8	62	0.2	<0.1	<0.1	74	0.51
L25+00N 49+75E	Soil	<0.5	0.4	30.9	4.7	100	<0.1	30.0	13.0	428	2.72	1.4	0.3	<0.5	1.4	26	0.2	<0.1	<0.1	69	0.25
L25+00N 50+00E	Soil	0.9	0.4	99.8	6.5	81	<0.1	27.8	19.4	705	3.93	1.8	0.2	<0.5	0.9	49	<0.1	<0.1	<0.1	96	0.44
L25+00N 50+25E	Soil	0.9	0.4	69.2	6.2	100	<0.1	34.9	17.6	410	3.69	2.2	0.3	3.9	1.2	47	0.1	<0.1	<0.1	93	0.40
L25+00N 50+50E	Soil	0.9	0.4	77.6	5.5	53	<0.1	38.0	15.9	319	3.18	2.0	0.3	<0.5	1.9	49	<0.1	0.1	<0.1	80	0.37
L25+00N 50+75E	Soil	<0.5	0.4	53.0	5.5	104	<0.1	42.1	18.2	370	3.70	1.9	0.3	<0.5	1.5	41	<0.1	<0.1	<0.1	92	0.42
L25+00N 51+00E	Soil	1.0	0.5	50.6	14.5	209	<0.1	23.5	19.1	2136	4.73	2.6	0.3	1.0	1.0	27	0.3	<0.1	0.1	118	0.18



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 8 of 9 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L25+00N 43+75E	Soil	0.033	9	77	0.75	51	0.105	<20	1.90	0.009	0.12	0.1	0.03	5.6	<0.1	0.05	6	<0.5
L25+00N 44+00E	Soil	0.086	7	62	0.76	50	0.092	<20	1.85	0.007	0.13	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L25+00N 44+25E	Soil	0.063	6	63	0.77	51	0.106	<20	2.08	0.010	0.12	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
L25+00N 44+50E	Soil	0.038	5	69	0.64	40	0.096	<20	1.53	0.008	0.08	<0.1	0.02	2.5	<0.1	<0.05	4	<0.5
L25+00N 44+75E	Soil	0.096	5	59	0.67	46	0.106	<20	2.14	0.008	0.15	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
L25+00N 45+00E	Soil	0.081	5	64	0.72	30	0.098	<20	1.66	0.006	0.08	<0.1	0.01	2.7	<0.1	<0.05	4	<0.5
L25+00N 45+25E	Soil	0.060	5	67	0.78	44	0.106	<20	1.98	0.006	0.08	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5
L25+00N 45+50E	Soil	0.064	5	61	0.69	33	0.093	<20	1.47	0.009	0.06	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5
L25+00N 45+75E	Soil	0.292	4	61	0.32	45	0.090	<20	1.65	0.005	0.09	0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L25+00N 46+00E	Soil	0.327	3	40	0.38	95	0.092	<20	2.55	0.071	0.18	<0.1	0.04	3.1	<0.1	<0.05	7	<0.5
L25+00N 46+25E	Soil	0.294	3	57	0.73	72	0.119	<20	3.08	0.008	0.16	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5
L25+00N 46+50E	Soil	0.059	7	72	0.80	148	0.102	<20	4.89	0.221	0.13	0.1	0.07	11.4	0.1	<0.05	8	0.7
L25+00N 46+75E	Soil	0.099	4	64	0.63	52	0.110	<20	2.16	0.006	0.14	<0.1	0.01	2.8	<0.1	<0.05	6	<0.5
L25+00N 47+00E	Soil	0.101	4	60	0.65	79	0.111	<20	2.53	0.008	0.13	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L25+00N 47+25E	Soil	0.120	4	54	0.76	112	0.114	<20	3.76	0.009	0.17	0.1	0.02	3.2	<0.1	<0.05	8	<0.5
L25+00N 47+50E	Soil	0.201	3	41	0.39	80	0.128	<20	3.24	0.497	0.25	0.1	0.03	2.9	<0.1	<0.05	6	<0.5
L25+00N 47+75E	Soil	0.161	3	58	0.64	137	0.104	<20	3.15	0.004	0.23	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L25+00N 48+00E	Soil	0.097	3	56	0.63	173	0.112	<20	2.99	0.012	0.18	<0.1	0.01	2.9	<0.1	<0.05	7	<0.5
L25+00N 48+25E	Soil	0.124	2	52	0.42	173	0.111	<20	2.99	0.009	0.16	<0.1	0.01	2.7	<0.1	<0.05	6	<0.5
L25+00N 48+50E	Soil	0.212	2	52	0.35	166	0.112	<20	3.00	0.025	0.36	<0.1	0.03	3.0	<0.1	<0.05	8	<0.5
L25+00N 48+75E	Soil	0.184	3	59	0.74	142	0.130	<20	4.21	0.010	0.25	0.1	0.01	3.6	<0.1	<0.05	9	<0.5
L25+00N 49+00E	Soil	0.112	3	63	0.44	120	0.109	<20	3.11	0.009	0.18	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5
L25+00N 49+25E	Soil	0.179	4	53	0.40	236	0.111	<20	3.08	0.012	0.17	<0.1	0.02	2.6	<0.1	<0.05	9	<0.5
L25+00N 49+50E	Soil	0.107	3	46	0.40	136	0.091	<20	2.76	0.014	0.19	<0.1	0.03	2.4	<0.1	<0.05	7	<0.5
L25+00N 49+75E	Soil	0.120	5	60	0.42	73	0.094	<20	2.12	0.007	0.14	<0.1	<0.01	2.7	<0.1	<0.05	6	<0.5
L25+00N 50+00E	Soil	0.105	2	59	0.64	117	0.108	<20	3.27	0.009	0.19	<0.1	0.01	3.1	<0.1	<0.05	7	<0.5
L25+00N 50+25E	Soil	0.137	3	61	0.79	90	0.111	<20	3.17	0.008	0.17	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5
L25+00N 50+50E	Soil	0.078	5	61	0.76	78	0.097	<20	2.82	0.015	0.13	0.1	0.01	3.3	<0.1	<0.05	6	<0.5
L25+00N 50+75E	Soil	0.093	4	65	0.82	72	0.114	<20	3.31	0.008	0.17	<0.1	0.01	3.1	<0.1	<0.05	8	<0.5
L25+00N 51+00E	Soil	0.297	3	75	0.34	144	0.147	<20	2.60	0.008	0.14	0.1	0.03	2.7	<0.1	<0.05	11	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 9 of 9 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002954.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L25+00N 51+25E	Soil			0.5	0.5	74.9	9.1	161	<0.1	24.0	16.0	923	3.04	2.3	0.3	<0.5	0.9	216	0.2	<0.1	<0.1	80	0.59
L25+00N 51+50E	Soil			0.9	0.5	36.2	5.1	138	<0.1	57.7	17.9	401	3.38	1.7	0.3	<0.5	1.4	34	0.1	<0.1	<0.1	83	0.45
L25+00N 51+75E	Soil			1.1	0.4	39.8	4.5	110	<0.1	55.7	17.2	416	3.31	2.0	0.3	<0.5	1.3	25	<0.1	<0.1	<0.1	79	0.40
L25+00N 52+00E	Soil			0.9	0.6	45.3	5.8	98	<0.1	55.9	18.0	368	3.96	3.1	0.4	<0.5	1.9	32	0.1	0.1	<0.1	99	0.40
L25+00N 52+25E	Soil			1.4	0.6	73.5	6.0	114	<0.1	38.6	21.3	664	4.38	2.5	0.3	<0.5	1.3	35	0.1	<0.1	<0.1	133	0.42
L25+00N 52+50E	Soil			1.2	0.3	92.0	6.2	87	<0.1	43.5	21.7	570	4.11	2.8	0.3	0.6	1.5	63	0.1	<0.1	<0.1	123	0.49
L25+00N 52+75E	Soil			2.4	0.3	28.0	6.6	69	<0.1	20.6	11.7	288	2.69	1.6	0.3	1.4	1.2	39	0.1	<0.1	0.1	78	0.34
L25+00N 53+00E	Soil			0.8	0.7	50.7	7.2	102	<0.1	36.0	16.7	483	3.97	2.5	0.4	1.7	1.2	55	0.1	<0.1	0.1	103	0.34
L25+00N 53+25E	Soil			0.8	0.4	32.4	4.7	58	<0.1	33.7	11.6	219	2.56	1.6	0.4	<0.5	1.4	41	<0.1	0.1	<0.1	76	0.37
L25+00N 53+50E	Soil			1.3	0.5	31.4	4.3	71	<0.1	44.5	14.2	326	3.07	2.4	0.4	0.7	1.3	31	<0.1	0.2	<0.1	75	0.36
L25+00N 53+75E	Soil			5.7	0.8	45.2	5.4	61	<0.1	40.6	16.9	346	3.16	2.0	0.3	0.5	1.4	64	0.2	0.2	<0.1	96	0.54
L25+00N 54+25E	Soil			3.8	0.6	43.7	8.1	71	<0.1	31.3	17.7	484	3.43	1.8	0.3	<0.5	1.0	33	0.1	<0.1	<0.1	91	0.31
L25+00N 54+50E	Soil			0.9	0.5	33.7	6.0	154	<0.1	35.4	13.6	324	2.96	1.6	0.3	<0.5	1.4	27	0.2	0.1	0.1	70	0.33
L25+00N 54+75E	Soil			1.7	0.5	71.2	6.0	80	<0.1	39.6	17.6	397	3.76	2.3	0.4	<0.5	1.7	49	0.1	0.1	<0.1	105	0.43
L25+00N 55+00E	Soil			0.7	0.7	46.5	6.0	86	<0.1	34.9	15.9	357	3.52	1.8	0.3	<0.5	1.1	41	<0.1	<0.1	0.1	104	0.43



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

9 of 9

Part 2

## CERTIFICATE OF ANALYSIS

## VAN07002954.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L25+00N 51+25E	Soil	0.175	3	44	0.56	172	0.100	<20	3.38	0.031	0.31	<0.1	0.04	2.5	<0.1	<0.05	8	<0.5
L25+00N 51+50E	Soil	0.085	5	92	0.82	70	0.111	<20	2.69	0.009	0.14	<0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L25+00N 51+75E	Soil	0.131	4	94	0.87	62	0.104	<20	2.65	0.008	0.14	<0.1	0.01	3.0	<0.1	<0.05	7	<0.5
L25+00N 52+00E	Soil	0.165	5	76	0.89	77	0.113	<20	3.22	0.009	0.12	<0.1	0.02	3.2	<0.1	<0.05	9	<0.5
L25+00N 52+25E	Soil	0.184	3	52	0.85	71	0.135	<20	3.62	0.009	0.11	0.1	0.02	3.7	<0.1	<0.05	9	<0.5
L25+00N 52+50E	Soil	0.146	4	49	0.86	80	0.128	<20	3.63	0.016	0.11	0.1	0.02	3.4	<0.1	<0.05	8	<0.5
L25+00N 52+75E	Soil	0.114	4	43	0.42	48	0.110	<20	1.91	0.010	0.08	<0.1	0.01	2.6	<0.1	<0.05	6	<0.5
L25+00N 53+00E	Soil	0.172	4	49	0.71	95	0.141	<20	3.44	0.009	0.12	0.2	0.02	2.8	<0.1	<0.05	9	<0.5
L25+00N 53+25E	Soil	0.047	7	50	0.60	60	0.094	<20	2.08	0.011	0.05	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5
L25+00N 53+50E	Soil	0.162	6	65	0.82	68	0.108	<20	2.34	0.008	0.11	0.1	0.03	2.5	<0.1	<0.05	6	<0.5
L25+00N 53+75E	Soil	0.019	5	56	0.76	90	0.116	<20	2.42	0.009	0.07	0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L25+00N 54+25E	Soil	0.116	4	48	0.60	74	0.135	<20	2.82	0.011	0.12	0.1	0.02	2.5	<0.1	<0.05	8	<0.5
L25+00N 54+50E	Soil	0.174	4	54	0.63	70	0.118	<20	2.54	0.009	0.13	<0.1	0.04	2.6	<0.1	<0.05	7	<0.5
L25+00N 54+75E	Soil	0.137	5	57	0.93	101	0.141	<20	3.24	0.010	0.12	0.1	0.03	3.9	<0.1	<0.05	8	<0.5
L25+00N 55+00E	Soil	0.132	4	59	0.61	70	0.132	<20	2.91	0.008	0.07	<0.1	0.02	2.7	<0.1	<0.05	8	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 1 of 3 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07002954.1**

Method	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
L26+00N 30+00E	Soil	5.7	1.2	49.5	6.3	59	0.1	36.2	14.7	551	2.96	5.2	0.8	3.8	3.7	47	0.3	0.3	0.1	69	0.69
REP L26+00N 30+00E	QC		1.1	48.4	6.5	63	0.1	37.0	15.0	572	3.04	5.3	0.8	3.3	3.8	46	0.3	0.3	0.2	71	0.72
L26+00N 34+50E	Soil	15.2	1.3	95.6	6.7	86	0.2	46.7	22.2	1316	3.91	19.7	0.7	13.4	1.3	42	0.6	1.1	0.1	98	0.78
REP L26+00N 34+50E	QC	16.8																			
L26+00N 37+00E	Soil	0.6	0.4	9.4	5.8	60	<0.1	22.1	8.1	361	2.59	1.7	0.3	<0.5	2.8	18	0.1	<0.1	0.1	47	0.30
REP L26+00N 37+00E	QC		0.4	9.8	5.9	61	<0.1	22.8	7.9	364	2.56	1.6	0.3	0.5	2.8	18	0.2	<0.1	0.1	47	0.29
L26+00N 41+50E	Soil	1.5	0.9	27.0	6.7	85	0.1	33.4	16.4	808	2.97	2.5	0.3	1.4	1.1	33	0.2	0.2	<0.1	77	0.46
REP L26+00N 41+50E	QC		0.9	28.9	6.5	85	0.1	34.8	17.1	835	3.10	2.6	0.3	1.1	1.1	34	0.3	0.2	0.1	77	0.45
L26+00N 43+50E	Soil	0.5	0.6	25.2	6.6	156	<0.1	37.9	16.8	551	3.30	2.3	0.4	0.6	1.4	27	0.4	<0.1	0.1	76	0.37
REP L26+00N 43+50E	QC	0.6																			
L26+00N 46+25E	Soil	<0.5	0.5	71.5	7.3	137	<0.1	38.4	18.1	515	3.77	2.7	0.3	<0.5	1.3	37	0.1	<0.1	<0.1	92	0.42
REP L26+00N 46+25E	QC		0.5	69.4	7.2	131	<0.1	37.0	17.9	502	3.73	2.8	0.3	<0.5	1.3	38	0.2	<0.1	<0.1	90	0.41
L26+00N 47+00E	Soil	<0.5	0.2	55.0	7.1	103	<0.1	26.3	16.7	385	3.38	1.5	0.3	0.8	0.9	39	0.1	<0.1	<0.1	84	0.45
REP L26+00N 47+00E	QC		0.3	53.8	7.1	104	<0.1	26.3	16.2	382	3.37	1.4	0.3	0.7	0.9	39	0.1	<0.1	<0.1	84	0.44
L26+00N 48+75E	Soil	0.5	0.5	64.9	9.0	131	<0.1	28.4	17.7	566	3.74	2.5	0.3	1.2	1.0	53	0.2	<0.1	<0.1	90	0.49
REP L26+00N 48+75E	QC	<0.5																			
L26+00N 51+75E	Soil	0.6	0.5	85.5	6.8	81	<0.1	35.7	18.7	304	4.10	2.6	0.3	0.5	0.9	52	0.1	<0.1	<0.1	105	0.41
REP L26+00N 51+75E	QC		0.4	85.6	6.9	82	<0.1	36.5	19.5	313	4.18	2.5	0.3	<0.5	1.0	55	<0.1	<0.1	<0.1	107	0.42
L26+00N 55+75E	Soil	167.7	0.3	50.8	5.0	62	<0.1	33.9	16.2	492	3.40	1.1	0.3	5.0	1.0	42	<0.1	<0.1	<0.1	88	0.52
REP L26+00N 55+75E	QC		0.3	53.8	4.7	60	<0.1	35.6	16.5	495	3.45	1.1	0.3	<0.5	1.0	41	0.1	<0.1	<0.1	90	0.55
L25+00N 31+00E	Soil	3.7	0.6	64.1	6.5	56	0.2	35.3	11.4	425	3.01	5.3	0.8	3.1	2.7	57	0.4	0.2	0.1	72	0.66
REP L25+00N 31+00E	QC	4.2	0.6	62.5	6.4	57	0.2	36.3	10.9	414	2.92	5.6	0.7	1.3	2.5	55	0.2	0.2	0.1	70	0.63
L25+00N 35+75E	Soil	3.0	0.6	50.6	7.1	65	0.1	40.1	13.3	428	2.67	4.0	0.6	<0.5	4.3	52	0.3	0.3	0.2	59	0.77
REP L25+00N 35+75E	QC		0.4	52.4	7.4	66	0.1	40.3	13.6	430	2.63	4.1	0.6	1.8	4.1	51	0.3	0.3	0.1	57	0.77
L25+00N 39+50E	Soil	0.8	0.6	20.1	6.5	71	<0.1	37.1	11.9	227	2.95	2.0	0.5	<0.5	3.3	17	0.1	<0.1	0.1	54	0.19
REP L25+00N 39+50E	QC	<0.5																			
L25+00N 41+75E	Soil	0.7	0.8	40.6	5.6	86	<0.1	54.3	17.3	588	3.48	2.9	0.5	<0.5	2.3	28	0.2	0.2	<0.1	91	0.39
REP L25+00N 41+75E	QC		0.8	39.7	5.7	83	<0.1	52.6	17.1	574	3.38	2.8	0.6	<0.5	2.2	29	0.2	0.2	<0.1	90	0.38



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 1 of 3 **Part** 2

**QUALITY CONTROL REPORT**

**VAN07002954.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																		
L26+00N 30+00E	Soil	0.071	15	57	0.76	77	0.092	<20	1.59	0.016	0.12	0.1	0.05	4.0	0.1	<0.05	5	1.2
REP L26+00N 30+00E	QC	0.074	16	60	0.77	80	0.094	<20	1.66	0.020	0.13	0.1	0.06	4.2	0.1	<0.05	5	0.9
L26+00N 34+50E	Soil	0.086	14	57	0.77	91	0.081	<20	1.79	0.016	0.08	<0.1	0.07	5.6	<0.1	<0.05	5	1.4
REP L26+00N 34+50E	QC																	
L26+00N 37+00E	Soil	0.153	9	40	0.43	58	0.069	<20	1.23	0.007	0.07	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5
REP L26+00N 37+00E	QC	0.158	9	41	0.43	58	0.069	<20	1.25	0.006	0.07	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5
L26+00N 41+50E	Soil	0.094	5	55	0.57	48	0.084	<20	1.59	0.007	0.08	0.1	0.03	2.1	<0.1	<0.05	6	<0.5
REP L26+00N 41+50E	QC	0.100	5	58	0.60	50	0.086	<20	1.72	0.007	0.08	<0.1	0.03	2.2	<0.1	<0.05	6	<0.5
L26+00N 43+50E	Soil	0.238	4	62	0.56	74	0.110	<20	2.27	0.012	0.13	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5
REP L26+00N 43+50E	QC																	
L26+00N 46+25E	Soil	0.268	3	56	0.67	74	0.126	<20	3.79	0.007	0.21	0.1	0.03	2.7	<0.1	<0.05	9	<0.5
REP L26+00N 46+25E	QC	0.265	3	56	0.66	73	0.126	<20	3.88	0.008	0.20	0.1	0.03	2.8	<0.1	<0.05	8	<0.5
L26+00N 47+00E	Soil	0.112	3	59	0.54	74	0.130	<20	3.33	0.009	0.24	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
REP L26+00N 47+00E	QC	0.110	3	59	0.54	73	0.129	<20	3.30	0.009	0.23	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L26+00N 48+75E	Soil	0.233	3	56	0.56	146	0.131	<20	4.16	0.014	0.27	<0.1	0.03	2.7	<0.1	<0.05	9	<0.5
REP L26+00N 48+75E	QC																	
L26+00N 51+75E	Soil	0.216	2	71	0.79	139	0.130	<20	4.12	0.008	0.17	0.1	0.03	3.2	<0.1	<0.05	8	<0.5
REP L26+00N 51+75E	QC	0.217	2	71	0.81	138	0.132	<20	4.15	0.009	0.17	0.1	0.03	3.3	<0.1	<0.05	8	<0.5
L26+00N 55+75E	Soil	0.058	3	79	0.70	50	0.142	<20	2.83	0.012	0.11	<0.1	<0.01	3.1	<0.1	<0.05	7	<0.5
REP L26+00N 55+75E	QC	0.056	3	80	0.70	49	0.148	<20	2.70	0.011	0.11	<0.1	<0.01	3.2	<0.1	<0.05	7	<0.5
L25+00N 31+00E	Soil	0.055	12	46	0.76	67	0.083	<20	1.94	0.012	0.10	<0.1	0.04	5.4	<0.1	<0.05	5	<0.5
REP L25+00N 31+00E	QC	0.054	11	44	0.74	70	0.081	<20	1.93	0.012	0.09	0.1	0.05	5.3	<0.1	<0.05	5	<0.5
L25+00N 35+75E	Soil	0.067	14	47	0.80	62	0.087	<20	1.46	0.020	0.14	0.2	0.05	3.9	<0.1	<0.05	4	0.7
REP L25+00N 35+75E	QC	0.066	14	45	0.79	61	0.086	<20	1.46	0.019	0.14	0.3	0.05	3.8	<0.1	<0.05	5	<0.5
L25+00N 39+50E	Soil	0.089	14	53	0.60	60	0.059	<20	2.00	0.007	0.08	0.1	<0.01	2.0	<0.1	<0.05	6	<0.5
REP L25+00N 39+50E	QC																	
L25+00N 41+75E	Soil	0.133	9	83	0.79	73	0.118	<20	2.26	0.010	0.11	0.1	0.02	3.4	<0.1	<0.05	6	<0.5
REP L25+00N 41+75E	QC	0.130	8	81	0.78	71	0.115	<20	2.17	0.010	0.10	0.1	0.02	3.5	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 3 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07002954.1**

		3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L25+00N 44+00E	Soil	1.0	0.5	30.3	4.8	73	<0.1	36.6	13.7	317	3.00	2.0	0.4	0.6	2.3	32	0.2	0.1	<0.1	74	0.42
REP L25+00N 44+00E	QC		0.5	32.0	4.9	74	<0.1	39.5	13.9	338	3.12	2.3	0.4	0.5	2.3	30	0.2	0.1	<0.1	77	0.39
L25+00N 44+50E	Soil	0.6	0.4	19.3	3.4	56	<0.1	38.6	12.3	279	2.38	1.2	0.3	<0.5	1.6	22	<0.1	0.1	<0.1	65	0.30
REP L25+00N 44+50E	QC	0.7																			
L25+00N 48+75E	Soil	0.8	0.4	101.1	8.3	105	<0.1	34.5	20.2	490	4.29	3.0	0.3	<0.5	1.2	54	0.2	<0.1	<0.1	103	0.48
REP L25+00N 48+75E	QC		0.6	106.1	8.6	104	<0.1	35.1	21.0	498	4.35	3.1	0.3	<0.5	1.3	53	0.1	<0.1	<0.1	103	0.48
L25+00N 53+25E	Soil	0.8	0.4	32.4	4.7	58	<0.1	33.7	11.6	219	2.56	1.6	0.4	<0.5	1.4	41	<0.1	0.1	<0.1	76	0.37
REP L25+00N 53+25E	QC		0.4	33.0	5.0	57	<0.1	33.8	12.0	220	2.57	1.6	0.4	0.8	1.4	42	<0.1	0.1	<0.1	79	0.39
Reference Materials																					
STD DS7	Standard		23.8	102.1	66.4	421	0.8	59.0	10.3	652	2.53	48.2	4.8	63.3	4.5	75	6.3	4.7	4.5	88	1.01
STD DS7	Standard		21.0	101.4	65.2	395	0.9	57.5	9.7	605	2.34	49.8	4.4	68.2	4.3	68	6.2	4.6	4.2	85	0.92
STD DS7	Standard		23.3	109.6	77.3	438	0.9	64.3	10.8	653	2.56	56.6	5.5	54.7	4.5	76	6.7	5.5	5.1	98	1.00
STD DS7	Standard		19.7	98.2	67.9	382	1.0	59.3	9.1	568	2.22	44.6	4.5	55.5	4.3	66	5.3	4.7	4.4	83	0.85
STD DS7	Standard		20.8	101.4	71.0	388	0.9	56.0	9.5	598	2.32	51.8	5.0	52.7	4.4	71	6.0	5.0	4.5	89	0.94
STD DS7	Standard		21.6	104.1	65.8	396	0.8	59.3	9.3	595	2.27	48.3	4.6	53.2	4.2	64	5.6	4.6	4.3	82	0.91
STD DS7	Standard	85.6																			
STD DS7	Standard	74.8																			
STD DS7	Standard	59.0																			
STD DS7	Standard	61.0																			
STD DS7	Standard	67.8																			
STD DS7	Standard	69.7																			
STD DS7	Standard	76.2																			
STD DS7	Standard	73.6																			
STD DS7	Standard	69.3																			
STD DS7	Standard	66.7																			
STD DS7	Standard		20.0	98.6	69.8	391	0.8	56.7	9.4	591	2.27	48.9	5.0	61.1	4.9	73	5.7	4.9	4.2	86	0.91
STD DS7	Standard	2.3																			
STD DS7	Standard	62.7																			
STD DS7	Standard	73.7																			





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

2 of 3

Part 2

## QUALITY CONTROL REPORT

VAN07002954.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L25+00N 44+00E	Soil	0.086	7	62	0.76	50	0.092	<20	1.85	0.007	0.13	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
REP L25+00N 44+00E	QC	0.084	7	64	0.73	51	0.095	<20	1.77	0.007	0.13	0.1	0.01	2.8	<0.1	<0.05	6	<0.5
L25+00N 44+50E	Soil	0.038	5	69	0.64	40	0.096	<20	1.53	0.008	0.08	<0.1	0.02	2.5	<0.1	<0.05	4	<0.5
REP L25+00N 44+50E	QC																	
L25+00N 48+75E	Soil	0.184	3	59	0.74	142	0.130	<20	4.21	0.010	0.25	0.1	0.01	3.6	<0.1	<0.05	9	<0.5
REP L25+00N 48+75E	QC	0.179	3	60	0.75	143	0.129	<20	4.33	0.010	0.25	<0.1	0.02	3.5	<0.1	<0.05	9	<0.5
L25+00N 53+25E	Soil	0.047	7	50	0.60	60	0.094	<20	2.08	0.011	0.05	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5
REP L25+00N 53+25E	QC	0.048	7	51	0.61	61	0.096	<20	2.15	0.012	0.05	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
Reference Materials																		
STD DS7	Standard	0.085	13	210	1.06	396	0.110	42	1.04	0.095	0.47	3.7	0.21	2.2	4.7	0.17	5	4.7
STD DS7	Standard	0.078	12	200	1.05	369	0.107	43	0.95	0.088	0.42	3.7	0.20	2.1	4.3	0.16	5	4.0
STD DS7	Standard	0.084	12	222	1.11	413	0.114	41	1.08	0.093	0.47	3.7	0.21	2.2	4.8	0.22	5	4.0
STD DS7	Standard	0.070	11	182	0.97	351	0.103	37	0.91	0.074	0.40	3.4	0.19	1.9	4.1	0.19	4	3.7
STD DS7	Standard	0.077	12	190	1.01	380	0.115	52	0.98	0.089	0.42	3.4	0.21	2.3	4.2	0.20	5	3.7
STD DS7	Standard	0.071	12	193	1.00	384	0.099	32	1.00	0.091	0.41	3.7	0.19	2.2	4.2	0.23	4	3.6
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard	0.073	14	195	0.99	358	0.120	35	1.02	0.087	0.41	3.8	0.18	2.5	4.1	0.17	5	3.5
STD DS7	Standard																	
STD DS7	Standard																	
STD DS7	Standard																	



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

3 of 3

Part 1

## QUALITY CONTROL REPORT

VAN07002954.1

		3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard	70.8																			
STD DS7 Expected		70	20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.5																			
BLK	Blank	<0.5																			
BLK	Blank	<0.5																			
BLK	Blank	<0.5																			
BLK	Blank	<0.5																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.5																			
BLK	Blank	<0.5																			



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

3 of 3

Part 2

## QUALITY CONTROL REPORT

VAN07002954.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
STD DS7	Standard																	
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank																	
BLK	Blank																	

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins  
Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.  
Received: October 10, 2007  
Report Date: January 21, 2008  
Page: 1 of 10

# CERTIFICATE OF ANALYSIS

# VAN07002956.1

## CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 246

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	246	Dry at 60C sieve 100g to -80 mesh		
Split Reject	246	Reject sample split/packet		
Dry at 60C	246	Dry at 60C		
3A	246	Ignite samples, acid digest, Au by ICP-MS analysis	30	Completed
1DX	246	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 2 of 10 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L24+00N 40+25E	Soil			2.2	0.4	37.0	4.0	51	0.1	52.7	14.6	501	2.86	2.3	0.7	1.3	1.8	48	<0.1	0.2	<0.1	92	0.53
L24+00N 40+50E	Soil			1.3	0.8	37.9	3.6	49	0.1	59.3	14.4	391	3.07	2.7	0.3	<0.5	1.3	55	0.1	0.2	<0.1	99	0.47
L24+00N 40+75E	Soil			18.0	1.0	45.6	5.0	73	0.1	65.2	17.6	423	3.42	3.1	0.6	2.5	1.4	43	0.2	0.1	0.1	98	0.37
L24+00N 41+00E	Soil			4.1	0.8	75.0	5.7	57	0.1	60.2	18.2	640	3.07	4.1	0.5	5.0	2.0	57	0.3	0.5	<0.1	86	0.72
L24+00N 41+25E	Soil			3.8	0.8	98.9	7.4	72	0.2	63.3	20.7	706	3.72	5.8	0.7	3.0	3.4	60	0.3	0.6	0.1	108	0.75
L24+00N 41+50E	Soil			<0.5	1.2	28.0	7.8	116	0.2	33.6	13.3	359	3.94	4.6	0.4	2.1	1.3	35	0.4	0.2	0.2	121	0.31
L24+00N 41+75E	Soil			1.9	0.8	37.5	5.9	115	0.2	51.8	16.0	474	3.49	3.9	0.4	10.7	1.3	31	0.4	0.2	0.1	91	0.29
L24+00N 42+00E	Soil			0.5	0.9	54.4	7.7	104	0.2	58.9	17.8	727	3.73	3.4	0.5	1.5	1.2	47	0.3	0.2	0.2	114	0.38
L24+00N 42+25E	Soil			0.9	0.7	21.8	7.6	83	<0.1	32.2	13.4	489	2.96	2.2	0.3	0.7	1.3	31	0.2	0.1	0.1	83	0.35
L24+00N 42+50E	Soil			6.3	0.7	30.2	6.5	66	<0.1	38.4	13.0	371	2.74	1.9	0.4	2.8	1.4	38	0.2	0.2	<0.1	87	0.37
L24+00N 42+75E	Soil			0.7	0.5	32.1	6.6	104	0.2	46.4	16.1	348	3.46	2.7	0.5	0.9	1.9	38	0.2	0.2	0.1	91	0.34
L24+00N 43+00E	Soil			4.5	0.5	23.1	6.0	76	<0.1	37.0	11.9	387	2.66	2.2	0.4	0.9	2.0	27	0.2	0.2	0.1	68	0.24
L24+00N 43+25E	Soil			1.1	0.5	35.4	5.2	59	<0.1	43.5	12.9	336	2.77	2.7	0.5	<0.5	2.5	36	0.1	0.2	0.1	76	0.32
L24+00N 43+50E	Soil			0.7	0.5	34.8	5.2	57	0.1	35.4	10.7	441	2.39	2.1	0.6	1.7	2.1	30	0.1	0.2	0.1	72	0.37
L24+00N 43+75E	Soil			1.0	0.5	35.8	5.0	54	<0.1	44.9	14.4	349	2.52	2.1	0.5	0.7	2.5	34	0.1	0.2	<0.1	78	0.35
L24+00N 44+00E	Soil			0.6	0.6	17.2	5.3	85	<0.1	41.4	13.1	300	2.47	1.7	0.4	2.2	2.0	30	0.1	0.2	0.1	64	0.31
L24+00N 44+25E	Soil			1.1	0.6	30.9	5.0	51	<0.1	43.4	13.7	398	2.43	2.0	0.5	1.2	1.4	35	<0.1	0.2	0.1	73	0.39
L24+00N 44+50E	Soil			0.7	0.6	18.5	4.2	69	<0.1	36.9	11.1	256	2.23	1.6	0.4	1.0	1.7	25	0.1	0.2	<0.1	63	0.27
L24+00N 44+75E	Soil			0.8	0.6	37.6	4.7	71	<0.1	44.0	13.3	333	2.61	2.6	0.5	1.0	2.3	36	0.1	0.2	0.1	74	0.38
L24+00N 45+00E	Soil			<0.5	0.5	24.5	5.3	65	<0.1	34.8	11.4	341	2.25	1.6	0.4	1.1	2.5	27	0.1	0.2	<0.1	64	0.30
L24+00N 45+25E	Soil			3.4	0.6	144.9	10.0	56	0.5	77.0	18.7	1214	4.35	5.4	0.9	1.9	2.4	130	0.3	0.2	0.2	109	1.59
L24+00N 45+50E	Soil			1.0	0.6	63.6	6.3	74	<0.1	40.7	18.2	438	3.45	1.4	0.5	0.7	2.1	36	0.1	0.1	<0.1	115	0.54
L24+00N 45+75E	Soil			1.1	0.7	34.0	6.2	58	<0.1	38.4	14.6	642	2.81	1.7	0.4	1.1	1.6	35	<0.1	0.2	0.1	88	0.43
L24+00N 46+00E	Soil			2.4	0.8	67.1	7.1	88	<0.1	50.4	19.7	508	3.60	1.4	0.5	1.1	1.8	40	0.2	0.1	<0.1	117	0.56
L24+00N 46+25E	Soil			1.1	0.5	26.0	6.3	84	<0.1	39.0	12.9	472	2.71	1.4	0.4	1.0	2.1	31	0.2	0.1	<0.1	82	0.40
L24+00N 46+50E	Soil			1.1	0.8	23.3	6.8	69	0.1	34.7	11.3	250	3.14	4.9	0.4	0.8	1.5	23	0.1	0.1	0.1	91	0.31
L24+00N 46+75E	Soil			0.5	0.6	80.2	9.5	105	<0.1	45.9	20.9	797	3.93	2.5	0.5	1.5	1.4	60	0.1	<0.1	<0.1	123	0.59
L24+00N 47+00E	Soil			0.6	0.6	62.8	8.2	112	<0.1	38.6	21.2	658	3.87	1.8	0.5	<0.5	1.3	50	0.1	<0.1	<0.1	128	0.49
L24+00N 47+25E	Soil			<0.5	0.6	43.3	5.8	84	<0.1	47.9	16.8	439	3.28	1.5	0.4	0.9	1.9	59	<0.1	0.1	<0.1	104	0.42
L24+00N 47+50E	Soil			2.8	0.4	17.5	4.7	52	<0.1	27.7	9.0	261	2.03	1.2	0.6	1.1	2.1	24	0.1	0.2	<0.1	58	0.22



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L24+00N 40+25E	Soil	0.022	7	75	0.90	61	0.151	<20	1.94	0.017	0.06	<0.1	0.03	5.6	<0.1	<0.05	6	0.6
L24+00N 40+50E	Soil	0.085	5	67	0.93	73	0.136	<20	2.29	0.013	0.06	0.1	0.03	2.6	<0.1	<0.05	6	0.7
L24+00N 40+75E	Soil	0.056	6	72	0.95	67	0.127	<20	3.09	0.015	0.06	<0.1	0.03	3.4	<0.1	<0.05	7	<0.5
L24+00N 41+00E	Soil	0.070	10	66	1.20	52	0.115	<20	1.71	0.036	0.11	0.2	0.06	4.3	<0.1	<0.05	5	1.1
L24+00N 41+25E	Soil	0.066	12	77	1.16	65	0.152	<20	2.06	0.022	0.13	<0.1	0.13	7.3	<0.1	<0.05	6	1.2
L24+00N 41+50E	Soil	0.283	4	59	0.61	60	0.175	<20	2.42	0.009	0.06	0.1	0.04	3.0	<0.1	<0.05	9	<0.5
L24+00N 41+75E	Soil	0.221	4	50	0.76	47	0.147	<20	2.93	0.008	0.07	0.1	0.03	3.0	<0.1	<0.05	8	0.7
L24+00N 42+00E	Soil	0.155	5	56	0.78	86	0.162	<20	3.46	0.013	0.07	0.1	0.04	3.3	<0.1	<0.05	9	0.9
L24+00N 42+25E	Soil	0.216	5	54	0.55	54	0.161	<20	2.17	0.007	0.09	<0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L24+00N 42+50E	Soil	0.145	5	54	0.69	60	0.155	<20	2.00	0.008	0.06	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
L24+00N 42+75E	Soil	0.249	5	64	0.72	70	0.152	<20	2.69	0.007	0.12	0.1	0.02	3.4	<0.1	<0.05	7	<0.5
L24+00N 43+00E	Soil	0.160	6	59	0.62	63	0.120	<20	1.82	0.006	0.09	<0.1	0.01	2.5	<0.1	<0.05	6	<0.5
L24+00N 43+25E	Soil	0.073	8	59	0.73	53	0.131	<20	1.78	0.013	0.08	<0.1	0.01	2.8	<0.1	<0.05	5	<0.5
L24+00N 43+50E	Soil	0.027	10	63	0.64	53	0.131	<20	1.54	0.055	0.05	<0.1	0.02	3.9	<0.1	<0.05	5	0.8
L24+00N 43+75E	Soil	0.058	8	69	0.77	45	0.140	<20	1.64	0.009	0.08	<0.1	0.01	3.2	<0.1	<0.05	5	0.6
L24+00N 44+00E	Soil	0.120	6	63	0.57	60	0.129	<20	1.71	0.008	0.08	<0.1	0.01	2.1	<0.1	<0.05	5	<0.5
L24+00N 44+25E	Soil	0.070	8	67	0.72	54	0.132	<20	1.57	0.011	0.07	<0.1	0.02	3.0	<0.1	<0.05	5	<0.5
L24+00N 44+50E	Soil	0.061	7	64	0.57	57	0.127	<20	1.54	0.008	0.05	<0.1	0.01	1.9	<0.1	<0.05	5	<0.5
L24+00N 44+75E	Soil	0.115	7	69	0.71	54	0.130	<20	1.82	0.010	0.08	<0.1	0.03	3.3	<0.1	<0.05	5	0.8
L24+00N 45+00E	Soil	0.060	8	65	0.61	41	0.126	<20	1.40	0.007	0.08	<0.1	0.01	2.4	<0.1	<0.05	4	0.6
L24+00N 45+25E	Soil	0.043	11	93	1.10	106	0.136	<20	3.43	0.034	0.10	0.1	0.09	10.3	<0.1	<0.05	8	1.9
L24+00N 45+50E	Soil	0.082	7	69	0.98	37	0.169	<20	2.02	0.010	0.12	0.1	0.02	5.5	<0.1	<0.05	6	<0.5
L24+00N 45+75E	Soil	0.049	6	82	0.72	56	0.137	<20	1.87	0.009	0.07	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L24+00N 46+00E	Soil	0.068	6	72	0.85	64	0.167	<20	3.13	0.012	0.14	<0.1	0.02	4.1	<0.1	<0.05	8	<0.5
L24+00N 46+25E	Soil	0.070	6	79	0.59	57	0.149	<20	1.93	0.009	0.08	<0.1	0.01	2.9	<0.1	<0.05	6	0.8
L24+00N 46+50E	Soil	0.217	4	82	0.53	37	0.156	<20	2.04	0.007	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L24+00N 46+75E	Soil	0.114	6	61	0.86	75	0.167	<20	3.79	0.033	0.19	<0.1	0.04	5.9	<0.1	<0.05	9	<0.5
L24+00N 47+00E	Soil	0.083	4	55	0.84	70	0.193	<20	4.24	0.014	0.08	<0.1	0.04	3.5	<0.1	<0.05	9	<0.5
L24+00N 47+25E	Soil	0.083	5	66	0.84	54	0.162	<20	2.54	0.009	0.09	0.1	0.02	2.8	<0.1	<0.05	7	<0.5
L24+00N 47+50E	Soil	0.055	7	51	0.49	39	0.105	<20	1.28	0.005	0.05	<0.1	<0.01	1.9	<0.1	<0.05	4	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 3 of 10 **Part** 1

# CERTIFICATE OF ANALYSIS

VAN07002956.1

Method	Analyte	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L24+00N 47+75E	Soil	1.2	0.4	27.3	5.8	83	<0.1	67.2	16.0	291	3.12	1.6	0.3	<0.5	1.9	44	<0.1	0.1	0.1	85	0.36
L24+00N 48+00E	Soil	2.5	0.3	33.3	5.4	79	<0.1	49.5	15.4	451	2.87	1.2	0.4	1.0	1.7	44	0.1	0.1	<0.1	87	0.41
L24+00N 49+50E	Soil	1.5	0.6	53.1	10.8	132	<0.1	35.7	18.9	1704	3.64	1.7	0.4	0.9	1.4	73	0.3	<0.1	0.1	107	0.55
L24+00N 49+75E	Soil	<0.5	0.5	17.6	5.5	77	<0.1	30.4	10.8	303	2.35	1.2	0.3	<0.5	1.4	26	0.1	<0.1	<0.1	74	0.31
L24+00N 50+00E	Soil	<0.5	0.4	60.2	6.2	92	<0.1	34.3	15.5	443	3.15	1.7	0.3	<0.5	1.5	105	0.1	<0.1	<0.1	103	0.47
L24+00N 50+25E	Soil	<0.5	0.4	97.0	9.1	97	<0.1	26.2	18.8	741	3.87	3.0	0.4	0.6	1.1	186	<0.1	<0.1	<0.1	133	0.73
L24+00N 50+50E	Soil	1.0	0.6	121.2	9.7	80	<0.1	31.4	20.6	694	3.75	3.0	0.5	2.3	1.5	255	0.1	<0.1	<0.1	128	0.64
L24+00N 50+75E	Soil	0.9	0.3	23.8	5.9	83	<0.1	30.9	10.7	367	2.32	1.0	0.3	<0.5	1.5	57	0.2	<0.1	<0.1	75	0.38
L24+00N 51+00E	Soil	<0.5	0.6	32.9	6.8	97	<0.1	43.7	12.4	318	3.01	2.9	0.4	1.8	2.2	60	0.1	0.2	0.2	80	0.39
L24+00N 51+25E	Soil	<0.5	0.5	42.1	4.9	59	<0.1	45.8	14.1	286	2.75	1.9	0.4	0.8	2.4	54	<0.1	0.2	<0.1	95	0.31
L24+00N 51+50E	Soil	0.7	0.5	29.1	5.0	67	<0.1	42.7	12.1	679	2.64	1.9	0.3	2.5	1.2	45	0.2	0.2	<0.1	76	0.37
L24+00N 51+75E	Soil	<0.5	0.6	13.6	6.4	72	<0.1	23.2	10.1	528	2.00	1.2	0.3	2.1	1.0	27	0.2	0.1	0.1	57	0.30
L24+00N 52+00E	Soil	1.1	1.1	40.4	7.1	49	<0.1	36.2	16.0	429	3.10	1.6	0.4	1.1	1.4	44	<0.1	0.1	0.1	104	0.41
L24+00N 52+25E	Soil	0.7	0.7	35.2	4.7	60	<0.1	55.0	15.9	325	3.06	1.4	0.3	1.2	1.7	40	<0.1	0.1	<0.1	89	0.34
L24+00N 52+50E	Soil	0.6	0.4	19.3	4.4	81	<0.1	32.2	11.0	461	2.27	0.9	0.3	0.8	1.3	19	0.2	0.1	<0.1	63	0.29
L24+00N 52+75E	Soil	1.5	0.5	27.4	4.6	98	<0.1	51.9	15.2	350	2.91	1.8	0.4	2.2	2.0	29	0.3	0.2	<0.1	80	0.34
L24+00N 53+00E	Soil	<0.5	0.5	8.7	4.5	80	<0.1	21.4	8.1	300	1.88	1.2	0.3	1.1	1.2	19	0.2	0.1	<0.1	51	0.25
L24+00N 53+25E	Soil	1.0	0.8	40.2	9.1	156	<0.1	28.2	12.3	860	3.62	1.9	0.4	2.4	1.4	39	0.3	0.2	0.1	112	0.27
L24+00N 53+50E	Soil	1.1	0.7	46.8	5.8	91	<0.1	59.0	15.8	700	3.18	2.4	0.4	0.7	1.8	31	0.2	0.2	0.1	84	0.30
L24+00N 53+75E	Soil	1.6	0.5	26.5	3.6	46	<0.1	29.5	10.1	254	2.07	2.0	0.4	0.7	2.0	24	0.2	0.3	<0.1	58	0.26
L24+00N 54+00E	Soil	1.0	0.8	47.4	5.4	77	<0.1	54.6	15.3	327	3.57	3.7	0.4	3.0	2.2	22	0.1	0.3	0.1	108	0.20
L24+00N 54+25E	Soil	1.0	0.6	33.5	4.0	64	<0.1	46.8	13.9	423	2.84	1.9	0.4	1.7	1.9	34	0.1	0.3	<0.1	84	0.40
L24+00N 54+50E	Soil	1.9	0.7	34.7	7.0	128	<0.1	49.7	14.4	883	2.90	2.6	0.3	1.8	1.5	52	0.2	0.1	0.2	73	0.52
L24+00N 54+75E	Soil	1.6	0.6	30.6	3.5	39	<0.1	35.9	13.0	350	2.35	2.3	0.4	3.1	2.0	37	0.1	0.2	<0.1	76	0.39
L24+00N 55+00E	Soil	<0.5	0.4	19.0	3.4	71	<0.1	36.3	11.7	413	2.22	2.2	0.4	1.7	1.8	40	0.2	0.1	<0.1	59	0.42
L23+00N 40+00E	Soil	1.7	0.5	28.5	3.6	52	<0.1	48.0	13.0	357	2.67	1.7	0.4	1.7	2.1	33	0.1	0.2	<0.1	78	0.37
L23+00N 40+25E	Soil	<0.5	0.3	29.6	5.0	64	0.1	53.8	14.7	431	2.68	1.2	0.3	3.0	1.4	37	0.2	0.1	<0.1	87	0.48
L23+00N 40+50E	Soil	1.8	1.2	91.6	7.6	74	0.2	107.6	15.5	424	4.76	4.2	0.8	2.3	2.8	44	<0.1	0.2	0.2	141	0.56
L23+00N 40+75E	Soil	1.0	0.5	52.5	4.3	57	<0.1	67.5	20.2	456	3.32	2.5	0.4	3.2	1.9	46	0.1	0.3	<0.1	92	0.50
L23+00N 41+00E	Soil	<0.5	0.4	19.6	4.6	120	0.1	49.2	14.5	566	2.61	1.8	0.3	0.9	1.2	36	0.4	0.1	<0.1	65	0.37



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 3 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L24+00N 47+75E	Soil	0.115	5	86	1.04	67	0.148	<20	2.48	0.007	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L24+00N 48+00E	Soil	0.083	6	77	0.84	53	0.148	<20	2.14	0.008	0.07	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
L24+00N 49+50E	Soil	0.151	5	49	0.61	107	0.173	<20	3.24	0.012	0.07	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5
L24+00N 49+75E	Soil	0.089	5	61	0.54	46	0.138	<20	1.76	0.009	0.05	<0.1	<0.01	2.1	<0.1	<0.05	5	<0.5
L24+00N 50+00E	Soil	0.146	4	49	0.64	65	0.164	<20	3.08	0.037	0.10	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5
L24+00N 50+25E	Soil	0.155	4	38	0.63	64	0.179	<20	4.03	0.039	0.13	<0.1	0.03	3.5	<0.1	<0.05	9	<0.5
L24+00N 50+50E	Soil	0.108	6	41	0.77	81	0.165	<20	4.39	0.085	0.09	0.1	0.03	4.1	<0.1	<0.05	8	0.5
L24+00N 50+75E	Soil	0.085	5	54	0.54	58	0.141	<20	2.04	0.010	0.07	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L24+00N 51+00E	Soil	0.221	6	72	0.64	88	0.144	<20	2.65	0.008	0.12	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5
L24+00N 51+25E	Soil	0.048	6	71	0.78	57	0.147	<20	2.25	0.008	0.06	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
L24+00N 51+50E	Soil	0.075	5	70	0.64	71	0.113	<20	2.17	0.012	0.11	<0.1	0.02	2.2	<0.1	0.07	6	<0.5
L24+00N 51+75E	Soil	0.075	5	47	0.42	54	0.102	21	1.53	0.011	0.07	<0.1	0.03	1.7	<0.1	0.06	6	<0.5
L24+00N 52+00E	Soil	0.029	6	64	0.54	64	0.115	<20	2.53	0.018	0.05	0.1	0.03	2.5	<0.1	<0.05	8	<0.5
L24+00N 52+25E	Soil	0.034	6	80	0.85	80	0.120	<20	2.58	0.010	0.06	<0.1	0.04	2.5	<0.1	<0.05	6	<0.5
L24+00N 52+50E	Soil	0.067	6	65	0.53	68	0.110	<20	1.61	0.019	0.07	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
L24+00N 52+75E	Soil	0.103	6	82	0.74	54	0.130	<20	2.19	0.010	0.08	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
L24+00N 53+00E	Soil	0.099	6	55	0.32	81	0.088	<20	1.20	0.013	0.07	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5
L24+00N 53+25E	Soil	0.263	5	57	0.42	88	0.142	<20	2.79	0.011	0.08	0.1	0.04	2.7	<0.1	<0.05	9	<0.5
L24+00N 53+50E	Soil	0.185	5	76	0.87	120	0.109	<20	2.63	0.007	0.07	0.1	0.04	2.7	<0.1	<0.05	7	<0.5
L24+00N 53+75E	Soil	0.050	7	54	0.56	46	0.086	<20	1.35	0.007	0.06	<0.1	0.01	2.1	<0.1	<0.05	4	<0.5
L24+00N 54+00E	Soil	0.117	6	86	0.82	57	0.131	<20	3.06	0.009	0.09	<0.1	0.04	3.4	<0.1	<0.05	8	0.5
L24+00N 54+25E	Soil	0.051	6	83	0.76	65	0.121	<20	2.03	0.008	0.09	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
L24+00N 54+50E	Soil	0.183	5	72	0.77	87	0.112	<20	2.91	0.016	0.08	<0.1	0.03	2.4	<0.1	<0.05	9	<0.5
L24+00N 54+75E	Soil	0.038	8	73	0.71	47	0.126	<20	1.63	0.013	0.05	<0.1	0.02	3.2	<0.1	<0.05	4	<0.5
L24+00N 55+00E	Soil	0.149	6	64	0.54	54	0.111	<20	1.59	0.013	0.08	<0.1	0.03	2.5	<0.1	<0.05	5	<0.5
L23+00N 40+00E	Soil	0.070	7	81	0.76	50	0.128	<20	1.79	0.010	0.08	<0.1	0.02	2.9	<0.1	<0.05	5	<0.5
L23+00N 40+25E	Soil	0.044	7	83	0.88	55	0.131	<20	2.03	0.015	0.06	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5
L23+00N 40+50E	Soil	0.046	12	104	1.24	125	0.164	<20	3.46	0.016	0.05	<0.1	0.03	8.1	0.1	<0.05	8	0.5
L23+00N 40+75E	Soil	0.116	6	84	1.11	60	0.141	<20	2.19	0.012	0.08	<0.1	0.02	4.4	<0.1	<0.05	6	<0.5
L23+00N 41+00E	Soil	0.165	4	74	0.65	84	0.120	<20	1.70	0.008	0.07	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 4 of 10 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	Analyte	Unit	MDL	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L23+00N 41+25E	Soil			3.1	0.9	32.7	5.1	77	0.1	52.6	14.7	397	3.05	2.7	0.4	1.7	1.5	32	0.2	0.3	<0.1	95	0.32
L23+00N 41+50E	Soil			<0.5	0.5	11.6	4.5	47	<0.1	24.5	7.0	231	1.91	0.7	0.2	1.4	0.9	18	0.3	0.1	0.1	56	0.24
L23+00N 41+75E	Soil			<0.5	0.7	53.1	5.0	66	0.3	68.9	18.9	497	3.44	3.1	0.6	2.7	1.4	62	0.4	0.3	<0.1	99	0.68
L23+00N 43+25E	Soil			<0.5	0.4	32.8	4.4	48	<0.1	131.6	27.4	440	3.77	1.0	0.1	1.4	0.7	94	<0.1	<0.1	<0.1	103	0.59
L23+00N 43+50E	Soil			0.7	0.5	23.7	4.4	79	<0.1	75.6	19.5	410	3.58	1.2	0.2	2.2	1.0	48	0.2	<0.1	<0.1	102	0.38
L23+00N 43+75E	Soil			<0.5	0.3	35.5	3.9	95	<0.1	110.7	24.7	593	3.56	1.0	0.3	3.0	1.3	52	<0.1	<0.1	<0.1	92	0.48
L23+00N 44+00E	Soil			0.7	0.5	26.6	4.0	83	<0.1	66.1	16.7	390	3.01	1.6	0.4	2.2	1.9	51	0.3	0.1	<0.1	82	0.51
L23+00N 44+25E	Soil			1.8	0.5	26.6	3.8	82	<0.1	67.0	17.5	422	2.95	1.4	0.3	4.3	1.5	40	0.2	0.2	<0.1	77	0.40
L23+00N 44+50E	Soil			1.3	0.8	40.7	4.0	70	0.1	72.0	17.7	427	3.05	1.9	0.4	2.2	1.6	43	0.2	0.2	<0.1	90	0.45
L23+00N 44+75E	Soil			1.1	0.6	33.3	3.4	69	0.1	79.5	18.3	357	3.05	2.6	0.4	2.3	1.5	52	0.2	0.2	<0.1	88	0.46
L23+00N 45+00E	Soil			0.6	0.5	32.7	6.6	183	0.2	120.2	28.9	1035	3.93	0.8	0.2	1.9	0.9	113	0.5	<0.1	<0.1	91	0.76
L23+00N 45+25E	Soil			0.9	0.2	28.9	5.3	69	0.1	75.2	21.0	646	3.50	1.2	0.4	3.3	1.5	159	<0.1	0.1	<0.1	125	1.05
L23+00N 45+50E	Soil			<0.5	0.5	55.4	7.6	80	<0.1	292.8	41.8	805	5.12	1.6	0.2	2.1	0.9	147	0.1	<0.1	<0.1	139	0.96
L23+00N 45+75E	Soil			<0.5	0.4	20.7	4.4	80	0.1	40.6	11.9	364	2.60	1.5	0.4	2.8	2.6	32	0.2	0.1	<0.1	65	0.35
L23+00N 46+00E	Soil			<0.5	0.7	35.6	5.2	69	<0.1	57.6	18.0	599	3.36	2.4	0.5	2.2	1.9	51	0.2	0.2	<0.1	102	0.59
L23+00N 46+25E	Soil			<0.5	0.6	39.4	6.2	80	0.3	44.1	13.5	646	3.42	1.9	0.9	5.8	1.5	91	0.5	0.2	0.2	99	0.79
L23+00N 46+50E	Soil			<0.5	0.7	32.2	6.5	92	0.2	44.0	14.9	836	2.80	2.3	1.2	2.5	1.6	67	0.6	0.2	0.1	93	0.51
L23+00N 46+75E	Soil			0.7	0.7	40.1	5.9	75	0.2	52.7	15.3	420	2.97	2.9	0.6	0.9	2.2	49	0.3	0.2	<0.1	91	0.44
L23+00N 47+00E	Soil			<0.5	0.7	24.5	5.5	105	0.2	34.9	13.3	607	2.46	1.9	0.5	0.9	1.0	37	0.5	0.2	0.1	74	0.47
L23+00N 47+25E	Soil			<0.5	0.8	46.6	6.8	77	0.3	48.8	15.8	558	2.97	3.3	1.7	1.7	1.8	46	0.3	0.3	0.1	86	0.55
L23+00N 47+50E	Soil			5.4	0.7	48.3	6.9	55	<0.1	44.4	16.3	691	2.56	3.9	0.6	1.4	2.1	48	0.2	0.5	<0.1	84	0.70
L23+00N 47+75E	Soil			1.0	0.9	41.6	8.0	47	0.1	35.8	18.3	624	3.19	4.1	0.7	1.8	1.6	39	0.4	0.3	0.1	100	0.48
L23+00N 48+00E	Soil			<0.5	0.7	51.4	5.9	39	0.2	36.6	14.1	843	2.51	3.9	0.8	1.1	1.1	61	0.2	0.4	0.1	85	1.10
L23+00N 48+25E	Soil			1.7	0.6	82.7	6.1	61	0.1	52.8	15.1	517	2.84	4.4	0.7	2.8	1.7	56	0.3	0.4	0.1	96	0.91
L23+00N 48+50E	Soil			<0.5	0.5	50.9	5.3	38	<0.1	45.7	13.1	352	2.77	3.1	0.7	1.2	1.0	56	0.4	0.3	0.1	90	1.04
L23+00N 48+75E	Soil			<0.5	0.6	38.4	4.4	55	0.1	44.6	11.0	271	2.71	3.2	0.9	<0.5	0.7	74	0.4	0.2	<0.1	81	1.10
L23+00N 49+25E	Soil			<0.5	0.7	80.9	7.7	88	0.3	56.1	17.6	748	3.27	2.4	0.9	1.9	1.5	62	0.8	0.2	0.1	105	1.00
L23+00N 49+50E	Soil			<0.5	0.7	35.9	4.8	47	<0.1	64.1	15.4	268	3.30	2.5	0.6	2.3	1.5	47	0.2	0.2	<0.1	106	0.72
L23+00N 49+75E	Soil			1.1	0.5	41.6	4.8	76	<0.1	64.1	17.0	326	3.27	2.5	0.4	<0.5	1.4	40	0.2	0.2	<0.1	94	0.42
L23+00N 50+00E	Soil			<0.5	0.5	28.1	4.4	80	<0.1	63.2	15.3	287	3.13	2.4	0.4	0.7	1.5	42	0.1	0.2	<0.1	95	0.42



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 4 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L23+00N 41+25E	Soil	0.124	6	76	0.73	75	0.127	<20	2.23	0.012	0.07	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L23+00N 41+50E	Soil	0.049	5	52	0.40	41	0.117	<20	1.06	0.009	0.05	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5
L23+00N 41+75E	Soil	0.044	7	74	1.02	68	0.125	<20	2.58	0.043	0.07	<0.1	0.05	5.4	<0.1	<0.05	7	<0.5
L23+00N 43+25E	Soil	0.020	3	124	2.13	44	0.135	<20	2.35	0.012	0.05	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5
L23+00N 43+50E	Soil	0.131	4	138	1.16	60	0.161	<20	2.08	0.013	0.08	<0.1	0.03	2.9	<0.1	<0.05	7	<0.5
L23+00N 43+75E	Soil	0.156	4	121	1.70	80	0.155	<20	2.59	0.011	0.12	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5
L23+00N 44+00E	Soil	0.194	6	85	1.02	64	0.130	<20	2.24	0.010	0.12	<0.1	0.02	3.5	<0.1	<0.05	7	<0.5
L23+00N 44+25E	Soil	0.119	5	89	1.03	52	0.134	<20	2.09	0.009	0.11	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5
L23+00N 44+50E	Soil	0.136	6	80	1.01	53	0.127	<20	2.20	0.011	0.11	<0.1	0.03	4.2	<0.1	<0.05	6	<0.5
L23+00N 44+75E	Soil	0.167	6	73	1.02	52	0.132	<20	2.25	0.011	0.07	<0.1	0.04	3.0	<0.1	<0.05	6	<0.5
L23+00N 45+00E	Soil	0.279	3	114	1.73	165	0.141	<20	2.73	0.011	0.15	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L23+00N 45+25E	Soil	0.036	6	92	1.57	57	0.134	<20	2.04	0.043	0.08	<0.1	0.04	5.1	<0.1	<0.05	6	0.6
L23+00N 45+50E	Soil	0.034	4	120	4.15	77	0.146	<20	4.57	0.050	0.13	<0.1	0.01	5.1	<0.1	<0.05	9	<0.5
L23+00N 45+75E	Soil	0.126	9	60	0.72	58	0.128	<20	1.75	0.010	0.07	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
L23+00N 46+00E	Soil	0.136	7	91	0.96	74	0.155	<20	2.04	0.012	0.07	<0.1	0.04	3.4	<0.1	<0.05	7	<0.5
L23+00N 46+25E	Soil	0.046	8	76	0.78	68	0.158	<20	2.29	0.015	0.13	<0.1	0.04	4.5	0.1	<0.05	7	<0.5
L23+00N 46+50E	Soil	0.036	7	76	0.71	65	0.149	<20	1.85	0.011	0.06	<0.1	0.03	3.5	<0.1	0.06	6	0.6
L23+00N 46+75E	Soil	0.060	7	77	0.91	61	0.145	<20	1.92	0.014	0.07	<0.1	0.04	3.4	<0.1	<0.05	6	<0.5
L23+00N 47+00E	Soil	0.070	8	67	0.64	45	0.129	<20	1.39	0.009	0.06	<0.1	0.03	2.5	<0.1	<0.05	5	0.7
L23+00N 47+25E	Soil	0.051	9	70	0.85	70	0.130	<20	1.93	0.010	0.07	<0.1	0.04	4.4	<0.1	<0.05	6	0.8
L23+00N 47+50E	Soil	0.055	9	73	0.87	48	0.137	<20	1.37	0.021	0.07	0.1	0.06	3.8	<0.1	<0.05	4	0.7
L23+00N 47+75E	Soil	0.044	8	68	0.59	56	0.128	<20	1.84	0.012	0.06	0.1	0.03	3.4	<0.1	<0.05	6	0.8
L23+00N 48+00E	Soil	0.034	8	65	0.65	52	0.103	<20	1.37	0.014	0.05	<0.1	0.06	3.5	<0.1	<0.05	4	1.3
L23+00N 48+25E	Soil	0.029	8	73	0.96	46	0.136	<20	1.59	0.018	0.06	0.1	0.10	4.2	0.1	<0.05	5	1.4
L23+00N 48+50E	Soil	0.027	6	66	0.80	44	0.111	<20	1.50	0.014	0.04	<0.1	0.05	3.0	<0.1	<0.05	4	1.0
L23+00N 48+75E	Soil	0.036	7	66	0.63	50	0.111	<20	1.71	0.015	0.03	0.1	0.05	3.1	<0.1	<0.05	4	1.8
L23+00N 49+25E	Soil	0.030	11	81	0.67	58	0.165	<20	2.29	0.021	0.05	<0.1	0.05	4.8	<0.1	<0.05	7	1.2
L23+00N 49+50E	Soil	0.024	5	92	0.88	51	0.174	<20	2.40	0.010	0.05	<0.1	0.05	3.2	<0.1	<0.05	6	1.2
L23+00N 49+75E	Soil	0.097	4	79	0.87	68	0.166	<20	2.54	0.010	0.06	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L23+00N 50+00E	Soil	0.141	4	72	0.83	62	0.161	<20	2.40	0.009	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	0.7



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 5 of 10 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	Analyte	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L23+00N 50+25E	Soil	<0.5	0.5	31.0	4.1	53	<0.1	45.3	12.4	283	2.72	1.8	0.4	0.8	1.6	28	0.2	0.2	<0.1	82	0.34
L23+00N 50+50E	Soil	0.7	0.5	39.8	4.9	51	<0.1	41.1	13.4	498	2.59	2.1	0.4	1.0	1.6	45	0.1	0.2	<0.1	86	0.55
L23+00N 50+75E	Soil	0.5	0.5	50.8	5.4	44	<0.1	52.5	15.5	382	3.17	2.3	0.6	1.7	2.4	51	0.1	0.2	<0.1	99	0.58
L23+00N 51+00E	Soil	1.3	0.6	89.2	5.8	45	0.1	54.8	17.9	1021	2.99	3.2	0.9	2.4	1.2	74	0.3	0.5	0.1	102	1.49
L23+00N 51+25E	Soil	<0.5	0.4	21.8	5.6	39	<0.1	34.7	10.1	290	2.27	1.3	0.4	0.8	1.2	32	0.2	0.2	<0.1	78	0.59
L23+00N 51+50E	Soil	<0.5	0.4	94.2	5.3	57	<0.1	98.6	23.0	485	4.08	2.2	0.6	0.6	2.2	74	0.2	0.2	<0.1	115	1.04
L23+00N 51+75E	Soil	<0.5	0.5	48.5	5.7	74	0.2	43.3	12.8	534	2.70	2.7	1.3	0.8	1.9	41	0.3	0.4	0.1	85	0.79
L23+00N 52+00E	Soil	<0.5	0.6	74.1	7.1	73	0.4	45.2	15.9	1009	3.04	3.5	1.5	1.6	2.4	45	0.6	0.5	0.1	89	0.96
L23+00N 52+25E	Soil	1.3	0.4	25.5	5.6	51	0.1	30.9	11.7	467	2.53	1.9	0.6	<0.5	2.1	32	0.2	0.3	0.1	73	0.65
L23+00N 52+50E	Soil	<0.5	0.4	19.7	5.5	81	0.2	26.1	9.7	456	2.11	1.5	0.6	0.8	1.8	24	0.3	0.2	0.1	63	0.50
L23+00N 52+75E	Soil	0.9	0.5	29.6	4.2	44	<0.1	32.3	11.4	301	2.25	2.6	0.5	0.6	2.5	29	0.1	0.3	<0.1	73	0.31
L23+00N 53+00E	Soil	1.2	0.4	52.7	6.2	112	0.2	40.2	14.5	602	3.36	2.9	1.1	1.1	1.5	44	0.4	0.2	0.1	95	0.80
L23+00N 53+25E	Soil	2.2	0.6	56.6	5.0	50	0.1	41.1	12.9	379	2.89	3.4	0.8	5.2	3.3	36	0.2	0.5	0.1	89	0.44
L23+00N 53+50E	Soil	<0.5	0.5	18.1	4.8	82	0.1	28.8	10.4	368	2.21	2.0	0.4	0.9	1.5	25	0.3	0.2	0.1	64	0.38
L23+00N 53+75E	Soil	1.0	0.6	43.2	6.0	52	0.2	49.2	16.5	515	3.17	3.7	1.1	2.1	3.5	52	0.2	0.3	0.1	91	0.70
L23+00N 54+00E	Soil	5.3	0.6	15.0	6.1	87	0.2	28.4	10.0	468	2.54	1.8	0.4	0.8	1.9	20	0.3	0.2	0.1	69	0.26
L23+00N 54+25E	Soil	<0.5	0.8	22.0	7.2	68	<0.1	30.4	10.6	321	3.13	3.1	0.4	1.1	1.9	24	0.2	0.3	0.2	97	0.30
L23+00N 54+50E	Soil	0.9	0.7	82.0	7.8	103	0.5	78.1	19.5	520	4.26	4.5	2.0	2.7	2.5	59	0.5	0.4	0.2	127	0.94
L23+00N 54+75E	Soil	<0.5	0.8	26.0	6.2	94	0.1	50.3	15.5	333	3.68	5.2	0.7	1.6	2.0	26	0.3	0.3	0.1	106	0.33
L23+00N 55+00E	Soil	<0.5	0.6	22.1	5.8	52	<0.1	27.0	10.0	362	2.23	2.5	0.5	0.5	1.6	25	0.2	0.3	0.1	72	0.45
L22+00N 40+25E	Soil	0.6	0.5	26.3	4.8	42	<0.1	35.3	11.3	260	1.87	1.4	0.6	1.7	1.9	51	<0.1	0.2	<0.1	67	0.67
L22+00N 40+50E	Soil	1.8	0.4	26.8	4.2	38	<0.1	34.5	12.0	235	1.90	1.1	0.5	1.0	1.2	50	0.1	0.3	<0.1	72	0.65
L22+00N 41+50E	Soil	0.9	0.3	35.8	6.0	48	<0.1	47.3	14.3	222	2.30	0.9	0.4	1.9	1.2	51	0.1	0.2	<0.1	80	0.79
L22+00N 41+75E	Soil	0.8	0.7	28.8	4.6	42	<0.1	49.0	16.3	325	2.91	2.5	0.4	1.0	1.0	52	0.2	0.2	<0.1	80	0.76
L22+00N 42+00E	Soil	0.6	0.7	35.3	4.6	45	<0.1	72.5	19.9	1258	2.97	2.6	0.7	0.9	0.9	55	0.1	0.2	<0.1	83	0.95
L22+00N 42+25E	Soil	25.1	0.4	34.5	3.9	38	<0.1	45.2	13.0	351	2.40	1.5	0.5	1.7	1.1	45	0.1	0.2	<0.1	70	0.72
L22+00N 42+50E	Soil	1.6	0.5	53.0	5.0	66	<0.1	79.0	19.4	547	2.76	1.3	1.0	2.1	0.8	90	0.2	0.3	<0.1	88	1.43
L22+00N 42+75E	Soil	<0.5	0.8	69.4	5.6	65	<0.1	73.6	21.9	528	3.51	3.4	0.7	<0.5	0.7	86	1.2	0.2	<0.1	93	1.44
L22+00N 43+00E	Soil	0.9	0.7	44.8	7.0	85	0.2	62.2	19.8	611	3.79	3.9	0.8	1.4	1.5	50	0.5	0.3	0.1	104	0.70
L22+00N 43+25E	Soil	<0.5	0.6	19.7	5.5	120	0.2	42.1	15.3	465	3.49	2.2	0.3	1.0	1.4	32	0.3	0.2	0.1	87	0.41



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 5 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L23+00N 50+25E	Soil	0.068	5	65	0.71	45	0.147	<20	2.03	0.009	0.05	<0.1	0.01	2.5	<0.1	<0.05	6	<0.5
L23+00N 50+50E	Soil	0.074	5	65	0.75	55	0.139	<20	1.75	0.009	0.09	<0.1	0.02	3.5	<0.1	<0.05	5	0.6
L23+00N 50+75E	Soil	0.026	8	73	0.89	75	0.157	<20	2.19	0.015	0.05	0.1	0.07	4.7	<0.1	<0.05	6	0.6
L23+00N 51+00E	Soil	0.038	8	67	0.86	43	0.128	<20	1.66	0.022	0.06	0.1	0.10	4.6	0.1	<0.05	5	1.4
L23+00N 51+25E	Soil	0.020	5	61	0.54	40	0.146	<20	1.45	0.011	0.03	<0.1	0.02	2.2	<0.1	<0.05	5	0.5
L23+00N 51+50E	Soil	0.039	6	86	1.40	58	0.185	<20	2.78	0.027	0.08	<0.1	0.03	5.5	<0.1	<0.05	7	0.7
L23+00N 51+75E	Soil	0.042	11	63	0.63	53	0.129	<20	1.78	0.012	0.06	<0.1	0.05	4.8	<0.1	<0.05	5	0.9
L23+00N 52+00E	Soil	0.033	15	70	0.66	75	0.139	<20	1.89	0.011	0.06	<0.1	0.10	6.8	<0.1	<0.05	6	1.2
L23+00N 52+25E	Soil	0.032	8	58	0.54	57	0.132	<20	1.68	0.011	0.06	<0.1	0.04	3.8	<0.1	<0.05	5	0.6
L23+00N 52+50E	Soil	0.020	7	50	0.50	57	0.131	<20	1.49	0.011	0.04	<0.1	0.03	3.3	<0.1	<0.05	4	0.7
L23+00N 52+75E	Soil	0.033	7	58	0.63	52	0.146	<20	1.70	0.008	0.05	<0.1	0.02	3.0	<0.1	<0.05	5	0.6
L23+00N 53+00E	Soil	0.208	6	63	0.57	67	0.143	<20	2.80	0.007	0.06	<0.1	0.04	4.0	<0.1	<0.05	9	<0.5
L23+00N 53+25E	Soil	0.035	14	70	0.75	58	0.161	<20	1.87	0.011	0.07	<0.1	0.07	8.3	<0.1	<0.05	5	0.7
L23+00N 53+50E	Soil	0.092	6	53	0.54	69	0.131	<20	1.58	0.008	0.10	<0.1	0.04	2.3	<0.1	<0.05	5	0.6
L23+00N 53+75E	Soil	0.043	11	78	0.83	116	0.186	<20	2.13	0.015	0.08	<0.1	0.08	7.7	0.1	<0.05	6	0.9
L23+00N 54+00E	Soil	0.084	7	51	0.54	71	0.135	<20	1.84	0.007	0.06	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L23+00N 54+25E	Soil	0.096	6	59	0.53	89	0.148	<20	1.99	0.008	0.05	<0.1	0.02	2.5	<0.1	<0.05	8	0.6
L23+00N 54+50E	Soil	0.061	16	82	0.80	138	0.177	<20	3.42	0.030	0.07	<0.1	0.13	10.7	0.1	<0.05	9	1.4
L23+00N 54+75E	Soil	0.139	6	66	0.59	106	0.152	<20	2.39	0.006	0.06	0.1	0.03	2.7	<0.1	<0.05	8	0.6
L23+00N 55+00E	Soil	0.050	6	52	0.56	60	0.119	<20	1.58	0.008	0.05	<0.1	0.04	2.5	<0.1	<0.05	5	<0.5
L22+00N 40+25E	Soil	0.047	6	56	0.77	49	0.121	<20	1.26	0.027	0.05	<0.1	0.04	3.7	<0.1	<0.05	4	0.7
L22+00N 40+50E	Soil	0.046	5	52	0.74	40	0.105	<20	1.14	0.024	0.04	<0.1	0.04	2.9	<0.1	<0.05	4	0.7
L22+00N 41+50E	Soil	0.036	6	64	0.92	52	0.119	<20	1.37	0.030	0.04	<0.1	0.04	4.2	<0.1	0.09	5	0.8
L22+00N 41+75E	Soil	0.042	5	68	0.95	51	0.116	<20	1.37	0.031	0.04	<0.1	0.03	3.3	<0.1	0.08	5	0.7
L22+00N 42+00E	Soil	0.053	6	96	1.31	46	0.121	<20	1.47	0.055	0.05	<0.1	0.04	3.5	<0.1	0.09	5	0.9
L22+00N 42+25E	Soil	0.039	7	68	0.90	38	0.115	<20	1.36	0.025	0.05	<0.1	0.06	3.6	<0.1	0.08	4	0.8
L22+00N 42+50E	Soil	0.080	5	91	1.77	38	0.139	<20	1.87	0.134	0.06	<0.1	0.07	4.2	<0.1	0.17	6	1.7
L22+00N 42+75E	Soil	0.048	7	66	1.23	65	0.119	<20	2.90	0.024	0.06	<0.1	0.05	5.2	<0.1	0.12	7	0.9
L22+00N 43+00E	Soil	0.040	8	72	1.00	73	0.146	<20	2.51	0.014	0.08	<0.1	0.03	5.8	<0.1	0.07	7	0.6
L22+00N 43+25E	Soil	0.124	5	64	0.73	55	0.162	<20	2.15	0.009	0.10	<0.1	0.02	3.5	<0.1	<0.05	8	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 6 of 10 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L22+00N 43+50E	Soil	0.6	0.5	22.2	5.2	115	0.2	59.8	16.8	323	3.54	2.5	0.4	0.6	1.6	26	0.3	0.2	<0.1	92	0.33
L22+00N 43+75E	Soil	<0.5	0.5	25.8	4.8	134	<0.1	52.5	15.2	517	3.03	2.0	0.3	<0.5	1.4	32	0.3	0.2	0.1	79	0.38
L22+00N 44+00E	Soil	2.1	0.4	97.6	5.7	53	0.2	63.9	15.7	968	3.17	2.4	0.7	2.5	1.1	60	0.2	0.2	0.1	78	1.13
L22+00N 44+25E	Soil	<0.5	0.5	53.6	4.8	52	<0.1	89.7	20.8	535	3.54	2.5	0.5	1.8	2.1	51	0.1	0.2	0.1	99	0.59
L22+00N 44+50E	Soil	0.6	1.0	25.6	5.2	85	0.1	64.5	16.7	657	2.94	2.0	0.3	0.7	1.2	33	0.3	0.1	0.1	75	0.55
L22+00N 44+75E	Soil	<0.5	0.7	43.8	5.2	51	<0.1	73.8	18.4	552	3.39	3.2	0.5	0.5	1.8	52	0.2	0.3	<0.1	97	0.92
L22+00N 45+00E	Soil	<0.5	0.5	49.9	4.6	49	<0.1	86.2	22.4	526	3.73	3.5	0.5	0.7	1.9	62	0.1	0.3	<0.1	106	0.76
L22+00N 45+25E	Soil	1.1	0.6	29.2	4.8	108	<0.1	87.7	21.2	563	3.50	2.2	0.3	0.9	1.1	44	0.3	0.2	<0.1	87	0.59
L22+00N 45+50E	Soil	1.0	0.6	25.6	4.3	83	0.1	97.2	19.7	333	3.66	2.9	0.4	0.7	1.4	38	0.2	0.1	<0.1	96	0.56
L22+00N 45+75E	Soil	<0.5	0.7	26.9	4.3	78	<0.1	144.8	23.4	365	3.85	3.4	0.4	1.1	1.5	43	0.2	0.1	<0.1	97	0.62
L22+00N 46+00E	Soil	<0.5	0.5	28.1	3.6	74	<0.1	58.9	15.7	319	2.96	2.7	0.4	0.8	1.6	36	0.2	0.2	<0.1	83	0.51
L22+00N 46+25E	Soil	<0.5	0.6	21.9	3.6	112	0.2	65.8	16.6	317	3.16	2.9	0.3	<0.5	1.2	39	0.1	0.2	<0.1	79	0.40
L22+00N 46+50E	Soil	0.7	0.8	25.8	4.3	116	0.1	86.5	18.7	394	3.56	2.7	0.3	0.7	1.5	43	0.2	0.2	<0.1	88	0.53
L22+00N 46+75E	Soil	<0.5	0.4	36.1	3.6	50	<0.1	47.7	13.3	403	2.71	2.1	0.6	<0.5	1.9	29	0.1	0.2	<0.1	81	0.57
L22+00N 47+00E	Soil	1.8	0.6	26.3	4.1	111	0.1	60.6	15.8	551	3.30	3.9	0.4	<0.5	1.4	30	0.3	0.1	<0.1	88	0.40
L22+00N 47+25E	Soil	<0.5	0.6	24.8	4.1	98	0.2	49.0	14.2	310	2.78	2.9	0.3	2.3	1.2	30	0.3	0.1	<0.1	72	0.43
L22+00N 47+50E	Soil	<0.5	0.4	15.8	3.9	99	0.1	37.2	11.3	369	2.34	1.8	0.3	0.7	1.4	23	0.3	0.1	<0.1	62	0.40
L22+00N 47+75E	Soil	<0.5	0.5	20.4	4.2	101	<0.1	46.9	13.3	351	2.66	2.3	0.4	<0.5	1.4	23	0.3	0.2	<0.1	70	0.40
L22+00N 48+00E	Soil	3.8	1.1	184.3	10.7	145	1.0	160.5	28.8	2215	8.55	7.4	2.2	4.8	4.6	84	0.6	0.6	0.2	179	1.20
L22+00N 48+25E	Soil	2.5	0.5	27.8	4.0	79	0.1	44.4	13.7	341	2.76	2.7	0.4	0.6	1.8	25	0.2	0.1	<0.1	74	0.39
L22+00N 48+50E	Soil	<0.5	0.6	29.9	4.7	127	0.1	51.3	15.8	428	3.13	3.5	0.4	0.8	2.0	25	0.4	0.3	0.1	72	0.33
L22+00N 48+75E	Soil	<0.5	0.6	37.0	4.2	106	0.1	67.6	19.5	308	3.28	3.2	0.3	<0.5	1.6	27	0.3	0.3	<0.1	91	0.41
L22+00N 49+00E	Soil	<0.5	0.5	22.5	4.0	52	0.2	33.0	10.5	225	2.25	1.7	0.5	0.7	1.8	22	0.2	0.2	<0.1	68	0.42
L22+00N 49+25E	Soil	<0.5	0.7	39.4	6.3	90	0.2	45.8	15.5	859	3.24	2.4	0.7	1.0	1.8	30	0.4	0.2	0.1	93	0.73
L22+00N 49+50E	Soil	1.8	0.6	26.2	4.5	77	0.1	47.0	13.5	399	3.01	2.9	0.4	<0.5	1.6	31	0.3	0.2	<0.1	80	0.47
L22+00N 49+75E	Soil	2.7	1.0	36.0	4.8	70	<0.1	92.6	21.1	309	4.02	3.0	0.4	1.8	1.7	30	0.2	0.2	<0.1	111	0.45
L22+00N 50+00E	Soil	8.4	1.0	296.2	9.6	85	1.4	184.9	22.6	942	8.27	8.3	1.9	4.8	4.4	96	0.5	0.6	0.2	191	1.78
L22+00N 50+25E	Soil	1.4	0.5	31.3	4.0	76	0.1	62.2	15.3	396	3.02	2.0	0.3	<0.5	1.2	34	0.2	0.2	<0.1	86	0.44
L22+00N 50+50E	Soil	1.4	0.5	27.1	5.0	120	0.2	74.0	16.4	454	3.26	1.9	0.4	<0.5	1.3	30	0.2	0.1	0.1	87	0.38
L22+00N 50+75E	Soil	1.9	0.5	19.7	6.2	113	0.1	43.6	12.9	390	2.68	1.7	0.4	1.2	1.3	37	0.3	<0.1	0.1	70	0.46



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 6 of 10 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L22+00N 43+50E	Soil	0.114	5	67	0.89	63	0.156	<20	2.56	0.011	0.09	<0.1	0.02	3.2	<0.1	<0.05	8	0.5
L22+00N 43+75E	Soil	0.102	5	67	0.85	88	0.149	<20	2.04	0.010	0.10	<0.1	0.01	3.1	<0.1	<0.05	7	<0.5
L22+00N 44+00E	Soil	0.056	10	68	1.01	72	0.102	<20	2.26	0.020	0.07	<0.1	0.12	6.5	<0.1	0.10	6	1.4
L22+00N 44+25E	Soil	0.041	7	85	1.48	63	0.166	<20	2.50	0.012	0.07	<0.1	0.02	4.5	<0.1	<0.05	7	0.5
L22+00N 44+50E	Soil	0.097	6	67	1.02	62	0.147	<20	1.95	0.011	0.09	<0.1	<0.01	3.1	<0.1	0.06	6	0.6
L22+00N 44+75E	Soil	0.033	8	72	1.31	63	0.155	<20	2.33	0.021	0.07	<0.1	0.03	4.9	<0.1	0.07	6	0.7
L22+00N 45+00E	Soil	0.027	7	75	1.64	62	0.171	<20	2.94	0.031	0.09	<0.1	0.02	5.7	<0.1	0.08	7	0.6
L22+00N 45+25E	Soil	0.102	5	71	1.37	83	0.170	<20	2.80	0.014	0.07	<0.1	0.01	3.5	<0.1	0.07	8	<0.5
L22+00N 45+50E	Soil	0.153	5	74	1.41	71	0.163	<20	2.80	0.011	0.07	<0.1	0.02	3.4	<0.1	<0.05	7	<0.5
L22+00N 45+75E	Soil	0.133	5	79	1.84	72	0.174	<20	3.14	0.012	0.07	<0.1	0.01	3.4	<0.1	<0.05	8	0.6
L22+00N 46+00E	Soil	0.096	6	64	0.95	58	0.156	<20	2.32	0.013	0.08	0.1	0.01	3.3	<0.1	<0.05	7	<0.5
L22+00N 46+25E	Soil	0.190	4	66	0.97	67	0.155	<20	2.62	0.011	0.08	<0.1	0.04	3.2	<0.1	0.06	7	<0.5
L22+00N 46+50E	Soil	0.166	4	74	1.11	71	0.163	<20	2.89	0.012	0.09	<0.1	0.02	3.4	<0.1	0.06	8	<0.5
L22+00N 46+75E	Soil	0.029	8	74	0.86	44	0.172	<20	1.81	0.013	0.08	<0.1	0.03	4.9	<0.1	0.06	5	<0.5
L22+00N 47+00E	Soil	0.201	5	77	0.83	90	0.161	<20	2.47	0.012	0.08	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5
L22+00N 47+25E	Soil	0.159	5	69	0.67	61	0.140	<20	2.02	0.012	0.09	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
L22+00N 47+50E	Soil	0.100	6	68	0.63	72	0.136	<20	1.75	0.012	0.08	<0.1	<0.01	2.7	<0.1	<0.05	5	<0.5
L22+00N 47+75E	Soil	0.123	6	75	0.68	61	0.143	<20	1.97	0.013	0.09	<0.1	0.03	3.0	<0.1	<0.05	6	0.5
L22+00N 48+00E	Soil	0.116	23	189	1.99	223	0.244	<20	6.85	0.033	0.28	0.1	0.31	27.1	0.2	<0.05	16	1.5
L22+00N 48+25E	Soil	0.117	6	71	0.77	59	0.147	<20	1.97	0.012	0.08	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5
L22+00N 48+50E	Soil	0.179	6	83	0.80	91	0.135	<20	2.28	0.009	0.09	0.1	0.01	3.7	<0.1	<0.05	6	0.5
L22+00N 48+75E	Soil	0.122	4	90	0.96	85	0.138	<20	2.67	0.012	0.05	<0.1	0.03	3.4	<0.1	<0.05	6	<0.5
L22+00N 49+00E	Soil	0.034	9	69	0.64	41	0.120	<20	1.57	0.012	0.05	<0.1	0.03	3.8	<0.1	<0.05	5	0.5
L22+00N 49+25E	Soil	0.038	9	74	0.68	82	0.145	<20	2.50	0.018	0.07	0.1	0.03	6.5	<0.1	<0.05	7	0.7
L22+00N 49+50E	Soil	0.131	5	67	0.71	55	0.144	<20	2.08	0.011	0.08	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5
L22+00N 49+75E	Soil	0.106	5	82	1.05	55	0.184	<20	3.03	0.011	0.06	0.1	0.01	3.7	<0.1	<0.05	8	<0.5
L22+00N 50+00E	Soil	0.069	21	216	2.06	175	0.209	<20	6.74	0.035	0.18	0.2	0.38	27.4	0.2	0.08	14	2.3
L22+00N 50+25E	Soil	0.113	4	86	0.83	74	0.149	<20	2.47	0.012	0.07	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L22+00N 50+50E	Soil	0.149	4	95	0.86	63	0.166	<20	2.60	0.015	0.08	<0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L22+00N 50+75E	Soil	0.168	5	74	0.57	66	0.149	<20	1.95	0.008	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 7 of 10 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	Analyte	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L22+00N 51+00E	Soil	4.0	0.5	38.8	5.1	92	0.1	67.0	16.5	312	3.12	1.8	0.4	<0.5	1.8	37	0.2	0.1	<0.1	90	0.48
L22+00N 51+25E	Soil	0.7	0.6	29.0	5.5	75	<0.1	47.7	14.3	342	3.06	1.6	0.5	<0.5	1.8	27	<0.1	0.1	0.1	101	0.49
L22+00N 51+50E	Soil	1.5	0.6	37.3	5.8	91	0.1	61.9	18.2	810	3.46	2.5	0.4	0.6	1.3	45	0.1	0.2	0.1	98	0.47
L22+00N 51+75E	Soil	1.4	0.8	29.9	8.8	150	0.2	68.2	22.2	2126	4.09	1.9	0.4	<0.5	0.8	64	0.3	0.1	0.2	97	0.58
L22+00N 52+00E	Soil	2.8	0.8	131.1	5.5	114	0.1	145.3	34.9	916	6.25	2.5	0.9	1.7	0.8	98	0.1	0.1	<0.1	157	0.94
L22+00N 52+25E	Soil	1.0	0.6	46.8	7.0	152	0.2	87.2	23.5	445	4.38	1.8	0.5	<0.5	1.5	71	0.2	0.1	0.2	111	0.52
L22+00N 52+50E	Soil	1.2	0.8	52.3	6.0	153	0.2	113.1	28.3	521	5.38	2.1	0.5	<0.5	1.3	66	0.2	0.2	0.1	130	0.46
L22+00N 52+75E	Soil	1.3	0.6	74.7	8.7	157	0.4	67.8	25.5	1700	4.85	2.3	0.6	0.9	0.5	106	0.6	<0.1	0.1	131	1.05
L22+00N 53+00E	Soil	1.8	0.8	36.1	6.4	84	<0.1	56.3	17.2	445	3.61	2.8	0.9	<0.5	1.7	34	0.1	0.2	0.1	99	0.69
L22+00N 53+25E	Soil	1.3	0.7	29.9	6.0	87	<0.1	49.3	14.6	652	3.20	2.4	0.5	<0.5	1.6	34	0.2	0.2	0.1	87	0.41
L22+00N 53+50E	Soil	1.0	0.7	32.3	6.0	89	0.1	57.1	16.5	357	3.46	2.2	0.5	0.7	2.2	29	0.2	0.2	0.1	88	0.33
L22+00N 53+75E	Soil	1.8	0.9	76.6	6.1	85	<0.1	88.4	23.6	593	4.43	3.2	0.6	0.9	2.4	64	0.2	0.3	0.1	133	0.52
L22+00N 54+00E	Soil	1.2	0.8	34.7	6.3	82	<0.1	57.2	16.2	389	3.45	2.0	0.5	<0.5	2.4	36	0.1	0.2	0.1	91	0.38
L22+00N 54+25E	Soil	1.1	0.6	48.6	5.8	94	0.1	68.8	19.9	625	3.80	1.9	0.5	1.5	1.8	64	0.2	0.1	0.1	87	0.46
L22+00N 54+50E	Soil	0.9	0.7	25.9	6.7	112	0.2	54.9	17.8	1042	3.36	1.9	0.4	<0.5	1.4	49	0.2	0.2	0.1	85	0.50
L22+00N 54+75E	Soil	1.3	0.7	34.8	6.6	126	<0.1	55.3	16.8	471	3.66	2.8	0.5	<0.5	1.7	29	0.2	0.2	0.2	95	0.34
L22+00N 55+00E	Soil	1.6	0.8	50.3	6.5	129	<0.1	85.2	23.7	818	4.21	2.0	0.5	0.6	1.3	43	0.2	0.2	0.1	111	0.49
L21+00N 40+00E	Soil	1.8	0.7	38.3	5.8	97	0.2	29.1	14.7	487	2.76	1.7	0.6	1.9	1.6	43	0.3	0.1	0.1	85	0.43
L21+00N 40+25E	Soil	5.1	1.5	72.6	9.2	72	0.1	37.9	26.0	715	4.50	5.8	0.7	4.5	2.1	113	0.2	0.3	0.3	134	0.58
L21+00N 40+50E	Soil	3.2	0.8	45.3	5.6	93	0.1	36.3	15.5	648	2.77	2.0	0.5	1.0	1.8	46	0.4	0.2	0.1	91	0.46
L21+00N 40+75E	Soil	4.1	0.7	36.3	5.2	66	0.1	39.7	13.7	273	2.77	2.5	0.5	2.7	1.9	38	0.2	0.2	0.1	86	0.38
L21+00N 41+00E	Soil	6.1	0.6	48.6	7.2	82	0.2	31.3	12.6	418	2.60	1.7	0.5	2.3	1.6	45	0.3	0.1	0.1	85	0.41
L21+00N 41+25E	Soil	1.4	0.7	32.9	6.2	112	0.2	36.2	13.4	427	2.63	2.3	0.5	1.5	1.8	42	0.4	0.2	0.1	74	0.45
L21+00N 41+50E	Soil	1.4	0.6	22.5	6.1	114	0.2	25.3	11.3	1276	2.18	2.1	0.4	1.4	1.4	45	0.7	0.1	0.1	64	0.39
L21+00N 42+00E	Soil	1.0	0.8	23.1	5.6	80	0.2	45.9	14.4	295	2.92	2.3	0.4	1.3	1.9	31	0.2	0.2	0.1	77	0.32
L21+00N 42+25E	Soil	0.8	1.0	38.1	6.8	119	<0.1	65.3	17.8	951	3.41	1.8	0.7	1.2	2.3	51	0.3	0.2	0.1	99	0.57
L21+00N 42+50E	Soil	1.8	0.8	33.2	5.5	67	0.1	57.0	19.1	507	3.32	3.6	0.4	<0.5	2.1	37	0.3	0.2	0.1	91	0.40
L21+00N 42+75E	Soil	0.5	0.6	28.3	5.1	101	0.1	61.2	17.2	417	3.12	2.9	0.4	<0.5	1.8	39	0.2	0.1	<0.1	80	0.36
L21+00N 43+00E	Soil	1.6	0.5	36.7	4.2	64	0.1	63.6	17.2	437	2.92	2.4	0.5	0.6	2.1	50	0.1	0.1	<0.1	87	0.49
L21+00N 43+25E	Soil	<0.5	0.5	24.2	4.2	92	<0.1	61.9	15.8	488	2.77	2.0	0.4	<0.5	1.9	50	0.2	0.1	<0.1	74	0.51



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 7 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L22+00N 51+00E	Soil	0.082	6	86	0.90	52	0.166	<20	2.18	0.012	0.07	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5
L22+00N 51+25E	Soil	0.030	6	81	0.78	66	0.162	<20	2.32	0.012	0.04	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5
L22+00N 51+50E	Soil	0.123	5	88	0.96	84	0.173	<20	2.74	0.009	0.09	<0.1	0.02	2.6	<0.1	<0.05	8	<0.5
L22+00N 51+75E	Soil	0.130	4	81	0.96	169	0.179	<20	2.78	0.010	0.15	<0.1	0.03	2.6	<0.1	<0.05	10	0.6
L22+00N 52+00E	Soil	0.081	5	112	2.16	79	0.162	<20	4.44	0.013	0.12	<0.1	0.03	4.0	<0.1	<0.05	13	<0.5
L22+00N 52+25E	Soil	0.166	4	81	1.12	90	0.180	<20	3.53	0.009	0.09	<0.1	0.02	2.6	<0.1	<0.05	12	<0.5
L22+00N 52+50E	Soil	0.138	4	97	1.56	79	0.183	<20	4.26	0.008	0.13	<0.1	0.03	2.7	<0.1	<0.05	11	<0.5
L22+00N 52+75E	Soil	0.403	4	82	1.17	120	0.160	<20	3.41	0.013	0.06	<0.1	0.05	2.5	<0.1	<0.05	10	0.6
L22+00N 53+00E	Soil	0.074	6	81	0.94	70	0.165	<20	2.65	0.012	0.08	<0.1	0.03	3.7	<0.1	<0.05	8	<0.5
L22+00N 53+25E	Soil	0.071	6	73	0.81	68	0.156	<20	2.42	0.009	0.10	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5
L22+00N 53+50E	Soil	0.085	8	86	0.91	77	0.159	<20	2.65	0.008	0.09	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5
L22+00N 53+75E	Soil	0.074	8	99	1.61	94	0.172	<20	3.47	0.010	0.11	0.1	0.03	3.9	<0.1	<0.05	9	<0.5
L22+00N 54+00E	Soil	0.077	8	81	0.89	77	0.156	<20	2.67	0.008	0.10	<0.1	0.02	3.0	<0.1	<0.05	8	<0.5
L22+00N 54+25E	Soil	0.110	7	82	1.12	77	0.154	<20	2.93	0.009	0.12	<0.1	0.02	2.9	<0.1	<0.05	8	<0.5
L22+00N 54+50E	Soil	0.098	7	87	0.88	102	0.171	<20	2.63	0.011	0.14	<0.1	0.01	2.8	<0.1	<0.05	9	<0.5
L22+00N 54+75E	Soil	0.124	7	94	0.88	69	0.177	<20	2.69	0.008	0.10	<0.1	0.01	3.1	<0.1	<0.05	9	<0.5
L22+00N 55+00E	Soil	0.123	5	95	1.13	87	0.206	<20	3.34	0.010	0.09	0.1	0.02	3.2	<0.1	<0.05	10	<0.5
L21+00N 40+00E	Soil	0.058	8	56	0.65	48	0.166	<20	1.66	0.013	0.07	<0.1	0.02	3.4	<0.1	<0.05	6	0.6
L21+00N 40+25E	Soil	0.072	8	70	1.13	86	0.187	<20	2.02	0.020	0.11	0.1	0.02	6.0	<0.1	<0.05	7	0.9
L21+00N 40+50E	Soil	0.085	7	59	0.72	62	0.169	<20	1.82	0.013	0.09	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5
L21+00N 40+75E	Soil	0.139	7	60	0.69	54	0.166	<20	2.03	0.012	0.08	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
L21+00N 41+00E	Soil	0.078	9	54	0.65	56	0.165	<20	1.82	0.014	0.08	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5
L21+00N 41+25E	Soil	0.104	7	53	0.61	66	0.158	<20	1.99	0.012	0.08	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5
L21+00N 41+50E	Soil	0.167	7	45	0.47	137	0.165	<20	1.74	0.012	0.08	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
L21+00N 42+00E	Soil	0.152	6	58	0.63	64	0.156	<20	2.27	0.010	0.07	<0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L21+00N 42+25E	Soil	0.068	9	92	0.71	107	0.177	<20	2.83	0.018	0.06	<0.1	0.03	5.3	0.1	<0.05	8	<0.5
L21+00N 42+50E	Soil	0.219	5	86	0.87	84	0.166	<20	2.59	0.010	0.06	<0.1	0.02	3.5	<0.1	<0.05	7	0.5
L21+00N 42+75E	Soil	0.152	5	91	0.79	84	0.178	<20	2.31	0.011	0.08	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5
L21+00N 43+00E	Soil	0.082	6	100	1.00	59	0.194	<20	2.08	0.012	0.08	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5
L21+00N 43+25E	Soil	0.124	5	88	0.85	62	0.183	<20	2.33	0.012	0.11	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5





M.Saghezchi GIT

AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: Addie 2
Report Date: January 21, 2008

Page: 8 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN07002956.1

Table with columns: Method, Analyte, Unit, MDL, and 20 elements (Au, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca) with their respective concentrations and MDL values.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 8 of 10 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
L21+00N 43+50E	Soil	0.170	5	73	1.02	81	0.176	<20	2.56	0.017	0.08	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5
L21+00N 43+75E	Soil	0.081	5	75	0.89	56	0.184	<20	2.12	0.012	0.07	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5
L21+00N 44+00E	Soil	0.140	5	112	1.60	75	0.185	<20	2.74	0.014	0.11	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
L21+00N 44+50E	Soil	0.221	6	64	1.03	74	0.153	<20	3.27	0.013	0.13	<0.1	0.03	4.1	0.2	<0.05	8	<0.5
L21+00N 44+75E	Soil	0.101	5	57	1.26	92	0.140	<20	2.72	0.015	0.10	<0.1	0.01	3.5	<0.1	<0.05	7	<0.5
L21+00N 45+00E	Soil	0.105	5	61	0.98	83	0.136	<20	2.10	0.013	0.10	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5
L21+00N 45+25E	Soil	0.130	4	81	1.59	180	0.167	<20	3.01	0.014	0.11	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L21+00N 45+50E	Soil	0.196	4	79	1.44	102	0.152	<20	3.57	0.012	0.14	<0.1	0.02	4.0	<0.1	<0.05	9	<0.5
L21+00N 45+75E	Soil	0.154	4	177	2.00	108	0.162	<20	4.57	0.017	0.13	<0.1	0.02	5.7	<0.1	<0.05	10	<0.5
L21+00N 46+00E	Soil	0.067	4	75	1.38	87	0.165	<20	3.87	0.014	0.13	<0.1	0.02	4.0	<0.1	<0.05	8	<0.5
L21+00N 46+25E	Soil	0.125	4	62	1.67	98	0.181	<20	5.40	0.017	0.10	0.1	0.05	4.7	<0.1	<0.05	11	<0.5
L21+00N 46+50E	Soil	0.103	5	67	1.60	101	0.142	<20	5.08	0.017	0.13	<0.1	0.03	4.4	<0.1	<0.05	10	<0.5
L21+00N 46+75E	Soil	0.135	5	62	0.99	127	0.115	<20	3.47	0.011	0.08	<0.1	0.03	3.1	<0.1	<0.05	9	<0.5
L21+00N 47+00E	Soil	0.102	5	76	1.48	68	0.132	<20	3.55	0.013	0.11	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5
L21+00N 47+25E	Soil	0.174	5	66	1.03	84	0.129	<20	3.25	0.010	0.12	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5
L21+00N 47+50E	Soil	0.049	6	91	1.40	71	0.158	<20	2.57	0.015	0.11	0.1	0.02	4.0	<0.1	<0.05	6	<0.5
L21+00N 47+75E	Soil	0.115	5	65	0.80	83	0.150	<20	2.68	0.012	0.09	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5
L21+00N 48+00E	Soil	0.020	9	75	1.27	66	0.147	<20	3.49	0.052	0.06	<0.1	0.04	8.3	<0.1	<0.05	8	0.6
L21+00N 48+25E	Soil	0.094	6	65	0.74	72	0.139	<20	2.45	0.011	0.07	<0.1	0.03	2.7	<0.1	<0.05	6	<0.5
L21+00N 48+50E	Soil	0.054	5	80	2.05	96	0.146	<20	4.19	0.018	0.05	<0.1	0.02	3.8	<0.1	<0.05	8	<0.5
L21+00N 48+75E	Soil	0.151	5	74	1.81	122	0.122	<20	4.42	0.018	0.05	0.1	0.03	3.0	<0.1	<0.05	9	<0.5
L21+00N 49+25E	Soil	0.053	4	58	2.20	93	0.163	<20	6.89	0.029	0.05	<0.1	0.03	4.0	<0.1	<0.05	12	<0.5
L21+00N 49+50E	Soil	0.099	5	78	1.64	77	0.133	<20	3.02	0.009	0.06	<0.1	0.01	2.5	<0.1	<0.05	7	<0.5
L21+00N 49+75E	Soil	0.080	3	115	2.77	63	0.179	<20	3.56	0.010	0.07	<0.1	0.02	4.4	<0.1	<0.05	8	<0.5
L21+00N 50+00E	Soil	0.059	3	112	3.34	102	0.159	<20	4.89	0.013	0.05	<0.1	0.03	3.9	<0.1	<0.05	9	<0.5
L20+00N 40+00E	Soil	0.017	7	62	0.69	63	0.127	<20	1.96	0.016	0.07	0.1	0.03	4.1	<0.1	<0.05	6	0.7
L20+00N 40+25E	Soil	0.022	8	92	0.96	46	0.137	<20	1.70	0.047	0.05	<0.1	0.05	4.8	<0.1	<0.05	5	<0.5
L20+00N 40+50E	Soil	0.032	5	99	0.97	64	0.157	<20	2.57	0.014	0.06	<0.1	0.03	4.2	<0.1	<0.05	6	<0.5
L20+00N 40+75E	Soil	0.029	7	70	1.00	45	0.130	<20	1.88	0.016	0.08	<0.1	0.03	4.0	<0.1	<0.05	6	0.8
L20+00N 41+00E	Soil	0.034	5	75	0.82	53	0.142	<20	2.02	0.014	0.08	0.2	0.03	3.8	<0.1	<0.05	5	0.6



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2  
**Report Date:** January 21, 2008

**Page:** 9 of 10 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002956.1**

Method Analyte	Unit	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L20+00N 41+25E	Soil	<0.5	0.9	29.1	3.8	52	<0.1	34.1	13.6	366	2.58	2.2	0.3	1.9	2.1	42	0.3	0.2	<0.1	84	0.44
L20+00N 41+50E	Soil	1.2	0.7	20.6	5.6	74	0.2	35.7	16.1	358	3.12	2.7	0.3	1.4	1.4	35	0.3	0.1	0.1	88	0.34
L20+00N 41+75E	Soil	<0.5	0.6	18.6	5.7	51	0.2	23.1	13.0	220	2.44	1.4	0.3	1.2	1.2	39	0.3	<0.1	0.1	87	0.50
L20+00N 42+00E	Soil	8.1	0.8	22.4	6.3	79	0.1	29.0	14.3	318	3.19	2.3	0.3	1.2	1.2	46	0.4	0.1	<0.1	107	0.33
L20+00N 42+25E	Soil	1.4	0.9	49.0	5.5	122	0.2	49.6	18.4	730	3.50	3.5	0.4	13.2	1.5	44	0.6	0.2	<0.1	100	0.47
L20+00N 42+50E	Soil	1.7	0.9	36.9	5.3	120	0.2	52.2	16.2	560	3.84	3.0	0.6	2.2	1.3	40	0.4	0.1	<0.1	118	0.54
L20+00N 42+75E	Soil	1.4	0.8	40.0	5.1	90	0.2	58.9	18.1	1012	3.54	2.8	0.5	3.1	1.2	55	0.4	0.2	<0.1	92	0.73
L20+00N 43+00E	Soil	<0.5	0.8	17.9	4.5	78	0.2	28.0	12.2	456	2.43	1.8	0.3	1.4	1.3	27	0.2	0.1	<0.1	71	0.37
L20+00N 43+25E	Soil	1.5	0.8	13.1	4.6	94	0.1	25.7	12.1	518	2.54	1.9	0.4	2.1	1.7	25	0.2	0.1	<0.1	64	0.31
L20+00N 43+50E	Soil	1.4	0.9	11.6	3.8	44	<0.1	21.8	8.5	224	2.00	1.1	0.4	4.6	1.6	20	0.1	0.1	<0.1	65	0.29
L20+00N 43+75E	Soil	0.7	0.9	76.0	5.7	40	0.2	36.7	12.3	410	3.04	2.6	1.3	1.5	1.1	62	0.3	0.3	0.1	83	1.03
L20+00N 44+00E	Soil	<0.5	0.7	12.7	4.1	56	<0.1	24.1	9.2	251	2.26	1.3	0.3	0.7	1.5	29	0.2	0.2	<0.1	71	0.33
L20+00N 44+25E	Soil	1.4	0.8	32.3	4.7	72	0.1	57.5	16.7	353	3.35	4.5	0.5	1.1	2.0	46	0.3	0.3	0.1	94	0.48
L20+00N 44+50E	Soil	5.4	1.0	32.4	5.4	70	0.2	44.7	17.8	697	3.24	2.2	1.1	1.5	1.7	64	0.3	0.2	0.1	98	0.64
L20+00N 44+75E	Soil	0.8	0.9	37.8	5.4	106	0.2	67.2	18.0	430	3.78	3.3	0.9	0.6	1.5	46	0.4	0.2	0.1	102	0.46
L20+00N 45+00E	Soil	0.8	0.8	17.6	5.1	71	0.1	31.7	12.3	740	2.43	1.8	0.3	<0.5	1.1	27	0.3	0.1	0.1	70	0.39
L20+00N 45+25E	Soil	<0.5	0.8	18.6	3.9	81	<0.1	46.5	14.4	278	2.72	1.7	0.4	3.1	1.4	27	0.3	0.2	<0.1	84	0.41
L20+00N 45+50E	Soil	<0.5	1.2	19.5	5.2	45	0.1	30.8	10.3	240	2.69	3.1	0.4	<0.5	1.2	29	0.3	0.2	<0.1	82	0.40
L20+00N 46+00E	Soil	1.2	0.5	101.9	4.2	42	0.2	54.6	14.5	386	3.17	3.6	0.3	1.2	0.8	79	0.4	0.2	<0.1	89	2.02
L20+00N 46+25E	Soil	<0.5	0.4	31.1	3.2	77	<0.1	98.6	21.6	352	3.58	1.8	0.3	0.6	0.9	63	0.2	<0.1	<0.1	86	0.75
L20+00N 46+50E	Soil	0.7	0.4	63.5	4.2	83	0.1	96.4	24.0	602	4.12	3.1	0.4	0.7	1.0	71	0.2	<0.1	<0.1	97	1.07
L20+00N 46+75E	Soil	<0.5	0.4	79.3	4.1	95	0.1	119.0	26.9	576	4.40	3.4	0.4	0.6	1.0	83	0.2	<0.1	<0.1	100	1.01
L20+00N 47+00E	Soil	<0.5	0.3	77.2	3.4	82	<0.1	125.0	32.3	690	5.11	3.4	0.4	<0.5	1.0	129	0.2	<0.1	<0.1	124	0.98
L20+00N 47+25E	Soil	0.5	0.3	71.1	3.5	73	<0.1	117.7	28.1	544	4.58	3.4	0.4	<0.5	1.2	85	0.1	<0.1	<0.1	109	0.85
L20+00N 47+50E	Soil	1.0	0.4	53.6	3.6	70	<0.1	97.3	21.5	520	3.82	2.8	0.3	0.7	1.3	84	0.1	<0.1	<0.1	86	0.71
L20+00N 47+75E	Soil	0.8	0.6	64.6	4.7	83	<0.1	101.7	25.9	445	4.37	5.2	0.5	0.6	1.4	68	0.1	0.1	<0.1	107	0.69
L20+00N 48+00E	Soil	<0.5	0.4	22.8	4.2	57	<0.1	67.0	15.0	243	3.20	2.2	0.3	<0.5	1.3	42	0.1	0.1	<0.1	96	0.54
L20+00N 48+25E	Soil	1.3	0.5	40.7	3.7	63	<0.1	92.2	17.1	304	3.22	2.7	0.4	1.0	1.9	36	<0.1	0.2	<0.1	88	0.43
L20+00N 48+50E	Soil	1.3	0.4	31.2	4.2	75	<0.1	77.9	18.6	349	3.52	2.9	0.3	1.9	1.4	56	<0.1	0.1	<0.1	95	0.47
L20+00N 48+75E	Soil	<0.5	0.6	35.2	4.6	144	0.1	99.8	22.9	946	3.90	4.0	0.4	<0.5	1.3	86	0.2	0.1	<0.1	84	0.54



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 9 of 10 **Part** 2

# CERTIFICATE OF ANALYSIS

VAN07002956.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L20+00N 41+25E	Soil	0.041	6	59	0.76	50	0.142	<20	1.76	0.011	0.08	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5
L20+00N 41+50E	Soil	0.127	5	59	0.62	67	0.125	<20	2.11	0.009	0.07	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5
L20+00N 41+75E	Soil	0.019	5	55	0.67	49	0.129	<20	1.93	0.016	0.06	<0.1	0.01	3.1	<0.1	<0.05	6	<0.5
L20+00N 42+00E	Soil	0.024	5	63	0.83	47	0.131	<20	2.12	0.014	0.08	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L20+00N 42+25E	Soil	0.085	6	73	0.92	59	0.131	<20	2.70	0.012	0.11	<0.1	0.03	4.8	<0.1	<0.05	7	0.9
L20+00N 42+50E	Soil	0.066	6	83	0.80	49	0.155	<20	3.00	0.013	0.07	<0.1	0.03	3.8	<0.1	<0.05	8	0.7
L20+00N 42+75E	Soil	0.115	6	74	1.08	100	0.130	<20	2.76	0.016	0.12	0.1	0.04	4.2	<0.1	<0.05	7	0.9
L20+00N 43+00E	Soil	0.081	6	58	0.58	56	0.120	<20	1.85	0.012	0.07	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
L20+00N 43+25E	Soil	0.164	6	53	0.51	65	0.121	<20	1.77	0.012	0.08	<0.1	0.03	3.1	<0.1	<0.05	6	<0.5
L20+00N 43+50E	Soil	0.023	7	53	0.43	33	0.127	<20	1.31	0.011	0.07	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5
L20+00N 43+75E	Soil	0.023	8	59	0.61	61	0.165	<20	2.10	0.032	0.06	<0.1	0.05	5.3	<0.1	<0.05	6	1.2
L20+00N 44+00E	Soil	0.025	7	53	0.48	40	0.156	<20	1.49	0.011	0.06	<0.1	0.01	2.6	<0.1	<0.05	5	<0.5
L20+00N 44+25E	Soil	0.070	7	66	0.89	58	0.178	<20	2.57	0.013	0.10	<0.1	0.04	4.5	<0.1	<0.05	7	0.6
L20+00N 44+50E	Soil	0.038	7	68	0.86	81	0.173	<20	2.18	0.018	0.08	<0.1	0.04	5.3	<0.1	<0.05	7	0.6
L20+00N 44+75E	Soil	0.060	7	79	0.92	80	0.174	<20	2.99	0.013	0.10	<0.1	0.03	4.7	<0.1	<0.05	8	<0.5
L20+00N 45+00E	Soil	0.049	6	58	0.54	61	0.138	<20	1.58	0.011	0.07	<0.1	0.04	2.7	<0.1	<0.05	6	<0.5
L20+00N 45+25E	Soil	0.029	6	72	0.74	41	0.157	<20	1.82	0.012	0.06	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
L20+00N 45+50E	Soil	0.017	6	65	0.41	51	0.135	<20	1.58	0.014	0.04	<0.1	0.02	2.8	<0.1	<0.05	6	0.6
L20+00N 46+00E	Soil	0.026	7	79	0.80	26	0.138	<20	2.53	0.036	0.03	<0.1	0.05	4.4	<0.1	<0.05	6	1.3
L20+00N 46+25E	Soil	0.043	3	81	1.25	61	0.176	<20	3.64	0.016	0.07	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5
L20+00N 46+50E	Soil	0.130	5	87	1.20	55	0.177	<20	4.38	0.020	0.09	<0.1	0.03	5.6	<0.1	<0.05	11	<0.5
L20+00N 46+75E	Soil	0.180	4	85	1.36	54	0.177	<20	4.83	0.023	0.08	<0.1	0.04	4.7	<0.1	<0.05	11	<0.5
L20+00N 47+00E	Soil	0.084	6	93	1.73	76	0.193	<20	5.30	0.027	0.08	<0.1	0.03	10.8	<0.1	<0.05	11	<0.5
L20+00N 47+25E	Soil	0.060	6	85	1.85	60	0.181	<20	4.47	0.022	0.06	<0.1	0.02	9.6	<0.1	<0.05	10	<0.5
L20+00N 47+50E	Soil	0.071	5	76	1.40	74	0.176	<20	3.67	0.017	0.08	<0.1	0.02	5.0	<0.1	<0.05	8	<0.5
L20+00N 47+75E	Soil	0.074	5	77	1.42	68	0.180	<20	5.02	0.022	0.10	<0.1	0.04	4.6	<0.1	<0.05	11	<0.5
L20+00N 48+00E	Soil	0.022	5	64	1.05	53	0.159	<20	2.74	0.018	0.04	<0.1	0.02	3.9	<0.1	<0.05	7	<0.5
L20+00N 48+25E	Soil	0.056	6	68	1.25	66	0.165	<20	2.64	0.012	0.06	<0.1	0.02	3.9	<0.1	<0.05	7	<0.5
L20+00N 48+50E	Soil	0.035	5	77	1.36	63	0.145	<20	3.14	0.015	0.05	<0.1	0.02	4.5	<0.1	<0.05	8	<0.5
L20+00N 48+75E	Soil	0.087	5	74	1.50	116	0.199	<20	3.85	0.013	0.08	<0.1	0.03	4.6	<0.1	<0.05	10	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

10 of 10 Part 1

## CERTIFICATE OF ANALYSIS

## VAN07002956.1

Method	3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L20+00N 49+00E	Soil	1.1	0.4	47.1	3.1	58	<0.1	107.7	21.9	448	3.76	3.5	0.3	0.9	1.5	73	0.1	0.1	<0.1	99	0.63
L20+00N 49+25E	Soil	<0.5	0.5	28.1	3.8	92	<0.1	73.5	14.6	690	2.76	1.9	0.3	<0.5	1.4	42	0.2	0.1	<0.1	69	0.43
L20+00N 49+50E	Soil	0.9	0.4	31.2	4.2	68	0.1	173.8	25.8	334	3.93	2.5	0.3	0.7	1.3	87	0.1	0.1	<0.1	89	0.62
L20+00N 49+75E	Soil	<0.5	0.3	43.8	3.7	144	0.1	236.0	37.4	989	4.63	1.3	0.3	<0.5	0.8	73	0.4	<0.1	<0.1	95	0.89
L20+00N 50+00E	Soil	0.9	0.3	76.6	2.6	97	0.1	362.6	45.7	645	5.15	1.8	0.3	<0.5	0.7	103	<0.1	<0.1	<0.1	76	0.90
L20+00N 50+25E	Soil	1.1	0.5	36.4	3.7	57	<0.1	75.1	17.2	365	3.04	2.6	0.4	9.4	1.8	49	0.2	0.2	<0.1	88	0.46



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

10 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN07002956.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L20+00N 49+00E	Soil	0.056	4	75	1.89	62	0.167	<20	3.39	0.012	0.11	<0.1	0.02	4.1	<0.1	<0.05	8	<0.5
L20+00N 49+25E	Soil	0.095	5	62	1.01	69	0.149	<20	2.51	0.013	0.07	<0.1	0.03	3.0	<0.1	<0.05	7	<0.5
L20+00N 49+50E	Soil	0.185	5	74	1.93	83	0.159	<20	3.72	0.011	0.09	<0.1	0.03	3.2	<0.1	<0.05	9	<0.5
L20+00N 49+75E	Soil	0.104	3	77	3.13	69	0.167	<20	4.72	0.014	0.12	<0.1	0.02	3.7	<0.1	<0.05	10	<0.5
L20+00N 50+00E	Soil	0.165	2	77	4.92	69	0.121	<20	5.20	0.012	0.10	<0.1	0.02	2.8	<0.1	<0.05	9	<0.5
L20+00N 50+25E	Soil	0.063	7	65	0.96	69	0.159	<20	2.48	0.009	0.08	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: January 21, 2008

Page: 1 of 4 Part 2

# QUALITY CONTROL REPORT

VAN07002956.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																		
L24+00N 41+00E	Soil	0.070	10	66	1.20	52	0.115	<20	1.71	0.036	0.11	0.2	0.06	4.3	<0.1	<0.05	5	1.1
REP L24+00N 41+00E	QC	0.073	10	72	1.22	53	0.123	<20	1.69	0.033	0.11	0.1	0.07	4.6	<0.1	<0.05	5	1.1
L24+00N 42+00E	Soil	0.155	5	56	0.78	86	0.162	<20	3.46	0.013	0.07	0.1	0.04	3.3	<0.1	<0.05	9	0.9
REP L24+00N 42+00E	QC	0.167	5	58	0.81	90	0.162	<20	3.54	0.013	0.07	0.1	0.03	3.5	<0.1	<0.05	9	0.6
L24+00N 45+25E	Soil	0.043	11	93	1.10	106	0.136	<20	3.43	0.034	0.10	0.1	0.09	10.3	<0.1	<0.05	8	1.9
REP L24+00N 45+25E	QC																	
L24+00N 47+25E	Soil	0.083	5	66	0.84	54	0.162	<20	2.54	0.009	0.09	0.1	0.02	2.8	<0.1	<0.05	7	<0.5
REP L24+00N 47+25E	QC	0.080	5	64	0.83	52	0.163	<20	2.51	0.009	0.09	<0.1	0.01	2.7	<0.1	<0.05	7	<0.5
L24+00N 51+75E	Soil	0.075	5	47	0.42	54	0.102	21	1.53	0.011	0.07	<0.1	0.03	1.7	<0.1	0.06	6	<0.5
REP L24+00N 51+75E	QC	0.074	5	46	0.42	53	0.101	<20	1.50	0.008	0.07	<0.1	0.03	1.7	<0.1	<0.05	7	<0.5
L24+00N 53+25E	Soil	0.263	5	57	0.42	88	0.142	<20	2.79	0.011	0.08	0.1	0.04	2.7	<0.1	<0.05	9	<0.5
REP L24+00N 53+25E	QC																	
L23+00N 43+25E	Soil	0.020	3	124	2.13	44	0.135	<20	2.35	0.012	0.05	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5
REP L23+00N 43+25E	QC																	
L23+00N 43+50E	Soil	0.131	4	138	1.16	60	0.161	<20	2.08	0.013	0.08	<0.1	0.03	2.9	<0.1	<0.05	7	<0.5
REP L23+00N 43+50E	QC	0.132	4	144	1.13	60	0.158	<20	2.10	0.011	0.08	<0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L23+00N 48+75E	Soil	0.036	7	66	0.63	50	0.111	<20	1.71	0.015	0.03	0.1	0.05	3.1	<0.1	<0.05	4	1.8
REP L23+00N 48+75E	QC	0.038	7	70	0.67	50	0.121	<20	1.84	0.018	0.03	0.1	0.05	3.4	<0.1	<0.05	4	1.4
L23+00N 49+25E	Soil	0.030	11	81	0.67	58	0.165	<20	2.29	0.021	0.05	<0.1	0.05	4.8	<0.1	<0.05	7	1.2
REP L23+00N 49+25E	QC																	
L23+00N 51+25E	Soil	0.020	5	61	0.54	40	0.146	<20	1.45	0.011	0.03	<0.1	0.02	2.2	<0.1	<0.05	5	0.5
REP L23+00N 51+25E	QC	0.020	5	66	0.52	41	0.148	<20	1.52	0.013	0.04	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5
L22+00N 42+50E	Soil	0.080	5	91	1.77	38	0.139	<20	1.87	0.134	0.06	<0.1	0.07	4.2	<0.1	0.17	6	1.7
REP L22+00N 42+50E	QC	0.077	6	91	1.72	39	0.137	<20	1.85	0.128	0.06	<0.1	0.07	4.1	<0.1	0.14	5	1.6
L22+00N 45+75E	Soil	0.133	5	79	1.84	72	0.174	<20	3.14	0.012	0.07	<0.1	0.01	3.4	<0.1	<0.05	8	0.6
REP L22+00N 45+75E	QC																	
L22+00N 50+00E	Soil	0.069	21	216	2.06	175	0.209	<20	6.74	0.035	0.18	0.2	0.38	27.4	0.2	0.08	14	2.3
REP L22+00N 50+00E	QC	0.071	20	212	2.03	170	0.209	<20	6.50	0.034	0.18	0.2	0.39	27.0	0.2	0.06	14	2.1





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 4 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07002956.1**

		3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L22+00N 51+50E	Soil	1.5	0.6	37.3	5.8	91	0.1	61.9	18.2	810	3.46	2.5	0.4	0.6	1.3	45	0.1	0.2	0.1	98	0.47	
REP L22+00N 51+50E	QC	0.9																				
L22+00N 54+75E	Soil	1.3	0.7	34.8	6.6	126	<0.1	55.3	16.8	471	3.66	2.8	0.5	<0.5	1.7	29	0.2	0.2	0.2	95	0.34	
REP L22+00N 54+75E	QC		0.7	30.9	6.7	117	<0.1	53.1	16.5	475	3.55	2.4	0.5	1.3	1.7	28	0.2	0.3	0.1	98	0.36	
L22+00N 55+00E	Soil	1.6	0.8	50.3	6.5	129	<0.1	85.2	23.7	818	4.21	2.0	0.5	0.6	1.3	43	0.2	0.2	0.1	111	0.49	
REP L22+00N 55+00E	QC		0.8	48.5	6.1	121	<0.1	85.4	24.0	762	4.19	1.9	0.5	0.6	1.2	44	0.2	0.1	0.1	110	0.47	
L21+00N 46+75E	Soil	<0.5	0.5	27.3	5.5	97	<0.1	63.1	18.3	467	3.47	2.8	0.3	0.8	1.5	37	0.1	0.1	0.1	73	0.45	
REP L21+00N 46+75E	QC	<0.5																				
L21+00N 49+25E	Soil	0.6	0.4	73.2	4.0	91	<0.1	93.8	29.6	850	4.67	2.0	0.3	2.5	1.2	104	0.1	<0.1	<0.1	114	0.63	
REP L21+00N 49+25E	QC		0.5	68.2	3.6	86	<0.1	89.7	28.3	781	4.37	1.9	0.3	1.8	1.1	91	0.1	<0.1	<0.1	108	0.58	
L20+00N 40+00E	Soil	<0.5	1.3	24.8	4.7	38	<0.1	35.1	13.3	270	2.61	2.3	0.4	2.5	1.8	43	0.2	0.2	<0.1	83	0.48	
REP L20+00N 40+00E	QC		1.3	24.7	4.7	37	0.1	33.7	12.8	272	2.62	2.3	0.5	2.1	1.9	44	0.2	0.2	<0.1	83	0.48	
L20+00N 47+25E	Soil	0.5	0.3	71.1	3.5	73	<0.1	117.7	28.1	544	4.58	3.4	0.4	<0.5	1.2	85	0.1	<0.1	<0.1	109	0.85	
REP L20+00N 47+25E	QC		0.3	68.8	3.3	70	<0.1	112.9	28.0	540	4.39	3.3	0.4	1.0	1.2	84	<0.1	<0.1	<0.1	108	0.85	
L20+00N 49+00E	Soil	1.1	0.4	47.1	3.1	58	<0.1	107.7	21.9	448	3.76	3.5	0.3	0.9	1.5	73	0.1	0.1	<0.1	99	0.63	
REP L20+00N 49+00E	QC		0.4	49.6	3.1	58	<0.1	111.2	23.0	475	3.76	3.7	0.3	1.0	1.5	76	<0.1	0.1	<0.1	100	0.64	
L20+00N 49+75E	Soil	<0.5	0.3	43.8	3.7	144	0.1	236.0	37.4	989	4.63	1.3	0.3	<0.5	0.8	73	0.4	<0.1	<0.1	95	0.89	
REP L20+00N 49+75E	QC	<0.5																				
Reference Materials																						
STD DS7	Standard		19.6	99.0	69.3	408	0.8	52.8	9.2	602	2.32	49.5	5.5	60.2	4.1	71	6.4	5.8	4.9	88	0.93	
STD DS7	Standard		20.7	101.3	77.6	399	0.8	53.3	9.1	613	2.33	47.4	4.8	61.7	4.3	75	6.0	5.6	4.8	80	0.94	
STD DS7	Standard		23.9	109.3	89.8	440	0.9	60.1	10.4	642	2.47	55.2	8.1	67.8	5.9	94	6.6	6.8	6.3	94	1.01	
STD DS7	Standard		21.1	97.0	79.7	385	0.8	52.3	8.8	583	2.20	47.4	5.7	95.6	5.1	78	6.0	6.3	5.7	86	0.89	
STD DS7	Standard		20.6	100.7	85.5	399	1.4	55.5	8.9	589	2.27	49.2	5.6	100.4	5.4	89	6.6	6.1	5.9	90	0.93	
STD DS7	Standard		20.9	102.3	70.0	401	0.8	56.0	9.7	597	2.30	55.0	4.8	50.1	4.1	77	6.5	5.6	5.2	89	0.89	
STD DS7	Standard		22.8	105.6	69.2	413	0.9	62.3	9.3	625	2.34	48.7	4.6	60.7	4.5	80	6.1	5.6	4.8	88	0.95	
STD DS7	Standard		18.9	106.8	71.3	400	0.8	52.7	8.8	594	2.38	54.0	4.8	59.7	4.3	77	7.2	6.3	4.7	82	0.88	
STD DS7	Standard	75.3																				
STD DS7	Standard	105.0																				



M.Saghezchi GIT

**Acme Labs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 21, 2008

**Page:** 2 of 4 **Part** 2

# QUALITY CONTROL REPORT

VAN07002956.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX TI ppm	1DX S %	1DX Ga ppm	1DX Se ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L22+00N 51+50E	Soil	0.123	5	88	0.96	84	0.173	<20	2.74	0.009	0.09	<0.1	0.02	2.6	<0.1	<0.05	8	<0.5
REP L22+00N 51+50E	QC																	
L22+00N 54+75E	Soil	0.124	7	94	0.88	69	0.177	<20	2.69	0.008	0.10	<0.1	0.01	3.1	<0.1	<0.05	9	<0.5
REP L22+00N 54+75E	QC	0.123	6	92	0.86	69	0.183	<20	2.64	0.008	0.10	<0.1	0.02	3.1	<0.1	<0.05	9	<0.5
L22+00N 55+00E	Soil	0.123	5	95	1.13	87	0.206	<20	3.34	0.010	0.09	0.1	0.02	3.2	<0.1	<0.05	10	<0.5
REP L22+00N 55+00E	QC	0.123	4	96	1.14	78	0.201	<20	3.40	0.011	0.09	0.1	0.03	3.1	<0.1	<0.05	10	<0.5
L21+00N 46+75E	Soil	0.135	5	62	0.99	127	0.115	<20	3.47	0.011	0.08	<0.1	0.03	3.1	<0.1	<0.05	9	<0.5
REP L21+00N 46+75E	QC																	
L21+00N 49+25E	Soil	0.053	4	58	2.20	93	0.163	<20	6.89	0.029	0.05	<0.1	0.03	4.0	<0.1	<0.05	12	<0.5
REP L21+00N 49+25E	QC	0.048	3	54	1.96	83	0.155	<20	5.81	0.023	0.04	<0.1	0.03	3.5	<0.1	<0.05	11	<0.5
L20+00N 40+00E	Soil	0.017	7	62	0.69	63	0.127	<20	1.96	0.016	0.07	0.1	0.03	4.1	<0.1	<0.05	6	0.7
REP L20+00N 40+00E	QC	0.017	7	60	0.68	63	0.127	<20	1.95	0.017	0.07	0.1	0.03	4.1	<0.1	<0.05	6	0.8
L20+00N 47+25E	Soil	0.060	6	85	1.85	60	0.181	<20	4.47	0.022	0.06	<0.1	0.02	9.6	<0.1	<0.05	10	<0.5
REP L20+00N 47+25E	QC	0.058	6	81	1.80	60	0.178	<20	4.46	0.022	0.06	<0.1	0.02	9.6	<0.1	<0.05	10	<0.5
L20+00N 49+00E	Soil	0.056	4	75	1.89	62	0.167	<20	3.39	0.012	0.11	<0.1	0.02	4.1	<0.1	<0.05	8	<0.5
REP L20+00N 49+00E	QC	0.057	4	76	1.85	64	0.173	<20	3.48	0.013	0.11	<0.1	0.03	3.9	<0.1	<0.05	8	<0.5
L20+00N 49+75E	Soil	0.104	3	77	3.13	69	0.167	<20	4.72	0.014	0.12	<0.1	0.02	3.7	<0.1	<0.05	10	<0.5
REP L20+00N 49+75E	QC																	
Reference Materials																		
STD DS7	Standard	0.078	12	180	1.00	380	0.123	<20	0.93	0.074	0.42	3.7	0.19	2.4	4.2	0.27	5	3.9
STD DS7	Standard	0.082	12	177	1.08	375	0.109	41	0.99	0.099	0.49	3.5	0.20	2.4	4.4	0.19	5	3.6
STD DS7	Standard	0.084	14	204	1.07	408	0.143	47	1.07	0.091	0.45	4.0	0.21	2.4	4.7	0.20	5	4.0
STD DS7	Standard	0.079	12	179	0.95	386	0.124	62	0.89	0.076	0.40	3.2	0.19	2.1	4.0	0.20	4	4.2
STD DS7	Standard	0.075	13	188	1.00	386	0.138	<20	0.95	0.079	0.42	3.6	0.20	2.2	4.1	0.21	4	4.3
STD DS7	Standard	0.079	12	192	1.02	381	0.112	31	0.95	0.092	0.41	3.4	0.18	2.1	4.1	0.18	4	4.1
STD DS7	Standard	0.077	12	196	1.05	366	0.117	<20	0.98	0.088	0.42	3.3	0.21	2.3	4.4	0.22	5	3.7
STD DS7	Standard	0.077	13	168	0.98	362	0.124	52	0.93	0.089	0.41	3.6	0.19	2.6	4.0	0.21	5	3.7
STD DS7	Standard																	
STD DS7	Standard																	



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

3 of 4

Part 1

## QUALITY CONTROL REPORT

VAN07002956.1

		3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX			
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	
STD DS7	Standard	66.5																					
STD DS7	Standard	81.5																					
STD DS7	Standard	59.6																					
STD DS7	Standard	72.1																					
STD DS7	Standard	71.7																					
STD DS7	Standard	64.7																					
STD DS7	Standard	104.6																					
STD DS7	Standard	65.2																					
STD DS7	Standard	67.7																					
STD DS7	Standard	121.3																					
STD DS7	Standard	69.8																					
STD DS7	Standard	79.6																					
STD DS7	Standard	73.7																					
STD DS7	Standard	70.8																					
STD DS7 Expected		70	20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01		
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					
BLK	Blank	<0.5																					





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

4 of 4

Part 1

## QUALITY CONTROL REPORT

VAN07002956.1

		3A	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.5	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank	<0.5																				
BLK	Blank	<0.5																				



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 21, 2008

Page:

4 of 4

Part 2

## QUALITY CONTROL REPORT

VAN07002956.1

		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
BLK	Blank																		
BLK	Blank																		

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins  
Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.  
Received: October 18, 2007  
Report Date: January 10, 2008  
Page: 1 of 8

# CERTIFICATE OF ANALYSIS

# VAN07003060.1

## CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 210

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	210	Dry at 60C sieve 100g to -80 mesh		
Split Reject	210	Reject sample split/packet		
1DX	210	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 10, 2008

Page:

2 of 8

Part 1

## CERTIFICATE OF ANALYSIS

VAN07003060.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L29+00N 40+50E	Soil			0.5	58.5	7.1	80	<0.1	41.9	15.9	353	3.31	2.3	0.3	<0.5	1.8	38	0.1	<0.1	<0.1	101	0.41	0.100
L29+00N 40+75E	Soil			0.3	68.4	7.0	101	<0.1	29.0	16.0	671	3.25	2.4	0.3	0.8	1.9	78	0.2	<0.1	0.1	96	0.61	0.227
L29+00N 41+25E	Soil			0.5	89.2	5.8	75	<0.1	38.0	17.8	371	3.62	2.4	0.4	0.5	2.8	65	<0.1	<0.1	0.1	90	0.43	0.096
L29+00N 41+50E	Soil			0.4	37.9	6.3	89	<0.1	27.6	13.6	642	2.97	2.1	0.3	1.0	1.8	57	0.1	<0.1	0.1	86	0.56	0.103
L29+00N 41+75E	Soil			0.4	60.8	5.9	98	<0.1	35.7	17.1	443	3.55	2.4	0.3	<0.5	1.6	40	0.2	<0.1	0.1	122	0.53	0.202
L29+00N 42+00E	Soil			0.4	119.0	5.1	57	<0.1	47.9	19.7	400	4.00	1.9	0.4	1.0	1.6	64	0.1	<0.1	<0.1	153	0.73	0.044
L29+00N 42+50E	Soil			1.0	149.3	8.4	62	<0.1	36.9	22.5	630	4.50	7.0	0.5	7.6	1.8	54	0.1	0.2	<0.1	155	0.64	0.101
L29+00N 43+00E	Soil			0.4	37.7	10.0	214	<0.1	28.5	17.3	2096	3.45	1.3	0.2	1.1	0.7	42	0.5	<0.1	0.1	112	0.59	0.162
L29+00N 43+25E	Soil			0.7	103.0	6.4	162	<0.1	56.3	21.1	524	4.74	5.6	0.6	1.9	2.7	33	0.2	0.1	0.1	108	0.42	0.426
L29+00N 43+50E	Soil			0.4	51.1	5.8	124	<0.1	111.1	25.5	551	4.19	1.7	0.3	1.0	1.9	40	0.2	<0.1	0.1	107	0.67	0.174
L29+00N 43+75E	Soil			0.7	47.8	6.5	112	0.1	67.8	22.6	619	4.16	1.9	0.4	0.8	2.2	31	0.2	<0.1	0.1	100	0.40	0.122
L29+00N 44+00E	Soil			0.4	49.7	5.1	81	<0.1	89.8	23.7	522	3.94	1.7	0.2	<0.5	1.4	32	0.1	<0.1	<0.1	99	0.49	0.135
L29+00N 44+25E	Soil			0.6	65.0	5.4	59	<0.1	72.6	22.3	349	4.17	1.3	0.3	0.8	2.3	31	<0.1	<0.1	<0.1	118	0.50	0.041
L29+00N 44+50E	Soil			0.5	136.8	7.7	62	<0.1	49.0	21.9	427	4.61	2.1	0.4	3.1	3.2	77	<0.1	<0.1	0.1	142	0.51	0.055
L29+00N 44+75E	Soil			0.4	43.2	4.5	56	<0.1	82.0	20.0	351	3.47	1.1	0.2	0.6	1.4	27	<0.1	<0.1	<0.1	88	0.53	0.070
L29+00N 45+00E	Soil			0.7	41.6	4.5	77	<0.1	71.0	18.5	487	3.44	1.5	0.3	<0.5	1.8	27	0.1	<0.1	<0.1	82	0.41	0.066
L29+00N 45+25E	Soil			0.6	56.3	5.1	76	<0.1	68.4	20.3	339	3.77	1.9	0.4	0.9	2.8	24	<0.1	0.1	<0.1	97	0.41	0.089
L29+00N 45+50E	Soil			0.4	26.8	6.2	93	<0.1	39.2	14.4	350	2.83	1.2	0.4	0.6	2.4	27	<0.1	<0.1	0.1	67	0.37	0.118
L29+00N 45+75E	Soil			0.5	57.0	5.7	84	<0.1	69.5	19.8	314	3.97	1.9	0.4	1.3	2.8	42	<0.1	<0.1	0.1	96	0.54	0.090
L29+00N 46+00E	Soil			0.4	30.4	5.7	84	<0.1	62.8	18.0	308	3.33	2.0	0.3	0.7	2.2	31	<0.1	<0.1	0.1	74	0.45	0.108
L29+00N 46+25E	Soil			0.4	32.6	5.9	115	<0.1	68.7	19.1	328	3.66	1.8	0.4	<0.5	2.4	20	<0.1	<0.1	0.1	83	0.32	0.122
L29+00N 46+50E	Soil			0.7	15.9	7.3	83	<0.1	23.4	11.6	454	2.83	2.3	0.3	<0.5	1.4	19	0.2	0.1	0.2	76	0.25	0.133
L29+00N 46+75E	Soil			0.6	43.2	5.3	89	<0.1	60.8	19.1	456	3.56	2.0	0.4	<0.5	2.3	24	0.1	<0.1	<0.1	90	0.34	0.114
L29+00N 47+00E	Soil			0.4	21.4	4.9	84	<0.1	46.1	14.9	379	3.06	1.6	0.3	0.7	2.3	20	<0.1	0.1	<0.1	71	0.37	0.096
L29+00N 47+25E	Soil			0.6	41.2	6.6	95	<0.1	53.0	18.3	333	3.67	2.5	0.4	0.8	2.7	26	0.1	0.1	0.1	90	0.35	0.125
L29+00N 47+50E	Soil			0.7	28.4	6.4	79	<0.1	48.5	16.3	454	3.37	2.6	0.4	0.6	2.9	21	0.1	0.1	0.1	96	0.31	0.068
L29+00N 47+75E	Soil			0.8	52.8	6.3	65	<0.1	74.2	22.7	406	4.22	3.3	0.5	<0.5	2.9	25	0.1	0.2	0.1	124	0.35	0.052
L29+00N 48+00E	Soil			0.6	60.2	5.0	74	<0.1	63.2	20.5	375	3.79	2.6	0.5	<0.5	2.8	33	0.1	0.2	<0.1	100	0.44	0.085
L29+00N 48+25E	Soil			0.7	34.7	5.9	83	<0.1	56.8	19.0	317	3.81	2.5	0.4	0.7	2.9	24	0.1	0.1	0.1	97	0.30	0.061
L29+00N 48+50E	Soil			0.7	37.6	7.2	78	<0.1	84.5	25.5	558	4.63	2.0	0.3	0.5	1.3	32	0.2	<0.1	<0.1	130	0.69	0.104





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 2 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L29+00N 40+50E	Soil	6	65	0.75	61	0.116	<20	2.42	0.008	0.06	0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L29+00N 40+75E	Soil	6	36	0.78	78	0.115	<20	3.10	0.018	0.05	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5
L29+00N 41+25E	Soil	9	48	0.90	69	0.116	<20	3.48	0.015	0.09	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5
L29+00N 41+50E	Soil	7	39	0.70	58	0.116	<20	2.61	0.015	0.10	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5
L29+00N 41+75E	Soil	5	50	0.87	58	0.137	<20	2.79	0.009	0.07	<0.1	0.03	4.0	<0.1	<0.05	9	<0.5
L29+00N 42+00E	Soil	5	85	1.13	54	0.156	<20	3.26	0.017	0.08	<0.1	0.02	4.8	<0.1	<0.05	8	<0.5
L29+00N 42+50E	Soil	9	63	1.25	49	0.119	<20	3.01	0.077	0.13	<0.1	0.05	10.4	<0.1	<0.05	7	<0.5
L29+00N 43+00E	Soil	3	55	0.61	113	0.155	<20	2.07	0.035	0.35	<0.1	0.04	2.8	<0.1	<0.05	8	<0.5
L29+00N 43+25E	Soil	8	65	1.16	79	0.098	<20	3.95	0.016	0.12	0.1	0.04	5.2	<0.1	<0.05	8	0.6
L29+00N 43+50E	Soil	6	154	1.73	78	0.139	<20	2.79	0.010	0.10	<0.1	0.02	2.9	<0.1	<0.05	8	<0.5
L29+00N 43+75E	Soil	8	113	1.03	50	0.121	<20	2.41	0.010	0.09	0.1	0.03	2.6	<0.1	<0.05	7	<0.5
L29+00N 44+00E	Soil	4	151	1.31	38	0.134	<20	2.73	0.010	0.11	<0.1	0.01	2.7	<0.1	<0.05	7	<0.5
L29+00N 44+25E	Soil	7	120	1.29	36	0.129	<20	2.85	0.014	0.11	0.1	0.01	3.1	<0.1	<0.05	7	<0.5
L29+00N 44+50E	Soil	7	81	1.12	55	0.132	<20	3.82	0.043	0.13	0.1	0.02	3.9	<0.1	<0.05	8	<0.5
L29+00N 44+75E	Soil	5	158	1.37	38	0.122	<20	2.03	0.010	0.06	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L29+00N 45+00E	Soil	6	127	1.16	43	0.103	<20	2.01	0.009	0.08	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5
L29+00N 45+25E	Soil	9	100	0.99	38	0.110	<20	2.34	0.008	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L29+00N 45+50E	Soil	8	65	0.67	38	0.098	<20	1.97	0.010	0.09	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L29+00N 45+75E	Soil	8	103	1.11	48	0.114	<20	2.53	0.010	0.08	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5
L29+00N 46+00E	Soil	6	103	1.05	42	0.104	<20	2.05	0.009	0.08	<0.1	0.01	2.3	<0.1	<0.05	7	<0.5
L29+00N 46+25E	Soil	7	95	1.03	51	0.107	<20	2.32	0.008	0.07	0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L29+00N 46+50E	Soil	5	68	0.36	51	0.115	<20	1.16	0.007	0.07	<0.1	0.03	1.8	<0.1	<0.05	7	<0.5
L29+00N 46+75E	Soil	6	99	0.90	56	0.116	<20	2.30	0.009	0.08	<0.1	0.01	2.7	<0.1	<0.05	7	<0.5
L29+00N 47+00E	Soil	8	84	0.81	51	0.093	<20	1.77	0.007	0.07	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L29+00N 47+25E	Soil	7	76	0.87	51	0.100	<20	2.35	0.008	0.10	0.2	0.02	2.5	<0.1	<0.05	7	<0.5
L29+00N 47+50E	Soil	9	81	0.77	54	0.082	<20	1.84	0.010	0.06	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5
L29+00N 47+75E	Soil	7	108	1.00	71	0.122	<20	2.35	0.008	0.07	0.1	0.03	2.7	<0.1	<0.05	7	<0.5
L29+00N 48+00E	Soil	7	105	1.00	58	0.104	<20	2.05	0.008	0.08	<0.1	0.02	2.8	<0.1	<0.05	7	0.5
L29+00N 48+25E	Soil	7	100	0.81	40	0.110	<20	2.00	0.008	0.07	<0.1	0.03	2.4	<0.1	<0.05	6	0.5
L29+00N 48+50E	Soil	4	224	1.15	42	0.154	<20	1.70	0.011	0.09	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 3 of 8 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L29+00N 48+75E Soil	0.7	46.7	6.6	110	<0.1	67.1	20.2	1026	3.71	1.2	0.5	0.5	1.9	39	0.2	<0.1	0.1	119	0.62	0.040
L29+00N 49+00E Soil	0.4	47.1	5.6	79	<0.1	64.4	19.6	461	3.76	1.8	0.4	<0.5	2.9	31	0.1	<0.1	<0.1	98	0.41	0.060
L29+00N 49+25E Soil	0.2	40.6	7.0	75	0.3	38.9	10.3	246	2.24	0.8	0.8	0.6	1.6	44	0.2	<0.1	0.1	60	0.70	0.027
L29+00N 49+75E Soil	0.4	26.7	6.1	110	<0.1	58.1	18.5	362	3.78	2.3	0.4	<0.5	2.5	22	0.2	<0.1	0.1	84	0.32	0.167
L29+00N 50+00E Soil	0.5	21.9	5.8	114	0.1	44.0	17.8	398	3.14	2.1	0.4	0.7	1.9	18	0.2	<0.1	0.1	72	0.28	0.180
L29+00N 50+25E Soil	0.9	21.8	6.7	88	0.1	45.8	17.7	536	3.47	2.1	0.3	<0.5	1.3	27	0.3	<0.1	0.1	100	0.39	0.085
L29+00N 50+50E Soil	1.1	32.0	7.0	84	<0.1	58.6	19.0	363	4.84	2.9	0.3	2.5	1.7	30	0.2	0.1	0.1	151	0.43	0.041
L29+00N 50+75E Soil	1.0	158.7	8.3	73	<0.1	77.7	25.0	584	5.50	3.3	2.1	4.3	4.9	24	0.1	0.2	0.2	142	0.57	0.055
L29+00N 51+00E Soil	0.6	58.1	5.4	71	<0.1	75.4	22.6	359	4.42	2.7	0.4	0.8	3.0	23	0.1	0.1	<0.1	126	0.46	0.049
L29+00N 51+25E Soil	0.5	49.9	5.3	87	0.1	78.9	20.5	322	4.20	2.8	0.5	1.1	3.3	25	0.1	<0.1	0.1	101	0.45	0.086
L29+00N 51+50E Soil	0.5	26.3	6.2	162	<0.1	49.7	17.5	826	3.34	1.7	0.5	0.8	2.5	27	0.2	<0.1	0.1	79	0.44	0.105
L29+00N 51+75E Soil	0.2	27.8	4.3	89	<0.1	58.3	15.1	278	3.07	2.2	0.3	1.1	1.9	26	<0.1	<0.1	<0.1	70	0.41	0.182
L29+00N 52+00E Soil	0.6	29.5	6.0	249	<0.1	64.0	21.9	733	3.76	2.3	0.4	0.7	2.2	22	0.3	0.1	0.1	84	0.34	0.202
L29+00N 52+25E Soil	0.5	10.3	4.1	73	<0.1	22.7	9.5	262	1.83	1.2	0.2	<0.5	0.8	12	0.1	<0.1	<0.1	49	0.18	0.083
L29+00N 52+50E Soil	0.5	67.6	6.0	99	<0.1	87.7	25.3	437	4.77	2.8	0.5	0.8	2.4	33	0.2	0.1	<0.1	125	0.53	0.122
L29+00N 52+75E Soil	0.4	34.2	4.8	114	<0.1	77.9	19.1	357	3.34	1.7	0.4	0.6	1.6	24	0.1	<0.1	<0.1	83	0.45	0.074
L29+00N 53+00E Soil	0.6	51.7	4.6	114	<0.1	72.2	20.5	387	3.84	3.2	0.4	<0.5	1.7	25	<0.1	0.1	<0.1	108	0.48	0.082
L29+00N 53+25E Soil	1.3	103.4	22.9	123	<0.1	92.9	34.0	459	6.33	5.2	1.0	1.6	2.4	27	0.1	0.3	<0.1	213	0.52	0.119
L29+00N 53+50E Soil	1.2	47.0	8.0	256	0.2	54.1	27.7	1160	4.94	5.4	0.8	0.8	2.3	28	0.4	0.2	0.1	128	0.51	0.235
L29+00N 53+75E Soil	1.0	30.1	7.4	268	0.1	71.8	26.5	721	4.84	3.6	0.6	<0.5	2.3	29	0.3	0.1	0.1	123	0.51	0.194
L29+00N 54+00E Soil	1.0	57.1	6.1	158	<0.1	82.7	25.3	1920	4.42	2.9	0.3	0.9	1.1	39	0.3	0.1	<0.1	139	0.57	0.133
L29+00N 54+25E Soil	0.8	48.5	6.3	149	0.1	74.1	28.5	564	4.75	3.5	0.3	0.6	1.2	38	0.2	0.2	<0.1	146	0.46	0.209
L29+00N 54+50E Soil	1.0	119.8	7.0	53	<0.1	76.7	22.2	640	3.99	4.3	0.5	2.0	2.3	57	0.4	0.3	<0.1	133	0.81	0.046
L29+00N 54+75E Soil	2.1	507.2	7.2	58	0.7	87.1	22.7	3633	2.98	8.6	2.0	5.8	0.5	100	1.3	0.9	0.1	142	1.57	0.090
L29+00N 55+00E Soil	0.9	49.5	6.2	51	0.1	38.4	14.3	346	3.03	4.2	1.2	1.7	1.5	74	0.5	0.2	0.1	99	1.10	0.043
L29+00N 55+25E Soil	1.3	46.8	3.4	71	<0.1	57.7	14.0	259	2.63	3.2	0.3	<0.5	1.7	21	0.1	0.3	0.1	73	0.30	0.083
L29+00N 55+50E Soil	1.1	26.3	5.0	166	0.2	40.0	12.1	309	2.94	3.9	0.2	7.4	1.2	19	0.4	0.3	0.1	66	0.27	0.240
L29+00N 55+75E Soil	0.7	15.5	5.3	95	0.1	21.9	9.0	249	2.25	3.7	0.2	<0.5	1.2	17	0.3	0.2	0.2	56	0.19	0.236
L29+00N 56+00E Soil	0.8	40.1	4.8	188	0.2	69.4	18.0	417	3.38	4.1	0.3	<0.5	1.6	44	0.4	0.2	0.1	84	0.44	0.214
L29+00N 56+25E Soil	0.4	29.5	5.4	125	<0.1	47.3	14.0	276	3.42	2.7	0.4	<0.5	3.2	24	0.1	<0.1	0.1	58	0.30	0.110



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 3 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L29+00N 48+75E	Soil	6	129	1.04	47	0.125	<20	2.24	0.013	0.06	<0.1	0.03	3.1	<0.1	<0.05	6	<0.5
L29+00N 49+00E	Soil	8	113	1.04	49	0.106	<20	2.23	0.009	0.07	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
L29+00N 49+25E	Soil	7	79	0.85	30	0.097	<20	1.55	0.013	0.05	<0.1	0.05	2.2	<0.1	<0.05	6	0.7
L29+00N 49+75E	Soil	8	99	0.95	53	0.102	<20	2.06	0.007	0.09	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L29+00N 50+00E	Soil	6	86	0.71	62	0.098	<20	1.63	0.007	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L29+00N 50+25E	Soil	5	97	0.80	39	0.130	<20	1.42	0.007	0.07	<0.1	0.03	1.6	<0.1	<0.05	8	<0.5
L29+00N 50+50E	Soil	5	122	0.84	51	0.138	<20	2.04	0.008	0.04	0.1	0.03	2.2	<0.1	<0.05	8	<0.5
L29+00N 50+75E	Soil	16	117	1.36	36	0.122	<20	2.36	0.009	0.21	0.1	0.05	9.1	<0.1	<0.05	8	<0.5
L29+00N 51+00E	Soil	8	139	1.19	32	0.136	<20	2.17	0.009	0.13	0.1	0.02	3.3	<0.1	<0.05	7	<0.5
L29+00N 51+25E	Soil	9	131	1.27	46	0.117	<20	2.23	0.010	0.12	<0.1	0.05	3.0	<0.1	<0.05	7	<0.5
L29+00N 51+50E	Soil	9	107	0.89	73	0.129	<20	1.65	0.010	0.11	<0.1	0.03	2.7	<0.1	<0.05	7	<0.5
L29+00N 51+75E	Soil	5	107	1.05	54	0.074	<20	1.52	0.006	0.07	<0.1	0.03	2.4	<0.1	<0.05	5	0.8
L29+00N 52+00E	Soil	6	115	1.02	70	0.116	<20	2.09	0.008	0.08	<0.1	0.03	3.0	<0.1	<0.05	7	<0.5
L29+00N 52+25E	Soil	3	57	0.35	32	0.080	<20	0.75	0.005	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5
L29+00N 52+50E	Soil	6	144	1.53	46	0.135	<20	2.38	0.009	0.11	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L29+00N 52+75E	Soil	5	126	1.13	35	0.125	<20	2.02	0.009	0.09	<0.1	0.01	2.2	<0.1	<0.05	7	<0.5
L29+00N 53+00E	Soil	5	136	1.12	43	0.120	<20	2.02	0.008	0.07	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L29+00N 53+25E	Soil	6	176	1.38	33	0.171	<20	2.89	0.010	0.11	0.1	0.03	5.2	<0.1	<0.05	10	<0.5
L29+00N 53+50E	Soil	6	111	0.80	85	0.146	<20	2.19	0.008	0.12	<0.1	0.03	3.8	<0.1	<0.05	10	0.6
L29+00N 53+75E	Soil	6	159	1.04	77	0.144	<20	2.43	0.010	0.10	<0.1	0.02	3.3	<0.1	<0.05	9	<0.5
L29+00N 54+00E	Soil	4	208	1.20	80	0.142	<20	1.89	0.010	0.09	<0.1	0.04	2.8	<0.1	<0.05	7	0.5
L29+00N 54+25E	Soil	4	179	1.13	65	0.141	<20	1.77	0.010	0.09	<0.1	0.03	2.6	<0.1	<0.05	8	<0.5
L29+00N 54+50E	Soil	9	147	1.18	48	0.115	<20	1.85	0.014	0.07	<0.1	0.08	5.1	0.1	<0.05	6	1.0
L29+00N 54+75E	Soil	15	160	0.65	65	0.048	<20	1.59	0.016	0.05	<0.1	0.45	6.2	0.6	0.05	7	2.4
L29+00N 55+00E	Soil	6	93	0.58	44	0.081	<20	1.33	0.010	0.05	0.1	0.07	2.5	<0.1	<0.05	5	1.1
L29+00N 55+25E	Soil	4	66	0.77	34	0.087	<20	1.60	0.006	0.06	<0.1	0.04	2.3	<0.1	<0.05	5	<0.5
L29+00N 55+50E	Soil	3	61	0.61	54	0.089	<20	1.44	0.006	0.05	0.1	0.02	2.2	<0.1	<0.05	6	<0.5
L29+00N 55+75E	Soil	3	47	0.36	47	0.086	<20	1.05	0.006	0.04	0.1	0.03	1.6	<0.1	<0.05	5	<0.5
L29+00N 56+00E	Soil	4	73	0.89	96	0.101	<20	1.97	0.006	0.06	0.1	0.04	2.6	<0.1	<0.05	7	<0.5
L29+00N 56+25E	Soil	9	58	0.75	47	0.068	<20	2.08	0.006	0.10	0.1	0.03	2.2	<0.1	<0.05	6	<0.5

CERTIFICATE OF ANALYSIS

VAN07003060.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L29+00N 56+50E	Soil			0.6	24.1	6.5	103	0.1	33.2	11.9	231	3.05	2.9	0.4	<0.5	3.1	28	0.2	0.1	0.2	54	0.31	0.103
L29+00N 56+75E	Soil			0.6	78.9	7.0	102	0.2	37.4	12.0	724	3.26	1.6	0.4	<0.5	4.0	38	0.5	0.2	0.2	71	0.53	0.020
L29+00N 57+00E	Soil			0.5	40.8	4.9	63	<0.1	38.2	13.2	214	3.09	2.6	0.4	<0.5	3.5	20	<0.1	0.1	0.1	57	0.22	0.068
L28+00N 41+00E	Soil			0.5	77.9	5.9	103	<0.1	63.1	21.6	491	3.65	2.5	0.3	<0.5	1.5	54	0.2	<0.1	0.2	87	0.55	0.269
L28+00N 41+25E	Soil			0.5	38.7	4.9	70	<0.1	52.6	17.1	469	3.18	1.4	0.2	<0.5	1.2	46	0.1	<0.1	<0.1	85	0.45	0.071
L28+00N 41+50E	Soil			0.9	51.8	5.8	86	<0.1	61.5	18.6	1183	3.37	1.7	0.2	<0.5	1.0	51	0.1	<0.1	<0.1	95	0.53	0.096
L28+00N 41+75E	Soil			0.4	48.1	4.3	72	<0.1	38.2	14.9	453	3.08	2.2	0.3	<0.5	1.2	52	0.1	<0.1	0.1	83	0.53	0.150
L28+00N 42+00E	Soil			0.3	28.7	5.7	93	<0.1	39.1	13.4	445	3.09	1.5	0.3	<0.5	1.7	44	<0.1	<0.1	0.1	72	0.43	0.118
L28+00N 42+25E	Soil			0.3	31.8	5.7	84	<0.1	49.2	14.9	282	3.40	2.0	0.3	<0.5	1.3	32	<0.1	<0.1	0.1	82	0.38	0.158
L28+00N 42+50E	Soil			0.3	53.0	5.2	104	<0.1	55.9	19.6	343	3.83	2.6	0.3	<0.5	1.4	28	0.2	<0.1	<0.1	105	0.40	0.257
L28+00N 42+75E	Soil			0.4	53.4	5.6	87	<0.1	69.1	19.7	406	3.97	3.1	0.3	<0.5	1.4	31	0.2	<0.1	0.1	95	0.40	0.281
L28+00N 43+00E	Soil			0.4	30.1	6.1	179	0.1	45.1	16.6	685	3.40	1.9	0.3	11.8	1.6	25	0.2	<0.1	0.1	82	0.42	0.273
L28+00N 43+25E	Soil			0.9	64.1	12.7	111	0.1	80.7	22.9	445	3.97	4.4	0.3	<0.5	1.4	26	0.2	0.2	<0.1	101	0.35	0.256
L28+00N 43+50E	Soil			0.6	31.8	4.9	137	0.3	50.0	18.9	734	2.85	2.9	0.3	<0.5	1.1	25	0.2	<0.1	0.1	69	0.34	0.171
L28+00N 43+75E	Soil			0.9	62.3	5.4	105	0.2	76.0	19.6	379	3.76	2.9	0.3	<0.5	1.1	27	0.2	<0.1	<0.1	100	0.33	0.184
L28+00N 44+00E	Soil			0.5	42.3	5.2	183	0.1	83.8	18.4	324	3.83	2.8	0.3	<0.5	1.2	55	0.3	<0.1	0.1	85	0.52	0.351
L28+00N 44+25E	Soil			0.7	53.4	6.6	188	<0.1	83.3	23.7	391	4.66	3.6	0.7	2.0	1.5	45	0.4	0.1	0.1	134	0.46	0.262
L28+00N 44+50E	Soil			0.5	121.0	5.6	95	<0.1	89.4	25.2	489	4.23	2.2	0.4	<0.5	0.8	39	0.2	<0.1	<0.1	121	0.52	0.104
L28+00N 44+75E	Soil			0.5	69.1	6.3	114	<0.1	61.0	19.1	537	3.51	1.8	0.2	<0.5	0.9	25	<0.1	<0.1	<0.1	96	0.44	0.169
L28+00N 45+00E	Soil			0.4	83.9	6.7	76	<0.1	75.2	20.6	569	3.91	1.9	0.3	<0.5	1.2	46	<0.1	<0.1	<0.1	101	0.63	0.132
L28+00N 45+25E	Soil			0.2	51.2	5.2	98	<0.1	65.5	19.2	805	3.56	1.0	0.2	<0.5	0.8	30	<0.1	<0.1	<0.1	96	0.52	0.075
L28+00N 45+50E	Soil			0.5	88.9	6.5	96	<0.1	73.8	24.2	955	4.38	2.3	0.3	<0.5	0.9	49	0.1	<0.1	<0.1	114	0.67	0.213
L28+00N 45+75E	Soil			0.7	35.7	5.7	98	<0.1	66.5	16.4	781	2.81	0.9	0.3	<0.5	1.0	20	<0.1	<0.1	0.1	100	0.42	0.056
L28+00N 46+00E	Soil			0.3	49.3	3.5	64	<0.1	145.8	27.4	369	3.82	1.1	0.2	<0.5	0.7	40	<0.1	<0.1	<0.1	94	0.76	0.094
L28+00N 46+25E	Soil			0.3	46.9	5.1	107	<0.1	87.5	19.0	628	3.33	1.0	0.2	<0.5	0.9	32	0.1	<0.1	<0.1	84	0.51	0.109
L28+00N 46+50E	Soil			0.5	45.6	9.0	113	0.1	37.5	15.6	962	3.16	2.1	0.2	<0.5	0.9	23	<0.1	<0.1	0.1	86	0.37	0.218
L28+00N 46+75E	Soil			0.7	104.5	7.0	136	<0.1	45.0	27.0	778	5.19	2.4	0.3	<0.5	0.9	30	0.1	<0.1	<0.1	166	0.41	0.194
L28+00N 47+00E	Soil			0.9	42.8	4.1	106	0.1	120.0	22.3	399	4.08	2.4	0.3	0.8	1.4	35	<0.1	<0.1	<0.1	103	0.62	0.144
L28+00N 47+25E	Soil			0.3	29.7	3.7	86	0.1	140.0	25.7	391	4.08	1.7	0.2	<0.5	1.0	35	0.1	<0.1	<0.1	107	1.06	0.130
L28+00N 47+50E	Soil			0.7	48.7	4.8	88	<0.1	108.1	23.8	661	3.92	1.6	0.3	<0.5	1.2	33	0.1	<0.1	<0.1	109	0.72	0.113



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 4 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L29+00N 56+50E	Soil	8	51	0.55	48	0.052	<20	1.75	0.005	0.09	0.1	0.03	2.2	<0.1	<0.05	6	<0.5
L29+00N 56+75E	Soil	13	60	0.69	53	0.084	<20	1.75	0.010	0.07	<0.1	0.03	4.4	0.1	<0.05	5	<0.5
L29+00N 57+00E	Soil	10	60	0.73	36	0.074	<20	1.73	0.007	0.07	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L28+00N 41+00E	Soil	4	62	1.00	58	0.119	<20	2.98	0.009	0.10	0.1	0.05	3.2	<0.1	<0.05	8	<0.5
L28+00N 41+25E	Soil	4	70	0.86	51	0.120	<20	2.76	0.008	0.08	<0.1	0.02	2.1	<0.1	<0.05	8	<0.5
L28+00N 41+50E	Soil	4	67	0.95	65	0.121	<20	2.66	0.009	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5
L28+00N 41+75E	Soil	4	50	0.79	83	0.145	<20	2.90	0.010	0.09	<0.1	0.05	2.5	<0.1	<0.05	8	<0.5
L28+00N 42+00E	Soil	6	57	0.77	64	0.128	<20	2.51	0.008	0.11	<0.1	0.01	2.3	<0.1	<0.05	8	<0.5
L28+00N 42+25E	Soil	4	70	0.79	62	0.145	<20	2.86	0.009	0.06	0.1	0.03	2.4	<0.1	<0.05	9	<0.5
L28+00N 42+50E	Soil	3	70	0.95	66	0.157	<20	3.06	0.007	0.06	0.1	0.05	3.4	<0.1	<0.05	8	<0.5
L28+00N 42+75E	Soil	4	88	1.06	74	0.135	<20	3.23	0.009	0.09	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5
L28+00N 43+00E	Soil	5	72	0.88	87	0.152	<20	2.44	0.010	0.08	<0.1	0.02	3.3	<0.1	<0.05	9	<0.5
L28+00N 43+25E	Soil	3	79	1.05	59	0.106	<20	2.72	0.009	0.09	0.1	0.03	4.0	<0.1	<0.05	7	<0.5
L28+00N 43+50E	Soil	4	74	0.64	62	0.095	<20	2.15	0.007	0.08	<0.1	0.04	2.6	<0.1	<0.05	7	<0.5
L28+00N 43+75E	Soil	3	83	1.04	83	0.106	<20	2.59	0.009	0.08	0.1	0.05	3.4	<0.1	<0.05	8	<0.5
L28+00N 44+00E	Soil	3	82	1.05	74	0.110	<20	2.90	0.009	0.09	<0.1	0.03	3.0	<0.1	<0.05	8	<0.5
L28+00N 44+25E	Soil	4	87	1.07	62	0.118	<20	3.11	0.010	0.07	0.1	0.03	3.8	<0.1	<0.05	8	<0.5
L28+00N 44+50E	Soil	2	92	1.55	36	0.126	<20	3.70	0.015	0.10	0.2	0.03	3.5	<0.1	<0.05	7	<0.5
L28+00N 44+75E	Soil	3	89	1.03	46	0.134	<20	2.55	0.011	0.07	<0.1	0.03	2.5	<0.1	<0.05	7	<0.5
L28+00N 45+00E	Soil	4	107	1.14	50	0.135	<20	3.30	0.012	0.08	<0.1	0.02	3.1	<0.1	<0.05	8	<0.5
L28+00N 45+25E	Soil	3	118	1.06	56	0.137	<20	2.71	0.010	0.06	<0.1	<0.01	2.6	<0.1	<0.05	7	<0.5
L28+00N 45+50E	Soil	3	93	1.27	84	0.144	<20	3.63	0.012	0.13	<0.1	0.04	3.8	<0.1	<0.05	9	<0.5
L28+00N 45+75E	Soil	3	118	0.87	46	0.130	<20	1.81	0.010	0.06	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L28+00N 46+00E	Soil	2	158	2.05	44	0.125	<20	2.53	0.012	0.07	<0.1	<0.01	2.8	<0.1	<0.05	7	<0.5
L28+00N 46+25E	Soil	3	124	1.23	53	0.133	<20	2.33	0.014	0.08	<0.1	0.02	2.2	<0.1	<0.05	8	<0.5
L28+00N 46+50E	Soil	3	59	0.64	51	0.121	<20	1.66	0.012	0.08	<0.1	0.03	2.1	<0.1	<0.05	7	<0.5
L28+00N 46+75E	Soil	2	59	1.00	48	0.159	<20	3.33	0.010	0.07	0.1	0.04	3.3	<0.1	<0.05	9	<0.5
L28+00N 47+00E	Soil	5	167	1.83	52	0.138	<20	2.27	0.011	0.09	0.1	0.03	3.3	<0.1	<0.05	7	<0.5
L28+00N 47+25E	Soil	3	205	2.00	39	0.148	<20	2.17	0.011	0.09	<0.1	0.02	3.9	<0.1	<0.05	7	<0.5
L28+00N 47+50E	Soil	4	162	1.54	43	0.143	<20	2.09	0.012	0.07	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** January 10, 2008

**Page:** 5 of 8 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L28+00N 47+75E	Soil	0.3	98.7	4.7	96	<0.1	98.6	25.9	511	4.20	1.5	0.2	<0.5	0.7	37	<0.1	<0.1	<0.1	116	0.64	0.216
L28+00N 48+00E	Soil	0.4	33.4	5.4	55	<0.1	78.0	21.7	756	3.52	1.7	0.3	1.5	0.7	61	0.2	<0.1	<0.1	135	1.07	0.025
L28+00N 48+25E	Soil	3.7	39.4	7.2	99	<0.1	79.4	24.1	413	4.78	4.5	0.3	1.1	0.9	35	0.1	0.1	<0.1	127	0.51	0.183
L28+00N 48+50E	Soil	0.5	56.8	5.7	72	<0.1	83.4	22.7	366	3.93	1.8	0.2	0.9	0.8	47	0.2	<0.1	<0.1	111	0.74	0.215
L28+00N 48+75E	Soil	0.9	31.5	4.5	65	<0.1	37.1	15.9	493	3.05	2.5	0.4	1.2	2.1	25	0.2	0.2	<0.1	87	0.35	0.039
L28+00N 49+00E	Soil	0.6	35.1	4.0	53	<0.1	47.7	17.5	369	3.40	2.2	0.4	1.4	1.6	27	0.1	0.1	<0.1	99	0.43	0.084
L28+00N 49+25E	Soil	0.9	35.4	4.9	72	<0.1	40.9	17.4	751	3.02	1.9	0.3	1.3	1.3	32	0.3	0.2	<0.1	88	0.48	0.077
L28+00N 49+50E	Soil	1.6	121.2	9.8	58	0.3	81.6	23.8	2393	4.84	4.2	0.8	1.9	1.7	63	0.3	0.4	0.2	108	1.40	0.085
L28+00N 49+75E	Soil	0.6	30.7	5.7	48	<0.1	57.4	15.2	294	2.89	1.1	0.2	1.2	0.5	24	0.1	<0.1	<0.1	85	0.41	0.046
L28+00N 50+00E	Soil	0.8	39.4	4.6	78	<0.1	76.8	21.2	331	3.79	3.3	0.3	0.9	1.0	27	0.2	0.1	<0.1	103	0.49	0.165
L28+00N 50+75E	Soil	0.4	83.2	3.5	55	<0.1	71.9	21.8	326	3.76	2.3	0.3	0.6	0.8	28	<0.1	<0.1	<0.1	109	0.48	0.114
L28+00N 51+00E	Soil	0.3	85.0	4.3	69	<0.1	101.6	27.5	377	3.98	2.0	0.3	<0.5	0.8	34	0.1	<0.1	<0.1	105	0.57	0.110
L28+00N 51+25E	Soil	0.2	78.3	4.0	44	<0.1	93.8	25.8	348	4.03	1.2	0.3	<0.5	0.6	44	<0.1	<0.1	<0.1	111	0.68	0.053
L28+00N 51+50E	Soil	0.4	55.3	5.5	97	<0.1	91.0	24.1	437	3.66	1.9	0.3	0.8	0.9	30	<0.1	<0.1	<0.1	84	0.50	0.186
L28+00N 51+75E	Soil	0.3	47.9	4.5	85	<0.1	75.3	20.9	391	3.55	1.7	0.3	0.8	1.0	28	0.2	<0.1	<0.1	85	0.41	0.209
L28+00N 52+00E	Soil	0.3	39.9	4.4	102	<0.1	75.3	21.8	412	3.29	1.7	0.2	1.0	0.7	25	<0.1	<0.1	<0.1	89	0.47	0.125
L28+00N 52+25E	Soil	0.5	46.7	3.7	92	<0.1	68.4	21.2	483	3.71	1.9	0.3	0.7	1.0	22	<0.1	<0.1	<0.1	104	0.41	0.088
L28+00N 52+50E	Soil	0.4	38.8	4.6	62	<0.1	75.8	21.0	318	3.76	1.6	0.2	0.8	0.6	19	<0.1	<0.1	<0.1	118	0.44	0.112
L28+00N 52+75E	Soil	0.4	43.3	4.8	95	0.1	90.5	23.7	519	3.96	2.5	0.2	1.4	1.1	32	0.2	<0.1	<0.1	101	0.53	0.216
L28+00N 53+00E	Soil	0.7	43.0	4.1	93	0.1	89.2	19.6	335	3.68	1.6	0.3	<0.5	1.2	26	0.2	<0.1	<0.1	104	0.50	0.142
L28+00N 53+25E	Soil	0.4	29.9	3.1	117	<0.1	53.0	14.2	403	2.71	0.9	0.2	<0.5	0.6	23	0.1	<0.1	<0.1	80	0.41	0.073
L28+00N 53+50E	Soil	0.8	56.7	5.7	113	0.1	81.6	23.3	343	4.39	2.8	0.4	<0.5	1.5	35	0.2	<0.1	<0.1	111	0.55	0.268
L28+00N 53+75E	Soil	0.3	38.5	3.1	97	<0.1	68.0	17.3	359	3.33	1.3	0.2	<0.5	0.7	33	0.1	<0.1	<0.1	93	0.48	0.102
L28+00N 54+00E	Soil	0.4	52.0	3.7	73	<0.1	59.9	17.4	281	3.54	2.5	0.3	0.7	1.6	27	<0.1	<0.1	<0.1	104	0.39	0.104
L28+00N 54+25E	Soil	0.3	53.0	4.7	91	<0.1	78.9	20.1	392	3.18	1.1	0.2	<0.5	1.0	45	<0.1	<0.1	<0.1	77	0.53	0.145
L28+00N 54+50E	Soil	0.6	59.1	5.0	129	0.1	72.7	21.8	358	4.49	3.3	0.3	1.5	1.5	31	0.2	<0.1	<0.1	120	0.36	0.210
L28+00N 54+75E	Soil	0.4	68.2	3.4	116	<0.1	112.8	25.6	654	4.60	4.1	0.2	<0.5	0.9	49	0.3	0.1	<0.1	128	0.50	0.258
L28+00N 55+00E	Soil	0.5	62.6	3.7	114	<0.1	108.3	25.6	771	4.41	4.0	0.2	0.9	0.9	49	0.3	0.2	<0.1	122	0.48	0.255
L28+00N 55+25E	Soil	2.5	118.8	5.0	79	<0.1	79.2	23.8	449	5.37	4.6	0.5	1.3	1.4	41	0.1	0.1	<0.1	178	0.49	0.133
L28+00N 55+50E	Soil	1.0	92.9	4.3	91	<0.1	99.9	24.8	463	5.11	4.3	0.3	2.4	1.3	33	0.1	0.2	<0.1	163	0.37	0.141



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 5 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L28+00N 47+75E	Soil	2	137	1.61	62	0.146	<20	2.50	0.013	0.05	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L28+00N 48+00E	Soil	2	158	1.61	35	0.112	<20	1.89	0.021	0.04	<0.1	0.04	3.3	<0.1	<0.05	4	0.7
L28+00N 48+25E	Soil	2	141	1.14	69	0.129	<20	1.99	0.010	0.06	<0.1	0.04	2.8	<0.1	<0.05	8	<0.5
L28+00N 48+50E	Soil	2	134	1.34	42	0.113	<20	2.10	0.010	0.04	0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L28+00N 48+75E	Soil	6	77	0.71	48	0.119	<20	1.74	0.009	0.05	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5
L28+00N 49+00E	Soil	4	100	0.81	42	0.108	<20	1.66	0.009	0.04	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5
L28+00N 49+25E	Soil	4	88	0.70	60	0.119	<20	1.40	0.009	0.06	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5
L28+00N 49+50E	Soil	7	145	1.25	69	0.101	<20	2.63	0.017	0.06	0.2	0.05	10.9	<0.1	<0.05	7	1.1
L28+00N 49+75E	Soil	2	148	0.92	34	0.107	<20	1.14	0.009	0.04	<0.1	0.02	2.0	<0.1	<0.05	6	<0.5
L28+00N 50+00E	Soil	2	102	1.19	46	0.119	<20	2.44	0.007	0.08	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L28+00N 50+75E	Soil	2	132	1.16	27	0.131	<20	2.47	0.011	0.08	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5
L28+00N 51+00E	Soil	2	130	1.80	43	0.127	<20	3.36	0.013	0.11	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5
L28+00N 51+25E	Soil	2	129	1.75	60	0.139	<20	3.16	0.021	0.06	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5
L28+00N 51+50E	Soil	2	124	1.48	64	0.123	<20	2.81	0.013	0.08	<0.1	0.03	2.4	<0.1	<0.05	8	<0.5
L28+00N 51+75E	Soil	2	119	1.32	50	0.120	<20	2.50	0.010	0.10	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L28+00N 52+00E	Soil	2	116	1.32	40	0.136	<20	2.34	0.009	0.06	<0.1	0.02	2.1	<0.1	<0.05	7	<0.5
L28+00N 52+25E	Soil	3	115	1.17	45	0.138	<20	2.07	0.009	0.04	<0.1	0.03	2.0	<0.1	<0.05	7	<0.5
L28+00N 52+50E	Soil	2	119	1.28	30	0.137	<20	2.08	0.010	0.05	<0.1	0.02	1.6	<0.1	<0.05	7	<0.5
L28+00N 52+75E	Soil	3	132	1.36	60	0.132	<20	2.43	0.011	0.09	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5
L28+00N 53+00E	Soil	3	129	1.38	31	0.135	<20	2.25	0.010	0.09	<0.1	0.02	2.8	<0.1	<0.05	7	<0.5
L28+00N 53+25E	Soil	2	128	0.85	32	0.142	<20	1.46	0.010	0.06	<0.1	0.02	1.9	<0.1	<0.05	6	<0.5
L28+00N 53+50E	Soil	4	130	1.31	44	0.132	<20	2.55	0.009	0.12	0.1	0.02	3.0	<0.1	<0.05	8	<0.5
L28+00N 53+75E	Soil	2	129	1.11	34	0.134	<20	1.58	0.010	0.05	<0.1	0.02	1.8	<0.1	<0.05	6	<0.5
L28+00N 54+00E	Soil	5	92	0.98	35	0.115	<20	1.83	0.008	0.06	0.1	0.01	2.1	<0.1	<0.05	6	<0.5
L28+00N 54+25E	Soil	3	113	1.24	42	0.119	<20	2.07	0.011	0.09	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5
L28+00N 54+50E	Soil	3	105	1.21	50	0.112	<20	2.21	0.008	0.08	0.1	0.02	3.0	<0.1	<0.05	8	<0.5
L28+00N 54+75E	Soil	2	229	1.74	69	0.097	<20	2.33	0.008	0.06	<0.1	0.02	4.8	<0.1	<0.05	7	<0.5
L28+00N 55+00E	Soil	2	220	1.63	66	0.093	<20	2.18	0.007	0.06	<0.1	0.03	4.5	<0.1	<0.05	7	<0.5
L28+00N 55+25E	Soil	3	136	1.54	46	0.109	<20	2.53	0.010	0.06	<0.1	0.03	4.8	0.1	<0.05	9	<0.5
L28+00N 55+50E	Soil	4	180	1.58	55	0.136	<20	2.17	0.009	0.07	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L28+00N 55+75E	Soil			0.2	78.7	3.0	78	<0.1	130.9	37.2	492	5.06	1.4	0.2	<0.5	0.7	62	<0.1	<0.1	<0.1	138	0.65	0.119
L28+00N 56+00E	Soil			0.8	48.0	4.3	120	0.1	62.1	20.9	581	3.89	2.0	0.3	0.8	1.0	26	0.3	<0.1	<0.1	106	0.41	0.132
L28+00N 56+25E	Soil			0.3	65.6	3.4	101	<0.1	128.4	28.1	435	4.41	1.3	0.1	1.0	0.5	26	<0.1	<0.1	<0.1	128	0.39	0.159
L28+00N 56+50E	Soil			0.2	32.6	2.3	65	<0.1	141.3	30.6	367	4.28	0.6	<0.1	<0.5	0.2	27	<0.1	<0.1	<0.1	120	0.50	0.071
L28+00N 56+75E	Soil			0.5	29.8	4.2	109	<0.1	49.0	20.7	598	4.09	1.6	0.2	<0.5	1.0	28	0.2	<0.1	<0.1	117	0.48	0.078
L28+00N 57+00E	Soil			1.0	73.7	5.5	115	0.2	62.1	25.7	890	4.51	2.2	0.4	<0.5	1.0	42	0.4	<0.1	<0.1	131	0.42	0.131
L27+00N 37+75E	Soil			0.5	24.3	3.8	43	<0.1	25.2	9.8	338	1.91	5.1	0.6	1.1	2.1	37	0.2	0.2	<0.1	46	0.47	0.078
L27+00N 38+00E	Soil			0.8	31.7	5.6	51	0.1	31.2	12.1	430	2.14	6.5	0.8	2.0	3.1	45	0.3	0.3	0.1	54	0.64	0.072
L27+00N 38+25E	Soil			0.4	19.8	3.1	37	<0.1	24.2	9.4	308	1.67	3.9	0.5	0.7	2.0	30	0.1	0.2	<0.1	49	0.44	0.059
L27+00N 38+50E	Soil			0.6	29.8	5.2	50	<0.1	30.2	12.0	407	2.07	5.1	0.7	1.3	3.0	39	0.3	0.2	<0.1	52	0.52	0.066
L27+00N 38+75E	Soil			0.6	25.4	4.4	45	<0.1	28.1	10.3	292	1.88	4.5	0.6	1.5	2.6	35	0.2	0.2	<0.1	50	0.49	0.071
L27+00N 39+00E	Soil			1.0	35.5	6.0	57	0.1	34.6	13.7	461	2.35	5.9	0.8	1.6	3.3	41	0.3	0.3	0.1	57	0.55	0.071
L27+00N 39+25E	Soil			0.6	25.6	4.6	45	<0.1	28.4	11.3	303	1.87	4.5	0.6	1.2	2.7	38	0.2	0.2	<0.1	53	0.52	0.070
L27+00N 39+50E	Soil			0.8	32.0	6.3	41	<0.1	31.2	13.8	425	2.49	8.8	0.8	1.5	2.9	59	0.2	0.2	<0.1	68	0.64	0.077
L27+00N 39+75E	Soil			1.5	37.2	8.1	61	<0.1	43.0	16.3	441	2.92	5.2	0.6	2.6	5.5	42	0.2	0.4	0.2	62	0.48	0.032
L27+00N 40+00E	Soil			1.1	23.7	7.5	94	0.2	42.9	14.2	278	3.28	3.1	0.6	1.4	3.9	33	0.3	0.2	0.2	62	0.39	0.163
L27+00N 40+25E	Soil			0.7	14.8	7.1	213	0.2	28.5	13.3	796	2.49	1.3	0.4	<0.5	3.0	17	0.6	0.1	0.1	54	0.24	0.163
L27+00N 40+50E	Soil			1.3	32.1	7.9	78	0.2	46.2	16.0	383	3.22	4.4	0.7	1.5	5.4	19	0.2	0.2	0.2	69	0.23	0.057
L27+00N 40+75E	Soil			0.5	19.2	7.6	97	0.2	33.6	10.8	225	3.10	2.8	0.5	0.8	3.7	22	0.2	0.1	0.1	59	0.26	0.214
L27+00N 41+00E	Soil			0.5	34.0	7.1	56	0.1	42.1	13.9	330	2.91	3.8	0.5	1.2	3.9	36	0.1	0.2	0.1	66	0.35	0.067
L27+00N 42+25E	Soil			1.0	35.2	8.6	252	0.2	48.9	24.3	1349	3.92	3.3	0.5	0.6	1.8	42	1.2	0.2	0.1	90	0.48	0.240
L27+00N 42+50E	Soil			0.9	196.7	8.1	80	0.3	51.1	18.3	870	3.38	7.2	1.6	2.5	1.4	119	0.6	0.2	0.2	107	1.30	0.059
L27+00N 42+75E	Soil			1.2	19.5	6.3	100	<0.1	36.9	13.4	308	2.93	3.0	0.3	0.7	1.7	44	0.4	0.1	<0.1	85	0.51	0.032
L27+00N 43+00E	Soil			0.8	91.0	6.4	85	0.2	44.5	15.0	794	3.24	4.9	0.9	1.3	1.2	81	0.3	0.2	0.1	101	1.08	0.034
L27+00N 43+25E	Soil			0.6	60.4	5.7	66	0.1	44.9	15.4	581	2.66	5.4	0.6	1.2	2.2	55	0.2	0.2	0.1	88	0.68	0.035
L27+00N 43+50E	Soil			0.5	25.7	5.4	45	<0.1	33.1	11.1	234	2.64	3.7	0.5	1.2	2.4	43	<0.1	0.1	<0.1	79	0.53	0.018
L27+00N 43+75E	Soil			1.1	43.4	8.1	81	0.1	49.1	18.2	390	4.08	3.5	0.4	0.7	1.8	46	0.3	0.1	0.1	130	0.62	0.031
L27+00N 44+00E	Soil			0.7	56.7	7.2	89	0.2	48.5	19.2	514	3.73	5.1	0.7	1.7	1.6	76	0.4	0.2	0.1	113	0.95	0.032
L27+00N 44+25E	Soil			0.7	70.5	8.6	88	0.1	44.8	17.8	464	3.65	4.4	0.6	0.7	1.5	71	0.3	0.1	0.1	129	0.69	0.074
L27+00N 44+50E	Soil			0.7	37.6	7.1	129	0.1	34.1	13.2	366	3.39	4.1	0.4	0.7	1.8	39	0.3	0.1	0.1	86	0.44	0.292





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 6 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L28+00N 55+75E	Soil	2	140	2.15	44	0.153	<20	2.60	0.009	0.10	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L28+00N 56+00E	Soil	3	103	0.88	89	0.135	<20	1.78	0.009	0.08	<0.1	0.03	2.4	<0.1	<0.05	7	<0.5
L28+00N 56+25E	Soil	1	127	1.86	117	0.140	<20	2.07	0.008	0.05	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5
L28+00N 56+50E	Soil	<1	157	2.25	58	0.144	<20	1.70	0.007	0.07	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5
L28+00N 56+75E	Soil	3	88	0.81	62	0.143	<20	1.40	0.007	0.07	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L28+00N 57+00E	Soil	4	172	0.98	50	0.121	<20	2.03	0.009	0.05	0.1	0.03	2.5	<0.1	<0.05	8	<0.5
L27+00N 37+75E	Soil	9	37	0.50	85	0.059	<20	0.83	0.020	0.07	<0.1	0.02	2.2	<0.1	<0.05	3	<0.5
L27+00N 38+00E	Soil	13	41	0.58	108	0.072	<20	0.99	0.027	0.06	<0.1	0.04	3.1	<0.1	<0.05	3	0.6
L27+00N 38+25E	Soil	8	37	0.48	74	0.068	<20	0.76	0.017	0.04	<0.1	0.02	2.2	<0.1	<0.05	3	<0.5
L27+00N 38+50E	Soil	12	41	0.56	99	0.072	<20	0.97	0.027	0.05	<0.1	0.03	2.8	0.1	<0.05	3	0.6
L27+00N 38+75E	Soil	11	37	0.54	74	0.069	<20	0.91	0.023	0.05	<0.1	0.02	2.6	<0.1	<0.05	3	<0.5
L27+00N 39+00E	Soil	13	46	0.63	105	0.077	<20	1.11	0.027	0.07	<0.1	0.04	3.2	0.1	<0.05	4	<0.5
L27+00N 39+25E	Soil	10	39	0.54	79	0.070	<20	0.88	0.024	0.06	<0.1	0.03	2.6	<0.1	<0.05	3	0.7
L27+00N 39+50E	Soil	12	55	0.60	103	0.071	<20	1.07	0.035	0.06	<0.1	0.04	3.6	<0.1	<0.05	3	0.9
L27+00N 39+75E	Soil	14	60	0.83	76	0.107	<20	1.56	0.013	0.16	<0.1	0.03	3.6	0.2	<0.05	5	<0.5
L27+00N 40+00E	Soil	10	59	0.78	84	0.086	<20	1.88	0.006	0.14	<0.1	0.02	2.7	0.1	<0.05	6	<0.5
L27+00N 40+25E	Soil	9	51	0.42	83	0.064	<20	1.55	0.006	0.09	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5
L27+00N 40+50E	Soil	14	66	0.90	67	0.112	<20	2.00	0.007	0.19	<0.1	0.02	2.9	0.2	<0.05	6	<0.5
L27+00N 40+75E	Soil	9	55	0.56	72	0.073	<20	1.70	0.005	0.08	0.1	0.02	2.4	<0.1	<0.05	6	<0.5
L27+00N 41+00E	Soil	10	55	0.65	58	0.075	<20	1.81	0.005	0.08	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
L27+00N 42+25E	Soil	6	63	0.70	83	0.102	<20	2.33	0.007	0.08	<0.1	0.03	3.1	<0.1	<0.05	8	<0.5
L27+00N 42+50E	Soil	13	62	0.57	60	0.068	<20	2.13	0.023	0.06	<0.1	0.11	5.4	0.1	<0.05	6	1.6
L27+00N 42+75E	Soil	4	67	0.50	50	0.110	<20	1.67	0.007	0.05	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
L27+00N 43+00E	Soil	5	65	0.77	49	0.060	<20	1.81	0.027	0.05	<0.1	0.05	4.4	0.1	<0.05	5	1.0
L27+00N 43+25E	Soil	8	74	0.64	44	0.083	<20	1.56	0.013	0.05	0.1	0.05	4.0	<0.1	<0.05	4	0.7
L27+00N 43+50E	Soil	7	66	0.64	35	0.091	<20	1.63	0.015	0.05	<0.1	0.02	3.0	<0.1	<0.05	4	<0.5
L27+00N 43+75E	Soil	6	69	0.61	48	0.141	<20	2.49	0.010	0.07	0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L27+00N 44+00E	Soil	5	102	0.76	45	0.118	<20	2.45	0.025	0.06	<0.1	0.05	3.6	<0.1	<0.05	6	1.0
L27+00N 44+25E	Soil	5	70	0.58	64	0.116	<20	2.95	0.019	0.10	<0.1	0.02	3.2	<0.1	<0.05	8	<0.5
L27+00N 44+50E	Soil	4	65	0.54	50	0.103	<20	2.15	0.009	0.10	<0.1	0.03	2.6	<0.1	<0.05	7	<0.5

CERTIFICATE OF ANALYSIS

VAN07003060.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L27+00N 44+75E	Soil			0.6	54.3	5.6	85	<0.1	52.0	18.7	361	3.46	2.9	0.4	<0.5	2.2	37	0.1	0.2	<0.1	93	0.37	0.122
L27+00N 45+00E	Soil			0.4	93.0	8.3	160	<0.1	27.6	18.7	518	3.51	4.1	0.4	<0.5	1.1	43	0.2	<0.1	<0.1	86	0.39	0.257
L27+00N 45+25E	Soil			0.8	42.4	8.8	155	0.1	49.9	19.3	283	4.36	4.2	0.5	0.5	2.4	75	0.3	0.1	0.1	94	0.51	0.243
L27+00N 45+50E	Soil			0.8	170.1	5.6	36	0.1	30.1	13.8	598	2.52	4.1	1.7	2.5	0.6	135	0.2	0.3	<0.1	88	1.38	0.067
L27+00N 45+75E	Soil			0.3	62.4	5.1	61	<0.1	32.6	12.6	461	2.63	2.8	0.4	0.7	1.4	61	0.1	<0.1	<0.1	97	0.60	0.020
L27+00N 46+00E	Soil			0.8	275.3	5.7	36	0.1	32.1	13.9	1353	2.50	4.0	1.2	2.3	0.9	89	0.3	0.2	<0.1	84	1.00	0.041
L27+00N 46+25E	Soil			0.8	69.8	6.2	69	<0.1	41.7	19.6	809	3.16	3.0	0.5	1.3	1.9	78	0.3	0.1	<0.1	93	0.72	0.045
L27+00N 46+50E	Soil			0.5	49.1	5.3	117	<0.1	34.8	16.8	416	2.91	2.7	0.4	0.6	1.3	38	0.2	<0.1	<0.1	79	0.48	0.194
L27+00N 46+75E	Soil			0.7	216.2	8.3	64	0.2	44.7	21.1	1870	3.72	4.2	0.5	2.9	2.7	120	0.5	0.2	0.1	111	1.01	0.033
L27+00N 47+00E	Soil			1.1	85.6	7.4	188	0.2	50.4	24.5	801	3.74	4.2	0.4	0.7	1.2	87	0.4	0.2	0.1	100	0.69	0.222
L27+00N 47+25E	Soil			0.6	26.7	4.5	67	<0.1	32.5	12.0	327	2.61	1.7	0.2	0.5	1.3	38	0.1	<0.1	<0.1	81	0.37	0.038
L27+00N 47+50E	Soil			0.5	30.9	4.8	84	<0.1	33.8	13.1	369	3.11	2.1	0.3	1.3	1.5	33	0.2	<0.1	<0.1	99	0.43	0.101
L27+00N 47+75E	Soil			0.7	43.6	5.4	86	<0.1	37.3	16.3	512	3.34	2.6	0.3	1.1	1.5	33	0.2	0.1	<0.1	105	0.39	0.114
L27+00N 48+00E	Soil			0.5	56.8	4.1	80	<0.1	30.8	14.8	559	3.77	3.5	0.3	1.4	1.0	52	0.3	<0.1	<0.1	101	0.66	0.170
L27+00N 48+25E	Soil			0.4	70.3	3.5	67	<0.1	27.1	13.4	418	3.47	1.7	0.3	7.8	1.1	39	0.2	<0.1	<0.1	113	0.61	0.069
L27+00N 48+50E	Soil			0.5	55.5	4.2	85	<0.1	31.3	14.5	414	3.39	2.9	0.3	<0.5	1.1	36	0.2	<0.1	<0.1	93	0.48	0.132
L27+00N 48+75E	Soil			0.3	79.1	5.6	94	0.1	33.0	18.0	355	3.46	2.6	0.3	1.6	0.7	60	0.2	<0.1	<0.1	83	0.50	0.171
L27+00N 49+00E	Soil			0.5	48.7	4.3	92	<0.1	37.7	13.8	392	3.17	2.3	0.2	2.1	0.9	32	0.2	<0.1	<0.1	80	0.35	0.121
L27+00N 49+25E	Soil			0.6	121.8	4.2	78	<0.1	36.4	17.6	631	3.82	3.0	0.7	1.2	1.6	81	0.1	<0.1	<0.1	114	0.57	0.279
L27+00N 49+50E	Soil			0.4	85.4	4.1	103	<0.1	44.8	16.6	433	2.95	2.9	0.3	0.5	0.8	47	0.1	<0.1	<0.1	67	0.40	0.130
L27+00N 49+75E	Soil			0.6	78.5	4.3	123	<0.1	38.4	16.4	487	3.44	3.2	0.3	<0.5	1.0	53	0.2	<0.1	<0.1	89	0.49	0.188
L27+00N 50+00E	Soil			0.6	44.2	4.6	125	<0.1	54.7	18.5	647	3.68	3.0	0.3	<0.5	1.0	36	0.3	0.1	<0.1	100	0.42	0.163
L27+00N 50+25E	Soil			0.6	60.4	4.5	176	0.1	56.9	18.6	499	3.32	2.7	0.3	<0.5	1.2	47	0.4	<0.1	<0.1	88	0.51	0.177
L27+00N 50+50E	Soil			0.6	56.0	3.8	130	<0.1	80.8	20.3	427	3.50	3.4	0.3	<0.5	1.2	63	0.2	<0.1	<0.1	84	0.59	0.237
L27+00N 50+75E	Soil			0.7	82.6	4.6	174	0.1	80.4	20.8	870	3.70	3.2	0.3	0.5	1.3	69	0.4	<0.1	<0.1	99	0.60	0.215
L27+00N 51+00E	Soil			0.5	85.0	3.9	133	<0.1	79.0	20.0	577	3.52	2.9	0.3	0.6	1.1	41	0.3	<0.1	<0.1	98	0.50	0.191
L27+00N 51+25E	Soil			0.5	60.6	3.8	72	<0.1	52.3	17.6	510	3.44	2.7	0.2	0.9	0.8	36	0.2	<0.1	<0.1	96	0.42	0.102
L27+00N 51+50E	Soil			0.3	73.0	5.4	76	<0.1	29.7	17.8	581	4.02	2.7	0.3	<0.5	0.8	43	<0.1	<0.1	<0.1	94	0.44	0.105
L27+00N 51+75E	Soil			0.3	65.3	3.9	99	<0.1	79.8	17.9	407	3.67	2.4	0.2	0.7	0.8	52	<0.1	<0.1	<0.1	87	0.62	0.124
L27+00N 52+00E	Soil			0.5	59.3	4.9	92	<0.1	34.4	15.6	772	3.41	2.7	0.3	0.9	1.1	71	0.2	<0.1	<0.1	96	0.53	0.192



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 7 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L27+00N 44+75E	Soil	5	69	0.81	53	0.114	<20	2.91	0.008	0.11	0.1	0.03	3.4	<0.1	<0.05	7	<0.5
L27+00N 45+00E	Soil	3	40	0.56	43	0.053	<20	4.23	0.012	0.23	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5
L27+00N 45+25E	Soil	5	63	0.64	66	0.123	<20	3.17	0.007	0.14	<0.1	0.02	3.4	<0.1	<0.05	9	<0.5
L27+00N 45+50E	Soil	8	55	0.59	47	0.061	<20	1.67	0.140	0.06	0.1	0.11	2.6	<0.1	0.07	4	1.6
L27+00N 45+75E	Soil	4	59	0.55	53	0.104	<20	2.17	0.023	0.07	<0.1	0.02	2.8	<0.1	<0.05	4	0.5
L27+00N 46+00E	Soil	8	62	0.50	43	0.075	<20	1.69	0.086	0.05	<0.1	0.11	3.4	0.2	<0.05	5	0.8
L27+00N 46+25E	Soil	7	62	0.67	78	0.120	<20	2.57	0.015	0.11	0.1	0.04	3.7	<0.1	<0.05	6	0.6
L27+00N 46+50E	Soil	4	60	0.56	38	0.099	<20	2.34	0.007	0.10	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5
L27+00N 46+75E	Soil	10	69	0.75	94	0.106	<20	2.63	0.058	0.09	<0.1	0.08	9.0	0.1	<0.05	6	0.8
L27+00N 47+00E	Soil	3	66	0.85	77	0.107	<20	2.65	0.013	0.16	<0.1	0.06	3.3	<0.1	<0.05	8	<0.5
L27+00N 47+25E	Soil	4	51	0.52	46	0.114	<20	1.84	0.006	0.05	<0.1	0.02	1.9	<0.1	<0.05	6	<0.5
L27+00N 47+50E	Soil	3	47	0.52	36	0.130	<20	2.11	0.004	0.05	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5
L27+00N 47+75E	Soil	4	48	0.59	69	0.128	<20	2.39	0.006	0.07	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L27+00N 48+00E	Soil	4	43	0.55	54	0.117	<20	2.70	0.012	0.09	<0.1	0.06	3.4	<0.1	0.07	8	<0.5
L27+00N 48+25E	Soil	4	46	0.74	45	0.144	<20	2.51	0.009	0.06	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5
L27+00N 48+50E	Soil	4	46	0.54	52	0.115	<20	2.78	0.009	0.09	<0.1	0.03	2.9	<0.1	<0.05	7	<0.5
L27+00N 48+75E	Soil	3	50	0.71	88	0.091	<20	3.76	0.013	0.16	<0.1	0.03	3.4	<0.1	<0.05	9	<0.5
L27+00N 49+00E	Soil	4	46	0.56	54	0.103	<20	2.49	0.008	0.08	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L27+00N 49+25E	Soil	6	53	0.95	62	0.120	<20	3.16	0.039	0.08	<0.1	0.05	4.9	<0.1	<0.05	7	<0.5
L27+00N 49+50E	Soil	3	45	0.86	91	0.095	<20	3.32	0.012	0.13	<0.1	0.03	3.1	<0.1	<0.05	7	<0.5
L27+00N 49+75E	Soil	4	44	0.82	66	0.101	<20	3.66	0.013	0.11	0.1	0.05	2.9	<0.1	<0.05	8	<0.5
L27+00N 50+00E	Soil	3	57	0.90	64	0.141	<20	3.06	0.009	0.10	<0.1	0.04	2.6	<0.1	<0.05	8	<0.5
L27+00N 50+25E	Soil	4	54	1.03	68	0.127	<20	3.19	0.012	0.09	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L27+00N 50+50E	Soil	4	80	1.21	64	0.139	<20	3.44	0.012	0.08	<0.1	0.04	3.0	<0.1	<0.05	9	<0.5
L27+00N 50+75E	Soil	4	76	1.17	110	0.146	<20	3.49	0.013	0.10	0.1	0.04	2.9	<0.1	<0.05	9	<0.5
L27+00N 51+00E	Soil	3	80	1.19	60	0.140	<20	3.26	0.011	0.09	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5
L27+00N 51+25E	Soil	3	71	0.97	82	0.127	<20	2.56	0.010	0.09	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
L27+00N 51+50E	Soil	3	62	0.73	86	0.100	<20	3.80	0.009	0.22	0.1	0.02	4.1	<0.1	<0.05	7	<0.5
L27+00N 51+75E	Soil	2	61	1.37	52	0.129	<20	3.45	0.010	0.09	<0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L27+00N 52+00E	Soil	3	45	0.84	71	0.139	<20	3.26	0.010	0.07	<0.1	0.02	2.7	<0.1	<0.05	8	<0.5



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project: Cow Trail  
Report Date: January 10, 2008

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN07003060.1

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L27+00N 52+25E	Soil	0.6	60.7	4.8	111	<0.1	30.9	17.9	1535	3.68	2.0	0.3	<0.5	0.9	129	0.3	<0.1	<0.1	113	0.65	0.226
L27+00N 52+50E	Soil	0.5	30.8	4.8	123	<0.1	24.9	15.4	1322	3.41	2.4	0.3	0.6	1.0	64	0.3	<0.1	<0.1	97	0.58	0.298
L27+00N 52+75E	Soil	0.4	108.7	3.9	61	<0.1	41.5	19.5	498	3.98	2.6	0.4	1.8	1.4	119	0.1	<0.1	<0.1	118	0.64	0.062
L27+00N 53+00E	Soil	0.6	44.5	6.4	147	0.1	37.2	16.2	791	3.30	7.5	0.7	0.8	1.5	62	0.4	0.1	0.1	108	0.64	0.313
L27+00N 53+50E	Soil	1.1	71.8	5.4	85	0.1	23.7	15.4	426	3.50	2.4	0.5	1.5	1.0	34	0.1	<0.1	<0.1	110	0.50	0.163
L27+00N 53+75E	Soil	0.6	56.4	4.5	98	<0.1	42.6	16.8	476	3.43	2.7	0.3	1.4	1.1	35	0.2	<0.1	<0.1	93	0.44	0.168
L27+00N 54+00E	Soil	0.5	52.0	4.5	108	<0.1	38.8	16.4	509	3.32	2.1	0.3	0.7	1.1	30	0.2	<0.1	<0.1	96	0.38	0.138
L27+00N 54+25E	Soil	0.5	45.6	4.0	139	<0.1	42.9	15.1	425	3.12	2.8	0.3	0.6	1.2	33	0.3	0.1	<0.1	85	0.45	0.225
L27+00N 54+50E	Soil	0.3	61.3	4.7	117	<0.1	58.7	18.2	666	3.55	2.6	0.3	0.9	1.0	55	0.2	<0.1	<0.1	103	0.57	0.121
L27+00N 54+75E	Soil	0.5	94.2	4.9	78	<0.1	66.9	18.8	456	3.73	2.6	0.3	<0.5	1.1	52	0.1	<0.1	<0.1	112	0.54	0.162
L27+00N 55+00E	Soil	0.6	88.8	4.7	67	<0.1	42.5	20.7	663	3.70	3.0	0.3	1.1	1.0	57	0.1	<0.1	<0.1	124	0.77	0.130
L27+00N 55+25E	Soil	0.4	98.1	4.0	63	<0.1	39.4	19.8	429	4.24	2.4	0.3	<0.5	0.8	83	0.1	<0.1	<0.1	149	0.66	0.092
L27+00N 55+50E	Soil	0.3	68.5	4.3	94	<0.1	38.7	18.2	548	3.58	1.7	0.3	1.1	0.8	38	0.2	<0.1	<0.1	112	0.59	0.137
L27+00N 55+75E	Soil	0.6	49.6	5.5	122	0.1	35.3	17.2	696	3.71	4.8	0.5	1.3	1.7	38	0.3	0.1	0.1	132	0.45	0.412
L27+00N 56+00E	Soil	0.4	31.1	4.0	79	0.1	24.6	15.3	434	2.86	1.5	0.2	0.7	0.4	22	<0.1	<0.1	<0.1	91	0.36	0.103
L27+00N 56+25E	Soil	0.5	43.3	4.4	90	0.1	35.3	16.3	318	3.39	2.4	0.3	0.9	0.8	24	0.1	<0.1	<0.1	113	0.43	0.166
L27+00N 56+50E	Soil	0.8	47.5	5.3	122	0.1	47.3	15.1	451	4.07	3.4	0.3	1.4	1.2	34	0.2	0.2	<0.1	108	0.51	0.264
L27+00N 56+75E	Soil	0.2	60.2	3.8	84	<0.1	111.6	24.7	411	4.07	2.1	0.2	1.5	0.5	35	0.1	<0.1	<0.1	117	0.67	0.088
L27+00N 57+00E	Soil	0.2	44.0	2.6	46	<0.1	86.2	19.3	303	3.11	1.0	0.2	<0.5	0.5	32	<0.1	<0.1	<0.1	97	0.67	0.063
L27+00N 57+25E	Soil	0.2	35.0	3.0	65	<0.1	92.4	19.1	325	3.08	1.0	0.2	<0.5	0.6	32	<0.1	<0.1	<0.1	86	0.64	0.096
L27+00N 57+50E	Soil	0.4	50.4	4.4	136	0.2	88.9	23.8	431	3.49	1.0	0.2	<0.5	0.7	35	0.1	<0.1	<0.1	85	0.53	0.255
L27+00N 57+75E	Soil	0.4	55.8	3.6	106	<0.1	253.1	41.1	565	4.69	1.3	0.2	0.6	0.5	65	<0.1	<0.1	<0.1	93	0.70	0.219
L27+00N 58+00E	Soil	0.4	85.7	4.7	95	<0.1	118.0	27.3	553	3.64	0.7	0.2	<0.5	0.7	86	0.1	<0.1	<0.1	88	0.81	0.120
L27+00N 58+25E	Soil	0.4	50.6	3.6	80	0.1	95.1	23.0	297	3.47	1.6	0.2	<0.5	0.6	32	<0.1	<0.1	<0.1	88	0.62	0.151
L27+00N 58+50E	Soil	1.6	55.9	3.3	99	<0.1	116.5	25.4	405	3.75	2.8	0.3	<0.5	0.7	40	<0.1	<0.1	<0.1	92	0.56	0.139
L27+00N 58+75E	Soil	0.6	47.5	5.7	232	0.2	132.1	28.9	570	4.28	1.7	0.3	<0.5	1.0	50	0.2	<0.1	<0.1	89	0.67	0.499
L27+00N 59+00E	Soil	0.6	69.1	3.3	89	<0.1	160.1	32.8	603	4.54	1.1	0.2	<0.5	0.4	49	0.1	<0.1	<0.1	138	0.64	0.080
L27+00N 59+50E	Soil	2.0	38.4	3.8	81	<0.1	100.9	22.7	351	3.66	2.6	0.3	<0.5	0.5	37	0.3	<0.1	<0.1	121	0.61	0.037
L27+00N 59+75E	Soil	5.7	132.3	5.2	114	0.2	48.4	15.3	651	4.18	5.3	0.7	2.1	1.6	26	0.3	0.4	<0.1	185	0.60	0.086
L27+00N 60+00E	Soil	0.6	59.9	2.9	58	<0.1	130.6	23.2	359	3.92	2.0	0.3	<0.5	1.0	53	0.2	<0.1	<0.1	116	0.91	0.041



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 8 of 8 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003060.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L27+00N 52+25E	Soil	3	35	0.84	119	0.155	<20	3.37	0.008	0.07	<0.1	0.03	2.8	<0.1	<0.05	8	<0.5
L27+00N 52+50E	Soil	4	40	0.46	89	0.155	<20	2.85	0.008	0.07	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5
L27+00N 52+75E	Soil	6	65	1.00	64	0.180	<20	3.69	0.081	0.04	<0.1	0.03	5.1	<0.1	<0.05	8	<0.5
L27+00N 53+00E	Soil	5	54	0.40	74	0.139	<20	2.78	0.012	0.09	<0.1	0.05	4.1	<0.1	<0.05	8	<0.5
L27+00N 53+50E	Soil	5	33	0.72	41	0.158	<20	4.04	0.020	0.09	0.1	0.07	2.8	<0.1	<0.05	9	<0.5
L27+00N 53+75E	Soil	4	55	0.90	52	0.155	<20	2.76	0.009	0.06	0.1	0.04	2.5	<0.1	<0.05	8	<0.5
L27+00N 54+00E	Soil	4	53	0.82	58	0.161	<20	3.11	0.009	0.07	<0.1	0.03	2.7	<0.1	<0.05	9	<0.5
L27+00N 54+25E	Soil	3	61	0.75	64	0.142	<20	2.70	0.007	0.07	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L27+00N 54+50E	Soil	3	64	1.08	100	0.178	<20	3.73	0.010	0.08	<0.1	0.02	2.9	<0.1	<0.05	9	<0.5
L27+00N 54+75E	Soil	4	69	1.29	64	0.191	<20	4.10	0.015	0.07	<0.1	0.04	2.8	<0.1	<0.05	9	<0.5
L27+00N 55+00E	Soil	4	59	0.96	73	0.190	<20	4.03	0.013	0.07	<0.1	0.03	3.7	<0.1	<0.05	11	<0.5
L27+00N 55+25E	Soil	3	62	1.30	84	0.209	<20	4.78	0.016	0.03	<0.1	0.02	3.6	<0.1	<0.05	12	<0.5
L27+00N 55+50E	Soil	3	60	1.02	51	0.192	<20	3.44	0.009	0.05	<0.1	0.03	3.0	<0.1	<0.05	10	<0.5
L27+00N 55+75E	Soil	5	43	0.55	68	0.128	<20	4.85	0.014	0.05	0.2	0.08	3.6	<0.1	<0.05	9	<0.5
L27+00N 56+00E	Soil	2	60	0.79	41	0.143	<20	1.60	0.006	0.03	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
L27+00N 56+25E	Soil	3	57	0.84	54	0.159	<20	2.55	0.010	0.03	<0.1	0.02	2.6	<0.1	<0.05	9	<0.5
L27+00N 56+50E	Soil	4	62	0.89	53	0.118	<20	2.54	0.007	0.06	0.1	0.04	3.1	<0.1	<0.05	9	<0.5
L27+00N 56+75E	Soil	2	140	1.74	32	0.140	<20	3.13	0.010	0.07	<0.1	0.02	3.1	<0.1	<0.05	8	<0.5
L27+00N 57+00E	Soil	2	140	1.55	46	0.132	<20	2.02	0.010	0.05	<0.1	<0.01	2.4	<0.1	<0.05	5	<0.5
L27+00N 57+25E	Soil	2	141	1.37	62	0.113	<20	1.94	0.010	0.06	<0.1	0.01	2.5	<0.1	<0.05	6	<0.5
L27+00N 57+50E	Soil	2	133	1.48	112	0.110	<20	2.61	0.009	0.08	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
L27+00N 57+75E	Soil	1	121	3.24	61	0.113	<20	3.49	0.009	0.15	<0.1	0.01	3.0	<0.1	<0.05	8	<0.5
L27+00N 58+00E	Soil	2	130	1.66	103	0.097	<20	3.04	0.012	0.11	<0.1	0.02	2.9	<0.1	<0.05	7	<0.5
L27+00N 58+25E	Soil	2	158	1.21	47	0.106	<20	2.56	0.009	0.10	<0.1	0.01	2.9	<0.1	<0.05	7	<0.5
L27+00N 58+50E	Soil	2	141	1.37	61	0.118	<20	2.47	0.010	0.13	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
L27+00N 58+75E	Soil	2	158	1.67	133	0.128	<20	3.03	0.010	0.15	<0.1	0.02	4.4	<0.1	<0.05	9	<0.5
L27+00N 59+00E	Soil	1	187	2.29	60	0.136	<20	2.46	0.009	0.09	<0.1	0.01	2.4	<0.1	<0.05	8	<0.5
L27+00N 59+50E	Soil	2	150	1.50	80	0.135	<20	2.66	0.011	0.03	<0.1	0.02	2.8	<0.1	<0.05	8	<0.5
L27+00N 59+75E	Soil	13	66	1.19	30	0.136	<20	1.83	0.011	0.02	0.2	0.04	7.5	0.4	<0.05	9	0.7
L27+00N 60+00E	Soil	3	139	1.97	66	0.097	<20	2.53	0.009	0.02	<0.1	0.02	3.6	0.4	<0.05	7	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 10, 2008

**Page:** 1 of 2 **Part** 1

## QUALITY CONTROL REPORT

**VAN07003060.1**

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
L29+00N 41+50E	Soil	0.4	37.9	6.3	89	<0.1	27.6	13.6	642	2.97	2.1	0.3	1.0	1.8	57	0.1	<0.1	0.1	86	0.56	0.103
REP L29+00N 41+50E	QC	0.5	38.3	6.6	88	<0.1	29.4	14.2	654	3.01	1.9	0.3	1.1	1.9	57	<0.1	<0.1	0.1	90	0.57	0.107
L29+00N 49+00E	Soil	0.4	47.1	5.6	79	<0.1	64.4	19.6	461	3.76	1.8	0.4	<0.5	2.9	31	0.1	<0.1	<0.1	98	0.41	0.060
REP L29+00N 49+00E	QC	0.5	45.3	5.4	77	<0.1	62.9	18.4	450	3.59	1.7	0.4	1.4	2.7	30	0.2	<0.1	<0.1	94	0.40	0.058
L29+00N 54+75E	Soil	2.1	507.2	7.2	58	0.7	87.1	22.7	3633	2.98	8.6	2.0	5.8	0.5	100	1.3	0.9	0.1	142	1.57	0.090
REP L29+00N 54+75E	QC	2.2	486.3	6.6	53	0.7	83.2	20.8	3453	2.88	8.2	1.7	4.5	0.4	96	1.2	0.9	0.1	137	1.48	0.088
L29+00N 55+25E	Soil	1.3	46.8	3.4	71	<0.1	57.7	14.0	259	2.63	3.2	0.3	<0.5	1.7	21	0.1	0.3	0.1	73	0.30	0.083
REP L29+00N 55+25E	QC	1.3	48.2	3.2	69	<0.1	55.8	13.9	252	2.53	3.1	0.3	2.1	1.5	21	0.2	0.3	0.1	72	0.31	0.080
L28+00N 45+50E	Soil	0.5	88.9	6.5	96	<0.1	73.8	24.2	955	4.38	2.3	0.3	<0.5	0.9	49	0.1	<0.1	<0.1	114	0.67	0.213
REP L28+00N 45+50E	QC	0.6	83.8	6.3	94	<0.1	71.8	24.2	928	4.23	2.4	0.3	<0.5	1.0	47	0.2	<0.1	<0.1	113	0.65	0.208
L28+00N 52+25E	Soil	0.5	46.7	3.7	92	<0.1	68.4	21.2	483	3.71	1.9	0.3	0.7	1.0	22	<0.1	<0.1	<0.1	104	0.41	0.088
REP L28+00N 52+25E	QC	0.5	44.7	3.6	92	<0.1	65.3	20.9	477	3.60	1.8	0.3	0.6	1.0	21	<0.1	<0.1	<0.1	105	0.42	0.084
L28+00N 56+25E	Soil	0.3	65.6	3.4	101	<0.1	128.4	28.1	435	4.41	1.3	0.1	1.0	0.5	26	<0.1	<0.1	<0.1	128	0.39	0.159
REP L28+00N 56+25E	QC	0.3	64.7	3.4	103	<0.1	130.7	28.2	438	4.52	1.2	0.1	0.7	0.5	26	<0.1	<0.1	<0.1	129	0.38	0.154
L27+00N 39+25E	Soil	0.6	25.6	4.6	45	<0.1	28.4	11.3	303	1.87	4.5	0.6	1.2	2.7	38	0.2	0.2	<0.1	53	0.52	0.070
REP L27+00N 39+25E	QC	0.7	27.5	4.7	48	<0.1	28.2	11.7	313	1.97	4.6	0.7	1.4	2.9	38	0.2	0.2	<0.1	54	0.55	0.072
L27+00N 46+75E	Soil	0.7	216.2	8.3	64	0.2	44.7	21.1	1870	3.72	4.2	0.5	2.9	2.7	120	0.5	0.2	0.1	111	1.01	0.033
REP L27+00N 46+75E	QC	0.7	209.9	7.4	60	0.2	43.7	20.3	1860	3.59	3.9	0.5	3.1	2.6	117	0.4	0.2	0.1	108	0.95	0.033
L27+00N 49+25E	Soil	0.6	121.8	4.2	78	<0.1	36.4	17.6	631	3.82	3.0	0.7	1.2	1.6	81	0.1	<0.1	<0.1	114	0.57	0.279
REP L27+00N 49+25E	QC	0.5	112.0	3.9	70	<0.1	34.3	17.3	604	3.63	2.8	0.6	1.7	1.4	75	0.2	<0.1	<0.1	108	0.54	0.253
L27+00N 53+75E	Soil	0.6	56.4	4.5	98	<0.1	42.6	16.8	476	3.43	2.7	0.3	1.4	1.1	35	0.2	<0.1	<0.1	93	0.44	0.168
REP L27+00N 53+75E	QC	0.5	57.2	4.5	100	<0.1	40.5	16.5	489	3.32	2.3	0.3	1.2	1.2	36	0.2	<0.1	<0.1	95	0.44	0.168
L27+00N 57+50E	Soil	0.4	50.4	4.4	136	0.2	88.9	23.8	431	3.49	1.0	0.2	<0.5	0.7	35	0.1	<0.1	<0.1	85	0.53	0.255
REP L27+00N 57+50E	QC	0.4	52.2	4.4	143	0.2	89.6	24.8	429	3.48	1.0	0.2	<0.5	0.7	34	0.2	<0.1	<0.1	86	0.55	0.246
Reference Materials																					
STD DS7	Standard	22.8	100.3	72.1	397	0.8	61.5	9.9	609	2.38	50.3	5.1	55.3	4.3	71	6.4	5.2	4.7	92	0.98	0.077
STD DS7	Standard	23.3	106.8	74.8	395	0.8	64.5	10.9	622	2.43	48.8	5.4	57.1	5.1	65	6.2	4.6	4.5	93	0.96	0.072
STD DS7	Standard	22.8	106.5	70.5	405	0.9	61.2	10.4	636	2.42	48.2	5.0	56.4	4.5	69	6.5	5.1	5.0	96	0.99	0.077



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 10, 2008

Page:

1 of 2

Part 2

## QUALITY CONTROL REPORT

VAN07003060.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
L29+00N 41+50E	Soil	7	39	0.70	58	0.116	<20	2.61	0.015	0.10	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5
REP L29+00N 41+50E	QC	7	40	0.73	58	0.122	<20	2.61	0.016	0.10	<0.1	0.03	3.5	<0.1	<0.05	8	<0.5
L29+00N 49+00E	Soil	8	113	1.04	49	0.106	<20	2.23	0.009	0.07	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5
REP L29+00N 49+00E	QC	8	109	1.01	48	0.103	<20	2.17	0.008	0.07	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
L29+00N 54+75E	Soil	15	160	0.65	65	0.048	<20	1.59	0.016	0.05	<0.1	0.45	6.2	0.6	0.05	7	2.4
REP L29+00N 54+75E	QC	14	153	0.64	61	0.044	<20	1.55	0.014	0.05	0.3	0.44	5.8	0.6	0.05	6	1.8
L29+00N 55+25E	Soil	4	66	0.77	34	0.087	<20	1.60	0.006	0.06	<0.1	0.04	2.3	<0.1	<0.05	5	<0.5
REP L29+00N 55+25E	QC	4	61	0.77	36	0.087	<20	1.52	0.007	0.05	0.1	0.04	2.5	<0.1	<0.05	4	<0.5
L28+00N 45+50E	Soil	3	93	1.27	84	0.144	<20	3.63	0.012	0.13	<0.1	0.04	3.8	<0.1	<0.05	9	<0.5
REP L28+00N 45+50E	QC	3	91	1.23	86	0.142	<20	3.43	0.012	0.13	0.1	0.03	3.8	<0.1	<0.05	8	<0.5
L28+00N 52+25E	Soil	3	115	1.17	45	0.138	<20	2.07	0.009	0.04	<0.1	0.03	2.0	<0.1	<0.05	7	<0.5
REP L28+00N 52+25E	QC	3	116	1.13	47	0.137	<20	2.03	0.009	0.04	<0.1	0.02	2.2	<0.1	<0.05	7	<0.5
L28+00N 56+25E	Soil	1	127	1.86	117	0.140	<20	2.07	0.008	0.05	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5
REP L28+00N 56+25E	QC	1	125	1.86	117	0.139	<20	2.15	0.008	0.05	<0.1	0.01	1.6	<0.1	<0.05	6	<0.5
L27+00N 39+25E	Soil	10	39	0.54	79	0.070	<20	0.88	0.024	0.06	<0.1	0.03	2.6	<0.1	<0.05	3	0.7
REP L27+00N 39+25E	QC	11	41	0.55	85	0.071	<20	0.89	0.024	0.06	<0.1	0.03	2.6	<0.1	<0.05	3	0.5
L27+00N 46+75E	Soil	10	69	0.75	94	0.106	<20	2.63	0.058	0.09	<0.1	0.08	9.0	0.1	<0.05	6	0.8
REP L27+00N 46+75E	QC	10	65	0.73	90	0.102	<20	2.60	0.057	0.08	<0.1	0.06	8.5	0.2	<0.05	6	0.8
L27+00N 49+25E	Soil	6	53	0.95	62	0.120	<20	3.16	0.039	0.08	<0.1	0.05	4.9	<0.1	<0.05	7	<0.5
REP L27+00N 49+25E	QC	5	48	0.87	60	0.112	<20	2.95	0.032	0.07	<0.1	0.05	4.5	<0.1	<0.05	6	<0.5
L27+00N 53+75E	Soil	4	55	0.90	52	0.155	<20	2.76	0.009	0.06	0.1	0.04	2.5	<0.1	<0.05	8	<0.5
REP L27+00N 53+75E	QC	3	54	0.89	51	0.152	<20	2.75	0.008	0.07	<0.1	0.04	2.5	<0.1	<0.05	9	<0.5
L27+00N 57+50E	Soil	2	133	1.48	112	0.110	<20	2.61	0.009	0.08	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5
REP L27+00N 57+50E	QC	2	140	1.36	109	0.113	<20	2.50	0.009	0.08	<0.1	0.02	3.1	<0.1	<0.05	8	<0.5
Reference Materials																	
STD DS7	Standard	12	214	1.04	395	0.112	37	1.02	0.088	0.43	3.8	0.20	2.1	4.5	0.18	5	4.1
STD DS7	Standard	11	228	1.06	376	0.122	31	0.98	0.083	0.42	2.8	0.20	2.3	4.3	0.22	5	3.7
STD DS7	Standard	12	225	1.00	382	0.122	38	0.98	0.088	0.44	3.5	0.19	2.4	3.8	0.21	5	3.4



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** January 10, 2008

**Page:** 2 of 2 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07003060.1**

		1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01	1DX P % 0.001
STD DS7	Standard	19.9	100.2	67.1	381	0.8	53.2	8.7	585	2.23	47.6	5.5	51.6	4.2	69	5.6	4.5	4.6	80	0.91	0.074
STD DS7	Standard	21.1	108.7	61.7	429	0.9	61.6	10.2	644	2.47	51.2	4.0	121.1	3.7	65	6.6	4.4	4.0	90	0.95	0.076
STD DS7	Standard	21.2	101.6	62.3	416	0.9	56.2	8.9	649	2.36	50.9	3.9	53.9	3.8	62	6.8	4.5	4.3	78	0.92	0.082
STD DS7	Standard	21.0	101.8	67.9	381	0.8	55.7	9.6	604	2.31	46.3	4.9	54.4	4.3	68	6.4	4.6	4.5	82	0.93	0.079
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001







M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:**

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 30, 2007

Report Date:

March 21, 2008

Page:

1 of 14

## CERTIFICATE OF ANALYSIS

VAN08003668.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 373

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	373	Dry at 60C sieve 100g to -80 mesh		
Split Reject	373	Reject sample split/packet		
1DX	373	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed
3A	373	Ignite samples, acid digest, Au by ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 2 of 14 **Part** 1

# CERTIFICATE OF ANALYSIS

VAN08003668.1

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L30+00N 40+00E	Soil	0.6	15.4	6.9	99	<0.1	26.9	11.9	376	3.32	1.8	0.5	<0.5	4.2	21	0.2	<0.1	0.1	49	0.20	0.072
L30+00N 40+25E	Soil	1.0	32.9	11.7	169	0.1	37.3	18.1	1012	3.94	2.2	0.8	1.1	5.0	76	0.4	0.1	0.2	55	0.59	0.033
L30+00N 40+50E	Soil	0.9	59.9	13.9	67	0.2	34.1	16.0	785	4.12	4.6	0.6	1.5	6.9	82	0.2	0.2	0.3	61	0.67	0.034
L30+00N 40+75E	Soil	0.5	31.2	6.6	132	<0.1	42.0	16.1	313	4.22	2.3	0.5	0.5	4.7	27	0.1	<0.1	0.2	75	0.29	0.137
L30+00N 41+00E	Soil	0.7	26.2	8.3	125	<0.1	37.8	17.1	421	3.96	2.4	0.4	<0.5	3.5	25	0.3	<0.1	0.2	78	0.28	0.250
L30+00N 41+25E	Soil	0.9	51.1	9.5	74	0.1	46.7	16.4	420	4.73	3.9	0.5	0.6	4.9	40	0.2	0.1	0.2	93	0.37	0.111
L30+00N 41+50E	Soil	0.5	49.0	9.5	77	<0.1	46.1	16.9	347	4.15	3.2	0.5	1.0	4.2	32	0.1	0.1	0.1	89	0.38	0.093
L30+00N 41+75E	Soil	0.4	42.9	5.3	62	<0.1	59.3	16.8	370	3.34	2.1	0.3	0.9	2.6	29	<0.1	0.1	<0.1	78	0.40	0.069
L30+00N 42+00E	Soil	0.5	26.5	5.1	93	<0.1	57.3	15.1	298	3.82	1.9	0.3	<0.5	2.1	25	0.1	0.1	0.1	75	0.31	0.107
L30+00N 42+25E	Soil	0.6	52.0	9.0	150	0.2	62.3	21.1	2242	3.94	2.7	0.5	<0.5	2.2	89	0.7	0.1	0.1	125	1.14	0.048
L30+00N 42+50E	Soil	0.6	24.8	6.7	70	<0.1	53.2	15.2	337	3.85	1.8	0.5	<0.5	2.1	45	0.2	<0.1	0.1	100	0.49	0.075
L30+00N 42+75E	Soil	0.6	45.4	6.9	68	<0.1	69.0	20.2	480	3.93	2.7	0.5	0.5	3.0	40	0.2	0.1	0.1	102	0.45	0.044
L30+00N 43+00E	Soil	0.6	27.5	7.4	84	<0.1	51.4	16.5	326	4.46	3.0	0.4	50.7	2.9	24	0.2	0.1	0.1	96	0.32	0.123
L30+00N 43+25E	Soil	0.8	40.1	7.4	72	<0.1	62.4	20.7	360	4.72	3.2	0.5	1.5	3.6	27	0.4	0.1	0.2	98	0.33	0.157
L30+00N 43+50E	Soil	0.6	31.0	8.4	71	0.1	53.3	17.3	360	4.23	3.0	0.5	0.6	4.1	22	0.2	0.1	0.1	67	0.25	0.052
L30+00N 43+75E	Soil	0.5	16.3	6.3	104	<0.1	38.8	13.0	386	3.50	2.2	0.4	<0.5	3.9	24	0.2	0.1	0.1	53	0.25	0.139
L30+00N 44+00E	Soil	0.5	45.9	7.1	61	<0.1	54.7	17.5	535	3.85	2.6	0.5	<0.5	4.0	28	<0.1	0.1	0.1	80	0.41	0.067
L30+00N 44+25E	Soil	0.5	37.8	7.3	97	0.1	56.5	16.7	500	4.22	3.1	0.5	<0.5	4.8	25	0.1	0.1	0.2	73	0.31	0.144
L30+00N 44+50E	Soil	0.4	41.6	7.8	124	0.1	59.1	21.5	731	4.19	2.1	0.4	<0.5	3.2	42	0.3	<0.1	0.1	78	0.65	0.168
L30+00N 44+75E	Soil	0.4	47.4	7.7	84	<0.1	37.6	14.7	376	4.13	2.7	0.7	0.8	7.1	28	<0.1	0.4	0.2	75	0.33	0.055
L30+00N 45+00E	Soil	0.5	44.6	9.6	91	<0.1	34.4	16.2	434	4.37	3.1	0.5	<0.5	5.2	34	0.1	0.4	0.2	82	0.51	0.149
L30+00N 45+25E	Soil	0.4	41.6	7.5	80	<0.1	34.6	14.7	338	3.84	2.3	0.5	<0.5	4.7	33	<0.1	0.1	0.1	75	0.39	0.047
L30+00N 45+50E	Soil	2.8	252.0	35.3	112	0.3	30.8	31.1	1000	6.43	19.0	0.4	12.2	1.9	63	0.3	1.0	<0.1	247	0.88	0.049
L30+00N 45+75E	Soil	0.7	43.5	5.7	84	<0.1	46.9	19.7	294	4.02	2.1	0.3	<0.5	2.4	33	<0.1	0.1	<0.1	102	0.39	0.041
L30+00N 46+25E	Soil	0.4	73.3	6.7	66	<0.1	47.5	18.2	356	4.41	2.0	0.4	0.9	2.7	65	0.1	0.1	<0.1	110	0.90	0.048
L30+00N 46+50E	Soil	0.6	51.2	7.0	70	<0.1	62.8	23.4	778	4.26	1.7	0.3	<0.5	1.8	51	0.1	<0.1	0.1	117	0.62	0.087
L30+00N 46+75E	Soil	0.3	35.0	4.9	71	<0.1	79.8	21.9	466	4.35	1.0	0.2	<0.5	1.2	31	0.1	<0.1	<0.1	120	0.80	0.045
L30+00N 47+00E	Soil	0.3	60.2	6.0	98	<0.1	75.0	23.9	504	4.79	1.9	0.3	29.6	2.0	34	0.1	<0.1	<0.1	124	0.46	0.127
L30+00N 47+25E	Soil	0.3	63.6	6.3	103	<0.1	71.4	24.2	525	4.89	1.9	0.4	<0.5	2.1	34	0.2	<0.1	<0.1	120	0.57	0.112
L30+00N 47+50E	Soil	0.3	62.5	5.8	87	<0.1	55.8	21.3	645	4.11	1.8	0.3	<0.5	1.6	32	0.1	<0.1	<0.1	99	0.47	0.117



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 2 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L30+00N 40+00E	Soil	19	41	0.76	53	0.060	<20	1.75	0.006	0.10	<0.1	0.02	1.9	<0.1	<0.05	6	0.6	2.3
L30+00N 40+25E	Soil	16	44	0.67	82	0.060	<20	2.47	0.013	0.11	<0.1	0.03	3.1	<0.1	<0.05	6	<0.5	1.6
L30+00N 40+50E	Soil	23	51	0.84	78	0.042	<20	2.13	0.011	0.12	<0.1	0.03	4.1	<0.1	<0.05	6	0.8	3.3
L30+00N 40+75E	Soil	14	54	0.88	49	0.079	<20	2.71	0.008	0.14	<0.1	0.03	3.1	<0.1	<0.05	8	<0.5	1.7
L30+00N 41+00E	Soil	11	47	0.72	81	0.088	<20	2.59	0.008	0.11	<0.1	0.03	3.0	<0.1	<0.05	9	<0.5	1.6
L30+00N 41+25E	Soil	14	49	0.96	63	0.076	<20	3.25	0.009	0.15	0.1	0.03	3.4	<0.1	<0.05	8	0.6	4.1
L30+00N 41+50E	Soil	13	66	1.00	58	0.083	<20	2.45	0.007	0.13	<0.1	0.03	2.9	<0.1	<0.05	7	0.5	1.5
L30+00N 41+75E	Soil	8	98	1.07	48	0.089	<20	1.98	0.009	0.10	0.1	0.02	2.5	<0.1	<0.05	5	<0.5	9.0
L30+00N 42+00E	Soil	8	99	0.99	58	0.084	<20	1.89	0.008	0.07	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5	1.4
L30+00N 42+25E	Soil	9	108	1.10	86	0.090	<20	2.25	0.017	0.08	<0.1	0.06	4.1	<0.1	<0.05	6	<0.5	1.6
L30+00N 42+50E	Soil	10	99	0.97	48	0.098	<20	1.90	0.011	0.08	<0.1	0.05	2.4	<0.1	<0.05	7	<0.5	1.5
L30+00N 42+75E	Soil	10	108	1.24	54	0.097	<20	2.20	0.014	0.06	<0.1	0.04	3.5	<0.1	<0.05	6	0.6	1.0
L30+00N 43+00E	Soil	11	91	1.04	53	0.095	<20	2.09	0.009	0.07	<0.1	0.03	2.5	<0.1	<0.05	8	<0.5	1.0
L30+00N 43+25E	Soil	11	87	1.17	58	0.090	<20	2.38	0.008	0.09	0.1	0.04	2.9	<0.1	<0.05	7	0.6	2.6
L30+00N 43+50E	Soil	16	72	1.13	45	0.071	<20	2.03	0.007	0.11	<0.1	0.05	2.5	<0.1	<0.05	6	<0.5	1.8
L30+00N 43+75E	Soil	13	56	0.83	51	0.062	<20	1.78	0.006	0.12	0.1	0.03	2.1	<0.1	<0.05	6	0.5	<0.5
L30+00N 44+00E	Soil	14	87	1.24	65	0.091	<20	1.95	0.010	0.15	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	1.4
L30+00N 44+25E	Soil	16	80	1.04	78	0.076	<20	2.39	0.007	0.15	<0.1	0.04	2.6	<0.1	<0.05	7	<0.5	0.5
L30+00N 44+50E	Soil	12	93	1.12	80	0.083	<20	2.24	0.010	0.17	<0.1	0.04	2.8	<0.1	<0.05	7	0.5	2.2
L30+00N 44+75E	Soil	23	59	0.99	50	0.065	<20	2.39	0.010	0.13	<0.1	0.03	3.6	<0.1	<0.05	7	<0.5	2.2
L30+00N 45+00E	Soil	16	50	0.91	50	0.060	<20	2.35	0.009	0.15	<0.1	0.04	3.7	<0.1	<0.05	7	<0.5	2.1
L30+00N 45+25E	Soil	16	49	0.84	54	0.061	<20	2.52	0.009	0.11	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5	7.9
L30+00N 45+50E	Soil	9	55	0.70	51	0.092	<20	3.56	0.047	0.16	0.1	0.22	15.1	0.1	<0.05	9	0.8	4.0
L30+00N 45+75E	Soil	9	84	0.91	55	0.083	<20	2.78	0.007	0.08	0.1	0.03	2.6	<0.1	<0.05	7	<0.5	1.8
L30+00N 46+25E	Soil	8	82	1.04	66	0.076	<20	2.90	0.012	0.10	0.1	0.04	3.6	<0.1	<0.05	7	0.5	1.3
L30+00N 46+50E	Soil	6	117	1.05	87	0.125	<20	2.76	0.011	0.12	0.1	0.05	3.1	<0.1	<0.05	8	<0.5	3.2
L30+00N 46+75E	Soil	4	196	1.37	53	0.139	<20	2.22	0.011	0.13	<0.1	0.02	2.8	<0.1	<0.05	7	<0.5	1.6
L30+00N 47+00E	Soil	6	143	1.17	61	0.148	<20	3.08	0.009	0.13	0.1	0.03	2.8	<0.1	<0.05	8	0.5	<0.5
L30+00N 47+25E	Soil	6	163	1.14	50	0.151	<20	3.03	0.010	0.16	0.1	0.03	3.6	<0.1	<0.05	8	0.5	1.0
L30+00N 47+50E	Soil	5	126	0.95	59	0.130	<20	2.94	0.010	0.11	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5	1.1



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 3 of 14 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L30+00N 47+75E	Soil	0.3	42.5	5.9	131	<0.1	53.1	19.7	418	3.80	1.4	0.3	<0.5	1.8	31	0.2	<0.1	<0.1	98	0.46	0.121
L30+00N 48+00E	Soil	0.4	60.6	6.1	99	<0.1	59.4	22.6	450	4.35	2.8	0.3	<0.5	2.2	35	<0.1	<0.1	<0.1	107	0.44	0.122
L30+00N 48+25E	Soil	0.5	93.2	7.1	67	<0.1	46.5	18.9	372	4.30	2.3	0.5	<0.5	4.2	40	<0.1	<0.1	<0.1	101	0.42	0.069
L30+00N 48+50E	Soil	0.3	15.2	5.4	112	<0.1	56.5	16.0	746	3.01	0.6	0.3	<0.5	1.4	30	0.2	<0.1	<0.1	71	0.57	0.071
L30+00N 48+75E	Soil	0.4	28.6	5.5	120	<0.1	78.6	21.3	590	4.05	1.4	0.4	<0.5	2.1	30	0.2	<0.1	<0.1	94	0.61	0.135
L30+00N 49+00E	Soil	0.3	32.0	7.5	124	0.1	93.1	27.8	568	4.53	1.2	0.3	<0.5	1.7	31	0.1	<0.1	<0.1	104	0.57	0.157
L30+00N 49+25E	Soil	0.3	25.6	6.5	205	0.2	89.6	25.8	575	4.29	1.1	0.4	<0.5	2.3	36	0.2	<0.1	0.1	97	0.65	0.160
L30+00N 49+50E	Soil	0.5	21.8	5.5	149	0.1	82.2	21.6	645	4.01	1.1	0.4	<0.5	2.3	25	0.2	<0.1	0.1	88	0.55	0.120
L30+00N 49+75E	Soil	0.4	27.1	7.2	152	0.2	102.4	31.0	416	4.74	1.7	0.3	0.9	1.4	32	0.2	<0.1	0.1	103	0.56	0.307
L30+00N 50+00E	Soil	1.1	105.5	5.1	82	0.1	133.1	53.1	646	6.49	18.1	0.4	0.8	1.7	33	0.1	0.1	0.3	135	0.70	0.150
L30+00N 50+25E	Soil	0.8	29.1	6.9	134	0.2	97.5	31.8	582	5.78	4.2	0.3	<0.5	1.4	35	0.3	<0.1	0.1	126	0.67	0.162
L30+00N 50+75E	Soil	0.4	42.4	6.9	107	0.1	104.7	29.5	570	5.61	2.2	0.4	<0.5	2.6	30	0.2	0.1	0.1	132	0.66	0.144
L30+00N 51+00E	Soil	0.3	43.2	5.5	90	0.1	111.6	30.4	591	6.07	1.7	0.4	<0.5	1.7	33	0.2	<0.1	<0.1	147	0.99	0.154
L30+00N 51+25E	Soil	0.9	173.4	9.3	77	0.2	130.3	23.3	629	4.56	2.7	0.5	<0.5	1.7	71	0.5	0.1	0.2	92	1.37	0.073
L30+00N 51+50E	Soil	1.4	66.3	8.1	74	0.4	97.3	26.4	303	5.45	2.2	0.8	0.6	2.7	47	0.8	0.2	0.2	119	0.69	0.050
L30+00N 51+75E	Soil	0.9	49.5	6.8	75	0.1	87.8	21.7	461	5.37	3.0	0.5	<0.5	2.8	31	0.2	0.1	0.1	127	0.55	0.048
L30+00N 52+25E	Soil	0.9	38.9	7.3	166	0.1	73.4	24.7	663	5.05	3.1	0.4	<0.5	2.5	36	0.3	0.1	0.2	116	0.47	0.281
L30+00N 52+50E	Soil	0.7	30.9	6.6	75	<0.1	47.6	13.8	358	3.69	2.0	0.4	<0.5	3.2	24	0.1	0.1	0.1	79	0.34	0.102
L30+00N 52+75E	Soil	0.7	70.2	8.0	113	<0.1	78.2	23.1	926	4.76	2.7	0.7	0.9	3.9	35	0.3	0.2	0.2	104	0.58	0.058
L30+00N 53+00E	Soil	0.6	41.8	5.3	98	0.1	72.2	22.0	480	4.55	1.8	0.5	0.6	2.2	27	0.1	0.1	0.1	107	0.60	0.111
L30+00N 53+25E	Soil	0.5	49.6	5.9	123	0.1	90.5	25.2	456	5.11	2.8	0.4	<0.5	2.4	25	0.2	0.1	0.1	119	0.53	0.180
L30+00N 53+50E	Soil	0.5	51.9	7.1	65	0.1	79.2	24.7	444	4.78	2.9	0.5	<0.5	2.6	23	0.2	0.2	<0.1	116	0.54	0.125
L30+00N 53+75E	Soil	0.7	42.9	6.6	137	0.1	69.3	25.9	704	4.85	3.3	0.5	<0.5	1.9	26	0.3	0.2	0.1	114	0.41	0.217
L30+00N 54+00E	Soil	1.0	45.1	7.2	153	0.2	65.9	25.0	734	4.61	3.9	0.5	3.5	2.4	35	0.4	0.3	0.1	111	0.58	0.146
L30+00N 54+25E	Soil	1.1	62.4	6.0	86	<0.1	64.4	20.9	433	3.84	4.3	0.4	<0.5	3.1	26	0.2	0.3	0.1	86	0.36	0.141
L30+00N 54+50E	Soil	0.8	19.6	6.4	116	<0.1	45.5	13.9	294	3.48	2.6	0.4	<0.5	3.4	24	0.3	0.1	0.1	62	0.27	0.079
L30+00N 54+75E	Soil	1.0	86.4	7.0	138	<0.1	71.9	26.3	657	4.92	3.9	0.5	<0.5	3.4	27	0.2	0.3	0.1	109	0.47	0.134
L30+00N 55+00E	Soil	0.9	51.7	5.2	103	<0.1	61.0	26.2	434	4.68	3.5	0.4	0.8	2.6	26	0.2	0.2	0.1	122	0.54	0.114
L30+00N 55+25E	Soil	1.3	58.1	6.2	86	<0.1	72.1	20.2	338	4.01	5.2	0.5	0.6	3.9	27	0.2	0.3	0.1	84	0.35	0.101
L30+00N 55+50E	Soil	0.9	69.0	5.4	130	<0.1	68.6	24.1	362	4.25	3.7	0.3	<0.5	2.4	27	0.2	0.3	0.1	93	0.41	0.136



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 3 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L30+00N 47+75E	Soil	5	123	0.92	44	0.132	<20	2.63	0.010	0.11	<0.1	0.03	2.6	<0.1	<0.05	8	<0.5	0.6
L30+00N 48+00E	Soil	7	105	0.97	51	0.133	<20	2.88	0.009	0.12	0.1	0.03	2.8	<0.1	<0.05	9	0.6	1.1
L30+00N 48+25E	Soil	11	75	1.01	45	0.101	<20	2.99	0.010	0.13	0.1	0.03	3.4	<0.1	<0.05	6	<0.5	1.4
L30+00N 48+50E	Soil	5	184	0.87	64	0.124	<20	1.37	0.011	0.17	<0.1	0.03	2.3	<0.1	<0.05	6	<0.5	<0.5
L30+00N 48+75E	Soil	7	177	1.38	59	0.120	<20	1.96	0.010	0.19	<0.1	0.03	3.0	<0.1	<0.05	7	0.7	0.7
L30+00N 49+00E	Soil	6	207	1.69	80	0.132	<20	1.93	0.012	0.25	<0.1	0.03	2.7	<0.1	<0.05	8	0.5	1.2
L30+00N 49+25E	Soil	7	195	1.58	117	0.141	<20	1.87	0.015	0.21	<0.1	0.03	3.1	<0.1	<0.05	8	<0.5	0.6
L30+00N 49+50E	Soil	8	172	1.35	92	0.131	<20	1.74	0.013	0.22	<0.1	0.03	2.9	<0.1	<0.05	8	<0.5	0.5
L30+00N 49+75E	Soil	4	210	1.95	86	0.169	<20	2.22	0.015	0.17	0.1	0.04	2.4	<0.1	<0.05	11	<0.5	<0.5
L30+00N 50+00E	Soil	5	283	2.62	97	0.149	<20	2.51	0.016	0.30	0.2	0.04	2.8	<0.1	<0.05	8	<0.5	1.2
L30+00N 50+25E	Soil	5	249	2.18	126	0.185	<20	2.38	0.031	0.44	0.1	0.04	3.0	<0.1	<0.05	11	<0.5	<0.5
L30+00N 50+75E	Soil	8	183	2.19	111	0.141	<20	2.40	0.013	0.32	0.1	0.03	2.7	<0.1	<0.05	9	<0.5	<0.5
L30+00N 51+00E	Soil	5	248	2.48	85	0.179	<20	2.48	0.023	0.40	0.3	0.03	3.4	<0.1	<0.05	9	<0.5	<0.5
L30+00N 51+25E	Soil	12	138	1.51	133	0.089	<20	2.16	0.016	0.26	<0.1	0.09	4.3	0.1	<0.05	7	1.0	1.3
L30+00N 51+50E	Soil	11	144	1.03	84	0.128	<20	3.63	0.008	0.09	0.1	0.10	6.1	<0.1	<0.05	7	0.8	2.2
L30+00N 51+75E	Soil	9	156	1.44	84	0.132	<20	2.25	0.010	0.14	<0.1	0.05	3.2	<0.1	<0.05	8	<0.5	<0.5
L30+00N 52+25E	Soil	7	146	1.09	78	0.119	<20	2.37	0.012	0.11	0.2	0.05	3.7	<0.1	<0.05	8	<0.5	<0.5
L30+00N 52+50E	Soil	11	120	0.85	53	0.103	<20	1.50	0.008	0.09	<0.1	0.04	2.5	<0.1	<0.05	7	<0.5	<0.5
L30+00N 52+75E	Soil	13	128	1.33	70	0.105	<20	2.18	0.012	0.19	0.1	0.04	4.3	0.1	<0.05	7	<0.5	<0.5
L30+00N 53+00E	Soil	7	172	1.36	45	0.121	<20	1.89	0.010	0.13	0.1	0.03	2.7	<0.1	<0.05	7	<0.5	0.7
L30+00N 53+25E	Soil	7	186	1.59	59	0.127	<20	2.28	0.010	0.18	0.2	0.03	2.8	<0.1	<0.05	8	<0.5	<0.5
L30+00N 53+50E	Soil	8	132	1.51	37	0.112	<20	2.12	0.007	0.16	0.2	0.03	2.9	<0.1	<0.05	7	<0.5	<0.5
L30+00N 53+75E	Soil	5	171	1.12	74	0.132	<20	1.95	0.007	0.11	0.1	0.04	2.9	<0.1	<0.05	8	<0.5	<0.5
L30+00N 54+00E	Soil	7	132	1.09	51	0.117	<20	2.02	0.010	0.11	0.1	0.06	2.8	<0.1	<0.05	7	<0.5	<0.5
L30+00N 54+25E	Soil	8	105	0.96	67	0.096	<20	2.06	0.007	0.09	0.1	0.04	3.1	<0.1	<0.05	6	<0.5	6.0
L30+00N 54+50E	Soil	13	73	0.83	69	0.089	<20	1.82	0.010	0.09	<0.1	0.03	2.2	<0.1	<0.05	7	<0.5	1.0
L30+00N 54+75E	Soil	10	117	1.06	58	0.118	<20	2.40	0.009	0.15	0.1	0.03	3.4	<0.1	<0.05	8	<0.5	<0.5
L30+00N 55+00E	Soil	8	126	1.01	60	0.132	<20	2.42	0.012	0.12	0.1	0.02	2.5	<0.1	<0.05	9	<0.5	<0.5
L30+00N 55+25E	Soil	11	87	1.04	59	0.084	<20	2.35	0.006	0.12	0.1	0.04	2.6	0.1	<0.05	7	<0.5	11.0
L30+00N 55+50E	Soil	7	88	0.84	58	0.103	<20	2.18	0.005	0.13	0.2	0.03	2.2	<0.1	<0.05	7	<0.5	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 4 of 14 **Part** 1

# CERTIFICATE OF ANALYSIS

VAN08003668.1

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L30+00N 55+75E	Soil	0.8	29.1	6.2	144	0.1	54.7	18.8	301	3.98	5.1	0.4	0.7	2.9	20	0.3	0.3	0.2	76	0.26	0.278
L30+00N 56+00E	Soil	0.8	49.4	5.7	92	0.1	45.6	16.6	344	3.71	3.4	0.4	3.0	3.6	22	0.2	0.2	0.1	65	0.32	0.085
L30+00N 56+25E	Soil	0.5	48.3	6.2	81	<0.1	52.4	16.7	282	3.79	4.0	0.5	<0.5	4.3	25	<0.1	0.2	0.1	65	0.23	0.166
L30+00N 56+50E	Soil	0.5	27.7	6.3	110	0.1	31.3	12.6	438	2.90	2.2	0.4	<0.5	3.9	24	0.2	0.2	0.1	48	0.30	0.112
L30+00N 56+75E	Soil	0.5	55.0	5.6	120	<0.1	44.6	15.1	293	3.47	2.8	0.5	<0.5	4.8	24	0.1	0.2	0.1	60	0.27	0.068
L30+00N 57+00E	Soil	0.4	53.4	6.6	135	<0.1	39.6	16.4	574	3.44	6.0	0.4	<0.5	4.1	44	0.3	0.6	0.1	64	0.46	0.161
L26+00N 56+50E	Soil	0.3	92.3	5.8	71	<0.1	34.5	19.7	363	4.05	1.7	0.3	<0.5	1.1	70	0.1	<0.1	<0.1	103	0.59	0.100
L26+00N 56+75E	Soil	0.6	90.8	6.7	89	0.1	71.9	23.6	470	4.36	2.6	0.3	0.6	1.0	77	0.1	<0.1	<0.1	117	0.55	0.138
L26+00N 57+00E	Soil	0.6	43.3	5.5	87	<0.1	51.0	18.6	430	3.69	1.7	0.3	<0.5	1.0	53	0.1	0.1	<0.1	96	0.57	0.088
L26+00N 57+25E	Soil	0.6	77.4	5.8	67	<0.1	49.4	20.9	424	3.85	2.0	0.4	<0.5	1.5	62	0.1	0.1	<0.1	109	0.57	0.079
L26+00N 57+50E	Soil	0.5	50.4	5.2	71	<0.1	43.1	16.4	459	3.23	1.9	0.3	<0.5	1.4	35	0.1	0.2	<0.1	84	0.45	0.075
L26+00N 57+75E	Soil	0.6	52.3	7.0	99	<0.1	59.0	19.3	739	3.42	1.9	0.3	<0.5	0.9	34	0.2	0.1	<0.1	90	0.52	0.118
L26+00N 58+25E	Soil	0.5	28.5	5.1	109	0.1	79.2	18.0	419	3.06	1.6	0.3	1.0	1.4	35	0.3	<0.1	<0.1	76	0.55	0.182
L26+00N 58+50E	Soil	1.1	21.6	6.4	90	0.1	34.6	14.1	357	2.81	2.9	0.3	<0.5	1.2	31	0.2	0.1	0.1	81	0.31	0.182
L26+00N 58+75E	Soil	1.6	23.4	6.4	76	0.2	41.0	20.3	433	3.72	2.4	0.3	<0.5	1.3	46	0.3	0.1	0.1	127	0.40	0.081
L26+00N 59+00E	Soil	0.6	23.5	4.4	69	<0.1	38.8	13.6	364	2.76	2.3	0.4	<0.5	1.9	36	0.1	0.1	<0.1	71	0.41	0.124
L26+00N 59+50E	Soil	1.4	49.9	8.1	102	<0.1	73.2	25.8	817	4.74	5.8	0.4	<0.5	1.3	45	0.3	0.2	0.1	131	0.52	0.181
L26+00N 59+75E	Soil	2.4	84.3	5.1	97	<0.1	71.5	30.8	515	4.49	5.9	0.8	1.5	1.7	38	0.2	0.2	<0.1	140	0.48	0.096
L26+00N 60+00E	Soil	5.8	69.3	5.3	101	0.2	90.0	36.1	409	4.50	9.2	1.2	0.5	1.6	40	0.3	0.3	<0.1	157	0.43	0.067
L24+50N 40+00E	Soil	0.6	21.0	6.1	110	0.2	37.6	12.2	523	2.81	2.1	0.5	0.9	2.2	30	0.4	0.1	0.1	59	0.39	0.136
L24+50N 40+25E	Soil	0.5	30.5	6.5	51	<0.1	42.0	15.2	367	2.88	3.0	0.5	0.7	3.7	27	0.1	0.2	0.1	72	0.34	0.067
L24+50N 40+50E	Soil	0.6	35.3	4.6	53	<0.1	46.9	13.6	255	2.88	2.1	0.4	3.8	2.4	31	0.1	0.2	<0.1	74	0.34	0.046
L24+50N 40+75E	Soil	0.6	30.6	5.7	81	<0.1	39.1	14.2	395	3.03	2.7	0.5	13.7	2.7	35	0.3	0.2	<0.1	70	0.39	0.089
L24+50N 41+00E	Soil	0.5	29.4	5.6	187	0.1	32.8	16.1	848	3.59	2.9	0.4	<0.5	1.5	39	0.4	0.2	<0.1	87	0.41	0.311
L24+50N 41+25E	Soil	0.5	54.6	5.9	106	0.1	34.3	18.0	939	3.99	2.6	0.5	<0.5	1.4	37	0.2	0.2	<0.1	113	0.51	0.062
L24+50N 41+50E	Soil	0.5	40.6	4.5	55	<0.1	36.0	13.4	346	2.74	3.1	0.5	2.2	2.6	37	0.1	0.3	<0.1	78	0.48	0.064
L24+50N 41+75E	Soil	0.5	45.4	7.0	104	<0.1	32.8	17.6	683	4.20	3.0	0.3	0.8	1.4	37	0.3	0.2	0.2	124	0.44	0.121
L24+50N 42+00E	Soil	0.5	70.1	9.8	121	0.2	34.7	22.7	675	6.04	5.1	0.4	<0.5	1.1	64	0.2	0.2	<0.1	175	0.71	0.220
L24+50N 42+25E	Soil	0.5	60.2	5.3	108	0.1	36.2	22.5	770	4.64	3.0	0.4	0.6	1.4	43	0.2	0.1	<0.1	133	0.51	0.112
L24+50N 42+50E	Soil	0.6	19.7	4.0	52	<0.1	27.2	11.2	195	2.51	1.5	0.4	<0.5	1.9	33	<0.1	0.1	<0.1	71	0.39	0.036



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 4 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
L30+00N 55+75E	Soil	9	70	0.78	66	0.087	<20	2.14	0.004	0.11	0.1	0.03	2.7	<0.1	<0.05	8	<0.5	0.7
L30+00N 56+00E	Soil	11	66	0.80	45	0.075	<20	2.01	0.005	0.12	<0.1	0.04	2.4	<0.1	<0.05	6	<0.5	<0.5
L30+00N 56+25E	Soil	12	68	0.88	58	0.065	<20	2.14	0.004	0.10	0.1	0.03	2.2	<0.1	<0.05	6	<0.5	<0.5
L30+00N 56+50E	Soil	16	64	0.66	60	0.069	<20	1.51	0.005	0.09	<0.1	0.03	2.0	<0.1	<0.05	6	<0.5	<0.5
L30+00N 56+75E	Soil	16	67	0.86	42	0.076	<20	2.02	0.006	0.12	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.5
L30+00N 57+00E	Soil	13	76	0.71	72	0.069	<20	1.56	0.007	0.18	<0.1	0.09	3.5	<0.1	<0.05	6	<0.5	<0.5
L26+00N 56+50E	Soil	3	73	0.86	89	0.149	<20	3.95	0.015	0.17	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.5
L26+00N 56+75E	Soil	3	90	1.12	76	0.177	<20	4.27	0.013	0.16	0.1	0.03	3.6	<0.1	<0.05	9	<0.5	<0.5
L26+00N 57+00E	Soil	3	94	0.97	71	0.151	<20	3.22	0.012	0.13	<0.1	0.02	3.0	<0.1	<0.05	8	<0.5	1.1
L26+00N 57+25E	Soil	5	89	1.07	75	0.176	<20	3.17	0.014	0.12	<0.1	0.02	4.9	<0.1	<0.05	8	<0.5	<0.5
L26+00N 57+50E	Soil	5	85	0.86	49	0.138	<20	2.40	0.013	0.13	<0.1	0.02	3.5	<0.1	<0.05	7	<0.5	0.9
L26+00N 57+75E	Soil	3	130	0.91	63	0.142	<20	2.37	0.010	0.10	<0.1	0.03	3.2	<0.1	<0.05	7	<0.5	<0.5
L26+00N 58+25E	Soil	4	128	1.09	45	0.138	<20	2.14	0.012	0.10	<0.1	0.02	3.2	<0.1	0.08	7	<0.5	<0.5
L26+00N 58+50E	Soil	6	80	0.50	48	0.130	<20	1.51	0.010	0.07	0.1	0.03	2.5	<0.1	0.06	7	<0.5	<0.5
L26+00N 58+75E	Soil	5	99	0.68	45	0.164	<20	1.90	0.011	0.06	0.2	0.02	2.5	<0.1	<0.05	9	<0.5	0.8
L26+00N 59+00E	Soil	7	74	0.69	51	0.138	<20	1.76	0.010	0.09	0.1	0.03	3.0	<0.1	<0.05	6	<0.5	1.6
L26+00N 59+50E	Soil	5	112	1.11	86	0.157	<20	2.60	0.011	0.08	0.1	0.05	3.1	<0.1	0.05	9	0.6	<0.5
L26+00N 59+75E	Soil	5	97	0.88	49	0.161	<20	2.80	0.011	0.07	0.1	0.02	4.5	0.1	<0.05	8	0.6	<0.5
L26+00N 60+00E	Soil	6	90	0.80	50	0.163	<20	2.73	0.008	0.07	0.1	0.03	5.1	0.3	<0.05	9	0.5	1.3
L24+50N 40+00E	Soil	9	61	0.64	61	0.101	<20	1.76	0.008	0.15	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5	1.5
L24+50N 40+25E	Soil	11	70	0.79	40	0.122	<20	1.64	0.010	0.15	0.1	0.04	3.5	<0.1	<0.05	5	<0.5	0.8
L24+50N 40+50E	Soil	8	69	0.83	54	0.117	<20	1.84	0.009	0.09	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	1.7
L24+50N 40+75E	Soil	9	68	0.77	57	0.120	<20	1.72	0.011	0.11	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	1.2
L24+50N 41+00E	Soil	5	74	0.63	97	0.117	<20	1.77	0.010	0.13	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	0.7
L24+50N 41+25E	Soil	6	74	0.75	74	0.140	<20	2.16	0.013	0.11	<0.1	0.04	6.2	<0.1	<0.05	7	0.5	1.0
L24+50N 41+50E	Soil	9	74	0.69	42	0.129	<20	1.58	0.015	0.11	0.1	0.03	4.4	<0.1	<0.05	5	0.6	2.7
L24+50N 41+75E	Soil	5	71	0.75	63	0.148	<20	1.93	0.012	0.08	<0.1	0.03	5.9	<0.1	<0.05	7	<0.5	2.8
L24+50N 42+00E	Soil	4	71	1.06	58	0.182	<20	2.17	0.010	0.12	0.1	0.03	9.4	<0.1	<0.05	8	<0.5	16.4
L24+50N 42+25E	Soil	5	68	1.16	64	0.132	<20	2.61	0.009	0.17	<0.1	0.03	7.5	<0.1	<0.05	7	<0.5	2.4
L24+50N 42+50E	Soil	6	66	0.59	39	0.111	<20	1.63	0.009	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	3.0





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 5 of 14 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L24+50N 42+75E Soil	0.4	20.6	3.8	52	<0.1	22.8	9.9	196	2.21	1.3	0.3	<0.5	1.8	31	<0.1	0.1	<0.1	69	0.30	0.026
L24+50N 43+00E Soil	0.5	24.0	3.9	42	<0.1	27.5	10.9	186	2.29	1.7	0.4	<0.5	3.0	29	<0.1	0.1	<0.1	56	0.31	0.074
L24+50N 43+25E Soil	0.5	28.8	5.3	101	<0.1	33.2	11.9	374	2.66	2.0	0.3	0.8	1.6	43	0.2	0.1	<0.1	74	0.48	0.145
L24+50N 43+50E Soil	0.4	115.4	6.7	90	<0.1	28.2	18.9	647	4.04	2.7	0.5	<0.5	1.3	60	0.2	<0.1	<0.1	123	0.74	0.119
L24+50N 43+75E Soil	0.5	38.3	5.0	93	<0.1	30.7	16.1	438	3.35	1.8	0.3	0.7	1.4	44	0.2	<0.1	<0.1	101	0.43	0.120
L24+50N 44+25E Soil	0.4	97.3	6.3	107	<0.1	23.5	18.4	696	4.23	1.8	0.3	<0.5	0.7	62	0.1	<0.1	<0.1	134	0.91	0.120
L24+50N 44+50E Soil	0.4	122.5	9.9	102	<0.1	20.4	19.8	913	4.28	1.6	0.3	0.6	0.7	61	0.2	<0.1	<0.1	140	0.78	0.149
L24+50N 44+75E Soil	0.4	70.1	7.4	89	<0.1	28.5	17.8	587	4.08	1.2	0.4	<0.5	1.2	73	0.1	<0.1	<0.1	129	0.70	0.060
L24+50N 45+00E Soil	0.5	25.5	5.0	72	<0.1	33.4	14.0	489	2.70	1.2	0.3	<0.5	1.5	45	0.1	0.1	<0.1	70	0.41	0.096
L24+50N 45+25E Soil	0.5	26.3	4.2	87	<0.1	36.8	12.8	357	2.69	1.0	0.4	<0.5	1.8	37	0.1	0.1	<0.1	74	0.38	0.081
L24+50N 45+50E Soil	0.5	43.4	6.9	114	<0.1	45.5	14.9	431	3.41	2.7	0.4	<0.5	2.0	23	0.2	0.1	<0.1	85	0.28	0.182
L24+50N 45+75E Soil	0.5	44.3	8.1	150	<0.1	46.1	19.0	675	3.63	1.7	0.3	<0.5	1.7	31	0.1	0.1	0.1	94	0.34	0.203
L24+50N 46+00E Soil	0.7	37.4	6.4	124	<0.1	42.3	17.6	728	3.41	2.1	0.4	<0.5	1.5	41	0.2	0.1	0.1	88	0.38	0.163
L24+50N 46+25E Soil	0.5	62.6	5.5	92	<0.1	34.3	17.7	387	3.73	2.4	0.4	<0.5	1.4	50	0.1	0.1	<0.1	108	0.47	0.176
L24+50N 46+50E Soil	0.4	78.3	6.2	108	<0.1	31.4	18.3	495	3.98	2.1	0.3	<0.5	1.0	79	0.1	<0.1	<0.1	121	0.51	0.151
L24+50N 46+75E Soil	0.4	66.4	6.7	108	<0.1	31.1	19.1	523	4.02	1.7	0.3	<0.5	1.2	73	0.1	<0.1	<0.1	118	0.48	0.128
L24+50N 47+00E Soil	0.4	21.4	4.5	95	<0.1	32.7	11.4	370	2.55	1.2	0.3	<0.5	1.5	47	<0.1	0.1	<0.1	67	0.41	0.086
L24+50N 47+25E Soil	0.4	56.2	4.8	73	<0.1	38.1	15.4	500	3.19	2.0	0.4	78.7	1.7	68	<0.1	0.1	<0.1	88	0.48	0.073
L24+50N 47+50E Soil	0.5	48.9	5.6	100	<0.1	45.6	18.7	441	3.50	2.2	0.4	0.8	1.8	64	0.2	0.1	<0.1	100	0.49	0.146
L24+50N 47+75E Soil	0.5	75.4	6.2	88	<0.1	52.0	21.3	430	3.93	2.7	0.4	0.8	2.1	79	<0.1	0.2	<0.1	115	0.55	0.162
L24+50N 48+00E Soil	0.6	22.2	7.6	95	<0.1	26.8	12.8	657	2.46	1.7	0.3	0.8	1.6	38	0.3	0.1	0.1	84	0.35	0.108
L24+50N 48+25E Soil	0.7	29.4	5.3	82	0.1	55.0	18.4	267	3.28	3.4	0.5	0.9	2.4	30	0.2	0.2	<0.1	91	0.42	0.159
L24+50N 48+50E Soil	0.4	28.8	5.3	80	0.2	36.4	10.4	455	2.45	2.0	0.6	1.0	2.6	39	0.2	0.2	0.1	82	0.57	0.029
L24+50N 48+75E Soil	0.6	43.5	5.7	88	<0.1	53.2	16.9	385	3.39	2.4	0.4	1.1	2.4	55	0.2	0.2	0.1	91	0.49	0.184
L24+50N 49+00E Soil	0.6	35.3	8.0	131	<0.1	36.7	14.6	715	3.11	2.0	0.3	1.0	1.7	57	0.2	0.2	0.1	91	0.41	0.165
L24+50N 49+25E Soil	0.5	35.3	5.6	85	<0.1	47.6	16.2	708	3.05	1.4	0.4	1.0	2.0	69	0.2	0.2	0.1	86	0.55	0.113
L24+50N 49+50E Soil	0.6	36.4	4.0	51	<0.1	46.4	15.7	249	2.77	1.8	0.4	0.9	2.3	37	<0.1	0.2	<0.1	86	0.31	0.055
L24+50N 50+50E Soil	1.4	63.9	7.9	92	<0.1	47.2	24.3	399	4.66	1.7	0.3	0.7	1.4	95	0.2	<0.1	<0.1	151	0.60	0.052
L24+50N 50+75E Soil	0.6	75.1	6.2	91	<0.1	59.2	23.0	505	4.09	2.5	0.5	0.6	2.3	59	0.2	0.2	<0.1	117	0.67	0.153
L24+50N 51+00E Soil	0.8	47.9	6.1	123	<0.1	52.4	21.4	1101	3.49	1.9	0.4	<0.5	1.6	43	0.3	0.2	0.1	98	0.53	0.123



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 5 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L24+50N 42+75E	Soil	6	56	0.46	35	0.104	<20	1.40	0.011	0.07	<0.1	0.02	2.4	<0.1	<0.05	4	<0.5	0.9
L24+50N 43+00E	Soil	9	62	0.59	39	0.091	<20	1.45	0.009	0.08	<0.1	0.01	2.3	<0.1	<0.05	4	<0.5	2.0
L24+50N 43+25E	Soil	6	63	0.57	74	0.114	<20	2.08	0.009	0.10	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.5
L24+50N 43+50E	Soil	7	42	0.95	76	0.171	<20	4.41	0.011	0.26	0.1	0.01	5.1	<0.1	<0.05	9	0.6	15.7
L24+50N 43+75E	Soil	4	55	0.60	58	0.140	<20	2.64	0.009	0.09	0.1	<0.01	2.9	<0.1	<0.05	7	<0.5	0.9
L24+50N 44+25E	Soil	4	37	0.81	42	0.166	<20	3.48	0.039	0.17	<0.1	0.03	3.5	<0.1	<0.05	8	<0.5	1.4
L24+50N 44+50E	Soil	4	34	0.69	57	0.182	<20	4.13	0.046	0.27	<0.1	0.03	3.3	<0.1	<0.05	10	<0.5	1.2
L24+50N 44+75E	Soil	5	45	0.67	65	0.157	<20	3.59	0.018	0.11	0.1	0.02	3.8	<0.1	<0.05	9	<0.5	0.8
L24+50N 45+00E	Soil	5	54	0.66	66	0.119	<20	2.27	0.007	0.10	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	0.7
L24+50N 45+25E	Soil	5	71	0.63	55	0.134	<20	2.06	0.008	0.10	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.5
L24+50N 45+50E	Soil	5	75	0.64	85	0.142	<20	3.01	0.007	0.08	0.1	0.01	3.2	<0.1	0.06	8	0.6	0.7
L24+50N 45+75E	Soil	5	61	0.66	104	0.145	<20	3.09	0.009	0.08	0.1	0.02	2.9	<0.1	<0.05	8	0.5	<0.5
L24+50N 46+00E	Soil	5	64	0.69	104	0.148	<20	3.22	0.009	0.11	0.1	0.03	3.2	<0.1	<0.05	8	0.7	0.8
L24+50N 46+25E	Soil	4	57	0.64	58	0.151	<20	3.29	0.011	0.08	0.1	0.02	3.7	<0.1	<0.05	8	<0.5	0.6
L24+50N 46+50E	Soil	3	43	0.75	62	0.164	<20	3.98	0.013	0.13	0.1	0.02	3.1	<0.1	<0.05	9	<0.5	<0.5
L24+50N 46+75E	Soil	3	45	0.62	64	0.166	<20	3.73	0.014	0.13	0.1	0.02	3.0	<0.1	<0.05	9	<0.5	<0.5
L24+50N 47+00E	Soil	5	60	0.56	48	0.128	<20	2.00	0.008	0.11	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5	0.8
L24+50N 47+25E	Soil	7	61	0.76	59	0.140	<20	2.69	0.011	0.11	<0.1	0.01	3.9	<0.1	<0.05	7	0.7	3.4
L24+50N 47+50E	Soil	6	77	0.79	64	0.142	<20	3.33	0.018	0.13	0.1	0.04	3.7	<0.1	<0.05	8	<0.5	<0.5
L24+50N 47+75E	Soil	6	80	0.90	70	0.151	<20	3.86	0.020	0.15	0.1	0.03	4.5	<0.1	<0.05	8	<0.5	1.0
L24+50N 48+00E	Soil	6	71	0.44	79	0.137	<20	1.72	0.013	0.07	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.5
L24+50N 48+25E	Soil	6	90	0.68	67	0.137	<20	2.77	0.014	0.09	0.1	0.03	3.9	<0.1	<0.05	7	<0.5	<0.5
L24+50N 48+50E	Soil	8	76	0.66	68	0.137	<20	2.05	0.020	0.08	<0.1	0.04	6.6	<0.1	<0.05	6	<0.5	<0.5
L24+50N 48+75E	Soil	7	86	0.80	84	0.127	<20	2.96	0.013	0.10	0.1	0.03	3.4	<0.1	<0.05	8	<0.5	<0.5
L24+50N 49+00E	Soil	6	63	0.52	133	0.122	<20	2.57	0.013	0.07	0.1	0.04	2.9	<0.1	<0.05	9	<0.5	<0.5
L24+50N 49+25E	Soil	7	88	0.70	115	0.120	<20	2.61	0.013	0.07	<0.1	0.02	3.5	<0.1	<0.05	7	<0.5	1.6
L24+50N 49+50E	Soil	7	85	0.74	73	0.115	<20	2.13	0.013	0.06	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.5
L24+50N 50+50E	Soil	4	72	0.97	109	0.174	<20	4.80	0.031	0.07	0.2	0.03	3.4	<0.1	<0.05	11	<0.5	<0.5
L24+50N 50+75E	Soil	6	93	1.05	72	0.143	<20	4.00	0.019	0.08	0.1	0.02	5.0	<0.1	<0.05	9	<0.5	1.2
L24+50N 51+00E	Soil	5	86	0.78	97	0.144	<20	3.00	0.012	0.11	0.1	0.03	3.7	0.1	<0.05	9	<0.5	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

6 of 14

Part 1

## CERTIFICATE OF ANALYSIS

### VAN08003668.1

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L24+50N 51+25E	Soil	0.6	100.2	6.5	87	<0.1	41.2	22.4	503	4.20	2.1	0.4	0.9	1.3	44	<0.1	0.1	<0.1	130	0.47	0.123
L24+50N 51+50E	Soil	0.6	50.6	7.5	113	<0.1	62.2	22.7	601	3.86	1.6	0.4	<0.5	1.7	31	0.2	0.1	0.1	98	0.40	0.146
L24+50N 51+75E	Soil	0.6	54.8	5.4	83	<0.1	41.1	16.6	455	3.24	2.4	0.4	0.6	2.1	35	0.2	0.2	<0.1	100	0.41	0.111
L24+50N 52+00E	Soil	1.1	45.1	6.8	90	<0.1	34.1	18.9	658	3.50	2.3	0.4	0.7	1.8	26	0.2	0.2	0.1	113	0.28	0.092
L24+50N 52+25E	Soil	0.7	55.4	4.9	69	<0.1	40.2	18.5	393	3.41	1.8	0.4	0.5	1.8	36	0.1	0.2	<0.1	99	0.38	0.062
L24+50N 52+50E	Soil	0.6	50.4	6.0	78	<0.1	47.3	19.3	461	3.77	1.9	0.3	0.9	1.6	40	0.2	0.2	<0.1	119	0.47	0.137
L24+50N 52+75E	Soil	0.5	89.6	8.1	124	<0.1	180.3	36.6	1043	5.14	1.1	0.3	0.9	1.0	50	<0.1	<0.1	<0.1	118	0.63	0.165
L24+50N 53+00E	Soil	0.6	28.7	4.1	54	<0.1	35.3	14.6	222	2.52	1.9	0.4	1.0	2.3	28	0.1	0.2	<0.1	85	0.32	0.045
L24+50N 53+25E	Soil	0.7	40.9	5.6	67	<0.1	39.5	17.8	437	3.16	2.2	0.6	1.9	3.5	40	0.2	0.2	<0.1	102	0.54	0.033
L24+50N 53+50E	Soil	0.8	30.4	9.4	75	<0.1	37.0	16.9	365	2.84	2.1	0.5	0.8	2.3	31	0.2	0.3	<0.1	87	0.46	0.086
L24+50N 53+75E	Soil	0.9	47.6	5.6	90	0.2	55.9	20.6	569	3.51	3.5	1.0	1.5	2.8	35	0.4	0.3	<0.1	99	0.56	0.076
L24+50N 54+00E	Soil	1.4	44.8	5.8	99	<0.1	51.3	20.9	557	3.84	2.7	0.7	0.9	2.0	31	0.2	0.3	<0.1	106	0.49	0.091
L24+50N 54+50E	Soil	1.3	23.1	5.0	96	<0.1	26.8	13.2	595	2.52	1.8	0.4	0.6	1.8	34	0.3	0.2	0.1	77	0.51	0.058
L23+50N 35+00E	Soil	0.7	40.6	4.4	44	<0.1	64.4	18.1	311	3.10	2.8	0.5	0.8	2.4	53	<0.1	0.2	<0.1	102	0.47	0.056
L23+50N 35+25E	Soil	0.6	24.6	5.9	104	0.1	64.5	18.0	330	3.64	2.7	0.4	0.9	2.0	37	0.3	0.1	0.1	88	0.41	0.245
L23+50N 35+50E	Soil	0.8	32.3	5.9	87	0.1	60.5	20.6	405	3.39	3.2	0.4	0.7	1.9	42	0.3	0.2	<0.1	91	0.47	0.258
L23+50N 35+75E	Soil	0.6	60.1	4.4	48	0.1	58.0	18.7	422	3.25	3.4	0.5	29.2	2.5	72	0.1	0.2	<0.1	106	0.70	0.050
L23+50N 36+00E	Soil	0.9	38.8	6.4	46	0.1	39.8	17.0	631	2.51	3.5	0.5	2.3	2.2	43	0.2	0.4	<0.1	80	0.59	0.080
L23+50N 36+50E	Soil	0.6	36.0	5.1	51	<0.1	42.5	15.5	458	2.89	2.1	0.5	1.4	2.3	40	0.1	0.2	<0.1	99	0.57	0.062
L23+50N 36+75E	Soil	0.6	52.9	5.7	66	0.1	48.5	18.1	493	3.26	2.3	0.5	1.9	2.2	48	0.2	0.2	<0.1	121	0.61	0.033
L23+50N 37+00E	Soil	0.5	29.7	7.5	117	0.1	39.7	16.2	782	3.14	1.8	0.4	0.8	1.5	45	0.5	0.1	<0.1	96	0.63	0.159
L23+50N 37+25E	Soil	0.6	60.7	7.4	77	0.1	44.6	19.1	463	3.87	3.3	0.5	3.0	1.8	45	0.2	0.2	<0.1	131	0.54	0.168
L23+50N 37+50E	Soil	0.6	38.6	5.1	69	<0.1	42.6	16.9	486	3.21	1.6	0.4	4.8	1.7	33	0.2	0.2	<0.1	103	0.40	0.101
L23+50N 37+75E	Soil	0.6	34.9	4.8	67	0.1	45.1	16.8	342	3.09	2.1	0.4	0.7	1.9	32	0.2	0.2	<0.1	90	0.38	0.120
L23+50N 38+00E	Soil	0.8	32.7	6.5	242	0.2	53.3	18.4	495	3.81	3.7	0.4	<0.5	1.4	65	0.6	0.2	0.2	90	0.70	0.502
L23+50N 38+25E	Soil	0.6	26.6	5.4	94	0.2	44.2	14.4	277	3.16	2.0	0.3	0.7	1.4	29	0.2	0.1	0.1	84	0.38	0.121
L23+50N 38+50E	Soil	0.6	20.9	5.0	98	0.1	35.6	13.1	1074	2.51	1.9	0.3	<0.5	0.9	27	0.4	0.1	0.1	63	0.30	0.112
L23+50N 38+75E	Soil	0.5	23.7	4.1	70	0.1	44.6	12.6	244	2.50	1.5	0.4	<0.5	1.8	23	0.2	0.2	<0.1	68	0.30	0.045
L23+50N 39+00E	Soil	0.7	19.3	5.3	79	<0.1	34.3	12.2	557	2.37	1.7	0.3	<0.5	1.4	24	0.3	0.2	0.1	57	0.33	0.132
L23+50N 39+25E	Soil	0.6	27.2	4.4	93	0.2	52.7	14.8	282	2.83	1.7	0.4	0.9	1.8	20	0.2	0.2	<0.1	74	0.28	0.114



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 6 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
L24+50N 51+25E	Soil	4	63	0.94	62	0.149	<20	5.22	0.116	0.09	0.3	0.03	4.0	<0.1	<0.05	10	<0.5	<0.5
L24+50N 51+50E	Soil	5	97	0.93	87	0.157	<20	4.05	0.010	0.11	0.1	0.03	3.8	<0.1	<0.05	10	<0.5	<0.5
L24+50N 51+75E	Soil	6	64	0.83	63	0.136	<20	2.84	0.020	0.08	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5	0.7
L24+50N 52+00E	Soil	6	58	0.66	80	0.133	<20	2.64	0.011	0.06	0.1	0.02	3.3	<0.1	<0.05	9	<0.5	<0.5
L24+50N 52+25E	Soil	6	68	0.98	80	0.131	<20	3.30	0.018	0.07	0.1	0.02	3.9	<0.1	<0.05	7	<0.5	1.5
L24+50N 52+50E	Soil	4	85	0.90	63	0.132	<20	2.95	0.009	0.12	0.2	0.02	3.4	<0.1	<0.05	9	<0.5	<0.5
L24+50N 52+75E	Soil	2	182	2.58	81	0.161	<20	4.91	0.016	0.06	<0.1	0.02	3.5	<0.1	<0.05	11	<0.5	0.5
L24+50N 53+00E	Soil	7	73	0.56	52	0.126	<20	1.89	0.013	0.06	<0.1	0.03	3.7	<0.1	<0.05	5	<0.5	<0.5
L24+50N 53+25E	Soil	11	85	0.74	67	0.142	<20	2.16	0.020	0.11	<0.1	0.04	7.2	<0.1	<0.05	6	<0.5	<0.5
L24+50N 53+50E	Soil	7	79	0.67	56	0.132	<20	1.87	0.015	0.07	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.5
L24+50N 53+75E	Soil	10	98	0.93	75	0.154	<20	2.14	0.022	0.10	<0.1	0.05	6.0	<0.1	<0.05	7	0.7	1.6
L24+50N 54+00E	Soil	6	98	0.86	68	0.155	<20	2.52	0.016	0.08	<0.1	0.03	4.7	<0.1	<0.05	8	<0.5	1.6
L24+50N 54+50E	Soil	7	62	0.47	42	0.127	<20	1.45	0.012	0.09	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	0.7
L23+50N 35+00E	Soil	7	74	1.04	66	0.154	<20	2.56	0.019	0.07	<0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.5
L23+50N 35+25E	Soil	6	74	0.86	87	0.142	<20	3.04	0.012	0.08	0.1	0.02	3.8	<0.1	<0.05	8	<0.5	<0.5
L23+50N 35+50E	Soil	6	72	0.93	87	0.143	<20	2.61	0.012	0.12	0.1	0.03	3.7	<0.1	<0.05	8	<0.5	<0.5
L23+50N 35+75E	Soil	8	74	1.12	57	0.163	<20	2.46	0.021	0.09	<0.1	0.03	5.8	<0.1	<0.05	6	<0.5	1.1
L23+50N 36+00E	Soil	10	68	0.83	48	0.111	<20	1.42	0.026	0.08	<0.1	0.03	3.6	<0.1	<0.05	4	0.6	1.2
L23+50N 36+50E	Soil	8	71	0.82	52	0.148	<20	1.88	0.019	0.12	<0.1	0.02	4.7	<0.1	<0.05	5	<0.5	0.5
L23+50N 36+75E	Soil	7	78	0.91	57	0.165	<20	2.59	0.021	0.06	<0.1	0.02	6.2	<0.1	<0.05	6	<0.5	<0.5
L23+50N 37+00E	Soil	5	70	0.78	80	0.160	<20	2.20	0.015	0.11	<0.1	0.02	3.9	<0.1	<0.05	7	<0.5	<0.5
L23+50N 37+25E	Soil	5	65	0.98	64	0.195	<20	2.92	0.016	0.10	0.1	<0.01	5.7	<0.1	<0.05	8	<0.5	1.8
L23+50N 37+50E	Soil	6	73	0.75	49	0.143	<20	2.15	0.016	0.10	<0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	2.8
L23+50N 37+75E	Soil	6	76	0.78	56	0.131	<20	2.16	0.012	0.09	<0.1	0.01	3.8	<0.1	<0.05	6	<0.5	5.4
L23+50N 38+00E	Soil	4	63	0.91	71	0.117	<20	2.85	0.009	0.12	0.1	0.04	3.0	<0.1	<0.05	8	<0.5	<0.5
L23+50N 38+25E	Soil	5	69	0.63	48	0.131	<20	2.25	0.007	0.14	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5	0.9
L23+50N 38+50E	Soil	6	63	0.53	81	0.101	<20	1.75	0.007	0.10	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.5
L23+50N 38+75E	Soil	7	69	0.69	52	0.113	<20	1.74	0.008	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.5
L23+50N 39+00E	Soil	6	63	0.52	72	0.102	<20	1.54	0.007	0.08	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.5
L23+50N 39+25E	Soil	5	72	0.69	51	0.123	<20	2.23	0.008	0.08	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	11.8



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 7 of 14 **Part** 1

# CERTIFICATE OF ANALYSIS

VAN08003668.1

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L23+50N 39+50E Soil	0.7	30.6	4.4	90	0.1	56.0	14.6	303	2.90	2.0	0.4	0.7	1.6	26	0.2	0.2	<0.1	75	0.38	0.139
L23+50N 39+75E Soil	1.0	51.9	6.7	91	0.3	65.3	18.2	922	3.45	3.2	1.5	0.9	2.6	43	0.2	0.3	0.1	94	0.59	0.032
L23+50N 40+00E Soil	0.6	22.0	4.0	59	<0.1	33.9	12.1	399	2.45	1.7	0.4	<0.5	1.8	23	0.2	0.2	<0.1	67	0.33	0.071
L23+50N 40+25E Soil	0.5	21.1	3.5	60	<0.1	41.4	11.9	256	2.30	1.6	0.4	<0.5	1.8	25	0.1	0.2	<0.1	64	0.38	0.057
L23+50N 40+50E Soil	0.7	25.3	4.3	61	<0.1	42.4	14.1	461	2.69	2.2	0.4	<0.5	1.6	27	0.1	0.2	<0.1	76	0.41	0.105
L23+50N 40+75E Soil	0.5	32.5	3.7	45	<0.1	47.3	15.8	357	2.88	2.4	0.4	1.6	2.0	31	<0.1	0.2	<0.1	93	0.46	0.037
L23+50N 41+00E Soil	0.6	20.7	3.5	55	<0.1	42.7	12.5	356	2.54	1.9	0.3	<0.5	1.5	23	0.2	0.1	<0.1	72	0.39	0.075
L23+50N 41+25E Soil	0.4	15.9	3.9	107	<0.1	34.6	11.2	370	2.19	1.3	0.3	<0.5	1.5	28	0.2	<0.1	<0.1	59	0.35	0.117
L23+50N 41+50E Soil	0.5	24.8	4.4	93	<0.1	46.8	13.8	461	2.54	2.5	0.4	<0.5	1.5	26	0.2	0.1	<0.1	62	0.33	0.142
L23+50N 41+75E Soil	0.4	15.3	3.8	103	<0.1	33.0	11.4	352	2.11	1.2	0.3	1.9	1.4	27	0.2	<0.1	<0.1	56	0.35	0.113
L23+50N 42+00E Soil	0.4	32.3	3.4	49	<0.1	34.4	11.0	284	2.34	1.7	0.4	<0.5	1.7	27	<0.1	0.1	<0.1	71	0.42	0.044
L23+50N 42+25E Soil	0.7	78.3	6.6	121	<0.1	59.0	20.0	999	3.79	2.2	0.4	<0.5	1.4	53	0.2	0.1	<0.1	111	0.43	0.124
L23+50N 42+50E Soil	0.5	99.3	8.1	92	<0.1	65.5	19.4	1208	3.74	2.7	0.4	1.2	1.5	132	0.2	0.1	<0.1	104	0.72	0.121
L23+50N 42+75E Soil	0.4	31.3	3.9	62	<0.1	59.6	14.6	275	2.84	1.5	0.4	3.1	2.0	36	0.1	0.2	<0.1	78	0.49	0.062
L23+50N 43+00E Soil	0.6	41.0	5.3	82	<0.1	73.2	16.3	472	3.49	2.3	0.4	<0.5	1.7	36	0.2	0.1	<0.1	100	0.40	0.099
L23+50N 43+25E Soil	0.4	45.5	5.4	105	<0.1	82.2	20.6	566	3.51	1.6	0.4	<0.5	1.4	56	<0.1	0.1	<0.1	92	0.56	0.121
L23+50N 43+50E Soil	0.3	135.3	8.8	92	<0.1	112.7	30.2	755	5.09	1.3	0.5	0.6	0.9	93	0.1	<0.1	<0.1	129	0.94	0.113
L23+50N 43+75E Soil	0.6	61.0	6.7	95	<0.1	89.0	22.8	573	3.95	2.3	0.4	<0.5	1.9	46	0.2	0.1	<0.1	103	0.43	0.128
L23+50N 44+00E Soil	0.5	31.1	5.8	54	<0.1	48.4	14.1	347	2.82	1.1	0.4	<0.5	1.2	47	<0.1	<0.1	<0.1	87	0.49	0.024
L23+50N 44+25E Soil	0.6	16.1	3.4	53	<0.1	37.1	10.0	268	2.06	2.0	0.3	<0.5	1.6	27	0.2	0.2	<0.1	58	0.34	0.083
L23+50N 44+50E Soil	0.5	16.4	3.1	56	<0.1	38.0	9.9	253	2.04	1.2	0.3	<0.5	1.4	25	0.1	0.1	<0.1	56	0.32	0.076
L23+50N 44+75E Soil	0.7	40.9	5.7	104	<0.1	56.5	16.6	373	3.62	2.7	0.5	1.1	1.8	36	0.2	0.2	0.1	96	0.43	0.179
L23+50N 45+00E Soil	0.8	21.0	6.1	84	<0.1	37.5	13.3	1439	2.89	1.8	0.3	0.7	1.7	34	0.3	0.2	0.1	80	0.39	0.116
L23+50N 45+25E Soil	0.5	19.9	3.9	85	<0.1	44.5	11.8	285	2.54	1.7	0.4	<0.5	1.8	25	0.2	0.1	<0.1	62	0.36	0.166
L23+50N 45+50E Soil	0.6	18.7	4.0	71	<0.1	36.0	12.2	294	2.46	1.7	0.3	<0.5	1.7	25	<0.1	0.2	<0.1	66	0.37	0.096
L23+50N 45+75E Soil	0.6	18.8	4.0	90	0.2	45.8	13.2	345	2.71	1.6	0.3	1.0	1.6	24	0.2	0.2	<0.1	66	0.36	0.107
L23+50N 46+00E Soil	0.7	17.3	3.9	79	0.1	34.0	10.6	590	1.98	1.3	0.3	<0.5	1.4	30	0.3	0.2	<0.1	56	0.36	0.086
L23+50N 46+25E Soil	0.5	22.0	4.7	106	<0.1	40.4	12.9	393	2.78	1.7	0.3	<0.5	1.8	32	0.2	0.2	<0.1	74	0.38	0.156
L23+50N 46+50E Soil	0.7	29.1	5.2	98	0.1	50.4	13.8	270	3.40	2.5	0.4	1.1	1.7	45	0.1	0.2	0.1	73	0.42	0.362
L23+50N 46+75E Soil	0.6	15.0	4.3	77	<0.1	35.5	12.3	519	2.44	1.3	0.3	<0.5	1.5	31	0.2	0.2	<0.1	57	0.30	0.120



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 7 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Tl ppm	1DX S %	1DX Ga ppm	1DX Se ppm	3A Au ppb	
L23+50N 39+50E	Soil	6	70	0.85	63	0.116	<20	2.18	0.008	0.09	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.5
L23+50N 39+75E	Soil	8	85	0.91	87	0.150	<20	2.44	0.015	0.09	<0.1	0.05	7.2	<0.1	<0.05	6	<0.5	1.3
L23+50N 40+00E	Soil	6	65	0.54	51	0.116	<20	1.52	0.010	0.09	<0.1	0.02	2.6	<0.1	<0.05	4	<0.5	<0.5
L23+50N 40+25E	Soil	6	59	0.65	59	0.113	<20	1.55	0.006	0.07	<0.1	0.02	2.1	<0.1	<0.05	4	<0.5	2.7
L23+50N 40+50E	Soil	6	77	0.66	49	0.116	<20	1.84	0.009	0.15	<0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.5
L23+50N 40+75E	Soil	6	75	0.98	50	0.138	<20	1.82	0.012	0.08	<0.1	0.03	3.2	<0.1	<0.05	5	<0.5	1.0
L23+50N 41+00E	Soil	6	75	0.67	47	0.126	<20	1.66	0.008	0.10	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	2.0
L23+50N 41+25E	Soil	5	66	0.46	55	0.113	<20	1.72	0.008	0.11	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5	0.9
L23+50N 41+50E	Soil	4	73	0.60	75	0.105	<20	2.09	0.008	0.10	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.5
L23+50N 41+75E	Soil	4	63	0.43	54	0.107	<20	1.68	0.008	0.11	<0.1	0.01	2.1	<0.1	<0.05	5	<0.5	1.0
L23+50N 42+00E	Soil	5	58	0.62	42	0.118	<20	1.53	0.010	0.08	0.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.5
L23+50N 42+25E	Soil	5	62	1.07	72	0.144	<20	3.70	0.011	0.11	0.1	0.03	3.8	<0.1	<0.05	8	<0.5	<0.5
L23+50N 42+50E	Soil	5	85	0.84	93	0.138	<20	4.30	0.057	0.12	0.3	0.03	3.8	<0.1	<0.05	9	<0.5	0.8
L23+50N 42+75E	Soil	7	84	0.89	62	0.140	<20	1.98	0.010	0.08	<0.1	0.01	3.2	<0.1	<0.05	6	<0.5	<0.5
L23+50N 43+00E	Soil	6	103	1.02	79	0.132	<20	3.17	0.007	0.08	<0.1	0.02	2.9	<0.1	<0.05	8	<0.5	1.6
L23+50N 43+25E	Soil	6	100	1.16	73	0.128	<20	3.10	0.010	0.07	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5	1.7
L23+50N 43+50E	Soil	6	62	1.95	63	0.159	<20	5.65	0.344	0.07	<0.1	0.02	3.9	<0.1	<0.05	10	<0.5	0.8
L23+50N 43+75E	Soil	6	79	1.56	96	0.139	<20	3.59	0.009	0.08	<0.1	0.02	3.0	<0.1	<0.05	8	<0.5	2.3
L23+50N 44+00E	Soil	5	78	0.84	54	0.113	<20	2.10	0.016	0.05	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.5
L23+50N 44+25E	Soil	7	70	0.55	46	0.095	<20	1.33	0.006	0.08	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.5
L23+50N 44+50E	Soil	6	76	0.56	54	0.096	<20	1.39	0.009	0.07	<0.1	0.01	2.0	<0.1	<0.05	4	<0.5	39.4
L23+50N 44+75E	Soil	6	81	0.75	66	0.128	<20	3.44	0.008	0.08	0.1	5.34	3.0	<0.1	<0.05	9	<0.5	<0.5
L23+50N 45+00E	Soil	6	73	0.55	101	0.121	<20	2.14	0.007	0.12	<0.1	0.03	2.6	<0.1	<0.05	7	<0.5	<0.5
L23+50N 45+25E	Soil	6	68	0.62	67	0.107	<20	2.04	0.008	0.09	<0.1	0.03	2.6	<0.1	<0.05	6	<0.5	0.8
L23+50N 45+50E	Soil	6	69	0.56	57	0.114	<20	1.97	0.007	0.11	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	0.6
L23+50N 45+75E	Soil	5	75	0.61	71	0.115	<20	2.21	0.009	0.11	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
L23+50N 46+00E	Soil	6	63	0.44	75	0.103	<20	1.41	0.008	0.07	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.5
L23+50N 46+25E	Soil	5	71	0.65	74	0.114	<20	2.37	0.006	0.08	0.1	0.02	2.6	<0.1	<0.05	6	<0.5	1.9
L23+50N 46+50E	Soil	5	71	0.72	83	0.105	<20	2.80	0.007	0.11	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5	<0.5
L23+50N 46+75E	Soil	6	64	0.52	70	0.112	<20	1.77	0.006	0.08	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	1.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

8 of 14

Part 1

## CERTIFICATE OF ANALYSIS

### VAN08003668.1

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L23+50N 47+00E	Soil	0.6	19.1	3.4	82	<0.1	35.1	11.9	309	2.37	1.1	0.3	2.0	1.3	26	0.2	0.2	<0.1	59	0.29	0.080
L23+50N 47+25E	Soil	0.5	22.4	4.0	82	0.1	44.4	13.3	297	2.69	2.0	0.3	0.8	1.4	29	0.1	0.2	<0.1	65	0.32	0.144
L23+50N 47+50E	Soil	0.5	40.6	3.3	42	<0.1	36.6	13.5	239	2.52	2.0	0.3	<0.5	2.0	53	<0.1	0.2	<0.1	81	0.45	0.049
L23+50N 47+75E	Soil	0.5	22.4	3.8	59	<0.1	32.5	11.3	255	2.21	2.4	0.3	<0.5	1.5	37	0.1	0.2	<0.1	67	0.29	0.054
L23+50N 48+00E	Soil	0.6	24.6	3.6	56	<0.1	34.9	13.1	402	2.52	1.2	0.3	<0.5	1.6	56	0.1	0.2	<0.1	76	0.40	0.032
L23+50N 48+25E	Soil	0.7	19.9	4.1	92	0.1	36.7	12.0	281	2.66	2.3	0.3	3.5	1.4	25	0.2	0.1	<0.1	64	0.30	0.146
L23+50N 48+50E	Soil	0.9	33.0	4.5	90	0.1	50.3	15.1	420	3.01	3.1	0.4	<0.5	1.9	33	0.3	0.2	<0.1	74	0.39	0.197
L23+50N 48+75E	Soil	0.7	33.5	3.8	48	<0.1	39.6	13.9	278	2.60	3.2	0.4	1.2	1.8	38	0.1	0.2	<0.1	78	0.47	0.036
L23+50N 49+00E	Soil	0.6	19.7	4.7	57	<0.1	36.1	12.9	187	2.84	1.1	0.3	0.6	1.3	29	0.2	<0.1	<0.1	79	0.33	0.028
L23+50N 49+50E	Soil	0.1	28.8	0.7	5	<0.1	5.0	1.1	203	0.14	<0.5	0.2	<0.5	<0.1	1069	0.3	<0.1	<0.1	4	31.72	0.013
L23+50N 49+75E	Soil	0.8	37.2	6.6	52	0.3	39.1	16.2	526	3.04	2.0	1.1	1.0	2.7	52	0.2	0.2	0.1	76	0.87	0.025
L23+50N 50+00E	Soil	0.3	19.4	4.5	37	0.1	28.2	11.2	176	2.47	1.1	0.4	<0.5	1.8	40	0.1	<0.1	<0.1	59	0.61	0.013
L23+50N 50+25E	Soil	0.7	15.8	3.7	66	0.1	31.3	10.7	256	2.61	2.4	0.4	<0.5	1.5	19	0.3	0.2	<0.1	65	0.29	0.091
L23+50N 50+50E	Soil	0.5	34.5	4.4	100	0.1	32.4	14.0	562	2.67	2.6	0.4	1.7	1.4	35	0.3	0.2	<0.1	69	0.42	0.121
L23+50N 50+75E	Soil	0.6	12.6	5.0	66	0.1	20.6	8.3	453	2.17	2.8	0.2	0.8	0.9	16	0.2	0.1	0.1	60	0.25	0.090
L23+50N 51+00E	Soil	0.6	16.7	4.4	105	0.1	35.6	11.6	283	2.61	2.6	0.3	<0.5	1.5	17	0.3	0.1	<0.1	67	0.31	0.122
L23+50N 51+25E	Soil	0.6	20.8	4.2	62	<0.1	31.5	11.3	409	2.41	2.2	0.3	2.1	1.5	20	0.2	0.2	<0.1	71	0.32	0.065
L23+50N 51+50E	Soil	0.9	22.8	3.8	72	<0.1	43.1	13.6	254	2.96	3.9	0.4	<0.5	1.7	21	0.2	0.2	<0.1	75	0.36	0.132
L23+50N 51+75E	Soil	0.7	25.2	3.9	86	0.1	37.4	11.7	310	2.50	2.3	0.4	0.5	1.8	19	0.2	0.2	<0.1	68	0.34	0.057
L23+50N 52+00E	Soil	0.6	11.4	4.3	92	0.1	23.5	10.1	292	2.15	2.6	0.3	<0.5	1.3	16	0.3	0.2	0.1	55	0.25	0.119
L23+50N 52+25E	Soil	0.7	25.5	3.5	63	<0.1	34.8	12.2	259	2.58	2.9	0.3	<0.5	1.9	24	0.2	0.2	<0.1	71	0.28	0.131
L23+50N 52+50E	Soil	0.7	33.0	3.8	88	<0.1	36.8	13.7	359	2.71	2.7	0.4	1.0	1.8	32	0.2	0.2	<0.1	67	0.41	0.079
L23+50N 52+75E	Soil	0.8	45.9	4.8	83	<0.1	47.4	16.3	328	3.29	3.0	0.5	0.7	2.5	40	0.1	0.3	0.1	83	0.31	0.082
L23+50N 53+00E	Soil	0.6	31.0	4.0	60	<0.1	40.2	13.7	294	2.68	2.5	0.4	<0.5	2.0	29	0.1	0.2	<0.1	76	0.32	0.057
L23+50N 53+25E	Soil	0.6	43.6	4.4	52	0.1	43.0	13.5	354	2.87	3.7	0.5	0.6	2.9	39	0.1	0.3	<0.1	82	0.41	0.047
L23+50N 53+50E	Soil	0.8	73.2	7.1	132	<0.1	42.6	19.0	985	3.92	2.7	0.4	<0.5	1.1	70	0.4	0.1	<0.1	84	0.62	0.145
L23+50N 53+75E	Soil	0.8	33.5	4.6	89	0.1	39.3	14.0	395	2.90	2.6	0.4	1.5	1.9	34	0.2	0.2	<0.1	79	0.37	0.072
L23+50N 54+00E	Soil	0.6	34.9	4.4	122	0.2	52.5	16.5	539	3.04	3.1	0.4	<0.5	1.4	30	0.3	0.2	<0.1	81	0.40	0.127
L23+50N 54+25E	Soil	0.7	25.9	5.2	131	0.1	45.2	16.8	614	3.44	3.0	0.3	<0.5	1.4	24	0.2	0.2	<0.1	87	0.29	0.166
L23+50N 54+50E	Soil	0.7	17.0	4.9	75	<0.1	25.1	11.1	236	2.22	2.4	0.3	<0.5	1.4	19	0.2	0.1	<0.1	65	0.27	0.077



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 8 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L23+50N 47+00E	Soil	4	62	0.54	52	0.106	<20	1.74	0.007	0.10	<0.1	0.05	2.4	<0.1	<0.05	5	<0.5	1.1
L23+50N 47+25E	Soil	5	68	0.66	53	0.105	<20	2.01	0.009	0.08	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	<0.5
L23+50N 47+50E	Soil	6	65	0.74	55	0.111	<20	1.70	0.019	0.08	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5	1.2
L23+50N 47+75E	Soil	5	62	0.51	44	0.103	<20	1.56	0.012	0.07	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	1.8
L23+50N 48+00E	Soil	5	70	0.69	56	0.112	<20	1.68	0.020	0.05	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5	1.0
L23+50N 48+25E	Soil	5	59	0.57	57	0.113	<20	1.81	0.008	0.09	0.2	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
L23+50N 48+50E	Soil	6	64	0.79	65	0.111	<20	2.20	0.014	0.09	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5	0.9
L23+50N 48+75E	Soil	6	66	0.83	44	0.120	<20	1.69	0.016	0.06	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5	4.6
L23+50N 49+00E	Soil	5	73	0.78	44	0.128	<20	2.05	0.011	0.05	<0.1	0.02	3.9	<0.1	<0.05	6	<0.5	1.1
L23+50N 49+50E	Soil	1	9	0.43	25	0.009	<20	0.16	0.011	<0.01	<0.1	0.04	0.6	<0.1	0.11	<1	1.6	<0.5
L23+50N 49+75E	Soil	11	68	0.83	58	0.124	<20	2.01	0.015	0.07	<0.1	0.10	7.5	<0.1	0.08	6	<0.5	0.9
L23+50N 50+00E	Soil	6	63	0.65	53	0.126	<20	1.96	0.014	0.04	<0.1	0.04	6.4	<0.1	<0.05	5	<0.5	3.8
L23+50N 50+25E	Soil	5	52	0.58	69	0.122	<20	1.86	0.008	0.08	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.5
L23+50N 50+50E	Soil	4	53	0.64	69	0.108	<20	1.99	0.008	0.09	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5	1.6
L23+50N 50+75E	Soil	4	46	0.32	50	0.102	<20	1.33	0.008	0.05	<0.1	0.01	2.0	<0.1	<0.05	6	<0.5	0.5
L23+50N 51+00E	Soil	4	55	0.53	47	0.111	<20	1.95	0.009	0.07	<0.1	0.03	2.9	<0.1	<0.05	6	<0.5	1.0
L23+50N 51+25E	Soil	5	59	0.45	44	0.115	<20	1.66	0.010	0.07	<0.1	0.03	2.7	<0.1	<0.05	5	<0.5	1.3
L23+50N 51+50E	Soil	5	59	0.64	66	0.114	<20	2.18	0.008	0.06	<0.1	0.04	2.8	<0.1	<0.05	6	<0.5	0.5
L23+50N 51+75E	Soil	6	58	0.63	58	0.117	<20	1.83	0.011	0.09	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5	1.0
L23+50N 52+00E	Soil	5	46	0.40	58	0.110	<20	1.39	0.006	0.07	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.5
L23+50N 52+25E	Soil	6	62	0.66	71	0.112	<20	1.83	0.013	0.08	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	2.4
L23+50N 52+50E	Soil	5	61	0.65	71	0.119	<20	2.17	0.012	0.08	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5	1.6
L23+50N 52+75E	Soil	6	76	0.79	71	0.126	<20	2.61	0.009	0.09	<0.1	0.02	3.7	<0.1	<0.05	7	<0.5	1.5
L23+50N 53+00E	Soil	6	69	0.73	65	0.119	<20	1.93	0.009	0.08	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	0.7
L23+50N 53+25E	Soil	8	75	0.86	72	0.136	<20	2.22	0.012	0.12	<0.1	0.04	4.3	<0.1	<0.05	6	<0.5	1.3
L23+50N 53+50E	Soil	4	72	0.91	90	0.147	<20	2.73	0.052	0.17	0.1	0.05	3.1	<0.1	<0.05	8	<0.5	<0.5
L23+50N 53+75E	Soil	6	72	0.67	54	0.118	<20	2.09	0.009	0.08	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.5
L23+50N 54+00E	Soil	5	90	0.76	60	0.118	<20	2.09	0.009	0.08	<0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.5
L23+50N 54+25E	Soil	4	79	0.74	82	0.127	<20	2.17	0.008	0.07	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5	0.6
L23+50N 54+50E	Soil	5	56	0.41	44	0.108	<20	1.47	0.009	0.06	<0.1	<0.01	2.0	<0.1	<0.05	6	<0.5	0.9





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 9 of 14 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L23+50N 54+75E	Soil	0.9	18.6	5.3	145	0.1	45.7	16.7	246	3.12	2.2	0.5	<0.5	1.9	18	0.2	0.1	<0.1	70	0.31	0.094
L23+50N 55+00E	Soil	1.0	55.1	6.2	81	0.1	47.2	15.9	584	3.31	1.9	1.3	0.9	2.5	37	0.2	0.3	0.1	106	0.72	0.024
L22+50N 40+00E	Soil	0.5	45.7	4.2	42	<0.1	55.8	14.7	338	2.80	2.6	0.5	1.6	2.3	33	<0.1	0.2	<0.1	81	0.43	0.067
L22+50N 40+25E	Soil	0.5	25.7	3.9	85	0.1	61.5	15.6	292	2.92	2.6	0.3	<0.5	1.7	34	0.2	0.2	<0.1	76	0.43	0.156
L22+50N 40+50E	Soil	0.5	20.1	3.9	86	<0.1	44.0	12.9	418	2.40	1.3	0.3	<0.5	1.3	36	0.2	<0.1	<0.1	65	0.42	0.116
L22+50N 40+75E	Soil	0.4	21.8	5.7	98	<0.1	60.1	14.8	288	2.94	2.2	0.3	<0.5	1.7	25	0.2	0.1	0.1	72	0.41	0.195
L22+50N 41+00E	Soil	0.4	20.9	3.3	58	<0.1	44.1	12.0	451	2.29	1.5	0.3	0.9	1.1	20	0.2	0.2	<0.1	65	0.34	0.073
L22+50N 41+25E	Soil	0.6	23.6	3.8	68	<0.1	62.3	16.3	268	3.34	3.3	0.3	0.8	1.5	23	0.2	0.1	<0.1	88	0.35	0.283
L22+50N 41+50E	Soil	0.6	17.8	4.5	83	0.2	47.6	15.0	462	3.21	2.1	0.3	0.8	1.2	27	0.3	0.2	<0.1	88	0.35	0.045
L22+50N 42+00E	Soil	0.5	15.7	3.9	72	<0.1	35.4	13.1	414	2.39	1.3	0.2	<0.5	1.1	22	0.3	0.1	0.1	66	0.31	0.096
L22+50N 42+25E	Soil	0.7	35.4	4.2	51	0.2	74.6	13.7	288	3.12	2.8	0.8	1.0	1.1	53	0.2	0.1	<0.1	102	0.67	0.029
L22+50N 42+50E	Soil	0.7	69.7	5.2	59	0.2	78.2	19.8	529	3.60	2.9	1.0	1.4	1.7	50	0.2	0.2	<0.1	110	0.67	0.028
L22+50N 42+75E	Soil	0.6	18.4	3.9	60	0.1	61.1	15.3	241	2.96	1.2	0.3	1.2	1.0	31	0.2	<0.1	<0.1	90	0.37	0.026
L22+50N 43+00E	Soil	0.4	32.8	3.5	51	<0.1	93.9	20.5	619	2.74	2.1	0.3	0.9	1.3	49	0.3	0.2	<0.1	83	0.69	0.057
L22+50N 43+25E	Soil	0.5	37.3	3.5	38	<0.1	49.2	14.5	340	2.59	2.2	0.5	1.6	2.1	46	0.2	0.2	<0.1	83	0.58	0.041
L22+50N 43+50E	Soil	0.6	35.6	3.5	42	<0.1	36.2	13.1	589	2.31	2.6	0.5	1.6	1.2	49	<0.1	0.2	<0.1	75	0.84	0.049
L22+50N 43+75E	Soil	0.7	49.7	4.5	51	0.1	53.5	19.8	951	2.98	3.5	0.5	2.4	1.4	47	0.3	0.3	<0.1	86	0.85	0.068
L22+50N 44+00E	Soil	0.7	41.5	3.9	42	0.1	38.2	14.0	970	2.49	2.9	0.5	1.5	1.0	50	0.1	0.3	<0.1	73	0.90	0.053
L22+50N 44+25E	Soil	1.2	33.2	3.9	45	0.1	46.3	18.0	1830	3.05	3.3	0.6	1.8	1.4	38	0.2	0.2	<0.1	89	0.75	0.057
L22+50N 44+50E	Soil	0.6	84.7	5.7	100	0.4	55.5	20.5	1036	3.56	4.2	0.6	0.9	1.3	39	0.6	0.2	0.1	108	0.61	0.073
L22+50N 44+75E	Soil	0.8	29.3	5.1	126	0.1	57.8	16.3	350	3.55	3.6	0.3	1.8	1.3	31	0.3	0.2	<0.1	88	0.41	0.146
L22+50N 45+00E	Soil	0.5	16.8	3.8	93	<0.1	38.1	11.9	303	2.70	2.7	0.3	<0.5	1.3	24	0.3	0.1	<0.1	67	0.38	0.170
L22+50N 45+25E	Soil	0.9	22.9	2.8	57	<0.1	41.2	11.8	274	2.48	1.8	0.3	1.3	1.2	19	0.2	0.2	<0.1	70	0.33	0.073
L22+50N 45+50E	Soil	0.5	20.9	4.2	82	0.2	46.5	13.4	281	2.87	2.1	0.3	<0.5	1.4	16	0.3	0.2	<0.1	72	0.33	0.138
L22+50N 45+75E	Soil	0.4	12.9	3.7	71	<0.1	28.6	9.4	357	2.18	1.9	0.3	<0.5	1.2	16	0.2	0.1	<0.1	57	0.28	0.118
L22+50N 46+00E	Soil	0.5	23.3	3.0	67	<0.1	39.6	12.3	306	2.41	2.0	0.3	<0.5	1.7	22	0.2	0.2	<0.1	69	0.38	0.066
L22+50N 46+25E	Soil	0.6	22.8	3.6	103	0.1	47.5	13.7	297	2.73	2.3	0.3	0.5	1.7	20	0.3	0.2	<0.1	71	0.33	0.110
L22+50N 46+50E	Soil	0.5	22.8	3.6	107	0.2	61.1	14.3	341	2.73	2.0	0.3	<0.5	1.7	19	0.3	0.2	<0.1	66	0.38	0.106
L22+50N 46+75E	Soil	0.5	30.5	3.2	65	0.2	66.3	15.2	389	2.58	1.8	0.3	1.5	1.2	26	0.2	0.2	<0.1	66	0.47	0.090
L22+50N 47+00E	Soil	0.5	14.9	3.7	93	0.2	43.2	12.1	329	2.39	1.8	0.3	0.6	1.3	17	0.3	0.1	<0.1	59	0.27	0.095



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 9 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
L23+50N 54+75E	Soil	6	76	0.50	54	0.128	<20	2.63	0.009	0.05	<0.1	0.03	3.8	<0.1	<0.05	6	<0.5	0.8
L23+50N 55+00E	Soil	11	84	0.82	61	0.131	<20	2.16	0.016	0.05	<0.1	0.04	6.1	<0.1	<0.05	6	<0.5	0.6
L22+50N 40+00E	Soil	8	69	1.00	40	0.122	<20	1.85	0.012	0.09	<0.1	0.03	4.4	<0.1	<0.05	5	<0.5	1.1
L22+50N 40+25E	Soil	5	65	0.92	67	0.121	<20	2.33	0.016	0.10	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	0.7
L22+50N 40+50E	Soil	5	59	0.78	71	0.124	<20	1.82	0.009	0.09	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
L22+50N 40+75E	Soil	5	74	0.87	80	0.118	<20	2.16	0.010	0.08	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5	<0.5
L22+50N 41+00E	Soil	5	67	0.75	41	0.105	<20	1.56	0.008	0.07	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.5
L22+50N 41+25E	Soil	4	79	0.80	66	0.113	<20	2.20	0.008	0.07	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	1.3
L22+50N 41+50E	Soil	5	72	0.74	79	0.148	<20	2.15	0.009	0.07	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5	<0.5
L22+50N 42+00E	Soil	5	74	0.61	47	0.112	<20	1.46	0.007	0.09	<0.1	0.01	2.1	<0.1	<0.05	5	<0.5	1.0
L22+50N 42+25E	Soil	6	85	1.09	70	0.117	<20	2.69	0.015	0.05	0.6	0.03	4.8	<0.1	<0.05	7	0.8	7.4
L22+50N 42+50E	Soil	8	87	1.30	59	0.138	<20	2.83	0.015	0.06	<0.1	0.03	7.2	<0.1	<0.05	7	0.6	<0.5
L22+50N 42+75E	Soil	4	69	0.97	55	0.130	<20	2.21	0.008	0.05	<0.1	<0.01	1.9	<0.1	<0.05	6	<0.5	0.9
L22+50N 43+00E	Soil	5	69	1.38	72	0.120	<20	1.87	0.017	0.06	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	2.5
L22+50N 43+25E	Soil	8	71	1.05	43	0.129	<20	1.63	0.014	0.05	<0.1	0.02	4.3	<0.1	<0.05	5	<0.5	1.5
L22+50N 43+50E	Soil	6	65	0.77	47	0.098	<20	1.32	0.023	0.05	<0.1	0.07	3.7	<0.1	<0.05	4	0.9	1.9
L22+50N 43+75E	Soil	8	86	1.04	42	0.116	<20	1.61	0.051	0.10	<0.1	0.05	4.1	<0.1	<0.05	5	1.0	1.8
L22+50N 44+00E	Soil	6	67	0.76	53	0.092	<20	1.37	0.018	0.06	<0.1	0.06	3.6	<0.1	<0.05	4	0.8	1.7
L22+50N 44+25E	Soil	7	87	0.92	59	0.114	<20	1.64	0.015	0.07	0.9	0.03	3.9	<0.1	<0.05	5	0.8	1.2
L22+50N 44+50E	Soil	11	86	0.84	56	0.121	<20	2.42	0.012	0.09	<0.1	0.04	5.8	<0.1	<0.05	7	0.5	1.2
L22+50N 44+75E	Soil	5	73	0.85	70	0.132	<20	2.42	0.008	0.08	<0.1	0.02	2.9	<0.1	<0.05	8	<0.5	1.0
L22+50N 45+00E	Soil	5	67	0.66	54	0.115	<20	1.77	0.008	0.08	<0.1	0.01	2.5	<0.1	<0.05	6	<0.5	<0.5
L22+50N 45+25E	Soil	5	68	0.66	53	0.112	<20	1.78	0.009	0.08	<0.1	0.01	2.3	<0.1	<0.05	5	<0.5	1.0
L22+50N 45+50E	Soil	5	71	0.71	49	0.116	<20	2.10	0.007	0.10	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	1.2
L22+50N 45+75E	Soil	6	65	0.45	57	0.103	<20	1.53	0.008	0.06	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	1.2
L22+50N 46+00E	Soil	6	70	0.70	60	0.122	<20	1.70	0.007	0.09	<0.1	0.01	2.7	<0.1	<0.05	5	<0.5	1.4
L22+50N 46+25E	Soil	6	64	0.69	76	0.114	<20	2.06	0.014	0.07	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	1.2
L22+50N 46+50E	Soil	6	69	0.84	61	0.124	<20	2.25	0.009	0.10	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.5
L22+50N 46+75E	Soil	5	70	0.95	60	0.120	<20	2.02	0.009	0.09	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	0.7
L22+50N 47+00E	Soil	5	65	0.55	57	0.105	<20	1.80	0.007	0.07	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	1.1



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 10 of 14 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L22+50N 47+25E Soil	0.5	26.5	3.8	83	<0.1	44.7	15.3	325	2.92	3.4	0.3	0.9	1.4	17	0.2	0.2	<0.1	72	0.30	0.115
L22+50N 47+50E Soil	0.5	27.4	3.1	49	<0.1	41.7	12.1	253	2.41	1.7	0.3	<0.5	1.4	22	<0.1	0.2	<0.1	67	0.30	0.071
L22+50N 47+75E Soil	0.6	28.7	4.0	103	0.1	65.0	16.2	274	3.41	3.3	0.3	0.7	1.5	22	0.2	0.2	0.1	80	0.31	0.183
L22+50N 48+00E Soil	0.6	31.2	3.2	82	0.1	57.8	14.4	254	3.08	1.7	0.3	2.9	1.4	24	0.1	0.2	<0.1	83	0.33	0.090
L22+50N 48+25E Soil	0.6	21.4	4.6	102	0.2	48.4	14.2	291	3.37	2.3	0.3	<0.5	1.3	19	0.3	0.2	0.1	75	0.29	0.204
L22+50N 48+50E Soil	0.5	45.2	3.6	41	<0.1	48.8	14.5	321	2.90	2.3	0.4	1.4	2.0	34	<0.1	0.3	<0.1	85	0.39	0.042
L22+50N 48+75E Soil	0.4	36.8	3.1	40	<0.1	40.4	13.0	339	2.46	2.2	0.4	0.9	1.8	34	0.1	0.2	<0.1	70	0.45	0.039
L22+50N 49+00E Soil	0.4	26.9	3.0	42	<0.1	39.3	11.0	241	2.28	1.7	0.5	0.8	1.5	23	<0.1	0.1	<0.1	66	0.38	0.035
L22+50N 49+25E Soil	0.6	44.7	4.6	49	0.2	46.5	14.4	470	3.00	2.4	0.7	1.4	1.4	39	0.2	0.2	<0.1	82	0.97	0.030
L22+50N 49+75E Soil	0.5	49.9	3.9	42	<0.1	58.4	19.0	437	3.26	2.9	0.4	9.1	1.9	37	0.1	0.3	<0.1	93	0.63	0.019
L22+50N 50+00E Soil	0.7	82.6	6.0	52	0.2	56.6	19.0	558	3.75	2.8	0.3	1.6	2.1	39	0.3	0.5	0.1	107	0.92	0.019
L22+50N 50+25E Soil	0.7	34.6	4.7	52	<0.1	43.1	10.8	231	2.95	0.9	0.3	0.7	0.7	25	0.1	0.2	<0.1	94	0.57	0.027
L22+50N 50+50E Soil	0.6	43.5	3.9	96	<0.1	71.9	18.8	420	3.64	2.3	0.4	1.6	1.3	40	<0.1	0.2	<0.1	85	0.42	0.092
L22+50N 50+75E Soil	0.7	82.4	3.1	102	0.1	127.7	34.2	933	6.30	3.3	0.3	2.1	0.8	134	0.2	0.2	<0.1	131	0.77	0.137
L22+50N 51+00E Soil	0.6	80.9	6.3	124	0.2	63.3	19.0	1215	3.92	1.5	0.4	2.0	1.9	57	0.4	0.3	0.1	96	1.07	0.028
L22+50N 51+25E Soil	1.7	188.2	7.6	103	0.5	87.8	21.4	4186	4.06	2.3	0.5	2.8	1.9	61	0.8	0.5	0.1	122	1.21	0.024
L22+50N 51+50E Soil	0.5	39.9	4.6	87	<0.1	49.6	15.2	823	3.10	2.5	0.3	1.4	1.1	33	0.1	0.2	0.1	83	0.41	0.083
L22+50N 51+75E Soil	0.5	18.8	4.8	85	0.1	32.6	10.7	511	2.36	2.0	0.3	0.9	1.2	36	0.2	0.1	0.1	54	0.40	0.118
L22+50N 52+00E Soil	0.7	27.9	6.3	88	0.1	44.9	14.9	608	3.55	4.1	0.3	1.7	1.3	30	0.2	0.2	0.1	88	0.39	0.211
L22+50N 52+25E Soil	0.6	42.4	5.5	102	<0.1	62.9	19.2	487	3.53	3.4	0.5	1.5	1.5	35	0.2	0.2	0.1	95	0.52	0.072
L22+50N 52+50E Soil	0.6	25.4	4.7	83	0.1	59.7	15.7	587	3.24	2.7	0.3	2.0	0.9	27	0.2	0.1	<0.1	76	0.40	0.148
L22+50N 52+75E Soil	0.5	25.4	5.1	130	0.1	63.5	17.3	491	3.27	2.7	0.3	1.6	1.0	39	0.2	0.1	0.1	71	0.47	0.172
L22+50N 53+00E Soil	0.5	20.0	4.3	161	0.2	42.7	13.2	362	2.63	2.4	0.3	1.1	1.2	22	0.4	0.2	0.1	56	0.29	0.171
L22+50N 53+25E Soil	0.6	24.1	4.9	91	0.1	39.0	13.3	317	2.95	2.9	0.3	1.7	1.6	20	0.2	0.2	0.1	70	0.35	0.105
L22+50N 53+50E Soil	1.1	44.8	5.9	92	0.2	55.4	17.0	320	3.85	2.8	0.6	2.5	1.5	24	0.2	0.2	0.1	98	0.31	0.076
L22+50N 53+75E Soil	0.5	51.5	4.1	44	<0.1	38.9	13.3	371	2.75	3.1	0.5	3.0	2.4	29	0.2	0.3	<0.1	80	0.48	0.045
L22+50N 54+00E Soil	0.7	51.9	4.7	67	0.3	43.2	14.5	1011	2.99	3.4	1.0	2.7	2.1	26	0.2	0.3	<0.1	82	0.51	0.034
L22+50N 54+25E Soil	0.7	22.1	4.6	92	<0.1	35.4	11.5	231	2.59	2.6	0.3	2.2	1.6	17	0.2	0.2	<0.1	72	0.31	0.054
L22+50N 54+50E Soil	0.6	37.6	3.5	51	0.1	36.0	13.2	274	2.64	2.5	0.5	3.1	1.7	20	0.1	0.2	<0.1	76	0.31	0.032
L22+50N 54+75E Soil	0.6	21.0	3.3	52	0.1	26.9	9.3	284	2.11	2.6	0.4	0.6	1.1	16	0.1	0.2	<0.1	59	0.27	0.058



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 10 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L22+50N 47+25E	Soil	6	73	0.70	53	0.110	<20	1.97	0.010	0.08	<0.1	0.01	2.8	<0.1	<0.05	6	<0.5	2.0
L22+50N 47+50E	Soil	5	66	0.74	55	0.104	<20	1.66	0.007	0.06	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	1.7
L22+50N 47+75E	Soil	5	73	0.84	76	0.115	<20	2.60	0.006	0.08	<0.1	0.04	2.6	<0.1	<0.05	7	0.6	2.0
L22+50N 48+00E	Soil	5	72	0.87	73	0.121	<20	2.39	0.009	0.06	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	1.5
L22+50N 48+25E	Soil	5	79	0.70	81	0.115	<20	2.50	0.008	0.09	<0.1	0.03	2.8	<0.1	<0.05	8	<0.5	2.6
L22+50N 48+50E	Soil	8	80	0.92	45	0.128	<20	1.90	0.009	0.12	<0.1	0.03	4.3	<0.1	<0.05	5	<0.5	2.6
L22+50N 48+75E	Soil	7	66	0.80	45	0.117	<20	1.54	0.012	0.06	<0.1	0.03	4.1	<0.1	<0.05	4	0.5	2.3
L22+50N 49+00E	Soil	7	66	0.67	36	0.115	<20	1.47	0.008	0.06	<0.1	0.03	3.6	<0.1	<0.05	4	<0.5	1.4
L22+50N 49+25E	Soil	7	69	0.80	70	0.117	<20	1.96	0.012	0.07	<0.1	0.06	4.7	<0.1	<0.05	6	0.5	2.2
L22+50N 49+75E	Soil	8	80	0.97	56	0.123	<20	2.03	0.012	0.06	<0.1	0.04	5.4	<0.1	<0.05	5	0.6	4.4
L22+50N 50+00E	Soil	9	85	0.93	42	0.115	<20	2.22	0.013	0.07	<0.1	0.05	5.7	<0.1	<0.05	6	0.7	2.6
L22+50N 50+25E	Soil	3	68	0.49	26	0.119	<20	2.00	0.009	0.03	<0.1	0.02	1.9	<0.1	<0.05	7	<0.5	<0.5
L22+50N 50+50E	Soil	5	81	1.12	61	0.141	<20	2.97	0.011	0.08	<0.1	0.02	2.8	<0.1	<0.05	8	<0.5	<0.5
L22+50N 50+75E	Soil	2	100	2.69	111	0.128	<20	4.73	0.011	0.07	<0.1	0.02	2.9	<0.1	<0.05	10	<0.5	<0.5
L22+50N 51+00E	Soil	7	84	0.99	49	0.148	<20	2.75	0.023	0.07	<0.1	0.03	5.6	<0.1	<0.05	7	<0.5	<0.5
L22+50N 51+25E	Soil	16	86	0.86	86	0.150	<20	2.89	0.025	0.06	<0.1	0.07	7.0	<0.1	<0.05	8	0.7	<0.5
L22+50N 51+50E	Soil	5	76	0.76	75	0.134	<20	2.27	0.010	0.06	<0.1	0.02	3.0	<0.1	<0.05	7	<0.5	<0.5
L22+50N 51+75E	Soil	5	58	0.52	63	0.132	<20	1.73	0.009	0.08	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.5
L22+50N 52+00E	Soil	5	64	0.59	91	0.144	<20	2.50	0.009	0.08	<0.1	0.03	2.5	<0.1	<0.05	8	<0.5	<0.5
L22+50N 52+25E	Soil	5	66	0.87	98	0.136	<20	2.77	0.015	0.07	<0.1	0.03	3.3	<0.1	<0.05	7	<0.5	<0.5
L22+50N 52+50E	Soil	4	70	0.81	69	0.135	<20	2.43	0.009	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.5
L22+50N 52+75E	Soil	4	69	0.82	79	0.147	<20	2.41	0.010	0.10	<0.1	0.02	2.6	<0.1	<0.05	8	<0.5	<0.5
L22+50N 53+00E	Soil	5	53	0.57	87	0.114	<20	2.00	0.012	0.08	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5	<0.5
L22+50N 53+25E	Soil	6	62	0.61	59	0.115	<20	2.17	0.008	0.07	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.5
L22+50N 53+50E	Soil	5	81	0.60	87	0.157	<20	3.25	0.009	0.07	<0.1	0.05	3.6	<0.1	<0.05	8	<0.5	0.9
L22+50N 53+75E	Soil	10	73	0.77	44	0.138	<20	1.84	0.009	0.18	<0.1	0.04	6.5	<0.1	<0.05	5	0.7	2.1
L22+50N 54+00E	Soil	15	76	0.70	68	0.135	<20	2.05	0.016	0.08	<0.1	0.08	8.7	0.1	<0.05	6	0.8	1.0
L22+50N 54+25E	Soil	6	57	0.53	72	0.125	<20	1.92	0.008	0.08	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.5
L22+50N 54+50E	Soil	7	61	0.63	51	0.134	<20	1.85	0.010	0.06	<0.1	0.03	3.5	<0.1	<0.05	5	<0.5	<0.5
L22+50N 54+75E	Soil	6	48	0.50	39	0.105	<20	1.62	0.011	0.06	0.1	0.01	2.5	<0.1	<0.05	5	<0.5	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 11 of 14 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L22+50N 55+00E	Soil		0.6	23.1	5.4	113	0.1	36.7	11.8	513	3.01	4.4	0.3	2.1	1.4	27	0.3	0.2	0.1	72	0.39	0.217
L21+50N 40+00E	Soil		0.6	118.8	5.9	89	0.4	78.3	17.3	767	3.72	4.3	0.7	2.5	2.1	44	0.2	0.2	0.1	101	0.60	0.040
L21+50N 40+25E	Soil		0.4	33.8	3.4	66	0.2	46.2	12.2	556	2.42	1.9	0.4	2.6	1.4	34	0.2	0.2	<0.1	72	0.49	0.044
L21+50N 40+50E	Soil		0.5	33.3	3.5	45	<0.1	56.6	16.7	354	2.78	2.7	0.4	2.1	2.2	40	0.1	0.3	<0.1	79	0.49	0.071
L21+50N 40+75E	Soil		0.4	35.4	3.4	69	<0.1	72.5	16.1	397	2.74	2.8	0.3	1.5	1.6	50	0.2	0.1	<0.1	70	0.53	0.115
L21+50N 41+00E	Soil		0.3	26.4	3.6	100	0.1	66.7	15.6	367	2.80	2.5	0.3	1.0	1.7	26	0.2	0.1	<0.1	72	0.40	0.117
L21+50N 41+25E	Soil		0.3	29.8	3.4	131	0.2	81.6	16.6	308	2.98	3.0	0.3	1.1	1.3	37	0.2	0.1	<0.1	65	0.51	0.275
L21+50N 41+50E	Soil		0.4	32.6	3.2	97	0.1	60.9	14.9	578	2.71	3.2	0.4	1.9	1.6	35	0.2	0.1	<0.1	66	0.48	0.195
L21+50N 41+75E	Soil		0.4	27.6	3.8	89	<0.1	49.5	14.2	544	2.56	3.1	0.3	1.5	1.1	34	0.2	0.1	<0.1	63	0.39	0.143
L21+50N 42+00E	Soil		0.5	26.4	3.8	116	0.1	64.3	15.4	478	3.06	3.5	0.3	1.1	1.3	37	0.3	0.1	<0.1	68	0.41	0.406
L21+50N 42+25E	Soil		0.5	28.0	3.9	111	0.2	97.9	21.0	400	3.33	2.8	0.3	1.5	1.4	28	0.2	<0.1	<0.1	70	0.33	0.228
L21+50N 42+50E	Soil		0.3	18.9	3.6	116	0.2	68.7	16.0	589	2.50	1.7	0.2	1.4	1.0	35	0.2	<0.1	<0.1	60	0.42	0.083
L21+50N 42+75E	Soil		0.7	29.1	3.6	110	0.3	84.6	17.9	412	3.23	3.0	0.3	1.5	1.4	56	0.3	0.1	<0.1	72	0.59	0.175
L21+50N 43+00E	Soil		0.7	31.4	5.5	129	0.2	69.8	17.3	553	3.33	2.8	0.4	1.5	1.7	52	0.3	0.1	0.1	79	0.45	0.206
L21+50N 43+25E	Soil		0.7	37.8	3.9	75	<0.1	60.7	15.6	339	3.17	4.5	0.4	2.3	1.7	62	0.2	0.2	<0.1	78	0.42	0.179
L21+50N 43+50E	Soil		0.5	24.5	4.7	123	0.1	62.1	15.5	380	3.12	2.9	0.3	1.5	1.7	53	0.2	0.1	<0.1	74	0.39	0.149
L21+50N 43+75E	Soil		0.5	30.5	4.6	114	0.1	65.4	17.0	344	3.35	3.6	0.4	2.3	1.5	75	0.3	0.1	<0.1	76	0.49	0.210
L21+50N 44+00E	Soil		0.6	17.7	4.7	63	<0.1	36.6	12.2	326	2.54	2.7	0.4	4.3	1.6	57	0.2	0.1	<0.1	70	0.36	0.035
L21+50N 44+25E	Soil		0.6	18.3	4.8	47	<0.1	20.9	8.5	264	2.24	2.6	0.3	<0.5	1.3	45	0.3	0.2	<0.1	72	0.37	0.020
L21+50N 44+50E	Soil		0.5	33.8	5.3	86	0.2	43.7	16.8	743	3.02	2.7	0.5	<0.5	1.6	94	0.3	0.2	0.1	71	0.92	0.024
L21+50N 44+75E	Soil		1.4	74.5	6.3	50	0.3	46.4	17.9	4310	2.71	4.2	0.4	0.6	0.7	78	0.7	0.4	0.1	104	1.27	0.052
L21+50N 45+00E	Soil		1.1	30.5	5.4	40	<0.1	45.2	15.4	1942	3.21	3.5	0.4	0.7	1.9	64	0.1	0.2	0.1	87	0.95	0.023
L21+50N 45+25E	Soil		0.6	12.1	4.3	71	<0.1	27.4	10.0	239	2.27	2.4	0.3	0.7	1.7	25	0.2	0.1	<0.1	59	0.32	0.031
L21+50N 45+50E	Soil		0.6	45.8	4.6	47	<0.1	56.4	15.5	391	3.16	3.9	0.4	0.8	2.6	49	0.1	0.3	<0.1	84	0.45	0.039
L21+50N 45+75E	Soil		0.5	17.3	3.8	76	<0.1	54.0	13.6	435	2.60	2.3	0.3	<0.5	1.3	30	0.2	0.1	<0.1	62	0.39	0.099
L21+50N 46+00E	Soil		0.3	19.1	4.1	112	0.1	64.6	14.4	639	2.74	2.6	0.3	<0.5	1.2	42	0.3	0.1	<0.1	62	0.70	0.191
L21+50N 46+25E	Soil		0.4	16.8	3.8	80	<0.1	50.3	11.3	321	2.34	2.0	0.3	<0.5	1.7	31	0.2	0.2	<0.1	55	0.40	0.074
L21+50N 46+50E	Soil		0.4	33.4	3.6	55	<0.1	73.9	15.7	334	2.90	2.7	0.4	<0.5	1.7	36	<0.1	0.2	<0.1	79	0.45	0.075
L21+50N 46+75E	Soil		0.7	192.3	6.3	59	0.7	117.0	23.3	2784	3.67	5.0	0.4	1.5	1.2	62	0.5	0.7	0.1	86	1.38	0.057
L21+50N 47+00E	Soil		0.4	24.1	4.2	92	0.1	79.3	16.9	390	3.07	2.5	0.3	<0.5	1.1	20	0.2	0.1	<0.1	75	0.34	0.097



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 11 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L22+50N 55+00E	Soil	5	53	0.54	113	0.116	<20	2.17	0.008	0.08	0.1	0.02	2.7	<0.1	<0.05	7	<0.5	1.0
L21+50N 40+00E	Soil	9	91	1.20	68	0.153	<20	2.74	0.039	0.10	<0.1	0.06	8.0	0.1	<0.05	7	0.7	2.2
L21+50N 40+25E	Soil	8	75	0.80	44	0.139	<20	1.64	0.014	0.07	<0.1	0.04	4.6	<0.1	<0.05	5	<0.5	<0.5
L21+50N 40+50E	Soil	7	76	0.92	51	0.158	<20	1.64	0.014	0.10	<0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.5
L21+50N 40+75E	Soil	6	76	1.09	98	0.147	<20	2.05	0.014	0.08	<0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.5
L21+50N 41+00E	Soil	5	75	0.89	51	0.143	<20	2.24	0.013	0.08	<0.1	<0.01	3.2	<0.1	<0.05	6	<0.5	1.8
L21+50N 41+25E	Soil	4	74	1.09	70	0.138	<20	2.73	0.012	0.11	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5	<0.5
L21+50N 41+50E	Soil	5	64	0.79	57	0.133	<20	2.31	0.019	0.08	<0.1	0.03	3.4	<0.1	<0.05	5	0.5	<0.5
L21+50N 41+75E	Soil	4	60	0.72	75	0.135	<20	2.05	0.010	0.07	<0.1	0.01	2.5	<0.1	<0.05	6	<0.5	<0.5
L21+50N 42+00E	Soil	4	63	0.80	108	0.129	<20	2.60	0.009	0.08	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5	0.5
L21+50N 42+25E	Soil	4	92	1.19	65	0.147	<20	2.69	0.009	0.08	<0.1	0.02	3.2	<0.1	<0.05	7	<0.5	<0.5
L21+50N 42+50E	Soil	3	98	0.89	58	0.143	<20	1.92	0.011	0.09	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.5
L21+50N 42+75E	Soil	5	65	1.16	74	0.145	<20	2.82	0.011	0.12	<0.1	0.03	3.0	<0.1	<0.05	7	<0.5	<0.5
L21+50N 43+00E	Soil	6	69	0.90	80	0.143	<20	2.72	0.013	0.09	<0.1	0.03	4.1	<0.1	<0.05	8	<0.5	<0.5
L21+50N 43+25E	Soil	6	61	0.99	79	0.130	<20	2.69	0.014	0.08	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5	<0.5
L21+50N 43+50E	Soil	5	61	0.82	94	0.152	<20	2.50	0.013	0.09	<0.1	0.02	3.1	<0.1	<0.05	8	<0.5	<0.5
L21+50N 43+75E	Soil	5	68	0.92	100	0.144	<20	2.84	0.013	0.10	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.5
L21+50N 44+00E	Soil	7	51	0.57	64	0.134	<20	1.74	0.013	0.05	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5	1.5
L21+50N 44+25E	Soil	6	44	0.50	35	0.117	<20	1.18	0.009	0.06	<0.1	<0.01	2.3	<0.1	0.08	5	<0.5	<0.5
L21+50N 44+50E	Soil	8	55	0.93	60	0.119	<20	1.99	0.048	0.07	<0.1	0.02	4.3	<0.1	0.07	5	<0.5	1.2
L21+50N 44+75E	Soil	8	49	0.71	99	0.074	<20	1.77	0.027	0.06	<0.1	0.05	3.2	0.1	0.09	5	1.3	1.4
L21+50N 45+00E	Soil	8	63	0.89	72	0.135	<20	1.82	0.033	0.08	<0.1	0.02	5.3	<0.1	<0.05	6	1.3	<0.5
L21+50N 45+25E	Soil	7	44	0.47	48	0.126	<20	1.30	0.009	0.06	<0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.5
L21+50N 45+50E	Soil	10	73	1.01	56	0.155	<20	2.05	0.018	0.12	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	1.3
L21+50N 45+75E	Soil	5	57	0.82	62	0.123	<20	1.92	0.011	0.07	<0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.5
L21+50N 46+00E	Soil	4	57	0.80	92	0.121	<20	2.08	0.010	0.15	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5	1.2
L21+50N 46+25E	Soil	7	52	0.75	55	0.118	<20	1.78	0.010	0.07	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	1.5
L21+50N 46+50E	Soil	6	66	1.16	58	0.149	<20	2.23	0.012	0.08	<0.1	0.03	3.2	<0.1	0.07	6	<0.5	1.6
L21+50N 46+75E	Soil	11	67	1.16	60	0.107	<20	2.45	0.033	0.07	<0.1	0.10	5.7	0.2	0.09	7	1.5	2.8
L21+50N 47+00E	Soil	4	67	1.03	46	0.136	<20	2.37	0.010	0.06	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5	0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 12 of 14 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L21+50N 47+25E Soil	0.4	36.4	4.0	62	<0.1	69.7	16.0	401	2.81	3.4	0.4	<0.5	1.6	29	<0.1	0.2	<0.1	79	0.52	0.070
L21+50N 47+50E Soil	0.3	68.2	3.2	78	<0.1	78.9	29.4	503	4.38	2.7	0.2	<0.5	0.7	94	<0.1	0.1	<0.1	92	0.58	0.093
L21+50N 47+75E Soil	0.4	89.5	2.4	102	<0.1	87.4	40.1	514	5.68	4.9	0.2	<0.5	0.6	132	<0.1	0.6	<0.1	104	0.71	0.152
L21+50N 48+00E Soil	0.4	52.9	3.4	62	<0.1	96.3	23.5	405	3.91	3.0	0.4	<0.5	1.6	107	<0.1	0.2	<0.1	99	0.62	0.040
L21+50N 48+25E Soil	0.4	19.9	3.9	73	<0.1	60.0	14.5	471	2.86	2.4	0.3	<0.5	1.2	34	<0.1	0.1	<0.1	73	0.38	0.076
L21+50N 48+50E Soil	0.4	18.3	4.0	87	<0.1	37.2	12.4	663	2.41	2.0	0.3	<0.5	1.3	31	0.2	<0.1	<0.1	56	0.35	0.096
L21+50N 48+75E Soil	0.6	17.3	4.6	90	<0.1	46.5	13.1	260	2.63	2.7	0.2	<0.5	1.2	20	0.1	0.1	<0.1	73	0.30	0.077
L21+50N 49+00E Soil	0.5	32.2	4.0	69	<0.1	59.3	18.5	322	3.71	4.0	0.4	<0.5	1.4	35	0.2	0.1	<0.1	89	0.55	0.096
L21+50N 49+25E Soil	0.5	33.4	3.4	45	<0.1	48.5	13.6	303	2.54	2.8	0.4	<0.5	1.7	23	<0.1	0.2	<0.1	74	0.35	0.044
L21+50N 49+50E Soil	0.5	31.2	3.1	65	<0.1	43.2	11.5	331	2.32	2.3	0.4	<0.5	1.6	25	<0.1	0.2	<0.1	67	0.39	0.063
L21+50N 49+75E Soil	1.1	27.4	3.9	86	<0.1	42.6	15.9	767	3.39	2.5	0.3	<0.5	1.2	43	<0.1	0.1	<0.1	82	0.43	0.068
L21+50N 50+00E Soil	0.5	20.8	3.7	75	<0.1	39.1	11.5	277	2.51	2.6	0.4	<0.5	1.8	18	<0.1	0.2	<0.1	59	0.31	0.088
L21+50N 50+25E Soil	0.6	19.4	3.6	80	<0.1	40.8	11.2	236	2.45	2.5	0.4	<0.5	1.7	16	<0.1	0.2	<0.1	58	0.27	0.109
L21+50N 50+50E Soil	0.5	15.6	3.9	109	0.1	35.0	11.3	252	2.37	3.2	0.4	<0.5	1.8	14	0.2	0.1	<0.1	55	0.23	0.173
L21+50N 50+75E Soil	0.4	67.3	3.0	101	<0.1	306.1	40.7	880	5.66	2.0	0.3	<0.5	0.6	111	0.1	<0.1	<0.1	115	0.99	0.136
L21+50N 51+00E Soil	0.4	122.9	2.3	66	0.1	155.7	37.7	552	5.64	1.8	0.3	<0.5	0.6	140	<0.1	<0.1	<0.1	136	0.77	0.075
L21+50N 51+25E Soil	0.5	72.3	4.2	107	<0.1	162.5	34.3	421	5.32	1.7	0.3	<0.5	0.9	84	<0.1	<0.1	<0.1	119	0.66	0.071
L21+50N 51+50E Soil	0.6	48.4	4.7	102	0.1	121.4	28.6	474	5.13	2.3	0.3	<0.5	1.2	86	0.1	0.1	0.1	124	0.55	0.072
L21+50N 51+75E Soil	0.7	75.8	3.5	109	0.1	133.2	29.8	463	5.01	1.8	0.4	0.9	1.0	84	<0.1	<0.1	<0.1	117	0.52	0.082
L21+50N 52+00E Soil	0.5	19.0	4.0	114	<0.1	58.9	15.6	524	2.90	1.4	0.2	<0.5	0.8	48	<0.1	<0.1	0.1	66	0.45	0.076
L21+50N 52+25E Soil	0.5	49.0	4.2	138	0.1	98.4	23.7	642	4.23	2.1	0.3	<0.5	1.2	43	<0.1	<0.1	<0.1	90	0.49	0.105
L21+50N 52+50E Soil	0.5	24.8	4.3	157	0.1	52.0	13.2	829	2.82	1.8	0.3	<0.5	1.1	38	0.2	0.1	<0.1	62	0.43	0.181
L21+50N 52+75E Soil	0.4	88.2	3.8	51	<0.1	80.4	20.7	475	3.99	2.6	0.7	1.0	2.3	66	<0.1	0.2	<0.1	136	0.73	0.040
L21+50N 53+00E Soil	0.7	38.1	4.4	126	<0.1	79.2	19.8	559	4.14	2.2	0.4	<0.5	1.2	41	<0.1	0.1	<0.1	103	0.37	0.118
L21+50N 53+25E Soil	0.5	33.3	4.5	102	0.1	58.9	16.7	734	3.15	1.7	0.3	0.7	1.1	45	0.2	0.1	<0.1	78	0.52	0.114
L21+50N 53+50E Soil	0.5	20.6	3.6	58	<0.1	39.5	12.1	284	2.35	1.3	0.3	0.9	1.4	20	0.2	0.1	<0.1	65	0.29	0.063
L21+50N 53+75E Soil	0.6	41.9	4.0	113	<0.1	88.3	21.4	503	3.92	2.0	0.3	0.8	1.2	31	0.2	0.1	<0.1	95	0.40	0.147
L21+50N 54+00E Soil	0.5	30.3	5.5	75	0.1	67.4	19.1	394	3.46	2.0	0.4	0.6	1.0	24	0.2	0.1	<0.1	98	0.42	0.130
L21+50N 54+25E Soil	0.6	61.2	5.9	50	0.5	43.0	12.8	476	3.02	1.4	0.4	1.4	2.3	26	0.1	0.2	0.1	84	0.61	0.019
L21+50N 54+50E Soil	0.8	23.9	3.8	74	<0.1	52.9	17.6	194	2.98	2.6	0.3	0.8	1.4	14	0.2	0.1	<0.1	80	0.23	0.083



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 12 of 14 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN08003668.1**

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
L21+50N 47+25E	Soil	6	70	1.05	48	0.134	<20	1.98	0.012	0.06	<0.1	0.02	3.9	<0.1	<0.05	6	<0.5	1.1
L21+50N 47+50E	Soil	2	57	1.73	70	0.129	<20	5.22	0.014	0.05	<0.1	0.02	2.9	<0.1	<0.05	10	<0.5	<0.5
L21+50N 47+75E	Soil	3	55	2.23	59	0.114	<20	6.06	0.027	0.08	<0.1	0.03	3.1	<0.1	0.05	12	<0.5	<0.5
L21+50N 48+00E	Soil	5	76	1.61	74	0.155	<20	3.41	0.017	0.07	<0.1	<0.01	4.1	<0.1	<0.05	8	<0.5	<0.5
L21+50N 48+25E	Soil	5	77	0.81	66	0.141	<20	2.21	0.008	0.11	<0.1	0.03	2.6	<0.1	<0.05	7	<0.5	<0.5
L21+50N 48+50E	Soil	5	67	0.58	87	0.130	<20	1.88	0.009	0.10	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.5
L21+50N 48+75E	Soil	5	82	0.63	56	0.149	<20	1.73	0.010	0.06	<0.1	<0.01	2.4	<0.1	<0.05	7	<0.5	<0.5
L21+50N 49+00E	Soil	5	76	0.85	69	0.125	<20	3.40	0.018	0.05	<0.1	0.02	3.8	<0.1	<0.05	8	<0.5	<0.5
L21+50N 49+25E	Soil	6	68	0.85	52	0.122	<20	1.75	0.009	0.06	<0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.5
L21+50N 49+50E	Soil	7	67	0.69	55	0.118	<20	1.64	0.008	0.09	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	0.8
L21+50N 49+75E	Soil	5	74	0.75	85	0.134	<20	2.62	0.008	0.08	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.5
L21+50N 50+00E	Soil	6	66	0.60	61	0.122	<20	2.08	0.009	0.08	0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.5
L21+50N 50+25E	Soil	6	62	0.54	69	0.118	<20	2.06	0.008	0.08	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
L21+50N 50+50E	Soil	6	56	0.50	70	0.110	<20	1.66	0.008	0.07	0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.5
L21+50N 50+75E	Soil	2	121	3.32	88	0.227	<20	5.12	0.015	0.10	<0.1	0.01	4.2	<0.1	<0.05	11	<0.5	<0.5
L21+50N 51+00E	Soil	2	98	2.44	102	0.134	<20	5.29	0.011	0.06	<0.1	0.02	2.1	<0.1	<0.05	11	<0.5	0.5
L21+50N 51+25E	Soil	3	98	2.14	76	0.143	<20	5.27	0.011	0.06	<0.1	0.02	2.5	<0.1	<0.05	12	<0.5	<0.5
L21+50N 51+50E	Soil	4	98	1.77	84	0.152	<20	4.15	0.011	0.09	<0.1	0.02	2.9	<0.1	<0.05	10	<0.5	<0.5
L21+50N 51+75E	Soil	3	89	1.82	78	0.141	<20	4.73	0.012	0.09	<0.1	0.03	2.6	<0.1	<0.05	11	<0.5	<0.5
L21+50N 52+00E	Soil	3	62	0.92	62	0.126	<20	2.55	0.011	0.09	0.1	0.01	2.1	<0.1	<0.05	8	<0.5	<0.5
L21+50N 52+25E	Soil	4	89	1.23	83	0.140	<20	3.74	0.011	0.11	<0.1	0.02	2.7	<0.1	<0.05	10	<0.5	<0.5
L21+50N 52+50E	Soil	4	67	0.68	91	0.131	<20	2.19	0.009	0.11	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.5
L21+50N 52+75E	Soil	7	113	1.36	57	0.181	<20	2.67	0.015	0.09	<0.1	0.02	8.7	<0.1	<0.05	8	0.5	<0.5
L21+50N 53+00E	Soil	4	78	1.11	65	0.150	<20	3.17	0.010	0.08	<0.1	0.02	2.7	<0.1	<0.05	10	<0.5	<0.5
L21+50N 53+25E	Soil	4	78	0.87	82	0.125	<20	2.57	0.008	0.09	<0.1	0.02	3.3	<0.1	<0.05	8	<0.5	1.1
L21+50N 53+50E	Soil	5	57	0.68	54	0.106	<20	1.71	0.008	0.06	<0.1	0.01	2.2	<0.1	<0.05	5	<0.5	1.0
L21+50N 53+75E	Soil	4	93	1.30	88	0.118	<20	3.36	0.008	0.07	<0.1	0.02	3.4	<0.1	<0.05	9	<0.5	1.1
L21+50N 54+00E	Soil	4	101	0.82	57	0.119	<20	2.28	0.009	0.05	0.1	0.01	2.9	<0.1	<0.05	8	<0.5	<0.5
L21+50N 54+25E	Soil	12	70	0.60	47	0.110	<20	2.25	0.012	0.05	<0.1	0.08	5.7	<0.1	<0.05	6	<0.5	1.4
L21+50N 54+50E	Soil	5	62	0.59	73	0.105	<20	2.56	0.014	0.04	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	1.7





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 13 of 14 Part 1

# CERTIFICATE OF ANALYSIS

VAN08003668.1

Method Analyte Unit MDL	1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L21+50N 54+75E	Soil	0.6	62.7	6.1	50	0.5	44.4	12.9	485	3.03	1.3	0.4	1.7	2.4	26	0.2	0.2	0.1	85	0.61	0.019
L21+50N 55+00E	Soil	0.7	24.7	6.7	97	0.1	41.4	14.6	466	3.43	2.0	0.2	0.6	0.7	18	0.3	<0.1	0.1	100	0.43	0.148
L20+50N 40+25E	Soil	0.4	39.2	3.6	71	<0.1	74.1	20.3	385	3.19	1.4	0.3	<0.5	1.4	25	<0.1	0.1	<0.1	78	0.40	0.134
L20+50N 40+50E	Soil	0.5	14.5	3.5	86	0.1	19.7	9.7	478	1.90	1.5	0.3	0.6	1.2	22	0.3	0.1	<0.1	58	0.27	0.057
L20+50N 40+75E	Soil	0.6	30.3	4.7	108	0.1	31.9	15.1	529	3.04	2.6	0.3	2.0	1.5	47	0.2	0.2	0.1	91	0.45	0.123
L20+50N 41+00E	Soil	1.0	69.6	8.6	90	0.2	40.4	20.5	651	4.15	6.1	0.4	5.8	1.4	111	0.4	0.2	0.1	134	0.67	0.033
L20+50N 41+25E	Soil	1.0	62.6	4.3	56	0.2	31.7	9.9	314	2.32	1.9	0.5	1.9	1.5	38	0.1	0.1	<0.1	71	0.58	0.021
L20+50N 41+50E	Soil	0.8	40.5	3.8	40	<0.1	34.7	13.0	359	2.61	2.6	0.4	1.4	1.7	46	0.1	0.2	<0.1	86	0.54	0.021
L20+50N 41+75E	Soil	1.1	30.9	4.6	70	0.1	35.1	14.5	414	2.89	2.3	0.3	0.6	1.4	29	0.3	0.2	0.1	85	0.40	0.082
L20+50N 42+00E	Soil	0.8	54.3	5.3	66	0.2	38.2	13.0	723	2.58	2.3	1.0	10.3	1.4	41	0.3	0.2	0.1	81	0.57	0.032
L20+50N 42+25E	Soil	0.6	18.9	3.7	78	0.1	33.9	11.5	251	2.33	1.7	0.3	4.1	1.5	21	0.3	0.2	<0.1	66	0.30	0.069
L20+50N 42+50E	Soil	0.6	38.0	3.1	47	<0.1	43.5	13.2	330	2.51	2.3	0.5	1.0	2.1	37	0.2	0.3	<0.1	74	0.49	0.041
L20+50N 42+75E	Soil	0.7	26.0	4.3	68	0.1	40.2	13.2	889	2.50	1.6	0.4	0.6	1.4	23	0.3	0.1	0.1	76	0.43	0.025
L20+50N 43+00E	Soil	0.8	36.6	5.0	78	0.2	52.8	17.3	806	3.01	2.5	0.6	1.0	1.3	28	0.4	0.2	0.1	91	0.56	0.048
L20+50N 43+25E	Soil	0.7	19.0	3.5	49	<0.1	46.6	14.3	258	2.55	2.2	0.2	0.8	1.1	20	0.1	0.1	<0.1	75	0.31	0.049
L20+50N 43+50E	Soil	0.7	30.3	3.3	94	<0.1	85.8	19.0	458	3.15	2.7	0.3	1.0	1.2	29	0.2	<0.1	<0.1	79	0.35	0.103
L20+50N 43+75E	Soil	0.6	44.7	3.4	62	<0.1	83.0	18.3	452	3.16	2.9	0.4	0.7	1.5	39	0.1	0.1	<0.1	89	0.52	0.072
L20+50N 44+00E	Soil	0.4	24.8	2.6	52	0.1	63.6	14.7	245	2.45	2.2	0.3	2.3	1.4	35	0.1	<0.1	<0.1	66	0.49	0.139
L20+50N 44+25E	Soil	0.5	29.2	3.6	99	0.1	68.3	16.7	334	3.15	3.1	0.3	<0.5	1.5	39	0.2	0.1	<0.1	80	0.54	0.164
L20+50N 44+50E	Soil	0.5	25.1	4.2	130	0.2	64.7	16.1	349	2.99	3.1	0.3	<0.5	1.9	34	0.3	<0.1	<0.1	65	0.38	0.191
L20+50N 44+75E	Soil	0.8	20.8	3.2	56	0.1	55.1	15.0	469	2.75	1.7	0.4	<0.5	1.3	36	0.1	<0.1	<0.1	81	0.72	0.031
L20+50N 45+00E	Soil	0.6	21.2	2.8	65	<0.1	42.3	12.2	427	2.32	1.6	0.3	<0.5	1.2	46	<0.1	<0.1	<0.1	65	0.48	0.098
L20+50N 45+25E	Soil	0.7	29.1	2.6	50	<0.1	46.3	12.1	351	2.21	1.4	0.3	0.7	1.1	55	0.2	<0.1	<0.1	65	0.57	0.045
L20+50N 45+50E	Soil	1.8	52.7	3.9	82	0.3	107.9	21.0	345	3.52	2.5	0.4	0.9	1.1	214	0.1	0.1	<0.1	101	0.63	0.045
L20+50N 45+75E	Soil	1.4	35.8	4.5	110	0.2	105.0	21.2	728	3.56	2.6	0.4	<0.5	1.4	101	0.3	0.1	<0.1	86	0.73	0.078
L20+50N 46+00E	Soil	0.5	93.4	5.0	109	<0.1	125.5	35.6	545	5.08	2.3	0.3	<0.5	0.7	91	0.1	<0.1	<0.1	134	0.72	0.150
L20+50N 46+25E	Soil	0.6	70.4	3.9	126	0.2	77.5	22.9	524	3.78	2.6	0.3	<0.5	0.7	74	0.2	<0.1	<0.1	91	1.35	0.154
L20+50N 46+50E	Soil	0.6	40.4	4.2	113	0.1	67.2	22.1	733	3.90	2.8	0.3	<0.5	1.0	62	0.2	<0.1	<0.1	96	0.66	0.162
L20+50N 46+75E	Soil	0.7	31.5	4.6	87	<0.1	59.2	16.6	1405	3.12	2.3	0.3	<0.5	1.2	83	0.3	0.1	<0.1	83	0.69	0.061
L20+50N 47+00E	Soil	0.6	29.9	4.6	79	<0.1	69.0	18.4	481	3.43	2.3	0.3	<0.5	1.6	38	<0.1	0.1	0.1	85	0.57	0.055



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: March 21, 2008

Page: 13 of 14 Part 2

# CERTIFICATE OF ANALYSIS

VAN08003668.1

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
MDL		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
L21+50N 54+75E	Soil	12	72	0.62	48	0.114	<20	2.31	0.012	0.05	<0.1	0.08	5.8	<0.1	<0.05	6	<0.5	3.8
L21+50N 55+00E	Soil	3	71	0.67	57	0.158	<20	1.81	0.012	0.05	0.1	0.02	2.3	<0.1	<0.05	11	<0.5	1.4
L20+50N 40+25E	Soil	4	113	1.07	52	0.102	<20	2.32	0.007	0.07	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	2.2
L20+50N 40+50E	Soil	6	42	0.43	68	0.111	<20	1.21	0.016	0.05	<0.1	0.04	2.4	<0.1	<0.05	5	<0.5	18.8
L20+50N 40+75E	Soil	5	53	0.73	68	0.116	<20	1.93	0.012	0.10	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	1.8
L20+50N 41+00E	Soil	6	74	1.25	73	0.164	<20	2.74	0.018	0.08	0.1	0.02	6.3	<0.1	<0.05	8	<0.5	5.2
L20+50N 41+25E	Soil	7	54	0.73	53	0.127	<20	1.72	0.015	0.05	<0.1	0.02	4.9	<0.1	<0.05	5	<0.5	67.9
L20+50N 41+50E	Soil	6	57	0.79	46	0.134	<20	1.70	0.018	0.06	<0.1	0.03	4.0	<0.1	<0.05	5	<0.5	4.2
L20+50N 41+75E	Soil	6	61	0.69	46	0.126	<20	1.87	0.012	0.10	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5	2.9
L20+50N 42+00E	Soil	10	57	0.63	58	0.113	<20	1.75	0.013	0.07	<0.1	0.04	4.6	<0.1	<0.05	5	0.6	1.9
L20+50N 42+25E	Soil	6	56	0.57	43	0.112	<20	1.55	0.008	0.07	<0.1	0.01	2.5	<0.1	<0.05	5	<0.5	2.1
L20+50N 42+50E	Soil	9	63	0.86	54	0.127	<20	1.63	0.016	0.08	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5	2.4
L20+50N 42+75E	Soil	7	65	0.54	60	0.114	<20	1.85	0.011	0.06	<0.1	0.05	4.1	<0.1	<0.05	5	<0.5	<0.5
L20+50N 43+00E	Soil	9	77	0.68	67	0.117	<20	2.37	0.010	0.08	<0.1	0.06	5.4	<0.1	<0.05	6	<0.5	1.9
L20+50N 43+25E	Soil	5	72	0.65	52	0.122	<20	1.84	0.015	0.05	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	0.6
L20+50N 43+50E	Soil	4	78	0.96	61	0.139	<20	2.79	0.011	0.06	<0.1	0.03	3.3	<0.1	<0.05	7	<0.5	1.5
L20+50N 43+75E	Soil	7	94	1.08	75	0.135	<20	2.19	0.016	0.08	<0.1	0.03	5.8	<0.1	<0.05	6	<0.5	1.2
L20+50N 44+00E	Soil	5	84	0.87	52	0.122	<20	1.86	0.012	0.07	<0.1	0.02	2.9	<0.1	<0.05	5	<0.5	2.0
L20+50N 44+25E	Soil	5	93	0.92	71	0.136	<20	2.58	0.013	0.10	<0.1	0.02	3.4	<0.1	<0.05	7	<0.5	1.9
L20+50N 44+50E	Soil	6	71	0.78	99	0.117	<20	2.63	0.015	0.09	<0.1	0.01	3.4	<0.1	<0.05	7	<0.5	1.3
L20+50N 44+75E	Soil	5	70	0.95	58	0.133	<20	2.28	0.019	0.05	<0.1	0.03	4.0	<0.1	<0.05	5	<0.5	1.2
L20+50N 45+00E	Soil	4	74	0.57	64	0.117	<20	2.04	0.008	0.08	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	0.9
L20+50N 45+25E	Soil	5	63	0.67	66	0.121	<20	1.86	0.011	0.05	<0.1	0.02	3.3	0.1	<0.05	5	<0.5	1.1
L20+50N 45+50E	Soil	5	88	1.79	323	0.186	<20	3.75	0.026	0.08	0.1	0.01	4.0	0.3	<0.05	8	<0.5	<0.5
L20+50N 45+75E	Soil	5	74	1.44	194	0.155	<20	3.51	0.010	0.12	<0.1	0.03	3.9	0.4	<0.05	8	<0.5	1.3
L20+50N 46+00E	Soil	2	171	1.80	94	0.164	<20	5.86	0.019	0.05	<0.1	0.01	3.3	<0.1	<0.05	11	<0.5	0.7
L20+50N 46+25E	Soil	3	47	1.11	65	0.141	<20	5.09	0.037	0.09	<0.1	0.04	4.3	<0.1	<0.05	11	<0.5	<0.5
L20+50N 46+50E	Soil	4	83	1.06	77	0.149	<20	4.37	0.013	0.09	<0.1	0.03	4.2	<0.1	<0.05	10	<0.5	0.9
L20+50N 46+75E	Soil	4	78	0.86	126	0.147	<20	2.60	0.014	0.07	<0.1	0.02	3.4	0.1	<0.05	8	<0.5	1.2
L20+50N 47+00E	Soil	5	71	0.87	80	0.128	<20	3.66	0.011	0.08	<0.1	0.03	3.6	<0.1	<0.05	8	<0.5	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

14 of 14 Part 1

## CERTIFICATE OF ANALYSIS

## VAN08003668.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L20+50N 47+25E	Soil	0.5	37.7	6.1	99	<0.1	49.9	19.0	412	3.41	2.2	0.3	0.9	1.5	37	0.2	0.1	0.1	77	0.48	0.121
L20+50N 47+50E	Soil	0.6	25.6	5.4	86	<0.1	53.9	17.0	258	3.18	2.1	0.3	0.7	1.7	31	<0.1	0.1	0.1	76	0.34	0.070
L20+50N 47+75E	Soil	0.4	52.3	3.7	123	0.1	65.5	29.7	696	3.70	3.4	0.2	2.4	0.7	62	0.2	<0.1	<0.1	68	0.66	0.209
L20+50N 48+00E	Soil	0.6	46.3	3.2	58	<0.1	80.3	18.6	278	3.18	3.4	0.4	1.5	2.0	43	0.1	0.2	<0.1	80	0.36	0.099
L20+50N 48+25E	Soil	0.5	20.0	3.8	75	<0.1	41.3	13.6	287	2.56	1.9	0.3	2.6	1.7	30	0.1	0.1	<0.1	67	0.40	0.092
L20+50N 48+50E	Soil	0.5	47.7	3.2	75	0.1	115.7	27.1	402	3.51	2.1	0.4	1.6	1.6	55	0.1	0.1	<0.1	77	0.50	0.094
L20+50N 48+75E	Soil	0.8	35.6	3.3	127	0.1	147.9	30.1	1142	3.76	1.9	0.2	0.6	1.0	42	0.2	<0.1	<0.1	69	0.51	0.151
L20+50N 49+00E	Soil	1.0	50.9	3.7	171	0.2	223.4	37.4	652	4.73	3.2	0.3	<0.5	1.3	42	0.3	<0.1	<0.1	84	0.59	0.275
L20+50N 49+25E	Soil	0.5	17.7	4.3	92	<0.1	40.2	13.6	1113	2.52	1.8	0.2	1.0	0.8	34	0.2	<0.1	<0.1	62	0.37	0.057
L20+50N 49+50E	Soil	0.6	57.4	3.7	90	<0.1	110.8	30.3	621	4.37	4.3	0.3	1.2	1.4	93	0.1	0.1	<0.1	103	0.64	0.098
L20+50N 49+75E	Soil	1.1	64.4	2.5	101	0.1	326.1	39.6	510	5.69	1.5	0.2	0.7	0.6	173	0.1	<0.1	<0.1	113	0.79	0.052
L20+50N 50+00E	Soil	0.6	54.4	3.8	131	0.2	242.5	29.8	364	4.81	3.8	0.4	1.0	1.4	52	0.2	<0.1	0.1	90	0.54	0.281
L20+50N 50+25E	Soil	0.6	26.2	3.6	63	<0.1	74.1	15.9	292	2.61	2.1	0.4	1.6	1.9	38	0.1	0.2	<0.1	71	0.45	0.081



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

14 of 14 Part 2

## CERTIFICATE OF ANALYSIS

VAN08003668.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
L20+50N 47+25E	Soil	4	53	0.84	79	0.125	<20	3.95	0.010	0.09	<0.1	0.03	2.9	<0.1	<0.05	9	<0.5	1.3
L20+50N 47+50E	Soil	5	56	0.84	98	0.133	<20	3.10	0.012	0.07	<0.1	0.02	2.8	<0.1	<0.05	7	<0.5	0.9
L20+50N 47+75E	Soil	3	55	1.52	101	0.105	<20	4.58	0.023	0.07	<0.1	0.05	3.0	<0.1	<0.05	10	<0.5	<0.5
L20+50N 48+00E	Soil	6	59	1.27	81	0.125	<20	3.10	0.011	0.06	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5	1.1
L20+50N 48+25E	Soil	6	59	0.75	58	0.129	<20	2.05	0.010	0.08	<0.1	<0.01	2.7	<0.1	<0.05	6	<0.5	1.3
L20+50N 48+50E	Soil	5	62	1.99	78	0.140	<20	3.45	0.011	0.09	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5	1.0
L20+50N 48+75E	Soil	3	65	1.91	78	0.153	<20	4.01	0.011	0.07	<0.1	0.03	2.9	<0.1	<0.05	9	<0.5	1.1
L20+50N 49+00E	Soil	3	74	2.62	75	0.146	<20	5.04	0.010	0.08	<0.1	0.03	3.0	<0.1	<0.05	9	<0.5	<0.5
L20+50N 49+25E	Soil	4	60	0.69	102	0.098	<20	1.86	0.010	0.06	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.5
L20+50N 49+50E	Soil	4	70	1.92	125	0.147	<20	4.71	0.017	0.07	<0.1	0.02	3.2	<0.1	<0.05	9	<0.5	0.8
L20+50N 49+75E	Soil	2	103	4.59	99	0.157	<20	5.62	0.009	0.08	<0.1	0.02	3.1	<0.1	<0.05	9	<0.5	0.8
L20+50N 50+00E	Soil	4	87	2.56	158	0.135	<20	5.00	0.008	0.10	<0.1	0.03	3.5	<0.1	<0.05	10	<0.5	1.2
L20+50N 50+25E	Soil	7	66	0.92	50	0.134	<20	1.93	0.008	0.09	<0.1	0.04	3.3	<0.1	<0.05	5	<0.5	1.3



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 1 of 5 **Part** 1

**QUALITY CONTROL REPORT**

**VAN08003668.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
L30+00N 42+25E	Soil	0.6	52.0	9.0	150	0.2	62.3	21.1	2242	3.94	2.7	0.5	<0.5	2.2	89	0.7	0.1	0.1	125	1.14	0.048
REP L30+00N 42+25E	QC	0.6	47.9	9.5	142	0.1	56.4	19.8	2118	3.64	2.6	0.5	<0.5	2.3	95	0.8	0.2	0.1	117	1.13	0.047
L30+00N 44+75E	Soil	0.4	47.4	7.7	84	<0.1	37.6	14.7	376	4.13	2.7	0.7	0.8	7.1	28	<0.1	0.4	0.2	75	0.33	0.055
REP L30+00N 44+75E	QC																				
L30+00N 48+25E	Soil	0.5	93.2	7.1	67	<0.1	46.5	18.9	372	4.30	2.3	0.5	<0.5	4.2	40	<0.1	<0.1	<0.1	101	0.42	0.069
REP L30+00N 48+25E	QC	0.5	97.7	6.9	67	<0.1	49.1	19.4	369	4.17	2.2	0.5	<0.5	4.3	40	<0.1	<0.1	<0.1	98	0.41	0.071
L30+00N 51+50E	Soil	1.4	66.3	8.1	74	0.4	97.3	26.4	303	5.45	2.2	0.8	0.6	2.7	47	0.8	0.2	0.2	119	0.69	0.050
REP L30+00N 51+50E	QC	1.4	62.8	7.9	70	0.4	97.2	25.6	308	5.25	2.6	0.7	0.7	2.6	47	0.9	0.1	0.1	114	0.65	0.050
L26+00N 57+75E	Soil	0.6	52.3	7.0	99	<0.1	59.0	19.3	739	3.42	1.9	0.3	<0.5	0.9	34	0.2	0.1	<0.1	90	0.52	0.118
REP L26+00N 57+75E	QC	0.7	51.5	5.7	98	<0.1	59.0	19.7	732	3.43	1.8	0.3	<0.5	1.0	34	0.2	0.1	<0.1	85	0.52	0.121
L24+50N 40+00E	Soil	0.6	21.0	6.1	110	0.2	37.6	12.2	523	2.81	2.1	0.5	0.9	2.2	30	0.4	0.1	0.1	59	0.39	0.136
REP L24+50N 40+00E	QC	0.6	20.9	5.5	113	0.2	38.0	12.4	529	2.77	2.3	0.4	<0.5	2.2	29	0.5	0.1	0.1	60	0.40	0.143
L24+50N 42+75E	Soil	0.4	20.6	3.8	52	<0.1	22.8	9.9	196	2.21	1.3	0.3	<0.5	1.8	31	<0.1	0.1	<0.1	69	0.30	0.026
REP L24+50N 42+75E	QC	0.4	20.4	3.8	53	<0.1	21.9	10.2	195	2.19	1.1	0.3	0.9	1.8	31	<0.1	0.2	<0.1	70	0.33	0.025
L24+50N 45+25E	Soil	0.5	26.3	4.2	87	<0.1	36.8	12.8	357	2.69	1.0	0.4	<0.5	1.8	37	0.1	0.1	<0.1	74	0.38	0.081
REP L24+50N 45+25E	QC																				
L24+50N 48+25E	Soil	0.7	29.4	5.3	82	0.1	55.0	18.4	267	3.28	3.4	0.5	0.9	2.4	30	0.2	0.2	<0.1	91	0.42	0.159
REP L24+50N 48+25E	QC	0.8	30.5	5.4	83	0.1	53.2	18.1	263	3.32	3.5	0.5	0.9	2.3	31	0.2	0.2	0.1	91	0.43	0.172
L24+50N 48+75E	Soil	0.6	43.5	5.7	88	<0.1	53.2	16.9	385	3.39	2.4	0.4	1.1	2.4	55	0.2	0.2	0.1	91	0.49	0.184
REP L24+50N 48+75E	QC																				
L24+50N 52+75E	Soil	0.5	89.6	8.1	124	<0.1	180.3	36.6	1043	5.14	1.1	0.3	0.9	1.0	50	<0.1	<0.1	<0.1	118	0.63	0.165
REP L24+50N 52+75E	QC	0.4	89.9	7.9	124	<0.1	177.9	36.6	1024	5.11	1.1	0.3	0.8	1.0	49	0.1	<0.1	<0.1	120	0.63	0.165
L23+50N 41+25E	Soil	0.4	15.9	3.9	107	<0.1	34.6	11.2	370	2.19	1.3	0.3	<0.5	1.5	28	0.2	<0.1	<0.1	59	0.35	0.117
REP L23+50N 41+25E	QC	0.4	16.3	4.0	106	<0.1	33.4	11.2	367	2.31	1.4	0.3	<0.5	1.4	28	0.2	<0.1	<0.1	58	0.38	0.119
L23+50N 45+25E	Soil	0.5	19.9	3.9	85	<0.1	44.5	11.8	285	2.54	1.7	0.4	<0.5	1.8	25	0.2	0.1	<0.1	62	0.36	0.166
REP L23+50N 45+25E	QC																				
L23+50N 45+75E	Soil	0.6	18.8	4.0	90	0.2	45.8	13.2	345	2.71	1.6	0.3	1.0	1.6	24	0.2	0.2	<0.1	66	0.36	0.107
REP L23+50N 45+75E	QC	0.6	18.4	4.1	90	0.2	45.2	12.3	333	2.63	1.6	0.3	<0.5	1.6	23	0.2	0.1	<0.1	66	0.35	0.104



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

1 of 5

Part 2

## QUALITY CONTROL REPORT

## VAN08003668.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
Pulp Duplicates																		
L30+00N 42+25E	Soil	9	108	1.10	86	0.090	<20	2.25	0.017	0.08	<0.1	0.06	4.1	<0.1	<0.05	6	<0.5	1.6
REP L30+00N 42+25E	QC	9	107	1.13	82	0.090	<20	2.21	0.017	0.08	<0.1	0.07	4.0	<0.1	<0.05	6	0.8	
L30+00N 44+75E	Soil	23	59	0.99	50	0.065	<20	2.39	0.010	0.13	<0.1	0.03	3.6	<0.1	<0.05	7	<0.5	2.2
REP L30+00N 44+75E	QC																	1.3
L30+00N 48+25E	Soil	11	75	1.01	45	0.101	<20	2.99	0.010	0.13	0.1	0.03	3.4	<0.1	<0.05	6	<0.5	1.4
REP L30+00N 48+25E	QC	11	74	1.03	46	0.097	<20	3.00	0.008	0.13	0.2	0.04	3.3	<0.1	<0.05	7	<0.5	
L30+00N 51+50E	Soil	11	144	1.03	84	0.128	<20	3.63	0.008	0.09	0.1	0.10	6.1	<0.1	<0.05	7	0.8	2.2
REP L30+00N 51+50E	QC	11	143	1.00	82	0.128	<20	3.45	0.008	0.08	0.1	0.10	5.5	<0.1	<0.05	7	0.6	2.0
L26+00N 57+75E	Soil	3	130	0.91	63	0.142	<20	2.37	0.010	0.10	<0.1	0.03	3.2	<0.1	<0.05	7	<0.5	<0.5
REP L26+00N 57+75E	QC	3	127	0.94	64	0.140	<20	2.33	0.010	0.10	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5	
L24+50N 40+00E	Soil	9	61	0.64	61	0.101	<20	1.76	0.008	0.15	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5	1.5
REP L24+50N 40+00E	QC	10	61	0.65	60	0.102	<20	1.75	0.010	0.15	0.1	0.04	2.6	<0.1	<0.05	6	0.6	
L24+50N 42+75E	Soil	6	56	0.46	35	0.104	<20	1.40	0.011	0.07	<0.1	0.02	2.4	<0.1	<0.05	4	<0.5	0.9
REP L24+50N 42+75E	QC	6	59	0.47	38	0.107	<20	1.50	0.009	0.07	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	
L24+50N 45+25E	Soil	5	71	0.63	55	0.134	<20	2.06	0.008	0.10	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.5
REP L24+50N 45+25E	QC																	1.9
L24+50N 48+25E	Soil	6	90	0.68	67	0.137	<20	2.77	0.014	0.09	0.1	0.03	3.9	<0.1	<0.05	7	<0.5	<0.5
REP L24+50N 48+25E	QC	7	92	0.69	70	0.136	<20	2.84	0.016	0.10	<0.1	0.04	3.8	<0.1	<0.05	7	<0.5	
L24+50N 48+75E	Soil	7	86	0.80	84	0.127	<20	2.96	0.013	0.10	0.1	0.03	3.4	<0.1	<0.05	8	<0.5	<0.5
REP L24+50N 48+75E	QC																	<0.5
L24+50N 52+75E	Soil	2	182	2.58	81	0.161	<20	4.91	0.016	0.06	<0.1	0.02	3.5	<0.1	<0.05	11	<0.5	0.5
REP L24+50N 52+75E	QC	2	190	2.51	81	0.162	<20	4.89	0.015	0.06	<0.1	0.01	3.5	<0.1	<0.05	11	<0.5	
L23+50N 41+25E	Soil	5	66	0.46	55	0.113	<20	1.72	0.008	0.11	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5	0.9
REP L23+50N 41+25E	QC	5	67	0.48	57	0.113	<20	1.77	0.009	0.12	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	
L23+50N 45+25E	Soil	6	68	0.62	67	0.107	<20	2.04	0.008	0.09	<0.1	0.03	2.6	<0.1	<0.05	6	<0.5	0.8
REP L23+50N 45+25E	QC																	<0.5
L23+50N 45+75E	Soil	5	75	0.61	71	0.115	<20	2.21	0.009	0.11	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
REP L23+50N 45+75E	QC	5	71	0.58	73	0.112	<20	2.07	0.007	0.11	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5	



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 2 of 5 **Part** 1

**QUALITY CONTROL REPORT**

**VAN08003668.1**

		1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L23+50N 47+00E	Soil	0.6	19.1	3.4	82	<0.1	35.1	11.9	309	2.37	1.1	0.3	2.0	1.3	26	0.2	0.2	<0.1	59	0.29	0.080
REP L23+50N 47+00E	QC																				
L23+50N 51+00E	Soil	0.6	16.7	4.4	105	0.1	35.6	11.6	283	2.61	2.6	0.3	<0.5	1.5	17	0.3	0.1	<0.1	67	0.31	0.122
REP L23+50N 51+00E	QC	0.6	16.7	4.2	109	0.1	37.1	12.0	297	2.71	2.5	0.3	<0.5	1.6	17	0.3	0.2	<0.1	65	0.32	0.126
L22+50N 40+00E	Soil	0.5	45.7	4.2	42	<0.1	55.8	14.7	338	2.80	2.6	0.5	1.6	2.3	33	<0.1	0.2	<0.1	81	0.43	0.067
REP L22+50N 40+00E	QC	0.5	45.2	3.9	44	<0.1	58.1	15.5	333	2.84	2.5	0.4	1.9	2.2	32	<0.1	0.2	<0.1	74	0.42	0.064
L22+50N 43+00E	Soil	0.4	32.8	3.5	51	<0.1	93.9	20.5	619	2.74	2.1	0.3	0.9	1.3	49	0.3	0.2	<0.1	83	0.69	0.057
REP L22+50N 43+00E	QC	0.5	32.2	3.4	50	<0.1	91.7	19.5	623	2.70	1.9	0.3	1.8	1.2	49	0.3	0.2	<0.1	81	0.69	0.058
L22+50N 46+75E	Soil	0.5	30.5	3.2	65	0.2	66.3	15.2	389	2.58	1.8	0.3	1.5	1.2	26	0.2	0.2	<0.1	66	0.47	0.090
REP L22+50N 46+75E	QC	0.5	29.6	3.1	66	0.2	65.7	14.8	380	2.54	2.0	0.3	0.5	1.1	27	0.2	0.2	<0.1	65	0.47	0.085
L22+50N 48+50E	Soil	0.5	45.2	3.6	41	<0.1	48.8	14.5	321	2.90	2.3	0.4	1.4	2.0	34	<0.1	0.3	<0.1	85	0.39	0.042
REP L22+50N 48+50E	QC																				
L22+50N 52+50E	Soil	0.6	25.4	4.7	83	0.1	59.7	15.7	587	3.24	2.7	0.3	2.0	0.9	27	0.2	0.1	<0.1	76	0.40	0.148
REP L22+50N 52+50E	QC																				
L22+50N 53+75E	Soil	0.5	51.5	4.1	44	<0.1	38.9	13.3	371	2.75	3.1	0.5	3.0	2.4	29	0.2	0.3	<0.1	80	0.48	0.045
REP L22+50N 53+75E	QC	0.4	50.1	4.2	45	<0.1	38.2	13.0	344	2.61	3.1	0.5	2.7	2.2	28	<0.1	0.3	<0.1	76	0.47	0.043
L21+50N 40+75E	Soil	0.4	35.4	3.4	69	<0.1	72.5	16.1	397	2.74	2.8	0.3	1.5	1.6	50	0.2	0.1	<0.1	70	0.53	0.115
REP L21+50N 40+75E	QC	0.5	34.5	3.6	73	<0.1	71.1	16.6	418	2.79	3.2	0.3	1.9	1.6	49	0.1	0.2	<0.1	72	0.53	0.117
L21+50N 47+50E	Soil	0.3	68.2	3.2	78	<0.1	78.9	29.4	503	4.38	2.7	0.2	<0.5	0.7	94	<0.1	0.1	<0.1	92	0.58	0.093
REP L21+50N 47+50E	QC	0.4	63.7	3.0	76	<0.1	76.9	28.2	480	4.31	2.7	0.2	<0.5	0.7	89	<0.1	<0.1	<0.1	88	0.57	0.087
L21+50N 50+25E	Soil	0.6	19.4	3.6	80	<0.1	40.8	11.2	236	2.45	2.5	0.4	<0.5	1.7	16	<0.1	0.2	<0.1	58	0.27	0.109
REP L21+50N 50+25E	QC	0.4	16.9	3.3	74	<0.1	36.7	10.6	216	2.23	2.4	0.3	5.2	1.6	15	0.1	0.1	<0.1	54	0.25	0.101
L21+50N 51+75E	Soil	0.7	75.8	3.5	109	0.1	133.2	29.8	463	5.01	1.8	0.4	0.9	1.0	84	<0.1	<0.1	<0.1	117	0.52	0.082
REP L21+50N 51+75E	QC																				
L21+50N 54+25E	Soil	0.6	61.2	5.9	50	0.5	43.0	12.8	476	3.02	1.4	0.4	1.4	2.3	26	0.1	0.2	0.1	84	0.61	0.019
REP L21+50N 54+25E	QC	0.5	61.4	5.9	50	0.5	44.9	12.8	482	3.07	1.5	0.4	1.5	2.4	26	0.1	0.2	0.1	82	0.61	0.019
L20+50N 43+50E	Soil	0.7	30.3	3.3	94	<0.1	85.8	19.0	458	3.15	2.7	0.3	1.0	1.2	29	0.2	<0.1	<0.1	79	0.35	0.103
REP L20+50N 43+50E	QC																				
L20+50N 43+75E	Soil	0.6	44.7	3.4	62	<0.1	83.0	18.3	452	3.16	2.9	0.4	0.7	1.5	39	0.1	0.1	<0.1	89	0.52	0.072



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 21, 2008

**Page:** 2 of 5 **Part** 2

**QUALITY CONTROL REPORT**

**VAN08003668.1**

		1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX TI ppm	1DX S %	1DX Ga ppm	1DX Se ppm	3A Au ppb
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.5
L23+50N 47+00E	Soil	4	62	0.54	52	0.106	<20	1.74	0.007	0.10	<0.1	0.05	2.4	<0.1	<0.05	5	<0.5	1.1
REP L23+50N 47+00E	QC																	2.7
L23+50N 51+00E	Soil	4	55	0.53	47	0.111	<20	1.95	0.009	0.07	<0.1	0.03	2.9	<0.1	<0.05	6	<0.5	1.0
REP L23+50N 51+00E	QC	5	59	0.55	46	0.113	<20	2.09	0.008	0.08	<0.1	0.03	3.0	<0.1	<0.05	5	<0.5	
L22+50N 40+00E	Soil	8	69	1.00	40	0.122	<20	1.85	0.012	0.09	<0.1	0.03	4.4	<0.1	<0.05	5	<0.5	1.1
REP L22+50N 40+00E	QC	8	67	1.00	38	0.113	<20	1.88	0.012	0.09	<0.1	0.03	4.5	<0.1	<0.05	5	<0.5	
L22+50N 43+00E	Soil	5	69	1.38	72	0.120	<20	1.87	0.017	0.06	0.1	0.02	3.4	<0.1	<0.05	5	<0.5	2.5
REP L22+50N 43+00E	QC	5	67	1.37	69	0.118	<20	1.86	0.011	0.06	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5	
L22+50N 46+75E	Soil	5	70	0.95	60	0.120	<20	2.02	0.009	0.09	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	0.7
REP L22+50N 46+75E	QC	5	68	0.92	57	0.117	<20	1.89	0.008	0.08	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	
L22+50N 48+50E	Soil	8	80	0.92	45	0.128	<20	1.90	0.009	0.12	<0.1	0.03	4.3	<0.1	<0.05	5	<0.5	2.6
REP L22+50N 48+50E	QC																	1.8
L22+50N 52+50E	Soil	4	70	0.81	69	0.135	<20	2.43	0.009	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.5
REP L22+50N 52+50E	QC																	4.5
L22+50N 53+75E	Soil	10	73	0.77	44	0.138	<20	1.84	0.009	0.18	<0.1	0.04	6.5	<0.1	<0.05	5	0.7	2.1
REP L22+50N 53+75E	QC	10	68	0.74	45	0.135	<20	1.79	0.011	0.18	<0.1	0.05	6.1	<0.1	<0.05	5	<0.5	
L21+50N 40+75E	Soil	6	76	1.09	98	0.147	<20	2.05	0.014	0.08	<0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.5
REP L21+50N 40+75E	QC	6	78	1.06	102	0.150	<20	2.05	0.016	0.08	<0.1	0.03	3.2	<0.1	<0.05	6	0.5	
L21+50N 47+50E	Soil	2	57	1.73	70	0.129	<20	5.22	0.014	0.05	<0.1	0.02	2.9	<0.1	<0.05	10	<0.5	<0.5
REP L21+50N 47+50E	QC	2	54	1.68	67	0.122	<20	5.22	0.013	0.05	<0.1	0.02	2.8	<0.1	<0.05	10	<0.5	
L21+50N 50+25E	Soil	6	62	0.54	69	0.118	<20	2.06	0.008	0.08	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.5
REP L21+50N 50+25E	QC	5	55	0.50	64	0.107	<20	1.92	0.008	0.08	<0.1	0.03	2.4	<0.1	<0.05	5	<0.5	
L21+50N 51+75E	Soil	3	89	1.82	78	0.141	<20	4.73	0.012	0.09	<0.1	0.03	2.6	<0.1	<0.05	11	<0.5	<0.5
REP L21+50N 51+75E	QC																	<0.5
L21+50N 54+25E	Soil	12	70	0.60	47	0.110	<20	2.25	0.012	0.05	<0.1	0.08	5.7	<0.1	<0.05	6	<0.5	1.4
REP L21+50N 54+25E	QC	12	68	0.60	46	0.109	<20	2.26	0.014	0.05	<0.1	0.09	5.6	<0.1	<0.05	6	<0.5	
L20+50N 43+50E	Soil	4	78	0.96	61	0.139	<20	2.79	0.011	0.06	<0.1	0.03	3.3	<0.1	<0.05	7	<0.5	1.5
REP L20+50N 43+50E	QC																	2.3
L20+50N 43+75E	Soil	7	94	1.08	75	0.135	<20	2.19	0.016	0.08	<0.1	0.03	5.8	<0.1	<0.05	6	<0.5	1.2





M.Saghezchi GIT

**Acme Labs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: March 21, 2008

Page: 3 of 5 Part 1

# QUALITY CONTROL REPORT

**VAN08003668.1**

		1DX Mo ppm	1DX Cu ppm	1DX Pb ppm	1DX Zn ppm	1DX Ag ppm	1DX Ni ppm	1DX Co ppm	1DX Mn ppm	1DX Fe %	1DX As ppm	1DX U ppm	1DX Au ppb	1DX Th ppm	1DX Sr ppm	1DX Cd ppm	1DX Sb ppm	1DX Bi ppm	1DX V ppm	1DX Ca %	1DX P %
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
REP L20+50N 43+75E	QC	0.6	43.6	3.4	61	<0.1	81.4	18.5	457	3.11	3.1	0.3	0.7	1.4	39	0.2	0.1	<0.1	89	0.53	0.071
L20+50N 47+25E	Soil	0.5	37.7	6.1	99	<0.1	49.9	19.0	412	3.41	2.2	0.3	0.9	1.5	37	0.2	0.1	0.1	77	0.48	0.121
REP L20+50N 47+25E	QC	0.5	37.4	6.0	101	<0.1	50.0	19.1	423	3.42	2.1	0.3	1.0	1.5	38	0.2	0.1	0.1	78	0.49	0.121
L20+50N 48+75E	Soil	0.8	35.6	3.3	127	0.1	147.9	30.1	1142	3.76	1.9	0.2	0.6	1.0	42	0.2	<0.1	<0.1	69	0.51	0.151
REP L20+50N 48+75E	QC																				
Reference Materials																					
STD DS7	Standard	23.0	106.6	72.8	404	0.9	57.9	10.4	668	2.46	54.2	5.4	94.3	5.1	81	7.0	6.0	4.9	91	1.02	0.089
STD DS7	Standard	20.2	99.4	68.1	386	0.8	55.3	9.0	596	2.29	48.0	5.1	50.0	4.2	72	6.6	5.9	4.9	86	0.91	0.076
STD DS7	Standard	22.2	104.6	69.0	400	0.7	55.6	9.6	633	2.37	52.2	5.1	65.2	4.6	80	7.3	5.9	5.1	82	0.99	0.085
STD DS7	Standard	21.0	106.6	65.0	418	0.9	60.3	10.2	633	2.50	58.0	4.7	62.3	4.7	79	7.2	5.6	4.7	88	0.94	0.077
STD DS7	Standard	18.2	95.6	58.3	378	0.8	54.9	9.0	585	2.24	43.4	4.2	63.2	3.8	63	5.7	5.1	4.5	81	0.90	0.076
STD DS7	Standard	20.4	105.2	61.4	378	0.8	56.6	9.5	604	2.34	51.9	4.3	56.3	3.8	66	6.2	5.2	4.5	86	0.94	0.075
STD DS7	Standard	19.5	105.0	66.8	371	0.8	55.4	9.9	592	2.28	48.8	4.6	48.4	4.3	70	6.9	5.5	4.6	79	0.92	0.079
STD DS7	Standard	22.5	104.6	70.8	409	0.8	55.5	10.0	605	2.37	50.4	4.8	74.6	4.8	77	6.2	5.4	4.7	85	0.98	0.076
STD DS7	Standard	20.3	102.7	70.5	392	0.9	54.0	9.2	610	2.33	49.2	4.9	53.5	4.7	80	5.9	5.4	4.4	85	0.95	0.080
STD DS7	Standard	19.5	100.8	66.3	377	0.8	52.1	8.7	570	2.23	53.9	4.8	51.4	4.5	68	5.8	5.9	4.3	75	0.88	0.075
STD DS7	Standard	19.1	90.4	67.1	360	0.8	50.4	8.7	542	2.14	46.9	4.4	49.3	4.3	69	5.6	5.3	4.1	78	0.84	0.070
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2  
**Report Date:** March 21, 2008

**Page:** 3 of 5 **Part** 2

QUALITY CONTROL REPORT

VAN08003668.1

		1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm	3A Au ppb
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5
REP L20+50N 43+75E	QC	7	93	1.06	75	0.133	<20	2.17	0.015	0.08	<0.1	0.02	5.8	<0.1	<0.05	6	<0.5	
L20+50N 47+25E	Soil	4	53	0.84	79	0.125	<20	3.95	0.010	0.09	<0.1	0.03	2.9	<0.1	<0.05	9	<0.5	1.3
REP L20+50N 47+25E	QC	4	53	0.84	81	0.128	<20	3.98	0.010	0.09	<0.1	0.03	3.0	<0.1	<0.05	9	<0.5	
L20+50N 48+75E	Soil	3	65	1.91	78	0.153	<20	4.01	0.011	0.07	<0.1	0.03	2.9	<0.1	<0.05	9	<0.5	1.1
REP L20+50N 48+75E	QC																	1.4
Reference Materials																		
STD DS7	Standard	15	204	1.11	407	0.124	37	1.11	0.115	0.47	3.7	0.21	3.0	4.5	0.22	5	4.1	
STD DS7	Standard	12	181	0.98	385	0.109	32	0.97	0.091	0.46	3.5	0.19	2.2	4.0	0.21	5	3.7	
STD DS7	Standard	13	185	1.06	407	0.121	31	1.05	0.100	0.49	3.8	0.20	2.5	4.4	0.20	5	3.8	
STD DS7	Standard	13	184	1.05	399	0.118	33	1.00	0.096	0.47	3.6	0.20	2.4	4.3	0.18	5	4.5	
STD DS7	Standard	11	173	0.99	363	0.102	33	0.95	0.087	0.43	3.9	0.18	2.1	3.9	0.17	4	3.3	
STD DS7	Standard	12	197	1.03	366	0.108	35	1.03	0.090	0.45	3.3	0.19	2.3	4.2	0.20	5	3.7	
STD DS7	Standard	12	180	0.94	392	0.110	34	0.98	0.090	0.43	3.3	0.19	2.4	4.1	0.19	5	3.9	
STD DS7	Standard	12	192	1.03	386	0.118	37	1.00	0.101	0.46	3.3	0.20	2.5	4.5	0.21	5	3.1	
STD DS7	Standard	13	192	1.01	376	0.123	27	1.01	0.088	0.46	3.7	0.19	2.5	4.4	0.22	5	4.3	
STD DS7	Standard	11	170	0.94	358	0.114	45	0.89	0.082	0.43	3.3	0.19	2.1	4.1	0.15	4	3.3	
STD DS7	Standard	11	163	0.92	364	0.110	44	0.87	0.077	0.40	3.3	0.19	2.2	4.0	0.19	5	3.4	
STD DS7	Standard																	69.9
STD DS7	Standard																	63.2
STD DS7	Standard																	74.0
STD DS7	Standard																	68.3
STD DS7	Standard																	68.9
STD DS7	Standard																	78.9
STD DS7	Standard																	69.3
STD DS7	Standard																	65.8
STD DS7	Standard																	60.0
STD DS7	Standard																	69.9
STD DS7	Standard																	79.3
STD DS7	Standard																	67.8







M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

5 of 5

Part 1

## QUALITY CONTROL REPORT

### VAN08003668.1

		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 21, 2008

Page:

5 of 5

Part 2

## QUALITY CONTROL REPORT

VAN08003668.1

		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A		
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
BLK	Blank																		<0.5
BLK	Blank																		<0.5
BLK	Blank																		<0.5
BLK	Blank																		<0.5
BLK	Blank																		<0.5
BLK	Blank																		<0.5
BLK	Blank																		<0.5

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 30, 2007

Report Date:

March 17, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN08003668A.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 1

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	1	Dry at 60C sieve 100g to -80 mesh		
Split Reject	1	Reject sample split/packet		
1DX	1	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed
3A	1	Ignite samples, acid digest, Au by ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 17, 2008

Page:

2 of 2

Part 1

## CERTIFICATE OF ANALYSIS

## VAN08003668A.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L24+50N 54+25E	Soil	0.7	45.9	4.1	81	<0.1	45.6	17.3	402	3.16	2.7	0.4	2.1	1.8	31	0.3	0.3	<0.1	89	0.49	0.057





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** March 17, 2008

**Page:** 2 of 2      **Part** 2

## CERTIFICATE OF ANALYSIS

## VAN08003668A.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3A	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.5	
L24+50N 54+25E	Soil	5	82	0.91	53	0.145	<20	2.00	0.018	0.06	<0.1	0.03	3.3	0.1	<0.05	6	<0.5	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

March 17, 2008

Page:

1 of 1


Part 1

## QUALITY CONTROL REPORT

VAN08003668A.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
L24+50N 54+25E	Soil	0.7	45.9	4.1	81	<0.1	45.6	17.3	402	3.16	2.7	0.4	2.1	1.8	31	0.3	0.3	<0.1	89	0.49	0.057
REP L24+50N 54+25E	QC	0.6	43.4	3.7	76	<0.1	43.5	17.1	385	3.09	2.3	0.4	0.5	1.7	30	0.4	0.2	<0.1	88	0.49	0.057
Reference Materials																					
STD DS7	Standard	19.2	93.8	62.2	370	0.8	52.6	8.8	567	2.20	44.3	3.8	56.3	3.6	69	5.5	5.5	4.4	76	0.85	0.067
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				





ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins  
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.  
 Received: November 08, 2007  
 Report Date: December 08, 2007  
 Page: 1 of 3

## CERTIFICATE OF ANALYSIS

VAN07002446.1

### CLIENT JOB INFORMATION

Project: CDWtrail  
 Shipment ID:  
 P.O. Number  
 Number of Samples: 41

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	37	Crush, split and pulverize rock to 150 mesh		
1DX	41	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
 DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2  
 Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 08, 2007

**Page:** 2 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002446.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00051	Rock	6.80	0.2	74.7	3.3	59	<0.1	202.7	39.1	841	4.39	<0.5	0.4	0.7	0.4	321	<0.1	<0.1	<0.1	109	2.93
00052	Rock	7.60	0.2	71.3	3.3	55	<0.1	211.0	40.0	731	4.33	0.8	0.3	0.5	0.4	303	<0.1	<0.1	<0.1	103	1.92
00053	Rock	7.20	0.1	70.4	3.1	55	<0.1	220.5	41.0	778	4.37	0.5	0.3	<0.5	0.4	297	<0.1	<0.1	<0.1	103	1.92
00054	Rock	6.90	0.1	68.7	7.4	58	<0.1	224.6	43.3	815	4.51	0.8	0.3	0.9	0.4	308	<0.1	<0.1	<0.1	110	2.27
00055	Rock	7.10	0.2	73.4	3.1	56	<0.1	208.9	41.4	795	4.40	<0.5	0.3	<0.5	0.4	332	<0.1	<0.1	<0.1	108	2.74
00056	Rock	6.80	0.1	66.7	2.5	54	<0.1	207.8	39.8	775	4.08	0.5	0.3	0.8	0.3	317	<0.1	<0.1	<0.1	99	2.16
00057	Rock	6.70	0.1	80.2	2.9	50	<0.1	194.7	34.9	663	4.00	<0.5	0.3	0.7	0.4	309	<0.1	<0.1	<0.1	99	2.22
00058	Rock	6.40	0.2	75.4	3.2	56	<0.1	202.0	37.2	721	4.16	0.8	0.3	<0.5	0.4	320	<0.1	<0.1	<0.1	107	2.11
00059	Rock	6.90	0.2	73.6	3.5	54	<0.1	195.2	35.7	618	4.13	0.5	0.3	0.9	0.4	336	<0.1	<0.1	<0.1	114	2.58
00060	Rock Pulp		728.1	8753	41.8	78	3.5	69.0	19.8	211	4.09	29.9	4.3	1824	9.9	45	2.2	17.3	3.5	42	0.98
00061	Rock	5.80	0.2	71.8	3.5	54	<0.1	227.4	37.7	757	4.45	0.7	0.4	1.3	0.5	350	<0.1	<0.1	<0.1	116	2.84
00062	Rock	6.80	0.5	55.9	3.1	55	<0.1	220.5	39.6	804	4.30	1.3	0.2	1.2	0.3	329	<0.1	<0.1	<0.1	110	2.06
00063	Rock	7.20	0.4	63.0	3.1	55	<0.1	229.0	39.3	796	4.33	1.0	0.3	0.9	0.5	359	<0.1	<0.1	<0.1	116	2.50
00064	Rock	7.10	0.4	57.6	4.1	53	<0.1	197.6	35.8	711	4.24	1.1	0.3	1.7	0.4	352	<0.1	<0.1	<0.1	116	2.54
00065	Rock	7.60	0.5	63.3	3.4	57	<0.1	211.7	38.5	811	4.42	0.9	0.3	0.8	0.4	342	<0.1	<0.1	<0.1	117	2.87
00066	Rock	6.20	0.4	59.9	4.0	55	<0.1	206.8	39.1	733	4.30	0.7	0.3	1.9	0.4	356	<0.1	<0.1	<0.1	116	2.84
00067	Rock	6.90	0.4	58.8	3.4	56	<0.1	210.5	40.7	842	4.50	0.6	0.3	1.1	0.4	337	<0.1	<0.1	<0.1	119	3.34
00068	Rock	7.30	0.4	59.8	3.4	55	<0.1	197.1	36.4	737	4.10	0.7	0.2	1.1	0.4	326	<0.1	<0.1	<0.1	115	2.54
00069	Rock	7.50	0.5	66.8	3.6	52	<0.1	206.4	37.9	724	4.09	0.7	0.2	2.5	0.4	343	<0.1	<0.1	<0.1	119	2.42
00070	Rock Pulp		695.2	8607	43.4	74	3.4	69.0	19.6	198	4.01	30.0	4.4	1695	10.0	45	2.2	17.4	3.5	42	0.98
00071	Rock	7.40	0.5	80.8	3.9	55	<0.1	218.0	36.6	722	4.18	1.1	0.2	2.4	0.4	362	<0.1	<0.1	<0.1	134	2.64
00072	Rock	7.20	0.6	82.8	3.3	53	<0.1	208.0	35.3	684	4.02	0.8	0.2	1.2	0.3	363	<0.1	<0.1	<0.1	137	2.78
00073	Rock	7.50	0.4	127.1	3.0	53	<0.1	223.6	37.8	727	4.19	0.5	0.3	0.7	0.4	395	<0.1	<0.1	<0.1	137	3.44
00074	Rock	7.20	0.5	89.2	4.2	49	<0.1	215.8	36.5	646	3.83	0.8	0.3	0.9	0.4	404	<0.1	<0.1	<0.1	127	3.20
00075	Rock	7.10	0.4	83.4	2.8	53	<0.1	215.4	36.4	682	3.99	0.7	0.3	1.1	0.4	382	<0.1	<0.1	<0.1	134	2.77
00076	Rock	7.30	0.4	82.2	9.4	49	0.1	207.6	36.6	691	4.04	0.7	0.2	2.2	0.3	391	<0.1	<0.1	<0.1	134	2.76
00077	Rock	7.00	0.4	97.7	3.2	52	<0.1	215.8	36.8	645	4.07	0.6	0.3	2.2	0.4	400	<0.1	<0.1	<0.1	132	3.08
00078	Rock	7.10	0.4	80.8	3.5	54	<0.1	220.9	37.2	687	4.21	0.7	0.3	2.0	0.4	374	<0.1	<0.1	<0.1	132	2.83
00079	Rock	6.90	0.3	99.3	4.7	55	<0.1	197.1	36.2	769	4.38	1.0	0.5	1.1	0.5	362	<0.1	<0.1	<0.1	141	2.53
00080	Rock Pulp		681.3	8398	48.4	76	3.2	68.0	20.3	216	3.98	28.1	4.4	1581	10.1	47	2.1	17.6	3.8	40	0.98



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 08, 2007

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002446.1**

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
00051	Rock	0.105	3	212	4.32	28	0.093	13	2.35	0.361	0.08	<0.1	<0.01	3.9	<0.1	<0.05	5	<0.5
00052	Rock	0.094	3	166	4.90	29	0.080	14	2.30	0.332	0.08	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5
00053	Rock	0.096	2	171	4.88	23	0.080	15	2.22	0.235	0.05	<0.1	<0.01	3.5	<0.1	<0.05	4	<0.5
00054	Rock	0.102	3	224	5.11	27	0.091	15	2.40	0.281	0.07	<0.1	<0.01	4.6	<0.1	<0.05	5	<0.5
00055	Rock	0.107	3	208	4.91	28	0.098	12	2.40	0.320	0.09	<0.1	<0.01	4.7	<0.1	<0.05	5	<0.5
00056	Rock	0.094	3	176	4.81	26	0.077	14	2.22	0.246	0.06	<0.1	<0.01	3.6	<0.1	<0.05	4	<0.5
00057	Rock	0.103	3	153	4.59	22	0.081	13	2.13	0.262	0.07	<0.1	<0.01	3.4	<0.1	<0.05	4	<0.5
00058	Rock	0.104	3	160	4.61	28	0.081	13	2.25	0.374	0.11	<0.1	<0.01	4.0	<0.1	<0.05	5	<0.5
00059	Rock	0.101	3	153	4.38	34	0.087	9	2.39	0.498	0.17	<0.1	<0.01	4.8	<0.1	<0.05	4	<0.5
00060	Rock Pulp	0.054	18	71	0.67	43	0.041	4	1.46	0.040	0.49	7.6	0.16	3.9	0.3	2.63	4	6.1
00061	Rock	0.099	3	201	4.68	43	0.091	9	2.39	0.425	0.15	<0.1	<0.01	4.9	<0.1	0.09	5	<0.5
00062	Rock	0.096	3	150	4.92	36	0.082	12	2.36	0.452	0.11	<0.1	<0.01	4.0	<0.1	<0.05	5	<0.5
00063	Rock	0.100	3	177	4.56	48	0.094	13	2.50	0.560	0.13	0.1	<0.01	4.9	<0.1	0.07	5	0.7
00064	Rock	0.104	3	151	4.24	40	0.092	16	2.49	0.624	0.15	0.1	<0.01	4.6	<0.1	<0.05	5	<0.5
00065	Rock	0.108	3	198	4.32	34	0.095	15	2.38	0.522	0.11	0.1	<0.01	4.6	<0.1	<0.05	5	<0.5
00066	Rock	0.105	3	162	4.31	46	0.094	16	2.50	0.615	0.15	<0.1	<0.01	4.4	<0.1	<0.05	5	<0.5
00067	Rock	0.098	3	199	4.09	33	0.098	16	2.39	0.471	0.11	<0.1	<0.01	4.6	<0.1	<0.05	5	<0.5
00068	Rock	0.104	3	153	4.19	33	0.092	17	2.29	0.469	0.11	0.1	<0.01	4.5	<0.1	<0.05	5	<0.5
00069	Rock	0.100	3	136	4.41	41	0.089	14	2.38	0.570	0.14	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5
00070	Rock Pulp	0.053	18	70	0.65	41	0.040	5	1.39	0.040	0.47	7.3	0.15	4.1	0.4	2.60	4	6.3
00071	Rock	0.110	3	149	4.32	63	0.096	14	2.48	0.649	0.18	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5
00072	Rock	0.101	3	145	3.98	58	0.095	10	2.45	0.593	0.16	<0.1	<0.01	4.8	<0.1	<0.05	5	<0.5
00073	Rock	0.108	3	175	4.02	75	0.097	10	2.49	0.680	0.21	<0.1	<0.01	5.5	<0.1	<0.05	5	<0.5
00074	Rock	0.102	3	132	4.12	69	0.088	10	2.43	0.681	0.24	<0.1	0.01	4.6	<0.1	<0.05	5	<0.5
00075	Rock	0.104	3	142	4.29	67	0.092	12	2.35	0.614	0.21	<0.1	<0.01	4.5	<0.1	<0.05	5	<0.5
00076	Rock	0.102	3	150	4.34	74	0.094	13	2.43	0.606	0.18	0.1	<0.01	4.6	<0.1	<0.05	5	2.9
00077	Rock	0.104	3	148	4.30	61	0.095	11	2.49	0.651	0.23	0.1	<0.01	4.9	<0.1	<0.05	5	<0.5
00078	Rock	0.107	3	158	4.64	47	0.091	10	2.44	0.611	0.20	<0.1	<0.01	4.5	<0.1	<0.05	5	<0.5
00079	Rock	0.132	3	168	4.68	42	0.108	10	2.59	0.573	0.15	<0.1	0.02	4.7	<0.1	<0.05	5	<0.5
00080	Rock Pulp	0.049	17	69	0.65	36	0.040	4	1.21	0.034	0.44	7.6	0.15	3.7	0.4	2.61	4	6.9



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

December 08, 2007

Page:

3 of 3

Part 1

## CERTIFICATE OF ANALYSIS

VAN07002446.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00081	Rock	7.20	0.4	72.7	4.2	56	<0.1	214.4	37.4	1133	4.22	<0.5	0.3	1.0	0.5	298	<0.1	<0.1	<0.1	144	3.86
00082	Rock	6.50	0.4	103.5	3.8	50	<0.1	211.4	34.2	757	3.84	<0.5	0.3	1.9	0.5	311	<0.1	<0.1	<0.1	142	1.72
00083	Rock	6.90	0.4	78.3	4.3	53	<0.1	241.2	37.4	779	3.92	0.7	0.2	1.3	0.4	371	<0.1	<0.1	<0.1	141	1.61
00084	Rock	7.10	0.4	77.1	3.9	51	<0.1	214.3	36.1	809	3.92	0.7	0.2	1.4	0.4	354	<0.1	<0.1	<0.1	131	1.58
00085	Rock	6.80	0.5	92.3	3.4	56	<0.1	176.1	34.1	844	4.04	0.6	0.4	<0.5	0.5	288	<0.1	<0.1	<0.1	142	1.54
00086	Rock	7.00	0.3	73.5	2.7	50	<0.1	187.8	36.6	786	4.14	0.6	0.3	0.7	0.4	318	<0.1	<0.1	<0.1	127	1.37
00087	Rock	7.10	0.2	76.6	3.8	53	<0.1	198.5	37.4	796	4.05	0.8	0.3	0.9	0.4	328	<0.1	<0.1	<0.1	133	1.64
00088	Rock	7.30	0.3	77.7	3.7	50	<0.1	192.9	35.3	827	4.11	<0.5	0.3	0.6	0.5	328	<0.1	<0.1	<0.1	135	1.88
00089	Rock	7.00	0.3	77.6	3.7	53	<0.1	267.3	39.1	913	4.18	0.9	0.3	0.7	0.4	375	<0.1	<0.1	<0.1	144	1.77
00090	Rock Pulp		671.9	8777	48.2	76	3.5	64.5	19.3	221	4.05	29.9	4.6	1540	10.2	50	2.1	18.4	4.0	40	0.98
00091	Rock	6.30	0.7	74.0	6.4	53	<0.1	229.2	39.0	1096	4.34	0.8	0.3	1.1	0.4	349	<0.1	<0.1	<0.1	142	2.84



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

December 08, 2007

Page:

3 of 3

Part 2

## CERTIFICATE OF ANALYSIS

VAN07002446.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
00081	Rock	0.119	3	159	4.09	28	0.106	11	2.72	0.559	0.18	<0.1	<0.01	5.1	<0.1	<0.05	6	<0.5
00082	Rock	0.120	3	139	4.44	50	0.097	11	2.39	0.540	0.14	0.1	<0.01	3.7	<0.1	<0.05	5	<0.5
00083	Rock	0.107	3	124	5.15	95	0.089	10	2.62	0.536	0.18	<0.1	<0.01	3.8	<0.1	<0.05	6	<0.5
00084	Rock	0.109	3	119	4.88	383	0.081	12	2.50	0.478	0.10	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5
00085	Rock	0.133	3	130	4.34	188	0.105	11	2.26	0.457	0.11	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5
00086	Rock	0.104	3	143	4.55	41	0.096	10	2.48	0.494	0.08	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5
00087	Rock	0.111	3	149	4.70	30	0.095	12	2.63	0.712	0.15	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5
00088	Rock	0.114	3	146	4.42	28	0.099	12	2.69	0.794	0.14	<0.1	<0.01	3.3	<0.1	<0.05	6	<0.5
00089	Rock	0.115	3	164	4.73	78	0.092	9	2.86	0.971	0.14	0.1	<0.01	3.3	<0.1	<0.05	6	<0.5
00090	Rock Pulp	0.052	19	71	0.67	44	0.042	3	1.27	0.036	0.50	8.0	0.15	4.0	0.4	2.46	4	6.5
00091	Rock	0.115	3	177	4.23	44	0.104	11	2.95	1.023	0.13	0.1	<0.01	4.1	<0.1	<0.05	6	<0.5





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

December 08, 2007

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

VAN07002446.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
00069	Rock	7.50	0.5	66.8	3.6	52	<0.1	206.4	37.9	724	4.09	0.7	0.2	2.5	0.4	343	<0.1	<0.1	<0.1	119	2.42
REP 00069	QC		0.4	63.2	3.5	51	<0.1	202.8	36.7	725	4.15	0.7	0.3	0.5	0.4	339	<0.1	<0.1	<0.1	120	2.51
00085	Rock	6.80	0.5	92.3	3.4	56	<0.1	176.1	34.1	844	4.04	0.6	0.4	<0.5	0.5	288	<0.1	<0.1	<0.1	142	1.54
REP 00085	QC		0.4	87.9	3.2	55	<0.1	168.5	32.0	803	3.82	0.5	0.3	1.6	0.5	288	<0.1	<0.1	<0.1	136	1.56
Reference Materials																					
STD DS7	Standard		20.5	105.4	72.6	406	0.8	53.0	9.3	640	2.51	48.5	4.8	62.0	4.4	72	6.3	6.0	4.6	87	0.99
STD DS7	Standard		21.0	105.0	65.7	395	0.8	53.8	9.5	646	2.49	49.7	4.7	65.0	4.3	74	6.0	5.5	4.6	86	0.98
STD DS7	Standard		20.9	110.4	70.4	405	0.9	56.2	9.4	666	2.50	53.5	4.9	70.7	4.6	69	6.9	6.0	4.3	90	1.02
STD DS7	Standard		21.8	112.0	62.1	411	0.9	59.3	9.8	687	2.55	52.0	4.8	62.6	4.5	74	6.9	6.2	4.4	93	1.07
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.8	3.8	51	<0.1	7.0	4.0	538	1.82	0.6	2.3	0.8	4.3	56	<0.1	<0.1	<0.1	38	0.59
G1	Prep Blank	<0.01	0.1	2.5	3.9	49	<0.1	4.0	4.1	556	1.81	<0.5	2.2	<0.5	4.0	57	<0.1	<0.1	<0.1	37	0.62



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

December 08, 2007

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

VAN07002446.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
00069	Rock	0.100	3	136	4.41	41	0.089	14	2.38	0.570	0.14	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5
REP 00069	QC	0.103	3	131	4.35	40	0.088	14	2.46	0.556	0.14	0.1	<0.01	4.6	<0.1	<0.05	5	<0.5
00085	Rock	0.133	3	130	4.34	188	0.105	11	2.26	0.457	0.11	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5
REP 00085	QC	0.126	3	127	4.08	179	0.104	12	2.24	0.456	0.11	0.1	<0.01	2.9	<0.1	<0.05	6	<0.5
Reference Materials																		
STD DS7	Standard	0.077	13	198	1.09	380	0.123	44	1.08	0.093	0.46	4.3	0.20	2.5	4.7	0.21	5	4.4
STD DS7	Standard	0.074	13	192	1.08	367	0.123	40	1.04	0.092	0.45	4.2	0.20	2.4	4.6	0.20	5	4.0
STD DS7	Standard	0.076	13	199	1.10	397	0.121	40	1.11	0.098	0.49	4.1	0.22	2.7	4.5	0.21	5	4.2
STD DS7	Standard	0.082	14	202	1.12	409	0.127	41	1.14	0.099	0.48	4.1	0.22	2.7	4.5	0.21	5	4.2
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.074	8	24	0.63	229	0.120	2	1.17	0.086	0.51	0.1	<0.01	2.1	0.4	<0.05	5	<0.5
G1	Prep Blank	0.073	8	19	0.62	228	0.119	2	1.25	0.087	0.54	0.1	<0.01	2.1	0.4	<0.05	5	<0.5

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

December 04, 2007

Report Date:

January 28, 2008

Page:

1 of 3

## CERTIFICATE OF ANALYSIS

VAN07002835.1

### CLIENT JOB INFORMATION

Project: CDWtrail  
Shipment ID:  
P.O. Number  
Number of Samples: 56

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	51	Crush split and pulverize drill core to 150mesh		
1DX	56	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 2 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002835.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00203	Drill Core	6.40	1.0	167.0	9.0	60	<0.1	11.6	18.0	664	3.67	2.1	0.7	1.4	1.2	298	<0.1	<0.1	<0.1	111	1.43
00204	Drill Core	7.40	1.1	158.2	10.1	69	<0.1	12.7	18.5	738	3.94	3.3	0.6	1.3	1.2	255	<0.1	<0.1	<0.1	86	1.35
00205	Drill Core	6.70	1.5	149.4	12.7	74	<0.1	14.7	20.8	821	4.44	7.7	0.5	0.8	1.2	221	<0.1	<0.1	<0.1	88	1.48
00206	Drill Core	7.40	1.1	152.8	8.0	62	<0.1	15.3	20.0	751	4.06	2.2	0.5	1.6	1.2	353	<0.1	<0.1	<0.1	87	2.50
00207	Drill Core	6.90	1.0	158.5	8.1	66	<0.1	18.1	23.4	880	4.79	1.8	0.5	1.1	1.2	321	<0.1	<0.1	<0.1	119	2.85
00208	Drill Core	6.60	1.0	157.5	6.5	66	<0.1	15.5	22.6	882	4.48	1.6	0.6	1.6	1.1	303	<0.1	<0.1	<0.1	131	2.98
00209	Drill Core	6.90	1.3	161.0	6.4	73	<0.1	16.3	24.6	950	4.88	2.1	0.5	1.3	1.0	247	<0.1	<0.1	<0.1	152	2.73
00210	Rock Pulp		676.8	7968	48.9	75	3.2	62.3	19.0	208	3.75	28.4	4.4	1692	10.2	50	1.8	17.9	3.8	35	0.91
00211	Drill Core	7.00	1.1	161.3	7.8	66	<0.1	13.1	18.5	764	3.95	2.1	0.5	2.0	1.0	242	<0.1	<0.1	<0.1	111	1.48
00212	Drill Core	6.80	1.4	171.2	10.3	74	<0.1	16.1	22.8	902	4.53	2.9	0.6	2.0	1.2	230	<0.1	<0.1	<0.1	121	1.56
00213	Drill Core	6.80	1.1	145.7	7.9	60	<0.1	13.8	20.5	784	4.08	2.2	0.6	2.8	1.0	243	<0.1	<0.1	<0.1	124	2.25
00214	Drill Core	6.70	0.9	152.3	7.9	65	<0.1	13.1	19.1	811	4.23	1.2	0.8	1.6	1.1	228	<0.1	<0.1	<0.1	137	1.57
00215	Drill Core	6.80	1.1	154.7	8.5	61	<0.1	13.0	18.8	766	3.95	1.7	0.6	1.3	1.0	235	<0.1	<0.1	<0.1	118	1.34
00216	Drill Core	6.80	1.0	154.8	8.0	61	<0.1	13.1	19.4	781	3.84	1.9	0.6	1.8	1.1	249	<0.1	<0.1	<0.1	116	1.71
00217	Drill Core	6.50	1.1	156.2	8.4	60	<0.1	12.9	18.6	795	4.02	2.3	0.6	2.4	1.1	262	<0.1	<0.1	<0.1	120	1.73
00218	Drill Core	6.80	1.2	159.0	7.9	59	<0.1	12.6	19.2	822	3.78	1.9	0.5	2.1	1.0	278	<0.1	<0.1	<0.1	90	2.45
00219	Drill Core	6.90	0.9	156.4	7.2	61	<0.1	11.9	17.4	720	3.59	2.4	0.6	1.8	1.0	212	<0.1	<0.1	<0.1	108	1.65
00220	Rock Pulp		662.0	8163	50.3	75	3.3	64.0	19.3	208	3.77	29.6	4.7	1687	10.2	49	2.1	19.2	4.0	34	0.92
00221	Drill Core	6.90	1.1	159.0	8.5	65	<0.1	11.6	17.5	754	3.89	2.9	0.7	2.2	1.1	198	<0.1	<0.1	<0.1	114	1.61
00222	Drill Core	6.90	0.8	158.3	6.6	58	<0.1	9.5	16.1	743	3.44	2.1	0.6	2.3	1.0	224	<0.1	<0.1	<0.1	98	1.18
00223	Drill Core	6.80	0.9	147.8	8.7	76	<0.1	15.3	21.6	894	4.39	2.9	0.4	1.2	1.0	282	<0.1	<0.1	<0.1	112	2.41
00224	Drill Core	6.40	1.5	73.2	3.3	60	<0.1	7.5	16.0	725	4.47	0.7	0.7	3.6	1.1	190	0.1	<0.1	<0.1	206	2.39
00225	Drill Core	6.40	1.8	103.1	4.9	67	<0.1	11.3	19.9	840	4.63	2.1	0.5	2.6	1.0	322	<0.1	<0.1	<0.1	170	2.64
00226	Drill Core	9.40	1.1	144.9	8.9	66	<0.1	10.7	16.5	708	3.71	2.4	0.6	1.3	1.1	186	<0.1	<0.1	<0.1	111	1.46
00227	Drill Core	6.90	1.4	146.9	8.3	71	<0.1	11.8	20.9	792	4.20	2.4	0.6	1.5	1.1	151	<0.1	<0.1	<0.1	133	1.75
00228	Drill Core	6.70	1.2	139.4	8.0	66	<0.1	13.3	20.4	842	4.13	2.1	0.5	2.5	1.0	154	<0.1	<0.1	<0.1	134	1.91
00229	Drill Core	6.60	1.3	150.4	7.5	73	<0.1	12.8	21.7	961	4.52	1.8	0.6	1.6	1.1	168	<0.1	<0.1	<0.1	146	2.34
00230	Rock Pulp		659.4	7987	46.9	74	3.1	62.8	18.4	203	3.69	29.1	4.1	1668	9.6	49	2.1	18.2	3.8	35	0.90
00231	Drill Core	6.80	1.4	140.0	8.0	69	<0.1	13.5	19.3	844	4.15	1.5	0.5	1.8	1.0	192	<0.1	<0.1	<0.1	132	2.73
00232	Drill Core	6.80	1.2	146.8	8.1	70	<0.1	13.3	21.4	846	4.30	1.8	0.6	2.3	1.0	190	<0.1	<0.1	<0.1	141	2.31



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002835.1**

Method Analyte Unit MDL	1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Ti ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	
00203	Drill Core	0.175	7	40	0.62	202	0.098	13	4.54	3.029	0.29	0.1	<0.01	3.1	<0.1	<0.05	7	<0.5
00204	Drill Core	0.170	8	43	0.88	136	0.107	14	4.40	2.660	0.52	0.2	<0.01	4.0	<0.1	<0.05	7	<0.5
00205	Drill Core	0.138	7	48	1.11	103	0.125	14	4.13	2.133	0.47	0.2	<0.01	4.4	<0.1	0.06	7	<0.5
00206	Drill Core	0.188	9	51	0.82	265	0.080	14	3.72	1.903	0.71	0.1	<0.01	5.6	<0.1	<0.05	6	<0.5
00207	Drill Core	0.172	8	59	0.95	184	0.068	15	3.60	1.870	0.72	0.1	<0.01	7.5	<0.1	0.16	7	<0.5
00208	Drill Core	0.189	7	55	0.97	189	0.085	9	4.11	2.504	0.43	0.1	<0.01	5.6	<0.1	0.07	7	<0.5
00209	Drill Core	0.167	7	60	1.32	135	0.136	6	2.68	1.083	0.25	0.1	<0.01	6.1	<0.1	0.22	8	0.7
00210	Rock Pulp	0.049	18	64	0.61	54	0.041	5	1.43	0.039	0.56	6.7	0.16	3.8	0.4	2.42	4	6.3
00211	Drill Core	0.157	6	47	0.75	113	0.111	10	3.63	2.347	0.27	0.2	<0.01	2.9	<0.1	0.10	7	<0.5
00212	Drill Core	0.177	8	49	0.98	137	0.136	11	4.05	2.417	0.28	0.2	<0.01	3.9	<0.1	0.34	9	0.7
00213	Drill Core	0.169	7	56	0.80	121	0.125	8	3.57	2.217	0.28	0.2	<0.01	3.3	<0.1	0.13	7	<0.5
00214	Drill Core	0.177	7	50	0.65	99	0.119	6	3.95	2.782	0.15	0.1	<0.01	2.1	<0.1	<0.05	8	<0.5
00215	Drill Core	0.172	7	46	0.81	109	0.110	8	3.71	2.474	0.23	0.2	<0.01	2.8	<0.1	0.14	8	<0.5
00216	Drill Core	0.181	7	45	0.71	165	0.114	8	3.52	2.276	0.24	0.2	<0.01	2.7	<0.1	0.08	7	<0.5
00217	Drill Core	0.170	7	49	0.77	124	0.120	8	3.84	2.293	0.32	0.1	<0.01	3.2	<0.1	0.09	7	<0.5
00218	Drill Core	0.155	6	34	0.88	125	0.092	6	3.49	2.037	0.25	0.1	<0.01	3.6	<0.1	0.18	7	0.5
00219	Drill Core	0.174	7	43	0.57	74	0.102	19	3.19	2.095	0.18	0.2	<0.01	2.0	<0.1	<0.05	6	<0.5
00220	Rock Pulp	0.049	17	58	0.60	58	0.040	3	1.23	0.028	0.50	7.1	0.17	3.6	0.3	2.45	4	6.5
00221	Drill Core	0.187	7	40	0.68	56	0.121	6	3.24	2.084	0.12	0.2	<0.01	2.1	<0.1	0.18	8	<0.5
00222	Drill Core	0.165	7	33	0.71	85	0.096	7	3.31	2.046	0.15	0.2	<0.01	2.5	<0.1	<0.05	7	<0.5
00223	Drill Core	0.156	7	48	0.98	87	0.100	10	3.23	1.700	0.25	0.2	<0.01	5.2	<0.1	0.07	8	<0.5
00224	Drill Core	0.134	10	10	1.30	86	0.255	10	2.10	0.105	0.13	<0.1	<0.01	5.9	<0.1	<0.05	11	<0.5
00225	Drill Core	0.140	9	27	1.21	132	0.173	5	2.18	0.538	0.24	<0.1	<0.01	6.3	<0.1	0.07	9	<0.5
00226	Drill Core	0.163	7	32	0.93	69	0.110	15	3.85	2.294	0.27	0.1	<0.01	3.9	<0.1	0.06	7	<0.5
00227	Drill Core	0.160	7	28	1.24	22	0.138	21	3.49	1.651	0.14	0.2	<0.01	4.3	<0.1	<0.05	8	<0.5
00228	Drill Core	0.148	7	35	1.18	26	0.145	23	3.14	1.376	0.18	0.2	<0.01	4.4	<0.1	<0.05	7	<0.5
00229	Drill Core	0.173	7	41	1.33	29	0.155	23	3.45	1.595	0.19	0.2	<0.01	5.0	<0.1	<0.05	8	<0.5
00230	Rock Pulp	0.047	18	65	0.60	59	0.040	4	1.32	0.033	0.52	7.1	0.15	3.6	0.3	2.44	4	6.2
00231	Drill Core	0.165	7	42	1.03	49	0.139	15	3.15	1.501	0.30	0.2	<0.01	5.1	<0.1	<0.05	8	<0.5
00232	Drill Core	0.165	7	37	1.20	31	0.144	22	3.26	1.563	0.19	0.1	<0.01	5.1	<0.1	<0.05	8	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 3 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07002835.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00233	Drill Core	6.40	1.2	138.4	8.0	65	<0.1	12.8	18.9	738	4.05	2.2	0.6	1.6	1.0	156	<0.1	<0.1	<0.1	127	1.87
00234	Drill Core	6.70	1.1	136.0	8.2	62	<0.1	11.3	16.9	737	3.73	1.8	0.5	2.0	1.0	170	<0.1	<0.1	<0.1	111	1.52
00235	Drill Core	6.90	1.4	140.7	8.5	59	<0.1	11.3	15.7	642	3.51	1.3	0.6	0.7	1.0	189	<0.1	<0.1	<0.1	106	1.40
00236	Drill Core	6.80	1.7	176.0	8.7	63	<0.1	13.7	20.7	795	4.05	2.3	0.6	2.4	1.1	191	<0.1	<0.1	<0.1	128	1.59
00237	Drill Core	6.80	1.3	161.4	9.1	67	<0.1	12.7	21.7	819	4.30	1.8	0.7	2.4	1.2	180	<0.1	<0.1	<0.1	139	2.11
00238	Drill Core	6.10	1.7	162.6	9.8	71	<0.1	15.9	24.2	867	4.82	1.8	0.7	2.5	1.2	134	<0.1	<0.1	<0.1	152	2.52
00239	Drill Core	7.50	1.3	160.9	9.1	57	<0.1	12.8	18.3	668	3.86	1.3	0.6	1.7	1.1	179	<0.1	<0.1	<0.1	120	1.87
00240	Rock Pulp		727.9	8909	57.9	80	3.8	77.1	22.7	238	4.15	31.4	5.3	2027	12.2	49	1.8	19.1	4.1	44	1.04
00241	Drill Core	6.80	1.5	167.7	8.8	63	<0.1	13.4	21.3	815	4.37	2.1	0.7	2.8	1.2	172	<0.1	<0.1	<0.1	133	2.55
00242	Drill Core	6.10	1.2	157.7	8.1	57	<0.1	14.5	20.2	765	4.21	1.8	0.6	1.6	1.1	154	<0.1	<0.1	<0.1	132	2.35
00243	Drill Core	7.10	1.0	158.9	8.3	59	<0.1	13.3	20.3	803	4.15	1.9	0.6	1.9	1.1	180	<0.1	<0.1	<0.1	120	2.58
00244	Drill Core	7.90	1.2	172.2	9.4	60	<0.1	11.8	18.7	695	3.95	1.8	0.7	1.3	1.2	192	<0.1	<0.1	<0.1	123	2.23
00245	Drill Core	7.00	1.2	166.8	9.4	62	<0.1	14.4	20.3	739	4.18	1.7	0.7	2.5	1.2	153	<0.1	<0.1	<0.1	133	3.06
00246	Drill Core	7.20	1.2	160.0	10.0	64	<0.1	14.9	22.2	805	4.37	2.4	0.7	2.5	1.3	143	<0.1	<0.1	<0.1	139	2.76
00247	Drill Core	6.70	1.3	167.4	10.6	67	<0.1	14.7	21.6	839	4.45	2.3	0.9	1.9	1.3	163	<0.1	<0.1	<0.1	132	2.51
00248	Drill Core	6.80	1.2	155.8	9.8	62	<0.1	13.3	20.8	818	4.34	1.9	0.8	4.1	1.2	168	<0.1	<0.1	<0.1	137	2.75
00249	Drill Core	7.00	1.5	176.7	11.2	71	<0.1	15.7	22.6	909	4.66	2.2	0.8	3.5	1.4	174	<0.1	<0.1	<0.1	140	2.63
00250	Rock Pulp		734.6	8904	56.9	81	3.7	75.5	21.8	235	4.13	31.6	5.1	1970	12.1	51	2.0	18.7	4.0	45	1.03
00251	Drill Core	6.90	1.3	146.1	8.2	60	<0.1	13.2	20.3	835	4.22	2.0	0.7	3.0	1.1	177	<0.1	<0.1	<0.1	131	2.74
00252	Drill Core	6.60	1.3	152.4	8.5	59	<0.1	14.2	21.6	906	4.45	1.9	0.6	2.6	1.1	176	<0.1	<0.1	<0.1	134	3.57
00253	Drill Core	7.20	1.3	163.0	9.9	64	<0.1	15.2	22.1	898	4.49	1.7	0.7	2.8	1.2	177	<0.1	<0.1	<0.1	133	3.74
00254	Drill Core	6.80	1.6	217.7	10.3	70	<0.1	18.3	28.4	965	4.95	2.5	0.7	2.6	1.3	190	<0.1	<0.1	<0.1	150	3.62
00255	Drill Core	6.80	1.5	171.0	10.2	67	<0.1	17.2	23.7	917	4.84	2.6	0.8	2.5	1.2	169	<0.1	<0.1	<0.1	153	2.87
00256	Drill Core	6.80	1.6	155.6	10.7	64	<0.1	15.2	21.9	840	4.39	2.9	0.8	3.5	1.2	177	<0.1	<0.1	<0.1	139	2.49
00257	Drill Core	7.00	2.3	143.6	10.2	65	<0.1	14.9	20.9	908	4.46	2.6	0.7	3.1	1.2	174	<0.1	<0.1	<0.1	140	4.09
00258	Drill Core	6.80	1.3	174.8	9.5	64	<0.1	13.1	21.8	853	4.35	2.7	0.7	3.5	1.3	186	<0.1	<0.1	<0.1	133	2.12



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 3 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002835.1**

Method Analyte Unit MDL	1DX30 P %	1DX30 La ppm	1DX30 Cr ppm	1DX30 Mg %	1DX30 Ba ppm	1DX30 Ti %	1DX30 B ppm	1DX30 Al %	1DX30 Na %	1DX30 K %	1DX30 W ppm	1DX30 Hg ppm	1DX30 Sc ppm	1DX30 TI ppm	1DX30 S %	1DX30 Ga ppm	1DX30 Se ppm	
00233	Drill Core	0.168	7	39	1.02	35	0.126	18	3.54	1.889	0.19	0.2	<0.01	4.3	<0.1	<0.05	7	<0.5
00234	Drill Core	0.162	7	35	0.92	49	0.115	19	3.63	1.976	0.28	0.1	<0.01	3.7	<0.1	<0.05	7	<0.5
00235	Drill Core	0.215	8	37	0.62	80	0.094	9	3.84	2.614	0.30	0.2	<0.01	2.5	<0.1	<0.05	6	<0.5
00236	Drill Core	0.175	7	41	0.96	68	0.129	18	3.63	2.023	0.27	0.2	<0.01	3.9	<0.1	<0.05	7	<0.5
00237	Drill Core	0.175	8	36	1.05	54	0.132	26	3.85	1.966	0.19	0.1	<0.01	4.4	<0.1	<0.05	8	<0.5
00238	Drill Core	0.167	8	48	1.24	24	0.170	24	3.50	1.510	0.14	0.2	<0.01	4.9	<0.1	<0.05	9	<0.5
00239	Drill Core	0.197	7	44	0.70	98	0.112	15	3.74	2.259	0.26	0.2	<0.01	2.8	<0.1	<0.05	7	<0.5
00240	Rock Pulp	0.055	19	71	0.67	40	0.044	4	1.15	0.024	0.46	8.3	0.17	4.1	0.4	2.65	4	6.6
00241	Drill Core	0.221	8	42	0.91	57	0.137	17	4.17	2.362	0.17	0.2	<0.01	3.6	<0.1	<0.05	8	<0.5
00242	Drill Core	0.208	7	49	0.77	44	0.131	11	3.61	2.029	0.19	0.2	<0.01	2.9	<0.1	<0.05	7	<0.5
00243	Drill Core	0.196	7	44	0.80	49	0.121	11	3.99	2.175	0.17	0.2	<0.01	3.1	<0.1	<0.05	7	<0.5
00244	Drill Core	0.196	7	45	0.65	81	0.117	10	4.11	2.643	0.21	0.1	<0.01	2.8	<0.1	<0.05	6	<0.5
00245	Drill Core	0.188	7	54	0.74	29	0.147	8	3.16	1.671	0.17	0.2	<0.01	2.5	<0.1	<0.05	7	<0.5
00246	Drill Core	0.188	8	47	0.88	26	0.151	14	3.44	1.819	0.14	0.2	<0.01	3.8	<0.1	<0.05	7	<0.5
00247	Drill Core	0.199	8	48	0.96	27	0.139	13	4.42	2.580	0.13	0.2	<0.01	3.7	<0.1	<0.05	8	<0.5
00248	Drill Core	0.189	7	48	0.90	39	0.135	15	4.23	2.493	0.15	0.2	<0.01	4.0	<0.1	<0.05	7	<0.5
00249	Drill Core	0.201	8	51	1.01	34	0.146	19	4.51	2.666	0.19	0.2	<0.01	4.7	<0.1	<0.05	8	<0.5
00250	Rock Pulp	0.055	19	73	0.68	40	0.045	4	1.20	0.022	0.47	7.8	0.18	4.1	0.4	2.75	4	6.5
00251	Drill Core	0.189	7	47	0.85	35	0.129	13	3.98	2.216	0.17	0.1	<0.01	3.6	<0.1	<0.05	7	<0.5
00252	Drill Core	0.180	7	48	0.94	33	0.142	16	3.89	2.031	0.22	0.1	<0.01	4.3	<0.1	<0.05	8	<0.5
00253	Drill Core	0.172	7	54	0.98	38	0.152	21	3.77	1.968	0.27	0.2	<0.01	4.6	<0.1	<0.05	7	<0.5
00254	Drill Core	0.180	8	54	1.24	29	0.154	19	3.80	1.843	0.16	0.2	<0.01	6.3	<0.1	<0.05	8	<0.5
00255	Drill Core	0.181	7	59	1.11	29	0.160	20	3.94	2.197	0.11	0.2	<0.01	5.0	<0.1	<0.05	8	<0.5
00256	Drill Core	0.178	7	50	0.94	40	0.146	19	3.88	2.163	0.21	0.2	<0.01	4.0	<0.1	<0.05	7	<0.5
00257	Drill Core	0.180	7	52	0.87	30	0.154	15	3.33	1.726	0.18	0.2	<0.01	4.0	<0.1	0.10	7	<0.5
00258	Drill Core	0.173	7	43	1.09	37	0.142	20	3.83	2.209	0.29	0.2	<0.01	4.7	<0.1	<0.05	8	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 1 of 1 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07002835.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
00209	Drill Core	6.90	1.3	161.0	6.4	73	<0.1	16.3	24.6	950	4.88	2.1	0.5	1.3	1.0	247	<0.1	<0.1	<0.1	152	2.73
REP 00209	QC		1.3	150.3	6.1	70	<0.1	17.4	23.8	962	4.71	2.3	0.5	2.3	1.0	240	<0.1	<0.1	<0.1	145	2.58
Core Reject Duplicates																					
00223	Drill Core	6.80	0.9	147.8	8.7	76	<0.1	15.3	21.6	894	4.39	2.9	0.4	1.2	1.0	282	<0.1	<0.1	<0.1	112	2.41
DUP 00223	QC		0.9	150.6	9.5	77	<0.1	16.5	21.3	873	4.51	3.0	0.4	1.2	1.0	274	<0.1	<0.1	<0.1	116	2.47
00258	Drill Core	6.80	1.3	174.8	9.5	64	<0.1	13.1	21.8	853	4.35	2.7	0.7	3.5	1.3	186	<0.1	<0.1	<0.1	133	2.12
DUP 00258	QC		1.4	170.4	9.6	65	<0.1	12.5	20.8	823	4.20	2.5	0.6	3.7	1.1	182	<0.1	<0.1	<0.1	128	2.04
Reference Materials																					
STD DS7	Standard		19.4	98.7	64.7	393	0.8	52.4	9.0	592	2.30	47.6	4.5	61.0	4.2	77	5.6	6.0	4.4	76	0.96
STD DS7	Standard		18.4	93.6	60.1	356	0.8	48.8	8.3	592	2.19	46.6	4.4	63.4	3.9	75	5.7	6.0	4.3	73	0.87
STD DS7	Standard		22.9	117.1	78.0	430	0.9	67.5	10.7	665	2.58	53.8	5.5	76.4	5.1	76	6.6	6.3	4.8	94	1.00
STD DS7	Standard		22.5	110.4	77.4	419	0.9	61.6	10.2	641	2.47	51.5	5.5	73.6	4.9	74	6.4	6.1	4.7	94	0.98
STD DS7	Standard		20.7	100.8	72.9	392	0.8	55.8	9.4	608	2.34	49.5	4.8	67.8	4.3	56	5.5	4.7	4.0	84	0.88
STD DS7	Standard		20.4	105.5	69.7	401	0.8	57.9	10.1	652	2.43	50.6	4.7	74.6	4.3	61	6.0	5.1	4.0	85	0.95
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	3.1	2.5	43	<0.1	3.6	4.1	478	1.65	<0.5	2.3	2.8	3.8	51	<0.1	<0.1	<0.1	28	0.56
G1	Prep Blank	<0.01	0.4	2.4	2.8	43	<0.1	3.8	4.1	511	1.67	<0.5	2.5	0.8	3.9	50	<0.1	<0.1	<0.1	31	0.56





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** January 28, 2008

**Page:** 1 of 1 **Part** 2

**QUALITY CONTROL REPORT**

**VAN07002835.1**

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
00209	Drill Core	0.167	7	60	1.32	135	0.136	6	2.68	1.083	0.25	0.1	<0.01	6.1	<0.1	0.22	8	0.7
REP 00209	QC	0.165	7	58	1.29	130	0.133	5	2.59	1.113	0.24	0.2	<0.01	5.5	<0.1	0.20	7	0.8
Core Reject Duplicates																		
00223	Drill Core	0.156	7	48	0.98	87	0.100	10	3.23	1.700	0.25	0.2	<0.01	5.2	<0.1	0.07	8	<0.5
DUP 00223	QC	0.162	7	51	1.01	83	0.109	10	3.06	1.498	0.26	0.2	<0.01	5.3	<0.1	0.07	8	<0.5
00258	Drill Core	0.173	7	43	1.09	37	0.142	20	3.83	2.209	0.29	0.2	<0.01	4.7	<0.1	<0.05	8	<0.5
DUP 00258	QC	0.179	7	38	1.00	38	0.140	19	3.71	2.197	0.28	<0.1	<0.01	4.4	<0.1	<0.05	7	<0.5
Reference Materials																		
STD DS7	Standard	0.072	13	185	1.01	358	0.120	32	1.07	0.085	0.47	3.7	0.19	2.4	3.9	0.19	5	4.0
STD DS7	Standard	0.070	12	184	0.98	344	0.117	33	1.00	0.085	0.45	3.6	0.17	2.3	3.8	0.18	4	3.8
STD DS7	Standard	0.083	13	212	1.14	403	0.130	41	1.05	0.085	0.48	4.2	0.21	2.7	4.5	0.21	5	3.9
STD DS7	Standard	0.079	13	201	1.12	395	0.124	42	1.02	0.080	0.45	4.2	0.20	2.6	4.4	0.20	5	3.9
STD DS7	Standard	0.075	10	174	0.99	367	0.110	40	0.92	0.061	0.45	4.0	0.20	2.2	4.1	0.19	4	3.6
STD DS7	Standard	0.080	11	192	1.09	401	0.116	40	1.00	0.065	0.48	4.1	0.22	2.4	4.2	0.20	4	4.2
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.065	7	7	0.57	194	0.112	<1	1.40	0.077	0.66	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5
G1	Prep Blank	0.065	7	8	0.57	195	0.116	<1	1.40	0.070	0.66	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5



M.Saghezchi GIT

**Acme Labs** ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:**

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

November 29, 2007

Report Date:

December 29, 2007

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN07002836.1

### CLIENT JOB INFORMATION

Project: CDWtrail  
Shipment ID:  
P.O. Number  
Number of Samples: 28

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	25	Crush split and pulverize drill core to 150mesh		
1DX	28	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: CDWtrail

Report Date: December 29, 2007

Page: 2 of 2 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN07002836.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00175	Drill Core	7.10	1.3	167.6	10.4	55	<0.1	11.8	17.9	606	3.53	1.7	0.7	2.1	1.2	259	<0.1	<0.1	<0.1	104	1.50
00176	Drill Core	7.00	1.4	166.9	10.2	60	<0.1	14.4	19.3	671	3.82	3.9	0.8	1.0	1.3	269	<0.1	<0.1	<0.1	115	1.66
00177	Drill Core	6.60	1.7	161.4	11.5	64	<0.1	15.2	20.5	739	4.30	2.9	0.7	0.9	1.3	267	<0.1	<0.1	<0.1	121	1.52
00178	Drill Core	7.00	1.5	165.5	10.4	57	<0.1	11.2	17.0	615	3.52	2.3	0.7	1.3	1.3	249	<0.1	<0.1	<0.1	101	1.45
00179	Drill Core	6.90	1.7	164.7	9.4	64	<0.1	15.4	19.7	706	4.15	2.3	0.7	1.6	1.3	249	<0.1	<0.1	<0.1	118	1.64
00180	Rock Pulp		634.5	8095	52.4	76	3.1	71.6	20.4	218	3.93	28.4	4.9	1841	11.2	46	1.7	17.2	3.5	39	0.92
00181	Drill Core	6.80	1.1	159.5	9.8	58	<0.1	11.3	17.2	622	3.63	2.7	0.7	2.1	1.3	242	<0.1	<0.1	<0.1	104	1.35
00182	Drill Core	6.70	1.2	155.2	10.6	62	<0.1	15.7	20.5	706	4.13	3.3	0.7	1.5	1.4	277	<0.1	<0.1	<0.1	108	1.31
00183	Drill Core	6.70	0.9	160.9	8.4	55	<0.1	10.3	17.1	625	3.47	2.3	0.7	1.2	1.3	248	<0.1	<0.1	<0.1	104	1.30
00184	Drill Core	6.90	1.2	146.1	9.7	61	<0.1	15.3	19.9	674	4.06	3.1	0.7	0.8	1.4	287	<0.1	<0.1	<0.1	113	1.39
00185	Drill Core	6.80	1.4	152.8	10.0	60	<0.1	12.4	18.3	637	3.76	2.5	0.7	0.9	1.3	269	<0.1	<0.1	<0.1	100	1.51
00186	Drill Core	6.70	1.0	160.0	8.7	61	<0.1	14.1	20.8	708	4.25	2.2	0.8	2.6	1.4	300	<0.1	<0.1	<0.1	133	1.80
00187	Drill Core	6.80	0.7	148.4	7.9	72	<0.1	19.8	26.9	919	5.19	4.5	0.7	1.0	1.4	261	<0.1	<0.1	<0.1	176	3.48
00188	Drill Core	6.90	1.0	105.2	5.5	71	<0.1	16.8	28.8	1218	6.28	1.9	0.7	<0.5	1.4	985	<0.1	<0.1	<0.1	245	3.51
00189	Drill Core	6.80	0.9	111.0	8.2	71	<0.1	18.4	27.0	990	5.53	4.8	0.6	<0.5	1.4	312	<0.1	<0.1	<0.1	181	2.29
00190	Rock Pulp		671.0	8507	55.0	79	3.2	71.3	20.6	225	3.98	28.9	5.2	1680	12.0	47	1.4	16.9	3.9	41	0.97
00191	Drill Core	7.00	1.4	159.5	10.9	62	<0.1	15.6	20.1	716	4.11	3.9	0.7	1.9	1.5	290	<0.1	<0.1	<0.1	105	1.55
00192	Drill Core	7.00	1.3	150.2	11.0	58	<0.1	15.0	19.1	720	3.93	4.3	0.6	1.6	1.4	282	<0.1	<0.1	<0.1	108	1.93
00193	Drill Core	6.70	1.2	166.2	10.3	62	<0.1	15.8	21.5	799	4.30	3.2	0.7	1.3	1.4	281	<0.1	<0.1	<0.1	116	1.95
00194	Drill Core	7.00	1.1	146.3	8.6	60	<0.1	14.5	20.4	724	4.00	2.8	0.6	1.1	1.3	268	<0.1	<0.1	<0.1	109	1.75
00195	Drill Core	5.60	1.3	140.9	8.5	67	<0.1	23.2	27.4	942	5.11	3.3	0.6	1.1	1.4	347	<0.1	<0.1	<0.1	135	4.13
00196	Drill Core	6.40	1.0	143.1	10.0	63	<0.1	17.6	24.8	846	4.54	2.8	0.6	0.9	1.4	298	<0.1	<0.1	<0.1	121	3.45
00197	Drill Core	5.40	1.3	136.2	12.7	68	<0.1	17.9	23.5	913	4.76	4.7	0.6	0.6	1.3	247	<0.1	<0.1	<0.1	130	2.81
00198	Drill Core	5.10	1.2	166.3	10.4	65	<0.1	16.5	23.1	881	4.59	4.0	0.6	0.7	1.4	295	<0.1	<0.1	<0.1	116	1.43
00199	Drill Core	7.70	1.4	160.0	11.5	65	<0.1	16.4	22.6	804	4.47	3.0	0.6	1.4	1.4	269	<0.1	<0.1	<0.1	117	1.75
00200	Rock Pulp		668.2	8416	53.8	74	3.1	74.2	21.4	222	3.98	28.8	5.0	1601	11.9	48	1.6	17.3	3.7	43	0.95
00201	Drill Core	5.20	1.2	158.3	10.3	60	<0.1	14.0	19.8	687	3.98	3.3	0.7	2.4	1.4	237	<0.1	<0.1	<0.1	115	1.66
00202	Drill Core	8.20	1.4	165.0	10.8	66	<0.1	16.2	20.9	755	4.26	3.3	0.7	0.7	1.3	245	<0.1	<0.1	<0.1	118	1.62



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** December 29, 2007

**Page:** 2 of 2 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07002836.1**

Method Analyte Unit MDL	1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Ti ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	
00175	Drill Core	0.172	6	39	0.52	141	0.087	13	4.09	2.677	0.30	0.1	<0.01	2.7	<0.1	<0.05	6	<0.5
00176	Drill Core	0.175	7	50	0.65	145	0.096	366	4.38	3.012	0.31	0.1	<0.01	3.4	<0.1	<0.05	6	<0.5
00177	Drill Core	0.176	7	57	0.79	110	0.115	15	4.62	2.926	0.31	0.2	<0.01	3.8	<0.1	0.07	7	<0.5
00178	Drill Core	0.176	7	38	0.55	118	0.086	12	4.01	2.710	0.27	0.2	<0.01	2.5	<0.1	<0.05	6	<0.5
00179	Drill Core	0.173	7	55	0.72	100	0.109	8	4.21	2.640	0.31	0.2	<0.01	3.3	<0.1	0.05	7	<0.5
00180	Rock Pulp	0.050	18	69	0.64	50	0.042	4	1.18	0.033	0.48	6.8	0.15	3.6	0.3	2.47	4	6.4
00181	Drill Core	0.175	7	43	0.50	117	0.092	11	3.76	2.374	0.33	0.1	<0.01	2.6	<0.1	<0.05	6	<0.5
00182	Drill Core	0.176	7	52	0.76	143	0.107	12	4.44	2.632	0.37	0.1	<0.01	4.0	<0.1	<0.05	7	<0.5
00183	Drill Core	0.175	7	39	0.50	137	0.084	11	3.96	2.532	0.29	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5
00184	Drill Core	0.182	8	59	0.75	127	0.111	12	4.24	2.505	0.45	0.1	<0.01	4.0	<0.1	<0.05	7	<0.5
00185	Drill Core	0.175	7	43	0.70	135	0.093	7	4.14	2.640	0.28	0.2	<0.01	3.1	<0.1	<0.05	7	<0.5
00186	Drill Core	0.189	7	56	0.79	174	0.113	8	4.16	2.535	0.34	0.2	<0.01	3.9	<0.1	<0.05	7	<0.5
00187	Drill Core	0.193	8	71	1.06	67	0.181	6	2.82	1.363	0.09	0.1	<0.01	4.8	<0.1	0.20	8	<0.5
00188	Drill Core	0.172	13	7	1.69	120	0.678	9	3.62	0.895	0.16	<0.1	<0.01	6.6	<0.1	<0.05	12	<0.5
00189	Drill Core	0.191	11	40	1.45	95	0.326	7	3.33	1.386	0.18	0.2	<0.01	5.2	<0.1	0.11	9	<0.5
00190	Rock Pulp	0.051	18	74	0.65	49	0.044	5	1.28	0.038	0.49	7.1	0.14	3.7	0.4	2.53	4	6.4
00191	Drill Core	0.182	8	55	0.87	130	0.107	12	4.09	2.341	0.57	0.2	<0.01	4.0	<0.1	<0.05	7	<0.5
00192	Drill Core	0.175	8	49	0.73	124	0.102	11	3.93	2.189	0.45	0.2	<0.01	3.5	<0.1	<0.05	6	<0.5
00193	Drill Core	0.187	7	63	0.85	173	0.109	12	4.11	2.392	0.46	0.1	<0.01	3.8	<0.1	<0.05	6	<0.5
00194	Drill Core	0.188	8	53	0.73	117	0.098	7	3.50	1.873	0.40	0.2	<0.01	3.5	<0.1	<0.05	6	<0.5
00195	Drill Core	0.179	8	77	1.23	108	0.112	10	4.11	1.871	0.53	0.1	<0.01	9.7	<0.1	<0.05	7	<0.5
00196	Drill Core	0.198	8	60	0.91	145	0.119	8	4.17	2.266	0.41	0.1	<0.01	5.1	<0.1	0.05	7	<0.5
00197	Drill Core	0.165	8	62	1.23	104	0.159	10	3.77	1.887	0.32	0.2	<0.01	5.5	<0.1	0.14	8	<0.5
00198	Drill Core	0.166	8	53	1.09	108	0.120	13	4.76	2.746	0.36	0.2	<0.01	4.7	<0.1	0.09	8	<0.5
00199	Drill Core	0.176	7	57	0.94	115	0.121	19	4.70	2.880	0.29	0.2	<0.01	4.3	<0.1	0.06	8	<0.5
00200	Rock Pulp	0.049	18	74	0.65	52	0.045	4	1.29	0.035	0.49	7.1	0.13	3.8	0.4	2.52	4	6.4
00201	Drill Core	0.166	7	49	0.66	120	0.106	18	4.32	2.674	0.30	0.1	<0.01	2.9	<0.1	0.05	7	<0.5
00202	Drill Core	0.171	7	53	0.78	172	0.111	12	4.59	2.857	0.30	0.1	<0.01	3.7	<0.1	<0.05	7	<0.5





M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins  
Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.  
Received: October 18, 2007  
Report Date: January 29, 2008  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

# VAN07003057.1

## CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 37

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	36	Crush split and pulverize drill core to 150mesh		
3B	36	Fire assay fusion Au by ICP-ES	30	Completed
1DX	36	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** January 29, 2008

**Page:** 2 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07003057.1**

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
00951	Drill Core	3.60	3	0.5	39.3	24.2	129	0.3	8.0	15.4	2183	5.25	32.8	0.3	0.6	0.9	157	0.5	2.7	<0.1	137
00952	Drill Core	6.50	3	1.0	46.6	19.5	107	0.5	3.7	13.6	1849	4.12	22.3	0.3	2.1	0.4	136	0.6	0.9	<0.1	99
00953	Drill Core	5.80	5	1.5	52.5	18.6	111	0.6	2.8	13.8	1618	4.14	26.7	0.2	2.1	0.4	104	0.5	1.0	<0.1	91
00954	Drill Core	6.10	12	1.6	36.6	30.1	176	0.6	5.8	12.5	1695	4.27	29.1	0.2	1.8	0.4	107	1.2	0.6	<0.1	80
00955	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00956	Drill Core	2.10	8	1.0	52.4	40.6	210	0.5	7.9	15.4	1706	4.55	32.3	0.2	0.8	0.7	118	1.3	1.2	<0.1	87
00957	Drill Core	0.90	12	1.6	57.1	97.2	306	0.5	8.4	13.4	1710	4.73	36.3	0.3	1.3	0.7	82	2.0	4.2	<0.1	80
00958	Drill Core	4.30	20	0.5	33.5	15.5	92	0.4	7.7	13.4	1919	4.53	51.7	0.2	1.5	0.8	188	0.3	0.8	<0.1	112
00959	Drill Core	5.60	19	1.3	35.2	15.4	97	0.5	8.2	14.7	1701	4.81	56.6	0.3	1.7	0.9	190	0.2	2.1	<0.1	129
00960	Drill Core	5.40	15	0.9	19.4	15.3	111	0.4	14.3	16.7	1636	5.27	33.5	0.5	1.0	1.3	121	0.4	1.1	<0.1	152
00961	Drill Core	1.80	11	0.4	38.4	11.4	104	0.4	9.3	17.3	1720	5.35	29.4	0.2	1.0	0.7	135	0.3	2.1	<0.1	136
00962	Drill Core	4.80	11	5.5	75.8	31.3	181	0.6	8.2	14.6	1327	4.50	45.2	0.2	0.5	0.6	120	1.3	2.0	<0.1	90
00963	Drill Core	5.50	3	1.0	66.3	36.5	120	0.4	5.7	13.3	1512	4.30	17.2	0.2	<0.5	0.4	105	0.7	0.7	<0.1	100
00964	Drill Core	5.90	<2	1.5	60.1	47.6	165	0.3	2.5	13.0	1439	3.70	10.3	0.2	2.4	0.3	59	1.2	0.3	<0.1	89
00965	Drill Core	2.10	<2	1.4	54.1	45.4	179	0.3	2.5	14.1	1421	3.78	11.3	0.2	1.5	0.3	112	1.6	0.4	<0.1	96
00966	Drill Core	4.40	<2	1.5	61.0	54.4	357	0.3	2.8	12.6	1396	3.88	11.8	0.2	0.9	0.3	123	5.7	0.5	<0.1	103
00967	Drill Core	6.50	<2	1.2	62.2	27.7	117	0.3	2.7	13.0	1382	3.81	13.3	0.2	1.1	0.3	104	0.8	0.5	<0.1	95
00968	Drill Core	5.70	<2	1.4	48.1	36.9	125	0.2	3.0	12.7	1464	3.68	19.1	0.2	1.0	0.3	60	0.6	0.5	<0.1	83
00969	Drill Core	5.50	6	1.5	43.5	29.6	125	0.3	4.0	12.5	1874	3.86	28.1	0.2	3.5	0.2	103	0.6	0.8	<0.1	84
00970	Drill Core	4.50	98	2.4	124.4	685.5	1502	1.4	7.3	12.6	2421	4.82	195.8	1.3	32.1	0.6	73	13.8	5.3	0.2	154
00971	Drill Core	5.80	36	2.5	81.0	521.9	885	0.8	8.0	12.8	2420	3.99	85.5	0.3	2.3	0.9	65	7.3	2.3	<0.1	72
00972	Drill Core	5.60	20	1.3	55.1	174.9	363	0.5	8.9	13.6	2464	4.24	49.1	0.2	0.6	0.6	105	2.9	2.9	<0.1	71
00973	Drill Core	6.10	35	1.4	49.7	128.4	354	0.6	10.7	13.6	2140	4.18	126.9	0.2	<0.5	0.6	103	2.5	2.5	<0.1	56
00974	Drill Core	6.50	17	1.3	61.9	39.7	165	0.8	10.2	14.1	1663	4.42	76.1	0.2	1.5	0.6	71	0.9	1.8	<0.1	59
00975	Drill Core	4.80	41	1.5	53.9	112.5	364	1.3	9.9	14.0	2179	4.28	117.7	0.2	1.0	0.7	77	2.7	1.6	<0.1	42
00976	Drill Core	5.90	37	3.0	33.9	119.1	382	1.0	9.0	12.9	1860	3.94	101.6	0.2	0.6	0.6	84	3.3	0.9	0.2	35
00977	Drill Core	6.50	25	0.7	35.4	18.8	137	0.3	6.0	17.6	2511	5.60	104.4	0.1	21.7	0.5	81	0.2	0.8	0.1	109
00978	Drill Core	6.30	9	0.4	43.9	45.7	160	0.3	7.9	18.9	2144	5.50	59.5	0.2	10.2	0.4	69	0.8	0.8	<0.1	141
00979	Drill Core	6.90	5	0.3	13.0	16.9	122	0.1	8.2	18.4	1773	4.90	23.0	0.2	7.0	0.3	56	0.1	0.6	<0.1	119
00980	Drill Core	6.80	8	0.3	13.6	11.2	120	0.1	7.6	20.2	1730	5.23	27.0	0.3	8.0	0.4	55	0.2	0.5	<0.1	171





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** January 29, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003057.1**

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5		
00951	Drill Core	7.76	0.129	7	15	2.36	395	0.002	9	3.00	0.025	0.11	<0.1	0.12	6.2	<0.1	0.13	9	<0.5
00952	Drill Core	5.81	0.160	9	5	1.53	219	0.007	6	1.94	0.027	0.13	<0.1	0.08	4.7	<0.1	0.32	7	<0.5
00953	Drill Core	3.98	0.161	9	3	1.31	119	0.007	6	1.89	0.027	0.15	<0.1	0.07	4.0	<0.1	0.69	7	<0.5
00954	Drill Core	4.03	0.125	7	7	1.41	223	0.004	6	2.17	0.024	0.19	<0.1	0.09	4.0	<0.1	0.65	7	<0.5
00955	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00956	Drill Core	4.60	0.097	7	12	1.83	235	0.003	7	2.69	0.026	0.15	<0.1	0.17	4.3	<0.1	0.44	7	<0.5
00957	Drill Core	3.06	0.087	7	11	1.83	400	0.003	5	2.69	0.028	0.19	<0.1	0.25	3.4	<0.1	0.38	9	<0.5
00958	Drill Core	7.55	0.117	9	19	2.00	467	0.002	9	2.94	0.026	0.06	<0.1	0.10	5.8	<0.1	0.31	9	<0.5
00959	Drill Core	6.10	0.119	8	25	2.25	467	0.029	8	3.25	0.030	0.05	<0.1	0.13	6.1	<0.1	0.33	10	<0.5
00960	Drill Core	4.50	0.117	8	51	2.72	130	0.117	7	3.56	0.021	0.04	0.1	0.06	7.0	<0.1	0.33	11	<0.5
00961	Drill Core	4.04	0.109	7	21	2.53	331	0.019	6	3.39	0.025	0.08	<0.1	0.18	5.9	<0.1	0.38	10	<0.5
00962	Drill Core	3.05	0.077	6	12	1.88	347	0.038	8	2.81	0.028	0.13	<0.1	0.14	5.1	<0.1	0.39	9	<0.5
00963	Drill Core	3.08	0.131	6	6	1.66	247	0.046	6	2.15	0.031	0.12	<0.1	0.04	4.6	<0.1	0.24	7	<0.5
00964	Drill Core	2.59	0.160	5	2	1.44	226	0.083	4	1.85	0.029	0.13	<0.1	0.04	4.0	<0.1	0.17	7	<0.5
00965	Drill Core	3.08	0.158	7	3	1.38	476	0.024	5	1.80	0.027	0.11	<0.1	0.06	4.1	<0.1	0.21	8	<0.5
00966	Drill Core	3.43	0.166	8	3	1.21	485	0.011	7	1.57	0.036	0.11	<0.1	0.25	5.0	<0.1	0.12	8	<0.5
00967	Drill Core	2.86	0.162	7	3	1.37	224	0.011	7	1.70	0.032	0.09	<0.1	0.04	4.6	<0.1	0.13	8	<0.5
00968	Drill Core	2.68	0.165	6	2	1.43	61	0.060	4	1.86	0.030	0.11	<0.1	0.06	3.6	<0.1	0.29	8	<0.5
00969	Drill Core	4.64	0.152	7	5	1.18	97	0.023	5	1.80	0.024	0.14	<0.1	0.07	3.4	<0.1	0.98	7	0.7
00970	Drill Core	4.18	0.088	6	11	1.44	152	0.046	8	2.40	0.025	0.14	0.1	0.58	4.3	<0.1	0.98	8	1.3
00971	Drill Core	2.95	0.085	5	10	1.52	147	0.053	5	2.32	0.025	0.13	<0.1	0.30	2.7	<0.1	0.42	7	0.7
00972	Drill Core	3.59	0.085	6	11	1.46	204	0.005	3	2.28	0.022	0.19	<0.1	0.24	2.8	<0.1	0.61	7	<0.5
00973	Drill Core	4.19	0.091	7	10	1.33	55	0.017	6	2.06	0.027	0.18	0.1	0.29	2.6	<0.1	1.55	6	0.8
00974	Drill Core	2.88	0.082	5	9	1.55	147	0.053	7	2.44	0.035	0.15	<0.1	0.08	3.3	<0.1	0.95	6	<0.5
00975	Drill Core	3.76	0.088	5	8	1.31	81	0.028	4	2.11	0.022	0.17	<0.1	0.10	2.1	<0.1	1.65	5	0.6
00976	Drill Core	3.88	0.088	7	7	1.03	55	0.002	6	1.73	0.017	0.25	<0.1	0.11	2.0	<0.1	2.02	4	0.9
00977	Drill Core	3.55	0.070	5	11	1.92	49	0.009	7	2.70	0.026	0.15	<0.1	0.05	5.0	<0.1	2.45	8	<0.5
00978	Drill Core	2.74	0.067	3	12	2.11	40	0.086	5	2.94	0.034	0.05	<0.1	0.03	4.2	<0.1	1.38	9	<0.5
00979	Drill Core	2.51	0.068	2	12	2.02	49	0.104	6	2.85	0.026	0.05	<0.1	0.01	3.5	<0.1	0.60	8	<0.5
00980	Drill Core	2.53	0.075	2	15	2.14	55	0.149	3	2.93	0.025	0.05	0.1	0.01	4.9	<0.1	0.77	9	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

3 of 3

Part 1

## CERTIFICATE OF ANALYSIS

### VAN07003057.1

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
00981	Drill Core	6.40	6	0.3	17.3	9.2	95	0.1	5.5	15.8	1274	4.30	21.5	0.4	6.4	0.3	60	0.2	0.6	<0.1	178
00982	Drill Core	5.90	3	0.4	23.8	4.3	84	<0.1	6.6	17.3	1130	4.62	14.9	0.6	4.1	0.4	48	<0.1	0.3	<0.1	328
00983	Drill Core	5.50	<2	0.3	38.4	6.7	101	0.1	5.3	15.6	1159	4.60	14.1	0.7	3.1	0.4	57	<0.1	0.7	<0.1	305
00013	Drill Core	5.60	17	8.7	164.5	2.2	68	0.3	18.2	24.9	1143	5.27	4.3	0.2	31.1	0.3	160	0.1	0.1	0.3	226
00014	Drill Core	6.10	24	2.0	114.6	4.5	56	0.2	19.8	24.9	1610	6.22	7.9	0.3	24.0	0.9	147	0.1	0.2	0.7	167
00015	Drill Core	6.30	46	0.5	92.0	4.7	57	0.2	21.9	27.6	1744	6.24	5.4	0.3	36.4	0.8	175	0.2	0.2	0.3	181
00016	Drill Core	6.50	<2	0.9	115.7	4.8	64	0.3	23.5	27.9	1753	6.33	7.5	0.3	27.3	1.1	140	0.1	0.2	0.3	191



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

3 of 3

Part 2

## CERTIFICATE OF ANALYSIS

VAN07003057.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
00981	Drill Core	2.82	0.080	3	8	1.59	110	0.145	5	2.38	0.029	0.08	0.2	0.03	5.1	<0.1	0.91	7	<0.5
00982	Drill Core	2.21	0.073	3	13	1.98	97	0.210	4	2.69	0.029	0.04	0.1	<0.01	6.8	<0.1	0.44	8	<0.5
00983	Drill Core	2.84	0.068	3	10	2.03	194	0.172	6	2.79	0.025	0.07	0.2	<0.01	5.3	<0.1	0.31	8	<0.5
00013	Drill Core	2.76	0.102	4	21	2.14	48	0.204	8	2.86	0.156	0.07	0.4	0.01	12.7	0.1	1.11	9	0.5
00014	Drill Core	5.36	0.128	6	38	2.62	23	0.123	3	2.74	0.064	0.05	0.5	<0.01	14.9	<0.1	1.34	9	<0.5
00015	Drill Core	4.33	0.116	6	40	2.61	24	0.163	3	2.68	0.075	0.04	0.5	<0.01	14.3	<0.1	1.19	9	<0.5
00016	Drill Core	4.74	0.127	7	48	2.52	22	0.176	3	2.72	0.063	0.04	0.4	<0.01	14.8	<0.1	1.15	10	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** January 29, 2008

**Page:** 1 of 1 **Part** 1

**QUALITY CONTROL REPORT**

**VAN07003057.1**

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
Pulp Duplicates																					
REP 00954	QC		1.5	36.8	28.4	175	0.5	5.8	12.7	1568	3.93	27.8	0.1	2.2	0.4	81	1.3	0.5	<0.1	78	
00979	Drill Core	6.90	5	0.3	13.0	16.9	122	0.1	8.2	18.4	1773	4.90	23.0	0.2	7.0	0.3	56	0.1	0.6	<0.1	119
REP 00979	QC		5																		
00013	Drill Core	5.60	17	8.7	164.5	2.2	68	0.3	18.2	24.9	1143	5.27	4.3	0.2	31.1	0.3	160	0.1	0.1	0.3	226
REP 00013	QC		18																		
Core Reject Duplicates																					
00954	Drill Core	6.10	12	1.6	36.6	30.1	176	0.6	5.8	12.5	1695	4.27	29.1	0.2	1.8	0.4	107	1.2	0.6	<0.1	80
DUP 00954	QC		12	1.5	37.2	30.4	170	0.6	5.6	12.8	1602	4.09	29.4	0.2	3.9	0.4	100	1.4	0.5	<0.1	75
Reference Materials																					
STD DS7	Standard			21.2	104.9	71.0	395	0.9	57.8	9.7	609	2.38	49.7	5.0	70.0	4.6	70	6.2	5.9	4.5	86
STD DS7	Standard			20.7	100.8	72.9	392	0.8	55.8	9.4	608	2.34	49.5	4.8	67.8	4.3	56	5.5	4.7	4.0	84
STD DS7	Standard			20.4	105.5	69.7	401	0.8	57.9	10.1	652	2.43	50.6	4.7	74.6	4.3	61	6.0	5.1	4.0	85
STD OXD57	Standard		409																		
STD OXD57	Standard		428																		
STD OXD57	Standard		417																		
STD OXD57 Expected			413																		
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	
BLK	Blank		23																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
G1	Prep Blank	<0.01	<2	0.4	2.7	3.7	54	<0.1	5.9	5.0	694	1.78	<0.5	2.8	1.2	5.1	51	<0.1	<0.1	<0.1	43
G1	Prep Blank	<0.01	<2	0.4	1.9	3.0	51	<0.1	5.2	4.6	599	1.90	<0.5	2.8	<0.5	4.7	51	<0.1	<0.1	<0.1	40



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** January 29, 2008

**Page:** 1 of 1 **Part** 2

**QUALITY CONTROL REPORT**

**VAN07003057.1**

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
REP 00954	QC	4.05	0.118	7	7	1.31	202	0.004	5	2.01	0.022	0.18	<0.1	0.08	3.7	<0.1	0.61	6	<0.5
00979	Drill Core	2.51	0.068	2	12	2.02	49	0.104	6	2.85	0.026	0.05	<0.1	0.01	3.5	<0.1	0.60	8	<0.5
REP 00979																			
00013	Drill Core	2.76	0.102	4	21	2.14	48	0.204	8	2.86	0.156	0.07	0.4	0.01	12.7	0.1	1.11	9	0.5
REP 00013																			
Core Reject Duplicates																			
00954	Drill Core	4.03	0.125	7	7	1.41	223	0.004	6	2.17	0.024	0.19	<0.1	0.09	4.0	<0.1	0.65	7	<0.5
DUP 00954	QC	4.17	0.123	7	7	1.32	219	0.004	6	2.06	0.024	0.18	<0.1	0.09	3.9	<0.1	0.65	7	0.6
Reference Materials																			
STD DS7	Standard	0.96	0.074	12	197	1.01	366	0.115	40	1.01	0.090	0.42	4.2	0.20	2.5	4.2	0.19	4	3.8
STD DS7	Standard	0.88	0.075	10	174	0.99	367	0.110	40	0.92	0.061	0.45	4.0	0.20	2.2	4.1	0.19	4	3.6
STD DS7	Standard	0.95	0.080	11	192	1.09	401	0.116	40	1.00	0.065	0.48	4.1	0.22	2.4	4.2	0.20	4	4.2
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57 Expected																			
STD DS7 Expected		0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																			
G1	Prep Blank	0.57	0.097	7	15	0.57	277	0.143	<1	0.91	0.042	0.63	<0.1	<0.01	2.1	0.5	<0.05	5	<0.5
G1	Prep Blank	0.49	0.082	7	14	0.58	250	0.125	1	1.01	0.058	0.57	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

November 22, 2007

Report Date:

January 29, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN07003057A.1

### CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 1

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	1	Crush split and pulverize drill core to 150mesh		
3B	1	Fire assay fusion Au by ICP-ES	30	Completed
1DX	1	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

2 of 2

Part 1

## CERTIFICATE OF ANALYSIS

**VAN07003057A.**

Method	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00955	Drill Core	9	0.8	38.4	28.2	125	0.4	7.4	13.2	1509	4.46	37.3	0.2	<0.5	0.5	97	0.4	1.6	<0.1	85	3.74



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

2 of 2

Part 2

## CERTIFICATE OF ANALYSIS

**VAN07003057A.**

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
00955	Drill Core	0.093	6	12	1.83	198	0.003	7	2.64	0.036	0.17	<0.1	0.20	4.8	<0.1	0.30	8	<0.5





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

VAN07003057A.

Method	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Reference Materials																					
STD DS7	Standard	19.9	96.5	68.6	388	0.8	51.4	8.9	613	2.35	48.2	5.0	66.4	4.7	75	6.1	6.1	4.8	81	0.95	
STD DS7	Standard	21.6	104.7	71.8	406	0.8	57.0	9.7	628	2.41	50.7	5.3	83.3	4.8	75	6.4	6.4	5.0	83	0.99	
STD OXD57	Standard	398																			
STD OXD57	Standard	390																			
STD OXD57 Expected		413																			
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
G1	Prep Blank	<2	0.5	6.0	11.9	70	<0.1	4.5	4.2	556	1.78	1.0	2.7	1.9	3.9	57	0.2	1.5	<0.1	34	0.48



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

January 29, 2008

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

VAN07003057A.

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																			
STD DS7	Standard	0.079	13	196	1.02	358	0.116	45	0.99	0.097	0.45	4.2	0.22	2.6	4.3	0.19	4	3.4	
STD DS7	Standard	0.082	13	202	1.05	383	0.117	46	1.02	0.084	0.44	3.9	0.21	2.5	4.3	0.19	5	3.8	
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57 Expected																			
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5	
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			
G1	Prep Blank	0.075	6	10	0.61	217	0.115	<1	1.07	0.085	0.56	<0.1	0.09	2.1	0.4	<0.05	5	<0.5	

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 26, 2007

Report Date:

January 15, 2008

Page:

1 of 3

## CERTIFICATE OF ANALYSIS

VAN07003121.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 39

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	39	Crush split and pulverize drill core to 150mesh		
3B	39	Fire assay fusion Au by ICP-ES	30	Completed
1DX	39	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 15, 2008

**Page:** 2 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN07003121.1**

Method	Analyte	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
01012	Drill Core	8	6.4	267.9	3.8	50	0.4	22.2	40.3	1018	6.96	2.5	0.4	6.5	0.7	191	0.2	0.1	<0.1	227	3.27
01013	Drill Core	5	0.9	239.0	3.4	51	0.4	25.0	34.0	943	6.25	3.2	0.3	3.4	0.8	126	0.2	0.1	<0.1	210	3.86
01014	Drill Core	2	1.1	174.8	3.5	76	0.3	24.3	26.5	762	5.41	2.1	0.4	2.8	1.1	108	0.4	0.1	<0.1	213	2.73
01015	Drill Core	4	2.2	205.1	6.0	64	0.4	13.3	27.2	721	4.91	2.6	0.6	3.6	1.1	141	0.3	0.2	<0.1	171	2.83
01016	Drill Core	5	0.6	79.0	5.4	110	0.2	12.6	25.8	795	5.95	2.1	0.4	3.7	1.1	337	0.2	0.1	<0.1	238	2.99
01017	Drill Core	2	1.6	163.7	4.0	48	0.2	13.4	25.0	877	5.62	3.5	0.5	2.9	0.9	212	0.2	0.2	<0.1	242	4.31
01018	Drill Core	6	2.5	112.6	3.7	130	0.2	14.1	25.7	913	6.04	3.1	0.6	5.0	1.1	135	0.5	0.2	<0.1	253	3.67
01019	Drill Core	4	1.5	153.3	4.4	69	0.2	21.7	29.1	1017	6.45	4.8	0.5	4.9	1.1	145	0.2	0.2	<0.1	246	5.39
01020	Drill Core	6	1.0	157.6	3.0	53	0.2	20.1	24.8	792	5.73	2.3	0.6	5.6	1.1	163	0.1	<0.1	<0.1	222	4.51
01021	Drill Core	5	0.8	236.4	3.3	55	0.3	22.4	23.5	979	6.27	6.4	0.4	6.2	0.8	163	0.2	0.2	<0.1	191	5.64
01022	Drill Core	7	1.0	131.6	3.4	44	0.2	13.8	22.2	781	5.16	3.9	0.4	5.6	0.8	146	0.2	0.2	<0.1	215	5.49
01023	Drill Core	8	1.1	104.3	2.2	41	0.1	12.2	21.5	721	5.24	2.2	0.3	7.7	0.5	443	0.1	<0.1	<0.1	221	4.16
01024	Drill Core	5	2.5	150.1	2.8	48	0.1	28.8	22.0	958	4.93	9.3	1.0	5.9	1.0	173	0.1	0.2	<0.1	141	7.02
01025	Drill Core	4	1.5	155.8	3.6	63	0.2	28.4	27.7	962	5.69	6.2	0.7	3.8	1.3	175	0.2	0.2	<0.1	203	5.60
01026	Drill Core	3	1.7	167.4	3.3	62	0.3	30.9	29.0	1121	6.27	5.5	0.7	3.1	1.3	233	0.1	0.2	<0.1	230	6.18
01027	Drill Core	<2	9.0	141.5	4.3	72	0.2	20.9	22.5	1279	5.39	6.2	0.8	3.3	0.9	163	0.3	0.1	<0.1	261	7.74
01028	Drill Core	6	1.8	108.4	2.0	42	0.1	11.9	22.8	921	6.07	2.1	0.3	5.2	0.6	160	0.2	<0.1	<0.1	280	4.21
01029	Drill Core	3	1.7	118.0	2.3	44	0.2	10.3	26.0	897	6.38	3.1	0.2	5.0	0.4	148	0.2	<0.1	<0.1	292	4.20
01030	Drill Core	3	1.5	100.4	2.4	43	0.2	10.5	19.9	1120	5.90	4.6	0.3	4.8	0.5	173	0.2	<0.1	<0.1	277	7.46
01031	Drill Core	5	2.4	122.3	3.4	48	0.2	12.0	20.3	958	5.82	3.6	0.4	3.2	0.7	113	0.2	<0.1	<0.1	266	5.15
01032	Drill Core	6	3.1	125.4	3.1	66	0.2	20.2	22.7	1101	6.11	4.5	0.6	9.5	0.8	137	0.2	<0.1	<0.1	283	6.33
01033	Drill Core	7	5.6	134.2	3.2	67	0.1	21.5	24.8	1064	6.06	2.9	0.7	3.7	0.9	108	0.3	0.1	<0.1	265	3.83
01034	Drill Core	5	4.2	135.9	3.6	65	0.1	17.1	27.3	990	6.46	5.9	0.5	5.5	0.9	125	0.4	0.2	0.1	258	6.17
01035	Drill Core	21	1.7	115.6	3.6	78	0.2	14.6	30.8	1371	8.21	2.2	0.2	22.5	0.7	139	0.2	<0.1	<0.1	254	6.33
01036	Drill Core	34	1.6	75.9	3.0	69	<0.1	14.3	28.6	1438	7.79	2.8	0.2	33.5	0.7	155	0.2	0.1	<0.1	264	7.12
01037	Drill Core	19	2.1	122.2	3.8	62	0.1	17.4	28.5	1128	6.25	2.9	0.4	13.3	0.7	149	0.2	0.1	0.2	230	5.37
01038	Drill Core	23	1.1	76.6	3.2	53	<0.1	18.9	25.9	1248	6.40	4.5	0.2	28.2	0.6	138	<0.1	0.1	0.2	245	6.25
01039	Drill Core	44	2.7	124.7	4.0	57	0.1	17.8	27.2	1003	5.92	7.5	0.4	13.0	0.8	103	0.2	0.1	0.1	224	3.97
01040	Drill Core	5	3.6	131.0	3.9	50	0.2	8.4	18.2	1015	4.86	2.2	0.4	4.1	0.9	80	0.2	<0.1	<0.1	217	3.30
01041	Drill Core	4	3.9	106.6	3.3	45	0.1	10.7	16.3	969	4.39	1.9	0.4	1.6	1.0	74	0.1	<0.1	<0.1	207	3.48



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 15, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN07003121.1**

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	
01012	Drill Core	0.125	7	24	2.14	53	0.235	5	2.77	0.182	0.28	0.2	0.13	12.6	<0.1	2.92	9	5.4
01013	Drill Core	0.125	6	45	1.93	77	0.241	22	2.20	0.136	0.24	0.2	0.26	11.6	0.1	2.35	8	4.8
01014	Drill Core	0.149	7	48	1.81	69	0.232	145	2.44	0.083	0.19	0.2	0.12	7.5	<0.1	1.45	9	3.0
01015	Drill Core	0.108	7	15	1.36	62	0.212	169	2.58	0.121	0.13	0.3	0.10	8.5	<0.1	1.94	10	3.1
01016	Drill Core	0.115	8	25	1.62	41	0.302	19	2.84	0.226	0.09	0.2	0.05	10.8	<0.1	0.86	11	1.3
01017	Drill Core	0.123	7	20	1.49	77	0.266	27	2.72	0.270	0.17	0.3	0.16	11.3	0.1	1.58	10	2.4
01018	Drill Core	0.133	8	27	1.56	52	0.284	30	2.24	0.141	0.15	0.3	0.12	13.2	<0.1	0.97	9	1.8
01019	Drill Core	0.128	7	46	1.73	51	0.280	27	2.80	0.161	0.18	0.2	0.19	13.4	0.1	1.65	10	2.4
01020	Drill Core	0.145	8	47	1.64	92	0.269	76	2.75	0.259	0.31	0.2	0.08	10.0	0.1	1.58	10	2.8
01021	Drill Core	0.147	5	44	1.47	51	0.163	71	2.30	0.141	0.13	0.2	0.08	10.6	0.1	2.11	9	3.8
01022	Drill Core	0.122	7	24	1.41	111	0.207	8	2.14	0.132	0.19	0.2	0.06	12.2	<0.1	1.56	9	2.2
01023	Drill Core	0.132	7	13	1.43	227	0.228	14	3.06	0.649	0.43	0.1	0.11	9.6	0.2	0.81	9	1.1
01024	Drill Core	0.138	7	47	1.55	36	0.135	7	2.41	0.202	0.07	0.3	0.05	9.3	0.1	1.73	8	3.3
01025	Drill Core	0.159	8	84	2.12	40	0.209	11	2.89	0.131	0.12	0.3	0.13	12.5	<0.1	1.32	10	1.7
01026	Drill Core	0.165	8	81	2.25	45	0.191	9	2.91	0.249	0.16	0.2	0.21	14.3	0.1	1.53	10	2.1
01027	Drill Core	0.132	8	36	2.55	107	0.133	6	2.51	0.145	0.17	0.2	0.13	15.9	<0.1	1.43	9	3.4
01028	Drill Core	0.133	7	22	2.22	180	0.240	10	2.51	0.175	0.37	0.1	0.05	17.6	<0.1	0.61	10	0.8
01029	Drill Core	0.134	7	10	2.08	160	0.235	8	2.28	0.126	0.34	0.1	0.04	17.1	<0.1	0.80	9	0.8
01030	Drill Core	0.129	8	10	2.06	176	0.178	9	2.62	0.195	0.34	0.1	0.03	22.3	<0.1	0.77	9	0.6
01031	Drill Core	0.130	8	15	2.24	131	0.256	7	2.34	0.120	0.26	0.2	0.09	20.3	<0.1	0.82	10	0.8
01032	Drill Core	0.124	8	25	2.41	123	0.230	9	2.36	0.101	0.23	0.2	0.05	18.6	<0.1	1.34	10	2.3
01033	Drill Core	0.148	8	34	2.56	67	0.255	9	2.37	0.098	0.16	0.2	0.11	14.6	<0.1	1.80	10	2.9
01034	Drill Core	0.147	9	31	1.85	46	0.204	8	2.07	0.088	0.11	0.2	0.09	15.4	<0.1	2.78	9	5.6
01035	Drill Core	0.149	9	30	2.14	27	0.045	16	3.17	0.064	0.15	<0.1	0.13	19.7	<0.1	0.92	14	0.7
01036	Drill Core	0.137	9	30	1.93	25	0.074	15	2.84	0.063	0.12	<0.1	0.09	17.8	<0.1	0.89	13	<0.5
01037	Drill Core	0.129	7	34	1.78	33	0.153	11	2.55	0.220	0.12	0.1	0.10	15.6	<0.1	1.41	11	2.0
01038	Drill Core	0.119	7	49	1.79	39	0.130	12	2.48	0.077	0.11	<0.1	0.06	18.1	<0.1	1.22	12	1.2
01039	Drill Core	0.120	7	33	1.87	60	0.174	8	2.27	0.095	0.12	0.2	0.09	13.8	<0.1	1.91	10	2.3
01040	Drill Core	0.107	7	11	1.92	94	0.177	6	1.84	0.075	0.16	0.2	0.13	14.0	<0.1	1.43	8	2.1
01041	Drill Core	0.107	8	12	1.72	98	0.180	9	1.73	0.081	0.19	0.2	0.08	11.7	<0.1	1.23	8	1.4



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 15, 2008

Page:

3 of 3

Part 1

## CERTIFICATE OF ANALYSIS

VAN07003121.1

Method	Analyte	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
01042	Drill Core	3	3.8	103.1	3.6	56	0.1	9.1	17.8	991	5.02	1.8	0.4	1.9	0.9	83	0.2	<0.1	<0.1	225	3.39
01043	Drill Core	6	4.0	159.7	4.9	51	0.2	10.3	23.7	966	5.09	3.0	0.5	3.2	1.0	90	0.2	<0.1	<0.1	214	4.13
01044	Drill Core	5	3.6	112.4	4.1	40	0.1	10.8	18.1	933	4.41	2.3	0.5	3.2	1.0	89	0.2	<0.1	<0.1	210	3.22
01045	Drill Core	6	3.1	130.0	8.9	43	0.1	9.5	20.3	843	4.29	2.5	0.4	5.2	0.9	88	0.2	0.1	<0.1	204	3.61
01046	Drill Core	5	2.5	99.9	12.8	52	<0.1	7.8	17.9	880	4.28	2.5	0.5	3.0	0.9	82	0.3	<0.1	<0.1	203	3.34
01047	Drill Core	6	1.8	57.6	4.1	39	<0.1	5.1	12.8	738	4.27	1.3	0.6	2.3	1.2	75	0.1	<0.1	<0.1	210	2.27
01048	Drill Core	5	1.8	45.9	7.3	42	<0.1	5.1	14.3	838	4.22	1.6	0.6	2.9	1.4	76	0.1	<0.1	<0.1	214	1.95
01049	Drill Core	9	1.7	79.4	4.1	41	0.1	8.4	14.8	799	4.34	1.9	0.4	8.8	1.1	80	0.1	<0.1	<0.1	209	2.17
01050	Drill Core	9	3.6	187.0	5.1	45	0.3	9.4	28.1	1081	5.41	2.9	0.5	14.1	0.9	91	0.2	<0.1	<0.1	217	3.79



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 15, 2008

Page:

3 of 3

Part 2

## CERTIFICATE OF ANALYSIS

VAN07003121.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
01042	Drill Core	0.109	8	9	1.94	70	0.199	8	1.87	0.071	0.16	0.2	0.10	15.1	<0.1	1.05	9	1.1
01043	Drill Core	0.102	7	10	2.06	78	0.174	7	1.95	0.086	0.15	0.2	0.14	14.5	<0.1	1.86	8	2.8
01044	Drill Core	0.106	7	12	2.27	110	0.182	6	2.02	0.084	0.17	0.2	0.19	14.7	<0.1	1.50	8	2.0
01045	Drill Core	0.108	7	10	2.15	72	0.182	6	1.87	0.074	0.13	0.2	0.26	15.5	<0.1	1.71	8	2.0
01046	Drill Core	0.108	8	9	1.98	88	0.178	5	1.70	0.067	0.12	0.1	0.18	14.4	<0.1	1.37	8	1.6
01047	Drill Core	0.112	9	4	1.70	73	0.187	6	1.46	0.082	0.15	0.1	0.06	9.3	<0.1	0.23	8	<0.5
01048	Drill Core	0.115	9	4	2.27	80	0.198	7	1.72	0.078	0.15	0.1	0.11	11.0	<0.1	0.44	9	<0.5
01049	Drill Core	0.108	8	7	2.02	47	0.184	6	1.59	0.080	0.11	0.1	0.10	12.5	<0.1	0.84	8	1.4
01050	Drill Core	0.105	7	10	2.13	49	0.146	5	1.90	0.070	0.09	0.2	0.18	16.9	<0.1	1.88	8	3.6







M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 15, 2008

Page:

1 of 2

Part 2

## QUALITY CONTROL REPORT

VAN07003121.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
01031	Drill Core	0.130	8	15	2.24	131	0.256	7	2.34	0.120	0.26	0.2	0.09	20.3	<0.1	0.82	10	0.8	
REP 01031	QC																		
01032	Drill Core	0.124	8	25	2.41	123	0.230	9	2.36	0.101	0.23	0.2	0.05	18.6	<0.1	1.34	10	2.3	
REP 01032	QC																		
01034	Drill Core	0.147	9	31	1.85	46	0.204	8	2.07	0.088	0.11	0.2	0.09	15.4	<0.1	2.78	9	5.6	
REP 01034	QC	0.140	9	31	1.79	47	0.194	7	1.93	0.086	0.11	0.2	0.08	14.9	<0.1	2.61	9	5.1	
01050	Drill Core	0.105	7	10	2.13	49	0.146	5	1.90	0.070	0.09	0.2	0.18	16.9	<0.1	1.88	8	3.6	
REP 01050	QC	0.108	8	10	2.19	51	0.151	5	1.98	0.069	0.09	0.2	0.19	17.0	<0.1	1.92	8	3.7	
Core Reject Duplicates																			
01018	Drill Core	0.133	8	27	1.56	52	0.284	30	2.24	0.141	0.15	0.3	0.12	13.2	<0.1	0.97	9	1.8	
DUP 01018	QC	0.138	8	28	1.60	56	0.277	33	2.26	0.151	0.16	0.2	0.14	13.4	<0.1	1.02	9	2.1	
Reference Materials																			
STD DS7	Standard	0.074	12	197	1.01	366	0.115	40	1.01	0.090	0.42	4.2	0.20	2.5	4.2	0.19	4	3.8	
STD DS7	Standard	0.077	12	185	1.00	383	0.104	43	0.98	0.091	0.45	4.0	0.21	2.6	4.2	0.19	4	3.6	
STD DS7	Standard	0.080	12	192	1.04	395	0.108	44	0.99	0.095	0.46	4.0	0.22	2.5	4.3	0.20	5	3.6	
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57	Standard																		
STD OXD57 Expected																			
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 15, 2008

**Page:** 2 of 2 **Part** 1

## QUALITY CONTROL REPORT

## VAN07003121.1

		3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<2	0.8	3.2	3.9	55	<0.1	6.1	4.2	549	1.92	<0.5	2.5	<0.5	4.7	58	<0.1	<0.1	0.2	37	0.56
G1	Prep Blank	<2	1.0	4.4	3.1	50	<0.1	5.9	5.5	541	1.93	<0.5	2.5	<0.5	4.0	56	<0.1	<0.1	<0.1	37	0.51



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 15, 2008

Page:

2 of 2

Part 2

## QUALITY CONTROL REPORT

VAN07003121.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
G1	Prep Blank	0.073	8	11	0.56	207	0.121	<1	1.01	0.081	0.50	0.4	<0.01	2.2	0.3	<0.05	5	<0.5
G1	Prep Blank	0.073	6	10	0.57	209	0.123	<1	1.11	0.089	0.52	0.3	<0.01	2.5	0.4	<0.05	5	<0.5

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 31, 2007

Report Date:

February 02, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN08003189.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 25

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	19	Crush split and pulverize drill core to 150mesh		
3B	21	Fire assay fusion Au by ICP-ES	30	Completed
1DX	21	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003189.1**

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
00001	Drill Core	6.80	708	1.8	262.1	41.1	363	4.2	26.0	33.3	2124	8.80	94.6	0.3	595.0	0.8	113	1.7	0.5	1.3	204
00002	Drill Core	6.30	1678	0.9	476.0	60.0	596	4.9	24.0	34.7	1891	8.83	186.0	0.3	1307	0.7	116	3.5	0.7	1.2	182
00003	Drill Core	7.00	322	0.5	261.2	175.1	286	3.1	25.2	33.0	2075	8.64	69.3	0.3	288.5	0.8	133	1.3	0.5	1.0	183
00004	Drill Core	5.40	45	0.6	93.5	40.2	161	0.6	27.4	24.6	2334	6.12	15.7	0.4	43.6	0.9	175	0.6	0.4	0.3	175
00005	Drill Core	7.30	22	0.3	70.5	9.4	68	0.3	25.8	17.5	2203	5.04	5.3	0.3	13.2	0.7	207	0.1	0.2	0.3	149
00006	Drill Core	6.50	20	1.7	87.5	4.6	78	0.4	24.0	18.6	2016	5.70	8.8	0.4	18.9	0.9	177	0.4	0.2	0.6	158
00007	Drill Core	6.10	62	1.0	66.3	3.5	90	0.3	12.7	18.9	1557	4.84	4.9	0.4	34.1	0.9	125	0.4	0.1	0.4	153
00008	Drill Core	6.00	36	3.1	87.4	5.3	69	0.4	7.0	21.4	1170	4.67	5.6	0.5	33.2	0.9	84	0.3	0.2	0.7	150
00009	Drill Core	6.20	93	2.8	190.4	9.6	110	0.8	240.5	40.3	1709	6.97	7.7	0.6	63.3	1.5	237	0.4	0.2	1.3	156
00010	Rock Pulp		1796	674.1	8656	60.9	79	3.3	76.4	22.2	231	4.07	26.8	5.3	1712	12.3	50	1.2	17.5	4.1	44
00011	Drill Core	6.50	25	1.2	82.2	7.7	68	0.2	222.0	32.4	1530	5.87	5.4	0.6	27.9	1.6	301	0.2	0.2	0.6	152
00012	Drill Core	6.30	54	1.2	131.3	3.3	66	0.3	21.8	24.2	1428	5.63	6.1	0.4	51.6	0.8	172	0.3	<0.1	1.1	175
00013	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00014	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00015	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00016	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00017	Drill Core	6.60	57	0.8	116.2	5.5	65	0.3	25.4	28.1	2014	6.78	13.4	0.5	54.4	1.1	135	0.1	0.3	0.6	199
00018	Drill Core	6.60	314	2.1	203.0	27.8	196	0.6	26.8	34.7	2009	7.91	15.9	0.4	168.8	1.0	112	1.1	0.2	1.2	210
00019	Drill Core	6.80	53	1.0	117.3	4.6	57	0.2	30.6	28.5	1933	6.10	6.1	0.4	47.2	0.9	146	0.1	0.3	0.2	192
00020	Rock Pulp		1921	675.6	8808	59.2	78	3.3	80.5	23.0	242	4.15	28.0	5.4	1718	12.5	49	1.1	17.7	4.1	45
00021	Drill Core	7.10	104	2.7	100.4	3.9	59	0.4	31.0	27.1	2325	5.45	5.2	0.5	86.5	0.8	164	0.1	0.3	0.1	169
00022	Drill Core	7.00	98	6.0	110.7	6.2	54	0.4	27.5	35.1	2555	6.21	9.9	0.5	89.6	0.9	149	0.1	0.3	0.3	179
00023	Drill Core	3.30	<2	0.6	102.9	4.8	49	<0.1	209.2	38.2	743	4.17	0.6	0.4	2.5	0.6	293	<0.1	<0.1	<0.1	128
00024	Drill Core	6.70	<2	0.4	66.3	4.3	46	<0.1	238.3	38.5	706	4.12	<0.5	0.3	1.4	0.5	310	<0.1	<0.1	<0.1	121
00025	Drill Core	6.50	<2	0.5	71.5	4.9	49	<0.1	236.8	39.7	801	4.38	<0.5	0.3	<0.5	0.5	333	<0.1	<0.1	<0.1	131



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003189.1**

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5		
00001	Drill Core	5.36	0.121	6	66	2.62	18	0.148	3	2.87	0.067	0.08	0.6	0.06	18.2	0.1	3.19	10	<0.5
00002	Drill Core	5.43	0.110	6	62	2.42	15	0.117	3	2.68	0.052	0.05	0.6	0.05	17.7	0.2	3.55	9	0.7
00003	Drill Core	5.58	0.124	6	68	2.51	16	0.113	2	2.78	0.047	0.05	0.4	0.03	18.2	0.1	3.40	9	0.7
00004	Drill Core	6.88	0.105	6	71	2.64	18	0.173	3	2.75	0.078	0.06	0.6	0.02	17.4	<0.1	1.94	8	<0.5
00005	Drill Core	5.84	0.106	5	57	2.70	12	0.159	2	2.55	0.069	0.02	0.4	0.01	13.9	<0.1	0.86	8	<0.5
00006	Drill Core	6.25	0.115	5	55	2.54	16	0.160	3	2.64	0.063	0.03	0.6	<0.01	14.6	<0.1	1.32	8	<0.5
00007	Drill Core	3.84	0.114	6	28	1.91	21	0.136	3	2.03	0.077	0.05	0.5	0.02	9.3	<0.1	1.21	8	<0.5
00008	Drill Core	3.23	0.113	8	10	1.58	29	0.115	2	1.84	0.072	0.07	0.4	0.02	6.2	<0.1	1.90	8	<0.5
00009	Drill Core	3.48	0.100	7	95	4.27	94	0.163	6	2.99	0.134	0.25	0.3	0.05	10.2	0.3	2.41	9	1.2
00010	Rock Pulp	0.96	0.050	18	72	0.64	40	0.045	3	1.14	0.036	0.44	7.3	0.16	3.8	0.3	2.52	4	5.5
00011	Drill Core	3.61	0.095	6	101	4.35	106	0.176	4	2.85	0.177	0.19	0.3	0.04	9.9	0.2	1.35	8	0.7
00012	Drill Core	4.46	0.109	5	43	2.52	41	0.182	2	2.72	0.089	0.08	0.5	<0.01	12.9	<0.1	1.11	8	0.7
00013	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00014	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00015	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00016	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
00017	Drill Core	4.75	0.118	7	63	2.68	28	0.229	3	3.02	0.057	0.06	0.7	<0.01	15.5	0.2	1.91	10	0.6
00018	Drill Core	4.03	0.105	6	66	2.77	22	0.192	3	3.07	0.064	0.08	0.7	0.02	15.9	0.3	3.34	10	1.0
00019	Drill Core	4.47	0.112	6	63	2.67	25	0.209	2	2.62	0.062	0.04	0.5	<0.01	15.5	<0.1	1.41	8	<0.5
00020	Rock Pulp	0.98	0.049	18	77	0.66	38	0.045	3	1.18	0.035	0.46	7.2	0.17	4.2	0.4	2.56	4	6.2
00021	Drill Core	6.77	0.116	5	68	2.52	16	0.210	3	2.68	0.054	0.03	0.7	<0.01	13.1	<0.1	0.92	8	<0.5
00022	Drill Core	6.80	0.134	6	68	2.60	17	0.184	2	2.95	0.043	0.03	0.6	<0.01	13.4	0.1	1.42	9	<0.5
00023	Drill Core	1.94	0.105	3	189	4.25	26	0.119	11	2.49	0.737	0.07	<0.1	<0.01	4.3	<0.1	<0.05	5	<0.5
00024	Drill Core	1.68	0.099	3	181	4.68	18	0.088	12	2.48	0.682	0.06	0.1	<0.01	3.8	<0.1	<0.05	5	<0.5
00025	Drill Core	2.09	0.101	3	215	4.81	27	0.110	16	2.68	0.750	0.06	0.1	<0.01	4.5	<0.1	<0.05	5	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2  
**Report Date:** February 02, 2008

**Page:** 1 of 1 **Part** 1

## QUALITY CONTROL REPORT

VAN08003189.1

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
REP 00002	QC	1339																			
Core Reject Duplicates																					
00002	Drill Core	6.30	1678	0.9	476.0	60.0	596	4.9	24.0	34.7	1891	8.83	186.0	0.3	1307	0.7	116	3.5	0.7	1.2	182
DUP 00002	QC	1230																			
Reference Materials																					
STD DS7	Standard		18.8	99.4	65.4	393	0.8	52.3	8.9	595	2.31	49.6	4.5	70.3	4.3	72	6.4	5.8	4.5	78	
STD DS7	Standard		19.8	103.9	67.9	402	0.9	53.2	9.1	613	2.40	51.9	4.8	71.1	4.4	75	6.8	5.9	4.6	83	
STD DS7	Standard		22.6	103.7	81.1	395	0.8	59.9	9.9	623	2.38	45.0	5.6	58.4	5.2	72	6.2	5.6	4.9	91	
STD DS7	Standard		24.5	112.2	81.1	420	0.8	66.6	11.0	684	2.50	47.9	5.8	74.5	5.5	80	6.5	5.6	4.8	99	
STD OXD57	Standard	415																			
STD OXD57	Standard	421																			
STD OXD57 Expected		413																			
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
G1	Prep Blank	<0.01	<2	0.2	1.4	2.5	47	<0.1	3.8	4.1	533	1.73	<0.5	2.6	<0.5	4.2	44	<0.1	<0.1	<0.1	33
G1	Prep Blank	<0.01	<2	0.3	1.6	2.9	46	<0.1	3.8	4.2	532	1.73	<0.5	2.3	<0.5	3.8	50	<0.1	<0.1	<0.1	34





M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 23, 2007

Report Date:

January 31, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN08003192.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 28

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	28	Crush split and pulverize drill core to 150mesh		
3B	28	Fire assay fusion Au by ICP-ES	30	Completed
1DX	28	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 31, 2008

**Page:** 2 of 2 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003192.1**

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
00984	Drill Core	5.10	2	0.7	78.8	9.1	153	0.2	6.7	19.4	1212	5.08	18.2	0.6	<0.5	0.6	86	0.9	0.6	<0.1	294
00985	Drill Core	5.70	4	0.4	28.9	7.1	127	<0.1	8.4	22.7	1351	5.35	15.6	0.5	3.9	0.5	72	0.4	0.5	<0.1	273
00986	Drill Core	6.00	3	0.3	5.8	5.7	87	<0.1	7.7	23.0	1049	4.67	10.0	0.5	<0.5	0.4	55	<0.1	0.4	<0.1	150
00987	Drill Core	6.30	<2	0.5	7.7	7.1	84	<0.1	7.3	21.7	988	4.39	7.8	0.5	<0.5	0.5	51	<0.1	0.3	<0.1	135
00988	Drill Core	5.50	<2	0.6	24.9	3.0	76	<0.1	7.4	22.7	913	4.14	8.7	0.4	<0.5	0.5	54	<0.1	0.4	<0.1	139
00989	Drill Core	6.50	3	0.3	13.0	3.2	71	<0.1	6.2	20.4	855	4.03	14.0	0.5	2.1	0.4	49	<0.1	0.3	<0.1	107
00990	Drill Core	6.50	4	0.4	7.8	3.6	82	<0.1	6.7	20.2	1028	4.07	13.8	0.4	1.7	0.5	59	<0.1	0.5	<0.1	111
00991	Drill Core	6.60	10	0.5	54.2	10.2	128	0.1	7.1	20.7	1539	5.16	29.8	0.4	6.3	0.6	81	0.3	0.5	<0.1	136
00992	Drill Core	6.10	5	2.1	42.2	19.8	84	0.3	3.5	13.3	1187	3.59	69.1	0.3	5.0	0.6	66	0.3	0.8	<0.1	92
00993	Drill Core	6.60	9	0.9	28.0	14.1	108	0.3	5.8	20.0	1543	4.79	33.3	0.4	6.2	0.6	74	0.1	0.5	<0.1	139
00994	Drill Core	5.50	3	1.4	28.4	12.1	95	0.1	5.6	17.3	1505	4.42	41.0	0.4	1.4	0.6	72	0.1	0.7	<0.1	102
00995	Drill Core	4.40	5	0.6	32.4	14.3	132	0.1	7.4	22.9	1558	5.14	29.2	0.5	2.9	0.5	65	0.2	0.6	<0.1	180
00996	Drill Core	5.50	3	0.4	13.1	6.7	114	<0.1	6.4	20.8	1471	4.74	16.2	0.4	1.9	0.5	75	<0.1	0.4	<0.1	161
00997	Drill Core	5.90	3	0.3	10.7	12.0	90	<0.1	8.5	18.0	1206	4.36	11.5	0.7	<0.5	0.6	71	0.1	0.5	<0.1	174
00998	Drill Core	6.70	2	0.3	45.3	30.2	99	0.1	8.4	22.6	1559	4.94	16.4	0.4	<0.5	0.4	81	<0.1	0.4	<0.1	186
00999	Drill Core	5.90	17	2.1	77.8	63.8	195	0.5	8.0	20.6	1611	4.83	71.6	1.1	<0.5	0.9	82	1.3	1.7	<0.1	163
01000	Drill Core	7.30	20	1.0	117.5	42.5	198	0.5	6.8	15.1	1752	5.22	61.7	0.3	10.0	0.5	84	1.6	0.9	<0.1	166
01001	Drill Core	6.10	26	1.4	125.2	14.0	96	0.9	8.4	19.9	1817	5.79	24.3	0.3	15.4	0.4	100	0.2	0.9	<0.1	317
01002	Drill Core	6.10	6	1.4	53.8	33.8	130	0.3	10.0	15.2	1752	4.18	41.6	0.8	1.7	0.7	104	0.6	1.1	<0.1	140
01003	Drill Core	3.20	11	0.8	136.1	5.2	47	0.2	16.9	29.4	861	5.95	3.8	0.4	9.4	0.9	450	0.1	0.1	<0.1	232
01004	Drill Core	6.90	5	0.7	97.9	3.2	55	0.1	16.7	29.1	753	6.34	2.7	0.4	6.9	0.9	294	0.1	0.1	<0.1	254
01005	Drill Core	6.60	4	0.8	98.4	7.9	43	0.2	16.3	27.8	690	6.30	2.3	0.4	4.3	0.8	108	0.1	0.1	<0.1	251
01006	Drill Core	6.60	6	0.5	88.8	2.8	65	0.1	14.5	25.2	552	6.02	2.3	0.4	5.5	0.9	544	<0.1	<0.1	<0.1	245
01007	Drill Core	6.60	2	1.2	107.4	4.7	58	0.2	14.8	28.5	915	6.11	2.9	0.4	3.2	0.8	166	0.2	0.2	<0.1	227
01008	Drill Core	6.60	3	2.6	161.5	5.5	61	0.3	8.9	26.1	925	5.00	2.4	0.5	3.0	0.9	135	0.4	0.2	<0.1	201
01009	Drill Core	7.20	3	2.9	117.4	4.0	45	0.2	6.5	17.9	769	4.54	1.8	0.6	3.1	1.0	71	0.2	0.1	<0.1	201
01010	Drill Core	6.70	3	3.7	122.1	3.6	45	0.4	7.9	20.8	758	4.40	2.7	0.6	2.2	1.1	74	0.2	0.2	<0.1	196
01011	Drill Core	7.20	5	32.5	360.4	4.3	48	1.0	9.5	64.9	889	7.66	3.5	0.5	4.6	0.9	103	0.2	0.3	<0.1	187



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 31, 2008

**Page:** 2 of 2 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003192.1**

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	
00984	Drill Core	3.15	0.064	4	13	2.22	480	0.200	3	3.15	0.036	0.08	0.3	0.01	6.6	<0.1	0.30	9	<0.5
00985	Drill Core	3.01	0.070	3	21	2.22	196	0.225	6	3.04	0.031	0.10	0.2	<0.01	7.3	<0.1	0.66	9	<0.5
00986	Drill Core	2.04	0.071	3	18	2.17	134	0.273	5	2.71	0.030	0.05	0.2	0.01	7.5	<0.1	0.27	9	<0.5
00987	Drill Core	1.70	0.069	3	15	2.03	112	0.277	4	2.51	0.032	0.05	0.1	<0.01	7.3	<0.1	0.29	8	<0.5
00988	Drill Core	1.81	0.068	3	16	1.95	200	0.263	3	2.40	0.035	0.06	0.1	<0.01	7.3	<0.1	0.23	8	<0.5
00989	Drill Core	1.93	0.081	3	11	1.82	128	0.235	4	2.22	0.033	0.06	0.1	<0.01	6.1	<0.1	0.21	7	<0.5
00990	Drill Core	2.04	0.068	3	13	1.75	190	0.224	5	2.27	0.030	0.10	0.1	<0.01	6.1	<0.1	0.29	8	0.6
00991	Drill Core	2.89	0.070	4	16	1.91	106	0.214	5	2.64	0.048	0.13	0.1	0.01	7.4	<0.1	1.20	8	1.1
00992	Drill Core	2.73	0.098	7	6	1.11	137	0.144	4	1.87	0.048	0.14	0.2	0.01	4.0	<0.1	0.63	7	<0.5
00993	Drill Core	3.09	0.078	4	12	1.63	163	0.184	5	2.53	0.037	0.13	0.1	0.02	5.9	<0.1	0.74	8	<0.5
00994	Drill Core	2.76	0.078	5	12	1.60	180	0.180	4	2.48	0.039	0.14	0.1	<0.01	5.8	<0.1	0.61	8	<0.5
00995	Drill Core	2.28	0.070	3	15	1.95	94	0.289	5	2.68	0.039	0.09	0.2	0.02	7.4	<0.1	1.16	9	0.6
00996	Drill Core	2.66	0.069	4	11	1.81	169	0.250	6	2.71	0.041	0.12	0.2	<0.01	7.8	<0.1	0.64	8	0.6
00997	Drill Core	2.36	0.070	3	14	1.69	232	0.240	5	2.42	0.031	0.11	0.2	<0.01	6.6	<0.1	0.39	7	<0.5
00998	Drill Core	3.58	0.071	3	15	1.83	170	0.206	5	2.88	0.046	0.13	0.2	<0.01	7.9	<0.1	0.76	8	0.8
00999	Drill Core	3.60	0.092	6	12	1.55	87	0.125	7	2.62	0.065	0.16	0.2	0.05	5.7	<0.1	1.42	8	1.9
01000	Drill Core	4.17	0.091	5	11	1.55	124	0.081	6	2.79	0.060	0.14	0.2	0.04	4.9	<0.1	1.08	8	1.8
01001	Drill Core	4.56	0.077	4	20	1.75	79	0.129	4	2.99	0.074	0.09	0.2	<0.01	6.6	<0.1	1.08	9	1.8
01002	Drill Core	3.24	0.089	5	13	1.50	94	0.088	6	2.62	0.055	0.12	0.2	0.01	3.3	<0.1	0.55	7	2.4
01003	Drill Core	3.33	0.127	7	42	2.09	98	0.310	10	4.25	0.276	0.15	0.1	0.22	6.9	<0.1	1.28	13	2.3
01004	Drill Core	3.26	0.114	7	35	2.02	29	0.263	301	3.48	0.162	0.10	0.1	0.09	8.2	<0.1	0.97	12	2.2
01005	Drill Core	3.26	0.122	6	33	1.75	22	0.245	108	3.06	0.064	0.09	0.2	0.04	7.4	<0.1	0.57	11	0.8
01006	Drill Core	2.91	0.110	7	33	1.26	36	0.264	31	3.44	0.353	0.11	0.1	0.10	5.1	<0.1	0.40	11	1.1
01007	Drill Core	4.48	0.113	6	31	1.45	38	0.262	41	2.92	0.086	0.10	0.2	0.27	9.4	<0.1	1.17	11	1.6
01008	Drill Core	3.85	0.106	7	10	1.21	75	0.171	6	1.94	0.108	0.17	0.2	0.16	9.3	<0.1	1.62	7	3.1
01009	Drill Core	2.32	0.111	8	6	1.45	98	0.185	17	2.02	0.068	0.19	0.2	0.07	6.5	<0.1	1.22	8	2.7
01010	Drill Core	2.82	0.106	8	5	1.20	86	0.196	384	1.93	0.064	0.16	0.2	0.09	6.4	<0.1	1.21	9	2.2
01011	Drill Core	2.85	0.102	9	8	1.52	58	0.156	24	2.03	0.087	0.12	0.2	0.41	8.7	0.2	4.11	8	7.4



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 31, 2008

**Page:** 1 of 2 **Part** 1

**QUALITY CONTROL REPORT**

**VAN08003192.1**

Method	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
Pulp Duplicates																					
00996	Drill Core	5.50	3	0.4	13.1	6.7	114	<0.1	6.4	20.8	1471	4.74	16.2	0.4	1.9	0.5	75	<0.1	0.4	<0.1	161
REP 00996	QC			0.4	13.0	6.4	108	<0.1	7.0	20.3	1410	4.60	15.2	0.5	0.7	0.5	70	0.1	0.4	<0.1	156
01000	Drill Core	7.30	20	1.0	117.5	42.5	198	0.5	6.8	15.1	1752	5.22	61.7	0.3	10.0	0.5	84	1.6	0.9	<0.1	166
REP 01000	QC			17																	
01001	Drill Core	6.10	26	1.4	125.2	14.0	96	0.9	8.4	19.9	1817	5.79	24.3	0.3	15.4	0.4	100	0.2	0.9	<0.1	317
REP 01001	QC			1.4	138.0	14.4	100	0.9	8.6	19.9	1885	5.99	24.9	0.3	16.0	0.5	102	0.2	0.9	<0.1	331
Core Reject Duplicates																					
00999	Drill Core	5.90	17	2.1	77.8	63.8	195	0.5	8.0	20.6	1611	4.83	71.6	1.1	<0.5	0.9	82	1.3	1.7	<0.1	163
DUP 00999	QC		20	2.0	78.7	56.0	239	0.6	8.1	19.6	1668	4.96	83.2	1.0	3.1	0.7	87	1.8	2.2	0.1	154
Reference Materials																					
STD DS7	Standard			22.6	103.7	81.1	395	0.8	59.9	9.9	623	2.38	45.0	5.6	58.4	5.2	72	6.2	5.6	4.9	91
STD DS7	Standard			24.5	112.2	81.1	420	0.8	66.6	11.0	684	2.50	47.9	5.8	74.5	5.5	80	6.5	5.6	4.8	99
STD DS7	Standard			22.2	103.2	67.4	407	0.9	57.8	9.9	642	2.46	49.2	5.1	70.7	4.7	79	6.6	6.2	4.7	86
STD DS7	Standard			22.9	105.4	72.8	419	0.9	57.3	10.0	623	2.48	49.5	5.4	66.8	5.0	82	6.6	6.6	4.9	87
STD OXD57	Standard		414																		
STD OXD57	Standard		416																		
STD OXD57	Standard		442																		
STD OXD57	Standard		424																		
STD OXD57 Expected			413																		
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
G1	Prep Blank	<0.01	<2	0.4	1.1	3.0	45	<0.1	4.8	4.6	561	1.76	<0.5	2.8	<0.5	5.1	55	<0.1	<0.1	<0.1	39



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** January 31, 2008

**Page:** 1 of 2 **Part** 2

**QUALITY CONTROL REPORT**

**VAN08003192.1**

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																				
00996	Drill Core	2.66	0.069	4	11	1.81	169	0.250	6	2.71	0.041	0.12	0.2	<0.01	7.8	<0.1	0.64	8	0.6	
REP 00996	QC	2.53	0.068	3	11	1.71	166	0.246	5	2.62	0.042	0.11	0.2	<0.01	7.5	<0.1	0.62	9	<0.5	
01000	Drill Core	4.17	0.091	5	11	1.55	124	0.081	6	2.79	0.060	0.14	0.2	0.04	4.9	<0.1	1.08	8	1.8	
REP 01000	QC																			
01001	Drill Core	4.56	0.077	4	20	1.75	79	0.129	4	2.99	0.074	0.09	0.2	<0.01	6.6	<0.1	1.08	9	1.8	
REP 01001	QC	4.84	0.079	4	19	1.82	83	0.128	5	3.11	0.073	0.09	0.2	0.01	6.8	<0.1	1.13	10	1.8	
Core Reject Duplicates																				
00999	Drill Core	3.60	0.092	6	12	1.55	87	0.125	7	2.62	0.065	0.16	0.2	0.05	5.7	<0.1	1.42	8	1.9	
DUP 00999	QC	3.78	0.103	6	11	1.54	98	0.089	5	2.59	0.076	0.15	0.2	0.05	4.3	<0.1	1.65	8	2.4	
Reference Materials																				
STD DS7	Standard	0.98	0.073	13	223	1.04	349	0.124	39	1.02	0.093	0.40	4.1	0.22	2.4	4.5	0.19	5	4.0	
STD DS7	Standard	1.05	0.075	14	244	1.10	350	0.131	46	1.09	0.099	0.44	4.2	0.21	2.6	4.8	0.20	5	4.8	
STD DS7	Standard	1.00	0.081	13	227	1.08	401	0.111	44	1.05	0.101	0.47	4.0	0.23	2.3	4.5	0.20	5	4.5	
STD DS7	Standard	1.02	0.077	14	233	1.06	420	0.116	42	1.06	0.101	0.46	4.4	0.21	2.2	4.9	0.20	5	4.1	
STD OXD57	Standard																			
STD OXD57	Standard																			
STD OXD57	Standard																			
STD OXD57	Standard																			
STD OXD57 Expected																				
STD DS7 Expected		0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																				
G1	Prep Blank	0.47	0.072	7	13	0.61	198	0.129	<1	1.01	0.063	0.53	0.2	<0.01	2.2	0.4	<0.05	4	<0.5	



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 31, 2008

Page:

2 of 2

Part 1

## QUALITY CONTROL REPORT

VAN08003192.1

	WGHT	3B	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
G1	Prep Blank	<0.01	7	0.3	1.3	2.8	46	<0.1	4.6	4.9	559	1.71	<0.5	2.5	<0.5	5.2	52	<0.1	<0.1	<0.1	39



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

January 31, 2008

Page:

2 of 2

Part 2

## QUALITY CONTROL REPORT

VAN08003192.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
G1	Prep Blank	0.47	0.070	7	11	0.60	199	0.127	1	1.01	0.061	0.52	0.1	<0.01	2.2	0.4	<0.05	5	<0.5

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

November 06, 2007

Report Date:

February 02, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN08003217.1

### CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 25

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	22	Crush split and pulverize drill core to 150mesh		
1DX	25	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003217.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00026	Drill Core	6.50	0.4	82.5	3.2	49	<0.1	189.8	37.6	659	4.03	0.6	0.3	<0.5	0.4	312	<0.1	<0.1	<0.1	112	2.15
00027	Drill Core	6.50	0.4	80.8	4.2	63	<0.1	205.1	37.4	696	4.20	0.7	0.3	<0.5	0.4	316	0.1	<0.1	<0.1	119	1.97
00028	Drill Core	6.90	0.4	79.2	4.2	51	<0.1	184.5	36.5	667	4.10	0.7	0.3	1.0	0.4	293	<0.1	<0.1	<0.1	115	2.15
00029	Drill Core	7.00	0.6	65.4	3.7	52	<0.1	170.4	36.1	675	3.99	0.6	0.3	<0.5	0.4	277	<0.1	<0.1	<0.1	111	2.05
00030	Rock Pulp		703.3	8750	54.6	80	3.8	71.0	21.2	236	4.21	30.0	5.1	1968	11.7	48	1.9	18.9	4.1	42	0.98
00031	Drill Core	6.50	0.5	73.2	4.1	54	<0.1	180.1	37.7	700	4.38	1.0	0.3	1.1	0.5	271	<0.1	<0.1	<0.1	126	1.43
00032	Drill Core	6.20	0.6	74.9	5.2	55	<0.1	178.5	36.9	762	4.53	0.9	0.3	0.7	0.5	297	<0.1	<0.1	<0.1	140	1.72
00033	Drill Core	6.60	0.5	88.8	4.4	47	<0.1	163.1	32.5	729	3.78	<0.5	0.4	1.1	0.4	293	<0.1	<0.1	<0.1	115	2.69
00034	Drill Core	6.60	0.7	77.0	7.2	54	<0.1	172.6	37.3	799	4.34	0.8	0.3	1.3	0.6	282	<0.1	<0.1	<0.1	133	1.72
00035	Drill Core	6.70	0.5	82.1	4.0	52	<0.1	184.2	35.8	762	4.01	0.6	0.3	1.0	0.5	308	<0.1	<0.1	<0.1	125	1.93
00036	Drill Core	6.50	0.4	83.7	3.2	51	<0.1	189.3	37.6	875	3.99	<0.5	0.3	<0.5	0.4	325	<0.1	<0.1	<0.1	114	2.90
00037	Drill Core	6.60	0.5	79.7	4.9	55	<0.1	199.3	38.2	891	4.15	0.8	0.3	0.8	0.4	322	<0.1	<0.1	<0.1	117	2.08
00038	Drill Core	6.90	0.4	62.0	3.2	50	<0.1	207.2	38.8	751	4.17	0.6	0.2	0.7	0.4	303	<0.1	<0.1	<0.1	109	1.28
00039	Drill Core	7.00	0.4	70.5	2.7	48	<0.1	205.4	37.6	697	3.91	0.6	0.2	<0.5	0.4	294	<0.1	<0.1	<0.1	104	1.40
00040	Rock Pulp		674.9	8574	50.8	77	3.6	68.4	20.6	215	4.07	27.4	4.9	1758	11.2	47	1.7	17.6	3.9	39	0.95
00041	Drill Core	7.20	0.6	68.6	5.9	48	<0.1	197.7	39.4	714	3.80	0.7	0.3	1.3	0.4	302	<0.1	<0.1	<0.1	102	2.05
00042	Drill Core	7.10	0.3	68.4	3.7	50	<0.1	208.3	42.4	829	4.08	<0.5	0.3	2.9	0.4	319	<0.1	<0.1	<0.1	106	1.66
00043	Drill Core	7.10	0.4	72.5	5.1	49	<0.1	187.5	38.3	869	3.70	0.6	0.4	<0.5	0.4	317	<0.1	<0.1	<0.1	98	3.20
00044	Drill Core	7.10	0.3	73.2	4.7	48	<0.1	173.1	35.6	762	3.59	<0.5	0.4	1.1	0.4	300	<0.1	0.1	<0.1	90	3.12
00045	Drill Core	7.20	0.3	68.3	5.7	56	<0.1	192.7	38.8	760	3.89	<0.5	0.3	0.5	0.4	293	<0.1	<0.1	<0.1	97	2.22
00046	Drill Core	7.00	0.3	69.4	3.2	50	<0.1	194.9	35.3	697	3.73	<0.5	0.3	2.0	0.4	281	<0.1	<0.1	<0.1	87	1.99
00047	Drill Core	7.10	0.4	92.4	4.6	55	<0.1	189.4	35.6	854	3.88	<0.5	0.6	2.0	0.4	272	<0.1	<0.1	<0.1	108	3.32
00048	Drill Core	7.20	0.3	73.0	3.6	57	<0.1	214.2	40.1	811	4.21	<0.5	0.4	1.6	0.4	331	<0.1	<0.1	<0.1	101	2.86
00049	Drill Core	6.90	0.3	71.5	3.5	52	<0.1	193.0	35.6	780	3.89	<0.5	0.4	1.6	0.4	304	<0.1	<0.1	<0.1	93	2.94
00050	Rock Pulp		688.8	8505	49.4	76	3.4	62.6	18.6	220	3.99	28.7	4.7	1826	10.4	47	2.1	17.8	4.0	37	0.94



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.  
 480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003217.1**

Method Analyte Unit MDL	1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Ti ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	
00026	Drill Core	0.095	2	193	4.41	37	0.096	18	2.17	0.566	0.09	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5
00027	Drill Core	0.102	3	200	4.36	52	0.108	8	2.21	0.604	0.10	0.1	<0.01	3.5	<0.1	<0.05	5	<0.5
00028	Drill Core	0.105	3	202	4.03	35	0.098	8	2.13	0.603	0.09	0.1	<0.01	3.1	<0.1	<0.05	5	<0.5
00029	Drill Core	0.111	3	185	3.89	31	0.092	9	2.04	0.563	0.07	<0.1	<0.01	2.6	<0.1	<0.05	5	<0.5
00030	Rock Pulp	0.052	19	71	0.65	59	0.041	3	1.24	0.037	0.48	8.1	0.20	3.4	0.4	2.66	4	7.5
00031	Drill Core	0.103	3	183	4.15	25	0.105	11	2.42	0.871	0.09	0.1	<0.01	3.1	<0.1	<0.05	5	<0.5
00032	Drill Core	0.122	3	163	4.13	27	0.114	12	2.83	1.149	0.12	0.1	<0.01	3.5	<0.1	<0.05	6	0.6
00033	Drill Core	0.118	3	162	3.63	47	0.098	7	2.09	0.657	0.11	0.1	<0.01	3.5	<0.1	<0.05	5	<0.5
00034	Drill Core	0.126	3	166	4.07	29	0.116	10	2.72	1.011	0.14	0.1	<0.01	3.2	<0.1	<0.05	5	0.5
00035	Drill Core	0.127	3	143	4.15	46	0.103	11	2.52	0.936	0.14	0.1	<0.01	3.2	<0.1	<0.05	5	<0.5
00036	Drill Core	0.123	3	153	4.32	40	0.099	10	2.20	0.482	0.10	<0.1	<0.01	3.3	<0.1	<0.05	5	<0.5
00037	Drill Core	0.116	3	148	4.67	30	0.097	10	2.47	0.604	0.10	<0.1	<0.01	3.1	<0.1	<0.05	5	<0.5
00038	Drill Core	0.102	3	161	4.71	29	0.096	11	2.32	0.542	0.12	0.1	<0.01	3.2	<0.1	<0.05	5	<0.5
00039	Drill Core	0.102	2	129	4.60	33	0.085	10	2.19	0.559	0.12	<0.1	<0.01	2.9	<0.1	<0.05	5	<0.5
00040	Rock Pulp	0.054	18	68	0.65	50	0.039	4	1.19	0.037	0.47	7.9	0.17	3.3	0.3	2.65	4	6.7
00041	Drill Core	0.106	2	140	4.53	32	0.091	9	2.04	0.416	0.09	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5
00042	Drill Core	0.108	3	177	4.74	26	0.098	9	2.30	0.507	0.11	0.1	<0.01	3.3	<0.1	<0.05	5	0.5
00043	Drill Core	0.105	2	130	4.26	21	0.086	8	2.03	0.370	0.08	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5
00044	Drill Core	0.109	2	130	4.04	20	0.078	8	1.99	0.436	0.08	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5
00045	Drill Core	0.109	3	153	4.42	20	0.082	11	2.08	0.342	0.08	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5
00046	Drill Core	0.105	3	119	4.52	22	0.078	13	2.02	0.300	0.07	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5
00047	Drill Core	0.134	3	163	3.72	22	0.097	12	1.95	0.359	0.09	<0.1	<0.01	3.5	<0.1	<0.05	5	<0.5
00048	Drill Core	0.107	3	144	4.65	26	0.093	14	2.34	0.398	0.09	<0.1	<0.01	3.7	<0.1	<0.05	5	<0.5
00049	Drill Core	0.114	3	142	4.18	28	0.089	13	2.20	0.435	0.10	<0.1	<0.01	3.5	<0.1	<0.05	5	<0.5
00050	Rock Pulp	0.051	17	61	0.63	38	0.039	5	1.15	0.036	0.47	7.3	0.16	3.8	0.4	2.51	4	6.7



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Cow Trail

Report Date: February 02, 2008

Page: 1 of 1 Part 1

## QUALITY CONTROL REPORT

VAN08003217.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Core Reject Duplicates																					
00041	Drill Core	7.20	0.6	68.6	5.9	48	<0.1	197.7	39.4	714	3.80	0.7	0.3	1.3	0.4	302	<0.1	<0.1	<0.1	102	2.05
DUP 00041	QC		0.5	67.6	5.5	49	<0.1	197.4	39.6	720	3.75	0.8	0.3	0.5	0.4	308	<0.1	<0.1	<0.1	102	2.00
Reference Materials																					
STD DS7	Standard		19.9	96.5	68.6	388	0.8	51.4	8.9	613	2.35	48.2	5.0	66.4	4.7	75	6.1	6.1	4.8	81	0.95
STD DS7	Standard		21.6	104.7	71.8	406	0.8	57.0	9.7	628	2.41	50.7	5.3	83.3	4.8	75	6.4	6.4	5.0	83	0.99
STD DS7	Standard		22.2	103.2	67.4	407	0.9	57.8	9.9	642	2.46	49.2	5.1	70.7	4.7	79	6.6	6.2	4.7	86	1.00
STD DS7	Standard		22.9	105.4	72.8	419	0.9	57.3	10.0	623	2.48	49.5	5.4	66.8	5.0	82	6.6	6.6	4.9	87	1.02
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.7	1.4	3.1	51	<0.1	6.1	4.9	608	1.92	<0.5	3.1	<0.5	4.7	69	<0.1	<0.1	<0.1	40	0.54
G1	Prep Blank	<0.01	0.2	1.9	3.0	47	<0.1	4.2	4.6	584	1.81	<0.5	2.7	<0.5	4.7	66	<0.1	<0.1	<0.1	37	0.51





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:**

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

November 22, 2007

Report Date:

February 02, 2008

Page:

1 of 2

## CERTIFICATE OF ANALYSIS

VAN08003289.1

### CLIENT JOB INFORMATION

Project: CDWtrail  
Shipment ID:  
P.O. Number  
Number of Samples: 24

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	22	Crush split and pulverize drill core to 150mesh		
1DX	24	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003289.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00151	Drill Core	7.20	0.4	91.0	4.4	51	<0.1	194.4	34.4	697	3.83	<0.5	0.4	1.1	0.4	300	<0.1	<0.1	<0.1	114	2.33
00152	Drill Core	6.60	0.4	86.0	4.8	61	<0.1	199.7	35.1	699	4.08	<0.5	0.3	1.8	0.4	276	0.1	<0.1	<0.1	116	1.68
00153	Drill Core	6.50	0.3	54.4	4.0	49	<0.1	208.2	34.6	821	3.84	<0.5	0.2	1.2	0.4	251	<0.1	<0.1	<0.1	105	2.27
00154	Drill Core	6.50	0.4	56.1	4.1	57	<0.1	218.5	38.2	806	4.29	<0.5	0.2	1.4	0.4	247	<0.1	<0.1	<0.1	111	2.18
00155	Drill Core	7.00	0.3	68.9	3.6	51	<0.1	204.2	36.0	704	4.12	0.6	0.2	0.8	0.4	257	<0.1	<0.1	<0.1	108	1.81
00156	Drill Core	6.40	0.3	68.5	3.7	52	<0.1	213.9	37.3	706	4.33	<0.5	0.3	1.4	0.4	282	<0.1	<0.1	<0.1	113	2.56
00157	Drill Core	3.30	1.1	159.9	9.6	52	<0.1	9.3	14.5	641	3.39	1.6	0.8	1.9	1.3	192	<0.1	<0.1	<0.1	105	1.55
00158	Drill Core	7.00	0.9	145.3	8.4	54	<0.1	11.9	16.9	663	3.74	1.5	0.6	2.8	1.2	179	<0.1	<0.1	<0.1	113	1.76
00159	Drill Core	6.80	1.2	146.8	9.5	59	<0.1	12.5	18.1	780	3.82	1.9	0.6	2.4	1.2	162	<0.1	<0.1	<0.1	91	2.41
00160	Rock Pulp		709.0	8665	50.4	74	3.5	63.3	19.1	224	4.08	28.4	4.6	1840	10.5	47	1.8	17.9	3.9	38	0.93
00161	Drill Core	6.60	1.6	156.9	9.9	63	<0.1	11.5	18.7	765	3.93	2.4	0.6	1.4	1.1	147	<0.1	<0.1	<0.1	105	2.19
00162	Drill Core	6.70	1.0	141.4	8.9	58	<0.1	10.3	15.7	685	3.55	1.9	0.6	1.7	1.1	151	<0.1	<0.1	<0.1	86	1.69
00163	Drill Core	6.80	1.1	140.6	10.0	62	<0.1	12.4	17.6	663	4.00	2.4	0.6	1.7	1.2	179	<0.1	<0.1	<0.1	108	1.57
00164	Drill Core	6.20	1.1	134.3	9.2	59	<0.1	10.4	16.1	672	3.63	2.3	0.6	2.2	1.3	155	<0.1	<0.1	<0.1	85	1.33
00165	Drill Core	6.70	1.1	149.5	8.8	56	<0.1	10.2	15.9	617	3.58	2.0	0.6	1.5	1.2	205	<0.1	<0.1	<0.1	93	1.41
00166	Drill Core	7.80	1.1	150.0	9.5	61	<0.1	11.1	17.4	755	3.89	1.9	0.6	2.4	1.2	200	<0.1	<0.1	<0.1	92	1.72
00167	Drill Core	5.80	1.1	148.6	9.1	68	<0.1	14.0	19.9	814	4.34	3.3	0.5	2.4	1.1	184	<0.1	<0.1	<0.1	112	1.92
00168	Drill Core	6.70	1.2	159.2	8.8	57	<0.1	10.2	16.2	705	3.66	2.5	0.6	1.6	1.2	262	<0.1	<0.1	<0.1	92	1.30
00169	Drill Core	6.70	1.0	145.0	9.2	58	<0.1	10.7	17.5	676	3.73	2.5	0.6	2.4	1.1	222	<0.1	<0.1	<0.1	95	1.54
00170	Rock Pulp		698.3	8558	49.5	77	3.4	64.2	19.6	224	4.02	29.0	4.7	1746	10.6	47	1.6	17.2	3.9	39	0.94
00171	Drill Core	6.30	1.3	156.0	9.5	55	<0.1	10.9	16.5	637	3.57	2.0	0.6	2.9	1.2	311	<0.1	<0.1	<0.1	102	1.41
00172	Drill Core	6.70	1.1	142.4	9.8	60	<0.1	11.5	18.1	708	3.90	2.6	0.6	1.1	1.1	245	<0.1	<0.1	<0.1	102	1.31
00173	Drill Core	6.60	1.5	142.0	8.8	63	<0.1	12.4	18.7	727	3.98	3.7	0.6	2.2	1.2	209	<0.1	<0.1	<0.1	109	1.81
00174	Drill Core	6.90	1.0	143.9	8.3	54	<0.1	11.1	16.4	618	3.60	2.3	0.6	1.2	1.1	240	<0.1	<0.1	<0.1	105	1.51



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** CDWtrail

**Report Date:** February 02, 2008

**Page:** 2 of 2 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003289.1**

Method Analyte Unit MDL	1DX30 P %	1DX30 La ppm	1DX30 Cr ppm	1DX30 Mg %	1DX30 Ba ppm	1DX30 Ti %	1DX30 B ppm	1DX30 Al %	1DX30 Na %	1DX30 K %	1DX30 W ppm	1DX30 Hg ppm	1DX30 Sc ppm	1DX30 Tl ppm	1DX30 S %	1DX30 Ga ppm	1DX30 Se ppm	
00151	Drill Core	0.114	3	114	4.40	74	0.089	14	2.25	0.567	0.14	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5
00152	Drill Core	0.098	3	129	4.79	27	0.092	13	2.44	0.617	0.14	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5
00153	Drill Core	0.091	3	121	4.36	38	0.087	12	2.20	0.511	0.15	<0.1	<0.01	3.6	<0.1	<0.05	5	<0.5
00154	Drill Core	0.092	3	171	4.42	16	0.094	13	2.21	0.417	0.12	0.1	<0.01	3.6	<0.1	<0.05	5	<0.5
00155	Drill Core	0.098	2	174	4.32	22	0.095	11	2.11	0.424	0.14	<0.1	<0.01	3.6	<0.1	<0.05	4	<0.5
00156	Drill Core	0.099	2	201	4.50	18	0.103	11	2.09	0.395	0.15	<0.1	<0.01	3.8	<0.1	<0.05	5	<0.5
00157	Drill Core	0.206	7	27	0.50	183	0.067	11	4.41	3.163	0.32	0.1	<0.01	1.7	<0.1	<0.05	6	<0.5
00158	Drill Core	0.187	7	39	0.61	124	0.091	11	3.68	2.642	0.35	0.2	<0.01	2.6	<0.1	<0.05	6	<0.5
00159	Drill Core	0.199	7	35	0.90	72	0.096	12	3.83	2.491	0.31	0.2	<0.01	3.2	<0.1	<0.05	7	<0.5
00160	Rock Pulp	0.051	17	65	0.64	39	0.041	4	1.20	0.030	0.49	6.9	0.17	3.8	0.3	2.53	4	6.2
00161	Drill Core	0.202	7	33	1.06	70	0.109	11	3.62	2.149	0.29	0.2	<0.01	3.5	<0.1	<0.05	7	<0.5
00162	Drill Core	0.176	7	30	0.74	53	0.091	13	3.74	2.631	0.22	0.2	<0.01	2.8	<0.1	<0.05	6	<0.5
00163	Drill Core	0.190	8	42	0.69	59	0.102	13	3.96	2.768	0.31	0.1	<0.01	3.0	<0.1	<0.05	7	<0.5
00164	Drill Core	0.165	7	33	0.69	60	0.098	14	3.89	2.732	0.29	0.1	<0.01	3.2	<0.1	<0.05	6	<0.5
00165	Drill Core	0.171	7	33	0.63	107	0.088	13	4.03	2.891	0.33	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5
00166	Drill Core	0.170	7	37	0.66	102	0.070	8	3.92	2.769	0.28	0.1	<0.01	3.2	<0.1	<0.05	7	<0.5
00167	Drill Core	0.151	7	46	0.83	80	0.107	10	3.55	2.129	0.31	0.1	<0.01	4.5	<0.1	<0.05	8	<0.5
00168	Drill Core	0.188	7	33	0.65	107	0.087	9	4.04	2.953	0.27	0.1	<0.01	2.9	<0.1	<0.05	7	<0.5
00169	Drill Core	0.173	7	36	0.68	102	0.083	9	4.05	2.906	0.27	0.2	<0.01	3.2	<0.1	0.06	7	<0.5
00170	Rock Pulp	0.053	17	66	0.63	41	0.041	4	1.22	0.029	0.50	7.3	0.16	3.9	0.3	2.49	4	6.7
00171	Drill Core	0.189	7	36	0.56	120	0.085	8	3.96	2.976	0.25	0.1	<0.01	2.5	<0.1	<0.05	6	<0.5
00172	Drill Core	0.171	7	39	0.75	105	0.094	9	4.07	2.863	0.25	0.2	<0.01	3.2	<0.1	<0.05	7	<0.5
00173	Drill Core	0.162	7	40	0.83	83	0.114	13	3.50	2.102	0.23	0.3	<0.01	3.5	<0.1	0.06	8	<0.5
00174	Drill Core	0.168	6	41	0.56	125	0.091	11	3.59	2.647	0.33	0.2	<0.01	2.8	<0.1	<0.05	7	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

February 02, 2008

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

VAN08003289.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
00162	Drill Core	6.70	1.0	141.4	8.9	58	<0.1	10.3	15.7	685	3.55	1.9	0.6	1.7	1.1	151	<0.1	<0.1	<0.1	86	1.69
REP 00162	QC		1.1	140.2	8.9	60	<0.1	10.7	16.6	707	3.70	2.2	0.6	1.6	1.1	154	<0.1	<0.1	<0.1	92	1.76
Core Reject Duplicates																					
00157	Drill Core	3.30	1.1	159.9	9.6	52	<0.1	9.3	14.5	641	3.39	1.6	0.8	1.9	1.3	192	<0.1	<0.1	<0.1	105	1.55
DUP 00157	QC		1.0	147.2	9.3	48	<0.1	12.3	14.4	610	3.29	1.6	0.7	2.1	1.1	179	<0.1	<0.1	<0.1	102	1.48
Reference Materials																					
STD DS7	Standard		19.9	96.5	68.6	388	0.8	51.4	8.9	613	2.35	48.2	5.0	66.4	4.7	75	6.1	6.1	4.8	81	0.95
STD DS7	Standard		21.6	104.7	71.8	406	0.8	57.0	9.7	628	2.41	50.7	5.3	83.3	4.8	75	6.4	6.4	5.0	83	0.99
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	1.4	2.7	43	<0.1	3.6	3.7	502	1.66	<0.5	2.3	0.8	3.8	47	<0.1	<0.1	<0.1	31	0.40
G1	Prep Blank	<0.01	0.2	2.0	2.5	44	<0.1	3.7	3.8	493	1.65	<0.5	2.3	0.5	3.8	45	<0.1	<0.1	<0.1	32	0.40





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

CDWtrail

Report Date:

February 02, 2008

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

VAN08003289.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
00162	Drill Core	0.176	7	30	0.74	53	0.091	13	3.74	2.631	0.22	0.2	<0.01	2.8	<0.1	<0.05	6	<0.5	
REP 00162	QC	0.176	7	33	0.76	50	0.097	12	3.83	2.584	0.25	0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	
Core Reject Duplicates																			
00157	Drill Core	0.206	7	27	0.50	183	0.067	11	4.41	3.163	0.32	0.1	<0.01	1.7	<0.1	<0.05	6	<0.5	
DUP 00157	QC	0.184	6	30	0.56	160	0.066	11	4.06	3.112	0.31	0.1	<0.01	1.7	<0.1	<0.05	6	<0.5	
Reference Materials																			
STD DS7	Standard	0.079	13	196	1.02	358	0.116	45	0.99	0.097	0.45	4.2	0.22	2.6	4.3	0.19	4	3.4	
STD DS7	Standard	0.082	13	202	1.05	383	0.117	46	1.02	0.084	0.44	3.9	0.21	2.5	4.3	0.19	5	3.8	
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			
G1	Prep Blank	0.075	6	11	0.56	198	0.102	<1	0.86	0.048	0.48	<0.1	<0.01	1.6	0.4	<0.05	4	<0.5	
G1	Prep Blank	0.076	6	12	0.56	183	0.100	1	0.86	0.049	0.47	<0.1	<0.01	1.6	0.4	<0.05	4	<0.5	

M.Saghezchi GIT



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

November 19, 2007

Report Date:

February 02, 2008

Page:

1 of 3

## CERTIFICATE OF ANALYSIS

VAN08003458.1

### CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 59

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	53	Crush split and pulverize drill core to 150mesh		
1DX	59	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 2 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003458.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00092	Drill Core	3.70	0.9	132.6	6.2	81	<0.1	17.0	22.4	1060	5.02	3.7	0.5	1.5	0.8	193	<0.1	<0.1	<0.1	173	2.82
00093	Drill Core	4.70	0.8	132.5	5.2	77	<0.1	14.0	23.7	1111	5.00	3.5	0.5	1.6	0.9	142	<0.1	<0.1	<0.1	174	1.82
00094	Drill Core	4.10	0.5	129.5	4.4	78	<0.1	13.3	22.6	1082	4.73	3.8	0.4	0.7	0.8	135	<0.1	<0.1	<0.1	171	2.00
00095	Drill Core	5.40	0.5	122.2	6.0	78	<0.1	16.2	23.4	1036	5.20	2.8	0.5	1.6	0.8	168	<0.1	<0.1	<0.1	194	2.13
00096	Drill Core	6.30	0.7	175.8	6.1	72	<0.1	14.7	22.3	1019	4.80	3.2	0.4	1.5	0.9	166	<0.1	<0.1	<0.1	165	2.17
00097	Drill Core	6.30	0.7	140.3	4.9	79	<0.1	16.5	24.5	1109	5.34	3.1	0.5	1.9	0.9	136	<0.1	<0.1	<0.1	193	1.83
00098	Drill Core	4.80	0.4	120.9	5.8	75	<0.1	16.2	22.7	961	5.04	3.6	0.4	3.2	0.8	145	<0.1	<0.1	<0.1	189	2.53
00099	Drill Core	4.00	0.4	121.7	5.1	76	<0.1	15.9	21.9	903	4.85	2.4	0.4	0.6	0.8	133	<0.1	<0.1	<0.1	191	1.37
00100	Rock Pulp		626.8	7803	47.1	69	3.1	61.5	18.2	202	3.83	26.9	4.4	1737	9.9	46	2.1	18.6	3.4	37	0.88
00101	Drill Core	6.30	0.6	147.5	6.2	84	<0.1	16.6	23.3	1108	5.20	3.3	0.3	2.1	0.8	130	<0.1	<0.1	<0.1	194	2.63
00102	Drill Core	5.00	0.6	124.4	5.7	85	<0.1	17.9	24.8	1225	5.54	2.0	0.5	2.0	0.7	125	0.1	<0.1	<0.1	217	1.99
00103	Drill Core	6.20	0.4	128.2	5.4	82	<0.1	16.4	24.0	1085	5.34	1.8	0.4	3.4	0.7	125	<0.1	<0.1	<0.1	210	1.96
00104	Drill Core	6.20	0.4	120.0	5.1	92	<0.1	22.1	28.1	1241	6.21	2.3	0.4	2.0	0.8	140	0.1	<0.1	<0.1	239	3.60
00105	Drill Core	5.80	0.6	158.7	8.1	85	0.1	54.3	26.6	1148	4.81	2.1	0.6	4.2	0.9	146	<0.1	0.2	<0.1	185	4.57
00106	Drill Core	5.90	0.8	147.6	3.9	75	<0.1	26.4	24.3	1154	5.55	2.8	0.4	2.8	0.7	206	0.1	<0.1	<0.1	233	3.86
00107	Drill Core	5.10	0.7	126.4	5.8	71	<0.1	74.9	25.0	1047	4.93	0.9	0.5	0.6	0.7	195	<0.1	<0.1	<0.1	178	2.29
00108	Drill Core	5.50	0.5	87.7	4.8	57	0.1	179.8	35.1	854	4.46	1.3	0.3	0.9	0.6	241	<0.1	<0.1	<0.1	128	1.76
00109	Drill Core	6.70	0.6	124.3	6.8	76	<0.1	88.2	31.0	1095	5.53	1.3	0.5	2.4	0.7	184	<0.1	<0.1	<0.1	187	1.74
00110	Rock Pulp		645.0	8058	46.2	74	3.1	63.4	18.9	204	3.86	27.9	4.2	1508	9.9	49	2.1	17.1	3.4	37	0.89
00111	Drill Core	6.40	0.7	101.2	4.8	86	<0.1	22.1	24.5	1757	5.37	2.1	0.4	1.9	0.8	138	<0.1	<0.1	<0.1	200	2.04
00112	Drill Core	6.90	0.8	122.2	7.1	80	<0.1	17.8	25.2	1299	5.39	2.9	0.4	2.3	0.8	145	<0.1	<0.1	<0.1	203	2.27
00113	Drill Core	6.70	0.5	82.9	6.1	76	<0.1	15.7	22.4	1122	4.98	1.9	0.5	1.0	0.7	129	<0.1	<0.1	<0.1	194	2.35
00114	Drill Core	5.50	0.6	132.6	5.7	76	<0.1	20.4	20.6	1103	4.82	2.1	0.5	2.3	0.7	160	<0.1	<0.1	<0.1	185	1.66
00115	Drill Core	4.60	0.7	106.1	5.4	65	<0.1	165.0	32.3	866	4.70	1.3	0.5	1.4	0.6	226	<0.1	<0.1	<0.1	136	1.24
00116	Drill Core	6.60	0.4	78.3	3.8	55	<0.1	182.7	33.7	788	4.27	0.8	0.3	1.7	0.5	261	<0.1	<0.1	<0.1	121	1.79
00117	Drill Core	5.90	0.3	63.3	3.8	58	<0.1	188.9	35.7	938	4.37	1.0	0.3	2.0	0.5	257	<0.1	<0.1	<0.1	123	2.54
00118	Drill Core	6.60	0.7	71.8	4.1	58	<0.1	172.7	31.4	829	4.33	1.3	0.3	1.7	0.5	246	<0.1	<0.1	<0.1	120	2.34
00119	Drill Core	6.70	0.4	71.7	3.4	51	<0.1	177.2	32.7	763	3.94	<0.5	0.3	1.6	0.4	224	<0.1	<0.1	<0.1	106	2.73
00120	Rock Pulp		650.2	8206	46.9	77	3.1	61.8	18.9	209	3.90	29.8	4.3	1629	9.9	47	2.2	17.8	3.5	36	0.92
00121	Drill Core	6.50	0.8	76.0	5.0	59	<0.1	148.8	30.3	1083	4.28	1.2	0.3	2.3	0.5	260	<0.1	<0.1	<0.1	134	3.20



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003458.1**

Method Analyte Unit MDL	1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Ti ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	
00092	Drill Core	0.173	6	27	1.18	39	0.164	8	3.35	1.567	0.30	0.2	<0.01	7.5	<0.1	<0.05	7	<0.5
00093	Drill Core	0.187	6	19	1.44	34	0.164	9	3.68	1.677	0.27	0.2	<0.01	7.0	<0.1	<0.05	8	<0.5
00094	Drill Core	0.180	6	18	1.30	30	0.155	6	3.00	1.407	0.24	<0.1	<0.01	5.9	<0.1	<0.05	7	<0.5
00095	Drill Core	0.179	6	22	1.50	30	0.178	6	3.40	1.572	0.18	0.2	<0.01	5.0	<0.1	<0.05	9	<0.5
00096	Drill Core	0.172	6	19	1.38	31	0.158	9	3.81	1.787	0.37	0.1	<0.01	6.8	<0.1	<0.05	8	<0.5
00097	Drill Core	0.186	6	21	1.42	30	0.177	7	3.27	1.412	0.16	0.1	<0.01	5.3	<0.1	<0.05	8	<0.5
00098	Drill Core	0.169	6	22	1.28	27	0.181	7	3.26	1.481	0.24	<0.1	<0.01	3.8	<0.1	<0.05	8	<0.5
00099	Drill Core	0.175	6	21	1.23	29	0.165	6	3.46	1.974	0.21	<0.1	<0.01	4.4	<0.1	<0.05	8	<0.5
00100	Rock Pulp	0.049	17	59	0.60	45	0.037	3	1.14	0.031	0.43	6.8	0.15	3.2	0.3	2.46	4	6.7
00101	Drill Core	0.179	6	23	1.45	21	0.185	7	2.78	1.130	0.18	0.2	<0.01	5.4	<0.1	<0.05	8	<0.5
00102	Drill Core	0.185	6	25	1.37	22	0.199	7	3.32	1.597	0.17	0.2	<0.01	4.9	<0.1	<0.05	9	<0.5
00103	Drill Core	0.190	6	24	1.21	24	0.188	4	3.24	1.698	0.13	<0.1	<0.01	3.5	<0.1	<0.05	8	<0.5
00104	Drill Core	0.186	6	29	1.53	21	0.215	6	2.98	1.210	0.15	0.1	<0.01	7.5	<0.1	0.10	10	<0.5
00105	Drill Core	0.166	7	58	2.01	22	0.255	6	2.70	0.609	0.14	0.3	0.02	11.2	<0.1	0.18	11	<0.5
00106	Drill Core	0.130	7	28	2.01	48	0.302	8	3.24	1.055	0.20	0.1	0.01	15.2	<0.1	0.27	12	<0.5
00107	Drill Core	0.164	6	77	2.90	30	0.198	9	3.64	1.551	0.17	0.1	<0.01	9.3	<0.1	0.06	9	<0.5
00108	Drill Core	0.133	3	146	4.43	15	0.107	8	3.12	1.147	0.07	0.2	<0.01	4.7	<0.1	<0.05	7	<0.5
00109	Drill Core	0.185	5	109	3.11	17	0.162	10	3.64	1.570	0.08	0.1	<0.01	5.0	<0.1	<0.05	10	<0.5
00110	Rock Pulp	0.047	17	61	0.62	45	0.039	3	1.17	0.035	0.45	6.9	0.14	3.4	0.3	2.48	4	5.5
00111	Drill Core	0.182	6	28	1.41	27	0.189	10	3.48	1.690	0.24	0.4	<0.01	5.6	<0.1	0.06	9	<0.5
00112	Drill Core	0.184	6	25	1.33	18	0.199	9	3.57	1.579	0.17	0.4	<0.01	3.7	<0.1	<0.05	10	<0.5
00113	Drill Core	0.187	6	23	1.02	21	0.188	7	3.02	1.531	0.22	0.2	<0.01	2.8	<0.1	<0.05	9	<0.5
00114	Drill Core	0.184	6	28	1.25	31	0.183	9	3.16	1.608	0.22	0.2	<0.01	3.5	<0.1	<0.05	9	<0.5
00115	Drill Core	0.155	4	133	4.11	15	0.127	10	3.29	1.273	0.08	0.1	<0.01	5.5	<0.1	<0.05	8	<0.5
00116	Drill Core	0.137	3	116	4.07	15	0.091	11	3.00	1.141	0.10	<0.1	<0.01	4.6	<0.1	<0.05	6	<0.5
00117	Drill Core	0.125	3	141	3.87	14	0.098	12	2.91	1.018	0.13	<0.1	<0.01	4.4	<0.1	<0.05	6	<0.5
00118	Drill Core	0.133	3	148	3.66	16	0.107	12	2.82	0.995	0.13	<0.1	<0.01	4.8	<0.1	<0.05	6	0.7
00119	Drill Core	0.113	3	152	3.50	13	0.094	10	2.29	0.684	0.10	0.1	<0.01	4.7	<0.1	<0.05	5	<0.5
00120	Rock Pulp	0.051	16	65	0.61	44	0.038	3	1.19	0.042	0.45	6.9	0.13	3.4	0.4	2.50	4	6.5
00121	Drill Core	0.142	3	191	3.28	19	0.117	14	2.86	1.175	0.18	0.1	<0.01	5.4	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 3 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003458.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00122	Drill Core	6.60	0.7	80.6	5.1	65	<0.1	161.2	31.1	724	4.51	1.3	0.4	1.9	0.6	259	<0.1	<0.1	<0.1	145	1.97
00123	Drill Core	6.70	0.4	99.8	3.8	60	<0.1	203.5	34.5	897	4.35	0.5	0.3	1.9	0.5	263	<0.1	<0.1	<0.1	135	2.20
00124	Drill Core	5.80	0.6	76.7	5.7	62	<0.1	208.0	33.8	786	4.58	<0.5	0.4	<0.5	0.6	283	0.2	<0.1	<0.1	155	1.92
00125	Drill Core	7.00	0.3	75.2	9.1	57	<0.1	215.0	35.0	832	4.10	0.9	0.3	1.7	0.5	296	<0.1	<0.1	<0.1	123	2.03
00126	Drill Core	6.40	0.5	55.7	3.7	54	<0.1	217.7	33.5	694	3.83	0.8	0.3	1.6	0.4	278	<0.1	<0.1	<0.1	108	1.84
00127	Drill Core	6.80	0.5	73.5	3.3	48	<0.1	218.8	33.1	682	3.85	<0.5	0.3	2.2	0.5	255	0.1	<0.1	<0.1	110	1.89
00128	Drill Core	6.40	0.5	62.3	4.4	59	<0.1	242.1	36.9	800	4.38	<0.5	0.3	3.1	0.5	286	<0.1	<0.1	<0.1	124	2.22
00129	Drill Core	6.70	0.5	74.5	4.8	58	<0.1	221.3	34.2	693	4.28	<0.5	0.2	3.8	0.4	279	<0.1	<0.1	<0.1	124	1.82
00130	Rock Pulp		705.9	8524	50.2	81	3.3	68.4	18.9	220	4.08	29.8	4.4	1736	9.9	50	2.0	17.9	3.8	38	0.96
00131	Drill Core	7.00	0.9	78.5	4.4	53	<0.1	219.9	35.8	660	4.20	<0.5	0.3	3.2	0.4	285	<0.1	<0.1	<0.1	119	1.43
00132	Drill Core	7.10	0.6	86.3	4.2	52	<0.1	203.5	33.0	649	3.81	<0.5	0.3	1.0	0.4	279	<0.1	<0.1	<0.1	113	1.51
00133	Drill Core	6.90	0.4	97.3	3.6	47	<0.1	180.8	29.5	688	3.70	<0.5	0.3	1.1	0.6	254	<0.1	<0.1	<0.1	111	1.64
00134	Drill Core	6.90	0.5	85.0	4.8	49	<0.1	166.3	29.2	779	3.69	<0.5	0.3	3.7	0.4	256	<0.1	<0.1	<0.1	112	2.93
00135	Drill Core	6.80	0.3	79.3	3.3	56	<0.1	153.6	29.0	610	3.75	<0.5	0.2	1.1	0.4	241	<0.1	<0.1	<0.1	106	2.23
00136	Drill Core	7.00	0.5	87.6	4.4	47	<0.1	168.5	31.9	632	3.77	<0.5	0.3	2.5	0.5	249	<0.1	<0.1	<0.1	110	2.26
00137	Drill Core	6.10	0.4	88.5	3.6	57	<0.1	236.0	35.1	792	4.02	<0.5	0.3	3.6	0.3	329	<0.1	<0.1	<0.1	118	2.57
00138	Drill Core	6.90	0.3	100.6	4.0	58	<0.1	169.4	31.7	889	3.84	<0.5	0.3	1.8	0.4	251	<0.1	<0.1	<0.1	117	2.76
00139	Drill Core	6.80	0.5	82.5	3.3	53	<0.1	181.2	31.8	766	4.06	<0.5	0.3	2.2	0.4	253	<0.1	<0.1	<0.1	123	2.58
00140	Rock Pulp		693.6	8440	48.3	77	3.3	64.7	18.8	217	3.83	28.1	4.2	1775	10.0	47	2.1	18.0	3.7	40	0.94
00141	Drill Core	7.00	0.6	105.8	6.3	53	<0.1	179.3	32.2	738	3.98	<0.5	0.3	2.3	0.5	288	0.1	<0.1	<0.1	119	2.26
00142	Drill Core	6.60	0.5	88.6	3.7	50	<0.1	195.1	34.0	726	4.24	<0.5	0.3	3.6	0.4	285	<0.1	<0.1	<0.1	121	2.31
00143	Drill Core	6.70	0.6	60.3	3.6	56	<0.1	184.9	34.2	710	4.42	<0.5	0.2	1.7	0.4	264	<0.1	<0.1	<0.1	122	1.58
00144	Drill Core	6.80	0.3	82.8	3.7	53	<0.1	183.1	31.3	621	3.93	<0.5	0.3	2.2	0.5	277	<0.1	<0.1	<0.1	117	1.84
00145	Drill Core	6.60	0.4	72.7	3.6	55	<0.1	190.3	32.5	620	4.22	<0.5	0.3	1.2	0.4	277	<0.1	<0.1	<0.1	123	1.26
00146	Drill Core	6.90	0.2	88.6	3.8	55	<0.1	185.9	34.2	625	4.23	<0.5	0.4	2.0	0.5	291	<0.1	<0.1	<0.1	119	1.45
00147	Drill Core	6.90	0.7	97.0	4.6	60	<0.1	177.4	31.9	666	4.12	<0.5	0.4	2.5	0.5	272	<0.1	<0.1	<0.1	119	1.62
00148	Drill Core	6.50	0.4	101.7	4.6	58	<0.1	175.7	32.7	688	4.09	<0.5	0.4	1.9	0.5	267	<0.1	<0.1	<0.1	122	1.96
00149	Drill Core	6.60	0.6	93.6	3.9	55	<0.1	179.1	31.4	611	4.06	<0.5	0.3	2.0	0.4	292	<0.1	<0.1	<0.1	129	2.01
00150	Rock Pulp		689.8	8272	49.4	78	3.2	68.2	18.2	213	3.89	27.7	4.3	1866	9.9	48	1.7	17.2	3.7	39	0.93



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 02, 2008

**Page:** 3 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003458.1**

Method Analyte Unit MDL	1DX30 P % 0.001	1DX30 La ppm 1	1DX30 Cr ppm 1	1DX30 Mg % 0.01	1DX30 Ba ppm 1	1DX30 Ti % 0.001	1DX30 B ppm 1	1DX30 Al % 0.01	1DX30 Na % 0.001	1DX30 K % 0.01	1DX30 W ppm 0.1	1DX30 Hg ppm 0.01	1DX30 Sc ppm 0.1	1DX30 Ti ppm 0.1	1DX30 S % 0.05	1DX30 Ga ppm 1	1DX30 Se ppm 0.5	
00122	Drill Core	0.144	4	163	3.94	19	0.123	17	3.26	1.345	0.17	0.1	<0.01	4.5	<0.1	<0.05	7	1.1
00123	Drill Core	0.137	3	165	4.22	14	0.111	15	3.06	1.012	0.19	0.1	<0.01	4.6	<0.1	<0.05	6	<0.5
00124	Drill Core	0.139	4	193	4.45	26	0.117	16	3.27	1.263	0.21	<0.1	<0.01	4.7	<0.1	<0.05	7	<0.5
00125	Drill Core	0.125	3	139	4.93	15	0.094	16	2.82	0.876	0.17	<0.1	<0.01	4.3	<0.1	<0.05	6	<0.5
00126	Drill Core	0.105	3	123	4.91	16	0.086	18	2.44	0.594	0.11	<0.1	<0.01	4.3	<0.1	<0.05	5	0.6
00127	Drill Core	0.117	3	151	4.32	15	0.079	17	2.30	0.699	0.10	<0.1	0.03	4.1	<0.1	<0.05	4	1.1
00128	Drill Core	0.121	3	170	4.69	16	0.098	19	2.77	0.849	0.16	<0.1	0.03	4.9	<0.1	<0.05	6	0.9
00129	Drill Core	0.122	3	182	4.54	21	0.099	22	2.49	0.758	0.12	<0.1	0.03	5.3	<0.1	<0.05	6	1.3
00130	Rock Pulp	0.058	18	66	0.67	37	0.038	6	1.23	0.035	0.48	7.0	0.21	4.0	0.4	2.64	4	6.8
00131	Drill Core	0.107	3	162	4.77	20	0.103	14	2.47	0.707	0.14	<0.1	0.04	4.7	<0.1	<0.05	5	<0.5
00132	Drill Core	0.111	3	125	4.44	31	0.083	15	2.35	0.699	0.13	<0.1	0.04	4.4	<0.1	<0.05	4	<0.5
00133	Drill Core	0.117	3	125	3.90	32	0.082	13	2.17	0.670	0.12	0.1	0.04	4.6	<0.1	<0.05	5	<0.5
00134	Drill Core	0.122	3	135	3.28	58	0.088	41	2.18	0.752	0.14	<0.1	0.05	4.5	<0.1	<0.05	4	0.8
00135	Drill Core	0.115	3	142	3.36	41	0.091	10	1.92	0.547	0.13	<0.1	0.04	4.6	<0.1	<0.05	4	<0.5
00136	Drill Core	0.119	3	143	3.55	52	0.092	10	1.98	0.617	0.14	<0.1	0.04	4.2	<0.1	<0.05	5	0.6
00137	Drill Core	0.128	3	142	4.26	91	0.086	12	2.51	0.814	0.15	<0.1	0.04	4.1	<0.1	<0.05	5	<0.5
00138	Drill Core	0.122	3	150	3.58	63	0.095	9	2.10	0.711	0.14	<0.1	0.03	4.3	<0.1	<0.05	5	2.0
00139	Drill Core	0.141	3	176	3.53	90	0.100	13	2.17	0.754	0.14	<0.1	0.04	4.2	<0.1	<0.05	5	1.3
00140	Rock Pulp	0.049	18	66	0.64	35	0.040	5	1.27	0.035	0.47	6.9	0.20	3.8	0.3	2.55	4	8.2
00141	Drill Core	0.131	3	148	3.87	60	0.097	13	2.20	0.680	0.14	<0.1	0.04	4.2	<0.1	<0.05	5	<0.5
00142	Drill Core	0.138	3	168	4.18	53	0.098	13	2.24	0.678	0.13	<0.1	0.04	4.3	<0.1	<0.05	5	<0.5
00143	Drill Core	0.098	3	179	4.39	26	0.099	12	2.39	0.688	0.13	0.2	0.04	4.2	<0.1	<0.05	5	1.1
00144	Drill Core	0.124	3	132	4.02	46	0.086	12	2.28	0.759	0.14	<0.1	0.04	3.7	<0.1	<0.05	6	<0.5
00145	Drill Core	0.112	3	155	4.20	41	0.092	26	2.33	0.752	0.14	0.1	0.03	3.9	<0.1	<0.05	6	<0.5
00146	Drill Core	0.137	3	136	4.43	25	0.093	164	2.37	0.657	0.14	<0.1	0.04	3.5	<0.1	<0.05	6	0.6
00147	Drill Core	0.129	3	115	4.19	43	0.089	12	2.55	0.849	0.16	<0.1	0.04	3.8	<0.1	<0.05	5	0.6
00148	Drill Core	0.136	3	129	4.04	43	0.093	10	2.29	0.699	0.14	<0.1	0.03	3.9	<0.1	<0.05	4	0.5
00149	Drill Core	0.120	3	149	4.22	50	0.103	15	2.57	0.833	0.18	<0.1	0.04	5.3	<0.1	<0.05	5	<0.5
00150	Rock Pulp	0.051	16	66	0.64	34	0.038	5	1.19	0.037	0.46	7.3	0.19	3.5	0.4	2.58	4	6.6



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** February 02, 2008

**Page:** 1 of 1 **Part** 1

**QUALITY CONTROL REPORT**

**VAN08003458.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
00102	Drill Core	5.00	0.6	124.4	5.7	85	<0.1	17.9	24.8	1225	5.54	2.0	0.5	2.0	0.7	125	0.1	<0.1	<0.1	217	1.99
REP 00102	QC		0.5	129.6	5.7	89	<0.1	18.4	25.2	1280	5.60	2.0	0.5	1.6	0.8	130	<0.1	<0.1	<0.1	220	2.11
00141	Drill Core	7.00	0.6	105.8	6.3	53	<0.1	179.3	32.2	738	3.98	<0.5	0.3	2.3	0.5	288	0.1	<0.1	<0.1	119	2.26
REP 00141	QC		0.3	101.4	6.2	52	<0.1	180.4	30.8	706	3.91	<0.5	0.3	1.4	0.5	275	<0.1	<0.1	<0.1	118	2.25
Core Reject Duplicates																					
00096	Drill Core	6.30	0.7	175.8	6.1	72	<0.1	14.7	22.3	1019	4.80	3.2	0.4	1.5	0.9	166	<0.1	<0.1	<0.1	165	2.17
DUP 00096	QC		0.8	157.6	5.7	79	<0.1	14.4	22.7	1017	4.85	3.4	0.4	2.0	0.8	166	<0.1	<0.1	<0.1	170	2.01
00131	Drill Core	7.00	0.9	78.5	4.4	53	<0.1	219.9	35.8	660	4.20	<0.5	0.3	3.2	0.4	285	<0.1	<0.1	<0.1	119	1.43
DUP 00131	QC		0.7	75.7	4.4	54	<0.1	220.8	35.0	658	4.09	<0.5	0.3	4.5	0.5	287	<0.1	<0.1	<0.1	116	1.40
Reference Materials																					
STD DS7	Standard		18.5	96.6	69.1	389	0.8	50.3	8.6	585	2.27	47.9	5.0	60.2	4.5	74	5.6	6.2	4.4	80	0.93
STD DS7	Standard		19.2	94.0	63.9	395	0.8	53.5	9.0	597	2.34	49.5	4.5	64.2	4.1	78	6.1	6.4	4.1	79	0.93
STD DS7	Standard		18.9	100.6	66.4	400	0.7	53.0	8.4	595	2.37	49.0	4.7	71.3	4.5	77	5.7	5.9	4.1	82	0.97
STD DS7	Standard		20.2	102.0	65.9	399	0.8	52.2	8.9	571	2.41	48.3	4.7	72.6	4.5	78	6.0	5.8	4.3	82	0.95
STD DS7	Standard		19.9	96.5	68.6	388	0.8	51.4	8.9	613	2.35	48.2	5.0	66.4	4.7	75	6.1	6.1	4.8	81	0.95
STD DS7	Standard		21.6	104.7	71.8	406	0.8	57.0	9.7	628	2.41	50.7	5.3	83.3	4.8	75	6.4	6.4	5.0	83	0.99
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	1.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.5	2.8	2.7	47	<0.1	4.7	4.0	545	1.77	<0.5	2.4	1.2	4.3	58	<0.1	0.1	<0.1	35	0.45
G1	Prep Blank	<0.01	0.5	2.2	2.7	46	<0.1	4.3	4.2	536	1.78	<0.5	2.4	0.8	4.4	53	<0.1	<0.1	<0.1	35	0.45



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** February 02, 2008

**Page:** 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08003458.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
00102	Drill Core	0.185	6	25	1.37	22	0.199	7	3.32	1.597	0.17	0.2	<0.01	4.9	<0.1	<0.05	9	<0.5
REP 00102	QC	0.191	6	26	1.39	24	0.201	6	3.47	1.635	0.17	0.2	<0.01	5.0	<0.1	<0.05	9	<0.5
00141	Drill Core	0.131	3	148	3.87	60	0.097	13	2.20	0.680	0.14	<0.1	0.04	4.2	<0.1	<0.05	5	<0.5
REP 00141	QC	0.122	3	152	3.88	59	0.095	11	2.13	0.686	0.14	<0.1	0.04	4.0	<0.1	<0.05	5	0.9
Core Reject Duplicates																		
00096	Drill Core	0.172	6	19	1.38	31	0.158	9	3.81	1.787	0.37	0.1	<0.01	6.8	<0.1	<0.05	8	<0.5
DUP 00096	QC	0.177	6	19	1.38	36	0.160	10	3.73	1.847	0.37	0.1	<0.01	6.3	<0.1	<0.05	9	<0.5
00131	Drill Core	0.107	3	162	4.77	20	0.103	14	2.47	0.707	0.14	<0.1	0.04	4.7	<0.1	<0.05	5	<0.5
DUP 00131	QC	0.116	3	141	4.83	20	0.092	14	2.48	0.688	0.13	0.1	0.03	4.5	<0.1	<0.05	5	<0.5
Reference Materials																		
STD DS7	Standard	0.075	12	199	1.00	361	0.114	38	0.98	0.081	0.42	3.9	0.20	2.3	4.2	0.20	5	2.7
STD DS7	Standard	0.079	12	200	1.01	371	0.113	40	1.00	0.092	0.43	3.7	0.20	2.1	4.3	0.20	5	2.3
STD DS7	Standard	0.083	14	200	1.05	387	0.114	42	1.04	0.091	0.44	3.7	0.23	2.6	4.2	0.20	5	4.5
STD DS7	Standard	0.081	13	200	1.05	378	0.113	43	1.02	0.087	0.42	3.7	0.24	2.5	4.3	0.20	5	2.2
STD DS7	Standard	0.079	13	196	1.02	358	0.116	45	0.99	0.097	0.45	4.2	0.22	2.6	4.3	0.19	4	3.4
STD DS7	Standard	0.082	13	202	1.05	383	0.117	46	1.02	0.084	0.44	3.9	0.21	2.5	4.3	0.19	5	3.8
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.078	7	9	0.59	211	0.115	1	0.99	0.056	0.52	<0.1	<0.01	1.9	0.4	<0.05	5	<0.5
G1	Prep Blank	0.076	7	9	0.59	207	0.109	<1	0.97	0.066	0.50	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5





M.Saghezchi GIT

ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

December 04, 2007

Report Date:

February 15, 2008

Page:

1 of 3

## CERTIFICATE OF ANALYSIS

VAN08003540.1

### CLIENT JOB INFORMATION

Project: Cow Trail  
Shipment ID:  
P.O. Number  
Number of Samples: 38

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	34	Crush split and pulverize drill core to 150mesh		
1DX	38	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

CERTIFICATE OF ANALYSIS

VAN08003540.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00259	Drill Core	6.60	1.8	173.2	8.8	64	<0.1	14.1	21.5	985	4.43	2.9	0.6	5.5	1.1	178	<0.1	<0.1	<0.1	155	3.20
00260	Rock Pulp		594.3	8546	48.7	78	3.3	70.8	20.0	219	3.88	29.2	4.5	1644	10.5	47	2.2	16.0	3.7	37	0.96
00261	Drill Core	6.60	2.3	159.3	9.8	61	<0.1	12.5	19.7	818	4.04	3.5	0.7	3.6	1.2	183	<0.1	<0.1	<0.1	136	1.89
00262	Drill Core	6.90	1.3	129.1	6.4	57	<0.1	27.8	23.4	846	4.19	3.3	0.5	2.9	0.9	179	<0.1	<0.1	<0.1	160	2.14
00263	Drill Core	6.80	0.6	139.2	5.4	57	<0.1	22.7	21.3	801	4.04	4.4	0.5	2.7	0.9	193	<0.1	<0.1	<0.1	149	2.00
00264	Drill Core	5.70	1.1	152.9	8.8	58	<0.1	14.0	19.6	735	3.97	3.3	0.7	3.1	1.1	204	<0.1	<0.1	<0.1	132	1.46
00265	Drill Core	6.30	1.2	156.6	8.7	61	<0.1	13.2	20.3	775	4.00	4.1	0.6	<0.5	1.1	213	<0.1	<0.1	<0.1	134	1.91
00266	Drill Core	6.40	1.5	147.1	8.3	59	<0.1	13.7	21.4	1008	4.12	5.6	0.6	2.4	1.0	215	<0.1	<0.1	<0.1	139	3.65
00267	Drill Core	5.80	0.8	142.3	7.4	65	<0.1	18.9	24.0	1103	4.67	18.9	0.6	<0.5	1.0	239	<0.1	<0.1	<0.1	174	4.48
00268	Drill Core	7.10	0.9	157.2	7.8	62	<0.1	13.4	20.7	822	4.16	5.8	0.7	1.9	1.1	231	<0.1	<0.1	<0.1	146	1.91
00269	Drill Core	6.60	1.0	150.5	8.6	62	<0.1	12.3	19.5	854	4.04	7.4	0.8	1.7	1.2	197	<0.1	<0.1	<0.1	139	1.96
00270	Rock Pulp		597.6	8289	49.2	78	3.2	68.3	19.9	217	3.84	29.1	4.3	1491	10.2	47	1.7	15.7	3.7	38	0.95
00271	Drill Core	6.90	1.4	165.2	7.2	61	<0.1	15.8	21.6	852	4.32	3.9	0.6	2.6	1.0	226	<0.1	<0.1	<0.1	153	2.04
00272	Drill Core	7.00	0.5	142.8	7.4	62	<0.1	16.5	21.7	739	4.33	5.6	0.7	1.7	1.1	206	<0.1	<0.1	<0.1	161	2.49
00273	Drill Core	6.90	0.5	166.3	7.9	58	<0.1	13.5	19.6	708	3.96	4.7	0.6	3.3	1.1	180	<0.1	<0.1	<0.1	133	1.74
00274	Drill Core	7.10	0.5	150.6	7.6	66	<0.1	17.0	23.1	846	4.51	4.0	0.6	0.9	1.0	409	<0.1	<0.1	<0.1	176	1.62
00275	Drill Core	7.10	0.6	172.9	6.9	68	<0.1	20.6	26.4	955	4.82	3.6	0.4	0.8	1.0	244	<0.1	<0.1	<0.1	178	2.44
00276	Drill Core	6.80	0.6	169.6	8.0	69	<0.1	19.7	25.7	1092	5.05	3.5	0.4	1.3	1.0	193	<0.1	<0.1	<0.1	197	3.82
00277	Drill Core	6.90	0.5	141.2	6.1	49	<0.1	16.0	22.8	1326	4.04	5.3	0.4	2.9	0.8	263	<0.1	0.2	<0.1	173	11.00
00278	Drill Core	7.40	0.5	162.8	6.5	65	<0.1	17.3	24.7	856	4.53	4.8	0.6	<0.5	1.0	218	<0.1	<0.1	<0.1	157	2.23
00279	Drill Core	6.40	1.5	211.5	8.3	65	<0.1	15.7	24.2	1041	4.49	6.8	0.6	1.0	1.1	151	<0.1	<0.1	<0.1	132	4.36
00280	Rock Pulp		595.0	8402	48.8	74	3.3	69.9	20.3	219	3.91	30.0	4.3	1407	10.1	46	2.1	16.3	3.5	39	0.96
00281	Drill Core	6.80	1.3	144.0	8.7	61	<0.1	14.6	22.3	933	4.38	5.6	0.6	2.4	1.0	169	0.1	<0.1	<0.1	152	3.92
00282	Drill Core	6.90	1.3	149.3	8.1	66	<0.1	14.8	21.5	869	4.29	3.7	0.5	1.4	0.9	181	<0.1	<0.1	<0.1	144	2.45
00283	Drill Core	6.70	1.1	148.7	8.4	59	<0.1	12.3	17.9	799	3.71	3.0	0.6	2.1	1.0	208	<0.1	<0.1	<0.1	116	2.80
00284	Drill Core	6.90	1.3	157.1	8.8	63	<0.1	13.9	21.5	893	4.19	3.8	0.6	1.5	1.1	191	<0.1	<0.1	<0.1	132	2.27
00285	Drill Core	7.00	1.3	163.9	9.9	60	<0.1	12.2	18.9	702	3.67	3.9	0.6	1.3	1.1	216	<0.1	<0.1	<0.1	95	1.32
00286	Drill Core	6.90	0.9	150.0	8.1	55	<0.1	14.4	18.5	703	3.68	3.1	0.5	<0.5	1.2	247	<0.1	<0.1	<0.1	99	1.53
00287	Drill Core	6.90	1.6	151.9	10.9	57	<0.1	13.8	22.9	898	3.94	5.1	0.5	2.3	1.1	259	<0.1	<0.1	<0.1	107	2.82
00288	Drill Core	6.80	0.8	154.9	7.4	57	<0.1	14.6	20.5	823	3.90	2.5	0.6	2.4	1.1	282	<0.1	<0.1	<0.1	111	2.76



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail  
**Report Date:** February 15, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003540.1**

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	
00259	Drill Core	0.164	7	46	1.07	32	0.163	24	3.79	1.903	0.20	0.1	<0.01	4.7	<0.1	<0.05	8	<0.5
00260	Rock Pulp	0.052	17	65	0.63	44	0.042	4	1.09	0.033	0.44	6.9	0.15	3.6	0.3	2.48	4	6.7
00261	Drill Core	0.180	7	40	0.96	86	0.128	12	4.12	2.439	0.17	0.2	<0.01	2.8	<0.1	0.07	8	<0.5
00262	Drill Core	0.130	6	48	1.82	55	0.158	10	2.61	0.819	0.23	<0.1	<0.01	4.1	<0.1	0.12	7	<0.5
00263	Drill Core	0.138	6	45	1.65	44	0.138	12	2.51	0.866	0.22	0.1	<0.01	3.7	<0.1	<0.05	8	<0.5
00264	Drill Core	0.182	7	41	0.83	98	0.111	14	4.39	2.840	0.26	<0.1	<0.01	3.5	<0.1	<0.05	7	<0.5
00265	Drill Core	0.190	7	41	0.93	77	0.119	10	4.15	2.510	0.20	0.2	<0.01	3.7	<0.1	0.06	7	<0.5
00266	Drill Core	0.178	6	45	0.94	42	0.124	7	3.85	2.280	0.15	0.2	<0.01	3.8	<0.1	0.06	7	<0.5
00267	Drill Core	0.190	7	52	1.49	30	0.141	6	3.56	1.847	0.09	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
00268	Drill Core	0.204	7	44	0.92	54	0.133	8	3.46	2.074	0.17	0.2	<0.01	3.5	<0.1	<0.05	7	<0.5
00269	Drill Core	0.214	8	43	0.74	58	0.128	11	3.92	2.444	0.27	0.2	<0.01	3.4	<0.1	<0.05	7	<0.5
00270	Rock Pulp	0.052	17	60	0.64	42	0.042	4	1.11	0.043	0.43	6.9	0.14	3.5	0.3	2.43	4	4.7
00271	Drill Core	0.199	7	55	0.86	39	0.157	7	2.42	1.236	0.19	0.1	<0.01	2.4	<0.1	<0.05	6	<0.5
00272	Drill Core	0.198	7	54	0.70	39	0.165	15	2.88	1.635	0.16	0.1	<0.01	2.8	<0.1	<0.05	7	<0.5
00273	Drill Core	0.194	7	45	0.73	50	0.124	11	3.03	1.912	0.16	0.1	<0.01	2.7	<0.1	<0.05	7	<0.5
00274	Drill Core	0.191	7	67	0.95	33	0.181	11	2.51	1.167	0.08	<0.1	<0.01	2.8	<0.1	<0.05	7	<0.5
00275	Drill Core	0.215	7	66	0.91	32	0.172	9	2.25	1.036	0.13	0.1	<0.01	3.6	<0.1	<0.05	7	<0.5
00276	Drill Core	0.202	7	71	1.28	29	0.177	8	2.60	0.958	0.08	<0.1	0.01	3.6	<0.1	0.08	9	<0.5
00277	Drill Core	0.157	6	55	1.19	43	0.148	12	2.52	0.616	0.07	0.1	0.02	4.3	<0.1	0.08	9	<0.5
00278	Drill Core	0.186	6	55	1.15	64	0.171	17	2.41	1.088	0.17	0.2	<0.01	3.4	<0.1	<0.05	7	<0.5
00279	Drill Core	0.231	8	46	1.26	33	0.165	27	3.71	1.889	0.22	0.2	<0.01	4.2	<0.1	<0.05	8	<0.5
00280	Rock Pulp	0.052	17	68	0.64	49	0.043	5	1.13	0.031	0.46	7.1	0.13	3.7	0.3	2.50	4	5.9
00281	Drill Core	0.171	7	43	1.14	35	0.156	36	3.78	1.752	0.16	0.2	<0.01	4.9	<0.1	<0.05	8	<0.5
00282	Drill Core	0.187	7	49	1.05	42	0.155	34	3.53	1.923	0.22	0.1	<0.01	4.4	<0.1	<0.05	7	<0.5
00283	Drill Core	0.200	7	39	0.84	73	0.119	31	4.07	2.516	0.32	0.1	<0.01	3.6	<0.1	<0.05	7	<0.5
00284	Drill Core	0.179	7	45	1.03	74	0.144	26	4.36	2.346	0.34	<0.1	<0.01	4.7	<0.1	<0.05	7	<0.5
00285	Drill Core	0.182	7	36	0.89	78	0.092	15	4.03	2.391	0.30	<0.1	0.02	3.5	<0.1	0.21	6	<0.5
00286	Drill Core	0.170	7	45	0.95	121	0.103	21	4.16	2.565	0.41	0.1	0.01	4.3	<0.1	0.07	6	<0.5
00287	Drill Core	0.181	7	40	0.88	115	0.094	12	3.84	2.311	0.25	0.1	0.06	4.2	<0.1	0.60	6	<0.5
00288	Drill Core	0.192	7	44	0.75	150	0.078	11	4.22	2.830	0.25	0.1	<0.01	4.4	<0.1	0.09	6	<0.5



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

February 15, 2008

Page:

3 of 3

Part 1

## CERTIFICATE OF ANALYSIS

VAN08003540.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
00289	Drill Core	6.80	1.7	136.9	8.4	52	<0.1	16.7	24.1	1276	4.07	4.0	0.4	0.8	1.0	310	<0.1	<0.1	<0.1	99	5.49
00290	Rock Pulp		620.1	8204	47.8	73	3.3	72.5	20.5	218	3.97	29.8	4.5	1501	9.9	48	1.6	15.9	3.7	40	0.95
00291	Drill Core	6.80	0.8	143.9	5.8	64	<0.1	21.1	26.7	741	4.98	6.2	0.6	3.3	1.0	307	<0.1	<0.1	<0.1	138	2.87
00292	Drill Core	6.80	0.3	113.3	3.2	53	<0.1	35.5	32.6	1273	5.14	6.3	0.2	2.2	0.6	328	<0.1	<0.1	<0.1	168	9.69
00293	Drill Core	6.20	0.1	37.0	1.5	37	<0.1	47.2	29.2	1022	3.99	3.2	<0.1	2.0	0.2	445	<0.1	0.2	<0.1	144	11.01
00294	Drill Core	7.10	0.6	122.8	6.1	64	<0.1	20.9	26.2	935	4.44	3.8	0.6	2.2	1.2	329	<0.1	<0.1	<0.1	112	3.93
00295	Drill Core	7.10	1.0	154.7	8.4	62	<0.1	17.9	24.7	830	4.22	3.8	0.5	5.3	1.2	241	<0.1	<0.1	<0.1	101	2.67
00296	Drill Core	6.90	0.9	154.5	8.3	55	<0.1	11.5	20.5	665	3.41	3.0	0.7	1.3	1.2	247	<0.1	<0.1	<0.1	91	1.62



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

February 15, 2008

Page:

3 of 3

Part 2

## CERTIFICATE OF ANALYSIS

VAN08003540.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5		
00289	Drill Core	0.169	7	50	1.44	189	0.057	10	3.07	1.790	0.22	0.1	0.11	6.8	<0.1	0.49	5	<0.5
00290	Rock Pulp	0.053	16	68	0.64	44	0.041	4	1.12	0.028	0.46	7.5	0.12	3.5	0.3	2.51	3	6.0
00291	Drill Core	0.186	7	68	1.20	206	0.049	14	3.79	2.365	0.29	<0.1	0.03	8.0	<0.1	<0.05	6	<0.5
00292	Drill Core	0.093	4	128	3.90	70	0.012	17	0.57	0.037	0.24	<0.1	0.03	24.2	<0.1	<0.05	2	<0.5
00293	Drill Core	0.016	1	223	3.89	57	0.007	10	0.43	0.054	0.14	<0.1	0.04	33.1	<0.1	<0.05	1	<0.5
00294	Drill Core	0.179	8	65	1.48	224	0.053	14	2.82	1.395	0.29	0.1	0.02	9.1	<0.1	<0.05	6	<0.5
00295	Drill Core	0.162	7	63	1.06	185	0.071	12	3.46	2.038	0.29	0.1	0.05	6.2	<0.1	0.09	7	<0.5
00296	Drill Core	0.184	7	37	0.69	157	0.056	11	4.23	2.972	0.19	0.1	<0.01	3.1	<0.1	<0.05	6	<0.5



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Cow Trail

**Report Date:** February 15, 2008

**Page:** 1 of 1 **Part** 1

**QUALITY CONTROL REPORT**

**VAN08003540.1**

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
00293	Drill Core	6.20	0.1	37.0	1.5	37	<0.1	47.2	29.2	1022	3.99	3.2	<0.1	2.0	0.2	445	<0.1	0.2	<0.1	144	11.01
REP 00293	QC		<0.1	34.7	1.6	38	<0.1	44.4	28.9	1006	3.93	3.0	<0.1	2.0	0.1	431	<0.1	0.2	<0.1	142	10.55
Core Reject Duplicates																					
00271	Drill Core	6.90	1.4	165.2	7.2	61	<0.1	15.8	21.6	852	4.32	3.9	0.6	2.6	1.0	226	<0.1	<0.1	<0.1	153	2.04
DUP 00271	QC		0.6	165.6	7.5	64	<0.1	15.4	22.4	913	4.41	4.1	0.7	2.6	1.1	201	<0.1	<0.1	<0.1	158	2.09
Reference Materials																					
STD DS7	Standard		21.1	104.6	69.7	402	0.8	57.2	9.7	615	2.38	50.9	5.0	59.4	4.4	74	6.1	5.6	4.6	87	0.96
STD DS7	Standard		21.0	105.3	67.0	388	0.8	59.9	9.5	609	2.35	50.1	4.7	60.4	4.4	71	5.8	5.5	4.4	83	0.94
STD DS7	Standard		20.6	107.8	71.3	392	0.9	57.2	9.9	619	2.31	52.3	5.5	130.5	5.0	74	6.9	6.3	5.3	87	0.94
STD DS7	Standard		20.7	103.3	63.8	378	0.8	56.3	9.4	591	2.28	50.2	4.7	64.6	4.5	72	6.8	6.1	4.6	83	0.91
STD DS7	Standard																				
STD DS7	Standard		21.3	99.4	67.8	393	0.9	57.6	8.3	643	2.43	51.7	4.9	66.6	4.9	89	6.3	5.9	4.8	92	1.08
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	0.2	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	2.7	61.2	4.5	50	0.7	7.1	5.4	597	2.18	13.1	2.7	<0.5	4.6	74	<0.1	4.1	1.5	40	0.59
G1	Prep Blank	<0.01	0.6	2.7	2.7	43	<0.1	3.8	3.9	533	1.75	<0.5	2.5	<0.5	4.4	63	<0.1	<0.1	<0.1	36	0.63



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Cow Trail

Report Date:

February 15, 2008

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

VAN08003540.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
00293	Drill Core	0.016	1	223	3.89	57	0.007	10	0.43	0.054	0.14	<0.1	0.04	33.1	<0.1	<0.05	1	<0.5	
REP 00293	QC	0.016	1	211	3.83	58	0.007	10	0.41	0.055	0.13	<0.1	0.04	32.8	<0.1	<0.05	1	<0.5	
Core Reject Duplicates																			
00271	Drill Core	0.199	7	55	0.86	39	0.157	7	2.42	1.236	0.19	0.1	<0.01	2.4	<0.1	<0.05	6	<0.5	
DUP 00271	QC	0.205	7	55	0.88	42	0.158	9	2.47	1.252	0.21	0.1	<0.01	2.6	<0.1	<0.05	7	<0.5	
Reference Materials																			
STD DS7	Standard	0.080	12	198	1.03	368	0.123	41	1.00	0.085	0.45	3.6	0.21	2.4	4.0	0.20	5	3.9	
STD DS7	Standard	0.075	12	193	1.03	376	0.120	39	0.98	0.090	0.44	3.6	0.20	2.2	3.8	0.20	4	3.8	
STD DS7	Standard	0.085	12	196	1.03	398	0.113	43	0.98	0.088	0.44	3.7	0.21	2.3	4.4	0.20	5	4.0	
STD DS7	Standard	0.080	12	188	0.99	379	0.110	39	0.94	0.081	0.42	3.7	0.20	2.4	4.2	0.19	5	3.3	
STD DS7	Standard																		
STD DS7	Standard	0.083	15	227	1.11	395	0.130	39	1.14	0.107	0.49	4.3	0.19	3.0	4.5	0.21	5	3.7	
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			
G1	Prep Blank	0.073	10	14	0.63	302	0.141	<1	1.18	0.079	0.59	<0.1	0.08	2.5	0.6	0.36	6	<0.5	
G1	Prep Blank	0.070	9	12	0.62	188	0.114	<1	1.00	0.055	0.47	<0.1	0.04	2.1	0.3	<0.05	5	<0.5	



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:**

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Submitted By:

David Jenkins

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

October 30, 2007

Report Date:

February 04, 2008

Page:

1 of 3

## CERTIFICATE OF ANALYSIS

VAN08003667.1

### CLIENT JOB INFORMATION

Project: Addie 2  
Shipment ID:  
P.O. Number  
Number of Samples: 50

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Dajin Resources Corp.  
480 - 789 W. Pender St.  
Vancouver BC V6C 1H2  
Canada

CC: Mahdad Saghezchi

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	49	Crush split and pulverize drill core to 150mesh		
3B	50	Fire assay fusion Au by ICP-ES	30	Completed
1DX	50	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.





M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client: Dajin Resources Corp.**

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

Project: Addie 2

Report Date: February 04, 2008

Page: 2 of 3 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN08003667.1**

Method Analyte Unit MDL	WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	
1051	Drill Core	6.40	72	11.6	780.6	10.0	179	1.2	17.5	88.2	1213	9.64	11.3	0.5	91.9	0.9	100	1.1	0.2	0.1	213
1052	Drill Core	7.00	2	3.3	130.0	3.1	52	0.2	26.0	25.1	1032	5.42	2.3	0.4	3.7	0.7	175	0.2	<0.1	<0.1	233
1053	Drill Core	6.90	4	2.3	159.8	6.6	76	0.1	14.5	29.7	1132	6.06	2.6	0.2	4.9	0.6	213	0.3	<0.1	<0.1	235
1054	Drill Core	6.70	6	1.3	177.6	3.7	67	0.2	18.9	33.1	1112	6.52	3.5	0.4	2.2	0.7	121	0.3	<0.1	<0.1	304
1055	Drill Core	7.00	3	1.2	112.4	3.7	87	0.1	22.4	31.0	1098	6.16	2.5	0.4	1.3	0.9	118	0.2	<0.1	<0.1	239
1056	Drill Core	7.00	7	3.3	145.5	2.6	102	0.2	18.5	34.6	1207	7.17	3.1	0.4	3.8	0.9	151	0.3	<0.1	<0.1	316
1057	Drill Core	7.10	6	70.0	127.6	3.9	111	0.2	44.1	25.4	892	5.82	4.1	3.6	3.1	1.0	107	0.8	<0.1	<0.1	293
1058	Drill Core	6.90	4	21.0	138.6	3.2	93	0.2	35.1	27.7	1202	5.95	3.0	2.5	2.5	0.9	144	0.4	<0.1	<0.1	236
1059	Drill Core	6.90	2	2.2	142.1	2.8	90	0.2	36.3	35.8	1059	6.59	1.6	1.1	1.1	0.5	130	0.2	<0.1	<0.1	296
1060	Drill Core	6.60	<2	1.2	119.3	4.4	69	0.1	72.8	37.8	1120	6.33	4.5	0.2	<0.5	0.4	223	0.1	<0.1	<0.1	202
1061	Drill Core	7.40	18	1.6	139.0	4.6	75	0.1	30.7	34.8	1142	6.81	7.5	0.2	2.8	0.5	200	0.1	0.1	0.2	256
1062	Drill Core	2.80	25	2.3	77.1	3.0	42	0.3	13.9	27.2	910	4.73	7.4	0.4	21.8	0.6	81	0.1	0.2	0.5	145
1063	Drill Core	6.50	27	1.7	65.9	2.7	43	0.2	6.8	20.1	774	3.99	3.6	0.4	17.9	0.6	82	<0.1	<0.1	0.3	137
1064	Drill Core	6.20	20	1.8	23.7	2.4	38	0.1	6.4	21.5	870	4.16	5.5	0.5	16.2	0.7	90	<0.1	<0.1	0.3	151
1065	Drill Core	5.00	21	1.6	31.5	2.8	41	<0.1	5.6	17.8	819	4.09	3.5	0.4	16.2	0.6	96	<0.1	<0.1	0.1	142
1066	Drill Core	6.50	33	2.1	34.5	2.9	40	0.1	7.1	16.9	866	4.26	4.2	0.4	27.2	0.6	106	<0.1	<0.1	0.3	145
1067	Drill Core	6.50	21	2.0	43.5	3.6	45	0.1	7.3	19.7	829	4.69	3.6	0.3	15.7	0.5	113	0.1	<0.1	0.2	149
1068	Drill Core	6.40	11	0.4	13.8	1.6	46	<0.1	14.3	31.6	884	5.84	1.0	0.2	8.9	0.4	140	<0.1	<0.1	0.2	171
1069	Drill Core	6.50	6	0.5	14.0	1.8	46	<0.1	14.7	14.9	920	5.40	0.8	0.3	2.1	0.4	179	<0.1	<0.1	<0.1	164
1070	Drill Core	4.80	18	0.3	61.9	1.5	47	<0.1	15.8	22.0	966	5.38	1.1	0.2	43.9	0.3	186	<0.1	<0.1	<0.1	151
1071	Drill Core	1.80	19	1.9	107.2	2.2	52	0.2	18.1	31.6	968	5.13	4.3	0.2	17.5	0.4	210	0.1	0.2	0.1	149
1072	Drill Core	6.70	16	0.4	32.3	2.5	54	<0.1	21.7	65.6	1006	6.18	2.1	0.2	36.7	0.3	246	<0.1	0.1	0.2	164
1073	Drill Core	7.00	26	0.5	47.1	1.5	55	<0.1	15.4	27.7	1086	5.76	1.6	0.2	61.0	0.3	182	<0.1	<0.1	<0.1	167
1074	Drill Core	5.30	17	1.1	189.9	2.3	53	0.4	17.0	21.3	1083	5.53	3.2	0.2	16.4	0.4	207	0.2	0.1	0.1	170
1075	Drill Core	6.80	34	0.7	82.5	2.5	44	<0.1	17.0	28.1	979	5.72	3.8	0.2	22.3	0.4	201	<0.1	0.1	0.2	170
1076	Drill Core	6.80	22	1.0	132.4	2.4	53	0.2	18.1	20.1	1003	5.75	6.6	0.3	23.2	0.5	245	0.1	0.2	0.1	167
1077	Drill Core	6.60	21	0.6	30.0	2.2	49	<0.1	16.3	25.9	989	5.63	1.8	0.2	9.3	0.4	179	<0.1	<0.1	<0.1	178
1078	Drill Core	7.00	17	2.0	135.3	2.9	43	0.2	22.0	32.4	1141	6.13	7.0	0.3	9.9	0.6	156	0.1	0.2	0.4	192
1079	Drill Core	6.90	11	3.0	167.1	2.6	49	0.2	33.4	29.7	1261	6.09	3.6	0.4	11.3	0.7	162	0.1	<0.1	<0.1	219
1080	Drill Core	6.50	6	1.7	121.4	3.5	40	0.1	25.5	30.2	1280	5.72	5.9	0.3	2.0	0.8	181	<0.1	0.2	0.3	188



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 04, 2008

**Page:** 2 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003667.1**

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5
1051	Drill Core	3.34	0.092	6	10	2.85	56	0.125	<20	2.29	0.058	0.10	0.2	0.67	14.1	0.3	6.09	9	21.1
1052	Drill Core	3.20	0.115	6	39	3.10	176	0.245	<20	2.73	0.170	0.31	0.1	0.24	14.0	<0.1	1.42	9	1.3
1053	Drill Core	4.37	0.126	6	22	3.21	139	0.196	<20	2.76	0.172	0.23	<0.1	0.39	14.6	<0.1	2.10	9	3.4
1054	Drill Core	3.31	0.135	7	32	2.98	159	0.309	<20	2.48	0.081	0.33	0.1	0.30	15.0	<0.1	1.53	11	2.6
1055	Drill Core	3.96	0.112	7	49	2.48	134	0.266	<20	2.13	0.080	0.20	<0.1	0.21	15.1	<0.1	1.56	10	4.0
1056	Drill Core	4.42	0.115	8	31	2.28	119	0.272	<20	2.26	0.102	0.22	<0.1	0.17	18.0	<0.1	2.22	11	4.9
1057	Drill Core	3.82	0.138	9	32	1.64	96	0.203	<20	1.60	0.069	0.11	0.1	0.17	10.2	<0.1	3.32	8	5.7
1058	Drill Core	5.69	0.132	9	60	2.48	39	0.149	<20	2.00	0.075	0.16	<0.1	0.25	14.9	<0.1	2.68	9	3.8
1059	Drill Core	4.10	0.130	5	94	2.90	49	0.216	<20	1.88	0.071	0.22	0.1	0.14	14.9	<0.1	1.20	9	1.4
1060	Drill Core	2.28	0.141	4	194	3.88	34	0.153	<20	2.19	0.153	0.23	<0.1	0.06	6.5	<0.1	0.95	9	0.9
1061	Drill Core	2.98	0.179	4	56	3.06	38	0.198	<20	2.35	0.133	0.23	<0.1	0.09	9.5	0.2	1.36	10	1.0
1062	Drill Core	2.44	0.116	6	18	1.88	33	0.140	<20	2.04	0.039	0.10	0.4	0.07	6.7	0.1	1.95	9	0.7
1063	Drill Core	3.01	0.120	7	7	1.54	31	0.136	<20	1.80	0.044	0.08	0.3	0.05	6.8	<0.1	1.81	8	<0.5
1064	Drill Core	3.22	0.119	7	7	1.60	36	0.161	<20	2.08	0.041	0.09	0.3	0.05	7.2	<0.1	1.89	9	0.6
1065	Drill Core	3.13	0.118	7	6	1.51	32	0.160	<20	1.84	0.046	0.08	0.4	0.05	7.1	<0.1	1.87	9	0.6
1066	Drill Core	2.88	0.128	7	6	1.58	36	0.167	<20	1.86	0.053	0.08	0.4	0.06	7.6	<0.1	2.02	9	0.6
1067	Drill Core	2.78	0.127	6	9	1.79	31	0.169	<20	1.98	0.058	0.07	0.4	0.08	8.1	<0.1	2.11	10	0.6
1068	Drill Core	2.18	0.128	4	15	2.46	30	0.220	<20	2.06	0.082	0.08	0.3	0.03	7.9	<0.1	1.26	9	<0.5
1069	Drill Core	2.57	0.125	4	18	2.35	29	0.176	<20	2.09	0.098	0.07	0.2	0.07	7.9	<0.1	0.61	9	<0.5
1070	Drill Core	2.48	0.113	3	20	2.46	19	0.196	<20	2.13	0.056	0.06	0.2	0.02	7.0	<0.1	0.74	9	<0.5
1071	Drill Core	2.81	0.116	3	24	2.66	18	0.223	<20	2.27	0.045	0.05	0.3	0.11	7.1	0.1	1.03	9	0.6
1072	Drill Core	2.32	0.115	3	30	3.11	23	0.255	<20	2.39	0.057	0.06	0.3	0.07	8.5	<0.1	1.57	9	0.7
1073	Drill Core	2.72	0.115	3	24	2.63	14	0.226	<20	2.36	0.040	0.05	0.2	0.02	7.6	<0.1	0.63	9	<0.5
1074	Drill Core	3.31	0.112	3	28	2.85	19	0.234	<20	2.57	0.046	0.05	0.3	0.04	9.5	<0.1	0.77	9	<0.5
1075	Drill Core	3.52	0.113	4	25	2.51	22	0.217	<20	2.35	0.063	0.06	0.3	0.08	9.1	0.2	1.45	10	0.8
1076	Drill Core	3.53	0.113	4	32	3.29	20	0.225	<20	2.72	0.103	0.05	0.4	0.07	11.3	0.2	1.30	10	<0.5
1077	Drill Core	2.50	0.116	4	24	3.30	24	0.198	<20	2.58	0.196	0.06	0.2	0.03	11.2	<0.1	0.83	10	<0.5
1078	Drill Core	2.70	0.113	5	48	3.79	28	0.216	<20	2.97	0.175	0.07	0.3	0.22	13.0	0.3	1.43	11	1.1
1079	Drill Core	3.20	0.140	7	124	4.55	37	0.217	<20	3.03	0.077	0.09	0.3	0.35	17.2	0.2	0.88	10	0.8
1080	Drill Core	3.36	0.099	5	46	3.49	36	0.160	<20	3.05	0.154	0.06	0.2	0.38	12.5	0.4	1.73	10	1.4



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 04, 2008

**Page:** 3 of 3 **Part** 1

**CERTIFICATE OF ANALYSIS**

**VAN08003667.1**

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
1081	Drill Core	6.60	8	1.5	120.1	2.4	53	0.3	17.4	31.1	1274	5.38	4.0	0.2	3.1	0.7	174	0.1	<0.1	0.2	177
1082	Drill Core	5.80	11	0.4	142.6	1.4	61	0.2	14.7	30.0	1066	5.32	1.5	0.2	6.6	0.4	160	0.2	<0.1	<0.1	174
1083	Drill Core	6.60	4	0.5	135.8	1.8	64	0.3	20.0	28.7	1220	5.20	1.4	0.2	1.1	0.4	347	0.1	<0.1	<0.1	144
1084	Drill Core	6.40	6	0.8	116.3	1.8	61	0.2	15.9	27.8	1200	5.08	1.3	0.2	1.9	0.5	205	<0.1	<0.1	<0.1	156
1085	Drill Core	5.90	16	1.6	94.5	5.7	79	0.2	17.8	32.9	1287	5.34	2.4	0.2	<0.5	0.5	147	0.4	0.1	<0.1	168
1086	Drill Core	6.50	<2	0.6	83.6	3.1	61	0.2	19.4	19.9	1223	4.75	2.0	0.2	<0.5	0.4	168	0.2	<0.1	<0.1	140
1087	Drill Core	0.80	7	7.3	64.2	3.9	146	0.3	22.5	27.5	1699	4.87	3.3	0.4	<0.5	0.8	161	0.8	0.1	0.7	182
1088	Drill Core	6.80	5	3.6	110.1	11.7	80	0.3	23.9	36.0	1569	5.53	3.9	0.2	<0.5	0.6	188	0.3	0.2	0.2	179
1089	Drill Core	5.10	4	0.4	8.1	1.7	56	<0.1	16.1	18.0	1188	6.07	1.8	0.2	2.1	0.4	220	<0.1	<0.1	<0.1	190
1090	Drill Core	6.30	27	1.1	273.4	4.1	70	0.7	14.1	29.0	1457	5.92	5.5	0.3	15.4	0.6	182	0.2	<0.1	0.2	178
1091	Drill Core	6.60	13	0.8	140.2	1.8	71	0.4	17.0	29.4	1532	6.53	2.0	0.3	5.0	0.5	208	<0.1	<0.1	<0.1	199
1092	Drill Core	7.00	18	3.9	58.2	2.7	67	0.3	13.3	23.6	1429	5.20	3.2	0.4	12.1	0.5	164	<0.1	<0.1	0.2	166
1093	Drill Core	6.50	82	1.3	684.9	5.2	144	2.8	14.5	45.1	1689	7.30	12.8	0.3	54.7	0.7	125	0.8	0.1	1.7	206
1094	Drill Core	6.70	3	0.4	64.4	2.0	64	0.1	17.4	22.1	1219	6.49	2.3	0.2	2.2	0.4	249	<0.1	<0.1	<0.1	198
1095	Drill Core	6.20	10	0.4	84.8	3.1	61	0.3	18.9	19.5	1146	5.96	2.4	0.2	4.2	0.4	247	<0.1	0.1	<0.1	183
1096	Drill Core	7.60	16	0.5	106.6	10.7	133	0.3	16.9	26.4	1608	6.50	4.5	0.3	14.2	0.7	173	0.5	0.1	0.2	197
1097	Drill Core	5.30	1981	6.0	762.8	309.5	2110	14.5	17.8	49.8	1871	10.88	230.9	0.4	1919	0.8	178	11.1	0.5	12.3	197
1098	Drill Core	7.00	538	9.8	146.1	25.4	272	1.9	12.7	24.2	1707	6.38	73.8	0.4	347.2	0.7	139	1.4	0.4	1.0	190
1099	Drill Core	7.50	1717	6.6	654.8	204.0	1095	11.5	25.7	38.1	2354	10.12	348.2	0.5	2332	0.9	124	5.4	1.1	3.3	184
1100	Rock Pulp		1805	714.0	8885	48.8	79	3.4	76.7	22.1	226	4.12	28.4	6.3	1560	11.2	51	1.7	11.7	4.0	39



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 04, 2008

**Page:** 3 of 3 **Part** 2

**CERTIFICATE OF ANALYSIS**

**VAN08003667.1**

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5		
1081	Drill Core	3.58	0.109	5	28	2.53	20	0.171	<20	2.79	0.053	0.04	0.2	0.10	11.1	0.1	0.81	11	1.0
1082	Drill Core	3.19	0.107	4	19	2.21	19	0.185	<20	2.29	0.055	0.06	0.1	0.03	9.0	<0.1	0.25	9	0.7
1083	Drill Core	3.65	0.103	4	34	2.63	8	0.208	<20	2.38	0.038	0.02	0.2	<0.01	7.1	<0.1	0.15	8	<0.5
1084	Drill Core	3.76	0.108	4	22	2.11	20	0.186	<20	2.50	0.043	0.04	0.2	0.01	7.6	<0.1	0.13	9	0.6
1085	Drill Core	2.70	0.107	4	23	2.10	22	0.209	<20	2.49	0.053	0.05	0.2	0.01	7.1	<0.1	0.60	9	0.8
1086	Drill Core	3.18	0.103	4	27	2.15	19	0.178	<20	2.39	0.060	0.05	0.2	<0.01	5.1	<0.1	0.34	7	0.6
1087	Drill Core	5.46	0.103	5	38	2.13	18	0.215	<20	2.70	0.049	0.04	0.3	<0.01	8.6	<0.1	0.62	10	1.3
1088	Drill Core	3.78	0.099	4	31	2.45	25	0.218	<20	3.16	0.078	0.04	0.2	0.03	8.4	0.2	0.78	11	2.1
1089	Drill Core	3.11	0.103	4	21	2.63	20	0.174	<20	2.93	0.078	0.04	<0.1	<0.01	8.9	<0.1	0.13	10	<0.5
1090	Drill Core	3.52	0.111	5	21	2.27	22	0.175	<20	2.80	0.077	0.05	0.2	0.01	7.8	<0.1	0.90	11	0.8
1091	Drill Core	2.89	0.103	3	24	2.75	21	0.216	<20	2.46	0.080	0.04	0.1	<0.01	9.0	<0.1	0.26	10	0.7
1092	Drill Core	3.17	0.125	4	19	2.30	21	0.155	<20	2.18	0.068	0.05	0.2	0.02	7.2	<0.1	0.60	9	0.8
1093	Drill Core	3.51	0.121	8	20	2.66	17	0.156	<20	2.86	0.063	0.05	0.4	0.05	9.4	<0.1	2.32	12	2.0
1094	Drill Core	2.42	0.099	3	22	2.72	20	0.210	<20	2.27	0.077	0.04	<0.1	<0.01	8.3	<0.1	0.11	9	<0.5
1095	Drill Core	2.70	0.100	3	26	2.71	17	0.226	<20	2.07	0.074	0.04	0.1	<0.01	6.9	<0.1	0.20	8	0.5
1096	Drill Core	3.81	0.105	5	28	2.59	25	0.197	<20	2.87	0.099	0.04	0.4	0.03	10.1	<0.1	1.29	11	0.9
1097	Drill Core	4.27	0.122	7	26	2.32	41	0.211	<20	3.48	0.098	0.09	1.2	0.16	11.1	0.4	6.75	13	3.3
1098	Drill Core	4.57	0.156	7	20	1.85	35	0.177	<20	2.52	0.097	0.10	0.8	0.06	10.6	0.2	3.01	11	1.1
1099	Drill Core	4.96	0.109	8	51	2.29	29	0.190	<20	3.23	0.088	0.13	1.0	0.10	13.0	0.3	5.50	11	1.8
1100	Rock Pulp	0.97	0.049	17	63	0.65	59	0.039	<20	1.16	0.035	0.45	7.2	0.16	3.7	0.4	2.64	4	7.3



M.Saghezchi GIT

**AcmeLabs** ACME ANALYTICAL LABORATORIES LTD.  
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Dajin Resources Corp.

480 - 789 W. Pender St.  
 Vancouver BC V6C 1H2 Canada

**Project:** Addie 2

**Report Date:** February 04, 2008

**Page:** 1 of 2 **Part** 1

# QUALITY CONTROL REPORT

VAN08003667.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
Pulp Duplicates																					
1055	Drill Core	7.00	3	1.2	112.4	3.7	87	0.1	22.4	31.0	1098	6.16	2.5	0.4	1.3	0.9	118	0.2	<0.1	<0.1	239
REP 1055	QC			1.3	113.8	4.0	94	0.1	22.9	32.9	1128	6.30	2.8	0.4	8.7	0.9	125	0.3	<0.1	<0.1	259
1063	Drill Core	6.50	27	1.7	65.9	2.7	43	0.2	6.8	20.1	774	3.99	3.6	0.4	17.9	0.6	82	<0.1	<0.1	0.3	137
REP 1063	QC		26																		
1090	Drill Core	6.30	27	1.1	273.4	4.1	70	0.7	14.1	29.0	1457	5.92	5.5	0.3	15.4	0.6	182	0.2	<0.1	0.2	178
REP 1090	QC		29																		
1097	Drill Core	5.30	1981	6.0	762.8	309.5	2110	14.5	17.8	49.8	1871	10.88	230.9	0.4	1919	0.8	178	11.1	0.5	12.3	197
REP 1097	QC			5.9	743.0	312.0	2042	14.4	17.7	49.6	1828	10.67	234.0	0.4	1916	0.8	174	10.6	0.6	12.8	194
Core Reject Duplicates																					
1071	Drill Core	1.80	19	1.9	107.2	2.2	52	0.2	18.1	31.6	968	5.13	4.3	0.2	17.5	0.4	210	0.1	0.2	0.1	149
DUP 1071	QC		19	1.9	107.9	2.1	52	0.2	18.4	32.4	956	5.17	4.6	0.2	10.7	0.4	217	<0.1	0.2	0.2	149
Reference Materials																					
STD DS7	Standard			21.4	99.9	72.1	390	0.7	60.0	9.7	586	2.30	45.1	4.6	76.7	3.9	64	5.9	4.2	3.9	86
STD DS7	Standard			23.0	102.4	70.5	404	0.8	60.2	9.8	605	2.32	45.0	4.6	52.2	4.4	71	6.2	4.4	4.1	88
STD DS7	Standard			20.4	103.4	71.8	409	0.9	58.5	9.6	622	2.41	50.0	4.8	46.8	4.2	75	6.5	4.4	4.2	84
STD DS7	Standard			21.7	103.6	71.3	415	0.9	59.1	9.7	630	2.42	48.1	5.1	49.7	4.6	77	6.4	4.7	4.4	86
STD OXD57	Standard		420																		
STD OXD57	Standard		425																		
STD OXD57	Standard		422																		
STD OXD57	Standard		412																		
STD OXD57	Standard		412																		
STD OXD57	Standard		427																		
STD OXD57 Expected			413																		
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		





M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

February 04, 2008

Page:

2 of 2

Part 1

## QUALITY CONTROL REPORT

### VAN08003667.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
BLK	Blank		<2																			
BLK	Blank		<2																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																						
G1	Prep Blank	<0.01	<2	0.2	1.4	2.7	46	<0.1	4.3	4.2	536	1.70	<0.5	1.8	<0.5	3.5	46	<0.1	<0.1	<0.1	34	
G1	Prep Blank	<0.01	<2	0.2	1.6	2.8	48	<0.1	4.2	4.2	549	1.66	<0.5	1.8	<0.5	3.6	46	<0.1	<0.1	<0.1	33	



M.Saghezchi GIT

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Dajin Resources Corp.**

480 - 789 W. Pender St.  
Vancouver BC V6C 1H2 Canada

Project:

Addie 2

Report Date:

February 04, 2008

Page:

2 of 2

Part 2

## QUALITY CONTROL REPORT

VAN08003667.1

		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																			
G1	Prep Blank	0.44	0.075	5	7	0.61	200	0.120	<20	0.94	0.054	0.50	0.2	<0.01	1.7	0.3	<0.05	5	<0.5
G1	Prep Blank	0.47	0.077	6	7	0.61	207	0.120	<20	0.94	0.053	0.50	0.3	<0.01	1.7	0.3	<0.05	5	<0.5