

**RECEIVED**  
FEB 20 2009  
Gold Commissioner's Office  
VANCOUVER, B.C.

**BC Geological Survey  
Assessment Report  
30558**

**GEOCHEMISTRY, TRENCHING AND DIAMOND DRILLING  
REPORT FOR THE GAR PROPERTY (NORTH)**

Tenure Numbers 512229,512231,512232,512233

Fort Steele Mining Division

Trim Maps 082F049, 050,059,060

Property UTM Centre 5484000N 562000E

**Owner – Ruby Red Resources Inc.**  
#212, 1000 – 9<sup>th</sup> Avenue S.W.  
Calgary, Alberta  
T2P 2Y6

Operator – As above

**Consultant – Anderson Minsearch Consultants**  
3205 6<sup>th</sup> St. South  
Cranbrook, B.C.  
V1C 6K1

Author – Douglas Anderson, P.Eng.

Submitted – February, 2009

**RECEIVED**  
GOVERNMENT AGENT  
CRANBROOK  
FEB 16 2009  
NOT AN OFFICIAL RECEIPT  
TRANS #.....

**GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT**

**30,558**

## TABLE OF CONTENTS

	Page
<b>1.0 Introduction</b>	<b>1</b>
<b>2.0 Property Definition, History, and Background Information</b>	<b>1</b>
<b>3.0 Summary of Work Done</b>	<b>2</b>
<b>4.0 Geological Setting for the Property</b>	<b>2</b>
4.10 Regional Geology	2
4.20 Intrusions	3
4.30 Mineralization	4
<b>5.0 Geochemistry, Trenching, and Diamond Drilling Reports</b>	<b>4</b>
5.10 Soil Geochemistry	4
5.20 Trenching and Diamond Drilling	5
<b>6.0 Summary and Conclusions</b>	<b>6</b>
<b>7.0 Itemized Cost Statement</b>	<b>6</b>
<b>6.0 Author's Qualifications</b>	<b>6</b>
<b>List of Illustrations</b>	
<b>Figure 1</b>	Location Map – Scale 1:11,170, 257
<b>Figure 2</b>	Gar Claim Map – Scale 1: 70,463
<b>Figure 3</b>	Gar Geology and Hole Locations – Scale 1:5,000 (in sleeve)
<b>Figure 4</b>	Soil Geochem Grid (extended from 2007)– Lead Values contoured
<b>Figure 5</b>	Soil Geochem Grid – Gold Values contoured
<b>Figure 6</b>	Drill Hole Section Gar-08-1
<b>Figure 7</b>	Drill Hole Section Gar-08-2
<b>Figure 8</b>	Drill Hole Section Gar-08-3
<b>Appendix A</b>	- Acme Labs analytical results for soils - Acme Labs analytical results for core - Drill Hole Logs

## **GEOCHEMISTRY, TRENCHING AND DIAMOND DRILLING REPORT FOR THE GAR PROPERTY (NORTH)**

### **1.0 Introduction**

The Gar property is a large block of north to northeast-oriented claims covering the upper portion of the Angus Creek drainage (a tributary to Hellroaring Creek which flows into the St. Mary river) and east and west from it. The total core area is about 5500 hectares. Approximately centered on UTM's 5484000N and 562000E for the entire property, the 2008 work was focused on the north end of the property around UTM's 5488137N and 562516E. Tenure numbers for the area of work are: 512232, 512229, 512231, and 512233.

Access is gained from the St. Mary river logging road or the St. Mary Lake road west from Highway 95, up the major St. Mary river valley. Secondary logging roads leave the above roads into the Angus Creek and Hellroaring Creek drainages. The property is accessed most readily by 4x4 truck, a total of 50 to 60 kilometres from Cranbrook. Relief is from 1500 to 2500 metres ASL.


### **2.0 Property Definition, History, and Background Information**

The Gar claims cover an area that has not been extensively explored at any time. Active exploration, particularly for gold has been more confined to the adjacent Perry Creek drainage where placer gold and gold indications in bedrock have been pursued at various times. Exploration in the St. Mary/Angus/Hellroaring Creek drainage system has been for lead/zinc of the Sullivan deposit type and therefore in older rocks of the Purcell Supergroup. Recorded exploration work has focused mostly on the Leader Group which occurs on the north end of the Gar Property. The geology and focus here is as follows. A granodiorite stock has intruded rocks of the Creston and Kitchener Formations. The intrusion is a leucocratic, porphyritic and non-porphyritic body with only modest alteration noted in outcrop. The main interest was the Leader quartz vein a 15cm to 1 metre thick vein traced over 600 metres in length. (Assessment report# 8163, 14112) Individual samples ranged from trace to 4.8 oz/ton gold with associated galena, sphalerite and chalcopyrite. The vein appears to occupy a shear zone which juxtaposes Creston against Kitchener Formation rocks with the intrusion proximal. The vein strikes approximately north-south and dips east at 68 to 80 degrees.



The Gar claims were acquired as part of a prospecting/rock sampling campaign conducted by Super Group Holdings Ltd. in the East Kootenay region. Recognition of a geological environment permissive for gold mineralization and encouraging analytical results for grab samples led to staking.




# ARIS Map


 GAR Location

Topographic Layers

-  Lakes 1:6M
-  Rivers 1:6M


BC Border Layers

-  BC Border 1:6M



Map Center: 54.4781N 124.7082W

SCALE 1 : 11,170,257





### 3.0 Summary of Work Done

Work in 2008 concentrated on the north end of the property around and in the Leader stock in an effort to source gold in float and in soils. Work continued on a soil grid from 2007 and trenching was used to follow-up on gold-bearing quartz vein boulders found in a float train south from the drilling completed last year. Additionally three drill holes were completed to test: an area where soil geochem anomalies intersect; down-dip on the gold bearing shear zone drilled last year; and thirdly a short hole in the area of trenching to test for shear zones and the source of the quartz vein float.

### 4.00 Geological Setting for the Property



#### 4.10 Regional Geology

The Gar claims are within the Moyie structural block which is a northeast-trending block of ground between two major reverse faults – the St. Mary and Moyie faults. This block, more so than others in the Purcell Anticlinorium, has apparently been rotated clockwise exposing the deepest stratigraphic level of Lower Aldridge Formation rocks in a northeast-southwest orientation. Overall the sedimentary rocks young to the northwest/west but at various stratigraphic levels the sequence is repeated by reverse faults. Across the Gar alone there a number of younging sequences from east to west. The Gar is underlain by predominantly Mesoproterozoic sedimentary rocks of the Creston and Kitchener Formations. These are dominantly light colored, grey to green, fine clastic rocks succeeded by darker colored, silty argillaceous rocks mixed with carbonates. Granitic intrusions were known to be present in the area and now more have been located. These form small stocks and elongate bodies trending northeast on the property. Structurally the geology is dominated by northeast-trending fault panels. The faults are predominantly reverse faults sympathetic to the bounding major faults. There is small to medium-scale folding which seems restricted to ground adjacent to faults.








The sedimentary sequence is worthy of discussion, as the nature of the rocks does influence the potential for mineralization along with other factors. The lowest sedimentary rocks exposed on the property are close to the base of the Creston Formation. The Middle Creston is a grey to greenish weathering sequence dominated by thin to thick bedded, fine-grained quartzitic wackes to quartz wackes. Interbedded argillites are laminated to thin-bedded rocks. Sedimentary features include flame structures, graded bedding, cross-bedding and lenticular bedding. On a fresh surface the quartzites vary from grey to green to mauve colors with shallow water depositional conditions dominant. The overlying Upper Creston is greenish-grey to green argillite sequence with some intermixed siltstones. Thin and wavy bedded, these rocks form a transition to the rocks above. The Kitchener Formation has basically two divisions. The lower division is not as well exposed but is green weathering argillites and siltstones which are thin bedded. Characteristic of Kitchener is presence of carbonate and this shows as buff weathering interbeds of dolomitic siltstone. The upper portion of the

# ARIS Map



## Mineral Titles Layers

-  GAR Tenure
-  All Mineral Tenures


## Topographic Layers

-  Railways 1:20K
-  Roads 1:20K
  -  Gravel Road
  -  Paved Road
  -  Rough Road
-  Lakes 1:20K
-  Rivers 1:20K


## Grid Layers

-  Grid 1:20K - labels
-  Grid 1:20K - outline

## RC Border Layers



SCALE 1 : 70,463



Kitchener is a darker grey to black or buff weathering thin bedded succession of argillite, carbonate, and dolomitic siltstone.

These sedimentary rocks have been intruded by granitic-type intrusions such as the Leader stock in the north and the Angus Creek stock in mid-property. Other similar but smaller bodies of intrusive rocks have been located on the property. It is important to note that the intrusions are aligned along the northeast structural fabric as if emplaced along some of the faults. The Leader stock has been dated as Cretaceous. The intrusions are granodiorites or quartz monzonites which are leucocratic, medium to coarse-grained, containing plagioclase, quartz, orthoclase, biotite, and sericite in order of abundance. Petrographic work on a few samples shows lesser epidote, chlorite, apatite and zircon with minor pyrite, hematite, and leucoxene. Near the contact with the sediments locally, these intrusions can be more altered including: coarse phases (almost pegmatitic) with increased K-feldspar; sericitization of the plagioclase; muscovite; and chlorite after biotite. There is an increase in quartz veining, silicification, and alteration of the sediments as well.

#### 4.20 Intrusions

There are now five separate intrusive plugs/stocks along the Gar structural trend/zone of about 12 kilometres. These are similar granodiorites to quartz monzonite intrusions which have their long axes oriented northeast-southwest along the structural belt described previously. These likely Cretaceous-aged intrusions vary from homogeneous, medium crystalline to quite coarse, pegmatitic rocks. The amount of outcrop is limited so determination of any zoning within the individual intrusions has not been possible.

Petrographic work indicates the intrusions are quite altered along the contacts. Described as granodiorite, medium to coarse leucocratic, with plagioclase, K-feldspar, quartz, biotite and chlorite (after mafics), and muscovite. Traces of apatite and zircon. Magnetite is present but in very minor amounts (<1%). Sericite alteration of the plagioclase is common.

Structure within the intrusions has not been studied but detail will be limited due to a lack of outcrop, especially a lack of large outcrops. However, smaller structures such as faults and fractures are notable with quartz veins occupying them in at least three orientations – north to northeast; southwest-northeast; and northwest-southeast. Sheeted quartz veins are known along the eastern and northern margins of the Angus Creek stock. Trenching of the Leader stock exposed faults of several orientations with quartz veins containing gold, limonite and sulphides.

The Gar property covers a linear array of small intrusions which together with aeromag anomalies indicate a major pluton underlies the property at depth.



### **4.30 Mineralization**

Gold is the primary target commodity on the Gar property. The presence of gold is indicated by a variety of features including: anomalous gold in stream silts collected by the RGS program; anomalous gold was also confirmed by stream silts and heavies done by National Gold in 2001/2002; prospecting and selected rock geochem sampling yielded multigram gold in 10% of the rock samples collected over the 12 kilometre length of the property; and soil geochem anomalies for gold and associated elements have now been defined in several locations. In addition, historical work on the Leader showing at the north end of the property demonstrated gold with galena and chalcopyrite was present in a quartz vein occupying a shear zone. The potential for gold is also reflected by the geological setting where significant faults/shears have been the locus for granitic intrusions into a varied sequence of sedimentary rocks from quartzites to carbonate-rich argillaceous rocks.

In 2008 minor geological mapping and additional rock geochem sampling was completed. The mapping around the margins of the Leader stock now document a much more irregular contact than had been originally interpreted from regional work. This is particularly true in the area where the drilling has been done. Prospecting located a quartz vein float train south from the landing showing which was drilled in 2007. Quartz boulders with scattered sulfide and visible gold were located over about 150 metres along a float train. Analyses of these rocks yielded seven of ten samples as very anomalous in lead and silver with gold up to 11.5 grams. The gold values are accompanied by a variety of elements (based on core samples, float boulder samples, and soils) including the primary pathfinders of copper, lead, silver, ± zinc, arsenic and the secondary (limited association) pathfinders of antimony, bismuth, molybdenum, and tungsten. Minerals identified visually include free gold, pyrite, galena, chalcopyrite, and sphalerite.

## **5.00 Geochemistry, Trenching and Diamond Drilling Report**

### **5.10 Geochemistry**

The 2007 soil grid was extended to the south and north to further define the lead and gold anomaly. Nine lines with samples every 25 metres were completed on the south and three lines to the north. The samples were placed in kraft paper bags for temporary storage and shipped to Acme Laboratories Ltd. Of Vancouver, B.C. Samples were 15 grams run under Group 1DX with 1:1:1 aqua regia digestion ICP-MS analysis.

The results demonstrate the anomaly continues to the south with two actual trends emerging – the Leader vein is reflected in the soils trending about 010 to 020° azimuth. It appears to terminate to the north about 500 metres. A second anomalous trend is reflected particularly by lead and gold along about 340 to 350° azimuth for 1.3 kilometres. Closure to the north and south is suggested but not confirmed by the amount of sampling.

## 5.20 Trenching and Diamond Drilling

The road which exposed the original Landing showing drilled last year was extended in 2008 about 140 metres to the south (on the contour) because prospecting had identified a float train of quartz vein boulders (to 0.5m dimensions) carrying visible gold. Two apparently separate shear structures were cut by the road/trench and these were in turn trenched across with a small backhoe. After viewing and some sampling the road was re-contoured.

The shear zones are approximately 1.5 to 2.0 metres wide and trend about 350° azimuth. They contain only narrow, very irregular quartz veins or lenses of quartz. Pyrite and minor galena are the only sulphides of note. Alteration is sericite and chlorite in the sheared and broken sediments. No source for the large quartz vein blocks was found in the exposures created.

Diamond drilling included three drill holes drilled in separate locations on three different targets. Totalling 562.5 metres the drilling was not successful in locating economic grades or intervals of gold mineralization. However, significant gold, silver, and lead mineralization was intersected in different lithologies along shear zones. The core was analyzed by AcmeLabs crushing the samples to minus 200 mesh then using 1:1:1 aqua regia digestion then ICP-MS analysis on a 0.5 gram sample.

Drill hole Gar-08-1 was collared at a lower elevation towards the south end of the intrusion. It was designed to test beneath the intersection of the two soil geochem trends. Drilled at 0562500E and 5487620N at -45° to 090° to a total depth of 401 metres. The first 142 metres was leucocratic, salt and pepper textured quartz monzonite. There are narrow coarse to pegmatitic zones which cut and replace the intrusion. There are very few true quartz veins. One interval with sericitized feldspars, limonite, and pyrite was sampled but was only weakly anomalous in gold. Dominantly argillaceous sediments continue to the end of the hole with highly foliated argillite appearing near the bottom of the hole with skarnification starting. This is interpreted as the down-dip extension of the Leader structure. Three intervals were sampled but none contain gold.

Drill hole Gar-08-2 was designed to test down-dip of the Landing Shear zone drilled last year (1.27m of 3.0g Au and 394g Ag). This -80° hole drilled at 270° azimuth was entirely in quartz monzonite intrusion. There were a few narrow alteration zones of sericite/muscovite± quartz vein – seven over 76 metres so not very abundant. The shear zone was intersected from 77.0 to 88.6 metres but core recovery was poor. Some of the recovered material was quartz vein. Sericite alteration is widespread along fractures, particularly below the main shear. Weakly anomalous gold occurs within the core zone of 77 to 80.4m at 168ppb Au, 2.8ppm Ag, and 640ppm Pb. The hole ended in fractured quartz monzonite.

Drill hole Gar-08-3 was located on the trench south of the Landing shear zone about 75 metres. Collared in a shear zone, core loss from the first 4.5m was excessive so this wasn't a good test of this zone. The hole remained in quartzitic Creston rocks to 49.0 m

then entered altered intrusion and sediment mixed to 58.5m then fractured quartz monzonite to the end at 70.5m. The sediment/intrusion contact is interesting with alteration and some shearing – best 54.85 to 58.5m - 3.65m of 102.5ppb Au, 0.5ppm Ag, and 811ppm Pb.

## 6.00 Summary and Conclusion

Work during 2008 was limited to minor geological mapping, extension of the pre-existing soil grid, and drilling of three drill holes. The work from the last two years demonstrates that the likelihood of a large, low grade gold deposit is poor. The intensity of quartz veining with alteration is too low – volumetrically there isn't enough mineralized rock. However, there are several shear zones within the quartz monzonite intrusion and surrounding sediments that are gold bearing. Trenching and drilling of some of these shears indicates the zones are narrow (<2 metres) and grades low to marginal. Sampling of float material yields good gold grades in individual samples so the possibility exists that the better shear-hosted gold has not yet been located.

In 2008, the expanded soil grid continues to define a long (1.3 kilometre) gold and lead soil anomaly which has only been partly tested. The first drill hole tested below the soil anomaly at a substantial depth due to the steep topography. When the hole reached the down-dip projection of the Leader zone, the shear was in argillaceous rocks contrasting with the quartzites at surface. This may account for the lack of mineralization. The second drill hole tested the Landing shear zone at greater depth (about 25 metres) but excessive core loss was encountered. The third hole demonstrated again that there are multiple shears in the area and they do contain anomalous gold.

## 7.00 Summary of Costs

Geology – Anderson Minsearch Consultants - at \$400/d plus 4x4 truck at \$75/d and 0.75/km	8883.75
Pighin's Welding – trench; make drill sites;move drill – D6 cat and small backhoe	7728.90
Acme Labs (rocks and soils)	1290.85
EK Expediting – moving of core and storage (\$250/d)	2095.00
Lone Peak Drilling – three holes totaling 562.5m	82048.93
Drafting and report writing – 5 days at \$400/d	2000.00
Sub-total	104047.43
Administration fee ( Ruby red Resources) – 12%	<u>12485.69</u>
<b>Total Costs</b>	<b>\$116533.12</b>

## 8.00 Author's Qualifications

I, Douglas Anderson, Consulting Geological Engineer, have my office at 3205 6<sup>th</sup>. St. South in Cranbrook, B.C., V1C 6K1.




I graduated from the University of British Columbia in 1969 with a Bachelor of Applied Science in Geological Engineering.

I have practiced my profession since 1969, predominantly with one large mining company, in a number of capacities all over Western Canada and currently within southeastern B.C. as a mineral exploration consultant.

I am a Registered Professional Engineer and member of the Association of Professional Engineers and Geoscientists of B.C., and I am authorized to use their seal which has been affixed to this report.

I am also a Fellow of the Geological Association of Canada.

  
Douglas Anderson, P.Eng., B.A.Sc., FGAC

## GAR PROPERTY

### DRILL HOLE GL-08-1

Location – Above Angus Creek road at 9.5 kilometres. 0562500E; 5487620N

Started: September 13 Completed: September 17, 2008 Length=401m

Contractor: Lone Peak Drilling Elevaton = 1610m Dip=-45° Azimuth=090°

NQ core stored at the Vine Property at Peavine Creek Overburden=3.25m

Objective: to test the Leader stock and margins for quartz vein stockworking and or shear-hosted mineralization.

3.25 – 142.0m Quartz monzonite – medium to coarsely crystalline; leucocratic salt and pepper textured intrusion. 15 to 18% biotite and pyroxene (hornblende) with 25%+ grey quartz.; white plagioclase feldspar. No structure excepting hairline fractures with bounding sericite alteration of feldspars. There are coarse to pegmatitic zones of quartz-feldspar-muscovite 22.85 to 24.80m; 68.6 – 69.7m; 91.8 – 92.5m. 59 to 62.2m alteration with two short limonitic intervals with green sericitized feldspars. Scattered pyrite with magnetite shells. Very few true quartz veins – some zoned, pegmatitic “veins”. Increasing numbers of sedimentary xenoliths below 123m.

142.0 – 181.5m Contact with sediments – appears faulted with 25cm of limonitic rubble with micas then into vaguely bedded sediments with apophyses of quartz monzonite and two intervals of coarsely crystalline Q-F-M 144.4 – 146.5m; 150.5 – 153.15m; 168 – 174.2m light colored pinkish green – some pyrite. Bedding at 50° to ca. Contact meta seds are thin to barely medium bedded, highly biotitic/sericitic.

181.5 – 194.1m Mixed zone of contact meta sediments with black and white QM intrusion. 75% intrusion/25% sediment remnants. Grey wackes/quartzitic wackes with argillaceous interbeds isolated within the intrusion.

194.1 – 224.2m Mottled, contact metamorphosed sediment – rare quartzite bed, mostly argillaceous with some laminated intervals. Bedding at 45 to 65°. Grey to dark grey. Three narrow quartz veins below 215m – thickest 5cm with magnetite patches.

224.2 – 229.2m Still sediments but more pale green due to a shear in the 226 to 227m interval. A few short Q-F segregations/highly altered intrusion. Bedding vague.

229.2 – 325.6m Sediments well represented as grey to dark grey laminated to thin bedded to medium bedded QcW to subwackes. Start seeing a few quartz veins, some with darker green chlorite/mica alteration zones. Intrusion 246.2-247.2m which is altered with qv. ;246.6-247.1m with magnetite patches; 266.75 – 266.9 last intrusion in hole. Bedding at 55 to 65 then back to 55° deeper in hole. By 263 to 273m to 70°. Bedding less identifiable with depth – at 296m at 30 to 40°; 20 to 25 around 315m; last bedding at 325m at 50 - 60°. No fault zones. Chlorite and mica cross-cutting zones to 10cm with quartz boundaries are interesting but of low overall distribution. 256m 7cm qv with magnetite. 261.2m 5cm Q-chlorite with massive pyrite and chalcopyrite. Not many QV overall.

325.6 – 358.3m Simply more altered section with quartzitic beds silicified and argillaceous intervals pale green, spotted schistose rocks. Transitional sediment Creston to Kitchener? Bedding not recognizable due to metamorphism and structural overprinting. Stretching/shearing at 20 to 40° to ca. No QV.

358.3 – 401m Somewhat arbitrary boundary to more consistently dark grey contact meta sediments of Kitchener? Certainly skarnification starts, particularly below ~375m. Bedding obliterated. Shearing within argillaceous section foliated starting around 374m . 380.5- 383.5m; 399-400.5m strongly foliated argillite at 10° to ca. Skarny patches are silica-epidote-garnet-chlorite. There are only a few narrow qv but there are siliceous zones also. Some disseminated pyrite, minor chalcopyrite, galena, sphalerite.

Analytical Results:

Sample	From	To	Length	Au	Cu	Pb	Zn	Ag
866190	59.0	60.0	1.0m	5.3	3.7	6.3	16	<0.1
866191	60.0	61.0	1.0	62.1	9.2	7.6	4	<0.1
866192	61.0	62.0	1.0	39	23.6	10	13	<0.1

866193	169	170m	1.0m	1.2	3.6	13.1	13	<0.1
866194	170	171	1.0	0.9	0.6	5.1	1.0	<0.1
866195	171	172	1.0	2.3	0.9	7.9	3.0	<0.1
866196	172	173	1.0	1.1	0.8	4.6	4	<0.1
866197	173	174.2	1.2	0.8	0.6	7.7	<1	<0.1

866198	375	376	1.0m	2.8	1.0	1.0	50	<0.1
866199	376	377	“	0.5	0.6	2.6	35	“
866200	377	378	“	1.2	0.8	4.4	39	“
866201	378	379	“	1.3	7.2	2.2	42	“
866202	379	380	“	1.1	12.8	3.0	50	“
866203	380	381	“	<0.5	1.0	2.3	55	“
866204	381	382	“	1.4	24	4.4	43	“
866205	382	383	“	3.9	1.2	1.6	46	“
866206	383	384	“	0.9	1.7	2.1	49	<0.1
866207	384	385	“	<0.5	1.5	3.0	37	“
866208	385	386	“	<0.5	1.1	1.7	45	<0.1
866209	386	387	“	1.0	0.8	2.1	52	“
866210	387	388	“	<0.5	1.2	1.7	55	“
866211	388	389	“	0.9	1.5	1.9	34	“
866212	389	390	1.0m	0.6	2.2	1.6	21	<0.1
866213	390	391	1.0	1.7	1.4	4.0	24	<0.1
866214	391	392	1.0	<0.5	3.5	3.9	21	“
866215	392	393	“	“	0.7	2.0	21	“



866216	393	394	“	“	0.9	1.2	21	“
866217	394	395	“	“	0.8	1.3	21	“
866218	395	396	“	“	27.5	1.4	27	“
866219	396	397	“	“	0.7	1.7	16	<0.1
866220	397	398	“	“	5.4	2.2	21	“
866221	398	399	“	“	6.2	2.0	20	“
866222	399	400m	1.0m	0.6	1.6	3.2	19	<0.1

### **DRILL HOLE GL-08-2**

Location – Above the Angus Creek road at 9.5km. UTM's 0562560E 5488112  
 Started Sept. 18 Completed Sept.19. Length = 91.0 metres.  
 Contractor – Lone Peak Drilling Elevation = 1720m Dip = -80° Azimuth = 270°  
 NQ core stored at the Vine Property in Peavine Creek. Overburden=1.83m  
 Objective – To test the Landing shear zone drilled last year down-dip.

1.83 – 77 m Coarse grained Quartz Monzonite. Get some segregation compositionally over short lengths (<0.5m) of quartz and feldspars. Large, light grey feldspars feldspars and grey quartz in the intrusion. 10 to 15% mafics. Not much structure with low fracture intensity (at 45-60° to ca); at ~70m the intrusion becomes more broken up with a pervasive greenish-yellow coloration due to weathering. Alteration restricted to small sericite zones (of feldspars) proximal to fractures – may be narrow qv associated – examples 20.6-20.9; 25.4-26.10;35.78-36.10;43.5-43.6;47.6-47.9;55-55.6;57.9-58.7m. Minor pyrite in some alteration zones.

77.0 – 88.6m Shear Zone in Quartz Monzonite – only rubble recovered. Less than 50% recovery with 77 to 80m yielding ~1.2m of qv material. Hangingwall alteration is moderate back to ~70m ; footwall alteration is more intense, extending down to about 88.5m. Shear known to be high angle, east-dipping.Green sericitization of the plagioclase feldspars. Microcline fresher. Quartz vein not overly sulphidic but such poor recovery. Limonite stainingb widespread, more developed in fractured intrusion.

88.6 – 91.0m Quartz monzonite to granodiorite – fresher, medium to coarse crystalline. Only modest fracturing, a large proportion of which have limonite and muscovite coatings and greenish feldspars. Limonite on fracture, no sulphides.

EOH

Analyses:

Sample	From	To	Length	Au	Cu	Pb	Zn	Ag
866223	74	75m	1.0m	10.2	3.2	26.5	50	0.2
866224	75	76	“	11.1	4.7	23.4	52	0.2
866225	76	77	“	13.7	10.1	94.8	61	0.3
866226	77	77.8	0.8m	74.6	124.4	1131	173	1.1
866227	77.8	80.4	2.6	197	65.1	489.1	61	3.3

866228	80.4	81.4	1.0	22.8	43.4	266.7	130	0.4
866229	81.4	82.0	0.6	1.4	20.2	22.1	169	0.6
866230	82	83	1.0	4.4	38.9	34.4	71	0.4
866231	83	84	1.0	3.2	75	35	86	0.2
866232	84	85	1.0	1.8	16.6	11.7	38	0.1
866233	85	86.6	1.6	2.1	82.2	54.8	126	0.3

### DRILL HOLE GL-08-3

Location - Above the Angus Creek road at 9.5km. UTM's 0562574E 5487963N

Started Sept.19 Completed Sept.20. Length=70.5m

Contractor - Lone Peak Drilling Elevation=1705m Dip -45° Azimuth= 090°

NQ score stored at the Vine Property in Peavine Creek. Overburden=1.7m

Objective - To test east of the trench for more shearing and quartz veining.

1.70 - 49.0m Sediments - Creston Fm. Grey, f.g. quartzitic wackes to quartz wackes. Metamorphically spotted with micas with paler alteration rims. Minor intervals of f.g. intrusion (4.7-5.2; 12.2-12.5; 26.7-27.2; 42.8-43.5) Some f.g. alteration phases as well. Bedding present but not generally obvious - visible as 50 to 60° to ca. Started hole in trenched shear zone - cored was rubble from 1.5 to 4.5m with excessive core loss; 4.7-5.2 m intrusion then fractured sediment to 7.5m with limonitic fractures. Small xc intrusive phases. Probable shear 43.5 to 44m with rubble and sheared sed at 50° to ca. Spotting due to mica clotting. Small amount of qv recovered around 3.5 - 4.0m with pyrite. 42.8-45.0m fracture zone (shear probable) with intrusion then limonite on fractures.

49.0 - 70.5m First 20cm is foliated/sheared argillite then altered intrusion and sediment 49.2 - 53.3m then sheared dark argillite 53.3 to 54.35m then altered intrusion to ~58.5m then fresher granodiorite below to 70.5m. Coarse-grained intrusion with large microcline crystals. Mixture of two sediment types and intrusion along a sheared altered contact. Altered intrusion from 49-51.2m is mostly white albite then spotted, altered sediment as above in hole then white, altered intrusion with pyrite and vugs. Only a minor amount of true qv. Pyrite and limonite after it are present within the altered intrusion but not in the quartzite or argillite.


EOH

Analyses:


Sample	From	To	Length	Au	CU	Pb	Zn	Ag
866234	1.7	4.7	3.0m	9.8	118.1	3336.8	235	2.2
866235	4.7	5.2	0.5m	0.6	43.6	161.4	122	1.7
866236	5.2	6.2	1.0m	0.9	13.7	60.1	77	0.3

866237	42.8	43.5	0.7m	13.4	113.3	163.9	453	2.0
--------	------	------	------	------	-------	-------	-----	-----


866238	43.5	45.0	1.5m	29.1	76	418.4	233	1.5
866239	49	51.2	2.2m	41.9	10.9	106.2	51	0.3
866240	51.2	52.2	1.0m	22.1	10.5	14.9	35	<0.1
866241	52.2	53.3	1.1	59.1	4.4	39.7	34	1.1
866242	53.3	54.35	1.05	2.9	14.2	3.2	171	0.1
866243	54.35	54.85	0.5m	4.5	16.8	5.4	49	0.2
866244	54.85	55.85	1.0	112.3	23.7	109.6	29	0.4
866245	55.85	56.85	1.0	7.7	30.7	326.3	57	0.4
866246	56.85	57.6	0.75	57.6	276.5	1553	895	0.6
866247	57.6	58.5	0.9	234.1	15.4	108.6	58	0.5



<b>GAR PROPERTY</b>	
<b>Drill Hole Section – GL-08-1</b>	
BCGS: 082F060	FIGURE: 6
SCALE: 1:2000	



<b>GAR PROPERTY</b>	
<b>Drill Hole Section – GL-08-2</b>	
BCGS: 082F060	FIGURE: 7
SCALE: 1:500	



<b>GAR PROPERTY</b>	
<b>Drill Hole Section – GL-08-3</b>	
BCGS: 082F060	FIGURE: 8
SCALE: 1:500	





ACME ANALYTICAL LABORATORIES LTD.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Ruby Red Resources Inc.

301 - 8th St. South  
Cranbrook BC VIC 1P2 Canada

Submitted By: D.L. Pighin  
Receiving Lab: Canada-Vancouver  
Received: October 02, 2008  
Report Date: October 10, 2008  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

VAN08009921.1

### CLIENT JOB INFORMATION

Project: ZEUS/GARLEADER  
Shipment ID:  
P.O. Number  
Number of Samples:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	75	Crush split and pulverize drill core to 200 mesh		
1DX	75	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

### SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ruby Red Resources Inc.  
301 - 8th St. South  
Cranbrook BC VIC 1P2  
Canada

CC: Dawn E. Wonous



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

301 - 8th St. South  
Cranbrook BC VIC 1P2 Canada

Project: ZEUS/GARLEADER

Report Date: October 10, 2008

Page: 2 of 4 Part 1

VAN08009921.1

Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
81854	Drill Core	1.84	1.2	24.7	9.7	23	<0.1	20.6	21.9	168	2.40	6.7	1.4	2.9	13.8	10	<0.1	0.1	0.7	19	0.08
81855	Drill Core	2.98	1.7	5.5	3.0	7	<0.1	20.2	30.9	172	1.83	14.2	0.7	15.3	8.2	19	<0.1	0.1	0.5	<2	0.42
81856	Drill Core	3.08	1.3	2.8	5.3	3	<0.1	19.7	36.9	77	1.48	12.2	0.4	5.2	9.6	14	<0.1	0.1	0.7	2	0.63
81857	Drill Core	2.88	0.6	1.7	5.9	3	<0.1	18.1	28.9	108	1.44	9.9	0.4	2.3	10.5	31	<0.1	0.1	0.4	<2	1.18
81858	Drill Core	3.40	0.8	2.6	22.2	6	<0.1	29.0	36.6	222	2.40	21.1	0.5	4.5	10.1	63	0.1	<0.1	0.8	<2	2.23
81859	Drill Core	3.32	0.5	0.8	22.8	6	<0.1	11.0	6.9	206	1.05	10.1	0.3	3.9	6.4	62	0.1	<0.1	0.2	<2	2.01
81860	Drill Core	2.65	0.7	2.0	49.7	8	0.1	12.6	15.0	163	1.23	77.9	1.6	25.0	7.8	59	<0.1	0.6	0.2	2	1.46
81861	Drill Core	2.24	1.0	24.2	342.5	120	1.0	13.5	39.1	181	1.58	1504	1.4	190.5	1.4	67	1.0	18.6	1.0	2	1.06
81862	Drill Core	1.73	0.8	2.5	83.5	25	0.3	22.1	79.4	511	3.01	17.5	1.3	13.9	0.9	38	0.2	0.6	0.8	2	1.93
81863	Drill Core	1.73	1.4	6.0	85.0	47	0.4	60.6	143.4	97	1.94	200.0	6.6	42.7	1.5	5	0.4	2.2	1.7	<2	0.17
81864	Drill Core	2.33	1.3	3.1	11.4	4	0.1	62.6	162.9	124	2.31	15.9	5.1	12.1	0.5	9	<0.1	0.3	1.2	<2	0.43
81865	Drill Core	2.09	0.8	2.3	8.9	3	<0.1	37.6	105.9	52	1.83	8.9	4.4	6.3	0.3	7	<0.1	0.2	0.9	<2	0.33
81866	Drill Core	2.33	0.7	2.2	4.3	2	<0.1	23.6	78.9	79	1.57	8.1	4.4	8.3	0.6	6	<0.1	0.2	0.6	<2	0.42
81867	Drill Core	2.14	1.4	2.9	7.5	3	<0.1	30.5	82.0	58	1.84	10.3	7.6	11.3	1.5	4	<0.1	0.1	0.9	<2	0.24
81868	Drill Core	2.07	1.4	1.0	2.4	5	<0.1	16.6	35.8	127	1.02	4.0	3.5	4.6	2.6	6	<0.1	<0.1	0.3	<2	0.85
81869	Drill Core	2.45	0.3	0.8	2.6	3	<0.1	42.3	160.3	404	5.03	2.7	0.6	5.3	3.0	16	<0.1	0.2	1.2	<2	2.99
81870	Drill Core	1.61	0.3	0.5	2.4	3	<0.1	39.4	118.3	667	4.71	2.9	0.5	5.3	2.4	22	<0.1	0.1	0.9	2	4.45
866190	Drill Core	2.38	<0.1	3.7	6.3	16	<0.1	1.3	2.8	722	0.90	<0.5	3.4	5.3	6.8	73	<0.1	0.2	<0.1	6	1.36
866191	Drill Core	2.30	0.2	9.2	7.6	4	<0.1	1.4	2.7	849	0.66	<0.5	7.4	62.1	4.5	172	<0.1	<0.1	0.1	<2	2.35
866192	Drill Core	2.30	0.2	23.6	10.0	13	<0.1	3.1	3.8	711	0.89	<0.5	9.2	39.0	4.9	135	<0.1	<0.1	0.1	7	1.84
866193	Drill Core	2.76	0.2	3.6	13.1	13	<0.1	1.8	1.7	317	0.66	<0.5	14.7	1.2	6.6	27	<0.1	<0.1	<0.1	7	0.41
866194	Drill Core	2.39	0.1	0.6	5.1	1	<0.1	0.9	0.7	90	0.15	<0.5	17.0	0.9	3.8	12	<0.1	<0.1	<0.1	<2	0.25
866195	Drill Core	2.06	0.3	0.9	7.9	3	<0.1	1.3	0.9	112	0.53	<0.5	27.0	2.3	3.8	11	<0.1	<0.1	0.1	<2	0.22
866196	Drill Core	2.69	0.1	0.8	4.6	4	<0.1	0.6	0.7	106	0.15	<0.5	23.6	1.1	4.1	5	<0.1	<0.1	<0.1	<2	0.11
866197	Drill Core	2.40	0.1	0.6	7.7	<1	<0.1	0.8	0.3	59	0.16	<0.5	16.7	0.8	4.0	7	<0.1	<0.1	<0.1	<2	0.14
866198	Drill Core	2.52	<0.1	1.0	1.0	50	<0.1	20.8	12.6	482	2.26	0.9	1.7	2.8	11.4	10	<0.1	<0.1	0.1	16	0.14
866199	Drill Core	2.05	0.2	0.6	2.6	35	<0.1	16.3	8.2	442	1.54	0.9	1.0	0.5	7.2	10	<0.1	<0.1	0.2	14	0.40
866200	Drill Core	2.03	0.2	0.8	4.4	39	<0.1	15.4	9.6	601	1.22	0.7	0.9	1.2	7.1	14	<0.1	<0.1	0.1	14	0.66
866201	Drill Core	2.65	0.2	7.2	2.2	42	<0.1	16.8	9.8	723	1.84	0.6	0.8	1.3	7.4	12	<0.1	<0.1	<0.1	17	0.24
866202	Drill Core	2.42	1.6	12.8	3.0	50	<0.1	20.6	10.0	725	2.77	1.2	1.3	1.1	11.0	14	<0.1	<0.1	0.4	29	0.15



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

301 - 8th St. South

Cranbrook BC VIC 1P2 Canada

Project:

ZEUS/GARLEADER

Report Date:

October 10, 2008

Page:

2 of 4

Part 2

VAN08009921.1

Method	Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
MDL			%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
81854	Drill Core		0.022	13	21	0.28	28	0.003	<20	0.77	0.033	0.14	<0.1	<0.01	2.3	<0.1	0.25	3	<0.5
81855	Drill Core		0.024	7	4	0.33	12	<0.001	<20	0.16	0.010	0.13	<0.1	<0.01	1.3	<0.1	1.23	<1	<0.5
81856	Drill Core		0.017	4	5	0.30	11	<0.001	<20	0.19	0.004	0.15	0.1	<0.01	0.7	<0.1	1.27	<1	<0.5
81857	Drill Core		0.013	3	3	0.57	7	<0.001	<20	0.14	0.004	0.12	0.1	<0.01	0.8	<0.1	1.15	<1	<0.5
81858	Drill Core		0.019	2	4	1.15	7	<0.001	<20	0.15	0.004	0.13	0.2	<0.01	1.4	<0.1	1.82	<1	<0.5
81859	Drill Core		0.010	7	4	1.01	6	<0.001	<20	0.12	0.003	0.10	0.1	<0.01	0.9	<0.1	0.39	<1	<0.5
81860	Drill Core		0.010	5	3	0.70	10	<0.001	<20	0.15	0.004	0.13	0.2	<0.01	1.2	<0.1	0.73	<1	<0.5
81861	Drill Core		0.022	3	7	0.51	8	<0.001	<20	0.10	0.002	0.05	0.1	0.06	1.4	<0.1	1.18	<1	0.6
81862	Drill Core		0.030	1	6	1.13	7	<0.001	<20	0.08	0.002	0.06	0.1	<0.01	2.6	<0.1	1.89	<1	1.3
81863	Drill Core		0.014	9	8	0.13	4	<0.001	<20	0.07	0.006	0.03	0.1	<0.01	0.9	<0.1	1.64	<1	<0.5
81864	Drill Core		0.051	7	12	0.17	4	<0.001	<20	0.07	0.002	0.05	<0.1	<0.01	1.0	<0.1	2.13	<1	1.0
81865	Drill Core		0.036	3	10	0.13	3	<0.001	<20	0.05	0.002	0.03	<0.1	<0.01	0.4	<0.1	1.74	<1	0.8
81866	Drill Core		0.018	4	8	0.20	5	<0.001	<20	0.08	0.003	0.05	<0.1	<0.01	0.7	<0.1	1.39	<1	0.8
81867	Drill Core		0.025	5	11	0.09	7	<0.001	<20	0.11	0.004	0.09	<0.1	<0.01	0.7	<0.1	1.73	<1	1.1
81868	Drill Core		0.012	7	12	0.47	11	<0.001	<20	0.12	0.005	0.11	0.2	<0.01	1.7	<0.1	0.69	<1	<0.5
81869	Drill Core		0.007	1	5	1.59	13	<0.001	<20	0.09	0.005	0.09	<0.1	<0.01	1.8	<0.1	4.71	<1	1.2
81870	Drill Core		0.004	<1	5	2.29	12	<0.001	<20	0.09	0.006	0.09	<0.1	<0.01	2.8	<0.1	3.70	<1	0.8
866190	Drill Core		0.065	13	4	0.18	408	0.008	<20	0.33	0.016	0.18	<0.1	<0.01	1.0	<0.1	0.07	1	<0.5
866191	Drill Core		0.058	7	3	0.09	575	0.002	<20	0.20	0.017	0.19	0.1	<0.01	0.6	<0.1	0.44	<1	<0.5
866192	Drill Core		0.047	7	4	0.13	531	0.017	<20	0.33	0.020	0.22	0.1	<0.01	1.0	0.1	0.38	1	<0.5
866193	Drill Core		0.022	6	7	0.15	80	0.028	<20	0.37	0.036	0.19	<0.1	<0.01	0.9	<0.1	0.14	2	<0.5
866194	Drill Core		0.013	2	3	0.02	9	0.001	<20	0.14	0.020	0.07	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5
866195	Drill Core		0.016	2	4	0.02	6	0.002	<20	0.17	0.033	0.10	<0.1	<0.01	0.3	<0.1	0.36	<1	<0.5
866196	Drill Core		0.011	3	4	0.03	7	0.004	<20	0.14	0.020	0.08	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5
866197	Drill Core		0.012	2	6	0.01	6	0.001	<20	0.14	0.020	0.10	<0.1	<0.01	0.3	<0.1	0.05	<1	<0.5
866198	Drill Core		0.043	16	19	1.03	97	0.132	<20	1.38	0.007	1.18	0.2	<0.01	1.0	0.7	<0.05	3	<0.5
866199	Drill Core		0.039	10	20	0.72	82	0.095	<20	1.01	0.009	0.83	0.1	<0.01	1.1	0.4	<0.05	3	<0.5
866200	Drill Core		0.042	10	24	0.80	71	0.082	<20	0.98	0.017	0.46	<0.1	<0.01	1.8	0.2	<0.05	3	<0.5
866201	Drill Core		0.037	10	22	0.94	90	0.095	<20	1.23	0.014	0.79	<0.1	<0.01	1.4	0.4	<0.05	3	<0.5
866202	Drill Core		0.051	13	20	1.35	106	0.129	<20	1.63	0.009	1.42	<0.1	<0.01	1.4	0.9	0.43	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

301 - 8th St. South  
Cranbrook BC VIC 1P2 Canada

Project: **ZEUS/GARLEADER**

Report Date: **October 10, 2008**

Page: 3 of 4 Part 1

**VAN08009921.1**

Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
866203	Drill Core	2.68	0.2	1.0	2.3	55	<0.1	21.3	11.7	833	2.67	0.6	1.3	<0.5	12.7	21	<0.1	<0.1	<0.1	23	0.20
866204	Drill Core	2.57	1.6	24.0	4.4	43	<0.1	22.3	13.4	665	2.42	0.6	0.9	1.4	11.5	16	<0.1	<0.1	0.2	17	0.20
866205	Drill Core	2.13	0.1	1.2	1.6	46	<0.1	20.7	11.5	560	2.23	0.6	1.3	3.9	11.3	13	<0.1	<0.1	0.2	16	0.28
866206	Drill Core	2.30	0.2	1.7	2.1	49	<0.1	20.8	13.2	551	2.48	0.9	1.5	0.9	12.4	25	<0.1	<0.1	<0.1	17	0.28
866207	Drill Core	2.18	0.2	1.5	3.0	37	<0.1	13.2	8.7	614	1.51	0.9	0.8	<0.5	6.8	45	<0.1	<0.1	<0.1	16	0.53
866208	Drill Core	2.00	0.2	1.1	1.7	45	<0.1	18.1	11.5	632	2.17	0.8	1.4	<0.5	9.9	115	<0.1	<0.1	0.2	17	0.79
866209	Drill Core	2.42	<0.1	0.8	2.1	52	<0.1	21.6	13.6	599	2.25	1.3	1.8	1.0	12.7	24	<0.1	<0.1	0.1	19	0.28
866210	Drill Core	2.20	0.2	1.2	1.7	55	<0.1	21.9	14.7	509	2.48	1.1	1.8	<0.5	13.7	11	<0.1	<0.1	0.1	14	0.39
866211	Drill Core	2.72	0.1	1.5	1.9	34	<0.1	13.4	8.3	671	1.50	1.0	1.1	0.9	7.1	526	<0.1	<0.1	0.3	10	0.85
866212	Drill Core	2.34	0.5	2.2	1.6	21	<0.1	5.4	3.7	945	0.67	1.0	0.6	0.6	1.7	640	<0.1	0.1	0.6	5	1.00
866213	Drill Core	1.98	0.2	1.4	4.0	24	<0.1	7.1	7.0	729	1.07	0.8	1.0	1.7	5.7	54	<0.1	<0.1	0.6	5	1.42
866214	Drill Core	2.25	0.3	3.5	3.9	21	<0.1	7.1	4.9	439	0.89	0.8	0.7	<0.5	6.0	49	<0.1	0.1	0.1	4	0.65
866215	Drill Core	2.22	0.1	0.7	2.0	21	<0.1	11.1	5.3	495	1.30	0.7	0.6	<0.5	6.3	22	<0.1	<0.1	<0.1	11	0.43
866216	Drill Core	2.34	0.2	0.9	1.2	21	<0.1	7.7	4.7	586	1.10	0.9	0.6	<0.5	4.4	22	<0.1	<0.1	<0.1	10	0.50
866217	Drill Core	2.32	0.1	0.8	1.3	21	<0.1	13.3	6.3	419	1.41	0.8	0.7	<0.5	7.1	18	<0.1	<0.1	<0.1	13	0.43
866218	Drill Core	2.20	124.5	27.5	1.4	27	<0.1	9.9	7.6	416	1.90	0.9	0.7	<0.5	6.8	17	<0.1	<0.1	0.2	9	0.52
866219	Drill Core	2.12	0.2	0.7	1.7	16	<0.1	4.8	4.6	198	0.76	0.6	0.7	<0.5	6.7	22	<0.1	<0.1	<0.1	3	0.38
866220	Drill Core	2.14	0.5	5.4	2.2	21	<0.1	7.9	6.4	176	0.95	<0.5	1.3	<0.5	11.0	14	<0.1	<0.1	<0.1	7	0.19
866221	Drill Core	2.03	0.1	6.2	2.0	20	<0.1	8.6	4.7	140	0.83	<0.5	0.9	<0.5	9.7	15	<0.1	<0.1	<0.1	6	0.14
866222	Drill Core	2.49	0.3	1.6	3.2	19	<0.1	7.8	6.3	161	0.81	<0.5	1.6	0.6	10.7	20	<0.1	<0.1	<0.1	5	0.23
866223	Drill Core	2.01	0.2	3.2	26.5	50	0.2	1.4	1.8	445	0.98	<0.5	5.2	10.2	8.2	34	0.5	0.2	<0.1	22	0.19
866224	Drill Core	1.98	0.2	4.7	23.4	52	0.2	1.6	2.4	527	1.05	0.6	3.2	11.1	7.9	40	0.8	0.3	<0.1	19	0.16
866225	Drill Core	1.80	0.2	10.1	94.8	61	0.3	1.4	1.5	460	0.69	0.5	2.6	13.7	8.2	25	1.0	0.2	<0.1	12	0.14
866226	Drill Core	1.00	1.0	124.4	1131	173	1.1	1.1	1.1	1006	0.72	0.8	4.1	74.6	8.5	37	0.4	0.7	<0.1	5	0.30
866227	Drill Core	2.78	10.1	65.1	489.1	61	3.3	1.0	1.6	231	0.64	2.2	3.5	197.0	1.4	20	0.2	4.5	0.4	3	0.04
866228	Drill Core	2.07	0.5	43.4	266.7	130	0.4	1.5	1.7	957	0.55	1.4	3.6	22.8	9.4	44	4.1	0.6	<0.1	3	0.26
866229	Drill Core	1.32	0.3	20.2	22.1	169	0.6	1.8	1.2	477	1.33	0.6	2.3	1.4	9.1	63	2.6	0.5	<0.1	18	0.30
866230	Drill Core	2.10	0.2	38.9	34.4	71	0.4	1.4	2.5	410	1.12	0.8	2.3	4.4	6.8	50	1.1	0.6	<0.1	19	0.20
866231	Drill Core	2.07	0.3	75.0	35.0	86	0.2	1.3	3.4	595	0.95	1.4	2.2	3.2	5.6	41	1.5	1.0	0.1	11	0.16
866232	Drill Core	2.11	0.2	16.6	11.7	38	0.1	0.8	1.4	354	0.63	0.7	1.6	1.8	4.0	25	1.3	0.4	<0.1	8	0.11

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

301 - 8th St. South

Cranbrook BC VIC 1P2 Canada

Project:

ZEUS/GARLEADER

Report Date:

October 10, 2008

Page:

3 of 4

Part 2

VAN08009921.1

Method	Analyte	Unit	MDL	1DX P	1DX La	1DX Cr	1DX Mg	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX Tl	1DX S	1DX Ga	1DX Se
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
				0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
866203	Drill Core			0.049	15	27	1.33	102	0.141	<20	1.70	0.014	1.34	<0.1	<0.01	1.5	0.8	<0.05	5	<0.5
866204	Drill Core			0.046	19	18	1.07	88	0.113	<20	1.42	0.008	1.13	<0.1	<0.01	1.1	0.6	0.13	4	<0.5
866205	Drill Core			0.047	19	21	1.03	85	0.121	<20	1.36	0.009	1.10	<0.1	<0.01	1.1	0.6	<0.05	4	<0.5
866206	Drill Core			0.042	19	20	1.19	195	0.120	<20	1.69	0.013	1.39	<0.1	<0.01	1.6	0.7	<0.05	4	<0.5
866207	Drill Core			0.029	15	22	0.82	71	0.061	<20	1.15	0.020	0.60	<0.1	<0.01	1.8	0.3	<0.05	3	<0.5
866208	Drill Core			0.042	12	20	0.97	117	0.118	<20	1.37	0.012	1.00	<0.1	<0.01	1.6	0.6	<0.05	4	<0.5
866209	Drill Core			0.044	26	25	1.09	108	0.165	<20	1.48	0.016	1.18	<0.1	<0.01	1.7	0.6	<0.05	4	<0.5
866210	Drill Core			0.048	30	19	1.15	100	0.166	<20	1.56	0.009	1.37	0.1	<0.01	1.2	0.8	<0.05	3	<0.5
866211	Drill Core			0.035	18	17	0.69	257	0.072	<20	0.94	0.011	0.70	<0.1	<0.01	1.2	0.4	0.07	2	<0.5
866212	Drill Core			0.030	4	13	0.36	24	0.020	<20	0.49	0.005	0.08	<0.1	<0.01	1.1	<0.1	0.13	1	<0.5
866213	Drill Core			0.032	14	10	0.43	91	0.016	<20	0.54	0.006	0.29	<0.1	<0.01	1.1	0.1	<0.05	1	<0.5
866214	Drill Core			0.028	15	11	0.33	90	0.010	<20	0.45	0.005	0.27	0.1	<0.01	1.0	0.1	<0.05	1	<0.5
866215	Drill Core			0.032	13	17	0.57	71	0.051	<20	0.78	0.014	0.53	<0.1	<0.01	1.7	0.3	<0.05	3	<0.5
866216	Drill Core			0.027	10	16	0.53	49	0.038	<20	0.72	0.012	0.36	<0.1	<0.01	1.5	0.2	<0.05	2	<0.5
866217	Drill Core			0.034	18	19	0.60	76	0.067	<20	0.93	0.014	0.64	<0.1	<0.01	1.6	0.4	<0.05	3	<0.5
866218	Drill Core			0.050	22	16	0.48	69	0.059	<20	0.74	0.007	0.57	0.2	<0.01	1.1	0.3	0.61	2	0.7
866219	Drill Core			0.016	16	8	0.29	50	0.036	<20	0.59	0.019	0.36	0.1	<0.01	0.9	0.2	<0.05	1	<0.5
866220	Drill Core			0.008	25	11	0.39	138	0.061	<20	0.69	0.020	0.55	<0.1	<0.01	1.1	0.3	<0.05	2	<0.5
866221	Drill Core			0.009	22	12	0.32	128	0.043	<20	0.57	0.021	0.41	<0.1	<0.01	1.0	0.2	<0.05	1	<0.5
866222	Drill Core			0.012	24	10	0.38	138	0.043	<20	0.65	0.020	0.48	0.1	<0.01	0.9	0.2	<0.05	1	<0.5
866223	Drill Core			0.043	16	5	0.21	111	0.026	<20	0.59	0.048	0.23	0.8	<0.01	1.7	<0.1	<0.05	2	<0.5
866224	Drill Core			0.038	19	6	0.17	140	0.022	<20	0.55	0.038	0.26	5.3	<0.01	1.1	<0.1	<0.05	2	<0.5
866225	Drill Core			0.037	20	3	0.11	114	0.010	<20	0.47	0.040	0.22	5.1	0.02	1.1	<0.1	<0.05	2	<0.5
866226	Drill Core			0.045	22	2	0.15	88	<0.001	<20	0.79	0.015	0.22	8.2	0.04	1.0	<0.1	<0.05	1	<0.5
866227	Drill Core			0.014	3	9	<0.01	284	<0.001	<20	0.09	0.004	0.08	54.3	0.10	0.3	<0.1	<0.05	<1	<0.5
866228	Drill Core			0.060	24	2	0.08	209	<0.001	<20	0.51	0.004	0.26	6.4	0.04	1.1	<0.1	<0.05	1	<0.5
866229	Drill Core			0.050	11	5	0.19	1990	0.011	<20	0.97	0.026	0.23	1.7	0.01	1.7	0.1	<0.05	3	<0.5
866230	Drill Core			0.045	16	5	0.16	1310	0.021	<20	0.54	0.045	0.24	0.7	<0.01	1.4	<0.1	<0.05	2	<0.5
866231	Drill Core			0.047	12	4	0.11	895	0.007	<20	0.45	0.034	0.20	2.7	0.01	0.9	<0.1	<0.05	2	<0.5
866232	Drill Core			0.030	9	6	0.11	287	0.006	<20	0.37	0.032	0.17	0.4	<0.01	0.7	<0.1	<0.05	1	<0.5

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

301 - 8th St. South

Cranbrook BC VIC 1P2 Canada

Project:

ZEUS/GARLEADER

Report Date:

October 10, 2008

Page:

4 of 4

Part 1

VAN08009921.1

Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
866233	Drill Core	3.68	0.2	82.2	54.8	126	0.3	1.4	1.9	452	0.97	0.8	1.9	2.1	7.0	35	1.7	0.5	<0.1	17	0.18
866234	Drill Core	4.11	0.6	118.1	336.8	235	2.2	3.2	3.2	380	0.61	2.3	2.8	9.8	9.5	7	0.6	3.4	<0.1	<2	0.05
866235	Drill Core	1.41	0.2	43.6	161.4	122	1.7	2.0	1.3	266	0.36	0.9	3.4	0.6	6.6	6	0.4	1.0	0.1	<2	0.07
866236	Drill Core	2.02	0.3	13.7	60.1	77	0.3	5.4	2.9	202	0.64	0.5	1.9	0.9	9.7	4	1.0	0.5	<0.1	4	0.04
866237	Drill Core	1.38	0.1	113.3	163.9	453	2.0	2.6	1.1	74	0.34	0.7	3.7	13.4	6.6	10	0.2	0.9	0.1	<2	0.08
866238	Drill Core	2.17	0.7	76.0	418.4	233	1.5	5.4	3.9	832	0.99	1.4	4.2	29.1	11.5	11	1.0	2.7	<0.1	5	0.04
866239	Drill Core	4.28	0.3	10.9	106.2	51	0.3	17.4	3.0	598	0.95	0.5	3.8	41.9	12.6	21	0.3	0.6	0.2	14	0.27
866240	Drill Core	2.43	0.2	10.5	14.9	35	<0.1	14.7	5.6	183	1.53	<0.5	4.0	22.1	10.8	11	0.1	0.2	0.2	15	0.03
866241	Drill Core	1.89	0.7	4.4	39.7	34	1.1	14.3	4.6	246	1.72	<0.5	20.1	59.1	14.1	162	0.2	0.5	1.2	9	0.33
866242	Drill Core	2.94	0.5	14.2	3.2	171	0.1	390.8	31.1	3330	7.14	<0.5	17.2	2.9	2.1	51	0.5	1.2	0.6	219	0.79
866243	Drill Core	1.12	0.2	16.8	5.4	49	0.2	29.0	7.4	535	1.72	<0.5	4.9	4.5	11.2	54	0.4	0.7	<0.1	33	0.42
866244	Drill Core	2.30	0.4	23.7	109.6	29	0.4	4.8	1.6	815	0.74	<0.5	2.7	112.3	8.2	29	0.3	0.7	<0.1	8	0.19
866245	Drill Core	1.97	0.4	30.7	326.3	57	0.4	4.0	2.4	806	1.02	<0.5	4.1	7.7	10.8	29	0.5	1.4	<0.1	15	0.19
866246	Drill Core	1.88	1.0	276.5	1553	895	0.6	2.5	3.2	823	1.48	0.8	12.2	57.6	10.1	36	1.1	6.2	1.1	72	0.27
866247	Drill Core	2.15	0.4	15.4	108.6	58	0.5	1.6	2.9	871	1.22	<0.5	3.3	234.1	11.2	31	0.9	0.8	<0.1	16	0.22



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

301 - 8th St. South  
 Cranbrook BC VIC 1P2 Canada

Project: ZEUS/GARLEADER

Report Date: October 10, 2008

Page: 4 of 4 Part 2

VAN08009921.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
866233	Drill Core	0.044	17	4	0.20	237	0.020	<20	0.60	0.044	0.25	0.9	<0.01	1.3	<0.1	<0.05	2	<0.5
866234	Drill Core	0.009	31	9	0.09	73	0.008	<20	0.43	0.020	0.18	1.0	0.07	1.3	<0.1	<0.05	1	<0.5
866235	Drill Core	0.012	8	2	0.03	55	0.001	<20	0.28	0.033	0.13	0.1	0.08	0.6	<0.1	<0.05	<1	<0.5
866236	Drill Core	0.008	28	9	0.11	64	0.015	<20	0.40	0.027	0.21	0.1	0.02	0.9	<0.1	<0.05	<1	<0.5
866237	Drill Core	0.009	8	4	0.05	29	0.002	<20	0.35	0.027	0.14	0.4	0.07	0.7	<0.1	<0.05	<1	<0.5
866238	Drill Core	0.011	33	8	0.13	210	0.014	<20	0.46	0.020	0.28	2.8	0.08	1.3	0.1	<0.05	1	<0.5
866239	Drill Core	0.116	35	12	0.24	149	0.026	<20	0.60	0.057	0.32	6.7	0.01	2.4	0.2	<0.05	2	<0.5
866240	Drill Core	0.008	26	19	0.37	354	0.075	<20	0.72	0.049	0.57	0.5	<0.01	2.1	0.3	<0.05	3	0.6
866241	Drill Core	0.168	32	11	0.18	1312	0.009	<20	0.55	0.065	0.25	2.7	0.01	2.1	0.1	0.25	2	<0.5
866242	Drill Core	0.205	8	360	4.18	1204	0.315	<20	3.72	0.016	2.79	0.9	<0.01	13.0	2.7	0.13	24	<0.5
866243	Drill Core	0.112	29	30	0.59	247	0.093	<20	1.07	0.033	0.52	0.2	<0.01	2.7	0.4	<0.05	4	<0.5
866244	Drill Core	0.068	18	5	0.08	259	0.008	<20	0.41	0.028	0.23	6.9	<0.01	1.0	<0.1	<0.05	1	<0.5
866245	Drill Core	0.062	26	5	0.13	183	0.013	<20	0.51	0.033	0.25	5.4	<0.01	1.1	0.1	<0.05	2	<0.5
866246	Drill Core	0.076	24	5	0.09	151	0.001	<20	0.52	0.021	0.19	16.7	0.64	0.9	<0.1	<0.05	2	<0.5
866247	Drill Core	0.083	28	6	0.12	232	0.010	<20	0.55	0.038	0.26	7.0	<0.01	1.3	<0.1	<0.05	2	<0.5

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

301 - 8th St. South  
Cranbrook BC VIC 1P2 Canada

Project: ZEUS/GARLEADER

Report Date: October 10, 2008

Page: 1 of 1 Part 1

VAN08009921.1

Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
866195	Drill Core	2.06	0.3	0.9	7.9	3	<0.1	1.3	0.9	112	0.53	<0.5	27.0	2.3	3.8	11	<0.1	<0.1	0.1	<2	0.22
REP 866195	QC		0.2	1.0	7.8	3	<0.1	1.5	1.0	114	0.53	<0.5	28.1	1.1	4.0	11	<0.1	<0.1	<0.1	<2	0.22
866222	Drill Core	2.49	0.3	1.6	3.2	19	<0.1	7.8	6.3	161	0.81	<0.5	1.6	0.6	10.7	20	<0.1	<0.1	<0.1	5	0.23
REP 866222	QC		0.2	1.2	3.1	21	0.1	7.6	5.6	158	0.79	<0.5	1.6	<0.5	10.2	19	<0.1	<0.1	<0.1	4	0.23
866243	Drill Core	1.12	0.2	16.8	5.4	49	0.2	29.0	7.4	535	1.72	<0.5	4.9	4.5	11.2	54	0.4	0.7	<0.1	33	0.42
REP 866243	QC		0.2	19.5	6.0	55	0.2	30.2	7.9	600	1.81	<0.5	5.4	17.6	12.4	60	0.3	0.8	<0.1	32	0.48
Core Reject Duplicates																					
866202	Drill Core	2.42	1.6	12.8	3.0	50	<0.1	20.6	10.0	725	2.77	1.2	1.3	1.1	11.0	14	<0.1	<0.1	0.4	29	0.15
DUP 866202	QC		1.6	14.5	3.2	53	<0.1	21.0	11.3	758	2.80	1.3	1.2	<0.5	11.7	15	<0.1	<0.1	0.5	29	0.16
866237	Drill Core	1.38	0.1	113.3	163.9	453	2.0	2.6	1.1	74	0.34	0.7	3.7	13.4	6.6	10	0.2	0.9	0.1	<2	0.08
DUP 866237	QC		0.2	103.4	127.4	379	1.9	2.4	1.0	61	0.35	0.6	3.3	3.1	6.4	9	0.1	0.7	<0.1	<2	0.08
Reference Materials																					
STD DS7	Standard		21.1	117.5	78.6	396	0.9	61.1	9.5	661	2.38	54.3	5.4	61.0	5.3	69	6.2	4.7	4.7	79	0.93
STD DS7	Standard		21.3	107.0	76.7	385	0.9	55.8	9.0	626	2.33	45.0	5.1	101.4	4.4	66	6.1	4.8	5.0	78	0.87
STD DS7	Standard		21.4	120.3	75.5	412	0.8	59.8	9.8	647	2.48	51.4	4.9	58.2	4.6	76	6.3	5.8	4.8	78	0.97
STD DS7	Standard		20.2	120.3	71.0	398	0.8	55.8	9.8	637	2.39	54.6	4.9	58.1	4.6	71	5.9	5.2	4.4	75	0.95
STD DS7	Standard		20.3	110.5	66.8	401	0.9	55.8	9.7	605	2.36	49.2	4.6	69.3	4.1	67	5.9	5.1	4.5	82	0.91
STD DS7	Standard		21.7	103.2	71.8	405	0.8	54.8	9.5	619	2.43	50.8	4.9	57.9	4.2	73	6.2	5.4	4.9	82	0.94
STD DS7 Expected			20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.3	2.8	3.3	42	<0.1	8.4	4.7	562	2.03	<0.5	2.1	2.0	3.9	53	<0.1	<0.1	<0.1	36	0.59
G1	Prep Blank	<0.01	0.2	2.2	2.6	43	<0.1	8.6	4.5	555	1.81	<0.5	1.9	1.4	3.9	44	<0.1	<0.1	<0.1	34	0.52

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

301 - 8th St. South  
Cranbrook BC VIC 1P2 Canada

Project:

ZEUS/GARLEADER

Report Date:

October 10, 2008

Page:

1 of 1

Part 2

**VAN08009921-1**

Method	Analyte	Unit	MDL	1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm
Pulp Duplicates																				
866195	Drill Core			0.016	2	4	0.02	6	0.002	<20	0.17	0.033	0.10	<0.1	<0.01	0.3	<0.1	0.36	<1	<0.5
REP 866195	QC			0.014	2	5	0.03	7	0.002	<20	0.17	0.035	0.11	<0.1	<0.01	0.3	<0.1	0.36	<1	<0.5
866222	Drill Core			0.012	24	10	0.38	138	0.043	<20	0.65	0.020	0.48	0.1	<0.01	0.9	0.2	<0.05	1	<0.5
REP 866222	QC			0.011	25	10	0.38	138	0.043	<20	0.65	0.020	0.48	<0.1	<0.01	0.8	0.2	<0.05	2	<0.5
866243	Drill Core			0.112	29	30	0.59	247	0.093	<20	1.07	0.033	0.52	0.2	<0.01	2.7	0.4	<0.05	4	<0.5
REP 866243	QC			0.125	33	33	0.61	284	0.103	<20	1.11	0.037	0.59	0.3	<0.01	2.9	0.3	<0.05	4	<0.5
Core Reject Duplicates																				
866202	Drill Core			0.051	13	20	1.35	106	0.129	<20	1.63	0.009	1.42	<0.1	<0.01	1.4	0.9	0.43	5	<0.5
DUP 866202	QC			0.051	15	22	1.35	119	0.135	<20	1.72	0.011	1.48	<0.1	<0.01	1.5	0.8	0.43	5	<0.5
866237	Drill Core			0.009	8	4	0.05	29	0.002	<20	0.35	0.027	0.14	0.4	0.07	0.7	<0.1	<0.05	<1	<0.5
DUP 866237	QC			0.009	8	3	0.06	27	0.003	<20	0.34	0.032	0.14	0.3	0.05	0.7	<0.1	<0.05	<1	<0.5
Reference Materials																				
STD DS7	Standard			0.073	12	195	1.01	375	0.119	36	0.97	0.085	0.44	3.7	0.20	2.6	4.3	0.19	5	3.4
STD DS7	Standard			0.070	11	186	0.99	382	0.109	34	0.93	0.084	0.43	3.6	0.19	2.4	4.4	0.19	4	2.9
STD DS7	Standard			0.076	12	194	1.07	389	0.119	45	1.07	0.101	0.46	3.6	0.17	2.5	4.3	0.18	5	3.7
STD DS7	Standard			0.077	13	191	1.06	380	0.118	45	1.02	0.094	0.46	3.2	0.18	2.5	4.0	0.18	5	3.4
STD DS7	Standard			0.077	11	180	1.00	397	0.110	34	0.97	0.087	0.43	3.4	0.18	2.3	3.9	0.19	5	3.5
STD DS7	Standard			0.081	12	185	1.02	399	0.112	35	1.02	0.092	0.45	3.4	0.18	2.5	4.2	0.19	5	3.8
STD DS7 Expected				0.08	13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank			<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																				
G1	Prep Blank			0.079	6	9	0.62	235	0.127	<20	0.98	0.077	0.48	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5
G1	Prep Blank			0.079	5	9	0.61	207	0.117	<20	0.87	0.048	0.44	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Submitted By:

Dawn Ewonus

Receiving Lab:

Canada-Vancouver

Received:

July 28, 2008

Report Date:

August 22, 2008

Page:

1 of 9

VAN08007719.1

## CLIENT JOB INFORMATION

Project: GAR  
Shipment ID:  
P.O. Number  
Number of Samples: 223

## SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Ruby Red Resources Inc.  
207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6  
Canada

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	223	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	223	Dry at 60C		
RJSV	223	Save all or part of soil reject fraction		
1DX15	223	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
DIS-RJT	223	Warehouse handling / Disposition of reject		

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project: GAR  
 Report Date: August 22, 2008

Page: 2 of 9 Part 1

**VAN08007719.1**

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L7350N 2525E	Soil	1.1	3.8	21.5	48	0.2	6.5	3.4	190	1.34	1.9	0.3	1.1	2.0	7	0.3	0.2	0.2	25	0.28	0.081
L7350N 2550E	Soil	0.8	3.9	7.4	16	<0.1	1.5	0.6	42	0.29	<0.5	0.2	0.8	0.7	3	0.1	<0.1	0.2	10	0.08	0.014
L7350N 2575E	Soil	2.4	8.9	16.6	48	0.2	7.2	3.9	99	1.35	3.9	0.4	<0.5	2.1	6	0.2	0.2	0.2	29	0.12	0.060
L7350N 2600E	Soil	1.7	8.7	12.4	60	<0.1	7.9	4.0	149	1.13	3.8	0.2	0.6	2.1	6	0.3	<0.1	0.2	19	0.12	0.144
L7350N 2625E	Soil	1.8	16.6	13.9	90	0.2	11.8	6.5	127	1.44	4.2	0.4	0.7	3.0	10	0.3	0.1	0.2	27	0.21	0.087
L7350N 2650E	Soil	2.5	16.3	12.9	80	<0.1	8.6	5.2	142	1.30	2.4	0.3	3.3	2.3	8	0.2	<0.1	0.2	26	0.24	0.013
L7350N 2675E	Soil	0.7	21.0	19.7	89	<0.1	13.2	6.0	290	1.47	3.5	0.5	1.6	3.5	20	0.3	0.1	0.2	22	0.41	0.120
L7350N 2700E	Soil	0.5	16.7	19.9	104	<0.1	9.8	5.5	395	1.21	2.5	0.3	27.3	2.6	14	0.3	<0.1	0.2	17	0.25	0.151
L7350N 2725E	Soil	0.7	12.5	24.9	105	<0.1	11.1	5.8	310	1.26	2.1	0.2	3.7	2.5	9	0.1	0.1	0.2	17	0.14	0.094
L7350N 2750E	Soil	0.4	10.9	36.4	166	<0.1	12.4	6.0	793	1.36	2.2	0.3	0.6	3.5	21	0.4	0.1	0.2	20	0.41	0.077
L7350N 2800E	Soil	0.4	7.7	25.8	79	<0.1	8.5	4.8	141	1.03	1.7	0.2	1.5	2.0	12	0.1	<0.1	0.1	17	0.16	0.060
L7350N 2825E	Soil	0.4	48.6	21.8	75	<0.1	18.8	9.0	207	1.85	2.0	0.5	1.9	3.7	14	0.1	<0.1	0.2	22	0.18	0.073
L7350N 2850E	Soil	0.5	35.1	25.6	75	<0.1	17.7	8.6	222	1.82	3.2	0.6	18.3	4.2	18	0.1	0.2	0.2	22	0.19	0.105
L7350N 2875E	Soil	0.3	16.5	25.7	82	<0.1	12.8	6.0	209	1.31	1.4	0.4	18.1	3.1	11	<0.1	0.1	0.1	18	0.23	0.016
L7350N 2900E	Soil	0.2	15.4	32.7	144	<0.1	15.3	6.3	358	1.41	1.1	0.3	<0.5	2.7	20	0.1	<0.1	0.1	18	0.30	0.071
L7350N 2925E	Soil	0.4	27.6	126.6	169	<0.1	16.7	8.8	1030	1.79	3.4	0.5	7.7	4.2	40	0.5	0.2	0.2	22	0.61	0.093
L7350N 2950E	Soil	0.5	70.0	27.5	140	0.1	20.8	10.0	335	2.15	2.6	0.9	6.2	6.3	14	0.3	0.2	0.2	32	0.26	0.054
L7350N 2975E	Soil	0.3	16.7	21.9	124	<0.1	11.3	6.6	798	1.26	1.7	0.4	6.5	3.2	26	0.2	0.2	0.1	15	0.48	0.035
L7350N 3000E	Soil	0.4	18.3	18.2	119	0.2	9.7	5.0	531	1.25	3.1	0.5	0.6	3.3	16	0.2	<0.1	0.2	16	0.27	0.286
L7450N 2475E	Soil	0.4	13.2	13.9	44	0.1	10.0	5.1	116	1.54	2.1	0.6	8.6	3.7	7	<0.1	0.1	0.2	21	0.09	0.071
L7450N 2500E	Soil	0.3	9.5	12.3	54	0.1	9.9	5.1	140	1.50	1.6	0.5	2.2	3.4	9	<0.1	<0.1	0.2	22	0.16	0.037
L7450N 2525E	Soil	0.6	36.7	31.6	49	0.3	15.4	6.4	494	2.06	2.6	3.5	16.7	7.0	16	0.1	0.2	0.3	21	0.41	0.016
L7450N 2550E	Soil	0.3	24.3	19.1	41	0.2	10.8	4.9	201	1.46	2.0	1.9	1.4	4.4	8	<0.1	0.1	0.2	15	0.41	0.009
L7450N 2575E	Soil	0.6	11.3	18.0	56	0.1	11.0	5.7	108	1.39	2.9	0.4	0.9	2.8	7	0.1	0.1	0.2	18	0.16	0.036
L7450N 2600E	Soil	0.8	13.7	31.6	68	0.2	12.0	6.4	160	1.39	2.9	0.4	3.9	2.8	9	0.1	0.1	0.2	20	0.18	0.061
L7450N 2625E	Soil	0.4	12.7	18.4	101	0.1	12.8	6.5	171	1.65	3.1	0.4	0.7	3.4	11	0.2	0.2	0.2	23	0.17	0.081
L7450N 2650E	Soil	0.5	7.8	38.2	108	0.1	11.3	6.2	304	1.26	1.8	0.3	2.5	2.9	12	0.1	0.1	0.2	22	0.25	0.063
L7450N 2675E	Soil	0.4	21.0	24.8	146	<0.1	16.7	8.8	346	1.69	2.5	0.4	6.0	3.2	13	0.3	<0.1	0.1	24	0.26	0.070
L7450N 2700E	Soil	1.9	9.1	17.1	110	<0.1	9.2	4.5	260	0.97	2.2	0.2	6.7	2.1	15	0.2	<0.1	0.2	17	0.22	0.067
L7450N 2725E	Soil	0.7	7.3	35.3	153	<0.1	10.1	5.1	272	1.10	2.6	0.3	7.2	2.5	18	0.4	0.1	0.2	17	0.40	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 2 of 9 Part 2

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L7350N	2525E	Soil		5	<1	1.37	51	0.111	1	2.14	0.017	0.16	0.2	0.04	1.8	0.1	0.09	9	<0.5
L7350N	2550E	Soil		4	<1	0.10	24	0.050	2	0.29	0.011	0.06	<0.1	0.02	0.4	<0.1	<0.05	3	<0.5
L7350N	2575E	Soil		6	6	0.35	70	0.111	2	2.00	0.015	0.06	0.6	0.03	1.2	<0.1	<0.05	9	0.8
L7350N	2600E	Soil		3	<1	0.28	55	0.089	2	2.11	0.019	0.05	0.5	0.03	0.9	<0.1	<0.05	8	0.5
L7350N	2625E	Soil		5	8	0.48	111	0.109	2	2.82	0.021	0.07	0.5	0.04	1.5	0.1	<0.05	8	<0.5
L7350N	2650E	Soil		6	12	0.84	53	0.114	1	1.68	0.022	0.09	0.5	0.02	1.5	<0.1	<0.05	8	<0.5
L7350N	2675E	Soil		5	7	0.45	161	0.117	3	2.79	0.029	0.12	0.6	0.03	2.0	0.1	<0.05	7	<0.5
L7350N	2700E	Soil		5	4	0.46	179	0.077	2	1.85	0.022	0.08	0.7	0.02	1.5	0.1	<0.05	6	<0.5
L7350N	2725E	Soil		7	5	0.63	111	0.069	2	1.69	0.017	0.08	0.7	0.02	1.3	<0.1	<0.05	7	0.5
L7350N	2750E	Soil		6	10	0.65	217	0.101	3	2.28	0.039	0.11	0.2	0.04	1.7	0.2	<0.05	6	<0.5
L7350N	2800E	Soil		5	7	0.47	124	0.080	1	1.53	0.020	0.10	0.3	0.02	1.3	0.1	<0.05	7	<0.5
L7350N	2825E	Soil		7	11	0.69	180	0.133	2	2.79	0.028	0.21	0.3	0.02	1.9	0.3	<0.05	8	<0.5
L7350N	2850E	Soil		7	9	0.69	186	0.123	3	2.72	0.028	0.17	0.8	0.03	1.7	0.2	<0.05	9	0.6
L7350N	2875E	Soil		9	13	0.91	137	0.086	2	1.81	0.017	0.16	0.5	0.01	1.5	0.1	<0.05	6	<0.5
L7350N	2900E	Soil		6	11	0.65	214	0.092	3	2.39	0.030	0.19	0.2	0.02	1.5	0.2	<0.05	8	<0.5
L7350N	2925E	Soil		9	9	0.89	273	0.105	5	2.84	0.022	0.27	1.5	0.04	2.3	0.3	<0.05	9	0.5
L7350N	2950E	Soil		10	21	1.16	125	0.155	2	3.37	0.029	0.24	0.4	0.03	3.2	0.3	<0.05	9	0.6
L7350N	2975E	Soil		8	9	0.80	248	0.074	3	1.80	0.019	0.18	0.3	0.02	1.7	0.2	<0.05	6	<0.5
L7350N	3000E	Soil		4	8	0.41	195	0.080	2	2.12	0.023	0.09	0.3	0.03	1.6	0.1	<0.05	7	0.5
L7450N	2475E	Soil		12	10	0.93	61	0.083	<1	1.93	0.010	0.09	0.2	0.03	1.7	0.1	<0.05	7	<0.5
L7450N	2500E	Soil		11	11	0.88	74	0.088	<1	2.12	0.011	0.09	0.2	0.02	1.7	0.1	<0.05	8	<0.5
L7450N	2525E	Soil		14	11	0.90	189	0.103	2	3.51	0.031	0.13	0.3	0.02	3.0	0.2	<0.05	9	0.7
L7450N	2550E	Soil		14	10	0.97	67	0.068	<1	1.92	0.019	0.09	0.3	0.02	2.1	0.1	<0.05	6	<0.5
L7450N	2575E	Soil		8	9	0.75	64	0.074	<1	2.12	0.013	0.08	0.2	0.03	1.4	<0.1	<0.05	7	<0.5
L7450N	2600E	Soil		9	7	0.81	84	0.083	1	2.08	0.015	0.09	0.3	0.03	1.7	<0.1	<0.05	7	<0.5
L7450N	2625E	Soil		7	10	0.67	71	0.106	3	2.41	0.023	0.09	0.3	0.03	1.7	0.1	<0.05	9	<0.5
L7450N	2650E	Soil		7	13	0.78	134	0.102	2	2.02	0.029	0.11	0.5	0.03	1.8	0.1	<0.05	9	<0.5
L7450N	2675E	Soil		7	16	0.90	132	0.122	3	2.60	0.027	0.10	0.9	0.02	2.1	0.1	<0.05	10	<0.5
L7450N	2700E	Soil		5	4	0.39	125	0.083	3	1.50	0.032	0.09	0.4	0.03	1.3	0.1	<0.05	7	<0.5
L7450N	2725E	Soil		7	10	0.74	145	0.081	3	1.67	0.022	0.20	1.8	0.02	1.5	0.2	<0.05	7	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 3 of 9 Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L7450N 2750E	Soil			0.4	18.2	30.0	99	<0.1	14.7	7.2	195	1.49	1.5	0.4	3.6	3.5	15	0.3	0.1	0.2	19	0.37	0.045
L7450N 2775E	Soil			0.7	15.2	24.5	144	0.1	12.3	7.6	1431	1.33	1.6	0.3	12.8	3.5	26	0.6	0.1	0.2	17	0.65	0.040
L7450N 2800E	Soil			1.1	72.5	120.5	178	0.2	18.7	11.9	561	2.23	2.9	0.6	34.6	4.8	17	0.7	0.4	0.6	29	0.42	0.027
L7450N 2825E	Soil			1.3	23.0	73.6	120	<0.1	23.7	9.5	476	1.83	1.7	0.4	29.0	2.8	16	0.5	0.1	0.2	31	0.40	0.023
L7450N 2850E	Soil			1.0	18.0	37.4	136	<0.1	16.6	7.9	778	1.74	1.2	0.5	8.5	3.1	11	0.2	0.1	0.3	30	0.23	0.029
L7450N 2875E	Soil			0.6	68.3	149.8	129	0.2	21.3	9.5	299	1.90	1.4	0.4	44.0	2.6	12	0.3	0.1	0.1	37	0.36	0.019
L7450N 2900E	Soil			0.4	26.2	34.3	119	0.1	11.8	6.2	384	1.37	1.4	0.4	35.0	2.0	10	0.2	0.2	0.2	20	0.25	0.013
L7450N 2925E	Soil			0.3	10.1	36.8	149	<0.1	11.8	6.4	489	1.39	1.5	1.4	1.4	2.5	13	0.2	0.2	0.2	20	0.31	0.027
L7450N 2950E	Soil			0.2	16.9	88.9	131	<0.1	12.0	5.8	396	1.35	1.3	0.4	11.9	2.7	15	0.1	<0.1	0.2	17	0.23	0.026
L7450N 2975E	Soil			0.3	32.9	29.2	139	<0.1	15.6	6.8	170	1.54	1.4	0.5	<0.5	3.4	23	0.2	0.1	0.2	20	0.27	0.034
L7450N 3000E	Soil			0.2	12.5	51.0	122	<0.1	12.5	6.4	416	1.27	1.7	0.4	1.6	3.0	16	0.2	<0.1	0.2	17	0.23	0.080
L7550N 2450E	Soil			0.5	17.5	33.8	47	0.4	9.7	4.7	236	1.50	2.2	1.2	2.4	3.6	13	0.1	0.3	0.4	24	0.14	0.030
L7550N 2475E	Soil			0.3	6.6	15.0	35	<0.1	8.8	4.1	148	1.16	1.0	0.5	4.9	4.0	11	<0.1	0.2	0.2	16	0.15	0.018
L7550N 2500E	Soil			0.4	14.2	32.1	54	0.3	9.4	4.3	136	1.33	2.0	0.7	2.1	3.4	9	0.2	0.3	0.2	19	0.10	0.031
L7550N 2525E	Soil			0.7	7.4	19.4	75	0.5	5.8	2.5	254	1.07	1.6	0.6	2.0	2.1	10	0.5	0.2	0.2	21	0.13	0.065
L7550N 2550E	Soil			0.4	4.8	20.2	93	0.1	3.9	2.5	363	0.99	3.3	0.3	2.0	2.1	7	1.1	0.2	0.3	17	0.13	0.190
L7550N 2575E	Soil			0.4	20.8	88.6	76	0.1	15.2	6.7	138	1.61	3.2	0.4	2.3	3.6	8	0.2	0.2	0.2	25	0.16	0.053
L7550N 2600E	Soil			0.3	16.7	55.6	68	0.4	12.0	6.8	363	1.41	1.9	0.8	5.4	4.6	7	0.3	0.2	0.1	18	0.27	0.017
L7550N 2625E	Soil			0.3	6.1	13.6	65	<0.1	9.2	4.8	105	1.04	1.7	0.3	1.2	2.6	6	0.2	0.1	0.1	15	0.11	0.020
L7550N 2650E	Soil			0.3	9.0	11.4	41	<0.1	11.2	5.2	93	1.15	1.4	0.2	0.8	2.6	4	0.1	<0.1	<0.1	21	0.12	0.012
L7550N 2675E	Soil			0.5	14.4	49.5	245	0.1	13.9	6.3	386	1.37	1.3	0.4	1.3	3.0	12	0.4	<0.1	0.2	20	0.31	0.052
L7550N 2700E	Soil			0.6	24.0	144.1	149	<0.1	14.7	7.1	234	1.78	1.6	0.7	1.3	4.5	10	0.2	0.2	0.2	30	0.33	0.025
L7550N 2725E	Soil			1.2	96.9	442.9	186	<0.1	21.3	8.4	394	2.41	1.2	1.0	2.2	7.1	13	0.4	0.1	0.2	41	0.44	0.018
L7550N 2750E	Soil			1.6	9.9	46.2	226	<0.1	15.1	7.7	278	1.76	1.1	0.5	2.0	3.1	7	0.3	0.1	0.3	32	0.21	0.025
L7550N 2775E	Soil			3.0	20.1	126.9	150	<0.1	17.3	8.5	672	1.88	1.6	0.4	32.1	3.6	12	0.3	0.1	0.2	32	0.26	0.023
L7550N 2800E	Soil			1.7	13.0	31.3	131	<0.1	16.7	8.2	591	1.84	1.4	0.4	10.5	3.8	12	0.3	<0.1	0.2	27	0.30	0.016
L7550N 2825E	Soil			2.5	18.5	46.6	126	<0.1	18.9	8.9	373	2.21	1.7	0.6	1.8	4.4	13	0.2	0.1	0.3	36	0.26	0.031
L7550N 2850E	Soil			1.3	11.3	32.6	105	<0.1	13.5	8.1	325	1.69	1.5	0.3	13.1	2.7	8	0.1	0.1	0.2	29	0.18	0.019
L7550N 2875E	Soil			0.8	8.9	27.6	113	<0.1	14.3	6.7	294	1.66	1.6	0.3	1.2	2.6	9	0.1	0.1	0.2	27	0.18	0.026
L7550N 2900E	Soil			0.7	12.0	20.2	107	<0.1	12.9	6.0	637	1.73	3.0	0.5	1.9	3.0	8	0.3	0.2	0.2	29	0.11	0.067

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

3 of 9

Part 2

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L7450N 2750E	Soil			8	14	0.89	128	0.101	3	2.48	0.025	0.10	2.3	0.02	2.0	0.1	<0.05	8	<0.5
L7450N 2775E	Soil			7	8	0.65	264	0.079	7	1.86	0.027	0.27	7.2	0.05	1.9	0.3	<0.05	6	<0.5
L7450N 2800E	Soil			8	17	1.10	195	0.112	3	2.86	0.019	0.14	2.6	0.02	2.8	0.3	<0.05	8	<0.5
L7450N 2825E	Soil			7	26	1.13	117	0.106	3	2.54	0.010	0.12	0.7	0.01	2.1	0.2	<0.05	8	<0.5
L7450N 2850E	Soil			6	15	0.71	137	0.120	2	2.56	0.015	0.08	0.9	0.02	1.7	0.3	<0.05	9	<0.5
L7450N 2875E	Soil			7	24	1.48	118	0.124	<1	2.78	0.009	0.16	1.9	0.01	2.6	0.2	<0.05	9	<0.5
L7450N 2900E	Soil			7	15	0.82	91	0.069	1	1.77	0.006	0.07	0.8	0.01	1.5	0.1	<0.05	6	<0.5
L7450N 2925E	Soil			6	13	0.73	149	0.087	2	2.01	0.012	0.09	0.4	0.02	1.5	0.2	<0.05	7	<0.5
L7450N 2950E	Soil			6	11	0.61	155	0.094	2	2.33	0.021	0.13	1.6	0.01	1.6	0.2	<0.05	7	<0.5
L7450N 2975E	Soil			6	13	0.64	351	0.133	2	3.10	0.029	0.15	0.4	0.01	1.7	0.2	<0.05	9	<0.5
L7450N 3000E	Soil			6	12	0.59	181	0.086	2	2.04	0.022	0.11	0.4	<0.01	1.5	0.2	<0.05	6	<0.5
L7550N 2450E	Soil			11	9	0.51	200	0.073	<1	1.85	0.012	0.11	0.4	0.02	1.4	0.1	<0.05	7	<0.5
L7550N 2475E	Soil			16	10	0.81	113	0.050	<1	1.17	0.007	0.07	0.3	<0.01	1.3	<0.1	<0.05	4	<0.5
L7550N 2500E	Soil			11	10	0.74	112	0.068	<1	1.55	0.011	0.13	0.3	0.02	1.5	0.1	<0.05	6	<0.5
L7550N 2525E	Soil			5	5	0.21	197	0.087	<1	1.31	0.012	0.12	0.1	0.06	0.9	0.1	<0.05	7	<0.5
L7550N 2550E	Soil			4	4	0.12	171	0.071	1	1.11	0.011	0.08	0.3	0.03	0.9	<0.1	<0.05	6	<0.5
L7550N 2575E	Soil			9	17	1.23	146	0.088	<1	2.53	0.012	0.11	0.4	0.01	1.9	0.1	<0.05	7	<0.5
L7550N 2600E	Soil			15	12	1.09	81	0.055	1	1.59	0.009	0.18	0.4	0.01	1.7	0.2	<0.05	5	<0.5
L7550N 2625E	Soil			9	8	0.72	54	0.051	<1	1.34	0.011	0.07	0.4	0.01	1.0	<0.1	<0.05	5	<0.5
L7550N 2650E	Soil			9	14	1.56	29	0.062	<1	1.80	0.006	0.06	0.3	<0.01	1.8	<0.1	<0.05	6	<0.5
L7550N 2675E	Soil			6	16	0.82	140	0.100	2	2.38	0.021	0.14	0.3	<0.01	2.0	0.2	<0.05	8	<0.5
L7550N 2700E	Soil			9	24	1.38	72	0.142	2	2.33	0.013	0.44	0.7	<0.01	3.2	0.3	<0.05	8	<0.5
L7550N 2725E	Soil			10	30	1.74	103	0.165	2	3.50	0.032	0.43	0.7	0.02	4.9	0.4	<0.05	11	<0.5
L7550N 2750E	Soil			6	21	1.07	133	0.130	2	2.55	0.010	0.09	0.4	<0.01	2.0	0.2	<0.05	10	<0.5
L7550N 2775E	Soil			7	21	1.07	198	0.130	1	3.01	0.016	0.10	0.8	0.01	2.4	0.2	<0.05	10	<0.5
L7550N 2800E	Soil			8	18	1.06	132	0.136	2	2.74	0.012	0.17	0.4	0.01	2.0	0.2	<0.05	9	<0.5
L7550N 2825E	Soil			9	20	1.01	102	0.164	2	3.56	0.016	0.11	0.5	0.02	2.4	0.2	<0.05	11	<0.5
L7550N 2850E	Soil			6	17	0.92	90	0.106	1	2.41	0.010	0.06	0.4	<0.01	1.8	0.2	<0.05	9	<0.5
L7550N 2875E	Soil			6	16	0.85	128	0.119	1	2.72	0.018	0.07	0.4	0.01	1.6	0.2	<0.05	9	<0.5
L7550N 2900E	Soil			6	13	0.58	131	0.125	1	2.82	0.015	0.05	0.3	0.03	1.8	0.2	<0.05	9	<0.5

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

4 of 9

Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
L7550N 2925E	Soil			1.0	16.0	30.1	129	<0.1	20.6	8.1	293	1.88	2.6	0.5	1.6	3.7	9	0.3	0.2	0.2	31	0.19	0.060
L7550N 2950E	Soil			0.8	8.9	29.0	121	<0.1	8.8	5.5	580	1.10	1.9	0.2	4.1	2.1	7	0.3	0.1	0.2	16	0.12	0.106
L7550N 2975E	Soil			0.4	10.6	26.3	96	<0.1	12.8	6.4	167	1.38	1.8	0.3	14.5	2.6	7	0.2	<0.1	0.1	20	0.18	0.058
L7550N 3000E	Soil			0.7	7.6	30.9	95	<0.1	9.9	5.0	242	1.18	1.9	0.3	1.6	2.6	7	<0.1	0.1	0.2	18	0.14	0.069
L7650N 2425E	Soil			0.9	19.8	38.1	73	0.2	14.7	6.8	372	1.77	5.3	0.8	4.3	3.9	9	0.2	0.2	0.3	26	0.19	0.067
L7650N 2450E	Soil			1.1	22.0	59.7	75	0.2	17.0	7.5	365	1.92	3.9	0.8	1.2	4.5	9	0.1	0.3	0.3	26	0.26	0.018
L7650N 2475E	Soil			1.0	11.8	35.5	53	0.1	13.1	6.8	126	1.63	3.8	0.4	1.1	3.5	4	<0.1	0.2	0.2	22	0.13	0.019
L7650N 2500E	Soil			0.5	11.0	24.6	54	0.2	11.5	6.6	201	1.53	3.7	0.4	499.9	3.0	7	0.1	0.2	0.2	21	0.09	0.050
L7650N 2525E	Soil			0.7	10.7	31.8	103	0.1	13.9	7.1	617	1.33	3.6	0.4	1.1	2.9	11	0.3	0.3	0.3	23	0.24	0.056
L7650N 2550E	Soil			0.8	31.2	33.4	83	0.4	18.9	8.9	295	1.83	3.2	1.1	1.6	4.9	8	0.2	0.5	0.2	21	0.21	0.034
L7650N 2575E	Soil			0.6	16.9	34.6	80	0.3	14.3	7.5	318	1.52	3.5	0.5	4.0	4.2	9	0.3	0.4	0.2	17	0.14	0.036
L7650N 2600E	Soil			0.7	16.5	34.1	121	0.3	16.6	9.3	329	1.66	2.8	0.6	1.5	4.4	8	0.6	0.3	0.2	20	0.13	0.035
L7650N 2625E	Soil			0.8	60.7	2206	493	24.9	13.1	7.6	1159	1.47	16.1	0.8	5.8	3.9	16	7.6	100.2	0.3	23	0.24	0.112
L7650N 2650E	Soil			0.5	12.2	443.6	343	1.4	16.6	8.5	831	1.44	1.7	0.6	6.8	4.7	17	1.3	1.4	0.3	23	0.20	0.034
L7650N 2675E	Soil			0.6	13.8	197.9	229	0.3	14.2	6.2	428	1.60	2.3	0.6	11.4	5.2	9	0.5	0.7	0.3	27	0.17	0.042
L7650N 2700E	Soil			0.6	10.0	69.8	77	<0.1	13.0	5.6	224	1.49	1.5	0.5	1.5	4.2	11	0.1	0.1	0.2	37	0.22	0.037
L7650N 2725E	Soil			0.5	17.2	119.4	109	0.2	13.4	6.3	333	1.50	1.4	0.5	163.9	3.8	10	0.2	0.1	0.2	28	0.26	0.027
L7650N 2750E	Soil			0.7	18.2	236.9	122	<0.1	13.3	5.4	312	1.54	2.0	0.7	6.7	4.5	10	0.2	0.2	0.2	28	0.25	0.016
L7650N 2775E	Soil			0.6	15.2	98.3	229	0.1	15.4	6.9	286	1.63	2.0	0.5	3.0	3.6	14	0.4	0.1	0.2	28	0.19	0.093
L7650N 2800E	Soil			0.4	14.7	38.7	145	<0.1	14.5	7.1	346	1.65	2.1	0.4	5.6	3.8	12	0.3	0.1	0.2	29	0.22	0.074
L7650N 2825E	Soil			0.6	11.0	36.8	127	<0.1	12.3	7.4	263	1.39	1.6	0.5	2.3	3.6	12	0.3	0.1	0.2	25	0.22	0.097
L7650N 2850E	Soil			1.1	13.0	35.3	98	<0.1	14.4	7.9	302	1.81	2.0	0.5	3.1	4.0	9	0.2	0.1	0.2	30	0.16	0.039
L7650N 2875E	Soil			1.6	23.7	224.6	112	<0.1	18.9	8.7	266	2.24	2.3	0.6	1.8	4.8	11	0.1	0.2	0.3	44	0.23	0.026
L7650N 2900E	Soil			1.0	11.8	24.3	80	<0.1	10.4	6.0	350	1.98	3.5	0.6	2.5	4.2	9	0.1	0.2	0.3	37	0.12	0.100
L7650N 2925E	Soil			3.5	21.1	38.4	80	<0.1	16.5	7.6	533	2.25	5.4	0.8	2.1	4.7	10	0.1	0.3	0.3	37	0.16	0.116
L7650N 2950E	Soil			4.4	14.5	17.4	123	<0.1	12.6	6.9	571	2.16	3.7	0.6	0.6	3.8	9	0.1	0.2	0.3	41	0.12	0.069
L7650N 2975E	Soil			0.6	6.4	13.9	125	<0.1	8.9	5.6	356	1.55	1.2	0.3	1.4	2.7	7	<0.1	0.1	0.2	31	0.12	0.055
L7650N 3000E	Soil			0.5	16.1	11.2	118	<0.1	14.6	7.1	330	2.09	1.9	0.6	2.1	5.0	9	<0.1	0.1	0.3	41	0.17	0.040
L7700N 2425E	Soil			0.3	6.8	26.3	51	<0.1	9.1	4.8	127	1.32	2.0	0.5	12.4	4.3	8	<0.1	0.2	0.2	21	0.08	0.022
L7700N 2450E	Soil			0.4	6.1	26.4	66	0.1	7.9	4.9	264	1.40	2.0	0.5	3.2	4.3	13	<0.1	0.2	0.2	27	0.14	0.037

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 4 of 9 Part 2

VAN08007719.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L7550N 2925E	Soil	6	21	0.92	125	0.144	<1	2.87	0.020	0.08	0.6	0.02	2.3	0.2	<0.05	10	<0.5
L7550N 2950E	Soil	5	9	0.38	86	0.075	<1	1.57	0.018	0.06	0.6	0.02	1.1	0.1	<0.05	7	<0.5
L7550N 2975E	Soil	7	15	0.84	70	0.083	<1	1.96	0.012	0.07	0.5	<0.01	1.5	<0.1	<0.05	8	<0.5
L7550N 3000E	Soil	5	10	0.47	75	0.082	<1	1.82	0.020	0.06	0.4	0.02	1.2	<0.1	<0.05	7	<0.5
L7650N 2425E	Soil	10	13	0.75	170	0.095	<1	2.80	0.018	0.11	0.6	0.03	1.7	0.1	<0.05	8	<0.5
L7650N 2450E	Soil	9	16	0.97	233	0.087	<1	2.88	0.016	0.12	0.5	0.02	2.1	0.2	<0.05	8	<0.5
L7650N 2475E	Soil	11	15	1.08	58	0.076	<1	1.98	0.008	0.07	0.4	<0.01	1.6	0.1	<0.05	7	<0.5
L7650N 2500E	Soil	9	10	0.61	91	0.081	<1	2.14	0.013	0.07	0.3	0.02	1.4	<0.1	<0.05	7	<0.5
L7650N 2525E	Soil	7	9	0.51	139	0.101	3	2.05	0.023	0.13	0.2	0.04	1.6	<0.1	<0.05	8	<0.5
L7650N 2550E	Soil	17	11	1.13	186	0.069	2	2.24	0.010	0.15	0.4	0.04	1.8	0.1	<0.05	6	<0.5
L7650N 2575E	Soil	13	11	0.94	121	0.062	1	1.75	0.010	0.11	0.2	0.02	1.4	<0.1	<0.05	5	<0.5
L7650N 2600E	Soil	13	11	0.91	160	0.083	2	2.07	0.010	0.10	0.2	0.03	1.7	0.1	<0.05	6	<0.5
L7650N 2625E	Soil	8	8	0.36	205	0.107	3	2.12	0.024	0.13	0.7	0.10	1.9	0.2	<0.05	7	<0.5
L7650N 2650E	Soil	10	11	0.53	313	0.117	3	2.67	0.022	0.13	0.9	0.03	1.9	0.2	<0.05	7	<0.5
L7650N 2675E	Soil	15	11	0.87	112	0.100	3	2.42	0.013	0.11	1.6	0.04	1.6	0.2	<0.05	9	<0.5
L7650N 2700E	Soil	8	13	1.51	164	0.114	3	3.33	0.015	0.09	0.6	0.02	2.2	0.1	<0.05	11	<0.5
L7650N 2725E	Soil	10	15	1.06	95	0.107	2	2.27	0.018	0.10	0.5	<0.01	2.1	0.1	<0.05	8	<0.5
L7650N 2750E	Soil	16	15	0.93	69	0.113	2	2.23	0.017	0.12	0.9	<0.01	2.5	0.2	<0.05	7	<0.5
L7650N 2775E	Soil	7	13	0.77	153	0.128	3	2.65	0.025	0.09	0.4	0.02	2.1	0.2	<0.05	9	<0.5
L7650N 2800E	Soil	9	16	1.09	118	0.148	3	2.59	0.024	0.10	4.1	0.02	2.7	0.1	<0.05	9	<0.5
L7650N 2825E	Soil	8	11	0.66	101	0.123	2	2.36	0.026	0.11	0.5	0.02	1.7	0.1	<0.05	9	<0.5
L7650N 2850E	Soil	9	14	0.83	133	0.133	2	2.92	0.017	0.09	0.5	0.02	2.4	0.2	<0.05	9	<0.5
L7650N 2875E	Soil	11	21	1.03	109	0.172	3	3.85	0.024	0.08	0.6	0.02	3.2	0.2	<0.05	12	<0.5
L7650N 2900E	Soil	5	10	0.32	108	0.170	2	4.08	0.024	0.05	0.2	0.04	1.7	0.1	<0.05	11	<0.5
L7650N 2925E	Soil	7	10	0.47	130	0.150	3	4.33	0.020	0.08	0.6	0.05	2.0	0.2	<0.05	12	<0.5
L7650N 2950E	Soil	7	13	0.49	101	0.163	1	3.19	0.018	0.07	0.3	0.04	2.2	0.2	<0.05	10	<0.5
L7650N 2975E	Soil	6	11	0.50	75	0.126	<1	2.31	0.017	0.06	0.3	0.02	1.7	0.2	<0.05	10	<0.5
L7650N 3000E	Soil	9	27	1.64	71	0.178	2	3.35	0.018	0.07	0.4	0.03	3.6	0.1	<0.05	12	<0.5
L7700N 2425E	Soil	18	10	0.87	74	0.071	<1	1.65	0.007	0.08	0.4	<0.01	1.6	0.1	<0.05	7	<0.5
L7700N 2450E	Soil	14	9	0.63	98	0.093	2	1.78	0.012	0.11	0.3	0.02	1.6	0.2	<0.05	7	<0.5



# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 5 of 9 Part 1

VAN08007719.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
L7700N 2475E	Soil	0.6	5.9	27.6	71	0.2	7.2	4.7	169	1.48	2.4	0.7	5.7	3.9	9	<0.1	0.2	0.3	31	0.11	0.053
L7700N 2500E	Soil	0.6	8.3	29.9	59	<0.1	11.0	5.9	145	1.42	2.6	0.5	1.0	3.9	7	<0.1	0.2	0.2	23	0.12	0.034
L7700N 2525E	Soil	0.9	14.9	39.7	82	0.1	14.5	7.9	354	1.60	3.8	0.5	1.3	3.9	8	0.1	0.2	0.2	23	0.20	0.048
L7700N 2550E	Soil	1.0	41.5	46.1	82	0.2	19.2	8.2	515	1.90	3.0	2.0	4.7	5.4	12	0.1	0.3	0.3	24	0.47	0.020
L7700N 2575E	Soil	1.4	6.2	39.5	72	0.2	10.4	6.6	178	1.46	2.8	0.4	1.5	3.3	8	0.1	0.2	0.3	23	0.11	0.040
L7700N 2600E	Soil	1.0	3.9	24.4	75	0.2	7.7	3.9	238	1.06	2.5	0.3	2.3	2.4	7	1.0	0.2	0.2	22	0.12	0.029
L7700N 2625E	Soil	0.4	10.4	28.3	89	0.1	13.2	7.3	280	1.39	2.6	0.5	4.7	3.5	8	0.3	0.3	0.2	17	0.12	0.043
L7700N 2650E	Soil	0.6	19.6	118.3	147	0.6	14.1	7.4	419	1.39	3.1	0.6	1.9	4.8	9	0.6	3.7	0.2	21	0.14	0.031
L7700N 2675E	Soil	0.7	17.6	188.4	234	0.2	16.0	6.9	721	1.49	1.6	0.6	5.0	4.6	8	0.4	0.4	0.2	25	0.18	0.021
L7700N 2700E	Soil	0.5	43.5	367.0	150	0.5	14.7	5.9	370	1.73	1.3	0.8	14.8	5.2	9	0.1	0.8	0.1	33	0.26	0.018
L7700N 2725E	Soil	0.4	7.2	38.0	92	<0.1	10.8	6.1	271	1.54	2.5	0.5	7.9	4.1	8	0.2	0.2	0.2	54	0.15	0.049
L7700N 2750E	Soil	1.3	15.6	201.6	207	0.3	12.2	6.0	183	1.43	2.9	0.4	7.4	3.1	14	0.8	0.2	0.2	27	0.20	0.074
L7700N 2775E	Soil	0.4	7.9	29.5	152	<0.1	10.0	5.5	423	1.27	2.0	0.4	1.1	3.1	11	0.2	0.2	0.2	23	0.16	0.068
L7700N 2800E	Soil	0.8	17.4	28.9	274	0.2	18.1	8.6	367	2.04	2.1	0.6	1.2	5.1	10	0.5	0.1	0.2	33	0.18	0.052
L7700N 2825E	Soil	0.6	8.2	27.9	104	<0.1	8.8	4.8	457	1.47	2.0	0.3	2.5	2.4	6	0.3	0.1	0.2	24	0.11	0.097
L7700N 2850E	Soil	0.6	6.9	21.5	80	<0.1	11.4	5.8	233	1.35	1.8	0.2	2.0	2.2	5	0.2	<0.1	0.1	21	0.10	0.042
L7700N 2875E	Soil	1.6	15.8	43.6	110	0.1	12.4	6.8	172	1.99	2.8	0.5	2.8	3.6	6	0.2	0.2	0.2	37	0.08	0.073
L7700N 2900E	Soil	0.8	28.4	129.5	84	<0.1	16.5	7.1	286	1.81	1.7	0.5	1.9	3.5	10	0.1	0.1	0.1	39	0.32	0.018
L7700N 2925E	Soil	1.1	10.4	17.3	78	<0.1	9.9	5.2	142	1.55	1.8	0.3	1.1	2.7	4	<0.1	0.1	0.2	32	0.09	0.025
L7700N 2950E	Soil	1.5	9.6	11.1	86	<0.1	11.5	5.9	157	1.93	3.0	0.3	1.2	3.0	7	0.1	0.1	0.2	35	0.15	0.081
L7700N 2975E	Soil	1.1	10.9	16.5	98	<0.1	12.1	6.0	169	1.82	3.1	0.5	1.5	2.8	7	0.1	0.2	0.3	32	0.12	0.069
L7700N 3000E	Soil	0.4	9.0	12.2	132	<0.1	12.1	6.0	706	1.62	2.9	0.4	0.6	2.2	6	0.1	0.1	0.2	28	0.08	0.093
L7750N 2425E	Soil	0.5	8.6	23.0	75	0.6	6.8	3.8	178	1.47	2.9	0.5	2.9	3.1	12	0.4	0.3	0.2	30	0.12	0.068
L7750N 2450E	Soil	0.5	26.5	148.6	133	1.0	8.7	5.3	160	1.58	2.6	1.9	4.2	4.1	12	0.4	0.4	0.2	25	0.13	0.034
L7750N 2475E	Soil	0.8	27.2	234.6	154	0.9	13.3	7.2	196	1.89	3.6	1.5	6.9	4.2	11	0.5	0.5	0.3	30	0.15	0.042
L7750N 2500E	Soil	0.5	12.4	57.3	93	0.3	10.2	5.9	173	1.38	2.8	0.5	17.9	3.1	10	0.3	0.3	0.2	22	0.16	0.040
L7750N 2525E	Soil	0.4	6.7	25.9	70	0.1	11.6	5.9	292	1.36	2.8	0.3	2.5	2.4	11	0.2	0.2	0.2	21	0.20	0.053
L7750N 2550E	Soil	0.9	23.0	22.0	60	0.3	14.2	7.6	279	1.66	2.8	0.9	1.3	4.0	9	0.2	0.3	0.2	22	0.17	0.026
L7750N 2575E	Soil	0.9	9.6	24.7	74	<0.1	14.9	7.6	206	1.71	3.7	0.3	1.1	3.1	5	0.2	0.1	0.2	22	0.09	0.044
L7750N 2600E	Soil	0.7	14.2	22.6	53	<0.1	15.4	7.0	123	1.51	2.6	0.4	17.8	3.4	4	0.1	0.2	0.2	18	0.12	0.014



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 5 of 9 Part 2

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L7700N 2475E	Soil			12	9	0.48	118	0.092	1	2.17	0.019	0.10	0.5	0.02	2.0	0.1	<0.05	9	<0.5
L7700N 2500E	Soil			13	12	0.92	74	0.087	<1	1.82	0.011	0.08	0.5	0.01	1.8	0.2	<0.05	8	<0.5
L7700N 2525E	Soil			14	12	0.94	106	0.077	2	2.11	0.013	0.13	0.5	0.03	1.9	0.1	<0.05	7	<0.5
L7700N 2550E	Soil			18	14	1.28	250	0.083	2	2.60	0.020	0.19	0.4	0.03	3.0	0.2	<0.05	7	<0.5
L7700N 2575E	Soil			12	8	0.52	97	0.091	2	2.12	0.017	0.08	0.2	0.03	1.7	<0.1	<0.05	8	<0.5
L7700N 2600E	Soil			10	2	0.29	75	0.083	2	1.36	0.017	0.09	0.2	0.03	1.2	<0.1	<0.05	7	<0.5
L7700N 2625E	Soil			17	9	1.00	118	0.060	1	1.76	0.012	0.11	0.2	0.02	1.4	0.1	<0.05	5	<0.5
L7700N 2650E	Soil			15	9	0.64	128	0.096	1	1.87	0.016	0.11	0.6	0.03	1.6	0.1	<0.05	7	<0.5
L7700N 2675E	Soil			17	11	0.84	146	0.087	2	2.50	0.009	0.13	1.7	0.02	2.0	0.2	<0.05	7	<0.5
L7700N 2700E	Soil			16	18	1.75	100	0.117	1	3.10	0.011	0.10	1.5	0.02	3.2	0.2	<0.05	9	<0.5
L7700N 2725E	Soil			11	15	1.36	82	0.101	2	2.32	0.012	0.07	0.4	0.02	2.0	0.1	<0.05	9	<0.5
L7700N 2750E	Soil			7	7	0.46	115	0.118	2	2.56	0.026	0.07	0.8	0.02	1.6	<0.1	<0.05	8	<0.5
L7700N 2775E	Soil			7	7	0.48	98	0.115	3	2.11	0.027	0.08	0.4	0.02	1.6	0.1	<0.05	8	<0.5
L7700N 2800E	Soil			11	19	0.97	146	0.149	2	3.04	0.015	0.09	0.3	0.02	2.7	0.2	<0.05	9	<0.5
L7700N 2825E	Soil			4	2	0.43	85	0.108	2	2.18	0.014	0.05	0.3	0.04	1.5	0.1	<0.05	8	<0.5
L7700N 2850E	Soil			6	7	0.48	76	0.076	<1	1.71	0.013	0.05	0.4	0.02	1.2	<0.1	<0.05	7	<0.5
L7700N 2875E	Soil			5	7	0.42	69	0.135	<1	3.28	0.013	0.05	0.5	0.03	1.7	0.1	<0.05	10	<0.5
L7700N 2900E	Soil			11	24	1.45	71	0.130	2	2.80	0.012	0.07	0.6	0.01	3.3	0.2	<0.05	9	<0.5
L7700N 2925E	Soil			6	10	0.61	66	0.122	2	1.96	0.011	0.05	0.4	0.01	1.4	0.1	<0.05	9	<0.5
L7700N 2950E	Soil			4	7	0.59	72	0.141	1	3.22	0.015	0.05	0.3	0.03	1.7	0.1	<0.05	11	<0.5
L7700N 2975E	Soil			5	8	0.58	84	0.127	<1	2.90	0.013	0.05	0.3	0.03	1.7	0.1	<0.05	10	<0.5
L7700N 3000E	Soil			4	6	0.38	76	0.123	1	2.55	0.013	0.03	0.3	0.04	1.6	0.1	<0.05	8	0.5
L7750N 2425E	Soil			8	4	0.42	115	0.081	1	1.45	0.009	0.13	0.5	0.02	1.3	0.1	<0.05	6	<0.5
L7750N 2450E	Soil			13	11	0.74	158	0.083	2	1.72	0.011	0.12	0.7	0.04	1.7	0.1	<0.05	7	<0.5
L7750N 2475E	Soil			12	9	0.75	206	0.084	1	2.32	0.012	0.14	0.8	0.04	1.9	0.1	<0.05	8	<0.5
L7750N 2500E	Soil			10	9	0.76	105	0.071	1	1.66	0.012	0.13	1.0	0.02	1.5	0.1	<0.05	5	<0.5
L7750N 2525E	Soil			8	6	0.50	125	0.066	2	1.66	0.010	0.09	0.6	0.03	1.4	0.1	<0.05	6	<0.5
L7750N 2550E	Soil			14	10	1.15	142	0.063	<1	1.70	0.010	0.14	0.4	0.02	2.0	0.1	<0.05	5	<0.5
L7750N 2575E	Soil			9	10	0.94	101	0.068	<1	2.00	0.008	0.08	0.3	0.02	1.5	0.1	<0.05	7	<0.5
L7750N 2600E	Soil			13	10	1.09	123	0.048	<1	1.65	0.008	0.10	0.3	0.01	1.5	<0.1	<0.05	5	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

6 of 9

Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L7750N 2625E	Soil			0.6	11.6	21.6	74	<0.1	14.3	7.5	217	1.50	3.3	0.3	1.8	2.4	6	0.3	0.1	0.2	20	0.14	0.054
L7750N 2650E	Soil			0.4	6.4	21.6	70	<0.1	12.1	7.0	561	1.49	2.7	0.2	1.6	2.1	6	0.1	0.1	0.2	22	0.12	0.051
L7750N 2675E	Soil			0.7	12.1	49.9	106	0.4	13.6	7.1	347	1.45	3.8	0.4	8.3	2.8	9	0.3	0.8	0.2	18	0.14	0.050
L7750N 2700E	Soil			0.6	13.2	55.0	66	0.1	15.6	7.1	420	1.62	3.7	0.4	6.6	3.1	8	0.2	0.7	0.2	23	0.10	0.031
L7750N 2725E	Soil			0.5	12.0	25.7	87	0.1	12.6	6.6	204	1.54	2.0	0.3	2.9	2.8	7	0.2	<0.1	0.2	20	0.13	0.048
L7750N 2750E	Soil			0.3	7.1	17.1	57	<0.1	11.4	6.0	261	1.29	1.3	0.3	0.6	2.9	5	0.2	<0.1	0.2	17	0.09	0.044
L7750N 2775E	Soil			0.3	6.9	16.9	54	<0.1	11.2	5.6	300	1.29	1.3	0.3	137.9	2.8	6	<0.1	<0.1	0.2	17	0.10	0.044
L7750N 2800E	Soil			0.5	11.0	41.6	106	<0.1	11.8	5.8	340	1.46	1.6	0.3	0.9	2.8	9	0.2	0.1	0.2	24	0.15	0.044
L7750N 2825E	Soil			0.7	10.3	46.0	139	0.2	12.1	5.8	126	1.54	1.6	0.3	0.8	2.8	7	0.3	<0.1	0.1	27	0.20	0.060
L7750N 2850E	Soil			0.5	8.2	17.2	132	<0.1	9.6	5.0	230	1.59	<0.5	0.4	<0.5	2.6	5	0.2	0.1	0.2	25	0.08	0.059
L7750N 2875E	Soil			0.5	15.4	86.0	97	<0.1	14.1	6.9	450	1.38	1.2	0.5	0.9	2.8	6	<0.1	<0.1	0.1	18	0.18	0.018
L7750N 2900E	Soil			1.4	6.8	22.0	53	<0.1	8.2	4.1	140	1.18	1.6	0.3	3.2	2.3	5	0.2	0.2	0.2	19	0.13	0.021
L7750N 2925E	Soil			1.0	13.7	16.9	80	<0.1	11.4	6.4	157	1.94	2.2	0.4	1.5	3.3	7	<0.1	0.1	0.2	35	0.15	0.050
L7750N 2950E	Soil			1.2	10.0	14.2	96	<0.1	14.0	7.5	149	1.82	1.8	0.4	3.6	3.2	8	<0.1	0.1	0.2	28	0.19	0.028
L7750N 2975E	Soil			0.6	13.8	14.0	99	<0.1	12.4	7.0	207	1.84	2.6	0.4	<0.5	3.1	9	<0.1	0.1	0.2	24	0.20	0.049
L7750N 3000E	Soil			0.6	17.0	12.3	110	<0.1	15.5	7.2	223	2.31	2.8	0.6	0.6	4.3	8	0.1	0.1	0.2	35	0.15	0.056
L8550N 2300E	Soil			0.7	16.1	43.4	40	<0.1	10.6	4.5	269	1.43	1.8	11.5	2.2	4.5	29	0.1	0.3	0.3	19	0.70	0.036
L8550N 2325E	Soil			0.6	10.0	32.3	37	<0.1	7.1	4.0	374	1.11	0.9	4.0	3.2	3.9	23	<0.1	0.2	0.2	18	0.52	0.033
L8550N 2350E	Soil			0.6	15.6	47.0	42	<0.1	8.9	5.6	413	1.48	1.9	6.2	48.9	4.4	26	<0.1	0.2	0.2	23	0.63	0.041
L8550N 2375E	Soil			0.7	8.1	23.9	43	0.1	7.7	4.2	129	1.33	1.2	0.7	120.2	4.3	8	<0.1	0.3	0.1	20	0.12	0.033
L8550N 2400E	Soil			0.7	10.3	44.2	30	0.1	7.7	5.2	573	0.97	1.4	2.5	122.0	3.0	21	<0.1	0.2	0.1	18	0.46	0.034
L8550N 2425E	Soil			0.7	19.3	48.5	48	0.2	12.4	6.1	292	1.44	1.1	2.1	3.6	3.5	22	0.3	0.1	0.3	24	0.48	0.026
L8550N 2450E	Soil			1.6	22.0	49.4	51	0.2	12.6	6.2	587	1.41	2.1	4.8	3.8	2.8	37	0.3	0.2	0.3	28	0.84	0.040
L8550N 2475E	Soil			1.3	15.0	34.3	41	<0.1	10.8	5.6	336	1.25	1.5	4.5	2.4	2.9	29	0.1	0.1	0.2	25	0.65	0.044
L8550N 2500E	Soil			1.3	13.7	31.6	42	<0.1	10.8	6.2	231	1.41	2.1	4.4	2.9	3.7	23	<0.1	0.1	0.2	29	0.47	0.021
L8550N 2525E	Soil			1.6	16.1	47.9	45	<0.1	8.1	5.6	471	1.47	2.0	1.3	10.2	5.8	18	<0.1	0.2	0.2	35	0.33	0.078
L8550N 2550E	Soil			1.3	15.0	33.3	41	0.1	11.1	6.8	404	1.50	2.4	2.4	0.9	4.6	27	0.1	0.1	0.2	30	0.60	0.024
L8550N 2575E	Soil			1.2	13.4	26.1	44	<0.1	10.4	5.4	287	1.34	1.7	4.0	1.2	4.0	25	<0.1	<0.1	0.2	28	0.56	0.019
L8550N 2600E	Soil			1.6	14.4	25.7	39	<0.1	8.5	4.2	232	1.11	2.3	5.6	2.7	2.5	35	0.2	0.2	0.2	26	0.81	0.035
L8550N 2625E	Soil			1.1	13.4	22.2	37	<0.1	9.5	4.8	182	1.18	0.6	4.4	<0.5	3.2	24	0.2	<0.1	0.2	27	0.50	0.017

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

6 of 9

Part 2

VAN08007719-1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
MDL			ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
L7750N 2625E	Soil		9	8	0.84	92	0.067	<1	1.86	0.013	0.08	0.4	0.02	1.3	<0.1	<0.05	6	<0.5
L7750N 2650E	Soil		7	9	0.65	119	0.067	2	2.00	0.019	0.09	0.4	0.02	1.5	<0.1	<0.05	7	<0.5
L7750N 2675E	Soil		8	5	0.64	172	0.076	1	2.03	0.015	0.08	0.3	0.03	1.3	0.1	<0.05	6	0.6
L7750N 2700E	Soil		9	9	0.72	196	0.087	1	2.29	0.013	0.06	0.5	0.02	1.5	0.1	<0.05	7	<0.5
L7750N 2725E	Soil		8	10	0.89	109	0.085	<1	2.34	0.012	0.08	0.5	0.01	2.0	<0.1	<0.05	7	<0.5
L7750N 2750E	Soil		9	8	0.96	79	0.057	<1	1.64	0.008	0.06	0.3	0.01	1.6	<0.1	<0.05	6	<0.5
L7750N 2775E	Soil		10	4	0.82	79	0.061	<1	1.59	0.008	0.06	0.3	0.01	1.8	0.1	<0.05	6	<0.5
L7750N 2800E	Soil		6	7	0.54	105	0.128	<1	2.21	0.036	0.08	0.4	0.02	1.6	0.1	<0.05	9	<0.5
L7750N 2825E	Soil		8	2	0.94	53	0.130	<1	2.02	0.012	0.08	0.6	0.02	2.2	<0.1	<0.05	10	<0.5
L7750N 2850E	Soil		5	8	0.39	114	0.120	<1	2.24	0.014	0.04	0.3	0.02	1.7	0.1	<0.05	9	<0.5
L7750N 2875E	Soil		11	11	0.77	78	0.087	<1	2.17	0.012	0.08	0.4	<0.01	1.7	0.1	<0.05	7	<0.5
L7750N 2900E	Soil		7	5	0.44	53	0.089	<1	1.55	0.013	0.05	0.3	0.02	1.3	<0.1	<0.05	7	<0.5
L7750N 2925E	Soil		6	11	0.99	80	0.156	<1	3.12	0.016	0.06	0.4	0.03	2.8	0.1	<0.05	12	0.6
L7750N 2950E	Soil		9	15	1.01	77	0.133	<1	2.53	0.014	0.07	0.4	0.01	2.2	0.1	<0.05	9	<0.5
L7750N 2975E	Soil		6	12	1.13	105	0.143	<1	3.24	0.020	0.07	0.3	0.02	2.2	0.1	<0.05	10	<0.5
L7750N 3000E	Soil		9	16	1.26	98	0.152	<1	3.32	0.013	0.07	0.3	0.03	3.3	0.2	<0.05	12	<0.5
L8550N 2300E	Soil		19	3	0.75	126	0.067	<1	2.04	0.017	0.14	0.5	0.03	2.3	0.2	<0.05	6	0.6
L8550N 2325E	Soil		15	<1	0.61	88	0.054	<1	1.30	0.014	0.13	0.5	0.02	1.6	0.1	<0.05	4	<0.5
L8550N 2350E	Soil		17	3	0.89	126	0.067	<1	1.82	0.016	0.19	0.9	0.03	2.1	0.2	<0.05	5	1.0
L8550N 2375E	Soil		17	7	0.93	56	0.067	<1	1.46	0.011	0.14	1.1	0.01	1.6	0.1	<0.05	5	<0.5
L8550N 2400E	Soil		13	11	0.60	80	0.050	<1	1.27	0.013	0.13	0.8	0.02	1.4	0.2	<0.05	4	1.1
L8550N 2425E	Soil		24	15	0.86	117	0.054	<1	2.19	0.011	0.09	0.5	0.03	2.5	0.1	<0.05	6	0.7
L8550N 2450E	Soil		18	16	0.88	102	0.063	1	2.20	0.014	0.18	0.5	0.06	2.1	0.1	<0.05	6	1.2
L8550N 2475E	Soil		14	14	0.89	93	0.054	1	1.77	0.015	0.13	0.6	0.03	2.2	0.1	<0.05	5	1.1
L8550N 2500E	Soil		13	17	1.06	76	0.071	<1	2.07	0.020	0.13	0.4	0.03	2.3	0.1	<0.05	6	1.1
L8550N 2525E	Soil		13	14	0.90	66	0.067	<1	1.38	0.014	0.38	1.1	0.02	2.7	0.3	<0.05	5	0.9
L8550N 2550E	Soil		12	21	0.98	84	0.095	1	2.45	0.029	0.14	0.2	0.02	2.8	0.1	<0.05	7	0.5
L8550N 2575E	Soil		12	19	0.96	87	0.080	<1	2.14	0.021	0.09	0.2	0.03	2.6	0.1	<0.05	7	0.7
L8550N 2600E	Soil		13	17	0.78	96	0.065	1	1.92	0.019	0.10	0.2	0.07	2.2	0.1	<0.05	5	0.6
L8550N 2625E	Soil		13	17	0.71	69	0.082	<1	2.11	0.019	0.06	0.3	0.04	2.3	<0.1	<0.05	6	1.2

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

7 of 9

Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L8550N 2650E	Soil			3.5	22.5	26.0	46	0.1	12.2	7.0	585	1.93	1.2	8.1	<0.5	3.8	32	0.1	<0.1	0.2	33	0.61	0.037
L8550N 2675E	Soil			3.3	16.5	27.5	42	0.2	8.1	4.3	649	0.94	1.9	2.9	<0.5	1.0	59	0.5	0.4	0.1	24	1.55	0.046
L8550N 2700E	Soil			2.1	11.5	10.7	13	0.1	5.0	1.6	33	0.45	1.0	3.1	1.7	0.5	64	0.2	0.1	<0.1	13	1.64	0.041
L8550N 2725E	Soil			1.9	12.3	19.1	38	<0.1	9.1	4.6	200	1.06	1.3	3.4	0.6	2.4	32	0.2	0.2	0.1	23	0.77	0.030
L8550N 2750E	Soil			3.1	11.0	14.1	36	<0.1	7.1	3.6	214	0.83	1.8	1.7	0.6	1.6	37	0.2	0.2	0.1	25	1.12	0.027
L8550N 2775E	Soil			1.5	15.5	17.6	45	<0.1	10.1	5.9	288	1.32	1.8	4.0	1.7	3.7	32	<0.1	0.1	0.1	30	0.69	0.037
L8550N 2800E	Soil			4.2	22.2	25.5	40	<0.1	9.2	4.2	336	1.02	2.6	9.5	<0.5	1.4	45	0.3	0.4	0.2	29	1.09	0.031
L8550N 2825E	Soil			2.2	17.6	16.4	49	<0.1	12.9	5.1	146	1.64	2.5	3.5	<0.5	3.4	21	0.1	<0.1	0.2	34	0.33	0.015
L8550N 2850E	Soil			1.2	15.0	16.0	46	<0.1	10.8	5.1	151	1.41	2.7	3.4	0.9	3.0	23	<0.1	<0.1	0.2	30	0.48	0.016
L8550N 2875E	Soil			1.3	16.3	16.6	40	<0.1	10.4	4.9	182	1.30	1.4	6.0	1.7	3.5	29	<0.1	0.1	0.2	29	0.59	0.029
L8550N 2900E	Soil			1.4	15.1	21.3	43	<0.1	10.4	5.6	184	1.41	2.9	4.0	1.4	4.8	31	0.1	0.2	0.2	32	0.72	0.018
L8550N 2925E	Soil			1.3	16.2	15.7	46	<0.1	11.4	6.1	167	1.65	2.5	3.7	2.5	4.2	25	<0.1	<0.1	0.2	36	0.45	0.019
L8550N 2950E	Soil			1.6	14.2	14.5	44	<0.1	10.4	5.1	98	1.36	2.2	0.7	0.7	2.6	15	<0.1	<0.1	0.2	32	0.21	0.012
L8550N 2975E	Soil			2.1	22.0	16.6	34	0.1	10.2	4.0	97	1.41	2.1	4.9	3.9	3.1	17	<0.1	<0.1	0.3	34	0.24	0.018
L8550N 3000E	Soil			1.5	12.3	14.8	50	<0.1	11.6	6.8	93	1.41	2.8	1.4	1.3	3.2	9	<0.1	<0.1	0.2	27	0.11	0.101
L8650N 2300E	Soil			0.3	12.0	19.1	69	<0.1	7.2	6.3	711	2.99	2.1	1.9	2.2	7.0	50	<0.1	0.2	<0.1	49	0.29	0.111
L8650N 2325E	Soil			0.8	4.8	24.6	44	<0.1	8.5	4.5	169	1.43	2.9	0.5	2.9	2.8	8	<0.1	0.2	0.2	32	0.09	0.076
L8650N 2350E	Soil			0.3	9.4	37.9	38	<0.1	7.2	4.3	221	1.00	1.3	0.8	42.0	5.4	16	<0.1	0.3	<0.1	18	0.23	0.042
L8650N 2375E	Soil			0.6	22.8	39.8	48	0.3	13.4	7.0	467	1.69	2.6	3.3	5.8	4.4	37	<0.1	0.2	0.3	29	0.30	0.029
L8650N 2400E	Soil			0.7	37.0	65.0	45	0.2	14.0	4.9	1091	1.46	3.9	6.1	9.0	2.1	134	0.4	0.6	0.5	35	0.88	0.059
L8650N 2425E	Soil			0.4	59.4	13.7	85	<0.1	4.1	8.3	1420	3.18	1.1	7.4	32.2	11.5	62	<0.1	0.3	0.3	91	0.76	0.276
L8650N 2450E	Soil			1.4	8.6	34.7	17	0.2	6.2	2.0	47	0.62	1.5	0.6	3.6	0.8	21	0.2	0.2	0.2	13	0.34	0.029
L8650N 2475E	Soil			0.8	24.5	59.2	40	0.2	15.5	6.3	526	1.67	1.5	4.7	6.0	3.6	40	0.4	0.2	0.3	30	0.80	0.031
L8650N 2500E	Soil			0.8	20.8	44.9	50	0.2	11.6	6.1	936	1.27	1.9	1.9	5.6	2.2	33	0.4	0.2	0.2	28	0.61	0.060
L8650N 2525E	Soil			0.8	6.6	39.3	35	<0.1	8.8	5.4	360	1.26	2.3	0.6	4.0	2.8	10	<0.1	0.1	0.2	25	0.18	0.023
L8650N 2550E	Soil			0.5	10.7	63.4	46	0.1	7.9	3.6	114	0.78	1.5	0.5	6.3	1.1	15	0.1	0.2	0.2	15	0.28	0.037
L8650N 2575E	Soil			0.7	14.5	80.8	64	0.1	13.5	6.3	495	1.89	1.6	1.6	5.9	4.0	28	0.2	0.2	0.3	31	0.56	0.035
L8650N 2600E	Soil			0.9	12.9	43.0	64	<0.1	12.3	5.5	630	1.76	1.6	1.3	3.7	3.5	28	0.2	0.2	0.3	30	0.56	0.034
L8650N 2625E	Soil			0.8	15.7	30.0	62	<0.1	12.6	5.7	639	1.74	1.8	2.1	2.2	2.8	37	0.3	0.2	0.3	28	0.68	0.048
L8650N 2650E	Soil			0.6	9.3	16.8	54	<0.1	7.5	4.3	189	1.26	1.4	0.8	1.5	2.4	24	0.1	0.1	0.2	23	0.42	0.077

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

7 of 9

Part 2

VAN08007719.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
L8550N 2650E	Soil	24	21	1.01	107	0.074	<1	2.57	0.020	0.18	0.3	0.03	2.8	0.2	<0.05	7	0.8
L8550N 2675E	Soil	10	12	0.47	84	0.045	<1	1.26	0.015	0.07	0.2	0.14	1.3	0.1	0.08	4	1.4
L8550N 2700E	Soil	5	9	0.26	71	0.030	<1	1.00	0.009	0.04	0.1	0.08	0.8	<0.1	0.09	3	<0.5
L8550N 2725E	Soil	11	16	0.81	72	0.062	<1	1.83	0.022	0.08	0.2	0.04	2.0	0.1	0.05	5	0.6
L8550N 2750E	Soil	5	14	0.64	49	0.055	<1	1.21	0.019	0.10	0.2	0.07	1.4	<0.1	0.08	4	<0.5
L8550N 2775E	Soil	13	20	1.07	72	0.083	<1	2.06	0.025	0.18	0.2	0.03	2.5	0.2	<0.05	7	0.8
L8550N 2800E	Soil	19	15	0.74	76	0.057	<1	1.74	0.022	0.08	0.3	0.09	1.9	0.1	0.10	5	1.3
L8550N 2825E	Soil	12	22	1.03	71	0.097	<1	2.47	0.019	0.08	0.2	0.02	2.5	<0.1	<0.05	8	<0.5
L8550N 2850E	Soil	11	22	1.07	70	0.102	1	2.46	0.026	0.08	0.2	0.03	2.6	<0.1	<0.05	8	0.7
L8550N 2875E	Soil	14	21	0.98	79	0.085	<1	2.28	0.025	0.09	0.2	0.02	2.6	0.1	<0.05	7	<0.5
L8550N 2900E	Soil	13	23	1.06	99	0.108	<1	2.47	0.026	0.16	0.3	0.04	2.8	0.1	<0.05	8	<0.5
L8550N 2925E	Soil	14	24	1.13	73	0.107	<1	2.63	0.026	0.08	0.2	0.02	2.8	<0.1	<0.05	8	1.3
L8550N 2950E	Soil	8	20	0.99	58	0.101	<1	2.43	0.016	0.06	0.2	0.01	2.1	<0.1	<0.05	8	<0.5
L8550N 2975E	Soil	24	21	0.74	76	0.078	<1	2.41	0.011	0.07	0.2	0.02	2.3	0.1	<0.05	9	1.0
L8550N 3000E	Soil	6	15	0.47	80	0.097	<1	2.90	0.013	0.06	0.3	0.03	1.9	<0.1	<0.05	8	<0.5
L8650N 2300E	Soil	15	12	0.88	200	0.161	<1	2.49	0.006	0.49	0.4	<0.01	3.1	0.4	<0.05	9	<0.5
L8650N 2325E	Soil	8	11	0.43	67	0.094	<1	2.09	0.007	0.07	1.0	0.03	1.4	<0.1	<0.05	8	1.0
L8650N 2350E	Soil	16	12	0.87	86	0.077	<1	1.09	0.010	0.28	1.0	<0.01	1.7	0.2	<0.05	4	0.9
L8650N 2375E	Soil	42	17	0.94	201	0.065	<1	2.45	0.012	0.14	0.5	0.04	2.6	0.2	<0.05	8	1.2
L8650N 2400E	Soil	69	11	0.60	282	0.050	<1	2.30	0.011	0.14	0.9	0.09	2.5	0.2	<0.05	7	1.4
L8650N 2425E	Soil	52	6	0.75	243	0.104	<1	1.85	0.010	0.59	0.7	0.01	4.1	0.3	<0.05	9	1.0
L8650N 2450E	Soil	7	9	0.24	65	0.033	1	0.89	0.006	0.05	0.4	0.05	0.9	<0.1	0.10	4	<0.5
L8650N 2475E	Soil	24	23	0.60	164	0.062	2	2.44	0.013	0.12	0.4	0.06	3.4	0.2	0.06	6	0.8
L8650N 2500E	Soil	18	16	0.57	125	0.051	1	1.69	0.014	0.16	0.4	0.04	1.9	0.1	0.08	6	<0.5
L8650N 2525E	Soil	10	12	0.59	70	0.060	<1	1.51	0.012	0.09	0.5	0.01	1.5	0.1	<0.05	5	0.6
L8650N 2550E	Soil	11	10	0.35	86	0.043	1	1.34	0.010	0.06	0.3	0.04	1.2	<0.1	<0.05	5	<0.5
L8650N 2575E	Soil	18	16	1.02	127	0.080	2	2.66	0.017	0.13	0.4	0.03	2.5	0.2	0.06	8	<0.5
L8650N 2600E	Soil	16	14	0.85	117	0.066	<1	2.38	0.017	0.08	0.3	0.03	2.1	0.2	0.05	7	<0.5
L8650N 2625E	Soil	24	12	0.71	144	0.062	1	2.63	0.016	0.10	0.2	0.04	2.3	0.2	0.06	8	<0.5
L8650N 2650E	Soil	11	6	0.51	78	0.057	<1	1.52	0.011	0.07	0.2	0.03	1.1	<0.1	<0.05	5	<0.5

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

8 of 9

Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
L8650N 2675E	Soil			0.4	10.4	19.7	72	<0.1	9.7	5.9	442	1.49	1.5	1.0	5.6	3.0	28	0.2	0.2	0.3	26	0.49	0.038
L8650N 2700E	Soil			0.9	13.3	20.3	54	<0.1	9.9	5.8	393	1.58	1.2	2.4	2.5	4.5	29	0.1	<0.1	0.2	29	0.41	0.044
L8650N 2725E	Soil			0.6	11.6	17.4	48	<0.1	9.7	6.2	455	1.77	1.2	1.4	4.5	4.7	30	<0.1	<0.1	0.2	37	0.43	0.071
L8650N 2750E	Soil			0.5	10.5	18.5	67	<0.1	12.2	5.7	437	1.71	1.4	0.8	1.8	3.4	23	0.1	0.1	0.2	31	0.43	0.024
L8650N 2775E	Soil			0.4	6.8	14.0	41	<0.1	6.7	3.6	103	1.05	0.7	0.4	1.7	2.1	18	<0.1	<0.1	0.2	20	0.19	0.021
L8650N 2800E	Soil			1.0	17.2	24.0	46	0.1	12.0	4.7	305	1.77	2.8	2.6	2.4	3.4	31	0.1	0.2	0.3	30	0.37	0.036
L8650N 2825E	Soil			0.6	16.0	23.4	53	<0.1	11.4	6.0	411	1.73	1.5	1.2	1.3	3.8	27	0.1	<0.1	0.2	31	0.41	0.031
L8650N 2850E	Soil			0.3	7.6	12.8	51	<0.1	10.0	5.0	296	1.41	0.8	0.7	7.1	3.6	21	<0.1	<0.1	0.2	24	0.36	0.017
L8650N 2875E	Soil			0.4	8.3	24.7	60	<0.1	10.4	5.8	370	1.63	1.7	0.6	1.0	2.8	23	0.1	0.1	0.3	29	0.40	0.021
L8650N 2900E	Soil			0.6	9.8	23.7	58	<0.1	10.9	5.8	446	1.62	2.1	0.9	1.7	2.7	29	0.1	0.2	0.3	29	0.54	0.026
L8650N 2925E	Soil			0.4	11.9	15.7	53	<0.1	12.3	5.5	467	1.71	1.1	1.2	1.5	3.4	34	0.2	0.1	0.2	29	0.60	0.017
L8650N 2950E	Soil			0.4	14.0	16.0	46	<0.1	11.8	4.9	366	1.70	1.0	1.4	1.5	3.7	31	<0.1	0.1	0.3	29	0.44	0.014
L8650N 2975E	Soil			0.3	16.8	16.1	50	<0.1	13.3	5.4	326	1.97	1.3	2.0	1.6	4.4	34	<0.1	0.1	0.3	34	0.50	0.018
L8650N 3000E	Soil			0.5	9.8	10.4	48	<0.1	9.0	5.2	429	1.17	1.1	0.6	1.5	2.7	23	0.1	<0.1	0.2	22	0.36	0.018
L8750N 2300E	Soil			0.7	12.7	38.2	63	<0.1	10.9	6.3	484	1.72	2.8	1.4	2.3	3.8	16	0.2	0.2	0.2	31	0.09	0.062
L8750N 2325E	Soil			1.0	13.8	20.9	45	<0.1	11.1	5.4	375	1.91	3.7	1.3	1.1	3.4	9	<0.1	0.2	0.2	35	0.06	0.114
L8750N 2350E	Soil			0.7	8.0	20.5	40	<0.1	8.3	4.2	386	1.80	4.4	0.8	1.8	2.3	7	0.1	0.4	0.3	38	0.05	0.069
L8750N 2375E	Soil			0.9	8.7	13.9	49	<0.1	7.3	4.8	537	1.56	3.1	0.6	1.4	2.3	12	<0.1	0.2	0.2	31	0.08	0.142
L8750N 2400E	Soil			0.6	10.6	18.7	62	<0.1	9.3	5.8	510	1.84	2.8	0.9	2.3	4.0	12	<0.1	0.2	0.2	46	0.10	0.094
L8750N 2425E	Soil			0.5	34.7	31.3	70	0.1	18.0	6.5	304	2.32	3.5	4.7	2.0	6.0	28	0.1	0.2	0.4	36	0.14	0.147
L8750N 2450E	Soil			0.1	14.6	26.3	33	<0.1	7.3	3.2	76	1.03	<0.5	0.8	1.8	1.8	27	<0.1	<0.1	0.4	16	0.13	0.010
L8750N 2475E	Soil			0.4	7.2	29.1	41	<0.1	9.3	4.4	101	1.32	2.1	0.5	6.1	3.7	8	<0.1	0.2	0.2	20	0.12	0.060
L8750N 2500E	Soil			0.3	20.5	49.1	48	<0.1	10.4	6.0	483	1.54	1.3	1.6	3.7	5.8	36	<0.1	0.2	0.3	26	0.31	0.071
L8750N 2525E	Soil			0.1	13.0	45.4	44	<0.1	9.2	5.2	207	1.30	0.8	1.2	6.7	5.4	30	<0.1	0.1	0.2	22	0.31	0.045
L8750N 2550E	Soil			0.3	15.9	56.8	47	<0.1	10.0	5.2	423	1.31	1.4	1.9	4.5	3.3	69	0.2	0.2	0.3	22	0.39	0.031
L8750N 2575E	Soil			0.2	9.2	40.4	38	<0.1	8.1	4.6	195	1.05	0.8	0.7	2.2	2.1	24	<0.1	0.1	0.2	19	0.16	0.020
L8750N 2600E	Soil			0.2	10.3	33.7	42	<0.1	7.5	3.8	357	1.01	0.9	1.4	1.7	1.9	77	<0.1	0.2	0.3	18	0.35	0.020
L8750N 2625E	Soil			0.2	14.1	32.3	70	0.2	9.7	5.7	696	1.35	1.3	1.3	1.0	2.9	86	0.2	0.2	0.3	23	0.46	0.053
L8750N 2650E	Soil			0.2	13.7	12.7	42	<0.1	10.4	4.7	139	1.38	0.7	1.5	4.3	3.5	60	<0.1	<0.1	0.3	23	0.39	0.011
L8750N 2675E	Soil			0.2	12.2	18.1	44	<0.1	11.1	4.6	222	1.60	0.8	1.3	2.1	5.7	39	<0.1	<0.1	0.2	27	0.38	0.025





ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 8 of 9 Part 2

VAN08007719.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L8650N 2675E	Soil		18	13	0.72	105	0.068	1	1.83	0.013	0.07	0.2	0.03	1.7	0.1	<0.05	7	<0.5
L8650N 2700E	Soil		14	15	0.91	87	0.082	<1	1.81	0.020	0.22	0.3	0.02	2.1	0.2	<0.05	6	<0.5
L8650N 2725E	Soil		15	14	0.84	84	0.070	<1	1.62	0.017	0.21	0.3	0.03	1.9	0.3	<0.05	6	<0.5
L8650N 2750E	Soil		11	19	1.18	96	0.092	<1	2.41	0.026	0.10	0.2	0.03	2.2	0.2	<0.05	8	<0.5
L8650N 2775E	Soil		6	8	0.48	58	0.061	<1	1.48	0.016	0.05	0.1	0.02	1.1	<0.1	<0.05	6	<0.5
L8650N 2800E	Soil		20	12	0.71	118	0.074	1	2.62	0.017	0.09	0.2	0.04	2.2	0.1	<0.05	8	<0.5
L8650N 2825E	Soil		17	15	0.78	112	0.077	<1	2.33	0.017	0.08	0.2	0.03	2.0	0.1	<0.05	8	<0.5
L8650N 2850E	Soil		13	17	1.14	75	0.094	<1	1.85	0.022	0.08	0.2	0.02	2.0	0.1	<0.05	6	<0.5
L8650N 2875E	Soil		9	18	0.92	96	0.084	<1	2.44	0.023	0.07	0.2	0.02	2.0	0.2	<0.05	8	<0.5
L8650N 2900E	Soil		11	17	1.11	94	0.092	1	2.35	0.022	0.09	0.2	0.03	2.2	0.1	<0.05	8	<0.5
L8650N 2925E	Soil		14	20	1.11	99	0.092	1	2.39	0.037	0.08	0.1	0.02	2.4	0.1	<0.05	7	<0.5
L8650N 2950E	Soil		14	20	0.86	110	0.090	1	2.54	0.029	0.08	0.1	0.02	2.3	0.2	<0.05	7	<0.5
L8650N 2975E	Soil		15	25	1.11	143	0.110	<1	2.98	0.042	0.12	0.2	0.02	3.2	0.2	<0.05	8	<0.5
L8650N 3000E	Soil		14	15	0.81	60	0.082	<1	1.54	0.014	0.08	0.2	0.02	1.8	0.1	<0.05	7	<0.5
L8750N 2300E	Soil		11	11	0.45	118	0.089	<1	2.64	0.010	0.09	0.5	0.04	1.7	0.2	<0.05	8	<0.5
L8750N 2325E	Soil		5	8	0.20	103	0.165	<1	4.59	0.019	0.04	0.4	0.05	2.5	0.1	<0.05	11	<0.5
L8750N 2350E	Soil		5	7	0.18	73	0.121	1	2.71	0.013	0.04	0.3	0.06	1.2	0.1	<0.05	9	<0.5
L8750N 2375E	Soil		4	6	0.15	69	0.104	<1	3.30	0.016	0.04	0.3	0.04	1.3	0.1	<0.05	8	<0.5
L8750N 2400E	Soil		9	9	0.44	86	0.085	<1	2.37	0.010	0.08	0.4	0.03	1.6	0.1	<0.05	8	<0.5
L8750N 2425E	Soil		19	13	0.57	187	0.117	<1	4.32	0.018	0.09	0.6	0.04	2.3	0.2	<0.05	11	<0.5
L8750N 2450E	Soil		8	8	0.38	99	0.064	<1	1.69	0.020	0.06	0.2	0.01	1.0	<0.1	<0.05	6	<0.5
L8750N 2475E	Soil		12	11	0.82	38	0.052	<1	1.58	0.008	0.06	0.5	0.02	1.3	<0.1	<0.05	6	<0.5
L8750N 2500E	Soil		18	12	1.04	83	0.067	<1	1.42	0.013	0.30	0.6	0.02	1.9	0.2	<0.05	5	<0.5
L8750N 2525E	Soil		16	14	1.01	68	0.077	<1	1.38	0.018	0.23	0.5	0.02	1.8	0.2	<0.05	5	<0.5
L8750N 2550E	Soil		20	12	0.86	132	0.075	1	1.78	0.019	0.16	0.3	0.03	1.9	0.2	<0.05	6	<0.5
L8750N 2575E	Soil		13	11	0.67	79	0.065	<1	1.55	0.015	0.07	0.3	0.02	1.4	<0.1	<0.05	6	<0.5
L8750N 2600E	Soil		16	10	0.56	153	0.063	<1	1.64	0.019	0.09	0.2	0.04	1.3	0.1	<0.05	6	<0.5
L8750N 2625E	Soil		19	17	1.08	194	0.086	2	1.98	0.043	0.19	0.2	0.02	2.1	0.1	<0.05	7	<0.5
L8750N 2650E	Soil		19	17	1.14	161	0.102	<1	2.08	0.027	0.07	0.2	0.02	2.2	0.1	<0.05	7	<0.5
L8750N 2675E	Soil		20	21	1.55	104	0.118	<1	1.95	0.020	0.44	0.4	0.01	3.1	0.3	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 9 of 9 Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L8750N 2700E	Soil			0.2	19.0	13.4	37	<0.1	8.4	4.5	339	1.39	0.9	2.3	2.2	4.2	76	<0.1	<0.1	0.4	26	0.39	0.014
L8750N 2725E	Soil			0.2	8.1	13.6	32	<0.1	7.9	4.4	132	1.16	1.0	0.5	3.1	3.5	23	<0.1	<0.1	0.1	21	0.23	0.041
L8750N 2750E	Soil			0.5	8.0	13.2	39	<0.1	7.2	4.0	155	1.57	1.5	0.5	2.8	3.4	11	<0.1	0.1	0.2	44	0.09	0.073
L8750N 2775E	Soil			0.2	10.1	9.4	37	<0.1	7.2	3.5	194	1.25	<0.5	0.7	4.3	2.6	43	<0.1	<0.1	0.4	31	0.18	0.020
L8750N 2800E	Soil			0.3	10.1	17.6	45	<0.1	8.9	4.4	128	1.40	1.0	0.4	4.4	3.6	17	<0.1	<0.1	0.2	28	0.12	0.092
L8750N 2825E	Soil			0.4	7.8	13.6	59	<0.1	9.7	5.5	179	1.51	1.0	0.4	2.9	3.7	14	<0.1	0.1	0.2	31	0.12	0.102
L8750N 2850E	Soil			0.3	6.5	12.2	50	<0.1	8.5	3.7	119	1.10	1.0	0.3	2.1	2.5	11	<0.1	<0.1	0.2	22	0.11	0.064
L8750N 2875E	Soil			0.4	7.0	9.5	42	<0.1	7.0	4.1	143	1.62	1.2	0.7	1.9	4.6	26	<0.1	<0.1	0.2	39	0.14	0.111
L8750N 2900E	Soil			0.2	7.5	8.8	35	<0.1	6.3	3.7	123	1.29	0.7	0.6	3.6	3.4	34	<0.1	<0.1	0.2	30	0.15	0.075
L8750N 2925E	Soil			0.4	11.7	9.8	48	<0.1	8.3	4.7	170	1.55	1.6	0.6	1.8	4.1	39	<0.1	<0.1	0.2	34	0.21	0.073
L8750N 2950E	Soil			0.5	9.9	8.5	42	<0.1	7.9	4.2	157	1.42	1.3	0.6	1.9	4.2	25	<0.1	<0.1	0.2	31	0.16	0.078
L8750N 2975E	Soil			0.3	9.0	8.6	74	<0.1	8.6	4.9	191	1.47	1.2	0.5	8.6	3.7	21	<0.1	<0.1	0.2	25	0.17	0.132
L8750N 3000E	Soil			0.3	6.6	8.7	59	<0.1	8.4	3.8	125	1.32	0.9	0.5	4.7	3.4	14	<0.1	<0.1	0.2	28	0.13	0.039

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008

Page:

9 of 9

Part 2

VAN08007719.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L8750N 2700E	Soil	23	15	0.89	160	0.085	<1	1.92	0.022	0.11	0.2	0.02	2.3	0.1	<0.05	6	<0.5
L8750N 2725E	Soil	12	13	0.84	56	0.081	<1	1.47	0.015	0.06	0.2	0.01	1.6	<0.1	<0.05	5	<0.5
L8750N 2750E	Soil	7	7	0.40	74	0.069	2	1.74	0.009	0.05	0.3	0.02	1.7	<0.1	0.17	8	<0.5
L8750N 2775E	Soil	10	7	0.54	139	0.072	1	1.54	0.013	0.09	0.1	0.02	1.3	0.1	0.14	8	<0.5
L8750N 2800E	Soil	8	11	0.71	83	0.072	1	1.74	0.010	0.07	0.2	0.02	1.4	0.1	0.11	7	<0.5
L8750N 2825E	Soil	8	9	0.56	79	0.079	2	1.96	0.009	0.07	0.3	0.02	1.5	<0.1	0.07	6	<0.5
L8750N 2850E	Soil	6	3	0.31	52	0.070	1	1.43	0.009	0.06	0.3	0.04	0.9	<0.1	0.11	6	<0.5
L8750N 2875E	Soil	7	5	0.31	106	0.071	2	1.69	0.009	0.08	0.3	0.02	1.3	<0.1	0.09	7	<0.5
L8750N 2900E	Soil	9	7	0.37	113	0.060	<1	1.39	0.009	0.07	0.2	0.02	1.2	0.1	0.07	6	<0.5
L8750N 2925E	Soil	10	9	0.60	88	0.065	2	1.75	0.009	0.08	0.2	0.02	1.4	<0.1	<0.05	6	<0.5
L8750N 2950E	Soil	10	8	0.48	101	0.070	1	1.82	0.009	0.07	0.2	0.02	1.5	<0.1	0.05	6	<0.5
L8750N 2975E	Soil	11	7	0.46	75	0.051	1	1.77	0.007	0.05	0.2	0.04	1.3	<0.1	<0.05	6	<0.5
L8750N 3000E	Soil	10	9	0.50	61	0.089	<1	1.52	0.010	0.04	0.2	0.02	1.4	<0.1	<0.05	7	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 1 of 2 Part 1

VAN08007719.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																							
L7350N 2600E	Soil			1.7	8.7	12.4	60	<0.1	7.9	4.0	149	1.13	3.8	0.2	0.6	2.1	6	0.3	<0.1	0.2	19	0.12	0.144
REP L7350N 2600E	QC			1.7	8.5	13.9	56	<0.1	8.1	4.0	149	1.16	3.6	0.2	1.0	2.1	6	0.3	<0.1	0.2	20	0.13	0.144
L7450N 2750E	Soil			0.4	18.2	30.0	99	<0.1	14.7	7.2	195	1.49	1.5	0.4	3.6	3.5	15	0.3	0.1	0.2	19	0.37	0.045
REP L7450N 2750E	QC			0.4	17.9	29.5	96	<0.1	15.2	7.4	199	1.53	1.6	0.4	58.6	3.5	14	0.2	0.1	0.2	20	0.40	0.043
L7450N 2900E	Soil			0.4	26.2	34.3	119	0.1	11.8	6.2	384	1.37	1.4	0.4	35.0	2.0	10	0.2	0.2	0.2	20	0.25	0.013
REP L7450N 2900E	QC			0.4	25.1	34.6	119	0.1	11.6	6.1	386	1.36	1.3	0.4	2.4	2.0	10	0.2	0.1	0.2	20	0.25	0.013
L7550N 2800E	Soil			1.7	13.0	31.3	131	<0.1	16.7	8.2	591	1.84	1.4	0.4	10.5	3.8	12	0.3	<0.1	0.2	27	0.30	0.016
REP L7550N 2800E	QC			1.8	12.5	32.5	132	<0.1	16.9	8.4	595	1.83	1.3	0.4	1.4	4.1	12	0.3	0.1	0.2	26	0.29	0.017
L7650N 2650E	Soil			0.5	12.2	443.6	343	1.4	16.6	8.5	831	1.44	1.7	0.6	6.8	4.7	17	1.3	1.4	0.3	23	0.20	0.034
REP L7650N 2650E	QC			0.5	12.4	424.0	348	1.0	15.4	8.4	814	1.43	1.6	0.6	15.6	4.6	17	1.5	1.5	0.2	24	0.19	0.034
L7700N 2750E	Soil			1.3	15.6	201.6	207	0.3	12.2	6.0	183	1.43	2.9	0.4	7.4	3.1	14	0.8	0.2	0.2	27	0.20	0.074
REP L7700N 2750E	QC			1.6	14.8	203.4	200	0.3	10.4	5.6	188	1.37	2.5	0.4	2.5	3.0	15	0.8	0.2	0.2	27	0.20	0.083
L7700N 2825E	Soil			0.6	8.2	27.9	104	<0.1	8.8	4.8	457	1.47	2.0	0.3	2.5	2.4	6	0.3	0.1	0.2	24	0.11	0.097
REP L7700N 2825E	QC			0.5	10.4	28.5	112	<0.1	10.7	5.2	483	1.60	3.0	0.3	3.0	2.6	6	0.3	0.2	0.2	26	0.12	0.107
L7750N 2850E	Soil			0.5	8.2	17.2	132	<0.1	9.6	5.0	230	1.59	<0.5	0.4	<0.5	2.6	5	0.2	0.1	0.2	25	0.08	0.059
REP L7750N 2850E	QC			0.5	7.8	17.7	124	<0.1	9.0	4.7	230	1.61	1.3	0.3	<0.5	2.6	7	0.2	<0.1	0.2	25	0.07	0.059
L8550N 2625E	Soil			1.1	13.4	22.2	37	<0.1	9.5	4.8	182	1.18	0.6	4.4	<0.5	3.2	24	0.2	<0.1	0.2	27	0.50	0.017
REP L8550N 2625E	QC			1.1	13.7	22.5	33	0.1	9.1	4.7	181	1.17	1.0	4.3	0.8	3.3	23	0.1	<0.1	0.2	23	0.52	0.016
L8650N 2425E	Soil			0.4	59.4	13.7	85	<0.1	4.1	8.3	1420	3.18	1.1	7.4	32.2	11.5	62	<0.1	0.3	0.3	91	0.76	0.276
REP L8650N 2425E	QC			0.5	60.1	13.0	98	<0.1	3.4	8.6	1484	3.20	1.2	7.1	41.6	11.1	64	<0.1	0.2	0.3	87	0.70	0.271
L8650N 2725E	Soil			0.6	11.6	17.4	48	<0.1	9.7	6.2	455	1.77	1.2	1.4	4.5	4.7	30	<0.1	<0.1	0.2	37	0.43	0.071
REP L8650N 2725E	QC			0.6	11.9	18.3	49	<0.1	9.6	6.4	469	1.86	1.1	1.4	3.5	4.9	31	<0.1	0.1	0.2	39	0.42	0.073
L8750N 2450E	Soil			0.1	14.6	26.3	33	<0.1	7.3	3.2	76	1.03	<0.5	0.8	1.8	1.8	27	<0.1	<0.1	0.4	16	0.13	0.010
REP L8750N 2450E	QC			0.1	14.4	27.2	32	<0.1	7.3	3.1	75	1.02	0.7	0.7	1.3	1.7	26	<0.1	<0.1	0.4	16	0.13	0.010
L8750N 2925E	Soil			0.4	11.7	9.8	48	<0.1	8.3	4.7	170	1.55	1.6	0.6	1.8	4.1	39	<0.1	<0.1	0.2	34	0.21	0.073
REP L8750N 2925E	QC			0.3	12.3	9.7	51	<0.1	8.8	4.6	167	1.51	0.9	0.6	2.7	4.3	39	<0.1	<0.1	0.2	32	0.20	0.074
Reference Materials																							
STD DS7	Standard			19.1	108.1	65.2	400	0.8	54.1	8.6	613	2.37	51.6	4.7	70.1	4.1	72	6.0	5.7	4.0	82	0.92	0.083

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 1 of 2 Part 2

VAN08007719.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
L7350N 2600E	Soil	3	<1	0.28	55	0.089	2	2.11	0.019	0.05	0.5	0.03	0.9	<0.1	<0.05	8	0.5
REP L7350N 2600E	QC	3	<1	0.29	52	0.095	2	2.13	0.017	0.06	0.5	0.03	0.9	<0.1	<0.05	8	0.5
L7450N 2750E	Soil	8	14	0.89	128	0.101	3	2.48	0.025	0.10	2.3	0.02	2.0	0.1	<0.05	8	<0.5
REP L7450N 2750E	QC	7	15	0.91	120	0.102	3	2.50	0.025	0.10	2.2	0.02	2.0	0.1	<0.05	8	<0.5
L7450N 2900E	Soil	7	15	0.82	91	0.069	1	1.77	0.006	0.07	0.8	0.01	1.5	0.1	<0.05	6	<0.5
REP L7450N 2900E	QC	7	14	0.82	87	0.063	1	1.82	0.009	0.06	0.8	0.01	1.4	0.1	<0.05	6	<0.5
L7550N 2800E	Soil	8	18	1.06	132	0.136	2	2.74	0.012	0.17	0.4	0.01	2.0	0.2	<0.05	9	<0.5
REP L7550N 2800E	QC	8	18	1.05	134	0.136	2	2.78	0.011	0.18	0.4	0.02	1.9	0.2	<0.05	9	<0.5
L7650N 2650E	Soil	10	11	0.53	313	0.117	3	2.67	0.022	0.13	0.9	0.03	1.9	0.2	<0.05	7	<0.5
REP L7650N 2650E	QC	10	11	0.54	320	0.111	3	2.49	0.023	0.14	1.0	0.03	2.0	0.2	<0.05	8	<0.5
L7700N 2750E	Soil	7	7	0.46	115	0.118	2	2.56	0.026	0.07	0.8	0.02	1.6	<0.1	<0.05	8	<0.5
REP L7700N 2750E	QC	7	8	0.46	116	0.121	2	2.42	0.027	0.07	0.7	0.02	2.0	<0.1	<0.05	8	<0.5
L7700N 2825E	Soil	4	2	0.43	85	0.108	2	2.18	0.014	0.05	0.3	0.04	1.5	0.1	<0.05	8	<0.5
REP L7700N 2825E	QC	5	2	0.46	92	0.128	4	2.33	0.015	0.05	0.4	0.05	1.5	0.1	<0.05	9	<0.5
L7750N 2850E	Soil	5	8	0.39	114	0.120	<1	2.24	0.014	0.04	0.3	0.02	1.7	0.1	<0.05	9	<0.5
REP L7750N 2850E	QC	5	8	0.38	115	0.119	<1	2.15	0.014	0.04	0.3	0.01	1.5	<0.1	<0.05	9	<0.5
L8550N 2625E	Soil	13	17	0.71	69	0.082	<1	2.11	0.019	0.06	0.3	0.04	2.3	<0.1	<0.05	6	1.2
REP L8550N 2625E	QC	13	12	0.71	68	0.076	<1	1.92	0.017	0.06	0.2	0.01	2.1	0.1	<0.05	6	0.9
L8650N 2425E	Soil	52	6	0.75	243	0.104	<1	1.85	0.010	0.59	0.7	0.01	4.1	0.3	<0.05	9	1.0
REP L8650N 2425E	QC	52	4	0.78	238	0.098	<1	1.93	0.009	0.58	0.6	<0.01	4.1	0.3	<0.05	9	<0.5
L8650N 2725E	Soil	15	14	0.84	84	0.070	<1	1.62	0.017	0.21	0.3	0.03	1.9	0.3	<0.05	6	<0.5
REP L8650N 2725E	QC	15	14	0.85	86	0.070	<1	1.66	0.017	0.21	0.2	0.02	1.9	0.2	0.05	5	<0.5
L8750N 2450E	Soil	8	8	0.38	99	0.064	<1	1.69	0.020	0.06	0.2	0.01	1.0	<0.1	<0.05	6	<0.5
REP L8750N 2450E	QC	8	8	0.39	96	0.064	<1	1.69	0.018	0.06	0.2	0.01	1.0	<0.1	<0.05	6	<0.5
L8750N 2925E	Soil	10	9	0.60	88	0.065	2	1.75	0.009	0.08	0.2	0.02	1.4	<0.1	<0.05	6	<0.5
REP L8750N 2925E	QC	10	9	0.60	86	0.067	<1	1.69	0.009	0.08	0.2	0.02	1.6	0.1	<0.05	6	<0.5
Reference Materials																	
STD DS7	Standard	13	197	1.11	403	0.121	43	1.09	0.096	0.45	3.8	0.24	2.3	4.3	0.25	5	4.4

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.  
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: August 22, 2008

Page: 2 of 2 Part 1

VAND8007719 1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS7	Standard	19.6	105.8	69.9	397	0.8	56.0	8.5	643	2.44	50.4	4.5	70.0	3.9	73	6.3	5.5	4.2	97	0.94	0.071
STD DS7	Standard	19.2	104.0	71.3	398	0.8	53.2	8.6	603	2.29	49.4	4.5	65.6	3.8	66	6.1	5.6	4.2	87	0.89	0.074
STD DS7	Standard	18.7	106.6	68.2	403	0.8	56.1	9.3	648	2.74	51.8	4.4	59.6	3.9	64	5.9	5.1	4.1	89	0.93	0.083
STD DS7	Standard	19.6	111.6	74.2	404	0.9	54.5	9.3	610	2.38	52.3	4.8	72.5	4.0	69	6.4	5.8	4.5	88	0.87	0.077
STD DS7	Standard	21.0	116.1	78.2	398	0.9	55.5	9.8	596	2.30	51.9	5.5	60.1	5.0	81	6.2	6.5	4.7	85	0.94	0.072
STD DS7	Standard	20.4	111.6	63.4	406	0.9	57.2	9.4	619	2.44	52.0	4.3	132.7	3.4	59	5.6	4.9	3.5	89	0.88	0.077
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

# AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

August 22, 2008


Page:

2 of 2

Part 2

VAN08007719.1


		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
STD DS7	Standard	13	209	1.03	388	0.127	37	1.00	0.087	0.45	3.9	0.22	2.4	4.2	0.19	5	2.8
STD DS7	Standard	11	191	1.02	368	0.113	37	0.97	0.088	0.45	3.7	0.21	2.2	4.5	0.21	4	3.4
STD DS7	Standard	12	208	1.09	389	0.123	37	1.02	0.086	0.48	3.7	0.23	2.4	4.3	0.24	4	3.2
STD DS7	Standard	12	194	1.06	398	0.115	37	0.98	0.088	0.46	3.6	0.23	2.1	4.3	0.26	5	3.7
STD DS7	Standard	14	202	1.03	389	0.129	39	1.06	0.096	0.45	4.0	0.21	2.6	4.1	0.23	5	2.6
STD DS7	Standard	11	204	1.01	374	0.118	30	0.97	0.073	0.45	3.5	0.21	2.2	4.1	0.16	5	3.9
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



<b>GAR PROPERTY(Leader)</b>	
<b>Geology (Revised)</b>	
BCGS: 082F060	FIGURE: 3
SCALE: 1:5000	

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT






$\geq 50$   
 $\geq 100$

<b>GAR PROPERTY</b>	
<b>Soil Geochem – Lead in ppm</b>	
BCGS: 082F060	FIGURE: 4
SCALE: 1:5000	





<b>GAR PROPERTY</b>	
<b>Soil Geochem – Gold in ppb</b>	
BCGS: 082F060	FIGURE: 5
SCALE: 1:5000	