

Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] <u>Geochemical Work on POND</u>		TOTAL COST <u>\$19,053.17</u>
AUTHOR(S) <u>Wojtek Jakubowski</u>	SIGNATURE(S) <u>W/Jk.</u>	
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) <u>—</u>		YEAR OF WORK <u>2008</u>
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) <u>4251552 / Dec. 12, 2008</u>		
PROPERTY NAME <u>POND</u>		
CLAIM NAME(S) (on which work was done) <u>522451 and 545541-46</u>		
COMMODITIES SOUGHT <u>Molybdenum</u>		
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN <u>93K 097</u>		
MINING DIVISION <u>Omineca</u>		NTS <u>93K/13</u>
LATITUDE <u>54 ° 52 ' 7.2 "</u> LONGITUDE <u>125 ° 34 ' 42 "</u> (at centre of work)		
OWNER(S)		
1) <u>Keith P. Morris</u>		2) <u>W.A.M. Claim Service Inc.</u>
MAILING ADDRESS		
<u>2258 Corby Ridge Rd. Sooke, B.C. V0S 1N0</u>		<u>479-4th St. Courtenay, B.C. V9N 1G9</u>
OPERATOR(S) [who paid for the work]		
1) <u>Amarc Resources Ltd.</u>		2) _____
MAILING ADDRESS		
<u>1020-800 W. Pender St. Vancouver, B.C. V6C 2V6</u>		
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):		
<u>Early Permian-late Triassic Rubyrack Igneous Complex greenstone, greenschist, gabbro + diorite; late Pennsylvanian-late Triassic Trembleur ultramafic rocks; mid Jurassic-early Cretaceous Endako granitic rocks</u>		
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS <u>11861, 12881, 24033</u>		

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Selsmic _____			
Other _____			
Airborne _____			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil _____	167		\$15,383.45
Silt _____	30		3,669.72
Rock _____			
Other _____			
DRILLING			
(total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trall _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
TOTAL COST			\$19,053.17

Assessment Report on
Geochemical Work

BC Geological Survey
Assessment Report
30592

Performed on the POND Property

Located in the Omineca Mining Division

**NTS: 93K/13
BCGS: 093K.082, .083**

**Centred at approximately
54° 52.12' N Latitude
125° 34.70' W Longitude
6,083,280 m N; 334,560 m E
UTM NAD 83, Zone 10**

**Claim: 522451
Owner: Keith P. Morris
Operator: Amarc Resources Ltd.**

**Claims: 545541-6
Owner: W.A.M. Claim Service Inc.
Operator: Amarc Resources Ltd.**

Author:

Wojtek Jakubowski, P.Geol.

December 18, 2008

TABLE OF CONTENTS

1.0 SUMMARY	1
2.0 INTRODUCTION	2
3.0 LOCATION AND ACCESS	2
4.0 PHYSIOGRAPHY AND CLIMATE	2
5.0 CLAIMS	3
6.0 EXPLORATION HISTORY	3
7.0 REGIONAL AND LOCAL GEOLOGY	4
8.0 GEOCHEMISTRY	4
Silt Geochemistry	4
Soil Geochemistry	5
9.0 RECOMMENDATIONS	7
REFERENCES	8
STATEMENTS OF AUTHORS' QUALIFICATIONS	9
STATEMENT OF COSTS	10
APPENDIX A Sample Data Table	
APPENDIX B Analytical Procedures	
APPENDIX C Analytical Certificates	
APPENDIX D Filing Forms	

LIST OF FIGURES

Figure 3.1 Property Location.....	After page 2
Figure 5.1 Claims	After page 3
Figure 7.1 Regional Geology	After page 4
Figure 8.1 Silt Sample Locations	In pocket
Figure 8.2 Molybdenum in Silt	In pocket
Figure 8.3 Soil Sample Locations	In pocket
Figure 8.4 Molybdenum in Soil	In pocket

LIST OF TABLES

Table 5.3 Pond Option claims.....	3
Table 6.1 Previous work	3
Table 8.1 Silt sample statistics.....	5
Table 8.2 Soil sample statistics.....	6

1.0 SUMMARY

The POND property is located in central British Columbia in the Omineca Mining Division. It is situated approximately 70 km northeast of Burns Lake, B.C., on NTS map sheet 93K/13. The west side of the property is road accessible from Burns Lake.

The seven POND claims are under option by Amarc Resources from W.A.M. Claim Service Inc. Amarc Resources is the operator for all claims on the POND property.

The POND property lies primarily within Cache Creek Terrane. Greenstones of the Cache Creek Complex underlie the central portions of the property. Mid Jurassic to Cretaceous granitic rocks of the Endako plutonic suite are exposed in the southwestern corner of the claim group. A molybdenum occurrence (Pond) underlies the POND claims.

Geochemical work was performed in two phases between June 26 and October 2, 2008. A total of 167 soil samples and 30 silt samples were collected from the claims. Anomalous values for molybdenum and copper were detected.

2.0 INTRODUCTION

This report documents the results of a silt and soil sampling program performed on claims belonging to the POND Project, located in the Nechako Region of Central B.C. Field work was conducted between June 26 and October 2, 2008, based out of the Leo Creek camp on the east side of Takla Lake.

3.0 LOCATION AND ACCESS

The POND property is situated in central British Columbia in the Omineca Mining Division. The property is located on NTS map 93K/13 and on BCGS maps 093K.082 and 093K.083. The centre of the claim group is approximately 70 km northeast of Burns Lake, B.C., at 54° 52.12' N Latitude and 125° 34.7' W Longitude, or UTM NAD83, Zone 10, at 6,083,280 m N and 334,560 m E, as shown in Figure 3.1.



The property is accessible by road from Fort St. James via the Tachie Road northwest from Fort St. James to the Leo Creek Forest Service Road (FSR). The Leo Creek FSR is taken to the Leo-Kazchek FSR to Leo Creek. From Leo Creek, the southeastern section of Takla Lake must be crossed via the Leo-Sakeniche FSR (900 Rd.) to the Leo-Middle FSR (700 Rd.) southeast. The Leo-Middle FSR eventually veers southwest and turns into the Baptiste Connector Leo-Middle FSR, intersecting the claims in conjunction with a network of lesser forestry roads. It is also accessible by helicopter from Burns Lake and Fort St. James.

4.0 PHYSIOGRAPHY AND CLIMATE

The POND property is situated in the Fort St. James and Nadina Forest Districts of the Northern Interior Forest Region. The general topography is mountainous with intermittent lakes, swamps and marshes. Elevations range from 980 m to 1,480 m above sea level. The area is forested primarily with lodgepole pine, spruce, and blue Douglas fir, with scattered patches of aspen, balsam, and devils club.

Average temperatures in Burns Lake are 16.6°C in summer and -11.7°C in winter, with annual rainfall averaging 29.1 cm and annual snowfall averaging 189.8 cm, respectively (Environment Canada Climate Weather Office Public Website:

http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_1961_1990_e.html).



Amarc Resources Ltd.

POND

Property Location

NTS: 93K

Date: December 5, 2008

POND_AssRpt_Loco_Dec0508.WOR
UTM NAD83, Zone 10

Figure 3.1

Scale: 1 : 1 200 000

Plotted by : GMD

5.0 CLAIMS

Seven unnamed claims (522451, 545541-6) belong to the Pond Option (Figure 5.1). Amarc Resources Ltd. is the optionee and operator. Ownership information is contained in Table 5.3, below.

Table 5.3 Pond Option claims.


Tenure No.	Owner (100%)	Date Issued	Expiry Date	Area (ha)
522451	Keith P. Morris	21-Nov-05	31-Dec-09	223.339
545541	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	223.282
545542	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	167.504
545543	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	111.704
545544	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	130.295
545545	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	148.983
545546	W.A.M. Claim Service Inc.	20-Nov-06	31-Dec-09	93.096





6.0 EXPLORATION HISTORY

In 1983, Rio Tinto Canadian Exploration Ltd. carried out an exploration program to investigate strong Mo-Cu-Ag lake sediment anomalies discovered the previous year. Rio Algom Exploration Inc. continued to explore the property in 1984, and drilled in 1989. In 1995, Spokane Resources Ltd. mapped and drilled six holes on ground now covered by the POND property, but did not file an assessment report. Amarc Resources Ltd. carried out a reconnaissance silt sampling program in the area during 2007, collecting 3 silt samples on the POND claims. Assessment work on the POND claims is contained in the following assessment reports:

Table 6.1 Previous work.

ARIS	Year	Author	Company	Work Done / Recommendations
11861	1983	J. McClintock	Rio Tinto	Geological mapping and soil sampling: discovered outcropping Mo stockworks and 3 large Mo soil anomalies; further work recommended to delineate exposed stockwork mineralization and evaluate soil anomalies
12881	1984	L. Holmgren, R.M. Cann, & C.D. Spence	Rio Algom	Geological mapping, soil sampling, rock geochemistry, trenching and magnetometer survey: determined potential extent of Mo mineralization to be 700 x 400 m; drilling recommended
24033	1995	P.E. Fox	Spokane Resources Ltd.	Induced Polarization: known mineralization at Camp Zone has similar signature to Peak and Pond zones



-  Claim boundary
-  1 lane gravel road
-  Rough road
-  Logging road

Contour interval 20 m



Amarc Resources Ltd.

POND

Claims

NTS: 93K/13	NTS: 93K.082.83	Figure 5.1
Date: December 5, 2008		Scale: 1 : 50 000
POND_AssRpt_claims_Dec0508.WOR		Plotted by : GMD
UTM NAD83, Zone 10		

7.0 REGIONAL AND LOCAL GEOLOGY

The majority of the POND claims are underlain by the Early Permian to Late Triassic Rubyrock Igneous Complex of the Cache Creek Complex (Figure 7.1). This unit includes greenstone, greenschist, gabbro and diorite. Ultramafic rocks belonging to the Late Pennsylvanian to Late Triassic Trembleur Ultramafite form small apophyses on the west side of the property. Alkali-rich granitic rocks of the Middle Jurassic to Early Cretaceous Francois Lake Suite of the Endako Batholith intrude the Rubyrock Complex on the southwest leg of the claims. A northwesterly-trending fault with sinistral displacement cuts the western claims (Scharizza, 1999). The MAC property, which hosts a sub-economic molybdenum porphyry deposit, adjoins the POND claims to the south. Mineralization is primarily associated with a quartz vein stockwork within a quartz monzonite intrusion, but also occurs in quartz veins and silicified zones in the adjacent volcanics (Fox, P., 1996).

Soil and glacial till cover is extensive and generally shallow, but includes locally deep mounds that can be over 5 m thick, particularly in the river valleys. Overall bedrock exposure is poor to moderate but locally abundant in road cuts and in some stream gullies, as well as on steep upper slopes and ridge tops. No glacial striae were observed during the work program, however, published literature indicates an ice direction of 105° (Plouffe, A., 1997).


8.0 GEOCHEMISTRY

A reconnaissance sampling program was carried out on the POND claims on June 26 and 29 and between September 28 and October 2, 2008. Thirty silt samples and 167 soil samples were collected as part of a greater sampling program on the surrounding claims. The property was accessed by truck from the Leo Creek camp on the east side of Takla Lake, and by helicopter.

Silt Geochemistry

A total of 30 silt samples were collected during the 2008 field season on the POND property on June 26 and June 29 (Appendix A; Figures 8.1, 8.2). Silt samples were collected from active silts, generally from near the centre of the stream. Approximately 0.5 kg of material, with the very coarse fraction sorted out by hand, was placed in a kraft sample bag. Samples were shipped to Acme Analytical Laboratories in Smithers, B.C. for drying and sieving and then to Vancouver for analysis for 36 elements by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS). Analytical procedures are described in Appendix B; analytical certificates are in Appendix C. Samples with insufficient material for analytical procedures are not plotted.

Simple statistical parameters for molybdenum in silt samples are presented in Table 8.1, below.



INTRUSIVE ROCKS

EARLY CRETACEOUS

grandiorite

MIDDLE JURASSIC TO EARLY CRETACEOUS

Endako Batholith - Francois Lake Suite
granite and quartz porphyry

MIDDLE JURASSIC

Endako Batholith - Stag Lake Plutonic Suite
quartz diorite

Spike Peak Intrusive Suite
syenite, monzonite

EARLY TO MIDDLE JURASSIC

Spike Peak Intrusive Suite
diorite

EARLY PERMIAN TO LATE TRIASSIC

Cache Creek Complex - Rubyrock Igneous Complex
greenstone, greenschist, gabbro, diorite

LATE PENNSYLVANIAN TO LATE TRIASSIC

Cache Creek Complex - Trembleur Ultramafite Unit
ultramafic rocks, serpentinite

STRATIFIED ROCKS

EOCENE TO OLILOCENE

Nechako Plateau Group - Endako Formation
andesitic volcanic rocks

UPPER TRIASSIC

Takla Group
volcanic and sedimentary rocks

LOWER PERMIAN TO LOWER JURASSIC

Sitlika Assemblage
greenstone, clastic sedimentary rocks,
limestone, marble

UPPER PENNSYLVANIAN TO UPPER JURASSIC

Cache Creek Complex
greenstone, limestone and undivided
sedimentary rocks

— Claim boundary

- - - Fault

★ Mineral occurrence



POND	
Regional Geology (BCGS 2005)	
NTS: 93K/11,12,13,14	Figure 7.1
Date: December 5, 2008	Scale: 1 : 200 000
POND_AssRpt_RegGeol_Dec0508.WOR UTM NAD83, Zone 10	Plotted by : GMD

Table 8.1 Silt sample statistics

	<i>Mo ppm</i>
Mean	11.23
Standard Error	2.42
Median	9
Mode	3.2
Standard Deviation	13.92
Sample Variance	193.77
Kurtosis	11.95
Skewness	3.21
Range	70.6
Minimum	1.4
Maximum	72
Sum	370.6
Count	30
Confidence Level(95.0%)	4.94

The most significant clusters of high molybdenum values occur in creeks draining the area of the Pond occurrence (Figure 8.2). Two creeks returned values up to 72 ppm Mo from an anomalous string of samples 1200 m in length. Lower order but still elevated values of copper and zinc are associated with the molybdenum anomaly (Appendix A). These anomalous values are underlain by greenstone of the Cache Creek Complex.

Soil Geochemistry

A total of 167 soil samples were collected during the 2008 field season on the POND property between September 28 and October 2, 2008. Soil sample locations are plotted on Figure 8.3 and analytical results are listed in Appendices A and C. UTM coordinates were determined for all sample locations using a handheld GPS instrument. Samples were collected at 50 m intervals along road banks, along the upper parts of stream banks, and along ridges between drainages. About 0.5 kg of material was collected for each soil sample using a mattock or hand auger and placed in 10 cm × 15 cm kraft paper bags. In most cases, the B horizon was sampled; however, in a few rocky locations, the C horizon, or a combined B/C horizon, was sampled. The samples were shipped to the Acme Analytical preparation lab in Smithers, B.C. for drying and sieving before shipment to Acme's lab in Vancouver, B.C. where they were analyzed for 36 elements by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS). Analytical procedures are described in Appendix B. Samples with insufficient material for analytical procedures are not plotted.

Simple statistical parameters for molybdenum in soil samples are listed below in table 8.2.

Table 8.2 Soil sample statistics

	<i>Mo ppm</i>
Mean	7.54
Standard Error	1.29
Median	2.8
Mode	1.3
Standard Deviation	16.62
Sample Variance	276.26
Kurtosis	38.56
Skewness	5.66
Range	148.1
Minimum	0.7
Maximum	148.8
Sum	1259.8
Count	167
Confidence Level(95.0%)	2.54

The two creeks in the north western corner of the claim group which returned elevated molybdenum values in silt samples also showed strong Mo response in bank soil samples (Figure 8.4). Two strings of samples, 150 m and 100 m in length, returned values up to 148 ppm Mo. Bank soils taken on a creek at 6,081,500N at the west edge of the property showed moderately elevated Mo values intermittently over a length of 300 m. Moderately anomalous copper values coincide with the Mo samples (Appendix A). Both areas are underlain by greenstone of the Cache Creek Ruby Rock complex.

9.0 RECOMMENDATIONS

No further work is recommended on the Pond claims.

REFERENCES

- Environment Canada Climate Weather Office Public Website, accessed January 3, 2007:
http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_1961_1990_e.html
- Fox, P.E. (1996): Report on the 1996 Diamond Drill Program on the Mac 6 Claim, Omineca Mining Division, B.C. Ministry of Energy, Mines and Petroleum Resources, Assessment Report 24,638.
- Plouffe, A. (1997): Ice flow and late glacial lakes of the Fraser Glaciation, central British Columbia; *in* Cordillera and Pacific margin; Interior Plains and arctic Canada / Cordillère et marge du Pacifique; Plaines intérieures et régions arctique du Canada. Geological Survey of Canada, Current Research no. 1997-A/B, 1997; p. 1331-43.
- Schiarizza, P., and MacIntyre, D., 1999: Geology of the Babine Lake – Takla Lake Area, Central British Columbia (93K/11, 12, 13, 14; 93N/3, 4, 5, 6). Geological Fieldwork 1998, Ministry of Energy and Mines, Paper 1999-1, p. 33-68.

STATEMENT OF QUALIFICATIONS

I, *Wojtek Jakubowski*, of Vancouver, British Columbia, hereby certify that:

1. I am a professional geoscientist residing at #303 639 West 14th Avenue and working for Amarc Resources Ltd. of 1020 - 800 West Pender Street, Vancouver, B.C., V6C 2V6.
2. I received a B.Sc. degree in Geological Sciences from McGill University, Montreal, Quebec in 1979.
3. I have practiced my profession for 30 years in Canada, Mexico and the United States.
4. I am a member of the Association of Professional Engineers and Geoscientists of the province of British Columbia, registration number 19563.
5. I am an author of this report and the supervisor of the field work conducted on the POND mineral claims by Amarc Resources Ltd. during 2007 and 2008.

Signed on the 18th day of December, 2008

A circular professional seal for the Association of Professional Engineers and Geoscientists of British Columbia. The seal contains the text "PROFESSIONAL ENGINEER AND GEOSCIENTIST" around the perimeter and "W. J. J. Jakubowski" in the center. A handwritten signature in black ink is written over the seal.

Wojtek Jakubowski, B.Sc., P. Geo

STATEMENT OF COSTS

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days (list actual days)	Days	Rate	Subtotal*	
Wojtek Jakubowski / Party Chief	Oct 2	1	\$1,200.00	\$1,200.00	
Amanda Mullin / Sampler	Sept 28, Oct 1	1.5	\$600.00	\$900.00	
Chris Roe / Sampler	Sept 29, Oct 2	2	\$400.00	\$800.00	
Herve Chaudet	Oct 2	1	\$400.00	\$400.00	
Jonathon Ledwidge / Sampler	Sept 28-29, Oct 2	3	\$400.00	\$1,200.00	
Daniel Klein / Sampler	Jun 26	0.3	\$400.00	\$120.00	
Aarron Dutton / Sampler	Sept 29, Oct 2	1.5	\$600.00	\$900.00	
Shawn Stroschin / Sampler, F. Aid	Oct 1-2	2	\$400.00	\$800.00	
Brian Janes / Sampler	Jun 29	0.5	\$600.00	\$300.00	
		12.8		\$6,620.00	\$6,620.00
Office Studies	List Personnel (note - Office only)				
Program planning					
Mark Rebagliati, P.Eng.	Jun-29	0.2	\$1,293.00	\$258.60	
Database compilation					
Gwendolen Ditson, P.Geo.		0.5	\$750.00	\$375.00	
Romeo Taras		1.0	\$650.00	\$650.00	
Report preparation					
Wojtek Jakubowski, P.Geo.	Dec 5, 8, 10,16	2.0	\$1,200.00	\$2,400.00	
Gwendolen Ditson, P.Geo.	Dec 16, Dec 17	1.0	\$750.00	\$750.00	
Taylor Johnson, B.A.	Nov 22	0.5	\$600.00	\$300.00	
				\$4,733.60	\$4,733.60
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Stream sediment	Acme Labs, Vancouver, BC	30	\$18.33	\$549.90	
Soil	Acme Labs, Vancouver, BC	167	\$17.51	\$2,924.17	
				\$3,474.07	\$3,474.07
Transportation		No.	Rate	Subtotal	
Taxi			\$0.00	\$0.00	
truck rental		4.00	\$100.00	\$400.00	
Helicopter (hours)		1.4	\$1,260.00	\$1,764.00	
Other					
				\$2,164.00	\$2,164.00
Accommodation & Food	Rates per day				
Camp+Meals	Leo Creek Camp, Leo Creek, BC	12.30	\$150.00	\$1,845.00	
				\$1,845.00	\$1,845.00
Miscellaneous					
Telephone		12.30	\$5.00	\$61.50	
Other (Specify)					
				\$61.50	\$61.50
Equipment Rentals					
Field Gear (Specify)	IRL field supplies/Overwaitea food		\$0.00	\$80.00	
Other (Specify)					
				\$80.00	\$80.00
Freight					
Sample Shipment	Bandstra		\$0.00	\$75.00	
				\$75.00	\$75.00
TOTAL Expenditures					\$19,053.17

APPENDIX A

SAMPLE DATA TABLE

Sample #	Type	Easting	Northing	Mo ppm	Cu ppm	Pb ppm	Zn ppm
13537	Soil	335346	6084061	4.8	27.2	4.7	84
13538	Soil	335318	6084157	4.3	48.8	7.7	135
13539	Soil	335245	6084220	2.8	53.1	6.4	106
13540	Soil	335166	6084281	2	43.7	7.4	107
13541	Soil	335080	6084331	1.5	33.7	5.6	67
13542	Soil	334990	6084376	1.7	29	7.9	65
13543	Soil	334910	6084422	2.7	38.2	5.5	73
13544	Soil	334827	6084465	1.7	59.6	6.6	75
13545	Soil	334754	6084538	3.2	46	6.2	81
13546	Soil	334696	6084625	2.3	75.6	8.4	128
13547	Soil	334618	6084688	2.3	72.3	8.2	145
13548	Soil	334567	6084782	1.7	38.4	5.9	76
13549	Soil	334497	6084865	5.4	37.4	6.4	50
13550	Soil	334449	6084953	1.5	33.5	5.8	72
13551	Soil	334394	6085039	1.3	13.9	6.2	76
13552	Soil	334312	6085103	1.3	26	5.8	58
13553	Soil	334241	6085169	1.7	18.6	6.3	108
13554	Soil	334170	6085233	4.9	15.8	6.1	64
13555	Soil	334127	6085326	1.3	19.7	6.2	88
13601	Soil	333288	6080290	1.4	34.5	6.9	121
13602	Soil	333301	6080306	2.2	14.6	8.8	165
13603	Soil	333334	6080404	1.1	17.3	5.2	61
13604	Soil	333347	6080408	6.7	37.1	6.7	61
13605	Soil	333395	6080508	5.9	43.5	6.3	59
13606	Soil	333360	6080523	11.6	25.2	4.9	50
13608	Soil	333448	6080591	6.9	108.5	7.5	108
13609	Soil	333505	6080673	2.3	30.6	5.9	58
13610	Soil	333470	6080700	7.5	30.8	6	92
13611	Soil	333469	6080804	2.3	41.7	6.8	66
13613	Soil	333494	6080804	14.8	43.3	6.9	59
13614	Soil	333507	6080907	2.6	22.4	6.7	83
13615	Soil	333469	6080884	5.2	38.8	6.1	82
13616	Soil	333504	6080981	2.6	29.6	5.9	67
13617	Soil	333495	6081016	7.9	112.4	7.2	115
13619	Soil	333512	6081086	3.6	33.7	7.7	207
13620	Soil	333530	6081064	15.4	39.3	6.5	84
13621	Soil	333584	6081135	4.8	38.6	6.4	98
13622	Soil	333583	6081119	2	38.1	6.9	88

Sample #	Type	Easting	Northing	Mo ppm	Cu ppm	Pb ppm	Zn ppm
13269	Soil	333016	6081060	8	87.2	33	249
13270	Soil	333068	6080973	1.2	15.8	5.5	71
13271	Soil	333131	6080873	1.1	14.2	3.7	57
13272	Soil	333219	6080828	2.2	21.1	4.9	77
13273	Soil	333232	6080701	2.2	113.9	5.4	154
13274	Soil	333295	6080610	1.8	94.7	4.7	123
13275	Soil	333302	6080499	2.3	27.8	12.3	196
13276	Soil	333334	6080419	4.4	16.3	4.9	54
13277	Soil	333385	6080344	3	24.2	5.3	131
13278	Soil	333424	6080258	2.9	41.6	5.6	109
13501	Soil	332990	6081087	6.8	134.2	14	201
13502	Soil	332995	6081077	13	271.8	6.3	139
13503	Soil	332986	6081196	15.9	151.3	6.6	74
13504	Soil	333042	6081284	14.4	221.8	6.6	128
13505	Soil	333119	6081359	6.2	48.6	4.3	232
13506	Soil	333170	6081441	12.6	59.9	4.1	66
13507	Soil	333237	6081514	4.4	21	6.4	60
13508	Soil	333288	6081601	21.4	154.6	1.8	130
25970	Soil	333699	6083068	1.4	15.1	5.5	54
25971	Soil	333652	6083082	2.2	18.6	7	67
25972	Soil	333647	6083133	3.7	17.4	5.1	57
25973	Soil	333596	6083156	1.3	32.7	5.6	59
25974	Soil	333602	6083209	1.2	14.4	5.6	31
25975	Soil	333553	6083229	1.5	13.6	6.1	45
25976	Soil	333513	6083265	1.3	15.5	7.4	96
25977	Soil	333459	6083271	1	13.2	5.5	35
25979	Soil	333427	6083323	0.8	11.3	4.3	19
25980	Soil	333362	6083368	1.7	18.6	5.2	58
25981	Soil	333310	6083385	1.4	28.7	5.3	54
25982	Soil	333290	6083437	1.1	24.8	6.1	61
25983	Soil	333253	6083474	1.3	23.6	6.2	62
25985	Soil	333198	6083544	1.1	12.4	6.4	26
25986	Soil	333195	6083598	1.9	104.5	9.2	165
25987	Soil	333178	6083658	2.1	20.6	5.3	72
25989	Soil	333132	6083752	1.5	19.5	5.8	55
25990	Soil	333122	6083810	1.5	17.8	5.3	43
874500	Soil	335331	6084040	4.1	24.5	5.5	101
874501	Soil	335255	6084107	9.2	41.2	5.4	96
874502	Soil	335197	6084190	8.2	43.3	6.6	101
874503	Soil	335111	6084242	4.7	47.5	6.4	115
874504	Soil	335027	6084298	2.9	24.4	6.4	77
874505	Soil	334933	6084333	4.5	60.9	7.8	112
874506	Soil	334831	6084345	2.9	41.4	6.1	79
874507	Soil	334753	6084408	5.2	15.8	6	62
874508	Soil	334697	6084500	3.8	14.9	6.6	60
874509	Soil	334615	6084572	4.3	47.1	7.2	99

Sample #	Type	Easting	Northing	Mo ppm	Cu ppm	Pb ppm	Zn ppm
874510	Soil	334547	6084650	4.2	195.9	8.5	136
874511	Soil	334522	6084750	2.3	11.5	5.1	53
874512	Soil	334452	6084827	1.6	65.6	5.7	107
874513	Soil	334385	6084904	1.9	21.4	5.9	57
874514	Soil	334326	6084986	1.3	28.9	5.9	56
874515	Soil	334278	6085078	1.2	11.6	5.6	65
874517	Soil	334127	6085219	1.8	9	4.6	59
874518	Soil	334079	6085315	1.3	12.3	5.8	53
874670	Soil	332986	6080740	0.9	14.8	5.7	68
874671	Soil	332978	6080642	0.7	21	5.4	47
874672	Soil	333012	6080535	0.9	25.3	5.8	49
874673	Soil	333013	6080446	0.9	24.7	5.2	48
874674	Soil	333049	6080359	0.8	16.9	4.9	48
874675	Soil	333186	6080297	0.9	7	4.7	51
874821	Soil	334060	6083877	4.9	70.3	7.9	129
874822	Soil	334075	6083875	20.5	39.8	5.3	114
874823	Soil	333993	6083946	1.7	44.7	3.7	94
874824	Soil	334014	6083951	19.7	67.9	3.8	111
874825	Soil	333953	6084047	13.4	78.3	4.3	121
874826	Soil	333979	6084037	16.8	84.9	5.3	112
874827	Soil	333922	6084117	2.8	23.4	6.7	90
874828	Soil	333936	6084124	2.3	29	6.5	83
874829	Soil	333894	6084213	9	51.8	4	103
874830	Soil	333913	6084214	4	38.3	5.7	100
874831	Soil	333854	6084294	5.8	17.3	7.6	60
874832	Soil	333869	6084315	1.8	22.3	4.9	60
874833	Soil	333812	6084407	2.7	28	6.4	62
874834	Soil	333824	6084411	2.1	23.1	8.2	88
874835	Soil	333800	6084514	2.1	38.6	8.2	81
874836	Soil	333822	6084526	6.2	168.7	16.3	185
874837	Soil	333775	6084628	1.8	59.1	6.7	107
874838	Soil	333793	6084647	1.7	30.6	6.2	57
874839	Soil	333760	6084726	13.5	49.9	6.2	65
874840	Soil	333698	6084809	4.7	26.4	6.6	68
874841	Soil	333625	6084868	3	65.5	6	81
874842	Soil	333530	6084931	2.8	34.3	6.6	76
13312	Soil	333791	6083554	0.9	37.6	3.2	127
13313	Soil	333771	6083562	1.5	15.3	7.1	57
13314	Soil	333747	6083646	2.8	161.6	8.8	161
13316	Soil	333587	6083786	5.3	21.3	16	102
13317	Soil	333516	6083851	4.2	20.7	6.8	74
13318	Soil	333427	6083895	3.4	111.3	7.6	92
13319	Soil	333325	6083892	3.3	18	6.5	76
13320	Soil	333237	6083916	1.3	18.6	5.9	54
13321	Soil	333124	6083927	2	16.7	7.3	68
13322	Soil	333090	6084026	1.5	35.7	8	51


Sample #	Type	Easting	Northing	Mo ppm	Cu ppm	Pb ppm	Zn ppm
13443	Soil	333599	6080306	2.4	80.1	9.4	237
13444	Soil	333650	6080277	3.1	108.1	6.9	167
13445	Soil	333699	6080250	8	99	8	129
13676	Soil	334537	6084112	50.5	43.7	3.3	94
13677	Soil	334548	6084114	62	32.4	5.8	75
13678	Soil	334461	6084170	101.3	114.2	5.1	121
13679	Soil	334475	6084179	14.3	16.8	5.6	59
13680	Soil	334388	6084233	14.8	16.6	5.6	44
13681	Soil	334409	6084260	49.9	62.5	6	97
13682	Soil	334318	6084325	148.8	62.9	6	92
13683	Soil	334322	6084351	68.7	87.6	5.4	104
13684	Soil	334230	6084396	1.8	17.1	4.8	65
13685	Soil	334219	6084379	13.4	11.9	5.9	43
13686	Soil	334117	6084374	16.9	20.5	5.7	66
13687	Soil	334111	6084401	8.5	16.2	6.4	52
13688	Soil	334027	6084461	3.6	11.4	6.5	49
13689	Soil	334016	6084453	21.6	78.1	13.7	146
13690	Soil	333932	6084511	3	12.1	6.6	36
13691	Soil	333955	6084529	1.6	52	7.5	61
13692	Soil	333926	6084625	2	51.9	6	59
13693	Soil	333895	6084583	4.8	20.3	7.1	66
13694	Soil	333832	6084663	3.3	27.1	6.7	72
13695	Soil	333851	6084687	2.6	11	5.9	37
13696	Soil	333770	6084727	2.5	23.2	6.2	62
13697	Soil	333721	6084815	2.9	37.7	7.1	76
13698	Soil	333639	6084877	2	20.6	6.2	67
13699	Soil	333554	6084951	3	10.8	4.9	38
13701	Soil	333528	6085125	1.3	26	6	70
25938	Soil	333551	6080578	10.7	22.4	4.8	39
25939	Soil	333549	6080529	4.4	7.6	4.7	66
25940	Soil	333539	6080480	50.4	36.5	18.1	113
25941	Soil	333506	6080386	16.8	13.1	5	29
25942	Soil	333466	6080354	1.6	16.7	7.2	91
25943	Soil	333438	6080312	3.1	17.8	6.6	250
25944	Soil	333425	6080264	3.6	9.3	7.5	91
874784	Soil	333704	6080515	3.4	120.1	9.6	113
874785	Soil	333601	6080573	2.2	47.6	8	83
849856	Silt	336045	6080732	17.1	30.4	5.2	78
849857	Silt	335925	6080903	17	44.5	5.6	98
850064	Silt	336026	6081529	11.1	66.6	4.5	114
852450	Silt	335676	6083553	9.4	50.9	4	120
852451	Silt	335725	6083559	6.1	90.8	6	137
852452	Silt	335917	6083250	7.4	70.3	4.9	118
11744	Silt	334387	6084282	45.9	69.4	4.7	94
11745	Silt	334213	6084387	72	81.2	5.3	113
11746	Silt	333547	6084939	13.9	56.6	5.2	89

Sample #	Type	Easting	Northing	Mo ppm	Cu ppm	Pb ppm	Zn ppm
13525	Silt	332993	6081081	14.2	210.1	8.2	108
13526	Silt	335160	6084251	2.4	48.8	5.9	97
13527	Silt	335158	6084264	2.8	57.3	6.2	99
13528	Silt	334983	6084352	1.6	41.9	5.4	82
13529	Silt	334793	6084458	1.8	42.3	5.7	83
13530	Silt	334631	6084564	3.9	42.5	6	88
13531	Silt	334151	6085219	2.2	35.4	5.3	79
13564	Silt	334534	6084782	3.2	36.5	5.6	84
13565	Silt	334414	6084933	3.2	36.9	5.6	83
13566	Silt	334300	6085072	2.5	34.7	5.2	80
13607	Silt	333435	6080600	12.5	61.4	5.9	79
13612	Silt	333494	6080791	9.6	49.8	5.4	75
13618	Silt	333514	6081029	9.8	51	5.1	75
874851	Silt	333271	6083434	2	43.8	5	83
874852	Silt	333179	6083609	1.7	36.9	5.1	78
882211	Silt	334067	6083876	16.3	64.4	3.7	139
882212	Silt	333965	6084047	10.2	77.3	3.7	105
882213	Silt	333903	6084215	15.1	70.5	3.6	120
882214	Silt	333818	6084411	10.7	77.9	4.7	109
882215	Silt	333785	6084634	7.7	81.9	4.7	105
882216	Silt	333713	6084824	24.5	51.9	5.7	86

APPENDIX B
ANALYTICAL PROCEDURES



METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 1D & 1DX – ICP & ICP-MS ANALYSIS – AQUA REGIA



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-177 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 95% passing 150 mesh (100 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.5 g are weighed into test tubes, 15 and 30 g splits are weighed into beakers.

Sample Digestion

A modified Aqua Regia solution of equal parts concentrated ACS grade HCl and HNO₃ and de-mineralised H₂O is added to each sample to leach for one hour in a hot water bath (>95°C). After cooling the solution is made up to final volume with 5% HCl. Sample weight to solution volume is 1 g per 20 mL.

Sample Analysis

Group 1D: solutions aspirated into a Jarrel Ash AtomComp 800 or 975 ICP or Spectro Ciros Vision emission spectrometer are analysed for 30 elements: Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, Th, Ti, U, V, W, Zn.

Group 1DX: solutions aspirated into a Perkin Elmer Elan 6000/9000 ICP mass spectrometer are analysed for 36 elements: Ag, Al, As, Au, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Se, Tl, Sr, Th, Ti, U, V, W, Zn.

Quality Control and Data Verification

An Analytical Batch (1 page) comprises 33 samples. QA/QC protocol incorporates a sample-prep blank (SI or G-1) carried through all stages of preparation and analysis as the first sample, a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), two reagent blanks to measure background and aliquots of in-house Standard Reference Materials like STD DS6 to monitor accuracy.

Raw and final data undergo a final verification by a British Columbia Certified Assayer who signs the Analytical Report before it is released to the client. Chief Assayer is Clarence Leong, other certified assayers are Leo Arciaga, Marcus Lau, Ken Kwok and Jacky Wang.

Document: Method and Specifications for Group 1D&1DX.doc	Date: June 7, 2005	Revised By: T. Ferguson
--	--------------------	-------------------------

APPENDIX C

ANALYTICAL CERTIFICATES



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Submitted By: Eric Titley
 Receiving Lab: Canada-Smithers
 Received: July 08, 2008
 Report Date: July 24, 2008
 Page: 1 of 7

CERTIFICATE OF ANALYSIS

SMI08000595.1

CLIENT JOB INFORMATION

Project: PolyMac
 Shipment ID: PolyMAC08-1
 P.O. Number
 Number of Samples: 176

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	176	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	176	Dry at 60C		
1DX15	176	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
DIS-RJT	176	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: July 24, 2008

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Unit	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
828904	Silt	0.37	0.8	35.6	6.4	109	0.3	64.5	16.3	875	3.08	6.6	0.7	8.1	0.4	102	0.6	0.3	0.1	65	0.71
828905	Silt	0.38	0.8	31.5	6.1	84	0.2	52.9	17.9	875	3.29	10.9	1.3	5.8	0.7	99	0.3	0.4	<0.1	79	0.82
828906	Silt	0.36	2.1	26.1	6.9	96	0.2	65.2	22.2	4885	3.40	19.0	1.2	4.1	0.5	84	0.9	0.3	<0.1	112	0.61
828907	Silt	0.57	5.1	42.4	8.2	134	0.3	95.6	25.2	5440	4.06	17.5	0.9	6.0	0.5	80	1.7	0.3	0.1	82	0.71
828908	Silt	0.53	1.2	21.2	6.4	77	<0.1	38.0	13.0	1555	2.68	7.6	0.8	3.4	1.2	91	0.3	0.3	<0.1	54	0.69
828909	Silt	0.82	2.0	36.7	9.1	109	0.2	98.1	18.7	1776	3.28	12.5	0.7	4.3	0.7	69	0.8	0.5	0.1	69	0.71
828910	Silt	0.53	1.5	31.4	5.8	90	0.1	164.7	18.0	738	3.06	16.4	0.6	2.8	0.9	37	0.4	0.6	<0.1	55	0.52
828911	Silt	0.65	1.7	47.4	7.0	100	0.2	157.3	20.1	857	3.35	12.2	0.6	4.3	1.1	56	1.2	0.7	0.1	63	0.76
828912	Silt	0.48	1.3	36.8	6.4	98	0.3	335.8	15.8	643	2.95	34.1	0.6	3.9	0.8	42	0.8	1.1	<0.1	59	0.70
828913	Silt	0.50	1.5	49.7	5.9	93	0.2	79.5	16.6	696	3.06	8.4	0.5	3.2	0.8	34	0.8	0.5	<0.1	66	0.56
828914	Silt	0.58	1.8	49.1	6.9	98	0.2	131.1	18.0	802	3.26	11.6	0.7	4.6	1.0	40	0.7	0.5	<0.1	66	0.56
828915	Silt	0.58	1.0	34.1	8.0	81	0.1	41.6	12.6	673	2.65	13.0	1.4	4.6	1.2	90	0.2	0.4	0.1	68	0.82
828916	Silt	0.58	8.0	207.1	8.0	69	0.5	893.7	17.3	670	3.01	13.4	0.6	3.4	0.7	33	0.4	1.7	0.5	62	0.73
828917	Silt	0.61	12.9	164.8	12.4	102	0.5	891.3	26.9	786	3.90	16.4	0.8	3.3	0.8	32	1.2	1.3	0.7	76	0.79
828918	Silt	0.63	10.6	138.5	10.2	101	0.5	836.0	25.0	629	3.53	14.2	0.7	3.5	0.8	33	1.1	1.1	0.7	67	0.78
828919	Silt	0.35	2.3	67.0	5.9	180	0.2	209.4	31.2	1657	4.45	8.5	2.7	2.9	0.1	26	0.9	0.6	<0.1	82	1.16
828920	Silt	0.40	1.1	23.5	2.3	64	<0.1	289.3	28.7	595	3.72	4.6	0.7	1.6	0.8	13	<0.1	0.3	<0.1	72	0.47
828921	Silt	0.47	5.3	30.2	3.9	95	<0.1	325.3	32.9	2730	4.47	11.6	0.9	2.6	0.5	19	0.5	0.4	<0.1	68	0.65
828922	Silt	0.56	4.4	58.8	5.9	96	0.1	370.6	41.6	1707	3.82	10.1	1.4	2.8	0.4	21	0.7	0.5	<0.1	74	0.59
828923	Silt	0.45	6.4	29.6	4.3	97	<0.1	397.6	42.6	2926	4.74	13.4	1.2	2.2	0.4	20	0.6	0.5	<0.1	71	0.58
828924	Silt	0.57	6.0	42.9	6.2	127	0.1	429.2	53.0	2116	4.65	8.8	1.9	3.0	0.3	25	1.2	0.5	<0.1	75	0.70
828925	Silt	0.34	12.1	31.9	6.0	152	0.1	201.2	24.1	674	5.13	28.4	0.8	1.5	0.1	29	1.0	0.5	<0.1	42	0.91
828926	Silt	0.38	33.5	28.2	4.3	190	<0.1	289.2	104.5	5625	15.71	44.2	1.4	3.0	0.4	19	1.5	0.5	<0.1	70	0.52
828927	Silt	0.31	11.2	41.4	4.9	113	0.2	192.9	21.4	643	3.57	15.8	1.4	2.1	0.1	17	0.6	0.5	<0.1	67	0.39
828928	Silt	0.55	2.8	249.3	6.5	173	0.4	525.8	29.7	3025	5.19	18.4	1.0	2.9	0.4	28	1.0	0.7	0.1	78	1.58
828929	Silt	0.48	5.2	157.3	7.7	109	0.2	338.8	50.5	2287	5.59	26.3	3.4	3.1	0.9	25	0.3	0.6	0.2	109	0.48
828930	Silt	0.27	2.5	440.9	5.9	107	0.6	321.2	24.6	1089	3.42	8.7	2.0	3.1	0.2	35	1.1	0.5	0.2	70	0.91
828931	Silt	0.53	2.4	450.5	5.3	157	0.4	572.8	26.6	1400	4.07	10.3	3.5	3.6	0.4	33	1.2	0.5	0.1	84	1.55
828932	Silt	0.52	6.3	75.6	7.5	186	1.1	291.5	18.3	836	3.41	31.5	4.9	1.6	0.5	48	2.8	0.5	0.2	90	0.69
828933	Silt	0.47	1.3	116.1	4.3	117	0.3	166.3	28.0	938	3.55	12.4	1.5	2.7	0.3	32	0.9	1.1	0.1	76	1.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: July 24, 2008

Page: 2 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	
828904	Silt	0.097	12	96	1.01	232	0.057	2	2.27	0.010	0.10	<0.1	0.04	4.2	<0.1	0.07	6	2.6
828905	Silt	0.118	9	125	1.01	102	0.063	3	1.82	0.009	0.12	<0.1	0.03	5.3	<0.1	0.07	5	1.5
828906	Silt	0.147	11	69	0.67	269	0.030	<1	1.86	0.011	0.10	<0.1	0.05	4.0	0.1	0.08	5	2.1
828907	Silt	0.140	12	75	0.86	302	0.026	2	1.99	0.008	0.10	<0.1	0.07	3.9	0.1	0.06	5	1.9
828908	Silt	0.104	10	37	0.57	211	0.036	2	1.34	0.018	0.10	<0.1	0.04	3.5	0.1	<0.05	4	1.0
828909	Silt	0.112	11	85	0.95	193	0.042	2	1.86	0.015	0.10	<0.1	0.05	3.9	0.1	0.06	5	1.7
828910	Silt	0.076	9	133	1.35	110	0.064	3	1.52	0.009	0.07	<0.1	0.05	3.7	<0.1	<0.05	4	1.8
828911	Silt	0.080	10	120	1.27	107	0.058	2	1.60	0.009	0.08	<0.1	0.05	4.6	<0.1	0.06	4	2.2
828912	Silt	0.070	13	121	1.13	130	0.043	5	1.61	0.009	0.07	0.2	0.06	4.3	<0.1	0.05	4	2.0
828913	Silt	0.066	11	85	1.00	105	0.074	1	1.73	0.009	0.06	0.1	0.04	4.3	<0.1	<0.05	4	1.7
828914	Silt	0.072	15	125	1.34	115	0.078	<1	1.85	0.009	0.07	<0.1	0.03	4.5	<0.1	<0.05	5	1.3
828915	Silt	0.105	11	55	0.72	163	0.044	2	1.70	0.009	0.11	<0.1	0.05	4.1	<0.1	<0.05	5	1.5
828916	Silt	0.056	15	70	1.13	95	0.052	6	1.59	0.011	0.11	0.6	0.07	5.1	0.4	0.07	4	3.0
828917	Silt	0.058	10	170	1.88	110	0.101	5	1.83	0.011	0.21	4.4	0.05	5.6	0.4	0.08	6	1.9
828918	Silt	0.057	10	146	1.62	111	0.078	3	1.85	0.012	0.19	2.7	0.06	5.6	0.4	0.08	5	1.8
828919	Silt	0.157	7	271	1.69	112	0.042	4	2.42	0.006	0.11	<0.1	0.05	3.9	<0.1	0.10	5	3.0
828920	Silt	0.071	6	319	3.08	30	0.061	7	1.70	0.009	0.04	<0.1	<0.01	4.8	<0.1	<0.05	5	0.9
828921	Silt	0.083	7	289	2.01	90	0.034	4	1.51	0.005	0.04	<0.1	0.03	4.0	<0.1	<0.05	4	2.2
828922	Silt	0.100	15	343	1.89	87	0.021	4	2.01	0.006	0.06	<0.1	0.06	6.1	0.1	<0.05	5	1.1
828923	Silt	0.084	9	344	2.40	111	0.032	6	1.58	0.007	0.04	<0.1	0.03	4.5	<0.1	<0.05	4	2.2
828924	Silt	0.113	11	282	1.80	185	0.034	4	1.95	0.007	0.06	<0.1	0.06	5.2	0.2	0.07	5	3.0
828925	Silt	0.136	9	88	0.72	197	0.027	4	1.53	0.007	0.04	<0.1	0.13	2.0	0.2	0.25	3	2.1
828926	Silt	0.126	10	151	0.88	447	0.030	2	1.75	0.006	0.04	<0.1	0.08	3.6	0.4	0.13	4	2.4
828927	Silt	0.146	12	160	1.01	155	0.020	2	2.32	0.007	0.05	<0.1	0.08	2.3	0.2	0.16	5	2.0
828928	Silt	0.233	12	282	1.58	173	0.018	5	3.14	0.007	0.11	<0.1	0.13	8.7	0.2	0.20	6	4.1
828929	Silt	0.089	14	332	1.93	177	0.041	3	3.31	0.008	0.09	0.1	0.12	9.6	0.2	<0.05	7	3.3
828930	Silt	0.226	18	218	1.25	154	0.017	3	4.05	0.007	0.09	<0.1	0.13	3.5	0.2	0.13	6	6.7
828931	Silt	0.201	18	263	1.82	178	0.045	4	3.83	0.018	0.18	0.1	0.11	7.5	0.2	0.12	7	3.4
828932	Silt	0.150	22	130	0.98	186	0.023	1	3.80	0.011	0.09	0.2	0.08	4.5	0.2	<0.05	8	3.4
828933	Silt	0.107	12	363	1.39	161	0.060	4	3.10	0.022	0.16	<0.1	0.08	6.7	0.2	0.06	6	2.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

July 24, 2008

Page:

3 of 7

Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Unit	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
828934	Silt	0.89	1.1	26.3	5.7	70	<0.1	231.0	21.0	798	3.43	9.9	0.5	2.6	1.0	35	0.4	0.7	<0.1	77	0.65
828935	Silt	0.72	0.8	19.1	8.8	66	<0.1	191.8	19.7	817	3.22	7.8	0.3	1.6	0.8	28	0.3	0.5	<0.1	67	0.54
828936	Silt	0.42	3.0	121.1	5.0	98	0.5	238.6	21.1	938	3.10	13.2	2.9	2.3	0.1	45	1.0	0.5	<0.1	51	2.06
828937	Silt	0.30	1.4	196.3	2.8	38	0.8	181.6	13.0	732	1.87	8.0	3.4	1.6	<0.1	56	1.0	0.6	<0.1	22	2.48
829759	Silt	0.36	1.0	43.6	5.3	84	0.2	86.6	16.2	739	2.95	5.8	0.4	1.8	0.5	54	0.6	0.3	<0.1	63	0.89
829760	Silt	0.54	1.9	42.1	6.9	103	0.1	133.5	19.3	943	3.44	12.5	0.6	3.4	1.2	46	0.9	0.6	<0.1	75	0.67
829761	Silt	0.61	0.9	53.3	5.7	75	0.2	83.4	14.6	611	2.75	7.6	0.5	15.9	0.6	29	0.4	0.4	<0.1	59	0.79
829762	Silt	0.89	1.6	33.0	5.1	92	0.1	108.5	15.5	677	2.81	9.6	0.4	2.2	1.1	36	0.6	0.5	<0.1	57	0.51
829763	Silt	0.72	0.8	35.8	5.6	75	0.1	70.9	11.9	608	2.61	5.2	0.4	3.2	0.5	34	0.5	0.4	<0.1	57	1.09
829764	Silt	0.61	13.3	43.7	3.6	72	0.1	94.7	19.8	911	3.26	9.0	0.7	3.0	0.5	25	0.2	0.3	0.2	70	0.78
829765	Silt	0.84	13.0	46.7	5.4	80	0.2	99.4	21.9	1206	3.47	9.1	0.6	2.5	0.4	26	0.3	0.3	0.3	68	0.82
829766	Silt	0.62	35.5	60.5	4.6	83	0.2	109.3	20.5	1021	3.16	8.6	0.9	2.3	0.5	27	0.5	0.3	0.3	67	0.75
829767	Silt	0.49	121.8	53.6	5.0	68	0.4	147.7	23.8	4105	4.52	17.2	1.4	2.2	0.4	30	0.6	0.3	0.2	73	0.64
829768	Silt	0.88	155.9	63.8	4.1	96	0.2	279.6	50.2	>10000	5.78	16.5	0.7	1.5	0.6	28	1.6	0.3	0.2	65	0.67
829769	Silt	0.72	41.0	182.9	5.7	165	0.2	172.7	31.6	1363	4.36	9.5	0.7	1.7	0.8	32	1.0	0.5	0.4	92	1.02
829770	Silt	0.42	28.1	168.6	6.3	120	0.7	512.8	65.0	1964	4.33	13.6	1.9	2.1	0.4	30	1.0	0.4	0.4	84	0.92
829771	Silt	0.60	3.4	53.5	4.7	116	0.2	128.3	31.9	2182	4.56	6.6	1.4	<0.5	0.3	28	0.7	0.3	<0.1	64	1.24
829772	Silt	0.32	2.7	111.8	3.9	114	0.3	182.3	28.6	895	4.22	9.6	4.8	3.2	0.3	26	0.7	0.4	<0.1	72	1.34
829773	Silt	0.72	1.9	59.2	2.9	115	0.2	142.8	28.9	897	4.25	5.7	0.9	1.1	0.4	24	0.5	0.3	<0.1	66	0.95
829774	Silt	0.65	1.7	71.4	3.6	121	0.2	160.1	29.9	1050	4.24	5.8	1.1	0.9	0.5	24	0.4	0.4	<0.1	67	0.92
829775	Silt	0.24	1.3	62.8	4.1	79	0.2	187.7	20.6	894	3.32	5.1	1.9	1.4	0.3	25	0.5	0.4	<0.1	58	0.98
829776	Silt	1.33	1.7	76.1	7.5	112	0.2	191.4	29.7	968	4.37	5.6	1.2	2.0	0.5	25	0.5	0.4	<0.1	70	0.88
829777	Silt	1.08	1.8	90.0	4.7	100	0.2	217.6	28.3	889	4.26	5.9	1.3	<0.5	0.5	24	0.5	0.4	<0.1	73	0.74
829778	Silt	0.90	1.7	89.2	4.7	98	0.2	215.1	27.5	888	4.07	5.6	1.3	<0.5	0.5	26	0.5	0.4	<0.1	70	0.88
829779	Silt	0.76	3.2	62.9	5.4	141	0.1	141.6	18.3	845	3.27	10.9	1.9	5.7	1.6	19	1.0	0.7	0.1	72	0.48
829780	Silt	1.03	3.3	58.9	11.8	134	0.1	122.4	16.6	777	3.18	9.2	1.4	0.7	2.1	20	1.0	0.8	0.2	73	0.44
829781	Silt	0.93	3.1	75.0	6.4	137	0.2	143.1	20.5	980	3.69	13.1	2.1	1.1	1.5	25	1.0	0.7	0.1	107	0.65
829782	Silt	1.25	1.9	153.9	15.0	145	0.4	248.8	32.2	1687	4.65	9.2	1.2	0.9	0.3	26	1.0	0.3	<0.1	84	1.00
829783	Silt	1.34	2.9	86.2	7.0	144	0.3	172.6	21.3	1107	3.42	12.2	3.3	82.6	0.8	25	1.3	0.6	0.1	72	0.83
829784	Silt	0.65	1.6	41.3	4.7	110	<0.1	465.6	30.6	1433	4.36	21.4	0.6	<0.5	1.3	18	0.2	0.7	<0.1	81	0.46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: July 24, 2008

Page: 3 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
828934	Silt	0.071	10	171	1.64	86	0.062	4	1.26	0.017	0.06	<0.1	0.03	4.4	<0.1	<0.05	4	0.8
828935	Silt	0.048	7	171	1.45	97	0.047	3	1.31	0.009	0.05	<0.1	0.03	3.8	<0.1	<0.05	4	1.1
828936	Silt	0.164	16	148	0.94	159	0.033	4	2.41	0.005	0.07	<0.1	0.16	4.7	0.1	0.15	4	5.6
828937	Silt	0.114	32	109	0.45	167	0.052	3	1.87	0.004	0.04	<0.1	0.20	5.2	0.2	0.12	2	3.4
829759	Silt	0.070	9	88	1.05	117	0.079	<1	1.99	0.009	0.08	0.2	0.05	4.7	<0.1	<0.05	5	2.0
829760	Silt	0.078	10	108	1.23	111	0.090	2	1.60	0.012	0.08	0.1	0.03	4.2	0.1	<0.05	5	2.0
829761	Silt	0.081	8	75	0.81	91	0.057	2	1.50	0.011	0.05	0.4	0.05	4.0	0.1	<0.05	4	1.1
829762	Silt	0.071	8	92	1.20	85	0.068	2	1.33	0.011	0.06	0.1	0.02	3.6	<0.1	<0.05	4	0.9
829763	Silt	0.073	8	51	0.74	109	0.040	3	1.47	0.011	0.05	<0.1	0.05	4.1	<0.1	<0.05	4	0.9
829764	Silt	0.094	6	144	1.19	146	0.087	1	1.88	0.028	0.14	0.9	0.05	3.8	0.2	<0.05	5	0.8
829765	Silt	0.087	7	113	0.97	140	0.068	1	1.82	0.019	0.10	0.6	0.06	4.4	0.3	<0.05	5	0.6
829766	Silt	0.089	7	104	1.00	145	0.057	1	2.25	0.017	0.11	0.9	0.06	4.4	0.3	<0.05	5	0.8
829767	Silt	0.121	9	55	0.71	148	0.028	1	1.91	0.013	0.08	0.1	0.08	4.4	0.4	<0.05	5	0.8
829768	Silt	0.088	9	105	1.13	443	0.049	2	1.70	0.015	0.08	0.6	0.04	4.0	1.4	<0.05	5	0.8
829769	Silt	0.094	8	200	1.65	206	0.146	2	2.73	0.023	0.35	0.4	0.05	6.3	0.4	<0.05	8	1.4
829770	Silt	0.139	16	125	1.27	196	0.027	2	3.63	0.012	0.14	0.6	0.09	6.9	0.7	0.05	7	1.4
829771	Silt	0.120	6	185	1.23	95	0.073	2	2.14	0.006	0.07	<0.1	0.04	4.4	<0.1	<0.05	5	2.7
829772	Silt	0.120	13	226	1.43	93	0.072	2	2.32	0.007	0.10	<0.1	0.07	6.6	0.1	<0.05	5	2.4
829773	Silt	0.107	6	189	1.52	80	0.120	1	2.34	0.007	0.09	<0.1	0.05	5.1	0.1	<0.05	6	1.0
829774	Silt	0.099	7	197	1.49	75	0.117	2	2.33	0.013	0.09	<0.1	0.05	4.9	<0.1	<0.05	6	1.5
829775	Silt	0.082	13	178	1.39	95	0.101	2	2.04	0.007	0.06	<0.1	0.05	4.7	<0.1	<0.05	5	0.9
829776	Silt	0.097	10	211	1.66	91	0.109	2	2.62	0.009	0.08	<0.1	0.04	5.8	<0.1	<0.05	6	1.1
829777	Silt	0.089	13	217	1.58	96	0.109	2	2.51	0.010	0.07	<0.1	0.04	7.1	<0.1	<0.05	6	1.0
829778	Silt	0.096	12	205	1.61	106	0.097	3	2.50	0.009	0.08	<0.1	0.06	6.3	<0.1	<0.05	5	1.3
829779	Silt	0.068	13	142	1.50	84	0.068	2	1.98	0.020	0.15	0.1	0.02	4.2	0.2	<0.05	6	1.3
829780	Silt	0.061	12	143	1.46	82	0.074	2	1.84	0.023	0.20	<0.1	0.01	4.6	0.2	<0.05	6	1.1
829781	Silt	0.078	13	161	1.76	118	0.106	1	2.44	0.038	0.29	<0.1	0.02	6.6	0.3	<0.05	8	1.7
829782	Silt	0.097	11	213	1.38	137	0.115	2	3.01	0.014	0.12	<0.1	0.08	7.1	0.1	<0.05	6	2.3
829783	Silt	0.093	19	156	1.41	108	0.069	3	2.23	0.018	0.14	<0.1	0.05	5.3	0.2	<0.05	6	2.4
829784	Silt	0.073	14	229	1.78	133	0.081	1	2.03	0.006	0.23	0.1	0.01	5.4	0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: July 24, 2008

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Unit	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
829785	Silt	0.55	1.9	29.8	4.7	132	0.1	1106	59.8	3784	5.61	101.2	0.4	1.6	0.3	25	0.5	1.9	<0.1	76	0.42
829786	Silt	1.00	1.7	62.1	4.6	137	<0.1	565.6	31.1	1427	4.73	21.6	0.7	0.8	1.0	23	0.3	1.0	<0.1	85	0.53
829787	Silt	1.34	2.6	41.5	6.4	103	0.1	919.2	45.9	3439	5.09	127.4	0.4	0.8	0.5	23	0.4	1.9	<0.1	77	0.63
829788	Silt	0.93	1.6	41.5	5.1	115	0.1	750.8	36.1	1764	4.48	55.9	0.7	0.6	0.5	21	0.5	1.3	<0.1	72	0.56
829789	Silt	0.73	0.7	15.7	3.6	79	<0.1	405.1	18.0	711	2.55	44.8	0.3	<0.5	0.3	21	0.2	1.4	<0.1	53	0.41
829790	Silt	1.11	0.8	52.6	9.3	101	0.2	1878	50.4	1797	4.94	107.4	0.4	2.4	0.7	19	0.4	1.5	<0.1	63	0.37
829791	Silt	0.55	1.0	49.2	6.0	72	0.2	1901	40.1	1069	3.73	69.9	0.6	<0.5	0.4	25	0.3	1.4	<0.1	56	0.84
829792	Silt	0.60	1.2	48.2	7.2	93	0.2	1427	47.1	1502	5.10	140.3	0.5	<0.5	0.6	20	0.4	1.5	0.1	72	0.55
829793	Silt	0.80	1.4	50.2	4.4	71	0.2	607.0	25.7	698	3.36	14.2	1.0	0.6	0.3	23	0.3	0.6	<0.1	56	0.98
829794	Silt	1.52	11.1	30.4	23.6	145	<0.1	369.3	51.4	>10000	5.93	18.3	1.2	<0.5	0.2	27	1.5	0.5	<0.1	78	0.98
829795	Silt	0.95	2.6	45.2	3.4	148	0.1	197.2	32.9	3006	5.83	9.2	0.7	<0.5	0.3	23	0.5	0.3	<0.1	92	0.98
829796	Silt	1.10	2.8	122.8	7.4	109	0.4	250.2	22.0	1095	3.38	9.8	1.7	<0.5	0.2	31	1.0	1.0	<0.1	62	1.35
829797	Silt	1.67	1.3	37.8	4.0	87	<0.1	173.1	24.7	964	3.61	5.7	0.4	1.9	0.4	14	0.3	0.5	<0.1	55	0.47
829798	Silt	1.11	1.4	47.0	5.0	90	<0.1	227.6	26.0	1116	3.53	7.8	0.5	0.8	0.4	17	0.4	0.6	<0.1	57	0.59
829799	Silt	0.98	1.1	42.0	3.6	91	0.1	241.8	27.6	831	3.75	6.8	0.6	1.6	0.4	14	0.4	0.4	<0.1	56	0.56
849850	Silt	0.56	49.7	167.1	6.8	136	0.8	221.2	25.4	1487	3.44	11.5	0.9	2.6	0.4	30	1.0	1.4	0.4	64	0.67
849851	Silt	0.45	28.0	157.6	7.0	117	0.6	225.7	18.6	984	3.15	10.7	1.5	1.9	0.5	39	0.6	1.3	0.4	60	0.73
849852	Silt	0.33	22.5	176.7	7.9	111	0.9	257.7	17.4	951	3.46	11.8	2.1	3.9	0.6	49	1.2	1.4	0.4	59	1.04
849853	Silt	0.68	11.4	58.8	7.0	67	0.3	112.3	12.6	773	2.85	8.1	0.7	0.8	0.7	30	0.5	0.7	0.2	58	0.50
849854	Silt	0.71	9.2	38.5	7.5	78	0.2	105.5	13.1	964	2.97	9.8	0.9	1.2	0.6	29	0.3	0.6	0.2	57	0.61
849855	Silt	0.52	12.1	52.1	4.4	96	0.3	131.0	18.1	1821	3.08	9.9	0.9	0.8	0.5	34	0.7	0.6	0.2	58	0.83
849856	Silt	0.75	17.1	30.4	5.2	78	0.2	112.7	16.3	2481	3.08	9.3	0.6	1.3	0.5	27	0.5	0.3	0.2	59	0.61
849857	Silt	0.77	17.0	44.5	5.6	98	0.3	150.6	20.7	2092	3.63	11.6	0.7	1.5	0.5	33	0.6	0.4	0.2	65	0.83
849858	Silt	0.68	14.6	23.7	3.3	64	<0.1	89.1	15.7	1426	2.91	9.4	0.4	1.4	0.5	20	0.3	0.3	0.1	56	0.50
849859	Silt	0.64	4.3	28.6	6.3	106	0.3	125.2	15.6	570	2.42	9.1	5.1	1.1	0.3	29	0.5	0.5	0.2	57	0.54
849860	Silt	0.68	7.5	54.4	7.7	84	0.5	118.3	17.4	1121	2.56	10.7	11.9	1.4	0.3	34	0.6	0.8	0.2	56	0.84
849861	Silt	0.52	3.8	43.2	8.3	109	0.2	157.4	23.0	1328	3.33	8.9	2.7	1.0	0.4	26	0.7	0.7	0.2	66	0.60
849862	Silt	0.51	8.4	56.8	6.9	156	0.5	539.9	31.0	1064	3.08	15.8	9.6	1.5	0.7	35	1.1	0.6	0.3	55	0.66
849863	Silt	0.43	5.4	142.6	6.2	86	0.3	220.6	16.8	952	3.18	17.2	4.4	1.3	0.5	28	0.5	0.6	0.3	75	0.56
849864	Silt	0.71	13.0	68.5	3.5	163	0.1	172.1	42.8	1469	6.22	77.5	1.8	1.9	0.7	20	1.9	0.5	0.1	86	0.61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: July 24, 2008

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
829785	Silt	0.127	11	343	2.04	244	0.029	4	2.33	0.007	0.08	0.6	0.06	6.1	0.1	<0.05	6	0.8
829786	Silt	0.093	16	240	1.77	189	0.094	2	2.39	0.006	0.38	0.2	0.02	6.9	0.3	<0.05	7	0.6
829787	Silt	0.094	9	285	1.80	158	0.037	4	2.08	0.007	0.09	0.3	0.05	5.9	0.1	<0.05	5	1.1
829788	Silt	0.094	11	246	1.65	155	0.041	3	2.12	0.006	0.09	0.2	0.05	5.8	0.1	<0.05	5	1.2
829789	Silt	0.078	8	134	1.11	107	0.035	2	1.63	0.008	0.05	0.3	0.04	4.2	<0.1	<0.05	4	0.7
829790	Silt	0.166	13	432	3.88	188	0.016	12	2.95	0.007	0.15	0.4	0.08	10.7	0.1	<0.05	5	0.8
829791	Silt	0.114	17	332	2.83	152	0.020	9	2.53	0.015	0.10	0.3	0.08	8.0	0.1	<0.05	4	0.9
829792	Silt	0.119	14	352	2.62	183	0.023	6	2.76	0.008	0.10	0.3	0.06	8.4	0.1	<0.05	6	0.7
829793	Silt	0.097	10	208	2.05	94	0.035	5	1.79	0.009	0.08	0.1	0.08	4.4	0.1	<0.05	4	1.2
829794	Silt	0.108	4	221	1.42	283	0.077	2	1.53	0.007	0.05	<0.1	0.04	2.7	0.1	<0.05	4	1.9
829795	Silt	0.100	4	213	1.71	92	0.194	2	2.39	0.004	0.09	<0.1	0.02	4.3	<0.1	<0.05	6	1.7
829796	Silt	0.191	12	223	1.14	87	0.027	4	1.90	0.006	0.15	<0.1	0.07	4.3	0.1	0.08	4	2.5
829797	Silt	0.083	5	179	1.56	50	0.052	2	1.64	0.005	0.06	<0.1	0.02	4.0	<0.1	0.09	4	1.0
829798	Silt	0.084	7	174	1.58	70	0.046	3	1.55	0.005	0.10	<0.1	0.02	4.1	<0.1	0.07	4	1.2
829799	Silt	0.077	6	200	1.73	62	0.060	4	1.79	0.005	0.07	<0.1	0.02	4.2	<0.1	0.09	4	1.2
849850	Silt	0.079	13	102	0.95	165	0.026	1	2.51	0.017	0.11	0.7	0.06	5.2	0.4	0.07	5	1.5
849851	Silt	0.077	16	85	0.91	194	0.026	3	2.73	0.016	0.11	0.5	0.06	6.2	0.3	<0.05	6	1.4
849852	Silt	0.094	25	69	0.88	245	0.020	3	2.87	0.015	0.14	0.4	0.11	7.5	0.3	0.06	6	2.4
849853	Silt	0.047	10	43	0.66	134	0.029	<1	1.54	0.011	0.08	0.2	0.03	4.3	0.1	<0.05	4	0.7
849854	Silt	0.063	10	65	0.83	145	0.040	<1	1.59	0.019	0.10	0.5	0.03	4.1	0.1	<0.05	4	1.2
849855	Silt	0.081	10	78	0.83	209	0.042	2	2.13	0.019	0.13	0.4	0.05	4.7	0.2	0.07	5	<0.5
849856	Silt	0.059	8	69	0.81	171	0.046	3	1.52	0.017	0.09	0.2	0.03	3.8	0.2	<0.05	4	<0.5
849857	Silt	0.073	9	87	0.94	198	0.043	<1	2.01	0.017	0.13	0.4	0.06	5.0	0.2	<0.05	5	1.0
849858	Silt	0.055	6	76	0.83	115	0.055	2	1.42	0.017	0.07	0.2	0.02	2.9	<0.1	<0.05	4	0.6
849859	Silt	0.105	24	138	0.96	137	0.024	4	2.22	0.033	0.12	<0.1	0.04	3.4	0.1	0.05	5	1.5
849860	Silt	0.141	66	132	0.78	167	0.016	1	2.29	0.011	0.09	<0.1	0.06	3.5	0.1	0.10	5	3.7
849861	Silt	0.133	19	129	1.01	130	0.014	2	2.06	0.011	0.11	<0.1	0.02	3.2	0.1	0.05	6	0.7
849862	Silt	0.164	45	190	1.25	253	0.016	3	3.20	0.011	0.11	0.1	0.10	5.2	0.2	0.05	6	2.9
849863	Silt	0.194	22	158	1.01	166	0.014	1	2.98	0.010	0.09	<0.1	0.06	4.5	<0.1	0.06	6	1.7
849864	Silt	0.147	14	196	1.31	220	0.053	2	2.47	0.018	0.08	0.1	0.05	5.4	0.3	<0.05	6	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

July 24, 2008

Page:

5 of 7

Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
849865	Silt	0.57	9.8	57.4	6.4	86	0.2	192.5	32.6	2265	5.81	88.5	5.0	2.6	0.6	22	0.8	16.8	0.1	75	0.45
849866	Silt	0.67	15.2	78.5	6.6	115	0.2	207.9	35.4	2874	5.18	43.6	6.3	1.3	0.4	27	1.1	1.8	0.2	81	0.60
849867	Silt	0.54	5.3	49.2	5.3	84	<0.1	278.5	34.8	1809	3.90	12.2	1.0	2.4	0.7	28	0.4	0.7	<0.1	64	0.55
849868	Silt	0.66	21.8	21.3	5.2	119	<0.1	159.1	43.0	7965	6.10	37.4	1.0	1.1	0.5	22	1.0	0.6	<0.1	63	0.52
849869	Silt	0.64	5.8	44.6	5.5	107	0.1	270.2	30.4	1513	4.19	10.0	1.6	1.0	0.5	26	0.4	0.5	0.1	67	0.54
849870	Silt	0.74	3.1	30.0	6.9	77	<0.1	592.9	42.6	3095	3.93	34.0	0.5	1.8	0.8	23	0.4	0.8	<0.1	56	0.48
849871	Silt	0.80	2.6	27.2	7.6	87	<0.1	461.0	29.2	1383	3.52	27.0	0.8	1.6	0.4	29	0.3	0.8	<0.1	53	0.64
849872	Silt	0.75	2.4	36.4	4.7	113	<0.1	227.5	25.1	1134	3.91	11.5	0.8	1.4	0.7	32	0.3	0.6	<0.1	67	0.61
849873	Silt	0.73	1.7	35.4	5.8	98	0.1	303.6	26.4	548	3.41	11.2	1.3	3.4	0.6	32	0.4	0.7	<0.1	55	0.62
849874	Silt	0.75	2.4	25.2	6.7	74	<0.1	264.2	23.3	867	3.28	9.9	1.7	2.4	0.6	27	0.6	0.6	0.1	57	0.42
849875	Silt	0.93	1.5	31.7	5.4	78	<0.1	282.1	24.7	874	3.32	11.2	0.9	1.3	0.7	30	0.3	0.7	<0.1	58	0.58
849876	Silt	0.50	1.2	29.4	8.4	65	0.2	581.5	27.4	638	3.06	7.5	1.3	2.2	0.7	32	0.4	0.6	0.1	47	0.75
849877	Silt	0.70	1.0	32.9	5.1	88	<0.1	284.0	26.0	783	3.90	12.2	0.5	<0.5	0.8	29	0.3	0.7	<0.1	91	0.66
849878	Silt	0.60	1.0	42.7	6.3	75	0.2	587.6	31.7	1171	3.59	11.1	0.6	2.4	0.6	34	0.3	0.7	<0.1	58	0.71
849879	Silt	0.80	0.7	26.4	6.0	64	0.1	269.5	21.0	776	2.99	14.8	0.4	236.2	0.8	35	0.4	0.8	<0.1	58	0.59
849880	Silt	0.85	0.8	21.8	5.1	58	<0.1	202.8	19.9	724	3.25	8.3	0.4	0.9	0.9	31	0.3	0.8	<0.1	70	0.51
849881	Silt	0.68	1.3	54.3	8.3	119	0.2	1317	43.2	1870	4.81	49.4	0.7	3.0	0.4	26	0.6	1.1	<0.1	58	0.77
849882	Silt	0.71	1.0	45.8	11.7	94	<0.1	1056	43.1	1929	4.26	29.5	0.6	1.2	0.4	22	0.4	0.9	<0.1	53	0.66
849883	Silt	0.70	1.5	48.6	9.6	97	0.1	1171	50.3	2091	5.20	38.1	0.6	2.6	0.6	26	0.6	1.2	0.1	73	0.71
849884	Silt	0.59	1.6	60.1	5.9	97	0.2	737.2	35.3	3733	4.88	16.3	0.8	1.7	0.6	35	0.8	0.7	<0.1	66	1.09
849885	Silt	0.85	2.0	48.3	6.0	96	0.1	434.3	38.2	3413	4.33	9.6	0.8	2.5	0.6	30	0.6	0.5	<0.1	62	0.89
849886	Silt	0.74	2.0	195.6	10.3	108	0.3	519.8	45.7	1812	4.92	15.2	1.1	1.9	0.7	30	1.3	0.5	<0.1	79	1.01
849887	Silt	0.95	2.5	60.6	9.0	84	0.1	509.8	38.4	2277	5.97	14.2	0.9	1.0	0.9	29	1.1	0.7	<0.1	72	0.86
850050	Silt	0.32	1.8	39.2	9.5	63	0.3	32.3	7.7	668	1.83	14.6	5.8	0.8	0.2	42	0.3	0.6	0.2	46	0.57
850051	Silt	0.21	2.9	175.7	7.9	74	0.9	145.1	16.3	1213	2.23	17.6	15.7	2.3	0.4	107	1.3	2.4	0.1	50	1.68
850052	Silt	0.81	1.8	48.6	8.4	80	0.2	134.6	22.0	1001	3.12	12.8	1.4	2.0	1.4	55	0.4	0.5	0.1	64	0.68
850053	Silt	0.40	1.7	57.8	8.7	108	0.3	171.2	21.9	1196	3.27	13.9	1.6	3.5	0.6	64	0.7	0.6	0.1	63	0.88
850054	Silt	0.65	3.6	59.7	6.9	96	0.2	203.3	23.3	1416	2.98	8.6	4.6	2.1	1.3	108	0.5	0.4	0.1	84	0.95
850055	Silt	0.60	0.8	38.7	5.2	80	0.1	157.5	20.5	1015	2.99	10.0	1.6	0.7	1.1	91	0.3	0.4	<0.1	82	0.76
850056	Silt	0.55	1.0	29.3	7.5	85	0.1	86.6	16.2	1303	2.56	9.0	1.1	1.1	0.8	79	0.4	0.3	0.1	56	0.67



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: July 24, 2008

Page: 5 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
849865	Silt	0.084	23	152	0.88	128	0.025	3	1.57	0.014	0.09	0.1	0.08	8.7	0.3	<0.05	4	2.1
849866	Silt	0.122	32	147	1.00	162	0.029	3	2.47	0.013	0.06	<0.1	0.06	5.0	0.2	<0.05	5	3.8
849867	Silt	0.079	11	196	1.43	97	0.044	4	1.73	0.010	0.10	<0.1	0.04	5.2	0.1	<0.05	5	1.3
849868	Silt	0.090	7	136	0.97	215	0.042	1	1.35	0.009	0.05	<0.1	0.03	2.9	0.2	<0.05	3	0.8
849869	Silt	0.114	11	209	1.46	127	0.034	4	2.20	0.012	0.09	<0.1	0.05	5.3	0.2	<0.05	6	1.2
849870	Silt	0.061	9	353	2.41	153	0.025	8	1.08	0.006	0.05	0.1	0.02	4.6	<0.1	<0.05	3	0.6
849871	Silt	0.076	9	231	1.67	101	0.021	6	1.33	0.009	0.06	0.1	0.30	4.6	<0.1	<0.05	4	1.6
849872	Silt	0.090	8	188	1.57	95	0.085	3	1.90	0.027	0.15	<0.1	0.02	3.9	0.1	<0.05	5	1.2
849873	Silt	0.079	10	175	1.43	109	0.031	4	1.72	0.016	0.09	0.1	0.11	5.0	0.1	<0.05	5	1.2
849874	Silt	0.066	17	175	1.40	94	0.033	5	1.45	0.010	0.05	<0.1	0.04	4.4	<0.1	<0.05	4	1.2
849875	Silt	0.074	12	195	1.46	95	0.048	5	1.43	0.014	0.08	<0.1	0.05	4.6	<0.1	<0.05	4	0.8
849876	Silt	0.055	44	246	2.09	119	0.026	7	1.37	0.010	0.07	<0.1	0.05	5.0	0.1	<0.05	4	0.9
849877	Silt	0.089	9	184	2.03	167	0.094	4	1.86	0.008	0.25	<0.1	0.03	8.0	0.1	<0.05	6	0.6
849878	Silt	0.070	10	285	1.87	140	0.024	6	1.61	0.011	0.07	<0.1	0.06	6.6	<0.1	<0.05	5	1.0
849879	Silt	0.070	9	142	1.26	108	0.032	5	1.26	0.013	0.06	0.1	0.04	4.7	<0.1	<0.05	4	0.6
849880	Silt	0.065	9	161	1.21	75	0.052	9	1.04	0.014	0.05	0.1	0.04	4.2	<0.1	<0.05	4	<0.5
849881	Silt	0.134	14	294	2.42	192	0.030	10	2.39	0.009	0.09	0.2	0.09	8.9	0.1	0.05	5	1.7
849882	Silt	0.109	11	279	2.51	150	0.038	7	2.04	0.008	0.08	0.2	0.07	7.4	<0.1	0.09	4	1.3
849883	Silt	0.108	13	322	3.17	183	0.043	8	2.46	0.009	0.08	0.2	0.07	8.3	0.1	0.17	5	2.5
849884	Silt	0.112	12	199	1.97	198	0.031	4	1.97	0.008	0.07	<0.1	0.08	6.6	0.1	0.12	5	2.0
849885	Silt	0.094	9	193	1.86	169	0.047	3	1.78	0.008	0.05	<0.1	0.06	5.3	<0.1	0.08	4	1.6
849886	Silt	0.104	12	202	2.88	152	0.021	3	2.12	0.009	0.07	<0.1	0.10	7.4	<0.1	0.07	5	2.7
849887	Silt	0.102	12	171	1.70	132	0.045	3	1.66	0.008	0.06	0.1	0.05	5.8	<0.1	0.06	5	1.2
850050	Silt	0.106	20	51	0.52	170	0.033	1	1.82	0.013	0.10	<0.1	0.05	1.6	0.2	0.07	6	1.6
850051	Silt	0.160	73	147	0.71	260	0.024	4	1.87	0.012	0.12	0.4	0.17	5.7	0.3	0.15	4	5.0
850052	Silt	0.105	13	157	1.23	159	0.066	3	1.56	0.013	0.11	<0.1	0.04	5.0	0.1	<0.05	4	1.0
850053	Silt	0.116	13	164	1.14	178	0.040	3	1.66	0.011	0.10	<0.1	0.09	4.8	0.2	0.07	4	2.1
850054	Silt	0.087	13	227	1.37	297	0.071	4	1.91	0.018	0.13	<0.1	0.05	6.1	0.1	<0.05	5	1.3
850055	Silt	0.108	10	179	1.39	192	0.103	3	1.77	0.012	0.12	<0.1	0.04	4.2	0.1	<0.05	5	1.6
850056	Silt	0.098	13	66	0.72	235	0.029	2	1.76	0.010	0.11	<0.1	0.05	3.8	0.1	<0.05	4	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: July 24, 2008

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Unit	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
850057	Silt	0.79	1.5	28.5	11.1	93	0.1	54.9	16.0	1333	2.76	20.5	1.2	0.6	1.5	72	0.4	0.5	0.1	51	0.65
850058	Silt	0.32	3.2	131.9	4.5	79	0.9	84.5	16.7	1842	2.27	15.7	3.1	2.5	0.2	53	1.7	0.6	<0.1	45	2.67
850059	Silt	0.41	2.8	101.4	6.4	158	0.8	322.2	24.2	1271	3.46	23.0	3.4	1.9	0.4	55	2.3	0.7	0.1	65	1.50
850060	Silt	0.27	1.6	55.6	7.6	88	0.3	170.0	21.4	1259	2.89	12.6	1.4	1.6	0.7	70	0.9	0.6	0.1	59	0.91
850061	Silt	0.74	3.4	60.2	6.8	105	0.3	190.1	22.2	1674	3.40	13.6	1.3	2.5	0.7	40	1.1	0.5	0.1	71	0.87
850062	Silt	0.55	28.1	41.3	4.1	118	0.3	119.8	33.5	5503	4.03	8.7	0.7	<0.5	0.5	34	0.6	0.4	0.2	78	0.87
850063	Silt	0.58	18.3	61.9	4.8	116	0.2	158.2	26.3	4677	4.22	12.3	0.9	<0.5	0.5	40	0.7	0.6	0.3	90	1.04
850064	Silt	0.62	11.1	66.6	4.5	114	0.3	182.2	23.9	2664	3.92	11.1	1.3	1.7	0.6	38	0.7	0.6	0.3	82	1.11
850065	Silt	0.78	26.8	39.7	5.3	109	0.2	127.2	25.8	4493	3.95	11.1	0.6	0.7	0.6	41	0.6	0.4	0.3	74	0.94
850066	Silt	0.63	8.8	34.0	5.9	84	0.2	48.6	17.3	1380	3.80	9.4	0.8	1.3	0.6	36	0.3	0.3	<0.1	71	0.91
850067	Silt	0.58	22.4	53.7	5.9	90	0.4	91.8	22.3	3760	5.47	26.7	1.2	1.0	0.7	40	0.9	0.4	0.2	81	1.06
850068	Silt	0.64	3.9	60.6	4.8	131	0.4	126.2	18.5	812	2.68	29.1	10.6	0.7	0.2	33	1.5	0.6	0.2	80	0.72
850069	Silt	0.60	4.1	56.5	5.7	155	0.3	124.3	22.7	1252	2.91	22.1	9.1	1.2	0.3	32	1.2	0.6	0.2	84	0.71
850070	Silt	0.47	6.2	53.7	7.0	101	0.4	102.7	17.1	1114	1.92	24.9	12.3	2.4	0.1	39	2.6	1.1	0.2	58	0.87
850071	Silt	0.31	2.5	64.0	5.6	90	0.7	119.1	12.7	1120	1.46	12.5	4.5	0.7	0.2	45	3.3	1.1	0.2	44	0.90
850072	Silt	0.50	7.8	50.0	6.8	96	0.3	97.9	16.5	1147	1.83	21.1	10.2	12.7	0.1	38	2.4	1.0	0.2	57	0.78
850073	Silt	0.50	9.5	57.8	17.1	119	0.5	170.7	18.9	810	2.40	17.6	3.2	0.8	0.1	24	0.8	0.6	0.4	69	0.33
850074	Silt	0.62	5.9	35.9	7.8	102	0.5	132.7	23.5	1898	1.99	24.0	6.9	79.9	<0.1	33	2.2	0.6	0.2	61	0.51
850075	Silt	0.47	4.9	51.0	10.4	102	0.4	112.8	19.2	1397	1.88	14.7	4.2	<0.5	<0.1	35	1.8	0.7	0.2	57	0.55
850076	Silt	0.54	2.7	51.1	7.3	134	0.2	1170	39.4	6448	5.12	27.7	0.9	0.9	0.4	40	0.7	1.0	0.1	77	1.01
850077	Silt	0.38	1.3	78.2	7.4	76	0.2	969.8	27.8	450	2.74	17.4	0.9	2.0	0.5	43	0.5	0.8	<0.1	63	1.09
850078	Silt	0.69	2.4	43.5	4.9	118	0.1	611.9	39.1	2405	6.66	55.8	0.8	2.1	0.7	29	0.4	1.1	<0.1	77	0.62
850079	Silt	0.56	4.1	41.8	4.6	130	0.2	365.0	34.7	>10000	9.76	28.3	1.1	1.3	0.5	73	1.7	0.7	<0.1	67	1.85
850080	Silt	0.82	2.7	55.3	7.6	89	0.4	329.0	28.3	1864	4.30	20.0	1.9	4.2	0.6	43	0.6	0.6	<0.1	80	1.14
850081	Silt	0.58	1.8	53.8	5.5	110	0.4	304.6	17.4	1313	3.63	10.3	1.4	3.2	0.4	48	1.1	0.7	<0.1	56	1.57
850082	Silt	0.65	2.0	59.0	7.1	112	0.8	471.9	28.5	1298	4.29	12.5	1.6	2.2	0.6	42	1.1	0.9	0.1	62	0.89
850083	Silt	0.55	0.7	29.2	5.4	72	0.1	638.1	32.4	970	3.34	9.3	0.7	1.6	0.3	27	0.4	0.7	<0.1	56	0.69
850084	Silt	0.77	1.1	39.4	4.0	89	0.1	706.9	37.3	1023	4.35	18.3	0.7	1.4	0.3	30	0.3	1.0	<0.1	66	0.88
850085	Silt	1.01	1.1	39.6	4.8	82	<0.1	384.8	31.1	918	4.77	10.5	0.4	3.6	1.1	28	0.3	0.5	<0.1	95	0.62
850086	Silt	0.87	1.0	32.7	4.9	76	<0.1	348.4	26.1	767	3.91	10.3	0.4	3.5	0.8	38	0.4	0.6	<0.1	78	0.73

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: July 24, 2008

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
850057	Silt	0.104	11	42	0.64	208	0.021	3	1.44	0.010	0.11	<0.1	0.06	3.6	0.2	0.07	4	0.8
850058	Silt	0.149	9	107	0.79	121	0.026	5	1.70	0.009	0.08	0.1	0.15	2.6	0.2	0.20	4	5.5
850059	Silt	0.091	13	212	1.37	135	0.049	3	2.31	0.010	0.08	0.2	0.10	6.6	0.1	0.09	5	3.3
850060	Silt	0.130	12	156	1.10	190	0.047	4	1.59	0.012	0.11	0.1	0.08	4.6	0.2	0.05	4	2.1
850061	Silt	0.094	10	173	1.32	139	0.076	2	1.96	0.010	0.10	<0.1	0.06	5.7	0.1	<0.05	5	1.1
850062	Silt	0.109	7	136	1.29	265	0.087	1	2.56	0.024	0.18	0.2	0.07	4.5	0.4	0.09	7	0.6
850063	Silt	0.097	8	141	1.33	276	0.101	3	2.60	0.027	0.22	0.3	0.06	5.1	0.2	0.05	7	1.1
850064	Silt	0.098	9	143	1.39	248	0.107	3	2.78	0.022	0.24	0.4	0.06	5.5	0.3	0.07	6	1.2
850065	Silt	0.093	8	110	1.09	222	0.071	3	2.08	0.026	0.15	0.5	0.06	4.7	0.2	0.06	5	0.8
850066	Silt	0.099	13	40	0.79	175	0.043	2	2.28	0.012	0.06	<0.1	0.08	4.6	0.2	0.12	7	1.1
850067	Silt	0.106	15	54	0.61	260	0.024	2	2.57	0.015	0.08	<0.1	0.10	5.6	0.3	0.08	6	0.8
850068	Silt	0.138	15	152	1.11	189	0.033	2	2.75	0.024	0.13	0.1	0.04	2.9	0.2	0.08	6	2.1
850069	Silt	0.104	14	163	1.21	208	0.047	2	2.68	0.029	0.20	0.1	0.04	3.8	0.2	0.08	7	2.5
850070	Silt	0.144	16	109	0.85	166	0.021	3	1.90	0.028	0.12	0.1	0.08	1.8	0.2	0.17	4	6.1
850071	Silt	0.234	19	86	0.55	131	0.021	4	2.06	0.024	0.20	0.1	0.06	2.5	0.2	0.23	4	8.4
850072	Silt	0.142	14	101	0.89	220	0.027	4	1.93	0.023	0.19	0.2	0.06	2.3	0.2	0.15	5	3.6
850073	Silt	0.197	13	125	0.89	161	0.014	2	2.70	0.013	0.15	<0.1	0.06	1.4	0.2	0.15	7	2.4
850074	Silt	0.198	15	138	0.96	127	0.015	2	2.16	0.014	0.11	<0.1	0.19	1.4	0.3	0.14	5	2.9
850075	Silt	0.192	14	110	0.80	148	0.015	3	2.02	0.013	0.14	<0.1	0.04	1.2	0.2	0.18	5	4.2
850076	Silt	0.176	11	172	1.21	296	0.023	5	2.65	0.008	0.13	<0.1	0.11	7.0	0.2	0.17	6	1.5
850077	Silt	0.107	17	233	1.32	306	0.018	4	2.31	0.008	0.10	0.7	0.13	7.7	0.1	0.20	5	2.6
850078	Silt	0.117	12	187	1.47	193	0.059	2	2.04	0.007	0.10	0.2	0.08	6.4	0.1	0.10	5	1.1
850079	Silt	0.178	12	139	0.94	486	0.021	4	1.43	0.006	0.12	<0.1	0.15	4.6	0.1	0.22	4	3.6
850080	Silt	0.146	12	265	1.60	174	0.032	4	2.12	0.006	0.09	<0.1	0.10	6.1	0.1	0.12	7	3.4
850081	Silt	0.188	16	81	0.99	182	0.013	3	2.19	0.006	0.09	<0.1	0.16	6.4	0.2	0.17	5	1.5
850082	Silt	0.177	19	232	1.59	238	0.016	2	2.41	0.006	0.11	<0.1	0.11	7.1	0.1	0.07	6	1.1
850083	Silt	0.077	8	282	2.39	120	0.022	5	1.57	0.008	0.06	<0.1	0.07	5.3	<0.1	<0.05	4	0.5
850084	Silt	0.101	7	399	2.16	117	0.031	5	1.53	0.005	0.09	<0.1	0.06	6.1	<0.1	<0.05	4	1.0
850085	Silt	0.112	12	255	2.07	134	0.087	3	2.06	0.007	0.18	<0.1	0.03	6.8	0.1	<0.05	7	<0.5
850086	Silt	0.088	10	236	1.78	109	0.060	4	1.68	0.008	0.10	<0.1	0.03	5.5	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

July 24, 2008

Page:

7 of 7

Part 1

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
850087	Silt	0.85	1.0	37.6	5.3	74	<0.1	219.6	22.2	761	3.80	9.5	0.4	2.7	0.9	34	0.4	0.8	<0.1	78	0.70
850088	Silt	0.86	0.9	26.6	5.1	66	<0.1	183.5	20.2	690	3.46	8.9	0.4	1.5	1.0	32	0.3	0.8	<0.1	75	0.55
850089	Silt	0.74	2.7	91.2	7.0	109	0.5	230.9	19.1	1382	3.13	17.7	1.1	1.4	0.3	32	1.1	0.7	0.1	67	1.49
850090	Silt	0.92	3.6	49.5	3.6	167	0.3	227.5	31.3	2652	5.13	15.3	1.6	1.3	0.2	28	0.8	0.4	<0.1	84	1.10
850091	Silt	1.05	2.6	46.1	4.3	127	0.2	161.3	28.3	2742	3.78	6.9	1.1	1.0	0.2	27	0.9	0.4	<0.1	61	1.14
850092	Silt	0.55	2.1	122.1	4.7	142	0.8	249.5	25.6	934	4.00	16.5	2.2	2.3	0.2	28	0.8	0.5	<0.1	71	1.41
850093	Silt	1.06	1.5	85.9	3.1	131	0.2	201.0	37.8	1378	5.21	10.2	1.1	2.1	0.3	19	0.7	0.4	<0.1	86	0.99
850094	Silt	0.94	1.0	46.2	3.2	91	0.1	234.4	23.2	554	2.97	4.2	1.1	1.8	0.3	21	0.4	0.3	<0.1	52	0.85
850095	Silt	0.96	1.3	51.6	3.1	84	0.1	314.2	29.8	845	3.70	6.5	0.9	1.9	0.4	21	0.4	0.4	<0.1	64	0.76
850096	Silt	0.62	2.7	42.1	4.6	108	0.3	202.5	26.5	1764	3.02	9.9	2.3	1.4	0.3	39	1.1	0.4	<0.1	51	1.43
850097	Silt	0.82	1.8	129.0	5.2	65	0.6	409.0	25.5	710	2.97	14.2	4.6	2.1	0.3	45	1.1	1.0	<0.1	52	1.85
850098	Silt	0.59	2.4	72.1	4.1	64	0.6	345.5	28.9	1330	2.78	8.9	3.1	2.2	0.3	40	1.4	0.7	<0.1	48	1.75
850099	Silt	0.72	1.4	55.8	4.0	71	0.2	178.2	17.6	503	2.86	8.5	1.7	14.5	0.4	28	0.4	0.6	<0.1	60	0.87
852450	Silt	0.36	9.4	50.9	4.0	120	0.3	96.1	22.5	2029	3.88	8.3	0.8	1.3	0.3	28	0.7	0.3	0.3	73	0.93
852451	Silt	0.37	6.1	90.8	6.0	137	0.5	82.3	17.7	1585	3.60	13.4	1.1	1.9	0.4	41	1.2	0.3	0.2	75	1.44
852452	Silt	0.37	7.4	70.3	4.9	118	0.3	102.9	22.5	1767	3.98	10.1	0.9	1.6	0.4	32	0.9	0.4	0.3	81	1.15
852453	Silt	0.28	18.5	82.7	5.0	129	0.5	127.0	24.9	4781	5.28	16.8	1.5	3.0	0.5	39	1.4	0.3	0.4	93	1.35
852454	Silt	0.25	2.9	63.4	3.3	57	0.4	69.7	13.0	597	1.94	9.4	4.9	1.5	0.1	37	0.7	0.5	0.1	50	1.87
852455	Silt	0.26	5.5	51.2	4.0	83	0.2	80.2	21.7	3364	3.33	10.6	1.4	2.6	0.3	35	1.1	0.4	0.4	68	1.86
852456	Silt	0.53	17.5	59.7	5.0	108	0.3	113.9	25.6	6107	4.19	16.1	1.0	2.3	0.5	32	1.5	0.3	0.3	79	1.08
852457	Silt	0.35	8.0	60.0	4.4	105	0.4	103.2	21.5	2061	3.61	12.5	1.3	2.3	0.4	33	0.7	0.3	0.3	71	1.23
852458	Silt	0.32	9.7	65.1	4.1	117	0.4	114.4	20.0	1328	3.57	11.0	0.8	2.8	0.3	37	0.7	0.3	0.6	72	1.35
852459	Silt	0.36	7.8	51.9	3.9	95	0.3	93.8	20.2	2216	3.56	11.8	1.0	1.4	0.4	29	0.7	0.3	0.3	70	1.08
852600	Silt	1.26	1.6	59.1	7.9	102	0.1	330.1	33.1	1014	4.40	8.5	0.8	1.6	0.5	20	0.5	0.5	<0.1	73	0.78
852601	Silt	1.00	1.1	55.9	4.0	77	0.2	199.5	20.9	660	2.59	5.7	0.8	1.8	0.4	34	0.9	0.4	<0.1	51	1.07
852602	Silt	0.79	1.9	134.4	4.9	72	0.4	309.0	22.2	778	2.71	9.8	1.3	2.6	0.3	44	1.1	0.6	<0.1	47	1.92



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: July 24, 2008

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

SMI08000595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
850087	Silt	0.082	9	147	1.72	80	0.050	4	1.50	0.010	0.07	<0.1	0.03	4.7	<0.1	<0.05	5	<0.5
850088	Silt	0.077	9	146	1.46	71	0.051	4	1.19	0.012	0.05	<0.1	0.03	4.2	<0.1	<0.05	4	<0.5
850089	Silt	0.286	8	217	0.85	110	0.017	4	2.09	0.012	0.14	<0.1	0.08	5.6	0.1	0.20	5	1.7
850090	Silt	0.179	7	234	1.23	111	0.038	2	2.22	0.006	0.08	<0.1	0.04	4.5	<0.1	0.06	6	0.9
850091	Silt	0.126	6	171	1.11	94	0.044	3	1.73	0.007	0.08	<0.1	0.05	3.4	<0.1	0.08	4	2.1
850092	Silt	0.104	8	186	1.18	140	0.073	4	2.39	0.011	0.16	<0.1	0.07	4.6	0.1	0.05	6	1.9
850093	Silt	0.060	6	223	1.59	96	0.286	2	2.74	0.004	0.19	<0.1	0.06	4.8	0.1	<0.05	7	1.6
850094	Silt	0.091	7	182	1.46	70	0.080	4	1.75	0.008	0.07	<0.1	0.05	3.9	<0.1	0.06	4	1.2
850095	Silt	0.082	7	242	1.87	69	0.085	4	1.84	0.005	0.06	<0.1	0.05	4.8	<0.1	<0.05	5	0.8
850096	Silt	0.130	8	105	1.09	144	0.022	3	1.59	0.008	0.07	<0.1	0.09	3.4	<0.1	0.09	4	2.3
850097	Silt	0.097	8	231	2.29	121	0.024	4	1.34	0.007	0.08	<0.1	0.09	4.2	<0.1	0.08	3	3.7
850098	Silt	0.119	9	178	2.09	123	0.019	3	1.39	0.009	0.07	<0.1	0.09	3.6	<0.1	0.08	3	2.6
850099	Silt	0.092	8	139	1.35	71	0.056	3	1.30	0.007	0.08	<0.1	0.05	3.8	<0.1	<0.05	4	1.0
852450	Silt	0.095	8	122	1.29	155	0.089	2	2.47	0.010	0.11	0.2	0.06	4.8	0.2	<0.05	6	0.7
852451	Silt	0.118	12	81	0.99	217	0.034	3	2.81	0.011	0.11	<0.1	0.09	5.7	0.2	0.06	6	2.1
852452	Silt	0.101	10	119	1.24	180	0.072	2	2.63	0.011	0.12	0.2	0.07	6.0	0.2	<0.05	6	0.9
852453	Silt	0.131	12	129	1.27	306	0.054	3	3.01	0.012	0.14	0.1	0.10	6.9	0.3	<0.05	7	2.0
852454	Silt	0.102	8	72	0.72	83	0.042	2	1.48	0.009	0.06	0.2	0.11	2.5	0.1	0.12	4	4.0
852455	Silt	0.132	7	114	1.18	147	0.072	3	1.87	0.021	0.12	0.3	0.08	4.0	0.3	0.08	5	1.3
852456	Silt	0.098	9	114	1.23	269	0.084	3	2.35	0.012	0.12	0.2	0.07	5.5	0.3	<0.05	6	1.2
852457	Silt	0.104	9	116	1.23	165	0.068	2	2.51	0.012	0.12	0.3	0.09	5.6	0.2	<0.05	6	2.0
852458	Silt	0.124	7	118	1.17	179	0.054	2	2.62	0.013	0.13	0.3	0.08	4.6	0.2	<0.05	6	0.6
852459	Silt	0.100	8	110	1.13	156	0.081	2	2.21	0.012	0.11	0.2	0.06	5.3	0.2	<0.05	6	1.4
852600	Silt	0.084	7	256	2.01	79	0.111	4	1.99	0.006	0.09	<0.1	0.04	5.1	<0.1	<0.05	5	1.0
852601	Silt	0.088	7	107	1.20	92	0.053	3	1.34	0.009	0.06	<0.1	0.06	4.0	<0.1	0.05	4	2.1
852602	Silt	0.107	12	123	1.10	117	0.030	4	1.53	0.010	0.08	<0.1	0.12	5.3	<0.1	0.08	4	3.9

QUALITY CONTROL REPORT

SMI08000595.1

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
828906	Silt	0.36	2.1	26.1	6.9	96	0.2	65.2	22.2	4885	3.40	19.0	1.2	4.1	0.5	84	0.9	0.3	<0.1	112	0.61
REP 828906	QC		2.1	28.0	7.2	95	0.2	62.9	22.4	4730	3.45	18.8	1.2	3.7	0.6	87	0.8	0.3	<0.1	108	0.65
829760	Silt	0.54	1.9	42.1	6.9	103	0.1	133.5	19.3	943	3.44	12.5	0.6	3.4	1.2	46	0.9	0.6	<0.1	75	0.67
REP 829760	QC		2.0	41.8	7.4	110	0.2	130.0	19.3	965	3.46	12.5	0.6	1.4	1.2	48	0.9	0.7	<0.1	74	0.69
829763	Silt	0.72	0.8	35.8	5.6	75	0.1	70.9	11.9	608	2.61	5.2	0.4	3.2	0.5	34	0.5	0.4	<0.1	57	1.09
REP 829763	QC		0.8	37.4	5.4	78	0.1	74.2	12.7	630	2.69	5.7	0.4	3.3	0.5	35	0.5	0.4	<0.1	58	1.09
829781	Silt	0.93	3.1	75.0	6.4	137	0.2	143.1	20.5	980	3.69	13.1	2.1	1.1	1.5	25	1.0	0.7	0.1	107	0.65
REP 829781	QC		2.9	74.6	6.5	141	0.2	147.3	19.7	960	3.67	13.6	2.2	4.1	1.5	25	1.0	0.7	0.1	107	0.63
829799	Silt	0.98	1.1	42.0	3.6	91	0.1	241.8	27.6	831	3.75	6.8	0.6	1.6	0.4	14	0.4	0.4	<0.1	56	0.56
REP 829799	QC		1.1	42.9	3.8	93	0.1	251.8	24.5	824	3.91	7.2	0.6	1.1	0.4	16	0.4	0.4	<0.1	61	0.54
849875	Silt	0.93	1.5	31.7	5.4	78	<0.1	282.1	24.7	874	3.32	11.2	0.9	1.3	0.7	30	0.3	0.7	<0.1	58	0.58
REP 849875	QC		1.4	31.2	5.3	81	<0.1	286.2	24.2	874	3.24	11.3	0.9	2.0	0.7	31	0.4	0.7	0.1	57	0.55
850062	Silt	0.55	28.1	41.3	4.1	118	0.3	119.8	33.5	5503	4.03	8.7	0.7	<0.5	0.5	34	0.6	0.4	0.2	78	0.87
REP 850062	QC		28.4	43.2	4.1	118	0.3	119.4	33.7	5657	4.10	9.0	0.7	<0.5	0.5	33	0.6	0.4	0.2	82	0.88
850068	Silt	0.64	3.9	60.6	4.8	131	0.4	126.2	18.5	812	2.68	29.1	10.6	0.7	0.2	33	1.5	0.6	0.2	80	0.72
REP 850068	QC		4.3	61.1	4.5	131	0.5	124.8	18.7	834	2.66	28.6	10.6	0.8	0.2	35	1.4	0.6	0.2	79	0.72
850087	Silt	0.85	1.0	37.6	5.3	74	<0.1	219.6	22.2	761	3.80	9.5	0.4	2.7	0.9	34	0.4	0.8	<0.1	78	0.70
REP 850087	QC		1.0	38.6	5.0	76	<0.1	221.8	22.0	769	3.75	9.7	0.5	1.9	1.0	34	0.3	0.8	<0.1	79	0.71
850095	Silt	0.96	1.3	51.6	3.1	84	0.1	314.2	29.8	845	3.70	6.5	0.9	1.9	0.4	21	0.4	0.4	<0.1	64	0.76
REP 850095	QC		1.1	53.2	3.0	85	0.2	313.7	29.8	846	3.65	6.7	0.9	1.2	0.4	19	0.4	0.3	<0.1	63	0.77
Reference Materials																					
STD DS7	Standard		20.7	109.3	64.3	400	0.8	55.3	9.3	658	2.44	51.0	4.9	65.6	4.6	79	5.8	5.7	4.2	91	1.02
STD DS7	Standard		18.7	104.0	60.3	377	0.8	54.6	9.4	599	2.32	51.2	4.6	75.6	3.8	69	6.1	5.9	4.2	83	0.90
STD DS7	Standard		19.9	110.1	65.0	397	0.8	54.9	9.7	645	2.43	53.4	4.6	67.4	4.2	70	6.5	5.7	4.2	87	0.98
STD DS7	Standard		20.7	116.9	70.7	402	0.9	56.1	10.2	652	2.43	53.2	5.0	75.9	4.6	82	6.4	6.6	4.9	89	0.97
STD DS7 Expected			20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

QUALITY CONTROL REPORT

SMI08000595.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5
Pulp Duplicates																		
828906	Silt	0.147	11	69	0.67	269	0.030	<1	1.86	0.011	0.10	<0.1	0.05	4.0	0.1	0.08	5	2.1
REP 828906	QC	0.142	11	68	0.68	275	0.026	2	1.80	0.008	0.10	<0.1	0.06	4.1	0.1	0.08	5	1.8
829760	Silt	0.078	10	108	1.23	111	0.090	2	1.60	0.012	0.08	0.1	0.03	4.2	0.1	<0.05	5	2.0
REP 829760	QC	0.078	10	111	1.26	114	0.092	2	1.65	0.012	0.08	0.2	0.04	4.7	0.1	<0.05	5	1.9
829763	Silt	0.073	8	51	0.74	109	0.040	3	1.47	0.011	0.05	<0.1	0.05	4.1	<0.1	<0.05	4	0.9
REP 829763	QC	0.077	8	53	0.74	110	0.043	3	1.53	0.012	0.05	0.2	0.05	4.0	<0.1	<0.05	4	1.0
829781	Silt	0.078	13	161	1.76	118	0.106	1	2.44	0.038	0.29	<0.1	0.02	6.6	0.3	<0.05	8	1.7
REP 829781	QC	0.076	13	160	1.77	118	0.104	1	2.36	0.035	0.29	<0.1	0.02	6.2	0.3	<0.05	8	1.1
829799	Silt	0.077	6	200	1.73	62	0.060	4	1.79	0.005	0.07	<0.1	0.02	4.2	<0.1	0.09	4	1.2
REP 829799	QC	0.077	6	194	1.78	64	0.061	3	1.67	0.005	0.07	<0.1	0.03	4.2	<0.1	0.07	4	1.2
849875	Silt	0.074	12	195	1.46	95	0.048	5	1.43	0.014	0.08	<0.1	0.05	4.6	<0.1	<0.05	4	0.8
REP 849875	QC	0.075	12	179	1.43	97	0.049	4	1.47	0.013	0.07	<0.1	0.03	4.5	0.1	<0.05	4	0.6
850062	Silt	0.109	7	136	1.29	265	0.087	1	2.56	0.024	0.18	0.2	0.07	4.5	0.4	0.09	7	0.6
REP 850062	QC	0.114	7	139	1.28	263	0.086	2	2.63	0.023	0.18	0.2	0.07	4.4	0.4	0.10	7	1.2
850068	Silt	0.138	15	152	1.11	189	0.033	2	2.75	0.024	0.13	0.1	0.04	2.9	0.2	0.08	6	2.1
REP 850068	QC	0.135	15	160	1.16	195	0.036	2	2.78	0.024	0.12	0.1	0.04	3.0	0.2	0.08	6	2.1
850087	Silt	0.082	9	147	1.72	80	0.050	4	1.50	0.010	0.07	<0.1	0.03	4.7	<0.1	<0.05	5	<0.5
REP 850087	QC	0.079	10	153	1.72	79	0.052	3	1.43	0.010	0.07	<0.1	0.03	4.6	<0.1	<0.05	5	<0.5
850095	Silt	0.082	7	242	1.87	69	0.085	4	1.84	0.005	0.06	<0.1	0.05	4.8	<0.1	<0.05	5	0.8
REP 850095	QC	0.085	7	239	1.92	73	0.087	4	1.89	0.005	0.06	<0.1	0.04	4.9	<0.1	<0.05	5	0.8
Reference Materials																		
STD DS7	Standard	0.077	14	222	1.12	406	0.130	36	1.11	0.117	0.47	3.7	0.20	2.8	4.1	0.12	5	3.4
STD DS7	Standard	0.075	12	193	0.99	359	0.110	38	0.94	0.085	0.45	3.5	0.19	2.2	4.0	0.16	5	4.1
STD DS7	Standard	0.075	13	209	1.04	384	0.114	37	1.08	0.097	0.48	3.6	0.20	2.4	4.3	0.21	5	5.9
STD DS7	Standard	0.075	13	211	1.08	387	0.123	41	1.08	0.100	0.48	3.9	0.21	2.4	4.1	0.19	5	4.0
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

July 24, 2008

Page:

2 of 2

Part 1

QUALITY CONTROL REPORT

SMI08000595.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

QUALITY CONTROL REPORT

SMI08000595.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Submitted By:

Eric Titley

Receiving Lab:

Canada-Smithers

Received:

October 04, 2008

Report Date:

October 20, 2008

Page:

1 of 13

CERTIFICATE OF ANALYSIS

SMI08001014.1

CLIENT JOB INFORMATION

Project: PolyMac
Shipment ID: Polymac 08-0
P.O. Number
Number of Samples: 347

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Amarc Resources
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	341	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	341	Dry at 60C		
1DX15	336	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 20, 2008

Page:

2 of 13

Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13251	Soil	0.7	19.8	5.0	72	<0.1	51.7	10.8	377	2.45	4.2	0.4	0.6	1.2	26	0.3	0.3	<0.1	63	0.33	0.062
13252	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
13253	Soil	1.1	15.5	6.0	76	<0.1	38.4	11.3	397	2.63	5.3	0.3	3.7	0.9	27	0.8	0.4	<0.1	71	0.37	0.084
13254	Soil	1.0	18.4	4.6	62	<0.1	49.5	11.7	440	2.50	7.0	0.3	1.0	1.0	27	0.2	0.5	<0.1	65	0.41	0.044
13255	Soil	0.8	21.8	6.1	77	0.1	45.1	12.2	735	2.72	3.4	0.4	<0.5	0.7	30	1.3	0.4	<0.1	71	0.80	0.027
13256	Soil	1.3	17.2	4.8	60	<0.1	41.6	10.3	257	2.85	8.5	0.3	0.8	0.8	27	0.2	0.5	<0.1	74	0.36	0.078
13257	Soil	1.1	41.6	5.9	95	0.1	87.1	19.6	833	3.33	10.6	0.4	1.4	1.2	41	1.0	0.7	<0.1	78	0.77	0.065
13258	Soil	2.0	53.1	10.9	210	1.0	90.9	28.8	2286	4.37	35.1	0.5	<0.5	0.5	11	3.5	1.4	0.3	110	0.28	0.180
13259	Soil	1.4	38.6	6.1	76	0.3	88.7	17.4	928	2.69	7.5	0.5	0.9	0.7	29	0.7	0.5	<0.1	68	0.75	0.040
13260	Soil	1.2	72.3	3.1	156	0.4	128.1	41.9	476	6.19	8.5	0.3	1.1	0.8	69	0.5	0.2	0.4	169	0.30	0.059
13261	Soil	1.6	90.4	8.3	119	0.2	237.5	34.6	582	4.64	20.0	1.1	1.0	0.9	27	0.5	0.7	0.2	119	0.49	0.062
13262	Soil	1.4	125.1	3.1	180	0.3	100.7	16.8	927	3.54	1.9	0.9	<0.5	2.6	10	0.4	0.1	1.3	68	0.11	0.041
13263	Soil	2.0	54.0	7.4	361	0.3	61.0	19.7	1504	3.92	8.6	0.7	1.4	2.3	10	2.1	0.4	1.1	86	0.18	0.144
13264	Soil	9.6	27.7	7.7	75	0.1	22.3	3.5	136	2.50	10.3	0.6	0.6	3.2	5	0.9	1.2	1.0	44	0.03	0.086
13265	Soil	1.2	20.3	5.2	63	<0.1	38.8	11.6	641	1.96	1.9	0.2	<0.5	0.6	19	1.4	0.3	0.1	60	0.24	0.026
13266	Soil	1.5	31.5	2.6	114	0.2	65.6	34.4	525	5.87	26.2	0.2	<0.5	2.1	17	0.2	0.7	0.1	170	0.45	0.139
13267	Soil	19.8	125.2	11.1	164	0.4	170.2	58.6	1044	6.60	252.7	0.3	17.7	0.8	22	1.8	5.1	0.8	127	0.39	0.069
13268	Soil	1.1	18.6	4.8	61	<0.1	115.7	18.0	398	2.82	6.8	0.4	1.5	0.9	21	0.2	0.6	0.1	66	0.27	0.045
13269	Soil	8.0	87.2	33.0	249	0.9	345.5	41.2	1119	5.33	179.8	0.4	6.1	1.0	22	1.7	10.1	0.3	125	0.52	0.042
13270	Soil	1.2	15.8	5.5	71	0.2	75.1	16.1	629	2.74	6.2	0.3	<0.5	0.9	23	1.6	0.5	<0.1	77	0.32	0.029
13271	Soil	1.1	14.2	3.7	57	<0.1	64.0	12.1	279	2.59	5.3	0.3	<0.5	0.9	23	0.3	0.4	<0.1	74	0.38	0.029
13272	Soil	2.2	21.1	4.9	77	<0.1	90.8	19.9	397	2.76	6.2	0.3	1.0	0.8	19	0.3	0.4	0.2	78	0.31	0.020
13273	Soil	2.2	113.9	5.4	154	0.3	173.4	53.8	1400	5.12	64.0	0.2	<0.5	0.6	36	1.5	0.7	1.2	137	0.79	0.061
13274	Soil	1.8	94.7	4.7	123	0.3	147.2	45.9	1386	4.22	31.3	0.2	<0.5	0.3	44	1.9	0.4	1.3	119	1.29	0.067
13275	Soil	2.3	27.8	12.3	196	0.2	98.2	19.1	404	3.68	10.3	0.3	<0.5	1.1	18	0.4	0.7	2.3	89	0.28	0.173
13276	Soil	4.4	16.3	4.9	54	<0.1	48.2	10.5	260	2.25	4.6	0.2	5.4	0.8	25	0.5	0.4	0.2	75	0.42	0.027
13277	Soil	3.0	24.2	5.3	131	0.1	80.8	14.6	255	3.36	10.7	0.4	1.3	1.2	17	0.3	0.6	0.2	84	0.26	0.190
13278	Soil	2.9	41.6	5.6	109	0.3	146.5	23.2	469	3.82	13.1	0.4	32.8	1.0	21	0.5	0.6	0.2	94	0.41	0.127
13279	Soil	1.2	9.1	5.1	71	0.1	62.0	8.2	174	2.28	2.9	0.2	<0.5	0.7	13	0.4	0.3	0.2	58	0.22	0.080
13280	Soil	3.8	108.9	4.2	127	0.2	168.4	43.5	442	5.03	35.3	0.3	0.7	1.1	11	0.2	0.5	0.5	159	0.18	0.054



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 2 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
13251	Soil	9	54	0.70	93	0.085	2	1.60	0.011	0.06	<0.1	0.01	3.6	<0.1	<0.05	5	<0.5
13252	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
13253	Soil	6	53	0.59	90	0.074	2	1.53	0.011	0.08	<0.1	0.01	3.4	<0.1	<0.05	5	<0.5
13254	Soil	7	69	0.76	66	0.092	2	1.44	0.011	0.06	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
13255	Soil	7	68	0.59	120	0.079	2	1.56	0.013	0.08	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5
13256	Soil	5	57	0.66	82	0.082	2	1.68	0.012	0.05	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5
13257	Soil	11	104	1.00	162	0.103	3	1.90	0.017	0.19	<0.1	0.06	6.1	<0.1	<0.05	6	<0.5
13258	Soil	6	228	0.78	309	0.052	2	2.38	0.026	0.10	0.1	0.04	4.7	0.1	<0.05	11	<0.5
13259	Soil	7	69	0.61	172	0.091	2	1.36	0.015	0.08	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
13260	Soil	6	190	2.66	277	0.199	<1	5.30	0.027	0.17	0.1	0.03	7.5	0.2	<0.05	14	0.7
13261	Soil	10	164	1.46	209	0.091	3	3.34	0.012	0.15	<0.1	0.04	7.4	0.2	<0.05	9	0.9
13262	Soil	7	43	1.27	337	0.178	2	3.17	0.003	0.22	0.3	0.02	6.0	0.2	<0.05	17	0.6
13263	Soil	11	60	0.74	295	0.214	2	2.42	0.006	0.10	0.3	0.04	5.6	0.2	<0.05	15	0.7
13264	Soil	17	24	0.19	134	0.053	<1	0.71	0.001	0.09	0.3	0.01	1.7	0.1	<0.05	7	0.5
13265	Soil	6	52	0.27	154	0.074	2	0.86	0.009	0.06	<0.1	0.01	2.6	<0.1	<0.05	4	0.8
13266	Soil	16	100	3.53	348	0.418	1	4.16	0.008	2.15	0.3	0.02	9.8	0.8	<0.05	17	<0.5
13267	Soil	7	144	1.19	217	0.146	2	3.26	0.011	0.62	0.3	0.03	8.3	0.6	<0.05	9	0.7
13268	Soil	6	114	1.01	55	0.079	2	1.45	0.010	0.09	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
13269	Soil	7	229	1.58	200	0.114	4	3.49	0.009	0.30	0.3	0.02	7.7	0.3	<0.05	10	0.5
13270	Soil	6	96	0.78	126	0.111	2	1.48	0.011	0.10	<0.1	<0.01	4.0	<0.1	<0.05	5	<0.5
13271	Soil	6	78	0.83	59	0.112	3	1.40	0.012	0.11	0.1	0.01	3.5	<0.1	<0.05	5	<0.5
13272	Soil	6	105	0.92	61	0.123	2	1.73	0.013	0.10	0.2	0.01	3.9	<0.1	<0.05	6	0.5
13273	Soil	5	211	1.92	204	0.223	2	3.45	0.024	0.62	0.4	0.04	7.0	0.4	<0.05	12	0.5
13274	Soil	4	167	1.53	178	0.152	3	2.82	0.017	0.66	1.1	0.04	6.0	0.3	<0.05	10	0.7
13275	Soil	6	105	0.79	168	0.102	2	2.25	0.011	0.08	0.4	0.02	4.1	<0.1	<0.05	8	<0.5
13276	Soil	5	96	0.61	91	0.151	1	1.07	0.012	0.15	0.2	0.03	3.0	<0.1	<0.05	6	0.7
13277	Soil	5	101	0.74	122	0.079	2	2.07	0.009	0.08	0.3	0.02	3.6	<0.1	<0.05	7	<0.5
13278	Soil	6	135	1.07	148	0.151	2	2.75	0.016	0.12	0.3	0.05	4.5	<0.1	<0.05	7	<0.5
13279	Soil	4	108	0.35	63	0.093	1	0.94	0.008	0.05	0.2	0.02	2.3	<0.1	<0.05	6	<0.5
13280	Soil	6	206	1.93	230	0.287	2	3.76	0.029	0.49	0.3	0.02	8.9	0.4	<0.05	12	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 20, 2008

Page:

3 of 13

Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13281	Soil	2.5	57.1	6.4	163	0.2	121.9	32.9	428	5.32	34.2	0.3	<0.5	1.2	23	0.6	0.5	0.6	233	0.44	0.139
13282	Soil	2.4	28.3	6.8	149	0.2	97.1	25.0	375	3.54	22.6	0.3	<0.5	1.0	19	0.4	0.5	0.5	121	0.37	0.032
13283	Soil	2.3	73.4	5.4	170	0.1	106.4	44.1	1063	4.58	17.7	0.2	<0.5	0.8	22	0.4	0.4	0.6	141	0.35	0.059
13284	Soil	2.5	68.2	5.1	78	<0.1	120.6	27.2	587	3.76	28.5	0.4	<0.5	1.0	19	0.3	0.9	0.5	113	0.29	0.048
13285	Soil	22.8	31.2	4.6	82	<0.1	61.9	16.5	379	3.10	20.6	0.4	1.7	0.9	24	0.2	2.7	0.7	95	0.33	0.036
13286	Soil	2.7	18.4	6.1	53	0.7	50.5	9.7	268	2.58	7.2	0.4	1.6	0.8	37	0.5	0.5	0.2	63	0.43	0.086
13287	Soil	3.5	23.5	5.6	72	<0.1	98.5	24.5	1161	2.68	5.2	0.3	1.5	0.6	28	1.0	0.5	0.3	63	0.35	0.058
13288	Soil	11.4	35.6	8.4	85	0.2	66.2	12.0	322	2.49	6.7	0.4	1.0	0.5	23	2.7	0.5	0.5	72	0.34	0.039
13289	Soil	1.5	12.0	5.3	48	<0.1	44.0	8.4	245	2.22	4.5	0.3	0.9	0.6	20	0.3	0.4	0.1	62	0.24	0.054
13290	Soil	2.2	13.0	5.8	33	<0.1	19.8	7.4	306	1.95	4.4	0.3	<0.5	0.9	27	0.2	0.4	0.1	57	0.31	0.047
13291	Soil	6.6	7.5	4.7	33	<0.1	14.3	4.0	134	1.61	2.3	0.3	<0.5	0.8	27	0.2	0.3	0.1	58	0.26	0.021
13292	Soil	5.7	58.1	11.1	134	0.1	122.7	24.3	687	3.91	38.3	0.9	0.6	2.8	38	1.3	2.9	0.6	99	0.50	0.048
13293	Soil	4.1	16.4	5.4	46	<0.1	44.2	11.6	551	2.05	5.0	0.3	<0.5	1.0	26	0.3	0.5	0.3	58	0.31	0.026
13294	Soil	4.7	33.6	7.1	85	0.3	127.1	15.7	447	2.48	7.6	0.5	1.0	1.1	33	0.8	0.6	0.4	60	0.53	0.143
13295	Soil	16.9	89.0	6.8	60	0.6	213.9	10.9	734	2.44	8.7	0.7	1.2	0.4	43	2.5	0.6	0.3	51	0.92	0.068
13296	Soil	11.9	144.6	6.4	139	0.7	272.1	36.6	1121	4.49	23.8	0.7	<0.5	1.1	36	1.7	0.7	0.8	121	0.77	0.038
13297	Soil	7.7	39.0	4.4	138	0.3	86.7	32.1	495	4.66	2.2	0.2	<0.5	1.1	27	0.4	<0.1	0.3	123	0.39	0.164
13298	Soil	3.9	37.9	8.0	172	0.2	122.9	31.6	1152	4.34	8.8	0.4	0.8	1.3	37	1.4	0.4	0.5	103	0.75	0.130
13299	Soil	4.9	34.7	4.5	89	0.2	99.8	19.6	332	3.63	7.8	0.3	0.8	1.2	20	0.2	0.4	0.2	85	0.38	0.076
13501	Soil	6.8	134.2	14.0	201	0.2	199.0	56.0	1124	5.89	70.9	0.9	0.8	2.2	20	0.9	1.8	0.7	190	0.61	0.087
13502	Soil	13.0	271.8	6.3	139	2.0	342.5	25.6	1008	4.36	38.6	1.0	6.0	0.7	49	1.9	2.7	0.3	83	1.58	0.122
13503	Soil	15.9	151.3	6.6	74	0.6	160.0	24.1	960	3.69	18.3	1.0	2.1	1.3	26	0.3	0.9	0.2	92	0.70	0.035
13504	Soil	14.4	221.8	6.6	128	0.9	202.4	41.3	2035	3.92	11.4	0.5	<0.5	0.6	40	2.0	0.5	0.3	88	0.96	0.059
13505	Soil	6.2	48.6	4.3	232	0.1	84.0	55.7	1580	5.24	3.6	0.1	<0.5	0.4	23	0.6	0.2	0.1	133	0.43	0.049
13506	Soil	12.6	59.9	4.1	66	<0.1	120.8	20.5	516	3.41	9.9	0.5	0.7	1.2	33	0.1	0.4	0.1	94	0.67	0.057
13507	Soil	4.4	21.0	6.4	60	0.2	21.9	8.6	444	2.55	7.0	0.3	<0.5	0.4	35	0.6	0.4	<0.1	66	0.52	0.058
13508	Soil	21.4	154.6	1.8	130	0.1	211.6	40.2	578	6.64	2.1	0.2	<0.5	0.6	22	0.2	<0.1	0.2	164	0.76	0.041
13509	Soil	15.3	179.9	24.3	210	0.8	145.7	33.4	1089	6.57	20.5	1.2	2.1	2.0	41	0.9	0.3	3.3	184	0.43	0.088
13510	Soil	2.7	75.9	8.2	159	0.4	103.6	33.4	1236	5.12	193.3	0.5	2.5	0.9	28	2.1	5.0	2.7	118	0.52	0.157
13511	Soil	11.9	57.8	5.7	123	0.3	79.0	24.8	852	5.61	7.3	0.7	<0.5	2.0	26	0.4	0.4	1.0	167	0.66	0.128

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 3 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5
13281	Soil	6	182	1.81	237	0.240	2	3.66	0.027	0.35	0.2	0.02	8.7	0.3	<0.05	13	<0.5
13282	Soil	5	156	1.33	158	0.249	2	2.66	0.017	0.22	0.2	0.03	5.7	0.2	<0.05	11	0.7
13283	Soil	4	287	1.29	329	0.253	2	2.58	0.021	0.49	0.3	0.02	9.4	0.3	<0.05	10	0.7
13284	Soil	5	147	1.42	163	0.187	1	2.66	0.018	0.36	0.2	0.02	6.5	0.2	<0.05	8	<0.5
13285	Soil	6	98	0.91	88	0.135	2	1.79	0.026	0.05	0.6	0.01	5.1	<0.1	<0.05	6	<0.5
13286	Soil	6	54	0.54	70	0.079	2	1.30	0.012	0.06	0.2	0.04	3.1	0.1	<0.05	4	<0.5
13287	Soil	5	72	0.59	123	0.084	2	1.11	0.010	0.07	0.4	0.03	3.1	<0.1	<0.05	5	<0.5
13288	Soil	5	42	0.32	67	0.096	2	1.08	0.012	0.09	0.4	0.05	2.7	<0.1	<0.05	6	0.5
13289	Soil	6	38	0.41	46	0.065	1	1.11	0.009	0.05	0.2	0.03	2.5	<0.1	<0.05	5	<0.5
13290	Soil	6	31	0.34	74	0.073	1	0.95	0.010	0.04	<0.1	0.02	2.6	<0.1	<0.05	4	<0.5
13291	Soil	6	27	0.20	46	0.082	2	0.78	0.010	0.04	<0.1	0.01	2.3	<0.1	<0.05	5	<0.5
13292	Soil	12	115	1.10	166	0.126	3	2.05	0.016	0.09	0.3	0.03	5.2	<0.1	<0.05	8	<0.5
13293	Soil	6	54	0.49	69	0.081	2	0.98	0.011	0.09	0.3	0.02	2.8	<0.1	<0.05	4	<0.5
13294	Soil	7	74	0.68	106	0.076	3	1.38	0.011	0.11	0.4	0.03	4.0	0.1	<0.05	5	<0.5
13295	Soil	7	44	0.58	137	0.033	4	1.35	0.009	0.12	0.1	0.04	3.3	<0.1	<0.05	5	0.7
13296	Soil	9	172	1.74	222	0.202	3	3.06	0.042	0.40	0.3	0.02	7.3	0.3	<0.05	10	<0.5
13297	Soil	8	126	1.44	246	0.309	2	2.99	0.021	0.58	0.2	0.03	5.0	0.5	<0.05	13	<0.5
13298	Soil	8	159	1.42	335	0.207	2	2.76	0.022	0.28	0.2	0.03	5.2	0.2	<0.05	10	<0.5
13299	Soil	9	80	1.06	115	0.229	1	2.17	0.018	0.45	0.2	0.02	3.5	0.2	<0.05	7	<0.5
13501	Soil	12	273	2.37	475	0.348	3	3.80	0.037	1.54	0.2	0.01	10.8	0.8	<0.05	13	0.6
13502	Soil	27	167	1.22	217	0.093	5	3.36	0.036	0.47	0.3	0.08	12.1	0.5	<0.05	7	1.4
13503	Soil	20	139	1.18	112	0.124	3	2.22	0.019	0.19	0.1	0.04	8.7	0.2	<0.05	6	0.9
13504	Soil	18	97	0.80	213	0.093	2	2.48	0.019	0.30	0.1	0.08	5.6	0.2	<0.05	8	<0.5
13505	Soil	3	150	1.48	162	0.454	1	3.43	0.027	0.61	0.1	0.02	5.4	0.4	<0.05	12	<0.5
13506	Soil	10	125	1.27	106	0.204	2	2.25	0.034	0.32	0.1	0.02	5.8	0.2	<0.05	6	<0.5
13507	Soil	7	27	0.46	78	0.076	2	1.32	0.014	0.08	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5
13508	Soil	6	346	3.41	114	0.489	<1	4.40	0.018	0.82	0.2	0.01	5.5	0.5	<0.05	15	<0.5
13509	Soil	13	203	2.31	848	0.306	3	4.66	0.014	1.19	0.2	0.03	10.4	0.7	0.12	17	1.4
13510	Soil	9	155	1.62	304	0.134	3	2.82	0.016	0.57	0.4	0.03	6.5	0.3	<0.05	9	<0.5
13511	Soil	17	186	3.50	456	0.389	2	4.72	0.023	1.38	0.1	0.02	8.6	0.6	<0.05	17	0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 4 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13512	Soil	38.6	107.5	4.8	166	0.3	108.1	35.2	1257	5.26	8.6	0.9	<0.5	2.5	15	0.5	0.3	1.3	141	0.33	0.081
13513	Soil	1.1	38.0	1.8	192	0.1	98.0	45.3	1356	5.64	1.4	0.2	<0.5	1.8	17	1.1	<0.1	0.4	144	0.51	0.218
13514	Soil	1.6	28.2	4.6	41	<0.1	54.9	10.6	300	2.31	10.5	0.4	7.4	1.2	28	0.2	0.7	0.1	59	0.36	0.057
13515	Soil	1.7	11.7	6.8	171	0.3	45.9	19.2	599	2.83	4.1	0.3	<0.5	1.2	19	0.7	0.4	0.3	64	0.27	0.168
13516	Soil	2.1	15.0	6.8	111	0.1	62.4	14.9	552	2.94	5.4	0.3	1.3	1.1	26	0.7	0.5	0.3	79	0.39	0.120
13517	Soil	2.5	28.7	5.7	60	0.1	88.7	15.2	472	3.22	12.0	0.3	4.4	1.1	28	0.2	0.7	0.2	80	0.39	0.183
13518	Soil	2.8	33.3	6.9	86	0.2	87.0	16.7	1640	3.19	4.9	0.6	<0.5	1.1	30	0.7	0.5	0.2	77	0.50	0.051
13519	Soil	2.4	24.5	6.7	52	0.1	58.7	10.0	258	2.66	8.2	0.5	<0.5	1.1	22	0.3	0.5	0.3	70	0.34	0.038
13520	Soil	1.4	10.3	4.8	58	<0.1	28.8	7.1	469	1.93	3.0	0.3	0.6	0.9	28	0.3	0.3	0.1	54	0.32	0.053
13521	Soil	1.5	9.2	6.1	50	<0.1	16.9	6.8	780	1.84	3.1	0.3	1.2	0.8	24	0.2	0.3	0.1	50	0.24	0.068
13522	Soil	1.3	12.9	5.3	57	0.2	38.2	7.9	249	2.38	5.1	0.4	3.1	1.0	26	0.2	0.4	0.2	61	0.31	0.094
13523	Soil	1.7	27.6	6.1	130	<0.1	68.6	13.4	290	3.79	9.2	0.5	1.2	1.4	31	0.3	0.4	0.2	88	0.38	0.144
13524	Soil	1.3	24.8	6.2	65	<0.1	53.3	13.8	519	2.51	7.1	0.4	<0.5	1.0	28	0.2	0.5	0.1	61	0.34	0.076
13533	Soil	1.9	12.6	8.0	94	0.2	18.3	6.9	219	3.01	4.5	0.3	<0.5	1.0	21	0.3	0.3	0.2	91	0.24	0.124
13534	Soil	33.2	320.1	9.3	126	1.8	309.2	17.4	904	4.42	14.1	3.8	2.4	0.9	55	1.1	1.3	0.5	87	1.00	0.110
13535	Soil	27.1	138.1	8.6	78	0.6	170.7	16.1	698	3.51	11.2	1.4	1.5	1.7	34	0.3	1.0	0.4	85	0.40	0.033
13536	Soil	36.4	339.8	12.3	146	1.9	346.7	22.8	1559	5.72	19.0	2.4	1.7	2.1	72	1.4	2.3	0.7	93	1.31	0.100
13537	Soil	4.8	27.2	4.7	84	<0.1	61.3	15.4	615	3.17	4.9	0.6	1.5	1.2	38	0.3	0.4	<0.1	85	0.77	0.104
13538	Soil	4.3	48.8	7.7	135	0.3	70.1	18.1	1839	3.53	7.4	0.5	0.9	0.4	32	1.1	0.4	0.1	93	0.99	0.066
13539	Soil	2.8	53.1	6.4	106	0.9	82.7	15.0	714	3.41	7.9	0.7	1.2	0.7	36	0.5	0.5	0.1	86	0.98	0.088
13540	Soil	2.0	43.7	7.4	107	0.2	64.4	16.3	762	3.56	7.3	0.5	1.1	0.6	33	0.6	0.4	0.1	98	0.86	0.044
13541	Soil	1.5	33.7	5.6	67	<0.1	70.4	19.0	664	3.07	5.6	0.5	39.9	0.9	24	0.4	0.4	0.1	74	0.55	0.069
13542	Soil	1.7	29.0	7.9	65	<0.1	52.2	13.9	748	2.81	8.3	0.6	2.2	1.5	33	0.5	0.6	<0.1	69	0.59	0.073
13543	Soil	2.7	38.2	5.5	73	0.1	81.2	18.4	534	3.31	9.1	0.5	2.7	0.7	21	0.5	0.4	0.1	80	0.51	0.046
13544	Soil	1.7	59.6	6.6	75	0.3	90.2	17.1	792	2.98	9.4	0.7	3.5	0.8	37	1.0	0.7	<0.1	67	1.22	0.068
13545	Soil	3.2	46.0	6.2	81	0.3	102.6	15.2	1544	3.02	9.1	0.8	2.5	0.4	53	0.8	0.5	0.1	66	2.03	0.076
13546	Soil	2.3	75.6	8.4	128	0.7	97.2	15.2	1154	3.73	9.5	0.8	1.6	0.5	48	1.8	0.6	0.1	83	1.30	0.092
13547	Soil	2.3	72.3	8.2	145	0.6	113.7	15.2	856	4.09	11.7	1.0	1.5	0.6	64	1.1	0.6	0.2	79	1.78	0.137
13548	Soil	1.7	38.4	5.9	76	0.1	71.8	13.1	612	2.73	7.4	0.9	0.8	0.5	42	0.7	0.4	<0.1	64	1.39	0.057
13549	Soil	5.4	37.4	6.4	50	<0.1	52.3	13.4	381	2.77	4.9	5.0	1.0	0.3	40	1.3	0.4	0.1	68	1.20	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 4 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
13512	Soil	8	143	2.30	421	0.337	2	4.34	0.014	0.90	0.3	0.03	10.7	0.4	<0.05	15	0.5
13513	Soil	13	164	3.51	302	0.421	<1	3.91	0.026	1.34	0.2	0.01	6.8	0.3	<0.05	17	<0.5
13514	Soil	8	70	0.64	70	0.086	2	1.20	0.017	0.06	0.1	0.03	3.7	<0.1	<0.05	4	<0.5
13515	Soil	7	91	0.57	120	0.110	2	1.56	0.013	0.08	0.3	0.02	2.9	<0.1	<0.05	8	<0.5
13516	Soil	6	118	0.68	145	0.130	2	1.46	0.016	0.08	0.4	0.03	3.4	<0.1	<0.05	7	<0.5
13517	Soil	6	105	0.78	144	0.090	3	1.77	0.016	0.07	0.5	0.02	3.9	<0.1	<0.05	6	<0.5
13518	Soil	12	82	0.74	159	0.089	2	2.08	0.016	0.11	0.1	0.02	4.6	<0.1	<0.05	7	<0.5
13519	Soil	8	63	0.46	82	0.095	1	1.66	0.015	0.07	0.2	0.02	3.1	<0.1	<0.05	6	<0.5
13520	Soil	7	34	0.37	75	0.095	2	1.23	0.014	0.05	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5
13521	Soil	7	31	0.24	71	0.081	2	1.04	0.011	0.05	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
13522	Soil	7	40	0.42	64	0.094	2	1.40	0.015	0.06	0.2	0.02	2.7	<0.1	<0.05	5	<0.5
13523	Soil	7	59	0.66	127	0.095	2	2.90	0.012	0.09	0.1	0.03	4.1	<0.1	<0.05	9	<0.5
13524	Soil	8	58	0.63	80	0.081	2	1.59	0.014	0.06	0.1	0.04	3.4	<0.1	<0.05	5	<0.5
13533	Soil	7	48	0.37	62	0.154	2	1.65	0.014	0.07	0.2	0.04	2.8	<0.1	<0.05	10	<0.5
13534	Soil	32	110	1.03	262	0.037	4	4.12	0.016	0.25	0.3	0.11	11.0	0.3	<0.05	10	1.6
13535	Soil	12	79	0.83	121	0.091	3	2.44	0.020	0.12	0.2	0.03	6.9	0.2	<0.05	7	<0.5
13536	Soil	23	115	1.25	321	0.026	3	4.59	0.019	0.28	0.2	0.06	12.1	0.4	<0.05	12	0.8
13537	Soil	9	92	1.07	112	0.147	3	1.88	0.025	0.13	<0.1	0.03	5.0	0.1	<0.05	6	<0.5
13538	Soil	9	94	0.86	193	0.074	2	2.43	0.014	0.10	<0.1	0.04	4.4	0.1	<0.05	8	<0.5
13539	Soil	10	79	1.02	145	0.079	3	2.44	0.018	0.15	<0.1	0.05	5.8	0.1	<0.05	7	0.5
13540	Soil	7	79	0.91	146	0.092	2	2.59	0.017	0.07	<0.1	0.04	4.9	<0.1	<0.05	7	<0.5
13541	Soil	8	98	1.08	109	0.081	2	1.78	0.012	0.06	0.2	0.04	4.8	<0.1	<0.05	5	<0.5
13542	Soil	11	44	0.69	112	0.063	2	1.53	0.017	0.06	<0.1	0.03	5.9	<0.1	<0.05	4	<0.5
13543	Soil	6	102	1.02	108	0.089	2	2.03	0.012	0.09	0.2	0.04	4.1	0.1	<0.05	6	0.6
13544	Soil	10	79	0.98	123	0.062	3	1.82	0.015	0.08	0.1	0.07	6.0	<0.1	<0.05	5	<0.5
13545	Soil	11	79	0.88	212	0.028	3	2.19	0.011	0.09	<0.1	0.07	4.8	0.1	0.07	5	1.6
13546	Soil	18	66	0.92	202	0.019	2	2.73	0.011	0.09	<0.1	0.07	4.8	<0.1	<0.05	8	<0.5
13547	Soil	16	73	0.95	270	0.014	2	3.33	0.010	0.12	0.1	0.10	6.2	0.1	0.06	8	1.0
13548	Soil	7	70	0.84	106	0.047	3	1.75	0.011	0.06	<0.1	0.06	4.4	<0.1	<0.05	5	<0.5
13549	Soil	8	67	0.63	63	0.028	2	1.72	0.011	0.06	0.1	0.09	4.0	<0.1	0.06	5	2.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 20, 2008

Page:

5 of 13

Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13550	Soil	1.5	33.5	5.8	72	0.3	77.2	13.1	487	2.99	7.4	0.4	0.8	0.6	46	0.7	0.6	<0.1	72	1.19	0.046
13551	Soil	1.3	13.9	6.2	76	<0.1	28.8	8.8	310	2.75	4.8	0.3	2.8	0.8	18	0.6	0.4	<0.1	81	0.23	0.021
13552	Soil	1.3	26.0	5.8	58	<0.1	48.3	10.9	335	2.94	6.8	0.3	1.4	0.9	22	0.2	0.6	<0.1	71	0.29	0.046
13553	Soil	1.7	18.6	6.3	108	0.1	61.3	12.6	344	3.59	5.9	0.3	2.7	0.7	19	0.6	0.4	0.1	90	0.37	0.153
13554	Soil	4.9	15.8	6.1	64	0.1	38.4	7.8	217	2.31	4.9	0.3	0.9	0.4	21	0.6	0.3	0.1	74	0.26	0.032
13555	Soil	1.3	19.7	6.2	88	<0.1	73.3	15.8	318	3.44	5.7	0.2	1.3	0.8	15	0.6	0.4	0.1	89	0.28	0.103
13556	Soil	1.2	30.3	6.6	67	<0.1	52.4	15.2	568	2.88	7.4	0.4	2.4	1.2	36	0.5	0.6	<0.1	66	0.45	0.068
13601	Soil	1.4	34.5	6.9	121	0.1	59.8	14.8	521	3.03	9.7	0.4	0.9	0.7	29	0.5	0.3	0.2	77	0.42	0.053
13602	Soil	2.2	14.6	8.8	165	<0.1	71.4	14.4	315	2.89	3.3	0.2	1.3	0.9	13	1.1	0.4	0.7	75	0.29	0.058
13603	Soil	1.1	17.3	5.2	61	<0.1	34.2	7.7	213	2.49	6.7	0.3	<0.5	0.7	23	0.3	0.3	0.1	67	0.26	0.042
13604	Soil	6.7	37.1	6.7	61	<0.1	100.0	20.3	602	3.56	14.1	0.5	1.0	1.0	27	0.4	0.7	0.3	82	0.35	0.041
13605	Soil	5.9	43.5	6.3	59	<0.1	118.1	16.7	503	3.21	9.4	0.7	0.8	1.0	37	0.2	0.5	0.2	75	0.60	0.022
13606	Soil	11.6	25.2	4.9	50	<0.1	72.0	16.7	737	2.85	10.9	0.6	<0.5	1.6	24	0.3	0.8	0.5	65	0.34	0.049
13608	Soil	6.9	108.5	7.5	108	0.7	149.1	23.7	1323	3.86	12.0	1.7	1.4	0.7	49	1.9	0.6	0.3	86	0.78	0.071
13609	Soil	2.3	30.6	5.9	58	0.1	86.3	17.1	600	2.59	11.0	0.6	0.7	1.0	28	0.8	0.7	0.2	69	0.53	0.060
13610	Soil	7.5	30.8	6.0	92	<0.1	71.2	17.8	777	3.12	9.3	0.8	1.3	0.9	25	0.7	0.6	0.4	77	0.57	0.039
13611	Soil	2.3	41.7	6.8	66	0.1	99.7	18.6	546	3.04	11.6	0.5	1.5	0.7	29	0.8	0.7	0.2	74	0.55	0.045
13613	Soil	14.8	43.3	6.9	59	0.2	86.8	18.3	820	3.01	9.7	2.8	3.6	1.1	29	0.6	0.7	0.3	71	0.31	0.062
13614	Soil	2.6	22.4	6.7	83	0.2	86.3	19.1	702	3.12	6.8	0.4	0.7	0.5	29	1.3	0.4	0.1	77	0.44	0.143
13615	Soil	5.2	38.8	6.1	82	0.2	119.3	21.3	604	3.23	9.7	0.8	1.5	1.0	27	0.5	0.8	0.2	76	0.49	0.066
13616	Soil	2.6	29.6	5.9	67	0.2	93.1	17.8	589	2.93	10.5	0.5	1.8	0.9	29	0.4	0.7	0.2	72	0.50	0.078
13617	Soil	7.9	112.4	7.2	115	0.6	177.3	22.4	815	3.84	14.7	3.2	2.0	1.1	34	5.0	1.0	0.3	83	0.89	0.055
13619	Soil	3.6	33.7	7.7	207	0.3	96.1	24.9	1203	2.92	6.2	0.3	0.6	0.3	29	6.2	0.5	0.2	63	0.65	0.149
13620	Soil	15.4	39.3	6.5	84	0.1	76.5	18.7	1191	3.16	11.0	0.7	2.2	2.0	32	1.1	1.0	0.7	71	0.54	0.052
13621	Soil	4.8	38.6	6.4	98	0.2	94.0	23.7	1175	3.30	9.6	0.4	<0.5	0.4	29	3.1	0.6	0.3	75	0.45	0.071
13622	Soil	2.0	38.1	6.9	88	<0.1	110.5	20.8	676	3.39	12.6	0.5	2.7	1.4	36	0.5	1.0	0.2	79	0.68	0.099
13623	Soil	2.1	50.6	5.9	135	0.1	110.7	30.2	425	4.34	11.3	0.3	<0.5	1.5	20	0.6	0.3	0.5	133	0.46	0.106
13624	Soil	6.6	39.5	6.0	57	0.2	240.1	37.8	1292	3.47	10.1	0.3	<0.5	0.8	24	0.6	0.4	0.6	72	0.34	0.040
13625	Soil	3.9	30.4	7.7	132	0.3	116.3	37.8	3979	2.08	1.7	0.2	0.7	0.2	34	3.9	0.3	0.4	43	0.56	0.075
13626	Soil	1.9	22.9	7.5	223	0.3	43.5	20.8	819	2.27	2.9	0.2	1.0	0.6	20	1.9	0.2	0.3	53	0.35	0.104

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 5 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
13550	Soil	6	85	0.87	143	0.071	3	1.52	0.012	0.07	<0.1	0.04	4.2	<0.1	<0.05	5	0.6
13551	Soil	5	46	0.52	93	0.066	2	1.74	0.010	0.03	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5
13552	Soil	6	63	0.74	80	0.081	2	1.65	0.010	0.04	0.1	0.02	3.3	<0.1	<0.05	5	<0.5
13553	Soil	5	95	0.83	86	0.102	2	1.84	0.009	0.07	0.1	0.03	3.4	<0.1	<0.05	7	<0.5
13554	Soil	5	57	0.51	103	0.081	1	1.29	0.008	0.04	<0.1	0.02	2.5	<0.1	<0.05	7	<0.5
13555	Soil	4	89	1.02	69	0.119	<1	2.02	0.009	0.04	0.2	0.02	3.4	<0.1	<0.05	7	<0.5
13556	Soil	8	60	0.80	85	0.080	2	1.63	0.014	0.05	<0.1	0.03	4.8	<0.1	<0.05	5	<0.5
13601	Soil	7	76	0.84	124	0.078	2	1.98	0.014	0.08	0.2	0.02	4.2	<0.1	<0.05	7	<0.5
13602	Soil	6	138	0.63	90	0.151	2	1.28	0.013	0.07	0.3	0.01	3.0	<0.1	<0.05	8	<0.5
13603	Soil	6	47	0.53	79	0.060	2	1.51	0.013	0.04	0.1	0.03	3.4	<0.1	<0.05	5	<0.5
13604	Soil	6	133	1.15	106	0.117	2	1.95	0.016	0.16	0.2	0.03	4.1	0.1	<0.05	7	<0.5
13605	Soil	9	107	0.92	102	0.071	2	1.63	0.015	0.09	<0.1	0.02	5.3	<0.1	<0.05	5	<0.5
13606	Soil	6	83	0.84	119	0.083	2	1.38	0.015	0.11	0.3	0.02	3.8	<0.1	<0.05	4	<0.5
13608	Soil	16	106	1.08	186	0.054	3	2.45	0.015	0.16	0.1	0.05	6.3	0.2	<0.05	7	<0.5
13609	Soil	8	94	0.86	97	0.083	2	1.36	0.019	0.11	<0.1	0.03	4.4	0.1	<0.05	5	<0.5
13610	Soil	5	94	0.73	107	0.099	3	1.46	0.011	0.18	0.3	0.02	3.5	<0.1	<0.05	6	<0.5
13611	Soil	9	107	0.98	113	0.070	3	1.67	0.015	0.11	0.1	0.04	5.3	0.1	<0.05	5	<0.5
13613	Soil	14	100	0.85	114	0.049	2	1.65	0.014	0.11	0.2	0.03	4.2	<0.1	<0.05	6	<0.5
13614	Soil	6	134	0.64	138	0.066	2	1.65	0.012	0.09	0.1	0.04	3.2	<0.1	<0.05	7	<0.5
13615	Soil	7	119	1.06	118	0.080	2	1.62	0.016	0.15	0.2	0.03	4.8	0.2	0.05	6	<0.5
13616	Soil	7	115	1.12	83	0.089	3	1.52	0.015	0.16	<0.1	0.02	4.5	0.1	<0.05	5	<0.5
13617	Soil	12	132	1.15	146	0.077	2	2.48	0.016	0.22	0.2	0.03	6.8	0.2	<0.05	7	<0.5
13619	Soil	6	117	0.77	150	0.067	2	1.55	0.013	0.20	0.2	<0.01	3.1	0.1	<0.05	6	<0.5
13620	Soil	7	87	0.84	171	0.090	2	1.53	0.016	0.16	0.3	0.04	4.1	0.1	<0.05	5	<0.5
13621	Soil	6	123	0.95	151	0.085	2	1.82	0.013	0.25	0.2	0.03	3.5	0.1	<0.05	6	<0.5
13622	Soil	8	123	1.34	103	0.085	3	1.75	0.024	0.17	0.1	0.03	5.7	0.2	<0.05	5	<0.5
13623	Soil	10	126	2.14	111	0.243	1	3.31	0.017	0.28	0.3	0.02	5.5	0.2	<0.05	12	<0.5
13624	Soil	5	198	1.43	134	0.100	2	1.58	0.020	0.14	1.0	0.01	4.1	0.1	0.06	6	<0.5
13625	Soil	4	109	0.59	266	0.057	2	0.99	0.009	0.09	0.6	0.05	2.0	0.1	0.12	5	<0.5
13626	Soil	5	70	0.54	157	0.090	1	1.16	0.012	0.09	0.2	0.02	2.9	<0.1	0.06	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 6 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
13627	Soil	1.6	56.4	6.8	257	0.2	150.8	30.4	413	3.97	36.4	0.3	0.6	1.0	21	0.6	0.5	0.5	97	0.37	0.157
13628	Soil	2.1	15.4	5.6	104	0.2	47.3	15.5	1148	2.13	3.0	0.3	<0.5	0.5	30	0.8	0.2	0.3	51	0.50	0.116
13629	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13630	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13631	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13632	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13633	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13634	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13635	Soil	3.1	27.6	4.9	57	0.1	53.0	12.0	487	2.36	5.6	0.4	0.9	1.0	19	0.2	0.3	0.2	55	0.21	0.020
13636	Soil	4.7	29.2	6.4	83	<0.1	81.0	16.4	432	3.44	13.6	0.4	1.2	0.8	17	0.6	0.6	0.5	92	0.20	0.030
13637	Soil	0.8	5.6	4.4	55	<0.1	10.1	3.2	115	1.66	2.5	0.2	<0.5	0.5	21	0.3	0.2	0.1	47	0.24	0.064
13638	Soil	1.5	16.3	6.0	104	<0.1	23.2	6.6	208	2.25	4.3	0.2	<0.5	0.8	19	0.7	0.3	0.2	58	0.22	0.045
13639	Soil	1.5	10.6	5.7	99	<0.1	59.4	16.6	759	2.99	2.2	0.2	<0.5	0.7	17	0.3	0.2	0.2	65	0.24	0.099
13640	Soil	1.5	26.1	5.3	66	0.3	31.5	7.3	372	2.23	3.7	0.4	<0.5	0.4	18	0.4	0.4	0.1	53	0.18	0.040
13641	Soil	5.9	122.6	9.4	86	0.5	133.4	15.9	1578	3.41	7.9	1.4	1.4	0.6	52	1.4	0.6	0.2	66	0.70	0.069
13642	Soil	1.0	8.5	4.7	36	<0.1	14.6	2.7	152	1.35	1.0	0.2	0.9	0.5	21	0.4	0.2	0.1	41	0.26	0.023
13643	Soil	1.6	18.1	5.3	101	0.1	174.5	17.1	327	3.83	11.1	0.3	<0.5	0.7	17	0.4	0.8	<0.1	77	0.30	0.061
13644	Soil	1.7	11.5	5.5	122	0.1	183.1	18.0	275	3.93	8.0	0.3	<0.5	0.5	13	0.4	0.7	0.1	78	0.18	0.057
13645	Soil	1.4	23.2	5.9	104	0.2	104.2	17.6	424	3.29	11.9	0.5	0.9	0.9	24	0.8	0.8	<0.1	70	0.37	0.043
13646	Soil	1.5	26.0	4.9	72	0.1	404.4	27.5	488	3.74	14.4	0.7	687.7	1.0	18	0.4	0.8	<0.1	71	0.33	0.037
13647	Soil	1.7	37.3	6.1	76	0.1	247.8	25.5	735	3.61	16.4	0.8	2.2	1.3	22	0.4	0.8	<0.1	71	0.38	0.062
13648	Soil	1.6	35.1	5.8	68	<0.1	168.7	22.1	679	3.61	18.7	0.7	0.6	1.3	25	0.3	0.9	<0.1	68	0.39	0.069
13649	Soil	2.4	27.9	7.5	69	<0.1	230.1	22.2	861	4.49	22.3	0.8	1.0	1.5	20	0.5	1.0	0.4	72	0.38	0.030
13650	Soil	1.3	19.3	5.3	85	0.2	51.0	10.0	478	2.44	8.7	0.3	0.9	0.6	22	0.5	0.7	<0.1	56	0.44	0.061
13651	Soil	1.2	22.7	4.9	65	<0.1	47.8	9.6	310	2.74	9.2	0.4	1.6	1.1	24	0.2	0.7	<0.1	62	0.34	0.054
13652	Soil	2.6	39.6	8.0	79	0.2	216.7	27.1	1039	4.30	28.7	0.8	20.3	1.5	27	0.5	1.4	<0.1	72	0.56	0.049
13653	Soil	1.6	24.3	5.4	73	<0.1	219.8	24.2	414	3.75	25.9	0.4	1.6	1.1	16	0.2	0.9	<0.1	66	0.19	0.048
13654	Soil	2.0	24.3	6.0	91	<0.1	246.1	25.7	463	4.15	32.8	0.3	1.0	1.1	13	0.3	1.0	<0.1	70	0.18	0.092
13655	Soil	1.7	38.9	7.2	85	<0.1	122.5	18.1	849	3.77	19.9	0.5	1.1	1.3	35	0.3	1.3	<0.1	69	0.65	0.082
13656	Soil	2.0	59.0	8.1	80	0.1	105.9	17.6	685	4.31	34.0	0.5	4.8	1.4	27	0.5	1.9	0.1	71	0.50	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 20, 2008

Page:

6 of 13

Part 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
13627	Soil	6	150	1.42	169	0.169	1	2.61	0.015	0.22	0.4	0.03	4.8	0.2	0.06	11	<0.5
13628	Soil	6	68	0.54	183	0.071	3	1.16	0.014	0.14	0.3	0.03	2.6	<0.1	<0.05	5	<0.5
13629	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13630	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13631	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13632	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13633	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13634	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13635	Soil	6	45	0.55	105	0.056	<1	1.50	0.018	0.07	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
13636	Soil	5	110	0.78	99	0.114	2	1.72	0.021	0.07	0.2	0.03	3.3	<0.1	<0.05	7	<0.5
13637	Soil	4	21	0.18	63	0.053	<1	0.72	0.013	0.04	0.1	0.02	1.7	<0.1	<0.05	4	<0.5
13638	Soil	5	35	0.35	90	0.075	2	0.98	0.010	0.07	0.1	0.01	2.3	<0.1	<0.05	5	<0.5
13639	Soil	6	88	0.75	111	0.146	1	1.89	0.016	0.11	0.1	0.03	2.6	<0.1	<0.05	9	<0.5
13640	Soil	17	35	0.42	110	0.044	2	1.31	0.010	0.05	0.2	0.04	2.7	<0.1	<0.05	5	<0.5
13641	Soil	35	55	0.78	265	0.029	2	2.46	0.018	0.13	0.1	0.04	5.1	<0.1	0.06	7	0.6
13642	Soil	7	25	0.15	74	0.056	2	0.61	0.010	0.06	0.2	0.01	1.6	<0.1	<0.05	4	<0.5
13643	Soil	5	146	1.19	98	0.036	3	1.48	0.015	0.05	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
13644	Soil	4	175	0.95	79	0.043	2	1.32	0.007	0.07	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
13645	Soil	7	64	0.91	157	0.039	3	2.13	0.018	0.08	<0.1	0.03	4.6	<0.1	<0.05	5	<0.5
13646	Soil	7	208	1.59	103	0.067	4	1.75	0.017	0.05	0.1	0.02	5.0	<0.1	<0.05	5	<0.5
13647	Soil	11	159	1.43	103	0.069	2	1.57	0.019	0.09	<0.1	0.04	6.2	0.1	<0.05	5	0.5
13648	Soil	11	171	1.55	70	0.070	3	1.41	0.012	0.06	<0.1	0.06	5.0	<0.1	<0.05	4	0.5
13649	Soil	6	165	1.84	127	0.039	4	2.37	0.015	0.05	<0.1	0.03	5.1	0.1	<0.05	6	<0.5
13650	Soil	6	55	0.63	118	0.043	3	1.35	0.009	0.06	<0.1	0.05	3.1	<0.1	0.06	4	0.6
13651	Soil	8	53	0.67	89	0.054	1	1.29	0.024	0.05	<0.1	0.03	4.5	<0.1	<0.05	4	<0.5
13652	Soil	11	188	1.28	159	0.042	3	1.75	0.011	0.08	<0.1	0.05	7.0	0.2	<0.05	5	1.1
13653	Soil	6	217	1.30	87	0.047	2	1.86	0.011	0.04	<0.1	0.02	3.8	<0.1	<0.05	5	<0.5
13654	Soil	6	246	1.17	111	0.042	3	1.91	0.007	0.05	<0.1	0.02	4.0	0.1	<0.05	6	<0.5
13655	Soil	11	78	1.20	149	0.042	5	1.76	0.022	0.14	<0.1	0.05	6.0	0.1	<0.05	5	0.6
13656	Soil	17	81	0.94	92	0.047	2	1.28	0.013	0.05	<0.1	0.06	6.7	0.2	<0.05	4	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 7 of 13 **Part** 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
13657	Soil	1.7	49.2	11.4	79	0.4	327.8	24.1	951	4.41	40.7	1.0	10.4	1.7	33	1.4	1.2	0.2	78	0.92	0.047
13658	Soil	1.2	46.0	7.3	85	0.3	272.4	22.8	898	3.72	23.2	0.4	2.8	1.1	33	0.5	0.9	<0.1	70	0.75	0.042
13659	Soil	2.1	17.0	6.2	149	0.2	107.0	17.9	433	3.93	27.5	0.3	0.6	0.8	13	0.5	1.2	0.1	73	0.16	0.039
13660	Soil	2.3	33.3	8.1	106	0.3	271.0	20.4	568	4.32	49.5	0.6	0.7	1.3	17	0.5	1.9	0.1	63	0.26	0.079
13661	Soil	1.6	35.2	6.8	84	0.2	135.0	16.5	521	3.66	25.7	0.7	3.0	1.3	23	0.4	1.5	<0.1	66	0.42	0.053
13662	Soil	1.6	34.7	6.2	85	0.2	169.5	18.4	540	3.57	15.3	0.6	2.2	1.1	23	0.3	1.1	0.1	71	0.45	0.042
13663	Soil	1.8	53.7	8.3	94	<0.1	133.2	21.4	929	3.81	14.1	0.7	2.0	1.6	29	0.4	1.4	0.1	73	0.47	0.070
13664	Soil	1.6	41.3	5.6	79	<0.1	147.7	27.2	655	4.22	9.3	0.5	1.4	1.0	19	0.3	0.6	<0.1	97	0.48	0.063
13665	Soil	1.8	40.4	6.3	96	0.2	200.9	26.2	460	4.52	14.5	0.4	2.8	1.2	13	0.3	0.9	<0.1	79	0.20	0.140
13666	Soil	1.6	45.9	6.6	79	<0.1	119.4	17.2	666	3.27	13.2	0.6	4.2	1.4	61	0.5	1.2	<0.1	63	2.93	0.081
13667	Soil	2.1	57.9	9.4	112	0.4	270.2	21.4	883	4.14	14.6	0.7	1.9	1.6	33	0.4	1.9	0.1	75	0.58	0.071
13668	Soil	1.7	44.1	8.0	79	0.2	104.4	18.4	859	3.41	10.7	0.8	0.8	1.4	25	0.3	0.9	<0.1	69	0.45	0.039
13669	Soil	1.8	20.8	6.2	86	<0.1	42.9	11.2	319	3.54	7.0	0.2	<0.5	0.7	12	0.2	0.7	<0.1	90	0.16	0.047
13670	Soil	1.3	23.7	6.1	65	<0.1	71.6	13.4	430	3.01	8.8	0.4	1.2	1.0	20	0.3	0.6	<0.1	71	0.33	0.058
13671	Soil	1.3	18.7	5.8	62	<0.1	46.3	8.9	251	2.74	6.7	0.3	0.9	0.7	17	0.2	0.6	<0.1	71	0.22	0.024
13672	Soil	1.6	31.5	5.2	85	<0.1	95.5	13.3	271	3.10	7.3	0.8	0.7	0.8	12	0.1	0.6	<0.1	70	0.16	0.071
13673	Soil	1.1	33.4	5.6	63	0.2	103.0	13.3	625	2.73	6.9	0.5	3.2	1.0	27	0.5	0.7	<0.1	62	0.58	0.042
13674	Soil	1.7	33.8	6.4	78	0.1	284.8	14.0	555	2.97	11.1	0.9	0.6	0.8	27	0.4	0.9	<0.1	69	0.50	0.037
13675	Soil	1.7	53.8	8.2	100	0.1	117.6	18.3	973	3.56	8.6	1.0	0.8	1.5	33	1.0	0.7	<0.1	70	0.69	0.053
25970	Soil	1.4	15.1	5.5	54	<0.1	25.8	6.1	206	2.60	7.4	0.4	<0.5	0.5	17	0.2	0.5	0.1	81	0.25	0.078
25971	Soil	2.2	18.6	7.0	67	0.1	42.2	8.3	220	2.91	5.3	0.3	0.8	0.6	13	0.3	0.3	0.2	83	0.24	0.050
25972	Soil	3.7	17.4	5.1	57	0.1	49.4	12.7	455	2.42	4.8	0.4	1.1	0.7	18	0.5	0.3	<0.1	69	0.29	0.028
25973	Soil	1.3	32.7	5.6	59	0.1	67.1	16.3	367	2.51	7.0	0.4	1.0	0.4	20	0.4	0.4	<0.1	67	0.26	0.047
25974	Soil	1.2	14.4	5.6	31	<0.1	8.0	2.1	75	1.42	3.1	0.3	2.5	<0.1	14	0.3	0.4	0.1	62	0.14	0.026
25975	Soil	1.5	13.6	6.1	45	0.1	37.1	6.2	158	2.31	6.3	0.3	1.1	0.5	12	0.3	0.4	0.2	78	0.15	0.059
25976	Soil	1.3	15.5	7.4	96	<0.1	24.6	7.9	258	3.50	8.4	0.3	2.0	0.9	15	0.5	0.5	0.1	88	0.20	0.209
25977	Soil	1.0	13.2	5.5	35	0.1	12.8	3.8	136	1.53	3.9	0.3	<0.5	0.2	21	0.3	0.3	0.1	54	0.29	0.031
25978	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25979	Soil	0.8	11.3	4.3	19	<0.1	8.7	2.0	59	0.98	1.7	0.3	1.8	<0.1	18	0.5	0.2	<0.1	43	0.14	0.021
25980	Soil	1.7	18.6	5.2	58	<0.1	45.1	8.3	262	2.58	5.4	0.2	1.0	0.6	15	0.3	0.5	<0.1	78	0.18	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 7 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
13657	Soil			20	126	0.83	194	0.043	6	1.87	0.019	0.08	<0.1	0.07	6.7	0.2	<0.05	6	1.1
13658	Soil			10	132	1.33	156	0.046	4	1.84	0.016	0.11	0.1	0.07	6.8	0.1	<0.05	5	0.9
13659	Soil			6	125	0.86	98	0.054	2	1.62	0.014	0.06	0.1	0.01	2.7	0.1	<0.05	7	<0.5
13660	Soil			7	126	1.11	113	0.049	3	1.94	0.013	0.05	<0.1	0.02	3.9	0.2	<0.05	5	0.8
13661	Soil			11	96	0.92	108	0.045	3	1.60	0.017	0.06	<0.1	0.04	4.6	0.2	<0.05	5	<0.5
13662	Soil			10	128	1.04	125	0.065	3	1.76	0.010	0.08	<0.1	0.03	4.9	0.2	<0.05	5	<0.5
13663	Soil			12	90	1.18	139	0.042	3	1.87	0.015	0.10	<0.1	0.06	7.1	0.2	<0.05	5	0.5
13664	Soil			7	136	1.68	224	0.192	2	2.29	0.021	0.40	<0.1	0.02	6.3	0.3	<0.05	7	<0.5
13665	Soil			6	158	1.34	106	0.053	2	2.27	0.006	0.06	<0.1	0.03	4.4	0.1	<0.05	6	0.5
13666	Soil			10	78	1.03	99	0.050	3	1.34	0.020	0.07	<0.1	0.04	5.6	0.1	<0.05	4	0.6
13667	Soil			14	86	1.22	139	0.036	4	2.04	0.012	0.11	<0.1	0.08	8.1	0.2	<0.05	5	0.9
13668	Soil			16	73	0.89	125	0.046	2	1.73	0.023	0.07	<0.1	0.04	8.4	0.1	<0.05	5	0.9
13669	Soil			4	48	0.50	109	0.031	<1	1.81	0.007	0.05	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5
13670	Soil			7	61	0.70	103	0.043	1	1.51	0.015	0.06	<0.1	0.02	4.0	<0.1	<0.05	4	0.6
13671	Soil			5	54	0.66	96	0.056	1	1.35	0.011	0.04	<0.1	0.02	2.9	<0.1	<0.05	5	<0.5
13672	Soil			5	86	1.00	97	0.037	2	2.30	0.012	0.05	<0.1	0.03	3.5	<0.1	<0.05	6	<0.5
13673	Soil			8	67	0.80	113	0.053	4	1.47	0.019	0.06	<0.1	0.04	4.8	<0.1	<0.05	4	0.6
13674	Soil			9	95	0.86	138	0.046	3	1.51	0.023	0.06	0.1	0.06	5.3	<0.1	<0.05	4	0.8
13675	Soil			15	94	1.08	197	0.025	2	2.07	0.010	0.06	<0.1	0.03	5.4	<0.1	<0.05	6	<0.5
25970	Soil			4	46	0.41	51	0.102	2	1.22	0.015	0.05	0.2	0.04	3.2	<0.1	<0.05	7	<0.5
25971	Soil			5	81	0.59	69	0.125	2	1.70	0.014	0.05	0.2	0.06	2.9	<0.1	<0.05	7	<0.5
25972	Soil			6	69	0.67	81	0.079	1	1.32	0.012	0.06	<0.1	0.02	3.8	<0.1	<0.05	4	<0.5
25973	Soil			8	83	0.70	132	0.070	2	1.40	0.013	0.07	<0.1	0.03	2.9	<0.1	<0.05	5	<0.5
25974	Soil			5	25	0.06	66	0.027	1	0.73	0.010	0.03	<0.1	0.03	0.9	<0.1	<0.05	6	<0.5
25975	Soil			4	72	0.43	89	0.087	1	1.18	0.009	0.04	0.2	0.03	2.6	<0.1	<0.05	7	<0.5
25976	Soil			5	46	0.50	88	0.053	2	1.84	0.011	0.04	0.1	0.04	3.1	<0.1	<0.05	7	<0.5
25977	Soil			5	25	0.23	94	0.050	<1	0.85	0.013	0.05	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5
25978	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25979	Soil			4	26	0.09	94	0.024	2	0.65	0.013	0.03	<0.1	0.03	1.0	<0.1	<0.05	4	<0.5
25980	Soil			5	79	0.69	64	0.077	1	1.42	0.010	0.05	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
25981	Soil	1.4	28.7	5.3	54	<0.1	64.8	10.9	311	2.79	7.8	0.3	0.7	0.5	15	0.2	0.5	<0.1	73	0.22	0.050
25982	Soil	1.1	24.8	6.1	61	<0.1	42.1	9.3	285	2.93	7.5	0.3	0.8	0.6	21	0.5	0.4	<0.1	78	0.29	0.112
25983	Soil	1.3	23.6	6.2	62	<0.1	51.0	10.5	292	2.87	7.6	0.3	5.7	0.7	21	0.3	0.5	<0.1	74	0.28	0.072
25984	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25985	Soil	1.1	12.4	6.4	26	<0.1	17.2	2.9	86	1.41	3.5	0.3	1.7	0.3	19	0.4	0.3	<0.1	54	0.20	0.023
25986	Soil	1.9	104.5	9.2	165	0.6	157.2	22.0	831	5.30	10.1	1.6	7.5	2.7	30	2.2	0.5	0.1	115	0.48	0.071
25987	Soil	2.1	20.6	5.3	72	0.1	69.5	11.7	218	3.39	7.9	0.3	<0.5	0.6	10	0.3	0.3	0.2	90	0.20	0.026
25988	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25989	Soil	1.5	19.5	5.8	55	<0.1	36.7	7.3	245	2.49	6.6	0.3	1.9	0.4	19	0.2	0.5	<0.1	73	0.27	0.060
25990	Soil	1.5	17.8	5.3	43	<0.1	17.3	4.5	148	1.83	3.9	0.3	1.0	0.5	21	0.8	0.4	<0.1	64	0.37	0.026
25991	Soil	1.2	28.3	5.1	67	<0.1	83.2	12.5	314	2.88	6.4	0.3	2.3	0.5	20	0.3	0.4	<0.1	68	0.32	0.067
25992	Soil	1.1	11.3	5.5	43	<0.1	16.6	4.0	162	1.84	3.9	0.3	<0.5	0.5	20	0.5	0.4	<0.1	65	0.26	0.029
25993	Soil	1.8	12.4	5.5	42	<0.1	16.8	3.5	106	1.94	4.6	0.3	0.8	0.4	12	0.3	0.4	<0.1	71	0.11	0.026
25994	Soil	1.2	11.1	5.2	56	0.1	19.5	4.5	144	2.14	3.9	0.2	<0.5	0.4	14	0.4	0.3	<0.1	66	0.20	0.034
25995	Soil	1.9	14.4	5.9	46	<0.1	32.3	5.6	131	2.67	6.0	0.2	<0.5	0.4	12	0.4	0.5	<0.1	88	0.13	0.027
25996	Soil	1.2	10.3	6.9	44	0.1	19.5	4.1	121	1.84	3.1	0.2	<0.5	0.5	13	0.6	0.3	<0.1	60	0.18	0.022
25997	Soil	1.4	11.8	5.7	38	<0.1	24.7	4.5	132	1.81	4.6	0.2	<0.5	0.4	14	0.4	0.3	0.1	74	0.20	0.025
25998	Soil	1.9	24.5	7.3	112	<0.1	65.4	15.8	390	3.55	6.8	0.3	14.7	0.6	17	0.5	0.4	0.1	103	0.26	0.047
25999	Soil	1.8	12.7	4.3	26	<0.1	30.9	3.5	85	1.70	3.0	0.2	<0.5	0.3	13	0.5	0.4	<0.1	66	0.14	0.018
26000	Soil	1.3	19.4	6.2	65	0.1	29.2	7.0	246	3.03	7.0	0.3	<0.5	0.5	16	0.5	0.4	<0.1	76	0.22	0.045
27720	Soil	1.6	68.8	7.2	102	<0.1	89.7	22.0	916	3.96	20.0	0.4	1.4	1.4	39	0.4	1.0	0.1	93	0.72	0.073
27721	Soil	1.2	13.9	5.4	75	<0.1	29.1	8.1	237	2.81	6.3	0.3	<0.5	0.7	19	0.5	0.4	<0.1	76	0.27	0.052
27722	Soil	1.3	14.5	5.7	62	<0.1	20.1	5.1	175	2.07	5.1	0.3	0.7	0.4	24	0.6	0.4	<0.1	69	0.32	0.029
27723	Soil	0.9	19.6	5.6	64	<0.1	29.7	9.3	468	2.28	5.2	0.4	<0.5	0.8	31	0.5	0.4	<0.1	67	0.53	0.050
27724	Soil	1.7	43.6	6.7	80	<0.1	43.3	13.7	714	2.96	7.9	0.7	1.1	1.3	38	0.5	0.6	<0.1	78	0.69	0.069
27725	Soil	1.0	26.2	6.4	80	<0.1	26.1	10.0	522	2.61	6.4	0.4	0.6	0.8	28	0.3	0.4	<0.1	71	0.50	0.064
27726	Soil	0.8	16.3	4.4	62	<0.1	22.7	8.6	396	2.19	4.2	0.4	<0.5	0.7	27	0.3	0.3	<0.1	68	0.40	0.033
27727	Soil	0.8	18.0	5.1	61	<0.1	23.4	8.5	309	2.53	4.3	0.3	1.4	0.7	33	0.3	0.3	<0.1	77	0.46	0.046
27728	Soil	1.1	24.0	5.9	91	<0.1	32.2	10.7	289	3.56	7.7	0.4	<0.5	0.9	27	0.5	0.4	<0.1	95	0.42	0.182
27729	Soil	1.2	23.8	6.2	81	<0.1	26.8	10.8	423	2.75	7.1	0.3	2.1	1.0	31	0.4	0.5	<0.1	77	0.45	0.085

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 8 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
25981	Soil	5	88	0.78	96	0.077	2	1.45	0.010	0.05	<0.1	0.04	2.8	<0.1	<0.05	5	<0.5
25982	Soil	5	54	0.58	85	0.058	2	1.39	0.012	0.06	0.1	0.03	3.2	<0.1	<0.05	6	<0.5
25983	Soil	5	52	0.57	96	0.050	2	1.55	0.012	0.05	0.1	0.03	3.4	<0.1	<0.05	5	<0.5
25984	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25985	Soil	4	34	0.21	73	0.057	1	0.85	0.011	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5
25986	Soil	25	104	1.09	400	0.019	2	5.34	0.017	0.14	<0.1	0.07	13.9	0.3	<0.05	13	1.6
25987	Soil	4	125	0.75	87	0.184	<1	1.81	0.013	0.04	0.2	0.02	3.0	<0.1	<0.05	8	<0.5
25988	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25989	Soil	4	52	0.45	80	0.075	2	1.17	0.011	0.05	<0.1	0.05	2.9	<0.1	<0.05	5	<0.5
25990	Soil	5	34	0.24	109	0.052	1	0.91	0.013	0.04	<0.1	0.02	2.4	<0.1	<0.05	4	<0.5
25991	Soil	4	100	0.89	88	0.087	2	1.47	0.011	0.06	0.1	0.04	3.0	<0.1	<0.05	5	<0.5
25992	Soil	5	30	0.28	89	0.071	2	0.93	0.013	0.04	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5
25993	Soil	4	37	0.12	71	0.045	2	0.65	0.007	0.03	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5
25994	Soil	5	35	0.31	83	0.053	<1	1.09	0.008	0.04	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
25995	Soil	4	61	0.22	63	0.056	1	0.83	0.008	0.03	0.1	0.02	2.0	<0.1	<0.05	5	<0.5
25996	Soil	5	39	0.23	80	0.055	<1	0.84	0.011	0.04	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5
25997	Soil	4	48	0.28	52	0.074	<1	0.93	0.011	0.03	0.1	0.03	2.3	<0.1	<0.05	6	<0.5
25998	Soil	5	118	0.80	95	0.137	<1	1.69	0.010	0.05	0.1	0.02	3.5	<0.1	<0.05	8	<0.5
25999	Soil	4	61	0.11	69	0.065	<1	0.57	0.008	0.02	0.1	0.02	1.4	<0.1	<0.05	4	<0.5
26000	Soil	5	44	0.42	81	0.052	2	1.38	0.011	0.04	<0.1	0.04	2.6	<0.1	<0.05	5	<0.5
27720	Soil	9	104	1.13	160	0.100	1	2.12	0.035	0.14	0.1	0.05	7.5	0.2	<0.05	6	<0.5
27721	Soil	5	40	0.52	91	0.057	<1	1.64	0.010	0.04	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
27722	Soil	6	34	0.34	122	0.044	<1	1.16	0.011	0.04	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
27723	Soil	7	41	0.63	89	0.067	1	1.32	0.018	0.06	<0.1	0.01	3.6	<0.1	<0.05	4	<0.5
27724	Soil	11	49	0.72	144	0.073	3	1.65	0.022	0.09	<0.1	0.05	6.4	<0.1	<0.05	5	<0.5
27725	Soil	7	40	0.48	112	0.077	1	1.41	0.012	0.06	<0.1	0.03	3.5	<0.1	<0.05	5	<0.5
27726	Soil	7	34	0.56	101	0.067	1	1.36	0.012	0.05	<0.1	0.02	3.4	<0.1	<0.05	4	<0.5
27727	Soil	7	39	0.64	85	0.076	1	1.47	0.017	0.04	<0.1	0.01	3.4	<0.1	<0.05	5	<0.5
27728	Soil	6	47	0.60	132	0.064	1	1.89	0.011	0.06	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5
27729	Soil	7	41	0.58	124	0.071	2	1.48	0.013	0.06	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 20, 2008

Page:

9 of 13

Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
27730	Soil	1.0	9.0	6.1	68	0.1	34.3	6.8	176	2.17	3.8	0.2	5.7	0.6	18	0.5	0.3	<0.1	67	0.24	0.069
27731	Soil	0.9	22.8	5.2	76	0.1	42.1	11.1	367	2.40	3.8	0.3	0.7	0.6	23	0.4	0.3	<0.1	68	0.34	0.041
27732	Soil	1.0	21.1	4.9	66	<0.1	66.3	14.1	404	2.47	3.7	0.4	2.2	0.5	36	0.3	0.2	<0.1	73	0.54	0.052
27733	Soil	0.9	36.4	5.6	64	<0.1	26.6	13.0	436	2.95	5.1	0.4	<0.5	0.7	40	0.3	0.3	<0.1	89	0.66	0.073
27734	Soil	1.2	19.3	5.3	60	<0.1	27.7	10.8	267	2.81	7.4	0.3	2.1	0.8	25	0.2	0.4	<0.1	79	0.30	0.046
27735	Soil	1.1	23.2	5.4	57	<0.1	24.6	9.6	380	2.48	5.9	0.4	<0.5	0.7	31	0.2	0.3	<0.1	70	0.52	0.043
27736	Soil	1.3	26.5	4.9	73	<0.1	34.5	11.9	358	3.09	6.9	0.4	<0.5	1.0	28	0.2	0.4	<0.1	84	0.39	0.062
27737	Soil	1.1	16.5	6.6	137	<0.1	28.5	11.6	344	3.58	6.2	0.3	1.7	0.9	23	0.7	0.3	0.1	94	0.35	0.155
27738	Soil	1.5	12.2	5.5	55	<0.1	20.4	5.8	158	2.54	5.6	0.2	<0.5	0.8	17	0.3	0.5	<0.1	74	0.20	0.052
27739	Soil	1.2	12.8	4.8	57	<0.1	18.9	6.7	174	2.25	4.5	0.3	0.7	0.6	15	0.4	0.3	<0.1	67	0.22	0.075
27740	Soil	1.1	14.3	4.6	65	<0.1	25.0	7.5	298	2.26	4.6	0.3	0.7	0.8	22	0.3	0.3	<0.1	66	0.34	0.057
27741	Soil	1.7	24.7	5.7	94	0.1	32.5	8.6	366	2.90	5.7	0.3	2.3	0.6	25	0.4	0.4	<0.1	78	0.30	0.053
27742	Soil	1.3	13.8	5.5	63	0.1	17.5	6.2	308	2.17	3.8	0.3	<0.5	0.6	19	0.5	0.3	<0.1	74	0.20	0.024
27743	Soil	1.0	15.5	5.1	113	<0.1	28.0	8.3	297	2.68	4.8	0.2	0.6	0.9	20	0.6	0.4	<0.1	72	0.31	0.109
27744	Soil	1.3	55.2	6.1	81	0.2	50.5	11.7	685	3.06	6.7	0.6	15.1	0.7	46	0.9	0.5	<0.1	74	0.94	0.069
27745	Soil	1.1	13.6	5.3	60	<0.1	26.9	6.2	357	2.32	5.0	0.2	<0.5	0.7	23	0.5	0.4	<0.1	68	0.32	0.108
27746	Soil	0.8	14.3	5.1	56	0.1	26.4	6.0	185	2.34	4.9	0.2	1.6	0.7	20	0.3	0.3	<0.1	67	0.24	0.069
27747	Soil	1.3	15.5	5.0	58	<0.1	24.5	5.8	207	2.26	5.3	0.3	<0.5	0.7	29	0.4	0.4	<0.1	70	0.39	0.042
874500	Soil	4.1	24.5	5.5	101	0.1	40.0	11.3	521	2.69	5.1	0.5	0.6	0.2	29	0.4	0.3	0.2	81	0.41	0.041
874501	Soil	9.2	41.2	5.4	96	0.2	56.0	12.1	486	3.47	7.1	0.5	2.7	0.3	24	0.5	0.4	0.2	87	0.32	0.044
874502	Soil	8.2	43.3	6.6	101	0.1	53.8	17.2	945	3.76	7.4	0.5	1.0	0.8	30	0.5	0.4	0.3	97	0.73	0.078
874503	Soil	4.7	47.5	6.4	115	0.2	74.7	17.0	1060	3.52	7.6	0.5	<0.5	0.3	35	0.7	0.5	0.1	87	0.79	0.066
874504	Soil	2.9	24.4	6.4	77	0.1	50.6	11.7	469	3.16	6.9	0.3	2.1	0.5	17	0.3	0.5	0.1	83	0.26	0.116
874505	Soil	4.5	60.9	7.8	112	0.4	80.0	17.7	1018	3.52	8.1	0.6	<0.5	0.2	45	1.0	0.4	0.2	88	0.86	0.080
874506	Soil	2.9	41.4	6.1	79	0.2	63.5	13.3	638	3.18	6.5	0.5	<0.5	0.5	30	0.4	0.4	0.1	80	0.51	0.053
874507	Soil	5.2	15.8	6.0	62	<0.1	33.2	7.3	288	2.87	6.1	0.2	<0.5	0.6	14	0.1	0.4	0.1	90	0.15	0.026
874508	Soil	3.8	14.9	6.6	60	0.1	24.3	5.3	204	2.42	5.6	0.3	1.1	0.4	14	0.4	0.3	0.1	80	0.15	0.036
874509	Soil	4.3	47.1	7.2	99	0.2	61.4	14.7	728	2.92	7.3	0.7	0.6	0.3	30	1.4	0.4	0.1	74	0.49	0.060
874510	Soil	4.2	195.9	8.5	136	1.1	138.7	17.8	1300	4.02	12.2	4.0	2.2	0.4	41	2.4	0.5	0.1	84	1.66	0.132
874511	Soil	2.3	11.5	5.1	53	<0.1	30.1	6.1	192	2.76	6.5	0.2	<0.5	0.5	14	0.3	0.4	0.1	90	0.18	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 9 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
27730	Soil	5	74	0.42	101	0.049	2	1.16	0.008	0.04	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
27731	Soil	7	65	0.67	86	0.071	1	1.49	0.010	0.05	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
27732	Soil	8	123	0.98	104	0.066	1	1.68	0.015	0.04	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5
27733	Soil	9	45	0.75	116	0.085	4	1.85	0.013	0.08	<0.1	0.04	4.3	<0.1	<0.05	6	<0.5
27734	Soil	5	37	0.50	113	0.064	1	1.72	0.019	0.03	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
27735	Soil	7	35	0.58	100	0.066	1	1.47	0.014	0.04	<0.1	0.01	3.5	<0.1	<0.05	4	<0.5
27736	Soil	7	44	0.69	129	0.076	2	2.15	0.015	0.07	<0.1	0.03	4.3	<0.1	<0.05	6	<0.5
27737	Soil	6	52	0.61	72	0.093	2	1.82	0.011	0.06	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5
27738	Soil	5	37	0.38	66	0.057	1	1.43	0.009	0.03	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5
27739	Soil	5	31	0.33	79	0.053	1	1.37	0.012	0.04	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5
27740	Soil	6	36	0.53	76	0.072	1	1.37	0.011	0.05	<0.1	0.04	2.9	<0.1	<0.05	4	<0.5
27741	Soil	7	45	0.67	114	0.060	2	1.95	0.017	0.06	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5
27742	Soil	6	33	0.27	75	0.060	<1	1.24	0.011	0.04	<0.1	0.01	2.8	<0.1	<0.05	6	<0.5
27743	Soil	6	44	0.55	96	0.071	2	1.62	0.014	0.05	<0.1	0.01	3.5	<0.1	<0.05	6	<0.5
27744	Soil	9	55	0.79	118	0.060	2	1.77	0.014	0.09	<0.1	0.04	5.1	<0.1	<0.05	5	0.6
27745	Soil	7	42	0.53	104	0.070	2	1.30	0.013	0.05	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5
27746	Soil	6	45	0.55	90	0.064	2	1.51	0.009	0.03	<0.1	0.01	3.3	<0.1	<0.05	5	<0.5
27747	Soil	7	39	0.51	95	0.064	2	1.30	0.011	0.04	<0.1	0.04	2.9	<0.1	<0.05	5	<0.5
874500	Soil	7	70	0.72	144	0.067	2	1.90	0.028	0.06	<0.1	0.02	3.1	<0.1	<0.05	7	<0.5
874501	Soil	7	88	0.88	151	0.063	2	2.35	0.012	0.08	0.1	0.03	3.6	<0.1	<0.05	7	0.5
874502	Soil	8	90	1.09	140	0.132	2	2.37	0.018	0.09	0.1	0.04	6.2	<0.1	<0.05	8	<0.5
874503	Soil	9	87	0.97	195	0.046	2	2.39	0.016	0.09	<0.1	0.03	4.4	<0.1	<0.05	7	<0.5
874504	Soil	4	76	0.72	107	0.080	2	1.59	0.017	0.06	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5
874505	Soil	13	73	0.97	219	0.046	2	2.63	0.012	0.11	0.2	0.05	4.0	<0.1	0.06	8	0.8
874506	Soil	7	76	0.91	109	0.076	2	1.88	0.019	0.08	0.1	0.03	4.9	<0.1	<0.05	6	<0.5
874507	Soil	4	58	0.59	76	0.094	1	1.49	0.013	0.06	0.1	0.02	3.3	<0.1	<0.05	7	<0.5
874508	Soil	4	44	0.36	77	0.067	<1	1.17	0.010	0.05	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
874509	Soil	9	55	0.59	167	0.044	2	1.87	0.012	0.07	<0.1	0.03	3.3	<0.1	<0.05	6	0.5
874510	Soil	18	73	0.80	226	0.048	3	2.67	0.016	0.15	<0.1	0.09	5.9	0.2	<0.05	7	1.7
874511	Soil	3	55	0.44	62	0.107	1	1.29	0.019	0.03	0.2	0.01	2.3	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
874512	Soil	1.6	65.6	5.7	107	0.5	103.3	11.8	780	3.11	7.8	0.9	2.9	0.3	51	0.8	0.5	0.1	63	1.88	0.129
874513	Soil	1.9	21.4	5.9	57	<0.1	35.8	7.9	244	3.43	7.4	0.3	1.9	0.6	22	0.4	0.4	<0.1	82	0.20	0.031
874514	Soil	1.3	28.9	5.9	56	<0.1	37.3	13.2	696	2.65	7.2	0.4	2.0	1.2	32	0.3	0.5	<0.1	68	0.49	0.065
874515	Soil	1.2	11.6	5.6	65	<0.1	27.3	6.8	275	3.06	6.2	0.2	<0.5	0.6	17	0.3	0.3	<0.1	79	0.21	0.168
874516	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
874517	Soil	1.8	9.0	4.6	59	<0.1	28.6	6.0	180	2.35	4.9	0.2	1.0	0.6	16	0.3	0.3	<0.1	69	0.21	0.019
874518	Soil	1.3	12.3	5.8	53	<0.1	26.0	5.5	190	2.53	5.8	0.3	2.7	0.8	19	0.4	0.4	<0.1	75	0.21	0.043
874519	Soil	1.5	26.5	6.1	77	0.3	48.4	11.5	319	3.19	8.5	0.3	1.3	1.1	28	0.4	0.7	<0.1	77	0.33	0.104
874520	Soil	1.4	24.9	4.6	100	0.3	43.3	10.2	348	3.03	6.9	0.2	1.7	0.4	23	0.6	0.3	0.1	74	0.39	0.077
874650	Soil	1.1	9.5	5.6	46	<0.1	20.6	4.0	138	1.94	3.9	0.2	1.4	0.5	17	0.5	0.3	0.1	68	0.17	0.029
874651	Soil	3.7	142.4	9.4	128	2.0	141.6	17.9	1558	4.74	32.5	1.8	3.4	1.0	72	3.0	1.0	0.2	101	1.16	0.093
874652	Soil	1.0	17.4	5.2	72	<0.1	59.3	10.5	350	2.80	5.5	0.3	0.6	0.6	22	0.4	0.4	<0.1	80	0.26	0.054
874653	Soil	1.1	17.2	5.3	68	<0.1	54.5	10.0	328	2.67	5.3	0.3	0.5	0.5	22	0.4	0.4	<0.1	74	0.27	0.056
874654	Soil	1.1	25.2	6.1	65	0.2	56.8	12.0	443	2.72	6.7	0.2	<0.5	0.3	23	0.6	0.4	<0.1	73	0.28	0.066
874655	Soil	1.2	20.7	5.3	60	<0.1	51.0	8.9	267	2.74	8.0	0.2	1.4	0.6	19	0.3	0.5	<0.1	73	0.24	0.030
874656	Soil	1.3	11.8	6.3	58	0.2	17.6	5.0	162	2.70	5.4	0.2	1.8	0.7	19	0.2	0.3	<0.1	79	0.20	0.097
874657	Soil	0.7	14.8	4.7	55	<0.1	14.8	4.8	182	1.99	3.4	0.3	0.8	0.4	26	0.3	0.3	<0.1	60	0.32	0.053
874658	Soil	0.6	15.4	4.7	38	<0.1	10.5	3.1	100	1.72	3.6	0.3	1.5	0.2	20	0.5	0.2	<0.1	48	0.18	0.075
874659	Soil	1.1	14.0	5.4	65	0.3	37.6	9.9	403	2.70	10.4	0.2	0.5	0.6	21	0.5	0.5	0.1	78	0.32	0.064
874660	Soil	1.0	14.5	5.5	61	0.3	36.1	10.5	428	2.64	9.8	0.2	1.1	0.5	19	0.6	0.4	<0.1	77	0.33	0.058
874661	Soil	2.1	179.8	3.7	196	0.2	102.4	18.1	920	4.92	6.9	0.6	0.9	2.2	13	1.1	0.6	1.7	112	0.14	0.075
874662	Soil	2.0	190.3	3.6	203	0.2	109.6	18.3	939	4.99	7.1	0.6	1.7	2.1	14	1.1	0.5	1.7	110	0.15	0.082
874663	Soil	1.8	187.2	3.6	218	0.1	109.2	21.4	1072	4.72	7.9	0.6	2.3	1.9	13	1.2	0.6	1.6	96	0.18	0.085
874664	Soil	0.9	8.5	8.3	63	0.4	19.2	7.0	295	1.83	4.0	0.2	<0.5	0.6	24	1.0	0.6	0.2	51	0.26	0.030
874665	Soil	1.0	9.1	9.7	65	0.4	19.7	7.6	232	1.82	3.9	0.2	1.0	0.7	22	0.9	0.6	0.1	56	0.24	0.028
874666	Soil	0.6	4.7	5.1	39	<0.1	9.0	3.0	112	1.39	2.4	0.2	<0.5	0.6	15	0.2	0.2	<0.1	51	0.17	0.034
874667	Soil	0.7	4.2	4.8	34	<0.1	8.2	2.7	99	1.21	1.9	0.2	0.8	0.5	14	0.1	0.2	<0.1	45	0.17	0.028
874668	Soil	0.8	13.8	5.9	71	<0.1	27.1	9.6	629	1.91	3.7	0.3	2.5	0.5	24	0.4	0.3	<0.1	53	0.30	0.076
874669	Soil	0.8	14.0	5.9	63	<0.1	29.3	9.0	524	2.05	4.4	0.3	1.4	0.7	23	0.4	0.3	<0.1	60	0.29	0.080
874670	Soil	0.9	14.8	5.7	68	<0.1	30.5	9.3	521	2.04	4.6	0.3	1.7	0.7	25	0.4	0.2	<0.1	60	0.31	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 10 of 13 Part 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
874512	Soil	12	58	0.73	212	0.031	3	2.09	0.013	0.11	0.1	0.09	4.3	0.1	0.16	5	1.5
874513	Soil	5	57	0.60	88	0.084	1	1.67	0.018	0.03	<0.1	0.03	3.2	<0.1	<0.05	6	<0.5
874514	Soil	9	45	0.65	81	0.096	3	1.30	0.041	0.10	<0.1	0.04	4.7	<0.1	<0.05	4	<0.5
874515	Soil	5	51	0.46	82	0.067	2	1.51	0.013	0.04	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5
874516	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
874517	Soil	4	44	0.47	59	0.074	1	1.31	0.010	0.03	0.1	0.01	2.7	<0.1	<0.05	5	<0.5
874518	Soil	6	39	0.44	73	0.085	1	1.34	0.014	0.04	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5
874519	Soil	7	57	0.71	106	0.075	2	1.82	0.021	0.08	<0.1	0.02	3.9	<0.1	<0.05	5	<0.5
874520	Soil	4	72	0.73	109	0.075	1	1.43	0.008	0.05	0.1	0.02	2.9	<0.1	0.06	5	<0.5
874650	Soil	5	39	0.22	76	0.080	1	0.78	0.012	0.05	<0.1	0.01	1.9	<0.1	<0.05	5	<0.5
874651	Soil	17	76	0.88	385	0.032	3	3.24	0.016	0.20	<0.1	0.09	9.1	0.3	0.11	9	2.1
874652	Soil	6	82	0.72	112	0.090	2	1.55	0.013	0.05	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5
874653	Soil	6	76	0.73	104	0.086	1	1.53	0.016	0.05	<0.1	0.01	3.5	<0.1	<0.05	6	<0.5
874654	Soil	6	72	0.74	119	0.059	2	1.55	0.014	0.05	0.1	0.03	3.5	<0.1	<0.05	6	<0.5
874655	Soil	5	71	0.65	88	0.069	1	1.40	0.014	0.05	<0.1	0.03	3.4	0.1	<0.05	5	<0.5
874656	Soil	5	33	0.32	75	0.064	1	1.32	0.011	0.05	0.1	0.03	2.6	<0.1	<0.05	6	<0.5
874657	Soil	7	26	0.38	109	0.060	2	1.28	0.013	0.05	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5
874658	Soil	6	21	0.16	79	0.036	1	0.98	0.011	0.04	<0.1	0.04	1.8	<0.1	0.06	5	<0.5
874659	Soil	5	59	0.48	86	0.092	2	1.48	0.010	0.06	0.1	0.03	3.1	<0.1	<0.05	6	0.5
874660	Soil	4	56	0.46	81	0.081	1	1.36	0.011	0.05	0.1	0.02	2.9	<0.1	<0.05	6	<0.5
874661	Soil	10	144	1.93	385	0.221	1	3.30	0.008	0.63	1.4	0.03	6.8	0.6	0.10	15	0.6
874662	Soil	10	135	2.02	396	0.222	2	3.41	0.010	0.68	1.8	0.02	6.7	0.7	0.12	15	0.6
874663	Soil	10	115	1.91	355	0.203	<1	3.18	0.008	0.63	1.9	0.02	6.0	0.6	0.10	15	0.7
874664	Soil	5	30	0.30	100	0.075	1	0.84	0.010	0.07	0.1	0.02	2.2	<0.1	0.06	4	<0.5
874665	Soil	5	34	0.36	87	0.083	2	0.85	0.009	0.07	0.1	0.01	2.2	<0.1	<0.05	4	<0.5
874666	Soil	5	18	0.23	55	0.057	1	0.89	0.009	0.02	<0.1	<0.01	1.9	<0.1	<0.05	5	<0.5
874667	Soil	5	16	0.19	48	0.052	1	0.75	0.011	0.02	<0.1	0.02	1.7	<0.1	<0.05	4	<0.5
874668	Soil	6	34	0.53	115	0.059	2	1.14	0.010	0.04	<0.1	0.03	2.5	<0.1	<0.05	4	<0.5
874669	Soil	6	38	0.57	90	0.064	2	1.18	0.012	0.04	<0.1	0.04	2.5	<0.1	<0.05	4	<0.5
874670	Soil	6	38	0.57	94	0.064	2	1.20	0.009	0.04	<0.1	0.03	2.7	<0.1	<0.05	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874671	Soil		0.7	21.0	5.4	47	<0.1	35.6	8.3	351	2.42	5.5	0.3	1.6	1.0	26	<0.1	0.3	<0.1	66	0.35	0.055
874672	Soil		0.9	25.3	5.8	49	<0.1	45.4	9.4	369	2.53	6.1	0.4	<0.5	1.0	25	<0.1	0.4	0.1	69	0.33	0.056
874673	Soil		0.9	24.7	5.2	48	<0.1	51.7	9.5	339	2.48	6.0	0.3	2.6	1.0	24	0.1	0.3	0.1	69	0.32	0.056
874674	Soil		0.8	16.9	4.9	48	<0.1	27.7	7.8	303	2.23	4.7	0.3	1.6	0.8	25	<0.1	0.3	<0.1	65	0.33	0.058
874675	Soil		0.9	7.0	4.7	51	<0.1	12.5	5.9	290	1.59	1.8	0.2	<0.5	0.3	19	0.4	0.2	<0.1	52	0.25	0.043
874676	Soil		0.9	7.9	4.9	51	<0.1	13.5	6.0	312	1.59	2.2	0.2	1.6	0.3	21	0.5	0.1	<0.1	51	0.28	0.044
874677	Soil		0.8	14.4	4.9	73	<0.1	36.7	8.3	256	2.38	4.4	0.3	5.1	0.8	20	0.2	0.2	<0.1	64	0.29	0.063
874678	Soil		1.1	34.4	5.9	54	<0.1	47.5	14.8	476	2.79	13.2	0.3	<0.5	1.2	26	0.1	0.5	0.2	77	0.34	0.051
874679	Soil		1.1	35.4	5.9	56	<0.1	50.0	14.8	486	2.86	12.2	0.4	1.5	1.2	28	0.1	0.6	0.2	80	0.37	0.052
874680	Soil		1.1	36.9	6.0	57	<0.1	51.5	15.1	484	2.87	13.2	0.4	3.4	1.2	27	0.2	0.5	0.2	81	0.37	0.054
874681	Soil		1.3	21.8	5.5	138	<0.1	88.0	19.4	391	3.10	12.2	0.3	<0.5	0.8	17	0.2	0.4	0.2	89	0.28	0.044
874682	Soil		1.1	19.2	5.7	131	0.1	83.9	19.1	503	3.04	11.1	0.2	0.7	0.8	16	0.3	0.4	0.2	88	0.28	0.049
874683	Soil		1.1	19.3	5.6	129	0.1	81.3	19.3	515	3.03	10.9	0.3	0.6	0.8	15	0.2	0.3	0.1	84	0.26	0.050
874684	Soil		1.2	20.3	6.0	131	0.1	85.3	20.0	496	3.08	11.8	0.3	<0.5	0.8	16	0.4	0.5	0.2	87	0.27	0.052
874685	Soil		1.8	14.8	4.3	42	<0.1	268.0	44.1	538	2.99	4.7	0.2	<0.5	0.3	20	0.2	0.2	0.3	48	0.25	0.055
874686	Soil		2.3	10.7	6.3	54	<0.1	23.0	9.7	426	1.98	3.7	0.3	0.6	0.7	19	0.4	0.4	0.2	55	0.27	0.072
874687	Soil		3.6	9.8	6.1	57	<0.1	38.5	19.0	939	2.11	1.8	0.1	<0.5	0.4	26	0.2	0.2	0.2	53	0.36	0.052
874688	Soil		3.6	9.5	5.9	64	<0.1	39.9	18.6	778	2.20	1.7	0.2	<0.5	0.5	25	0.3	0.2	0.2	59	0.34	0.051
874689	Soil		4.1	18.2	5.0	38	<0.1	48.6	12.5	367	2.13	4.5	0.3	1.9	0.7	20	0.1	0.4	<0.1	58	0.28	0.045
874690	Soil		3.4	17.6	5.0	42	<0.1	47.2	10.5	355	2.11	4.1	0.3	0.6	0.7	21	0.1	0.3	<0.1	59	0.29	0.046
874691	Soil		1.5	7.6	5.4	64	<0.1	28.5	9.1	487	1.57	1.2	0.2	<0.5	0.5	20	0.6	0.2	0.2	44	0.30	0.045
874692	Soil		1.8	7.8	5.3	66	<0.1	28.5	9.5	699	1.52	1.1	0.2	<0.5	0.4	22	0.6	0.2	0.2	46	0.35	0.049
874693	Soil		1.8	8.3	5.5	72	0.1	31.0	10.6	570	1.66	1.2	0.2	2.4	0.5	20	0.6	0.2	0.2	43	0.32	0.062
874694	Soil		1.7	8.8	5.7	72	0.1	30.5	11.1	695	1.65	1.6	0.2	3.4	0.6	21	0.7	0.2	0.2	45	0.35	0.060
874695	Soil		1.8	7.4	5.1	65	0.1	29.2	9.5	797	1.51	1.1	0.2	<0.5	0.5	21	0.6	0.1	0.2	40	0.35	0.044
874800	Soil		3.8	32.0	6.6	52	<0.1	64.6	14.9	486	2.56	9.0	0.4	2.3	1.2	26	0.1	0.8	0.3	69	0.39	0.058
874801	Soil		4.8	55.6	7.8	57	0.5	144.0	16.1	435	3.18	10.3	1.5	3.1	1.4	35	0.3	0.8	0.5	74	0.57	0.062
874802	Soil		2.6	17.6	4.8	55	0.1	45.3	8.4	252	2.15	5.2	0.4	0.8	0.6	20	0.4	0.4	0.2	59	0.31	0.036
874803	Soil		8.6	56.4	6.9	75	0.3	121.3	16.9	909	2.89	9.1	1.4	0.8	0.6	38	0.4	0.7	0.3	69	0.84	0.059
874804	Soil		8.7	53.2	7.1	83	0.2	89.1	21.9	783	3.26	11.1	0.9	1.0	0.8	25	0.6	0.5	0.3	84	0.37	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
874671	Soil			7	42	0.64	74	0.078	2	1.45	0.019	0.06	<0.1	0.02	3.6	<0.1	<0.05	4	<0.5
874672	Soil			7	58	0.71	78	0.077	2	1.57	0.015	0.07	<0.1	0.02	3.6	<0.1	<0.05	4	<0.5
874673	Soil			7	60	0.71	76	0.071	2	1.47	0.017	0.06	<0.1	0.02	3.5	<0.1	<0.05	4	<0.5
874674	Soil			7	36	0.58	70	0.077	2	1.35	0.016	0.05	<0.1	0.02	3.2	<0.1	<0.05	4	<0.5
874675	Soil			5	21	0.27	56	0.057	1	0.85	0.011	0.03	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5
874676	Soil			5	22	0.30	63	0.054	1	0.88	0.010	0.03	<0.1	0.04	1.9	<0.1	<0.05	4	<0.5
874677	Soil			6	39	0.47	91	0.066	2	1.54	0.009	0.07	<0.1	0.01	2.9	<0.1	<0.05	4	<0.5
874678	Soil			6	69	0.83	124	0.114	2	1.68	0.015	0.16	<0.1	0.02	4.1	0.2	<0.05	5	<0.5
874679	Soil			7	66	0.80	123	0.124	1	1.68	0.017	0.15	<0.1	0.02	4.2	0.1	<0.05	5	<0.5
874680	Soil			7	70	0.83	120	0.124	2	1.74	0.020	0.16	<0.1	0.01	4.4	0.2	<0.05	5	<0.5
874681	Soil			4	103	0.92	92	0.133	1	2.00	0.011	0.14	0.2	0.01	3.5	<0.1	<0.05	6	<0.5
874682	Soil			4	94	0.96	89	0.142	1	2.05	0.015	0.14	0.1	0.01	3.7	<0.1	<0.05	6	<0.5
874683	Soil			4	93	0.88	88	0.125	2	1.96	0.010	0.14	0.1	0.01	3.6	<0.1	<0.05	6	<0.5
874684	Soil			5	97	0.87	88	0.128	2	1.97	0.011	0.14	0.1	<0.01	3.6	<0.1	<0.05	6	<0.5
874685	Soil			3	172	1.78	59	0.044	3	0.89	0.009	0.04	2.7	0.05	2.2	<0.1	<0.05	3	<0.5
874686	Soil			5	29	0.40	64	0.059	1	1.00	0.009	0.05	0.1	0.02	2.2	<0.1	<0.05	4	<0.5
874687	Soil			4	41	0.49	79	0.074	1	1.10	0.011	0.06	0.2	0.02	1.7	<0.1	<0.05	5	<0.5
874688	Soil			4	46	0.52	77	0.082	1	1.14	0.011	0.07	0.2	0.03	1.8	<0.1	<0.05	5	<0.5
874689	Soil			6	41	0.50	52	0.069	<1	1.01	0.009	0.04	0.3	0.01	2.4	<0.1	<0.05	4	<0.5
874690	Soil			5	40	0.51	51	0.071	<1	1.04	0.018	0.04	0.2	0.02	2.3	<0.1	<0.05	4	<0.5
874691	Soil			5	41	0.36	87	0.069	1	0.83	0.011	0.07	0.1	0.01	1.9	<0.1	<0.05	4	<0.5
874692	Soil			5	40	0.37	100	0.064	1	0.83	0.010	0.07	0.1	0.02	1.9	<0.1	<0.05	4	<0.5
874693	Soil			5	41	0.39	97	0.060	1	0.91	0.009	0.08	0.2	0.02	2.1	<0.1	<0.05	4	<0.5
874694	Soil			5	41	0.38	109	0.064	1	0.89	0.009	0.08	0.1	0.02	1.9	<0.1	<0.05	4	<0.5
874695	Soil			5	38	0.34	111	0.059	1	0.75	0.009	0.07	0.2	0.01	1.7	<0.1	<0.05	4	<0.5
874800	Soil			7	73	0.78	61	0.074	2	1.19	0.019	0.08	0.3	0.03	3.9	<0.1	<0.05	4	<0.5
874801	Soil			15	93	0.97	165	0.079	2	2.10	0.020	0.09	0.5	0.10	6.7	0.1	<0.05	5	1.0
874802	Soil			5	48	0.47	97	0.056	1	1.18	0.010	0.05	0.2	0.01	2.6	<0.1	<0.05	4	<0.5
874803	Soil			13	87	0.86	154	0.054	2	1.92	0.015	0.12	0.4	0.04	4.7	0.1	0.07	5	1.0
874804	Soil			9	101	0.86	144	0.086	2	1.83	0.014	0.09	0.6	0.02	4.1	0.1	<0.05	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 12 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874805	Soil		2.4	12.8	5.2	54	0.2	34.0	7.2	195	2.37	5.7	0.3	0.7	0.5	18	0.4	0.4	0.2	61	0.22	0.040
874806	Soil		16.7	57.3	10.1	91	0.3	127.1	19.4	1482	3.97	16.9	2.4	1.0	1.5	33	0.9	1.0	0.5	77	0.43	0.060
874807	Soil		12.1	52.5	8.4	97	0.2	119.7	20.4	848	4.40	16.0	1.4	<0.5	1.2	32	0.7	0.7	0.5	82	0.57	0.103
874808	Soil		2.3	14.9	6.0	101	0.4	42.3	9.7	301	2.60	6.8	0.3	0.9	0.5	18	0.8	0.5	0.2	59	0.23	0.114
874809	Soil		4.1	26.1	7.9	65	<0.1	59.8	15.9	780	2.95	9.7	0.5	1.5	1.2	23	0.2	0.6	0.3	75	0.35	0.090
874810	Soil		3.1	70.1	8.2	113	0.3	79.7	14.7	731	3.30	8.2	1.4	<0.5	0.6	44	1.7	0.5	1.7	66	0.58	0.079
874811	Soil		6.4	25.2	6.2	108	0.1	53.0	15.3	923	3.08	9.5	0.3	0.7	0.7	15	0.5	0.5	0.4	70	0.22	0.136
874812	Soil		9.0	53.2	5.9	81	0.4	104.4	16.3	940	3.10	11.9	1.1	0.9	0.7	36	0.5	0.7	0.3	62	0.58	0.072
874813	Soil		5.9	51.5	7.0	87	0.3	95.6	18.6	518	2.91	9.1	0.5	1.6	0.8	29	0.7	0.8	0.4	62	0.39	0.043
874814	Soil		11.5	54.5	9.7	137	0.3	110.7	18.9	498	3.54	9.4	0.4	0.6	0.6	30	1.1	0.8	0.5	80	0.56	0.063
874815	Soil		3.2	19.4	7.8	67	<0.1	68.9	15.9	440	2.95	10.6	0.3	0.8	1.0	19	0.5	0.7	1.6	70	0.29	0.059
874816	Soil		13.4	79.4	7.7	67	0.4	116.6	12.5	584	2.53	8.8	0.8	1.3	1.0	28	0.5	0.7	0.3	55	0.42	0.030
874817	Soil		15.4	95.2	6.8	60	0.3	78.6	11.8	437	2.47	6.7	1.2	1.7	1.0	31	0.3	0.6	0.2	58	0.37	0.033
874818	Soil		1.4	7.7	4.8	52	<0.1	19.7	6.1	161	1.78	2.1	0.2	<0.5	0.7	15	0.2	0.3	0.1	50	0.18	0.037
874819	Soil		1.7	26.4	7.4	68	0.2	34.2	12.3	705	2.50	5.8	0.7	1.3	0.8	30	0.4	0.3	0.3	59	0.32	0.052
874820	Soil		8.3	103.9	11.7	123	0.8	100.5	19.4	1693	4.48	11.0	2.6	1.3	1.0	62	1.5	0.8	0.3	83	0.82	0.122
874821	Soil		4.9	70.3	7.9	129	0.2	67.8	19.3	807	3.71	9.5	0.7	<0.5	0.4	23	1.0	0.4	0.1	80	0.64	0.082
874822	Soil		20.5	39.8	5.3	114	0.1	87.8	24.3	834	4.51	5.4	0.3	<0.5	0.8	29	0.5	0.3	0.2	101	0.90	0.050
874823	Soil		1.7	44.7	3.7	94	<0.1	109.2	28.1	646	5.23	3.3	0.2	<0.5	0.6	15	0.3	0.2	<0.1	121	0.36	0.051
874824	Soil		19.7	67.9	3.8	111	0.2	118.3	27.2	934	4.63	4.8	0.5	1.1	0.8	30	0.5	0.2	0.2	104	1.11	0.099
874825	Soil		13.4	78.3	4.3	121	0.1	123.2	29.9	1087	4.86	4.6	0.5	1.2	0.7	27	0.7	0.3	0.2	105	1.07	0.067
874826	Soil		16.8	84.9	5.3	112	0.3	146.5	30.7	1375	4.97	5.6	0.5	1.0	0.8	21	0.7	0.3	0.2	93	0.76	0.064
874827	Soil		2.8	23.4	6.7	90	<0.1	74.0	18.6	461	4.42	9.2	0.3	<0.5	0.7	13	0.4	0.4	0.1	108	0.24	0.062
874828	Soil		2.3	29.0	6.5	83	<0.1	56.9	13.3	317	3.80	9.9	0.4	<0.5	0.9	23	0.4	0.5	<0.1	85	0.27	0.067
874829	Soil		9.0	51.8	4.0	103	0.1	88.4	26.9	565	4.77	4.7	0.5	0.8	0.9	21	0.4	0.2	0.1	87	0.94	0.036
874830	Soil		4.0	38.3	5.7	100	0.2	85.8	24.6	582	4.69	6.5	0.4	0.5	0.8	21	0.5	0.3	<0.1	97	0.61	0.063
874831	Soil		5.8	17.3	7.6	60	<0.1	47.8	12.3	283	3.08	3.5	0.3	<0.5	0.7	12	0.3	0.3	0.1	95	0.17	0.026
874832	Soil		1.8	22.3	4.9	60	<0.1	38.7	11.0	291	2.91	6.6	0.3	1.5	0.9	20	0.4	0.3	<0.1	70	0.30	0.056
874833	Soil		2.7	28.0	6.4	62	0.1	41.8	12.6	356	2.69	5.3	0.4	1.2	0.3	38	0.7	0.3	<0.1	68	0.54	0.047
874834	Soil		2.1	23.1	8.2	88	0.2	46.2	11.8	310	3.19	5.8	0.4	0.7	0.7	24	0.8	0.3	0.1	86	0.28	0.050



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 20, 2008

Page: 12 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	0.5	
874805	Soil			5	45	0.42	83	0.059	<1	1.11	0.015	0.03	0.2	0.03	2.2	<0.1	<0.05	5	<0.5
874806	Soil			19	93	0.99	228	0.029	2	2.58	0.013	0.11	0.3	0.04	7.4	0.1	<0.05	7	<0.5
874807	Soil			8	98	0.89	271	0.050	2	2.39	0.012	0.13	0.8	0.04	4.6	0.1	<0.05	7	<0.5
874808	Soil			5	55	0.48	113	0.049	1	1.25	0.009	0.05	0.3	0.03	2.5	<0.1	<0.05	5	<0.5
874809	Soil			8	64	0.82	108	0.076	1	1.47	0.013	0.10	0.4	0.04	4.0	0.1	<0.05	5	<0.5
874810	Soil			22	69	0.79	213	0.039	2	1.98	0.012	0.11	0.2	0.04	4.4	<0.1	<0.05	7	<0.5
874811	Soil			5	82	0.68	157	0.072	2	1.49	0.012	0.06	0.8	0.02	3.1	<0.1	<0.05	6	<0.5
874812	Soil			18	74	0.94	182	0.040	1	1.97	0.017	0.11	0.3	0.04	4.9	0.2	<0.05	6	<0.5
874813	Soil			12	91	0.89	121	0.068	1	1.40	0.014	0.08	0.4	0.03	3.8	0.1	<0.05	5	<0.5
874814	Soil			6	94	0.79	191	0.054	1	1.87	0.011	0.09	0.3	0.04	3.8	<0.1	<0.05	8	<0.5
874815	Soil			5	61	0.75	64	0.074	<1	1.24	0.009	0.06	0.2	0.02	2.9	<0.1	<0.05	4	<0.5
874816	Soil			9	49	0.60	114	0.053	1	1.40	0.013	0.07	0.2	0.03	4.4	0.1	<0.05	5	<0.5
874817	Soil			14	42	0.53	116	0.062	1	1.46	0.018	0.08	0.2	0.03	5.0	0.1	<0.05	5	<0.5
874818	Soil			5	34	0.27	65	0.067	2	0.80	0.011	0.03	0.2	0.01	2.0	<0.1	<0.05	5	<0.5
874819	Soil			10	38	0.57	112	0.053	1	1.56	0.013	0.05	<0.1	0.02	3.5	<0.1	<0.05	5	<0.5
874820	Soil			35	62	1.07	324	0.026	2	3.71	0.016	0.15	0.2	0.08	8.5	0.1	<0.05	10	<0.5
874821	Soil			6	84	0.80	118	0.057	2	1.87	0.009	0.09	<0.1	0.04	3.5	<0.1	<0.05	6	<0.5
874822	Soil			6	150	1.39	167	0.179	2	2.51	0.026	0.12	0.2	0.04	5.5	<0.1	<0.05	8	<0.5
874823	Soil			3	194	2.20	133	0.277	<1	3.47	0.012	0.20	<0.1	0.03	6.7	<0.1	<0.05	11	<0.5
874824	Soil			9	175	1.75	219	0.148	2	3.08	0.029	0.27	0.3	0.05	7.3	0.2	<0.05	8	<0.5
874825	Soil			8	179	1.78	214	0.170	1	3.26	0.019	0.22	0.1	0.04	6.4	0.2	<0.05	9	<0.5
874826	Soil			9	209	1.94	188	0.138	<1	3.23	0.013	0.39	<0.1	0.04	7.2	0.2	<0.05	8	<0.5
874827	Soil			4	144	1.23	87	0.180	2	2.34	0.010	0.05	<0.1	0.04	3.9	<0.1	<0.05	9	<0.5
874828	Soil			6	70	0.66	122	0.092	1	2.20	0.011	0.05	<0.1	0.03	3.7	<0.1	<0.05	6	<0.5
874829	Soil			7	133	1.68	142	0.247	1	2.76	0.009	0.18	<0.1	0.03	4.6	0.1	<0.05	8	<0.5
874830	Soil			7	133	1.55	129	0.238	<1	2.48	0.008	0.21	<0.1	0.03	4.1	<0.1	<0.05	8	<0.5
874831	Soil			4	97	0.85	90	0.262	<1	1.59	0.008	0.07	<0.1	0.02	2.6	<0.1	<0.05	8	<0.5
874832	Soil			5	51	0.67	97	0.089	1	1.64	0.010	0.04	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5
874833	Soil			8	56	0.55	173	0.067	2	1.61	0.011	0.05	<0.1	0.05	2.9	<0.1	<0.05	6	<0.5
874834	Soil			8	80	0.72	176	0.136	2	2.03	0.010	0.05	<0.1	0.03	3.6	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 13 of 13 Part 1

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874835	Soil	2.1	38.6	8.2	81	0.1	46.2	13.6	437	3.55	9.3	0.5	2.4	0.6	34	0.5	0.4	<0.1	88	0.49	0.060
874836	Soil	6.2	168.7	16.3	185	0.3	125.8	46.3	5718	6.06	18.6	1.4	2.8	1.1	50	1.8	0.8	0.2	118	1.17	0.138
874837	Soil	1.8	59.1	6.7	107	0.2	78.5	15.8	730	3.67	8.0	1.0	8.6	0.7	44	0.9	0.4	0.1	82	0.77	0.095
874838	Soil	1.7	30.6	6.2	57	<0.1	33.9	11.0	443	2.51	5.3	0.4	3.7	0.8	35	0.4	0.3	<0.1	71	0.68	0.027
874839	Soil	13.5	49.9	6.2	65	0.2	56.1	12.8	411	2.98	5.5	0.6	0.9	0.6	28	0.5	0.3	0.1	77	0.57	0.037
874840	Soil	4.7	26.4	6.6	68	<0.1	35.4	10.1	485	2.91	7.0	0.3	0.9	0.3	25	0.7	0.5	<0.1	71	0.33	0.043
874841	Soil	3.0	65.5	6.0	81	0.3	59.6	11.5	297	2.72	5.7	0.6	1.0	0.3	36	1.2	0.3	0.1	64	0.62	0.055
874842	Soil	2.8	34.3	6.6	76	0.2	53.3	12.0	1204	2.79	7.6	0.6	1.0	0.5	46	1.0	0.4	<0.1	65	0.76	0.058
874843	Soil	2.0	19.7	5.9	69	0.2	28.5	7.9	322	2.28	5.7	0.3	0.7	0.3	32	0.7	0.4	<0.1	62	0.44	0.056
874844	Soil	20.3	50.3	5.3	68	0.2	72.1	13.2	766	2.61	5.8	0.8	1.9	0.4	36	0.8	0.4	0.1	57	0.99	0.069
874845	Soil	2.2	43.6	2.3	122	<0.1	135.7	36.2	948	4.13	2.4	0.1	<0.5	0.2	22	0.5	0.3	<0.1	93	0.77	0.081
874870	Soil	1.2	14.4	5.1	38	<0.1	23.5	5.2	161	1.90	4.5	0.3	1.1	0.4	23	0.6	0.3	<0.1	61	0.24	0.026
874871	Soil	1.7	27.1	6.8	86	0.2	35.4	10.4	649	2.64	6.8	0.6	1.6	0.6	32	0.9	0.4	<0.1	66	0.45	0.047
874872	Soil	1.8	18.5	6.3	40	<0.1	20.8	3.2	103	1.52	2.8	0.2	<0.5	0.4	19	0.5	0.4	0.1	57	0.24	0.018
874873	Soil	2.3	22.9	6.0	61	0.1	30.5	5.8	182	2.06	4.8	0.3	0.8	0.4	29	1.0	0.4	0.1	68	0.36	0.027
874874	Soil	1.0	19.1	5.5	49	<0.1	40.1	6.3	267	2.01	4.2	0.2	1.0	0.3	25	1.0	0.4	0.1	55	0.37	0.048
874875	Soil	1.0	24.4	5.3	65	<0.1	37.0	8.8	418	2.39	5.8	0.4	1.2	0.8	40	0.4	0.4	<0.1	60	0.61	0.079



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 20, 2008

Page: 13 of 13 Part 2

CERTIFICATE OF ANALYSIS

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
874835	Soil	6	63	0.80	154	0.075	2	1.94	0.012	0.05	0.1	0.04	4.1	<0.1	<0.05	7	<0.5
874836	Soil	15	89	1.27	335	0.040	3	3.49	0.013	0.16	0.1	0.08	10.4	0.3	0.05	10	0.9
874837	Soil	12	70	0.99	196	0.050	2	2.76	0.013	0.08	<0.1	0.05	5.8	<0.1	<0.05	7	<0.5
874838	Soil	7	49	0.60	125	0.059	2	1.48	0.011	0.05	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5
874839	Soil	10	73	0.66	153	0.078	2	1.83	0.010	0.06	<0.1	0.06	4.4	<0.1	<0.05	6	<0.5
874840	Soil	6	51	0.52	124	0.050	1	1.36	0.011	0.05	<0.1	0.04	2.8	<0.1	<0.05	5	<0.5
874841	Soil	8	92	0.56	143	0.066	2	1.75	0.009	0.05	<0.1	0.04	3.0	<0.1	<0.05	6	<0.5
874842	Soil	9	49	0.70	172	0.038	2	1.65	0.015	0.06	<0.1	0.05	4.4	<0.1	<0.05	5	<0.5
874843	Soil	5	40	0.49	111	0.040	2	1.21	0.015	0.06	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5
874844	Soil	11	61	0.75	142	0.039	3	1.66	0.011	0.06	<0.1	0.05	3.9	<0.1	<0.05	4	<0.5
874845	Soil	2	271	2.15	177	0.253	2	2.55	0.009	0.64	<0.1	0.06	2.0	0.3	<0.05	7	<0.5
874870	Soil	5	36	0.38	67	0.051	2	1.11	0.013	0.04	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5
874871	Soil	9	45	0.64	141	0.044	2	1.64	0.018	0.05	0.1	0.02	4.5	0.1	<0.05	5	<0.5
874872	Soil	4	35	0.12	139	0.043	3	0.59	0.011	0.05	<0.1	0.03	1.7	<0.1	<0.05	4	<0.5
874873	Soil	5	46	0.31	124	0.052	2	0.98	0.011	0.06	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5
874874	Soil	4	59	0.31	143	0.053	2	0.84	0.010	0.04	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5
874875	Soil	8	46	0.59	109	0.059	2	1.23	0.015	0.05	<0.1	0.04	4.1	<0.1	<0.05	4	<0.5

QUALITY CONTROL REPORT

SMI08001014.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
13265	Soil	1.2	20.3	5.2	63	<0.1	38.8	11.6	641	1.96	1.9	0.2	<0.5	0.6	19	1.4	0.3	0.1	60	0.24	0.026
REP 13265	QC	1.3	20.7	5.4	60	<0.1	38.8	10.9	640	1.91	2.1	0.2	1.9	0.6	21	1.3	0.3	0.1	61	0.26	0.026
13292	Soil	5.7	58.1	11.1	134	0.1	122.7	24.3	687	3.91	38.3	0.9	0.6	2.8	38	1.3	2.9	0.6	99	0.50	0.048
REP 13292	QC	5.5	56.2	11.0	131	0.1	116.4	22.3	629	3.75	37.9	0.9	0.9	2.6	36	1.3	3.0	0.8	92	0.48	0.047
13505	Soil	6.2	48.6	4.3	232	0.1	84.0	55.7	1580	5.24	3.6	0.1	<0.5	0.4	23	0.6	0.2	0.1	133	0.43	0.049
REP 13505	QC	5.8	50.3	4.3	227	0.1	82.3	52.2	1587	5.30	3.6	0.1	0.8	0.4	24	0.6	0.2	0.1	129	0.44	0.049
13537	Soil	4.8	27.2	4.7	84	<0.1	61.3	15.4	615	3.17	4.9	0.6	1.5	1.2	38	0.3	0.4	<0.1	85	0.77	0.104
REP 13537	QC	4.6	28.0	4.9	87	<0.1	59.7	14.9	616	3.15	4.8	0.6	<0.5	1.1	39	0.3	0.4	<0.1	86	0.82	0.101
13542	Soil	1.7	29.0	7.9	65	<0.1	52.2	13.9	748	2.81	8.3	0.6	2.2	1.5	33	0.5	0.6	<0.1	69	0.59	0.073
REP 13542	QC	1.7	30.3	8.1	67	<0.1	53.1	14.5	745	2.76	8.9	0.6	3.2	1.5	34	0.5	0.7	0.1	73	0.60	0.072
13615	Soil	5.2	38.8	6.1	82	0.2	119.3	21.3	604	3.23	9.7	0.8	1.5	1.0	27	0.5	0.8	0.2	76	0.49	0.066
REP 13615	QC	5.5	37.5	5.9	82	0.1	117.3	21.3	605	3.21	10.3	0.8	2.1	0.8	29	0.6	0.8	0.2	77	0.49	0.069
13659	Soil	2.1	17.0	6.2	149	0.2	107.0	17.9	433	3.93	27.5	0.3	0.6	0.8	13	0.5	1.2	0.1	73	0.16	0.039
REP 13659	QC	2.0	17.8	6.3	151	0.2	110.9	18.7	444	3.92	28.3	0.3	0.7	0.8	12	0.5	1.2	0.1	74	0.15	0.041
13673	Soil	1.1	33.4	5.6	63	0.2	103.0	13.3	625	2.73	6.9	0.5	3.2	1.0	27	0.5	0.7	<0.1	62	0.58	0.042
REP 13673	QC	1.0	34.5	5.9	64	0.2	106.5	14.4	657	2.83	7.0	0.5	2.1	0.9	28	0.4	0.8	<0.1	64	0.60	0.046
25985	Soil	1.1	12.4	6.4	26	<0.1	17.2	2.9	86	1.41	3.5	0.3	1.7	0.3	19	0.4	0.3	<0.1	54	0.20	0.023
REP 25985	QC	1.2	12.6	6.8	25	<0.1	17.9	3.0	87	1.44	3.5	0.3	<0.5	0.3	19	0.4	0.3	0.1	54	0.21	0.024
27725	Soil	1.0	26.2	6.4	80	<0.1	26.1	10.0	522	2.61	6.4	0.4	0.6	0.8	28	0.3	0.4	<0.1	71	0.50	0.064
REP 27725	QC	1.0	26.0	6.4	84	<0.1	28.8	10.6	537	2.63	6.6	0.4	0.6	0.8	27	0.5	0.4	<0.1	72	0.49	0.063
27746	Soil	0.8	14.3	5.1	56	0.1	26.4	6.0	185	2.34	4.9	0.2	1.6	0.7	20	0.3	0.3	<0.1	67	0.24	0.069
REP 27746	QC	1.1	14.9	5.2	56	<0.1	26.6	6.1	185	2.36	4.8	0.2	<0.5	0.8	20	0.4	0.4	<0.1	66	0.24	0.073
874509	Soil	4.3	47.1	7.2	99	0.2	61.4	14.7	728	2.92	7.3	0.7	0.6	0.3	30	1.4	0.4	0.1	74	0.49	0.060
REP 874509	QC	4.5	49.3	7.9	110	0.3	64.1	15.2	776	3.09	7.7	0.8	0.9	0.3	32	1.6	0.4	0.1	78	0.48	0.062
874662	Soil	2.0	190.3	3.6	203	0.2	109.6	18.3	939	4.99	7.1	0.6	1.7	2.1	14	1.1	0.5	1.7	110	0.15	0.082
REP 874662	QC	2.0	186.8	3.7	209	0.2	109.6	18.2	905	4.81	7.7	0.6	1.7	2.1	13	1.1	0.6	1.6	105	0.15	0.077
874668	Soil	0.8	13.8	5.9	71	<0.1	27.1	9.6	629	1.91	3.7	0.3	2.5	0.5	24	0.4	0.3	<0.1	53	0.30	0.076
REP 874668	QC	0.8	13.8	5.9	71	<0.1	28.3	9.3	630	1.94	3.9	0.3	0.8	0.5	24	0.5	0.3	<0.1	54	0.30	0.075

QUALITY CONTROL REPORT

SMI08001014.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
Pulp Duplicates																	
13265	Soil	6	52	0.27	154	0.074	2	0.86	0.009	0.06	<0.1	0.01	2.6	<0.1	<0.05	4	0.8
REP 13265	QC	6	52	0.27	149	0.081	2	0.92	0.009	0.06	0.1	0.02	2.5	<0.1	<0.05	4	<0.5
13292	Soil	12	115	1.10	166	0.126	3	2.05	0.016	0.09	0.3	0.03	5.2	<0.1	<0.05	8	<0.5
REP 13292	QC	10	109	1.07	165	0.113	3	1.97	0.014	0.08	0.3	0.03	4.9	<0.1	<0.05	7	<0.5
13505	Soil	3	150	1.48	162	0.454	1	3.43	0.027	0.61	0.1	0.02	5.4	0.4	<0.05	12	<0.5
REP 13505	QC	3	150	1.51	162	0.456	1	3.38	0.027	0.61	0.1	0.02	5.4	0.4	<0.05	12	<0.5
13537	Soil	9	92	1.07	112	0.147	3	1.88	0.025	0.13	<0.1	0.03	5.0	0.1	<0.05	6	<0.5
REP 13537	QC	9	97	1.08	110	0.151	2	1.93	0.028	0.13	<0.1	0.03	5.0	0.1	<0.05	6	<0.5
13542	Soil	11	44	0.69	112	0.063	2	1.53	0.017	0.06	<0.1	0.03	5.9	<0.1	<0.05	4	<0.5
REP 13542	QC	11	43	0.67	111	0.067	2	1.53	0.014	0.06	<0.1	0.03	5.5	<0.1	<0.05	4	<0.5
13615	Soil	7	119	1.06	118	0.080	2	1.62	0.016	0.15	0.2	0.03	4.8	0.2	0.05	6	<0.5
REP 13615	QC	8	123	1.08	120	0.092	3	1.69	0.018	0.15	0.2	0.03	5.1	0.2	0.05	5	<0.5
13659	Soil	6	125	0.86	98	0.054	2	1.62	0.014	0.06	0.1	0.01	2.7	0.1	<0.05	7	<0.5
REP 13659	QC	6	126	0.85	97	0.053	2	1.61	0.009	0.06	<0.1	0.02	2.7	0.1	<0.05	6	<0.5
13673	Soil	8	67	0.80	113	0.053	4	1.47	0.019	0.06	<0.1	0.04	4.8	<0.1	<0.05	4	0.6
REP 13673	QC	8	70	0.83	121	0.051	3	1.49	0.012	0.06	<0.1	0.05	5.0	<0.1	<0.05	4	0.6
25985	Soil	4	34	0.21	73	0.057	1	0.85	0.011	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5
REP 25985	QC	4	35	0.21	76	0.059	1	0.86	0.011	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5
27725	Soil	7	40	0.48	112	0.077	1	1.41	0.012	0.06	<0.1	0.03	3.5	<0.1	<0.05	5	<0.5
REP 27725	QC	7	39	0.48	111	0.076	2	1.42	0.012	0.07	0.1	0.03	3.5	<0.1	<0.05	4	<0.5
27746	Soil	6	45	0.55	90	0.064	2	1.51	0.009	0.03	<0.1	0.01	3.3	<0.1	<0.05	5	<0.5
REP 27746	QC	6	46	0.55	86	0.061	1	1.52	0.015	0.04	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5
874509	Soil	9	55	0.59	167	0.044	2	1.87	0.012	0.07	<0.1	0.03	3.3	<0.1	<0.05	6	0.5
REP 874509	QC	10	59	0.63	172	0.043	2	2.00	0.013	0.09	0.1	0.04	3.5	<0.1	<0.05	7	0.6
874662	Soil	10	135	2.02	396	0.222	2	3.41	0.010	0.68	1.8	0.02	6.7	0.7	0.12	15	0.6
REP 874662	QC	10	130	1.94	394	0.216	2	3.23	0.009	0.64	1.3	0.02	6.6	0.7	0.10	15	0.5
874668	Soil	6	34	0.53	115	0.059	2	1.14	0.010	0.04	<0.1	0.03	2.5	<0.1	<0.05	4	<0.5
REP 874668	QC	5	34	0.53	115	0.058	1	1.11	0.009	0.04	<0.1	0.04	2.4	<0.1	<0.05	4	<0.5

QUALITY CONTROL REPORT

SMI08001014.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874695	Soil	1.8	7.4	5.1	65	0.1	29.2	9.5	797	1.51	1.1	0.2	<0.5	0.5	21	0.6	0.1	0.2	40	0.35	0.044
REP 874695	QC	1.8	8.5	5.7	68	0.1	29.2	9.5	799	1.51	0.8	0.2	<0.5	0.5	22	0.7	0.2	0.2	42	0.35	0.047
874809	Soil	4.1	26.1	7.9	65	<0.1	59.8	15.9	780	2.95	9.7	0.5	1.5	1.2	23	0.2	0.6	0.3	75	0.35	0.090
REP 874809	QC	4.2	25.5	7.9	64	<0.1	62.3	15.4	769	2.95	9.7	0.5	1.2	1.1	24	0.4	0.5	0.3	74	0.35	0.092
874839	Soil	13.5	49.9	6.2	65	0.2	56.1	12.8	411	2.98	5.5	0.6	0.9	0.6	28	0.5	0.3	0.1	77	0.57	0.037
REP 874839	QC	12.4	49.5	6.3	65	0.1	54.7	12.3	385	2.95	5.3	0.6	1.1	0.6	27	0.5	0.3	0.1	74	0.55	0.036
Reference Materials																					
STD DS7	Standard	22.0	111.8	72.0	417	0.8	57.1	9.9	648	2.46	54.5	5.6	86.6	4.7	78	6.7	6.2	4.9	90	1.05	0.079
STD DS7	Standard	19.2	110.7	67.2	404	0.8	57.7	9.4	613	2.33	51.6	5.1	66.6	4.7	76	6.0	6.0	4.4	85	0.98	0.080
STD DS7	Standard	21.7	110.9	68.3	405	0.8	57.5	9.5	662	2.44	52.1	5.2	77.7	5.1	85	6.4	6.0	4.5	92	1.10	0.083
STD DS7	Standard	19.7	107.8	65.3	399	0.8	55.6	9.5	637	2.39	51.2	4.8	60.8	4.5	73	6.5	5.9	4.5	80	1.01	0.081
STD DS7	Standard	21.6	118.5	69.7	426	0.9	60.3	10.3	654	2.51	55.0	4.7	80.6	4.2	69	6.5	5.6	4.4	93	1.00	0.076
STD DS7	Standard	22.2	104.8	72.6	397	0.9	59.3	9.4	583	2.25	46.9	5.1	77.5	4.2	65	5.8	5.7	4.1	90	0.87	0.071
STD DS7	Standard	20.5	113.6	67.3	418	0.9	56.4	9.4	634	2.43	54.4	4.7	72.4	4.2	78	6.1	5.6	4.3	86	0.98	0.077
STD DS7	Standard	18.2	98.0	63.9	376	0.8	50.9	7.9	579	2.23	50.4	4.4	58.8	4.0	71	6.1	5.4	3.8	80	0.92	0.075
STD DS7	Standard	19.9	109.0	69.5	405	0.8	55.9	9.6	628	2.38	52.5	5.0	60.9	4.5	73	6.5	6.1	4.6	86	0.95	0.082
STD DS7	Standard	19.3	109.5	67.5	392	0.8	55.3	9.8	610	2.36	51.3	5.0	64.7	4.4	65	6.6	5.8	4.6	87	0.95	0.082
STD DS7	Standard	18.7	105.0	67.1	393	0.8	53.6	9.1	574	2.26	53.7	4.8	65.5	4.2	66	6.6	5.9	4.8	79	0.88	0.082
STD DS7	Standard	19.7	105.8	71.8	402	0.8	54.5	9.6	603	2.31	56.8	5.2	65.3	4.4	75	6.6	6.7	5.2	84	0.90	0.081
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

SMI08001014.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
874695	Soil	5	38	0.34	111	0.059	1	0.75	0.009	0.07	0.2	0.01	1.7	<0.1	<0.05	4	<0.5
REP 874695	QC	5	40	0.35	117	0.061	1	0.78	0.009	0.08	0.2	0.01	1.7	<0.1	<0.05	4	<0.5
874809	Soil	8	64	0.82	108	0.076	1	1.47	0.013	0.10	0.4	0.04	4.0	0.1	<0.05	5	<0.5
REP 874809	QC	8	62	0.85	112	0.076	1	1.46	0.014	0.10	0.4	0.03	4.0	0.1	<0.05	5	<0.5
874839	Soil	10	73	0.66	153	0.078	2	1.83	0.010	0.06	<0.1	0.06	4.4	<0.1	<0.05	6	<0.5
REP 874839	QC	10	72	0.66	152	0.070	1	1.82	0.010	0.06	<0.1	0.04	4.4	<0.1	<0.05	6	<0.5
Reference Materials																	
STD DS7	Standard	14	188	1.10	386	0.121	44	1.09	0.095	0.46	4.3	0.20	2.9	4.4	0.20	5	4.8
STD DS7	Standard	14	175	1.02	371	0.114	38	1.03	0.088	0.42	4.4	0.21	2.7	4.0	0.18	5	3.5
STD DS7	Standard	15	202	1.13	394	0.139	45	1.15	0.098	0.45	4.1	0.20	2.7	4.4	0.17	6	3.6
STD DS7	Standard	13	187	1.03	353	0.113	41	1.02	0.086	0.44	3.8	0.19	2.3	4.1	0.18	5	3.7
STD DS7	Standard	13	197	1.08	399	0.120	39	1.04	0.090	0.44	4.0	0.19	2.6	4.5	0.22	5	3.6
STD DS7	Standard	12	176	1.01	348	0.123	37	0.91	0.078	0.42	4.0	0.19	2.2	4.1	0.20	4	3.2
STD DS7	Standard	14	173	1.02	402	0.119	42	1.08	0.097	0.46	4.1	0.18	2.7	4.4	0.25	5	4.1
STD DS7	Standard	13	162	0.99	384	0.111	36	0.97	0.093	0.44	4.1	0.20	2.3	4.0	0.22	4	3.9
STD DS7	Standard	13	178	1.02	377	0.112	38	0.98	0.087	0.46	4.0	0.19	2.7	4.4	0.20	5	3.4
STD DS7	Standard	12	176	1.04	375	0.109	39	0.97	0.089	0.44	4.1	0.21	2.5	4.2	0.19	4	3.6
STD DS7	Standard	12	156	1.00	384	0.100	40	0.92	0.078	0.41	3.9	0.20	2.3	4.3	0.17	4	3.1
STD DS7	Standard	12	163	1.01	364	0.115	42	0.94	0.087	0.42	4.2	0.19	2.7	4.2	0.18	5	3.8
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

QUALITY CONTROL REPORT

SMI08001014.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

SMI08001014.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Submitted By:

Eric Titley

Receiving Lab:

Canada-Smithers

Received:

October 04, 2008

Report Date:

October 21, 2008

Page:

1 of 3

CERTIFICATE OF ANALYSIS

SMI08001015.1

CLIENT JOB INFORMATION

Project: PolyMac
Shipment ID: Polymac 08-9
P.O. Number
Number of Samples: 32

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Amarc Resources
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	32	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	32	Dry at 60C		
1DX15	29	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

“**” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

SMI08001015.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
11744	Silt	45.9	69.4	4.7	94	0.2	85.3	18.9	841	3.14	5.0	0.8	<0.5	0.6	35	0.8	0.4	0.2	65	0.88	0.083
11745	Silt	72.0	81.2	5.3	113	0.4	108.0	18.4	2002	3.11	4.7	1.4	1.6	0.4	44	1.4	0.4	0.2	61	1.11	0.086
11746	Silt	13.9	56.6	5.2	89	0.1	96.0	21.4	957	3.34	7.3	0.6	1.1	0.8	31	0.5	0.4	<0.1	69	0.67	0.072
13525	Silt	14.2	210.1	8.2	108	1.7	291.6	26.9	871	4.59	101.0	1.1	8.4	0.9	37	0.7	8.3	0.5	86	1.18	0.075
13526	Silt	2.4	48.8	5.9	97	0.2	84.7	19.2	804	3.37	6.1	0.7	20.6	0.8	35	0.6	0.5	0.1	74	0.93	0.095
13527	Silt	2.8	57.3	6.2	99	0.2	83.6	17.5	795	3.39	7.2	0.8	0.9	0.7	40	0.5	0.5	0.1	76	0.95	0.097
13528	Silt	1.6	41.9	5.4	82	0.1	71.4	15.8	687	3.01	5.3	0.5	4.4	0.7	34	0.6	0.4	<0.1	68	0.89	0.078
13529	Silt	1.8	42.3	5.7	83	0.1	77.0	16.0	703	2.96	6.0	0.7	4.1	0.7	36	0.5	0.4	0.1	68	0.96	0.079
13530	Silt	3.9	42.5	6.0	88	0.1	88.1	18.7	870	3.27	7.4	0.6	1.4	0.8	34	0.6	0.4	0.1	73	0.86	0.076
13531	Silt	2.2	35.4	5.3	79	0.1	80.3	16.9	669	3.02	5.6	0.6	<0.5	0.7	34	0.5	0.4	<0.1	69	0.83	0.072
13532	Silt	2.0	34.6	5.0	76	<0.1	78.1	16.2	706	2.99	5.7	0.5	2.0	0.7	32	0.4	0.4	<0.1	69	0.76	0.069
13564	Silt	3.2	36.5	5.6	84	0.1	84.7	18.2	776	3.32	6.6	0.5	1.1	0.8	32	0.5	0.4	0.1	76	0.80	0.076
13565	Silt	3.2	36.9	5.6	83	0.1	83.1	17.1	795	3.11	6.7	0.5	1.5	0.7	34	0.5	0.4	0.1	70	0.83	0.074
13566	Silt	2.5	34.7	5.2	80	0.1	80.6	15.9	674	3.15	6.3	0.5	2.1	0.7	31	0.5	0.5	<0.1	73	0.76	0.070
13607	Silt	12.5	61.4	5.9	79	0.2	127.8	18.3	922	3.16	10.5	1.9	1.3	1.2	34	0.5	0.7	0.3	68	0.76	0.081
13612	Silt	9.6	49.8	5.4	75	0.2	111.5	17.6	838	3.33	10.2	1.3	0.8	1.3	30	0.4	0.7	0.3	78	0.65	0.081
13618	Silt	9.8	51.0	5.1	75	0.2	111.5	18.5	935	3.05	10.7	1.5	0.8	1.1	30	0.4	0.7	0.4	67	0.63	0.077
874850	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
874851	Silt	2.0	43.8	5.0	83	0.2	108.0	17.4	568	3.16	8.4	0.6	1.0	0.6	27	0.3	0.5	0.1	72	0.66	0.077
874852	Silt	1.7	36.9	5.1	78	0.1	101.8	16.5	659	2.93	7.0	0.6	1.3	0.6	27	0.4	0.4	0.1	69	0.69	0.072
874853	Silt	1.4	32.8	4.8	77	0.1	97.5	14.7	552	2.89	6.3	0.6	0.7	0.6	27	0.4	0.4	<0.1	69	0.67	0.065
874854	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
882211	Silt	16.3	64.4	3.7	139	0.2	119.5	27.3	1126	4.53	3.2	0.6	2.4	0.8	36	0.9	0.3	0.2	103	1.35	0.130
882212	Silt	10.2	77.3	3.7	105	0.2	117.8	25.8	884	3.92	3.0	0.5	0.6	0.5	30	0.9	0.3	0.1	87	1.30	0.088
882213	Silt	15.1	70.5	3.6	120	0.2	115.4	25.8	1498	4.16	3.7	0.5	0.7	0.6	28	0.8	0.2	0.1	85	1.24	0.089
882214	Silt	10.7	77.9	4.7	109	0.3	110.6	21.3	1062	3.71	4.7	0.6	1.4	0.4	31	0.9	0.3	0.1	77	1.22	0.080
882215	Silt	7.7	81.9	4.7	105	0.3	105.8	16.7	1035	3.11	5.0	0.8	1.5	0.3	44	0.9	0.5	0.1	63	1.69	0.102
882216	Silt	24.5	51.9	5.7	86	0.2	101.5	15.7	1495	2.82	5.8	0.8	25.7	0.6	35	1.0	0.5	0.1	64	0.78	0.078
882217	Silt	1.3	38.6	7.6	76	<0.1	44.5	14.8	789	2.99	8.0	0.5	<0.5	1.6	52	0.4	0.6	0.1	72	1.17	0.082
828939	Silt	2.0	47.9	7.2	81	0.2	114.0	15.4	1658	3.29	7.7	0.7	1.0	0.7	36	0.9	0.5	<0.1	64	1.26	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001015.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
			ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.05		
11744	Silt		9	104	1.13	175	0.061	2	2.07	0.026	0.14	0.1	0.05	4.7	0.1	<0.05	5	<0.5
11745	Silt		11	88	0.99	231	0.042	3	2.46	0.014	0.12	0.1	0.10	5.4	0.2	<0.05	6	<0.5
11746	Silt		8	119	0.95	139	0.068	2	1.85	0.012	0.12	<0.1	0.04	4.8	0.2	<0.05	5	<0.5
13525	Silt		24	233	1.11	220	0.064	3	3.02	0.025	0.38	0.3	0.09	14.0	0.6	<0.05	7	1.1
13526	Silt		11	103	1.19	162	0.088	3	2.15	0.022	0.12	0.2	0.05	5.5	0.1	<0.05	6	<0.5
13527	Silt		12	88	1.08	168	0.066	3	2.21	0.021	0.12	0.1	0.05	5.9	0.1	<0.05	6	0.6
13528	Silt		9	84	1.01	130	0.086	3	1.80	0.013	0.09	0.2	0.04	4.6	<0.1	<0.05	5	0.5
13529	Silt		10	77	0.95	138	0.066	3	1.77	0.015	0.09	0.3	0.05	4.8	<0.1	<0.05	5	0.7
13530	Silt		9	92	1.12	150	0.082	3	2.01	0.013	0.10	0.2	0.04	5.1	0.1	<0.05	5	<0.5
13531	Silt		8	84	1.00	125	0.080	3	1.74	0.013	0.08	0.4	0.04	4.6	<0.1	<0.05	5	<0.5
13532	Silt		7	80	1.00	126	0.086	3	1.68	0.014	0.09	0.2	0.03	4.7	<0.1	<0.05	5	<0.5
13564	Silt		8	96	1.09	131	0.096	3	1.87	0.018	0.09	0.3	0.03	4.8	<0.1	<0.05	5	<0.5
13565	Silt		8	87	1.04	138	0.082	3	1.81	0.015	0.09	0.3	0.04	4.4	<0.1	<0.05	5	<0.5
13566	Silt		7	89	0.98	122	0.077	3	1.63	0.013	0.08	0.3	0.03	4.3	<0.1	<0.05	5	<0.5
13607	Silt		13	98	1.04	166	0.071	3	1.83	0.025	0.14	0.2	0.04	5.2	0.2	<0.05	5	<0.5
13612	Silt		10	102	0.99	129	0.085	3	1.67	0.025	0.13	0.4	0.03	4.8	0.2	<0.05	5	<0.5
13618	Silt		10	92	1.01	140	0.075	3	1.69	0.026	0.13	0.3	0.03	4.5	0.2	<0.05	5	<0.5
874850	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
874851	Silt		7	106	1.05	134	0.072	2	1.94	0.015	0.14	0.1	0.04	5.0	0.1	<0.05	5	<0.5
874852	Silt		7	98	0.98	141	0.077	3	1.79	0.014	0.12	0.1	0.03	4.7	<0.1	<0.05	5	0.6
874853	Silt		7	93	0.95	132	0.081	3	1.76	0.019	0.12	0.2	0.05	4.5	<0.1	<0.05	5	0.6
874854	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
882211	Silt		11	201	1.70	227	0.163	3	3.04	0.044	0.32	0.2	0.06	7.2	0.3	<0.05	8	0.5
882212	Silt		9	155	1.61	222	0.163	2	2.71	0.021	0.29	0.2	0.05	5.4	0.3	<0.05	7	0.9
882213	Silt		9	144	1.51	213	0.141	2	2.56	0.017	0.25	0.2	0.07	5.7	0.2	<0.05	7	0.8
882214	Silt		11	123	1.31	208	0.091	3	2.58	0.014	0.15	<0.1	0.07	5.6	0.2	0.10	6	0.9
882215	Silt		13	86	0.98	241	0.044	4	2.55	0.012	0.13	0.2	0.09	4.4	0.2	0.14	5	1.5
882216	Silt		9	69	0.87	166	0.051	3	1.75	0.015	0.08	0.1	0.05	4.9	0.1	0.06	4	<0.5
882217	Silt		9	44	0.82	122	0.072	3	1.39	0.035	0.08	0.1	0.03	6.1	<0.1	<0.05	4	<0.5
828939	Silt		10	68	0.79	228	0.044	4	1.78	0.012	0.09	<0.1	0.06	5.8	0.1	0.13	4	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

3 of 3

Part 1

CERTIFICATE OF ANALYSIS

SMI08001015.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
828945	Silt	1.7	39.2	6.1	77	0.1	98.7	15.0	800	2.91	6.6	0.7	<0.5	0.6	31	0.5	0.4	0.1	64	0.83	0.060
828946	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

3 of 3

Part 2

CERTIFICATE OF ANALYSIS

SMI08001015.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
828945	Silt	8	79	0.86	158	0.071	3	1.74	0.014	0.11	0.1	0.06	4.8	0.1	0.06	4	0.7	
828946	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	

QUALITY CONTROL REPORT

SMI08001015.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
13528	Silt	1.6	41.9	5.4	82	0.1	71.4	15.8	687	3.01	5.3	0.5	4.4	0.7	34	0.6	0.4	<0.1	68	0.89	0.078
REP 13528	QC	1.6	40.7	5.1	78	0.1	70.2	16.0	668	2.94	5.3	0.5	0.8	0.7	33	0.6	0.4	<0.1	66	0.86	0.076
13530	Silt	3.9	42.5	6.0	88	0.1	88.1	18.7	870	3.27	7.4	0.6	1.4	0.8	34	0.6	0.4	0.1	73	0.86	0.076
REP 13530	QC	3.8	42.3	5.9	90	0.1	87.4	19.0	857	3.24	7.5	0.6	0.6	0.7	33	0.5	0.5	0.1	71	0.86	0.077
882214	Silt	10.7	77.9	4.7	109	0.3	110.6	21.3	1062	3.71	4.7	0.6	1.4	0.4	31	0.9	0.3	0.1	77	1.22	0.080
REP 882214	QC	11.0	78.0	4.8	108	0.2	119.2	23.2	1120	3.95	4.5	0.6	0.7	0.4	31	0.7	0.3	0.2	83	1.23	0.081
Reference Materials																					
STD DS7	Standard	19.9	109.0	69.5	405	0.8	55.9	9.6	628	2.38	52.5	5.0	60.9	4.5	73	6.5	6.1	4.6	86	0.95	0.082
STD DS7	Standard	17.4	109.8	69.5	385	0.8	52.5	9.1	583	2.26	50.1	5.3	67.2	4.4	68	6.5	6.0	5.0	83	0.85	0.080
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

SMI08001015.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
Pulp Duplicates																	
13528	Silt	9	84	1.01	130	0.086	3	1.80	0.013	0.09	0.2	0.04	4.6	<0.1	<0.05	5	0.5
REP 13528	QC	9	82	0.99	129	0.077	3	1.80	0.014	0.08	0.1	0.04	4.6	<0.1	<0.05	5	<0.5
13530	Silt	9	92	1.12	150	0.082	3	2.01	0.013	0.10	0.2	0.04	5.1	0.1	<0.05	5	<0.5
REP 13530	QC	9	91	1.11	153	0.076	3	1.94	0.013	0.10	0.1	0.03	4.9	0.1	<0.05	5	<0.5
882214	Silt	11	123	1.31	208	0.091	3	2.58	0.014	0.15	<0.1	0.07	5.6	0.2	0.10	6	0.9
REP 882214	QC	11	123	1.31	205	0.096	4	2.61	0.014	0.17	0.1	0.06	5.7	0.2	0.11	6	1.3
Reference Materials																	
STD DS7	Standard	13	178	1.02	377	0.112	38	0.98	0.087	0.46	4.0	0.19	2.7	4.4	0.20	5	3.4
STD DS7	Standard	12	159	1.00	333	0.111	40	0.93	0.083	0.40	3.8	0.19	2.6	4.2	0.22	4	2.9
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Smithers
Received: October 04, 2008
Report Date: October 21, 2008
Page: 1 of 12

CERTIFICATE OF ANALYSIS

SMI08001016.1

CLIENT JOB INFORMATION

Project: PolyMac
Shipment ID: polymac08-8
P.O. Number
Number of Samples: 312

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Amarc Resources
1020 - 800 W. Pender St.
Vancouver BC V6C 2V6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	312	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	312	Dry at 60C		
1DX15	311	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

2 of 12

Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
12886	Soil	1.3	37.6	7.6	91	0.1	42.2	12.4	707	2.97	7.9	0.8	0.9	0.9	38	0.6	0.5	0.1	70	0.69	0.062
12887	Soil	1.7	44.9	7.8	91	<0.1	45.2	12.6	723	3.06	9.5	0.6	1.4	1.5	47	0.5	0.8	0.1	73	0.65	0.080
12888	Soil	1.3	28.2	6.8	87	0.1	34.7	10.8	509	2.67	7.2	0.6	1.0	0.9	39	0.7	0.6	<0.1	65	0.62	0.055
12889	Soil	1.6	30.8	7.1	78	<0.1	35.1	11.1	523	2.69	8.0	0.6	0.9	1.0	35	0.6	0.5	<0.1	69	0.50	0.035
12890	Soil	1.1	42.9	7.3	77	<0.1	32.2	12.4	690	2.91	8.6	0.4	1.3	1.7	42	0.4	0.7	<0.1	70	0.49	0.085
12891	Soil	2.0	39.8	7.8	189	0.2	119.6	24.9	667	4.74	12.6	0.5	<0.5	1.0	21	0.9	0.7	0.1	98	0.30	0.300
13300	Soil	1.5	35.6	7.2	71	<0.1	59.6	15.1	657	3.06	9.1	0.5	1.2	1.4	29	0.1	0.9	<0.1	68	0.36	0.065
13301	Soil	1.6	23.6	7.4	82	<0.1	61.7	11.8	683	2.80	10.2	0.5	0.8	1.0	26	0.3	1.1	0.1	63	0.33	0.035
13302	Soil	1.6	38.1	6.6	81	<0.1	42.0	11.1	520	2.74	10.0	0.4	1.1	1.2	26	0.3	0.9	<0.1	73	0.34	0.052
13303	Soil	1.5	52.6	6.1	84	<0.1	54.7	12.3	368	3.26	9.5	0.5	1.3	1.2	17	0.3	0.8	<0.1	73	0.19	0.054
13304	Soil	1.7	28.0	6.7	79	<0.1	47.6	11.1	276	3.08	8.4	0.4	<0.5	1.1	17	0.3	0.7	<0.1	72	0.16	0.048
13305	Soil	1.2	19.1	6.2	72	<0.1	85.1	8.7	478	2.36	7.9	0.5	2.3	0.7	29	0.5	0.6	<0.1	58	0.41	0.044
13306	Soil	1.3	60.1	8.2	103	<0.1	262.0	24.2	801	4.14	14.0	0.6	1.8	1.8	40	0.4	1.1	0.1	80	0.72	0.075
13307	Soil	1.0	12.3	4.9	75	<0.1	58.8	7.1	346	2.11	4.9	0.3	0.7	0.9	25	0.4	0.4	<0.1	59	0.28	0.032
13308	Soil	1.0	14.2	5.6	62	<0.1	79.5	9.4	426	2.43	7.3	0.4	0.5	1.2	30	0.2	0.8	<0.1	64	0.34	0.056
13309	Soil	1.4	48.4	8.1	78	<0.1	124.4	15.7	643	3.51	11.7	0.7	0.9	1.8	38	0.1	1.4	0.1	74	0.48	0.078
13310	Soil	1.4	22.0	8.3	71	<0.1	77.6	13.5	629	2.84	10.9	0.4	1.4	1.0	32	0.5	0.8	<0.1	69	0.40	0.059
13311	Soil	1.1	12.7	6.1	50	<0.1	80.0	11.4	531	2.48	7.3	0.4	0.9	1.2	28	0.1	0.6	<0.1	63	0.27	0.024
13312	Soil	0.9	37.6	3.2	127	<0.1	136.4	37.4	672	6.30	1.2	0.1	0.7	0.6	9	0.2	<0.1	0.1	161	0.33	0.149
13313	Soil	1.5	15.3	7.1	57	<0.1	23.3	5.6	195	2.65	4.7	0.2	<0.5	0.6	18	0.3	0.4	0.1	92	0.26	0.030
13314	Soil	2.8	161.6	8.8	161	0.3	150.3	31.2	2567	5.15	9.9	0.9	0.8	1.0	30	2.2	0.6	0.2	122	1.20	0.073
13315	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
13316	Soil	5.3	21.3	16.0	102	0.2	20.3	7.4	226	4.26	13.9	0.4	<0.5	0.9	22	0.5	0.6	0.1	121	0.30	0.055
13317	Soil	4.2	20.7	6.8	74	<0.1	25.8	6.1	198	2.09	1.8	0.5	<0.5	0.5	15	0.9	0.3	0.1	82	0.22	0.039
13318	Soil	3.4	111.3	7.6	92	0.2	109.7	25.8	645	4.69	6.5	2.3	0.6	0.4	35	1.4	0.3	<0.1	128	1.65	0.053
13319	Soil	3.3	18.0	6.5	76	<0.1	33.1	7.9	239	2.75	7.1	0.3	0.5	0.7	25	0.5	0.4	<0.1	83	0.31	0.033
13320	Soil	1.3	18.6	5.9	54	0.1	28.0	6.0	179	2.35	5.1	0.3	0.7	0.5	20	0.6	0.4	<0.1	70	0.22	0.036
13321	Soil	2.0	16.7	7.3	68	<0.1	19.8	6.9	157	3.02	6.4	0.8	<0.5	0.6	44	0.7	0.4	<0.1	75	1.50	0.037
13322	Soil	1.5	35.7	8.0	51	0.2	29.1	9.8	296	3.64	12.9	0.4	1.0	1.0	26	0.5	0.4	<0.1	100	0.32	0.053
13323	Soil	2.2	21.8	8.1	83	0.1	31.7	7.2	244	3.46	9.1	0.3	0.8	0.8	17	0.7	0.5	0.3	104	0.17	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 2 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
12886	Soil	9	46	0.69	123	0.054	3	1.71	0.029	0.08	<0.1	0.02	5.9	<0.1	<0.05	5	<0.5
12887	Soil	11	45	0.73	135	0.073	4	1.55	0.043	0.09	<0.1	0.05	7.4	0.1	<0.05	5	<0.5
12888	Soil	8	42	0.66	128	0.067	2	1.54	0.033	0.08	0.1	0.03	5.4	<0.1	<0.05	5	<0.5
12889	Soil	8	43	0.62	130	0.060	2	1.49	0.031	0.08	<0.1	0.03	5.7	<0.1	<0.05	5	<0.5
12890	Soil	11	36	0.66	119	0.069	2	1.43	0.033	0.07	<0.1	0.04	7.3	<0.1	<0.05	4	<0.5
12891	Soil	5	114	1.04	160	0.080	3	2.96	0.011	0.09	0.2	0.04	4.9	<0.1	<0.05	8	<0.5
13300	Soil	9	70	0.93	100	0.096	3	1.55	0.062	0.11	<0.1	0.03	7.5	<0.1	<0.05	4	<0.5
13301	Soil	6	46	0.72	111	0.063	2	1.36	0.026	0.06	0.1	0.02	4.8	<0.1	<0.05	4	<0.5
13302	Soil	7	52	0.74	118	0.076	2	1.65	0.035	0.07	<0.1	0.02	5.0	<0.1	<0.05	4	<0.5
13303	Soil	6	58	0.82	120	0.052	2	2.10	0.026	0.08	<0.1	0.03	5.3	<0.1	<0.05	5	0.5
13304	Soil	6	57	0.66	99	0.060	2	1.92	0.033	0.06	<0.1	0.01	4.5	<0.1	<0.05	5	<0.5
13305	Soil	8	49	0.72	113	0.049	2	1.32	0.025	0.06	<0.1	0.03	4.1	<0.1	<0.05	4	<0.5
13306	Soil	11	142	1.82	197	0.055	5	2.21	0.036	0.13	<0.1	0.05	9.9	0.2	<0.05	6	<0.5
13307	Soil	6	50	0.75	107	0.068	2	1.19	0.045	0.06	<0.1	0.02	4.6	<0.1	<0.05	4	<0.5
13308	Soil	7	53	0.72	93	0.094	3	1.14	0.063	0.09	<0.1	0.02	6.7	<0.1	<0.05	4	<0.5
13309	Soil	13	108	1.27	161	0.079	3	1.95	0.039	0.11	0.1	0.05	8.4	0.1	<0.05	5	<0.5
13310	Soil	8	62	0.78	122	0.071	3	1.29	0.033	0.06	<0.1	0.03	4.4	<0.1	<0.05	4	<0.5
13311	Soil	6	61	0.79	88	0.104	2	1.20	0.061	0.05	<0.1	0.02	5.9	<0.1	<0.05	4	<0.5
13312	Soil	4	332	2.65	90	0.327	<1	3.95	0.018	0.21	<0.1	0.02	9.0	0.1	<0.05	15	<0.5
13313	Soil	4	45	0.39	69	0.109	1	1.12	0.019	0.05	<0.1	0.02	2.6	<0.1	<0.05	7	<0.5
13314	Soil	10	151	1.37	265	0.117	3	3.64	0.021	0.18	<0.1	0.04	8.5	0.2	<0.05	10	0.7
13315	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
13316	Soil	6	43	0.33	142	0.135	2	1.55	0.018	0.04	0.1	0.04	3.1	<0.1	<0.05	10	<0.5
13317	Soil	5	51	0.29	118	0.104	1	0.92	0.010	0.06	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5
13318	Soil	11	179	1.50	243	0.169	2	2.66	0.009	0.17	<0.1	0.04	8.3	<0.1	0.08	9	1.6
13319	Soil	5	38	0.47	85	0.074	2	1.40	0.013	0.06	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5
13320	Soil	5	39	0.38	102	0.064	1	1.15	0.016	0.04	<0.1	0.03	2.9	<0.1	<0.05	5	<0.5
13321	Soil	6	33	0.31	114	0.082	2	1.68	0.012	0.04	0.1	0.04	3.2	<0.1	0.07	5	0.7
13322	Soil	5	44	0.59	90	0.094	2	1.98	0.013	0.05	0.1	0.05	3.8	<0.1	<0.05	6	<0.5
13323	Soil	5	49	0.41	109	0.079	2	1.49	0.011	0.05	0.1	0.03	2.7	<0.1	0.06	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

3 of 12

Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13324	Soil	1.2	25.1	5.6	52	<0.1	27.8	8.8	299	1.97	3.9	0.4	1.5	0.5	37	0.3	0.3	0.1	65	0.44	0.030
13325	Soil	1.1	28.4	5.5	61	<0.1	32.5	7.4	255	2.57	6.3	0.3	1.2	0.7	26	0.3	0.6	0.1	76	0.36	0.034
13326	Soil	1.1	26.3	6.0	61	0.1	35.1	7.9	224	2.76	7.1	0.3	1.0	1.0	25	0.3	0.5	0.1	79	0.30	0.048
13327	Soil	1.1	12.4	5.7	44	<0.1	19.5	4.3	168	1.91	4.1	0.3	0.9	0.7	19	0.4	0.4	0.1	65	0.21	0.045
13328	Soil	1.2	36.1	5.8	74	0.2	50.6	10.0	538	2.65	5.5	0.7	0.9	0.8	50	0.8	0.4	0.1	62	0.77	0.047
13329	Soil	1.2	22.2	6.4	67	<0.1	28.7	10.5	343	2.68	6.3	0.4	1.9	0.8	29	0.5	0.5	0.1	68	0.35	0.066
13330	Soil	1.1	25.5	5.6	74	0.1	31.0	9.5	506	2.65	5.5	0.6	0.6	0.7	34	0.6	0.4	<0.1	65	0.45	0.059
13331	Soil	1.4	69.3	7.3	90	<0.1	85.3	14.1	590	3.20	10.8	0.7	1.8	1.4	32	0.4	0.7	0.1	75	0.54	0.093
13332	Soil	1.1	23.8	6.2	59	0.1	25.7	7.4	276	2.62	5.9	0.3	1.2	0.6	26	0.4	0.5	0.1	65	0.30	0.060
13333	Soil	1.6	39.0	5.2	74	0.1	107.3	15.0	593	2.84	8.4	0.9	1.2	1.0	32	0.4	0.4	<0.1	62	0.61	0.075
13424	Soil	0.6	19.6	5.9	43	<0.1	21.4	7.4	340	2.11	5.3	0.6	1.7	1.3	37	<0.1	0.3	0.2	59	0.52	0.079
13425	Soil	0.8	25.3	6.6	42	<0.1	26.8	8.5	478	2.34	6.1	0.6	1.7	1.3	40	0.1	0.3	0.1	64	0.56	0.077
13426	Soil	0.5	15.3	4.5	39	<0.1	15.1	6.8	400	1.74	4.0	0.4	0.9	0.9	27	0.1	0.2	<0.1	47	0.39	0.064
13427	Soil	0.5	14.7	5.1	34	<0.1	15.3	6.9	425	1.88	4.6	0.4	1.7	1.0	32	<0.1	0.2	<0.1	51	0.40	0.074
13428	Soil	0.8	21.3	4.6	49	<0.1	23.4	9.1	245	2.36	4.2	0.3	1.8	0.8	27	0.1	0.3	<0.1	68	0.39	0.059
13429	Soil	0.8	20.2	5.8	68	<0.1	22.4	9.2	291	2.61	6.2	0.4	2.0	1.0	27	0.2	0.3	<0.1	65	0.31	0.138
13430	Soil	0.7	25.8	5.2	46	<0.1	22.6	8.2	313	2.29	5.1	0.4	0.9	1.2	30	0.1	0.3	<0.1	61	0.37	0.070
13431	Soil	0.7	27.5	5.1	44	<0.1	28.1	8.2	309	2.36	5.7	0.4	1.2	1.2	28	<0.1	0.4	<0.1	61	0.36	0.061
13432	Soil	0.7	19.1	4.9	44	<0.1	25.2	7.5	306	2.12	5.4	0.4	0.8	1.1	28	0.1	0.3	<0.1	55	0.32	0.061
13433	Soil	0.7	17.1	4.7	45	<0.1	25.5	7.8	258	2.15	5.2	0.3	1.3	1.0	23	0.1	0.3	<0.1	57	0.29	0.063
13434	Soil	0.5	15.0	4.1	37	<0.1	30.6	7.9	254	1.75	3.7	0.4	1.3	1.0	30	<0.1	0.2	<0.1	47	0.40	0.042
13435	Soil	0.8	16.5	4.7	51	<0.1	29.4	8.3	328	1.95	5.1	0.3	0.7	0.8	23	0.1	0.3	<0.1	53	0.33	0.060
13436	Soil	0.8	26.6	5.0	51	<0.1	40.8	9.4	382	2.22	6.4	0.4	3.2	1.3	28	<0.1	0.3	<0.1	60	0.38	0.051
13437	Soil	0.8	16.9	4.7	54	<0.1	28.4	9.3	280	2.32	5.7	0.3	0.8	1.1	21	0.2	0.4	<0.1	61	0.25	0.069
13438	Soil	0.6	21.0	5.3	42	<0.1	22.5	8.2	376	2.27	6.1	0.4	3.0	1.3	25	0.1	0.4	<0.1	61	0.34	0.069
13439	Soil	0.6	24.2	5.6	46	<0.1	22.6	8.2	409	2.28	5.9	0.4	1.2	1.2	28	0.1	0.4	0.1	60	0.37	0.072
13440	Soil	0.7	31.5	6.2	45	<0.1	21.2	7.9	397	2.36	6.0	0.8	1.5	1.6	44	<0.1	0.5	<0.1	62	0.51	0.060
13441	Soil	0.7	19.0	5.4	42	<0.1	22.3	8.2	342	2.23	5.1	0.4	0.6	1.0	25	0.1	0.3	<0.1	58	0.34	0.046
13442	Soil	1.0	18.7	5.1	83	<0.1	45.7	10.6	300	2.59	6.5	0.4	0.6	1.1	19	0.3	0.4	<0.1	60	0.25	0.117
13443	Soil	2.4	80.1	9.4	237	0.4	153.2	37.2	702	4.19	17.7	0.4	1.0	1.2	32	0.7	1.1	0.6	110	0.66	0.111

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 3 of 12 Part 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
13324	Soil	9	38	0.52	128	0.068	1	1.57	0.023	0.03	0.1	0.02	3.9	<0.1	<0.05	5	<0.5
13325	Soil	5	45	0.53	74	0.069	2	1.14	0.023	0.04	<0.1	0.02	3.7	<0.1	<0.05	4	<0.5
13326	Soil	5	45	0.60	78	0.058	2	1.47	0.016	0.04	0.2	0.02	3.2	<0.1	<0.05	5	<0.5
13327	Soil	5	38	0.27	103	0.067	1	0.96	0.023	0.04	<0.1	0.01	2.8	<0.1	<0.05	5	<0.5
13328	Soil	13	50	0.79	144	0.038	2	1.85	0.025	0.07	<0.1	0.04	4.6	<0.1	<0.05	5	<0.5
13329	Soil	7	42	0.57	98	0.061	2	1.48	0.029	0.05	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5
13330	Soil	10	42	0.62	117	0.045	2	1.81	0.016	0.05	<0.1	0.02	4.1	<0.1	<0.05	5	<0.5
13331	Soil	10	65	0.79	146	0.060	3	2.09	0.015	0.09	0.1	0.03	5.4	0.1	<0.05	5	<0.5
13332	Soil	6	41	0.48	104	0.043	1	1.39	0.013	0.04	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5
13333	Soil	10	91	1.00	92	0.064	3	1.48	0.015	0.07	0.1	0.03	4.5	<0.1	<0.05	4	0.6
13424	Soil	9	28	0.56	121	0.077	2	1.36	0.034	0.06	<0.1	0.02	4.7	<0.1	<0.05	4	<0.5
13425	Soil	9	40	0.60	113	0.077	2	1.35	0.040	0.07	0.1	0.03	5.1	<0.1	<0.05	5	<0.5
13426	Soil	7	23	0.41	72	0.060	<1	0.92	0.015	0.05	<0.1	0.01	2.9	<0.1	<0.05	3	<0.5
13427	Soil	7	26	0.46	86	0.080	2	1.10	0.048	0.05	<0.1	0.01	4.3	<0.1	<0.05	4	<0.5
13428	Soil	5	33	0.44	106	0.074	1	1.43	0.010	0.03	0.1	0.01	2.6	<0.1	<0.05	5	<0.5
13429	Soil	6	31	0.43	119	0.060	1	1.63	0.009	0.05	0.1	0.03	3.2	<0.1	<0.05	6	<0.5
13430	Soil	8	32	0.46	128	0.077	2	1.52	0.027	0.05	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5
13431	Soil	7	35	0.48	136	0.076	2	1.60	0.022	0.05	<0.1	0.02	3.6	<0.1	<0.05	4	<0.5
13432	Soil	7	34	0.42	114	0.065	2	1.36	0.019	0.05	0.1	0.02	3.3	<0.1	<0.05	4	<0.5
13433	Soil	6	33	0.41	100	0.068	1	1.35	0.013	0.04	<0.1	0.02	3.0	<0.1	<0.05	4	<0.5
13434	Soil	7	44	0.48	98	0.078	1	1.14	0.022	0.04	0.1	0.01	3.0	<0.1	<0.05	4	<0.5
13435	Soil	7	43	0.44	97	0.069	2	1.31	0.015	0.05	0.1	0.01	3.0	<0.1	<0.05	4	<0.5
13436	Soil	8	48	0.61	149	0.078	1	1.52	0.021	0.04	<0.1	0.02	4.2	<0.1	<0.05	4	<0.5
13437	Soil	6	43	0.43	94	0.070	<1	1.48	0.014	0.04	<0.1	0.02	3.4	<0.1	<0.05	4	<0.5
13438	Soil	7	31	0.45	116	0.066	1	1.34	0.020	0.04	<0.1	0.02	3.2	<0.1	<0.05	4	<0.5
13439	Soil	9	31	0.44	118	0.073	2	1.45	0.015	0.05	<0.1	0.03	3.9	<0.1	<0.05	4	<0.5
13440	Soil	14	34	0.52	122	0.091	2	1.19	0.044	0.07	<0.1	0.04	8.1	<0.1	<0.05	4	<0.5
13441	Soil	7	30	0.41	108	0.056	1	1.20	0.013	0.04	0.1	0.02	3.2	<0.1	<0.05	4	<0.5
13442	Soil	5	44	0.55	114	0.053	1	1.80	0.011	0.05	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5
13443	Soil	8	196	1.86	272	0.242	2	3.03	0.019	0.47	0.3	0.02	6.4	0.3	<0.05	13	0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 4 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
13444	Soil	3.1	108.1	6.9	167	0.3	154.9	37.4	489	4.95	40.0	0.4	2.4	1.0	44	0.6	1.3	0.9	121	0.74	0.179
13445	Soil	8.0	99.0	8.0	129	0.3	176.4	37.5	564	5.24	44.9	0.6	7.8	1.2	45	0.5	1.0	0.5	124	0.68	0.138
13446	Soil	8.0	104.8	6.8	118	0.3	165.4	26.4	621	4.19	54.1	1.4	3.5	1.3	44	0.3	1.7	0.4	106	0.71	0.073
13447	Soil	2.2	52.3	8.2	53	0.1	98.3	19.8	809	3.34	17.5	0.5	1.3	1.6	29	0.3	1.8	0.3	85	0.41	0.060
13448	Soil	11.6	81.4	7.2	80	0.1	104.2	23.9	758	3.74	17.9	1.9	4.6	2.1	41	0.3	2.4	0.4	98	0.67	0.064
13449	Soil	9.4	118.4	9.3	157	0.5	136.1	18.6	883	3.51	10.5	4.8	2.0	1.7	30	1.5	2.3	0.4	76	0.42	0.091
13450	Soil	3.4	87.2	7.9	131	0.4	124.8	29.0	741	4.16	34.0	0.4	2.8	1.4	30	0.8	1.1	0.4	108	0.51	0.130
13451	Soil	4.1	42.3	5.0	53	0.1	34.3	7.0	211	2.03	3.9	0.4	1.2	1.1	18	0.3	0.4	0.7	55	0.24	0.040
13452	Soil	31.5	165.0	7.6	91	0.3	86.7	17.5	543	3.35	15.6	6.3	2.3	2.8	40	0.5	2.3	0.6	81	0.48	0.034
13453	Soil	6.7	39.2	5.5	93	0.1	73.8	15.2	370	3.06	12.9	0.9	0.5	1.0	28	0.5	0.8	0.2	77	0.30	0.043
13454	Soil	8.8	104.5	6.8	166	0.3	138.6	31.8	582	5.33	26.0	1.0	0.9	1.3	33	0.5	0.8	0.5	136	0.54	0.113
13455	Soil	4.9	91.6	8.5	125	0.5	147.9	35.4	513	4.72	33.0	0.5	1.2	1.3	29	0.5	0.9	0.5	121	0.41	0.073
13456	Soil	5.8	50.0	6.7	54	<0.1	73.9	14.2	484	2.75	18.8	0.5	3.3	1.3	29	0.3	1.0	0.2	70	0.40	0.062
13457	Soil	14.0	100.9	5.8	76	0.3	175.9	26.4	595	4.18	33.4	1.2	1.7	2.0	45	0.4	0.6	0.6	115	0.80	0.037
13458	Soil	13.0	40.2	6.5	178	0.3	74.4	27.7	642	3.52	11.5	0.7	<0.5	0.9	45	0.8	0.6	0.5	91	0.79	0.056
13459	Soil	8.4	70.8	8.2	112	0.2	129.0	31.7	570	4.74	38.1	0.4	0.8	1.1	27	0.4	0.9	0.5	118	0.43	0.082
13460	Soil	2.7	36.7	6.6	160	0.2	93.7	25.1	395	4.09	24.5	0.2	5.0	1.0	16	0.6	0.6	0.5	118	0.26	0.069
13461	Soil	12.2	143.0	9.4	122	1.1	531.6	25.0	2429	5.52	29.8	3.7	2.3	2.1	40	2.8	3.6	0.7	98	1.06	0.063
13462	Soil	6.7	82.3	9.0	117	0.3	123.1	25.4	496	3.98	31.6	0.8	0.8	1.1	31	0.6	1.4	0.5	114	0.56	0.055
13463	Soil	5.0	119.8	5.0	87	0.6	121.2	18.7	519	3.53	21.5	2.6	1.8	1.2	37	0.4	0.7	0.4	100	0.72	0.040
13464	Soil	5.8	108.3	8.1	87	0.5	101.1	19.2	707	3.07	20.7	2.3	1.1	0.8	42	1.0	0.7	0.6	85	0.85	0.052
13465	Soil	7.4	46.2	5.0	76	0.3	71.7	14.5	398	2.71	13.6	1.3	4.3	1.0	28	0.4	0.5	0.2	68	0.45	0.034
13466	Soil	7.5	65.2	5.0	54	0.4	82.1	13.1	499	2.55	18.4	1.3	0.9	0.7	35	0.7	0.9	0.3	62	0.61	0.042
13467	Soil	5.1	93.0	8.0	75	0.2	99.2	22.5	709	3.81	37.6	1.1	2.5	2.0	31	0.3	1.4	0.5	110	0.61	0.069
13468	Soil	3.5	21.7	4.4	37	<0.1	49.1	9.2	196	2.37	12.5	0.3	1.4	0.7	21	0.1	0.5	0.2	62	0.26	0.024
13469	Soil	2.5	14.6	5.5	49	<0.1	26.3	8.1	316	1.87	3.9	0.3	<0.5	0.5	23	0.5	0.2	0.2	53	0.28	0.035
13470	Soil	1.4	13.1	4.5	54	<0.1	27.2	6.5	260	1.72	4.7	0.3	<0.5	0.5	24	0.2	0.2	0.2	47	0.33	0.046
13471	Soil	1.4	15.5	4.5	46	<0.1	24.8	6.7	244	1.94	4.5	0.3	1.0	0.6	21	0.2	0.4	0.3	55	0.25	0.040
13472	Soil	1.6	14.8	4.3	62	<0.1	25.6	6.5	151	1.86	4.0	0.3	0.8	0.7	16	0.2	0.4	0.2	49	0.21	0.053
13473	Soil	2.3	25.3	4.9	56	<0.1	36.7	8.3	270	2.33	8.0	0.4	0.8	0.6	25	0.2	1.6	0.5	60	0.39	0.087

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 4 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.05	
13444	Soil	6	197	1.60	193	0.181	3	3.07	0.014	0.28	1.7	0.03	6.2	0.2	<0.05	10	<0.5
13445	Soil	6	151	1.72	179	0.133	2	3.59	0.025	0.25	0.2	0.04	6.1	0.2	<0.05	9	<0.5
13446	Soil	9	187	1.53	252	0.152	4	2.93	0.017	0.25	0.2	0.02	6.1	0.2	<0.05	8	<0.5
13447	Soil	10	99	0.88	119	0.083	2	1.30	0.020	0.19	0.3	0.02	5.0	0.2	<0.05	4	<0.5
13448	Soil	12	128	1.41	192	0.159	2	2.29	0.044	0.23	0.2	0.02	7.5	0.3	<0.05	7	<0.5
13449	Soil	20	101	0.85	198	0.058	1	2.28	0.013	0.14	0.2	0.03	6.2	0.1	<0.05	6	<0.5
13450	Soil	7	174	1.68	265	0.162	2	2.76	0.021	0.47	0.2	0.03	6.3	0.4	<0.05	8	<0.5
13451	Soil	6	38	0.41	83	0.070	1	1.25	0.010	0.07	0.2	0.01	2.5	<0.1	<0.05	4	<0.5
13452	Soil	14	115	1.08	181	0.094	2	2.02	0.024	0.13	0.2	0.03	6.6	0.1	<0.05	6	<0.5
13453	Soil	5	86	0.80	125	0.075	1	1.67	0.010	0.06	0.1	0.02	3.6	<0.1	<0.05	5	<0.5
13454	Soil	7	222	2.22	253	0.208	2	3.80	0.016	0.38	0.2	0.02	8.1	0.3	<0.05	11	0.5
13455	Soil	6	215	1.75	188	0.186	1	3.36	0.025	0.23	0.2	0.03	5.9	0.3	<0.05	9	<0.5
13456	Soil	7	74	0.80	108	0.068	1	1.50	0.015	0.09	0.1	0.02	4.1	0.1	<0.05	4	<0.5
13457	Soil	10	144	1.50	207	0.184	2	2.93	0.068	0.15	0.2	0.04	9.5	0.2	<0.05	9	<0.5
13458	Soil	6	236	1.56	205	0.195	2	2.60	0.049	0.17	0.2	0.03	6.1	0.2	<0.05	10	<0.5
13459	Soil	5	149	1.40	179	0.151	2	3.11	0.015	0.17	0.3	0.02	6.2	0.1	<0.05	9	<0.5
13460	Soil	5	150	1.39	136	0.188	<1	2.67	0.014	0.21	0.4	0.02	6.4	0.2	<0.05	10	<0.5
13461	Soil	17	125	1.28	275	0.120	3	3.03	0.068	0.21	0.3	0.06	14.6	0.6	<0.05	8	0.9
13462	Soil	6	142	1.61	247	0.192	1	2.73	0.031	0.46	0.3	0.03	7.6	0.3	<0.05	8	<0.5
13463	Soil	11	112	1.26	226	0.161	1	2.20	0.043	0.19	0.1	0.05	8.6	0.3	<0.05	7	0.8
13464	Soil	9	102	1.06	194	0.118	1	1.95	0.036	0.10	0.7	0.04	5.6	0.2	<0.05	6	0.5
13465	Soil	7	83	0.76	134	0.085	1	1.49	0.016	0.05	0.2	0.02	3.9	0.1	<0.05	5	<0.5
13466	Soil	9	81	0.83	143	0.063	2	1.39	0.014	0.06	0.2	0.04	4.1	0.1	<0.05	4	<0.5
13467	Soil	15	136	1.57	214	0.163	1	2.40	0.044	0.33	2.0	0.04	10.4	0.4	<0.05	7	<0.5
13468	Soil	6	70	0.58	76	0.069	<1	1.27	0.010	0.03	0.2	0.02	2.9	<0.1	<0.05	4	<0.5
13469	Soil	7	40	0.32	125	0.049	1	0.99	0.012	0.04	0.1	0.02	2.4	<0.1	<0.05	4	<0.5
13470	Soil	5	38	0.40	90	0.055	<1	1.17	0.010	0.04	0.1	0.04	2.3	<0.1	<0.05	4	<0.5
13471	Soil	7	41	0.39	87	0.056	1	1.29	0.010	0.03	0.2	0.02	2.6	<0.1	<0.05	5	<0.5
13472	Soil	5	34	0.36	101	0.044	<1	1.45	0.012	0.03	0.2	0.03	2.5	<0.1	<0.05	5	<0.5
13473	Soil	7	39	0.48	119	0.042	<1	1.54	0.014	0.03	0.7	0.03	3.3	<0.1	<0.05	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

5 of 12

Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
13676	Soil	50.5	43.7	3.3	94	0.2	138.2	26.8	577	3.99	2.7	0.5	<0.5	0.5	34	0.7	0.1	0.4	98	0.91	0.052
13677	Soil	62.0	32.4	5.8	75	<0.1	59.4	11.9	384	3.11	5.4	0.3	<0.5	0.6	16	0.3	0.4	0.2	79	0.21	0.039
13678	Soil	101.3	114.2	5.1	121	0.3	93.4	17.2	708	3.49	6.2	1.2	0.9	0.5	35	0.8	0.4	0.3	73	0.73	0.096
13679	Soil	14.3	16.8	5.6	59	<0.1	31.5	7.2	216	2.73	6.2	0.3	0.9	0.6	16	0.4	0.4	0.1	76	0.21	0.042
13680	Soil	14.8	16.6	5.6	44	<0.1	19.9	4.7	164	2.35	6.9	0.2	1.3	0.4	15	0.3	0.5	0.1	85	0.13	0.051
13681	Soil	49.9	62.5	6.0	97	0.3	84.2	15.4	731	3.11	6.3	0.9	2.0	0.3	43	0.8	0.5	0.2	63	1.07	0.105
13682	Soil	148.8	62.9	6.0	92	0.2	99.8	20.1	948	3.58	6.9	1.3	1.5	0.7	32	0.4	0.4	0.2	74	0.63	0.074
13683	Soil	68.7	87.6	5.4	104	0.2	92.6	18.1	941	3.39	6.5	1.2	1.4	0.3	39	0.7	0.4	0.2	67	0.88	0.088
13684	Soil	1.8	17.1	4.8	65	0.1	36.7	8.2	256	2.53	4.9	0.4	2.4	0.5	23	0.4	0.4	<0.1	67	0.39	0.032
13685	Soil	13.4	11.9	5.9	43	<0.1	20.9	4.8	158	2.54	6.7	0.3	1.2	0.6	17	0.3	0.4	<0.1	76	0.17	0.023
13686	Soil	16.9	20.5	5.7	66	<0.1	43.9	9.4	292	2.95	5.8	0.3	1.1	0.6	17	0.3	0.3	0.2	84	0.23	0.032
13687	Soil	8.5	16.2	6.4	52	<0.1	27.4	6.8	206	2.51	8.5	0.3	0.6	0.7	22	0.3	0.4	<0.1	67	0.22	0.032
13688	Soil	3.6	11.4	6.5	49	<0.1	20.2	5.2	165	2.41	7.4	0.2	6.8	0.7	17	0.4	0.4	0.1	84	0.18	0.048
13689	Soil	21.6	78.1	13.7	146	0.5	60.8	17.1	824	4.85	15.4	0.5	1.1	0.8	23	1.1	0.7	0.3	130	0.24	0.051
13690	Soil	3.0	12.1	6.6	36	<0.1	21.2	4.6	141	2.08	5.9	0.3	1.9	0.6	18	0.3	0.4	0.1	82	0.17	0.018
13691	Soil	1.6	52.0	7.5	61	<0.1	40.9	13.5	656	2.85	9.6	0.4	131.1	1.3	38	0.3	0.5	<0.1	77	0.59	0.103
13692	Soil	2.0	51.9	6.0	59	0.2	50.3	9.7	414	2.55	8.1	0.7	1.6	0.5	35	0.5	0.4	0.1	66	0.77	0.041
13693	Soil	4.8	20.3	7.1	66	<0.1	33.2	7.3	268	3.28	9.2	0.3	0.8	0.5	16	0.7	0.6	0.1	89	0.17	0.042
13694	Soil	3.3	27.1	6.7	72	<0.1	29.4	8.5	294	3.34	9.6	0.4	1.4	0.8	26	0.8	0.6	<0.1	87	0.34	0.077
13695	Soil	2.6	11.0	5.9	37	<0.1	13.3	3.5	127	1.69	5.6	0.2	2.0	0.7	19	0.6	0.4	<0.1	65	0.16	0.029
13696	Soil	2.5	23.2	6.2	62	<0.1	23.4	5.8	217	2.32	6.9	0.3	<0.5	0.3	24	0.6	0.4	<0.1	69	0.21	0.029
13697	Soil	2.9	37.7	7.1	76	0.1	59.6	11.8	509	2.82	18.3	1.5	1.6	0.7	53	0.7	0.5	0.1	64	0.97	0.062
13698	Soil	2.0	20.6	6.2	67	<0.1	27.0	8.4	304	2.64	8.1	0.3	<0.5	0.6	27	1.0	0.5	<0.1	72	0.28	0.041
13699	Soil	3.0	10.8	4.9	38	<0.1	24.7	5.4	209	2.04	5.4	0.2	<0.5	0.4	17	0.5	0.4	0.1	68	0.21	0.032
13700	Soil	23.8	33.3	6.6	77	<0.1	60.1	13.3	359	3.51	9.2	0.5	0.9	0.9	26	0.5	0.4	0.1	77	0.27	0.044
13701	Soil	1.3	26.0	6.0	70	<0.1	45.1	11.7	558	2.80	8.4	0.5	2.0	1.0	38	0.4	0.5	<0.1	67	0.55	0.069
13702	Soil	2.3	13.9	6.2	67	<0.1	49.6	10.7	265	3.67	8.1	0.2	1.0	0.8	12	0.2	0.4	0.1	98	0.15	0.087
14213	Soil	0.7	24.7	5.9	53	<0.1	42.3	9.9	477	2.41	6.8	0.5	5.0	1.2	31	<0.1	0.4	0.2	64	0.37	0.057
14214	Soil	0.8	24.6	6.2	65	<0.1	45.9	12.1	533	2.45	10.1	0.4	0.5	1.2	35	0.2	0.3	0.2	71	0.42	0.050
14215	Soil	2.7	83.1	7.5	171	0.2	161.5	38.6	765	4.24	30.6	0.4	0.8	1.1	32	0.7	0.9	0.6	108	0.63	0.086



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 5 of 12 Part 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	0.5	
13676	Soil	5	401	2.61	141	0.195	1	3.54	0.064	0.25	0.2	0.05	3.8	0.2	<0.05	9	<0.5
13677	Soil	4	86	0.86	111	0.113	2	1.74	0.011	0.05	0.1	0.04	3.3	<0.1	<0.05	6	<0.5
13678	Soil	9	109	1.18	159	0.060	1	2.45	0.016	0.13	0.1	0.05	5.6	0.2	<0.05	6	0.6
13679	Soil	4	53	0.50	97	0.084	<1	1.13	0.010	0.03	0.1	0.03	2.5	<0.1	<0.05	6	<0.5
13680	Soil	4	37	0.28	62	0.060	1	1.06	0.011	0.03	0.1	0.03	2.3	<0.1	<0.05	7	<0.5
13681	Soil	11	89	1.06	180	0.039	2	2.29	0.014	0.10	0.2	0.08	4.5	0.1	<0.05	5	0.7
13682	Soil	9	108	1.20	158	0.068	1	2.28	0.013	0.12	0.1	0.06	6.0	0.1	<0.05	6	0.8
13683	Soil	10	100	1.18	183	0.049	3	2.21	0.015	0.10	0.1	0.07	4.8	0.2	<0.05	5	0.7
13684	Soil	6	49	0.66	112	0.050	1	1.40	0.009	0.04	<0.1	0.03	3.0	<0.1	<0.05	5	<0.5
13685	Soil	4	38	0.37	72	0.075	<1	1.07	0.009	0.03	0.1	0.04	2.3	<0.1	<0.05	5	<0.5
13686	Soil	4	86	0.85	107	0.142	<1	1.68	0.011	0.05	<0.1	0.03	3.6	<0.1	<0.05	8	<0.5
13687	Soil	4	45	0.53	86	0.063	<1	1.44	0.013	0.04	0.1	0.03	2.9	<0.1	<0.05	5	<0.5
13688	Soil	4	41	0.36	86	0.080	2	1.04	0.017	0.04	0.1	0.02	2.1	<0.1	<0.05	6	<0.5
13689	Soil	8	83	0.71	244	0.093	3	1.97	0.009	0.10	0.1	0.01	4.6	0.1	<0.05	11	<0.5
13690	Soil	4	49	0.29	64	0.105	<1	0.87	0.011	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
13691	Soil	7	47	0.77	102	0.071	2	1.40	0.015	0.09	0.1	0.11	4.4	<0.1	<0.05	4	<0.5
13692	Soil	9	50	0.61	135	0.033	1	1.72	0.012	0.06	<0.1	0.03	4.1	<0.1	<0.05	5	<0.5
13693	Soil	4	51	0.47	102	0.084	2	1.50	0.009	0.05	0.1	0.03	2.8	<0.1	<0.05	6	<0.5
13694	Soil	5	43	0.60	102	0.068	2	1.84	0.014	0.04	0.1	0.02	3.6	<0.1	<0.05	5	<0.5
13695	Soil	5	30	0.24	107	0.065	1	0.78	0.015	0.03	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5
13696	Soil	6	38	0.43	120	0.045	1	1.33	0.014	0.04	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
13697	Soil	15	56	0.70	185	0.031	1	2.11	0.014	0.07	<0.1	0.06	5.6	<0.1	<0.05	5	0.7
13698	Soil	6	39	0.47	107	0.059	2	1.29	0.019	0.05	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5
13699	Soil	4	49	0.31	77	0.072	<1	0.89	0.011	0.04	<0.1	0.01	2.3	<0.1	<0.05	5	<0.5
13700	Soil	5	68	0.75	135	0.062	1	2.21	0.011	0.07	0.1	0.04	4.5	<0.1	<0.05	6	<0.5
13701	Soil	8	48	0.65	116	0.057	1	1.41	0.027	0.06	<0.1	0.02	4.9	<0.1	<0.05	4	<0.5
13702	Soil	4	92	0.65	66	0.117	<1	1.63	0.008	0.04	0.1	0.02	2.6	<0.1	<0.05	8	<0.5
14213	Soil	9	34	0.55	92	0.073	2	1.40	0.029	0.06	0.1	0.02	4.7	<0.1	<0.05	4	<0.5
14214	Soil	8	57	0.73	107	0.112	2	1.43	0.022	0.09	0.2	0.02	4.7	<0.1	<0.05	5	<0.5
14215	Soil	6	156	1.49	247	0.197	2	2.64	0.027	0.36	0.4	0.03	6.3	0.3	0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 6 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	Unit	MDL	1DX15 Mo ppm	1DX15 Cu ppm	1DX15 Pb ppm	1DX15 Zn ppm	1DX15 Ag ppm	1DX15 Ni ppm	1DX15 Co ppm	1DX15 Mn ppm	1DX15 Fe %	1DX15 As ppm	1DX15 U ppm	1DX15 Au ppb	1DX15 Th ppm	1DX15 Sr ppm	1DX15 Cd ppm	1DX15 Sb ppm	1DX15 Bi ppm	1DX15 V ppm	1DX15 Ca %	1DX15 P %
14216	Soil		2.8	73.8	7.1	129	0.1	166.0	31.7	916	4.41	42.7	0.6	1.7	1.1	28	0.5	1.1	0.6	119	0.57	0.085
14217	Soil		4.3	118.3	4.2	110	0.1	138.3	33.5	944	6.19	63.4	0.4	1.1	1.3	13	0.1	1.0	0.5	164	0.37	0.085
25629	Soil		2.0	51.2	9.0	99	0.1	149.0	22.4	1058	4.03	19.5	0.7	2.3	1.6	42	0.6	1.3	0.1	84	0.97	0.098
25630	Soil		1.7	43.9	7.1	81	<0.1	125.0	19.3	739	3.43	15.1	0.5	1.5	1.3	65	0.5	1.2	<0.1	69	2.07	0.083
25631	Soil		1.8	51.9	7.2	91	<0.1	127.2	21.4	831	3.72	14.0	0.5	2.6	1.5	57	0.6	1.2	<0.1	78	1.94	0.076
25632	Soil		2.8	53.3	8.7	118	<0.1	85.8	15.7	777	3.85	16.4	0.5	2.5	1.9	41	0.5	1.5	0.1	75	0.52	0.082
25633	Soil		2.8	54.7	9.8	122	<0.1	85.9	18.3	906	3.89	15.5	0.6	1.9	1.9	44	0.6	1.5	0.1	79	0.55	0.079
25634	Soil		2.4	26.1	6.9	80	<0.1	40.4	10.8	540	2.93	11.2	0.5	2.4	1.4	32	0.3	1.0	<0.1	67	0.35	0.064
25635	Soil		1.2	30.3	6.3	73	<0.1	44.2	9.7	484	2.87	10.6	0.5	3.0	1.5	34	0.3	0.7	<0.1	67	0.41	0.070
25636	Soil		3.1	53.5	9.6	141	<0.1	66.6	18.0	915	3.88	16.5	0.5	1.7	2.1	48	0.6	1.7	0.1	79	0.61	0.081
25637	Soil		2.0	19.6	6.7	86	<0.1	40.3	9.6	507	2.63	10.1	0.5	0.8	1.2	29	0.4	0.8	<0.1	65	0.41	0.052
25638	Soil		2.2	31.3	6.6	108	0.2	50.9	11.9	624	3.16	11.1	0.6	0.8	1.2	31	1.0	1.0	<0.1	72	0.55	0.032
25639	Soil		1.8	44.4	7.3	88	0.2	66.8	13.0	634	3.19	12.2	0.6	1.3	1.1	31	0.8	0.9	0.1	74	0.54	0.048
25640	Soil		2.2	35.4	8.2	117	0.1	49.8	14.1	924	2.77	11.9	0.5	1.3	0.9	38	1.1	1.0	0.1	60	0.65	0.075
25641	Soil		2.2	25.9	6.4	85	<0.1	40.3	10.5	514	2.76	10.4	0.5	1.3	1.1	25	0.4	0.9	<0.1	65	0.38	0.043
25642	Soil		1.9	34.3	6.5	77	<0.1	46.5	10.6	577	2.85	10.0	0.5	3.8	1.3	24	0.2	0.9	0.1	66	0.43	0.058
25643	Soil		2.0	26.9	5.9	84	<0.1	42.6	11.7	492	2.83	8.9	0.4	3.2	1.3	24	0.3	0.8	<0.1	69	0.40	0.046
25686	Soil		0.7	14.6	4.6	58	<0.1	23.8	8.3	285	1.99	4.3	0.3	1.1	0.8	28	0.1	0.2	0.1	56	0.39	0.058
25687	Soil		0.7	23.8	6.0	50	<0.1	54.6	10.4	583	2.33	5.0	0.5	10.7	1.2	35	0.2	0.3	0.2	60	0.50	0.053
25688	Soil		0.7	19.6	4.8	41	<0.1	43.1	8.9	443	2.22	4.7	0.4	<0.5	1.2	33	0.1	0.3	0.2	62	0.43	0.057
25689	Soil		0.9	19.6	5.5	44	<0.1	40.0	9.1	486	2.26	5.4	0.4	2.9	1.1	51	<0.1	0.3	0.2	59	0.42	0.058
25690	Soil		0.9	35.3	7.0	60	<0.1	80.3	14.9	741	3.01	8.2	0.5	2.1	1.5	34	<0.1	0.4	0.4	74	0.53	0.065
25691	Soil		0.8	14.2	4.7	56	<0.1	33.7	8.2	336	2.50	5.8	0.3	0.6	0.8	32	0.2	0.3	0.1	66	0.60	0.115
25692	Soil		0.6	17.5	4.5	39	<0.1	25.4	8.2	303	2.35	5.1	0.4	3.0	0.9	26	<0.1	0.3	<0.1	68	0.34	0.034
25715	Soil		2.3	44.4	6.9	101	0.3	69.4	13.4	779	3.31	10.5	0.7	1.2	1.4	30	0.5	0.9	<0.1	66	0.67	0.062
25716	Soil		3.1	55.2	7.8	93	0.3	65.6	14.0	547	3.34	10.1	1.1	2.8	2.3	32	0.4	0.8	0.1	62	0.50	0.055
25717	Soil		1.6	17.8	5.7	107	0.3	55.1	10.9	424	2.66	7.9	0.3	2.1	0.9	26	0.5	0.6	<0.1	63	0.45	0.059
25718	Soil		2.0	37.6	8.0	103	0.2	86.8	16.7	636	3.58	12.7	0.6	3.1	1.8	30	0.4	0.9	<0.1	75	0.58	0.047
25719	Soil		1.7	28.5	6.2	83	0.2	64.2	13.8	611	3.01	7.6	0.6	<0.5	1.3	25	0.4	0.7	<0.1	66	0.44	0.033
25720	Soil		1.6	32.2	6.2	87	0.1	88.8	14.5	648	3.09	8.2	0.7	1.4	1.6	25	0.4	0.7	<0.1	71	0.47	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 6 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
14216	Soil	5	174	1.67	268	0.201	3	2.87	0.024	0.50	0.4	0.03	7.2	0.4	<0.05	9	<0.5
14217	Soil	5	148	2.30	467	0.313	<1	3.46	0.034	1.46	0.2	<0.01	13.6	0.7	<0.05	11	0.6
25629	Soil	12	92	1.06	121	0.070	3	1.60	0.018	0.07	0.1	0.04	6.7	0.2	<0.05	5	<0.5
25630	Soil	9	85	1.26	93	0.066	2	1.33	0.015	0.06	<0.1	0.01	5.3	0.1	<0.05	4	<0.5
25631	Soil	10	89	1.25	129	0.070	3	1.70	0.016	0.09	<0.1	0.04	7.5	0.1	<0.05	5	<0.5
25632	Soil	12	61	1.02	164	0.053	2	1.91	0.026	0.11	<0.1	0.05	7.2	0.1	<0.05	5	<0.5
25633	Soil	13	58	0.94	162	0.056	2	1.81	0.029	0.11	<0.1	0.04	7.4	0.1	<0.05	5	<0.5
25634	Soil	8	44	0.73	93	0.092	3	1.41	0.057	0.10	0.1	0.02	5.8	<0.1	<0.05	5	<0.5
25635	Soil	8	47	0.74	100	0.072	2	1.55	0.032	0.08	<0.1	0.03	5.0	<0.1	<0.05	4	<0.5
25636	Soil	12	53	0.90	175	0.053	2	1.92	0.027	0.09	<0.1	0.04	7.0	0.1	<0.05	6	0.6
25637	Soil	8	45	0.67	92	0.069	3	1.29	0.024	0.07	<0.1	0.03	4.5	<0.1	<0.05	4	0.6
25638	Soil	9	50	0.69	118	0.069	2	1.61	0.021	0.08	<0.1	0.03	4.7	0.1	<0.05	5	0.5
25639	Soil	10	57	0.82	123	0.067	3	1.67	0.021	0.09	<0.1	0.02	5.6	<0.1	<0.05	4	0.5
25640	Soil	9	45	0.67	142	0.045	3	1.35	0.018	0.08	0.1	0.05	3.9	0.1	<0.05	4	<0.5
25641	Soil	8	45	0.69	119	0.066	2	1.42	0.033	0.07	<0.1	0.02	5.2	<0.1	<0.05	4	<0.5
25642	Soil	9	47	0.72	92	0.060	2	1.38	0.034	0.08	<0.1	0.04	5.1	0.1	<0.05	4	0.5
25643	Soil	8	47	0.71	98	0.074	3	1.56	0.014	0.09	<0.1	0.03	4.2	0.1	<0.05	4	<0.5
25686	Soil	6	32	0.47	97	0.066	2	1.23	0.018	0.06	<0.1	0.04	3.1	<0.1	0.06	4	<0.5
25687	Soil	11	48	0.61	114	0.071	2	1.32	0.034	0.07	0.1	0.03	5.1	<0.1	<0.05	4	<0.5
25688	Soil	9	49	0.62	91	0.081	2	1.26	0.041	0.08	0.1	0.03	4.7	<0.1	<0.05	4	<0.5
25689	Soil	9	46	0.58	91	0.071	<1	1.21	0.024	0.07	<0.1	0.02	4.6	<0.1	<0.05	4	<0.5
25690	Soil	10	75	0.85	127	0.062	3	1.65	0.021	0.10	<0.1	0.04	6.3	0.1	<0.05	5	<0.5
25691	Soil	5	28	0.41	112	0.050	3	1.65	0.012	0.08	0.1	0.02	3.0	<0.1	<0.05	5	<0.5
25692	Soil	5	31	0.45	76	0.077	1	1.40	0.016	0.05	<0.1	0.02	3.1	<0.1	<0.05	4	<0.5
25715	Soil	11	56	0.93	128	0.039	3	1.82	0.012	0.12	<0.1	0.05	6.2	0.1	<0.05	5	1.0
25716	Soil	18	56	0.84	142	0.048	3	1.81	0.025	0.15	<0.1	0.05	6.3	0.3	0.07	5	0.8
25717	Soil	7	49	0.70	93	0.059	1	1.50	0.016	0.09	<0.1	0.03	3.3	0.1	<0.05	4	<0.5
25718	Soil	13	74	1.03	137	0.052	1	1.95	0.014	0.13	<0.1	0.04	6.9	0.2	<0.05	5	0.6
25719	Soil	10	61	0.78	91	0.060	2	1.61	0.015	0.10	<0.1	0.04	5.0	<0.1	<0.05	5	<0.5
25720	Soil	10	81	0.96	109	0.080	2	1.58	0.023	0.11	<0.1	0.03	5.9	0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 7 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
25721	Soil		1.5	43.7	7.2	90	0.1	120.0	17.3	713	3.67	10.7	0.9	2.2	1.6	33	0.2	0.9	<0.1	80	0.58	0.060
25722	Soil		0.8	66.6	5.0	79	<0.1	203.3	31.9	1136	4.34	6.9	0.4	1.4	1.1	19	<0.1	0.5	0.1	87	0.53	0.049
25723	Soil		1.8	45.1	7.7	90	0.2	95.2	14.2	663	3.63	11.5	0.8	1.7	1.6	34	0.2	1.0	0.1	74	0.53	0.063
25724	Soil		2.1	142.2	8.9	122	0.5	156.2	19.2	1041	4.02	13.1	1.9	2.9	1.2	35	0.8	0.7	0.1	79	0.80	0.055
25725	Soil		1.8	34.4	6.7	90	0.1	96.8	16.9	794	2.96	7.1	0.8	0.9	1.1	32	0.7	0.7	<0.1	70	0.68	0.053
25726	Soil		1.4	53.7	6.6	86	<0.1	144.5	22.7	886	3.61	9.8	0.5	2.6	1.3	28	0.2	0.9	<0.1	72	0.52	0.070
25727	Soil		1.7	22.5	6.2	82	<0.1	54.3	12.9	471	2.99	7.6	0.4	1.0	0.9	22	0.2	0.7	<0.1	69	0.40	0.044
25728	Soil		1.4	11.6	5.3	57	<0.1	18.0	4.6	165	2.07	4.8	0.3	<0.5	0.7	30	0.3	0.4	<0.1	70	0.37	0.026
25729	Soil		1.2	18.9	6.2	51	0.2	19.1	4.4	150	1.90	3.0	0.3	0.7	0.7	25	0.4	0.2	0.1	68	0.29	0.017
25730	Soil		1.1	35.6	6.8	79	<0.1	40.0	12.8	543	3.06	7.5	0.5	0.7	1.8	47	0.3	0.6	<0.1	82	0.55	0.062
25731	Soil		1.1	20.6	5.2	71	<0.1	40.8	9.2	399	2.44	5.4	0.5	<0.5	0.9	36	0.4	0.4	<0.1	62	0.49	0.054
25732	Soil		1.4	18.5	5.6	58	<0.1	52.1	8.8	387	2.05	4.0	0.3	3.0	0.7	40	0.4	0.4	<0.1	56	0.52	0.040
25733	Soil		1.3	27.2	6.1	75	<0.1	50.6	11.3	456	2.89	7.5	0.4	1.6	1.4	33	0.2	0.6	<0.1	75	0.37	0.059
25734	Soil		0.8	15.4	5.6	59	<0.1	45.2	8.0	372	2.32	4.8	0.3	1.1	0.9	28	0.1	0.3	<0.1	66	0.31	0.062
25735	Soil		0.8	11.1	5.1	48	<0.1	24.3	5.0	184	2.00	3.7	0.3	2.6	0.7	22	0.3	0.3	<0.1	59	0.24	0.040
25736	Soil		0.7	13.5	3.9	51	<0.1	30.7	6.6	269	1.99	2.9	0.3	1.5	1.1	30	0.1	0.3	<0.1	55	0.32	0.042
25737	Soil		3.4	44.0	8.5	139	0.3	131.6	20.9	1644	4.41	10.9	0.9	<0.5	1.0	51	1.2	0.4	0.1	102	0.68	0.121
25738	Soil		0.9	15.8	5.0	63	<0.1	45.3	8.4	321	2.40	4.6	0.4	1.6	0.9	29	0.1	0.3	<0.1	65	0.31	0.046
25739	Soil		1.0	19.1	5.2	62	<0.1	59.2	7.8	257	2.35	3.5	0.4	1.8	1.0	28	0.2	0.3	<0.1	66	0.29	0.043
25740	Soil		1.4	25.8	5.6	70	<0.1	96.2	10.5	396	2.46	4.5	0.5	2.4	0.7	41	0.5	0.4	<0.1	65	0.56	0.038
25741	Soil		0.9	12.4	4.7	57	<0.1	45.8	8.7	356	2.11	3.3	0.3	<0.5	0.8	35	0.2	0.3	<0.1	66	0.45	0.039
25742	Soil		1.1	17.2	5.3	64	<0.1	45.4	8.6	262	2.77	6.0	0.3	<0.5	0.9	23	0.4	0.4	<0.1	74	0.29	0.068
25866	Soil		0.8	28.1	5.7	59	<0.1	26.7	10.1	569	2.55	6.6	0.4	2.2	1.4	39	0.2	0.6	<0.1	65	0.44	0.076
25867	Soil		1.2	21.2	5.0	75	<0.1	32.0	8.4	324	2.50	6.1	0.4	1.5	0.8	29	0.3	0.4	0.1	65	0.48	0.046
25868	Soil		1.7	44.7	6.4	95	0.2	45.5	14.4	802	3.02	10.3	1.0	2.5	1.3	31	0.8	0.5	0.1	67	0.62	0.060
25869	Soil		1.3	28.1	5.7	69	<0.1	32.6	9.9	546	2.57	6.5	0.6	3.0	1.2	34	0.4	0.6	<0.1	65	0.58	0.063
25870	Soil		2.1	46.5	8.5	108	<0.1	47.6	14.1	842	3.33	10.8	0.6	2.9	1.5	44	0.6	1.0	0.1	78	0.71	0.076
25871	Soil		0.7	28.1	4.8	51	<0.1	26.5	8.9	559	2.36	6.0	0.3	3.9	1.1	34	0.3	0.4	<0.1	57	0.43	0.072
25872	Soil		1.2	30.0	6.1	70	0.1	39.9	11.8	743	2.93	6.8	0.8	2.1	0.7	42	0.5	0.5	0.1	66	0.82	0.051
25873	Soil		1.2	35.4	7.7	76	<0.1	39.9	14.4	811	2.99	7.8	0.4	2.9	1.7	43	0.3	0.7	0.1	73	0.58	0.084

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Amarc Resources
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 7 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
25721	Soil	13	105	1.23	120	0.071	3	2.01	0.025	0.14	<0.1	0.06	7.3	0.2	<0.05	6	0.6
25722	Soil	9	270	2.02	72	0.159	1	2.39	0.019	0.16	<0.1	0.04	7.4	0.1	<0.05	6	<0.5
25723	Soil	21	77	0.98	127	0.059	3	2.01	0.037	0.14	<0.1	0.06	8.8	0.2	<0.05	6	1.0
25724	Soil	27	95	1.17	266	0.020	<1	2.60	0.015	0.13	<0.1	0.05	10.5	0.1	<0.05	7	1.2
25725	Soil	11	79	1.02	144	0.061	3	1.84	0.032	0.10	<0.1	0.04	5.2	0.1	<0.05	5	<0.5
25726	Soil	9	105	1.29	96	0.070	3	1.85	0.014	0.12	<0.1	0.04	5.7	<0.1	<0.05	5	<0.5
25727	Soil	7	57	0.82	104	0.059	6	1.76	0.029	0.09	<0.1	0.02	3.9	0.1	<0.05	5	<0.5
25728	Soil	6	32	0.44	90	0.048	<1	1.28	0.016	0.05	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
25729	Soil	7	36	0.38	106	0.045	<1	1.39	0.014	0.05	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5
25730	Soil	10	49	0.74	130	0.078	2	1.80	0.057	0.09	<0.1	0.03	6.6	0.1	<0.05	5	<0.5
25731	Soil	7	46	0.75	102	0.058	2	1.39	0.014	0.06	<0.1	0.03	4.0	<0.1	<0.05	4	<0.5
25732	Soil	6	45	0.74	100	0.054	2	1.21	0.011	0.06	<0.1	0.02	3.1	<0.1	<0.05	4	<0.5
25733	Soil	8	51	0.75	132	0.073	1	1.86	0.018	0.07	<0.1	0.04	5.1	<0.1	<0.05	5	<0.5
25734	Soil	7	41	0.62	105	0.060	<1	1.62	0.014	0.06	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5
25735	Soil	6	40	0.46	71	0.056	<1	1.39	0.010	0.05	<0.1	0.03	2.7	<0.1	<0.05	5	<0.5
25736	Soil	8	44	0.63	80	0.079	<1	1.35	0.029	0.06	<0.1	0.02	4.2	<0.1	<0.05	4	<0.5
25737	Soil	13	66	1.09	284	0.020	<1	3.83	0.020	0.13	<0.1	0.07	7.4	<0.1	<0.05	9	0.5
25738	Soil	7	46	0.71	86	0.059	<1	1.59	0.013	0.06	<0.1	0.02	3.5	<0.1	<0.05	5	<0.5
25739	Soil	7	49	0.64	100	0.059	<1	1.91	0.013	0.04	<0.1	0.03	3.4	<0.1	<0.05	5	<0.5
25740	Soil	9	53	0.73	140	0.043	1	1.78	0.014	0.06	<0.1	0.03	4.3	<0.1	<0.05	5	<0.5
25741	Soil	7	42	0.68	95	0.063	<1	1.42	0.020	0.07	<0.1	0.01	3.3	<0.1	<0.05	5	<0.5
25742	Soil	6	48	0.53	99	0.057	2	1.87	0.019	0.05	<0.1	0.03	3.4	<0.1	0.06	5	<0.5
25866	Soil	10	34	0.55	103	0.076	1	1.29	0.046	0.07	<0.1	0.04	5.1	<0.1	<0.05	4	<0.5
25867	Soil	8	40	0.57	104	0.065	1	1.47	0.021	0.07	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5
25868	Soil	11	44	0.62	149	0.054	3	1.63	0.015	0.10	<0.1	0.06	5.7	0.1	<0.05	5	<0.5
25869	Soil	9	37	0.57	106	0.059	2	1.30	0.032	0.08	0.1	0.03	4.8	<0.1	<0.05	4	<0.5
25870	Soil	11	46	0.81	144	0.063	4	1.77	0.027	0.15	<0.1	0.05	6.5	0.1	<0.05	5	<0.5
25871	Soil	8	30	0.48	95	0.066	1	1.23	0.024	0.06	0.1	0.02	4.4	<0.1	<0.05	4	<0.5
25872	Soil	12	44	0.66	144	0.044	1	1.81	0.016	0.08	<0.1	0.04	4.9	<0.1	<0.05	5	<0.5
25873	Soil	10	42	0.70	125	0.074	2	1.63	0.051	0.09	<0.1	0.04	6.3	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 8 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
25874	Soil		1.1	32.8	6.0	70	<0.1	40.1	11.3	635	2.86	7.2	0.6	<0.5	1.5	41	0.2	0.6	<0.1	71	0.52	0.071
25875	Soil		1.0	25.9	6.3	58	<0.1	35.9	10.6	566	2.61	6.3	0.4	2.9	1.4	42	0.1	0.5	<0.1	68	0.49	0.066
25876	Soil		0.9	15.5	5.4	66	<0.1	130.4	11.8	376	2.62	7.4	0.3	2.1	1.0	30	0.1	0.4	<0.1	66	0.35	0.048
25877	Soil		1.8	47.8	7.9	103	<0.1	76.1	14.5	868	3.49	10.3	0.4	4.3	1.7	48	0.5	0.9	0.1	85	0.55	0.073
25878	Soil		0.6	9.9	5.1	55	<0.1	75.5	8.1	275	2.14	3.3	0.3	1.3	0.7	22	0.1	0.3	<0.1	61	0.27	0.042
25879	Soil		0.8	23.3	6.2	69	<0.1	37.6	9.7	541	2.62	5.6	0.3	2.2	1.3	39	0.2	0.4	<0.1	64	0.42	0.064
25880	Soil		1.0	46.9	8.7	86	<0.1	43.3	14.1	966	3.59	9.4	0.5	1.1	2.1	64	0.4	0.8	0.1	77	0.74	0.087
25881	Soil		1.6	43.3	8.2	101	<0.1	49.6	14.6	873	3.23	9.7	0.4	3.3	1.5	45	0.5	0.9	<0.1	77	0.56	0.075
25882	Soil		1.8	28.5	7.6	85	<0.1	85.3	13.7	1286	3.05	9.1	0.4	2.1	1.3	41	0.6	0.6	<0.1	70	0.56	0.081
25883	Soil		1.6	49.4	7.5	110	<0.1	46.1	14.5	750	3.41	11.1	0.4	2.5	1.6	61	0.5	0.9	<0.1	77	1.48	0.077
25884	Soil		1.0	19.6	5.8	64	<0.1	33.4	10.1	402	2.58	5.8	0.3	3.3	0.9	27	0.2	0.4	<0.1	65	0.32	0.054
25885	Soil		0.7	16.2	5.0	72	<0.1	28.4	7.9	342	2.29	4.4	0.3	0.6	1.0	32	0.2	0.3	<0.1	61	0.37	0.048
25886	Soil		1.0	17.0	5.3	68	<0.1	33.2	8.0	353	2.34	4.6	0.3	1.0	1.0	27	0.3	0.4	<0.1	64	0.33	0.057
25887	Soil		1.0	29.2	7.4	89	<0.1	30.6	10.6	529	3.27	7.3	0.4	1.8	1.6	32	0.3	0.5	0.1	69	0.32	0.050
25888	Soil		1.0	16.9	4.6	55	<0.1	33.6	9.0	292	2.38	4.9	0.3	2.6	1.0	26	0.2	0.4	<0.1	62	0.29	0.041
25889	Soil		0.7	15.1	5.1	61	0.1	22.5	7.7	368	1.91	3.2	0.3	0.7	0.6	32	0.3	0.3	<0.1	50	0.41	0.054
25890	Soil		1.2	41.6	7.8	92	<0.1	40.4	14.3	878	3.26	9.6	0.4	3.0	1.8	57	0.5	0.7	<0.1	73	0.92	0.076
25891	Soil		1.1	19.7	5.7	61	<0.1	24.5	10.5	571	2.39	6.2	0.3	<0.5	1.0	31	0.2	0.7	<0.1	63	0.45	0.070
25892	Soil		1.5	32.8	7.0	92	<0.1	36.4	11.4	659	2.91	8.2	0.3	1.5	1.2	43	0.5	0.8	<0.1	72	0.62	0.072
25893	Soil		1.3	17.1	5.5	91	<0.1	26.1	8.0	390	2.60	6.1	0.3	<0.5	0.8	26	0.5	0.5	<0.1	73	0.35	0.062
25894	Soil		1.6	33.7	6.2	91	<0.1	37.2	11.0	646	2.71	7.3	0.4	4.4	1.1	44	0.5	0.7	<0.1	68	0.77	0.070
25895	Soil		1.9	122.0	9.9	94	0.3	72.4	11.4	1219	3.86	6.3	1.0	4.5	2.8	63	0.3	0.6	0.2	84	0.87	0.041
25896	Soil		1.1	31.8	6.0	87	<0.1	35.4	11.8	569	2.86	6.5	0.4	2.2	1.2	40	0.3	0.5	<0.1	68	0.57	0.072
25897	Soil		1.0	28.2	5.7	74	<0.1	36.5	10.4	629	2.61	6.4	0.5	1.6	1.1	33	0.4	0.4	<0.1	63	0.64	0.058
25898	Soil		1.5	44.8	7.2	85	<0.1	37.1	11.6	724	3.18	8.1	0.4	<0.5	1.4	52	0.3	0.7	<0.1	78	0.66	0.071
25899	Soil		1.6	43.4	6.9	88	<0.1	37.0	13.9	810	3.06	8.2	0.5	2.4	1.5	74	0.6	0.7	<0.1	80	1.71	0.080
25900	Soil		1.4	40.6	7.1	90	<0.1	39.4	13.1	742	3.13	8.7	0.5	<0.5	1.5	64	0.6	0.7	<0.1	76	1.32	0.073
25901	Soil		1.3	41.7	7.1	87	<0.1	34.0	13.1	707	2.96	8.8	0.4	1.8	1.5	47	0.5	0.8	0.1	66	0.82	0.072
25902	Soil		1.4	49.2	8.7	92	<0.1	37.1	16.2	899	3.28	9.7	0.4	2.6	1.8	47	0.5	0.9	0.1	75	0.56	0.081
25903	Soil		1.5	44.4	7.6	95	<0.1	40.4	14.7	735	3.13	10.2	0.4	1.5	1.6	65	0.6	0.9	0.1	69	1.49	0.076

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 8 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
25874	Soil	11	46	0.71	129	0.068	1	1.65	0.033	0.08	<0.1	0.03	6.4	0.1	<0.05	5	<0.5
25875	Soil	10	44	0.66	109	0.097	2	1.47	0.067	0.10	<0.1	<0.01	6.6	<0.1	<0.05	5	<0.5
25876	Soil	7	53	0.73	96	0.074	1	1.55	0.021	0.06	<0.1	0.01	3.7	<0.1	<0.05	4	<0.5
25877	Soil	11	51	0.92	155	0.067	3	2.03	0.029	0.13	<0.1	0.04	7.3	0.1	<0.05	6	<0.5
25878	Soil	6	51	0.68	67	0.062	<1	1.27	0.010	0.04	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
25879	Soil	10	41	0.66	116	0.073	1	1.58	0.063	0.07	<0.1	0.04	4.9	<0.1	<0.05	5	<0.5
25880	Soil	14	41	0.81	174	0.080	1	2.08	0.074	0.12	<0.1	0.07	8.7	0.1	<0.05	6	<0.5
25881	Soil	11	48	0.82	162	0.065	2	1.75	0.024	0.12	<0.1	0.04	6.0	0.1	<0.05	6	<0.5
25882	Soil	10	51	0.86	125	0.053	1	1.64	0.026	0.10	<0.1	0.03	5.1	<0.1	<0.05	5	0.7
25883	Soil	11	44	0.80	161	0.059	1	1.88	0.034	0.13	<0.1	0.04	6.6	0.1	<0.05	6	<0.5
25884	Soil	8	47	0.64	90	0.059	<1	1.58	0.024	0.07	<0.1	0.02	3.8	<0.1	<0.05	5	<0.5
25885	Soil	7	40	0.63	90	0.079	<1	1.46	0.049	0.07	<0.1	0.02	4.8	<0.1	<0.05	5	<0.5
25886	Soil	8	45	0.64	101	0.058	<1	1.54	0.013	0.06	<0.1	0.01	3.6	<0.1	<0.05	5	<0.5
25887	Soil	8	36	0.72	118	0.061	1	1.99	0.030	0.08	<0.1	0.02	5.4	<0.1	<0.05	6	<0.5
25888	Soil	7	50	0.58	93	0.065	<1	1.40	0.014	0.06	<0.1	0.02	3.8	<0.1	<0.05	4	<0.5
25889	Soil	9	35	0.45	118	0.043	<1	1.31	0.010	0.05	<0.1	0.03	3.0	<0.1	<0.05	5	<0.5
25890	Soil	11	41	0.83	157	0.069	2	1.86	0.043	0.13	<0.1	0.05	6.5	0.1	<0.05	6	<0.5
25891	Soil	7	34	0.53	78	0.060	<1	1.22	0.042	0.07	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5
25892	Soil	9	40	0.67	148	0.059	1	1.60	0.026	0.09	<0.1	0.04	4.8	0.1	<0.05	5	<0.5
25893	Soil	7	38	0.48	122	0.049	1	1.68	0.016	0.06	<0.1	0.02	3.4	0.1	<0.05	5	<0.5
25894	Soil	8	42	0.69	129	0.044	<1	1.55	0.017	0.09	<0.1	0.05	4.3	0.1	<0.05	5	<0.5
25895	Soil	21	59	0.94	324	0.057	2	3.10	0.021	0.17	<0.1	0.17	10.0	0.2	<0.05	10	<0.5
25896	Soil	9	44	0.64	132	0.057	<1	1.68	0.020	0.09	<0.1	0.03	4.9	<0.1	<0.05	5	<0.5
25897	Soil	9	40	0.60	125	0.053	<1	1.56	0.019	0.11	<0.1	0.04	4.1	<0.1	<0.05	5	<0.5
25898	Soil	10	42	0.79	152	0.058	2	1.83	0.032	0.10	<0.1	0.04	6.1	0.1	<0.05	6	<0.5
25899	Soil	10	38	0.77	148	0.073	2	1.66	0.054	0.12	<0.1	0.04	6.1	0.1	<0.05	5	<0.5
25900	Soil	9	42	0.77	151	0.061	<1	1.65	0.058	0.12	<0.1	0.06	6.4	<0.1	<0.05	5	<0.5
25901	Soil	9	36	0.70	141	0.054	3	1.45	0.018	0.07	<0.1	0.04	5.1	<0.1	<0.05	5	<0.5
25902	Soil	10	40	0.74	144	0.052	2	1.57	0.031	0.07	<0.1	0.06	6.3	0.1	<0.05	5	<0.5
25903	Soil	9	40	0.83	161	0.054	3	1.60	0.035	0.09	<0.1	0.04	6.4	0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 9 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
25904	Soil	1.0	24.3	6.4	60	<0.1	20.1	9.7	634	2.32	6.2	0.5	1.0	1.1	37	0.4	0.5	0.1	63	0.53	0.065
25905	Soil	1.2	30.1	6.7	101	<0.1	32.3	10.8	316	2.99	7.6	0.3	1.0	1.0	27	0.6	0.5	0.1	77	0.33	0.063
25906	Soil	1.3	30.7	7.3	66	<0.1	25.9	11.4	700	2.66	7.1	0.5	9.4	1.3	38	0.3	0.6	0.1	69	0.50	0.086
25907	Soil	1.1	26.5	6.6	136	<0.1	29.9	14.0	383	3.29	6.5	0.4	1.0	1.3	27	0.5	0.3	0.1	84	0.34	0.142
25908	Soil	1.1	95.7	8.2	78	<0.1	41.5	16.8	730	3.72	8.0	0.6	4.6	1.7	46	0.2	0.5	0.1	95	0.75	0.112
25909	Soil	0.6	31.9	6.5	56	<0.1	25.8	10.5	299	2.38	3.0	0.4	1.0	1.1	38	0.2	0.3	<0.1	64	0.50	0.104
25910	Soil	0.8	20.3	5.4	49	<0.1	21.5	8.3	387	1.76	3.0	0.5	1.6	0.7	42	0.3	0.3	<0.1	58	0.53	0.041
25911	Soil	0.9	20.5	5.6	60	<0.1	23.5	7.7	338	2.11	4.1	0.5	1.3	0.8	31	0.3	0.3	<0.1	57	0.39	0.049
25912	Soil	1.0	36.6	7.7	66	<0.1	30.2	13.2	685	2.54	6.0	0.6	1.0	1.3	37	0.3	0.5	0.1	75	0.48	0.069
25913	Soil	1.1	49.8	7.6	78	<0.1	34.2	11.9	683	2.98	8.3	0.5	1.3	1.5	46	0.2	0.7	0.1	77	0.61	0.074
25914	Soil	1.1	32.2	6.8	62	<0.1	32.7	11.2	549	2.62	7.3	0.5	2.3	1.3	36	0.2	0.5	<0.1	72	0.46	0.060
25915	Soil	1.2	20.8	5.8	70	<0.1	30.0	11.9	772	2.29	6.1	0.4	1.2	0.9	31	0.3	0.5	<0.1	63	0.42	0.059
25916	Soil	1.4	39.0	8.1	96	<0.1	49.5	15.0	839	3.05	9.1	0.4	1.8	1.5	38	0.3	0.9	<0.1	72	0.48	0.060
25917	Soil	1.7	41.2	8.4	103	<0.1	54.6	16.5	997	2.96	8.2	0.6	28.9	1.3	39	0.6	0.7	0.1	74	0.53	0.074
25918	Soil	2.4	23.1	6.0	64	0.1	42.3	10.3	432	2.00	4.4	0.3	0.8	0.9	24	0.9	0.5	0.3	58	0.34	0.027
25919	Soil	3.7	16.6	4.7	46	<0.1	33.1	7.3	288	2.13	7.2	0.2	0.5	0.6	22	0.2	0.5	0.2	59	0.38	0.030
25920	Soil	2.6	23.3	6.2	53	<0.1	60.5	10.7	248	2.61	10.0	0.3	0.6	0.7	19	0.4	0.8	0.3	63	0.24	0.069
25921	Soil	3.9	19.8	5.5	40	<0.1	29.3	4.5	122	1.79	3.9	0.3	0.5	0.4	43	0.4	0.5	0.3	46	1.62	0.036
25922	Soil	1.2	8.5	6.1	57	<0.1	22.4	5.4	169	2.14	4.8	0.2	<0.5	0.5	18	0.6	0.4	0.2	52	0.26	0.144
25923	Soil	3.0	33.1	7.1	68	0.2	117.1	16.3	295	3.10	10.1	0.3	1.3	0.9	16	0.3	0.7	0.5	72	0.21	0.084
25924	Soil	5.9	59.4	8.0	78	0.5	122.4	16.6	827	3.26	11.1	1.1	0.9	1.1	40	0.8	1.1	0.4	69	0.92	0.059
25925	Soil	2.5	11.8	6.5	55	0.1	28.5	6.7	209	2.23	5.8	0.3	0.6	0.7	22	0.4	0.5	0.2	60	0.28	0.065
25926	Soil	1.5	5.1	4.3	20	<0.1	11.8	2.2	166	1.18	1.9	0.2	2.8	0.3	22	0.2	0.3	0.1	39	0.31	0.029
25927	Soil	1.8	13.3	5.4	64	<0.1	27.3	8.0	218	2.42	6.6	0.3	<0.5	0.9	18	0.3	0.4	0.2	61	0.22	0.079
25928	Soil	2.2	16.0	6.5	47	<0.1	35.1	7.1	231	2.07	6.5	0.3	1.5	0.7	19	0.4	0.6	0.2	58	0.23	0.082
25929	Soil	2.0	19.0	5.4	51	<0.1	30.7	7.1	317	1.91	4.8	0.4	2.7	0.6	29	0.3	0.4	0.2	54	0.38	0.032
25930	Soil	2.0	11.1	4.6	32	<0.1	16.8	3.1	118	1.32	3.6	0.2	1.0	0.2	17	0.1	0.5	0.2	39	0.18	0.047
25931	Soil	3.7	29.6	6.4	60	0.1	61.5	12.2	345	2.68	9.8	0.3	2.0	0.7	21	0.5	1.0	0.4	67	0.24	0.044
25932	Soil	6.6	58.2	9.8	75	0.4	89.3	19.1	1193	3.25	9.4	0.8	0.9	0.7	51	0.9	1.0	0.5	76	0.69	0.074
25933	Soil	5.8	46.0	7.0	57	0.5	85.1	12.2	201	2.04	4.5	0.4	0.8	0.3	46	1.7	0.5	0.4	52	1.05	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 9 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
25904	Soil	7	32	0.53	89	0.067	2	1.17	0.018	0.06	0.1	0.02	4.1	<0.1	<0.05	4	<0.5
25905	Soil	5	42	0.63	143	0.057	2	1.80	0.013	0.05	<0.1	0.02	3.6	<0.1	<0.05	5	<0.5
25906	Soil	8	39	0.62	97	0.075	2	1.31	0.034	0.07	<0.1	0.03	4.8	<0.1	<0.05	4	<0.5
25907	Soil	6	49	0.65	128	0.073	1	1.95	0.025	0.05	0.1	0.02	3.8	<0.1	<0.05	7	<0.5
25908	Soil	10	58	1.01	143	0.079	2	1.86	0.033	0.08	0.1	0.04	6.6	<0.1	<0.05	7	<0.5
25909	Soil	7	38	0.70	97	0.081	1	1.45	0.029	0.06	<0.1	0.02	4.3	<0.1	<0.05	5	<0.5
25910	Soil	8	36	0.60	110	0.058	1	1.28	0.021	0.05	<0.1	0.02	3.4	<0.1	<0.05	4	<0.5
25911	Soil	8	35	0.58	99	0.061	1	1.38	0.021	0.05	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5
25912	Soil	9	42	0.65	112	0.071	2	1.37	0.028	0.06	<0.1	0.02	4.2	<0.1	<0.05	5	<0.5
25913	Soil	10	40	0.72	171	0.077	2	1.65	0.058	0.08	<0.1	0.04	6.3	<0.1	<0.05	6	<0.5
25914	Soil	8	42	0.63	113	0.075	2	1.44	0.037	0.07	<0.1	0.02	4.8	<0.1	<0.05	5	<0.5
25915	Soil	6	34	0.62	104	0.058	2	1.27	0.018	0.05	<0.1	0.02	3.2	<0.1	<0.05	4	<0.5
25916	Soil	10	48	0.75	146	0.057	2	1.56	0.022	0.07	<0.1	0.14	5.6	0.1	<0.05	5	<0.5
25917	Soil	9	50	0.73	165	0.055	2	1.59	0.023	0.08	0.1	0.05	5.1	<0.1	<0.05	5	<0.5
25918	Soil	6	53	0.49	114	0.084	<1	1.17	0.013	0.06	0.2	0.02	3.1	<0.1	<0.05	5	<0.5
25919	Soil	3	51	0.49	79	0.054	2	0.90	0.012	0.07	0.2	0.02	2.2	<0.1	<0.05	5	<0.5
25920	Soil	5	77	0.62	91	0.056	2	1.21	0.010	0.03	0.2	0.02	2.6	<0.1	<0.05	5	<0.5
25921	Soil	4	38	0.27	91	0.049	3	0.75	0.012	0.08	0.2	0.05	2.3	<0.1	0.09	4	<0.5
25922	Soil	4	37	0.26	90	0.045	1	0.86	0.010	0.03	0.4	0.02	1.8	<0.1	<0.05	5	<0.5
25923	Soil	5	106	0.90	82	0.087	2	1.74	0.016	0.05	0.7	0.03	3.1	<0.1	<0.05	6	<0.5
25924	Soil	15	82	0.89	215	0.050	2	2.03	0.017	0.12	0.3	0.04	5.7	0.1	<0.05	6	<0.5
25925	Soil	5	42	0.35	80	0.065	2	0.91	0.013	0.05	0.2	0.02	2.4	<0.1	<0.05	5	<0.5
25926	Soil	4	28	0.10	68	0.043	2	0.39	0.008	0.04	0.2	0.03	1.1	<0.1	<0.05	3	<0.5
25927	Soil	5	38	0.43	86	0.061	1	1.09	0.009	0.05	0.2	0.02	2.3	<0.1	<0.05	5	<0.5
25928	Soil	5	59	0.56	62	0.070	1	1.20	0.013	0.03	0.2	0.02	2.6	<0.1	<0.05	5	<0.5
25929	Soil	8	36	0.47	110	0.061	2	1.12	0.016	0.04	0.1	0.02	2.7	<0.1	<0.05	5	<0.5
25930	Soil	4	29	0.20	58	0.046	2	0.54	0.010	0.05	0.1	0.04	1.4	<0.1	<0.05	4	<0.5
25931	Soil	6	78	0.75	97	0.065	2	1.39	0.023	0.05	0.2	0.02	3.6	<0.1	<0.05	5	<0.5
25932	Soil	17	81	0.87	239	0.042	2	2.07	0.013	0.10	0.3	0.04	4.3	<0.1	<0.05	8	<0.5
25933	Soil	7	79	0.51	117	0.043	2	1.03	0.014	0.05	0.3	0.06	2.4	<0.1	0.07	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 10 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
25934	Soil		8.1	179.4	8.1	93	1.4	288.0	16.3	973	3.52	8.8	2.8	2.7	1.0	90	1.7	1.7	0.4	62	1.54	0.097
25935	Soil		5.7	105.7	10.4	64	1.6	302.0	17.7	1024	3.24	10.1	2.3	1.9	1.2	52	1.1	1.1	0.4	66	0.96	0.053
25936	Soil		3.1	13.1	6.5	37	<0.1	20.9	2.8	87	1.46	1.7	0.2	1.0	0.4	12	0.8	0.4	0.3	44	0.13	0.030
25937	Soil		2.7	5.9	5.2	31	<0.1	9.4	1.8	97	1.08	1.5	0.2	1.1	0.3	15	0.5	0.2	0.2	35	0.19	0.026
25938	Soil		10.7	22.4	4.8	39	0.1	32.3	9.4	560	1.58	3.0	2.3	<0.5	0.6	19	0.4	0.2	0.1	50	0.23	0.024
25939	Soil		4.4	7.6	4.7	66	0.2	42.8	7.7	181	2.08	3.8	0.2	<0.5	0.6	15	1.0	0.3	0.1	63	0.19	0.020
25940	Soil		50.4	36.5	18.1	113	0.9	5.2	4.8	588	2.18	5.7	0.7	<0.5	2.1	4	0.9	3.2	2.9	41	0.06	0.069
25941	Soil		16.8	13.1	5.0	29	0.3	3.1	0.8	190	0.63	0.9	0.3	1.0	1.7	8	0.7	1.9	1.4	17	0.11	0.014
25942	Soil		1.6	16.7	7.2	91	0.1	38.4	18.4	1375	2.07	3.5	0.2	0.8	0.4	49	2.1	0.3	0.3	54	0.94	0.051
25943	Soil		3.1	17.8	6.6	250	0.2	74.8	16.2	331	3.06	3.9	0.2	0.8	1.1	14	1.4	0.5	0.3	72	0.24	0.131
25944	Soil		3.6	9.3	7.5	91	0.2	47.4	8.1	328	2.88	5.5	0.2	<0.5	0.5	11	0.6	0.4	0.3	84	0.20	0.100
25945	Soil		17.1	73.7	4.2	45	0.9	82.8	7.7	214	1.64	7.3	3.3	<0.5	0.3	75	1.4	1.0	0.2	39	1.63	0.063
25946	Soil		1.8	20.6	6.6	162	0.3	83.2	18.0	402	3.65	9.9	0.3	<0.5	1.0	12	0.9	0.5	0.2	82	0.17	0.243
25947	Soil		2.3	17.6	6.7	95	0.2	75.8	12.1	221	3.37	12.2	0.2	1.4	0.8	12	0.4	0.5	0.2	89	0.16	0.141
25948	Soil		8.3	31.0	26.1	156	0.1	85.4	21.3	292	4.12	13.0	0.1	<0.5	0.7	11	0.6	0.3	3.1	132	0.22	0.120
25949	Soil		5.1	9.4	6.2	66	<0.1	27.1	6.8	183	2.07	3.0	0.2	<0.5	0.8	17	0.6	0.2	0.3	66	0.25	0.030
25950	Soil		3.2	32.1	7.1	237	0.7	88.0	28.3	646	4.25	26.2	0.3	0.8	0.9	18	1.3	0.8	0.6	125	0.23	0.128
25951	Soil		2.8	23.3	6.5	143	0.2	59.6	21.8	731	2.68	16.5	0.3	<0.5	0.8	22	1.7	0.6	0.5	82	0.30	0.071
25952	Soil		3.7	31.6	6.6	169	0.1	96.6	29.7	461	4.79	51.4	0.3	<0.5	0.9	17	0.5	0.8	0.7	160	0.23	0.049
25953	Soil		1.8	9.8	5.7	51	0.1	30.8	5.9	135	2.03	8.2	0.2	2.0	0.6	12	0.5	0.4	0.2	65	0.16	0.046
25954	Soil		1.4	18.5	7.1	176	0.2	52.5	17.3	791	2.91	6.9	0.3	<0.5	0.9	17	1.8	0.4	0.3	69	0.26	0.170
25955	Soil		1.4	13.7	4.5	57	<0.1	48.4	11.7	255	2.18	8.3	0.2	<0.5	0.7	15	0.3	0.4	0.2	59	0.20	0.066
25956	Soil		1.1	5.4	6.6	35	<0.1	19.3	3.7	148	1.44	4.0	0.2	<0.5	0.6	10	0.2	0.3	0.3	46	0.13	0.059
25957	Soil		14.1	21.7	5.0	45	0.3	46.3	10.0	159	2.47	14.6	0.3	2.2	0.6	14	0.2	0.3	0.3	84	0.19	0.035
25958	Soil		1.2	17.7	4.5	38	<0.1	42.8	9.1	182	2.24	8.0	0.3	<0.5	0.9	21	<0.1	0.4	<0.1	57	0.23	0.057
25959	Soil		0.8	9.8	4.8	45	<0.1	33.1	8.6	262	2.19	6.2	0.2	<0.5	0.7	16	0.2	0.3	0.1	57	0.21	0.089
25960	Soil		1.1	11.2	5.4	49	0.1	23.5	8.6	853	1.83	3.2	0.3	0.6	0.5	26	0.4	0.2	0.1	46	0.39	0.036
25961	Soil		0.6	14.4	6.0	43	<0.1	20.5	8.4	440	2.04	4.4	0.3	<0.5	0.7	29	0.2	0.2	<0.1	53	0.39	0.029
25962	Soil		0.8	5.2	4.5	27	<0.1	8.1	2.9	102	1.56	2.6	0.2	<0.5	0.5	17	0.1	0.2	<0.1	52	0.20	0.032
25963	Soil		0.9	6.3	6.8	44	<0.1	8.5	3.8	155	1.97	4.6	0.2	<0.5	0.7	15	0.2	0.2	<0.1	50	0.16	0.161



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 10 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	0.5	
25934	Soil	73	66	1.06	332	0.025	4	2.86	0.014	0.16	0.3	0.12	9.3	0.3	0.09	7	1.5
25935	Soil	34	66	0.82	236	0.033	3	2.48	0.014	0.12	0.3	0.11	8.0	0.3	<0.05	7	0.5
25936	Soil	3	47	0.10	96	0.048	1	0.43	0.009	0.04	0.3	0.02	1.1	<0.1	<0.05	4	<0.5
25937	Soil	4	22	0.07	61	0.034	2	0.33	0.009	0.03	0.1	0.03	0.9	<0.1	0.06	3	<0.5
25938	Soil	15	43	0.34	103	0.043	2	0.90	0.016	0.03	0.1	0.03	2.0	<0.1	<0.05	4	<0.5
25939	Soil	4	60	0.41	76	0.066	1	0.87	0.009	0.04	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5
25940	Soil	7	9	0.19	121	0.054	1	0.83	0.005	0.07	2.1	0.03	1.6	0.1	<0.05	7	<0.5
25941	Soil	4	7	0.03	86	0.022	<1	0.20	0.006	0.04	1.4	0.03	0.5	<0.1	<0.05	2	<0.5
25942	Soil	4	57	0.34	277	0.067	2	0.82	0.008	0.08	0.2	0.05	1.9	<0.1	0.06	5	<0.5
25943	Soil	5	121	0.74	98	0.098	1	1.46	0.012	0.07	0.3	0.03	2.9	<0.1	<0.05	9	<0.5
25944	Soil	4	91	0.42	82	0.080	<1	1.07	0.010	0.05	0.4	0.04	2.0	<0.1	<0.05	8	<0.5
25945	Soil	4	55	0.47	183	0.024	2	1.04	0.010	0.05	0.3	0.09	2.5	<0.1	0.15	3	1.0
25946	Soil	5	105	0.62	99	0.074	1	2.14	0.011	0.06	0.5	0.05	3.2	<0.1	<0.05	7	<0.5
25947	Soil	4	113	0.60	103	0.088	1	1.44	0.012	0.05	0.3	0.03	2.8	<0.1	<0.05	8	<0.5
25948	Soil	4	214	0.95	103	0.236	1	1.88	0.016	0.16	0.3	0.05	4.5	0.1	<0.05	14	<0.5
25949	Soil	4	52	0.28	72	0.110	2	0.65	0.008	0.10	0.3	0.02	1.9	<0.1	<0.05	6	<0.5
25950	Soil	5	153	1.17	162	0.189	2	2.13	0.013	0.10	0.4	0.03	4.4	<0.1	<0.05	11	<0.5
25951	Soil	4	100	0.92	144	0.129	2	1.48	0.010	0.12	0.2	0.02	3.8	<0.1	<0.05	8	<0.5
25952	Soil	4	184	1.75	190	0.266	2	3.21	0.014	0.22	0.2	0.02	7.8	0.2	<0.05	12	<0.5
25953	Soil	4	55	0.35	61	0.083	1	0.86	0.009	0.05	0.3	0.02	2.0	<0.1	<0.05	5	<0.5
25954	Soil	6	93	0.72	216	0.082	2	1.68	0.009	0.08	0.2	0.04	3.3	<0.1	<0.05	8	<0.5
25955	Soil	4	74	0.56	90	0.085	1	1.17	0.012	0.08	0.2	0.02	2.7	<0.1	<0.05	5	<0.5
25956	Soil	4	49	0.18	45	0.089	1	0.60	0.009	0.04	0.3	0.01	1.5	<0.1	<0.05	5	<0.5
25957	Soil	4	89	0.63	104	0.149	<1	1.39	0.018	0.06	0.3	0.05	2.9	<0.1	<0.05	8	<0.5
25958	Soil	5	56	0.55	80	0.058	1	1.30	0.013	0.03	0.1	0.02	2.8	<0.1	<0.05	4	<0.5
25959	Soil	4	47	0.41	96	0.049	<1	1.10	0.007	0.03	0.2	0.02	2.0	<0.1	<0.05	4	<0.5
25960	Soil	6	38	0.34	125	0.041	1	1.01	0.010	0.03	0.1	0.03	2.1	<0.1	<0.05	4	<0.5
25961	Soil	6	30	0.40	94	0.061	1	1.20	0.015	0.04	0.1	0.02	2.8	<0.1	<0.05	4	<0.5
25962	Soil	4	18	0.15	46	0.052	1	0.65	0.017	0.03	<0.1	0.01	1.7	<0.1	<0.05	4	<0.5
25963	Soil	4	20	0.14	79	0.045	1	0.91	0.014	0.03	0.1	0.02	1.9	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 11 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
25964	Soil		0.7	5.1	4.9	26	<0.1	6.5	2.5	92	1.18	2.0	0.2	<0.5	0.6	15	0.2	0.1	<0.1	37	0.18	0.032
25965	Soil		0.7	4.2	4.9	36	<0.1	5.9	2.3	98	1.40	1.6	0.2	<0.5	0.5	12	0.2	0.2	<0.1	44	0.15	0.055
25966	Soil		0.9	6.7	6.3	55	<0.1	10.3	4.8	242	2.08	3.3	0.2	<0.5	0.6	20	0.4	0.2	<0.1	60	0.26	0.096
25967	Soil		1.0	7.2	6.2	61	<0.1	11.0	4.7	162	2.13	3.7	0.2	<0.5	0.7	16	0.2	0.2	<0.1	56	0.18	0.105
25968	Soil		0.8	4.6	6.9	64	<0.1	15.6	4.1	143	1.38	1.8	0.2	2.6	0.6	16	0.4	0.2	0.1	41	0.20	0.045
25969	Soil		1.8	8.9	5.2	52	<0.1	23.8	6.8	391	1.72	2.8	0.1	<0.5	0.4	16	0.8	0.3	0.2	49	0.26	0.031
874750	Soil		4.3	114.0	9.5	125	0.2	180.4	32.1	1091	4.66	17.0	0.8	1.9	1.8	41	0.7	0.9	1.2	122	0.50	0.082
874751	Soil		2.2	34.6	6.6	96	<0.1	125.2	17.4	476	3.53	12.4	0.4	<0.5	1.1	20	0.4	0.7	0.2	83	0.37	0.088
874752	Soil		2.2	36.7	7.1	96	<0.1	126.4	17.9	467	3.51	19.8	0.4	0.9	1.1	21	0.3	0.8	0.2	84	0.36	0.087
874753	Soil		2.1	41.4	7.6	101	<0.1	133.7	18.4	509	3.59	20.2	0.4	<0.5	1.1	20	0.4	0.9	0.2	88	0.32	0.082
874754	Soil		2.5	48.3	7.0	99	0.1	141.8	17.8	546	3.49	14.9	0.4	0.9	1.1	26	0.4	0.7	0.2	90	0.32	0.077
874755	Soil		1.9	39.1	6.2	91	<0.1	123.8	16.0	496	3.21	12.7	0.4	<0.5	1.0	23	0.4	0.7	0.2	83	0.33	0.076
874756	Soil		1.2	40.1	6.2	85	0.1	31.1	9.2	1517	2.58	8.4	0.6	<0.5	1.1	90	0.3	0.4	<0.1	66	2.02	0.169
874757	Soil		1.1	41.6	6.0	85	0.1	32.1	9.8	1455	2.65	7.9	0.5	<0.5	1.1	80	0.3	0.4	<0.1	71	1.73	0.156
874758	Soil		1.1	37.6	6.3	90	0.1	28.9	9.7	1311	2.73	7.9	0.6	<0.5	1.2	78	0.3	0.4	0.1	68	1.62	0.148
874759	Soil		0.8	26.2	5.2	72	<0.1	32.2	9.3	1026	2.46	7.7	0.5	0.5	1.2	54	0.2	0.4	<0.1	64	1.13	0.091
874760	Soil		0.8	28.7	5.2	105	0.1	28.5	8.5	1630	2.25	7.7	0.5	<0.5	1.2	75	0.2	0.4	<0.1	62	1.72	0.134
874761	Soil		0.8	30.0	6.2	97	0.1	29.2	9.1	1532	2.36	8.5	0.5	<0.5	1.2	72	0.2	0.4	<0.1	63	1.63	0.125
874762	Soil		0.8	27.4	5.2	92	<0.1	27.8	8.4	1457	2.28	7.3	0.5	<0.5	1.2	68	0.2	0.4	<0.1	61	1.51	0.123
874763	Soil		0.7	26.3	5.0	79	<0.1	27.2	8.4	1067	2.36	7.0	0.5	2.3	1.3	59	0.1	0.4	<0.1	64	1.18	0.105
874764	Soil		0.7	27.5	4.8	95	0.1	27.8	8.3	1244	2.39	7.3	0.5	0.6	1.3	68	0.2	0.4	<0.1	63	1.45	0.121
874765	Soil		0.8	27.8	5.1	91	<0.1	27.1	8.3	1258	2.27	6.9	0.5	<0.5	1.3	68	0.2	0.4	<0.1	63	1.51	0.123
874766	Soil		0.7	20.2	5.6	52	<0.1	21.6	8.9	734	2.03	5.1	0.5	0.6	1.1	32	0.3	0.3	<0.1	54	0.48	0.061
874767	Soil		0.9	24.9	6.1	50	<0.1	36.1	9.4	538	2.21	6.8	0.5	<0.5	1.2	29	0.2	0.5	<0.1	61	0.43	0.068
874768	Soil		0.9	25.1	6.0	48	<0.1	35.3	9.5	538	2.27	6.2	0.5	<0.5	1.2	30	0.2	0.4	<0.1	61	0.44	0.068
874769	Soil		0.8	23.1	5.9	48	<0.1	31.6	9.0	493	2.21	6.1	0.5	0.9	1.2	31	0.2	0.4	<0.1	61	0.43	0.072
874770	Soil		0.7	23.1	6.0	49	<0.1	27.1	8.5	474	2.20	6.3	0.5	0.7	1.3	29	0.2	0.4	<0.1	57	0.42	0.075
874771	Soil		1.8	33.8	6.8	98	<0.1	97.4	16.1	1530	3.40	9.5	0.5	1.8	1.3	28	0.5	0.6	0.2	76	0.40	0.124
874772	Soil		2.0	35.5	6.7	94	<0.1	100.1	16.6	1022	3.17	10.0	0.5	<0.5	1.2	27	0.4	0.6	0.2	78	0.39	0.106
874773	Soil		2.0	50.1	7.9	89	<0.1	118.8	18.6	825	3.44	12.2	0.6	2.0	1.5	31	0.4	0.8	0.2	83	0.42	0.081

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
Report Date: October 21, 2008

Page: 11 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
25964	Soil	4	15	0.12	56	0.038	<1	0.53	0.009	0.03	<0.1	0.01	1.3	<0.1	<0.05	4	<0.5
25965	Soil	4	18	0.10	48	0.035	1	0.59	0.010	0.03	<0.1	0.01	1.4	<0.1	<0.05	4	<0.5
25966	Soil	4	23	0.19	92	0.044	1	0.81	0.009	0.04	0.1	0.03	1.9	<0.1	<0.05	5	<0.5
25967	Soil	5	24	0.20	96	0.040	1	1.07	0.009	0.04	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5
25968	Soil	5	32	0.20	76	0.053	<1	0.65	0.008	0.04	0.2	<0.01	1.6	<0.1	<0.05	5	<0.5
25969	Soil	3	50	0.28	78	0.044	1	0.55	0.009	0.05	0.2	0.03	1.5	<0.1	<0.05	4	<0.5
874750	Soil	12	149	1.66	322	0.138	2	2.30	0.033	0.34	0.4	0.03	10.1	0.4	<0.05	7	0.8
874751	Soil	5	79	1.08	98	0.078	3	1.92	0.009	0.09	0.2	0.01	4.6	<0.1	<0.05	6	<0.5
874752	Soil	5	85	1.07	105	0.079	2	1.99	0.009	0.09	0.1	0.01	4.8	<0.1	<0.05	6	<0.5
874753	Soil	5	90	0.99	110	0.090	3	2.11	0.014	0.08	0.2	0.02	4.8	0.1	<0.05	6	<0.5
874754	Soil	6	92	1.05	116	0.089	2	1.91	0.016	0.08	0.1	0.02	5.0	0.1	<0.05	6	<0.5
874755	Soil	5	76	0.99	94	0.085	2	1.79	0.013	0.08	0.1	0.01	4.7	0.1	<0.05	5	<0.5
874756	Soil	10	30	0.50	344	0.055	12	1.97	0.037	0.19	0.1	0.02	4.7	<0.1	<0.05	5	<0.5
874757	Soil	9	32	0.50	327	0.060	12	1.88	0.033	0.17	0.1	0.02	4.2	<0.1	<0.05	5	<0.5
874758	Soil	9	30	0.46	290	0.058	9	1.91	0.030	0.15	0.1	0.02	4.2	<0.1	<0.05	5	<0.5
874759	Soil	8	34	0.51	213	0.064	7	1.48	0.026	0.10	<0.1	0.02	4.1	<0.1	<0.05	4	<0.5
874760	Soil	8	29	0.53	267	0.061	12	1.47	0.029	0.14	0.1	0.02	3.9	<0.1	<0.05	4	<0.5
874761	Soil	7	30	0.53	259	0.066	9	1.53	0.032	0.12	<0.1	0.02	4.3	<0.1	<0.05	4	<0.5
874762	Soil	8	30	0.52	247	0.058	9	1.36	0.026	0.12	0.1	0.02	4.2	<0.1	<0.05	4	<0.5
874763	Soil	8	32	0.52	218	0.067	8	1.45	0.032	0.11	<0.1	0.02	4.1	<0.1	<0.05	4	<0.5
874764	Soil	8	31	0.53	242	0.057	9	1.46	0.033	0.12	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5
874765	Soil	8	30	0.54	233	0.068	11	1.44	0.029	0.13	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5
874766	Soil	7	31	0.49	131	0.064	2	1.16	0.014	0.04	<0.1	0.03	3.7	<0.1	<0.05	4	<0.5
874767	Soil	8	40	0.61	105	0.069	3	1.17	0.021	0.05	<0.1	0.02	4.0	<0.1	<0.05	4	<0.5
874768	Soil	8	40	0.60	104	0.070	3	1.16	0.022	0.05	0.1	0.02	4.1	<0.1	<0.05	4	<0.5
874769	Soil	7	36	0.59	99	0.073	3	1.13	0.028	0.05	0.1	0.02	3.9	<0.1	<0.05	3	<0.5
874770	Soil	8	33	0.52	97	0.061	2	1.07	0.020	0.04	<0.1	0.02	3.5	<0.1	<0.05	4	<0.5
874771	Soil	7	86	0.98	239	0.074	2	1.84	0.016	0.08	0.2	0.02	4.7	0.1	<0.05	5	<0.5
874772	Soil	7	93	0.98	164	0.081	2	1.89	0.017	0.09	0.1	0.04	4.8	0.1	<0.05	5	<0.5
874773	Soil	10	112	1.23	138	0.090	2	1.75	0.032	0.11	0.2	0.02	6.7	0.2	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Amarc Resources**
 1020 - 800 W. Pender St.
 Vancouver BC V6C 2V6 Canada

Project: PolyMac
 Report Date: October 21, 2008

Page: 12 of 12 Part 1

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874774	Soil	0.8	23.1	6.1	48	<0.1	30.8	8.7	468	2.28	6.0	0.5	<0.5	1.2	30	0.2	0.4	<0.1	60	0.46	0.073
874775	Soil	0.8	22.4	6.4	47	<0.1	25.7	8.3	436	2.24	7.2	0.5	0.6	1.2	29	0.2	0.5	<0.1	59	0.46	0.077
874776	Soil	2.1	36.2	7.3	95	<0.1	100.1	16.7	1141	3.41	10.2	0.5	1.0	1.3	27	0.5	0.6	0.2	80	0.39	0.111
874777	Soil	1.9	36.8	7.1	94	<0.1	98.9	16.5	1002	3.23	9.8	0.5	<0.5	1.3	27	0.4	0.6	0.2	77	0.38	0.103
874778	Soil	0.8	24.9	5.8	49	<0.1	26.7	8.8	404	2.46	6.6	0.4	<0.5	1.2	27	0.1	0.4	<0.1	68	0.36	0.060
874779	Soil	1.8	35.0	6.7	94	<0.1	95.0	16.5	875	3.17	9.9	0.5	0.7	1.3	27	0.5	0.6	0.2	78	0.38	0.101
874780	Soil	0.8	24.0	5.8	48	<0.1	23.7	8.4	382	2.40	6.2	0.4	<0.5	1.2	26	0.2	0.4	<0.1	60	0.33	0.064
874781	Soil	0.8	23.8	5.4	47	<0.1	24.5	8.7	388	2.33	6.0	0.4	<0.5	1.2	28	0.1	0.4	<0.1	64	0.35	0.062
874782	Soil	0.9	24.2	5.7	47	<0.1	24.1	8.7	377	2.37	6.1	0.4	<0.5	1.2	27	0.2	0.4	<0.1	63	0.35	0.062
874783	Soil	3.1	112.2	9.1	109	0.1	170.3	31.3	1135	4.42	17.5	0.7	1.5	1.7	42	0.5	0.9	0.4	112	0.54	0.092
874784	Soil	3.4	120.1	9.6	113	0.1	171.4	32.2	1184	4.59	17.9	0.7	1.3	1.7	55	0.6	1.0	0.4	117	0.59	0.093
874785	Soil	2.2	47.6	8.0	83	<0.1	123.4	19.1	799	3.55	12.0	0.6	<0.5	1.5	33	0.4	0.9	0.2	89	0.44	0.085



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Amarc Resources

1020 - 800 W. Pender St.
Vancouver BC V6C 2V6 Canada

Project:

PolyMac

Report Date:

October 21, 2008

Page:

12 of 12 Part 2

CERTIFICATE OF ANALYSIS

SMI08001016.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
874774	Soil	8	35	0.54	98	0.071	2	1.11	0.014	0.05	0.1	0.02	4.0	<0.1	<0.05	3	<0.5
874775	Soil	8	32	0.49	98	0.065	2	1.06	0.017	0.04	<0.1	0.03	4.0	<0.1	<0.05	3	<0.5
874776	Soil	7	97	0.99	176	0.080	2	1.89	0.020	0.09	0.1	0.02	4.7	0.1	<0.05	5	0.7
874777	Soil	7	93	0.98	158	0.081	2	1.86	0.015	0.09	0.2	0.03	4.8	0.2	<0.05	5	<0.5
874778	Soil	8	31	0.44	122	0.086	2	1.43	0.019	0.04	<0.1	0.03	4.1	<0.1	<0.05	4	<0.5
874779	Soil	7	94	0.98	150	0.077	2	1.77	0.019	0.09	0.1	0.02	4.9	0.1	<0.05	5	<0.5
874780	Soil	7	30	0.44	119	0.078	1	1.49	0.019	0.04	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5
874781	Soil	8	31	0.43	120	0.084	1	1.42	0.019	0.04	0.1	0.02	4.0	<0.1	<0.05	4	<0.5
874782	Soil	8	32	0.44	123	0.082	2	1.49	0.021	0.04	0.1	0.03	4.1	<0.1	<0.05	4	<0.5
874783	Soil	13	150	1.57	259	0.145	3	2.25	0.040	0.26	0.3	0.03	10.9	0.4	<0.05	7	0.6
874784	Soil	13	150	1.65	309	0.159	3	2.44	0.044	0.28	0.2	0.03	11.5	0.5	<0.05	7	<0.5
874785	Soil	10	121	1.41	131	0.106	3	1.93	0.023	0.12	0.2	0.02	7.0	0.2	<0.05	5	<0.5

QUALITY CONTROL REPORT

SMI08001016.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
13309	Soil	1.4	48.4	8.1	78	<0.1	124.4	15.7	643	3.51	11.7	0.7	0.9	1.8	38	0.1	1.4	0.1	74	0.48	0.078
REP 13309	QC	1.2	48.8	7.8	78	<0.1	124.0	16.0	613	3.51	11.4	0.7	1.4	1.7	37	<0.1	1.1	0.1	74	0.46	0.075
13331	Soil	1.4	69.3	7.3	90	<0.1	85.3	14.1	590	3.20	10.8	0.7	1.8	1.4	32	0.4	0.7	0.1	75	0.54	0.093
REP 13331	QC	1.5	72.0	7.3	87	<0.1	94.5	14.8	593	3.35	10.8	0.7	1.4	1.4	33	0.4	0.7	<0.1	77	0.55	0.092
13447	Soil	2.2	52.3	8.2	53	0.1	98.3	19.8	809	3.34	17.5	0.5	1.3	1.6	29	0.3	1.8	0.3	85	0.41	0.060
REP 13447	QC	2.3	55.0	9.0	52	0.1	102.1	19.5	803	3.53	18.7	0.5	2.2	1.6	31	0.2	1.9	0.3	85	0.45	0.059
13459	Soil	8.4	70.8	8.2	112	0.2	129.0	31.7	570	4.74	38.1	0.4	0.8	1.1	27	0.4	0.9	0.5	118	0.43	0.082
REP 13459	QC	7.9	68.0	8.0	109	0.2	128.2	30.3	551	4.48	37.2	0.5	<0.5	1.1	27	0.3	0.9	0.5	116	0.42	0.081
13685	Soil	13.4	11.9	5.9	43	<0.1	20.9	4.8	158	2.54	6.7	0.3	1.2	0.6	17	0.3	0.4	<0.1	76	0.17	0.023
REP 13685	QC	12.5	11.4	5.8	41	<0.1	21.4	4.5	152	2.55	6.6	0.3	6.4	0.6	16	0.3	0.4	<0.1	74	0.17	0.023
13688	Soil	3.6	11.4	6.5	49	<0.1	20.2	5.2	165	2.41	7.4	0.2	6.8	0.7	17	0.4	0.4	0.1	84	0.18	0.048
REP 13688	QC	3.5	10.9	6.9	48	<0.1	20.1	5.0	161	2.37	7.4	0.2	2.7	0.6	17	0.4	0.4	0.1	86	0.17	0.050
25633	Soil	2.8	54.7	9.8	122	<0.1	85.9	18.3	906	3.89	15.5	0.6	1.9	1.9	44	0.6	1.5	0.1	79	0.55	0.079
REP 25633	QC	2.8	55.2	9.7	116	<0.1	85.6	18.0	893	3.85	15.3	0.5	1.7	1.9	45	0.6	1.5	0.1	76	0.55	0.077
25719	Soil	1.7	28.5	6.2	83	0.2	64.2	13.8	611	3.01	7.6	0.6	<0.5	1.3	25	0.4	0.7	<0.1	66	0.44	0.033
REP 25719	QC	1.7	28.1	6.5	83	0.2	66.7	14.1	640	3.11	7.6	0.5	1.2	1.2	25	0.4	0.7	<0.1	67	0.48	0.033
25735	Soil	0.8	11.1	5.1	48	<0.1	24.3	5.0	184	2.00	3.7	0.3	2.6	0.7	22	0.3	0.3	<0.1	59	0.24	0.040
REP 25735	QC	0.9	10.3	5.0	48	<0.1	24.5	4.8	169	1.97	3.5	0.2	<0.5	0.6	20	0.2	0.3	<0.1	57	0.23	0.038
25878	Soil	0.6	9.9	5.1	55	<0.1	75.5	8.1	275	2.14	3.3	0.3	1.3	0.7	22	0.1	0.3	<0.1	61	0.27	0.042
REP 25878	QC	0.7	9.2	5.0	55	<0.1	74.5	8.1	270	2.08	3.2	0.2	3.6	0.6	21	0.2	0.2	<0.1	62	0.27	0.041
25890	Soil	1.2	41.6	7.8	92	<0.1	40.4	14.3	878	3.26	9.6	0.4	3.0	1.8	57	0.5	0.7	<0.1	73	0.92	0.076
REP 25890	QC	1.2	42.0	7.5	96	<0.1	41.0	13.8	898	3.30	9.1	0.4	0.8	1.7	56	0.5	0.7	<0.1	73	0.90	0.080
25917	Soil	1.7	41.2	8.4	103	<0.1	54.6	16.5	997	2.96	8.2	0.6	28.9	1.3	39	0.6	0.7	0.1	74	0.53	0.074
REP 25917	QC	1.6	39.5	8.0	101	<0.1	50.4	15.6	929	2.75	7.8	0.6	1.5	1.2	37	0.6	0.7	<0.1	68	0.49	0.074
25921	Soil	3.9	19.8	5.5	40	<0.1	29.3	4.5	122	1.79	3.9	0.3	0.5	0.4	43	0.4	0.5	0.3	46	1.62	0.036
REP 25921	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
25952	Soil	3.7	31.6	6.6	169	0.1	96.6	29.7	461	4.79	51.4	0.3	<0.5	0.9	17	0.5	0.8	0.7	160	0.23	0.049
REP 25952	QC	3.5	35.0	6.9	181	0.1	104.0	31.1	474	5.15	53.8	0.3	<0.5	0.9	17	0.5	0.8	0.7	180	0.25	0.050

QUALITY CONTROL REPORT

SMI08001016.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
13309	Soil	13	108	1.27	161	0.079	3	1.95	0.039	0.11	0.1	0.05	8.4	0.1	<0.05	5	<0.5
REP 13309	QC	13	106	1.27	156	0.088	5	1.97	0.043	0.10	0.1	0.05	8.9	<0.1	<0.05	5	<0.5
13331	Soil	10	65	0.79	146	0.060	3	2.09	0.015	0.09	0.1	0.03	5.4	0.1	<0.05	5	<0.5
REP 13331	QC	11	65	0.85	148	0.063	2	1.97	0.013	0.11	0.1	0.02	5.6	0.1	<0.05	5	<0.5
13447	Soil	10	99	0.88	119	0.083	2	1.30	0.020	0.19	0.3	0.02	5.0	0.2	<0.05	4	<0.5
REP 13447	QC	10	105	0.92	115	0.092	2	1.34	0.017	0.20	0.4	0.02	5.0	0.2	<0.05	5	<0.5
13459	Soil	5	149	1.40	179	0.151	2	3.11	0.015	0.17	0.3	0.02	6.2	0.1	<0.05	9	<0.5
REP 13459	QC	5	146	1.38	174	0.156	2	3.00	0.016	0.16	0.3	0.02	6.1	0.2	<0.05	9	<0.5
13685	Soil	4	38	0.37	72	0.075	<1	1.07	0.009	0.03	0.1	0.04	2.3	<0.1	<0.05	5	<0.5
REP 13685	QC	4	38	0.37	73	0.071	<1	1.03	0.009	0.03	0.1	0.05	2.1	<0.1	<0.05	5	<0.5
13688	Soil	4	41	0.36	86	0.080	2	1.04	0.017	0.04	0.1	0.02	2.1	<0.1	<0.05	6	<0.5
REP 13688	QC	4	40	0.36	87	0.082	<1	1.00	0.016	0.03	0.1	0.02	2.2	<0.1	<0.05	6	<0.5
25633	Soil	13	58	0.94	162	0.056	2	1.81	0.029	0.11	<0.1	0.04	7.4	0.1	<0.05	5	<0.5
REP 25633	QC	12	57	0.91	155	0.054	3	1.76	0.021	0.10	<0.1	0.04	7.0	0.1	<0.05	5	<0.5
25719	Soil	10	61	0.78	91	0.060	2	1.61	0.015	0.10	<0.1	0.04	5.0	<0.1	<0.05	5	<0.5
REP 25719	QC	10	62	0.79	92	0.070	1	1.67	0.018	0.11	<0.1	0.04	5.2	<0.1	<0.05	5	<0.5
25735	Soil	6	40	0.46	71	0.056	<1	1.39	0.010	0.05	<0.1	0.03	2.7	<0.1	<0.05	5	<0.5
REP 25735	QC	6	39	0.44	71	0.046	<1	1.30	0.014	0.05	<0.1	0.03	2.7	<0.1	<0.05	5	<0.5
25878	Soil	6	51	0.68	67	0.062	<1	1.27	0.010	0.04	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
REP 25878	QC	6	51	0.67	66	0.062	1	1.22	0.018	0.04	<0.1	<0.01	2.5	<0.1	<0.05	5	<0.5
25890	Soil	11	41	0.83	157	0.069	2	1.86	0.043	0.13	<0.1	0.05	6.5	0.1	<0.05	6	<0.5
REP 25890	QC	10	40	0.87	156	0.065	2	1.82	0.041	0.12	<0.1	0.04	6.7	0.1	<0.05	6	<0.5
25917	Soil	9	50	0.73	165	0.055	2	1.59	0.023	0.08	0.1	0.05	5.1	<0.1	<0.05	5	<0.5
REP 25917	QC	10	48	0.69	162	0.046	2	1.56	0.015	0.07	<0.1	0.05	4.6	0.1	<0.05	5	<0.5
25921	Soil	4	38	0.27	91	0.049	3	0.75	0.012	0.08	0.2	0.05	2.3	<0.1	0.09	4	<0.5
REP 25921	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
25952	Soil	4	184	1.75	190	0.266	2	3.21	0.014	0.22	0.2	0.02	7.8	0.2	<0.05	12	<0.5
REP 25952	QC	4	198	1.79	194	0.268	1	3.28	0.015	0.23	0.2	0.02	8.0	0.2	<0.05	13	<0.5

QUALITY CONTROL REPORT


SMI08001016.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
874751	Soil	2.2	34.6	6.6	96	<0.1	125.2	17.4	476	3.53	12.4	0.4	<0.5	1.1	20	0.4	0.7	0.2	83	0.37	0.088
REP 874751	QC	2.1	34.4	6.6	96	<0.1	124.2	17.5	470	3.53	12.1	0.3	<0.5	1.0	20	0.3	0.6	0.2	83	0.37	0.084
874768	Soil	0.9	25.1	6.0	48	<0.1	35.3	9.5	538	2.27	6.2	0.5	<0.5	1.2	30	0.2	0.4	<0.1	61	0.44	0.068
REP 874768	QC	0.9	25.9	6.1	52	<0.1	36.6	9.4	560	2.26	6.6	0.5	<0.5	1.2	32	0.2	0.4	<0.1	62	0.45	0.069
874779	Soil	1.8	35.0	6.7	94	<0.1	95.0	16.5	875	3.17	9.9	0.5	0.7	1.3	27	0.5	0.6	0.2	78	0.38	0.101
REP 874779	QC	2.0	34.4	7.0	93	<0.1	97.8	17.0	907	3.29	9.8	0.5	0.7	1.3	28	0.4	0.6	0.2	78	0.39	0.103
Reference Materials																					
STD DS7	Standard	20.7	111.8	70.5	413	0.9	55.1	9.3	598	2.35	52.0	4.9	63.9	4.3	75	6.8	6.4	4.8	84	0.92	0.078
STD DS7	Standard	19.6	105.1	66.1	387	0.9	53.3	8.9	579	2.26	51.5	4.8	74.1	4.4	72	6.6	6.0	4.7	81	0.92	0.080
STD DS7	Standard	20.1	113.3	67.0	404	0.9	57.0	9.4	616	2.41	53.6	4.8	61.7	4.3	72	6.8	6.3	4.6	86	0.90	0.079
STD DS7	Standard	17.4	109.8	69.5	385	0.8	52.5	9.1	583	2.26	50.1	5.3	67.2	4.4	68	6.5	6.0	5.0	83	0.85	0.080
STD DS7	Standard	19.3	95.2	67.2	389	0.9	51.5	8.9	606	2.29	47.4	4.7	71.9	4.4	73	5.7	5.3	4.0	82	0.94	0.075
STD DS7	Standard	18.9	113.4	70.8	393	0.8	54.8	9.5	614	2.37	52.6	5.0	59.4	4.2	69	6.5	6.3	4.9	85	0.92	0.076
STD DS7	Standard	17.6	100.3	65.0	373	0.7	53.0	9.1	579	2.19	45.0	4.6	64.1	4.2	70	5.7	5.1	4.0	85	0.91	0.069
STD DS7	Standard	19.7	105.8	71.8	402	0.8	54.5	9.6	603	2.31	56.8	5.2	65.3	4.4	75	6.6	6.7	5.2	84	0.90	0.081
STD DS7	Standard	19.4	109.8	71.5	409	0.8	56.7	9.3	598	2.31	55.1	5.2	94.0	4.4	72	7.1	6.4	5.3	83	0.93	0.081
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

SMI08001016.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
874751	Soil	5	79	1.08	98	0.078	3	1.92	0.009	0.09	0.2	0.01	4.6	<0.1	<0.05	6	<0.5
REP 874751	QC	5	83	1.07	101	0.078	2	1.93	0.009	0.09	0.1	0.01	4.3	<0.1	<0.05	6	<0.5
874768	Soil	8	40	0.60	104	0.070	3	1.16	0.022	0.05	0.1	0.02	4.1	<0.1	<0.05	4	<0.5
REP 874768	QC	8	41	0.61	103	0.073	2	1.16	0.026	0.05	0.1	0.04	4.0	<0.1	<0.05	4	<0.5
874779	Soil	7	94	0.98	150	0.077	2	1.77	0.019	0.09	0.1	0.02	4.9	0.1	<0.05	5	<0.5
REP 874779	QC	7	93	0.99	154	0.084	3	1.78	0.022	0.08	0.2	0.02	4.9	0.1	<0.05	5	<0.5
Reference Materials																	
STD DS7	Standard	13	175	1.01	376	0.117	37	1.01	0.083	0.41	3.8	0.20	2.5	4.0	0.20	5	3.6
STD DS7	Standard	13	161	1.00	386	0.108	40	0.95	0.082	0.42	4.2	0.19	2.4	4.3	0.15	4	3.8
STD DS7	Standard	12	167	1.01	340	0.118	40	0.94	0.088	0.42	3.8	0.18	2.7	4.1	0.21	5	3.5
STD DS7	Standard	12	159	1.00	333	0.111	40	0.93	0.083	0.40	3.8	0.19	2.6	4.2	0.22	4	2.9
STD DS7	Standard	13	170	1.03	339	0.108	35	1.03	0.094	0.44	3.6	0.20	2.5	4.5	0.19	5	3.8
STD DS7	Standard	12	165	0.97	375	0.111	40	0.92	0.084	0.43	3.8	0.18	2.3	4.1	0.22	5	3.7
STD DS7	Standard	12	168	0.94	340	0.110	38	0.91	0.085	0.43	3.8	0.19	2.3	3.8	0.26	4	3.5
STD DS7	Standard	12	163	1.01	364	0.115	42	0.94	0.087	0.42	4.2	0.19	2.7	4.2	0.18	5	3.8
STD DS7	Standard	13	165	0.99	400	0.111	39	0.95	0.089	0.43	4.0	0.19	2.2	4.2	0.21	5	3.8
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



- Contour, 20 m interval
- Contour, depression
- Index contour, 100 m interval
- Index contour, depression
- Lake
- River
- River, indefinite
- Marsh
- Swamp
- 1-lane gravel road
- Rough road
- Building
- Logging road
- Claim boundary

- Silt sample collected in September-October 2008 (24)
- Silt sample collected in 2007 (3)
- Silt sample collected in June 2008 (6)




Amarc Resources Ltd.

POND

Silt Sample Locations

NTS: 93K/13	BCGS: 93K.082.83	Figure 8.1
Date: December 18, 2008	Scale: 1 : 10 000	
POND_AsuRst_siltloc_Dec0808.WOR	UTM NAD83, Zone 10	Plotted by : GMD



- Contour, 20 m interval
- Contour, depression
- Index contour, 100 m interval
- Index contour, depression
- Lake
- River
- River, indefinite
- Marsh
- Swamp
- 1-lane gravel road
- Rough road
- Building
- Logging road
- Claim boundary

Approximate locations of Mo +/- Cu zones, collectively known as "MAC", drilled in 1989-1997

- ppm Mo in Silt**
- 20 to 72 (3)
 - 15 to 20 (4)
 - 10 to 15 (6)
 - 5 to 10 (8)
 - 0 to 5 (12)


0 0.5 1
 kilometres

POND

Molybdenum in Silt

NTS: 93K/13 BCGS: 93K.082.83	Figure 8.2
Date: December 17, 2008	Scale: 1 : 10 000
POND_AssRpt_uMoly_De0408.WOR	Plotted by: GMD
UTM NAD83, Zone 10	

Geological legend on Figure 7.1



- Contour, 20 m interval
- Contour, depression
- Index contour, 100 m interval
- Index contour, depression
- Lake
- River
- River, indefinite
- Marsh
- Swamp
- 1 - lane gravel road
- Rough road
- Building
- Logging road
- Claim boundary


• Soil sample (167) with sample number posted

Amarc Resources Ltd.

POND

Soil Sample Locations


NTS: 93K/13	NTS: 93K-082.83	Figure 8.3
Date: December 4, 2008		Scale: 1 : 10 000
POND_AssRpt_sofrto_020408.WOR		Plotted by : GMD
UTM NAD83, Zone 19		



- Contour, 20 m interval
- Contour, depression
- Index contour, 100 m interval
- Index contour, depression
- Lake
- River
- River, indefinite
- Marsh
- Swamp
- 1-lane gravel road
- Rough road
- Building
- Logging road
- Claim boundary

Approximate locations of Mo +/- Cu zones, collectively known as "MAC", drilled in 1989-1997

- ppm Mo in Soil**
- 30 to 148.8 (7)
 - 15 to 30 (9)
 - 8 to 15 (17)
 - 5 to 8 (13)
 - 0 to 5 (121)



POND

Molybdenum in Soil

NTS: 93K/13 BCGS: 93K.082.83	Figure 8.4
Date: December 17, 2008	Scale: 1 : 10 000
POND_AssRpt_soilresults_Dec0408.WOR	Plotted by: GMD
UTM NAD83, Zone 10	

Geological legend on Figure 7.1