GEOLOGICAL ASSESSMENT REPORT ON GEOCHEMICAL EXPLORATION FOR NICKEL-COBALT-MAGNESIUM-GOLD PROPERTY, NEW WESTMINSTER MINING DIVISION, BRITISH COLOMBIA.

RECEIVED

MAR 2 2009

Gold Commissioner's Office VANCOUVER, B.C. **Property Location**

ew Westminster Mining Division N.T.S. Grid 92H/6(E) Centered Near Latitude: 49°25' N

Longitude: 121°13' W

BC Geological Survey Assessment Report 30598

South Group

Serp#5 and Serp#6

Event Number: 4248738

Owner

Ram Vallabh 603 East, 30th Avenue, Vancouver, B.C., V5V 2V7

Operator

Almo Capital Corp. 603 East, 30th Avenue, Vancouver, B.C., V5V 2V7

Author of Report:

Ram Vallabh, M.Sc. (Geo.), LL.B.

Geological Work Done By:

Uma Shankar M.Sc. (Geo.) & Amit Kumar, M.Sc. (Geo.)

GEOLOGICAL SURVEY BRANCH



TABLE OF CONTENTS	Page No.
Item 1 Introduction	2
Item 2 Location and Access	2
Item 3 Claim Information	4
Item 4 Geological Setting	6
Item 4.1 Regional Geology	6
Item 4.2 Property Geology	8
Item 5 Field Procedures	10
Item 6 Sampling and Geo-chemical analysis	10
Item 7 Conclusion	21
Item 8 Cost Statement of Exploration	21
Item 9 Statement of Authors Qualifications	22
Item 10 References	23
APPENDIX	24
List of Figures:	
Figures-1 Location Map	3
Figures-2 Claims Map	5
Figures-3 Regional Geology Map	7
Figures-4 General Property Geology	9
Figures-5 Map of Soil Sample Locations and Geo-chemical results	15
Figures-6 Map of Rock Sample Locations and Geo-chemical results	16
List of Tables:	
Table 1: Mineral claim information	4
Table 2: Details of Soil Samples	10
Table 3: Details of Rock Samples	14

Item 1: INTRODUCTION

Almo Capital Corp. acquired the "Nickel - Cobalt - Magnesium - Gold Property recently for cash on March 23, 2007. The "Nickel - Cobalt - Magnesium - Gold Property" was acquired for a total of \$5000, of which \$100 has been already paid, and \$4,900 is yet to be paid in due time.

Almo Capital Corp. along with Silcum Resources Ltd. and Precious metals Corp. of Vancouver, B.C jointly owns a couple of contiguous mineral claims located approximately 24 kilometers due east of the town of Hope, British Colombia known as Serp#5 and Serp#6. These claims straddle along geological structure known as the Coquihalla Serpentine Gold Belt. Geological Exploration (rock and soil sampling) were carried out over the claims on November 1 and November 23, 2008.

Hillsbar Gold Inc. recognized the potential along the belt and staked an area reported to have both gold and platinum showings. Placer gold was reported in the Serpentine Lake area and the small streams leading from the lake. Bedrock geology in the area is favorable for hosting lode or vein type gold mineralization. Similar geological environment can be found at the old Emancipation gold mine, which is located several kilometers to the northwest. Platinum placer is also reported along Sowaqua Creek. As well, the old St. Patrick workings along Sowaqua Creek are reported as a gold-platinum occurrence. It has been suggested that perhaps the source of the platinum may have originated from the serpentinized ultramafic rocks that form the Coquihalla serpentine belt. The west and east Hozameen fault systems are also potential targets such as the St. Patrick workings, which occur along the west Hozameen fault system.

Almo Capital Corp. intends to conduct systematic geological exploration program over the Serp#5 & Serp#6 mineral claims, with a view to find the source of gold, nickel, cobalt, magnesium, platinum etc. in the area.

Item 2: LOCATION AND ACCESS


The Serp#5 and Serp#6 mineral claim (south group) is located approximately 24 kilometers due east of the town of Hope, British Columbia. The nickel-cobalt-magnesium-gold property is intersected by a large northwesterly flowing stream called Sowaqua Creek, a tributary of the Coquihalla River. Access to the property can easily be gained from Hope via the Coquihalla Highway Number5. The south end of the south property may be reached by taking Sowaqua creek Exit 192 and by traveling south on the Sowaqua Creek logging road until the turn off at past 16 kilometers.

In order to follow the logging road a 4-wheel drive vehicle is recommended. The boundary of the property can easily be reached within an easy one and a half-hour drive from Hope.

FIGURE 1

LOCATION MAP

Below is a map outlining all NTS map areas that fall within the borders of British Columbia specifically showing the location of "Nickel – Cobalt - Magnesium – Gold-Property" in New Westminster mining Division of British Columbia.



Item 3: MINERAL CLAIMS


The Nickel-Cobalt-Magnesium-Gold Property covers two claims Groups, North Group, and South Group (Fig. 2). The South Group consist of Serp#5and Serp#6 mineral claims, which encompass approximately 778 hectares. The Serp#5and Serp#6 mineral claims lies under the administrative area of the New Westminster Mining Division, British Colombia on N.T.S. Grid 92H/6(E). The co-ordinates are located near the central part of the property at Latitude: 49°25' N and Longitude 121°13'W. The Serp #5and Serp #6 mineral claims are jointly held by Almo Capital Corp., Silcum Resources Ltd. and Precious metals Corp. of Vancouver, British Colombia.

According to the terms of the agreement, Almo Capital Corp. acquired an equity position of 52% in the "Nickel - Cobalt - Magnesium - Gold Property". There is a 3% NSR held by people who are in a cooperative relationship with the company. The remaining 48% of equity is also jointly held by Silcum Resources Ltd. and Precious metals Corp. who are in a cooperative relationship with Almo Capital Corp. and their interest is undivided.

The following table summarizes the pertinent claim information:

Table 1: LIST OF MINERAL CLAIMS

Claim Name	Tenure Number	Units	Expiry Date
Serp# 5	551500	1	November 30, 2009
Serp# 6	551503	1	November 30, 2009



* Mineral Claims Hope and Hope#1 Are added to the North Group on Feb 9,2009

Item 4: GEOLOGICAL SETTING

Item 4.1: REGIONAL GEOLOGY

The regional geological setting is identified by a prominent northwest-southeast trending structure known as the Coquihalla Serpentine Belt. The belt, which is represented by a semi-continuous band of serpentine rock, is fault bounded by the East and West Hozameen faults. This geological break can be traced for at least 100 kilometers in southwestern British Colombia and it extends into northern Washington State, USA.

The belt of serpentine separates two distinct crustal units. The East Hozameen fault is in contact with an andesitic volcanic greenstone unit, the Spider Peak Formation of Early Triassic age. The greenstone forms the basement for the unconformable, overlying Jurassic to Cretaceous turbidities and successor basin deposits of the Pasayten Trough. The West Hozameen fault is in contact with the Permian to Jurassic age Hozameen Group, which consists of a dismembered ophiolite succession represented by the ultramafic rocks of the Petch Creek serpentine belt in turn, is overlain by a thick unit of greenstone and chert.

The oldest sedimentary rocks in the Pasayten Trough, the Ladner Group, contain a locally developed basal unit (e.g. conglomerate, greywacke, siltstone, and slate) that hosts the Idaho zone gold deposit (former Caroline Mines) along with a number of other former small gold producers. A series of the gold occurrences and past-producing camps occur along and immediately east of the East Hozameen fault and hosted in the Ladner sediments, which is also known as the 'Coquihalla Gold Belt'.


Some gold mineralization is hosted in greenstone volcanic such as the old Emancipation mine as well as in other rock types including a suite of small sodic felsic porphyry intrusions at Siwash Creek forks old ward mine.

There is potential for additional discoveries of precious metal mineralization along the Coquihalla gold belt. For example, the reported placer gold near Serpentine Lake may be locally derived possibly from greenstone volcanic that occur in the area, similar to the geological setting as the former Emancipation mine. As well as the reported occurrence of placer platinum in Sowaqua Creek and the reported gold-platinum workings of the old St. Patrick, this raises intriguing possibilities that the Coquihalla serpentine belt could be an exploration target for platinum-group elements.

REGIONAL GEOLOGY MAP

FIGURE 3

LEGENO
SKAGIT FORMATION (LATE MICCENE)
COOUTHALLA VOLCANIC COMPLEX (EARLY MIDCENE)
CHILLIWACK AND MOUNT BARR BATHOLITHS (OLIGOCENE - MICCENE)
6.1 NEEDLE PEAK PLUTON (EOCENE)
::5: HELLS GATE PLUTON (EOCENE)
ASSORTED GRANITIC ROCKS OF VARIOUS AGES, LOCALLY INCLUDES SOME CUSTER - SKAGIT GNEISS
KP PASAYTEN GROUP (LOWER CRETACEOUS)
K. MOSTLY JACKASS MOLINTAIN GROUP (LOWER CRETACEOUS) WITH SOME DEWDNEY CREEK GROUP (UPPER JURASSIC)
JD DEWDNEY CREEK GROUP (UPPER JURASSIC)
JL LADNER GROUP (LOWER - UPPER JURASSIC)
3 COOUBHALLA SERPENTINE BELT
P.J., CHERTS, GREENSTONES, ARGILLITES HOZAMEEN GROW
2 PEICH CREEK SERPENIINE BELT JURASSIC)
MOUNT LYTTON - EAGLE PLUTONIC COMPLEX (PERMIAN - JURASSIC)
S SCHIST, AMPHIBOLITE, PHYLLITE (AGE LINKNOWN)
C CUSTER - SKAGIT GNEISS



Item 4.2 PROPERTY GEOLOGY


There are 3 main rock types that are underlie the Serp#5 and Serp#6 mineral claims, which includes chert and cherty argillites of the Hozameen Group, serpentine, greenstone volcanics of the Spider Peak formation and, siltstone, argillite and slate of the Ladner Group formation.

The serpentine is the prominent rock type underlying approximately 1/4 of the claims and forms a continuous belt striking northwest southeast. It is well exposed in a plateau-like area on, Serp#5 mineral claims where it is at least I .5 kilometers wide. The area forms the summit of the claims at an elevation of at least thousand meters. Glaciations have produced poor drainage with marshes and ponds as well as, ridges of polished-striated bedrock.

Serpentine Rock is exposed to the northeast and in contact with the volcanic is a northwest striking, steeply dipping siltstone. The serpentine and greenstone volcanics is in fault contact marking the East Hozameen fault. At the North portion of the South Property, the West Hozameen fault can be observed and which defines the contact between serpentine and cherty argillites of the Hozameen group.

Minor disseminated pyrite and Pyrhotite mineralization was observed with the volcanics. The serpentine is usually massive with no crystal structure and is commonly associated with disseminated magnetite.

Structurally, all rock units observed in this area strike northwest and are steeply dipping. Foliation is also concordant with northwest southeast trending faults. Several ancillary faults cut the serpentine and greenstone, paralleling the east and west Hozameen fault systems.



Item 5: FIELD PROCEDURES

Author along with two geologists and a driver carried out the soil and rock sampling survey on (1 November & 23 November 2008). The author drove from Hope via Coquihalla Highway Number 5. The south end of the "Nickel-Cobalt-Magnesium-Gold Property" South Group may be reached by taking Sowaqua creek Exit 192 and by traveling south on the Sowaqua Creek logging road until the turn off at past 16 kilometers. In order to follow the logging road a 4-wheel drive vehicle was used. The property can easily be reached within an easy one and a half-hour drive from Hope. 1:20,000 topographic maps, obtained from the local forestry services were used for navigation. Hip chain, brunton compass, and GPS were used in the sampling surveys.

Much of the area was surveyed; Soil samples were collected randomly along the logging road from the upper "B" (rusty) soil horizon where possible (on geological considerations). Hand tools were used; the samples were placed in standard craft paper bags, and marked with UTM co-ordinates. At the close of the project, the samples were boxed and shipped to Acme Labs Ltd., of Vancouver, B.C., where analysis for Gold, Nickel, Cobalt, Magnesium, Chromium and Platinum. and other elements were conducted and forms a part of this report.

Item 6 Sampling and Geo-chemical analysis

Details of samples collected on 1st and 23rd of November 2008 (Soil and Rock samples)

Samples collected by: Geologist Amit Kumar M.Sc. And Geologist Uma Shankar. M.Sc

Table :2;Soil Sample

SAMPLE CODE	SAMPLE I D	UTM LOCATION	DEPTH IN CM	COLOR	VISIBLE PROPERTIES
UAsl	52201	0631178 5469794	15	Brown	Collected from 'B' Horizon, appx.60% of fine-grained clay and silt, sub- angular to angular clasts present. Humus content is moderate.
UAs2	52202	0631116 5469800	10	Yellowish Brown	Collected from 'B' Horizon, Clay contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present.
UAs3	52203	0631069 5469865	15	Light brown	Collected from 'B' Horizon, Appx.60% of Clay contains organic rich

UAs4	52204	0630933	30	Brownish	residue, Sub- angular to angular clasts present. Root hairs are also present. Collected from 'B'
		5469844		Orange	Horizon, Appx.60% of Clay contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present. Due to high leaching, its colour is dark.
UAs5	52205	0630667 5469938	25	Dark brownish	Sample collected from horizon B, consists of appx.70% sandy clay, sub-angular to sub rounded clasts. Humus content is high.
UAs6	52206	0630632 5469968	35	Dark Brown	Sample collected from horizon B, consists of appx.70% clay, subangular to sub rounded clasts. Humus content is high
UAs7	52207	0630561 5470195	15	Reddish Brown	Collected from 'B' Horizon, appx.60% of fine-grained clay and silt , sub- angular to angular clasts present. Humus content is moderate. Clay contains organic rich residue due to high leaching
UAs8	52208	0630629 5470370	10	Light Brown	Collected from 'B' Horizon, Appx.60% of Clay contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present.
UAs9	52209	0630655 5470581	18	Dark Brown	Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to angular clasts are present. Root hairs are also present. Highly humic and medium grained.

				Ţ	
UAs10	52210	0630593 5470750	15	Yellowish Brown	Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to angular clasts are present. Root hairs are also present. Highly humic and medium grained.
UAs11	52211	0630566 5470107	25	Dark Brown	Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to angular clasts are present. Root hairs are also present. Due to high leaching, its colour is dark.
SM1	52212	0630673 5470775	50	Blackish Brown	Sample collected from 'B' horizon. Fine to medium-grained subangular to angular clasts present. Humus content is moderate. soil rich in organic matter
SM2	52213	0630742 5470815	75	Dark Brown	Collected from 'B' Horizon, contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present. Humus content is moderate. Soil is rich in organic matter. Due to high leaching, its colour is dark.
SM3	52214	0630803 5470872	70	Reddish Brown	Sample collected from 'B' horizon, organic rich residue. Fine to medium-grained sub- angular to angular clasts present. Humus content is moderate. Soil rich in organic matter Root hairs are also present.
SM4	52215	0630854 5470946	150	Brownish Orange	Sample collected from 'B' horizon. Coarse grained with high percentage of clasts .Sub-


					angular to angular clasts present. Root hairs are also present.
SM5	52216	0630843 5471035	30	Dark Brown	Sample collected from horizon B, consists of appx.70% fine-grained clasts, sub-angular to angular clasts. Humus content is high
SM6	52217	0630749 5471186	25	Dark Brown	Sample collected from 'B' Horizon, appx.60% of soil contains fine-grained clasts, subangular to angular clasts. Humus content is high. Humus content is moderate. Soil contains organic rich residue due to high leaching
SM7	52218	0630727 5471273	30	Dark Brown to brown	Sample collected from 'B' Horizon, Appx.60% of soil contains medium-grained Sub- angular to angular clasts. Root hairs are also present organic rich residue
SM8	52219	0630723 5471369	15	Dark Brown	Sample collected from 'B' horizon, organic rich residue. Fine to medium-grained sub- angular to angular clasts are present. Humus content is moderate. Soil rich in organic matter Root hairs are also present.


Table: 3 ROCK SAMPLES

SAMPLE CODE	SAMPLE ID	UTM LOCATION	COLOR	VISIBLE PROPERTIES
UA1	52225	0631511 5469687	Greenish Grey	Fine grained compact rock.
UA2	52226	0631125 5469852	Light Green	Light green colour serpentine rock with fibrous texture.
UA3	52227	0630788 5469884	Dark Grey	Fine grained compact intrusive rock with minute quartz veins.
SMR1	52228	0630765 5470815	Black	Black fine-grained compact rock with lenses of serpentine.
SMR2	52229	0630813 5471077	Grey	Grey fine-grained compact rock with reddish brown oxidized bands.
SMR3	52230	0630755 5471150	Grey	Grey fine-grained compact rock with reddish brown oxidized bands.

The geological soil and rock sampling was done on the property to find the major elements of interest in the property. A total of 19 soil samples and six rock samples were collected in the field and were later geochemically analyzed for Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, and Zinc etc

Figure 5 and 6 illustrate geochemical results for soil and rock samples as obtained from Acme Lab. of Vancouver and forms a part of this report.





Map Center 49*22'36"N 121*12'3"W





METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 1E & 1EX – ICP & ICP-MS ANALYSIS – 4-ACID DIGESTION

Analytical Process Receive Samples Sort and Log Samples Soils & Sediments Vegetation Rock and Core Oven Dry at 60°C Ash at 475°C Label, Crush Label and Sieve samples and Pulverize to -80 Mesh Weigh 0.25 g into Teflon test tubes, add duplicates and reference material to the sample sequence Re-split Add H₂O-HF-HNO₃-HClO₄ acid mixture to test tubes and heat on hotplate until dry. Add 50% HCl and digest using a mixing hot block Calibration standards and reagent blanks added to sample sequence. Sample solutions analysed by iCP-ES or ICP-MS Re-analyse No LIMS system corrects data is data of for interferences and drift. acceptable Operator reviews raw data quality? ICP data and any other analyses combined as a final Analytical Report Verification and Certification by a BC Certified Assayer

Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-180 μ m). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 μ m) in a mild-steel ring-and-puck mill. Pulp splits of 0.25 g are weighed into Teflon test tubes.

Sample Digestion

A 10 mL aliquot of the acid solution (2:2:1:1 H_2O -HF-HClO₄-HNO₃) is added, heated until fuming on a hot plate and taken to dryness. A 4 mL aliquot of 50% HCl is added to the residue and heated using a mixing hot block. After cooling the solutions are transferred to polypropylene test-tubes and made to a 10 mL volume with 5% HCl.

Sample Analysis

Group 1E: solutions aspirated into a Spectro Ciros Vision or Varian 735 ICP emission spectrometer are analysed for 35 elements: Ag, Al, As, Au, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Sb, Sc, Sn, Sr, Th, Ti, U, V, W, Y, Zn and Zr.

Group 1EX: solutions aspirated into a Perkin Elmer Elan 6000 or 9000 ICP mass spectrometer are analysed for 41 elements: Ag, Al, As, Au, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cu, Fe, *Hf*, K, La, *Li*, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, *Rb*, S, Sb, Sc, Sn, Sr, *Ta*, Th, Ti, U, V, W, Y, Zn and Zr.

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of Certified or in-house Reference Material like STD DST6, Oreas 24P or Oreas 45P. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.





GROUP 1E AND 1EX - ICP ANALYSIS - 4-ACID DIGESTION

	Group 1E Detection	Group 1EX Detection	Upper Limit
Ag	0.5 ppm	0.1 ppm	200 ppm
Al*	0.01 %	0.01 %	20 %
As*	5 ppm	1 ppm	10000 ppm
Au^	4 ppm	0.1 ppm	200 ppm
Ba*	1 ppm	1 ppm	10000 ppm
Be*	1 ppm	1 ppm	1000 ppm
Bi	5 ppm	0.1 ppm	4000 ppm
Ca	0.01 %	0.01 %	40 %
Cd	0.4 ppm	0.1 ppm	4000 ppm
Ce	-	1 ppm	2000 ppm
Co	2 ppm	0.2 ppm	4000 ppm
Cr^	2 ppm	1 ppm	10000 ppm
Cu	2 ppm	0.1 ppm	10000 ppm
Fe*	0.01 %	0.01 %	60 %
Hf*	-	0.1 ppm	1000 ppm
K	0.01 %	0.01 %	10 %
La	2 ppm	0.1 ppm	2000 ppm
Li	-	0.1 ppm	2000 ppm
Mg*	0.01 %	0.01 %	30 %
Mn*	5 ppm	1 ppm	10000 ppm
Мо	2 ppm	0.1 ppm	4000 ppm
Na	0.01 %	0.001 %	10 %
Nb	2 ppm	0.1 ppm	2000 ppm
Ni	2 ppm	0.1 ppm	10000 ppm
Р	0.002 %	0.001 %	5 %
Pb	5 ppm	0.1 ppm	10000 ppm
Rb	-	0.1 ppm	2000 ppm
S	-	0.1 %	10 %
Sb*	5 ppm	0.1 ppm	4000 ppm
Sc	1 ppm	1 ppm	200 ppm
Sn*	2 ppm	0.1 ppm	2000 ppm
Sr	2 ppm	1 ppm	10000 ppm
Ta*	-	0.1 ppm	2000 ppm
Th	2 ppm	0.1 ppm	4000 ppm
Ti	0.01 %	0.001 %	10 %
U	20 ppm	0.1 ppm	4000 ppm
V	2 ppm	1 ppm	10000 ppm
W*	4 ppm	0.1 ppm	200 ppm
Υ	2 ppm	0.1 ppm	2000 ppm
Zn	2 ppm	1 ppm	10000 ppm
Zr*	2 ppm	0.1 ppm	2000 ppm


^{*}The digestion is only for some Cr and Ba minerals and some oxides of Al, Hf, Mn, Sn, Ta, Zr.

[^]Volatilization during furning may result in some loss of As, Sb, and Au.





METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 3A - AU BY WET EXTRACTION



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-180 $\mu m)$. Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 μm) in a mild-steel ring-and-puck mill. Pulp splits of 15 and 30 g splits are weighed into beakers.

Sample Digestion

A modified Aqua Regia solution of equal parts concentrated ACS grade HCl and HNO₃ and de-mineralised H₂O is added to each sample to leach for one hour in a hot water bath (>95°C). After cooling the solution is made up to final volume with 5% HCl. Sample weight to solution volume is 1 g per 20 mL.

Sample Analysis

Solutions are aspirated into a Perkin Elmer Elan 6000 or 9000 ICP mass spectrometer for the determination of Au.

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of Certified or in-house Reference Material like STD DS7 or Rocklabs STD OxD57. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.





GROUP 3A AU BY WET DIGESTION

Element	Detection Limits	Upper Limits
Au	0.5 ppb	10 ppm
Pt	2 ppb	10ppm
Pd	10 ppb	10 ppm

Item 7: CONCLUSION

The geological soil and rock sampling was done on the property to find the major elements in the property. A total of 19 soil samples and six rock samples are geochemically analyzed for Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, and Zinc etc

Geochemical results of soil samples shows Gold values up to 107.90ppb, Copper values up to 44.4ppm, Zinc values up to 115ppm, Nickel values up to 1098ppm, Cobalt values up to 60.80ppm, Manganese values up to 1634ppm, Chromium values up to 1330ppm, and Magnesium values up to 9.32%

Geochemical results of rock samples shows the Gold values up to 3.4ppb, Copper values up to 58.8ppm, Zinc values up to 101ppm, Nickel values up to 2373ppm, Cobalt values up to 97.20ppm, Manganese values up to 1805ppm, Chromium values up to 1681ppm, and Magnesium values up to 22.23%

The Geochemical results of the Nickel-Cobalt-Magnesium-Gold Property indicates that this area is a good prospect of Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, Zinc etc. Future surveys in the area should be orientated toward heavy metal sampling and detail examination of the serpentine and associated diorite intrusive including the greenstone Volcanics and fault contact structures.

Item 8: COST STATEMENT OF EXPLORATION

Costs of Exploration on the south group claims of Nickel-Cobalt-Magnesium-Gold Property.

Cash in lieu Spent on property from Feb 8 th to Oct 13 th	\$ 3,002.92
Geologist fee (for 1 st November & 23 rd November) @\$35/hr	\$ 2,835.00
Transport, vehicle rentals and Gas expenses	\$ 556.08
Expenditure on food supplies and Utilities	\$ 424.00
Total Expenditure (already Incurred)	<u>\$ 6,817.92</u>

Item 9: Statement of Authors Qualifications

I, Ram Vallabh, of 603 East 30th Avenue, Vancouver, British Columbia, Canada V5V 2V7, hereby certify that:

- 1. I am a graduate and post graduate from, University of Lucknow, India, B.Sc. in 1952, L.L.B. in 1955, and M.Sc. in 1957, both B.Sc. and M.Sc. Degrees are in Geology.
- 2. I am the registered owner of mineral claims held under Almo Capital Corp.
- 3. I had practiced geology for more than forty years in Canada.
- 4. This report is based on assessment, government, and private reports listed in the references, and personal field examination.
- 5. I am a qualified person.
- 6. The assessment report has been prepared in conformity of Canadian mining industry practice.

Dated at Vancouver: February 27, 2009

Ram Vallabh

603 East 30th Avenue,

2- Vallach

Vancouver, B.C.,

Canada V5V 2V7

Item 10 References

Cardinal, D. G. (1999). Geological Reconnaissance Report on Plat1-4 mineral claims Coquihalla gold belt, Sowaqua creek area, Hillsbar Gold Inc., Sechelt, B.C., Assessment Report 26,066

Cardinal, D. G. (2000). Geological Reconnaissance Survey on Plat Claim Group (Plat5 and 6), Hillsbar Gold Inc., Sechelt, B.C., Assessment Report 26,322

Cardinal, D. G. (1981). Geological Reconnaissance Assessment Report on Portion of Jessi 1 and Jessi 2, Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 9,766

Cochrane, D.R. (1980). Geochemical Assessment Report on Portion of the Jessi: Dwedney Group, Broken Hill Group and Serpentine Group, Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 8,533

Chamberlain, J.A. (1983). Geological Report of Coquihalla Nickel Property, Border Resources Ltd., Vancouver, B.C., Assessment Report 12,340

Howe, D.(1984). Assessment Report on a Soil Geochemical Sampling Survey and Orthophoto Survey on Jessi I and Jessi II Mineral Claim Groups, Columbian North Land Exploration Ltd. And Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 13,086

Lennan, B., Cardinal, D. G. and Bradely, M (1996). An Assessment Report Summarizing the 1996 Program of Geological Mapping and Geochemical Sampling on the Hillsbar Property.

Ray, G.E. (1990). The Geology and Mineralization of the Coquihalla Gold Belt and Hozameen Fault System, South Western British Colombia: B.C. Ministry Of Energy, Mines, and Petroleum Resources, Bulletin 79.

Von Hahn, H.E.A. (1992). A Process for the Recovery of Nickel, Cobalt, Magnesia, Silica, Report to Border Resources Ltd., Vancouver B.C., Assessment Report 22,521

APPENDIX GEO-CHEMICAL RESULTS



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Submitted By:

Ram Vallabh

Receiving Lab:

Canada-Vancouver

Received:

January 23, 2009

Report Date:

February 09, 2009

Page: 1 of 2

CERTIFICATE OF ANALYSIS

II North and South

VAN09000204.1

CLIENT JOB INFORMATION

Shipment ID:

Project:

P.O. Number

Number of Samples:

24

SAMPLE DISPOSAL

RTRN-PLP

Return

RTRN-RJT

Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Almo Capital Corp. 603 E. 30th Ave

Vancouver BC V5V 2V7

Canada

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method	Number of	Code Description	Test	Report
Code	Samples		Wgt (g)	Status

Soil Pulverize 24 Soil Pulverize

GEO6 24 Group 3A Au (15 gm) + Group 1EX

15 Completed

ADDITIONAL COMMENTS

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

"** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Il North and South

Report Date:

February 09, 2009

www.acmelab.com

Page:

2 of 2

श्रहाता	CATE 0	FAN	IALY	SIS					V8-46.3								VA	NOS	0000	204	1	
		Method	3A	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Anaiyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Aυ	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
r		MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	8.1	0.1	1	0.01
52201	Soil		2.2	1.1	12.7	9.8	67	<0.1	130.1	22.7	650	5.53	18	1.1	<0.1	2.8	194	0.2	1.5	0.3	134	1.16
52202	Soil		2.2	1.0	19.7	9.8	76	<0.1	297.9	29.0	601	6.10	18	1.0	<0.1	2.4	151	0.3	2.2	0.3	161	1.42
52203	Soil		<0.5	0.9	32.2	8.6	86	<0.1	210.7	22.5	714	7.79	10	0.9	<0.1	1.9	157	0.2	1.0	0.2	229	1.97
52204	Soil		0.9	1.2	18.3	7.1	58	<0.1	58.4	10.5	405	4.18	12	0.8	<0.1	2.3	77	0.3	1.2	0.2	101	0.53
52205	Soil	1	2.9	3.0	31.7	11.1	107	<0.1	36.6	20.0	1634	7.47	13	1.6	<0.1	3.6	186	0.2	1.7	0.2	161	1.43
52206	Soil		1.6	0.9	18.2	6.4	65	<0.1	125.3	20.1	819	4.51	11	0.9	<0.1	1.7	161	0.2	1.8	0.1	117	1.12
52207	Soil	1	2.1	2.4	28.2	9.1	69	<0.1	136.1	17.4	751	5.25	25	1.0	<0.1	1.7	183	0.3	1.9	0.1	123	0.95
52208	Soil		1.7	0.9	18.9	8.5	111	<0.1	193.1	23.5	571	5.67	16	0.6	<0.1	1.5	190	0.3	1.4	0.2	130	1.11
52209	Soil		2.2	0.8	29.7	8.8	108	<0.1	233.0	33.7	777	6.23	17	8.0	<0.1	1.8	266	0.4	1.1	0.1	181	2.65
52210	Soil		0.6	1.9	16.1	9.3	73	0.1	236.0	17.2	589	5.64	24	0.7	<0.1	1.5	168	0.3	2.2	0.2	150	1.24
52211	Soil		2.0	3.5	44.4	9.3	94	<0.1	102.3	23.5	1297	5.09	28	2.3	<0.1	2.7	139	0.2	2.1	0.2	137	0.66
52212	Soil		1.9	0.6	27.2	6.0	97	<0.1	881.8	53.5	1075	5.38	22	8.0	<0.1	1.2	181	0.5	2.6	<0.1	119	1.51
52213	Soil		4.0	0.6	24.5	7.9	91	<0.1	542.6	42.4	756	5.41	29	0.7	<0.1	1.4	197	0.3	2.2	0.2	135	1.52
52214	Soil		2.8	0.6	15.8	9.3	113	<0.1	689.7	60.8	961	6.59	39	1.1	<0.1	1.3	142	0.5	5.1	0.2	137	1.26
52215	Soil	ļ	5.8	0.7	29.5	9.2	115	0.1	1098	56.3	821	6.27	55	0.6	<0.1	1.0	127	0.5	3.3	0.3	140	1.69
52216	Soil	}	4.2	1.0	18.9	9.5	96	<0.1	451.8	41.3	665	6.09	25	0.8	<0.1	1.4	165	0.4	2.4	0.3	141	1.39
52217	Soil		1.3	8.0	30.2	22.4	93	0.2	837.5	45.0	653	6.58	95	0.9	<0.1	2.7	130	0.9	3.2	0.3	136	0.98
52218	Soil	1	107.9	0.9	25.4	6.3	98	<0.1	665.6	51.9	799	6.02	18	0.6	<0.1	1.2	143	0.3	1.7	0.2	123	1.43
52219	Soil		3.6	1.0	33.6	7.2	99	<0.1	865.8	58.1	992	5.57	16	0.7	<0.1	1.2	150	0.2	1.7	0.3	127	1.46
52220	Soil		3.3	0.5	17.9	6.8	80	<0.1	160.3	29.8	1016	6.48	3	0.9	<0.1	1.6	288	0.2	0.6	0.1	182	2.75
52221	Soil	ļ	1.0	0.3	11.1	4.1	82	<0.1	99.7	28.2	1097	7.42	3	0.3	<0.1	8.0	388	0.2	0.4	<0.1	262	4.41
52222	Soil		<0.5	<0.1	21.7	8.0	41	<0.1	1727	85.2	777	4.95	1	<0.1	<0.1	<0.1	5	<0.1	1.2	<0.1	38	0.42
52223	Soil		0.6	0.3	18.5	3.6	65	<0.1	686.6	71.0	861	5.42	5	0.4	<0.1	0.9	122	0.2	0.7	<0.1	94	1.59
52224	Soil		1.9	0.3	18.3	4.1	91	<0.1	309.7	43.0	1031	5.82	12	0.5	<0.1	1.0	197	<0.1	1.4	<0.1	164	1.83



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 09, 2009

www.acmelab.com

Page:

2 of 2

gernec	CATE OF AN	JALY	SS													VA	N09	000	204		
	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	₽	La	Cr	Mg	Ва	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	s
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
г	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1_	0.1		0.1	0.1	0.1	0.1	1	1_	0.1	0.1
52201	Soil	0.063	11.5	1013	1.46	322	0.490	5.42	1.862	0.76	2.3	62.9	25	1.5	9.1	7.6	0.4	<1	9	21.5	<0.1
52202	Soil	0.033	10.1	824	3.55	317	0.479	5.81	1.378	0.60	1.6	55.8	21	1.5	10.6	5.0	0.3	<1	14	26.8	<0.1
52203	Soil	0.049	7.2	705	3.54	170	0.640	6.50	1.389	0.39	8.0	55.9	16	1.4	15.3	4.9	0.3	<1	16	24.0	<0.1
52204	Soil	0.035	10.0	268	0.99	260	0.312	4.02	0.882	0.60	1.0	27.1	21	1.3	6.1	4.9	0.3	<1	9	23.3	<0.1
52205	Soil	0.410	21.0	115	1.67	384	0.877	5.65	1.394	1.15	0.9	97.3	48	1.9	20.1	20.1	1.0	<1	16	26.0	<0.1
52206	Soil	0.082	6.6	340	2.29	319	0.386	5.35	1.569	0.81	8.0	34.8	16	1.0	8.8	5.2	0.3	<1	12	20.8	<0.1
52207	Soil	0.036	7.1	347	2.52	317	0.326	5.53	1.573	0.76	1.1	30.3	17	0.6	7.7	4.4	0.2	<1	11	23.8	<0.1
52208	Soil	0.031	5.2	493	2.30	323	0.410	6.26	1.739	0.67	0.9	31.9	12	1.1	7.3	5.6	0.3	<1	12	31.1	<0.1
52209	Soil	0.037	7.9	431	3.19	232	0.413	7.14	1.662	0.51	1.0	34.4	17	8.0	10.8	4.0	0.2	<1	17	28.0	<0.1
52210	Soit	0.028	6.9	620	1.96	286	0.432	5.71	1.879	0.64	1.7	35.1	15	1.1	8.2	5.3	0.3	<1	12	24.8	<0.1
52211	Şoil	0.069	10.7	238	1.76	356	0.389	5.92	1.505	1.16	1.0	34.4	24	1.3	9.2	8.1	0.4	1	13	31.5	<0.1
52212	Soil	0.038	6.2	953	8.37	324	0.265	5.25	1.574	0.72	2.0	25.5	15	0.4	10.9	2.2	0.1	<1	15	17.5	<0.1
52213	Soil	0.043	6.2	616	4.84	370	0.341	6.15	1.917	0.83	1.1	34.8	14	1.0	11.8	3.3	0.2	<1	14	26.3	<0.1
52214	Soil	0.032	7.4	1100	8.56	283	0.367	5.03	1.391	0.61	1.6	54.2	15	1.3	10.3	4.1	0.2	1	13	27.3	<0.1
52215	Soil	0.048	5.2	862	8.34	259	0.366	6.20	1.441	0.53	1.9	34.9	12	0.6	13.8	4.3	0.2	<1	15	28.1	<0.1
52216	Soit	0.038	7.1	1330	5.40	317	0.398	5.40	1.592	0.62	1.7	36.7	15	1.3	9.8	4.5	0.3	<1	12	28.1	<0.1
52217	Soil	0.103	11.2	462	5.17	287	0.487	6.38	1.034	0.62	1.3	56.7	26	2.0	9.1	8.2	0.5	<1	11	43.2	<0.1
52218	Soil	0.035	5.3	1133	9.32	265	0.306	5.04	1.408	0.50	1.6	36.7	11	0.7	8.6	2.7	0.1	1	14	20.7	<0.1
52219	Soil	0.036	4.9	1175	9.11	276	0.292	5.02	1.515	0.59	1.6	26.7	13	8.0	10.5	2.7	0.1	<1	14	19.9	<0.1
52220	Soil	0.078	7.4	734	3.23	246	0.609	6.76	2.389	0.61	0.7	57.4	17	1.3	19.0	4.8	0.3	<1	17	23.0	<0.1
52221	Soil	0.028	4.8	578	3.30	115	0.686	6.43	2.723	0.33	0.4	45.5	12	1.0	20.7	3.0	0.2	<1	24	14.3	<0.1
52222	Soil	0.003	<0.1	1175	21.58	2	0.008	0.69	0.024	<0.01	0.6	<0.1	<1	<0.1	0.4	0.1	<0.1	<1	8	15.2	<0.1
52223	Soil	0.070	4.3	1177	10.85	183	0.237	3.98	0.973	0.36	0.4	14.2	9	0.5	4.8	1.8	<0.1	<1	12	17.4	<0.1
52224	Soil	0.087	5.2	643	5.37	242	0.450	6.15	2.417	0.52	0.7_	39.7	_ 12 _	0.7	12.9	2.9	0.2	<1	16	22.3	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

If North and South

Report Date:

February 09, 2009

Page:

2 of 2

Part 3

CERTIFICATE OF ANALYSIS

VAN09000204

		Method	1EX	1EX
		Analyte	Rb	Hf
		Unit	ppm	ppm
		MDL	0.1	0.1
52201	Soil		21.1	1.7
52202	Soil		20.2	1.7
52203	Soil		11.8	1.9
52204	Soil		21.0	0.9
52205	Soil		38.0	2.7
52206	Soil		15.1	1,1
52207	Soil		15.5	0.9
52208	Soil		8.1	1.0
52209	Soil		10.4	1.1
52210	Soil		12.7	1.0
52211	Soil		34.8	1.1
52212	Soil		16.4	0.9
52213	Soil		19.7	1.3
52214	Soil		20.6	1.1
52215	Soil		15.2	1.2
52216	Soil		20.7	1.6
52217	Soil		26.8	1.8
52218	Soil		13.2	1.0
52219	Soil		15.2	1.0
52220	Soil		17.9	1.9
52221	Soil		7.4	1.9
52222	Soil		0.4	<0.1
52223	Soil		10.0	0.6
52224	Soil		13.7	1.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 09, 2009

www.acmelab.com

Page:

1 of 1

QUALITY CO	VIROL	REF	or.													VA	N 06	000%	204.		
	Method	3 A	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.5	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					1
52210	Soil	0.6	1.9	16.1	9.3	73	0.1	236.0	17.2	589	5.64	24	0.7	<0.1	1.5	168	0.3	2.2	0.2	150	1.24
REP 52210	QC		1.6	17.6	9.5	75	0.1	238.9	18.3	593	5.72	24	0.7	<0.1	1.6	168	0.3	2.2	0.2	155	1.27
52213	Soil	4.0	0.6	24.5	7.9	91	<0.1	542.6	42.4	756	5.41	29	0.7	<0.1	1.4	197	0.3	2.2	0.2	135	1.52
REP 52213	QC	1.2																			ì
Reference Materials																					
STD DS7	Standard	79.8																			
STD DS7	Standard	70.7																			
STD OREAS24P	Standard		1.3	46.7	3.2	114	<0.1	133.8	42.3	1079	7.55	<1	0.6	<0.1	2.6	400	<0.1	0.1	<0.1	154	5.66
STD OREAS24P	Standard		1.5	45.1	4.1	110	<0.1	134.9	42.1	1063	7.46	<1	0.7	<0.1	2.5	399	0.2	0.1	<0.1	152	5.58
STD DS7 Expected		70																			
STD OREAS24P Expected			1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.15	0.14		183	6.07
BLK	Blank	<0.5																			- 1
BLK	Blank		<0.1	<0.1	1.4	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 09, 2009

www.acmelab.com

Page:

1 of 1

QUALITY CO	NTROL	REP	ORT													VA	NO.	0002	204.	1	
	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Р	La	Cr	Mg	Ва	Τi	Al	Na	K	w	Zr	Ce	\$n	Y	Nb	Ta	Be	Sc	Li	s
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																					
52210	Soil	0.028	6.9	620	1.96	286	0.432	5.71	1.879	0.64	1.7	35.1	15	1.1	8.2	5.3	0.3	<1	12	24.8	<0.1
REP 52210	QC	0.028	6.8	648	2.04	288	0.438	5.75	1.899	0.66	1.7	34.1	15	1.2	8.1	4.5	0.3	<1	12	24.4	<0.1
52213	Soit	0.043	6.2	616	4,84	370	0.341	6.15	1.917	0.83	1.1	34.8	14	1.0	11.8	3.3	0.2	<1	14	26.3	<0.1
REP 52213	QC																				l
Reference Materials																					1
STD DS7	Standard																				- }
STD DS7	Standard																				- 1
STD OREAS24P	Standard	0.139	17.1	193	3.94	282	1.001	7.48	2.455	0.70	0.6	139.1	35	1.7	21.3	21.3	1.0	<1	18	8.7	<0.1
STD OREAS24P	Standard	0.139	17.2	197	3.83	283	0.997	7.37	2.450	0.70	0.5	136.6	34	1.7	21.1	21.1	1.0	1	18	6.9	<0.1
STD DS7 Expected																					1
STD OREAS24P Expected		0.136	17.4	221	4,13	285	1.1	7.66	2.31	0.7	0.5	14 1	37.6	1.6	22.9	21	1.3		20	8.7	
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1

1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 09, 2009

1 of 1

Page:

era estructura di este della			
	Method	1EX	1EX
	Analyte	Rb	H
	Unit	ppm	ppm
	MDL	0.1	0.1
Pulp Duplicates	-		
52210	Soil	12.7	1.0
REP 52210	QC	13.1	1.1
52213	Soil	19.7	1.3
REP 52213	QC		
Reference Materials]
STD DS7	Standard		ľ
STD DS7	Standard		
STD OREAS24P	Standard	20.5	3.3
STD OREAS24P	Standard	20.9	3.4
STD DS7 Expected			1
STD OREAS24P Expected		22.4	3.6
BLK	Blank		
BLK	Blank	< 0.1	< 0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Submitted By:

Ram Vallabh

Receiving Lab:

Canada-Vancouver

Received:

January 23, 2009

Report Date:

February 19, 2009

Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09000205.1

CLIENT JOB INFORMATION

Project: II North and South Shipment ID: P.O. Number Number of Samples: 10

SAMPLE DISPOSAL

RTRN-PLP Return RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7

Canada

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	10	Crush, split and pulverize rock to 200 mesh		
GEO6	10	Group 3A Au ignited (15 gm) + Group 1EX	15	Completed

ADDITIONAL COMMENTS

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

[&]quot;" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

Client:

Almo Capital Corp. 603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 19, 2009

www.acmelab.com

Page:

2 of 2

GENTA	DATE OF A	VALY	SIS													VA	No.	0000	205		
	Method	WGHT	3A	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	υ	Αu	Th	Sr	Cd	Sb	Bi	Υİ
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.5	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1_	0.1	0.1	0.1	1
52225	Rock	0.68	<0.5	<0.1	16.0	1.8	44	0.1	2173	97.2	613	5.52	56	<0.1	<0.1	<0.1	4	<0.1	7.4	0.1	59
52226	Rock	0.62	0.7	<0.1	8.2	0.6	21	<0.1	2373	91.9	711	4.04	<1	<0.1	<0.1	<0.1	3	0.1	3.1	<0.1	1
52227	Rock	0.87	0.6	0.2	58.8	3.2	28	<0.1	16.5	1.9	598	0.86	<1	1.2	<0.1	1.2	12	<0.1	0.1	<0.1	14
52228	Rock	1.33	8.0	<0.1	6.7	6.3	101	<0.1	1928	92.4	883	5.12	20	<0.1	<0.1	<0.1	2	0.3	2.9	<0.1	37
52229	Rock	1.88	1.2	0.2	6.4	2.4	91	<0.1	277.5	81.5	1759	6.69	<1	< 0.1	<0.1	0.1	15	0.2	1.7	<0.1	296
52230	Rock	1.41	3.4	0.1	44.4	6.3	90	<0.1	81.2	50.6	1805	9.05	13	0.1	<0.1	0.2	96	0.2	3.5	<0.1	402
52231	Rock	1.97	<0.5	0.3	39.0	0.5	99	<0.1	42.4	40.1	1592	8.65	<1	<0.1	<0.1	0.2	243	<0.1	0.1	<0.1	440
52232	Rock	1.68	<0.5	0.3	43.0	1.3	107	<0.1	22.2	40.5	1661	8.99	<1	<0.1	<0.1	0.1	303	<0.1	0.3	<0.1	428
52233	Rock	2.57	38.9	0.2	28.0	0.9	78	<0.1	79.2	43.9	1459	7.51	<1	<0.1	<0.1	<0.1	935	0.1	<0.1	<0.1	288
52234	Rock	1.80	2.3	0.2	3.7	0.3	59	<0.1	2276	107.2	896	5.47	<1	<0.1	<0.1	<0.1	<1	<0.1	4.0	<0.1	41



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 19, 2009

www.acmelab.com

Page:

2 of 2

CERTIFIC	CATE OF AN	JAL	⁄SIS													VA	NOS	0000	205		
	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ва	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
52225	Rock	0.03	<0.001	<0.1	1681	18.74	22	0.014	0.87	0.011	0.02	0.4	0.4	<1	<0.1	0.9	<0.1	<0.1	<1	12	3.0
52226	Rock	0.02	0.001	<0.1	363	22.23	2	<0.001	0.05	<0.001	<0.01	7.2	0.2	<1	<0.1	<0.1	<0.1	<0.1	<1	2	0.3
52227	Rock	0.05	0.004	4.2	32	0.24	202	0.047	1.05	0.035	0.48	0.3	8.9	9	0.4	2.0	1.6	<0.1	<1	2	8.6
52228	Rock	0.02	<0.001	<0.1	1286	19.76	4	0.003	0.48	<0.001	<0.01	0.4	0.5	<1	<0.1	0.1	<0.1	<0.1	<1	8	0.9
52229	Rock	5.62	0.021	1,4	134	10.37	22	0.988	5.44	0.346	0.06	1.2	69.2	5	0.6	24.9	2.2	0.1	1	33	14.5
52230	Rock	11.48	0.046	5.1	208	4.62	52	1.154	7.30	0.908	0.32	0.1	109.3	15	1.4	41.2	3.0	0.1	<1	47	25.6
52231	Rock	5.76	0.072	4.4	91	3.10	18	1.287	6.44	3.191	0.18	<0.1	49.6	14	1.3	41.1	2.4	0.1	<1	36	13.4
52232	Rock	5.45	0.063	3.5	45	2.85	45	1.130	7.11	3.022	0.64	<0.1	23.7	11	1.0	38.2	1.5	<0.1	<1	37	6.7
52233	Rock	7.84	0.044	2.5	200	4.01	135	0.769	6.72	3.239	0.16	0.1	57.1	8	0.6	33.2	8.0	<0.1	<1	37	12.4
52234	Rock	0.20	<0.001	<0.1	1665	19.79	2	0.008	0.43	0.005	< 0.01	19.2	0.5	<1	<0.1	0.4	<0.1	<0.1	<1	9	0.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Il North and South

Report Date:

February 19, 2009

2 of 2

Page:

Part 3

CERTIFICATE OF ANALYSIS

	M	ethod	1EX	1EX	1E)
	Aı	nalyte	S	Rb	H
		Unit	%	ppm	ррπ
		MDL	0.1	0.1	0.1
52225	Rock		0.1	8.0	<0.1
52226	Rock	- 1	0.2	<0.1	<0.1
52227	Rock		< 0.1	16.8	0.2
52228	Rock		< 0.1	0.1	<0.1
52229	Rock		<0.1	0.4	2.4
52230	Rock		<0.1	5.3	3.2
52231	Rock	- 1	<0.1	1.0	2.3
52232	Rock		<0.1	9.5	1.5
52233	Rock	l	<0.1	1.6	2.0
52234	Rock	1	< 0.1	<0.1	<0.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Il North and South

Report Date:

February 19, 2009

www.acmelab.com

Page:

1 of 1

						***********						. 290.				···					
QUALITY CO	NTROL	REF	ORT													VAI	V 09	0002	205.	1	
	Method	WGHT	3A	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Aυ	Мо	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	\$b	Bi	V
	Unit :	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.5	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
52226	Rock	0.62	0.7	<0.1	8.2	0.6	21	<0.1	2373	91.9	711	4.04	<1	<0.1	<0.1	<0.1	3	0.1	3.1	<0.1	1
REP 52226	QC	l		0.2	7.1	0.5	21	<0.1	2383	88.1	721	3.99	<1	<0.1	<0.1	<0.1	3	<0.1	2.8	<0.1	5
52231	Rock	1.97	<0.5	0.3	39.0	0.5	99	<0.1	42.4	40.1	1592	8.65	<1	<0.1	< 0.1	0.2	243	<0.1	0.1	<0.1	440
REP 52231	QC		<0.5																		ŀ
Reference Materials		1																			
STD OREAS24P	Standard			1.5	48.5	3.2	110	<0.1	140.1	44.0	1094	6.87	<1	0.6	<0.1	2.6	378	0.1	<0.1	<0.1	161
STD OREAS45P	Standard			1.9	674.0	21.0	132	0.3	367.6	115.3	1228	16.92	11	2.3	<0.1	9.1	32	<0.1	0.7	0.2	263
STD OXE56	Standard	!	474.4																		- 1
STD OXE56	Standard	•	464.5																		
STD OXE56 Expected			539																		Į
STD OREAS24P Expected				1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.15	0.14		183
STD OREAS45P Expected		•		1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
BLK	Blank	•	<0.5																		
BLK	Blank]		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank	<0.01	<0.5	0.3	3.7	19.6	51	<0.1	4.7	5.1	686	2.12	4	2.9	<0.1	6.9	639	<0.1	0.1	0.4	51
G1	Prep Blank	<0.01	<0.5	0.4	3.6	17.9	51	<0.1	4.2	5.0	680	2.09	<1	2.8	<0.1	6.3	639	<0.1	<0.1	0.3	51



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

II North and South

Report Date:

February 19, 2009

www.acmelab.com

Page:

1 of 1

OUALITY CO	NTROL	RE	ORT										2. 7230			VAI	N09	0002	205.		
	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1E)
	Analyte	Ca	₽	La	Cr	Mg	Ва	Ti	AI	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	L
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppn
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.
Pulp Duplicates																					
52226	Rock	0.02	0.001	<0.1	363	22.23	2	<0.001	0.05	<0.001	<0.01	7.2	0.2	<1	<0.1	<0.1	<0.1	<0.1	<1	2	0.0
REP 52226	QC	0.02	<0.001	<0.1	363	22.43	2	<0.001	0.04	<0.001	<0.01	7.2	0.2	<1	<0.1	<0.1	<0.1	<0.1	<1	2	0.3
52231	Rock	5.76	0.072	4.4	91	3.10	18	1.287	6.44	3.191	0.18	<0.1	49.6	14	1.3	41.1	2.4	0.1	<1	36	13.4
REP 52231	QC																				
Reference Materials																					
STD OREAS24P	Standard	5.48	0.117	17.2	202	3.92	254	1.018	7.22	2.314	0.65	0.5	135.6	32	1.5	20.6	20.3	0.9	<1	20	9.0
STD OREAS45P	Standard	0.28	0.039	23.1	1038	0.19	263	0.974	6.00	0.077	0.34	1.0	147.2	44	2.2	12.2	20.8	1.1	<1	64	15.
STD OXE56	Standard																				
STD OXE56	Standard																				
STD OXE56 Expected																					
STD OREAS24P Expected		6.07	0.136	17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	37.6	1.6	22.9	21	1.3		20	8.
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1,1	154	48.9	2.4	13	24	1.33		67	14.
BLK	Blank																				
BLK	Blank	<0.01	< 0.001	<0.1	<1	< 0.01	<1	<0.001	< 0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.
Prep Wash																					
G1	Prep Blank	2.28	0.084	23.7	16	0.65	927	0.247	6.10	2.507	2.41	0.2	9.3	46	1.1	14.2	23.6	1.2	2	5	43.
G1	Prep Blank	2.32	0.077	21.4	14	0.64	850	0.235	6.34	2.455	2.47	0.1	9.0	42	1.1	13.5	23.3	1.2	2	5	42.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Il North and South

Report Date:

February 19, 2009

Page:

1 of 1

Part 3

VAN09000205.1

į		ソーベント	KEF	UK		
		Method	1EX	1EX	1EX	
		Analyte	s	Rb	HI	
		Unit	%	ppm	ppm	
_		MDL	0.1	0.1	0.1	
	Pulp Duplicates					
	52226	Rock	0.2	<0.1	<0.1	
	REP 52226	QC	0.2	<0.1	<0.1	
	52231	Rock	<0.1	1.0	2.3	
	REP 52231	QC				
	Reference Materials					
	STD OREA\$24P	Standard	<0.1	20.7	3.3	
	STD OREAS45P	Standard	<0.1	22.6	4.0	
	STD OXE56	Standard			1	
	STD OXE56	Standard				
	STD OXE56 Expected				İ	
	STD OREAS24P Expected			22.4	3.6	
	STD OREAS45P Expected		0.03	23	3.8	
	BLK	Blank				

Blank

Prep Blank

Prep Blank

< 0.1

< 0.1

<0.1

< 0.1

83.1

86.7

< 0.1

BLK

G1

Prep Wash G1