

**BC Geological Survey
Assessment Report
30642**

ASSESSMENT REPORT

on

SOIL GEOCHEMISTRY

DO DROP PROPERTY

ROCKIES CLAIM BLOCK

Lewis Creek Area

Fort Steele Mining Division

TRIM 82G.083

608500E 5519500N

Operator and Owner

Ruby Red Resources Inc.
Suite 212 1000 – 9th Ave SW
Calgary, Alberta, T2P 2Y6

Report By

Peter Klewchuk, P. Geo.
1 – 200 Norton Ave.
Kimberley, B.C., V1A 1X9

March, 2009

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
30642




Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

RECEIVED	
GOVERNMENT AGENT MINE WORK	
MAR 30 2009	
NOT AN OFFICIAL RECEIPT	
TRANS #.....	



ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)] SOIL GEOCHEMISTRY		TOTAL COST 19,917.13
AUTHOR(S) PETER KLEUCHUK	SIGNATURE(S) 	PROFESSION P. KLEUCHUK PROVINCE OF BRITISH COLUMBIA GEOLOGICAL SURVEY OF WORK 2008
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S)		STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4248585 Nov 26, 2008
PROPERTY NAME Do Drop / WILD HORSE		
CLAIM NAME(S) (on which work was done) 515902		
COMMODITIES SOUGHT COPPER, GOLD		
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN		
MINING DIVISION FORT STEELE	NTS	826.083
LATITUDE 0° 608.500 E	LONGITUDE	0° 5519.500 N " (at centre of work)
OWNER(S)		
1) Ruby Red Resources Inc	2)	
MAILING ADDRESS		
212 - 1000 - 9th Ave SW CALGARY, AB T2P 2Y6		
OPERATOR(S) [who paid for the work]		
1) SAME	2)	
MAILING ADDRESS		
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude): Carbonates & Siltstones of the Cambrian Jubilee & McKay Formations, intruded by a Cretaceous (?) Syenite to granodiorite complex. Sediments are hornfels altered with pyrite, on the margins of the intrusions. Disseminated Chalcopyrite occurs locally in the intrusions.		
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 29808, 29,942		

(OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL			
(number of samples analysed for ...)			\$
Soil	445 ; 30 element ICP + Gold		19,417.13
Silt			
Rock			
Other			
DRILLING			
(total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	19,417.13

TABLE OF CONTENTS

	Page
1.00 INTRODUCTION	1
1.10 Location and Access	1
1.20 Property	1
1.30 Physiography	1
1.40 History of Previous Exploration	1
1.50 Purpose of Exploration Program	4
2.00 GEOLOGY	4
3.00 SOIL GEOCHEMISTRY	4
4.00 CONCLUSIONS	5
5.00 REFERENCES	6
6.00 STATEMENT OF EXPENDITURES	7
7.00 AUTHOR'S QUALIFICATIONS	7

LIST OF ILLUSTRATIONS

Figure 1	Property Location Map	2
Figure 2	Property Claim Map	3
Figure 3	Do Drop Soil Geochemistry Gold in PPB, Copper in PPM	In Pocket
Appendix 1.	Soil Sample Geochemical Analyses	8

1.10 Location and Access

The Do Drop property is located in southeastern British Columbia, along the western edge of the Rocky Mountains and within the Fort Steele Mining Division, approximately 36 km northeast of Cranbrook (Fig.1). Access is via the Wild Horse Forest Service Road.

1.20 Property

The Do Drop property is part of a larger claim block (the “Rockies Block”) within the Rocky Mountains held by Ruby Red Resources Inc. of Calgary, Alberta.

1.30 Physiography

The Rockies claim block is located east of the Rocky Mountain Trench in the Hughes Range of the Rocky Mountains and covers much of the area immediately east of the trench between the Wild Horse River and Lewis Creek (Figs. 1 & 2). Topography is generally steep with mainly wooded and locally rocky slopes. Elevation ranges from 1060 to 2680 meters. Forest cover includes mainly pine, fir and larch. Parts of the claim block have been logged and are in various stages of regeneration. The Do Drop property of the Rockies claim block is located at the headwaters of the Wild Horse River.

1.40 History of Previous Exploration

The Estella lead-zinc-silver deposit occurs on crown grants adjacent to the Rockies claim block. This small WNW oriented massive sulphide vein deposit was mined from 1953 to 1961 (Hoy, 1993). Exploration in the vicinity of the Estella has focused on finding similar deposits, and some work has also been done looking for sedimentary exhalative deposits like the world class Sullivan deposit near Kimberley, located about 15 kilometers west of the claim block. Cominco Ltd (Assessment Reports 20,175, 20,554 and 21,935) did extensive ground and airborne geophysics as well as soil and rock geochemistry and diamond drilling near the Estella, and Bakra Resources Ltd. (AR 16,337) did a program of surface geologic mapping and soil and rock geochemistry. Placer Dome Ltd. worked on what are now part of the Rockies block claims in the upper Wild Horse drainage and in Tackle Creek (AR's 18,159 and 20,202). Their work consisted of geologic mapping, soil and rock geochemistry, ground geophysics and diamond drilling. INCO , Mercury Explorations Ltd., National Gold Ltd. and Chapleau Resources Ltd. have done small programs on the Jacleg portion of the Rockies block claims. Ruby red Resources Inc. has been working on parts of the Rockies block of claims since 2002; this work has included surface geologic mapping, rock and soil geochemistry and ground geophysics (eg AR's 26,985, 28,643,




Figure 1 DO DROP PROPERTY LOCATION




Figure 2 Do Drop Property Area

Claim Map Showing Location of Soil Geochem Grid

29,808, 29,942). Ruby Red has recognized a potential for porphyry style mineralization within the claim block. Cretaceous quartz monzonite intrusions exist in the upper Lusier River drainage, at the top of the Wild Horse River drainage, in the East Wild Horse river tributary and immediately east of the Estella mine site. Anomalous copper, gold, molybdenum, lead, silver, zinc, arsenic and bismuth are present on the claim block in the vicinity of some of the intrusions and this geochemical signature is compatible with a porphyry style of mineralization.

1.50 Purpose of Exploration Program

In 2007, a program of prospecting, rock geochemistry and soil geochemistry was undertaken on the Do Drop Property (Kennedy, 2008; AR 29,942). Additional soil geochemistry was completed in 2008 to help complete the grid area started in 2007.

2.00 GEOLOGY

Sedimentary rocks in the area of the 2008 soil geochemistry grid belong to the Cambrian Jubilee and McKay Formations that consist predominantly of carbonates and siltstones, including graphitic siltstones. These rocks have been intruded by a (probable) mid to late Cretaceous granodiorite / syenite complex. At least some of the intrusive bodies have a layered, laccolithic character. Host sedimentary rocks have been locally skarned and hornfelsed by the intrusive complex.

3.00 SOIL GEOCHEMISTRY

Location of the 2008 Do Drop soil grid area is shown in Figure 2. Sample locations were established using a hand-held GPS receiver; lines were run using a compass, and sample spacing was determined using a hip chain; sufficient GPS readings (about every 100 to 200 meters) were taken to provide confidence in locating sample sites on a map. Soil samples were collected from the 'B' horizon at a depth of approximately 15 cm and placed in Kraft paper bags, dried and shipped to Acme Analytical Laboratories Ltd. at 1020 Cordova Street East, Vancouver, B.C. where they were analyzed for a 30 element ICP package and geochemical gold by standard analytical procedures. Location of soil samples on the grid is shown in Figure 3; complete soil sample geochemical analyses are in Appendix 1.

Thirteen east-west lines, generally spaced at 100 meters, were sampled at 25 meter intervals for a total of 445 soil samples.

Results

Widespread elevated copper values and more local elevated gold values are present across the grid area.

The highest copper values, up to 1022 ppm, are along line 500N near its west end. Gold values associated with this anomalous copper are quite low. Further to the east, a cluster of anomalous copper (up to 307 ppm) occurs across all three northern lines (500N, 600N and 700N) where these lines cross the access road (near 609000E). This anomalous copper is associated with elevated gold values (up to 125 ppb) and thus warrants further exploration.

Another area of high copper values, up to 389 ppm, is along lines 98N and 99N near 7900E. Gold values associated with the copper are low.

Elevated copper values occur along parts of the three southern lines and are associated with more local elevated gold (up to 415 ppb). One broad area of higher copper (up to 359 ppm) occurs near the east end of L89N where this line crosses the access roads. Copper values immediately to the north are lower and further sampling should be done to the south to pursue this anomaly. This copper anomaly is in an area of overburden and may reflect a buried zone of copper mineralization.

4.00 CONCLUSIONS

1. Widespread elevated copper values are present across much of the grid area, reflecting a broad mineralizing process.
2. Gold values are more locally developed and are not associated with all the areas of high copper.
3. A coincident copper-gold anomaly near 609000E on Lines 500N, 600N and 700N should be further explored.
4. A copper anomaly near the eastern end of L89N should be pursued with additional soil geochemistry to the south.

5.00 REFERENCES

- Di Spirito, F., D.J.Pawliuk & H Mertens, 1987
Geological, Geophysical and Geochemical surveys on the South King property for Bakra Resources, Fort Steele Mining Division, British Columbia. Assessment Report 16,337.
- Dvorak, Z., & J. Klein, 1990
Geophysical report on an airborne EM, magnetic and VLF-EM survey on the Estella-Kootenay King property, Fort Steele Mining Division, British Columbia. Assessment Report 20,175.
- Fox, P.E., 1990
Geological, geochemical and geophysical report on the Tackle 1 to 4 claims, Fort Steele Mining Division, British Columbia. Assessment Report 20,202.
- Hoy, T., 1993
Geology of the Purcell Supergroup in the Fernie west-half map area, southeastern British Columbia. B.C. Ministry of Energy, Mines and Petroleum Resources, Bulletin 84.
- Jackish, I., 1990
Geophysical report on a UTEM survey on the Estella property, Fort Steele Mining Division, British Columbia. Assessment Report 20,554.
- Kennedy, C., 2002
Assessment report, Rock geochemistry program, Tac property,. Assessment Report 26,983.
- Kennedy, S., 2008
Prospecting, Soil and Rock Geochemistry Report, Do Drop Property, Wild Horse River, Fort Steele District. Assessment Report 29,942.
- Klewchuk, P., 2007
Assessment report on Geology, Geochemistry, Diamond Drilling and Physical Work, Rockies Block Claims, Fort Steele Mining Division, British Columbia. Assessment Report 29,808.
- Klewchuk, P., 2006
Assessment report on soil geochemistry, Spirit Dream property, Wild Horse River area, Fort Steele Mining Division, British Columbia. Assessment Report 28,643.
- Kulla, G.K., & Fox, P.E., 1988
Geochemical report on the Tackle 1 to 4 claims, Fort Steele Mining Division, British Columbia. Assessment Report 18,159.
- Ransom, P.W., 1991
1991 Exploration report, Estella property, Fort Steele Mining Division, British Columbia. Assessment Report 21,935.

6.00 STATEMENT OF EXPENDITURES


Soil sampling R Klewchuk, K Sharpe	\$5956.72
Soil Analysis (Acme Labs) 445 samples @ \$19/sample	8455.00
Geologist P. Klewchuk; prepare grid, field supervision; 3 days @ \$400	1200.00
Prospecting S. Kennedy 1 day	600.00
Report P. Klewchuk 2 days @ \$400/day	800.00
Drafting; Kevin Franck and Associates	325.00
Sub-total	\$17,336.72
12% Administration overhead; Calgary office	2080.41
Total Costs	\$19,417.13

7.00 AUTHOR'S QUALIFICATIONS

As author of this report I, Peter Klewchuk, certify that:

1. I am an independent consulting geologist with offices at 1 – 200 Norton Avenue, Kimberley, B.C.
2. I am a graduate geologist with a B. Sc. degree (1969) from the University of British Columbia and an M. Sc. degree (1972) from the University of Calgary.
3. I am a Fellow of the Geological Association of Canada and a member of the Association of Professional Engineers and Geoscientists of British Columbia.
4. I have been actively involved in mining and exploration geology, primarily in the province of British Columbia, for the past 33 years.
5. I have been employed by major mining companies and provincial government geological departments.

Dated at Kimberley, British Columbia this 25th day of March, 2009.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Submitted By: Dawn Ewonus
Receiving Lab: Canada-Vancouver
Received: July 17, 2008
Report Date: August 13, 2008
Page: 1 of 16

CLIENT JOB INFORMATION

Project: Dew Drop

Shipment ID:

P.O. Number

Number of Samples: 445

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

DISP-RJT-SOIL Immediate Disposal of Soil Reject

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	445	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	445	Dry at 60C		
1DX15	442	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
RJSV	445	Save all or part of soil reject fraction		
DIS-RJT	445	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ruby Red Resources Inc.
207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6
Canada

CC: Peter Klewchuk



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: August 13, 2008

www.acmelab.com

Page: 2 of 16 Part

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmela.com

Page:

2 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LON 7800E	Soil	24	135	5.56	72	0.105	6	5.06	0.062	0.07	1.4	0.02	4.5	0.3	<0.05	12	<0.5
LON 7825E	Soil	6	4	8.90	39	0.015	8	1.02	0.008	0.03	0.3	0.02	0.6	0.1	0.06	3	<0.5
LON 7850E	Soil	18	38	5.70	72	0.076	9	3.40	0.023	0.07	0.4	0.03	2.5	0.2	0.06	10	<0.5
LON 7875E	Soil	16	38	5.14	49	0.029	7	1.88	0.018	0.05	0.3	0.02	1.4	0.2	0.06	4	<0.5
LON 7900E	Soil	9	7	2.25	39	0.025	5	1.34	0.006	0.03	0.2	0.01	0.9	0.1	0.07	4	<0.5
LON 7925E	Soil	13	7	8.34	34	0.012	4	0.86	0.006	0.02	0.2	0.02	0.9	<0.1	<0.05	3	<0.5
LON 7950E	Soil	7	10	9.39	21	0.015	4	0.76	0.006	0.02	0.2	<0.01	0.7	<0.1	<0.05	2	<0.5
LON 7975E	Soil	21	36	5.42	72	0.055	9	3.20	0.014	0.10	0.4	0.02	2.6	0.2	0.10	8	<0.5
LON 8000E	Soil	23	26	6.30	66	0.063	5	4.08	0.010	0.11	0.3	0.02	3.1	0.5	0.06	14	<0.5
LON 8025E	Soil	15	24	3.72	97	0.106	6	3.98	0.010	0.09	0.5	0.04	2.9	0.2	<0.05	12	<0.5
LON 8050E	Soil	26	32	5.65	67	0.072	6	3.66	0.015	0.07	0.3	0.04	3.5	0.4	<0.05	13	<0.5
LON 8075E	Soil	24	44	7.35	68	0.093	7	4.36	0.011	0.07	0.5	0.04	4.0	0.6	<0.05	12	0.6
LON 8100E	Soil	24	44	6.61	50	0.088	4	3.50	0.013	0.06	0.5	0.04	4.0	0.3	<0.05	10	<0.5
LON 8125E	Soil	17	22	8.69	37	0.047	4	1.76	0.009	0.05	0.5	0.04	2.6	0.2	<0.05	5	<0.5
LON 8150E	Soil	13	64	9.17	67	0.136	8	5.65	0.008	0.06	0.6	0.04	4.2	0.5	<0.05	17	<0.5
LON 8175E	Soil	17	41	7.65	66	0.122	8	5.00	0.009	0.07	0.5	0.04	3.9	0.5	<0.05	14	<0.5
LON 8200E	Soil	30	41	5.76	73	0.120	5	4.96	0.009	0.09	0.9	0.03	5.5	0.4	<0.05	13	<0.5
LON 8225E	Soil	9	36	2.24	67	0.116	3	4.08	0.010	0.06	1.2	0.04	2.8	0.3	<0.05	12	<0.5
LON 8250E	Soil	10	42	2.19	68	0.130	2	3.87	0.009	0.06	0.9	0.04	2.8	0.3	<0.05	13	<0.5
LON 8275E	Soil	12	42	1.89	48	0.124	2	4.37	0.007	0.06	0.8	0.07	3.3	0.2	<0.05	11	0.7
LON 8300E	Soil	10	36	1.40	47	0.119	2	4.17	0.009	0.05	0.7	0.08	3.0	0.2	<0.05	11	0.6
L500N 8300E	Soil	19	39	1.29	37	0.081	2	1.99	0.017	0.11	1.1	0.02	2.4	0.2	<0.05	8	1.3
L500N 8350E	Soil	28	32	0.80	39	0.077	3	1.54	0.020	0.13	1.4	0.07	2.4	0.2	<0.05	7	1.3
L500N 8375E	Soil	I.S.															
L500N 8400E	Soil	15	17	0.64	50	0.077	1	1.59	0.017	0.05	1.7	0.05	1.7	0.1	<0.05	8	0.9
L500N 8425E	Soil	12	5	0.66	69	0.046	3	1.65	0.010	0.08	0.3	0.06	1.0	0.2	0.06	9	1.2
L500N 8450E	Soil	12	40	0.85	38	0.070	1	1.80	0.018	0.10	1.0	0.05	2.0	0.2	0.05	8	0.8
L500N 8475E	Soil	12	31	0.61	73	0.068	2	1.48	0.016	0.12	0.9	0.04	2.0	0.2	<0.05	8	0.9
L500N 8500E	Soil	14	44	0.97	38	0.072	<1	1.67	0.026	0.12	1.0	0.05	2.4	0.2	<0.05	7	1.2
L500N 8525E	Soil	12	39	0.74	39	0.075	2	1.53	0.019	0.11	1.0	0.04	2.2	0.2	<0.05	8	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: August 13, 2008

www.acmelab.com

Page: 3 of 16 Part

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

3 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L500N 8550E	Soil	17	26	0.60	74	0.040	2	1.78	0.016	0.05	0.9	0.04	1.4	0.2	<0.05	8	0.5
L500N 8575E	Soil	12	22	0.46	53	0.059	2	1.89	0.013	0.07	0.6	0.08	2.0	0.3	<0.05	7	0.7
L500N 8600E	Soil	7	27	0.46	37	0.083	2	1.22	0.018	0.06	1.1	0.03	1.6	0.2	<0.05	9	<0.5
L500N 8625E	Soil	8	27	0.41	48	0.104	1	2.36	0.016	0.04	0.7	0.04	2.4	0.1	<0.05	10	0.6
L500N 8675E	Soil	9	6	0.58	63	0.083	1	1.62	0.013	0.09	0.5	0.08	1.5	0.1	<0.05	9	<0.5
L500N 8700E	Soil	19	10	1.10	142	0.082	2	1.40	0.015	0.10	0.6	0.44	3.1	0.2	0.07	8	0.9
L500N 8725E	Soil	19	10	0.97	145	0.129	3	1.59	0.013	0.08	0.4	0.06	2.6	0.1	<0.05	11	<0.5
L500N 8750E	Soil	45	5	2.24	471	0.119	6	1.79	0.018	0.20	0.5	0.12	5.2	0.3	0.08	9	0.6
L500N 8775E	Soil	24	4	2.22	465	0.066	8	1.94	0.021	0.17	0.3	0.12	5.5	0.3	0.09	8	0.8
L500N 8800E	Soil	27	4	0.37	252	0.020	5	1.45	0.009	0.08	0.9	0.17	5.4	0.3	0.09	7	0.6
L500N 8825E	Soil	11	3	0.25	99	0.123	1	3.65	0.020	0.04	0.3	0.10	3.2	<0.1	<0.05	11	0.7
L500N 8850E	Soil	7	<1	0.11	64	0.090	1	3.19	0.019	0.03	0.3	0.07	1.7	<0.1	<0.05	11	<0.5
L500N 8875E	Soil	12	10	0.45	136	0.128	2	1.85	0.023	0.08	0.8	0.06	3.4	0.1	<0.05	13	<0.5
L500N 8900E	Soil	10	8	0.26	54	0.154	2	3.57	0.019	0.04	0.6	0.06	3.8	<0.1	<0.05	14	0.7
L500N 8925E	Soil	16	10	0.65	178	0.123	2	1.73	0.029	0.11	0.8	0.03	4.5	0.2	<0.05	17	<0.5
L500N 8950E	Soil	13	13	3.91	66	0.149	2	4.40	0.016	0.08	0.5	0.04	3.0	0.1	<0.05	18	<0.5
L500N 8975E	Soil	27	7	0.50	238	0.104	1	1.31	0.022	0.09	0.9	0.05	5.5	0.1	<0.05	12	<0.5
L500N 9000E	Soil	7	5	0.13	65	0.139	1	1.73	0.016	0.04	0.3	0.06	1.3	<0.1	<0.05	13	<0.5
L500N 9025E	Soil	15	13	1.98	219	0.160	2	2.37	0.025	0.11	0.8	0.03	3.4	0.2	<0.05	15	<0.5
L500N 9050E	Soil	30	18	4.04	450	0.096	2	4.04	0.024	0.25	0.4	0.04	5.2	0.3	<0.05	16	<0.5
L500N 9075E	Soil	18	16	0.79	369	0.131	2	2.87	0.029	0.11	0.4	0.07	4.2	<0.1	<0.05	13	<0.5
L600N 7800E	Soil	17	29	9.37	23	0.044	3	2.39	0.013	0.09	0.6	0.06	5.0	0.5	0.07	7	0.5
L600N 7825E	Soil	13	13	9.43	19	0.029	3	1.20	0.011	0.06	0.5	0.05	2.0	0.3	0.06	4	0.5
L600N 7850E	Soil	17	21	8.39	29	0.054	4	2.34	0.017	0.06	0.7	0.05	3.2	0.4	0.07	7	<0.5
L600N 7875E	Soil	16	16	8.00	44	0.051	10	2.30	0.012	0.04	0.4	0.03	2.5	0.3	0.08	8	<0.5
L600N 7900E	Soil	18	27	7.74	93	0.103	12	4.18	0.018	0.07	0.5	0.05	4.0	0.4	0.06	12	<0.5
L600N 7925E	Soil	20	22	6.42	72	0.093	7	3.39	0.021	0.09	0.4	0.06	3.8	0.4	0.07	9	<0.5
L600N 7950E	Soil	32	36	5.20	84	0.158	7	5.55	0.027	0.08	0.5	0.06	6.7	0.5	<0.05	14	<0.5
L600N 7975E	Soil	22	31	4.77	79	0.130	7	4.53	0.017	0.10	0.5	0.06	4.7	0.4	<0.05	12	0.5
L600N 8000E	Soil	26	30	10.55	48	0.061	17	2.53	0.011	0.05	0.8	0.04	4.2	0.3	0.08	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page:

4 of 16 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L600N 8025E	Soil	3.5	204.1	57.3	250	0.2	31.6	11.9	539	2.57	8.6	13.8	2.0	1.4	21	1.8	2.0	1.1	46	1.27	0.125
L600N 8050E	Soil	3.8	193.5	61.2	266	0.1	34.0	12.7	544	2.55	8.3	11.6	2.9	1.4	23	1.9	1.8	1.1	44	1.29	0.126
L600N 8075E	Soil	2.9	148.9	44.2	238	0.1	26.9	17.1	1252	3.53	5.1	3.1	1.7	1.9	17	1.0	1.3	0.8	49	1.05	0.175
L600N 8100E	Soil	1.1	164.7	29.3	117	<0.1	24.0	11.6	438	2.62	4.2	1.7	1.2	2.0	12	0.2	0.8	0.6	48	0.67	0.066
L600N 8125E	Soil	1.2	275.7	48.2	195	0.2	23.7	11.3	1203	2.83	5.4	3.9	1.5	3.1	15	0.6	1.0	1.0	88	0.57	0.078
L600N 8150E	Soil	0.6	504.2	55.4	250	0.2	20.1	9.8	1410	2.97	5.5	4.5	2.4	3.8	17	1.1	1.0	1.3	83	0.92	0.140
L600N 8175E	Soil	0.9	336.5	41.3	152	0.1	23.8	11.7	1118	3.12	5.3	4.3	3.1	4.1	18	0.3	0.9	0.8	92	0.51	0.116
L600N 8200E	Soil	1.1	257.7	45.5	225	<0.1	18.0	12.5	1587	3.31	4.2	3.1	3.3	2.0	19	0.5	0.5	1.0	89	0.39	0.089
L600N 8225E	Soil	1.5	330.0	46.6	175	0.1	17.1	10.2	799	3.20	6.0	4.7	1.7	1.4	20	0.5	0.7	1.2	77	0.46	0.166
L600N 8250E	Soil	9.7	118.5	35.0	242	<0.1	8.7	14.1	5790	4.25	11.8	12.4	1.3	1.0	30	0.9	0.5	0.7	175	1.05	0.172
L600N 8275E	Soil	1.5	91.8	23.9	50	0.4	6.4	5.2	664	2.16	4.2	1.8	1.8	1.1	9	0.1	0.3	0.6	44	0.11	0.088
L600N 8300E	Soil	1.3	101.0	19.6	65	0.2	10.8	5.4	198	2.75	4.5	1.5	<0.5	3.3	8	<0.1	0.3	0.4	47	0.10	0.081
L600N 8325E	Soil	1.6	325.7	15.5	58	0.2	8.5	6.6	534	3.25	5.0	2.4	4.4	2.0	10	<0.1	0.4	0.6	74	0.13	0.091
L600N 8350E	Soil	1.7	467.9	43.2	86	0.5	8.4	11.9	798	3.61	5.4	2.4	11.5	3.8	48	0.1	0.4	1.2	89	0.90	0.167
L600N 8375E	Soil	2.7	399.5	67.0	77	0.3	9.9	6.1	297	3.77	7.6	2.1	3.6	6.3	15	0.3	0.3	0.8	84	0.22	0.057
L600N 8400E	Soil	2.5	114.9	32.5	76	0.1	9.2	4.3	294	2.78	7.0	1.5	2.5	3.4	14	0.1	0.6	0.8	72	0.15	0.041
L600N 8425E	Soil	5.8	254.4	28.8	68	0.5	18.4	9.7	672	2.59	3.8	10.5	15.1	3.4	17	0.4	0.3	0.7	58	0.22	0.038
L600N 8450E	Soil	4.2	210.2	12.3	81	0.2	16.1	9.6	642	2.74	4.6	2.9	0.7	3.2	15	0.3	1.1	0.4	53	0.21	0.034
L600N 8475E	Soil	2.1	103.8	30.6	97	0.2	18.1	7.6	290	2.81	4.4	2.5	2.0	4.4	16	0.3	0.5	0.8	63	0.27	0.031
L600N 8500E	Soil	8.2	89.0	22.4	114	0.2	15.1	7.7	1476	2.40	6.0	9.0	<0.5	3.1	21	0.3	0.3	0.6	45	0.28	0.049
L600N 8525E	Soil	5.9	44.9	19.0	36	0.3	5.5	2.3	100	2.58	3.4	1.2	2.5	2.5	7	0.2	0.3	0.5	55	0.08	0.021
L600N 8550E	Soil	5.2	37.8	17.3	41	0.1	7.6	3.9	139	2.12	2.9	2.1	<0.5	2.2	8	0.1	0.2	0.4	45	0.10	0.022
L600N 8575E	Soil	3.5	59.7	16.1	67	0.1	9.1	4.8	517	2.23	5.0	6.4	<0.5	3.1	14	0.2	0.3	0.4	41	0.18	0.059
L600N 8600E	Soil	2.6	160.7	34.6	233	0.2	17.0	7.0	1366	2.30	7.1	8.6	0.9	3.8	35	0.6	0.3	0.9	44	0.69	0.083
L600N 8625E	Soil	2.5	82.6	21.2	115	<0.1	10.9	9.5	2493	2.87	3.4	2.1	2.1	1.9	39	0.2	0.3	0.6	94	0.50	0.059
L600N 8650E	Soil	1.6	513.2	29.3	141	<0.1	10.2	5.9	526	3.17	8.2	2.0	2.8	5.1	35	0.2	0.4	0.7	74	0.29	0.086
L600N 8675E	Soil	1.8	117.1	22.9	75	0.3	4.8	3.1	198	2.52	5.5	2.5	1.5	7.6	22	0.2	0.2	0.4	68	0.19	0.030
L600N 8700E	Soil	1.4	244.7	25.4	133	0.1	16.2	9.4	1025	2.79	4.4	2.9	1.6	5.8	18	0.2	0.2	0.6	67	0.31	0.076
L600N 8725E	Soil	1.1	141.8	30.5	57	0.2	12.6	5.8	206	2.91	10.8	2.6	2.6	5.9	16	0.1	0.4	1.1	81	0.40	0.051
L600N 8750E	Soil	1.0	237.6	23.5	79	0.2	18.2	8.1	254	2.59	4.7	2.4	2.6	6.0	17	0.2	0.2	0.5	72	0.40	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

4 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L600N 8025E	Soil	20	8	1.26	36	0.094	6	4.24	0.025	0.07	0.6	0.06	2.6	0.2	0.13	9	0.9
L600N 8050E	Soil	19	7	1.25	39	0.098	5	4.16	0.028	0.08	0.6	0.06	2.6	0.2	0.12	8	1.3
L600N 8075E	Soil	20	29	2.62	50	0.063	5	2.71	0.023	0.09	0.8	0.03	2.8	0.2	0.07	9	0.7
L600N 8100E	Soil	15	32	1.52	58	0.086	3	2.76	0.016	0.06	0.6	0.03	2.4	0.2	<0.05	9	<0.5
L600N 8125E	Soil	15	34	2.81	69	0.073	3	3.18	0.017	0.12	0.8	0.02	2.4	0.3	<0.05	12	<0.5
L600N 8150E	Soil	23	16	5.39	93	0.069	9	3.29	0.018	0.13	0.5	0.03	2.1	0.4	0.06	12	<0.5
L600N 8175E	Soil	26	28	4.83	74	0.106	5	4.23	0.018	0.09	0.4	0.03	3.7	0.4	<0.05	12	0.7
L600N 8200E	Soil	9	20	3.76	119	0.113	4	3.77	0.020	0.18	0.5	0.02	2.1	0.3	0.07	14	<0.5
L600N 8225E	Soil	17	12	2.42	85	0.080	5	3.63	0.022	0.08	0.4	0.03	2.6	0.3	0.08	11	0.5
L600N 8250E	Soil	11	10	0.88	60	0.096	2	2.83	0.019	0.09	0.9	0.04	1.9	0.3	0.08	15	0.9
L600N 8275E	Soil	9	9	0.33	61	0.093	<1	3.69	0.014	0.04	0.2	0.06	1.5	0.2	<0.05	12	1.0
L600N 8300E	Soil	6	17	0.81	50	0.153	1	4.96	0.017	0.04	0.5	0.05	2.1	0.1	<0.05	11	0.9
L600N 8325E	Soil	12	14	0.57	92	0.048	1	2.50	0.012	0.06	0.8	0.06	1.8	0.1	<0.05	9	0.7
L600N 8350E	Soil	14	13	1.04	61	0.101	2	2.14	0.014	0.05	0.9	0.04	2.2	0.1	<0.05	12	1.1
L600N 8375E	Soil	8	18	1.25	37	0.154	1	3.87	0.015	0.06	0.9	0.06	2.1	0.1	<0.05	11	<0.5
L600N 8400E	Soil	8	15	0.73	55	0.132	3	1.67	0.012	0.08	0.7	0.06	1.8	0.2	<0.05	13	<0.5
L600N 8425E	Soil	23	23	1.20	70	0.137	1	3.52	0.019	0.05	1.0	0.07	2.3	0.3	<0.05	13	0.9
L600N 8450E	Soil	10	40	1.02	73	0.121	<1	2.55	0.018	0.05	1.0	0.04	1.8	0.2	<0.05	11	<0.5
L600N 8475E	Soil	8	27	1.88	107	0.106	2	3.21	0.012	0.08	0.8	0.05	1.9	0.2	<0.05	12	<0.5
L600N 8500E	Soil	7	19	0.89	105	0.136	1	4.86	0.017	0.06	1.8	0.07	2.0	0.3	<0.05	12	1.2
L600N 8525E	Soil	6	11	0.28	55	0.141	1	1.84	0.014	0.04	0.5	0.06	1.2	0.1	<0.05	16	<0.5
L600N 8550E	Soil	5	21	0.33	68	0.150	<1	1.97	0.018	0.04	0.4	0.04	1.2	0.1	<0.05	13	<0.5
L600N 8575E	Soil	8	8	0.47	62	0.159	<1	6.01	0.021	0.03	0.9	0.09	1.7	<0.1	<0.05	13	0.7
L600N 8600E	Soil	10	13	0.70	164	0.133	2	5.01	0.023	0.06	1.0	0.07	1.8	0.3	<0.05	12	0.8
L600N 8625E	Soil	10	19	0.71	145	0.137	1	1.68	0.019	0.07	0.5	0.05	2.0	0.3	<0.05	11	<0.5
L600N 8650E	Soil	9	9	1.98	83	0.111	1	4.06	0.016	0.06	2.2	0.06	1.0	0.2	<0.05	15	0.6
L600N 8675E	Soil	7	8	0.76	81	0.144	<1	2.87	0.021	0.05	1.6	0.05	1.0	<0.1	<0.05	15	<0.5
L600N 8700E	Soil	11	23	1.72	79	0.137	1	3.50	0.016	0.08	0.8	0.04	2.5	0.2	<0.05	12	<0.5
L600N 8725E	Soil	10	25	1.41	64	0.136	2	2.27	0.015	0.04	1.8	0.04	2.0	0.1	<0.05	11	<0.5
L600N 8750E	Soil	11	27	1.86	80	0.120	2	3.11	0.019	0.07	1.2	0.04	2.1	0.2	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmefab.com

Page:

5 of 16

Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L600N 8775E	Soil	1.9	162.2	23.2	106	0.4	8.9	5.4	1027	2.20	16.2	11.5	1.2	1.6	48	0.4	0.3	0.5	72	0.54	0.061
L600N 8800E	Soil	1.1	230.8	45.3	125	0.1	12.5	9.0	587	3.18	27.4	2.2	11.1	7.2	23	0.2	0.6	1.1	80	0.33	0.056
L600N 8825E	Soil	9.6	37.1	20.7	41	0.5	7.2	13.7	575	5.20	32.9	2.3	124.6	3.4	51	0.1	1.3	5.7	83	0.09	0.110
L600N 8850E	Soil	0.7	10.5	27.1	22	0.1	2.6	1.3	92	1.42	4.0	0.7	24.3	2.4	8	<0.1	0.3	2.4	55	0.07	0.031
L600N 8875E	Soil	2.3	164.9	43.4	131	0.2	10.0	10.7	1250	4.95	14.3	2.7	64.0	9.3	27	0.2	1.5	3.0	158	0.38	0.061
L600N 8900E	Soil	0.6	404.0	23.5	149	0.1	9.4	15.6	2478	5.78	7.5	3.6	33.0	7.6	41	0.1	0.8	1.3	174	1.02	0.067
L600N 8925E	Soil	1.3	193.0	22.0	146	0.2	13.1	19.0	2969	7.18	7.2	3.7	52.5	9.7	49	0.2	1.2	1.7	194	1.03	0.127
L600N 8950E	Soil	1.5	163.3	37.5	185	0.2	16.4	22.3	5744	7.19	9.8	3.3	45.2	5.0	58	0.5	1.4	3.5	184	1.21	0.166
L600N 8975E	Soil	1.0	179.4	29.9	158	0.2	15.5	13.1	1443	5.19	12.0	2.9	43.8	4.7	41	0.2	1.0	1.7	130	0.68	0.115
L600N 9000E	Soil	1.1	145.5	31.9	147	0.1	13.8	14.1	3917	4.89	8.2	3.0	39.0	4.3	53	0.3	1.2	1.7	156	1.28	0.114
L600N 9025E	Soil	0.9	306.8	35.8	119	0.3	17.2	18.8	2121	5.37	7.6	4.1	56.0	12.2	84	0.2	1.6	2.5	189	1.49	0.224
L600N 9050E	Soil	1.2	289.1	27.2	141	0.2	19.4	16.7	2364	5.65	9.3	4.1	81.3	11.2	50	0.2	1.3	1.5	152	1.18	0.116
L600N 9075E	Soil	0.7	137.8	18.1	104	0.2	23.3	15.0	1338	3.79	7.0	2.8	62.1	8.1	55	0.2	0.5	1.1	106	3.23	0.107
L600N 9100E	Soil	0.6	285.2	14.0	148	0.3	16.0	16.0	1241	4.80	5.3	3.7	35.8	8.3	67	0.1	0.5	1.3	152	1.85	0.273
L600N 9125E	Soil	0.4	16.2	40.5	75	<0.1	15.6	5.6	618	1.40	8.7	0.6	1.2	1.0	23	0.7	0.7	0.2	22	8.76	0.094
L600N 9150E	Soil	0.5	22.0	43.0	115	0.1	23.6	7.8	1176	2.10	12.5	0.7	1.9	1.7	16	1.1	1.0	0.2	33	5.28	0.122
L600N 9175E	Soil	0.4	18.9	34.2	106	<0.1	23.7	8.1	1068	2.27	10.9	0.7	1.6	2.0	14	1.1	0.8	0.2	35	3.81	0.116
L600N 9200E	Soil	0.4	16.3	31.5	92	<0.1	20.7	9.2	981	2.52	11.3	0.7	1.2	2.1	8	0.6	0.8	0.3	31	1.18	0.114
L600N 9225E	Soil	0.3	17.1	28.6	79	<0.1	25.0	10.2	1194	2.91	13.3	0.8	1.0	3.0	8	0.7	0.8	0.3	37	1.31	0.100
L600N 9250E	Soil	0.4	18.5	29.0	73	<0.1	25.8	10.4	1300	2.90	14.0	0.8	1.1	2.8	9	0.6	0.9	0.2	41	1.55	0.093
L600N 9275E	Soil	0.4	19.8	40.2	94	<0.1	23.6	9.5	1159	2.67	13.3	0.7	1.4	2.6	9	1.0	0.9	0.3	37	1.69	0.109
L600N 9300E	Soil	0.4	19.5	47.9	52	0.1	25.3	8.6	1114	2.34	11.5	0.6	0.8	2.0	21	0.6	1.1	0.2	26	6.03	0.079
L700N 7800E	Soil	0.5	35.6	171.6	47	<0.1	15.8	6.3	270	2.37	5.7	1.0	1.1	4.7	16	0.2	0.5	3.5	52	4.89	0.023
L700N 7825E	Soil	0.5	51.8	276.7	76	0.3	13.6	5.3	717	1.52	4.4	1.5	1.0	3.2	22	0.5	0.5	5.1	49	8.16	0.041
L700N 7850E	Soil	0.6	291.0	363.5	142	0.2	20.3	8.2	586	2.92	7.1	2.6	2.6	8.0	13	0.5	0.7	6.9	94	0.96	0.035
L700N 7875E	Soil	0.4	149.0	229.9	99	0.1	16.4	6.8	943	2.40	5.0	2.2	2.4	5.9	16	0.6	0.5	4.1	79	4.12	0.043
L700N 7900E	Soil	0.8	144.8	177.3	129	<0.1	25.8	9.1	1677	3.00	4.7	2.4	2.8	6.4	13	0.6	0.5	3.1	98	1.83	0.046
L700N 7925E	Soil	1.0	46.6	94.9	102	<0.1	17.4	7.5	2096	2.96	5.5	1.8	1.8	3.9	14	0.4	0.7	1.3	59	1.95	0.041
L700N 7950E	Soil	0.5	49.2	36.5	65	<0.1	46.3	8.7	1737	2.40	4.2	1.5	0.5	1.2	8	0.3	0.1	47.6	39	0.80	0.045
L700N 7975E	Soil	1.3	61.0	89.6	136	<0.1	30.7	12.3	336	3.07	3.7	1.2	3.0	3.8	19	0.2	0.4	2.2	72	0.30	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

5 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L600N 8775E	Soil	15	17	1.54	130	0.107	3	3.34	0.023	0.07	1.7	0.07	1.8	0.4	<0.05	13	0.9
L600N 8800E	Soil	10	17	0.93	87	0.125	1	3.31	0.014	0.05	0.5	0.06	2.2	0.1	<0.05	10	<0.5
L600N 8825E	Soil	28	7	0.27	541	0.029	<1	0.99	0.018	0.03	0.7	0.05	5.5	0.1	<0.05	9	<0.5
L600N 8850E	Soil	17	7	0.13	55	0.123	<1	0.92	0.014	0.04	0.1	0.04	1.1	<0.1	<0.05	13	<0.5
L600N 8875E	Soil	23	13	2.42	304	0.080	2	3.34	0.014	0.12	0.8	0.04	4.2	0.3	<0.05	15	0.5
L600N 8900E	Soil	39	10	6.06	322	0.151	6	3.84	0.022	0.20	0.7	0.04	6.9	0.5	<0.05	16	<0.5
L600N 8925E	Soil	62	15	2.57	634	0.123	1	2.93	0.021	0.22	0.8	0.06	10.7	0.4	<0.05	15	0.7
L600N 8950E	Soil	50	20	1.58	867	0.090	2	2.09	0.023	0.21	0.7	0.07	7.7	0.3	0.06	12	<0.5
L600N 8975E	Soil	23	24	3.24	343	0.093	5	3.39	0.019	0.12	0.7	0.09	5.1	0.2	<0.05	13	<0.5
L600N 9000E	Soil	23	25	1.93	511	0.115	2	2.24	0.023	0.20	1.0	0.07	4.7	0.3	<0.05	12	<0.5
L600N 9025E	Soil	64	35	2.60	432	0.136	1	2.76	0.031	0.35	0.7	0.04	9.8	0.5	<0.05	12	0.8
L600N 9050E	Soil	61	25	3.58	434	0.117	3	3.10	0.023	0.31	0.7	0.05	9.6	0.3	<0.05	14	<0.5
L600N 9075E	Soil	28	34	3.94	185	0.102	5	2.74	0.023	0.17	0.6	0.02	5.6	0.2	<0.05	10	<0.5
L600N 9100E	Soil	39	30	2.29	248	0.137	3	2.86	0.022	0.21	0.5	0.03	5.4	0.2	<0.05	15	0.5
L600N 9125E	Soil	11	9	6.07	31	0.015	9	0.97	0.009	0.08	0.4	0.05	1.5	0.1	0.06	3	<0.5
L600N 9150E	Soil	16	16	4.61	44	0.022	7	1.56	0.007	0.10	0.5	0.07	2.3	0.2	0.08	4	<0.5
L600N 9175E	Soil	20	22	4.47	58	0.029	7	2.03	0.007	0.14	0.5	0.05	3.0	0.2	0.06	5	<0.5
L600N 9200E	Soil	24	20	2.57	74	0.029	4	2.02	0.006	0.15	0.4	0.04	2.9	0.2	<0.05	5	<0.5
L600N 9225E	Soil	28	30	3.37	69	0.038	9	2.34	0.005	0.16	0.4	0.04	3.8	0.2	<0.05	6	<0.5
L600N 9250E	Soil	27	30	3.67	74	0.046	4	2.45	0.005	0.16	0.5	0.05	3.7	0.2	<0.05	7	<0.5
L600N 9275E	Soil	24	26	3.40	68	0.040	5	2.24	0.006	0.18	0.6	0.04	3.3	0.2	<0.05	6	<0.5
L600N 9300E	Soil	20	19	4.57	47	0.025	6	1.42	0.009	0.12	0.5	0.04	3.1	0.1	<0.05	4	<0.5
L700N 7800E	Soil	13	20	4.55	53	0.053	3	2.56	0.010	0.05	0.4	0.03	2.4	0.2	<0.05	7	<0.5
L700N 7825E	Soil	13	25	8.16	25	0.043	6	1.93	0.010	0.06	0.3	0.05	2.3	0.4	<0.05	6	<0.5
L700N 7850E	Soil	20	28	5.61	56	0.115	8	4.35	0.017	0.08	0.4	0.04	3.7	0.4	<0.05	13	<0.5
L700N 7875E	Soil	26	27	7.94	51	0.100	8	3.92	0.014	0.06	0.4	0.04	3.7	0.5	<0.05	11	<0.5
L700N 7900E	Soil	25	33	7.20	70	0.117	9	4.59	0.015	0.08	0.3	0.04	4.2	0.4	<0.05	13	<0.5
L700N 7925E	Soil	14	20	3.43	73	0.097	8	3.10	0.019	0.10	0.3	0.06	3.5	0.2	<0.05	9	<0.5
L700N 7950E	Soil	9	10	14.61	55	0.031	12	1.49	0.008	0.03	1.8	0.05	2.6	0.2	<0.05	5	<0.5
L700N 7975E	Soil	12	44	2.23	79	0.131	4	3.37	0.012	0.06	0.9	0.04	3.6	0.2	<0.05	13	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

6 of 16 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L700N 8000E	Soil	3.3	89.0	21.2	91	0.1	20.8	7.6	298	3.29	2.8	1.0	2.9	3.8	7	0.1	0.4	0.7	61	0.15	0.057
L700N 8025E	Soil	3.0	98.6	30.4	72	0.2	26.2	13.8	741	4.96	3.3	1.7	2.1	3.6	7	0.2	0.3	0.7	61	0.19	0.061
L700N 8050E	Soil	1.9	126.9	31.7	74	0.1	19.4	7.3	246	2.92	3.0	1.0	3.8	4.9	10	0.1	0.3	0.8	68	0.31	0.029
L700N 8075E	Soil	1.9	344.9	66.6	230	0.4	20.0	7.2	385	3.99	6.7	4.1	2.9	11.9	8	0.3	2.9	0.7	94	0.11	0.038
L700N 8100E	Soil	1.4	100.8	29.8	138	<0.1	22.3	8.4	693	3.50	4.5	8.8	4.8	13.2	9	0.2	0.4	0.5	103	0.25	0.031
L700N 8125E	Soil	0.5	209.9	17.0	24	<0.1	41.5	19.1	246	3.50	3.6	44.7	2.1	14.9	2	0.2	<0.1	0.2	65	0.17	0.052
L700N 8150E	Soil	0.5	131.5	15.2	152	<0.1	68.1	29.5	839	3.94	2.2	7.7	1.1	8.2	18	0.3	<0.1	0.2	103	0.54	0.024
L700N 8175E	Soil	0.6	60.9	14.4	165	0.1	14.3	10.3	3446	2.70	1.2	2.3	1.4	3.7	29	0.4	<0.1	0.2	81	0.27	0.015
L700N 8200E	Soil	0.8	137.2	28.8	111	<0.1	31.3	14.0	1185	3.90	3.1	6.6	2.9	6.5	8	0.3	0.2	0.3	73	0.30	0.047
L700N 8225E	Soil	1.1	21.6	23.8	30	0.1	7.4	2.4	79	1.55	2.3	0.8	1.8	2.8	5	0.1	0.3	0.6	50	0.09	0.014
L700N 8250E	Soil	0.8	34.9	16.9	161	<0.1	30.5	10.4	465	2.77	2.2	5.2	1.6	7.6	7	0.2	<0.1	0.3	122	0.13	0.012
L700N 8275E	Soil	1.2	48.5	12.6	117	<0.1	12.4	3.7	248	1.75	3.0	1.6	2.9	5.4	14	0.1	0.2	0.2	60	0.15	0.042
L700N 8300E	Soil	1.6	123.1	27.3	85	0.1	30.3	9.5	235	3.37	6.8	2.9	3.6	8.2	9	0.2	0.5	0.7	77	0.20	0.035
L700N 8325E	Soil	1.1	30.1	13.1	41	0.2	13.3	5.4	159	3.11	7.4	0.7	2.2	5.3	5	0.1	0.3	0.3	66	0.08	0.033
L700N 8350E	Soil	1.3	55.2	22.0	48	0.2	9.0	3.4	138	3.49	5.7	1.1	3.6	5.6	5	<0.1	0.4	0.5	58	0.04	0.048
L700N 8375E	Soil	1.0	31.8	13.1	24	0.2	4.6	1.9	92	2.13	4.3	1.4	2.0	3.6	4	<0.1	0.3	0.3	38	0.04	0.068
L700N 8400E	Soil	1.2	252.9	15.9	68	0.1	12.2	5.2	236	1.69	3.6	2.3	3.8	7.7	16	0.2	0.2	0.3	52	0.29	0.056
L700N 8425E	Soil	1.3	62.4	16.9	28	0.2	5.9	2.0	93	1.87	3.3	1.1	5.8	3.3	14	0.1	0.2	0.6	66	0.26	0.024
L700N 8450E	Soil	0.9	27.5	14.9	12	0.2	3.1	0.8	34	1.54	2.2	1.0	2.9	3.2	6	0.2	0.2	0.3	36	0.07	0.032
L700N 8475E	Soil	1.1	52.3	14.6	38	<0.1	9.7	3.2	98	1.96	3.5	1.0	3.4	3.5	10	0.1	0.4	0.3	70	0.18	0.018
L700N 8500E	Soil	1.0	16.4	12.5	9	0.1	2.7	1.1	36	2.03	3.9	1.4	1.6	3.0	3	<0.1	0.3	0.3	28	0.03	0.044
L700N 8525E	Soil	1.1	109.7	8.8	40	0.1	10.0	3.9	155	2.31	4.1	1.3	1.5	4.2	4	<0.1	0.2	0.2	35	0.06	0.050
L700N 8550E	Soil	1.1	136.4	19.0	32	0.2	7.4	3.9	151	1.85	2.3	1.8	2.1	4.3	6	<0.1	0.2	0.4	42	0.11	0.041
L700N 8575E	Soil	1.3	113.3	18.2	39	0.3	10.1	4.5	126	2.33	3.7	1.7	3.2	5.2	5	<0.1	0.3	0.4	50	0.07	0.041
L700N 8600E	Soil	0.9	70.6	19.5	48	0.3	11.4	4.2	132	2.31	2.2	1.1	3.5	3.4	14	0.1	0.2	0.4	65	0.15	0.024
L700N 8625E	Soil	1.1	47.5	17.9	24	0.3	5.3	1.9	75	2.01	2.6	1.2	1.6	3.4	4	<0.1	0.2	0.4	51	0.07	0.030
L700N 8650E	Soil	1.2	86.8	17.6	49	0.4	11.7	5.0	134	2.48	3.5	1.5	3.8	4.9	7	<0.1	0.3	0.5	64	0.13	0.030
L700N 8675E	Soil	1.2	125.3	18.0	60	0.2	15.7	6.5	180	2.44	3.6	1.9	2.9	5.3	7	0.1	0.3	0.5	59	0.18	0.030
L700N 8700E	Soil	1.0	26.4	20.2	24	0.2	6.2	2.6	74	2.46	3.9	1.0	2.4	3.7	5	0.1	0.3	0.4	63	0.09	0.029
L700N 8725E	Soil	1.2	61.2	26.5	53	0.1	17.7	6.5	171	2.77	4.9	1.8	3.4	4.9	8	0.1	0.6	0.6	72	0.20	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmela.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

6 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L700N 8000E	Soil	12	35	1.06	41	0.149	1	2.79	0.010	0.05	5.0	0.07	3.1	0.2	<0.05	15	<0.5
L700N 8025E	Soil	11	31	2.83	45	0.126	4	3.33	0.012	0.05	0.6	0.05	2.8	0.3	<0.05	12	0.6
L700N 8050E	Soil	14	39	1.24	37	0.163	2	2.67	0.013	0.07	0.9	0.05	2.4	0.3	<0.05	13	<0.5
L700N 8075E	Soil	11	21	1.56	63	0.150	4	3.88	0.013	0.08	0.4	0.07	2.3	0.3	<0.05	15	<0.5
L700N 8100E	Soil	11	24	3.42	85	0.151	8	3.73	0.012	0.08	0.4	0.05	2.7	0.4	<0.05	15	<0.5
L700N 8125E	Soil	7	35	17.91	20	0.228	40	2.70	0.004	0.01	0.5	<0.01	6.6	0.4	<0.05	4	<0.5
L700N 8150E	Soil	11	63	11.30	44	0.186	10	6.30	0.011	0.02	1.4	0.03	7.2	0.6	<0.05	9	<0.5
L700N 8175E	Soil	12	13	8.91	320	0.137	4	3.88	0.016	0.17	0.4	0.03	2.2	0.6	<0.05	13	<0.5
L700N 8200E	Soil	15	31	6.72	55	0.188	17	4.47	0.016	0.05	0.7	0.04	4.5	0.3	<0.05	10	<0.5
L700N 8225E	Soil	8	14	0.35	51	0.138	1	1.22	0.013	0.04	0.2	0.03	1.3	0.1	<0.05	12	<0.5
L700N 8250E	Soil	5	47	9.05	58	0.202	5	5.67	0.009	0.04	1.6	0.02	3.3	0.2	<0.05	16	<0.5
L700N 8275E	Soil	5	10	1.02	54	0.129	<1	3.32	0.017	0.05	2.7	0.05	1.0	0.2	<0.05	11	<0.5
L700N 8300E	Soil	13	46	2.29	52	0.146	3	4.21	0.014	0.07	1.1	0.06	3.0	0.2	<0.05	12	<0.5
L700N 8325E	Soil	13	37	0.68	39	0.133	<1	2.73	0.014	0.06	0.2	0.05	3.0	0.2	<0.05	13	<0.5
L700N 8350E	Soil	9	11	0.30	46	0.096	<1	2.40	0.010	0.05	0.4	0.07	1.7	0.1	<0.05	11	<0.5
L700N 8375E	Soil	5	7	0.19	28	0.105	<1	4.31	0.013	0.03	0.2	0.05	2.6	0.1	<0.05	10	0.9
L700N 8400E	Soil	9	9	1.41	64	0.081	2	4.65	0.013	0.04	2.8	0.07	1.6	0.1	<0.05	9	<0.5
L700N 8425E	Soil	8	7	0.24	33	0.100	<1	1.65	0.011	0.04	0.8	0.06	1.4	0.1	<0.05	12	<0.5
L700N 8450E	Soil	6	8	0.11	26	0.096	<1	1.98	0.012	0.03	0.1	0.10	1.5	0.1	<0.05	10	<0.5
L700N 8475E	Soil	9	20	0.34	31	0.135	<1	0.88	0.009	0.06	0.6	0.03	1.2	0.1	<0.05	10	<0.5
L700N 8500E	Soil	3	3	0.06	13	0.114	1	3.91	0.014	0.02	0.3	0.10	1.7	<0.1	<0.05	10	1.1
L700N 8525E	Soil	5	13	0.34	27	0.094	<1	4.30	0.010	0.03	0.6	0.08	2.4	<0.1	<0.05	8	<0.5
L700N 8550E	Soil	8	8	0.50	40	0.098	<1	2.98	0.012	0.03	0.4	0.08	2.0	<0.1	<0.05	9	<0.5
L700N 8575E	Soil	6	9	0.61	39	0.121	<1	4.58	0.011	0.03	0.5	0.06	2.5	<0.1	<0.05	9	0.8
L700N 8600E	Soil	6	10	1.63	76	0.125	<1	2.89	0.011	0.08	0.4	0.05	1.7	<0.1	<0.05	11	<0.5
L700N 8625E	Soil	6	7	0.24	37	0.110	<1	3.01	0.010	0.02	0.3	0.07	1.7	<0.1	<0.05	11	0.6
L700N 8650E	Soil	8	16	0.81	41	0.120	2	2.96	0.016	0.04	0.5	0.07	2.1	0.1	<0.05	11	0.9
L700N 8675E	Soil	7	17	1.49	57	0.096	2	3.41	0.010	0.04	0.8	0.07	2.2	<0.1	<0.05	8	0.5
L700N 8700E	Soil	5	7	0.34	40	0.146	<1	3.19	0.012	0.03	0.4	0.11	1.4	<0.1	<0.05	13	<0.5
L700N 8725E	Soil	9	20	1.29	55	0.119	1	2.06	0.008	0.04	0.8	0.04	1.8	0.1	<0.05	11	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: August 13, 2000

www.acmefab.com

Page: 7 of 16 Part

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L700N 8750E	Soil	1.4	56.5	18.6	50	0.1	13.2	6.0	154	3.25	4.3	1.3	3.5	4.5	8	0.1	0.4	0.5	77	0.18 0.031
L700N 8775E	Soil	0.8	29.9	22.9	25	0.3	39.5	6.1	104	1.57	2.4	1.4	2.3	3.5	4	<0.1	0.2	0.3	33	0.06 0.021
L700N 8800E	Soil	1.1	299.7	31.1	97	0.2	17.2	8.2	406	3.16	15.6	1.9	3.6	4.7	20	0.2	0.3	1.0	71	0.38 0.090
L700N 8825E	Soil	1.0	94.7	31.8	53	0.4	10.0	3.8	207	2.16	3.4	1.6	4.4	3.6	11	<0.1	0.2	1.2	63	0.29 0.034
L700N 8850E	Soil	0.2	11.0	7.8	22	<0.1	14.4	5.7	366	1.07	2.8	0.3	0.6	1.5	16	<0.1	0.2	<0.1	15	2.26 0.068
L700N 8875E	Soil	1.0	206.2	31.1	109	0.2	10.6	6.1	300	2.89	11.5	2.0	4.0	5.8	17	0.1	0.5	1.0	77	0.39 0.081
L700N 8900E	Soil	0.6	214.6	19.3	84	0.1	17.0	9.3	283	2.42	5.5	1.8	2.7	4.4	22	0.2	0.2	0.6	70	0.46 0.057
L700N 8925E	Soil	0.5	203.0	32.7	119	0.1	8.8	7.2	303	2.74	6.8	1.6	3.4	3.6	24	0.1	0.4	1.3	89	0.42 0.054
L700N 8950E	Soil	0.7	123.6	22.6	63	0.1	12.0	6.1	219	2.51	3.7	1.3	2.1	3.9	18	<0.1	0.3	0.6	76	0.37 0.079
L700N 8975E	Soil	1.2	97.1	17.6	74	<0.1	19.1	9.5	1075	3.10	4.7	2.1	10.2	5.0	22	<0.1	0.4	0.9	122	0.54 0.041
L700N 9000E	Soil	1.2	26.6	18.8	52	0.2	6.4	3.4	374	1.92	3.2	1.1	6.0	2.5	7	0.2	0.2	0.9	48	0.11 0.174
L700N 9025E	Soil	2.1	290.9	18.7	103	0.2	21.3	18.2	1924	4.67	6.9	5.5	124.5	18.1	58	0.1	1.0	0.7	133	1.46 0.192
L700N 9050E	Soil	1.9	198.3	52.3	166	0.6	15.8	10.3	893	5.64	10.2	3.1	1.5	7.4	27	0.2	0.4	1.9	157	0.62 0.146
L700N 9075E	Soil	0.4	20.6	17.7	55	<0.1	30.6	12.8	723	2.29	6.5	0.7	2.1	2.6	24	0.3	0.5	0.2	33	3.07 0.142
L700N 9100E	Soil	0.4	18.0	46.0	74	<0.1	21.3	5.7	545	1.41	7.2	0.5	2.3	1.0	26	0.6	0.7	0.2	25	6.89 0.082
L700N 9125E	Soil	0.2	9.9	56.4	51	<0.1	10.9	3.0	342	0.79	5.1	0.4	1.1	0.7	32	0.5	0.6	0.1	14	11.87 0.053
L700N 9150E	Soil	0.2	10.4	57.3	50	<0.1	11.6	3.3	327	0.94	5.1	0.4	0.7	0.7	33	0.6	0.6	0.2	16	12.20 0.045
L700N 9175E	Soil	0.2	11.1	82.0	52	<0.1	9.1	3.1	617	0.96	5.1	0.3	0.9	0.5	35	0.7	0.8	0.2	16	11.71 0.059
L700N 9200E	Soil	0.4	18.8	72.4	134	0.1	17.5	5.9	1137	2.30	8.9	0.6	1.9	1.7	22	1.3	1.1	0.5	36	4.99 0.057
L700N 9225E	Soil	0.2	12.6	46.3	39	0.1	9.6	3.7	808	1.25	6.0	0.4	2.1	0.8	35	0.7	0.7	0.2	18	9.54 0.054
L700N 9250E	Soil	0.2	14.2	94.5	51	<0.1	11.7	4.3	1544	1.53	6.5	0.5	1.8	0.8	30	1.4	1.0	0.4	22	9.16 0.040
L700N 9275E	Soil	0.3	12.8	131.4	44	<0.1	8.6	3.9	1101	1.29	5.1	0.4	2.5	0.9	30	0.9	1.1	0.3	18	9.75 0.032
L700N 9300E	Soil	0.3	15.7	176.9	51	0.1	11.2	4.2	1003	1.43	5.2	0.4	1.6	1.1	34	0.9	1.0	0.3	20	9.76 0.046
L89N 7800E	Soil	0.4	57.0	47.1	166	<0.1	15.1	7.8	1875	2.21	3.7	7.0	26.0	5.6	16	0.6	0.4	0.3	74	0.45 0.105
L89N 7825E	Soil	0.4	90.8	23.2	116	<0.1	32.8	11.1	633	2.61	5.2	7.7	4.8	10.9	22	0.2	0.3	0.3	104	0.36 0.083
L89N 7850E	Soil	0.7	42.1	131.3	163	<0.1	13.2	7.7	1754	2.27	6.9	3.5	41.3	7.7	21	0.4	0.8	0.6	64	0.21 0.095
L89N 7875E	Soil	0.5	69.9	20.7	120	<0.1	48.2	14.5	886	2.84	3.6	2.6	4.2	4.5	30	0.2	0.2	0.3	82	0.45 0.090
L89N 7900E	Soil	0.2	68.3	16.4	112	<0.1	10.9	4.6	515	1.88	2.4	4.8	1.4	8.6	11	<0.1	0.2	0.2	92	0.24 0.045
L89N 7925E	Soil	0.5	56.2	20.1	115	<0.1	12.8	6.4	1090	2.05	3.6	3.9	3.1	5.2	7	0.2	0.3	0.3	60	0.10 0.046
L89N 7950E	Soil	0.3	31.5	23.2	147	<0.1	15.2	5.9	481	2.10	5.1	5.1	13.1	7.9	10	0.1	0.4	0.3	82	0.19 0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

7 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L700N 8750E	Soil	8	20	0.88	50	0.100	<1	2.38	0.009	0.04	0.7	0.06	1.8	<0.1	<0.05	11	<0.5
L700N 8775E	Soil	7	10	1.56	59	0.082	2	2.51	0.011	0.02	0.3	0.05	1.9	<0.1	<0.05	8	<0.5
L700N 8800E	Soil	11	18	1.21	60	0.091	1	2.41	0.012	0.05	0.8	0.06	1.8	<0.1	<0.05	10	0.6
L700N 8825E	Soil	8	17	0.54	37	0.115	<1	1.89	0.012	0.03	0.5	0.04	1.5	<0.1	<0.05	11	0.7
L700N 8850E	Soil	10	12	1.67	26	0.012	3	0.79	0.004	0.07	0.5	0.02	2.2	<0.1	<0.05	2	0.5
L700N 8875E	Soil	8	8	0.96	47	0.110	1	2.69	0.013	0.04	0.8	0.07	1.5	<0.1	<0.05	10	0.7
L700N 8900E	Soil	7	21	1.71	75	0.121	2	2.64	0.014	0.04	0.6	0.04	1.7	<0.1	<0.05	9	<0.5
L700N 8925E	Soil	8	8	1.38	59	0.131	<1	2.28	0.012	0.04	0.4	0.04	1.4	<0.1	<0.05	10	0.7
L700N 8950E	Soil	7	19	0.82	83	0.123	2	1.90	0.014	0.04	0.5	0.04	1.6	0.1	<0.05	10	<0.5
L700N 8975E	Soil	11	26	1.42	133	0.115	1	2.26	0.014	0.09	0.6	0.05	2.5	0.2	<0.05	11	<0.5
L700N 9000E	Soil	9	8	0.27	97	0.088	<1	2.32	0.015	0.05	0.4	0.06	1.7	<0.1	<0.05	10	<0.5
L700N 9025E	Soil	62	24	2.17	283	0.096	<1	2.74	0.016	0.31	0.7	0.05	11.3	0.3	<0.05	13	0.7
L700N 9050E	Soil	15	22	1.22	90	0.225	<1	3.30	0.024	0.08	1.1	0.07	2.6	0.2	<0.05	23	0.7
L700N 9075E	Soil	19	27	2.94	50	0.019	6	1.66	0.007	0.12	0.7	0.04	4.2	0.1	<0.05	5	<0.5
L700N 9100E	Soil	12	10	4.90	31	0.024	7	1.20	0.010	0.07	0.4	0.06	1.7	0.1	<0.05	3	<0.5
L700N 9125E	Soil	6	<1	6.92	15	0.012	8	0.53	0.012	0.04	0.2	0.04	0.9	<0.1	<0.05	1	0.6
L700N 9150E	Soil	8	3	6.88	18	0.018	7	0.72	0.011	0.04	0.3	0.04	1.1	<0.1	<0.05	2	<0.5
L700N 9175E	Soil	8	2	6.78	20	0.017	9	0.74	0.013	0.04	0.2	0.04	0.8	<0.1	<0.05	1	<0.5
L700N 9200E	Soil	17	11	2.82	72	0.052	9	2.26	0.018	0.07	0.3	0.08	2.5	0.1	<0.05	5	<0.5
L700N 9225E	Soil	13	1	5.43	44	0.051	9	1.77	0.022	0.04	0.3	0.06	1.7	<0.1	<0.05	2	<0.5
L700N 9250E	Soil	15	6	5.31	46	0.030	11	1.43	0.015	0.04	0.3	0.06	1.5	<0.1	<0.05	2	<0.5
L700N 9275E	Soil	12	4	5.73	50	0.039	8	1.42	0.016	0.04	0.3	0.04	1.5	<0.1	<0.05	2	<0.5
L700N 9300E	Soil	14	4	5.65	55	0.064	10	2.00	0.022	0.04	0.3	0.07	2.0	0.1	<0.05	3	<0.5
L89N 7800E	Soil	21	21	4.43	106	0.072	8	2.79	0.016	0.11	0.4	0.03	2.2	0.3	<0.05	9	<0.5
L89N 7825E	Soil	13	86	3.84	80	0.162	5	3.52	0.015	0.07	0.5	0.04	4.3	0.3	<0.05	12	<0.5
L89N 7850E	Soil	10	8	0.99	207	0.115	3	2.56	0.023	0.07	0.7	0.08	2.4	0.3	<0.05	10	0.6
L89N 7875E	Soil	13	68	3.72	159	0.166	4	3.81	0.032	0.11	0.3	0.02	3.0	0.2	<0.05	14	<0.5
L89N 7900E	Soil	7	66	7.12	55	0.094	8	3.38	0.010	0.09	0.4	0.01	2.6	0.2	<0.05	17	<0.5
L89N 7925E	Soil	12	20	4.90	83	0.089	9	3.33	0.008	0.05	0.3	0.03	2.1	0.3	<0.05	13	<0.5
L89N 7950E	Soil	8	56	4.73	95	0.114	6	3.35	0.008	0.07	0.3	0.03	2.0	0.2	<0.05	14	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

8 of 16

Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L89N 7975E	Soil	0.3	243.1	34.7	135	0.1	18.7	7.8	2247	2.48	11.5	4.2	3.1	2.9	21	0.6	1.1	0.2	75	1.43	0.089
L89N 8000E	Soil	0.4	635.9	140.5	175	0.3	23.3	10.3	2093	3.09	60.0	4.2	111.1	3.0	22	0.9	20.5	0.4	95	2.00	0.090
L89N 8025E	Soil	0.3	43.0	42.1	97	<0.1	14.4	6.2	682	2.42	9.2	2.7	4.0	6.3	9	0.2	1.6	0.3	81	0.42	0.035
L89N 8050E	Soil	0.5	67.5	30.4	105	<0.1	15.5	6.9	1129	2.50	11.4	4.0	3.7	8.5	8	0.2	2.4	0.4	63	0.19	0.032
L89N 8075E	Soil	0.2	51.8	22.4	111	<0.1	11.6	5.3	786	1.99	4.2	3.7	2.8	6.9	8	0.2	0.7	0.3	61	0.14	0.028
L89N 8100E	Soil	0.2	51.2	18.5	97	<0.1	8.6	4.2	954	1.60	9.6	4.3	1.4	8.3	5	0.1	0.4	0.2	68	0.16	0.019
L89N 8125E	Soil	<0.1	26.3	25.6	25	<0.1	3.1	1.3	458	0.59	6.4	0.8	0.8	0.2	64	0.4	0.9	0.2	25	12.64	0.034
L89N 8150E	Soil	0.3	177.1	59.5	84	<0.1	8.2	3.8	1043	1.66	21.3	4.3	0.9	2.3	23	0.3	3.6	7.4	57	3.83	0.070
L89N 8175E	Soil	0.2	132.3	26.5	111	<0.1	8.5	4.8	1377	1.93	5.4	10.4	2.1	11.9	16	0.3	0.8	0.6	77	0.68	0.053
L89N 8200E	Soil	0.2	94.1	26.5	109	<0.1	8.2	5.0	1208	1.69	5.1	6.4	1.0	3.2	16	0.3	0.6	0.5	49	0.46	0.071
L89N 8225E	Soil	0.5	293.9	15.0	59	<0.1	25.5	11.6	274	2.38	3.9	1.1	0.9	4.4	13	0.1	0.3	0.2	42	0.37	0.042
L89N 8250E	Soil	0.6	299.1	22.1	69	<0.1	27.3	12.0	208	2.58	5.6	2.1	8.7	9.2	12	<0.1	0.4	0.3	51	0.32	0.037
L89N 8275E	Soil	0.6	94.9	15.9	76	<0.1	22.3	10.5	475	2.22	3.4	1.1	3.1	4.6	11	0.1	0.4	0.3	48	0.30	0.029
L89N 8300E	Soil	0.6	70.0	24.1	67	0.1	12.6	6.0	162	1.94	5.3	1.8	1.9	6.1	7	0.1	0.4	0.4	42	0.11	0.055
L89N 8325E	Soil	0.7	82.5	19.6	92	0.1	13.4	6.8	280	2.19	4.8	1.5	2.0	5.2	9	0.1	0.5	0.4	44	0.16	0.055
L89N 8350E	Soil	0.5	199.0	18.1	71	<0.1	23.0	8.4	279	1.99	4.6	1.4	2.9	5.2	15	<0.1	0.4	0.3	41	0.33	0.028
L89N 8375E	Soil	0.4	368.4	33.2	61	<0.1	25.9	10.8	250	2.22	4.1	1.7	21.8	7.6	16	0.2	0.4	0.6	40	0.44	0.033
L89N 8400E	Soil	0.5	132.9	58.5	140	0.1	17.0	8.1	781	2.21	3.0	2.1	3.1	4.7	13	0.2	0.3	1.0	43	0.28	0.062
L89N 8425E	Soil	0.6	36.5	50.2	141	<0.1	10.1	5.4	1769	2.03	6.1	1.8	34.4	4.2	34	0.4	0.5	0.8	41	0.29	0.086
L89N 8450E	Soil	0.6	71.2	50.5	130	0.1	11.7	5.4	595	2.27	5.1	2.2	3.5	5.7	14	0.2	0.6	1.1	54	0.19	0.074
L89N 8475E	Soil	0.8	43.0	34.5	101	0.2	11.4	5.7	574	2.19	4.6	2.2	3.0	4.9	8	0.1	0.4	0.9	46	0.10	0.086
L89N 8500E	Soil	1.5	99.4	24.4	78	<0.1	6.2	4.6	879	2.50	4.1	3.9	4.6	7.4	8	0.1	0.8	0.6	77	0.17	0.076
L89N 8525E	Soil	1.1	97.8	36.4	92	0.1	10.9	6.2	952	2.62	5.3	3.5	3.0	7.1	8	0.1	0.5	0.9	77	0.26	0.055
L89N 8550E	Soil	1.0	43.0	26.8	51	<0.1	9.1	3.6	228	2.36	4.7	2.2	3.8	7.9	8	0.1	0.4	0.5	44	0.08	0.091
L89N 8575E	Soil	1.0	46.9	29.3	78	0.1	10.7	5.3	417	2.51	7.3	2.7	27.6	6.9	8	0.1	0.6	0.9	66	0.12	0.071
L89N 8600E	Soil	0.9	30.3	27.7	88	0.1	10.6	4.9	445	2.30	5.0	2.3	3.0	6.6	8	0.2	0.5	0.8	56	0.10	0.078
L89N 8625E	Soil	0.7	23.3	24.3	58	0.1	7.5	3.6	273	1.89	4.3	1.9	2.8	4.8	7	0.2	0.4	0.4	40	0.08	0.129
L89N 8650E	Soil	1.0	88.1	25.2	71	0.2	12.3	6.3	245	2.20	5.4	2.6	16.7	8.7	8	0.1	0.4	0.6	54	0.23	0.055
L89N 8675E	Soil	1.3	64.9	30.5	81	<0.1	12.6	6.5	284	2.29	5.8	2.3	15.0	8.6	7	0.2	0.5	0.8	55	0.15	0.048
L89N 8700E	Soil	1.0	51.4	32.5	70	<0.1	10.9	4.7	251	2.20	3.9	2.2	7.0	6.7	10	<0.1	0.5	1.4	69	0.27	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmefab.com

Page:

8 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L89N 7975E	Soil	19	35	7.86	105	0.048	20	2.42	0.017	0.05	0.5	0.03	2.0	0.3	<0.05	10	0.6
L89N 8000E	Soil	28	43	7.21	82	0.052	17	2.49	0.010	0.06	0.3	0.10	3.0	0.2	<0.05	10	<0.5
L89N 8025E	Soil	26	37	6.10	76	0.133	11	4.52	0.010	0.07	0.2	0.03	5.2	0.3	<0.05	11	<0.5
L89N 8050E	Soil	19	27	4.07	127	0.136	5	4.13	0.010	0.07	0.2	0.03	4.1	0.3	<0.05	11	<0.5
L89N 8075E	Soil	13	18	5.37	88	0.095	10	3.28	0.009	0.06	0.2	0.03	2.4	0.3	<0.05	11	<0.5
L89N 8100E	Soil	19	13	6.48	52	0.065	10	2.49	0.006	0.05	0.2	0.02	1.7	0.4	<0.05	12	<0.5
L89N 8125E	Soil	6	7	9.96	16	0.009	8	0.40	0.005	0.02	0.3	0.02	0.5	0.2	<0.05	3	<0.5
L89N 8150E	Soil	20	19	10.52	36	0.061	20	2.12	0.010	0.04	0.6	0.01	2.1	0.3	<0.05	8	0.7
L89N 8175E	Soil	29	16	8.68	53	0.080	16	3.42	0.019	0.05	0.4	0.01	2.8	0.5	<0.05	12	<0.5
L89N 8200E	Soil	16	12	3.82	51	0.037	7	1.59	0.008	0.08	0.3	0.02	1.3	0.2	<0.05	7	<0.5
L89N 8225E	Soil	10	41	1.37	47	0.096	<1	2.10	0.010	0.06	0.4	0.03	1.4	0.1	<0.05	9	<0.5
L89N 8250E	Soil	12	32	0.97	83	0.102	1	2.84	0.010	0.04	0.6	0.03	1.9	0.1	<0.05	9	<0.5
L89N 8275E	Soil	9	36	0.90	68	0.117	<1	2.04	0.011	0.06	0.5	0.02	1.5	0.1	<0.05	9	<0.5
L89N 8300E	Soil	6	16	0.37	48	0.134	1	3.31	0.012	0.04	0.3	0.05	1.9	0.2	<0.05	10	<0.5
L89N 8325E	Soil	8	17	0.44	62	0.131	1	3.15	0.010	0.05	0.3	0.05	1.9	0.2	<0.05	10	<0.5
L89N 8350E	Soil	11	33	0.80	84	0.087	<1	2.22	0.012	0.05	0.4	0.02	1.9	0.2	<0.05	8	<0.5
L89N 8375E	Soil	11	28	0.69	100	0.066	<1	2.19	0.009	0.04	0.5	0.02	1.8	<0.1	<0.05	6	<0.5
L89N 8400E	Soil	10	20	0.47	130	0.079	<1	2.38	0.011	0.05	0.4	0.04	1.7	0.1	<0.05	9	<0.5
L89N 8425E	Soil	8	10	0.31	141	0.096	1	2.12	0.011	0.07	0.3	0.07	1.2	0.2	<0.05	10	<0.5
L89N 8450E	Soil	9	15	0.37	126	0.086	1	1.99	0.012	0.06	0.4	0.06	1.5	0.1	<0.05	10	<0.5
L89N 8475E	Soil	10	11	0.31	105	0.117	<1	4.21	0.011	0.05	0.4	0.07	2.3	0.1	<0.05	10	0.6
L89N 8500E	Soil	10	9	0.44	49	0.065	2	1.71	0.010	0.05	0.8	0.08	1.2	0.1	<0.05	8	<0.5
L89N 8525E	Soil	11	12	0.44	81	0.081	2	1.88	0.008	0.05	0.5	0.05	1.6	0.1	<0.05	9	<0.5
L89N 8550E	Soil	5	10	0.16	81	0.143	<1	5.28	0.011	0.03	0.3	0.10	1.8	<0.1	<0.05	12	<0.5
L89N 8575E	Soil	9	12	0.40	84	0.066	<1	2.35	0.007	0.05	0.4	0.10	1.6	0.1	<0.05	9	<0.5
L89N 8600E	Soil	8	11	0.31	110	0.100	2	2.90	0.010	0.06	0.4	0.06	1.7	0.1	<0.05	10	<0.5
L89N 8625E	Soil	6	9	0.17	77	0.114	1	3.50	0.012	0.05	0.3	0.08	1.6	<0.1	<0.05	10	0.9
L89N 8650E	Soil	9	15	0.47	71	0.085	<1	2.73	0.010	0.05	0.5	0.05	1.9	0.1	<0.05	8	<0.5
L89N 8675E	Soil	10	13	0.42	74	0.076	<1	2.19	0.008	0.05	0.6	0.04	1.6	0.1	<0.05	7	<0.5
L89N 8700E	Soil	10	13	0.40	99	0.092	1	1.78	0.010	0.05	0.6	0.04	1.2	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

9 of 16

Part 1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P					
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%					
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	0.001					
L89N 8725E	Soil	6.6	54.4	34.1	89	0.2	10.9	6.6	314	2.34	6.2	2.3	6.1	7.0	9	0.2	0.6	1.8	67	0.16	0.041					
L89N 8750E	Soil	1.9	36.1	23.1	76	0.1	8.4	4.4	300	1.84	3.6	1.9	5.5	4.9	15	0.2	0.4	0.9	57	0.29	0.045					
L89N 8775E	Soil	1.7	84.7	31.0	119	0.2	10.6	5.4	360	2.15	6.2	2.7	4.9	4.9	23	0.4	0.3	0.8	53	0.38	0.074					
L89N 8800E	Soil	1.2	96.5	24.8	89	0.2	11.4	4.9	242	2.26	8.6	4.2	1.6	2.9	28	0.2	0.6	0.9	60	0.45	0.057					
L89N 8825E	Soil	0.7	70.4	14.5	85	<0.1	11.9	6.4	343	2.04	5.4	2.4	2.9	4.1	15	0.2	0.3	0.5	57	0.49	0.118					
L89N 8850E	Soil	0.8	68.5	21.4	58	0.1	11.6	5.5	316	2.19	4.2	2.1	1.9	2.9	17	0.1	0.5	0.6	53	0.45	0.034					
L89N 8875E	Soil	0.8	33.0	20.6	69	0.2	10.7	5.1	187	1.95	5.4	2.2	14.1	4.4	16	0.2	0.3	0.5	46	0.34	0.068					
L89N 8900E	Soil	0.4	81.6	21.8	79	0.2	13.7	7.0	236	1.71	5.9	5.0	1.4	5.2	19	0.3	0.3	0.6	42	0.89	0.044					
L89N 8925E	Soil	0.7	187.2	69.2	160	0.2	19.6	9.0	361	2.42	15.3	1.6	1.4	4.5	22	0.6	1.9	0.4	55	0.64	0.044					
L89N 8950E	Soil	0.4	176.5	34.7	150	0.1	22.6	11.6	689	2.67	11.8	1.9	1.1	5.6	17	0.7	0.8	0.4	52	0.63	0.063					
L89N 8975E	Soil	0.7	296.8	42.8	102	0.2	18.4	10.4	601	2.52	19.9	2.2	4.8	6.5	21	0.3	6.5	0.5	46	0.49	0.040					
L89N 9000E	Soil	0.4	236.9	34.7	108	0.1	21.6	12.3	715	2.71	9.5	1.7	1.5	5.6	23	0.5	0.9	0.3	48	0.92	0.050					
L89N 9025E	Soil	0.3	303.3	23.1	57	0.1	22.2	11.4	344	2.16	6.2	1.6	2.7	4.1	23	0.2	0.4	0.4	37	0.87	0.041					
L89N 9050E	Soil	0.2	152.3	29.0	32	0.1	15.7	9.3	450	1.83	10.0	2.3	5.2	7.1	41	0.2	0.5	0.4	34	3.38	0.093					
L89N 9075E	Soil	0.5	265.9	75.6	97	0.2	21.7	14.8	693	2.47	31.9	3.2	5.6	7.1	55	0.5	3.4	0.6	38	1.76	0.128					
L89N 9100E	Soil	0.3	152.0	39.7	47	0.1	18.6	8.9	589	2.15	10.5	1.8	7.9	6.6	34	0.2	0.5	0.4	43	3.06	0.076					
L89N 9125E	Soil	0.4	359.4	45.9	71	0.2	25.1	15.8	607	2.63	25.0	2.4	5.3	7.5	27	0.4	1.6	0.5	41	1.57	0.101					
L89N 9150E	Soil	0.5	339.3	70.2	101	0.2	23.8	14.5	542	2.47	26.1	3.1	4.9	7.2	28	0.5	2.5	0.6	43	1.35	0.082					
L89N 9175E	Soil	0.5	233.2	48.5	100	0.1	19.0	12.4	462	2.12	19.5	2.5	2.8	6.6	23	0.3	2.1	0.5	34	1.06	0.105					
L89N 9200E	Soil	0.3	280.5	26.7	93	0.1	24.2	14.9	638	2.82	11.2	1.9	2.0	5.2	21	0.3	0.5	0.4	49	0.91	0.084					
L89N 9225E	Soil	0.5	108.0	24.0	104	0.1	17.2	8.2	310	2.63	10.2	1.7	10.4	2.1	16	0.2	0.4	0.6	51	0.44	0.126					
L89N 9250E	Soil	0.7	36.1	12.9	68	0.1	19.0	8.5	174	2.70	5.5	1.1	1.4	3.9	9	0.1	0.4	0.3	52	0.19	0.124					
L89N 9275E	Soil	0.6	63.9	14.8	27	<0.1	14.3	7.3	905	1.91	4.2	1.2	6.0	3.9	41	0.2	0.4	0.3	40	7.87	0.066					
L89N 9300E	Soil	0.6	36.3	14.4	42	<0.1	16.6	7.1	151	2.20	3.5	0.8	3.0	2.9	9	0.2	0.3	0.3	49	0.21	0.076					
L90N 7925E	Soil	0.1	72.4	21.1	142	<0.1	19.6	7.3	816	1.96	3.0	9.5	16.1	5.5	36	0.2	0.4	0.1	89	0.82	0.127					
L90N 7950E	Soil	0.3	112.1	39.1	153	<0.1	15.7	6.5	997	2.22	5.0	8.5	40.4	2.3	33	0.2	0.7	0.3	72	0.47	0.132					
L90N 7975E	Soil	0.3	170.7	42.4	220	0.2	19.6	7.1	907	3.14	12.5	9.4	20.3	4.6	26	0.4	4.7	0.5	96	0.70	0.154					
L90N 8000E	Soil	0.2	430.8	49.5	144	0.3	11.0	5.7	770	2.23	43.3	7.0	40.8	9.5	37	0.4	11.4	0.2	100	1.62	0.064					
L90N 8025E	Soil	0.2	348.1	20.8	122	0.2	10.1	4.2	961	1.74	20.5	11.3	20.1	5.5	29	0.3	4.1	0.2	110	0.72	0.073					
L90N 8050E	Soil	0.2	90.6	19.1	154	<0.1	7.8	4.0	545	1.86	3.7	12.9	4.6	8.2	41	0.2	0.8	0.1	111	1.00	0.063					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page: 9 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L89N 8725E	Soil	9	10	0.35	169	0.075	<1	2.10	0.015	0.05	0.6	0.04	1.5	<0.1	<0.05	7	<0.5
L89N 8750E	Soil	10	10	0.47	104	0.070	1	1.19	0.009	0.05	0.6	0.03	1.1	<0.1	<0.05	6	<0.5
L89N 8775E	Soil	9	9	0.46	145	0.085	2	1.96	0.011	0.05	0.6	0.04	1.4	<0.1	<0.05	8	<0.5
L89N 8800E	Soil	9	15	0.59	162	0.058	1	1.21	0.010	0.06	0.7	0.03	1.2	<0.1	<0.05	8	<0.5
L89N 8825E	Soil	9	14	0.63	124	0.062	1	1.46	0.011	0.04	0.6	0.02	1.2	<0.1	<0.05	6	<0.5
L89N 8850E	Soil	12	15	0.61	85	0.070	1	1.19	0.009	0.06	0.7	0.02	1.2	<0.1	<0.05	8	<0.5
L89N 8875E	Soil	9	12	0.37	138	0.076	1	2.26	0.012	0.05	0.7	0.03	1.2	<0.1	<0.05	7	<0.5
L89N 8900E	Soil	21	16	0.91	129	0.064	3	1.81	0.013	0.05	0.8	0.02	1.2	<0.1	<0.05	5	<0.5
L89N 8925E	Soil	11	37	2.05	84	0.075	5	1.73	0.012	0.09	0.5	0.02	2.2	<0.1	<0.05	8	<0.5
L89N 8950E	Soil	11	36	2.21	154	0.096	4	2.16	0.013	0.11	0.5	0.02	2.7	0.1	<0.05	9	0.5
L89N 8975E	Soil	13	32	4.02	90	0.077	3	2.69	0.019	0.31	1.0	0.45	3.7	0.3	<0.05	9	<0.5
L89N 9000E	Soil	15	43	5.50	94	0.106	3	3.25	0.011	0.16	0.9	0.05	4.1	0.2	0.06	11	<0.5
L89N 9025E	Soil	13	30	2.57	61	0.085	4	2.09	0.015	0.05	0.7	0.04	1.9	0.2	<0.05	9	<0.5
L89N 9050E	Soil	27	25	3.21	47	0.076	7	1.79	0.021	0.09	0.6	0.05	2.6	0.2	0.06	6	<0.5
L89N 9075E	Soil	27	26	2.88	78	0.062	5	1.83	0.016	0.13	1.1	0.23	3.3	0.2	0.06	7	<0.5
L89N 9100E	Soil	27	31	5.51	62	0.093	9	2.52	0.020	0.13	0.3	0.05	3.7	0.3	<0.05	8	0.7
L89N 9125E	Soil	27	30	3.58	91	0.081	5	2.32	0.020	0.14	1.2	0.15	3.3	0.3	<0.05	9	0.7
L89N 9150E	Soil	27	32	3.32	108	0.079	5	2.14	0.017	0.16	1.1	0.16	3.4	0.3	0.06	8	<0.5
L89N 9175E	Soil	19	30	2.93	79	0.084	4	1.83	0.018	0.15	1.2	0.08	2.8	0.2	<0.05	7	<0.5
L89N 9200E	Soil	14	42	4.07	102	0.103	3	2.91	0.014	0.05	0.9	0.02	2.8	0.2	<0.05	10	<0.5
L89N 9225E	Soil	11	30	2.42	103	0.078	3	2.41	0.012	0.07	0.6	0.03	1.9	0.1	<0.05	11	<0.5
L89N 9250E	Soil	10	29	1.19	129	0.080	2	3.48	0.011	0.05	0.7	0.05	2.6	<0.1	<0.05	9	<0.5
L89N 9275E	Soil	18	18	3.73	60	0.035	2	1.23	0.011	0.07	0.5	0.03	2.7	<0.1	<0.05	4	<0.5
L89N 9300E	Soil	10	25	1.00	67	0.059	2	2.33	0.009	0.06	0.5	0.02	2.1	<0.1	<0.05	9	0.6
L90N 7925E	Soil	22	32	4.63	98	0.078	4	2.60	0.027	0.28	0.3	0.02	1.7	0.4	<0.05	14	<0.5
L90N 7950E	Soil	21	28	3.62	133	0.058	4	3.24	0.024	0.24	0.2	0.03	1.3	0.3	0.08	14	<0.5
L90N 7975E	Soil	32	31	3.45	110	0.073	6	3.70	0.021	0.10	0.2	0.11	2.5	0.3	0.07	13	0.5
L90N 8000E	Soil	25	19	6.53	80	0.072	10	2.68	0.044	0.24	0.4	0.23	2.1	0.4	<0.05	12	<0.5
L90N 8025E	Soil	46	37	10.28	108	0.106	20	3.28	0.014	0.10	0.2	0.09	3.8	0.5	<0.05	11	<0.5
L90N 8050E	Soil	26	24	6.76	72	0.087	8	3.09	0.025	0.20	0.2	0.03	2.5	0.4	0.05	15	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

10 of 16 Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L90N 8075E	Soil	0.2	49.3	21.7	119	<0.1	6.9	4.0	1088	1.63	3.3	7.9	4.9	7.0	25	0.3	0.4	0.1	93	0.96	0.030
L90N 8100E	Soil	0.1	85.1	35.2	177	<0.1	4.5	4.0	1065	2.47	10.3	10.2	8.2	10.7	32	0.3	2.8	0.3	113	0.60	0.057
L90N 8125E	Soil	0.2	213.5	41.4	199	<0.1	11.0	4.6	676	2.41	11.7	6.4	4.1	5.2	17	0.4	1.1	0.5	94	0.92	0.088
L90N 8150E	Soil	0.1	552.9	32.8	148	0.1	7.8	4.4	902	1.84	16.1	5.8	3.2	4.1	31	0.6	3.2	0.3	56	4.87	0.053
L90N 8175E	Soil	0.6	340.9	24.7	146	<0.1	10.7	6.2	1300	2.70	26.0	6.3	6.6	14.6	11	0.3	6.1	0.8	113	0.17	0.029
L90N 8200E	Soil	1.1	390.7	21.3	38	<0.1	24.6	10.9	190	2.82	26.5	1.7	1.8	7.3	10	0.1	1.0	0.2	62	0.45	0.024
L90N 8225E	Soil	0.7	567.0	251.3	206	0.5	23.5	12.3	1303	4.15	23.3	8.3	1.7	18.2	27	0.5	1.6	9.1	144	0.38	0.057
L90N 8250E	Soil	0.4	317.7	11.9	54	<0.1	28.0	10.8	293	2.26	5.3	1.3	1.2	3.5	17	0.2	0.3	0.2	70	0.54	0.020
L90N 8275E	Soil	<0.1	256.8	3.6	82	<0.1	27.0	17.7	380	3.28	2.1	0.3	1.1	1.1	21	<0.1	0.1	<0.1	33	0.69	0.004
L90N 8300E	Soil	0.3	211.9	49.2	38	<0.1	36.9	10.8	180	1.83	22.8	1.0	1.1	5.4	10	0.1	1.3	0.1	39	0.42	0.034
L90N 8325E	Soil	0.9	37.7	19.6	32	0.1	4.8	1.6	76	2.43	4.1	1.8	6.2	5.4	6	0.1	0.4	0.4	42	0.07	0.049
L90N 8350E	Soil	0.7	78.6	42.4	90	0.5	9.7	4.0	376	2.04	6.7	1.6	12.0	3.8	9	0.4	1.0	0.5	37	0.15	0.060
L90N 8375E	Soil	0.7	698.5	59.8	177	0.2	25.0	10.7	501	2.63	9.6	2.8	51.6	6.7	15	0.3	1.5	0.6	52	0.25	0.037
L90N 8400E	Soil	0.6	333.7	95.6	156	<0.1	30.4	14.2	512	2.58	6.8	2.3	43.5	7.2	21	0.3	1.1	0.5	53	0.51	0.036
L90N 8425E	Soil	0.6	283.0	79.5	121	<0.1	26.9	13.7	1059	2.64	7.0	2.2	6.6	6.1	23	0.3	0.8	1.0	54	0.56	0.060
L90N 8450E	Soil	0.7	188.1	56.6	114	0.2	21.6	11.6	1533	2.34	4.9	2.1	213.0	5.7	15	0.3	0.6	0.6	46	0.37	0.055
L90N 8475E	Soil	2.4	174.9	36.6	100	<0.1	19.7	9.1	404	2.43	6.5	3.2	4.9	8.7	14	0.1	0.4	1.0	56	0.53	0.081
L90N 8500E	Soil	3.6	106.2	38.8	82	<0.1	15.7	8.2	471	2.56	4.9	3.4	11.1	9.0	13	0.1	0.7	1.2	69	0.44	0.033
L90N 8525E	Soil	1.4	72.5	23.1	62	0.1	5.3	3.5	422	2.16	4.5	3.6	9.3	9.2	13	0.2	0.6	0.8	84	0.22	0.029
L90N 8550E	Soil	4.1	102.7	63.9	78	0.3	11.0	7.3	473	2.50	6.7	5.8	53.5	15.0	11	0.1	0.7	1.8	66	0.13	0.042
L90N 8575E	Soil	6.8	44.7	96.2	71	0.4	5.5	5.9	1630	2.52	5.0	4.6	415.3	6.0	26	0.2	0.7	3.1	82	0.15	0.039
L90N 8600E	Soil	1.6	79.7	135.5	136	0.1	11.8	8.4	2214	2.44	4.9	3.7	9.0	9.0	28	0.2	0.5	3.7	65	0.21	0.065
L90N 8625E	Soil	1.0	16.9	23.7	71	<0.1	8.7	5.7	1001	2.06	4.8	1.7	2.9	4.8	11	0.2	0.5	0.6	51	0.10	0.049
L90N 8650E	Soil	1.1	20.7	22.0	78	<0.1	11.9	6.5	708	2.27	5.2	2.6	9.6	7.6	7	0.1	0.6	0.5	57	0.06	0.059
L90N 8675E	Soil	0.9	39.5	25.2	99	<0.1	12.2	7.4	1055	2.51	5.0	3.0	3.7	7.0	13	0.1	0.6	0.6	68	0.13	0.044
L90N 8700E	Soil	0.7	51.5	30.1	104	<0.1	10.7	7.1	1398	2.32	4.9	2.6	3.4	6.5	12	0.3	0.6	0.5	61	0.14	0.048
L90N 8725E	Soil	0.9	65.5	34.9	95	<0.1	11.5	6.6	598	2.23	4.1	3.2	1.7	9.0	10	0.2	0.4	0.8	57	0.15	0.047
L90N 8750E	Soil	0.8	36.7	45.2	79	<0.1	8.9	6.0	1408	1.84	6.4	3.3	2.0	4.4	27	0.2	0.6	0.8	47	0.25	0.075
L90N 8775E	Soil	0.6	110.2	34.5	105	<0.1	11.8	6.8	310	1.92	4.5	5.0	9.0	12.5	12	0.2	0.3	0.6	57	0.44	0.058
L90N 8800E	Soil	1.0	37.8	53.5	85	<0.1	10.1	5.9	776	2.22	8.3	2.6	2.4	0.7	10	0.6	0.9	0.8	53	0.14	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

10 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L90N 8075E	Soil	22	21	7.93	60	0.101	11	3.10	0.014	0.20	0.1	0.03	2.2	0.4	<0.05	16	<0.5
L90N 8100E	Soil	30	13	5.43	113	0.075	8	2.53	0.016	0.23	0.2	0.03	1.8	0.4	<0.05	15	<0.5
L90N 8125E	Soil	30	22	6.59	52	0.085	12	3.54	0.018	0.08	0.3	0.03	2.5	0.3	0.05	15	<0.5
L90N 8150E	Soil	30	13	7.93	37	0.060	12	2.43	0.017	0.06	0.3	0.03	1.9	0.3	0.08	10	0.6
L90N 8175E	Soil	17	13	2.05	78	0.058	4	1.96	0.012	0.07	0.8	0.04	1.3	0.2	<0.05	11	<0.5
L90N 8200E	Soil	14	55	1.72	16	0.162	1	2.06	0.021	0.07	0.6	0.02	2.3	0.1	<0.05	10	0.6
L90N 8225E	Soil	31	35	1.95	41	0.107	1	2.38	0.018	0.15	1.0	0.05	3.2	0.2	<0.05	11	0.6
L90N 8250E	Soil	12	54	2.40	44	0.133	2	2.74	0.012	0.08	0.4	0.01	2.3	0.1	<0.05	11	<0.5
L90N 8275E	Soil	10	32	6.00	293	0.099	2	4.24	0.029	1.42	0.2	<0.01	1.1	0.7	<0.05	12	<0.5
L90N 8300E	Soil	19	62	1.28	34	0.072	2	1.91	0.016	0.14	0.2	0.03	2.3	0.1	<0.05	7	<0.5
L90N 8325E	Soil	6	14	0.13	65	0.079	<1	3.79	0.010	0.03	0.1	0.05	1.7	<0.1	<0.05	11	<0.5
L90N 8350E	Soil	7	11	0.28	71	0.091	1	2.58	0.010	0.05	0.3	0.07	1.4	0.1	<0.05	9	<0.5
L90N 8375E	Soil	13	39	0.98	48	0.089	2	2.79	0.012	0.05	0.9	0.05	3.1	0.2	<0.05	9	<0.5
L90N 8400E	Soil	13	35	1.00	50	0.081	<1	2.30	0.015	0.06	0.4	0.03	2.5	0.1	<0.05	8	<0.5
L90N 8425E	Soil	12	30	0.78	99	0.069	2	1.91	0.014	0.06	0.4	0.03	2.0	0.1	<0.05	8	<0.5
L90N 8450E	Soil	10	24	0.55	90	0.087	2	2.42	0.013	0.05	0.5	0.05	2.0	0.1	<0.05	9	<0.5
L90N 8475E	Soil	10	18	0.52	81	0.085	2	2.64	0.012	0.05	0.6	0.05	1.8	<0.1	<0.05	8	<0.5
L90N 8500E	Soil	10	14	0.45	78	0.072	2	2.01	0.009	0.05	0.7	0.06	1.6	0.1	<0.05	7	<0.5
L90N 8525E	Soil	8	6	0.33	107	0.051	2	1.13	0.009	0.04	1.5	0.05	0.8	<0.1	<0.05	6	<0.5
L90N 8550E	Soil	14	10	0.35	145	0.076	2	3.02	0.010	0.05	0.7	0.11	2.4	0.1	<0.05	7	<0.5
L90N 8575E	Soil	14	8	0.18	281	0.043	1	1.03	0.011	0.06	1.2	0.06	1.1	<0.1	<0.05	6	0.6
L90N 8600E	Soil	13	12	0.54	223	0.083	2	2.12	0.012	0.06	0.4	0.07	1.6	0.2	<0.05	9	<0.5
L90N 8625E	Soil	8	10	0.25	156	0.094	2	2.18	0.013	0.06	0.3	0.09	1.4	0.1	<0.05	10	<0.5
L90N 8650E	Soil	9	11	0.34	144	0.098	2	3.46	0.011	0.05	0.4	0.09	2.3	0.1	<0.05	9	<0.5
L90N 8675E	Soil	11	13	0.45	185	0.102	3	3.20	0.012	0.06	0.4	0.12	2.3	0.1	<0.05	10	0.7
L90N 8700E	Soil	10	12	0.44	249	0.084	2	2.43	0.010	0.05	0.4	0.05	1.6	0.2	<0.05	8	<0.5
L90N 8725E	Soil	10	12	0.44	130	0.094	<1	2.34	0.010	0.05	0.5	0.04	1.8	0.1	<0.05	8	<0.5
L90N 8750E	Soil	10	10	0.32	185	0.065	2	1.83	0.010	0.06	0.3	0.08	1.3	0.1	<0.05	7	<0.5
L90N 8775E	Soil	20	13	0.52	101	0.085	2	2.19	0.011	0.05	0.4	0.03	2.6	0.1	<0.05	6	<0.5
L90N 8800E	Soil	12	13	0.37	128	0.057	2	2.06	0.011	0.07	0.3	0.10	1.1	0.1	0.08	9	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page:

11 of 16 Part 1

Method	Analyte	Unit	1DX15																								
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P					
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%												
L90N 8825E	Soil		1.1	63.2	50.8	82	0.1	12.3	6.8	425	2.33	5.5	3.9	2.7	9.6	10	0.1	0.4	0.9	59	0.20	0.043					
L90N 8850E	Soil		0.7	27.7	32.6	72	0.1	10.2	4.8	418	2.00	4.9	2.8	3.7	8.3	20	0.2	0.3	0.6	40	0.14	0.094					
L90N 8875E	Soil		0.7	46.9	25.6	96	0.3	9.7	5.8	518	1.77	4.2	3.7	2.6	5.3	19	0.2	0.3	0.4	37	0.16	0.122					
L90N 8900E	Soil		0.7	27.8	28.7	108	<0.1	8.8	4.8	275	1.89	2.9	2.5	3.6	5.1	21	0.2	0.3	0.7	56	0.70	0.078					
L90N 8925E	Soil		1.1	31.1	27.8	155	0.5	10.2	6.2	224	1.88	5.1	3.7	3.6	5.0	13	0.5	0.2	0.6	44	0.46	0.105					
L90N 8950E	Soil		0.5	64.3	20.7	95	0.2	12.9	6.3	474	1.67	4.2	3.5	2.0	2.3	21	0.3	0.2	0.5	39	0.88	0.060					
L90N 8975E	Soil		0.5	38.4	41.4	109	0.1	12.5	7.0	947	1.84	11.1	3.1	1.6	1.6	25	0.4	0.6	0.6	39	0.98	0.074					
L90N 9000E	Soil		0.4	61.3	28.3	105	<0.1	16.4	8.6	774	2.16	5.8	2.2	3.0	3.9	19	0.2	0.3	0.6	41	0.73	0.077					
L90N 9025E	Soil		0.3	131.5	30.9	63	0.1	20.7	10.6	510	2.69	14.6	1.7	1.8	3.4	20	0.2	0.6	0.5	43	1.06	0.074					
L90N 9050E	Soil		0.3	151.2	74.6	66	0.1	24.1	12.3	432	2.81	65.9	2.2	6.4	4.6	18	0.2	4.6	0.7	47	1.17	0.053					
L90N 9075E	Soil		0.6	29.3	41.8	92	0.2	10.7	6.6	868	2.06	10.2	0.9	4.4	1.1	15	0.3	0.5	0.6	31	0.48	0.162					
L90N 9100E	Soil		0.5	59.2	29.3	75	0.1	12.8	7.9	547	2.22	7.0	1.9	23.3	3.7	17	<0.1	0.3	0.4	55	0.50	0.061					
L90N 9125E	Soil		0.6	99.9	21.3	51	<0.1	16.4	8.1	309	2.44	8.3	2.4	5.7	4.2	19	<0.1	0.4	0.5	69	0.59	0.046					
L90N 9150E	Soil		0.5	16.8	28.2	62	0.1	12.2	6.8	510	2.65	3.9	0.8	2.1	1.4	11	<0.1	0.2	0.3	35	0.46	0.138					
L90N 9175E	Soil		0.5	78.7	44.8	90	0.1	19.6	10.2	983	2.75	7.6	1.6	3.0	3.4	20	0.3	0.4	0.5	53	1.01	0.071					
L90N 9200E	Soil		0.9	20.5	18.6	56	0.2	8.7	6.3	236	2.40	5.5	1.0	3.2	2.4	11	0.3	0.2	0.3	35	0.18	0.104					
L90N 9225E	Soil		0.5	36.1	23.2	32	0.2	7.7	4.2	206	2.26	6.2	1.1	4.5	3.5	22	0.3	0.3	0.4	49	1.77	0.131					
L90N 9250E	Soil		0.6	48.4	28.3	89	<0.1	22.1	11.5	335	3.26	7.6	1.2	2.6	5.4	9	0.1	0.5	0.4	65	0.20	0.066					
L90N 9275E	Soil		0.8	76.7	18.1	33	<0.1	24.5	11.4	176	3.47	6.2	1.1	4.4	5.0	15	<0.1	0.6	0.3	76	0.27	0.059					
L90N 9300E	Soil		0.8	59.8	16.4	38	<0.1	21.7	12.0	184	3.16	4.9	1.2	8.5	4.2	11	0.1	0.5	0.3	68	0.25	0.051					
L91N 7950E	Soil		0.2	285.4	31.4	142	<0.1	115.1	26.2	1001	3.65	4.0	4.8	7.9	8.0	58	0.3	0.3	0.2	128	1.77	0.187					
L91N 8150E	Soil		0.1	130.4	17.6	112	<0.1	9.4	4.8	857	1.62	2.2	3.2	1.7	3.4	124	0.2	0.2	0.2	72	0.80	0.045					
L91N 8175E	Soil		0.2	43.6	17.9	151	<0.1	6.4	4.4	933	2.11	3.8	4.0	4.1	4.4	19	0.2	0.5	0.2	101	0.30	0.045					
L91N 8200E	Soil		0.2	227.9	31.5	110	<0.1	10.2	4.9	775	2.25	12.7	6.7	4.4	4.2	29	0.3	1.6	0.4	72	0.69	0.097					
L91N 8225E	Soil		0.8	191.4	56.6	150	<0.1	14.6	11.3	1902	2.73	48.0	4.6	1.4	6.3	17	0.6	4.1	0.6	73	0.33	0.089					
L91N 8250E	Soil		0.6	582.8	52.9	85	<0.1	20.2	9.5	471	2.56	12.2	5.3	7.3	5.3	30	0.2	0.7	0.9	55	0.38	0.082					
L91N 8275E	Soil		0.6	113.9	35.1	52	<0.1	12.0	4.7	217	2.51	12.0	2.6	3.6	4.9	15	0.3	0.6	0.7	75	0.40	0.028					
L91N 8300E	Soil		0.8	188.3	29.9	45	<0.1	11.6	5.1	255	2.62	5.0	2.2	2.9	4.9	12	0.1	0.2	0.5	80	0.44	0.028					
L91N 8325E	Soil		0.8	88.5	49.4	60	0.2	9.8	5.3	289	2.79	4.7	3.2	7.3	8.1	17	0.3	0.3	1.1	88	0.31	0.032					
L91N 8350E	Soil		0.9	96.7	59.2	104	0.1	11.4	10.9	987	4.39	5.4	4.3	6.3	9.7	18	0.3	0.4	1.0	119	0.31	0.034					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

11 of 16 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L90N 8825E	Soil	14	14	0.49	105	0.090	2	2.83	0.009	0.05	0.4	0.06	2.2	0.1	<0.05	9	0.7
L90N 8850E	Soil	7	9	0.24	268	0.153	<1	4.49	0.014	0.05	0.5	0.07	1.9	<0.1	<0.05	12	0.6
L90N 8875E	Soil	17	10	0.32	208	0.104	2	3.39	0.018	0.05	0.3	0.06	2.8	0.1	<0.05	8	<0.5
L90N 8900E	Soil	12	12	0.59	95	0.092	1	1.65	0.012	0.05	0.7	0.03	1.2	<0.1	<0.05	9	<0.5
L90N 8925E	Soil	15	14	0.56	108	0.074	1	2.48	0.011	0.05	0.9	0.04	1.4	<0.1	<0.05	7	<0.5
L90N 8950E	Soil	19	17	1.17	82	0.069	2	1.80	0.011	0.06	0.8	0.01	1.0	<0.1	<0.05	7	<0.5
L90N 8975E	Soil	16	17	0.83	157	0.057	2	1.78	0.011	0.05	0.8	0.04	1.1	0.1	<0.05	7	<0.5
L90N 9000E	Soil	13	20	1.92	90	0.086	3	2.15	0.013	0.08	0.5	0.04	1.5	0.1	<0.05	9	<0.5
L90N 9025E	Soil	14	27	2.82	47	0.083	3	2.81	0.011	0.07	0.5	0.02	1.7	0.1	<0.05	9	<0.5
L90N 9050E	Soil	17	30	2.11	34	0.061	4	2.54	0.010	0.07	0.9	0.10	2.6	0.1	<0.05	9	<0.5
L90N 9075E	Soil	8	16	0.59	90	0.064	3	1.92	0.015	0.06	0.4	0.06	1.3	0.1	0.06	9	<0.5
L90N 9100E	Soil	11	20	1.68	106	0.097	3	2.16	0.015	0.07	0.4	0.02	1.7	<0.1	<0.05	9	<0.5
L90N 9125E	Soil	14	25	1.71	68	0.082	3	1.86	0.012	0.06	0.6	0.01	1.7	<0.1	<0.05	8	0.6
L90N 9150E	Soil	6	17	2.60	75	0.097	7	3.07	0.015	0.04	0.3	0.05	1.5	<0.1	<0.05	11	<0.5
L90N 9175E	Soil	16	35	3.94	127	0.106	9	3.19	0.017	0.09	0.4	0.06	2.7	0.2	<0.05	11	0.7
L90N 9200E	Soil	4	15	0.79	102	0.134	2	4.76	0.017	0.03	0.3	0.07	1.6	<0.1	<0.05	10	0.5
L90N 9225E	Soil	8	19	1.11	93	0.130	2	3.21	0.016	0.05	0.3	0.09	1.8	<0.1	<0.05	11	<0.5
L90N 9250E	Soil	11	31	1.38	111	0.091	3	3.47	0.011	0.06	0.5	0.03	2.7	0.1	<0.05	11	<0.5
L90N 9275E	Soil	16	35	1.83	63	0.056	1	2.87	0.006	0.06	0.7	0.02	3.5	<0.1	<0.05	8	<0.5
L90N 9300E	Soil	12	27	1.30	76	0.075	<1	2.80	0.008	0.05	0.6	0.02	2.4	<0.1	<0.05	7	<0.5
L91N 7950E	Soil	31	110	6.01	207	0.180	4	3.74	0.048	0.78	0.6	0.02	3.9	0.9	<0.05	14	<0.5
L91N 8150E	Soil	60	26	8.34	83	0.116	7	3.63	0.018	0.56	0.2	0.01	1.8	0.5	<0.05	19	<0.5
L91N 8175E	Soil	36	12	9.43	74	0.119	4	4.85	0.014	0.30	0.1	0.02	1.6	0.5	<0.05	20	<0.5
L91N 8200E	Soil	38	18	4.77	68	0.101	10	3.66	0.032	0.06	0.2	0.06	3.0	0.3	0.07	11	1.2
L91N 8225E	Soil	21	26	1.26	79	0.077	4	1.77	0.017	0.10	0.4	0.04	2.1	0.2	<0.05	9	0.5
L91N 8250E	Soil	20	32	1.11	96	0.117	2	2.94	0.021	0.06	0.5	0.05	2.7	0.2	<0.05	11	0.6
L91N 8275E	Soil	11	22	0.55	55	0.156	2	1.54	0.015	0.06	0.5	0.03	1.7	0.2	<0.05	13	<0.5
L91N 8300E	Soil	11	25	0.57	29	0.135	1	2.13	0.012	0.04	0.3	0.04	2.0	0.1	<0.05	12	0.7
L91N 8325E	Soil	11	19	0.49	51	0.155	1	1.82	0.016	0.05	0.5	0.06	1.8	0.2	<0.05	12	0.6
L91N 8350E	Soil	15	18	0.63	83	0.186	2	2.07	0.014	0.07	0.5	0.06	2.3	0.2	<0.05	14	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmefab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

12 of 16 Part 1

Method	Analyte	Unit	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%							
MDL			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
L91N 8375E	Soil		0.8	228.3	60.0	112	0.1	12.2	7.5	846	2.94	6.1	5.1	4.0	7.7	22	0.2	0.4	0.8	83	0.42	0.048
L91N 8400E	Soil		0.8	149.6	172.4	177	0.2	6.6	7.1	1432	3.46	6.4	8.5	16.6	2.8	29	0.4	0.7	2.0	128	0.41	0.111
L91N 8425E	Soil		0.9	95.7	113.8	98	0.2	7.5	11.9	1314	3.66	10.9	4.7	3.6	3.7	27	0.2	0.3	1.4	117	0.46	0.074
L91N 8450E	Soil		0.5	52.2	59.8	48	0.2	4.1	3.3	285	1.46	3.2	6.8	3.7	5.1	20	0.3	0.3	1.3	67	0.32	0.033
L91N 8475E	Soil		0.4	10.6	19.7	14	<0.1	2.0	1.6	120	0.89	1.2	2.4	5.5	2.6	16	0.2	0.3	0.6	61	0.21	0.016
L91N 8500E	Soil		0.8	18.3	53.7	33	0.1	3.9	2.3	271	1.79	6.6	2.0	3.3	1.9	29	0.3	0.5	0.9	112	0.46	0.034
L91N 8525E	Soil		0.5	24.6	38.7	22	<0.1	4.2	1.7	91	0.77	2.7	1.2	1.2	0.2	13	<0.1	0.2	0.7	35	0.21	0.033
L91N 8550E	Soil		I.S.																			
L91N 8575E	Soil		I.S.																			
L91N 8600E	Soil		0.7	74.0	38.2	58	<0.1	6.4	4.7	276	2.90	5.7	2.8	3.9	4.9	14	0.3	0.5	0.5	96	0.35	0.034
L91N 8625E	Soil		1.3	30.9	24.5	57	0.2	7.0	5.2	1000	2.58	5.0	1.9	4.8	3.1	7	0.3	0.3	0.7	64	0.08	0.051
L91N 8650E	Soil		4.3	346.7	12.1	61	0.1	48.2	19.0	309	3.65	6.1	1.8	8.6	8.3	10	0.1	0.6	0.2	71	0.58	0.052
L91N 8675E	Soil		3.0	34.2	21.9	89	<0.1	11.4	9.6	3132	4.04	6.3	3.1	46.6	4.6	10	0.2	0.7	0.7	98	0.11	0.072
L91N 8700E	Soil		1.7	22.7	22.2	83	0.1	8.5	5.2	1206	3.02	5.7	2.2	113.0	4.9	22	0.2	0.6	0.6	94	0.19	0.069
L91N 8725E	Soil		0.8	51.7	31.8	79	0.1	8.0	5.4	1206	2.52	4.6	3.1	4.8	6.2	12	0.2	0.5	0.5	84	0.25	0.051
L91N 8750E	Soil		0.9	61.1	32.7	87	<0.1	10.8	5.9	317	2.74	5.9	3.2	2.9	10.9	8	<0.1	0.4	0.5	81	0.21	0.039
L91N 8775E	Soil		0.8	111.1	29.5	119	<0.1	9.9	8.3	748	3.06	6.1	3.8	4.1	9.8	12	0.2	0.4	0.5	93	0.22	0.046
L91N 8800E	Soil		0.8	54.9	38.9	162	<0.1	11.9	7.8	2690	2.79	8.7	2.8	1.4	6.7	33	0.5	0.6	0.5	76	0.49	0.087
L91N 8825E	Soil		0.7	185.7	51.6	150	<0.1	13.8	9.8	1128	2.55	5.3	3.9	2.6	9.5	15	0.2	0.4	0.9	66	0.30	0.068
L91N 8850E	Soil		0.6	348.9	119.0	110	<0.1	13.4	11.4	734	2.94	7.5	5.6	16.0	16.7	21	0.2	0.6	2.2	105	0.57	0.064
L91N 8875E	Soil		0.6	147.8	72.4	133	0.3	15.8	9.8	874	2.86	6.7	3.1	313.5	10.4	15	0.2	0.6	1.5	80	0.38	0.064
L91N 8900E	Soil		0.8	166.2	66.6	109	0.1	16.8	10.1	489	2.88	7.0	4.0	5.5	13.9	11	0.2	0.6	1.3	82	0.38	0.050
L91N 8925E	Soil		0.3	16.3	36.7	47	<0.1	3.9	2.4	330	1.03	2.2	1.7	1.6	2.0	24	0.3	0.3	0.5	41	0.31	0.034
L91N 8950E	Soil		0.7	83.8	33.2	136	<0.1	13.0	7.0	609	2.87	5.4	2.4	6.9	9.6	13	0.3	0.4	0.9	78	0.45	0.105
L91N 8975E	Soil		1.0	32.9	35.1	82	0.2	8.4	4.4	234	2.63	4.1	1.5	3.9	6.5	10	0.1	0.3	0.8	64	0.19	0.074
L91N 9000E	Soil		0.7	35.6	40.7	129	0.2	8.7	5.4	345	2.23	2.7	2.3	8.0	6.4	14	0.2	0.2	1.1	60	0.35	0.057
L91N 9025E	Soil		0.9	37.3	36.4	153	0.1	10.3	6.3	1682	2.09	3.8	1.7	3.5	2.0	35	0.3	0.3	0.9	56	1.00	0.079
L91N 9050E	Soil		0.3	28.2	26.7	59	0.2	13.9	5.9	417	2.36	3.6	1.4	3.3	3.7	8	0.2	0.1	0.4	56	0.39	0.028
L91N 9075E	Soil		0.5	52.8	33.5	74	<0.1	17.0	9.6	516	2.68	4.5	1.6	5.3	5.1	12	0.2	0.2	0.6	61	0.38	0.026
L91N 9100E	Soil		0.9	41.5	82.3	81	0.3	8.9	4.4	524	1.90	5.1	3.5	2.8	2.3	22	0.4	0.3	1.9	44	0.48	0.088

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

12 of 16 Part 2

Method	Analyte	Unit	1DX15													
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
MDL			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
L91N 8375E	Soil		12	18	0.95	41	0.117	1	2.38	0.015	0.06	0.5	0.05	1.8	0.2	<0.05
L91N 8400E	Soil		24	10	1.02	151	0.060	1	2.08	0.018	0.07	0.4	0.05	1.4	0.1	<0.05
L91N 8425E	Soil		23	12	0.67	63	0.114	1	2.35	0.013	0.06	0.3	0.06	2.2	0.2	<0.05
L91N 8450E	Soil		12	7	0.40	54	0.125	1	0.98	0.013	0.06	0.3	0.06	1.2	0.2	<0.05
L91N 8475E	Soil		9	4	0.07	36	0.150	<1	0.41	0.012	0.03	<0.1	0.02	0.6	<0.1	<0.05
L91N 8500E	Soil		9	7	0.15	59	0.208	3	0.65	0.013	0.06	0.5	0.09	1.1	0.1	<0.05
L91N 8525E	Soil		9	9	0.13	44	0.071	1	0.76	0.010	0.05	0.2	0.04	0.4	0.1	<0.05
L91N 8550E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L91N 8575E	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L91N 8600E	Soil		12	9	0.45	62	0.091	<1	1.02	0.010	0.03	0.7	0.03	1.3	<0.1	<0.05
L91N 8625E	Soil		10	10	0.24	90	0.096	1	2.90	0.014	0.04	0.3	0.11	2.0	<0.1	<0.05
L91N 8650E	Soil		17	51	1.29	51	0.093	<1	2.58	0.016	0.06	0.3	0.04	3.9	0.1	<0.05
L91N 8675E	Soil		17	13	0.30	309	0.053	<1	1.91	0.010	0.05	0.2	0.07	2.7	0.1	<0.05
L91N 8700E	Soil		11	11	0.21	181	0.099	1	1.14	0.012	0.06	0.3	0.05	1.9	0.1	<0.05
L91N 8725E	Soil		13	12	0.31	103	0.076	<1	1.38	0.010	0.07	0.4	0.05	1.6	0.1	<0.05
L91N 8750E	Soil		9	13	0.39	100	0.110	1	2.55	0.011	0.05	0.6	0.06	1.8	0.1	<0.05
L91N 8775E	Soil		11	13	0.43	130	0.145	1	2.44	0.012	0.05	0.4	0.06	2.0	0.1	<0.05
L91N 8800E	Soil		10	12	0.34	309	0.115	1	2.05	0.017	0.06	0.5	0.09	1.8	0.2	<0.05
L91N 8825E	Soil		14	14	0.46	151	0.113	1	2.41	0.012	0.05	0.3	0.04	1.9	0.2	<0.05
L91N 8850E	Soil		23	15	0.74	97	0.100	<1	1.79	0.012	0.05	0.8	0.03	2.5	<0.1	<0.05
L91N 8875E	Soil		14	11	0.56	148	0.093	2	2.32	0.010	0.05	0.7	0.04	2.5	0.1	<0.05
L91N 8900E	Soil		16	14	0.62	88	0.104	2	2.58	0.010	0.05	0.6	0.03	3.1	0.1	<0.05
L91N 8925E	Soil		8	<1	0.06	250	0.061	1	0.44	0.011	0.05	0.2	0.05	1.0	<0.1	<0.05
L91N 8950E	Soil		12	14	0.52	138	0.107	2	2.42	0.012	0.06	0.7	0.04	2.3	<0.1	<0.05
L91N 8975E	Soil		9	6	0.25	108	0.121	2	2.00	0.010	0.05	0.6	0.04	1.8	<0.1	<0.05
L91N 9000E	Soil		11	10	1.11	101	0.099	1	1.71	0.015	0.06	0.6	0.03	1.5	<0.1	<0.05
L91N 9025E	Soil		11	3	0.85	485	0.063	3	1.44	0.012	0.07	0.7	0.06	1.3	0.1	<0.05
L91N 9050E	Soil		5	39	8.29	68	0.169	10	5.04	0.011	0.06	0.4	0.02	2.4	<0.1	<0.05
L91N 9075E	Soil		8	35	6.14	52	0.169	7	4.53	0.016	0.17	0.3	0.02	1.8	0.1	<0.05
L91N 9100E	Soil		10	2	0.87	191	0.087	4	1.16	0.015	0.10	0.4	0.06	1.2	0.1	0.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page:

13 of 16 Part 1

Method	Analyte	Unit	1DX15																				
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%								
L91N 9125E	Soil		0.5	28.5	24.7	81	0.2	7.9	3.9	279	1.84	2.8	1.5	2.3	3.1	12	0.2	0.2	0.6	49	0.39	0.091	
L91N 9150E	Soil		0.8	46.1	21.2	83	0.3	8.8	6.1	1918	1.87	4.0	1.5	1.3	0.7	13	0.5	0.2	0.4	36	0.44	0.212	
L91N 9175E	Soil		0.6	43.4	32.3	55	<0.1	16.1	8.6	644	2.83	7.2	1.8	2.7	3.5	15	0.2	0.3	0.6	60	0.56	0.055	
L93N 8000E	Soil		0.2	62.7	20.3	209	<0.1	14.5	8.2	1054	2.57	4.1	10.8	12.5	7.7	33	0.2	0.2	0.1	103	1.01	0.105	
L93N 8025E	Soil		0.3	90.5	35.3	178	<0.1	29.7	14.8	1552	2.92	11.4	6.3	5.4	3.1	21	0.5	0.3	0.2	113	0.92	0.159	
L93N 8050E	Soil		0.4	162.0	35.7	128	<0.1	43.9	17.7	1153	3.10	14.5	7.0	4.6	4.9	26	0.3	0.4	0.2	121	0.99	0.183	
L93N 8075E	Soil		0.2	113.4	23.8	152	<0.1	26.2	12.1	1042	2.23	7.1	5.3	6.6	3.4	41	0.3	0.3	0.1	95	1.82	0.196	
L93N 8100E	Soil		0.3	60.2	17.8	103	<0.1	21.8	7.8	700	2.07	4.3	2.9	2.4	1.4	43	0.2	0.2	0.1	72	1.85	0.194	
L93N 8125E	Soil		0.1	17.9	22.8	124	<0.1	7.9	4.2	876	1.47	2.2	2.6	2.1	1.9	12	0.3	0.2	0.1	82	0.26	0.069	
L93N 8150E	Soil		0.4	51.4	29.5	132	<0.1	16.1	8.6	1390	1.97	4.4	3.9	7.5	2.6	39	0.4	0.2	0.2	84	0.98	0.122	
L93N 8175E	Soil		0.4	93.7	27.7	144	<0.1	29.7	13.5	1235	2.54	6.8	5.3	7.4	2.9	32	0.4	0.3	0.2	92	1.17	0.186	
L93N 8200E	Soil		0.3	151.6	27.9	126	<0.1	37.0	15.5	898	2.47	7.2	4.2	5.9	3.1	49	0.3	0.3	0.2	94	2.12	0.166	
L93N 8225E	Soil		0.4	263.6	39.0	132	<0.1	21.7	10.7	771	2.71	14.5	4.3	2.7	4.2	18	0.3	1.2	0.4	74	0.62	0.085	
L93N 8250E	Soil		0.3	50.0	29.2	138	<0.1	10.1	4.7	1752	1.67	3.2	2.3	1.4	2.4	28	0.3	0.2	0.2	72	0.60	0.055	
L93N 8275E	Soil		0.8	59.8	21.7	52	0.1	7.2	4.3	882	2.27	5.1	2.4	6.6	3.7	15	0.3	0.3	0.5	63	0.32	0.084	
L93N 8300E	Soil		0.9	57.9	39.1	65	0.1	9.3	7.1	1222	2.53	4.2	4.0	2.9	5.7	29	0.2	0.3	0.8	86	0.65	0.060	
L95N 7950E	Soil		0.3	33.8	17.5	24	<0.1	12.7	5.0	373	0.96	4.7	4.2	2.2	1.8	46	0.2	0.2	0.1	43	6.38	0.066	
L95N 7975E	Soil		0.2	81.5	20.3	67	<0.1	11.9	4.7	787	1.24	15.0	4.2	2.7	1.3	60	0.5	0.3	0.3	58	7.18	0.126	
L95N 8000E	Soil		0.4	119.1	82.7	154	<0.1	17.1	8.9	982	2.00	18.3	5.7	8.2	2.8	45	1.0	0.7	0.4	76	4.64	0.370	
L95N 8025E	Soil		0.4	99.3	68.9	191	<0.1	21.1	9.4	1281	2.23	14.2	6.5	5.4	3.4	33	0.9	0.6	0.4	88	1.86	0.373	
L95N 8050E	Soil		0.5	38.6	42.7	148	<0.1	14.5	7.2	928	2.48	10.5	5.7	4.8	1.8	15	0.7	0.4	0.6	70	0.46	0.162	
L95N 8075E	Soil		0.5	17.3	16.1	135	<0.1	9.1	4.8	849	1.82	3.4	5.2	2.1	4.3	12	0.3	0.2	0.2	84	0.84	0.135	
L95N 8100E	Soil		0.6	28.7	28.2	143	<0.1	13.3	7.3	1256	2.81	5.8	3.9	3.5	5.3	15	0.3	0.4	0.5	111	0.41	0.034	
L95N 8125E	Soil		0.5	20.4	15.9	88	<0.1	9.0	3.9	283	2.20	3.2	3.8	5.7	6.0	10	0.1	0.2	0.4	91	0.27	0.033	
L95N 8150E	Soil		0.6	17.6	17.9	83	<0.1	12.7	4.8	449	2.47	4.3	3.3	30.9	4.2	7	0.2	0.3	0.5	75	0.14	0.068	
L95N 8175E	Soil		0.5	38.7	24.6	114	<0.1	13.1	6.5	1483	2.26	3.2	3.8	3.1	4.9	14	0.2	0.3	0.4	76	0.29	0.054	
L95N 8200E	Soil		0.5	116.1	36.4	121	<0.1	22.3	9.3	947	2.58	10.3	8.4	5.1	5.1	18	0.2	0.5	0.4	94	0.47	0.071	
L95N 8225E	Soil		0.6	53.2	22.8	120	0.2	12.7	7.2	3359	2.18	4.9	12.7	3.4	1.1	32	0.6	0.5	0.4	58	0.88	0.099	
L95N 8250E	Soil		0.4	14.2	18.1	71	<0.1	10.2	4.2	250	1.85	3.2	4.9	19.9	2.8	9	0.2	0.2	0.3	68	0.16	0.043	
L95N 8275E	Soil		0.4	61.1	26.7	86	<0.1	19.8	8.3	326	2.37	7.7	4.6	7.5	4.9	20	0.2	0.3	0.3	112	1.05	0.430	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmefab.com

Page:

13 of 16 Part 2

Method	Analyte	Unit	1DX15															
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	
MDL			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L91N 9125E	Soil		12	10	0.64	82	0.094	2	1.50	0.012	0.07	0.3	0.02	1.4	0.1	<0.05	9	<0.5
L91N 9150E	Soil		8	2	0.53	157	0.056	3	2.41	0.019	0.06	0.2	0.06	0.9	0.1	<0.05	10	<0.5
L91N 9175E	Soil		13	21	3.47	69	0.113	11	2.58	0.017	0.09	0.4	0.04	2.3	0.1	<0.05	10	<0.5
L93N 8000E	Soil		21	60	7.06	55	0.132	5	3.29	0.020	0.59	0.2	0.02	2.0	0.6	0.05	24	<0.5
L93N 8025E	Soil		23	69	6.84	81	0.101	11	3.92	0.017	0.44	0.4	0.02	3.2	0.3	0.08	17	<0.5
L93N 8050E	Soil		36	85	8.64	79	0.138	13	4.37	0.018	0.36	0.5	0.02	4.6	0.3	0.09	17	<0.5
L93N 8075E	Soil		23	46	8.06	71	0.085	12	3.12	0.029	0.33	0.4	0.02	2.6	0.4	0.09	16	<0.5
L93N 8100E	Soil		26	46	7.69	51	0.075	11	3.30	0.092	0.21	0.2	0.02	1.9	0.2	0.12	15	<0.5
L93N 8125E	Soil		33	11	13.53	98	0.082	20	4.35	0.014	0.66	0.1	<0.01	1.4	0.5	0.06	20	<0.5
L93N 8150E	Soil		27	22	8.37	79	0.092	15	3.34	0.016	0.58	0.3	0.03	2.0	0.4	0.10	17	<0.5
L93N 8175E	Soil		30	45	7.85	73	0.083	12	3.54	0.021	0.50	0.3	0.02	2.8	0.4	0.09	18	<0.5
L93N 8200E	Soil		22	55	8.42	70	0.096	14	3.33	0.041	0.30	0.4	0.02	2.6	0.4	0.10	13	<0.5
L93N 8225E	Soil		21	30	2.57	81	0.080	5	2.53	0.018	0.09	0.4	0.03	2.3	0.2	<0.05	11	0.6
L93N 8250E	Soil		15	14	10.67	85	0.121	14	4.17	0.025	0.38	0.1	0.03	1.6	0.3	0.06	20	<0.5
L93N 8275E	Soil		10	7	0.51	54	0.114	3	1.91	0.014	0.06	0.3	0.05	1.6	0.2	<0.05	11	<0.5
L93N 8300E	Soil		14	12	0.55	54	0.145	3	1.52	0.016	0.08	0.4	0.03	2.0	0.2	<0.05	11	<0.5
L95N 7950E	Soil		14	29	8.13	64	0.082	10	2.01	0.016	0.23	0.4	0.02	2.1	0.4	0.13	5	<0.5
L95N 7975E	Soil		31	41	8.22	100	0.039	13	1.91	0.013	0.06	0.4	0.03	1.9	0.5	0.15	6	0.5
L95N 8000E	Soil		19	46	5.79	102	0.070	13	2.24	0.022	0.37	0.5	0.05	3.2	0.3	0.20	8	0.6
L95N 8025E	Soil		18	62	5.51	114	0.075	11	2.91	0.032	0.27	0.4	0.05	3.5	0.4	0.10	10	<0.5
L95N 8050E	Soil		15	24	3.49	75	0.083	11	3.77	0.016	0.13	0.3	0.04	2.3	0.3	0.10	12	<0.5
L95N 8075E	Soil		7	13	2.71	94	0.085	4	2.43	0.013	0.09	0.3	0.02	1.1	0.2	<0.05	10	<0.5
L95N 8100E	Soil		10	24	2.02	225	0.111	4	2.47	0.012	0.09	0.6	0.03	1.7	0.3	<0.05	13	<0.5
L95N 8125E	Soil		8	12	2.62	83	0.104	4	2.87	0.011	0.06	0.4	0.04	1.1	0.1	<0.05	12	<0.5
L95N 8150E	Soil		9	24	2.04	78	0.109	3	2.96	0.011	0.09	0.3	0.05	2.1	0.2	<0.05	13	<0.5
L95N 8175E	Soil		10	27	1.97	152	0.118	4	2.41	0.013	0.08	0.3	0.04	1.7	0.2	<0.05	12	<0.5
L95N 8200E	Soil		25	60	3.64	75	0.118	7	3.27	0.016	0.07	0.7	0.04	3.6	0.3	0.07	11	0.5
L95N 8225E	Soil		22	25	1.73	148	0.084	6	3.78	0.021	0.06	0.4	0.06	2.4	0.5	0.12	10	1.2
L95N 8250E	Soil		7	34	2.24	62	0.116	4	2.07	0.012	0.07	0.3	0.02	1.7	0.2	<0.05	12	0.6
L95N 8275E	Soil		8	95	5.71	65	0.114	8	3.69	0.014	0.05	0.6	0.03	4.6	0.2	<0.05	13	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmela.com

Page:

14 of 16 Part 1

Method Analyte Unit MDL	1DX15																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%								
L95N 8300E	Soil	0.3	27.0	25.3	91	<0.1	14.5	7.1	611	2.30	5.2	4.4	15.1	3.8	12	0.2	0.4	0.2	75	0.54	0.222
L96N 7800E	Soil	0.1	10.4	18.3	52	<0.1	5.6	2.4	1316	1.12	2.4	1.7	2.5	0.4	23	0.3	0.2	0.1	25	4.09	0.209
L96N 7825E	Soil	0.3	50.7	172.5	193	0.2	14.9	7.5	1682	3.12	49.9	8.6	32.5	3.2	53	0.9	2.7	0.4	75	1.70	0.142
L96N 7850E	Soil	0.4	17.8	43.4	88	<0.1	9.5	4.9	1829	1.91	8.1	3.0	3.7	1.0	26	0.5	0.5	0.6	54	4.91	0.141
L96N 7875E	Soil	0.4	40.5	44.0	171	<0.1	14.3	8.5	2178	2.57	5.9	4.6	6.0	1.4	25	0.5	0.4	0.6	104	3.44	0.187
L96N 7900E	Soil	0.5	38.3	69.7	193	0.1	15.6	9.0	2305	2.99	9.6	5.2	17.9	2.1	16	0.6	0.3	0.9	80	0.75	0.127
L96N 7925E	Soil	0.3	91.9	57.1	112	<0.1	18.7	8.3	1070	2.04	25.0	7.5	8.1	1.6	63	0.6	0.7	0.6	78	3.09	0.143
L96N 7950E	Soil	0.3	38.8	34.6	120	<0.1	13.0	6.5	1286	1.94	7.8	7.0	3.8	3.1	29	0.3	0.4	0.4	82	0.77	0.113
L96N 7975E	Soil	0.4	112.8	33.1	112	<0.1	24.9	9.7	1494	2.37	10.6	8.6	4.7	2.1	31	0.4	0.4	0.4	82	0.66	0.112
L96N 8000E	Soil	0.4	92.7	45.2	144	<0.1	24.7	10.0	1702	2.46	11.1	8.8	4.0	2.2	17	0.3	0.6	0.4	85	0.64	0.125
L96N 8025E	Soil	0.6	65.3	36.9	142	<0.1	27.4	11.1	1384	2.86	9.4	7.1	7.2	3.0	15	0.2	0.6	0.4	101	0.31	0.089
L96N 8050E	Soil	0.4	84.0	42.2	177	<0.1	15.5	7.7	1744	2.51	10.2	7.7	4.4	1.8	18	0.4	0.8	0.6	80	0.65	0.166
L96N 8075E	Soil	0.5	131.3	36.7	172	<0.1	25.8	9.8	1405	2.52	14.1	12.9	4.5	1.7	25	0.4	0.4	0.4	97	0.56	0.156
L96N 8100E	Soil	0.5	97.1	33.0	153	0.1	23.2	8.2	750	2.31	10.8	14.4	4.7	1.3	43	0.2	0.4	0.4	82	0.83	0.140
L96N 8125E	Soil	0.4	159.8	30.1	79	0.1	37.5	12.5	911	2.56	10.9	6.5	5.1	3.5	29	0.2	0.6	0.3	78	0.80	0.081
L96N 8150E	Soil	0.7	191.7	25.8	111	0.1	20.2	8.2	1230	2.30	7.5	8.5	3.3	1.4	24	0.4	0.6	0.4	65	0.82	0.094
L96N 8175E	Soil	0.6	92.2	24.5	128	0.2	17.0	7.0	721	2.07	6.7	10.4	2.2	1.5	25	0.4	0.5	0.3	53	1.01	0.126
L96N 8200E	Soil	0.6	211.1	32.6	127	0.1	24.3	8.4	980	2.29	11.4	10.0	3.6	1.6	23	0.4	0.5	0.4	83	0.64	0.134
L96N 8225E	Soil	0.5	123.5	33.9	130	0.1	18.2	8.4	1397	2.27	11.1	5.9	3.6	1.0	37	0.5	0.5	0.5	75	1.05	0.084
L96N 8250E	Soil	0.4	75.3	49.4	107	0.2	17.9	8.9	673	2.46	9.1	5.7	20.4	2.8	20	0.4	0.4	0.7	81	0.61	0.050
L96N 8275E	Soil	0.5	14.0	21.1	45	<0.1	6.7	4.2	974	1.63	1.9	2.7	30.8	2.3	16	0.2	0.3	0.7	60	0.22	0.023
L96N 8300E	Soil	0.7	12.5	26.8	90	0.1	10.7	5.0	322	2.58	2.9	1.9	8.6	3.8	10	<0.1	0.3	0.5	66	0.14	0.044
L97N 7800E	Soil	0.2	8.9	63.9	188	<0.1	7.0	3.6	1725	2.39	2.3	8.9	6.3	9.3	20	0.3	<0.1	0.2	53	4.42	0.371
L97N 7825E	Soil	0.2	13.6	16.1	34	<0.1	5.7	2.6	983	1.05	1.7	2.1	2.0	0.3	37	0.2	0.1	0.1	32	10.25	0.130
L97N 7850E	Soil	0.3	27.8	34.7	140	<0.1	17.3	8.6	2462	2.91	4.3	6.7	2.0	2.2	14	0.3	0.3	0.3	100	1.00	0.297
L97N 7875E	Soil	0.4	67.9	25.3	173	<0.1	25.0	9.6	1970	2.53	5.7	7.7	3.3	2.8	23	0.4	0.4	0.3	82	0.96	0.121
L97N 7900E	Soil	0.4	61.3	19.9	101	<0.1	21.3	8.5	1448	2.24	5.6	8.4	5.1	4.5	22	0.4	0.2	0.4	88	1.20	0.079
L97N 7925E	Soil	0.6	71.3	28.7	97	<0.1	61.9	18.9	731	3.20	5.8	4.3	3.0	3.8	11	0.2	0.3	0.3	106	0.30	0.056
L97N 7950E	Soil	0.4	35.4	33.6	137	<0.1	33.4	11.1	1119	3.25	5.3	4.9	2.7	5.5	13	0.4	0.3	0.3	71	0.59	0.085
L97N 7975E	Soil	0.5	70.8	24.3	146	<0.1	27.8	9.5	680	3.31	4.0	4.7	9.2	9.0	10	0.1	0.3	0.5	82	0.17	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmefab.com

Page:

14 of 16

Part 2

Method	Analyte	Unit	1DX15															
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.03	0.1	0.1	0.05	1	0.5
L95N 8300E	Soil		7	46	3.83	107	0.071	8	2.77	0.015	0.05	0.4	0.03	2.2	0.1	<0.05	9	<0.5
L96N 7800E	Soil		22	<1	8.52	56	0.018	16	1.17	0.006	0.04	0.2	0.03	1.0	0.3	0.14	5	0.7
L96N 7825E	Soil		50	27	6.12	265	0.051	23	3.12	0.017	0.04	0.9	0.06	4.2	0.6	0.11	9	1.2
L96N 7850E	Soil		13	10	8.41	105	0.045	17	1.92	0.010	0.03	0.5	0.06	2.1	0.2	<0.05	6	<0.5
L96N 7875E	Soil		18	42	6.07	97	0.066	9	2.59	0.015	0.06	0.5	0.04	2.5	0.2	<0.05	8	<0.5
L96N 7900E	Soil		25	29	5.79	123	0.077	11	3.43	0.019	0.05	0.5	0.03	2.7	0.3	0.08	11	0.9
L96N 7925E	Soil		27	42	7.58	196	0.056	18	2.43	0.015	0.09	0.8	0.04	2.8	0.8	<0.05	8	<0.5
L96N 7950E	Soil		22	25	8.62	107	0.053	18	3.19	0.013	0.10	0.5	0.02	1.7	0.3	0.09	14	0.7
L96N 7975E	Soil		35	53	3.96	116	0.065	8	3.22	0.017	0.07	0.9	0.06	2.7	0.9	0.08	11	0.9
L96N 8000E	Soil		28	57	4.04	107	0.062	8	2.99	0.015	0.08	0.7	0.04	2.5	0.4	0.06	10	<0.5
L96N 8025E	Soil		21	67	3.67	93	0.092	7	3.26	0.015	0.07	0.6	0.03	3.0	0.4	<0.05	12	<0.5
L96N 8050E	Soil		24	37	5.11	89	0.047	12	2.98	0.014	0.07	0.4	0.04	1.9	0.3	0.07	11	0.6
L96N 8075E	Soil		38	63	3.76	109	0.059	7	3.45	0.016	0.08	0.7	0.04	2.6	0.6	0.06	12	0.9
L96N 8100E	Soil		27	54	3.24	117	0.061	7	3.19	0.017	0.07	0.6	0.05	2.2	0.3	0.06	11	1.2
L96N 8125E	Soil		24	76	4.32	72	0.071	10	2.87	0.021	0.07	0.8	0.07	2.7	0.5	0.05	11	1.0
L96N 8150E	Soil		21	33	1.82	67	0.064	5	3.15	0.018	0.06	0.5	0.06	2.0	0.4	0.09	11	1.2
L96N 8175E	Soil		19	28	2.46	68	0.043	6	2.48	0.020	0.08	0.3	0.05	1.6	0.3	0.08	8	1.6
L96N 8200E	Soil		35	52	3.07	69	0.068	6	3.41	0.021	0.07	0.5	0.05	2.6	0.5	0.08	11	0.9
L96N 8225E	Soil		22	37	2.04	106	0.062	5	2.86	0.019	0.07	0.5	0.06	1.9	0.5	0.09	9	1.2
L96N 8250E	Soil		16	40	2.19	86	0.095	4	2.90	0.019	0.05	0.7	0.05	2.3	0.2	<0.05	9	<0.5
L96N 8275E	Soil		9	14	0.38	143	0.071	2	0.70	0.012	0.04	0.4	0.03	0.9	0.2	<0.05	5	<0.5
L96N 8300E	Soil		9	25	0.79	81	0.121	2	2.18	0.013	0.05	0.3	0.04	1.7	0.1	<0.05	11	<0.5
L97N 7800E	Soil		33	15	10.23	53	0.086	15	4.07	0.008	0.02	0.7	0.04	2.1	0.2	<0.05	24	<0.5
L97N 7825E	Soil		11	17	10.08	35	0.020	15	0.93	0.004	0.02	0.3	0.03	1.6	0.2	<0.05	3	<0.5
L97N 7850E	Soil		23	109	7.02	78	0.083	18	3.74	0.015	0.07	0.3	0.04	5.2	0.3	0.09	11	0.7
L97N 7875E	Soil		27	52	4.15	131	0.083	9	3.14	0.018	0.08	1.0	0.04	2.5	0.4	0.06	11	0.6
L97N 7900E	Soil		21	93	4.92	115	0.095	9	3.23	0.017	0.07	0.6	0.04	3.9	0.3	<0.05	12	0.6
L97N 7925E	Soil		11	153	3.63	99	0.177	5	3.92	0.015	0.07	0.5	0.04	3.7	0.2	<0.05	14	<0.5
L97N 7950E	Soil		18	62	5.55	81	0.150	16	4.21	0.022	0.07	0.3	0.04	3.6	0.2	<0.05	15	0.6
L97N 7975E	Soil		8	53	5.61	98	0.137	17	2.88	0.012	0.07	0.2	0.04	2.1	0.2	<0.05	16	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

15 of 16 Part 1

Method	Analyte	Unit	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
L97N 8000E	Soil		0.6	49.3	31.7	57	<0.1	23.3	7.5	670	2.38	2.6	2.7	3.3	6.5	10	0.2	0.3	0.9	65	0.17	0.089
L97N 8025E	Soil		0.5	36.8	20.5	92	0.1	11.5	5.2	738	2.52	16.9	2.1	9.9	3.3	10	0.2	1.0	0.4	57	0.17	0.082
L97N 8050E	Soil		0.5	47.7	19.1	131	<0.1	39.8	13.4	544	2.67	3.5	2.2	3.8	4.7	13	0.2	0.3	0.3	64	0.39	0.122
L97N 8075E	Soil		0.7	52.7	14.7	82	<0.1	62.3	19.2	462	3.70	3.8	2.3	10.5	4.6	13	0.2	0.3	0.2	97	0.34	0.073
L97N 8100E	Soil		0.5	63.6	22.8	110	<0.1	27.9	10.1	1297	2.28	3.6	5.2	2.3	2.9	14	0.3	0.3	0.3	71	0.37	0.086
L97N 8125E	Soil		0.5	69.6	31.2	151	<0.1	29.2	11.5	1753	2.85	5.8	5.9	8.3	3.9	16	0.5	0.6	0.4	87	0.57	0.120
L97N 8150E	Soil		0.6	42.1	23.3	113	<0.1	18.4	8.4	389	2.70	4.0	4.7	4.7	6.0	12	0.1	0.3	0.4	72	0.30	0.051
L97N 8175E	Soil		0.6	56.7	19.4	149	0.1	19.8	8.7	3530	2.19	3.4	6.4	2.3	3.6	19	0.8	0.3	0.3	56	0.80	0.080
L97N 8200E	Soil		0.7	31.8	18.5	60	<0.1	13.5	5.2	553	2.16	3.3	3.0	6.3	4.8	12	0.2	0.5	0.3	68	0.26	0.034
L97N 8225E	Soil		0.6	43.7	17.2	108	<0.1	21.5	8.3	839	2.30	3.0	4.7	6.5	7.7	13	0.1	0.2	0.3	80	0.34	0.050
L97N 8250E	Soil		0.5	62.9	17.2	78	0.1	30.9	9.0	227	2.57	3.0	4.5	7.3	7.8	13	0.1	0.3	0.3	90	0.31	0.044
L97N 8275E	Soil		0.7	69.1	28.2	87	<0.1	39.6	12.8	819	2.91	3.9	4.8	5.4	9.2	24	0.3	0.5	0.4	94	0.60	0.077
L97N 8300E	Soil		1.0	40.5	22.9	90	<0.1	16.9	7.1	418	2.83	4.7	3.4	6.0	4.7	13	0.3	0.4	0.4	68	0.23	0.048
L98N 7800E	Soil		0.4	61.5	12.1	71	<0.1	54.1	22.4	560	3.38	4.3	10.0	2.0	3.8	40	0.1	0.2	0.2	108	1.13	0.124
L98N 7825E	Soil		0.4	40.3	15.3	189	<0.1	19.7	7.9	914	3.20	4.0	3.1	4.0	5.8	21	0.1	0.2	0.3	134	0.44	0.137
L98N 7850E	Soil		0.4	59.1	14.3	138	<0.1	18.2	8.1	691	2.80	2.0	4.7	3.1	9.6	20	0.1	0.2	0.3	81	0.31	0.045
L98N 7875E	Soil		0.6	49.3	21.2	104	<0.1	30.1	10.0	335	2.60	4.6	4.2	4.1	9.3	15	0.3	0.4	0.4	88	0.32	0.054
L98N 7900E	Soil		0.6	127.3	18.6	146	<0.1	38.1	11.8	598	3.17	4.5	4.7	8.8	9.3	17	0.3	0.3	0.3	101	0.32	0.048
L98N 7925E	Soil		0.4	223.4	17.9	114	0.3	23.6	8.8	738	2.59	5.7	17.7	13.9	11.0	37	0.3	0.4	0.3	97	0.80	0.056
L98N 7950E	Soil		0.8	69.2	24.1	116	0.3	14.7	7.0	1877	2.57	4.3	3.5	19.4	6.3	17	0.2	0.4	0.5	78	0.24	0.061
L98N 7975E	Soil		0.7	57.4	20.9	49	<0.1	11.8	4.8	177	2.17	5.6	3.0	16.3	8.1	11	<0.1	0.7	0.6	71	0.16	0.036
L98N 8000E	Soil		0.9	173.5	48.7	116	0.1	13.6	9.2	2796	2.75	7.8	6.5	12.1	5.4	15	0.3	0.9	0.8	63	0.11	0.069
L98N 8025E	Soil		0.4	73.6	13.6	33	<0.1	20.2	8.4	928	2.27	3.2	4.0	4.7	2.5	31	0.1	0.4	0.7	82	6.31	0.081
L98N 8050E	Soil		0.4	104.3	37.1	123	<0.1	23.8	9.9	1736	2.82	5.9	7.5	7.8	4.4	20	0.5	0.5	0.5	98	0.71	0.104
L98N 8075E	Soil		0.5	103.0	18.8	110	<0.1	36.8	11.8	603	2.56	3.1	5.9	4.6	10.6	14	0.2	0.4	0.3	89	0.31	0.066
L98N 8100E	Soil		0.5	78.8	17.2	108	<0.1	20.8	8.0	453	2.26	2.9	6.4	3.6	12.0	14	0.2	0.3	0.2	73	0.26	0.060
L98N 8125E	Soil		0.6	78.0	19.3	99	<0.1	12.0	5.2	790	2.39	4.2	5.4	2.2	8.9	12	0.1	0.4	0.4	68	0.23	0.083
L98N 8150E	Soil		0.7	88.1	30.5	123	<0.1	48.6	15.6	779	3.09	4.0	5.0	6.4	9.3	31	0.3	0.4	0.4	87	0.90	0.093
L98N 8175E	Soil		0.8	83.0	47.4	107	<0.1	30.5	11.5	1293	2.97	5.2	5.1	2.0	4.8	20	0.4	0.8	0.6	79	0.68	0.090
L98N 8200E	Soil		1.0	99.0	40.4	96	<0.1	21.8	8.8	1638	2.37	7.6	4.6	3.2	3.2	26	0.4	0.7	0.5	80	1.39	0.118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

15 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L97N 8000E	Soil	8	41	0.87	119	0.179	3	1.69	0.017	0.07	0.3	0.04	1.5	0.2	<0.05	15	<0.5
L97N 8025E	Soil	6	20	3.15	163	0.146	13	2.63	0.022	0.16	0.2	0.06	1.1	0.3	<0.05	20	<0.5
L97N 8050E	Soil	8	69	2.44	86	0.162	8	4.28	0.025	0.06	0.6	0.03	3.2	0.2	0.07	12	<0.5
L97N 8075E	Soil	12	143	3.89	107	0.218	2	4.06	0.033	0.14	0.4	0.03	2.5	0.2	0.09	11	<0.5
L97N 8100E	Soil	14	67	2.90	81	0.073	5	3.06	0.021	0.09	0.3	0.02	2.0	0.1	0.08	11	<0.5
L97N 8125E	Soil	19	68	3.70	89	0.079	7	3.46	0.019	0.09	0.3	0.05	2.7	0.3	0.06	12	<0.5
L97N 8150E	Soil	10	49	2.20	65	0.115	5	3.47	0.020	0.06	0.5	0.04	2.1	0.2	<0.05	11	<0.5
L97N 8175E	Soil	17	44	2.36	119	0.087	7	3.59	0.025	0.07	0.2	0.09	2.5	0.4	<0.05	10	<0.5
L97N 8200E	Soil	12	31	0.89	104	0.113	2	1.59	0.013	0.07	0.4	0.03	1.7	0.2	<0.05	10	<0.5
L97N 8225E	Soil	10	72	2.70	83	0.129	4	2.99	0.027	0.08	0.7	0.04	2.3	0.2	<0.05	11	<0.5
L97N 8250E	Soil	10	74	2.56	59	0.145	4	2.83	0.023	0.10	0.7	0.03	2.4	0.1	<0.05	11	<0.5
L97N 8275E	Soil	18	76	3.44	87	0.160	6	3.66	0.030	0.09	0.6	0.02	3.5	0.2	<0.05	11	<0.5
L97N 8300E	Soil	10	30	1.23	73	0.142	4	3.06	0.022	0.09	0.4	0.08	2.0	0.2	<0.05	12	<0.5
L98N 7800E	Soil	27	116	4.97	71	0.248	5	4.53	0.068	0.09	0.7	0.04	4.6	0.3	<0.05	12	<0.5
L98N 7825E	Soil	9	42	3.02	127	0.123	4	3.51	0.019	0.20	0.4	0.05	1.4	0.3	<0.05	19	<0.5
L98N 7850E	Soil	10	34	2.26	100	0.135	4	2.78	0.018	0.11	0.7	0.03	2.0	0.2	<0.05	14	<0.5
L98N 7875E	Soil	10	71	1.61	89	0.156	3	2.26	0.017	0.11	0.5	0.02	2.4	0.2	<0.05	13	<0.5
L98N 7900E	Soil	13	87	2.52	129	0.192	6	3.30	0.017	0.11	0.3	0.04	3.0	0.2	<0.05	14	0.7
L98N 7925E	Soil	23	39	1.47	109	0.172	4	4.70	0.033	0.09	0.4	0.11	2.9	0.3	<0.05	10	<0.5
L98N 7950E	Soil	10	28	0.76	176	0.142	3	2.23	0.017	0.11	0.2	0.06	2.2	0.3	<0.05	13	<0.5
L98N 7975E	Soil	15	19	0.58	51	0.113	1	1.44	0.011	0.08	0.8	0.05	1.5	<0.1	<0.05	11	<0.5
L98N 8000E	Soil	21	16	0.79	101	0.083	4	2.25	0.012	0.12	0.3	0.08	1.8	0.1	0.06	12	<0.5
L98N 8025E	Soil	27	40	10.16	46	0.077	13	2.84	0.010	0.06	0.8	0.04	4.3	0.6	0.12	8	<0.5
L98N 8050E	Soil	29	57	5.82	63	0.095	12	3.53	0.025	0.12	0.3	0.03	3.4	0.3	<0.05	12	<0.5
L98N 8075E	Soil	11	81	2.45	86	0.129	3	2.90	0.018	0.08	0.5	0.04	2.4	0.2	<0.05	12	<0.5
L98N 8100E	Soil	10	36	1.94	63	0.119	4	2.42	0.022	0.08	0.5	0.02	1.7	0.1	<0.05	10	<0.5
L98N 8125E	Soil	12	14	1.06	89	0.087	2	2.33	0.019	0.07	0.4	0.05	1.5	0.2	<0.05	9	<0.5
L98N 8150E	Soil	16	63	2.63	93	0.184	4	3.33	0.046	0.10	0.5	0.05	3.0	0.2	<0.05	10	<0.5
L98N 8175E	Soil	22	41	2.80	59	0.089	4	3.23	0.026	0.09	0.3	0.04	2.8	0.1	<0.05	10	<0.5
L98N 8200E	Soil	21	31	2.89	61	0.060	8	2.81	0.028	0.10	0.8	0.10	2.5	0.4	0.09	8	1.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

Page:

16 of 16

Part 1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%
MDL	Unit	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L98N 8225E	Soil	0.8	129.1	46.3	100	<0.1	21.2	9.3	1909	2.60	6.6	5.4	3.2	4.0	21	0.4	0.7	0.7	95	1.30	0.092
L98N 8250E	Soil	0.7	78.9	26.2	63	<0.1	9.9	4.9	231	2.77	4.0	4.6	7.8	6.2	10	0.2	0.6	0.8	83	0.16	0.032
L98N 8275E	Soil	0.8	44.0	23.7	79	0.1	11.4	5.3	206	2.88	4.5	2.9	3.5	6.6	5	0.1	0.3	0.5	63	0.08	0.062
L98N 8300E	Soil	0.4	32.3	16.1	31	<0.1	3.4	1.8	119	1.39	2.0	4.4	6.4	7.9	7	<0.1	0.3	0.3	55	0.12	0.027
L99N 7800E	Soil	0.4	24.3	33.1	131	<0.1	5.3	4.7	1466	1.63	3.0	4.9	5.0	6.0	21	0.4	0.5	0.4	69	0.33	0.043
L99N 7825E	Soil	0.3	82.2	18.9	263	<0.1	6.7	5.5	970	3.04	2.2	10.1	2.7	20.6	15	0.2	0.2	0.2	113	0.26	0.025
L99N 7850E	Soil	0.7	129.6	41.3	146	<0.1	17.3	7.7	519	3.17	6.5	6.9	4.8	8.7	19	0.3	0.8	0.6	89	0.27	0.107
L99N 7875E	Soil	0.7	174.2	42.9	181	<0.1	16.2	10.0	2691	2.66	5.8	15.2	3.9	2.6	42	0.9	0.6	0.6	71	0.44	0.116
L99N 7900E	Soil	0.7	388.6	32.1	139	<0.1	21.1	9.5	1324	3.20	5.9	11.3	5.4	6.0	27	0.4	0.8	0.6	75	0.22	0.085
L99N 7925E	Soil	0.5	194.9	38.3	176	<0.1	23.0	10.9	2307	2.56	5.2	12.8	2.4	5.3	30	0.8	0.6	0.6	79	0.39	0.079
L99N 7950E	Soil	0.6	237.8	52.2	174	<0.1	14.0	8.9	2073	2.73	9.6	16.9	4.3	6.6	43	1.0	0.6	0.6	89	0.82	0.137
L99N 7975E	Soil	0.6	98.9	54.0	164	<0.1	14.1	8.4	1630	2.72	10.1	6.8	3.8	2.7	14	0.5	0.6	0.6	82	0.30	0.103
L99N 8000E	Soil	0.6	65.0	37.0	161	<0.1	14.4	7.9	1340	2.84	5.1	8.2	3.8	12.4	12	0.2	0.5	0.5	84	0.21	0.045
L99N 8025E	Soil	0.7	168.6	44.2	123	<0.1	15.5	8.5	887	2.98	6.8	5.9	4.9	8.3	11	0.3	0.7	0.8	69	0.17	0.066
L99N 8050E	Soil	0.5	93.4	30.5	133	<0.1	13.5	7.2	746	2.62	3.7	6.1	14.8	10.4	13	0.2	0.4	0.5	83	0.23	0.038
L99N 8075E	Soil	0.5	72.3	31.5	101	0.1	14.5	6.9	315	2.28	4.1	6.0	4.4	11.8	11	0.2	0.5	0.4	64	0.19	0.047
L99N 8100E	Soil	0.5	99.1	37.4	92	<0.1	19.1	8.1	364	2.62	4.4	5.8	11.6	11.1	15	0.2	0.5	0.5	73	0.29	0.040
L99N 8125E	Soil	0.6	91.9	38.6	110	<0.1	16.4	8.2	639	2.50	4.8	6.0	3.5	9.6	14	0.2	0.6	0.5	75	0.25	0.059
L99N 8150E	Soil	0.5	161.8	38.0	66	<0.1	54.0	17.9	915	3.12	6.0	4.1	7.3	8.5	23	0.4	0.5	0.5	87	1.18	0.058
L99N 8175E	Soil	0.7	174.8	56.6	82	<0.1	30.5	12.5	1009	3.18	10.1	7.3	4.8	10.6	22	0.4	0.9	0.7	94	1.44	0.097
L99N 8200E	Soil	0.6	104.4	54.3	91	<0.1	30.9	13.5	1119	2.85	4.6	5.5	4.2	9.8	23	0.4	0.7	0.7	92	1.21	0.085
L99N 8225E	Soil	0.9	96.5	36.2	83	<0.1	31.7	12.0	495	3.28	4.8	3.3	6.0	9.6	16	0.2	0.6	0.6	82	0.25	0.062
L99N 8250E	Soil	0.7	118.8	38.6	84	<0.1	37.8	13.6	859	3.23	3.9	3.8	4.4	9.0	23	0.3	0.4	0.5	78	0.46	0.088
L99N 8275E	Soil	0.4	108.2	37.4	67	<0.1	54.7	16.4	971	3.03	3.1	3.7	2.7	11.1	45	0.2	0.3	0.4	83	1.18	0.099
L99N 8300E	Soil	0.9	63.3	35.3	74	<0.1	25.2	12.0	360	3.01	4.9	2.5	4.3	7.7	14	0.2	0.6	0.5	72	0.19	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.

Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page:

16 of 16

Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L98N 8225E	Soil	21	46	4.64	70	0.080	7	3.53	0.022	0.09	0.4	0.04	3.2	0.4	0.15	9	0.9
L98N 8250E	Soil	11	20	1.07	60	0.086	<1	1.96	0.011	0.06	0.5	0.03	1.5	0.1	0.07	10	<0.5
L98N 8275E	Soil	7	19	0.78	66	0.114	2	3.68	0.018	0.04	0.4	0.06	2.0	<0.1	0.06	10	<0.5
L98N 8300E	Soil	8	7	0.39	44	0.065	<1	0.98	0.010	0.04	0.4	0.03	0.9	<0.1	0.05	7	<0.5
L99N 7800E	Soil	7	8	1.81	139	0.069	3	1.67	0.012	0.09	0.4	0.05	1.0	0.3	0.08	11	<0.5
L99N 7825E	Soil	9	9	5.32	97	0.136	2	4.21	0.014	0.13	0.3	0.02	0.9	0.3	0.06	23	<0.5
L99N 7850E	Soil	14	21	1.06	92	0.115	3	3.18	0.012	0.08	0.4	0.07	2.3	0.1	0.07	10	0.9
L99N 7875E	Soil	30	21	1.07	222	0.057	3	2.90	0.012	0.08	0.2	0.06	1.9	0.2	0.10	10	0.7
L99N 7900E	Soil	28	37	1.21	109	0.089	2	2.70	0.012	0.07	0.3	0.06	2.2	0.2	0.09	11	0.6
L99N 7925E	Soil	23	43	1.54	157	0.077	4	2.37	0.014	0.07	0.4	0.04	2.7	0.2	0.07	9	<0.5
L99N 7950E	Soil	34	18	1.30	66	0.056	5	2.18	0.014	0.10	0.4	0.04	1.5	0.4	0.12	10	0.7
L99N 7975E	Soil	22	23	4.24	58	0.068	13	3.34	0.014	0.11	0.3	0.03	1.6	0.3	0.11	13	<0.5
L99N 8000E	Soil	11	23	4.22	73	0.122	7	3.17	0.020	0.09	0.3	0.02	2.2	0.3	0.06	17	<0.5
L99N 8025E	Soil	12	22	1.86	77	0.099	3	2.70	0.012	0.08	0.3	0.05	2.3	0.2	<0.05	10	<0.5
L99N 8050E	Soil	10	22	1.92	108	0.131	2	2.58	0.027	0.08	0.6	0.03	2.0	0.2	0.06	12	<0.5
L99N 8075E	Soil	9	20	2.63	86	0.099	3	2.97	0.015	0.06	0.4	0.04	2.0	0.1	0.05	12	0.5
L99N 8100E	Soil	11	29	2.51	86	0.136	3	2.82	0.027	0.09	0.5	0.02	2.3	0.2	<0.05	11	<0.5
L99N 8125E	Soil	14	25	2.20	59	0.106	3	2.67	0.018	0.09	0.5	0.04	2.2	0.2	0.06	11	<0.5
L99N 8150E	Soil	26	65	3.56	47	0.225	3	2.89	0.085	0.10	0.5	0.03	4.0	0.2	0.05	9	<0.5
L99N 8175E	Soil	28	56	4.69	46	0.120	6	3.32	0.029	0.08	0.6	0.07	4.6	0.4	0.08	9	0.6
L99N 8200E	Soil	20	60	3.98	67	0.143	5	3.44	0.019	0.09	0.5	0.03	4.5	0.3	0.06	11	<0.5
L99N 8225E	Soil	13	52	2.69	66	0.167	4	3.56	0.018	0.08	0.6	0.05	3.2	0.2	0.06	11	<0.5
L99N 8250E	Soil	22	56	3.31	67	0.167	4	3.63	0.028	0.08	0.6	0.04	4.2	0.3	<0.05	12	<0.5
L99N 8275E	Soil	31	75	3.72	75	0.184	6	3.49	0.063	0.09	0.7	0.04	4.9	0.3	<0.05	10	0.7
L99N 8300E	Soil	12	40	2.19	61	0.161	3	3.68	0.016	0.07	0.6	0.05	3.2	0.2	0.06	11	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: Dew Drop
Report Date: August 13, 2001

www.acmelab.com

Page: 1 of 3 Part

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LON 7975E	Soil	0.6	56.5	62.5	112	<0.1	22.0	10.0	1704	3.02	6.4	3.0	1.0	1.7	16	0.4	1.0	0.9	74	1.99	0.176
REP LON 7975E	QC	I.S.																			
L500N 8450E	Soil	2.6	399.7	39.9	70	0.1	24.3	10.8	484	2.60	4.2	2.3	1.2	4.0	14	0.2	0.2	0.9	56	0.32	0.089
REP L500N 8450E	QC	2.8	401.7	39.2	68	0.2	23.2	10.8	501	2.69	4.6	2.3	0.9	3.9	14	0.2	0.2	0.8	57	0.31	0.088
L500N 8775E	Soil	0.7	192.3	116.2	286	0.2	9.7	16.3	4304	4.77	375.4	1.5	4.9	1.1	50	1.5	2.6	1.2	119	0.72	0.183
REP L500N 8775E	QC	I.S.																			
L600N 8050E	Soil	3.8	193.5	61.2	266	0.1	34.0	12.7	544	2.55	8.3	11.6	2.9	1.4	23	1.9	1.8	1.1	44	1.29	0.126
REP L600N 8050E	QC	3.9	186.9	60.2	268	0.1	34.8	12.6	541	2.53	8.6	11.4	2.9	1.4	25	1.9	2.1	1.0	41	1.21	0.139
L600N 8350E	Soil	1.7	467.9	43.2	86	0.5	8.4	11.9	798	3.61	5.4	2.4	11.5	3.8	48	0.1	0.4	1.2	89	0.90	0.167
REP L600N 8350E	QC	1.8	562.1	48.2	86	0.5	8.7	12.6	793	3.55	5.4	2.5	10.0	3.9	52	0.1	0.5	1.2	100	0.95	0.175
L600N 8850E	Soil	0.7	10.5	27.1	22	0.1	2.6	1.3	92	1.42	4.0	0.7	24.3	2.4	8	<0.1	0.3	2.4	55	0.07	0.031
REP L600N 8850E	QC	0.7	10.9	28.2	23	0.1	2.5	1.3	99	1.51	4.8	0.7	48.4	2.1	9	0.1	0.3	2.5	54	0.08	0.033
L700N 7825E	Soil	0.5	51.8	276.7	76	0.3	13.6	5.3	717	1.52	4.4	1.5	1.0	3.2	22	0.5	0.5	5.1	49	8.16	0.041
REP L700N 7825E	QC	0.5	53.0	285.0	77	0.3	14.1	5.0	726	1.54	4.5	1.5	1.1	3.3	23	0.5	0.5	5.3	50	8.37	0.039
L700N 8400E	Soil	1.2	252.9	15.9	68	0.1	12.2	5.2	236	1.69	3.6	2.3	3.8	7.7	16	0.2	0.2	0.3	52	0.29	0.056
REP L700N 8400E	QC	1.2	257.6	16.7	70	0.1	13.2	5.3	242	1.74	3.7	2.4	4.1	7.9	16	0.2	0.2	0.3	53	0.30	0.062
L700N 8675E	Soil	1.2	125.3	18.0	60	0.2	15.7	6.5	180	2.44	3.6	1.9	2.9	5.3	7	0.1	0.3	0.5	59	0.18	0.030
REP L700N 8675E	QC	1.5	124.0	17.8	59	0.2	16.0	6.7	185	2.49	3.5	2.1	4.7	5.3	8	<0.1	0.3	0.5	61	0.19	0.031
L89N 7825E	Soil	0.4	90.8	23.2	116	<0.1	32.8	11.1	633	2.61	5.2	7.7	4.8	10.9	22	0.2	0.3	0.3	104	0.36	0.083
REP L89N 7825E	QC	0.5	90.9	23.6	112	<0.1	32.2	11.7	631	2.59	5.0	8.2	8.1	11.0	21	0.1	0.4	0.3	103	0.36	0.080
L89N 8000E	Soil	0.4	635.9	140.5	175	0.3	23.3	10.3	2093	3.09	60.0	4.2	111.1	3.0	22	0.9	20.5	0.4	95	2.00	0.090
REP L89N 8000E	QC	0.3	625.3	141.3	171	0.3	24.5	10.2	2034	3.05	58.9	4.2	18.7	3.1	21	1.0	19.7	0.4	93	1.94	0.091
L89N 8750E	Soil	1.9	36.1	23.1	76	0.1	8.4	4.4	300	1.84	3.6	1.9	5.5	4.9	15	0.2	0.4	0.9	57	0.29	0.045
REP L89N 8750E	QC	1.9	37.6	22.9	75	0.1	7.7	4.6	291	1.84	3.4	1.9	2.9	4.4	14	0.2	0.3	0.8	56	0.27	0.044
L89N 8875E	Soil	0.8	33.0	20.6	69	0.2	10.7	5.1	187	1.95	5.4	2.2	14.1	4.4	16	0.2	0.3	0.5	46	0.34	0.068
REP L89N 8875E	QC	0.7	33.4	20.1	67	0.2	11.7	5.0	188	1.92	5.2	2.1	1.3	4.3	15	0.2	0.3	0.4	46	0.35	0.067
L90N 7950E	Soil	0.3	112.1	39.1	153	<0.1	15.7	6.5	997	2.22	5.0	8.5	40.4	2.3	33	0.2	0.7	0.3	72	0.47	0.132
REP L90N 7950E	QC	0.4	113.4	40.1	150	<0.1	15.9	6.4	1016	2.22	5.2	8.6	14.8	2.2	33	0.2	0.7	0.4	71	0.48	0.137

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

Dew Drop

Report Date:

August 13, 2008

www.acmelab.com

Page:

1 of 3 Part 2

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
LON 7975E	Soil	21	36	5.42	72	0.055	9	3.20	0.014	0.10	0.4	0.02	2.6	0.2	0.10	8	<0.5
REP LON 7975E	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L500N 8450E	Soil	12	40	0.85	38	0.070	1	1.90	0.018	0.10	1.0	0.05	2.0	0.2	0.05	8	0.8
REP L500N 8450E	QC	13	40	0.83	38	0.071	3	1.86	0.018	0.10	1.2	0.05	1.9	0.2	<0.05	8	0.9
L500N 8775E	Soil	24	4	2.22	465	0.066	8	1.94	0.021	0.17	0.3	0.12	5.5	0.3	0.09	8	0.8
REP L500N 8775E	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L600N 8050E	Soil	19	7	1.25	39	0.098	5	4.16	0.028	0.08	0.6	0.06	2.6	0.2	0.12	8	1.3
REP L600N 8050E	QC	20	6	1.24	39	0.118	7	3.85	0.030	0.08	0.8	0.07	3.0	0.2	<0.05	9	1.5
L600N 8350E	Soil	14	13	1.04	61	0.101	2	2.14	0.014	0.05	0.9	0.04	2.2	0.1	<0.05	12	1.1
REP L600N 8350E	QC	14	13	1.02	59	0.132	1	2.09	0.014	0.07	1.1	0.05	2.1	0.1	<0.05	12	0.8
L600N 8850E	Soil	17	7	0.13	55	0.123	<1	0.92	0.014	0.04	0.1	0.04	1.1	<0.1	<0.05	13	<0.5
REP L600N 8850E	QC	18	7	0.13	53	0.152	<1	0.92	0.015	0.05	0.2	0.03	1.2	0.1	<0.05	15	<0.5
L700N 7825E	Soil	13	25	8.16	25	0.043	6	1.93	0.010	0.06	0.3	0.05	2.3	0.4	<0.05	6	<0.5
REP L700N 7825E	QC	13	25	8.18	25	0.043	5	1.90	0.010	0.06	0.3	0.05	2.1	0.4	<0.05	7	<0.5
L700N 8400E	Soil	9	9	1.41	64	0.081	2	4.65	0.013	0.04	2.8	0.07	1.6	0.1	<0.05	9	<0.5
REP L700N 8400E	QC	10	8	1.45	65	0.084	1	4.85	0.013	0.04	3.0	0.07	1.6	0.1	<0.05	9	<0.5
L700N 8875E	Soil	7	17	1.49	57	0.096	2	3.41	0.010	0.04	0.8	0.07	2.2	<0.1	<0.05	8	0.5
REP L700N 8875E	QC	8	18	1.51	57	0.105	2	3.46	0.011	0.04	0.9	0.07	2.1	0.1	<0.05	9	<0.5
L89N 7825E	Soil	13	86	3.84	80	0.162	5	3.52	0.015	0.07	0.5	0.04	4.3	0.3	<0.05	12	<0.5
REP L89N 7825E	QC	13	84	3.73	78	0.160	5	3.45	0.015	0.07	0.5	0.03	4.3	0.3	<0.05	12	<0.5
L89N 8000E	Soil	28	43	7.21	82	0.052	17	2.49	0.010	0.06	0.3	0.10	3.0	0.2	<0.05	10	<0.5
REP L89N 8000E	QC	28	43	7.08	83	0.053	17	2.45	0.010	0.06	0.4	0.11	3.1	0.2	<0.05	10	<0.5
L89N 8750E	Soil	10	10	0.47	104	0.070	1	1.19	0.009	0.05	0.6	0.03	1.1	<0.1	<0.05	6	<0.5
REP L89N 8750E	QC	9	9	0.46	106	0.069	<1	1.16	0.009	0.05	0.4	0.03	1.0	<0.1	<0.05	6	<0.5
L89N 8875E	Soil	9	12	0.37	138	0.076	1	2.26	0.012	0.05	0.7	0.03	1.2	<0.1	<0.05	7	<0.5
REP L89N 8875E	QC	9	11	0.37	136	0.078	1	2.22	0.013	0.05	0.6	0.03	1.2	<0.1	<0.05	7	<0.5
L90N 7950E	Soil	21	28	3.62	133	0.058	4	3.24	0.024	0.24	0.2	0.03	1.3	0.3	0.08	14	<0.5
REP L90N 7950E	QC	22	28	3.60	132	0.062	4	3.32	0.026	0.24	0.3	0.02	1.3	0.3	0.08	14	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

