

**RECEIVED**  
APR 15 2009  
Gold Commissioner's Office  
VANCOUVER, B.C.



Le Baron Prospecting  
Port Renfrew, BC

**Prospecting and Geochemical Assessment Report**

**The Spring Tenures  
Vancouver Island, British Columbia**

**Victoria Mining Division  
NTS: 092C069  
48 degrees, 39', 35" north x 124 degrees, 20', 54" west**

**BC Geological Survey  
Assessment Report  
30697**



**Tenure owners:  
Raymond Oshust  
Scott Phillips  
Marjorie Rooke**

**GEOLOGICAL SURVEY  
ASSESSMENT REPORT  
30,697**

**Report by:  
Le Baron Prospecting  
Port Renfrew BC**

**2008**



Ministry of Energy & Mines  
Energy & Minerals Division  
Geological Survey Branch

TITLES DIVISION, MINERAL TITLES  
VICTORIA, BC

APR 14 2009

FILE NO. 24500-20

LOG IN NO. 200900178



ASSESSMENT REPORT  
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)] PROSPECTING AND GEOCHEMICAL TECHNICAL REPORT TOTAL COST \$ 3949.48

AUTHOR(S) Le Baron Prospecting - Scott Phillips SIGNATURE(S) [Signature]

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) \_\_\_\_\_ YEAR OF WORK 2008

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) Event number 4241922

PROPERTY NAME Spring Tenure Project

CLAIM NAME(S) (on which work was done) Spring\*1 - 415324, Spring\*2 - 415325, Spring\*3 - 415326, Spring\*4 - 415327, Spring\*5 - 415328, Spring\*6 - 415361

COMMODITIES SOUGHT Fe, Cu, Au, Ag

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 092C031, 092C090, 092C092, 092C110, 092C146

MINING DIVISION VICTORIA NTS \_\_\_\_\_

LATITUDE 48 ° 39 ' 35 " LONGITUDE 124 ° 20 ' 54 " \* (at centre of work)

OWNER(S)

- 1) Scott Phillips
- 2) Raymond Oshust  
MAJORIS ROOKE

MAILING ADDRESS

9218 CHESTNUT RD CHEMUNUS BC V0R-1K5 General Delivery Port Renfrew BC V0S1K0  
2918 JACKSON RD. DUNCAN BC V9L-6N7

OPERATOR(S) [who paid for the work]

- 1) SAME AS ABOVE
- 2) \_\_\_\_\_

MAILING ADDRESS

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and altitude):

WRANGELLA, MIDDLE TO UPPER TRIASSIC, QUATSINO FORMATION, PALEOZOIC  
TRIASSIC - WESTCOAST CRYSTALLINE COMPLEX, MAGNETITE, PYRITE, CHALCOPYRITE  
Fe SKARN

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS \_\_\_\_\_

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
-----------------------------	----------------------------------	-----------------	---

GEOLOGICAL (scale, area) Spring tunnel #1 to #6

Ground, mapping Inclined 415324, 415325, 415326 \$ 3949.48

Photo interpretation 20 photos 415327, 415328, 415361

GEOPHYSICAL (line-kilometres)

Ground

Magnetic ∅

Electromagnetic ∅

Induced Polarization ∅

Radiometric ∅

Seismic ∅

Other ∅

Airborne ∅

GEOCHEMICAL

(number of samples analysed for ...)

Soil ∅

Silt ∅

Rock 20 Rock chip - ALS Certificate of Analysis - VA08148433

Other ∅

DRILLING

(total metres; number of holes, size)

Core ∅

Non-core ∅

RELATED TECHNICAL

Sampling/assaying 60 Rock samples obtained

Petrographic ∅

Mineralographic ∅

Metallurgic ∅

PROSPECTING (scale, area)

PREPARATORY/PHYSICAL

Line/grid (kilometres)

Topographic/Photogrammetric (scale, area) 110 GPS Sample locations obtained, target locations

Legal surveys (scale, area)

Road, local access (kilometres)/trail 2600 meters survey line - ROADS

Trench (metres)

Underground dev. (metres)

Other BASIC ROAD REPAIRS

Saw samples (Rock saw) 15 samples TOTAL COST \$ 3949.48




Le Baron Prospecting  
Port Renfrew, BC

## *Table of Contents*

Cover page .....	pg 1
Table of contents .....	pg 2
Overview map of tenures .....	Figure A
Tenure Location and accessibility .....	pg 3
Tenure ownership, author .....	pg 4
Statement of costs .....	pg 5
Summary map – Aero magnetic survey / Pacific Iron Ore / 2006 .....	pg 6
Sampling methods, summary of work .....	pg 7
Technical data / rock chip sampling .....	pg 8
Summary of regional geology / Pacific Iron Ore / report 2006 .....	pg 9
Maps:	
Tenure maps: 1-20,000 .....	Figure B
Working maps: 1-10,000 .....	Figure map C to D
ALS Chemex analysis .....	Appendix A
Pictures .....	pg 10
Recommendations / reference information .....	pg 11
MTO Conformation of Event .....	pg 12 to 13

FIGURE MAP A

# Port Renfrew Mineral Tenure Overview



### Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airfield
- Anchorage - Seaplane
- Ferry Route
- Heliport
- Seaplane Base
- Air Field
- Airport
- Air Feature - Condition Unknown
- Airport Abandoned

Map center: 48°37' N, 124°19' W

Scale: 1:150,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.



Le Baron Prospecting  
Port Renfrew, BC

### **1.0 Summary.**

Exploration of these legacy tenures commenced during the fall of 2008, from October 9<sup>th</sup> to October 13<sup>th</sup> 2008. Raymond Oshust, tenure owner, Gordon Saunders and Robert Bradshaw field assistants conducted a rock chip hand sampling throughout these tenures. These legacy tenures are "key tenures" within what is being discovered as an iron ore intrusion of vast size and of potential economic importance. These tenures "lie within" the known iron intrusion which commences west of this area in the Bugaboo Creek, and traverses east through the tenures to the Granite Creek and what is historically known as the Reko property. This iron deposit is currently being explored by Pacific Iron Ore Corporation from Calgary but based out of Port Renfrew. Diamond drilling was completed by Pacific Iron Ore both in the Bugaboo Creek and in 2007 in the Granite Creek; all drilling reports show massive iron. Also, Pacific Iron Ore has conducted a massive aeromagnetic survey over these tenures, the results are pending but from what the owners are told is the aeromagnetic survey was very successful. In Short, these tenures are strategically placed within the Pearson Project.

### **2.0 Tenure Location / Mineralization**

These Tenures are located within the Seymour Range, which is just north of the town of Port Renfrew BC. Port Renfrew is approximately 100 west of the capital city of Victoria, BC. The Spring tenures are located within the giant mineral tenure project known within the mining community as the "Pearson Project", Pacific Iron Ore Corporation has been conducting for the past few years both diamond drilling and aero magnetic mapping.

The Spring tenures are legacy tenures, each consisting of a single cell, (25ha) and lie within Wrangell, each tenure is strategically located also within the "Pearson Project" as to be in line with the huge intrusion of the West Coast Crystalline Intrusion, West Coast Complex, Gabbros, Peridotites, along with ultramafic intrusions, of the Paleozoic-Mesozoic, There is also limestone of the Quatsino Formation, Triassic era. Volcanic rock of the Lower Jurassic Bonanza Group is also present in the area.

### **3.0 Tenure Accessibility.**

To access the spring tenures one must travel north of Port Renfrew on the 4 km on the Gordon River Mainline, and take truck road named Braden located just before the Gordon River Bridge. Travel 11.5 kilometers to the Reid Creek Mainline, travel 1.13 km to tenure boundary of Spring #1 tenure # 415324 (Spring 1), a water fall crosses the Reid Creek Mainline, and we call it "Myra falls", further along the Reid Creek Mainline, turn left on spur road RD-3000, this is access to Spring tenures 415326, (Spring 3) which also joins tenure 415325 (Spring 2). To access the other spring tenures one must walk spur road BD – 6000 which is located north of these tenures and accessed off of the Braden Main line. A survey trail was located and marked to access the tenures along the old spur road BD – 6000, to access tenures 415361 (Spring 5) and tenure 415327 (Spring 4) and tenure 415328 (Spring 6)



Le Baron Prospecting  
Port Renfrew, BC

#### 4.0 Tenure Ownership.

These tenures are owned jointly between the following prospectors:

Raymond Oshust; FMC #141465 – 40%

Marjorie Rooke; FMC #208494 – 50%

Scott Phillips; FMC #145817 – 10%

Tenure	staked	good to date	status	area
Spring #1 – 415324	– 2004/Oct/20	-----2010/Oct/20	-----good	-----25ha
Spring #2 – 415325	– 2004/Oct/20	-----2010/Oct/20	-----good	-----25ha
Spring #3 – 415326	– 2004/Oct/20	-----2010/Oct/20	-----good	-----25ha
Spring #4 – 415327	– 2004/Oct/19	-----2010/Oct/19	-----good	-----25ha
Spring #5 – 415328	– 2004/Oct/19	-----2010/Oct/19	-----good	-----25ha
Spring #6 – 415361	– 2004/Oct/19	-----2010/Oct/19	-----good	-----25ha

#### 5.0 Author Qualifications

1. I am a prospector, with a history of prospecting the West Coast of Vancouver Island.
2. I am the owner of Le Baron Prospecting of Port Renfrew BC.
3. I am a member in good standing with the Vancouver Island Placer Miners Association.
4. I am a member of VIX or Vancouver Island Exploration Group.
5. I have several large mineral tenures within the area of Port Renfrew.
6. I am currently studying the West coast Crystalline Intrusion Complex.
7. I have a full understanding of the Plate Tectonics of Southern Vancouver Island.
8. I am working closely with professional geologists for guidance and information in regards to questions I have about structure of surrounding area.

I here by consent to the use of information in this report to further enhance the exploration of the Spring tenures

Scott Phillips: \_\_\_\_\_

Date: \_\_\_\_\_

01-11-2009

#### 6.0 Reliance on Other Experts

Technical information in this report was derived from prior reports, area information, government publications and published reports. Original data has been used where available. Reasonable care and diligence has been taken by the author to verify all information.

The author has seen no reason to doubt the validity and accuracy of this source data and historical information, most of which was generated by qualified, professional persons at the times the work was done.



Le Baron Prospecting  
Port Renfrew, BC

## 7.0 Statement of costs

Exploration:

October 9, 10, 11, 12, 13<sup>th</sup> 2008

Raymond Oshust

FMC #141465 – field supervisor

\$30.00 x 32 hrs ..... = \$960.00

Gordon Saunders

FMC #145703 – field assistant

\$20.00 x 36 hrs ..... = \$720.00

Robert Bradshaw

Field labor

\$20.00 x 24 hrs ..... = \$480.00

Accommodations

24 Tsonoquay Dr

Port Renfrew BC

\$70.00 / day x 4 days ..... = \$280.00

Transportation

4x4 truck = \$50.00 / day x 4 ..... = \$200.00

2x4 car = \$30.00 / day x 2 ..... = \$60.00

ALS Laboratory

Vancouver BC

Certificate of Analysis

VA08148433 – 20 rock samples ..... = \$899.48

Le Baron Prospecting

Report compilation

Professional fees

\$350.00 / day x 1 ..... = \$350.00

**Total exploration costs 2008 ..... = \$3949.48**





## **8.0 Specifications and Technical Information: Sampling Methods;**

All sample points are marked on working maps, and all assays points were plotted on field maps using GPS. All rock chip samples were weighed, bagged and tagged for geochemical assaying, sent to ALS Chemex laboratory in Vancouver.

1. Rock Chip samples were obtained in field by using a hammer / chisel to break away small sample chips from host rock. All Field sample points are marked on working maps using the "XX" symbol.
2. Surveyor's hip chain line was run along some active and non active roads. All surveyed lines are marked as "-----"on working maps.
3. Basic field testing of samples was conducted using hydrochloric acid for testing serpentine, limestone, and magnesite. Heavy metal sampling was conducted also in field using a magnet to test for the heavy metals and magnetic conductivity. Field loops were used and a roadside field microscope was also used for close observation of samples, and a more powerful 1-40,000 was used at home base. Numbered bags and tags were used to catalogue field samples for later reference.
4. GPS Co-ordinates were taken using a Garmin Etrex Ledge 1000 GPS, All Co-ordinates are plotted on working maps but reference to specific work sites such as geochemical assessments are plotted and marked on working maps.
5. Geochemical Assaying was conducted using both ALS Chemex in Vancouver Assaying methods were conducted as per the tenure owners, and types of methods conducted are referred to in each assay. Reference to the sample points are marked on working maps in report. Assay results are included.

## **9.0 Work Conducted 2008**

These prospectors conducted further tenure surveys of specific sites, and geochemical analysis of specific rock chip samples, or hand grab samples. These are a general overall geochemical analysis of the tenures. With the assistance of Robert Bradshaw as field helper these prospectors completed a prospecting program and geochemical assaying of the Spring Tenures within this report.

60 rock chip samples taken, tagged, bagged, and itemized.

- 20 rock chip samples submitted to ALS Chemex, report included.
- 2600 meters survey line run –spur roads
- 110 GPS way points taken, sample points.
- Road repairs, basic for 4x4 accesses.
- Photos









Le Baron Prospecting  
Port Renfrew, BC

### 10.0 Interpretation of sample specific Data.

In reference to Certificate of Analysis # VA08148433


20 Rock Chip samples

Tenure #415324, 415325, 415326, 415327, 415328, 415361

Sample # ALS #	Rock Description <host>	GPS Location Garmin E-trex	Field notes Field rock description
<i>See Figure Map C – tenures – 415324, 415325, 415326 – Spring tenures 1, 2, 3</i>			
G0686571	sulfide	400277 x 5390450	Roadside – tenure boundary
G0686572	sulfide	400021 x 5390315	Roadside
G0686573	sulfide	399835 x 5390253	Roadside - junction
G0686574	sulfide	399771 x 5390375	Roadside – tenure boundary
G0686575	sulfide	399885 x 5390500	Roadside
G0686576	sulfide	399992 x 5390622	Roadside – end of spur
G0686577	sulfide	399631 x 5390172	Roadside outcrop
G0686578	sulfide	399782 x 5390036	Roadside exposure
G0686579	sulfide	400175 x 5389890	Roadside – tenure boundary
G0686580	sulfide	399432 x 5389845	Roadside – tenure boundary
<i>See Figure Map D – tenures – 415326, 415327, 415361 – Spring tenures 4, 5, 6</i>			
G0686581	sulfide	401260 x 5391651	Roadside – end of spur rd
G0686582	sulfide	401459 x 5391529	Roadside – creek exposure
G0686583	sulfide	401470 x 5391421	Roadside – creek exposure
G0686584	sulfide	401539 x 5391225	Roadside – exposure tenure boundary
G0686585	sulfide	401542 x 5391120	Roadside - exposure
G0686586	sulfide	401720 x 5391175	Roadside - exposure
G0686587	sulfide	401870 x 5391266	Roadside - exposure
G0686588	sulfide	401970 x 5391305	Roadside - exposure
G0686589	sulfide	402080 x 5391346	Roadside - exposure
G0686590	sulfide	402235 x 5391425	Roadside - exposure
<b>Note:</b> most of these samples obtained were very nice examples of the mineralization of the area, this is a huge intrusion of iron, surface exposures were excellent where they were exposed from the overburden, just off the roadside, most of the geochemical analysis from tenures 415327 and tenure 415361 were in excess of 90% Fe (see certificate of analysis) this is some very spectacular Fe showings.			


FIGURE MAP C

# Spring Tenures - working reference map



### Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Reserves (current)**
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- BOGS Grid
- Contours (TRIM)**
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad



90 180 m.

Map center: 48° 39' 24.0" N, 124° 21' 32.8" W

Scale: 1:5,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: XX = GPS ALS Chemex - sample locations  
--- GPS ROAD SURVEY





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON  
2650 CEDAR HILL ROAD  
VICTORIA BC V8T 3H2

Page: 1  
Finalized Date: 13-NOV-2008  
This copy reported on 14-NOV-2008  
Account: SAUGOR

## CERTIFICATE VA08148433

Project: SPRING

P.O. No.:

This report is for 20 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-OCT-2008.

The following have access to data associated with this certificate:

RAY OSHUST

SCOTT PHILLIPS

GORDON SAUNDERS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES

To: SAUNDERS, GORDON  
ATTN: SCOTT PHILLIPS  
9298 CHESTNUT ROAD  
CHEMAINUS BC V0R 1K5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.

212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON  
 2650 CEDAR HILL ROAD  
 VICTORIA BC V8T 3H2

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Finalized Date: 13-NOV-2008  
 Account: SAUGOR

Project: SPRING

**CERTIFICATE OF ANALYSIS VA08148433**

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
G0686571		0.52	<1	47.7	3.3	11.0	<10	0.37	<5	0.63	0.41	0.18	4.7	0.68	0.4	0.14
G0686572		0.44	<1	21.8	0.7	7.7	<10	0.25	<5	<0.05	0.05	<0.03	1.6	<0.05	<0.2	0.01
G0686573		0.58	<1	86.2	8.8	13.8	<10	0.27	20	0.61	0.44	0.33	5.7	0.94	0.8	0.15
G0686574		0.64	<1	63.4	7.6	11.4	<10	0.26	8	0.60	0.39	0.20	2.3	0.56	1.0	0.13
G0686575		0.50	<1	44.0	4.9	10.2	<10	0.34	8	0.72	0.47	0.23	5.9	0.77	0.8	0.15
G0686576		0.58	<1	44.5	6.3	10.8	<10	0.39	5	1.03	0.58	0.29	7.5	1.07	0.7	0.21
G0686577		0.34	<1	94.7	35.7	11.1	<10	0.39	5	1.03	0.68	0.49	3.3	1.55	1.4	0.24
G0686578		0.62	<1	4.8	0.6	4.7	<10	0.06	<5	<0.05	0.03	<0.03	1.1	<0.05	<0.2	<0.01
G0686579		0.44	<1	11.3	<0.5	6.0	<10	0.16	<5	<0.05	0.03	<0.03	1.3	<0.05	<0.2	<0.01
G0686580		0.42	<1	433	20.4	28.1	70	0.83	26	3.13	2.01	0.91	14.3	3.11	2.2	0.69
G0686581		0.42	2	210	51.5	24.7	20	0.87	188	7.29	4.48	1.52	16.6	7.16	4.3	1.59
G0686582		0.40	<1	462	14.0	39.0	30	1.44	8	2.64	1.64	0.77	15.3	2.57	1.1	0.60
G0686583		0.34	<1	470	24.3	38.0	60	1.19	35	3.75	2.51	0.97	15.3	3.62	2.4	0.84
G0686584		0.86	<1	5.2	0.8	5.3	<10	0.06	5	0.05	0.07	<0.03	1.4	0.06	0.3	0.02
G0686585		0.62	<1	10.0	0.5	6.2	<10	0.15	<5	0.05	0.04	0.03	1.2	0.05	<0.2	0.01
G0686586		0.72	<1	6.1	1.8	7.2	<10	0.09	116	0.24	0.25	<0.03	3.0	0.19	<0.2	0.06
G0686587		0.80	<1	13.6	<0.5	5.7	<10	0.25	<5	<0.05	0.03	<0.03	1.6	<0.05	<0.2	<0.01
G0686588		0.82	<1	16.4	<0.5	5.8	<10	0.25	<5	<0.05	0.03	<0.03	1.4	<0.05	<0.2	<0.01
G0686589		0.58	<1	4.0	1.3	5.9	<10	0.08	25	0.12	0.13	<0.03	2.6	0.11	<0.2	0.03
G0686590		0.78	<1	11.4	<0.5	8.4	<10	0.19	<5	<0.05	0.05	<0.03	1.5	<0.05	<0.2	<0.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON  
2650 CEDAR HILL ROAD  
VICTORIA BC V8T 3H2

Page: 2 - B  
Total # Pages: 2 (A - D)  
Finalized Date: 13-NOV-2008  
Account: SAUGOR

Project: SPRING

## CERTIFICATE OF ANALYSIS VA08148433

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.05	
G0686571		<0.5	0.05	<2	0.6	2.5	<5	10	0.51	5.9	0.64	<1	765	<0.1	0.10	0.28
G0686572		<0.5	0.01	<2	<0.2	0.3	<5	<5	0.09	6.6	<0.03	<1	29.4	<0.1	<0.01	<0.05
G0686573		3.1	0.08	<2	1.3	4.5	<5	<5	1.13	6.4	0.89	3	555	<0.1	0.11	0.86
G0686574		3.1	0.07	<2	0.7	3.1	<5	<5	0.91	7.1	0.62	1	39.6	<0.1	0.06	0.27
G0686575		1.2	0.08	<2	0.8	3.6	<5	6	0.72	5.4	0.98	<1	892	<0.1	0.12	0.49
G0686576		2.7	0.07	2	0.9	4.4	<5	10	1.01	6.3	1.19	1	1180	<0.1	0.17	0.53
G0686577		19.5	0.12	<2	0.9	12.9	<5	<5	4.16	12.5	1.74	1	72.4	0.1	0.20	0.95
G0686578		<0.5	<0.01	<2	<0.2	0.1	<5	<5	0.03	0.4	<0.03	<1	10.7	<0.1	<0.01	<0.05
G0686579		<0.5	<0.01	<2	<0.2	0.1	<5	<5	<0.03	3.3	<0.03	<1	8.9	<0.1	<0.01	<0.05
G0686580		9.5	0.31	<2	4.9	12.2	33	<5	2.86	32.8	3.09	1	395	0.3	0.54	1.42
G0686581		23.3	0.63	2	7.6	30.9	6	<5	7.39	16.8	7.16	2	1100	0.5	1.25	3.37
G0686582		6.2	0.25	<2	2.0	9.2	20	<5	2.04	33.8	2.54	1	675	0.1	0.46	0.70
G0686583		10.7	0.41	<2	4.2	14.2	36	<5	3.42	40.7	3.64	1	361	0.3	0.65	2.66
G0686584		<0.5	0.01	<2	<0.2	0.3	<5	13	0.07	0.5	<0.03	<1	10.2	<0.1	<0.01	<0.05
G0686585		<0.5	<0.01	<2	<0.2	0.2	<5	<5	0.04	3.1	0.06	<1	16.7	<0.1	<0.01	<0.05
G0686586		0.9	0.06	2	<0.2	0.8	<5	<5	0.19	0.7	0.22	<1	17.9	<0.1	0.03	<0.05
G0686587		<0.5	<0.01	<2	<0.2	0.1	<5	<5	<0.03	5.3	<0.03	<1	11.6	<0.1	<0.01	<0.05
G0686588		0.6	<0.01	<2	<0.2	<0.1	<5	<5	<0.03	5.6	<0.03	<1	12.6	<0.1	<0.01	<0.05
G0686589		0.5	0.02	<2	<0.2	0.5	<5	<5	0.11	0.5	0.05	<1	8.5	<0.1	0.01	<0.05
G0686590		<0.5	<0.01	<2	<0.2	0.2	<5	<5	0.03	4.1	<0.03	<1	10.9	<0.1	<0.01	<0.05



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON  
2650 CEDAR HILL ROAD  
VICTORIA BC V8T 3H2

Page: 2 - C  
Total # Pages: 2 (A - D)  
Finalized Date: 13-NOV-2008  
Account: SAUGOR

Project: SPRING

## CERTIFICATE OF ANALYSIS VA08148433

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Ti	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
G0688571		<0.5	0.08	0.32	34	<1	3.4	0.31	229	19	15.95	5.69	68.9	4.13	3.31	0.94
G0688572		<0.5	<0.01	0.18	12	<1	<0.5	<0.03	236	6	2.85	1.09	86.5	0.60	3.49	0.08
G0688573		<0.5	0.05	0.69	25	1	4.0	0.41	236	28	19.95	5.73	60.4	2.53	2.79	1.28
G0688574		<0.5	0.08	0.80	10	<1	3.3	0.36	208	33	11.55	1.44	67.2	4.60	4.77	0.09
G0688575		<0.5	0.06	0.37	46	1	3.9	0.42	180	31	17.55	6.56	58.9	4.70	3.51	1.02
G0688576		<0.5	0.07	0.43	72	<1	5.4	0.56	165	24	21.4	7.95	51.6	6.01	3.35	1.28
G0688577		<0.5	0.09	1.29	15	<1	6.2	0.79	206	44	17.00	2.16	62.0	6.60	5.82	0.12
G0688578		<0.5	<0.01	0.35	6	<1	<0.5	<0.03	189	6	0.89	0.69	89.0	0.17	2.78	0.03
G0688579		<0.5	<0.01	0.23	12	<1	<0.5	<0.03	220	5	1.22	0.93	85.1	0.16	3.05	0.03
G0688580		<0.5	0.28	0.65	174	<1	18.5	1.87	73	75	44.2	11.95	7.96	12.25	4.45	2.29
G0688581		<0.5	0.65	2.54	212	1	43.6	4.07	41	158	52.1	11.95	11.05	11.80	3.62	2.49
G0688582		<0.5	0.24	0.28	500	1	15.1	1.55	63	37	49.4	16.20	9.51	12.55	5.72	1.36
G0688583		<0.5	0.37	1.17	228	<1	22.9	2.48	97	89	53.2	14.10	9.48	7.90	6.46	2.31
G0688584		<0.5	0.01	0.69	8	<1	<0.5	0.05	208	20	1.26	0.72	94.5	0.18	2.99	0.02
G0688585		<0.5	0.01	0.26	8	<1	<0.5	<0.03	219	8	1.24	0.92	94.5	0.38	2.90	0.02
G0688586		<0.5	0.03	5.78	8	1	1.9	0.29	46	5	8.51	0.41	85.1	3.86	2.05	0.02
G0688587		<0.5	<0.01	0.22	14	<1	<0.5	<0.03	223	7	1.58	1.05	93.5	0.25	3.47	0.01
G0688588		<0.5	<0.01	0.20	15	<1	<0.5	<0.03	229	7	1.48	1.22	93.7	0.25	3.14	0.01
G0688589		<0.5	0.02	3.86	<5	1	0.9	0.12	28	6	4.20	0.21	93.4	1.90	1.04	0.01
G0688590		<0.5	<0.01	0.36	<5	<1	<0.5	0.03	257	7	1.51	0.92	94.5	0.20	3.08	0.01



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON  
2650 CEDAR HILL ROAD  
VICTORIA BC V8T 3H2

Page: 2 - D  
Total # Pages: 2 (A - D)  
Finalized Date: 13-NOV-2008  
Account: SAUGOR

Project: SPRING

## CERTIFICATE OF ANALYSIS VA08148433

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRAC5
		K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
G0688571		0.17	<0.01	0.25	0.31	0.07	0.07	<0.01	-1.35
G0688572		0.09	<0.01	0.08	0.42	<0.01	<0.01	<0.01	-1.95
G0688573		0.22	<0.01	0.19	0.28	0.06	0.05	0.01	-0.54
G0688574		0.17	<0.01	0.09	0.32	<0.01	<0.01	0.01	-1.55
G0688575		0.17	<0.01	0.26	0.26	0.07	0.09	<0.01	-0.89
G0688576		0.19	<0.01	0.31	0.23	0.09	0.12	<0.01	-0.71
G0688577		0.32	<0.01	0.09	0.32	<0.01	<0.01	0.01	-1.18
G0688578		0.01	<0.01	0.04	0.36	<0.01	<0.01	<0.01	-2.39
G0688579		0.03	<0.01	0.06	0.38	<0.01	<0.01	<0.01	-2.14
G0688580		1.18	0.01	0.68	0.14	0.11	0.03	0.04	6.40
G0688581		0.48	<0.01	1.11	0.16	0.54	0.11	0.02	2.65
G0688582		0.89	0.01	1.00	0.15	0.18	0.06	0.05	2.29
G0688583		1.23	0.01	0.62	0.19	0.17	0.02	0.05	2.46
G0688584		0.02	<0.01	0.04	0.37	0.09	<0.01	<0.01	-1.84
G0688585		0.05	<0.01	0.06	0.38	0.05	<0.01	<0.01	-2.18
G0688586		0.02	<0.01	0.02	0.09	0.08	<0.01	<0.01	-2.18
G0688587		0.07	<0.01	0.06	0.39	0.07	<0.01	<0.01	-2.25
G0688588		0.06	<0.01	0.07	0.40	<0.01	<0.01	<0.01	-2.12
G0688589		<0.01	<0.01	0.03	0.09	<0.01	<0.01	<0.01	-2.72
G0688590		0.05	<0.01	0.05	0.38	0.07	<0.01	<0.01	-2.36




Le Baron Prospecting  
Port Renfrew, BC

**11.0 Photos:**

Reid Main line – Myra falls – tenure 415324



Reid Creek Main line – looking north



Logging – Reid Creek mainline



BD – 6000 logging spur – bridge over creek



Ray Oshust / Gord Saunders – roadside sampling – sample location – tenure 451326





Le Baron Prospecting  
Port Renfrew, BC

## 12.0 CONCLUSIONS AND RECOMMENDATIONS

The results of the 2008 exploration program designate zones of interest for further investigation and have proven to be of great benefit in mapping the geology and structure of the Pearson claim block. The airborne geophysical survey conducted by Pacific Iron Ore has provided good information on the structure and geology of the area of interest resulting in a list of prioritized targets to be pursued with further geological investigations. A high resolution airborne EM survey is recommended to aid in drill-hole selection. The geochemical analysis (rock chip samples) gathered this year have prompted the tenure owners to expand on the selection and prioritization of exploration to follow in the coming years.

These tenures sit within identified "P targets" within the exploration reports conducted by Pacific Iron Ore; this particular area is known as P – 14, which is a targeted area of 1600 x 700 meters in which it is a moderate magnetic high, and an area worthy of further exploration.

The results of exploration and the geochemical analysis have prompted the tenure owners to secure the mineral rights to these tenures for the next two years.

## 13.0 Reference Information

Muller, J.E. (1982): Geology, Nitinat Lake, British Columbia, Map and Notes; *Geological Survey of Canada*, Open File 821, scale 1:250 000.

Ray, G.E. (1995): Fe Skarns, in Selected British Columbia Mineral Deposit Profiles, Volume 1 - Metallics and Coal, Lefebure, D.V. and Ray, G.E., Editors; *British Columbia Ministry of Employment and Investment*, Open File 1995-20, pages 63-65.

Roscoe, R.L. (1972): Report on the Renfrew Creek Claim Group, Port San Juan Area, January 21, 1972 in Prospectus, Reako Explorations Ltd., April 12 1972; *British Columbia Ministry of Energy, Mines and Petroleum Resources Library*, Property File – 092C 091.

50

Roscoe, R.L. (1973): Diamond Drilling Report on the Reko 38, Granite Creek, Port Renfrew Area; *British Columbia Ministry of Energy, Mines and Petroleum Resources*, Assessment Report 5029, 32 pp.

### Minfile:

092C031 – Tally – iron, magnetite - showing  
092C090 – Reko 3 – iron, magnetite, copper - prospect  
092C092 – Reko 10 – iron, magnetite, gold – developed prospect  
092C110 – Reko 38 – iron, magnetite - prospect  
092C146 – Reko North – iron, magnetite – prospect

### ARIS Reference information:

RNR – Golden – 29028, 28347,  
Pacific Iron Ore / Emerald Fields – 28059, 27246  
Reko - 05029