

**BC Geological Survey
Assessment Report
30777**

Assessment Report

for the

Faith Property

Soil Program

Fort Steele Mining Division
B.C.G.S. 082 F039 and 040
Latitude 49° 21' 11", Longitude 116° 11' 57"

for

Jasper Mining Corporation
1020, 833 - 4th Avenue S.W.
Calgary, Alberta
T2P 3T5

Submitted by:

Richard T. Walker, M.Sc., P.Geol.

of

Dynamic Exploration Ltd.
2601 - 42nd Avenue South
Cranbrook, B.C.
V1C 7H3

Submitted: February 20th, 2009

SUMMARY

The Faith property is located in the Purcell Mountains along Kamma Creek, a west flowing tributary of the Goat River, southwest of Cranbrook, BC. The property comprises a total of 2,062.09 ha (5095.54 acres) located in the headwaters of Kamma Creek. Although the property is only approximately 37 km southwest of Cranbrook, access to the property must be made along the Goat River north of the community of Kitchener. Access is readily available for 2WD vehicle to, and throughout, much of the property along existing, well maintained logging roads.

The stratigraphy underlying the property belongs the uppermost Aldridge and lower to middle Creston Formations of the Belt Purcell Supergroup, lying in the hangingwall of the regionally significant Moyie River fault. In addition, a number of felsic intrusions have been identified in the general area (i.e. the Kiakho and Angus Creek Stocks) as well as smaller felsite dykes on immediately adjacent ground. These intrusive bodies are most probably correlated to the Bayonne Magmatic Belt (Logan 2002) of Cretaceous age.

Highly anomalous gold (to 1,460 ppb) has been previously identified on the property and a small grid extending through a saddle in the core of the property returned a further highly anomalous results (Klewchuk 1993). A short drill program subsequently completed by Consolidated Ramrod Resources (Klewchuk 1994) failed to intersect any interesting mineralization and the property was allowed to lapse.

The author believes that drill holes completed by Ramrod were collared in the footwall of the mineralized horizon(s) and drilled away from the horizon. As a result, the horizon remains untested.

Soil sampling during previous programs returned a number of multi-station, coincident soil anomalies which were followed up during the 2008 field season. A total of 638 soil samples were recovered during 2008, increasing the composite soil database compiled for the property to 2,016 analyses. The resulting composite database has been evaluated for anomalies, which are described herein.

Between June 22nd and October 9th, a total of 64 man-days were expended collecting further soils from the Faith Property. The program was completed to provide further geochemical information with which to evaluate the property. A total of 38 soil samples were recovered and submitted to Acme Analytical Laboratories for processing using SS80 preparation and 39 element Group 1DX (ICP) analysis.

Table of Contents

| | |
|------------------------------------|-----|
| Summary | i |
| Table of Contents | ii |
| List of Figures | iii |
| List of Appendices | iii |
| 1.0 Introduction | 1 |
| 2.0 Location and Access | 4 |
| 3.0 Physiography and Climate | 4 |
| 4.0 Claims | 5 |
| 5.0 Work History | 5 |
| 6.0 Regional Geology | 8 |
| 6.1 Stratigraphy | 8 |
| 6.1.1 Proterozoic | 8 |
| 6.1.1.1 Aldridge Formation | 8 |
| Middle Aldridge | 8 |
| Laminated Siltstone Markers | 8 |
| Upper Aldridge | 9 |
| 6.1.1.2 Creston Formation | 9 |
| Lower Creston | 9 |
| Middle Creston | 10 |
| 6.1.1.3 Kitchener Formation | 11 |
| 6.2 Intrusives | 12 |
| 6.2.1 Proterozoic | 12 |
| 6.2.1.1 Moyie Sills | 12 |
| 6.2.2 Mesozoic | 14 |
| 6.2.2.1 Granitic Intrusions | 14 |
| 6.3 Structure | 14 |
| 7.0 Local Geology | 15 |
| 8.0 Property Geology | 16 |
| 9.0 2008 Program | 18 |
| 10.0 Results | 19 |
| 10.1 Soil Sampling | 19 |
| 10.1.1 Gold | 19 |
| 11.0 Discussion | 20 |
| 12.0 Conclusions | 21 |
| 13.0 References | 22 |

List of Figures

| | Page |
|--|-------------------|
| Figure 1 - Regional Location Map | 2 |
| Figure 2 - Property Location Map | 3 |
| Figure 3 - Claim Map | 6 |
| Figure 4 - Geology Map | 13 |
| Figure 5 - Sample Location Map | In Back Pocket |
| Figure 6 - Gold (ppb) Results | In Back Pocket |

List of Appendices

| |
|--|
| Appendix A - Statement of Qualifications |
| Appendix B - Analytical Results |
| Appendix C - Statement of Expenditures |
| Appendix D - Program - Related Documents |

1.0 INTRODUCTION

The Faith property is located in the Purcell Mountains along Kamma Creek, a west flowing tributary of the Goat River, southwest of Cranbrook, BC (Fig. 1 and 2). The property comprises a total of 2,062.09 ha (5095.54 acres) located in the headwaters of Kamma Creek (Fig. 3). Although the property is only approximately 37 km southwest of Cranbrook, access to the property must be made along the Goat River north of the community of Kitchener. Access is readily available for 2WD vehicle to, and throughout, much of the property along existing, well maintained logging roads.

The stratigraphy underlying the property belongs the uppermost Aldridge and lower to middle Creston Formations of the Belt Purcell Supergroup, lying in the hangingwall of the regionally significant Moyie River fault. In addition, a number of felsic intrusions have been identified in the general area (i.e. the Kiakho and Angus Creek Stocks) as well as smaller felsite dykes on immediately adjacent ground. These intrusive bodies are most probably correlated to the Bayonne Magmatic Belt (Logan 2002) of Cretaceous age.

Highly anomalous gold (to 1,460 ppb) has been previously identified on the property and a small grid extending through a saddle in the core of the property returned a further highly anomalous results (Klewchuk 1993). A short drill program subsequently completed by Consolidated Ramrod Resources (Klewchuk 1994) failed to intersect any interesting mineralization and the property was allowed to lapse.

The author believes that drill holes completed by Ramrod were collared in the footwall of the mineralized horizon(s) and drilled away from the horizon. As a result, the horizon remains untested.

Soil sampling during previous programs returned a number of multi-station, coincident soil anomalies which were followed up during the 2008 field season. A total of 638 soil samples were recovered during 2008, increasing the composite soil database compiled for the property to 2,016 analyses. The resulting composite database has been evaluated for anomalies, which are described herein.

Between June 22nd and October 9th, a total of 64 man-days were expended collecting further soils from the Faith Property. The program was completed to provide further geochemical information with which to evaluate the property. A total of 38 soil samples were recovered and submitted to Acme Analytical Laboratories for processing using SS80 preparation and 39 element Group 1DX (ICP) analysis.

DYNAMIC EXPLORATION LTD

PROPERTY LOCATION MAP


Scale:
Approx. 1 : 3,000,000


Date:
April, 2008

Mapsheet:
N.T.S. 82F / 08E
BCGS: 082F039 and 040

FIGURE 2

Drawn By: Rick Walker





DYNAMIC EXPLORATION LTD

REGIONAL LOCATION MAP

Scale:
Approx. 1 : 8, 000, 000

Date:
April, 2008

Mapsheet:
N.T.S. 82F / 08E
BCGS: 082F 039 and 040

FIGURE 1

Drawn By: Rick Walker

Property
Location

2.0 LOCATION AND ACCESS

The Faith property is located in the southern Purcell Mountains, approximately 36 kilometres south west of Cranbrook, British Columbia (Fig. 1 and 2). The claims comprising the property (Fig. 3) are located in the Fort Steele Mining Division and extend along a north flowing stretch of Kamma Creek at its headwaters, centred at approximate UTM coordinates 558500 E, 5467000 N (Latitude 49° 21' 11", Longitude 116° 11' 57"). The nearest major centre is the city of Cranbrook, from which most field programs can be supplied. The applicable 1:20,000 TRIM (Terrain Resource and Inventory Management) map is 082F 039 and 040.

There is no direct access from Cranbrook to the property. Vehicular access to the property is available from the main Kamma Creek Forest Service Road and along a relatively well developed system of tributary logging roads into the property. To access the property, drive approximately 110 km south and west from Cranbrook to the community of Kitchener along Highway 3. Turn north off the highway and drive north approximately 19 km north to the Kianuko Creek fork. Continue north approximately 5 km and turn east along Kamma Creek. Follow the road approximately 12 km to the property at the headwaters of Kamma Creek.

Helicopter support is also available from Cranbrook.

3.0 PHYSIOGRAPHY AND CLIMATE

The coniferous forest consists predominantly of pine, fir and larch which has been actively logged over the past 30 years. A number of clear-cuts are present throughout the property in various stages of regeneration.

Relief on the property is generally moderate at lower to middle elevation areas, with high relief areas at upper elevations. Elevation ranges from approximately 1280 m along Kamma Creek to 2060 m on an unnamed peak at the core of the property. Due to the location of the property within the core of the Purcell Mountains east of Kootenay Lake, the area is generally subject to moderately heavy accumulations of snow during the winter months. As a result, the property is available for exploration from mid-May to late October.

4.0 CLAIMS

The Faith property consists of 4 mineral tenures (Fig. 3) acquired through Mineral Tenure Online (MTO). All claim information was verified using the BC Government's Mineral Title website and is current as of this writing.

The property encompasses a total area of approximately 2,062.09 ha (5,095.54 acres). The four tenures are located at the headwaters of Kamma Creek, a west flowing tributary of the Goat River.

Significant claim data are summarized below:

| <u>Tenure Number</u> | <u>Claim Name</u> | <u>Anniversary Date</u> | <u>Area (ha)</u> |
|----------------------|-------------------|-------------------------|------------------|
| 544943 | Faith 1 | Nov. 06, 2013 | 525.95 |
| 544944 | Faith 2 | Nov. 06, 2013 | 505.15 |
| 544946 | Faith 3 | Nov. 06, 2013 | 525.93 |
| 544948 | Faith 4 | Nov. 06, 2013 | 505.06 |
| Total | | | 2,062.09 |

* Subject to acceptance of the 2008 Assessment Report.

5.0 WORK HISTORY

In 1989, Placer Dome Inc undertook an exploration program in the headwaters of Kamma Creek, which documented anomalous gold values in stream, soil and rock samples (Assessment Report 19,436). Of particular interest are the results of a number of triplicate analyses on single samples, which appears to document the "nugget effect" (i.e. sample 8982, which returned 5, 5 and 670 ppb, the highest value returned in the program). The southeast and northeast tributaries of Kamma Creek returned anomalous gold and soil and stream samples. Limited geological mapping and rock sampling (analytical results not included in the microfiche copy of the report) documented a result of 180 ppb on the ridge separating the two tributaries described above (see also accompanying compilation map).

The next exploration program documented was that of Consolidated Ramrod Gold Corp. (Klewchuk 1994, 1993). A total of 227 soil samples were taken along four contour lines (two west of Kamma Creek and two north of Leadville Creek) and 275 samples on the TVG grid (south-southeast of the 180 ppb rock sample result of Placer Dome). Of particular interest were the results of the TVG grid, included on the accompanying soil compilation (2005 results) and centred at approximately 558470 E, 5466870 N. The resulting anomalous highs appear to outline a northeast trending, northwest dipping planar feature. This possible mineralized plane coincides with a faulted contact mapped between the lower and middle

554000 556000 558000 560000 562000



JASPER MINING CORPORATION

FAITH PROPERTY OVERVIEW MAP

Scale:
1:50,000


Projection: NAD 83 UTM Zone 11N
Mapsheet: 82F039 82F040

DYNAMIC EXPLORATION LTD



Legend

| | | | |
|---|-------------------|---|--------------|
|  | Faith Claims |  | Lake |
|  | Property Boundary |  | Wetlands |
|  | Legacy Claims |  | Stream |
|  | Road |  | 100m contour |
| | |  | 20m contour |



554000 556000 558000 560000 562000

5472000
5470000
5468000
5466000
5464000
5462000

Creston Formation on GSC Open File 2721.

As part of their exploration program, Consolidated Ramrod drilled a total of eight diamond drill holes within the proposed boundaries of the study area. Six were located in the vicinity of the 180 ppb gold result returned by a rock sample in the Placer Dome program. One (BR93-7) was collared in the southwest third of the "TVG" grid and the eighth in the southern headwaters of Kamma Creek (locations plotted on accompanying compilation map).

In 1998, work undertaken on the Payday and Blue Ribbon claims on behalf of Black Bull Resources (BC) Ltd documented anomalous gold in soils in the headwaters of Leadville Creek, immediately south of the proposed project area.

“3.1 Soil Geochemistry

Gold results show a few anomalous results on line 16N at 400-550E and line 13N at 1250E. Gold is thought to be coming from weathered quartz-limonite shear zones parallel to the Baldy fault.

3.2 Rock Geochemistry

... Results show a very significant anomaly north of the gold-in-soil anomaly detected on line 16N. Rock samples range up to 2330ppb.

4.00 RESULTS AND CONCLUSIONS

... Significant gold anomalies occur within the soil grid and as anomalous rock-gold samples north of the soil grid. These results should be followed up on by prospecting and further rock sampling. These anomalies are probably derived from shear-hosted gold deposit(s) within the Creston Formation” (Rodgers 1999)

6.0 REGIONAL GEOLOGY

The stratigraphy of the proposed study area is dominated by exposures of the middle to upper Aldridge Formation and lower to middle Creston Formations of the Proterozoic Purcell Supergroup (Brown et al. 1993, Reesor 1981). The stratigraphic section has been thickened by as much as 30% by the Moyie Sills, which intrude the Aldridge Formation as concordant to slightly discordant sills and, more rarely, as moderately to steeply cross-cutting dykes. These stratigraphic packages are described briefly below.

6.1 Stratigraphy

6.1.1 Proterozoic

6.1.1.1 Aldridge Formation

“Within the Purcell Mountains, it has been subdivided into three main divisions: the lower Aldridge comprises rusty weathering siltstone, quartz wacke and argillite; the middle Aldridge, grey weathering quartz wacke and siltstone interbedded with silty argillite; and the upper Aldridge, rusty to dark weathering laminated argillite and silty argillite ...

Middle Aldridge

The middle Aldridge comprises a thick sequence of fine clastic rocks, dominantly planar - bedded, fine-grained quartzofeldspathic wacke to arenite, with lesser siltstone and mudstone. Medium-grained sandstone is uncommon, and coarse-grained sandstone and conglomerate are rare. Total thickness is at least 3000 metres, and may be as much as 4000 metres ... In contrast, the middle Aldridge in the Cranbrook area is about 2500 metres thick and farther north at the Sullivan Mine, only 2100 metres ...

Typically, the middle Aldridge consists of rusty brown weathering quartzo-feldspathic wacke beds, 0.2 to 1.0 metres thick, separated by thinner intervals (typically 0.05 to 0.3 metres) of siltstone and argillaceous siltstone ... The sandstone beds are even, planar and laterally continuous, massive to indistinctly graded, locally with coarse (< 1 -2 mm) dark and pale grey laminae” (Brown et al. 1993).

“Laminated Siltstone markers

The marker units are sequences of laminated dark, and siltstone, up to several metres thick, in which each laminae can be matched in precise detail for distances up to several hundred kilometres. The pattern of each laminae is each sequence in unique and hence recognition of a specific sequence of laminae allows accurate positioning of isolated outcrops or drill intersections within the thick middle Aldridge succession. At least fourteen of these marker sequences are recognized. Locally, the markers are interrupted by turbidity deposits, or partly or totally removed due to erosion by turbidity currents. ...

The upper part of the middle Aldridge is characterized by thinner wacke beds (0.05 - 0.5 metres thick) which are more widely separated with grey to dark grey, thin-bedded to laminated siltstone-dominated sequences in this part of the section and can be easily interpreted as upper Aldridge ... This distinct interbedded wacke and dark grey siltstone grades upward over about 100 metres into the upper Aldridge" (Höy 1993).

Upper Aldridge

The upper Aldridge is distinguished by its rusty dark brown weathering, grey to dark grey, platy to fissile, thin and parallel - bedded to laminated siltstone and silty mudstone couplets. Characteristic white siltstone laminae are noted ... (and) informally called "lined rock". Quartzofeldspathic wacke beds are very rare and thin (<10 cm) ... Molybdenite sills are absent.

The contact between the middle Aldridge and upper Aldridge is transitional over at least 100 metres, as wacke beds become thinner and more widely separated up-section ... (The thickness of the) upper Aldridge is estimated to be about 400 to 300 metres in the Yahk area. The gradational contact with the Creston Formation is placed where pale green colours, shrinkage (syneresis) cracks and other shallow-water sedimentary features first appear ... A massive, thick bedded siltstone or wacke occurs at the base of the Creston Formation" (Brown et al. 1993).

The upper part of the Aldridge Formation consists mainly of rusty weathering, thin-bedded, dark to medium grey argillite, and thinly parallel-laminated light and dark grey siltite laminae. Höy (1993) described the contact between the upper Aldridge and Creston Formations as usually gradational and placed the contact where either green-tinted lenticular bedding or syneresis cracks become noticeable.

6.1.1.2 Creston Formation

The Creston Formation comprises dominantly green, mauve and grey siltstone, argillite and quartzite which conformably overlies argillite and siltstone of the upper Aldridge Formation. It is interpreted to represent reworked sedimentary deposits in a shallow water environment (Brown et al 1993). The Creston Formation has been informally sub-divided into a lower argillaceous unit, a middle quartzitic member and an upper siltite/argillite unit (Brown et al. 1993). To the east, in the Fernie West-Half map sheet, Höy (1993) similarly described three main subdivisions.- "... a basal silty succession of thin-bedded grey to green siltstone and argillite, a middle quartzite succession of coarser grained mauve siltstone and quartz arenite, and an upper succession of intermixed green argillaceous siltstone and minor quartz arenite ...". Only the lower and middle Creston Formation have been identified in the proposed study area and stratigraphic descriptions are paraphrased below.

Lower Creston

The lower Creston Formation is approximately 650 metres thick in the Goat River area and consists of thin-bedded, laminated siltstone, argillite and subordinate fine-grained quartz wacke. The lower Creston is in gradational contact with the underlying upper Aldridge

Formation and is distinguished by its waxy green colour, wavy to lenticular bedding and sedimentary structures, including shrinkage (syneresis) cracks, asymmetric and symmetric ripples (Brown et al. 1993).

"The basal Creston Formation comprises several hundred metres of interlayered argillites, argillaceous siltstone and minor quartz wacke. It is generally grey to dark grey and rusty weathering near the base, but becomes green tinged upsection with increasing siltite component. Thinly laminated argillite or siltite, graded siltite-argillite couplets and lenticular-bedded siltstone are the most abundant bedforms; more massive medium-bedded quartz wacke is less common and brown-weathering silty dolomite layers are occasionally recognized. Syneresis cracks are common in the thin-bedded argillite and argillaceous siltite units" (Höy 1993).

Middle Creston

The middle Creston overlies the lower Creston across a gradational contact and is at least 900 metres in thickness. It is comprised predominantly of thin to medium laminated quartz arenite to quartz wacke, siltstone and mudstone. It is characterized by interbedded sequences of mauve to purplish and green coloured sediments which distinguish the middle Creston from the lower Creston. "Light grey to white medium-grained quartz arenite with commonly concordant but locally discordant mauve colour laminations or rings is a distinctive lithotype" (Brown et al. 1993).

"The thick, middle part of the Creston Formation comprises mauve or green argillite and siltstone with variable amounts of more massive quartz wacke or arenite. Siltstone-argillite couplets, up to several centimetres thick, dominate the basal section of the middle Creston and differ from units in the basal section as they are commonly purple in colour, thicker bedded and contain abundant mud cracks. Lenses of massive to graded, green, purple, or white quartzite that may contain large tangential crossbeds or wavy, irregular laminations are inter-bedded with the purple siltstone. The quartzites commonly scour the underlying siltstone and may contain numerous rip-up clasts. Coarsening-upward cycles, with massive to laminated purple and green siltstone at the base and interlayered purple siltstone and white quartzite with crossbeds, rip-up clasts, scour-and-fill structures and graded beds at the top have been described at Premier Lake.

A prominent, thick, white orthoquartzite unit occurs near the middle of the middle Creston. It is medium to thick bedded and contains broad trough and tangential crossbeds and numerous rip-up clasts. The upper part of the quartzite unit comprises a number of coarsening-upward cycles, 3 to 10 metres thick, with purple and green siltstones at the base grading up through ripple cross-laminated siltstones and quartzites to massive thick-bedded quartzite at the top. Smaller fining-upward sequences are also common in the middle quartzite interval and overlying siltstone units.

Interbedded mauve siltstone and argillaceous siltstone, white quartz arenite and minor green siltstone overlie the white quartzite unit. Small fining-upward cycles are common, with massive to cross-bedded quartzites at the base and thin-bedded, mud-cracked and

rippled argillite or siltstone at the top. Rip-up clasts, mud-chip breccias and some load casts occur throughout these units.

Higher in the succession, laminated green siltstone and graded siltstone-argillite couplets become prominent. Surfaces may be mud-cracked or rippled, but these structures are less prominent than in underlying units. Small fining-upward cycles are common, with thick-bedded, white or green quartzite or more massive siltstone at the base grading up into thin-bedded siltite.

The top generally comprises pale green laminated to massive argillaceous siltstone, commonly with a dolomitic cement. Contact with the overlying Kitchener Formation is gradational and consists of a transitional zone of thin, regularly bedded siltstone-argillite that contains beds of dolomitic, buff weathering argillite. The Kitchener contact is placed at the base of the first appearance of relatively pure, thick dolomite” (Höy 1993).

6.1.1.3 Kitchener Formation

The following description has been paraphrased from Höy (1993):

"The Kitchener Formation is readily divisible into lower and upper members, with the upper member further subdivisible into a lower, grey dolomitic unit and an upper interlayered dolomite, silty dolomite and siltstone unit.

The lower member comprises dominantly pale green or locally grey siltstone and dolomitic siltstone interbedded with rusty to buff-weathering silty or argillaceous dolomitic layers typically 1 to 2 metres thick. The siltstone is commonly thinly laminated to thinly-bedded or consists of graded siltstone-argillite couplets. Mudcracks, lenticular beds, crossbeds, ripple marks and basal scours are common structures. Lenses of ripple cross-laminated, dolomite-cemented, very fine-grained quartzite that resemble lenticular bedded, scour-and-fill structures are locally abundant. Grey micritic limestone pods occur locally in some siltstone beds. "Dolomite" layers vary from a dark grey, argillaceous or silty dolomite to tan dolomitic siltstone. They are commonly lenticular bedded or contain discontinuous silt lenses. The thickness of the lower member is between 350 and 500 metres thick

The upper member comprises dominantly dark grey, very thin- to thin-bedded argillaceous or silty limestone and dolomite overlain by a succession of calcareous or dolomitic siltstones. Graded beds, with thin dolomite layers capped by either siltstone or dark grey argillite, are common throughout the upper member. Carbonate layers are commonly finely or irregularly laminated, massive, and locally crossbedded. Molar-tooth structures are locally abundant in silty dolomite layers. Calcareous, dolomitic or non-dolomitic siltstone layers occur throughout the basal part of the upper member but predominate in the upper part. Non-dolomitic siltite and argillite layers become common in the upper 300 metres, are commonly graded with argillite cappings, locally crossbedded, and may have rippled surfaces. Syneresis cracks occur locally, particularly in the upper, more silty section, and

mud cracks are uncommon. Thin oolitic layers occur near the base and top of the middle member and occasional layers of stromatolites are present throughout.

6.2 Intrusives

6.2.1 Proterozoic

6.2.1.1 Moyie Sills

The "Moyie sills" comprise primarily sills but include dykes of gabbroic to dioritic composition, restricted to the lower and middle Aldridge Formation. The sills are commonly thick (15 to 30 metres) and have lateral continuity over tens of kilometres. As they are generally concordant or slightly crosscut bedding they have been used for gross stratigraphic correlations. The sills are fine to medium grained, and range in composition from hornblende (\pm pyroxene) gabbro to hornblende quartz diorite and hornblendite (Brown et al. 1993). "Biotite granophyre ranging in composition from biotite granodiorite to biotite quartz diorite, also occurs in the centre of many of the thicker sills ... (The) sills comprise dominantly hornblende and plagioclase phenocrysts, typically up to 5 millimetres in diameter, in a finer grained groundmass of plagioclase, quartz, hornblende, chlorite and epidote. Hornblende phenocrysts, commonly partially altered to chlorite and epidote, are generally subhedral to anhedral with irregular, ragged terminations. Plagioclase ... is generally clouded by a fine mixture of epidote and albite (Hoy 1993).

"Moyie silts are restricted to the lower Aldridge, the lower part of the middle Aldridge, and to correlative rocks in the northern Hughes Range. Moyie Intrusions generally form laterally extensive sills .. (and) commonly comprise up to 30 per cent of lower and middle Aldridge successions. Their abundance decreases up-section in the middle Aldridge, as the abundance of thick-bedded A-E turbidites decreases.

Moyie sills comprise dominantly gabbro and diorite ... (consisting of) dominantly hornblende and plagioclase phenocrysts, typically up to 5 millimetres in diameter, in a finer grained groundmass of plagioclase, quartz, hornblende, chlorite and epidote. Hornblende phenocrysts, commonly partially altered to chlorite and epidote, are generally subhedral to anhedral with irregular ragged terminations. Plagioclase ... is generally clouded by a fine mixture of epidote and albite (?), particularly in the more calcic cores of zoned crystals. Accessory minerals include leucosene, commonly intergrown with magnetite, as well as tourmaline, apatite, calcite and zircon".

554000 556000 558000 560000 562000

JASPER MINING CORPORATION

FAITH GEOLOGY OVERVIEW MAP

Scale:
1:50,000

Projection: NAD 83 UTM Zone 11N
Mapsheet: 82F039 82F040

DYNAMIC EXPLORATION LTD



5472000

5472000

5470000

5470000

5468000

5468000

5466000


5466000

5464000


5464000

5462000

5462000



| Legend | | | |
|--------|-------------------|--|--------------|
| | Property Boundary | | Lake |
| | Thrust Faults | | Wetlands |
| | Other Faults | | Stream |
| | Road | | 100m contour |
| | | | 20m contour |



554000 556000 558000 560000 562000

6.2.2 Mesozoic

6.2.2.1 Granitic Intrusions

Cretaceous intrusives of broadly “granitic” composition are present in a belt extending from the westernmost Rocky Mountains to Kootenay Lake, northward to the Baldy Batholith. Intrusions range from small dykes and sills to larger intrusive complexes such as the Mt. Skelly Batholith and are collectively referred to as the Bayonne Magmatic Belt (or Suite).

“Intrusive rocks ... include a number of small post kinematic mesozonal quartz monzonite, monzonite and syenitic plutons, numerous small quartz monzonite to syenite dikes and sills probably related to these stocks, and late mafic dikes. The Kiakho and Reade Lake stocks, two of the larger of the mesozonal plutons, cut across and apparently seal two prominent east-trending faults that transect the eastern flank of the Purcell anticlinorium, and hence place constraints on the timing of latest movement on these faults.

The Kiakho stock is exposed on the heavily wooded slopes of Kiakho Creek approximately 10 kilometres (west-southwest) ... of Cranbrook ... Exposures consist mainly of large, fresh angular boulders of boulder fields. Although contacts with country rock were not observed, regional mapping indicates that it intrudes clastic rocks of the Aldridge and Creston formations. The distribution of outcrops and a pronounced aeromagnetic anomaly indicate that it cuts the east-trending Cranbrook normal fault with no apparent offset. ...

The Kiakho stock is similar to the Reade Lake stock with the dominant phase being a light grey, medium-grained quartz monzonite. It is generally equigranular but grades into a hypidiomorphic granular porphyritic phase with prominent plagioclase and light grey to flesh-coloured potassic feldspar phenocrysts; both are up to several centimetres in diameter in a granular groundmass of white subhedral plagioclase, light grey potassic feldspar, quartz and black hornblende” (Höy 1993).

6.3 Structure

The following has been summarized from Höy (1993):

Rocks of the Purcell Supergroup have been affected by several separate phases of deformation, ranging from Middle Proterozoic through to Paleocene. The North American craton underwent two phases of extension, a compressional orogeny and subsequent continental rifting, followed by development of a miogeocline. Thrusting and folding associated with development of the Foreland Fold and Thrust belt took place from Cretaceous to Paleocene time and was followed by Eocene extension.

The earliest deformation was associated with extension in the Middle Proterozoic which resulted in block faulting along the margin of the Purcell Basin, coincident with deposition of the Fort Steele and Aldridge formations. Movement along growth faults is interpreted to have ceased by upper middle to upper Aldridge time. ...

A late Middle to early Upper Proterozoic (1300 to 1350 Ma) compressional event, the East Kootenay orogeny, has been interpreted based upon evidence for deformation and metamorphism prior to deposition of lower Paleozoic miogeoclinal strata. This event was associated with folding, development of a regional cleavage and granitic intrusions (i.e. 1305 ± 52 Ma Hellroaring Creek stock). Localized high grade metamorphic areas (i.e. Mathew Creek) are related to this tectonic event which is interpreted to have terminated Belt Purcell sedimentation.

The extensional Goat River orogeny occurred during deposition of the Windermere Supergroup (800 to 900 Ma) and is characterized by large-scale block faulting during and perhaps immediately prior to deposition of strata. The Windermere Supergroup is comprised of a basal conglomerate (Toby Formation) overlain by immature clastic and carbonate sediments of the Horsethief Creek Group. The Toby Formation consists of "... predominantly conglomerates and breccias, interpreted to have been deposited in fan sequences adjacent to active fault scarps in large structural basins. Locally, up to 2000 metres of underlying Belt-Purcell rocks have been eroded from uplifted blocks, providing a sediment source ... in adjacent basins" (Höy 1993).

The earlier tectonic events may record incipient rifting, with development of block-faulted, intracratonic structural basins, whereas by early Paleozoic time continental separation had occurred as platformal and miogeoclinal sediments were deposited on a western continental margin. The Laramide orogeny (Late Jurassic to Paleocene) resulted in the horizontal, northeast directed compression of Proterozoic strata and the overlying Paleozoic miogeoclinal prism onto the North American craton. Easterly verging thrust faults and folds developed with normal faults and westerly verging back thrusts and normal faults, resulting in a complex structural pattern. Two major faults, St. Mary and Moyie faults, have had a significant role in the structural history and fabric of the region, controlling facies and thickness changes in Proterozoic and Paleozoic strata.

A final episode of north-trending, west-dipping normal faulting took place in the Late Tertiary. The Rocky Mountain Trench is the most prominent and is a listric normal fault having dip-slip separation of at least 5 to 10 kilometres. However, strike slip separation is interpreted to be minimal based on stratigraphic correlations across the trench.

7.0 LOCAL GEOLOGY

The structure of the area (Fig. 4) is dominated by the Purcell Anticlinorium, a broad anticlinal structure which exposes strata of the Purcell Supergroup. The western limb of the anticlinorium is host to several regionally significant faults, having considerable east side down, dip-slip displacement and resulting in duplication of the Purcell Supergroup strata. The property is influenced by the major northeast trending Moyie River Fault to the southeast.

The Moyie Fault, at Moyie Lake, juxtaposes the upper Kitchener Formation against the lower Aldridge Formation, representing in excess of 4.6 km of vertical displacement (Brown 1998). The Aldridge Formation in the hangingwall is comprised predominantly of the middle Aldridge Formation, with subordinate exposures of the lower Aldridge Formation immediately west of the Moyie Fault. Regionally, the contact between the upper Aldridge Formation and the overlying

Creston Formation is the locus of the Old Baldy Fault (or its interpreted en echelon equivalents). Vertical displacements in excess of 250 metres have been documented where the fault juxtaposes lower Creston Formation against the upper middle Aldridge Formation. The Moyie River Fault follows the Moyie River valley and has an unknown, west side down component of displacement. These represent the main northeast- trending faults.

There are a limited number of west to northwest trending faults such as the Perry Creek Fault (Fig. 4), interpreted to be coeval and similar in nature to late (possibly Cretaceous age) faults described farther north, such as the Cranbrook Fault which "... is an east-trending normal fault that is younger than folding associated with initial reverse displacement on the Palmer Bar fault, but is later than normal movement. The Cranbrook fault juxtaposes Creston Formation in its hangingwall against middle Aldridge turbidites. It is cut by the Kiakho stock which has been dated by potassium-argon at 122 Ma. Due to possible excess argon in the hornblendes, this date is interpreted to be a maximum age of emplacement of the stock. ..." (Höy 1993).

8.0 PROPERTY GEOLOGY

The property is underlain in approximately subequal proportions by Aldridge and Creston formation strata, with Kitchener Formation strata along the west-northwest boundary (Fig. 4). Regional mapping (Brown 1998), documents a series of northeast trending, northwest dipping faults in the hangingwall of the Moyie fault. These faults duplicate the stratigraphy in the hangingwall, comprised of the Middle Aldridge through Kitchener Formation, in multiple thrust faults.

The property, as mapped, is bounded by two faults, the Perry Creek Fault to the northwest and the Old Baldy Fault to the southeast, both in the hangingwall of the regionally significant Moyie River Fault. The contact between the Aldridge and Creston Formation trends northeast and passes through the approximate centre of the property.

There is a single MINFILE occurrence occurring at the eastern edge of the property, namely, the Cooper (Minfile 082FSE114). This occurrence, at UTM coordinates 559322 E, 5465849 N (within 1 km), encompasses the anomalous gold results documented as a result of the 1993 program by Consolidated Ramrod Gold Corp (Klewchuk 1994, 1993), as well as the previous program by Placer Dome Inc. in 1989 (Assessment Report 19,436) and largely contained within the claim block proposed for this program.

The description for the MINFILE occurrence is as follows:

"The Cooper property is located between the headwaters of Kamma Creek, which drains into the Goat River, and the South Moyie Creek, which drains into the Moyie River. The claim area is south of and along strike from a regional fault underlying Perry Creek, where lode gold mineralization has been found; exploratory and active placer gold operations are present along the Goat and Moyie rivers respectively. Gold has been found in individual quartz veins (2-20 metres wide), mineralized shear zones

associated with Middle Proterozoic Moyie intrusions, and altered zones surrounding syenite intrusive bodies located along major faults.

The property is underlain by rocks of the Creston and Aldridge formations, comprising respectively shallow water sedimentary and deeper water turbidite facies; siltstone, argillite and fine-grained quartzite are represented. These strata have an average strike of 215 degrees and dip 40-85 degrees west; there are a number of medium to small sized shear or fault zones throughout the property that strike northeast and dip vertically.

Pyrite is associated with small quartz veins up to 0.5 metre thick within the Aldridge Formation, occurring as single cubes and fine disseminations throughout the veins; specular hematite is also associated with small quartz veins.

Pyrrhotite occurs as fine blebs in Aldridge argillaceous quartzite float, and there is also abundant float of milky white quartz ranging up to large 5 metre angular boulders of quartz vein float that suggest a local source.

Anomalous gold up to 670 parts per billion was found in bulk stream sediment samples draining east off the property but follow-up soils were not able to pinpoint the source of the gold; anomalous gold was found to 180 parts per billion in a five metre quartz vein which contains hematite and chlorite. This sample also contains anomalous copper (100 parts per million) and arsenic (177 parts per million) (Assessment Report 19436)".

In addition, the proposed claim block lies approximately 3 km southwest of the David property (Minfile 082FSE108), on which an inferred resource of 96,000 tonnes grading 7.11 grams per tonne was documented in 1991. The following was taken from the description in the MINFILE report:

"Significant gold mineralization is restricted to shear zones, semiparallel to bedding in the hostrocks, or closely related quartz veins. Mineralization consists of pyrite, galena, chalcopyrite and sphalerite with some visible gold. Alteration consists mainly of silicification, with lesser chlorite and clay.

The David shear occurs within quartzites and siltstones of the Middle Aldridge Formation and has been traced along strike for 1600 metres and 150 metres down dip. The shear contains anomalous gold values over this entire length. The 0.20 to 1.5 metre wide shear strikes 010 degrees and dips 60 degrees west, cutting the bedding of the hostrocks at an oblique angle. The average gold content is 0.5 to 2.0 grams per tonne. Mineralized ancillary shears intersect the main shear".

The widespread weakly to moderately, locally highly, anomalous gold values within, and adjacent to, the property is interpreted to suggest potential to identify similar gold-bearing shears on the faults mapped in the area, north of the Old Baldy Fault system which hosts the David occurrence. Soil sample lines by Consolidated Ramrod Gold Corp. along the west side of the headwaters of Kamma Creek and along the north side of Leadville Creek in 1993 documented minor to moderate levels of

anomalous gold, respectively. Subsequent work on behalf of Black Bull resources (BC) Ltd has documented anomalous gold in the headwaters of Leadville Creek, immediately south of the property.

Anomalous data documented as a result of the Placer Dome and Consolidated Ramrod exploration programs have been plotted on the accompanying compilation map (indicated by the green "2005" samples).

Of the eight diamond drill holes completed in 1993 by Consolidated Ramrod Gold Corp. within the current Faith property, DDH BR93-7 was apparently drilled to test a moderately anomalous gold + silver zone in the southwest portion of the TVG grid. As a result, it would have been collared in the footwall of a postulated northeast trending, northwest dipping mineralized plane and would not have tested the zone. Although the 6 holes to the north were collared in the hanging wall of the proposed mineralized zone, they are far enough north and of such limited depth, they would not have penetrated deeply enough to test the zone. Therefore, the postulated mineralized zone proposed for the TVG grid remains untested.

9.0 2008 PROGRAM

A further soil sampling program was completed on the Faith property to increase the geochemical information available with which to evaluate the property. Three contour and six traverse lines of varying lengths were completed to further define and delineate geochemical anomalies arising from previous years surveys. The survey was completed over 64 man-days, between June 22nd and October 9th.

Samples were collected from a variably developed "B Horizon", with a number of samples taken from the top of road cut exposures. Sample depths ranged from 5 cm to 30 cm. Sample locations were recorded using hand-held GPS and are generally considered to be accurate to within 10 m.

All samples were submitted to Acme Analytical Laboratories Ltd for processing using the SS80 package and analysis using the Group 1DX (39 element ICP + Ga) package. Samples locations are plotted on Figure 5, with analytical results included in Appendix B.

10.0 RESULTS

10.1 Soil Sampling

A total of 638 soil samples were recovered from a total of sixteen traverse and three contour lines located on either side of a ridge trending northwest through the property and on the northeast side of a branch of Kamma Creek (Fig. 5). Previous results from available Assessment Reports (Rodgers 1999, Klewchuk 1993, Walker 2008) were compiled and combined with unpublished data from 2006, resulting in a composite database of 2,016 analyses, all geographically referenced. Soil results prior to 2006 are indicated in blue; samples from 2007 are highlighted in green in Figure 5, whereas those completed in 2008 are highlighted in red.

The intent of the program was to provide infill geochemical coverage along the ridge and at a high angle to the structural trend of the underlying stratigraphy. Furthermore, the data was intended to expand upon anomalies (in particular gold) identified from the grid sampled in 1993 so as to attempt to delineate any surface control evident.

The resulting composite database consists of 2,016 ICP analyses. The following discussion addresses composite results of the entire soil database, rather than simply those of the data returned from the 2008 field program. Background values were designated as those values less than 7.5 ppb. Weakly anomalous values are those lying between 7.5 and 12.5 ppb, moderately anomalous values are those between 12.5 and 17.5 and strongly anomalous values are those greater than 17.5 ppb.

For the purposes of plotting contoured data, contour intervals were plotted every 2.5 ppb to 30 ppb, with 32.5 ppb being the maximum contour plotted. The upper contour limit was reduced to 32.5 in order to minimize the visual effect of highly anomalous single “spike” highs.

Copy of the 2007 analytical results are included in Appendix B.

10.1.1 Gold

As gold is currently the metal of predominant interest on the property, it was the only element plotted.

The plot of the data (Fig. 6) documents a very interesting set of anomalies. (Note: the large red anomalies in the northwest and southeast corners are artifacts of the kriging routine, attempting to grid areas of sparse information).

Many of the anomalies plotted are comprised of multi-station samples returning anomalous values. Previous work (1993) documented anomalous values (including a high of 1,460 ppb) from a small soil grid in a pass along the ridge. Subsequent work by the company has documented a number anomalies worthy of further work.

11.0 DISCUSSION

Geochemical anomalies documented for gold demonstrate a general spatial association with the contacts mapped between the Creston and upper Aldridge Formation and, more specifically, the structures (faults) indicated on the geology map (Brown 1998). In detail, there are inconsistencies between the orientation and continuity of geochemical trends for gold and surface traces of stratigraphic contacts and faults on the map. A possible explanation for this may be the difference between the regional nature of the geology map and the property specific nature of the geochemical results. The strong spatial association between moderately anomalous gold results and the saddle where one would expect a recessive fault to be localized, is interpreted as evidence for the *in situ* validity of the gold anomalies documented throughout the property. The exception to this statement would be anomalies occurring along the boundaries and, in particular, lying outside the area of geochemical coverage.

Geological mapping of the property should be considered so as to attempt to constrain the location and surface trace of the stratigraphic contacts and structural elements of the property.

12.0 CONCLUSIONS

The 2008 program on the Faith property consisted of recovering 638 “B Horizon” soil samples along both contours and compass traverses throughout the property, generally oriented at a high angle to both the trend of the host stratigraphy and controlling structures. Samples lines were selected so as to provide additional information with which to evaluate anomalies. Results returned from analysis of the samples continue to be very encouraging.

The geochemical results appear to confirm interpreted structural control for gold mineralization, localized along the stratigraphic contact between the Creston and upper Aldridge Formation and, more importantly, along the interpreted surface trace of regional faults mapped on the property. Furthermore, the geochemical results suggest that the geological map for the area (Brown 1998) is largely regional nature, with considerable room for refinement at the property scale.

Future work is recommended, comprised of further soil sampling to better delineate local geochemical (soil) anomalies in some areas of the properties. The saddle, in which initial gold anomalies were documented (Blue Robin property - Klewchuk 1993), remains the locus of a compelling geochemical anomaly, predominantly for gold, interpreted to be structurally associated with a fault / shear zone. Subsequent drill testing by Chapleau Resources (Klewchuk 1994) is interpreted to have been collared incorrectly to test the structural control, having been collared in the footwall, and drilled away from, the fault. Drill testing is strongly recommended to test both the fault and the possibility of shear hosted gold associated with the Old Baldy Fault system.

13.0 REFERENCES

- Brown, D.A. 1998. Geological Compilation of Grassy Mountain (East Half) and Moyie Lake (West Half) Map Areas, Southeastern British Columbia, British Columbia Ministry of Energy and Mines Geoscience Map 1998-3, 1:50,000 scale map.
- Höy, T. 1993. Geology of the Purcell Supergroup in the Fernie West-Half Map Area, Southeastern British Columbia British Columbia Ministry of Energy, Mines and Petroleum Resources Bulletin 84, 157 p.
- Klewchuk, P. 1994. Assessment Report on Roadbuilding, Trenching and Diamond Drilling - Blue Robin Property, Nelson Mining Division, Assessment Report 23,398, dated June, 1994
- . 1993. Assessment Report on Soil Geochemistry - Blue Robin Property, Nelson Mining Division, Assessment Report 23, 160, dated December, 1993.
- Lang, J.R., Baker, T., Hart, C.J.R. and Mortenson, J.K. 2000. An Exploration Model for Intrusion-Related Gold Systems, Society of Economic Geologists Newsletter, Number 40, 1, pp.1 , 6-15.
- Logan, J. 2002. Intrusion - Related Mineral Occurrences of the Cretaceous Bayonne Magmatic Belt, Southeast British Columbia, British Columbia Ministry of Energy and Mines Geoscience Map 2002-1, 1:500,000 scale.
- Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005: Digital Geology Map of British Columbia: Whole Province, B.C. Ministry of Energy and Mines, Geofile 2005-1, scale 1:250,000.
- Rodgers, G.M. 1999. Geochemical Report (Payday and Blue Ribbon claims), Nelson Mining Division, Assessment Report 26,081, dated Nov. 15, 1999.

Appendix A
Statement of Qualifications

STATEMENT OF QUALIFICATIONS

I, Richard T. Walker, of 2601 - 42nd Avenue, Cranbrook, BC, hereby certify that:

- 1) I am a graduate of the University of Calgary of Calgary, Alberta, having obtained a Bachelors of Science in 1986.
- 2) I obtained a Masters of Geology at the University of Calgary of Calgary, Alberta in 1989.
- 3) I am a member of good standing with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
- 4) I am a consulting Geologist, with an office at 2601 - 42nd Avenue, Cranbrook, British Columbia.
- 5) I am the author of this report which is based on work completed under my supervision between June 22nd and October 9th, 2009.
- 6) I was personally involved in the acquisition of the claims described herein.

Dated at Cranbrook, British Columbia this 20th day of February, 2009.



Richard T. Walker, P.Geo.

Appendix B
Analytical Results



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: July 14, 2008
 Report Date: July 25, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08007303.1

CLIENT JOB INFORMATION

Project: FAITH
 Shipment ID: JSP-08-S-009
 P.O. Number
 Number of Samples: 2

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 2 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 2 | Dry at 60C | | |
| RJSV | 2 | Save all or part of soil reject fraction | | |
| 1DX15 | 2 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed |

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: July 25, 2008

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007303.1

| Method | Analyte | 1DX15 | |
|----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 |
| MCFAS001 | Silt | 1.1 | 19.3 | 36.9 | 91 | 0.2 | 14.5 | 12.2 | 636 | 2.16 | 18.9 | 2.5 | 5.3 | 4.1 | 13 | 0.7 | 0.3 | 0.5 | 12 | 0.15 | 0.040 |
| SDERS001 | Silt | 1.3 | 20.1 | 39.1 | 76 | 0.2 | 13.1 | 12.8 | 662 | 2.10 | 17.7 | 3.0 | 3.7 | 4.0 | 13 | 0.4 | 0.3 | 0.5 | 11 | 0.11 | 0.039 |



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

July 25, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08007303.1

| Method | Analyte | 1DX15 | |
|----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | |
| MCFAS001 | Silt | 27 | 9 | 0.26 | 78 | 0.016 | <1 | 1.29 | 0.005 | 0.09 | 0.1 | 0.03 | 0.8 | 0.1 | <0.05 | 3 | <0.5 | <1 | <1 | <1 |
| SDERS001 | Silt | 25 | 8 | 0.23 | 76 | 0.013 | <1 | 1.22 | 0.006 | 0.09 | 0.2 | 0.02 | 0.9 | 0.2 | <0.05 | 3 | <0.5 | <1 | <1 | <1 |

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: July 25, 2008

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN08007303.1

| Method | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 21.3 | 109.0 | 73.5 | 398 | 0.8 | 57.3 | 9.7 | 651 | 2.39 | 52.1 | 5.2 | 60.6 | 4.7 | 68 | 6.2 | 4.9 | 3.6 | 89 | 0.99 | 0.072 |
| STD DS7 Expected | | 20.92 | 109 | 70.6 | 411 | 0.89 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 68.7 | 6.38 | 5.86 | 4.51 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: July 25, 2008

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

VAN08007303.1

| Method | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|---------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 13 | 226 | 1.06 | 396 | 0.119 | 40 | 1.07 | 0.095 | 0.46 | 4.0 | 0.21 | 2.3 | 4.3 | 0.22 | 5 | 3.3 | 5 | 1 | 6 |
| STD DS7 Expected | | 12.7 | 163 | 1.05 | 370.3 | 0.124 | 38.6 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.19 | 0.21 | 4.6 | 3.5 | 5.4 | 1.08 | 5.4 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: July 14, 2008
 Report Date: August 01, 2008
 Page: 1 of 11

CERTIFICATE OF ANALYSIS

VAN08007245.1

CLIENT JOB INFORMATION

Project: FAITH
 Shipment ID: JSP-08-S-009
 P.O. Number
 Number of Samples: 275

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 275 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 275 | Dry at 60C | | |
| RJSV | 275 | Save all or part of soil reject fraction | | |
| 1DX15 | 275 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed |

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|-------------------|-------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|----------------|-----------------|------------------|-----------------|------------------|------------------|----------------|------------------|------------------|------------------|---------------|-----------------|-----------------|
| | | Mo ppm 0.1 | Cu ppm 0.1 | Pb ppm 0.1 | Zn ppm 1 | Ag ppm 0.1 | Ni ppm 0.1 | Co ppm 0.1 | Mn ppm 1 | Fe % 0.01 | As ppm 0.5 | U ppm 0.1 | Au ppb 0.5 | Th ppm 0.1 | Sr ppm 1 | Cd ppm 0.1 | Sb ppm 0.1 | Bi ppm 0.1 | V ppm 2 | Ca % 0.01 | P % 0.001 |
| FA-13 00+00 | Soil | 0.4 | 4.1 | 6.5 | 24 | <0.1 | 8.2 | 4.1 | 125 | 1.58 | 2.6 | 0.5 | 2.5 | 6.9 | 5 | <0.1 | 0.2 | 0.2 | 18 | 0.04 | 0.034 |
| FA-13 00+50S | Soil | 0.6 | 4.9 | 9.5 | 39 | <0.1 | 12.5 | 11.5 | 740 | 2.11 | 3.3 | 0.9 | 0.8 | 7.0 | 6 | <0.1 | 0.4 | 0.3 | 22 | 0.06 | 0.069 |
| FA-13 01+00S | Soil | 0.5 | 5.6 | 7.8 | 37 | <0.1 | 14.7 | 8.5 | 207 | 2.42 | 2.6 | 1.1 | <0.5 | 10.2 | 3 | <0.1 | 0.3 | 0.3 | 25 | 0.03 | 0.055 |
| FA-13 01+50S | Soil | 0.5 | 6.2 | 9.0 | 47 | <0.1 | 13.2 | 8.4 | 545 | 2.01 | 2.6 | 0.8 | 3.4 | 6.9 | 6 | <0.1 | 0.3 | 0.3 | 23 | 0.05 | 0.095 |
| FA-13 02+00S | Soil | 0.6 | 5.6 | 8.2 | 46 | <0.1 | 12.9 | 6.8 | 474 | 2.05 | 3.5 | 0.7 | <0.5 | 9.0 | 6 | 0.1 | 0.3 | 0.2 | 22 | 0.06 | 0.104 |
| FA-13 02+50S | Soil | 0.5 | 4.9 | 9.1 | 31 | <0.1 | 10.3 | 5.2 | 91 | 1.85 | 2.4 | 0.7 | 1.6 | 7.6 | 3 | <0.1 | 0.3 | 0.3 | 19 | 0.01 | 0.026 |
| FA-13 03+00S | Soil | 0.6 | 8.1 | 8.9 | 31 | <0.1 | 9.2 | 4.8 | 132 | 1.89 | 2.6 | 0.6 | 53.8 | 6.0 | 3 | <0.1 | 0.3 | 0.3 | 23 | 0.02 | 0.044 |
| FA-13 03+50S | Soil | 0.9 | 6.1 | 10.6 | 41 | <0.1 | 12.8 | 8.9 | 307 | 2.00 | 2.8 | 0.8 | <0.5 | 6.3 | 6 | <0.1 | 0.2 | 0.3 | 26 | 0.04 | 0.046 |
| FA-13 04+00S | Soil | 0.4 | 3.3 | 7.2 | 32 | <0.1 | 7.7 | 4.3 | 79 | 1.79 | 2.7 | 0.4 | 0.7 | 7.1 | 3 | <0.1 | 0.2 | 0.3 | 21 | 0.01 | 0.031 |
| FA-13 04+50S | Soil | 0.5 | 6.6 | 11.6 | 34 | <0.1 | 8.7 | 4.3 | 91 | 1.65 | 3.3 | 0.4 | <0.5 | 4.4 | 4 | <0.1 | 0.2 | 0.3 | 28 | 0.03 | 0.048 |
| FA-13 05+50S | Soil | 0.7 | 6.9 | 7.4 | 26 | <0.1 | 8.0 | 4.0 | 86 | 2.19 | 4.6 | 0.6 | 1.6 | 7.0 | 3 | <0.1 | 0.3 | 0.3 | 25 | 0.01 | 0.042 |
| FA-13 06+00S | Soil | 0.3 | 2.2 | 5.8 | 19 | <0.1 | 6.4 | 3.4 | 293 | 1.42 | 2.6 | 0.4 | <0.5 | 6.0 | 3 | <0.1 | 0.2 | 0.2 | 13 | 0.03 | 0.061 |
| FA-13 06+50S | Soil | 0.4 | 2.7 | 7.1 | 18 | <0.1 | 7.0 | 3.3 | 70 | 1.24 | 2.2 | 0.5 | <0.5 | 6.0 | 4 | <0.1 | 0.3 | 0.2 | 14 | 0.02 | 0.022 |
| FA-13 07+00S | Soil | 0.4 | 3.2 | 5.3 | 27 | <0.1 | 8.4 | 5.0 | 455 | 1.50 | 1.9 | 0.5 | 36.4 | 5.7 | 3 | <0.1 | 0.2 | 0.2 | 16 | 0.02 | 0.037 |
| FA-13 07+50S | Soil | 0.5 | 6.4 | 5.4 | 26 | <0.1 | 10.8 | 5.8 | 91 | 1.68 | 2.0 | 0.7 | 0.7 | 7.4 | 3 | <0.1 | 0.2 | 0.2 | 18 | 0.02 | 0.045 |
| FA-13 08+00S | Soil | 0.5 | 3.8 | 6.4 | 43 | <0.1 | 11.1 | 6.3 | 735 | 1.82 | 2.1 | 0.8 | 0.8 | 7.9 | 4 | <0.1 | 0.3 | 0.2 | 19 | 0.04 | 0.046 |
| FA-13 08+50S | Soil | 0.7 | 4.2 | 6.9 | 40 | <0.1 | 10.9 | 5.2 | 237 | 1.79 | 2.1 | 0.6 | 47.1 | 7.4 | 4 | <0.1 | 0.3 | 0.3 | 19 | 0.02 | 0.037 |
| FA-13 09+00S | Soil | 0.6 | 5.4 | 13.8 | 40 | <0.1 | 12.4 | 11.8 | 741 | 1.74 | 2.8 | 0.9 | <0.5 | 4.7 | 7 | <0.1 | 0.3 | 0.3 | 19 | 0.06 | 0.055 |
| FA-13 09+50S | Soil | 0.4 | 8.2 | 6.8 | 38 | <0.1 | 13.8 | 8.3 | 184 | 1.76 | 2.8 | 2.9 | 1.0 | 9.8 | 6 | <0.1 | 0.2 | 0.2 | 12 | 0.05 | 0.034 |
| FA-13 10+00S | Soil | 1.1 | 9.8 | 12.8 | 48 | <0.1 | 17.6 | 9.0 | 1018 | 2.21 | 4.9 | 6.0 | <0.5 | 10.4 | 16 | <0.1 | 0.4 | 0.3 | 19 | 0.19 | 0.063 |
| FA-13 11+00S | Soil | 0.5 | 5.9 | 8.8 | 56 | <0.1 | 14.5 | 7.5 | 1240 | 1.90 | 3.0 | 0.8 | <0.5 | 6.1 | 10 | 0.1 | 0.3 | 0.2 | 22 | 0.07 | 0.081 |
| FA-13 11+50S | Soil | 0.7 | 8.1 | 15.3 | 54 | <0.1 | 13.5 | 8.8 | 1545 | 2.27 | 4.2 | 1.6 | 0.6 | 6.1 | 18 | 0.2 | 0.4 | 0.5 | 26 | 0.23 | 0.138 |
| FA-13 12+00S | Soil | 0.5 | 6.7 | 11.4 | 29 | <0.1 | 10.5 | 7.0 | 384 | 1.82 | 2.9 | 0.6 | 6.3 | 4.2 | 17 | <0.1 | 0.2 | 0.4 | 22 | 0.16 | 0.115 |
| FA-13 12+50S | Soil | 0.5 | 11.9 | 14.2 | 56 | <0.1 | 15.7 | 8.3 | 660 | 2.09 | 3.2 | 1.1 | 0.7 | 6.4 | 12 | <0.1 | 0.2 | 0.3 | 25 | 0.09 | 0.230 |
| FA-13 13+00S | Soil | 0.7 | 6.5 | 12.3 | 35 | <0.1 | 11.4 | 7.3 | 396 | 1.85 | 3.0 | 0.8 | 1.3 | 5.5 | 10 | <0.1 | 0.2 | 0.3 | 22 | 0.06 | 0.096 |
| FA-13 13+50S | Soil | 0.6 | 7.2 | 8.4 | 34 | <0.1 | 11.2 | 6.4 | 228 | 1.63 | 2.8 | 0.7 | <0.5 | 5.9 | 9 | <0.1 | 0.2 | 0.3 | 17 | 0.08 | 0.050 |
| FA-13 14+00S | Soil | 0.7 | 11.0 | 12.5 | 50 | <0.1 | 10.9 | 7.5 | 785 | 1.99 | 3.3 | 0.7 | 1.0 | 3.9 | 10 | 0.1 | 0.2 | 0.3 | 26 | 0.10 | 0.155 |
| FA-14 00+00 | Soil | 0.8 | 11.6 | 8.4 | 52 | <0.1 | 7.7 | 5.5 | 502 | 1.99 | 4.7 | 1.2 | 1.0 | 3.7 | 6 | 0.1 | 0.2 | 0.2 | 26 | 0.04 | 0.132 |
| FA-14 00+50S | Soil | 1.1 | 13.6 | 11.6 | 34 | <0.1 | 8.3 | 4.2 | 110 | 2.67 | 4.6 | 0.9 | 1.3 | 3.9 | 4 | <0.1 | 0.2 | 0.3 | 43 | 0.03 | 0.061 |
| FA-14 01+00S | Soil | 0.4 | 3.4 | 5.8 | 27 | <0.1 | 6.9 | 3.5 | 133 | 1.41 | 2.1 | 0.4 | 0.7 | 4.8 | 4 | <0.1 | 0.3 | 0.2 | 17 | 0.02 | 0.021 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

2 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------------|----------------|----------------|-----------------|----------------|------------------|---------------|-----------------|------------------|----------------|-----------------|-------------------|------------------|------------------|----------------|----------------|------------------|----------------|----------------|----------------|----|
| | La ppm 1 | Cr ppm 1 | Mg % 0.01 | Ba ppm 1 | Ti % 0.001 | B ppm 1 | Al % 0.01 | Na % 0.001 | K % 0.01 | W ppm 0.1 | Hg ppm 0.01 | Sc ppm 0.1 | Tl ppm 0.1 | S % 0.05 | Ga ppm 1 | Se ppm 0.5 | Sn ppm 1 | Te ppm 1 | Zr ppm 1 | |
| FA-13 00+00 | Soil | 20 | 6 | 0.37 | 76 | 0.022 | <1 | 1.22 | 0.005 | 0.06 | 0.2 | 0.03 | 0.8 | <0.1 | 0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 00+50S | Soil | 16 | 8 | 0.60 | 153 | 0.021 | <1 | 1.57 | 0.006 | 0.08 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 01+00S | Soil | 20 | 11 | 1.03 | 122 | 0.026 | <1 | 1.94 | 0.005 | 0.07 | 0.2 | 0.03 | 1.4 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 5 |
| FA-13 01+50S | Soil | 16 | 7 | 0.48 | 164 | 0.048 | <1 | 2.15 | 0.010 | 0.08 | 0.2 | 0.05 | 1.4 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 6 |
| FA-13 02+00S | Soil | 17 | 9 | 0.72 | 105 | 0.035 | <1 | 2.11 | 0.012 | 0.08 | 0.2 | 0.05 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 6 |
| FA-13 02+50S | Soil | 21 | 8 | 0.60 | 84 | 0.021 | <1 | 1.52 | 0.005 | 0.06 | 0.1 | 0.03 | 0.9 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 3 |
| FA-13 03+00S | Soil | 21 | 9 | 0.47 | 84 | 0.024 | <1 | 1.72 | 0.007 | 0.07 | 0.2 | 0.02 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 03+50S | Soil | 15 | 8 | 0.34 | 156 | 0.062 | 1 | 2.96 | 0.011 | 0.07 | 0.3 | 0.04 | 1.4 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 14 |
| FA-13 04+00S | Soil | 22 | 9 | 0.56 | 73 | 0.022 | <1 | 1.79 | 0.005 | 0.05 | 0.1 | 0.03 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 4 |
| FA-13 04+50S | Soil | 13 | 7 | 0.30 | 75 | 0.057 | 1 | 2.24 | 0.010 | 0.05 | 0.2 | 0.03 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 14 |
| FA-13 05+50S | Soil | 22 | 9 | 0.45 | 47 | 0.027 | <1 | 1.41 | 0.004 | 0.05 | 0.2 | 0.03 | 0.9 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 06+00S | Soil | 23 | 6 | 0.46 | 58 | 0.022 | <1 | 1.18 | 0.007 | 0.04 | 0.1 | 0.05 | 0.6 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| FA-13 06+50S | Soil | 26 | 6 | 0.52 | 59 | 0.020 | <1 | 1.08 | 0.005 | 0.05 | 0.1 | 0.03 | 0.7 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| FA-13 07+00S | Soil | 24 | 7 | 0.53 | 84 | 0.024 | <1 | 1.46 | 0.005 | 0.06 | 0.1 | 0.02 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 1 |
| FA-13 07+50S | Soil | 21 | 8 | 0.62 | 66 | 0.046 | <1 | 1.90 | 0.007 | 0.05 | 0.1 | 0.03 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 7 |
| FA-13 08+00S | Soil | 21 | 10 | 1.03 | 115 | 0.035 | <1 | 1.83 | 0.007 | 0.08 | 0.1 | 0.03 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 1 |
| FA-13 08+50S | Soil | 25 | 9 | 0.88 | 73 | 0.032 | 1 | 1.54 | 0.005 | 0.08 | 0.1 | 0.03 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| FA-13 09+00S | Soil | 21 | 9 | 0.93 | 164 | 0.034 | 1 | 1.73 | 0.009 | 0.10 | 0.1 | 0.05 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| FA-13 09+50S | Soil | 20 | 11 | 0.95 | 133 | 0.017 | <1 | 1.74 | 0.006 | 0.13 | <0.1 | 0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 10+00S | Soil | 18 | 15 | 1.61 | 278 | 0.021 | 1 | 2.92 | 0.012 | 0.15 | 0.1 | 0.02 | 2.3 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 1 |
| FA-13 11+00S | Soil | 18 | 10 | 0.90 | 126 | 0.052 | 1 | 2.26 | 0.011 | 0.09 | 0.1 | 0.04 | 1.1 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 11+50S | Soil | 17 | 11 | 0.59 | 221 | 0.055 | 2 | 2.08 | 0.010 | 0.11 | 0.1 | 0.04 | 1.4 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-13 12+00S | Soil | 14 | 8 | 0.42 | 207 | 0.063 | 1 | 2.17 | 0.013 | 0.06 | 0.2 | 0.04 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 6 |
| FA-13 12+50S | Soil | 12 | 9 | 0.47 | 200 | 0.084 | 2 | 3.26 | 0.017 | 0.08 | 0.2 | 0.05 | 1.7 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 12 |
| FA-13 13+00S | Soil | 12 | 8 | 0.42 | 150 | 0.065 | 1 | 2.32 | 0.012 | 0.07 | 0.2 | 0.05 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 10 |
| FA-13 13+50S | Soil | 20 | 7 | 0.60 | 110 | 0.036 | <1 | 1.77 | 0.009 | 0.06 | 0.1 | 0.03 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 4 |
| FA-13 14+00S | Soil | 11 | 8 | 0.32 | 178 | 0.100 | 3 | 3.12 | 0.020 | 0.09 | 0.2 | 0.04 | 1.4 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 11 |
| FA-14 00+00 | Soil | 5 | 7 | 0.15 | 55 | 0.113 | 1 | 5.67 | 0.019 | 0.03 | 0.3 | 0.10 | 2.5 | <0.1 | <0.05 | <1 | 0.7 | <1 | <1 | 46 |
| FA-14 00+50S | Soil | 8 | 10 | 0.18 | 74 | 0.125 | 1 | 4.12 | 0.015 | 0.05 | 0.2 | 0.08 | 2.5 | 0.1 | <0.05 | <1 | <0.5 | 1 | <1 | 44 |
| FA-14 01+00S | Soil | 18 | 6 | 0.28 | 59 | 0.034 | <1 | 1.29 | 0.010 | 0.05 | <0.1 | 0.02 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 4 |



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 3 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|-------------------|-------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|----------------|-----------------|------------------|-----------------|------------------|------------------|----------------|------------------|------------------|------------------|---------------|-----------------|-----------------|
| | | Mo ppm 0.1 | Cu ppm 0.1 | Pb ppm 0.1 | Zn ppm 1 | Ag ppm 0.1 | Ni ppm 0.1 | Co ppm 0.1 | Mn ppm 1 | Fe % 0.01 | As ppm 0.5 | U ppm 0.1 | Au ppb 0.5 | Th ppm 0.1 | Sr ppm 1 | Cd ppm 0.1 | Sb ppm 0.1 | Bi ppm 0.1 | V ppm 2 | Ca % 0.01 | P % 0.001 |
| FA-14 01+50S | Soil | 0.5 | 5.9 | 9.2 | 49 | <0.1 | 11.1 | 5.7 | 147 | 2.18 | 3.6 | 0.6 | 0.7 | 7.3 | 5 | <0.1 | 0.3 | 0.3 | 29 | 0.04 | 0.099 |
| FA-14 02+00S | Soil | 0.7 | 6.6 | 9.4 | 43 | <0.1 | 10.5 | 5.5 | 135 | 2.00 | 2.6 | 0.6 | 0.5 | 4.6 | 6 | <0.1 | 0.2 | 0.3 | 27 | 0.03 | 0.046 |
| FA-14 02+50S | Soil | 0.6 | 7.2 | 10.3 | 59 | <0.1 | 13.8 | 8.4 | 313 | 2.33 | 2.9 | 0.7 | 0.5 | 6.6 | 7 | 0.1 | 0.3 | 0.3 | 30 | 0.04 | 0.055 |
| FA-14 03+00S | Soil | 0.6 | 6.6 | 10.1 | 47 | <0.1 | 11.0 | 5.1 | 215 | 2.28 | 3.3 | 0.7 | 0.8 | 6.5 | 4 | 0.1 | 0.3 | 0.4 | 28 | 0.04 | 0.064 |
| FA-14 03+50S | Soil | 0.5 | 5.7 | 11.4 | 60 | <0.1 | 12.5 | 10.2 | 1415 | 1.93 | 2.4 | 0.7 | 6.7 | 5.5 | 6 | 0.2 | 0.2 | 0.4 | 28 | 0.06 | 0.114 |
| FA-14 04+00S | Soil | 0.6 | 6.1 | 13.3 | 44 | <0.1 | 12.4 | 8.6 | 1188 | 2.05 | 3.5 | 0.6 | 6.7 | 6.9 | 8 | 0.1 | 0.3 | 0.4 | 25 | 0.08 | 0.065 |
| FA-14 04+50S | Soil | 0.5 | 9.8 | 13.5 | 55 | <0.1 | 15.1 | 10.7 | 1795 | 2.02 | 2.4 | 1.0 | 3.2 | 6.1 | 8 | 0.2 | 0.3 | 0.5 | 23 | 0.06 | 0.064 |
| FA-14 05+00S | Soil | 0.6 | 8.5 | 8.3 | 32 | <0.1 | 8.6 | 4.8 | 162 | 1.82 | 2.3 | 0.6 | 4.5 | 6.6 | 3 | <0.1 | 0.3 | 0.3 | 25 | 0.03 | 0.026 |
| FA-14 05+50S | Soil | 0.6 | 4.7 | 10.4 | 30 | <0.1 | 5.7 | 2.6 | 106 | 1.67 | 1.8 | 0.5 | 3.0 | 4.7 | 4 | <0.1 | 0.2 | 0.3 | 26 | 0.03 | 0.041 |
| FA-14 06+00S | Soil | 0.8 | 21.4 | 13.0 | 63 | <0.1 | 10.8 | 6.0 | 1146 | 2.07 | 2.5 | 0.7 | 2.2 | 6.0 | 4 | <0.1 | 0.2 | 0.4 | 34 | 0.03 | 0.050 |
| FA-14 06+50S | Soil | 0.6 | 10.6 | 12.0 | 46 | <0.1 | 10.8 | 7.1 | 474 | 2.06 | 2.2 | 0.7 | 2.3 | 6.5 | 5 | <0.1 | 0.3 | 0.4 | 31 | 0.04 | 0.032 |
| FA-14 07+00S | Soil | 0.7 | 8.4 | 10.2 | 46 | <0.1 | 9.9 | 5.0 | 451 | 1.89 | 2.9 | 0.8 | 5.7 | 5.2 | 4 | <0.1 | 0.3 | 0.4 | 28 | 0.04 | 0.065 |
| FA-14 07+50S | Soil | 0.8 | 6.9 | 8.2 | 40 | <0.1 | 10.0 | 4.7 | 144 | 2.09 | 3.4 | 0.7 | 3.9 | 7.4 | 3 | <0.1 | 0.3 | 0.3 | 27 | 0.02 | 0.053 |
| FA-14 08+00S | Soil | 0.8 | 14.8 | 12.5 | 79 | <0.1 | 15.0 | 7.8 | 637 | 2.13 | 3.7 | 1.0 | 1.3 | 5.3 | 8 | 0.2 | 0.2 | 0.3 | 34 | 0.07 | 0.160 |
| FA-14 08+50S | Soil | 0.6 | 6.9 | 8.9 | 44 | <0.1 | 10.6 | 5.7 | 339 | 1.79 | 2.4 | 0.7 | 2.0 | 5.1 | 5 | 0.1 | 0.2 | 0.3 | 28 | 0.06 | 0.064 |
| FA-14 09+00S | Soil | 0.5 | 4.2 | 9.0 | 53 | <0.1 | 7.8 | 5.4 | 694 | 1.59 | 1.4 | 0.4 | 2.7 | 4.4 | 4 | 0.1 | 0.2 | 0.3 | 25 | 0.03 | 0.037 |
| FA-14 09+50S | Soil | 0.5 | 6.3 | 13.0 | 59 | <0.1 | 8.6 | 5.6 | 1031 | 1.60 | 2.5 | 0.3 | 2.3 | 2.0 | 8 | 0.1 | 0.2 | 0.3 | 30 | 0.08 | 0.057 |
| FA-14 10+00S | Soil | 0.5 | 7.8 | 12.2 | 65 | <0.1 | 9.2 | 6.8 | 4480 | 1.58 | 2.1 | 0.4 | 4.0 | 2.3 | 7 | 0.3 | 0.3 | 0.3 | 26 | 0.06 | 0.070 |
| FA-14 10+50S | Soil | 0.4 | 5.6 | 6.5 | 47 | <0.1 | 12.3 | 6.7 | 228 | 1.45 | 1.9 | 0.6 | 2.5 | 4.3 | 4 | <0.1 | 0.2 | 0.2 | 17 | 0.03 | 0.054 |
| FA-14 11+00S | Soil | 0.4 | 6.2 | 9.8 | 50 | <0.1 | 10.9 | 6.6 | 870 | 1.76 | 1.9 | 0.6 | 68.6 | 4.6 | 6 | 0.1 | 0.2 | 0.2 | 23 | 0.05 | 0.060 |
| FA-14 11+50S | Soil | 0.8 | 9.0 | 9.3 | 42 | <0.1 | 17.9 | 10.4 | 202 | 2.08 | 3.0 | 0.8 | 3.0 | 6.1 | 6 | 0.1 | 0.3 | 0.2 | 26 | 0.04 | 0.062 |
| FA-14 13+00S | Soil | 0.6 | 7.3 | 7.6 | 42 | <0.1 | 12.8 | 14.7 | 120 | 2.12 | 3.2 | 0.6 | 6.3 | 6.5 | 5 | <0.1 | 0.2 | 0.3 | 20 | 0.03 | 0.118 |
| FA-14 13+50S | Soil | 0.6 | 9.5 | 10.0 | 47 | 0.1 | 13.8 | 9.3 | 342 | 1.86 | 3.0 | 0.6 | 3.4 | 4.3 | 5 | 0.1 | 0.2 | 0.3 | 24 | 0.07 | 0.094 |
| FA-14 14+00S | Soil | 1.1 | 8.4 | 12.8 | 65 | 0.1 | 11.8 | 7.4 | 183 | 2.27 | 2.4 | 0.7 | 3.7 | 2.7 | 7 | 0.1 | 0.2 | 0.4 | 29 | 0.08 | 0.098 |
| FA-14 14+50S | Soil | 0.5 | 6.1 | 10.7 | 63 | <0.1 | 11.2 | 6.8 | 965 | 1.73 | 2.3 | 0.6 | 1.9 | 3.8 | 12 | 0.1 | 0.3 | 0.3 | 24 | 0.16 | 0.059 |
| FA-15 23+00N | Soil | 0.8 | 8.6 | 11.3 | 56 | <0.1 | 10.6 | 9.9 | 156 | 2.30 | 2.9 | 0.9 | 1.2 | 6.4 | 3 | <0.1 | 0.2 | 0.3 | 28 | 0.02 | 0.049 |
| FA-15 22+50N | Soil | 0.4 | 10.7 | 11.0 | 37 | <0.1 | 12.4 | 6.7 | 211 | 1.80 | 2.9 | 1.0 | 1.7 | 7.5 | 3 | 0.1 | 0.2 | 0.3 | 15 | 0.02 | 0.034 |
| FA-15 22+00N | Soil | 0.8 | 11.8 | 11.7 | 36 | <0.1 | 9.6 | 7.3 | 479 | 1.80 | 2.8 | 0.9 | 2.2 | 4.2 | 5 | <0.1 | 0.2 | 0.3 | 31 | 0.03 | 0.057 |
| FA-15 21+50N | Soil | 0.6 | 5.5 | 10.4 | 26 | <0.1 | 5.1 | 2.7 | 178 | 1.45 | 1.3 | 0.3 | 2.7 | 3.1 | 3 | <0.1 | 0.2 | 0.4 | 37 | 0.02 | 0.024 |
| FA-15 21+00N | Soil | 0.6 | 18.1 | 11.3 | 43 | <0.1 | 11.8 | 7.1 | 175 | 1.80 | 3.2 | 1.7 | 1.2 | 6.1 | 5 | <0.1 | 0.2 | 0.2 | 28 | 0.04 | 0.087 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

3 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit | MDL | 1DX15 | |
|-------------------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | | ppm | ppm | % | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | |
| | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | |
| FA-14 01+50S | Soil | | 12 | 9 | 0.20 | 76 | 0.076 | 1 | 2.49 | 0.012 | 0.06 | 0.2 | 0.05 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 14 |
| FA-14 02+00S | Soil | | 13 | 8 | 0.24 | 106 | 0.083 | 1 | 2.40 | 0.013 | 0.06 | 0.2 | 0.05 | 1.3 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 17 |
| FA-14 02+50S | Soil | | 12 | 9 | 0.26 | 132 | 0.095 | 1 | 2.98 | 0.014 | 0.06 | 0.1 | 0.05 | 1.6 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 20 |
| FA-14 03+00S | Soil | | 14 | 8 | 0.26 | 121 | 0.064 | 1 | 1.85 | 0.008 | 0.07 | 0.2 | 0.04 | 1.3 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 5 |
| FA-14 03+50S | Soil | | 7 | 8 | 0.18 | 219 | 0.073 | 1 | 1.97 | 0.010 | 0.07 | 0.2 | 0.06 | 1.1 | 0.1 | 0.08 | 8 | <0.5 | <1 | <1 | 6 |
| FA-14 04+00S | Soil | | 11 | 9 | 0.27 | 239 | 0.043 | 1 | 1.82 | 0.007 | 0.06 | 0.2 | 0.06 | 1.2 | 0.1 | 0.08 | 7 | <0.5 | <1 | <1 | 4 |
| FA-14 04+50S | Soil | | 9 | 7 | 0.21 | 297 | 0.044 | 1 | 1.92 | 0.007 | 0.05 | 0.2 | 0.06 | 1.1 | 0.1 | 0.07 | 6 | <0.5 | <1 | <1 | 7 |
| FA-14 05+00S | Soil | | 13 | 7 | 0.24 | 88 | 0.032 | <1 | 1.35 | 0.006 | 0.04 | 0.2 | 0.03 | 0.9 | 0.1 | 0.07 | 6 | <0.5 | <1 | <1 | 2 |
| FA-14 05+50S | Soil | | 8 | 8 | 0.19 | 65 | 0.052 | <1 | 1.33 | 0.007 | 0.04 | 0.2 | 0.04 | 0.9 | 0.1 | 0.06 | 8 | <0.5 | <1 | <1 | 5 |
| FA-14 06+00S | Soil | | 8 | 8 | 0.17 | 117 | 0.096 | <1 | 2.49 | 0.011 | 0.05 | 0.2 | 0.05 | 1.3 | 0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 12 |
| FA-14 06+50S | Soil | | 11 | 10 | 0.22 | 172 | 0.051 | <1 | 1.76 | 0.007 | 0.05 | 0.2 | 0.04 | 1.1 | 0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 4 |
| FA-14 07+00S | Soil | | 9 | 8 | 0.21 | 96 | 0.063 | <1 | 1.97 | 0.008 | 0.05 | 0.2 | 0.06 | 1.0 | <0.1 | 0.06 | 7 | <0.5 | <1 | <1 | 7 |
| FA-14 07+50S | Soil | | 14 | 10 | 0.52 | 65 | 0.052 | 1 | 2.17 | 0.005 | 0.05 | 0.2 | 0.05 | 1.1 | 0.1 | 0.06 | 7 | <0.5 | <1 | <1 | 12 |
| FA-14 08+00S | Soil | | 5 | 8 | 0.19 | 195 | 0.146 | 2 | 4.54 | 0.014 | 0.06 | 0.3 | 0.07 | 1.8 | 0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 37 |
| FA-14 08+50S | Soil | | 7 | 8 | 0.29 | 96 | 0.080 | 2 | 2.48 | 0.009 | 0.04 | 0.2 | 0.05 | 1.2 | 0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 13 |
| FA-14 09+00S | Soil | | 10 | 9 | 0.24 | 122 | 0.034 | <1 | 1.64 | 0.009 | 0.06 | 0.1 | 0.04 | 1.1 | 0.2 | <0.05 | 7 | <0.5 | <1 | <1 | 2 |
| FA-14 09+50S | Soil | | 4 | 7 | 0.12 | 132 | 0.122 | 1 | 2.25 | 0.014 | 0.05 | 0.2 | 0.05 | 1.0 | 0.1 | <0.05 | 9 | <0.5 | 1 | <1 | 12 |
| FA-14 10+00S | Soil | | 8 | 7 | 0.16 | 283 | 0.061 | 1 | 1.79 | 0.010 | 0.05 | 0.1 | 0.06 | 1.0 | 0.2 | <0.05 | 7 | <0.5 | <1 | <1 | 3 |
| FA-14 10+50S | Soil | | 13 | 8 | 0.25 | 96 | 0.033 | <1 | 1.70 | 0.007 | 0.05 | 0.2 | 0.03 | 0.9 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 4 |
| FA-14 11+00S | Soil | | 10 | 8 | 0.28 | 118 | 0.065 | 2 | 1.97 | 0.010 | 0.07 | 0.2 | 0.03 | 1.2 | 0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 7 |
| FA-14 11+50S | Soil | | 10 | 11 | 0.48 | 123 | 0.079 | 1 | 2.86 | 0.008 | 0.05 | 0.2 | 0.05 | 1.4 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 14 |
| FA-14 13+00S | Soil | | 14 | 8 | 0.28 | 147 | 0.041 | 1 | 1.94 | 0.006 | 0.06 | 0.2 | 0.03 | 1.2 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 6 |
| FA-14 13+50S | Soil | | 10 | 8 | 0.25 | 177 | 0.078 | 1 | 2.74 | 0.013 | 0.07 | 0.2 | 0.06 | 1.3 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 12 |
| FA-14 14+00S | Soil | | 13 | 10 | 0.32 | 160 | 0.067 | 1 | 2.26 | 0.009 | 0.09 | 0.2 | 0.05 | 1.2 | 0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 2 |
| FA-14 14+50S | Soil | | 14 | 8 | 0.25 | 255 | 0.050 | <1 | 1.83 | 0.008 | 0.08 | 0.2 | 0.03 | 1.0 | 0.2 | <0.05 | 6 | <0.5 | <1 | <1 | 2 |
| FA-15 23+00N | Soil | | 15 | 12 | 0.23 | 83 | 0.060 | <1 | 3.75 | 0.007 | 0.05 | 0.2 | 0.05 | 1.5 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 24 |
| FA-15 22+50N | Soil | | 19 | 9 | 0.31 | 43 | 0.027 | <1 | 1.65 | 0.005 | 0.05 | 0.1 | 0.04 | 0.9 | <0.1 | 0.05 | 3 | <0.5 | <1 | <1 | 3 |
| FA-15 22+00N | Soil | | 8 | 8 | 0.15 | 74 | 0.098 | <1 | 3.42 | 0.011 | 0.04 | 0.2 | 0.07 | 1.8 | 0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 23 |
| FA-15 21+50N | Soil | | 12 | 8 | 0.08 | 37 | 0.081 | <1 | 1.16 | 0.008 | 0.03 | 0.1 | 0.03 | 0.8 | 0.1 | <0.05 | 9 | <0.5 | 1 | <1 | 4 |
| FA-15 21+00N | Soil | | 10 | 9 | 0.17 | 82 | 0.117 | <1 | 4.25 | 0.013 | 0.04 | 0.2 | 0.05 | 3.5 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 66 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 4 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 Mo | 1DX15 Cu | 1DX15 Pb | 1DX15 Zn | 1DX15 Ag | 1DX15 Ni | 1DX15 Co | 1DX15 Mn | 1DX15 Fe | 1DX15 As | 1DX15 U | 1DX15 Au | 1DX15 Th | 1DX15 Sr | 1DX15 Cd | 1DX15 Sb | 1DX15 Bi | 1DX15 V | 1DX15 Ca | 1DX15 P |
|--------------|---------|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|----------|----------|----------|----------|----------|---------|----------|---------|
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-15 20+50N | Soil | 0.3 | 6.5 | 9.2 | 35 | <0.1 | 9.8 | 5.1 | 122 | 1.66 | 2.1 | 0.7 | 0.8 | 6.9 | 3 | <0.1 | 0.1 | 0.2 | 15 | 0.01 | 0.040 | | |
| FA-15 20+00N | Soil | 0.3 | 7.2 | 7.4 | 34 | <0.1 | 8.2 | 5.4 | 254 | 1.63 | 1.9 | 1.4 | 2.2 | 2.9 | 8 | <0.1 | 0.1 | 0.3 | 16 | 0.04 | 0.029 | | |
| FA-15 19+50N | Soil | 0.4 | 5.3 | 10.5 | 28 | <0.1 | 6.8 | 3.6 | 163 | 1.60 | 2.5 | 0.6 | 8.9 | 5.5 | 6 | <0.1 | 0.2 | 0.3 | 17 | 0.05 | 0.046 | | |
| FA-15 19+00N | Soil | 0.5 | 6.3 | 11.5 | 39 | <0.1 | 9.0 | 5.5 | 164 | 1.88 | 1.8 | 0.7 | 1.5 | 6.0 | 16 | <0.1 | 0.1 | 0.4 | 27 | 0.09 | 0.065 | | |
| FA-15 18+50N | Soil | 0.6 | 9.1 | 15.7 | 29 | <0.1 | 8.1 | 6.2 | 364 | 2.05 | 3.4 | 0.7 | 2.1 | 4.0 | 11 | 0.1 | 0.2 | 0.4 | 35 | 0.06 | 0.066 | | |
| FA-15 18+00N | Soil | 0.4 | 8.4 | 18.3 | 34 | <0.1 | 12.3 | 10.6 | 463 | 2.09 | 2.5 | 0.9 | 2.4 | 6.7 | 7 | <0.1 | 0.1 | 0.4 | 20 | 0.06 | 0.058 | | |
| FA-15 17+50N | Soil | 0.3 | 9.7 | 21.8 | 43 | <0.1 | 9.1 | 7.1 | 1685 | 1.41 | 1.7 | 1.4 | 3.7 | 4.5 | 18 | 0.3 | 0.2 | 0.3 | 17 | 0.11 | 0.037 | | |
| FA-15 17+00N | Soil | 0.6 | 11.4 | 22.4 | 44 | <0.1 | 9.7 | 6.3 | 708 | 2.17 | 3.4 | 1.3 | 4.6 | 1.8 | 16 | 0.2 | 0.1 | 0.4 | 23 | 0.11 | 0.070 | | |
| FA-15 16+50N | Soil | 0.5 | 6.2 | 15.0 | 33 | 0.1 | 5.4 | 2.7 | 99 | 1.96 | 4.3 | 0.6 | 3.6 | 2.6 | 6 | 0.2 | 0.2 | 0.5 | 32 | 0.06 | 0.030 | | |
| FA-15 16+00N | Soil | 0.6 | 19.7 | 22.2 | 40 | <0.1 | 9.6 | 6.6 | 541 | 2.18 | 5.0 | 2.8 | 4.5 | 2.2 | 13 | 0.2 | 0.1 | 0.4 | 25 | 0.09 | 0.042 | | |
| FA-15 15+50N | Soil | 0.5 | 5.8 | 11.9 | 32 | <0.1 | 5.5 | 2.9 | 102 | 2.59 | 3.8 | 0.7 | 3.7 | 3.3 | 5 | 0.1 | 0.2 | 0.4 | 30 | 0.05 | 0.076 | | |
| FA-15 15+00N | Soil | 0.7 | 8.4 | 15.0 | 67 | 0.1 | 9.9 | 7.0 | 185 | 2.38 | 6.4 | 0.8 | 11.4 | 6.5 | 6 | 0.2 | 0.2 | 0.3 | 20 | 0.06 | 0.063 | | |
| FA-15 14+50N | Soil | 0.5 | 5.3 | 9.5 | 36 | <0.1 | 6.8 | 4.4 | 159 | 2.20 | 3.2 | 0.7 | 2.7 | 4.3 | 5 | <0.1 | 0.1 | 0.4 | 19 | 0.03 | 0.059 | | |
| FA-15 14+00N | Soil | 0.5 | 6.7 | 11.1 | 40 | <0.1 | 7.5 | 4.6 | 172 | 2.38 | 5.7 | 0.8 | 5.9 | 6.9 | 4 | <0.1 | 0.2 | 0.4 | 19 | 0.03 | 0.166 | | |
| FA-15 13+50N | Soil | 0.5 | 5.1 | 11.5 | 32 | <0.1 | 6.1 | 3.2 | 223 | 2.31 | 3.9 | 0.8 | 7.9 | 5.0 | 5 | <0.1 | 0.2 | 0.4 | 21 | 0.04 | 0.072 | | |
| FA-15 13+00N | Soil | 0.4 | 5.4 | 10.4 | 23 | 0.1 | 4.3 | 2.0 | 114 | 1.57 | 2.9 | 0.5 | 0.7 | 2.5 | 3 | <0.1 | 0.3 | 0.3 | 22 | 0.03 | 0.046 | | |
| FA-15 12+50N | Soil | 0.6 | 7.8 | 9.2 | 32 | <0.1 | 7.4 | 3.4 | 93 | 2.40 | 3.9 | 0.9 | 5.3 | 5.9 | 5 | 0.1 | 0.2 | 0.3 | 28 | 0.04 | 0.073 | | |
| FA-15 12+00N | Soil | 0.9 | 8.2 | 11.7 | 30 | <0.1 | 4.4 | 3.8 | 376 | 2.48 | 3.6 | 0.7 | 1.6 | 2.7 | 6 | 0.1 | 0.3 | 0.3 | 42 | 0.05 | 0.088 | | |
| FA-15 11+50N | Soil | 0.5 | 6.0 | 11.4 | 29 | <0.1 | 4.6 | 2.2 | 93 | 2.38 | 2.8 | 0.8 | 0.6 | 5.1 | 3 | <0.1 | 0.2 | 0.4 | 25 | 0.02 | 0.053 | | |
| FA-15 11+00N | Soil | 0.4 | 5.0 | 7.4 | 22 | <0.1 | 4.7 | 2.2 | 71 | 1.65 | 2.4 | 0.7 | 1.9 | 3.3 | 3 | <0.1 | 0.2 | 0.3 | 25 | 0.02 | 0.043 | | |
| FA-15 10+50N | Soil | 0.8 | 15.6 | 10.3 | 30 | <0.1 | 5.7 | 3.2 | 112 | 1.86 | 3.6 | 1.2 | 1.2 | 3.7 | 4 | 0.1 | 0.2 | 0.2 | 32 | 0.03 | 0.071 | | |
| FA-15 10+00N | Soil | 0.4 | 6.9 | 12.7 | 25 | <0.1 | 4.4 | 2.7 | 150 | 1.79 | 1.8 | 2.0 | 4.6 | 2.6 | 3 | 0.1 | 0.3 | 0.5 | 29 | 0.02 | 0.024 | | |
| FA-15 09+50N | Soil | 0.6 | 4.6 | 7.8 | 25 | <0.1 | 3.8 | 2.1 | 65 | 1.86 | 2.4 | 0.7 | 1.6 | 4.1 | 4 | 0.2 | 0.2 | 0.4 | 23 | 0.02 | 0.023 | | |
| FA-15 09+00N | Soil | 0.9 | 7.6 | 14.2 | 31 | <0.1 | 4.6 | 2.5 | 129 | 3.57 | 4.4 | 0.6 | 3.0 | 4.7 | 6 | 0.2 | 0.4 | 0.5 | 48 | 0.05 | 0.055 | | |
| FA-15 08+50N | Soil | 0.7 | 7.0 | 15.1 | 20 | <0.1 | 4.4 | 2.2 | 85 | 2.11 | 3.4 | 1.0 | 3.8 | 5.6 | 6 | <0.1 | 0.3 | 0.4 | 36 | 0.07 | 0.037 | | |
| FA-15 08+00N | Soil | 0.9 | 9.3 | 13.2 | 31 | <0.1 | 5.7 | 2.4 | 137 | 2.63 | 3.6 | 0.9 | 1.8 | 3.1 | 6 | 0.1 | 0.2 | 0.4 | 42 | 0.07 | 0.060 | | |
| FA-15 07+50N | Soil | 1.2 | 9.9 | 15.3 | 37 | <0.1 | 7.8 | 3.6 | 141 | 3.17 | 5.7 | 0.8 | 3.7 | 4.4 | 4 | 0.1 | 0.3 | 0.5 | 41 | 0.02 | 0.115 | | |
| FA-15 07+00N | Soil | 0.8 | 8.5 | 12.6 | 34 | <0.1 | 7.5 | 3.6 | 176 | 2.48 | 4.5 | 0.9 | 3.8 | 5.2 | 5 | 0.1 | 0.4 | 0.4 | 31 | 0.04 | 0.109 | | |
| FA-15 05+00N | Soil | 1.0 | 7.6 | 11.6 | 37 | <0.1 | 9.3 | 4.7 | 162 | 2.40 | 3.8 | 0.7 | 0.6 | 4.7 | 5 | <0.1 | 0.4 | 0.6 | 43 | 0.03 | 0.048 | | |
| FA-15 04+50N | Soil | 1.1 | 10.7 | 13.6 | 35 | <0.1 | 5.7 | 2.4 | 150 | 2.88 | 4.4 | 0.8 | 1.5 | 3.1 | 5 | <0.1 | 0.3 | 0.4 | 45 | 0.03 | 0.059 | | |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

4 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | 1DX15 | |
|--------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | |
| FA-15 20+50N | Soil | 20 | 8 | 0.26 | 59 | 0.021 | <1 | 1.44 | 0.007 | 0.05 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 4 |
| FA-15 20+00N | Soil | 29 | 8 | 0.23 | 174 | 0.018 | <1 | 1.05 | 0.005 | 0.05 | 0.1 | <0.01 | 0.9 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | <1 |
| FA-15 19+50N | Soil | 18 | 6 | 0.16 | 86 | 0.028 | <1 | 1.16 | 0.005 | 0.06 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 1 |
| FA-15 19+00N | Soil | 16 | 9 | 0.17 | 128 | 0.069 | <1 | 1.92 | 0.010 | 0.05 | 0.2 | 0.03 | 1.3 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 9 |
| FA-15 18+50N | Soil | 9 | 8 | 0.15 | 155 | 0.123 | 1 | 2.72 | 0.014 | 0.05 | 0.1 | 0.06 | 1.3 | 0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 17 |
| FA-15 18+00N | Soil | 20 | 10 | 0.28 | 204 | 0.037 | <1 | 1.99 | 0.007 | 0.09 | 0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 3 |
| FA-15 17+50N | Soil | 26 | 8 | 0.25 | 423 | 0.024 | <1 | 1.35 | 0.007 | 0.07 | 0.1 | 0.02 | 1.3 | 0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 1 |
| FA-15 17+00N | Soil | 18 | 9 | 0.25 | 297 | 0.036 | <1 | 1.77 | 0.010 | 0.06 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | <1 |
| FA-15 16+50N | Soil | 14 | 5 | 0.14 | 52 | 0.098 | <1 | 0.87 | 0.009 | 0.04 | 0.2 | 0.05 | 0.6 | <0.1 | 0.07 | 10 | <0.5 | <1 | <1 | 3 |
| FA-15 16+00N | Soil | 18 | 9 | 0.23 | 240 | 0.079 | <1 | 1.70 | 0.015 | 0.05 | 0.1 | 0.03 | 1.4 | 0.1 | <0.05 | 9 | <0.5 | 1 | <1 | 2 |
| FA-15 15+50N | Soil | 12 | <1 | 0.17 | 85 | 0.055 | <1 | 2.01 | 0.007 | 0.04 | 0.2 | 0.09 | 1.1 | <0.1 | 0.08 | 8 | <0.5 | <1 | <1 | 7 |
| FA-15 15+00N | Soil | 14 | 5 | 0.26 | 129 | 0.026 | 1 | 2.49 | 0.007 | 0.06 | 0.3 | 0.14 | 1.1 | <0.1 | 0.06 | 5 | <0.5 | <1 | <1 | 9 |
| FA-15 14+50N | Soil | 20 | 5 | 0.23 | 93 | 0.027 | <1 | 1.20 | 0.006 | 0.06 | 0.2 | 0.04 | 0.7 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | <1 |
| FA-15 14+00N | Soil | 17 | 5 | 0.22 | 67 | 0.031 | <1 | 1.37 | 0.006 | 0.07 | 0.3 | 0.08 | 0.9 | <0.1 | 0.06 | 6 | <0.5 | <1 | <1 | 4 |
| FA-15 13+50N | Soil | 15 | 5 | 0.17 | 50 | 0.029 | <1 | 1.74 | 0.007 | 0.06 | 0.2 | 0.06 | 1.0 | <0.1 | 0.05 | 6 | <0.5 | <1 | <1 | 3 |
| FA-15 13+00N | Soil | 13 | <1 | 0.13 | 40 | 0.036 | <1 | 1.27 | 0.007 | 0.05 | 0.2 | 0.12 | 0.8 | <0.1 | 0.06 | 5 | <0.5 | <1 | <1 | 3 |
| FA-15 12+50N | Soil | 15 | 4 | 0.21 | 66 | 0.054 | <1 | 2.48 | 0.008 | 0.04 | 0.3 | 0.11 | 1.2 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 14 |
| FA-15 12+00N | Soil | 5 | <1 | 0.09 | 38 | 0.137 | 1 | 3.97 | 0.011 | 0.03 | 0.2 | 0.13 | 1.4 | <0.1 | 0.07 | 13 | <0.5 | 1 | <1 | 26 |
| FA-15 11+50N | Soil | 15 | 6 | 0.13 | 35 | 0.052 | 1 | 2.23 | 0.006 | 0.04 | 0.2 | 0.10 | 1.3 | <0.1 | 0.06 | 8 | <0.5 | 1 | <1 | 7 |
| FA-15 11+00N | Soil | 17 | <1 | 0.15 | 41 | 0.040 | <1 | 1.75 | 0.007 | 0.03 | 0.2 | 0.07 | 1.0 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 6 |
| FA-15 10+50N | Soil | 7 | 2 | 0.11 | 38 | 0.127 | 2 | 4.11 | 0.014 | 0.03 | 0.2 | 0.13 | 2.8 | <0.1 | 0.07 | 10 | <0.5 | 1 | <1 | 46 |
| FA-15 10+00N | Soil | 22 | 4 | 0.15 | 82 | 0.079 | 1 | 1.03 | 0.010 | 0.04 | 0.1 | 0.05 | 1.0 | <0.1 | <0.05 | 8 | <0.5 | 1 | <1 | 2 |
| FA-15 09+50N | Soil | 19 | 1 | 0.13 | 44 | 0.051 | <1 | 1.06 | 0.006 | 0.03 | 0.2 | 0.03 | 0.7 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 3 |
| FA-15 09+00N | Soil | 12 | 2 | 0.12 | 50 | 0.115 | <1 | 1.96 | 0.009 | 0.04 | 0.2 | 0.08 | 0.9 | <0.1 | 0.06 | 12 | <0.5 | 1 | <1 | 8 |
| FA-15 08+50N | Soil | 13 | 3 | 0.13 | 30 | 0.115 | 1 | 2.03 | 0.012 | 0.03 | 0.2 | 0.07 | 1.0 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 13 |
| FA-15 08+00N | Soil | 7 | 1 | 0.12 | 81 | 0.155 | <1 | 2.09 | 0.015 | 0.04 | 0.2 | 0.08 | 1.1 | <0.1 | 0.06 | 14 | <0.5 | 1 | <1 | 15 |
| FA-15 07+50N | Soil | 17 | 5 | 0.25 | 58 | 0.095 | 1 | 1.36 | 0.008 | 0.05 | 0.3 | 0.06 | 1.1 | <0.1 | <0.05 | 12 | <0.5 | 1 | <1 | 6 |
| FA-15 07+00N | Soil | 15 | 5 | 0.25 | 55 | 0.064 | <1 | 2.10 | 0.007 | 0.06 | 0.2 | 0.06 | 1.4 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 13 |
| FA-15 05+00N | Soil | 15 | 7 | 0.33 | 55 | 0.082 | 1 | 1.38 | 0.008 | 0.08 | 0.2 | 0.03 | 1.3 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 3 |
| FA-15 04+50N | Soil | 5 | 2 | 0.15 | 45 | 0.167 | <1 | 3.25 | 0.016 | 0.04 | 0.2 | 0.09 | 1.6 | <0.1 | 0.07 | 14 | <0.5 | 1 | <1 | 29 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|-------------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|
| | | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppb | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % |
| FA-15 04+00N | Soil | 1.0 | 11.9 | 12.6 | 30 | <0.1 | 4.5 | 2.1 | 182 | 2.35 | 3.7 | 0.7 | 2.1 | 3.1 | 6 | 0.1 | 0.3 | 0.4 | 44 | 0.03 | 0.068 |
| FA-15 03+50N | Soil | 1.2 | 12.5 | 13.8 | 54 | <0.1 | 9.1 | 5.9 | 322 | 2.84 | 4.2 | 1.0 | 2.0 | 5.0 | 5 | 0.1 | 0.3 | 0.4 | 47 | 0.03 | 0.051 |
| FA-15 03+00N | Soil | 0.8 | 8.1 | 11.3 | 32 | <0.1 | 5.5 | 3.0 | 144 | 1.90 | 2.8 | 0.6 | 0.8 | 3.0 | 4 | <0.1 | 0.4 | 0.3 | 35 | 0.02 | 0.029 |
| FA-15 02+50N | Soil | 0.7 | 5.8 | 8.3 | 33 | <0.1 | 6.4 | 3.1 | 316 | 2.06 | 3.1 | 0.5 | 4.2 | 4.7 | 3 | <0.1 | 0.4 | 0.3 | 30 | 0.02 | 0.028 |
| FA-15 02+00N | Soil | 0.3 | 3.5 | 3.6 | 22 | <0.1 | 6.0 | 3.4 | 123 | 1.05 | 2.0 | 0.8 | 25.5 | 4.6 | 2 | <0.1 | 0.2 | 0.1 | 9 | 0.01 | 0.028 |
| FA-15 01+50N | Soil | 1.4 | 13.7 | 13.2 | 37 | <0.1 | 10.9 | 5.9 | 363 | 2.63 | 6.1 | 1.7 | 1.1 | 6.3 | 5 | 0.1 | 0.4 | 0.3 | 37 | 0.04 | 0.071 |
| FA-15 01+00N | Soil | 0.8 | 8.6 | 10.3 | 43 | <0.1 | 6.8 | 4.4 | 196 | 2.03 | 2.0 | 0.7 | 1.6 | 4.4 | 4 | <0.1 | 0.2 | 0.3 | 32 | 0.03 | 0.035 |
| FA-15 00+50N | Soil | 0.8 | 13.4 | 9.2 | 39 | <0.1 | 6.3 | 4.0 | 128 | 1.78 | 3.0 | 1.0 | 1.1 | 3.6 | 5 | 0.1 | 0.2 | 0.2 | 28 | 0.03 | 0.082 |
| FA-15 00+00 | Soil | 0.4 | 5.1 | 5.1 | 27 | <0.1 | 6.0 | 3.8 | 158 | 1.27 | 1.8 | 0.8 | 0.8 | 5.6 | 3 | <0.1 | 0.2 | 0.2 | 16 | 0.02 | 0.032 |
| FA-16 22+00N | Soil | 0.8 | 10.8 | 10.6 | 51 | <0.1 | 10.5 | 7.6 | 278 | 2.19 | 3.9 | 1.1 | 1.8 | 5.2 | 5 | 0.2 | 0.2 | 0.3 | 27 | 0.04 | 0.100 |
| FA-16 21+50N | Soil | 0.4 | 6.3 | 7.7 | 29 | <0.1 | 9.7 | 4.6 | 138 | 1.68 | 2.1 | 0.8 | <0.5 | 7.1 | 3 | <0.1 | 0.2 | 0.2 | 20 | 0.02 | 0.027 |
| FA-16 21+00N | Soil | 0.4 | 6.0 | 8.9 | 28 | <0.1 | 6.1 | 3.8 | 150 | 1.65 | 1.7 | 0.7 | 5.5 | 3.2 | 6 | 0.1 | 0.2 | 0.3 | 22 | 0.05 | 0.029 |
| FA-16 20+50N | Soil | 0.7 | 7.4 | 9.3 | 35 | <0.1 | 8.5 | 4.8 | 161 | 2.06 | 2.6 | 0.8 | 0.9 | 5.3 | 4 | <0.1 | 0.2 | 0.3 | 26 | 0.03 | 0.052 |
| FA-16 20+00N | Soil | 0.5 | 5.8 | 10.3 | 40 | <0.1 | 10.2 | 5.4 | 346 | 1.69 | 2.0 | 0.6 | 5.2 | 6.0 | 4 | <0.1 | 0.2 | 0.3 | 18 | 0.02 | 0.026 |
| FA-16 19+50N | Soil | 0.6 | 7.1 | 10.8 | 45 | <0.1 | 9.5 | 6.2 | 355 | 2.05 | 2.0 | 0.6 | 0.7 | 4.4 | 8 | 0.1 | 0.2 | 0.3 | 26 | 0.06 | 0.056 |
| FA-16 19+00N | Soil | 0.5 | 6.1 | 8.7 | 34 | <0.1 | 8.8 | 4.3 | 261 | 1.59 | 1.7 | 0.6 | 3.8 | 5.3 | 5 | <0.1 | 0.2 | 0.3 | 20 | 0.04 | 0.047 |
| FA-16 18+50N | Soil | 0.6 | 16.9 | 22.7 | 40 | <0.1 | 13.5 | 13.6 | 1132 | 2.04 | 4.3 | 6.0 | 1.7 | 2.0 | 12 | 0.2 | 0.3 | 0.5 | 22 | 0.09 | 0.060 |
| FA-16 18+00N | Soil | 0.5 | 8.3 | 9.9 | 26 | <0.1 | 7.0 | 4.6 | 610 | 1.67 | 1.1 | 1.2 | 2.0 | 2.1 | 11 | 0.1 | 0.2 | 0.4 | 17 | 0.10 | 0.023 |
| FA-16 17+50N | Soil | 0.7 | 11.5 | 12.3 | 54 | <0.1 | 10.6 | 6.1 | 2429 | 1.98 | 2.5 | 1.0 | 2.8 | 2.7 | 6 | 0.2 | 0.2 | 0.4 | 22 | 0.05 | 0.164 |
| FA-16 17+00N | Soil | 0.7 | 7.9 | 22.2 | 43 | <0.1 | 8.4 | 4.6 | 187 | 2.73 | 5.4 | 1.0 | 2.4 | 5.1 | 10 | 0.2 | 0.2 | 0.8 | 19 | 0.06 | 0.045 |
| FA-16 16+50N | Soil | 0.6 | 7.1 | 20.9 | 31 | 0.2 | 5.1 | 2.6 | 124 | 1.75 | 3.9 | 0.8 | 67.6 | 1.7 | 14 | 0.1 | 0.2 | 0.5 | 20 | 0.11 | 0.024 |
| FA-16 16+00N | Soil | 0.9 | 13.0 | 17.2 | 30 | <0.1 | 6.3 | 3.1 | 118 | 2.15 | 5.6 | 2.5 | 7.5 | 4.9 | 5 | <0.1 | 0.2 | 0.4 | 26 | 0.04 | 0.041 |
| FA-16 15+50N | Soil | 0.6 | 11.5 | 10.5 | 51 | <0.1 | 10.2 | 5.8 | 203 | 1.92 | 5.9 | 1.0 | 11.8 | 5.2 | 4 | 0.1 | 0.1 | 0.3 | 15 | 0.03 | 0.052 |
| FA-16 15+00N | Soil | 0.7 | 8.3 | 10.8 | 48 | 0.1 | 6.7 | 5.8 | 946 | 1.57 | 3.0 | 0.7 | 3.3 | 3.2 | 3 | 0.1 | 0.2 | 0.3 | 19 | 0.02 | 0.104 |
| FA-16 14+50N | Soil | 0.6 | 14.9 | 10.9 | 31 | <0.1 | 7.9 | 4.2 | 126 | 1.94 | 6.2 | 0.9 | 18.7 | 7.5 | 2 | <0.1 | 0.2 | 0.5 | 10 | <0.01 | 0.047 |
| FA-16 14+00N | Soil | 1.1 | 11.7 | 12.7 | 38 | 0.2 | 5.5 | 3.1 | 829 | 3.16 | 6.4 | 1.0 | 3.8 | 3.6 | 13 | 0.2 | 0.2 | 0.3 | 33 | 0.14 | 0.324 |
| FA-16 13+50N | Soil | 0.6 | 17.8 | 11.5 | 42 | <0.1 | 9.0 | 4.7 | 176 | 1.86 | 4.8 | 1.0 | 6.9 | 2.1 | 4 | <0.1 | 0.2 | 0.4 | 19 | 0.03 | 0.030 |
| FA-16 13+00N | Soil | 0.4 | 10.8 | 9.2 | 62 | <0.1 | 15.5 | 8.2 | 330 | 1.84 | 5.3 | 1.0 | 45.7 | 8.9 | 3 | <0.1 | 0.2 | 0.3 | 12 | 0.01 | 0.044 |
| FA-16 12+50N | Soil | 0.5 | 4.8 | 11.0 | 22 | <0.1 | 4.8 | 2.3 | 205 | 2.18 | 3.3 | 0.7 | 2.3 | 4.4 | 4 | <0.1 | 0.2 | 0.4 | 28 | 0.02 | 0.049 |
| FA-16 12+00N | Soil | 0.8 | 5.6 | 12.6 | 35 | <0.1 | 5.5 | 2.7 | 138 | 3.46 | 5.6 | 1.1 | 3.6 | 8.3 | 9 | 0.1 | 0.2 | 0.4 | 28 | 0.13 | 0.082 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

5 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------------|----------------|----------------|-----------------|----------------|------------------|---------------|-----------------|------------------|----------------|-----------------|-------------------|------------------|------------------|----------------|----------------|------------------|----------------|----------------|----------------|----|
| | La ppm 1 | Cr ppm 1 | Mg % 0.01 | Ba ppm 1 | Ti % 0.001 | B ppm 1 | Al % 0.01 | Na % 0.001 | K % 0.01 | W ppm 0.1 | Hg ppm 0.01 | Sc ppm 0.1 | Tl ppm 0.1 | S % 0.05 | Ga ppm 1 | Se ppm 0.5 | Sn ppm 1 | Te ppm 1 | Zr ppm 1 | |
| FA-15 04+00N | Soil | 5 | 1 | 0.10 | 49 | 0.143 | 1 | 3.28 | 0.014 | 0.03 | 0.1 | 0.10 | 1.7 | <0.1 | 0.05 | 13 | <0.5 | 2 | <1 | 30 |
| FA-15 03+50N | Soil | 6 | 6 | 0.20 | 49 | 0.176 | 1 | 3.43 | 0.014 | 0.05 | 0.3 | 0.09 | 1.9 | 0.1 | <0.05 | 13 | <0.5 | 2 | <1 | 31 |
| FA-15 03+00N | Soil | 8 | 3 | 0.14 | 45 | 0.101 | <1 | 1.96 | 0.013 | 0.04 | 0.2 | 0.07 | 1.3 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 11 |
| FA-15 02+50N | Soil | 19 | 6 | 0.21 | 47 | 0.062 | <1 | 1.39 | 0.008 | 0.05 | 0.2 | 0.05 | 1.1 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 2 |
| FA-15 02+00N | Soil | 19 | 3 | 0.24 | 30 | 0.022 | <1 | 1.17 | 0.005 | 0.03 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 2 |
| FA-15 01+50N | Soil | 8 | 5 | 0.19 | 57 | 0.146 | 2 | 4.85 | 0.015 | 0.05 | 0.3 | 0.22 | 2.6 | <0.1 | 0.06 | 12 | 0.6 | 1 | <1 | 40 |
| FA-15 01+00N | Soil | 12 | 6 | 0.17 | 69 | 0.091 | <1 | 2.77 | 0.012 | 0.04 | 0.1 | 0.05 | 1.5 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 14 |
| FA-15 00+50N | Soil | 4 | 2 | 0.09 | 50 | 0.131 | <1 | 4.51 | 0.017 | 0.03 | 0.2 | 0.12 | 2.2 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 48 |
| FA-15 00+00 | Soil | 22 | 4 | 0.21 | 66 | 0.041 | <1 | 1.56 | 0.007 | 0.06 | 0.1 | 0.05 | 1.4 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 8 |
| FA-16 22+00N | Soil | 8 | 3 | 0.18 | 78 | 0.091 | 1 | 4.11 | 0.012 | 0.05 | 0.2 | 0.11 | 1.6 | <0.1 | 0.05 | 8 | <0.5 | <1 | <1 | 24 |
| FA-16 21+50N | Soil | 27 | 7 | 0.28 | 69 | 0.034 | <1 | 1.68 | 0.005 | 0.06 | 0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 4 |
| FA-16 21+00N | Soil | 18 | 4 | 0.17 | 76 | 0.029 | <1 | 1.42 | 0.006 | 0.05 | 0.2 | 0.06 | 0.9 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | <1 |
| FA-16 20+50N | Soil | 13 | 5 | 0.20 | 84 | 0.072 | <1 | 2.79 | 0.009 | 0.05 | 0.2 | 0.06 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 12 |
| FA-16 20+00N | Soil | 25 | 9 | 0.28 | 105 | 0.036 | <1 | 1.53 | 0.006 | 0.06 | 0.1 | 0.02 | 1.0 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 4 |
| FA-16 19+50N | Soil | 16 | 8 | 0.23 | 157 | 0.062 | 1 | 2.15 | 0.011 | 0.06 | 0.2 | 0.05 | 1.4 | <0.1 | <0.05 | 8 | <0.5 | 1 | <1 | 4 |
| FA-16 19+00N | Soil | 20 | 6 | 0.26 | 78 | 0.050 | <1 | 1.71 | 0.010 | 0.05 | 0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 5 |
| FA-16 18+50N | Soil | 37 | 15 | 0.35 | 364 | 0.026 | <1 | 2.18 | 0.012 | 0.09 | 0.1 | 0.04 | 1.8 | 0.1 | 0.15 | 8 | 1.0 | <1 | <1 | <1 |
| FA-16 18+00N | Soil | 19 | 9 | 0.21 | 198 | 0.016 | <1 | 1.11 | 0.007 | 0.05 | 0.1 | 0.04 | 0.8 | <0.1 | 0.08 | 5 | <0.5 | <1 | <1 | <1 |
| FA-16 17+50N | Soil | 12 | 12 | 0.25 | 179 | 0.032 | <1 | 2.34 | 0.008 | 0.06 | 0.2 | 0.06 | 1.0 | <0.1 | 0.08 | 7 | <0.5 | <1 | <1 | 2 |
| FA-16 17+00N | Soil | 15 | 10 | 0.23 | 225 | 0.026 | <1 | 1.17 | 0.006 | 0.05 | 0.1 | 0.01 | 0.7 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 2 |
| FA-16 16+50N | Soil | 14 | 7 | 0.18 | 99 | 0.041 | <1 | 0.89 | 0.009 | 0.04 | 0.2 | 0.02 | 0.6 | <0.1 | 0.05 | 7 | <0.5 | <1 | <1 | <1 |
| FA-16 16+00N | Soil | 13 | 9 | 0.16 | 74 | 0.072 | <1 | 2.18 | 0.011 | 0.05 | 0.2 | 0.05 | 1.3 | <0.1 | 0.08 | 10 | <0.5 | <1 | <1 | 15 |
| FA-16 15+50N | Soil | 18 | 10 | 0.34 | 102 | 0.009 | <1 | 1.76 | 0.006 | 0.06 | 0.5 | 0.04 | 1.0 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 3 |
| FA-16 15+00N | Soil | 10 | 8 | 0.12 | 59 | 0.037 | <1 | 2.24 | 0.008 | 0.04 | 0.2 | 0.08 | 1.0 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 6 |
| FA-16 14+50N | Soil | 18 | 9 | 0.23 | 51 | 0.007 | <1 | 1.00 | 0.004 | 0.04 | 0.3 | 0.03 | 0.5 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 1 |
| FA-16 14+00N | Soil | 4 | 11 | 0.07 | 82 | 0.092 | <1 | 4.36 | 0.010 | 0.03 | 0.3 | 0.17 | 1.1 | <0.1 | 0.05 | 12 | <0.5 | <1 | <1 | 30 |
| FA-16 13+50N | Soil | 17 | 9 | 0.28 | 93 | 0.018 | <1 | 1.33 | 0.005 | 0.08 | 0.3 | 0.02 | 0.7 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | <1 |
| FA-16 13+00N | Soil | 18 | 11 | 0.31 | 75 | 0.009 | <1 | 1.97 | 0.005 | 0.11 | 0.3 | 0.05 | 1.1 | <0.1 | 0.06 | 3 | <0.5 | <1 | <1 | 4 |
| FA-16 12+50N | Soil | 13 | 10 | 0.11 | 31 | 0.049 | <1 | 1.96 | 0.008 | 0.04 | 0.2 | 0.09 | 0.8 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 7 |
| FA-16 12+00N | Soil | 9 | 12 | 0.11 | 65 | 0.062 | <1 | 2.94 | 0.009 | 0.04 | 0.3 | 0.11 | 1.0 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 20 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 6 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|-------------------|-------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|----------------|-----------------|------------------|-----------------|------------------|------------------|----------------|------------------|------------------|------------------|---------------|-----------------|-----------------|
| | | Mo ppm 0.1 | Cu ppm 0.1 | Pb ppm 0.1 | Zn ppm 1 | Ag ppm 0.1 | Ni ppm 0.1 | Co ppm 0.1 | Mn ppm 1 | Fe % 0.01 | As ppm 0.5 | U ppm 0.1 | Au ppb 0.5 | Th ppm 0.1 | Sr ppm 1 | Cd ppm 0.1 | Sb ppm 0.1 | Bi ppm 0.1 | V ppm 2 | Ca % 0.01 | P % 0.001 |
| FA-16 11+50N | Soil | 0.5 | 5.7 | 11.6 | 30 | <0.1 | 7.3 | 3.1 | 111 | 2.47 | 2.2 | 0.7 | 2.6 | 2.0 | 9 | <0.1 | 0.2 | 0.3 | 27 | 0.11 | 0.036 |
| FA-16 11+00N | Soil | 0.8 | 7.1 | 10.7 | 34 | <0.1 | 5.6 | 3.5 | 154 | 2.05 | 3.4 | 0.8 | 2.0 | 3.9 | 4 | 0.1 | 0.3 | 0.2 | 28 | 0.03 | 0.109 |
| FA-16 10+50N | Soil | 0.7 | 9.0 | 14.5 | 33 | <0.1 | 5.5 | 3.5 | 378 | 1.66 | 3.1 | 0.8 | 2.5 | 2.8 | 4 | <0.1 | 0.3 | 0.3 | 29 | 0.03 | 0.060 |
| FA-16 10+00N | Soil | 0.7 | 7.4 | 8.3 | 39 | <0.1 | 7.9 | 3.3 | 115 | 2.10 | 3.1 | 0.7 | 3.5 | 3.8 | 3 | 0.1 | 0.2 | 0.2 | 25 | 0.02 | 0.050 |
| FA-16 09+50N | Soil | 0.9 | 8.7 | 8.7 | 24 | <0.1 | 6.2 | 1.8 | 132 | 1.98 | 3.4 | 2.0 | 1.6 | 3.3 | 5 | 0.1 | 0.2 | 0.2 | 28 | 0.04 | 0.065 |
| FA-16 09+00N | Soil | 0.2 | 2.5 | 6.6 | 7 | <0.1 | 2.7 | 0.7 | 34 | 0.47 | <0.5 | 0.4 | 1.3 | 0.3 | 8 | 0.1 | <0.1 | 0.2 | 7 | 0.07 | 0.015 |
| FA-16 08+00N | Soil | 1.8 | 9.1 | 22.6 | 47 | <0.1 | 12.0 | 4.9 | 180 | 2.10 | 2.3 | 2.7 | 1.9 | 2.7 | 8 | 0.2 | 0.3 | 0.5 | 38 | 0.08 | 0.025 |
| FA-16 07+50N | Soil | 0.9 | 6.5 | 11.0 | 36 | <0.1 | 6.1 | 2.9 | 118 | 1.88 | 2.7 | 0.8 | 1.6 | 3.6 | 4 | <0.1 | 0.2 | 0.3 | 30 | 0.04 | 0.055 |
| FA-16 05+50N | Soil | 1.2 | 12.6 | 11.8 | 53 | <0.1 | 9.3 | 5.8 | 1194 | 2.13 | 4.8 | 1.1 | 1.1 | 3.2 | 4 | <0.1 | 0.3 | 0.4 | 36 | 0.03 | 0.103 |
| FA-16 05+00N | Soil | 1.3 | 13.8 | 13.6 | 53 | <0.1 | 8.4 | 4.8 | 454 | 2.66 | 5.4 | 1.1 | 2.8 | 4.7 | 6 | 0.2 | 0.3 | 0.4 | 38 | 0.05 | 0.091 |
| FA-16 04+50N | Soil | 1.1 | 10.2 | 12.2 | 41 | <0.1 | 8.1 | 4.4 | 178 | 2.63 | 3.7 | 1.2 | 5.1 | 6.3 | 3 | 0.2 | 0.3 | 0.3 | 32 | 0.02 | 0.046 |
| FA-16 04+00N | Soil | 0.9 | 8.0 | 9.9 | 42 | <0.1 | 7.9 | 3.3 | 486 | 2.06 | 4.0 | 0.8 | 1.8 | 4.4 | 6 | 0.2 | 0.4 | 0.3 | 30 | 0.05 | 0.065 |
| FA-16 03+50N | Soil | 1.0 | 9.0 | 9.4 | 43 | <0.1 | 8.7 | 4.6 | 284 | 1.89 | 4.8 | 1.4 | 1.7 | 7.3 | 3 | 0.1 | 0.3 | 0.3 | 24 | 0.03 | 0.086 |
| FA-16 03+00N | Soil | 0.6 | 6.0 | 7.1 | 43 | <0.1 | 9.2 | 4.5 | 337 | 1.97 | 3.2 | 0.8 | 5.1 | 6.6 | 4 | 0.1 | 0.2 | 0.2 | 20 | 0.04 | 0.050 |
| FA-16 02+50N | Soil | 0.5 | 4.6 | 6.0 | 26 | <0.1 | 5.4 | 2.8 | 143 | 1.62 | 2.3 | 0.5 | 3.0 | 4.3 | 2 | <0.1 | 0.2 | 0.2 | 20 | 0.02 | 0.035 |
| FA-16 02+00N | Soil | 0.6 | 8.0 | 7.3 | 35 | <0.1 | 9.2 | 4.6 | 108 | 1.64 | 3.2 | 0.8 | 1.6 | 6.4 | 3 | <0.1 | 0.2 | 0.2 | 20 | 0.02 | 0.036 |
| FA-16 01+50N | Soil | 0.2 | 1.9 | 3.5 | 17 | <0.1 | 7.0 | 3.1 | 48 | 1.03 | 1.1 | 0.8 | 0.6 | 5.1 | 2 | <0.1 | <0.1 | 0.1 | 7 | 0.01 | 0.015 |
| FA-16 01+00N | Soil | 0.5 | 5.1 | 7.0 | 29 | <0.1 | 5.5 | 3.1 | 105 | 1.59 | 2.8 | 0.5 | 0.9 | 4.9 | 3 | <0.1 | 0.2 | 0.2 | 21 | 0.02 | 0.031 |
| FA-16 00+50N | Soil | 0.7 | 10.4 | 8.8 | 24 | <0.1 | 6.0 | 3.6 | 184 | 1.77 | 3.2 | 1.1 | 1.1 | 3.8 | 4 | <0.1 | 0.2 | 0.2 | 26 | 0.03 | 0.093 |
| FA-16 00+00 | Soil | 0.4 | 10.3 | 7.0 | 47 | <0.1 | 9.3 | 5.3 | 136 | 1.41 | 2.2 | 0.9 | 0.9 | 4.4 | 4 | <0.1 | 0.1 | 0.2 | 20 | 0.03 | 0.040 |
| FA-17 21+50N | Soil | 0.4 | 11.2 | 9.0 | 35 | <0.1 | 9.8 | 7.9 | 232 | 1.54 | 1.7 | 1.4 | 6.0 | 5.8 | 4 | <0.1 | 0.1 | 0.2 | 14 | 0.02 | 0.026 |
| FA-17 21+00N | Soil | 0.5 | 10.8 | 12.2 | 18 | <0.1 | 5.5 | 2.6 | 60 | 1.96 | 2.3 | 1.4 | 1.2 | 2.6 | 13 | 0.2 | 0.2 | 0.3 | 23 | 0.07 | 0.021 |
| FA-17 20+50N | Soil | 0.3 | 5.0 | 6.1 | 27 | <0.1 | 8.7 | 4.0 | 121 | 1.49 | 1.6 | 0.8 | 0.9 | 6.2 | 3 | <0.1 | 0.1 | 0.3 | 12 | 0.02 | 0.026 |
| FA-17 20+00N | Soil | 0.5 | 6.1 | 8.7 | 31 | <0.1 | 7.6 | 4.2 | 112 | 1.86 | 1.8 | 0.7 | 1.8 | 4.9 | 4 | <0.1 | 0.2 | 0.3 | 23 | 0.03 | 0.033 |
| FA-17 19+50N | Soil | 0.8 | 8.9 | 13.8 | 42 | 0.1 | 7.7 | 8.3 | 271 | 2.72 | 3.0 | 0.8 | 2.8 | 5.7 | 5 | <0.1 | 0.2 | 0.4 | 29 | 0.04 | 0.095 |
| FA-17 19+00N | Soil | 0.5 | 6.5 | 9.9 | 29 | <0.1 | 8.9 | 4.7 | 214 | 1.73 | 2.8 | 0.7 | 1.2 | 5.0 | 5 | 0.1 | 0.2 | 0.3 | 20 | 0.03 | 0.059 |
| FA-17 18+50N | Soil | 0.7 | 8.9 | 11.7 | 33 | <0.1 | 9.2 | 5.4 | 443 | 1.97 | 2.4 | 0.7 | 1.8 | 3.4 | 8 | 0.1 | 0.2 | 0.4 | 27 | 0.06 | 0.077 |
| FA-17 18+00N | Soil | 0.9 | 8.8 | 12.9 | 38 | <0.1 | 10.6 | 7.3 | 447 | 2.27 | 3.5 | 0.8 | 1.0 | 4.7 | 7 | 0.1 | 0.2 | 0.3 | 26 | 0.05 | 0.072 |
| FA-17 17+50N | Soil | 0.7 | 5.9 | 9.3 | 27 | <0.1 | 7.1 | 4.9 | 140 | 1.73 | 2.4 | 0.6 | 0.8 | 4.6 | 4 | <0.1 | 0.2 | 0.3 | 22 | 0.04 | 0.050 |
| FA-17 17+00N | Soil | 0.5 | 6.8 | 10.5 | 29 | <0.1 | 6.9 | 4.1 | 270 | 1.39 | 3.0 | 0.6 | 2.2 | 3.2 | 5 | <0.1 | 0.2 | 0.3 | 16 | 0.03 | 0.032 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

6 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------------|----------------|----------------|-----------------|----------------|------------------|---------------|-----------------|------------------|----------------|-----------------|-------------------|------------------|------------------|----------------|----------------|------------------|----------------|----------------|----------------|----|
| | La ppm 1 | Cr ppm 1 | Mg % 0.01 | Ba ppm 1 | Ti % 0.001 | B ppm 1 | Al % 0.01 | Na % 0.001 | K % 0.01 | W ppm 0.1 | Hg ppm 0.01 | Sc ppm 0.1 | Tl ppm 0.1 | S % 0.05 | Ga ppm 1 | Se ppm 0.5 | Sn ppm 1 | Te ppm 1 | Zr ppm 1 | |
| FA-16 11+50N | Soil | 9 | 11 | 0.33 | 85 | 0.094 | <1 | 1.16 | 0.011 | 0.04 | 0.2 | 0.03 | 0.6 | <0.1 | <0.05 | 11 | <0.5 | 1 | <1 | 4 |
| FA-16 11+00N | Soil | 3 | 9 | 0.10 | 42 | 0.126 | <1 | 4.02 | 0.013 | 0.03 | 0.3 | 0.11 | 1.2 | <0.1 | <0.05 | 11 | <0.5 | <1 | <1 | 47 |
| FA-16 10+50N | Soil | 5 | 9 | 0.08 | 49 | 0.098 | <1 | 2.94 | 0.011 | 0.03 | 0.2 | 0.07 | 1.5 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 32 |
| FA-16 10+00N | Soil | 10 | 11 | 0.25 | 52 | 0.037 | <1 | 2.57 | 0.006 | 0.03 | 0.1 | 0.08 | 1.0 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 11 |
| FA-16 09+50N | Soil | 5 | 11 | 0.20 | 36 | 0.083 | <1 | 3.06 | 0.011 | 0.02 | 0.2 | 0.09 | 1.0 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 25 |
| FA-16 09+00N | Soil | 15 | 6 | 0.04 | 76 | 0.012 | <1 | 0.38 | 0.008 | 0.03 | <0.1 | 0.02 | 0.1 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | <1 |
| FA-16 08+00N | Soil | 10 | 14 | 0.33 | 168 | 0.128 | 1 | 1.49 | 0.014 | 0.07 | 0.2 | 0.03 | 1.3 | <0.1 | <0.05 | 12 | <0.5 | 1 | <1 | 5 |
| FA-16 07+50N | Soil | 6 | 10 | 0.13 | 43 | 0.092 | <1 | 2.79 | 0.011 | 0.04 | 0.2 | 0.07 | 1.2 | <0.1 | 0.07 | 9 | <0.5 | <1 | <1 | 18 |
| FA-16 05+50N | Soil | 6 | 12 | 0.21 | 44 | 0.103 | 2 | 2.88 | 0.011 | 0.05 | 0.2 | 0.10 | 1.6 | <0.1 | <0.05 | 11 | <0.5 | 1 | <1 | 14 |
| FA-16 05+00N | Soil | 8 | 13 | 0.19 | 47 | 0.089 | <1 | 3.74 | 0.009 | 0.05 | 0.3 | 0.10 | 2.0 | 0.1 | 0.06 | 10 | <0.5 | <1 | <1 | 23 |
| FA-16 04+50N | Soil | 11 | 12 | 0.39 | 46 | 0.094 | <1 | 2.69 | 0.009 | 0.05 | 0.2 | 0.10 | 1.4 | <0.1 | <0.05 | 10 | 0.9 | <1 | <1 | 13 |
| FA-16 04+00N | Soil | 9 | 10 | 0.25 | 50 | 0.079 | 2 | 2.55 | 0.009 | 0.05 | 0.2 | 0.13 | 1.1 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 11 |
| FA-16 03+50N | Soil | 6 | 11 | 0.23 | 41 | 0.079 | <1 | 4.24 | 0.008 | 0.04 | 0.2 | 0.13 | 1.6 | <0.1 | <0.05 | 8 | 0.6 | <1 | <1 | 34 |
| FA-16 03+00N | Soil | 13 | 9 | 0.31 | 65 | 0.037 | <1 | 2.30 | 0.005 | 0.04 | 0.2 | 0.09 | 1.0 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 6 |
| FA-16 02+50N | Soil | 15 | 8 | 0.19 | 35 | 0.036 | <1 | 1.84 | 0.005 | 0.03 | 0.2 | 0.05 | 0.9 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 5 |
| FA-16 02+00N | Soil | 16 | 10 | 0.30 | 57 | 0.042 | <1 | 2.10 | 0.005 | 0.04 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 13 |
| FA-16 01+50N | Soil | 21 | 6 | 0.35 | 52 | 0.013 | <1 | 0.83 | 0.003 | 0.04 | <0.1 | 0.02 | 0.4 | <0.1 | <0.05 | 2 | <0.5 | <1 | <1 | <1 |
| FA-16 01+00N | Soil | 13 | 10 | 0.14 | 43 | 0.034 | <1 | 1.99 | 0.006 | 0.04 | 0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 8 |
| FA-16 00+50N | Soil | 5 | 9 | 0.10 | 44 | 0.105 | 1 | 4.70 | 0.013 | 0.02 | 0.2 | 0.11 | 2.3 | <0.1 | 0.10 | 9 | 0.6 | <1 | <1 | 38 |
| FA-16 00+00 | Soil | 14 | 9 | 0.19 | 90 | 0.063 | <1 | 2.31 | 0.009 | 0.05 | 0.1 | 0.04 | 1.9 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 16 |
| FA-17 21+50N | Soil | 23 | 8 | 0.31 | 81 | 0.024 | <1 | 1.31 | 0.006 | 0.05 | 0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 2 |
| FA-17 21+00N | Soil | 18 | 7 | 0.14 | 158 | 0.061 | <1 | 1.27 | 0.009 | 0.04 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 3 |
| FA-17 20+50N | Soil | 19 | 5 | 0.25 | 45 | 0.021 | 2 | 1.17 | 0.003 | 0.04 | 0.1 | 0.02 | 0.7 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 1 |
| FA-17 20+00N | Soil | 15 | 6 | 0.19 | 59 | 0.037 | 1 | 1.60 | 0.005 | 0.04 | 0.2 | 0.04 | 1.1 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 4 |
| FA-17 19+50N | Soil | 11 | 7 | 0.18 | 60 | 0.050 | 1 | 2.88 | 0.007 | 0.04 | 0.2 | 0.06 | 1.5 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 8 |
| FA-17 19+00N | Soil | 11 | 4 | 0.20 | 62 | 0.053 | <1 | 1.90 | 0.007 | 0.04 | 0.2 | 0.03 | 0.9 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 9 |
| FA-17 18+50N | Soil | 9 | 2 | 0.16 | 161 | 0.086 | 1 | 2.67 | 0.010 | 0.04 | 0.2 | 0.06 | 1.2 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 5 |
| FA-17 18+00N | Soil | 10 | 4 | 0.19 | 85 | 0.068 | 1 | 3.42 | 0.007 | 0.04 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 11 |
| FA-17 17+50N | Soil | 12 | 4 | 0.19 | 68 | 0.044 | 1 | 2.02 | 0.011 | 0.06 | 0.2 | 0.05 | 1.0 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 7 |
| FA-17 17+00N | Soil | 14 | 3 | 0.20 | 74 | 0.023 | <1 | 1.41 | 0.006 | 0.04 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 11 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 7 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 Mo | 1DX15 Cu | 1DX15 Pb | 1DX15 Zn | 1DX15 Ag | 1DX15 Ni | 1DX15 Co | 1DX15 Mn | 1DX15 Fe | 1DX15 As | 1DX15 U | 1DX15 Au | 1DX15 Th | 1DX15 Sr | 1DX15 Cd | 1DX15 Sb | 1DX15 Bi | 1DX15 V | 1DX15 Ca | 1DX15 P |
|--------------|---------|------|-----|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|----------|----------|----------|----------|----------|---------|----------|---------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-17 16+50N | Soil | | | 0.9 | 8.0 | 14.2 | 38 | 0.2 | 5.5 | 3.5 | 341 | 2.10 | 3.2 | 0.9 | 2.0 | 3.6 | 6 | 0.2 | 0.3 | 0.4 | 27 | 0.04 | 0.061 |
| FA-17 16+00N | Soil | | | 0.8 | 10.6 | 18.2 | 27 | 0.3 | 5.0 | 3.2 | 178 | 1.78 | 4.4 | 1.2 | 23.4 | 2.4 | 8 | 0.3 | 0.2 | 0.5 | 15 | 0.04 | 0.028 |
| FA-17 15+50N | Soil | | | 0.4 | 10.8 | 8.3 | 41 | <0.1 | 9.1 | 4.5 | 279 | 1.35 | 6.7 | 0.9 | 33.2 | 1.9 | 4 | <0.1 | 0.2 | 0.3 | 11 | 0.02 | 0.023 |
| FA-17 15+00N | Soil | | | 1.1 | 16.5 | 19.3 | 35 | 0.2 | 5.4 | 5.4 | 348 | 2.29 | 5.8 | 2.7 | 2.4 | 2.4 | 8 | 0.2 | 0.2 | 0.4 | 28 | 0.07 | 0.074 |
| FA-17 14+50N | Soil | | | 1.0 | 14.6 | 9.4 | 55 | 0.1 | 7.3 | 9.9 | 709 | 2.55 | 4.2 | 1.5 | 3.4 | 4.0 | 6 | 0.2 | 0.2 | 0.3 | 26 | 0.05 | 0.165 |
| FA-17 14+00N | Soil | | | 0.6 | 7.5 | 16.5 | 30 | <0.1 | 7.2 | 4.1 | 230 | 2.82 | 5.2 | 0.9 | 7.6 | 3.5 | 9 | 0.3 | 0.2 | 0.5 | 25 | 0.08 | 0.029 |
| FA-17 13+50N | Soil | | | 0.3 | 10.0 | 10.5 | 35 | <0.1 | 7.3 | 5.4 | 1992 | 1.50 | 2.7 | 2.3 | 3.3 | 0.9 | 4 | <0.1 | 0.2 | 0.4 | 17 | 0.02 | 0.028 |
| FA-17 13+00N | Soil | | | 0.9 | 8.9 | 9.6 | 38 | <0.1 | 7.0 | 4.4 | 527 | 2.31 | 4.4 | 0.8 | 1.8 | 4.0 | 4 | 0.1 | 0.2 | 0.3 | 31 | 0.03 | 0.121 |
| FA-17 12+50N | Soil | | | 1.1 | 12.9 | 10.7 | 33 | <0.1 | 7.5 | 4.2 | 148 | 2.61 | 5.6 | 1.1 | 6.7 | 4.7 | 3 | <0.1 | 0.2 | 0.3 | 33 | 0.02 | 0.101 |
| FA-17 12+00N | Soil | | | 1.0 | 14.1 | 10.7 | 37 | <0.1 | 6.9 | 4.8 | 213 | 2.13 | 4.5 | 1.2 | 1.5 | 4.2 | 4 | 0.1 | 0.3 | 0.3 | 30 | 0.03 | 0.093 |
| FA-17 11+50N | Soil | | | 0.8 | 10.4 | 9.3 | 38 | <0.1 | 8.0 | 4.2 | 156 | 1.93 | 4.3 | 1.0 | 1.7 | 5.0 | 4 | <0.1 | 0.3 | 0.2 | 24 | 0.03 | 0.074 |
| FA-17 11+00N | Soil | | | 1.2 | 10.7 | 15.6 | 56 | <0.1 | 10.0 | 6.9 | 316 | 3.77 | 6.0 | 1.3 | 30.0 | 5.5 | 7 | 0.1 | 0.4 | 0.5 | 42 | 0.08 | 0.102 |
| FA-17 10+50N | Soil | | | 1.2 | 12.6 | 14.9 | 55 | <0.1 | 11.6 | 5.4 | 381 | 2.53 | 5.5 | 1.3 | 1.6 | 0.4 | 8 | 0.1 | 0.4 | 0.5 | 38 | 0.06 | 0.073 |
| FA-17 10+00N | Soil | | | 0.6 | 9.4 | 11.9 | 45 | <0.1 | 9.2 | 7.0 | 789 | 2.43 | 3.4 | 1.2 | 1.4 | 2.4 | 6 | <0.1 | 0.3 | 0.5 | 32 | 0.03 | 0.048 |
| FA-17 09+50N | Soil | | | 1.1 | 7.1 | 15.7 | 26 | <0.1 | 3.5 | 1.6 | 148 | 2.75 | 3.7 | 0.8 | 2.7 | 3.4 | 3 | <0.1 | 0.4 | 0.5 | 51 | 0.03 | 0.092 |
| FA-17 09+00N | Soil | | | 0.4 | 4.2 | 5.3 | 37 | <0.1 | 8.8 | 4.3 | 206 | 1.52 | 2.7 | 0.4 | 10.9 | 4.0 | 3 | <0.1 | 0.2 | 0.3 | 26 | 0.03 | 0.029 |
| FA-17 08+50N | Soil | | | 0.7 | 8.5 | 11.0 | 43 | <0.1 | 7.5 | 3.1 | 199 | 2.34 | 5.4 | 0.8 | 4.2 | 4.3 | 12 | <0.1 | 0.3 | 0.3 | 31 | 0.13 | 0.122 |
| FA-17 08+00N | Soil | | | 0.7 | 36.6 | 31.1 | 33 | 0.2 | 7.3 | 9.9 | 4271 | 1.23 | 3.3 | 14.2 | 1.3 | 0.3 | 29 | 0.7 | 0.7 | 0.4 | 13 | 0.35 | 0.271 |
| FA-17 05+50N | Soil | | | 1.3 | 9.9 | 12.5 | 40 | <0.1 | 8.5 | 4.2 | 200 | 3.16 | 5.8 | 1.5 | 2.2 | 7.2 | 4 | 0.1 | 0.4 | 0.4 | 40 | 0.02 | 0.059 |
| FA-17 05+00N | Soil | | | 1.1 | 13.0 | 10.4 | 25 | <0.1 | 5.8 | 2.4 | 110 | 2.48 | 4.4 | 1.3 | 1.7 | 5.3 | 5 | <0.1 | 0.3 | 0.2 | 31 | 0.03 | 0.068 |
| FA-17 04+50N | Soil | | | 1.0 | 18.4 | 14.3 | 48 | <0.1 | 9.1 | 4.9 | 334 | 2.07 | 3.0 | 1.2 | 3.4 | 4.1 | 5 | <0.1 | 0.4 | 0.4 | 34 | 0.04 | 0.071 |
| FA-17 04+00N | Soil | | | 0.9 | 12.0 | 11.5 | 36 | <0.1 | 8.0 | 4.2 | 219 | 2.21 | 3.3 | 1.0 | 2.7 | 4.5 | 4 | <0.1 | 0.2 | 0.3 | 31 | 0.03 | 0.051 |
| FA-17 03+50N | Soil | | | 1.1 | 11.3 | 10.3 | 25 | <0.1 | 6.1 | 2.7 | 97 | 2.30 | 4.2 | 1.2 | 2.1 | 5.4 | 4 | <0.1 | 0.2 | 0.3 | 30 | 0.03 | 0.058 |
| FA-17 03+00N | Soil | | | 0.8 | 8.3 | 9.2 | 36 | <0.1 | 8.2 | 3.9 | 665 | 1.75 | 4.5 | 0.9 | 1.6 | 4.3 | 5 | 0.1 | 0.4 | 0.2 | 24 | 0.05 | 0.077 |
| FA-17 02+50N | Soil | | | 0.7 | 9.8 | 9.9 | 39 | <0.1 | 7.1 | 3.3 | 140 | 2.32 | 3.0 | 0.7 | 1.9 | 4.5 | 4 | 0.1 | 0.3 | 0.3 | 34 | 0.03 | 0.056 |
| FA-17 02+00N | Soil | | | 0.7 | 7.0 | 8.2 | 42 | <0.1 | 7.4 | 4.2 | 250 | 1.70 | 2.7 | 0.7 | 1.4 | 3.7 | 4 | <0.1 | 0.2 | 0.3 | 23 | 0.04 | 0.053 |
| FA-17 01+50N | Soil | | | 0.8 | 9.0 | 8.8 | 38 | <0.1 | 6.9 | 3.9 | 176 | 1.87 | 3.2 | 0.9 | 1.3 | 4.5 | 3 | 0.1 | 0.2 | 0.2 | 24 | 0.04 | 0.070 |
| FA-17 01+00N | Soil | | | 0.3 | 3.4 | 7.7 | 26 | <0.1 | 5.0 | 3.6 | 775 | 1.44 | 3.2 | 0.5 | 1.5 | 4.3 | 2 | <0.1 | 0.2 | 0.2 | 16 | 0.02 | 0.113 |
| FA-17 00+50N | Soil | | | 0.4 | 6.9 | 7.0 | 23 | <0.1 | 4.4 | 2.7 | 74 | 1.49 | 1.8 | 0.6 | 1.3 | 3.9 | 2 | <0.1 | 0.1 | 0.3 | 24 | 0.01 | 0.060 |
| FA-17 00+00 | Soil | | | 0.5 | 5.4 | 8.2 | 32 | <0.1 | 5.3 | 3.2 | 273 | 1.61 | 2.6 | 0.5 | 1.0 | 3.8 | 2 | <0.1 | 0.3 | 0.3 | 22 | 0.02 | 0.035 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

7 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 | | |
|--------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|----|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | | | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | | |
| FA-17 16+50N | Soil | | | 8 | 1 | 0.14 | 57 | 0.077 | 1 | 2.03 | 0.008 | 0.04 | 0.2 | 0.08 | 1.0 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 8 |
| FA-17 16+00N | Soil | | | 21 | <1 | 0.14 | 48 | 0.020 | <1 | 1.35 | 0.007 | 0.04 | 0.3 | 0.05 | 0.7 | <0.1 | <0.05 | 5 | 0.5 | <1 | <1 | <1 |
| FA-17 15+50N | Soil | | | 23 | 4 | 0.28 | 61 | 0.011 | <1 | 0.97 | 0.005 | 0.05 | 0.4 | 0.02 | 0.5 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | <1 |
| FA-17 15+00N | Soil | | | 12 | <1 | 0.12 | 60 | 0.099 | 2 | 1.88 | 0.015 | 0.04 | 0.3 | 0.10 | 1.2 | <0.1 | <0.05 | 11 | 0.8 | <1 | <1 | 5 |
| FA-17 14+50N | Soil | | | 5 | <1 | 0.11 | 80 | 0.109 | 2 | 4.89 | 0.010 | 0.03 | 0.2 | 0.16 | 1.7 | <0.1 | <0.05 | 10 | 0.7 | <1 | <1 | 23 |
| FA-17 14+00N | Soil | | | 15 | 3 | 0.22 | 86 | 0.044 | <1 | 1.09 | 0.006 | 0.04 | 0.2 | 0.03 | 0.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 1 |
| FA-17 13+50N | Soil | | | 23 | 6 | 0.22 | 115 | 0.022 | <1 | 1.01 | 0.006 | 0.04 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | <1 |
| FA-17 13+00N | Soil | | | 7 | 2 | 0.15 | 50 | 0.095 | 1 | 3.63 | 0.010 | 0.03 | 0.3 | 0.11 | 1.5 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 16 |
| FA-17 12+50N | Soil | | | 5 | 6 | 0.17 | 36 | 0.103 | 1 | 6.11 | 0.008 | 0.04 | 0.3 | 0.13 | 2.2 | <0.1 | <0.05 | 9 | 0.9 | <1 | <1 | 47 |
| FA-17 12+00N | Soil | | | 5 | 3 | 0.14 | 35 | 0.106 | <1 | 5.26 | 0.011 | 0.03 | 0.3 | 0.13 | 1.9 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 43 |
| FA-17 11+50N | Soil | | | 4 | 3 | 0.16 | 37 | 0.102 | 1 | 4.92 | 0.011 | 0.03 | 0.2 | 0.12 | 1.9 | <0.1 | <0.05 | 8 | 0.5 | <1 | <1 | 44 |
| FA-17 11+00N | Soil | | | 10 | 11 | 0.28 | 51 | 0.115 | 2 | 3.55 | 0.009 | 0.05 | 0.3 | 0.09 | 1.8 | <0.1 | <0.05 | 12 | 0.8 | <1 | <1 | 11 |
| FA-17 10+50N | Soil | | | 11 | 4 | 0.35 | 49 | 0.043 | 2 | 1.55 | 0.009 | 0.06 | 0.1 | 0.07 | 0.8 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 1 |
| FA-17 10+00N | Soil | | | 16 | 5 | 0.26 | 96 | 0.065 | 1 | 1.42 | 0.006 | 0.05 | 0.2 | 0.04 | 1.2 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 1 |
| FA-17 09+50N | Soil | | | 4 | 3 | 0.09 | 26 | 0.149 | <1 | 3.49 | 0.011 | 0.03 | 0.2 | 0.10 | 1.4 | <0.1 | <0.05 | 16 | 0.7 | 1 | <1 | 30 |
| FA-17 09+00N | Soil | | | 22 | 7 | 1.20 | 16 | 0.057 | <1 | 1.23 | 0.003 | 0.04 | 0.2 | 0.01 | 0.6 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | <1 |
| FA-17 08+50N | Soil | | | 7 | 5 | 0.20 | 63 | 0.102 | 1 | 3.48 | 0.013 | 0.04 | 0.2 | 0.09 | 1.3 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 17 |
| FA-17 08+00N | Soil | | | 18 | <1 | 0.20 | 176 | 0.011 | 4 | 1.81 | 0.017 | 0.09 | 0.1 | 0.11 | 0.4 | 0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 1 |
| FA-17 05+50N | Soil | | | 11 | 8 | 0.29 | 36 | 0.111 | 2 | 2.83 | 0.007 | 0.05 | 0.2 | 0.09 | 1.9 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 21 |
| FA-17 05+00N | Soil | | | 5 | <1 | 0.12 | 25 | 0.143 | 1 | 5.27 | 0.011 | 0.05 | 0.3 | 0.15 | 1.9 | <0.1 | <0.05 | 11 | 0.6 | <1 | <1 | 46 |
| FA-17 04+50N | Soil | | | 11 | 1 | 0.22 | 53 | 0.118 | 2 | 2.49 | 0.009 | 0.06 | 0.3 | 0.12 | 1.5 | 0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 10 |
| FA-17 04+00N | Soil | | | 8 | 3 | 0.17 | 50 | 0.108 | 1 | 3.66 | 0.009 | 0.05 | 0.2 | 0.09 | 1.6 | <0.1 | <0.05 | 9 | 0.5 | <1 | <1 | 14 |
| FA-17 03+50N | Soil | | | 5 | 3 | 0.13 | 35 | 0.127 | 2 | 5.27 | 0.009 | 0.03 | 0.3 | 0.13 | 1.9 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 56 |
| FA-17 03+00N | Soil | | | 6 | <1 | 0.18 | 51 | 0.102 | 2 | 4.42 | 0.010 | 0.04 | 0.2 | 0.10 | 1.4 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 27 |
| FA-17 02+50N | Soil | | | 8 | 4 | 0.36 | 48 | 0.090 | 1 | 3.08 | 0.008 | 0.04 | 0.2 | 0.07 | 1.4 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 16 |
| FA-17 02+00N | Soil | | | 14 | 6 | 0.38 | 65 | 0.050 | 1 | 2.60 | 0.006 | 0.04 | 0.1 | 0.06 | 1.5 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 6 |
| FA-17 01+50N | Soil | | | 8 | 5 | 0.30 | 41 | 0.073 | 1 | 3.57 | 0.008 | 0.05 | 0.1 | 0.12 | 1.5 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 19 |
| FA-17 01+00N | Soil | | | 14 | 4 | 0.40 | 50 | 0.029 | <1 | 1.51 | 0.004 | 0.05 | 0.2 | 0.06 | 0.8 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 2 |
| FA-17 00+50N | Soil | | | 10 | 6 | 0.31 | 54 | 0.039 | 1 | 2.14 | 0.008 | 0.03 | 0.2 | 0.08 | 1.2 | <0.1 | <0.05 | 7 | 0.6 | <1 | <1 | 5 |
| FA-17 00+00 | Soil | | | 12 | 5 | 0.28 | 47 | 0.032 | <1 | 1.56 | 0.005 | 0.03 | 0.1 | 0.07 | 0.9 | <0.1 | <0.05 | 5 | 0.6 | <1 | <1 | 2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 8 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|----------------|-----------------|------------------|-----------------|------------------|------------------|----------------|------------------|------------------|------------------|---------------|-----------------|-----------------|-------|
| | Mo ppm 0.1 | Cu ppm 0.1 | Pb ppm 0.1 | Zn ppm 1 | Ag ppm 0.1 | Ni ppm 0.1 | Co ppm 0.1 | Mn ppm 1 | Fe % 0.01 | As ppm 0.5 | U ppm 0.1 | Au ppb 0.5 | Th ppm 0.1 | Sr ppm 1 | Cd ppm 0.1 | Sb ppm 0.1 | Bi ppm 0.1 | V ppm 2 | Ca % 0.01 | P % 0.001 | |
| FA-18 16+00N | Soil | 0.7 | 9.9 | 13.9 | 26 | 0.2 | 4.0 | 2.0 | 116 | 1.97 | 3.7 | 1.1 | 32.3 | 3.0 | 8 | 0.2 | 0.2 | 0.4 | 23 | 0.05 | 0.065 |
| FA-18 15+50N | Soil | 0.5 | 7.7 | 8.8 | 38 | 0.2 | 5.5 | 4.7 | 626 | 1.57 | 3.0 | 0.7 | 9.1 | 2.3 | 4 | 0.1 | 0.1 | 0.4 | 16 | 0.02 | 0.084 |
| FA-18 14+50N | Soil | 0.4 | 10.2 | 14.8 | 21 | <0.1 | 3.7 | 2.6 | 644 | 1.03 | 2.6 | 0.9 | 2.2 | 1.7 | 4 | 0.2 | 0.2 | 0.5 | 19 | 0.03 | 0.031 |
| FA-18 14+00N | Soil | 0.7 | 12.3 | 13.5 | 43 | <0.1 | 9.9 | 7.7 | 276 | 1.95 | 8.5 | 1.0 | 5.2 | 5.6 | 4 | 0.1 | 0.3 | 0.4 | 21 | 0.02 | 0.062 |
| FA-18 13+50N | Soil | 1.0 | 17.9 | 20.1 | 56 | 0.1 | 8.0 | 4.8 | 223 | 2.21 | 7.3 | 0.8 | 4.0 | 3.9 | 9 | 0.3 | 0.4 | 0.4 | 30 | 0.06 | 0.130 |
| FA-18 13+00N | Soil | 0.7 | 9.2 | 11.7 | 27 | <0.1 | 6.8 | 3.2 | 117 | 2.29 | 4.4 | 0.8 | 4.3 | 4.9 | 3 | <0.1 | 0.2 | 0.4 | 31 | 0.02 | 0.032 |
| FA-18 12+50N | Soil | 0.9 | 8.5 | 13.3 | 23 | <0.1 | 4.7 | 2.7 | 167 | 2.98 | 4.9 | 0.9 | 1.8 | 3.6 | 3 | 0.1 | 0.3 | 0.3 | 39 | 0.03 | 0.071 |
| FA-18 12+00N | Soil | 0.8 | 6.6 | 10.5 | 41 | <0.1 | 6.8 | 3.7 | 179 | 2.86 | 4.5 | 0.6 | 7.1 | 4.1 | 3 | <0.1 | 0.3 | 0.4 | 34 | 0.02 | 0.113 |
| FA-18 11+50N | Soil | 0.4 | 6.0 | 8.4 | 30 | <0.1 | 6.8 | 3.9 | 140 | 2.23 | 3.0 | 0.8 | 3.9 | 5.4 | 3 | <0.1 | 0.2 | 0.4 | 19 | 0.01 | 0.040 |
| FA-18 11+00N | Soil | 1.7 | 15.6 | 18.4 | 70 | <0.1 | 11.1 | 5.2 | 284 | 3.23 | 7.5 | 0.9 | 2.1 | 4.4 | 5 | 0.1 | 0.6 | 0.5 | 42 | 0.03 | 0.090 |
| FA-18 10+50N | Soil | 0.8 | 11.8 | 10.3 | 45 | <0.1 | 7.0 | 3.9 | 150 | 2.39 | 3.7 | 0.8 | 3.8 | 4.0 | 4 | <0.1 | 0.3 | 0.6 | 36 | 0.01 | 0.039 |
| FA-18 10+00N | Soil | 1.2 | 12.8 | 12.2 | 34 | <0.1 | 7.3 | 3.5 | 118 | 2.76 | 5.7 | 1.1 | 1.8 | 5.7 | 3 | 0.1 | 0.3 | 0.4 | 38 | 0.02 | 0.073 |
| FA-18 09+50N | Soil | 1.4 | 17.2 | 19.1 | 44 | <0.1 | 9.5 | 8.8 | 524 | 2.81 | 4.7 | 3.2 | 2.2 | 2.9 | 6 | 0.2 | 0.3 | 0.5 | 38 | 0.04 | 0.062 |
| FA-18 09+00N | Soil | 0.6 | 8.2 | 9.1 | 37 | <0.1 | 6.1 | 3.8 | 932 | 1.69 | 2.1 | 0.8 | 18.5 | 2.7 | 4 | 0.1 | 0.3 | 0.3 | 27 | 0.03 | 0.047 |
| FA-18 08+50N | Soil | 0.6 | 5.8 | 10.2 | 35 | <0.1 | 4.7 | 3.3 | 392 | 1.97 | 2.6 | 0.7 | 2.2 | 3.2 | 4 | 0.1 | 0.2 | 0.4 | 27 | 0.02 | 0.075 |
| FA-18 08+00N | Soil | 1.2 | 16.1 | 15.3 | 45 | <0.1 | 9.9 | 6.6 | 454 | 2.50 | 5.3 | 2.4 | 1.8 | 2.1 | 7 | 0.2 | 0.3 | 0.4 | 33 | 0.05 | 0.096 |
| FA-18 07+50N | Soil | 0.7 | 9.4 | 7.4 | 39 | <0.1 | 9.3 | 4.8 | 427 | 2.55 | 5.1 | 0.9 | 1.3 | 3.2 | 7 | 0.2 | 0.3 | 0.4 | 26 | 0.06 | 0.146 |
| FA-18 07+00N | Soil | 0.5 | 9.9 | 25.1 | 47 | <0.1 | 10.4 | 6.7 | 1134 | 1.76 | 6.1 | 1.1 | 1.8 | 3.7 | 5 | 0.1 | 0.5 | 0.5 | 19 | 0.04 | 0.090 |
| FA-18 06+50N | Soil | 1.2 | 16.8 | 11.8 | 48 | <0.1 | 8.5 | 4.4 | 247 | 2.43 | 4.8 | 1.0 | 2.0 | 4.3 | 5 | <0.1 | 0.3 | 0.4 | 41 | 0.03 | 0.073 |
| FA-18 06+00N | Soil | 1.2 | 20.5 | 16.8 | 47 | <0.1 | 8.3 | 4.1 | 407 | 3.28 | 4.1 | 1.3 | 3.9 | 3.0 | 4 | 0.1 | 0.4 | 0.5 | 50 | 0.02 | 0.062 |
| FA-18 05+50N | Soil | 1.1 | 11.5 | 13.6 | 52 | <0.1 | 12.9 | 5.6 | 742 | 2.40 | 5.1 | 0.9 | 0.9 | 4.1 | 7 | 0.1 | 0.4 | 0.4 | 35 | 0.07 | 0.078 |
| FA-18 05+00N | Soil | 1.1 | 14.1 | 10.6 | 49 | <0.1 | 10.8 | 4.8 | 158 | 2.27 | 5.0 | 1.4 | 1.7 | 6.1 | 4 | 0.1 | 0.4 | 0.3 | 31 | 0.02 | 0.060 |
| FA-18 04+50N | Soil | 1.0 | 14.0 | 12.4 | 48 | <0.1 | 8.9 | 5.4 | 517 | 2.72 | 4.8 | 1.1 | 1.4 | 5.3 | 4 | <0.1 | 0.3 | 0.4 | 35 | 0.03 | 0.069 |
| FA-18 04+00N | Soil | 1.0 | 13.1 | 13.0 | 50 | <0.1 | 9.8 | 5.4 | 620 | 2.28 | 3.9 | 1.1 | 2.1 | 5.5 | 5 | 0.1 | 0.3 | 0.4 | 32 | 0.03 | 0.078 |
| FA-18 03+50N | Soil | 0.9 | 16.8 | 16.7 | 45 | 0.1 | 7.8 | 5.6 | 1086 | 2.17 | 3.7 | 0.8 | 1.3 | 3.3 | 7 | 0.1 | 0.4 | 0.4 | 38 | 0.05 | 0.082 |
| FA-18 03+00N | Soil | 0.8 | 11.6 | 9.6 | 36 | <0.1 | 6.7 | 4.5 | 358 | 1.71 | 3.2 | 1.0 | 1.8 | 3.8 | 3 | 0.1 | 0.3 | 0.3 | 24 | 0.02 | 0.089 |
| FA-18 02+50N | Soil | 0.8 | 8.2 | 10.9 | 41 | <0.1 | 8.2 | 4.0 | 144 | 2.37 | 3.3 | 0.8 | 0.8 | 5.8 | 7 | <0.1 | 0.3 | 0.3 | 29 | 0.07 | 0.083 |
| FA-18 02+00N | Soil | 0.7 | 8.9 | 10.1 | 40 | 0.1 | 5.8 | 3.6 | 177 | 2.31 | 2.5 | 0.6 | 1.3 | 4.3 | 4 | <0.1 | 0.2 | 0.3 | 32 | 0.03 | 0.071 |
| FA-18 01+50N | Soil | 0.9 | 9.0 | 12.9 | 38 | <0.1 | 6.5 | 3.6 | 406 | 2.28 | 3.5 | 0.6 | 0.9 | 3.4 | 5 | <0.1 | 0.3 | 0.4 | 36 | 0.04 | 0.079 |
| FA-18 01+00N | Soil | 0.8 | 10.8 | 10.1 | 43 | <0.1 | 6.4 | 4.9 | 209 | 2.14 | 3.1 | 0.8 | 1.1 | 3.8 | 4 | <0.1 | 0.2 | 0.3 | 32 | 0.04 | 0.130 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 8 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------------|----------------|----------------|-----------------|----------------|------------------|---------------|-----------------|------------------|----------------|-----------------|-------------------|------------------|------------------|----------------|----------------|------------------|----------------|----------------|----------------|----|
| | La ppm 1 | Cr ppm 1 | Mg % 0.01 | Ba ppm 1 | Ti % 0.001 | B ppm 1 | Al % 0.01 | Na % 0.001 | K % 0.01 | W ppm 0.1 | Hg ppm 0.01 | Sc ppm 0.1 | Tl ppm 0.1 | S % 0.05 | Ga ppm 1 | Se ppm 0.5 | Sn ppm 1 | Te ppm 1 | Zr ppm 1 | |
| FA-18 16+00N | Soil | 9 | <1 | 0.08 | 62 | 0.051 | 1 | 2.95 | 0.008 | 0.03 | 0.4 | 0.13 | 1.3 | <0.1 | <0.05 | 8 | 0.6 | <1 | <1 | 16 |
| FA-18 15+50N | Soil | 11 | 2 | 0.17 | 71 | 0.024 | 1 | 1.54 | 0.007 | 0.03 | 0.2 | 0.06 | 0.7 | <0.1 | <0.05 | 5 | 0.7 | <1 | <1 | 1 |
| FA-18 14+50N | Soil | 8 | <1 | 0.09 | 93 | 0.087 | 2 | 0.71 | 0.011 | 0.04 | 0.2 | 0.03 | 0.6 | <0.1 | <0.05 | 7 | 0.6 | 1 | <1 | 1 |
| FA-18 14+00N | Soil | 14 | 6 | 0.25 | 86 | 0.043 | 2 | 2.54 | 0.008 | 0.06 | 0.4 | 0.07 | 1.7 | <0.1 | <0.05 | 6 | 0.5 | <1 | <1 | 11 |
| FA-18 13+50N | Soil | 8 | 4 | 0.18 | 115 | 0.061 | 2 | 3.50 | 0.012 | 0.05 | 0.6 | 0.12 | 1.6 | <0.1 | <0.05 | 8 | 0.6 | <1 | <1 | 18 |
| FA-18 13+00N | Soil | 12 | 6 | 0.16 | 47 | 0.076 | 1 | 1.77 | 0.009 | 0.04 | 0.3 | 0.06 | 1.1 | <0.1 | <0.05 | 9 | 0.6 | <1 | <1 | 9 |
| FA-18 12+50N | Soil | 4 | 5 | 0.09 | 39 | 0.160 | 1 | 4.39 | 0.009 | 0.03 | 0.3 | 0.12 | 1.3 | <0.1 | <0.05 | 15 | 0.8 | 1 | <1 | 39 |
| FA-18 12+00N | Soil | 11 | 7 | 0.20 | 48 | 0.068 | 1 | 1.84 | 0.006 | 0.04 | 0.3 | 0.06 | 1.1 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 5 |
| FA-18 11+50N | Soil | 20 | 6 | 0.20 | 23 | 0.042 | <1 | 0.84 | 0.004 | 0.04 | 0.3 | 0.03 | 0.6 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 1 |
| FA-18 11+00N | Soil | 11 | 11 | 0.30 | 52 | 0.077 | 2 | 2.71 | 0.007 | 0.06 | 0.3 | 0.09 | 1.8 | 0.1 | <0.05 | 10 | 0.8 | 1 | <1 | 8 |
| FA-18 10+50N | Soil | 13 | 8 | 0.19 | 42 | 0.068 | 1 | 1.74 | 0.008 | 0.04 | 0.2 | 0.05 | 1.1 | <0.1 | <0.05 | 9 | <0.5 | 1 | <1 | 4 |
| FA-18 10+00N | Soil | 8 | 7 | 0.17 | 33 | 0.120 | 2 | 3.63 | 0.009 | 0.04 | 0.3 | 0.16 | 1.7 | <0.1 | <0.05 | 12 | 0.7 | 1 | <1 | 28 |
| FA-18 09+50N | Soil | 10 | 4 | 0.23 | 64 | 0.141 | 1 | 1.93 | 0.013 | 0.05 | 0.3 | 0.07 | 1.5 | <0.1 | <0.05 | 14 | 0.8 | 1 | <1 | 5 |
| FA-18 09+00N | Soil | 17 | 5 | 0.24 | 49 | 0.065 | 1 | 1.24 | 0.009 | 0.03 | 0.2 | 0.05 | 1.1 | 0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 2 |
| FA-18 08+50N | Soil | 14 | 3 | 0.14 | 42 | 0.081 | 2 | 1.40 | 0.013 | 0.03 | 0.2 | 0.06 | 0.9 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 4 |
| FA-18 08+00N | Soil | 11 | 4 | 0.28 | 83 | 0.102 | 3 | 2.62 | 0.013 | 0.06 | 0.2 | 0.09 | 1.6 | <0.1 | <0.05 | 11 | <0.5 | 1 | <1 | 5 |
| FA-18 07+50N | Soil | 12 | <1 | 0.30 | 74 | 0.087 | 1 | 1.98 | 0.013 | 0.04 | 0.2 | 0.11 | 1.1 | <0.1 | 0.06 | 9 | 0.9 | <1 | <1 | 5 |
| FA-18 07+00N | Soil | 17 | 4 | 0.26 | 84 | 0.039 | 2 | 1.60 | 0.007 | 0.05 | 0.1 | 0.05 | 1.3 | 0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 1 |
| FA-18 06+50N | Soil | 6 | 5 | 0.19 | 45 | 0.153 | 2 | 3.83 | 0.012 | 0.04 | 0.3 | 0.11 | 2.0 | <0.1 | <0.05 | 11 | 0.7 | 1 | <1 | 32 |
| FA-18 06+00N | Soil | 8 | 8 | 0.18 | 57 | 0.163 | 1 | 2.57 | 0.010 | 0.05 | 0.2 | 0.08 | 1.9 | 0.1 | <0.05 | 15 | 0.6 | 2 | <1 | 17 |
| FA-18 05+50N | Soil | 13 | 7 | 0.29 | 61 | 0.095 | 2 | 2.28 | 0.008 | 0.06 | 0.3 | 0.07 | 1.4 | 0.1 | <0.05 | 9 | 0.7 | <1 | <1 | 5 |
| FA-18 05+00N | Soil | 11 | 8 | 0.25 | 38 | 0.109 | 2 | 3.88 | 0.009 | 0.05 | 0.2 | 0.11 | 2.1 | <0.1 | <0.05 | 9 | 0.8 | <1 | <1 | 24 |
| FA-18 04+50N | Soil | 14 | 8 | 0.24 | 43 | 0.099 | 2 | 2.51 | 0.008 | 0.05 | 0.2 | 0.08 | 1.6 | <0.1 | <0.05 | 10 | 0.6 | <1 | <1 | 8 |
| FA-18 04+00N | Soil | 11 | 8 | 0.21 | 61 | 0.112 | 2 | 3.44 | 0.010 | 0.05 | 0.2 | 0.07 | 1.9 | 0.1 | <0.05 | 9 | 0.6 | <1 | <1 | 15 |
| FA-18 03+50N | Soil | 7 | 5 | 0.14 | 73 | 0.142 | 2 | 3.04 | 0.015 | 0.05 | 0.2 | 0.12 | 1.8 | <0.1 | <0.05 | 11 | <0.5 | 1 | <1 | 14 |
| FA-18 03+00N | Soil | 10 | 3 | 0.16 | 43 | 0.095 | 1 | 2.94 | 0.009 | 0.03 | 0.2 | 0.09 | 1.3 | <0.1 | <0.05 | 8 | 0.5 | <1 | <1 | 12 |
| FA-18 02+50N | Soil | 14 | 5 | 0.22 | 57 | 0.082 | 1 | 2.58 | 0.009 | 0.05 | 0.2 | 0.08 | 1.2 | <0.1 | <0.05 | 8 | 0.6 | <1 | <1 | 11 |
| FA-18 02+00N | Soil | 13 | 5 | 0.19 | 57 | 0.070 | 1 | 2.35 | 0.009 | 0.04 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 9 |
| FA-18 01+50N | Soil | 10 | 7 | 0.16 | 54 | 0.117 | 1 | 2.65 | 0.012 | 0.04 | 0.2 | 0.07 | 1.6 | <0.1 | <0.05 | 11 | 0.6 | 1 | <1 | 11 |
| FA-18 01+00N | Soil | 6 | 5 | 0.16 | 59 | 0.113 | 2 | 4.05 | 0.013 | 0.03 | 0.2 | 0.08 | 1.6 | <0.1 | <0.05 | 10 | 0.7 | 1 | <1 | 23 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

9 of 11

Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 | | |
|--------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| FA-18 00+50N | Soil | | | 0.6 | 8.6 | 11.0 | 37 | <0.1 | 6.9 | 5.1 | 285 | 2.20 | 4.4 | 0.7 | 2.3 | 4.7 | 4 | 0.1 | 0.3 | 0.3 | 26 | 0.03 | 0.100 |
| FA-18 00+00 | Soil | | | 0.7 | 10.8 | 10.8 | 42 | 0.1 | 7.3 | 5.3 | 164 | 1.93 | 3.5 | 1.0 | 1.3 | 4.3 | 4 | 0.2 | 0.3 | 0.3 | 26 | 0.04 | 0.131 |
| FA-19 16+00N | Soil | | | 0.6 | 42.0 | 24.2 | 67 | <0.1 | 15.1 | 9.7 | 275 | 2.23 | 9.8 | 1.4 | 3.7 | 6.1 | 6 | <0.1 | 0.2 | 0.4 | 18 | 0.04 | 0.052 |
| FA-19 15+00N | Soil | | | 0.7 | 10.5 | 19.7 | 60 | 0.1 | 9.4 | 5.8 | 627 | 2.07 | 4.1 | 0.7 | 27.3 | 3.8 | 8 | 0.1 | 0.3 | 0.5 | 30 | 0.07 | 0.090 |
| FA-19 14+50N | Soil | | | 1.1 | 11.8 | 16.3 | 34 | <0.1 | 6.4 | 3.3 | 133 | 3.25 | 5.4 | 0.8 | 6.8 | 4.6 | 3 | <0.1 | 0.3 | 0.6 | 45 | 0.02 | 0.077 |
| FA-19 14+00N | Soil | | | 0.8 | 11.7 | 11.2 | 46 | <0.1 | 9.6 | 5.9 | 176 | 2.17 | 3.4 | 1.4 | 5.0 | 7.4 | 2 | <0.1 | 0.2 | 0.5 | 20 | 0.01 | 0.070 |
| FA-19 13+50N | Soil | | | 0.9 | 14.7 | 10.7 | 37 | 0.3 | 5.2 | 5.3 | 400 | 1.78 | 3.0 | 1.0 | 3.6 | 3.5 | 4 | 0.1 | 0.2 | 0.3 | 28 | 0.04 | 0.124 |
| FA-19 13+00N | Soil | | | 0.7 | 13.6 | 19.0 | 26 | <0.1 | 4.8 | 3.0 | 97 | 2.64 | 13.7 | 1.5 | 10.3 | 6.4 | 3 | <0.1 | 0.3 | 0.6 | 23 | 0.01 | 0.078 |
| FA-19 12+50N | Soil | | | 0.3 | 11.4 | 14.3 | 45 | <0.1 | 9.9 | 5.5 | 140 | 1.26 | 8.4 | 0.8 | 7.3 | 5.6 | 2 | <0.1 | 0.1 | 0.3 | 10 | <0.01 | 0.026 |
| FA-19 12+00N | Soil | | | 0.5 | 15.6 | 9.7 | 35 | <0.1 | 7.1 | 3.7 | 126 | 1.48 | 4.8 | 1.1 | 2.6 | 4.9 | 3 | <0.1 | 0.2 | 0.2 | 21 | 0.02 | 0.056 |
| FA-19 11+50N | Soil | | | 0.9 | 10.3 | 10.9 | 23 | 0.1 | 4.6 | 2.7 | 98 | 2.64 | 5.4 | 0.9 | 2.0 | 3.6 | 3 | 0.1 | 0.2 | 0.3 | 37 | 0.02 | 0.107 |
| FA-19 11+00N | Soil | | | 0.5 | 12.7 | 9.8 | 33 | 0.1 | 7.6 | 4.4 | 175 | 1.65 | 5.4 | 1.0 | 14.5 | 6.2 | 3 | <0.1 | 0.2 | 0.3 | 19 | 0.03 | 0.048 |
| FA-19 10+50N | Soil | | | 0.6 | 10.5 | 10.3 | 49 | <0.1 | 9.2 | 5.1 | 193 | 2.01 | 3.6 | 0.9 | 42.9 | 7.1 | 3 | <0.1 | 0.2 | 0.3 | 25 | 0.02 | 0.057 |
| FA-19 10+00N | Soil | | | 1.1 | 12.1 | 10.1 | 29 | 0.1 | 5.1 | 2.8 | 128 | 2.29 | 5.5 | 1.2 | 0.7 | 5.7 | 4 | <0.1 | 0.3 | 0.2 | 31 | 0.03 | 0.168 |
| FA-19 09+50N | Soil | | | 0.8 | 8.4 | 9.1 | 18 | 0.1 | 3.1 | 1.3 | 94 | 1.83 | 4.9 | 0.7 | 1.4 | 2.4 | 3 | 0.2 | 0.3 | 0.2 | 34 | 0.02 | 0.095 |
| FA-19 08+50N | Soil | | | 1.5 | 12.5 | 17.1 | 26 | 0.2 | 4.7 | 2.4 | 105 | 4.58 | 7.7 | 0.6 | 3.6 | 4.8 | 3 | 0.4 | 0.6 | 0.6 | 65 | 0.02 | 0.107 |
| FA-19 08+00N | Soil | | | 0.8 | 9.2 | 11.2 | 37 | 0.1 | 5.6 | 3.4 | 186 | 2.79 | 4.1 | 0.8 | 5.4 | 5.3 | 3 | 0.1 | 0.3 | 0.3 | 36 | 0.02 | 0.065 |
| FA-19 07+50N | Soil | | | 0.8 | 16.8 | 16.0 | 51 | <0.1 | 10.6 | 5.6 | 581 | 2.10 | 3.9 | 1.2 | 1.9 | 3.9 | 4 | <0.1 | 0.3 | 0.4 | 28 | 0.02 | 0.100 |
| FA-19 07+00N | Soil | | | 1.0 | 9.6 | 12.0 | 42 | <0.1 | 7.3 | 3.9 | 156 | 2.93 | 3.4 | 0.9 | 1.3 | 4.8 | 3 | <0.1 | 0.2 | 0.4 | 45 | 0.02 | 0.059 |
| FA-19 06+50N | Soil | | | 0.6 | 7.4 | 12.8 | 22 | <0.1 | 4.0 | 2.1 | 89 | 1.57 | 1.5 | 0.6 | 1.4 | 3.5 | 3 | <0.1 | 0.2 | 0.5 | 30 | 0.01 | 0.050 |
| FA-19 06+00N | Soil | | | 0.7 | 19.7 | 8.0 | 13 | <0.1 | 5.1 | 3.8 | 366 | 1.46 | 3.1 | 1.5 | 1.2 | 2.7 | 5 | <0.1 | 0.1 | 0.2 | 27 | 0.03 | 0.111 |
| FA-19 05+50N | Soil | | | 0.9 | 14.9 | 8.9 | 54 | <0.1 | 11.3 | 6.1 | 192 | 3.05 | 4.6 | 0.9 | 1.6 | 7.1 | 3 | 0.1 | 0.3 | 0.6 | 35 | 0.02 | 0.089 |
| FA-19 05+00N | Soil | | | 0.4 | 12.3 | 12.1 | 43 | <0.1 | 10.4 | 6.0 | 731 | 1.41 | 2.2 | 0.8 | 2.1 | 4.5 | 3 | <0.1 | 0.2 | 0.3 | 13 | 0.03 | 0.056 |
| FA-19 04+50N | Soil | | | 1.0 | 16.1 | 14.2 | 48 | 0.1 | 8.2 | 7.1 | 887 | 2.34 | 2.9 | 0.8 | 2.7 | 3.5 | 4 | 0.1 | 0.3 | 0.4 | 37 | 0.03 | 0.074 |
| FA-19 04+00N | Soil | | | 1.3 | 15.3 | 16.3 | 43 | 0.2 | 7.4 | 6.0 | 406 | 2.87 | 4.2 | 0.8 | 1.6 | 3.7 | 4 | <0.1 | 0.3 | 0.5 | 47 | 0.02 | 0.073 |
| FA-19 03+50N | Soil | | | 0.7 | 15.5 | 10.3 | 41 | 0.1 | 10.4 | 6.0 | 208 | 2.00 | 3.3 | 1.1 | 0.7 | 5.9 | 4 | <0.1 | 0.2 | 0.4 | 24 | 0.03 | 0.098 |
| FA-19 03+00N | Soil | | | 0.6 | 11.5 | 13.9 | 45 | <0.1 | 9.8 | 6.5 | 778 | 1.84 | 2.9 | 0.7 | 9.9 | 4.6 | 4 | 0.1 | 0.3 | 0.4 | 23 | 0.04 | 0.059 |
| FA-19 02+50N | Soil | | | 0.6 | 9.3 | 14.7 | 44 | 0.1 | 7.0 | 5.2 | 335 | 2.29 | 2.6 | 0.6 | 2.2 | 4.3 | 3 | 0.1 | 0.3 | 0.4 | 32 | 0.03 | 0.050 |
| FA-19 02+00N | Soil | | | 0.5 | 9.7 | 10.2 | 46 | <0.1 | 9.9 | 5.9 | 437 | 1.77 | 2.2 | 1.0 | 5.1 | 5.2 | 4 | <0.1 | 0.2 | 0.4 | 18 | 0.03 | 0.045 |
| FA-19 01+50N | Soil | | | 0.8 | 12.1 | 15.7 | 41 | <0.1 | 8.6 | 6.0 | 558 | 2.25 | 4.5 | 0.9 | 1.5 | 4.8 | 3 | 0.1 | 0.4 | 0.4 | 28 | 0.02 | 0.100 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

August 01, 2008

Page:

9 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 | | |
|--------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|----|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | | | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | | |
| FA-18 00+50N | Soil | | | 11 | 5 | 0.24 | 64 | 0.087 | 1 | 2.45 | 0.011 | 0.04 | 0.2 | 0.05 | 1.2 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 13 |
| FA-18 00+00 | Soil | | | 10 | 4 | 0.19 | 67 | 0.084 | 1 | 3.54 | 0.011 | 0.04 | 0.2 | 0.09 | 1.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 19 |
| FA-19 16+00N | Soil | | | 20 | 11 | 0.39 | 126 | 0.011 | 1 | 2.37 | 0.008 | 0.11 | 0.1 | 0.04 | 1.5 | 0.1 | <0.05 | 5 | 0.6 | <1 | <1 | 5 |
| FA-19 15+00N | Soil | | | 13 | 7 | 0.24 | 86 | 0.085 | 1 | 2.08 | 0.010 | 0.07 | 0.2 | 0.05 | 1.4 | 0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 3 |
| FA-19 14+50N | Soil | | | 8 | 7 | 0.19 | 36 | 0.091 | 1 | 2.35 | 0.007 | 0.03 | 0.3 | 0.11 | 1.3 | <0.1 | 0.09 | 10 | <0.5 | 1 | <1 | 11 |
| FA-19 14+00N | Soil | | | 13 | 6 | 0.25 | 39 | 0.029 | <1 | 1.82 | 0.004 | 0.03 | 0.2 | 0.06 | 1.0 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 6 |
| FA-19 13+50N | Soil | | | 3 | 2 | 0.08 | 35 | 0.103 | 2 | 4.25 | 0.010 | 0.03 | 0.3 | 0.11 | 1.6 | <0.1 | 0.07 | 8 | <0.5 | <1 | <1 | 39 |
| FA-19 13+00N | Soil | | | 16 | 3 | 0.11 | 27 | 0.026 | <1 | 1.16 | 0.004 | 0.03 | 0.3 | 0.04 | 0.6 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 4 |
| FA-19 12+50N | Soil | | | 13 | 5 | 0.25 | 47 | 0.010 | <1 | 1.11 | 0.004 | 0.04 | 0.7 | 0.03 | 0.7 | <0.1 | 0.05 | 2 | <0.5 | <1 | <1 | 2 |
| FA-19 12+00N | Soil | | | 8 | 4 | 0.16 | 55 | 0.061 | <1 | 2.88 | 0.008 | 0.03 | 0.3 | 0.07 | 2.3 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 33 |
| FA-19 11+50N | Soil | | | 5 | <1 | 0.09 | 27 | 0.104 | <1 | 4.37 | 0.008 | 0.02 | 0.3 | 0.13 | 1.5 | <0.1 | 0.07 | 9 | <0.5 | <1 | <1 | 38 |
| FA-19 11+00N | Soil | | | 11 | 5 | 0.18 | 48 | 0.042 | <1 | 2.22 | 0.005 | 0.04 | 0.3 | 0.07 | 1.5 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 15 |
| FA-19 10+50N | Soil | | | 8 | 8 | 0.18 | 45 | 0.061 | 1 | 2.66 | 0.005 | 0.03 | 0.3 | 0.04 | 1.3 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 14 |
| FA-19 10+00N | Soil | | | 4 | 5 | 0.08 | 27 | 0.119 | 1 | 6.55 | 0.009 | 0.03 | 0.3 | 0.17 | 1.9 | <0.1 | <0.05 | 8 | 0.5 | <1 | <1 | 57 |
| FA-19 09+50N | Soil | | | 2 | <1 | 0.06 | 20 | 0.144 | 1 | 4.06 | 0.012 | 0.02 | 0.2 | 0.12 | 1.2 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 46 |
| FA-19 08+50N | Soil | | | 5 | 3 | 0.09 | 29 | 0.185 | 1 | 2.03 | 0.009 | 0.04 | 0.2 | 0.09 | 0.9 | <0.1 | 0.06 | 17 | <0.5 | 1 | <1 | 25 |
| FA-19 08+00N | Soil | | | 11 | 3 | 0.16 | 35 | 0.092 | <1 | 2.85 | 0.008 | 0.03 | 0.2 | 0.07 | 1.2 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 21 |
| FA-19 07+50N | Soil | | | 12 | 4 | 0.29 | 42 | 0.074 | <1 | 1.80 | 0.007 | 0.04 | 0.2 | 0.04 | 1.0 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 6 |
| FA-19 07+00N | Soil | | | 7 | 7 | 0.22 | 39 | 0.116 | 1 | 3.06 | 0.009 | 0.04 | 0.3 | 0.05 | 1.8 | <0.1 | <0.05 | 11 | <0.5 | <1 | <1 | 23 |
| FA-19 06+50N | Soil | | | 11 | 5 | 0.12 | 32 | 0.080 | <1 | 2.18 | 0.010 | 0.03 | 0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 11 |
| FA-19 06+00N | Soil | | | 4 | 2 | 0.10 | 16 | 0.132 | 1 | 4.10 | 0.017 | 0.03 | 0.2 | 0.06 | 2.5 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 45 |
| FA-19 05+50N | Soil | | | 16 | 10 | 0.34 | 35 | 0.073 | 1 | 1.80 | 0.007 | 0.04 | 0.3 | 0.06 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 11 |
| FA-19 05+00N | Soil | | | 15 | 3 | 0.31 | 47 | 0.028 | <1 | 1.23 | 0.004 | 0.03 | 0.2 | 0.04 | 0.8 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 4 |
| FA-19 04+50N | Soil | | | 8 | 6 | 0.17 | 61 | 0.121 | 1 | 2.73 | 0.010 | 0.04 | 0.3 | 0.07 | 1.5 | 0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 13 |
| FA-19 04+00N | Soil | | | 7 | 7 | 0.15 | 41 | 0.140 | 1 | 2.87 | 0.011 | 0.04 | 0.2 | 0.07 | 1.4 | <0.1 | <0.05 | 12 | <0.5 | 1 | <1 | 18 |
| FA-19 03+50N | Soil | | | 10 | 6 | 0.25 | 63 | 0.086 | 1 | 3.82 | 0.009 | 0.04 | 0.2 | 0.06 | 1.6 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 31 |
| FA-19 03+00N | Soil | | | 15 | 5 | 0.26 | 60 | 0.048 | 1 | 1.69 | 0.006 | 0.05 | 0.2 | 0.06 | 1.1 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 6 |
| FA-19 02+50N | Soil | | | 12 | 5 | 0.17 | 47 | 0.077 | 1 | 1.78 | 0.009 | 0.03 | 0.2 | 0.05 | 1.1 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 8 |
| FA-19 02+00N | Soil | | | 20 | 5 | 0.26 | 46 | 0.034 | <1 | 1.52 | 0.005 | 0.04 | 0.2 | 0.03 | 0.9 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 3 |
| FA-19 01+50N | Soil | | | 9 | 3 | 0.18 | 51 | 0.079 | <1 | 2.83 | 0.012 | 0.04 | 0.2 | 0.09 | 1.4 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 14 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 10 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method Analyte | Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|-------------------|-------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|----------------|-----------------|------------------|-----------------|------------------|------------------|----------------|------------------|------------------|------------------|---------------|-----------------|-----------------|
| | | Mo ppm 0.1 | Cu ppm 0.1 | Pb ppm 0.1 | Zn ppm 1 | Ag ppm 0.1 | Ni ppm 0.1 | Co ppm 0.1 | Mn ppm 1 | Fe % 0.01 | As ppm 0.5 | U ppm 0.1 | Au ppb 0.5 | Th ppm 0.1 | Sr ppm 1 | Cd ppm 0.1 | Sb ppm 0.1 | Bi ppm 0.1 | V ppm 2 | Ca % 0.01 | P % 0.001 |
| FA-19 01+00N | Soil | 0.7 | 12.1 | 14.8 | 42 | 0.1 | 7.9 | 5.8 | 769 | 1.91 | 3.5 | 0.6 | 117.7 | 3.4 | 7 | 0.2 | 0.3 | 0.3 | 31 | 0.07 | 0.092 |
| FA-19 00+50N | Soil | 0.7 | 13.2 | 12.1 | 31 | 0.1 | 7.6 | 5.3 | 216 | 2.06 | 3.8 | 0.8 | 7.8 | 4.8 | 4 | <0.1 | 0.2 | 0.4 | 25 | 0.03 | 0.073 |
| FA-19 00+00 | Soil | 0.1 | 9.6 | 5.8 | 36 | <0.1 | 7.5 | 5.0 | 138 | 0.91 | 1.1 | 1.7 | 2.6 | 6.7 | 2 | <0.1 | <0.1 | 0.2 | 6 | 0.02 | 0.016 |
| FA-20 16+00N | Soil | 1.0 | 17.6 | 19.3 | 57 | <0.1 | 10.7 | 6.2 | 178 | 2.64 | 9.6 | 1.0 | 1.2 | 6.8 | 3 | <0.1 | 0.3 | 0.4 | 16 | 0.01 | 0.053 |
| FA-20 15+50N | Soil | 0.9 | 14.4 | 13.9 | 57 | <0.1 | 10.1 | 5.7 | 271 | 2.28 | 14.7 | 0.8 | 8.9 | 3.3 | 7 | 0.2 | 0.2 | 0.4 | 17 | 0.04 | 0.042 |
| FA-20 15+00N | Soil | 1.4 | 12.1 | 17.4 | 47 | <0.1 | 7.8 | 3.8 | 148 | 3.49 | 11.3 | 0.7 | 3.7 | 3.7 | 8 | 0.1 | 0.3 | 0.6 | 46 | 0.05 | 0.086 |
| FA-20 14+50N | Soil | 1.3 | 10.9 | 17.2 | 42 | <0.1 | 5.7 | 4.0 | 309 | 2.37 | 11.5 | 0.8 | 2.2 | 2.7 | 10 | 0.1 | 0.2 | 0.4 | 35 | 0.08 | 0.042 |
| FA-20 14+00N | Soil | 1.8 | 29.6 | 21.8 | 26 | 0.2 | 7.1 | 4.8 | 208 | 2.16 | 66.1 | 3.0 | 1.6 | 3.3 | 7 | 0.2 | 0.2 | 0.3 | 29 | 0.05 | 0.051 |
| FA-20 13+50N | Soil | 0.7 | 11.0 | 9.7 | 59 | <0.1 | 8.1 | 6.0 | 254 | 2.02 | 5.5 | 0.9 | 3.0 | 4.6 | 6 | 0.1 | 0.2 | 0.3 | 24 | 0.07 | 0.098 |
| FA-20 13+00N | Soil | 0.8 | 13.7 | 8.4 | 67 | <0.1 | 9.1 | 5.4 | 285 | 1.93 | 4.0 | 1.0 | 10.0 | 4.7 | 4 | 0.1 | 0.2 | 0.3 | 27 | 0.03 | 0.127 |
| FA-20 12+50N | Soil | 1.0 | 19.8 | 11.6 | 43 | 0.2 | 7.9 | 3.4 | 350 | 2.38 | 7.9 | 1.1 | 3.1 | 5.7 | 5 | 0.1 | 0.4 | 0.5 | 34 | 0.05 | 0.216 |
| FA-20 12+00N | Soil | 0.3 | 8.7 | 6.7 | 23 | <0.1 | 4.2 | 2.0 | 75 | 1.55 | 2.0 | 0.5 | 2.1 | 4.2 | 3 | <0.1 | 0.1 | 0.3 | 21 | 0.02 | 0.027 |
| FA-20 11+50N | Soil | 1.2 | 15.4 | 11.8 | 33 | 0.1 | 5.1 | 4.2 | 294 | 1.93 | 3.4 | 1.2 | 3.6 | 3.6 | 3 | <0.1 | 0.3 | 0.3 | 35 | 0.03 | 0.059 |
| FA-20 11+00N | Soil | 0.6 | 8.7 | 8.6 | 40 | <0.1 | 6.5 | 3.5 | 315 | 1.63 | 2.7 | 0.8 | 1.1 | 3.9 | 3 | <0.1 | 0.2 | 0.3 | 23 | 0.02 | 0.049 |
| FA-20 10+50N | Soil | 0.8 | 9.6 | 10.1 | 35 | 0.2 | 6.3 | 2.7 | 95 | 2.19 | 3.9 | 0.9 | 2.6 | 5.7 | 3 | <0.1 | 0.2 | 0.3 | 30 | 0.02 | 0.076 |
| FA-20 10+00N | Soil | 0.9 | 9.2 | 11.9 | 42 | 0.1 | 7.1 | 3.8 | 125 | 2.34 | 3.8 | 0.9 | 1.9 | 6.9 | 3 | <0.1 | 0.3 | 0.3 | 32 | 0.02 | 0.097 |
| FA-20 09+50N | Soil | 1.1 | 14.8 | 18.6 | 38 | 0.2 | 6.4 | 4.3 | 551 | 2.24 | 13.2 | 2.4 | 2.3 | 2.7 | 10 | 0.2 | 0.2 | 0.4 | 28 | 0.07 | 0.132 |
| FA-20 09+00N | Soil | 0.5 | 10.2 | 7.5 | 43 | <0.1 | 7.9 | 4.6 | 178 | 1.65 | 2.5 | 0.8 | 1.0 | 4.6 | 4 | <0.1 | 0.2 | 0.3 | 19 | 0.04 | 0.059 |
| FA-20 08+00N | Soil | 1.2 | 15.5 | 22.8 | 62 | 0.1 | 10.3 | 6.8 | 244 | 2.74 | 5.0 | 1.0 | 3.8 | 7.1 | 3 | 0.1 | 0.3 | 0.4 | 24 | 0.02 | 0.070 |
| FA-20 07+50N | Soil | 0.8 | 8.6 | 10.1 | 35 | <0.1 | 7.8 | 3.7 | 120 | 1.94 | 3.8 | 0.8 | 1.9 | 5.1 | 3 | 0.2 | 0.3 | 0.4 | 26 | 0.01 | 0.037 |
| FA-20 07+00N | Soil | 1.5 | 16.2 | 22.2 | 47 | <0.1 | 8.7 | 5.5 | 778 | 2.27 | 3.7 | 0.9 | 1.9 | 5.7 | 4 | <0.1 | 0.3 | 0.5 | 26 | 0.04 | 0.033 |
| FA-20 06+50N | Soil | 1.9 | 19.7 | 19.1 | 64 | 0.1 | 10.0 | 5.4 | 323 | 2.98 | 7.1 | 1.3 | 4.0 | 4.4 | 4 | 0.1 | 0.4 | 0.5 | 41 | 0.02 | 0.224 |
| FA-20 06+00N | Soil | 1.3 | 13.1 | 15.3 | 55 | 0.1 | 9.0 | 6.4 | 817 | 2.64 | 5.5 | 1.0 | 1.7 | 4.2 | 6 | 0.3 | 0.4 | 0.6 | 32 | 0.06 | 0.101 |
| FA-20 05+50N | Soil | 1.1 | 12.1 | 17.0 | 54 | 0.2 | 9.0 | 5.6 | 435 | 2.56 | 4.3 | 0.8 | 2.3 | 4.5 | 4 | 0.1 | 0.4 | 0.4 | 35 | 0.03 | 0.068 |
| FA-20 05+00N | Soil | 1.4 | 17.3 | 15.8 | 47 | 0.2 | 8.3 | 5.1 | 317 | 2.71 | 4.7 | 1.0 | 4.0 | 4.2 | 4 | 0.1 | 0.3 | 0.3 | 37 | 0.02 | 0.126 |
| FA-20 04+50N | Soil | 1.1 | 14.3 | 14.5 | 50 | 0.2 | 8.9 | 7.5 | 867 | 2.41 | 3.5 | 1.0 | 3.6 | 5.6 | 3 | <0.1 | 0.2 | 0.4 | 26 | 0.02 | 0.092 |
| FA-20 04+00N | Soil | 0.8 | 10.8 | 13.8 | 49 | 0.2 | 7.5 | 5.3 | 351 | 2.12 | 3.4 | 0.8 | 1.0 | 4.4 | 4 | 0.1 | 0.3 | 0.3 | 30 | 0.03 | 0.067 |
| FA-20 03+50N | Soil | 0.9 | 16.0 | 20.0 | 63 | 0.2 | 9.8 | 7.1 | 519 | 2.10 | 3.2 | 1.2 | 1.6 | 6.1 | 5 | 0.2 | 0.2 | 0.4 | 25 | 0.05 | 0.082 |
| FA-20 03+00N | Soil | 0.9 | 14.6 | 14.1 | 62 | 0.1 | 9.3 | 8.5 | 426 | 2.34 | 3.9 | 1.1 | 2.9 | 5.0 | 5 | 0.1 | 0.2 | 0.4 | 28 | 0.04 | 0.052 |
| FA-20 02+50N | Soil | 1.2 | 13.7 | 14.5 | 49 | 0.1 | 7.2 | 6.8 | 682 | 2.19 | 3.8 | 1.0 | 3.3 | 3.2 | 4 | <0.1 | 0.3 | 0.3 | 37 | 0.04 | 0.077 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | MDL | 1DX15 | | |
|--------------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|----|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 |
| FA-19 01+00N | Soil | | | 8 | 4 | 0.15 | 57 | 0.096 | 2 | 2.07 | 0.010 | 0.08 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 13 |
| FA-19 00+50N | Soil | | | 10 | 4 | 0.16 | 50 | 0.061 | <1 | 1.88 | 0.008 | 0.03 | 0.2 | 0.06 | 1.0 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 8 |
| FA-19 00+00 | Soil | | | 23 | 4 | 0.27 | 30 | 0.007 | <1 | 0.63 | 0.003 | 0.02 | <0.1 | <0.01 | 0.4 | <0.1 | <0.05 | 2 | <0.5 | <1 | <1 | <1 |
| FA-20 16+00N | Soil | | | 18 | 8 | 0.31 | 62 | 0.025 | <1 | 2.06 | 0.005 | 0.05 | 0.2 | 0.03 | 1.3 | <0.1 | <0.05 | 4 | <0.5 | <1 | <1 | 9 |
| FA-20 15+50N | Soil | | | 18 | 4 | 0.30 | 104 | 0.024 | <1 | 1.29 | 0.006 | 0.04 | 0.2 | 0.03 | 0.7 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | <1 |
| FA-20 15+00N | Soil | | | 9 | 6 | 0.20 | 71 | 0.115 | <1 | 1.70 | 0.010 | 0.04 | 0.3 | 0.05 | 1.0 | <0.1 | <0.05 | 13 | 0.6 | 1 | <1 | 7 |
| FA-20 14+50N | Soil | | | 7 | 4 | 0.13 | 80 | 0.098 | <1 | 2.12 | 0.010 | 0.04 | 0.3 | 0.05 | 1.0 | <0.1 | <0.05 | 10 | <0.5 | 1 | <1 | 12 |
| FA-20 14+00N | Soil | | | 13 | <1 | 0.12 | 68 | 0.162 | <1 | 2.93 | 0.018 | 0.03 | 0.3 | 0.07 | 1.5 | <0.1 | <0.05 | 13 | <0.5 | 1 | <1 | 19 |
| FA-20 13+50N | Soil | | | 8 | 4 | 0.20 | 59 | 0.071 | 2 | 3.73 | 0.009 | 0.05 | 0.3 | 0.11 | 1.5 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 29 |
| FA-20 13+00N | Soil | | | 8 | 6 | 0.27 | 57 | 0.075 | <1 | 3.52 | 0.008 | 0.04 | 0.2 | 0.08 | 1.5 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 26 |
| FA-20 12+50N | Soil | | | 5 | 3 | 0.11 | 40 | 0.110 | 1 | 4.11 | 0.008 | 0.03 | 0.3 | 0.14 | 1.5 | <0.1 | <0.05 | 11 | 0.7 | 1 | <1 | 22 |
| FA-20 12+00N | Soil | | | 9 | 6 | 0.08 | 30 | 0.023 | <1 | 1.00 | 0.005 | 0.03 | 0.1 | 0.01 | 1.0 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 2 |
| FA-20 11+50N | Soil | | | 5 | 6 | 0.08 | 48 | 0.138 | <1 | 4.07 | 0.009 | 0.03 | 0.3 | 0.08 | 2.1 | <0.1 | <0.05 | 10 | 0.6 | 1 | <1 | 44 |
| FA-20 11+00N | Soil | | | 8 | 5 | 0.18 | 40 | 0.074 | <1 | 1.91 | 0.005 | 0.03 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 9 |
| FA-20 10+50N | Soil | | | 6 | 6 | 0.10 | 33 | 0.102 | <1 | 4.02 | 0.006 | 0.03 | 0.3 | 0.09 | 1.6 | <0.1 | <0.05 | 9 | 0.5 | <1 | <1 | 32 |
| FA-20 10+00N | Soil | | | 7 | 8 | 0.13 | 54 | 0.103 | <1 | 3.43 | 0.006 | 0.03 | 0.3 | 0.06 | 1.5 | <0.1 | <0.05 | 9 | 0.6 | <1 | <1 | 23 |
| FA-20 09+50N | Soil | | | 11 | 5 | 0.13 | 67 | 0.156 | <1 | 1.85 | 0.013 | 0.04 | 0.7 | 0.05 | 1.3 | <0.1 | <0.05 | 13 | <0.5 | 2 | <1 | 9 |
| FA-20 09+00N | Soil | | | 12 | 5 | 0.19 | 46 | 0.048 | <1 | 2.01 | 0.005 | 0.04 | 0.2 | 0.07 | 1.2 | <0.1 | <0.05 | 5 | 0.6 | <1 | <1 | 6 |
| FA-20 08+00N | Soil | | | 10 | 7 | 0.18 | 40 | 0.066 | <1 | 3.16 | 0.005 | 0.03 | 0.3 | 0.06 | 1.4 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 20 |
| FA-20 07+50N | Soil | | | 11 | 5 | 0.12 | 31 | 0.056 | <1 | 1.30 | 0.004 | 0.03 | 0.3 | 0.03 | 0.9 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 5 |
| FA-20 07+00N | Soil | | | 11 | 7 | 0.17 | 40 | 0.071 | <1 | 1.61 | 0.004 | 0.04 | 0.3 | 0.05 | 1.3 | <0.1 | <0.05 | 6 | 0.6 | <1 | <1 | 5 |
| FA-20 06+50N | Soil | | | 8 | 7 | 0.22 | 49 | 0.099 | <1 | 2.81 | 0.005 | 0.05 | 0.4 | 0.12 | 1.8 | <0.1 | <0.05 | 10 | 0.8 | <1 | <1 | 11 |
| FA-20 06+00N | Soil | | | 10 | 6 | 0.14 | 40 | 0.096 | <1 | 2.46 | 0.007 | 0.05 | 0.3 | 0.09 | 1.4 | <0.1 | <0.05 | 9 | 0.6 | <1 | <1 | 7 |
| FA-20 05+50N | Soil | | | 7 | 6 | 0.14 | 50 | 0.112 | <1 | 3.17 | 0.008 | 0.04 | 0.2 | 0.11 | 1.4 | <0.1 | <0.05 | 9 | 0.9 | <1 | <1 | 21 |
| FA-20 05+00N | Soil | | | 5 | 5 | 0.11 | 33 | 0.141 | <1 | 4.31 | 0.009 | 0.03 | 0.3 | 0.11 | 1.6 | <0.1 | <0.05 | 11 | <0.5 | <1 | <1 | 29 |
| FA-20 04+50N | Soil | | | 9 | 7 | 0.15 | 50 | 0.076 | <1 | 3.08 | 0.006 | 0.04 | 0.2 | 0.10 | 1.4 | 0.1 | <0.05 | 7 | 0.6 | <1 | <1 | 12 |
| FA-20 04+00N | Soil | | | 10 | 6 | 0.11 | 46 | 0.091 | <1 | 2.47 | 0.008 | 0.04 | 0.2 | 0.07 | 1.5 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 12 |
| FA-20 03+50N | Soil | | | 13 | 8 | 0.17 | 63 | 0.087 | <1 | 3.29 | 0.007 | 0.05 | 0.3 | 0.09 | 1.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 16 |
| FA-20 03+00N | Soil | | | 11 | 7 | 0.15 | 71 | 0.081 | 1 | 2.66 | 0.007 | 0.04 | 0.2 | 0.09 | 1.7 | <0.1 | <0.05 | 8 | 0.5 | <1 | <1 | 10 |
| FA-20 02+50N | Soil | | | 5 | 5 | 0.11 | 47 | 0.135 | <1 | 3.64 | 0.010 | 0.04 | 0.3 | 0.12 | 1.9 | <0.1 | <0.05 | 11 | 0.8 | 1 | <1 | 23 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | 1DX15 | |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| FA-20 02+00N | Soil | 0.4 | 16.0 | 9.3 | 29 | <0.1 | 8.8 | 6.2 | 429 | 1.12 | 2.2 | 1.8 | 7.6 | 6.8 | 6 | <0.1 | 0.2 | 0.2 | 5 | 0.05 | 0.018 |
| FA-20 01+50N | Soil | 1.1 | 10.6 | 16.0 | 43 | <0.1 | 7.2 | 6.2 | 744 | 2.00 | 4.1 | 0.9 | 1.4 | 4.3 | 5 | <0.1 | 0.3 | 0.4 | 30 | 0.05 | 0.037 |
| FA-20 01+00N | Soil | 1.0 | 10.4 | 15.2 | 54 | 0.2 | 7.3 | 5.3 | 377 | 2.25 | 4.4 | 0.7 | 10.5 | 4.3 | 4 | <0.1 | 0.3 | 0.3 | 30 | 0.05 | 0.065 |
| FA-20 00+50N | Soil | 1.0 | 11.9 | 19.1 | 60 | <0.1 | 9.7 | 8.0 | 894 | 2.32 | 5.3 | 0.8 | 9.0 | 4.9 | 6 | 0.1 | 0.3 | 0.4 | 32 | 0.08 | 0.077 |
| FA-20 00+00 | Soil | 1.3 | 15.8 | 16.6 | 77 | 0.1 | 12.6 | 5.8 | 163 | 3.46 | 5.9 | 1.4 | 3.2 | 6.4 | 13 | <0.1 | 0.3 | 0.4 | 30 | 0.09 | 0.083 |



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: August 01, 2008

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08007245.1

| Method | Analyte | Unit | 1DX15 | | |
|--------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | |
| | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | |
| FA-20 02+00N | Soil | | 22 | 4 | 0.20 | 51 | 0.012 | <1 | 0.61 | 0.003 | 0.04 | 0.1 | 0.02 | 0.8 | <0.1 | <0.05 | 1 | <0.5 | <1 | <1 | <1 |
| FA-20 01+50N | Soil | | 14 | 7 | 0.14 | 65 | 0.066 | <1 | 1.44 | 0.006 | 0.05 | 0.1 | 0.04 | 1.2 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 3 |
| FA-20 01+00N | Soil | | 8 | 6 | 0.12 | 59 | 0.080 | <1 | 2.32 | 0.008 | 0.04 | 0.2 | 0.10 | 1.4 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 11 |
| FA-20 00+50N | Soil | | 10 | 9 | 0.15 | 70 | 0.078 | 1 | 2.52 | 0.008 | 0.06 | 0.2 | 0.07 | 1.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 8 |
| FA-20 00+00 | Soil | | 13 | 10 | 0.20 | 104 | 0.063 | <1 | 3.04 | 0.007 | 0.05 | 0.2 | 0.07 | 1.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 8 |

QUALITY CONTROL REPORT

VAN08007245.1

| Method | 1DX15 | |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| FA-13 03+00S | Soil | 0.6 | 8.1 | 8.9 | 31 | <0.1 | 9.2 | 4.8 | 132 | 1.89 | 2.6 | 0.6 | 53.8 | 6.0 | 3 | <0.1 | 0.3 | 0.3 | 23 | 0.02 | 0.044 |
| REP FA-13 03+00S | QC | 0.7 | 7.7 | 9.1 | 31 | <0.1 | 9.3 | 4.8 | 139 | 1.93 | 2.8 | 0.6 | <0.5 | 5.9 | 3 | <0.1 | 0.3 | 0.3 | 24 | 0.02 | 0.042 |
| FA-14 02+50S | Soil | 0.6 | 7.2 | 10.3 | 59 | <0.1 | 13.8 | 8.4 | 313 | 2.33 | 2.9 | 0.7 | 0.5 | 6.6 | 7 | 0.1 | 0.3 | 0.3 | 30 | 0.04 | 0.055 |
| REP FA-14 02+50S | QC | 0.6 | 7.2 | 10.7 | 56 | <0.1 | 14.1 | 8.3 | 305 | 2.28 | 3.2 | 0.7 | 0.9 | 6.4 | 7 | <0.1 | 0.3 | 0.3 | 31 | 0.04 | 0.051 |
| FA-14 06+50S | Soil | 0.6 | 10.6 | 12.0 | 46 | <0.1 | 10.8 | 7.1 | 474 | 2.06 | 2.2 | 0.7 | 2.3 | 6.5 | 5 | <0.1 | 0.3 | 0.4 | 31 | 0.04 | 0.032 |
| REP FA-14 06+50S | QC | 0.7 | 11.2 | 12.0 | 48 | <0.1 | 11.1 | 7.2 | 490 | 2.11 | 2.3 | 0.8 | 3.7 | 6.5 | 5 | <0.1 | 0.3 | 0.4 | 32 | 0.04 | 0.033 |
| FA-15 22+50N | Soil | 0.4 | 10.7 | 11.0 | 37 | <0.1 | 12.4 | 6.7 | 211 | 1.80 | 2.9 | 1.0 | 1.7 | 7.5 | 3 | 0.1 | 0.2 | 0.3 | 15 | 0.02 | 0.034 |
| REP FA-15 22+50N | QC | 0.5 | 10.9 | 10.8 | 36 | <0.1 | 11.9 | 7.2 | 219 | 1.88 | 3.1 | 1.1 | 3.3 | 7.6 | 3 | 0.1 | 0.2 | 0.3 | 14 | 0.02 | 0.033 |
| FA-15 12+50N | Soil | 0.6 | 7.8 | 9.2 | 32 | <0.1 | 7.4 | 3.4 | 93 | 2.40 | 3.9 | 0.9 | 5.3 | 5.9 | 5 | 0.1 | 0.2 | 0.3 | 28 | 0.04 | 0.073 |
| REP FA-15 12+50N | QC | 0.6 | 7.9 | 9.7 | 29 | <0.1 | 7.6 | 3.4 | 88 | 2.38 | 4.2 | 0.9 | 4.5 | 5.6 | 4 | <0.1 | 0.2 | 0.3 | 28 | 0.04 | 0.073 |
| FA-16 20+50N | Soil | 0.7 | 7.4 | 9.3 | 35 | <0.1 | 8.5 | 4.8 | 161 | 2.06 | 2.6 | 0.8 | 0.9 | 5.3 | 4 | <0.1 | 0.2 | 0.3 | 26 | 0.03 | 0.052 |
| REP FA-16 20+50N | QC | 0.7 | 7.1 | 9.6 | 35 | <0.1 | 8.8 | 4.7 | 157 | 2.04 | 2.6 | 0.8 | 1.4 | 5.5 | 4 | <0.1 | 0.2 | 0.3 | 25 | 0.03 | 0.053 |
| FA-16 10+50N | Soil | 0.7 | 9.0 | 14.5 | 33 | <0.1 | 5.5 | 3.5 | 378 | 1.66 | 3.1 | 0.8 | 2.5 | 2.8 | 4 | <0.1 | 0.3 | 0.3 | 29 | 0.03 | 0.060 |
| REP FA-16 10+50N | QC | 0.8 | 10.1 | 16.0 | 37 | <0.1 | 6.5 | 3.8 | 432 | 1.86 | 3.8 | 0.9 | 1.5 | 3.1 | 4 | 0.2 | 0.3 | 0.3 | 33 | 0.04 | 0.063 |
| FA-16 00+00 | Soil | 0.4 | 10.3 | 7.0 | 47 | <0.1 | 9.3 | 5.3 | 136 | 1.41 | 2.2 | 0.9 | 0.9 | 4.4 | 4 | <0.1 | 0.1 | 0.2 | 20 | 0.03 | 0.040 |
| REP FA-16 00+00 | QC | 0.5 | 10.7 | 6.9 | 49 | <0.1 | 8.9 | 5.1 | 131 | 1.37 | 2.3 | 0.9 | 2.7 | 4.2 | 4 | <0.1 | 0.2 | 0.2 | 20 | 0.03 | 0.041 |
| FA-17 12+50N | Soil | 1.1 | 12.9 | 10.7 | 33 | <0.1 | 7.5 | 4.2 | 148 | 2.61 | 5.6 | 1.1 | 6.7 | 4.7 | 3 | <0.1 | 0.2 | 0.3 | 33 | 0.02 | 0.101 |
| REP FA-17 12+50N | QC | 1.0 | 13.5 | 10.9 | 33 | <0.1 | 7.4 | 4.0 | 146 | 2.59 | 5.5 | 1.1 | 2.8 | 4.6 | 3 | 0.1 | 0.3 | 0.4 | 32 | 0.02 | 0.099 |
| FA-17 09+00N | Soil | 0.4 | 4.2 | 5.3 | 37 | <0.1 | 8.8 | 4.3 | 206 | 1.52 | 2.7 | 0.4 | 10.9 | 4.0 | 3 | <0.1 | 0.2 | 0.3 | 26 | 0.03 | 0.029 |
| REP FA-17 09+00N | QC | 0.5 | 5.1 | 5.5 | 38 | <0.1 | 9.1 | 4.4 | 213 | 1.74 | 2.6 | 0.6 | 20.6 | 4.1 | 3 | 0.1 | 0.3 | 0.3 | 27 | 0.03 | 0.031 |
| FA-18 12+00N | Soil | 0.8 | 6.6 | 10.5 | 41 | <0.1 | 6.8 | 3.7 | 179 | 2.86 | 4.5 | 0.6 | 7.1 | 4.1 | 3 | <0.1 | 0.3 | 0.4 | 34 | 0.02 | 0.113 |
| REP FA-18 12+00N | QC | 0.8 | 6.9 | 10.6 | 44 | <0.1 | 7.2 | 3.9 | 185 | 2.89 | 4.5 | 0.7 | 4.4 | 4.2 | 4 | <0.1 | 0.3 | 0.4 | 36 | 0.01 | 0.114 |
| FA-18 06+50N | Soil | 1.2 | 16.8 | 11.8 | 48 | <0.1 | 8.5 | 4.4 | 247 | 2.43 | 4.8 | 1.0 | 2.0 | 4.3 | 5 | <0.1 | 0.3 | 0.4 | 41 | 0.03 | 0.073 |
| REP FA-18 06+50N | QC | 1.3 | 17.4 | 12.4 | 50 | <0.1 | 8.8 | 4.2 | 261 | 2.48 | 4.7 | 1.1 | 1.2 | 4.6 | 5 | 0.1 | 0.3 | 0.4 | 43 | 0.03 | 0.074 |
| FA-19 06+00N | Soil | 0.7 | 19.7 | 8.0 | 13 | <0.1 | 5.1 | 3.8 | 366 | 1.46 | 3.1 | 1.5 | 1.2 | 2.7 | 5 | <0.1 | 0.1 | 0.2 | 27 | 0.03 | 0.111 |
| REP FA-19 06+00N | QC | 0.8 | 19.3 | 8.0 | 13 | <0.1 | 5.6 | 3.8 | 367 | 1.47 | 3.2 | 1.5 | 0.8 | 2.7 | 5 | <0.1 | 0.1 | 0.2 | 27 | 0.03 | 0.118 |
| FA-19 05+00N | Soil | 0.4 | 12.3 | 12.1 | 43 | <0.1 | 10.4 | 6.0 | 731 | 1.41 | 2.2 | 0.8 | 2.1 | 4.5 | 3 | <0.1 | 0.2 | 0.3 | 13 | 0.03 | 0.056 |
| REP FA-19 05+00N | QC | 0.4 | 12.3 | 11.8 | 45 | <0.1 | 9.6 | 6.0 | 754 | 1.39 | 2.3 | 0.9 | 4.5 | 4.2 | 3 | 0.1 | 0.2 | 0.3 | 13 | 0.03 | 0.057 |

QUALITY CONTROL REPORT

VAN08007245.1

| Method | 1DX15 | |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | |
| FA-13 03+00S | Soil | 21 | 9 | 0.47 | 84 | 0.024 | <1 | 1.72 | 0.007 | 0.07 | 0.2 | 0.02 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| REP FA-13 03+00S | QC | 21 | 9 | 0.46 | 82 | 0.030 | <1 | 1.66 | 0.006 | 0.07 | 0.2 | 0.03 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 2 |
| FA-14 02+50S | Soil | 12 | 9 | 0.26 | 132 | 0.095 | 1 | 2.98 | 0.014 | 0.06 | 0.1 | 0.05 | 1.6 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 20 |
| REP FA-14 02+50S | QC | 11 | 10 | 0.25 | 131 | 0.097 | 1 | 2.99 | 0.015 | 0.06 | 0.2 | 0.06 | 1.5 | 0.1 | <0.05 | <1 | <0.5 | <1 | <1 | 19 |
| FA-14 06+50S | Soil | 11 | 10 | 0.22 | 172 | 0.051 | <1 | 1.76 | 0.007 | 0.05 | 0.2 | 0.04 | 1.1 | 0.1 | <0.05 | 7 | <0.5 | <1 | <1 | 4 |
| REP FA-14 06+50S | QC | 11 | 10 | 0.22 | 187 | 0.053 | 1 | 1.81 | 0.008 | 0.05 | 0.2 | 0.05 | 1.2 | 0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 5 |
| FA-15 22+50N | Soil | 19 | 9 | 0.31 | 43 | 0.027 | <1 | 1.65 | 0.005 | 0.05 | 0.1 | 0.04 | 0.9 | <0.1 | 0.05 | 3 | <0.5 | <1 | <1 | 3 |
| REP FA-15 22+50N | QC | 19 | 10 | 0.30 | 44 | 0.027 | <1 | 1.54 | 0.004 | 0.04 | 0.2 | 0.04 | 0.9 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 3 |
| FA-15 12+50N | Soil | 15 | 4 | 0.21 | 66 | 0.054 | <1 | 2.48 | 0.008 | 0.04 | 0.3 | 0.11 | 1.2 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 14 |
| REP FA-15 12+50N | QC | 14 | 4 | 0.20 | 65 | 0.053 | 1 | 2.37 | 0.007 | 0.04 | 0.3 | 0.10 | 1.4 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 14 |
| FA-16 20+50N | Soil | 13 | 5 | 0.20 | 84 | 0.072 | <1 | 2.79 | 0.009 | 0.05 | 0.2 | 0.06 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 12 |
| REP FA-16 20+50N | QC | 16 | 6 | 0.21 | 90 | 0.075 | <1 | 2.82 | 0.009 | 0.05 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 11 |
| FA-16 10+50N | Soil | 5 | 9 | 0.08 | 49 | 0.098 | <1 | 2.94 | 0.011 | 0.03 | 0.2 | 0.07 | 1.5 | <0.1 | <0.05 | 10 | <0.5 | <1 | <1 | 32 |
| REP FA-16 10+50N | QC | 5 | 9 | 0.09 | 52 | 0.105 | 1 | 3.14 | 0.012 | 0.03 | 0.2 | 0.07 | 1.7 | <0.1 | 0.06 | 12 | <0.5 | <1 | <1 | 34 |
| FA-16 00+00 | Soil | 14 | 9 | 0.19 | 90 | 0.063 | <1 | 2.31 | 0.009 | 0.05 | 0.1 | 0.04 | 1.9 | <0.1 | <0.05 | 5 | <0.5 | <1 | <1 | 16 |
| REP FA-16 00+00 | QC | 14 | 9 | 0.20 | 92 | 0.059 | <1 | 2.29 | 0.009 | 0.05 | 0.1 | 0.04 | 1.8 | <0.1 | <0.05 | 6 | <0.5 | <1 | <1 | 16 |
| FA-17 12+50N | Soil | 5 | 6 | 0.17 | 36 | 0.103 | 1 | 6.11 | 0.008 | 0.04 | 0.3 | 0.13 | 2.2 | <0.1 | <0.05 | 9 | 0.9 | <1 | <1 | 47 |
| REP FA-17 12+50N | QC | 5 | 5 | 0.16 | 37 | 0.105 | 1 | 5.99 | 0.008 | 0.03 | 0.2 | 0.14 | 2.2 | <0.1 | <0.05 | 8 | 1.0 | <1 | <1 | 48 |
| FA-17 09+00N | Soil | 22 | 7 | 1.20 | 16 | 0.057 | <1 | 1.23 | 0.003 | 0.04 | 0.2 | 0.01 | 0.6 | <0.1 | <0.05 | 7 | <0.5 | <1 | <1 | <1 |
| REP FA-17 09+00N | QC | 25 | 7 | 1.27 | 18 | 0.069 | 3 | 1.28 | 0.003 | 0.05 | 0.2 | 0.01 | 0.7 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | <1 |
| FA-18 12+00N | Soil | 11 | 7 | 0.20 | 48 | 0.068 | 1 | 1.84 | 0.006 | 0.04 | 0.3 | 0.06 | 1.1 | <0.1 | <0.05 | 9 | <0.5 | <1 | <1 | 5 |
| REP FA-18 12+00N | QC | 12 | 7 | 0.20 | 49 | 0.073 | 1 | 1.89 | 0.006 | 0.04 | 0.2 | 0.06 | 1.1 | <0.1 | <0.05 | 9 | 0.8 | <1 | <1 | 5 |
| FA-18 06+50N | Soil | 6 | 5 | 0.19 | 45 | 0.153 | 2 | 3.83 | 0.012 | 0.04 | 0.3 | 0.11 | 2.0 | <0.1 | <0.05 | 11 | 0.7 | 1 | <1 | 32 |
| REP FA-18 06+50N | QC | 8 | 5 | 0.20 | 45 | 0.173 | 4 | 3.85 | 0.014 | 0.05 | 0.4 | 0.13 | 2.6 | <0.1 | <0.05 | 12 | 1.1 | 1 | <1 | 29 |
| FA-19 06+00N | Soil | 4 | 2 | 0.10 | 16 | 0.132 | 1 | 4.10 | 0.017 | 0.03 | 0.2 | 0.06 | 2.5 | <0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 45 |
| REP FA-19 06+00N | QC | 4 | 2 | 0.10 | 16 | 0.135 | <1 | 4.28 | 0.018 | 0.03 | 0.2 | 0.06 | 2.6 | <0.1 | 0.05 | 9 | <0.5 | <1 | <1 | 50 |
| FA-19 05+00N | Soil | 15 | 3 | 0.31 | 47 | 0.028 | <1 | 1.23 | 0.004 | 0.03 | 0.2 | 0.04 | 0.8 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 4 |
| REP FA-19 05+00N | QC | 17 | 4 | 0.30 | 49 | 0.029 | <1 | 1.26 | 0.006 | 0.03 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 3 | <0.5 | <1 | <1 | 3 |

QUALITY CONTROL REPORT

VAN08007245.1

| | | 1DX15 | |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-20 04+50N | Soil | 1.1 | 14.3 | 14.5 | 50 | 0.2 | 8.9 | 7.5 | 867 | 2.41 | 3.5 | 1.0 | 3.6 | 5.6 | 3 | <0.1 | 0.2 | 0.4 | 26 | 0.02 | 0.092 |
| REP FA-20 04+50N | QC | 1.0 | 13.8 | 14.0 | 49 | 0.2 | 8.9 | 7.3 | 845 | 2.30 | 3.5 | 1.0 | 3.2 | 5.3 | 4 | <0.1 | 0.2 | 0.3 | 26 | 0.02 | 0.085 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 19.5 | 110.1 | 76.4 | 399 | 0.9 | 51.9 | 8.9 | 602 | 2.30 | 55.0 | 4.9 | 70.3 | 4.4 | 75 | 6.9 | 6.2 | 4.7 | 85 | 0.94 | 0.087 |
| STD DS7 | Standard | 20.3 | 119.3 | 71.2 | 425 | 0.9 | 58.4 | 9.6 | 653 | 2.42 | 53.0 | 5.0 | 74.9 | 4.4 | 80 | 7.0 | 6.7 | 4.6 | 91 | 0.94 | 0.078 |
| STD DS7 | Standard | 20.0 | 115.9 | 67.5 | 397 | 0.9 | 55.0 | 9.6 | 635 | 2.32 | 50.5 | 4.9 | 62.3 | 4.4 | 74 | 6.4 | 6.2 | 4.4 | 82 | 0.89 | 0.072 |
| STD DS7 | Standard | 20.1 | 121.9 | 73.0 | 393 | 0.8 | 57.5 | 10.5 | 611 | 2.41 | 51.4 | 5.0 | 60.0 | 4.1 | 69 | 6.8 | 6.1 | 4.8 | 90 | 0.88 | 0.078 |
| STD DS7 | Standard | 20.6 | 120.6 | 75.4 | 419 | 0.9 | 59.7 | 9.8 | 651 | 2.48 | 50.7 | 5.2 | 95.1 | 4.5 | 70 | 6.1 | 5.9 | 4.5 | 96 | 0.92 | 0.079 |
| STD DS7 | Standard | 20.0 | 107.9 | 74.1 | 383 | 0.8 | 54.3 | 9.3 | 602 | 2.30 | 47.2 | 5.2 | 59.0 | 4.6 | 67 | 5.9 | 5.8 | 4.3 | 84 | 0.90 | 0.067 |
| STD DS7 | Standard | 18.1 | 105.2 | 69.0 | 384 | 0.8 | 55.2 | 8.7 | 579 | 2.23 | 46.7 | 4.9 | 65.5 | 4.1 | 70 | 5.3 | 6.3 | 5.0 | 82 | 0.86 | 0.069 |
| STD DS7 | Standard | 18.8 | 101.9 | 69.7 | 400 | 0.8 | 51.3 | 8.7 | 604 | 2.27 | 48.2 | 4.9 | 65.0 | 4.3 | 73 | 6.1 | 5.8 | 4.6 | 81 | 0.84 | 0.070 |
| STD DS7 Expected | | 20.9 | 109 | 70.6 | 411 | 0.9 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 69 | 6.4 | 5.9 | 4.5 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN08007245.1

| | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|---------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Sn | Te | Zr |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 1 | 1 | 1 |
| FA-20 04+50N | Soil | 9 | 7 | 0.15 | 50 | 0.076 | <1 | 3.08 | 0.006 | 0.04 | 0.2 | 0.10 | 1.4 | 0.1 | <0.05 | 7 | 0.6 | <1 | <1 | 12 |
| REP FA-20 04+50N | QC | 10 | 7 | 0.15 | 50 | 0.079 | <1 | 2.92 | 0.006 | 0.04 | 0.2 | 0.10 | 1.5 | 0.1 | <0.05 | 8 | <0.5 | <1 | <1 | 10 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 13 | 184 | 1.13 | 379 | 0.119 | 40 | 1.09 | 0.109 | 0.47 | 3.8 | 0.21 | 2.4 | 4.4 | 0.24 | <1 | 3.7 | 5 | 1 | 5 |
| STD DS7 | Standard | 13 | 197 | 1.08 | 397 | 0.132 | 44 | 1.01 | 0.091 | 0.47 | 4.0 | 0.22 | 2.5 | 4.4 | 0.25 | 5 | 3.2 | 6 | 1 | 6 |
| STD DS7 | Standard | 13 | 197 | 1.00 | 369 | 0.130 | 38 | 1.00 | 0.085 | 0.43 | 3.7 | 0.22 | 2.4 | 4.4 | 0.22 | 5 | 3.6 | 5 | 1 | 5 |
| STD DS7 | Standard | 12 | 205 | 1.04 | 376 | 0.129 | 38 | 0.99 | 0.086 | 0.43 | 3.8 | 0.21 | 2.5 | 4.3 | 0.28 | 5 | 4.3 | 5 | 1 | 5 |
| STD DS7 | Standard | 12 | 208 | 1.10 | 373 | 0.129 | 42 | 1.03 | 0.089 | 0.46 | 3.9 | 0.23 | 2.3 | 4.8 | 0.31 | 5 | 3.5 | 4 | 2 | 6 |
| STD DS7 | Standard | 12 | 202 | 0.97 | 359 | 0.123 | 33 | 0.96 | 0.082 | 0.42 | 3.8 | 0.19 | 2.3 | 4.1 | 0.18 | 5 | 4.2 | 5 | <1 | 5 |
| STD DS7 | Standard | 11 | 197 | 0.99 | 334 | 0.123 | 37 | 0.92 | 0.082 | 0.41 | 3.7 | 0.21 | 2.2 | 4.1 | 0.17 | 4 | 2.8 | 4 | 1 | 4 |
| STD DS7 | Standard | 12 | 189 | 0.95 | 381 | 0.111 | 37 | 0.94 | 0.082 | 0.44 | 4.0 | 0.20 | 2.3 | 4.1 | 0.22 | 5 | 3.6 | 5 | 1 | 6 |
| STD DS7 Expected | | 13 | 163 | 1.05 | 370 | 0.124 | 39 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.2 | 0.21 | 5 | 3.5 | 5.4 | 1.08 | 5.4 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <1 | <1 | <1 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: October 22, 2008
 Report Date: November 06, 2008
 Page: 1 of 11

CERTIFICATE OF ANALYSIS

VAN08010425.1

CLIENT JOB INFORMATION

Project: FAITH
 Shipment ID: JSP-08-S-28
 P.O. Number
 Number of Samples: 271

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 271 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 271 | Dry at 60C | | |
| RJSV | 271 | Save all or part of soil reject fraction | | |
| RJSV | 271 | Saving all or part of Soil Reject | | |
| 1DX | 271 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 0.5 | Completed |
| DIS-RJT | 271 | Warehouse handling / Disposition of reject | | |

ADDITIONAL COMMENTS

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker
 Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-21A 00+00 | Soil | | | 0.4 | 5.9 | 8.5 | 29 | <0.1 | 8.1 | 4.1 | 126 | 1.48 | 1.8 | 0.6 | 0.5 | 2.8 | 7 | <0.1 | <0.1 | 0.3 | 19 | 0.03 | 0.013 |
| FA-21A 00+50S | Soil | | | 0.4 | 6.7 | 11.1 | 25 | <0.1 | 6.1 | 6.0 | 781 | 1.70 | 2.1 | 0.6 | 0.6 | 1.9 | 12 | 0.1 | 0.1 | 0.3 | 23 | 0.07 | 0.028 |
| FA-21A 01+00S | Soil | | | 0.6 | 9.7 | 9.0 | 44 | <0.1 | 12.9 | 6.4 | 231 | 2.14 | 3.6 | 0.7 | <0.5 | 5.3 | 4 | <0.1 | 0.1 | 0.3 | 21 | 0.02 | 0.039 |
| FA-21A 01+50S | Soil | | | 0.9 | 10.4 | 11.6 | 71 | <0.1 | 11.1 | 8.1 | 672 | 2.12 | 3.5 | 0.7 | <0.5 | 4.3 | 4 | 0.2 | 0.2 | 0.3 | 28 | 0.03 | 0.052 |
| FA-21A 02+00S | Soil | | | 1.2 | 12.7 | 11.6 | 32 | 0.1 | 7.7 | 5.3 | 235 | 2.23 | 5.0 | 0.9 | <0.5 | 4.0 | 4 | 0.1 | 0.2 | 0.3 | 31 | 0.03 | 0.098 |
| FA-21A 02+50S | Soil | | | 0.7 | 7.6 | 11.0 | 23 | <0.1 | 5.4 | 4.1 | 138 | 2.28 | 3.7 | 0.7 | <0.5 | 3.6 | 3 | <0.1 | 0.2 | 0.3 | 34 | 0.02 | 0.063 |
| FA-21A 03+00S | Soil | | | 0.6 | 12.4 | 9.8 | 46 | <0.1 | 10.9 | 7.7 | 595 | 1.87 | 3.2 | 0.7 | <0.5 | 4.4 | 4 | <0.1 | <0.1 | 0.3 | 22 | 0.03 | 0.066 |
| FA-21A 03+50S | Soil | | | 0.7 | 10.7 | 10.9 | 43 | 0.1 | 8.3 | 7.0 | 625 | 1.76 | 2.6 | 0.7 | <0.5 | 2.8 | 4 | <0.1 | 0.1 | 0.3 | 28 | 0.03 | 0.064 |
| FA-21A 04+00S | Soil | | | 0.9 | 11.3 | 27.6 | 80 | 0.2 | 12.2 | 11.8 | 1311 | 2.25 | 9.6 | 1.0 | <0.5 | 2.7 | 14 | 0.2 | 0.2 | 0.5 | 23 | 0.08 | 0.051 |
| FA-21A 04+50S | Soil | | | 0.8 | 10.8 | 20.6 | 43 | <0.1 | 7.8 | 4.3 | 213 | 2.07 | 13.9 | 0.7 | 0.8 | 5.7 | 3 | <0.1 | 0.3 | 0.4 | 12 | <0.01 | 0.026 |
| FA-21A 05+00S | Soil | | | 0.9 | 9.4 | 16.7 | 56 | 0.2 | 6.7 | 7.1 | 505 | 2.49 | 3.9 | 0.7 | <0.5 | 3.9 | 4 | 0.3 | 0.2 | 0.3 | 32 | 0.04 | 0.085 |
| FA-21A 05+50S | Soil | | | 0.9 | 6.4 | 20.0 | 47 | 0.2 | 5.5 | 3.9 | 95 | 2.49 | 3.8 | 0.5 | <0.5 | 3.4 | 2 | 0.1 | 0.1 | 0.5 | 37 | 0.02 | 0.040 |
| FA-19A 00+00 | Soil | | | 1.0 | 9.7 | 11.4 | 31 | <0.1 | 5.4 | 3.2 | 145 | 2.74 | 6.1 | 1.0 | 0.7 | 4.7 | 2 | 0.1 | 0.3 | 0.3 | 30 | 0.02 | 0.166 |
| FA-19A 00+50S | Soil | | | 0.5 | 7.2 | 8.8 | 25 | <0.1 | 7.3 | 4.7 | 158 | 2.09 | 3.1 | 0.7 | <0.5 | 3.0 | 4 | <0.1 | 0.1 | 0.3 | 23 | 0.02 | 0.081 |
| FA-19A 01+00S | Soil | | | 0.7 | 10.0 | 8.3 | 34 | <0.1 | 9.0 | 6.1 | 90 | 1.86 | 2.6 | 0.9 | <0.5 | 4.0 | 3 | 0.1 | <0.1 | 0.2 | 21 | 0.02 | 0.058 |
| FA-19A 01+50S | Soil | | | 0.3 | 4.6 | 5.7 | 24 | <0.1 | 5.4 | 2.7 | 64 | 1.35 | 1.6 | 0.4 | <0.5 | 3.4 | 2 | <0.1 | 0.1 | 0.3 | 15 | 0.01 | 0.026 |
| FA-19A 02+00S | Soil | | | 0.6 | 5.4 | 9.1 | 30 | <0.1 | 6.5 | 3.5 | 92 | 2.23 | 2.9 | 0.5 | <0.5 | 3.4 | 5 | 0.1 | 0.1 | 0.3 | 24 | 0.04 | 0.064 |
| FA-19A 02+50S | Soil | | | 0.6 | 5.7 | 9.9 | 22 | <0.1 | 5.6 | 3.0 | 72 | 1.84 | 1.5 | 0.4 | <0.5 | 2.5 | 3 | <0.1 | 0.1 | 0.3 | 25 | 0.02 | 0.022 |
| FA-19A 03+00S | Soil | | | 0.7 | 6.0 | 9.7 | 24 | <0.1 | 6.3 | 3.2 | 71 | 2.12 | 2.8 | 0.5 | 0.7 | 2.0 | 6 | <0.1 | 0.1 | 0.3 | 27 | 0.05 | 0.040 |
| FA-19A 03+50S | Soil | | | 0.7 | 8.0 | 9.3 | 34 | <0.1 | 9.8 | 6.1 | 147 | 1.95 | 3.4 | 0.7 | <0.5 | 3.0 | 5 | <0.1 | 0.1 | 0.3 | 19 | 0.05 | 0.049 |
| FA-19A 04+00S | Soil | | | 0.8 | 12.6 | 15.4 | 34 | <0.1 | 9.4 | 7.6 | 172 | 2.07 | 4.9 | 2.4 | <0.5 | 5.1 | 6 | 0.1 | 0.2 | 0.3 | 22 | 0.04 | 0.055 |
| FA-19A 04+50S | Soil | | | 0.8 | 9.9 | 8.4 | 26 | 0.1 | 7.5 | 5.1 | 91 | 1.67 | 3.3 | 1.0 | <0.5 | 3.8 | 3 | 0.1 | 0.1 | 0.2 | 25 | 0.03 | 0.084 |
| FA-19A 05+00S | Soil | | | 0.8 | 8.2 | 14.1 | 24 | <0.1 | 6.7 | 3.2 | 91 | 1.95 | 5.8 | 1.3 | <0.5 | 4.5 | 4 | <0.1 | 0.2 | 0.3 | 22 | 0.03 | 0.047 |
| FA-19A 05+50S | Soil | | | 1.3 | 10.9 | 24.8 | 51 | 0.4 | 7.2 | 5.1 | 310 | 2.36 | 8.6 | 0.8 | <0.5 | 3.2 | 4 | <0.1 | 0.3 | 0.6 | 22 | 0.04 | 0.108 |
| FA-19A 06+00S | Soil | | | 1.7 | 10.7 | 36.7 | 42 | 0.2 | 6.0 | 4.4 | 97 | 2.55 | 13.2 | 0.7 | 50.7 | 2.7 | 7 | 0.1 | 0.2 | 0.5 | 26 | 0.05 | 0.027 |
| FA-19A 06+50S | Soil | | | 0.8 | 6.7 | 16.0 | 21 | 0.1 | 3.1 | 2.0 | 77 | 1.87 | 3.9 | 0.6 | <0.5 | 3.3 | 3 | 0.1 | 0.1 | 0.4 | 23 | 0.01 | 0.062 |
| FA-19A 07+00S | Soil | | | 1.0 | 6.1 | 16.0 | 28 | 0.3 | 2.8 | 1.5 | 74 | 3.00 | 5.5 | 0.5 | <0.5 | 2.7 | 6 | <0.1 | 0.2 | 0.4 | 43 | 0.09 | 0.073 |
| FA-19A 07+50S | Soil | | | 0.8 | 7.7 | 14.3 | 25 | 0.5 | 3.3 | 2.6 | 209 | 2.24 | 4.2 | 0.6 | <0.5 | 1.5 | 5 | 0.2 | 0.2 | 0.3 | 34 | 0.05 | 0.133 |
| FA-23A 00+00 | Soil | | | 1.0 | 8.1 | 27.5 | 45 | 0.1 | 7.5 | 5.2 | 203 | 2.19 | 3.9 | 0.5 | <0.5 | 1.8 | 11 | 0.1 | 0.1 | 0.4 | 27 | 0.08 | 0.028 |
| FA-23A 00+50S | Soil | | | 0.8 | 7.7 | 25.6 | 34 | <0.1 | 7.6 | 7.0 | 396 | 2.03 | 4.9 | 0.6 | <0.5 | 2.4 | 9 | 0.1 | 0.2 | 0.4 | 23 | 0.05 | 0.025 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 2 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method Analyte | Unit | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|-------------------|------|-----|-----|------|-----|-------|-----|------|-------|------|------|------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| FA-21A 00+00 | Soil | 19 | 7 | 0.20 | 86 | 0.020 | <20 | 1.22 | 0.005 | 0.04 | <0.1 | 0.01 | 0.8 | <0.1 | <0.05 | 6 | <0.5 |
| FA-21A 00+50S | Soil | 13 | 7 | 0.13 | 128 | 0.055 | <20 | 1.17 | 0.008 | 0.04 | 0.1 | 0.04 | 0.8 | <0.1 | <0.05 | 9 | <0.5 |
| FA-21A 01+00S | Soil | 14 | 12 | 0.25 | 65 | 0.020 | <20 | 1.79 | 0.003 | 0.05 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 5 | <0.5 |
| FA-21A 01+50S | Soil | 9 | 11 | 0.19 | 89 | 0.058 | <20 | 2.51 | 0.006 | 0.05 | 0.1 | 0.08 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| FA-21A 02+00S | Soil | 4 | 10 | 0.10 | 46 | 0.088 | <20 | 5.40 | 0.008 | 0.03 | 0.2 | 0.11 | 1.7 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21A 02+50S | Soil | 5 | 9 | 0.06 | 40 | 0.084 | <20 | 4.53 | 0.006 | 0.02 | 0.2 | 0.09 | 1.3 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21A 03+00S | Soil | 9 | 9 | 0.18 | 107 | 0.042 | <20 | 2.91 | 0.006 | 0.06 | 0.1 | 0.04 | 1.3 | 0.1 | <0.05 | 6 | <0.5 |
| FA-21A 03+50S | Soil | 7 | 9 | 0.12 | 86 | 0.053 | <20 | 2.47 | 0.007 | 0.04 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 8 | <0.5 |
| FA-21A 04+00S | Soil | 14 | 12 | 0.23 | 142 | 0.042 | <20 | 2.03 | 0.007 | 0.06 | <0.1 | 0.04 | 1.1 | <0.1 | <0.05 | 9 | <0.5 |
| FA-21A 04+50S | Soil | 18 | 6 | 0.14 | 41 | 0.005 | <20 | 1.03 | 0.002 | 0.03 | <0.1 | 0.03 | 0.7 | <0.1 | <0.05 | 3 | <0.5 |
| FA-21A 05+00S | Soil | 5 | 10 | 0.08 | 60 | 0.087 | <20 | 4.61 | 0.009 | 0.03 | 0.1 | 0.07 | 1.1 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21A 05+50S | Soil | 7 | 9 | 0.09 | 51 | 0.060 | <20 | 1.99 | 0.007 | 0.03 | 0.1 | 0.07 | 1.0 | <0.1 | <0.05 | 12 | <0.5 |
| FA-19A 00+00 | Soil | 4 | 11 | 0.09 | 43 | 0.078 | <20 | 5.88 | 0.006 | 0.03 | 0.3 | 0.11 | 1.4 | <0.1 | <0.05 | 9 | <0.5 |
| FA-19A 00+50S | Soil | 9 | 8 | 0.16 | 66 | 0.039 | <20 | 1.97 | 0.005 | 0.03 | 0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 7 | <0.5 |
| FA-19A 01+00S | Soil | 8 | 9 | 0.17 | 71 | 0.041 | <20 | 2.85 | 0.004 | 0.04 | 0.1 | 0.10 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-19A 01+50S | Soil | 15 | 6 | 0.15 | 36 | 0.014 | <20 | 0.85 | 0.003 | 0.03 | <0.1 | 0.03 | 0.6 | <0.1 | <0.05 | 5 | <0.5 |
| FA-19A 02+00S | Soil | 10 | 8 | 0.13 | 66 | 0.031 | <20 | 1.60 | 0.004 | 0.04 | 0.1 | 0.03 | 0.9 | <0.1 | <0.05 | 7 | <0.5 |
| FA-19A 02+50S | Soil | 10 | 6 | 0.10 | 73 | 0.026 | <20 | 1.59 | 0.006 | 0.03 | 0.1 | 0.04 | 0.8 | <0.1 | <0.05 | 8 | <0.5 |
| FA-19A 03+00S | Soil | 9 | 7 | 0.11 | 91 | 0.038 | <20 | 1.71 | 0.007 | 0.04 | 0.1 | 0.04 | 0.8 | <0.1 | <0.05 | 9 | <0.5 |
| FA-19A 03+50S | Soil | 11 | 8 | 0.16 | 108 | 0.024 | <20 | 2.33 | 0.005 | 0.05 | 0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 6 | <0.5 |
| FA-19A 04+00S | Soil | 11 | 10 | 0.15 | 78 | 0.058 | <20 | 3.34 | 0.008 | 0.04 | 0.2 | 0.06 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| FA-19A 04+50S | Soil | 3 | 8 | 0.09 | 48 | 0.090 | <20 | 5.07 | 0.007 | 0.03 | 0.2 | 0.11 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| FA-19A 05+00S | Soil | 9 | 9 | 0.16 | 83 | 0.047 | <20 | 2.54 | 0.006 | 0.04 | 0.1 | 0.05 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |
| FA-19A 05+50S | Soil | 7 | 9 | 0.13 | 64 | 0.038 | <20 | 2.36 | 0.005 | 0.04 | 0.1 | 0.07 | 1.1 | <0.1 | <0.05 | 7 | <0.5 |
| FA-19A 06+00S | Soil | 12 | 7 | 0.15 | 87 | 0.040 | <20 | 1.26 | 0.006 | 0.05 | 0.2 | 0.03 | 0.7 | <0.1 | <0.05 | 9 | <0.5 |
| FA-19A 06+50S | Soil | 8 | 7 | 0.06 | 40 | 0.026 | <20 | 2.35 | 0.004 | 0.03 | 0.1 | 0.07 | 0.8 | <0.1 | <0.05 | 8 | <0.5 |
| FA-19A 07+00S | Soil | 6 | 9 | 0.05 | 46 | 0.046 | <20 | 2.28 | 0.006 | 0.03 | 0.2 | 0.12 | 1.0 | <0.1 | <0.05 | 11 | <0.5 |
| FA-19A 07+50S | Soil | 3 | 7 | 0.04 | 48 | 0.086 | <20 | 3.54 | 0.007 | 0.03 | 0.1 | 0.14 | 0.9 | <0.1 | <0.05 | 12 | <0.5 |
| FA-23A 00+00 | Soil | 9 | 9 | 0.16 | 80 | 0.040 | <20 | 1.41 | 0.008 | 0.04 | 0.1 | 0.03 | 0.9 | <0.1 | <0.05 | 10 | <0.5 |
| FA-23A 00+50S | Soil | 15 | 9 | 0.18 | 96 | 0.026 | <20 | 1.48 | 0.006 | 0.04 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-23A 01+00S | Soil | | | 0.9 | 11.0 | 30.2 | 25 | 0.1 | 6.4 | 4.0 | 88 | 2.23 | 4.4 | 1.0 | 0.8 | 2.1 | 7 | 0.2 | 0.1 | 0.4 | 25 | 0.04 | 0.025 |
| FA-23A 01+50S | Soil | | | 0.1 | 12.2 | 13.0 | 43 | <0.1 | 10.2 | 7.0 | 113 | 1.79 | 5.1 | 0.6 | 1.2 | 5.8 | 2 | <0.1 | 0.1 | 0.3 | 11 | 0.01 | 0.015 |
| FA-23A 02+00S | Soil | | | 0.4 | 6.6 | 27.8 | 19 | 0.1 | 4.7 | 2.7 | 53 | 2.40 | 4.5 | 0.8 | 1.2 | 2.8 | 8 | 0.1 | 0.2 | 0.4 | 30 | 0.04 | 0.019 |
| FA-23A 02+50S | Soil | | | 0.4 | 12.4 | 14.1 | 51 | 0.1 | 11.1 | 6.7 | 155 | 2.29 | 6.5 | 0.9 | 0.8 | 4.2 | 7 | 0.1 | 0.1 | 0.4 | 17 | 0.05 | 0.026 |
| FA-23A 03+00S | Soil | | | 0.9 | 17.6 | 22.6 | 50 | <0.1 | 12.5 | 6.4 | 147 | 2.28 | 11.5 | 1.0 | 5.5 | 6.3 | 2 | <0.1 | 0.3 | 0.5 | 12 | <0.01 | 0.032 |
| FA-23A 03+50S | Soil | | | 0.9 | 12.0 | 21.9 | 79 | 0.2 | 7.8 | 9.8 | 373 | 3.21 | 7.3 | 0.8 | 0.9 | 3.8 | 3 | 0.2 | 0.2 | 0.5 | 32 | 0.02 | 0.096 |
| FA-23A 04+00S | Soil | | | 1.0 | 9.5 | 19.8 | 55 | 0.2 | 6.7 | 4.4 | 121 | 2.77 | 6.0 | 0.8 | 0.7 | 4.6 | 4 | 0.1 | 0.2 | 0.4 | 30 | 0.04 | 0.071 |
| FA-23A 04+50S | Soil | | | 0.9 | 12.3 | 24.9 | 59 | 0.2 | 8.5 | 4.5 | 137 | 2.65 | 6.5 | 0.7 | 0.6 | 4.9 | 3 | <0.1 | 0.2 | 0.7 | 26 | 0.02 | 0.045 |
| FA-23A 05+00S | Soil | | | 0.9 | 8.7 | 12.2 | 29 | 0.1 | 5.4 | 3.2 | 130 | 2.01 | 4.9 | 0.8 | <0.5 | 2.4 | 3 | <0.1 | 0.2 | 0.3 | 29 | 0.02 | 0.062 |
| FA-23A 05+50S | Soil | | | 1.0 | 15.0 | 18.6 | 73 | 0.2 | 10.7 | 6.9 | 368 | 2.44 | 7.5 | 0.8 | <0.5 | 4.4 | 7 | 0.2 | 0.3 | 0.4 | 33 | 0.05 | 0.078 |
| FA-23A 06+00S | Soil | | | 1.0 | 8.1 | 19.0 | 61 | 0.1 | 7.1 | 4.0 | 87 | 2.47 | 6.3 | 0.6 | 202.5 | 4.4 | 3 | <0.1 | 0.1 | 0.6 | 29 | 0.02 | 0.040 |
| FA-23A 06+50S | Soil | | | 1.5 | 7.2 | 20.9 | 68 | 0.2 | 7.3 | 3.8 | 137 | 3.29 | 9.2 | 0.4 | <0.5 | 4.1 | 3 | 0.2 | 0.2 | 0.6 | 27 | 0.02 | 0.033 |
| FA-23A 07+00S | Soil | | | 1.0 | 13.9 | 18.8 | 40 | 0.2 | 6.7 | 3.5 | 94 | 1.94 | 6.5 | 0.7 | 0.7 | 4.0 | 3 | <0.1 | 0.2 | 0.5 | 22 | 0.03 | 0.064 |
| FA-23A 07+50S | Soil | | | 1.1 | 12.2 | 24.0 | 61 | 0.3 | 9.2 | 6.2 | 123 | 2.20 | 6.6 | 0.7 | <0.5 | 4.2 | 4 | <0.1 | 0.2 | 0.7 | 25 | 0.02 | 0.034 |
| FA-23A 08+00S | Soil | | | 0.9 | 17.1 | 12.4 | 34 | 0.4 | 6.1 | 6.4 | 290 | 1.62 | 4.5 | 1.0 | 0.7 | 2.9 | 4 | <0.1 | 0.1 | 0.2 | 21 | 0.03 | 0.052 |
| FA-23A 08+50S | Soil | | | 1.0 | 11.0 | 23.6 | 48 | 0.2 | 8.9 | 4.7 | 152 | 1.84 | 5.8 | 0.7 | <0.5 | 4.1 | 3 | 0.1 | 0.2 | 0.6 | 16 | 0.02 | 0.035 |
| FA-23A 09+00S | Soil | | | 2.3 | 14.8 | 44.6 | 66 | 0.3 | 11.0 | 12.5 | 369 | 2.39 | 6.1 | 1.5 | 85.4 | 1.8 | 8 | 0.3 | 0.2 | 0.5 | 22 | 0.08 | 0.034 |
| FA-23A 09+50S | Soil | | | 1.2 | 11.2 | 21.3 | 53 | <0.1 | 8.6 | 5.8 | 251 | 1.85 | 7.8 | 0.8 | <0.5 | 2.5 | 6 | 0.2 | 0.2 | 0.4 | 19 | 0.06 | 0.034 |
| FA-18 16+00N | Soil | | | 0.4 | 9.2 | 15.4 | 32 | <0.1 | 6.8 | 6.2 | 838 | 1.48 | 4.6 | 0.7 | 1.8 | 0.6 | 11 | 0.1 | 0.1 | 0.4 | 20 | 0.08 | 0.023 |
| FA-18 16+50N | Soil | | | 1.3 | 11.5 | 20.7 | 55 | <0.1 | 8.9 | 5.7 | 246 | 1.81 | 7.4 | 0.9 | <0.5 | 2.9 | 6 | 0.2 | 0.2 | 0.4 | 19 | 0.06 | 0.034 |
| FA-18 17+00N | Soil | | | 0.4 | 5.2 | 10.8 | 34 | <0.1 | 6.3 | 3.3 | 103 | 1.89 | 10.6 | 0.5 | 1.0 | 2.9 | 3 | 0.1 | 0.2 | 0.4 | 22 | 0.02 | 0.047 |
| FA-18 17+50N | Soil | | | 1.0 | 17.4 | 29.1 | 47 | 0.1 | 10.2 | 5.9 | 179 | 1.90 | 10.6 | 3.5 | <0.5 | 1.1 | 7 | 0.2 | 0.3 | 0.6 | 12 | 0.04 | 0.052 |
| FA-18 18+00N | Soil | | | 0.7 | 4.2 | 12.2 | 24 | <0.1 | 4.9 | 2.2 | 64 | 1.64 | 9.2 | 0.3 | 0.5 | 2.6 | 5 | <0.1 | 0.1 | 0.5 | 26 | 0.05 | 0.040 |
| FA-18 18+50N | Soil | | | 0.4 | 14.3 | 11.3 | 34 | <0.1 | 7.7 | 4.3 | 210 | 1.66 | 3.2 | 1.7 | <0.5 | 3.3 | 6 | <0.1 | <0.1 | 0.3 | 17 | 0.03 | 0.025 |
| FA-18 19+00N | Soil | | | 0.7 | 17.2 | 16.5 | 33 | 0.1 | 7.7 | 6.8 | 512 | 1.84 | 4.2 | 2.2 | <0.5 | 2.7 | 6 | 0.1 | 0.1 | 0.3 | 25 | 0.04 | 0.087 |
| FA-18 19+50N | Soil | | | 0.6 | 9.8 | 14.0 | 33 | <0.1 | 8.6 | 7.2 | 332 | 1.96 | 4.0 | 1.2 | <0.5 | 3.9 | 4 | <0.1 | 0.1 | 0.3 | 26 | 0.03 | 0.040 |
| FA-18 20+00N | Soil | | | 0.5 | 6.8 | 11.0 | 34 | <0.1 | 10.1 | 6.4 | 585 | 1.72 | 2.4 | 0.6 | <0.5 | 3.5 | 3 | <0.1 | <0.1 | 0.3 | 20 | 0.02 | 0.041 |
| FA-18 20+50N | Soil | | | 0.4 | 4.5 | 9.8 | 32 | <0.1 | 7.1 | 3.9 | 259 | 1.62 | 2.1 | 0.4 | 5.7 | 3.3 | 6 | <0.1 | 0.1 | 0.3 | 24 | 0.06 | 0.024 |
| FA-18 21+00N | Soil | | | 0.6 | 6.9 | 11.1 | 34 | <0.1 | 7.6 | 4.6 | 293 | 2.05 | 2.7 | 0.6 | <0.5 | 3.2 | 4 | <0.1 | 0.1 | 0.3 | 24 | 0.03 | 0.037 |
| FA-18 21+50N | Soil | | | 0.5 | 7.3 | 9.0 | 26 | <0.1 | 9.2 | 3.6 | 88 | 2.30 | 2.4 | 0.6 | <0.5 | 3.3 | 6 | <0.1 | 0.1 | 0.3 | 25 | 0.04 | 0.056 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 3 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method Analyte | Unit | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|-------------------|------|-----|-----|------|-----|-------|-----|------|-------|------|------|------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| FA-23A 01+00S | Soil | 8 | 7 | 0.10 | 53 | 0.062 | <20 | 1.69 | 0.009 | 0.03 | 0.1 | 0.06 | 0.9 | <0.1 | <0.05 | 10 | <0.5 |
| FA-23A 01+50S | Soil | 22 | 7 | 0.33 | 42 | 0.012 | <20 | 1.24 | 0.003 | 0.03 | <0.1 | 0.01 | 0.7 | <0.1 | <0.05 | 4 | <0.5 |
| FA-23A 02+00S | Soil | 13 | 7 | 0.09 | 94 | 0.075 | <20 | 1.68 | 0.010 | 0.04 | <0.1 | 0.07 | 1.1 | <0.1 | <0.05 | 11 | <0.5 |
| FA-23A 02+50S | Soil | 23 | 10 | 0.30 | 94 | 0.009 | <20 | 1.60 | 0.006 | 0.05 | 0.1 | 0.03 | 0.9 | <0.1 | <0.05 | 5 | <0.5 |
| FA-23A 03+00S | Soil | 19 | 6 | 0.22 | 43 | 0.014 | <20 | 1.18 | 0.003 | 0.10 | <0.1 | 0.03 | 0.8 | 0.2 | <0.05 | 3 | <0.5 |
| FA-23A 03+50S | Soil | 12 | 11 | 0.18 | 73 | 0.047 | <20 | 2.84 | 0.005 | 0.05 | 0.2 | 0.08 | 1.2 | 0.1 | <0.05 | 8 | 0.7 |
| FA-23A 04+00S | Soil | 8 | 9 | 0.12 | 47 | 0.072 | <20 | 3.73 | 0.007 | 0.05 | 0.2 | 0.10 | 1.4 | <0.1 | <0.05 | 9 | 0.5 |
| FA-23A 04+50S | Soil | 11 | 9 | 0.17 | 55 | 0.026 | <20 | 2.47 | 0.005 | 0.05 | 0.1 | 0.04 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23A 05+00S | Soil | 4 | 8 | 0.07 | 36 | 0.094 | <20 | 4.19 | 0.007 | 0.03 | 0.2 | 0.10 | 1.3 | <0.1 | <0.05 | 9 | <0.5 |
| FA-23A 05+50S | Soil | 11 | 12 | 0.20 | 79 | 0.052 | <20 | 3.44 | 0.006 | 0.04 | 0.2 | 0.06 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23A 06+00S | Soil | 14 | 10 | 0.15 | 53 | 0.028 | <20 | 2.02 | 0.004 | 0.04 | 0.1 | 0.04 | 1.1 | 0.1 | <0.05 | 8 | <0.5 |
| FA-23A 06+50S | Soil | 16 | 11 | 0.17 | 48 | 0.020 | <20 | 1.38 | 0.002 | 0.07 | 0.1 | 0.04 | 0.9 | 0.1 | <0.05 | 6 | <0.5 |
| FA-23A 07+00S | Soil | 9 | 8 | 0.12 | 49 | 0.035 | <20 | 2.69 | 0.005 | 0.03 | 0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-23A 07+50S | Soil | 17 | 11 | 0.19 | 61 | 0.020 | <20 | 1.96 | 0.003 | 0.05 | 0.1 | 0.03 | 1.7 | 0.1 | <0.05 | 5 | <0.5 |
| FA-23A 08+00S | Soil | 7 | 8 | 0.10 | 41 | 0.055 | <20 | 4.18 | 0.009 | 0.03 | 0.1 | 0.11 | 1.6 | <0.1 | <0.05 | 6 | 0.6 |
| FA-23A 08+50S | Soil | 15 | 9 | 0.18 | 64 | 0.014 | <20 | 2.03 | 0.003 | 0.06 | 0.1 | 0.05 | 1.0 | 0.1 | <0.05 | 4 | <0.5 |
| FA-23A 09+00S | Soil | 21 | 9 | 0.18 | 97 | 0.028 | <20 | 1.81 | 0.006 | 0.11 | 0.2 | 0.06 | 1.1 | 0.2 | <0.05 | 7 | 0.6 |
| FA-23A 09+50S | Soil | 19 | 8 | 0.14 | 69 | 0.022 | <20 | 1.37 | 0.004 | 0.07 | 0.1 | 0.04 | 0.9 | 0.1 | <0.05 | 5 | <0.5 |
| FA-18 16+00N | Soil | 14 | 7 | 0.15 | 114 | 0.031 | <20 | 0.88 | 0.006 | 0.04 | 0.3 | 0.03 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-18 16+50N | Soil | 21 | 9 | 0.15 | 68 | 0.024 | <20 | 1.41 | 0.005 | 0.08 | <0.1 | 0.03 | 1.0 | 0.1 | <0.05 | 5 | <0.5 |
| FA-18 17+00N | Soil | 19 | 7 | 0.15 | 45 | 0.025 | <20 | 0.83 | 0.004 | 0.05 | 0.5 | 0.03 | 0.7 | <0.1 | <0.05 | 7 | <0.5 |
| FA-18 17+50N | Soil | 20 | 8 | 0.20 | 70 | 0.010 | <20 | 1.08 | 0.004 | 0.06 | 0.1 | 0.05 | 0.6 | 0.1 | <0.05 | 3 | <0.5 |
| FA-18 18+00N | Soil | 18 | 7 | 0.11 | 54 | 0.031 | <20 | 0.79 | 0.003 | 0.04 | <0.1 | 0.02 | 0.7 | 0.1 | <0.05 | 7 | <0.5 |
| FA-18 18+50N | Soil | 24 | 8 | 0.24 | 125 | 0.031 | <20 | 1.39 | 0.005 | 0.04 | <0.1 | 0.02 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-18 19+00N | Soil | 17 | 9 | 0.12 | 117 | 0.067 | <20 | 2.41 | 0.010 | 0.04 | 0.1 | 0.07 | 1.3 | <0.1 | <0.05 | 9 | <0.5 |
| FA-18 19+50N | Soil | 19 | 9 | 0.14 | 134 | 0.047 | <20 | 1.88 | 0.006 | 0.05 | <0.1 | 0.04 | 1.4 | 0.1 | <0.05 | 8 | <0.5 |
| FA-18 20+00N | Soil | 16 | 9 | 0.21 | 78 | 0.028 | <20 | 1.59 | 0.003 | 0.06 | <0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 6 | <0.5 |
| FA-18 20+50N | Soil | 17 | 8 | 0.16 | 62 | 0.029 | <20 | 1.06 | 0.003 | 0.05 | <0.1 | 0.02 | 0.8 | <0.1 | <0.05 | 6 | <0.5 |
| FA-18 21+00N | Soil | 17 | 10 | 0.22 | 75 | 0.026 | <20 | 1.46 | 0.004 | 0.05 | <0.1 | 0.05 | 1.0 | <0.1 | <0.05 | 7 | <0.5 |
| FA-18 21+50N | Soil | 13 | 10 | 0.17 | 95 | 0.034 | <20 | 2.11 | 0.005 | 0.05 | 0.1 | 0.05 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

www.acmelab.com

Page: 4 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|--------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-18 22+00N | Soil | | | 0.3 | 13.4 | 9.7 | 42 | <0.1 | 13.6 | 6.0 | 148 | 1.97 | 2.6 | 1.0 | 0.7 | 4.5 | 6 | <0.1 | 0.1 | 0.4 | 21 | 0.03 | 0.029 |
| FA-18 22+50N | Soil | | | 0.3 | 8.9 | 8.1 | 33 | <0.1 | 10.2 | 8.3 | 374 | 1.48 | 1.4 | 1.2 | <0.5 | 1.8 | 5 | <0.1 | <0.1 | 0.2 | 15 | 0.03 | 0.022 |
| FA-18 23+00N | Soil | | | 0.2 | 6.0 | 9.1 | 25 | <0.1 | 7.9 | 5.6 | 383 | 1.22 | 1.2 | 0.8 | <0.5 | 0.8 | 9 | <0.1 | <0.1 | 0.2 | 14 | 0.05 | 0.021 |
| FA-22 17+00N | Soil | | | 0.9 | 12.0 | 11.9 | 26 | 0.3 | 5.2 | 2.2 | 55 | 2.21 | 5.1 | 0.9 | <0.5 | 2.9 | 3 | 0.2 | 0.2 | 0.2 | 30 | 0.03 | 0.061 |
| FA-22 17+50N | Soil | | | 1.0 | 11.4 | 12.6 | 26 | 0.3 | 4.5 | 2.1 | 63 | 2.39 | 5.6 | 0.8 | 1.2 | 3.5 | 3 | 0.1 | 0.2 | 0.3 | 30 | 0.02 | 0.045 |
| FA-22 18+00N | Soil | | | 0.8 | 7.5 | 15.5 | 29 | 0.2 | 4.7 | 2.5 | 68 | 1.72 | 4.9 | 0.6 | <0.5 | 3.5 | 6 | <0.1 | 0.2 | 0.4 | 22 | 0.08 | 0.042 |
| FA-22 18+50N | Soil | | | 0.9 | 8.4 | 20.1 | 35 | 0.3 | 4.8 | 2.3 | 69 | 2.11 | 8.6 | 0.3 | <0.5 | 2.4 | 3 | 0.2 | 0.2 | 0.6 | 43 | 0.01 | 0.020 |
| FA-22 19+00N | Soil | | | 1.2 | 13.2 | 22.1 | 57 | 0.1 | 9.7 | 5.5 | 114 | 2.67 | 8.4 | 0.9 | 0.8 | 5.7 | 4 | <0.1 | 0.2 | 0.7 | 19 | 0.02 | 0.042 |
| FA-22 19+50N | Soil | | | 0.9 | 13.6 | 16.2 | 59 | 0.3 | 7.9 | 6.0 | 211 | 1.81 | 5.2 | 0.9 | 0.9 | 3.7 | 4 | 0.1 | 0.2 | 0.3 | 25 | 0.03 | 0.081 |
| FA-22 20+00N | Soil | | | 0.8 | 8.6 | 21.8 | 52 | 0.1 | 6.4 | 4.6 | 236 | 3.53 | 5.3 | 0.5 | <0.5 | 3.5 | 4 | 0.1 | 0.2 | 0.6 | 34 | 0.03 | 0.054 |
| FA-22 20+50N | Soil | | | 0.6 | 8.1 | 16.6 | 49 | <0.1 | 6.4 | 3.2 | 168 | 2.41 | 5.2 | 0.5 | 0.8 | 3.4 | 5 | <0.1 | 0.2 | 0.4 | 25 | 0.04 | 0.052 |
| FA-22 21+00N | Soil | | | 0.8 | 8.7 | 17.1 | 45 | 0.2 | 6.0 | 4.0 | 481 | 2.74 | 5.8 | 0.5 | 1.1 | 3.6 | 2 | <0.1 | 0.2 | 0.4 | 31 | 0.02 | 0.068 |
| FA-22 21+50N | Soil | | | 0.6 | 13.9 | 14.1 | 45 | <0.1 | 8.2 | 5.8 | 172 | 2.19 | 4.6 | 0.7 | <0.5 | 4.7 | 3 | <0.1 | 0.2 | 0.4 | 22 | 0.02 | 0.051 |
| FA-22 22+00N | Soil | | | 0.9 | 15.5 | 21.8 | 64 | 0.1 | 10.4 | 6.3 | 242 | 2.51 | 9.2 | 0.8 | 1.0 | 5.1 | 4 | <0.1 | 0.2 | 0.4 | 25 | 0.02 | 0.062 |
| FA-22 22+50N | Soil | | | 0.6 | 14.6 | 16.8 | 48 | <0.1 | 9.8 | 6.2 | 408 | 1.99 | 6.5 | 0.7 | 0.6 | 4.4 | 3 | <0.1 | 0.1 | 0.3 | 21 | 0.03 | 0.060 |
| FA-22 23+00N | Soil | | | 0.7 | 10.4 | 15.7 | 47 | 0.1 | 7.7 | 7.1 | 399 | 2.39 | 4.9 | 0.6 | 0.6 | 3.4 | 6 | 0.1 | 0.2 | 0.3 | 32 | 0.04 | 0.057 |
| FA-22 23+50N | Soil | | | 0.7 | 10.8 | 17.5 | 53 | <0.1 | 8.8 | 5.1 | 148 | 2.56 | 6.1 | 0.5 | 1.2 | 4.2 | 3 | 0.1 | 0.2 | 0.4 | 23 | 0.02 | 0.028 |
| FA-22 24+00N | Soil | | | 0.7 | 12.5 | 12.9 | 57 | <0.1 | 8.7 | 5.2 | 180 | 2.22 | 5.4 | 0.7 | 0.9 | 4.6 | 4 | <0.1 | 0.1 | 0.4 | 24 | 0.02 | 0.043 |
| FA-22 24+50N | Soil | | | 0.6 | 9.6 | 12.4 | 55 | <0.1 | 8.9 | 5.4 | 200 | 2.03 | 4.8 | 0.6 | <0.5 | 4.3 | 3 | 0.1 | 0.1 | 0.3 | 19 | 0.02 | 0.044 |
| FA-22 25+00N | Soil | | | 0.6 | 10.4 | 24.0 | 32 | <0.1 | 7.9 | 4.2 | 113 | 2.28 | 4.9 | 0.8 | <0.5 | 3.1 | 9 | 0.1 | <0.1 | 0.4 | 26 | 0.05 | 0.021 |
| FA-22 25+50N | Soil | | | 0.5 | 9.2 | 19.1 | 27 | 0.1 | 5.2 | 3.2 | 155 | 2.14 | 6.3 | 0.4 | 0.5 | 1.7 | 11 | 0.4 | 0.3 | 0.4 | 23 | 0.09 | 0.030 |
| FA-20 16+50N | Soil | | | 1.0 | 9.6 | 21.3 | 35 | 0.1 | 5.8 | 3.1 | 95 | 2.47 | 6.7 | 0.5 | 2.5 | 3.2 | 10 | <0.1 | 0.2 | 2.0 | 19 | 0.09 | 0.028 |
| FA-20 17+00N | Soil | | | 0.7 | 13.6 | 15.6 | 49 | 0.1 | 7.3 | 3.7 | 230 | 2.97 | 20.6 | 0.6 | 1.6 | 2.8 | 6 | 0.3 | 0.3 | 0.7 | 23 | 0.04 | 0.052 |
| FA-20 17+50N | Soil | | | 1.4 | 13.9 | 21.5 | 37 | 0.2 | 6.8 | 3.1 | 85 | 3.16 | 18.2 | 0.5 | 1.8 | 2.6 | 5 | 0.4 | 0.3 | 0.8 | 31 | 0.05 | 0.033 |
| FA-20 18+00N | Soil | | | 0.8 | 12.0 | 9.5 | 24 | 0.2 | 3.3 | 1.6 | 45 | 1.44 | 3.0 | 0.6 | 0.7 | 1.5 | 8 | 0.2 | 0.2 | 0.2 | 23 | 0.06 | 0.062 |
| FA-20 18+50N | Soil | | | 1.1 | 14.0 | 56.4 | 30 | 0.2 | 4.9 | 6.0 | 342 | 2.16 | 3.7 | 1.1 | 0.8 | 1.7 | 10 | 0.2 | 0.1 | 0.5 | 28 | 0.08 | 0.057 |
| FA-20 19+00N | Soil | | | 1.0 | 15.2 | 16.8 | 36 | <0.1 | 7.9 | 5.1 | 391 | 1.86 | 3.6 | 2.2 | 0.8 | 1.1 | 14 | 0.2 | <0.1 | 0.4 | 22 | 0.10 | 0.028 |
| FA-20 19+50N | Soil | | | 1.1 | 7.7 | 9.8 | 20 | 0.1 | 5.0 | 4.1 | 189 | 2.01 | 2.7 | 0.7 | 0.8 | 2.5 | 4 | <0.1 | 0.2 | 0.3 | 29 | 0.04 | 0.084 |
| FA-20 20+00N | Soil | | | 1.1 | 9.8 | 11.4 | 24 | 0.1 | 4.8 | 2.5 | 110 | 1.75 | 2.1 | 0.6 | 3.0 | 1.6 | 7 | <0.1 | 0.1 | 0.3 | 25 | 0.05 | 0.035 |
| FA-20 20+50N | Soil | | | 0.7 | 11.6 | 9.1 | 38 | <0.1 | 9.7 | 6.1 | 214 | 1.92 | 2.6 | 0.8 | 1.1 | 4.1 | 4 | <0.1 | 0.1 | 0.3 | 20 | 0.03 | 0.069 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 4 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|--------------|------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-18 22+00N | Soil | 17 | 11 | 0.39 | 151 | 0.058 | <20 | 1.97 | 0.008 | 0.07 | <0.1 | 0.02 | 1.2 | <0.1 | <0.05 | 8 | <0.5 |
| FA-18 22+50N | Soil | 23 | 10 | 0.35 | 123 | 0.021 | <20 | 1.32 | 0.004 | 0.05 | <0.1 | 0.01 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-18 23+00N | Soil | 20 | 6 | 0.26 | 113 | 0.018 | <20 | 0.94 | 0.004 | 0.04 | <0.1 | 0.01 | 0.5 | <0.1 | <0.05 | 4 | <0.5 |
| FA-22 17+00N | Soil | 5 | 9 | 0.07 | 30 | 0.083 | <20 | 5.19 | 0.009 | 0.03 | 0.2 | 0.10 | 1.7 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 17+50N | Soil | 5 | 10 | 0.07 | 27 | 0.075 | <20 | 5.45 | 0.008 | 0.02 | 0.2 | 0.07 | 1.5 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 18+00N | Soil | 13 | 7 | 0.08 | 41 | 0.023 | <20 | 1.72 | 0.006 | 0.04 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 18+50N | Soil | 10 | 7 | 0.06 | 27 | 0.073 | <20 | 0.74 | 0.004 | 0.04 | <0.1 | 0.02 | 0.6 | <0.1 | <0.05 | 10 | <0.5 |
| FA-22 19+00N | Soil | 12 | 9 | 0.19 | 55 | 0.025 | <20 | 2.69 | 0.006 | 0.05 | <0.1 | 0.05 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 19+50N | Soil | 4 | 8 | 0.11 | 59 | 0.102 | <20 | 4.65 | 0.014 | 0.03 | 0.2 | 0.14 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| FA-22 20+00N | Soil | 11 | 10 | 0.14 | 60 | 0.064 | <20 | 1.84 | 0.007 | 0.04 | 0.1 | 0.05 | 1.3 | 0.1 | <0.05 | 11 | <0.5 |
| FA-22 20+50N | Soil | 12 | 10 | 0.15 | 60 | 0.028 | <20 | 2.24 | 0.007 | 0.04 | 0.1 | 0.07 | 1.3 | 0.1 | <0.05 | 8 | <0.5 |
| FA-22 21+00N | Soil | 10 | 10 | 0.13 | 49 | 0.037 | <20 | 2.75 | 0.008 | 0.04 | 0.1 | 0.07 | 1.2 | 0.1 | <0.05 | 9 | <0.5 |
| FA-22 21+50N | Soil | 14 | 10 | 0.17 | 57 | 0.022 | <20 | 2.39 | 0.006 | 0.04 | <0.1 | 0.05 | 1.1 | 0.1 | <0.05 | 6 | <0.5 |
| FA-22 22+00N | Soil | 12 | 11 | 0.18 | 58 | 0.033 | <20 | 3.17 | 0.007 | 0.05 | 0.1 | 0.06 | 1.4 | 0.1 | <0.05 | 7 | <0.5 |
| FA-22 22+50N | Soil | 12 | 11 | 0.16 | 61 | 0.030 | <20 | 3.23 | 0.007 | 0.05 | 0.1 | 0.08 | 1.3 | <0.1 | <0.05 | 6 | 0.6 |
| FA-22 23+00N | Soil | 9 | 10 | 0.12 | 80 | 0.038 | <20 | 3.30 | 0.011 | 0.05 | 0.1 | 0.06 | 1.5 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 23+50N | Soil | 18 | 11 | 0.20 | 73 | 0.020 | <20 | 1.52 | 0.005 | 0.05 | 0.2 | 0.03 | 1.0 | <0.1 | <0.05 | 7 | <0.5 |
| FA-22 24+00N | Soil | 18 | 9 | 0.19 | 70 | 0.024 | <20 | 1.84 | 0.005 | 0.05 | 0.1 | 0.04 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| FA-22 24+50N | Soil | 19 | 9 | 0.22 | 71 | 0.021 | <20 | 1.96 | 0.006 | 0.05 | <0.1 | 0.02 | 1.2 | <0.1 | <0.05 | 5 | <0.5 |
| FA-22 25+00N | Soil | 17 | 9 | 0.19 | 75 | 0.048 | <20 | 1.60 | 0.011 | 0.06 | <0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 25+50N | Soil | 15 | 8 | 0.11 | 90 | 0.027 | <20 | 1.00 | 0.008 | 0.05 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 7 | <0.5 |
| FA-20 16+50N | Soil | 16 | 8 | 0.17 | 79 | 0.023 | <20 | 1.05 | 0.009 | 0.06 | 0.1 | 0.04 | 0.7 | <0.1 | <0.05 | 6 | <0.5 |
| FA-20 17+00N | Soil | 20 | 9 | 0.20 | 52 | 0.019 | <20 | 1.03 | 0.006 | 0.05 | 0.3 | 0.04 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-20 17+50N | Soil | 12 | 8 | 0.09 | 47 | 0.062 | <20 | 0.88 | 0.016 | 0.05 | 0.2 | 0.03 | 0.6 | <0.1 | <0.05 | 9 | <0.5 |
| FA-20 18+00N | Soil | 7 | 6 | 0.05 | 68 | 0.034 | <20 | 2.28 | 0.011 | 0.03 | <0.1 | 0.10 | 1.0 | <0.1 | <0.05 | 7 | <0.5 |
| FA-20 18+50N | Soil | 9 | 7 | 0.09 | 79 | 0.109 | <20 | 1.30 | 0.018 | 0.05 | <0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 11 | <0.5 |
| FA-20 19+00N | Soil | 24 | 9 | 0.27 | 225 | 0.035 | <20 | 1.45 | 0.011 | 0.05 | <0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 7 | <0.5 |
| FA-20 19+50N | Soil | 6 | 7 | 0.08 | 50 | 0.109 | <20 | 3.20 | 0.013 | 0.04 | 0.1 | 0.05 | 1.3 | <0.1 | 0.05 | 10 | <0.5 |
| FA-20 20+00N | Soil | 12 | 7 | 0.11 | 83 | 0.034 | <20 | 1.61 | 0.014 | 0.05 | 0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 8 | <0.5 |
| FA-20 20+50N | Soil | 16 | 9 | 0.23 | 102 | 0.038 | <20 | 2.57 | 0.009 | 0.08 | 0.1 | 0.05 | 1.4 | <0.1 | <0.05 | 6 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-20 21+00N | Soil | | | 0.9 | 14.3 | 10.4 | 33 | 0.2 | 7.2 | 5.9 | 180 | 1.97 | 2.7 | 0.9 | <0.5 | 2.6 | 6 | <0.1 | 0.2 | 0.3 | 28 | 0.05 | 0.136 |
| FA-20 21+50N | Soil | | | 0.7 | 11.2 | 8.8 | 34 | <0.1 | 7.9 | 5.7 | 358 | 2.04 | 2.2 | 0.6 | 0.8 | 4.6 | 5 | <0.1 | 0.1 | 0.4 | 23 | 0.05 | 0.048 |
| FA-20 22+00N | Soil | | | 0.7 | 9.4 | 8.7 | 43 | <0.1 | 9.7 | 5.4 | 149 | 2.01 | 2.6 | 0.8 | 0.6 | 5.2 | 4 | <0.1 | 0.2 | 0.3 | 24 | 0.03 | 0.046 |
| FA-20 22+50N | Soil | | | 1.0 | 7.8 | 9.8 | 30 | <0.1 | 7.6 | 4.8 | 237 | 2.46 | 3.1 | 0.8 | <0.5 | 3.6 | 5 | 0.1 | 0.2 | 0.3 | 29 | 0.05 | 0.060 |
| FA-20 23+00N | Soil | | | 0.4 | 4.3 | 7.0 | 31 | <0.1 | 5.7 | 3.5 | 156 | 1.96 | 1.8 | 0.5 | <0.5 | 3.4 | 2 | <0.1 | <0.1 | 0.3 | 24 | 0.01 | 0.024 |
| FA-20 23+50N | Soil | | | 0.7 | 14.2 | 14.9 | 48 | <0.1 | 14.1 | 8.0 | 1145 | 2.38 | 3.4 | 1.0 | 0.9 | 1.9 | 19 | 0.1 | 0.1 | 0.6 | 29 | 0.15 | 0.048 |
| FA-20 24+00N | Soil | | | 1.0 | 12.8 | 11.1 | 32 | <0.1 | 6.2 | 3.2 | 93 | 2.05 | 3.7 | 0.9 | 0.5 | 3.2 | 4 | <0.1 | 0.2 | 0.3 | 31 | 0.02 | 0.076 |
| FA-23B 00+00 | Soil | | | 0.8 | 7.6 | 12.8 | 26 | <0.1 | 7.0 | 2.2 | 108 | 1.56 | 6.8 | 0.6 | 0.8 | 2.1 | 2 | 0.1 | 0.2 | 0.3 | 10 | 0.01 | 0.020 |
| FA-23B 00+50N | Soil | | | 0.7 | 7.8 | 13.2 | 45 | 0.2 | 4.6 | 2.7 | 324 | 2.52 | 6.1 | 0.5 | 0.7 | 2.9 | 4 | 0.3 | 0.2 | 0.3 | 25 | 0.05 | 0.038 |
| FA-23B 01+00N | Soil | | | 0.6 | 12.6 | 17.7 | 62 | 0.3 | 10.9 | 6.5 | 128 | 2.06 | 13.8 | 0.7 | 49.7 | 4.7 | 3 | 0.2 | 0.2 | 0.3 | 17 | 0.03 | 0.053 |
| FA-23B 01+50N | Soil | | | 0.7 | 14.1 | 20.5 | 107 | 0.3 | 12.9 | 9.1 | 238 | 2.17 | 9.0 | 0.6 | 0.8 | 4.6 | 4 | 0.2 | 0.2 | 0.4 | 25 | 0.03 | 0.047 |
| FA-23B 02+00N | Soil | | | 0.8 | 22.6 | 28.6 | 120 | 0.5 | 13.0 | 10.1 | 517 | 2.42 | 11.8 | 1.1 | <0.5 | 4.2 | 8 | 0.4 | 0.2 | 0.4 | 24 | 0.09 | 0.107 |
| FA-23B 02+50N | Soil | | | 0.8 | 29.2 | 49.8 | 144 | 0.1 | 19.4 | 15.7 | 847 | 2.70 | 17.3 | 1.3 | 1.7 | 5.1 | 9 | 0.7 | 0.3 | 0.5 | 22 | 0.07 | 0.059 |
| FA-23B 03+00N | Soil | | | 0.8 | 23.1 | 40.5 | 104 | 0.1 | 16.9 | 13.9 | 505 | 2.46 | 16.3 | 1.2 | 8.5 | 7.2 | 7 | 0.3 | 0.3 | 0.5 | 21 | 0.04 | 0.047 |
| FA-23B 03+50N | Soil | | | 0.9 | 29.0 | 37.2 | 85 | 0.1 | 21.6 | 14.1 | 257 | 2.56 | 14.6 | 1.4 | 0.7 | 7.5 | 8 | 0.3 | 0.4 | 0.6 | 23 | 0.03 | 0.050 |
| FA-23B 04+00N | Soil | | | 1.1 | 18.1 | 23.5 | 67 | 0.1 | 13.5 | 7.3 | 242 | 2.41 | 9.6 | 1.0 | 2.0 | 6.6 | 6 | 0.1 | 0.3 | 0.5 | 20 | 0.05 | 0.043 |
| FA-23B 04+50N | Soil | | | 0.4 | 21.0 | 21.8 | 66 | <0.1 | 18.8 | 7.7 | 114 | 2.37 | 6.2 | 1.2 | 6.6 | 7.4 | 8 | <0.1 | 0.3 | 0.5 | 12 | 0.02 | 0.030 |
| FA-23B 05+00N | Soil | | | 0.8 | 12.4 | 23.1 | 64 | 0.3 | 9.5 | 4.3 | 388 | 3.61 | 5.1 | 0.6 | 1.3 | 3.9 | 6 | 0.2 | 0.3 | 0.5 | 41 | 0.04 | 0.049 |
| FA-23B 05+50N | Soil | | | 0.6 | 7.7 | 13.8 | 26 | <0.1 | 5.1 | 2.1 | 87 | 1.65 | 2.7 | 0.4 | <0.5 | 2.3 | 3 | <0.1 | 0.2 | 0.4 | 29 | 0.01 | 0.015 |
| FA-23B 06+00N | Soil | | | 0.8 | 10.9 | 13.0 | 45 | 0.3 | 7.0 | 2.9 | 81 | 2.86 | 5.5 | 0.6 | <0.5 | 4.4 | 4 | 0.1 | 0.3 | 0.4 | 29 | 0.02 | 0.037 |
| FA-23B 06+50N | Soil | | | 0.7 | 11.0 | 14.4 | 43 | 0.3 | 6.5 | 3.3 | 141 | 1.96 | 4.6 | 0.7 | 1.0 | 3.9 | 5 | <0.1 | 0.2 | 0.3 | 28 | 0.03 | 0.045 |
| FA-23B 07+00N | Soil | | | 0.7 | 16.5 | 20.1 | 53 | 0.2 | 10.0 | 3.1 | 93 | 2.59 | 8.9 | 0.8 | 319.6 | 5.9 | 4 | <0.1 | 0.3 | 0.4 | 18 | 0.01 | 0.033 |
| FA-23B 07+50N | Soil | | | 1.1 | 17.0 | 16.3 | 51 | 0.2 | 7.7 | 4.3 | 215 | 2.48 | 5.4 | 1.1 | 1.0 | 4.6 | 4 | 0.1 | 0.3 | 0.3 | 32 | 0.03 | 0.082 |
| FA-23B 08+00N | Soil | | | 1.1 | 39.0 | 54.6 | 66 | 0.1 | 12.9 | 10.6 | 1504 | 4.78 | 10.4 | 1.6 | 23.1 | 3.1 | 13 | 0.2 | 0.6 | 0.8 | 28 | 0.02 | 0.181 |
| FA-24A 00+00 | Soil | | | 1.1 | 18.2 | 29.0 | 56 | 0.2 | 12.4 | 7.2 | 232 | 2.01 | 6.7 | 1.2 | 0.6 | 6.2 | 3 | 0.1 | 0.2 | 0.6 | 15 | 0.01 | 0.030 |
| FA-24A 00+50N | Soil | | | 1.2 | 10.7 | 20.2 | 23 | 0.2 | 5.2 | 2.5 | 61 | 2.28 | 5.2 | 1.0 | <0.5 | 3.9 | 3 | 0.2 | 0.2 | 0.3 | 27 | 0.02 | 0.057 |
| FA-24A 01+00N | Soil | | | 1.0 | 9.7 | 15.0 | 42 | 0.2 | 6.5 | 3.1 | 81 | 2.16 | 4.7 | 0.6 | 0.7 | 3.8 | 3 | <0.1 | 0.2 | 0.5 | 25 | 0.01 | 0.031 |
| FA-24A 01+50N | Soil | | | 0.8 | 14.4 | 12.5 | 40 | 0.2 | 7.6 | 3.0 | 79 | 1.76 | 3.9 | 0.8 | <0.5 | 2.5 | 4 | 0.2 | 0.1 | 0.3 | 28 | 0.03 | 0.041 |
| FA-24A 02+00N | Soil | | | 0.9 | 13.7 | 10.2 | 19 | 0.6 | 4.2 | 2.0 | 100 | 1.89 | 4.8 | 0.9 | <0.5 | 2.4 | 7 | <0.1 | 0.2 | 0.2 | 29 | 0.09 | 0.080 |
| FA-24A 02+50N | Soil | | | 0.9 | 12.9 | 11.3 | 28 | 0.4 | 5.8 | 2.3 | 105 | 1.67 | 5.0 | 0.7 | 4.8 | 2.5 | 4 | 0.2 | 0.2 | 0.4 | 23 | 0.04 | 0.062 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 5 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method Analyte | Unit | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|-------------------|------|-----|-----|------|-----|-------|-----|------|-------|------|------|-------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| FA-20 21+00N | Soil | 6 | 8 | 0.09 | 69 | 0.118 | <20 | 3.82 | 0.016 | 0.04 | 0.2 | 0.10 | 2.0 | <0.1 | <0.05 | 11 | 0.9 |
| FA-20 21+50N | Soil | 15 | 10 | 0.21 | 96 | 0.054 | <20 | 2.00 | 0.008 | 0.06 | 0.1 | 0.04 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| FA-20 22+00N | Soil | 14 | 10 | 0.26 | 67 | 0.051 | <20 | 2.42 | 0.008 | 0.05 | <0.1 | 0.04 | 1.4 | <0.1 | <0.05 | 7 | <0.5 |
| FA-20 22+50N | Soil | 11 | 11 | 0.17 | 75 | 0.051 | <20 | 3.11 | 0.009 | 0.06 | 0.1 | 0.10 | 1.4 | <0.1 | <0.05 | 8 | <0.5 |
| FA-20 23+00N | Soil | 18 | 9 | 0.19 | 47 | 0.028 | <20 | 1.29 | 0.006 | 0.05 | <0.1 | 0.02 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-20 23+50N | Soil | 13 | 15 | 0.37 | 130 | 0.034 | <20 | 2.70 | 0.012 | 0.13 | <0.1 | 0.04 | 1.4 | 0.1 | <0.05 | 9 | <0.5 |
| FA-20 24+00N | Soil | 8 | 9 | 0.12 | 49 | 0.087 | <20 | 3.64 | 0.013 | 0.04 | 0.1 | 0.07 | 2.1 | <0.1 | <0.05 | 10 | <0.5 |
| FA-23B 00+00 | Soil | 15 | 7 | 0.19 | 34 | 0.017 | <20 | 0.85 | 0.003 | 0.09 | <0.1 | 0.02 | 0.7 | 0.1 | <0.05 | 3 | <0.5 |
| FA-23B 00+50N | Soil | 14 | 6 | 0.08 | 67 | 0.037 | <20 | 1.52 | 0.007 | 0.04 | 0.1 | 0.06 | 0.9 | <0.1 | <0.05 | 8 | <0.5 |
| FA-23B 01+00N | Soil | 16 | 8 | 0.16 | 56 | 0.024 | <20 | 2.13 | 0.004 | 0.04 | <0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 5 | <0.5 |
| FA-23B 01+50N | Soil | 14 | 10 | 0.18 | 90 | 0.039 | <20 | 2.34 | 0.007 | 0.06 | <0.1 | 0.04 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| FA-23B 02+00N | Soil | 10 | 10 | 0.17 | 74 | 0.076 | <20 | 3.13 | 0.011 | 0.07 | 0.1 | 0.08 | 1.5 | <0.1 | <0.05 | 8 | 0.5 |
| FA-23B 02+50N | Soil | 20 | 11 | 0.28 | 108 | 0.046 | <20 | 2.21 | 0.008 | 0.09 | 0.1 | 0.05 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| FA-23B 03+00N | Soil | 19 | 10 | 0.26 | 78 | 0.045 | <20 | 2.09 | 0.006 | 0.07 | 0.1 | 0.05 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-23B 03+50N | Soil | 15 | 11 | 0.26 | 81 | 0.049 | <20 | 2.62 | 0.007 | 0.07 | 0.1 | 0.07 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| FA-23B 04+00N | Soil | 19 | 12 | 0.25 | 50 | 0.029 | <20 | 1.96 | 0.006 | 0.07 | <0.1 | 0.05 | 1.2 | <0.1 | <0.05 | 5 | <0.5 |
| FA-23B 04+50N | Soil | 29 | 11 | 0.31 | 39 | 0.011 | <20 | 1.34 | 0.003 | 0.04 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | 3 | <0.5 |
| FA-23B 05+00N | Soil | 9 | 13 | 0.16 | 57 | 0.080 | <20 | 2.56 | 0.010 | 0.06 | 0.1 | 0.08 | 1.5 | 0.1 | <0.05 | 10 | <0.5 |
| FA-23B 05+50N | Soil | 19 | 7 | 0.11 | 38 | 0.027 | <20 | 1.26 | 0.007 | 0.05 | <0.1 | 0.02 | 0.9 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23B 06+00N | Soil | 14 | 11 | 0.18 | 33 | 0.025 | <20 | 1.73 | 0.007 | 0.04 | 0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |
| FA-23B 06+50N | Soil | 8 | 9 | 0.13 | 45 | 0.055 | <20 | 2.98 | 0.011 | 0.05 | <0.1 | 0.08 | 1.4 | <0.1 | <0.05 | 7 | <0.5 |
| FA-23B 07+00N | Soil | 16 | 11 | 0.23 | 35 | 0.015 | <20 | 2.09 | 0.006 | 0.03 | <0.1 | 0.05 | 1.0 | <0.1 | <0.05 | 5 | <0.5 |
| FA-23B 07+50N | Soil | 6 | 11 | 0.13 | 35 | 0.096 | <20 | 4.49 | 0.013 | 0.04 | 0.2 | 0.12 | 2.1 | <0.1 | <0.05 | 9 | <0.5 |
| FA-23B 08+00N | Soil | 16 | 14 | 0.15 | 52 | 0.025 | <20 | 1.33 | 0.007 | 0.08 | 0.1 | 0.07 | 0.8 | 0.1 | <0.05 | 6 | <0.5 |
| FA-24A 00+00 | Soil | 21 | 9 | 0.20 | 67 | 0.025 | <20 | 2.13 | 0.007 | 0.12 | <0.1 | 0.05 | 1.4 | 0.1 | <0.05 | 4 | <0.5 |
| FA-24A 00+50N | Soil | 8 | 9 | 0.09 | 37 | 0.071 | <20 | 4.46 | 0.011 | 0.03 | <0.1 | 0.14 | 1.7 | <0.1 | <0.05 | 9 | 0.5 |
| FA-24A 01+00N | Soil | 19 | 10 | 0.21 | 46 | 0.015 | <20 | 2.02 | 0.005 | 0.05 | <0.1 | 0.07 | 1.0 | <0.1 | <0.05 | 6 | <0.5 |
| FA-24A 01+50N | Soil | 11 | 10 | 0.15 | 51 | 0.052 | <20 | 3.71 | 0.010 | 0.04 | <0.1 | 0.10 | 1.9 | <0.1 | <0.05 | 7 | <0.5 |
| FA-24A 02+00N | Soil | 4 | 8 | 0.07 | 28 | 0.102 | <20 | 5.12 | 0.016 | 0.02 | <0.1 | 0.18 | 1.8 | <0.1 | <0.05 | 9 | 0.8 |
| FA-24A 02+50N | Soil | 9 | 8 | 0.13 | 34 | 0.045 | <20 | 3.41 | 0.009 | 0.03 | 0.1 | 0.12 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 6 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | | | |
|---------------|---------|------|-----|-----|------|------|-----|------|------|-----|-----|------|------|-----|------|-----|-----|------|------|-----|-----|------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-24A 03+00N | Soil | | | 0.8 | 10.8 | 17.4 | 36 | 0.4 | 4.5 | 2.1 | 333 | 1.32 | 3.9 | 0.6 | <0.5 | 1.9 | 10 | 0.2 | 0.2 | 1.9 | 21 | 0.14 | 0.062 | |
| FA-24A 03+50N | Soil | | | 1.3 | 9.6 | 22.3 | 57 | 0.3 | 4.4 | 2.7 | 113 | 3.27 | 6.3 | 0.5 | <0.5 | 2.9 | 5 | 0.4 | 0.3 | 0.8 | 49 | 0.03 | 0.043 | |
| FA-24A 04+00N | Soil | | | 1.1 | 13.2 | 21.0 | 65 | 0.2 | 9.6 | 5.5 | 108 | 2.52 | 8.3 | 0.7 | <0.5 | 5.6 | 4 | <0.1 | 0.2 | 0.4 | 24 | 0.02 | 0.092 | |
| FA-24A 04+50N | Soil | | | 0.5 | 14.9 | 18.4 | 58 | <0.1 | 13.6 | 6.4 | 110 | 2.40 | 5.9 | 0.7 | <0.5 | 6.4 | 4 | <0.1 | 0.2 | 0.5 | 16 | 0.02 | 0.025 | |
| FA-24A 05+00N | Soil | | | 0.7 | 16.4 | 22.0 | 48 | <0.1 | 11.1 | 4.9 | 109 | 2.96 | 7.9 | 0.8 | 1.0 | 7.7 | 3 | <0.1 | 0.3 | 0.7 | 22 | 0.01 | 0.044 | |
| FA-24A 05+50N | Soil | | | 0.9 | 33.6 | 58.3 | 20 | 0.5 | 5.4 | 4.1 | 56 | 1.77 | 5.9 | 3.3 | 1.1 | 7.7 | 5 | <0.1 | 0.2 | 0.3 | 25 | 0.03 | 0.081 | |
| FA-24A 06+00N | Soil | | | 0.9 | 14.0 | 11.5 | 16 | 0.1 | 4.6 | 2.0 | 54 | 2.35 | 6.2 | 1.1 | <0.5 | 4.2 | 5 | 0.1 | 0.2 | 0.2 | 30 | 0.03 | 0.099 | |
| FA-24A 06+50N | Soil | | | 0.7 | 7.8 | 16.7 | 28 | 0.1 | 4.8 | 2.2 | 63 | 2.35 | 4.1 | 0.6 | <0.5 | 4.2 | 3 | <0.1 | <0.1 | 0.5 | 32 | 0.01 | 0.036 | |
| FA-24A 07+00N | Soil | | | 0.7 | 14.3 | 22.5 | 52 | <0.1 | 9.5 | 4.1 | 88 | 2.51 | 8.7 | 0.7 | <0.5 | 5.5 | 3 | <0.1 | 0.2 | 0.5 | 24 | 0.02 | 0.042 | |
| FA-24A 07+50N | Soil | | | 0.6 | 22.0 | 27.7 | 72 | <0.1 | 14.7 | 6.1 | 129 | 2.48 | 13.4 | 0.8 | 5.8 | 7.0 | 3 | 0.1 | 0.3 | 0.5 | 14 | 0.01 | 0.028 | |
| FA-24A 08+00N | Soil | | | 0.7 | 15.6 | 23.8 | 59 | 0.2 | 11.4 | 6.2 | 159 | 2.89 | 7.0 | 1.1 | 0.9 | 5.5 | 7 | 0.2 | 0.2 | 0.4 | 30 | 0.04 | 0.077 | |
| FA-24A 08+50N | Soil | | | 0.6 | 19.8 | 21.4 | 58 | <0.1 | 13.8 | 7.1 | 131 | 2.19 | 7.4 | 0.9 | <0.5 | 7.9 | 2 | 0.1 | 0.3 | 0.7 | 11 | 0.01 | 0.037 | |
| FA-24A 09+00N | Soil | | | 0.7 | 8.8 | 14.1 | 42 | 0.1 | 8.3 | 4.0 | 120 | 2.64 | 5.9 | 0.4 | 0.6 | 4.5 | 5 | 0.1 | 0.2 | 0.4 | 29 | 0.03 | 0.054 | |
| FA-25A 00+00 | Soil | | | 0.6 | 19.0 | 15.0 | 15 | 0.3 | 7.2 | 3.4 | 69 | 1.14 | 2.8 | 1.3 | 1.4 | 4.1 | 9 | <0.1 | 0.1 | 0.2 | 21 | 0.06 | 0.065 | |
| FA-25A 00+50N | Soil | | | 1.0 | 11.4 | 18.5 | 33 | 0.2 | 5.4 | 3.9 | 160 | 2.34 | 4.6 | 0.8 | 1.3 | 3.5 | 3 | <0.1 | 0.2 | 0.4 | 32 | 0.02 | 0.062 | |
| FA-25A 01+00N | Soil | | | 1.4 | 18.8 | 28.0 | 66 | <0.1 | 13.6 | 6.3 | 111 | 2.41 | 8.4 | 0.9 | 2.1 | 6.7 | 4 | <0.1 | 0.2 | 1.2 | 13 | 0.01 | 0.038 | |
| FA-25A 01+50N | Soil | | | 0.7 | 12.3 | 18.4 | 39 | 0.5 | 4.8 | 2.5 | 75 | 1.52 | 3.4 | 0.9 | 0.6 | 3.1 | 3 | <0.1 | 0.1 | 0.5 | 24 | 0.02 | 0.032 | |
| FA-25A 02+00N | Soil | | | 0.7 | 14.6 | 28.0 | 44 | 0.1 | 10.2 | 6.0 | 106 | 2.73 | 6.9 | 1.0 | 0.7 | 5.2 | 6 | 0.2 | 0.2 | 0.5 | 25 | 0.03 | 0.034 | |
| FA-25A 02+50N | Soil | | | 0.6 | 9.7 | 14.7 | 42 | <0.1 | 6.9 | 3.4 | 110 | 1.95 | 4.7 | 0.5 | 0.8 | 3.8 | 4 | 0.1 | 0.2 | 0.4 | 24 | 0.02 | 0.035 | |
| FA-25A 03+00N | Soil | | | 0.7 | 8.7 | 20.9 | 36 | 0.1 | 6.7 | 3.1 | 102 | 2.41 | 7.0 | 0.5 | 1.9 | 4.4 | 2 | <0.1 | 0.3 | 0.5 | 20 | 0.01 | 0.033 | |
| FA-25A 03+50N | Soil | | | 0.7 | 15.1 | 23.3 | 24 | <0.1 | 6.7 | 4.1 | 51 | 1.95 | 6.7 | 2.0 | 1.0 | 7.1 | 3 | 0.1 | 0.1 | 0.3 | 21 | 0.03 | 0.048 | |
| FA-25A 04+00N | Soil | | | 0.8 | 13.7 | 21.7 | 56 | <0.1 | 10.4 | 4.4 | 101 | 3.09 | 8.7 | 0.8 | 0.8 | 6.2 | 3 | <0.1 | 0.2 | 0.4 | 23 | 0.02 | 0.060 | |
| FA-25A 04+50N | Soil | | | 0.6 | 11.8 | 20.9 | 44 | <0.1 | 7.1 | 3.5 | 79 | 2.35 | 6.7 | 0.5 | 1.0 | 4.6 | 3 | <0.1 | 0.2 | 0.4 | 22 | 0.02 | 0.033 | |
| FA-25A 05+00N | Soil | | | 0.8 | 15.7 | 24.8 | 58 | 0.1 | 11.4 | 6.3 | 93 | 2.37 | 9.3 | 0.8 | 0.6 | 5.1 | 4 | <0.1 | 0.2 | 0.4 | 22 | 0.02 | 0.054 | |
| FA-25A 05+50N | Soil | | | 0.8 | 8.7 | 13.8 | 38 | <0.1 | 6.6 | 3.0 | 80 | 2.63 | 6.2 | 0.4 | <0.5 | 3.9 | 3 | <0.1 | 0.1 | 0.5 | 27 | 0.01 | 0.041 | |
| FA-25A 06+00N | Soil | | | 0.8 | 8.1 | 17.2 | 52 | 0.1 | 8.3 | 3.6 | 88 | 4.00 | 6.1 | 0.5 | 0.5 | 5.6 | 2 | 0.1 | 0.2 | 0.6 | 29 | 0.01 | 0.042 | |
| FA-25A 06+50N | Soil | | | 0.6 | 11.9 | 18.4 | 45 | <0.1 | 9.0 | 3.4 | 88 | 2.98 | 6.2 | 0.5 | 0.5 | 6.4 | 3 | <0.1 | 0.2 | 0.5 | 20 | 0.01 | 0.029 | |
| FA-25A 07+00N | Soil | | | 0.6 | 12.7 | 19.0 | 49 | <0.1 | 11.5 | 4.4 | 100 | 2.58 | 5.1 | 0.6 | <0.5 | 6.3 | 3 | <0.1 | 0.2 | 0.6 | 20 | 0.01 | 0.031 | |
| FA-26A 00+00 | Soil | | | 1.1 | 14.1 | 21.2 | 46 | 0.4 | 7.7 | 6.9 | 172 | 1.99 | 5.7 | 1.1 | 0.8 | 3.8 | 3 | 0.1 | 0.1 | 0.7 | 24 | 0.02 | 0.052 | |
| FA-26A 00+50S | Soil | | | 0.6 | 7.6 | 14.1 | 21 | 0.3 | 3.0 | 1.1 | 57 | 1.56 | 3.1 | 0.4 | <0.5 | 1.3 | 3 | 0.2 | 0.2 | 0.5 | 29 | 0.02 | 0.037 | |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 6 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method Analyte | Unit | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|-------------------|------|-----|-----|------|-----|-------|-----|------|-------|------|------|------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| FA-24A 03+00N | Soil | 6 | 7 | 0.08 | 51 | 0.049 | <20 | 2.69 | 0.014 | 0.04 | 0.1 | 0.12 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| FA-24A 03+50N | Soil | 9 | 10 | 0.09 | 58 | 0.101 | <20 | 1.74 | 0.009 | 0.04 | <0.1 | 0.04 | 1.0 | <0.1 | <0.05 | 14 | <0.5 |
| FA-24A 04+00N | Soil | 14 | 12 | 0.21 | 57 | 0.022 | <20 | 3.14 | 0.006 | 0.05 | <0.1 | 0.06 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| FA-24A 04+50N | Soil | 27 | 12 | 0.37 | 52 | 0.015 | <20 | 1.66 | 0.005 | 0.05 | <0.1 | 0.02 | 1.0 | <0.1 | <0.05 | 5 | <0.5 |
| FA-24A 05+00N | Soil | 25 | 12 | 0.26 | 31 | 0.014 | <20 | 1.94 | 0.003 | 0.03 | <0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 5 | <0.5 |
| FA-24A 05+50N | Soil | 11 | 10 | 0.08 | 35 | 0.098 | <20 | 5.56 | 0.018 | 0.03 | 0.1 | 0.14 | 3.3 | <0.1 | <0.05 | 9 | 0.8 |
| FA-24A 06+00N | Soil | 4 | 10 | 0.08 | 17 | 0.112 | <20 | 6.51 | 0.017 | 0.02 | 0.2 | 0.10 | 2.2 | <0.1 | <0.05 | 9 | 0.7 |
| FA-24A 06+50N | Soil | 15 | 10 | 0.13 | 41 | 0.032 | <20 | 2.19 | 0.008 | 0.05 | <0.1 | 0.05 | 1.5 | 0.1 | <0.05 | 10 | <0.5 |
| FA-24A 07+00N | Soil | 18 | 12 | 0.22 | 46 | 0.020 | <20 | 2.30 | 0.005 | 0.04 | <0.1 | 0.06 | 1.2 | 0.1 | <0.05 | 6 | <0.5 |
| FA-24A 07+50N | Soil | 24 | 12 | 0.38 | 48 | 0.008 | <20 | 1.71 | 0.005 | 0.04 | <0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 4 | <0.5 |
| FA-24A 08+00N | Soil | 12 | 14 | 0.25 | 77 | 0.036 | <20 | 3.15 | 0.010 | 0.07 | 0.1 | 0.13 | 1.6 | 0.1 | <0.05 | 9 | <0.5 |
| FA-24A 08+50N | Soil | 25 | 10 | 0.33 | 27 | 0.011 | <20 | 1.35 | 0.003 | 0.04 | 0.1 | 0.02 | 0.7 | <0.1 | <0.05 | 3 | <0.5 |
| FA-24A 09+00N | Soil | 20 | 10 | 0.18 | 50 | 0.029 | <20 | 1.46 | 0.006 | 0.05 | <0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |
| FA-25A 00+00 | Soil | 4 | 6 | 0.09 | 20 | 0.106 | <20 | 4.08 | 0.031 | 0.02 | 0.2 | 0.07 | 2.3 | <0.1 | <0.05 | 8 | <0.5 |
| FA-25A 00+50N | Soil | 10 | 10 | 0.11 | 46 | 0.057 | <20 | 3.46 | 0.010 | 0.03 | <0.1 | 0.10 | 1.5 | 0.1 | <0.05 | 10 | <0.5 |
| FA-25A 01+00N | Soil | 24 | 10 | 0.28 | 46 | 0.010 | <20 | 1.42 | 0.004 | 0.04 | <0.1 | 0.03 | 0.9 | <0.1 | <0.05 | 3 | <0.5 |
| FA-25A 01+50N | Soil | 9 | 7 | 0.08 | 47 | 0.057 | <20 | 3.01 | 0.013 | 0.03 | <0.1 | 0.05 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| FA-25A 02+00N | Soil | 15 | 10 | 0.24 | 68 | 0.077 | <20 | 1.94 | 0.011 | 0.05 | 0.1 | 0.03 | 1.2 | <0.1 | <0.05 | 9 | <0.5 |
| FA-25A 02+50N | Soil | 15 | 9 | 0.14 | 45 | 0.028 | <20 | 1.90 | 0.006 | 0.05 | <0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-25A 03+00N | Soil | 10 | 10 | 0.15 | 33 | 0.012 | <20 | 1.48 | 0.002 | 0.03 | 0.1 | 0.08 | 0.6 | <0.1 | <0.05 | 5 | <0.5 |
| FA-25A 03+50N | Soil | 6 | 10 | 0.12 | 31 | 0.080 | <20 | 4.81 | 0.010 | 0.02 | 0.2 | 0.06 | 1.7 | <0.1 | <0.05 | 8 | 0.5 |
| FA-25A 04+00N | Soil | 9 | 14 | 0.23 | 46 | 0.027 | <20 | 2.93 | 0.003 | 0.04 | 0.1 | 0.04 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-25A 04+50N | Soil | 12 | 11 | 0.17 | 49 | 0.009 | <20 | 1.49 | 0.003 | 0.04 | <0.1 | 0.04 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-25A 05+00N | Soil | 9 | 13 | 0.26 | 52 | 0.018 | <20 | 3.29 | 0.004 | 0.05 | 0.1 | 0.06 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| FA-25A 05+50N | Soil | 15 | 11 | 0.16 | 36 | 0.019 | <20 | 1.36 | 0.003 | 0.04 | 0.1 | 0.04 | 0.8 | 0.1 | <0.05 | 7 | <0.5 |
| FA-25A 06+00N | Soil | 13 | 15 | 0.20 | 42 | 0.015 | <20 | 2.11 | 0.003 | 0.04 | 0.1 | 0.06 | 1.1 | <0.1 | <0.05 | 7 | <0.5 |
| FA-25A 06+50N | Soil | 19 | 12 | 0.23 | 27 | 0.006 | <20 | 1.37 | 0.002 | 0.05 | <0.1 | 0.04 | 0.7 | 0.1 | <0.05 | 5 | <0.5 |
| FA-25A 07+00N | Soil | 19 | 12 | 0.29 | 40 | 0.013 | <20 | 1.49 | 0.003 | 0.05 | 0.1 | 0.03 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-26A 00+00 | Soil | 8 | 9 | 0.14 | 43 | 0.049 | <20 | 3.05 | 0.007 | 0.03 | 0.1 | 0.05 | 1.6 | <0.1 | <0.05 | 6 | <0.5 |
| FA-26A 00+50S | Soil | 3 | 6 | 0.04 | 58 | 0.054 | <20 | 2.09 | 0.007 | 0.02 | <0.1 | 0.08 | 0.7 | <0.1 | <0.05 | 10 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 7 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-26A 01+00S | Soil | | | 0.9 | 9.9 | 10.4 | 17 | 0.8 | 4.3 | 1.9 | 50 | 2.29 | 4.3 | 0.9 | <0.5 | 2.1 | 3 | 0.2 | 0.2 | 0.2 | 30 | 0.03 | 0.048 |
| FA-26A 01+50S | Soil | | | 0.9 | 12.0 | 11.3 | 23 | 0.4 | 3.8 | 2.6 | 89 | 1.93 | 3.6 | 1.0 | 1.2 | 2.3 | 3 | 0.2 | 0.1 | 0.2 | 28 | 0.02 | 0.044 |
| FA-26A 02+00S | Soil | | | 0.7 | 9.8 | 12.8 | 33 | 0.4 | 5.2 | 3.9 | 94 | 1.52 | 2.3 | 0.7 | <0.5 | 2.9 | 3 | 0.2 | 0.1 | 0.4 | 26 | 0.02 | 0.020 |
| FA-26A 02+50S | Soil | | | 1.2 | 9.6 | 15.0 | 26 | 0.4 | 4.6 | 1.8 | 66 | 2.77 | 3.7 | 0.9 | 0.9 | 3.0 | 3 | 0.4 | 0.2 | 0.3 | 29 | 0.02 | 0.034 |
| FA-26A 03+00S | Soil | | | 0.9 | 11.6 | 14.2 | 46 | 0.3 | 8.0 | 3.6 | 91 | 1.82 | 4.7 | 0.7 | <0.5 | 3.1 | 2 | 0.1 | 0.1 | 0.4 | 19 | 0.02 | 0.031 |
| FA-26A 03+50S | Soil | | | 0.8 | 10.1 | 18.7 | 17 | 0.5 | 3.9 | 2.4 | 73 | 2.50 | 3.4 | 1.1 | <0.5 | 3.0 | 3 | 0.2 | 0.1 | 0.3 | 31 | 0.03 | 0.035 |
| FA-26A 04+00S | Soil | | | 0.5 | 12.4 | 22.0 | 40 | 0.3 | 8.8 | 4.3 | 100 | 1.43 | 2.3 | 0.7 | 0.8 | 1.5 | 6 | 0.2 | 0.1 | 0.4 | 20 | 0.05 | 0.019 |
| FA-26A 04+50S | Soil | | | 0.9 | 9.2 | 12.1 | 25 | 0.3 | 5.7 | 2.6 | 69 | 1.53 | 5.7 | 0.7 | 0.6 | 3.1 | 2 | 0.1 | 0.2 | 0.4 | 16 | 0.01 | 0.028 |
| FA-26A 05+00S | Soil | | | 0.7 | 13.3 | 11.2 | 32 | 0.2 | 5.3 | 3.4 | 93 | 1.38 | 4.1 | 0.8 | <0.5 | 2.7 | 2 | 0.1 | 0.1 | 0.2 | 22 | 0.02 | 0.023 |
| FA-26A 05+50S | Soil | | | 0.9 | 5.8 | 15.8 | 15 | 0.2 | 2.6 | 1.1 | 89 | 2.56 | 4.0 | 0.3 | <0.5 | 1.9 | 4 | 0.2 | 0.2 | 0.4 | 32 | 0.04 | 0.027 |
| FA-26A 06+00S | Soil | | | 0.8 | 10.7 | 11.2 | 39 | <0.1 | 6.8 | 3.3 | 212 | 1.53 | 4.1 | 0.5 | 3.1 | 4.3 | 2 | 0.1 | 0.2 | 0.3 | 14 | <0.01 | 0.015 |
| FA-26A 06+50S | Soil | | | 1.1 | 11.5 | 12.8 | 45 | 0.3 | 7.1 | 3.6 | 101 | 1.86 | 6.0 | 0.7 | <0.5 | 2.9 | 2 | 0.1 | 0.2 | 0.3 | 19 | 0.02 | 0.030 |
| FA-26A 07+00S | Soil | | | 1.1 | 11.0 | 16.0 | 20 | 0.4 | 5.1 | 2.3 | 66 | 2.76 | 5.3 | 0.9 | <0.5 | 3.6 | 3 | <0.1 | 0.1 | 0.3 | 32 | 0.03 | 0.046 |
| FA-26A 07+50S | Soil | | | 0.7 | 8.0 | 10.5 | 18 | 0.3 | 3.8 | 1.7 | 34 | 2.16 | 3.7 | 0.5 | <0.5 | 2.3 | 3 | <0.1 | 0.2 | 0.3 | 35 | 0.02 | 0.024 |
| FA-26A 08+00S | Soil | | | 1.2 | 26.1 | 59.8 | 89 | 0.8 | 11.3 | 106.8 | 1582 | 1.49 | 6.0 | 2.0 | <0.5 | 0.8 | 11 | 0.5 | 0.4 | 0.4 | 15 | 0.11 | 0.096 |
| FA-25B 00+00 | Soil | | | 0.9 | 11.2 | 14.1 | 20 | 0.4 | 4.8 | 2.5 | 73 | 2.41 | 4.2 | 1.0 | 2.9 | 3.0 | 3 | 0.1 | 0.2 | 0.4 | 41 | 0.03 | 0.058 |
| FA-25B 00+50S | Soil | | | 1.0 | 7.2 | 12.9 | 18 | 0.4 | 3.1 | 1.5 | 50 | 1.62 | 3.3 | 0.5 | <0.5 | 2.1 | 2 | 0.1 | 0.2 | 0.5 | 28 | 0.01 | 0.019 |
| FA-25B 01+00S | Soil | | | 0.9 | 14.2 | 10.4 | 35 | 0.3 | 6.4 | 6.6 | 191 | 1.76 | 4.2 | 1.0 | <0.5 | 2.5 | 3 | 0.1 | 0.1 | 0.2 | 25 | 0.03 | 0.032 |
| FA-25B 01+50S | Soil | | | 0.9 | 12.1 | 19.3 | 18 | 0.3 | 4.8 | 2.6 | 67 | 1.90 | 3.7 | 1.4 | <0.5 | 2.9 | 3 | 0.1 | 0.2 | 0.3 | 31 | 0.03 | 0.046 |
| FA-25B 02+00S | Soil | | | 1.1 | 11.5 | 15.0 | 50 | 0.2 | 9.1 | 4.0 | 86 | 2.07 | 8.8 | 0.7 | <0.5 | 3.7 | 2 | <0.1 | 0.2 | 0.3 | 18 | 0.02 | 0.034 |
| FA-25B 02+50S | Soil | | | 1.5 | 17.1 | 48.7 | 90 | 0.3 | 15.9 | 15.1 | 240 | 2.42 | 7.2 | 2.5 | <0.5 | 6.1 | 5 | 0.3 | 0.2 | 0.5 | 18 | 0.05 | 0.026 |
| FA-25B 03+00S | Soil | | | 1.3 | 10.7 | 20.8 | 40 | 0.2 | 8.2 | 3.2 | 100 | 3.00 | 8.5 | 0.6 | 0.6 | 5.7 | 2 | <0.1 | 0.2 | 0.4 | 19 | 0.01 | 0.028 |
| FA-25B 03+50S | Soil | | | 0.9 | 14.6 | 7.8 | 13 | 0.5 | 3.8 | 1.9 | 59 | 1.84 | 3.9 | 1.4 | <0.5 | 2.6 | 3 | <0.1 | 0.2 | 0.1 | 30 | 0.03 | 0.046 |
| FA-25B 04+00S | Soil | | | 0.9 | 9.4 | 13.4 | 26 | 0.2 | 5.0 | 2.6 | 119 | 1.97 | 4.1 | 0.6 | 1.1 | 2.2 | 3 | 0.1 | 0.2 | 0.3 | 28 | 0.04 | 0.034 |
| FA-25B 04+50S | Soil | | | 0.8 | 18.6 | 18.8 | 51 | <0.1 | 11.9 | 6.2 | 156 | 2.48 | 5.9 | 0.7 | <0.5 | 6.4 | 3 | <0.1 | 0.3 | 0.4 | 14 | 0.01 | 0.022 |
| FA-25B 05+00S | Soil | | | 0.9 | 46.2 | 46.4 | 108 | <0.1 | 27.8 | 20.9 | 446 | 2.82 | 12.6 | 1.3 | 4.4 | 8.1 | 3 | <0.1 | 0.3 | 0.7 | 8 | 0.03 | 0.042 |
| FA-25B 05+50S | Soil | | | 1.0 | 12.2 | 11.0 | 26 | 0.6 | 4.8 | 2.2 | 93 | 2.69 | 6.9 | 0.8 | <0.5 | 3.0 | 3 | 0.1 | 0.2 | 0.2 | 28 | 0.03 | 0.039 |
| FA-25B 06+00S | Soil | | | 1.6 | 16.0 | 21.5 | 77 | 0.2 | 13.2 | 6.3 | 152 | 3.30 | 9.5 | 1.0 | <0.5 | 4.3 | 4 | 0.2 | 0.2 | 0.4 | 26 | 0.03 | 0.042 |
| FA-25B 06+50S | Soil | | | 1.0 | 8.5 | 22.8 | 21 | 0.2 | 4.3 | 3.0 | 58 | 2.00 | 3.7 | 0.5 | <0.5 | 1.2 | 7 | 0.3 | 0.1 | 0.4 | 23 | 0.05 | 0.029 |
| FA-25B 07+00S | Soil | | | 1.6 | 19.0 | 41.3 | 64 | 0.2 | 10.6 | 12.4 | 124 | 3.22 | 9.9 | 0.6 | <0.5 | 5.7 | 4 | 0.2 | 0.3 | 0.6 | 26 | 0.02 | 0.022 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX La | 1DX Cr | 1DX Mg | 1DX Ba | 1DX Ti | 1DX B | 1DX Al | 1DX Na | 1DX K | 1DX W | 1DX Hg | 1DX Sc | 1DX TI | 1DX S | 1DX Ga | 1DX Se |
|---------------|---------|------|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-26A 01+00S | Soil | | | 4 | 9 | 0.05 | 28 | 0.092 | <20 | 5.43 | 0.007 | 0.02 | 0.2 | 0.18 | 1.5 | <0.1 | <0.05 | 10 | 0.6 |
| FA-26A 01+50S | Soil | | | 6 | 7 | 0.07 | 34 | 0.075 | <20 | 4.71 | 0.009 | 0.03 | 0.1 | 0.16 | 2.1 | <0.1 | <0.05 | 9 | 0.6 |
| FA-26A 02+00S | Soil | | | 10 | 7 | 0.12 | 49 | 0.050 | <20 | 1.81 | 0.007 | 0.06 | <0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 7 | <0.5 |
| FA-26A 02+50S | Soil | | | 7 | 8 | 0.08 | 33 | 0.051 | <20 | 3.72 | 0.005 | 0.04 | 0.1 | 0.17 | 1.4 | <0.1 | <0.05 | 9 | 0.6 |
| FA-26A 03+00S | Soil | | | 15 | 10 | 0.20 | 59 | 0.014 | <20 | 2.91 | 0.004 | 0.05 | 0.1 | 0.07 | 1.3 | <0.1 | <0.05 | 4 | <0.5 |
| FA-26A 03+50S | Soil | | | 7 | 8 | 0.06 | 36 | 0.098 | <20 | 4.06 | 0.010 | 0.03 | <0.1 | 0.12 | 1.7 | <0.1 | <0.05 | 12 | 0.6 |
| FA-26A 04+00S | Soil | | | 21 | 9 | 0.27 | 75 | 0.018 | <20 | 1.20 | 0.006 | 0.07 | <0.1 | 0.02 | 0.9 | 0.1 | <0.05 | 5 | <0.5 |
| FA-26A 04+50S | Soil | | | 9 | 6 | 0.10 | 32 | 0.019 | <20 | 1.53 | 0.003 | 0.04 | <0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-26A 05+00S | Soil | | | 10 | 6 | 0.07 | 56 | 0.050 | <20 | 2.31 | 0.009 | 0.06 | 0.1 | 0.08 | 1.5 | 0.1 | <0.05 | 7 | 0.6 |
| FA-26A 05+50S | Soil | | | 8 | 7 | 0.04 | 35 | 0.060 | <20 | 1.17 | 0.006 | 0.04 | <0.1 | 0.06 | 0.6 | <0.1 | <0.05 | 9 | <0.5 |
| FA-26A 06+00S | Soil | | | 18 | 7 | 0.12 | 75 | 0.008 | <20 | 1.38 | 0.003 | 0.16 | 0.2 | 0.05 | 0.9 | 0.2 | <0.05 | 4 | <0.5 |
| FA-26A 06+50S | Soil | | | 12 | 8 | 0.15 | 69 | 0.012 | <20 | 2.20 | 0.004 | 0.08 | 0.2 | 0.06 | 1.2 | 0.2 | <0.05 | 4 | <0.5 |
| FA-26A 07+00S | Soil | | | 6 | 11 | 0.09 | 31 | 0.076 | <20 | 5.24 | 0.011 | 0.05 | 0.2 | 0.13 | 1.7 | <0.1 | <0.05 | 9 | 0.9 |
| FA-26A 07+50S | Soil | | | 6 | 7 | 0.07 | 34 | 0.055 | <20 | 2.20 | 0.008 | 0.03 | <0.1 | 0.06 | 0.9 | <0.1 | <0.05 | 10 | <0.5 |
| FA-26A 08+00S | Soil | | | 21 | 7 | 0.15 | 93 | 0.015 | <20 | 2.10 | 0.008 | 0.08 | 0.1 | 0.12 | 0.7 | 0.1 | 0.06 | 4 | 0.6 |
| FA-25B 00+00 | Soil | | | 5 | 10 | 0.08 | 37 | 0.099 | <20 | 5.20 | 0.014 | 0.02 | <0.1 | 0.10 | 1.8 | <0.1 | <0.05 | 12 | 0.7 |
| FA-25B 00+50S | Soil | | | 6 | 5 | 0.05 | 38 | 0.050 | <20 | 1.93 | 0.008 | 0.02 | <0.1 | 0.12 | 0.9 | <0.1 | <0.05 | 8 | <0.5 |
| FA-25B 01+00S | Soil | | | 8 | 7 | 0.09 | 56 | 0.059 | <20 | 3.97 | 0.010 | 0.04 | 0.2 | 0.10 | 2.0 | <0.1 | <0.05 | 7 | <0.5 |
| FA-25B 01+50S | Soil | | | 9 | 7 | 0.07 | 34 | 0.088 | <20 | 3.75 | 0.012 | 0.04 | 0.1 | 0.10 | 1.7 | <0.1 | <0.05 | 11 | 0.5 |
| FA-25B 02+00S | Soil | | | 12 | 9 | 0.14 | 61 | 0.012 | <20 | 2.65 | 0.004 | 0.06 | 0.1 | 0.08 | 1.2 | 0.1 | <0.05 | 5 | 0.5 |
| FA-25B 02+50S | Soil | | | 23 | 10 | 0.17 | 127 | 0.016 | <20 | 2.47 | 0.006 | 0.12 | 0.1 | 0.09 | 1.6 | 0.2 | <0.05 | 6 | 0.5 |
| FA-25B 03+00S | Soil | | | 14 | 13 | 0.16 | 68 | 0.010 | <20 | 2.24 | 0.004 | 0.13 | 0.1 | 0.09 | 1.2 | 0.2 | <0.05 | 5 | 0.5 |
| FA-25B 03+50S | Soil | | | 4 | 8 | 0.05 | 13 | 0.114 | <20 | 6.04 | 0.014 | 0.01 | 0.1 | 0.11 | 3.3 | <0.1 | <0.05 | 10 | 0.8 |
| FA-25B 04+00S | Soil | | | 9 | 8 | 0.09 | 45 | 0.041 | <20 | 2.47 | 0.008 | 0.05 | <0.1 | 0.09 | 1.1 | 0.1 | <0.05 | 8 | <0.5 |
| FA-25B 04+50S | Soil | | | 18 | 10 | 0.31 | 74 | 0.012 | <20 | 2.03 | 0.004 | 0.14 | <0.1 | 0.02 | 1.1 | 0.1 | <0.05 | 4 | <0.5 |
| FA-25B 05+00S | Soil | | | 16 | 12 | 0.41 | 49 | 0.007 | <20 | 2.14 | 0.003 | 0.11 | <0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 4 | <0.5 |
| FA-25B 05+50S | Soil | | | 5 | 10 | 0.09 | 33 | 0.084 | <20 | 4.58 | 0.011 | 0.05 | 0.2 | 0.14 | 1.6 | <0.1 | <0.05 | 10 | <0.5 |
| FA-25B 06+00S | Soil | | | 17 | 14 | 0.27 | 53 | 0.036 | <20 | 2.32 | 0.005 | 0.10 | 0.2 | 0.08 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| FA-25B 06+50S | Soil | | | 10 | 5 | 0.06 | 41 | 0.096 | <20 | 1.04 | 0.019 | 0.06 | 0.1 | 0.06 | 0.8 | <0.1 | <0.05 | 11 | <0.5 |
| FA-25B 07+00S | Soil | | | 11 | 10 | 0.12 | 61 | 0.051 | <20 | 1.68 | 0.008 | 0.11 | 0.1 | 0.06 | 1.0 | 0.2 | <0.05 | 7 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 8 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-25B 07+50S | Soil | | | 1.4 | 31.5 | 32.8 | 52 | 0.2 | 10.3 | 33.2 | 582 | 2.08 | 4.6 | 2.7 | <0.5 | 0.4 | 11 | 0.5 | 0.2 | 0.4 | 18 | 0.10 | 0.045 |
| FA-25B 08+00S | Soil | | | 1.0 | 15.8 | 22.5 | 88 | 0.2 | 11.0 | 8.8 | 195 | 3.13 | 7.9 | 0.9 | <0.5 | 3.3 | 5 | 0.2 | 0.2 | 0.5 | 24 | 0.04 | 0.026 |
| FA-25B 08+50S | Soil | | | 1.1 | 8.6 | 17.0 | 35 | 0.4 | 4.7 | 2.0 | 73 | 3.20 | 5.8 | 0.5 | <0.5 | 1.9 | 2 | <0.1 | 0.2 | 0.4 | 34 | 0.02 | 0.033 |
| FA-25B 09+00S | Soil | | | 1.4 | 9.6 | 25.0 | 54 | 0.1 | 5.6 | 2.8 | 197 | 4.39 | 10.1 | 0.4 | <0.5 | 1.9 | 5 | <0.1 | 0.3 | 0.8 | 35 | 0.04 | 0.049 |
| FA-25B 09+50S | Soil | | | 1.6 | 10.4 | 20.2 | 41 | 0.2 | 4.3 | 2.3 | 182 | 5.84 | 11.5 | 0.5 | 13.4 | 2.7 | 3 | <0.1 | 0.4 | 0.8 | 49 | 0.03 | 0.038 |
| FA-25B 10+00S | Soil | | | 1.8 | 29.2 | 19.8 | 59 | <0.1 | 6.8 | 3.2 | 167 | 6.03 | 22.1 | 0.6 | <0.5 | 7.1 | 2 | <0.1 | 0.6 | 0.8 | 17 | <0.01 | 0.055 |
| FA-25B 10+50S | Soil | | | 1.0 | 12.7 | 13.8 | 40 | <0.1 | 6.7 | 3.0 | 98 | 3.95 | 15.7 | 0.6 | <0.5 | 4.4 | 3 | <0.1 | 0.3 | 0.4 | 19 | 0.02 | 0.029 |
| FA-25B 11+00S | Soil | | | 1.7 | 37.2 | 39.9 | 116 | 0.3 | 23.9 | 21.3 | 204 | 3.81 | 13.6 | 1.2 | <0.5 | 3.8 | 6 | 0.3 | 0.3 | 0.7 | 24 | 0.05 | 0.036 |
| FA-25B 11+50S | Soil | | | 1.2 | 14.8 | 16.5 | 33 | 0.3 | 5.7 | 2.8 | 99 | 3.36 | 12.1 | 0.5 | <0.5 | 2.0 | 5 | 0.2 | 0.3 | 0.6 | 31 | 0.02 | 0.040 |
| FA-25B 12+00S | Soil | | | 1.1 | 9.9 | 13.9 | 20 | 0.1 | 3.3 | 1.5 | 45 | 2.78 | 5.0 | 0.5 | <0.5 | 2.4 | 3 | 0.1 | 0.2 | 0.4 | 28 | 0.02 | 0.028 |
| FA-25B 12+50S | Soil | | | 1.1 | 15.4 | 11.4 | 26 | 0.2 | 5.3 | 2.2 | 85 | 2.31 | 4.9 | 1.2 | <0.5 | 2.5 | 4 | <0.1 | 0.2 | 0.2 | 29 | 0.03 | 0.065 |
| FA-25B 13+00S | Soil | | | 1.5 | 33.8 | 36.8 | 65 | <0.1 | 10.3 | 6.9 | 355 | 4.47 | 9.6 | 1.6 | <0.5 | 4.7 | 8 | 0.1 | 0.5 | 0.8 | 23 | 0.02 | 0.085 |
| FA-25B 13+50S | Soil | | | 1.6 | 26.2 | 29.8 | 58 | <0.1 | 9.3 | 4.8 | 252 | 4.01 | 9.8 | 0.9 | <0.5 | 2.1 | 10 | 0.1 | 0.5 | 0.7 | 21 | 0.02 | 0.064 |
| FA-26A 08+50S | Soil | | | 2.0 | 31.5 | 60.9 | 72 | 0.5 | 10.4 | 109.8 | 1499 | 1.73 | 6.4 | 2.7 | 0.6 | 0.5 | 7 | 0.9 | 0.4 | 0.3 | 12 | 0.08 | 0.094 |
| FA-26A 09+00S | Soil | | | 1.3 | 10.2 | 13.4 | 44 | 0.1 | 4.6 | 2.2 | 62 | 3.78 | 6.8 | 0.4 | <0.5 | 2.7 | 4 | <0.1 | 0.3 | 0.5 | 48 | 0.02 | 0.018 |
| FA-26A 09+50S | Soil | | | 1.6 | 13.3 | 10.3 | 35 | 0.1 | 4.9 | 2.2 | 84 | 4.64 | 10.7 | 0.5 | <0.5 | 3.2 | 3 | 0.1 | 0.4 | 0.5 | 26 | 0.02 | 0.029 |
| FA-26A 10+00S | Soil | | | 2.2 | 19.8 | 25.0 | 58 | 0.1 | 11.4 | 4.2 | 151 | 5.43 | 17.1 | 0.9 | <0.5 | 3.2 | 4 | 0.2 | 0.5 | 0.8 | 51 | 0.03 | 0.070 |
| FA-26A 10+50S | Soil | | | 2.6 | 19.1 | 38.5 | 77 | 0.2 | 10.9 | 4.6 | 155 | 4.80 | 15.8 | 1.1 | 1.0 | 3.5 | 4 | 0.2 | 0.5 | 0.7 | 29 | 0.02 | 0.048 |
| FA-26A 11+00S | Soil | | | 1.5 | 27.1 | 35.6 | 130 | <0.1 | 27.9 | 12.6 | 270 | 3.10 | 13.0 | 0.8 | <0.5 | 0.5 | 6 | 0.1 | 0.4 | 0.9 | 30 | 0.04 | 0.053 |
| FA-26A 11+50S | Soil | | | 1.1 | 15.8 | 35.9 | 53 | <0.1 | 7.1 | 9.1 | 317 | 2.13 | 11.0 | 0.8 | 5.3 | 0.4 | 4 | 0.2 | 0.3 | 0.6 | 27 | 0.03 | 0.042 |
| FA-26A 12+00S | Soil | | | 1.3 | 15.7 | 26.7 | 53 | <0.1 | 8.5 | 6.0 | 195 | 2.90 | 14.1 | 0.5 | <0.5 | 2.0 | 6 | <0.1 | 0.3 | 0.7 | 40 | 0.04 | 0.025 |
| FA-26A 12+50S | Soil | | | 1.5 | 31.7 | 33.8 | 51 | 0.1 | 8.2 | 3.0 | 171 | 6.32 | 21.7 | 1.1 | <0.5 | 5.3 | 7 | <0.1 | 0.9 | 1.0 | 26 | 0.02 | 0.098 |
| FA-26A 13+00S | Soil | | | 1.8 | 58.2 | 46.2 | 83 | 0.1 | 12.2 | 4.3 | 209 | 6.90 | 48.2 | 1.6 | 1.5 | 10.5 | 11 | 0.2 | 1.0 | 1.3 | 15 | <0.01 | 0.079 |
| FA-26A 13+50S | Soil | | | 1.4 | 27.7 | 36.0 | 78 | 0.1 | 14.5 | 6.9 | 507 | 6.00 | 15.3 | 1.3 | 2.1 | 4.6 | 13 | 0.1 | 0.5 | 0.9 | 34 | 0.01 | 0.088 |
| FA-26A 14+00S | Soil | | | 1.5 | 27.7 | 56.9 | 79 | 0.2 | 17.2 | 11.8 | 1000 | 4.14 | 23.9 | 1.5 | 0.9 | 2.4 | 12 | 0.1 | 0.6 | 1.1 | 32 | 0.03 | 0.078 |
| FA-24C 00+00 | Soil | | | 1.2 | 21.3 | 34.1 | 69 | 0.5 | 16.1 | 6.5 | 180 | 3.05 | 9.7 | 1.6 | 3.6 | 4.5 | 10 | 0.2 | 0.2 | 0.7 | 25 | 0.06 | 0.035 |
| FA-24C 00+50N | Soil | | | 0.9 | 19.9 | 31.0 | 83 | 0.2 | 10.9 | 7.3 | 489 | 3.30 | 4.5 | 0.7 | <0.5 | 3.6 | 7 | 0.3 | 0.3 | 0.7 | 33 | 0.05 | 0.044 |
| FA-24C 01+00N | Soil | | | 0.9 | 13.7 | 26.6 | 92 | 0.2 | 9.7 | 4.9 | 411 | 3.01 | 5.0 | 0.6 | <0.5 | 4.1 | 5 | 0.2 | 0.2 | 0.6 | 33 | 0.04 | 0.081 |
| FA-24C 01+50N | Soil | | | 0.8 | 24.1 | 34.0 | 134 | <0.1 | 17.8 | 13.3 | 789 | 3.60 | 6.9 | 1.1 | 1.0 | 5.5 | 8 | 0.2 | 0.4 | 0.7 | 26 | 0.04 | 0.061 |
| FA-24C 02+00N | Soil | | | 0.7 | 34.2 | 46.5 | 118 | 0.3 | 23.0 | 19.2 | 767 | 3.29 | 9.0 | 4.6 | 0.5 | 4.1 | 15 | 0.3 | 0.3 | 0.7 | 25 | 0.10 | 0.092 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 8 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX La | 1DX Cr | 1DX Mg | 1DX Ba | 1DX Ti | 1DX B | 1DX Al | 1DX Na | 1DX K | 1DX W | 1DX Hg | 1DX Sc | 1DX TI | 1DX S | 1DX Ga | 1DX Se |
|---------------|---------|------|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.01 | 0.05 | 1 | 0.5 |
| FA-25B 07+50S | Soil | | | 22 | 7 | 0.15 | 49 | 0.044 | <20 | 1.55 | 0.014 | 0.05 | 0.1 | 0.06 | 0.7 | 0.1 | <0.05 | 8 | 0.8 |
| FA-25B 08+00S | Soil | | | 18 | 12 | 0.31 | 57 | 0.031 | <20 | 1.65 | 0.006 | 0.06 | 0.1 | 0.03 | 1.2 | <0.1 | <0.05 | 8 | <0.5 |
| FA-25B 08+50S | Soil | | | 7 | 9 | 0.11 | 31 | 0.055 | <20 | 1.56 | 0.007 | 0.04 | 0.2 | 0.09 | 0.9 | <0.1 | <0.05 | 11 | 0.6 |
| FA-25B 09+00S | Soil | | | 9 | 11 | 0.23 | 43 | 0.078 | <20 | 1.20 | 0.005 | 0.06 | 0.2 | 0.04 | 1.0 | <0.1 | <0.05 | 12 | <0.5 |
| FA-25B 09+50S | Soil | | | 8 | 12 | 0.17 | 27 | 0.085 | <20 | 1.69 | 0.006 | 0.05 | 0.2 | 0.06 | 1.0 | <0.1 | <0.05 | 16 | <0.5 |
| FA-25B 10+00S | Soil | | | 15 | 14 | 0.36 | 23 | 0.013 | <20 | 1.58 | 0.002 | 0.04 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 6 | <0.5 |
| FA-25B 10+50S | Soil | | | 14 | 12 | 0.27 | 23 | 0.019 | <20 | 1.54 | 0.004 | 0.06 | 0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-25B 11+00S | Soil | | | 18 | 14 | 0.41 | 60 | 0.037 | <20 | 1.96 | 0.007 | 0.06 | 0.1 | 0.04 | 1.4 | <0.1 | <0.05 | 8 | 0.5 |
| FA-25B 11+50S | Soil | | | 12 | 10 | 0.16 | 42 | 0.039 | <20 | 1.08 | 0.007 | 0.04 | 0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 9 | <0.5 |
| FA-25B 12+00S | Soil | | | 8 | 8 | 0.07 | 31 | 0.058 | <20 | 1.49 | 0.008 | 0.03 | 0.1 | 0.05 | 0.9 | <0.1 | <0.05 | 9 | <0.5 |
| FA-25B 12+50S | Soil | | | 5 | 9 | 0.09 | 19 | 0.109 | <20 | 5.01 | 0.014 | 0.04 | 0.2 | 0.06 | 2.1 | <0.1 | <0.05 | 11 | 0.7 |
| FA-25B 13+00S | Soil | | | 21 | 17 | 0.40 | 32 | 0.037 | <20 | 2.42 | 0.005 | 0.06 | <0.1 | 0.04 | 1.6 | <0.1 | <0.05 | 7 | 0.8 |
| FA-25B 13+50S | Soil | | | 16 | 12 | 0.28 | 35 | 0.029 | <20 | 1.20 | 0.005 | 0.05 | 0.1 | 0.04 | 0.8 | <0.1 | <0.05 | 6 | <0.5 |
| FA-26A 08+50S | Soil | | | 22 | 8 | 0.16 | 64 | 0.019 | <20 | 2.29 | 0.015 | 0.07 | 0.2 | 0.14 | 0.7 | 0.1 | 0.06 | 4 | 1.0 |
| FA-26A 09+00S | Soil | | | 11 | 10 | 0.11 | 45 | 0.097 | <20 | 1.15 | 0.006 | 0.06 | 0.1 | 0.04 | 0.9 | 0.1 | <0.05 | 13 | <0.5 |
| FA-26A 09+50S | Soil | | | 12 | 11 | 0.18 | 31 | 0.051 | <20 | 1.33 | 0.003 | 0.06 | 0.2 | 0.05 | 0.8 | 0.1 | <0.05 | 8 | 0.5 |
| FA-26A 10+00S | Soil | | | 13 | 16 | 0.28 | 46 | 0.055 | <20 | 1.84 | 0.007 | 0.08 | 0.3 | 0.08 | 1.3 | 0.1 | <0.05 | 12 | 0.5 |
| FA-26A 10+50S | Soil | | | 13 | 14 | 0.31 | 40 | 0.049 | <20 | 1.90 | 0.006 | 0.07 | 0.2 | 0.07 | 1.2 | 0.1 | <0.05 | 9 | 0.5 |
| FA-26A 11+00S | Soil | | | 11 | 14 | 0.37 | 51 | 0.049 | <20 | 1.48 | 0.006 | 0.08 | 0.2 | 0.04 | 0.8 | 0.1 | <0.05 | 7 | <0.5 |
| FA-26A 11+50S | Soil | | | 11 | 9 | 0.18 | 44 | 0.040 | <20 | 0.96 | 0.005 | 0.07 | 0.2 | 0.03 | 0.7 | 0.1 | <0.05 | 5 | <0.5 |
| FA-26A 12+00S | Soil | | | 10 | 9 | 0.19 | 37 | 0.101 | <20 | 1.16 | 0.008 | 0.06 | 0.2 | 0.03 | 1.3 | 0.1 | <0.05 | 11 | <0.5 |
| FA-26A 12+50S | Soil | | | 15 | 13 | 0.31 | 18 | 0.086 | <20 | 1.80 | 0.009 | 0.03 | <0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 8 | <0.5 |
| FA-26A 13+00S | Soil | | | 21 | 14 | 0.41 | 42 | 0.040 | <20 | 2.01 | 0.006 | 0.04 | <0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 5 | 0.6 |
| FA-26A 13+50S | Soil | | | 24 | 15 | 0.28 | 35 | 0.080 | <20 | 1.76 | 0.006 | 0.09 | <0.1 | 0.06 | 1.2 | 0.1 | <0.05 | 9 | <0.5 |
| FA-26A 14+00S | Soil | | | 17 | 13 | 0.22 | 39 | 0.049 | <20 | 1.41 | 0.008 | 0.06 | 0.1 | 0.05 | 1.2 | 0.2 | <0.05 | 7 | 0.6 |
| FA-24C 00+00 | Soil | | | 13 | 12 | 0.27 | 87 | 0.049 | <20 | 2.46 | 0.011 | 0.06 | 0.2 | 0.06 | 1.5 | <0.1 | <0.05 | 10 | 0.5 |
| FA-24C 00+50N | Soil | | | 9 | 11 | 0.19 | 100 | 0.071 | <20 | 1.81 | 0.006 | 0.06 | 0.1 | 0.05 | 1.5 | <0.1 | <0.05 | 10 | <0.5 |
| FA-24C 01+00N | Soil | | | 8 | 11 | 0.19 | 84 | 0.087 | <20 | 2.41 | 0.014 | 0.06 | 0.2 | 0.03 | 1.5 | 0.1 | <0.05 | 11 | <0.5 |
| FA-24C 01+50N | Soil | | | 14 | 13 | 0.33 | 93 | 0.062 | <20 | 1.87 | 0.006 | 0.07 | 0.1 | 0.05 | 1.4 | <0.1 | <0.05 | 8 | <0.5 |
| FA-24C 02+00N | Soil | | | 18 | 13 | 0.29 | 68 | 0.077 | <20 | 2.77 | 0.010 | 0.10 | 0.3 | 0.06 | 1.8 | <0.1 | <0.05 | 8 | 0.7 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

www.acmelab.com

Page: 9 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-24C 02+50N | Soil | | | 0.8 | 30.8 | 48.8 | 125 | 0.1 | 22.5 | 19.7 | 957 | 4.01 | 6.3 | 1.5 | 1.6 | 4.6 | 12 | 0.3 | 0.4 | 0.9 | 22 | 0.04 | 0.109 |
| FA-24C 03+00N | Soil | | | 0.6 | 15.3 | 26.5 | 74 | <0.1 | 15.6 | 6.5 | 161 | 2.89 | 6.2 | 0.8 | 0.7 | 5.0 | 6 | 0.1 | 0.2 | 0.6 | 22 | 0.03 | 0.040 |
| FA-24C 03+50N | Soil | | | 0.8 | 13.9 | 24.8 | 79 | 0.1 | 12.4 | 6.5 | 175 | 3.25 | 6.4 | 0.9 | <0.5 | 5.9 | 6 | 0.1 | 0.3 | 0.5 | 30 | 0.03 | 0.051 |
| FA-24C 04+00N | Soil | | | 1.0 | 11.9 | 19.4 | 50 | 0.2 | 7.8 | 3.4 | 126 | 3.66 | 5.6 | 0.6 | <0.5 | 3.8 | 4 | 0.1 | 0.2 | 0.5 | 39 | 0.02 | 0.050 |
| FA-24C 04+50N | Soil | | | 0.9 | 10.0 | 16.2 | 45 | 0.2 | 7.7 | 3.4 | 104 | 3.00 | 4.6 | 0.5 | <0.5 | 3.3 | 4 | <0.1 | 0.2 | 0.5 | 35 | 0.01 | 0.038 |
| FA-24C 05+00N | Soil | | | 0.9 | 10.8 | 17.5 | 40 | 0.4 | 6.5 | 2.8 | 87 | 3.17 | 5.4 | 0.7 | <0.5 | 4.7 | 3 | 0.1 | 0.3 | 0.4 | 32 | 0.02 | 0.049 |
| FA-24C 05+50N | Soil | | | 0.7 | 12.0 | 15.0 | 53 | 0.3 | 7.6 | 3.2 | 87 | 2.92 | 4.4 | 0.6 | <0.5 | 3.1 | 3 | <0.1 | 0.2 | 0.4 | 25 | 0.01 | 0.036 |
| FA-24C 06+00N | Soil | | | 0.9 | 17.9 | 11.6 | 49 | 0.3 | 9.8 | 4.2 | 127 | 2.17 | 4.5 | 1.3 | <0.5 | 4.0 | 4 | <0.1 | 0.2 | 0.2 | 28 | 0.03 | 0.066 |
| FA-24C 06+50N | Soil | | | 0.8 | 10.0 | 21.3 | 31 | 0.2 | 5.7 | 2.4 | 128 | 2.91 | 3.2 | 0.9 | <0.5 | 6.4 | 3 | <0.1 | 0.2 | 0.5 | 35 | 0.02 | 0.032 |
| FA-24C 07+00N | Soil | | | 1.0 | 13.5 | 15.5 | 39 | 0.2 | 6.7 | 3.2 | 283 | 3.24 | 4.4 | 0.8 | <0.5 | 3.8 | 4 | 0.1 | 0.3 | 0.4 | 37 | 0.02 | 0.060 |
| FA-23C 00+00 | Soil | | | 1.2 | 13.0 | 15.3 | 59 | 0.1 | 11.0 | 5.4 | 121 | 2.20 | 7.9 | 0.5 | <0.5 | 3.6 | 3 | <0.1 | 0.2 | 0.3 | 18 | 0.02 | 0.026 |
| FA-23C 00+50S | Soil | | | 0.7 | 15.2 | 11.8 | 36 | 0.2 | 9.2 | 4.2 | 82 | 1.93 | 5.7 | 1.0 | 0.9 | 4.2 | 3 | <0.1 | 0.1 | 0.2 | 20 | 0.03 | 0.037 |
| FA-23C 01+00S | Soil | | | 0.9 | 8.9 | 13.3 | 38 | 0.1 | 6.9 | 3.0 | 92 | 2.35 | 5.4 | 0.7 | 0.5 | 2.9 | 3 | <0.1 | 0.2 | 0.3 | 24 | 0.02 | 0.038 |
| FA-23C 01+50S | Soil | | | 0.7 | 8.4 | 9.6 | 17 | 0.2 | 2.8 | 1.5 | 72 | 1.41 | 2.1 | 0.6 | <0.5 | 1.2 | 2 | 0.1 | <0.1 | 0.2 | 18 | 0.02 | 0.024 |
| FA-23C 02+00S | Soil | | | 0.5 | 6.5 | 10.9 | 24 | 0.5 | 2.8 | 1.5 | 142 | 1.61 | 2.6 | 0.5 | <0.5 | 1.4 | 2 | <0.1 | 0.1 | 0.3 | 22 | 0.02 | 0.040 |
| FA-23C 02+50S | Soil | | | 0.7 | 15.9 | 16.4 | 93 | 0.2 | 11.4 | 5.0 | 201 | 2.68 | 8.4 | 0.9 | <0.5 | 4.0 | 3 | 0.1 | 0.3 | 0.4 | 14 | 0.02 | 0.043 |
| FA-23C 03+00S | Soil | | | 0.8 | 13.9 | 17.2 | 58 | 0.2 | 8.7 | 4.0 | 138 | 2.82 | 9.6 | 0.7 | <0.5 | 3.7 | 3 | <0.1 | 0.3 | 0.4 | 19 | 0.02 | 0.035 |
| FA-23C 03+50S | Soil | | | 1.1 | 16.8 | 18.6 | 35 | 0.2 | 6.9 | 3.2 | 120 | 4.32 | 11.3 | 1.4 | <0.5 | 4.0 | 5 | 0.2 | 0.3 | 0.5 | 21 | 0.04 | 0.037 |
| FA-23C 04+00S | Soil | | | 0.7 | 28.9 | 31.9 | 54 | 0.7 | 9.3 | 5.1 | 110 | 2.33 | 6.5 | 1.4 | <0.5 | 0.3 | 22 | 0.9 | 0.2 | 0.5 | 19 | 0.23 | 0.047 |
| FA-23C 04+50S | Soil | | | 2.2 | 30.9 | 37.0 | 98 | 0.2 | 15.4 | 5.6 | 210 | 4.28 | 17.6 | 1.4 | 0.8 | 7.0 | 5 | <0.1 | 0.4 | 0.7 | 16 | 0.02 | 0.048 |
| FA-23C 05+00S | Soil | | | 1.1 | 10.6 | 23.8 | 44 | 0.2 | 5.9 | 2.3 | 113 | 4.70 | 10.6 | 0.5 | <0.5 | 4.0 | 4 | <0.1 | 0.4 | 0.6 | 27 | 0.01 | 0.059 |
| FA-23C 05+50S | Soil | | | 1.0 | 17.2 | 26.4 | 62 | 0.1 | 10.1 | 3.4 | 151 | 3.08 | 13.4 | 0.9 | 0.9 | 7.1 | 3 | <0.1 | 0.4 | 0.5 | 9 | <0.01 | 0.037 |
| FA-23C 06+00S | Soil | | | 1.0 | 15.2 | 19.3 | 53 | 0.2 | 8.8 | 3.4 | 130 | 3.79 | 16.0 | 0.6 | 31.0 | 4.1 | 3 | 0.2 | 0.4 | 0.6 | 16 | 0.01 | 0.045 |
| FA-23C 06+50S | Soil | | | 0.7 | 8.9 | 10.2 | 30 | 0.2 | 5.8 | 2.4 | 71 | 2.66 | 7.4 | 0.4 | <0.5 | 2.6 | 3 | <0.1 | 0.3 | 0.5 | 33 | 0.01 | 0.029 |
| FA-23C 07+00S | Soil | | | 0.6 | 6.4 | 14.1 | 19 | 0.2 | 3.4 | 1.4 | 42 | 2.46 | 5.8 | 0.5 | <0.5 | 3.3 | 2 | <0.1 | 0.2 | 0.3 | 19 | 0.01 | 0.022 |
| FA-23C 07+50S | Soil | | | 0.6 | 11.3 | 15.3 | 46 | 0.2 | 9.2 | 3.9 | 109 | 2.56 | 17.0 | 1.0 | 13.0 | 4.1 | 3 | 0.2 | 0.2 | 0.4 | 14 | 0.02 | 0.027 |
| FA-23C 08+50S | Soil | | | 1.2 | 9.1 | 15.9 | 27 | <0.1 | 5.1 | 2.2 | 87 | 4.24 | 6.5 | 0.5 | 0.6 | 2.6 | 3 | 0.2 | 0.3 | 0.5 | 49 | 0.02 | 0.028 |
| FA-23C 09+00S | Soil | | | 1.0 | 10.6 | 12.6 | 33 | 0.3 | 5.1 | 2.4 | 117 | 3.73 | 6.9 | 0.3 | <0.5 | 1.7 | 3 | 0.2 | 0.3 | 0.6 | 46 | 0.01 | 0.032 |
| FA-23C 09+50S | Soil | | | 0.8 | 6.8 | 9.3 | 37 | 0.1 | 5.6 | 2.6 | 108 | 3.22 | 8.5 | 0.4 | 0.9 | 3.1 | 2 | <0.1 | 0.2 | 0.5 | 39 | 0.01 | 0.025 |
| FA-23C 10+00S | Soil | | | 0.9 | 8.2 | 15.9 | 37 | 0.1 | 6.3 | 2.6 | 130 | 3.21 | 9.9 | 0.3 | 8.0 | 2.0 | 3 | 0.1 | 0.3 | 0.5 | 28 | 0.01 | 0.065 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 9 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX La | 1DX Cr | 1DX Mg | 1DX Ba | 1DX Ti | 1DX B | 1DX Al | 1DX Na | 1DX K | 1DX W | 1DX Hg | 1DX Sc | 1DX TI | 1DX S | 1DX Ga | 1DX Se |
|---------------|---------|------|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.05 | 0.5 |
| FA-24C 02+50N | Soil | | | 18 | 14 | 0.37 | 96 | 0.046 | <20 | 1.93 | 0.005 | 0.09 | <0.1 | 0.04 | 1.2 | <0.1 | <0.05 | 7 | <0.5 |
| FA-24C 03+00N | Soil | | | 17 | 11 | 0.29 | 64 | 0.039 | <20 | 1.65 | 0.005 | 0.07 | 0.1 | 0.04 | 1.0 | <0.1 | <0.05 | 7 | <0.5 |
| FA-24C 03+50N | Soil | | | 12 | 13 | 0.24 | 62 | 0.059 | <20 | 2.48 | 0.006 | 0.07 | 0.1 | 0.04 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| FA-24C 04+00N | Soil | | | 8 | 13 | 0.17 | 41 | 0.085 | <20 | 2.04 | 0.010 | 0.06 | 0.1 | 0.05 | 1.6 | 0.1 | <0.05 | 11 | <0.5 |
| FA-24C 04+50N | Soil | | | 11 | 11 | 0.19 | 37 | 0.057 | <20 | 1.73 | 0.004 | 0.05 | <0.1 | 0.04 | 1.3 | 0.1 | <0.05 | 9 | <0.5 |
| FA-24C 05+00N | Soil | | | 5 | 12 | 0.12 | 33 | 0.071 | <20 | 3.19 | 0.005 | 0.05 | 0.2 | 0.12 | 1.5 | <0.1 | <0.05 | 10 | <0.5 |
| FA-24C 05+50N | Soil | | | 9 | 11 | 0.17 | 35 | 0.033 | <20 | 2.52 | 0.003 | 0.04 | 0.1 | 0.06 | 1.1 | 0.1 | <0.05 | 6 | <0.5 |
| FA-24C 06+00N | Soil | | | 5 | 10 | 0.17 | 30 | 0.105 | <20 | 5.11 | 0.014 | 0.05 | 0.2 | 0.13 | 2.2 | <0.1 | <0.05 | 9 | 0.7 |
| FA-24C 06+50N | Soil | | | 7 | 11 | 0.11 | 33 | 0.085 | <20 | 3.03 | 0.008 | 0.05 | 0.1 | 0.08 | 1.7 | 0.1 | <0.05 | 11 | <0.5 |
| FA-24C 07+00N | Soil | | | 7 | 14 | 0.14 | 37 | 0.100 | <20 | 4.24 | 0.008 | 0.04 | 0.1 | 0.10 | 1.6 | <0.1 | <0.05 | 11 | 0.6 |
| FA-23C 00+00 | Soil | | | 15 | 9 | 0.19 | 86 | 0.025 | <20 | 1.96 | 0.006 | 0.09 | 0.1 | 0.04 | 1.5 | 0.1 | <0.05 | 5 | <0.5 |
| FA-23C 00+50S | Soil | | | 8 | 7 | 0.13 | 48 | 0.060 | <20 | 3.56 | 0.012 | 0.06 | 0.2 | 0.06 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23C 01+00S | Soil | | | 10 | 8 | 0.13 | 48 | 0.045 | <20 | 3.09 | 0.006 | 0.06 | 0.1 | 0.09 | 1.4 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23C 01+50S | Soil | | | 7 | 5 | 0.04 | 25 | 0.065 | <20 | 2.85 | 0.015 | 0.02 | <0.1 | 0.08 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |
| FA-23C 02+00S | Soil | | | 5 | 5 | 0.05 | 30 | 0.065 | <20 | 2.58 | 0.011 | 0.03 | <0.1 | 0.08 | 1.0 | <0.1 | <0.05 | 9 | <0.5 |
| FA-23C 02+50S | Soil | | | 14 | 10 | 0.34 | 52 | 0.008 | <20 | 2.08 | 0.005 | 0.05 | 0.1 | 0.07 | 1.0 | <0.1 | <0.05 | 5 | 0.6 |
| FA-23C 03+00S | Soil | | | 12 | 12 | 0.34 | 55 | 0.019 | <20 | 2.60 | 0.004 | 0.06 | 0.2 | 0.06 | 1.4 | <0.1 | <0.05 | 6 | 0.5 |
| FA-23C 03+50S | Soil | | | 13 | 12 | 0.27 | 39 | 0.047 | <20 | 2.52 | 0.012 | 0.04 | 0.2 | 0.09 | 1.1 | <0.1 | <0.05 | 8 | 0.6 |
| FA-23C 04+00S | Soil | | | 14 | 8 | 0.20 | 71 | 0.040 | <20 | 1.09 | 0.012 | 0.06 | <0.1 | 0.06 | 0.7 | <0.1 | <0.05 | 6 | 0.5 |
| FA-23C 04+50S | Soil | | | 20 | 15 | 0.58 | 54 | 0.007 | <20 | 2.09 | 0.003 | 0.06 | <0.1 | 0.03 | 1.1 | <0.1 | <0.05 | 5 | <0.5 |
| FA-23C 05+00S | Soil | | | 15 | 12 | 0.27 | 37 | 0.028 | <20 | 1.52 | 0.003 | 0.04 | 0.2 | 0.05 | 0.9 | <0.1 | <0.05 | 8 | <0.5 |
| FA-23C 05+50S | Soil | | | 17 | 12 | 0.44 | 39 | 0.007 | <20 | 1.95 | 0.004 | 0.05 | <0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 4 | <0.5 |
| FA-23C 06+00S | Soil | | | 13 | 12 | 0.35 | 26 | 0.011 | <20 | 1.24 | 0.002 | 0.04 | 0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 4 | <0.5 |
| FA-23C 06+50S | Soil | | | 15 | 8 | 0.17 | 18 | 0.044 | <20 | 0.92 | 0.004 | 0.04 | <0.1 | 0.04 | 0.8 | <0.1 | <0.05 | 9 | <0.5 |
| FA-23C 07+00S | Soil | | | 7 | 9 | 0.11 | 24 | 0.026 | <20 | 2.43 | 0.004 | 0.02 | <0.1 | 0.08 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-23C 07+50S | Soil | | | 19 | 8 | 0.25 | 46 | 0.011 | <20 | 1.28 | 0.002 | 0.04 | 0.1 | 0.02 | 0.7 | <0.1 | <0.05 | 4 | <0.5 |
| FA-23C 08+50S | Soil | | | 7 | 13 | 0.11 | 24 | 0.085 | <20 | 2.15 | 0.007 | 0.03 | 0.2 | 0.10 | 1.1 | <0.1 | <0.05 | 13 | <0.5 |
| FA-23C 09+00S | Soil | | | 9 | 12 | 0.12 | 28 | 0.072 | <20 | 1.26 | 0.005 | 0.04 | 0.2 | 0.06 | 0.8 | 0.1 | <0.05 | 12 | <0.5 |
| FA-23C 09+50S | Soil | | | 13 | 11 | 0.18 | 25 | 0.043 | <20 | 1.27 | 0.004 | 0.04 | 0.2 | 0.03 | 0.8 | 0.1 | <0.05 | 9 | <0.5 |
| FA-23C 10+00S | Soil | | | 13 | 10 | 0.20 | 23 | 0.035 | <20 | 1.12 | 0.003 | 0.04 | 0.1 | 0.03 | 0.7 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

November 06, 2008

Page:

10 of 11

Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|---------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-23C 10+50S | Soil | | | 1.1 | 9.6 | 23.2 | 38 | 0.1 | 6.1 | 2.3 | 192 | 4.54 | 11.4 | 0.6 | 7.6 | 3.4 | 3 | <0.1 | 0.2 | 0.6 | 38 | 0.01 | 0.068 |
| FA-23C 11+00S | Soil | | | 0.9 | 12.7 | 20.6 | 48 | 0.3 | 8.3 | 3.5 | 170 | 4.06 | 9.0 | 0.8 | 1.2 | 3.2 | 3 | <0.1 | 0.3 | 0.5 | 35 | 0.01 | 0.096 |
| FA-24B 00+00 | Soil | | | 0.9 | 10.5 | 14.7 | 41 | 0.2 | 7.0 | 4.3 | 142 | 1.68 | 4.7 | 0.6 | 1.1 | 2.3 | 3 | <0.1 | 0.1 | 0.4 | 18 | 0.03 | 0.037 |
| FA-24B 00+50S | Soil | | | 0.8 | 12.2 | 12.6 | 32 | 0.3 | 6.1 | 2.6 | 121 | 1.55 | 4.3 | 0.7 | 0.7 | 3.6 | 2 | <0.1 | 0.2 | 0.3 | 15 | 0.02 | 0.027 |
| FA-24B 01+00S | Soil | | | 0.9 | 11.6 | 16.2 | 30 | 0.3 | 7.4 | 2.8 | 85 | 1.74 | 4.3 | 0.7 | 1.7 | 3.3 | 2 | <0.1 | 0.1 | 0.3 | 15 | 0.02 | 0.032 |
| FA-24B 01+50S | Soil | | | 1.0 | 17.4 | 21.7 | 43 | 0.3 | 9.4 | 5.9 | 109 | 2.16 | 6.5 | 0.8 | 1.4 | 3.4 | 4 | <0.1 | 0.2 | 0.4 | 20 | 0.03 | 0.041 |
| FA-24B 02+00S | Soil | | | 0.7 | 8.5 | 14.3 | 22 | 0.2 | 3.9 | 1.7 | 94 | 1.75 | 3.5 | 0.5 | <0.5 | 2.0 | 3 | 0.1 | 0.2 | 0.3 | 22 | 0.02 | 0.032 |
| FA-24B 02+50S | Soil | | | 1.5 | 30.3 | 33.5 | 77 | <0.1 | 15.5 | 6.7 | 200 | 2.70 | 7.3 | 1.1 | 4.0 | 10.3 | 2 | <0.1 | 0.3 | 0.5 | 10 | <0.01 | 0.025 |
| FA-24B 03+00S | Soil | | | 1.0 | 10.0 | 13.4 | 53 | <0.1 | 8.6 | 3.0 | 115 | 2.51 | 5.9 | 0.4 | 1.2 | 4.0 | 3 | <0.1 | 0.2 | 0.4 | 13 | 0.02 | 0.024 |
| FA-24B 03+50S | Soil | | | 0.8 | 8.2 | 11.8 | 30 | 0.3 | 4.7 | 2.6 | 62 | 1.57 | 3.4 | 0.5 | <0.5 | 2.4 | 2 | <0.1 | 0.1 | 0.3 | 21 | 0.01 | 0.021 |
| FA-24B 04+00S | Soil | | | 1.0 | 11.4 | 15.2 | 52 | 0.1 | 8.7 | 3.6 | 149 | 2.01 | 7.7 | 0.6 | 2.0 | 3.5 | 3 | 0.1 | 0.2 | 0.4 | 15 | 0.02 | 0.024 |
| FA-24B 04+50S | Soil | | | 1.0 | 19.3 | 39.0 | 82 | 0.3 | 13.9 | 52.3 | 2321 | 2.52 | 9.4 | 1.4 | 0.7 | 0.4 | 17 | 0.7 | 0.4 | 0.6 | 16 | 0.17 | 0.052 |
| FA-24B 05+00S | Soil | | | 1.0 | 23.4 | 41.9 | 79 | 0.3 | 14.8 | 42.8 | 678 | 2.47 | 10.5 | 2.2 | <0.5 | 0.4 | 14 | 0.4 | 0.3 | 0.7 | 15 | 0.12 | 0.049 |
| FA-24B 05+50S | Soil | | | 1.3 | 25.8 | 48.2 | 54 | 0.3 | 10.2 | 74.2 | 1588 | 2.12 | 10.0 | 3.0 | 0.6 | 0.3 | 12 | 0.4 | 0.2 | 0.5 | 17 | 0.09 | 0.056 |
| FA-24B 06+00S | Soil | | | 1.2 | 10.3 | 14.0 | 41 | 0.4 | 5.7 | 2.3 | 236 | 3.75 | 6.2 | 0.7 | <0.5 | 2.1 | 5 | 0.2 | 0.2 | 0.4 | 34 | 0.05 | 0.050 |
| FA-24B 06+50S | Soil | | | 1.2 | 9.5 | 19.6 | 62 | 0.3 | 7.8 | 3.3 | 103 | 4.68 | 10.5 | 0.5 | <0.5 | 3.9 | 5 | 0.1 | 0.3 | 0.5 | 33 | 0.03 | 0.033 |
| FA-24B 07+00S | Soil | | | 1.1 | 12.0 | 18.5 | 51 | <0.1 | 6.7 | 2.6 | 128 | 4.29 | 9.6 | 0.4 | 0.6 | 2.6 | 3 | 0.1 | 0.4 | 0.6 | 27 | 0.02 | 0.057 |
| FA-24B 07+50S | Soil | | | 1.4 | 16.2 | 25.7 | 55 | 0.3 | 6.4 | 2.9 | 161 | 3.91 | 14.2 | 0.7 | <0.5 | 5.6 | 3 | 0.2 | 0.4 | 0.7 | 16 | 0.03 | 0.051 |
| FA-24B 08+00S | Soil | | | 1.5 | 14.8 | 18.4 | 44 | 0.4 | 7.5 | 2.9 | 118 | 5.09 | 11.7 | 0.9 | 0.7 | 3.7 | 4 | 0.2 | 0.3 | 0.5 | 30 | 0.03 | 0.052 |
| FA-24B 08+50S | Soil | | | 1.3 | 14.1 | 20.1 | 46 | 0.2 | 6.5 | 2.5 | 136 | 5.49 | 12.6 | 0.5 | <0.5 | 4.7 | 5 | <0.1 | 0.5 | 0.7 | 20 | 0.03 | 0.050 |
| FA-24B 09+00S | Soil | | | 1.0 | 10.6 | 13.7 | 35 | 0.2 | 5.9 | 1.9 | 68 | 2.63 | 7.8 | 0.7 | 0.7 | 2.8 | 3 | 0.2 | 0.3 | 0.3 | 18 | 0.02 | 0.040 |
| FA-24B 09+50S | Soil | | | 1.1 | 18.0 | 23.1 | 75 | 0.2 | 12.1 | 20.6 | 1194 | 2.59 | 5.2 | 1.2 | <0.5 | 1.3 | 4 | 0.2 | 0.2 | 0.5 | 25 | 0.02 | 0.038 |
| FA-24B 10+00S | Soil | | | 1.0 | 20.6 | 26.1 | 118 | 0.2 | 16.3 | 24.6 | 1394 | 2.89 | 5.6 | 1.9 | <0.5 | 0.6 | 6 | 0.2 | 0.1 | 0.6 | 27 | 0.03 | 0.064 |
| FA-24B 10+50S | Soil | | | 0.7 | 17.5 | 21.6 | 111 | 0.2 | 14.1 | 11.4 | 786 | 2.69 | 7.5 | 1.3 | 14.2 | 0.8 | 11 | 0.2 | 0.2 | 0.5 | 23 | 0.08 | 0.051 |
| FA-24B 11+00S | Soil | | | 0.9 | 12.8 | 11.7 | 33 | 0.3 | 3.9 | 2.3 | 215 | 2.74 | 4.4 | 0.9 | <0.5 | 2.3 | 3 | 0.1 | 0.2 | 0.2 | 29 | 0.02 | 0.095 |
| FA-24B 11+50S | Soil | | | 0.7 | 19.7 | 22.7 | 60 | 0.2 | 12.1 | 5.2 | 439 | 3.09 | 6.2 | 0.9 | 0.8 | 1.6 | 5 | <0.1 | 0.3 | 0.7 | 20 | 0.03 | 0.074 |
| FA-24B 12+00S | Soil | | | 0.9 | 23.8 | 31.3 | 88 | 0.1 | 18.9 | 10.7 | 382 | 3.18 | 3.7 | 1.3 | <0.5 | 1.7 | 5 | <0.1 | 0.3 | 0.8 | 22 | 0.01 | 0.055 |
| FA-25C 00+00 | Soil | | | 0.7 | 22.2 | 32.6 | 41 | 0.1 | 19.0 | 6.7 | 114 | 1.13 | 3.4 | 3.5 | 0.7 | 0.3 | 17 | 0.5 | 0.2 | 0.4 | 8 | 0.17 | 0.064 |
| FA-25C 00+50N | Soil | | | 0.8 | 11.6 | 29.8 | 64 | 0.2 | 7.7 | 5.2 | 539 | 2.58 | 5.9 | 0.7 | 0.6 | 2.9 | 5 | 0.2 | 0.2 | 0.6 | 29 | 0.04 | 0.101 |
| FA-25C 01+00N | Soil | | | 1.5 | 28.7 | 31.2 | 153 | 0.1 | 28.2 | 22.2 | 610 | 4.07 | 9.1 | 1.3 | <0.5 | 8.0 | 10 | 0.3 | 0.4 | 0.7 | 27 | 0.05 | 0.069 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | Analyte | Unit | MDL | 1DX La | 1DX Cr | 1DX Mg | 1DX Ba | 1DX Ti | 1DX B | 1DX Al | 1DX Na | 1DX K | 1DX W | 1DX Hg | 1DX Sc | 1DX TI | 1DX S | 1DX Ga | 1DX Se |
|---------------|---------|------|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-23C 10+50S | Soil | | | 6 | 14 | 0.18 | 33 | 0.098 | <20 | 2.25 | 0.006 | 0.05 | 0.2 | 0.09 | 1.2 | <0.1 | <0.05 | 13 | <0.5 |
| FA-23C 11+00S | Soil | | | 8 | 14 | 0.24 | 29 | 0.056 | <20 | 2.09 | 0.007 | 0.04 | 0.2 | 0.06 | 1.3 | <0.1 | <0.05 | 10 | <0.5 |
| FA-24B 00+00 | Soil | | | 11 | 8 | 0.11 | 53 | 0.025 | <20 | 2.25 | 0.005 | 0.05 | 0.1 | 0.07 | 1.6 | 0.1 | <0.05 | 6 | <0.5 |
| FA-24B 00+50S | Soil | | | 11 | 7 | 0.10 | 49 | 0.029 | <20 | 2.62 | 0.006 | 0.05 | 0.2 | 0.06 | 1.4 | 0.1 | <0.05 | 5 | <0.5 |
| FA-24B 01+00S | Soil | | | 10 | 8 | 0.13 | 45 | 0.029 | <20 | 2.67 | 0.007 | 0.05 | 0.1 | 0.06 | 1.3 | <0.1 | <0.05 | 5 | 0.5 |
| FA-24B 01+50S | Soil | | | 8 | 8 | 0.12 | 53 | 0.051 | <20 | 3.27 | 0.011 | 0.07 | 0.1 | 0.07 | 2.0 | 0.2 | <0.05 | 7 | <0.5 |
| FA-24B 02+00S | Soil | | | 8 | 7 | 0.08 | 37 | 0.050 | <20 | 2.05 | 0.007 | 0.04 | <0.1 | 0.08 | 1.1 | 0.1 | <0.05 | 8 | <0.5 |
| FA-24B 02+50S | Soil | | | 17 | 12 | 0.33 | 81 | 0.014 | <20 | 2.16 | 0.006 | 0.23 | 0.1 | 0.04 | 1.3 | 0.2 | <0.05 | 4 | <0.5 |
| FA-24B 03+00S | Soil | | | 15 | 9 | 0.24 | 50 | 0.013 | <20 | 1.33 | 0.003 | 0.12 | 0.1 | 0.03 | 0.8 | 0.1 | <0.05 | 4 | <0.5 |
| FA-24B 03+50S | Soil | | | 11 | 7 | 0.08 | 50 | 0.034 | <20 | 1.98 | 0.007 | 0.06 | <0.1 | 0.07 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| FA-24B 04+00S | Soil | | | 13 | 8 | 0.18 | 67 | 0.024 | <20 | 1.43 | 0.005 | 0.11 | 0.1 | 0.04 | 0.9 | <0.1 | <0.05 | 5 | <0.5 |
| FA-24B 04+50S | Soil | | | 18 | 9 | 0.22 | 104 | 0.029 | <20 | 1.30 | 0.011 | 0.07 | 0.1 | 0.08 | 0.6 | 0.2 | <0.05 | 6 | 0.6 |
| FA-24B 05+00S | Soil | | | 17 | 10 | 0.26 | 83 | 0.026 | <20 | 1.77 | 0.012 | 0.06 | 0.1 | 0.06 | 0.8 | 0.1 | <0.05 | 7 | 0.7 |
| FA-24B 05+50S | Soil | | | 17 | 8 | 0.19 | 60 | 0.040 | <20 | 1.62 | 0.018 | 0.05 | 0.1 | 0.06 | 0.7 | 0.2 | <0.05 | 8 | 0.7 |
| FA-24B 06+00S | Soil | | | 7 | 11 | 0.08 | 47 | 0.094 | <20 | 3.22 | 0.010 | 0.03 | 0.2 | 0.17 | 1.3 | <0.1 | <0.05 | 13 | 0.6 |
| FA-24B 06+50S | Soil | | | 10 | 15 | 0.21 | 48 | 0.054 | <20 | 2.03 | 0.005 | 0.05 | 0.2 | 0.07 | 1.2 | 0.1 | <0.05 | 10 | <0.5 |
| FA-24B 07+00S | Soil | | | 15 | 11 | 0.25 | 36 | 0.031 | <20 | 1.23 | 0.004 | 0.04 | 0.1 | 0.05 | 0.7 | <0.1 | <0.05 | 8 | <0.5 |
| FA-24B 07+50S | Soil | | | 13 | 11 | 0.35 | 42 | 0.014 | <20 | 1.50 | 0.004 | 0.04 | 0.1 | 0.06 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-24B 08+00S | Soil | | | 9 | 14 | 0.22 | 41 | 0.058 | <20 | 2.34 | 0.006 | 0.04 | 0.2 | 0.15 | 1.1 | <0.1 | <0.05 | 13 | 0.6 |
| FA-24B 08+50S | Soil | | | 11 | 15 | 0.31 | 32 | 0.010 | <20 | 1.46 | 0.003 | 0.04 | 0.1 | 0.05 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-24B 09+00S | Soil | | | 8 | 10 | 0.18 | 30 | 0.034 | <20 | 3.03 | 0.007 | 0.03 | 0.2 | 0.10 | 1.3 | <0.1 | <0.05 | 7 | 0.6 |
| FA-24B 09+50S | Soil | | | 13 | 12 | 0.25 | 55 | 0.045 | <20 | 1.74 | 0.005 | 0.05 | 0.1 | 0.07 | 1.1 | 0.1 | <0.05 | 9 | <0.5 |
| FA-24B 10+00S | Soil | | | 15 | 14 | 0.32 | 58 | 0.043 | <20 | 1.84 | 0.007 | 0.07 | 0.1 | 0.06 | 1.1 | 0.1 | <0.05 | 10 | <0.5 |
| FA-24B 10+50S | Soil | | | 15 | 13 | 0.32 | 63 | 0.051 | <20 | 1.53 | 0.011 | 0.08 | 0.1 | 0.04 | 1.0 | 0.1 | <0.05 | 10 | <0.5 |
| FA-24B 11+00S | Soil | | | 4 | 10 | 0.07 | 24 | 0.104 | <20 | 4.69 | 0.009 | 0.02 | 0.2 | 0.15 | 1.5 | <0.1 | <0.05 | 11 | 0.6 |
| FA-24B 11+50S | Soil | | | 19 | 11 | 0.22 | 29 | 0.021 | <20 | 1.45 | 0.005 | 0.07 | 0.2 | 0.06 | 1.0 | 0.1 | <0.05 | 6 | <0.5 |
| FA-24B 12+00S | Soil | | | 21 | 14 | 0.32 | 40 | 0.021 | <20 | 1.70 | 0.003 | 0.07 | 0.2 | 0.04 | 1.0 | 0.1 | <0.05 | 7 | <0.5 |
| FA-25C 00+00 | Soil | | | 84 | 9 | 0.22 | 40 | 0.015 | <20 | 1.26 | 0.012 | 0.07 | 0.1 | 0.04 | 0.8 | 0.1 | 0.06 | 4 | 2.1 |
| FA-25C 00+50N | Soil | | | 7 | 9 | 0.10 | 93 | 0.090 | <20 | 1.80 | 0.011 | 0.04 | 0.1 | 0.05 | 1.3 | <0.1 | <0.05 | 10 | <0.5 |
| FA-25C 01+00N | Soil | | | 14 | 13 | 0.29 | 127 | 0.096 | <20 | 2.91 | 0.007 | 0.07 | 0.1 | 0.06 | 1.7 | 0.1 | <0.05 | 10 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

November 06, 2008

Page:

11 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------|------|-----|------|------|-----|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| FA-25C 01+50N | Soil | 1.8 | 40.1 | 50.9 | 200 | <0.1 | 28.2 | 50.5 | 1569 | 5.06 | 10.6 | 1.7 | 0.6 | 4.5 | 21 | 0.6 | 0.9 | 1.0 | 23 | 0.17 | 0.095 |



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

November 06, 2008

Page:

11 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010425.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------|------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|-----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-25C 01+50N | Soil | 18 | 14 | 0.38 | 114 | 0.063 | <20 | 1.58 | 0.006 | 0.09 | 0.1 | 0.03 | 1.0 | <0.1 | <0.05 | 8 | 0.7 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN08010425.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|------|-------|------|-----|------|------|-----|------|------|------|-----|------|-----|-----|------|------|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| FA-19A 01+00S | Soil | 0.7 | 10.0 | 8.3 | 34 | <0.1 | 9.0 | 6.1 | 90 | 1.86 | 2.6 | 0.9 | <0.5 | 4.0 | 3 | 0.1 | <0.1 | 0.2 | 21 | 0.02 | 0.058 |
| REP FA-19A 01+00S | QC | 0.6 | 9.7 | 8.5 | 35 | <0.1 | 9.1 | 6.5 | 96 | 1.95 | 2.7 | 0.9 | <0.5 | 4.1 | 3 | 0.1 | <0.1 | 0.2 | 23 | 0.02 | 0.059 |
| FA-18 19+50N | Soil | 0.6 | 9.8 | 14.0 | 33 | <0.1 | 8.6 | 7.2 | 332 | 1.96 | 4.0 | 1.2 | <0.5 | 3.9 | 4 | <0.1 | 0.1 | 0.3 | 26 | 0.03 | 0.040 |
| REP FA-18 19+50N | QC | 0.5 | 9.6 | 13.3 | 32 | <0.1 | 8.1 | 7.3 | 334 | 1.97 | 4.0 | 1.2 | <0.5 | 3.8 | 4 | <0.1 | 0.1 | 0.3 | 26 | 0.03 | 0.039 |
| FA-22 22+00N | Soil | 0.9 | 15.5 | 21.8 | 64 | 0.1 | 10.4 | 6.3 | 242 | 2.51 | 9.2 | 0.8 | 1.0 | 5.1 | 4 | <0.1 | 0.2 | 0.4 | 25 | 0.02 | 0.062 |
| REP FA-22 22+00N | QC | 0.9 | 14.4 | 21.0 | 58 | 0.1 | 9.6 | 6.1 | 237 | 2.38 | 9.0 | 0.8 | <0.5 | 4.8 | 4 | 0.1 | 0.2 | 0.4 | 24 | 0.02 | 0.059 |
| FA-23B 06+00N | Soil | 0.8 | 10.9 | 13.0 | 45 | 0.3 | 7.0 | 2.9 | 81 | 2.86 | 5.5 | 0.6 | <0.5 | 4.4 | 4 | 0.1 | 0.3 | 0.4 | 29 | 0.02 | 0.037 |
| REP FA-23B 06+00N | QC | 0.8 | 11.1 | 12.6 | 43 | 0.2 | 7.6 | 2.7 | 82 | 2.84 | 6.0 | 0.6 | 1.3 | 4.4 | 4 | <0.1 | 0.3 | 0.4 | 29 | 0.02 | 0.040 |
| FA-25A 04+50N | Soil | 0.6 | 11.8 | 20.9 | 44 | <0.1 | 7.1 | 3.5 | 79 | 2.35 | 6.7 | 0.5 | 1.0 | 4.6 | 3 | <0.1 | 0.2 | 0.4 | 22 | 0.02 | 0.033 |
| REP FA-25A 04+50N | QC | 0.6 | 12.3 | 20.3 | 44 | <0.1 | 7.3 | 3.4 | 82 | 2.44 | 6.1 | 0.5 | 1.7 | 4.7 | 3 | <0.1 | 0.2 | 0.4 | 23 | 0.02 | 0.034 |
| FA-26A 10+50S | Soil | 2.6 | 19.1 | 38.5 | 77 | 0.2 | 10.9 | 4.6 | 155 | 4.80 | 15.8 | 1.1 | 1.0 | 3.5 | 4 | 0.2 | 0.5 | 0.7 | 29 | 0.02 | 0.048 |
| REP FA-26A 10+50S | QC | 2.5 | 19.7 | 39.3 | 80 | 0.2 | 10.9 | 4.6 | 154 | 4.80 | 15.9 | 1.0 | <0.5 | 3.5 | 3 | 0.2 | 0.5 | 0.7 | 28 | 0.02 | 0.047 |
| FA-24C 04+50N | Soil | 0.9 | 10.0 | 16.2 | 45 | 0.2 | 7.7 | 3.4 | 104 | 3.00 | 4.6 | 0.5 | <0.5 | 3.3 | 4 | <0.1 | 0.2 | 0.5 | 35 | 0.01 | 0.038 |
| REP FA-24C 04+50N | QC | 1.0 | 11.4 | 16.4 | 47 | 0.2 | 8.2 | 3.5 | 109 | 3.25 | 5.2 | 0.5 | <0.5 | 3.4 | 4 | <0.1 | 0.2 | 0.5 | 37 | 0.02 | 0.042 |
| FA-23C 09+50S | Soil | 0.8 | 6.8 | 9.3 | 37 | 0.1 | 5.6 | 2.6 | 108 | 3.22 | 8.5 | 0.4 | 0.9 | 3.1 | 2 | <0.1 | 0.2 | 0.5 | 39 | 0.01 | 0.025 |
| REP FA-23C 09+50S | QC | 0.8 | 6.5 | 9.5 | 37 | 0.1 | 5.4 | 2.4 | 110 | 3.26 | 8.4 | 0.4 | 2.5 | 3.0 | 2 | <0.1 | 0.2 | 0.5 | 38 | 0.01 | 0.025 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 20.7 | 102.0 | 61.6 | 372 | 0.7 | 51.8 | 8.9 | 604 | 2.27 | 45.8 | 4.3 | 50.4 | 4.1 | 72 | 6.0 | 5.2 | 4.2 | 79 | 0.91 | 0.078 |
| STD DS7 | Standard | 20.0 | 109.1 | 61.8 | 379 | 0.7 | 56.1 | 9.0 | 617 | 2.30 | 49.4 | 4.3 | 59.5 | 3.9 | 74 | 5.9 | 4.9 | 4.2 | 81 | 0.93 | 0.073 |
| STD DS7 | Standard | 18.7 | 91.5 | 55.9 | 371 | 0.8 | 54.7 | 9.2 | 592 | 2.32 | 50.5 | 4.2 | 64.1 | 3.6 | 63 | 5.6 | 4.6 | 4.0 | 80 | 0.88 | 0.072 |
| STD DS7 | Standard | 20.0 | 93.6 | 59.6 | 383 | 0.8 | 58.5 | 9.7 | 608 | 2.38 | 51.9 | 4.1 | 64.3 | 3.9 | 68 | 5.7 | 4.6 | 4.1 | 83 | 0.92 | 0.074 |
| STD DS7 | Standard | 20.1 | 93.9 | 59.1 | 383 | 0.7 | 55.9 | 9.9 | 612 | 2.39 | 53.1 | 3.9 | 49.7 | 3.5 | 60 | 5.5 | 4.7 | 4.1 | 83 | 0.86 | 0.078 |
| STD DS7 | Standard | 19.3 | 94.2 | 58.1 | 383 | 0.8 | 55.1 | 9.5 | 610 | 2.35 | 54.3 | 3.8 | 53.7 | 3.3 | 59 | 5.7 | 4.7 | 4.0 | 82 | 0.87 | 0.075 |
| STD DS7 | Standard | 18.2 | 95.9 | 57.0 | 384 | 0.7 | 50.3 | 8.4 | 574 | 2.25 | 50.1 | 4.0 | 55.9 | 3.7 | 71 | 6.0 | 4.9 | 4.0 | 77 | 0.87 | 0.075 |
| STD DS7 | Standard | 19.6 | 105.3 | 59.7 | 391 | 0.8 | 55.2 | 9.0 | 620 | 2.38 | 51.9 | 4.8 | 90.3 | 4.7 | 74 | 6.1 | 5.2 | 4.1 | 80 | 0.96 | 0.080 |
| STD DS7 | Standard | 20.4 | 98.1 | 57.7 | 367 | 0.9 | 57.1 | 9.5 | 617 | 2.33 | 51.8 | 4.0 | 62.9 | 3.6 | 65 | 6.0 | 4.9 | 4.1 | 85 | 0.91 | 0.072 |
| STD DS7 | Standard | 20.5 | 99.4 | 56.9 | 371 | 0.8 | 56.9 | 9.6 | 607 | 2.33 | 50.3 | 4.0 | 55.5 | 3.6 | 61 | 5.9 | 5.1 | 4.1 | 83 | 0.89 | 0.076 |
| STD DS7 | Standard | 22.6 | 94.1 | 59.0 | 378 | 0.9 | 59.2 | 9.0 | 631 | 2.44 | 45.3 | 3.8 | 51.5 | 3.4 | 77 | 5.8 | 4.7 | 3.8 | 82 | 0.93 | 0.076 |

QUALITY CONTROL REPORT

VAN08010425.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | |
| FA-19A 01+00S | Soil | 8 | 9 | 0.17 | 71 | 0.041 | <20 | 2.85 | 0.004 | 0.04 | 0.1 | 0.10 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| REP FA-19A 01+00S | QC | 9 | 9 | 0.18 | 74 | 0.043 | <20 | 3.07 | 0.004 | 0.04 | 0.2 | 0.09 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| FA-18 19+50N | Soil | 19 | 9 | 0.14 | 134 | 0.047 | <20 | 1.88 | 0.006 | 0.05 | <0.1 | 0.04 | 1.4 | 0.1 | <0.05 | 8 | <0.5 |
| REP FA-18 19+50N | QC | 19 | 9 | 0.14 | 126 | 0.049 | <20 | 1.86 | 0.006 | 0.05 | <0.1 | 0.04 | 1.4 | 0.1 | <0.05 | 8 | <0.5 |
| FA-22 22+00N | Soil | 12 | 11 | 0.18 | 58 | 0.033 | <20 | 3.17 | 0.007 | 0.05 | 0.1 | 0.06 | 1.4 | 0.1 | <0.05 | 7 | <0.5 |
| REP FA-22 22+00N | QC | 12 | 11 | 0.18 | 57 | 0.034 | <20 | 3.11 | 0.007 | 0.05 | 0.1 | 0.06 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| FA-23B 06+00N | Soil | 14 | 11 | 0.18 | 33 | 0.025 | <20 | 1.73 | 0.007 | 0.04 | 0.1 | 0.06 | 1.0 | <0.1 | <0.05 | 8 | <0.5 |
| REP FA-23B 06+00N | QC | 14 | 11 | 0.19 | 33 | 0.028 | <20 | 1.71 | 0.007 | 0.04 | <0.1 | 0.07 | 0.9 | <0.1 | <0.05 | 7 | <0.5 |
| FA-25A 04+50N | Soil | 12 | 11 | 0.17 | 49 | 0.009 | <20 | 1.49 | 0.003 | 0.04 | <0.1 | 0.04 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| REP FA-25A 04+50N | QC | 12 | 11 | 0.17 | 51 | 0.009 | <20 | 1.59 | 0.003 | 0.04 | 0.1 | 0.05 | 0.9 | <0.1 | <0.05 | 6 | <0.5 |
| FA-26A 10+50S | Soil | 13 | 14 | 0.31 | 40 | 0.049 | <20 | 1.90 | 0.006 | 0.07 | 0.2 | 0.07 | 1.2 | 0.1 | <0.05 | 9 | 0.5 |
| REP FA-26A 10+50S | QC | 13 | 14 | 0.31 | 39 | 0.047 | <20 | 1.90 | 0.005 | 0.07 | 0.2 | 0.06 | 1.1 | <0.1 | <0.05 | 9 | 0.6 |
| FA-24C 04+50N | Soil | 11 | 11 | 0.19 | 37 | 0.057 | <20 | 1.73 | 0.004 | 0.05 | <0.1 | 0.04 | 1.3 | 0.1 | <0.05 | 9 | <0.5 |
| REP FA-24C 04+50N | QC | 11 | 12 | 0.19 | 39 | 0.059 | <20 | 1.81 | 0.006 | 0.05 | 0.1 | 0.05 | 1.2 | 0.1 | <0.05 | 10 | <0.5 |
| FA-23C 09+50S | Soil | 13 | 11 | 0.18 | 25 | 0.043 | <20 | 1.27 | 0.004 | 0.04 | 0.2 | 0.03 | 0.8 | 0.1 | <0.05 | 9 | <0.5 |
| REP FA-23C 09+50S | QC | 12 | 11 | 0.18 | 24 | 0.043 | <20 | 1.19 | 0.003 | 0.04 | 0.2 | 0.03 | 0.8 | 0.1 | <0.05 | 8 | <0.5 |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 13 | 208 | 1.01 | 396 | 0.117 | 43 | 1.03 | 0.111 | 0.46 | 3.2 | 0.18 | 2.3 | 4.0 | 0.19 | 4 | 3.1 |
| STD DS7 | Standard | 13 | 218 | 1.03 | 413 | 0.119 | 43 | 1.05 | 0.114 | 0.47 | 2.9 | 0.20 | 2.6 | 4.1 | 0.21 | 5 | 3.4 |
| STD DS7 | Standard | 11 | 217 | 0.98 | 391 | 0.102 | 22 | 0.96 | 0.091 | 0.44 | 3.3 | 0.17 | 2.2 | 4.2 | 0.17 | 5 | 3.4 |
| STD DS7 | Standard | 12 | 231 | 1.03 | 408 | 0.109 | 21 | 1.02 | 0.099 | 0.46 | 3.3 | 0.20 | 2.3 | 4.5 | 0.20 | 5 | 3.7 |
| STD DS7 | Standard | 10 | 222 | 1.03 | 402 | 0.096 | 27 | 0.97 | 0.092 | 0.45 | 3.3 | 0.19 | 2.0 | 4.1 | 0.20 | 5 | 3.5 |
| STD DS7 | Standard | 10 | 227 | 1.02 | 406 | 0.099 | 26 | 0.98 | 0.092 | 0.44 | 3.4 | 0.19 | 2.1 | 4.0 | 0.19 | 5 | 3.0 |
| STD DS7 | Standard | 11 | 194 | 0.98 | 414 | 0.107 | 36 | 0.99 | 0.121 | 0.48 | 3.3 | 0.18 | 2.7 | 4.0 | 0.20 | 4 | 3.0 |
| STD DS7 | Standard | 13 | 213 | 1.06 | 421 | 0.121 | 36 | 1.08 | 0.120 | 0.51 | 3.3 | 0.19 | 2.8 | 4.3 | 0.24 | 5 | 3.1 |
| STD DS7 | Standard | 11 | 222 | 1.01 | 412 | 0.105 | 39 | 0.98 | 0.098 | 0.45 | 3.1 | 0.19 | 2.1 | 4.1 | 0.20 | 4 | 3.8 |
| STD DS7 | Standard | 11 | 222 | 0.99 | 397 | 0.102 | 35 | 0.96 | 0.093 | 0.46 | 3.3 | 0.19 | 2.0 | 4.3 | 0.20 | 5 | 3.9 |
| STD DS7 | Standard | 12 | 239 | 1.09 | 423 | 0.108 | 40 | 1.06 | 0.105 | 0.48 | 3.7 | 0.18 | 2.7 | 4.1 | 0.18 | 5 | 4.1 |

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: November 06, 2008

www.acmelab.com

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN08010425.1

| | | 1DX Mo ppm 0.1 | 1DX Cu ppm 0.1 | 1DX Pb ppm 0.1 | 1DX Zn ppm 1 | 1DX Ag ppm 0.1 | 1DX Ni ppm 0.1 | 1DX Co ppm 0.1 | 1DX Mn ppm 1 | 1DX Fe % 0.01 | 1DX As ppm 0.5 | 1DX U ppm 0.1 | 1DX Au ppb 0.5 | 1DX Th ppm 0.1 | 1DX Sr ppm 1 | 1DX Cd ppm 0.1 | 1DX Sb ppm 0.1 | 1DX Bi ppm 0.1 | 1DX V ppm 2 | 1DX Ca % 0.01 | 1DX P % 0.001 |
|------------------|----------|-------------------------|-------------------------|-------------------------|-----------------------|-------------------------|-------------------------|-------------------------|-----------------------|------------------------|-------------------------|------------------------|-------------------------|-------------------------|-----------------------|-------------------------|-------------------------|-------------------------|----------------------|------------------------|------------------------|
| STD DS7 | Standard | 20.6 | 89.7 | 54.1 | 382 | 0.9 | 56.1 | 8.5 | 640 | 2.33 | 45.7 | 4.1 | 66.6 | 3.6 | 76 | 5.6 | 4.6 | 3.8 | 82 | 0.94 | 0.070 |
| STD DS7 | Standard | 20.1 | 85.2 | 57.2 | 363 | 0.8 | 52.7 | 8.3 | 585 | 2.24 | 43.8 | 3.6 | 70.4 | 3.3 | 67 | 5.1 | 4.5 | 4.2 | 68 | 0.82 | 0.070 |
| STD DS7 | Standard | 20.3 | 88.8 | 56.9 | 372 | 0.8 | 59.1 | 9.3 | 615 | 2.35 | 43.1 | 4.0 | 55.1 | 3.4 | 73 | 5.4 | 4.5 | 4.4 | 73 | 0.88 | 0.070 |
| STD DS7 | Standard | 21.3 | 91.9 | 56.5 | 390 | 0.8 | 62.3 | 10.2 | 630 | 2.49 | 46.3 | 3.7 | 53.2 | 3.4 | 75 | 5.4 | 4.5 | 3.9 | 77 | 0.96 | 0.076 |
| STD DS7 | Standard | 21.7 | 95.7 | 58.8 | 387 | 1.0 | 59.5 | 9.4 | 627 | 2.45 | 46.0 | 3.8 | 368.9 | 3.4 | 68 | 5.9 | 4.5 | 4.0 | 76 | 0.97 | 0.073 |
| STD DS7 Expected | | 20.9 | 109 | 70.6 | 411 | 0.9 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 69 | 6.4 | 5.9 | 4.5 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN08010425.1

| | | 1DX La ppm | 1DX Cr ppm | 1DX Mg % | 1DX Ba ppm | 1DX Ti % | 1DX B ppm | 1DX Al % | 1DX Na % | 1DX K % | 1DX W ppm | 1DX Hg ppm | 1DX Sc ppm | 1DX Ti ppm | 1DX S % | 1DX Ga ppm | 1DX Se ppm |
|------------------|----------|------------------|------------------|----------------|------------------|----------------|-----------------|----------------|----------------|---------------|-----------------|------------------|------------------|------------------|---------------|------------------|------------------|
| | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| STD DS7 | Standard | 11 | 236 | 1.03 | 417 | 0.106 | 32 | 1.01 | 0.093 | 0.48 | 3.7 | 0.19 | 2.5 | 4.0 | 0.16 | 5 | 3.7 |
| STD DS7 | Standard | 10 | 206 | 0.99 | 399 | 0.095 | 36 | 0.94 | 0.083 | 0.45 | 3.6 | 0.21 | 2.1 | 3.9 | 0.19 | 5 | 3.0 |
| STD DS7 | Standard | 11 | 225 | 1.01 | 405 | 0.105 | 36 | 1.02 | 0.094 | 0.44 | 3.6 | 0.19 | 2.3 | 4.1 | 0.15 | 5 | 4.0 |
| STD DS7 | Standard | 12 | 237 | 1.09 | 426 | 0.110 | 40 | 1.10 | 0.106 | 0.48 | 3.6 | 0.20 | 2.4 | 4.0 | 0.20 | 5 | 3.8 |
| STD DS7 | Standard | 11 | 230 | 1.03 | 419 | 0.105 | 32 | 1.01 | 0.090 | 0.49 | 3.8 | 0.20 | 2.2 | 4.2 | 0.20 | 5 | 3.7 |
| STD DS7 Expected | | 13 | 163 | 1.05 | 370 | 0.124 | 39 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.2 | 0.21 | 5 | 3.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: August 26, 2008
 Report Date: September 05, 2008
 Page: 1 of 5

CERTIFICATE OF ANALYSIS

VAN08008660.1

CLIENT JOB INFORMATION

Project: FAITH
 Shipment ID: JSP-08-S-27
 P.O. Number
 Number of Samples: 92

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 92 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 92 | Dry at 60C | | |
| 1DX | 92 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 0.5 | Completed |
| RJSV | 92 | Save all or part of soil reject fraction | | |
| DIS-RJT | 92 | Warehouse handling / Disposition of reject | | |

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: September 05, 2008

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|--------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-21 18+50N | Soil | | | 0.9 | 7.2 | 20.7 | 33 | <0.1 | 5.1 | 2.8 | 113 | 1.50 | 4.9 | 0.5 | <0.5 | 1.7 | 8 | <0.1 | 0.2 | 0.7 | 8 | 0.07 | 0.019 |
| FA-21 18+00N | Soil | | | 0.8 | 10.6 | 26.1 | 33 | 0.2 | 5.9 | 3.1 | 58 | 2.02 | 7.2 | 0.7 | <0.5 | 4.2 | 2 | <0.1 | 0.2 | 0.4 | 16 | 0.01 | 0.040 |
| FA-21 17+50N | Soil | | | 1.2 | 10.3 | 23.6 | 45 | 0.2 | 7.3 | 3.8 | 130 | 2.48 | 5.9 | 0.6 | 2.4 | 3.1 | 3 | 0.1 | 0.2 | 0.6 | 22 | <0.01 | 0.048 |
| FA-21 17+00N | Soil | | | 1.2 | 13.8 | 18.2 | 41 | <0.1 | 8.5 | 3.5 | 77 | 2.19 | 8.0 | 0.7 | 0.6 | 4.2 | 2 | <0.1 | 0.3 | 0.4 | 12 | 0.01 | 0.038 |
| FA-21 16+50N | Soil | | | 0.9 | 10.9 | 13.6 | 27 | 0.3 | 5.0 | 2.7 | 61 | 2.09 | 5.6 | 0.8 | <0.5 | 3.4 | 3 | <0.1 | 0.2 | 0.2 | 25 | 0.02 | 0.069 |
| FA-21 16+00N | Soil | | | 1.2 | 8.6 | 16.6 | 32 | 0.2 | 6.0 | 2.4 | 95 | 2.82 | 6.9 | 0.8 | <0.5 | 4.1 | 2 | <0.1 | 0.2 | 0.3 | 22 | 0.01 | 0.046 |
| FA-21 15+50N | Soil | | | 0.9 | 8.6 | 17.3 | 30 | 0.1 | 3.0 | 1.4 | 90 | 2.56 | 5.0 | 0.9 | <0.5 | 3.5 | 2 | 0.2 | 0.2 | 0.3 | 23 | 0.01 | 0.038 |
| FA-21 15+00N | Soil | | | 0.8 | 12.4 | 37.4 | 27 | 0.3 | 5.1 | 3.2 | 55 | 1.28 | 2.3 | 0.9 | <0.5 | 0.9 | 7 | 0.3 | 0.1 | 0.4 | 14 | 0.04 | 0.018 |
| FA-21 14+50N | Soil | | | 1.2 | 14.5 | 31.4 | 50 | 0.4 | 8.0 | 7.0 | 149 | 1.95 | 5.3 | 1.1 | 1.1 | 1.1 | 5 | 0.3 | 0.2 | 0.4 | 17 | 0.04 | 0.039 |
| FA-21 14+00N | Soil | | | 1.0 | 15.0 | 25.0 | 54 | 0.2 | 9.1 | 5.0 | 120 | 2.66 | 9.7 | 1.2 | <0.5 | 7.0 | 3 | 0.1 | 0.2 | 0.5 | 14 | 0.01 | 0.028 |
| FA-21 13+50N | Soil | | | 1.5 | 19.3 | 45.6 | 31 | 0.3 | 9.4 | 8.8 | 115 | 3.16 | 9.7 | 1.2 | <0.5 | 2.9 | 6 | 0.2 | 0.2 | 0.6 | 24 | 0.03 | 0.029 |
| FA-21 13+00N | Soil | | | 0.5 | 6.6 | 15.7 | 28 | <0.1 | 4.3 | 2.3 | 90 | 1.50 | 7.4 | 0.3 | <0.5 | 2.0 | 4 | <0.1 | 0.3 | 0.4 | 14 | 0.04 | 0.023 |
| FA-21 12+50N | Soil | | | 0.7 | 13.3 | 15.6 | 17 | 0.3 | 3.6 | 1.7 | 35 | 1.92 | 5.8 | 1.0 | <0.5 | 3.0 | 2 | <0.1 | 0.1 | 0.2 | 19 | 0.02 | 0.050 |
| FA-21 12+00N | Soil | | | 0.7 | 10.6 | 19.0 | 47 | 0.2 | 6.2 | 3.0 | 137 | 2.30 | 8.1 | 0.6 | <0.5 | 2.3 | 4 | 0.2 | 0.2 | 0.4 | 15 | 0.02 | 0.049 |
| FA-21 11+50N | Soil | | | 0.8 | 15.5 | 23.9 | 60 | <0.1 | 9.6 | 4.6 | 162 | 2.79 | 13.0 | 1.1 | 0.5 | 3.8 | 3 | 0.1 | 0.3 | 0.4 | 13 | 0.02 | 0.052 |
| FA-21 11+00N | Soil | | | 0.8 | 10.2 | 21.3 | 47 | <0.1 | 7.5 | 3.8 | 120 | 2.39 | 59.0 | 0.5 | 2.1 | 1.8 | 4 | 0.1 | 0.2 | 0.5 | 17 | 0.01 | 0.030 |
| FA-21 10+50N | Soil | | | 0.5 | 13.8 | 20.3 | 32 | <0.1 | 7.1 | 4.8 | 143 | 1.50 | 11.7 | 1.1 | 5.1 | 2.5 | 4 | 0.2 | 0.2 | 0.2 | 9 | 0.05 | 0.052 |
| FA-21 10+00N | Soil | | | 1.1 | 19.9 | 44.3 | 16 | 0.4 | 4.5 | 7.7 | 150 | 1.15 | 49.3 | 3.1 | 2.6 | 1.6 | 5 | 0.3 | 0.2 | 0.2 | 11 | 0.05 | 0.080 |
| FA-21 09+50N | Soil | | | 0.8 | 10.4 | 25.6 | 35 | 0.2 | 5.6 | 6.4 | 490 | 1.60 | 27.8 | 0.9 | 3.8 | 1.1 | 7 | 0.3 | 0.2 | 0.3 | 15 | 0.05 | 0.049 |
| FA-21 09+00N | Soil | | | 0.8 | 9.4 | 23.4 | 66 | 0.1 | 7.8 | 7.5 | 245 | 2.44 | 17.4 | 0.6 | <0.5 | 1.5 | 3 | 0.2 | 0.2 | 0.3 | 16 | 0.02 | 0.038 |
| FA-21 08+50N | Soil | | | 1.2 | 18.5 | 53.4 | 69 | 0.3 | 7.8 | 8.6 | 2282 | 1.63 | 143.3 | 2.8 | 1.4 | 0.1 | 43 | 1.3 | 0.4 | 0.4 | 14 | 0.40 | 0.072 |
| FA-21 08+00N | Soil | | | 2.3 | 20.9 | 46.6 | 43 | 0.3 | 7.9 | 4.8 | 286 | 1.95 | 24.5 | 1.6 | 3.6 | 0.6 | 9 | 0.4 | 0.2 | 0.4 | 22 | 0.06 | 0.042 |
| FA-21 07+50N | Soil | | | 1.2 | 12.1 | 28.2 | 54 | 0.3 | 5.4 | 3.7 | 415 | 2.58 | 16.0 | 0.6 | 0.8 | 0.6 | 6 | 0.3 | 0.1 | 0.3 | 26 | 0.05 | 0.091 |
| FA-21 07+00N | Soil | | | 1.1 | 12.7 | 18.0 | 75 | 0.6 | 6.4 | 5.4 | 300 | 2.24 | 18.1 | 0.9 | <0.5 | 2.3 | 3 | 0.2 | 0.2 | 0.3 | 23 | 0.02 | 0.108 |
| FA-21 06+50N | Soil | | | 1.0 | 11.6 | 31.7 | 47 | 0.5 | 4.9 | 4.8 | 296 | 3.16 | 12.4 | 0.7 | <0.5 | 1.9 | 4 | 0.2 | 0.3 | 0.4 | 36 | 0.02 | 0.111 |
| FA-21 06+00N | Soil | | | 0.8 | 8.2 | 22.0 | 33 | 0.6 | 3.4 | 2.5 | 182 | 1.57 | 7.3 | 0.6 | <0.5 | 2.1 | 5 | 0.1 | 0.2 | 0.4 | 22 | 0.03 | 0.073 |
| FA-21 05+50N | Soil | | | 1.0 | 15.0 | 31.5 | 62 | 0.3 | 7.2 | 4.3 | 220 | 3.37 | 14.2 | 0.8 | 0.9 | 3.3 | 5 | 0.2 | 0.4 | 0.5 | 29 | 0.04 | 0.224 |
| FA-21 05+00N | Soil | | | 1.2 | 12.7 | 27.0 | 53 | 0.1 | 8.8 | 4.0 | 366 | 2.95 | 12.5 | 0.6 | 5.0 | 2.7 | 3 | 0.1 | 0.3 | 0.6 | 29 | 0.01 | 0.107 |
| FA-21 04+50N | Soil | | | 0.9 | 16.4 | 12.3 | 29 | 0.5 | 5.9 | 5.7 | 340 | 1.59 | 5.9 | 1.4 | <0.5 | 3.2 | 3 | <0.1 | 0.2 | 0.2 | 20 | 0.02 | 0.086 |
| FA-21 04+00N | Soil | | | 0.7 | 18.3 | 21.2 | 55 | 0.2 | 7.5 | 4.4 | 299 | 2.53 | 5.8 | 0.6 | <0.5 | 3.5 | 3 | <0.1 | 0.3 | 0.7 | 25 | 0.02 | 0.104 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: September 05, 2008

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|--------------|------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-21 18+50N | Soil | 10 | 6 | 0.12 | 41 | 0.017 | <20 | 0.64 | 0.004 | 0.05 | 0.1 | 0.01 | 0.3 | <0.1 | <0.05 | 4 | <0.5 |
| FA-21 18+00N | Soil | 6 | 7 | 0.13 | 42 | 0.035 | <20 | 2.51 | 0.006 | 0.02 | 0.1 | 0.07 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| FA-21 17+50N | Soil | 9 | 9 | 0.15 | 40 | 0.030 | <20 | 1.58 | 0.005 | 0.03 | 0.2 | 0.05 | 0.7 | 0.1 | <0.05 | 6 | <0.5 |
| FA-21 17+00N | Soil | 11 | 8 | 0.17 | 35 | 0.017 | <20 | 1.45 | 0.003 | 0.07 | 0.2 | 0.04 | 0.7 | 0.2 | <0.05 | 4 | <0.5 |
| FA-21 16+50N | Soil | 4 | 9 | 0.09 | 38 | 0.065 | <20 | 4.15 | 0.008 | 0.03 | 0.1 | 0.11 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| FA-21 16+00N | Soil | 7 | 10 | 0.13 | 39 | 0.046 | <20 | 3.17 | 0.006 | 0.03 | 0.2 | 0.10 | 1.1 | 0.1 | <0.05 | 7 | <0.5 |
| FA-21 15+50N | Soil | 7 | 10 | 0.07 | 43 | 0.046 | <20 | 3.38 | 0.006 | 0.03 | 0.2 | 0.15 | 1.3 | 0.1 | <0.05 | 8 | 0.6 |
| FA-21 15+00N | Soil | 9 | 6 | 0.10 | 55 | 0.065 | <20 | 1.11 | 0.012 | 0.04 | 0.1 | 0.06 | 0.6 | <0.1 | <0.05 | 8 | <0.5 |
| FA-21 14+50N | Soil | 12 | 9 | 0.18 | 41 | 0.069 | <20 | 1.51 | 0.028 | 0.04 | 0.1 | 0.06 | 0.7 | <0.1 | <0.05 | 9 | <0.5 |
| FA-21 14+00N | Soil | 16 | 10 | 0.30 | 44 | 0.018 | <20 | 2.15 | 0.006 | 0.05 | 0.2 | 0.06 | 1.1 | 0.1 | <0.05 | 5 | <0.5 |
| FA-21 13+50N | Soil | 6 | 10 | 0.20 | 55 | 0.091 | <20 | 1.82 | 0.013 | 0.04 | 0.2 | 0.08 | 0.8 | <0.1 | <0.05 | 12 | <0.5 |
| FA-21 13+00N | Soil | 13 | 6 | 0.19 | 34 | 0.016 | <20 | 0.80 | 0.006 | 0.04 | 0.2 | 0.02 | 0.4 | <0.1 | <0.05 | 5 | <0.5 |
| FA-21 12+50N | Soil | 6 | 8 | 0.07 | 24 | 0.069 | <20 | 4.13 | 0.009 | 0.02 | 0.2 | 0.18 | 1.6 | <0.1 | <0.05 | 8 | 0.7 |
| FA-21 12+00N | Soil | 11 | 9 | 0.26 | 40 | 0.017 | <20 | 1.58 | 0.006 | 0.04 | 0.2 | 0.04 | 0.7 | <0.1 | <0.05 | 6 | <0.5 |
| FA-21 11+50N | Soil | 15 | 11 | 0.35 | 39 | 0.009 | <20 | 1.87 | 0.009 | 0.05 | 0.2 | 0.05 | 0.8 | <0.1 | <0.05 | 4 | <0.5 |
| FA-21 11+00N | Soil | 16 | 9 | 0.25 | 52 | 0.030 | <20 | 1.04 | 0.007 | 0.05 | 1.0 | 0.03 | 0.6 | 0.1 | <0.05 | 6 | <0.5 |
| FA-21 10+50N | Soil | 11 | 7 | 0.23 | 28 | 0.038 | <20 | 2.35 | 0.015 | 0.03 | 0.3 | 0.05 | 0.9 | <0.1 | <0.05 | 5 | <0.5 |
| FA-21 10+00N | Soil | 12 | 8 | 0.08 | 20 | 0.088 | <20 | 4.06 | 0.014 | 0.02 | 0.4 | 0.13 | 1.1 | <0.1 | <0.05 | 8 | 1.1 |
| FA-21 09+50N | Soil | 13 | 7 | 0.16 | 59 | 0.031 | <20 | 1.51 | 0.009 | 0.03 | 0.3 | 0.05 | 0.7 | <0.1 | <0.05 | 6 | <0.5 |
| FA-21 09+00N | Soil | 13 | 10 | 0.28 | 64 | 0.016 | <20 | 1.57 | 0.005 | 0.05 | 0.4 | 0.04 | 0.6 | 0.1 | <0.05 | 6 | <0.5 |
| FA-21 08+50N | Soil | 13 | 9 | 0.25 | 168 | 0.026 | <20 | 1.36 | 0.011 | 0.06 | 1.8 | 0.08 | 0.4 | 0.1 | <0.05 | 7 | 0.6 |
| FA-21 08+00N | Soil | 10 | 9 | 0.25 | 55 | 0.066 | <20 | 1.43 | 0.013 | 0.05 | 0.8 | 0.05 | 0.7 | 0.1 | <0.05 | 9 | <0.5 |
| FA-21 07+50N | Soil | 6 | 8 | 0.11 | 74 | 0.100 | <20 | 1.70 | 0.013 | 0.04 | 0.4 | 0.09 | 0.7 | <0.1 | <0.05 | 12 | <0.5 |
| FA-21 07+00N | Soil | 6 | 9 | 0.14 | 52 | 0.081 | <20 | 4.42 | 0.011 | 0.03 | 0.6 | 0.15 | 1.2 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21 06+50N | Soil | 3 | 10 | 0.09 | 37 | 0.134 | <20 | 2.73 | 0.011 | 0.03 | 0.4 | 0.10 | 1.0 | 0.1 | <0.05 | 14 | <0.5 |
| FA-21 06+00N | Soil | 4 | 7 | 0.06 | 39 | 0.077 | <20 | 2.99 | 0.011 | 0.03 | 0.1 | 0.07 | 1.0 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21 05+50N | Soil | 6 | 12 | 0.17 | 42 | 0.068 | <20 | 2.29 | 0.006 | 0.04 | 0.4 | 0.05 | 1.0 | 0.1 | <0.05 | 8 | <0.5 |
| FA-21 05+00N | Soil | 8 | 11 | 0.29 | 35 | 0.079 | <20 | 1.77 | 0.006 | 0.04 | 0.2 | 0.05 | 0.9 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21 04+50N | Soil | 4 | 7 | 0.09 | 23 | 0.132 | <20 | 5.37 | 0.012 | 0.03 | 0.3 | 0.15 | 2.7 | <0.1 | <0.05 | 10 | <0.5 |
| FA-21 04+00N | Soil | 10 | 10 | 0.32 | 32 | 0.040 | <20 | 2.04 | 0.005 | 0.05 | 0.1 | 0.05 | 1.0 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

September 05, 2008

Page:

3 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|--------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-21 03+50N | Soil | | | 0.9 | 10.3 | 9.4 | 18 | 0.3 | 2.8 | 1.8 | 169 | 2.33 | 3.4 | 0.9 | <0.5 | 2.1 | 3 | 0.1 | 0.2 | 0.2 | 30 | 0.02 | 0.097 |
| FA-21 03+00N | Soil | | | 0.9 | 14.0 | 19.9 | 22 | 0.6 | 4.0 | 3.9 | 180 | 1.95 | 6.5 | 1.0 | <0.5 | 3.1 | 3 | <0.1 | 0.2 | 0.2 | 19 | 0.02 | 0.102 |
| FA-21 02+50N | Soil | | | 0.5 | 11.3 | 18.6 | 40 | 0.3 | 8.3 | 7.9 | 526 | 1.74 | 5.3 | 0.9 | <0.5 | 1.3 | 10 | 0.4 | 0.2 | 0.3 | 15 | 0.05 | 0.042 |
| FA-21 02+00N | Soil | | | 0.6 | 7.7 | 12.7 | 26 | 0.1 | 3.8 | 1.6 | 39 | 2.20 | 6.9 | 0.4 | 4.6 | 3.7 | 2 | <0.1 | 0.2 | 0.3 | 14 | <0.01 | 0.033 |
| FA-21 01+50N | Soil | | | 0.7 | 15.1 | 13.3 | 31 | 0.5 | 5.3 | 3.4 | 90 | 1.61 | 4.2 | 1.1 | <0.5 | 2.9 | 4 | <0.1 | 0.2 | 0.2 | 21 | 0.03 | 0.062 |
| FA-21 01+00N | Soil | | | 0.7 | 8.7 | 18.5 | 39 | 0.2 | 5.3 | 2.9 | 117 | 2.14 | 6.1 | 0.5 | 1.3 | 3.1 | 2 | <0.1 | 0.2 | 0.4 | 19 | 0.01 | 0.049 |
| FA-21 00+50N | Soil | | | 0.4 | 27.3 | 39.8 | 60 | <0.1 | 16.3 | 14.0 | 684 | 2.18 | 10.2 | 1.7 | 5.5 | 10.4 | 5 | 0.2 | 0.3 | 0.7 | 11 | <0.01 | 0.027 |
| FA-21 00+00 | Soil | | | 0.7 | 15.1 | 24.4 | 58 | 0.2 | 10.3 | 7.4 | 506 | 2.23 | 7.6 | 0.9 | 2.7 | 4.3 | 5 | 0.2 | 0.3 | 0.5 | 23 | 0.03 | 0.049 |
| FA-22 16+50N | Soil | | | 1.0 | 11.4 | 18.9 | 43 | 0.1 | 6.5 | 3.6 | 183 | 2.10 | 6.1 | 0.7 | 1.8 | 3.5 | 6 | 0.1 | 0.3 | 0.4 | 24 | 0.05 | 0.039 |
| FA-22 16+00N | Soil | | | 1.1 | 10.6 | 18.2 | 35 | 0.2 | 5.2 | 3.3 | 83 | 2.18 | 4.8 | 0.8 | <0.5 | 3.5 | 3 | <0.1 | 0.3 | 0.4 | 29 | 0.02 | 0.051 |
| FA-22 15+50N | Soil | | | 1.4 | 16.1 | 27.7 | 38 | 0.1 | 5.6 | 2.6 | 90 | 3.07 | 66.8 | 0.6 | 4.5 | 5.2 | 3 | 0.3 | 0.4 | 0.9 | 30 | 0.01 | 0.030 |
| FA-22 14+50N | Soil | | | 1.4 | 24.9 | 39.4 | 43 | 0.4 | 4.9 | 7.3 | 308 | 1.83 | 4.5 | 2.8 | <0.5 | 1.8 | 5 | 0.2 | 0.2 | 0.4 | 21 | 0.03 | 0.044 |
| FA-22 14+00N | Soil | | | 0.7 | 12.7 | 12.5 | 30 | 0.6 | 4.2 | 2.4 | 67 | 1.53 | 3.4 | 0.8 | <0.5 | 2.6 | 3 | <0.1 | 0.1 | 0.4 | 25 | 0.01 | 0.038 |
| FA-22 13+50N | Soil | | | 1.0 | 10.4 | 19.2 | 58 | 0.3 | 6.4 | 4.0 | 131 | 3.79 | 6.0 | 1.0 | 1.5 | 3.3 | 4 | 0.2 | 0.3 | 0.5 | 41 | 0.03 | 0.044 |
| FA-22 13+00N | Soil | | | 1.6 | 62.3 | 47.2 | 69 | 0.3 | 15.1 | 11.6 | 207 | 2.89 | 21.6 | 4.5 | <0.5 | 7.9 | 7 | 0.2 | 0.5 | 0.8 | 14 | 0.04 | 0.055 |
| FA-22 12+50N | Soil | | | 1.2 | 24.7 | 38.4 | 57 | 0.2 | 9.5 | 4.5 | 166 | 3.58 | 20.7 | 1.2 | 0.8 | 11.9 | 3 | <0.1 | 0.6 | 0.8 | 12 | 0.01 | 0.072 |
| FA-22 12+00N | Soil | | | 1.0 | 10.3 | 18.6 | 53 | 0.1 | 7.9 | 3.7 | 115 | 3.05 | 8.4 | 0.7 | <0.5 | 4.9 | 4 | 0.1 | 0.3 | 0.5 | 25 | 0.02 | 0.033 |
| FA-22 11+50N | Soil | | | 0.8 | 17.7 | 36.3 | 58 | <0.1 | 12.3 | 5.6 | 164 | 3.33 | 16.1 | 1.2 | 33.1 | 11.5 | 3 | <0.1 | 0.5 | 0.7 | 11 | 0.02 | 0.061 |
| FA-22 11+00N | Soil | | | 1.1 | 25.7 | 59.4 | 63 | <0.1 | 12.8 | 6.7 | 171 | 3.71 | 27.3 | 1.5 | 2.7 | 13.3 | 2 | <0.1 | 0.8 | 0.9 | 9 | 0.01 | 0.054 |
| FA-22 10+50N | Soil | | | 0.7 | 14.8 | 27.0 | 75 | 0.2 | 8.6 | 5.7 | 273 | 2.90 | 12.9 | 1.2 | <0.5 | 5.9 | 3 | 0.1 | 0.3 | 0.6 | 16 | 0.02 | 0.061 |
| FA-22 10+00N | Soil | | | 0.9 | 12.1 | 18.2 | 34 | 0.3 | 4.3 | 3.2 | 222 | 2.35 | 5.8 | 0.9 | <0.5 | 1.2 | 4 | 0.5 | 0.3 | 0.5 | 28 | 0.02 | 0.083 |
| FA-22 09+50N | Soil | | | 1.4 | 34.7 | 57.9 | 67 | 0.3 | 13.7 | 62.7 | 1291 | 2.26 | 20.3 | 4.4 | 1.0 | 1.0 | 7 | 0.5 | 0.4 | 0.6 | 14 | 0.04 | 0.055 |
| FA-22 09+00N | Soil | | | 0.8 | 12.7 | 17.2 | 65 | 0.1 | 8.2 | 4.3 | 212 | 3.10 | 19.7 | 1.0 | 0.8 | 4.4 | 3 | 0.2 | 0.5 | 0.5 | 19 | 0.02 | 0.054 |
| FA-22 08+50N | Soil | | | 1.2 | 19.5 | 30.1 | 45 | 0.4 | 7.8 | 7.5 | 517 | 1.79 | 37.1 | 2.0 | 0.7 | 0.9 | 5 | 0.4 | 0.2 | 0.5 | 18 | 0.03 | 0.038 |
| FA-22 08+00N | Soil | | | 0.8 | 12.1 | 14.6 | 37 | 0.2 | 5.4 | 2.8 | 123 | 2.19 | 9.6 | 0.9 | 2.6 | 3.5 | 3 | 0.1 | 0.3 | 0.4 | 17 | 0.03 | 0.071 |
| FA-22 07+50N | Soil | | | 1.0 | 12.4 | 16.9 | 50 | 0.1 | 7.5 | 4.2 | 166 | 2.27 | 10.9 | 0.9 | 0.9 | 3.0 | 5 | 0.2 | 0.3 | 0.4 | 23 | 0.02 | 0.056 |
| FA-22 07+00N | Soil | | | 1.2 | 12.0 | 26.4 | 50 | 0.2 | 7.1 | 4.5 | 389 | 4.20 | 10.7 | 0.7 | 17.6 | 2.5 | 4 | 0.3 | 0.4 | 0.6 | 40 | 0.02 | 0.111 |
| FA-22 06+50N | Soil | | | 1.0 | 10.8 | 39.2 | 44 | 0.2 | 5.8 | 3.6 | 791 | 3.94 | 10.3 | 0.6 | 9.2 | 4.3 | 3 | <0.1 | 0.3 | 0.8 | 38 | <0.01 | 0.078 |
| FA-22 06+00N | Soil | | | 1.1 | 13.9 | 24.2 | 60 | 0.3 | 8.5 | 5.1 | 157 | 3.67 | 15.2 | 0.9 | 41.0 | 5.9 | 3 | 0.1 | 0.4 | 0.7 | 32 | 0.01 | 0.092 |
| FA-22 05+50N | Soil | | | 1.2 | 17.0 | 23.1 | 70 | 0.4 | 9.2 | 9.4 | 1719 | 2.53 | 6.6 | 1.1 | <0.5 | 3.5 | 4 | <0.1 | 0.3 | 0.4 | 32 | 0.02 | 0.177 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: September 05, 2008

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | Analyte | Unit | MDL | 1DX La | 1DX Cr | 1DX Mg | 1DX Ba | 1DX Ti | 1DX B | 1DX Al | 1DX Na | 1DX K | 1DX W | 1DX Hg | 1DX Sc | 1DX TI | 1DX S | 1DX Ga | 1DX Se |
|--------------|---------|------|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------|----------|-----------|-----------|-----------|----------|-----------|-----------|
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 0.5 |
| FA-21 03+50N | Soil | | | 4 | 9 | 0.06 | 18 | 0.106 | <20 | 4.90 | 0.009 | 0.03 | 0.2 | 0.10 | 1.6 | <0.1 | <0.05 | 11 | <0.5 |
| FA-21 03+00N | Soil | | | 4 | 10 | 0.09 | 17 | 0.092 | <20 | 5.38 | 0.012 | 0.02 | 0.2 | 0.09 | 1.8 | <0.1 | <0.05 | 8 | <0.5 |
| FA-21 02+50N | Soil | | | 10 | 10 | 0.18 | 61 | 0.034 | <20 | 2.13 | 0.010 | 0.04 | 0.1 | 0.08 | 0.9 | <0.1 | <0.05 | 7 | <0.5 |
| FA-21 02+00N | Soil | | | 15 | 8 | 0.11 | 29 | 0.016 | <20 | 1.75 | 0.005 | 0.03 | <0.1 | 0.05 | 0.7 | 0.1 | <0.05 | 6 | <0.5 |
| FA-21 01+50N | Soil | | | 7 | 7 | 0.10 | 33 | 0.088 | <20 | 4.10 | 0.012 | 0.03 | 0.2 | 0.13 | 2.2 | <0.1 | <0.05 | 9 | <0.5 |
| FA-21 01+00N | Soil | | | 12 | 9 | 0.13 | 39 | 0.026 | <20 | 2.07 | 0.007 | 0.04 | 0.1 | 0.05 | 0.9 | 0.1 | <0.05 | 7 | <0.5 |
| FA-21 00+50N | Soil | | | 27 | 8 | 0.30 | 39 | 0.013 | <20 | 1.12 | 0.004 | 0.06 | <0.1 | 0.01 | 1.1 | <0.1 | 0.06 | 3 | <0.5 |
| FA-21 00+00 | Soil | | | 13 | 9 | 0.20 | 52 | 0.029 | <20 | 1.90 | 0.006 | 0.05 | 0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 5 | 0.5 |
| FA-22 16+50N | Soil | | | 11 | 8 | 0.15 | 51 | 0.028 | <20 | 2.00 | 0.005 | 0.05 | 0.1 | 0.06 | 1.2 | 0.1 | <0.05 | 6 | <0.5 |
| FA-22 16+00N | Soil | | | 7 | 7 | 0.13 | 39 | 0.062 | <20 | 3.52 | 0.007 | 0.03 | 0.2 | 0.07 | 1.6 | 0.1 | <0.05 | 9 | <0.5 |
| FA-22 15+50N | Soil | | | 13 | 8 | 0.11 | 40 | 0.037 | <20 | 0.87 | 0.004 | 0.07 | 0.1 | 0.03 | 0.6 | 0.1 | <0.05 | 7 | <0.5 |
| FA-22 14+50N | Soil | | | 23 | 6 | 0.11 | 46 | 0.067 | <20 | 1.86 | 0.011 | 0.03 | 0.2 | 0.06 | 1.4 | 0.1 | <0.05 | 10 | <0.5 |
| FA-22 14+00N | Soil | | | 7 | 6 | 0.08 | 47 | 0.062 | <20 | 2.39 | 0.010 | 0.03 | 0.2 | 0.07 | 1.5 | 0.1 | <0.05 | 9 | 0.6 |
| FA-22 13+50N | Soil | | | 10 | 11 | 0.17 | 45 | 0.047 | <20 | 2.63 | 0.005 | 0.04 | 0.2 | 0.07 | 1.4 | <0.1 | <0.05 | 11 | 0.6 |
| FA-22 13+00N | Soil | | | 22 | 12 | 0.38 | 56 | 0.019 | <20 | 2.64 | 0.008 | 0.06 | 0.1 | 0.07 | 1.4 | <0.1 | <0.05 | 4 | 0.9 |
| FA-22 12+50N | Soil | | | 17 | 12 | 0.46 | 22 | 0.009 | <20 | 1.59 | 0.004 | 0.04 | 0.1 | 0.04 | 0.7 | <0.1 | <0.05 | 3 | <0.5 |
| FA-22 12+00N | Soil | | | 14 | 10 | 0.31 | 59 | 0.013 | <20 | 2.17 | 0.006 | 0.04 | 0.2 | 0.05 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 11+50N | Soil | | | 14 | 13 | 0.36 | 30 | 0.007 | <20 | 2.87 | 0.005 | 0.05 | 0.1 | 0.08 | 1.4 | <0.1 | <0.05 | 3 | 0.7 |
| FA-22 11+00N | Soil | | | 19 | 12 | 0.43 | 17 | 0.007 | <20 | 2.22 | 0.004 | 0.03 | <0.1 | 0.05 | 1.1 | <0.1 | <0.05 | 3 | <0.5 |
| FA-22 10+50N | Soil | | | 12 | 9 | 0.31 | 66 | 0.020 | <20 | 2.75 | 0.008 | 0.05 | 0.2 | 0.05 | 1.3 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 10+00N | Soil | | | 8 | 7 | 0.10 | 35 | 0.045 | <20 | 1.94 | 0.010 | 0.04 | 0.2 | 0.11 | 0.8 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 09+50N | Soil | | | 19 | 10 | 0.27 | 53 | 0.014 | <20 | 1.82 | 0.010 | 0.05 | 0.1 | 0.05 | 0.7 | <0.1 | <0.05 | 5 | <0.5 |
| FA-22 09+00N | Soil | | | 10 | 10 | 0.23 | 36 | 0.017 | <20 | 1.98 | 0.005 | 0.04 | 0.2 | 0.07 | 0.9 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 08+50N | Soil | | | 16 | 6 | 0.15 | 38 | 0.037 | <20 | 1.31 | 0.008 | 0.04 | 0.2 | 0.05 | 0.6 | <0.1 | <0.05 | 7 | <0.5 |
| FA-22 08+00N | Soil | | | 10 | 8 | 0.18 | 29 | 0.029 | <20 | 3.35 | 0.009 | 0.02 | 0.3 | 0.09 | 1.1 | <0.1 | <0.05 | 6 | 0.6 |
| FA-22 07+50N | Soil | | | 12 | 8 | 0.22 | 59 | 0.024 | <20 | 2.53 | 0.007 | 0.04 | 0.3 | 0.06 | 1.1 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 07+00N | Soil | | | 10 | 11 | 0.19 | 38 | 0.050 | <20 | 1.76 | 0.008 | 0.05 | 0.2 | 0.09 | 0.9 | <0.1 | <0.05 | 11 | <0.5 |
| FA-22 06+50N | Soil | | | 12 | 10 | 0.15 | 38 | 0.054 | <20 | 1.41 | 0.007 | 0.04 | 0.2 | 0.05 | 0.9 | 0.1 | <0.05 | 10 | 0.6 |
| FA-22 06+00N | Soil | | | 11 | 11 | 0.22 | 30 | 0.052 | <20 | 2.46 | 0.006 | 0.04 | 0.2 | 0.09 | 1.2 | <0.1 | <0.05 | 7 | <0.5 |
| FA-22 05+50N | Soil | | | 6 | 11 | 0.20 | 47 | 0.076 | <20 | 3.87 | 0.008 | 0.05 | 0.1 | 0.11 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

September 05, 2008

Page:

4 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | Analyte | Unit | MDL | 1DX Mo | 1DX Cu | 1DX Pb | 1DX Zn | 1DX Ag | 1DX Ni | 1DX Co | 1DX Mn | 1DX Fe | 1DX As | 1DX U | 1DX Au | 1DX Th | 1DX Sr | 1DX Cd | 1DX Sb | 1DX Bi | 1DX V | 1DX Ca | 1DX P |
|--------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| | | | | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| FA-22 05+00N | Soil | | | 0.6 | 12.3 | 14.7 | 49 | 0.1 | 7.2 | 2.9 | 111 | 1.64 | 6.5 | 0.7 | <0.5 | 4.3 | 2 | <0.1 | 0.2 | 0.4 | 13 | <0.01 | 0.029 |
| FA-22 04+50N | Soil | | | 0.7 | 12.7 | 10.5 | 40 | 0.3 | 7.3 | 3.8 | 172 | 2.12 | 13.6 | 0.6 | <0.5 | 2.6 | 3 | 0.2 | 0.2 | 0.4 | 19 | <0.01 | 0.034 |
| FA-22 04+00N | Soil | | | 0.9 | 12.9 | 15.8 | 33 | 0.3 | 6.6 | 2.8 | 124 | 2.05 | 6.3 | 0.8 | 4.1 | 3.5 | 3 | <0.1 | 0.4 | 0.4 | 22 | 0.01 | 0.051 |
| FA-22 03+50N | Soil | | | 0.9 | 9.7 | 18.7 | 40 | 0.2 | 7.1 | 2.8 | 91 | 3.27 | 16.5 | 0.5 | 0.8 | 4.0 | 3 | <0.1 | 0.5 | 0.5 | 33 | 0.01 | 0.032 |
| FA-22 03+00N | Soil | | | 0.8 | 11.9 | 16.8 | 55 | 0.2 | 9.2 | 3.8 | 102 | 3.41 | 12.5 | 0.7 | 11.2 | 5.5 | 3 | <0.1 | 0.3 | 0.4 | 15 | 0.01 | 0.059 |
| FA-22 02+50N | Soil | | | 0.7 | 13.0 | 21.9 | 67 | 0.1 | 9.0 | 5.3 | 155 | 2.77 | 8.1 | 0.9 | <0.5 | 6.1 | 6 | 0.2 | 0.4 | 0.5 | 20 | 0.02 | 0.042 |
| FA-22 02+00N | Soil | | | 1.0 | 17.8 | 34.7 | 87 | 0.2 | 13.2 | 12.7 | 938 | 2.27 | 9.0 | 1.1 | 1.1 | 4.9 | 7 | 0.3 | 0.3 | 0.6 | 19 | 0.05 | 0.046 |
| FA-22 01+50N | Soil | | | 1.2 | 23.4 | 38.7 | 101 | 0.2 | 14.2 | 14.1 | 1228 | 2.44 | 9.0 | 1.3 | <0.5 | 4.7 | 7 | 0.5 | 0.2 | 0.5 | 25 | 0.04 | 0.080 |
| FA-22 01+00N | Soil | | | 0.7 | 13.8 | 22.6 | 68 | 0.2 | 9.8 | 8.1 | 361 | 2.48 | 6.5 | 0.8 | 10.1 | 4.7 | 4 | 0.1 | 0.2 | 0.5 | 23 | 0.02 | 0.053 |
| FA-22 00+50N | Soil | | | 1.0 | 29.1 | 177.0 | 171 | 0.3 | 21.2 | 12.1 | 361 | 2.45 | 27.7 | 1.5 | 3.3 | 6.1 | 7 | 0.4 | 0.3 | 0.8 | 18 | 0.04 | 0.067 |
| FA-22 00+00 | Soil | | | 0.7 | 19.0 | 29.4 | 49 | 0.2 | 6.8 | 5.3 | 195 | 1.96 | 13.9 | 1.2 | 1.6 | 3.8 | 8 | 0.2 | 0.2 | 0.5 | 18 | 0.05 | 0.027 |
| FA-27 00+00 | Soil | | | 1.7 | 11.1 | 27.1 | 41 | 0.3 | 5.3 | 2.6 | 80 | 3.15 | 14.0 | 0.5 | 0.5 | 3.5 | 3 | <0.1 | 0.5 | 1.5 | 28 | <0.01 | 0.034 |
| FA-27 00+50S | Soil | | | 1.5 | 17.4 | 35.9 | 54 | 0.2 | 8.0 | 4.4 | 289 | 2.35 | 14.6 | 0.9 | 1.5 | 3.3 | 4 | <0.1 | 0.4 | 0.9 | 16 | 0.04 | 0.038 |
| FA-27 01+00S | Soil | | | 0.8 | 11.8 | 14.5 | 22 | 0.6 | 3.9 | 1.6 | 50 | 2.16 | 5.3 | 1.1 | <0.5 | 3.6 | 2 | <0.1 | 0.2 | 0.3 | 25 | 0.02 | 0.056 |
| FA-27 01+50S | Soil | | | 1.0 | 9.9 | 19.0 | 37 | 0.1 | 6.4 | 3.4 | 87 | 2.25 | 5.6 | 0.6 | <0.5 | 2.8 | 4 | 0.1 | 0.2 | 0.8 | 23 | 0.03 | 0.027 |
| FA-27 02+00S | Soil | | | 1.1 | 8.1 | 26.9 | 38 | 0.4 | 5.9 | 2.8 | 100 | 2.16 | 3.4 | 0.6 | 10.7 | 2.8 | 3 | 0.1 | 0.1 | 0.6 | 26 | 0.02 | 0.025 |
| FA-27 02+50S | Soil | | | 1.0 | 12.0 | 35.7 | 56 | 0.3 | 8.5 | 14.7 | 388 | 2.13 | 3.6 | 0.9 | <0.5 | 1.3 | 8 | 0.5 | 0.1 | 0.6 | 20 | 0.06 | 0.024 |
| FA-27 03+00S | Soil | | | 1.5 | 11.1 | 27.6 | 48 | 0.3 | 6.4 | 3.2 | 89 | 2.37 | 5.8 | 0.6 | 0.9 | 2.6 | 5 | 0.3 | 0.3 | 1.0 | 29 | 0.03 | 0.023 |
| FA-27 03+50S | Soil | | | 1.5 | 16.1 | 41.0 | 69 | 0.2 | 10.4 | 7.5 | 572 | 1.84 | 5.1 | 1.2 | 1.2 | 3.6 | 8 | 0.2 | 0.2 | 1.0 | 12 | 0.13 | 0.040 |
| FA-27 04+00S | Soil | | | 2.3 | 13.1 | 57.9 | 55 | 1.6 | 9.7 | 5.0 | 402 | 2.24 | 4.9 | 1.5 | 0.8 | 2.1 | 9 | 0.4 | 0.2 | 1.4 | 22 | 0.06 | 0.025 |
| FA-27 04+50S | Soil | | | 1.1 | 13.7 | 31.7 | 18 | 0.3 | 4.1 | 1.8 | 41 | 2.34 | 4.2 | 1.6 | 1.0 | 4.8 | 3 | 0.3 | 0.1 | 0.5 | 20 | 0.03 | 0.024 |
| FA-27 05+00S | Soil | | | 1.4 | 38.1 | 40.7 | 28 | 0.6 | 6.5 | 2.4 | 79 | 1.99 | 3.3 | 4.7 | <0.5 | 3.1 | 6 | 0.3 | 0.1 | 0.4 | 19 | 0.04 | 0.039 |
| FA-27 05+50S | Soil | | | 0.9 | 9.2 | 20.4 | 39 | 0.3 | 6.8 | 3.6 | 127 | 1.53 | 3.5 | 1.0 | 1.0 | 2.8 | 2 | 0.2 | 0.1 | 0.4 | 13 | 0.02 | 0.024 |
| FA-27 06+00S | Soil | | | 0.8 | 8.5 | 12.6 | 37 | 0.2 | 6.0 | 3.5 | 152 | 3.06 | 4.1 | 0.5 | 0.6 | 3.3 | 3 | 0.2 | 0.2 | 0.5 | 28 | 0.02 | 0.031 |
| FA-27 06+50S | Soil | | | 0.8 | 9.3 | 21.9 | 28 | 0.4 | 4.8 | 3.0 | 67 | 1.60 | 3.2 | 0.9 | <0.5 | 3.1 | 2 | 0.1 | 0.1 | 0.3 | 20 | 0.01 | 0.017 |
| FA-27 07+00S | Soil | | | 0.9 | 7.1 | 12.9 | 19 | 0.4 | 3.8 | 2.0 | 139 | 2.42 | 3.3 | 0.8 | <0.5 | 2.5 | 4 | 0.2 | 0.2 | 0.3 | 33 | 0.03 | 0.035 |
| FA-27 07+50S | Soil | | | 0.8 | 7.8 | 16.5 | 21 | 0.4 | 3.5 | 2.0 | 323 | 1.81 | 2.5 | 0.6 | 2.1 | 2.5 | 3 | <0.1 | 0.1 | 0.4 | 25 | 0.02 | 0.024 |
| FA-27 08+00S | Soil | | | 1.3 | 10.7 | 24.9 | 44 | 0.3 | 6.3 | 3.9 | 182 | 2.11 | 5.1 | 1.4 | 0.7 | 2.6 | 4 | 0.3 | 0.2 | 0.4 | 17 | 0.03 | 0.022 |
| FA-27 08+50S | Soil | | | 1.1 | 11.1 | 7.6 | 13 | 0.4 | 2.7 | 1.3 | 45 | 1.80 | 4.5 | 1.3 | 0.9 | 2.7 | 2 | 0.1 | 0.2 | 0.1 | 25 | 0.02 | 0.056 |
| FA-27 09+00S | Soil | | | 1.2 | 9.8 | 14.4 | 40 | 0.3 | 6.0 | 2.7 | 86 | 2.73 | 5.8 | 0.7 | 0.5 | 2.7 | 3 | <0.1 | 0.2 | 0.3 | 29 | 0.03 | 0.034 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: September 05, 2008

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | Analyte | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|--------------|---------|-----|-----|------|-----|-------|-----|------|-------|------|------|------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-22 05+00N | Soil | 14 | 6 | 0.18 | 27 | 0.014 | <20 | 1.40 | 0.005 | 0.04 | <0.1 | 0.03 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-22 04+50N | Soil | 11 | 7 | 0.16 | 25 | 0.022 | <20 | 1.16 | 0.005 | 0.04 | <0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-22 04+00N | Soil | 6 | 7 | 0.15 | 31 | 0.039 | <20 | 2.70 | 0.007 | 0.03 | 0.2 | 0.12 | 1.0 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 03+50N | Soil | 9 | 9 | 0.17 | 29 | 0.029 | <20 | 1.55 | 0.004 | 0.04 | 0.2 | 0.07 | 0.8 | 0.1 | <0.05 | 8 | <0.5 |
| FA-22 03+00N | Soil | 17 | 10 | 0.26 | 33 | 0.008 | <20 | 1.76 | 0.004 | 0.04 | 0.1 | 0.06 | 0.8 | <0.1 | <0.05 | 5 | <0.5 |
| FA-22 02+50N | Soil | 13 | 10 | 0.28 | 56 | 0.017 | <20 | 1.58 | 0.006 | 0.04 | 0.1 | 0.03 | 0.7 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 02+00N | Soil | 12 | 8 | 0.23 | 86 | 0.027 | <20 | 1.68 | 0.008 | 0.07 | 0.2 | 0.05 | 1.0 | 0.1 | <0.05 | 6 | <0.5 |
| FA-22 01+50N | Soil | 8 | 9 | 0.20 | 67 | 0.096 | <20 | 3.19 | 0.009 | 0.06 | 0.2 | 0.07 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| FA-22 01+00N | Soil | 10 | 6 | 0.15 | 81 | 0.025 | <20 | 1.85 | 0.006 | 0.04 | 0.2 | 0.04 | 1.3 | <0.1 | <0.05 | 6 | <0.5 |
| FA-22 00+50N | Soil | 12 | 9 | 0.20 | 102 | 0.039 | <20 | 3.03 | 0.009 | 0.05 | 0.2 | 0.08 | 1.4 | <0.1 | <0.05 | 6 | 0.5 |
| FA-22 00+00 | Soil | 13 | 6 | 0.15 | 56 | 0.021 | <20 | 1.20 | 0.006 | 0.06 | 0.1 | 0.04 | 0.7 | <0.1 | <0.05 | 6 | <0.5 |
| FA-27 00+00 | Soil | 9 | 8 | 0.13 | 26 | 0.017 | <20 | 0.96 | 0.005 | 0.03 | 0.1 | 0.05 | 0.4 | <0.1 | <0.05 | 7 | <0.5 |
| FA-27 00+50S | Soil | 7 | 7 | 0.14 | 42 | 0.013 | <20 | 1.53 | 0.004 | 0.03 | 0.1 | 0.06 | 0.8 | <0.1 | 0.07 | 4 | <0.5 |
| FA-27 01+00S | Soil | 3 | 9 | 0.07 | 23 | 0.075 | <20 | 5.20 | 0.007 | 0.01 | 0.2 | 0.12 | 1.8 | <0.1 | 0.06 | 8 | 0.8 |
| FA-27 01+50S | Soil | 10 | 6 | 0.14 | 41 | 0.018 | <20 | 0.85 | 0.003 | 0.03 | 0.1 | 0.01 | 0.5 | <0.1 | <0.05 | 5 | <0.5 |
| FA-27 02+00S | Soil | 8 | 7 | 0.13 | 46 | 0.034 | <20 | 1.37 | 0.005 | 0.03 | 0.1 | 0.08 | 0.8 | <0.1 | <0.05 | 8 | <0.5 |
| FA-27 02+50S | Soil | 9 | 7 | 0.19 | 65 | 0.056 | <20 | 1.10 | 0.008 | 0.04 | 0.1 | 0.04 | 0.6 | <0.1 | <0.05 | 8 | <0.5 |
| FA-27 03+00S | Soil | 8 | 7 | 0.09 | 39 | 0.043 | <20 | 0.65 | 0.004 | 0.03 | 0.1 | 0.03 | 0.5 | <0.1 | <0.05 | 6 | <0.5 |
| FA-27 03+50S | Soil | 13 | 6 | 0.21 | 68 | 0.010 | <20 | 1.15 | 0.003 | 0.09 | 0.2 | 0.04 | 0.7 | <0.1 | <0.05 | 3 | <0.5 |
| FA-27 04+00S | Soil | 14 | 8 | 0.19 | 69 | 0.042 | <20 | 1.60 | 0.007 | 0.06 | 0.2 | 0.06 | 0.9 | 0.1 | <0.05 | 8 | <0.5 |
| FA-27 04+50S | Soil | 10 | 8 | 0.09 | 31 | 0.027 | <20 | 3.13 | 0.006 | 0.03 | 0.2 | 0.13 | 1.4 | <0.1 | <0.05 | 7 | 0.6 |
| FA-27 05+00S | Soil | 24 | 7 | 0.13 | 36 | 0.108 | <20 | 2.50 | 0.009 | 0.04 | 0.2 | 0.13 | 1.6 | <0.1 | 0.06 | 11 | 0.9 |
| FA-27 05+50S | Soil | 12 | 6 | 0.18 | 46 | 0.012 | <20 | 1.59 | 0.004 | 0.05 | 0.1 | 0.05 | 0.8 | <0.1 | <0.05 | 4 | <0.5 |
| FA-27 06+00S | Soil | 10 | 11 | 0.19 | 41 | 0.023 | <20 | 1.15 | 0.003 | 0.03 | 0.1 | 0.04 | 0.6 | <0.1 | <0.05 | 7 | <0.5 |
| FA-27 06+50S | Soil | 8 | 7 | 0.10 | 46 | 0.020 | <20 | 2.15 | 0.005 | 0.04 | 0.1 | 0.13 | 1.0 | 0.1 | <0.05 | 6 | 0.7 |
| FA-27 07+00S | Soil | 4 | 8 | 0.06 | 28 | 0.089 | <20 | 3.34 | 0.008 | 0.02 | 0.2 | 0.14 | 1.1 | <0.1 | <0.05 | 11 | 0.5 |
| FA-27 07+50S | Soil | 8 | 5 | 0.07 | 41 | 0.048 | <20 | 1.35 | 0.005 | 0.04 | <0.1 | 0.05 | 0.6 | <0.1 | <0.05 | 8 | <0.5 |
| FA-27 08+00S | Soil | 16 | 7 | 0.13 | 43 | 0.024 | <20 | 1.71 | 0.007 | 0.07 | 0.1 | 0.06 | 0.8 | 0.1 | <0.05 | 7 | <0.5 |
| FA-27 08+50S | Soil | 5 | 7 | 0.07 | 15 | 0.078 | <20 | 5.51 | 0.007 | 0.02 | 0.3 | 0.15 | 2.0 | <0.1 | 0.05 | 7 | 0.7 |
| FA-27 09+00S | Soil | 8 | 8 | 0.14 | 35 | 0.044 | <20 | 2.67 | 0.004 | 0.04 | 0.2 | 0.09 | 1.1 | 0.1 | 0.06 | 9 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

September 05, 2008

Page:

5 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|--------------|------|-----|------|------|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|-----|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| FA-27 09+50S | Soil | 0.9 | 9.8 | 13.5 | 33 | 0.2 | 5.3 | 2.4 | 148 | 2.27 | 3.3 | 0.5 | <0.5 | 1.9 | 3 | 0.1 | 0.2 | 0.4 | 25 | 0.02 | 0.026 |
| FA-27 10+00S | Soil | 0.9 | 12.9 | 16.0 | 36 | 0.5 | 5.4 | 5.3 | 138 | 2.18 | 5.9 | 1.1 | 0.8 | 2.9 | 2 | 0.3 | 0.3 | 0.3 | 23 | 0.02 | 0.035 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: FAITH

Report Date: September 05, 2008

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008660.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|--------------|------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| FA-27 09+50S | Soil | 7 | 6 | 0.11 | 36 | 0.040 | <20 | 1.30 | 0.004 | 0.08 | <0.1 | 0.04 | 0.6 | 0.1 | 0.06 | 8 | <0.5 |
| FA-27 10+00S | Soil | 8 | 8 | 0.09 | 34 | 0.056 | <20 | 3.86 | 0.006 | 0.03 | 0.2 | 0.12 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |

QUALITY CONTROL REPORT

VAN08008660.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|------|-------|------|-----|------|------|------|------|-------|-------|------|------|------|-----|------|------|------|------|-------|--------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| FA-21 08+50N | Soil | 1.2 | 18.5 | 53.4 | 69 | 0.3 | 7.8 | 8.6 | 2282 | 1.63 | 143.3 | 2.8 | 1.4 | 0.1 | 43 | 1.3 | 0.4 | 0.4 | 14 | 0.40 | 0.072 |
| REP FA-21 08+50N | QC | 1.1 | 18.1 | 53.5 | 66 | 0.3 | 8.6 | 8.6 | 2249 | 1.66 | 142.8 | 2.9 | 3.8 | 0.1 | 42 | 1.4 | 0.4 | 0.4 | 14 | 0.40 | 0.073 |
| FA-22 16+50N | Soil | 1.0 | 11.4 | 18.9 | 43 | 0.1 | 6.5 | 3.6 | 183 | 2.10 | 6.1 | 0.7 | 1.8 | 3.5 | 6 | 0.1 | 0.3 | 0.4 | 24 | 0.05 | 0.039 |
| REP FA-22 16+50N | QC | 1.1 | 11.2 | 19.3 | 44 | <0.1 | 7.2 | 3.7 | 189 | 2.08 | 6.5 | 0.7 | 1.2 | 3.6 | 6 | 0.1 | 0.3 | 0.4 | 21 | 0.05 | 0.039 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 18.4 | 112.0 | 73.2 | 423 | 0.8 | 59.9 | 10.0 | 623 | 2.36 | 54.5 | 5.0 | 67.7 | 4.2 | 66 | 5.9 | 6.4 | 4.9 | 85 | 0.84 | 0.077 |
| STD DS7 | Standard | 18.3 | 104.9 | 68.8 | 410 | 0.9 | 55.3 | 9.0 | 606 | 2.33 | 53.9 | 4.5 | 49.5 | 3.8 | 64 | 6.1 | 6.0 | 4.7 | 81 | 0.82 | 0.073 |
| STD DS7 | Standard | 17.2 | 104.4 | 68.3 | 380 | 0.8 | 54.0 | 8.8 | 627 | 2.28 | 41.8 | 4.6 | 55.7 | 3.6 | 55 | 5.3 | 4.6 | 3.9 | 80 | 0.76 | 0.066 |
| STD DS7 | Standard | 17.6 | 105.8 | 69.0 | 392 | 0.8 | 53.8 | 9.2 | 640 | 2.31 | 46.5 | 4.1 | 72.8 | 3.3 | 56 | 5.2 | 4.4 | 4.0 | 86 | 0.75 | 0.069 |
| STD DS7 | Standard | 17.9 | 95.4 | 66.4 | 389 | 0.9 | 53.9 | 8.4 | 562 | 2.09 | 45.0 | 4.3 | 59.5 | 3.5 | 57 | 5.7 | 5.0 | 4.1 | 73 | 0.79 | 0.071 |
| STD DS7 | Standard | 20.3 | 98.9 | 69.5 | 405 | 0.9 | 54.5 | 8.9 | 597 | 2.24 | 50.1 | 4.7 | 60.4 | 4.0 | 65 | 6.0 | 5.6 | 4.2 | 82 | 0.87 | 0.076 |
| STD DS7 Expected | | 20.9 | 109 | 70.6 | 411 | 0.9 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 69 | 6.4 | 5.9 | 4.5 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN08008660.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|-----|------|-------|-------|--------|------|-------|--------|-------|------|-------|------|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | |
| FA-21 08+50N | Soil | 13 | 9 | 0.25 | 168 | 0.026 | <20 | 1.36 | 0.011 | 0.06 | 1.8 | 0.08 | 0.4 | 0.1 | <0.05 | 7 | 0.6 |
| REP FA-21 08+50N | QC | 13 | 9 | 0.26 | 163 | 0.026 | <20 | 1.36 | 0.011 | 0.06 | 1.7 | 0.08 | 0.4 | 0.1 | <0.05 | 7 | <0.5 |
| FA-22 16+50N | Soil | 11 | 8 | 0.15 | 51 | 0.028 | <20 | 2.00 | 0.005 | 0.05 | 0.1 | 0.06 | 1.2 | 0.1 | <0.05 | 6 | <0.5 |
| REP FA-22 16+50N | QC | 10 | 7 | 0.14 | 50 | 0.029 | <20 | 1.99 | 0.004 | 0.05 | <0.1 | 0.06 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 10 | 156 | 0.99 | 346 | 0.099 | 43 | 0.88 | 0.070 | 0.42 | 4.2 | 0.19 | 1.8 | 4.1 | 0.25 | 5 | 3.7 |
| STD DS7 | Standard | 10 | 153 | 0.94 | 352 | 0.095 | 35 | 0.87 | 0.069 | 0.41 | 4.2 | 0.18 | 1.8 | 4.2 | 0.21 | 4 | 3.5 |
| STD DS7 | Standard | 9 | 147 | 1.05 | 378 | 0.106 | 32 | 0.93 | 0.071 | 0.48 | 3.5 | 0.18 | 2.0 | 4.1 | 0.23 | 4 | 3.2 |
| STD DS7 | Standard | 9 | 152 | 1.05 | 376 | 0.108 | 34 | 0.94 | 0.072 | 0.48 | 3.3 | 0.19 | 2.0 | 4.1 | 0.23 | 5 | 3.2 |
| STD DS7 | Standard | 10 | 147 | 0.94 | 349 | 0.091 | 39 | 0.83 | 0.072 | 0.40 | 3.8 | 0.18 | 1.8 | 4.1 | 0.17 | 4 | 3.1 |
| STD DS7 | Standard | 10 | 163 | 1.04 | 377 | 0.101 | 41 | 0.94 | 0.085 | 0.44 | 3.7 | 0.20 | 2.0 | 4.3 | 0.18 | 4 | 3.3 |
| STD DS7 Expected | | 13 | 163 | 1.05 | 370 | 0.124 | 39 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.2 | 0.21 | 5 | 3.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: October 22, 2008
 Report Date: November 06, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08010426.1

CLIENT JOB INFORMATION

Project: FAITH
 Shipment ID: JSP-08-S-28
 P.O. Number
 Number of Samples: 2

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|-------------|-------------------|--|--------------|---------------|
| SS80 | 2 | Dry at 60C sieve 100g to -80 mesh | | |
| Dry at 60C | 2 | Dry at 60C | | |
| RJSV | 2 | Save all or part of soil reject fraction | | |
| RJSV | 2 | Saving all or part of Soil Reject | | |
| 1DX | 2 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 0.5 | Completed |
| DIS-RJT | 2 | Warehouse handling / Disposition of reject | | |

ADDITIONAL COMMENTS

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker
 Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm

1020 - 833, 4th Ave S.W.

Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

November 06, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08010426.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|----------|------|-----|------|------|-----|-----|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| P2FAS001 | Soil | 1.4 | 13.2 | 37.0 | 87 | 0.4 | 14.1 | 11.1 | 1026 | 1.68 | 4.1 | 1.9 | 2.3 | 0.7 | 23 | 1.4 | 0.2 | 0.6 | 8 | 0.34 | 0.049 |
| P4FAS001 | Soil | 1.3 | 13.2 | 40.0 | 78 | 0.5 | 12.9 | 9.6 | 834 | 1.56 | 3.4 | 1.7 | 1.5 | 0.4 | 21 | 1.5 | 0.2 | 0.6 | 11 | 0.30 | 0.049 |



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

FAITH

Report Date:

November 06, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08010426.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|----------|------|-----|------|------|-------|-------|------|-------|-------|------|------|------|-----|------|-------|-----|-----|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| P2FAS001 | Soil | 20 | 7 | 0.20 | 57 | 0.015 | <20 | 1.16 | 0.009 | 0.08 | 0.1 | 0.06 | 0.9 | 0.1 | <0.05 | 3 | 1.0 |
| P4FAS001 | Soil | 22 | 7 | 0.19 | 66 | 0.023 | <20 | 1.43 | 0.015 | 0.08 | 0.1 | 0.07 | 0.8 | 0.1 | 0.09 | 4 | 1.0 |

QUALITY CONTROL REPORT

VAN08010426.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|------|------|------|-----|------|------|------|------|-------|------|------|------|------|-----|------|------|------|------|-------|--------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 20.1 | 85.2 | 57.2 | 363 | 0.8 | 52.7 | 8.3 | 585 | 2.24 | 43.8 | 3.6 | 70.4 | 3.3 | 67 | 5.1 | 4.5 | 4.2 | 68 | 0.82 | 0.070 |
| STD DS7 | Standard | 20.3 | 88.8 | 56.9 | 372 | 0.8 | 59.1 | 9.3 | 615 | 2.35 | 43.1 | 4.0 | 55.1 | 3.4 | 73 | 5.4 | 4.5 | 4.4 | 73 | 0.88 | 0.070 |
| STD DS7 | Standard | 20.5 | 91.7 | 52.6 | 378 | 0.8 | 55.2 | 9.2 | 618 | 2.46 | 45.2 | 3.8 | 52.4 | 3.5 | 75 | 6.0 | 4.4 | 3.8 | 83 | 0.95 | 0.073 |
| STD DS7 | Standard | 21.6 | 97.5 | 62.6 | 367 | 0.7 | 57.6 | 9.5 | 599 | 2.38 | 40.2 | 4.1 | 62.9 | 3.7 | 76 | 5.7 | 4.4 | 3.8 | 78 | 0.94 | 0.067 |
| STD DS7 Expected | | 20.9 | 109 | 70.6 | 411 | 0.9 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 69 | 6.4 | 5.9 | 4.5 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN08010426.1

| Method | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | 1DX | |
|---------------------|----------|-----|------|-------|-------|--------|------|-------|--------|-------|------|-------|------|------|-------|-----|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 20 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 10 | 206 | 0.99 | 399 | 0.095 | 36 | 0.94 | 0.083 | 0.45 | 3.6 | 0.21 | 2.1 | 3.9 | 0.19 | 5 | 3.0 |
| STD DS7 | Standard | 11 | 225 | 1.01 | 405 | 0.105 | 36 | 1.02 | 0.094 | 0.44 | 3.6 | 0.19 | 2.3 | 4.1 | 0.15 | 5 | 4.0 |
| STD DS7 | Standard | 12 | 238 | 1.05 | 414 | 0.111 | 32 | 1.05 | 0.104 | 0.47 | 3.7 | 0.20 | 2.2 | 4.0 | 0.17 | 5 | 3.6 |
| STD DS7 | Standard | 12 | 235 | 1.00 | 399 | 0.110 | 32 | 0.99 | 0.092 | 0.44 | 3.4 | 0.19 | 2.2 | 4.2 | 0.19 | 5 | 3.4 |
| STD DS7 Expected | | 13 | 163 | 1.05 | 370 | 0.124 | 39 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.2 | 0.21 | 5 | 3.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <20 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |

Appendix C
Statement of Expenditures

STATEMENT OF EXPENDITURES

The following expenses were incurred on the Faith Project between June 22nd and October 9th, 2009.

PERSONNEL

| | |
|---------------------------------------|---------------------|
| Field Manager - 25 days @ \$350 / day | \$ 8,750.00 |
| Field Crew - 39 days at \$275 / day | <u>\$ 10,725.00</u> |
| Sub-Total | \$ 19,475.00 |

EQUIPMENT RENTAL

| | |
|--|--------------------|
| 4WD Truck - mileage - 3,863 km @ \$0.80 / km | \$ 3,090.40 |
| Hand-held Radios - 41 man-days at \$10 / day | \$ 410.00 |
| Lap top - 2 days at \$20 / day | \$ 40.00 |
| Mobile radios (Trucks) - 25 days at \$20 / day | \$ 500.00 |
| Quads - 16 man-days at \$150 / day | \$ 2,400.00 |
| Satellite Phone - 17 days at \$20 / day | <u>\$ 340.00</u> |
| Sub-Total | \$ 6,780.40 |

FIELD SUPPLIES (Flagging, KRAFT bags, etc.)

| | |
|--------------------------|------------------|
| 37 man-days @ \$20 / day | \$ 740.00 |
|--------------------------|------------------|

DISBURSEMENTS

| | |
|--|---------------------|
| Analyses - 638 soil samples at \$25 / sample | \$ 15,950.00 |
| Fuel | \$ 946.00 |
| Shipping | <u>\$ 500.00</u> |
| Sub-Total | \$ 17,396.00 |

REPORT/REPRODUCTION

| | |
|--|--------------------|
| R. T. Walker, P.Geo.: 2.0 days report writing at \$650/day | \$ 1,300.00 |
| 1.0 days analysis / drafting at \$350 / day | <u>\$ 350.00</u> |
| Sub-Total | \$ 1,650.00 |

| | |
|--------------|----------------------------|
| Total | <u>\$ 46,041.40</u> |
|--------------|----------------------------|

FAITH



SOILS
+ 2008
+ 2007
+ Previous

JASPER MINING CORPORATION



SAMPLE LOCATION MAP

| | | |
|---------------------|-------------------------|---|
| Scale: 1 : 5,000 | Date: February, 2009 | Mapsheet: N.T.S. 82F / 08 BCGS: 082F39 and 40 |
|---------------------|-------------------------|---|

FIGURE 5

DYNAMIC EXPLORATION LTD

FAITH



JASPER MINING CORPORATION

GOLD (PPB) RESULTS MAP

| | | |
|------------------|----------------------|--|
| Scale: 1 : 5,000 | Date: February, 2009 | Mapsheet: N.T.S. 82F / 08 BCGS, 082F039 and 40 |
|------------------|----------------------|--|

FIGURE 6

DYNAMIC EXPLORATION LTD