

**BC Geological Survey
Assessment Report
30821**

Assessment Report

for the

Perry Creek Property

Soil Sampling

Fort Steele Mining Division
B.C.G.S. 082 F060
Latitude 49° 32' 27", Longitude 116° 04' 25"

for

Jasper Mining Corporation
1020, 833 - 4th Avenue S.W.
Calgary, Alberta
T2P 3T5

Submitted by:

Richard T. Walker

of

Dynamic Exploration Ltd.
2601 - 42nd Avenue South
Cranbrook, B.C.
VIC 7H3

Submitted: May 18th, 2009

SUMMARY

The Perry Creek property is located in the Purcell Mountains along Perry Creek, west of Cranbrook, BC. The property comprises a total of 943.464 ha located immediately west of Perry Creek, a northeast flowing tributary of the St. Mary's River. Access to the property is readily available for 2WD vehicle to and throughout much of the property along existing, well maintained logging roads.

The stratigraphy underlying the property belongs to the Creston and Kitchener Formations, lying within one of a number of individual and distinct fault panels in the hangingwall of the regionally important Moyie fault. In addition, a number of felsic intrusions have been identified in the general area (i.e. the Kaikho and Angus Creek Stocks) as well as smaller felsite dykes on immediately adjacent ground. These intrusive bodies are most probably correlated to the Bayonne Magmatic Belt (Logan 2002) of Cretaceous age.

A total of 8 man-days were spent collecting a total of 193 soil samples from along 5 separate contour lines within the property. Samples were collected from a variably developed "B Horizon", with many of the samples taken from the top of road cut exposures. Sample depths ranged from 5 cm to 50 cm. Sample data and analytical results are included in Appendix B. Sample locations were recorded using hand-held GPS and are generally considered to be accurate to within 10 m.

All samples were submitted to Acme Analytical Laboratories Ltd for processing using the SS80 package and analysis using the Group 1DX (36 element ICP) package. Results returned from analysis of the samples were disappointingly low.

Future work is recommended, comprised of further soil sampling along lines oriented perpendicular to stratigraphic contacts and/or structure. In addition, prospecting and geological mapping is recommended to attempt to locate quartz veins similar to those described elsewhere in the Perry Creek and Moyie River drainages, associated with gold ± silver ± lead ± zinc. In addition, given the presence of mapped and/or reported granitic intrusives in these drainages (i.e. Kaikho and Angus Creek Stocks) as well as an association of felsite dykes and greenstone lenses, possible intrusion-related gold mineralization is suspected.

Table of Contents

Summary	i
Table of Contents	ii
List of Figures	iii
List of Appendices	iii
Introduction	1
Location and Access	6
Physiography and Climate	6
Claims	7
Regional Geology	7
Stratigraphy	7
Proterozoic	7
Aldridge Formation	7
Middle Aldridge	8
Laminated Siltstone Markers	8
Upper Aldridge	8
Creston Formation	9
Intrusives	9
Proterozoic	10
Moyie Sills	10
Mesozoic	10
Granitic Intrusions	10
Structure	11
Local Geology	12
Property Geology	13
2009 Program	14
Results	15
Exploration Model	15
Factors Contributing to Mineralization	16
Mineralization	16
Shear-Controlled Gold Deposits	17
Conclusions	18
Recommendations	19
References	20

List of Figures

	Page
Figure 1 - Regional Location Map	2
Figure 2 - Property Location Map	3
Figure 3 - Claim Map	4
Figure 4 - Geology Map	
Figure 5 - Sample Location Map	In Back Pocket
Figure 6 - Lead Results	In Back Pocket
Figure 7 - Zinc Results	In Back Pocket

List of Appendices

- Appendix A - Statement of Qualifications
- Appendix B - Soil Results
- Appendix C - Statement of Expenditures
- Appendix D - Program - Related Documents

INTRODUCTION


The Perry Creek property is located in the Purcell Mountains along Perry Creek, west of Cranbrook, BC (Fig. 1 and 2). The property comprises a total of 943.464 ha located immediately west of Perry Creek (Fig. 3), a northeast flowing tributary of the St. Mary's River. Access to the property is readily available for 2WD vehicle to and throughout much of the property along existing, well maintained logging roads.

The stratigraphy underlying the property belongs to the Creston and Kitchener Formations (Fig. 4), lying within one of a number of individual and distinct fault panels in the hangingwall of the regionally important Moyie fault. In addition, a number of felsic intrusions have been identified in the general area (i.e. the Kaikho and Angus Creek Stocks) as well as smaller felsite dykes on immediately adjacent ground. These intrusive bodies are most probably correlated to the Bayonne Magmatic Belt (Logan 2002) of Cretaceous age.

A total of 8 man-days were spent collecting a total of 193 soil samples from along 5 separate contour lines within the property. Samples were collected from a variably developed "B Horizon", with many of the samples taken from the top of road cut exposures. Sample depths ranged from 5 cm to 50 cm. Sample data and analytical results are included in Appendix B. Sample locations were recorded using hand-held GPS and are generally considered to be accurate to within 10 m.

All samples were submitted to Acme Analytical Laboratories Ltd for processing using the SS80 package and analysis using the Group 1DX (36 element ICP) package. Results returned from analysis of the samples were disappointingly low.

Future work is recommended, comprised of further soil sampling along lines oriented perpendicular to stratigraphic contacts and/or structure. In addition, prospecting and geological mapping is recommended to attempt to locate quartz veins similar to those described elsewhere in the Perry Creek and Moyie River drainages, associated with gold ± silver ± lead ± zinc. In addition, given the presence of mapped and/or reported granitic intrusives in these drainages (i.e. Kaikho and Angus Creek stocks) as well as an association of felsite dykes and greenstone lenses, possible intrusion-related gold mineralization is suspected.



DYNAMIC EXPLORATION LTD

REGIONAL LOCATION MAP

Scale:
Approx. 1 : 8, 000, 000

Date:
April, 2006

Mapsheet:
N.T.S. 82G / 09
BCGS: 082G 060

FIGURE 1

Drawn By: Rick Walker

Property
Location

DYNAMIC EXPLORATION LTD

PROPERTY LOCATION MAP


Scale:
Approx. 1 : 3, 000, 000

Date:
April, 2006

Mapsheet:
N.T.S. 82F / 09
BCGS: 082F060

FIGURE 2

Drawn By: Rick Walker





JASPER MINING CORPORATION

PERRY PROPERTY OVERVIEW MAP

Scale:
1:50,000


Projection: NAD 83 UTM Zone 11N
Mapsheet: 82F060

DYNAMIC EXPLORATION LTD



Legend

	Perry Claims		Lake
	Property Boundary		Wetlands
	Legacy Claims		Stream
	Road		100m contour
			20m contour





JASPER MINING CORPORATION

PERRY GEOLOGY OVERVIEW MAP


Scale:
1:50,000

Projection: NAD 83 UTM Zone 11N
Mapsheet: 82F060

DYNAMIC EXPLORATION LTD



Legend	
	Property Boundary
	Thrust Faults
	Other Faults
	Road
	Lake
	Wetlands
	Stream
	100m contour
	20m contour



LOCATION AND ACCESS

The Perry Creek property is located in the Purcell Mountains, approximately 24 kilometres west of Cranbrook, British Columbia (Fig. 1 and 2). The claims comprising the property (Fig. 3) are located in the Fort Steele Mining Division and extend north from Paris Creek to immediately south of Sawmill Creek on the west side of the Perry Creek drainage, centred at approximate UTM coordinates 567000 E, 5488000 N (Latitude 49°32'27", Longitude 116°04'25"). The nearest major centre is the city of Cranbrook, from which most field programs can be supplied. The applicable 1:20,000 TRIM (Terrain Resource and Inventory Management) map is 082F 060.

Vehicular access to the property is available from the main Perry Creek Forest Service Roads and along a relatively well developed system of tributary logging roads into the property. Helicopter support is also available from Cranbrook.

PHYSIOGRAPHY AND CLIMATE

The coniferous forest consists predominantly of pine, fir and larch which has been actively logged over the past 30 years. A number of clear-cuts are present throughout the property in various stages of regeneration.

Relief on the property is generally moderate at lower to middle elevation areas, with high relief areas at upper elevations. Elevation ranges from approximately 1250 m along Perry Creek to 2320 m at the northwest corner of the property. Due to the location of the property within the core of the Purcell Mountains east of Kootenay Lake, the area is generally subject to moderately heavy accumulations of snow during the winter months. As a result, the property is available for exploration from mid-May to late October. However, 4WD vehicle supported diamond drilling can take place later into the year despite snow due the relatively extensive and reasonably well maintained network of logging roads.

CLAIMS

The Perry Creek property consists of 3 mineral tenures (Fig. 3) acquired through Mineral Tenure Online (MTO). All claim information was verified using the BC Government's Mineral Title website and is current as of this writing.

The property encompasses a total area of approximately 943.464 ha (2331 acres). The three tenures are located immediately west of Perry Creek, a northeast flowing tributary of the St. Mary's River.

Significant claim data are summarized below:

<u>Tenure Number</u>	<u>Claim Name</u>	<u>Anniversary Date</u>	<u>Area (ha)</u>
505465	Perry East	Dec. 02, 2010	125.823
505461	Perry North	Dec. 02, 2010	398.279
505463	Perry South	Dec. 02, 2010	419.362
Total			943.464

* Subject to acceptance of the 2008 Assessment Report.

REGIONAL GEOLOGY

The publication by Höy (1993) represents a comprehensive review of the geology pertaining to the Fernie West-Half mapsheet. The following has been taken from Höy (1993):

Stratigraphy

Proterozoic

Aldridge Formation

“Within the Purcell Mountains, it has been subdivided into three main divisions: the lower Aldridge comprises rusty weathering siltstone, quartz wacke and argillite; the middle Aldridge, grey weathering quartz wacke and siltstone interbedded with silty argillite; and the upper Aldridge, rusty to dark weathering laminated argillite and silty argillite ...

Middle Aldridge

The middle Aldridge comprises more than 2000 metres of dominantly well-bedded, medium to locally coarse-grained quartz arenite, wacke and siltstone. ...

A continuous section ... is not exposed in the Purcell Mountains; the most complete section, between the Moyie and Cranbrook faults, is broken by a number of faults. In general, the basal part comprises interbedded quartz wacke and arenite with only minor sections of silty argillite. Exposures of the basal part are typically grey weathering; however, in recent man-made exposures ... these units are typically rusty weathering. Within the upper part of the middle Aldridge, quartz arenite and quartz wacke beds become thinner and less pure, and the proportion of bedded siltstone and argillite increases. The upper part of the middle Aldridge comprises a number of distinct cycles of massive, grey quartz arenite beds that grade upward into an interlayered sequence of quartz wacke, siltstone and argillite, and are capped by siltstone and argillite. The contact with the upper Aldridge is placed above the last bed of massive grey quartz arenite. ...

Laminated Siltstone markers

The marker units are sequences of laminated dark, and siltstone, up to several metres thick, in which each laminae can be matched in precise detail for distances up to several hundred kilometres. The pattern of each laminae is each sequence in unique and hence recognition of a specific sequence of laminae allows accurate positioning of isolated outcrops or drill intersections within the thick middle Aldridge succession. At least fourteen of these marker sequences are recognized. Locally, the markers are interrupted by turbidity deposits, or partly or totally removed due to erosion by turbidity currents. ...

Upper Aldridge

The upper Aldridge Formation comprises about 500 ... metres of dominantly medium to dark grey siltstone, argillaceous siltstone and argillite. It is generally rusty weathering, thin bedded and thinly laminated. Thin graded siltite-argillite couplets and lenticular bedding with tan siltstone lenses in argillite are common bed-forms; syneresis cracks are commonly observed near the top of the upper Aldridge. ...

The contact of the upper Aldridge with the Creston Formation is relatively abrupt, and is placed where green tinged siltite layers first appear. Elsewhere, a massive, thick-bedded siltstone or wacke marks the base of the Creston Formation....

Creston Formation

The following has been paraphrased from Höy (1993):

"The basal Creston Formation comprises several hundred metres of interlayered argillites, argillaceous siltstone and minor quartz wacke. It is generally grey to dark grey and rusty weathering near the base, but becomes green tinged upsection with increasing siltite component. Thinly laminated argillite or siltite, graded siltite-argillite couplets and lenticular-bedded siltstone are the most abundant bedforms; more massive medium-bedded quartz wacke is less common and brown-weathering silty dolomite layers are occasionally recognized. Syneresis cracks are common in the thin-bedded argillite and argillaceous siltite units.

The thick, middle part of the Creston Formation comprises mauve or green argillite and siltstone with variable amounts of more massive quartz wacke or arenite. Siltstone-argillite couplets, up to several centimetres thick, dominate the basal section of the middle Creston and differ from units in the basal section as they are commonly purple in colour, thicker bedded and contain abundant mud cracks. Lenses of massive to graded, green, purple, or white quartzite that may contain large tangential crossbeds or wavy, irregular laminations are inter-bedded with the purple siltstone. The quartzites commonly scour the underlying siltstone and may contain numerous rip-up clasts. Coarsening-upward cycles, with massive to laminated purple and green siltstone at the base and interlayered purple siltstone and white quartzite with crossbeds, rip-up clasts, scour-and-fill structures and graded beds at the top have been described at Premier Lake.

A prominent, thick, white orthoquartzite unit occurs near the middle of the middle Creston. It is medium to thick bedded and contains broad trough and tangential crossbeds and numerous rip-up clasts. The upper part of the quartzite unit comprises a number of coarsening-upward cycles, 3 to 10 metres thick, with purple and green siltstones at the base grading up through ripple cross-laminated siltstones and quartzites to massive thick-bedded quartzite at the top. Smaller fining-upward sequences are also common in the middle quartzite interval and overlying siltstone units.

Interbedded mauve siltstone and argillaceous siltstone, white quartz arenite and minor green siltstone overlie the white quartzite unit. Small fining-upward cycles are common, with massive to cross-bedded quartzites at the base and thin-bedded, mud-cracked and rippled argillite or siltstone at the top. Rip-up clasts, mud-chip breccias and some load casts occur throughout these units.

Higher in the succession, laminated green siltstone and graded siltstone-argillite couplets become prominent. Surfaces may be mud-cracked or rippled, but these structures are less prominent than in underlying units. Small fining-upward cycles are common, with thick-

bedded, white or green quartzite or more massive siltstone at the base grading up into thin-bedded siltite".

Intrusives

The following has been paraphrased from Höy (1993):

Proterozoic

Moyie Sills

The Moyie Sills (or Intrusives) comprise laterally extensive gabbro (to dioritic) sills which are restricted to the lower Aldridge and the lower part of the middle in the Purcell Mountains. The sills comprise up to 30 percent of the lower to middle Aldridge stratigraphic succession, having an aggregate thickness in excess of 2000 metres, with the abundance decreasing upwards relative to the abundance of thick-bedded A-E turbidites. In the Lamb Creek area west of Moyie Lake, (east of the Eddy property) an aggregate thickness of approximately 1300 metres of sills is interlayered with 2800 metres of lower and middle Aldridge sedimentary rock.

Moyie sills form an extensive suite of basaltic rocks that intruded lower and middle Aldridge turbidites and siltstones. ... Although it has been proposed that Moyie sills are coeval with deposition of upper Aldridge or Creston rocks, or perhaps with the Nicol Creek lavas, contact relationships between sills and Aldridge rocks indicate that some sills were extruded at very shallow depths in unconsolidated, water-saturated sediments. Others with fine-grained chilled margins have contact metamorphosed the country rocks. As these sills are interpreted to be part of a continuous magmatic event, they record an igneous/thermal event of regional extent during deposition of lower and middle Aldridge rocks. Hence, a Middle Proterozoic uranium-lead date of 1445 Ma from zircons in the Lumberton sill west of Cranbrook defines the minimum age of deposition of lower and basal middle Aldridge

...

Mesozoic

Granitic Intrusions

Cretaceous intrusives of broadly "granitic" composition are present in a belt extending from the westernmost Rocky Mountains to Kootenay Lake, northward to the Baldy Batholith. Intrusions range from small dykes and sills to larger intrusive complexes such as the Mt. Skelly Batholith and are collectively referred to as the Bayonne Magmatic Belt (or Suite).

"Intrusive rocks ... include a number of small post kinematic mesozonal quartz monzonite, monzonite and syenitic plutons, numerous small quartz monzonite to syenite dikes and sills probably related to these stocks, and late mafic dikes. The Kiakho and Reade Lake stocks,

two of the larger of the mesozonal plutons, cut across and apparently seal two prominent east-trending faults that transect the eastern flank of the Purcell anticlinorium, and hence place constraints on the timing of latest movement on these faults.

The Kiakho stock is exposed on the heavily wooded slopes of Kiakho Creek approximately 10 kilometres (west-southwest) ... of Cranbrook ... Exposures consist mainly of large, fresh angular boulders of boulder fields. Although contacts with country rock were not observed, regional mapping indicates that it intrudes clastic rocks of the Aldridge and Creston formations. The distribution of outcrops and a pronounced aeromagnetic anomaly indicate that it cuts the east-trending Cranbrook normal fault with no apparent offset. ...

The Kiakho stock is similar to the Reade Lake stock with the dominant phase being a light grey, medium-grained quartz monzonite. It is generally equigranular but grades into a hypidiomorphic granular porphyritic phase with prominent plagioclase and light grey to flesh-coloured potassic feldspar phenocrysts; both are up to several centimetres in diameter in a granular groundmass of white subhedral plagioclase, light grey potassic feldspar, quartz and black hornblende” (Höy 1993).

Structure

The following has been summarized from Höy (1993):

Rocks of the Purcell Supergroup have been affected by several separate phases of deformation, ranging from Middle Proterozoic through to Paleocene. The North American craton underwent two phases of extension, a compressional orogeny and subsequent continental rifting, followed by development of a miogeocline. Thrusting and folding associated with development of the Foreland Fold and Thrust belt took place from Cretaceous to Paleocene time and was followed by Eocene extension.

The earliest deformation was associated with extension in the Middle Proterozoic which resulted in block faulting along the margin of the Purcell Basin, coincident with deposition of the Fort Steele and Aldridge formations. Movement along growth faults is interpreted to have ceased by upper middle to upper Aldridge time. ...

A late Middle to early Upper Proterozoic (1300 to 1350 Ma) compressional event, the East Kootenay orogeny, has been interpreted based upon evidence for deformation and metamorphism prior to deposition of lower Paleozoic miogeoclinal strata. This event was associated with folding, development of a regional cleavage and granitic intrusions (i.e. 1305 ± 52 Ma Hellroaring Creek stock). Localized high grade metamorphic areas (i.e. Mathew Creek) are related to this tectonic event which is interpreted to have terminated Belt Purcell sedimentation.

The extensional Goat River orogeny occurred during deposition of the Windermere Supergroup (800 to 900 Ma) and is characterized by large-scale block faulting during and perhaps immediately prior

to deposition of strata. The Windermere Supergroup is comprised of a basal conglomerate (Toby Formation) overlain by immature clastic and carbonate sediments of the Horsethief Creek Group. The Toby Formation consists of "... predominantly conglomerates and breccias, interpreted to have been deposited in fan sequences adjacent to active fault scarps in large structural basins. Locally, up to 2000 metres of underlying Belt-Purcell rocks have been eroded from uplifted blocks, providing a sediment source ... in adjacent basins" (Höy 1993).

The earlier tectonic events may record incipient rifting, with development of block-faulted, intracratonic structural basins, whereas by early Paleozoic time continental separation had occurred as platformal and miogeoclinal sediments were deposited on a western continental margin. The Laramide orogeny (Late Jurassic to Paleocene) resulted in the horizontal, northeast directed compression of Proterozoic strata and the overlying Paleozoic miogeoclinal prism onto the North American craton. Easterly verging thrust faults and folds developed with normal faults and westerly verging back thrusts and normal faults, resulting in a complex structural pattern. Two major faults, St. Mary and Moyie faults, have had a significant role in the structural history and fabric of the region, controlling facies and thickness changes in Proterozoic and Paleozoic strata.

A final episode of north-trending, west-dipping normal faulting took place in the Late Tertiary. The Rocky Mountain Trench is the most prominent and is a listric normal fault having dip-slip separation of at least 5 to 10 kilometres. However, strike slip separation is interpreted to be minimal based on stratigraphic correlations across the trench.

LOCAL GEOLOGY

The structure of the area is dominated by the Purcell Anticlinorium, a broad anticlinal structure which exposes strata of the Purcell Supergroup. The western limb of the anticlinorium is host to several regionally significant faults, having considerable east side down, dip-slip displacement and resulting in duplication of the Purcell Supergroup strata. The property is influenced by the major northeast trending Moyie River Fault to the south.

The Moyie Fault, at Moyie Lake, juxtaposes the upper Kitchener Formation against the lower Aldridge Formation, representing in excess of 4.6 km of vertical displacement (Brown 1998). The Aldridge Formation in the hangingwall is comprised predominantly of the middle Aldridge Formation, with subordinate exposures of the lower Aldridge Formation immediately west of the Moyie Fault. The contact between the upper Aldridge Formation and the overlying Creston Formation is the locus of the Old Baldy Fault (or its interpreted en echelon equivalents). Vertical displacement is in excess of 250 metres where the fault juxtaposes lower Creston Formation against the upper middle Aldridge Formation. The Moyie River Fault follows the Moyie River valley and

has an unknown, west side down component of displacement. These represent the main northeast-trending faults.

There are a limited number of west to northwest trending faults such as the Cranbrook Fault, which “... is an east-trending normal fault that is younger than folding associated with initial reverse displacement on the Palmer Bar fault, but is later than normal movement. The Cranbrook fault juxtaposes Creston Formation in its hangingwall against middle Aldridge turbidites. It is cut by the Kiakho stock which has been dated by potassium-argon at 122 Ma. Due to possible excess argon in the hornblendes, this date is interpreted to be a maximum age of emplacement of the stock. ...” (Höy 1993).

PROPERTY GEOLOGY

The property is predominantly underlain by Creston Formation strata, with Kitchener Formation strata along the west-northwest boundary (Fig. 3). Regional mapping to the south (Brown 1998), documents a series of northeast trending, northwest dipping faults in the hangingwall of the Moyie fault. These faults duplicate the stratigraphy in the hangingwall, comprised of the Middle Aldridge through Kitchener Formation, in multiple thrust faults.

The property, as mapped, is bounded by two fault, one extending through the small tenure to the southeast and a second slightly north of the property. Therefore, the property lies in the hangingwall of the fault to the east and footwall of the fault to the west. The contact between the Creston and Kitchener Formation lies at the northwest corner of the property.

There are two MINFILE occurrences on adjacent ground to the east, as briefly summarized below:

Birdie L. (082FNE057)

“Irregular quartz veins occur in sheared and faulted argillaceous quartzites of the ... Creston Formation ... They are very well mineralized with galena, sphalerite and pyrite”

Anderson (082FNE056)

“Quartz veins occur argillaceous quartzites of the ... Creston Formation ... Mineralization includes hematite and pyrite with gold, silver and lead values.

A broad northerly trending fault-controlled complex of felsite dike(s) with associated lensy greenstone dikes is the major structural feature. Quartz veins and lenses occur within the felsite and in host rock stratigraphy. Quartz veins within the felsite are concentrated near hangingwall and footwall contacts but also occur within the central part of the dike complex.

Price's Pit (also known as the Anderson or Golden Egg) is one of three known lode gold prospects within Sawmill Creek, each of which has seen minor historic production. Gold occurs within quartz veins which typically also carry minor base metal and iron sulfides. The original discovery was made by trenching in the area of gold-bearing quartz boulders on surface. In 1938 the property holdings were known as the Anderson or Golden Egg group and consisted of the Golden Egg, Lucky Strike, Gold Brick, Twilight, Sunset, and Black Bear claims, all held J. J. Rollheiser, of Kimberley. In 1938, the group was under lease for five years (starting in 1938) to the Hall Brothers, of Marysville. In 1938, it was reported that the Anderson property had been under option to the Consolidated Mining and Smelting Company of Canada, Limited, for a short time. During that period, a 5 metre shaft was sunk at the face of a cut and three diamond-drill holes were put down. In three years from 1937 to 1940 (inclusive) records indicated that 381 tonnes of ore were mined from which 5194 grams of silver, 313 grams of gold and 200 kilograms of lead were recovered.

In 2003, seeking a bedrock source for the placer gold in Sawmill Creek and Perry Creek, Klondike Gold Corp. carried out a 273 metre, 5 hole drill program on the Prices Pit gold property. The 2003 program tested a 130 metre section of a north-trending structure with felsic and mafic dykes and irregular lenses of quartz that locally contain high grade gold. Anomalous gold was detected in thin quartz veinlets within and in the footwall margin of a felsite dyke; one intersection of quartz vein material assayed 16.53 grams per tonne gold over 0.49 metres (Assessment Report 27382). Further exploration in the area by Klondike Gold will focus on the iron-oxide gold-copper potential as related zones of iron oxide breccia that contain anomalous gold and copper values were encountered”.

2009 PROGRAM

A total of 8 man-days were spent collecting a total of 193 soil samples from along 5 separate contour lines within the property (Fig. 5).

Samples were collected from a variably developed “B Horizon”. Sample depths ranged from 5 cm to 50 cm. Sample data and analytical results are included in Appendix B. Sample locations were recorded using hand-held GPS and are generally considered to be accurate to within 10 m.

All samples were submitted to Acme Analytical Laboratories Ltd for processing using the SS80 package and analysis using the Group 1DX (36 element ICP) package. Sample locations are plotted on Figure 5, with analytical results included in Appendix B.

RESULTS

The results returned from the soil program were disappointingly low for base metals (Fig. 6 and 7), as well as potential “pathfinder” elements for possible intrusion-related gold. One possible factor for consideration with respect to the results is the fact that the soil lines were oriented sub-parallel to both the trend of the host strata as well as the controlling structures. Further soil sampling should be considered along lines oriented perpendicular to the host stratigraphy and the structure.

In particular, the limited data available from previous programs suggests there may be potential for quartz vein hosted gold, perhaps consistent with the intrusion-related gold model, as possibly evidenced by results reported for the Birdie L and Anderson (Price’s Pit) MINFILE occurrences on immediately adjacent ground to the east.

EXPLORATION MODEL

The following has been paraphrased from Walker (2002):

From a review of Höy (1993), it is interpreted that the St. Mary and Cranbrook faults were sealed by the emplacement of the Reade Lake and Kiakho intrusions, respectively, thus constraining the age of their latest movement. The emplacement of these intrusive bodies, as well as other Cretaceous age intrusive bodies of the Bayonne Magmatic Belt, is interpreted to have resulted in the infiltration of magmatic fluids into, and along, faults, including the Old Baldy Fault System, and utilized them as conduits for fluid movement.

Furthermore, the Cretaceous age monzonitic to syenitic intrusions of the Cretaceous Bayonne Magmatic Belt (including the Reade Lake, Kiakho and Mt. Skelly stocks), would also have provided local heat sources for formation (if any) and meteoric fluids within adjacent host rocks, which may have subsequently leached metals from host strata of the Purcell Supergroup. Finally, as these magmas crystallized, incompatible elements would have partitioned into the fluid (or vapour) phase and been liberated from the intrusions and incorporated into the adjacent convection cells.

The many faults mapped in the area are interpreted to have acted as fluid conduits, if present during intrusion, crystallization and subsequent cooling of the magma. As the Kiakho stock seals the Cranbrook fault and the Reade Lake stock similarly seals the St. Mary fault, they pre-date the intrusions. Furthermore, there is evidence for limited late stage movement on the St. Mary fault subsequent to intrusion in that deformation is evident in the Reade Lake stock along the projection of the St. Mary fault. Furthermore, the Moyie fault, like the St. Mary fault, has been interpreted to

have been periodically re-mobilized. Therefore, it is interpreted that if the major faults in the area are documented, or reasonably interpreted, to have been active in the Cretaceous, a logical interpretation is that associated splays and conjugate faults may also have been similarly active. Movement on these faults, even if simply dilational, are interpreted to have provided favourable conduits for fluid movement, both magmatic and meteoric, and subsequent precipitation of metals. Specifically, veins having "... a metal assemblage which variably combines gold with Bi, W, As, Mo, Te, and/or Sb, and typically has a low base metal concentration .." may represent a contribution from magmatic fluids analogous to intrusion-related gold systems (Lang et al. 2000).

Factors Contributing to Mineralization

In a simple convection model, the theory holds that fluids begin precipitating metals as they cool. However, other factors may provide barriers to fluid movement or otherwise initiate or enhance metal enrichment. Rising mineralized fluids, upon encountering these proposed barriers, are expected to have "pooled" along the stratigraphic and/or structural base of one or more of these proposed barriers and therefore to be prospective for potential mineralization.

Physical barriers are those which could be considered to impose impermeable limits to upward fluid movement such as gabbroic and/or dioritic sills. Possible examples include Moyie Sills in the upper Purcell Supergroup. Metal enrichments have been described associated with the Moyie Sills within the Aldridge Formation with the most significant being the mineralized David occurrence (MINFILE 082FSE108).

Other possible physical barriers which are possible within the Perry Creek property would be the more competent lithologies, such as quartz wackes and quartzitic units within the more recessive siltstones and sub-wackes which characterize the Aldridge Formation, as well as chemical barriers such as the contact between the siliciclastic dominant Creston Formation and the carbonate enriched Kitcher Formation.

MINERALIZATION

"Although many of the copper veins and some of the lead-zinc veins contain minor gold, a number of veins in the Perry Creek area contain gold as their primary commodity. They are gold-quartz veins controlled by northeast-trending faults that cut Creston Formation quartzite and siltstone. Shearing and fracturing are extensive, commonly occurring in a zone several hundred metres wide on either side of the faults. Many of the veins are also associated with mafic dikes. They vary in thickness from a few centimetres to greater than 10 metres. They comprise massive, white to occasionally pink quartz, minor calcite, disseminated pyrite, and occasionally trace chalcopyrite and galena. They are commonly severely fractured or sheared and locally cut and offset by crossfaults. Others cut the prominent schistosity, which suggested ... they formed during and immediately following deformation. ...

SHEAR-CONTROLLED GOLD DEPOSITS

Significant gold mineralization has been discovered recently in northeast-trending shears in the middle Aldridge Formation on tributaries of the Moyie River 30 kilometres southwest of Cranbrook. The prospect, referred to as the **David Property**, ... is underlain by northeast-trending, west-dipping middle Aldridge siltstones and quartz wackes that are intruded by a number of Moyie sills. These sills locally contain anomalous magnetite concentrations near the mineralized zones. North-northeast-trending shears and faults, including the Baldy Mountain fault which juxtaposes Creston Formation on the west against the Aldridge Formation are prominent in the area.

Gold mineralization, associated with galena and chalcopyrite, occurs in zones of intense silicification within a number of these shear zones. Small crosscutting quartz tension veins and stockwork breccia zones occur within the shears. Although pyritic, these generally have low gold values. Chlorite, pyrite and associated bleaching occur within and marginal to the shears.

One of the zones is 1 to 2 metres thick and has been traced on surface for 950 metres. Drill-hole intersections include 1.5 metres assaying 26.76 grams per tonne gold and 1.8 metres assaying 8.02 grams per tonne gold ..." (Höy 1993).

CONCLUSIONS

The 2009 program on the Perry Creek property consisted of recovering 193 “B Horizon” soil samples along 5 separate contour lines generally oriented northeast-southwest, sub-parallel to both the trend of the host stratigraphy and the controlling structures. Results returned from analysis of the samples were disappointingly low.

Future work is recommended, comprised of further soil sampling along lines oriented perpendicular to stratigraphic contacts and/or structure. In addition, prospecting and geological mapping is recommended to attempt to locate quartz veins similar to those described elsewhere in the Perry Creek and Moyie River drainages, associated with gold ± silver ± lead ± zinc. In addition, given the presence of mapped and/or reported granitic intrusives in these drainages (i.e. Kiakho and Angus Creek stocks) as well as an association of feldspar dykes and greenstone lenses, possible intrusion-related gold mineralization is suspected.

RECOMMENDATIONS

1. Collect additional soil samples along traverses at a high angle to both stratigraphy and controlling structure,
2. Undertake prospecting and geological mapping in an attempt to confirm the location of faults (and/or shears), veins and competent lithologies,
3. Collect silt samples along the creeks draining the property in an attempt to identify those having anomalous geochemistry.

REFERENCES

- Brown, D.A. 1998. Geological Compilation of Grassy Mountain (East Half) and Moyie Lake (West Half) Map Areas, Southeastern British Columbia, British Columbia Ministry of Energy and Mines Geoscience Map 1998-3, 1:50,000 scale map.
- Höy, T. 1993. Geology of the Purcell Supergroup in the Fernie West-Half Map Area, Southeastern British Columbia British Columbia Ministry of Energy, Mines and Petroleum Resources Bulletin 84, 157 p.
- Lang, J.R., Baker, T., Hart, C.J.R. and Mortenson, J.K. 2000. An Exploration Model for Intrusion-Related Gold Systems, Society of Economic Geologists Newsletter, Number 40, 1, pp.1 , 6-15
- Logan, J. 2002. Intrusion - Related Mineral Occurrences of the Cretaceous Bayonne Magmatic Belt, Southeast British Columbia, British Columbia Ministry of Energy and Mines Geoscience Map 2002-1, 1:500,000 scale.
- Walker, R.T. 2002. Prospectors Assistance Program Report for the Proximal Claims, submitted to the British Columbia Ministry of Energy Mines and Petroleum Resources Prospector's Assistance Program, dated January, 2002

APPENDIX A


CERTIFICATE OF AUTHOR

STATEMENT OF QUALIFICATIONS

I, Richard T. Walker, of 2601 - 42nd Avenue South, Cranbrook, BC, hereby certify that:

- 1) I am a graduate of the University of Calgary of Calgary, Alberta, having obtained a Bachelors of Science in 1986.
- 2) I obtained a Masters of Geology at the University of Calgary of Calgary, Alberta in 1989.
- 3) I am a member of good standing with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
- 4) I am the Vice President - Exploration for Jasper Mining Corporation, with an office at 2601 42nd Avenue, Crescent, Cranbrook, British Columbia.
- 5) I am the author of this report which is based on a field program completed under my supervision between July 25th and August 27th, 2008.
- 6) I was personally involved in the acquisition of the claims described herein.
- 7) I have a direct interest in Jasper Mining Corporation.

Dated at Cranbrook, British Columbia this 18th day of May, 2009.



Richard T. Walker, P.Geo

APPENDIX B

SOIL RESULTS



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Submitted By:

Gordon F. Dixon

Receiving Lab:

Canada-Vancouver

Received:

June 19, 2008

Report Date:

July 02, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08006651A.1

CLIENT JOB INFORMATION

Project: Perry Creek
Shipment ID: JSP-08-S-005
P.O. Number
Number of Samples: 3

SAMPLE DISPOSAL

RTRN-PLP Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	3	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	3	Dry at 60C		
1DX	3	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5
Canada

CC: Rick Walker
Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 02, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN08006651A.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
PE-4 00-50N	Soil	0.2	6.3	8.0	23	<0.1	7.9	4.8	333	0.73	<0.5	0.7	<0.5	1.6	4	<0.1	<0.1	0.2	6	0.06	0.034
PE-5 10-00N	Soil	0.3	3.0	4.6	35	<0.1	5.0	3.2	250	0.74	<0.5	0.2	<0.5	1.4	3	<0.1	<0.1	<0.1	9	0.03	0.039
PE-5 10-50N	Soil	0.4	6.5	6.6	30	<0.1	9.8	5.2	127	1.23	1.6	0.6	<0.5	3.4	4	<0.1	<0.1	0.1	16	0.04	0.050



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 02, 2008

Page: 2 of 2 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651A.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE-4 00-50N	Soil	15	4	0.28	72	0.011	<20	0.69	0.004	0.04	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5
PE-5 10-00N	Soil	5	3	0.10	62	0.028	<20	1.07	0.003	0.03	<0.1	0.02	0.6	<0.1	<0.05	4	<0.5
PE-5 10-50N	Soil	8	5	0.14	89	0.056	<20	2.57	0.010	0.03	0.1	0.04	1.4	<0.1	<0.05	6	<0.5

QUALITY CONTROL REPORT

VAN08006651A.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	20.1	108.9	65.2	378	0.8	56.8	9.7	601	2.31	48.9	4.1	72.5	3.3	61	6.7	5.3	4.0	89	0.91	0.077
STD DS7	Standard	22.8	114.5	64.7	411	0.8	56.9	9.7	661	2.42	49.6	4.5	72.6	3.8	66	6.3	5.1	3.7	95	0.93	0.075
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08006651A.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	11	182	0.98	402	0.115	32	0.98	0.096	0.51	3.5	0.19	2.6	4.4	0.26	5	3.7
STD DS7	Standard	12	198	1.04	410	0.123	35	1.02	0.095	0.47	3.6	0.20	2.8	4.4	0.17	5	4.0
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Submitted By:

Gordon F. Dixon

Receiving Lab:

Canada-Vancouver

Received:

June 19, 2008

Report Date:

July 07, 2008

Page:

1 of 7

CERTIFICATE OF ANALYSIS

VAN08006651.1

CLIENT JOB INFORMATION

Project: Perry Creek
Shipment ID: JSP-08-S-0057
P.O. Number
Number of Samples: 152

SAMPLE DISPOSAL

RTRN-PLP Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	152	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	152	Dry at 60C		
1DX	152	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5
Canada

CC: Rick Walker
Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 2 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE- 3 00+00 S	Soil			0.5	19.9	16.4	30	<0.1	12.9	8.8	421	1.43	3.8	1.8	4.9	3.7	17	0.2	0.2	0.3	14	0.34	0.032
PE- 3 00+50 S	Soil			0.3	11.3	13.1	65	0.1	9.9	6.6	235	1.58	2.6	0.5	1.7	3.2	7	0.1	0.1	0.3	16	0.07	0.192
PE- 3 01+00 S	Soil			0.3	20.2	10.5	29	<0.1	11.8	9.0	229	1.56	3.7	0.9	1.3	6.0	4	<0.1	0.2	0.2	16	0.06	0.024
PE- 3 01+50 S	Soil			0.3	6.2	10.1	70	<0.1	9.7	4.3	1880	0.98	2.1	0.4	<0.5	1.9	11	0.1	<0.1	0.2	14	0.12	0.242
PE- 3 02+00 S	Soil			0.2	6.6	8.9	18	<0.1	6.5	4.3	186	0.67	1.1	0.7	<0.5	4.6	4	<0.1	0.1	0.2	5	0.07	0.032
PE- 3 02+50 S	Soil			0.3	7.9	12.5	34	<0.1	9.3	5.3	325	1.41	2.6	0.4	0.7	3.0	4	<0.1	<0.1	0.2	18	0.03	0.182
PE- 3 03+00 S	Soil			0.3	8.4	9.0	26	<0.1	9.7	5.5	185	1.45	3.1	0.3	<0.5	3.3	3	<0.1	<0.1	0.2	16	0.03	0.029
PE- 3 03+50 S	Soil			0.2	8.4	7.6	22	<0.1	8.5	5.3	236	1.15	2.0	0.3	0.9	3.0	6	<0.1	<0.1	0.2	12	0.03	0.172
PE- 3 04+00 S	Soil			0.2	10.1	7.4	26	<0.1	12.2	6.4	197	1.18	1.8	0.3	0.9	3.2	10	<0.1	<0.1	0.2	12	0.08	0.015
PE- 3 04+50 S	Soil			0.3	7.8	8.2	34	<0.1	13.1	6.0	354	1.14	1.7	0.3	<0.5	2.4	5	<0.1	<0.1	0.2	15	0.05	0.083
PE- 3 05+00 S	Soil			0.4	16.1	10.8	28	<0.1	18.6	8.9	163	1.48	2.0	0.5	0.6	3.4	5	<0.1	<0.1	0.2	18	0.04	0.040
PE- 3 05+50 S	Soil			0.2	10.1	9.2	28	<0.1	19.2	8.7	592	0.94	1.9	0.2	<0.5	1.1	5	<0.1	<0.1	0.1	12	0.05	0.057
PE- 3 06+00 S	Soil			0.3	13.0	10.2	25	<0.1	14.6	7.1	156	1.22	1.9	0.4	<0.5	3.7	6	<0.1	<0.1	0.1	13	0.05	0.051
PE- 3 06+50 S	Soil			0.1	5.0	7.0	21	<0.1	6.4	3.5	159	0.72	0.7	0.3	1.3	2.1	6	<0.1	<0.1	0.2	8	0.05	0.019
PE- 3 07+00 S	Soil			0.2	6.5	8.0	30	<0.1	11.3	4.7	442	0.96	1.0	0.2	<0.5	2.0	8	<0.1	<0.1	0.1	11	0.07	0.025
PE- 3 07+50 S	Soil			0.2	8.6	7.3	40	<0.1	21.0	5.5	204	1.01	1.0	0.4	<0.5	2.4	8	<0.1	<0.1	0.1	9	0.07	0.038
PE- 3 08+00 S	Soil			0.1	6.5	6.6	27	<0.1	8.7	4.7	120	0.87	0.8	0.3	<0.5	3.8	4	<0.1	<0.1	0.1	8	0.03	0.028
PE- 3 08+50 S	Soil			0.1	4.4	5.2	22	<0.1	7.9	3.3	185	0.74	0.8	0.3	19.0	3.4	4	<0.1	<0.1	<0.1	6	0.04	0.026
PE- 3 09+00 S	Soil			0.2	12.5	12.3	40	<0.1	19.0	7.0	544	1.25	2.0	0.5	<0.5	2.4	10	<0.1	<0.1	0.2	12	0.07	0.099
PE- 3 10+00 S	Soil			0.3	8.9	8.4	27	<0.1	18.0	5.3	279	1.17	2.5	0.3	<0.5	2.0	11	<0.1	0.1	0.1	15	0.09	0.096
PE- 3 10+50 S	Soil			0.3	11.2	8.2	25	<0.1	13.7	5.6	131	1.24	2.2	0.7	0.7	3.1	8	<0.1	<0.1	0.2	15	0.07	0.093
PE- 3 11+00 S	Soil			0.3	22.5	10.1	21	<0.1	15.4	5.6	99	1.40	2.8	1.3	<0.5	4.6	9	0.1	0.1	0.2	17	0.09	0.122
PE- 3 11+50 S	Soil			0.3	12.6	8.4	31	<0.1	9.3	4.0	731	1.16	2.5	0.9	2.0	2.4	12	<0.1	<0.1	0.2	19	0.12	0.229
PE- 3 12+00 S	Soil			0.4	8.7	12.6	28	<0.1	8.0	5.3	352	1.08	1.9	0.7	2.0	1.6	6	<0.1	<0.1	0.2	13	0.03	0.109
PE- 3 12+50 S	Soil			0.2	5.3	6.9	20	<0.1	7.0	2.9	156	0.74	1.1	0.3	2.3	2.4	6	<0.1	<0.1	0.2	8	0.06	0.021
PE- 3 13+00 S	Soil			0.8	17.8	14.8	31	<0.1	24.7	9.2	202	2.21	5.7	1.0	2.8	5.8	14	<0.1	0.2	0.4	27	0.09	0.270
PE- 3 13+50 S	Soil			0.1	5.8	8.4	24	<0.1	7.9	2.7	135	0.73	1.0	0.4	11.2	2.4	5	<0.1	<0.1	0.2	9	0.04	0.018
PE- 3 14+00 S	Soil			0.3	7.2	8.2	28	<0.1	17.3	5.2	341	0.89	1.7	0.3	1.0	1.5	9	<0.1	<0.1	0.2	12	0.07	0.075
PE- 3 14+50 S	Soil			0.4	15.3	7.7	29	<0.1	23.6	5.1	203	0.87	1.3	0.6	1.3	2.8	9	<0.1	<0.1	0.1	12	0.07	0.061
PE- 3 15+00 S	Soil			0.3	8.3	6.8	43	<0.1	20.9	4.9	185	0.87	1.0	0.4	2.0	2.2	10	<0.1	<0.1	0.2	11	0.08	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 2 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
PE- 3 00+00 S	Soil	10	4	0.44	82	0.014	<20	0.73	0.009	0.04	<0.1	0.03	1.2	<0.1	0.06	2	0.6
PE- 3 00+50 S	Soil	14	9	0.37	108	0.031	<20	1.06	0.005	0.05	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5
PE- 3 01+00 S	Soil	17	11	0.45	24	0.028	<20	0.65	0.005	0.04	<0.1	<0.01	1.4	<0.1	<0.05	2	0.5
PE- 3 01+50 S	Soil	4	3	0.12	184	0.074	<20	1.91	0.017	0.06	<0.1	0.02	1.2	<0.1	<0.05	5	<0.5
PE- 3 02+00 S	Soil	12	4	0.29	75	0.007	<20	0.45	0.003	0.04	<0.1	0.01	0.5	<0.1	<0.05	1	<0.5
PE- 3 02+50 S	Soil	7	4	0.18	114	0.032	<20	1.91	0.011	0.03	0.2	0.02	1.0	<0.1	<0.05	5	0.5
PE- 3 03+00 S	Soil	11	7	0.28	70	0.020	<20	0.99	0.005	0.04	0.1	<0.01	1.0	<0.1	<0.05	3	<0.5
PE- 3 03+50 S	Soil	10	8	0.28	160	0.017	<20	0.95	0.007	0.04	0.1	<0.01	0.9	<0.1	<0.05	3	<0.5
PE- 3 04+00 S	Soil	11	9	0.35	97	0.020	<20	1.07	0.007	0.04	0.1	0.01	0.9	<0.1	<0.05	3	<0.5
PE- 3 04+50 S	Soil	9	5	0.23	144	0.034	<20	1.62	0.008	0.05	0.3	0.02	1.1	<0.1	<0.05	4	<0.5
PE- 3 05+00 S	Soil	14	7	0.30	170	0.045	<20	1.90	0.011	0.06	0.2	0.02	1.1	<0.1	<0.05	6	<0.5
PE- 3 05+50 S	Soil	8	5	0.18	117	0.040	<20	1.62	0.014	0.04	<0.1	0.02	0.8	<0.1	<0.05	4	<0.5
PE- 3 06+00 S	Soil	11	7	0.29	103	0.039	<20	1.44	0.009	0.05	0.2	<0.01	1.0	<0.1	<0.05	4	<0.5
PE- 3 06+50 S	Soil	10	4	0.24	57	0.016	<20	0.65	0.005	0.04	0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
PE- 3 07+00 S	Soil	9	5	0.27	126	0.027	<20	0.95	0.007	0.05	0.1	<0.01	0.7	<0.1	<0.05	3	<0.5
PE- 3 07+50 S	Soil	9	6	0.29	128	0.040	<20	1.23	0.010	0.06	0.2	<0.01	0.9	<0.1	<0.05	4	<0.5
PE- 3 08+00 S	Soil	17	6	0.28	71	0.013	<20	0.74	0.004	0.05	<0.1	<0.01	0.8	<0.1	<0.05	2	<0.5
PE- 3 08+50 S	Soil	17	5	0.17	65	0.011	<20	0.55	0.003	0.04	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
PE- 3 09+00 S	Soil	14	8	0.31	152	0.026	<20	1.57	0.007	0.07	0.1	0.01	1.2	<0.1	<0.05	4	0.5
PE- 3 10+00 S	Soil	4	3	0.13	92	0.085	<20	2.11	0.017	0.05	0.2	0.02	1.1	<0.1	<0.05	5	<0.5
PE- 3 10+50 S	Soil	9	6	0.24	91	0.065	<20	2.03	0.013	0.05	0.2	0.02	1.9	<0.1	<0.05	5	<0.5
PE- 3 11+00 S	Soil	10	5	0.22	131	0.123	<20	3.50	0.019	0.05	0.2	0.03	3.1	<0.1	<0.05	7	0.7
PE- 3 11+50 S	Soil	4	4	0.08	122	0.104	<20	3.29	0.018	0.03	0.2	0.04	1.8	<0.1	<0.05	7	<0.5
PE- 3 12+00 S	Soil	9	4	0.13	146	0.023	<20	1.57	0.006	0.03	0.1	0.04	1.0	<0.1	<0.05	5	<0.5
PE- 3 12+50 S	Soil	11	6	0.25	66	0.015	<20	0.69	0.004	0.03	0.2	<0.01	0.7	<0.1	<0.05	2	<0.5
PE- 3 13+00 S	Soil	6	8	0.18	246	0.078	<20	3.59	0.011	0.05	0.6	0.05	1.5	<0.1	<0.05	8	<0.5
PE- 3 13+50 S	Soil	9	5	0.19	88	0.022	<20	0.91	0.006	0.04	0.2	<0.01	0.6	<0.1	<0.05	3	<0.5
PE- 3 14+00 S	Soil	5	4	0.11	155	0.039	<20	1.37	0.011	0.04	0.2	0.02	0.9	<0.1	<0.05	4	<0.5
PE- 3 14+50 S	Soil	5	4	0.14	174	0.052	<20	1.59	0.014	0.05	0.1	0.02	1.0	<0.1	<0.05	5	<0.5
PE- 3 15+00 S	Soil	7	5	0.16	141	0.039	<20	1.21	0.008	0.06	0.1	<0.01	0.8	<0.1	<0.05	4	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE- 3 15+50 S	Soil	0.2	3.9	10.1	53	<0.1	16.9	3.8	955	0.77	1.8	0.2	<0.5	1.8	12	<0.1	<0.1	0.1	10	0.10	0.127		
PE- 3 16+00 S	Soil	0.3	4.5	7.6	38	<0.1	18.5	4.2	225	0.78	1.3	0.2	0.6	2.1	10	<0.1	<0.1	0.1	11	0.09	0.061		
PE- 3 16+50 S	Soil	0.3	4.7	8.3	54	<0.1	18.0	4.6	499	0.76	1.1	0.2	<0.5	1.7	11	<0.1	<0.1	0.1	11	0.08	0.053		
PE- 3 17+00 S	Soil	0.3	8.6	10.7	50	<0.1	17.1	4.3	784	0.85	1.7	0.6	<0.5	2.3	17	<0.1	<0.1	0.2	13	0.12	0.108		
PE-3 17+50 S	Soil	0.3	5.6	5.3	47	<0.1	16.7	4.1	271	0.75	1.1	0.2	0.7	1.9	7	<0.1	<0.1	<0.1	10	0.07	0.048		
PE- 3 18+00 S	Soil	0.2	5.0	5.6	47	<0.1	18.2	4.5	322	0.78	1.0	0.3	3.6	2.2	9	<0.1	<0.1	0.1	8	0.08	0.081		
PE- 3 18+50 S	Soil	0.3	8.7	5.7	41	<0.1	16.3	5.8	116	0.82	1.2	0.5	0.5	3.5	5	<0.1	<0.1	0.2	9	0.05	0.039		
PE- 3 19+00 S	Soil	0.2	8.1	9.2	52	<0.1	14.7	5.2	647	0.84	1.6	0.3	0.6	2.2	8	0.1	<0.1	0.2	10	0.08	0.129		
PE- 3 19+50 S	Soil	0.1	7.1	4.3	31	<0.1	9.6	3.5	104	0.75	0.8	0.4	0.8	3.7	3	<0.1	<0.1	0.1	6	0.05	0.015		
PE- 3 20+00 S	Soil	<0.1	5.4	6.4	34	<0.1	10.6	3.6	118	0.76	0.8	0.4	2.0	3.9	6	<0.1	<0.1	0.1	9	0.07	0.012		
PE- 3 20+50 S	Soil	0.1	5.5	8.8	37	<0.1	11.6	4.3	493	0.75	0.8	0.4	1.1	1.9	6	<0.1	<0.1	0.1	10	0.06	0.021		
PE- 3 21+00 S	Soil	0.2	6.6	10.4	49	<0.1	18.1	4.1	499	0.96	0.9	0.5	0.5	2.3	10	<0.1	<0.1	0.2	13	0.10	0.049		
PE- 3 21+50 S	Soil	0.2	8.2	10.7	38	<0.1	14.0	4.8	436	0.94	1.3	0.4	1.1	2.4	6	<0.1	<0.1	0.2	11	0.06	0.032		
PE- 3 22+00 S	Soil	0.2	6.6	10.0	46	<0.1	9.8	4.6	792	0.80	1.5	0.4	1.9	2.0	8	0.1	<0.1	0.1	9	0.14	0.074		
PE- 3 22+50 S	Soil	0.3	6.6	9.9	45	<0.1	14.2	5.2	450	0.98	1.4	0.3	<0.5	2.2	10	<0.1	<0.1	0.2	12	0.13	0.086		
PE- 3 23+00 S	Soil	0.2	9.6	6.4	34	<0.1	13.6	4.1	152	0.98	1.9	0.4	<0.5	2.8	7	<0.1	<0.1	0.1	11	0.07	0.059		
PE- 3 23+50 S	Soil	0.3	9.8	9.6	42	<0.1	11.8	4.5	247	1.06	1.5	0.5	3.9	3.3	7	<0.1	<0.1	0.2	12	0.07	0.042		
PE- 3 24+00 S	Soil	0.2	7.5	10.2	34	1.9	15.6	4.4	305	1.05	1.5	0.3	15510	2.0	7	<0.1	<0.1	0.2	12	0.07	0.059		
PE- 3 24+50 S	Soil	0.2	6.8	8.0	32	<0.1	16.7	5.0	399	1.03	1.6	0.5	5.5	2.3	11	0.1	<0.1	0.2	13	0.12	0.042		
PE- 3 25+00 S	Soil	0.2	5.5	8.1	30	<0.1	12.4	4.9	255	1.01	1.9	0.4	3.9	3.0	6	<0.1	<0.1	0.2	10	0.06	0.024		
PE- 3 25+50 S	Soil	0.3	5.0	8.0	17	<0.1	10.9	3.4	74	0.87	1.4	0.6	4.0	1.8	12	<0.1	<0.1	0.2	14	0.15	0.013		
PE- 3 26+00 S	Soil	0.4	20.9	16.5	25	<0.1	18.4	5.2	733	0.98	2.1	5.9	5.4	1.3	40	0.3	<0.1	0.3	8	0.52	0.050		
PE- 3 26+50 S	Soil	0.1	3.3	4.9	25	<0.1	6.0	3.1	147	0.75	1.2	0.3	7.6	2.3	3	<0.1	<0.1	0.1	5	0.04	0.083		
PE- 3 27+00 S	Soil	<0.1	3.8	4.7	20	<0.1	6.7	2.8	76	0.71	0.8	0.6	7.3	4.3	4	<0.1	<0.1	0.1	5	0.04	0.018		
PE- 3 27+50 S	Soil	<0.1	6.5	7.8	25	<0.1	9.6	4.9	218	0.77	0.9	0.5	3.3	3.5	5	<0.1	<0.1	0.2	6	0.06	0.023		
PE- 3 28+00 S	Soil	0.3	23.6	15.2	28	<0.1	23.7	6.9	373	1.18	2.2	0.5	2.9	2.1	9	<0.1	<0.1	0.2	16	0.06	0.084		
PE- 3 28+50 S	Soil	0.3	9.9	9.0	26	<0.1	13.4	4.7	215	1.04	1.8	0.5	3.0	2.5	8	<0.1	<0.1	0.1	13	0.06	0.076		
PE- 3 29+00 S	Soil	0.2	4.3	7.8	24	<0.1	9.6	3.7	291	0.87	1.9	0.3	5.9	2.4	6	<0.1	<0.1	0.2	10	0.07	0.057		
PE- 3 29+50 S	Soil	0.3	5.1	5.5	28	<0.1	14.8	4.3	343	0.89	1.6	0.2	<0.5	1.5	8	<0.1	<0.1	0.1	13	0.06	0.068		
PE- 3 30+00 S	Soil	0.3	9.9	6.8	25	<0.1	33.2	4.5	145	1.08	1.9	0.5	<0.5	2.1	9	<0.1	<0.1	0.2	14	0.08	0.094		



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 3 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method Analyte	Unit	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
MDL	MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
PE- 3 15+50 S	Soil	7	5	0.17	185	0.032	<20	1.09	0.008	0.07	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5
PE- 3 16+00 S	Soil	8	6	0.28	173	0.029	<20	1.24	0.007	0.07	0.1	0.01	1.0	<0.1	<0.05	4	<0.5
PE- 3 16+50 S	Soil	7	5	0.16	161	0.030	<20	1.07	0.010	0.06	0.1	0.01	0.9	<0.1	<0.05	4	<0.5
PE- 3 17+00 S	Soil	7	4	0.11	211	0.066	<20	1.68	0.015	0.07	0.1	0.02	2.1	<0.1	<0.05	5	<0.5
PE-3 17+50 S	Soil	8	5	0.23	122	0.027	<20	1.18	0.007	0.06	<0.1	0.01	0.9	<0.1	<0.05	4	<0.5
PE- 3 18+00 S	Soil	10	6	0.22	182	0.020	<20	1.14	0.009	0.07	0.1	<0.01	0.8	<0.1	<0.05	3	<0.5
PE- 3 18+50 S	Soil	10	6	0.20	121	0.021	<20	1.08	0.005	0.05	<0.1	0.02	1.2	<0.1	<0.05	3	<0.5
PE- 3 19+00 S	Soil	6	7	0.28	189	0.027	<20	1.16	0.008	0.09	<0.1	<0.01	1.1	<0.1	<0.05	4	<0.5
PE- 3 19+50 S	Soil	15	8	0.46	67	0.006	<20	0.63	0.004	0.04	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
PE- 3 20+00 S	Soil	14	7	0.26	114	0.021	<20	0.85	0.009	0.05	<0.1	<0.01	1.1	<0.1	<0.05	3	<0.5
PE- 3 20+50 S	Soil	10	7	0.25	137	0.019	<20	1.11	0.012	0.06	<0.1	0.01	1.0	<0.1	<0.05	3	<0.5
PE- 3 21+00 S	Soil	8	7	0.23	250	0.026	<20	1.52	0.012	0.07	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE- 3 21+50 S	Soil	10	7	0.25	163	0.026	<20	1.41	0.010	0.05	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5
PE- 3 22+00 S	Soil	10	4	0.25	162	0.022	<20	0.94	0.008	0.06	0.2	0.03	0.8	<0.1	<0.05	3	<0.5
PE- 3 22+50 S	Soil	7	5	0.21	168	0.038	<20	1.42	0.008	0.08	0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE- 3 23+00 S	Soil	11	6	0.27	119	0.042	<20	1.19	0.008	0.06	0.2	<0.01	1.0	<0.1	<0.05	3	<0.5
PE- 3 23+50 S	Soil	8	6	0.24	174	0.041	<20	1.44	0.008	0.05	0.2	0.01	1.1	<0.1	<0.05	4	<0.5
PE- 3 24+00 S	Soil	7	6	0.23	168	0.037	<20	1.44	0.009	0.06	0.1	0.02	1.2	<0.1	<0.05	4	<0.5
PE- 3 24+50 S	Soil	6	6	0.20	224	0.061	<20	1.44	0.012	0.07	0.2	<0.01	1.3	<0.1	<0.05	5	<0.5
PE- 3 25+00 S	Soil	15	7	0.31	255	0.012	<20	0.96	0.008	0.05	0.1	0.01	0.8	<0.1	<0.05	3	<0.5
PE- 3 25+50 S	Soil	7	5	0.17	289	0.038	<20	1.45	0.019	0.05	<0.1	0.01	1.4	<0.1	<0.05	5	<0.5
PE- 3 26+00 S	Soil	26	3	0.34	395	0.011	<20	1.51	0.008	0.07	<0.1	0.06	1.3	<0.1	<0.05	4	<0.5
PE- 3 26+50 S	Soil	15	4	0.23	77	0.010	<20	0.74	0.004	0.05	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
PE- 3 27+00 S	Soil	19	5	0.41	70	0.006	<20	0.65	0.004	0.05	<0.1	<0.01	0.7	<0.1	<0.05	2	<0.5
PE- 3 27+50 S	Soil	15	7	0.48	77	0.010	<20	0.87	0.003	0.04	<0.1	<0.01	0.9	<0.1	<0.05	2	<0.5
PE- 3 28+00 S	Soil	5	6	0.17	197	0.073	<20	2.41	0.013	0.06	0.2	0.01	1.4	<0.1	<0.05	7	<0.5
PE- 3 28+50 S	Soil	7	5	0.20	146	0.050	<20	1.86	0.009	0.04	0.2	0.01	1.3	<0.1	<0.05	5	<0.5
PE- 3 29+00 S	Soil	8	5	0.25	97	0.018	<20	0.96	0.005	0.05	0.1	0.01	0.9	<0.1	<0.05	3	<0.5
PE- 3 29+50 S	Soil	7	5	0.27	165	0.034	<20	1.36	0.009	0.04	0.1	0.02	0.6	<0.1	0.06	4	<0.5
PE- 3 30+00 S	Soil	5	5	0.18	186	0.050	<20	1.70	0.014	0.05	0.2	0.02	0.8	<0.1	0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE- 3 30+50 S	Soil	0.3	19.7	8.0	53	<0.1	30.1	6.3	410	1.27	1.9	0.7	<0.5	3.3	11	<0.1	<0.1	0.2	14	0.17	0.106		
PE- 3 31+00 S	Soil	0.2	5.3	5.4	28	<0.1	8.9	4.1	150	0.86	0.5	0.3	<0.5	2.9	5	<0.1	<0.1	0.2	11	0.06	0.039		
PE- 3 31+50 S	Soil	0.3	10.8	7.6	80	<0.1	19.7	5.4	2888	0.90	3.6	0.8	12.1	1.6	25	0.3	0.1	0.2	10	0.40	0.108		
PE- 3 32+00 S	Soil	0.3	8.2	8.3	35	<0.1	26.6	4.7	402	1.29	2.2	0.6	<0.5	2.3	17	0.1	<0.1	0.2	20	0.24	0.164		
PE- 3 32+50 S	Soil	0.2	4.6	6.3	39	<0.1	16.4	4.1	132	1.04	2.3	0.2	<0.5	1.8	8	<0.1	<0.1	0.1	13	0.08	0.120		
PE- 3 33+00 S	Soil	0.1	9.2	6.5	21	<0.1	10.5	4.1	259	0.87	1.7	0.7	0.9	2.7	8	<0.1	<0.1	0.1	9	0.12	0.042		
PE- 3 33+50 S	Soil	0.2	8.3	7.3	29	<0.1	25.9	5.2	178	1.22	1.9	0.6	0.7	3.0	8	<0.1	<0.1	0.2	16	0.07	0.205		
PE- 3 34+00 S	Soil	0.2	5.2	9.1	33	<0.1	15.8	4.2	233	1.14	2.4	0.3	<0.5	1.8	7	<0.1	<0.1	0.2	17	0.09	0.123		
PE- 3 34+50 S	Soil	0.3	9.0	8.8	37	<0.1	19.9	5.3	275	1.30	2.3	0.8	0.6	2.9	10	<0.1	<0.1	0.2	17	0.11	0.146		
PE- 3 35+00 S	Soil	0.2	39.1	17.8	23	<0.1	26.8	8.1	322	1.20	2.3	6.4	2.5	8.1	28	<0.1	<0.1	0.3	10	0.34	0.027		
PE- 3 35+50 S	Soil	0.2	10.9	8.7	24	<0.1	14.2	4.9	472	0.97	1.1	1.7	0.7	3.4	14	<0.1	<0.1	0.2	10	0.13	0.022		
PE- 3 36+00 S	Soil	0.4	10.5	10.6	29	<0.1	14.8	6.0	426	1.69	5.2	0.7	0.8	4.6	10	<0.1	0.1	0.2	19	0.11	0.135		
PE- 3 36+50 S	Soil	0.2	9.6	6.9	27	<0.1	12.0	4.6	274	1.06	2.1	0.4	1.5	1.8	11	<0.1	<0.1	0.1	15	0.12	0.114		
PE- 3 37+00 S	Soil	0.3	8.2	6.5	26	<0.1	15.5	4.6	133	1.35	1.5	0.5	1.8	2.4	10	<0.1	<0.1	0.1	20	0.12	0.137		
PE- 4 00+00 N	Soil	0.4	7.0	9.9	33	<0.1	8.4	4.2	68	1.45	2.1	1.2	0.9	5.7	3	<0.1	<0.1	0.2	18	0.03	0.175		
PE- 4 01+00 N	Soil	0.3	7.4	7.5	19	<0.1	5.9	3.2	51	0.82	1.2	0.6	0.5	3.1	6	<0.1	<0.1	0.2	9	0.07	0.054		
PE- 4 01+50 N	Soil	0.2	4.1	8.2	23	<0.1	6.5	3.2	188	0.96	1.4	0.4	<0.5	3.3	3	<0.1	<0.1	0.2	13	0.03	0.031		
PE- 4 02+00 N	Soil	0.4	7.9	9.3	38	<0.1	14.8	5.3	236	1.26	1.5	0.5	25.3	2.7	12	<0.1	<0.1	0.2	18	0.14	0.068		
PE- 4 02+50 N	Soil	0.1	7.3	5.9	25	<0.1	7.4	3.7	264	0.81	<0.5	0.5	<0.5	3.8	5	<0.1	<0.1	0.2	7	0.05	0.013		
PE- 4 03+00 N	Soil	0.3	16.9	11.8	52	0.2	17.0	4.9	519	1.00	1.2	0.5	<0.5	3.9	14	<0.1	<0.1	0.2	14	0.14	0.078		
PE- 4 03+50 N	Soil	0.2	5.7	10.1	56	<0.1	13.2	5.0	740	0.90	0.9	0.3	<0.5	1.9	7	<0.1	<0.1	0.2	13	0.06	0.045		
PE- 4 04+00 N	Soil	<0.1	3.7	5.0	19	<0.1	5.0	2.2	118	0.56	<0.5	0.7	<0.5	4.9	3	<0.1	<0.1	<0.1	5	0.03	0.023		
PE- 4 04+50 N	Soil	0.3	6.6	8.0	48	<0.1	21.1	5.1	605	1.08	1.5	0.4	0.6	1.9	17	<0.1	<0.1	0.1	15	0.20	0.128		
PE- 4 05+00 N	Soil	0.4	8.5	8.6	27	<0.1	19.8	5.0	143	1.25	1.5	0.5	0.8	2.7	7	<0.1	<0.1	0.2	16	0.08	0.133		
PE- 4 05+50 N	Soil	<0.1	5.7	4.3	19	<0.1	7.3	2.4	66	0.65	0.6	0.3	1.4	1.7	5	<0.1	<0.1	0.1	8	0.06	0.014		
PE- 4 06+00 N	Soil	0.4	7.3	8.5	37	<0.1	16.2	5.0	515	1.06	2.3	0.5	<0.5	2.1	9	<0.1	0.1	0.1	15	0.10	0.087		
PE- 4 06+50 N	Soil	0.5	14.1	7.8	30	<0.1	10.8	5.3	154	1.38	2.8	1.2	0.9	3.4	6	<0.1	<0.1	0.1	20	0.05	0.093		
PE- 4 07+00 N	Soil	0.1	11.1	8.6	34	<0.1	9.9	6.8	621	0.96	1.2	0.6	<0.5	4.9	5	<0.1	<0.1	0.2	7	0.10	0.034		
PE- 4 08+00 N	Soil	0.2	9.2	8.9	33	<0.1	18.6	6.0	477	1.21	0.6	1.0	<0.5	5.7	8	<0.1	<0.1	0.2	16	0.07	0.014		
PE- 4 08+50 N	Soil	<0.1	4.5	4.7	27	<0.1	9.2	3.4	86	0.82	<0.5	0.4	<0.5	2.1	3	<0.1	<0.1	0.2	10	0.03	0.013		



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 4 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE- 3 30+50 S	Soil	10	8	0.34	224	0.031	<20	1.99	0.007	0.08	0.1	0.02	1.1	<0.1	0.05	5	<0.5
PE- 3 31+00 S	Soil	12	6	0.26	97	0.016	<20	1.04	0.006	0.08	<0.1	<0.01	0.6	<0.1	0.06	3	<0.5
PE- 3 31+50 S	Soil	13	4	0.30	547	0.022	<20	1.20	0.009	0.09	<0.1	0.03	0.7	<0.1	0.06	4	<0.5
PE- 3 32+00 S	Soil	5	4	0.14	180	0.093	<20	2.54	0.019	0.06	0.1	0.02	1.4	<0.1	<0.05	7	<0.5
PE- 3 32+50 S	Soil	8	5	0.20	148	0.037	<20	1.42	0.007	0.05	0.3	0.01	0.7	<0.1	<0.05	4	<0.5
PE- 3 33+00 S	Soil	13	5	0.27	110	0.023	<20	1.01	0.008	0.10	<0.1	0.01	0.8	<0.1	<0.05	3	<0.5
PE- 3 33+50 S	Soil	7	5	0.18	184	0.072	<20	2.46	0.015	0.04	0.1	0.02	1.2	<0.1	<0.05	7	<0.5
PE- 3 34+00 S	Soil	7	4	0.14	154	0.055	<20	1.81	0.010	0.05	<0.1	0.02	0.8	<0.1	<0.05	5	<0.5
PE- 3 34+50 S	Soil	6	5	0.16	203	0.082	<20	2.96	0.013	0.05	0.2	0.03	1.4	<0.1	<0.05	6	<0.5
PE- 3 35+00 S	Soil	33	8	0.37	414	0.013	<20	2.04	0.008	0.10	<0.1	0.02	3.0	<0.1	<0.05	4	1.0
PE- 3 35+50 S	Soil	14	5	0.33	247	0.013	<20	1.31	0.006	0.06	<0.1	0.02	1.1	<0.1	<0.05	3	<0.5
PE- 3 36+00 S	Soil	7	7	0.22	205	0.063	<20	3.50	0.013	0.05	0.2	0.04	1.5	<0.1	<0.05	6	<0.5
PE- 3 36+50 S	Soil	5	4	0.14	156	0.065	<20	2.05	0.010	0.04	0.1	0.02	1.1	<0.1	<0.05	5	<0.5
PE- 3 37+00 S	Soil	4	6	0.14	111	0.096	<20	2.73	0.018	0.04	0.2	0.02	1.5	<0.1	<0.05	7	<0.5
PE- 4 00+00 N	Soil	8	6	0.18	93	0.038	<20	2.45	0.006	0.04	0.1	0.04	1.2	<0.1	<0.05	5	<0.5
PE- 4 01+00 N	Soil	9	4	0.19	183	0.017	<20	1.21	0.003	0.04	<0.1	0.04	0.8	<0.1	<0.05	4	<0.5
PE- 4 01+50 N	Soil	15	5	0.21	102	0.018	<20	1.05	0.003	0.05	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5
PE- 4 02+00 N	Soil	6	6	0.18	153	0.092	<20	2.30	0.013	0.06	0.2	0.04	1.0	<0.1	<0.05	7	<0.5
PE- 4 02+50 N	Soil	18	5	0.27	130	0.014	<20	0.70	0.002	0.04	<0.1	0.01	0.4	<0.1	<0.05	2	<0.5
PE- 4 03+00 N	Soil	12	5	0.19	253	0.067	<20	1.61	0.014	0.09	<0.1	0.02	1.0	<0.1	<0.05	5	<0.5
PE- 4 03+50 N	Soil	10	5	0.15	242	0.043	<20	1.41	0.008	0.06	<0.1	0.01	0.7	0.1	<0.05	5	<0.5
PE- 4 04+00 N	Soil	22	3	0.17	83	0.006	<20	0.42	<0.001	0.03	<0.1	0.01	0.2	<0.1	<0.05	1	<0.5
PE- 4 04+50 N	Soil	7	4	0.17	244	0.060	<20	1.71	0.010	0.06	0.1	0.02	0.9	<0.1	<0.05	5	<0.5
PE- 4 05+00 N	Soil	8	5	0.18	137	0.040	<20	1.93	0.006	0.06	0.1	0.03	0.9	<0.1	<0.05	5	<0.5
PE- 4 05+50 N	Soil	10	4	0.16	93	0.011	<20	0.66	0.005	0.04	<0.1	0.01	0.5	<0.1	<0.05	2	<0.5
PE- 4 06+00 N	Soil	7	3	0.13	150	0.080	<20	2.16	0.011	0.04	0.1	0.03	1.0	<0.1	<0.05	6	<0.5
PE- 4 06+50 N	Soil	7	4	0.16	121	0.105	<20	3.66	0.010	0.04	0.2	0.04	2.4	<0.1	<0.05	8	<0.5
PE- 4 07+00 N	Soil	18	5	0.37	81	0.012	<20	0.79	<0.001	0.07	<0.1	0.02	0.7	<0.1	<0.05	2	<0.5
PE- 4 08+00 N	Soil	17	10	0.37	226	0.019	<20	1.77	0.007	0.06	<0.1	0.01	1.4	0.1	<0.05	5	<0.5
PE- 4 08+50 N	Soil	14	6	0.31	96	0.011	<20	0.91	0.003	0.05	<0.1	<0.01	0.7	<0.1	<0.05	3	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE- 4 09+00 N	Soil	0.5	21.2	10.2	27	<0.1	22.2	7.4	145	1.62	3.1	1.3	1.8	6.0	7	<0.1	<0.1	0.2	22	0.05	0.130		
PE- 4 09+50 N	Soil	0.5	10.9	7.6	49	<0.1	15.8	5.8	548	1.28	1.6	0.7	2.9	2.6	7	<0.1	<0.1	0.1	19	0.07	0.077		
PE- 4 10+00 N	Soil	0.4	11.3	8.2	37	<0.1	15.5	6.2	129	1.34	1.5	0.8	<0.5	3.1	7	<0.1	<0.1	0.2	17	0.04	0.061		
PE- 4 10+50 N	Soil	0.3	15.5	11.1	38	<0.1	21.0	9.1	170	1.58	2.4	0.7	7.2	3.9	5	<0.1	<0.1	0.3	16	0.04	0.061		
PE- 4 11+00 N	Soil	0.3	11.5	11.6	45	<0.1	18.7	6.5	474	1.27	1.4	0.6	<0.5	2.4	10	<0.1	<0.1	0.2	16	0.08	0.046		
PE- 4 11+50 N	Soil	0.1	5.1	6.2	26	<0.1	7.4	4.1	125	0.90	0.6	0.5	1.6	2.5	4	<0.1	<0.1	0.1	11	0.02	0.014		
PE- 4 12+00 N	Soil	0.1	11.4	5.2	27	<0.1	11.9	3.6	89	0.85	0.7	0.5	<0.5	2.5	6	<0.1	<0.1	0.4	11	0.05	0.008		
PE- 4 12+50 N	Soil	0.5	7.8	9.9	40	<0.1	14.0	6.3	162	1.68	1.8	0.5	56.3	3.2	4	<0.1	<0.1	0.2	18	0.04	0.118		
PE- 4 13+50 N	Soil	0.1	4.2	4.0	23	<0.1	6.0	2.7	80	0.62	<0.5	0.4	<0.5	2.7	3	<0.1	<0.1	0.1	6	0.02	0.011		
PE- 4 14+00 N	Soil	0.1	6.6	6.0	29	<0.1	9.1	4.2	123	0.88	<0.5	0.4	0.7	2.9	3	<0.1	<0.1	0.2	9	0.02	0.015		
PE- 4 14+50 N	Soil	0.1	6.6	8.0	29	<0.1	10.5	5.2	133	0.91	0.6	0.6	1.2	2.9	4	<0.1	<0.1	0.2	10	0.03	0.013		
PE- 4 15+00 N	Soil	0.2	23.3	17.5	46	<0.1	17.8	7.6	884	1.16	2.1	1.9	0.9	1.5	30	0.2	0.1	0.2	12	0.39	0.058		
PE- 4 15+50 N	Soil	0.1	4.1	7.6	23	<0.1	6.9	3.6	236	0.72	0.5	0.4	0.9	3.0	3	<0.1	<0.1	0.2	6	0.03	0.018		
PE- 4 16+00 N	Soil	0.3	7.2	7.8	29	<0.1	10.5	4.7	137	1.21	1.2	0.5	0.7	3.1	5	<0.1	<0.1	0.2	14	0.05	0.093		
PE- 4 16+50 N	Soil	0.2	7.9	7.4	21	<0.1	10.8	3.8	119	1.32	1.6	0.5	<0.5	2.2	6	<0.1	<0.1	0.2	19	0.06	0.086		
PE- 4 17+00 N	Soil	0.3	8.0	7.3	41	<0.1	15.2	5.5	519	1.03	2.1	0.3	<0.5	1.4	5	<0.1	<0.1	0.1	14	0.04	0.096		
PE- 4 17+50 N	Soil	0.3	4.1	6.5	31	<0.1	9.8	4.5	326	0.91	1.5	0.3	1.6	1.9	4	<0.1	<0.1	0.1	13	0.05	0.034		
PE- 4 18+00 N	Soil	0.2	3.9	8.1	36	<0.1	6.9	5.6	717	0.99	1.2	0.3	<0.5	1.6	6	<0.1	<0.1	0.2	11	0.04	0.058		
PE- 4 18+50 N	Soil	0.3	4.6	5.4	31	<0.1	7.5	4.3	190	1.01	1.5	0.4	0.6	2.1	3	<0.1	<0.1	0.1	14	0.02	0.062		
PE- 4 19+00 N	Soil	0.2	3.5	5.7	31	<0.1	7.0	4.4	640	0.77	1.6	0.2	0.9	1.7	3	<0.1	<0.1	0.1	11	0.03	0.040		
PE- 4 19+50 N	Soil	0.3	5.1	8.3	42	<0.1	12.9	6.0	555	1.11	2.1	0.3	<0.5	2.2	6	0.1	0.1	0.2	17	0.07	0.081		
PE- 4 20+00 N	Soil	0.3	6.6	17.7	31	<0.1	9.4	5.3	177	1.04	1.3	0.4	<0.5	3.0	3	<0.1	<0.1	0.2	11	0.03	0.052		
PE- 4 20+50 N	Soil	0.3	7.8	15.3	32	<0.1	12.3	4.9	857	1.09	2.7	0.3	<0.5	1.9	10	<0.1	0.2	0.2	13	0.11	0.128		
PE- 4 21+00 N	Soil	<0.1	3.4	6.9	18	<0.1	5.4	2.2	81	0.60	0.9	0.2	0.5	1.4	3	<0.1	<0.1	0.2	9	0.03	0.019		
PE- 4 21+50 N	Soil	0.1	6.6	9.8	19	<0.1	6.0	5.3	400	0.62	1.0	0.7	<0.5	1.6	11	<0.1	<0.1	0.2	6	0.10	0.023		
PE- 4 22+00 N	Soil	<0.1	5.4	5.4	17	<0.1	7.1	3.5	329	0.61	0.5	0.6	<0.5	2.9	9	<0.1	<0.1	0.1	7	0.07	0.011		
PE- 4 22+50 N	Soil	0.1	3.4	5.6	15	<0.1	4.6	1.8	52	0.72	1.1	0.3	<0.5	2.1	3	<0.1	<0.1	0.2	10	0.03	0.025		
PE- 4 23+00 N	Soil	0.2	3.8	4.7	18	<0.1	5.7	2.2	41	0.81	1.1	0.5	<0.5	2.4	2	<0.1	<0.1	0.2	9	0.02	0.032		
PE- 4 23+50 N	Soil	0.1	6.5	9.3	19	<0.1	7.4	4.5	109	0.84	0.8	0.7	4.7	1.7	9	<0.1	<0.1	0.2	11	0.06	0.017		
PE- 4 24+00 N	Soil	0.2	2.4	4.9	13	<0.1	3.4	1.8	27	0.73	1.3	0.4	<0.5	2.7	4	<0.1	<0.1	0.1	8	0.03	0.021		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 5 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
PE- 4 09+00 N	Soil	7	6	0.20	161	0.097	<20	3.64	0.012	0.05	0.2	0.06	1.9	<0.1	<0.05	9	<0.5
PE- 4 09+50 N	Soil	6	5	0.14	108	0.094	<20	2.58	0.014	0.06	0.1	0.03	1.9	<0.1	<0.05	7	<0.5
PE- 4 10+00 N	Soil	9	7	0.19	158	0.059	<20	2.39	0.011	0.05	0.1	0.04	1.6	<0.1	<0.05	7	<0.5
PE- 4 10+50 N	Soil	11	8	0.35	203	0.033	<20	2.54	0.007	0.08	0.1	0.03	1.1	<0.1	<0.05	7	<0.5
PE- 4 11+00 N	Soil	11	7	0.28	210	0.028	<20	1.85	0.007	0.07	0.1	0.03	1.0	<0.1	<0.05	6	<0.5
PE- 4 11+50 N	Soil	15	7	0.24	98	0.017	<20	1.19	0.005	0.05	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5
PE- 4 12+00 N	Soil	15	6	0.22	148	0.021	<20	1.10	0.011	0.04	<0.1	<0.01	0.7	<0.1	<0.05	4	<0.5
PE- 4 12+50 N	Soil	10	7	0.22	103	0.041	<20	2.27	0.006	0.06	0.1	0.04	1.0	<0.1	<0.05	7	<0.5
PE- 4 13+50 N	Soil	17	5	0.25	87	0.009	<20	0.76	0.002	0.04	<0.1	<0.01	0.5	<0.1	<0.05	3	<0.5
PE- 4 14+00 N	Soil	16	7	0.38	98	0.012	<20	1.12	0.003	0.05	<0.1	0.01	0.7	<0.1	<0.05	3	<0.5
PE- 4 14+50 N	Soil	15	6	0.39	105	0.013	<20	1.23	0.002	0.05	<0.1	0.02	0.8	<0.1	<0.05	4	<0.5
PE- 4 15+00 N	Soil	21	3	0.28	310	0.020	<20	1.54	0.008	0.12	<0.1	0.08	1.2	<0.1	<0.05	5	<0.5
PE- 4 15+50 N	Soil	17	5	0.31	72	0.009	<20	0.75	0.002	0.05	<0.1	0.02	0.5	<0.1	<0.05	2	<0.5
PE- 4 16+00 N	Soil	13	8	0.26	98	0.031	<20	1.77	0.005	0.06	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5
PE- 4 16+50 N	Soil	8	6	0.16	101	0.041	<20	2.13	0.009	0.04	0.1	0.03	1.1	<0.1	<0.05	6	<0.5
PE- 4 17+00 N	Soil	10	5	0.16	111	0.046	<20	1.73	0.007	0.05	<0.1	0.03	0.8	<0.1	<0.05	5	<0.5
PE- 4 17+50 N	Soil	12	5	0.16	79	0.038	<20	1.17	0.005	0.05	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5
PE- 4 18+00 N	Soil	10	4	0.13	110	0.025	<20	1.40	0.007	0.05	<0.1	0.03	0.9	<0.1	<0.05	4	<0.5
PE- 4 18+50 N	Soil	13	5	0.15	88	0.033	<20	1.65	0.007	0.04	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5
PE- 4 19+00 N	Soil	11	3	0.14	81	0.024	<20	1.05	0.006	0.04	<0.1	0.02	0.5	<0.1	<0.05	3	<0.5
PE- 4 19+50 N	Soil	8	4	0.15	129	0.054	<20	2.10	0.011	0.04	0.1	0.02	0.8	<0.1	<0.05	5	0.5
PE- 4 20+00 N	Soil	13	5	0.21	109	0.025	<20	1.41	0.005	0.04	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5
PE- 4 20+50 N	Soil	6	3	0.21	179	0.027	<20	1.63	0.006	0.05	0.1	0.04	0.8	<0.1	<0.05	5	<0.5
PE- 4 21+00 N	Soil	10	3	0.17	66	0.019	<20	0.75	0.006	0.03	<0.1	0.01	0.4	<0.1	<0.05	3	<0.5
PE- 4 21+50 N	Soil	11	2	0.22	140	0.009	<20	0.75	0.005	0.04	<0.1	0.03	0.7	<0.1	<0.05	2	<0.5
PE- 4 22+00 N	Soil	18	4	0.24	160	0.008	<20	0.88	0.005	0.04	<0.1	<0.01	0.6	<0.1	<0.05	2	<0.5
PE- 4 22+50 N	Soil	14	3	0.13	77	0.016	<20	0.91	0.006	0.03	<0.1	0.01	0.5	<0.1	<0.05	4	<0.5
PE- 4 23+00 N	Soil	17	3	0.15	62	0.019	<20	0.82	0.004	0.03	<0.1	<0.01	0.4	<0.1	<0.05	3	<0.5
PE- 4 23+50 N	Soil	17	6	0.22	148	0.015	<20	1.07	0.008	0.06	<0.1	<0.01	0.9	<0.1	<0.05	4	<0.5
PE- 4 24+00 N	Soil	15	3	0.11	47	0.011	<20	0.75	0.003	0.03	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE- 4 24+50 N	Soil	0.4	6.1	6.9	17	<0.1	7.1	4.0	64	1.26	1.8	0.4	1.0	2.3	5	<0.1	<0.1	0.2	19	0.04	0.081		
PE- 4 25+00 N	Soil	0.2	4.6	7.2	17	<0.1	4.1	2.1	37	0.89	1.0	0.3	0.6	2.4	5	<0.1	<0.1	0.1	12	0.03	0.023		
PE- 4 25+50 N	Soil	0.3	7.0	11.6	22	<0.1	15.9	6.0	91	1.61	3.9	2.4	0.8	7.1	11	<0.1	<0.1	0.3	19	0.11	0.066		
PE- 4 26+00 N	Soil	0.1	2.0	5.9	14	<0.1	5.0	2.6	91	0.63	1.0	0.3	<0.5	2.2	5	<0.1	<0.1	<0.1	7	0.05	0.020		
PE- 4 26+50 N	Soil	0.3	4.3	6.7	29	<0.1	9.1	5.8	124	1.04	1.4	0.7	<0.5	2.9	5	<0.1	<0.1	0.1	12	0.04	0.061		
PE- 4 27+00 N	Soil	0.1	2.5	5.7	19	<0.1	5.0	3.0	47	0.98	1.3	0.5	0.7	3.5	2	<0.1	<0.1	0.1	9	0.02	0.089		
PE- 4 27+50 N	Soil	0.2	7.2	7.9	22	<0.1	5.6	4.1	93	1.10	2.3	0.4	0.5	2.8	4	<0.1	<0.1	0.3	10	0.05	0.074		
PE- 5 00+00 N	Soil	0.2	6.0	10.2	20	<0.1	10.2	3.5	94	0.83	1.3	4.2	0.6	2.8	14	<0.1	<0.1	0.2	8	0.14	0.038		
PE- 5 00+50 N	Soil	0.3	8.7	8.8	18	<0.1	15.3	5.3	63	1.63	2.5	0.6	1.2	2.3	12	<0.1	<0.1	0.2	20	0.11	0.157		
PE- 5 01+00 N	Soil	0.6	9.3	13.8	45	<0.1	13.8	6.4	1060	1.53	4.0	0.5	<0.5	3.7	6	0.1	0.2	0.3	22	0.06	0.110		
PE- 5 01+50 N	Soil	0.4	5.6	7.9	21	<0.1	11.6	4.3	324	1.10	1.3	0.4	<0.5	2.2	7	<0.1	0.1	0.2	18	0.06	0.113		
PE- 5 02+00 N	Soil	0.3	6.2	7.0	29	<0.1	11.9	5.1	204	1.01	0.8	0.4	<0.5	3.5	3	<0.1	<0.1	0.2	13	0.03	0.052		
PE- 5 02+50 N	Soil	0.5	8.9	12.2	28	<0.1	16.5	5.3	227	1.39	1.5	0.4	<0.5	2.7	5	<0.1	0.1	0.3	21	0.05	0.056		
PE- 5 03+00 N	Soil	0.7	12.8	11.3	25	<0.1	13.9	5.4	140	1.49	3.0	0.8	0.7	3.2	7	<0.1	0.1	0.2	22	0.06	0.154		
PE- 5 03+50 N	Soil	0.3	3.7	7.3	34	<0.1	7.4	3.9	859	0.76	1.1	0.3	<0.5	2.2	6	<0.1	<0.1	0.1	11	0.08	0.022		
PE- 5 04+00 N	Soil	0.6	8.4	11.1	72	<0.1	12.9	5.8	331	1.55	2.5	0.5	<0.5	2.3	6	0.2	0.2	0.2	25	0.08	0.075		
PE- 5 04+50 N	Soil	1.0	10.7	10.0	57	<0.1	13.3	5.8	511	1.58	3.0	0.7	<0.5	2.6	9	0.2	0.1	0.2	27	0.09	0.106		
PE- 5 05+00 N	Soil	0.6	12.5	9.8	64	<0.1	41.3	6.8	1077	1.44	1.7	0.5	0.5	2.2	6	<0.1	0.1	0.2	23	0.05	0.052		
PE- 5 05+50 N	Soil	0.5	5.1	9.1	72	<0.1	11.1	6.6	2123	1.23	1.3	0.3	<0.5	1.9	5	<0.1	0.1	0.2	21	0.06	0.060		
PE- 5 06+00 N	Soil	0.3	3.8	5.2	50	<0.1	11.0	4.0	224	0.92	0.9	0.4	<0.5	3.5	3	<0.1	<0.1	0.2	11	0.03	0.016		
PE- 5 06+50 N	Soil	0.1	2.1	4.9	16	<0.1	5.4	1.9	50	0.49	<0.5	0.5	<0.5	3.3	3	<0.1	<0.1	0.1	5	0.02	0.006		
PE- 5 07+00 N	Soil	0.2	3.1	6.9	24	<0.1	7.5	3.3	53	0.66	0.5	0.6	<0.5	2.3	4	<0.1	<0.1	0.1	12	0.04	0.009		
PE- 5 07+50 N	Soil	0.3	4.9	5.4	56	<0.1	10.3	5.9	678	0.84	1.0	0.4	1.2	2.1	3	<0.1	<0.1	0.1	12	0.03	0.030		
PE- 5 08+00 N	Soil	0.4	3.2	7.7	50	<0.1	11.1	5.0	223	1.01	0.9	0.2	1.6	1.5	7	<0.1	0.1	0.2	18	0.08	0.017		
PE- 5 08+50 N	Soil	0.5	3.7	9.7	44	<0.1	10.7	4.9	148	1.32	1.8	0.5	<0.5	3.8	4	<0.1	0.1	0.2	19	0.05	0.023		
PE- 5 09+00 N	Soil	0.4	4.3	6.7	27	<0.1	4.8	2.9	542	0.67	0.8	0.2	<0.5	1.2	4	<0.1	<0.1	<0.1	9	0.04	0.027		
PE- 5 09+50 N	Soil	0.7	6.3	8.4	48	<0.1	9.8	3.2	125	1.90	4.2	0.7	<0.5	3.8	4	<0.1	0.2	0.2	23	0.03	0.259		
PE- 5 11+00 N	Soil	0.6	7.8	10.6	25	<0.1	16.3	7.4	67	1.51	2.0	1.3	0.6	6.7	4	<0.1	0.1	0.2	25	0.03	0.028		
PE- 5 11+50 N	Soil	0.6	7.3	9.8	34	<0.1	12.3	7.2	154	1.57	1.6	0.5	<0.5	2.2	5	<0.1	0.1	0.2	28	0.03	0.041		
PE- 5 12+00 N	Soil	0.2	4.7	7.1	21	<0.1	8.0	3.4	131	0.77	<0.5	0.4	<0.5	2.5	4	<0.1	<0.1	0.1	10	0.04	0.006		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 6 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE- 4 24+50 N	Soil	6	3	0.11	86	0.045	<20	2.41	0.011	0.03	0.1	0.04	0.9	<0.1	<0.05	5	<0.5
PE- 4 25+00 N	Soil	9	4	0.09	89	0.009	<20	1.12	0.004	0.04	0.1	0.01	0.6	<0.1	<0.05	3	<0.5
PE- 4 25+50 N	Soil	11	7	0.21	207	0.046	<20	2.70	0.012	0.05	0.2	0.02	1.1	<0.1	<0.05	7	<0.5
PE- 4 26+00 N	Soil	9	3	0.15	101	0.008	<20	0.83	0.003	0.05	<0.1	0.02	0.5	<0.1	<0.05	2	<0.5
PE- 4 26+50 N	Soil	11	5	0.16	129	0.028	<20	1.76	0.005	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE- 4 27+00 N	Soil	15	5	0.22	76	0.017	<20	1.19	0.003	0.04	<0.1	0.01	0.7	<0.1	<0.05	3	<0.5
PE- 4 27+50 N	Soil	13	6	0.40	65	0.013	<20	1.08	0.004	0.03	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5
PE- 5 00+00 N	Soil	14	4	0.27	336	0.010	<20	1.31	0.007	0.05	<0.1	0.02	0.9	<0.1	<0.05	3	<0.5
PE- 5 00+50 N	Soil	9	4	0.16	336	0.044	<20	2.80	0.009	0.05	0.1	0.04	1.1	<0.1	<0.05	7	<0.5
PE- 5 01+00 N	Soil	6	5	0.13	188	0.086	<20	2.72	0.014	0.05	0.1	0.05	1.1	<0.1	<0.05	8	<0.5
PE- 5 01+50 N	Soil	5	4	0.11	150	0.062	<20	2.06	0.011	0.04	0.1	0.03	1.0	<0.1	<0.05	6	<0.5
PE- 5 02+00 N	Soil	12	6	0.26	197	0.020	<20	1.36	0.005	0.05	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE- 5 02+50 N	Soil	6	6	0.19	169	0.073	<20	2.25	0.010	0.05	0.1	0.03	1.4	<0.1	<0.05	7	<0.5
PE- 5 03+00 N	Soil	4	5	0.14	112	0.128	<20	3.81	0.013	0.04	0.3	0.05	2.0	<0.1	<0.05	9	<0.5
PE- 5 03+50 N	Soil	15	4	0.15	178	0.019	<20	0.93	0.004	0.05	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5
PE- 5 04+00 N	Soil	3	6	0.11	169	0.126	<20	3.28	0.015	0.05	0.2	0.04	1.2	<0.1	<0.05	9	<0.5
PE- 5 04+50 N	Soil	3	5	0.12	122	0.155	<20	4.28	0.017	0.03	0.2	0.03	1.4	<0.1	<0.05	11	<0.5
PE- 5 05+00 N	Soil	6	11	0.15	174	0.084	<20	2.38	0.010	0.04	<0.1	0.03	1.2	<0.1	<0.05	7	<0.5
PE- 5 05+50 N	Soil	7	5	0.10	133	0.054	<20	1.82	0.007	0.05	<0.1	0.05	1.1	0.1	<0.05	6	<0.5
PE- 5 06+00 N	Soil	16	6	0.17	118	0.012	<20	1.07	0.002	0.04	<0.1	0.01	0.6	<0.1	<0.05	3	<0.5
PE- 5 06+50 N	Soil	17	3	0.15	89	0.006	<20	0.50	0.002	0.03	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5
PE- 5 07+00 N	Soil	12	4	0.12	116	0.016	<20	0.80	0.012	0.03	<0.1	0.01	0.6	<0.1	<0.05	4	<0.5
PE- 5 07+50 N	Soil	9	5	0.12	103	0.041	<20	1.45	0.005	0.04	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5
PE- 5 08+00 N	Soil	7	4	0.09	103	0.043	<20	1.30	0.010	0.04	<0.1	0.02	0.6	<0.1	<0.05	6	<0.5
PE- 5 08+50 N	Soil	11	6	0.14	122	0.033	<20	1.52	0.008	0.05	<0.1	0.02	0.9	<0.1	<0.05	6	<0.5
PE- 5 09+00 N	Soil	3	2	0.06	56	0.041	<20	1.07	0.002	0.03	0.2	0.03	0.7	<0.1	<0.05	3	<0.5
PE- 5 09+50 N	Soil	9	7	0.21	68	0.075	<20	2.95	0.006	0.04	0.2	0.07	1.1	<0.1	<0.05	8	<0.5
PE- 5 11+00 N	Soil	6	5	0.08	88	0.067	<20	2.70	0.012	0.03	<0.1	0.03	1.6	<0.1	<0.05	7	<0.5
PE- 5 11+50 N	Soil	4	6	0.07	88	0.105	<20	3.08	0.017	0.06	0.1	0.03	1.4	<0.1	<0.05	9	<0.5
PE- 5 12+00 N	Soil	14	7	0.22	129	0.009	<20	0.97	0.004	0.05	<0.1	0.01	0.7	<0.1	<0.05	3	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 7 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
PE- 5 12+50 N	Soil	0.2	5.1	9.6	15	<0.1	6.5	2.4	76	0.62	0.6	0.3	<0.5	1.4	5	<0.1	<0.1	0.1	12	0.04	0.008
PE- 5 13+00 N	Soil	0.2	10.5	9.1	19	<0.1	10.3	3.3	70	0.91	0.6	0.5	<0.5	3.1	7	<0.1	<0.1	0.2	15	0.03	0.007



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 07, 2008

Page: 7 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08006651.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE- 5 12+50 N	Soil	11	4	0.14	102	0.022	<20	0.86	0.010	0.03	<0.1	<0.01	0.6	<0.1	<0.05	4	<0.5
PE- 5 13+00 N	Soil	10	7	0.24	136	0.040	<20	1.33	0.016	0.04	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5

QUALITY CONTROL REPORT

VAN08006651.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
PE- 3 02+50 S	Soil	0.3	7.9	12.5	34	<0.1	9.3	5.3	325	1.41	2.6	0.4	0.7	3.0	4	<0.1	<0.1	0.2	18	0.03	0.182
REP PE- 3 02+50 S	QC	0.3	7.5	12.3	33	<0.1	9.2	5.1	314	1.35	2.4	0.4	0.6	2.9	4	<0.1	<0.1	0.2	17	0.03	0.174
PE- 3 13+00 S	Soil	0.8	17.8	14.8	31	<0.1	24.7	9.2	202	2.21	5.7	1.0	2.8	5.8	14	<0.1	0.2	0.4	27	0.09	0.270
REP PE- 3 13+00 S	QC	0.7	16.3	14.7	30	<0.1	22.8	9.0	196	2.16	5.7	0.9	1.9	5.8	14	<0.1	0.2	0.4	26	0.09	0.269
PE- 4 10+50 N	Soil	0.3	15.5	11.1	38	<0.1	21.0	9.1	170	1.58	2.4	0.7	7.2	3.9	5	<0.1	<0.1	0.3	16	0.04	0.061
REP PE- 4 10+50 N	QC	0.3	16.3	11.0	40	<0.1	20.7	9.4	177	1.74	2.4	0.7	0.5	3.9	5	<0.1	<0.1	0.3	17	0.04	0.062
PE- 4 24+00 N	Soil	0.2	2.4	4.9	13	<0.1	3.4	1.8	27	0.73	1.3	0.4	<0.5	2.7	4	<0.1	<0.1	0.1	8	0.03	0.021
REP PE- 4 24+00 N	QC	0.2	2.6	4.7	13	<0.1	3.8	1.9	29	0.74	1.2	0.4	<0.5	2.8	4	<0.1	<0.1	0.1	8	0.03	0.022
PE- 5 08+00 N	Soil	0.4	3.2	7.7	50	<0.1	11.1	5.0	223	1.01	0.9	0.2	1.6	1.5	7	<0.1	0.1	0.2	18	0.08	0.017
REP PE- 5 08+00 N	QC	0.4	3.2	7.8	50	<0.1	10.9	4.7	218	0.96	1.0	0.2	<0.5	1.5	7	<0.1	<0.1	0.2	18	0.08	0.019
Reference Materials																					
STD DS7	Standard	19.1	105.1	68.9	384	0.9	54.6	8.8	614	2.19	51.0	4.6	80.7	3.8	65	5.6	5.1	4.1	83	0.88	0.074
STD DS7	Standard	18.7	113.2	69.4	395	1.1	56.1	9.9	627	2.28	46.6	4.6	59.8	3.8	64	5.8	5.2	4.2	82	0.87	0.078
STD DS7	Standard	20.1	108.9	65.2	378	0.8	56.8	9.7	601	2.31	48.9	4.1	72.5	3.3	61	6.7	5.3	4.0	89	0.91	0.077
STD DS7	Standard	22.8	114.5	64.7	411	0.8	56.9	9.7	661	2.42	49.6	4.5	72.6	3.8	66	6.3	5.1	3.7	95	0.93	0.075
STD DS7	Standard	21.8	115.2	67.2	412	0.8	54.6	9.4	590	2.24	47.8	4.8	74.5	3.7	67	6.2	5.5	4.4	86	0.87	0.077
STD DS7	Standard	20.5	119.8	72.2	447	0.9	56.0	10.4	641	2.41	53.3	4.8	54.6	3.9	70	6.0	5.9	4.7	86	0.91	0.081
STD DS7	Standard	20.1	93.0	54.3	376	0.8	54.5	9.3	573	2.17	52.0	3.9	67.2	3.3	62	5.8	5.0	3.7	82	0.86	0.083
STD DS7	Standard	20.9	98.7	56.3	400	0.8	55.4	9.2	591	2.32	55.8	4.5	54.9	3.6	69	6.3	5.1	4.0	87	0.94	0.085
STD DS7	Standard	20.2	98.7	56.3	397	0.8	54.7	10.4	625	2.32	54.4	4.1	61.0	3.5	64	6.1	4.7	4.0	86	0.87	0.082
STD DS7	Standard	20.6	104.6	54.7	405	0.8	56.1	11.0	663	2.44	57.3	4.6	52.3	3.5	65	6.0	4.9	3.9	86	0.93	0.086
STD DS7	Standard	20.9	107.1	69.7	415	0.9	55.6	9.6	654	2.44	59.2	4.9	94.3	4.2	72	7.0	5.4	4.7	79	0.95	0.092
STD DS7	Standard	21.6	109.8	66.9	420	1.0	60.6	10.3	697	2.57	55.6	4.8	88.4	4.0	77	7.2	5.9	4.5	88	1.04	0.099
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08006651.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
PE- 3 02+50 S	Soil	7	4	0.18	114	0.032	<20	1.91	0.011	0.03	0.2	0.02	1.0	<0.1	<0.05	5	0.5
REP PE- 3 02+50 S	QC	7	5	0.17	109	0.033	<20	1.83	0.009	0.03	0.1	0.02	1.1	<0.1	<0.05	5	<0.5
PE- 3 13+00 S	Soil	6	8	0.18	246	0.078	<20	3.59	0.011	0.05	0.6	0.05	1.5	<0.1	<0.05	8	<0.5
REP PE- 3 13+00 S	QC	5	8	0.18	240	0.076	<20	3.66	0.010	0.05	0.6	0.05	1.4	<0.1	<0.05	8	<0.5
PE- 4 10+50 N	Soil	11	8	0.35	203	0.033	<20	2.54	0.007	0.08	0.1	0.03	1.1	<0.1	<0.05	7	<0.5
REP PE- 4 10+50 N	QC	11	9	0.35	208	0.033	<20	2.56	0.009	0.08	<0.1	0.04	1.2	<0.1	<0.05	8	<0.5
PE- 4 24+00 N	Soil	15	3	0.11	47	0.011	<20	0.75	0.003	0.03	<0.1	<0.01	0.4	<0.1	<0.05	2	<0.5
REP PE- 4 24+00 N	QC	15	3	0.12	47	0.011	<20	0.78	0.004	0.03	<0.1	0.01	0.4	<0.1	<0.05	2	<0.5
PE- 5 08+00 N	Soil	7	4	0.09	103	0.043	<20	1.30	0.010	0.04	<0.1	0.02	0.6	<0.1	<0.05	6	<0.5
REP PE- 5 08+00 N	QC	7	3	0.09	102	0.044	<20	1.34	0.011	0.05	<0.1	0.02	0.6	<0.1	<0.05	5	<0.5
Reference Materials																	
STD DS7	Standard	11	171	1.03	355	0.115	40	0.96	0.089	0.39	3.6	0.21	2.4	4.0	0.21	5	4.0
STD DS7	Standard	11	180	1.03	371	0.114	37	0.91	0.087	0.39	3.4	0.18	2.5	4.1	0.20	4	4.2
STD DS7	Standard	11	182	0.98	402	0.115	32	0.98	0.096	0.51	3.5	0.19	2.6	4.4	0.26	5	3.7
STD DS7	Standard	12	198	1.04	410	0.123	35	1.02	0.095	0.47	3.6	0.20	2.8	4.4	0.17	5	4.0
STD DS7	Standard	10	181	1.02	378	0.109	45	0.96	0.089	0.45	3.5	0.21	2.7	4.1	0.20	4	3.4
STD DS7	Standard	11	190	1.07	392	0.113	44	1.00	0.092	0.48	3.4	0.21	2.8	4.3	0.22	4	3.5
STD DS7	Standard	11	182	0.95	398	0.102	27	0.87	0.079	0.42	3.5	0.20	2.2	4.0	0.22	5	3.3
STD DS7	Standard	12	186	1.03	445	0.108	36	0.94	0.084	0.45	3.6	0.19	2.4	4.3	0.24	5	4.1
STD DS7	Standard	11	192	1.03	430	0.111	42	0.95	0.085	0.49	3.5	0.20	2.2	4.4	0.23	5	3.8
STD DS7	Standard	12	199	1.05	442	0.117	36	1.03	0.090	0.46	3.5	0.19	2.4	4.2	0.23	5	4.0
STD DS7	Standard	12	189	1.10	396	0.114	48	1.09	0.100	0.48	3.5	0.20	2.5	4.3	0.22	5	4.0
STD DS7	Standard	13	197	1.17	428	0.121	45	1.07	0.101	0.57	4.0	0.19	2.6	4.1	0.23	6	4.3
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

QUALITY CONTROL REPORT

VAN08006651.1

		1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01	1DX P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08006651.1

		1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Sc ppm 0.1	1DX Tl ppm 0.1	1DX S % 0.05	1DX Ga ppm 1	1DX Se ppm 0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: July 09, 2008
 Report Date: August 01, 2008
 Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN08007144.1

CLIENT JOB INFORMATION

Project: Perry Creek
 Shipment ID: JSP-08-S-008
 P.O. Number
 Number of Samples: 131

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	99	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	99	Dry at 60C		
1DX	99	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-5 65+00N	Soil			0.6	7.9	8.8	28	<0.1	7.9	4.3	97	1.46	1.9	0.4	<0.5	2.3	5	<0.1	<0.1	0.2	25	0.04	0.059
PE-5 64+50N	Soil			0.6	12.2	11.6	31	<0.1	14.1	8.1	112	1.81	3.5	1.4	2.7	4.5	7	<0.1	0.1	0.3	29	0.05	0.072
PE-5 64+00N	Soil			0.3	6.7	7.7	30	<0.1	8.6	4.2	123	1.07	1.8	0.4	<0.5	2.4	8	<0.1	0.1	0.2	20	0.06	0.028
PE-5 63+50N	Soil			0.6	10.0	11.7	54	<0.1	12.0	6.3	105	1.88	3.0	0.4	2.8	3.4	5	<0.1	<0.1	0.3	29	0.06	0.027
PE-5 63+00N	Soil			0.4	11.1	9.2	34	<0.1	22.4	8.4	80	1.51	2.8	0.5	<0.5	3.1	7	<0.1	<0.1	0.2	25	0.07	0.017
PE-5 62+50N	Soil			0.5	7.0	10.9	33	<0.1	18.7	8.0	78	1.73	2.3	0.5	<0.5	3.7	7	<0.1	<0.1	0.2	25	0.05	0.052
PE-5 62+00N	Soil			0.3	5.0	7.2	39	<0.1	13.4	3.7	118	0.94	1.7	0.3	<0.5	2.4	10	0.1	<0.1	0.2	14	0.09	0.055
PE-5 61+50N	Soil			0.6	10.7	10.9	35	<0.1	12.2	7.7	121	1.71	3.2	0.6	4.9	3.5	5	<0.1	0.1	0.3	28	0.05	0.076
PE-5 61+00N	Soil			0.4	6.7	10.4	55	<0.1	10.7	6.0	312	1.43	2.5	0.3	<0.5	3.1	8	<0.1	<0.1	0.3	24	0.07	0.041
PE-5 60+50N	Soil			0.4	11.0	12.5	31	<0.1	18.4	6.4	125	1.64	2.3	1.0	<0.5	3.9	9	<0.1	<0.1	0.4	27	0.08	0.051
PE-5 60+00N	Soil			0.4	4.0	11.4	53	<0.1	9.4	5.1	284	1.42	3.0	0.3	<0.5	1.3	7	<0.1	<0.1	0.3	26	0.05	0.172
PE-5 59+50N	Soil			0.4	11.5	10.2	38	<0.1	15.7	8.9	147	1.53	2.6	0.5	7.5	3.0	10	<0.1	<0.1	0.2	28	0.09	0.033
PE-5 59+00N	Soil			0.5	27.8	10.3	31	<0.1	12.4	7.2	114	1.83	4.5	0.7	<0.5	3.8	4	<0.1	0.2	0.3	31	0.07	0.019
PE-5 58+50N	Soil			0.2	4.2	8.5	25	<0.1	8.7	3.4	150	0.82	1.3	0.3	<0.5	3.2	5	<0.1	<0.1	0.2	14	0.06	0.025
PE-5 58+00N	Soil			0.7	12.8	11.5	63	<0.1	24.9	10.2	276	1.95	3.4	0.4	1.1	3.0	7	<0.1	0.1	0.3	32	0.08	0.063
PE-5 57+50N	Soil			0.4	19.3	10.0	29	<0.1	16.2	8.5	138	1.46	2.9	0.5	16.3	3.5	8	<0.1	<0.1	0.2	23	0.07	0.043
PE-5 57+00N	Soil			0.5	12.9	9.9	34	<0.1	17.3	7.4	135	1.47	2.8	0.5	<0.5	3.4	5	<0.1	<0.1	0.2	21	0.05	0.058
PE-5 56+50N	Soil			0.6	13.2	13.2	40	<0.1	17.3	8.4	250	1.78	3.6	0.4	<0.5	3.3	5	<0.1	0.2	0.3	32	0.06	0.043
PE-5 56+00N	Soil			0.3	7.0	10.9	59	<0.1	19.5	8.2	483	1.39	1.9	0.3	<0.5	2.6	8	<0.1	<0.1	0.2	24	0.09	0.053
PE-5 55+50N	Soil			0.5	14.9	13.8	53	<0.1	22.1	9.2	450	1.71	3.5	0.4	<0.5	3.0	6	<0.1	0.1	0.3	32	0.07	0.073
PE-5 55+00N	Soil			0.6	14.7	14.0	70	<0.1	18.3	9.2	1246	2.10	3.8	0.8	<0.5	5.2	7	<0.1	0.1	0.3	35	0.07	0.071
PE-5 54+50N	Soil			0.1	9.6	9.3	21	<0.1	15.7	4.7	214	1.16	1.9	2.7	<0.5	2.7	18	<0.1	<0.1	0.3	15	0.17	0.066
PE-5 54+00N	Soil			0.4	18.3	10.4	37	<0.1	20.0	7.9	195	1.65	3.9	0.6	<0.5	3.4	7	<0.1	0.1	0.2	27	0.06	0.072
PE-5 53+50N	Soil			0.4	8.7	10.1	44	<0.1	13.8	6.8	370	1.52	2.1	0.4	<0.5	3.0	6	<0.1	<0.1	0.2	25	0.07	0.072
PE-5 53+00N	Soil			0.5	16.7	12.0	32	<0.1	16.8	8.6	119	1.79	3.6	0.5	<0.5	3.2	7	<0.1	0.1	0.2	30	0.07	0.049
PE-5 52+50N	Soil			0.3	11.6	8.6	37	<0.1	13.9	7.3	188	1.40	2.9	0.5	<0.5	3.7	3	<0.1	0.1	0.2	18	0.04	0.041
PE-5 52+00N	Soil			0.1	2.2	9.0	30	<0.1	8.4	3.9	700	0.82	1.1	0.2	<0.5	4.1	4	<0.1	<0.1	0.2	9	0.05	0.025
PE-5 51+50N	Soil			0.3	5.1	10.6	44	<0.1	13.8	6.6	478	1.12	2.5	0.3	<0.5	2.9	7	<0.1	<0.1	0.2	17	0.08	0.035
PE-5 51+00N	Soil			0.2	5.1	9.8	34	<0.1	13.4	5.0	1085	0.88	1.6	0.2	1.5	1.1	10	<0.1	<0.1	0.2	18	0.10	0.048
PE-5 50+50N	Soil			0.5	5.4	8.9	36	<0.1	23.7	5.2	316	1.15	1.6	0.3	1.8	1.7	10	<0.1	<0.1	0.2	21	0.09	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 01, 2008

Page: 2 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
PE-5 65+00N	Soil	6	5	0.12	81	0.067	<20	2.40	0.010	0.03	<0.1	0.03	1.2	<0.1	<0.05	7	<0.5
PE-5 64+50N	Soil	6	7	0.13	80	0.128	<20	4.11	0.020	0.03	0.2	0.04	2.3	<0.1	<0.05	9	<0.5
PE-5 64+00N	Soil	10	3	0.11	67	0.072	<20	1.79	0.013	0.04	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5
PE-5 63+50N	Soil	12	11	0.25	72	0.058	<20	1.94	0.010	0.05	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5
PE-5 63+00N	Soil	8	8	0.19	107	0.058	<20	2.59	0.014	0.04	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5
PE-5 62+50N	Soil	4	7	0.11	70	0.111	<20	3.85	0.019	0.03	0.1	0.03	1.4	<0.1	<0.05	8	<0.5
PE-5 62+00N	Soil	13	4	0.26	88	0.030	<20	1.04	0.006	0.05	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5
PE-5 61+50N	Soil	7	9	0.20	76	0.075	<20	2.71	0.010	0.05	0.1	0.02	1.5	<0.1	<0.05	7	<0.5
PE-5 61+00N	Soil	12	8	0.22	107	0.046	<20	1.62	0.008	0.05	<0.1	0.01	1.1	<0.1	<0.05	5	<0.5
PE-5 60+50N	Soil	7	7	0.17	129	0.075	<20	2.50	0.015	0.04	<0.1	0.02	1.5	<0.1	<0.05	8	<0.5
PE-5 60+00N	Soil	8	5	0.13	117	0.079	<20	1.78	0.014	0.05	0.1	0.02	0.9	<0.1	<0.05	7	<0.5
PE-5 59+50N	Soil	10	9	0.23	115	0.064	<20	1.62	0.013	0.06	<0.1	0.02	1.4	<0.1	<0.05	6	<0.5
PE-5 59+00N	Soil	16	11	0.38	62	0.047	<20	0.99	0.005	0.04	<0.1	<0.01	1.5	<0.1	<0.05	3	<0.5
PE-5 58+50N	Soil	13	5	0.20	65	0.024	<20	0.84	0.005	0.05	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5
PE-5 58+00N	Soil	7	9	0.23	115	0.084	<20	2.68	0.011	0.05	<0.1	0.03	1.5	<0.1	<0.05	7	<0.5
PE-5 57+50N	Soil	10	9	0.27	105	0.051	<20	1.58	0.009	0.04	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5
PE-5 57+00N	Soil	10	9	0.26	100	0.051	<20	1.82	0.008	0.04	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
PE-5 56+50N	Soil	9	9	0.26	99	0.050	<20	1.54	0.007	0.05	<0.1	0.01	1.3	<0.1	<0.05	5	<0.5
PE-5 56+00N	Soil	9	8	0.22	174	0.066	<20	1.73	0.009	0.05	<0.1	0.02	1.3	<0.1	<0.05	6	<0.5
PE-5 55+50N	Soil	6	8	0.19	114	0.082	<20	2.16	0.014	0.05	0.1	0.03	1.4	<0.1	<0.05	6	<0.5
PE-5 55+00N	Soil	11	12	0.31	136	0.087	<20	2.43	0.010	0.07	<0.1	0.04	1.8	0.1	<0.05	7	<0.5
PE-5 54+50N	Soil	11	8	0.26	198	0.037	<20	1.30	0.013	0.05	<0.1	0.02	1.6	<0.1	<0.05	4	<0.5
PE-5 54+00N	Soil	6	7	0.21	120	0.108	<20	2.73	0.016	0.04	0.1	0.03	1.6	<0.1	<0.05	7	0.5
PE-5 53+50N	Soil	11	8	0.27	103	0.049	<20	1.59	0.007	0.05	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5
PE-5 53+00N	Soil	7	8	0.23	94	0.076	<20	2.14	0.013	0.05	<0.1	0.03	1.6	<0.1	<0.05	6	<0.5
PE-5 52+50N	Soil	13	10	0.35	74	0.030	<20	1.28	0.005	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE-5 52+00N	Soil	22	5	0.20	114	0.013	<20	0.94	0.004	0.08	<0.1	0.01	0.8	<0.1	<0.05	3	<0.5
PE-5 51+50N	Soil	11	6	0.24	108	0.039	<20	1.00	0.007	0.07	<0.1	0.01	0.8	<0.1	<0.05	4	<0.5
PE-5 51+00N	Soil	4	3	0.09	148	0.068	<20	1.30	0.011	0.07	0.1	0.01	0.9	<0.1	0.21	5	<0.5
PE-5 50+50N	Soil	5	4	0.12	162	0.079	<20	1.92	0.010	0.07	0.1	0.02	1.0	<0.1	0.17	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-5 50+00N	Soil			0.3	5.5	8.2	50	<0.1	17.1	4.9	394	1.01	1.6	0.4	0.8	2.2	14	<0.1	<0.1	0.2	18	0.14	0.060
PE-5 49+50N	Soil			0.2	4.1	9.2	35	<0.1	8.3	4.0	711	0.82	1.6	0.3	1.0	2.4	7	0.1	<0.1	0.2	12	0.08	0.027
PE-5 49+00N	Soil			0.4	5.3	7.7	41	<0.1	16.6	5.3	402	1.00	1.6	0.3	1.0	2.0	9	<0.1	<0.1	0.2	17	0.06	0.059
PE-5 48+50N	Soil			0.2	3.8	5.5	22	<0.1	7.2	3.3	319	0.83	1.1	0.3	1.3	3.0	2	<0.1	<0.1	0.2	11	0.03	0.027
PE-5 48+00N	Soil			0.2	3.4	6.6	21	<0.1	8.8	4.3	173	0.99	1.3	0.2	0.9	2.2	4	<0.1	<0.1	0.2	15	0.05	0.124
PE-5 47+50N	Soil			0.1	4.7	5.7	23	<0.1	9.1	3.9	103	0.92	1.3	0.3	0.9	3.6	4	<0.1	<0.1	0.1	10	0.06	0.039
PE-5 47+00N	Soil			0.1	3.5	6.3	25	<0.1	6.8	3.6	440	0.91	0.9	0.2	0.5	2.3	3	<0.1	<0.1	0.2	12	0.04	0.079
PE-5 46+50N	Soil			0.1	2.6	8.7	27	<0.1	5.6	3.9	246	0.80	0.7	0.4	0.6	2.7	5	<0.1	<0.1	0.2	10	0.04	0.036
PE-5 46+00N	Soil			0.3	5.0	8.9	30	<0.1	7.0	4.6	1370	0.94	1.5	0.5	1.2	1.0	7	<0.1	<0.1	0.2	12	0.08	0.093
PE-5 45+50N	Soil			0.3	4.2	7.7	15	<0.1	5.7	2.2	45	0.78	1.6	1.5	0.7	0.8	13	0.1	<0.1	0.3	11	0.12	0.032
PE-5 45+00N	Soil			0.2	4.8	7.9	28	<0.1	7.2	4.0	63	1.35	2.0	0.4	1.1	4.5	3	<0.1	<0.1	0.2	14	0.03	0.096
PE-5 44+50N	Soil			0.2	2.0	5.0	14	<0.1	3.5	1.7	42	0.91	1.0	0.3	3.5	3.0	2	<0.1	<0.1	0.2	12	0.02	0.038
PE-5 44+00N	Soil			0.1	2.3	6.3	18	<0.1	6.1	3.8	238	0.64	<0.5	0.4	3.3	2.6	7	<0.1	<0.1	0.2	9	0.07	0.009
PE-5 43+50N	Soil			0.2	2.0	6.4	12	<0.1	5.2	2.4	35	1.09	1.1	0.3	1.3	2.5	3	<0.1	<0.1	0.2	16	0.03	0.021
PE-5 43+00N	Soil			<0.1	2.5	3.8	20	<0.1	6.2	2.9	56	0.67	<0.5	0.3	<0.5	3.7	3	<0.1	<0.1	0.1	9	0.02	0.007
PE-5 42+50N	Soil			0.1	2.8	6.3	19	<0.1	5.0	2.8	108	0.82	1.1	0.4	1.3	2.5	4	<0.1	<0.1	0.2	13	0.04	0.062
PE-5 42+00N	Soil			0.3	3.8	7.5	22	<0.1	5.4	4.1	136	1.20	1.5	0.4	1.1	3.9	3	<0.1	<0.1	0.2	18	0.03	0.055
PE-5 41+50N	Soil			0.2	3.2	7.1	26	<0.1	7.3	3.3	80	0.99	1.3	0.4	0.9	2.0	5	<0.1	<0.1	0.2	12	0.05	0.056
PE-5 41+00N	Soil			<0.1	1.8	5.2	13	<0.1	2.6	1.3	83	0.52	<0.5	0.3	0.9	1.2	5	<0.1	<0.1	0.1	9	0.05	0.011
PE-5 40+50N	Soil			0.3	4.0	10.7	35	<0.1	6.1	2.5	128	1.31	2.0	0.4	1.4	2.2	4	<0.1	0.1	0.3	21	0.04	0.090
PE-5 40+00N	Soil			0.2	4.4	9.1	25	<0.1	8.9	4.2	77	1.09	1.6	0.5	0.9	4.5	2	<0.1	<0.1	0.3	12	0.02	0.048
PE-5 39+50N	Soil			0.3	6.0	7.0	30	<0.1	8.1	3.7	111	0.89	1.5	0.7	1.1	3.3	3	<0.1	<0.1	0.2	13	0.02	0.047
PE-5 39+00N	Soil			0.5	12.9	8.9	34	<0.1	8.4	4.7	452	1.08	1.7	0.8	1.6	2.7	5	<0.1	<0.1	0.2	17	0.04	0.098
PE-5 38+50N	Soil			0.1	1.6	4.7	19	<0.1	5.0	2.2	86	0.60	<0.5	0.3	2.2	3.4	2	<0.1	<0.1	0.1	6	0.01	0.014
PE-5 38+00N	Soil			<0.1	5.8	4.1	19	<0.1	7.0	2.7	73	0.74	<0.5	0.6	1.3	4.8	1	<0.1	<0.1	0.1	6	0.01	0.009
PE-5 37+50N	Soil			0.2	3.4	6.9	39	<0.1	5.8	3.1	351	0.73	0.8	0.3	<0.5	2.0	4	<0.1	<0.1	0.1	12	0.04	0.042
PE-5 37+00N	Soil			0.3	4.3	14.2	47	<0.1	7.7	4.3	660	0.89	<0.5	0.2	<0.5	1.6	5	<0.1	<0.1	0.2	16	0.06	0.063
PE-5 36+50N	Soil			0.4	5.9	9.3	56	<0.1	11.4	3.8	1042	1.11	1.4	0.3	1.3	1.8	5	0.2	<0.1	0.2	18	0.04	0.070
PE-5 36+00N	Soil			0.3	5.8	8.7	42	<0.1	17.8	6.1	338	1.00	1.1	0.4	2.4	1.6	7	<0.1	<0.1	0.2	15	0.06	0.024
PE-5 35+50N	Soil			0.3	5.2	9.7	62	<0.1	23.7	5.7	964	0.96	1.7	0.4	0.9	2.7	3	<0.1	<0.1	0.2	12	0.04	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5		
PE-5 50+00N	Soil			6	4	0.19	230	0.072	<20	2.00	0.011	0.09	0.1	0.02	1.1	<0.1	0.18	7	0.5
PE-5 49+50N	Soil			12	5	0.23	157	0.016	<20	0.92	0.002	0.05	<0.1	<0.01	0.6	<0.1	0.16	3	<0.5
PE-5 49+00N	Soil			4	3	0.11	150	0.083	<20	1.85	0.014	0.05	<0.1	0.02	1.0	<0.1	0.13	6	<0.5
PE-5 48+50N	Soil			16	5	0.25	93	0.013	<20	0.92	0.003	0.04	<0.1	<0.01	0.7	<0.1	0.15	3	<0.5
PE-5 48+00N	Soil			8	4	0.12	89	0.036	<20	1.46	0.006	0.05	<0.1	0.02	1.1	<0.1	0.14	5	<0.5
PE-5 47+50N	Soil			17	5	0.28	103	0.016	<20	1.05	0.003	0.04	<0.1	<0.01	0.7	<0.1	0.12	3	<0.5
PE-5 47+00N	Soil			14	5	0.22	131	0.020	<20	1.11	0.004	0.05	<0.1	0.02	0.9	<0.1	0.14	4	<0.5
PE-5 46+50N	Soil			13	3	0.20	167	0.015	<20	0.80	0.003	0.04	0.1	0.01	0.7	<0.1	0.12	3	<0.5
PE-5 46+00N	Soil			12	3	0.20	263	0.024	<20	1.05	0.004	0.04	0.1	0.02	0.5	<0.1	0.12	4	<0.5
PE-5 45+50N	Soil			10	<1	0.18	107	0.016	<20	0.70	0.005	0.03	0.1	0.02	0.5	<0.1	0.13	4	<0.5
PE-5 45+00N	Soil			10	4	0.21	83	0.014	<20	1.60	0.003	0.03	0.1	0.03	0.9	<0.1	0.08	4	<0.5
PE-5 44+50N	Soil			12	4	0.15	28	0.010	<20	0.85	0.003	0.03	<0.1	0.01	0.7	<0.1	0.06	3	<0.5
PE-5 44+00N	Soil			15	4	0.27	139	0.010	<20	0.83	0.006	0.03	<0.1	<0.01	0.7	<0.1	0.08	3	<0.5
PE-5 43+50N	Soil			11	3	0.15	73	0.020	<20	1.24	0.004	0.03	0.1	0.02	0.8	<0.1	<0.05	5	0.5
PE-5 43+00N	Soil			19	5	0.24	73	0.008	<20	0.64	0.002	0.02	<0.1	<0.01	0.6	<0.1	0.06	2	<0.5
PE-5 42+50N	Soil			10	3	0.14	90	0.015	<20	1.01	0.004	0.03	0.1	0.01	0.7	<0.1	0.08	4	<0.5
PE-5 42+00N	Soil			11	5	0.16	65	0.023	<20	1.25	0.003	0.03	<0.1	0.01	1.0	<0.1	0.06	5	0.6
PE-5 41+50N	Soil			9	4	0.18	69	0.013	<20	1.08	0.004	0.03	<0.1	0.01	0.6	<0.1	<0.05	3	<0.5
PE-5 41+00N	Soil			9	2	0.08	75	0.009	<20	0.57	0.003	0.03	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
PE-5 40+50N	Soil			7	2	0.11	66	0.038	<20	1.60	0.005	0.03	0.1	0.03	0.9	<0.1	<0.05	6	<0.5
PE-5 40+00N	Soil			14	5	0.29	54	0.010	<20	1.11	0.001	0.02	<0.1	<0.01	0.6	<0.1	<0.05	3	<0.5
PE-5 39+50N	Soil			10	4	0.12	108	0.042	<20	1.84	0.009	0.04	<0.1	0.03	1.3	<0.1	<0.05	5	<0.5
PE-5 39+00N	Soil			6	2	0.07	65	0.082	<20	2.72	0.014	0.03	0.1	0.04	1.9	<0.1	<0.05	6	<0.5
PE-5 38+50N	Soil			17	2	0.12	44	0.012	<20	0.73	0.003	0.03	<0.1	<0.01	0.5	<0.1	<0.05	2	<0.5
PE-5 38+00N	Soil			18	5	0.25	36	0.007	<20	0.53	<0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	1	<0.5
PE-5 37+50N	Soil			9	3	0.07	70	0.041	<20	1.09	0.006	0.04	<0.1	0.01	0.6	<0.1	<0.05	4	<0.5
PE-5 37+00N	Soil			6	3	0.08	114	0.053	<20	1.27	0.007	0.04	<0.1	0.02	0.7	<0.1	<0.05	5	<0.5
PE-5 36+50N	Soil			5	2	0.12	98	0.073	<20	2.01	0.008	0.03	0.1	0.04	0.8	<0.1	<0.05	6	<0.5
PE-5 36+00N	Soil			3	3	0.07	111	0.076	<20	1.88	0.012	0.03	0.1	0.02	0.8	<0.1	<0.05	6	<0.5
PE-5 35+50N	Soil			9	4	0.11	120	0.034	<20	1.58	0.006	0.05	<0.1	0.03	0.7	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 01, 2008

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-5 35+00N	Soil	0.3	7.6	7.1	36	<0.1	11.7	4.1	389	1.13	1.7	0.7	0.6	2.7	6	<0.1	<0.1	0.1	15	0.04	0.126		
PE-5 34+50N	Soil	0.2	3.1	5.0	34	<0.1	8.5	3.7	425	0.80	0.7	0.4	<0.5	2.4	4	<0.1	<0.1	0.2	9	0.03	0.021		
PE-5 34+00N	Soil	0.2	3.7	8.2	61	<0.1	14.6	4.9	1091	0.99	1.1	0.3	<0.5	1.9	8	<0.1	<0.1	0.2	13	0.08	0.063		
PE-5 33+50N	Soil	0.3	5.3	7.8	44	<0.1	9.6	3.6	709	0.82	1.0	0.3	0.6	1.6	7	<0.1	<0.1	0.2	12	0.08	0.078		
PE-5 33+00N	Soil	0.5	34.3	11.3	61	<0.1	11.9	4.9	988	1.32	3.0	0.7	1.7	2.5	7	<0.1	<0.1	0.5	21	0.08	0.245		
PE-5 32+50N	Soil	0.2	7.5	10.1	130	<0.1	10.2	3.7	1387	0.92	2.0	0.3	<0.5	1.9	10	0.2	<0.1	0.3	16	0.10	0.208		
PE-5 32+00N	Soil	0.2	7.0	10.9	80	<0.1	14.2	4.8	810	1.06	1.3	0.3	<0.5	3.2	7	0.1	<0.1	0.3	16	0.06	0.063		
PE-5 31+50N	Soil	0.1	5.9	10.3	69	<0.1	16.3	5.8	690	0.99	1.3	0.3	0.9	2.8	12	<0.1	<0.1	0.3	12	0.11	0.086		
PE-5 31+00N	Soil	0.1	5.3	11.9	60	<0.1	11.4	4.9	923	0.93	2.3	0.3	0.7	2.1	13	<0.1	<0.1	0.3	12	0.17	0.103		
PE-5 30+50N	Soil	0.2	10.5	16.7	68	<0.1	13.0	6.2	920	1.32	3.0	0.4	0.9	3.1	12	0.2	0.2	0.4	17	0.11	0.126		
PE-5 30+00N	Soil	0.2	9.1	13.8	84	<0.1	14.9	5.7	1503	1.05	0.9	0.5	0.7	3.8	13	0.1	<0.1	0.3	13	0.15	0.069		
PE-5 29+50N	Soil	0.2	8.1	15.1	59	<0.1	14.3	5.6	726	1.10	1.3	0.6	0.8	4.2	13	0.1	<0.1	0.3	13	0.12	0.043		
PE-5 29+00N	Soil	0.2	9.2	10.9	48	<0.1	10.3	4.7	587	0.97	1.1	0.6	0.9	4.7	5	<0.1	<0.1	0.3	11	0.05	0.066		
PE-5 28+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 28+00N	Soil	0.1	3.6	6.5	43	<0.1	9.3	4.4	272	0.84	<0.5	0.3	0.8	3.2	5	<0.1	<0.1	0.2	10	0.05	0.045		
PE-5 27+50N	Soil	0.3	6.8	10.5	37	<0.1	9.9	5.0	441	1.04	1.3	0.3	1.1	2.2	8	<0.1	<0.1	0.2	15	0.08	0.065		
PE-5 27+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 26+50N	Soil	0.3	12.0	15.1	31	<0.1	10.5	6.0	929	1.00	3.2	0.4	1.2	1.7	10	0.2	0.1	0.3	10	0.11	0.043		
PE-5 26+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 25+50N	Soil	0.1	3.3	7.6	23	<0.1	6.3	4.3	95	0.78	0.8	0.4	<0.5	3.5	2	<0.1	<0.1	0.2	8	0.01	0.018		
PE-5 25+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 24+50N	Soil	0.3	8.2	10.2	30	<0.1	7.9	5.5	137	1.75	3.6	0.5	0.7	3.1	5	<0.1	0.1	0.2	25	0.04	0.350		
PE-5 24+00N	Soil	0.4	4.6	10.2	79	<0.1	6.8	6.3	611	1.62	2.3	0.5	1.2	4.2	9	<0.1	<0.1	0.3	24	0.06	0.359		
PE-5 23+50N	Soil	0.2	6.0	9.6	25	<0.1	9.4	5.5	87	1.29	2.6	0.9	<0.5	3.6	8	<0.1	<0.1	0.3	15	0.06	0.094		
PE-5 23+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 22+50N	Soil	0.6	7.1	11.3	43	<0.1	6.4	3.6	97	1.97	3.7	0.5	0.8	2.7	3	<0.1	<0.1	0.3	32	0.03	0.260		
PE-5 22+00N	Soil	0.5	7.1	12.7	65	<0.1	9.4	4.6	783	1.63	3.0	0.6	1.2	2.8	5	<0.1	0.1	0.3	25	0.03	0.185		
PE-5 21+50N	Soil	0.6	7.6	8.1	30	<0.1	8.4	4.3	162	1.43	2.9	0.6	<0.5	3.4	4	<0.1	0.2	0.2	21	0.03	0.123		
PE-5 21+00N	Soil	0.6	12.0	8.4	30	<0.1	7.8	4.4	126	1.32	2.4	0.9	1.0	2.8	5	<0.1	<0.1	0.2	22	0.03	0.101		
PE-5 20+50N	Soil	0.4	8.4	8.9	38	<0.1	10.6	6.5	388	1.20	1.1	0.6	0.7	2.4	4	<0.1	<0.1	0.2	20	0.03	0.081		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
				1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE-5 35+00N	Soil			4	3	0.11	99	0.072	<20	2.39	0.012	0.03	0.1	0.02	1.2	<0.1	<0.05	6	<0.5
PE-5 34+50N	Soil			10	2	0.11	78	0.025	<20	1.11	0.006	0.03	<0.1	0.01	0.8	<0.1	<0.05	3	<0.5
PE-5 34+00N	Soil			7	4	0.11	153	0.050	<20	1.36	0.008	0.05	<0.1	0.02	0.8	<0.1	<0.05	5	<0.5
PE-5 33+50N	Soil			6	2	0.13	127	0.044	<20	1.23	0.009	0.04	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5
PE-5 33+00N	Soil			3	2	0.09	136	0.111	<20	3.57	0.010	0.04	0.2	0.04	1.2	<0.1	<0.05	8	<0.5
PE-5 32+50N	Soil			4	3	0.10	281	0.074	<20	1.66	0.011	0.06	<0.1	0.03	1.0	<0.1	<0.05	5	<0.5
PE-5 32+00N	Soil			7	6	0.25	289	0.056	<20	1.66	0.007	0.06	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5
PE-5 31+50N	Soil			9	6	0.35	281	0.034	<20	1.28	0.005	0.09	<0.1	0.04	0.8	<0.1	<0.05	3	<0.5
PE-5 31+00N	Soil			7	4	0.36	237	0.033	<20	1.33	0.005	0.08	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5
PE-5 30+50N	Soil			7	5	0.40	345	0.058	<20	2.04	0.006	0.07	0.2	0.02	1.2	0.1	<0.05	6	<0.5
PE-5 30+00N	Soil			9	5	0.33	393	0.038	<20	1.69	0.006	0.09	0.1	<0.01	1.0	0.2	<0.05	5	<0.5
PE-5 29+50N	Soil			10	6	0.38	300	0.040	<20	1.73	0.006	0.09	<0.1	0.02	1.0	0.2	<0.05	4	<0.5
PE-5 29+00N	Soil			16	5	0.36	195	0.029	<20	1.32	0.005	0.05	<0.1	<0.01	0.8	<0.1	<0.05	4	<0.5
PE-5 28+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 28+00N	Soil			11	5	0.30	165	0.013	<20	1.14	0.003	0.06	<0.1	0.02	0.8	0.1	<0.05	3	<0.5
PE-5 27+50N	Soil			8	5	0.26	175	0.037	<20	1.41	0.006	0.05	0.1	0.02	0.8	<0.1	<0.05	5	<0.5
PE-5 27+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 26+50N	Soil			7	6	0.58	142	0.015	<20	0.91	0.004	0.04	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5
PE-5 26+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 25+50N	Soil			14	4	0.30	73	0.010	<20	0.85	0.002	0.03	<0.1	<0.01	0.5	<0.1	<0.05	3	<0.5
PE-5 25+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 24+50N	Soil			4	<1	0.10	129	0.081	<20	3.68	0.012	0.03	0.3	0.05	1.2	<0.1	<0.05	8	<0.5
PE-5 24+00N	Soil			5	6	0.13	342	0.065	<20	2.84	0.010	0.04	0.3	0.03	1.2	0.1	<0.05	7	<0.5
PE-5 23+50N	Soil			9	4	0.24	132	0.035	<20	2.06	0.008	0.04	0.2	0.05	0.8	<0.1	<0.05	5	<0.5
PE-5 23+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 22+50N	Soil			3	3	0.07	60	0.106	<20	3.99	0.011	0.02	0.2	0.04	1.2	<0.1	<0.05	11	0.6
PE-5 22+00N	Soil			3	2	0.08	106	0.119	<20	3.89	0.012	0.03	0.2	0.09	1.2	<0.1	<0.05	9	<0.5
PE-5 21+50N	Soil			4	3	0.09	63	0.074	<20	3.26	0.010	0.03	0.2	0.07	1.3	<0.1	<0.05	7	<0.5
PE-5 21+00N	Soil			3	4	0.11	75	0.109	<20	3.91	0.014	0.03	0.2	0.05	1.9	<0.1	<0.05	8	<0.5
PE-5 20+50N	Soil			5	4	0.10	98	0.071	<20	2.52	0.010	0.03	0.1	0.07	1.3	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	Unit	MDL	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX Co	1DX Mn	1DX Fe	1DX As	1DX U	1DX Au	1DX Th	1DX Sr	1DX Cd	1DX Sb	1DX Bi	1DX V	1DX Ca	1DX P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-5 20+00N	Soil			0.4	5.1	8.7	45	<0.1	10.2	7.0	757	1.12	1.7	0.4	<0.5	2.4	6	<0.1	<0.1	0.2	16	0.04	0.116
PE-5 19+50N	Soil			0.5	5.1	10.1	34	<0.1	7.3	4.9	373	1.45	2.0	0.5	1.1	3.3	4	<0.1	<0.1	0.2	20	0.03	0.129
PE-5 19+00N	Soil			0.3	4.6	7.3	34	<0.1	6.4	3.7	235	1.06	2.1	0.3	47.9	2.5	3	<0.1	0.1	0.2	18	0.02	0.072
PE-5 18+50N	Soil			0.5	5.4	8.7	37	<0.1	7.8	4.2	96	1.20	1.5	0.5	<0.5	3.3	3	<0.1	<0.1	0.2	18	0.02	0.066
PE-5 18+00N	Soil			0.3	6.0	7.0	26	<0.1	8.7	5.1	207	1.00	1.5	0.6	0.6	3.6	3	<0.1	<0.1	0.1	13	0.03	0.037
PE-5 17+50N	Soil			0.4	6.2	7.6	31	<0.1	10.4	4.5	291	1.12	1.0	0.4	1.1	2.6	3	<0.1	<0.1	0.2	18	0.03	0.039
PE-5 17+00N	Soil			0.4	6.8	7.9	28	<0.1	10.4	3.8	209	1.30	1.6	0.8	1.3	4.2	3	<0.1	<0.1	0.2	23	0.02	0.036
PE-5 16+50N	Soil			0.4	5.6	11.1	46	<0.1	10.0	3.8	504	1.23	1.6	0.5	1.3	2.7	3	<0.1	<0.1	0.2	19	0.03	0.045
PE-5 16+00N	Soil			0.5	9.8	10.7	60	<0.1	13.7	6.7	564	1.23	1.9	0.6	1.2	3.3	3	<0.1	0.1	0.2	18	0.03	0.029
PE-5 15+50N	Soil			0.4	6.9	8.0	43	<0.1	12.9	4.3	282	0.92	1.4	0.5	0.8	3.1	3	<0.1	<0.1	0.1	14	0.02	0.038
PE-5 15+00N	Soil			0.6	8.6	8.8	36	<0.1	12.0	5.9	364	1.22	2.0	0.4	1.2	2.4	5	<0.1	<0.1	0.1	21	0.04	0.057
PE-5 14+50N	Soil			0.5	11.1	6.9	24	<0.1	10.8	5.9	55	1.46	2.1	0.6	0.7	2.9	4	<0.1	<0.1	0.1	21	0.03	0.063
PE-5 14+00N	Soil			0.4	6.6	12.6	33	<0.1	11.1	5.2	101	1.29	1.2	0.5	1.1	3.8	3	<0.1	<0.1	0.2	20	0.02	0.020
PE-5 13+50N	Soil			0.1	6.3	12.3	22	<0.1	7.1	5.4	171	0.81	0.8	0.7	<0.5	3.1	4	<0.1	<0.1	0.2	12	0.03	0.009
PE-5 13+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 12+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 12+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 11+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 11+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 10+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 10+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 09+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 09+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 08+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 08+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 07+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 07+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 06+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 06+00N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 05+50N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 01, 2008

Page: 5 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method Analyte	Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
PE-5 20+00N	Soil	5	2	0.10	102	0.051	<20	1.92	0.008	0.03	0.2	0.02	0.9	<0.1	<0.05	5	<0.5
PE-5 19+50N	Soil	6	3	0.10	78	0.050	<20	2.59	0.006	0.03	0.2	0.05	1.0	<0.1	<0.05	6	<0.5
PE-5 19+00N	Soil	7	3	0.12	62	0.043	<20	1.64	0.008	0.03	0.1	0.02	0.9	<0.1	<0.05	5	0.5
PE-5 18+50N	Soil	8	4	0.18	57	0.046	<20	1.98	0.006	0.03	0.2	0.04	1.2	<0.1	<0.05	5	<0.5
PE-5 18+00N	Soil	10	5	0.16	88	0.027	<20	1.61	0.004	0.03	0.1	0.04	0.9	<0.1	<0.05	3	<0.5
PE-5 17+50N	Soil	7	5	0.11	83	0.047	<20	1.89	0.007	0.03	0.1	0.06	0.9	<0.1	<0.05	5	<0.5
PE-5 17+00N	Soil	6	4	0.08	90	0.056	<20	1.66	0.007	0.02	<0.1	0.03	0.9	<0.1	<0.05	7	<0.5
PE-5 16+50N	Soil	8	4	0.12	88	0.048	<20	1.63	0.008	0.03	<0.1	0.02	1.2	<0.1	<0.05	6	<0.5
PE-5 16+00N	Soil	8	4	0.10	105	0.044	<20	1.93	0.007	0.03	<0.1	0.03	1.3	<0.1	<0.05	5	<0.5
PE-5 15+50N	Soil	8	4	0.13	92	0.038	<20	1.72	0.006	0.03	<0.1	0.04	0.9	<0.1	<0.05	4	<0.5
PE-5 15+00N	Soil	3	3	0.08	75	0.084	<20	2.98	0.013	0.03	<0.1	0.03	1.2	<0.1	<0.05	7	<0.5
PE-5 14+50N	Soil	3	4	0.08	65	0.084	<20	4.31	0.014	0.03	0.1	0.06	1.3	<0.1	<0.05	7	<0.5
PE-5 14+00N	Soil	9	7	0.18	84	0.037	<20	1.72	0.008	0.04	<0.1	0.04	0.9	<0.1	<0.05	6	<0.5
PE-5 13+50N	Soil	13	6	0.20	100	0.022	<20	1.05	0.005	0.03	<0.1	<0.01	1.0	<0.1	<0.05	4	<0.5
PE-5 13+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 12+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 12+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 11+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 11+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 10+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 10+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 09+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 09+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 08+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 08+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 07+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 07+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 06+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 06+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 05+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-5 05+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 04+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 04+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 03+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 03+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 02+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 02+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 01+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 01+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 00+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 00+00	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 01, 2008

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08007144.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1
PE-5 05+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 04+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 04+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 03+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 03+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 02+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 02+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 01+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 01+00N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 00+50N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
PE-5 00+00	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 01, 2008

www.acmelab.com

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08007144.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
PE-5 44+00N	Soil	0.1	2.3	6.3	18	<0.1	6.1	3.8	238	0.64	<0.5	0.4	3.3	2.6	7	<0.1	<0.1	0.2	9	0.07	0.009
REP PE-5 44+00N	QC	0.1	2.4	6.2	17	<0.1	5.9	3.5	245	0.62	<0.5	0.4	<0.5	2.7	7	<0.1	<0.1	0.1	9	0.07	0.009
PE-5 27+50N	Soil	0.3	6.8	10.5	37	<0.1	9.9	5.0	441	1.04	1.3	0.3	1.1	2.2	8	<0.1	<0.1	0.2	15	0.08	0.065
REP PE-5 27+50N	QC	0.2	6.6	10.3	34	<0.1	9.4	4.6	420	1.03	1.1	0.3	0.5	2.3	8	<0.1	<0.1	0.2	15	0.08	0.066
Reference Materials																					
STD DS7	Standard	19.4	97.7	57.5	382	0.9	49.4	8.9	619	2.27	48.2	3.9	54.3	3.4	67	5.8	4.5	4.1	83	0.89	0.074
STD DS7	Standard	17.1	95.0	53.7	364	0.7	46.9	7.9	574	2.19	45.0	3.8	66.4	3.4	62	5.6	4.4	3.8	77	0.82	0.064
STD DS7	Standard	19.0	126.6	66.3	417	0.8	56.2	10.0	593	2.29	52.1	5.1	58.5	4.2	73	6.8	5.5	4.3	87	0.91	0.080
STD DS7	Standard	19.9	113.1	64.4	378	0.8	53.2	9.5	542	2.17	49.1	4.2	53.7	4.1	73	5.9	5.1	3.9	81	0.86	0.069
STD DS7	Standard	18.7	113.2	63.1	398	0.8	54.0	9.3	603	2.22	47.4	3.9	108.9	3.2	59	6.2	4.7	4.3	85	0.84	0.075
STD DS7	Standard	20.4	100.5	63.4	379	0.7	57.3	8.9	611	2.24	45.7	4.5	83.7	3.5	63	5.8	4.9	4.1	84	0.85	0.071
STD DS7	Standard	20.0	104.4	71.7	387	0.8	55.7	8.9	590	2.23	49.5	4.6	58.4	3.9	64	5.6	5.3	4.3	80	0.83	0.073
STD DS7	Standard	19.7	105.1	68.5	381	0.9	53.0	8.9	570	2.23	47.7	4.5	51.0	3.8	61	5.7	4.9	4.1	77	0.81	0.072
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08007144.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
Pulp Duplicates																	
PE-5 44+00N	Soil	15	4	0.27	139	0.010	<20	0.83	0.006	0.03	<0.1	<0.01	0.7	<0.1	0.08	3	<0.5
REP PE-5 44+00N	QC	14	4	0.28	132	0.009	<20	0.83	0.006	0.03	<0.1	0.01	0.7	<0.1	0.08	3	<0.5
PE-5 27+50N	Soil	8	5	0.26	175	0.037	<20	1.41	0.006	0.05	0.1	0.02	0.8	<0.1	<0.05	5	<0.5
REP PE-5 27+50N	QC	7	5	0.27	167	0.037	<20	1.43	0.006	0.06	<0.1	0.02	0.8	<0.1	<0.05	5	<0.5
Reference Materials																	
STD DS7	Standard	11	180	0.95	374	0.110	40	0.95	0.081	0.46	3.5	0.19	2.3	3.9	0.35	5	3.2
STD DS7	Standard	10	167	0.89	354	0.101	40	0.88	0.075	0.42	3.2	0.17	2.2	3.8	0.27	4	2.6
STD DS7	Standard	12	185	1.03	389	0.130	39	0.99	0.092	0.46	3.3	0.21	2.7	4.1	0.24	5	3.7
STD DS7	Standard	13	186	0.96	367	0.126	26	0.93	0.085	0.44	3.1	0.21	2.4	3.7	0.16	5	4.0
STD DS7	Standard	10	182	0.99	394	0.104	26	0.95	0.081	0.44	3.9	0.17	2.1	3.9	0.22	4	2.5
STD DS7	Standard	11	189	0.97	374	0.113	37	0.94	0.083	0.43	3.3	0.19	2.1	3.9	0.19	4	3.2
STD DS7	Standard	10	178	0.97	367	0.108	38	0.91	0.077	0.44	3.4	0.18	2.3	4.0	0.17	5	3.3
STD DS7	Standard	10	174	0.96	346	0.104	39	0.91	0.080	0.42	3.6	0.18	2.0	3.8	0.17	4	4.1
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By:

Gordon F. Dixon

Receiving Lab:

Canada-Vancouver

Received:

June 24, 2008

Report Date:

July 02, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08006738.1

CLIENT JOB INFORMATION

Project: Perry Creek
 Shipment ID: JSP-08-S-005
 P.O. Number
 Number of Samples: 7

SAMPLE DISPOSAL

RTRN-PLP Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	7	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	7	Dry at 60C		
1DX	7	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker
 Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 02, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN08006738.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
GCPCS002	Silt	0.4	22.1	13.2	33	<0.1	13.4	8.8	388	1.65	3.8	2.0	1.4	4.2	8	<0.1	0.1	0.3	17	0.16	0.030
GCPCS003	Silt	0.2	17.2	9.7	43	<0.1	10.7	4.3	409	0.83	1.9	10.4	1.0	1.9	18	<0.1	0.1	0.2	6	0.67	0.064
GCPCS004	Silt	0.1	12.8	6.7	23	<0.1	8.0	3.1	280	0.71	1.0	5.5	1.7	1.9	8	<0.1	<0.1	0.2	6	0.32	0.036
GCPCS005	Silt	<0.1	7.0	5.5	30	<0.1	6.2	3.2	209	0.51	0.6	1.1	1.4	3.2	7	<0.1	<0.1	0.1	3	0.08	0.022
GCPCS006	Silt	0.4	19.1	13.1	39	<0.1	12.1	4.7	422	0.92	1.8	16.4	<0.5	0.6	22	0.2	0.2	0.2	8	0.53	0.078
GCPCS007	Silt	0.2	11.0	11.2	25	<0.1	8.3	5.5	398	0.93	0.6	1.2	<0.5	3.3	11	<0.1	<0.1	0.2	10	0.09	0.018
DFPCS001	Silt	0.2	19.7	12.7	40	<0.1	10.4	4.0	322	0.86	1.5	18.5	1.1	0.9	16	<0.1	0.1	0.3	6	0.44	0.072



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: July 02, 2008

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN08006738.1

Method	Analyte	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
GCPCS002	Silt	14	10	0.46	71	0.017	<20	0.88	0.006	0.04	<0.1	0.01	1.5	<0.1	<0.05	3	<0.5
GCPCS003	Silt	13	<1	0.43	156	0.009	<20	0.96	0.007	0.05	<0.1	0.05	1.1	<0.1	0.08	2	<0.5
GCPCS004	Silt	10	<1	0.32	79	0.010	<20	0.62	0.006	0.04	0.1	0.02	0.9	<0.1	0.06	1	0.9
GCPCS005	Silt	11	2	0.27	70	0.007	<20	0.52	0.004	0.03	<0.1	<0.01	0.6	<0.1	<0.05	1	0.6
GCPCS006	Silt	12	<1	0.43	230	0.010	<20	1.36	0.014	0.05	<0.1	0.05	0.8	<0.1	0.08	3	1.0
GCPCS007	Silt	17	4	0.25	146	0.015	<20	1.13	0.007	0.04	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5
DFPCS001	Silt	12	2	0.42	215	0.011	<20	1.20	0.010	0.04	<0.1	0.05	0.8	<0.1	0.08	3	0.8

QUALITY CONTROL REPORT

VAN08006738.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	19.1	105.1	68.9	384	0.9	54.6	8.8	614	2.19	51.0	4.6	80.7	3.8	65	5.6	5.1	4.1	83	0.88	0.074
STD DS7	Standard	18.7	113.2	69.4	395	1.1	56.1	9.9	627	2.28	46.6	4.6	59.8	3.8	64	5.8	5.2	4.2	82	0.87	0.078
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08006738.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	11	171	1.03	355	0.115	40	0.96	0.089	0.39	3.6	0.21	2.4	4.0	0.21	5	4.0
STD DS7	Standard	11	180	1.03	371	0.114	37	0.91	0.087	0.39	3.4	0.18	2.5	4.1	0.20	4	4.2
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: July 28, 2008
 Report Date: August 20, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08007703.1

CLIENT JOB INFORMATION

Project: Perry Creek
 Shipment ID: JSP-08-S-019
 P.O. Number
 Number of Samples: 36

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	36	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	36	Dry at 60C		
RJSV	36	Save all or part of soil reject fraction		
1DX15	36	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
DIS-RJT	36	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker
 Sue Lawrence



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 20, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN08007703.1

Method Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-7 00+00N	Soil	0.4	7.6	17.6	30	<0.1	8.5	3.6	188	1.31	2.5	0.2	4.3	2.9	1	<0.1	0.1	0.3	16	0.02	0.046
PE-7 00+50N	Soil	0.4	5.1	13.3	24	<0.1	7.5	2.8	62	1.00	1.8	0.2	2.2	3.1	1	<0.1	0.1	0.3	13	0.02	0.025
PE-7 01+00N	Soil	0.3	7.2	18.3	20	<0.1	7.1	2.8	48	0.99	1.9	0.2	1.8	2.9	2	<0.1	0.1	0.3	15	<0.01	0.020
PE-7 01+50N	Soil	0.7	7.9	16.2	32	<0.1	8.6	3.3	123	1.89	3.2	0.3	2.2	3.6	3	<0.1	0.2	0.5	29	0.03	0.055
PE-7 02+00N	Soil	1.3	11.6	48.6	49	0.2	8.9	5.4	333	1.70	3.2	0.5	2.2	4.0	5	0.1	0.1	0.6	27	0.07	0.144
PE-7 02+50N	Soil	1.2	12.9	24.2	33	0.1	9.0	3.3	154	1.54	3.5	0.4	2.5	2.7	4	<0.1	0.1	0.4	29	0.04	0.069
PE-7 03+00N	Soil	1.1	13.7	16.3	46	<0.1	10.9	4.9	290	1.75	3.1	0.5	3.0	3.1	4	0.1	0.2	0.3	33	0.05	0.202
PE-7 03+50N	Soil	1.3	12.0	25.5	54	<0.1	10.2	6.1	310	1.91	3.1	0.5	2.7	3.2	5	<0.1	0.2	0.4	35	0.05	0.076
PE-7 04+00N	Soil	0.8	9.0	18.9	49	<0.1	11.2	5.0	1065	1.55	3.1	0.4	2.3	2.6	7	0.1	0.2	0.3	28	0.06	0.177
PE-7 04+50N	Soil	1.3	13.1	22.2	57	<0.1	10.3	5.5	1465	1.70	2.8	0.5	2.2	3.0	5	<0.1	0.2	0.4	31	0.04	0.048
PE-7 05+00N	Soil	0.6	9.5	14.5	37	<0.1	8.1	3.1	175	1.39	2.6	0.5	1.8	3.2	3	<0.1	0.1	0.2	24	0.02	0.076
PE-7 05+50N	Soil	0.9	9.9	18.2	46	<0.1	9.4	4.9	177	2.02	3.3	0.5	1.9	3.7	4	<0.1	0.2	0.3	32	0.03	0.095
PE-7 06+00N	Soil	1.1	52.3	14.4	16	0.1	6.2	1.7	43	1.89	4.5	0.7	2.5	3.2	4	<0.1	0.2	0.3	36	0.03	0.092
PE-7 06+50N	Soil	0.6	14.3	11.6	20	<0.1	5.5	1.7	49	1.62	3.7	0.3	3.0	3.1	3	<0.1	0.2	0.4	32	0.02	0.070
PE-7 07+00N	Soil	0.9	9.4	13.3	31	0.1	7.5	2.0	84	1.72	3.0	0.4	3.4	2.8	4	0.1	0.2	0.5	35	0.02	0.079
PE-7 07+50N	Soil	0.6	4.7	12.8	15	<0.1	4.6	1.0	30	0.72	1.3	0.2	2.3	1.5	3	0.1	0.1	0.4	22	0.02	0.020
PE-7 08+00N	Soil	0.9	6.5	11.6	15	<0.1	6.4	1.3	40	1.21	2.9	0.3	2.6	1.8	2	<0.1	0.2	0.3	30	0.02	0.051
PE-6 00+00S	Soil	0.7	16.3	13.6	41	<0.1	14.4	6.6	87	2.31	4.7	2.3	11.1	2.6	8	<0.1	0.2	0.5	14	0.24	0.038
PE-6 00+50S	Soil	0.4	9.9	13.6	41	<0.1	11.7	4.9	297	1.48	1.6	3.7	1.4	2.1	13	0.1	<0.1	0.4	19	0.30	0.029
PE-6 01+00S	Soil	0.2	2.2	3.5	15	<0.1	4.1	1.0	39	0.45	<0.5	0.1	<0.5	2.5	2	<0.1	<0.1	0.2	9	0.03	0.011
PE-6 01+50S	Soil	0.5	4.8	6.7	27	<0.1	12.0	2.6	46	0.96	1.4	0.3	1.4	3.4	2	<0.1	0.1	0.2	15	0.03	0.016
PE-6 02+00S	Soil	0.7	7.1	15.5	26	0.1	7.7	2.9	81	1.59	2.7	0.4	1.6	4.1	3	<0.1	0.1	0.3	25	0.03	0.045
PE-6 02+50S	Soil	0.4	19.4	20.8	40	<0.1	12.2	5.7	93	1.41	2.2	0.4	0.6	4.8	3	<0.1	<0.1	0.3	18	0.02	0.023
PE-6 03+00S	Soil	0.5	14.2	26.7	32	<0.1	9.5	4.2	82	1.40	2.2	0.6	10.0	4.8	2	<0.1	0.1	0.4	13	0.02	0.025
PE-6 03+50S	Soil	1.0	18.8	10.2	19	0.2	7.2	3.0	236	1.57	3.5	0.8	0.7	3.8	4	<0.1	0.2	0.2	25	0.03	0.155
PE-6 04+00S	Soil	0.8	31.4	24.9	58	0.2	12.3	6.2	236	1.95	4.2	0.8	2.9	5.5	4	<0.1	0.2	0.3	28	0.04	0.210
PE-6 04+50S	Soil	0.9	14.7	18.7	21	<0.1	9.8	2.8	126	1.64	3.5	0.6	1.4	3.7	4	0.1	0.2	0.3	27	0.03	0.100
PE-6 05+00S	Soil	0.7	10.3	14.3	33	0.1	6.3	4.3	225	1.72	3.8	0.6	1.4	3.7	3	<0.1	0.2	0.2	28	0.03	0.105
PE-6 05+50S	Soil	0.6	6.3	8.7	25	<0.1	9.2	2.4	53	1.22	1.5	0.3	2.1	3.0	2	<0.1	<0.1	0.3	24	0.01	0.055
PE-6 06+00S	Soil	0.4	9.0	21.5	48	<0.1	12.3	4.2	80	1.80	2.8	0.4	1.2	5.3	2	<0.1	0.1	0.3	22	0.02	0.100

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 20, 2008

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007703.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.5		
PE-7 00+00N	Soil			12	10	0.87	48	0.010	<1	1.46	0.004	0.03	0.1	0.02	1.0	<0.1	<0.05	5	<0.5
PE-7 00+50N	Soil			12	11	0.74	36	0.006	<1	1.14	0.003	0.03	<0.1	0.02	0.8	<0.1	<0.05	4	0.5
PE-7 01+00N	Soil			11	9	0.51	29	0.015	<1	0.89	0.003	0.02	0.1	0.01	0.7	<0.1	<0.05	5	<0.5
PE-7 01+50N	Soil			11	14	0.48	55	0.040	<1	1.49	0.006	0.04	0.2	0.03	1.2	<0.1	<0.05	7	<0.5
PE-7 02+00N	Soil			5	11	0.20	138	0.096	<1	2.57	0.011	0.05	0.2	0.03	1.3	<0.1	<0.05	10	0.8
PE-7 02+50N	Soil			5	8	0.18	84	0.089	<1	2.06	0.010	0.04	0.3	0.05	0.9	<0.1	<0.05	8	<0.5
PE-7 03+00N	Soil			4	9	0.15	93	0.147	<1	3.42	0.012	0.04	0.2	0.04	1.2	<0.1	<0.05	11	<0.5
PE-7 03+50N	Soil			7	9	0.23	138	0.106	1	2.38	0.011	0.06	0.3	0.05	1.2	0.1	<0.05	10	<0.5
PE-7 04+00N	Soil			5	8	0.14	213	0.114	<1	2.86	0.011	0.04	0.3	0.03	1.0	<0.1	<0.05	9	<0.5
PE-7 04+50N	Soil			9	9	0.24	150	0.083	<1	1.97	0.008	0.05	0.2	0.03	1.2	0.1	<0.05	8	0.7
PE-7 05+00N	Soil			6	9	0.27	54	0.074	<1	2.61	0.009	0.03	0.2	0.04	1.2	<0.1	<0.05	7	<0.5
PE-7 05+50N	Soil			5	11	0.19	74	0.096	<1	2.82	0.010	0.05	0.2	0.04	1.5	<0.1	<0.05	9	0.5
PE-7 06+00N	Soil			3	11	0.08	40	0.135	<1	3.39	0.011	0.02	0.2	0.04	1.1	<0.1	<0.05	11	<0.5
PE-7 06+50N	Soil			8	9	0.18	31	0.080	<1	1.69	0.007	0.03	0.1	0.03	1.0	<0.1	<0.05	9	0.6
PE-7 07+00N	Soil			6	12	0.17	47	0.107	<1	1.83	0.011	0.04	0.2	0.04	1.2	<0.1	<0.05	11	<0.5
PE-7 07+50N	Soil			8	8	0.09	23	0.077	<1	0.81	0.010	0.03	<0.1	0.02	0.6	<0.1	<0.05	9	<0.5
PE-7 08+00N	Soil			3	11	0.05	24	0.121	1	1.61	0.012	0.02	0.1	0.04	0.8	<0.1	<0.05	10	<0.5
PE-6 00+00S	Soil			11	12	1.11	132	0.008	<1	1.82	0.003	0.03	<0.1	0.03	1.0	<0.1	<0.05	4	<0.5
PE-6 00+50S	Soil			13	16	0.83	338	0.023	<1	2.09	0.009	0.05	0.2	0.02	1.4	0.1	<0.05	6	<0.5
PE-6 01+00S	Soil			18	7	0.31	58	0.010	<1	0.62	0.005	0.03	<0.1	0.01	0.5	0.1	<0.05	5	<0.5
PE-6 01+50S	Soil			18	19	0.43	38	0.023	<1	0.79	0.009	0.04	<0.1	<0.01	0.6	<0.1	<0.05	4	<0.5
PE-6 02+00S	Soil			15	11	0.34	46	0.047	<1	1.36	0.007	0.04	0.1	0.03	1.0	<0.1	<0.05	7	0.6
PE-6 02+50S	Soil			20	15	0.72	84	0.023	<1	1.44	0.007	0.04	0.1	0.02	0.9	<0.1	<0.05	6	<0.5
PE-6 03+00S	Soil			21	11	0.54	49	0.017	<1	1.14	0.004	0.04	0.1	0.02	0.7	<0.1	<0.05	5	<0.5
PE-6 03+50S	Soil			2	9	0.06	26	0.118	<1	5.23	0.016	0.02	0.2	0.11	1.6	<0.1	<0.05	8	<0.5
PE-6 04+00S	Soil			8	12	0.26	83	0.092	1	3.40	0.013	0.05	0.3	0.05	1.4	<0.1	<0.05	9	0.6
PE-6 04+50S	Soil			5	12	0.15	48	0.102	<1	3.27	0.013	0.02	0.2	0.07	1.1	<0.1	<0.05	8	<0.5
PE-6 05+00S	Soil			3	8	0.09	44	0.105	<1	4.29	0.013	0.02	0.2	0.07	1.2	<0.1	<0.05	9	<0.5
PE-6 05+50S	Soil			16	14	0.46	27	0.051	<1	1.24	0.007	0.04	0.1	0.02	1.0	<0.1	<0.05	8	<0.5
PE-6 06+00S	Soil			13	19	0.67	43	0.038	<1	2.10	0.006	0.04	0.2	0.03	1.4	<0.1	<0.05	6	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm

1020 - 833, 4th Ave S.W.

Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

August 20, 2008

Page:

3 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN08007703.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-6 06+50S	Soil	0.6	6.4	13.2	31	<0.1	11.2	3.0	53	1.40	2.3	0.3	2.5	3.5	2	<0.1	0.1	0.3	22	0.02	0.052
PE-6 07+00S	Soil	0.6	9.6	15.4	52	0.1	7.5	4.3	236	1.84	5.2	0.7	2.3	4.8	3	<0.1	0.3	0.2	29	0.02	0.138
PE-6 07+50S	Soil	1.1	9.1	15.6	55	<0.1	10.5	3.4	103	1.91	4.0	0.5	2.0	3.3	3	<0.1	0.3	0.3	35	0.03	0.073
PE-6 08+00S	Soil	0.7	9.2	11.1	38	<0.1	7.4	3.5	104	1.72	3.2	0.7	2.2	3.7	4	<0.1	0.2	0.2	30	0.03	0.109
PE-6 08+50S	Soil	0.8	8.7	13.5	41	<0.1	9.5	3.3	108	1.36	2.0	0.5	2.7	3.2	5	0.1	0.1	0.2	29	0.03	0.065
PE-6 09+00S	Soil	0.6	9.7	14.3	57	<0.1	10.0	5.6	738	1.44	3.0	0.7	2.9	3.0	8	0.2	0.1	0.2	27	0.06	0.117



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

August 20, 2008

Page:

3 of 3

Part 2

CERTIFICATE OF ANALYSIS

VAN08007703.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE-6 06+50S	Soil	12	16	0.58	41	0.044	<1	1.87	0.007	0.03	0.1	0.04	1.1	<0.1	<0.05	7	0.6
PE-6 07+00S	Soil	4	11	0.15	44	0.084	1	4.07	0.010	0.03	0.2	0.08	1.4	<0.1	<0.05	8	0.5
PE-6 07+50S	Soil	7	16	0.16	61	0.093	<1	2.56	0.009	0.04	0.1	0.05	1.5	<0.1	<0.05	11	<0.5
PE-6 08+00S	Soil	4	11	0.10	49	0.108	1	4.37	0.014	0.03	0.1	0.06	1.7	<0.1	<0.05	9	<0.5
PE-6 08+50S	Soil	7	13	0.12	66	0.093	1	2.20	0.012	0.05	<0.1	0.03	1.5	0.1	<0.05	9	0.5
PE-6 09+00S	Soil	4	10	0.09	76	0.131	1	3.25	0.017	0.04	0.1	0.03	1.4	<0.1	<0.05	10	<0.5

QUALITY CONTROL REPORT

VAN08007703.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
PE-7 06+50N	Soil	0.6	14.3	11.6	20	<0.1	5.5	1.7	49	1.62	3.7	0.3	3.0	3.1	3	<0.1	0.2	0.4	32	0.02	0.070
REP PE-7 06+50N	QC	0.5	15.5	11.2	19	<0.1	5.4	1.7	51	1.67	3.4	0.3	2.5	3.1	3	<0.1	0.2	0.3	33	0.02	0.074
PE-6 09+00S	Soil	0.6	9.7	14.3	57	<0.1	10.0	5.6	738	1.44	3.0	0.7	2.9	3.0	8	0.2	0.1	0.2	27	0.06	0.117
REP PE-6 09+00S	QC	0.7	9.2	14.0	54	<0.1	9.6	6.0	748	1.43	2.7	0.7	2.1	3.1	8	0.2	0.1	0.2	28	0.06	0.116
Reference Materials																					
STD DS7	Standard	19.7	112.7	73.5	383	0.9	54.0	9.8	609	2.35	50.3	4.8	82.7	4.5	65	5.8	4.9	3.7	86	0.91	0.069
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08007703.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
PE-7 06+50N	Soil	8	9	0.18	31	0.080	<1	1.69	0.007	0.03	0.1	0.03	1.0	<0.1	<0.05	9	0.6
REP PE-7 06+50N	QC	8	10	0.18	31	0.082	<1	1.75	0.009	0.03	0.1	0.03	0.9	<0.1	<0.05	9	<0.5
PE-6 09+00S	Soil	4	10	0.09	76	0.131	1	3.25	0.017	0.04	0.1	0.03	1.4	<0.1	<0.05	10	<0.5
REP PE-6 09+00S	QC	4	10	0.08	73	0.126	<1	3.30	0.016	0.04	0.2	0.02	1.5	<0.1	<0.05	9	<0.5
Reference Materials																	
STD DS7	Standard	12	204	1.02	353	0.122	36	0.98	0.087	0.43	3.9	0.20	2.4	4.3	0.19	4	3.1
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Submitted By: Gordon F. Dixon
 Receiving Lab: Canada-Vancouver
 Received: July 14, 2008
 Report Date: July 25, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08007246.1

CLIENT JOB INFORMATION

Project: Perry Creek
 Shipment ID: JSP-08-S-008
 P.O. Number
 Number of Samples: 2

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	2	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	2	Dry at 60C		
Split Reject	2	Reject sample split/packet		
1DX	2	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed
DIS-RJT	2	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
 c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5
 Canada

CC: Rick Walker



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

July 25, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08007246.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
GCPCS008	Silt	0.4	60.9	25.3	36	0.3	10.3	4.5	938	0.95	3.9	12.5	<0.5	0.6	22	0.5	0.4	0.4	8	1.39	0.113
GCPCS009	Silt	0.3	28.8	12.8	35	<0.1	11.5	4.4	618	0.80	2.5	13.3	0.9	1.3	18	0.2	0.2	0.2	6	0.90	0.096



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

July 25, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08007246.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
GCPCS008	Silt	16	<1	0.68	189	0.012	<20	1.26	0.010	0.05	<0.1	0.12	1.0	0.1	0.08	2	1.8
GCPCS009	Silt	16	<1	0.34	199	0.009	<20	1.18	0.008	0.05	0.1	0.08	1.2	<0.1	<0.05	2	0.8

QUALITY CONTROL REPORT

VAN08007246.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	20.5	108.6	67.6	404	0.8	57.7	9.4	629	2.33	44.9	4.8	59.4	3.8	63	6.1	4.7	4.2	85	0.87	0.073
STD DS7	Standard	21.6	129.7	69.2	396	0.8	57.8	9.5	597	2.26	47.6	4.7	83.0	4.1	62	5.9	4.8	4.2	84	0.86	0.070
STD DS7 Expected		20.92	109	70.6	411	0.89	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08007246.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	11	195	1.04	378	0.116	42	0.98	0.088	0.43	3.8	0.22	2.3	4.4	0.16	5	3.7
STD DS7	Standard	11	190	0.99	377	0.117	33	0.95	0.084	0.43	3.6	0.19	2.4	4.1	0.18	4	4.2
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	0.2	2.5	4.19	0.21	4.6	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Submitted By:

Gordon F. Dixon

Receiving Lab:

Canada-Vancouver

Received:

August 01, 2008

Report Date:

August 20, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08007897.1

CLIENT JOB INFORMATION

Project: Perry Creek
Shipment ID: JSP-08-S-020
P.O. Number
Number of Samples: 2

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	2	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	2	Dry at 60C		
RJSV	2	Save all or part of soil reject fraction		
1DX15	2	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
DIS-RJT	2	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm

1020 - 833, 4th Ave S.W.

Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

August 20, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08007897.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
MCPC5001	Silt	0.9	35.0	24.3	36	0.3	12.0	8.8	2316	1.87	13.3	14.8	4.2	0.9	26	0.4	0.6	0.4	21	1.47	0.083
PTIC5001	Silt	0.7	58.3	27.6	29	0.3	8.6	4.7	1209	1.05	3.3	52.6	2.9	0.8	47	0.5	0.4	0.3	11	1.75	0.122



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Project:

Perry Creek

Report Date:

August 20, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08007897.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
MCPC5001	Silt	11	5	1.05	194	0.038	3	1.96	0.014	0.05	<0.1	0.09	2.1	0.1	0.10	5	1.5
PTIC5001	Silt	12	<1	0.52	274	0.022	3	1.70	0.017	0.04	<0.1	0.12	1.1	0.1	0.09	4	1.2

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 20, 2008

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08007897.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS7	Standard	20.0	105.0	75.8	374	0.8	55.5	9.1	607	2.27	46.9	5.2	61.1	5.0	76	6.1	5.9	4.6	88	0.93	0.067
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08007897.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Reference Materials																	
STD DS7	Standard	13	203	1.01	364	0.129	35	1.01	0.091	0.44	3.5	0.22	2.8	4.2	0.19	5	2.5
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jasper Mining Corporation

c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5 Canada

Submitted By:

Gordon F. Dixon

Receiving Lab:

Canada-Vancouver

Received:

August 01, 2008

Report Date:

August 28, 2008

Page:

1 of 4

CERTIFICATE OF ANALYSIS

VAN08007882.1

CLIENT JOB INFORMATION

Project: Perry Creek
Shipment ID: JSP-08-S-020
P.O. Number
Number of Samples: 64

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jasper Mining Corporation
c/o Dixon Law Firm
1020 - 833, 4th Ave S.W.
Calgary AB T2P 3T5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	64	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	64	Dry at 60C		
RJSV	64	Save all or part of soil reject fraction		
1DX15	59	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed
DIS-RJT	64	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 28, 2008

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
PE-7 08+50N	Soil		0.2	3.6	7.4	10	<0.1	2.2	1.1	27	0.62	0.9	0.2	0.8	2.7	2	<0.1	0.2	0.3	7	0.01	0.011
PE-7 09+00N	Soil		0.4	15.8	12.8	23	<0.1	6.7	2.7	64	1.55	3.7	0.6	0.9	5.5	3	<0.1	0.2	0.3	24	0.03	0.065
PE-7 09+50N	Soil		0.6	11.6	11.2	48	<0.1	6.8	3.3	102	1.48	2.6	0.4	1.1	3.3	5	0.1	0.2	0.6	31	0.02	0.035
PE-7 10+00N	Soil		0.5	7.5	18.8	23	<0.1	4.0	2.0	74	1.05	1.6	0.3	1.1	2.6	4	0.1	0.2	0.4	22	0.03	0.016
PE-7 10+50N	Soil		0.3	6.5	9.8	27	<0.1	4.6	2.2	79	1.07	1.4	0.3	2.9	2.8	3	<0.1	0.1	0.4	21	0.04	0.027
PE-7 11+00N	Soil		0.4	4.2	7.9	13	<0.1	2.2	1.0	28	1.03	2.4	0.3	1.6	2.8	3	<0.1	0.2	0.3	18	0.02	0.063
PE-7 11+50N	Soil		0.3	7.7	11.9	37	0.1	9.0	3.8	150	1.39	2.3	0.8	<0.5	3.5	5	0.1	0.2	0.3	19	0.05	0.076
PE-7 12+00N	Soil		0.5	7.8	16.7	44	0.2	7.1	4.4	91	1.70	3.5	0.4	4.4	4.1	3	<0.1	0.2	0.4	19	0.03	0.046
PE-7 12+50N	Soil		0.4	4.8	11.1	24	<0.1	4.1	2.2	134	1.38	2.3	0.3	1.2	2.6	3	<0.1	0.2	0.4	23	0.04	0.049
PE-7 13+00N	Soil		0.7	6.6	12.4	34	<0.1	6.4	3.9	109	2.50	4.0	0.5	1.0	4.0	3	<0.1	0.2	0.4	36	0.04	0.070
PE-7 13+50N	Soil		0.7	9.2	12.6	34	0.2	7.1	4.0	66	2.21	4.2	0.5	1.2	3.8	4	<0.1	0.3	0.4	29	0.04	0.089
PE-7 14+00N	Soil		0.8	11.5	18.7	52	0.1	13.8	7.0	375	2.15	16.5	6.6	<0.5	4.3	10	0.1	0.2	0.4	25	0.40	0.028
PE-7 14+50N	Soil		0.8	20.2	29.6	56	0.2	15.2	9.3	1032	2.52	12.7	8.1	2.3	4.3	16	0.3	0.4	0.5	27	0.53	0.046
PE-7 15+00N	Soil		0.5	8.8	12.8	46	0.1	11.0	7.1	117	2.28	4.2	0.5	0.5	3.8	4	<0.1	0.2	0.3	26	0.06	0.063
PE-7 15+50N	Soil		0.5	5.5	15.6	43	0.1	8.9	4.9	106	1.91	3.8	0.4	5.1	3.7	3	0.1	0.2	0.3	27	0.05	0.032
PE-7 16+00N	Soil		0.7	13.0	23.4	83	0.2	14.6	10.7	355	2.13	6.3	0.5	1.1	4.5	5	<0.1	0.1	0.4	29	0.06	0.036
PE-7 16+50N	Soil		0.5	10.6	16.8	58	0.2	10.0	5.8	154	1.84	3.9	0.4	<0.5	3.5	4	0.1	0.1	0.4	24	0.05	0.041
PE-7 17+00N	Soil		0.4	9.7	16.4	77	0.2	12.5	7.6	166	2.34	4.0	0.4	1.3	3.5	4	<0.1	0.1	0.4	35	0.07	0.021
PE-7 17+50N	Soil		0.8	12.0	28.8	67	0.4	11.6	7.0	131	2.50	6.9	0.5	10.3	3.5	4	0.1	0.3	0.4	32	0.05	0.078
PE-7 18+00N	Soil		0.7	13.6	16.7	44	0.3	7.3	5.3	207	1.61	5.4	0.6	0.8	3.1	5	0.2	0.2	0.3	24	0.05	0.057
PE-7 18+50N	Soil		0.8	13.6	14.6	64	<0.1	15.3	9.8	188	2.64	5.5	0.4	2.6	3.9	5	<0.1	0.2	0.3	38	0.08	0.053
PE-7 19+00N	Soil		1.0	11.6	20.2	51	0.1	9.3	7.4	214	2.05	5.4	0.5	<0.5	2.8	8	0.2	0.2	0.3	30	0.12	0.065
PE-7 19+50N	Soil		0.8	8.2	17.8	49	0.1	9.3	6.2	199	1.88	7.7	3.5	1.1	2.3	12	0.2	0.2	0.4	33	0.53	0.028
PE-7 20+00N	Soil		0.5	13.0	20.4	69	<0.1	11.6	7.4	576	1.85	7.8	1.4	3.7	3.8	11	0.1	0.2	0.4	24	0.35	0.042
PE-7 20+50N	Soil		0.7	13.0	11.4	94	<0.1	23.1	17.4	225	3.57	6.1	0.6	4.7	2.6	13	0.1	0.3	0.2	44	0.32	0.085
PE-7 21+00N	Soil		1.1	6.8	12.4	45	<0.1	11.5	7.8	119	2.01	4.1	0.3	2.8	2.9	9	0.1	0.3	0.3	36	0.22	0.023
PE-7 21+50N	Soil		0.8	4.7	10.4	43	<0.1	11.3	6.8	103	1.80	2.5	0.3	2.3	2.8	8	<0.1	0.2	0.2	36	0.15	0.020
PE-7 22+00N	Soil		1.4	7.5	10.9	56	<0.1	10.4	7.4	141	2.31	5.2	0.2	<0.5	2.2	7	<0.1	0.3	0.2	45	0.12	0.022
PE-7 22+50N	Soil		1.0	9.0	20.1	63	<0.1	9.6	6.4	103	2.24	5.8	0.3	1.7	2.8	4	<0.1	0.2	0.3	34	0.06	0.028
PE-7 23+00N	Soil		2.4	22.0	20.0	64	<0.1	11.2	7.2	114	2.50	12.5	0.5	0.9	2.6	8	0.2	0.3	0.3	33	0.26	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 28, 2008

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
				ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppm	ppm		
				1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.5		
PE-7 08+50N	Soil			20	4	0.11	19	0.035	<1	0.46	0.008	0.03	<0.1	0.01	0.5	0.1	<0.05	5	<0.5
PE-7 09+00N	Soil			13	10	0.22	30	0.051	2	2.17	0.009	0.04	0.2	0.04	1.1	<0.1	<0.05	7	<0.5
PE-7 09+50N	Soil			14	10	0.28	48	0.081	1	1.06	0.011	0.06	0.1	0.02	1.0	<0.1	<0.05	8	<0.5
PE-7 10+00N	Soil			15	7	0.21	69	0.056	<1	0.94	0.010	0.06	0.1	0.02	0.8	<0.1	<0.05	7	<0.5
PE-7 10+50N	Soil			22	8	0.35	45	0.039	<1	1.04	0.006	0.04	0.1	0.02	0.8	<0.1	<0.05	7	<0.5
PE-7 11+00N	Soil			10	5	0.10	28	0.039	<1	1.68	0.009	0.03	<0.1	0.05	0.9	<0.1	<0.05	7	<0.5
PE-7 11+50N	Soil			12	10	0.44	98	0.057	<1	2.33	0.012	0.04	0.1	0.03	1.2	<0.1	<0.05	7	<0.5
PE-7 12+00N	Soil			17	12	1.01	53	0.027	<1	2.04	0.006	0.04	0.1	0.04	1.4	<0.1	<0.05	7	0.6
PE-7 12+50N	Soil			10	8	0.69	26	0.051	<1	1.97	0.009	0.04	<0.1	0.03	1.0	<0.1	<0.05	9	<0.5
PE-7 13+00N	Soil			8	13	0.92	51	0.081	<1	3.17	0.007	0.04	0.2	0.05	1.4	<0.1	<0.05	11	<0.5
PE-7 13+50N	Soil			8	12	0.74	44	0.078	<1	3.71	0.011	0.03	0.1	0.05	1.3	<0.1	<0.05	10	<0.5
PE-7 14+00N	Soil			16	18	1.77	207	0.042	<1	3.36	0.011	0.07	0.1	0.02	2.2	0.1	<0.05	8	<0.5
PE-7 14+50N	Soil			12	22	1.20	170	0.079	3	3.37	0.014	0.07	0.2	0.06	2.7	0.1	<0.05	7	0.5
PE-7 15+00N	Soil			15	13	1.20	74	0.057	<1	3.05	0.007	0.05	0.2	0.03	1.8	<0.1	<0.05	8	<0.5
PE-7 15+50N	Soil			17	12	1.07	55	0.043	<1	2.23	0.006	0.05	<0.1	0.04	1.4	<0.1	<0.05	8	<0.5
PE-7 16+00N	Soil			17	17	1.23	122	0.069	<1	2.83	0.009	0.06	0.1	0.02	2.2	0.1	<0.05	8	<0.5
PE-7 16+50N	Soil			18	13	1.17	64	0.047	1	2.24	0.006	0.06	0.2	0.04	1.6	0.1	<0.05	8	<0.5
PE-7 17+00N	Soil			14	17	1.39	81	0.082	1	2.42	0.007	0.06	0.2	0.02	2.1	<0.1	<0.05	10	<0.5
PE-7 17+50N	Soil			9	14	0.60	84	0.088	<1	3.46	0.010	0.06	0.2	0.03	1.6	<0.1	<0.05	10	<0.5
PE-7 18+00N	Soil			11	10	0.53	68	0.076	<1	2.12	0.011	0.06	0.2	0.03	1.5	<0.1	<0.05	8	<0.5
PE-7 18+50N	Soil			19	17	1.35	59	0.087	<1	1.93	0.006	0.05	0.2	0.01	1.8	<0.1	<0.05	10	<0.5
PE-7 19+00N	Soil			7	10	0.40	105	0.117	<1	3.50	0.017	0.04	0.2	0.06	1.4	<0.1	<0.05	9	0.5
PE-7 19+50N	Soil			12	14	0.75	166	0.033	<1	2.60	0.008	0.05	0.2	0.03	2.3	<0.1	<0.05	9	<0.5
PE-7 20+00N	Soil			15	12	0.74	153	0.046	1	2.56	0.010	0.08	0.2	0.02	1.7	0.1	<0.05	7	0.5
PE-7 20+50N	Soil			10	13	1.17	97	0.083	<1	3.01	0.009	0.07	0.1	0.02	2.4	<0.1	<0.05	11	<0.5
PE-7 21+00N	Soil			16	13	0.79	78	0.067	<1	1.60	0.005	0.07	0.1	0.02	1.8	<0.1	<0.05	7	<0.5
PE-7 21+50N	Soil			17	13	0.68	65	0.066	<1	1.64	0.006	0.06	0.1	0.02	2.1	<0.1	<0.05	9	<0.5
PE-7 22+00N	Soil			11	11	0.72	84	0.085	<1	1.67	0.005	0.05	0.1	0.02	2.1	<0.1	<0.05	9	<0.5
PE-7 22+50N	Soil			13	13	0.67	82	0.055	<1	1.87	0.006	0.06	0.2	0.02	1.7	0.1	<0.05	9	<0.5
PE-7 23+00N	Soil			12	12	0.63	64	0.059	<1	2.08	0.009	0.07	0.2	0.03	1.5	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 28, 2008

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	0.001
PE-7 23+50N	Soil			0.4	11.0	14.5	58	0.1	9.9	5.9	138	1.73	4.2	0.3	0.8	1.8	4	0.1	0.2	0.2	23	0.05	0.050
PE-7 24+00N	Soil			0.4	12.5	13.7	58	<0.1	12.6	6.1	108	1.92	5.6	0.4	9.6	3.8	4	<0.1	0.3	0.2	21	0.05	0.041
PE-7 24+50N	Soil			0.4	8.2	19.8	61	<0.1	8.6	4.8	126	1.79	5.5	0.3	<0.5	3.2	3	<0.1	0.2	0.2	22	0.04	0.073
PE-7 25+00N	Soil			0.4	30.5	39.1	55	0.2	12.6	6.2	479	1.96	6.4	0.5	<0.5	3.2	8	0.1	0.2	0.5	25	0.13	0.073
PE-7 25+50N	Soil			0.4	11.9	14.2	41	0.1	8.1	4.5	694	1.47	4.0	0.4	1.5	3.6	5	<0.1	0.1	0.3	20	0.05	0.071
PE-7 26+00N	Soil			0.2	17.5	12.6	39	<0.1	10.0	4.9	71	1.32	4.0	0.4	1.3	5.8	2	<0.1	0.2	0.2	9	0.03	0.033
PE-7 26+50N	Soil			0.3	4.7	12.8	31	<0.1	5.4	2.6	132	1.08	1.8	0.2	3.1	1.9	4	<0.1	0.2	0.2	22	0.05	0.025
PE-7 27+00N	Soil			0.3	11.6	12.3	34	<0.1	8.7	4.2	76	1.29	3.2	0.3	0.9	4.1	3	<0.1	0.2	0.2	15	0.02	0.052
PE-7 27+50N	Soil			0.4	8.4	8.7	24	<0.1	5.8	2.5	63	1.14	2.3	0.3	<0.5	2.4	3	<0.1	0.1	0.2	21	0.02	0.043
PE-7 28+00N	Soil			0.6	10.8	8.7	13	<0.1	3.9	1.8	52	1.32	2.7	0.5	<0.5	1.9	4	<0.1	0.2	0.2	26	0.03	0.065
PE-7 28+50N	Soil			0.4	11.3	9.3	38	<0.1	11.0	5.4	84	2.23	4.4	0.4	<0.5	6.0	3	<0.1	0.2	0.3	19	0.03	0.048
PE-7 29+00N	Soil			0.4	9.4	7.0	34	<0.1	6.8	2.9	104	1.16	1.2	0.3	0.8	4.0	3	<0.1	0.1	0.4	18	0.02	0.033
PE-7 29+50N	Soil			0.9	18.3	18.3	34	0.2	8.1	5.2	96	2.11	3.2	0.7	<0.5	4.3	5	0.2	0.2	0.5	26	0.05	0.045
PE-7 30+00N	Soil			0.4	45.6	27.6	42	0.3	11.4	5.6	140	1.86	2.7	1.1	1.1	13.2	8	0.1	0.2	0.8	23	0.10	0.047
PE-7 30+50N	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 31+00N	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 31+50N	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 32+00N	Soil			0.5	21.2	49.9	73	<0.1	13.2	7.8	1131	2.14	3.3	2.8	3.1	8.5	10	0.2	0.2	0.7	25	0.20	0.031
PE-7 32+50N	Soil			0.7	37.0	33.7	64	<0.1	10.8	7.9	1586	1.91	5.6	7.6	9.7	3.7	12	0.3	0.3	0.6	21	0.29	0.063
PE-6 09+50S	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-6 10+00S	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-6 11+00S	Soil			0.3	6.2	5.9	28	<0.1	4.5	2.5	109	0.83	1.8	0.6	<0.5	2.2	4	<0.1	0.1	<0.1	15	0.02	0.086
PE-6 11+50S	Soil			0.7	9.5	15.5	79	<0.1	10.7	6.1	1110	1.65	3.0	0.6	<0.5	2.8	8	0.2	0.3	0.3	31	0.05	0.088
PE-6 12+00S	Soil			0.7	8.9	16.2	61	<0.1	8.3	4.6	279	1.77	3.1	0.6	<0.5	3.4	6	<0.1	0.3	0.3	35	0.04	0.117
PE-6 13+00S	Soil			0.8	7.9	19.5	56	<0.1	6.7	4.3	343	1.55	1.8	0.5	<0.5	2.5	5	<0.1	0.2	0.4	33	0.03	0.072
PE-6 13+50S	Soil			0.7	9.7	14.7	60	<0.1	9.3	4.9	275	1.72	3.0	0.6	<0.5	2.8	5	0.1	0.2	0.3	31	0.03	0.248
PE-6 14+00S	Soil			0.6	8.8	22.1	37	<0.1	7.0	4.1	194	1.85	4.1	0.5	<0.5	3.2	4	0.1	0.2	0.3	29	0.02	0.132
PE-6 14+50S	Soil			0.4	6.6	12.8	33	<0.1	7.9	4.0	72	1.28	1.8	0.4	2.5	4.1	2	<0.1	0.1	0.2	15	0.01	0.035
PE-6 15+00S	Soil			0.4	6.6	13.8	51	<0.1	8.4	4.2	98	1.45	3.0	0.3	9.0	3.5	3	<0.1	0.1	0.3	18	0.02	0.061
PE-6 15+50S	Soil			0.3	6.0	19.4	34	<0.1	9.3	4.4	88	1.40	2.9	0.3	1.3	4.3	2	<0.1	0.2	0.3	17	0.02	0.037

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
 Report Date: August 28, 2008

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE-7 23+50N	Soil	14	11	0.63	46	0.033	<1	1.76	0.007	0.06	0.1	0.02	1.4	0.1	<0.05	6	<0.5
PE-7 24+00N	Soil	20	13	1.06	50	0.039	<1	1.63	0.004	0.06	0.1	0.02	1.3	0.1	<0.05	6	0.6
PE-7 24+50N	Soil	15	12	0.73	47	0.033	<1	1.80	0.005	0.06	0.2	0.03	1.3	0.1	<0.05	7	<0.5
PE-7 25+00N	Soil	11	14	0.58	175	0.052	2	2.33	0.010	0.08	0.1	0.04	1.5	0.1	<0.05	8	<0.5
PE-7 25+50N	Soil	14	9	0.48	84	0.042	<1	1.58	0.008	0.07	0.1	0.03	1.0	0.1	<0.05	5	<0.5
PE-7 26+00N	Soil	25	9	0.80	46	0.010	<1	1.25	0.002	0.04	<0.1	<0.01	0.7	<0.1	<0.05	3	<0.5
PE-7 26+50N	Soil	14	9	0.39	43	0.036	<1	1.02	0.005	0.05	0.1	0.03	1.0	0.1	<0.05	6	<0.5
PE-7 27+00N	Soil	17	11	0.54	39	0.027	1	1.37	0.006	0.04	0.1	0.02	0.8	<0.1	<0.05	4	0.5
PE-7 27+50N	Soil	11	8	0.31	38	0.039	<1	1.48	0.009	0.03	0.1	0.02	1.0	<0.1	<0.05	6	<0.5
PE-7 28+00N	Soil	4	7	0.09	29	0.097	<1	2.80	0.016	0.02	0.2	0.05	1.2	<0.1	<0.05	8	<0.5
PE-7 28+50N	Soil	19	13	0.79	33	0.019	<1	1.79	0.003	0.05	0.1	0.02	1.1	<0.1	<0.05	4	<0.5
PE-7 29+00N	Soil	23	11	0.62	34	0.026	<1	1.15	0.004	0.07	0.1	0.02	0.8	0.1	<0.05	5	<0.5
PE-7 29+50N	Soil	10	13	0.46	93	0.076	<1	2.91	0.012	0.05	0.3	0.09	1.4	0.1	<0.05	7	<0.5
PE-7 30+00N	Soil	14	13	0.68	103	0.091	<1	3.04	0.014	0.06	0.2	0.06	1.8	0.1	<0.05	7	0.6
PE-7 30+50N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 31+00N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 31+50N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-7 32+00N	Soil	16	14	0.83	430	0.053	2	2.58	0.013	0.09	0.1	0.02	2.1	0.2	<0.05	7	0.6
PE-7 32+50N	Soil	16	13	0.57	306	0.065	<1	2.42	0.014	0.07	0.2	0.05	1.9	0.2	<0.05	6	<0.5
PE-6 09+50S	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-6 10+00S	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
PE-6 11+00S	Soil	2	5	0.06	45	0.086	<1	2.37	0.012	0.02	0.1	0.03	1.0	<0.1	<0.05	5	<0.5
PE-6 11+50S	Soil	6	11	0.15	142	0.167	1	2.84	0.019	0.06	0.2	0.05	1.7	0.2	<0.05	10	0.9
PE-6 12+00S	Soil	4	10	0.12	90	0.145	1	3.73	0.018	0.04	0.2	0.06	1.4	<0.1	<0.05	11	<0.5
PE-6 13+00S	Soil	6	9	0.12	83	0.143	<1	1.87	0.016	0.04	0.1	0.04	1.1	0.1	<0.05	11	<0.5
PE-6 13+50S	Soil	4	9	0.14	80	0.133	<1	3.48	0.013	0.04	0.3	0.06	1.4	<0.1	<0.05	9	<0.5
PE-6 14+00S	Soil	4	10	0.19	56	0.100	<1	3.41	0.012	0.03	0.2	0.07	1.3	<0.1	<0.05	9	<0.5
PE-6 14+50S	Soil	17	10	0.62	51	0.016	<1	1.29	0.003	0.03	0.1	0.01	0.9	<0.1	<0.05	4	<0.5
PE-6 15+00S	Soil	13	11	0.64	51	0.028	<1	1.48	0.006	0.04	0.2	0.03	1.0	<0.1	<0.05	5	<0.5
PE-6 15+50S	Soil	17	11	0.87	61	0.018	<1	1.48	0.004	0.04	0.2	0.02	1.0	<0.1	<0.05	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 28, 2008

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
PE-6 16+00S	Soil	0.3	4.8	15.9	32	<0.1	7.5	3.8	66	1.39	2.5	0.3	4.3	4.0	2	<0.1	0.1	0.3	17	0.01	0.043
PE-6 16+50S	Soil	0.6	6.9	23.1	25	<0.1	7.4	4.1	94	1.79	3.1	0.3	0.9	3.2	4	<0.1	0.1	0.4	24	0.04	0.093
PE-6 17+00S	Soil	0.3	4.7	17.7	27	<0.1	6.6	3.3	83	1.37	1.8	0.2	3.5	2.3	2	<0.1	0.1	0.4	22	0.02	0.040
PE-6 17+50S	Soil	0.2	13.2	16.4	32	<0.1	8.7	4.8	86	1.21	2.4	0.4	1.9	4.2	2	<0.1	0.1	0.3	11	0.03	0.046



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jasper Mining Corporation**

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek

Report Date: August 28, 2008

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08007882.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
PE-6 16+00S	Soil	15	11	0.81	46	0.020	<1	1.32	0.004	0.05	0.1	0.01	1.0	<0.1	<0.05	5	<0.5
PE-6 16+50S	Soil	6	11	0.38	73	0.055	1	2.50	0.009	0.03	0.2	0.03	1.4	<0.1	<0.05	7	<0.5
PE-6 17+00S	Soil	11	9	0.55	54	0.029	1	1.42	0.005	0.03	0.2	0.02	1.0	<0.1	<0.05	7	<0.5
PE-6 17+50S	Soil	15	9	1.01	51	0.013	<1	1.44	0.004	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 28, 2008

www.acmelab.com

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08007882.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 U	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Pulp Duplicates																							
PE-7 13+00N	Soil			0.7	6.6	12.4	34	<0.1	6.4	3.9	109	2.50	4.0	0.5	1.0	4.0	3	<0.1	0.2	0.4	36	0.04	0.070
REP PE-7 13+00N	QC			0.8	6.9	12.9	36	<0.1	7.7	4.1	115	2.64	4.2	0.5	1.3	4.2	4	<0.1	0.2	0.4	38	0.04	0.072
PE-7 22+50N	Soil			1.0	9.0	20.1	63	<0.1	9.6	6.4	103	2.24	5.8	0.3	1.7	2.8	4	<0.1	0.2	0.3	34	0.06	0.028
REP PE-7 22+50N	QC			0.9	9.5	20.8	65	<0.1	10.5	6.8	106	2.27	6.1	0.3	0.6	3.1	5	<0.1	0.2	0.3	37	0.06	0.027
PE-7 24+00N	Soil			0.4	12.5	13.7	58	<0.1	12.6	6.1	108	1.92	5.6	0.4	9.6	3.8	4	<0.1	0.3	0.2	21	0.05	0.041
REP PE-7 24+00N	QC			0.3	12.9	13.6	59	<0.1	12.1	6.3	106	1.93	5.8	0.3	<0.5	3.9	4	<0.1	0.3	0.2	21	0.05	0.041
Reference Materials																							
STD DS7	Standard			19.4	112.5	68.8	410	0.8	52.1	9.2	610	2.28	51.5	4.5	102.7	3.8	62	6.3	5.8	4.3	83	0.83	0.078
STD DS7	Standard			20.1	122.7	74.4	418	0.9	58.5	9.9	667	2.50	51.9	5.3	76.5	4.7	79	6.1	6.1	4.8	89	0.99	0.077
STD DS7	Standard			19.8	108.2	71.2	406	0.8	55.4	8.8	608	2.25	51.1	4.7	66.6	4.1	69	6.1	5.9	4.2	88	0.90	0.085
STD DS7 Expected				20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

Client: Jasper Mining Corporation

c/o Dixon Law Firm
 1020 - 833, 4th Ave S.W.
 Calgary AB T2P 3T5 Canada

Project: Perry Creek
Report Date: August 28, 2008

www.acmelab.com

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08007882.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
Pulp Duplicates																	
PE-7 13+00N	Soil	8	13	0.92	51	0.081	<1	3.17	0.007	0.04	0.2	0.05	1.4	<0.1	<0.05	11	<0.5
REP PE-7 13+00N	QC	10	14	1.03	52	0.091	1	3.40	0.009	0.04	0.2	0.04	1.5	<0.1	<0.05	12	<0.5
PE-7 22+50N	Soil	13	13	0.67	82	0.055	<1	1.87	0.006	0.06	0.2	0.02	1.7	0.1	<0.05	9	<0.5
REP PE-7 22+50N	QC	14	14	0.70	84	0.065	<1	1.96	0.007	0.06	0.2	0.02	1.8	0.1	<0.05	9	<0.5
PE-7 24+00N	Soil	20	13	1.06	50	0.039	<1	1.63	0.004	0.06	0.1	0.02	1.3	0.1	<0.05	6	0.6
REP PE-7 24+00N	QC	20	14	1.06	50	0.039	<1	1.64	0.004	0.06	0.1	0.02	1.2	0.1	<0.05	6	<0.5
Reference Materials																	
STD DS7	Standard	12	159	1.03	378	0.116	41	0.95	0.076	0.44	4.1	0.19	2.2	4.1	0.19	5	3.5
STD DS7	Standard	14	179	1.10	392	0.137	39	1.09	0.089	0.48	4.3	0.20	2.4	4.3	0.25	5	3.6
STD DS7	Standard	13	156	1.04	375	0.125	35	0.99	0.079	0.43	4.1	0.19	2.3	4.2	0.20	4	4.0
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

APPENDIX C

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES

The following expenses were incurred on behalf of the Perry Creek project between July 25th and August 27th, 2008.

PERSONNEL

Field Manager - 4.0 days at \$350 / day	\$ 1,400.00
Soil Crew - 4.0 man-days at \$300 / day	\$ 1,200.00
	<u>\$ 2,600.00</u>

EQUIPMENT RENTAL

4 Wheel Drive Vehicles - Truck - 6.0 days at \$75 / day	\$ 450.00
Mileage - 436 km @ \$0.75 / km	\$ 327.00
Hand - held radios - 6 days at \$10 / day	\$ 60.00
Quad - 2 days at \$175 / day	\$ 350.00
Satellite Phone - 4 days at \$20 / day	\$ 80.00
VHF Radio - 6 days at \$20 / day	\$ 120.00
	<u>\$ 1,387.00</u>

ANALYSIS

193 Soil samples at \$25 / sample	\$ 4,825.00
-----------------------------------	-------------

MISCELLANEOUS


Field Supplies - 8 man-days at \$20 / day	\$ 160.00
Fuel	\$ 100.00
Shipping	\$ 60.00
	<u>\$ 320.00</u>

REPORT WRITING / PREPARATION


R. T. Walker, P.Geo.: 2.0 days x \$650.00/day	\$ 1,300.00
Reproduction	\$ 50.00
	<u>\$ 1,350.00</u>

Total: \$ 10,482.00

Perry Creek



Perry Creek



JASPER MINING CORPORATION

LEAD (PPM) RESULTS MAP

Scale: Approx. 1 : 6,500 Date: January, 2009 Mapsheet: N.T.S. 82F / 10
BCGS: 082F057 and 68

FIGURE 6

DYNAMIC EXPLORATION LTD

Pb

- ⊕ 3.5 to 7.8
- ◆ 7.8 to 9.6
- ◆ 9.6 to 11.9
- ◆ 11.9 to 15.1
- ◆ 15.1 to 49.91

Perry Creek

JASPER MINING CORPORATION

ZINC (PPM) RESULTS MAP

Scale:
Approx. 1 : 6,500

Date:
January, 2009

Mapsheet:
N.T.S. 82F / 10
BCGS: 082F057 and 68

FIGURE 7

DYNAMIC EXPLORATION LTD

Zn

- + 10 to 35.4
- ◆ 35.4 to 60.8
- ◆ 60.8 to 86.2
- ◆ 86.2 to 111.6
- ◆ 111.6 to 137.1

