

APPENDIX I – Sample Field Notes including Assays of Selected Elements

Tables featuring sample locations and descriptions for all 2,872 samples of the 2008 Program. Separate tables are appended for each of soil, Till, till, till retake & rock samples. Assays for selected elements, Au, Bi, Te, Sb, Ag, Pb, Zn, Ni, Co, As, Mo & W, are included. Certain assay values judged to be anomalous in the population of that sample type (soil, Till, till, till retake or rock) are highlighted. Pages are designed to be printed on 11” x 17” media.

SOIL SAMPLES	25 PAGES
SILT SAMPLES	2 PAGES
TILL SAMPLES	3 PAGES
TILL RETAKE SAMPLES	2 PAGES
ROCK SAMPLES	13 PAGES

SOIL SAMPLING 2008

SampleID	Type	Duplicate	Date	Sampler	LineE	LineN	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
869251	soil		16-Sep-08	J.Svida/P.Robinson	50 E	34000 N	471979	5433993	10	dark brown	moderate	major	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	1.4	0.46	0.02	0.54	261	34.13	333.5	102.2	16.2	13.1	0.71	0.5	round pebbles		FALSE
869252	soil		16-Sep-08	J.Svida/P.Robinson	75 E	34000 N	472002	5434003	10	dark brown	major	moderate	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	1.3	0.41	<0.02	0.85	326	22.30	373.1	78.6	14.9	12.2	0.82	0.6			FALSE
869253	std		16-Sep-08	J.Svida/P.Robinson																		11.8	0.22	0.02	0.33	107	16.97	82.1	25.3	11.5	6.4	0.73	0.3			FALSE
869254	soil		16-Sep-08	J.Svida/P.Robinson	100 E	34000 N	472028	5434001	20	dark brown	major	moderate	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	1.3	0.42	<0.02	0.59	287	25.68	232.4	72.4	15.0	11.4	0.92	0.5			FALSE
869255	soil		16-Sep-08	J.Svida/P.Robinson	125 E	34000 N	472063	5433993	20	dark brown	major	moderate	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	2.3	0.56	0.05	1.38	180	47.68	235.9	55.5	15.5	20.5	0.96	0.7	moderate amounts of rounded pebbles		FALSE
869256	soil		16-Sep-08	J.Svida/P.Robinson	150 E	34000 N	472078	5433998	30	brown	major	moderate	loose	silty	dry	bushes	30	SW	major	mounded cut block	NE	7.1	0.67	0.04	0.61	275	39.93	138.2	59.9	17.2	19.9	1.08	1.5			FALSE
869257	soil		16-Sep-08	J.Svida/P.Robinson	175 E	34000 N	472106	5434010	20	brown	major	moderate	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	6.2	0.69	0.05	0.65	263	31.74	164.6	61.0	25.5	24.0	0.93	1.2	angular cobble & pebble		FALSE
869258	soil		18-Sep-08	R.Scott/J.Svida	175 E	34000 N	472125	5434021	20	brown	moderate	moderate	loose	silty, clumpy	moist	maple, willow, bushes	30	SW	major	mounded cut block	NE	2.5	0.58	0.03	0.76	165	32.50	158.2	60.8	22.8	20.2	0.86	0.9			FALSE
869259	soil		18-Sep-08	R.Scott/J.Svida	200 E	34000 N	472168	5434022	25	brown	moderate	moderate	loose	silty	dry	bushes	20	SW	major	mounded cut block	NE	1.0	0.63	0.05	1.12	165	43.19	209.5	82.7	28.1	16.5	0.83	0.5			FALSE
869260	soil		18-Sep-08	R.Scott/J.Svida	225 E	34000 N	472192	5434028	20	light brown	major	major	loose	silty	dry	grass, bushes	10	SW	major	mounded cut block	NE	2.2	0.57	0.04	1.07	195	37.17	163.8	79.3	20.2	12.6	1.01	0.7			FALSE
869261	soil		18-Sep-08	R.Scott/J.Svida	250 E	34000 N	472217	5434019	30	light brown	major	moderate	loose	silty, sandy	dry	maple	10	SW	major	mounded cut block	E	1.9	0.48	0.03	0.92	193	38.46	151.7	88.0	18.8	12.8	0.71	0.5			FALSE
869262	soil		18-Sep-08	R.Scott/J.Svida	275 E	34000 N	472246	5434014	30	brown	major	major	loose	silty	dry	bushes	20	SW	major	mounded cut block	SE	1.6	0.61	0.06	1.37	189	69.10	174.1	70.4	20.4	13.7	0.70	0.5			FALSE
869263	dup	869262	18-Sep-08	R.Scott/J.Svida	300 E	34000 N	472279	5434010	20	brown	major	minor	loose	silty	dry	bushes	10	SW	major	mounded cut block	E	1.5	0.57	0.04	1.23	195	58.17	163.6	66.2	20.6	13.5	0.71	0.6			FALSE
869264	soil		18-Sep-08	R.Scott/J.Svida	300 E	34000 N	472279	5434010	20	brown	major	minor	loose	silty	dry	bushes	10	SW	major	mounded cut block	E	2.6	0.54	<0.02	0.55	116	25.62	139.7	86.0	23.3	12.4	0.77	0.4			FALSE
869265	soil		18-Sep-08	R.Scott/J.Svida	325 E	34000 N	472303	5434012	25	brown	moderate	major	loose	silty	dry	grass	10	SW	major	mounded cut block	W	2.1	0.65	0.05	1.19	182	59.53	138.0	66.4	23.2	16.6	1.01	0.3	shale/schist in sample		FALSE
869266	soil		18-Sep-08	R.Scott/J.Svida	350 E	34000 N	472334	5434011	20	brown	moderate	minor	loose	silty	dry	bushes	5	SW	major	mounded cut block	E	6.1	0.56	0.03	0.43	199	29.82	191.7	48.2	17.4	14.5	0.78	0.3			FALSE
869267	soil		18-Sep-08	R.Scott/J.Svida	375 E	34000 N	472361	5434012	20	brown	moderate	moderate	loose	silty	dry	low brush	5	SW	major	mounded cut block	E	1.9	0.63	0.09	1.03	164	38.44	139.4	45.9	19.0	19.3	0.78	0.3			FALSE
869268	soil		18-Sep-08	R.Scott/J.Svida	400 E	34000 N	472391	5434014	20	light brown	moderate	moderate	loose	silty	dry	high bush, fir	10	SW	major	mounded cut block	NE	1.4	0.64	0.04	0.69	137	32.56	144.2	50.5	21.6	16.2	0.97	0.5			FALSE
869269	soil		18-Sep-08	R.Scott/J.Svida	425 E	34000 N	472412	5434010	20	brown	moderate	moderate	loose	silty	dry	low	10	SW	major	mounded cut block	NE	1.7	0.71	0.08	1.35	152	54.16	181.7	52.4	21.0	19.6	1.07	0.6	angular rocks in sample		FALSE
869270	soil		18-Sep-08	R.Scott/J.Svida	450 E	34000 N	472444	5434016	25	brown	moderate	moderate	loose	silty, fine	dry	low brush	30	S	major	cut block within 2 years	N	0.7	0.62	0.03	0.90	154	39.99	253.6	48.2	17.4	16.6	0.83	0.5			FALSE
869271	soil		18-Sep-08	R.Scott/J.Svida	475 E	34000 N	472471	5434026	30	dark brown	minor	major	loose	gritty	dry	minor brush	30	S	major	cut block within 2 years	N	1.8	0.54	0.03	0.40	169	24.60	257.5	82.1	28.5	16.4	0.67	0.5	soil more sandy and gritty		FALSE
869272	soil		18-Sep-08	R.Scott/J.Svida	500 E	34000 N	472500	5434009	30	brown	moderate	moderate	loose	fine	dry	major	30	S	major	cut block within 2 years	NE	2.4	0.60	0.03	0.79	220	41.00	233.1	59.2	20.5	14.4	0.71	0.4			FALSE
869273	soil		18-Sep-08	R.Scott/J.Svida	525 E	34000 N	472526	5434011	20	brown	moderate	moderate	loose	fine	dry	low brush	30	S	major	cut block within 2 years	N	1.5	0.65	0.04	1.07	176	44.56	179.3	44.8	19.3	16.0	0.82	0.6			FALSE
869274	soil		18-Sep-08	R.Scott/J.Svida	550 E	34000 N	472547	5434017	25	brown	moderate	moderate	loose	fine	dry	low brush	20	S	major	cut block within 2 years	N	2.3	0.62	0.04	0.80	238	34.60	168.7	46.2	17.7	15.9	0.84	0.5	rounded pebbles		FALSE
869275	soil		18-Sep-08	R.Scott/J.Svida	575 E	34000 N	472565	5434016	25	brown	moderate	moderate	loose	fine	dry	fir	20	SW	minor	second growth fir forest	NE	1.9	0.59	0.04	0.81	187	32.03	197.8	59.2	18.6	17.2	0.76	0.4			FALSE
869276	soil		18-Sep-08	R.Scott/J.Svida	600 E	34000 N	472601	5433993	40	brown	moderate	moderate	loose	fine	dry	cedar, fir	20	SW	minor	second growth fir forest	NE	1.2	0.64	0.06	0.97	157	37.20	173.3	57.2	19.0	17.3	0.85	0.4	angular stones in soil		FALSE
869277	soil		18-Sep-08	R.Scott/J.Svida	625 E	34000 N	472620	5434005	30	brown	moderate	moderate	loose	fine	dry	fir	20	SW	minor	second growth fir forest	NE	3.0	0.82	0.05	1.07	124	44.67	178.1	57.6	21.7	24.4	1.06	0.4			FALSE
869278	soil		18-Sep-08	R.Scott/J.Svida	0 E	33950 N	471914	5433951	30	brown	moderate	moderate	loose	fine	dry	low brush	35	W	major	logged within last 2 years	E	5.1	0.68	0.03	0.85	270	49.32	757.1	445.5	148.3	15.5	1.43	1.0			FALSE
869279	soil		18-Sep-08	R.Scott/J.Svida	25 E	33950 N	471947	5433943	30	brown	moderate	moderate	loose	fine	dry	fir, aspen	30	W	major	logged within last 2 years	E	6.5	0.80	0.04	1.12	598	51.72	537.6	237.4	87.5	18.3	3.00	1.5			FALSE
869280	soil		18-Sep-08	R.Scott/J.Svida	50 E	33950 N	471972	5433935	30	brown	moderate	moderate	loose	fine	dry	major	20	W	major	logged within last 2 years	E	2.6	0.53	<0.02	0.56	246	39.11	304.4	76.7	21.0	12.7	0.92	0.7			FALSE
869281	soil		19-Sep-08	R.Scott/J.Svida	1975 E	33950 N	471987	5433924	20	brown	moderate	moderate	loose	silty	dry	low brush	20	SW	major	mounded cut block	E	12.8	0.62	0.03	0.96	348	31.86	212.0	86.9	25.4	21.4	0.88	0.7			FALSE
869282	soil		19-Sep-08	R.Scott/J.Svida	2000 E	33950 N	472037	5433936	20	brown	moderate	minor	loose, makes clumps	gritty	moist	low weeds	15	SW	major	mounded cut block	E	2.0	0.51	<0.02	0.86	354	26.15	199.1	60.2	23.2	12.6	0.84	0.6			FALSE
869283	soil		19-Sep-08	R.Scott/J.Svida	2025 E	33950 N	472041	5433926	10	brown	major	minor	loose	silty	dry	low brush	10	SW	major	mounded cut block	E	2.4	0.50	0.03	0.72	226	22.95	155.5	49.8	16.2	10.9	0.69	0.6			FALSE
869284	soil		19-Sep-08	R.Scott/J.Svida	2050 E	33950 N	472068	5433943	25	brown	moderate	moderate	loose	silty	dry	second growth fir & birch	10	SW	moderate	second growth fir & birch forest	E	4.4	0.56	0.03	0.81	291	40.85	182.1	76.1	18.3	13.8	0.73	0.8	sample on edge of old road		FALSE
869285	soil		19-Sep-08	R.Scott/J.Svida	2075 E	33950 N	472089	5433937	20	brown	moderate	moderate	loose	silty	dry	dense maple & alder	25	SW	major	on edge of cutblock	E	1.3	0.59	0.03	0.90	201	50.74	187.1	64.3	15.5	13.2	0.65	0.7	sample in second growth brush on edge of		

SOIL SAMPLING 2008

SampleID	Type	Duplicate Cf	Date	Sampler	LineE	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
869846	soil		29-Sep-08	P.Robinson/J.Svida	1020	E	4350 N	471017	5434351	10	brown	major	minor	loose	silty	nil	tall alders, sparse old growth	35	W	minor	edge of cut block	E	25.9	0.45	0.07	1.07	210	53.08	206.1	144.4	19.7	14.6	0.70	0.5			FALSE
869847	soil		29-Sep-08	P.Robinson/J.Svida	1000	E	4350 N	470998	5434350	10	brown	moderate	moderate	loose	gritty	nil	tall alders, sparse old growth	30	W	minor	edge of cut block	E	5.2	0.32	0.05	0.95	125	40.28	158.2	103.3	16.1	11.3	0.50	0.4			FALSE
869848	soil		29-Sep-08	P.Robinson/J.Svida	980	E	4350 N	470979	5434349	15	brown	major	moderate	loose	silty	nil	tall alders, sparse old growth	30	W	minor	edge of cut block	E	1.2	0.33	0.04	0.87	381	52.81	303.5	97.8	13.8	11.7	0.76	0.5			FALSE
869849	soil		29-Sep-08	P.Robinson/J.Svida	960	E	4350 N	470960	5434353	10	brown	major	moderate	loose	gritty	nil	tall alders, sparse old growth	30	W	nil		E	15.9	0.36	0.03	0.86	199	35.98	248.6	114.5	15.8	11.6	0.74	0.5			FALSE
869850	soil		29-Sep-08	P.Robinson/J.Svida	940	E	4350 N	470938	5434351	10	brown	major	minor	loose	gritty	nil	tall alders, sparse old growth	30	W	nil		E	3.0	0.44	0.04	1.21	151	61.32	261.0	106.4	16.0	12.3	0.88	0.5			FALSE
869851	soil		28-Sep-08	N.MacLeod	road	road		471940	5434239	40	dark brown	35	15	loose	silty	damp	low shrub	25	W	moderate	25 yr old slash, tree planted		3.6	0.88	0.04	0.58	186	37.83	169.4	62.1	18.5	19.3	0.94	1.6	3m above east logging road split		FALSE
869852	soil		28-Sep-08	N.MacLeod	road	road		471970	5434186	35	brown	35	15	loose	silty	damp	low shrub	25	W	moderate	25 yr old slash, tree planted		1.7	0.52	<0.02	0.62	273	30.00	113.7	38.4	18.4	20.2	0.77	0.5	3m above upper logging road		FALSE
869853	dup	869852	28-Sep-08	N.MacLeod																			0.4	0.54	<0.02	0.76	263	33.94	128.3	42.1	18.0	21.8	0.82	0.5			FALSE
869854	std		28-Sep-08	N.MacLeod																			3.0	0.27	<0.02	0.33	131	18.32	100.5	27.5	11.6	7.4	0.72	0.4			FALSE
869855	soil		28-Sep-08	N.MacLeod	road	road		472010	5434146	30	brown	20	15	pliable	silty clay	damp	low shrub	20	W	moderate	25 yr old slash, tree planted		2.8	0.49	0.02	0.45	252	29.24	130.8	59.3	19.6	13.3	0.83	0.6	3m above east logging road		FALSE
869856	soil		28-Sep-08	N.MacLeod	road	road		472040	5434090	30	brown	35	15	loose	silty	dry	low shrub	20	W	moderate	25 yr old slash, tree planted		1.1	0.45	<0.02	0.59	303	24.90	161.7	59.1	13.8	10.3	0.75	0.5	3m above east logging road		FALSE
869857	soil		28-Sep-08	N.MacLeod	road	road		472071	5434038	25	brown	30	15	loose	silty	dry	low shrub	20	W	moderate	25 yr old slash, tree planted		4.4	0.47	0.02	0.71	211	32.16	149.9	57.9	16.8	17.5	0.84	0.6	3m above east logging road		FALSE
869858	soil		28-Sep-08	N.MacLeod	road	road		472111	5433990	35	brown	30	15	loose	silty	dry	low shrub	20	W	moderate	25 yr old slash, tree planted		3.3	0.61	0.03	0.68	157	30.51	150.2	66.6	17.4	18.3	0.88	1.2	3m above east logging road		FALSE
869859	soil		28-Sep-08	N.MacLeod	road	road		472151	5433937	35	brown	30	15	loose	silty	dry	low shrub	20	W	moderate	25 yr old slash, tree planted		2.7	0.47	0.06	0.92	229	29.34	148.9	66.6	21.2	17.1	0.95	0.7	3m above east logging road		FALSE
869860	soil		28-Sep-08	N.MacLeod	road	road		472183	5433897	40	light brown	30	15	loose	silty	dry	low shrub, tall pine	15	SW	minor	undisturbed since first logging >100 yrs		1.6	0.51	0.05	0.94	164	32.24	167.8	80.9	21.9	14.3	1.02	0.5	3m above east logging road		FALSE
869861	soil		28-Sep-08	N.MacLeod	road	road		472231	5433853	30	brown	30	15	loose	silty	dry	low shrub, tall pine	10	SW	minor	undisturbed since first logging >100 yrs		1.8	0.45	0.04	0.79	137	33.59	127.6	68.2	18.7	13.6	0.59	0.4	3m above east logging road		FALSE
869862	soil		28-Sep-08	N.MacLeod	road	road		472263	5433809	25	brown	30	15	loose	silty	moist	low shrub, tall pine	10	S	minor	undisturbed since first logging >100 yrs		0.7	0.41	0.05	1.07	130	33.54	129.6	56.0	18.0	15.1	0.62	0.3	3m above east logging road		FALSE
869863	soil		28-Sep-08	N.MacLeod	road	road		472305	5433782	30	brown	30	15	loose	silty	moist	thick shrub, large pine	10	S	moderate	second growth		2.6	0.43	0.04	0.82	180	24.51	124.9	67.8	19.2	11.2	0.73	0.4	3m above road south, undisturbed since logging >100 yrs		FALSE
869864	soil		28-Sep-08	N.MacLeod	road	road		472349	5433757	30	brown	30	15	loose	silty	dry	thick shrub, large pine	10	S	moderate	second growth		4.4	0.43	0.04	1.03	396	23.84	145.9	67.3	14.8	10.5	0.71	0.4	3m above road south, undisturbed since logging >100 yrs		FALSE
869865	soil		28-Sep-08	N.MacLeod	road	road		472385	5433738	25	red brown	30	15	loose	silty	dry	thick shrub, large pine	10	S	moderate	second growth		3.6	0.40	0.05	0.59	343	43.80	191.8	57.8	17.6	13.1	0.69	0.4	3m above road south, undisturbed since logging >100 yrs		FALSE
869866	dup	869867	28-Sep-08	N.MacLeod																			1.9	0.42	0.05	0.68	194	27.68	141.0	90.6	26.4	18.9	0.94	0.5			FALSE
869867	soil		28-Sep-08	N.MacLeod	road	road		472453	5433745	20	brown	30	15	loose	silty	dry	thick shrub, large pine	5	SSE	minor	undisturbed since first logging >100 yrs		3.8	0.46	0.06	0.78	171	32.32	122.0	90.5	25.7	24.7	1.05	0.6	2m on high side of road SSE		FALSE
869868	soil		28-Sep-08	N.MacLeod	road	road		472482	5433786	25	dark brown	30	20	loose	silty	moist	thick shrub, large pine	5	SSE	minor	undisturbed since first logging >100 yrs		0.9	0.57	0.06	0.82	175	37.12	181.8	53.8	23.0	17.2	0.84	0.3	2m on high side of road SSE		FALSE
869869	soil		28-Sep-08	N.MacLeod	road	road		472517	5433823	30	brown	30	20	loose	silty	dry	thick shrub, large pine	5	SE	mod sub	ground disturbed by skidder, large trees left alone		5.0	0.45	0.04	0.56	150	23.14	176.0	46.7	17.3	14.7	0.69	0.3	3m above SE road, 20m E access road punched through with selective logging		FALSE
869870	soil		28-Sep-08	N.MacLeod	road	road		472561	5433850	35	brown	30	15	loose	silty	dry	thick shrub, large pine	10	SE	mod major	ground disturbed by skidder, large trees left alone		1.0	0.70	0.05	1.75	160	91.31	268.5	54.3	16.2	17.8	0.70	0.3	4m above SE road, pocket of forest not recently damaged		FALSE
869871	soil		28-Sep-08	N.MacLeod	road	road		472620	5433858	30	grey brown	15	15	pliable	clay, silty	wet	large pine	20	S	major	slash		3.3	0.34	0.06	0.73	158	24.62	103.3	40.7	14.3	13.6	0.67	0.1	selective logging (pine taken), tree-planted, sample 2m above road		FALSE
869872	soil		28-Sep-08	N.MacLeod	road	road		472668	5433856	35	brown	25	10	loose	silty	moist	large pine	20	S	mod major	slash		1.0	0.39	0.03	0.71	350	22.70	166.6	56.5	15.2	15.4	0.57	0.3	selective logging (pine taken), tree-planted, sample 2m above road		FALSE
869873	std		28-Sep-08	N.MacLeod																			14.0	0.28	0.04	0.40	147	19.26	108.4	29.8	12.2	8.4	0.78	0.4			FALSE
869874	soil		28-Sep-08	N.MacLeod	road	road		472720	5433852	30	brown	25	10	loose	silty	dry	large pine	20	S	mod major	slash		0.6	0.37	0.03	0.31	499	20.46	203.7	45.5	15.0	10.0	0.61	0.2	selective logging (pine taken), tree-planted, sample 3m above road		FALSE
869875	soil		28-Sep-08	N.MacLeod	road	road		472770	5433861	35	brown	30	10	loose	silty	moist	large cedar	15	S	moderate	slash either side of sample area		1.7	0.39	0.04	0.46	406	20.10	192.3	42.4	14.6	11.5	0.59	0.3	selective logging (pine taken), tree-planted, sample 3m above road		FALSE
869876	soil		29-Sep-08	N.MacLeod	road	road		472819	5433858	30	brown, grey	clay silt 20%	10	loose, pliable	clay, silt	moist	low shrub, large cedar	10	S	moderate	slash	N	6.5	0.43	0.06	0.58	159	26.07	100.9	39.4	16.0	15.8	0.85	0.6	15-20 yr old slash, replanted, sample 2m above road		FALSE
869877	soil		29-Sep-08	N.MacLeod	road	road		472867	5433845	25	brown	30	15	loose	silty	moist	low shrub, large cedar	15	S	moderate	slash	N	3.6	0.45	0.02	0.48	258	23.63	175.8	49.2	15.8	12.0	0.59	0.4	15-20 yr old slash, replanted, sample 2m above road		FALSE
869878	soil		29-Sep-08	N.MacLeod	road	road		472907	5433816	30	brown	30	15	loose	silty	moist	low shrub, large cedar	10	S	moderate	slash	N	2.4	0.44	0.05	0.60	167	22.86	132.1	42.4	16.0	13.9	0.79	0.3	15-20 yr old slash, replanted, sample 5m above road		FALSE
869879	soil		29-Sep-08	N.MacLeod	road	road		472950	5433790	25	brown	30	15	loose	silty	dry	low shrub, large cedar	15	S	moderate	slash	N	11.4	0.41	0.06	0.57	130	20.91	103.7	43.3	17.0	16.7	0.83	0.5	15-20 yr old slash, replanted, sample 2m above road		FALSE
869880	soil		29-Sep-08	N.MacLeod	road	road		472999	5433799	30	brown	30	15	loose	silty	dry	low shrub, large cedar, pine	15	SSE	moderate	slash	NNW															

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineN Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
869924	soil		30-Sep-08	N.MacLeod	road			474339	5433194	30	brown	30	10	loose	silty	dry	dense	15	S	minor-moderate	second growth, hydro clearing	N	1.3	0.26	<0.02	0.39	71	14.71	78.5	34.0	12.8	9.9	0.63	0.3	logged >100 yrs, hydro clearing 50 yrs, sample 2m above road		FALSE
869925	soil		30-Sep-08	N.MacLeod	road			474384	5433171	30	grey-brown	20	10	loose	clay	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	5.6	0.36	0.03	0.48	194	48.11	135.1	43.9	17.5	12.4	0.89	0.4	logged >100 yrs, sample 2m above road		FALSE
869926	soil		30-Sep-08	N.MacLeod	road			474434	5433170	25	grey-brown	20	10	loose	clay	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	3.7	0.29	0.06	0.38	133	23.95	89.9	38.5	15.0	11.4	0.75	0.4	logged >100 yrs, sample 2m above road		FALSE
869927	soil		30-Sep-08	N.MacLeod	road			474484	5433174	25	brown	30	15	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	2.2	0.31	0.05	0.41	205	22.86	135.6	32.6	12.1	8.4	0.74	0.4	logged >100 yrs, sample 2m above road		FALSE
869928	std		30-Sep-08	N.MacLeod																			4.0	0.24	0.05	0.31	115	17.46	100.1	26.5	10.3	7.1	0.68	0.4			FALSE
869929	soil		30-Sep-08	N.MacLeod	road			474535	5433173	25	brown	30	10	loose	silty	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	3.1	0.33	0.05	0.44	158	24.61	118.1	45.4	15.8	11.5	0.62	0.3	logged >100 yrs, sample 2m above road		FALSE
869930	soil		30-Sep-08	N.MacLeod	road			474579	5433196	30	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	3.3	0.33	0.04	0.42	214	22.37	100.3	36.2	15.5	11.8	0.61	0.3	logged >100 yrs, sample 2m above road		FALSE
869931	soil		30-Sep-08	N.MacLeod	road			474628	5433203	30	red brown	30	10	loose	silty	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	4.1	0.32	0.03	0.51	264	23.50	117.0	35.7	12.1	11.6	0.63	0.4	logged >100 yrs, sample 3m above road		FALSE
869932	soil		30-Sep-08	N.MacLeod	road			474675	5433218	25	red brown	30	10	loose	silty	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	3.5	0.29	0.04	0.45	181	18.12	99.5	31.9	12.4	9.3	0.64	0.3	logged >100 yrs, sample 3m above road		FALSE
869933	soil		30-Sep-08	N.MacLeod	road			474721	5433239	20	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	7.6	0.26	0.03	0.34	199	27.16	97.3	20.4	11.0	10.2	0.84	0.3	logged >100 yrs, sample 4m above road		FALSE
869934	soil		01-Oct-08	N.MacLeod	road			474767	5433255	30	brown	30	15	loose	silty	moist	dense	10	S	moderate-major	hydro clearing	N	4.6	0.24	<0.02	0.48	181	28.83	103.5	25.2	11.0	11.0	0.73	0.3	5m W of hydro access road junction, second growth 40m E, sample 5m above road		FALSE
869935	dup	869934	01-Oct-08	N.MacLeod																			3.2	0.26	0.04	0.50	181	32.50	118.0	28.9	11.3	12.1	0.75	0.3			FALSE
869936	soil		01-Oct-08	N.MacLeod	road			474808	5433285	30	brown	30	15	loose	silty	moist	dense	10	S	moderate-major	hydro clearing	N	3.1	0.27	0.07	0.55	225	41.49	119.2	31.4	11.7	12.4	0.64	0.3	under hydroline, sample 3m above road		FALSE
869937	soil		01-Oct-08	N.MacLeod	road			474852	5433309	35	brown	30	15	loose	silty	moist	dense	10	S	moderate-major	hydro clearing	N	1.7	0.25	0.05	0.47	273	29.86	128.1	32.7	12.4	12.8	0.58	0.2	under hydroline, sample 3m above road		FALSE
869938	soil		01-Oct-08	N.MacLeod	road			474898	5433330	30	brown	30	15	loose	silty	moist	dense	15	S	moderate-major	second growth, hydro clearing	N	3.3	0.20	<0.02	0.30	205	18.17	85.3	30.4	12.0	10.6	0.61	0.2	under hydroline, sample 3m above road		FALSE
869939	soil		01-Oct-08	N.MacLeod	road			474946	5433317	30	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	2.9	0.23	0.07	0.38	260	15.92	96.2	24.3	11.3	8.7	0.60	0.2	under hydroline, sample 3m above road		FALSE
869940	soil		01-Oct-08	N.MacLeod	road			474994	5433306	35	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	1.7	0.25	0.02	0.52	214	22.37	103.9	23.2	10.6	9.1	0.62	0.2	under hydroline, sample 3m above road		FALSE
869941	soil		01-Oct-08	N.MacLeod	road			475036	5433278	25	brown	30	10	loose	silty	moist	dense	5	S	moderate-major	second growth 40m N, hydro clearing	N	73.6	0.28	0.07	0.62	1298	57.77	207.9	43.3	14.9	12.9	1.13	0.3	under hydroline, sample 6m above road: specimens returned from field area of silicified & partly brecciated granites(?); trace py		FALSE
869942	soil		01-Oct-08	N.MacLeod	road			475054	5433232	30	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	6.8	0.22	0.09	0.66	267	23.61	110.6	35.3	15.9	14.7	0.74	0.2	under hydroline, sample 3m above road		FALSE
869943	soil		01-Oct-08	N.MacLeod	road			475101	5433214	40	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	N	37.7	0.51	0.08	0.59	463	47.36	170.1	53.1	18.6	18.8	1.37	16.5	under hydroline, sample 5m above road		FALSE
869944	soil		01-Oct-08	N.MacLeod	road			475151	5433211	20	brown	30	10	loose	silty	moist	dense	15	S	minor-moderate	second growth, hydro clearing	N	4.8	0.31	0.03	0.29	565	24.81	128.5	51.9	16.9	13.2	1.79	1.1	under hydroline, sample 4m above road		FALSE
869945	soil		01-Oct-08	N.MacLeod	road			475201	5433214	20	brown	30	10	loose	silty	moist	dense	20	S	minor-moderate	second growth, hydro clearing	N	5.7	0.36	0.08	0.41	738	17.60	150.3	70.0	21.6	10.6	2.41	0.3	under hydroline, sample 3m above road		FALSE
869946	soil		01-Oct-08	N.MacLeod	road			475248	5433229	25	brown	30	10	loose	silty	moist	dense	10	S	moderate-major	second growth, hydro clearing	N	12.6	0.16	0.05	0.61	88	14.33	61.7	16.3	16.2	9.1	0.57	0.2	under hydroline, sample 2m above road		FALSE
869947	soil		01-Oct-08	N.MacLeod	road			475298	5433222	30	dark brown	30	15	loose	silty	moist	dense	5	S	moderate-major	second growth, hydro clearing	N	3.3	0.25	0.04	0.49	174	15.06	95.7	29.6	14.3	9.6	0.66	0.2	under hydroline, sample 4m above road		FALSE
869948	dup	869947	01-Oct-08	N.MacLeod																			7.6	0.32	0.07	0.65	186	19.91	108.4	28.2	15.1	8.5	0.63	0.2			FALSE
869949	soil		01-Oct-08	N.MacLeod	road			475347	5433210	45	brown	30	10	loose	silty	moist	dense	10	S	moderate-major	hydro clearing	N	4.6	0.15	0.04	0.45	100	11.03	61.7	21.3	11.2	5.3	0.63	0.2			FALSE
869950	soil		01-Oct-08	N.MacLeod	road			475391	5433186	25	brown	30	10	loose	silty	moist	dense	10	S	moderate-major	second growth, hydro clearing	N	17.3	0.31	0.04	0.53	146	19.77	113.1	32.2	16.2	9.8	0.90	0.2	under hydroline, sample 6m above road		FALSE
869951	soil		01-Oct-08	N.MacLeod	road			475401	5433137	25	brown	30	10	loose	silty	moist	dense	5	W	moderate-major	second growth, hydro clearing	E	20.3	0.38	0.03	0.85	1004	45.85	159.0	36.4	17.5	10.3	0.74	0.3	under hydroline, sample 4m above road		FALSE
869952	soil		01-Oct-08	N.MacLeod	road			475447	5433117	30	brown	30	10	loose	silty	moist	dense	10	SW	moderate-major	second growth, hydro clearing	NE	11.4	0.72	0.04	0.58	248	52.55	170.4	51.2	21.2	10.5	0.83	0.3	under hydroline, sample 3m above road		FALSE
869953	std		01-Oct-08	N.MacLeod																			2.4	0.30	<0.02	0.39	267	23.93	138.8	30.6	12.9	9.3	0.77	0.4			FALSE
869954	soil		01-Oct-08	N.MacLeod	road			475494	5433139	30	brown	30	10	loose	silty	moist	dense	10	S	moderate-major	second growth, hydro clearing	S	3.8	0.43	0.06	0.47	226	29.15	146.4	52.6	20.3	9.7	1.11	0.3	under hydroline, sample 3m above road		FALSE
869955	soil		01-Oct-08	N.MacLeod	road			475538	5433161	30	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	S	4.5	0.31	0.04	0.44	295	22.99	117.4	78.2	18.9	9.1	0.67	0.4	under hydroline, sample 3m above road		FALSE
869956	soil		01-Oct-08	N.MacLeod	road			475567	5433120	30	brown	30	10	loose	silty	moist	dense	10	S	minor-moderate	second growth, hydro clearing	W	9.5	0.23	<0.02	0.30	131	19.31	84.5	45.5	16.5	7.7	0.56	0.3	under hydroline, sample 6m above road		FALSE
869957	soil		01-Oct-08	N.MacLeod	road			475616	5433127	30	brown	30	10	loose	silty	dry	dense	15	S	minor-moderate	second growth, hydro clearing	S	8.0	0.26	0.04	0.37	159	19.87	124.4	89.1	21.7	7.9	0.69	0.2	under hydroline, sample 5m above road		FALSE
869958	soil		01-Oct-08	N.MacLeod	road			475665	5433115	30	brown	30	10	loose	silty	dry	dense	5	S	moderate-major	second growth, hydro clearing	N	3.2	0.33	<0.02	0.49	164	27.46	125.3	50.3	16.1	7.9	0.72				

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
86990	soil		03-Oct-08	N.MacLeod	4500	3000		474500	5433000	25	brown	30	10-15	loose	silty	moist-damp	dense	20	S	minor	second growth	N	4.9	0.41	0.05	0.80	155	48.06	174.4	31.1	11.6	12.0	0.98	0.2	second growth >100 years old		FALSE
86991	soil		03-Oct-08	N.MacLeod	4450	3000		474449	5433000	30	brown	30	10-15	loose	silty	moist-damp	dense	15	S	minor	second growth	N	2.1	0.29	0.02	0.50	196	21.70	118.4	28.6	10.4	12.6	0.70	0.2	second growth >100 years old, outcrop		FALSE
86992	soil		03-Oct-08	N.MacLeod	4400	3000		474400	5433000	30	brown	30	10-15	loose	silty	moist-damp	dense	15	S	minor	second growth	N	2.2	0.52	<0.02	0.57	190	29.03	124.4	27.4	12.3	14.3	1.00	0.2	second growth >100 years old		FALSE
86993	soil		03-Oct-08	N.MacLeod	4350	3000		474350	5433000	25	brown	30	10-15	loose	silty	moist-damp	dense	10	S	minor	second growth	N	21.8	0.38	0.04	0.36	211	26.27	130.1	35.4	16.4	10.0	0.88	0.2	second growth >100 years old, outcrop		FALSE
86994	soil		03-Oct-08	N.MacLeod	4300	3000		474300	5432998	25	brown	30	10-15	loose	silty	damp	dense	20	S	minor	second growth	N	2.6	0.36	0.02	0.57	181	59.40	310.0	36.9	16.9	11.1	0.79	0.3	second growth >100 years old		FALSE
86995	soil		03-Oct-08	N.MacLeod	4250	3000		474250	5433000	25	brown	30	15	loose	silty	damp	dense	25	S	minor	second growth	N	1.2	0.42	0.07	0.88	238	38.88	263.8	61.8	18.9	13.7	0.86	0.3	second growth >100 years old		FALSE
86996	dup	86997	03-Oct-08	N.MacLeod																			2.4	0.41	0.04	0.63	274	33.42	169.1	119.7	17.9	15.8	0.70	0.3			FALSE
86997	soil		03-Oct-08	N.MacLeod	4200	3000		474201	5433002	25	brown	30	15	loose	silty	damp	dense	20	S	minor	second growth	N	3.8	0.41	0.03	0.67	302	32.47	170.8	123.0	18.0	16.5	0.71	0.3	second growth >100 years old		FALSE
86998	soil		03-Oct-08	N.MacLeod	4150	3000		474150	5433002	25	brown	30	15	loose	silty	damp	dense	25	S	minor	second growth	N	5.0	0.44	0.04	0.59	162	29.11	99.9	60.6	15.6	15.9	0.89	0.5	second growth >100 years old		FALSE
86999	soil		03-Oct-08	N.MacLeod	4100	3000		474100	5433003	25	brown	30	15	loose	silty	damp	dense	25	S	minor	second growth	N	1.7	0.38	0.04	0.39	253	22.34	150.3	37.8	13.3	8.9	0.75	0.3	second growth >100 years old		FALSE
87000	soil		03-Oct-08	N.MacLeod	4050	3000		474051	5433000	30	brown	30	15	loose	silty	damp	dense	15	S	minor	second growth	N	2.1	0.41	0.04	0.52	138	29.90	124.5	33.6	13.8	8.8	0.81	0.3	second growth >100 years old	SampleID 867000 originally entered (867xxx series not known on this project); field notes identify sample as 870000; Acme in certificate VAN08010161 also records sample 867000, changed to 870000 - JDW 04Mar09	FALSE
917601	soil		09-Aug-08	C.Chudyk	0 W	350 S		471703	5434026	25	brown	15	15	loose	small angular & rounded pebbles	dry	first growth, small shrubs	30	S	none		W	6.1	0.82	0.05	0.83	154	42.80	124.3	77.4	17.5	18.7	1.10	1.6	first growth forest		FALSE
917602	soil		09-Aug-08	C.Chudyk	20 W	350 S		471689	5434035	30	brown	15	20	loose	small angular & rounded pebbles	dry	first growth, small shrubs	30	S	none		N	5.7	0.71	0.05	0.60	180	37.94	167.0	60.1	17.7	11.8	1.18	1.1	first growth forest		FALSE
917603	soil		09-Aug-08	C.Chudyk	40 W	350 S		471666	5434028	20	brown	15	25	loose	sandy	dry	first growth, small shrubs	30	S	none		N	3.1	0.78	0.05	0.71	199	89.90	147.6	48.0	16.0	17.5	1.30	1.7	first growth forest		FALSE
917604	soil		09-Aug-08	C.Chudyk	60 W	350 S		471654	5434031	30	brown	15	25	loose	small angular & rounded pebbles	dry	first growth, small shrubs	30	S	none		N	5.5	0.63	0.04	0.66	172	70.38	172.1	58.4	17.6	17.6	1.33	1.2	at base of large tree		FALSE
917605	soil		09-Aug-08	C.Chudyk	80 W	350 S		471626	5434024	5	brown	20	35	loose	sandy	dry	first growth, small shrubs	40	S	none		N	4.7	1.53	0.12	1.20	176	96.55	263.3	51.7	16.1	26.2	1.86	1.2	steep, very shallow, too much organic in sample		FALSE
917606	soil		09-Aug-08	C.Chudyk	100 W	350 S		471620	5434029	20	brown	20	15	loose	sandy	dry	first growth, maples	30	S	none		N	2.9	0.79	0.03	0.57	238	43.41	281.5	107.5	17.8	16.9	1.23	0.8	small animal burrows near		FALSE
917607	std		09-Aug-08	C.Chudyk																			45.2	0.26	0.05	0.27	140	18.42	97.9	27.1	10.7	7.3	0.76	0.3			FALSE
917608	soil		09-Aug-08	C.Chudyk	120 W	350 S		471595	5434036	25	brown	20	15	loose	sandy	dry	first growth	30	S	none		N	6.0	0.45	0.04	0.67	288	22.85	166.9	137.4	20.6	18.7	1.16	0.7	layer of ash-like silty grey powder below duff		FALSE
917609	soil		09-Aug-08	C.Chudyk	140 W	350 S		471568	5434040	15	brown	20	15	loose	sandy, rocky	dry	old growth, poplars	20	S	none		N	6.8	0.53	0.04	0.54	175	27.20	206.2	70.8	18.1	12.3	1.24	0.8			FALSE
917610	soil		09-Aug-08	C.Chudyk	160 W	350 S		471549	5434039	25	brown	20	15	loose	sandy, rocky	dry	old growth, poplars	30	S	none		N	0.9	0.60	0.06	0.63	189	35.99	162.0	64.3	22.8	17.4	0.95	0.6			FALSE
917611	soil		09-Aug-08	C.Chudyk	180 W	350 S		471522	5434030	40	brown	20	15	loose	sandy, rocky	dry	large poplars	25	S	minor	animal trail	N	<0.2	0.45	0.05	0.50	105	27.46	140.8	47.7	17.6	15.2	0.75	0.5			FALSE
917612	soil		10-Aug-08	C.Chudyk	200 W	350 S		471509	5434034	35	dark brown	20	25	loose	sandy, rocky	dry	large poplars	25	S	none		N	<0.2	0.49	0.06	0.55	97	32.14	147.1	55.6	22.4	15.1	0.97	0.3	Field notes contained in stack dated 09Aug08 - JDW		FALSE
917613	dup	917612	10-Aug-08	C.Chudyk																			<0.2	0.47	0.05	0.54	98	31.01	137.9	53.5	21.4	14.2	0.93	0.3			FALSE
917614	soil		10-Aug-08	C.Chudyk	220 W	350 S		471489	5434037	15	brown	10	15	loose	gritty, rocky	dry	first growth, poplars	20	S	none		N	7.4	0.45	0.10	0.74	88	36.49	135.6	52.4	20.5	11.6	0.84	0.3			FALSE
917615	soil		10-Aug-08	C.Chudyk	240 W	350 S		471465	5434035	15	grey	10	10	loose	gritty, rocky	dry	first growth	15	S	none		N	1.4	0.58	0.06	0.97	108	68.78	143.8	59.0	23.1	14.9	0.86	0.4	very thin soil layer...needles, dry, no ground vegetation		FALSE
917616	soil		10-Aug-08	C.Chudyk	260 W	350 S		471443	5434032	20	grey	10	10	loose	gritty, rocky	dry	first growth	20	SW	minor	animal trail	NE	0.7	0.46	0.06	0.66	154	38.74	146.9	57.4	24.6	13.1	1.20	0.4			FALSE
917617	soil		10-Aug-08	C.Chudyk	280 W	350 S		471423	5434033	15	grey	15	10	loose	gritty, rocky	dry	old growth	20	SW	none		NE	1.4	0.60	0.12	1.29	95	85.40	181.8	51.9	20.4	19.3	1.00	0.3	bare forest floor, needle bed		FALSE
917618	soil		09-Aug-08	N.MacLeod	0 W	400 S		471707	5433981	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrub	1	E	none		N	8.1	1.25	0.08	0.97	118	56.78	130.1	41.8	17.5	21.8	1.94	2.5	first growth, side slope, thick ground cover		FALSE
917619	soil		09-Aug-08	N.MacLeod	20 W	400 S		471687	5433984	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrub	1	E	none		N	6.1	1.11	0.08	0.84	149	42.72	138.5	51.3	18.5	19.2	1.49	2.2	first growth, side slope, thick ground cover		FALSE
917620	soil		09-Aug-08	N.MacLeod	40 W	400 S		471667	5433974	25	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrub	0		none		N	4.6	0.98	0.05	1.25	137	73.57	168.8	59.8	18.2	19.6	1.08	2.0	first growth, side slope, thick ground cover		FALSE
917621	soil		09-Aug-08	N.MacLeod	60 W	400 S		471653	5433978	20	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrub	1	W	none		N	10.9	1.95	0.07	1.71	376	155.51	269.2	47.9	14.3	29.7	2.43	1.6	first growth, side slope, thick ground cover, loose rock		FALSE
917622	soil		09-Aug-08	N.MacLeod	80 W	400 S		471633	5433985	25	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrub	4	W	none		N	14.9	3.95	0.13	0.80	416	208.69	275.9	43.1	15.7	36.9	2.25	3.8	first growth, side slope, thick ground cover, loose rock		FALSE
917623	soil		09-Aug-08	N.MacLeod	100 W	400 S		471610	5433987	20	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrub	2	W	none		N	18.4	3.26	0.11	0.74	282	73.30	213.5	93.1	20.3	23.6	1.64	3.4	first growth, side slope, thick ground cover		FALSE
917624	soil		09-Aug-08	N.MacLeod	120 W	400 S		471592	5433979	25	brown	20	15	loose	small angular & rounded pebbles																						

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
917640	soil anomaly		10-Aug-08	N.MacLeod	200 W	70 N	471512	5434442	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	9.3	0.35	<0.02	0.87	313	29.19	425.9	75.3	15.7	17.0	1.99	0.8	first growth, float, no disturbance, minor ground cover, duplicate of 917718	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917641	soil anomaly		10-Aug-08	N.MacLeod	210 W	70 N	471502	5434442	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	2.0	0.39	0.03	0.59	471	31.55	482.8	63.8	13.5	17.1	1.66	0.7	first growth, float, no disturbance, minor ground cover, duplicate of 917729	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917642	soil anomaly		10-Aug-08	N.MacLeod	220 W	70 N	471492	5434442	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	2.0	0.60	<0.02	0.60	276	41.13	658.5	75.2	15.8	17.4	1.70	1.4	first growth, float, no disturbance, minor ground cover, duplicate of 917730	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917643	soil anomaly		10-Aug-08	N.MacLeod	220 W	80 N	471492	5434452	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	5.3	0.63	0.04	0.88	361	119.32	737.5	72.7	17.5	30.4	2.28	0.8	first growth, float, no disturbance, minor ground cover, duplicate of 917731	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917644	soil anomaly		10-Aug-08	N.MacLeod	210 W	80 N	471502	5434452	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	7.2	0.42	0.02	0.77	283	51.30	633.6	81.7	16.3	18.0	2.18	0.6	first growth, float, no disturbance, minor ground cover, duplicate of 917728	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917645	soil anomaly		10-Aug-08	N.MacLeod	200 W	80 N	471512	5434452	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	1.4	0.39	0.04	0.84	269	36.90	590.0	74.4	16.2	14.9	3.73	0.7	43.1ppb Au of 2007, duplicate of 917717	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917646	soil anomaly		10-Aug-08	N.MacLeod	190 W	80 N	471522	5434452	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	0.9	0.35	0.02	0.56	371	25.67	460.1	69.2	15.3	16.1	2.04	0.6	first growth, float, no disturbance, minor ground cover, duplicate of 917725	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917647	soil anomaly		10-Aug-08	N.MacLeod	180 W	80 N	471532	5434452	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	2.8	0.35	<0.02	0.65	203	26.99	310.1	79.2	16.6	16.1	1.86	0.3	first growth, float, no disturbance, minor ground cover, duplicate of 917722	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917648	soil anomaly		10-Aug-08	N.MacLeod	180 W	85 N	471532	5434461	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	1.7	0.34	<0.02	0.61	244	27.84	486.7	80.2	15.1	13.0	0.93	0.4	first growth, float, no disturbance, minor ground cover, duplicate of 917723	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917649	soil anomaly		10-Aug-08	N.MacLeod	190 W	85 N	471522	5434461	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	5.2	0.42	0.03	0.78	285	30.44	347.1	76.9	18.1	20.5	2.16	0.7	first growth, float, no disturbance, minor ground cover, duplicate of 917724	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917650	soil anomaly		10-Aug-08	N.MacLeod	200 W	85 N	471512	5434461	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	2.1	0.44	<0.02	0.64	455	55.79	656.5	76.1	18.0	16.5	2.28	0.6	first growth, float, no disturbance, minor ground cover, duplicate of 917726	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917651	soil		04-Aug-08	P.Smolarek	20 W	4600 N	471286	5434614	20	brown	20	15	loose	round pebbles	dry	clearcut	25	W	moderate	clearcut	E	3.5	0.27	0.04	1.00	171	19.79	160.6	102.2	20.8	11.5	0.69	0.3		Original Northing 543414	FALSE
917652	soil		04-Aug-08	P.Smolarek	40 W	4600 N	471270	5434616	20	brown	20	15	loose	round pebbles	moist	clearcut	25	W	moderate	clearcut	E	15.0	0.27	0.05	0.95	303	21.02	229.7	104.3	20.1	13.6	0.67	0.4			FALSE
917653	dup	917652	04-Aug-08	P.Smolarek																		3.5	0.29	<0.02	1.00	230	23.58	252.8	107.4	19.3	12.2	0.66	0.4			FALSE
917654	soil		04-Aug-08	P.Smolarek	60 W	4600 N	471253	5434610	15	brown	25	15	loose	gritty	moist	clearcut	25	W	moderate	replanting	E	5.1	0.29	<0.02	1.01	234	20.97	209.0	100.8	19.1	13.4	0.66	0.3			FALSE
917655	soil		04-Aug-08	P.Smolarek	80 W	4600 N	471236	5434615	15	brown	20	15	loose	gritty	moist	clearcut	20	W	moderate	replanting	E	7.2	0.28	0.03	0.76	353	22.69	191.6	101.0	20.0	15.3	0.68	0.4			FALSE
917656	soil		04-Aug-08	P.Smolarek	100 W	4600 N	471203	5434620	15	brown	20	15	loose	gritty	dry	clearcut	25	W	moderate	replanting	E	8.1	0.43	0.07	0.98	194	48.20	182.3	114.4	17.7	13.3	0.73	0.5			FALSE
917657	soil		04-Aug-08	P.Smolarek	140 W	4600 N	471160	5434622	20	brown	15	15	loose	gritty	moist	clearcut	20	W	moderate	replanting	E	18.0	0.37	0.03	0.70	233	21.60	149.6	137.4	19.1	18.8	0.77	0.5			FALSE
917658	soil		04-Aug-08	P.Smolarek	160 W	4600 N	471140	5434615	15	brown	15	15	loose	gritty	moist	large pine, med shrub	15	W	major	3m below road	E	9.5	0.37	0.03	0.70	422	30.47	191.4	112.5	16.9	17.1	0.72	0.5			FALSE
917659	std		04-Aug-08	P.Smolarek					15					loose	gritty						E	5.6	0.30	0.07	0.32	108	20.90	93.2	28.8	11.4	7.3	0.75	0.3			FALSE
917660	soil		04-Aug-08	P.Smolarek	200 W	4600 N	471090	5434606	15	brown	15	20	loose	gritty	dry		15	W	major	second growth	E	10.1	0.38	0.06	0.87	504	44.71	270.6	84.2	18.1	26.4	0.94	0.4			FALSE
917661	soil		04-Aug-08	P.Smolarek	220 W	4600 N	471071	5434612	15	brown	20	15	loose	sandy	dry	pine, shrub	20	W	minimal	second growth	E	7.6	0.44	0.04	0.93	329	49.66	232.2	94.0	22.3	29.2	1.00	0.3			FALSE
917662	soil		04-Aug-08	P.Smolarek	240 W	4600 N	471048	5434613	15	brown	20	15	loose	sandy	dry	pine, shrub	20	W	minimal	second growth	E	3.8	0.42	0.04	1.11	177	40.07	179.3	108.2	22.6	18.3	0.95	0.4			FALSE
917663	soil		04-Aug-08	P.Smolarek	260 W	4600 N	471020	5434616	10	brown	15	10	loose	rocky, sandy	dry	pine, shrub	15	W	minimal	second growth	E	3.9	0.38	0.06	0.86	443	28.32	148.1	80.6	19.1	17.4	0.81	0.3			FALSE
917664	soil		04-Aug-08	P.Smolarek	280 W	4600 N	471000	5434614	15	brown	15	15	loose	rocky, sandy	dry	pine, shrub	15	W	minimal	second growth	E	13.5	1.05	0.09	1.38	298	65.06	147.0	405.3	27.8	27.5	0.86	0.5	1m from logging road		FALSE
917665	soil		05-Aug-08	P.Smolarek	20 W	4500 N	471297	5434503	20	brown	25	15	loose	round pebbles	moist	clearcut	25	W	moderate	clearcut, replanting	E	5.7	0.44	0.04	1.14	270	32.29	131.5	119.7	19.8	48.2	0.87	0.3			FALSE
917666	soil		05-Aug-08	P.Smolarek	40 W	4500 N	471276	5434509	15	brown	20	15	loose	round pebbles	moist	clearcut	20	W	moderate	replanting	E	5.9	0.37	0.03	0.93	274	27.47	149.2	118.2	18.9	22.3	0.75	0.3			FALSE
917667	soil		04-Aug-08	P.Smolarek	120 W	4600 N	471184	5434616	15	brown	20	15	loose	gritty	moist	clearcut	20	W	moderate	replanting	E	6.3	0.36	0.04	0.62	226	31.28	228.9	93.6	14.5	14.2	0.66	0.4			FALSE
917668	dup	917667	04-Aug-08	P.Smolarek																		3.6	0.34	0.04	0.62	263	27.59	237.2	106.3	15.9	15.0	0.73	0.4			FALSE
917669	soil		05-Aug-08	P.Smolarek	60 W	4500 N	471256	5434516	15	brown	20	15	loose	round pebbles, sandy	dry	clearcut	20	W	moderate	replanting	E	5.0	0.38	0.05	1.05	159	34.00	138.4	122.5	19.4	16.2	0.57	0.3			FALSE
917670	soil		05-Aug-08	P.Smolarek	80 W	4500 N	471242	5434513	15	brown	20	15	loose	sandy	dry	clearcut	20	W	moderate	replanting	E	3.4	0.30	0.04	0.83	268	21.57	133.1	124.7	21.5	17.0	0.69	0.4			FALSE
917671	soil		05-Aug-08	P.Smolarek	100 W	4500 N	471212	5434513	15	brown	15	20	loose	sandy	dry	clearcut	20	W	moderate	replanting, 4m below road	E	2.9	0.33	<0.02	0.52	346	27.12	196.6	88.5	14.5	14.9	0.62	0.4			FALSE
917672	std		05-Aug-08	P.Smolarek																		7.3	0.28	0.11	0.33	135	20.18	99.5	29.0	11.5	7.2	0.80	0.4			FALSE
917673	soil		05-Aug-08	P.Smolarek	120 W	4500 N	471190	5434514	20	brown	20	20	loose	gritty	moist	clearcut	20	W	moderate	replanting	E	3.6	0.27	0.03												

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
917689	soil		06-Aug-08	P.Smolarek	320 W	4600 N	470958	5434610	10	brown	20	20	loose	small angular pebbles; sandy	dry	pine	10	W	minimal	old second growth	E	52.4	2.12	0.10	0.84	165	28.49	109.4	917.7	61.3	22.4	0.56	1.0			FALSE
917690	soil		06-Aug-08	P.Smolarek	340 W	4600 N	470934	5434614	15	brown	15	10	loose	small angular pebbles; sandy	dry	pine	10	W	minimal	old second growth	E	3.6	0.86	0.08	1.20	104	48.81	119.5	461.7	31.5	12.0	0.58	0.4			FALSE
917691	std		06-Aug-08	P.Smolarek																		3.5	0.27	<0.02	0.35	109	19.41	95.0	31.3	11.0	6.9	0.80	0.4			FALSE
917692	soil		06-Aug-08	P.Smolarek	360 W	4600 N	470918	5434608	15	brown	20	15	loose	sandy	dry	pine	10	W	minimal	old second growth	E	2.8	0.69	0.04	0.73	182	19.25	131.0	302.8	20.1	11.8	0.46	0.3			FALSE
917693	soil		06-Aug-08	P.Smolarek	380 W	4600 N	470902	5434605	15	brown	20	15	loose	sandy	dry	pine	5	W	minimal	old second growth	E	3.4	0.43	0.06	0.92	157	34.44	137.6	173.3	16.7	14.7	0.61	0.4			FALSE
917694	soil		07-Aug-08	P.Smolarek	20 W	5100 N	471315	5435087	10	brown	25	15	loose	fine	dry	large pine	5	W	minimal	old second growth	E	5.7	0.33	0.02	1.26	110	51.53	121.6	76.0	16.8	21.5	0.75	0.3			FALSE
917695	soil		07-Aug-08	P.Smolarek	40 W	5100 N	471291	5435080	25	brown	25	15	loose	fine	dry	large pine	5	W	minimal	old second growth	E	7.2	0.30	<0.02	0.56	239	17.57	186.0	56.0	13.1	14.2	0.71	0.2			FALSE
917696	soil		07-Aug-08	P.Smolarek	60 W	5100 N	471281	5435107	15	brown	20	10	loose	fine	dry	regrowth	5	W	major	replanted	E	4.2	0.29	<0.02	0.83	212	17.79	117.7	138.9	22.7	19.8	0.64	0.3			FALSE
917697	soil		07-Aug-08	P.Smolarek	80 W	5100 N	471253	5435096	15	brown	20	10	loose	fine	dry	regrowth	10	W	major	replanted	E	3.1	0.31	<0.02	0.89	389	18.81	110.0	107.7	20.5	26.4	0.81	0.4			FALSE
917698	soil		07-Aug-08	P.Smolarek	100 W	5100 N	471233	5435108	15	brown	20	10	loose	fine	dry	regrowth	10	W	major	replanted	E	7.8	0.33	0.03	0.92	290	23.00	118.0	131.9	21.2	40.5	0.81	0.3			FALSE
917699	soil		07-Aug-08	P.Smolarek	120 W	5100 N	471222	5435105	15	brown	20	15	loose	fine	moist	regrowth	10	W	major	replanted	E	4.8	0.35	0.04	0.69	371	21.34	167.6	108.0	22.4	23.4	0.71	0.3			FALSE
917700	soil		07-Aug-08	P.Smolarek	140 W	5100 N	471195	5435101	15	brown	20	15	loose	fine	moist	regrowth	10	W	major	replanted	E	12.2	0.37	<0.02	0.85	359	28.07	297.2	111.5	21.0	27.6	0.77	0.4			FALSE
917701	soil anomaly		05-Aug-08	N.MacLeod	160 W	90 N	471545	5434471	25	light brown	20	15	loose	small rounded & mostly angular pebbles	dry	first growth pine	7	W	none		E	2.0	0.50	<0.02	1.23	369	54.33	963.8	121.2	23.7	14.3	1.11	0.4	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917702	soil anomaly		05-Aug-08	N.MacLeod	170 W	90 N	471535	5434471	25	brown	20	15	loose	small rounded & mostly angular pebbles	dry	first growth pine	6	W	none		E	3.4	0.40	<0.02	0.77	210	37.11	405.6	110.8	20.7	12.9	1.12	0.4	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917703	soil anomaly		05-Aug-08	N.MacLeod	180 W	90 N	471525	5434471	25	brown	20	15	loose	small rounded & mostly angular pebbles	dry	first growth pine	6	W	none		E	1.6	0.42	<0.02	0.63	218	32.48	537.5	82.3	17.5	15.8	1.36	0.6	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917704	soil anomaly		05-Aug-08	N.MacLeod	190 W	90 N	471515	5434471	20	brown	25	15	loose	small rounded & mostly angular pebbles	dry	first growth pine	6	W	none		no photo	2.2	0.49	0.04	1.15	237	43.95	456.3	82.5	19.4	18.4	2.17	0.9	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917705	soil anomaly		05-Aug-08	N.MacLeod	200 W	90 N	471505	5434471	25	brown	25	20	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		N	2.8	0.56	0.04	1.38	270	76.71	511.5	81.1	18.5	15.6	1.77	0.9	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917706	soil anomaly		05-Aug-08	N.MacLeod	160 W	100 N	471545	5434480	30	light brown	25	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		E	3.4	0.48	<0.02	1.03	146	36.53	459.5	94.7	19.6	14.7	1.06	0.7	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917707	soil anomaly		05-Aug-08	N.MacLeod	170 W	100 N	471535	5434480	25	brown	20	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		E	3.2	0.46	<0.02	0.97	198	35.56	418.2	88.1	19.1	19.5	0.97	0.9	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917708	soil anomaly		05-Aug-08	N.MacLeod	180 W	100 N	471525	5434480	25	brown	20	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		E	2.6	0.49	0.03	1.14	202	37.01	388.1	75.8	18.1	20.4	1.41	0.7	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917709	soil anomaly		05-Aug-08	N.MacLeod	190 W	100 N	471515	5434480	25	brown	20	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		E	5.7	0.59	<0.02	1.26	312	80.68	540.9	86.0	20.8	19.2	3.46	1.1	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917710	soil anomaly		05-Aug-08	N.MacLeod	200 W	100 N	471505	5434480	25	brown	25	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		N	23.9	0.63	0.06	1.58	238	66.97	437.2	86.7	20.7	19.1	2.27	1.2	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917711	soil anomaly		05-Aug-08	N.MacLeod	160 W	110 N	471545	5434490	35	light brown	20	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		no photo	3.0	0.71	<0.02	0.89	236	38.92	367.7	95.1	19.9	17.4	1.17	0.5	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917712	dup	917711	05-Aug-08	N.MacLeod																		2.9	0.70	0.05	0.96	224	40.22	379.3	94.2	20.0	17.7	1.14	0.5			FALSE
917713	soil anomaly		05-Aug-08	N.MacLeod	170 W	110 N	471535	5434490	20	brown	25	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		no photo	3.6	0.51	0.09	1.31	150	39.96	288.3	89.6	17.8	21.0	1.43	0.7	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917714	soil anomaly		05-Aug-08	N.MacLeod	180 W	110 N	471525	5434490	20	brown	25	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		no photo	1.4	0.54	<0.02	0.85	222	44.16	368.1	86.1	20.5	16.8	1.43	0.7	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917715	soil anomaly		05-Aug-08	N.MacLeod	190 W	110 N	471515	5434490	20	brown	20	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		no photo	5.8	0.78	0.10	1.55	238	61.98	441.1	87.5	20.6	21.1	1.49	1.1	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917716	soil anomaly		05-Aug-08	N.MacLeod	200 W	110 N	471505	5434490	20	brown	25	15	loose	small rounded & mostly angular pebbles	dry	large pine	6	W	none		no photo	3.5	0.73	0.03	1.11	258	70.54	283.9	78.4	21.2	20.9	1.69	0.7	first growth, no disturbance, light ground cover	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917717	soil anomaly		05-Aug-08	D.Jackson	200 W	80 N	471512	5434462	20	light brown	35	10	loose	fine	dry	fir	25	W	none		N	3.6	0.40	<0.02	0.82	297	37.56	653.2	80.8	16.9	13.8	3.84	0.6	hot spot 43.1ppb Au -> target	Location coords based on offsets from aomalous 2007 sample L100N, 180W	FALSE
917718	soil anomaly		05-Aug-08	D.Jackson	200 W	70 N	471512	5434442	15	beige	35	10	loose	fine	dry	fir	25	W	none		N	2.3	0.36	<0.02	0.90	273	31.17	482.9	79.9	15.5	15.9	2.08	0.7		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE
917719	soil anomaly		05-Aug-08	D.Jackson	190 W	70 N	471522	5434442	20	light brown	35	10	loose	fine	dry	fir	25	W	none		N	3.6	0.32	<0.02	0.68	359	22.68	303.6	91.6	16.9	16.8	1.38	0.5		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE
917720	soil anomaly		05-Aug-08	D.Jackson	180 W	70 N	471532	5434442	10	light brown	35	10	loose	fine	dry	fir	25	W	none		N	2.6	0.34	0.04	0.63	268	23.65	249.9	104.4	19.8	13.0	0.97	0.3		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE
917721	std																					6.8	0.27	0.03	0.34	96	20.16	96.2	31.6	11.5	6.8	0.79	0.4			FALSE
917722	soil anomaly		05-Aug-08	D.Jackson	180 W	80 N	471532	5434452	30	light brown	35	10	loose	fine	dry	fir	25	W	none		N															

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineE Dir.	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject	
917723	soil anomaly		05-Aug-08	D.Jackson	180	W	85	N	471532	5434461	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	2.0	0.35	0.03	0.73	230	31.81	562.6	96.0	17.5	12.7	1.15	0.5	5m N of 180W/80N - pyritic rocks in soil present	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917724	soil anomaly		05-Aug-08	D.Jackson	190	W	85	N	471522	5434461	25	light brown	30	10	loose	fine	dry	fir	25	W	none		E	3.3	0.46	0.06	0.86	285	34.90	403.4	82.4	17.7	20.2	2.36	0.7	taken from side of pit of uprooted tree	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917725	soil anomaly		05-Aug-08	D.Jackson	190	W	80	N	471522	5434452	30	light brown	35	10	loose	fine	dry	fir	25	W	none		N	3.0	0.40	0.02	0.59	387	28.54	484.1	76.7	16.9	17.1	2.13	0.6	10m E of hot spot	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917726	soil anomaly		05-Aug-08	D.Jackson	200	W	85	N	471512	5434461	20	brown	30	10	loose	fine	dry	fir	25	W	none		N	3.1	0.47	0.04	0.80	412	56.90	681.6	76.5	17.7	16.5	2.33	0.7	rocky	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917727	soil anomaly		05-Aug-08	D.Jackson	190	W	85	N	471502	5434461	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	3.2	0.55	0.06	1.09	330	83.86	482.6	76.1	17.9	18.9	1.67	0.7		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917728	soil anomaly		05-Aug-08	D.Jackson	190	W	80	N	471502	5434452	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	3.3	0.50	0.03	0.96	235	59.44	777.9	81.3	16.8	20.5	2.14	0.6		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917729	soil anomaly		05-Aug-08	D.Jackson	190	W	70	N	471502	5434442	15	light brown	30	10	loose	fine	dry	fir	25	W	none		N	5.3	0.46	0.05	0.73	432	37.30	503.2	63.6	13.6	17.4	1.81	0.7		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917730	soil anomaly		05-Aug-08	D.Jackson	220	W	70	N	471492	5434442	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	2.8	0.81	0.03	0.82	159	50.63	1018.6	68.2	14.9	18.7	3.50	1.5	very rocky (angular)	Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917731	soil anomaly		05-Aug-08	D.Jackson	220	W	80	N	471492	5434452	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	3.6	0.71	0.06	1.03	319	141.92	864.4	74.1	18.2	34.3	2.67	0.9		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917732	soil anomaly		05-Aug-08	D.Jackson	220	W	85	N	471492	5434461	20	light brown	30	10	loose	fine	dry	fir	25	W	none		N	6.1	0.59	<0.02	1.02	508	99.57	525.4	74.4	18.3	20.2	1.82	0.7		Location coords based on offsets from aomalous 2007 sample L080N, 200W. Field note deficiencies by DJ resloved with resampling by NM 10-Aug-08	FALSE	
917733	soil		08-Aug-08	D.Jackson					468735	5432704	5	light grey brown	40	10	loose, little clumps	fine	dry	burn	30	SW	moderate	fire, ash	E	3.6	0.22	<0.02	1.05	130	24.00	106.8	37.5	16.7	12.2	0.81	0.4	near site of 96000 ppb Ag sample in west part of Property		FALSE	
917734	soil		15-Aug-08	C.Chudyk	71700	E	4650	N	471709	5434660	30	light brown	30	15	loose	fine	dry	old growth	10	N	none		S	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	needles, bare forest floor	Insufficient sample Acme certificate VAN08008427	FALSE
917735	dup	917734	15-Aug-08	C.Chudyk																			S	2.4	0.26	0.03	0.46	292	19.78	146.6	55.0	9.8	10.4	0.62	0.3			FALSE	
917736	std		15-Aug-08	C.Chudyk																			S	5.2	0.23	0.03	0.25	137	18.34	90.2	29.1	10.5	6.4	0.77	0.3			FALSE	
917737	soil		15-Aug-08	C.Chudyk	71680	E	4650	N	471678	5434649	5	dark brown	20	25	loose	gritty	dry	old growth	20	N	none		S	2.0	0.50	0.07	0.99	275	74.26	241.6	44.0	13.6	13.0	1.09	0.2	Very shallow soil on bedrock		FALSE	
917738	soil		15-Aug-08	C.Chudyk	71660	E	4650	N	471657	5434654	30	light brown	20	15	loose	fine	dry	old growth	20	N	none		S	3.0	0.31	0.03	0.59	149	23.22	129.3	63.9	12.5	11.3	1.07	0.3			FALSE	
917739	soil		15-Aug-08	C.Chudyk	71640	E	4650	N	471640	5434652	30	brown	25	25	loose	fine	dry	old growth	30	N	none		S	1.1	0.40	0.02	0.97	133	43.03	199.2	47.4	13.3	13.5	1.59	0.4	shallow, rocky - soil over boulders		FALSE	
917740	soil		15-Aug-08	C.Chudyk	71620	E	4650	N	471619	5434651	30	brown	20	15	loose	fine	dry	old growth	25	N	none		S	2.2	0.34	0.03	0.63	137	40.35	136.5	69.0	17.5	13.7	1.34	0.3			FALSE	
917741	soil		15-Aug-08	C.Chudyk	71600	E	4650	N	471599	5434651	20	brown	20	15	loose	fine	dry	old growth	25	N	none		S	2.2	0.38	0.05	0.90	184	55.14	191.3	59.1	19.3	20.0	1.25	0.2			FALSE	
917742	soil		15-Aug-08	C.Chudyk	71580	E	4650	N	471574	5434646	20	brown	20	10	loose	fine	dry	old growth	25	W	none		E	1.8	0.37	0.04	0.97	195	44.87	164.0	64.6	17.6	18.6	1.21	0.3			FALSE	
917743	soil		15-Aug-08	C.Chudyk	71560	E	4650	N	471549	5434650	20	brown	20	10	loose	fine	dry	old growth	25	W	minor	animal trail	E	11.8	0.36	0.05	0.93	231	43.63	139.4	89.1	19.3	13.6	0.95	0.3			FALSE	
917744	soil		15-Aug-08	C.Chudyk	71540	E	4650	N	471531	5434650	25	brown	20	10	loose	fine	dry	old growth	30	W	moderate	edge of cut	E	3.7	0.53	0.08	1.32	217	54.80	151.9	79.1	20.4	20.1	0.85	0.3			FALSE	
917745	soil		15-Aug-08	C.Chudyk	71520	E	4650	N	471520	5434646	10	brown	15	15	loose	gritty	dry	old growth	30	W	moderate	animal trail	E	4.1	0.50	0.07	1.29	174	66.52	164.0	82.0	20.0	20.0	0.64	0.3	edge of cut block		FALSE	
917746	soil		15-Aug-08	C.Chudyk	71500	E	4650	N	471505	5434647	25	brown	15	20	loose	fine, gritty	dry	regrowth	30	W	none		E	4.0	0.55	0.07	1.26	178	47.65	203.8	73.3	21.4	17.0	0.75	0.3	very thin soil, hard to get sample		FALSE	
917747	soil		15-Aug-08	C.Chudyk	71420	E	4650	N	471416	5434642	25	brown	15	15	loose, clumpy	gritty, rocky	dry	regrowth	30	W	moderate	slash	E	4.6	0.38	0.04	0.82	490	34.49	133.0	118.8	18.8	22.4	0.56	0.2	planted, slashed, ***bag out of sequence		FALSE	
917748	soil		15-Aug-08	C.Chudyk	71380	E	4650	N	471374	5434649	15	brown	15	15	loose, clumpy	gritty, rocky	dry	regrowth	30	W	moderate	slash	E	3.0	0.33	0.04	0.55	351	21.76	145.1	108.1	21.6	21.0	0.60	0.2	planted, slashed		FALSE	
917749	soil		15-Aug-08	C.Chudyk	71340	E	4650	N	471351	5434648	25	brown	15	20	loose	fine, gritty	dry	regrowth	30	W	none		E	2.4	0.31	0.05	1.11	716	22.55	266.8	99.0	15.7	13.7	1.08	0.4			FALSE	
917750	soil		15-Aug-08	C.Chudyk	71460	E	4650	N	471457	5434646	40	brown	20	15	loose	fine	dry	regrowth	30	W	moderate	slash	E	1.8	0.28	0.03	0.57	163	19.67	142.3	86.0	17.7	13.9	0.50	0.3	planted, slashed, ***bag out of sequence		FALSE	
917801	soil		07-Aug-08	P.Smolarek	160	W	5100	N	471169	5435102	15	brown	20	15	loose	fine	moist	regrowth	10	W	major	replanted	E	2.8	0.31	<0.02	1.00	265	15.81	130.1	102.5	15.0	17.9	0.66	0.5			FALSE	
917802	soil		07-Aug-08	P.Smolarek	180	W	5100	N	471145	5435110	15	brown	20	15	loose	fine	moist	regrowth	10	W	major	replanted	E	2.4	0.25	<0.02	0.95	233	12.56	105.2	81.8	14.4	16.6	0.55	0.4			FALSE	
917803	soil		07-Aug-08	P.Smolarek	200	W	5100	N	471121	5435103	15	brown	20	15	loose	fine	moist	regrowth	10	W	major	replanted	E	2.5	0.24	0.04	0.86	212	14.54	110.8	70.1	16.0	15.1	0.65	0.3			FALSE	
917804	soil		07-Aug-08	P.Smolarek	220	W	5100	N	471084	5435102	15	brown	15	15	loose	fine	dry	regrowth	5	W	major	replanted	W	4.4	0.23	0.02	0.93	177	22.06	120.3	56.8	14.6	14.2	0.63	0.3			FALSE	
917805	soil		07-Aug-08	P.Smolarek	240	W	5100	N	471058	5435101	15	brown	15	15	loose	fine	moist	regrowth	5	W	major	replanted	E	1.5	0.22	<0.02	0.51	232	14.13	144.7	41.3	10.2	10.5	0.56	0.2			FALSE	
917806	soil		08-Aug-08	P.Smolarek																																			

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
917903	soil anomaly		10-Aug-08	N.MacLeod	220	85	471492	5434461	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine	5	W	none		E	1.9	0.51	<0.02	0.80	490	83.26	479.2	67.1	16.7	19.3	1.65	0.7	first growth, float, no disturbance, minor ground cover, duplicate of 917732	Location coords based on offsets from anomalous 2007 sample L080N, 200W. Resampling of initial survey on 05-Aug-08	FALSE
917904	std		10-Aug-08	N.MacLeod																		4.5	0.27	0.03	0.32	100	18.69	93.0	27.2	11.2	7.0	0.73	0.3			FALSE
917905	soil		11-Aug-08	N.MacLeod	20	4800	471329	5434802	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	8	W	moderate	15-20 yr slash, tree planted	N	1.6	0.23	0.03	0.76	126	19.91	252.8	62.1	17.5	11.1	0.70	0.3	second growth, light ground cover		FALSE
917906	soil		11-Aug-08	N.MacLeod	40	4800	471347	5434797	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	7	W	moderate	15-20 yr slash, tree planted	E	3.0	0.21	0.02	1.10	168	24.17	141.6	72.3	18.8	15.6	0.55	0.3	second growth, light ground cover		FALSE
917907	soil		11-Aug-08	N.MacLeod	60	4800	471357	5434795	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	7	W	moderate	15-20 yr slash, tree planted	E	3.0	0.32	0.04	1.03	252	52.41	257.1	101.0	19.6	21.3	0.78	0.4	second growth, light ground cover		FALSE
917908	soil		11-Aug-08	N.MacLeod	80	4800	471376	5434800	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	7	W	moderate	15-20 yr slash, tree planted	E	2.9	0.32	0.03	1.11	338	77.17	360.3	100.6	17.4	23.2	1.11	0.4	second growth, light ground cover, large float visible		FALSE
917909	soil		11-Aug-08	N.MacLeod	100	4800	471395	5434802	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	8	W	moderate	15-20 yr slash, tree planted	E	1.6	0.31	0.04	0.97	390	37.94	294.3	93.8	16.3	16.0	1.10	0.5	second growth, light ground cover		FALSE
917910	soil		11-Aug-08	N.MacLeod	120	4800	471419	5434807	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	5	W	minor	15-20 yr slash	E	0.5	0.32	<0.02	0.92	213	35.32	341.8	64.5	9.3	12.7	0.50	0.4	second growth, light ground cover		FALSE
917911	soil		11-Aug-08	N.MacLeod	140	4800	471437	5434794	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	7	W	minor	15-20 yr slash	E	1.9	0.30	0.03	0.98	197	43.92	214.4	73.5	14.8	9.9	0.67	0.4	second growth, light ground cover		FALSE
917912	soil		11-Aug-08	N.MacLeod	160	4800	471450	5434798	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	7	W	moderate	15-20 yr slash, tree planted	E	1.5	0.26	0.03	0.75	197	34.14	228.4	88.2	16.7	13.1	0.65	0.3	second growth, light ground cover		FALSE
917913	soil		11-Aug-08	N.MacLeod	180	4800	471480	5434798	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	5	W	minor	15-20 yr slash	E	1.8	0.29	<0.02	0.85	165	30.56	198.1	97.4	15.3	12.3	0.76	0.3	second growth, light ground cover		FALSE
917914	soil		11-Aug-08	N.MacLeod	200	4800	471494	5434380	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	1	W	moderate	15-20 yr slash, tree planted	E	1.0	0.35	0.03	0.69	335	35.02	566.8	91.1	12.8	20.6	1.09	0.4	second growth, light ground cover	Easting coord of field notes selected over GPS coord - JDW 03Mar09	FALSE
917915	soil		12-Aug-08	N.MacLeod	240	4600	471550	5434600	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs, alder	5	W	minor	old second growth	E	1.2	0.41	0.04	0.87	183	40.45	156.8	69.1	20.2	18.6	1.04	0.3	first growth, dense ground cover, little disturbance	Field notes included in stack dated 13Aug08 - JDW	FALSE
917916	std		12-Aug-08	N.MacLeod																		2.7	0.25	0.04	0.28	149	18.43	104.8	27.0	10.9	7.3	0.73	0.4			FALSE
917917	soil		12-Aug-08	N.MacLeod	280	4800	471599	5434803	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	1	W	moderate	15-20 yr slash, tree planted	E	2.5	0.36	0.03	0.98	185	21.26	113.9	48.4	16.7	39.2	0.96	0.4	Field notes included with stack dated 11Aug08		FALSE
917918	soil		12-Aug-08	N.MacLeod	240	4800	471546	5434802	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar, various shrubs	0		moderate	15-20 yr slash, tree planted	E	3.2	0.26	<0.02	0.40	189	15.18	204.4	41.2	8.1	11.1	0.57	0.2	second growth, light ground cover	Field notes included with stack dated 11Aug08	FALSE
917919	soil		12-Aug-08	N.MacLeod	320	4800	471616	5434799	15	brown	10	10	loose	small angular & rounded pebbles	dry	pine, various shrub, moss	0	W	none		E	7.7	0.71	0.07	1.88	209	90.63	164.8	80.4	21.3	69.3	0.89	0.3	recent slash, 15-20 years old, thick ground cover		FALSE
917920	dup	917921	12-Aug-08	N.MacLeod																		1.3	0.28	0.02	0.67	203	18.75	148.8	60.7	15.5	15.8	0.71	0.3	duplicate of 917921	Sampler specifies duplicate of 917921, then also specifies field coords for sample 917919 - JDW 18Feb09	FALSE
917921	soil		12-Aug-08	N.MacLeod	360	4800	471661	5434805	30	brown	20	15	loose	small angular & rounded pebbles	dry	you name it, it's growing in here	3	W	moderate		E	1.1	0.27	<0.02	0.65	194	19.89	148.1	58.7	14.6	15.0	0.74	0.2			FALSE
917922	soil		12-Aug-08	N.MacLeod	400	4800	471701	5434804	30	brown	20	15	loose	small angular & rounded pebbles	dry	small pine, various shrub	4	W	moderate	15-20 yr slash, tree planted	E	1.6	0.31	<0.02	0.88	163	21.05	110.5	45.1	11.7	12.8	0.66	0.3			FALSE
917923	soil		12-Aug-08	N.MacLeod	400	4600	471697	5434599	25	brown	25	10	loose	small angular & rounded pebbles	dry	large pine, various shrubs, moss	0	W	none		E	6.7	0.61	0.06	1.41	168	77.74	206.8	53.6	13.5	16.3	0.95	0.5	first growth, untouched, no outcrop		FALSE
917924	soil		12-Aug-08	N.MacLeod	360	4600	471660	5434600	25	brown	25	10	loose	small angular & rounded pebbles	dry	large pine, various shrubs, moss	0	W	none		E	1.8	0.44	<0.02	0.65	174	40.03	304.5	44.5	13.3	14.4	0.68	0.5	first growth, untouched, no outcrop		FALSE
917925	soil		12-Aug-08	N.MacLeod	320	4600	471622	5434596	25	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrubs, moss	2	W	none		E	2.8	0.49	0.04	1.16	144	56.68	307.2	68.5	16.9	14.3	1.02	0.6	first growth, untouched, no outcrop		FALSE
917926	soil		12-Aug-08	N.MacLeod	260	4600	471579	5434594	20	brown	20	10	loose	small angular & rounded pebbles	dry	large pine, various shrubs, moss	5	W	none		E	3.6	0.55	0.05	1.26	172	73.29	250.0	64.7	22.9	20.0	1.07	0.5	first growth, untouched, outcrop		FALSE
917927	soil		14-Aug-08	N.MacLeod	240	4650	471080	5434648	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, alder, various shrubs	5	W	minor	second growth	N	21.0	0.41	0.06	1.09	380	41.56	182.5	110.4	21.4	35.3	1.12	0.4	thick foliage, 10-20 year old growth, no large pine, older slash		FALSE
917928	soil		14-Aug-08	N.MacLeod	260	4650	471061	5434647	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, alder, various shrubs	5	W	minor	second growth	N	5.7	0.35	0.03	0.79	485	30.73	178.7	84.5	16.6	24.6	1.00	0.3	thick foliage, 10-20 year old growth, no large pine, older slash		FALSE
917929	soil		14-Aug-08	N.MacLeod	280	4650	471040	5434646	25	light brown	25	15	loose	small angular & rounded pebbles	dry	small pine various shrubs	5	W	minor	slash	N	4.0	0.35	0.03	0.78	277	33.81	184.9	133.9	16.3	19.5	0.76	0.3	old, 30-year slash, medium dense ground cover		FALSE
917930	soil		14-Aug-08	N.MacLeod	300	4650	471019	5434645	25	brown	25	15	loose	small angular & rounded pebbles	dry	small pine various shrubs	5	W	minor	slash	E	10.4	0.56	0.04	1.07	256	24.19	139.7	259.9	26.3	32.6	0.78	0.5	old, 30-year slash, medium dense ground cover		FALSE
917931	soil		14-Aug-08	N.MacLeod	320	4650	471000	5434645	30	brown	25	15	loose	small angular & rounded pebbles	dry	small pine various shrubs	3	W	minor	slash	N	2.3	0.56	0.04	0.77	214	20.09	100.6	555.5	27.7	30.4	0.61	0.5	old, 30-year slash, medium dense ground cover, 4m above logging road		FALSE
917932	soil		16-Aug-08	P. Robinson	400	4850	471711	5434852	45	brown	moderate	minor	pastey	sandy	dry	thick low bush, sparse evergreens	5	NW	minor	very old burn, old clearcut	S	0.7	0.24	0.03	0.49	232	14.95	112.6	49.4	12.4	10.4	0.72	0.2			FALSE

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918420	soil		24-Aug-08	D.Jackson	80 W	5000 N		471226	5434999	30	tan	30	5	loose	fine	dry	fir, selective cut	22	W	moderate	excavator pit	E	4.2	0.32	0.02	0.95	148	16.71	105.3	150.3	21.4	21.5	0.76	0.3	retake	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918420a	soil		01-Aug-08	N.MacLeod	60 W	5000 N		471226	5434999	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, various shrub	2	E	minor-moderate	second growth, slash	E													slash, mounded replanting, large pine, light ground cover	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	TRUE
918421	soil		02-Aug-08	N.MacLeod	0 W	4900 N		471293	5434897	25	brown	20	15	loose	small angular & round pebbles	dry	large pine	0		moderate	second growth, bank of road	E	2.6	0.28	<0.02	0.83	192	23.22	155.8	80.1	13.0	13.2	0.70	0.3	BL follows road, station at E edge of Limpid FSR	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918421a	soil		01-Aug-08	N.MacLeod	80 W	5000 N		471293	5434897	20	brown	25	20	loose	small angular & round pebbles	dry	large pine	3	E	minor-moderate	second growth, slash	E												second growth area, pocked for tree planting [field notes mislabel tag at site which is 918576, sample retaken by D.Jackson on 24Aug08 - JDW]	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	TRUE	
918422	soil		02-Aug-08	N.MacLeod	20 W	4900 N		471265	5434901	20	brown	20	15	loose	small angular & round pebbles	dry	large pine, some cedar, thick underbrush	2	E	moderate	second growth, bank of road	E	7.3	0.29	<0.02	1.06	234	26.47	134.3	87.2	19.8	23.9	0.71	0.4	old second growth, thick ground cover, >10m below road	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918423	soil		02-Aug-08	N.MacLeod	40 W	4900 N		471251	5434901	20	brown	20	15	loose	small angular & round pebbles	dry	large pine, some cedar, thick underbrush	2	E	moderate	second growth	E	5.2	0.28	0.02	0.95	167	24.54	121.1	81.5	19.3	29.1	0.83	0.3	above old logging road	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918424	soil		02-Aug-08	N.MacLeod	60 W	4900 N		471225	5434895	20	brown	20	15	loose	small angular & round pebbles	dry	large pine, some cedar, thick underbrush	2	E	minor	second growth	S	5.5	0.31	0.07	0.65	231	25.22	139.8	96.6	29.1	61.3	0.68	0.4	just below fractured outcrop, sample taken	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918425	soil		24-Aug-08	D.Jackson	80 W	4900 N		471208	5434895	20	dark brown	30	10	loose	fine	dry	fir, maple	28	W	moderate	roads in area	E	8.2	0.36	<0.02	1.15	371	30.18	129.3	78.3	20.5	34.3	0.83	0.4	retake of original lost? notes by N.MacLeod of 02Aug08	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918426	soil		24-Aug-08	D.Jackson	100 W	4900 N		471193	5434893	10	medium brown	30	10	loose	fine	dry	fir, maple	10	W	major	below road at excavator pit	E	7.7	0.37	0.06	1.06	228	27.06	143.2	119.5	24.6	34.2	0.73	0.4	retake of original lost? notes by N.MacLeod of 02Aug08	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918427	dup	918426	24-Aug-08	D.Jackson																			8.1	0.37	0.02	0.95	231	26.61	132.8	114.5	23.2	32.0	0.69	0.4	duplicate of 918426		FALSE
918428	soil		24-Aug-08	D.Jackson	120 W	4900 N		471172	5434895	15	medium brown	30	10	loose	fine	dry	fir, maple	15	W	moderate	old ruts from equipment	E	10.2	0.26	<0.02	0.97	130	20.20	87.0	115.0	20.5	21.3	0.54	0.3	from side of old mound: retake of original lost? notes by N.MacLeod of 02Aug08	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918429	soil		02-Aug-08	N.MacLeod	140 W	4900 N		471148	5434894	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, some cedar, various shrub	2	E	moderate	old second growth, slash	W	2.3	0.34	0.03	0.54	153	17.57	114.2	325.7	29.3	16.2	0.49	0.4	old second growth, edge of slash, pocked ground for tree planting, light ground cover	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918430	soil		02-Aug-08	N.MacLeod	160 W	4900 N		471137	5434893	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, some cedar, various shrub	2	E	minor	old second growth + 3m above recent logging road 20yr	E	2.7	0.22	<0.02	0.78	210	15.84	96.1	132.9	17.2	13.8	0.46	0.3	old second growth, edge of slash, pocked ground for tree planting, light ground cover, >3m from large road	coordinates updated by C.Chudyk on 30-Sep-08; lines re-walked to get actual coordinates	FALSE
918431	soil		02-Aug-08	N.MacLeod	180 W	4900 N		471119	5434893	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, some cedar, various shrub	1	E	minor	slash	S	2.5	0.45	0.02	1.26	218	33.80	148.2	411.9	27.4	30.2	0.68	0.6	old second growth, edge of slash, pocked ground for tree planting, light ground cover		FALSE
918432	soil		02-Aug-08	N.MacLeod	200 W	4900 N		471087	5434891	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, some cedar, various shrub	1	E	minor	slash	W	5.1	0.43	0.02	1.08	256	30.81	123.7	422.2	23.5	93.5	0.72	0.5	old second growth, edge of slash, pocked ground for tree planting, light ground cover, open slash		FALSE
918433	std		02-Aug-08	P.Smolarek																			2.4	0.19	0.03	0.24	60	13.63	73.8	22.1	7.9	5.6	0.54	0.3			FALSE
918434	soil		03-Aug-08	P.Smolarek	220 W	4900 N		471069	5434891	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar	5	E	minor	slash	E	3.3	0.27	<0.02	0.62	265	13.72	92.4	195.5	17.8	47.7	0.53	0.4	1m from logging road		FALSE
918435	soil		03-Aug-08	P.Smolarek	240 W	4900 N		471055	5434886	20	brown	25	15	loose	small angular & round pebbles	dry	large pine	5	E	minor	slash	E	5.2	0.29	0.02	0.65	153	13.91	96.3	159.0	18.2	24.4	0.61	0.4			FALSE
918436	soil		03-Aug-08	P.Smolarek	260 W	4900 N		471030	5434880	20	brown	25	15	loose	small angular & round pebbles	dry	pine	5	E	minor	slash	E	3.0	0.40	0.03	0.94	127	22.95	118.6	165.1	19.9	17.1	0.69	0.3			FALSE
918437	soil		02-Aug-08	N.MacLeod/P.Smolarek	280 W	4900 N		471012	5434894	20	brown	25	15	loose	small round pebbles	dry	pine	10	E	minor	slash	E	2.5	0.42	0.04	0.82	92	20.94	123.8	241.3	20.6	14.1	0.62	0.4			FALSE
918438	soil		02-Aug-08	N.MacLeod/P.Smolarek	300 W	4900 N		470996	5434894	15	brown	25	15	loose	small round pebbles	dry	pine	15	E	minor	slash	E	2.7	0.36	0.03	0.96	160	18.67	111.3	142.9	17.5	14.9	0.57	0.4			FALSE
918439	soil		02-Aug-08	N.MacLeod/P.Smolarek	320 W	4900 N		470975	5434897	15	brown	20	15	loose	small round pebbles	dry	some various shrub	10	E	minor	slash	E	7.6	0.23	0.03	0.75	170	13.22	79.6	89.9	14.6	14.1	0.52	0.3	1m from logging road		FALSE
918440	soil		15-Aug-08	N.MacLeod/P.Robinson	40 E	4900 N		471340	5434902	25	light brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	5	W	major	bank of main road	E	7.5	0.20	0.02	0.88	167	18.30	94.7	62.2	17.0	16.9	0.66	0.3	1 m E of Limpid FSR, slash 20-30yrs. old, low ground cover		FALSE
918441	soil		15-Aug-08	N.MacLeod/P.Robinson	80 E	4900 N		471378	5434896	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	5	W	minor	slash	E	3.1	0.27	<0.02	0.79	250	28.23	272.6	65.4	15.1	13.4	0.90	0.3	1 m E of Limpid FSR, tree planting (pocked)		FALSE
918442	soil		15-Aug-08	N.MacLeod/P.Robinson	120 E	4900 N		471420	5434904	25	brown	20	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	6	W	minor	slash	E	1.9	0.26	0.03	0.89	579	43.91	347.1	82.7	14.2	19.6	1.04	0.4	1 m E of Limpid FSR, tree planting (pocked), edge of slash 15m E, some charcoal evident		FALSE
918443	soil		15-Aug-08	N.MacLeod/P.Robinson	160 E	4900 N		471458	5434908	30	brown	20	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	0	W	minor	second growth	E	5.5	0.28	0.03	0.90	156	20.40	231.6	55.9	12.5	14.0	0.93	0.3	1 m E of Limpid FSR, tree planting (pocked), no recent activity		FALSE
918444	soil		15-Aug-08	N.MacLeod/P.Robinson	200 E	4900 N		471501	5434901	25	brown	20	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	1	E	minor	old second growth	E	1.2	0.33	<0.02	0.60	485	45.83	402.8	48.4	13.8	21.3	0.83	0.6	station below outcrop, little to no disturbance, moderate ground cover		FALSE
918445	soil		15-Aug-08	N.MacLeod/P.Robinson	240 E	4900 N		471542	5434902	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	4	W	minor	old second growth, slash	E	1.5	0.46	0.04	0.92	297	39.67	227.8	28.9	12.4	17.1	0.92	0.3	slash 20-30 yrs old, tall thick ground cover, side of hill		FALSE
918446	soil		15-Aug-08	N.MacLeod/P.Robinson	280 E	4900 N		471583	5434900	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	1	E	moderate	old second growth, old logging road	E	8.0	0.34	0.05	0.91	460	41.36	301.9	76.2	11.2	12.7	1.68	0.6	sample taken where less disturbed, 3m south of old road, rock sample taken at station: on old logging road, outcrop, float		FALSE
918447	soil		15-Aug-08	N.MacLeod/P.Robinson	320 E	4900 N		471626	5434895	20	brown	20	15	loose	small angular & round pebbles	dry	large pine, cedar, various shrubs	0		moderate	old second growth	E	0.8	0.27	0.02	0.48	313	27.58	176.5	70.4	12.7	10.4	0.77	0.7	sample taken where less disturbed, taken 4m south of old road, on old logging road		FALSE
918448	soil		15-Aug-08	N.MacLeod/P.Robinson	360 E	4900 N		471670	5434899	20	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, thick shrubs	1	E	minor-moderate	old logging road, slash	E	2.3	0.42	0.05	0.51	325	64.19	196.7	49.4	12.2	33.5	11.47	0.6	line snakes back and forth through 2+80E, 3+20, 3+60 to 3+80E, sample taken S of upper side of road, 20-30 year slash either side		FALSE
918449	soil		15-Aug-08	N.MacLeod/P.Robinson	400 E	4900 N		471716	5434904	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, cedar, thick shrubs	0		minor-moderate	old logging road, slash	E	11.7	0.31	0.05	0.84	282	78.68	189.1	66.8	18.0	33.5	1.48	0.5	line ends 10m S @4+00E Limpid road (old logging road meets Limpid FSR 15m W of station)		FALSE

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918450	soil		16-Aug-08	N.MacLeod	400 E	4950 N	471695	5434950	25	brown	25	15	loose	small angular & round pebbles	dry	very large pine, cedar, alder, var shrubs	2	E	minor	road no factor	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	second growth	Insufficient sample Acme certificate VAN08008427	FALSE	
918500	soil		16-Aug-08	N.MacLeod	40 E	4950 N	471340	5434951	25	brown	25	15	loose	small angular & round pebbles	dry	large pine, various shrub	3	W	moderate	slash, replanted	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	slash 20-30 years old, light ground cover, sample in middle of Limpid Creek road, switchback at 120m W, road at 40m E	Insufficient sample Acme certificate VAN08008427	FALSE	
918501	soil, SGH		18-Jul-08	T.Hewett/D.Jackson	0 W	180 S	471722	5434192	10	dark brown	20	5	loose	fine grained	<5%	primary succession, undergrowth	7	W	logged-resgrowth	logging activity	N/A	8.0	1.52	0.06	1.15	149	61.67	154.3	66.5	20.7	30.8	1.15	4.7	notes taken by Paul Macdonald on July 18 for site as well		FALSE
918502	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	20 W	180 S	471693	5434194	10	dark brown	50	5-10	loose	fine grained	dry	undergrowth	2	SW	high	logged area, sample on a skid trail	SW	6.0	1.43	0.05	1.00	151	48.69	151.4	53.3	17.2	24.7	1.45	4.4			FALSE
918503	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	40 W	180 S	471677	5434195	10	medium brown	30	5-10	loose	fine-medium grained	dry	small shrubs	5	SW	high	logged area, sample on a skid trail	N	20.7	1.13	0.03	1.04	172	59.52	159.7	64.3	14.6	22.4	1.53	4.9			FALSE
918504	dup	918503	19-Jul-08	T.Hewett/D.Jackson																		7.5	1.07	0.03	1.05	158	60.75	171.3	62.5	14.3	21.2	1.48	4.6	duplicate of soil sample only (not SGH sample)		FALSE
918505	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	60 W	180 S	471654	5434187	10	medium brown	30	5-10	loose	fine grained	dry	at base of Douglas fir, small shrubs	15	SW	high	border old skid trail -logging activity is evident	NW	8.2	1.76	0.06	1.39	379	87.12	219.0	42.8	13.1	33.6	2.06	7.5	sample at station by Discovery Consultants in 2007		FALSE
918506	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	80 W	180 S	471633	5434187	10	medium brown	30	5-10	loose	fine-medium grained	dry	fallen trees & shrubs	8	SW	high	logged heavily, replanted, on skid trail	NE	67.6	5.56	0.20	1.01	649	85.14	165.3	39.9	19.4	58.9	3.90	50.4	Discovery Consultants 2007 station not found		FALSE
918507	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	100 W	180 S	471609	5434186	5	medium brown	20	<5	competent	coarse grained w/ cobbles	dry	base of doug fir, shrubs	20	S	high, soil lost	large blast- possibly an adit?, logged	N	392.7	27.84	0.56	1.19	499	57.10	188.3	75.6	23.0	120.3	2.32	260	sample at Discovery Consultants site 180S, 100W, located above old blast pit		FALSE
918508	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	120 W	180 S	471587	5434186	15	dark brown	30	15	fairly loose	fine grained w/ angular cobbles	dry	silkas, shrubs	20	W	high	logging activity	NW	21.2	11.38	0.23	1.31	249	31.86	793.6	70.1	23.7	57.8	7.59	60.7	sample at Discovery Consultants site 180S, 120W, on skidder trail	Original Northing 54344186	FALSE
918509	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	140 W	180 S	471568	5434184	5	medium brown	30	10	loose	fine grained	dry	shrubs	25	NW	high	logging, skid trail, dumped slash	S	11.1	4.29	0.07	0.60	205	22.86	466.9	70.7	21.3	17.2	1.92	16.0			FALSE
918510	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	160 W	180 S	471552	5434188	10	medium brown	30	10	loose	fine grained	dry	shrubs	15	NW	high	edge of skid trail	NE	3.9	1.22	0.04	0.53	165	27.60	216.3	87.8	24.9	10.8	0.75	2.4			FALSE
918511	std		19-Jul-08	T.Hewett/D.Jackson																		2.5	0.09	<0.02	0.18	12	4.70	47.6	14.8	4.6	2.7	0.40	0.2			FALSE
918512	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	180 W	180 S	471531	5434184	5	medium brown	35	10	loose	fine grained	dry	spruce, shrubs	5	W	low	in forest with mature spruce	E	3.6	0.76	0.03	0.76	153	27.74	157.7	66.3	20.0	12.6	0.95	1.8			FALSE
918513	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	200 W	180 S	471513	5434185	10	medium brown	30	10	loose	fine grained	dry	mature spruce	30	W	minor		E	2.7	0.70	0.04	1.23	167	41.71	134.9	48.5	18.2	12.5	0.91	1.0			FALSE
918514	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	220 W	180 S	471496	5434184	10	medium brown	30	10	loose	fine w/ angular clasts >5cm	dry	mature spruce	25	W	minor		E	3.1	1.18	0.04	1.20	300	38.44	154.4	50.9	18.6	12.9	1.09	1.2			FALSE
918515	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	240 W	180 S	471477	5434183	12	dark brown	30	15	moderately loose	fine w/ angular pebbles	damp	birch & spruce forest	25	W	moderate	edge of clear cut	E	1.5	0.81	0.03	0.79	178	30.94	169.7	50.0	15.6	13.0	1.04	1.1			FALSE
918516	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	260 W	180 S	471460	5434184	10	dark brown	30	15	moderately loose w/ cobbles	fine grained	damp	pine & fir, shrubs	15	W	moderate	edge of clear cut	E	1.6	0.52	0.04	0.72	215	33.37	155.0	49.5	13.2	11.9	0.95	0.7	rocks in float appear to be skarn, contact between intrusive & shist		FALSE
918517	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	280 W	180 S	471439	5434180	10	light grey-brown	30	10-15	loose	fine grained	very dry	secondary deciduous	5	W	moderate	dge of cut block	E	1.4	0.53	0.04	0.51	252	39.39	137.8	51.5	15.6	10.9	0.77	0.6			FALSE
918518	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	300 W	180 S	471420	5434183	10	light brown	30	10-15	loose	fine w/ angular cobbles & pebbles	dry	shrubs	30	W	high	clear cut	E	2.0	0.50	0.04	0.93	216	29.52	164.8	78.6	22.4	13.4	0.88	0.5			FALSE
918519	soil, SGH		19-Jul-08	J.Donaldson	0 W	60 S	471709	5434311	8-15	dark brown	40	5	stiff	silty	moist	cedar, maple, logged	10	E-W	major	skidder tracks, logged	NE	3.5	0.81	0.03	0.77	257	34.57	157.7	71.2	16.6	15.6	1.28	1.5			FALSE
918520	soil, SGH		19-Jul-08	J.Donaldson	20 W	60 S	471689	5434317	8-20	medium brown	40	5	stiff	silty w/ pebbles	moist	cedar, logged	14	E-W	major	logging excavator holes	NE	3.6	0.86	0.04	0.72	299	29.31	151.3	58.7	15.7	18.2	1.09	1.5			FALSE
918521	soil, SGH		19-Jul-08	J.Donaldson	40 W	60 S	471667	5434312	10-20	dark brown	35	10	stiff	silty clay	moist	scrub maple 15' tall	8	E-W	medium	older logging	E	7.5	0.92	0.04	1.03	1141	55.91	187.2	87.1	13.2	21.9	1.77	1.3	old soil hole dug by auger		FALSE
918522	soil, SGH		19-Jul-08	J.Donaldson	60 W	60 S	471645	5434312	12-25	dark brown	30	15	stiff	silty clay	moist	maple 15' tall, cedar 8' diam	8	SW-NE	medium	older logging	E	11.8	1.14	0.03	1.15	1515	78.01	313.0	129.7	15.4	33.0	2.19	1.3	old soil hole dug by auger		FALSE
918523	soil, SGH		19-Jul-08	J.Donaldson	80 W	60 S	471625	5434313	10-18	dark brown	35	10	stiff	silty clay	moist	20' maples	16	E-W	medium	older logging	E-2 photos	6.3	1.16	0.02	0.91	1083	56.20	291.6	97.0	14.6	24.3	1.76	2.0			FALSE
918524	std		19-Jul-08	J.Donaldson																		3.2	0.22	<0.02	0.28	77	13.65	73.0	22.0	9.7	5.5	0.63	0.4			FALSE
918525	soil, SGH		19-Jul-08	J.Donaldson	100 W	60 S	471611	5434311	5-15	orange-brown	40	5	friable	silty clay	dry	20' maples	15	E-W	major	near old skid road	E-2 photos	3.9	1.11	0.03	1.16	502	50.69	399.0	97.6	14.7	19.4	1.42	1.7			FALSE
918526	soil, SGH		19-Jul-08	J.Donaldson	120 W	60 S	471590	5434314	5-15	dark brown	30	20	friable	clay silt	dry	16' cedar pines	26	E-W	major	hill sloughage	E	37.8	1.34	0.06	1.43	1069	81.34	343.9	86.7	16.7	21.6	2.33	2.5	>30% angular cobble in poorly developed soil (skam?)		FALSE
918527	soil, SGH		19-Jul-08	J.Donaldson	140 W	60 S	471576	5434305	5-15	dark brown	30	10	friable	cobbles, silt	dry	mature Douglas fir	30	E-W	medium	hill sloughage	E	3.8	1.19	0.06	2.02	287	99.66	416.6	82.0	23.4	27.8	1.74	1.4	same skam material as 918526		FALSE
918528	soil, SGH		19-Jul-08	J.Donaldson	160 W	60 S	471550	5434304	5-15	orange-brown	40	10	friable	silty clay	dry	mature Douglas fir	35	E-W	medium	hill sloughage	E	3.0	0.67	0.03	0.70	252	29.49	216.2	79.0	18.0	14.7	1.17	0.9			FALSE
918529	soil, SGH		19-Jul-08	J.Donaldson/T.Hewett	180 W	60 S	471536	5434308	5-15	orange-brown	40	10	loose	silty clay	dry	mature Douglas fir	30	W	minimal	hill sloughage	E	9.2	0.58	0.03	0.98	305	36.08	197.4	97.0	21.0	21.5	1.12	0.6			FALSE
918530	soil, SGH		19-Jul-08	J.Donaldson/T.Hewett	200 W	60 S	471519	5434307	5-15	light brown	50	5-10	loose	fine grained w/ angular cobble	dry	mature Douglas fir	30	W	minimal	hill sloughage	E	12.2	0.54	0.03	0.77	264	31.39	145.8	82.9	24.2	17.7	0.78	0.4			FALSE
918531	soil, SGH		19-Jul-08	J.Donaldson/T.Hewett	220 W	60 S	471506	5434317	10-15	light brown	50	5-10	loose	fine grained w/ angular cobble	dry	mature Douglas fir	30	W	minimal	near clearcut	E	7.9	2.08	0.07	1.26	413	78.63	192.3	77.9	24.2	18.1	1.53	0.5			FALSE
918532	soil, SGH		19-Jul-08	J.Donaldson/T.Hewett	240 W	60 S	471483	5434298	10-15	light brown	50	5-10	loose	fine grained	dry	mature Douglas fir	30	W	minimal	near clearcut	E	14.5	7.84	0.29	0.84	696	108.17	227.8	101.5	36.2	25.6	2.94	0.9	quartz vein float 2m N		FALSE
918533	soil, SGH																																			

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918551	soil, SGH		19-Jul-08	P.Macdonald/K.Bazil	300 W	20 N		471432	5434396	10	brown	10	5	loose, rocky	silty	dry	clear cut	10	E	clear cut	logged	N/A	2.9	0.82	0.04	0.76	253	115.18	379.2	69.2	19.2	50.9	0.74	2.1	2007 sample station by Discovery Consultants not found		FALSE
918552	soil, SGH		19-Jul-08	P.Macdonald/K.Bazil	320 W	20 N		471413	5434397	10	brown	10	5	loose, rocky	silty	dry	sparse	5	SE	minor	edge of clear cut	N/A	5.1	0.52	0.04	0.76	200	42.78	149.2	91.8	20.8	13.8	0.64	0.5			FALSE
918553	dup		19-Jul-08	P.Macdonald/K.Bazil																			3.5	0.49	0.05	0.65	196	39.61	144.9	85.3	20.5	12.9	0.59	0.5	duplicate of soil sample only (not SGH sample)		FALSE
918554	soil, SGH		19-Jul-08	P.Macdonald/K.Bazil	340 W	20 N		471375	5434398	10	dark brown	10	5	loose, rocky	silty	dry	sparse	10	SE	minor	edge of clear cut	N/A	4.6	0.45	0.03	0.77	156	40.13	127.0	78.3	22.3	12.5	0.61	0.2			FALSE
918555	soil, SGH		19-Jul-08	P.Macdonald/K.Bazil	360 W	20 N		471358	5434400	10	brown	10	5	loose, rocky	silty	dry	sparse	10	SE	minor	edge of clear cut	N/A	4.0	0.26	0.04	0.58	132	20.31	96.5	68.4	17.0	23.0	0.61	0.2	on side of road		FALSE
918556	soil		01-Aug-08	D.Jackson/P.Smolarek	180 W	4800 N		471115	5434793	10	light brown	30	5	loose	fine	dry	cut	20	W	minimal	logged	E	3.8	0.26	0.03	0.74	139	16.38	104.3	282.5	26.9	19.8	0.80	0.5			FALSE
918557	soil, SGH		19-Jul-08	J.Donaldson/T.Hewett	300 W	60 S		471442	5434305	5-15	brown	30	5-10	loose	fine grained w/ angular pebbles	dry	grasses	30	W	high	blast pits, clear cut	E	13.1	4.12	0.13	0.68	436	65.10	251.9	107.2	36.1	24.3	1.87	0.2			FALSE
918559	soil		01-Aug-08	D.Jackson/P.Smolarek	200 W	4800 N		471083	5434791	15	light brown	30	5	loose	fine	dry	regen area	20	W	minimal	logged	S	3.5	0.54	<0.02	0.65	123	13.60	94.3	652.0	39.0	12.7	0.49	0.4	angular stones		FALSE
918560	soil		01-Aug-08	D.Jackson	220 W	4800 N		471060	5434791	30	5	loose	fine	loose	fine	dry	regen area	15	W	minimal	logged	E	8.9	0.71	<0.02	0.51	222	18.10	110.1	470.3	31.4	17.0	0.48	0.6	small angular stones		FALSE
918564	soil		03-Aug-08	P.Smolarek	340 W	4800 N		470930	5434785	15	brown	25	15	loose	sandy	dry	sparse regrowth	15	W	minimal	second growth	E	16.9	0.45	0.02	0.87	134	34.29	129.5	233.1	19.3	14.7	0.75	0.4			FALSE
918565	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	520 E	180 S		472273	5434180	5	brown	10	5	loose, rocky	silty	dry	clear cut	4	W	major	logged	E	18.5	0.67	0.02	0.55	138	23.89	81.8	56.3	12.0	16.4	0.90	1.4	clear cut		FALSE
918566	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	540 E	180 S		472289	5434179	10	rusty brown	10	3	loose	silty	moist	clear cut	4	W	major	logged	E	3.1	0.57	0.05	0.56	255	25.28	184.2	78.1	17.8	20.5	0.77	0.7			FALSE
918567	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	560 E	180 S		472309	5434180	10	brown	10	5	loose	silty	moist	clear cut	4	W	major	logged	W	6.7	0.66	0.04	0.55	295	27.87	157.8	76.7	23.9	26.2	0.83	0.9			FALSE
918568	dup	918567	21-Jul-08	P.Macdonald/K.Bazil																			6.0	0.67	0.06	0.63	280	32.63	159.3	81.8	24.0	25.7	0.83	0.9	918568 is duplicate of 918567, duplicate of soil sample only (not SGH)		FALSE
918569	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	580 E	180 S		472324	5434187	10	dark brown	10	5	loose	silty	moist	clear cut	3	W	major	logged	E	3.9	0.59	0.05	0.34	244	24.19	145.6	73.8	22.3	12.8	0.76	0.7			FALSE
918570	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	600 E	180 S		472342	5434184	10	dark brown	10	5	loose	silty	moist	clear cut	3	W	major	logged		3.7	0.60	0.05	0.55	188	25.72	116.5	47.1	17.3	14.5	0.96	0.9			FALSE
918571	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	620 E	180 S		472365	5434183	10	dark brown	10	5	loose	silty	moist	clear cut	3	W	major	logged	W	3.7	0.67	0.06	0.86	133	39.31	136.5	49.5	18.2	12.8	0.95	0.8			FALSE
918572	std		21-Jul-08	P.Macdonald/K.Bazil																			7.8	0.22	0.03	0.28	102	16.91	76.8	23.3	9.3	5.4	0.64	0.4			FALSE
918573	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	640 E	180 S		472388	5434181	10	dark brown	10	5	loose	silty	moist	clear cut	5	W	major	clear cut	S	4.7	0.71	0.07	0.62	399	29.27	101.8	49.2	14.0	18.8	1.21	1.2			FALSE
918574	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	660 E	180 S		472408	5434183	10	dark brown	10	5	loose	silty	dry	moderate	2	W	major	edge of clearcut	E	5.4	0.71	0.04	0.43	156	27.44	106.0	48.4	15.2	18.6	1.13	1.3			FALSE
918575	soil, SGH		21-Jul-08	P.Macdonald/K.Bazil	680 E	180 S		472414	5434173	10	dark brown	10	5	loose	silty	dry	thick	0	major	major	fallen trees, clearcut	E	2.3	0.46	0.04	0.59	206	20.67	107.3	37.9	13.2	12.5	0.98	0.6			FALSE
918576	soil		24-Aug-08	D.Jackson	100 W	5000 N		471207	5435015	15	tan	30	5	loose	fine	dry	fir, shrubs	16	W	moderate	excavator pit	E	16.6	0.32	0.02	0.74	272	21.01	109.9	185.6	24.9	19.9	0.62	0.4	location misidentified as sample 918421 - notes retaken at sample site above road; [sample superseded by retake of 24Aug08 - JDW 18Feb09]	was 918576a, but changed to allow proper handling in Access coordinates updated by C.Chudyk on 30-Sep-0; lines re-walked to get actual coordinates	TRUE
918576a	soil		01-Aug-08	D.Jackson/P.Smolarek	100 W	5000 N		471207	5435015	15	light brown	30	10	loose	fine	dry	fir	15	W	moderate	excavator pit	E	4.0	0.25	<0.02	1.04	160	16.29	163.6	103.0	17.6	15.5	0.50	0.3			FALSE
918577	soil		01-Aug-08	D.Jackson/P.Smolarek	120 W	5000 N		471181	5435005	10	light brown	25	10	loose	fine	moist	clear cut	20	W	moderate	excavator pit	E	4.0	0.25	<0.02	1.04	160	16.29	163.6	103.0	17.6	15.5	0.50	0.3			FALSE
918578	soil		01-Aug-08	D.Jackson/P.Smolarek	140 W	5000 N		471165	5435002	10	light brown	30	10	loose	fine	dry	clear cut	15	W	moderate	excavator pit	N	3.7	0.27	0.03	0.87	419	16.27	155.3	190.3	19.0	26.0	0.63	0.3			FALSE
918579	soil		01-Aug-08	D.Jackson/P.Smolarek	160 W	5000 N		471140	5434994	10	light brown	25	10	loose	fine	dry	clear cut	15	W	moderate	excavator pit	N	4.0	0.32	0.03	1.05	251	21.98	160.1	126.6	20.2	28.1	0.68	0.4			FALSE
918580	soil		01-Aug-08	D.Jackson/P.Smolarek	180 W	5000 N		471129	5434997	20	light brown	20	10	loose	fine	dry	clear cut	15	W	moderate	excavation pit	N	2.6	0.31	0.04	0.80	174	19.85	122.9	120.7	18.8	19.3	0.58	0.3	above road		FALSE
918581	soil		01-Aug-08	D.Jackson/P.Smolarek	200 W	5000 N		471103	5434995	15	light brown	25	10	loose	fine	moist	clear cut	15	W	moderate	excavation pit	N	3.0	0.32	0.03	0.68	137	15.19	112.5	114.3	17.7	17.7	0.60	0.4			FALSE
918582	soil		01-Aug-08	D.Jackson/P.Smolarek	220 W	5000 N		471080	5434995	15	light brown	25	10	loose	fine	moist	clear cut	15	W	moderate	excavation pit	S	3.2	0.40	<0.02	0.66	160	15.93	102.8	153.1	18.2	21.4	0.73	0.7			FALSE
918583	soil		01-Aug-08	D.Jackson/P.Smolarek	260 W	5000 N		471055	5434994	15	light brown	25	10	loose	fine	moist	clear cut	15	W	moderate	excavation pit	N	2.9	0.32	0.03	0.55	226	13.98	116.0	109.5	15.5	15.1	0.61	0.4			FALSE
918584	soil, SGH		19-Jul-08	T.Hewett/D.Jackson	320 W	180 S		471406	5434184	10	light brown	30	15	competent	fine grained w/ angular pebbles	dry	shrubs	20	W	high	clear cut area	E	4.2	0.75	0.04	0.44	238	25.41	162.8	71.9	19.8	10.2	0.61	0.3			FALSE
918585	soil, SGH		20-Jul-08	P.Macdonald/K.Bazil	360 E	20 N		472050	5434421	10	dark brown	10	5	loose	silty	moist	moderate	3	N	major	blow downs	S	3.0	0.46	0.05	0.52	184	22.29	120.8	45.6	14.9	10.4	0.97	0.4	blowdowns on edge of cut		FALSE
918586	soil, SGH		20-Jul-08	P.Macdonald/K.Bazil	380 E	20 N		472069	5434418	10	dark brown	10	5	loose, rocky	silty	moist	thick	0	minor	minor		E	4.7	0.42	0.03	0.43	222	21.38	123.1	62.1	14.9	8.0	0.72	0.3	tall thick alders, very old cut		FALSE
918587	soil, SGH		20-Jul-08	P.Macdonald/K.Bazil	400 E	20 N		472089	5434420	10	dark brown	10	5	loose	silty	dry	thick	3	N	none		S	1.7	0.34	0.03	0.32	150	15.26	113.7	68.5	15.6	8.4	0.58	0.2			FALSE
918588	soil, SGH		20-Jul-08	P.Macdonald/K.Bazil	420 E	20 N		472115	5434430	5	dark brown</																										

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject					
918627	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	140 E	180 S	471872	5434202	10	orange-brown	30	10	loose	fine grained w/ angular pebbles	moist	grasses	0		very high	dumped slash excavator pit	N	6.6	0.60	0.03	0.53	153	26.80	135.4	50.1	14.1	12.5	0.86	1.4			FALSE					
918628	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	160 E	180 S	471895	5434199	10	reddish brown	30	10	loose	fine grained w/ rounded pebbles	moist	slash piles	5	S	very high	back hoe activity, slash piles	N	7.8	0.59	0.03	0.73	263	24.96	206.7	54.0	12.2	14.9	0.92	1.0			FALSE					
918629	std		20-Jul-08	T.Hewett/D.Jackson																		3.9	0.25	0.04	0.33	118	15.93	97.5	29.1	10.6	6.6	0.85	0.4			FALSE					
918630	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	180 E	180 S	471912	5434188	15	reddish brown	30	10	loose	fine grained	moist	undergrowth	10	SW	very high	logged skid trail	N	2.9	0.64	0.06	0.78	339	35.93	238.5	61.2	12.4	15.6	0.91	0.8			FALSE					
918631	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	200 E	180 S	471936	5434202	15	reddish brown	30	15	loose	fine grained w/ rounded pebbles	moist	douglas firs	0		very high	next to road in clearcut	N	2.1	0.53	0.05	0.57	203	35.36	191.9	46.0	11.7	12.8	0.81	0.4			FALSE					
918632	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	220 E	180 S	471952	5434198	15	medium brown	20	15	loose	fine, snady, angular pebbles	dry	scrub	10	W	moderate	on cut above road	E	3.5	0.61	0.10	0.73	298	32.29	126.2	55.3	12.5	20.9	0.97	0.7			FALSE					
918633	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	240 E	180 S	471975	5434196	15	reddish brown	30	15	loose	fine, angular pebbles	dry	second growth	10	W	moderate	excavator pit	E	3.0	0.57	0.04	0.66	256	31.55	135.2	51.1	18.4	17.7	0.95	0.4			FALSE					
918634	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	260 E	180 S	471991	5434189	15	medium brown	30	10	loose	fine, angular rounded pebbles	dry	mature firs	10	W	moderate	excavator pit	E	4.1	0.54	0.06	0.64	211	31.52	117.6	58.6	15.0	16.6	1.03	0.6			FALSE					
918635	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	280 E	180 S	472012	5434195	15	dark brown	30	5	loose	fine, angular rounded rocks	slightly moist	scrub	10	SW	moderate	excavator pit	E	3.2	0.52	0.06	0.88	229	27.56	144.0	61.5	16.5	20.0	0.99	0.7	very rocky		FALSE					
918636	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	300 E	180 S	472032	5434191	15	dark brown	20	5	loose	fine, angular pebbles	moist	scrub	10	SW	moderate	excavator pit	E	2.1	0.42	0.04	0.45	224	24.61	172.9	64.8	14.7	14.3	0.87	0.4	clearcut		FALSE					
918637	dup	918638	20-Jul-08	T.Hewett/D.Jackson																		8.9	0.41	0.03	0.55	297	23.97	166.1	63.1	15.5	13.5	0.74	0.4			FALSE					
918638	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	320 E	180 S	472051	5434190	15	dark brown	30	10	loose	rounded pebbles	moist	scrub	10	SW	moderate	excavator pit	NE	2.3	0.42	0.05	0.56	313	23.74	169.3	64.1	16.1	13.5	0.75	0.3	clear cut		FALSE					
918639	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	340 E	180 S	472075	5434192	15	dark brown	30	15	loose	angular pebbles	moist	slash, scrub	10	S	high	excavator pit	NE	3.3	0.64	0.06	0.67	213	33.14	174.3	71.8	22.5	15.9	1.17	0.4	clear cut		FALSE					
918640	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	360 E	180 S	472094	5434193	15	brown	20	15	loose	fine, rounded pebbles, cobbles	moist	slash, scrub	10	S	moderate	excavator pit	N	5.0	0.55	0.07	0.72	269	27.93	160.8	83.8	22.4	10.9	0.93	0.5	clear cut		FALSE					
918641	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	380 E	180 S	472118	5434195	20	light brown	20	15	loose	fine, rounded & angular pebbles, cobbles	dry	scrub	15	S	moderate	excavator pit	N	6.1	0.42	0.05	0.57	360	24.06	180.2	89.1	18.4	11.4	0.74	0.4	clear cut		FALSE					
918642	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	400 E	180 S	472142	5434189	20	light brown	20	15	loose	fine, round pebbles	dry	scrub	15	S	high	excavator pit	E	9.1	0.61	0.05	0.60	269	33.55	129.0	68.9	18.0	18.4	1.11	0.8	clear cut		FALSE					
918643	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	420 E	180 S	472161	5434189	5	reddish brown	30	15	loose	fine, angular rounded rocks	moist	scrub	15	S	high	excavator pit	N	11.1	0.63	0.04	0.53	415	28.45	146.5	59.9	17.6	18.0	1.23	1.1	lots of schist		FALSE					
918644	std		20-Jul-08	T.Hewett/D.Jackson																		10.2	0.32	0.04	0.38	169	17.37	109.4	39.8	11.6	8.8	0.90	0.6			FALSE					
918645	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	440 E	180 S	472182	5434191	15	light brown	30	5	loose	fine, angular rounded stones	dry	scrub	15	SW	high	excavator pit	E	5.0	0.57	0.04	0.78	282	31.07	131.5	47.7	14.7	14.0	1.19	1.2	clear cut		FALSE					
918646	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	460 E	180 S	472200	5434185	20	brown	15	5	loose	fine, angular pebbles	dry	shrubs	15	W	moderate	excavator pit	E	4.3	0.53	0.03	0.44	413	23.98	145.0	62.7	15.3	11.4	0.99	0.9	residual bush		FALSE					
918647	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	480 E	180 S	472225	5434179	10	brown	25	5	loose	fine, angular pebbles	dry	scrub	5	W	high	excavator pit	E	4.1	0.54	0.04	0.49	330	27.83	154.1	49.0	14.1	13.2	0.99	0.8	clear cut		FALSE					
918648	soil, SGH		20-Jul-08	T.Hewett/D.Jackson	500 E	180 S	472246	5434180	20	brown	25	10	loose	fine, angular pebbles	dry	scrub	10	W	high	excavator pit	N	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	clear cut		FALSE
918649	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	20 E	60 S	471727	5434321	30	dark brown	15	20	loose	fine grained, rocky	moist	sparse regrowth	0		very high	skid trail	E	5.3	0.74	0.06	0.94	195	45.22	184.6	70.8	14.8	15.7	1.36	1.5	60S 00E is sample ID 918519 - put in by Jim Donaldson		FALSE					
918650	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	40 E	60 S	471749	5434321	35	brown	20	35	loose	sandy w/ organics	moist	sparse regrowth	0		very high	clear cut	E	6.5	0.44	0.02	0.44	99	25.25	142.5	26.0	6.4	19.0	0.89	0.6	soil sample taken from underneath stump		FALSE					
918651	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	60 E	60 S	471769	5434318	20	brown	30	20	loose	sandy, silty	dry	sparse	0		very high	logging, skid trails	N	4.1	0.70	0.04	0.87	178	29.46	269.7	33.8	10.7	15.4	1.33	0.5	sample beside granite outcrop		FALSE					
918652	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	80 E	60 S	471786	5434309	20	brown	30	10	loose	fine grained	moist	sparse	0		very high	skid trail	N	6.9	0.88	0.04	0.55	279	26.07	174.7	62.2	11.4	20.0	1.02	1.5			FALSE					
918653	dup	918652	21-Jul-08	T.Hewett/D.Jackson																		10.2	0.92	0.06	0.61	328	27.15	165.5	63.5	12.2	21.9	1.05	1.6	918653 is duplicate of 918652		FALSE					
918654	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	100 E	60 S	471813	5434310	15	brown	40	10	cohesive	fine grained	moist	sparse	0		very high	skid trail	N	8.9	1.13	0.05	0.50	304	26.71	177.1	54.9	13.0	23.9	1.19	1.9			FALSE					
918655	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	120 E	60 S	471839	5434312	20	brown	30	10	loose	fine grained	dry	sparse	0		very high	burnt & logged	S	10.4	0.75	0.04	0.41	308	22.68	165.3	52.3	11.9	13.2	0.86	1.1			FALSE					
918656	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	140 E	60 S	471854	5434310	20	brown	30	10	loose	fine grained	moist	sparse	25	W	very high	burnt & logged	S	5.2	1.02	0.07	0.59	146	26.37	121.6	67.1	15.3	23.4	1.41	2.6			FALSE					
918657	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	160 E	60 S	471873	5434308	25	brown	30	15	loose	fine grained	moist	sparse	25	W	very high	burnt & logged	N	9.7	1.13	0.05	0.46	204	25.73	122.7	69.2	14.8	17.2	1.40	3.0			FALSE					
918658	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	180 E	60 S	471894	5434301	5	light brown	20	5	loose	fine grained	dry	none	0		extremely high	burnt & logged	W	1.9	0.56	0.14	1.14	310	30.51	268.6	59.2	17.1	43.7	1.66	2.8	excavation at site for road highly displaced original soil		FALSE					
918659	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	200 E	60 S	471913	5434306	20	brown	30	10	loose	fine grained w/ angular pebbles	dry	sparse	5	W	very high	near road	W	7.0	0.84	0.06	0.44	239	25.47	133.6	68.6	15.8	20.2	1.14	2.5			FALSE					
918660	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	220 E	60 S	471936	5434306	15	brown	30	10	loose	fine grained w/ angular pebbles	dry	sparse	10	W	very high	logged	S	6.0	0.86	0.04	0.78	196	25.50	164.1	87.7	16.2	21.1	1.16	1.9			FALSE					
918661	soil, SGH		21-Jul-08	T.Hewett/D.Jackson	240 E	60 S	471954	5434310	15	light brown	30	10	loose	fine grained	dry	sparse	10	W	very high	logged	N	6.5	0.99	0.04	0.53	180	30.97	110.6	65.2	19.8											

SOIL SAMPLING 2008

SampleID	Type	Duplicate Cf	Date	Sampler	LineE	LineE Dir.	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918683	soil		21-Jul-08	T.Hewett/D.Jackson	640	E	60	S	472363	5434306	30	brown	30	10	loose	sandy	moist	sparse	10	NW	very high	clearcut	E	8.6	0.66	0.05	0.43	394	19.84	102.8	31.9	12.9	28.6	1.02	1.1			FALSE
918684	soil		21-Jul-08	T.Hewett/D.Jackson	660	E	60	S	472387	5434303	20	brown	30	10	loose	sandy	moist	sparse	10	NW	very high	clearcut	E	5.0	0.45	0.05	0.47	464	19.71	124.8	48.5	14.4	16.9	0.71	0.5			FALSE
918685	soil		21-Jul-08	T.Hewett/D.Jackson	680	E	60	S	472407	5434303	25	brown	30	10	loose	sandy	moist	residual forest	20	W	high	selective logging	E	3.8	0.49	0.04	0.44	569	21.28	115.2	25.3	13.9	12.5	0.93	0.5			FALSE
918686	soil		21-Jul-08	T.Hewett/D.Jackson	700	E	60	S	472427	5434311	35	grey	30	15	loose	sandy	moist	residual forest	20	W	low level	second growth	E	6.8	0.51	0.04	0.48	610	26.12	136.3	26.5	14.6	14.9	1.13	0.4			FALSE
918688	soil		01-Aug-08	D.Jackson/P.Smolarek	0	W	4800	N	471300	5434799	20	light brown	30	5	loose	fine	dry	shrubs	20	W	moderate	upper side of road	E	2.3	0.17	<0.02	0.75	176	14.89	162.3	54.3	15.9	11.9	0.62	0.2			FALSE
918689	soil		01-Aug-08	D.Jackson/P.Smolarek	20	W	4800	N	471288	5434798	15	light brown	30	5	loose	fine	dry	pine, shrubs	20	W	moderate	below road, above ditch	E	6.0	0.19	0.04	1.03	164	14.96	138.2	58.5	17.5	14.7	0.58	0.2			FALSE
918690	soil		01-Aug-08	D.Jackson/P.Smolarek	40	W	4800	N	471268	5434795	10	light brown	30	5	loose	fine	dry	maples	25	W	moderate	past activity	E	22.0	0.25	0.03	1.25	159	29.07	140.3	63.9	18.2	15.6	0.52	0.3	angular rocks: claim post Wm R Howard July 7 1997		FALSE
918691	soil		01-Aug-08	D.Jackson/P.Smolarek	60	W	4800	N	471247	5434793	15	light brown	30	10	loose	fine	dry	cut	20	W	moderate	logging	E	2.8	0.26	0.04	1.09	180	29.18	153.5	65.4	16.0	15.7	0.51	0.3			FALSE
918692	soil		01-Aug-08	D.Jackson/P.Smolarek	80	W	4800	N	471228	5434787	10	light brown	30	5	loose	fine	dry	fir	30	W	moderate	road	E	6.0	0.24	0.02	0.73	295	21.52	131.8	85.8	18.0	21.2	0.67	0.4			FALSE
918693	soil		01-Aug-08	D.Jackson/P.Smolarek	100	W	4800	N	471207	5434795	15	light brown	30	5	loose	fine	dry	cut	20	W	major	below road	E	6.2	0.27	0.02	0.85	253	23.81	145.1	84.8	18.0	22.9	0.70	0.4			FALSE
918694	dup	918693	01-Aug-08	D.Jackson/P.Smolarek																				8.6	0.26	0.02	0.82	265	22.19	146.4	85.0	18.3	22.4	0.64	0.4			FALSE
918695	soil		01-Aug-08	D.Jackson/P.Smolarek	120	W	4800	N	471183	5434800	15	light brown	30	5	loose	fine	dry	cut	20	W	moderate	excavation pit	E	3.9	0.24	0.03	0.82	372	16.47	148.1	90.2	16.3	18.9	0.57	0.3			FALSE
918696	soil		01-Aug-08	D.Jackson/P.Smolarek	140	W	4800	N	471157	5434788	15	light brown	30	5	loose	fine	dry	cut	20	W	moderate	excavation pit	E	2.6	0.25	0.03	0.87	211	15.53	144.2	98.1	17.2	20.3	0.65	0.4			FALSE
918697	soil		01-Aug-08	D.Jackson/P.Smolarek	160	W	4800	N	471132	5434796	10	light brown	30	5	loose	fine	dry	cut	20	W	moderate	logging trail	E	7.2	0.24	0.04	0.83	187	16.83	128.0	148.7	20.2	21.8	0.61	0.4			FALSE
918701	soil		24-Jul-08	N.MacLeod	640	E	20	N	472335	5434400	25	brown	25	20	loose	medium-large angular pebbles	dry	cedar	1	E	minimal	old second growth	S	6.2	0.70	0.07	0.69	476	23.85	196.8	85.2	30.7	14.0	1.13	1.5	large cedars, very little forest floor cover		FALSE
918702	soil		24-Jul-08	N.MacLeod	660	E	20	N	472353	5434400	25	brown	25	20	loose	medium angular pebbles	dry	cedar	1	W	minimal	second growth	S	5.1	1.15	0.04	0.88	325	30.64	179.1	67.9	29.3	15.4	1.10	3.4	large cedars, minimal forest floor cover		FALSE
918703	soil		24-Jul-08	N.MacLeod	680	E	20	N	472383	5434401	25	brown	25	20	loose	medium angular pebbles	dry	cedar	1	W	minimal	second growth	S	3.6	0.98	0.08	0.75	315	31.91	183.7	56.2	22.4	9.9	1.06	3.3	large cedars, more growth on forest floor, low plants		FALSE
918704	soil		24-Jul-08	N.MacLeod	700	E	20	N	472397	5434405	20	reddish brown	25	15	loose	medium-small angular pebbles	dry	cedar, moss, fern	0		minimal	second growth	S	2.7	0.45	0.03	0.81	298	25.94	205.4	79.0	26.7	10.3	0.85	0.4	large cedars, more growth on forest floor, low plants, moss, fern		FALSE
918705	std		24-Jul-08	N.MacLeod																			60.0	0.18	0.03	0.24	110	12.62	70.7	23.0	9.4	4.7	0.59	0.3			FALSE	
918706	soil		24-Jul-08	N.MacLeod	720	E	20	N	472426	5434411	20	reddish brown	25	15	loose	small-medium angular pebbles	dry	large cedars	1	E	minimal	old second growth	S	4.9	0.38	0.03	0.50	267	18.30	231.7	53.2	21.9	12.4	0.70	0.3	light ground cover		FALSE
918707	soil		24-Jul-08	N.MacLeod	740	E	20	N	472444	5434400	30	brown	30	20	loose	small rounded pebbles	dry	large cedars	0		minimal	old second growth	S	2.8	0.42	0.03	0.88	361	31.10	87.6	33.6	6.8	9.1	0.55	0.3	fern, devils club	Original Northing 543400	FALSE
918708	soil		24-Jul-08	N.MacLeod	760	E	20	N	472464	5434399	25	brown	20	15	loose	small-medium angular pebbles	dry	large cedars	1	E	minimal	old second growth	S	3.2	0.42	0.04	0.53	574	20.58	148.6	31.8	12.2	9.2	0.64	0.2	light ground cover		FALSE
918709	soil		24-Jul-08	N.MacLeod	780	E	20	N	472489	5434392	20	reddish brown	20	15	loose	small rounded pebbles	dry	large cedars	0		minimal	old second growth	S	1.6	0.36	0.03	0.60	361	18.05	188.2	36.9	17.0	7.9	0.68	0.2	no ground cover		FALSE
918710	soil		24-Jul-08	N.MacLeod	800	E	20	N	472510	5434395	25	brown	25	15	loose	small rounded pebbles	dry	large cedars	0		minimal	old second growth	S	3.4	0.30	0.02	0.73	734	26.60	115.3	53.8	15.1	8.4	0.52	0.2	ground cover absent to light, ferns		FALSE
918711	soil		25-Jul-08	N.MacLeod	820	E	20	N	472531	5434389	25	dark brown	20	15	loose	small rounded pebbles	dry	large cedar, fern	1	W	minimal	old second growth	S	2.9	0.38	0.07	0.73	529	27.68	166.1	36.8	16.3	11.4	0.64	0.2	light ground cover		FALSE
918712	soil		25-Jul-08	N.MacLeod	840	E	20	N	472548	5434412	25	brown	20	15	loose	small angular & rounded pebbles	dry	large cedar, fern	1	W	minimal	old second growth, close to game trail	S	3.2	0.43	0.09	0.86	677	30.40	131.4	52.5	17.4	12.6	0.72	0.2	light ground cover		FALSE
918713	soil		25-Jul-08	N.MacLeod	860	E	20	N	472577	5434400	20	brown	15	15	loose	small angular & rounded pebbles	dry	large cedar, fern	1	W	minimal	old second growth	S	2.1	0.35	0.03	0.56	402	19.99	152.1	41.2	15.9	9.7	0.69	0.2	light ground cover		FALSE
918714	soil		25-Jul-08	N.MacLeod	880	E	20	N	472591	5434387	25	brown	20	15	loose	small angular & rounded pebbles	dry	large cedar, fern	0		minimal	old second growth	S	2.9	0.64	0.06	0.78	590	23.82	162.7	48.9	18.9	9.5	0.82	0.2	light ground cover		FALSE
918715	soil		25-Jul-08	N.MacLeod	900	E	20	N	472602	5434398	20	brown	20	15	loose	small round pebbles	dry	large cedar, fern	0		minimal	old second growth	no photo	3.0	0.36	0.06	0.94	368	34.36	162.3	45.5	18.0	10.3	0.66	0.2	light ground cover, large cedar		FALSE
918716	soil		25-Jul-08	N.MacLeod	920	E	20	N	472632	5434401	15	brown	20	10	loose	small angular & rounded pebbles	dry	large cedar, fern	0		minimal	old second growth	no photo	3.8	0.38	0.06	0.69	518	24.07	161.5	62.7	22.5	12.5	0.84	0.2	light ground cover, large cedar		FALSE
918717	soil		25-Jul-08	N.MacLeod	940	E	20	N	472655	5434403	20	brown	20	10	loose	small angular & rounded pebbles	dry	large cedar, fern	0		minimal	old second growth	no photo	4.1	0.48	0.07	0.87	273	34.49	221.1	46.6	20.4	15.9	0.88	0.2	light ground cover, large cedar		FALSE
918718	soil		25-Jul-08	N.MacLeod	960	E	20	N	472662	5434392	15	brown	20	15	loose	medium angular pebbles	dry	large cedar, alder	0		high	old second growth, just below old logging spur	no photo	4.7	0.38	0.08	0.69	316	27.06	155.1	47.7	21.6	14.5	0.90	0.2	old logging road		FALSE
918719	soil		25-Jul-08	N.MacLeod	980	E	20	N	472691	5434407	20	brown	20	15	loose	small angular & rounded pebbles	dry	large cedar, fern, alder	0		high	old second growth, upper bank of old logging road	no photo	2.1	0.32	0.05	0.35	406	17.02	188.7	44.0	16.2	8.4	0.62	0.2	old logging road		FALSE
918720	soil		25-Jul-08	N.MacLeod	1000	E	20	N	472706	5434401	15	brown	20	15	loose	small round pebbles	dry	large cedar, fern, alder	0		minimal	old second growth, 5m above old logging road	no photo	2.7	0.40	0.05	0.99	261	36.48	162.9	43.2	19.8	11.4	0.80	0.2	old second		

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	LineN Dir.	Eastings	Northings	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject	
918729	soil		26-Jul-08	N.MacLeod	1160	E	20	N	472868	5434401	25	brown	20	15	loose	small angular & rounded pebbles	dry	small pine, alder, grass	2	W	moderate	slash	S	2.7	0.42	0.04	0.91	181	35.83	141.5	27.9	12.3	13.1	0.65	0.2	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918730	soil		26-Jul-08	N.MacLeod	1180	E	20	N	472893	5434394	25	brown	20	15	loose	small angular & rounded pebbles	dry	small pine, alder, grass	2	W	moderate	slash	S	3.6	0.48	0.05	1.24	157	43.00	133.0	34.5	16.0	13.2	0.73	0.2	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918731	soil		26-Jul-08	N.MacLeod	1200	E	20	N	472917	5434393	25	brown	20	15	loose	small angular & rounded pebbles	dry	small trees, salmonberry	4	W	moderate	slash	S	5.3	0.47	0.06	0.72	174	31.18	127.4	41.5	20.1	18.8	0.99	0.3	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918732	soil		26-Jul-08	N.MacLeod	1220	E	20	N	472923	5434391	25	brown	25	15	loose	small angular & rounded pebbles	dry	small trees, salmonberry	3	W	moderate	slash	S	6.0	0.42	0.06	0.66	251	32.84	142.4	30.9	13.8	11.8	0.65	0.3	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918733	soil		26-Jul-08	N.MacLeod	1240	E	20	N	472958	5434398	20	brown	20	15	loose	small angular & rounded pebbles	dry	small trees, salmonberry	1	E	moderate	slash	S	2.7	0.40	0.05	0.69	272	30.29	148.4	27.2	14.9	12.8	0.72	0.2	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918734	soil		26-Jul-08	N.MacLeod	1260	E	20	N	472976	5434401	20	brown	20	15	loose	small angular & rounded pebbles	dry	small trees, salmonberry	1	W	moderate	slash	S	8.3	0.38	0.05	0.57	355	20.50	171.0	31.8	16.2	11.7	0.71	0.3	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918735	soil		26-Jul-08	N.MacLeod	1280	E	20	N	472999	5434399	25	brown	15	10	loose	small angular & rounded pebbles	dry	small pine, alder, salmonberry	1	W	moderate	slash	S	2.9	0.49	0.04	0.81	259	28.11	202.3	34.5	19.2	14.2	0.78	0.2	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918736	soil		26-Jul-08	N.MacLeod	1300	E	20	N	473019	5434401	25	brown	20	15	loose	small angular & rounded pebbles	dry	small pine, alder, salmonberry	2	W	moderate	slash	S	3.5	0.43	0.05	1.16	270	35.97	125.6	31.0	16.3	13.4	0.92	0.2	open, slash 10-15 years old, small trees, 5' tall ground cover, charcoal in soil, burned slash		FALSE
918737	soil		27-Jul-08	N.MacLeod	1320	E	20	N	473038	5434409	20	brown	15	10	loose	small angular & rounded pebbles	dry	small pine, alder, cedar & berry	4	E	moderate	slash	S	3.0	0.50	0.08	1.01	234	37.19	174.6	36.5	18.3	16.3	0.69	0.1	open, 10-15 year-old slash, small trees, 5' ground cover, shrubs, charcoal in soil, burned slash	Original Easting 4730038	FALSE
918738	soil		27-Jul-08	N.MacLeod	1340	E	20	N	473065	5434402	15	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar	3	E	moderate	old second growth	S	3.2	0.38	0.09	0.52	228	18.33	133.6	31.0	16.3	13.1	0.60	0.2	large trees, old second growth, light ground cover		FALSE
918739	soil		27-Jul-08	N.MacLeod	1360	E	20	N	473083	5434406	20	brown	20	15	loose	some angular, mostly small rounded pebbles	dry	large pine, cedar	4	E	moderate	old second growth	S	4.1	0.36	0.05	0.67	244	17.35	109.9	33.4	13.5	13.7	0.74	0.2	large trees, old second growth, light ground cover		FALSE
918740	soil		27-Jul-08	N.MacLeod	1380	E	20	N	473103	5434405	20	brown	20	15	loose	some angular, mostly small rounded pebbles	dry	large pine, cedar	3	E	moderate	old second growth	S	2.6	0.40	0.05	0.91	171	22.13	164.0	31.0	14.1	12.0	0.73	0.2	large trees, old second growth, light ground cover		FALSE
918741	soil		27-Jul-08	N.MacLeod	1400	E	20	N	473114	5434398	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, cedar	3	E	minor	old second growth	S	5.0	0.43	0.05	0.59	158	20.18	184.5	29.5	14.9	14.4	0.64	0.2	light-moderate ground cover, old second growth		FALSE
918742	soil		27-Jul-08	N.MacLeod	1420	E	20	N	473141	5434401	15	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar	5	E	minor	old second growth	S	2.2	0.42	0.04	0.69	149	17.26	168.1	38.2	15.2	12.5	0.91	0.3	light ground cover, old second growth		FALSE
918743	soil		27-Jul-08	N.MacLeod	1440	E	20	N	473163	5434410	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar	5	E	minor	old second growth	S	4.0	0.42	0.07	0.88	121	16.20	193.0	40.8	14.9	14.6	0.80	0.3	light-moderate ground cover, old second growth		FALSE
918744	soil		27-Jul-08	N.MacLeod	1460	E	20	N	473171	5434400	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, cedar	6	E	minor	old second growth	S	2.0	0.41	0.04	0.44	136	16.31	194.4	31.2	13.3	10.0	0.66	0.2	light-moderate ground cover, old second growth		FALSE
918745	soil		27-Jul-08	N.MacLeod	1480	E	20	N	473199	5434408	20	brown	20	15	loose	angular pebbles	dry	large pine	11	E	minor	old second growth	S	2.5	0.62	0.05	1.03	155	29.77	141.9	39.8	15.8	11.0	0.72	0.3	steep rise, more angular stone		FALSE
918746	soil		27-Jul-08	N.MacLeod	1500	E	20	N	473213	5434398	20	brown	20	15	loose	angular pebbles	dry	large pine	8	E	minor	old second growth	S	2.4	0.84	0.08	0.79	134	32.26	184.8	58.8	24.3	8.2	0.93	0.5	steep rise, rock sample taken from outcrop (galena)		FALSE
918747	std		27-Jul-08	N.MacLeod																			4.8	0.19	0.02	0.24	91	12.73	75.5	23.1	7.7	4.9	0.63	0.3			FALSE	
918748	soil		28-Jul-08	N.MacLeod	380	W	20	N	471332	5434399	20	light brown	20	15	loose	small angular & rounded pebbles	dry	mostly shrub 5-10'	10	W	moderate	15m below road, slash	E	2.7	0.35	0.05	1.18	267	43.57	147.7	94.3	15.4	16.7	0.64	0.3	15-20 year old slash	Original Northing 543499	FALSE
918749	soil		28-Jul-08	N.MacLeod	400	W	20	N	471318	5434402	25	light brown	20	15	loose	small angular & rounded pebbles	dry	mostly shrub 5-10'	8	W	moderate	35m below road, slash	E	3.0	0.36	0.06	1.22	216	64.23	158.5	85.6	16.7	13.6	0.65	0.3	15-20 year old slash	Original Northing 543402	FALSE
918750	soil		28-Jul-08	N.MacLeod	420	W	20	N	471299	5434398	20	light brown	20	15	loose	small angular & rounded pebbles	dry	mostly shrub 5-10': some large trees	7	W	minor	into second growth	E	3.0	0.38	0.06	1.20	441	64.99	186.0	89.9	17.5	17.9	0.85	0.3	out of recent slash into second growth		FALSE
918751	soil		28-Jul-08	N.MacLeod	440	W	20	N	471283	5434397	20	brown	20	15	loose	small angular & rounded pebbles	dry	mostly shrub 5-10': some large trees	7	W	minor	into second growth	E	3.5	0.46	0.05	1.06	591	71.17	219.8	107.0	21.4	27.6	1.15	0.2	out of recent slash into second growth		FALSE
918752	soil		28-Jul-08	N.MacLeod	460	W	20	N	471262	5434389	25	brown	20	15	loose	small angular & rounded pebbles	dry	large trees, shrubs	7	W	minor	old second growth	W	4.8	0.55	0.05	1.21	319	90.01	222.5	96.8	20.2	18.3	1.02	0.4	old second growth, thick forest floor cover		FALSE
918753	soil		28-Jul-08	N.MacLeod	480	W	20	N	471243	5434387	20	brown	20	15	loose	small angular & rounded pebbles	dry	large trees, shrubs	6	W	minor	old second growth	E	2.6	0.49	0.06	1.32	190	72.30	201.2	85.3	19.5	18.1	0.86	0.3	old second growth, thick forest floor cover		FALSE
918754	soil		28-Jul-08	N.MacLeod	500	W	20	N	471225	5434391	20	brown	20	15	loose	small angular & rounded pebbles	dry	large trees, shrubs	4	W	minor	old second growth	N	5.0	0.35	0.04	1.06	140	39.55	136.7	100.4	18.9	15.6	0.77	0.3	old second growth, thick forest floor cover: sample taken 5m above road		FALSE
918755	soil		28-Jul-08	N.MacLeod	520	W	20	N	471210	5434397	25	brown	20	10	loose	small angular & rounded pebbles	dry	large trees, shrubs	3	W	moderate	road upper bank	E	9.4	0.23	0.04	0.60	144	13.83	98.0	116.9	15.4	13.5	0.59	0.3	old second growth, thick forest floor cover: sample taken upper bank		FALSE
918756	soil		28-Jul-08	N.MacLeod	540	W	20	N	471202	5434400	20	brown	20	15	loose	small angular & rounded pebbles	dry	large trees, high shrubs	5	W	moderate	second growth	E	6.4	0.28	0.04	1.03	148	29.27	126.9	127.8	16.6	11.7	0.69	0.3	old second growth		FALSE

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineE Dir.	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918757	soil		28-Jul-08	N.MacLeod	560	W	20	N	471175	5434406	20	brown	15	15	loose	small angular & rounded pebbles	dry	large trees, high shrubs	5	W	minor	second growth: edge of recent slash	E	2.4	0.28	0.05	1.06	154	24.87	119.3	135.2	18.7	10.7	0.66	0.3	old second growth		FALSE
918758	soil		29-Jul-08	N.MacLeod	580	W	20	N	471163	5434401	20	brown	20	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	7	W	minor-moderate	open, slash	E	3.7	0.23	0.03	0.81	115	15.54	120.9	123.6	17.9	11.9	0.62	0.3	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918759	soil		29-Jul-08	N.MacLeod	600	W	20	N	471143	5434403	20	brown	20	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	7	W	minor-moderate	open, slash	E	3.0	0.39	0.03	0.75	200	17.34	171.2	131.6	17.7	12.2	0.64	0.4	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918760	std		29-Jul-08	N.MacLeod																			E	2.2	0.18	0.03	0.23	89	12.32	71.6	22.0	7.8	4.9	0.61	0.3			FALSE
918761	soil		29-Jul-08	N.MacLeod	620	W	20	N	471122	5434403	20	brown	20	15	loose	small angular & rounded pebbles	dry	low shrub	7	W	minor-moderate	open, slash	E	5.6	0.30	0.03	0.71	335	16.08	203.3	139.4	18.1	13.3	0.54	0.4	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918762	soil		29-Jul-08	N.MacLeod	640	W	20	N	471103	5434406	25	brown	20	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	7	W	minor-moderate	slash	E	68.1	0.26	0.03	0.61	278	28.44	256.5	123.3	16.2	11.0	0.69	0.5	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918763	soil		29-Jul-08	N.MacLeod	660	W	20	N	471086	5434408	20	brown	25	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	8	W	minor-moderate	slash	E	2.4	0.27	<0.02	0.60	358	23.43	252.8	109.0	13.2	9.7	0.67	0.5	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918764	soil		29-Jul-08	N.MacLeod	680	W	20	N	471066	5434403	20	brown	20	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	6	W	moderate	slash, skidder activity	E	5.0	0.27	0.03	0.70	1088	33.75	202.7	105.4	14.5	10.6	0.68	0.5	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained		FALSE
918765	soil		29-Jul-08	N.MacLeod	700	W	20	N	471045	5434406	25	brown	25	15	loose	small angular & rounded pebbles	dry	low shrub, thistle	6	W	minor	slash	E	2.5	0.31	0.03	0.69	296	72.93	225.9	190.6	18.1	10.1	0.75	0.5	open slash, 10-15 yr old, not burned, low ground cover, odd second growth cedar retained, 10 above road		FALSE
918766	soil		29-Jul-08	N.MacLeod	720	W	20	N	471025	5434408	25	light brown	25	20	loose	small angular & rounded pebbles	dry	large pine, alder	5	W	none		E	3.7	0.35	0.03	1.16	190	53.45	219.0	154.5	14.7	8.6	0.89	0.5	5m below rd, no rd debris at sample, first or second growth, no stumps, little ground cover		FALSE
918767	soil		29-Jul-08	N.MacLeod	740	W	20	N	471005	5434405	20	light brown	20	15	loose	small angular & rounded pebbles	dry	large pine, alder	5	W	none		E	2.5	0.26	0.02	0.62	241	54.36	297.4	124.8	16.8	10.3	0.76	0.5	5m below rd, no rd debris at sample, first or second growth, no stumps, little ground cover		FALSE
918768	soil		29-Jul-08	N.MacLeod	760	W	20	N	470990	5434401	25	light brown	20	15	loose	small angular & rounded pebbles	dry	large pine, alder	3	W	minor	donkey trail	E	6.8	0.26	0.03	0.79	404	48.09	256.0	107.3	15.5	17.4	0.68	0.4	5m below rd, no rd debris at sample, first or second growth, no stumps, little ground cover, station at donkey trail switchback	... Coordinates updated by C.Chudyk on 30-Sep-08... lines were re-walked to get actual coordinates	FALSE
918769	soil		31-Jul-08	N.MacLeod	780	W	20	N	470969	5434399	25	brown	25	20	loose	small angular & rounded pebbles	dry	large pine, blueberry	4	W	none-minor	old second growth	E	138.3	0.26	0.04	0.67	434	58.43	258.4	87.3	15.3	18.9	0.60	0.4	large trees, little ground cover	... Coordinates updated by C.Chudyk on 30-Sep-08... lines were re-walked to get actual coordinates	FALSE
918770	soil		31-Jul-08	N.MacLeod	800	W	20	N	470949	5434402	25	brown	25	20	loose	small angular & rounded pebbles	dry	large pine, blueberry	3	W	none-minor	old second growth	E	2.1	0.25	0.03	0.62	346	51.38	384.4	89.6	12.6	14.7	0.62	0.4	large trees, little ground cover	... Coordinates updated by C.Chudyk on 30-Sep-08... lines were re-walked to get actual coordinates	FALSE
918771	soil		31-Jul-08	N.MacLeod	820	W	20	N	470932	5434402	30	brown	25	20	loose	mostly small angular pebbles	dry	large pine, blueberry	4	W	none-minor	old second growth	E	9.8	0.27	<0.02	0.62	373	61.87	373.7	82.6	13.9	15.0	0.69	0.4	large trees, little ground cover	... Coordinates updated by C.Chudyk on 30-Sep-08... lines were re-walked to get actual coordinates	FALSE
918772	soil		31-Jul-08	N.MacLeod	840	W	20	N	470916	5434406	30	light brown	25	20	loose	mostly small angular pebbles	dry	large pine, blueberry, moss	4	W	none-minor	old second growth	E	3.3	0.26	<0.02	0.70	323	61.95	302.3	73.9	12.5	19.7	0.60	0.4	large trees, denser ground cover		FALSE
918773	soil		31-Jul-08	N.MacLeod	860	W	20	N	470897	5434399	20	brown	20	15	loose	small angular pebbles	dry	large pine, 6' shrub, dense	3	W	minor	old second growth	N	2.7	0.25	<0.02	0.56	305	36.69	196.2	87.3	13.0	13.5	0.52	0.3	large trees, thick ground cover		FALSE
918774	soil		31-Jul-08	N.MacLeod	880	W	20	N	470869	5434403	20	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, 6' shrub, dense	3	W	minor	old second growth	N	2.5	0.27	0.03	0.84	223	31.65	191.5	65.7	13.2	15.7	0.61	0.3	large trees, thick ground cover, 10m above Limpid FSR at 885W		FALSE
918775	soil		31-Jul-08	N.MacLeod	900	W	20	N	470864	5434410	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, 6' shrub, small thick pine, dense	1	W	major	old second growth: 5m below road	N	7.5	0.35	0.04	1.18	288	46.86	200.8	80.5	13.8	20.7	0.65	0.3	thick pecker poles, the most recent disturbance 5m below Limpid FSR		FALSE
918776	soil		31-Jul-08	N.MacLeod	920	W	20	N	470830	5434409	20	brown	20	10	loose	small angular pebbles	dry	large pine, 6' shrub, cottonwood, dense	2	W	minor	old second growth: 25m below main road	N	3.8	0.35	0.02	1.36	261	52.67	120.4	67.0	15.6	22.6	0.56	0.3	large first & second growth, light round cover		FALSE
918777	soil		31-Jul-08	N.MacLeod	940	W	20	N	470808	5434400	20	brown	30	15	loose	small angular & rounded pebbles	dry	small & large pine, cedar	1	W	moderate	3m below old logging road	N	7.2	0.26	0.03	0.69	228	30.84	140.0	69.1	12.4	17.3	0.54	0.3	old second & first growth, no ground cover		FALSE
918778	soil		31-Jul-08	N.MacLeod	960	W	20	N	470790	5434401	25	brown	25	15	loose	small angular & rounded pebbles	dry	small & large pine, cedar & alder	1	W	minor	first & second growth	E	2.2	0.28	<0.02	0.46	226	26.14	184.1	63.0	10.0	15.5	0.70	0.3	old second & first growth, no ground cover		FALSE
918779	soil		31-Jul-08	N.MacLeod	980	W	20	N	470770	5434405	15	brown	30	15	loose	small round pebbles	dry	small & large pine, cedar & alder	0		minor	first & second growth	N	1.6	0.23	<0.02	0.49	225	20.84	122.0	56.6	9.5	11.5	0.50	0.2	old second & first growth, no ground cover		FALSE
918780	soil		31-Jul-08	N.MacLeod	1000	W	20	N	470758	5434400	20	brown	30	15	loose	small round pebbles	dry	small & large pine, cedar & alder	0		minor	first & second growth	E	3.6	0.27	0.03	0.82	154	21.64	167.0	37.0	11.8	14.4	0.79	0.2	old second & first growth, no ground cover		FALSE
918781	soil		14-Oct-08	N.MacLeod	7320	E	4700	N	471321	5434703	30	brown	30	10	loose	silt	damp	light	25	S	moderate	second growth, clear cut	N	1.2	0.24	0.03	0.67	384	76.78	411.8	72.3	9.9	14.4	0.69	0.4	IS of 917957 (4700N 7320E)	last soil samples of the season. Retake of insufficient samples	FALSE
918782	soil		14-Oct-08	N.MacLeod	400	E	4950	N	471699	5434931	30	brown	30	10	loose	silt	damp	light	30	W	minor	second growth	E	2.1	0.30	<0.02	0.54	489	31.33	165.6	53.0	11.4	12.3	0.87	0.3	IS of 918450 (4950N 400E), below Limpid FSR	last soil samples of the season. Retake of insufficient samples	FALSE
918783	soil		14-Oct-08	N.MacLeod	360	E	4950	N	471659	5434941	30	brown	30	10	loose	silt	damp	light	30	W	minor	second growth	E	3.4	0.24	0.03	0.59	157	25.74	113.6	61.7	15.0	16.4	0.91	0.4	IS of 917950 (4950N 60E) 3m above Limpid FSR	last soil samples of the season. Retake of insufficient samples	FALSE
918784	soil		14-Oct-08	N.MacLeod	320	E	4950	N	471623	5434947	30	brown	30	10	loose	silt	damp	light	25	W	minor	second growth	E	8.9	0.36	0.04	0.61	407	81.07	215.7	80.7	16.4	22.3	0.84	0.6	IS of 917949 (4950N 320E) 15m above Limpid FSR	last soil samples of the season. Retake of insufficient samples	FALSE
918785	soil		14-Oct-08	N.MacLeod	71700	E	4650	N	471708	5434658	30	brown	30	10	loose	silt	damp	thick	20	W	minor	second growth	E	2.5	0.30	<0.02	0.73	319	21.19	145.5	47.2	8.6	11.3	0.65	0.2	IS of 917734 (4650N 71700E)	last soil samples of the season. Retake of insufficient samples; [Coords in field notes very different from entered GPS coords - JDW 17Feb09]	FALSE
918786	soil		14-Oct-08	N.MacLeod	40	E	4950	N	471338	5434949	30	brown	30	10	loose	silt	damp	light ground cover	15	W	moderate	second growth, clear cut, replanted	E	4.3	0.33	<0.02	0.97	201	34.29	171.3	74.0	14.7	19.0	0.85	0.3	IS of 918500 (4950N 040E)	last soil samples of the season. Retake of insufficient samples	FALSE
918787	soil		14-Oct-08	N.MacLeod	320	W	350	S	471391	5434027	20	black	20	25	loose	silt	damp	thick	15	S	minor	second growth	N	2.5	0.58	0.03	1.48	233	65.04	256.2	72.4	36.9	15.2	1.69	0.2	IS of 917637 (350S 320W), outcrop, 15m above old road	last soil samples of the season. Retake of insufficient samples	FALSE
918788	soil		14-Oct-08	N.MacLeod	300	W	350	S	471371	5434026	25	black	2																									

SOIL SAMPLING 2008

SampleID	Type	Duplicate Cf	Date	Sampler	LineE	LineE Dir.	LineN	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918801	soil		24-Jul-08	T.Hewett	720	E	60	S	472443	5434311	20	brown	20	25	loose	sandy	dry	mature cedar, second growth	25	N	minor	second growth	S	11.2	0.39	0.03	0.92	729	24.02	140.1	19.6	17.4	17.7	0.75	0.2			FALSE
918802	soil		24-Jul-08	T.Hewett	740	E	60	S	472471	5434308	20	brown	15	25	loose	sandy	dry	mature cedar, second growth	25	N	minor	second growth	S	111.7	0.35	0.03	0.72	747	21.70	196.4	23.6	17.3	12.2	0.74	0.2			FALSE
918803	soil		24-Jul-08	T.Hewett	760	E	60	S	472489	5434311	10	brown	15	25	loose	sandy	dry	mature cedar, second growth	15	N	minor	second growth	S	2.2	0.28	0.03	0.52	560	15.97	171.8	35.4	15.0	7.6	0.72	0.2			FALSE
918804	soil		24-Jul-08	T.Hewett	780	E	60	S	472513	5434310	10	brown	15	30	loose	sandy	dry	mature cedar, second growth	20	N	minor	second growth	S	3.1	0.42	0.03	1.64	384	46.93	163.6	29.6	16.8	10.6	0.67	0.2			FALSE
918805	soil		24-Jul-08	T.Hewett	800	E	60	S	472530	5434312	5	dark brown	15	30	loose	sandy	dry	mature cedar, second growth	30	N	minor	previously logged, second growth	S	5.9	0.35	0.05	0.77	228	21.74	107.3	29.6	15.7	15.9	0.91	0.2			FALSE
918806	soil		24-Jul-08	T.Hewett	820	E	60	S	472554	5434307	10	dark brown	15	30	loose	sandy	dry	mature cedar, second growth	25	N	minor	previously logged, second growth	S	3.3	0.35	<0.02	0.66	340	25.11	136.2	32.4	15.2	10.8	0.78	0.2			FALSE
918807	soil		24-Jul-08	T.Hewett	840	E	60	S	472570	5434309	10	dark brown	15	30	loose	sandy w/ angular cobbles	dry	mature cedar, second growth	20	N	minor	previously logged, second growth	S	4.9	0.50	0.05	2.13	354	65.51	163.9	33.6	16.3	18.4	0.89	0.1			FALSE
918808	std		24-Jul-08	T.Hewett																				2.6	0.20	0.02	0.27	106	14.66	74.4	22.7	9.3	5.3	0.62	0.3			FALSE
918809	soil		24-Jul-08	T.Hewett	860	E	60	S	472590	5434315	15	dark brown	15	35	loose	sandy	dry	mature cedar, second growth	25	N	minor	previously logged, second growth	S	4.3	0.38	0.07	0.58	308	26.76	106.2	28.3	16.6	13.1	0.85	0.2			FALSE
918810	soil		24-Jul-08	T.Hewett	880	E	60	S	472609	5434314	15	dark brown	20	35	loose	sandy	dry	mature cedar, second growth	20	N	minor	previously logged, second growth	S	6.0	0.40	0.06	0.93	417	32.63	113.0	26.5	14.5	11.1	0.95	0.2			FALSE
918811	soil		24-Jul-08	T.Hewett	900	E	60	S	472632	5434308	10	brown	15	30	loose	sandy	dry	mature cedar, second growth	15	N	minor	previously logged, second growth	S	2.7	0.38	0.03	0.58	365	20.95	135.5	26.5	16.3	10.5	0.85	0.2			FALSE
918812	soil		24-Jul-08	T.Hewett	920	E	60	S	472654	5434309	20	brown	15	25	loose	sandy	dry	mature cedar, second growth	15	N	minor	previously logged, second growth	S	3.7	0.41	0.06	1.00	330	37.69	129.9	33.6	16.7	11.2	0.95	0.2			FALSE
918813	soil		24-Jul-08	T.Hewett	940	E	60	S	472671	5434313	15	dark brown	15	35	loose	sandy	dry	mature cedar, second growth	15	N	minor	previously logged, second growth	S	3.3	0.41	0.08	1.05	324	43.31	124.6	24.0	14.2	15.4	1.01	0.2			FALSE
918814	soil		24-Jul-08	T.Hewett	960	E	60	S	472695	5434314	15	dark brown	15	30	loose	sandy	dry	mature cedar, second growth	20	N	minor	previously logged, second growth	S	5.9	0.47	0.11	1.56	315	58.96	167.8	30.4	19.3	14.4	0.79	0.2			FALSE
918815	soil		24-Jul-08	T.Hewett	980	E	60	S	472715	5434313	15	dark brown	15	30	loose	sandy	dry	mature cedar, second growth	15	N	minor	previously logged, second growth	S	3.9	0.48	0.06	1.22	300	41.78	159.6	54.6	18.9	11.3	0.92	0.2			FALSE
918816	soil		25-Jul-08	T.Hewett	1000	E	60	S	472739	5434316	15	dark brown	25	20	loose	sandy, silty	damp	mature cedar, second growth	10	N	minor	previously logged, second growth	S	2.8	0.36	0.04	0.95	202	30.73	124.1	39.2	13.6	9.9	0.80	0.3			FALSE
918817	soil		25-Jul-08	T.Hewett	1020	E	60	S	472760	5434313	10	dark brown	20	25	loose	sandy	dry	mature cedar, second growth	10	N	minor	previously logged, second growth	S	1.8	0.30	0.05	0.41	142	15.90	139.4	25.8	9.8	10.2	0.74	0.2			FALSE
918818	dup	918817	25-Jul-08	T.Hewett																				1.1	0.30	0.03	0.42	134	16.36	141.1	25.2	10.3	10.2	0.72	0.2			FALSE
918819	soil		25-Jul-08	T.Hewett	1040	E	60	S	472781	5434312	15	dark brown	25	15	loose	sandy w/ rounded pebbles	damp	mature cedar, second growth	10	N	minor	previously logged, second growth	S	5.1	0.36	0.06	1.07	144	29.04	114.7	34.5	15.3	11.8	0.92	0.3			FALSE
918820	soil		25-Jul-08	T.Hewett	1060	E	60	S	472801	5434309	20	brown	25	20	loose	sandy w/ rounded pebbles	dry	mature cedar, second growth	10	N	minor	previously logged, second growth	S	2.0	0.36	0.05	0.83	148	19.98	104.2	28.7	10.5	11.4	0.78	0.2			FALSE
918821	soil		25-Jul-08	T.Hewett	1080	E	60	S	472823	5434305	30	brown	20	25	loose	sandy w/ rounded pebbles	dry	mature cedar, second growth	15	N	minor	previously logged, second growth	S	1.9	0.38	0.04	0.98	161	35.76	169.2	29.3	11.6	11.7	0.72	0.2	thick root mat under large cedar, horizon A is dry with abundant lichen		FALSE
918822	soil		25-Jul-08	T.Hewett	1100	E	60	S	472840	5434315	20	dark brown	20	25	loose	sandy	dry	mature cedar, second growth	5	N	minor	previously logged, second growth	S	3.6	0.47	0.06	0.97	221	41.11	179.8	51.8	21.2	13.8	0.91	0.2			FALSE
918823	soil		25-Jul-08	T.Hewett	1120	E	60	S	472861	5434315	10	reddish brown	20	20	loose	sandy	damp	mature cedar, second growth	10	N	minor	previously logged, second growth	S	2.6	0.38	0.05	0.59	548	24.03	164.5	105.7	24.4	10.0	0.75	0.2			FALSE
918824	soil		25-Jul-08	T.Hewett	1140	E	60	S	472878	5434311	10	brown	20	20	loose	sandy	dry	mature cedar, second growth	10	N	minor	previously logged, second growth	S	3.1	0.52	0.06	1.32	191	45.08	171.2	34.3	15.7	11.9	0.84	0.2			FALSE
918825	soil		25-Jul-08	T.Hewett	1160	E	60	S	472900	5434317	35	dark brown	20	30	loose	sandy	dry	mature cedar, second growth	5	N	minor	previously logged, second growth	S	4.1	0.62	0.07	2.01	145	92.85	179.2	26.9	14.3	15.3	0.72	0.2			FALSE
918826	soil		25-Jul-08	T.Hewett	1180	E	60	S	472919	5434320	15	brown	20	25	loose	sandy	dry	mature cedar, second growth	5	N	minor	previously logged, second growth	S	2.7	0.48	0.05	1.08	244	47.46	186.8	36.1	16.0	13.2	0.81	0.3			FALSE
918827	soil		25-Jul-08	T.Hewett	1200	E	60	S	472944	5434313	20	brown	20	20	loose	sandy	dry	mature cedar, second growth	5	N	minor	previously logged, second growth	S	2.3	0.42	0.04	0.82	189	34.63	111.3	30.7	15.5	12.0	0.65	0.3			FALSE
918828	soil		26-Jul-08	T.Hewett	1220	E	60	S	472967	5434312	15	brown	20	15	loose	fine grained w/ angular pebbles	dry	mature cedar, second growth	4	W	low	fallen trees	E	3.2	0.34	0.04	0.70	173	18.50	108.4	37.9	16.2	13.7	0.85	0.3			FALSE
918829	dup	918828	26-Jul-08	T.Hewett																				3.3	0.33	0.04	0.70	175	19.33	110.1	36.6	15.5	13.4	0.84	0.3			FALSE
918830	std		26-Jul-08	T.Hewett																				2.0	0.20	<0.02	0.26	90	15.38	74.7	23.8	9.7	5.3	0.61	0.3			FALSE
918831	soil		26-Jul-08	T.Hewett	1240	E	60	S	472984	5434317	10	reddish brown	25	30	loose	fine grained w/ rounded pebbles	damp	mature cedar, second growth	0		low	fallen trees	E	3.5	0.37	0.05	1.33	187	35.76	136.7	19.3	9.5	11.8	0.76	0.2			FALSE
918832	soil		26-Jul-08	T.Hewett	1260	E	60	S	473009	5434319	10	reddish brown	30	20	cohesive	silty	moist	mature cedar, second growth	0		low	fallen trees	E	4.0	0.45	0.05	0.62	520	23.29	159.9	43.2	16.3	11.2	1.03	0.3			FALSE
918833	soil		26-Jul-08	T.Hewett	1280	E	60	S	473029	5434315	15	brown	25	20	loose	sandy	damp	mature cedar, second growth	5	N	low	fallen trees	E	3.2	0.42	0.06	0.78	174	23.91	131.2	38.7	16.8	13.9	0.91	0.3			FALSE
918834	soil		26-Jul-08	T.Hewett	1300	E	60	S	473051	5434313	15	reddish brown	20	20	loose	sandy	dry	spruce, cedar, second growth	10	N	low	fallen trees	E	2.5	0.43	0.04	0.78	88	21.00	139.0	37.9	17.3	13.0	0.74	0.3			FALSE
918835	soil		26-Jul-08	T.Hewett	1320	E	60	S	473072	5434309	20	brown	20	20	loose	sandy	dry	douglas fir, spruce, cedar, second growth	5	N	low	fallen trees	E	3.7	0.42	0.05	1.24											

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE Dir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
918979	soil		13-Aug-08	N.MacLeod	60 E	4600 N	471372	5434602	25	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	7	W	moderate	slash, tree planted	E	3.2	0.28	0.05	0.72	228	24.86	164.1	88.3	18.7	16.9	0.61	0.2	sample taken 3m E. upper bank of logging road, tree planted ground, dug up to accommodate	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918980	soil		13-Aug-08	N.MacLeod	80 E	4600 N	471391	5434593	25	dark brown	20	15	loose	small angular & rounded pebbles	dry	first growth	7	W	none		E	0.4	0.33	0.03	0.65	262	27.11	142.5	100.3	22.0	15.1	0.70	0.2	first growth, no disturbance	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918981	soil		13-Aug-08	N.MacLeod	100 E	4600 N	471409	5434606	25	brown	20	15	loose	small angular & rounded pebbles	dry	first growth, large pine	6	W	none		E	2.6	0.37	0.05	0.92	183	43.93	148.0	90.7	20.6	14.8	0.65	0.3	first growth	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918982	soil		13-Aug-08	N.MacLeod	120 E	4600 N	471414	5434607	25	brown	20	15	loose	small angular & rounded pebbles	dry	first growth, large pine	7	W	none		E	2.7	0.33	<0.02	0.76	142	23.08	148.6	89.4	18.9	12.2	0.62	0.3	first growth, logging road 3m below	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918983	soil		13-Aug-08	N.MacLeod	140 E	4600 N	471448	5434603	25	brown	20	15	loose	small angular & rounded pebbles	dry	first growth, large pine	7	W	none		E	1.9	0.25	0.03	0.46	268	25.30	144.2	80.4	16.0	14.5	0.51	0.2	first growth	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918984	soil		13-Aug-08	N.MacLeod	160 E	4600 N	471471	5434605	20	brown	20	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	none		E	2.5	0.32	0.03	0.99	195	25.10	167.4	100.0	16.3	16.4	0.63	0.3	first growth, dense ground cover, little disturbance	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918985	soil		13-Aug-08	N.MacLeod	180 E	4600 N	471479	5434600	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	none		E	2.6	0.39	0.03	0.71	448	23.80	184.7	97.4	17.4	19.9	0.80	0.3	first growth, dense ground cover, little disturbance	error made in field, all field locations and all bags re-labeled with 918 prefix	FALSE
918986	soil		12-Aug-08	N.MacLeod	200 E	4600 N	471503	5434598	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	none		E	5.6	0.67	0.02	0.85	208	28.91	296.3	97.2	17.4	23.5	0.75	0.4	first growth, dense ground cover, little disturbance		FALSE
918987	soil		14-Aug-08	N.MacLeod	0 W	4650 N	471306	5434648	25	brown	20	15	loose, hardpan	small angular & rounded pebbles	dry	none	6	W	major	logging road	E	2.2	0.28	0.02	0.61	358	37.11	264.4	87.6	16.4	12.9	0.63	0.4	bank (E, upper), logging road, second growth, slash 15-20 years old		FALSE
918988	soil		14-Aug-08	N.MacLeod	20 W	4650 N	471289	5434643	25	dark brown	20	15	loose	small angular & rounded pebbles	moist	various shrubs, weeds	5	W	moderate	slash	E	5.4	0.25	0.04	0.78	1299	110.62	484.0	103.7	13.1	17.3	0.81	0.4	second growth, slash 15-20 hence, ankle snapping ground cover		FALSE
918989	soil		14-Aug-08	N.MacLeod	40 W	4650 N	471269	5434645	25	brown	20	15	loose	small angular & rounded pebbles	dry	various shrubs, weeds	5	W	moderate	slash	E	2.4	0.29	0.04	0.89	403	54.66	341.6	94.4	16.8	14.4	0.71	0.4	second growth, slash 15-20 hence, ankle snapping ground cover		FALSE
918990	soil		14-Aug-08	N.MacLeod	60 W	4650 N	471250	5434650	25	brown	20	15	loose	small angular & rounded pebbles	dry	various shrubs, weeds	5	W	moderate	slash	E	18.6	0.24	0.02	1.38	228	23.12	225.1	63.2	15.9	16.1	0.65	0.3	second growth, slash 15-20 hence, ankle snapping ground cover		FALSE
918991	soil		14-Aug-08	N.MacLeod	80 W	4650 N	471229	5434646	30	light brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	moderate	slash	S	18.1	0.25	0.05	0.69	374	33.50	159.1	72.7	15.6	20.2	0.72	0.6	second growth, slash, poked from tree planting, low dense ground cover, 3m above logging road		FALSE
918992	dup	918991	14-Aug-08	N.MacLeod																		27.0	0.25	0.03	0.70	374	32.92	153.3	71.7	16.4	21.1	0.72	0.6	duplicate of 918991		FALSE
918993	soil		14-Aug-08	N.MacLeod	100 W	4650 N	471214	5434643	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	major	slash 10m below road	E	16.9	0.30	0.03	0.85	307	28.79	171.1	135.0	18.5	17.3	0.69	0.4	second growth, slash, poked from tree planting, low dense ground cover, 10m below logging road		FALSE
918994	soil		14-Aug-08	N.MacLeod	120 W	4650 N	471189	5434645	25	light brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	moderate	slash	S	5.2	0.32	0.03	0.58	145	24.73	188.1	107.3	12.9	11.5	0.89	0.4	second growth slash, poked from tree planting, low dense ground cover		FALSE
918995	soil		14-Aug-08	N.MacLeod	140 W	4650 N	471169	5434644	30	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	6	W	minor	slash edge	E	6.5	0.30	0.02	0.84	210	22.52	256.2	108.0	15.0	14.5	0.73	0.4	dense low ground cover, 10-15 yr old slash		FALSE
918996	soil		14-Aug-08	N.MacLeod	160 W	4650 N	471157	5434642	25	brown	25	15	loose	small angular & rounded pebbles	moist	large pine, various shrubs	5	W	minor	second growth	S	7.1	0.36	0.03	0.77	212	31.75	185.7	107.3	16.3	17.0	0.80	0.4	second growth, choked with alder		FALSE
918997	soil		14-Aug-08	N.MacLeod	180 W	4650 N	471135	5434641	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, various shrubs	5	W	major	below old logging road, second growth		3.0	0.36	<0.02	0.98	272	32.09	165.0	85.9	14.6	20.5	0.68	0.3	10m below logging road		FALSE
918998	std		14-Aug-08	N.MacLeod																		2.1	0.27	0.02	0.30	125	17.36	92.8	26.7	10.9	6.6	0.71	0.3			FALSE
918999	soil		14-Aug-08	N.MacLeod	200 W	4650 N	471115	5434641	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, alder, various shrubs	6	W	minor	second growth	N	7.2	0.37	0.03	0.84	423	35.41	230.1	111.0	24.8	53.3	1.23	0.5	thick foliage, 10-20 yr old growth		FALSE
919000	soil		14-Aug-08	N.MacLeod	220 W	4650 N	471098	5434645	25	brown	25	15	loose	small angular & rounded pebbles	dry	large pine, alder, various shrubs	6	W	minor	second growth	E	6.7	0.42	0.03	0.98	236	49.64	224.3	87.8	23.6	44.7	1.06	0.4	thick foliage, 10-20 yr old growth		FALSE
945001	soil		29-Sep-08	P.Robinson/J.Svida	960 E	4650 N	470962	5434650	10	brown	minor	moderate	loose	gritty	nil	maple, larch	12	W	minor	second growth	E	1.6	0.56	0.02	0.57	81	28.22	104.1	1146.0	56.3	9.6	0.43	0.4	sample has no tag must be added later: marked as SO1 at sample site		FALSE
945002	soil		29-Sep-08	P.Robinson/J.Svida	980 E	4650 N	470981	5434650	10	brown	moderate	moderate	loose	gritty	nil	larch, alders	12	W	minor	second growth	E	2.4	1.04	0.03	0.82	103	49.53	110.8	575.1	34.1	15.9	0.58	0.7	minor rounded pebbles. Sample has no tag must be added later: marked as SO2 at sample site		FALSE
945003	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472529	5433855	10	brown	moderate	moderate	loose	gritty	minor	low brush	20	SE	major	logged within last 2 years	NW	1.2	0.54	0.04	0.73	105	39.62	208.5	41.5	14.7	14.9	0.76	0.3			FALSE
945004	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472529	5433906	10	brown	major	moderate	loose	silty	minor	low brush	20	SE	major	logged within last 2 years	NW	2.3	0.62	0.06	0.70	228	54.54	331.4	40.3	19.3	15.7	0.87	0.2			FALSE
945005	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472507	5433955	10	brown	moderate	moderate	loose	gritty	minor	low brush	15	SE	major	logged within last 2 years	NW	1.1	0.50	0.05	0.65	181	33.84	254.0	75.2	28.9	13.6	0.86	0.3	angular pebbles & cobbles some clay content		FALSE
945006	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472555	5433907	10	brown	moderate	moderate	loose	gritty	minor	fir, cedar	15	SE	major	logged within last 2 years	NW	2.9	0.53	0.06	0.74	142	46.15	261.2	41.5	14.4	11.6	0.63	0.2	moderate angular pebbles, fork in spur, 28m from 945004		FALSE
945007	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472615	5433952	10	brown	major	loose	loose	gritty	minor	fir, maple	20	SE	major	logged within last 2 years	NW	3.8	0.46	0.12	0.97	63	44.60	103.4	40.0	17.2	21.5	1.06	0.2	major angular pebbles		FALSE
945008	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472662	5433970	10	brown	major	moderate	loose	silty	minor	fir, maple	10	SE	minor	wildlife patch, minor logging on outskirts of patch	NW	1.4	0.59	0.08	0.67	96	34.73	142.2	49.0	19.9	19.3	0.98	0.3	major angular pebbles		FALSE
945009	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472703	5434011	25	brown	major	moderate	loose	gritty	minor	fir, maple	15	SE	minor	wildlife patch	NW	2.2	0.51	0.04	0.58	130	37.31	161.5	44.0	17.1	16.7	0.79	0.3			FALSE
945010	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472753	5434035	10	brown	moderate	moderate	loose	gritty	minor	fir, birch	10	SE	minor	wildlife patch	NW	1.4	0.52	0.08	0.81	155	36.79	136.5	39.3	15.7	17.0	0.79	0.2			FALSE
945011	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472799	5434064	20	brown	major	moderate	loose	gritty	minor	fir, maple	10	SE	minor	wildlife patch	NW	2.6	0.46	0.11	0.52	243	43.71	207.0	61.0	21.8	15.8	0.76	0.2			FALSE
945012	soil		30-Sep-08	P.Robinson/J.Svida	road	road	472710	5433868	10	brown	moderate	moderate	loose	gritty	minor	cedar	20	SE	major	logged within last 2 years	NW	2.2	0.36	0.03	0.43											

SOIL SAMPLING 2008

SampleID	Type	Duplicate Cf	Date	Sampler	LineE	LineN	LineDir.	LineN Dir.	Easting	Northing	Depth	Color	Silt fraction	Organic fraction	Consistency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbance Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject		
945027	soil		30-Sep-08	P.Robinson/J.Svida	road	road			473013	5433871	15	brown	major	minor	loose	gritty	minor	brush	20	S	major	logged within last 2 years	NW	1.3	0.52	0.07	0.63	168	35.17	176.5	57.3	22.8	16.5	0.72	0.3			FALSE		
945028	soil		30-Sep-08	P.Robinson/J.Svida	road	road			473032	5433613	10	brown	major	moderate	loose	rocky	minor	grand fir, maple	10	E	major	edge of powerline	N	4.2	0.38	0.05	0.53	142	21.94	88.8	41.7	13.8	11.7	0.63	0.4			FALSE		
945029	soil		30-Sep-08	P.Robinson/J.Svida	road	road			472966	5433632	10	brown	major	moderate	loose	rocky	minor	grand fir, birch	10	E	major	edge of powerline	N	4.5	0.37	0.07	0.52	148	22.25	92.7	40.6	15.2	17.1	0.77	0.3			FALSE		
945030	dup	945031	30-Sep-08	P.Robinson/J.Svida	road	road			472907	5433639	20	brown	minor	major	loose	gritty	major	birch, maple	10	E	major	edge of powerline	N	1.9	0.39	0.02	0.58	143	29.88	87.2	35.3	11.6	7.8	0.54	0.4			FALSE		
945031	soil		30-Sep-08	P.Robinson/J.Svida	road	road			472907	5433639	20	brown	minor	major	loose	gritty	major	birch, maple	10	E	major	edge of powerline	N	2.7	0.38	<0.02	0.59	132	27.67	89.4	36.7	12.7	10.4	0.60	0.3			FALSE		
945032	soil		30-Sep-08	P.Robinson/J.Svida	road	road			472855	5433623	10	brown	major	major	loose	gritty	minor	maple bushes	10	E	major	edge of powerline	N	0.8	0.37	0.04	0.43	316	18.95	155.0	34.5	11.9	11.3	0.65	0.3			FALSE		
945033	soil		30-Sep-08	P.Robinson/J.Svida	road	road			472787	5433613	15	brown	major	moderate	loose	gritty	minor	birch	10	E	major	edge of powerline	N	2.5	0.36	0.03	0.55	351	22.81	136.8	42.6	12.4	10.7	0.54	0.3			FALSE		
945034	soil		30-Sep-08	P.Robinson/J.Svida	road	road			472740	5433615	20	brown	major	major	loose	gritty	minor	alder	10	E	major	edge of powerline	N	1.9	0.37	0.03	0.72	260	29.18	140.0	37.4	13.1	12.9	0.66	0.4			FALSE		
945035	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472690	5433634	20	brown	moderate	moderate	loose	gritty	nil	knapped, alders, short brush	22	E	major	powerline	W	7.8	0.39	0.07	0.86	259	32.31	127.2	44.2	14.3	21.3	0.70	0.3			FALSE		
945036	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472640	5433645	20	brown	moderate	moderate	loose	gritty	nil	tall alders	25	E	major	powerline	W	4.5	0.44	0.07	0.65	237	26.89	103.9	44.6	15.4	28.3	0.77	0.4			moderate rounded pebbles		FALSE
945037	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472599	5433672	10	brown	moderate	moderate	loose	gritty	nil	short brush	25	E	major	powerline	W	1.9	0.42	0.06	0.48	218	24.32	105.0	40.9	14.1	11.9	0.70	0.4			minor rounded pebbles		FALSE
945038	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472535	5433662	20		major	moderate	loose	silty	nil	tall alders	25	E	major	powerline	W	2.1	0.37	0.06	0.49	347	23.34	118.5	40.3	11.9	8.8	0.55	0.4			FALSE		
945039	dup	945038	01-Oct-08	P.Robinson/J.Svida	road	road			472488	5433685	20	brown	major	moderate	loose	gritty	nil	low sparse shrubs	20	W	major	powerline	E	1.9	0.35	0.03	0.48	354	22.20	112.2	38.8	11.8	8.6	0.54	0.4			FALSE		
945040	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472439	5433694	15	brown	major	major	loose	gritty	nil	low sparse shrubs	5	W	major	powerline	E	1.8	0.43	0.05	0.76	174	37.99	118.0	31.1	12.4	10.7	0.70	0.4			major angular pebbles and cobbles		FALSE
945041	soil		01-Oct-08	P.Robinson/J.Svida	road	road			472439	5433694	15	brown	major	major	loose	gritty	nil	low sparse shrubs	5	W	major	powerline	E	1.8	0.46	0.02	1.05	266	51.46	149.2	30.4	10.7	9.9	0.65	0.5			FALSE		
945042	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473822	5433324	15	brown	major	moderate	loose	silty	nil	alder	22	S	moderate	spur rd	W	23.8	0.43	0.05	0.81	128	39.36	132.8	41.5	18.3	11.4	0.76	0.3			FALSE		
945043	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473844	5433372	10	brown	moderate	moderate	loose	gritty, rocky	moderate	fir, alder	20	S	minor	very old spur road	W	5.0	0.41	0.05	0.44	110	19.94	82.0	34.9	15.3	12.1	0.83	0.5			FALSE		
945044	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473872	5433415	20	brown	major	moderate	loose	clumpy	silty	nil	alder	25	S	minor	very old spur road	W	1.4	0.39	0.05	0.48	132	23.74	99.9	36.7	15.9	10.1	0.68	0.4			FALSE	
945045	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473825	5433443	20	brown	major	minor	loose	silty	nil	alder	25	S	major	powerline	N	1.5	0.42	0.04	0.44	165	21.48	120.0	54.8	20.4	13.1	0.83	0.4			FALSE		
945046	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473773	5433464	30	greyish	moderate	minor	clumpy	gritty	nil	sparse, open	35	S	major	powerline	N	4.7	0.47	0.07	0.48	65	17.15	73.9	37.4	18.9	14.6	0.80	0.5			FALSE		
945047	soil		01-Oct-08	P.Robinson/J.Svida	road	road			473912	5433456	20	brown	major	moderate	loose	silty	nil	thick alder	30	SE	minor	very old spur	NW	1.8	0.45	0.04	0.52	174	28.26	133.0	40.1	17.8	12.4	0.78	0.4			FALSE		
945048	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474272	5433296	30	brown	major	minor	loose	silty	nil	thick alder	20	S	moderate	old spur road	N	3.2	0.32	0.04	0.46	154	16.58	104.0	36.9	15.0	11.4	0.59	0.3			FALSE		
945049	std		01-Oct-08	P.Robinson/J.Svida	road	road			474272	5433296	30	brown	major	minor	loose	silty	nil	thick alder	20	S	moderate	old spur road	N	2.0	0.21	0.02	0.31	184	17.16	102.1	23.3	9.1	6.2	0.56	0.4			FALSE		
945050	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474318	5433291	20	brown	minor	moderate	clumpy	gritty	nil	fir alder	20	S	moderate	old spur road	N	5.8	0.29	0.06	0.50	101	15.65	72.7	28.8	14.5	10.4	0.56	0.3			FALSE		
945051	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474368	5433298	20	brown	moderate	moderate	loose	gritty	nil	alder	20	S	moderate	old spur road	N	1.5	0.31	0.04	0.57	220	21.72	132.6	33.7	14.8	9.8	0.73	0.3			FALSE		
945052	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474376	5433255	15	brown	major	moderate	loose	gritty	nil	low bush, alders	20	S	minor	old spur road	N	2.2	0.32	0.05	0.68	115	24.19	147.1	32.5	14.7	8.7	0.77	0.2			moderate angular and rounded pebbles, new old road		FALSE
945053	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474416	5433241	20	brown	major	minor	loose	silty	nil	low bush, alders	20	S	minor	very old spur	N	3.3	0.31	0.03	0.49	246	19.72	154.5	33.7	13.3	8.5	0.69	0.2			moderate angular and rounded pebbles, new old road		FALSE
945054	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474465	5433235	15	brown	moderate	moderate	clumpy	gritty	nil	low bush, alders	20	S	minor	very old spur	N	2.1	0.34	0.04	0.63	124	26.01	139.9	34.9	13.1	11.4	0.84	0.3			moderate angular and rounded pebbles, new old road		FALSE
945055	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474503	5433215	15	brown	minor	moderate	loose	gritty	nil	open, very tall fir	20	S	minor	very old spur	N	4.8	0.36	0.04	0.82	120	50.17	143.1	21.4	9.7	8.3	0.66	0.3			FALSE		
945056	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474415	5433314	20	brown	moderate	moderate	pastey	gritty	nil	alder	20	S	major	powerline	N	5.7	0.34	0.06	0.49	200	19.56	123.3	37.6	16.4	10.0	0.78	0.3			FALSE		
945057	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474453	5433353	15	brown	moderate	moderate	loose	gritty	nil	fir, very open	25	E	major	powerline	N	5.4	0.35	0.07	0.78	130	38.34	137.4	27.8	13.4	10.1	0.64	0.3			FALSE		
945058	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474409	5433341	20	brown	major	moderate	loose	silty	nil	alders, very open	25	E	major	powerline	N	5.4	0.37	0.04	0.67	132	26.33	122.5	31.4	14.2	11.4	0.69	0.3			FALSE		
945059	dup	945058	01-Oct-08	P.Robinson/J.Svida	road	road			474409	5433341	20	brown	major	moderate	loose	silty	nil	alders, very open	25	E	major	powerline	N	5.0	0.35	0.04	0.63	124	25.19	119.4	30.7	14.2	10.8	0.66	0.3			FALSE		
945060	soil		01-Oct-08	P.Robinson/J.Svida	road	road			474349	5433354	15	brown	moderate	moderate	loose	gritty	nil	alders, very open	25	E	major	powerline	N	38.3	0.33	0.06	0.67	121	22.95	107.0	35.9	17.0	11.9	0.76	0.3			FALSE		
945061	soil		02-Oct-08	J.Svida	375 E	4200 N			470372	5434200	15	brown	moderate	moderate																										

SOIL SAMPLING 2008

SampleID	Type	Duplicate Of	Date	Sampler	LineE	LineE Dir.	LineN	LineN Dir.	Eastng	Northng	Depth	Color	Silt fraction	Organic fraction	Consist-ency	Texture	Moisture	Vegetation	Slope	Slope Dir.	Disturbanc e Intensity	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	Reject
945126	soil		04-Oct-08	J.Svida	75		4100		470075	5434100	10	brown	moderate	moderate	loose	gritty	minor	grass	0	flat	major	under powerline on side of br 2 rd	W	3.7	0.34	0.04	0.97	421	26.83	126.5	124.0	17.1	13.3	0.72	0.3			
945127	soil		04-Oct-08	J.Svida	50		4100		470050	5434100	15	brown	major	minor	loose	silty	minor	grass	0	flat	major	under powerline	N	1.4	0.28	0.03	1.07	145	31.69	127.7	42.8	14.0	13.5	0.68	0.3			
945128	soil		04-Oct-08	J.Svida	25		4100		470026	5434100	10	brown	moderate	moderate	loose	rocky	minor	grass	0	flat	major	under powerline	N	2.1	0.34	0.03	1.16	199	38.71	138.2	36.5	12.3	15.5	0.83	0.3	moderate rounded & angular pebbles		
945129	dup	945128	04-Oct-08	J.Svida																				0.6	0.33	0.03	1.11	188	36.02	139.0	36.0	12.0	15.6	0.77	0.3			
945130	soil		04-Oct-08	J.Svida	0		4100		470000	5434100	10	brown	moderate	moderate	loose	rocky	minor	grass	0	flat	major	under powerline	NW	2.6	0.29	0.02	1.14	226	32.55	154.7	31.6	12.6	15.6	0.76	0.4	sample taken few meters off major (road?) due to compact ground		
945131	std		04-Oct-08	J.Svida																				2.6	0.26	<0.02	0.36	165	19.93	105.0	28.9	11.8	8.1	0.70	0.4			
945132	soil		04-Oct-08	J.Svida	9975		4100		469975	5434100	15	brown	moderate	moderate	loose	rocky	minor	grass	5	S	major	under powerline	N	1.3	0.33	<0.02	1.02	214	34.89	149.9	21.3	10.4	17.3	0.73	0.2	major pebbles & cobbles		
945133	soil		04-Oct-08	J.Svida	9950		4100		469950	5434100	20	brown	major	moderate	loose	silty	minor	grass, alder	5	S	major	under powerline	N	1.2	0.36	<0.02	1.07	195	47.69	159.1	23.1	10.1	16.3	0.78	0.3	sample taken next to spur road		
945134	soil		04-Oct-08	J.Svida	9925		4100		469924	5434100	15	brown	major	moderate	loose	silty	minor	grass, bushes	10	S	major	under powerline	W	1.4	0.28	0.02	1.04	155	32.69	139.5	31.7	11.7	12.3	0.66	0.3			
945135	soil		05-Oct-08	P.Robinson/J.Svida	9900		4100		469900	5434100	15	brown	moderate	moderate	loose	silty	minor	alder, berries	0	flat	major	powerline	S	1.9	0.23	0.03	0.89	150	24.09	121.9	28.4	11.5	12.2	0.70	0.2			
945136	soil		05-Oct-08	P.Robinson/J.Svida	9875		4100		469874	5434102	15	brown	major	moderate	loose	silty	minor	alder, berries	0	flat	major	powerline	W	2.1	0.22	<0.02	0.64	133	18.73	157.6	38.0	13.9	10.7	1.24	0.2			
945137	soil		05-Oct-08	P.Robinson/J.Svida	9850		4100		469849	5434100	15	brown	major	moderate	loose	gritty	minor	alder, berries	0	flat	major	powerline	W	3.6	0.23	0.04	0.84	188	20.96	111.7	31.5	14.1	25.5	0.78	0.2	outcrop at sample, moderate angular & rounded pebbles & cobbles		
945138	soil		05-Oct-08	P.Robinson/J.Svida	9825		4100		469824	5434101	10	brown	major	moderate	loose	silty	minor	alder, berries	0	flat	major	powerline	W	2.6	0.23	0.02	0.92	203	23.37	131.4	33.0	12.9	11.4	0.76	0.2			
945139	soil		05-Oct-08	P.Robinson/J.Svida	9800		4100		469801	5434101	15	brown	major	moderate	loose	silty	minor	short fir & alder	5	W	major	powerline	S	1.7	0.25	0.03	1.29	176	31.40	131.8	31.3	12.7	12.4	0.72	0.2			
945140	soil		05-Oct-08	P.Robinson/J.Svida	9775		4100		469776	5434101	15	brown	major	moderate	clumpy	silty	minor	tall alder	5	W	major	powerline	S	1.6	0.28	0.02	1.09	172	40.59	149.3	28.7	11.2	12.9	0.71	0.3			
945141	soil		05-Oct-08	P.Robinson/J.Svida	9750		4100		469751	5434100	15	brown	major	moderate	loose	silty	minor	tall alder, fir, birch	5	W	minor	second growth	S	5.6	0.32	<0.02	1.33	157	41.83	157.9	32.8	12.1	13.6	0.87	0.3			
945142	soil		05-Oct-08	P.Robinson/J.Svida	9725		4100		469723	5434101		brown	moderate	moderate	loose	gritty	minor	tall alder, fir, birch	10	W	minor	second growth	S	2.7	0.33	0.04	1.42	124	58.62	151.9	29.6	14.2	11.4	1.08	0.2			
945143	std		05-Oct-08	P.Robinson/J.Svida																				5.3	0.29	0.05	0.36	176	21.29	111.8	31.0	12.7	8.1	0.74	0.4			
945144	soil		05-Oct-08	P.Robinson/J.Svida	9700		4100		469702	5434100	20	brown	moderate	moderate	clumpy	gritty	minor	alder, fir	15	W	minor	second growth	S	3.5	0.42	0.04	2.03	173	76.86	160.0	35.7	17.2	12.0	0.96	0.2			
945145	soil		05-Oct-08	P.Robinson/J.Svida	9675		4100		469676	5434101	20	brown	major	moderate	loose	silty	minor	sparse fir	35	W	minor	second growth	S	2.6	0.35	0.04	2.18	400	89.70	146.9	37.0	16.5	9.2	0.77	0.3	outcrop at sample: specimens returned from field are of dense, white (very pure?) & variegated grey limestone		
945146	soil		05-Oct-08	P.Robinson/J.Svida	9825		4200		469823	5434200	20	brown	moderate	major	loose	gritty	minor	thick bush	0	flat	minor	second growth	E	4.7	0.47	0.02	1.55	270	72.28	457.3	43.7	12.2	23.0	1.14	0.4			
945147	soil		05-Oct-08	P.Robinson/J.Svida	9800		4200		469802	5434202	20	brown	major	moderate	loose	rocky	minor	thick bush	0	flat	minor	second growth	E	3.7	0.48	0.04	1.29	169	81.23	384.8	26.5	10.9	51.0	0.70	0.2			
945148	soil		05-Oct-08	P.Robinson/J.Svida	9775		4200		469775	5434200	10	brown	major	moderate	loose	rocky	minor	open, game trail	5	W	minor	second growth	E	7.3	0.45	0.03	1.97	293	89.52	306.8	21.9	11.9	41.8	0.69	0.2	angular cobbles		
945149	soil		05-Oct-08	P.Robinson/J.Svida	9750		4200		469750	5434201	15	brown	major	minor	clumpy	silty	minor	outcrop, open bush	30	W	minor	second growth	E	1.3	0.34	0.05	1.96	124	66.02	187.4	29.3	11.3	8.3	0.63	0.3			
945150	soil		05-Oct-08	P.Robinson/J.Svida	9725		4200		469725	5434200	20	brown	major	moderate	loose	gritty	minor	open, game trail	35	W	minor	second growth	E	1.7	0.23	0.03	1.07	138	31.48	172.7	33.9	13.3	6.5	0.59	0.2			
945151	soil		05-Oct-08	P.Robinson/J.Svida	9700		4200		469700	5434200	15	brown	major	minor	clumpy	silty	minor	birch, tall fir	40	W	minor	second growth	E	0.9	0.20	<0.02	1.08	158	23.34	101.5	40.0	14.6	5.1	0.55	0.2	sample within large outcrop area		
945152	dup	945151	05-Oct-08	P.Robinson/J.Svida																				0.4	0.20	<0.02	1.15	148	23.88	105.3	40.3	15.9	5.3	0.56	0.2	not sure if dup, not in notes. Nearly same UTM coordinates		
945153	soil		05-Oct-08	P.Robinson/J.Svida	9675		4200		469673	5434201	25	brown	major	minor	loose	silty	minor	tall aspen, saplings	40	W	minor	second growth	E	0.4	0.21	<0.02	0.78	151	37.00	345.3	18.9	3.9	4.1	0.23	0.1			
945201	soil		04-Oct-08	N.MacLeod	4000		3000		474001	5433000	25	brown	30	15	loose	silty	damp	dense	20	S	minor	second growth	N	2.3	0.32	0.03	0.71	182	43.41	118.2	102.7	15.8	10.6	0.69	0.2	second growth, >100 years old	Field notes dated 03Oct09	
945202	soil		04-Oct-08	N.MacLeod	3950		3000		473950	5433000	25	brown	30	15	loose	silty	damp	dense	20	S	minor	second growth	N	3.3	0.23	<0.02	0.32	170	20.48	86.0	90.4	17.4	6.3	0.58	0.2	second growth, >100 years old	Field notes dated 03Oct09	
945203	soil		04-Oct-08	N.MacLeod	3900		3000		473901	5433000	25	brown	30	15	loose	silty	damp	dense	15	S	minor	second growth	N	1.0	0.29	<0.02	0.35	90	25.43	114.6	55.5	15.3	6.5	0.47	0.2	second growth, >100 years old	Field notes dated 03Oct09	
945204	soil		04-Oct-08	N.MacLeod	3850		3000		473852	5433000	30	brown	30	15	loose	silty	damp	dense	10	SW	minor	second growth	NE	2.8	0.59	0.05	0.32	165	23.72	177.7	46.4	19.6	9.9	0.80	0.5	second growth, >100 years old	Field notes dated 03Oct09	
945205	soil		04-Oct-08	N.MacLeod	3800		3000		473800	5433000	30	brown	30	15	loose	silty	damp	dense	10	SW	minor	second growth	NE	1.6	0.40	0.03	0.46	213	22.37	154.7	41.2	15.9	8.7	0.69	0.3	second growth, >100 years old	Field notes dated 03Oct09	
945206	soil		04-Oct-08	N.MacLeod	3750		3000		473751	5433000	30	brown	30	15	loose	silty	damp	dense	30	S	minor	second growth	N	1.0	0.39	0.03	0.49	175	25.85	131.7	37.4	15.1	7.6	0.77	0.3	second growth, >100 years old	Field notes dated 03Oct09	
945207	soil		04-Oct-08	N.MacLeod	3700		3000		473700	5433000	25	brown	30	15	loose	silty	damp	dense	25	S	minor	second growth																

SILTS - Field Data & Assays of Selected Elements

SampleID	Type	Duplicate Of	Date	Sampler	Easting	Northing	Creek Name	Color	Prop'n Silt	Prop'n Organic	Flow Rate	Avg. Width	Avg. Depth	Slope	Vegetation	Veg. Density	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment
869101	silt		27-Aug-08	D.Jackson/P.Smolarek/A.Last	471021	5438185	Tillicum tributary	brown	major	moderate	moderate	300	10	25	cedar, alder	thick		S	2.4	0.19	0.04	1.25	339	23.34	111.8	41.0	15.6	13.3	0.62	0.1	Deposition bar, some vegetation, midstream	
869102	silt		27-Aug-08	D.Jackson/P.Smolarek/A.Last	470782	5438007	Tillicum tributary	brown	major	major	moderate	100	2	22	mixed cedar, birch	moderate	Old logging	NW	6.5	0.18	0.04	1.09	257	24.14	98.5	32.7	14.3	10.2	0.63	0.1	Rare silt, taken from root mat, midstream	
869103	silt		27-Aug-08	D.Jackson/P.Smolarek/A.Last	470665	5437935	Tillicum tributary	dark brown	moderate	major	minor	50	1	20	mixed regrowth	thick	Old logging	N	3.4	0.20	<0.02	1.77	486	33.47	116.8	28.9	12.0	8.4	0.66	0.2	Very little flow, sample under log	
869104	silt		27-Aug-08	D.Jackson/P.Smolarek/A.Last	468786	5437371	Tillicum tributary	brown	major	minor	moderate	400	10	12	old growth	moderate	Near burn	W	3.4	0.15	0.04	1.45	221	21.76	115.5	37.6	19.7	13.6	0.74	0.1	Textbook stream sediment sample	
869105	std																		104.7	0.95	0.07	0.53	350	105.96	309.7	25.2	11.4	11.1	1.23	6.8		
869106	silt		31-Aug-08	G.Laplante/D.Jackson	468780	5438008		dark brown	moderate	major	moderate	200	15	20	cedar, devils club	moderate		N	1.4	0.17	0.04	1.49	223	24.06	126.0	36.0	19.4	13.2	0.75	0.1		
869107	silt		31-Aug-08	G.Laplante/D.Jackson	467645	5438679		light-dark brown	moderate	moderate	moderate	200	5	14	cedar, fir	moderate	Old logging	N	3.0	0.16	<0.02	1.11	161	17.12	112.8	31.6	20.2	16.0	0.81	0.2		
869108	silt		29-Aug-08	G.Laplante/D.Jackson	469340	5435510	Tillicum Creek	brown	moderate	minor	fast	400	10	20	cedar, fir	minor		W	3.5	0.13	0.03	1.06	206	17.96	91.9	28.3	19.1	13.4	0.61	0.2		
869109	silt		29-Aug-08	G.Laplante/D.Jackson	469484	5435425	Tillicum Creek	greyish brown	moderate	minor	fast	1000	25	15	mixed	moderate		NW	5.0	0.13	0.06	1.38	163	16.17	86.2	35.6	20.6	14.7	0.73	0.3	Flowing southeast	
869110	silt		29-Aug-08	G.Laplante/D.Jackson	469495	5435541	Tillicum Creek	brown	major	moderate	fast	2000	25	12	big cedar	moderate	Old growth	N	8.2	0.14	0.05	1.24	183	16.45	86.1	34.0	17.6	13.6	0.71	0.2	Good silt content	
869111	silt		29-Aug-08	G.Laplante/D.Jackson	469521	5435842	Tillicum Creek	greyish brown	major	minor	fast	2000	25	12	mixed	moderate		N	7.0	0.14	<0.02	1.42	191	18.72	91.1	38.2	20.2	15.2	0.76	0.2	Lots of biotite in sample	
869112	silt		29-Aug-08	G.Laplante/D.Jackson	469497	5435856	Tillicum Creek	medium brown	minor	major	dry	200	0	40	cedar	moderate		W	2.8	0.19	<0.02	0.99	184	20.81	94.9	29.5	19.4	11.1	0.66	0.2	Sample from upside of stump; Placer trench between this & sample 869113?	
869113	silt		29-Aug-08	G.Laplante/D.Jackson	469524	5435864	Tillicum Creek	brown	moderate	major	fast	700	25	15	mixed	moderate		N	5.3	0.14	0.05	1.15	166	17.68	84.9	33.2	16.8	12.4	0.63	0.2	Sample from dead logs; Placer trench between this & sample 869112?	
869114	silt		29-Aug-08	G.Laplante/D.Jackson	469519	5434618	Tillicum Creek	brown	major	moderate	moderate	1200	15	5	mixed	moderate		N	5.9	0.14	0.04	1.23	159	15.00	81.0	35.7	18.3	13.5	0.67	0.3	Grey discoloration; outcrop	Inconsistent location coords: GPS coords nearly identical to #869117; Northing in field notes partly overwritten and reads "5432618"; coords in field notes override GPS [JDW 11Feb08, 09Mar09]
869115	silt		29-Aug-08	G.Laplante/D.Jackson	469972	5432482	Pend d'Oreille	brown	major	major	trickle	200	5	25	mixed	moderate		N	13.6	0.18	0.05	0.79	158	17.21	84.9	33.4	14.8	16.3	0.76	0.5	Taken from green algae on rock surfaces	
869116	silt		31-Aug-08	G.Laplante/D.Jackson	467652	5438718	unknown	light brown	moderate	moderate	minor	100	2	12	cedar, maple, devils club	moderate	Pipeline	NW	6.1	0.17	<0.02	1.00	142	30.68	112.3	31.7	20.1	20.3	0.86	0.2	Below pipeline on the right-of-way	Coordinates not entered into field notes - scaled from field map
869117	silt		31-Aug-08	G.Laplante/D.Jackson	468495	5439047	unknown	dark brown	minor	major	none	50	0	24	devils club, raspberry	moderate	Cut over	W	2.2	0.35	0.04	1.48	361	40.15	162.5	30.5	16.3	8.2	0.69	0.2	Fluvial sed's rare, little sediment in drainage	
869118	silt		31-Aug-08	G.Laplante/D.Jackson	468582	5439104		dark brown	minor	major	minor	50	1	38	alder, raspberry	thick	Edge of clearcut	W	3.0	0.22	<0.02	1.58	350	27.94	105.2	21.3	14.7	19.3	0.83	0.1		
869119	silt		31-Aug-08	G.Laplante/D.Jackson	468940	5438545		dark brown	minor	moderate	minor	200	5	32	alder	thick		W	1.6	0.17	0.03	1.43	262	26.53	148.9	39.8	19.8	13.8	0.75	0.1	Lots of sand	
869120	silt		31-Aug-08	G.Laplante/D.Jackson	468845	5438501		dark brown	moderate	moderate	minor	200	5	16	alder	thick		W	1.5	0.23	0.04	1.34	187	34.82	132.4	31.5	16.4	13.6	0.66	0.2		
869121	silt		31-Aug-08	G.Laplante/D.Jackson	468942	5437861		dark brown	moderate	moderate	minor	50	2	20	old cedar, young fir	thick		W	0.8	0.18	0.02	1.34	232	34.01	106.2	20.6	11.7	9.9	0.81	0.1	Drainage not marked on map	
869122	silt		31-Aug-08	G.Laplante/D.Jackson	470843	5437257		dark brown	moderate	minor	moderate	100	1	20	cedar	moderate		NW	3.9	0.20	<0.02	1.37	531	28.97	97.6	60.1	16.0	24.3	0.93	0.3		
869123	silt		31-Aug-08	G.Laplante/D.Jackson	469756	5436296		dark brown	minor	minor	moderate	500	20	20	cedar, dogwood	minor		E	10.7	0.16	0.03	1.42	231	23.02	101.9	37.2	19.0	17.8	0.77	0.2		
869124	silt		01-Sep-08	D.Jackson/G.Laplante	475843	5431920	Grouse Creek	greyish brown	moderate	moderate	good flow	400	20	10	mixed	moderate		N	14.8	0.18	0.04	0.38	94	14.64	58.0	26.2	13.9	5.9	6.0	0.3	Blue & pink ribbon above bridge, tag# 780HM12	
869125	silt		01-Sep-08	D.Jackson/G.Laplante	475854	5432017		dark brown	moderate	major	minimal	200	1	5	mixed	moderate		W	21.7	0.17	0.03	0.54	117	17.28	63.2	23.9	12.3	6.7	0.66	0.3	Mucky stream; outcrop upstream on right	
869126	silt		01-Sep-08	D.Jackson/G.Laplante	475185	5431823		brwn or chocolate	moderate	moderate	moderate	100	2	30	mixed	moderate		N	6.2	0.14	0.03	0.38	94	14.02	62.2	24.2	9.7	4.8	0.55	0.5	Blue & pink ribbon, tag# 780HM10; outcrop nearby	Field notes for 869126 & 869127 confused [JDW]
869127	silt		01-Sep-08	D.Jackson/G.Laplante	475347	5431839		dark brown	moderate	major	moderate	200	4	20	mixed	moderate		N	10.4	0.17	0.02	0.52	116	21.42	72.6	21.8	10.7	5.9	0.50	0.4	Blue & pink ribbon; highly magnetic; sedimentary rock; old placer mining near stream	Field notes for 869126 & 869127 confused [JDW]
869128	silt		01-Sep-08	D.Jackson/G.Laplante	474250	5431577	McCormick Creek	dark brown	moderate	moderate	fast	200	10	10	mixed	moderate		N	25.5	0.30	0.04	0.31	168	25.82	96.9	45.9	14.3	10.3	0.67	0.3	Black sand found in panned sediments	
869129	silt		01-Sep-08	D.Jackson/G.Laplante	473786	5432299	McCormick Creek	dark brown	moderate	moderate	fast	200	10	10	mixed	major		N	10.3	0.31	<0.02	0.32	141	22.53	86.6	48.0	14.8	9.7	6.1	0.4	Old intake barrel from placer upstream	
869130	silt		01-Sep-08	D.Jackson/G.Laplante	473783	5432333	McCormick Creek	dark brown	moderate	moderate	trickle	100	3	15	mixed	moderate		NE	3.9	0.35	0.04	0.35	291	28.83	136.7	53.2	16.2	12.5	0.81	0.4		
869131	silt		01-Sep-08	D.Jackson/G.Laplante	472446	5431229		greyish brown	moderate	minor	dry	100	0	25	mixed	moderate		N	2.6	0.11	<0.02	0.63	90	26.01	44.6	21.6	5.9	6.0	0.37	0.3	Dry in summer; sooty appearance	
869132	silt		01-Sep-08	D.Jackson/G.Laplante	472275	5430943		dark brown	moderate	major	trickle	100	1	40	shrubs	moderate		N	49.5	0.21	<0.02	0.43	192	23.10	100.2	29.5	10.2	11.5	4.7	0.5	Clay present	Sample selected as Std but apparently ignored
869133	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	468146	5433008		dark brown	minor	major	fast	100	2	25	shrubs	major	Burn, power lines above sample	N	1.4	0.38	0.02	2.15	214	100.37	171.3	24.1	12.1	9.9	0.58	0.3	Algae in sample; blue & pink ribbon, 2007 sample	
869134	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	470267	5432478	Bunker Creek?	dark brown	moderate	major	fast	100	4	40	shrubs	major	Waterfalls	N	18.5	0.67	0.04	0.73	282	40.50	128.4	65.5	15.5	15.9	0.79	1.4	Algae in sample	
869135	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	470297	5432528	Limpid Creek	dark brown	major	minor	fast	200	4	40	shrubs	moderate		E	15.7	1.47	0.07	0.52	266	38.55	117.2	64.5	17.2	15.2	0.98	1.0		
869136	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	470602	5432208	E of Limpid Creek	light brown	moderate	major	none	N/A	N/A	35	shrubs	minor	Side of hill sloped by excavator	N	6.9	0.20	0.02	0.54	117	15.94	83.9	40.5	12.9	8.4	0.51	0.4		
869137	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	470730	5432067	E of Limpid Creek	greyish brown	minor	moderate	minimal	50	N/A	30	shrubs	major		N	31.4	0.20	<0.02	0.55	103	18.96	78.1	37.0	10.6	6.3	0.48	0.6	Sandy zone	
869138	silt		02-Sep-08	G.Laplante/D.Jackson/J.Svida	471060	5431750	not recorded	not recorded	not recorded	not recorded	not recorded	N/A	N/A	15	alder	minor	Agricultural; old farm	N	7.1	0.23	<0.02	0.47	138	22.50	101.4	31.5	12.3	9.3	0.84	0.4	Silt may be derived from small field	
869139	silt		04-Sep-08	D.Jackson/A.Last	473988																											

SILTS - Field Data & Assays of Selected Elements

SampleID	Type	Duplicate Of	Date	Sampler	Easting	Northing	Creek Name	Color	Prop'n Silt	Prop'n Organic	Flow Rate	Avg. Width	Avg. Depth	Slope	Vegetation	Veg. Density	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	
869178	silt		05-Sep-08	D.Jackson	468445	5437503		dark brown	moderate	moderate	moderate	300	5	12	mature cedar	moderate		W	1.7	0.21	<0.02	1.31	346	28.02	124.2	20.1	10.7	10.2	0.75	0.1			
869179	silt		05-Sep-08	D.Jackson	468548	5437543		brown	moderate	moderate	moderate	400	10	10	fir	minor		W	2.9	0.21	0.04	1.32	333	28.97	171.4	29.7	13.6	15.0	0.87	0.2			
869180	silt		05-Sep-08	D.Jackson	468656	5437270		dark brown	moderate	moderate	moderate	300	15	14	mature cedar, fir	moderate		N	2.2	0.25	0.03	1.63	445	36.82	162.2	32.0	13.3	14.6	0.93	0.2		Coords in field notes not as entered [JDW 11Feb09]	
869181	silt		05-Sep-08	D.Jackson	468577	5437342		dark brown	moderate	major	moderate	150	3	15	mature cedar	moderate		W	3.1	0.21	<0.02	1.28	518	31.38	121.4	29.4	13.4	9.9	0.79	0.2			
869182	silt		06-Sep-08	D.Jackson/G.Laplante	478671	5433460	Atkinson Creek	grey brown	major	moderate	moderate	100	3	10	mixed	major		N	88.5	0.21	<0.02	0.44	158	15.39	88.7	22.7	11.3	8.9	0.78	1.0		Nasty thorn bush	
869183	silt		06-Sep-08	D.Jackson/G.Laplante	478615	5433366		brown	moderate	moderate	none	N/A	N/A	10	mixed	major		N	18.6	0.25	0.05	0.40	337	29.61	113.9	48.9	11.6	8.0	0.62	0.7		Possible placer trench, eroded gully	
869184	silt		06-Sep-08	D.Jackson/G.Laplante	478482	5433145	Pete Creek	brown	moderate	moderate	none	N/A	N/A	5	mixed	moderate		N	8.7	0.25	<0.02	0.65	377	19.62	95.1	38.5	11.5	9.0	0.67	0.6		Between fields	
869185	silt		06-Sep-08	D.Jackson/G.Laplante	477846	5433545	Pete Creek	brown	moderate	major	none	N/A	N/A	10	fir, cedar	moderate		N	2.2	0.28	0.05	0.75	404	27.67	98.3	43.2	11.5	9.1	0.71	0.6		Sample taken mainly from moss	
869186	silt		06-Sep-08	D.Jackson/G.Laplante	477976	5433661		brown	moderate	major	none	N/A	N/A	11	fir, birch	open		N	1.8	0.28	0.03	0.41	376	21.39	82.4	46.4	10.1	5.1	0.49	0.5		Sample (more) like a soil sample	
869187	silt		06-Sep-08	D.Jackson/G.Laplante	477733	5431698		light brown	major	minor	trickle	100	2	25	grass, alder	minor/mod		N	11.0	0.21	0.03	0.39	112	11.25	80.8	23.4	11.9	6.3	0.92	0.9		Old forest fire zone	
869188	silt		06-Sep-08	D.Jackson/G.Laplante	474782	5432488	Grouse Creek	grey brown	moderate	moderate	trickle	100	3	20	mixed	moderate		N	2.0	0.13	0.06	0.73	201	42.75	2384.8	24.7	3.4	13.3	0.56	0.3		Upstream from pool, clay dominant & ash, organic mud	
869189	silt		10-Sep-08	A.Last/J.Svida	470092	5438655		dark brown	moderate	moderate	none	200	N/A	20	spruce	moderate	Under fall tree, dry ck.	no photo	1.4	0.23	<0.02	1.03	437	17.63	119.4	25.4	15.2	15.4	0.64	0.1		Very hard sample to obtain	no photo dir.
869190	std																		66.6	0.92	0.08	0.55	345	102.85	291.9	25.3	11.8	12.3	1.00	6.3			
869191	silt		10-Sep-08	A.Last/J.Svida	470205	5438821		dark brown	moderate	major	none	200	N/A	14	spruce, cedar	moderate	Dry, braided creek		1.0	0.29	0.04	1.09	406	24.62	137.6	30.6	16.6	15.5	0.60	0.1		no photo dir.	
869192	silt		10-Sep-08	A.Last/J.Svida	470181	5439240		brown	major	minor	none	100	n/a	20	maple	moderate	Dry, braided creek		1.8	0.25	<0.02	1.63	503	34.52	146.5	30.6	14.9	19.8	0.75	0.1		Drainage looks active in spring	
869193	silt		10-Sep-08	A.Last/J.Svida	470362	5439157		brown	major	major	minor	300	2	11	maple	moderate	Big spring drainage		2.3	0.23	0.05	1.66	419	35.07	133.5	35.7	13.9	14.5	0.71	0.2		no photo dir.	
869194	silt		10-Sep-08	A.Last/J.Svida	470352	5439199		dark brown	major	moderate	minor	60	2	11	maple	moderate			1.4	0.22	0.06	1.63	329	35.54	136.5	34.3	12.9	14.4	0.68	0.2		Beauty silt	
869195	dup	869196	10-Sep-08	A.Last/J.Svida															1.9	0.26	0.05	1.69	367	38.34	128.6	33.2	12.7	13.5	0.70	0.1		no photo dir.	
869196	silt		10-Sep-08	A.Last/J.Svida	470772	5439588		dark brown	major	moderate	none	40	0	20	maple	moderate	Above road		0.7	0.32	<0.02	1.34	367	46.07	140.5	29.0	13.0	10.3	0.59	0.1		Look too much, made 2 samples	
869197	silt		06-Oct-08	J.Svida/G.Laplante	472701	5436715	Limpid Creek	brown	major	moderate	good flow	300	20	10	larch, cedar	moderate	nil	N	26.1	0.26	0.06	1.06	255	25.21	114.4	92.4	28.6	23.1	1.09	0.2		no photo dir.	
869198	silt		06-Oct-08	J.Svida/G.Laplante	472532	5436488	Limpid Creek	brown	major	moderate	good flow	300	20	10	larch, cedar	moderate	nil	N	8.2	0.27	0.09	1.03	282	27.40	121.3	104.1	28.8	23.6	1.09	0.3		no photo dir.	
869199	silt		06-Oct-08	J.Svida/G.Laplante	472446	5436355	Limpid Creek	brown	major	moderate	good flow	300	20	10	fir, cedar	moderate	nil	N	130.1	0.25	0.07	0.98	236	21.92	108.7	95.8	29.6	22.7	1.04	0.3		no photo dir.	
869200	silt		06-Oct-08	J.Svida/G.Laplante	472472	5436321		brown	moderate	major	good flow	100	10	10	fir, cedar	moderate	nil	E	11.7	0.56	0.07	0.86	493	46.86	120.0	41.4	16.2	21.8	1.52	1.2		no photo dir.	
869371	silt		11-Sep-08	D.Jackson/A.Last	477967	5433493		dark brown	moderate	major	none	45	0	16	mixed	mod	River in the spring?	NW	2.4	0.27	0.04	0.82	392	24.64	101.3	46.8	11.2	8.7	0.77	0.7		Moss	
869372	silt		11-Sep-08	D.Jackson/A.Last	478100	5433612		light brown	moderate	major	none	30	0	20	mixed	mod	Dry	NW	4.8	0.28	<0.02	0.76	340	20.54	83.6	42.9	11.8	4.1	0.50	0.6		Moss, unmapped	
917983	silt		06-Oct-08	J.Svida/G.Laplante	472184	5436134	Limpid Creek	brown	major	major	good flow	300	20	12	larch, cedar	moderate	nil	N	20.1	0.25	0.10	0.97	203	21.43	105.3	89.0	27.3	25.2	1.14	0.3		5m above 780hm002, east side of bank	C.Chudyk Oct13/08: fixed points in GPS data in Manifold. All is well
917984	silt		06-Oct-08	J.Svida/G.Laplante	472181	5436128	Limpid Creek	brown	major	minor	good flow	300	10	10	larch, cedar	moderate	nil	W	209.9	0.22	0.07	0.99	241	21.50	96.8	80.9	26.7	22.5	1.01	0.6		Sample taken 2m W of flagging, west side of bank	C.Chudyk Oct13/08: fixed points in GPS data in Manifold. All is well
917985	silt		06-Oct-08	J.Svida/G.Laplante	472190	5436133	no name creek	dark brown	moderate	major	good flow	100	10	10	larch, cedar	moderate	nil	N	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	Sample taken 1m N of flagging, N side of bank
917986	silt		06-Oct-08	J.Svida/G.Laplante	472196	5436114	no name creek	dark brown	moderate	major	good flow	100	10	10	larch, cedar	moderate	nil	N	9.5	0.43	0.04	0.91	553	35.88	142.9	49.9	14.2	19.8	0.86	0.9		Sample taken 5m E of flagging, S side of bank	
917987	silt		06-Oct-08	J.Svida/G.Laplante	472341	5436103	no name creek	dark brown	major	major	good flow	300	10	15	fir, cedar	moderate	nil	E	2.6	0.67	0.07	0.96	629	42.30	116.2	46.5	13.1	21.1	0.82	0.8			
917988	silt		07-Oct-08	J.Svida/G.Laplante	472770	5435688	no name creek	dark brown	minor	major	good flow	100	4	25	cedar	moderate	nil	SE	3.2	0.62	0.07	1.00	729	67.06	199.2	64.1	14.6	16.3	0.70	0.8		Hard to take sample, small sample, notes taken on this day-on gpsM2	
917989	silt		07-Oct-08	J.Svida/G.Laplante	472899	5435884	no name creek branch	dark brown	moderate	major	good flow	100	4	25	cedar	moderate	nil	E	8.7	0.66	0.07	1.20	670	79.65	133.2	48.6	13.8	24.1	0.87	1.3		778029 at sample	
917990	silt		07-Oct-08	J.Svida/G.Laplante	472964	5436050		dark brown	major	major	trickle	20	2	25	mixed	moderate	nil	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	Drainage not shown on map
917991	silt		07-Oct-08	J.Svida/G.Laplante	473015	5436241		dark brown	moderate	major	trickle	10	1	25	cedar	moderate	nil	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	Drainage not shown on map
917992	silt		07-Oct-08	J.Svida/G.Laplante	473057	5436314		dark brown	moderate	major	steady flow	50	3	15	devils club	moderate	nil	E	5.8	0.87	0.05	1.06	844	54.94	237.5	42.4	12.2	29.5	1.98	3.1			
917993	silt		07-Oct-08	J.Svida/G.Laplante	473080	5436355		dark brown	moderate	major	good flow	70	5	10	mix	moderate	nil	E	15.8	0.52	0.07	0.81	727	45.75	125.3	37.0	14.6	19.8	1.80	0.9		Hard sample to collect	
917994	silt		07-Oct-08	J.Svida/G.Laplante	472863	5436302		dark brown	major	major	good flow	100	7	10	cedar, hemlock	moderate	nil	E	7.0	0.58	0.04	0.81	632	40.93	153.8	36.9	14.7	20.4	1.95	1.4			
917995	silt		07-Oct-08	J.Svida/G.Laplante	472623	5436038	no name creek branch	dark brown	moderate	major	good flow	100	3	5	mixed	moderate	nil	E	5.0	0.51	0.07	0.79	592	41.25	111.6	54.0	16.4	21.4	0.79	1.1			
917996	silt		07-Oct-08	J.Svida/G.Laplante	472577	5435994		dark brown	major	moderate	good flow	50	5	10		moderate	nil	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917997	silt		07-Oct-08	J.Svida/G.Laplante	472546	5435900		dark brown	moderate	major	good flow																						

TILLS - Field Data & Assays of Selected Elements

SampleID	Type	Duplicate Of	Date	Sampler	Eastings	Northing	Road Name	Depth	Color	Prop'n Coarse	Prop'n Fine	Prop'n Organic	Slope	Slope Dir.	Vegetation	Veg. Density	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment	
869201	till		28-Aug-08	J.Svida/G.Laplante	466548	5437242	Little Charlie	50	brown	minor	moderate	moderate	30	W	mixed	moderate	second growth	E	1.2	0.21	0.10	1.25	192	13.04	108.0	33.2	21.0	9.3	1.07	0.3	Outcrop	Field notes relating to duplicate confused: Comment for #869202 state it is duplicate of that sample; 869202 is intended duplicate [JDW 10Feb09]	
869202	dup	869201	28-Aug-08	J.Svida/G.Laplante															1.4	0.12	0.04	0.75	144	9.31	75.1	28.4	19.2	7.0	0.78	0.2		Field notes relating to duplicate confused: Comment for #869202 state it is duplicate of that sample; 869202 is intended duplicate [JDW 10Feb09]	
869203	till		28-Aug-08	J.Svida/G.Laplante	466634	5436951	Little Charlie	40	light brown	moderate	moderate	moderate	12	W	mixed	moderate	beside high disturbance strip cut	E	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.		Field notes relating to duplicate confused: Coords entered for "DUP" of 869202 same as that for 869203 [JDW 10Feb09]	
869204	till		28-Aug-08	J.Svida/G.Laplante	466857	5436830	Little Charlie	30	light brown	moderate	moderate	moderate	13	SE	out of control burn	minor	burn	NW	1.3	0.23	0.02	0.85	180	14.45	99.4	24.5	18.1	7.8	1.06	0.2			
869205	till		28-Aug-08	J.Svida/G.Laplante	466725	5436523	Little Charlie	80	light brown	moderate	moderate	moderate	25	SE	mixed fir, shrubs	minor	disturbance above sample	W	1.1	0.14	0.05	0.52	79	10.93	89.7	47.3	24.6	7.0	0.83	0.2	Bedrock above sample 30m		
869206	till		28-Aug-08	J.Svida/G.Laplante	467010	5436405	Little Charlie	70	lan	moderate	moderate	moderate	20	E	2nd growth spruce	dense	second growth	W	4.0	0.15	0.03	0.69	87	13.15	84.1	27.8	17.7	7.5	0.75	0.2			
869207	till		28-Aug-08	J.Svida/G.Laplante	469076	5434061	Little Charlie	60	lan	moderate	moderate	moderate	20	SE	shrubs	moderate	second growth	W	3.4	0.17	0.02	0.99	176	10.43	68.3	36.3	15.1	12.1	0.79	0.2			
869208	till		28-Aug-08	J.Svida/G.Laplante	469166	5433628	Blue Trail	20	light brown	minor	moderate	minor	7	SE	mixed	major	second growth	NW	1.7	0.22	0.04	0.69	211	12.91	108.3	30.1	14.0	10.1	0.77	0.2			
869209	till		28-Aug-08	J.Svida/G.Laplante	469241	5433893	Blue Trail	20	lan	moderate	moderate	moderate	10	E	shrubs, fir	major	beautiful	W	5.0	0.29	<0.02	0.73	178	14.85	94.6	49.8	17.5	13.4	0.84	0.2			
869210	till		28-Aug-08	J.Svida/G.Laplante	469252	5434183	Blue Trail	40	lan	moderate	moderate	moderate	20	E	poplar	moderate	beautiful	W	14.4	0.19	0.03	1.11	211	14.19	83.8	35.9	16.2	13.3	0.78	0.2			
869211	till		28-Aug-08	J.Svida/G.Laplante	469299	5434417	Blue Trail	20	grey	moderate	moderate	moderate	20	SE	mixed	moderate	beautiful	NW	4.7	0.48	0.08	0.63	2409	47.62	263.7	67.3	11.2	41.2	1.81	0.5			
869212	till		29-Aug-08	J.Svida/G.Laplante	469296	5434739	Blue Trail	90	grey	moderate	moderate	minor	25	W	maple, balsam	moderate	second growth	E	5.1	0.18	0.03	1.06	330	10.80	79.3	31.4	18.1	13.6	0.81	0.2	Used chainsaw to clear Blue Trail		
869213	till		29-Aug-08	J.Svida/G.Laplante	469322	5435044	Blue Trail	40	light brown	moderate	moderate	moderate	25	SE	balsam, cedar	major	second growth	W	2.0	0.18	<0.02	0.60	336	11.35	96.2	24.4	17.5	11.1	0.65	0.2	Old landing below sample		
869214	till		29-Aug-08	J.Svida/G.Laplante	469338	5435350	Blue Trail	50	light brown	moderate	moderate	major	20	E	fir, shrubs	major	second growth	W	3.3	0.13	0.03	1.20	210	10.47	78.6	33.1	18.1	14.4	0.77	0.2			
869215	till		29-Aug-08	J.Svida/G.Laplante	469190	5433422	Blue Trail	35	light brown	moderate	moderate	moderate	15	SE	douglas fir	major	second growth	NW	4.0	0.33	0.04	1.49	190	34.92	129.6	37.2	17.1	11.7	1.22	0.2	Outcrop beside sample		
869216	till		30-Aug-08	G.Laplante/D.Jackson	469291	5433543	Blue Trail	50	light brown	moderate	moderate	minor	15	E	mixed	moderate	second growth	W	4.9	0.19	0.04	1.09	212	15.32	91.5	30.2	15.8	11.4	0.81	0.2			
869217	till		10-Sep-08	A.Last/J.Svida	470359	5439524	Spruce Road	65	lan	moderate	moderate	minor	40	W	new spruce	moderate	side of outcrop	E	1.8	0.27	0.02	1.50	272	18.79	155.5	52.9	23.8	20.1	1.18	0.1	Outcrop for 50 m, hard to obtain till	Coords very inconsistent between field notes & GPS waypoint; latter coords are those of the Pine Springs Motel [JDW 10Feb09 & 28Mar09]	
869218	till		10-Sep-08	A.Last/J.Svida	470217	5439290	Spruce Road	50	lan	moderate	moderate	minor	20	SE	mixed	moderate	roadside	NW	3.5	0.12	0.04	1.75	197	13.97	89.0	52.5	18.8	21.8	0.68	0.1	Angular and rounded lithologies		
869219	till		10-Sep-08	A.Last/J.Svida	470182	5439004	Spruce Road	22	0	moderate	moderate	minor	20	E	maple	moderate	roadside	W	3.5	0.15	0.07	2.20	103	15.67	98.8	61.9	19.2	21.9	0.98	0.2	Angular and rounded lithologies		
869220	till		10-Sep-08	A.Last/J.Svida	470094	5438786	Spruce Road	55	light brown	moderate	moderate	moderate	8	E	spruce	moderate	mature growth, roadside	W	1.4	0.21	0.08	1.22	256	17.73	123.2	36.1	17.7	13.8	0.73	0.1	Angular and rounded lithologies		
869221	till		03-Sep-08	M.Mankowske	469775	5435603													19.1	0.30	0.06	1.57	862	22.08	151.8	34.3	25.6	51.6	1.06	1.5	Reference MM96; followup in area of 2007 till sample CT048	No field details; taken by M.Mankowske [JDW, 14Oct08]	
869222	till		08-Sep-08	G.Laplante/D.Jackson	474930	5432029	Grouse Creek Road	40	lan	moderate	major	minor	10	S	mixed	major		N	21.9	0.29	0.06	0.40	314	19.48	115.0	38.1	14.7	7.9	0.85	0.4	Soil hard packed		
869223	till		08-Sep-08	G.Laplante/D.Jackson	474669	5431784	Grouse Creek Road	50	lan	moderate	major	minor	10	SE	shrubs	moderate		W	2.7	0.30	0.03	0.36	361	20.08	129.1	42.2	16.2	9.7	0.76	0.6			
869224	till		08-Sep-08	G.Laplante/D.Jackson	474754	5432264	Grouse Creek Road	30	lan	mod angular pebbles	major	minor	15	E	mixed	major		W	18.6	0.39	0.05	0.58	304	37.88	167.7	49.5	20.1	12.3	1.09	0.3	Angular pebbles		
869225	till		10-Sep-08	G.Laplante/D.Jackson	473260	5431450		50	light brown	moderate	major	minor	20	S	shrubs	moderate	powerlines	N	2.0	0.35	0.04	0.38	194	20.74	102.7	47.3	16.0	9.8	1.03	0.2	Near outcrop		
869226	till		10-Sep-08	G.Laplante/D.Jackson	472892	5431467		100	lan	major angular	moderate	minor	35	S	shrubs	moderate	powerlines	N	4.3	0.31	<0.02	0.51	305	35.73	416.1	65.4	19.8	60.9	0.62	0.2	Near outcrop		
869227	till		10-Sep-08	G.Laplante/D.Jackson	472521	5431478		50	lan	major	moderate	minor	35	S	grass, shrubs	minor	powerlines	N	28.1	0.31	0.05	0.74	323	28.87	95.2	62.6	21.2	29.5	0.65	0.2	Near outcrop		
869228	till		10-Sep-08	G.Laplante/D.Jackson	472223	5431517		80	lan	major	major	minor	30	S	shrubs	major	powerlines	N	4.4	0.28	0.03	0.42	282	18.05	92.2	67.9	20.7	26.4	0.68	0.2	Near outcrop		
869229	till		10-Sep-08	G.Laplante/D.Jackson	471983	5431658		60	lan	major	moderate	minor	5	S	grass	minor	powerlines, farm	N	4.2	0.29	0.03	1.04	199	24.23	118.0	46.0	17.8	14.9	0.69	0.3		Field notes recorded on hand-made form [JDW 10Feb09]	
869230	till		10-Sep-08	G.Laplante/D.Jackson	473702	5432106		30	lan	major	moderate	minor	10	S	mix, grass	minor	agriculture	N	4.5	0.31	0.04	0.57	179	38.95	105.0	56.1	16.8	18.7	0.87	0.2	Outcrop under sample	Field notes recorded on hand-made form [JDW 10Feb09]	
869231	till		10-Sep-08	G.Laplante/D.Jackson	472628	5432880		100	grey	major	moderate	none	22	E	cedar	moderate	beside cut	W	7.2	0.31	0.03	0.26	179	17.30	75.5	46.2	11.2	9.3	0.47	0.4	Soil hard packed	Field notes recorded on hand-made form [JDW 10Feb09]	
869232	till		10-Sep-08	G.Laplante/D.Jackson	472706	5433393		100	greyish brown	major	minor	minor	35	E	fir	moderate	erosion on side of hill	W	2.2	0.40	<0.02	0.24	130	17.05	102.6	46.4	17.6	9.4	0.59	0.3		Field notes recorded on hand-made form [JDW 10Feb09]	
869233	till		10-Sep-08	G.Laplante/D.Jackson	472825	5433148		50	light brown	major	minor	minor	18	E	coniferous	open		W	7.6	0.30	<0.02	0.28	151	19.15	96.7	49.8	14.0	8.1	0.45	0.3		Field notes recorded on hand-made form & confused about duplicate intended to be #869234 [JDW 10Feb09]	
869234	dup	869233	10-Sep-08	G.Laplante/D.Jackson															7.6	0.30	0.02	0.33	150	19.48	91.6	52.8	14.8	9.0	0.52	0.4		Field notes recorded on hand-made form [JDW 10Feb09]	
869235	std		10-Sep-08	G.Laplante/D.Jackson															3.6	0.27	0.03	0.31	118	17.50	86.8	26.7	11.0	6.5	0.73	0.4		Field notes recorded on hand-made form [JDW 10Feb09]	
869236	till		10-Sep-08	G.Laplante/D.Jackson	472829	5432842			greyish brown	major	minor	none	25	E	shrubs	minor	cut, eroded bank	W	2.8	0.25	0.04	0.28	131	16.10	73.5	41.8	10.5	6.5	0.48	0.2		Field notes recorded on hand-made form [JDW 10Feb09]	
869237	till		11-Sep-08	D.Jackson/A.Last	479360	5434778	private	110	lan	major	minor	33	E	mixed	moderate	heavy silt over area	W	8.8	0.27	<0.02	0.38	176	14.06	110.6	29.1	13.7	11.1	0.85	0.7	0.6	Rounded lithologies, various sizes		
869238	till		11-Sep-08	D.Jackson/A.Last	479228	5434609	Jaxon Heights	130	lan	major	major	minor	30	SE	fir	moderate	above road	NW	7.1	0.27	<0.02	0.40	132	13.43	77.5	27.7	12.0	9.7	0.90	0.6	0.6	Large round stones in hole	
869239	till		11-Sep-08	D.Jackson/A.Last	478988	5434590	Jaxon Heights	110	lan	major	major	minor	28	SE	mixed	moderate	high road cut	NW	54.6	0.30	0.06	0.4											

TILLS - Field Data & Assays of Selected Elements

SampleID	Type	Duplicate Of	Date	Sampler	Eastings	Northings	Road Name	Depth	Color	Prop'n Coarse	Prop'n Fine	Prop'n Organic	Slope	Slope Dir.	Vegetation	Veg. Density	Disturbance Description	Photo Dir.	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment
918218	till		08-Sep-08	G.Laplante/D.Jackson	477679	5433468	Pete Creek Road	50	tan, grey	minor	major	minor	25	NE	fir	open underbrush		SW	4.5	0.24	0.02	0.29	142	13.81	87.2	29.4	14.7	6.6	0.49	0.4		
918219	till		08-Sep-08	G.Laplante/D.Jackson	477954	5433233	Pete Creek Road	50	tan	moderate angular	major	minor	15	E	mixed	major		W	3.0	0.24	<0.02	0.25	210	12.89	119.4	28.5	10.6	5.2	0.54	0.4		
918220	till		08-Sep-08	G.Laplante/D.Jackson	477976	5432955	Pete Creek Road	70	tan	none	major	minor	25	E	mixed	major		W	12.0	0.24	0.03	0.32	183	15.12	146.8	26.8	11.3	6.0	0.77	0.7		all silt (fluvial?)
918221	till		08-Sep-08	G.Laplante/D.Jackson	478005	5432729	Pete Creek Road	50	tan	none	major	minor	30	SE	spruce	major		NW	8.3	0.20	0.03	0.34	125	10.90	85.9	26.0	11.4	9.6	0.63	0.7		all silt sample, looks more like fluvial deposit
918222	till		08-Sep-08	G.Laplante/D.Jackson	477941	5432422	Pete Creek / Powerline Road	50	tan	minor	major	minor	30	E	mixed	major		W	24.5	0.22	0.03	0.30	211	12.10	105.1	24.1	11.4	11.6	0.71	0.6		
918223	till		08-Sep-08	G.Laplante/D.Jackson	477488	5432637	Powerline Rd of Pete Creek Rd	40	tan	minor	major	minor	10	SE	mixed	moderate		NW	1.1	0.34	0.04	0.36	226	19.45	241.5	33.5	14.0	11.1	0.63	0.7		
918224	till		08-Sep-08	G.Laplante/D.Jackson	476655	5432885	Powerline Rd of Pete Creek Rd	50	tan	major	moderate	moderate	5	S	mixed	moderate		N	3.2	0.38	0.04	0.73	271	37.50	196.1	35.9	12.1	11.5	0.60	0.4		north of powerline
918225	std		08-Sep-08	G.Laplante/D.Jackson															4.9	0.24	0.02	0.34	124	16.07	100.2	28.4	12.0	7.0	0.80	0.4		
918451	till		18-Aug-08	N.Macleod	472871	5431285	Shenango Canyon	45	light brown	20	20	10	65	NE	large pine, various scrub	moderate	upper bank main road	NE	17.1	0.32	<0.02	0.57	308	23.12	111.4	40.2	19.5	10.8	0.93	0.6		old second growth
918452	till		18-Aug-08	N.Macleod	473144	5431323	Shenango Canyon	35	light brown	20	20	10	30	N	large pine, alder, saskatoon bush	moderate	upper bank main road, East edge of pullout	N	3.4	0.26	<0.02	0.44	230	44.74	172.0	54.4	19.1	17.8	0.98	0.3		old second growth, 15m past 2km road marker
918453	till		18-Aug-08	N.Macleod	473447	5431347	Shenango Canyon	40	light brown	15	20	10	15	N	large pine, alder, saskatoon bush	moderate	old logging road parallels main road	N	3.5	0.32	<0.02	0.60	180	33.69	151.0	37.6	13.0	7.4	0.64	0.4		old second growth. Sample taken off logging road, upper bank above main road
918454	till		18-Aug-08	N.Macleod	473795	5431338	Shenango Canyon	40	light brown	15	20	10	35	N	large pine, cottonwood	moderate	upper bank main road	N	10.1	0.24	0.05	0.45	154	30.91	87.5	42.2	16.6	10.4	0.64	0.5		old second growth
918455	till		18-Aug-08	N.Macleod	474042	5431251	Shenango Canyon	40	light brown	20	10	10	50	N	large pine, poplar, alder	dense	upper bank main road	N	6.4	0.35	0.03	0.61	307	63.38	160.1	48.1	19.0	18.2	0.99	0.6		old logging road junction coming from north at 25m, old second growth
918456	till		18-Aug-08	N.Macleod	474319	5431293	Shenango Canyon	35	light brown	20	20	15	60	W	large pine, poplar, alder	dense	upper bank main road	W	10.3	0.24	<0.02	0.42	133	17.40	76.9	33.0	12.8	9.1	0.66	0.7		5m above main road, steep slope overlooking McCormick Creek E, underlying outcrop
918457	till		18-Aug-08	N.Macleod	474295	5431564	Shenango Canyon	30	light brown	25	25	15	60	E	large pine, poplar, alder	dense	upper bank main road	E	1.1	0.24	<0.02	0.14	393	14.56	69.8	19.5	6.4	2.9	0.44	0.1		5m above main road, steep slope overlooking McCormick Creek W, underlying outcrop
918458	till		18-Aug-08	N.Macleod	475104	5431720	Shenango Canyon	35	light brown	20	10	10	25	NW	large pine, poplar, alder	dense - moderate	upper bank main road	NW	6.2	0.18	<0.02	0.40	121	11.98	68.5	23.2	11.9	6.0	0.55	0.4		old second growth
918459	till		18-Aug-08	N.Macleod	475281	5431802	Shenango Canyon	30	light brown, grey	20	25	15	25	E	medium pine, poplar, shrub	dense	old 2nd growth, 3m above main road on bank	E	9.4	0.18	0.03	0.45	182	12.54	65.2	23.6	16.1	6.8	0.57	0.2		old second growth
918460	till		18-Aug-08	N.Macleod	475526	5431721	Shenango Canyon	35	brown	20	15	10	45	E	medium pine, poplar, shrub	moderate - dense	old 2nd growth, 3m upper bank	E	7.5	0.25	<0.02	0.22	428	23.78	123.2	74.6	22.4	6.8	0.69	0.2		old second growth
918461	till		18-Aug-08	N.Macleod	475732	5431757	Shenango Canyon	35	brown	20	15	10	5	N	large pine, shrub, fern	dense	old 2nd growth, 3m upper bank	N	2.2	0.25	<0.02	0.52	194	20.13	112.9	25.5	12.1	6.5	0.67	0.3		old second growth
918462	till		18-Aug-08	N.Macleod	476019	5431879	Shenango Canyon	30	brown	20	15	10	0		large pine, shrub, fern	moderate	old 2nd growth, possibly cleared as landing 100 years ago		5.1	0.33	<0.02	0.65	122	32.51	149.8	28.8	14.4	6.3	0.68	0.3		old second growth, 12m off main road N
918463	till		18-Aug-08	N.Macleod	476289	5431780	Shenango Canyon	35	brown	20	15	10	50	N	large pine	moderate	4m above main road	N	25.5	0.31	<0.02	0.35	213	23.45	121.0	44.1	18.8	6.6	0.60	0.7		old second growth
918464	till		18-Aug-08	N.Macleod	476576	5431535	Shenango Canyon	40	brown	20	15	10	20	N	large pine	moderate	3m above main road	N	1.4	0.23	<0.02	0.35	216	16.31	107.7	47.1	15.0	4.9	0.56	0.3		old second growth, NM44 outcrop
918465	dup	918464	18-Aug-08	N.Macleod															9.6	0.17	<0.02	0.60	239	14.54	66.0	34.3	15.5	10.8	0.56	0.3		Coordinates of 918466 entered in field notes [JDW 11Feb09]
918466	till		18-Aug-08	N.Macleod	472611	5431215	Shenango Canyon	35	light brown	20	15	10	65	W	large pine	moderate	3m above road	N	7.9	0.18	0.03	0.65	279	15.03	70.5	37.5	17.1	11.6	0.63	0.5		old 2nd growth
918467	till		18-Aug-08	N.Macleod	472336	5431007	Shenango Canyon	35	light brown	20	15	10	35	W	large pine	moderate	second growth, 3m above main road	W	3.4	0.22	<0.02	0.28	118	17.44	90.3	26.9	11.9	4.6	0.45	0.5		old 2nd growth
918468	till		19-Aug-08	P.Robinson/J.Donaldson	469030	5432532	Tillicum	25-50	light brown	abundant cobbles	moderate	minor	34	E	burnt birch & pine	moderate	burn	E	3.3	0.24	0.03	0.68	165	20.46	104.2	32.9	15.4	8.5	0.76	0.3		all samples taken on August 18 N.MacLeod/P.Robinson taken with aluminum trowel. Today plastic trowel upslope of road 5m from outcrop
918469	till		19-Aug-08	P.Robinson/J.Donaldson	469252	5432391	Tillicum	15-35	light brown	moderate cobbles	moderate	minor	5	S	burnt birch & pine	moderate	burn	N	1.4	0.35	0.06	1.24	137	49.38	132.6	26.2	13.2	9.4	1.27	0.3		
918470	till		19-Aug-08	P.Robinson/J.Donaldson	469248	5432539	Tillicum	35-65	light brown	moderate cobbles/pebbles	moderate	minor	32	SE	birch	moderate	burn	NW	56.4	0.24	0.04	0.61	154	17.75	104.2	31.0	12.4	8.7	0.74	0.4		
918471	till		19-Aug-08	P.Robinson/J.Donaldson	469213	5432588	Tillicum	15-45	light brown	moderate cobbles/pebbles	moderate	minor	18	SE	birch, fir	minor	burn, road, building	NW	4.2	0.44	0.03	2.31	362	69.85	178.7	36.9	19.6	17.7	1.02	0.3		
918472	till		19-Aug-08	P.Robinson/J.Donaldson	469220	5432800	Tillicum	45-70	light brown	moderate pebbles	moderate	minor	10	E	burnt fir	moderate	burn	W	7.1	0.42	0.08	0.66	426	24.15	126.2	51.6	17.9	13.2	1.03	0.5		
918473	till		19-Aug-08	P.Robinson/J.Donaldson	469173	5433056	Tillicum	30-70	light brown	minor pebbles	moderate	minor	30	E	burnt fir	moderate	burn	W	5.7	0.19	0.05	1.23	276	23.06	105.3	55.8	18.4	12.1	0.93	0.3		
918474	till		19-Aug-08	P.Robinson/J.Donaldson	469101	5433369	Tillicum	25-50	light brown	moderate small pebbles	moderate	minor	11	E	birch pine	mod+		W	1.4	0.23	0.02	0.81	243	13.56	116.6	37.5	14.8	9.9	1.25	0.2		out of burn
918475	std		19-Aug-08	P.Robinson/J.Donaldson															2.4	0.27	<0.02	0.32	125	20.07	91.8	30.4	11.8	6.7	0.80	0.4		
918476	till		19-Aug-08	P.Robinson/J.Donaldson	469031	5433647	Tillicum	20-50	light brown	minor pebbles	moderate	minor	8	NE	fir mature	mod+		W	2.0	0.24	<0.02	0.59	233	15.12	92.2	28.4	16.2	12.4	0.75	0.2		
918477	till		19-Aug-08	P.Robinson/J.Donaldson	468857	5433623	Tillicum	20-50	light brown	moderate pebbles	moderate	minor	20	NE	fir	mod+		SW	6.2	0.16	0.04	1.28	215	11.36	64.9	53.4	18.4	15.6	1.16	0.1		
918478	till		19-Aug-08	P.Robinson/J.Donaldson	468908	5433892	Tillicum	20-50	light brown	moderate pebbles	moderate	minor	22	E	pine	moderate	old log show	W	2.7	0.22	0.03	1.02	175	15.08	90.0	34.5	18.4	13.7	1.09	0.2		granite boulder in pit
918479	till		19-Aug-08	P.Robinson/J.Donaldson	468987	5434163	Tillicum	20-40	light brown	moderate pebbles	moderate	minor	14	SE	fir	moderate		W	11.7	0.12	0.10	1.39	156	15.04	89.5	48.3	26.9	26.9	1.50	0.2		
918480	till		19-Aug-08	P.Robinson/J.Donaldson	469011	5432849	W. of Tillicum	25-40	brown	moderate pebbles	moderate	minor	24	S	burnt big pine	minor	burn	N	24.2	0.25	<0.02	0.91	694	91.32	172.4	33.5	17.3	13.5	1.06	0.2		5m west of outcrop, schist/skarn, arsenopyrite
918481	till		19-Aug-08	P.Robinson/J.Donaldson	468751	543300																										

SampleID	Parent SampleID	Retake SampleID of 2007	Source Designation	Depth	Easting	Northing	Date	Sampler	Color	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment
917501	917501	CT084	Retake	35	470907	5434636	03-Aug-08	P.Macdonald/K.Bazil		6.1	0.27	<0.02	0.75	173	14.41	85.0	259.4	21.9	13.5	0.55	0.3		
917502	917502	CT112	Retake	70	470318	5433933	01-Aug-08	P.Macdonald/K.Bazil		13.8	0.34	<0.02	0.62	521	22.23	68.0	135.9	16.0	21.8	0.59	0.4	Bag + Pail	Pail dumped 15Oct08
917503	917502	CT112	Offset1				01-Aug-08	P.Macdonald/K.Bazil		6.2	0.33	<0.02	0.49	424	20.86	122.9	95.4	19.2	19.4	0.56	0.4		
917504	917502	CT112	Offset2				01-Aug-08	P.Macdonald/K.Bazil		8.9	0.40	<0.02	0.87	433	33.84	149.4	267.7	19.4	25.2	0.74	0.4		
917505	917502	CT112	Offset3				01-Aug-08	P.Macdonald/K.Bazil		6.0	0.40	<0.02	0.65	183	23.12	184.5	176.7	21.8	20.6	0.72	0.6		
917506	917506	CT111	Retake	60	470379	5434162	01-Aug-08	P.Macdonald/K.Bazil		6.1	0.24	0.03	0.55	285	15.32	100.6	48.3	17.1	14.9	0.61	0.3	Bag + Pail	Pail dumped 15Oct08
917507	917506	CT111	Offset1				01-Aug-08	P.Macdonald/K.Bazil		11.6	0.31	0.04	0.73	313	22.97	139.8	61.9	19.9	17.1	0.62	0.4		
917508	917506	CT111	Offset2				01-Aug-08	P.Macdonald/K.Bazil		19.5	0.31	<0.02	0.69	293	22.17	105.6	53.5	16.8	13.5	0.68	0.3		
917509	917506	CT111	Offset3				01-Aug-08	P.Macdonald/K.Bazil		4.6	0.35	0.04	0.87	268	28.76	137.6	57.8	21.3	17.2	0.82	0.3		
917510	917510	CT024	Retake	60	470477	5434310	01-Aug-08	P.Macdonald/K.Bazil		12.2	0.16	0.03	2.23	298	25.94	113.8	68.9	23.8	35.6	1.10	0.4	Original hole not found, just the tag. up a steep bank.	Pail dumped 15Oct08
917511	917510	CT024	Offset1				01-Aug-08	P.Macdonald/K.Bazil		12.9	0.43	0.04	2.53	169	34.57	104.4	60.7	24.8	32.1	1.12	0.3		
917512	917510	CT024	Offset2				01-Aug-08	P.Macdonald/K.Bazil		21.4	0.17	0.05	2.35	272	15.94	93.8	51.1	19.0	26.7	1.14	0.3		
917513	917510	CT024	Offset3				01-Aug-08	P.Macdonald/K.Bazil		14.1	0.20	0.06	2.73	300	27.82	126.9	72.6	26.6	40.3	1.32	0.5		
917514	917514	CT057	Retake	40	469978	5434393	02-Aug-08	P.Macdonald/K.Bazil		5.3	0.34	0.03	0.93	448	29.13	125.7	40.7	13.4	15.1	0.44	0.3	Original tag or hole not found; very thick bush.	Date assumed from neighboring samples: Pail dumped 15Oct08
917515	917514	CT057	Offset1				02-Aug-08	P.Macdonald/K.Bazil		6.9	0.28	0.03	0.89	434	21.98	114.5	42.9	13.4	18.3	0.45	0.3		
917516	917514	CT057	Offset2				02-Aug-08	P.Macdonald/K.Bazil		6.1	0.26	<0.02	0.85	288	19.67	104.0	41.7	15.3	16.3	0.57	0.3		
917517	917514	CT057	Offset3				02-Aug-08	P.Macdonald/K.Bazil		5.7	0.32	0.02	0.97	211	31.51	144.5	42.7	14.5	15.4	0.62	0.3		
917518	917518	CT056	Retake	35	469804	5434665	01-Aug-08	P.Macdonald/K.Bazil		7.0	0.29	0.04	1.08	249	24.57	203.3	93.0	21.4	16.8	1.05	0.2	Original tag not found, hole located.	Pail dumped 15Oct08
917519	917518	CT056	Offset1				01-Aug-08	P.Macdonald/K.Bazil		5.4	0.27	<0.02	1.02	276	24.66	149.1	88.2	19.7	14.8	0.75	0.2		
917520	917518	CT056	Offset2				01-Aug-08	P.Macdonald/K.Bazil		6.6	0.31	<0.02	2.00	270	48.07	195.6	55.1	19.1	22.2	1.87	0.3		
917521	917518	CT056	Offset3				01-Aug-08	P.Macdonald/K.Bazil		4.6	0.39	<0.02	2.00	299	32.39	243.6	40.4	21.1	20.0	1.45	0.2		
917522	917522	CT048	Retake	50	469769	5435606	02-Aug-08	P.Macdonald/K.Bazil		19.4	0.33	0.07	1.39	546	25.81	153.8	63.3	25.2	54.1	1.01	1.3	Original tag & hole not found.	Pail dumped 15Oct08
917523	917522	CT048	Offset1				02-Aug-08	P.Macdonald/K.Bazil		14.7	0.29	0.05	1.26	699	24.88	162.4	69.5	22.5	35.0	1.04	0.7		
917524	917522	CT048	Offset2				02-Aug-08	P.Macdonald/K.Bazil		30.8	0.29	0.03	1.16	395	20.18	143.8	62.1	22.5	44.2	0.90	1.2		
917525	917522	CT048	Offset3				02-Aug-08	P.Macdonald/K.Bazil		26.5	0.29	0.10	1.74	538	29.52	154.2	59.8	23.1	44.5	0.94	1.2		
917526	917526	BT044	Retake	60	470029	5436333	01-Aug-08	P.Macdonald/K.Bazil		3.3	0.20	<0.02	1.02	183	12.77	101.6	32.9	14.9	13.2	0.87	0.2	Original tag not found.	Pail dumped 15Oct08
917527	917526	BT044	Offset1				01-Aug-08	P.Macdonald/K.Bazil		7.2	0.20	<0.02	1.29	110	14.14	88.9	36.8	17.1	15.1	0.85	0.3		
917528	917526	BT044	Offset2				01-Aug-08	P.Macdonald/K.Bazil		15.2	0.16	0.03	1.10	161	11.26	92.7	33.9	15.3	12.3	0.81	0.2		
917529	917526	BT044	Offset3				01-Aug-08	P.Macdonald/K.Bazil		3.9	0.26	<0.02	0.96	289	15.29	142.8	26.9	12.3	11.7	0.62	0.3		
917530	917530	BT018	Retake	60	470527	5436591	01-Aug-08	P.Macdonald/K.Bazil		9.5	0.08	0.02	1.13	116	12.49	80.9	51.9	30.3	27.4	0.54	0.3		Pail dumped 15Oct08
917531	917530	BT018	Offset1				01-Aug-08	P.Macdonald/K.Bazil		8.8	0.13	<0.02	1.20	147	10.79	75.9	40.6	19.0	17.4	0.85	0.3		
917532	917530	BT018	Offset2				01-Aug-08	P.Macdonald/K.Bazil		19.3	0.13	0.03	1.07	160	11.21	72.7	50.2	22.5	22.2	0.86	0.3		
917533	917530	BT018	Offset3				01-Aug-08	P.Macdonald/K.Bazil		2.5	0.21	<0.02	0.65	540	12.77	106.5	39.1	16.1	14.1	0.59	0.4		
917534	917534	BT019	Retake	65	470541	5436686	02-Aug-08	P.Macdonald/K.Bazil		6.3	0.14	<0.02	1.49	252	10.25	67.2	36.4	16.8	19.2	0.85	0.3	Taken low down bank.	Pail dumped 15Oct08
917535	917534	BT019	Offset1				02-Aug-08	P.Macdonald/K.Bazil		5.5	0.18	<0.02	1.39	278	11.82	97.9	36.6	19.5	26.7	0.78	0.2		
917536	917534	BT019	Offset2				02-Aug-08	P.Macdonald/K.Bazil		5.5	0.13	<0.02	1.42	258	10.27	74.4	33.7	14.4	15.1	0.79	0.2		
917537	917534	BT019	Offset3				02-Aug-08	P.Macdonald/K.Bazil		2.0	0.28	<0.02	0.91	285	18.37	132.1	31.8	13.9	12.2	0.60	0.3		
917538	917538	BT040	Retake	65	470586	5436778	02-Aug-08	P.Macdonald/K.Bazil		9.4	0.22	<0.02	0.87	493	14.83	139.5	38.5	18.4	16.7	0.68	0.2		Pail dumped 15Oct08
917539	917538	BT040	Offset1				02-Aug-08	P.Macdonald/K.Bazil		3.1	0.17	<0.02	1.00	288	11.61	123.1	32.5	18.4	15.6	0.74	0.2		
917540	917538	BT040	Offset2				02-Aug-08	P.Macdonald/K.Bazil		4.7	0.23	0.04	0.98	496	16.79	149.2	43.7	19.6	17.7	0.75	0.2		
917541	917538	BT040	Offset3				02-Aug-08	P.Macdonald/K.Bazil		3.1	0.27	<0.02	0.78	173	17.06	152.2	29.0	16.7	12.5	0.75	0.2	10m up hill from 917538	
917542	917501	CT084	Offset1				03-Aug-08	P.Macdonald/K.Bazil		11.7	0.39	<0.02	1.13	141	19.82	82.2	285.4	32.2	21.5	0.68	0.4	taken 10m from 917501	
917543	917501	CT084	Offset2				03-Aug-08	P.Macdonald/K.Bazil		4.2	0.24	0.04	0.69	90	10.49	68.5	505.1	25.1	13.5	0.55	0.4	taken 10m from 917501	
917544	917501	CT084	Offset3				03-Aug-08	P.Macdonald/K.Bazil		3.2	0.33	<0.02	0.74	222	19.69	102.4	325.9	24.7	13.3	0.57	0.3	taken 10m from 917501	
917545	917545	CT135	Retake	60	471012	5434572	03-Aug-08	P.Macdonald/K.Bazil		8.1	0.29	<0.02	0.87	392	36.64	129.1	81.4	14.7	23.6	0.98	0.3	Marked wrong in field CT136.	
917546	917545	CT135	Offset1				03-Aug-08	P.Macdonald/K.Bazil		14.9	0.33	<0.02	1.14	516	63.84	151.5	106.2	20.5	38.1	1.12	0.4	taken 10 fr 917545	
917547	917547	CT113	Retake	50	470299	5433690	01-Aug-08	P.Macdonald/K.Bazil		1.9	0.22	<0.02	0.78	218	14.84	86.0	45.7	15.8	12.8	0.80	0.2		Pail dumped 15Oct08
917548	917547	CT113	Offset1				01-Aug-08	P.Macdonald/K.Bazil		4.3	0.30	<0.02	1.03	159	30.52	131.5	85.1	19.9	14.6	0.87	0.4		assumed parent - not specified
917549	917547	CT113	Offset2				01-Aug-08	P.Macdonald/K.Bazil		3.7	0.24	<0.02	0.88	280	19.65	122.0	45.9	15.7	12.5	0.81	0.3		assumed parent - not specified
917550	917547	CT113	Offset3				01-Aug-08	P.Macdonald/K.Bazil		4.4	0.25	<0.02	0.93	188	17.88	144.0	54.7	17.9	12.7	0.66	0.3	10m up hill fr 917547	
917551	917545	CT135	Offset2				03-Aug-08	P.Macdonald/K.Bazil		11.1	0.24	0.02	1.13	397	18.36	83.9	96.5						

SampleID	Parent SampleID	Retake SampleID of 2007	Source Designation	Depth	Easting	Northing	Date	Sampler	Color	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Comment	Data Entry Comment
917590	917589	CT118	Offset1				05-Aug-08	P.Macdonald/K.Bazil		3.5	0.35	<0.02	0.94	185	32.30	128.6	92.7	18.5	15.3	1.07	0.4		
917591	917589	CT118	Offset2				05-Aug-08	P.Macdonald/K.Bazil		3.1	0.37	0.09	0.92	207	45.94	133.2	71.0	15.6	30.0	1.02	0.5		
917592	917589	CT118	Offset3				05-Aug-08	P.Macdonald/K.Bazil		3.6	0.49	<0.02	0.88	329	91.46	237.1	82.4	19.2	17.9	1.12	0.4		
917593	917593	CT089	Retake	200	471950	5434735	06-Aug-08	P.Macdonald/K.Bazil		9.9	0.39	0.10	0.51	116	19.44	76.4	64.2	17.2	20.7	0.92	0.4		
917594	917593	CT089	Offset1				06-Aug-08	P.Macdonald/K.Bazil		7.6	0.37	0.07	0.51	86	19.77	90.3	76.1	19.5	22.6	0.84	0.4		
917595	917593	CT089	Offset2				06-Aug-08	P.Macdonald/K.Bazil		8.5	0.42	<0.02	0.78	161	30.92	92.9	64.1	17.4	24.6	0.92	0.5		
917596	917593	CT089	Offset3				06-Aug-08	P.Macdonald/K.Bazil		1.8	0.35	<0.02	0.51	238	16.98	127.3	30.5	9.4	12.2	0.58	0.3		
917597	917597	CT033	Retake	200	472306	5434509	06-Aug-08	P.Macdonald/K.Bazil		2.8	0.22	<0.02	0.33	113	17.10	93.2	132.6	29.8	13.8	0.58	0.2		
917598	917597	CT033	Offset1				06-Aug-08	P.Macdonald/K.Bazil		2.3	0.20	<0.02	0.21	116	14.41	85.5	152.2	31.5	8.1	0.45	0.2		
917599	917597	CT033	Offset2				06-Aug-08	P.Macdonald/K.Bazil		9.8	0.30	0.07	0.49	80	20.45	79.2	53.1	17.6	12.0	0.67	0.2		
917600	917597	CT033	Offset3				06-Aug-08	P.Macdonald/K.Bazil		2.6	0.34	<0.02	0.53	278	22.97	153.4	72.3	18.4	6.3	0.51	0.2		
917751	917751	CT027	Retake	40	471905	5434417	06-Aug-08	P.Macdonald/K.Bazil		3.6	0.63	0.07	0.70	165	25.70	122.8	61.2	18.4	24.3	1.41	0.9		
917752	917751	CT027	Offset1				06-Aug-08	P.Macdonald/K.Bazil		2.9	0.54	<0.02	0.63	207	24.94	133.2	57.2	17.8	19.9	1.14	0.6		
917753	917751	CT027	Offset2				06-Aug-08	P.Macdonald/K.Bazil		9.9	0.87	0.11	1.12	273	53.29	169.3	67.8	27.2	120.9	2.70	0.3		
917754	917751	CT027	Offset3				06-Aug-08	P.Macdonald/K.Bazil		3.1	0.54	<0.02	0.61	255	25.83	127.4	46.2	15.8	19.5	1.07	0.5		
917755	917755	CT142	Retake	60	471938	5434276	06-Aug-08	P.Macdonald/K.Bazil		10.0	1.21	0.09	0.72	234	42.66	132.4	68.4	19.7	20.6	1.25	3.1	Original tag not found.	
917756	917755	CT142	Offset1				06-Aug-08	P.Macdonald/K.Bazil		13.0	1.15	<0.02	0.78	132	47.59	154.3	66.4	19.7	19.8	1.19	1.8		
917757	917755	CT142	Offset2				06-Aug-08	P.Macdonald/K.Bazil		7.6	0.90	0.03	0.44	176	39.29	99.9	50.5	17.1	16.3	0.96	2.6		
917758	917755	CT142	Offset3				06-Aug-08	P.Macdonald/K.Bazil		9.5	1.16	0.09	0.60	259	51.90	135.7	69.7	23.8	22.3	1.30	2.2		
917759	917759	CT109	Retake	100	471960	5434485	07-Aug-08	P.Macdonald/K.Bazil		21.1	0.67	0.07	0.61	147	44.16	95.6	71.6	23.6	19.5	1.54	0.9	Taken on road	
917760	917759	CT109	Offset1				07-Aug-08	P.Macdonald/K.Bazil		4.7	1.31	0.25	0.71	345	78.55	128.4	78.1	31.8	49.6	0.92	0.5		
917761	917759	CT109	Offset2				07-Aug-08	P.Macdonald/K.Bazil		11.3	0.59	0.10	0.73	213	28.80	85.4	81.0	21.1	22.1	1.30	1.3		
917762	917759	CT109	Offset3				07-Aug-08	P.Macdonald/K.Bazil		5.5	0.54	0.05	0.71	195	26.09	114.0	48.3	14.0	14.1	0.94	0.6		
917763	917763	CT140	Retake	60	471881	5434463	07-Aug-08	P.Macdonald/K.Bazil		4.3	0.59	<0.02	0.50	235	26.45	118.2	72.0	18.0	21.6	1.00	0.8	Found 30m off road.	
917764	917763	CT140	Offset1				07-Aug-08	P.Macdonald/K.Bazil		9.7	0.69	0.08	0.74	292	42.09	152.7	94.6	23.5	29.2	1.68	0.9		
917765	917763	CT140	Offset2				07-Aug-08	P.Macdonald/K.Bazil		6.6	0.49	<0.02	0.33	239	23.62	108.0	83.5	18.1	16.3	0.85	0.6		
917766	917763	CT140	Offset3				07-Aug-08	P.Macdonald/K.Bazil		3.8	0.73	0.07	0.74	199	34.30	159.7	71.4	17.1	26.3	1.16	0.8		
917767	917767	CT103	Retake	45	471998	5434433	07-Aug-08	P.Macdonald/K.Bazil		3.5	0.53	0.05	0.39	250	23.41	143.5	57.7	16.2	14.4	0.97	0.5	Original tag & hole not found.	
917768	917767	CT103	Offset1				07-Aug-08	P.Macdonald/K.Bazil		5.1	0.71	0.09	0.42	124	36.64	121.0	49.6	16.1	12.5	0.97	0.4		
917769	917767	CT103	Offset2				07-Aug-08	P.Macdonald/K.Bazil		2.9	0.56	<0.02	0.35	185	26.77	153.2	44.7	14.3	14.0	0.97	0.6		
917770	917767	CT103	Offset3				07-Aug-08	P.Macdonald/K.Bazil		4.0	0.60	0.05	0.40	220	26.31	161.9	53.6	15.1	14.3	1.07	0.6		
917771	917771	CT104	Retake	70	472013	5434314	07-Aug-08	P.Macdonald/K.Bazil		6.6	0.84	<0.02	0.49	203	40.42	101.6	44.7	18.1	13.6	0.99	1.3	Original tag & hole not found.	
917772	917771	CT104	Offset1				07-Aug-08	P.Macdonald/K.Bazil		11.7	1.24	0.05	0.54	207	41.61	131.5	63.6	21.6	19.7	0.95	2.4		
917773	917771	CT104	Offset2				07-Aug-08	P.Macdonald/K.Bazil		4.4	0.82	0.11	1.18	169	36.89	106.2	47.2	18.7	15.0	1.08	1.5		
917774	917771	CT104	Offset3				07-Aug-08	P.Macdonald/K.Bazil		5.8	1.32	0.13	0.61	199	47.08	132.1	64.8	22.7	16.7	1.06	2.3		
917775	917775	CT148	Retake	60	472132	5433960	07-Aug-08	P.Macdonald/K.Bazil		34.1	0.81	0.03	0.66	89	32.35	84.1	55.3	18.8	28.0	1.11	2.0	Looks like roadside was scraped by grader	
917776	917775	CT148	Offset1				07-Aug-08	P.Macdonald/K.Bazil		5.9	0.53	<0.02	0.62	188	33.85	136.2	67.3	21.5	17.4	0.81	0.7		
917777	917775	CT148	Offset2				07-Aug-08	P.Macdonald/K.Bazil		6.7	0.60	0.05	0.75	135	37.30	97.2	49.5	15.6	18.6	0.78	1.2		
917778	917775	CT148	Offset3				07-Aug-08	P.Macdonald/K.Bazil		11.9	0.52	0.05	0.52	159	20.95	78.1	53.5	13.8	15.9	0.65	1.3		
917779	917779	CT011	Retake	150	471963	5433990	07-Aug-08	P.Macdonald/K.Bazil		25.9	0.51	0.03	0.63	129	47.57	100.3	60.4	16.7	20.6	1.18	1.5	Original tag & hole not found.	
917780	917779	CT011	Offset1				07-Aug-08	P.Macdonald/K.Bazil		14.7	0.71	0.03	0.61	300	32.71	121.9	58.1	14.5	17.9	1.20	2.1		
917781	917779	CT011	Offset2				07-Aug-08	P.Macdonald/K.Bazil		15.2	0.59	0.04	0.72	109	28.12	74.8	50.8	12.7	19.6	1.02	2.1		
917782	917779	CT011	Offset3				07-Aug-08	P.Macdonald/K.Bazil		7.1	0.53	<0.02	0.66	308	34.11	219.1	86.3	14.0	11.1	0.67	0.9		
917783	917783	CT052	Retake	100	472512	5433822	07-Aug-08	P.Macdonald/K.Bazil		3.7	0.56	0.07	0.52	84	22.70	115.3	47.9	14.1	17.5	0.85	0.4	Original tag & hole not found; near road fork	
917784	917783	CT052	Offset1				07-Aug-08	P.Macdonald/K.Bazil		3.0	0.50	0.03	0.52	168	27.88	120.5	44.1	16.5	15.9	0.70	0.4		
917785	917783	CT052	Offset2				07-Aug-08	P.Macdonald/K.Bazil		3.9	0.51	0.07	0.67	127	27.04	115.2	49.5	15.0	23.2	0.86	1.0		
917786	917783	CT052	Offset3				07-Aug-08	P.Macdonald/K.Bazil		3.3	0.57	<0.02	0.76	112	31.60	228.2	55.8	19.5	13.9	0.75	0.3		
917787	917787	CT071	Retake	200	473163	5433061	07-Aug-08	P.Macdonald/K.Bazil		8.5	0.37	0.04	0.41	96	18.74	66.3	54.1	15.0	13.1	0.51	0.5	retake 071 with pail	Pail dumped 15Oct08
917788	917787	CT071	Offset1				07-Aug-08	P.Macdonald/K.Bazil		3.3	0.37	<0.02	0.37	76	19.85	68.6	52.2	14.6	12.8	0.57	0.5		
917789	917787	CT071	Offset2				07-Aug-08	P.Macdonald/K.Bazil		3.7	0.46	0.02	0.36	176	22.23	107.2	65.3	17.6	13.0	0.73	0.6		
917790	917787	CT071	Offset3				07-Aug-08	P.Macdonald/K.Bazil		2.7	0.46	<0.02	0.51	261	26.82	136.8	71.6	16.2	11.7	0.67	0.6		
917791	917791	CT146	Retake	100	472172	5434005	08-Aug-08	P.Macdonald/K.Bazil	brown	10.2	0.54	<0.02	0.90	100	44.28	179.4	57.6	23.3	16.4	0.78	0.4		Pail dumped 15Oct08
917792	917791	CT146	Offset1				08-Aug-08	P.Macdonald/K.Bazil		2.2	0.50	0.03	0.61	170	39.21	144.4	49.3	25.3	15.9	0.69	0.5		
917793	917791	CT146	Offset2				08-Aug-08	P.Macdonald/K.Bazil		3.3	0.51	0.02	0.51	289	28.91	192.5	69.0	27.7	16.3	0.85	0.5		
917794	917791	CT146	Offset3				08-Aug-08	P.Macdonald/K.Bazil		3.6	0.42	<0.02	0.46	214	29.43	181.1	67.8	32.6	14.8	0.89	0.5		
917795	917795	CT038	Retake	50	472801	5434065	08-Aug-08	P.Macdonald/K.Bazil	light brown	5.5	0.37	0.05	0.46	117	23.33	104.8	48.7	18.0	19.6	0.86	0.3		Pail dumped 15Oct08
917796	917795	CT038	Offset1				08-Aug-08	P.Macdonald/K.Bazil		3.9	0.40	0.06	0.41	104	21.48	104.9	62.6	21.9	17.2	0.80	0.5		
917797	917795	CT038	Offset2				08-Aug-08	P.Macdonald/K.Bazil		26.8	0.41	0.08	0.44	153	32.07	149.4	53.0	20.0	17.7	0.73	0.3		
917798	917795	CT038	Offset3				08-Aug-0																

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
869001	25-Aug-08	A.Elden	5435425	471312	974	WP122	outcrop	Outcrop	Limpid Creek	3.2	0.05	<0.02	0.09	77	10.52	24.0	4.2	1.2	13.7	0.62	<0.1	Strong limonite-goethite with oxidized py cubes in small clusters in granite outcrop with chlorite alteration
869002	28-Aug-08	A.Elden	5434876	472444		WP020	subcrop-float	Float from clearcut?	Clel Creek Road	74.4	0.80	<0.02	1.13	279	51.47	42.0	1.1	0.2	323.7	0.17	0.4	Sampled 15-Aug-2008 from clearcut? Possible silicified volcanic? Very fine white silica with patch of sericite-muscovite. Glassy Qtz eyes. Manganese dendrites on all fracture surfaces and abundant oxidized py cubes throughout. Rock surface turns yellow-green where acid applied, but no fizz
869003	28-Aug-08	A.Elden	5433658	471987	1213	WP164	subcrop-float	Boulder float	Above Horticulturalist Creek on opposite side to placer mine.	<0.2	1.02	<0.02	0.17	26	5.19	126.9	11.6	5.2	2.4	1.37	0.2	Boulder 0.5 m wide. Diopside-epi-garnet skarn with inclusions of biotite mica schist(?).
869004	29-Aug-08	A.Elden	5432231	469314	551	WP173	outcrop	Outcrop on roadcut	Pend D'Oreille Road	<0.2	0.48	0.15	0.11	38	21.41	64.3	24.9	13.4	10.1	1.78	<0.1	Graphitic calcareous phyllite(?) with minor diss oxidized py cubes. Po, probably very fine and occasional 'spatters' associated with graphitic layers(?).
869005	29-Aug-08	A.Elden	5432234	469294	542	WP174	subcrop-float	Outcrop on roadcut	Pend D'Oreille Road	<0.2	0.26	0.14	0.04	15	9.13	51.4	17.6	9.4	2.8	0.43	<0.1	Subcrop at same outcrop as RS869005. Graphitic calcareous argillite(?) with very thin bedding of alternating grey and white (graphite-calcite). Randomly diss py cubes and magnetic patches of fine diss po.
869006	29-Aug-08	A.Elden	5432226	469270	540	WP177	subcrop-float	Boulder below road	Pend D'Oreille Road	0.2	0.40	0.07	0.05	61	39.18	56.2	25.4	13.3	2.4	10.77	<0.1	Boulder below road at o/c in RS869004-5. Mica schist(?) with band of quartzite (?) including 1.0 cm wide Qtz vein (or skarn) with po and py along selvage and diss. Qtz is pink. Some clay-sericite alteration in vicinity of Qtz vein. Sample is select grab where chips could be removed from face of boulder
869007	29-Aug-08	A.Elden	5433159	469150	744	WP179	outcrop	Outcrop on slope	Kelly and Tillicum Creek road system	<0.2	<0.02	<0.02	0.08	20	1.65	24.5	9.5	8.0	0.8	0.19	<0.1	2.0 cm wide Qtz veins with associated magnetite flowing with veins in volcanic greenstone(?) outcrop. Chlorite, calcite and minor diss py also present
869008	29-Aug-08	A.Elden	5432239	469271	540	WP175	outcrop	Outcrop on roadcut	Pend D'Oreille Road	<0.2	<0.02	0.03	0.04	6	11.94	20.1	1.1	1.1	0.2	0.12	<0.1	This outcrop is located adjacent to outcrop at RS869004-5. Fairly siliceous coarse-grained rock with diss and hem-stained stringers of magnetite, very fine Qtz veinlets. Weakly calcareous throughout matrix.
869051	26-Aug-08	B.Buchanan	5434573	471479			outcrop-subcrop	part of boulder	Active Bunker Hill area	0.3	0.05	<0.02	0.07	7	5.76	52.0	39.3	18.2	1.2	0.23	<0.1	Biotitic Syenite-Diorite - very fresh sample of material consisting of fine grained feldspar (65%) with intersecting, randomly oriented plates of fine grained biotite. A 2cm-wide band of fine grained feldspar & biotite in about the same proportion along with a subordinate amount of coarser chlorite altered ferromag occurs in part of the specimen. No magnetic, non calcareous, no sulfides.
869301	5-Sep-08	M.Mankowske	5435569	470365	1159.7	MM103	outcrop		2007 till sample CT048 followup	3.5	0.07	0.03	1.17	195	11.80	49.0	11.5	2.4	6.0	0.16	<0.1	Limestone, sil alt. strike N/S, dip eas
869302	5-Sep-08	M.Mankowske	5435077	469774	878.5	MM104	float		2007 till sample CT048 followup	5.2	0.72	0.04	0.49	339	22.44	36.9	2.3	2.0	13.0	1.65	<0.1	Quartzite float, mineralized; [recorded easting of 479774 probably in error - JDW 25Apr09]
869303	6-Sep-08	M.Mankowske	5433960	472013	1270.7	MM107	float		Upper Marshalling Point, East	0.3	0.18	<0.02	0.15	61	7.55	6.3	3.8	1.8	1.8	0.20	<0.1	Quartz veining in Argillite schist, rusty, minor sulphides
869304	6-Sep-08	M.Mankowske	5434005	472138	1282	MM108	outcrop		Upper Marshalling Point, East	1.2	0.04	0.02	0.10	57	4.28	57.4	85.4	23.3	2.1	0.55	0.3	Limestone, Conglomerate, Ferricrete
869305	6-Sep-08	M.Mankowske	5433899	472415	1388.3	MM111	outcrop		Upper Marshalling Point, East	0.6	0.12	0.02	0.38	81	7.13	67.1	7.9	13.7	6.9	1.76	0.5	Granite
869306	6-Sep-08	M.Mankowske	5433888	472405	1388	MM112	outcrop		Upper Marshalling Point, East	1.3	0.09	0.03	0.43	161	7.95	120.5	12.9	16.5	2.0	0.37	0.2	Andesite dike
869307	6-Sep-08	M.Mankowske	5433672	472473	1360.9	MM114	outcrop		Upper Marshalling Point, East	11.5	1.13	0.12	0.05	45	10.09	46.9	22.4	8.2	0.8	0.19	0.1	Quartzite contacting Argillite
869308	6-Sep-08	M.Mankowske	5433673	472373	1349.1	MM115	outcrop		Upper Marshalling Point, East	1.1	0.05	<0.02	0.06	82	4.75	76.1	52.3	26.1	1.2	1.99	<0.1	Basalt
869309	6-Sep-08	M.Mankowske	5433677	472368		MM116	outcrop		Upper Marshalling Point, East	<0.2	0.06	0.03	0.11	79	5.30	93.3	50.5	25.6	1.8	1.33	<0.1	Basalt slightly magnetic
869310	6-Sep-08	M.Mankowske	5433680	472369	1349.6	MM117	float		Upper Marshalling Point, East	<0.2	1.33	0.10	0.58	539	13.04	15.5	49.2	15.7	17.0	2.67	0.1	Argillite, schistose, chloritized, foliated, sulphides in quartz veir
869311	6-Sep-08	M.Mankowske	5433002	472375	1349.8	MM121	outcrop		Upper Marshalling Point, East	<0.2	0.03	<0.02	0.08	2	3.57	6.3	1.0	0.7	0.6	0.31	0.2	Granite, rounded, contains K-spar; [Data entry revised - JDW]
869312	7-Sep-08	M.Mankowske	5432957	472390	1417.3	MM122	outcrop		Upper Marshalling Point, East	1.5	0.24	<0.02	0.04	31	8.49	34.9	8.0	3.1	1.4	0.33	<0.1	Quartzite, sil. alteration, thin quartz veining, strike E/W, dip south; [Data entry revised - JDW]
869313	7-Sep-08	M.Mankowske	5432861	472576	1410.1	MM123	outcrop		Upper Marshalling Point, East	<0.2	0.05	<0.02	0.14	36	20.21	22.7	11.8	5.6	9.5	0.24	<0.1	Granite, fine texture, K-spar, with chlorite; [Data entry revised - JDW]
869314	7-Sep-08	M.Mankowske	5432843	472620	1358.7	MM124	outcrop		Upper Marshalling Point, East	<0.2	<0.02	<0.02	0.12	22	3.15	49.0	4.2	6.4	6.9	2.44	<0.1	Andesite, non-magnetic, calc altered
869315	7-Sep-08	M.Mankowske	5432208	472673	1336.1	MM125	float		Upper Marshalling Point, East	0.9	0.27	0.04	0.18	63	4.60	33.2	23.4	12.6	7.5	1.81	0.1	Argillite, graphitic schist, >5% sulphides
869316	7-Sep-08	M.Mankowske	5433950	472701	1324.3	MM126	outcrop		Upper Marshalling Point, East	<0.2	0.57	0.07	0.04	68	16.85	47.5	18.2	9.2	2.5	1.48	<0.1	Quartzite, contact with graphitic Argillite schist, >1% sulphides
869317	7-Sep-08	M.Mankowske	5433653	473316	1232.5	MM127	outcrop		Upper Marshalling Point, East	<0.2	0.22	0.04	0.02	57	9.12	25.3	9.1	2.9	0.4	0.69	0.2	Argillite schist, graphitic, minor pyrite, strike 300Az, dip 80 eas
869318	8-Sep-08	M.Mankowske	5433767	472503	1354.6	MM128	outcrop		Upper Marshalling Point, East	1.5	0.11	<0.02	0.29	64	11.82	81.7	268.3	40.8	26.9	0.94	0.1	Andesite dike 1 meter wide, strike N/S, minor pyrite, calc alt
869319	8-Sep-08	M.Mankowske	5433767	472503	1355	MM129	outcrop		Upper Marshalling Point, East	2.9	0.95	0.10	0.38	126	38.82	104.1	47.2	12.7	4.1	0.82	<0.1	Argillite, graphitic alt.
869320	8-Sep-08	M.Mankowske	5433833	472494	1360.9	MM130	outcrop		Upper Marshalling Point, East	1.1	0.08	<0.02	0.07	23	2.33	43.7	48.6	15.5	1.1	1.02	0.3	Diorite, coarse texture
869321	8-Sep-08	M.Mankowske	5434079	472852	1392.1	MM131	outcrop		Upper Marshalling Point, East	1.0	0.52	0.08	0.36	525	60.15	206.4	32.1	18.7	18.2	0.45	<0.1	Argillite schist, foliated, pyrite<1%
869322	8-Sep-08	M.Mankowske	5434105	472916	1400.8	MM132	outcrop		Upper Marshalling Point, East	1.1	0.35	0.03	0.06	57	13.11	110.5	36.4	14.9	0.6	0.38	0.2	Argillite schist
869323	8-Sep-08	M.Mankowske	5434100	473298	1404.1	MM133	outcrop		Upper Marshalling Point, East	2.1	0.10	0.05	2.05	130	13.11	104.9	30.9	16.0	13.8	0.40	<0.1	Andesite dike, pyrite>1%, calc. alt., non-magnetic
869324	8-Sep-08	M.Mankowske	5434091	473308	1408	MM134	outcrop		Upper Marshalling Point, East	0.8	0.05	<0.02	0.34	46	4.34	54.3	15.9	8.4	5.0	0.21	<0.1	Andesite, sil alteration, non-calc, strike 340, dip E; [SampleID renamed from #869323 as duplicated in field notes - JDW]
869325	9-Sep-08	M.Mankowske	5434146	472139	1302	MM135	subcrop		Upper Marshalling Point, East	0.6	0.15	<0.02	0.17	42	11.85	21.3	8.6	2.4	3.2	0.40	<0.1	Argillite, graphitic alt with quartz veining 5 cm, with py >1%
869326	9-Sep-08	M.Mankowske	5434150	472166	1339.5	MM136	subcrop		Upper Marshalling Point, East	0.8	0.26	<0.02	0.14	60	26.45	39.5	12.1	3.7	3.9	0.18	<0.1	Argillite, graphitic schist
869327	9-Sep-08	M.Mankowske	5431490	472175	1350	MM137	subcrop		Upper Marshalling Point, East	0.7	0.25	0.02	0.11	56	10.60	35.8	11.4	5.7	3.2	0.29	<0.1	Argillite, graphitic schist
869328	9-Sep-08	M.Mankowske	5434157	472321	1355	MM138	subcrop		Upper Marshalling Point, East	1.0	0.19	0.03	0.32	153	6.90	20.2	7.1	8.1	15.1	0.35	0.1	Argillite, graphitic schist
869329	9-Sep-08	M.Mankowske	5434189	472360	1414	MM139	subcrop		Upper Marshalling Point, East	1.0	0.15	<0.02	0.13	68	9.42	11.0	1.9	0.7	2.5	0.28	<0.1	Argillite with quartz veining
869330	9-Sep-08	M.Mankowske	5434348	472355	1401.5	MM140	outcrop		Upper Marshalling Point, East	1.1	0.39	<0.02	0.28	84	14.80	39.0	3.3	0.9	6.5	0.42	<0.1	Argillite, foliated, heavy oxide coating
869331	9-Sep-08	M.Mankowske	5434530	472128	1319.8	MM141	outcrop		Upper Marshalling Point, East	2.5	0.15	<0.02	0.63	85	10.31	63.6	30.1	24.8	5.0	0.89	<0.1	Andesite, silicified, contacting Argillite, strike 270, dip S
869332	9-Sep-08	M.Mankowske	5434530	472128		MM142	outcrop		Upper Marshalling Point, East	4.8	0.27	0.03	0.67	93	11.58	47.9	36.2	19.4	32.8	1.75	<0.1	Argillite, contacting Andesite
869333	9-Sep-08	M.Mankowske	5434513	472187	1319.3	MM143	outcrop		Upper Marshalling Point, East	0.6	0.40	0.07	0.06	46	6.97	126.8	37.2	16.7	1.6	1.06	<0.1	Argillite, sil. alteration, fine groundmass with >1% sulphides
869334	9-Sep-08	M.Mankowske	5434499	472201	1322.2	MM144	outcrop		Upper Marshalling Point, East	0.3	0.48	0.08	0.05	62	5.08	67.8	12.9	3.9	0.6	2.59	<0.1	Argillite, strike E/W, Dip S
869335	9-Sep-08	M.Mankowske	5434484	472242	1327.7	MM145	outcrop		Upper Marshalling Point, East	0.6	0.45	<0.02	0.18	141	5.01	54.3	23.5	12.8	1.7	0.90	0.5	Quartz veining in alt. intrusive, fine banding, minor pyrite
869336	9-Sep-08	M.Mankowske	5434370	472314	1353.4	MM146	outcrop		Upper Marshalling Point, East	0.8	0.17	<0.02	0.08	22	10.12	40.2	6.4	2.4	1.3	0.70	<0.1	Quartzite with quartz veining, rusty, minor sulphides
869337	9-Sep-08	M.Mankowske	5434370	472314		MM147	outcrop		Upper Marshalling Point, East	1.5	0.22	<0.02	0.06	49	18.57	42.6	4.0	2.4	0.7	5.36	<0.1	Quartzite
869338	9-Sep-08	M.Mankowske	5434537	472070	1300.3	MM148	subcrop		Upper Marshalling Point, East	0.7												

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
869469	12-Oct-08	J.D. Williams					outcrop	chip 1.1m inclined	N of Bunker Hill Level 1	22.9	4.35	0.33	0.05	68	2.64	4.3	2.2	0.4	2.0	9.19	0.4	White, coarse grained Qtz with both hematite & limonite stain & fracture coatings: occasional half-cm sized pits, often stained dark red. No mx'r
869470	12-Oct-08	J.D. Williams					outcrop	chip 0.45m	N of Bunker Hill Level 1	75.7	20.72	0.86	0.16	292	9.50	27.3	10.7	4.1	2.1	24.33	0.4	Biotite quartzite on footwall of Qtz vein: banded, silicic, moderately to strongly stained orange & darker colored limonite & oxide(s). No mx'r
869471	12-Oct-08	J.D. Williams					outcrop	chip 0.5m	N of Bunker Hill Level 1	803.3	51.68	2.11	0.12	459	18.46	9.9	5.8	1.7	2.9	352.81	5.9	White, coarse grained Qtz: variable oxide stain; occasional pit, pinhead to several cms across. No mx'n
869472	12-Oct-08	J.D. Williams					outcrop	chip 0.5m (semi-horizontal)	N of Bunker Hill Level 1	924.3	77.85	3.42	0.23	2232	16.11	8.3	4.0	1.3	3.3	395.72	6.9	White, coarse grained Qtz: minor but numerous irregular & indistinct yellow-green chlorite?/sericite patches & irregularly distributed pits ranging from sparse to very frequent. Variable oxide stain, dark yellow to orange. No mx'n
869473	12-Oct-08	J.D. Williams					outcrop	chip 0.40 (inclined)	N of Bunker Hill Level 1	273.9	72.43	3.84	0.16	869	10.56	8.6	5.1	2.2	1.7	79.48	3.9	White, coarse grained Qtz: abundant yellow-green & orange oxide stain & coatings: very minor very fine grained py in a few places
869474	12-Oct-08	J.D. Williams					outcrop	chip 0.40 (inclined)	N of Bunker Hill Level 1	1740	713.99	12.00	1.08	2169	15.59	3.7	2.0	0.9	1.2	163.60	7.5	Vaguely banded white, coarse grained Qtz with banding highlighted by light grey & orange oxide stains. Numerous but irregularly distributed pits & single location of very fine grained py, banding conformable within & enveloping series of pits
869475	12-Oct-08	J.D. Williams					outcrop	chip 0.40 (mostly inclined)	N of Bunker Hill Level 1	2570	312.71	20.02	0.57	6561	92.92	9.1	6.8	1.5	2.4	28.21	13.7	White, coarse grained Qtz, faintly banded, parts of exposure strongly stained in sponge-like Qtz: other places of massive white, coarse grained Qtz: variable intensity of yellow-green & orange oxide stain. No mx'n
869476	12-Oct-08	J.D. Williams					float? boulder	chip 1.0m (inclined)	N of Bunker Hill Level 1	2910	209.67	6.72	0.37	26091	634.33	5.2	2.8	0.8	14.6	191.28	1.3	White, coarse grained Qtz & minor smoky Qtz, very minor hematite stain & prominent orange limonite stain & coatings on fractures. No mx'r
869477	12-Oct-08	J.D. Williams					large float boulder	chip 1.5m (inclined)	N of Bunker Hill Level 1	6770	281.79	13.31	0.87	5229	115.01	6.4	4.7	0.9	4.9	34.98	2.3	White, coarse grained Qtz, minor diffuse patches smoky Qtz, occasional hematite stain or coating & weak internal limonite stain. Local heavy rind, pits & oxide on weathering surface. No mx'n
869478	12-Oct-08	J.D. Williams					one or more float? boulders	chip 1.0m (inclined)	N of Bunker Hill Level 1	4350	197.52	6.20	0.31	2452	32.05	4.1	4.8	2.3	3.7	88.94	1.2	White & locally smoky coarse grained Qtz with some places showing heavy, mostly orange limonite oxide dust with patches red hematite. No mx'n
869479	12-Oct-08	J.D. Williams					outcrop	chip 1.1m (inclined)	N of Bunker Hill Level 1	220.2	40.63	1.63	0.29	3815	210.42	5.8	3.0	0.9	50.4	281.42	3.4	White, coarse grained Qtz, locally predominantly smoky Qtz: occasional small pit, sometimes filled with earthy orange limonite. No mx'r
869480	12-Oct-08	J.D. Williams					outcrop	chip 1.2m (inclined)	N of Bunker Hill Level 1	84.2	23.32	0.85	0.20	6460	201.00	3.4	1.4	0.5	22.0	68.89	1.0	White, coarse grained Qtz with minor diffuse smoky patches, minor limonite & oxide stain along fractures. No mx'r
869481	12-Oct-08	J.D. Williams					outcrop	chip 0.8m	N of Bunker Hill Level 1	860	75.11	5.14	0.33	24607	544.60	6.3	4.5	0.9	26.1	22.11	1.5	White, coarse grained Qtz with a mixture of hematite & limonite stain: surface weathering displays heavily pitted outcrop. No visible mx'r
869482	12-Oct-08	J.D. Williams					float boulders	chip 2.4 x 1.0m	N of Bunker Hill Level 1	180	46.76	2.46	0.20	7513	168.25	3.3	3.0	1.1	35.3	52.87	5.1	Predominantly white, coarse grained Qtz with local spongy Qtz. At least one location displaying local fine & medium grained (pyramidal) py in pitted Qtz. Variable orange limonite stain & fracture coatings.
869483	12-Oct-08	J.D. Williams	5434318	471467	1175		large float boulder	chip 0.7m (inclined)	Base of large conifer NW & at slightly lower elevation than Level 1	16890	1184.81	26.14	2.67	3806	104.71	9.6	2.6	1.1	57.0	978.45	4.6	Predominantly smoky, coarse grained Qtz with minor white Qtz with limonite & hematite stain. No mx'n
869484	12-Oct-08	J.D. Williams	5434318	471467	1175		large float boulder	chip 0.3m (inclined)	Base of large conifer NW & at slightly lower elevation than Level 1	3620	838.50	21.48	1.42	38732	382.30	6.7	2.7	1.0	65.1	15.99	0.6	Smoky, coarse grained Qtz with veinlet(s) white Qtz: abundant limonite & subordinate hematite stain & fracture coatings. No mx'n
869485	13-Oct-08	J.D. Williams	5433963	471634	1174		outcrop	chip 1.3m (inclined); south sample	Cleas Showing - South exposure	1550	98.65	4.69	2.55	3634	48.38	15.1	1.7	1.3	44.4	5.78	0.7	Mixture of white, coarse grained Qtz & resorbed or silica flooded granite. Patches ranging from massive Qtz to irregular domains of granite. Variable, often pervasive limonite stain: occasional ragged patch or splash py
869486	13-Oct-08	J.D. Williams					outcrop	chip 1.3m (inclined); middle sample	Cleas Showing - South exposure	794.0	69.03	2.55	0.99	3591	73.69	18.8	1.2	0.7	23.8	3.05	0.4	Mostly white, coarse grained Qtz vein with 5% silica-flooded granite on footwall. Trace py as very fine grained splashes or disseminations: local pervasive limonite stain, occasional pit with crystalline Qtz & jet black coating
869487	13-Oct-08	J.D. Williams					outcrop	chip 1.1m (inclined); north sample	Cleas Showing - South exposure	384.3	40.33	1.47	1.36	3096	64.23	7.6	1.4	0.5	11.9	1.36	0.2	Predominantly white, coarse grained Qtz with small proportion of relict resorbed granite. Yellow-brown oxide coating on weathering & internal surfaces. No mx'n
869488	13-Oct-08	J.D. Williams	5433988	471639	1186		outcrop	chip 1.9m (inclined); south sample	Cleas Showing - North exposure	40.9	3.31	0.11	0.13	319	95.72	52.0	1.5	1.2	7.6	0.87	1.0	Mostly silica-flooded foliated granite with coarse grained Qtz veins (35-50%); foliation & veins oriented due north at 10°E. No mx'n
869489	13-Oct-08	J.D. Williams					outcrop	chip 1.1m (inclined); middle sample	Cleas Showing - North exposure	215.4	31.05	1.05	0.34	2521	158.88	52.4	2.0	1.1	21.5	2.81	0.5	Predominantly altered & resorbed granite with 15% Qtz veins, each up to 10cm wide: local intense limonite staining. No mx'n
869490	13-Oct-08	J.D. Williams					outcrop	chip 1.0m (inclined); north sample	Cleas Showing - North exposure	35.5	3.13	0.10	0.22	466	66.53	74.5	2.5	0.9	21.2	1.63	0.3	Predominantly altered & resorbed granite with 15% Qtz veinlets & stringers; granite locally friable & intensely limonite stained. No visible mx'n
869491	14-Oct-08	J.D. Williams	5433958	471624	1194		outcrop	chip 1.5m (inclined); East row; north sample	Cleas Showing - West exposure	2.5	0.37	0.03	0.13	240	35.04	34.0	1.2	0.6	11.3	0.60	0.4	Medium to coarse grained granite, minor vein Qtz: occasional pervasive hematite stain, weak orange limonite stain. No mx'n
869492	14-Oct-08	J.D. Williams					outcrop	chip 0.7m (inclined); East row; middle sample	Cleas Showing - West exposure	418.7	36.26	1.75	0.54	2350	88.26	16.7	2.1	0.9	16.2	1.88	0.4	Medium grained granite with 30% vein-Qtz as white, coarse grained discontinuous lenses or short veins & veinlets. Single <20cm wide vein strongly limonite stained & containing trace to minor very fine grained disseminated euhedral py
869493	14-Oct-08	J.D. Williams					outcrop	chip 1.3m (inclined); East row; south sample	Cleas Showing - West exposure	3.2	0.65	0.06	0.17	739	46.41	23.7	0.9	0.7	12.4	1.01	0.5	Medium grained granite, sometimes containing muscovite; minor vein-Qtz: orange limonite weathering rind, locally faintly hematitic. No mx'n
869494	14-Oct-08	J.D. Williams					outcrop	chip 1.1m (inclined); Middle row, north sample	Cleas Showing - West exposure	7.4	0.53	0.06	0.14	336	41.47	33.4	2.8	1.8	13.8	1.90	0.4	Medium grained granite: minor vein-Qtz: 20-30 cm-wide, diffuse, pervasive orange limonite stained zone near center of interval. No mx'n
869495	14-Oct-08	J.D. Williams					outcrop	chip 0.8m (nearly vertical); Middle row, south sample	Cleas Showing - West exposure	39.8	4.60	0.25	0.25	376	14.36	15.5	1.0	1.0	9.3	10.40	0.4	Medium grained granite, slightly micaceous: single 4cm-wide Qtz vein & other veinlets. Tr py in places.
869496	14-Oct-08	J.D. Williams					outcrop	chip 2.2m (inclined); West sample	Cleas Showing - West exposure	87.4	15.01	0.48	0.12	3959	82.58	29.1	1.6	0.7	7.2	4.71	1.0	Unaltered or weakly altered medium grained granite with several veins & veinlets to 2cm wide amounting to 5% by vol. No mx'n
869497	18-Oct-08	J.D. Williams, M.Mankowske	5431873	471123	583		outcrop?	chip 0.80m horizontal	on Limpid Creek FSR, just above runoff from Wantea-Nelway Road	1.6	0.48	<0.02	0.68	59	18.50	119.4	48.9	9.3	39.8	56.06	0.9	Bright red-ochre stained material on steep bank overlooking FSR. Material consists of intensely leached rock with foliation and compositional bedding pattern preserved. Distinctly colored, easily friable to a fine dust. No visible mx'n
869498	18-Oct-08	J.D. Williams, M.Mankowske	5431884	471121	587		outcrop	chip 0.6m horizontal	on Limpid Creek FSR, just above runoff from Wantea-Nelway Road	1.5	0.28	<0.02	0.19	22	18.97	98.0	44.7	10.9	14.4	2.66	0.1	Dirty ochre colored, friable to a dust, vaguely platy, apparently stratiform intensely bleached material on very steep slope overlooking FSR. Adjacent material buff or off-white colored, containing mica & quartz grains.
869501	11-Sep-08	M.Mankowske	5435139	471009	954.9	MM161	outcrop		Clel Creek	0.9	0.08	<0.02	0.05	32	1.99	54.6	23.2	19.1	0.5	1.09	0.9	Ultramafic, non-calc., slightly magnetic
869502	11-Sep-08	M.Mankowske	5435276	471092	943.7	MM162	outcrop		Clel Creek	1.3	0.11	0.03	0.83	121	21.07	83.0	29.0	15.9	15.8	0.27	0.1	Andesite, fine grained, non-magnetic, calc. alteration
869503	11-Sep-08	M.Mankowske	5435275	471099	944.1	MM163	outcrop		Clel Creek	1.1	0.07	<0.02	0.10	37	1.23	39.4	53.2	16.0	1.4	1.43	0.6	Ultramafic
869504	11-Sep-08	M.Mankowske	5435310	471108	952.3	MM164	outcrop		Clel Creek	0.2	0.03	<0.02	0.09	38	36.40	105.6	1.2	0.6	2.1	0.73	<0.1	Granite/Ultramafic contact
869505	11-Sep-08	M.Mankowske	5435310	471108		MM165	outcrop		Clel Creek	1.6	0.08	<0.02	0.16	56	15.88	28.1	2.4	1.0	6.9	1.57	<0.1	Granite contact, strike N50E, dip 50 E
869506	11-Sep-08	M.Mankowske	5435290	471187	963.1	MM166	outcrop		Clel Creek	0.4	0.02	<0.02	0.12	24	51.17	106.7	1.4	0.8	2.7	0.30	<0.1	Granite, coarse grained
869507	11-Sep-08	M.Mankowske	5435299	471184	963.4	MM167	outcrop		Clel Creek	1.1	0.08	0.02	0.42	59	7.14	83.6	29.4	16.9	7.8	0.22	<0.1	Andesite, non-mag., non-calc., fine grained, disseminated pyrite >1%
869508	11-Sep-08	M.Mankowske	5435293	471201	966.2	MM168	float		Clel Creek	14.7	0.09	0.23	0.22	214	4.53	33.5	39.9	31.3	7.8	1.96	0.3	Ultramafic, sil. altered, >5% disseminated py
869509	11-Sep-08	M.Mankowske	5435191	471366		MM169	outcrop		Clel Creek	1.8	0.03	<0.02	0.09	33	23.88	23.1	1.2	0.8	18.9	0.21	<0.1	Granite, coarse grained, strike 300 W, dip S
869510	11-Sep-08	M.Mankowske	5435184	471362	990	MM170	outcrop		Clel Creek	<0.2	<0.02	<0.02	0.06	19	22.92	29.0	1.2	0.5	1.8	0.22	<0.1	Granite with quartz veining, strike E/W, dip N
869511	11-Sep-08	M.Mankowske	5435271	471365	1012.6	MM171	subcrop		Clel Creek	3.8	5.52	0.48	0.05	2717	100.51	2.1	1.0	0.2	0.6	20.23	<0.1	Granite talus, subcrop, with quartz veining
869512	12-Sep-08	M.Mankowske	5435432	471522	1100.3	MM172	outcrop		Clel Creek	<0.2	<0.02	<0.02	0.07	3	7.32	15.1	2.2	1.3	0.7	0.19	<0.1	Granite, sil. alteration
869513	12-Sep-08	M.Mankowske	5435377	471640	1151.1	MM173	outcrop		Clel Creek	0.4	0.04	<0.02	0.10	39	22.18	62.3	1.2	1.0	2.8	0.26	<0.1	Granite, strike N/S, dip E
869514	12-Sep-08	M.Mankowske	5435367	471637	1151.5	MM174	outcrop		Clel Creek	0.7	0.05	<0.02	0.11	13	8.16	4.9	1.3	0.8	1.1	0.78	<0.1	Granite, with cherty dark veining
869515	12-Sep-08	M.Mankowske	5435002	472317	1234.9	MM175	subcrop		Clel Creek	1.1	0.32	0.02	0.12	108	24.75	45.2	25.9	7.5	15.1	0.36	0.1	Argillite, graphitic schist with sil. alteration
869516	12-Sep-08	M.Mankowske	5435002	472317	1233	MM176	subcrop		Clel Creek	1.0	0.11	<0.02	0.22	196	9.30	43.0						

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
869550	24-Sep-08	M.Mankowski	5433176	474550	1193.6	MM210	subcrop		McCormick Creek, Powerline rd.	1.8	0.46	0.13	0.14	408	14.35	38.8	28.2	7.4	0.5	8.64	0.2	Argillite <1% sulphides
869551	18-Sep-08	J.D. Williams					outcrop	1.5m channel	BiTel Knoll	720	69.34	4.13	0.42	5768	101.22	5.1	2.6	0.5	1.4	5.49	2.5	30% intensely altered & partly resorbed granite, 40% less altered granite domains & 30% white, coarse grained Qtz veins & domains. No mx'n, abundant org-brn limonite & black, earthy oxide.
869552	18-Sep-08	J.D. Williams					outcrop	1.3m channel	BiTel Knoll	46.9	6.08	0.50	0.10	5016	76.85	8.5	1.9	0.6	3.4	1.01	0.2	25% vein Qtz as 1cm wide veins ranging to an irregular width of 15cm, all in a variably altered granite. No mx'n, abundant orange & org-brn limonite on all fracture surfaces.
869553	18-Sep-08	J.D. Williams					outcrop	1.8m channel	BiTel Knoll	26.4	0.84	0.07	0.07	441	62.08	14.3	2.4	0.6	3.6	1.12	0.3	Prepredominantly weakly altered granite containing 1cm wide Qtz veins along with a central 30cm wide Qtz vein structure. No mx'n, abundant to occasional limonite coatings.
869554	18-Sep-08	J.D. Williams					outcrop	1.7m channel	BiTel Knoll	120.2	7.02	0.39	0.11	1007	50.91	4.8	4.1	0.7	2.5	1.13	0.2	Northern two-thirds of length, predominantly granite with ~10% Qtz veinlets & very minor, very fine grained disseminated py. Remainder of interval predominantly white, coarse grained Qtz with ~15% altered & resorbed granite. No mx'n, minor org-brn & dark brown earthy stain
869555	18-Sep-08	J.D. Williams					outcrop	1.3m channel	BiTel Knoll	123.9	19.41	1.33	0.17	4134	58.97	6.1	3.0	0.3	0.7	1.71	0.2	Nearly massive white coarse grained Qtz with ~10% of interval variably altered, usually to biotitic granite. No mx'n, minor limonite stain
869556	18-Sep-08	J.D. Williams					outcrop	1.4m channel	BiTel Knoll	14.4	0.69	0.03	0.06	156	4.87	12.9	6.4	0.3	3.6	0.55	0.2	Weakly altered & medium grained pale brown granite of Qtz & feldspar with abundant (25%) pale green mica (mariposite?) dark, irregular earthy brown centers <4mm across disseminated throughout. No mx'n; occasional Qtz vein <5% by volume
869557	18-Sep-08	J.D. Williams					outcrop	1.2m channel	BiTel Knoll	2.6	0.23	<0.02	0.05	175	10.86	8.5	4.8	0.4	1.1	0.98	0.2	Weakly altered, medium grained granite, pale brown colored. ~15% biotite & chlorite alteration?; minor irregular dark, earthy brown oxide centers & minor Qtz vein/veinlets. No mx'n.
869558	19-Sep-08	J.D. Williams					outcrop	2.1m channel	BiTel Knoll	483.5	27.79	1.75	0.14	3294	99.78	6.5	3.0	1.0	4.7	1.90	0.2	Principally granite, often altered with ~25% vein-Qtz distributed throughout interval. Minor but pervasive org-brn limonite & occasional dark brown, earthy, sometimes pitted oxide centers. No mx'n.
869559	19-Sep-08	J.D. Williams					outcrop	1.4m channel	BiTel Knoll	5.3	1.06	0.10	0.07	320	12.25	8.1	3.8	0.9	2.0	0.90	0.3	Granite, usually altered & micaceous with ~35% Qtz domains sometimes resorbing granite; Qtz appears sheeted locally. Minor org-brn limonite, no mx'r
869560	19-Sep-08	J.D. Williams					outcrop	1.2m channel	BiTel Knoll	219.5	10.34	0.51	0.06	1815	35.17	8.6	2.0	0.6	2.0	2.94	0.1	Predominantly granite cut by numerous white, coarse grained, sheeted Qtz veins ranging to 10cm wide. Granite usually bleached & often resorbed. No mx'n
869561	19-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	239.8	29.20	1.46	0.05	1695	26.56	3.7	2.1	0.3	0.6	1.27	<0.1	Nearly massive white, coarse grained vein-Qtz with minor altered granite band oriented perpendicular to channel. No mx'n, very minor limonite stain
869562	19-Sep-08	J.D. Williams					outcrop	1.5m channel	BiTel Knoll	11.6	0.67	0.03	0.04	60	4.31	6.7	3.3	1.0	3.4	0.56	1.0	Granite; micaceous with minor resinous chlorite? & minor vein-Qtz veinlets. Locally abundant earthy dark brown limonite centers. No mx'r
869563	19-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	12.2	0.68	0.02	0.05	38	3.62	7.8	4.1	0.5	1.7	0.92	0.2	Granite; micaceous & locally chloritic; ~5% veinlets white med & coarse grained Qtz. No mx'n
869564	19-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	2.0	0.11	<0.02	0.05	43	4.98	7.3	3.1	0.9	3.0	0.92	1.6	Granite with minor veinlets white coarse grained Qtz. No mx'r
869565	19-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	0.6	0.06	<0.02	0.05	12	3.55	5.3	2.8	0.7	2.4	2.47	1.3	Granite, weakly altered with very minor veinlets white, coarse grained Qtz. No mx'n
869566	19-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	1.1	0.14	<0.02	0.07	126	36.37	12.5	2.9	3.4	2.9	1.70	0.5	Predominantly granite, micaceous (usually displaying muscovite, sometimes biotite) with notable irregular green chlorite spots (mariposite?). Locally abundant earthy dark brown oxide. No mx'n.
869567	19-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	75.8	10.65	0.75	0.10	2756	80.35	10.4	4.3	1.9	3.8	4.34	0.9	80% white coarse grained Qtz with irregularly distributed, sometimes resorbed micaceous granite. No mx'n
869568	19-Sep-08	J.D. Williams					outcrop	1.8m channel	BiTel Knoll	8.7	0.17	<0.02	0.04	37	3.35	12.3	5.0	1.3	4.9	1.36	0.2	Granite, weakly altered, ~5% white, coarse grained Qtz; locally abundant org-brn limonite & variable earthy, dark brown oxide pits to 1cm across. No mx'r
869569	19-Sep-08	J.D. Williams					outcrop	2.3m channel	BiTel Knoll	4.4	0.19	<0.02	0.06	72	6.05	6.7	2.7	1.5	2.7	1.56	1.2	Granite, relatively unaltered; minor veinlets Qtz. Locally abundant dark brown, earthy pits several mms across. No mx'n
869570	20-Sep-08	J.D. Williams					outcrop	2.0m channel	BiTel Knoll	16.2	0.31	0.02	0.03	17	1.53	7.2	2.6	0.9	1.2	1.84	0.1	Granite with ~5% white coarse grained vein-Qtz in several places up to 8cm wide. May be very fine grained grey metallic mineral in Qtz in a single location near center of interval.
869571	20-Sep-08	J.D. Williams					outcrop	0.7m channel	BiTel Knoll	1.1	0.10	<0.02	0.05	22	3.37	8.5	2.7	0.7	2.7	2.96	0.2	Granite with ~15% Qtz as veinlets distributed throughout interval. No mx'n
869572	20-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	2.2	0.94	0.04	0.05	170	5.07	7.7	3.8	1.4	1.0	0.69	0.1	Granite & vein Qtz; granite usually variably altered; ~50% white, coarse grained Qtz in interval. Org-brn coatings on Qtz, earthy, dark brown oxide on pits in granite. Very minor sulfides as very fine grained, tarnished, euhedral py grains.
869573	20-Sep-08	J.D. Williams					outcrop	1.9m channel	BiTel Knoll	3.1	0.48	0.04	0.14	170	16.91	18.7	3.9	2.1	5.6	3.01	0.9	Granite, micaceous & minor Qtz veinlets; very minor euhedral, tarnished py grains disseminated at a single location. Locally abundant earthy dark brown oxide
869574	20-Sep-08	J.D. Williams					outcrop	1.4m channel	BiTel Knoll	56.6	6.84	0.31	0.08	859	17.11	11.9	3.3	1.7	5.0	1.56	0.9	Granite with ~19% Qtz veinlets; variable orange limonite & dark brown oxide. No mx'n
869575	20-Sep-08	J.D. Williams					outcrop	2.2m channel	BiTel Knoll	61.5	5.54	0.27	0.08	199	5.63	12.2	2.2	2.1	4.8	1.35	0.7	Granite with minor vein Qtz; single location within Qtz veinlet of very minor, very fine grained, disseminated, euhedral & tarnished py
869576	20-Sep-08	J.D. Williams					outcrop	2.2m channel	BiTel Knoll	8.2	0.58	0.04	0.06	40	3.54	11.4	4.3	2.8	4.1	1.37	0.4	Granite & occasional Qtz veinlet up to 3cm wide. No mx'n
869577	21-Sep-08	J.D. Williams					outcrop	0.7m channel	BiTel Knoll	18.4	2.91	0.18	0.07	30	1.57	15.5	8.2	1.5	1.1	5.10	0.2	Qtz-Quartzite contact; ~25cm red-brn limonite coated biotitic quartzite, remainder of interval coarse grained Qtz with occasional pale yellow-green blotches (chlorite?); org-brn limonite on fracture surfaces of Qtz. No mx'n
869578	21-Sep-08	J.D. Williams					outcrop	0.6m channel	BiTel Knoll	35.4	2.10	0.11	0.08	27	2.08	28.1	9.8	2.9	0.7	20.40	2.3	25-30cm Qtz vein structure nearly center of interval, hosted in hard, medium grey, nearly massive biotitic quartzite. No mx'n
869579	21-Sep-08	J.D. Williams					outcrop	0.9m channel	BiTel Knoll	160.8	10.93	0.62	0.11	38	2.19	12.1	5.8	0.7	0.4	6.19	65.7	Qtz vein structure extending full width of sample except for 20cm of biotitic quartzite that is irregularly chloritic & silicified. Quartzite bands or domains in Qtz. Org-brn limonite on fractures in Qtz. Occasional dark patch or smoky Qtz containing or consisting of very fine grained mx'n?
869580	21-Sep-08	J.D. Williams					outcrop	1.1m channel	BiTel Knoll	1630	138.06	6.87	0.29	235	3.84	3.2	2.8	0.3	0.3	18.84	32.0	Qtz vein across width of sample except for 10cm of silicified biotitic quartzite. Sparse wisps or splashes of very fine grained, dark grey material (may be mx'n?). Very occasional fine grained, pale yellow-green stain or coating at those places and elsewhere. Org-brn limonite on fractures in Qtz
869581	21-Sep-08	J.D. Williams					outcrop	0.6m channel	BiTel Knoll	1350	83.13	5.28	0.13	174	1.98	5.2	2.7	0.5	0.4	4.49	9.0	Qtz vein; usually white, locally translucent, containing minor, very irregular inclusions or rafts of partly resorbed biotitic quartzite, sometimes chlorite altered. No mx'n.
869582	21-Sep-08	J.D. Williams					outcrop	1.2m channel	BiTel Knoll	5.7	1.57	0.09	0.14	57	11.11	41.8	16.2	5.4	1.5	1.78	0.2	Biotitic (hornfelsed) quartzite, possible silicified, strongly foliated, seams & bands limonite staining & weak bleaching. No mx'r
869583	21-Sep-08	J.D. Williams					outcrop	1.3m channel	BiTel Knoll	6.8	1.16	0.08	0.10	50	5.20	33.5	17.2	6.0	1.2	9.57	0.6	Biotitic quartzite, often bleached in small patches; occasional Qtz lens or band & irregularly distributed diffuse Qtz throughout (silicification); very minor py as isolated euhedral fleck. Single irregular Qtz vein structure at west end of interval
869584	21-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	308.8	18.55	1.24	0.07	79	3.98	4.9	4.5	1.3	0.9	16.41	0.5	Quartz vein or structure (extension of that commented on in sample 869584); ~40cm wide (sample cut obliquely to it). Qtz white & coarse grained & milky containing partly resorbed & intensely altered host (biotitic quartzite). Very minor fleck py & sparse blue-grey wisps of very fine grained, sometimes metallic mineral.
869585	21-Sep-08	J.D. Williams					outcrop	1.2m channel	BiTel Knoll	76.2	4.34	0.31	0.09	45	4.78	32.1	9.3	2.2	0.6	13.45	0.2	Biotitic quartzite with abundant diffuse lighter colored light grey & pale grey silicified domains. No mx'r
869586	21-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	4.3	1.34	0.11	0.06	101	54.75	52.5	14.7	5.3	1.6	26.78	0.3	Medium to dark grey, hard, biotitic, hornfelsed quartzite. Thin, brown limonite coating on fracture surfaces. 10cm diorite towards west end of interval (possible K-alt'n? - Craig Kennedy 22Sep08). No mx'n.
869587	21-Sep-08	J.D. Williams					outcrop	1.2m channel	BiTel Knoll	1.1	0.08	<0.02	0.04	17	3.88	12.2	3.2	0.9	0.9	1.78	0.5	Altered, bleached & silicified granite. ~15% irregular Qtz. ~20cm wide zone of Qtz flooded brecciation at contact at west end of interval. No mx'r
869588	21-Sep-08	J.D. Williams					outcrop	0.5m channel	BiTel Knoll	1.8	0.67	0.10	0.14	88	3.75	32.4	29.2	12.2	0.7	15.80	0.3	Dark grey, fine grained, hornfelsed (biotitic) quartzite. Up to 15% very fine grained py over at least several cms near center of interval
869589	21-Sep-08	J.D. Williams					outcrop	1.0m channel	BiTel Knoll	26.6	1.70	0.09	0.07	141	5.63	5.8	3.3	0.6	6.4	11.68	0.7	Altered, bleached & silicified Qtz-flooded granite. Qtz sometimes translucent. ~10cm Qtz near west end of interval containing minor to 1% blue-grey wisps or blotches of very fine grained, sometimes metallic sulfide(s)?
869590	23-Sep-08	J.D. Williams					outcrop	1.4m channel	BiTel Knoll	0.6	0.19	0.03	0.07	82	11.40	41.7	16.0	7.1	3.4	3.98	1.2	Very silicic, very hard biotitic (hornfelsed) quartzite. ~10cm wide zone of strongly limonitic, locally rotten, strongly sericitic alteration with minor patch(es) white Qtz with patches of blue-grey cast.
869591	23-Sep-08	J.D. Williams					outcrop	0.6m channel	BiTel Knoll	1.1	0.54	0.06	0.08	92	33.73	34.9	9.9	3.5	1.5	2.09	0.9	Very hard, silicic, medium to dark grey biotitic (hornfelsed) quartzite. Org-brown limonite on seams. No mx'n
869592	24-Sep-08	J.D. Williams					outcrop	1.9m channel	BiTel Knoll	56.1	4.50	0.30	0.08	398	8.77	41.0	30.4	9.7	1.0	8.93	11.2	Hard, foliated, dark grey silicified quartzite; occasional dark green chlorite lens or knot; rare white vein? Qtz. No mx'n.
869593	24-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	10.8	0.55	0.05	0.10	772	33.91	102.0	58.2	18.9	0.8	5.63	28.4	Dark grey, hard, biotitic quartzite; locally bleached to tan color with greenish cast (sericitic). Near center of interval, 20cm Qtz marked by smoky pigment (possible mineralization?) & 20cm very dark grey silicified argillite quartzite containing ~5% very fine grained py. Red-brown & brown limonite coatings on fractures.
869594	24-Sep-08	J.D. Williams					outcrop	1.6m channel	BiTel Knoll	145.0	10.22	0.62	0.07	172	13.50	18.7	10.5	3.0	2.9	3.93	6.5	Predominantly white, coarse grained Qtz with ~30cm argillite quartzite near west end of interval. Org & org-brown limonite on fractures in Qtz. Occasional small, diffuse patch smoky, medium grey cast to Qtz (possible mineralization?)
869595	24-Sep-08	J.D. Williams					outcrop	1.4m channel	BiTel Knoll	93.6	5.41	0.34	0.10	529	30.00	2.6	11.2	2.2	1.1	1.43	74.1	Continuous white, coarse & medium grained Qtz with abundant, usually floating pale green to yellow-green patches & flecks (altered or resorbed granite?). Occasional spots of translucent smoky (mineralized?) Qtz. Abundant orange limonite & occasional heavy, iridescent red to red-brown limonite stain
869596	24-Sep-08	J.D. Williams					outcrop	1.3m channel	BiTel Knoll	1400	80.18	4.87	0.45	245	5							

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
869713	29-Sep-08	Pat Williams					chip	0.75m channel	Ella Vein	3.4	0.69	0.04	0.04	71	3.34	54.1	26.0	9.8	0.9	3.29	0.2	dkr grey/ reddish, f.g. micaceous + silicified quartzite lense on top of large quartz vein, strongly foliated silica banding concordant along foltn planes; brwn and orange oxides abund on weathered surfaces.
869714	29-Sep-08	Pat Williams					chip	0.65m channel	Ella Vein	2.1	1.22	0.10	<0.02	8	0.70	3.5	1.5	0.3	0.4	6.87	0.3	m.g. bull white to smky quartz vein; abund orange, brwn oxides on weathering surfaces; no visible sulphides
869715	29-Sep-08	Pat Williams					chip	0.9m channel	Ella Vein	9.2	1.82	0.15	0.04	130	4.08	31.5	9.2	3.4	2.6	5.95	0.3	chloritic/biotitic f.g. minor vuggy quartzite; orange to brwn oxides deposits abund; weakly to no foliation; no visible sulphides
869716	29-Sep-08	Pat Williams					chip	0.7m channel	Ella Vein	1.6	0.58	0.03	0.03	34	1.45	10.2	2.7	0.7	0.3	7.64	0.2	m.g. bull white to smky quartz vein; abund orange, brwn oxides on weathering/fractured surfaces; no visible sulphides
869717	29-Sep-08	Pat Williams					chip	0.95m channel	Ella Vein	0.8	0.28	0.03	0.04	31	1.19	18.9	5.1	1.4	1.5	14.53	0.3	m.g. bull, white to smky quartz vein with horizontal lenses of argillitic quartzite; both rock types have abund orange+brwn oxides, manganese, and hematite staining on weathered + fractured surfaces.
869718	29-Sep-08	Pat Williams					chip	0.65m channel	Ella Vein	2.1	0.30	0.02	0.04	27	1.72	23.3	10.2	2.9	1.6	13.22	1.2	m.g. wht to drk grey bull quartz vein; overlain/ contacted by f.g. micaceous quartzite; silicified and banded by clear/white quartz vein has abund. Hematite, brwn oxide staining; qrtzite has brwn and gossamous manganese staining
869719	1-Oct-08	Pat Williams					chip	1.1m channel	Ella Vein	8.8	0.31	0.03	0.18	64	9.07	2.4	1.9	0.3	0.6	2.83	<0.1	m.g. bull quartz vein, white to light grey; orange and brwn oxides abund on weathered/fractured surfaces; no visible sulphides
869720	1-Oct-08	Pat Williams					chip	1.15m channel	Ella Vein	1.0	0.11	<0.02	0.06	25	2.35	5.4	2.3	0.4	0.7	3.04	<0.1	m.g. bull quartz vein, white to light grey; orange and brwn oxides abund on weathered/fractured surfaces; trace of veinlets of black to yellow altered qrtz; no visible sulphides.
869721	1-Oct-08	Pat Williams					chip	1.8m channel	Ella Vein	19.1	1.58	0.11	0.05	119	23.20	53.6	11.7	2.7	1.8	12.16	3.4	f.g. argillitic quartzite, drk grey to reddish grey w/ white quartz along foliation planes; abund org-brwn oxides on weathered/fractured surfaces w/ drk brwn and blk gossamous manganese staining common; qrtzite is interbedded w/ bull wht qrtz veinlets up to 3cm thick
869722	1-Oct-08	Pat Williams					chip	0.95m channel	Ella Vein	2.9	0.12	<0.02	0.06	50	9.19	4.1	2.1	0.4	16.4	7.74	0.3	m.g. wht bull quartz vein; orange to brwn oxides abund on weathered + fractured surfaces; no visible sulphides
869723	1-Oct-08	Pat Williams					chip	1.4m channel	Ella Vein	8.3	0.42	0.05	0.09	49	4.21	46.0	11.8	4.7	1.4	16.23	1.6	minority vuggy, f.g. drk grey to greenish grey micaceous quartzite; moderately foliated; localized areas of strongly silicified, green(chloritic) and white quartzite mineralization; drk brwn to orange weathering deposits abund; no visible sulphides.
869724	1-Oct-08	Pat Williams					chip	0.75m channel	Ella Vein	19.0	1.09	0.05	0.38	26	4.19	10.5	1.4	0.2	0.5	8.51	0.1	50cm wide white quartz vein; 80% bull m.g. quartz, 20% disseminated f.g. w/ biotitic mineralization common; whole sequence, brwn to orange oxide deposits on weathered/fractured surfaces.
869725	1-Oct-08	Pat Williams					chip	0.85m channel	Ella Vein	3.4	0.54	0.04	0.10	86	4.97	71.5	32.5	11.4	2.5	7.16	0.4	grey/greenish/reddish f.g. micaceous, quartzite; localized mineralization of disseminated micas and silicified in vugs and along foliation planes; drk brwn to bright orange weathering deposits; trace pyrite.
869726	1-Oct-08	Pat Williams					chip	1.7m channel	Ella Vein	2.7	0.44	0.04	0.04	59	2.11	2.9	1.7	0.3	0.9	1.62	0.2	white bull quartz vein; orange to brwn oxides, hematite stains abund on weathered and fractured surfaces; no visible sulphides
869727	1-Oct-08	Pat Williams					chip	0.7m channel	Ella Vein	4.6	0.42	0.04	0.08	53	4.14	77.3	34.6	6.5	2.6	16.40	4.5	light green, drk greenish-grey, reddish grey, f.g. micaceous quartzite; crosscut and local mineralization of quartz(white to black), silicification strong along foliation planes; or light brwn weathering oxides; no visible sulphides.
869728	1-Oct-08	Pat Williams					chip	1.25m channel	Ella Vein	314.9	45.62	1.98	0.19	6458	77.28	4.6	1.8	0.3	1.6	3.28	0.2	m.g. white to blue bull quartz vein; limonite + orange to brwn oxide deposits common on weathered/fractured surfaces; no visible sulphides
869729	2-Oct-08	Pat Williams	5434352	471632.9	1274		chip	1.25m channel	Blue Quartz	5.0	0.37	0.35	0.08	258	98.19	31.4	9.8	6.7	2.5	3.97	<0.1	f.g. pinkish grey to drk grey, micaceous quartzite; silicification abund along moderately foliated planes and in fine localized areas; limonite and brwn/orange weathering deposits abund; intersected by 10cm quartz vein, bull white/smky highly weathered, hematite and org/brwn oxide staining abund; no visible sulphides. Location coords from compass & tape measurements of local reference point wrt GPS coords of ref. pt. of Moly trench [JDW - 09Jul09]
869730	2-Oct-08	Pat Williams					chip	1.65m channel	Blue Quartz	2.7	1.03	0.20	0.08	220	168.56	59.7	20.4	9.5	0.3	25.60	0.2	light to drk grey to pinkish grey micaceous quartzite; strongly silicified both locally and along foliation planes and weathered/fractured surfaces; drk brwn/ orange oxide deposits + limonite abund on weathered/fractured surfaces; visible sulphides (Py or calcopyrite?) trace massive and disseminated, moderately weathered
869731	2-Oct-08	Pat Williams					chip	0.75m channel	Blue Quartz	19.6	2.38	0.12	0.08	129	47.97	17.5	8.2	4.2	0.8	26.90	0.2	smky to white to blue bull quartz veins; smaller veins(2cm) intersect micaceous quartzite; hematite + orange + brwn oxides common on weathered + fractured surfaces; no visible sulphides.
869732	2-Oct-08	Pat Williams					chip	1.9m channel	Blue Quartz	2.1	0.62	0.19	0.08	149	113.15	87.3	35.1	14.5	0.1	7.13	0.2	f.g. drk grey, greenish grey, drk green, pinkish grey, micaceous quartzite; abund silicification along foliation planes and veinlets(<1cm); common occurrence of sulphide(Py, po, and cpy) massive and disseminated, w/ some mod weathering; extent of channel moderately weathered w/ abund org/brwn oxide staining and common to trace limonite deposits.
869733	2-Oct-08	Pat Williams					chip	0.3m channel	Blue Quartz	1.5	0.62	0.12	0.11	328	194.63	61.7	13.6	4.8	2.1	39.78	0.3	f.g. micaceous quartzite, weakly foliated w/ silicification along foliation planes; orange/ brwn oxides abund, drk brwn manganese stains common on weathered/fractured surfaces; trace of disseminated Pyrite.
869734	2-Oct-08	Pat Williams					chip	0.34m channel	Blue Quartz	2.6	0.61	0.15	0.14	289	99.22	8.2	7.1	1.5	11.6	34.84	0.4	blue to white bull quartz vein; bright orange & brwn oxides abund; no visible sulphides
869735	2-Oct-08	Pat Williams					chip	0.9m channel	Blue Quartz	0.7	0.13	0.12	0.11	143	89.01	48.2	19.5	7.0	1.6	4.36	0.1	grey, pinkish grey, f.g. moderate foliated micaceous quartzite; strongly silicified along foliation planes; common limonite; abund brwn/orange oxides on weathered/fractured surfaces; trace of disseminated Pyrite.
869736	2-Oct-08	Pat Williams					chip	0.65m channel	Blue Quartz	4.0	0.27	0.17	0.19	225	120.75	25.2	3.6	1.1	25.4	8.53	0.1	f.g. smokey/ blue quartz vein; weathered/bleached; drk brwn gossamous manganese staining abund, org brwn oxides abund; no visible sulphides
869737	2-Oct-08	Pat Williams					chip	1.35m channel	Blue Quartz	6.7	3.67	0.21	0.18	490	271.04	42.1	11.0	4.1	2.4	30.70	0.2	f.g. highly altered to clay/oxides, micaceous quartzite; light grey, pinkish grey, weakly foliated and silicified along foliation planes; light brwn to orange+manganese stains abund on weathered/fractured surfaces; no visible sulphides
869738	2-Oct-08	Pat Williams					chip	0.4m channel	Blue Quartz	16.1	16.43	1.03	0.10	2095	272.82	37.4	3.1	0.7	1.6	16.06	0.2	highly weathered, bleached blue to smky to white bull quartz vein; limonite and orange/brwn oxide stains abund on weathered/fractured surfaces; no visible sulphides.
869739	2-Oct-08	Pat Williams					chip	0.3m channel	Blue Quartz	3.5	1.91	0.16	0.17	338	229.20	72.9	10.6	4.3	2.3	29.55	0.2	light grey, drk grey, f.g. micaceous quartzite; moderately foliated w/ silicification along foliation planes; no visible sulphides
869740	3-Oct-08	Pat Williams					chip	1.6m channel	Blue Quartz	16.9	2.76	0.17	0.25	1265	92.01	17.0	1.4	1.4	9.6	48.87	1.0	off white, m.g. moderately altered granite; highly reduced biotite w/ smokey quartz and bleached quartz; highly weathered K-spar; no visible sulphides
869741	3-Oct-08	Pat Williams	5434353	471644	1274		chip	0.6m channel	Moly Vein	3.8	0.35	0.05	0.07	378	10.83	25.6	3.5	1.0	2.5	7.78	0.5	m.g. white to grey granite; smokey quartz abund, biotite and muscovite common; mod weathered K-spar; micaceous mineralization abund on quartz vein contact; no visible sulphides.
869742	3-Oct-08	Pat Williams					chip	0.35m channel	Moly Vein	33.2	12.10	0.75	0.06	2489	42.80	8.7	1.9	0.9	2.6	11.74	1.5	off white, white, smokey bull quartz vein; w/ trace of galena
869743	3-Oct-08	Pat Williams					chip	0.8m channel	Moly Vein	3.9	0.40	<0.02	0.07	227	15.86	25.3	4.0	1.4	4.5	8.13	1.9	m.g. to c.g. white to grey granite w/ off white/smokey quartz, w/ disseminated muscovite; quartz is moderately bleached throughout channe
869744	3-Oct-08	Pat Williams					chip	0.54m channel	Moly Vein	242.2	24.34	1.19	0.14	7184	203.72	4.3	1.9	0.3	6.8	160.10	6.1	white to drk grey bull quartz vein, highly fractured; hanging wall of normal fault setting; low bleached quartz; irregular banding/recrystallized quartz near fault; trace Pyrite.
869745	3-Oct-08	Pat Williams					chip	0.85m channel	Moly Vein	0.5	0.07	<0.02	0.09	96	30.26	1.0	1.3	0.2	1.2	11.26	0.2	foot wall setting; white moderately brecciated quartz vein w/ drk grey (bismuth?) mineral matrix surrounding white quartz clasts; no visible sulphides
869746	3-Oct-08	Pat Williams					chip	0.3m channel	Moly Vein	4.9	0.94	0.03	0.05	256	14.18	16.1	2.1	0.9	4.2	2.52	0.8	m.g. white/grey granite; smokey quartz; biotite rare, muscovite common; K-spar moderately leached; outcrop mild to moderately weathered; no visible sulphides.
869747	3-Oct-08	Pat Williams					chip	0.55m channel	Moly Vein	5180	324.94	18.53	2.61	14103	181.25	4.5	2.0	0.3	2.6	96.16	60.0	hanging wall setting; m.g. moderately fractured, white to smokey bull quartz vein; disseminated muscovite matrix on weathered/fractured surfaces; no visible sulphides.
869748	3-Oct-08	Pat Williams					chip	1.55m channel	Moly Vein	3.7	0.60	0.05	0.20	238	62.89	2.9	0.8	0.2	1.7	15.86	0.2	footwall setting; white moderately brecciated quartz vein w/ drk grey (bismuth?) mineral matrix surrounding white quartz clasts; no visible sulphides
869749	3-Oct-08	Pat Williams					chip	0.3m channel	Moly Vein	13.4	1.71	0.12	0.18	590	34.01	26.2	3.6	2.0	7.2	18.87	1.7	m.g. white and grey granite, finely to coarsely banded w/ grey quartz; smokey quartz abund; abund muscovite matrix; weathered biotite common; strongly foliated along quartz vein contact.
869750	3-Oct-08	Pat Williams					chip	0.6m channel	Moly Vein	1110.6	114.03	5.07	1.10	20740	245.34	3.5	0.8	0.2	1.6	59.81	1.7	predominately white to smokey, fractured bull quartz vein; hanging wall setting, normal fault, deformed, foliated along overlying granite contact; no visible sulphides.
869751	24-Sep-08	M.Mankowske	5433288	475033	1159.9	MM211	outcrop		McCormick Creek, Powerline rd.	8.6	0.11	0.05	0.07	234	5.51	19.6	39.5	15.0	2.5	0.21	0.2	Quartzite/Limestone contact, >1% pyrite
869752	25-Sep-08	M.Mankowske	5433198	474330	1216.9	MM212	outcrop		McCormick Creek, Powerline rd.	0.4	0.41	0.08	0.06	264	5.52	91.4	46.8	16.2	2.4	7.20	0.3	Quartzite, <1% pyrite, sil. alteration, graphitic, rusty, fracturec
869753	25-Sep-08	M.Mankowske	5433329	474909	1155.1	MM213	outcrop		McCormick Creek, Powerline rd.	1.6	0.17	0.08	0.03	159	10.93	45.3	32.4	10.7	0.4	2.10	0.2	Quartzite, sil alteration, fine bedding layers
869754	25-Sep-08	M.Mankowske	5433327	474938	1153.9	MM214	outcrop		McCormick Creek, Powerline rd.	15.6	0.15	0.08	0.08	632	5.85	44.0	34.9	14.3	2.7	0.33	0.3	Quartzite/Limestone contact >1% pyrite, sil alteration, rusty
869755	25-Sep-08	M.Mankowske	5433294	475029	1151.3	MM215	outcrop		McCormick Creek, Powerline rd.	0.7	<0.02	0.07	<0.02	4	4.57	5.4	4.8	0.8	0.5	0.06	<0.1	Limestone
869756	25-Sep-08	M.Mankowske	5433294	475029	1150.8	MM216	outcrop		McCormick Creek, Powerline rd.	16.8	0.41	0.09	0.89	2354	21.69	32.5	6.1	5.7	30.8	7.91	0.6	Quartzite, pyrite <1%, with quartz veining
869757	25-Sep-08	M.Mankowske	5433292	475053	1153.5	MM217	outcrop		McCormick Creek, Powerline rd.	4.4	0.06	0.04	0.06	82	5.22	30.2	10.6	3.5	2.5	4.48	0.8	Quartzite/Granite contact
869758	25-Sep-08	M.Mankowske				MM218	outcrop		McCormick Creek, Powerline rd.	8.9	0.39	0.16	0.08	726	16.13	39.2	9.6	2.5	10.6	7.12	0.3	Melased, fractured, rusty, coated with Fe & Mn, <5% py, fine blue-grey sulfides (galena)
869759	25-Sep-08	M.Mankowske	5433356	474340	1271.9	MM219	outcrop		McCormick Creek, Powerline rd.	1.8	0.48	0.10	0.11	484	9.81	91.4	72.7	21.9	3.1	5.04	0.3	Quartzite, <1% pyrite, sil. alteration, graphitic
869760	26-Sep-08	M.Mankowske	5433264	47507																		

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
869789	4-Oct-08	M.Mankowske	5432949	474749		MM249	outcrop		McCormick Creek, Powerline rd.	1.2	0.03	<0.02	0.03	5	2.48	11.9	4.1	1.8	0.3	0.24	<0.1	Quartzite
869790	4-Oct-08	M.Mankowske	5432951	474748		MM250	outcrop		McCormick Creek, Powerline rd.	5.0	0.23	0.09	0.04	385	17.61	29.7	14.3	4.5	8.5	3.02	0.3	Quartzite
869791	4-Oct-08	M.Mankowske	5432951	474748		MM251	outcrop		McCormick Creek, Powerline rd.	5.5	0.55	0.15	0.04	744	20.25	19.4	17.2	8.2	6.6	5.03	0.3	Quartzite, sil alteration, minor pyrrhotite
869792	4-Oct-08	M.Mankowske	5432951	474748		MM252	outcrop		McCormick Creek, Powerline rd.	0.8	<0.02	<0.02	0.03	10	0.63	1.7	1.9	0.6	0.2	0.22	<0.1	Quartz vein at contact with granite
869793	5-Oct-08	M.Mankowske	5432820	473835	1044	MM253	outcrop		McCormick Creek Road	0.6	0.30	<0.02	0.11	69	19.16	33.7	2.8	3.7	1.7	2.16	0.4	Quartzite
869794	5-Oct-08	M.Mankowske	5432820	473835		MM254	outcrop		McCormick Creek Road	3.3	0.52	0.06	0.05	600	17.01	31.3	15.0	5.5	1.4	9.37	0.6	Quartzite, sil. alteration, strike N/S
869795	5-Oct-08	M.Mankowske	5432838	473804	1046	MM255	outcrop		McCormick Creek Road	1.3	0.85	0.03	0.06	291	54.33	8.3	1.7	0.8	4.6	0.78	0.1	Quartzite, graphitic, sil. alteration, minor sulphides <1%
869796	5-Oct-08	M.Mankowske	5432537	474012	968	MM256	outcrop		McCormick Creek Road	11.0	0.32	0.03	0.09	79	6.01	69.3	45.7	49.2	2.6	1.31	0.1	Quartzite, graphitic, sil. alteration, hematite stain, pyrite>1%
869797	5-Oct-08	M.Mankowske	5432327	474358		MM257	outcrop		McCormick Creek Road	1.0	0.13	<0.02	0.03	101	8.23	27.8	5.3	3.0	0.5	0.76	<0.1	Quartzite, sil. alteration, light matrix, rust stain
869798	5-Oct-08	M.Mankowske	5432327	474358		MM258	outcrop		McCormick Creek Road	0.2	0.23	0.08	0.05	239	12.22	61.3	31.3	10.6	2.1	3.08	0.1	Quartzite, graphitic, sil. alteration, pyrite<1%
869799	5-Oct-08	M.Mankowske	5432412	474110	957	MM259	outcrop		McCormick Creek Road	2.1	0.29	0.09	0.09	273	10.86	72.1	30.4	9.2	1.5	2.33	0.1	Quartzite, sil alteration, graphitic with fine layers, rust
869800	5-Oct-08	M.Mankowske	5432371	474373	932	MM260	outcrop		McCormick Creek Road	2.0	0.05	<0.02	0.08	127	26.57	31.6	3.9	2.1	6.2	0.36	<0.1	Quartz veining in road, rusty fractures
918051	18-Aug-08	M.Mankowske, G. Laplante	5434121	471975		1	outcrop		East of granite intrusion, upper marsh	0.6	0.07	0.03	1.98	84	6.64	86.8	30.0	13.9	20.4	0.91	<0.1	Striking west diabase, minor magnetite, no sulphides
918052	18-Aug-08	M.Mankowske, G. Laplante	5434141	472142		2	float		East of granite intrusion, upper marsh	6.2	0.24	0.05	0.30	75	20.59	29.9	10.7	3.8	4.8	1.17	<0.1	Argillite schist with quartz veining, 1-3 cm vugs of rust oxide
918053	18-Aug-08	M.Mankowske, G. Laplante	5434081	472391		3	outcrop		East of granite intrusion, upper marsh	2.5	0.21	0.03	0.19	10	8.67	65.7	21.9	7.5	1.6	0.73	<0.1	Argillite schist with quartz veining, 1-3 cm vugs of rust oxide
918054	19-Aug-08	M.Mankowske, G. Laplante	5433926	471935	1254.4	MM1	outcrop		S.E. of granite intrusion, upper marsh	3.1	0.04	<0.02	0.10	29	7.95	9.4	4.5	1.1	12.8	0.99	0.2	Granite, intermediate, minor sulphides>1%
918055	19-Aug-08	M.Mankowske, G. Laplante	5433913	471922	1251.8	MM2			S.E. of granite intrusion, upper marsh	1.5	0.04	0.02	0.29	51	8.22	16.0	4.8	1.0	6.0	1.93	<0.1	Granite with quartz veining with rust staining
918056	19-Aug-08	M.Mankowske, G. Laplante	5433642	472029	1207.8	MM4			S. of granite intrusion, Upper Marshalling Point	1.0	0.31	0.03	0.66	88	28.81	26.3	8.1	1.5	3.1	0.80	<0.1	Argillite schist, large quartz vein, rust stained, no sulphides
918058	19-Aug-08	M.Mankowske, G. Laplante	5433638	472029	1207.8	MM6	outcrop		S. of granite intrusion, Upper Marshalling Point	2.5	0.08	0.02	0.11	74	8.72	78.9	23.8	12.5	7.9	0.31	<0.1	Diabase, minor pyrite
918060	19-Aug-08	M.Mankowske, G. Laplante	5433643	471969	1189.5	MM8	outcrop		S. of granite intrusion, Upper Marshalling Point	2.5	0.07	<0.02	0.04	27	5.37	11.6	3.6	0.7	1.5	1.19	0.1	Granite:strike N/S dip 105 West
918061	19-Aug-08	M.Mankowske, G. Laplante	5433508	471966	1201.5	MM9	float		S. of granite intrusion, Upper Marshalling Point	2070	144.75	5.69	0.18	1054	4.25	42.3	46.9	36.3	0.9	11.84	260	Argillite siliceous altered, sulphides >5% Black light response Moly
918063	19-Aug-08	M.Mankowske, G. Laplante	5433601	471906	1161.1	MM11	outcrop		S. of granite intrusion, Upper Marshalling Point	12.0	1.07	0.05	0.07	16	4.29	14.9	4.0	0.8	0.6	3.37	1.7	Granite, unaltered
918064	19-Aug-08	M.Mankowske, G. Laplante	5434619	470997	961.9	MM12	outcrop		S. of granite intrusion, Upper Marshalling Point	5.2	0.43	<0.02	0.14	20	7.36	34.5	1931.0	113.4	18.7	0.20	0.6	Andesite dike, strongly magnetic; Localtion coordinates thought to be incorrect
918065	19-Aug-08	M.Mankowske, G. Laplante	5434571	471018	959.3	MM13	outcrop		S. of granite intrusion, Upper Marshalling Point	3.1	0.55	0.06	0.29	170	14.32	73.1	101.1	16.7	12.7	0.27	0.1	Argillite, schist; Localtion coordinaies thought to be incorrect
918066	19-Aug-08	M.Mankowske, G. Laplante	5434499	471020	961.4	MM14	outcrop		S. of granite intrusion, Upper Marshalling Point	2.2	0.16	0.03	0.29	72	1.82	40.3	608.1	43.6	12.6	2.22	0.6	Andesite dike, strongly magnetic; Localtion coordinates thought to be incorrect
918067	20-Aug-08	M.Mankowske, G. Laplante	5436239	470689			outcrop		Nude Rd 5436433/470507	2.2	0.10	<0.02	1.25	47	2.32	66.6	20.2	18.9	3.8	1.03	0.5	Andesite dike,
918068	20-Aug-08	M.Mankowske, G. Laplante	5435983	470491	1168.4	MM15	outcrop		Nude Rd	2.5	0.02	0.03	1.46	160	2.07	25.8	27.6	13.2	3.8	0.54	0.2	Andesite with olivine, minor magnetite
918069	20-Aug-08	M.Mankowske, G. Laplante	5435897	470470	1184	MM16			Nude Rd	1.8	0.02	<0.02	0.96	56	2.07	72.9	31.5	34.4	5.9	0.31	0.1	Andesite with manganese
918070	20-Aug-08	M.Mankowske, G. Laplante	5435794	470446	1177.3	MM17	subcrop		Nude Rd	22.2	0.03	0.10	4.30	394	6.78	74.5	34.8	35.8	340.4	1.33	0.2	Andesite with iron oxide, minor sulphides
918071	20-Aug-08	M.Mankowske, G. Laplante	5436712	470556	1110.7	MM18	outcrop		Nude Rd	6.4	0.03	0.12	0.55	152	2.56	73.6	14.1	18.5	24.0	0.54	0.1	Ultramafic, fractured, coated with manganese, magnetic
918072	20-Aug-08	M.Mankowske, G. Laplante	5436737	470581	1106.6	MM19			Nude Rd	4.6	0.21	0.14	0.26	162	3.98	136.5	95.2	31.5	8.4	0.55	0.1	Andesite, rust coated, fractured
918073	20-Aug-08	M.Mankowske, G. Laplante	5436732	470572	1104.9	MM20			Nude Rd	9.7	0.23	0.17	0.27	491	15.15	113.3	50.8	33.2	17.3	1.39	0.1	Andesite, rust coated, fractured
918074	20-Aug-08	M.Mankowske, G. Laplante	5436838	470591	1098.2	MM21			Nude Rd	1.8	<0.02	<0.02	1.89	84	2.09	80.4	17.9	23.3	9.9	0.35	0.2	Andesite, rust coated, fractured, with sulphides
918075	20-Aug-08	M.Mankowske, G. Laplante	5436900	470605	1091.7	MM22			Nude Rd	0.9	0.06	0.05	2.43	112	9.84	75.2	24.1	13.5	31.9	39.12	<0.1	Andeite, with 1% sulphides
918076	21-Aug-08	M.Mankowske, G. Laplante	5433591	471875	1134	MM26	outcrop		S. of granite intrusion, Upper Marshalling Point	1.8	0.09	<0.02	0.04	58	5.64	4.4	1.8	0.4	0.6	18.43	0.6	Granite with 8cm quartz vein with tourmaline
918077	21-Aug-08	M.Mankowske, G. Laplante	5433591	471875		MM27			S. of granite intrusion, Upper Marshalling Point	3.0	0.08	<0.02	0.03	55	26.02	7.9	1.0	0.7	2.0	1.79	0.2	Granite next to quartz vein
918078	21-Aug-08	M.Mankowske, G. Laplante	5433476	471802	1121.3	MM29	outcrop		S. of granite intrusion, Upper Marshalling Point	1.1	0.36	0.03	0.08	36	8.16	33.6	11.2	5.8	3.2	1.14	<0.1	Argillite with quartz, hornfeld, foliated
918079	21-Aug-08	M.Mankowske, G. Laplante	5433553	471707	1047.2	MM32	outcrop		S. of granite intrusion, Upper Marshalling Point	0.3	0.05	<0.02	0.04	21	4.13	28.3	12.1	4.0	0.8	0.60	<0.1	Argillite, schist contact with granite, siliceous
918080	21-Aug-08	M.Mankowske, G. Laplante	5433585	471649	1042.9	MM34	outcrop		S. of granite intrusion, Upper Marshalling Point	0.2	0.06	<0.02	0.04	21	4.46	33.0	16.9	5.6	1.1	0.52	<0.1	Granite, with quartz vein 25 cm
918081	21-Aug-08	M.Mankowske, G. Laplante	5433587	471651	1056.4	MM35	outcrop		S. of granite intrusion, Upper Marshalling Point	2.7	0.46	0.07	0.20	77	9.67	34.0	17.6	7.3	21.3	1.78	0.2	Argillite, highly altered, foliated, with quartz veining, graphitic
918082	21-Aug-08	M.Mankowske, G. Laplante				MM30	outcrop		S. of granite intrusion, Upper Marshalling Point	1.5	0.65	0.05	0.20	95	10.69	39.2	9.2	6.3	15.1	0.81	<0.1	Meta-argillite with oblique clasts, pelite +syenite; location not recorded
918083	22-Aug-08	M.Mankowske, G. Laplante	5433511	472300	1350.5	MM36	outcrop		S.E. of granite intrusion, Upper Marshalling Point	0.7	0.19	<0.02	0.11	68	4.33	78.9	19.0	5.5	2.1	0.44	<0.1	Meta-argillite, minor sulphides>1%, pyrrhotite, non calc.
918084	22-Aug-08	M.Mankowske, G. Laplante	5433511	472247	1324.3	MM38	outcrop		S.E. of granite intrusion, Upper Marshalling Point	0.3	0.09	<0.02	0.07	15	4.72	35.9	9.1	2.9	2.5	0.30	<0.1	Meta-argillite with quartz veining chloritized, graphitic
918085	22-Aug-08	M.Mankowske, G. Laplante	5433438	472194	1315.9	MM39	outcrop		S.E. of granite intrusion, Upper Marshalling Point	0.4	0.22	<0.02	0.10	15	16.93	68.0	29.5	12.4	6.4	0.38	<0.1	
918086	22-Aug-08	M.Mankowske, G. Laplante	5433375	472134	1318.6	MM40	outcrop		S.E. of granite intrusion, Upper Marshalling Point	0.6	0.31	<0.02	0.07	48	23.93	101.1	35.9	14.7	6.5	0.25	<0.1	S. Edge of log cut
918087	22-Aug-08	M.Mankowske, G. Laplante	5433502	472261	1333.7	MM37	outcrop		S.E. of granite intrusion, Upper Marshalling Point	1.0	1.37	0.12	1.34	54	17.21	53.5	23.0	6.4	24.0	0.84	<0.1	Meta-argillite
918088	23-Aug-08	M.Mankowske, A.Last	5435318	471455	1051.3	MM41	outcrop		Ciel Creek, North	0.7	0.02	<0.02	0.13	60	2.37	88.5	16.0	35.2	1.5	0.34	0.1	Andesite dike, strongly magnetic; [Coods from GPS - JDW]
918089	23-Aug-08	M.Mankowske, A.Last	5435396	471519	1083	MM42	outcrop		Ciel Creek, North	1.2	0.04	<0.02	0.10	33	15.71	9.6	1.5	0.7	3.8	0.52	<0.1	Granitic, siliceous, altered, N/S strike, East dip
9180																						

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
918108	27-Jul-08	D.Jackson	5434062	472238			float		none	3.3	0.08	0.02	0.24	34	5.09	8.2	4.8	1.7	33.6	0.92	0.1	Chalky silicification with minor veinlets of white & translucent quartz. Buff w/xg of bleached material due to pervasive limonite cast & patches of heavier stain. No character specimen.
918109	27-Jul-08	D.Jackson	5434101	472502			float		none	6.3	0.30	0.17	0.19	294	17.54	12.9	4.7	2.4	61.8	0.59	<0.1	Quartz: massive, white, & coarse grained; weakly foliated with minor limonite & hematite stain, pitted w/xg surface. No character specimen
918110	27-Jul-08	D.Jackson	5434098	472536			float		none	0.9	0.05	<0.02	0.07	13	7.37	12.2	4.1	0.9	1.2	0.54	<0.1	White coarse grained quartz, several pits, minor org & yel limonite stain. Possible band or indistinct domain of nearly resorbed granite. No character specimen
918111	27-Jul-08	D.Jackson	5434145	472577			float		none	1.6	0.16	<0.02	0.11	89	43.81	20.2	2.4	0.8	6.1	0.61	0.2	Quartz: coarse grained, limonite stained & pitted. Sample includes material displaying granite gangue or predominant granite. No character specimen
918112	23-Jul-08	D.Jackson	5434197	472621		918910	unknown	L108S-880E	At site of soil sample #918910.	1.5	<0.02	<0.02	0.04	14	6.99	9.6	1.3	0.3	23.5	0.51	<0.1	Quartz: white, coarse grained, weakly foliated, weak limonite stain. Single rock - no character specimen
918113	23-Jul-08	D.Jackson	5434198	472642		918911 or 918912?	unknown		At site of soil sample #918911. Sample is a standard; assume same location of soil sample #918912.	0.5	<0.02	<0.02	0.07	36	15.09	2.3	1.4	0.2	0.5	0.48	<0.1	Quartz: very coarse grained, white with prominent hematite stain on fracture surfaces with lesser orange limonite stain. Possible altered granite on single surface. Single rock constitutes sample - no character specimen.
918114	28-Jul-08	D.Jackson	5434213	472943		918930	unknown		At site of soil sample #918930.	0.8	0.07	<0.02	0.06	18	7.54	33.1	7.8	2.8	1.1	0.46	<0.1	Quartz: White colored but of variable character - some prominently hematite stained, others limonite stained. Local dark green chlorite & minor disseminated py appear in some parts of sample. No character specimen.
918115	1-Aug-08	D.Jackson	5434796	471132		918697	unknown		At site of soil sample #918697.	16.5	2.48	0.05	0.26	48	0.90	26.3	2754.2	139.5	103.9	0.40	0.9	Serpentinized ultramafic: weak-moderate serpentinization, soapy feel, chlorite or fiber filled fractures, v. minor fine grained py in places, strongly magnetic. No character specimen
918116	3-Aug-08	P.MacDonald-K.Bazil	5434330	471270		CT150, 917561	outcrop	sleep bedrock wall	At site of till sample #917563: near 2007 sample CT150; coordinates for parent sample #917561.	1.9	0.05	0.04	0.23	157	4.14	63.2	7.8	2.8	12.5	1.24	0.2	Quartz: w/lt, coarse grained, strongly limonite stained on fracture surfaces only. Sample broken from part of single football-sized sample returned from field.
918117	28-Jul-08	N.MacLeod	5434397	471210		918755	unknown		At soil station L020N-520W, soil sample #918755.	9.7	0.22	0.11	0.20	240	17.73	25.9	13.0	2.4	7.9	0.32	0.1	Metagranite: nearly massive, very mature, off-white, sometimes light grey colored. Heavy org-red earthy limonite in pits occasionally distributed throughout material & along fracture planes. Minor irregular py blebs assoc'd with limonite
918118	19-Aug-08	J.Donaldson	5432437	469081	595.9	JD01	unknown		JD01(a) - near south boundary in southwest center of Property	1.5	0.13	0.05	0.28	69	11.62	22.4	35.6	38.3	11.8	5.93	<0.1	Quartz: First of two samples at location. Irregularly banded vein-quartz with about 50% gangue which appears to be strongly altered granite, all in a medium to dark brown limonite stained, pitted & w/d material. Minor irregular bleb or streak py
918119	19-Aug-08	J.Donaldson	5432437	469081	595.9	JD01	unknown		JD01(b) - near south boundary in southwest center of Property	23.5	24.07	2.51	0.24	6892	506.66	23.6	11.4	3.6	1.4	1.07	<0.1	Quartz: Second of two samples at location. Weakly foliated vein quartz with strongly limonitic bands of org-red-bm earthy powder & occasional yellow stain. Gangue poorly represented but appears to be a sheared or schistose pelite.
918120	19-Aug-08	J.Donaldson				JD02	unknown		JD02	25.9	0.24	0.05	0.17	80	9.95	31.7	21.5	22.4	12.1	1.61	<0.1	Quartz in silicification: thin white quartz vein 1 to 2cms wide in a distinctive bright medium green chloritic silicified host. Locally abundant fine & coarse grained py associated with gangue. Other fragments of sample display cockscomb & pitted quartz & strong limonite stain.
918121	19-Aug-08	J.Donaldson	5432532	469030		918468	unknown		At site of till sample #918468.	<0.2	0.41	0.04	0.15	103	8.48	1.2	2.2	0.4	0.3	0.53	<0.1	Quartz: snow white, coarse grained, (not bull qtz). Boulder with thin, pale beige w/xg rind
918122	19-Aug-08	J.Donaldson	5432532	469030		918468	unknown		At site of till sample #918468	0.6	0.14	0.08	3.59	1608	11.99	171.7	54.4	7.2	11.0	18.33	<0.1	Limestone: folded, thin banded, grey colored, containing about 3% medium grained euhedral py, most of which have gone to limonite, emphasized by a halo of org-brn limonite stain.
918123	19-Aug-08	J.Donaldson	5433009	468751		918481	unknown		At site of till sample #918481	1.1	0.23	<0.02	0.38	205	13.92	11.4	13.4	6.5	4.1	0.71	<0.1	Quartz: white, coarse grained vein-quartz, somewhat banded, significantly pitted, bands & fractures strongly limonitic with earthy org-brn deposits. Minor grey phyllite on some surfaces, v. minor small blebs & isolated euhedra py
918124	19-Aug-08	J.Donaldson	5433043	466573		918482	unknown		At site of till sample #918482	1.4	0.09	<0.02	0.88	76	16.34	56.2	13.2	5.2	6.7	0.45	<0.1	Granite? apilite? - predominantly unaltered feldspar with quartz & distinctive & pervasive limonite, uniformly 15% by volume occurring as an irregular network thruout all samples. Minor to 1% fine grained disseminated py
918125	2-Sep-08	D.Jackson-G.Laplante	5432095	473790			unknown			0.6	0.02	<0.02	0.04	40	14.06	11.2	3.7	2.3	0.4	0.39	<0.1	Quartz: nearly massive white vein-quartz with minor diffuse grey bands & seams & v. minor flecks muscovite. Trace v.f.g. py. Host phyllite. Other rocks include gry & wht quartzite, quartz in phyllite & thin banded m.q. lst, gry w/ off-white bands
918126	2-Sep-08	D.Jackson-G.Laplante	5432095	473790			unknown			0.6	0.20	<0.02	0.06	170	15.77	273.9	7.0	1.8	11.6	0.97	<0.1	Quartzite: fairly mature, non-calcareous, weakly foliated, predominantly white with usually diffuse grey fraction. Irreg'ly dist'd f.g. py ranging to 2% locally
918127	2-Sep-08	D.Jackson-G.Laplante	5432095	473790			unknown			0.8	0.14	<0.02	0.12	144	23.10	50.6	8.5	3.0	1.8	1.08	0.2	Quartz in phyllite. About 40% wht & translucent qtz in variably micaceous phyllite. Nearly pervasive limonite stain w/ earthy drk org-brn limonitic centers. No character specimen.
918128	2-Sep-08	D.Jackson-G.Laplante	5432095	473790			unknown			<0.2	<0.02	<0.02	0.02	9	4.20	2.9	2.4	<0.1	1.2	0.52	<0.1	Limestone: medium to fine grained, nearly successively thinly pigmented, dark grey with diffuse light grey & off-white bands. No UV response, no Si
918129	3-Sep-08	D.Jackson	5432636	468975			unknown			8.5	0.08	0.02	0.43	131	8.17	27.1	15.9	4.9	17.9	1.68	<0.1	03Sep08? - Quartz with distinctive bright hematite stain irregularly dist'd throughout material. Quartz white, fine & med grained with variable but subordinate gangue (strongly altered argillite? or granite?). Hematite forms tiny earthy freckles or v. irregular & pitted ochre-filled earthy centers up to a cm across. Bag labelled 'Ou dump
918130	27-Aug-08	J.Donaldson	5434105	469853		918203	unknown		At location of till sample #918203	2.9	0.40	0.04	0.46	94	9.67	51.9	32.2	13.1	163.9	1.05	<0.1	Argillite: well developed foliation, gritty, fine grained, biotitic. Banding of variably mature quartzite on half-cm scale. Limonite coating, up to 2% irregularly distributed med & fine grained py.
918131	27-Aug-08	J.Donaldson	5435247	469762		918202	unknown		At location of till sample #918202	2.6	<0.02	<0.02	0.25	120	1.39	53.9	25.2	25.4	3.4	0.28	0.2	Altered Basalt/Gabbro: moderate-strong chlorite-epidote (saussurite?) alteration with minor calcite, medium green, medium grained, massive, hard (H6); no quartz or Sx.
918132	27-Aug-08	J.Donaldson				002	unknown		002	0.8	0.10	0.04	1.77	585	11.44	124.6	26.2	6.1	5.3	10.44	0.4	Altered limestone: medium & light (faintly brnsh) grey with distinct qtz-calcite veinlets & indistinct qtz-calcite strgs & silicified patches. Less than 2% disseminated, fine grained py.
918133	27-Aug-08	J.Donaldson				AL1	unknown		AL1	3.7	0.06	0.06	0.38	101	9.78	81.8	64.4	23.0	6.7	0.75	0.2	Argillite Limestone - med-dark grey, fine grained, strongly calcareous, locally fainter, harder & siliceous, sometimes platy. Minor - 1% fine grained, euhedral py
918134	27-Aug-08	J.Donaldson				LJD002	unknown		LJD002	1.4	0.14	0.03	0.32	138	20.75	57.9	2.9	1.0	5.3	0.61	0.3	Calcareous quartzite: mixed-white & pale green colored, sometimes freckled with pale brown & also minor orange-brown limonite streaks or spots. Medium grained, strongly, moderately calcareous. Possible skarn alteration? Minor to 1% fine grained py as sparse fine euhedral disseminations. Weak foliation highlighted by limonite along some planes.
918135	27-Aug-08	J.Donaldson				LJD004	unknown		LJD004	0.6	0.03	<0.02	0.11	137	2.49	74.4	52.8	34.9	2.2	0.28	<0.1	Calcareous argillite: medium green-grey with dark grey bands, strongly foliated in at least two directions, weakly platy, very fine grained, strongly calcareous with lighter colored siliceous bands. Minor to 1% disseminated fine grained euhedral py.
918136	27-Aug-08	J.Donaldson				LDJ001	unknown		LDJ001	0.7	0.03	<0.02	0.10	121	22.71	18.1	9.1	1.3	8.8	1.06	<0.1	Quartz: white, mostly coarse grained, with argillite/phyllite along contacts & marbled by minor amounts of orange-brown limonite stain or occasional irregular pit or seam. Generally minor v. fine grained heavily tarnished py euhedra
918137	27-Aug-08	J.Donaldson					unknown		Zip-loc sandwich bag with only partly legible notation that reads "FORTL(?) FIELD TILICUM E GR STAIN."	<0.2	0.03	<0.02	0.10	15	4.20	6.1	3.9	1.5	3.4	0.35	<0.1	Quartz: distinctive woody aspect where bands of earthy & sometimes calcareous brown bands streak through wht coarse grained quartz. Streaks are parallel in one direction but represent contorted planes in orthogonal view. No Sx.
918138	26-Aug-08	G.Laplante-J.Svida	5439063	468628		918026	unknown		Till sample #918026, Kelly Dugout Road.	1.5	0.07	0.04	1.90	126	10.87	88.0	29.6	14.2	29.0	0.30	<0.1	Diabase: homogeneously fine grained, med blue-grey, hard (H 5.5), faintly calcareous, with weakly developed foliation. Minor-trace v.f.g. py; distinctive med orgbrn w/xg surface diffusing into rock by nearly a cm.
918144	4-Sep-08	A.Last	5434629	473452	723	918309	Outcrop		Bonning W Slope	<0.2	0.10	0.03	0.05	45	12.34	28.7	2.0	1.1	1.3	1.19	<0.1	Granite?: Sample location as sample 918309. Sample of the granitic fraction of material gathered from that location by Adrian Last. Granitic texture containing 20% quartz, 65% feldspar & 15% biotite (may be an altered quartzite). Hard, competent material with trace py. Sample made 08Sep08
918145	4-Sep-08	D.Jackson	5434558	473493			Outcrop		Prospective helicopter pad near top of Biwold Dome.	<0.2	0.02	0.03	0.04	17	1.98	13.6	1.3	0.2	0.9	0.33	<0.1	Quartzite: very mature quartz sand with occasional streaks of limonite stain and small earthy pits. No Sx.
918146	4-Aug-08	N.MacLeod	5434250	470440		NM17	float	Fragments from a selection of float boulders	Limpid Creek: Coordinates provisional.	4.4	0.06	0.02	1.13	96	8.74	72.5	30.0	26.6	12.0	0.96	0.1	Andesites: generally calcareous, medium green, fine grained. Variable disseminated euhedral py, very fine, fine & medium grained to 5%. Sample prepared 10Sep08.
918147	6-Aug-08	N.MacLeod	5435070	470985		NM19	float		Near old road east of Limpid Creek: Coordinates provisional.	4.1	0.58	<0.02	0.43	137	11.84	1.6	5.7	0.5	2.2	1.49	0.2	Silicified andesite: very strongly silicified, non-calcareous, very hard, variably light, medium & dark grey, fine grained, somewhat blocky. At least 2% limonite replacing euhedral fine & medium grained py. Sample prepared 10Sep08.
918148	6-Aug-08	N.MacLeod	5435140	471010		NM20	outcrop?		Near old road east of Limpid Creek: Coordinates provisional	7.6	0.17	0.34	0.98	147	4.67	51.2	35.5	35.4	14.8	1.62	0.5	Silicified andesite (Altered ultramafic?): strong silicification similar to 918147 [NM19], medium green with thin bands dark grey magnetite(?), variably magnetic (caused by composition of bands?), hard, non-calcareous. About 5% very fine grained py, disseminated & in short slashes or streaks. No character specimen. Sample prepared 10Sep08.
918149	6-Aug-08	N.MacLeod	5435180	471030		NM21	float		Near old road east of Limpid Creek: Coordinates provisional	<0.2	<0.02	<0.02	0.22	109	3.35	55.1	7.0	14.5	6.7	0.13	<0.1	Calcareous andesite: strongly calcareous, variably medium green & dark grey, displaying fragmental texture of rounded clasts to 1cm across, variably packed and distributed, small feebly magnetic patches. Minor disseminated fine grained py. No character specimen. Sample prepared 10Sep08
918150	6-Aug-08	N.MacLeod	5435220	471080		NM22	float	fragments from boulder	Near old road east of Limpid Creek, south of confluence with Ciel Creek: Coordinates provisional.	2.8	0.33	0.07	0.29	645	32.87	123.3	61.0	48.4	36.4	0.74	0.4	Quartzite: very thinly banded, fine grained, light grey alteration with dark-medium grey bands, hard. About 1% very fine grained disseminated py or py in short banding conformable streaks. Sample prepared 10Sep08.
918251	24-Aug-08	M.Mankowske	5433192	471934		MM55	outcrop		South of Horticulturalist Creek	0.4	0.25	<0.02	0.07	27	13.94	46.4	17.5	7.6	3.4	0.27	<0.1	Metased with quartz veining, strike N/S, dip 130 E
918252	24-Aug-08	M.Mankowske	5433314	471984		MM56	outcrop		South of Horticulturalist Creek	0.6	0.18	<0.02	0.21	35	19.38	85.3	21.9	8.1	6.0	0.45	<0.1	Meta-argillite, foliated, quartz veining, rusty, vuggy
918253	24-Aug-08	M.Mankowske	5433604	472146		MM57	float		South of Horticulturalist Creek	0.9	0.13	0.05	0.09	115	11.92	71.7	30.7	13.2	3.5	1.53	0.5	Argillite, sil alteration with minor sulphides >1%
918254	25-Aug-08	M.Mankowske	5433557	471950		MM58	resident float		South of Horticulturalist Creek	0.4	0.19	0.12	<0.02	81	10.94	20.3	16.9	8.1	1.8	0.49	0.1	Argillite, siliceous, altered, grainy, layered, with minor py >1%
918255	25-Aug-08	M.Mankowske	5433345	471830		MM59	outcrop		South of Horticulturalist Creek	0.3	0.04	<0.02	0.27	43	6.92	118.9	3.7	9.9	0.7	0.41	<0.1</	

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
918274	28-Aug-08	M.Mankowske, D.Jackson	5433305	471502		MM76	outcrop		South of Horticulturalist Creek	0.6	0.13	0.03	0.05	36	10.51	71.4	22.2	6.1	2.1	0.27	<0.1	Argillite foliated
918275	28-Aug-08	M.Mankowske, D.Jackson	5433360	471470		MM77	outcrop		South of Horticulturalist Creek	1.2	0.31	0.02	0.05	15	5.29	48.2	20.6	8.7	4.7	0.56	<0.1	Argillite strike 310, dip 60 SSW
918276	28-Aug-08	M.Mankowske, D.Jackson	5433803	471277	1065	MM78	outcrop		North of Horticulturalist Creek	<0.2	0.39	0.12	0.02	70	22.41	49.0	32.6	14.3	0.8	0.83	0.2	Limestone-Argillite contact, strike N10
918277	29-Aug-08	M.Mankowske, D.Jackson	5433822	471433	1081	MM79	outcrop		North of Horticulturalist Creek	1.3	0.29	0.09	0.02	31	16.37	25.1	20.0	9.8	3.2	0.23	0.2	Argillite strike N40 dip70E
918278	29-Aug-08	M.Mankowske, D.Jackson	5433916	471502	1126.3	MM80	float		North of Horticulturalist Creek	1.1	0.46	0.04	0.03	60	20.12	80.6	35.1	14.8	2.8	1.20	0.3	Limestone breccia
918279	29-Aug-08	M.Mankowske, D.Jackson	5433883	471589		MM81	float		North of Horticulturalist Creek	152.5	21.62	0.71	0.21	2845	187.68	23.3	1.2	0.3	4.3	28.88	0.9	Granite with quartz veining
918280	29-Aug-08	M.Mankowske, D.Jackson	5433903	471660		MM82	outcrop		North of Horticulturalist Creek	7.7	0.97	0.09	0.07	63	4.01	6.1	1.1	1.1	9.4	3.40	0.3	waypoint; granite outcrop
918281	29-Aug-08	M.Mankowske, D.Jackson	5433729	471541		MM83	outcrop		North of Horticulturalist Creek	<0.2	0.29	0.03	<0.02	52	4.58	210.9	20.3	8.0	1.5	13.84	0.4	Argillite sil. alteration, at contact with granite
918282	29-Aug-08	M.Mankowske, D.Jackson	5433729	471541		MM84	outcrop		North of Horticulturalist Creek	<0.2	0.49	0.04	0.06	11	1.14	187.7	10.0	4.8	0.8	11.98	5.6	Granite at contact with Argillite
918283	29-Aug-08	M.Mankowske, D.Jackson	5433736	471574		MM85	outcrop		North of Horticulturalist Creek	1.3	0.20	<0.02	0.04	50	9.52	34.9	0.9	0.4	1.3	1.72	0.2	Quartz veining in granite
918284	29-Aug-08	M.Mankowske	5433900	471201	906.9	MM86	outcrop		BR2 Road at 2007 till sample BT04E	<0.2	0.25	0.18	0.03	22	15.72	33.7	16.2	8.1	2.9	0.24	<0.1	Limestone contact with Argillite, strike N/S, dip 150 Wes
918286	3-Sep-08	M.Mankowske	5435559	469738	908.6	MM87	outcrop		BR2 Road at 2007 till sample BT04E	7.1	0.05	<0.02	0.88	253	1.73	61.7	30.0	30.2	10.0	0.68	0.2	Andesite cata altered, sheared, minor sulphides >1%
918287	3-Sep-08	M.Mankowske	5435596	469754	911.9	MM88	outcrop		BR2 Road at 2007 till sample BT04E	7.9	0.07	0.03	1.08	90	1.22	41.4	30.7	24.7	3.9	0.57	0.6	Basalt
918288	3-Sep-08	M.Mankowske	5435612	469761	916.7	MM89	outcrop		BR2 Road at 2007 till sample BT04E	17.0	0.17	0.16	2.71	499	3.30	67.3	39.6	44.2	59.9	24.04	1.2	Andesite, calc. altered, sheared, minor sulphide >1%
918289	3-Sep-08	M.Mankowske	5435614	469759	915.8	MM90	outcrop		BR2 Road at 2007 till sample BT04E	2.7	0.08	<0.02	0.07	60	11.03	61.7	142.2	24.6	2.5	1.80	0.9	Granite, dike
918290	3-Sep-08	M.Mankowske	5435714	469767		MM91	outcrop		BR2 Road at 2007 till sample BT04E	3.5	0.04	0.06	0.47	178	15.28	16.4	25.7	13.5	18.8	0.25	0.5	Mafic Tuff, calc. altered
918291	3-Sep-08	M.Mankowske	5435824	469751		MM92	outcrop		BR2 Road at 2007 till sample BT04E	2.2	0.08	0.05	1.21	96	12.28	84.5	26.3	12.4	13.0	0.39	<0.1	Basalt
918292	3-Sep-08	M.Mankowske	5435824	469748		MM93	outcrop		BR2 Road at 2007 till sample BT04E	2.1	0.02	<0.02	1.42	189	7.74	67.2	37.8	23.8	46.8	0.85	0.2	Andesite, calc. altered
918293	3-Sep-08	M.Mankowske	5435486	469752	924.4	MM94	outcrop		BR2 Road at 2007 till sample BT04E	5.4	0.14	0.15	0.54	152	3.45	99.4	37.0	38.5	4.9	0.82	0.2	Andesite, minor sulphides >1%
918294	3-Sep-08	M.Mankowske	5434004	472021	1288.5	MM95	outcrop		BR2 Road at 2007 till sample BT04E	1.1	0.15	<0.02	0.43	94	24.75	22.0	13.3	6.0	7.7	0.20	0.1	Granite, fine grained with K-spar
918295	5-Sep-08	M.Mankowske	5435507	470011	1030	MM97	outcrop		2007 till sample CT048 followup	<0.2	0.12	<0.02	0.42	70	9.07	19.7	0.9	0.3	8.3	0.20	0.2	Quartzite, sil. alteration, minor sulphides >1% strike N/S, dip E
918296	5-Sep-08	M.Mankowske	5435588	470008	1024.9	MM98	outcrop		2007 till sample CT048 followup	<0.2	0.27	<0.02	0.46	103	12.39	10.8	0.8	0.3	8.6	0.24	0.3	Quartzite
918297	5-Sep-08	M.Mankowske	5435613	470084	1025.8	MM99	outcrop		2007 till sample CT048 followup	0.7	0.08	0.03	0.16	71	2.43	56.2	44.6	29.2	1.9	0.07	0.1	Tuff, calc. alteration, strike N/S, dip East
918298	5-Sep-08	M.Mankowske	5435597	470296	1041.2	MM100	outcrop		2007 till sample CT048 followup	0.7	<0.02	<0.02	0.37	37	1.87	81.9	33.3	26.2	3.6	0.28	0.2	Tuff, calc. alteration, non-magnetic, minor sulphides >1%
918299	5-Sep-08	M.Mankowske	5435559	470376	1141.4	MM101	outcrop		2007 till sample CT048 followup	1.5	0.06	<0.02	0.07	41	4.92	45.8	34.5	14.2	1.3	1.38	0.7	Diorite, coarse texture
918300	5-Sep-08	M.Mankowske	5435551	470382	1159.5	MM102	outcrop		2007 till sample CT048 followup	1.1	0.12	0.02	1.90	332	10.44	29.0	10.5	3.1	6.7	0.19	0.1	Limestone, sil alt.
918301	27-Aug-08	A.Last-D.Jackson	5436787	469688			Outcrop		Dung Road	1.0	0.08	<0.02	0.20	97	7.78	100.4	10.9	24.9	16.3	0.58	<0.1	Diabase: fine grained, massive to weakly foliated, weakly to moderately calcareous; trace disseminated py; occasional Qtz-clc vienlet; limonite wx'g surface
918302	27-Aug-08	A.Last-D.Jackson	5436847	469618			Outcrop		Dung Road	1.3	<0.02	<0.02	0.43	29	5.68	19.9	4.0	2.7	29.5	0.42	<0.1	Quartz in granite(?): white coarse grained quartz with earthy dark red-brown limonite filled pits over a cm across. Sample includes altered granitic host material, nearly pervasively stained by diffuse limonite frackles and containing minor fine grained py in local disseminated places. No reaction to HCl. Character specimen of vein and granitic host.
918303	28-Aug-08	A.Last-A.Elden	5436744	469711			Outcrop		Dung Road	2.3	0.03	0.04	0.42	255	10.65	85.2	56.2	32.3	29.5	0.22	0.2	Andesite: fine grained, fairly soft, medium green, with diffuse slightly paler patches, moderately to strongly calcareous, weak to moderately developed foliation. Minor to 2% disseminated euhedral py up to 2mm across.
918304	28-Aug-08	A.Last-A.Elden	5436847	469618			Outcrop	followup to 918302	Dung Road	2.4	0.03	<0.02	0.54	93	12.47	39.3	4.2	5.0	46.1	0.65	<0.1	Silicification & vein quartz (feldspar) in granite(?). Followup to sample 918302. Sample consists of diffusely freckled pink & green altered granitic material, strongly silicified chloritic volcanic and white coarse grained vein-quartz with open & limonite-filled pits several mms across. Quartz as a vein 10-12cm wide, thinner veins to each side amount to 3cm in 100-150cm distance. Quartz structure contains a variable proportion of very coarse feldspar. Additional outcrop mates to sampled locations on opposite side of road. Py as sparsely disseminated, usually tarnished euhedral grains ranging to 2%. Three character specimens: granitic material, silicified volcanic(?) & vein-quartz. Coordinates assigned to those of sample 918302.
918305	29-Aug-08	A.Last-A.Elden	5431460	471265			Outcrop		Pend d'Oreille	<0.2	0.45	0.13	0.16	57	24.06	90.0	39.9	15.6	18.9	0.54	<0.1	Phyllite: (Similar to sample 918306) medium to light (blue) grey, slightly graphitic, faintly calcareous, well developed foliation and weaker crosscutting regime, weakly platy but locally gently to moderately crenulated, minor sandier horizons, quartz in host rock but few in sample, occasional white (quartz?) carbonate veinlets. Up to 5% py as disseminated euhedral fine to medium grains, or irregular thin streaks.
918306	29-Aug-08	A.Last-A.Elden	5431460	471265			Outcrop		Pend d'Oreille	<0.2	0.41	0.04	0.33	42	24.33	36.8	27.9	11.9	26.3	0.29	<0.1	Argillite limestone & Phyllite: (Similar to sample 918305) medium to light (blue-) grey, predominantly fine grained limestone with bands of moderately graphitic argillite, strongly-moderately foliated with subordinate regime displayed in argillite fraction and moderately crenulated. Occasional somewhat hematite stained coarse grained translucent quartz lenses and occasional (quartz-) carbonate filled seams. Limonite coating on some surfaces; about 2% disseminated euhedral py in grains to 2mm across.
918307	29-Aug-08	A.Last-A.Elden	5432216	469284			Subcrop	Subcrop of 918305 & 918306.	Pend d'Oreille	0.3	0.12	0.05	0.05	69	7.56	10.9	8.9	3.9	<0.1	1.70	<0.1	Quartz (Feldspar?): White coarse grained quartz and glassy smoky quartz with at least 30% off-white medium grained feldspar in a heavily pitted, disorganized mass that is strongly limonitic on many surfaces and internally in places.
918308	29-Aug-08	A.Last-A.Elden	5432235	469290			Subcrop	Subcrop of 918305 & 918306.	Pend d'Oreille	<0.2	0.65	0.15	0.07	278	64.55	14.3	4.0	14.4	2.4	3.13	<0.1	Phyllite with Quartz: Light to medium green grey, strongly foliated, yellow & brown limonite coating. Sample contains 15% very irregular vein-quartz, heavily pitted with earthy limonite. Slightly magnetic in places. Fine & medium grained py reaching to 5% in places
918309	4-Sep-08	A.Last-D.Jackson	5434629	473452	723		Outcrop		Bonning W.Slope	0.9	0.18	<0.02	0.07	43	10.69	104.7	40.5	10.6	4.7	0.42	<0.1	Argillite quartzite: medium and dark grey, lamellar banding, silicic with argillite fraction strongly biotitic. Non calcareous, no Sx. Original sample contained granitic fraction that has been selected as a separate sample 918144 (JDW).
918310	4-Sep-08	A.Last-D.Jackson	5434615	473482	1548		Outcrop			<0.2	0.09	0.03	<0.02	19	10.47	6.3	2.1	0.5	0.7	0.37	<0.1	Quartzite with Argillite: Mature white quartzite with a small proportion of strongly foliated phyllitic graphitic argillite. Limonite coatings and sparse, small pits in quartzite. Minor py as disseminated fine to medium grains.
918311	4-Sep-08	A.Last-D.Jackson	5435019	475061	1170		Outcrop	Sample from west-facing slope on east side of creek; bedrock may extend across creek to the west where large granite slabs are visible.	Wallack Cr.	<0.2	0.08	<0.02	0.04	6	4.92	51.9	4.0	3.6	<0.1	0.32	<0.1	Granite: medium grained, granitic texture 50% feldspar, 20% quartz, 15% ferromag, 10% fine grained biotite. Feldspar faintly sericitic/chloritic. Moderately & strongly magnetic in patches (25% by vol). No Sx.
918312	4-Sep-08	A.Last-D.Jackson	5434820	475228	1139		Outcrop	Location further downstream from previous sample 5435019.	Wallack Cr.	0.5	0.15	0.02	0.08	49	11.66	31.1	2.2	1.4	1.9	1.56	<0.1	Granite: (Adrian Last identified rock as quartzite.) Location further downstream from previous sample 5435019. Granitic texture, feldspar-quartz-ferromag/biotite composition. No Sx. Small sample from remote location - no character specimen.
918313	9-Sep-08	A.Last-P.Robinson	5436305	467580			Subcrop	East side of drainage	Wallack Cr.?	1.1	0.04	0.04	0.12	38	3.34	47.2	51.4	28.0	4.9	0.45	<0.1	Biotitic Basalt? Medium to fine grained, medium to dark green, fairly hard, with minor laths black amphibole and abundant & prominent dark brown biotite flecks & books up to 4cm across, ~40% by volume. Moderately calcareous, moderately magnetic. About 5% distinctive, usually idiomorphic, soft, purple-red colored, equant to rectangular shaped mineral disseminated throughout material ranging to 4cm across. No mineralization
918314	9-Sep-08	A.Last-P.Robinson	5433559	469351			Outcrop		Wallack Cr.?	1.0	0.02	0.22	0.64	79	15.80	23.1	6.8	1.2	15.4	0.73	0.5	Limestone: thin to lamellar bedded, usually medium blue-grey, fine grained with distinctive beige colored weathering rind. No mineralization
918315	16-Sep-08	A.Last-R.Scott	5433971	471484			Outcrop	South slope	Below Levevre Skam & above Horticulturalist Tributary	0.7	0.14	0.06	0.04	20	7.43	11.9	12.4	5.7	1.3	0.25	0.2	Limestone & calcareous metasediments in contact with granite. Mostly fine grained, medium blue-grey, thinly banded, somewhat blocky with 5% vague diffuse & disseminated limonite freckles & short streaks (after pyrite?). Minor argillite bands.
918316	16-Sep-08	A.Last-R.Scott	5433971	471484			Outcrop	South slope	Below Levevre Skam & above Horticulturalist Tributary	0.7	0.13	0.03	0.05	17	4.71	7.0	1.7	0.9	0.6	0.49	0.6	Granite (& bleached quartzite?) at same location as 918315. Leucocratic granite moderately altered to off white mass with variable proportion of quartz grains within groundmass. About 5% diffuse, mm sized freckles (after pyrite?) disseminated thruout material and irregularly distributed grey (manganese?) freckles in places. No primary mineralization.
918317	15-Oct-08	M.Mankowske, J.Donaldson	5432493	469514	549	MM311	outcrop		Tillicum Creek, Lower placer rd.	0.4	0.13	0.02	0.16	133	23.72	60.5	24.1	13.0	3.9	0.35	<0.1	Argillite contacting Limestone, calc alteration, minor rust staining
918318	15-Oct-08	M.Mankowske, J.Donaldson	5432666	468775	550	MM312	outcrop		Pend d'Oreille Road	1.1	<0.02	<0.02	0.17	56	3.27	44.6	36.5	26.7	1.2	0.45	0.4	Andesite Tuff
918319	15-Oct-08	M.Mankowske, J.Donaldson	5432666	468775	550	MM3																

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
918328	15-Oct-08	M.Mankowske, J.Donaldson	5433143	467890		MM322	outcrop		Pend d'Oreille Road	0.9	0.03	0.04	1.31	246	4.22	62.5	66.3	37.2	20.2	0.25	<0.1	Andesite shear, fine bedding, hematite stain, >1% pyrite
918329	15-Oct-08	M.Mankowske, J.Donaldson	5433143	467890		MM323	outcrop		Pend d'Oreille Road	0.9	0.26	0.04	0.31	96	15.98	43.8	50.8	19.6	5.4	4.04	<0.1	Quartz vein in Argillite, vuggy, hematite stain, strike NS
918330	15-Oct-08	M.Mankowske, J.Donaldson	5432445	469083	591	MM324	outcrop		Pend d'Oreille Road	0.4	0.06	<0.02	0.71	198	14.50	65.0	10.3	2.6	5.8	4.47	<0.1	Argillite, chloritic schist with quartz veining, hematite staining
918331	16-Oct-08	M.Mankowske	5432883	468979	693	MM325	outcrop		Tillicum Creek Road	3.5	0.07	<0.02	0.10	67	4.31	57.7	46.4	20.6	2.7	0.19	0.2	Andesite porphyry, minor pyrite
918332	16-Oct-08	M.Mankowske	5432988	468771	700	MM326	outcrop		Tillicum Creek Road	3.1	0.23	0.03	1.37	1814	23.79	44.3	19.4	4.3	16.0	2.33	<0.1	Quartz vein in limestone, 100 cm wide, strike N/S, dip 70W
918333	16-Oct-08	M.Mankowske	5433396	469157	753	MM327	float		Tillicum Creek Road	0.6	0.05	0.16	0.18	66	6.90	14.9	7.3	1.6	5.7	0.33	<0.1	Carbonate vein in altered Andesite, hematite stain
918334	16-Oct-08	M.Mankowske	5431850	470952	541	MM328	outcrop		Tillicum Creek Road	0.2	0.15	<0.02	0.14	38	7.61	27.5	9.2	4.8	1.1	0.91	<0.1	Quartz vein in Argillite schist, chloritic alteration
918335	16-Oct-08	M.Mankowske	5431850	470952		MM329	outcrop		Tillicum Creek Road	0.5	0.26	<0.02	0.13	77	15.27	85.2	21.9	23.0	2.7	2.32	<0.1	Andesite tuff contact with Argillite, Quartz veining, pyrite 1%
918336	17-Oct-08	M.Mankowske	5432988	469037	747	MM330	outcrop		Tillicum Creek Road	21.9	0.24	0.11	1.69	3058	1290.43	1541.19	10.6	2.6	7.7	16.77	<0.1	Quartz vein in Arg. sil. alt. pyrite, galena, sphal, strikNS dip 9C
918337	17-Oct-08	M.Mankowske	5433015	469032	749	MM331	outcrop		Tillicum Creek Road	3.1	0.19	0.06	0.07	130	16.74	44.0	33.8	7.9	4.5	0.67	<0.1	Quartz vein in Argillite, milky white, rust stain, strike N/S, dip 9C
918338	17-Oct-08	M.Mankowske	5433021	469046	750	MM332	outcrop	Adit	Tillicum Creek Road	2255.9	0.08	0.05	0.71	2131	144.90	178.9	27.6	20.5	113.7	0.66	0.1	Andesite Tuff, sheared, thin bedding, rusty, calc alt. strike. 330 dip45W
918339	17-Oct-08	M.Mankowske	5433037	469049	761	MM333	outcrop	Pit	Tillicum Creek Road	4314.7	0.19	0.04	3.45	7002	1338.35	335.6	9.3	12.2	45.2	2.36	<0.1	Andesite Tuff, sheared, fine bedding, sil. alteration, minor pyrite
918340	17-Oct-08	M.Mankowske	5433042	469043	768	MM334	outcrop		Tillicum Creek Road	65.9	0.06	<0.02	0.47	494	21.41	52.4	57.7	27.6	51.8	0.96	<0.1	Andesite Tuff, bleached, sil. alteration, non-calcareous, Footwal
918341	17-Oct-08	M.Mankowske	5433042	469043	768	MM335	outcrop		Tillicum Creek Road	11.8	0.11	<0.02	0.19	187	7.27	36.1	25.1	14.4	1.3	0.13	<0.1	Andesite Tuff, fine bedding, cherty, chloritic, Hangwal
918342	17-Oct-08	M.Mankowske	5433067	469037	781	MM336	outcrop	PIT	Tillicum Creek Road	896.8	0.03	0.02	0.22	576	14.16	54.6	17.6	13.2	23.9	0.26	<0.1	Andesite Tuff, chloritic, cherty, fine bedding, quartz veining
918343	17-Oct-08	M.Mankowske	5433106	469010	786	MM337	outcrop		Tillicum Creek Road	3.2	0.04	<0.02	0.16	76	5.96	18.2	7.9	2.8	1.8	0.35	<0.1	Quartz vein, 1.5m wide in Andesite, strike N/S, dip 45W
918344	17-Oct-08	M.Mankowske	5433182	468975	796	MM338	outcrop		Tillicum Creek Road	2.5	0.04	<0.02	0.34	28	1.92	65.2	26.8	24.6	1.3	0.17	0.1	Andesite, calc. alteration, not bedded, not silicified
918345	17-Oct-08	M.Mankowske	5433166	469035	780	MM339	outcrop		Tillicum Creek Road	0.9	0.04	<0.02	0.04	4	4.38	4.6	0.7	0.3	0.6	1.62	0.2	Granite, coarse grain, sil. alteration, large K-spar crystals
918346	17-Oct-08	M.Mankowske	5433166	469035	780	MM340	outcrop		Tillicum Creek Road	0.6	0.03	<0.02	0.04	14	0.91	2.8	1.5	0.2	0.8	0.33	0.2	Quartz vein, in Argillite graphitic schist
918347	17-Oct-08	M.Mankowske	5433166	469035	780	MM341	outcrop		Tillicum Creek Road	42.2	0.16	0.06	1.92	2866	1085.87	154.6	5.5	1.9	25.5	0.93	<0.1	Quartz vein, in Arg. graphitic schist, milky white, hem. stain
918348	17-Oct-08	M.Mankowske	5433054	468986		MM342	outcrop		Tillicum Creek Road	0.7	0.08	0.05	0.13	50	8.85	20.2	8.8	3.8	2.4	0.35	<0.1	Quartz vein in Andesite Tuff, contact with Argillite
918349	17-Oct-08	M.Mankowske	5433064	468964	788	MM343	subcrop		Tillicum Creek Road	1.3	0.36	0.03	0.28	592	16.83	54.0	9.4	2.9	4.7	0.52	<0.1	Quartz vein in Argillite, minor pyrite, rust stain
918350	17-Oct-08	M.Mankowske	5433076	468901	783	MM344	outcrop		Tillicum Creek Road	3.2	0.04	<0.02	0.46	200	6.85	44.5	10.3	1.8	38.4	0.89	<0.1	Quartzite, hematite staining, minor sulphides, 10m strike NS
918351	13-Aug-08	A.Elden	5433284	469770		WP006	subcrop-float	Poss OC	Au Soil Anomaly 274 ppb	2.0	0.06	0.06	0.10	156	3.64	27.4	28.0	15.5	2.6	1.48	<0.1	Silica with hematite and chlorite, goethite, very minor disseminated pyrite associated with goethite. Possibly po. Vuggy. Limonitic. In schists
918352	13-Aug-08	A.Elden	5434790	470911		WP001	subcrop-float	OC and subcrop	Lower Marshalling Area	1.3	1.00	0.08	0.19	348	57.89	107.4	5.0	1.1	12.0	0.94	0.2	Altered granite with sericite and muscovite mica, drusy silica veinlets with small vugs. Possibly sphal on fractures. Oxidized py? Weathered surface buff-coloured, probably clay-sericite. Overall, fresh surface is white with smoky grey patches (possibly biotite altered to chlorite). Outcrop is in roadbed approaching Lower Marshalling Area with subcrop above roadbed.
918353	14-Aug-08	A.Elden	5434517	472518		WP009	subcrop-float	Quartz boulder	Upper Quad Road ditch	18.6	5.79	0.79	0.08	315	11.25	6.2	3.3	1.0	5.5	6.54	0.2	Quartz is very fractured with limonite staining along fractures and overall. Some areas have tiny 'vugs' and cavities with rounded forms. Unidentified sulfide random and occasional. Some small 'pockets' with fine 'lead-gray' powder? Altered granite float in the area, some with minor chlorite-hem alteration and some very 'baked' and crumbly with limonite-goethite pervasive.
918354	14-Aug-08	A.Elden	5434514	472702		WP011	subcrop-float	Float	Upper Quad Road	1.8	0.12	0.04	0.11	55	8.77	2.9	4.0	1.0	0.9	1.25	<0.1	Smokey silica with large 'pockets' of sericite with graphitic layers in weathered surface. Minor blots of limonite. Overall, rock has light grey look. Possible 'pocket' of silica in sediments or vein?
918355	14-Aug-08	A.Elden	5434620	473027		WP013	subcrop-float	OC	Upper Quad Road	5.4	0.52	0.05	0.14	229	85.08	15.7	2.7	0.4	2.4	0.57	<0.1	Outcrop is possibly phyllite. Silica pod or clast, probably a boudin, in graphitic host. Probably quartzite on perimeter. Vuggy, greyish quartz with pale greenish-yellow splotches. Limonite weathering. Patches of muscovite mica-sericite, especially with quartzite portions of rock.
918356	15-Aug-08	A.Elden	5434740	472454		WP018	subcrop-float	Float	Clel Creek Road	0.3	0.08	0.02	0.03	23	3.33	8.7	4.0	1.5	0.9	0.63	<0.1	Quartz vein (?) material. Fractured. Strong limonite staining on fractures. Occasional 'clusters' with sulfide (probably py) in goethite(?) matrix. Approximately 20 m along road to east is outcrop of argillaceous foliated sediments
918357	15-Aug-08	A.Elden	5434991	472298		WP022	subcrop-float	Float from road bank	Clel Creek Road	<0.2	0.03	<0.02	0.06	58	1.65	47.5	9.8	0.8	1.2	0.59	<0.1	Smokey, almost violet, silica with tiny qtz crystal-lined vugs. Patch of calcite. Thick manganese on vuggy 'rotten' portion. Patches of limonite on fresh surface with probable py blebs (minor). One olive-green patch. Strong manganese presence along this stretch of road
918358	15-Aug-08	A.Elden	5435120	472122		WP024	subcrop-float	Float from road bank	Clel Creek Road	24.1	0.13	0.03	2.45	1431	146.14	94.5	19.3	2.9	27.9	2.13	0.2	This rock appears very altered with very fine silica, possibly drusy veinlets. Coatings of sericite-clay? Limonitic patches. Siliceous, sharp, angular. Possible host: argillite?
918359	15-Aug-08	A.Elden	5435365	472094	1245	WP026	subcrop-float	Float?	Clel Creek Road	0.6	0.08	<0.02	0.06	45	1.94	41.7	63.3	17.0	0.7	1.37	0.5	Ultramafic with epidote crystals diss. weak to moderately magnetic. Dark splotches. Platy, shiny surfaces through matrix. "Rind" on weathered surface
918360	15-Aug-08	A.Elden	5434749	472441		WP017	subcrop-float	Boulder used to stabilize road cutbank	Clel Creek Road	3.2	0.07	<0.02	1.42	143	12.15	117.7	64.6	39.8	37.9	0.55	<0.1	Greenish-gray calcareous with diss unidentified sulfide. Clay/sericite?
918361	16-Aug-08	A.Elden	5434848	472474		WP019	subcrop-float	from boulder	N. of Levere Skarn, west BHStock contact	<0.2	<0.02	0.05	0.04	9	3.32	7.9	0.6	0.7	0.4	0.12	<0.1	Massive coarse grained tremolite skarn with 10% indistinct, irregularly distributed, medium & fine grained light brown garnet. Tremolite nearly white displaying interlocking sprays of radiating crystals generally about 1 cm across.
918362	16-Aug-08	A.Elden-JDW	5434252	471590	1257	none	subcrop-float	from boulder	N. of Levere Skarn, west BHStock contact	<0.2	0.04	0.02	0.03	53	4.48	26.4	19.2	13.4	0.7	0.28	0.5	Massive and banded calc-silicate; pastel & multicolored - v.pale grey, green & brown, tough. 2% po both as disseminated blebs & weakly banded, fine & medium grained
918363	16-Aug-08	A.Elden-JDW	5434128	471613	1245	none	chip	TR05, E.Wall, 30 x 30 cms	South part of east wall of trench 05 in Lefevre Skarn workings	910	59.21	2.00	0.30	1043	9.40	19.1	67.9	46.9	0.7	18.59	6040	Many pitted & partly chips of rotten & locally nearly massive sulfides in a barely recognizable granite(?), giving off strong odor when struck, not very dense, fresher surfaces displaying fine to medium grained py. Other less mineralized strongly altered granite(?) Rather hard & tough, minor quartz distributed irregularly, upto 5% fluorescence predominantly as fine to medium grained scheelite with subordinate powellite.
918364	16-Aug-08	A.Elden-JDW	5434195	471305	1113	none	grab	grab from dump	Near toe of dump below Level 3 where qtz rocks predominate	18550	1382.60	60.07	2.67	39162	1867.60	8.5	66.0	57.7	74.7	365.43	11.3	Abundant white quartz with abundant mineralization, principally various proportions of sulfides (ranging to 25%) py & po with accessory amounts ga & cpy. Py as v. fine grained euhedra or as v.fine grained masses & serrated blebs. Po as irreg blebs or splashes. Both py & po occur interstitial to qtz grains. Py & po locally predominate over each other in most places. Galena is rare, also occurring interstitially, associated with py or po. Cpy fine grained & associated with qtz(?).
918365	18-Aug-08	A.Elden	5435277	472619	1385	WP043	subcrop-float	float above clearcut	Clel Creek Road	37.9	3.32	0.13	0.08	772	9.49	5.9	3.2	0.5	0.4	1.81	2.2	White quartz with calcite blebs. Strong H2S smell when struck. Rough, pitted grey quartz on weathered surface (calcite leaching?). Fine, fine lines of ? In matrix suggest relic banding or layers. Was this limestone? (P. Smolarek locator)
918366	19-Aug-08	A.Elden	5435165	472678	1389	WP035	subcrop-float	SE top of clearcut	Clel Creek Road	12.1	5.54	0.26	0.03	246	14.09	58.4	41.0	19.1	10.9	1.81	0.7	Argillaceous sediment, lamellar, with diss and stringers po, poss py. Limonitic on all fracture surfaces. Dark green patches probably chlorite. Generally, this outcrop has strong limonite staining and is friable.
918367	19-Aug-08	A.Elden	5435146	472273	1398	WP056	subcrop-float	Float in clearcut mound pit	Clel Creek Road	2.4	0.22	<0.02	0.06	25	1.17	3.0	1.1	0.3	16.3	0.84	<0.1	Qtz, some smoky grey, some white with strong limonite on fracture surfaces. Fractured, sharp, angular. One small cluster unidentified sulfide observed. No other similar float in area. Some very fine drusy coatings. Tiny 'pockets' limonite-filled or with pale yellow coatings
918368	19-Aug-08	A.Elden	5435065	472800	1381	WP057	subcrop-float	Float at top of clearcut SE end	Clel Creek Road	1.3	0.71	0.17	0.13	65	4.68	21.8	35.1	19.7	2.0	2.51	0.2	Sharp siliceous dark-greenish grey fine-grained rock with py and po diss and occasional fine stringers. Poss volcanic breccia (?) Small angular chert-like fragments in matrix. Limonite on fracture surface. Weathered surface powdery buff.
918369	19-Aug-08	A.Elden	5435030	472760	1364	WP058	subcrop-float	Float at top of clearcut	Clel Creek Road	5.2	0.75	0.21	0.79	203	3.90	20.5	22.0	35.2	3.7	2.51	0.5	Siliceous (or possibly silicified), but less 'cherty' than RS 918368 with more clusters of py and/or po crystals or blebs and does not suggest a breccia (as RS 918368 does). Strong limonite-goethite coating on fracture surfaces. Angular medium-grey rock. Probably volcanic?
918370	20-Aug-08	A.Elden	5435428	471295	979	WP070	subcrop-float	Creekbed float	Limpid Creek	3.6	0.05	0.02	1.37	137	5.94	82.9	31.5	30.1	24.1	3.37	<0.1	Mineralized with qtz vein 0.5-1.0 cm wide from large (0.5 m) flat boulder in creekbed. Limonite stained. Fine to medium-grain matrix with mylonitic texture, silica-flooded and with qtz veins to 1.0 cm wide. Blebs or stringers of po in veins. Also, diss fine py (and poss po) in matrix. 3-5% py? Medium-grey with abundant silica and a greenish cast overall.
918371	20-Aug-08	A.Elden	5435409	471257	962		subcrop-float	Creekbed boulder	Limpid Creek	2												

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
918388	25-Aug-08	A.Elden	5435811	471625	1025	WP131	outcrop	Dyke	Limpid Creek	0.7	0.05	0.03	3.85	77	8.71	163.5	78.1	35.9	17.0	1.93	<0.1	Fine-grained dyke 6-7 cm wide perpendicular to shale beds. Very fine-grained py diss to 5%. Light grey with small feldspar crystals and occasional biotite mica. Poss volcanic. Bright orange rind. Fine fizz on fracture surfaces
918389	25-Aug-08	A.Elden	5435811	471625	1025	WP131	outcrop	Outcrop exposed in creek	Limpid Creek	<0.2	0.05	0.09	7.59	189	1.92	49.5	4.9	1.6	6.4	2.49	<0.1	Same location as RS918388. Fine-grained graphitic 'black rock' unit with abundant silica veining which appears contained within 'boulders' in softer graphitic unit. Carbonate reaction suggests this might be a graphitic limestone; however, parts of this rock are so siliceous a conchoidal fracture develops. Clusters of diss py.
918390	25-Aug-08	A.Elden	5435468	471351	978	WP125	subcrop-float	Float in creekbed	Limpid Creek	1.3	0.19	<0.02	0.32	54	40.50	34.9	2.6	0.6	28.5	2.51	0.1	Granite float with hem stains, invasive limonite and vugs with very fine drusy qtz crystals. Small black dots overall. Granite texture is gone
918391	24-Aug-08	A.Last	5435364	471439			outcrop	chip	North of Clel Cr., above Limpid Cr.	0.7	0.05	<0.02	0.15	45	64.34	20.8	1.0	0.9	2.5	0.36	<0.1	Med gry & light grey, siliceous, weakly altered Bunker Hill granite, no ferromag fraction: minor to trace py; thin dark brown coating along most surfaces
918392	24-Aug-08	A.Last	5435430	471398			outcrop	chip	North of Clel Cr., above Limpid Cr.	0.7	0.09	<0.02	0.14	216	319.21	38.5	0.9	0.9	1.5	0.70	<0.1	Altered granite: glassy smoky quartz with variable, sometimes predominately brown colored material (altered feldspar?), vague or irregular bands dark green chlorite in places which may also locally predominate.
918393	24-Aug-08	A.Last	5435373	471447			outcrop	chip	North of Clel Cr., above Limpid Cr.	<0.2	<0.02	<0.02	0.06	25	6.14	9.3	1.4	0.2	0.6	0.41	<0.1	White vein-quartz, featureless, from same granite outcrop as #918391. No sulfides
918394	26-Aug-08	A.Elden	5436103	472142	1104	WP146	outcrop	Outcrop exposed in creek	Limpid Creek	0.6	0.08	<0.02	0.08	88	9.52	64.7	75.1	26.3	0.7	0.14	<0.1	Magnetic mafic strongly calcareous outcrop with calcite and diss py on fracture surfaces. Dark grey. Pockmarked weathered surface. Possible sericite with calcite-py fracture filling.
918395	26-Aug-08	A.Elden	5436103	472142	1104	WP146	subcrop-float	Float in creekbed	Limpid Creek	8.6	0.69	0.57	0.13	164	7.54	54.1	61.3	30.8	2.7	2.12	0.4	Same location as RS 918394. Possibly subcrop. Heavy, pockmarked surface weathering. Dark grey. Appears to have abundant very fine diss sulfide. Calcite veinlet with chlorite selvage cuts through matrix. Basalt?
918396	28-Aug-08	A.Elden	5436820	469643	1090	WP168	outcrop	Outcrop exposed by roadcut	Dung Road off Tillicum Road system	5.5	0.06	<0.02	0.33	44	16.10	23.1	1.7	3.3	5.1	0.13	<0.1	Is this a dyke or 'greenstone' subjected to skarn process? Acid fizz in places although not throughout and some phenocrysts (megacrysts?) including calcitic ones. Pink-maroon matrix contains abundant tabular pale-green (feldspar or hornblende?) tabular-looking crystals(?). Py crystals generally well-formed and widely-spaced. Very fine calcite (and poss silica) veinlets.
918397	28-Aug-08	A.Elden	5436825	469626	1093	WP169	subcrop-float	Outcrop exposed by roadcut	Dung Road off Tillicum Road system	5.6	0.04	<0.02	0.41	63	22.95	35.9	2.1	3.5	1.5	0.14	<0.1	Same rock as RS918396. Possibly more silicified, more diss py, occasional stringers. Occasional 1-2 mm wide silica veinlets with scattered py. Strong limonite rind, possibly includes goethite crystals. Dark-green crystals (chlorite? actinolite? hornblende?) with calcite on fracture surface
918398	28-Aug-08	A.Elden	5436832	469622	1096	WP170	subcrop-float	Outcrop exposed by roadcut	Dung Road off Tillicum Road system	0.4	0.05	<0.02	0.31	39	13.66	21.1	3.3	3.2	6.9	0.33	<0.1	Subcrop in roadbed fill from o/c on north side of road. 'Rotten' qtz veins up to 1.0 cm wide cut through rock unit of RS918396-7 samples. Qtz is vuggy with goethite coatings on crystals. No reaction to acid in qtz veins or matrix; there might be a feldspar component to these veins
918399	28-Aug-08	A.Elden	5436881	469585	1100	WP172	subcrop-float	Outcrop exposed by roadcut	Dung Road off Tillicum Road system	11.4	0.04	<0.02	0.44	31	2.63	83.0	10.7	16.5	2.0	0.97	0.2	Limonite-stained subcrop on SW side of road. Still seem to be in skarn associated with Adrian's Vein. Fine-grained whitish-green rock with circular pockets of po and very fine diss py and/or po. Some parts of rock very siliceous and porous. Strong limonite rind
918400	28-Aug-08	A.Elden	5436093	472151	1088	WP143	outcrop	Outcrop in creekbed	Limpid Creek	7.8	0.54	0.06	0.42	530	11.78	35.7	13.6	7.5	19.6	0.48	<0.1	Sampled 26-Aug-2008 from outcrop in Limpid Creek. Possible bedded limestone, partially silicified(?), with diss and stringers of fine py. This unit might cut through a mafic (ultra?) unit.
945154	16-Oct-08	J.D. Williams					outcrop	1.1m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	1.1	0.76	<0.02	0.17	270	51.82	81.7	7.5	1.9	14.8	0.47	0.7	Domains of white feldspar & quartz in a variable proportion of dark blue-grey-green, aphanitic, hard groundmass (of silicified chlorite?) comprising about 50% by volume. Domains of fractured granite & variable proportion of silicification or quartz-flooding. Granite fraction may contain significant, sometimes locally predominant muscovite as felted patches or disseminated medium grained books up to 3mm across. Trace interstitial fine & medium grained py
945155	16-Oct-08	J.D. Williams					outcrop	1.2m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	3.6	0.59	0.07	0.20	232	78.95	163.6	3.3	3.6	20.8	0.36	0.7	Predominant granite usually altered to so that only feldspar & quartz constituents survive; flooding by dark blue-green aphanite groundmass that locally predominates. Minor medium grained & fine grained muscovite disseminated within granite fraction. Up to 2% disseminated & interstitial py
945156	16-Oct-08	J.D. Williams					outcrop	1.1m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	6.4	0.94	0.13	0.23	470	101.25	90.7	5.8	2.8	25.1	0.38	0.5	Medium grained granite containing minor fine to medium grained muscovite & locally veined or stockworked by dark blue-green, hard, aphanite ranging to 15% in places. Up to 2% disseminated, fine grained, rusted & tarnished py euhedra or flocculated aggregates interstitial to feldspar & quartz grains of granite
945157	16-Oct-08	J.D. Williams					outcrop	1.0m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	10.0	1.44	0.13	0.21	697	170.07	159.2	13.9	3.5	44.4	0.39	0.4	Predominant medium grained granite (feldspar with quartz & minor muscovite) variably infused by diffuse veins & stringers of blue-green aphanite ranging to predominant proportion. Up to 2% tarnished to completely oxidized py? disseminated as individual interstitial, fine grained euhedra or flocculated aggregates
945158	16-Oct-08	J.D. Williams					outcrop	1.5m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	3.4	0.66	0.12	0.19	347	110.54	81.7	10.8	3.0	35.4	0.72	0.3	Weakly to strongly fractured medium grained, white and variably grey colored granite with 5 to 35% distinct, usually diffuse veins or stringers of very hard, dark blue-green aphanite material throughout. Abundant orange limonite stain on fracture surfaces. Trace py? as indicated by tiny limonite flecks
945159	16-Oct-08	J.D. Williams					outcrop	1.5m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	4.4	0.79	0.12	0.22	575	178.98	145.8	8.7	8.5	30.8	0.53	0.3	Strongly fractured & notably stained, medium grained granite: orange & dark orange colored limonite stain & coatings. Granite components diffuse & indistinct with pervasive but variable proportion of dark cast against predominant cream colored feldspar & white quartz. Occasional indistinct blue-green aphanite vein or veinlet. Trace py? as corroded flecks.
945160	16-Oct-08	J.D. Williams					outcrop	1.0m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	4.5	1.10	0.17	0.27	503	216.99	80.4	19.2	6.1	39.3	0.71	0.3	Spotted blue-grey granitic material with diffuse centers of variable grey pigment scattered within often indistinct feldspar & quartz grains. Minor to trace small, disseminated, corroded py? grains. Prominent limonitic stain on surfaces
945161	16-Oct-08	J.D. Williams					outcrop	1.0m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	9.7	2.04	0.08	0.38	813	356.77	104.3	15.1	3.0	39.7	0.75	0.4	Variably mafic granite with widely variable color index ranging from very low to >60 in an indistinct pattern where domains are pervasively blue-grey & other places leucocratic. Trace to minor fine grained interstitial disseminated & mostly corroded py
945162	16-Oct-08	J.D. Williams					outcrop	0.7m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	1.8	1.34	0.06	0.22	581	233.49	153.2	10.0	21.6	18.9	1.11	3.2	Medium grained granite with indistinct grains & somewhat but variably melanocratic (average Cl -60). Trace to minor interstitial py as completely rusted grains or flocculated clusters. Weak to moderate limonite & oxide stain & coatings in most places
945163	16-Oct-08	J.D. Williams					outcrop	1.6m channel	Granite-ultramafic on Limpid Creek FSR below Lower Marshalling Point	6.2	1.12	0.03	0.24	471	176.13	110.3	8.6	10.8	30.5	0.43	7.5	Variably fractured & limonite stained green-grey & white colored, generally melanocratic, medium grained granite. Minor very fine grained, disseminated py along with flocculated clusters of fine grained euhedra, usually rusted. Limonite & oxide stain weakest of all samples in series at locator
945164	18-Oct-08	M.Mankowske	5433866	469793	803	MM345	outcrop		Br 2 Road	1.1	0.06	0.02	0.17	56	4.58	97.4	36.7	14.9	3.3	0.32	0.1	Ultramafic, calc alteration, strike N40E, dip 80S
945165	18-Oct-08	M.Mankowske	5433866	469793			outcrop	PIT	Br 2 Road	1.4	0.46	0.03	0.07	37	3.18	20.0	2119.9	89.8	4.6	0.08	1.8	Ultramafic
945166	18-Oct-08	M.Mankowske	5433765	469922	824	MM347	outcrop		Br 2 Road	1.0	0.03	<0.02	0.28	199	2.94	77.2	49.4	33.8	4.1	0.24	<0.1	Argillite, silic. alteration, graphitic, calc alteration, minor pyrite >1%
945167	18-Oct-08	M.Mankowske	5433755	470028	809	MM348	talus		Br 2 Road	0.4	0.02	<0.02	0.09	23	1.01	25.1	98.1	21.4	1.1	0.08	<0.1	Andesite, non-magnetic, minor pyrite >1%
945168	18-Oct-08	M.Mankowske	5433788	470135	811	MM349	outcrop		Br 2 Road	0.7	0.03	<0.02	0.09	53	1.68	40.6	84.7	22.0	0.6	0.04	0.1	Andesite, calc alteration, minor pyrite >1%
945169	18-Oct-08	M.Mankowske	5433670	469868	810	MM350	subcrop		Br 2 Road	8.8	0.07	<0.02	0.22	333	6.54	45.4	38.7	30.8	23.7	0.24	0.2	Argillite, silicic alteration, minor pyrite, fractured, angular
945170	18-Oct-08	M.Mankowske	5433691	470264	774	MM351	outcrop		Br 2 Road	1.0	0.28	<0.02	0.15	11	1.38	11.8	27.0	14.4	1.4	0.11	0.7	Andesite, calc alteration
945171	18-Oct-08	M.Mankowske	5433705	470281	774	MM352	outcrop		Br 2 Road	0.3	0.15	<0.02	0.08	76	3.01	33.2	81.8	19.5	1.9	0.21	0.5	Argillite, graphitic, hematite staining
945333	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	4.9	0.37	<0.02	0.27	81	3.13	28.1	19.3	7.8	12.0	1.03	0.2	Graphitic meta-argillite: dark grey, strongly foliated, fairly soft with variable proportion irregular seams & lenses silicic, chloritic alteration: heavy red-brown oxide weathering. Minor fine grained py as irregular bands or streaks up to 1cm long (across).
945334	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	6.9	0.30	0.03	0.32	98	4.89	31.3	40.0	8.8	15.3	1.26	0.1	Graphitic meta-argillite: dark grey, soft, with minor silicic (& chlorite) veinlets, usually disrupted & discontinuous, often with associated streaks or irregular blebs fine grained py amounting to minor proportion but locally ranging to 5% locally. Three of 4 to 6 cm-wide lamprophyre dikes, brown-yellow color, nearly friable, containing greasy ovoids <3mm across. Heavy red-brown coating on most weathered surfaces.
945335	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	11.0	0.65	0.03	0.70	116	4.51	25.8	19.5	9.1	204.4	1.48	0.1	Graphitic meta-argillite: very dark grey, strongly disrupted & foliated with variable, generally minor siliceous, fine grained, mica-chlorite veinlets/stringers. Heavy oxide coating along with gypsum on weathering surfaces, internal dark orange limonite? staining in elongate, thin pits. Rare py
945336	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	22.4	0.87	0.08	0.68	245	7.64	18.9	22.3	12.1	541.9	0.90	0.2	Graphitic meta-argillite: very dark grey, soft, with siliceous domains, usually greenish chlorite-mica (sericite). Abundant slashes & streaks fine grained py ranging to 5%, averaging 2%. Heavy dark brown & medium brown weathering scale & coatings
945337	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	19.1	0.63	0.04	0.69	171	4.75	31.7	21.9	9.9	202.9	1.39	0.1	Graphitic meta-argillite: very dark grey, variably sheared, soft, abundant gypsum in a graphitic & vaguely nodular texture. Numerous streaks & slashes fine grained py, averaging 2%. Heavy oxide as dark medium-brown coatings on weathering surfaces.
945338	18-Oct-08	J.D. Williams					outcrop		Powerline argillite west of BR2 road	4.5	0.41	0.05	0.55	72	3.54	37.3	17.1	7.1	62.0	1.03	0.1	Graphitic meta-argillite: dark grey, moderately hard, stongly to intensely foliated with minor silicic lenses or bands, often chloritic - micaceous; gypsum pervasive. Irregularly distributed, irregular lenses & slashes fine grained py, ranging to 35% locally; py often pitted & averaging 2% by volume
945351	12-Oct-08	Pat Williams					chip		Lefevre Section 5	294.1	23.93	0.63	0.25	473	5.56	84.9	61.4	39.3	1.2	24.82	640	f.g. mod foliation w/ variable quartz veinlets(trace) and quartz augens (faint); chloritic-biotitic quartzite w/ trace of Pyrite. Trace scheelite under UV as sparsely distributed fine grains
945352	12-Oct-08	Pat Williams					chip		Lefevre Section 5	157.2	11.06	0.27	0.47	237	6.35	59.6	36.0	21.8	34.8	29.69	240	v.f.g. finely banded chloritic-biotitic quartzite w/ trace disse Po + trace to common massive Po, w/ trace of qtz veinlets(1cm). Trace scheelite under UV as sparsely distributed fine grains
945353	12-Oct-08	Pat Williams					chip		Lefevre Section 5	757.7	70.40	1.68	0.25	393	6.62	58.9	27.4	19.6	2.7	98.85	420	v.f.g. fine to mod banding w/ moderate foliation: chloritic-biotitic quartzite w/ faint disse + massive Pyrrhotite. Trace scheelite under UV as sparsely distributed fine grains.
945354	12-Oct-08	Pat Williams					chip		Lefevre Section 5	30.7	3.73	0.06	0.11	100	5.27	179.1	32.0	14.0	1.4	45.38	32.1	v.f.g. fine to mod banding w/ weak to mod foliation, chloritic-biotitic quartzite w/ faint disseminated + massive Pyrrhotite. No schelite under UV
945355	12-Oct-08	Pat Williams					chip		Lefevre Section 5	1173.6	102.06	1.54	0.24	691	5.90	53.0	20.1	17.7	0.8	121.36	600	f.g. chloritic-biotitic quartzite w/ faint Pyrite, Pyrrhotite: entire channel highly weathered w/ heavy limonite, manganese, gossamous coatings on 80-90% all surfaces. No schelite under UV.
945356	12-Oct-08	Pat Williams					chip		Lefevre Section 5	776.3	74.13	1.26	0.25	617	4.38	56.2	30.1	29.3	1.1	128.77	1590	f.g. strongly siliceous chlor

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
945376	13-Oct-08	Pat Williams					chip	1.5m channel	Timbered Shaft	0.7	0.11	0.04	0.04	30	3.05	15.1	2.8	4.0	1.7	1.12	<0.1	bull white to smokey quartz vein/ sheet overlain on strongly foliated chloritic-biotitic schist (1% channel); no S;
945377	15-Oct-08	Pat Williams	5434881	471017	958		chip	0.8m channel	UM - Middle	0.5	0.13	<0.02	<0.02	25	3.68	30.5	1893.2	103.6	10.8	0.17	0.3	v.f.g. drk grey ultramafic w/ disrupted crenulated banding w/ local bands of strong foliation; w/ m.g. drk green serpenitized; strongly magnetic segregation
945378	15-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	0.7	0.21	0.02	<0.02	7	0.52	22.0	1944.7	98.3	6.0	0.19	0.4	v.f.g. drk grey ultramafic; w/ m.g. serpenitized blebbing w/ localized v.strong foliation, weak to mod. Disruped crenulated banding; strongly magnetic segregations
945379	15-Oct-08	Pat Williams					chip	0.7m channel	UM - Middle	0.2	0.11	0.02	0.02	15	1.66	34.6	1781.4	90.8	2.7	0.14	0.4	v.f.g. drk grey/ green ultramafic w/m.g. serpenitized blebbing; poorly defined foliation; strongly disrupted crenulated banding; strongly magnetic segregation
945380	15-Oct-08	Pat Williams					chip	0.7m channel	UM - Middle	0.4	0.15	<0.02	0.02	19	3.16	34.4	1841.4	88.9	3.9	0.17	0.4	v.f.g. drk grey ultramafic w/ m.g. serpenitized blebbing; poorly defined foliation; mod disrupted crenulated banding; strongly magnetic
945381	15-Oct-08	Pat Williams					chip	1.0m channel	UM - Middle	0.6	0.07	0.02	0.02	6	1.00	25.7	1803.2	93.8	2.8	0.22	<0.1	v.f.g. dark greenish grey ultramafic; strongly magnetic; mod to strong disrupted crenulated banding w/ m.g. serpenitized blebbing; poor foliation
945382	15-Oct-08	Pat Williams					chip	1.7m channel	UM - Middle	0.4	0.05	<0.02	0.03	5	0.71	26.8	1845.2	97.3	3.0	0.16	0.1	v.f.g. drk greenish-grey ultramafic; w/ strong magnetite segregations; mod disrupted crenulated banding w/ m.g. drk green serpenitized blebbing; poorly defined foliation
945383	15-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	0.4	0.06	<0.02	0.02	37	6.39	21.7	1853.8	98.2	3.5	0.11	0.2	v.f.g. dark grey ultramafic w/ strong magnetite segregations; mod disrupted crenulated banding w/ dark green serpenitized; poor foliation
945384	15-Oct-08	Pat Williams					chip	1.6m channel	UM - Middle	0.5	0.05	<0.02	0.03	6	0.58	32.8	1793.8	91.3	4.3	0.07	0.2	v.f.g. dark grey ultramafic w/ faint asbestos micro-veinlets; strongly magnetic; mod to strong disrupted crenulated banding w/ dark green serpenitized; very poor foliation
945385	15-Oct-08	Pat Williams					chip	1.2m channel	UM - Middle	0.7	0.06	<0.02	0.03	14	1.70	29.1	1829.1	94.1	3.3	0.11	0.2	v.f.g. dark grey ultramafic; strongly magnetic; weak to mod disrupted crenulated banding; v. poorly defined foliation
945386	15-Oct-08	Pat Williams					chip	1.0m channel	UM - Middle	1.1	0.12	<0.02	0.02	21	2.34	20.2	1824.7	102.6	4.0	0.20	0.2	v.f.g. drk grey ultramafic; strongly magnetic; poorly disrupted, strongly crenulated banding of drk green + weathered pink serpenitized; v. poorly defined foliation
945387	15-Oct-08	Pat Williams					chip	1.3m channel	UM - Middle	0.5	0.09	<0.02	0.03	16	0.59	11.8	1831.5	97.3	4.2	0.18	0.2	v.f.g. drk grey ultramafic; strongly magnetic; poorly disrupted, strongly crenulated banding of drk green + weathered pink serpenitized; v. poorly defined foliation
945388	16-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	6.8	0.71	<0.02	0.04	13	0.43	18.2	2187.9	101.8	7.7	1.00	2.1	v.f.g. drk grey serpenitized ultramafic w/ magnetite segregations; finely disrupted or continuous crenulated banding
945389	16-Oct-08	Pat Williams					chip	0.6m channel	UM - Middle	4.6	0.58	<0.02	0.05	12	0.42	21.0	2325.9	107.5	8.1	0.59	1.2	v.f.g. strongly disrupted or continuous crenulated banding; strongly serpenitized ultramafic w/ coarse magnetite segregation;
945390	16-Oct-08	Pat Williams					chip	0.9m channel	UM - Middle	3.0	0.32	0.02	0.03	7	0.31	23.9	2158.0	97.8	8.0	0.37	0.7	f.g. w/ f.g. to m.g. serpenitized ultramafic w/ mod magnetite segregations; foliated w/ disrupted or continuous serpenitized bandin
945391	16-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	2.9	0.33	<0.02	0.03	30	0.48	40.1	2261.6	103.9	7.6	0.55	0.7	f.g. UM w/ moderately f.g. to m.g. serpenitization; coarse magnetite segregations; foliated w/ prominent disrupted and continuous serpenitized bandin
945392	16-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	2.2	0.39	<0.02	0.02	8	0.34	27.8	2348.1	112.7	10.4	0.56	0.7	f.g. to m.g. serpenitized UM; foliated w/ mod to coarse magnetite segregations; prominent fine to mod. Serpentine bandin
945393	16-Oct-08	Pat Williams					chip	0.8m channel	UM - Middle	1.2	0.39	<0.02	0.03	4	0.27	25.9	2157.7	97.3	11.0	0.42	0.5	v.f.g. to m.g. serpenitized UM; foliated w/ mod to coarse magnetite segregations; prominent fine to moderate serpenitized bandin
945394	16-Oct-08	Pat Williams					chip	1.3m channel	UM - Middle	1.7	0.47	0.04	0.04	5	0.45	26.2	2277.2	113.9	27.5	0.29	0.4	v.f.g. to m.g. strongly serpenitized UM; foliated w/ mod to coarse magnetite segregations; prominent fine to mod serpenitized bandin
945395	16-Oct-08	Pat Williams					chip	1.2m channel	UM - Middle	2.3	0.59	0.02	0.06	10	0.43	31.2	2061.6	98.0	20.9	0.36	0.5	v.f.g. to m.g. strongly serpenitized UM; foliated w/ mod to coarse magnetite segregations; prominent fine to mod serpenitized bandin
945396	16-Oct-08	Pat Williams	5434853	471134	988		chip	1.1m channel	UM - Upper	1.7	0.40	0.04	0.05	70	0.88	30.2	2282.0	109.5	7.5	0.13	0.4	f.g. strongly serpenitized UM; strongly foliated; weakly magnetic w/ fine to mod magnetite segregations; 85% to channel is mod to highly reduce
945397	16-Oct-08	Pat Williams					chip	0.8m channel	UM - Upper	0.6	0.60	0.06	0.05	29	0.80	28.5	2107.9	95.6	4.7	0.11	0.4	f.g. to m.g. strongly serpenitized UM; strongly foliated w/ mod banding and serpenitized banding; mod magnetite segregation
945398	16-Oct-08	Pat Williams					chip	0.9m channel	UM - Upper	0.4	0.61	0.06	0.03	37	0.44	30.4	2434.7	112.2	13.3	0.13	0.4	f.g. to m.g. strongly serpenitized UM; mod to coarse foliation, w/ mod to coarse magnetite segregations; mod serpenitized banding; channel is mod weathered throughout
945399	16-Oct-08	Pat Williams					chip	0.9m channel	UM - Upper	0.3	0.55	0.04	0.03	28	0.56	30.0	2430.9	120.4	17.3	0.18	0.6	f.g. to m.g. serpenitized UM w/ strong foliation; mod to coarse magnetite segregations; prominent fine to mod serpenitized banding; channel is mod weathered throughout
945400	16-Oct-08	Pat Williams	5434623	470992	946		chip	0.5m channel	UM - South	3.3	0.41	<0.02	0.10	26	1.58	15.9	2116.1	113.4	19.9	0.14	1.8	f.g. to m.g. strongly serpenitized UM; strongly magnetic segregations; strongly foliated w/ shearing/ banding fine to moderat
945401	3-Oct-08	Pat Williams					chip	1.55m channel	Moly Vein	3.5	0.37	0.03	0.21	537	75.31	1.5	1.4	0.1	1.2	26.00	0.2	white bull quartz vein; footwall setting of a normal fault; predominately bull texture w/ minor dark grey mineral (bismuth?) banding and minor brecciation in top portion of channel; trace of visible Pyrite.
945402	3-Oct-08	Pat Williams					chip	0.9m channel	Moly Vein	9.4	0.31	0.05	0.13	592	136.51	22.8	0.8	0.2	11.6	5.35	0.3	m.g. white + grey, aphanitic granite; smokey quartz abund, muscovite and biotite common; moderately fractured w/ some biotite matrix along fracture planes; leached K-spa common; no visible sulphides.
945403	3-Oct-08	Pat Williams					chip	0.75m channel	Moly Vein	190.1	30.04	1.21	0.14	5965	79.95	3.1	1.1	0.1	1.2	31.74	0.3	white bull quartz vein; minor to moderately weathered; no visible sulphides
945404	3-Oct-08	Pat Williams					chip	0.7m channel	Moly Vein	25.5	1.43	0.10	0.09	437	42.53	9.2	1.0	0.5	2.1	15.95	2.2	white to grey bull quartz vein, moderately banded by grey (bismuth?) mineral and minor brecciated w/ some grey mineral matrix surrounding qtz clasts; massive Galena abund through 60% of channel; trace of visible Pyrite.
945405	3-Oct-08	Pat Williams					chip	0.95m channel	Moly Vein	157.5	10.45	1.37	18.77	40506	13200	2213.9	2.2	0.2	10.6	77.87	0.1	white bull quartz vein, moderately weathered, highly fractured; black manganese rhime common; no visible sulphides
945406	7-Oct-08	Pat Williams					chip	0.45m channel	Moly Vein	3.4	0.24	<0.02	0.12	421	120.36	24.5	1.2	0.5	8.1	26.66	0.3	m.g. granite; weakly altered w/ weakly leached K-spa; smokey quartz abund; biotite (mod. weathered) common; no visible sulphides
945407	7-Oct-08	Pat Williams					subcrop	grab from rubble	Moly Vein	96.6	2.68	0.14	0.20	820	138.63	2.1	0.7	0.2	6.5	1531.86	4.8	representative grab sample of quartz floats/rubble?; highly brecciated to moderately sheeted w/ veinlets of drk grey mineral, same material that composes matrix; clasts are white quartz m.g. to c.g.; common occurrence of Moly; Galena common w/ some moderate weathering; Pyrite rare
945408	7-Oct-08	Pat Williams					subcrop	grab from rubble	Moly Vein	9.0	0.43	0.03	0.06	182	18.07	5.6	1.1	0.2	1.8	26.09	0.7	smokey to white bull quartz floats/in situ rubble?; taken as representative multiple grabs; no visible sulphides
945409	7-Oct-08	Pat Williams					chip	0.35m channel	Moly Vein	37.4	2.02	0.10	0.09	618	33.21	3.7	1.5	0.2	1.1	50.42	2.2	mod fractured white to smokey quartz vein; trace of massive Pyrite + massive highly weathered Galena
945410	7-Oct-08	Pat Williams					chip	1.25m channel	Moly Vein	204.2	22.61	1.02	0.31	2495	101.86	4.4	2.1	0.2	11.8	241.05	3.6	white to smokey bull quartz vein; massive, highly weathered Pyrite common
945411	7-Oct-08	Pat Williams	5434182	471603.7	1257.4		chip	1.8m channel	Lefevre Section 1	766.1	69.57	1.06	0.25	306	2.70	72.1	55.4	11.9	3.9	5.08	770	drk grey to grey to pink micaceous quartzite: crosscut by white/ highly altered quartz veinlets up to 2cm thick; massive biotite veinlets common, muscovite crystals + sheeting less common; massive Pyrite common. Trace scheelite under UV. Location coords from compass & tape measurements of local reference point wrt GPS coords of ref. pt. of Lefevre Section 3W [JDW - 09Jul09].
945412	7-Oct-08	Pat Williams					chip	1.28m channel	Lefevre Section 1	1119.7	104.82	1.36	0.43	380	2.62	40.9	36.7	11.6	2.0	5.25	1640	drk grey & pink micaceous quartzite w/ abund muscovite (2ndary precip?); biotite common. About 0.5% scheelite under UV
945413	7-Oct-08	Pat Williams					chip	0.46m channel	Lefevre Section 1	1060.0	107.42	1.39	0.36	383	2.92	38.0	33.4	13.2	1.2	1.26	1390	drk grey & pink quartzite: biotite common, muscovite abund as secondary precipitation. Minor scheelite, trace powellite under UV
945414	7-Oct-08	Pat Williams					chip	1.8m channel	Lefevre Section 1	512.2	52.31	0.79	0.25	201	2.38	66.3	29.0	6.8	1.6	1.64	540	pink & grey garnet pyroxene, skarnified and siliceous w/ m.g. white/smokey quartz; trace Pyrite. Minor scheelite under UV
945415	7-Oct-08	Pat Williams					chip	0.86m channel	Lefevre Section 1	276.5	29.25	0.63	0.22	265	3.16	49.4	27.2	8.4	2.3	2.83	1090	highly altered, highly weathered, white quartz vein?; rock is in a highly weathered state w/ no any fresh exposures; trace disseminated Pyrite. Trace scheelite under UV.
945416	7-Oct-08	Pat Williams					chip	3.06m channel	Lefevre Section 1	739.1	94.79	1.09	0.56	401	6.76	53.2	40.5	13.5	53.7	13.85	1300	dark grey & pinkish; poorly foliated, quartzite; abund quartz concordant with foliation planes; abund biotite and muscovite; trace disseminated Pyrite. Trace scheelite under UV.
945417	7-Oct-08	Pat Williams					chip	0.77m channel	Lefevre Section 1	19.6	1.39	0.07	0.08	66	8.29	65.8	138.2	32.5	4.1	0.67	4.8	Lamprophyre dike, soft, friable; biotite, muscovite abund in various states of reduction. No scheelite under UV
945418	8-Oct-08	Pat Williams					chip	1.75m channel	Lefevre Section 1	92.6	11.79	0.17	0.23	287	15.41	70.3	33.0	10.3	19.5	3.91	320	f.g. micaceous quartzite w/ siliceous banding concordant to weak foliation planes. No scheelite under UV
945419	8-Oct-08	Pat Williams					chip	1.85m channel	Lefevre Section 1	5.1	0.52	0.03	0.19	129	9.82	73.5	38.6	14.6	32.0	3.40	2.8	f.g. drk grey, micaceous quartzite w/ abund muscovite; v. fine siliceous banding concordant to mod foliation planes. No scheelite under UV
945420	8-Oct-08	Pat Williams					chip	0.5m channel	Lefevre Section 1	8.0	0.71	<0.02	0.05	51	19.53	25.2	7.0	1.9	11.0	1.22	9.4	m.g. smokey white granite; abund smokey quartz; mica weathered to drk brwn / rusty deposits common. No scheelite under UV
945421	8-Oct-08	Pat Williams					chip	1.3m channel	Lefevre Section 1	14.2	0.29	0.04	0.33	143	18.64	141.7	42.6	12.3	196.4	4.25	1.6	f.g. mod weathered/ reduced to mica; drk grey quartzite; v. fine siliceous banding concordant to foliation planes; c.g. white quartz vein up to 2cm thick. No scheelite under UV.
945422	8-Oct-08	Pat Williams					chip	0.58m channel	Lefevre Section 1	9.7	0.61	0.02	0.26	113	112.87	57.4	5.3	2.4	61.4	2.43	5.7	m.g. smokey white granite; biotite? Common to rare; smokey quartz abund. No scheelite under UV
945423	8-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 1	885.3	82.31	1.13	0.30	393	2.68	43.5	27.1	11.0	0.			

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
945449	9-Oct-08	Pat Williams					chip	0.7m channel	Lefevre Section 2W	2.3	1.62	<0.02	0.13	109	3.13	978.2	24.2	10.9	2.6	26.67	310	weak to mod pitted, coarsely banded to strongly crenulated, garnet diopside calc-silicate; local weathering strong in moderately pitted areas; strongly calcareous; no visible Sulphides. Trace scheelite under UV.
945450	9-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 2W	3.3	1.43	0.10	0.15	166	5.46	628.8	36.2	14.3	1.2	47.84	62.1	v. coarsely banded, local pitted garnet diopside calc-silicate; moderate calcareous, no visible sulphides. Trace scheelite under UV
945451	5-Oct-08	M.Mankowske	5432536	474528	927	MM261	dump rk.		McCormick Creek Road	130.5	0.20	0.07	128.06	19800	103300	140100	23.0	3.7	2788.6	3.68	0.4	entance to Red Rock mine
945452	6-Oct-08	M.Mankowske	5433061	475812	961	MM262	outcrop		McCormick Creek, Powerline rd.	1.6	0.28	0.08	0.12	317	63.20	95.0	23.4	8.0	2.0	7.67	0.2	Quartzite, calc alteration, silicic alteration, rusty, minor sulphides:
945453	6-Oct-08	M.Mankowske	5433061	475812	961	MM263	outcrop		McCormick Creek, Powerline rd.	2.1	0.22	0.04	0.55	714	329.50	451.2	59.9	25.7	6.1	1.94	0.5	Andesite, calc alteration, non-magnetic, minor sulphides
945454	6-Oct-08	M.Mankowske	5433083	475726	973	MM264	outcrop		McCormick Creek, Powerline rd.	0.5	0.03	0.05	0.03	25	19.60	10.6	1.3	0.2	8.2	0.72	<0.1	Limestone, white, coarse crystalline.
945455	6-Oct-08	M.Mankowske	5433164	475534	1032	MM265	subcrop		McCormick Creek, Powerline rd.	1.7	0.09	0.06	0.07	252	28.98	30.4	8.9	3.8	0.7	8.12	<0.1	Quartzite, sil. alteration, fine pyrite in banding, chloritic
945456	6-Oct-08	M.Mankowske	5433129	475483	1041	MM266	outcrop		McCormick Creek, Powerline rd.	3.2	0.36	0.09	0.10	223	18.81	49.7	14.4	3.1	0.5	3.87	0.2	Quartzite, shattered, platy, schistose, fine sulphides
945457	6-Oct-08	M.Mankowske	5432819	473942	1035	MM267	outcrop		McCormick Creek Road	0.2	0.24	0.05	0.04	185	16.12	35.0	26.4	7.8	3.2	1.29	0.3	Quartzite, schistose, graphitic, foliated, sil. alteration, fine py, strkN30E
945458	6-Oct-08	M.Mankowske	5432432	474098	965	MM268	outcrop		McCormick Creek Road	0.7	0.45	0.06	0.08	280	11.64	78.8	35.2	8.6	1.8	5.38	0.2	Argillite schist, sericitic, minor pyrite, bandec
945459	6-Oct-08	M.Mankowske	5432369	474329	943	MM269	outcrop		McCormick Creek Road	1.5	0.31	0.06	0.04	324	13.39	64.5	25.9	7.7	0.8	3.43	0.1	Argillite, strike N/S
945460	6-Oct-08	M.Mankowske	5432292	474471	909	MM270	outcrop	Pit	McCormick Creek Road	68.3	0.29	0.15	0.08	318	13.05	46.8	11.2	3.4	0.9	4.76	0.6	Argillite schist, graphitic, minor sulphides
945461	6-Oct-08	M.Mankowske	5432287	474460	911	MM271	outcrop	Trench	McCormick Creek Road	1.1	0.21	0.06	0.10	119	8.74	45.4	25.8	5.8	4.9	0.34	1.3	Argillite schist, fractured, calc alteration, rust stainec
945462	7-Oct-08	M.Mankowske	5432304	474359	927	MM272	outcrop		McCormick Creek Road	1.5	0.33	0.05	0.10	67	5.26	22.8	24.6	11.4	2.4	1.07	<0.1	Limestone/argillite contact: on road
945463	7-Oct-08	M.Mankowske	5432304	474359	927	MM273	outcrop		McCormick Creek Road	0.9	0.26	0.07	0.07	358	10.41	33.7	8.4	3.4	1.4	1.52	0.2	Argillite, taken at junction on road
945464	7-Oct-08	M.Mankowske	5432144	473996	876	MM274	outcrop		McCormick Creek Road	1.0	0.29	0.12	0.14	247	7.81	69.3	29.6	7.5	22.3	5.84	0.3	Argillite schist, fine banding, sil alteration, minor pyrite
945465	7-Oct-08	M.Mankowske	5432144	473996	876	MM275	resident float		McCormick Creek Road	0.4	0.47	0.03	<0.02	93	6.01	80.3	50.4	20.9	0.3	1.74	<0.1	Argillite schist, -5% pyrite
945466	7-Oct-08	M.Mankowske	5432160	473937	863	MM276	subcrop		McCormick Creek Road	0.4	0.19	0.05	0.06	66	12.97	37.0	27.8	9.1	2.8	2.92	0.1	Argillite schist, hematite stain, fine pyrite <5%
945467	7-Oct-08	M.Mankowske	5432197	473917	860	MM277	outcrop		McCormick Creek Road	<0.2	0.16	<0.02	0.03	46	2.59	8.4	4.2	1.3	0.6	0.27	<0.1	Quartz vein in Argillite, milky white, rusty, strike N/S, dip 40E
945468	7-Oct-08	M.Mankowske	5432213	473908	862	MM278	outcrop		McCormick Creek Road	1.4	0.08	<0.02	0.03	49	8.69	54.2	72.3	23.6	1.7	0.34	0.1	Lamprophyre sill, strike N/S, dip 40E
945469	7-Oct-08	M.Mankowske	5432213	473908	862	MM279	outcrop		McCormick Creek Road	0.7	0.15	0.03	0.04	103	10.75	55.5	22.6	7.9	2.5	1.72	0.1	Argillite, graphitic schist, sil alteration, minor sulphides
945470	7-Oct-08	M.Mankowske	5432213	473908	862	MM280	outcrop		McCormick Creek Road	1.2	0.13	<0.02	0.04	96	5.58	10.9	7.4	2.7	0.5	0.65	<0.1	Quartz vein in Argillite
945471	7-Oct-08	M.Mankowske	5432240	473891	856	MM281	outcrop		McCormick Creek Road	0.6	0.17	0.05	0.06	153	5.65	73.7	22.6	6.1	1.6	2.35	<0.1	Argillite, sil alteration, sericite alterator
945472	7-Oct-08	M.Mankowske	5432264	473815	872	MM282	outcrop		McCormick Creek Road	7.3	0.17	0.13	2.04	3789	55.20	392.8	262.2	33.5	121.6	4.83	<0.1	Andesite, calc alteration, disseminated sulphides > 1%
945473	7-Oct-08	M.Mankowske	5432228	473827	881	MM283	outcrop		McCormick Creek Road	11.1	0.14	<0.02	0.25	380	6.67	19.3	15.0	8.2	13.1	0.60	0.1	Argillite, graphitic, schistose with Quartz veins, heavy stain
945474	7-Oct-08	M.Mankowske	5432101	473699	923	MM284	outcrop		McCormick Creek Road	2.1	0.64	0.06	0.09	279	20.35	9.8	2.7	0.8	17.9	0.50	<0.1	Quartz veining in Quartzite, old pit, hematite staining
945475	8-Oct-08	M.Mankowske	5432074	474765	798	MM285	outcrop		McCormick Creek Road	0.7	0.21	0.04	<0.02	161	12.66	66.0	16.7	5.5	4.6	1.56	0.1	Argillite schist, graphitic, -5% pyrite, sil. alteration
945476	8-Oct-08	M.Mankowske	5432080	474738	798	MM286	outcrop		McCormick Creek Road	0.6	0.03	0.03	0.48	8	4.32	3.8	2.5	0.6	10.1	0.39	<0.1	Limestone, blue grey, fine crystalline texture, minor pyrite
945477	9-Oct-08	M.Mankowske	5436261	468713	1145	MM287	outcrop		Tillicum Creek Road	4.9	0.05	<0.02	0.76	61	7.34	61.8	45.3	25.0	8.4	0.58	0.2	Andesite dike, fine texture, strike N/S, dip 60 E
945478	9-Oct-08	M.Mankowske	5438861	467666	1284	MM288	outcrop		Tillicum Creek Road	1.0	0.08	<0.02	0.44	71	13.24	207.9	7.6	14.1	5.6	0.37	0.1	Andesite, fractured, hematite stained, minor pyrite
945479	9-Oct-08	M.Mankowske	5438460	467997		MM289	outcrop		Tillicum Creek Road	0.5	0.14	0.04	0.69	146	13.92	122.7	57.4	15.2	15.6	0.19	<0.1	Tuff, calcareous alteration
945480	9-Oct-08	M.Mankowske	5438544	468219		MM290	outcrop		Tillicum Creek Road	3.0	0.09	0.04	1.92	106	5.39	87.8	16.5	22.7	35.7	0.80	<0.1	Tuff, hematite stain in fracture planes
945481	9-Oct-08	M.Mankowske	5439073	468963		MM291	subcrop		Tillicum Creek Road	1.0	0.07	0.03	1.92	224	9.30	156.7	30.6	16.2	14.3	4.53	<0.1	Tuff, diss. Pyrite >1%
945482	9-Oct-08	M.Mankowske	5439073	468616	1464	MM292	outcrop		Tillicum Creek Road	1.1	0.05	0.03	0.43	16	3.64	16.9	7.7	4.3	15.2	0.20	<0.1	Quartz veining in Andesite tuff
945483	9-Oct-08	M.Mankowske	5439073	468616		MM293	outcrop		Tillicum Creek Road	6.4	0.28	0.10	4.82	197	42.17	87.9	37.3	18.5	88.6	0.48	<0.1	Andesite, limonitic, bleached
945484	9-Oct-08	M.Mankowske	5438125	468334	1221	MM294	outcrop		Tillicum Creek Road	1.3	0.09	<0.02	0.89	210	15.65	51.6	4.4	11.2	4.2	11.14	0.3	Andesite, fractured, hematite stained, minor pyrite
945485	10-Oct-08	M.Mankowske, G. Laplante	5436667	469878	1061	MM295	outcrop		Tillicum Creek Road	10.5	0.06	0.03	0.48	481	3.66	84.2	12.8	30.4	37.9	0.53	<0.1	Andesite, calcareous alteration, hematite stain
945486	10-Oct-08	M.Mankowske, G. Laplante	5436848	469617	1093	MM296	outcrop		Tillicum Creek Road	2.7	0.10	<0.02	1.10	44	4.91	17.6	3.5	3.1	166.6	0.52	<0.1	Quartz vein in Andesite, vuggy Hematite.
945487	10-Oct-08	M.Mankowske, G. Laplante	5437177	469007	1105	MM297	outcrop		Tillicum Creek Road	24.3	0.04	<0.02	0.28	37	1.58	48.3	20.4	18.6	0.6	0.24	0.2	Andesite, dark green, fine texture, slightly magnetic
945488	10-Oct-08	M.Mankowske, G. Laplante	5437056	468555	1124	MM298	outcrop		Tillicum Creek Road	3.7	0.05	<0.02	0.16	284	2.63	77.9	6.1	15.6	2.3	0.42	0.3	Andesite, non-magnetic, calc altere
945489	10-Oct-08	M.Mankowske, G. Laplante	5436202	468583	1147	MM299	outcrop		Tillicum Creek Road	2.7	0.06	<0.02	0.35	34	5.86	71.5	47.1	27.4	2.3	0.22	0.3	Andesite, fine grained, calc alteration, sil. alteration
945490	10-Oct-08	M.Mankowske, G. Laplante	5436862	467953	1357	MM300	outcrop		Tillicum Creek Road	0.5	0.24	0.07	1.40	100	14.82	68.0	18.2	20.4	5.6	2.16	0.2	Andesite, fractured, rusty, pyrite<1%, Mn stain, non-calc
945491	10-Oct-08	M.Mankowske, G. Laplante	5436862	467953		MM301	outcrop		Tillicum Creek Road	0.3	0.17	0.06	0.85	64	8.86	81.7	21.9	22.9	1.6	2.80	0.2	Andesite, bedded, fractured, strike E/W, dip 90
945492	10-Oct-08	M.Mankowske, G. Laplante	5435314	468488		MM302	outcrop		Tillicum Creek Road	0.5	0.08	0.02	0.30	21	3.35	79.7	4.7	19.9	0.6	0.13	<0.1	Andesite, calc. alteration, sil. alteration
945493	10-Oct-08	M.Mankowske, G. Laplante	5435592	468331	1176	MM303	outcrop		Tillicum Creek Road	0.2	0.02	<0.02	0.82	10	2.79	32.9	16.6	15.8	2.3	0.36	0.2	Andesite, magnetic, coarse grained, more olivine
945494	10-Oct-08	M.Mankowske, G. Laplante	5435977	467656	1296	MM304	outcrop		Tillicum Creek Road	<0.2	0.02	<0.02	0.19	47	3.37	80.6	22.0	37.6	1.0	0.28	0.2	Andesite, magnetic, calc. alteration, minor bornite, quartz veining
945495	10-Oct-08	M.Mankowske, G. Laplante	5434633	467719	1146	MM305	outcrop		Tillicum Creek Road	<0.2	<0.02	0.26	0.05	<2	1.91	1.4	<0.1	<0.1	0.2	0.09	<0.1	Limestone, strike N/S
945496	10-Oct-08	M.Mankowske, G. Laplante	5434700	467653	1189	MM306	outcrop		Tillicum Creek Road	0.3	0.09	<0.02	0.67	73	3.08	60.2	77.7	29.6	1.8	0.83	<0.1	Lamprophyre, magnetic. On end of old road.
945497	10-Oct-08	M.Mankowske, G. Laplante	5434737																			

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
945519	10-Oct-08	Pat Williams					chip	1.2m channel	Lefevre Section 3E	1140	105.56	3.13	0.95	379	4.56	47.3	36.4	18.5	28.8	68.86	690	garnet-biotitic quartzite: f.g. silicified, poorly banded w/ fine to coarse quartz veining (<1cm, >15cm) w/ poorly brecciated, weakly pitted quartz; trace of disseminated Pyrite in quartzite. 2% scheelite under UV: high specific gravity: fine & medium grained disseminated colors ranging from 1 to 5%
945520	10-Oct-08	Pat Williams					chip	0.6m channel	Lefevre Section 3E	753.0	55.50	1.52	0.88	302	3.39	15.9	21.2	12.5	2.2	137.58	2250	f.g. dark w/ mod quartz veining (up to 7cm), biotitic quartzite: mod weathered; trace disseminated Pyrite. 3% scheelite under UV: abundant fine & medium grained colors varying from 1 to 8%.
945521	10-Oct-08	Pat Williams					chip	0.9m channel	Lefevre Section 3E	84.6	7.76	0.16	0.12	610	12.19	73.7	21.6	8.0	5.8	23.70	530	fine to moderate banded, moderately crenulated garnet diopside calc-silicate: mod to strong calcareous; weakly pitted; no visible Sulphides. Minor to 1% scheelite under UV as irregularly disseminated medium grains.
945522	10-Oct-08	Pat Williams					chip	2.0m channel	Lefevre Section 3E	1987.9	136.55	2.62	1.15	1161	10.88	40.3	18.6	23.5	59.6	65.97	1160	f.g. weakly banded; weakly crenulated; faintly calcareous, strongly weathered/recuded garnet diopside calc-silicate w/ overlap/contact of biotitic quartzite; local bull white quartz banding (3cm); no visible Sulphides. Minor to 1% scheelite under UV: fine & medium grains ranging to 3%
945523	10-Oct-08	Pat Williams	5434146	471604	1249		chip	1.4m channel	Lefevre Section 3W	3952.6	256.45	8.41	2.55	934	6.39	39.4	37.0	155.7	5116.9	19.34	1640	f.g. siliceous chloritic/biotitic quartzite: trace of pitting; common disseminated Pyrite. 3% scheelite under UV: variably distributed disseminated fine grains ranging to 5%.
945524	10-Oct-08	Pat Williams					chip	1.0m channel	Lefevre Section 3W	881.5	65.16	1.43	0.33	470	3.69	42.8	26.8	21.2	5.3	22.56	2760	f.g. poorly banded, micaceous garnet quartzite w/ local abund massive Pyrite. 1% scheelite under UV: disseminated colors, fine & medium grained; occasional yellow (powellite) color.
945525	10-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 3W	309.9	22.24	0.42	0.19	162	3.03	145.2	24.5	12.8	4.7	17.67	630	mod micaceous, weakly pitted, weakly calcareous, poorly banded garnet diopside calc silicate: trace of disseminated Pyrite. Minor scheelite under UV as thinly distributed fine & medium grains.
945526	10-Oct-08	Pat Williams					chip	1.2m channel	Lefevre Section 3W	10.9	2.52	0.05	0.12	84	3.12	890.8	35.0	13.6	3.4	23.35	41.3	f.g. coarse - mod banded; weakly calcareous garnet diopside calc-silicate: locally weak pitting; no Sx. No scheelite under UV
945527	10-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 3W	5.7	0.90	0.04	0.06	94	3.40	1339.3	26.1	12.9	2.4	78.81	34.4	f.g. mod-coarsely banded, mod calcareous garnet diopside calc-silicate: local moderate pitting; no visible Sulphides. No scheelite under UV
945528	10-Oct-08	Pat Williams					chip	1.2m channel	Lefevre Section 3W	6.4	1.27	0.09	0.08	119	6.35	384.1	41.5	22.0	4.5	16.72	57.1	faintly calcareous, fine to mod banded, mod crenulated garnet diopside calc-silicate: locally strongly weathered w/ mod pitting; no visible sulphides. Minor scheelite under UV as thinly distributed medium grains: small proportion yellow (powellite)
945529	10-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 3W	2.4	0.48	0.07	0.08	70	5.38	86.5	38.6	17.5	15.1	2.58	2.2	f.g. mod foliated, finely banded, biotitic quartzite contacting with non-calcareous garnet schist: trace of disseminated Pyrite in quartzite. No scheelite under UV
945530	10-Oct-08	Pat Williams	5434140	471608.6	1247.5		chip	1.1m channel	Lefevre Section 4	3570	355.32	10.04	2.42	866	4.24	19.1	18.8	33.1	6686.5	26.61	970	f.g. mod banded garnet diopside calc-silicate: mod calcareous; crosscut quartz veins up to 20cm thick: abund massive Pyrite throughout entire channel in both rock types. 3% scheelite under UV as irregularly disseminated fine grains ranging to 10%; predominantly in Qtz or silica host. Location coords from compass & tape measurements of local reference point wrt GPS coords of ref. pt. of Lefevre Section 3W [JDW - 09Jul09]
945531	10-Oct-08	Pat Williams					chip	1.3m channel	Lefevre Section 4	1710	170.12	4.82	0.32	638	2.05	8.6	24.0	17.5	28.0	12.76	3010	m.g. white to smoky quartz vein interbedded w/ garnet diopside schist: non-calcareous, strongly silicified: abund massive sulphides(Py & Cpy). 4% scheelite under UV as fine, medium & coarse grains in quartz or highly siliceous host, irregularly distributed ranging to 15%
945532	10-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 4	2030	161.46	6.29	0.21	795	2.65	15.7	30.5	26.5	28.4	17.28	1980	m.g. to c.g. white to smoky quartz vein; locally weakly brecciated; interbedded w/ non-calcareous chloritic/ micaceous schist??: abund locally massive Sulphides and common disseminated Py and Cpy. 1% scheelite under UV, mostly medium grains disseminated throughout sample
945533	10-Oct-08	Pat Williams					chip	1.4m channel	Lefevre Section 4	2270	194.43	5.09	0.52	1043	4.25	40.6	31.1	27.0	337.8	31.16	1090	f.g. silicified and locally micaceous garnet quartzite w/ fine to mod siliceous banding; Sulphides common w/ disseminated + massive mod-highly weathered occurrences. Minor to 1% scheelite under UV as irregularly distributed disseminated fine grains ranging to 5%
945534	10-Oct-08	Pat Williams					chip	0.8m channel	Lefevre Section 4	776.4	56.51	1.20	0.31	363	3.32	56.6	22.9	14.8	2.6	60.71	480	f.g. coarsely banded, mod crenulated weakly calcareous, massive micas(biotite, muscovite); local garnet diopside calc-silicate: no Sx 1% scheelite under UV as irregularly disseminated fine & medium grains ranging to 3%
945535	10-Oct-08	Pat Williams					chip	2.0m channel	Lefevre Section 4	818.7	59.50	1.37	0.35	408	4.12	58.1	31.6	19.4	1.5	111.94	560	f.g. chloritic, biotitic quartzite: massive micas abund locally: minor quartz banding; no visible Sulphides. 1% UV response mostly as fine grained scheelite, irregularly distributed to 5% by volume: local bright orange (wollastonite?) & bright yellow (powellite)
945536	11-Oct-08	Pat Williams					chip	0.9m channel	Lefevre Section 4	64.5	5.06	0.23	0.59	462	20.40	31.5	11.2	5.9	224.2	36.68	350	f.g. finely to coarsely banded, local weak foliation, chloritic-biotitic quartzite w/ mod weathering abund throughout channel: no Sx. Trace scheelite under UV as sparsely disseminated fine grains.
945537	11-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 4	69.1	5.00	0.26	0.18	146	3.81	43.5	17.5	8.7	2.8	2.10	61.4	f.g. mod to coarsely banded chloritic-biotitic quartzite w/ mod weathering abund throughout channel: no Sx. No scheelite under UV
945538	11-Oct-08	Pat Williams					chip	1.5m channel	Lefevre Section 4	37.7	3.44	0.15	0.37	308	12.21	44.6	21.3	8.2	40.1	3.06	290	f.g. mod to coarsely banded strong crenulated; chloritic-biotitic quartzite: no Sx. Trace UV response as occasional loose cluster & sparsely distributed fine grains scheelite: high proportion of yellow grains (powellite).
945539	11-Oct-08	Pat Williams					chip	1.3m channel	Lefevre Section 4	435.5	25.75	1.28	0.16	263	2.59	42.3	17.6	13.9	1.4	14.76	1230	f.g. finely to mod banded, weak foliation w/ local high weathering/ reduction w/ heavy limonite coatings; chloritic-biotitic quartzite: no Sx. Trace scheelite under UV as local disseminations of very fine grains.
945540	11-Oct-08	Pat Williams					chip	0.8m channel	Lefevre Section 4	102.0	9.72	0.38	0.14	151	3.58	50.4	24.3	13.2	1.5	17.89	34.0	f.g. mod banded chloritic biotitic quartzite: locally silicified banding; mod crenulated: no Sx. No scheelite under UV
945541	11-Oct-08	Pat Williams					chip	0.9m channel	Lefevre Section 4	2590	213.72	6.52	0.59	664	4.23	46.4	33.4	23.7	<0.1	11.40	1820	f.g. strongly siliceous, fine to mod banded + crenulated; chloritic-biotitic quartzite: no Sx. 2% scheelite under UV as patches of disseminated fine & coarse grains:
945542	11-Oct-08	Pat Williams					chip	1.3m channel	Lefevre Section 4	1720	110.20	3.19	0.52	946	3.51	19.7	12.2	20.4	0.2	12.87	2150	f.g. fine to moderately banded, chloritic biotitic quartzite w/ aphanitic pink garnet: no Sx. 1% scheelite under UV as variably disseminated fine & medium grains ranging to 3%
945543	11-Oct-08	Pat Williams					chip	2.0m channel	Lefevre Section 4	1130	80.05	1.63	0.40	622	3.91	50.9	24.1	19.1	2.2	21.38	1540	f.g. local high alteration (micaceous/siliceous); mod to coarsely banded, strongly weathered chloritic-biotitic quartzite: trace of weathered massive Py or Cpy. 1% scheelite under UV as patchy distribution of disseminated fine grains ranging to 5%
945544	12-Oct-08	Pat Williams					chip	0.5m channel	Lefevre Section 4	11750	1247.87	33.93	5.79	2691	9.48	21.1	30.9	36.0	8820.4	51.86	990	f.g. biotitic quartzite with trace of massive and disseminated Py: crosscut by m.g. to c.g. bull quartz vein up to 70cm thick with heavy mineralization of massive Py, Pyrrhotite and trace of massive Arsenopyrite + Calcopyrite. 2% scheelite under UV: about half of sample displays disseminated fine grains ranging to 8%
945545	12-Oct-08	Pat Williams	5434123	471610.5	1242.7		chip	1.1m channel	Lefevre Section 5	14.7	1.77	0.03	0.10	65	3.69	71.3	25.0	10.8	8.9	2.24	2.6	f.g. mod foliated, mod banded, chloritic-biotitic quartzite w/ variable siliceous banding up to 1cm; no Sx. No scheelite under UV. Location coords from compass & tape measurements of local reference point wrt GPS coords of ref. pt. of Lefevre Section 3W [JDW - 09Jul09]
945546	12-Oct-08	Pat Williams					chip	0.6m channel	Lefevre Section 5	13.0	1.80	0.08	0.15	65	3.53	46.9	32.1	11.9	8.1	5.31	4.1	f.g. w/ coarse siliceous banding and strongly crenulated biotitic quartzite w/ faint Pyrrhotite Mx. No scheelite under UV
945547	12-Oct-08	Pat Williams					chip	0.8m channel	Lefevre Section 5	1383.7	103.07	1.49	0.31	690	4.25	36.4	43.9	29.1	2.3	59.64	2470	strongly mica altered, strong crenulations: coarse to finely banded, trace of Po. biotitic quartzite, w/ abund pink mineral (garnet?) occurrence w/ abund grading higher into contact with quartz vein w/ massive and disseminated Po common. 4% scheelite under UV as pervasively disseminated very fine, fine, medium & coarse grains ranging to at least 10%.
945548	12-Oct-08	Pat Williams					chip	1.6m channel	Lefevre Section 5	36.7	4.26	0.05	0.47	110	2.81	356.3	25.5	10.9	2.7	23.89	690	f.g. mod banding, mod crenulation with faint pitting, chloritic-biotitic quartzite: no Sx. 1% scheelite under UV as variably distributed disseminated fine grains ranging to 5%.
945549	12-Oct-08	Pat Williams					chip	1.3m channel	Lefevre Section 5	10.6	1.53	0.05	0.19	115	3.93	73.6	30.5	12.3	3.3	13.41	13.5	f.g. coarsely banded chloritic-biotitic quartzite w/ variable white quartz bands w/ trace of Pyrite. Minor UV response: irregularly distributed & disseminated fine grains to 2%; predominantly scheelite with a proportion of yellow (powellite)
945550	12-Oct-08	Pat Williams					chip	1.1m channel	Lefevre Section 5	612.6	40.19	1.51	0.38	906	12.33	54.2	61.8	38.5	11.4	30.87	4620	f.g. mod foliated; chloritic-biotitic quartzite w/ variable siliceous bands w/ faint Sx. 6% fluorescent response under UV: pervasively distributed & disseminated fine & medium grains: predominantly scheelite with 15% yellowish or bright yellow (powellite)
945551	16-Oct-08	Pat Williams					chip	0.5m channel	UM - South	1.7	0.10	<0.02	0.18	64	1.60	16.1	1968.6	97.0	11.8	0.07	0.5	f.g. massive serpentinized UM: localized foliation; mod magnetite segregations: highly weathered throughout the channe
945552	16-Oct-08	Pat Williams					chip	0.4m channel	UM - South	1.2	0.10	<0.02	0.16	60	1.52	15.4	2098.8	97.9	11.7	0.06	1.3	f.g. massive serpentinized UM: localized foliation; mod magnetite segregations: highly weathered throughout the channe
945553	17-Oct-08	Pat Williams	5434798	470982	955		chip	1.2m channel	UM - Lower	2.1	0.38	<0.02	0.08	34	0.83	31.4	2179.9	96.3	11.1	0.46	2.6	f.g. to m.g. massive strongly foliated, mod serpentinized UM: strongly magnetic segregation
945554	17-Oct-08	Pat Williams					chip	0.5m channel	UM - Lower	0.3	0.35	<0.02	0.10	28	0.81	24.7	2094.7	100.5	25.1	2.45	1.1	f.g. to m.g. massive, mod to strongly foliated, moderately serpentinized UM: strong magnetite segregations: faint f.g. asbestos? Veinlet
945555	17-Oct-08	Pat Williams					chip	0.7m channel	UM - Lower	<0.2	0.24	0.06	0.06	23	0.83	26.1	2142.3	90.9	9.8	0.50	1.0	f.g. to m.g. massive, mod foliated, mod serpentinized UM: strong magnetite segregation
945556	17-Oct-08	Pat Williams					chip	0.9m channel	UM - Lower	1.2	0.25	<0.02	0.11	29	1.04	14.3	2288.3	95.9	16.1	0.28	0.7	f.g. to c.g. massive strongly serpentinized UM: strongly magnetic segregations: mod foliate
945557	17-Oct-08	Pat Williams					chip	0.4m channel	UM - Lower	0.5	1.16	0.05	0.09	31	0.93	19.8	2401.2	102.3	15.7	0.81	0.8	f.g. to m.g. massive mod-strong serpentinized UM: mod foliation: strongly magnetic w/ mod magnetite segregation
945558	17-Oct-08	Pat Williams					chip	0.4m channel	UM - Lower	0.3	1.18	0.09	0.08	26	0.82	33.9	2135.1	101.0	16.7	1.17	0.6	f.g. to m.g. massive serpentinized UM: strongly magnetic w/ mod magnetite segregation
945559	17-Oct-08	Pat Williams					chip	0.7m channel	UM - Lower	<0.2	1.15	0.05	0.08	25	0.68	23.6	2253.7	96.3	22.3	1.31	0.8	f.g. to faintly m.g. massive foliated, strongly serpentinized UM: strongly magnetic w/ mod magnetite segregation
945560	17-Oct-08	Pat Williams					chip	0.5m channel	UM - Lower	<0.2	1.50	0.05	0.07	31	0.69	28.9	2355.8	101.5	19.6	0.33	0.4	v.f.g. to m.g. massive, strongly serpentinized UM: strongly magnetic w/ magnetite segregations: weakly foliate
945561	17-Oct-08	Pat Williams					chip	0.7m channel	UM - Lower	<0.2	1.18	0.06	0.08	24	0.64	17.1	2437.6	100.3	16.9	0.73	1.2	v.f.g. to m.g. massive, strongly serpentinized UM: strongly magnetic w/ magnetite segregations: weakly foliate
945562	17-Oct-08	Pat Williams					chip	0.6m channel	UM - Lower	0.8	1.23	0.03	0.07	28	0.85	28.2	2175.7	86.2	9.5	1.53	1.1	v.f.g. to m.g. massive, strongly serpentinized UM: strongly magnetic w/ magnetite segregations: weakly foliate
945563	17-Oct-08	Pat Williams	5434055	470133	819		chip	1.0m channel	Powerline Ultramafic	1.4	0.40	<0.02	0.06	114	1.90	31.3	2549.7	111.1	8.9	0		

ROCKS - Field Data & Assays of Selected Elements

SampleID	Date	Sampler	Northing	Easting	Elevation	Waypt	Source	Descriptor	Location	Au [ppb]	Bi [ppm]	Te [ppm]	Sb [ppm]	Ag [ppb]	Pb [ppm]	Zn [ppm]	Ni [ppm]	Co [ppm]	As [ppm]	Mo [ppm]	W [ppm]	Description
945593	18-Oct-08	Pat Williams					chip	0.8m channel	Powerline Ultramafic	1.5	0.02	0.04	0.03	13	0.96	20.9	2207.8	104.1	8.0	0.04	0.4	v.f.g. to f.g., v. strong to mod serpentinized UM; weak to mod local foliation; w/ magnetite segregation
945594	18-Oct-08	Pat Williams					chip	0.7m channel	Powerline Ultramafic	0.4	0.13	<0.02	0.03	27	1.32	27.7	2215.8	107.6	9.6	0.07	0.5	v.f.g. to f.g. strongly serpentinized UM; coarsely foliated w/ magnetite segregation
945595	18-Oct-08	Pat Williams					chip	1.5m channel	Powerline Ultramafic	7.0	1.08	0.03	0.11	33	1.31	35.5	2262.0	100.8	49.5	0.07	0.3	f.g. to m.g. v.strongly serpentinized UM; local strong foliation, fine serpentinized banding locally; magnetite segregation
945596	18-Oct-08	Pat Williams					chip	1.0m channel	Powerline Ultramafic	5.1	1.24	0.04	0.04	40	1.09	53.6	2652.0	125.4	26.5	0.16	0.4	f.g. massive to brecciated, mod serpentinized UM; local strong foliation w/ magnetite segregations; channel is mod-highly weathered w/ poor recover

APPENDIX J – Assay Certificates & ‘Methods and Specification’ Sheet

Series 21 of assayer’s certificates from Acme Analytical Laboratories of Vancouver, BC, related to the sampling completed on the Nox Fort Property in 2008. Certificates include the 203 soil samples from the 2007 Program and all 2,872 samples that made up the 2008 Program. All samples were analyzed for a suite of 53 elements by ICP-MS from a 30 gram subsample (Acme code 1F30). Reruns of selected samples including higher grade and overlimit determinations were made by ICP-ES and fire assay.

Acme Certificates:

CERTIFICATE VAN08007191.1	28 PAGES
CERTIFICATE VAN08007733.2	31 PAGES
CERTIFICATE VAN08007829.1	16 PAGES
CERTIFICATE VAN08008034.1	25 PAGES
CERTIFICATE VAN08008175.1	19 PAGES
CERTIFICATE VAN08008211.1	16 PAGES
CERTIFICATE VAN08008427.1	28 PAGES
CERTIFICATE VAN08008715.3	29 PAGES
CERTIFICATE VAN08008740.1	19 PAGES
CERTIFICATE VAN08009119.1	19 PAGES
CERTIFICATE VAN08009175.1	16 PAGES
CERTIFICATE VAN08009388.1	22 PAGES
CERTIFICATE VAN08009517.1	13 PAGES
CERTIFICATE VAN08009663.1	19 PAGES
CERTIFICATE VAN08009997.1	34 PAGES
CERTIFICATE VAN08009998.3	25 PAGES
CERTIFICATE VAN08010161.1	37 PAGES
CERTIFICATE VAN08010290.1	13 PAGES
CERTIFICATE VAN08010315.2	56 PAGES
CERTIFICATE VAN08010365.3	29 PAGES
CERTIFICATE VAN08010367.1	13 PAGES

Acme Methods and Specifications

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 1F-MS	2 PAGES
METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 6.....	2 PAGES
METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 7AR.....	2 PAGES
METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 7KP	2 PAGES



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: July 11, 2008
 Report Date: August 05, 2008
 Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN08007191.1

CLIENT JOB INFORMATION

Project: NOX FORT
 Shipment ID:
 P.O. Number
 Number of Samples: 203

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Westminster Resources Ltd.
 488 - 625 Howe Street
 Vancouver BC V6C 2T6
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	203	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	203	Dry at 60C		
1F30	202	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

2 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
B0+00W 0+00S	Soil	45	1.79	40.58	81.05	207.9	483	111.1	27.4	2422	3.57	24.4	1.3	4.7	2.8	82.5	2.45	1.23	1.58	53	0.57
B0+00W 0+20S	Soil	67	34.33	70.99	78.56	137.0	519	81.9	27.9	1130	4.71	25.4	2.8	157.6	5.6	56.1	1.25	1.41	24.35	55	0.39
B0+00W 0+40S	Soil	53	1.32	40.18	78.89	238.1	387	88.5	22.9	1826	3.34	19.7	4.1	16.1	5.2	83.5	2.68	1.35	1.15	45	0.78
B0+00W 0+60S	Soil	58	1.56	46.57	49.74	225.8	543	82.5	23.2	2023	3.62	18.9	3.2	5.3	4.7	48.3	1.70	0.97	1.04	49	0.53
B0+00W 0+80S	Soil	51	1.05	32.63	24.24	161.4	190	80.4	16.6	871	3.10	13.6	1.0	5.4	4.9	58.2	0.89	0.69	0.63	46	0.53
B0+00W 1+00S	Soil	61	1.22	40.21	52.26	169.4	163	53.7	18.6	1572	3.19	11.7	1.1	4.5	6.0	63.7	1.40	0.89	0.97	40	0.67
B0+00W 1+20S	Soil	58	1.08	42.39	28.70	117.1	306	64.3	19.1	1691	3.33	10.9	1.3	2.7	5.0	60.1	0.75	0.87	0.72	44	0.57
B0+00W 1+40S	Soil	56	0.94	38.65	83.24	155.7	234	48.9	17.3	1803	3.07	16.1	1.2	3.6	5.3	72.4	1.83	2.24	0.91	40	0.72
B0+00W 1+60S	Soil	55	0.90	36.58	40.33	128.8	200	39.6	14.7	1859	2.67	13.4	1.1	3.2	4.2	72.0	1.21	0.93	0.66	38	1.03
B0+20W 0+00S	Soil	57	2.09	43.25	75.53	207.2	398	101.8	32.5	2370	3.85	25.4	1.5	5.8	3.5	90.8	1.89	1.18	3.09	54	0.51
B0+20W 0+20S	Soil	64	2.87	54.02	94.76	197.1	778	99.4	31.8	1859	3.98	27.9	1.9	10.6	4.1	71.5	1.45	0.90	7.15	53	0.52
B0+20W 0+40S	Soil	49	1.84	49.45	35.14	194.2	665	67.5	23.5	865	3.35	26.0	4.2	8.8	5.9	46.9	0.94	0.53	3.54	41	0.42
B0+20W 0+60S	Soil	69	0.76	29.46	30.88	129.3	321	70.4	16.9	694	3.16	13.2	1.2	3.6	4.8	39.5	0.50	0.90	0.71	49	0.45
B0+20W 0+80S	Soil	67	0.88	27.91	22.92	135.4	122	76.3	15.4	767	2.96	9.4	1.0	2.5	4.3	39.1	0.84	0.62	0.45	45	0.39
B0+20W 1+00S	Soil	57	0.98	33.85	20.99	104.7	179	61.4	15.3	1155	2.84	9.5	1.2	4.0	3.7	44.6	0.64	0.62	0.45	41	0.53
B0+20W 1+20S	Soil	43	1.01	30.89	47.60	131.0	154	47.1	14.9	1949	2.78	14.3	1.1	3.8	4.8	48.0	1.12	1.36	0.72	37	0.37
B0+20W 1+40S	Soil	54	1.37	40.59	52.91	160.3	197	50.1	17.9	2784	3.04	16.8	1.3	2.6	4.8	66.7	1.27	1.13	1.15	37	0.53
B0+20W 1+60S	Soil	34	1.11	43.67	33.07	130.8	110	50.2	17.9	1484	3.24	8.7	1.5	3.0	7.3	53.8	0.67	0.83	1.04	42	0.57
0+00W L0+60S	Soil	52	1.18	28.42	48.96	161.5	198	63.8	15.3	1285	2.99	14.8	4.0	4.3	4.1	39.4	1.21	1.26	0.86	46	0.46
0+00W L0+80S	Soil	60	1.42	32.18	46.67	194.9	241	62.3	16.0	1970	3.08	26.5	1.4	4.0	3.7	32.9	1.48	0.97	1.58	48	0.33
0+00W L1+00S	Soil	49	1.34	27.39	52.49	141.0	219	70.8	16.3	1867	2.98	25.8	1.3	6.0	3.9	57.9	1.38	1.04	1.38	47	0.58
0+00W L1+20S	Soil	61	1.32	29.12	58.32	130.1	190	50.6	13.3	1264	2.66	23.7	1.8	7.9	4.1	47.0	1.52	1.25	1.66	42	0.45
0+00W L1+40S	Soil	57	1.45	37.86	53.66	139.7	132	68.7	19.9	2041	3.66	44.9	1.5	63.9	5.4	27.4	1.11	1.17	3.89	57	0.24
0+00W L1+60S	Soil	53	1.37	35.86	88.90	158.4	178	62.2	17.2	1542	3.18	27.5	2.1	13.0	4.6	56.2	1.62	1.19	1.67	49	0.64
0+00W L1+80S	Soil	37	1.27	35.64	73.55	138.5	139	68.8	18.8	1492	3.42	27.8	1.8	8.0	4.6	46.8	1.26	1.33	1.46	54	0.52
0+00W L2+00S	Soil	61	0.99	35.02	47.08	136.7	145	62.5	17.1	1478	3.13	21.7	2.0	8.3	5.4	56.2	1.33	0.92	1.16	49	0.59
0+00W L2+20S	Soil	66	1.06	29.00	57.81	192.6	202	55.2	13.4	1309	2.60	14.5	1.3	3.4	4.6	51.8	1.97	1.01	0.81	37	0.43
0+00W L2+40S	Soil	54	1.03	29.92	36.32	165.3	250	61.1	14.2	1464	2.74	15.4	1.5	2.7	4.7	54.9	1.18	0.97	0.68	39	0.51
0+00W L2+60S	Soil	68	0.97	34.13	38.81	150.9	288	65.6	16.5	944	3.18	17.9	2.9	4.0	5.4	47.6	1.16	0.81	0.63	48	0.46
0+00W L2+80S	Soil	67	0.94	32.19	45.16	154.8	167	66.0	16.5	1258	3.11	13.7	2.6	3.9	6.5	56.2	1.65	0.80	0.61	46	0.56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

2 of 8

Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 Ti	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
B0+00W 0+00S	Soil			0.158	15.6	56.8	0.77	337.5	0.078	2	2.85	0.014	0.24	0.3	4.3	0.19	0.03	40	0.4	0.07	7.0	1.94	0.1
B0+00W 0+20S	Soil			0.149	19.9	64.0	0.90	204.2	0.092	2	2.82	0.012	0.37	3.6	5.3	0.26	0.02	320	1.0	1.25	7.3	3.13	<0.1
B0+00W 0+40S	Soil			0.215	19.6	70.1	0.76	359.4	0.125	3	3.10	0.018	0.29	0.6	4.8	0.24	0.02	45	0.4	0.10	8.3	2.57	<0.1
B0+00W 0+60S	Soil			0.200	20.7	74.6	0.78	240.6	0.113	3	3.81	0.015	0.28	1.4	4.6	0.23	0.03	44	0.6	0.07	10.0	2.62	<0.1
B0+00W 0+80S	Soil			0.309	16.4	51.6	0.68	268.4	0.089	2	3.24	0.019	0.18	0.6	4.5	0.17	<0.02	23	0.3	0.04	8.0	1.94	<0.1
B0+00W 1+00S	Soil			0.101	15.8	39.7	0.57	211.0	0.084	3	3.46	0.025	0.16	0.9	4.5	0.19	0.02	50	0.6	0.08	8.7	2.33	<0.1
B0+00W 1+20S	Soil			0.090	18.9	46.5	0.64	216.4	0.099	2	3.63	0.027	0.21	2.0	4.6	0.20	0.02	33	0.3	0.06	8.9	2.74	<0.1
B0+00W 1+40S	Soil			0.105	17.8	40.1	0.56	236.2	0.089	3	3.26	0.016	0.20	1.0	4.2	0.21	0.03	71	0.4	0.12	8.4	2.64	0.1
B0+00W 1+60S	Soil			0.119	16.0	37.4	0.50	201.5	0.089	4	3.16	0.017	0.16	0.8	3.8	0.19	0.04	51	0.3	<0.02	7.9	2.80	<0.1
B0+20W 0+00S	Soil			0.205	17.7	53.9	0.75	433.5	0.085	2	3.01	0.010	0.23	0.4	4.1	0.20	0.02	35	0.4	0.21	7.2	2.23	<0.1
B0+20W 0+20S	Soil			0.214	18.8	59.2	0.83	316.3	0.090	3	3.23	0.013	0.30	0.7	4.8	0.20	<0.02	27	0.3	0.29	8.0	2.37	<0.1
B0+20W 0+40S	Soil			0.275	22.9	46.6	0.60	192.3	0.121	<1	4.01	0.018	0.30	0.6	4.6	0.26	0.03	36	0.5	0.10	9.4	2.95	<0.1
B0+20W 0+60S	Soil			0.160	15.7	52.3	0.71	183.2	0.094	<1	3.05	0.016	0.19	0.9	4.3	0.15	<0.02	32	0.3	0.06	7.4	1.94	0.1
B0+20W 0+80S	Soil			0.175	13.1	46.9	0.66	188.2	0.092	2	3.14	0.019	0.16	0.5	3.8	0.15	<0.02	23	0.3	0.02	7.4	1.78	<0.1
B0+20W 1+00S	Soil			0.129	14.9	38.8	0.59	182.7	0.092	3	3.37	0.020	0.17	0.6	3.8	0.16	0.02	23	0.3	0.04	8.0	1.95	<0.1
B0+20W 1+20S	Soil			0.232	15.0	33.6	0.50	331.3	0.094	2	3.26	0.017	0.16	0.8	3.6	0.17	<0.02	48	0.2	0.06	7.5	1.93	<0.1
B0+20W 1+40S	Soil			0.255	16.2	35.1	0.50	344.4	0.094	3	3.49	0.017	0.17	0.7	3.5	0.21	0.02	46	0.5	0.07	9.2	2.23	<0.1
B0+20W 1+60S	Soil			0.070	22.1	37.2	0.55	177.3	0.127	5	3.85	0.025	0.19	1.1	5.3	0.23	<0.02	34	0.3	<0.02	9.5	3.12	<0.1
0+00W L0+60S	Soil			0.134	15.5	46.5	0.62	181.0	0.096	2	3.08	0.017	0.12	1.1	3.9	0.16	<0.02	45	0.5	0.02	7.3	1.83	<0.1
0+00W L0+80S	Soil			0.235	13.3	47.1	0.62	294.2	0.087	1	2.95	0.011	0.13	1.9	3.2	0.14	<0.02	37	0.3	0.03	8.1	1.86	<0.1
0+00W L1+00S	Soil			0.142	13.7	50.8	0.62	304.5	0.098	2	3.01	0.012	0.15	1.8	3.4	0.15	<0.02	32	0.2	<0.02	7.7	1.82	<0.1
0+00W L1+20S	Soil			0.130	15.0	41.6	0.56	204.7	0.094	2	2.73	0.013	0.15	6.0	3.2	0.16	0.03	50	0.3	0.05	7.0	1.66	<0.1
0+00W L1+40S	Soil			0.120	15.0	56.2	0.74	253.6	0.107	2	3.35	0.010	0.17	13.4	3.6	0.19	0.02	33	0.3	0.11	8.6	2.41	<0.1
0+00W L1+60S	Soil			0.140	18.8	57.1	0.69	214.0	0.101	2	3.13	0.010	0.20	5.5	4.4	0.20	0.04	41	0.3	0.07	8.1	2.08	<0.1
0+00W L1+80S	Soil			0.141	19.4	59.7	0.72	211.8	0.114	3	3.35	0.011	0.22	5.6	4.6	0.19	0.03	23	0.4	0.05	8.4	2.14	<0.1
0+00W L2+00S	Soil			0.190	18.4	51.5	0.66	327.1	0.106	3	3.40	0.012	0.22	2.8	4.5	0.15	<0.02	29	0.3	0.07	8.5	2.02	<0.1
0+00W L2+20S	Soil			0.320	14.1	39.5	0.50	368.3	0.101	2	3.13	0.020	0.16	2.0	3.8	0.15	<0.02	31	0.3	0.06	7.5	1.75	<0.1
0+00W L2+40S	Soil			0.317	17.1	40.0	0.50	317.1	0.109	3	3.32	0.024	0.18	1.4	4.0	0.16	<0.02	33	0.4	0.03	8.4	1.95	<0.1
0+00W L2+60S	Soil			0.168	18.0	49.3	0.68	190.5	0.102	2	3.23	0.015	0.22	1.1	4.4	0.17	<0.02	25	0.3	0.02	8.2	2.03	<0.1
0+00W L2+80S	Soil			0.172	20.3	50.8	0.73	284.0	0.111	3	3.15	0.015	0.26	0.8	4.5	0.19	<0.02	28	0.4	0.03	8.2	2.40	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 2 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
B0+00W 0+00S	Soil	0.05	1.79	28.8	0.6	<0.05	3.3	10.28	31.8	0.08	<1	0.6	23.9	<10	<2
B0+00W 0+20S	Soil	0.06	1.74	39.2	0.7	<0.05	3.9	10.04	37.5	0.08	<1	1.1	25.4	<10	<2
B0+00W 0+40S	Soil	0.11	3.29	36.2	1.0	<0.05	8.0	11.75	38.5	0.10	<1	1.0	29.4	<10	3
B0+00W 0+60S	Soil	0.08	2.39	32.5	0.9	<0.05	3.2	12.52	40.5	0.07	<1	1.6	51.0	<10	<2
B0+00W 0+80S	Soil	0.10	1.39	22.4	0.6	<0.05	6.3	8.56	33.5	0.04	<1	0.9	24.5	12	<2
B0+00W 1+00S	Soil	0.18	1.74	32.1	0.7	<0.05	10.2	12.51	32.1	0.08	<1	1.2	27.8	<10	<2
B0+00W 1+20S	Soil	0.14	1.92	38.1	0.7	<0.05	8.8	13.70	35.7	0.03	<1	1.2	28.3	<10	<2
B0+00W 1+40S	Soil	0.16	2.13	33.9	0.9	<0.05	9.0	10.62	36.3	0.13	1	1.3	27.1	<10	<2
B0+00W 1+60S	Soil	0.15	2.31	27.5	0.8	<0.05	10.5	10.96	32.0	0.08	<1	1.0	22.5	<10	<2
B0+20W 0+00S	Soil	0.08	2.21	31.0	0.6	<0.05	4.6	10.57	35.6	0.05	<1	0.8	25.9	10	<2
B0+20W 0+20S	Soil	0.08	1.64	32.5	0.5	<0.05	5.3	12.20	36.6	0.05	<1	0.9	26.1	<10	<2
B0+20W 0+40S	Soil	0.14	2.47	36.2	1.0	<0.05	11.4	17.59	41.7	0.05	<1	1.4	30.5	<10	3
B0+20W 0+60S	Soil	0.09	1.64	21.6	0.6	<0.05	7.1	8.31	33.2	0.03	<1	1.0	24.0	<10	<2
B0+20W 0+80S	Soil	0.13	1.44	22.6	0.6	<0.05	8.9	7.40	29.8	0.04	<1	0.7	23.7	<10	<2
B0+20W 1+00S	Soil	0.10	1.61	23.8	0.5	<0.05	5.5	9.20	30.9	0.03	<1	0.9	25.7	<10	<2
B0+20W 1+20S	Soil	0.10	1.59	23.4	0.8	<0.05	7.7	7.86	31.2	0.06	<1	0.9	21.8	<10	<2
B0+20W 1+40S	Soil	0.10	1.78	23.7	0.9	<0.05	7.0	9.14	36.4	0.09	<1	0.8	25.8	<10	<2
B0+20W 1+60S	Soil	0.33	2.15	37.5	0.7	<0.05	20.4	16.27	40.8	0.06	<1	1.1	29.9	<10	2
0+00W L0+60S	Soil	0.10	1.74	19.0	0.7	<0.05	6.7	8.06	32.0	0.08	<1	1.0	22.8	<10	<2
0+00W L0+80S	Soil	0.04	1.48	20.8	0.7	<0.05	3.0	5.59	29.2	0.06	<1	0.8	19.1	<10	<2
0+00W L1+00S	Soil	0.06	1.84	24.6	0.7	<0.05	4.3	6.31	30.4	0.05	<1	0.8	19.6	<10	<2
0+00W L1+20S	Soil	0.08	2.10	21.7	0.7	<0.05	6.4	6.63	30.7	0.09	<1	0.7	19.6	<10	<2
0+00W L1+40S	Soil	0.08	1.93	29.0	0.8	<0.05	4.7	5.69	34.9	0.06	<1	1.4	24.9	<10	<2
0+00W L1+60S	Soil	0.07	2.53	28.4	0.7	<0.05	4.1	8.86	36.0	0.13	<1	0.9	23.8	<10	<2
0+00W L1+80S	Soil	0.05	2.18	29.8	0.9	<0.05	3.0	8.88	39.4	0.11	<1	1.6	24.2	<10	<2
0+00W L2+00S	Soil	0.10	2.37	28.8	0.6	<0.05	6.4	9.39	35.4	0.05	<1	0.9	23.7	11	<2
0+00W L2+20S	Soil	0.13	2.07	20.9	0.7	<0.05	8.5	7.65	30.5	0.07	<1	0.8	18.3	<10	<2
0+00W L2+40S	Soil	0.13	1.91	23.1	0.7	<0.05	9.4	10.27	33.9	0.05	<1	1.0	20.0	10	<2
0+00W L2+60S	Soil	0.08	2.07	27.8	0.7	<0.05	5.7	10.23	35.2	0.04	<1	0.8	24.7	<10	<2
0+00W L2+80S	Soil	0.11	2.31	35.6	0.6	<0.05	6.7	9.87	37.2	0.06	1	1.0	25.6	19	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
O+00W L3+00S	Soil	61	0.84	32.93	52.92	168.2	184	59.7	15.4	1336	3.00	14.5	3.5	4.7	6.5	59.6	1.90	1.05	0.59	43	0.73
L0+60S 0+20W	Soil	69	1.10	24.36	38.42	165.5	243	54.5	13.9	1003	2.92	16.4	1.9	4.6	4.3	35.5	1.03	0.86	0.88	47	0.36
L0+60S 0+40W	Soil	35	1.91	78.35	67.05	271.5	1077	104.6	15.0	1302	3.91	23.1	30.8	6.1	5.9	71.0	2.16	1.06	1.00	55	0.90
L0+60S 0+60W	Soil	34	2.15	85.02	88.59	361.2	1183	128.7	15.3	1769	4.23	28.5	31.8	6.0	5.6	81.8	3.20	1.09	1.18	57	1.00
L0+60S 0+80W	Soil	36	1.94	56.96	87.38	288.6	1047	100.8	14.4	1213	3.34	23.1	27.0	7.2	4.4	77.0	2.11	1.18	1.15	47	0.93
L0+60S 1+00W	Soil	63	1.41	44.06	53.63	390.8	449	106.5	15.0	1020	3.26	18.0	16.9	22.7	4.8	57.4	2.09	1.06	1.08	44	0.64
L0+60S 1+20W	Soil	34	2.46	58.92	218.2	319.7	850	70.3	13.4	1701	2.65	23.2	15.4	5.9	0.9	101.0	4.12	2.71	1.59	37	1.54
L0+60S 1+40W	Soil	60	1.79	49.73	39.81	316.6	275	84.7	21.4	1533	3.33	24.1	7.4	4.7	3.6	67.6	1.87	1.06	0.85	39	0.78
L0+60S 1+60W	Soil	68	1.24	39.14	29.72	219.8	284	86.6	19.6	1120	3.35	15.9	4.9	1.6	4.5	53.9	1.05	0.70	0.62	43	0.55
L0+60S 1+80W	Soil	63	1.04	44.92	66.20	240.9	280	91.7	18.2	1312	3.57	26.2	3.9	2.4	4.1	69.7	2.13	1.49	0.73	43	0.63
L0+60S 2+00W	Soil	68	0.86	42.95	31.39	156.6	294	95.8	24.5	1505	4.21	18.3	1.4	2.9	5.3	63.1	0.91	0.76	0.53	58	0.56
L0+60S 2+20W	Soil	74	0.99	42.36	32.61	167.9	458	75.5	22.8	1524	3.86	17.8	1.4	3.0	4.1	66.5	1.56	0.68	1.22	53	0.47
L0+60S 2+40W	Soil	62	3.06	54.27	128.0	246.7	684	105.9	36.8	2295	4.22	25.5	2.0	20.1	4.2	93.7	2.69	1.19	7.77	50	0.60
L0+60S 2+60W	Soil	44	1.82	56.65	98.74	276.3	667	115.1	31.6	3590	3.93	21.5	1.9	34.4	3.3	155.1	3.92	1.13	5.69	41	0.98
L0+60S 2+80W	Soil	66	2.36	57.05	89.56	264.4	779	105.3	31.7	2031	4.17	19.2	2.0	57.2	4.3	125.6	1.61	0.63	15.46	49	0.59
L0+60S 3+00W	Soil	54	1.90	59.06	64.38	290.5	325	111.2	32.9	2058	4.66	24.8	1.8	11.4	5.4	115.9	1.71	1.02	4.27	55	0.82
L1+80S 0+20W	Soil	44	1.57	30.33	90.63	168.8	148	50.9	14.8	2055	3.12	24.8	1.6	8.0	3.8	49.1	1.96	1.45	1.50	46	0.51
L1+80S 0+20W DUP	Soil	42	1.40	27.93	98.10	162.3	161	45.6	14.3	2097	2.95	23.5	1.5	49.5	3.5	49.7	2.10	1.53	1.49	43	0.53
L1+80S 0+40W	Soil	32	1.61	22.41	110.4	206.8	150	56.0	13.9	2054	2.58	19.5	0.9	5.6	2.7	54.8	3.19	1.90	1.25	36	0.51
L1+80S 0+60W	Soil	33	1.93	25.62	120.2	239.4	335	39.5	11.2	2244	2.49	33.1	1.7	8.5	2.7	44.6	4.44	2.19	1.64	36	0.51
L1+80S 0+80W	Soil	25	4.01	37.05	158.4	289.8	312	37.0	15.2	3731	2.85	57.4	1.9	27.4	2.7	88.6	5.12	3.56	5.59	32	0.90
L1+80S 1+00W	Soil	28	2.26	85.73	32.96	167.5	526	76.6	23.5	2304	5.29	121.7	3.0	442.1	7.3	60.9	0.82	0.93	29.15	62	0.41
L1+80S 1+20W	Soil	27	6.44	52.88	46.32	690.8	257	62.6	19.8	4512	3.28	55.7	1.9	20.4	3.7	74.9	7.12	1.77	11.45	35	1.47
L1+80S 1+40W	Soil	39	1.71	40.66	28.72	595.6	129	65.6	16.9	2598	3.22	17.0	1.0	9.9	4.4	103.1	15.44	0.88	4.51	38	1.45
L1+80S 1+60W	Soil	36	0.88	38.87	53.61	210.9	138	72.5	18.3	2161	2.99	10.2	0.7	4.0	2.8	62.4	3.03	0.77	1.17	42	0.86
L1+80S 1+80W	Soil	54	0.86	41.20	38.90	160.1	147	61.1	18.2	2106	3.26	12.8	1.0	3.1	4.6	57.3	1.28	0.90	0.80	43	0.71
L1+80S 2+00W	Soil	36	1.07	33.74	82.24	155.2	145	42.8	14.8	1949	2.98	18.4	0.9	3.9	4.0	53.9	2.00	2.40	0.83	38	0.67
L1+80S 2+20W	Soil	38	1.40	39.95	70.75	177.3	311	47.8	17.0	2639	3.03	18.3	1.1	3.0	3.7	97.3	1.96	1.76	1.15	35	0.93
L1+80S 2+40W	Soil	36	1.05	33.98	54.25	179.3	164	47.3	13.7	2159	2.76	16.1	1.0	2.4	3.4	146.0	1.93	1.54	0.82	30	0.89
L1+80S 2+60W	Soil	34	0.97	27.60	43.70	149.7	208	47.2	12.7	1626	2.53	12.1	0.9	1.8	3.1	60.4	1.18	0.81	0.56	30	0.62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
O+00W L3+00S	Soil	0.155	20.5	47.0	0.62	257.6	0.105	3	3.23	0.013	0.24	0.8	4.5	0.18	0.02	36	0.3	0.03	8.6	2.07	<0.1
L0+60S 0+20W	Soil	0.229	13.0	40.3	0.56	255.5	0.110	1	3.33	0.016	0.10	1.2	3.4	0.14	<0.02	44	0.3	<0.02	8.4	2.04	<0.1
L0+60S 0+40W	Soil	0.074	28.3	89.6	0.69	207.2	0.125	2	4.69	0.021	0.15	0.9	7.2	0.15	0.02	43	0.6	0.06	9.4	2.01	<0.1
L0+60S 0+60W	Soil	0.118	29.9	104.6	0.71	259.9	0.124	3	5.17	0.021	0.19	1.1	8.5	0.19	0.03	47	0.7	0.02	10.5	2.18	<0.1
L0+60S 0+80W	Soil	0.096	24.0	72.7	0.61	216.5	0.114	2	3.88	0.021	0.14	1.5	5.7	0.19	0.03	60	0.7	0.03	8.7	1.94	<0.1
L0+60S 1+00W	Soil	0.142	19.0	59.7	0.56	218.5	0.124	3	3.97	0.025	0.14	1.5	5.1	0.18	<0.02	41	0.5	0.06	8.6	2.15	<0.1
L0+60S 1+20W	Soil	0.153	15.9	42.1	0.45	174.3	0.056	5	2.78	0.014	0.14	2.4	2.6	0.24	0.10	107	1.2	0.09	6.1	1.66	<0.1
L0+60S 1+40W	Soil	0.382	15.1	44.2	0.57	254.7	0.094	4	3.43	0.015	0.21	1.2	4.2	0.20	0.03	44	0.6	0.02	7.5	2.26	<0.1
L0+60S 1+60W	Soil	0.392	19.0	73.5	0.81	349.8	0.128	3	3.59	0.020	0.29	0.8	5.4	0.24	<0.02	36	0.4	<0.02	9.1	2.70	<0.1
L0+60S 1+80W	Soil	0.350	19.5	59.4	0.73	411.5	0.100	4	3.13	0.016	0.34	0.6	4.7	0.27	0.02	43	0.5	<0.02	8.2	2.51	<0.1
L0+60S 2+00W	Soil	0.229	22.1	95.9	1.19	374.3	0.145	2	3.33	0.012	0.43	0.3	6.3	0.32	<0.02	22	0.4	<0.02	9.9	3.29	<0.1
L0+60S 2+20W	Soil	0.208	21.0	68.8	0.97	343.1	0.105	3	3.13	0.012	0.42	0.4	5.4	0.26	<0.02	29	0.5	0.05	8.5	2.71	<0.1
L0+60S 2+40W	Soil	0.239	18.7	56.7	0.80	408.9	0.094	4	3.38	0.013	0.33	0.8	4.8	0.24	<0.02	32	0.5	0.30	8.5	2.66	<0.1
L0+60S 2+60W	Soil	0.540	33.4	43.3	0.62	1037	0.097	4	3.30	0.018	0.28	0.4	3.9	0.24	0.03	55	0.6	0.19	8.3	2.99	<0.1
L0+60S 2+80W	Soil	0.262	44.3	44.9	0.75	526.2	0.126	4	3.86	0.015	0.36	0.2	4.5	0.30	0.03	46	0.8	0.38	10.5	3.69	0.1
L0+60S 3+00W	Soil	0.264	36.4	45.0	0.76	546.6	0.136	4	3.95	0.014	0.35	0.2	5.5	0.30	<0.02	47	0.7	0.12	10.0	3.39	0.1
L1+80S 0+20W	Soil	0.169	14.5	45.3	0.61	337.8	0.098	4	3.12	0.007	0.16	4.5	3.2	0.20	0.03	53	0.5	0.06	9.1	2.15	0.1
L1+80S 0+20W DUP	Soil	0.161	13.6	43.3	0.57	338.1	0.088	3	2.94	0.007	0.15	4.6	3.0	0.20	0.03	64	0.5	0.03	8.8	2.09	<0.1
L1+80S 0+40W	Soil	0.210	10.8	43.0	0.56	341.5	0.086	4	2.38	0.011	0.15	3.9	2.6	0.18	0.03	59	0.4	0.02	7.1	1.83	<0.1
L1+80S 0+60W	Soil	0.211	11.6	33.0	0.42	344.1	0.089	3	2.83	0.010	0.15	7.2	2.7	0.20	0.04	87	0.6	0.10	8.3	1.96	<0.1
L1+80S 0+80W	Soil	0.300	16.4	29.2	0.39	430.5	0.093	6	2.64	0.012	0.20	46.7	2.9	0.28	0.05	96	0.8	0.16	7.5	2.55	0.1
L1+80S 1+00W	Soil	0.115	39.2	81.2	1.17	251.6	0.178	3	4.02	0.020	0.49	>100	7.1	0.41	0.12	30	0.7	0.68	12.7	6.68	0.4
L1+80S 1+20W	Soil	0.179	19.4	42.6	0.55	257.1	0.113	6	3.11	0.018	0.25	72.4	4.2	0.33	0.05	67	0.8	0.09	9.7	4.53	0.2
L1+80S 1+40W	Soil	0.180	22.5	49.7	0.65	332.4	0.106	5	3.62	0.024	0.21	17.8	4.8	0.19	0.02	38	0.4	0.07	9.9	3.07	0.1
L1+80S 1+60W	Soil	0.191	15.3	104.7	1.01	395.4	0.132	3	2.76	0.012	0.33	2.1	3.7	0.22	0.03	47	0.4	<0.02	8.2	2.44	<0.1
L1+80S 1+80W	Soil	0.172	17.6	71.9	0.78	302.7	0.134	5	3.49	0.016	0.29	2.0	4.3	0.25	0.02	56	0.6	<0.02	9.8	3.26	<0.1
L1+80S 2+00W	Soil	0.089	13.8	40.0	0.54	217.5	0.095	4	3.27	0.013	0.20	1.1	3.5	0.24	0.03	72	0.5	0.05	9.3	3.70	<0.1
L1+80S 2+20W	Soil	0.271	14.3	35.0	0.50	304.8	0.094	5	3.45	0.016	0.22	1.3	3.8	0.25	0.03	90	0.5	0.05	9.6	2.71	<0.1
L1+80S 2+40W	Soil	0.470	15.8	33.1	0.52	589.6	0.083	5	2.87	0.015	0.27	1.2	3.2	0.24	0.03	62	0.4	0.02	8.1	2.34	<0.1
L1+80S 2+60W	Soil	0.373	13.3	33.1	0.43	322.2	0.089	3	3.06	0.022	0.18	0.7	3.4	0.19	0.02	53	0.5	<0.02	8.0	1.90	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

3 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
0+00W L3+00S	Soil	0.12	2.71	30.4	0.7	<0.05	7.3	11.41	36.7	0.05	<1	1.0	30.0	<10	<2
L0+60S 0+20W	Soil	0.14	1.97	21.0	0.8	<0.05	9.0	6.14	33.7	0.05	<1	0.9	20.1	<10	2
L0+60S 0+40W	Soil	0.25	2.90	21.3	0.8	<0.05	14.0	31.10	38.3	0.06	2	1.3	50.8	17	2
L0+60S 0+60W	Soil	0.19	2.84	25.0	0.9	<0.05	10.2	37.26	44.0	0.09	2	1.7	56.9	11	<2
L0+60S 0+80W	Soil	0.16	2.55	21.0	0.9	<0.05	10.6	24.76	34.7	0.13	2	1.3	44.8	11	<2
L0+60S 1+00W	Soil	0.16	2.29	20.9	0.9	<0.05	10.7	16.47	35.2	0.07	<1	1.2	40.4	11	<2
L0+60S 1+20W	Soil	0.08	2.19	17.7	1.3	<0.05	3.6	19.89	24.0	0.35	1	1.3	27.7	<10	<2
L0+60S 1+40W	Soil	0.10	2.14	24.7	0.8	<0.05	7.9	11.84	32.6	0.09	<1	1.0	29.5	<10	<2
L0+60S 1+60W	Soil	0.18	2.09	35.7	0.8	<0.05	12.1	12.26	39.7	0.05	<1	1.1	26.4	<10	<2
L0+60S 1+80W	Soil	0.16	2.48	34.6	0.9	<0.05	9.0	13.45	37.9	0.15	<1	1.0	27.9	<10	<2
L0+60S 2+00W	Soil	0.17	2.48	51.9	0.7	<0.05	8.5	10.36	47.6	0.04	<1	1.1	31.0	<10	<2
L0+60S 2+20W	Soil	0.06	1.93	41.5	0.6	<0.05	5.0	11.04	40.9	0.04	2	0.6	27.6	<10	<2
L0+60S 2+40W	Soil	0.11	2.24	38.5	0.8	<0.05	7.8	12.90	40.5	0.10	<1	1.0	29.3	<10	<2
L0+60S 2+60W	Soil	0.13	5.14	43.4	1.0	<0.05	8.0	15.10	65.2	0.08	<1	1.3	35.5	<10	<2
L0+60S 2+80W	Soil	0.16	6.85	44.0	1.0	<0.05	10.8	15.19	92.1	0.06	<1	1.3	38.5	<10	<2
L0+60S 3+00W	Soil	0.14	4.72	41.2	1.0	<0.05	10.5	15.40	80.0	0.07	1	1.5	39.1	<10	<2
L1+80S 0+20W	Soil	0.07	2.65	25.7	0.9	<0.05	4.5	6.49	33.6	0.14	<1	1.1	23.3	<10	<2
L1+80S 0+20W DUP	Soil	0.08	2.45	25.0	0.9	<0.05	12.9	6.05	32.0	0.15	<1	1.3	21.0	<10	<2
L1+80S 0+40W	Soil	0.05	1.72	22.3	1.0	<0.05	3.0	4.80	28.6	0.16	2	0.8	16.9	<10	<2
L1+80S 0+60W	Soil	0.08	2.64	22.9	0.9	<0.05	5.3	6.75	29.3	0.16	<1	1.1	17.7	<10	<2
L1+80S 0+80W	Soil	0.07	2.56	25.8	1.2	<0.05	4.9	7.20	42.0	0.25	<1	1.1	20.3	<10	<2
L1+80S 1+00W	Soil	0.22	2.19	75.5	1.2	<0.05	13.0	13.78	68.0	0.10	1	1.8	43.7	<10	<2
L1+80S 1+20W	Soil	0.10	2.49	56.6	1.1	<0.05	6.5	11.21	43.7	0.17	<1	6.1	26.2	<10	<2
L1+80S 1+40W	Soil	0.15	2.85	39.3	0.9	<0.05	11.5	13.47	44.0	0.09	<1	3.7	29.6	<10	<2
L1+80S 1+60W	Soil	0.10	3.30	50.5	0.8	<0.05	6.0	7.18	35.6	0.11	<1	1.3	24.9	<10	<2
L1+80S 1+80W	Soil	0.18	2.83	39.6	0.8	<0.05	11.1	11.09	40.8	0.08	<1	1.1	31.0	<10	<2
L1+80S 2+00W	Soil	0.18	2.42	33.0	1.1	<0.05	10.1	8.50	33.2	0.14	<1	1.2	27.6	<10	<2
L1+80S 2+20W	Soil	0.12	2.19	29.2	0.9	<0.05	8.0	9.25	36.1	0.15	<1	1.0	24.9	<10	<2
L1+80S 2+40W	Soil	0.10	2.10	28.3	0.8	<0.05	5.7	8.61	33.6	0.09	<1	1.2	25.7	<10	<2
L1+80S 2+60W	Soil	0.11	1.67	18.6	0.7	<0.05	7.4	7.94	31.9	0.08	<1	0.6	22.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

4 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
				Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
L1+80S 2+80W	Soil			39	0.97	35.62	64.52	145.6	229	48.4	14.2	1319	3.00	12.8	1.1	2.4	3.8	63.9	1.03	1.04	0.55	40	0.52
L1+80S 3+00W	Soil			42	0.90	36.91	46.61	183.1	206	75.0	20.1	2120	3.56	18.0	1.2	3.7	4.6	70.8	0.91	1.01	0.55	47	0.43
L1+80S 3+20W	Soil			33	0.74	51.24	21.74	119.2	193	63.2	19.5	822	3.99	13.1	1.6	2.4	6.8	61.5	0.24	0.46	0.66	56	0.31
L2+00S 0+20W	Soil			18	1.17	30.78	70.38	138.7	129	42.2	13.7	1870	2.81	21.5	1.2	4.2	2.9	58.4	2.21	1.59	0.98	42	0.69
L2+00S 0+40W	Soil			26	1.17	29.90	53.37	142.8	144	64.0	14.1	1822	2.91	17.5	1.3	3.8	3.3	50.5	1.72	0.83	0.97	40	0.45
L2+00S 0+60W	Soil			34	1.41	31.74	96.67	186.1	160	55.4	16.6	1975	3.19	23.4	1.5	4.2	3.7	43.6	2.42	1.27	1.06	46	0.43
L2+00S 0+80W	Soil			27	3.59	18.17	164.0	286.9	233	32.7	8.0	1627	2.20	33.0	1.4	17.1	5.2	32.4	1.99	1.38	1.12	30	0.38
L2+00S 1+00W	Soil			24	3.16	30.59	110.2	213.9	184	35.4	11.8	2785	2.45	38.4	2.1	14.9	4.6	61.8	3.48	1.16	3.13	31	0.52
L2+00S 1+20W	Soil			22	11.48	93.74	42.28	807.8	384	81.8	33.5	4253	3.90	56.3	8.9	37.0	4.2	61.1	7.20	0.97	8.16	42	0.81
L2+00S 1+40W	Soil			23	5.24	51.74	49.11	751.3	190	66.3	20.1	2965	3.33	26.9	1.9	26.0	4.1	59.3	9.94	1.89	6.61	44	0.76
L2+00S 1+60W	Soil			27	1.11	45.56	46.25	311.6	152	77.2	20.4	2054	3.24	9.4	1.0	4.2	3.3	95.1	6.31	0.71	1.34	40	1.22
L2+20S 0+20W	Soil			50	1.05	26.54	68.59	160.4	90	34.4	10.1	1664	2.39	15.3	1.1	3.2	3.1	56.4	2.23	1.23	0.62	34	0.66
L2+20S 0+20W DUP	Soil			44	1.20	27.61	56.87	146.2	98	38.2	10.4	1668	2.48	14.9	1.2	4.5	3.2	54.3	1.94	0.99	0.61	39	0.61
L2+20S 0+40W	Soil			35	1.22	30.12	61.61	209.5	138	57.7	14.9	1546	3.09	15.7	1.7	3.7	3.9	50.1	2.93	0.76	0.67	48	0.50
L2+20S 0+60W	Soil			35	1.87	26.45	147.7	226.8	199	44.4	12.0	1764	2.67	18.6	1.6	10.0	4.5	55.8	4.09	1.31	0.85	41	0.57
L2+20S 0+80W	Soil			29	4.00	23.85	178.7	377.5	231	39.8	10.8	2748	2.52	20.2	2.7	7.2	4.5	54.1	8.05	0.98	1.15	37	0.43
L2+20S 1+00W	Soil			30	15.50	86.32	100.6	193.9	925	52.4	17.3	2200	5.84	73.5	4.3	314.3	9.2	59.2	1.89	0.88	26.31	53	0.44
L2+20S 1+20W	Soil			26	6.29	62.33	187.0	628.5	164	84.9	32.3	3026	3.96	28.5	2.0	60.8	3.9	48.4	6.69	2.77	12.00	43	0.63
L2+20S 1+40W	Soil			32	3.39	37.84	61.53	809.0	126	64.1	18.0	2741	3.09	22.2	1.1	18.8	3.6	80.8	8.37	1.61	3.85	42	1.06
L2+20S 1+60W	Soil			37	0.86	39.46	71.33	207.5	152	61.0	18.3	2358	3.16	12.5	1.0	3.6	2.9	103.4	3.11	1.05	0.85	41	1.31
L2+40S 0+20W	Soil			28	1.05	33.03	33.31	146.3	169	49.2	12.6	1349	2.81	14.0	1.8	3.4	3.3	39.6	1.28	0.70	0.50	46	0.40
L2+40S 0+40W	Soil			21	1.56	24.97	123.3	267.9	207	52.1	13.4	1868	2.65	13.1	1.7	3.3	3.9	85.9	4.93	1.81	0.75	42	0.90
L2+40S 0+60W	Soil			24	2.05	28.58	76.86	177.4	115	58.0	13.5	1417	3.05	16.3	1.4	3.9	5.1	46.8	2.36	1.12	0.67	49	0.43
L2+40S 0+80W	Soil			25	2.01	26.86	230.0	342.0	132	57.1	15.1	2097	3.19	21.8	2.2	22.8	5.3	58.5	7.26	1.78	1.35	54	0.67
L2+40S 1+00W	Soil			19	26.83	98.90	47.14	63.5	1491	14.5	2.9	2092	18.57	73.4	2.5	663.4	12.3	36.4	0.13	1.34	108.8	69	0.15
L2+40S 1+20W	Soil			12	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+40S 1+40W	Soil			31	1.91	29.42	30.72	374.1	122	74.7	14.2	2118	2.77	10.7	0.8	5.9	3.4	72.5	5.69	0.57	1.96	39	0.74
L2+40S 1+60W	Soil			22	1.11	31.70	58.10	187.9	135	72.3	16.4	2151	3.23	13.2	0.6	3.2	3.1	58.2	2.28	1.45	0.65	47	0.68
L2+60S 0+20W	Soil			38	1.07	25.30	55.51	128.0	197	44.7	12.0	1777	2.55	12.2	1.3	5.8	3.3	79.8	2.52	0.86	0.67	38	0.92
L2+60S 0+40W	Soil			35	1.48	23.83	106.7	186.5	164	46.3	12.6	1485	2.66	15.9	2.0	3.6	4.5	60.5	2.56	1.26	0.72	41	0.65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
L1+80S 2+80W	Soil	0.202	15.1	41.5	0.60	247.5	0.095	3	2.82	0.012	0.26	0.6	3.9	0.23	<0.02	43	0.5	0.04	8.1	2.17	<0.1
L1+80S 3+00W	Soil	0.290	16.0	47.0	0.72	317.1	0.113	2	3.57	0.012	0.27	0.4	4.6	0.30	<0.02	53	0.5	<0.02	9.9	2.84	0.1
L1+80S 3+20W	Soil	0.112	24.8	67.9	0.97	296.1	0.140	1	3.83	0.018	0.48	0.3	6.8	0.27	<0.02	24	0.3	0.02	10.2	3.18	0.1
L2+00S 0+20W	Soil	0.386	12.0	42.9	0.53	383.9	0.100	3	2.89	0.009	0.18	3.0	3.0	0.18	0.03	47	0.4	0.02	8.6	1.99	<0.1
L2+00S 0+40W	Soil	0.260	14.0	44.8	0.62	399.6	0.088	2	2.67	0.008	0.17	4.1	3.5	0.18	<0.02	37	0.4	0.06	7.6	2.09	0.2
L2+00S 0+60W	Soil	0.260	12.2	48.8	0.64	358.7	0.078	3	2.78	0.007	0.21	3.1	3.2	0.18	0.02	36	0.3	0.04	8.4	2.14	<0.1
L2+00S 0+80W	Soil	0.277	9.5	39.4	0.33	390.1	0.088	1	2.44	0.010	0.13	7.5	2.0	0.15	0.02	58	0.3	<0.02	8.1	1.94	<0.1
L2+00S 1+00W	Soil	0.334	15.5	35.8	0.37	374.4	0.106	2	2.95	0.012	0.17	20.5	2.7	0.20	0.03	49	0.6	0.04	7.9	2.25	0.1
L2+00S 1+20W	Soil	0.217	35.6	46.7	0.70	298.9	0.124	5	4.05	0.014	0.21	60.6	4.8	0.31	0.05	85	0.9	0.06	12.0	4.78	0.2
L2+00S 1+40W	Soil	0.126	21.2	48.6	0.62	272.5	0.135	5	3.59	0.017	0.24	48.7	4.4	0.29	0.03	60	0.5	0.13	11.0	4.01	0.1
L2+00S 1+60W	Soil	0.287	17.7	95.2	0.99	426.7	0.157	4	3.06	0.026	0.34	5.5	3.6	0.24	0.04	41	0.6	<0.02	9.1	2.51	0.1
L2+20S 0+20W	Soil	0.344	12.3	29.3	0.43	366.4	0.086	4	3.05	0.012	0.16	1.3	2.8	0.17	0.02	73	0.3	<0.02	8.4	1.74	<0.1
L2+20S 0+20W DUP	Soil	0.335	13.8	31.6	0.46	376.9	0.098	6	3.28	0.018	0.15	1.3	3.2	0.19	0.02	64	0.4	0.05	8.3	1.87	<0.1
L2+20S 0+40W	Soil	0.309	16.4	52.5	0.77	448.0	0.113	4	3.26	0.016	0.20	1.5	4.2	0.22	0.02	55	0.4	<0.02	9.2	2.63	<0.1
L2+20S 0+60W	Soil	0.222	13.3	37.7	0.55	409.1	0.093	4	2.91	0.012	0.18	2.2	3.3	0.22	0.02	56	0.4	0.04	8.1	1.93	<0.1
L2+20S 0+80W	Soil	0.309	12.4	39.9	0.54	503.2	0.084	3	2.60	0.013	0.14	4.0	2.8	0.16	0.03	53	0.3	0.03	7.7	1.96	<0.1
L2+20S 1+00W	Soil	0.227	24.8	61.1	0.69	246.1	0.124	3	3.48	0.015	0.25	>100	5.8	0.31	0.09	<5	1.3	0.71	11.3	4.50	0.1
L2+20S 1+20W	Soil	0.157	19.1	41.0	0.58	244.0	0.116	4	3.11	0.017	0.17	79.3	4.1	0.34	0.05	30	0.7	0.31	8.9	3.65	0.1
L2+20S 1+40W	Soil	0.159	16.8	46.4	0.60	325.6	0.107	6	3.34	0.024	0.22	19.0	4.3	0.23	0.04	58	0.5	0.08	9.1	3.02	<0.1
L2+20S 1+60W	Soil	0.232	14.0	58.6	0.76	371.7	0.095	6	3.18	0.035	0.25	2.0	3.7	0.25	0.05	62	0.5	0.03	8.5	2.49	<0.1
L2+40S 0+20W	Soil	0.192	18.4	39.0	0.57	267.0	0.106	3	3.64	0.018	0.17	1.3	3.8	0.19	0.02	42	0.6	<0.02	8.4	1.99	<0.1
L2+40S 0+40W	Soil	0.239	15.4	56.3	0.66	557.9	0.119	5	2.79	0.015	0.22	1.2	3.8	0.27	0.03	94	0.5	<0.02	7.6	2.30	<0.1
L2+40S 0+60W	Soil	0.204	16.9	48.2	0.68	321.1	0.118	4	3.18	0.015	0.18	2.2	4.1	0.20	<0.02	37	0.4	<0.02	8.4	2.12	<0.1
L2+40S 0+80W	Soil	0.203	18.2	63.8	0.85	560.0	0.133	4	2.95	0.013	0.26	3.2	4.3	0.34	0.02	80	0.4	0.03	8.3	2.55	<0.1
L2+40S 1+00W	Soil	0.137	21.1	48.8	0.70	147.8	0.173	2	1.65	0.057	1.27	>100	5.0	1.22	2.55	<5	5.4	3.92	22.8	13.75	1.0
L2+40S 1+20W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+40S 1+40W	Soil	0.400	13.2	58.3	0.60	459.0	0.108	4	3.17	0.023	0.21	8.9	3.9	0.19	0.03	30	0.3	0.04	8.5	2.19	<0.1
L2+40S 1+60W	Soil	0.198	13.7	54.6	0.71	322.3	0.097	5	2.78	0.019	0.20	1.2	3.9	0.21	0.02	43	0.4	<0.02	7.7	2.21	<0.1
L2+60S 0+20W	Soil	0.201	14.0	38.5	0.51	386.1	0.088	4	2.83	0.016	0.19	1.1	2.9	0.15	0.03	45	0.3	0.03	7.3	1.78	<0.1
L2+60S 0+40W	Soil	0.173	14.7	48.9	0.57	326.0	0.091	4	2.82	0.013	0.19	1.1	3.1	0.21	0.02	57	0.3	0.04	7.7	1.89	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

4 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L1+80S 2+80W	Soil	0.11	1.83	27.1	0.7	<0.05	6.8	8.35	36.7	0.07	<1	0.9	25.8	<10	<2
L1+80S 3+00W	Soil	0.19	2.49	36.5	0.9	<0.05	10.6	10.01	41.7	0.07	1	1.6	33.5	<10	<2
L1+80S 3+20W	Soil	0.29	1.29	44.7	0.9	<0.05	18.7	12.54	53.2	0.05	1	1.6	32.9	<10	<2
L2+00S 0+20W	Soil	0.10	2.50	25.3	0.8	<0.05	5.0	5.26	30.7	0.09	2	0.9	17.6	<10	<2
L2+00S 0+40W	Soil	0.08	1.81	28.5	0.6	<0.05	4.9	6.97	30.4	0.06	3	0.9	19.2	<10	<2
L2+00S 0+60W	Soil	0.09	2.27	25.3	0.7	<0.05	4.0	5.88	31.8	0.09	1	1.1	19.7	<10	<2
L2+00S 0+80W	Soil	0.09	3.52	21.6	1.0	<0.05	4.9	4.78	25.0	0.04	1	1.1	16.8	<10	<2
L2+00S 1+00W	Soil	0.13	2.94	24.5	0.8	<0.05	9.4	8.55	39.8	0.05	1	1.2	15.9	<10	<2
L2+00S 1+20W	Soil	0.11	2.53	35.3	1.2	<0.05	7.3	11.58	78.2	0.24	2	8.9	35.2	<10	<2
L2+00S 1+40W	Soil	0.16	3.00	48.7	1.0	<0.05	10.0	10.81	50.7	0.15	4	3.4	29.0	<10	<2
L2+00S 1+60W	Soil	0.11	3.56	56.8	0.7	<0.05	8.0	10.41	42.2	0.09	2	1.9	22.8	<10	<2
L2+20S 0+20W	Soil	0.15	2.29	20.1	0.8	<0.05	9.8	6.89	30.5	0.14	1	1.1	15.5	<10	<2
L2+20S 0+20W DUP	Soil	0.13	2.25	21.4	0.9	<0.05	9.1	7.74	34.2	0.09	<1	1.1	18.8	<10	<2
L2+20S 0+40W	Soil	0.12	2.14	34.1	0.8	<0.05	8.9	8.96	41.0	0.10	1	1.4	25.0	<10	<2
L2+20S 0+60W	Soil	0.12	2.72	24.4	1.0	<0.05	8.3	7.46	34.5	0.17	<1	1.1	20.1	<10	<2
L2+20S 0+80W	Soil	0.12	3.05	25.3	0.7	<0.05	6.6	6.91	31.3	0.08	<1	1.2	19.7	<10	<2
L2+20S 1+00W	Soil	0.15	2.54	38.8	1.2	<0.05	12.0	12.17	62.7	0.14	2	1.9	29.7	<10	<2
L2+20S 1+20W	Soil	0.07	2.45	37.0	1.5	<0.05	4.3	8.59	43.7	0.38	<1	2.2	26.9	<10	<2
L2+20S 1+40W	Soil	0.17	2.50	41.1	0.9	<0.05	10.9	10.47	37.5	0.17	<1	3.1	25.7	<10	<2
L2+20S 1+60W	Soil	0.09	2.68	37.4	0.7	<0.05	5.5	11.36	32.8	0.14	<1	1.1	29.3	<10	<2
L2+40S 0+20W	Soil	0.16	2.21	23.2	0.7	<0.05	8.4	12.59	37.6	0.07	<1	1.1	21.4	<10	<2
L2+40S 0+40W	Soil	0.13	3.06	30.9	1.0	<0.05	8.4	8.61	35.7	0.20	<1	1.1	20.9	<10	<2
L2+40S 0+60W	Soil	0.17	2.53	26.0	0.7	<0.05	8.8	8.29	39.8	0.08	<1	1.1	23.2	<10	<2
L2+40S 0+80W	Soil	0.10	2.87	40.5	1.2	<0.05	6.4	7.88	42.9	0.32	<1	1.4	25.3	<10	<2
L2+40S 1+00W	Soil	0.10	4.84	215.1	2.3	<0.05	6.1	4.38	34.0	0.08	6	0.9	39.6	<10	<2
L2+40S 1+20W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+40S 1+40W	Soil	0.19	1.95	34.7	0.8	<0.05	11.3	7.48	32.6	0.07	<1	1.4	22.6	<10	<2
L2+40S 1+60W	Soil	0.05	1.83	34.8	0.7	<0.05	2.8	5.58	32.0	0.13	<1	0.8	23.5	<10	<2
L2+60S 0+20W	Soil	0.12	2.31	23.6	0.7	<0.05	6.8	6.61	31.6	0.08	<1	0.9	19.7	<10	<2
L2+60S 0+40W	Soil	0.11	2.73	25.2	0.8	<0.05	6.1	7.66	36.5	0.14	<1	1.1	21.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
L2+60S 0+60W	Soil	37	2.19	27.74	105.8	274.0	141	61.1	17.3	1635	3.27	19.9	3.8	4.1	5.2	59.6	4.07	0.96	0.87	52	0.54
L2+60S 0+80W	Soil	63	2.12	29.63	106.8	229.4	145	59.2	18.8	1771	3.56	21.0	3.1	8.1	5.8	40.8	3.53	0.74	0.88	57	0.31
L2+60S 1+00W	Soil	29	3.21	61.36	79.27	223.3	370	81.4	23.0	1758	3.89	37.0	4.2	26.7	5.3	38.8	2.50	0.96	2.55	57	0.39
L2+60S 1+40W	Soil	28	1.65	34.05	38.23	193.4	199	58.1	14.6	1603	2.81	21.0	0.9	10.7	2.8	70.0	2.71	1.00	3.51	39	0.87
L2+60S 1+60W	Soil	35	1.02	35.73	53.98	147.0	115	65.9	18.4	1443	3.54	14.9	0.8	3.3	3.7	58.7	1.47	0.94	0.60	49	0.71
L2+80S 0+20W	Soil	27	1.18	25.99	67.22	156.9	145	46.1	12.9	1717	2.78	15.6	2.1	3.7	3.2	58.9	2.76	1.10	0.66	42	0.78
L2+80S 0+40W	Soil	31	1.21	24.30	78.40	182.7	139	42.3	11.6	1685	2.62	15.2	2.6	4.6	3.9	85.2	4.29	0.87	0.64	37	0.96
L2+80S 0+60W	Soil	25	1.79	29.28	112.7	225.4	133	58.2	17.2	1504	3.45	17.3	3.2	3.7	4.8	41.9	2.69	0.84	0.64	55	0.36
L2+80S 0+80W	Soil	23	2.18	30.65	127.1	217.4	147	56.7	17.0	1680	3.48	20.8	3.5	4.2	4.6	47.8	2.75	1.09	0.84	55	0.47
L2+80S 1+00W	Soil	35	2.59	52.93	77.38	272.8	303	83.0	25.5	2072	3.93	34.7	3.4	14.3	4.8	44.9	2.34	0.77	2.70	58	0.48
L2+80S 1+20W	Soil	22	5.05	65.23	64.44	221.9	273	70.8	20.4	1965	3.91	25.2	2.6	67.2	4.4	58.6	2.44	1.02	9.85	50	0.79
L2+80S 1+40W	Soil	36	1.82	38.96	40.60	238.5	143	58.9	16.0	1647	3.09	14.2	1.2	15.0	3.9	51.5	2.70	0.48	3.36	41	0.68
L3+00S 0+20W	Soil	35	1.05	27.13	55.76	161.2	167	45.2	12.7	1498	2.73	12.2	1.7	4.0	3.6	69.2	2.53	0.83	0.64	39	0.87
L3+00S 0+40W	Soil	41	1.06	24.76	100.9	167.9	126	53.6	13.9	1519	2.95	12.7	2.5	7.2	4.2	59.3	2.77	0.65	0.55	43	0.64
L3+00S 0+60W	Soil	25	1.58	26.39	97.96	180.4	116	54.3	13.5	1236	2.94	12.6	2.7	4.4	4.7	71.1	2.50	1.14	0.61	46	0.74
L3+00S 0+80W	Soil	42	1.35	27.52	96.61	184.9	84	62.0	15.9	1607	3.12	17.3	2.2	30.9	5.0	61.6	2.26	0.88	0.77	48	0.53
L3+00S 1+00W	Soil	30	2.04	35.61	100.3	269.3	212	54.7	16.0	1967	2.94	24.2	2.5	7.1	4.2	89.3	4.63	1.33	1.21	44	0.99
L3+00S 1+20W	Soil	37	1.84	34.28	44.57	222.4	118	64.9	18.5	1344	3.45	21.5	1.6	6.3	4.4	42.7	1.15	0.84	1.37	49	0.59
L3+00S 1+40W	Soil	41	1.13	35.73	89.24	302.9	149	54.7	15.1	1809	2.75	11.8	1.3	5.0	3.0	101.4	5.41	1.18	1.57	35	1.17
L3+00S 1+60W	Soil	30	0.73	57.92	52.71	240.6	151	42.6	18.4	3364	3.19	12.3	1.1	2.9	2.6	175.1	2.62	0.97	0.65	22	2.14
L1+20S 0+20W	Soil	64	1.59	31.08	45.81	185.3	197	54.9	17.1	2526	3.36	35.0	1.3	6.2	2.6	25.6	1.37	1.51	1.33	50	0.24
L1+20S 0+40W	Soil	61	1.44	30.58	44.56	180.5	193	55.4	14.1	1655	2.98	37.4	1.2	4.3	4.1	31.3	1.92	0.73	1.16	46	0.24
L1+20S 0+60W	Soil	54	2.12	27.34	53.02	243.0	293	56.3	14.0	2144	2.90	40.1	1.2	5.0	4.1	45.9	2.75	0.89	1.63	44	0.44
L1+20S 0+80W	Soil	60	2.69	32.95	47.75	645.9	540	66.5	14.0	1891	3.04	65.3	2.6	13.3	4.6	33.3	4.67	0.77	3.78	43	0.35
L1+20S 1+00W	Soil	57	2.03	24.79	42.77	464.6	453	49.0	12.7	1735	2.71	53.6	1.5	4.2	3.3	44.0	2.43	1.00	3.25	36	0.48
L1+20S 1+20W	Soil	54	0.97	42.00	21.98	143.6	149	64.0	14.1	687	3.50	18.0	1.2	4.0	5.5	32.2	0.42	0.63	0.64	58	0.28
L1+20S 1+40W	Soil	54	1.26	36.12	26.28	306.3	163	57.7	16.3	1314	3.09	15.5	1.4	3.9	3.8	36.0	2.23	0.61	0.91	43	0.36
L1+20S 1+60W	Soil	65	1.78	46.67	27.08	360.1	249	82.2	21.4	1757	3.33	11.6	2.0	4.2	4.3	41.3	1.51	0.61	1.40	47	0.50
L1+20S 1+80W	Soil	43	1.51	37.58	22.46	274.2	214	66.8	16.4	1388	3.30	10.8	1.2	6.6	5.2	43.2	1.17	0.63	2.07	44	0.33
L1+20S 2+00W	Soil	44	0.96	37.83	23.31	224.7	301	62.9	17.0	1587	3.23	13.8	1.1	4.3	3.4	51.9	1.25	1.07	1.57	46	0.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.1
L2+60S 0+60W	Soil	0.227	18.6	74.3	0.92	476.4	0.100	3	2.76	0.010	0.33	1.6	4.3	0.22	<0.02	42	0.3	0.05	8.3	2.12	<0.1
L2+60S 0+80W	Soil	0.142	20.7	70.7	0.94	396.5	0.125	2	3.24	0.008	0.35	2.3	5.3	0.25	<0.02	26	0.4	0.02	9.1	2.30	0.1
L2+60S 1+00W	Soil	0.148	21.2	61.3	0.88	234.5	0.099	3	3.56	0.009	0.31	19.4	5.8	0.25	0.03	31	0.6	0.08	9.0	3.21	<0.1
L2+60S 1+40W	Soil	0.267	12.7	42.6	0.54	244.2	0.087	5	2.86	0.020	0.22	30.9	3.4	0.19	0.03	40	0.5	0.05	7.5	2.16	<0.1
L2+60S 1+60W	Soil	0.151	14.4	60.5	0.78	261.9	0.082	4	2.63	0.016	0.37	1.0	4.3	0.21	0.02	47	0.3	0.02	7.3	2.18	<0.1
L2+80S 0+20W	Soil	0.197	15.0	43.0	0.54	336.1	0.083	4	2.82	0.009	0.20	1.5	3.2	0.20	0.03	49	0.5	<0.02	7.5	1.86	<0.1
L2+80S 0+40W	Soil	0.262	15.1	39.7	0.50	409.9	0.078	4	2.76	0.010	0.19	1.1	2.9	0.17	0.03	55	0.4	0.04	7.8	1.89	<0.1
L2+80S 0+60W	Soil	0.161	20.3	76.1	0.91	379.0	0.116	3	3.00	0.009	0.33	1.7	4.6	0.25	0.02	40	0.5	0.03	8.5	2.36	<0.1
L2+80S 0+80W	Soil	0.154	21.5	68.9	0.83	351.3	0.115	3	3.35	0.009	0.31	2.8	4.9	0.25	0.02	30	0.4	0.02	8.5	2.28	0.1
L2+80S 1+00W	Soil	0.147	22.7	55.7	0.80	249.2	0.113	3	3.91	0.009	0.27	13.8	5.4	0.24	0.03	26	0.6	0.11	10.1	3.12	<0.1
L2+80S 1+20W	Soil	0.182	21.2	50.2	0.71	245.8	0.112	6	3.57	0.014	0.35	67.4	5.0	0.29	0.07	6	0.7	0.21	9.4	3.72	0.1
L2+80S 1+40W	Soil	0.228	16.5	45.8	0.61	284.1	0.098	4	3.42	0.023	0.25	16.5	4.2	0.18	0.03	28	0.4	0.08	8.7	2.34	<0.1
L3+00S 0+20W	Soil	0.180	14.3	38.8	0.53	342.2	0.085	4	3.02	0.012	0.21	0.9	3.2	0.19	0.03	46	0.4	0.02	8.2	1.94	<0.1
L3+00S 0+40W	Soil	0.220	16.9	53.5	0.67	400.4	0.096	3	2.91	0.012	0.23	0.8	3.8	0.19	0.02	41	0.5	0.04	8.0	2.29	<0.1
L3+00S 0+60W	Soil	0.116	18.8	56.7	0.69	344.7	0.109	3	2.84	0.010	0.24	1.5	4.2	0.22	0.03	43	0.5	0.03	7.7	2.08	0.1
L3+00S 0+80W	Soil	0.162	17.3	54.7	0.70	327.7	0.104	3	3.22	0.009	0.29	2.0	4.4	0.23	<0.02	36	0.4	0.04	8.4	2.06	<0.1
L3+00S 1+00W	Soil	0.217	17.4	42.4	0.59	453.2	0.109	4	3.22	0.013	0.20	4.0	3.9	0.24	0.04	64	0.6	0.07	8.8	2.23	<0.1
L3+00S 1+20W	Soil	0.132	15.9	45.0	0.67	210.0	0.112	4	3.60	0.019	0.25	4.1	4.5	0.20	0.02	26	0.5	0.04	9.6	2.59	<0.1
L3+00S 1+40W	Soil	0.478	13.8	38.1	0.54	391.0	0.082	7	2.69	0.017	0.26	3.4	3.6	0.19	0.03	61	0.3	0.08	7.4	2.14	<0.1
L3+00S 1+60W	Soil	0.353	12.1	31.9	0.50	365.3	0.042	6	2.50	0.067	0.16	0.6	2.9	0.17	0.05	57	0.5	0.11	7.0	2.28	<0.1
L1+20S 0+20W	Soil	0.265	12.7	52.7	0.60	288.2	0.089	3	2.69	0.010	0.17	2.8	2.7	0.16	0.03	60	0.4	0.11	9.2	2.31	<0.1
L1+20S 0+40W	Soil	0.242	14.3	43.1	0.56	365.7	0.112	3	3.15	0.014	0.14	2.3	3.6	0.15	<0.02	39	0.3	0.05	8.8	2.12	<0.1
L1+20S 0+60W	Soil	0.319	14.8	39.7	0.54	384.7	0.110	4	3.33	0.017	0.17	2.8	3.4	0.19	<0.02	33	0.5	0.10	8.7	2.18	<0.1
L1+20S 0+80W	Soil	0.233	22.7	36.4	0.52	356.9	0.127	3	3.64	0.016	0.15	6.5	4.5	0.20	<0.02	42	0.5	0.09	9.7	2.50	<0.1
L1+20S 1+00W	Soil	0.506	14.0	40.9	0.46	416.2	0.092	4	2.88	0.018	0.18	2.1	3.3	0.17	<0.02	55	0.4	0.09	8.2	2.06	<0.1
L1+20S 1+20W	Soil	0.069	18.8	55.5	0.85	127.0	0.103	2	2.63	0.012	0.20	1.0	4.9	0.16	<0.02	18	0.5	0.08	7.4	2.14	<0.1
L1+20S 1+40W	Soil	0.194	16.3	48.8	0.62	241.0	0.095	2	3.10	0.016	0.20	1.8	4.2	0.18	<0.02	25	0.5	0.04	7.8	2.89	<0.1
L1+20S 1+60W	Soil	0.226	19.1	88.6	0.97	237.2	0.154	3	3.29	0.015	0.23	2.6	4.7	0.26	0.02	49	0.5	0.07	9.8	3.43	<0.1
L1+20S 1+80W	Soil	0.243	17.6	67.6	0.72	277.6	0.120	2	3.47	0.024	0.22	3.7	4.5	0.18	<0.02	33	0.4	0.07	9.4	2.89	<0.1
L1+20S 2+00W	Soil	0.265	18.5	46.5	0.62	238.7	0.109	4	3.39	0.029	0.20	1.9	4.5	0.20	0.02	31	0.4	<0.02	8.8	2.66	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

5 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L2+60S 0+60W	Soil	0.13	2.31	35.6	0.8	<0.05	6.7	9.54	42.6	0.12	<1	1.2	26.9	<10	<2
L2+60S 0+80W	Soil	0.20	1.78	42.2	0.7	<0.05	11.9	11.31	47.9	0.10	<1	1.1	27.5	<10	<2
L2+60S 1+00W	Soil	0.12	1.85	37.8	0.8	<0.05	7.2	12.83	55.9	0.12	<1	2.1	34.7	<10	<2
L2+60S 1+40W	Soil	0.16	2.07	34.8	0.6	<0.05	8.5	7.00	31.1	0.07	<1	1.3	23.3	<10	<2
L2+60S 1+60W	Soil	0.09	2.20	38.4	0.6	<0.05	5.0	7.97	31.4	0.07	<1	0.9	23.9	<10	<2
L2+80S 0+20W	Soil	0.08	2.53	25.2	0.7	<0.05	4.7	6.83	34.9	0.10	<1	1.0	21.2	<10	<2
L2+80S 0+40W	Soil	0.11	3.27	25.2	0.8	<0.05	6.8	7.97	34.3	0.07	<1	1.1	22.4	<10	<2
L2+80S 0+60W	Soil	0.15	2.89	38.6	0.6	<0.05	7.7	10.17	45.9	0.09	<1	1.2	26.5	<10	<2
L2+80S 0+80W	Soil	0.10	2.46	34.7	0.7	<0.05	5.9	12.39	45.5	0.09	<1	1.3	27.8	<10	<2
L2+80S 1+00W	Soil	0.10	2.38	38.3	0.8	<0.05	7.6	12.74	54.1	0.08	<1	1.8	32.4	<10	<2
L2+80S 1+20W	Soil	0.14	2.56	50.4	0.9	<0.05	7.7	11.19	47.6	0.09	<1	1.7	32.8	<10	<2
L2+80S 1+40W	Soil	0.16	2.09	41.9	0.8	<0.05	10.4	9.90	37.7	0.08	<1	1.6	28.2	<10	<2
L3+00S 0+20W	Soil	0.15	2.72	25.8	0.7	<0.05	7.6	7.37	35.1	0.08	<1	1.0	23.7	<10	<2
L3+00S 0+40W	Soil	0.14	2.71	38.5	0.6	<0.05	7.7	8.29	39.8	0.07	<1	1.1	25.4	<10	<2
L3+00S 0+60W	Soil	0.12	3.10	34.1	0.7	<0.05	6.6	8.88	40.8	0.10	<1	1.0	24.5	<10	<2
L3+00S 0+80W	Soil	0.13	2.06	31.6	0.8	<0.05	7.0	8.38	40.7	0.15	<1	0.9	25.0	<10	<2
L3+00S 1+00W	Soil	0.13	2.92	30.2	1.0	<0.05	7.9	9.64	39.8	0.14	<1	1.0	26.6	<10	<2
L3+00S 1+20W	Soil	0.16	2.28	51.6	0.7	<0.05	9.3	8.61	39.0	0.07	<1	1.4	32.5	<10	<2
L3+00S 1+40W	Soil	0.09	2.12	32.2	0.9	<0.05	6.5	7.54	31.3	0.12	<1	1.0	22.6	<10	<2
L3+00S 1+60W	Soil	0.04	1.24	22.4	0.5	<0.05	2.2	15.92	25.4	0.08	<1	1.1	29.1	<10	<2
L1+20S 0+20W	Soil	0.04	2.41	22.3	0.8	<0.05	2.5	4.66	28.3	0.05	<1	0.9	20.2	<10	<2
L1+20S 0+40W	Soil	0.18	2.12	22.5	0.7	<0.05	11.3	7.07	37.6	0.03	<1	1.2	19.7	<10	<2
L1+20S 0+60W	Soil	0.14	1.70	25.7	0.8	<0.05	9.4	6.80	38.0	0.04	<1	1.6	20.0	<10	<2
L1+20S 0+80W	Soil	0.19	1.85	24.8	0.9	<0.05	12.7	12.81	44.9	0.06	<1	2.1	20.5	<10	<2
L1+20S 1+00W	Soil	0.08	1.44	19.4	0.9	<0.05	5.4	6.52	37.3	0.09	<1	1.3	19.2	<10	<2
L1+20S 1+20W	Soil	0.14	1.09	30.0	0.5	<0.05	8.6	7.08	40.1	0.02	<1	1.1	21.9	13	<2
L1+20S 1+40W	Soil	0.14	1.65	32.3	0.7	<0.05	8.9	10.21	39.6	0.04	<1	1.1	22.5	<10	<2
L1+20S 1+60W	Soil	0.23	2.73	55.0	0.8	<0.05	14.7	11.37	43.6	0.06	<1	1.3	29.4	<10	<2
L1+20S 1+80W	Soil	0.24	1.64	41.1	0.8	<0.05	13.0	10.64	39.2	0.04	<1	1.4	27.3	<10	<2
L1+20S 2+00W	Soil	0.09	1.96	36.4	0.6	<0.05	5.8	11.52	37.6	0.05	<1	1.4	27.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

6 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
				Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
L1+20S 2+20W	Soil			47	1.08	38.34	20.90	135.8	205	74.4	17.2	728	3.37	14.2	1.0	3.5	4.4	27.7	0.52	0.84	0.57	51	0.25
L1+20S 2+40W	Soil			32	0.84	25.52	20.73	128.6	174	82.7	15.8	1136	3.12	11.7	1.0	2.9	3.2	48.9	0.87	0.61	0.43	43	0.63
L1+20S 2+60W	Soil			41	0.72	30.93	21.96	166.2	373	77.6	15.6	757	3.16	11.7	1.1	3.7	4.4	66.5	0.86	0.55	0.34	44	0.51
L1+20S 2+80W	Soil			47	0.59	29.86	21.07	171.4	199	50.2	14.5	683	3.02	10.7	1.0	2.5	5.0	42.7	0.76	0.64	0.29	42	0.38
L1+40S 0+20W	Soil			43	1.49	32.38	48.83	169.5	117	65.5	17.8	2239	3.40	32.4	1.4	9.5	4.0	43.8	1.59	0.74	1.72	48	0.37
L1+40S 0+40W	Soil			48	2.48	40.53	98.65	264.4	361	73.7	20.1	2215	3.88	53.2	1.6	37.2	4.6	42.3	1.90	1.51	1.68	56	0.39
L1+40S 0+60W	Soil			33	2.19	24.59	94.78	253.9	186	52.6	13.2	1990	2.49	31.6	1.2	5.3	3.1	56.1	4.30	1.05	1.27	34	0.50
L1+40S 0+80W	Soil			51	1.74	25.40	40.97	448.1	275	63.3	14.1	2132	2.72	42.2	1.2	6.1	3.6	65.9	5.56	0.72	1.60	37	0.51
L1+40S 1+00W	Soil			56	1.17	34.32	33.46	365.3	219	68.5	15.0	1874	2.87	32.3	0.8	7.8	3.4	49.8	5.24	0.77	2.02	42	0.66
L1+40S 1+20W	Soil			51	4.56	42.34	38.11	330.6	208	67.1	16.6	2163	3.54	25.5	1.3	66.2	4.1	47.4	2.54	1.30	10.83	50	0.64
L1+40S 1+50W	Soil			40	1.56	23.88	24.37	588.6	82	69.4	12.0	3781	2.59	15.2	0.7	3.1	3.9	73.1	15.45	1.13	2.69	31	0.68
L1+40S 1+60W	Soil			48	2.55	39.35	56.53	352.1	170	78.8	17.6	2406	3.13	12.4	1.0	6.3	4.2	56.8	3.83	0.93	1.91	44	0.72
L1+40S 1+80W	Soil			53	2.02	30.12	22.84	320.4	115	61.5	14.9	2127	2.94	10.4	0.9	4.9	4.1	52.6	4.57	0.59	2.64	43	0.67
L1+40S 2+00W	Soil			34	0.93	42.07	26.74	125.4	103	52.9	18.8	2310	3.37	12.2	1.3	2.2	4.7	87.7	0.82	0.79	0.72	40	0.95
L1+40S 2+20W	Soil			48	1.28	44.68	39.68	159.7	219	65.4	18.2	2305	3.43	14.0	1.2	3.9	4.1	82.3	1.63	0.92	0.73	40	1.07
L1+40S 2+40W	Soil			44	1.19	32.07	25.91	141.3	207	62.1	14.8	2300	3.12	10.8	0.8	2.8	2.9	102.2	0.96	0.65	0.48	39	0.95
L1+40S 2+60W	Soil			55	1.10	22.27	28.98	229.5	261	78.1	13.4	1763	2.84	21.0	0.9	5.9	3.6	68.2	1.86	0.99	0.45	37	0.57
L1+40S 2+80W	Soil			51	0.71	28.73	19.64	171.2	191	63.5	13.7	796	2.94	10.2	0.9	1.5	4.2	52.1	0.75	0.59	0.30	44	0.38
L1+40S 3+00W	Soil			49	0.90	33.19	20.30	119.7	116	52.8	16.2	720	3.51	14.8	0.8	3.7	4.4	36.1	0.99	0.72	0.22	53	0.29
L1+40S 3+20W	Soil			37	0.65	21.89	32.20	295.2	296	63.5	14.0	1375	2.92	14.8	0.6	2.0	3.8	53.5	3.79	1.01	0.39	40	0.54
L1+60S 0+20W	Soil			22	1.63	28.81	70.27	196.5	112	63.9	16.7	2065	3.42	33.7	1.4	7.2	3.8	45.9	2.46	1.86	2.04	49	0.40
L1+60S 0+40W	Soil			21	1.08	19.35	54.07	225.9	95	50.5	10.3	1262	2.50	24.0	1.0	2.9	3.4	43.5	2.44	0.96	1.17	36	0.37
L1+60S 0+60W	Soil			30	2.69	27.36	102.8	226.3	243	41.4	12.8	2539	2.58	38.3	1.5	11.2	2.5	52.2	3.27	1.26	2.45	37	0.54
L1+60S 0+80W	Soil			21	2.69	37.78	102.1	395.6	294	39.2	28.2	7037	3.48	43.6	1.3	20.5	0.9	79.1	6.44	2.33	7.12	38	0.82
L1+60S 1+00W	Soil			17	3.99	35.91	48.27	513.5	234	79.3	24.4	4147	3.38	127.6	1.0	67.2	4.2	78.8	3.65	1.84	15.87	43	0.75
L1+60S 1+20W	Soil			22	3.52	34.68	92.72	452.5	159	68.4	20.3	2793	3.15	43.1	1.1	7.8	3.2	94.8	4.09	2.77	5.19	43	1.10
L1+60S 1+40W	Soil			25	1.16	37.77	47.05	607.2	110	64.1	18.7	3304	2.91	14.4	0.8	8.6	4.6	103.6	13.89	1.33	4.17	35	1.40
L1+60S 1+60W	Soil			31	1.13	36.80	31.31	276.3	139	96.1	17.2	1578	3.12	10.3	1.2	3.8	4.7	70.6	3.77	0.71	2.05	40	0.69
L1+60S 1+60W DUP	Soil			27	1.08	39.69	28.84	287.8	135	101.7	16.8	1465	3.26	10.8	1.2	5.1	4.9	69.1	3.18	0.77	2.05	40	0.65
L0+80S 0+20W	Soil			67	1.47	31.61	43.22	195.1	355	67.4	19.5	1706	3.49	29.7	1.3	7.0	3.1	28.4	0.96	0.90	1.62	50	0.28

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 Ti	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
L1+20S 2+20W	Soil			0.175	15.3	53.2	0.74	193.0	0.085	3	3.12	0.018	0.21	0.7	4.4	0.18	<0.02	24	0.4	0.04	8.5	1.98	<0.1
L1+20S 2+40W	Soil			0.328	12.6	47.6	0.67	234.3	0.084	3	3.14	0.025	0.18	0.5	3.7	0.16	<0.02	30	0.2	0.06	8.2	2.10	<0.1
L1+20S 2+60W	Soil			0.473	20.3	53.4	0.72	407.6	0.103	3	3.00	0.025	0.27	0.5	4.4	0.18	<0.02	32	0.3	0.07	8.5	2.39	<0.1
L1+20S 2+80W	Soil			0.347	17.4	50.8	0.64	288.8	0.100	3	3.02	0.024	0.28	0.6	4.4	0.22	<0.02	26	0.2	0.04	7.9	2.26	<0.1
L1+40S 0+20W	Soil			0.248	14.8	56.2	0.69	410.4	0.091	2	3.08	0.009	0.24	5.1	3.5	0.19	<0.02	37	0.4	0.07	8.7	2.23	<0.1
L1+40S 0+40W	Soil			0.303	15.1	63.6	0.82	364.3	0.085	2	3.12	0.008	0.22	2.9	4.5	0.16	<0.02	44	0.3	0.08	9.7	2.13	<0.1
L1+40S 0+60W	Soil			0.300	12.3	42.7	0.47	439.0	0.088	3	2.58	0.013	0.17	3.2	2.9	0.18	0.03	55	0.4	0.08	7.3	1.89	<0.1
L1+40S 0+80W	Soil			0.458	14.7	47.0	0.56	561.7	0.108	3	2.73	0.018	0.19	3.2	3.4	0.18	<0.02	46	0.2	0.08	8.2	2.26	<0.1
L1+40S 1+00W	Soil			0.243	12.8	42.7	0.58	304.3	0.108	4	2.92	0.013	0.21	2.8	3.6	0.17	<0.02	34	0.4	0.06	7.8	2.24	<0.1
L1+40S 1+20W	Soil			0.102	19.3	43.2	0.68	226.5	0.109	4	3.21	0.013	0.21	42.4	4.5	0.26	0.03	33	0.4	0.20	9.5	3.53	<0.1
L1+40S 1+50W	Soil			0.453	14.6	47.3	0.52	590.5	0.087	4	2.60	0.018	0.22	10.0	4.2	0.24	<0.02	53	0.2	0.11	8.0	3.19	<0.1
L1+40S 1+60W	Soil			0.282	17.8	95.9	0.94	394.1	0.137	3	3.03	0.017	0.34	7.0	4.6	0.29	0.02	41	0.5	0.08	8.9	3.33	0.1
L1+40S 1+80W	Soil			0.340	15.5	53.3	0.62	305.8	0.105	4	3.21	0.023	0.21	4.3	3.8	0.19	<0.02	29	0.4	0.04	8.5	2.76	<0.1
L1+40S 2+00W	Soil			0.165	15.4	41.0	0.59	186.4	0.101	5	3.77	0.056	0.23	1.0	4.2	0.26	0.03	47	0.5	0.05	9.7	3.03	<0.1
L1+40S 2+20W	Soil			0.190	16.1	37.9	0.60	253.2	0.083	4	3.73	0.031	0.23	1.6	4.2	0.25	0.03	39	0.5	0.05	9.4	2.68	<0.1
L1+40S 2+40W	Soil			0.473	13.5	36.8	0.60	508.9	0.078	3	3.14	0.019	0.21	0.9	3.6	0.16	0.03	39	0.4	0.06	8.2	2.12	<0.1
L1+40S 2+60W	Soil			0.687	15.1	47.7	0.57	552.7	0.094	4	3.08	0.023	0.24	0.5	4.0	0.21	<0.02	33	0.3	0.05	8.3	2.28	<0.1
L1+40S 2+80W	Soil			0.406	17.5	47.0	0.62	256.9	0.100	3	3.14	0.031	0.24	0.4	4.5	0.17	<0.02	27	0.4	0.04	8.6	2.04	<0.1
L1+40S 3+00W	Soil			0.216	16.3	53.3	0.99	184.9	0.075	<1	2.31	0.017	0.29	0.3	4.3	0.16	<0.02	19	0.4	<0.02	6.4	1.74	<0.1
L1+40S 3+20W	Soil			0.523	14.0	47.8	0.58	565.9	0.075	2	2.79	0.024	0.25	0.4	4.3	0.16	<0.02	37	0.5	0.06	7.8	2.03	<0.1
L1+60S 0+20W	Soil			0.270	16.4	52.4	0.68	389.1	0.112	4	3.25	0.015	0.21	10.2	3.8	0.20	<0.02	61	0.5	0.16	8.7	2.41	0.1
L1+60S 0+40W	Soil			0.433	12.3	32.3	0.40	430.6	0.113	4	3.08	0.024	0.16	5.5	3.6	0.14	<0.02	41	0.3	0.04	7.3	1.90	<0.1
L1+60S 0+60W	Soil			0.354	13.6	31.8	0.46	416.9	0.093	3	3.00	0.021	0.18	11.0	2.8	0.20	0.04	61	0.4	0.10	8.1	2.14	<0.1
L1+60S 0+80W	Soil			0.308	13.8	32.3	0.38	656.5	0.072	5	2.16	0.015	0.18	25.8	1.9	0.29	0.07	80	0.8	0.20	9.2	3.92	<0.1
L1+60S 1+00W	Soil			0.274	17.7	48.4	0.64	392.9	0.134	4	2.87	0.017	0.20	12.4	3.6	0.26	0.03	67	0.1	0.24	8.3	3.25	<0.1
L1+60S 1+20W	Soil			0.129	14.5	38.3	0.54	244.0	0.116	6	2.76	0.014	0.18	10.5	3.8	0.24	0.03	82	0.2	0.12	7.5	3.18	<0.1
L1+60S 1+40W	Soil			0.148	15.2	35.2	0.54	259.8	0.093	6	2.58	0.023	0.17	7.2	3.9	0.26	0.03	51	0.2	<0.02	7.1	3.22	0.2
L1+60S 1+60W	Soil			0.312	18.4	50.3	0.65	325.7	0.092	4	3.20	0.022	0.19	3.8	4.4	0.21	<0.02	45	0.2	0.05	8.0	2.85	<0.1
L1+60S 1+60W DUP	Soil			0.327	19.9	55.0	0.67	319.2	0.110	3	3.22	0.023	0.20	4.8	4.6	0.24	<0.02	36	0.1	0.08	8.6	2.99	<0.1
L0+80S 0+20W	Soil			0.258	11.1	52.8	0.69	247.7	0.082	1	2.82	0.010	0.14	2.5	3.2	0.14	<0.02	46	0.2	0.04	8.8	1.96	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

6 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L1+20S 2+20W	Soil	0.14	1.44	20.9	0.6	<0.05	7.4	8.86	36.3	0.04	<1	0.9	22.3	<10	<2
L1+20S 2+40W	Soil	0.10	1.77	25.3	0.6	<0.05	7.1	6.78	31.8	0.02	<1	0.9	25.1	<10	<2
L1+20S 2+60W	Soil	0.13	2.19	28.4	0.7	<0.05	8.1	9.79	43.9	0.03	<1	0.8	24.8	<10	<2
L1+20S 2+80W	Soil	0.26	1.48	29.7	0.6	<0.05	15.2	8.20	37.2	0.04	<1	0.9	22.6	<10	<2
L1+40S 0+20W	Soil	0.09	1.67	29.2	0.7	<0.05	5.6	6.90	37.6	0.04	<1	1.6	21.6	<10	<2
L1+40S 0+40W	Soil	0.06	1.85	21.4	0.7	<0.05	4.2	6.55	38.2	0.10	<1	1.2	23.2	<10	<2
L1+40S 0+60W	Soil	0.11	1.87	20.9	1.1	<0.05	6.7	6.34	32.9	0.14	<1	1.1	17.5	<10	<2
L1+40S 0+80W	Soil	0.09	1.68	20.8	0.8	<0.05	6.4	6.69	39.1	0.08	<1	1.1	19.6	<10	<2
L1+40S 1+00W	Soil	0.15	2.17	31.5	0.7	<0.05	10.4	5.89	32.9	0.06	<1	1.2	20.2	<10	<2
L1+40S 1+20W	Soil	0.13	2.42	44.0	1.0	<0.05	8.0	8.46	40.8	0.08	<1	1.9	24.1	11	<2
L1+40S 1+50W	Soil	0.10	1.67	47.6	0.9	<0.05	6.9	6.96	32.2	0.10	<1	2.6	19.0	<10	<2
L1+40S 1+60W	Soil	0.15	2.71	57.8	0.8	<0.05	10.1	8.41	39.8	0.10	<1	2.6	25.4	<10	<2
L1+40S 1+80W	Soil	0.10	2.05	40.0	0.7	<0.05	7.8	8.41	37.9	0.05	<1	2.2	21.3	<10	<2
L1+40S 2+00W	Soil	0.13	2.10	42.2	0.7	<0.05	9.9	14.21	32.6	0.04	<1	1.0	32.8	<10	<2
L1+40S 2+20W	Soil	0.13	2.03	38.3	0.6	<0.05	7.7	12.50	33.1	0.06	<1	1.2	31.7	<10	<2
L1+40S 2+40W	Soil	0.05	1.66	27.2	0.6	<0.05	4.6	7.25	31.2	0.04	<1	1.2	25.2	<10	<2
L1+40S 2+60W	Soil	0.06	1.41	26.8	0.8	<0.05	5.6	8.08	33.3	0.07	<1	0.7	22.8	<10	<2
L1+40S 2+80W	Soil	0.19	1.21	22.0	0.6	<0.05	13.7	9.38	34.6	0.04	<1	0.8	22.9	<10	<2
L1+40S 3+00W	Soil	0.05	1.12	36.6	0.4	<0.05	2.6	5.37	36.6	0.04	<1	0.6	19.7	<10	2
L1+40S 3+20W	Soil	0.12	1.38	28.4	0.8	<0.05	7.5	7.15	30.5	0.07	<1	0.7	17.7	<10	<2
L1+60S 0+20W	Soil	0.05	2.10	30.5	0.9	<0.05	3.7	6.43	36.6	0.09	<1	1.2	23.9	<10	<2
L1+60S 0+40W	Soil	0.12	1.87	17.3	0.8	<0.05	7.9	5.52	33.3	0.09	<1	1.0	17.8	<10	<2
L1+60S 0+60W	Soil	0.08	1.88	21.6	0.9	<0.05	4.9	7.10	35.9	0.11	<1	0.9	17.6	<10	<2
L1+60S 0+80W	Soil	0.03	1.38	27.5	1.4	<0.05	1.3	5.35	30.1	0.15	<1	1.6	19.2	<10	<2
L1+60S 1+00W	Soil	0.08	2.56	36.9	1.1	<0.05	5.3	6.43	39.8	0.10	<1	0.7	28.0	<10	<2
L1+60S 1+20W	Soil	0.07	1.92	39.4	1.1	<0.05	4.0	6.95	31.0	0.15	<1	1.3	22.8	<10	<2
L1+60S 1+40W	Soil	0.06	2.05	45.6	0.8	<0.05	4.5	9.19	28.3	0.10	1	2.3	21.4	20	<2
L1+60S 1+60W	Soil	0.13	1.72	47.1	0.7	<0.05	7.8	11.29	32.3	0.07	<1	2.2	25.1	<10	<2
L1+60S 1+60W DUP	Soil	0.13	1.82	51.3	0.8	<0.05	7.9	11.77	35.1	0.07	1	2.2	25.4	<10	3
L0+80S 0+20W	Soil	0.04	1.67	22.5	0.7	<0.05	2.7	4.79	24.6	0.04	<1	1.2	20.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

7 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
				Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
L0+80S 0+40W	Soil			56	1.24	33.36	36.84	163.6	238	54.8	14.3	976	2.86	22.5	1.7	4.5	4.2	33.8	1.54	1.15	0.93	44	0.32
L0+80S 0+60W	Soil			56	1.72	24.84	42.13	235.5	351	47.5	13.4	1675	2.59	16.6	1.7	4.7	2.9	36.1	1.71	0.79	0.85	35	0.34
L0+80S 0+80W	Soil			58	1.96	30.44	61.60	311.3	466	46.9	11.7	820	2.55	18.0	10.7	4.0	4.8	34.8	1.78	0.64	1.24	34	0.39
L0+80S 1+00W	Soil			65	1.09	24.99	32.37	413.1	159	73.2	16.1	647	3.13	13.7	3.8	4.3	4.7	27.5	1.70	0.90	0.56	44	0.28
L0+80S 1+20W	Soil			51	1.19	30.91	30.88	224.9	154	81.4	21.2	780	3.36	13.3	1.7	4.5	3.8	38.4	1.41	1.17	0.48	52	0.46
L0+80S 1+30W	Soil			66	0.97	58.83	43.76	196.5	187	87.4	24.5	1180	3.67	14.7	2.6	3.9	4.2	53.2	1.19	1.37	0.56	51	0.63
L0+80S 1+40W	Soil			24	1.17	50.18	40.34	221.9	195	96.0	29.1	2367	3.66	14.4	1.9	3.2	3.5	65.0	1.91	1.13	0.67	45	0.85
L0+80S 1+60W	Soil			40	1.26	46.79	41.78	206.1	222	99.7	22.2	1510	3.45	14.7	2.4	3.5	4.2	91.8	2.34	0.88	0.67	41	0.90
L0+80S 1+80W	Soil			28	1.25	40.84	34.38	188.7	243	100.7	24.8	1872	3.80	16.7	1.9	6.1	5.3	65.1	1.49	1.43	0.61	52	0.69
L0+80S 2+00W	Soil			35	1.10	34.50	63.08	180.7	186	84.4	23.0	2154	3.50	16.3	1.6	4.7	5.2	97.9	2.23	1.18	0.97	43	0.95
L0+80S 2+20W	Soil			33	1.32	44.38	100.9	325.9	709	71.0	25.1	2493	3.44	22.2	2.1	5.2	3.9	113.9	3.72	1.81	1.42	36	1.04
L0+80S 2+40W	Soil			36	2.27	57.20	150.8	401.1	587	78.5	24.4	2437	3.58	24.1	3.2	34.5	6.2	77.3	5.52	2.74	10.13	37	0.73
L0+80S 2+80W	Soil			24	24.47	104.4	127.0	41.0	3426	12.4	2.9	416	16.48	116.4	1.8	189.9	11.8	15.5	0.11	2.66	61.55	21	0.08
L1+00S 0+20W	Soil			71	1.45	31.30	38.43	165.1	283	63.0	15.8	1276	3.08	28.6	1.4	7.3	4.1	32.4	1.02	0.88	1.81	48	0.26
L1+00S 0+40W	Soil			60	1.60	26.41	44.57	238.7	155	62.3	15.3	1365	3.07	24.5	1.2	4.1	4.7	32.8	2.30	0.98	1.68	44	0.30
L1+00S 0+60W	Soil			47	1.95	30.77	38.34	232.7	178	55.2	16.6	2279	2.93	25.6	1.1	7.3	3.1	49.3	2.13	0.99	1.58	41	0.48
L1+00S 0+80W	Soil			68	3.95	53.30	80.22	401.0	821	76.9	18.6	1613	3.58	47.0	10.7	20.5	6.4	45.1	3.32	0.95	2.01	50	0.46
L1+00S 1+00W	Soil			37	3.67	58.81	39.25	331.5	545	87.2	17.2	863	3.47	19.8	13.4	19.6	6.2	51.8	1.37	0.80	1.18	51	0.43
L1+00S 1+20W	Soil			48	1.88	33.69	34.86	363.6	135	76.7	20.7	1494	3.46	15.1	2.3	7.6	4.0	39.4	2.18	1.13	0.63	50	0.39
L1+00S 1+40W	Soil			74	1.32	38.03	58.91	271.2	158	76.1	21.2	1366	3.40	17.6	2.6	3.0	4.9	49.7	1.93	2.32	0.89	46	0.44
L1+00S 1+60W	Soil			50	0.98	58.07	24.04	256.4	182	104.7	24.6	1286	4.04	10.6	1.9	4.4	6.4	66.4	1.13	0.58	0.61	53	0.60
L1+00S 1+80W	Soil			41	1.41	44.39	104.1	299.6	158	80.5	22.4	2064	3.60	14.3	1.8	4.4	5.0	97.6	3.00	1.66	1.08	45	1.03
L1+00S 2+00W	Soil			27	1.19	43.48	31.90	210.6	258	84.5	21.9	2174	3.61	13.8	1.7	3.4	4.4	74.6	1.76	0.81	0.72	48	0.74
L1+00S 2+20W	Soil			25	1.22	34.88	120.4	273.9	249	58.4	20.8	2801	3.04	18.3	1.2	5.6	1.8	84.5	3.79	2.17	1.18	37	1.03
L1+00S 2+40W	Soil			41	0.77	29.04	32.56	153.0	176	67.8	18.3	1244	3.22	11.6	1.1	3.2	4.6	33.6	0.88	0.75	0.77	45	0.34
L1+00S 2+60W	Soil			54	0.70	24.26	35.17	163.6	159	57.8	14.1	813	2.76	11.4	1.0	2.4	5.4	60.4	0.86	0.61	0.39	35	0.53
L1+00S 2+80W	Soil			47	0.53	27.97	42.66	209.4	342	50.1	13.1	1145	2.47	12.7	0.9	3.0	4.5	62.1	1.60	0.60	0.45	32	0.53
L1+00S 3+00W	Soil			52	0.64	23.59	29.99	181.3	217	48.4	12.2	1130	2.51	12.8	1.0	4.6	4.6	49.9	0.88	0.60	0.82	30	0.34
L0+40S 0+00W	Soil			28	2.62	115.6	70.49	238.3	1397	140.4	17.7	1446	5.42	31.4	37.9	6.7	7.3	77.5	1.21	1.31	1.08	77	0.97
L0+40S 0+20W	Soil			63	1.93	24.35	46.20	174.1	240	53.5	14.4	1297	2.81	15.5	1.6	3.4	3.5	25.6	1.25	0.84	0.78	44	0.20



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 Ti	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
L0+80S 0+40W	Soil			0.221	13.2	38.6	0.53	210.5	0.120	2	3.18	0.015	0.15	1.5	3.9	0.15	<0.02	58	0.3	0.05	8.3	1.92	<0.1
L0+80S 0+60W	Soil			0.380	10.3	30.9	0.45	301.7	0.096	2	3.07	0.014	0.11	1.5	2.9	0.14	<0.02	37	0.2	<0.02	8.1	1.89	<0.1
L0+80S 0+80W	Soil			0.202	15.7	29.7	0.42	172.3	0.125	2	3.67	0.021	0.10	2.4	4.1	0.15	<0.02	51	0.4	<0.02	8.1	1.95	<0.1
L0+80S 1+00W	Soil			0.208	12.2	45.7	0.63	213.1	0.103	2	3.12	0.015	0.14	0.8	3.7	0.17	<0.02	43	0.2	<0.02	8.1	2.05	<0.1
L0+80S 1+20W	Soil			0.122	13.3	56.3	0.76	163.1	0.079	2	2.63	0.013	0.15	0.8	3.8	0.14	<0.02	30	0.3	<0.02	7.6	1.80	<0.1
L0+80S 1+30W	Soil			0.096	15.5	52.7	0.72	154.5	0.092	3	3.46	0.018	0.17	1.1	5.1	0.21	0.03	54	0.4	<0.02	8.5	2.31	<0.1
L0+80S 1+40W	Soil			0.179	15.0	46.1	0.61	260.7	0.097	3	3.28	0.023	0.21	1.1	4.1	0.23	0.03	61	0.2	0.04	7.9	2.47	0.1
L0+80S 1+60W	Soil			0.533	18.5	83.4	0.84	428.1	0.126	4	3.30	0.017	0.27	1.1	4.8	0.21	0.03	33	0.3	<0.02	8.2	2.71	<0.1
L0+80S 1+80W	Soil			0.264	19.6	110.9	1.06	429.8	0.187	3	3.69	0.017	0.32	0.9	5.5	0.32	0.02	43	<0.1	<0.02	9.5	3.09	0.1
L0+80S 2+00W	Soil			0.284	15.1	80.1	0.81	495.4	0.134	4	2.91	0.010	0.33	0.7	4.1	0.28	0.02	45	0.1	<0.02	8.7	2.77	0.1
L0+80S 2+20W	Soil			0.486	14.4	52.7	0.65	583.0	0.094	4	2.97	0.012	0.37	0.7	3.8	0.29	0.03	59	0.2	0.06	9.2	2.96	<0.1
L0+80S 2+40W	Soil			0.566	16.8	46.2	0.63	503.4	0.117	6	3.31	0.020	0.39	1.1	4.7	0.33	<0.02	43	0.4	0.35	9.0	3.12	0.1
L0+80S 2+80W	Soil			0.199	21.9	19.4	0.62	53.8	0.020	2	1.10	0.017	0.29	1.1	1.3	0.34	0.74	146	13.7	2.33	6.3	4.13	0.2
L1+00S 0+20W	Soil			0.157	16.4	46.0	0.62	250.4	0.106	3	3.15	0.011	0.14	2.2	3.7	0.16	<0.02	47	0.2	0.05	8.0	1.90	<0.1
L1+00S 0+40W	Soil			0.247	14.4	43.0	0.56	387.1	0.113	2	3.22	0.015	0.13	2.3	3.6	0.16	<0.02	35	0.2	0.06	8.5	2.01	<0.1
L1+00S 0+60W	Soil			0.270	11.6	37.8	0.54	382.9	0.095	2	2.90	0.014	0.15	1.3	3.3	0.16	<0.02	51	0.2	0.06	7.9	2.06	<0.1
L1+00S 0+80W	Soil			0.265	23.2	51.9	0.65	269.6	0.126	4	4.06	0.017	0.16	4.8	5.7	0.19	<0.02	52	0.3	<0.02	10.2	2.73	<0.1
L1+00S 1+00W	Soil			0.094	22.5	57.0	0.70	253.2	0.137	3	3.90	0.018	0.20	2.2	6.4	0.20	<0.02	46	0.3	<0.02	9.4	2.56	<0.1
L1+00S 1+20W	Soil			0.185	16.3	52.3	0.71	209.4	0.117	3	3.27	0.015	0.21	1.1	4.2	0.17	<0.02	36	<0.1	0.05	8.2	2.36	0.1
L1+00S 1+40W	Soil			0.150	16.4	46.6	0.66	187.0	0.109	3	3.53	0.023	0.20	1.2	4.5	0.22	<0.02	43	0.3	0.05	8.5	2.59	<0.1
L1+00S 1+60W	Soil			0.158	19.6	126.3	1.33	367.0	0.206	3	4.07	0.023	0.46	1.7	6.1	0.32	<0.02	32	0.3	0.03	11.2	3.83	0.1
L1+00S 1+80W	Soil			0.385	18.3	89.3	0.94	461.6	0.145	5	3.75	0.023	0.33	1.0	5.3	0.28	<0.02	60	0.1	<0.02	10.1	3.46	0.1
L1+00S 2+00W	Soil			0.354	19.6	87.0	0.90	399.1	0.156	3	3.74	0.021	0.31	1.3	4.8	0.27	0.02	60	<0.1	0.03	9.3	3.08	<0.1
L1+00S 2+20W	Soil			0.335	14.7	46.8	0.58	438.7	0.076	5	2.93	0.015	0.24	1.4	2.8	0.26	0.05	95	0.2	0.05	7.9	2.23	0.1
L1+00S 2+40W	Soil			0.272	14.3	50.9	0.68	225.5	0.092	2	3.07	0.015	0.17	0.9	4.2	0.13	<0.02	23	<0.1	0.04	7.7	1.90	<0.1
L1+00S 2+60W	Soil			0.332	20.6	47.3	0.58	277.1	0.081	4	2.43	0.018	0.24	0.4	3.8	0.18	<0.02	35	<0.1	<0.02	6.6	1.99	<0.1
L1+00S 2+80W	Soil			0.383	17.4	44.9	0.52	339.4	0.085	2	2.40	0.019	0.26	0.4	3.6	0.16	<0.02	38	0.1	<0.02	6.3	1.91	<0.1
L1+00S 3+00W	Soil			0.435	18.1	39.2	0.49	386.5	0.088	3	2.73	0.023	0.21	0.7	3.6	0.18	<0.02	51	<0.1	<0.02	7.0	1.99	<0.1
L0+40S 0+00W	Soil			0.079	44.0	136.5	0.94	274.4	0.152	3	6.11	0.022	0.22	1.6	11.1	0.23	0.02	85	0.9	<0.02	12.9	2.91	0.1
L0+40S 0+20W	Soil			0.234	13.4	39.5	0.55	295.8	0.111	2	3.18	0.015	0.12	0.9	3.3	0.15	<0.02	37	0.2	<0.02	7.9	1.96	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project:

NOX FORT

Report Date:

August 05, 2008

Page:

7 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L0+80S 0+40W	Soil	0.17	2.11	23.7	0.8	<0.05	14.1	7.95	30.9	0.06	<1	1.0	18.4	<10	4
L0+80S 0+60W	Soil	0.12	1.62	18.7	0.8	<0.05	7.9	5.97	27.0	0.04	<1	1.1	17.0	<10	<2
L0+80S 0+80W	Soil	0.39	1.79	17.4	0.8	<0.05	22.0	12.32	33.9	0.05	<1	1.3	22.3	<10	<2
L0+80S 1+00W	Soil	0.24	1.31	23.0	0.7	<0.05	12.2	5.81	30.0	0.06	<1	1.0	25.9	<10	3
L0+80S 1+20W	Soil	0.06	1.42	22.9	0.5	<0.05	3.4	5.80	27.4	0.05	1	0.6	22.7	<10	<2
L0+80S 1+30W	Soil	0.12	1.82	28.1	0.6	<0.05	6.8	12.67	30.6	0.07	<1	0.9	26.6	<10	<2
L0+80S 1+40W	Soil	0.06	1.96	37.8	0.8	<0.05	4.0	11.21	31.1	0.07	1	1.1	28.9	<10	<2
L0+80S 1+60W	Soil	0.13	2.79	39.3	0.8	<0.05	8.3	11.39	37.2	0.07	1	0.8	29.5	<10	<2
L0+80S 1+80W	Soil	0.17	3.77	41.8	1.0	<0.05	9.8	9.84	42.1	0.07	<1	0.8	30.0	<10	<2
L0+80S 2+00W	Soil	0.13	3.29	38.5	1.0	<0.05	6.3	7.61	33.5	0.10	<1	1.2	30.5	<10	<2
L0+80S 2+20W	Soil	0.05	2.47	40.6	1.1	<0.05	3.1	8.85	29.8	0.16	<1	1.1	33.7	<10	<2
L0+80S 2+40W	Soil	0.18	2.11	42.7	1.8	<0.05	9.3	12.72	30.1	0.14	<1	1.3	30.8	<10	<2
L0+80S 2+80W	Soil	<0.02	0.30	30.7	1.0	<0.05	1.1	4.24	31.7	0.05	10	0.6	16.4	<10	<2
L1+00S 0+20W	Soil	0.08	1.63	22.2	0.8	<0.05	5.0	7.48	33.8	0.04	<1	1.3	20.9	<10	<2
L1+00S 0+40W	Soil	0.14	1.59	21.7	0.8	<0.05	9.7	6.57	32.3	0.05	<1	1.4	19.8	<10	<2
L1+00S 0+60W	Soil	0.09	1.75	24.5	0.7	<0.05	5.8	5.67	27.5	0.04	<1	1.1	16.7	<10	<2
L1+00S 0+80W	Soil	0.17	2.00	27.4	0.9	<0.05	10.6	20.08	46.6	0.07	2	2.1	24.9	<10	2
L1+00S 1+00W	Soil	0.32	1.77	27.8	0.8	<0.05	19.7	17.24	43.4	0.07	<1	1.8	31.6	<10	3
L1+00S 1+20W	Soil	0.09	1.96	29.5	0.8	<0.05	4.2	7.17	34.5	0.05	<1	1.0	23.9	<10	<2
L1+00S 1+40W	Soil	0.15	2.16	34.2	0.9	<0.05	10.3	11.31	34.1	0.12	<1	0.9	26.1	<10	<2
L1+00S 1+60W	Soil	0.13	2.36	75.8	0.8	<0.05	8.8	10.91	35.9	0.04	<1	1.5	44.8	<10	2
L1+00S 1+80W	Soil	0.10	2.53	53.1	1.1	<0.05	5.7	8.71	37.5	0.18	<1	1.3	39.5	<10	<2
L1+00S 2+00W	Soil	0.10	2.62	41.5	0.8	<0.05	4.5	9.60	39.7	0.07	<1	1.3	35.1	<10	2
L1+00S 2+20W	Soil	0.04	1.63	25.9	1.0	<0.05	1.5	6.97	32.9	0.17	<1	1.2	25.0	<10	<2
L1+00S 2+40W	Soil	0.13	1.74	20.6	1.0	<0.05	6.6	6.82	31.4	0.04	<1	1.2	24.1	<10	<2
L1+00S 2+60W	Soil	0.05	1.46	26.6	0.6	<0.05	4.1	8.47	37.7	0.04	<1	0.9	21.8	<10	<2
L1+00S 2+80W	Soil	0.06	1.88	28.3	0.8	<0.05	5.2	7.79	33.2	0.03	<1	0.9	16.8	<10	<2
L1+00S 3+00W	Soil	0.09	1.35	26.6	0.7	<0.05	5.1	8.57	33.7	0.05	<1	0.7	21.5	<10	<2
L0+40S 0+00W	Soil	0.31	2.53	27.9	0.9	<0.05	15.4	44.04	50.6	0.08	5	1.9	58.7	<10	3
L0+40S 0+20W	Soil	0.14	1.89	20.9	0.7	<0.05	8.3	6.10	30.6	0.04	<1	0.6	17.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
L0+40S 0+40W	Soil	80	4.80	36.25	65.27	176.5	191	61.1	17.8	1849	3.37	17.9	1.6	5.6	2.7	36.8	2.02	1.16	1.11	56	0.31
L0+40S 0+60W	Soil	54	2.92	49.57	46.69	156.9	159	82.6	20.6	1016	3.91	25.6	3.1	6.0	4.4	30.0	1.11	0.90	0.55	72	0.25
L0+40S 0+80W	Soil	76	2.35	35.84	28.20	201.4	178	76.8	18.2	1119	3.29	15.7	2.9	3.8	3.3	45.1	1.25	0.93	0.38	55	0.38
L0+40S 1+00W	Soil	63	1.88	39.38	41.95	152.3	136	72.9	21.2	1404	3.68	24.6	1.6	4.5	2.9	34.7	1.45	1.08	0.44	63	0.28
L0+40S 1+20W	Soil	65	1.62	39.35	32.32	132.9	165	68.7	21.4	1311	3.44	30.3	1.3	5.0	2.7	58.5	1.15	1.02	0.40	57	0.42
L0+40S 1+40W	Soil	50	1.22	40.30	37.01	166.9	215	85.8	21.0	1596	3.36	27.8	1.2	4.5	3.0	85.0	1.62	0.97	0.46	53	0.64
L0+40S 1+60W	Soil	44	1.21	44.49	29.89	156.1	286	84.5	19.4	1180	3.40	28.1	1.4	6.2	3.0	49.1	0.99	0.80	0.40	55	0.39
L0+40S 1+80W	Soil	37	0.71	34.36	42.87	171.1	347	93.7	20.1	1603	3.47	17.6	0.8	5.2	2.1	68.2	1.53	1.00	0.43	51	0.51
L0+40S 2+00W	Soil	38	0.88	36.55	71.62	173.5	171	81.4	20.1	1561	3.42	16.9	0.7	3.5	2.7	65.2	2.38	1.47	0.46	52	0.53
L0+40S 2+20W	Soil	45	1.29	40.51	62.96	209.4	411	101.7	24.4	1998	3.83	23.7	1.1	5.6	3.0	75.3	2.51	1.25	0.95	57	0.63
L0+40S 2+40W	Soil	63	1.61	48.66	46.87	195.4	368	106.8	31.5	2228	4.09	21.8	1.5	8.8	3.7	147.7	1.76	0.80	1.14	60	0.58
L0+40S 2+60W	Soil	37	1.68	49.99	104.6	245.1	473	107.6	29.2	2071	4.25	22.6	1.8	5.4	4.7	89.8	2.45	1.28	1.19	55	0.51
L0+40S 2+80W	Soil	55	1.86	75.85	52.84	202.5	448	88.8	42.5	1629	5.85	33.7	2.3	4.6	6.9	32.8	0.42	0.42	0.52	73	0.10
L0+40S 3+00W	Soil	61	1.12	56.80	41.28	240.9	258	118.7	32.9	2389	4.63	29.3	1.8	3.7	3.7	90.4	1.38	0.69	0.47	57	0.59
L0+40S 3+20W	Soil	63	0.95	42.28	28.41	231.2	138	136.4	24.2	933	4.16	22.1	1.1	2.7	4.4	64.8	1.44	0.92	0.37	59	0.53
L1+60S 1+80W	Soil	49	0.83	37.07	39.89	161.3	133	64.8	16.9	1666	3.05	12.6	0.9	2.7	3.6	53.0	1.81	0.72	0.69	45	0.71
L1+60S 2+00W	Soil	58	0.75	40.04	38.58	132.8	92	54.7	18.2	2131	3.28	11.5	1.0	2.7	4.4	59.3	1.17	0.98	0.74	46	0.70
L1+60S 2+20W	Soil	25	1.12	45.13	57.79	176.3	242	50.5	20.1	2628	3.10	15.3	1.1	3.1	2.3	101.1	1.68	1.26	1.03	39	0.89
L1+60S 2+40W	Soil	66	0.93	37.35	34.51	175.0	239	56.0	15.7	2215	2.88	11.3	1.1	2.6	3.9	58.8	1.55	0.63	0.64	35	0.46
L1+60S 2+60W	Soil	56	0.70	27.53	27.77	172.9	150	67.8	13.6	1023	2.82	14.0	1.0	2.2	4.3	60.1	1.16	0.57	0.41	37	0.39
L1+60S 2+80W	Soil	71	0.74	36.45	19.86	149.0	226	69.6	14.7	1116	3.01	15.5	1.1	27.4	3.8	49.4	0.62	0.50	0.36	44	0.41
L1+60S 3+00W	Soil	32	0.91	32.65	106.9	190.6	255	62.7	17.3	2163	3.04	17.2	1.0	4.4	2.8	87.7	2.46	1.99	1.03	41	0.70
L1+60S 3+20W	Soil	58	0.83	32.62	20.32	192.1	249	71.5	17.1	1368	3.24	11.5	1.1	2.4	4.3	34.5	0.55	0.35	0.50	44	0.24



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Westminster Resources Ltd.

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 8 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
L0+40S 0+40W	Soil	0.247	12.9	48.8	0.68	325.9	0.102	2	3.27	0.012	0.16	1.1	3.8	0.18	0.02	35	0.4	0.07	8.1	2.07	<0.1
L0+40S 0+60W	Soil	0.170	17.6	67.3	0.92	206.3	0.131	2	3.54	0.011	0.20	0.6	5.5	0.18	<0.02	32	0.3	0.05	8.7	2.05	<0.1
L0+40S 0+80W	Soil	0.159	14.5	55.4	0.77	277.3	0.115	2	2.87	0.012	0.18	0.4	4.4	0.18	<0.02	28	0.3	0.03	7.4	2.19	<0.1
L0+40S 1+00W	Soil	0.151	14.0	59.7	0.84	255.7	0.099	2	2.98	0.009	0.21	0.4	4.4	0.19	<0.02	25	0.2	0.06	7.5	2.04	<0.1
L0+40S 1+20W	Soil	0.178	14.6	53.9	0.76	260.7	0.102	2	3.01	0.010	0.17	0.3	4.2	0.16	0.02	29	0.4	0.03	7.6	2.01	<0.1
L0+40S 1+40W	Soil	0.269	16.4	54.4	0.74	351.8	0.109	3	3.14	0.013	0.19	0.3	4.4	0.18	<0.02	27	0.3	0.03	7.5	2.11	<0.1
L0+40S 1+60W	Soil	0.233	17.2	53.7	0.76	263.9	0.109	3	3.26	0.016	0.18	0.3	4.6	0.17	<0.02	30	0.5	0.04	8.0	2.03	<0.1
L0+40S 1+80W	Soil	0.321	14.6	51.5	0.79	434.4	0.080	3	2.66	0.014	0.22	0.3	3.9	0.17	0.02	36	0.2	0.04	7.1	1.95	<0.1
L0+40S 2+00W	Soil	0.276	14.7	52.9	0.79	365.4	0.092	2	2.42	0.013	0.26	0.4	4.5	0.21	<0.02	48	0.3	0.06	6.3	1.85	<0.1
L0+40S 2+20W	Soil	0.184	15.8	56.4	0.83	328.7	0.096	3	2.93	0.012	0.24	0.3	4.8	0.21	0.02	49	0.4	0.06	7.2	2.10	<0.1
L0+40S 2+40W	Soil	0.172	23.6	57.4	0.81	521.1	0.114	2	3.19	0.013	0.22	0.2	5.0	0.21	<0.02	31	0.3	0.09	8.1	2.44	<0.1
L0+40S 2+60W	Soil	0.230	33.6	48.5	0.70	612.0	0.143	3	3.37	0.016	0.29	0.2	5.0	0.29	<0.02	52	0.4	0.05	8.4	3.15	<0.1
L0+40S 2+80W	Soil	0.126	51.7	55.0	0.83	372.1	0.169	<1	4.00	0.012	0.35	<0.1	7.2	0.29	<0.02	31	0.7	0.07	9.9	3.97	<0.1
L0+40S 3+00W	Soil	0.165	36.7	51.5	0.73	440.8	0.126	3	3.64	0.013	0.32	0.1	5.4	0.25	0.03	37	0.5	0.05	9.1	3.21	<0.1
L0+40S 3+20W	Soil	0.184	20.4	70.7	0.89	299.3	0.121	3	3.55	0.017	0.23	0.4	5.8	0.18	<0.02	25	0.4	0.03	9.0	2.16	<0.1
L1+60S 1+80W	Soil	0.169	16.7	57.6	0.68	253.8	0.109	3	3.00	0.017	0.22	1.3	4.4	0.19	0.02	44	0.3	0.03	7.7	2.36	<0.1
L1+60S 2+00W	Soil	0.122	16.4	45.9	0.60	238.9	0.112	3	3.37	0.024	0.21	1.0	4.5	0.22	<0.02	33	0.4	0.05	8.3	2.63	<0.1
L1+60S 2+20W	Soil	0.283	14.9	37.7	0.54	364.3	0.102	3	3.14	0.020	0.24	1.2	3.4	0.26	0.03	65	0.6	0.05	8.8	2.90	<0.1
L1+60S 2+40W	Soil	0.326	15.4	33.6	0.51	424.4	0.101	2	3.06	0.017	0.18	0.6	3.8	0.19	<0.02	37	0.4	0.03	7.6	2.08	<0.1
L1+60S 2+60W	Soil	0.415	15.7	38.1	0.54	382.7	0.107	2	3.19	0.019	0.18	0.5	4.0	0.17	<0.02	29	0.4	0.03	8.0	1.93	<0.1
L1+60S 2+80W	Soil	0.247	17.9	41.0	0.60	253.2	0.111	2	3.34	0.018	0.24	0.4	4.4	0.20	<0.02	32	0.3	0.03	8.1	2.16	<0.1
L1+60S 3+00W	Soil	0.239	13.6	39.0	0.58	310.4	0.091	3	2.85	0.016	0.25	0.5	3.7	0.26	0.03	67	0.4	0.06	7.5	2.11	<0.1
L1+60S 3+20W	Soil	0.249	17.8	47.1	0.68	272.0	0.100	1	3.10	0.016	0.22	0.4	4.7	0.22	<0.02	31	0.4	0.03	8.0	2.28	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Westminster Resources Ltd.**

488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: NOX FORT

Report Date: August 05, 2008

Page: 8 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L0+40S 0+40W	Soil	0.09	1.74	23.9	0.7	<0.05	4.9	6.11	30.7	0.06	<1	0.8	18.9	<10	<2
L0+40S 0+60W	Soil	0.13	1.88	23.0	0.7	<0.05	8.4	10.47	40.3	0.03	<1	1.0	22.5	<10	2
L0+40S 0+80W	Soil	0.11	1.75	30.8	0.5	<0.05	6.2	7.49	31.8	0.04	<1	0.7	22.3	<10	<2
L0+40S 1+00W	Soil	0.07	1.70	27.4	0.6	<0.05	4.2	6.54	31.2	0.07	<1	0.7	22.1	<10	<2
L0+40S 1+20W	Soil	0.08	1.86	25.4	0.6	<0.05	4.8	7.07	31.6	0.04	<1	0.7	18.5	<10	<2
L0+40S 1+40W	Soil	0.10	1.93	31.1	0.7	<0.05	6.0	8.79	34.4	0.06	<1	0.8	21.2	<10	<2
L0+40S 1+60W	Soil	0.08	1.59	26.3	0.6	<0.05	6.3	9.96	34.8	0.06	<1	0.8	20.7	<10	<2
L0+40S 1+80W	Soil	0.05	1.64	39.4	0.6	<0.05	2.9	7.45	30.3	0.08	<1	0.7	21.5	<10	<2
L0+40S 2+00W	Soil	0.06	1.69	27.6	0.6	<0.05	3.5	7.19	29.4	0.14	<1	0.8	18.2	<10	<2
L0+40S 2+20W	Soil	0.06	1.85	30.9	0.6	<0.05	4.4	9.75	32.1	0.07	<1	0.7	21.9	<10	<2
L0+40S 2+40W	Soil	0.10	2.62	32.0	0.6	<0.05	6.3	12.46	44.8	0.04	<1	1.0	27.4	<10	<2
L0+40S 2+60W	Soil	0.15	3.64	39.9	1.1	<0.05	9.6	14.62	64.5	0.17	<1	1.0	33.0	<10	<2
L0+40S 2+80W	Soil	0.12	2.03	41.5	0.9	<0.05	8.7	19.22	107.4	0.04	<1	1.5	36.3	<10	2
L0+40S 3+00W	Soil	0.10	3.73	39.8	0.8	<0.05	5.9	16.29	71.4	0.04	<1	1.4	33.6	<10	<2
L0+40S 3+20W	Soil	0.18	2.06	26.1	0.7	<0.05	10.2	10.16	42.4	0.05	<1	1.2	30.5	<10	<2
L1+60S 1+80W	Soil	0.11	2.13	31.7	0.6	<0.05	6.8	8.35	35.2	0.07	<1	1.0	23.1	<10	<2
L1+60S 2+00W	Soil	0.15	2.15	36.0	0.7	<0.05	9.0	9.73	35.2	0.05	<1	1.1	27.2	<10	<2
L1+60S 2+20W	Soil	0.07	2.14	32.4	0.8	<0.05	4.6	8.29	32.7	0.10	<1	1.0	27.6	<10	<2
L1+60S 2+40W	Soil	0.15	1.78	24.7	0.7	<0.05	8.8	8.87	32.2	0.04	<1	1.0	23.3	<10	<2
L1+60S 2+60W	Soil	0.19	1.59	20.3	0.7	<0.05	11.9	8.07	34.4	0.04	<1	0.8	24.1	<10	<2
L1+60S 2+80W	Soil	0.15	1.63	23.5	0.7	<0.05	10.3	11.07	35.8	0.02	<1	0.9	26.5	<10	<2
L1+60S 3+00W	Soil	0.11	2.06	26.6	1.1	<0.05	6.5	7.92	30.5	0.14	<1	1.1	25.6	<10	<2
L1+60S 3+20W	Soil	0.16	1.50	25.9	0.6	<0.05	9.7	10.08	35.1	0.03	<1	0.9	27.2	<10	<2

QUALITY CONTROL REPORT

VAN08007191.1

Method	SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
B0+20W 0+40S	Soil	49	1.84	49.45	35.14	194.2	665	67.5	23.5	865	3.35	26.0	4.2	8.8	5.9	46.9	0.94	0.53	3.54	41	0.42
REP B0+20W 0+40S	QC		1.84	48.94	35.20	180.1	647	66.1	21.8	845	3.36	26.1	4.1	7.8	5.8	45.1	0.97	0.54	3.66	41	0.43
0+00W L1+20S	Soil	61	1.32	29.12	58.32	130.1	190	50.6	13.3	1264	2.66	23.7	1.8	7.9	4.1	47.0	1.52	1.25	1.66	42	0.45
REP 0+00W L1+20S	QC		1.33	28.65	57.28	127.6	194	50.8	13.1	1247	2.67	23.7	1.8	13.8	4.1	45.8	1.44	1.20	1.61	42	0.45
L1+80S 0+20W DUP	Soil	42	1.40	27.93	98.10	162.3	161	45.6	14.3	2097	2.95	23.5	1.5	49.5	3.5	49.7	2.10	1.53	1.49	43	0.53
REP L1+80S 0+20W DUP	QC		1.37	29.83	96.82	159.7	117	49.1	14.8	2004	2.99	23.2	1.5	4.7	3.7	49.3	2.07	1.61	1.42	45	0.55
L2+00S 0+80W	Soil	27	3.59	18.17	164.0	286.9	233	32.7	8.0	1627	2.20	33.0	1.4	17.1	5.2	32.4	1.99	1.38	1.12	30	0.38
REP L2+00S 0+80W	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+20S 0+20W DUP	Soil	44	1.20	27.61	56.87	146.2	98	38.2	10.4	1668	2.48	14.9	1.2	4.5	3.2	54.3	1.94	0.99	0.61	39	0.61
REP L2+20S 0+20W DUP	QC		1.15	28.49	55.59	145.4	99	38.2	10.8	1699	2.51	15.1	1.2	4.6	3.1	54.2	2.05	1.10	0.62	41	0.64
L3+00S 1+00W	Soil	30	2.04	35.61	100.3	269.3	212	54.7	16.0	1967	2.94	24.2	2.5	7.1	4.2	89.3	4.63	1.33	1.21	44	0.99
REP L3+00S 1+00W	QC		2.10	35.54	105.5	273.5	202	55.7	15.6	2013	2.99	24.1	2.4	6.8	4.0	89.8	4.66	1.34	1.19	44	0.99
L1+20S 1+20W	Soil	54	0.97	42.00	21.98	143.6	149	64.0	14.1	687	3.50	18.0	1.2	4.0	5.5	32.2	0.42	0.63	0.64	58	0.28
REP L1+20S 1+20W	QC		1.07	41.85	21.98	142.6	163	62.6	15.1	621	3.49	18.3	1.2	6.6	5.8	34.3	0.52	0.73	0.64	57	0.27
L1+20S 2+00W	Soil	44	0.96	37.83	23.31	224.7	301	62.9	17.0	1587	3.23	13.8	1.1	4.3	3.4	51.9	1.25	1.07	1.57	46	0.50
REP L1+20S 2+00W	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 0+40W	Soil	21	1.08	19.35	54.07	225.9	95	50.5	10.3	1262	2.50	24.0	1.0	2.9	3.4	43.5	2.44	0.96	1.17	36	0.37
REP L1+60S 0+40W	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 1+40W	Soil	25	1.16	37.77	47.05	607.2	110	64.1	18.7	3304	2.91	14.4	0.8	8.6	4.6	103.6	13.89	1.33	4.17	35	1.40
REP L1+60S 1+40W	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+00S 1+20W	Soil	48	1.88	33.69	34.86	363.6	135	76.7	20.7	1494	3.46	15.1	2.3	7.6	4.0	39.4	2.18	1.13	0.63	50	0.39
REP L1+00S 1+20W	QC		2.01	34.42	35.96	371.0	139	80.0	21.5	1540	3.53	15.4	2.4	4.0	4.0	39.2	2.32	1.09	0.63	50	0.40
L0+40S 2+00W	Soil	38	0.88	36.55	71.62	173.5	171	81.4	20.1	1561	3.42	16.9	0.7	3.5	2.7	65.2	2.38	1.47	0.46	52	0.53
REP L0+40S 2+00W	QC		0.94	39.14	77.30	185.8	188	88.6	22.0	1648	3.66	18.2	0.8	33.5	2.9	69.7	2.59	1.70	0.53	56	0.59
L1+60S 2+20W	Soil	25	1.12	45.13	57.79	176.3	242	50.5	20.1	2628	3.10	15.3	1.1	3.1	2.3	101.1	1.68	1.26	1.03	39	0.89
REP L1+60S 2+20W	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard		17.77	101.5	67.49	375.5	766	49.6	9.2	589	2.23	50.6	4.6	67.3	4.1	64.7	5.91	5.76	4.30	77	0.91

QUALITY CONTROL REPORT

VAN08007191.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
B0+20W 0+40S	Soil	0.275	22.9	46.6	0.60	192.3	0.121	<1	4.01	0.018	0.30	0.6	4.6	0.26	0.03	36	0.5	0.10	9.4	2.95	<0.1
REP B0+20W 0+40S	QC	0.282	24.8	44.5	0.59	177.4	0.138	2	3.97	0.019	0.29	0.8	4.9	0.27	0.02	46	0.4	0.17	9.1	2.82	<0.1
0+00W L1+20S	Soil	0.130	15.0	41.6	0.56	204.7	0.094	2	2.73	0.013	0.15	6.0	3.2	0.16	0.03	50	0.3	0.05	7.0	1.66	<0.1
REP 0+00W L1+20S	QC	0.131	15.0	40.2	0.56	205.2	0.092	3	2.70	0.012	0.15	6.0	3.2	0.16	0.03	47	0.4	0.05	6.5	1.71	<0.1
L1+80S 0+20W DUP	Soil	0.161	13.6	43.3	0.57	338.1	0.088	3	2.94	0.007	0.15	4.6	3.0	0.20	0.03	64	0.5	0.03	8.8	2.09	<0.1
REP L1+80S 0+20W DUP	QC	0.156	15.6	45.2	0.58	330.7	0.111	3	3.07	0.008	0.17	4.9	3.2	0.21	0.03	65	0.3	<0.02	9.0	2.18	<0.1
L2+00S 0+80W	Soil	0.277	9.5	39.4	0.33	390.1	0.088	1	2.44	0.010	0.13	7.5	2.0	0.15	0.02	58	0.3	<0.02	8.1	1.94	<0.1
REP L2+00S 0+80W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+20S 0+20W DUP	Soil	0.335	13.8	31.6	0.46	376.9	0.098	6	3.28	0.018	0.15	1.3	3.2	0.19	0.02	64	0.4	0.05	8.3	1.87	<0.1
REP L2+20S 0+20W DUP	QC	0.318	15.0	31.9	0.48	369.4	0.112	6	3.40	0.019	0.16	1.5	3.5	0.19	0.02	65	0.4	<0.02	8.5	1.92	<0.1
L3+00S 1+00W	Soil	0.217	17.4	42.4	0.59	453.2	0.109	4	3.22	0.013	0.20	4.0	3.9	0.24	0.04	64	0.6	0.07	8.8	2.23	<0.1
REP L3+00S 1+00W	QC	0.219	17.4	42.0	0.60	470.4	0.108	4	3.21	0.014	0.20	4.2	4.0	0.24	0.04	76	0.6	0.05	8.7	2.22	<0.1
L1+20S 1+20W	Soil	0.069	18.8	55.5	0.85	127.0	0.103	2	2.63	0.012	0.20	1.0	4.9	0.16	<0.02	18	0.5	0.08	7.4	2.14	<0.1
REP L1+20S 1+20W	QC	0.081	19.9	58.0	0.83	130.9	0.120	2	2.60	0.012	0.22	1.3	4.7	0.18	<0.02	19	0.3	0.05	7.4	2.27	<0.1
L1+20S 2+00W	Soil	0.265	18.5	46.5	0.62	238.7	0.109	4	3.39	0.029	0.20	1.9	4.5	0.20	0.02	31	0.4	<0.02	8.8	2.66	<0.1
REP L1+20S 2+00W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 0+40W	Soil	0.433	12.3	32.3	0.40	430.6	0.113	4	3.08	0.024	0.16	5.5	3.6	0.14	<0.02	41	0.3	0.04	7.3	1.90	<0.1
REP L1+60S 0+40W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 1+40W	Soil	0.148	15.2	35.2	0.54	259.8	0.093	6	2.58	0.023	0.17	7.2	3.9	0.26	0.03	51	0.2	<0.02	7.1	3.22	0.2
REP L1+60S 1+40W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+00S 1+20W	Soil	0.185	16.3	52.3	0.71	209.4	0.117	3	3.27	0.015	0.21	1.1	4.2	0.17	<0.02	36	<0.1	0.05	8.2	2.36	0.1
REP L1+00S 1+20W	QC	0.197	16.4	52.4	0.72	214.8	0.119	3	3.17	0.015	0.22	1.3	4.3	0.17	<0.02	40	<0.1	0.05	8.8	2.44	<0.1
L0+40S 2+00W	Soil	0.276	14.7	52.9	0.79	365.4	0.092	2	2.42	0.013	0.26	0.4	4.5	0.21	<0.02	48	0.3	0.06	6.3	1.85	<0.1
REP L0+40S 2+00W	QC	0.296	16.6	57.0	0.85	407.8	0.102	4	2.65	0.015	0.27	0.5	4.9	0.22	0.02	47	0.6	0.04	6.6	2.01	<0.1
L1+60S 2+20W	Soil	0.283	14.9	37.7	0.54	364.3	0.102	3	3.14	0.020	0.24	1.2	3.4	0.26	0.03	65	0.6	0.05	8.8	2.90	<0.1
REP L1+60S 2+20W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	0.088	11.2	197.4	1.01	356.5	0.107	37	0.99	0.090	0.50	3.5	2.2	3.96	0.18	177	3.3	1.17	4.6	5.89	<0.1

QUALITY CONTROL REPORT

VAN08007191.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
B0+20W 0+40S	Soil	0.14	2.47	36.2	1.0	<0.05	11.4	17.59	41.7	0.05	<1	1.4	30.5	<10	3
REP B0+20W 0+40S	QC	0.23	2.55	34.7	0.9	<0.05	13.1	17.40	42.9	0.05	<1	0.9	30.9	<10	<2
0+00W L1+20S	Soil	0.08	2.10	21.7	0.7	<0.05	6.4	6.63	30.7	0.09	<1	0.7	19.6	<10	<2
REP 0+00W L1+20S	QC	0.11	2.17	21.5	0.7	<0.05	6.6	6.47	30.2	0.09	<1	1.1	19.0	<10	<2
L1+80S 0+20W DUP	Soil	0.08	2.45	25.0	0.9	<0.05	12.9	6.05	32.0	0.15	<1	1.3	21.0	<10	<2
REP L1+80S 0+20W DUP	QC	0.07	2.54	27.2	0.9	<0.05	3.8	6.33	35.2	0.15	<1	0.6	21.8	<10	<2
L2+00S 0+80W	Soil	0.09	3.52	21.6	1.0	<0.05	4.9	4.78	25.0	0.04	1	1.1	16.8	<10	<2
REP L2+00S 0+80W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2+20S 0+20W DUP	Soil	0.13	2.25	21.4	0.9	<0.05	9.1	7.74	34.2	0.09	<1	1.1	18.8	<10	<2
REP L2+20S 0+20W DUP	QC	0.14	2.37	21.8	0.9	<0.05	8.3	8.19	35.5	0.10	<1	0.9	19.2	<10	<2
L3+00S 1+00W	Soil	0.13	2.92	30.2	1.0	<0.05	7.9	9.64	39.8	0.14	<1	1.0	26.6	<10	<2
REP L3+00S 1+00W	QC	0.12	2.89	30.7	1.0	<0.05	8.2	9.77	40.8	0.13	<1	1.4	27.0	15	<2
L1+20S 1+20W	Soil	0.14	1.09	30.0	0.5	<0.05	8.6	7.08	40.1	0.02	<1	1.1	21.9	13	<2
REP L1+20S 1+20W	QC	0.13	1.41	29.3	0.5	<0.05	8.5	7.73	45.6	0.02	<1	1.0	20.6	<10	3
L1+20S 2+00W	Soil	0.09	1.96	36.4	0.6	<0.05	5.8	11.52	37.6	0.05	<1	1.4	27.0	<10	<2
REP L1+20S 2+00W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 0+40W	Soil	0.12	1.87	17.3	0.8	<0.05	7.9	5.52	33.3	0.09	<1	1.0	17.8	<10	<2
REP L1+60S 0+40W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+60S 1+40W	Soil	0.06	2.05	45.6	0.8	<0.05	4.5	9.19	28.3	0.10	1	2.3	21.4	20	<2
REP L1+60S 1+40W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1+00S 1+20W	Soil	0.09	1.96	29.5	0.8	<0.05	4.2	7.17	34.5	0.05	<1	1.0	23.9	<10	<2
REP L1+00S 1+20W	QC	0.09	1.97	29.2	0.8	<0.05	4.5	7.20	35.4	0.06	<1	0.5	24.7	<10	<2
L0+40S 2+00W	Soil	0.06	1.69	27.6	0.6	<0.05	3.5	7.19	29.4	0.14	<1	0.8	18.2	<10	<2
REP L0+40S 2+00W	QC	0.05	1.96	30.4	0.7	<0.05	3.2	7.99	33.7	0.14	<1	0.7	21.1	<10	<2
L1+60S 2+20W	Soil	0.07	2.14	32.4	0.8	<0.05	4.6	8.29	32.7	0.10	<1	1.0	27.6	<10	<2
REP L1+60S 2+20W	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials															
STD DS7	Standard	0.11	0.60	32.5	4.3	<0.05	4.8	5.15	34.9	1.61	5	1.5	24.6	52	36

QUALITY CONTROL REPORT

VAN08007191.1

		SS80	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
STD DS7	Standard		19.47	112.2	71.56	380.6	797	57.1	9.2	589	2.27	49.4	5.1	60.8	4.8	78.1	5.63	5.99	4.43	80	0.94
STD DS7	Standard		19.31	104.9	66.08	403.4	813	56.3	8.8	643	2.29	52.6	4.9	64.8	4.1	70.7	6.20	5.95	4.46	79	0.96
STD DS7	Standard		20.53	112.9	75.38	388.9	777	58.5	9.7	600	2.32	47.4	5.3	63.0	4.8	74.0	5.66	6.20	4.58	83	0.93
STD DS7	Standard		19.65	112.0	66.38	373.7	854	53.3	9.1	596	2.27	50.1	4.8	70.7	4.1	68.1	6.19	5.94	4.15	85	0.91
STD DS7	Standard		17.04	99.23	60.90	366.0	781	50.8	8.0	578	2.16	47.1	4.3	60.5	3.6	59.5	5.72	5.35	4.10	82	0.87
STD DS7	Standard		19.41	108.7	64.35	397.3	816	53.5	9.8	612	2.38	50.4	4.7	64.5	3.9	64.0	6.25	5.21	4.25	85	0.92
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08007191.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
STD DS7	Standard	0.072	14.5	198.8	1.02	365.0	0.126	37	1.01	0.087	0.41	3.4	2.8	3.82	0.18	188	3.4	1.05	4.7	5.61	<0.1
STD DS7	Standard	0.084	12.7	187.5	1.04	386.7	0.114	43	0.93	0.096	0.53	3.6	2.7	4.04	0.18	187	3.4	1.01	4.5	5.93	0.2
STD DS7	Standard	0.072	12.9	198.2	1.03	374.2	0.123	39	0.97	0.086	0.43	3.7	2.6	4.03	0.19	203	2.9	1.02	4.3	5.45	0.1
STD DS7	Standard	0.073	12.5	176.8	1.01	350.8	0.120	37	0.94	0.081	0.41	3.7	2.6	3.94	0.19	187	3.1	1.06	4.5	5.57	0.1
STD DS7	Standard	0.069	10.1	176.9	1.02	331.4	0.098	39	0.90	0.076	0.40	3.6	2.2	3.79	0.18	183	3.4	1.07	4.5	5.52	<0.1
STD DS7	Standard	0.075	11.8	173.4	1.03	360.4	0.121	39	0.92	0.081	0.42	3.5	2.6	4.05	0.20	198	3.3	1.11	4.6	5.88	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08007191.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD DS7	Standard	0.14	0.63	35.9	4.7	<0.05	5.0	6.55	34.9	1.52	5	1.5	27.2	78	36
STD DS7	Standard	0.11	0.66	36.4	4.6	<0.05	5.1	5.94	34.0	1.60	<1	1.9	26.5	56	39
STD DS7	Standard	0.08	0.68	34.0	4.5	<0.05	5.1	6.12	32.0	1.47	2	1.8	29.3	74	33
STD DS7	Standard	0.11	0.68	33.2	4.6	<0.05	5.2	5.86	32.1	1.50	4	1.4	27.4	54	39
STD DS7	Standard	0.09	0.46	34.0	4.3	<0.05	4.0	4.71	30.6	1.56	3	1.5	27.0	69	35
STD DS7	Standard	0.12	0.52	34.1	4.6	<0.05	5.3	5.66	34.8	1.50	6	1.5	26.7	65	37
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
Receiving Lab: Canada-Vancouver
Received: July 29, 2008
Report Date: April 27, 2009
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN08007733.2

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: SHIP01
P.O. Number
Number of Samples: 224

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 5 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status. Rows include S230, RJSV, 1F30, and 7KP.

ADDITIONAL COMMENTS

Version 2: Group 7KP for Sample # 918507 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918501	Soil	3.31	1.15	37.51	61.67	154.3	149	66.5	20.7	1583	3.72	30.8	1.7	8.0	3.9	33.0	1.31	1.15	1.52	66	0.36
918502	Soil	2.92	1.45	32.76	48.69	151.4	151	53.3	17.2	2065	3.38	24.7	1.7	6.0	4.4	37.9	1.03	1.00	1.43	60	0.38
918503	Soil	3.38	1.53	29.76	59.52	159.7	172	64.3	14.6	1230	2.89	22.4	1.4	20.7	4.2	33.2	1.71	1.04	1.13	50	0.35
918504	Soil	2.37	1.48	28.27	60.75	171.3	158	62.5	14.3	1314	2.87	21.2	1.3	7.5	3.9	34.0	1.86	1.05	1.07	49	0.36
918505	Soil	2.32	2.06	30.60	87.12	219.0	379	42.8	13.1	2037	2.84	33.6	2.0	8.2	3.5	31.7	2.99	1.39	1.76	50	0.32
918506	Soil	2.51	3.90	56.63	85.14	165.3	649	39.9	19.4	2209	3.35	58.9	3.3	67.6	5.7	36.8	1.41	1.01	5.56	48	0.29
918507	Soil	2.86	2.32	82.66	57.10	188.3	499	75.6	23.0	2319	5.06	120.3	3.0	392.7	6.8	59.2	1.23	1.19	27.84	73	0.37
918508	Soil	2.96	7.59	60.25	31.86	793.6	249	70.1	23.7	4566	3.52	57.8	2.0	21.2	3.5	50.4	6.93	1.31	11.38	47	1.03
918509	Soil	2.59	1.92	51.80	22.86	466.9	205	70.7	21.3	2532	3.44	17.2	1.5	11.1	4.8	59.4	7.31	0.60	4.29	52	0.65
918510	Soil	2.69	0.75	49.28	27.60	216.3	165	87.8	24.9	2372	3.79	10.8	0.9	3.9	3.7	61.2	2.20	0.53	1.22	65	0.83
918511	Soil	3.62	0.40	17.89	4.70	47.6	12	14.8	4.6	116	1.58	2.7	0.5	2.5	3.2	14.1	0.14	0.18	0.09	34	0.10
918512	Soil	2.74	0.95	43.06	27.74	157.7	153	66.3	20.0	2081	3.46	12.6	1.1	3.6	5.0	49.2	1.01	0.76	0.76	57	0.63
918513	Soil	2.98	0.91	41.77	41.71	134.9	167	48.5	18.2	1687	3.38	12.5	1.2	2.7	5.1	44.1	0.92	1.23	0.70	53	0.51
918514	Soil	2.04	1.09	44.53	38.44	154.4	300	50.9	18.6	2141	3.36	12.9	1.2	3.1	4.7	64.5	1.08	1.20	1.18	48	0.60
918515	Soil	2.13	1.04	37.24	30.94	169.7	178	50.0	15.6	2086	3.03	13.0	1.1	1.5	3.8	137.0	1.21	0.79	0.81	41	0.72
918516	Soil	2.71	0.95	29.74	33.37	155.0	215	49.5	13.2	1557	2.67	11.9	0.9	1.6	3.6	53.6	0.98	0.72	0.52	39	0.52
918517	Soil	3.12	0.77	38.28	39.39	137.8	252	51.5	15.6	1179	3.13	10.9	1.2	1.4	4.7	51.1	0.57	0.51	0.53	52	0.39
918518	Soil	2.56	0.88	41.32	29.52	164.8	216	78.6	22.4	1696	3.64	13.4	1.2	2.0	4.8	52.3	0.46	0.93	0.50	61	0.32
918519	Soil	2.84	1.28	36.83	34.57	157.7	257	71.2	16.6	1160	3.38	15.6	4.4	3.5	4.0	33.6	0.97	0.77	0.81	60	0.43
918520	Soil	2.40	1.09	39.25	29.31	151.3	299	58.7	15.7	571	3.29	18.2	3.2	3.6	4.6	24.9	0.66	0.72	0.86	60	0.23
918521	Soil	2.30	1.77	57.75	55.91	187.2	1141	87.1	13.2	811	3.44	21.9	23.3	7.5	3.9	55.5	1.29	1.03	0.92	58	0.78
918522	Soil	2.60	2.19	76.59	78.01	313.0	1515	129.7	15.4	1394	4.30	33.0	30.8	11.8	5.1	79.0	2.46	1.15	1.14	67	0.91
918523	Soil	2.54	1.76	56.46	56.20	291.6	1083	97.0	14.6	1053	3.66	24.3	21.8	6.3	4.4	62.0	1.95	0.91	1.16	57	0.72
918524	Soil	3.93	0.63	30.55	13.65	73.0	77	22.0	9.7	323	2.40	5.5	1.0	3.2	5.1	27.1	0.27	0.28	0.22	54	0.25
918525	Soil	2.53	1.42	41.50	50.69	399.0	502	97.6	14.7	1009	3.51	19.4	13.3	3.9	4.0	48.2	2.05	1.16	1.11	51	0.59
918526	Soil	1.88	2.33	67.42	81.34	343.9	1069	86.7	16.7	1724	3.15	21.6	16.3	37.8	1.2	78.3	3.23	1.43	1.34	50	1.12
918527	Soil	1.62	1.74	51.31	99.66	416.6	287	82.0	23.4	2173	3.29	27.8	7.8	3.8	3.0	75.1	4.87	2.02	1.19	43	1.04
918528	Soil	2.01	1.17	37.29	29.49	216.2	252	79.9	18.0	980	3.31	14.7	4.4	3.0	4.0	43.9	1.08	0.70	0.67	49	0.45
918529	Soil	2.34	1.12	43.10	36.08	197.4	305	97.0	21.0	1205	3.75	21.5	2.9	9.2	3.8	52.1	1.08	0.98	0.58	55	0.54
918530	Soil	2.33	0.78	42.12	31.39	145.8	264	82.9	24.2	1397	4.03	17.7	1.3	12.2	4.7	51.8	0.84	0.77	0.54	69	0.49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918501	Soil	0.151	15.6	57.6	0.76	196.6	0.088	3	3.18	0.006	0.22	4.7	4.6	0.19	<0.02	29	0.3	0.06	8.5	2.12	<0.1
918502	Soil	0.197	13.3	42.4	0.62	290.0	0.095	3	3.18	0.007	0.14	4.4	3.4	0.16	0.02	37	0.4	0.05	8.9	2.14	<0.1
918503	Soil	0.203	12.7	42.5	0.60	250.6	0.086	3	2.62	0.009	0.17	4.9	3.6	0.16	0.02	43	0.4	0.03	6.8	1.71	<0.1
918504	Soil	0.198	11.7	41.6	0.60	260.3	0.083	3	2.61	0.009	0.17	4.6	3.5	0.15	0.02	39	0.3	0.03	6.6	1.68	<0.1
918505	Soil	0.228	11.6	32.2	0.46	273.2	0.096	3	3.20	0.009	0.12	7.5	3.2	0.18	0.03	53	0.4	0.06	8.4	1.94	<0.1
918506	Soil	0.180	20.4	28.5	0.44	200.8	0.133	3	4.02	0.012	0.15	50.4	5.2	0.21	0.04	59	0.8	0.20	10.2	2.53	0.1
918507	Soil	0.086	35.7	72.1	1.09	261.0	0.162	2	3.82	0.013	0.41	>100	7.1	0.42	0.11	24	0.6	0.56	11.8	5.98	0.2
918508	Soil	0.166	19.5	37.1	0.58	217.7	0.104	5	3.38	0.016	0.22	60.7	4.6	0.28	0.05	64	0.5	0.23	9.7	4.23	0.1
918509	Soil	0.178	24.3	50.3	0.69	323.4	0.112	4	3.77	0.027	0.26	16.0	5.8	0.25	0.03	26	0.5	0.07	10.1	3.01	<0.1
918510	Soil	0.201	19.0	121.5	1.21	429.4	0.161	4	3.33	0.014	0.40	2.4	5.1	0.26	0.03	34	0.5	0.04	9.3	2.95	0.1
918511	Soil	0.027	8.4	19.1	0.34	30.6	0.054	<1	0.69	0.006	0.15	0.2	1.7	0.08	<0.02	<5	<0.1	<0.02	2.4	0.87	<0.1
918512	Soil	0.163	18.7	71.6	0.81	268.8	0.145	5	3.67	0.019	0.29	1.8	5.2	0.25	0.03	46	0.5	0.03	9.9	3.10	<0.1
918513	Soil	0.082	17.7	40.2	0.61	212.6	0.111	4	3.76	0.015	0.23	1.0	4.9	0.24	0.03	50	0.5	0.04	9.6	3.70	<0.1
918514	Soil	0.154	16.2	34.7	0.53	249.5	0.100	3	3.70	0.015	0.20	1.2	4.6	0.24	0.03	45	0.5	0.04	9.5	2.74	<0.1
918515	Soil	0.433	15.8	30.8	0.56	526.4	0.089	4	3.21	0.014	0.26	1.1	3.9	0.22	0.03	33	0.3	0.03	8.3	2.34	<0.1
918516	Soil	0.325	14.0	29.0	0.43	306.7	0.091	3	3.18	0.023	0.18	0.7	3.9	0.18	0.02	41	0.3	0.04	7.9	1.93	<0.1
918517	Soil	0.176	16.7	36.3	0.62	230.5	0.101	3	3.27	0.014	0.26	0.6	4.6	0.21	0.02	37	0.4	0.04	8.6	2.16	<0.1
918518	Soil	0.204	15.9	48.1	0.76	255.2	0.121	2	3.67	0.013	0.28	0.5	5.7	0.30	<0.02	39	0.4	0.04	9.8	2.72	<0.1
918519	Soil	0.143	14.2	48.6	0.70	170.1	0.101	2	3.20	0.013	0.14	1.5	5.0	0.18	<0.02	40	0.5	0.03	8.0	1.95	<0.1
918520	Soil	0.188	14.1	40.9	0.65	144.6	0.113	2	3.70	0.013	0.13	1.5	4.8	0.18	<0.02	44	0.5	0.04	8.7	2.08	<0.1
918521	Soil	0.073	21.4	64.6	0.65	174.4	0.093	2	3.53	0.017	0.13	1.3	5.8	0.15	0.03	55	0.8	0.04	8.3	1.77	<0.1
918522	Soil	0.124	25.5	98.1	0.73	349.6	0.113	2	5.19	0.020	0.20	1.3	8.7	0.20	0.04	71	1.2	0.03	10.4	2.21	0.1
918523	Soil	0.105	18.4	64.7	0.64	244.1	0.102	2	4.12	0.019	0.15	2.0	6.5	0.18	0.03	53	0.8	0.02	8.7	2.05	<0.1
918524	Soil	0.077	13.1	27.2	0.54	82.9	0.067	<1	1.09	0.010	0.24	0.4	3.2	0.15	<0.02	12	0.2	<0.02	3.9	1.38	<0.1
918525	Soil	0.165	15.5	56.6	0.58	212.4	0.110	2	3.86	0.022	0.15	1.7	5.2	0.18	0.03	38	0.5	0.03	8.5	2.20	<0.1
918526	Soil	0.141	17.1	47.6	0.51	187.4	0.061	3	2.92	0.014	0.14	2.5	3.2	0.18	0.09	68	1.3	0.06	7.2	1.97	<0.1
918527	Soil	0.302	12.8	38.8	0.54	323.6	0.080	4	3.02	0.013	0.17	1.4	4.3	0.23	0.04	51	0.6	0.06	7.1	2.06	<0.1
918528	Soil	0.384	15.5	61.2	0.74	327.5	0.107	3	3.23	0.015	0.25	0.9	5.3	0.23	<0.02	38	0.3	0.03	8.5	2.36	<0.1
918529	Soil	0.331	16.7	60.5	0.79	375.7	0.090	3	3.07	0.010	0.33	0.6	4.6	0.25	0.03	44	0.6	0.03	8.6	2.51	<0.1
918530	Soil	0.205	17.8	86.1	1.10	337.2	0.125	2	2.97	0.009	0.42	0.4	5.7	0.30	<0.02	27	0.3	0.03	9.1	2.94	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 2 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005
918501	Soil	0.06	1.91	29.9	0.8	<0.05	3.6	7.83	37.5	0.07	<1	1.3	26.9	<10	<2	N.A.
918502	Soil	0.07	2.31	24.1	0.8	<0.05	4.2	5.39	31.4	0.05	<1	0.9	25.0	<10	<2	N.A.
918503	Soil	0.08	1.56	21.2	0.7	<0.05	5.1	6.58	31.9	0.07	<1	0.8	20.9	<10	<2	N.A.
918504	Soil	0.09	1.60	21.0	0.6	<0.05	4.7	6.10	30.2	0.07	<1	0.8	20.0	<10	<2	N.A.
918505	Soil	0.10	2.34	21.0	0.9	<0.05	6.6	7.43	31.0	0.08	<1	1.0	20.7	<10	<2	N.A.
918506	Soil	0.28	2.28	23.5	1.0	<0.05	18.1	13.99	55.4	0.05	2	1.5	22.8	<10	<2	N.A.
918507	Soil	0.17	1.58	70.8	1.1	<0.05	11.1	12.72	60.3	0.09	1	2.5	45.7	<10	2	0.026
918508	Soil	0.11	2.33	51.4	1.0	<0.05	7.3	10.87	43.7	0.13	<1	5.4	29.8	<10	<2	N.A.
918509	Soil	0.16	2.15	41.1	0.8	<0.05	10.4	15.00	49.3	0.06	<1	3.9	31.3	<10	<2	N.A.
918510	Soil	0.10	3.12	57.5	0.7	<0.05	6.3	9.59	45.2	0.06	<1	1.6	30.7	<10	<2	N.A.
918511	Soil	0.07	0.32	15.3	0.2	<0.05	3.1	2.40	15.9	<0.02	<1	0.1	8.0	<10	<2	N.A.
918512	Soil	0.17	2.57	38.2	0.8	<0.05	10.9	11.49	45.3	0.05	<1	1.4	33.8	<10	<2	N.A.
918513	Soil	0.18	2.21	33.8	0.8	<0.05	10.9	11.17	42.8	0.07	<1	1.4	32.3	<10	<2	N.A.
918514	Soil	0.17	2.07	28.4	0.9	<0.05	10.3	10.55	42.1	0.07	<1	1.3	30.2	<10	<2	N.A.
918515	Soil	0.12	1.75	27.6	0.7	<0.05	6.3	8.62	37.5	0.04	<1	1.0	28.6	<10	<2	N.A.
918516	Soil	0.13	1.53	18.7	0.7	<0.05	8.9	8.02	34.5	0.06	1	0.9	25.0	<10	<2	N.A.
918517	Soil	0.13	1.47	26.4	0.7	<0.05	8.9	8.97	39.3	0.04	<1	1.0	30.0	<10	<2	N.A.
918518	Soil	0.21	1.96	35.8	0.8	<0.05	12.0	10.33	43.0	0.05	<1	1.5	36.0	<10	<2	N.A.
918519	Soil	0.14	1.66	21.0	0.7	<0.05	7.8	8.22	36.0	0.04	<1	1.0	27.3	<10	<2	N.A.
918520	Soil	0.24	1.59	19.5	0.7	<0.05	15.7	8.54	39.9	0.03	<1	1.0	23.7	<10	<2	N.A.
918521	Soil	0.18	2.49	18.0	0.7	<0.05	10.7	22.47	33.7	0.08	<1	1.2	49.3	<10	<2	N.A.
918522	Soil	0.31	2.81	21.9	0.9	<0.05	16.2	33.45	50.1	0.08	<1	1.7	56.4	<10	<2	N.A.
918523	Soil	0.25	2.26	20.0	0.8	<0.05	14.3	19.22	38.3	0.06	<1	1.4	44.5	<10	<2	N.A.
918524	Soil	0.08	0.35	24.9	0.3	<0.05	4.3	6.16	25.3	<0.02	<1	0.3	13.6	<10	<2	N.A.
918525	Soil	0.19	2.21	20.7	0.8	<0.05	10.5	12.84	37.1	0.06	<1	1.4	45.2	<10	<2	N.A.
918526	Soil	0.07	1.96	18.8	0.8	<0.05	3.2	18.16	26.9	0.14	<1	1.1	32.0	<10	<2	N.A.
918527	Soil	0.13	2.12	23.6	1.0	<0.05	6.8	10.98	29.8	0.20	<1	1.1	31.4	<10	<2	N.A.
918528	Soil	0.19	1.91	31.4	0.8	<0.05	12.2	10.40	37.1	0.05	<1	0.9	25.2	<10	<2	N.A.
918529	Soil	0.12	2.09	36.1	0.7	<0.05	7.2	11.27	39.1	0.06	<1	1.2	28.6	<10	<2	N.A.
918530	Soil	0.13	2.37	46.3	0.6	<0.05	7.3	8.62	42.8	0.05	<1	1.2	30.7	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918531	Soil	2.22	1.53	44.79	78.63	192.3	413	77.9	24.2	1632	3.90	18.1	1.2	7.9	3.7	69.9	2.92	1.26	2.08	62	0.47
918532	Soil	1.94	2.94	56.76	108.2	227.8	696	101.5	36.2	2188	4.31	25.6	2.1	14.5	3.5	68.9	2.08	0.84	7.84	61	0.50
918533	Soil	3.05	1.78	58.07	76.39	238.8	1095	125.0	31.2	1952	4.19	23.0	2.3	14.8	4.2	106.6	1.97	0.80	5.48	59	0.62
918534	Soil	2.60	1.79	56.88	74.97	233.9	1120	122.4	30.9	1697	4.26	23.1	2.2	13.8	4.5	96.5	1.71	0.75	5.23	61	0.55
918535	Soil	1.55	2.24	60.05	92.56	257.6	797	97.9	33.8	1770	4.28	18.7	2.0	90.0	3.9	93.9	1.28	0.69	13.08	64	0.50
918536	Soil	3.04	1.40	33.39	53.27	135.9	368	48.8	16.0	1986	3.24	17.0	1.2	4.5	2.9	33.2	1.19	1.35	1.71	62	0.31
918537	Soil	2.02	2.66	52.29	46.75	125.4	236	66.7	21.5	1114	4.05	17.9	2.2	7.8	2.3	14.6	0.59	1.24	1.42	70	0.08
918538	Soil	2.39	4.02	54.53	48.29	144.8	180	67.3	29.5	1476	4.06	17.6	1.8	4.6	2.3	26.2	0.88	1.43	0.82	60	0.17
918539	Soil	2.03	2.27	74.94	35.53	158.8	210	102.5	43.0	1047	4.25	18.3	1.7	5.3	4.0	13.1	0.56	0.99	0.53	69	0.08
918540	Soil	2.36	28.98	44.48	159.3	154.0	216	69.5	19.4	1316	3.99	15.8	1.3	24.6	4.6	49.6	1.23	1.36	0.78	55	0.32
918541	Soil	2.56	18.77	48.60	118.8	156.9	151	72.8	22.7	1484	3.82	17.2	1.3	5.5	4.1	40.8	1.42	1.44	0.68	58	0.29
918542	Soil	3.33	9.42	47.38	59.29	138.0	117	74.3	25.3	1499	3.67	15.0	1.4	4.2	3.9	30.5	0.76	0.80	0.47	59	0.19
918543	Soil	3.28	5.93	52.85	39.86	168.4	240	78.7	30.2	2540	3.37	16.6	1.9	3.8	3.0	87.2	1.41	1.03	0.46	43	0.62
918544	Soil	2.57	1.26	34.39	28.58	457.0	321	97.5	16.5	3994	1.91	11.1	1.1	1.4	1.2	165.2	4.39	0.76	0.38	20	0.87
918545	Soil	3.01	0.94	35.29	86.10	168.2	254	81.8	20.8	1604	3.02	29.2	0.7	4.4	1.0	66.6	2.39	1.55	0.54	46	0.60
918546	Soil	3.37	1.07	38.66	27.95	184.6	429	88.4	25.6	1681	3.28	43.5	1.5	4.2	3.4	68.1	1.22	1.13	0.37	46	0.38
918547	Soil	3.85	0.71	37.88	26.85	427.2	333	78.2	21.9	1726	3.62	36.2	1.5	5.7	5.2	91.8	5.82	0.50	0.38	53	0.46
918548	Soil	3.19	0.72	42.76	91.50	540.3	497	73.6	19.9	1576	3.50	90.9	1.8	7.4	5.5	55.8	5.61	0.83	0.94	48	0.41
918549	Soil	4.18	0.61	29.33	13.43	66.5	57	21.2	9.0	280	2.21	5.0	1.0	3.8	5.2	25.6	0.24	0.23	0.20	42	0.23
918550	Soil	3.48	0.69	43.17	142.6	547.4	301	68.0	20.5	1507	3.55	78.2	1.5	6.8	5.6	39.6	4.67	0.49	1.13	47	0.48
918551	Soil	3.75	0.74	40.78	115.2	379.2	253	69.2	19.2	1559	3.15	50.9	1.3	2.9	3.5	45.5	3.50	0.76	0.82	42	0.56
918552	Soil	3.24	0.64	33.19	42.78	149.2	200	91.8	20.8	1509	3.39	13.8	1.1	5.1	4.7	61.9	1.22	0.76	0.52	54	0.45
918553	Soil	2.78	0.59	31.92	39.61	144.9	196	85.3	20.5	1550	3.37	12.9	1.1	3.5	4.7	59.3	1.20	0.65	0.49	53	0.45
918554	Soil	2.78	0.61	34.08	40.13	127.0	156	78.3	22.3	1568	3.48	12.5	1.2	4.6	5.1	82.7	0.94	0.77	0.45	54	0.55
918555	Soil	3.76	0.61	35.07	20.31	96.5	132	68.4	17.0	894	3.17	23.0	1.1	4.0	5.4	40.7	0.38	0.58	0.26	53	0.30
918557	Soil	2.83	1.87	65.96	65.10	251.9	436	107.2	36.1	1886	4.39	24.3	2.4	13.1	5.1	95.1	1.16	0.68	4.12	57	0.66
918565	Soil	2.51	0.90	34.82	23.89	81.8	138	56.3	12.0	561	2.96	16.4	1.3	18.5	7.7	19.3	0.17	0.55	0.67	36	0.14
918566	Soil	2.37	0.77	34.05	25.28	184.2	255	78.1	17.8	1758	3.10	20.5	1.5	3.1	6.7	46.7	0.60	0.56	0.57	44	0.28
918567	Soil	1.94	0.83	44.19	27.87	157.8	295	76.7	23.9	1114	3.83	26.2	1.9	6.7	8.2	31.5	0.41	0.55	0.66	50	0.19
918568	Soil	2.07	0.83	45.31	32.63	159.3	280	81.8	24.0	1173	3.89	25.7	1.9	6.0	8.4	31.0	0.45	0.63	0.67	50	0.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918531	Soil			0.200	18.0	63.0	0.89	367.4	0.092	2	2.77	0.008	0.38	0.5	5.2	0.26	0.02	44	0.3	0.07	8.4	2.53	<0.1
918532	Soil			0.181	17.3	48.1	0.80	333.4	0.080	3	3.25	0.009	0.28	0.9	5.1	0.23	0.03	32	0.6	0.29	8.5	2.55	0.1
918533	Soil			0.330	38.0	42.1	0.75	661.3	0.112	3	3.44	0.015	0.31	0.5	4.9	0.26	0.03	43	0.8	0.13	9.3	3.17	0.1
918534	Soil			0.289	38.1	42.6	0.77	632.5	0.114	2	3.39	0.015	0.31	0.5	5.0	0.26	0.03	39	0.7	0.19	9.1	3.19	<0.1
918535	Soil			0.225	39.4	42.0	0.78	472.4	0.125	2	3.83	0.013	0.35	0.2	4.6	0.30	0.04	49	0.8	0.32	10.4	3.51	0.1
918536	Soil			0.205	9.6	35.0	0.58	268.2	0.110	3	3.30	0.008	0.12	1.9	3.4	0.21	0.03	45	0.5	0.12	9.5	2.37	<0.1
918537	Soil			0.112	10.6	52.5	0.82	126.5	0.098	2	3.50	0.005	0.15	3.9	3.5	0.21	0.06	52	0.7	0.14	9.6	3.20	<0.1
918538	Soil			0.156	9.5	44.8	0.69	183.7	0.102	2	3.30	0.006	0.15	1.2	2.9	0.26	0.05	53	0.5	0.09	9.3	3.67	<0.1
918539	Soil			0.133	12.5	52.4	0.82	107.6	0.127	2	3.63	0.006	0.14	0.3	4.8	0.25	0.04	34	0.6	0.04	9.2	3.02	<0.1
918540	Soil			0.125	12.8	50.1	0.79	256.7	0.120	3	2.94	0.009	0.19	0.5	4.0	0.29	0.06	39	0.5	0.10	8.3	2.66	<0.1
918541	Soil			0.130	13.7	55.5	0.86	256.4	0.119	3	2.99	0.007	0.19	0.4	4.3	0.28	0.05	37	0.3	0.06	8.2	2.60	<0.1
918542	Soil			0.126	13.0	55.0	0.85	216.9	0.114	2	3.20	0.006	0.14	0.3	4.3	0.23	0.03	30	0.4	0.03	8.3	2.60	<0.1
918543	Soil			0.163	14.7	35.2	0.54	312.8	0.114	3	3.44	0.009	0.14	0.3	4.3	0.27	0.03	42	0.6	0.04	8.4	2.32	<0.1
918544	Soil			0.871	16.6	15.4	0.24	1143	0.067	3	3.04	0.013	0.11	0.2	2.3	0.17	0.04	51	0.4	<0.02	7.8	1.51	<0.1
918545	Soil			0.171	10.7	47.7	0.68	232.0	0.052	2	1.81	0.006	0.16	0.3	2.4	0.14	0.05	51	0.2	0.05	6.0	1.57	<0.1
918546	Soil			0.179	20.0	33.8	0.58	457.6	0.115	2	3.51	0.012	0.13	0.3	3.9	0.23	0.02	48	0.4	<0.02	8.6	2.44	<0.1
918547	Soil			0.293	37.6	42.8	0.78	513.1	0.151	2	3.44	0.013	0.25	1.5	4.8	0.22	<0.02	30	<0.1	<0.02	9.4	3.80	<0.1
918548	Soil			0.136	31.9	42.7	0.68	288.2	0.104	2	3.56	0.009	0.23	4.9	5.3	0.20	<0.02	40	0.3	0.06	9.4	2.57	<0.1
918549	Soil			0.061	12.3	26.1	0.46	73.0	0.062	<1	1.00	0.007	0.19	0.3	2.6	0.14	<0.02	8	<0.1	0.03	3.5	1.24	<0.1
918550	Soil			0.060	25.9	46.9	0.65	227.7	0.099	2	3.28	0.010	0.21	4.8	5.8	0.20	<0.02	27	0.3	0.06	9.1	2.38	<0.1
918551	Soil			0.101	20.7	43.9	0.59	253.4	0.098	3	3.28	0.013	0.23	2.1	4.6	0.18	<0.02	27	0.4	0.04	8.8	2.22	<0.1
918552	Soil			0.172	21.6	61.3	0.92	521.8	0.151	2	3.33	0.013	0.30	0.5	5.2	0.26	<0.02	36	0.2	0.04	9.0	2.85	<0.1
918553	Soil			0.167	21.5	59.6	0.94	522.1	0.152	2	3.27	0.013	0.32	0.5	5.7	0.26	<0.02	36	0.3	0.05	8.7	2.84	<0.1
918554	Soil			0.156	26.1	64.6	0.91	444.9	0.159	3	3.32	0.017	0.29	0.2	5.5	0.27	<0.02	34	0.2	0.03	9.1	3.23	<0.1
918555	Soil			0.096	19.4	80.5	0.93	238.8	0.135	1	2.69	0.010	0.29	0.2	4.9	0.28	<0.02	28	0.3	0.04	7.5	3.08	<0.1
918557	Soil			0.169	38.4	48.3	0.78	405.6	0.134	3	3.80	0.011	0.39	0.2	5.3	0.28	<0.02	40	0.5	0.13	9.8	3.23	<0.1
918565	Soil			0.081	29.6	41.2	0.61	167.7	0.052	<1	1.76	0.006	0.11	1.4	2.9	0.11	<0.02	19	0.4	0.02	5.4	1.60	<0.1
918566	Soil			0.186	19.1	44.7	0.53	339.3	0.110	2	3.52	0.014	0.15	0.7	3.4	0.22	<0.02	36	0.5	0.05	9.1	2.04	<0.1
918567	Soil			0.183	22.2	69.6	0.80	215.3	0.122	1	3.48	0.008	0.17	0.9	4.4	0.21	<0.02	37	0.5	0.04	9.1	2.16	<0.1
918568	Soil			0.174	22.9	69.8	0.84	228.1	0.130	2	3.64	0.009	0.17	0.9	4.5	0.22	<0.02	35	0.5	0.06	9.7	2.29	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 3 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918531	Soil	0.09	2.18	40.8	0.7	<0.05	5.5	9.81	37.9	0.07	<1	0.9	26.8	<10	<2	N.A.
918532	Soil	0.09	1.98	34.5	0.6	<0.05	6.2	12.27	39.3	0.04	<1	1.2	30.3	<10	2	N.A.
918533	Soil	0.15	4.96	48.7	0.8	<0.05	9.4	15.15	80.1	0.04	<1	1.2	41.1	<10	<2	N.A.
918534	Soil	0.15	4.55	49.3	0.9	<0.05	9.2	14.81	82.5	0.04	<1	1.3	41.3	<10	<2	N.A.
918535	Soil	0.16	6.38	41.6	1.1	<0.05	10.0	14.65	94.0	0.05	<1	1.5	38.0	<10	<2	N.A.
918536	Soil	0.15	2.59	25.6	0.8	<0.05	8.2	4.80	25.1	0.06	<1	1.0	19.9	<10	<2	N.A.
918537	Soil	0.12	2.54	25.7	0.7	<0.05	6.0	5.44	24.6	0.07	<1	1.0	23.5	<10	<2	N.A.
918538	Soil	0.08	2.56	28.4	0.8	<0.05	5.3	4.88	22.7	0.07	<1	1.0	25.6	<10	<2	N.A.
918539	Soil	0.24	2.22	26.1	0.7	<0.05	11.3	7.57	31.7	0.06	<1	0.7	28.8	<10	<2	N.A.
918540	Soil	0.14	2.23	38.6	0.8	<0.05	8.2	6.54	30.7	0.08	<1	0.9	23.8	<10	<2	N.A.
918541	Soil	0.11	2.18	36.4	0.8	<0.05	7.6	7.18	32.8	0.11	<1	0.9	23.4	<10	<2	N.A.
918542	Soil	0.15	2.34	29.9	0.7	<0.05	9.5	7.39	30.8	0.05	<1	1.0	24.9	<10	2	N.A.
918543	Soil	0.18	2.72	34.2	0.9	<0.05	12.9	11.51	33.9	0.06	<1	1.1	26.8	<10	2	N.A.
918544	Soil	0.19	1.43	22.4	0.9	<0.05	9.6	13.55	29.0	0.06	<1	1.1	12.4	<10	2	N.A.
918545	Soil	0.04	1.45	19.0	0.6	<0.05	1.7	5.45	23.4	0.13	<1	0.6	16.8	<10	<2	N.A.
918546	Soil	0.19	3.30	25.6	0.8	<0.05	12.7	12.86	46.7	0.05	<1	1.0	27.4	<10	<2	N.A.
918547	Soil	0.14	4.84	47.3	0.8	<0.05	10.0	15.39	72.1	0.06	<1	1.4	33.4	<10	<2	N.A.
918548	Soil	0.12	2.95	34.5	0.8	<0.05	7.7	17.42	62.4	0.06	<1	1.8	31.0	<10	<2	N.A.
918549	Soil	0.07	0.31	24.1	0.3	<0.05	4.1	6.26	21.9	<0.02	<1	0.3	11.1	<10	<2	N.A.
918550	Soil	0.15	2.30	45.7	0.7	<0.05	9.2	15.46	48.9	0.06	<1	1.3	27.9	<10	<2	N.A.
918551	Soil	0.16	2.11	36.1	0.7	<0.05	8.2	13.04	41.4	0.06	<1	1.1	25.7	<10	<2	N.A.
918552	Soil	0.15	2.88	42.4	0.8	<0.05	9.7	8.52	49.0	0.06	<1	1.0	29.9	<10	<2	N.A.
918553	Soil	0.16	2.86	42.8	0.8	<0.05	9.9	8.54	47.1	0.06	<1	0.9	29.8	<10	<2	N.A.
918554	Soil	0.18	3.98	40.0	0.8	<0.05	12.1	8.68	57.3	0.05	<1	1.3	30.4	<10	2	N.A.
918555	Soil	0.16	1.76	39.0	0.6	<0.05	9.6	6.89	37.3	0.03	<1	0.6	26.3	<10	<2	N.A.
918557	Soil	0.15	4.21	48.0	1.0	<0.05	10.2	17.71	73.3	0.05	<1	1.7	38.1	<10	<2	N.A.
918565	Soil	0.03	0.83	44.7	0.3	<0.05	4.2	6.34	56.0	<0.02	<1	0.7	25.5	<10	<2	N.A.
918566	Soil	0.21	1.83	26.1	0.8	<0.05	13.6	6.30	51.1	0.05	<1	1.2	32.7	<10	2	N.A.
918567	Soil	0.13	1.66	33.6	0.8	<0.05	10.0	9.30	59.3	0.04	<1	1.0	53.7	<10	<2	N.A.
918568	Soil	0.15	1.74	32.6	0.8	<0.05	9.5	8.98	62.3	0.04	<1	1.2	54.7	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918569	Soil	2.26	0.76	35.86	24.19	145.6	244	73.8	22.3	1521	3.53	12.8	1.4	3.9	7.0	35.0	0.42	0.34	0.59	51	0.23
918570	Soil	2.41	0.96	37.66	25.72	116.5	188	47.1	17.3	1261	2.90	14.5	1.8	3.7	6.8	27.6	0.38	0.55	0.60	38	0.21
918571	Soil	2.28	0.95	29.54	39.31	136.5	133	49.5	18.2	2413	2.90	12.8	1.1	3.7	4.4	37.3	0.55	0.86	0.67	34	0.23
918572	Soil	4.01	0.64	30.57	16.91	76.8	102	23.3	9.3	314	2.29	5.4	1.1	7.8	6.1	29.6	0.27	0.28	0.22	45	0.27
918573	Soil	2.75	1.21	35.88	29.27	101.8	399	49.2	14.0	510	3.18	18.8	1.5	4.7	8.2	19.7	0.25	0.62	0.71	40	0.15
918574	Soil	2.63	1.13	36.39	27.44	106.0	156	48.4	15.2	898	3.17	18.6	1.4	5.4	6.9	13.2	0.28	0.43	0.71	42	0.08
918575	Soil	1.97	0.98	26.87	20.67	107.3	206	37.9	13.2	1468	2.58	12.5	1.3	2.3	3.8	21.9	0.41	0.59	0.46	35	0.17
918584	Soil	2.89	0.61	45.17	25.41	162.8	238	71.9	19.8	1111	3.58	10.2	1.6	4.2	6.1	69.5	0.41	0.44	0.75	51	0.35
918585	Soil	2.68	0.97	35.94	22.29	120.8	184	45.6	14.9	888	2.58	10.4	2.0	3.0	5.6	20.1	0.30	0.52	0.46	34	0.18
918586	Soil	2.90	0.72	29.62	21.38	123.1	222	62.1	14.9	1077	2.54	8.0	1.2	4.7	3.9	27.1	0.27	0.43	0.42	37	0.29
918587	Soil	2.13	0.58	23.44	15.26	113.7	150	68.5	15.6	1145	2.45	8.4	0.8	1.7	3.1	33.2	0.22	0.32	0.34	39	0.30
918588	Soil	2.11	0.76	20.52	29.44	166.3	162	41.7	13.0	2383	2.48	11.4	0.7	2.1	2.0	43.3	0.71	0.65	0.49	38	0.49
918589	Soil	2.45	0.79	19.14	20.68	160.6	154	39.3	13.7	2157	2.61	12.7	0.6	4.6	1.8	36.4	0.65	0.60	0.47	46	0.42
918590	Soil	2.73	0.77	25.08	22.64	191.2	299	27.1	11.1	2832	2.55	13.9	1.1	2.3	3.2	35.0	0.62	0.54	0.39	34	0.34
918591	Soil	1.99	0.79	19.91	37.91	166.4	201	30.4	11.5	2163	2.39	15.4	0.6	2.7	1.7	27.6	0.80	1.22	0.50	38	0.22
918592	Soil	2.51	0.79	27.18	19.61	169.2	129	50.7	15.6	1135	3.04	14.8	0.9	2.6	4.0	22.1	0.44	0.67	0.47	53	0.21
918593	Soil	2.27	0.71	27.83	36.42	172.7	138	47.7	15.1	2534	2.96	14.8	0.8	3.6	3.5	29.2	0.61	0.85	0.60	49	0.23
918594	Soil	4.06	0.60	28.99	13.42	77.9	102	22.7	9.6	330	2.38	6.0	0.9	3.2	4.5	27.8	0.27	0.27	0.19	51	0.25
918595	Soil	2.41	0.70	33.29	26.40	149.6	211	56.9	17.3	1679	3.10	12.3	0.7	3.1	3.1	30.1	0.44	0.66	0.44	50	0.23
918596	Soil	2.00	0.70	22.78	25.82	173.3	176	62.7	15.2	1547	2.86	8.9	0.6	3.1	3.1	25.4	0.50	0.66	0.43	50	0.24
918597	Soil	2.47	0.79	24.13	34.54	164.7	180	43.2	15.1	2406	3.04	14.3	0.8	2.8	2.5	36.0	0.63	1.07	0.58	48	0.37
918598	Soil	2.29	0.84	31.65	26.82	200.2	265	55.9	18.6	2647	3.17	13.2	1.0	3.9	4.2	28.9	0.73	0.85	0.60	50	0.23
918599	Soil	2.53	0.87	29.70	24.33	194.9	193	47.2	18.2	1971	3.08	12.4	1.0	2.7	4.0	36.3	0.78	0.74	0.63	46	0.27
918600	Soil	2.19	0.98	24.51	31.22	176.0	340	44.1	20.8	1825	2.98	15.0	0.9	3.4	3.0	32.9	0.72	0.93	0.65	47	0.23
918601	Soil	2.33	1.17	35.96	29.51	104.5	246	51.3	15.4	1004	3.14	13.3	1.8	6.7	4.7	28.5	0.47	0.74	0.52	61	0.21
918602	Soil	2.14	0.89	37.92	17.80	131.0	300	46.9	14.7	867	3.03	13.3	1.3	3.5	3.9	24.1	0.73	0.47	0.32	56	0.18
918603	Soil	2.74	0.78	29.09	17.36	122.0	167	45.3	13.7	530	2.86	14.0	1.0	2.1	3.7	18.9	0.41	0.64	0.29	56	0.15
918604	Soil	2.37	1.04	32.83	21.70	100.0	211	47.7	11.9	475	2.63	14.4	1.2	2.3	4.1	14.6	0.54	0.94	0.34	53	0.15
918605	Soil	2.17	1.82	41.23	32.19	116.5	113	51.0	15.1	667	3.40	18.5	1.7	4.0	5.5	18.6	0.50	0.94	0.47	75	0.18
918606	Soil	2.71	1.57	41.13	25.57	105.6	140	48.1	14.8	491	3.37	17.1	1.8	5.2	5.7	17.8	0.38	0.72	0.44	76	0.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918569	Soil			0.141	22.4	75.7	0.87	370.1	0.136	2	3.37	0.010	0.13	0.7	4.4	0.21	<0.02	37	0.3	0.05	9.5	2.22	<0.1
918570	Soil			0.154	19.9	31.0	0.43	239.4	0.109	2	3.73	0.011	0.13	0.9	3.5	0.21	<0.02	46	0.6	0.05	9.1	1.91	<0.1
918571	Soil			0.144	19.9	29.7	0.42	231.9	0.064	1	2.56	0.008	0.13	0.8	2.2	0.15	<0.02	34	0.5	0.06	7.6	1.63	<0.1
918572	Soil			0.077	15.5	28.3	0.51	90.6	0.080	1	1.27	0.011	0.21	0.4	3.2	0.14	<0.02	13	0.2	0.03	4.0	1.44	<0.1
918573	Soil			0.068	22.0	34.4	0.48	139.4	0.096	2	3.44	0.009	0.12	1.2	3.1	0.17	<0.02	38	0.8	0.07	9.0	1.84	<0.1
918574	Soil			0.109	23.5	37.3	0.55	177.9	0.077	1	3.00	0.007	0.10	1.3	2.9	0.16	<0.02	28	0.6	0.04	8.1	1.77	<0.1
918575	Soil			0.163	16.3	21.0	0.35	218.0	0.092	2	3.43	0.012	0.09	0.6	2.9	0.16	<0.02	53	0.4	0.04	8.5	1.61	<0.1
918584	Soil			0.127	26.4	55.4	0.77	303.8	0.141	2	3.73	0.016	0.33	0.3	6.2	0.25	<0.02	31	0.2	0.04	9.5	2.96	<0.1
918585	Soil			0.146	18.5	18.4	0.31	149.1	0.154	2	4.15	0.018	0.07	0.4	4.0	0.18	<0.02	55	0.5	0.05	9.2	3.25	<0.1
918586	Soil			0.158	13.5	39.4	0.72	210.3	0.149	2	3.78	0.015	0.08	0.3	2.8	0.17	<0.02	38	0.3	0.03	8.7	3.07	<0.1
918587	Soil			0.109	9.4	49.9	1.05	214.3	0.152	2	3.49	0.017	0.08	0.2	2.3	0.17	<0.02	25	0.2	0.03	8.2	3.84	<0.1
918588	Soil			0.162	8.5	27.8	0.42	274.2	0.109	2	2.71	0.014	0.09	0.3	2.1	0.15	0.02	50	0.3	0.04	8.2	3.00	<0.1
918589	Soil			0.188	7.1	27.7	0.45	249.7	0.098	3	2.89	0.013	0.09	0.4	2.4	0.14	<0.02	49	0.4	0.03	7.9	2.90	<0.1
918590	Soil			0.355	9.0	14.9	0.31	217.1	0.106	3	3.36	0.021	0.08	0.2	3.1	0.19	0.03	48	0.6	0.03	9.1	2.61	<0.1
918591	Soil			0.203	7.7	21.0	0.34	182.3	0.082	3	2.46	0.013	0.12	0.4	2.0	0.14	0.03	48	0.4	0.06	7.6	2.28	<0.1
918592	Soil			0.171	8.8	35.5	0.56	179.4	0.125	3	3.54	0.015	0.11	0.8	3.3	0.16	0.02	40	0.4	0.04	8.8	3.62	<0.1
918593	Soil			0.212	10.3	30.9	0.49	281.4	0.106	3	3.15	0.016	0.11	0.5	2.9	0.18	0.02	45	0.4	0.04	9.2	3.01	<0.1
918594	Soil			0.083	12.9	28.9	0.52	92.4	0.070	<1	1.27	0.011	0.22	0.3	3.0	0.13	<0.02	11	0.2	0.02	4.0	1.42	0.1
918595	Soil			0.156	9.7	37.8	0.76	268.6	0.110	2	3.28	0.015	0.11	0.3	2.8	0.19	0.02	44	0.3	0.05	8.8	3.19	<0.1
918596	Soil			0.128	8.3	40.1	0.57	193.5	0.132	2	3.12	0.015	0.12	0.4	2.7	0.19	<0.02	36	0.2	0.04	9.2	3.67	<0.1
918597	Soil			0.184	9.0	29.3	0.47	236.4	0.082	2	3.16	0.012	0.10	0.4	2.6	0.18	0.03	48	0.4	0.06	8.9	2.49	<0.1
918598	Soil			0.186	12.1	32.2	0.52	248.7	0.114	2	3.41	0.016	0.09	0.6	3.4	0.18	<0.02	48	0.3	0.04	9.8	2.92	<0.1
918599	Soil			0.227	11.7	32.1	0.48	207.8	0.095	2	3.42	0.015	0.09	0.6	3.5	0.17	0.02	42	0.5	0.03	8.6	2.33	<0.1
918600	Soil			0.157	9.6	25.1	0.40	172.0	0.090	2	3.17	0.012	0.09	0.8	2.4	0.16	0.03	57	0.4	0.06	9.2	2.43	<0.1
918601	Soil			0.179	12.7	34.6	0.56	218.6	0.123	2	3.65	0.013	0.10	0.5	4.3	0.18	<0.02	53	0.6	0.04	9.2	2.13	<0.1
918602	Soil			0.200	14.0	35.0	0.56	237.1	0.118	2	3.32	0.016	0.12	0.5	4.9	0.18	<0.02	37	0.4	0.04	8.4	2.07	<0.1
918603	Soil			0.194	10.9	37.6	0.58	218.1	0.097	2	2.83	0.013	0.12	0.4	4.0	0.14	<0.02	29	0.3	<0.02	7.2	1.77	<0.1
918604	Soil			0.224	11.1	29.3	0.46	204.2	0.135	3	3.80	0.017	0.12	0.6	4.1	0.13	0.02	57	0.3	0.02	9.2	1.80	<0.1
918605	Soil			0.150	14.3	43.7	0.74	170.8	0.114	2	3.06	0.009	0.13	0.9	5.2	0.18	<0.02	37	0.4	0.05	7.9	2.25	<0.1
918606	Soil			0.144	16.0	43.3	0.72	162.6	0.125	2	3.30	0.010	0.13	0.9	5.8	0.17	<0.02	39	0.4	0.05	8.4	2.33	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 4 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918569	Soil	0.17	1.57	28.5	0.8	<0.05	10.6	7.73	53.7	0.04	<1	1.2	36.6	<10	<2	N.A.
918570	Soil	0.19	1.89	22.1	0.8	<0.05	15.6	9.39	46.0	0.04	<1	0.9	28.3	<10	<2	N.A.
918571	Soil	0.04	1.54	25.6	0.7	<0.05	3.1	4.76	42.6	0.05	<1	0.8	27.8	<10	<2	N.A.
918572	Soil	0.13	0.46	25.9	0.3	<0.05	6.2	7.14	25.6	<0.02	<1	0.3	13.3	<10	2	N.A.
918573	Soil	0.21	2.08	19.8	0.8	<0.05	13.7	6.74	50.4	0.05	<1	1.1	29.1	<10	<2	N.A.
918574	Soil	0.13	1.66	20.4	0.6	<0.05	7.1	6.26	49.9	0.03	<1	0.8	25.5	<10	<2	N.A.
918575	Soil	0.16	1.78	17.7	0.8	<0.05	10.6	7.45	41.3	0.05	<1	0.7	21.4	<10	<2	N.A.
918584	Soil	0.16	1.76	42.3	0.8	<0.05	9.6	13.53	50.2	0.05	<1	1.5	35.7	<10	<2	N.A.
918585	Soil	0.41	2.20	16.9	1.0	<0.05	27.8	13.63	42.8	0.03	<1	1.0	31.8	<10	<2	N.A.
918586	Soil	0.27	2.22	21.0	0.9	<0.05	17.3	9.01	38.7	0.04	<1	0.7	22.3	<10	<2	N.A.
918587	Soil	0.21	1.92	26.5	0.8	<0.05	13.2	4.82	35.4	0.04	<1	0.6	24.5	<10	<2	N.A.
918588	Soil	0.09	1.79	27.4	0.9	<0.05	5.7	3.45	24.4	0.04	<1	0.9	30.8	<10	<2	N.A.
918589	Soil	0.07	2.04	25.6	0.8	<0.05	5.1	3.03	25.6	0.04	<1	0.6	28.4	<10	2	N.A.
918590	Soil	0.13	1.64	20.4	0.9	<0.05	8.1	7.59	27.3	0.05	<1	0.8	21.8	<10	<2	N.A.
918591	Soil	0.07	1.64	26.9	0.8	<0.05	4.6	3.76	22.4	0.06	<1	0.8	15.6	<10	<2	N.A.
918592	Soil	0.19	2.45	44.3	0.8	<0.05	12.1	4.51	37.5	0.04	<1	1.1	32.8	<10	<2	N.A.
918593	Soil	0.09	1.47	32.3	0.8	<0.05	6.8	4.81	35.6	0.06	<1	0.7	23.1	<10	<2	N.A.
918594	Soil	0.10	0.50	25.4	0.3	<0.05	6.1	6.09	25.3	<0.02	<1	0.5	12.0	<10	<2	N.A.
918595	Soil	0.08	1.90	33.4	0.8	<0.05	6.1	4.71	33.7	0.04	<1	0.8	26.0	<10	<2	N.A.
918596	Soil	0.13	2.52	57.6	0.9	<0.05	9.4	4.08	31.5	0.05	<1	0.7	28.5	<10	<2	N.A.
918597	Soil	0.08	1.56	28.9	0.9	<0.05	5.4	4.61	32.8	0.06	<1	1.0	22.0	<10	<2	N.A.
918598	Soil	0.13	1.92	31.0	0.9	<0.05	9.4	6.86	39.9	0.05	<1	1.3	29.8	<10	<2	N.A.
918599	Soil	0.09	1.82	27.1	0.8	<0.05	8.1	6.92	38.6	0.03	<1	1.0	27.1	<10	<2	N.A.
918600	Soil	0.10	1.99	24.6	0.8	<0.05	7.1	4.70	31.3	0.05	<1	1.1	22.2	<10	<2	N.A.
918601	Soil	0.28	1.94	22.2	0.8	<0.05	19.2	8.17	36.3	0.03	<1	1.1	19.9	<10	2	N.A.
918602	Soil	0.27	1.44	22.8	0.6	<0.05	21.3	9.47	36.8	0.03	<1	0.6	19.6	<10	3	N.A.
918603	Soil	0.13	1.29	20.9	0.5	<0.05	10.0	5.22	32.4	0.03	<1	0.8	18.2	<10	<2	N.A.
918604	Soil	0.41	1.69	14.3	0.8	<0.05	32.1	7.37	35.2	0.04	<1	0.8	17.6	<10	4	N.A.
918605	Soil	0.23	1.72	23.7	0.5	<0.05	14.3	7.48	36.1	0.04	<1	0.8	20.3	<10	<2	N.A.
918606	Soil	0.30	1.61	23.2	0.6	<0.05	20.0	8.86	38.9	0.04	<1	0.8	20.9	<10	2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918607	Soil	1.70	1.29	23.52	25.66	119.2	147	28.8	10.5	976	2.48	13.0	1.2	3.1	4.1	17.5	0.67	0.85	0.41	48	0.18
918608	Soil	1.85	1.18	25.20	20.48	117.8	138	32.2	11.4	1259	2.60	11.6	1.2	3.2	3.5	21.6	0.70	0.93	0.47	49	0.21
918609	Soil	2.53	0.66	30.49	12.79	73.2	75	23.1	10.0	328	2.45	5.9	0.9	3.1	4.9	27.9	0.26	0.27	0.26	53	0.27
918610	Soil	1.60	0.97	16.48	39.42	190.3	115	28.2	10.4	1872	2.58	22.8	0.6	5.1	2.8	20.6	1.13	1.15	0.65	47	0.24
918611	Soil	2.52	0.85	20.76	19.66	154.7	265	51.6	11.4	789	2.53	8.6	1.4	2.8	3.6	53.6	0.82	0.40	0.41	42	0.69
918612	Soil	3.48	1.73	45.69	25.98	132.2	121	57.2	18.3	461	3.70	32.9	1.6	6.1	7.4	24.8	0.30	0.83	0.66	58	0.22
918613	Soil	2.91	1.29	37.99	24.28	135.9	271	48.7	16.0	1292	3.17	30.8	1.4	4.9	6.0	30.0	0.32	0.56	0.57	49	0.39
918614	Soil	2.65	0.93	53.08	29.23	125.7	218	47.0	17.3	1235	3.55	26.4	1.9	1.9	6.2	37.4	0.41	0.84	0.55	38	0.54
918615	Soil	3.33	1.07	38.20	28.03	125.2	219	50.3	15.4	1232	2.90	15.9	1.4	3.3	5.2	25.0	0.46	0.61	0.53	49	0.22
918616	Soil	3.12	1.32	47.89	33.42	109.0	122	61.2	19.0	783	3.94	14.9	1.8	29.2	8.3	30.0	0.30	0.54	0.69	53	0.32
918617	Soil	2.79	1.16	42.55	26.08	122.3	129	65.4	20.9	946	3.63	12.2	1.4	2.3	5.9	27.2	0.29	0.57	0.51	60	0.24
918618	Soil	3.60	1.19	52.83	27.74	127.3	135	65.9	20.2	750	3.83	16.4	1.7	4.9	7.5	26.5	0.27	0.61	0.69	60	0.28
918619	Soil	3.35	1.01	45.22	24.42	139.2	166	57.2	16.4	811	3.50	15.6	1.7	2.7	9.7	31.4	0.29	0.56	0.56	42	0.28
918620	Soil	2.78	0.90	34.55	32.73	140.9	129	43.8	16.8	1164	3.40	10.6	1.7	1.8	6.9	32.5	0.34	0.68	0.53	42	0.31
918621	Soil	2.94	1.12	40.30	49.14	157.1	146	68.2	19.4	1414	3.51	26.5	2.2	7.5	5.3	52.9	1.36	0.96	1.26	59	0.61
918622	Soil	1.82	1.22	38.95	54.10	145.5	162	73.0	20.8	1789	3.64	29.0	1.6	8.7	5.7	52.6	1.37	1.01	1.46	60	0.56
918623	Soil	1.92	1.12	29.65	60.91	195.5	124	36.5	15.1	2928	3.01	21.0	1.4	4.5	2.9	52.3	2.27	1.15	0.86	50	0.53
918624	Soil	1.98	0.99	26.88	84.57	210.9	128	51.4	15.4	2345	3.18	18.7	1.2	4.3	4.5	39.3	1.90	1.01	0.92	51	0.42
918625	Soil	2.19	0.85	22.76	31.19	197.9	138	45.0	12.4	1302	3.05	11.3	1.5	5.3	5.1	33.5	1.06	0.63	0.71	49	0.43
918626	Soil	1.84	1.21	26.04	28.91	171.1	267	55.3	11.8	1379	2.98	20.2	0.9	5.1	3.1	43.8	0.75	0.67	0.92	51	0.48
918627	Soil	2.74	0.86	25.49	26.80	135.4	153	50.1	14.1	615	3.12	12.5	1.4	6.6	5.9	28.8	0.40	0.53	0.60	52	0.33
918628	Soil	3.18	0.92	26.66	24.96	206.7	263	54.0	12.2	1524	2.74	14.9	1.2	7.8	4.6	27.0	0.50	0.73	0.59	45	0.34
918629	Soil	3.58	0.85	35.25	15.93	97.5	118	29.1	10.6	409	3.01	6.6	1.2	3.9	6.1	32.6	0.31	0.33	0.25	69	0.33
918630	Soil	2.80	0.91	31.53	35.93	238.5	339	61.2	12.4	1599	3.10	15.6	1.0	2.9	5.8	39.2	0.65	0.78	0.64	42	0.36
918631	Soil	2.70	0.81	32.35	35.36	191.9	203	46.0	11.7	1324	3.07	12.8	1.2	2.1	7.3	45.2	0.66	0.57	0.53	38	0.37
918632	Soil	2.37	0.97	47.67	32.29	126.2	298	55.3	12.5	534	3.86	20.9	1.6	3.5	10.0	22.5	0.24	0.73	0.61	43	0.18
918633	Soil	2.10	0.95	34.49	31.55	135.2	256	51.1	18.4	2049	3.36	17.7	1.6	3.0	5.4	48.6	0.73	0.66	0.57	48	0.36
918634	Soil	1.59	1.03	31.69	31.52	117.6	211	58.6	15.0	1592	3.23	16.6	1.9	4.1	5.2	68.6	0.52	0.64	0.54	54	0.52
918635	Soil	2.03	0.99	34.64	27.56	144.0	229	61.5	16.5	1811	3.48	20.0	1.3	3.2	4.8	56.9	0.57	0.88	0.52	56	0.41
918636	Soil	1.58	0.87	26.49	24.61	172.9	224	64.8	14.7	1626	3.26	14.3	1.0	2.1	4.7	61.1	0.58	0.45	0.42	49	0.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918607	Soil			0.242	8.8	21.4	0.36	203.8	0.122	3	3.14	0.013	0.09	0.8	3.0	0.15	<0.02	62	0.5	0.02	8.9	1.95	<0.1
918608	Soil			0.215	11.2	22.9	0.38	254.2	0.126	2	3.66	0.015	0.08	0.7	3.3	0.16	<0.02	55	0.4	0.02	9.5	2.16	<0.1
918609	Soil			0.080	13.8	31.1	0.54	81.1	0.072	<1	1.17	0.010	0.23	0.3	3.0	0.14	<0.02	10	0.1	0.03	3.9	1.44	<0.1
918610	Soil			0.385	6.5	23.9	0.39	280.1	0.096	3	2.49	0.011	0.12	0.7	2.3	0.13	0.02	73	0.5	0.04	8.8	1.91	<0.1
918611	Soil			0.107	12.9	56.8	0.44	138.7	0.136	3	3.71	0.030	0.09	0.6	4.1	0.16	0.03	28	0.5	<0.02	6.7	8.88	<0.1
918612	Soil			0.059	20.7	40.2	0.67	148.9	0.096	2	2.73	0.013	0.12	1.2	5.1	0.13	<0.02	26	0.3	0.07	7.1	5.46	<0.1
918613	Soil			0.181	15.5	24.6	0.42	149.5	0.130	2	3.63	0.020	0.11	0.6	4.3	0.17	<0.02	41	0.4	0.04	8.9	5.31	<0.1
918614	Soil			0.138	22.6	21.6	0.43	163.2	0.103	3	3.47	0.019	0.09	0.4	5.0	0.13	0.02	48	0.6	0.07	8.0	4.94	<0.1
918615	Soil			0.135	17.4	27.3	0.48	197.8	0.128	2	3.60	0.019	0.11	0.7	4.5	0.19	<0.02	43	0.4	0.07	8.7	2.86	<0.1
918616	Soil			0.071	20.7	38.0	0.68	188.1	0.111	3	3.11	0.016	0.11	1.0	5.4	0.17	<0.02	37	0.5	0.05	8.2	2.91	<0.1
918617	Soil			0.084	17.2	64.3	0.98	224.9	0.162	2	3.77	0.019	0.14	0.6	5.0	0.24	<0.02	40	0.3	0.04	9.6	4.09	0.1
918618	Soil			0.076	20.2	42.0	0.73	177.4	0.107	2	3.20	0.013	0.11	0.8	5.1	0.16	<0.02	35	0.3	0.05	7.7	2.88	<0.1
918619	Soil			0.096	15.1	25.9	0.55	180.3	0.097	3	3.06	0.016	0.08	0.5	4.5	0.15	<0.02	40	0.5	0.02	7.4	2.98	<0.1
918620	Soil			0.121	13.1	20.0	0.46	180.5	0.145	3	4.09	0.029	0.09	0.3	4.5	0.19	<0.02	52	0.5	0.06	10.1	2.96	<0.1
918621	Soil			0.210	17.9	56.3	0.76	243.1	0.100	4	3.20	0.011	0.24	4.3	4.8	0.17	0.02	31	0.4	0.05	8.8	2.29	<0.1
918622	Soil			0.191	17.2	52.2	0.71	317.0	0.096	4	3.14	0.009	0.22	4.6	4.1	0.17	0.03	35	0.3	0.07	8.7	2.35	<0.1
918623	Soil			0.308	13.1	34.0	0.49	378.7	0.080	2	2.61	0.008	0.15	1.6	2.5	0.16	0.04	50	0.3	0.04	8.7	2.14	<0.1
918624	Soil			0.284	13.0	40.8	0.58	294.9	0.095	4	2.84	0.010	0.16	1.6	3.3	0.16	0.03	53	0.3	0.07	9.3	2.46	<0.1
918625	Soil			0.148	15.3	29.2	0.51	141.8	0.129	3	3.75	0.020	0.14	1.4	4.2	0.21	0.02	42	0.5	0.02	9.2	2.16	0.1
918626	Soil			0.383	10.3	31.1	0.47	202.6	0.076	2	2.84	0.012	0.15	2.2	2.8	0.14	0.02	45	0.4	0.05	8.9	1.96	<0.1
918627	Soil			0.091	15.0	30.1	0.50	147.0	0.103	2	3.70	0.024	0.13	1.4	4.0	0.19	<0.02	35	0.4	0.03	9.4	1.80	<0.1
918628	Soil			0.161	13.9	22.4	0.40	155.9	0.113	4	3.71	0.023	0.13	1.0	3.7	0.19	<0.02	54	0.6	0.03	9.3	2.10	<0.1
918629	Soil			0.079	17.0	32.9	0.70	100.3	0.085	<1	1.64	0.014	0.29	0.4	3.8	0.20	<0.02	15	0.2	0.04	5.6	1.74	<0.1
918630	Soil			0.123	17.0	23.5	0.42	199.5	0.086	3	3.02	0.020	0.16	0.8	3.4	0.16	<0.02	38	0.4	0.06	8.2	2.67	<0.1
918631	Soil			0.126	26.1	19.8	0.43	197.4	0.090	3	3.24	0.024	0.16	0.4	4.0	0.16	<0.02	38	0.5	0.05	8.5	2.33	<0.1
918632	Soil			0.072	30.7	26.2	0.59	81.9	0.063	1	2.52	0.011	0.15	0.7	4.5	0.13	<0.02	31	0.6	0.10	7.4	1.77	<0.1
918633	Soil			0.199	15.1	22.5	0.47	225.9	0.099	2	4.00	0.011	0.15	0.4	3.3	0.20	0.02	47	0.7	0.04	10.6	1.82	<0.1
918634	Soil			0.209	17.7	28.0	0.54	197.6	0.101	3	4.12	0.014	0.18	0.6	4.0	0.19	0.03	46	0.6	0.06	11.2	1.86	<0.1
918635	Soil			0.340	17.2	34.7	0.65	270.5	0.080	3	3.72	0.011	0.17	0.7	3.7	0.17	0.02	45	0.5	0.06	9.6	1.91	0.1
918636	Soil			0.483	16.8	32.3	0.59	393.6	0.081	2	3.42	0.014	0.17	0.4	3.2	0.16	0.02	45	0.5	0.04	9.5	1.94	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 5 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918607	Soil	0.22	2.22	18.1	0.9	<0.05	15.8	4.76	26.8	0.04	<1	0.7	16.2	<10	3	N.A.
918608	Soil	0.16	1.95	17.4	0.8	<0.05	13.7	6.96	32.9	0.04	<1	1.0	17.4	<10	<2	N.A.
918609	Soil	0.07	0.38	25.6	0.2	<0.05	4.3	6.25	27.2	<0.02	<1	0.3	12.9	<10	<2	N.A.
918610	Soil	0.06	1.51	18.3	1.0	<0.05	4.6	2.33	16.7	0.07	<1	0.9	17.3	<10	<2	N.A.
918611	Soil	0.40	1.95	22.9	0.8	<0.05	22.5	8.77	39.8	0.04	<1	1.1	95.4	<10	3	N.A.
918612	Soil	0.22	1.21	25.3	0.6	<0.05	16.2	11.53	50.4	0.05	<1	1.3	30.3	<10	3	N.A.
918613	Soil	0.25	1.49	22.2	0.8	<0.05	19.3	11.44	47.2	0.04	<1	0.9	25.1	<10	2	N.A.
918614	Soil	0.20	1.61	15.4	0.6	<0.05	16.0	26.00	58.8	0.06	<1	1.1	24.9	<10	<2	N.A.
918615	Soil	0.18	1.67	20.2	0.8	<0.05	16.3	11.58	42.7	0.05	<1	1.0	22.0	<10	2	N.A.
918616	Soil	0.31	1.33	25.4	0.6	<0.05	19.0	15.52	48.1	0.05	<1	1.1	25.2	<10	<2	N.A.
918617	Soil	0.27	2.27	37.0	0.8	<0.05	19.5	10.42	62.9	0.04	<1	1.3	27.0	<10	3	N.A.
918618	Soil	0.26	1.33	22.0	0.6	<0.05	15.4	11.79	52.3	0.03	<1	1.3	27.2	<10	3	N.A.
918619	Soil	0.30	1.21	23.0	0.6	<0.05	19.2	13.12	42.6	0.05	<1	0.9	29.1	<10	2	N.A.
918620	Soil	0.54	1.75	23.4	1.0	<0.05	32.1	12.76	44.4	0.06	<1	1.3	31.0	<10	3	N.A.
918621	Soil	0.10	2.41	29.2	0.6	<0.05	6.1	8.79	39.1	0.05	<1	1.3	27.3	<10	<2	N.A.
918622	Soil	0.10	2.65	30.3	0.6	<0.05	5.7	7.27	40.0	0.05	<1	1.3	23.4	<10	<2	N.A.
918623	Soil	0.04	2.14	24.8	0.8	<0.05	2.2	4.86	31.0	0.08	<1	0.9	21.8	<10	<2	N.A.
918624	Soil	0.07	2.25	29.5	0.8	<0.05	4.1	4.95	32.8	0.09	<1	0.9	34.7	<10	<2	N.A.
918625	Soil	0.26	2.29	26.5	0.8	<0.05	14.4	8.20	41.3	0.04	<1	1.2	126.1	<10	<2	N.A.
918626	Soil	0.08	1.70	23.8	0.7	<0.05	5.0	4.48	29.1	0.03	<1	1.1	19.1	<10	<2	N.A.
918627	Soil	0.34	1.68	22.5	0.8	<0.05	21.8	8.42	50.2	0.03	<1	1.1	45.1	<10	2	N.A.
918628	Soil	0.26	1.89	20.0	0.8	<0.05	18.0	9.67	47.3	0.04	<1	1.1	27.8	<10	<2	N.A.
918629	Soil	0.14	0.47	31.1	0.4	<0.05	6.9	8.27	38.5	0.02	<1	0.6	18.0	<10	<2	N.A.
918630	Soil	0.11	1.34	19.1	0.7	<0.05	8.8	9.74	54.1	0.05	<1	1.0	34.0	<10	<2	N.A.
918631	Soil	0.23	1.26	17.8	0.8	<0.05	13.6	14.62	68.0	0.05	<1	1.2	31.3	<10	<2	N.A.
918632	Soil	0.15	0.87	22.3	0.5	<0.05	10.9	11.72	65.9	0.04	<1	1.0	30.4	<10	<2	N.A.
918633	Soil	0.18	1.95	20.3	0.9	<0.05	13.5	8.86	53.1	0.04	<1	1.2	28.5	<10	<2	N.A.
918634	Soil	0.21	2.05	19.2	0.8	<0.05	12.8	10.46	57.6	0.04	<1	1.2	32.5	<10	<2	N.A.
918635	Soil	0.07	1.54	20.5	0.6	<0.05	5.0	7.36	50.7	0.04	<1	1.0	31.1	<10	<2	N.A.
918636	Soil	0.08	1.50	23.1	0.7	<0.05	5.8	7.25	50.5	0.03	<1	0.8	27.5	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918637	Soil	1.38	0.74	35.89	23.97	166.1	297	63.1	15.5	927	3.13	13.5	1.9	8.9	6.2	30.6	0.42	0.55	0.41	47	0.33
918638	Soil	1.75	0.75	36.49	23.74	169.3	313	64.1	16.1	916	3.18	13.5	1.9	2.3	6.5	31.0	0.41	0.56	0.42	48	0.31
918639	Soil	1.62	1.17	42.10	33.14	174.3	213	71.8	22.5	1463	4.07	15.9	1.7	3.3	7.2	54.5	0.73	0.67	0.64	62	0.47
918640	Soil	1.46	0.93	35.39	27.93	160.8	269	83.8	22.4	1087	4.07	10.9	1.5	5.0	6.9	36.9	0.65	0.72	0.55	68	0.37
918641	Soil	1.46	0.74	31.10	24.06	180.2	360	89.1	18.4	1110	3.66	11.4	1.3	6.1	6.0	46.7	0.54	0.57	0.42	57	0.42
918642	Soil	1.73	1.11	33.77	33.55	129.0	269	68.9	18.0	1022	3.55	18.4	1.6	9.1	6.4	23.3	0.34	0.60	0.61	56	0.18
918643	Soil	1.58	1.23	30.32	28.45	146.5	415	59.9	17.6	558	3.58	18.0	1.3	11.1	6.3	20.9	0.30	0.53	0.63	56	0.16
918644	Soil	3.06	0.90	37.78	17.37	109.4	169	39.8	11.6	662	3.22	8.8	1.2	10.2	6.0	31.0	0.30	0.38	0.32	68	0.29
918645	Soil	1.55	1.19	29.39	31.07	131.5	282	47.7	14.7	812	3.15	14.0	1.2	5.0	5.3	21.8	0.47	0.78	0.57	54	0.25
918646	Soil	1.72	0.99	26.81	23.98	145.0	413	62.7	15.3	933	2.99	11.4	1.3	4.3	5.2	21.5	0.45	0.44	0.53	51	0.16
918647	Soil	1.63	0.99	28.54	27.83	154.1	330	49.0	14.1	1536	2.96	13.2	1.2	4.1	5.3	22.1	0.48	0.49	0.54	45	0.17
918648	Soil	1.99	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918649	Soil	1.53	1.36	30.35	45.22	184.6	195	70.8	14.8	1018	3.70	15.7	0.8	5.3	3.1	33.6	0.79	0.94	0.74	67	0.46
918650	Soil	1.40	0.89	12.98	25.25	142.5	99	26.0	6.4	646	2.25	19.0	1.2	6.5	3.4	30.2	0.70	0.44	0.44	38	0.38
918651	Soil	1.68	1.33	18.00	29.46	269.7	178	33.8	10.7	3574	3.08	15.4	1.0	4.1	2.5	27.8	0.99	0.87	0.70	51	0.31
918652	Soil	1.83	1.02	32.23	26.07	174.7	279	62.2	11.4	764	3.16	20.0	1.3	6.9	4.8	19.5	0.77	0.55	0.88	54	0.20
918653	Soil	1.99	1.05	35.44	27.15	165.5	328	63.5	12.2	751	3.16	21.9	1.5	10.2	5.2	21.3	0.84	0.61	0.92	57	0.22
918654	Soil	1.85	1.19	29.36	26.71	177.1	304	54.9	13.0	1146	3.30	23.9	1.2	8.9	4.1	32.0	0.78	0.50	1.13	63	0.36
918655	Soil	2.20	0.86	25.74	22.68	165.3	308	52.3	11.9	729	3.06	13.2	1.4	10.4	5.6	46.6	0.76	0.41	0.75	48	0.57
918656	Soil	1.88	1.41	41.00	26.37	121.6	146	67.1	15.3	751	3.72	23.4	1.3	5.2	7.1	24.6	0.26	0.59	1.02	55	0.28
918657	Soil	1.86	1.40	39.76	25.73	122.7	204	69.2	14.8	667	3.40	17.2	1.7	9.7	6.9	22.1	0.31	0.46	1.13	58	0.24
918658	Soil	1.86	1.66	67.83	30.51	268.6	310	59.2	17.1	7098	3.21	43.7	1.5	1.9	6.5	564.3	2.48	1.14	0.56	61	10.48
918659	Soil	2.66	1.14	42.32	25.47	133.6	239	68.6	15.8	911	3.39	20.2	2.0	7.0	6.2	20.4	0.39	0.44	0.84	59	0.22
918660	Soil	2.65	1.16	33.24	25.50	164.1	196	87.7	16.2	1125	3.35	21.1	1.4	6.0	5.9	22.1	0.52	0.78	0.86	58	0.22
918661	Soil	2.74	1.23	48.95	30.97	110.6	180	65.2	19.8	1275	3.42	18.4	1.8	6.5	6.6	26.4	0.29	0.53	0.99	48	0.28
918662	Soil	2.70	1.15	44.84	33.82	109.4	82	60.2	17.5	1258	3.36	16.9	1.7	7.3	7.1	28.8	0.35	0.81	0.96	45	0.27
918663	Soil	2.04	1.02	41.73	26.84	131.9	159	49.7	17.2	2180	3.19	16.0	1.6	5.4	4.9	39.4	0.56	0.93	0.86	43	0.42
918664	Soil	2.46	0.96	56.05	37.75	123.9	131	58.1	21.3	1442	3.92	23.9	1.7	4.6	8.1	34.2	0.43	0.64	1.10	43	0.33
918665	Soil	2.48	1.26	39.30	32.19	111.8	110	68.3	18.5	903	3.59	19.5	1.3	7.7	7.5	45.7	0.39	0.67	1.12	47	0.45
918666	Soil	1.97	1.05	28.55	31.99	113.6	111	48.8	15.4	1766	2.93	21.4	0.9	5.6	4.1	26.5	0.81	1.12	0.97	46	0.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918637	Soil			0.207	19.7	36.5	0.53	241.1	0.107	2	3.97	0.020	0.15	0.4	4.3	0.17	<0.02	52	0.7	0.03	10.2	1.72	<0.1
918638	Soil			0.197	24.0	37.0	0.54	255.9	0.124	3	4.14	0.022	0.17	0.3	4.5	0.17	<0.02	49	0.6	0.05	10.6	1.81	<0.1
918639	Soil			0.247	32.1	63.6	0.78	424.0	0.099	3	3.80	0.010	0.21	0.4	4.2	0.20	0.03	45	0.6	0.06	11.3	2.57	<0.1
918640	Soil			0.202	28.9	86.4	0.86	320.2	0.138	3	3.75	0.011	0.24	0.5	5.0	0.22	<0.02	40	0.5	0.07	10.5	2.56	<0.1
918641	Soil			0.341	19.2	60.9	0.77	397.9	0.084	2	3.43	0.012	0.20	0.4	4.7	0.19	<0.02	41	0.5	0.05	10.2	2.07	<0.1
918642	Soil			0.121	21.6	39.0	0.61	251.5	0.104	2	3.67	0.013	0.20	0.8	4.4	0.21	<0.02	43	0.6	0.05	10.2	2.10	0.1
918643	Soil			0.102	24.4	33.6	0.56	217.4	0.094	2	3.64	0.011	0.16	1.1	3.3	0.22	<0.02	51	0.5	0.04	10.1	1.82	<0.1
918644	Soil			0.082	19.9	34.7	0.72	114.5	0.079	<1	2.09	0.016	0.26	0.6	3.9	0.19	<0.02	19	0.3	0.04	6.4	1.78	<0.1
918645	Soil			0.167	16.9	32.5	0.53	179.2	0.088	2	3.19	0.011	0.17	1.2	3.5	0.20	<0.02	41	0.5	0.04	8.9	1.78	<0.1
918646	Soil			0.155	16.3	41.4	0.48	268.2	0.091	2	3.56	0.013	0.13	0.9	3.7	0.20	<0.02	39	0.6	0.03	9.5	1.88	<0.1
918647	Soil			0.189	21.7	26.3	0.46	270.9	0.082	2	3.57	0.012	0.13	0.8	3.8	0.21	0.02	43	0.6	0.04	9.4	1.86	<0.1
918648	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918649	Soil			0.161	12.7	58.1	0.84	165.5	0.078	3	2.58	0.008	0.17	1.5	3.7	0.19	0.02	45	0.3	0.06	8.3	1.99	<0.1
918650	Soil			0.359	5.8	18.2	0.28	145.0	0.147	3	3.58	0.025	0.17	0.6	2.5	0.13	0.07	34	0.4	0.02	9.6	1.71	<0.1
918651	Soil			0.359	9.8	29.9	0.43	422.7	0.078	3	2.73	0.011	0.12	0.5	2.7	0.23	0.03	71	0.4	0.04	11.2	2.52	<0.1
918652	Soil			0.340	11.9	34.6	0.53	274.0	0.125	2	4.15	0.018	0.12	1.5	4.3	0.17	<0.02	51	0.5	0.04	10.9	1.98	<0.1
918653	Soil			0.328	13.4	33.5	0.54	269.5	0.140	3	4.30	0.021	0.13	1.6	5.0	0.19	<0.02	60	0.6	0.06	11.0	2.13	<0.1
918654	Soil			0.216	13.6	37.3	0.56	244.9	0.098	3	3.73	0.014	0.13	1.9	4.1	0.17	<0.02	41	0.4	0.05	9.7	1.91	<0.1
918655	Soil			0.078	16.5	31.3	0.55	107.9	0.124	3	3.75	0.027	0.12	1.1	4.7	0.17	<0.02	43	0.5	0.04	8.3	1.75	<0.1
918656	Soil			0.060	21.0	37.3	0.67	231.1	0.131	2	3.90	0.022	0.13	2.6	6.4	0.18	<0.02	50	0.6	0.07	9.4	2.51	<0.1
918657	Soil			0.068	19.8	35.2	0.61	205.4	0.116	2	3.73	0.017	0.15	3.0	5.2	0.18	<0.02	46	0.5	0.05	9.7	2.58	<0.1
918658	Soil			0.673	18.2	38.3	0.91	1177	0.059	59	3.02	0.131	1.03	2.8	5.2	0.14	0.04	9	0.7	0.14	7.4	2.12	<0.1
918659	Soil			0.159	17.9	36.3	0.67	196.4	0.130	3	4.18	0.015	0.13	2.5	4.9	0.18	<0.02	59	0.6	0.06	10.0	2.72	<0.1
918660	Soil			0.146	18.3	40.8	0.73	271.4	0.129	3	3.82	0.014	0.12	1.9	4.3	0.18	<0.02	50	0.6	0.04	9.6	3.03	<0.1
918661	Soil			0.081	22.4	36.4	0.63	144.2	0.113	3	3.71	0.014	0.13	2.7	5.4	0.20	<0.02	49	0.9	0.04	9.1	2.46	<0.1
918662	Soil			0.073	19.3	34.2	0.58	127.6	0.106	3	3.56	0.016	0.10	2.5	4.6	0.18	<0.02	32	0.5	0.04	8.9	2.15	<0.1
918663	Soil			0.120	17.3	27.6	0.50	203.5	0.111	3	3.82	0.020	0.11	1.9	4.5	0.19	<0.02	55	0.6	0.06	9.0	2.40	<0.1
918664	Soil			0.079	22.9	30.7	0.56	155.4	0.082	2	3.26	0.013	0.11	2.5	4.6	0.11	<0.02	40	0.6	0.08	8.0	2.24	<0.1
918665	Soil			0.047	19.1	38.7	0.68	147.2	0.082	2	3.13	0.014	0.12	3.1	3.9	0.17	<0.02	26	0.5	0.07	8.4	2.26	<0.1
918666	Soil			0.157	13.4	30.6	0.52	210.4	0.095	3	3.16	0.012	0.14	2.8	3.2	0.17	<0.02	47	0.5	0.05	8.2	2.03	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 6 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918637	Soil	0.32	1.89	18.4	0.9	<0.05	22.1	13.37	57.7	0.04	<1	1.2	27.2	<10	<2	N.A.
918638	Soil	0.33	1.82	19.9	0.8	<0.05	20.1	13.86	63.6	0.04	<1	1.0	29.7	<10	<2	N.A.
918639	Soil	0.09	2.02	29.5	0.9	<0.05	6.0	8.50	85.7	0.05	<1	1.1	42.2	<10	<2	N.A.
918640	Soil	0.11	2.03	36.9	0.8	<0.05	7.8	8.21	81.6	0.05	<1	1.1	39.8	<10	<2	N.A.
918641	Soil	0.10	1.34	35.8	0.7	<0.05	7.9	8.31	60.5	0.05	<1	1.2	39.5	<10	<2	N.A.
918642	Soil	0.16	1.76	31.9	0.8	<0.05	11.3	9.59	68.1	0.04	<1	1.2	30.7	<10	<2	N.A.
918643	Soil	0.15	1.91	22.2	0.8	<0.05	11.1	7.77	75.5	0.04	<1	1.3	28.2	<10	<2	N.A.
918644	Soil	0.13	0.76	30.7	0.4	<0.05	6.1	8.59	47.4	0.02	<1	0.5	22.7	<10	<2	N.A.
918645	Soil	0.15	1.77	21.1	0.7	<0.05	10.1	6.20	51.1	0.04	<1	1.0	25.3	<10	<2	N.A.
918646	Soil	0.16	1.91	21.6	0.7	<0.05	14.5	7.24	51.6	0.03	<1	1.0	22.7	<10	<2	N.A.
918647	Soil	0.17	1.48	21.9	0.7	<0.05	10.9	9.21	76.2	0.04	<1	1.2	34.3	<10	<2	N.A.
918648	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918649	Soil	0.03	1.76	20.6	0.6	<0.05	1.7	3.56	33.2	0.07	<1	1.0	23.7	<10	<2	N.A.
918650	Soil	0.34	2.45	15.1	0.9	<0.05	23.7	3.35	23.4	0.03	<1	0.8	28.9	<10	<2	N.A.
918651	Soil	0.04	1.36	19.2	1.0	<0.05	2.9	3.82	27.9	0.06	<1	0.9	22.5	<10	<2	N.A.
918652	Soil	0.27	1.62	18.2	0.8	<0.05	20.7	7.64	42.7	0.04	<1	1.3	21.8	<10	<2	N.A.
918653	Soil	0.30	1.61	19.9	0.9	<0.05	22.6	8.84	47.9	0.04	<1	1.0	23.2	<10	<2	N.A.
918654	Soil	0.15	1.83	20.3	0.7	<0.05	9.1	6.45	44.9	0.03	<1	1.0	22.4	<10	<2	N.A.
918655	Soil	0.38	1.60	19.9	0.7	<0.05	21.0	9.69	49.6	0.03	<1	0.9	132.2	<10	<2	N.A.
918656	Soil	0.38	1.60	25.0	0.7	<0.05	26.0	17.26	61.6	0.04	<1	1.3	27.0	<10	2	N.A.
918657	Soil	0.40	1.54	23.0	0.7	<0.05	28.5	11.17	61.1	0.03	<1	1.2	24.9	<10	<2	N.A.
918658	Soil	0.03	0.55	28.1	1.0	<0.05	2.9	14.32	43.2	0.07	<1	1.0	25.5	<10	<2	N.A.
918659	Soil	0.26	1.56	22.2	0.8	<0.05	21.9	10.59	60.5	0.03	<1	1.2	33.9	<10	3	N.A.
918660	Soil	0.27	1.78	21.4	0.8	<0.05	18.2	9.82	55.6	0.04	<1	1.0	31.0	<10	<2	N.A.
918661	Soil	0.22	1.80	22.6	0.8	<0.05	13.6	15.27	50.5	0.04	<1	1.3	29.3	16	<2	N.A.
918662	Soil	0.32	1.73	23.1	0.8	<0.05	19.6	13.25	48.3	0.05	<1	1.2	26.3	<10	3	N.A.
918663	Soil	0.18	1.96	22.0	0.8	<0.05	12.6	13.83	45.7	0.04	<1	1.1	27.0	<10	<2	N.A.
918664	Soil	0.26	1.41	16.8	0.7	<0.05	14.8	14.64	53.3	0.06	<1	1.3	28.8	<10	<2	N.A.
918665	Soil	0.19	1.55	23.6	0.6	<0.05	11.3	9.66	50.9	0.05	<1	1.2	28.7	<10	<2	N.A.
918666	Soil	0.12	1.77	21.6	0.8	<0.05	7.4	5.60	38.5	0.05	<1	0.9	21.2	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
918667	Soil	2.04	1.02	31.61	38.29	147.4	175	60.4	17.2	1779	3.22	22.1	1.2	23.2	4.7	30.7	0.89	0.97	1.10	49	0.28
918668	Soil	3.22	0.62	29.92	14.11	76.3	96	23.0	9.4	333	2.26	5.7	1.0	3.7	4.9	27.8	0.28	0.26	0.20	45	0.26
918669	Soil	1.88	1.10	33.68	28.46	107.9	189	53.3	15.4	1252	3.39	17.5	1.3	5.7	5.6	26.2	0.47	0.99	1.14	53	0.23
918670	Soil	2.08	1.17	27.61	36.66	124.3	112	49.1	14.6	1503	3.05	18.6	1.1	5.8	5.0	23.4	0.78	0.93	1.13	44	0.23
918671	Soil	1.79	1.01	25.76	41.77	105.5	145	38.8	12.1	1198	2.73	15.2	1.2	4.1	4.4	21.8	0.50	1.26	0.84	43	0.14
918672	Soil	2.70	1.20	29.47	31.37	129.5	195	47.2	15.5	1284	3.01	17.2	1.0	5.2	4.7	17.7	0.64	0.94	0.98	47	0.16
918673	Soil	2.11	1.15	34.21	86.16	191.3	164	41.3	17.9	2671	3.30	24.4	0.9	10.3	1.6	23.4	2.46	1.87	1.26	49	0.21
918674	Soil	1.88	1.22	34.00	65.03	148.5	139	46.3	17.6	1718	3.52	22.7	1.0	6.9	3.7	19.9	0.80	1.42	1.25	53	0.18
918675	Soil	2.30	0.89	30.53	28.69	128.5	179	74.7	16.9	1121	3.04	10.9	0.9	16.3	3.9	39.4	0.61	0.61	0.64	48	0.42
918676	Soil	2.41	1.37	28.16	84.44	152.7	255	42.7	13.0	1233	3.68	16.4	1.0	8.8	6.0	25.5	0.74	1.66	1.28	40	0.21
918677	Soil	1.72	1.17	28.26	34.19	154.1	75	52.0	17.4	1243	3.06	15.6	0.9	4.8	4.9	14.1	0.61	0.95	0.74	43	0.14
918678	Soil	2.24	0.93	23.81	36.84	123.8	153	48.6	14.2	970	2.93	12.8	0.8	3.0	4.6	13.1	0.43	0.80	0.76	42	0.11
918679	Soil	1.69	0.92	23.12	36.32	248.1	261	49.5	15.8	1586	2.85	12.6	0.9	3.3	3.3	20.3	1.27	0.54	0.60	38	0.17
918680	Soil	1.98	0.78	23.92	27.70	142.9	223	48.5	16.0	1377	2.59	14.9	0.8	2.8	3.0	23.0	0.84	0.60	0.61	35	0.16
918681	Soil	2.14	0.91	28.93	29.05	156.2	308	45.8	17.9	1316	3.02	17.0	1.0	4.1	3.9	18.0	0.75	0.69	0.67	40	0.12
918682	Soil	1.97	1.07	33.46	21.69	109.9	326	40.0	15.0	562	2.99	23.4	1.3	4.2	5.5	14.4	0.34	0.69	0.64	40	0.11
918683	Soil	2.22	1.02	34.55	19.84	102.8	394	31.9	12.9	498	3.10	28.6	1.3	8.6	5.9	20.8	0.28	0.43	0.66	41	0.13
918684	Soil	2.18	0.71	32.88	19.71	124.8	464	48.5	14.4	761	2.76	16.9	1.0	5.0	5.0	25.4	0.43	0.47	0.45	41	0.14
918685	Soil	1.86	0.93	21.73	21.28	115.2	569	25.3	13.9	725	2.56	12.5	1.2	3.8	4.7	27.2	0.37	0.44	0.49	31	0.17
918686	Soil	2.85	1.13	30.56	26.12	136.3	610	26.5	14.6	635	2.74	14.9	0.9	6.8	3.5	36.2	0.33	0.48	0.51	31	0.26
918901	Soil	1.81	0.86	26.97	21.64	153.6	309	56.6	15.5	2244	2.89	10.7	1.0	3.4	3.8	26.9	0.57	0.59	0.41	42	0.19
918902	Soil	1.68	0.81	28.50	25.29	148.0	281	40.1	16.1	1380	2.50	12.9	1.1	3.0	4.1	20.0	0.59	0.75	0.44	32	0.18
918903	Soil	1.54	1.07	30.36	33.77	119.1	394	29.8	14.8	1627	2.78	12.3	1.1	3.0	3.2	27.0	0.80	0.87	0.43	39	0.21
918904	Soil	1.68	1.00	26.61	21.27	96.9	572	34.7	16.8	1227	2.74	11.6	1.1	2.5	3.6	26.7	0.48	0.61	0.36	39	0.19
918905	Soil	1.51	1.06	30.17	33.06	138.4	422	44.2	21.1	1795	2.99	13.3	1.2	3.2	4.3	26.7	0.88	0.92	0.43	41	0.20
918906	Soil	1.70	0.99	28.56	27.24	117.7	223	36.8	15.9	1856	3.12	13.4	1.1	2.6	4.7	22.3	0.61	0.95	0.39	42	0.22
918907	Soil	1.53	0.97	31.57	22.31	114.6	171	43.7	16.3	1379	3.25	14.0	1.2	3.9	5.8	19.8	0.41	0.56	0.36	46	0.13
918908	Soil	1.74	1.01	34.27	29.55	107.6	136	38.7	15.5	1687	3.26	13.3	1.2	7.8	5.9	22.7	0.36	0.60	0.38	44	0.23
918909	Soil	1.75	1.17	40.05	31.98	112.4	326	37.5	17.2	966	3.31	13.7	1.5	9.1	7.1	14.0	0.31	0.44	0.39	45	0.11
918910	Soil	1.98	2.07	53.09	49.62	126.0	381	49.5	15.3	306	4.74	26.3	1.7	5.2	9.8	17.2	0.23	0.90	0.56	44	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918667	Soil			0.215	14.8	42.8	0.59	288.7	0.106	3	3.46	0.013	0.15	3.0	3.6	0.18	<0.02	40	0.6	0.05	8.9	2.34	<0.1
918668	Soil			0.087	13.6	26.4	0.52	89.5	0.074	<1	1.27	0.013	0.22	0.3	2.9	0.14	<0.02	9	0.3	0.04	4.2	1.32	<0.1
918669	Soil			0.145	16.0	46.9	0.61	247.7	0.127	2	3.78	0.013	0.13	3.4	3.6	0.20	<0.02	49	0.5	0.05	10.2	2.83	<0.1
918670	Soil			0.190	15.4	35.1	0.53	269.7	0.093	2	3.01	0.012	0.14	3.6	3.1	0.19	<0.02	50	0.5	0.05	9.0	2.10	<0.1
918671	Soil			0.201	12.3	25.4	0.41	267.6	0.125	2	3.85	0.017	0.09	2.0	3.1	0.17	<0.02	36	0.4	0.05	9.6	2.10	<0.1
918672	Soil			0.152	13.9	31.6	0.50	213.7	0.100	2	3.31	0.012	0.12	2.6	3.1	0.16	<0.02	53	0.5	0.06	8.9	2.06	<0.1
918673	Soil			0.171	15.5	39.0	0.54	249.7	0.053	2	2.12	0.007	0.17	2.5	1.9	0.17	0.04	53	0.5	0.10	7.4	1.93	<0.1
918674	Soil			0.151	16.3	41.8	0.63	205.9	0.061	2	2.48	0.007	0.14	3.3	2.7	0.17	0.02	40	0.4	0.06	8.1	2.04	<0.1
918675	Soil			0.117	13.4	46.6	0.64	275.4	0.113	3	3.26	0.016	0.14	1.3	2.9	0.18	<0.02	26	0.4	0.04	8.5	3.12	<0.1
918676	Soil			0.168	20.0	34.2	0.48	239.3	0.077	2	2.32	0.010	0.15	1.7	2.2	0.21	0.03	47	1.6	0.10	8.1	2.56	<0.1
918677	Soil			0.145	14.0	29.6	0.50	181.0	0.090	2	2.84	0.012	0.12	1.6	2.5	0.16	<0.02	52	0.5	0.06	8.5	2.18	<0.1
918678	Soil			0.124	14.0	33.8	0.51	196.2	0.085	2	2.79	0.011	0.09	1.3	2.3	0.17	<0.02	36	0.3	0.04	8.1	1.92	<0.1
918679	Soil			0.091	10.7	22.4	0.38	190.9	0.111	2	3.22	0.013	0.07	1.0	2.5	0.15	<0.02	41	0.5	0.04	9.3	2.29	<0.1
918680	Soil			0.151	13.1	22.3	0.37	253.7	0.091	2	2.95	0.013	0.09	0.9	2.2	0.15	<0.02	32	0.6	0.04	8.0	2.32	<0.1
918681	Soil			0.164	16.0	27.1	0.44	250.8	0.076	2	2.86	0.010	0.09	1.0	2.3	0.17	<0.02	46	0.5	0.04	7.8	2.59	<0.1
918682	Soil			0.166	14.6	25.5	0.44	169.7	0.096	2	3.42	0.011	0.10	1.4	2.8	0.17	<0.02	54	0.6	0.06	8.7	2.18	<0.1
918683	Soil			0.183	17.6	31.4	0.46	185.6	0.084	1	3.07	0.011	0.09	1.1	3.0	0.15	<0.02	28	0.6	0.05	8.2	2.10	<0.1
918684	Soil			0.139	20.0	47.0	0.57	270.4	0.091	1	2.76	0.013	0.11	0.5	2.6	0.15	<0.02	33	0.6	0.05	8.0	1.90	<0.1
918685	Soil			0.213	12.1	15.0	0.28	190.2	0.099	2	3.29	0.013	0.08	0.5	1.9	0.13	<0.02	51	0.5	0.04	8.4	1.73	<0.1
918686	Soil			0.115	26.6	17.6	0.35	191.4	0.048	<1	2.29	0.008	0.07	0.4	1.4	0.11	<0.02	31	0.4	0.04	7.0	1.62	<0.1
918901	Soil			0.152	18.7	23.2	0.49	319.3	0.082	1	3.23	0.013	0.10	0.3	3.3	0.19	<0.02	43	0.4	0.02	8.8	1.80	<0.1
918902	Soil			0.198	18.8	20.3	0.35	203.8	0.082	2	2.83	0.012	0.09	0.5	2.7	0.15	<0.02	40	0.4	0.02	7.3	1.60	<0.1
918903	Soil			0.229	15.8	21.5	0.37	299.1	0.080	2	3.20	0.011	0.11	0.3	2.7	0.15	0.02	43	0.6	0.05	8.2	1.60	<0.1
918904	Soil			0.214	15.0	26.4	0.34	245.5	0.084	1	3.20	0.011	0.09	0.3	2.7	0.15	<0.02	52	0.5	0.04	8.1	1.60	<0.1
918905	Soil			0.143	18.2	25.6	0.41	307.2	0.084	2	3.24	0.011	0.12	0.2	2.6	0.19	0.02	44	0.6	0.02	8.8	1.75	<0.1
918906	Soil			0.234	19.6	29.2	0.50	285.9	0.104	2	3.29	0.013	0.10	0.3	3.0	0.18	<0.02	40	0.4	0.05	8.6	1.97	0.1
918907	Soil			0.241	17.1	43.3	0.55	285.7	0.100	1	3.32	0.010	0.10	0.2	3.1	0.18	<0.02	42	0.6	0.04	8.9	2.08	<0.1
918908	Soil			0.151	18.5	30.0	0.50	300.5	0.095	2	3.13	0.009	0.11	0.2	2.8	0.16	<0.02	36	0.5	0.06	8.8	1.80	<0.1
918909	Soil			0.135	19.5	28.4	0.48	194.0	0.097	2	3.68	0.010	0.10	0.2	3.2	0.18	<0.02	43	0.5	0.06	9.3	1.86	<0.1
918910	Soil			0.145	26.6	34.9	0.56	101.4	0.030	1	2.52	0.005	0.11	0.2	2.6	0.17	0.03	58	1.0	0.10	8.1	1.86	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 7 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	%
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005
918667	Soil	0.11	2.09	21.7	0.8	<0.05	8.4	6.39	42.9	0.06	<1	1.0	26.0	<10	<2	N.A.
918668	Soil	0.11	0.48	23.7	0.3	<0.05	5.9	6.22	26.5	<0.02	<1	0.4	13.9	<10	<2	N.A.
918669	Soil	0.29	2.52	23.8	0.9	<0.05	16.4	6.60	46.5	0.05	<1	1.0	26.8	<10	2	N.A.
918670	Soil	0.09	1.68	24.5	0.8	<0.05	5.8	4.93	40.2	0.05	<1	1.0	23.2	<10	<2	N.A.
918671	Soil	0.26	2.10	22.0	1.0	<0.05	17.5	5.84	37.1	0.05	<1	1.0	20.6	11	<2	N.A.
918672	Soil	0.11	2.05	26.6	0.9	<0.05	8.6	4.83	38.3	0.06	<1	1.0	23.0	<10	2	N.A.
918673	Soil	<0.02	1.38	25.8	0.9	<0.05	0.8	3.53	33.7	0.15	<1	1.0	18.9	<10	<2	N.A.
918674	Soil	0.02	1.50	25.7	0.8	<0.05	1.3	3.68	37.7	0.10	<1	1.1	22.7	<10	<2	N.A.
918675	Soil	0.17	2.47	50.6	0.8	<0.05	10.9	5.16	41.4	0.06	<1	0.9	22.3	<10	<2	N.A.
918676	Soil	0.05	1.49	29.2	0.9	<0.05	2.9	3.26	39.8	0.06	<1	1.0	23.0	<10	<2	N.A.
918677	Soil	0.13	1.98	23.3	0.9	<0.05	7.9	3.54	34.0	0.06	<1	1.0	26.6	<10	<2	N.A.
918678	Soil	0.09	1.60	22.1	0.8	<0.05	6.0	3.49	37.1	0.06	<1	0.7	22.4	<10	<2	N.A.
918679	Soil	0.13	2.30	20.1	0.9	<0.05	9.3	4.61	28.5	0.04	<1	1.1	21.7	<10	<2	N.A.
918680	Soil	0.10	2.20	23.6	0.8	<0.05	6.9	3.66	37.5	0.04	<1	0.8	23.7	<10	<2	N.A.
918681	Soil	0.06	1.66	22.1	0.8	<0.05	4.3	3.70	37.4	0.04	<1	1.0	27.2	<10	<2	N.A.
918682	Soil	0.17	1.95	19.5	0.8	<0.05	11.4	4.53	36.0	0.03	<1	0.8	24.8	10	<2	N.A.
918683	Soil	0.14	1.40	19.3	0.7	<0.05	8.6	4.34	41.3	0.03	<1	1.0	24.0	<10	<2	N.A.
918684	Soil	0.12	1.50	24.5	0.7	<0.05	8.0	3.98	44.7	0.03	<1	0.9	24.2	<10	<2	N.A.
918685	Soil	0.24	1.99	15.8	0.8	<0.05	13.2	3.58	30.9	0.03	<1	1.0	19.6	<10	<2	N.A.
918686	Soil	0.03	1.25	17.8	0.6	<0.05	1.9	2.90	54.1	0.03	<1	0.5	23.2	<10	<2	N.A.
918901	Soil	0.09	1.45	20.8	0.9	<0.05	6.7	6.21	51.2	0.04	<1	1.2	26.6	<10	<2	N.A.
918902	Soil	0.14	1.61	16.0	0.7	<0.05	8.8	7.56	45.8	0.04	<1	0.9	20.7	<10	<2	N.A.
918903	Soil	0.11	1.66	18.8	0.8	<0.05	7.5	4.80	38.8	0.05	<1	1.0	19.3	<10	<2	N.A.
918904	Soil	0.13	1.80	17.5	0.8	<0.05	8.8	4.69	38.1	0.04	<1	0.7	19.6	<10	<2	N.A.
918905	Soil	0.09	1.67	21.4	0.9	<0.05	7.0	5.58	47.1	0.06	<1	0.9	23.6	<10	<2	N.A.
918906	Soil	0.08	1.85	21.5	0.8	<0.05	5.5	4.26	44.2	0.04	1	0.9	24.2	<10	<2	N.A.
918907	Soil	0.17	2.08	23.3	0.8	<0.05	10.6	4.35	42.6	0.04	<1	0.9	24.1	<10	<2	N.A.
918908	Soil	0.11	1.55	22.8	0.7	<0.05	5.9	4.21	40.3	0.03	<1	0.9	24.5	<10	<2	N.A.
918909	Soil	0.23	1.75	21.1	0.8	<0.05	13.6	6.42	43.0	0.04	<1	1.2	24.2	13	2	N.A.
918910	Soil	0.03	1.28	17.8	0.5	<0.05	1.9	3.37	51.2	0.04	<1	0.7	33.9	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918911	Soil	2.74	0.64	28.78	13.36	74.1	86	24.4	9.2	294	2.37	5.2	0.9	2.7	4.5	28.0	0.23	0.26	0.20	38	0.25
918912	Soil	2.00	1.37	36.15	35.69	107.7	207	44.0	17.8	619	3.94	17.3	1.0	4.8	6.9	15.2	0.19	0.60	0.42	38	0.07
918913	Soil	2.45	1.42	52.58	62.19	120.8	177	47.3	21.2	1095	4.03	23.7	1.3	11.8	6.4	13.9	0.65	1.33	0.53	36	0.07
918914	Soil	1.93	1.12	30.43	42.26	112.2	263	39.2	17.0	1528	3.11	18.7	1.1	5.7	5.4	25.8	0.60	1.03	0.51	31	0.30
918915	Soil	1.74	0.85	27.26	38.57	163.2	250	48.0	15.7	2006	2.87	15.2	0.7	5.5	3.5	22.4	0.74	0.86	0.39	32	0.23
918916	Soil	1.89	1.03	34.65	25.98	145.1	112	40.6	17.0	1991	3.29	15.1	1.1	3.8	5.1	28.2	0.53	0.99	0.38	36	0.27
918917	Soil	2.05	1.61	62.98	61.80	167.8	119	62.2	29.0	3590	4.54	33.6	1.6	3.5	5.5	64.1	0.60	1.46	0.72	30	0.50
918918	Soil	1.87	1.05	39.75	39.30	153.4	112	46.2	19.3	1991	3.80	19.7	1.1	3.8	5.3	27.8	0.72	1.05	0.50	37	0.24
918919	Soil	2.01	1.14	41.89	38.95	149.9	116	47.0	19.8	1862	3.87	20.4	1.1	10.4	5.5	29.6	0.64	1.05	0.51	37	0.25
918920	Soil	1.91	1.04	47.04	42.51	176.6	117	53.6	25.5	3224	4.10	20.0	1.0	6.3	4.9	55.7	0.76	0.81	0.54	38	0.54
918921	Soil	2.14	1.02	56.60	31.35	121.9	100	57.7	25.6	2148	3.97	14.5	1.6	4.2	5.9	44.0	0.48	0.71	0.45	37	0.42
918922	Soil	2.04	0.67	32.10	20.19	193.2	266	53.1	16.6	1907	2.63	13.0	1.0	2.1	3.2	32.8	0.83	0.59	0.33	29	0.30
918923	Soil	1.85	1.00	30.62	24.07	135.3	199	39.9	16.7	1892	3.11	13.8	0.9	1.9	4.0	29.3	0.46	0.61	0.39	38	0.24
918924	Soil	1.74	0.82	34.24	20.59	123.9	83	43.2	18.9	2507	3.60	9.0	1.2	2.6	5.8	34.1	0.34	0.44	0.45	40	0.24
918925	Soil	2.15	0.89	37.61	29.48	164.5	145	45.7	18.5	2012	3.55	12.0	1.4	2.2	5.6	45.7	0.64	0.62	0.48	36	0.38
918926	Soil	1.88	0.86	35.33	32.51	168.4	144	45.1	18.1	2268	3.52	12.8	1.4	2.4	5.3	47.3	0.72	0.65	0.48	36	0.40
918927	Soil	1.45	1.42	40.19	33.52	169.4	109	48.1	20.3	1610	3.80	15.9	1.3	3.7	6.2	35.2	0.57	1.29	0.54	40	0.26
918928	Soil	2.00	1.10	52.44	38.23	150.3	147	51.0	26.2	2553	4.58	13.0	1.7	3.8	7.5	92.3	0.49	0.67	0.54	41	0.67
918929	Soil	1.95	1.23	83.89	70.77	325.2	326	82.1	42.9	3795	4.69	21.8	1.8	3.5	7.8	68.1	1.28	0.89	0.76	38	0.62
918701	Soil	1.51	1.13	40.70	23.85	196.8	476	85.2	30.7	1417	3.22	14.0	0.9	6.2	3.4	21.2	0.53	0.69	0.70	39	0.19
918702	Soil	1.96	1.10	50.36	30.64	179.1	325	67.9	29.3	1594	3.32	15.4	1.1	5.1	2.8	22.4	0.60	0.88	1.15	40	0.20
918703	Soil	1.67	1.06	31.65	31.91	183.7	315	56.2	22.4	1195	3.09	9.9	1.0	3.6	3.2	21.2	0.57	0.75	0.98	35	0.21
918704	Soil	1.69	0.85	35.28	25.94	205.4	298	79.0	26.7	1215	3.17	10.3	1.0	2.7	3.6	20.3	0.49	0.81	0.45	38	0.14
918705	Soil	2.30	0.59	27.34	12.62	70.7	110	23.0	9.4	279	2.28	4.7	0.9	60.0	4.2	27.8	0.23	0.24	0.18	37	0.25
918706	Soil	1.80	0.70	32.36	18.30	231.7	267	53.2	21.9	1051	3.22	12.4	1.1	4.9	3.9	17.5	0.50	0.50	0.38	36	0.15
918707	Soil	1.22	0.55	14.41	31.10	87.6	361	33.6	6.8	203	2.00	9.1	0.4	2.8	1.0	38.1	0.64	0.88	0.42	26	0.30
918708	Soil	1.98	0.64	25.00	20.58	148.6	574	31.8	12.2	456	2.58	9.2	0.8	3.2	4.7	20.6	0.31	0.53	0.42	26	0.13
918709	Soil	1.45	0.68	26.61	18.05	188.2	361	36.9	17.0	1359	2.93	7.9	0.9	1.6	2.8	14.4	0.53	0.60	0.36	34	0.12
918710	Soil	1.92	0.52	17.32	26.60	115.3	734	53.8	15.1	609	2.87	8.4	0.6	3.4	2.1	24.4	0.41	0.73	0.30	35	0.20
918801	Soil	1.77	0.75	13.60	24.02	140.1	729	19.6	17.4	1088	2.09	17.7	0.5	11.2	1.8	34.5	0.47	0.92	0.39	25	0.26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.1
918911	Soil	0.062	13.3	30.0	0.51	84.4	0.083	1	1.36	0.014	0.20	0.3	2.9	0.15	<0.02	11	0.2	0.02	4.5	1.54	<0.1
918912	Soil	0.087	24.5	36.6	0.64	189.4	0.053	2	2.85	0.006	0.08	0.2	2.3	0.15	<0.02	31	0.7	0.08	8.5	1.78	<0.1
918913	Soil	0.105	27.5	37.5	0.61	122.4	0.051	2	2.54	0.005	0.10	0.2	2.3	0.19	0.02	28	0.9	0.09	7.6	1.68	<0.1
918914	Soil	0.126	18.1	24.5	0.40	305.4	0.096	2	3.08	0.011	0.11	0.2	2.4	0.18	0.02	55	0.7	0.08	8.9	1.86	<0.1
918915	Soil	0.300	13.0	33.7	0.53	327.4	0.109	2	3.15	0.016	0.10	0.2	2.3	0.21	<0.02	56	0.4	0.05	8.8	2.33	<0.1
918916	Soil	0.109	17.3	29.8	0.51	224.1	0.106	3	3.46	0.013	0.10	0.2	3.1	0.20	0.02	52	0.6	0.04	9.3	2.15	<0.1
918917	Soil	0.103	15.3	27.4	0.65	126.6	0.073	3	3.22	0.023	0.09	0.2	3.8	0.27	0.03	62	1.0	0.15	8.3	2.45	<0.1
918918	Soil	0.101	18.3	34.7	0.63	205.5	0.087	2	3.14	0.013	0.10	0.2	2.9	0.22	0.02	40	0.6	0.07	8.8	2.27	<0.1
918919	Soil	0.102	19.3	35.2	0.65	210.1	0.089	2	3.23	0.014	0.10	0.2	3.0	0.23	0.02	47	0.6	0.08	9.4	2.36	<0.1
918920	Soil	0.152	18.4	40.9	0.67	237.6	0.081	2	2.76	0.008	0.14	0.2	2.9	0.22	0.03	41	0.6	0.09	8.9	2.49	<0.1
918921	Soil	0.079	17.1	40.1	0.74	159.3	0.100	3	3.74	0.018	0.18	0.2	4.1	0.26	0.03	32	0.8	0.08	9.2	2.46	<0.1
918922	Soil	0.269	10.6	26.0	0.47	341.9	0.142	3	4.12	0.020	0.10	0.2	2.8	0.21	0.02	54	0.7	0.04	9.9	2.48	<0.1
918923	Soil	0.186	13.6	32.5	0.54	305.0	0.132	2	3.62	0.014	0.09	0.2	2.7	0.21	0.02	44	0.5	0.05	10.2	2.48	<0.1
918924	Soil	0.083	11.2	34.0	0.72	246.9	0.163	3	4.86	0.036	0.21	0.2	4.8	0.36	0.02	42	0.5	0.03	13.1	3.31	<0.1
918925	Soil	0.103	11.9	28.2	0.62	212.3	0.146	3	4.62	0.033	0.13	0.2	4.3	0.27	0.03	50	0.7	0.05	11.2	3.08	<0.1
918926	Soil	0.108	11.9	28.5	0.61	239.4	0.143	3	4.42	0.032	0.13	0.2	4.1	0.28	0.02	49	0.8	0.06	11.0	3.21	<0.1
918927	Soil	0.087	12.4	36.3	0.80	121.7	0.141	2	4.44	0.029	0.13	0.3	4.8	0.34	0.02	49	0.7	0.13	11.5	3.32	<0.1
918928	Soil	0.097	13.1	42.4	0.99	121.4	0.132	2	4.91	0.063	0.21	0.3	6.5	0.37	0.03	46	0.9	0.08	12.6	3.50	0.1
918929	Soil	0.094	15.8	36.8	0.94	170.2	0.127	3	4.69	0.035	0.17	0.3	6.7	0.31	0.03	44	0.9	0.11	12.3	3.96	<0.1
918701	Soil	0.071	10.4	33.3	0.55	126.5	0.076	2	2.73	0.009	0.08	1.5	2.2	0.15	0.03	40	0.6	0.07	7.5	2.63	<0.1
918702	Soil	0.111	10.4	33.4	0.54	198.8	0.075	2	2.84	0.009	0.07	3.4	2.3	0.18	0.03	48	0.6	0.04	7.7	2.45	<0.1
918703	Soil	0.114	10.1	27.0	0.47	167.9	0.104	2	3.43	0.012	0.07	3.3	2.5	0.14	0.02	45	0.5	0.08	8.8	2.84	<0.1
918704	Soil	0.068	12.5	33.6	0.51	161.8	0.086	2	3.04	0.014	0.07	0.4	2.6	0.17	<0.02	43	0.6	0.03	7.6	2.22	<0.1
918705	Soil	0.059	12.1	27.5	0.51	83.0	0.080	<1	1.40	0.013	0.20	0.3	2.9	0.15	<0.02	11	0.2	0.03	4.1	1.46	<0.1
918706	Soil	0.157	13.9	31.4	0.51	198.7	0.095	2	3.35	0.014	0.09	0.3	3.0	0.17	<0.02	48	0.6	0.03	8.5	2.48	<0.1
918707	Soil	0.033	14.1	20.1	0.30	129.8	0.034	1	1.52	0.009	0.06	0.3	1.2	0.13	0.03	54	0.7	0.03	7.1	1.99	<0.1
918708	Soil	0.227	22.4	24.5	0.36	229.5	0.060	<1	2.57	0.011	0.08	0.2	2.1	0.13	<0.02	40	0.5	0.04	7.4	2.13	<0.1
918709	Soil	0.302	14.6	30.6	0.43	249.4	0.076	2	2.88	0.011	0.08	0.2	2.7	0.16	<0.02	54	0.5	0.03	8.1	2.16	<0.1
918710	Soil	0.047	12.5	44.8	0.68	145.6	0.055	1	2.32	0.009	0.07	0.2	1.8	0.12	0.02	48	0.4	0.02	7.3	1.80	<0.1
918801	Soil	0.199	10.4	13.1	0.19	227.7	0.070	1	2.37	0.012	0.06	0.2	1.3	0.12	0.02	56	0.4	0.03	7.5	1.77	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 8 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918911	Soil	0.19	0.34	25.2	0.3	<0.05	11.0	6.85	25.1	0.02	<1	0.3	12.6	12	3	N.A.
918912	Soil	0.04	1.27	20.0	0.6	<0.05	2.9	3.63	50.7	0.03	<1	0.8	26.1	<10	<2	N.A.
918913	Soil	0.03	1.08	18.7	0.6	<0.05	1.4	4.64	60.4	0.09	<1	0.7	26.1	<10	<2	N.A.
918914	Soil	0.11	1.77	22.0	0.8	<0.05	9.4	5.24	40.6	0.06	<1	0.7	21.7	<10	<2	N.A.
918915	Soil	0.11	1.78	24.0	0.9	<0.05	7.1	4.16	35.1	0.06	<1	0.8	21.7	<10	<2	N.A.
918916	Soil	0.11	1.86	26.6	0.8	<0.05	9.8	7.92	40.4	0.05	<1	1.0	26.9	<10	<2	N.A.
918917	Soil	0.04	1.27	24.6	0.6	<0.05	2.7	14.00	35.0	0.08	<1	1.1	51.5	<10	<2	N.A.
918918	Soil	0.04	1.42	27.1	0.8	<0.05	3.4	6.37	43.4	0.06	<1	0.9	32.0	<10	<2	N.A.
918919	Soil	0.05	1.50	27.7	0.8	<0.05	3.6	7.07	43.9	0.06	<1	0.9	33.3	<10	<2	N.A.
918920	Soil	0.03	1.60	30.8	0.7	<0.05	2.0	6.02	44.2	0.06	<1	1.0	35.2	<10	<2	N.A.
918921	Soil	0.11	1.99	38.6	0.7	<0.05	6.5	11.39	41.2	0.05	<1	1.0	39.3	<10	<2	N.A.
918922	Soil	0.23	2.18	23.1	0.9	<0.05	14.3	7.74	35.2	0.05	1	0.9	28.5	<10	<2	N.A.
918923	Soil	0.16	2.35	25.2	0.9	<0.05	9.8	5.05	36.5	0.05	<1	1.0	26.2	<10	<2	N.A.
918924	Soil	0.24	2.33	53.0	1.2	<0.05	15.7	8.79	28.6	0.04	<1	1.0	56.5	<10	<2	N.A.
918925	Soil	0.19	2.27	29.9	1.0	<0.05	12.9	11.74	33.9	0.05	<1	1.1	44.3	<10	<2	N.A.
918926	Soil	0.19	2.27	30.6	1.0	<0.05	12.1	10.80	35.2	0.05	<1	1.3	43.9	<10	<2	N.A.
918927	Soil	0.21	2.31	37.2	1.0	<0.05	11.6	8.99	31.7	0.05	<1	1.2	49.7	<10	<2	N.A.
918928	Soil	0.09	2.31	48.1	0.9	<0.05	5.8	15.17	30.3	0.06	<1	1.2	67.8	<10	<2	N.A.
918929	Soil	0.18	2.31	42.7	1.0	<0.05	9.5	18.50	37.8	0.07	<1	1.5	63.5	<10	<2	N.A.
918701	Soil	0.04	1.85	21.1	0.7	<0.05	3.6	3.70	32.1	0.05	<1	1.0	32.3	<10	<2	N.A.
918702	Soil	0.04	1.65	20.8	0.7	<0.05	3.4	3.99	28.1	0.04	<1	1.0	28.1	<10	<2	N.A.
918703	Soil	0.13	2.02	24.2	0.8	<0.05	8.1	4.60	33.1	0.04	<1	1.0	29.3	<10	<2	N.A.
918704	Soil	0.07	1.78	21.8	0.7	<0.05	5.4	4.86	38.6	0.04	<1	1.0	32.1	<10	<2	N.A.
918705	Soil	0.17	0.32	25.5	0.3	<0.05	10.3	6.11	23.9	<0.02	<1	0.4	13.1	<10	2	N.A.
918706	Soil	0.12	1.91	24.4	0.7	<0.05	7.9	5.79	37.9	0.03	<1	0.9	24.8	<10	<2	N.A.
918707	Soil	<0.02	1.53	12.2	0.8	<0.05	0.8	1.99	27.9	0.06	<1	0.4	34.1	<10	<2	N.A.
918708	Soil	0.09	1.44	19.1	0.7	<0.05	5.3	3.52	46.3	0.03	<1	0.7	21.8	<10	<2	N.A.
918709	Soil	0.07	1.34	18.5	0.7	<0.05	4.3	5.50	36.0	0.03	<1	0.9	21.2	<10	<2	N.A.
918710	Soil	<0.02	1.54	14.7	0.6	<0.05	1.7	2.79	32.9	0.04	<1	0.6	51.8	<10	<2	N.A.
918801	Soil	0.07	1.59	15.3	0.8	<0.05	4.1	2.13	22.5	0.03	<1	0.7	14.4	<10	<2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 9 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918802	Soil	1.66	0.74	18.23	21.70	196.4	747	23.6	17.3	2231	2.31	12.2	0.6	111.7	1.4	20.0	0.64	0.72	0.35	25	0.11
918803	Soil	1.54	0.72	18.36	15.97	171.8	560	35.4	15.0	956	2.33	7.6	0.8	2.2	2.9	22.3	0.55	0.52	0.28	26	0.16
918804	Soil	1.49	0.67	19.83	46.93	163.6	384	29.6	16.8	1336	2.32	10.6	0.6	3.1	1.7	16.1	1.05	1.64	0.42	25	0.09
918805	Soil	1.32	0.91	24.46	21.74	107.3	228	29.6	15.7	1012	2.93	15.9	0.8	5.9	3.1	22.4	0.39	0.77	0.35	30	0.16
918806	Soil	1.36	0.78	17.41	25.11	136.2	340	32.4	15.2	1652	2.51	10.8	0.6	3.3	2.4	24.2	0.49	0.66	0.35	28	0.21
918807	Soil	1.48	0.89	19.99	65.51	163.9	354	33.6	16.3	2627	2.71	18.4	0.5	4.9	1.2	33.6	1.30	2.13	0.50	30	0.27
918808	Soil	3.09	0.62	28.88	14.66	74.4	106	22.7	9.3	291	2.37	5.3	1.0	2.6	5.2	29.7	0.28	0.27	0.20	47	0.26
918809	Soil	1.39	0.85	21.85	26.76	106.2	308	28.3	16.6	921	2.91	13.1	0.6	4.3	2.9	15.9	0.34	0.58	0.38	43	0.10
918810	Soil	1.70	0.95	21.40	32.63	113.0	417	26.5	14.5	1392	2.61	11.1	0.8	6.0	1.8	14.9	0.55	0.93	0.40	38	0.10
918811	Soil	1.63	0.85	19.81	20.95	135.5	365	26.5	16.3	1657	2.83	10.5	0.7	2.7	1.7	14.8	0.43	0.58	0.38	40	0.10
918812	Soil	1.55	0.95	23.49	37.69	129.9	330	33.6	16.7	1008	2.93	11.2	0.7	3.7	3.5	19.2	0.59	1.00	0.41	42	0.19
918813	Soil	1.18	1.01	21.78	43.31	124.6	324	24.0	14.2	1254	2.70	15.4	0.7	3.3	1.4	29.3	0.88	1.05	0.41	37	0.30
918814	Soil	1.24	0.79	24.04	58.96	167.8	315	30.4	19.3	2009	2.70	14.4	0.6	5.9	1.8	36.9	0.99	1.56	0.47	37	0.31
918815	Soil	1.44	0.92	30.67	41.78	159.6	300	54.6	18.9	2310	3.13	11.3	1.2	3.9	2.0	35.4	0.90	1.22	0.48	43	0.32



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918802	Soil	0.270	10.2	17.9	0.26	276.5	0.062	<1	2.60	0.013	0.07	0.2	1.6	0.14	0.02	53	0.4	0.03	7.7	1.61	<0.1
918803	Soil	0.159	10.2	19.6	0.30	168.4	0.103	2	3.37	0.014	0.06	0.2	2.1	0.12	0.02	48	0.5	0.03	8.2	1.74	<0.1
918804	Soil	0.328	12.2	20.8	0.31	278.1	0.069	1	2.51	0.012	0.07	0.2	1.8	0.16	0.02	57	0.4	0.03	7.1	1.74	<0.1
918805	Soil	0.311	13.6	24.2	0.42	255.9	0.066	1	2.51	0.011	0.07	0.2	1.9	0.11	<0.02	41	0.5	0.05	7.3	1.51	<0.1
918806	Soil	0.187	12.8	20.9	0.33	281.9	0.078	2	2.70	0.014	0.09	0.2	1.8	0.15	<0.02	59	0.4	<0.02	8.0	1.74	<0.1
918807	Soil	0.166	12.6	23.9	0.39	304.2	0.048	1	2.16	0.009	0.08	0.1	1.3	0.20	0.03	81	0.4	0.05	7.2	1.44	<0.1
918808	Soil	0.063	15.5	29.1	0.49	86.8	0.087	<1	1.44	0.014	0.21	0.3	3.0	0.16	<0.02	15	0.2	0.02	4.3	1.58	<0.1
918809	Soil	0.122	15.1	24.2	0.37	214.9	0.075	2	2.65	0.013	0.07	0.2	1.8	0.12	0.02	36	0.5	0.07	8.0	1.73	<0.1
918810	Soil	0.121	14.6	21.3	0.33	161.8	0.071	2	2.76	0.012	0.07	0.2	1.9	0.15	0.03	52	0.5	0.06	8.2	1.81	<0.1
918811	Soil	0.296	14.7	22.7	0.37	248.8	0.066	1	2.52	0.011	0.07	0.2	1.7	0.17	<0.02	40	0.5	0.03	9.0	2.07	<0.1
918812	Soil	0.097	14.6	27.2	0.43	187.3	0.097	1	2.72	0.011	0.09	0.2	2.0	0.14	<0.02	60	0.5	0.06	8.3	2.00	<0.1
918813	Soil	0.209	11.4	21.2	0.34	227.6	0.062	2	2.34	0.010	0.08	0.2	1.4	0.14	0.03	72	0.6	0.08	8.0	1.64	<0.1
918814	Soil	0.195	14.1	23.8	0.33	259.5	0.064	1	2.22	0.011	0.09	0.2	1.6	0.15	0.03	68	0.5	0.11	7.6	1.76	<0.1
918815	Soil	0.114	13.4	36.6	0.45	184.4	0.082	1	2.61	0.010	0.10	0.2	2.1	0.14	0.04	65	0.6	0.06	9.0	2.24	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 9 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
918802	Soil	0.06	1.31	18.0	0.7	<0.05	3.6	3.25	25.1	0.04	<1	0.8	16.2	<10	<2	N.A.
918803	Soil	0.23	2.11	14.9	0.7	<0.05	13.5	4.51	31.3	0.04	<1	0.8	17.9	<10	<2	N.A.
918804	Soil	0.05	1.29	16.8	0.8	<0.05	3.8	3.52	30.3	0.08	<1	0.7	17.9	<10	<2	N.A.
918805	Soil	0.06	1.29	14.3	0.6	<0.05	3.8	2.82	33.8	0.03	<1	0.7	21.0	<10	<2	N.A.
918806	Soil	0.07	1.44	20.6	0.8	<0.05	3.9	2.96	32.4	0.05	<1	0.8	19.4	<10	<2	N.A.
918807	Soil	<0.02	1.09	16.6	0.8	<0.05	1.2	2.49	29.4	0.09	<1	0.6	20.2	<10	<2	N.A.
918808	Soil	0.20	0.42	27.8	0.4	<0.05	11.6	6.94	29.0	<0.02	<1	0.5	14.0	<10	3	N.A.
918809	Soil	0.08	2.06	19.2	0.7	<0.05	4.1	2.62	33.5	0.04	<1	0.7	20.0	<10	<2	N.A.
918810	Soil	0.09	1.70	19.2	0.9	<0.05	4.9	3.54	34.6	0.06	<1	0.9	18.4	<10	<2	N.A.
918811	Soil	0.03	1.31	22.0	0.9	<0.05	2.4	2.93	32.1	0.03	<1	0.6	20.0	<10	<2	N.A.
918812	Soil	0.12	2.34	20.8	0.9	<0.05	6.5	3.28	34.9	0.06	<1	0.9	19.1	<10	<2	N.A.
918813	Soil	0.04	1.73	18.2	0.8	<0.05	3.0	2.35	26.1	0.08	<1	0.9	17.0	<10	<2	N.A.
918814	Soil	0.04	1.36	24.4	0.9	<0.05	2.1	2.79	29.5	0.08	<1	0.5	19.6	<10	<2	N.A.
918815	Soil	0.05	2.49	24.8	1.0	<0.05	3.2	5.24	32.2	0.06	<1	0.9	59.3	<10	<2	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: April 27, 2009

Page: 1 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN08007733.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
918517	Soil	3.12	0.77	38.28	39.39	137.8	252	51.5	15.6	1179	3.13	10.9	1.2	1.4	4.7	51.1	0.57	0.51	0.53	52	0.39
REP 918517	QC		0.81	39.79	39.67	138.5	249	54.6	16.1	1172	3.16	10.8	1.2	1.6	4.9	51.8	0.59	0.51	0.51	52	0.39
918523	Soil	2.54	1.76	56.46	56.20	291.6	1083	97.0	14.6	1053	3.66	24.3	21.8	6.3	4.4	62.0	1.95	0.91	1.16	57	0.72
REP 918523	QC		1.79	55.74	56.06	294.8	1083	97.6	14.2	1040	3.67	24.3	22.2	10.8	4.3	62.8	1.90	0.89	1.14	56	0.70
918538	Soil	2.39	4.02	54.53	48.29	144.8	180	67.3	29.5	1476	4.06	17.6	1.8	4.6	2.3	26.2	0.88	1.43	0.82	60	0.17
REP 918538	QC		3.80	54.34	46.86	144.7	178	67.9	28.5	1508	3.91	16.8	1.7	4.4	2.2	25.3	0.86	1.32	0.78	60	0.16
918586	Soil	2.90	0.72	29.62	21.38	123.1	222	62.1	14.9	1077	2.54	8.0	1.2	4.7	3.9	27.1	0.27	0.43	0.42	37	0.29
REP 918586	QC		0.73	30.75	22.41	121.6	242	62.2	14.6	1075	2.60	8.0	1.3	2.3	4.2	28.5	0.27	0.45	0.44	37	0.30
918605	Soil	2.17	1.82	41.23	32.19	116.5	113	51.0	15.1	667	3.40	18.5	1.7	4.0	5.5	18.6	0.50	0.94	0.47	75	0.18
REP 918605	QC		1.80	41.64	33.17	118.1	124	51.8	15.9	704	3.45	19.4	1.7	4.4	5.6	19.3	0.50	0.93	0.48	76	0.18
918622	Soil	1.82	1.22	38.95	54.10	145.5	162	73.0	20.8	1789	3.64	29.0	1.6	8.7	5.7	52.6	1.37	1.01	1.46	60	0.56
REP 918622	QC		1.17	39.17	53.17	147.1	148	72.2	20.5	1754	3.62	28.8	1.6	10.3	5.6	51.8	1.36	0.99	1.44	61	0.55
918625	Soil	2.19	0.85	22.76	31.19	197.9	138	45.0	12.4	1302	3.05	11.3	1.5	5.3	5.1	33.5	1.06	0.63	0.71	49	0.43
REP 918625	QC		0.86	22.70	30.79	200.7	158	45.5	11.9	1308	3.02	11.5	1.5	7.6	4.9	33.3	1.02	0.64	0.68	49	0.44
918645	Soil	1.55	1.19	29.39	31.07	131.5	282	47.7	14.7	812	3.15	14.0	1.2	5.0	5.3	21.8	0.47	0.78	0.57	54	0.25
REP 918645	QC		1.15	27.71	32.43	136.2	277	49.6	15.0	807	3.11	13.9	1.1	7.5	5.1	20.4	0.50	0.81	0.58	52	0.22
918669	Soil	1.88	1.10	33.68	28.46	107.9	189	53.3	15.4	1252	3.39	17.5	1.3	5.7	5.6	26.2	0.47	0.99	1.14	53	0.23
REP 918669	QC		1.16	36.51	30.23	113.7	199	56.5	16.4	1315	3.53	18.9	1.4	8.6	6.3	27.3	0.49	1.01	1.20	55	0.25
918906	Soil	1.70	0.99	28.56	27.24	117.7	223	36.8	15.9	1856	3.12	13.4	1.1	2.6	4.7	22.3	0.61	0.95	0.39	42	0.22
REP 918906	QC		0.92	27.21	26.19	113.9	195	35.7	15.1	1772	2.99	13.0	1.0	3.6	4.8	20.6	0.56	0.90	0.37	41	0.20
918927	Soil	1.45	1.42	40.19	33.52	169.4	109	48.1	20.3	1610	3.80	15.9	1.3	3.7	6.2	35.2	0.57	1.29	0.54	40	0.26
REP 918927	QC		1.41	40.78	32.72	171.2	111	48.6	20.3	1643	3.86	16.1	1.3	3.0	6.0	36.7	0.54	1.32	0.56	41	0.27
918702	Soil	1.96	1.10	50.36	30.64	179.1	325	67.9	29.3	1594	3.32	15.4	1.1	5.1	2.8	22.4	0.60	0.88	1.15	40	0.20
REP 918702	QC		1.13	50.43	30.71	181.6	328	68.1	28.9	1614	3.28	15.5	1.1	6.9	2.7	21.9	0.58	0.89	1.15	40	0.20
Reference Materials																					
STD DS7	Standard		21.32	99.78	69.54	394.7	858	55.6	8.1	619	2.37	45.8	4.4	142.0	4.1	78.2	5.83	5.49	4.01	98	0.97
STD DS7	Standard		19.58	105.2	62.38	416.6	822	59.0	9.9	612	2.32	48.1	4.0	65.7	3.6	64.0	5.55	5.52	4.04	72	0.92
STD DS7	Standard		21.16	118.3	70.57	415.4	908	59.6	10.3	653	2.45	53.2	4.8	68.2	4.0	71.2	6.77	6.20	4.58	100	0.96



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: April 27, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
918517	Soil	0.176	16.7	36.3	0.62	230.5	0.101	3	3.27	0.014	0.26	0.6	4.6	0.21	0.02	37	0.4	0.04	8.6	2.16	<0.1
REP 918517	QC	0.186	17.0	38.3	0.62	230.7	0.106	4	3.27	0.016	0.26	0.6	4.9	0.21	0.02	34	0.4	0.03	8.6	2.18	0.1
918523	Soil	0.105	18.4	64.7	0.64	244.1	0.102	2	4.12	0.019	0.15	2.0	6.5	0.18	0.03	53	0.8	0.02	8.7	2.05	<0.1
REP 918523	QC	0.105	19.0	63.5	0.65	257.4	0.107	2	4.08	0.020	0.15	1.8	6.5	0.19	0.03	52	0.8	0.05	8.9	2.07	<0.1
918538	Soil	0.156	9.5	44.8	0.69	183.7	0.102	2	3.30	0.006	0.15	1.2	2.9	0.26	0.05	53	0.5	0.09	9.3	3.67	<0.1
REP 918538	QC	0.143	9.6	44.5	0.69	177.5	0.097	2	3.32	0.006	0.14	1.1	2.9	0.27	0.05	41	0.6	0.06	9.0	3.56	<0.1
918586	Soil	0.158	13.5	39.4	0.72	210.3	0.149	2	3.78	0.015	0.08	0.3	2.8	0.17	<0.02	38	0.3	0.03	8.7	3.07	<0.1
REP 918586	QC	0.151	13.7	39.6	0.73	200.4	0.155	3	3.75	0.017	0.09	0.3	2.8	0.18	<0.02	33	0.4	0.03	8.8	3.15	<0.1
918605	Soil	0.150	14.3	43.7	0.74	170.8	0.114	2	3.06	0.009	0.13	0.9	5.2	0.18	<0.02	37	0.4	0.05	7.9	2.25	<0.1
REP 918605	QC	0.158	14.9	44.3	0.76	180.2	0.117	2	3.10	0.009	0.13	0.9	5.2	0.19	<0.02	48	0.4	0.04	8.2	2.41	<0.1
918622	Soil	0.191	17.2	52.2	0.71	317.0	0.096	4	3.14	0.009	0.22	4.6	4.1	0.17	0.03	35	0.3	0.07	8.7	2.35	<0.1
REP 918622	QC	0.198	17.0	52.9	0.71	309.4	0.099	4	3.14	0.009	0.22	4.6	4.1	0.17	0.03	37	0.5	0.07	8.6	2.36	<0.1
918625	Soil	0.148	15.3	29.2	0.51	141.8	0.129	3	3.75	0.020	0.14	1.4	4.2	0.21	0.02	42	0.5	0.02	9.2	2.16	0.1
REP 918625	QC	0.147	15.3	29.9	0.51	139.7	0.127	3	3.89	0.018	0.13	1.4	4.2	0.21	0.02	46	0.6	0.03	9.1	2.17	<0.1
918645	Soil	0.167	16.9	32.5	0.53	179.2	0.088	2	3.19	0.011	0.17	1.2	3.5	0.20	<0.02	41	0.5	0.04	8.9	1.78	<0.1
REP 918645	QC	0.173	16.1	31.7	0.48	208.5	0.088	2	3.41	0.010	0.16	1.2	3.2	0.20	<0.02	48	0.5	0.05	9.2	1.72	<0.1
918669	Soil	0.145	16.0	46.9	0.61	247.7	0.127	2	3.78	0.013	0.13	3.4	3.6	0.20	<0.02	49	0.5	0.05	10.2	2.83	<0.1
REP 918669	QC	0.155	16.5	49.4	0.65	261.2	0.140	2	4.07	0.015	0.14	3.6	4.0	0.22	<0.02	52	0.5	0.04	10.9	2.98	<0.1
918906	Soil	0.234	19.6	29.2	0.50	285.9	0.104	2	3.29	0.013	0.10	0.3	3.0	0.18	<0.02	40	0.4	0.05	8.6	1.97	0.1
REP 918906	QC	0.227	18.3	27.6	0.46	278.4	0.101	2	3.17	0.012	0.10	0.2	2.7	0.18	<0.02	40	0.4	0.03	8.9	1.88	<0.1
918927	Soil	0.087	12.4	36.3	0.80	121.7	0.141	2	4.44	0.029	0.13	0.3	4.8	0.34	0.02	49	0.7	0.13	11.5	3.32	<0.1
REP 918927	QC	0.087	12.0	36.2	0.82	122.6	0.143	2	4.40	0.029	0.13	0.3	4.7	0.33	0.02	53	0.7	0.11	11.6	3.32	<0.1
918702	Soil	0.111	10.4	33.4	0.54	198.8	0.075	2	2.84	0.009	0.07	3.4	2.3	0.18	0.03	48	0.6	0.04	7.7	2.45	<0.1
REP 918702	QC	0.110	11.2	33.0	0.53	207.4	0.078	2	2.94	0.009	0.08	3.4	2.3	0.18	0.03	46	0.6	0.07	7.6	2.59	<0.1
Reference Materials																					
STD DS7	Standard	0.071	12.6	199.7	1.07	393.7	0.105	39	1.07	0.094	0.47	3.8	2.8	4.32	0.19	215	3.8	1.12	5.1	5.51	<0.1
STD DS7	Standard	0.076	10.8	215.3	1.03	371.5	0.118	37	1.02	0.084	0.44	3.5	2.4	4.17	0.19	203	3.5	1.12	4.7	5.98	0.1
STD DS7	Standard	0.081	12.0	209.6	1.08	381.2	0.115	40	0.98	0.094	0.50	4.0	2.7	4.23	0.21	213	3.7	1.15	5.0	5.98	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: April 27, 2009

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

VAN08007733.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	
Pulp Duplicates																
918517	Soil	0.13	1.47	26.4	0.7	<0.05	8.9	8.97	39.3	0.04	<1	1.0	30.0	<10	<2	N.A.
REP 918517	QC	0.12	1.47	27.0	0.7	<0.05	9.1	9.03	41.5	0.04	<1	1.0	29.9	<10	<2	
918523	Soil	0.25	2.26	20.0	0.8	<0.05	14.3	19.22	38.3	0.06	<1	1.4	44.5	<10	<2	N.A.
REP 918523	QC	0.23	2.31	20.6	0.8	<0.05	14.1	19.30	39.1	0.07	<1	1.3	45.2	<10	<2	
918538	Soil	0.08	2.56	28.4	0.8	<0.05	5.3	4.88	22.7	0.07	<1	1.0	25.6	<10	<2	N.A.
REP 918538	QC	0.09	2.53	27.4	0.8	<0.05	5.0	4.70	22.1	0.07	<1	0.9	24.6	<10	2	
918586	Soil	0.27	2.22	21.0	0.9	<0.05	17.3	9.01	38.7	0.04	<1	0.7	22.3	<10	<2	N.A.
REP 918586	QC	0.26	2.22	21.5	0.9	<0.05	17.0	9.33	39.4	0.03	<1	1.1	23.8	<10	2	
918605	Soil	0.23	1.72	23.7	0.5	<0.05	14.3	7.48	36.1	0.04	<1	0.8	20.3	<10	<2	N.A.
REP 918605	QC	0.19	1.80	24.5	0.6	<0.05	13.8	7.57	38.3	0.05	<1	0.9	19.9	<10	3	
918622	Soil	0.10	2.65	30.3	0.6	<0.05	5.7	7.27	40.0	0.05	<1	1.3	23.4	<10	<2	N.A.
REP 918622	QC	0.07	2.60	30.3	0.6	<0.05	5.2	7.10	38.7	0.05	<1	1.0	24.2	<10	<2	
918625	Soil	0.26	2.29	26.5	0.8	<0.05	14.4	8.20	41.3	0.04	<1	1.2	126.1	<10	<2	N.A.
REP 918625	QC	0.19	2.34	27.0	0.8	<0.05	13.9	8.30	41.7	0.05	<1	1.1	123.4	<10	<2	
918645	Soil	0.15	1.77	21.1	0.7	<0.05	10.1	6.20	51.1	0.04	<1	1.0	25.3	<10	<2	N.A.
REP 918645	QC	0.13	1.83	18.8	0.7	<0.05	10.1	5.46	51.2	0.05	<1	0.9	23.4	<10	<2	
918669	Soil	0.29	2.52	23.8	0.9	<0.05	16.4	6.60	46.5	0.05	<1	1.0	26.8	<10	2	N.A.
REP 918669	QC	0.29	2.45	25.0	1.0	<0.05	17.1	6.86	49.0	0.04	<1	1.2	29.9	<10	<2	
918906	Soil	0.08	1.85	21.5	0.8	<0.05	5.5	4.26	44.2	0.04	1	0.9	24.2	<10	<2	N.A.
REP 918906	QC	0.08	1.76	20.9	0.8	<0.05	5.9	4.22	41.0	0.04	<1	0.8	22.3	<10	<2	
918927	Soil	0.21	2.31	37.2	1.0	<0.05	11.6	8.99	31.7	0.05	<1	1.2	49.7	<10	<2	N.A.
REP 918927	QC	0.23	2.33	40.1	1.0	<0.05	10.9	9.07	31.4	0.04	<1	1.4	50.5	13	<2	
918702	Soil	0.04	1.65	20.8	0.7	<0.05	3.4	3.99	28.1	0.04	<1	1.0	28.1	<10	<2	N.A.
REP 918702	QC	0.05	1.64	21.0	0.7	<0.05	2.8	3.96	30.7	0.05	<1	1.0	28.5	<10	<2	
Reference Materials																
STD DS7	Standard	0.14	0.60	33.6	4.5	<0.05	6.0	5.92	41.3	1.48	5	1.7	29.8	89	42	
STD DS7	Standard	0.10	0.60	32.3	4.3	<0.05	4.9	5.07	32.0	1.39	3	1.7	27.7	91	36	
STD DS7	Standard	0.12	0.63	35.9	5.1	<0.05	5.4	5.53	36.0	1.65	2	1.6	31.4	70	37	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: April 27, 2009

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN08007733.2

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
STD DS7	Standard		20.70	110.3	70.88	399.9	801	55.9	9.3	628	2.42	50.9	4.9	67.1	4.2	68.0	6.44	5.96	4.39	86	0.95
STD DS7	Standard		21.00	113.8	66.32	412.7	873	58.9	9.9	644	2.44	56.0	4.9	62.8	4.3	71.0	6.77	6.22	4.33	98	0.99
STD DS7	Standard		21.21	113.7	62.03	410.6	844	57.6	9.8	634	2.46	52.3	4.7	65.6	4.2	80.0	6.46	5.85	4.13	99	1.00
STD DS7	Standard		21.56	109.0	71.75	389.1	837	56.6	9.8	647	2.45	50.9	5.1	71.8	4.7	77.4	6.25	5.89	4.45	87	1.02
STD DS7	Standard		20.68	119.2	77.54	412.6	820	58.3	9.6	624	2.31	51.0	5.3	67.3	4.8	67.1	6.31	6.10	5.00	77	0.89
STD KP-1	Standard																				
STD KP-1	Standard																				
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
STD KP-1 Expected																					
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: April 27, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN08007733.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
STD DS7	Standard	0.083	12.3	199.5	1.05	374.6	0.112	38	1.00	0.086	0.47	3.7	2.7	4.18	0.19	218	3.6	1.26	4.8	6.15	<0.1
STD DS7	Standard	0.078	12.7	218.6	1.08	381.1	0.119	39	1.02	0.093	0.48	3.9	2.8	4.25	0.20	208	3.6	1.21	4.8	6.41	<0.1
STD DS7	Standard	0.077	14.6	211.2	1.06	395.7	0.129	41	1.06	0.097	0.48	3.8	3.1	4.02	0.19	192	3.6	1.25	5.1	6.10	0.1
STD DS7	Standard	0.072	14.3	227.1	1.04	404.9	0.127	37	1.03	0.098	0.45	3.8	2.9	4.30	0.18	213	3.8	1.13	5.1	6.11	<0.1
STD DS7	Standard	0.074	12.7	196.6	1.03	367.9	0.114	40	0.94	0.082	0.44	3.9	2.6	4.40	0.18	218	3.4	1.25	4.8	6.27	0.1
STD KP-1	Standard																				
STD KP-1	Standard																				
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.4	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
STD KP-1 Expected																					
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: April 27, 2009

Page: 2 of 2 **Part** 3

QUALITY CONTROL REPORT

VAN08007733.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005
STD DS7	Standard	0.12	0.50	35.7	4.9	<0.05	5.6	5.39	35.9	1.58	5	1.7	28.0	74	39	
STD DS7	Standard	0.12	0.61	38.2	4.8	<0.05	5.6	5.94	36.9	1.58	3	1.4	29.9	57	39	
STD DS7	Standard	0.12	0.77	37.5	4.9	<0.05	5.7	6.61	38.9	1.61	2	1.6	29.2	59	39	
STD DS7	Standard	0.13	0.83	36.9	4.6	<0.05	5.2	6.55	39.0	1.61	4	1.6	28.5	69	36	
STD DS7	Standard	0.13	0.53	37.3	5.1	<0.05	5.8	5.65	35.5	1.74	<1	1.7	30.2	60	40	
STD KP-1	Standard															0.771
STD KP-1	Standard															0.769
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	
STD KP-1 Expected																0.74
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	<0.005



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

July 31, 2008

Report Date:

August 28, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08007829.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID:
P.O. Number
Number of Samples: 114

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	113	Sieve soil to 230 mesh		
RJSV	113	Save all or part of soil reject fraction		
1F30	113	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
918711	Soil	1.61	0.64	24.83	27.68	166.1	529	36.8	16.3	1153	2.90	11.4	0.9	2.9	3.8	29.1	0.74	0.73	0.38	37	0.27	
918712	Soil	1.70	0.72	28.52	30.40	131.4	677	52.5	17.4	1304	3.24	12.6	1.0	3.2	3.1	37.5	0.63	0.86	0.43	40	0.28	
918713	Soil	1.82	0.69	20.88	19.99	152.1	402	41.2	15.9	1069	2.95	9.7	0.9	2.1	2.6	37.9	0.47	0.56	0.35	42	0.33	
918714	Soil	1.51	0.82	27.44	23.82	162.7	590	48.9	18.9	842	3.14	9.5	1.0	2.9	3.5	25.1	0.49	0.78	0.64	46	0.20	
918715	Soil	1.60	0.66	25.00	34.36	162.3	368	45.5	18.0	1087	2.81	10.3	0.8	3.0	2.4	27.3	0.65	0.94	0.36	43	0.19	
918716	Soil	1.57	0.84	34.02	24.07	161.5	518	62.7	22.5	1197	3.44	12.5	1.1	3.8	3.8	25.9	0.50	0.69	0.38	51	0.21	
918717	Soil	1.78	0.88	27.88	34.49	221.1	273	46.6	20.4	1650	3.59	15.9	0.9	4.1	4.0	32.3	0.69	0.87	0.48	53	0.30	
918718	Soil	1.63	0.90	40.80	27.06	155.1	316	47.7	21.6	1163	3.50	14.5	1.3	4.7	4.8	25.5	0.52	0.69	0.38	53	0.20	
918719	Soil	1.66	0.62	34.83	17.02	188.7	406	44.0	16.2	1167	3.01	8.4	1.1	2.1	4.1	17.0	0.52	0.35	0.32	50	0.13	
918720	Soil	1.42	0.80	25.69	36.48	162.9	261	43.2	19.8	1357	3.10	11.4	0.7	2.7	2.6	22.0	0.69	0.99	0.40	49	0.20	
918721	Soil	1.85	0.69	28.56	25.88	173.0	287	52.1	19.0	824	3.15	10.3	1.0	2.8	4.2	23.7	0.57	0.90	0.38	49	0.23	
918722	Soil	1.28	0.68	35.58	23.79	218.9	188	51.6	21.7	1221	3.59	10.8	1.5	2.9	4.9	18.9	0.47	0.55	0.38	51	0.17	
918723	Soil	1.80	0.63	34.29	21.13	221.6	225	43.7	20.2	964	3.69	10.6	1.6	3.0	6.1	19.5	0.44	0.41	0.39	53	0.18	
918724	Soil	2.10	0.75	45.23	32.42	134.7	290	55.8	19.6	929	3.61	13.9	2.3	5.5	5.7	41.5	0.50	0.80	0.41	49	0.45	
918725	Soil	1.57	0.69	36.81	37.73	135.3	173	45.1	17.2	820	3.42	13.7	1.6	4.4	4.7	48.1	0.67	0.84	0.41	47	0.77	
918726	Soil	2.58	0.61	28.08	14.67	74.3	88	22.8	9.4	280	2.40	5.3	1.0	1.5	5.5	30.1	0.23	0.25	0.20	48	0.26	
918727	Soil	1.63	0.49	44.90	21.86	142.8	225	57.8	18.6	1099	3.59	12.6	3.1	4.3	6.4	58.1	0.52	0.54	0.41	40	0.74	
918728	Soil	1.76	0.66	27.45	46.39	146.9	308	45.4	17.6	1003	3.31	12.3	0.9	4.3	3.2	32.3	0.82	1.10	0.44	48	0.45	
918729	Soil	1.45	0.65	24.91	35.83	141.5	181	27.9	12.3	1057	3.03	13.1	0.8	2.7	2.9	25.0	0.67	0.91	0.42	38	0.24	
918730	Soil	2.08	0.73	25.49	43.00	133.0	157	34.5	16.0	765	3.54	13.2	1.2	3.6	4.0	32.9	0.70	1.24	0.48	45	0.39	
918731	Soil	1.99	0.99	41.03	31.18	127.4	174	41.5	20.1	816	3.92	18.8	1.4	5.3	6.7	21.0	0.38	0.72	0.47	47	0.18	
918732	Soil	1.92	0.65	24.51	32.84	142.4	251	30.9	13.8	1012	3.20	11.8	0.9	6.0	3.7	21.9	0.48	0.66	0.42	42	0.20	
918733	Soil	1.66	0.72	24.90	30.29	148.4	272	27.2	14.9	1599	3.21	12.8	0.7	2.7	2.8	30.5	0.64	0.69	0.40	44	0.26	
918734	Soil	1.82	0.71	27.88	20.50	171.0	355	31.8	16.2	1021	3.28	11.7	0.9	8.3	3.6	17.5	0.42	0.57	0.38	50	0.14	
918735	Soil	1.62	0.78	31.18	28.11	202.3	259	34.5	19.2	2185	3.48	14.2	1.0	2.9	2.3	33.2	0.76	0.81	0.49	47	0.30	
918736	Soil	2.12	0.92	25.73	35.97	125.6	270	31.0	16.3	1339	3.27	13.4	0.8	3.5	2.6	30.2	0.82	1.16	0.43	53	0.31	
918737	Soil	1.49	0.69	30.37	37.19	174.6	234	36.5	18.3	1830	3.36	16.3	0.8	3.0	3.5	47.1	0.93	1.01	0.50	51	0.50	
918738	Soil	1.71	0.60	24.35	18.33	133.6	228	31.0	16.3	1267	3.05	13.1	0.8	3.2	3.6	42.0	0.41	0.52	0.38	50	0.33	
918739	Soil	2.04	0.74	26.94	17.35	109.9	244	33.4	13.5	912	3.63	13.7	0.6	4.1	2.9	19.1	0.28	0.67	0.36	64	0.19	
918740	Soil	2.48	0.73	23.04	22.13	164.0	171	31.0	14.1	1721	3.54	12.0	0.6	2.6	2.2	25.2	0.58	0.91	0.40	61	0.33	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 28, 2008

Page: 2 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Cs	Ge	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918711	Soil	0.258	16.4	29.3	0.46	210.7	0.064	2	2.36	0.010	0.10	0.2	2.2	0.13	0.02	50	0.5	0.07	7.4	1.87	<0.1
918712	Soil	0.229	14.8	40.3	0.52	219.8	0.064	1	2.64	0.009	0.12	0.2	2.3	0.14	0.02	54	0.6	0.09	8.5	2.28	<0.1
918713	Soil	0.223	13.5	33.1	0.48	207.2	0.074	2	2.74	0.011	0.10	0.2	2.3	0.14	0.02	55	0.6	0.03	8.2	1.96	<0.1
918714	Soil	0.133	16.2	38.9	0.55	177.4	0.088	<1	2.96	0.012	0.10	0.2	2.7	0.17	<0.02	49	0.5	0.06	8.5	2.27	<0.1
918715	Soil	0.149	13.2	34.3	0.49	192.0	0.082	1	2.69	0.012	0.09	0.2	2.2	0.15	0.03	54	0.5	0.06	7.8	1.99	<0.1
918716	Soil	0.126	17.9	46.0	0.62	187.8	0.090	<1	2.96	0.010	0.11	0.2	2.6	0.17	<0.02	58	0.8	0.06	8.5	2.54	<0.1
918717	Soil	0.147	17.8	42.3	0.60	226.8	0.083	2	2.48	0.009	0.10	0.2	2.5	0.17	<0.02	62	0.6	0.07	8.8	2.69	<0.1
918718	Soil	0.152	20.9	42.2	0.62	180.4	0.106	1	3.15	0.013	0.10	0.2	3.2	0.19	<0.02	53	0.6	0.08	8.9	2.82	<0.1
918719	Soil	0.184	16.8	40.1	0.46	208.5	0.119	1	3.36	0.018	0.10	0.2	3.5	0.17	<0.02	36	0.7	0.05	9.7	2.37	<0.1
918720	Soil	0.147	12.3	32.1	0.48	188.0	0.091	1	2.65	0.011	0.09	0.2	2.0	0.15	0.02	54	0.4	0.05	8.8	2.37	<0.1
918721	Soil	0.115	12.6	34.4	0.45	195.7	0.114	1	3.47	0.015	0.09	0.2	2.7	0.16	<0.02	49	0.6	0.05	9.6	2.22	<0.1
918722	Soil	0.102	17.7	38.7	0.57	175.6	0.105	1	3.38	0.013	0.10	0.2	3.4	0.18	<0.02	42	0.5	0.04	9.3	2.42	<0.1
918723	Soil	0.108	17.7	35.4	0.56	179.2	0.126	<1	3.83	0.016	0.12	0.2	4.0	0.21	<0.02	44	0.5	0.04	10.6	2.67	<0.1
918724	Soil	0.099	22.2	39.9	0.66	137.8	0.100	1	3.14	0.017	0.13	0.3	3.8	0.20	0.03	50	0.7	0.04	8.1	2.68	<0.1
918725	Soil	0.104	18.7	38.0	0.66	129.8	0.092	2	2.96	0.014	0.13	0.3	3.5	0.20	0.04	58	0.9	0.04	8.0	2.37	<0.1
918726	Soil	0.060	14.4	27.9	0.48	80.2	0.077	<1	1.31	0.013	0.21	0.3	3.0	0.15	<0.02	15	0.1	0.06	4.4	1.52	<0.1
918727	Soil	0.149	19.0	39.4	0.64	153.1	0.130	2	4.05	0.034	0.14	0.2	4.3	0.24	0.03	56	0.9	0.04	8.8	2.86	<0.1
918728	Soil	0.139	15.5	36.8	0.59	208.5	0.097	2	2.47	0.011	0.10	0.2	2.1	0.19	0.03	66	0.5	0.08	8.1	3.97	<0.1
918729	Soil	0.188	12.3	25.6	0.39	213.0	0.072	1	2.56	0.011	0.08	0.2	1.9	0.17	0.03	60	0.6	0.04	7.8	2.24	<0.1
918730	Soil	0.091	17.3	33.9	0.52	113.4	0.084	2	2.94	0.011	0.11	0.2	2.6	0.19	0.03	47	0.5	0.05	8.5	2.37	<0.1
918731	Soil	0.112	21.8	41.1	0.66	163.7	0.068	1	2.81	0.007	0.13	0.3	2.7	0.20	0.02	43	0.6	0.06	8.2	2.38	<0.1
918732	Soil	0.120	18.8	31.2	0.45	150.9	0.078	2	2.69	0.012	0.12	0.3	2.3	0.19	0.02	38	0.5	0.06	8.1	2.19	<0.1
918733	Soil	0.134	17.4	29.4	0.44	220.5	0.077	<1	2.46	0.012	0.10	0.2	2.2	0.16	0.02	41	0.5	0.05	8.5	2.18	<0.1
918734	Soil	0.116	16.5	31.6	0.47	159.4	0.090	2	2.88	0.011	0.09	0.3	2.7	0.15	<0.02	42	0.5	0.05	8.9	2.31	<0.1
918735	Soil	0.178	18.7	31.2	0.47	239.9	0.075	1	2.98	0.012	0.12	0.2	2.3	0.19	0.03	52	0.5	0.04	9.8	2.75	<0.1
918736	Soil	0.078	15.6	33.5	0.51	170.7	0.074	2	2.51	0.009	0.10	0.2	2.4	0.16	0.03	54	0.5	0.05	8.1	2.28	<0.1
918737	Soil	0.255	17.3	38.8	0.54	328.1	0.083	3	2.92	0.013	0.17	0.1	3.0	0.21	<0.02	45	0.5	0.08	9.0	2.73	<0.1
918738	Soil	0.208	16.9	34.6	0.52	180.6	0.085	1	2.63	0.012	0.16	0.2	2.8	0.16	<0.02	37	0.5	0.09	7.9	2.41	<0.1
918739	Soil	0.081	14.3	31.0	0.68	111.1	0.053	1	2.51	0.006	0.11	0.2	2.6	0.13	<0.02	34	0.4	0.05	7.5	1.87	<0.1
918740	Soil	0.166	10.9	29.1	0.59	211.3	0.058	2	2.91	0.008	0.13	0.2	2.6	0.18	0.02	51	0.3	0.05	8.9	1.94	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 2 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918711	Soil	0.06	1.71	21.9	0.6	<0.05	3.3	4.06	38.4	0.04	<1	0.6	21.5	<10	<2
918712	Soil	0.05	1.89	21.4	0.7	<0.05	2.4	3.72	38.5	0.05	<1	0.6	45.6	<10	<2
918713	Soil	0.04	1.75	20.2	0.7	<0.05	3.4	4.18	34.5	0.04	<1	0.6	21.9	<10	<2
918714	Soil	0.09	1.83	23.7	0.8	<0.05	4.6	5.81	42.7	0.04	<1	0.8	23.3	<10	<2
918715	Soil	0.07	2.30	23.8	0.8	<0.05	4.5	4.25	38.2	0.05	<1	0.9	22.5	<10	<2
918716	Soil	0.07	1.99	28.2	0.7	<0.05	3.3	5.78	50.2	0.04	<1	0.8	36.9	<10	<2
918717	Soil	0.04	1.90	29.2	0.9	<0.05	2.2	3.26	42.5	0.04	<1	0.7	30.8	<10	<2
918718	Soil	0.10	1.97	24.8	0.8	<0.05	5.9	6.75	50.5	0.04	<1	1.0	26.6	<10	<2
918719	Soil	0.13	2.08	32.1	0.9	<0.05	7.8	7.29	39.3	0.03	<1	0.9	21.6	<10	<2
918720	Soil	0.06	2.04	26.1	0.8	<0.05	3.2	2.85	30.7	0.07	<1	0.7	26.6	<10	<2
918721	Soil	0.10	2.44	22.9	0.9	<0.05	9.3	4.48	38.7	0.04	<1	0.8	31.2	<10	<2
918722	Soil	0.16	2.43	29.4	0.9	<0.05	7.8	6.83	44.8	0.04	<1	1.0	36.4	<10	<2
918723	Soil	0.18	2.47	33.4	0.9	<0.05	12.3	7.77	48.0	0.04	<1	1.1	37.9	<10	<2
918724	Soil	0.08	2.43	29.0	0.8	<0.05	5.6	9.54	49.6	0.06	<1	0.8	54.6	<10	3
918725	Soil	0.08	2.51	28.7	0.8	<0.05	4.7	7.03	45.4	0.07	<1	0.9	48.4	<10	<2
918726	Soil	0.18	0.32	27.7	0.3	<0.05	9.8	6.50	25.9	<0.02	<1	0.4	13.0	<10	3
918727	Soil	0.16	2.99	42.6	1.0	<0.05	12.4	10.20	49.7	0.05	<1	1.0	126.7	11	<2
918728	Soil	0.05	2.38	38.1	0.8	<0.05	2.5	3.26	38.7	0.09	<1	0.8	51.1	<10	<2
918729	Soil	0.05	2.01	25.3	0.8	<0.05	3.6	2.76	29.5	0.05	<1	0.6	35.9	<10	<2
918730	Soil	0.05	2.16	26.9	0.9	<0.05	2.8	4.00	42.2	0.07	<1	0.9	65.0	<10	<2
918731	Soil	0.05	1.75	28.3	0.7	<0.05	3.0	4.11	50.3	0.04	1	1.0	33.0	<10	<2
918732	Soil	0.05	1.72	34.0	0.8	<0.05	3.0	3.51	41.8	0.04	<1	0.6	24.6	<10	<2
918733	Soil	0.03	1.52	33.5	0.8	<0.05	1.8	3.40	36.8	0.04	<1	0.6	23.6	<10	<2
918734	Soil	0.05	1.79	26.0	0.8	<0.05	3.2	4.52	38.9	0.04	<1	0.8	31.0	<10	<2
918735	Soil	0.02	1.70	35.4	0.9	<0.05	2.0	4.45	38.9	0.04	<1	0.8	30.5	<10	<2
918736	Soil	0.03	1.96	29.4	0.8	<0.05	2.0	3.54	34.3	0.07	<1	0.8	25.3	<10	<2
918737	Soil	0.02	1.57	39.8	0.9	<0.05	1.8	4.06	41.3	0.06	<1	0.9	25.2	<10	<2
918738	Soil	0.05	1.48	35.3	0.8	<0.05	3.3	4.08	39.3	0.04	<1	0.7	23.4	<10	<2
918739	Soil	0.02	1.15	23.8	0.5	<0.05	1.4	3.07	40.5	0.03	<1	0.5	24.3	<10	<2
918740	Soil	0.03	1.16	26.1	0.7	<0.05	1.9	3.07	32.6	0.04	<1	0.8	29.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918741	Soil	1.74	0.64	20.86	20.18	184.5	158	29.5	14.9	1883	3.71	14.4	0.6	5.0	2.4	26.3	0.54	0.59	0.43	61	0.27
918742	Soil	1.76	0.91	26.49	17.26	168.1	149	38.2	15.2	1848	3.51	12.5	0.9	2.2	2.8	19.2	0.31	0.69	0.42	58	0.18
918743	Soil	1.77	0.80	30.29	16.20	193.0	121	40.8	14.9	1690	3.54	14.6	1.0	4.0	4.1	28.6	0.51	0.88	0.42	58	0.24
918744	Soil	1.41	0.66	24.17	16.31	194.4	136	31.2	13.3	1632	3.27	10.0	0.8	2.0	3.4	20.7	0.49	0.44	0.41	56	0.19
918745	Soil	2.05	0.72	30.44	29.77	141.9	155	39.8	15.8	1736	3.60	11.0	0.9	2.5	3.8	26.6	0.50	1.03	0.62	60	0.20
918746	Soil	1.73	0.93	48.89	32.26	184.8	134	58.8	24.3	3364	4.56	8.2	1.3	2.4	5.8	54.9	0.58	0.79	0.84	61	0.36
918747	Soil	3.09	0.63	26.75	12.73	75.5	91	23.1	7.7	297	2.49	4.9	0.9	4.8	4.3	27.5	0.23	0.24	0.19	53	0.26
918748	Soil	2.34	0.64	25.74	43.57	147.7	267	94.3	15.4	1549	3.21	16.7	0.8	2.7	3.9	54.5	1.31	1.18	0.35	60	0.49
918749	Soil	2.06	0.65	28.59	64.23	158.5	216	85.6	16.7	1525	3.60	13.6	0.8	3.0	3.6	55.3	1.62	1.22	0.36	67	0.46
918750	Soil	2.02	0.85	34.52	64.99	186.0	441	89.9	17.5	1237	3.45	17.9	1.0	3.0	3.3	54.9	2.47	1.20	0.38	63	0.44
918751	Soil	1.89	1.15	51.86	71.17	219.8	591	107.0	21.4	1122	3.68	27.6	1.6	3.5	3.6	56.5	2.10	1.06	0.46	66	0.50
918752	Soil	1.83	1.02	41.84	90.01	222.5	319	96.8	20.2	1756	3.80	18.3	1.4	4.8	3.1	79.8	2.17	1.21	0.55	61	0.60
918753	Soil	1.74	0.86	31.04	72.30	201.2	190	85.3	19.5	1766	3.65	18.1	1.0	2.6	3.4	55.3	2.24	1.32	0.49	64	0.42
918754	Soil	2.16	0.77	32.36	39.55	136.7	140	100.4	18.9	1265	3.69	15.6	0.9	5.0	3.2	49.3	1.23	1.06	0.35	70	0.37
918755	Soil	2.08	0.59	31.24	13.83	98.0	144	116.9	15.4	557	3.76	13.5	0.8	9.4	3.5	26.6	0.31	0.60	0.23	76	0.22
918756	Soil	1.98	0.69	22.86	29.27	126.9	148	127.8	16.6	1182	3.34	11.7	0.6	6.4	2.3	48.1	1.05	1.03	0.28	60	0.42
918757	Soil	2.01	0.66	27.11	24.87	119.3	154	135.2	18.7	1298	3.75	10.7	0.6	2.4	2.6	50.9	1.02	1.06	0.28	68	0.37
918758	Soil	2.59	0.62	30.23	15.54	120.9	115	123.6	17.9	900	3.75	11.9	0.7	3.7	2.4	46.5	0.53	0.81	0.23	69	0.36
918759	Soil	1.83	0.64	29.79	17.34	171.2	200	131.6	17.7	990	3.47	12.2	0.8	3.0	2.4	52.2	1.30	0.75	0.39	60	0.41
918760	Soil	4.05	0.61	26.34	12.32	71.6	89	22.0	7.8	289	2.39	4.9	0.8	2.2	4.3	25.3	0.23	0.23	0.18	50	0.23
918761	Soil	1.93	0.54	35.18	16.08	203.3	335	139.4	18.1	761	3.68	13.3	0.7	5.6	2.5	31.3	2.81	0.71	0.30	69	0.43
918762	Soil	2.07	0.69	29.17	28.44	256.5	278	123.3	16.2	713	3.47	11.0	0.8	68.1	3.2	44.4	4.54	0.61	0.26	63	0.53
918763	Soil	1.87	0.67	21.77	23.43	252.8	358	109.0	13.2	694	2.99	9.7	0.8	2.4	2.9	30.9	3.63	0.60	0.27	52	0.59
918764	Soil	2.19	0.68	24.95	33.75	202.7	1088	105.4	14.5	754	3.00	10.6	0.7	5.0	3.0	25.1	3.62	0.70	0.27	55	0.39
918765	Soil	2.47	0.75	23.74	72.93	225.9	296	190.6	18.1	1051	3.33	10.1	0.7	2.5	3.1	30.1	2.89	0.69	0.31	56	0.37
918766	Soil	2.12	0.89	16.19	53.45	219.0	190	154.5	14.7	791	2.89	8.6	0.5	3.7	2.4	36.3	2.80	1.16	0.35	48	0.56
918767	Soil	1.94	0.76	23.94	54.36	297.4	241	124.8	16.8	1021	3.20	10.3	0.7	2.5	2.9	20.3	5.31	0.62	0.26	55	0.23
918768	Soil	2.71	0.68	26.45	48.09	256.0	404	107.3	15.5	1004	3.14	17.4	0.8	6.8	2.8	28.5	3.32	0.79	0.26	56	0.38
918816	Soil	1.41	0.80	25.00	30.73	124.1	202	39.2	13.6	1625	3.15	9.9	1.1	2.8	2.4	30.9	0.57	0.95	0.36	49	0.41
918817	Soil	1.19	0.74	19.34	15.90	139.4	142	25.8	9.8	1576	2.61	10.2	0.7	1.8	2.1	25.3	0.34	0.41	0.30	42	0.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 28, 2008

Page: 3 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918741	Soil	0.202	11.2	28.5	0.59	238.9	0.063	2	2.65	0.009	0.11	0.2	2.5	0.16	<0.02	39	0.4	0.05	9.3	2.01	<0.1
918742	Soil	0.100	13.1	27.6	0.56	133.5	0.072	2	3.20	0.009	0.11	0.3	2.8	0.20	0.02	49	0.4	0.04	9.3	2.92	<0.1
918743	Soil	0.170	12.1	28.1	0.55	146.5	0.085	2	3.84	0.010	0.12	0.3	3.5	0.21	<0.02	56	0.5	0.07	10.2	2.98	<0.1
918744	Soil	0.181	9.7	25.9	0.48	138.0	0.095	2	3.62	0.014	0.13	0.2	3.1	0.20	0.02	35	0.4	0.04	10.6	4.85	<0.1
918745	Soil	0.088	11.6	29.2	0.61	128.4	0.095	2	3.77	0.017	0.12	0.3	3.4	0.26	0.02	46	0.5	0.05	11.4	3.35	0.1
918746	Soil	0.137	14.8	34.6	0.76	142.6	0.090	3	4.47	0.032	0.16	0.5	4.9	0.43	0.03	67	0.7	0.08	13.1	5.26	<0.1
918747	Soil	0.060	12.7	24.5	0.53	68.1	0.066	<1	1.32	0.010	0.22	0.3	2.8	0.16	<0.02	10	0.3	0.02	4.5	1.37	0.1
918748	Soil	0.166	13.8	55.5	0.81	310.5	0.111	3	3.35	0.013	0.29	0.3	4.8	0.31	<0.02	60	0.4	0.05	9.3	2.53	<0.1
918749	Soil	0.156	13.9	54.5	0.81	301.4	0.090	2	3.13	0.010	0.34	0.3	4.9	0.29	<0.02	39	0.3	0.06	9.0	2.30	<0.1
918750	Soil	0.185	13.2	52.1	0.79	357.8	0.093	2	3.02	0.010	0.26	0.3	4.9	0.29	<0.02	46	0.4	0.06	8.9	2.35	<0.1
918751	Soil	0.190	15.9	59.0	0.73	303.0	0.092	3	3.35	0.012	0.28	0.2	5.3	0.30	<0.02	52	0.7	0.05	9.6	2.85	<0.1
918752	Soil	0.258	16.3	57.1	0.73	449.9	0.088	3	3.34	0.012	0.37	0.4	4.9	0.30	0.03	62	0.6	0.05	9.9	2.77	<0.1
918753	Soil	0.200	12.9	57.5	0.76	409.5	0.093	3	3.44	0.010	0.36	0.3	4.9	0.30	<0.02	55	0.5	0.06	10.1	2.75	<0.1
918754	Soil	0.170	13.2	64.4	0.90	311.9	0.093	2	3.34	0.008	0.30	0.3	4.8	0.26	<0.02	33	0.4	0.04	9.5	2.28	<0.1
918755	Soil	0.067	13.6	78.9	1.02	152.5	0.101	2	2.96	0.009	0.21	0.3	5.6	0.17	<0.02	15	0.4	0.04	8.5	1.84	<0.1
918756	Soil	0.164	10.6	66.2	0.84	296.1	0.075	2	2.73	0.009	0.21	0.3	4.2	0.16	<0.02	33	0.4	0.04	7.4	1.55	<0.1
918757	Soil	0.157	11.3	69.7	0.93	267.5	0.079	3	2.93	0.009	0.20	0.3	4.9	0.15	<0.02	28	0.3	0.05	8.1	1.63	<0.1
918758	Soil	0.188	11.9	63.5	0.90	237.5	0.071	2	2.94	0.009	0.23	0.3	5.3	0.15	<0.02	23	0.4	0.03	8.2	1.58	<0.1
918759	Soil	0.384	11.8	60.1	0.86	303.9	0.070	3	2.93	0.012	0.26	0.4	4.9	0.19	<0.02	29	0.4	0.03	7.9	1.72	<0.1
918760	Soil	0.059	10.7	23.4	0.51	66.6	0.057	<1	1.29	0.009	0.23	0.3	2.9	0.16	<0.02	11	0.2	0.03	4.3	1.30	<0.1
918761	Soil	0.251	11.2	59.6	0.90	245.2	0.079	2	3.32	0.014	0.22	0.4	5.3	0.17	<0.02	29	0.7	0.03	8.6	1.64	<0.1
918762	Soil	0.359	15.9	60.4	0.84	332.0	0.088	3	3.26	0.017	0.25	0.5	5.8	0.20	<0.02	29	0.4	0.03	8.9	2.24	<0.1
918763	Soil	0.329	11.8	57.7	0.71	233.0	0.072	2	2.89	0.010	0.20	0.5	4.6	0.19	<0.02	26	0.5	<0.02	7.6	1.85	<0.1
918764	Soil	0.187	11.9	61.0	0.77	238.0	0.073	2	2.55	0.008	0.21	0.5	4.7	0.18	<0.02	27	0.5	0.03	7.3	1.68	<0.1
918765	Soil	0.209	13.3	86.5	1.02	328.4	0.081	3	2.77	0.010	0.18	0.5	3.8	0.18	<0.02	26	0.4	0.03	7.6	1.97	<0.1
918766	Soil	0.203	9.1	63.3	0.79	336.6	0.070	3	2.45	0.009	0.14	0.5	3.4	0.17	<0.02	45	0.4	0.03	7.1	1.63	<0.1
918767	Soil	0.196	11.4	69.3	0.84	266.0	0.070	2	2.55	0.008	0.19	0.5	4.4	0.17	<0.02	17	0.4	0.02	7.1	1.73	<0.1
918768	Soil	0.172	11.7	58.9	0.79	286.0	0.083	2	3.00	0.010	0.17	0.4	4.4	0.17	<0.02	25	0.5	0.03	8.2	1.81	<0.1
918816	Soil	0.096	12.0	26.4	0.54	150.4	0.068	2	2.95	0.010	0.09	0.3	2.1	0.17	0.03	61	0.5	0.04	9.3	2.03	<0.1
918817	Soil	0.105	6.6	16.6	0.32	144.5	0.082	1	3.63	0.015	0.06	0.2	2.0	0.16	0.03	54	0.4	0.05	9.6	2.11	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 3 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918741	Soil	0.03	1.11	30.0	0.7	<0.05	1.5	2.79	30.6	0.04	<1	0.7	33.8	<10	<2
918742	Soil	0.06	1.61	33.2	0.7	<0.05	3.5	4.23	41.5	0.04	<1	1.0	42.1	<10	<2
918743	Soil	0.15	1.65	38.3	0.7	<0.05	8.0	5.43	42.1	0.04	<1	1.1	38.9	<10	<2
918744	Soil	0.12	1.89	62.7	0.8	<0.05	9.2	4.59	36.9	0.04	<1	1.0	46.9	<10	<2
918745	Soil	0.12	1.92	43.1	0.9	<0.05	6.8	4.90	39.2	0.06	<1	0.9	45.0	<10	<2
918746	Soil	0.13	1.64	64.0	0.7	<0.05	5.7	9.78	41.7	0.06	<1	1.5	61.8	<10	<2
918747	Soil	0.21	0.34	25.1	0.3	<0.05	11.2	6.21	28.8	<0.02	<1	0.5	13.7	<10	<2
918748	Soil	0.13	1.80	29.3	0.8	<0.05	9.4	6.65	39.1	0.08	<1	0.9	31.8	<10	<2
918749	Soil	0.07	1.48	32.1	0.7	<0.05	5.8	6.85	39.0	0.10	<1	0.9	27.1	<10	<2
918750	Soil	0.12	1.41	32.8	0.7	<0.05	7.6	7.16	37.7	0.09	<1	0.9	27.4	<10	<2
918751	Soil	0.13	1.38	29.3	0.7	<0.05	8.0	9.02	44.0	0.09	<1	1.1	32.4	<10	<2
918752	Soil	0.07	1.44	30.0	0.9	<0.05	4.9	9.75	42.1	0.13	<1	0.8	32.1	<10	<2
918753	Soil	0.10	1.40	30.8	0.8	<0.05	6.3	7.40	36.3	0.11	<1	1.1	33.7	<10	<2
918754	Soil	0.10	1.38	27.0	0.7	<0.05	7.1	7.01	38.4	0.08	<1	0.8	29.3	<10	<2
918755	Soil	0.15	0.79	22.4	0.5	<0.05	9.9	6.99	34.1	0.03	<1	0.6	23.6	<10	<2
918756	Soil	0.07	1.13	17.6	0.5	<0.05	4.2	5.04	30.2	0.06	<1	0.7	20.4	<10	<2
918757	Soil	0.09	1.14	19.0	0.5	<0.05	5.6	5.89	32.9	0.04	<1	0.7	20.5	<10	<2
918758	Soil	0.08	1.00	18.4	0.4	<0.05	5.9	7.26	31.1	0.03	<1	0.6	20.8	<10	<2
918759	Soil	0.13	1.04	25.0	0.5	<0.05	6.8	7.77	30.4	0.03	<1	0.8	20.2	<10	<2
918760	Soil	0.20	0.21	23.3	0.3	<0.05	10.6	5.75	20.2	<0.02	<1	0.4	13.1	<10	<2
918761	Soil	0.18	1.01	19.1	0.5	<0.05	10.6	7.96	31.4	0.04	<1	0.7	20.0	<10	<2
918762	Soil	0.16	1.30	21.7	0.6	<0.05	10.9	9.98	42.0	0.04	<1	0.8	24.2	<10	<2
918763	Soil	0.11	1.12	20.8	0.5	<0.05	7.4	9.34	31.5	0.03	<1	0.7	22.4	<10	<2
918764	Soil	0.15	1.12	20.2	0.5	<0.05	9.5	8.37	30.1	0.04	<1	0.9	20.0	13	<2
918765	Soil	0.10	1.86	21.3	0.6	<0.05	8.1	6.42	38.4	0.05	<1	0.9	21.2	<10	<2
918766	Soil	0.12	1.87	19.9	0.6	<0.05	7.5	4.84	21.9	0.05	<1	0.6	18.0	<10	<2
918767	Soil	0.13	1.01	23.5	0.4	<0.05	7.0	7.06	29.6	0.03	<1	0.7	20.9	<10	<2
918768	Soil	0.14	1.23	21.5	0.6	<0.05	8.6	7.44	34.0	0.04	<1	0.9	21.9	<10	<2
918816	Soil	0.08	2.53	21.1	0.8	<0.05	5.4	4.11	41.2	0.05	<1	0.9	33.3	<10	<2
918817	Soil	0.16	1.98	18.4	0.8	<0.05	10.9	3.89	32.0	0.04	<1	0.9	21.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 28, 2008

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	0.02	2	0.01
918818	Soil	1.22	0.72	18.34	16.36	141.1	134	25.2	10.3	1654	2.61	10.2	0.7	1.1	1.9	25.0	0.33	0.42	0.30	42	0.21
918819	Soil	1.66	0.92	32.99	29.04	114.7	144	34.5	15.3	1253	3.46	11.8	1.0	5.1	2.4	30.0	0.56	1.07	0.36	67	0.29
918820	Soil	1.30	0.78	19.71	19.98	104.2	148	28.7	10.5	1609	2.78	11.4	0.7	2.0	2.5	20.7	0.32	0.83	0.36	45	0.17
918821	Soil	1.26	0.72	20.50	35.76	169.2	161	29.3	11.6	2601	2.67	11.7	0.6	1.9	1.7	57.6	0.74	0.98	0.38	43	0.65
918822	Soil	1.50	0.91	36.64	41.11	179.8	221	51.8	21.2	1856	3.75	13.8	1.3	3.6	3.8	23.5	0.81	0.97	0.47	66	0.20
918823	Soil	1.55	0.75	44.35	24.03	164.5	548	105.7	24.4	1501	3.67	10.0	0.8	2.6	3.7	36.9	0.44	0.59	0.38	60	0.26
918824	Soil	1.50	0.84	27.07	45.08	171.2	191	34.3	15.7	2249	3.02	11.9	0.8	3.1	2.2	26.0	0.74	1.32	0.52	50	0.21
918825	Soil	1.27	0.72	23.93	92.85	179.2	145	26.9	14.3	2368	2.62	15.3	0.6	4.1	2.2	62.7	2.00	2.01	0.62	37	0.62
918826	Soil	1.37	0.81	25.18	47.46	186.8	244	36.1	16.0	1743	3.14	13.2	0.7	2.7	2.3	35.6	0.99	1.08	0.48	53	0.40
918827	Soil	1.94	0.65	20.58	34.63	111.3	189	30.7	15.5	1078	2.77	12.0	0.5	2.3	2.2	40.8	0.61	0.82	0.42	43	0.38
918828	Soil	1.89	0.85	46.09	18.50	108.4	173	37.9	16.2	748	3.06	13.7	1.4	3.2	5.1	14.5	0.28	0.70	0.34	49	0.09
918829	Soil	1.86	0.84	44.37	19.33	110.1	175	36.6	15.5	736	3.03	13.4	1.3	3.3	4.8	15.0	0.27	0.70	0.33	49	0.09
918830	Soil	2.14	0.61	30.39	15.38	74.7	90	23.8	9.7	294	2.38	5.3	1.0	2.0	4.8	27.4	0.25	0.26	0.20	50	0.23
918831	Soil	1.11	0.76	20.39	35.76	136.7	187	19.3	9.5	1635	1.97	11.8	0.7	3.5	2.0	22.7	1.11	1.33	0.37	33	0.25
918832	Soil	1.83	1.03	38.46	23.29	159.9	520	43.2	16.3	1392	3.23	11.2	1.2	4.0	4.6	26.8	0.50	0.62	0.45	50	0.16
918833	Soil	1.78	0.91	28.68	23.91	131.2	174	38.7	16.8	1649	3.27	13.9	0.7	3.2	3.2	30.8	0.42	0.78	0.42	53	0.15
918834	Soil	1.87	0.74	29.64	21.00	139.0	88	37.9	17.3	2763	3.52	13.0	0.7	2.5	4.4	17.6	0.29	0.78	0.43	55	0.11
918835	Soil	1.39	0.85	30.90	25.16	165.2	155	34.0	16.2	2607	3.04	12.2	0.9	3.7	3.7	24.7	0.68	1.24	0.42	52	0.22
918836	Soil	1.64	0.97	60.60	27.17	123.2	199	52.6	25.5	1574	4.35	12.5	2.1	4.4	9.3	42.4	0.36	0.35	0.63	68	0.25
918837	Soil	1.39	0.70	29.91	53.63	182.2	119	39.2	18.4	4118	3.92	13.7	1.0	2.2	4.7	109.9	0.97	0.88	0.67	58	0.86
918838	Soil	1.56	0.78	32.25	37.18	162.2	129	35.5	16.3	2545	3.37	14.5	0.8	2.9	3.6	32.2	0.70	1.06	0.63	54	0.32
918839	Soil	1.77	0.92	30.01	33.56	160.5	123	29.9	16.4	2980	3.32	13.9	0.7	2.7	2.1	24.8	0.67	1.05	0.46	58	0.30
918840	Soil	1.05	0.92	33.38	106.8	210.4	138	36.2	17.1	3616	3.03	19.6	1.1	3.2	2.7	62.3	2.50	2.10	0.83	47	0.76
918841	Soil	1.45	0.93	40.02	60.52	170.0	130	38.9	19.4	2567	3.50	16.4	1.2	2.9	4.8	42.1	1.37	1.65	0.69	54	0.47
918842	Soil	1.53	1.03	56.61	38.81	166.3	108	54.9	28.8	3268	3.93	10.2	1.5	2.5	4.7	68.7	1.13	1.38	0.74	53	0.58
918843	Soil	1.49	1.07	60.33	72.37	213.0	196	59.0	34.1	3474	3.62	11.0	1.3	2.5	2.5	74.9	1.78	1.18	0.83	46	0.73
918844	Soil	1.42	1.28	59.26	57.95	300.1	160	55.1	88.6	6532	3.48	23.6	1.3	2.7	3.1	26.6	2.15	1.72	0.88	51	0.23
918845	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
918930	Soil	2.13	1.26	68.48	33.05	189.3	163	62.9	28.0	3655	3.85	12.3	1.8	3.5	5.8	77.9	0.83	0.69	0.67	51	0.63
918931	Soil	2.07	0.96	68.02	41.88	173.0	182	53.6	26.4	3393	4.05	13.9	1.9	3.9	6.5	81.7	0.87	0.76	0.63	53	0.66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 28, 2008

Page: 4 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918818	Soil			0.104	6.7	14.6	0.31	140.3	0.080	1	3.49	0.015	0.06	0.2	2.0	0.15	0.03	54	0.5	0.03	9.8	2.19	<0.1
918819	Soil			0.074	9.7	30.2	0.66	139.5	0.075	1	2.69	0.008	0.08	0.3	2.3	0.15	0.02	52	0.5	0.06	9.0	1.55	<0.1
918820	Soil			0.101	7.1	18.5	0.39	99.5	0.093	1	3.48	0.016	0.07	0.2	2.2	0.16	0.03	58	0.5	0.05	10.4	1.94	<0.1
918821	Soil			0.169	6.7	18.6	0.41	226.9	0.079	2	3.09	0.012	0.09	0.2	2.1	0.18	0.03	60	0.5	0.04	9.3	1.87	<0.1
918822	Soil			0.128	13.1	50.8	0.99	191.7	0.117	2	3.49	0.009	0.09	0.2	3.4	0.24	<0.02	76	0.7	0.06	9.5	3.77	<0.1
918823	Soil			0.212	11.1	73.8	1.55	288.9	0.135	2	3.54	0.013	0.09	0.2	2.5	0.21	0.02	39	0.4	0.05	9.9	5.60	<0.1
918824	Soil			0.138	11.5	26.9	0.45	170.5	0.081	2	2.73	0.011	0.10	0.2	2.2	0.18	0.04	59	0.5	0.06	8.9	2.52	<0.1
918825	Soil			0.229	12.1	24.3	0.36	217.3	0.060	2	1.97	0.011	0.12	0.2	1.7	0.21	0.04	75	0.5	0.07	6.7	1.87	<0.1
918826	Soil			0.100	12.2	27.9	0.51	157.4	0.084	3	2.58	0.011	0.10	0.3	2.2	0.18	0.04	54	0.4	0.05	8.0	2.60	<0.1
918827	Soil			0.106	9.2	24.0	0.37	150.6	0.076	<1	2.31	0.010	0.07	0.3	1.9	0.14	0.03	39	0.4	0.04	7.2	1.75	<0.1
918828	Soil			0.130	16.8	30.9	0.54	138.6	0.091	1	3.05	0.011	0.08	0.3	3.8	0.17	0.02	45	0.5	0.04	7.8	2.03	<0.1
918829	Soil			0.129	16.2	29.6	0.53	134.6	0.090	2	3.05	0.011	0.09	0.3	3.7	0.17	0.02	47	0.5	0.04	8.0	2.02	<0.1
918830	Soil			0.071	12.1	27.2	0.52	76.9	0.068	<1	1.32	0.010	0.24	0.3	2.9	0.16	<0.02	11	0.2	<0.02	4.2	1.52	<0.1
918831	Soil			0.164	6.2	12.6	0.21	143.2	0.103	2	2.98	0.016	0.07	0.2	1.7	0.14	0.03	54	0.5	0.05	8.4	1.50	<0.1
918832	Soil			0.117	17.6	26.7	0.51	152.9	0.084	2	3.20	0.009	0.10	0.3	3.2	0.20	0.03	66	0.6	0.05	8.2	4.38	<0.1
918833	Soil			0.142	11.8	31.6	0.56	172.3	0.066	<1	2.77	0.007	0.10	0.3	2.4	0.20	0.02	38	0.4	0.06	8.1	2.25	<0.1
918834	Soil			0.159	12.5	33.2	0.57	255.6	0.076	1	2.64	0.008	0.08	0.3	2.5	0.21	<0.02	28	0.4	0.04	8.4	3.01	<0.1
918835	Soil			0.143	12.1	27.2	0.47	221.9	0.099	2	3.28	0.010	0.09	0.3	3.1	0.22	0.02	49	0.4	0.05	9.9	2.88	<0.1
918836	Soil			0.141	20.9	50.7	1.13	113.0	0.109	2	5.77	0.022	0.18	0.6	7.9	0.36	0.03	34	0.7	0.07	13.8	4.97	0.1
918837	Soil			0.179	10.6	40.4	0.86	242.3	0.096	3	3.90	0.059	0.17	0.4	5.6	0.50	0.04	51	0.4	0.07	12.4	4.25	<0.1
918838	Soil			0.143	13.1	29.5	0.58	201.1	0.074	1	2.90	0.008	0.10	0.3	2.9	0.25	0.03	42	0.4	0.04	9.4	3.45	<0.1
918839	Soil			0.151	9.6	26.5	0.58	191.8	0.070	2	2.78	0.008	0.07	0.3	2.6	0.19	0.03	48	0.4	0.04	8.2	2.68	<0.1
918840	Soil			0.181	11.8	27.7	0.51	245.0	0.082	4	3.26	0.015	0.10	0.4	3.4	0.36	0.07	153	0.7	0.10	10.8	3.74	<0.1
918841	Soil			0.145	13.5	32.3	0.68	163.9	0.089	2	3.81	0.014	0.12	0.3	4.3	0.27	0.04	82	0.7	0.10	11.0	3.27	<0.1
918842	Soil			0.137	14.8	32.0	0.73	138.6	0.090	2	3.92	0.031	0.16	0.4	4.3	0.31	0.05	54	0.8	0.07	11.3	5.35	0.1
918843	Soil			0.170	13.7	27.8	0.56	194.6	0.079	4	3.40	0.012	0.18	0.5	3.1	0.35	0.08	66	0.8	0.09	9.9	4.67	<0.1
918844	Soil			0.255	14.8	21.3	0.34	271.9	0.088	1	2.57	0.009	0.10	0.3	2.5	0.33	0.03	62	0.8	0.08	9.8	3.73	<0.1
918845	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
918930	Soil			0.127	15.1	34.0	0.77	238.8	0.092	3	4.40	0.021	0.18	0.5	4.7	0.34	0.05	39	1.0	0.08	11.9	3.94	<0.1
918931	Soil			0.131	15.2	38.5	0.90	175.4	0.104	3	5.04	0.033	0.27	0.2	6.2	0.38	0.05	38	0.8	0.09	13.1	3.79	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 4 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918818	Soil	0.13	1.93	18.6	0.8	<0.05	9.8	3.77	30.6	0.04	<1	0.8	21.0	<10	<2
918819	Soil	0.07	2.22	16.5	0.7	<0.05	4.0	2.81	33.1	0.05	<1	0.8	32.1	<10	<2
918820	Soil	0.15	2.04	20.1	0.8	<0.05	10.8	3.54	24.6	0.04	<1	0.8	25.8	<10	<2
918821	Soil	0.11	1.88	20.0	0.8	<0.05	6.5	3.42	21.0	0.06	<1	0.9	24.4	<10	<2
918822	Soil	0.09	3.08	28.7	0.8	<0.05	6.2	5.47	38.1	0.07	<1	1.2	45.2	<10	<2
918823	Soil	0.06	2.49	35.1	0.8	<0.05	4.2	3.18	37.9	0.05	<1	1.3	58.8	<10	<2
918824	Soil	0.06	2.04	29.3	1.0	<0.05	3.6	3.77	27.3	0.08	<1	0.8	23.9	<10	<2
918825	Soil	0.04	1.62	26.9	0.9	<0.05	2.2	2.51	25.5	0.10	<1	0.7	18.7	<10	<2
918826	Soil	0.05	1.95	26.8	0.9	<0.05	2.9	3.90	33.9	0.09	<1	0.7	32.9	<10	<2
918827	Soil	0.06	1.82	21.8	0.8	<0.05	3.7	2.58	20.8	0.05	<1	0.8	19.8	<10	<2
918828	Soil	0.24	1.88	20.1	0.7	<0.05	12.4	7.49	38.8	0.03	<1	0.7	23.2	<10	<2
918829	Soil	0.19	1.91	20.2	0.6	<0.05	11.6	7.23	36.1	0.04	<1	1.1	22.8	<10	<2
918830	Soil	0.20	0.23	26.7	0.3	<0.05	12.2	6.22	22.1	<0.02	<1	0.4	12.6	<10	<2
918831	Soil	0.20	1.95	16.1	0.9	<0.05	12.2	3.23	19.9	0.07	<1	0.7	14.0	<10	<2
918832	Soil	0.11	1.84	28.3	0.8	<0.05	7.8	8.73	51.3	0.05	<1	1.0	28.4	<10	<2
918833	Soil	0.04	1.59	34.2	0.7	<0.05	2.6	3.45	29.2	0.04	<1	1.0	26.7	<10	<2
918834	Soil	0.08	1.52	28.4	0.7	<0.05	4.2	3.40	26.9	0.04	<1	1.0	25.6	<10	<2
918835	Soil	0.17	2.43	28.0	0.9	<0.05	8.5	4.96	27.7	0.05	<1	1.0	28.3	<10	<2
918836	Soil	0.22	1.81	43.0	0.8	<0.05	11.6	14.06	48.7	0.06	<1	1.7	60.5	<10	<2
918837	Soil	0.03	1.48	61.9	0.9	<0.05	2.0	6.67	24.3	0.08	<1	1.5	57.3	<10	<2
918838	Soil	0.04	1.44	32.0	0.8	<0.05	2.8	4.04	31.0	0.06	<1	0.8	28.9	<10	<2
918839	Soil	0.04	1.53	20.5	0.8	<0.05	2.6	3.76	25.5	0.06	<1	0.7	21.9	<10	<2
918840	Soil	0.07	1.89	28.2	1.2	<0.05	4.4	5.93	28.5	0.21	<1	1.0	36.9	<10	<2
918841	Soil	0.10	1.93	29.2	1.0	<0.05	5.5	7.12	28.8	0.12	<1	1.1	38.9	<10	<2
918842	Soil	0.09	2.08	46.7	0.7	<0.05	4.4	9.99	31.9	0.08	<1	1.3	43.3	<10	<2
918843	Soil	0.04	1.93	48.4	0.9	<0.05	2.6	6.37	28.0	0.13	<1	1.3	33.0	<10	<2
918844	Soil	0.07	1.84	25.5	1.2	<0.05	4.2	7.05	28.5	0.09	<1	2.5	34.3	<10	<2
918845	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
918930	Soil	0.11	2.20	56.3	0.8	<0.05	6.1	9.09	32.9	0.05	<1	1.4	51.0	<10	<2
918931	Soil	0.12	2.18	68.0	1.0	<0.05	6.3	12.97	32.0	0.07	<1	1.3	64.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918932	Soil	1.97	1.06	72.26	34.36	152.3	130	70.2	28.7	3056	4.20	10.8	2.0	3.7	8.5	56.6	0.57	0.60	0.63	53	0.48
918933	Soil	2.34	0.61	30.57	14.48	77.7	90	23.9	9.2	304	2.40	5.1	1.0	1.5	4.8	27.4	0.24	0.27	0.19	51	0.25
918934	Soil	2.25	1.22	53.89	36.80	148.5	165	61.2	27.8	2360	3.49	14.2	1.7	2.9	3.6	38.1	0.77	0.99	0.48	54	0.29
918935	Soil	1.53	1.14	53.67	78.55	215.6	274	45.1	39.0	3047	4.52	23.0	1.7	3.9	3.3	38.3	1.44	1.86	0.96	50	0.37
918936	Soil	1.90	0.88	45.17	26.52	161.3	123	43.6	20.2	2367	3.51	13.2	1.5	2.4	5.4	53.8	0.64	0.73	0.50	48	0.45
918937	Soil	2.28	0.68	60.09	38.53	126.4	78	56.3	26.5	2699	4.46	11.5	1.6	3.1	7.8	141.1	0.51	0.67	0.61	55	1.06
918938	Soil	2.61	0.66	58.00	32.22	138.2	70	59.1	29.5	2555	4.53	8.3	1.5	2.9	7.0	110.9	0.53	0.73	0.61	57	0.86
918939	Soil	1.74	0.70	60.49	38.40	141.8	101	56.2	26.4	2407	4.85	12.5	1.7	3.3	8.4	105.5	0.54	0.78	0.64	62	0.77
918940	Soil	2.06	0.47	59.37	50.45	158.1	103	49.7	24.9	3331	4.78	10.9	1.8	1.7	7.8	224.4	0.87	0.58	0.71	57	1.45
918941	Soil	2.41	0.84	54.83	36.74	136.9	101	45.1	22.1	2547	3.92	12.1	1.5	2.6	6.4	67.0	0.73	0.66	0.59	54	0.53
918942	Soil	1.70	0.81	73.36	77.50	186.1	195	55.7	30.1	3874	3.91	11.6	1.6	2.9	4.6	111.0	1.70	1.34	1.10	43	1.13
918943	Soil	1.95	0.74	66.51	68.78	185.1	156	53.8	31.3	3990	3.82	12.7	1.2	4.1	3.5	115.9	1.68	1.10	1.03	38	1.12
918944	Soil	2.26	1.00	65.30	26.58	131.8	127	59.9	31.0	2869	3.72	7.5	1.4	4.0	3.7	73.5	0.60	0.66	0.79	39	0.75
918945	Soil	1.89	0.83	68.14	36.04	225.6	150	79.7	47.5	3564	3.98	7.1	1.5	2.9	3.1	111.2	1.10	0.71	0.79	38	0.96
918946	Soil	1.48	1.15	56.39	69.16	231.8	220	54.4	39.1	2512	3.80	17.5	1.6	4.0	1.8	88.6	2.00	1.35	0.73	36	0.91
918947	Soil	1.71	0.68	28.95	24.05	167.1	272	76.7	15.7	1375	2.95	12.1	0.8	3.1	2.3	67.2	1.06	0.71	0.34	42	0.70
918948	Soil	1.49	0.59	26.09	18.76	118.7	236	70.1	16.0	1214	3.09	12.4	0.7	4.5	1.9	42.2	0.49	0.51	0.25	48	0.52
918949	Soil	1.75	0.54	35.90	30.88	122.6	221	47.4	15.4	823	3.08	13.7	0.7	7.5	2.8	31.7	0.73	0.64	0.27	52	0.33
918950	Soil	1.56	0.74	29.28	18.38	119.7	246	53.7	14.9	1480	2.99	12.1	0.9	3.3	3.9	34.2	0.47	0.56	0.28	46	0.31
918951	Soil	1.85	0.47	23.15	22.87	106.3	102	83.6	15.9	821	3.00	13.0	0.6	2.6	2.3	30.4	0.68	0.75	0.27	49	0.27
918952	Soil	1.98	0.47	23.29	19.96	103.7	190	81.5	14.8	783	2.68	10.4	0.6	4.0	2.8	41.8	0.49	0.55	0.22	40	0.28
918953	Soil	1.54	0.66	20.91	25.20	134.8	113	74.0	13.8	860	2.75	12.8	0.7	2.3	4.3	67.6	0.59	0.57	0.29	36	0.41
918954	Soil	2.04	0.65	26.88	21.35	141.2	259	53.5	11.0	1096	2.34	9.9	0.8	7.1	3.5	32.8	0.70	0.42	0.22	32	0.23
918955	Soil	1.63	0.82	20.04	37.53	163.7	203	60.7	13.7	1595	2.73	11.0	0.7	2.6	2.9	43.6	1.01	0.51	0.29	36	0.31



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 28, 2008

Page: 5 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918932	Soil	0.070	20.2	35.4	0.87	165.8	0.108	3	4.67	0.033	0.15	0.3	6.3	0.35	0.04	44	0.9	0.10	12.0	3.78	<0.1
918933	Soil	0.066	13.3	28.4	0.52	77.5	0.077	<1	1.37	0.012	0.22	0.3	3.1	0.16	<0.02	10	0.2	0.02	4.5	1.50	<0.1
918934	Soil	0.136	16.5	30.8	0.67	172.1	0.097	2	3.50	0.008	0.14	0.3	3.2	0.23	0.04	33	0.6	0.07	9.6	3.02	<0.1
918935	Soil	0.183	18.6	31.0	0.56	200.2	0.069	2	2.28	0.006	0.13	0.2	2.3	0.27	0.07	70	0.9	0.11	9.5	6.40	<0.1
918936	Soil	0.110	14.1	27.5	0.62	188.9	0.118	3	4.44	0.030	0.14	0.2	4.4	0.29	0.03	45	0.6	0.05	12.2	3.38	<0.1
918937	Soil	0.088	15.9	38.9	0.98	132.1	0.119	2	4.84	0.081	0.34	0.4	7.2	0.44	0.03	27	0.6	0.11	13.0	4.26	0.2
918938	Soil	0.073	13.8	42.1	1.05	139.9	0.123	2	4.73	0.071	0.39	0.3	7.0	0.49	0.04	33	0.6	0.07	12.8	5.02	0.1
918939	Soil	0.093	19.4	47.2	1.16	146.0	0.127	2	5.02	0.069	0.49	0.4	8.1	0.53	0.04	32	0.6	0.07	14.4	7.12	0.2
918940	Soil	0.128	18.1	43.9	1.17	140.2	0.110	3	4.89	0.164	0.48	0.5	8.7	0.57	0.04	35	0.7	0.12	14.1	6.55	0.2
918941	Soil	0.095	18.2	33.8	0.82	146.7	0.106	3	4.28	0.023	0.20	0.3	5.5	0.28	0.03	33	0.6	0.06	10.9	4.14	<0.1
918942	Soil	0.149	14.6	26.6	0.64	142.8	0.081	5	4.11	0.045	0.18	0.5	4.4	0.37	0.06	55	0.8	0.13	11.0	5.52	0.1
918943	Soil	0.161	12.6	27.9	0.61	139.6	0.080	5	3.99	0.044	0.19	0.4	4.3	0.31	0.04	45	0.7	0.09	10.2	5.41	<0.1
918944	Soil	0.100	14.6	28.6	0.58	123.1	0.083	4	4.73	0.016	0.14	0.5	3.9	0.28	0.04	46	0.9	0.09	11.2	4.88	<0.1
918945	Soil	0.161	14.2	28.3	0.60	217.5	0.093	4	4.48	0.019	0.21	0.7	3.8	0.30	0.05	35	0.7	0.10	11.2	5.33	0.1
918946	Soil	0.202	10.3	21.7	0.42	245.8	0.077	4	2.81	0.010	0.14	0.3	2.0	0.24	0.08	79	1.2	0.08	8.5	3.42	<0.1
918947	Soil	0.396	12.7	43.8	0.62	280.3	0.081	4	3.00	0.014	0.25	0.3	4.0	0.17	<0.02	43	0.5	0.04	7.6	1.94	<0.1
918948	Soil	0.230	12.3	49.7	0.66	230.9	0.085	2	3.00	0.014	0.23	0.2	4.3	0.17	<0.02	30	0.4	<0.02	7.5	1.89	<0.1
918949	Soil	0.129	13.3	44.7	0.74	149.8	0.083	3	2.79	0.013	0.31	0.4	4.7	0.20	<0.02	26	0.5	0.04	7.1	1.92	<0.1
918950	Soil	0.220	12.6	37.9	0.59	209.5	0.111	3	3.41	0.015	0.30	0.3	4.7	0.26	<0.02	37	0.5	0.02	8.5	2.28	<0.1
918951	Soil	0.168	10.7	55.1	0.74	218.9	0.079	2	2.51	0.011	0.24	0.3	4.0	0.15	<0.02	25	0.3	0.04	6.8	1.89	<0.1
918952	Soil	0.175	12.5	49.1	0.61	235.8	0.079	2	2.40	0.014	0.21	0.3	3.7	0.17	<0.02	30	0.3	0.02	6.6	1.93	<0.1
918953	Soil	0.287	16.1	44.0	0.58	322.8	0.067	2	2.36	0.010	0.20	0.3	3.6	0.17	<0.02	29	0.4	0.04	6.8	1.95	<0.1
918954	Soil	0.303	12.6	34.0	0.44	277.1	0.095	1	2.78	0.019	0.24	0.4	3.8	0.20	<0.02	31	0.4	<0.02	7.7	2.25	<0.1
918955	Soil	0.245	12.3	45.0	0.57	303.8	0.072	2	2.57	0.012	0.28	0.3	3.1	0.21	<0.02	36	0.4	<0.02	7.4	2.19	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 28, 2008

Page: 5 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08007829.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918932	Soil	0.19	2.28	40.8	0.9	<0.05	10.0	14.07	42.5	0.06	<1	1.5	60.7	<10	<2
918933	Soil	0.20	0.35	26.8	0.3	<0.05	10.4	6.22	24.9	<0.02	<1	0.4	13.3	<10	<2
918934	Soil	0.07	2.46	29.2	0.8	<0.05	5.5	6.51	35.8	0.07	<1	1.2	35.3	<10	<2
918935	Soil	<0.02	1.84	25.9	1.1	<0.05	1.2	4.57	36.5	0.13	<1	1.2	30.8	<10	<2
918936	Soil	0.21	2.19	40.4	1.0	<0.05	13.0	9.21	36.7	0.06	<1	1.3	50.6	<10	<2
918937	Soil	0.21	2.55	85.9	0.9	<0.05	9.7	15.30	35.4	0.07	<1	1.4	74.0	<10	<2
918938	Soil	0.11	2.75	82.7	0.9	<0.05	6.1	11.92	31.3	0.07	<1	1.1	80.4	<10	<2
918939	Soil	0.12	2.59	90.9	1.0	<0.05	6.2	15.03	43.4	0.07	<1	1.5	81.5	<10	<2
918940	Soil	0.06	1.58	93.0	1.0	<0.05	3.0	18.15	38.5	0.10	<1	1.4	88.7	<10	<2
918941	Soil	0.15	2.28	49.6	0.8	<0.05	8.2	11.97	44.1	0.05	<1	1.5	48.6	<10	<2
918942	Soil	0.11	1.91	49.5	0.9	<0.05	6.1	12.61	32.3	0.14	<1	1.4	44.5	<10	<2
918943	Soil	0.17	1.93	52.0	0.7	<0.05	8.4	11.93	31.0	0.13	<1	1.1	43.7	<10	<2
918944	Soil	0.19	2.28	38.5	0.6	<0.05	10.3	11.07	34.8	0.05	<1	1.6	41.0	<10	<2
918945	Soil	0.21	2.47	59.7	0.8	<0.05	10.6	10.98	37.3	0.08	<1	1.4	58.3	<10	<2
918946	Soil	0.08	2.40	30.9	1.0	<0.05	5.6	5.94	26.5	0.15	<1	1.7	46.2	<10	<2
918947	Soil	0.14	1.87	28.7	0.6	<0.05	7.3	8.04	31.7	0.05	<1	1.0	24.3	<10	<2
918948	Soil	0.13	1.75	31.1	0.5	<0.05	7.1	7.99	29.8	0.03	<1	0.8	21.1	<10	<2
918949	Soil	0.10	1.43	33.4	0.5	<0.05	6.3	8.34	28.8	0.05	<1	0.7	24.3	<10	<2
918950	Soil	0.23	1.65	34.0	0.6	<0.05	12.3	8.75	34.1	0.03	<1	0.8	29.5	<10	<2
918951	Soil	0.08	1.40	25.4	0.5	<0.05	5.3	5.42	24.8	0.04	<1	0.6	20.3	<10	<2
918952	Soil	0.10	1.52	27.7	0.5	<0.05	6.4	6.33	29.0	0.04	<1	0.6	19.3	<10	<2
918953	Soil	0.10	1.40	23.4	0.5	<0.05	5.7	6.18	36.8	0.04	<1	0.9	22.7	<10	<2
918954	Soil	0.15	1.45	25.8	0.6	<0.05	10.6	6.71	30.8	0.02	<1	0.7	20.8	<10	<2
918955	Soil	0.06	1.47	27.2	0.6	<0.05	3.7	5.43	29.5	0.04	<1	0.9	24.7	<10	<2

QUALITY CONTROL REPORT

VAN08007829.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
918716	Soil	1.57	0.84	34.02	24.07	161.5	518	62.7	22.5	1197	3.44	12.5	1.1	3.8	3.8	25.9	0.50	0.69	0.38	51	0.21
REP 918716	QC		0.86	34.92	24.61	168.5	525	64.1	23.1	1244	3.50	13.2	1.2	3.0	3.9	25.7	0.53	0.68	0.39	53	0.22
918722	Soil	1.28	0.68	35.58	23.79	218.9	188	51.6	21.7	1221	3.59	10.8	1.5	2.9	4.9	18.9	0.47	0.55	0.38	51	0.17
REP 918722	QC		0.66	35.55	24.11	226.1	194	53.9	22.3	1234	3.70	10.9	1.5	3.0	5.2	20.3	0.51	0.56	0.40	53	0.18
918744	Soil	1.41	0.66	24.17	16.31	194.4	136	31.2	13.3	1632	3.27	10.0	0.8	2.0	3.4	20.7	0.49	0.44	0.41	56	0.19
REP 918744	QC		0.61	23.94	16.73	193.6	137	30.7	13.4	1593	3.24	10.0	0.8	1.9	3.4	21.3	0.48	0.43	0.42	56	0.19
918759	Soil	1.83	0.64	29.79	17.34	171.2	200	131.6	17.7	990	3.47	12.2	0.8	3.0	2.4	52.2	1.30	0.75	0.39	60	0.41
REP 918759	QC		0.62	29.64	16.68	170.8	223	130.5	17.7	1044	3.43	12.0	0.8	69.0	2.2	52.1	1.30	0.73	0.38	59	0.40
918830	Soil	2.14	0.61	30.39	15.38	74.7	90	23.8	9.7	294	2.38	5.3	1.0	2.0	4.8	27.4	0.25	0.26	0.20	50	0.23
REP 918830	QC		0.62	30.83	14.56	78.7	85	24.1	9.2	289	2.35	5.3	1.0	1.4	4.6	27.8	0.25	0.26	0.20	49	0.23
918932	Soil	1.97	1.06	72.26	34.36	152.3	130	70.2	28.7	3056	4.20	10.8	2.0	3.7	8.5	56.6	0.57	0.60	0.63	53	0.48
REP 918932	QC		1.11	72.66	34.44	151.2	130	69.2	29.8	3110	4.19	10.3	1.9	6.1	8.2	56.0	0.57	0.60	0.62	52	0.50
918945	Soil	1.89	0.83	68.14	36.04	225.6	150	79.7	47.5	3564	3.98	7.1	1.5	2.9	3.1	111.2	1.10	0.71	0.79	38	0.96
REP 918945	QC		0.77	68.18	36.05	221.9	137	79.4	47.0	3517	3.90	7.2	1.5	2.6	2.9	109.5	1.09	0.69	0.79	38	0.94
Reference Materials																					
STD DS7	Standard		22.02	97.73	71.80	412.6	883	56.1	8.5	662	2.48	47.0	4.3	65.1	3.8	76.8	5.97	5.54	4.08	101	0.99
STD DS7	Standard		21.67	117.9	73.85	411.0	851	57.0	9.7	628	2.46	49.1	5.2	65.6	4.6	71.6	6.39	5.95	4.59	99	0.98
STD DS7	Standard		21.56	109.0	71.75	389.1	837	56.6	9.8	647	2.45	50.9	5.1	71.8	4.7	77.4	6.25	5.89	4.45	87	1.02
STD DS7	Standard		20.66	101.4	58.91	377.9	865	55.0	9.5	625	2.33	50.8	4.3	71.0	3.6	65.0	6.05	4.83	3.83	83	0.93
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08007829.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
918716	Soil	0.126	17.9	46.0	0.62	187.8	0.090	<1	2.96	0.010	0.11	0.2	2.6	0.17	<0.02	58	0.8	0.06	8.5	2.54	<0.1
REP 918716	QC	0.129	17.8	47.6	0.63	188.1	0.093	1	3.05	0.010	0.11	0.2	2.6	0.17	<0.02	55	0.8	0.05	9.0	2.59	<0.1
918722	Soil	0.102	17.7	38.7	0.57	175.6	0.105	1	3.38	0.013	0.10	0.2	3.4	0.18	<0.02	42	0.5	0.04	9.3	2.42	<0.1
REP 918722	QC	0.101	18.5	40.4	0.59	187.5	0.112	1	3.49	0.013	0.11	0.2	3.6	0.20	<0.02	46	0.5	0.03	9.5	2.58	<0.1
918744	Soil	0.181	9.7	25.9	0.48	138.0	0.095	2	3.62	0.014	0.13	0.2	3.1	0.20	0.02	35	0.4	0.04	10.6	4.85	<0.1
REP 918744	QC	0.183	10.3	24.8	0.49	138.6	0.097	2	3.53	0.014	0.13	0.2	3.1	0.20	0.02	40	0.4	0.04	10.6	4.85	<0.1
918759	Soil	0.384	11.8	60.1	0.86	303.9	0.070	3	2.93	0.012	0.26	0.4	4.9	0.19	<0.02	29	0.4	0.03	7.9	1.72	<0.1
REP 918759	QC	0.359	11.4	56.3	0.85	300.9	0.067	2	2.87	0.012	0.27	0.4	4.8	0.19	<0.02	25	0.5	0.02	7.8	1.64	<0.1
918830	Soil	0.071	12.1	27.2	0.52	76.9	0.068	<1	1.32	0.010	0.24	0.3	2.9	0.16	<0.02	11	0.2	<0.02	4.2	1.52	<0.1
REP 918830	QC	0.067	12.4	27.5	0.51	76.3	0.066	<1	1.28	0.010	0.22	0.3	2.6	0.15	<0.02	9	0.1	0.04	4.2	1.49	<0.1
918932	Soil	0.070	20.2	35.4	0.87	165.8	0.108	3	4.67	0.033	0.15	0.3	6.3	0.35	0.04	44	0.9	0.10	12.0	3.78	<0.1
REP 918932	QC	0.063	19.2	35.1	0.87	161.8	0.108	2	4.58	0.031	0.15	0.3	6.2	0.33	0.03	40	0.9	0.09	11.9	3.73	0.1
918945	Soil	0.161	14.2	28.3	0.60	217.5	0.093	4	4.48	0.019	0.21	0.7	3.8	0.30	0.05	35	0.7	0.10	11.2	5.33	0.1
REP 918945	QC	0.161	13.7	29.1	0.59	213.5	0.095	4	4.32	0.019	0.21	0.7	3.8	0.31	0.05	35	0.8	0.09	11.1	5.48	<0.1
Reference Materials																					
STD DS7	Standard	0.065	11.4	207.3	1.10	401.4	0.100	38	0.96	0.091	0.48	4.1	2.6	4.38	0.20	222	3.8	1.22	5.3	5.50	0.1
STD DS7	Standard	0.080	13.4	202.0	1.09	390.3	0.115	40	1.09	0.098	0.46	4.1	2.9	4.40	0.20	219	3.5	1.12	5.1	6.20	0.2
STD DS7	Standard	0.072	14.3	227.1	1.04	404.9	0.127	37	1.03	0.098	0.45	3.8	2.9	4.30	0.18	213	3.8	1.13	5.1	6.11	<0.1
STD DS7	Standard	0.083	11.3	201.6	1.05	358.2	0.116	42	1.03	0.095	0.46	3.4	2.7	4.23	0.17	231	3.7	1.13	4.7	6.10	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08007829.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
918716	Soil	0.07	1.99	28.2	0.7	<0.05	3.3	5.78	50.2	0.04	<1	0.8	36.9	<10	<2
REP 918716	QC	0.05	2.02	27.7	0.8	<0.05	3.4	5.83	48.0	0.04	<1	1.0	37.9	<10	<2
918722	Soil	0.16	2.43	29.4	0.9	<0.05	7.8	6.83	44.8	0.04	<1	1.0	36.4	<10	<2
REP 918722	QC	0.12	2.47	30.7	0.9	<0.05	7.4	6.91	47.2	0.04	<1	1.0	38.2	<10	<2
918744	Soil	0.12	1.89	62.7	0.8	<0.05	9.2	4.59	36.9	0.04	<1	1.0	46.9	<10	<2
REP 918744	QC	0.16	1.93	62.3	0.8	<0.05	8.9	4.54	38.7	0.03	<1	1.1	46.6	<10	<2
918759	Soil	0.13	1.04	25.0	0.5	<0.05	6.8	7.77	30.4	0.03	<1	0.8	20.2	<10	<2
REP 918759	QC	0.11	1.02	24.7	0.4	<0.05	6.9	7.83	29.6	0.03	<1	0.8	20.6	<10	<2
918830	Soil	0.20	0.23	26.7	0.3	<0.05	12.2	6.22	22.1	<0.02	<1	0.4	12.6	<10	<2
REP 918830	QC	0.20	0.41	26.8	0.3	<0.05	10.5	6.38	22.4	<0.02	<1	0.3	12.3	<10	<2
918932	Soil	0.19	2.28	40.8	0.9	<0.05	10.0	14.07	42.5	0.06	<1	1.5	60.7	<10	<2
REP 918932	QC	0.21	2.22	40.3	0.8	<0.05	11.0	14.17	40.8	0.05	<1	1.4	56.1	<10	<2
918945	Soil	0.21	2.47	59.7	0.8	<0.05	10.6	10.98	37.3	0.08	<1	1.4	58.3	<10	<2
REP 918945	QC	0.18	2.52	60.6	0.7	<0.05	9.9	11.01	36.6	0.09	<1	1.5	59.5	<10	<2
Reference Materials															
STD DS7	Standard	0.12	0.59	32.8	4.4	<0.05	6.0	5.29	40.6	1.41	4	1.8	31.8	96	42
STD DS7	Standard	0.12	0.77	36.1	4.9	<0.05	5.7	5.95	39.6	1.63	7	2.0	30.0	76	40
STD DS7	Standard	0.13	0.83	36.9	4.6	<0.05	5.2	6.55	39.0	1.61	4	1.6	28.5	69	36
STD DS7	Standard	0.12	0.53	35.8	4.6	<0.05	5.4	5.30	35.4	1.45	4	1.8	31.4	79	38
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: August 07, 2008
 Report Date: August 29, 2008
 Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN08008034.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 003
 P.O. Number
 Number of Samples: 158

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	158	Sieve to 230 mesh		
RJSV	158	Save all or part of soil reject fraction		
1F30	158	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 2 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
917501	Soil	0.55	38.43	14.41	85.0	173	259.4	21.9	428	3.34	13.5	0.8	6.1	3.2	26.9	0.36	0.75	0.27	48	0.23	0.126
917502	Soil	0.59	77.11	22.23	68.0	521	135.9	16.0	442	2.88	21.8	1.0	13.8	5.5	79.3	0.37	0.62	0.34	46	0.55	0.085
917503	Soil	0.56	77.29	20.86	122.9	424	95.4	19.2	575	3.04	19.4	2.4	6.2	5.5	32.4	0.52	0.49	0.33	49	0.34	0.147
917504	Soil	0.74	64.87	33.84	149.4	433	267.7	19.4	1073	3.17	25.2	1.0	8.9	3.4	38.0	1.33	0.87	0.40	59	0.75	0.151
917505	Soil	0.72	53.43	23.12	184.5	183	176.7	21.8	399	3.30	20.6	1.5	6.0	5.4	30.2	0.86	0.65	0.40	54	0.38	0.272
917506	Soil	0.61	68.93	15.32	100.6	285	48.3	17.1	599	2.96	14.9	1.3	6.1	3.8	35.0	0.39	0.55	0.24	53	0.33	0.174
917507	Soil	0.62	73.70	22.97	139.8	313	61.9	19.9	854	3.32	17.1	1.5	11.6	4.7	41.4	0.89	0.73	0.31	55	0.45	0.236
917508	Soil	0.68	74.20	22.17	105.6	293	53.5	16.8	670	3.20	13.5	1.9	19.5	4.6	40.8	0.49	0.69	0.31	51	0.36	0.149
917509	Soil	0.82	74.02	28.76	137.6	268	57.8	21.3	1316	3.38	17.2	1.4	4.6	3.9	44.8	0.81	0.87	0.35	56	0.46	0.295
917510	Soil	1.10	90.65	25.94	113.8	298	68.9	23.8	881	4.54	35.6	0.4	12.2	3.1	43.5	0.57	2.23	0.16	80	0.58	0.109
917511	Soil	1.12	74.14	34.57	104.4	169	60.7	24.8	956	4.19	32.1	0.5	12.9	3.0	47.5	0.87	2.53	0.43	73	0.64	0.133
917512	Soil	1.14	76.49	15.94	93.8	272	51.1	19.0	646	4.20	26.7	0.6	21.4	3.1	43.7	0.41	2.35	0.17	70	0.56	0.140
917513	Soil	1.32	92.61	27.82	126.9	300	72.6	26.6	1093	5.05	40.3	0.5	14.1	3.1	57.7	0.80	2.73	0.20	79	0.75	0.139
917514	Soil	0.44	50.28	29.13	125.7	448	40.7	13.4	684	3.14	15.1	0.8	5.3	4.1	58.5	0.68	0.93	0.34	46	0.59	0.052
917515	Soil	0.45	45.83	21.98	114.5	434	42.9	13.4	431	3.10	18.3	1.2	6.9	4.5	75.9	0.41	0.89	0.28	42	0.56	0.071
917516	Soil	0.57	49.16	19.67	104.0	288	41.7	15.3	553	3.40	16.3	1.4	6.1	4.5	42.2	0.41	0.85	0.26	56	0.36	0.121
917517	Soil	0.62	36.48	31.51	144.5	211	42.7	14.5	633	3.20	15.4	1.0	5.7	3.9	38.7	0.65	0.97	0.32	50	0.37	0.131
917518	Soil	1.05	71.68	24.57	203.3	249	93.0	21.4	678	3.73	16.8	1.4	7.0	6.4	70.7	1.24	1.08	0.29	55	0.57	0.112
917519	Soil	0.75	58.76	24.66	149.1	276	88.2	19.7	631	3.43	14.8	1.5	5.4	5.7	68.2	0.88	1.02	0.27	53	0.57	0.156
917520	Soil	1.87	61.52	48.07	195.6	270	55.1	19.1	1078	3.69	22.2	1.4	6.6	4.0	53.5	1.61	2.00	0.31	55	0.59	0.176
917521	Soil	1.45	53.31	32.39	243.6	299	40.4	21.1	1582	3.31	20.0	0.9	4.6	3.0	61.8	2.43	2.00	0.39	43	0.76	0.262
917522	Soil	1.01	65.22	25.81	153.8	546	63.3	25.2	1099	3.83	54.1	1.4	19.4	6.3	41.3	0.91	1.39	0.33	60	0.52	0.177
917523	Soil	1.04	54.69	24.88	162.4	699	69.5	22.5	1135	3.84	35.0	1.2	14.7	6.1	42.0	1.08	1.26	0.29	58	0.54	0.248
917524	Soil	0.90	62.57	20.18	143.8	395	62.1	22.5	929	3.83	44.2	1.4	30.8	6.4	36.9	0.75	1.16	0.29	59	0.39	0.239
917525	Soil	0.94	73.14	29.52	154.2	538	59.8	23.1	1039	3.82	44.5	1.2	26.5	5.0	46.9	0.92	1.74	0.29	62	0.66	0.199
917526	Soil	0.87	56.66	12.77	101.6	183	32.9	14.9	441	3.44	13.2	1.4	3.3	5.0	27.5	0.37	1.02	0.20	67	0.21	0.110
917527	Soil	0.85	59.23	14.14	88.9	110	36.8	17.1	583	3.59	15.1	1.0	7.2	3.9	35.2	0.29	1.29	0.20	68	0.31	0.120
917528	Soil	0.81	49.92	11.26	92.7	161	33.9	15.3	440	3.44	12.3	0.9	15.2	3.9	26.1	0.27	1.10	0.16	67	0.26	0.121
917529	Soil	0.62	40.90	15.29	142.8	289	26.9	12.3	427	2.66	11.7	1.5	3.9	4.0	21.0	0.72	0.96	0.26	43	0.21	0.279
917530	Soil	0.54	176.4	12.49	80.9	116	51.9	30.3	1160	5.85	27.4	1.5	9.5	3.1	55.9	0.09	1.13	0.08	181	0.74	0.153

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 2 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
				ppm	ppm	%	ppm	%	ppm	%	ppm	%	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	
917501	Soil			11.9	151.3	1.41	145.3	0.101	3	2.50	0.013	0.18	0.3	5.6	0.20	<0.02	24	0.5	<0.02	6.1	2.76	<0.1	0.16
917502	Soil			16.4	49.2	0.73	443.8	0.133	2	3.53	0.044	0.16	0.4	6.0	0.15	<0.02	57	0.6	<0.02	7.2	1.77	<0.1	0.37
917503	Soil			17.7	49.5	0.74	159.4	0.151	2	3.82	0.025	0.18	0.4	6.8	0.19	<0.02	48	0.6	<0.02	8.0	1.93	<0.1	0.39
917504	Soil			14.5	58.2	0.87	187.4	0.106	4	3.07	0.018	0.17	0.4	4.9	0.15	0.03	44	0.9	<0.02	6.8	1.76	<0.1	0.11
917505	Soil			14.5	58.8	0.81	234.1	0.154	4	4.13	0.020	0.19	0.6	6.3	0.22	<0.02	38	0.6	<0.02	9.3	2.25	<0.1	0.30
917506	Soil			15.0	41.1	0.72	205.5	0.125	2	3.79	0.023	0.19	0.3	6.3	0.15	<0.02	27	0.8	0.03	7.2	1.69	<0.1	0.19
917507	Soil			16.9	43.3	0.75	268.9	0.145	3	3.98	0.023	0.17	0.4	6.9	0.20	<0.02	48	0.7	0.04	9.0	2.04	<0.1	0.23
917508	Soil			18.2	42.8	0.76	265.0	0.152	2	3.61	0.028	0.23	0.3	7.1	0.18	<0.02	37	0.7	<0.02	8.7	1.90	<0.1	0.33
917509	Soil			16.7	44.6	0.77	319.3	0.120	4	3.67	0.018	0.21	0.3	6.4	0.18	<0.02	40	0.6	0.04	8.5	1.94	<0.1	0.15
917510	Soil			16.0	76.2	1.39	162.7	0.094	3	2.70	0.016	0.31	0.4	7.9	0.22	<0.02	31	0.5	0.03	6.4	2.95	<0.1	0.11
917511	Soil			18.0	66.0	1.29	143.1	0.093	2	2.34	0.016	0.30	0.3	6.6	0.20	<0.02	55	0.7	0.04	6.0	2.53	0.1	0.05
917512	Soil			16.3	60.9	1.18	113.4	0.083	2	2.31	0.014	0.21	0.3	6.8	0.17	<0.02	42	0.6	0.05	5.6	2.04	<0.1	0.08
917513	Soil			17.5	81.0	1.55	184.2	0.096	2	2.70	0.016	0.29	0.5	8.6	0.22	<0.02	40	0.9	0.06	6.7	3.11	<0.1	0.09
917514	Soil			17.7	50.4	0.93	181.2	0.135	2	3.46	0.023	0.19	0.3	6.3	0.18	<0.02	41	0.6	0.03	7.8	1.89	<0.1	0.33
917515	Soil			20.6	56.0	1.01	241.5	0.144	3	3.43	0.029	0.19	0.3	6.8	0.21	<0.02	35	0.7	0.03	7.5	2.08	<0.1	0.35
917516	Soil			18.1	51.0	0.96	214.6	0.156	2	3.35	0.020	0.25	0.3	6.2	0.23	<0.02	25	0.3	<0.02	8.3	2.53	<0.1	0.21
917517	Soil			14.6	50.7	0.90	240.1	0.139	2	3.37	0.015	0.20	0.3	5.5	0.19	<0.02	19	0.7	0.02	8.7	2.29	<0.1	0.17
917518	Soil			28.3	62.2	1.35	220.6	0.170	2	3.44	0.017	0.20	0.2	7.1	0.29	<0.02	28	0.8	0.04	8.4	3.74	<0.1	0.33
917519	Soil			33.0	75.5	1.38	270.9	0.171	3	3.58	0.020	0.27	0.2	6.0	0.29	<0.02	24	0.8	<0.02	8.1	3.46	<0.1	0.24
917520	Soil			21.8	50.5	0.96	235.9	0.126	3	2.92	0.018	0.20	0.3	6.1	0.26	0.02	41	0.9	<0.02	7.3	2.46	<0.1	0.11
917521	Soil			13.9	33.9	0.63	284.2	0.115	5	3.31	0.015	0.15	0.2	6.1	0.21	0.03	55	0.8	<0.02	7.6	2.89	<0.1	0.11
917522	Soil			25.8	56.6	1.13	289.1	0.178	4	3.82	0.017	0.26	1.3	7.2	0.30	<0.02	46	0.7	0.07	9.8	3.18	<0.1	0.20
917523	Soil			21.7	63.6	1.20	306.6	0.172	4	3.58	0.016	0.25	0.7	6.1	0.29	<0.02	54	0.7	0.05	9.5	3.04	<0.1	0.16
917524	Soil			23.3	56.0	1.09	322.5	0.165	3	3.60	0.017	0.27	1.2	6.7	0.26	<0.02	30	0.7	0.03	8.8	2.91	<0.1	0.21
917525	Soil			25.0	58.9	1.17	259.9	0.153	4	3.34	0.016	0.29	1.2	6.7	0.25	0.02	53	0.6	0.10	8.3	2.85	<0.1	0.16
917526	Soil			18.7	45.2	0.85	167.4	0.126	1	2.66	0.011	0.15	0.2	6.0	0.16	<0.02	46	0.3	<0.02	7.3	1.96	<0.1	0.24
917527	Soil			16.4	48.2	0.96	116.3	0.102	2	2.19	0.009	0.17	0.3	5.4	0.16	<0.02	30	0.3	<0.02	6.2	2.13	<0.1	0.13
917528	Soil			16.2	46.5	0.89	144.9	0.116	1	2.35	0.009	0.16	0.2	5.2	0.15	<0.02	29	0.3	0.03	6.4	1.88	0.1	0.12
917529	Soil			16.7	25.8	0.43	225.6	0.138	2	3.88	0.015	0.08	0.3	4.9	0.12	<0.02	60	0.5	<0.02	8.8	1.68	0.1	0.36
917530	Soil			11.9	104.5	2.52	390.7	0.185	<1	4.23	0.014	0.95	0.3	9.8	0.22	<0.02	32	0.3	0.02	11.3	4.09	0.2	0.15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 2 of 7 Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917501	Soil	0.58	27.3	0.5	<0.05	10.7	7.00	25.2	0.02	2	0.6	18.4	<10	2
917502	Soil	0.62	23.1	0.7	<0.05	25.3	15.32	34.6	0.03	<1	0.7	29.8	<10	5
917503	Soil	1.59	23.9	0.9	<0.05	28.1	15.79	40.6	0.05	<1	1.1	29.2	<10	5
917504	Soil	1.96	22.3	0.8	<0.05	6.5	10.29	32.7	0.07	<1	0.6	47.2	<10	4
917505	Soil	1.69	23.0	1.0	<0.05	22.2	11.04	45.6	0.06	<1	1.0	30.7	<10	6
917506	Soil	1.35	21.0	0.7	<0.05	13.6	12.87	34.3	0.03	<1	0.8	17.3	<10	4
917507	Soil	1.91	19.7	1.0	<0.05	17.4	14.37	40.4	0.04	2	1.0	21.4	<10	2
917508	Soil	1.66	22.4	0.9	<0.05	23.7	15.46	39.8	0.04	2	0.9	22.7	<10	4
917509	Soil	1.82	20.8	0.8	<0.05	11.7	13.05	39.5	0.03	<1	0.9	20.4	<10	3
917510	Soil	0.79	25.4	0.4	<0.05	5.7	10.42	29.1	0.04	1	0.6	21.0	<10	4
917511	Soil	1.58	24.6	0.5	<0.05	2.5	10.06	33.4	0.05	2	0.5	18.2	<10	2
917512	Soil	0.58	18.4	0.3	<0.05	5.0	10.57	28.5	0.04	<1	0.6	17.9	<10	5
917513	Soil	1.23	25.8	0.3	<0.05	4.6	11.23	32.5	0.06	<1	0.7	22.7	<10	4
917514	Soil	2.00	23.7	0.9	<0.05	17.8	11.75	36.1	0.04	<1	0.8	26.2	<10	4
917515	Soil	1.35	23.3	0.7	<0.05	20.1	15.94	39.7	0.05	<1	1.0	22.7	<10	6
917516	Soil	1.98	37.1	0.8	<0.05	16.3	10.57	34.0	0.05	<1	0.9	22.7	<10	2
917517	Soil	2.60	25.5	0.8	<0.05	10.3	7.53	34.3	0.06	<1	0.7	23.3	<10	3
917518	Soil	1.97	35.9	0.7	<0.05	22.1	14.63	67.1	0.04	<1	0.8	27.6	<10	4
917519	Soil	2.24	44.1	0.8	<0.05	19.1	14.26	71.0	0.04	<1	0.9	23.4	<10	4
917520	Soil	2.30	26.3	0.9	<0.05	8.0	11.56	41.4	0.11	2	0.9	19.2	<10	2
917521	Soil	2.36	25.1	0.8	<0.05	8.4	9.94	38.5	0.08	<1	1.0	24.0	<10	3
917522	Soil	4.81	38.4	0.9	<0.05	16.2	14.19	58.5	0.04	<1	1.0	24.7	<10	4
917523	Soil	5.55	38.7	0.9	<0.05	11.2	10.55	56.7	0.06	<1	0.8	23.6	<10	4
917524	Soil	3.41	38.4	0.8	<0.05	14.0	12.43	53.3	0.03	<1	0.8	21.8	<10	3
917525	Soil	5.57	35.9	0.8	<0.05	10.3	13.27	53.0	0.06	<1	0.8	20.7	<10	4
917526	Soil	1.06	29.0	0.6	<0.05	13.8	11.38	36.0	0.04	<1	0.7	17.8	<10	<2
917527	Soil	1.47	24.7	0.5	<0.05	4.8	8.23	30.3	0.02	<1	0.7	16.9	<10	3
917528	Soil	1.04	29.8	0.4	<0.05	7.4	8.40	31.5	0.02	<1	0.6	16.0	<10	3
917529	Soil	2.18	12.7	0.9	<0.05	24.1	13.11	43.9	0.05	<1	1.0	15.3	<10	<2
917530	Soil	0.10	61.3	0.3	<0.05	5.9	11.18	23.8	<0.02	<1	0.9	17.8	<10	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 3 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
917531	Soil		0.85	66.09	10.79	75.9	147	40.6	19.0	417	3.89	17.4	0.7	8.8	2.8	28.1	0.21	1.20	0.13	88	0.25	0.097
917532	Soil		0.86	96.88	11.21	72.7	160	50.2	22.5	555	4.44	22.2	0.8	19.3	3.5	42.0	0.17	1.07	0.13	117	0.42	0.082
917533	Soil		0.59	60.42	12.77	106.5	540	39.1	16.1	436	3.25	14.1	1.1	2.5	3.9	30.0	0.47	0.65	0.21	65	0.20	0.210
917534	Soil		0.85	61.44	10.25	67.2	252	36.4	16.8	475	3.82	19.2	0.8	6.3	3.0	34.2	0.19	1.49	0.14	72	0.38	0.088
917535	Soil		0.78	75.45	11.82	97.9	278	36.6	19.5	681	4.14	26.7	0.6	5.5	2.2	34.0	0.24	1.39	0.18	80	0.33	0.116
917536	Soil		0.79	55.13	10.27	74.4	258	33.7	14.4	410	3.72	15.1	0.8	5.5	3.5	30.7	0.18	1.42	0.13	66	0.33	0.070
917537	Soil		0.60	36.40	18.37	132.1	285	31.8	13.9	612	3.09	12.2	1.0	2.0	3.7	22.1	0.45	0.91	0.28	48	0.21	0.335
917538	Soil		0.68	76.15	14.83	139.5	493	38.5	18.4	605	3.72	16.7	1.4	9.4	4.5	74.5	0.53	0.87	0.22	62	0.47	0.137
917539	Soil		0.74	64.18	11.61	123.1	288	32.5	18.4	655	3.87	15.6	1.0	3.1	3.4	39.1	0.44	1.00	0.17	68	0.32	0.114
917540	Soil		0.75	74.08	16.79	149.2	496	43.7	19.6	698	4.12	17.7	1.5	4.7	4.4	61.8	0.57	0.98	0.23	69	0.46	0.134
917541	Soil		0.75	33.49	17.06	152.2	173	29.0	16.7	826	3.48	12.5	0.7	3.1	3.2	26.7	0.50	0.78	0.27	56	0.25	0.289
917542	Soil		0.68	67.94	19.82	82.2	141	285.4	32.2	689	4.18	21.5	0.8	11.7	3.7	34.4	0.35	1.13	0.39	71	0.38	0.116
917543	Soil		0.55	41.12	10.49	68.5	90	505.1	25.1	363	3.72	13.5	0.7	4.2	2.8	25.8	0.23	0.69	0.24	58	0.25	0.068
917544	Soil		0.57	30.76	19.69	102.4	222	325.9	24.7	464	3.26	13.3	0.7	3.2	2.8	32.0	0.53	0.74	0.33	47	0.27	0.192
917545	Soil		0.98	43.64	36.64	129.1	392	81.4	14.7	431	3.56	28.6	0.9	8.1	5.0	39.4	0.74	0.87	0.29	68	0.32	0.101
917546	Soil		1.12	58.08	63.84	151.5	516	106.2	20.5	842	3.74	38.1	0.8	14.9	4.8	42.0	1.36	1.14	0.33	68	0.38	0.140
917547	Soil		0.80	52.12	14.84	86.0	218	45.7	15.8	502	3.36	12.8	1.3	1.9	4.3	36.0	0.30	0.78	0.22	70	0.28	0.111
917548	Soil		0.87	53.08	30.52	131.5	159	85.1	19.9	874	3.63	14.6	1.2	4.3	4.1	37.2	0.72	1.03	0.30	68	0.44	0.184
917549	Soil		0.81	49.70	19.65	122.0	280	45.9	15.7	750	3.36	12.5	1.1	3.7	3.5	39.4	0.66	0.88	0.24	64	0.36	0.226
917550	Soil		0.66	46.02	17.88	144.0	188	54.7	17.9	1048	3.47	12.7	1.0	4.4	3.3	44.0	0.86	0.93	0.25	63	0.43	0.220
917551	Soil		0.72	60.06	18.36	83.9	397	96.5	19.4	476	4.04	28.0	0.7	11.1	4.1	43.5	0.36	1.13	0.24	78	0.40	0.116
917552	Soil		1.06	38.77	34.40	260.1	466	87.8	15.9	1781	2.92	18.7	0.7	9.5	3.5	58.8	4.14	0.63	0.32	45	0.36	0.387
917553	Soil		0.71	68.68	18.30	107.6	328	231.1	25.6	711	4.58	23.6	0.8	8.2	2.7	30.9	0.59	1.36	0.37	82	0.36	0.098
917554	Soil		0.65	78.58	20.27	105.1	306	458.6	42.7	1200	5.41	26.2	0.7	7.8	2.5	41.2	0.46	1.38	0.40	110	0.45	0.116
917555	Soil		0.81	48.17	22.21	115.1	198	138.3	19.8	651	4.04	20.0	0.8	8.4	3.6	32.0	1.16	0.94	0.30	69	0.28	0.093
917556	Soil		0.63	31.45	20.84	146.5	272	195.0	24.8	785	3.52	12.2	0.8	3.6	3.0	27.9	1.60	0.68	0.35	58	0.25	0.127
917557	Soil		0.96	46.87	54.33	231.9	1791	121.4	10.4	324	2.24	19.4	1.1	7.5	4.1	61.6	3.21	0.96	0.24	62	1.25	0.360
917558	Soil		0.94	47.56	43.74	176.3	1263	210.0	18.0	565	2.84	24.8	0.9	9.1	4.3	74.1	2.39	0.96	0.27	65	1.40	0.443
917559	Soil		0.56	37.80	52.46	176.5	372	100.5	14.0	451	3.00	14.4	0.8	6.5	3.9	37.7	1.59	0.67	0.27	55	0.57	0.202
917560	Soil		0.59	37.43	64.33	223.8	541	88.2	11.4	523	2.21	13.4	0.8	4.2	3.1	71.7	3.29	1.08	0.40	39	0.91	0.170

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 3 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917531	Soil	12.0	63.3	1.20	126.1	0.126	2	2.33	0.011	0.19	0.3	5.4	0.14	<0.02	23	0.4	<0.02	6.7	1.86	0.2	0.13
917532	Soil	14.4	94.5	1.66	189.4	0.169	1	2.67	0.012	0.41	0.3	7.9	0.23	<0.02	31	0.4	0.03	7.9	2.58	0.1	0.16
917533	Soil	12.3	46.7	0.75	342.2	0.142	1	3.79	0.014	0.15	0.4	4.9	0.18	<0.02	58	0.4	<0.02	9.2	1.85	<0.1	0.32
917534	Soil	13.5	53.9	1.03	128.6	0.084	2	1.91	0.011	0.18	0.3	5.9	0.12	<0.02	51	0.3	<0.02	5.8	1.66	<0.1	0.12
917535	Soil	11.9	54.2	1.15	171.9	0.092	2	2.63	0.012	0.18	0.2	5.6	0.11	<0.02	31	0.3	<0.02	7.1	1.57	<0.1	0.04
917536	Soil	14.2	48.8	0.90	108.4	0.083	<1	1.82	0.012	0.17	0.2	5.8	0.13	<0.02	36	0.2	<0.02	5.5	1.77	0.1	0.14
917537	Soil	10.6	30.3	0.49	296.2	0.127	2	3.78	0.014	0.12	0.3	4.0	0.15	<0.02	42	0.3	<0.02	8.7	1.85	<0.1	0.31
917538	Soil	16.5	44.0	0.72	332.1	0.139	2	3.99	0.020	0.16	0.2	6.9	0.17	<0.02	78	0.4	<0.02	8.2	1.79	<0.1	0.43
917539	Soil	14.1	39.2	0.89	181.2	0.111	1	3.00	0.015	0.16	0.2	5.7	0.14	<0.02	51	0.4	<0.02	7.7	1.67	<0.1	0.17
917540	Soil	16.3	50.2	0.83	263.8	0.133	3	3.79	0.017	0.17	0.2	7.1	0.17	<0.02	77	0.6	0.04	8.2	2.12	<0.1	0.29
917541	Soil	9.3	32.7	0.59	211.5	0.118	2	3.36	0.013	0.11	0.2	4.0	0.13	<0.02	40	0.3	<0.02	8.9	1.74	<0.1	0.20
917542	Soil	17.5	132.7	1.71	105.5	0.099	2	2.08	0.013	0.23	0.4	7.1	0.18	<0.02	36	0.4	<0.02	6.0	2.60	0.1	0.09
917543	Soil	10.5	247.1	2.39	94.0	0.088	3	1.76	0.010	0.19	0.4	5.5	0.24	<0.02	21	0.3	0.04	4.9	3.21	0.2	0.16
917544	Soil	9.8	135.8	1.25	275.6	0.112	3	2.91	0.014	0.16	0.3	4.3	0.19	<0.02	28	0.3	<0.02	7.4	2.88	0.1	0.23
917545	Soil	18.4	78.5	0.90	115.4	0.114	2	2.39	0.011	0.22	0.3	6.0	0.15	<0.02	25	0.3	<0.02	6.8	2.40	0.1	0.12
917546	Soil	20.0	77.8	1.00	140.2	0.095	2	2.36	0.010	0.20	0.4	6.2	0.14	<0.02	32	0.5	<0.02	6.5	2.32	0.1	0.08
917547	Soil	17.1	57.2	0.74	190.0	0.153	2	3.25	0.017	0.20	0.2	6.8	0.16	<0.02	25	0.5	<0.02	8.3	2.03	0.1	0.30
917548	Soil	17.7	65.6	0.94	242.3	0.129	2	3.08	0.015	0.20	0.4	5.8	0.17	<0.02	26	0.4	<0.02	8.1	2.17	<0.1	0.18
917549	Soil	17.5	53.2	0.73	250.3	0.129	3	3.16	0.016	0.19	0.3	6.1	0.15	<0.02	28	0.4	<0.02	7.8	1.76	<0.1	0.12
917550	Soil	16.9	57.7	0.72	312.2	0.127	3	3.25	0.014	0.22	0.3	6.0	0.19	<0.02	32	0.5	<0.02	8.4	2.17	<0.1	0.12
917551	Soil	18.1	92.3	1.14	129.8	0.106	2	2.30	0.011	0.23	0.3	6.2	0.16	<0.02	23	0.5	0.02	6.8	2.20	0.1	0.06
917552	Soil	13.5	55.7	0.59	508.6	0.095	2	2.91	0.012	0.20	0.3	4.4	0.15	<0.02	24	0.4	<0.02	7.6	2.12	<0.1	0.15
917553	Soil	16.0	164.8	1.76	78.8	0.100	1	2.17	0.010	0.16	0.6	7.7	0.13	<0.02	37	0.3	<0.02	6.2	2.14	0.2	0.09
917554	Soil	14.1	194.4	2.53	149.8	0.142	2	2.83	0.017	0.34	1.0	10.8	0.22	<0.02	59	0.4	0.08	7.9	3.67	0.3	0.17
917555	Soil	15.4	112.3	1.24	126.6	0.099	2	2.22	0.008	0.23	0.4	6.1	0.16	<0.02	23	0.6	<0.02	6.3	2.05	0.2	0.07
917556	Soil	12.2	109.2	1.00	211.8	0.103	2	2.81	0.009	0.19	0.3	5.0	0.14	<0.02	21	0.5	0.02	7.0	1.84	<0.1	0.08
917557	Soil	21.0	95.3	0.82	105.6	0.053	2	2.20	0.010	0.24	0.6	4.7	0.22	<0.02	28	0.8	<0.02	5.4	2.08	<0.1	0.06
917558	Soil	21.2	117.5	1.20	112.4	0.067	2	2.11	0.012	0.22	0.6	5.5	0.20	<0.02	23	0.7	<0.02	5.3	2.00	0.1	0.07
917559	Soil	18.8	87.9	0.88	139.1	0.095	2	2.21	0.010	0.26	0.4	5.3	0.16	<0.02	21	0.4	0.04	5.7	1.95	0.2	0.11
917560	Soil	13.9	65.2	0.62	127.0	0.065	3	2.12	0.009	0.22	0.4	4.1	0.21	<0.02	42	0.8	<0.02	5.3	2.00	<0.1	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 3 of 7 Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917531	Soil	0.58	22.5	0.3	<0.05	6.5	5.80	26.0	0.02	1	0.8	16.5	<10	2
917532	Soil	0.21	44.1	0.4	<0.05	7.1	8.61	26.6	0.02	1	0.7	15.4	<10	3
917533	Soil	1.08	19.8	0.8	<0.05	23.5	9.22	37.4	0.04	<1	0.8	20.4	<10	2
917534	Soil	0.37	18.8	0.2	<0.05	7.2	8.65	28.3	0.02	<1	0.6	14.8	<10	4
917535	Soil	1.02	17.2	0.3	<0.05	2.9	7.46	23.0	0.02	<1	0.5	25.5	<10	<2
917536	Soil	0.40	18.6	0.3	<0.05	6.6	8.55	30.3	<0.02	<1	0.4	16.2	<10	2
917537	Soil	1.85	12.0	0.9	<0.05	20.9	6.69	40.9	0.05	<1	1.0	20.0	<10	2
917538	Soil	1.15	19.5	0.7	<0.05	26.6	13.56	37.7	0.03	<1	0.7	26.8	<10	3
917539	Soil	0.92	23.2	0.5	<0.05	12.2	9.28	34.6	0.03	<1	0.6	22.3	<10	<2
917540	Soil	1.34	24.0	0.6	<0.05	19.6	12.75	37.8	0.04	<1	0.9	29.7	<10	3
917541	Soil	1.92	16.0	0.8	<0.05	11.0	4.90	28.5	0.04	<1	0.7	18.8	<10	<2
917542	Soil	0.41	25.7	0.4	<0.05	6.4	10.51	31.9	0.02	1	0.5	16.7	<10	2
917543	Soil	0.32	32.8	0.3	<0.05	7.8	5.42	18.5	0.03	2	0.8	16.3	<10	<2
917544	Soil	1.07	22.5	0.7	<0.05	12.6	5.74	26.8	0.05	<1	0.9	18.9	<10	<2
917545	Soil	0.70	24.5	0.5	<0.05	8.2	11.06	33.9	0.04	2	0.8	19.3	<10	3
917546	Soil	0.83	18.0	0.4	<0.05	5.8	13.22	35.3	0.04	1	0.7	18.5	<10	2
917547	Soil	0.83	25.2	0.7	<0.05	22.2	11.77	33.5	0.04	<1	0.8	17.6	<10	3
917548	Soil	1.94	22.2	0.8	<0.05	11.1	10.62	34.8	0.07	<1	0.9	19.0	<10	2
917549	Soil	1.59	21.1	0.6	<0.05	8.9	11.32	34.3	0.04	<1	1.0	16.8	<10	<2
917550	Soil	1.92	24.4	0.7	<0.05	7.6	10.47	33.3	0.04	<1	0.8	18.7	<10	<2
917551	Soil	0.63	20.6	0.4	<0.05	4.1	8.68	34.7	0.03	<1	0.5	17.9	<10	3
917552	Soil	1.32	18.2	0.6	<0.05	8.0	8.01	29.1	0.04	1	0.9	19.5	<10	<2
917553	Soil	0.37	15.5	0.3	<0.05	3.8	14.01	26.0	0.04	1	1.0	18.8	10	2
917554	Soil	0.22	27.7	0.3	<0.05	6.3	11.25	24.8	0.04	1	0.5	28.3	<10	5
917555	Soil	0.75	23.0	0.4	<0.05	4.0	8.69	26.5	0.03	<1	0.6	18.1	<10	<2
917556	Soil	1.04	19.8	0.5	<0.05	5.5	6.36	28.1	0.05	<1	0.9	19.1	<10	2
917557	Soil	0.94	20.8	0.3	<0.05	4.1	32.40	23.8	0.03	<1	1.0	25.7	<10	<2
917558	Soil	0.64	18.6	0.3	<0.05	3.7	23.69	26.4	0.03	<1	0.6	20.7	<10	<2
917559	Soil	0.77	27.7	0.5	<0.05	7.9	13.24	30.2	0.03	<1	0.8	17.0	<10	2
917560	Soil	1.28	24.7	0.5	<0.05	4.6	16.48	22.1	0.08	<1	0.7	20.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 4 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
917561	Soil	0.91	71.29	44.35	232.0	477	85.5	23.1	810	5.28	41.5	1.9	7.6	8.1	36.1	0.59	0.58	0.44	88	0.27	0.080
917562	Soil	0.52	63.94	51.19	234.1	416	58.7	22.3	792	5.20	26.4	1.4	6.9	7.8	41.1	0.80	0.39	0.42	88	0.33	0.100
917563	Soil	2.72	105.2	56.16	185.8	863	76.0	21.0	638	4.39	42.2	3.3	4.4	9.3	44.7	0.79	0.64	0.73	51	0.28	0.097
917564	Soil	2.58	91.70	66.43	244.4	882	93.1	19.3	653	4.55	50.5	2.8	3.5	8.0	41.5	1.43	1.05	0.72	64	0.30	0.121
917565	Soil	2.10	85.64	32.72	193.2	145	129.8	22.2	1439	9.45	203.9	3.9	8.8	7.3	25.0	0.33	0.87	0.99	71	0.12	0.074
917566	Soil	2.04	69.55	42.40	201.7	404	106.6	35.8	1384	6.23	65.9	3.3	16.4	6.0	60.4	0.85	0.91	0.81	65	0.28	0.128
917567	Soil	3.38	67.85	32.26	140.2	598	125.4	38.7	2727	6.10	99.9	3.1	17.8	8.4	38.3	1.12	1.00	0.90	64	0.34	0.072
917568	Soil	1.02	57.83	37.88	208.6	259	132.9	28.1	1679	4.43	30.6	1.6	4.5	3.0	59.8	0.96	0.93	0.45	62	0.34	0.143
918401	Soil	0.82	28.29	24.23	157.5	254	72.5	15.8	1284	3.11	22.1	0.8	4.1	2.9	24.9	1.59	0.71	0.31	53	0.21	0.306
918402	Soil	0.81	31.74	37.40	148.6	230	71.0	15.8	1087	3.06	19.1	0.8	4.0	2.4	28.5	2.24	1.26	0.34	53	0.26	0.223
918403	Soil	0.80	46.44	33.23	195.0	326	110.4	22.9	1626	4.35	28.1	0.8	3.3	2.3	26.8	1.57	1.32	0.40	77	0.28	0.184
918404	Soil	0.67	43.68	46.56	155.2	214	71.5	21.1	1768	3.76	24.3	1.3	4.8	2.9	43.1	2.06	1.26	0.39	75	0.49	0.231
918405	Soil	0.72	53.33	27.78	140.6	264	112.9	26.3	1488	4.09	21.1	1.3	7.4	3.8	39.9	1.82	0.92	0.34	80	0.42	0.214
918406	Soil	0.69	51.32	24.64	249.9	407	115.8	25.0	1066	3.75	17.9	1.4	7.5	4.0	34.5	4.26	0.71	0.33	74	0.33	0.150
918407	Soil	0.72	43.53	35.92	145.1	155	112.1	23.0	779	3.80	24.1	0.9	6.4	3.2	33.6	0.99	1.55	0.36	76	0.31	0.176
918408	Soil	0.56	42.12	17.66	133.8	210	90.9	18.3	790	3.63	15.7	0.9	2.6	3.0	38.3	0.65	0.82	0.26	62	0.33	0.232
918409	Soil	0.66	45.10	17.43	167.6	243	103.5	19.0	624	3.68	17.9	1.1	2.6	3.5	29.4	0.84	0.86	0.26	59	0.26	0.356
918410	Soil	0.74	34.67	21.28	161.5	236	143.2	20.8	773	3.53	27.3	1.1	3.2	3.3	29.8	1.08	0.82	0.34	61	0.31	0.225
918411	Soil	0.66	31.09	18.72	129.1	183	115.7	16.9	1369	2.93	22.9	1.1	2.6	2.9	31.2	0.91	0.82	0.33	47	0.28	0.340
918412	Soil	0.70	28.36	18.91	138.4	201	170.9	19.5	1129	3.21	19.3	0.9	3.2	2.9	32.7	0.66	0.74	0.40	52	0.33	0.290
918413	Soil	0.78	41.65	19.91	122.6	232	137.2	20.7	509	3.75	23.8	1.3	4.7	3.9	30.6	0.40	0.93	0.44	65	0.32	0.237
918414	Soil	0.71	29.20	21.53	141.0	137	107.0	18.1	857	3.42	15.4	0.9	4.1	3.2	36.3	0.76	0.91	0.36	52	0.34	0.335
918415	Soil	0.77	34.10	19.75	140.2	172	88.5	17.1	799	3.40	16.2	0.8	15.3	3.6	31.9	0.68	0.95	0.31	55	0.29	0.288
918416	Soil	0.93	43.55	24.62	146.4	349	67.4	19.2	829	3.54	24.3	1.1	5.2	3.1	19.5	1.11	0.78	0.32	66	0.16	0.227
918417	Soil	0.74	46.98	23.15	115.6	267	89.2	21.1	766	3.81	25.0	1.8	4.6	4.8	28.2	0.85	0.80	0.32	74	0.28	0.251
918418	Soil	0.73	41.95	22.38	112.8	182	120.0	23.2	849	3.70	22.9	1.4	7.8	4.2	31.0	0.69	0.70	0.33	70	0.27	0.214
918419	Soil	0.91	33.55	20.98	123.8	259	130.2	23.1	1212	3.56	32.3	1.0	6.1	3.1	35.3	0.99	0.79	0.37	63	0.33	0.206
918420	Soil	0.76	31.68	16.71	105.3	148	150.3	21.4	839	3.38	21.5	0.9	4.2	3.0	27.3	0.74	0.95	0.32	60	0.28	0.202
918421	Soil	0.70	20.90	23.22	155.8	192	80.1	13.0	1011	2.70	13.2	0.7	2.6	2.5	30.0	1.14	0.83	0.28	44	0.24	0.312
918422	Soil	0.71	33.77	26.47	134.3	234	87.2	19.8	1204	3.41	23.9	0.7	7.3	2.5	39.5	1.57	1.06	0.29	61	0.37	0.236

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
				ppm	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm			
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
917561	Soil			20.3	95.1	1.31	157.1	0.133	<1	2.89	0.007	0.66	0.5	7.2	0.41	<0.02	18	0.4	0.03	9.7	6.37	<0.1	0.06	
917562	Soil			18.7	68.4	1.52	195.9	0.188	1	3.45	0.007	0.94	0.6	8.8	0.58	<0.02	18	0.3	0.04	11.5	6.15	0.1	0.15	
917563	Soil			20.1	48.8	0.74	158.5	0.086	2	2.73	0.006	0.30	0.2	4.7	0.24	<0.02	24	2.1	0.18	7.8	3.14	<0.1	0.14	
917564	Soil			18.4	66.3	0.86	206.1	0.098	2	2.75	0.006	0.35	0.4	5.6	0.31	<0.02	43	1.9	0.11	8.2	3.73	<0.1	0.13	
917565	Soil			24.4	70.2	1.09	112.4	0.068	<1	2.49	0.009	0.32	3.2	7.6	0.17	<0.02	20	0.6	0.11	7.9	3.38	0.2	0.08	
917566	Soil			21.2	56.2	0.90	227.1	0.150	2	3.93	0.009	0.44	0.5	6.8	0.37	<0.02	36	0.6	0.08	10.6	3.65	0.1	0.16	
917567	Soil			27.1	63.0	0.89	159.7	0.067	<1	2.75	0.009	0.26	2.6	6.0	0.19	<0.02	18	0.6	0.09	7.9	2.78	0.1	0.09	
917568	Soil			25.6	59.3	0.85	274.3	0.113	2	3.65	0.010	0.26	0.2	5.5	0.22	0.02	34	0.5	0.04	9.6	2.70	<0.1	0.10	
918401	Soil			10.5	43.7	0.62	282.3	0.111	3	3.43	0.012	0.13	0.4	4.2	0.16	<0.02	29	0.4	0.04	8.3	2.06	<0.1	0.16	
918402	Soil			11.7	43.6	0.65	271.7	0.105	2	3.05	0.011	0.13	0.3	4.2	0.16	<0.02	40	0.4	<0.02	7.7	1.88	<0.1	0.12	
918403	Soil			11.8	75.1	0.95	267.5	0.104	2	3.83	0.009	0.18	0.4	5.1	0.18	<0.02	38	0.5	0.03	10.2	2.71	<0.1	0.05	
918404	Soil			14.6	53.7	0.88	413.4	0.149	3	3.51	0.011	0.22	0.3	4.6	0.26	0.02	41	0.4	0.03	9.9	3.21	0.1	0.11	
918405	Soil			21.5	100.5	1.21	359.8	0.159	2	3.83	0.011	0.20	0.3	6.0	0.28	<0.02	30	0.4	<0.02	10.4	3.38	<0.1	0.17	
918406	Soil			21.3	102.7	1.16	293.1	0.160	2	3.86	0.012	0.18	0.4	6.4	0.27	<0.02	31	0.5	0.03	9.6	3.16	<0.1	0.24	
918407	Soil			13.2	66.2	1.03	232.2	0.125	2	3.45	0.011	0.19	0.4	5.7	0.20	<0.02	38	0.3	0.02	8.6	2.28	0.1	0.21	
918408	Soil			14.3	54.1	0.87	251.1	0.108	2	3.21	0.012	0.18	0.3	5.3	0.14	<0.02	26	0.4	<0.02	8.5	1.96	<0.1	0.16	
918409	Soil			14.7	51.3	0.83	282.9	0.109	3	3.52	0.014	0.17	0.3	5.6	0.15	<0.02	36	0.4	0.05	8.8	2.18	<0.1	0.19	
918410	Soil			11.4	62.5	0.82	247.9	0.129	3	3.67	0.016	0.14	0.4	5.0	0.15	<0.02	34	0.4	0.02	8.8	3.53	<0.1	0.19	
918411	Soil			11.2	50.6	0.67	329.6	0.114	2	3.37	0.018	0.13	0.3	4.5	0.16	<0.02	36	0.4	<0.02	8.1	2.75	<0.1	0.19	
918412	Soil			9.9	57.3	0.76	317.6	0.108	3	2.96	0.012	0.14	0.5	4.4	0.16	<0.02	32	0.3	0.05	7.9	3.23	<0.1	0.12	
918413	Soil			16.0	64.8	0.98	202.9	0.128	4	3.80	0.015	0.16	0.5	5.5	0.17	<0.02	42	0.4	0.02	9.8	2.64	<0.1	0.19	
918414	Soil			13.4	55.3	0.81	338.1	0.107	3	3.23	0.013	0.17	0.4	4.6	0.15	<0.02	28	0.3	0.02	8.3	2.39	<0.1	0.15	
918415	Soil			12.5	45.9	0.76	309.1	0.117	3	3.42	0.015	0.18	0.4	4.4	0.16	<0.02	35	0.3	<0.02	8.6	2.40	<0.1	0.17	
918416	Soil			11.3	48.4	0.75	158.5	0.119	2	3.83	0.011	0.11	0.4	4.6	0.16	<0.02	37	0.6	0.05	9.5	2.63	<0.1	0.19	
918417	Soil			19.9	87.3	1.16	266.3	0.171	1	3.88	0.014	0.18	0.3	6.1	0.30	<0.02	28	0.6	<0.02	10.5	4.03	0.1	0.24	
918418	Soil			18.7	90.2	1.06	239.5	0.146	2	3.64	0.012	0.15	0.4	5.9	0.21	<0.02	31	0.4	0.10	9.3	2.78	<0.1	0.20	
918419	Soil			15.6	81.8	0.94	301.9	0.136	2	3.52	0.012	0.15	0.3	4.8	0.19	<0.02	42	0.4	<0.02	9.4	3.11	0.1	0.12	
918420	Soil			15.7	75.2	0.92	278.6	0.121	2	3.24	0.011	0.14	0.3	5.0	0.18	<0.02	28	0.3	0.02	8.1	2.54	<0.1	0.13	
918421	Soil			9.2	41.7	0.55	340.0	0.099	2	2.81	0.013	0.12	0.3	3.4	0.14	<0.02	28	0.4	<0.02	6.9	1.83	<0.1	0.10	
918422	Soil			13.0	58.6	0.81	270.2	0.096	3	2.88	0.010	0.18	0.4	4.5	0.17	<0.02	28	0.4	<0.02	7.6	2.03	<0.1	0.06	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 4 of 7 Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917561	Soil	0.63	56.5	0.6	<0.05	3.0	11.25	37.1	0.04	<1	1.0	29.6	<10	<2
917562	Soil	0.65	80.3	0.9	<0.05	7.8	11.73	35.8	0.06	<1	1.3	39.5	<10	2
917563	Soil	0.75	29.8	0.6	<0.05	7.9	14.03	33.4	0.05	<1	1.0	39.2	<10	<2
917564	Soil	0.95	40.9	0.6	<0.05	6.3	12.35	32.1	0.06	<1	1.2	30.8	<10	<2
917565	Soil	0.33	43.4	0.5	<0.05	3.1	17.40	41.0	0.08	<1	2.0	26.0	<10	<2
917566	Soil	2.33	50.6	1.2	<0.05	9.0	14.25	47.4	0.05	<1	1.9	44.4	<10	<2
917567	Soil	0.78	30.9	0.5	<0.05	3.8	22.55	49.8	0.05	<1	1.3	28.2	<10	2
917568	Soil	2.74	33.7	0.9	<0.05	6.9	15.72	49.5	0.06	<1	1.3	31.7	<10	<2
918401	Soil	1.73	20.0	0.7	<0.05	9.4	6.27	29.1	0.05	<1	1.0	18.0	<10	<2
918402	Soil	1.71	18.9	0.8	<0.05	7.8	7.14	27.8	0.08	<1	0.5	16.1	<10	<2
918403	Soil	2.00	27.1	0.7	<0.05	3.3	6.27	28.9	0.06	<1	0.9	24.5	<10	<2
918404	Soil	3.51	39.1	0.9	<0.05	7.4	6.72	36.3	0.11	<1	0.7	22.4	<10	<2
918405	Soil	3.70	40.1	0.8	<0.05	9.7	9.07	52.2	0.06	2	1.0	23.8	<10	<2
918406	Soil	3.14	38.1	0.8	<0.05	15.0	11.23	48.1	0.06	<1	0.6	23.1	<10	<2
918407	Soil	1.63	28.5	0.7	<0.05	10.6	8.54	31.2	0.08	<1	0.5	23.0	<10	<2
918408	Soil	1.58	23.1	0.6	<0.05	8.8	9.15	30.2	0.04	1	0.5	20.5	<10	<2
918409	Soil	1.45	20.6	0.8	<0.05	12.4	9.77	33.3	0.04	<1	0.5	20.1	<10	<2
918410	Soil	1.50	26.3	0.8	<0.05	12.1	6.83	33.6	0.05	<1	0.9	31.7	<10	2
918411	Soil	1.55	27.1	0.7	<0.05	10.8	7.35	28.4	0.04	1	0.6	20.2	<10	<2
918412	Soil	1.41	26.1	0.7	<0.05	7.2	5.24	27.4	0.03	<1	0.7	19.7	<10	2
918413	Soil	2.08	21.4	0.8	<0.05	14.3	9.61	39.8	0.04	<1	0.9	23.7	<10	<2
918414	Soil	1.81	23.6	0.7	<0.05	8.2	7.19	33.1	0.06	<1	0.8	21.6	<10	<2
918415	Soil	1.97	26.1	0.7	<0.05	11.2	6.89	34.5	0.04	<1	0.6	23.2	<10	<2
918416	Soil	2.01	17.6	0.8	<0.05	11.1	7.02	29.3	0.05	<1	1.0	21.5	<10	3
918417	Soil	2.95	34.8	0.9	<0.05	14.1	9.04	53.9	0.04	<1	1.0	25.9	<10	2
918418	Soil	2.46	21.3	0.8	<0.05	12.3	8.16	45.6	0.04	<1	0.7	22.8	<10	<2
918419	Soil	2.60	24.5	0.8	<0.05	8.3	7.27	41.9	0.04	<1	0.5	21.9	<10	2
918420	Soil	2.42	21.4	0.8	<0.05	7.9	7.27	38.8	0.03	<1	0.6	19.4	<10	<2
918421	Soil	1.35	18.1	0.6	<0.05	7.8	5.13	23.8	0.04	<1	0.5	16.7	<10	<2
918422	Soil	1.47	24.9	0.6	<0.05	4.6	6.69	29.2	0.04	<1	0.6	17.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 5 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
			0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
918423	Soil		0.83	38.23	24.54	121.1	167	81.5	19.3	842	3.35	29.1	0.9	5.2	3.0	27.6	0.95	0.95	0.28	62	0.28	0.157	
918424	Soil		0.68	55.44	25.22	139.8	231	96.6	29.1	1149	4.41	61.3	1.1	5.5	3.8	25.4	0.82	0.65	0.31	86	0.21	0.133	
918425	Soil		0.83	46.14	30.18	129.3	371	78.3	20.5	1426	3.38	34.3	1.0	8.2	3.0	36.9	1.52	1.15	0.36	64	0.45	0.236	
918426	Soil		0.73	48.14	27.06	143.2	228	119.5	24.6	1094	3.79	34.2	1.2	7.7	4.1	33.1	1.46	1.06	0.37	73	0.36	0.167	
918427	Soil		0.69	47.09	26.61	132.8	231	114.5	23.2	1067	3.70	32.0	1.2	8.1	4.2	33.3	1.34	0.95	0.37	72	0.34	0.165	
918428	Soil		0.54	37.30	20.20	87.0	130	115.0	20.5	463	3.36	21.3	1.0	10.2	3.4	32.4	0.57	0.97	0.26	66	0.34	0.094	
918429	Soil		0.49	31.97	17.57	114.2	153	325.7	29.3	1026	3.66	16.2	0.9	2.3	3.3	30.4	0.47	0.54	0.34	58	0.25	0.243	
918430	Soil		0.46	35.03	15.84	96.1	210	132.9	17.2	649	3.26	13.8	1.0	2.7	3.1	39.4	0.42	0.78	0.22	52	0.30	0.183	
918431	Soil		0.68	26.67	33.80	148.2	218	411.9	27.4	1033	3.49	30.2	0.7	2.5	2.9	40.5	0.99	1.26	0.45	51	0.38	0.220	
918432	Soil		0.72	28.81	30.81	123.7	256	422.2	23.5	1156	3.15	93.5	0.8	5.1	2.8	29.8	0.77	1.08	0.43	53	0.25	0.190	
918433	Soil		0.54	25.34	13.63	73.8	60	22.1	7.9	278	2.36	5.6	1.0	2.4	4.9	29.3	0.23	0.24	0.19	44	0.23	0.068	
918434	Soil		0.53	32.15	13.72	92.4	265	195.5	17.8	420	3.11	47.7	1.0	3.3	3.4	28.1	0.32	0.62	0.27	54	0.23	0.146	
918435	Soil		0.61	30.73	13.91	96.3	153	159.0	18.2	532	3.10	24.4	0.8	5.2	2.7	25.1	0.38	0.65	0.29	55	0.23	0.156	
918436	Soil		0.69	20.98	22.95	118.6	127	165.1	19.9	1307	3.15	17.1	0.6	3.0	2.5	36.3	0.57	0.94	0.40	49	0.34	0.234	
918437	Soil		0.62	19.68	20.94	123.8	92	241.3	20.6	1096	3.22	14.1	0.6	2.5	2.8	35.8	0.77	0.82	0.42	50	0.28	0.240	
918438	Soil		0.57	25.16	18.67	111.3	160	142.9	17.5	694	3.20	14.9	0.6	2.7	3.1	39.7	0.61	0.96	0.36	49	0.34	0.183	
918439	Soil		0.52	39.45	13.22	79.6	170	89.9	14.6	492	3.22	14.1	0.5	7.6	3.0	34.0	0.24	0.75	0.23	58	0.34	0.084	
918769	Soil		0.60	35.83	58.43	258.4	434	87.3	15.3	763	2.90	18.9	0.8	138.3	3.3	37.4	4.17	0.67	0.26	51	0.33	0.187	
918770	Soil		0.62	22.66	51.38	384.4	346	89.6	12.6	665	2.74	14.7	0.7	2.1	3.7	42.4	6.07	0.62	0.25	42	0.31	0.230	
918771	Soil		0.69	25.37	61.87	373.7	373	82.6	13.9	709	2.93	15.0	0.8	9.8	3.9	28.8	4.88	0.62	0.27	46	0.23	0.183	
918772	Soil		0.60	36.71	61.95	302.3	323	73.9	12.5	752	2.82	19.7	1.0	3.3	4.1	27.9	3.40	0.70	0.26	45	0.23	0.182	
918773	Soil		0.52	27.41	36.69	196.2	305	87.3	13.0	1052	2.64	13.5	0.9	2.7	3.1	53.8	2.65	0.56	0.25	39	0.42	0.335	
918774	Soil		0.61	22.94	31.65	191.5	223	65.7	13.2	1395	2.57	15.7	0.6	2.5	2.8	41.6	2.61	0.84	0.27	40	0.40	0.270	
918775	Soil		0.65	28.51	46.86	200.8	288	80.5	13.8	1235	2.83	20.7	0.8	7.5	3.0	51.2	2.95	1.18	0.35	45	0.45	0.356	
918776	Soil		0.56	20.80	52.67	120.4	261	67.0	15.6	740	2.68	22.6	0.6	3.8	2.7	37.9	1.33	1.36	0.35	48	0.40	0.079	
918777	Soil		0.54	27.31	30.84	140.0	228	69.1	12.4	724	2.49	17.3	0.8	7.2	3.0	36.5	1.48	0.69	0.26	41	0.34	0.254	
918778	Soil		0.70	16.43	26.14	184.1	226	63.0	10.0	750	2.18	15.5	0.6	2.2	2.8	30.9	1.64	0.46	0.28	33	0.26	0.398	
918779	Soil		0.50	18.39	20.84	122.0	225	56.6	9.5	592	2.18	11.5	0.8	1.6	2.6	36.4	0.90	0.49	0.23	32	0.34	0.239	
918780	Soil		0.79	22.86	21.64	167.0	154	37.0	11.8	963	2.66	14.4	0.7	3.6	2.3	35.4	1.17	0.82	0.27	40	0.39	0.371	
918876	Soil		0.90	34.49	63.39	226.4	403	89.8	19.6	1302	3.42	18.1	0.8	5.4	2.9	37.2	2.49	1.06	0.31	63	0.36	0.166	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
918423	Soil	13.3	53.8	0.80	188.3	0.111	3	3.16	0.010	0.16	0.3	4.6	0.16	<0.02	28	0.4	0.02	8.1	2.03	<0.1	0.11
918424	Soil	19.3	72.9	1.07	235.3	0.152	2	4.01	0.011	0.25	0.4	7.0	0.24	<0.02	21	0.4	0.07	10.6	3.53	0.2	0.14
918425	Soil	13.9	54.5	0.77	284.3	0.118	2	3.41	0.011	0.15	0.4	4.6	0.19	0.02	40	0.5	<0.02	8.8	2.49	<0.1	0.11
918426	Soil	20.7	94.2	1.08	309.6	0.148	3	3.90	0.012	0.19	0.4	6.2	0.25	<0.02	28	0.4	0.06	10.2	3.25	<0.1	0.18
918427	Soil	20.7	92.4	1.05	297.8	0.153	3	3.92	0.013	0.18	0.4	6.5	0.25	<0.02	29	0.4	0.02	9.8	3.21	<0.1	0.20
918428	Soil	15.6	73.7	0.99	151.3	0.109	2	2.68	0.011	0.17	0.3	5.4	0.16	<0.02	17	0.3	<0.02	7.1	1.97	0.1	0.17
918429	Soil	13.0	85.9	1.14	301.7	0.116	3	3.33	0.013	0.12	0.4	5.4	0.13	<0.02	30	0.3	0.03	8.6	2.25	<0.1	0.15
918430	Soil	14.0	49.9	0.79	284.9	0.120	4	3.39	0.026	0.16	0.3	5.8	0.14	<0.02	36	0.3	<0.02	8.5	2.21	0.1	0.20
918431	Soil	10.0	100.0	0.87	318.3	0.110	5	3.06	0.023	0.15	0.6	5.1	0.16	<0.02	41	0.3	0.02	7.9	3.86	<0.1	0.10
918432	Soil	10.5	89.6	0.92	264.1	0.121	4	3.37	0.022	0.13	0.5	4.8	0.21	<0.02	40	0.3	0.02	8.5	5.65	<0.1	0.11
918433	Soil	13.3	26.4	0.52	68.4	0.069	<1	1.20	0.012	0.20	0.3	2.7	0.13	<0.02	9	0.1	0.03	3.9	1.38	<0.1	0.18
918434	Soil	11.8	64.9	0.84	203.8	0.117	2	3.29	0.022	0.13	0.4	5.0	0.16	<0.02	33	0.4	<0.02	8.1	3.20	<0.1	0.21
918435	Soil	9.9	61.6	0.94	162.2	0.096	3	2.94	0.015	0.16	0.4	3.8	0.13	<0.02	23	0.2	0.02	7.3	2.28	<0.1	0.11
918436	Soil	9.4	62.0	0.90	273.5	0.094	3	2.88	0.013	0.14	0.3	3.9	0.14	<0.02	32	0.3	0.03	7.7	2.23	<0.1	0.11
918437	Soil	9.2	64.7	0.95	285.9	0.095	3	3.00	0.014	0.15	0.4	3.9	0.17	<0.02	35	0.2	0.04	8.2	2.83	<0.1	0.12
918438	Soil	11.6	55.0	0.88	243.5	0.102	3	2.83	0.015	0.18	0.4	4.5	0.15	<0.02	37	0.2	0.03	7.4	2.54	<0.1	0.12
918439	Soil	14.0	60.8	1.08	118.9	0.087	2	2.28	0.017	0.17	0.3	5.3	0.14	<0.02	39	0.3	0.03	6.1	1.71	<0.1	0.14
918769	Soil	13.7	65.0	0.75	257.7	0.090	2	2.70	0.017	0.15	0.4	5.0	0.12	<0.02	22	0.4	0.04	7.0	1.77	<0.1	0.15
918770	Soil	15.3	62.8	0.80	316.1	0.092	3	2.73	0.017	0.14	0.4	4.3	0.13	<0.02	28	0.3	0.03	7.7	1.94	<0.1	0.12
918771	Soil	16.3	60.5	0.82	323.1	0.109	3	3.14	0.015	0.18	0.4	4.2	0.16	<0.02	18	0.3	<0.02	8.2	2.27	<0.1	0.12
918772	Soil	16.2	51.4	0.76	321.3	0.108	3	3.02	0.017	0.15	0.4	4.5	0.18	<0.02	32	0.4	<0.02	8.1	2.37	0.1	0.15
918773	Soil	14.6	47.3	0.68	432.1	0.099	3	2.82	0.016	0.14	0.3	4.2	0.18	<0.02	34	0.4	<0.02	7.3	2.03	<0.1	0.11
918774	Soil	10.7	41.8	0.60	482.6	0.090	3	2.61	0.015	0.14	0.3	3.5	0.14	<0.02	41	0.3	0.03	7.0	1.83	<0.1	0.09
918775	Soil	11.9	47.1	0.65	430.5	0.103	4	2.99	0.019	0.16	0.3	4.0	0.16	<0.02	46	0.4	0.04	7.9	1.87	<0.1	0.11
918776	Soil	10.4	56.1	0.68	275.5	0.109	3	2.53	0.024	0.13	0.3	4.1	0.14	<0.02	49	0.7	0.02	7.4	3.26	<0.1	0.10
918777	Soil	13.0	56.8	0.70	234.3	0.091	3	2.37	0.025	0.15	0.3	3.8	0.14	<0.02	35	0.4	0.03	6.2	1.72	<0.1	0.09
918778	Soil	8.9	40.8	0.46	379.1	0.103	3	2.84	0.026	0.10	0.3	3.4	0.12	<0.02	34	0.3	<0.02	7.1	1.75	<0.1	0.12
918779	Soil	9.6	36.0	0.42	259.9	0.106	4	3.13	0.034	0.10	0.2	3.3	0.12	<0.02	29	0.3	<0.02	7.8	1.54	<0.1	0.18
918780	Soil	9.1	36.1	0.51	310.6	0.095	3	2.84	0.022	0.11	0.2	3.6	0.12	<0.02	49	0.4	0.03	8.2	1.77	<0.1	0.14
918876	Soil	12.5	63.5	0.84	236.6	0.110	2	3.36	0.013	0.13	0.3	4.4	0.18	<0.02	42	0.5	0.03	8.3	2.64	<0.1	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 5 of 7 Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	10	2	
918423	Soil	1.54	21.7	0.6	<0.05	6.6	7.24	31.0	0.05	<1	0.7	20.4	<10	<2
918424	Soil	2.22	32.0	0.7	<0.05	8.1	9.51	44.3	0.05	<1	0.8	26.5	<10	3
918425	Soil	2.32	25.3	0.8	<0.05	7.2	7.58	33.6	0.07	<1	1.0	20.9	<10	2
918426	Soil	2.20	32.1	0.9	<0.05	13.0	10.35	46.9	0.05	<1	0.7	23.6	<10	<2
918427	Soil	2.07	31.1	0.9	<0.05	13.0	10.78	46.9	0.04	<1	0.7	23.2	<10	2
918428	Soil	1.25	26.9	0.5	<0.05	10.8	8.13	30.2	0.04	1	0.4	17.9	<10	<2
918429	Soil	1.44	21.8	0.8	<0.05	9.4	7.43	30.2	0.04	<1	0.6	19.9	<10	<2
918430	Soil	1.15	25.5	0.7	<0.05	16.0	9.96	34.0	0.05	<1	0.7	18.9	<10	<2
918431	Soil	1.07	33.1	0.8	<0.05	7.6	6.29	31.3	0.09	<1	0.8	23.5	<10	<2
918432	Soil	1.13	33.4	0.8	<0.05	8.9	5.90	31.6	0.05	<1	0.7	26.7	<10	<2
918433	Soil	0.26	27.5	0.3	<0.05	9.5	6.59	26.4	<0.02	<1	0.4	13.4	<10	<2
918434	Soil	1.10	31.6	0.7	<0.05	15.7	7.26	34.2	0.04	<1	0.7	23.5	<10	<2
918435	Soil	1.50	28.5	0.5	<0.05	6.8	4.90	30.9	0.04	<1	0.6	22.3	<10	<2
918436	Soil	1.74	26.5	0.7	<0.05	5.1	4.40	27.4	0.05	1	0.6	21.0	<10	<2
918437	Soil	1.52	31.2	0.7	<0.05	7.1	4.28	26.5	0.04	<1	0.7	22.9	<10	<2
918438	Soil	1.55	34.6	0.6	<0.05	8.9	5.68	32.4	0.04	<1	0.7	23.4	<10	<2
918439	Soil	0.88	27.2	0.4	<0.05	8.6	9.09	28.6	0.03	<1	0.5	19.7	<10	<2
918769	Soil	1.54	17.0	0.5	<0.05	8.4	7.45	33.6	0.04	<1	0.8	19.4	<10	<2
918770	Soil	1.45	22.7	0.6	<0.05	9.0	6.57	35.6	0.05	<1	0.9	25.8	<10	<2
918771	Soil	1.46	23.2	0.7	<0.05	8.2	6.74	41.5	0.04	<1	0.9	28.3	<10	<2
918772	Soil	1.56	22.8	0.7	<0.05	12.9	9.76	39.4	0.05	<1	0.9	25.8	<10	<2
918773	Soil	1.53	27.7	0.6	<0.05	8.1	8.70	35.2	0.03	<1	0.7	21.4	<10	<2
918774	Soil	1.62	17.6	0.6	<0.05	5.8	5.17	29.3	0.05	<1	0.6	21.6	<10	<2
918775	Soil	1.70	18.2	0.7	<0.05	8.1	7.16	32.8	0.06	<1	0.8	21.9	<10	<2
918776	Soil	1.85	37.2	0.8	<0.05	5.6	4.27	28.4	0.08	<1	0.5	29.9	<10	<2
918777	Soil	1.12	21.7	0.7	<0.05	6.8	7.35	29.4	0.05	<1	0.6	17.3	<10	<2
918778	Soil	1.51	14.7	0.8	<0.05	8.1	4.32	26.9	0.03	<1	0.7	19.7	<10	<2
918779	Soil	1.47	12.5	0.7	<0.05	12.8	6.45	29.7	0.04	<1	0.7	19.4	<10	<2
918780	Soil	2.03	16.7	0.7	<0.05	8.8	4.89	28.6	0.04	<1	0.8	19.1	<10	<2
918876	Soil	1.78	22.7	0.7	<0.05	6.8	7.31	33.7	0.05	<1	0.8	20.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 6 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	Unit	MDL	1F30 Mo	1F30 Cu	1F30 Pb	1F30 Zn	1F30 Ag	1F30 Ni	1F30 Co	1F30 Mn	1F30 Fe	1F30 As	1F30 U	1F30 Au	1F30 Th	1F30 Sr	1F30 Cd	1F30 Sb	1F30 Bi	1F30 V	1F30 Ca	1F30 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
918877	Soil			0.74	36.40	47.84	138.8	228	99.2	20.7	1235	3.51	22.0	0.8	21.3	2.9	34.6	1.55	1.16	0.35	64	0.32	0.191
918878	Soil			0.72	39.52	38.97	122.4	126	99.6	19.8	1061	3.35	25.4	0.7	6.9	3.2	37.7	1.29	1.08	0.33	63	0.35	0.198
918879	Soil			0.59	27.82	15.25	79.8	58	22.6	8.3	292	2.39	5.7	1.0	4.6	5.2	31.3	0.24	0.27	0.19	43	0.25	0.075
918880	Soil			0.64	35.85	28.80	134.4	170	92.8	18.4	1238	3.45	24.2	0.8	6.7	3.5	42.7	1.60	0.90	0.29	61	0.46	0.174
918881	Soil			0.67	39.46	24.87	118.9	247	79.2	18.7	889	3.45	34.9	0.9	3.6	3.3	30.4	0.94	0.86	0.26	64	0.31	0.209
918882	Soil			0.68	42.33	24.50	155.7	380	80.9	18.2	1033	3.50	27.7	1.0	5.7	3.6	36.8	1.98	0.98	0.30	60	0.45	0.234
918883	Soil			0.55	35.56	18.67	138.6	217	81.9	16.9	1055	3.34	20.5	0.8	4.7	3.5	34.5	0.97	0.84	0.25	57	0.30	0.233
918884	Soil			0.57	26.96	18.59	113.5	164	129.8	18.2	1124	3.26	20.9	0.6	3.8	2.7	32.5	0.65	0.92	0.23	54	0.27	0.210
918885	Soil			0.66	25.35	16.96	102.5	84	296.3	24.1	811	3.46	24.5	0.7	3.2	3.1	31.7	0.48	0.86	0.30	54	0.26	0.214
918886	Soil			0.54	21.16	19.70	83.4	105	497.5	33.0	773	3.24	17.1	0.7	1.9	2.8	27.6	0.43	0.90	0.29	46	0.28	0.138
918887	Soil			0.50	22.30	13.29	92.5	375	597.7	33.8	422	3.19	26.8	0.7	5.5	3.1	27.8	0.39	0.87	0.35	42	0.22	0.150
918888	Soil			0.45	30.54	15.21	92.2	238	198.4	19.4	518	3.11	22.1	1.0	3.9	3.5	35.7	0.35	0.50	0.28	53	0.27	0.182
918889	Soil			0.76	27.87	21.50	104.6	206	180.2	18.0	516	3.08	26.8	0.8	3.4	3.3	26.0	0.43	0.94	0.30	52	0.28	0.162
918890	Soil			0.78	28.53	18.52	99.7	222	176.6	18.7	503	3.09	23.9	0.9	7.6	3.0	24.5	0.41	0.90	0.28	52	0.24	0.143
918891	Soil			0.70	29.60	19.79	118.6	165	383.8	30.0	1026	3.60	20.8	0.7	4.0	3.0	29.3	0.56	0.93	0.37	55	0.29	0.185
918892	Soil			0.46	21.31	41.55	145.6	102	707.3	64.0	1572	4.22	15.5	0.6	4.8	1.8	28.5	1.00	1.08	0.50	51	0.29	0.167
918893	Soil			0.50	29.66	14.49	113.6	130	288.5	22.7	487	3.15	15.1	1.0	3.0	3.4	32.5	0.44	0.84	0.26	46	0.26	0.200
918894	Soil			0.56	26.69	14.02	77.6	53	22.2	8.2	275	2.30	5.3	1.0	1.7	5.0	29.0	0.21	0.25	0.19	43	0.24	0.072
918895	Soil			0.59	24.18	28.04	134.4	158	117.9	15.5	1024	2.77	14.1	0.6	19.5	2.7	32.7	0.65	0.88	0.26	44	0.27	0.275
918896	Soil			0.55	35.65	18.63	104.7	174	107.3	16.4	507	3.13	14.9	0.9	2.4	3.0	25.9	0.34	0.69	0.24	54	0.23	0.149
918688	Soil			0.62	43.18	14.89	162.3	176	54.3	15.9	1073	3.50	11.9	0.9	2.3	3.2	36.4	1.49	0.75	0.17	58	0.25	0.270
918689	Soil			0.58	45.41	14.96	138.2	164	58.5	17.5	729	3.83	14.7	0.8	6.0	3.0	37.0	0.91	1.03	0.19	68	0.27	0.181
918690	Soil			0.52	37.23	29.07	140.3	159	63.9	18.2	1220	3.61	15.6	0.6	22.0	2.4	57.5	1.36	1.25	0.25	58	0.59	0.253
918691	Soil			0.51	32.96	29.18	153.5	180	65.4	16.0	1011	3.39	15.7	0.7	2.8	2.6	44.2	1.18	1.09	0.26	54	0.37	0.252
918692	Soil			0.67	40.00	21.52	131.8	295	85.8	18.0	728	3.40	21.2	0.9	6.0	3.3	31.1	0.78	0.73	0.24	60	0.26	0.211
918693	Soil			0.70	35.22	23.81	145.1	253	84.8	18.0	857	3.46	22.9	1.0	6.2	3.8	36.8	1.35	0.85	0.27	59	0.35	0.187
918694	Soil			0.64	35.81	22.19	146.4	265	85.0	18.3	815	3.49	22.4	1.0	8.6	3.7	38.5	1.34	0.82	0.26	58	0.35	0.181
918695	Soil			0.57	36.60	16.47	148.1	372	90.2	16.3	582	3.40	18.9	1.0	3.9	3.3	37.2	1.29	0.82	0.24	56	0.33	0.185
918696	Soil			0.65	38.52	15.53	144.2	211	98.1	17.2	637	3.44	20.3	1.0	2.6	3.6	36.4	1.09	0.87	0.25	55	0.27	0.262
918697	Soil			0.61	35.39	16.83	128.0	187	148.7	20.2	804	3.60	21.8	0.9	7.2	3.3	34.7	0.77	0.83	0.24	63	0.27	0.167

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 6 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918877	Soil	12.3	75.6	0.89	211.8	0.104	3	2.98	0.013	0.17	0.3	4.9	0.18	<0.02	33	0.4	0.04	7.8	2.13	<0.1	0.06
918878	Soil	13.3	72.7	0.92	234.1	0.101	2	2.81	0.010	0.16	0.4	5.3	0.17	<0.02	21	0.4	0.05	7.3	2.01	<0.1	0.09
918879	Soil	14.6	28.9	0.51	70.1	0.076	<1	1.27	0.014	0.21	0.3	3.1	0.16	<0.02	10	0.2	0.03	4.3	1.51	<0.1	0.19
918880	Soil	15.8	72.5	0.84	281.6	0.115	3	3.12	0.013	0.19	0.3	5.6	0.18	<0.02	25	0.4	0.04	8.1	2.17	<0.1	0.07
918881	Soil	14.2	66.5	0.88	241.6	0.116	3	3.36	0.012	0.23	0.3	5.5	0.18	<0.02	25	0.4	0.02	8.3	2.26	0.1	0.08
918882	Soil	16.8	63.2	0.80	284.6	0.127	3	3.58	0.017	0.15	0.3	5.8	0.22	<0.02	44	0.4	0.02	9.2	2.90	0.1	0.17
918883	Soil	15.8	73.2	0.87	334.8	0.116	3	3.31	0.017	0.18	0.3	5.6	0.20	<0.02	34	0.3	0.02	8.7	2.54	<0.1	0.11
918884	Soil	11.3	70.2	0.86	244.5	0.093	2	2.78	0.012	0.16	0.3	4.4	0.14	<0.02	25	0.3	0.03	7.2	2.11	<0.1	0.08
918885	Soil	11.4	92.6	1.06	261.5	0.110	4	3.14	0.016	0.14	0.3	4.5	0.18	<0.02	30	0.2	0.03	8.2	2.95	<0.1	0.12
918886	Soil	9.6	128.2	1.05	262.6	0.115	4	2.93	0.016	0.09	0.3	4.3	0.15	<0.02	41	0.2	0.03	7.7	3.34	<0.1	0.13
918887	Soil	10.7	173.2	0.99	272.9	0.122	4	3.23	0.023	0.13	0.4	5.7	0.15	<0.02	30	0.3	<0.02	8.1	3.58	0.1	0.23
918888	Soil	12.3	82.5	0.85	236.7	0.134	4	3.54	0.026	0.16	0.5	5.6	0.18	<0.02	32	0.3	0.02	8.8	2.79	<0.1	0.31
918889	Soil	10.9	62.6	0.77	211.9	0.126	3	3.51	0.022	0.14	0.3	4.5	0.15	<0.02	36	0.3	0.02	8.8	3.34	<0.1	0.21
918890	Soil	10.6	57.7	0.78	189.8	0.116	3	3.48	0.020	0.14	0.3	4.3	0.15	<0.02	33	0.4	0.02	8.4	2.89	<0.1	0.20
918891	Soil	10.3	92.6	1.09	241.8	0.105	3	3.14	0.013	0.16	0.4	4.9	0.19	<0.02	25	0.4	0.02	8.1	3.44	<0.1	0.12
918892	Soil	8.1	196.7	2.28	230.7	0.084	4	2.69	0.012	0.11	0.6	4.8	0.15	<0.02	26	0.3	0.05	7.5	2.69	<0.1	0.03
918893	Soil	13.6	78.1	1.04	217.8	0.117	4	3.46	0.023	0.13	0.4	5.2	0.19	<0.02	38	0.4	0.02	8.4	2.52	<0.1	0.21
918894	Soil	13.8	25.8	0.51	65.8	0.069	<1	1.21	0.012	0.20	0.3	2.7	0.15	<0.02	9	0.2	<0.02	4.1	1.40	<0.1	0.16
918895	Soil	9.5	52.5	0.72	291.4	0.088	3	2.61	0.018	0.12	0.3	3.9	0.15	<0.02	35	0.3	0.03	7.1	1.79	<0.1	0.14
918896	Soil	12.8	59.6	0.88	169.9	0.098	3	2.83	0.017	0.13	0.3	4.9	0.14	<0.02	27	0.4	0.03	7.1	1.75	<0.1	0.12
918688	Soil	13.6	44.5	0.76	257.6	0.101	3	3.34	0.022	0.23	0.2	5.7	0.18	<0.02	22	0.4	<0.02	8.5	1.93	<0.1	0.20
918689	Soil	15.0	55.9	0.94	232.8	0.098	2	3.09	0.016	0.21	0.2	6.0	0.16	<0.02	27	0.4	0.04	8.0	1.83	<0.1	0.09
918690	Soil	12.4	56.7	0.84	294.8	0.077	3	2.59	0.012	0.24	0.3	5.2	0.16	<0.02	37	0.4	0.03	7.2	1.73	<0.1	0.07
918691	Soil	11.6	53.4	0.76	298.4	0.083	3	2.82	0.013	0.20	0.3	5.0	0.16	<0.02	30	0.3	0.04	7.4	1.65	<0.1	0.11
918692	Soil	12.9	58.0	0.82	195.0	0.095	2	3.13	0.016	0.18	0.4	5.2	0.16	<0.02	24	0.4	0.02	8.5	1.89	<0.1	0.22
918693	Soil	14.2	64.1	0.81	274.1	0.108	3	3.31	0.015	0.18	0.4	5.5	0.18	<0.02	29	0.4	0.02	8.7	2.00	<0.1	0.19
918694	Soil	13.7	61.2	0.81	247.2	0.108	3	3.33	0.015	0.17	0.4	5.2	0.17	<0.02	32	0.4	0.02	8.7	1.90	0.1	0.22
918695	Soil	15.2	57.1	0.79	260.4	0.111	3	3.61	0.017	0.17	0.3	5.5	0.19	<0.02	38	0.4	0.03	8.9	1.97	<0.1	0.26
918696	Soil	13.3	57.0	0.78	263.8	0.103	3	3.52	0.018	0.16	0.4	5.3	0.17	<0.02	24	0.4	0.03	9.0	2.03	<0.1	0.25
918697	Soil	13.1	83.9	1.06	243.2	0.129	3	3.81	0.017	0.18	0.4	5.6	0.23	<0.02	33	0.4	0.04	9.5	2.96	<0.1	0.21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 29, 2008

Page: 6 of 7 Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918877	Soil	1.41	25.2	0.7	<0.05	4.0	6.27	31.3	0.07	<1	0.8	21.8	<10	<2
918878	Soil	1.30	23.2	0.5	<0.05	4.3	6.39	34.0	0.07	<1	0.8	19.8	<10	<2
918879	Soil	0.36	28.5	0.3	<0.05	9.3	7.12	28.1	<0.02	<1	0.3	14.8	<10	<2
918880	Soil	1.58	27.3	0.6	<0.05	5.9	8.75	36.6	0.04	<1	0.7	22.2	<10	<2
918881	Soil	1.60	28.1	0.6	<0.05	6.2	8.13	37.1	0.04	<1	0.8	24.3	<10	<2
918882	Soil	2.02	26.6	0.8	<0.05	10.0	9.38	41.7	0.04	<1	0.9	25.7	<10	<2
918883	Soil	1.36	26.4	0.7	<0.05	9.4	8.37	37.9	0.04	<1	0.8	21.9	<10	<2
918884	Soil	1.29	21.4	0.5	<0.05	5.5	4.85	31.5	0.03	<1	0.6	20.6	<10	<2
918885	Soil	1.17	24.5	0.7	<0.05	8.3	5.32	32.2	0.04	<1	0.7	23.6	<10	2
918886	Soil	1.12	22.0	0.8	<0.05	8.3	4.58	29.9	0.05	<1	0.7	25.3	<10	<2
918887	Soil	0.89	23.3	0.8	<0.05	16.7	5.64	33.6	0.03	<1	0.7	24.1	<10	<2
918888	Soil	1.07	33.4	0.8	<0.05	20.7	8.09	34.1	0.03	<1	0.8	26.2	<10	<2
918889	Soil	1.77	34.0	0.8	<0.05	14.1	6.28	37.6	0.05	<1	0.8	27.8	<10	<2
918890	Soil	1.81	33.5	0.7	<0.05	13.9	6.80	33.2	0.05	<1	0.8	23.6	<10	<2
918891	Soil	1.39	34.3	0.6	<0.05	7.4	5.00	27.8	0.05	<1	0.7	23.2	<10	<2
918892	Soil	1.17	22.7	0.9	<0.05	2.9	3.57	20.8	0.08	<1	0.8	22.5	<10	2
918893	Soil	1.42	26.7	0.7	<0.05	14.4	8.87	35.4	0.04	<1	0.8	22.5	<10	<2
918894	Soil	0.33	26.9	0.3	<0.05	8.1	6.98	26.5	<0.02	<1	0.4	14.1	<10	<2
918895	Soil	1.17	21.7	0.6	<0.05	6.8	4.90	25.7	0.06	<1	0.6	17.8	<10	<2
918896	Soil	1.18	21.1	0.5	<0.05	8.6	7.21	31.7	0.03	<1	0.6	19.6	<10	<2
918688	Soil	1.14	23.0	0.6	<0.05	12.3	9.50	33.5	0.03	<1	0.7	21.2	<10	<2
918689	Soil	1.20	22.8	0.5	<0.05	6.1	9.64	33.0	0.04	<1	0.7	22.6	<10	<2
918690	Soil	1.46	20.2	0.5	<0.05	5.2	7.60	27.4	0.06	<1	0.5	19.0	<10	<2
918691	Soil	1.25	19.8	0.5	<0.05	7.0	7.51	29.0	0.05	<1	0.7	19.5	<10	<2
918692	Soil	0.92	20.4	0.6	<0.05	15.5	9.34	33.0	0.04	<1	0.7	20.4	<10	<2
918693	Soil	1.42	20.8	0.6	<0.05	12.6	8.91	37.6	0.04	<1	0.9	23.4	<10	<2
918694	Soil	1.40	21.3	0.6	<0.05	11.8	9.02	35.1	0.05	<1	0.9	23.1	<10	<2
918695	Soil	1.60	19.1	0.7	<0.05	14.6	9.96	37.3	0.04	<1	0.7	22.2	<10	<2
918696	Soil	1.09	23.7	0.7	<0.05	18.1	9.35	35.1	0.03	<1	0.7	23.7	<10	<2
918697	Soil	1.76	31.2	0.7	<0.05	13.5	8.02	36.0	0.04	<1	0.7	25.8	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 29, 2008

Page: 7 of 7 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
918576	Soil	0.62	34.09	21.01	109.9	272	185.6	24.9	1078	3.59	19.9	0.8	16.6	3.0	34.3	1.05	0.74	0.32	61	0.29	0.193
918577	Soil	0.50	33.21	16.29	163.6	160	103.0	17.6	677	3.39	15.5	0.8	4.0	3.2	34.2	1.35	1.04	0.25	54	0.31	0.342
918578	Soil	0.63	34.43	16.27	155.3	419	190.3	19.0	716	3.61	26.0	2.3	3.7	3.5	36.9	0.80	0.87	0.27	60	0.39	0.201
918579	Soil	0.68	50.45	21.98	160.1	251	126.6	20.2	710	3.52	28.1	2.0	4.0	3.6	36.3	1.02	1.05	0.32	60	0.40	0.220
918580	Soil	0.58	28.06	19.85	122.9	174	120.7	18.8	947	3.33	19.3	0.8	2.6	2.9	28.5	0.70	0.80	0.31	57	0.30	0.167
918581	Soil	0.60	54.56	15.19	112.5	137	114.3	17.7	425	3.30	17.7	1.4	3.0	3.9	29.2	0.40	0.68	0.32	59	0.23	0.174
918582	Soil	0.73	37.71	15.93	102.8	160	153.1	18.2	516	3.37	21.4	1.1	3.2	3.5	25.0	0.41	0.66	0.40	61	0.21	0.150
918583	Soil	0.61	31.23	13.98	116.0	226	109.5	15.5	577	3.26	15.1	1.1	2.9	3.4	29.0	0.49	0.55	0.32	52	0.28	0.276



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street

Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 29, 2008

Page:

7 of 7

Part 2

CERTIFICATE OF ANALYSIS

VAN08008034.1

	Method	1F30																			
		Analyte																			
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
918576	Soil	11.1	89.2	1.04	220.8	0.104	3	3.10	0.013	0.14	0.4	5.0	0.10	<0.02	22	0.4	0.02	7.6	2.13	<0.1	0.14
918577	Soil	12.5	58.4	0.83	354.9	0.097	4	3.27	0.020	0.18	0.3	5.2	0.16	<0.02	42	0.3	<0.02	8.6	1.99	<0.1	0.16
918578	Soil	11.7	58.7	0.87	234.0	0.118	3	3.75	0.017	0.19	0.3	4.7	0.16	<0.02	33	0.5	0.03	8.8	2.37	<0.1	0.18
918579	Soil	13.8	55.0	0.84	225.1	0.125	4	3.89	0.023	0.17	0.4	5.4	0.18	<0.02	46	0.5	0.03	9.6	4.53	<0.1	0.23
918580	Soil	8.4	59.4	0.89	234.2	0.105	3	3.21	0.018	0.18	0.3	4.0	0.16	<0.02	31	0.3	0.04	8.0	2.63	<0.1	0.14
918581	Soil	13.9	56.2	0.87	217.2	0.114	2	3.57	0.020	0.13	0.4	5.5	0.13	<0.02	34	0.4	0.03	9.2	2.61	0.1	0.29
918582	Soil	9.8	59.6	0.91	194.6	0.118	2	3.39	0.022	0.14	0.7	4.8	0.16	<0.02	26	0.3	<0.02	8.3	3.12	<0.1	0.18
918583	Soil	10.3	45.2	0.74	224.0	0.108	<1	3.55	0.015	0.14	0.4	4.3	0.13	<0.02	18	0.3	0.03	8.6	2.32	<0.1	0.21



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 29, 2008

Page:

7 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN08008034.1

	Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Analyte	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
	Unit													
	MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918576	Soil	1.51	22.7	0.6	<0.05	7.8	5.83	33.1	0.03	<1	0.7	21.2	<10	<2
918577	Soil	1.13	24.0	0.6	<0.05	11.3	8.27	31.9	0.04	<1	0.7	22.2	<10	<2
918578	Soil	1.58	38.5	0.6	<0.05	10.3	6.55	40.4	0.03	<1	0.7	43.2	<10	<2
918579	Soil	1.71	28.6	0.8	<0.05	15.4	9.92	37.0	0.05	<1	0.8	31.0	<10	<2
918580	Soil	1.40	28.2	0.6	<0.05	7.8	4.34	29.7	0.04	<1	0.7	25.1	<10	<2
918581	Soil	1.13	21.9	0.7	<0.05	21.6	9.75	35.6	0.03	4	0.8	26.8	<10	3
918582	Soil	1.57	32.4	0.7	<0.05	11.8	5.51	33.6	0.04	<1	0.6	38.4	<10	<2
918583	Soil	1.40	27.7	0.7	<0.05	12.1	5.91	34.3	0.03	<1	0.8	27.0	<10	<2

QUALITY CONTROL REPORT

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
917522	Soil	1.01	65.22	25.81	153.8	546	63.3	25.2	1099	3.83	54.1	1.4	19.4	6.3	41.3	0.91	1.39	0.33	60	0.52	0.177
REP 917522	QC	0.99	67.29	25.56	154.9	556	63.2	23.7	1131	3.83	54.8	1.5	21.8	6.4	40.8	0.85	1.44	0.33	58	0.52	0.184
917526	Soil	0.87	56.66	12.77	101.6	183	32.9	14.9	441	3.44	13.2	1.4	3.3	5.0	27.5	0.37	1.02	0.20	67	0.21	0.110
REP 917526	QC	0.86	55.11	11.56	96.2	181	32.8	14.7	435	3.45	13.0	1.2	5.8	4.6	27.4	0.29	0.93	0.19	66	0.21	0.110
917547	Soil	0.80	52.12	14.84	86.0	218	45.7	15.8	502	3.36	12.8	1.3	1.9	4.3	36.0	0.30	0.78	0.22	70	0.28	0.111
REP 917547	QC	0.80	51.82	15.35	87.3	211	45.7	15.3	499	3.36	13.0	1.3	3.5	4.3	36.3	0.34	0.78	0.23	70	0.29	0.107
917564	Soil	2.58	91.70	66.43	244.4	882	93.1	19.3	653	4.55	50.5	2.8	3.5	8.0	41.5	1.43	1.05	0.72	64	0.30	0.121
REP 917564	QC	2.65	97.05	69.70	248.9	849	99.2	21.3	641	4.58	52.7	2.8	4.1	8.3	41.4	1.34	1.11	0.75	65	0.29	0.121
918429	Soil	0.49	31.97	17.57	114.2	153	325.7	29.3	1026	3.66	16.2	0.9	2.3	3.3	30.4	0.47	0.54	0.34	58	0.25	0.243
REP 918429	QC	0.57	31.35	18.03	113.5	155	317.2	28.6	974	3.62	16.2	0.9	3.8	3.1	30.6	0.44	0.50	0.33	56	0.25	0.242
918776	Soil	0.56	20.80	52.67	120.4	261	67.0	15.6	740	2.68	22.6	0.6	3.8	2.7	37.9	1.33	1.36	0.35	48	0.40	0.079
REP 918776	QC	0.57	20.84	53.25	119.2	259	65.7	15.3	723	2.63	22.2	0.6	3.0	2.7	35.6	1.33	1.33	0.38	47	0.40	0.078
918876	Soil	0.90	34.49	63.39	226.4	403	89.8	19.6	1302	3.42	18.1	0.8	5.4	2.9	37.2	2.49	1.06	0.31	63	0.36	0.166
REP 918876	QC	0.93	35.86	66.41	255.1	409	96.4	19.7	1295	3.39	19.5	0.9	8.7	3.0	38.3	2.61	1.13	0.31	62	0.37	0.196
918893	Soil	0.50	29.66	14.49	113.6	130	288.5	22.7	487	3.15	15.1	1.0	3.0	3.4	32.5	0.44	0.84	0.26	46	0.26	0.200
REP 918893	QC	0.50	28.75	13.68	114.2	121	288.3	22.4	485	3.15	15.2	1.0	3.4	3.3	31.7	0.44	0.84	0.25	47	0.26	0.202
Reference Materials																					
STD DS7	Standard	20.14	106.8	81.09	398.7	842	56.7	9.3	622	2.35	50.9	5.3	67.9	4.7	72.9	6.31	6.20	4.92	72	0.92	0.074
STD DS7	Standard	21.23	117.2	76.14	421.6	854	56.0	9.5	628	2.46	55.7	5.1	58.7	4.6	72.4	6.82	6.50	4.86	87	0.96	0.080
STD DS7	Standard	18.56	108.6	68.59	403.5	792	53.2	8.4	622	2.27	51.0	4.7	68.5	4.4	74.4	6.09	5.67	4.13	77	0.93	0.081
STD DS7	Standard	19.77	109.7	70.03	421.0	848	53.9	8.9	601	2.34	53.2	4.9	106.2	4.4	74.4	6.44	5.84	4.35	77	0.93	0.081
STD DS7	Standard	20.82	114.6	73.86	394.7	799	56.4	9.6	630	2.35	49.6	4.9	83.9	4.5	73.7	5.91	5.88	4.70	84	0.93	0.073
STD DS7	Standard	21.56	121.1	78.20	416.2	881	58.8	9.7	634	2.45	53.6	5.2	73.3	4.6	72.8	6.20	6.44	4.94	99	0.96	0.077
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
Pulp Duplicates																					
917522	Soil	25.8	56.6	1.13	289.1	0.178	4	3.82	0.017	0.26	1.3	7.2	0.30	<0.02	46	0.7	0.07	9.8	3.18	<0.1	0.20
REP 917522	QC	26.3	58.3	1.12	284.8	0.178	3	3.81	0.017	0.25	1.3	6.9	0.30	<0.02	39	0.6	0.04	9.4	3.10	<0.1	0.23
917526	Soil	18.7	45.2	0.85	167.4	0.126	1	2.66	0.011	0.15	0.2	6.0	0.16	<0.02	46	0.3	<0.02	7.3	1.96	<0.1	0.24
REP 917526	QC	18.7	46.4	0.80	154.2	0.129	2	2.57	0.011	0.15	0.3	6.2	0.15	<0.02	29	0.3	0.04	6.7	1.94	<0.1	0.21
917547	Soil	17.1	57.2	0.74	190.0	0.153	2	3.25	0.017	0.20	0.2	6.8	0.16	<0.02	25	0.5	<0.02	8.3	2.03	0.1	0.30
REP 917547	QC	17.7	58.0	0.76	189.3	0.154	2	3.25	0.018	0.20	0.3	6.9	0.17	<0.02	18	0.4	0.03	8.0	2.06	<0.1	0.35
917564	Soil	18.4	66.3	0.86	206.1	0.098	2	2.75	0.006	0.35	0.4	5.6	0.31	<0.02	43	1.9	0.11	8.2	3.73	<0.1	0.13
REP 917564	QC	18.5	64.6	0.85	206.3	0.098	2	2.71	0.006	0.36	0.4	5.6	0.30	<0.02	37	1.9	0.15	8.6	3.87	<0.1	0.10
918429	Soil	13.0	85.9	1.14	301.7	0.116	3	3.33	0.013	0.12	0.4	5.4	0.13	<0.02	30	0.3	0.03	8.6	2.25	<0.1	0.15
REP 918429	QC	12.7	84.1	1.12	291.0	0.112	3	3.27	0.014	0.12	0.5	5.6	0.14	<0.02	27	0.2	<0.02	8.5	2.23	<0.1	0.17
918776	Soil	10.4	56.1	0.68	275.5	0.109	3	2.53	0.024	0.13	0.3	4.1	0.14	<0.02	49	0.7	0.02	7.4	3.26	<0.1	0.10
REP 918776	QC	9.7	51.9	0.68	273.7	0.106	3	2.56	0.025	0.13	0.3	3.8	0.13	<0.02	50	0.6	0.04	7.1	3.21	<0.1	0.08
918876	Soil	12.5	63.5	0.84	236.6	0.110	2	3.36	0.013	0.13	0.3	4.4	0.18	<0.02	42	0.5	0.03	8.3	2.64	<0.1	0.11
REP 918876	QC	13.1	63.5	0.83	249.4	0.114	3	3.37	0.015	0.14	0.3	4.9	0.19	<0.02	48	0.4	0.04	9.2	2.75	<0.1	0.11
918893	Soil	13.6	78.1	1.04	217.8	0.117	4	3.46	0.023	0.13	0.4	5.2	0.19	<0.02	38	0.4	0.02	8.4	2.52	<0.1	0.21
REP 918893	QC	13.3	76.8	1.05	215.6	0.113	3	3.50	0.023	0.13	0.4	5.0	0.18	<0.02	32	0.4	0.03	8.9	2.54	<0.1	0.24
Reference Materials																					
STD DS7	Standard	13.5	198.7	1.04	355.4	0.126	40	1.01	0.087	0.46	3.9	2.7	4.27	0.19	223	4.1	1.08	4.6	5.98	0.1	0.13
STD DS7	Standard	13.6	195.1	1.06	386.9	0.124	43	0.97	0.085	0.47	3.9	2.8	4.24	0.21	216	3.5	1.18	4.7	6.23	0.1	0.12
STD DS7	Standard	13.4	194.8	1.01	373.3	0.117	39	1.04	0.092	0.42	3.7	2.6	4.11	0.18	220	3.4	1.14	4.8	5.88	0.1	0.13
STD DS7	Standard	13.3	195.7	1.02	390.0	0.111	41	1.05	0.092	0.43	3.9	2.5	4.46	0.18	218	3.6	1.18	5.1	6.12	<0.1	0.14
STD DS7	Standard	13.8	202.0	1.05	376.4	0.126	37	1.00	0.085	0.43	3.8	2.4	4.19	0.18	203	3.3	1.08	4.6	6.03	0.1	0.12
STD DS7	Standard	13.4	205.5	1.08	400.0	0.127	37	1.03	0.085	0.47	3.8	2.6	4.31	0.21	197	3.5	1.19	4.8	6.24	0.1	0.10
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08008034.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates														
917522	Soil	4.81	38.4	0.9	<0.05	16.2	14.19	58.5	0.04	<1	1.0	24.7	<10	4
REP 917522	QC	5.02	38.8	0.9	<0.05	16.9	14.49	59.0	0.05	2	1.2	23.7	<10	6
917526	Soil	1.06	29.0	0.6	<0.05	13.8	11.38	36.0	0.04	<1	0.7	17.8	<10	<2
REP 917526	QC	1.02	27.3	0.5	<0.05	13.8	11.30	35.9	0.03	<1	0.4	16.4	<10	3
917547	Soil	0.83	25.2	0.7	<0.05	22.2	11.77	33.5	0.04	<1	0.8	17.6	<10	3
REP 917547	QC	0.92	25.9	0.8	<0.05	22.6	12.05	35.1	0.04	1	0.7	17.1	<10	<2
917564	Soil	0.95	40.9	0.6	<0.05	6.3	12.35	32.1	0.06	<1	1.2	30.8	<10	<2
REP 917564	QC	0.95	43.1	0.6	<0.05	6.3	12.41	32.1	0.07	<1	1.1	31.8	<10	3
918429	Soil	1.44	21.8	0.8	<0.05	9.4	7.43	30.2	0.04	<1	0.6	19.9	<10	<2
REP 918429	QC	1.43	21.1	0.7	<0.05	9.5	7.36	30.5	0.02	<1	0.7	20.4	<10	2
918776	Soil	1.85	37.2	0.8	<0.05	5.6	4.27	28.4	0.08	<1	0.5	29.9	<10	<2
REP 918776	QC	1.84	36.7	0.7	<0.05	5.3	4.12	27.6	0.08	<1	0.5	28.1	<10	<2
918876	Soil	1.78	22.7	0.7	<0.05	6.8	7.31	33.7	0.05	<1	0.8	20.3	<10	<2
REP 918876	QC	1.82	24.6	0.7	<0.05	7.3	7.47	36.3	0.05	<1	0.8	22.6	<10	<2
918893	Soil	1.42	26.7	0.7	<0.05	14.4	8.87	35.4	0.04	<1	0.8	22.5	<10	<2
REP 918893	QC	1.43	26.6	0.7	<0.05	14.2	8.67	35.5	0.04	<1	0.7	22.5	<10	<2
Reference Materials														
STD DS7	Standard	0.67	35.7	5.3	<0.05	5.8	6.34	37.1	1.65	4	1.7	28.2	60	45
STD DS7	Standard	0.63	38.6	5.3	<0.05	5.6	6.12	34.7	1.72	4	1.9	28.0	54	40
STD DS7	Standard	0.71	37.8	4.5	<0.05	6.0	6.26	37.2	1.50	3	1.6	30.8	62	38
STD DS7	Standard	0.63	40.0	4.7	<0.05	6.3	6.46	37.8	1.60	5	1.6	31.1	57	44
STD DS7	Standard	0.58	34.2	5.1	<0.05	5.3	6.27	35.7	1.61	3	1.7	26.8	82	35
STD DS7	Standard	0.70	36.2	5.3	<0.05	5.4	6.14	36.3	1.75	6	1.6	28.5	70	38
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2

QUALITY CONTROL REPORT

VAN08008034.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08008034.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08008034.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: August 07, 2008
 Report Date: August 25, 2008
 Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN08008175.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 004
 P.O. Number
 Number of Samples: 137

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	137	Sieve to 230 mesh		
RJSV	137	Save all or part of soil reject fraction		
1F30	137	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 2 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
917569	Soil		0.89	38.43	26.28	107.1	217	79.8	16.9	708	3.72	74.9	1.4	8.3	7.3	38.2	0.34	0.60	0.36	58	0.23	0.083
917570	Soil		0.75	36.18	45.38	137.8	217	77.5	19.2	1436	3.49	35.5	1.2	5.6	4.5	44.9	1.07	0.97	0.38	55	0.34	0.166
917571	Soil		0.65	36.17	24.28	96.2	186	81.5	17.4	656	3.46	52.4	1.3	10.0	5.4	36.7	0.34	0.67	0.30	57	0.23	0.089
917572	Soil		0.74	36.39	24.04	109.5	294	74.2	20.0	920	3.49	27.2	1.4	3.2	5.6	33.0	0.42	0.54	0.33	56	0.19	0.109
917573	Soil		0.64	38.25	19.74	98.9	156	85.4	16.3	511	3.76	21.9	1.1	3.7	5.0	32.1	0.27	0.78	0.24	67	0.24	0.088
917574	Soil		0.79	46.29	19.45	102.6	128	100.0	15.9	438	4.83	31.6	1.3	6.0	6.7	30.8	0.26	0.67	0.27	66	0.19	0.066
917575	Soil		0.68	37.62	21.16	114.2	166	89.1	18.7	649	3.76	19.7	1.0	3.3	4.6	34.5	0.29	0.78	0.25	66	0.22	0.115
917576	Soil		0.68	40.68	27.64	129.4	168	102.7	18.4	551	3.63	26.5	1.2	3.8	4.6	27.4	0.46	0.82	0.28	61	0.22	0.220
917577	Soil		0.58	38.64	15.28	77.3	126	96.8	16.8	499	3.50	20.5	0.8	15.4	4.2	32.7	0.24	0.82	0.21	63	0.29	0.092
917578	Soil		0.59	37.13	18.07	108.8	182	68.4	16.5	529	3.70	19.8	1.0	4.8	4.4	35.9	0.28	0.72	0.23	68	0.28	0.084
917579	Soil		0.61	43.02	15.14	88.4	206	72.3	15.1	527	3.69	20.8	1.6	6.0	5.6	37.1	0.20	0.76	0.24	66	0.30	0.071
917580	Soil		0.66	44.53	62.64	149.8	194	89.5	23.3	1528	3.69	17.5	1.1	6.1	3.2	49.2	1.26	1.61	0.46	63	0.43	0.209
917581	Soil		0.75	57.59	46.14	139.4	1071	75.2	17.2	493	3.49	25.4	1.3	8.2	5.6	32.8	1.00	1.12	0.28	71	0.50	0.115
917582	Soil		0.89	37.74	95.04	319.7	1212	82.2	11.8	451	2.90	22.7	1.5	3.8	5.4	39.3	3.62	1.17	0.31	59	0.69	0.218
917583	Soil		0.60	59.40	57.64	295.9	971	92.9	17.6	535	3.37	19.4	1.6	9.0	4.7	37.6	3.32	0.99	0.29	67	0.45	0.127
917584	Soil		0.76	32.95	102.4	409.9	713	81.4	13.7	635	2.90	15.7	1.6	2.7	5.2	39.1	6.36	0.87	0.33	51	0.70	0.325
917585	Soil		0.59	33.85	18.65	158.7	252	76.9	15.7	516	3.14	11.6	1.0	5.2	3.4	25.6	2.21	0.71	0.23	62	0.20	0.133
917586	Soil		0.68	46.41	23.79	207.8	267	71.5	17.7	645	3.50	14.7	1.7	3.5	3.8	31.0	2.83	0.83	0.27	68	0.27	0.177
917587	Soil		0.69	45.44	25.20	161.1	325	73.4	16.4	753	3.13	15.2	1.1	2.9	3.4	29.0	1.42	1.05	0.28	58	0.25	0.225
917588	Soil		0.69	39.45	35.29	277.1	196	66.9	16.3	735	3.19	12.1	1.5	3.0	3.9	39.3	3.49	0.93	0.27	56	0.51	0.288
917589	Soil		1.33	53.55	52.97	140.1	149	112.5	19.2	477	3.96	26.7	1.5	8.2	7.0	22.1	0.40	0.93	0.32	83	0.24	0.157
917590	Soil		1.07	37.65	32.30	128.6	185	92.7	18.5	701	3.47	15.3	1.4	3.5	4.7	16.8	0.65	0.94	0.35	68	0.17	0.147
917591	Soil		1.02	33.52	45.94	133.2	207	71.0	15.6	730	3.42	30.0	1.5	3.1	5.5	17.9	0.70	0.92	0.37	65	0.17	0.200
917592	Soil		1.12	29.79	91.46	237.1	329	82.4	19.2	1661	3.66	17.9	1.1	3.6	3.7	23.8	1.62	0.88	0.49	68	0.31	0.183
917701	Soil		1.11	42.70	54.33	963.8	369	121.2	23.7	2338	3.36	14.3	1.3	2.0	4.5	81.1	7.43	1.23	0.50	49	0.72	0.221
917702	Soil		1.12	44.42	37.11	405.6	210	110.8	20.7	1254	3.48	12.9	1.6	3.4	5.2	48.0	1.87	0.77	0.40	54	0.41	0.150
917703	Soil		1.36	31.75	32.48	537.5	218	82.3	17.5	1216	3.16	15.8	1.2	1.6	3.7	58.0	4.69	0.63	0.42	47	0.72	0.429
917704	Soil		2.17	32.68	43.95	456.3	237	82.5	19.4	1816	3.22	18.4	1.0	2.2	3.7	43.9	7.20	1.15	0.49	53	0.72	0.169
917705	Soil		1.77	34.04	76.71	511.5	270	81.1	18.5	1463	3.44	15.6	1.2	2.8	4.7	36.1	7.22	1.38	0.56	59	0.42	0.088
917706	Soil		1.06	40.66	36.53	459.5	146	94.7	19.6	1253	3.34	14.7	1.4	3.4	4.6	70.7	3.68	1.03	0.48	49	0.85	0.328



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm			
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
917569	Soil			19.8	66.3	1.02	174.3	0.128	<1	3.56	0.009	0.43	0.3	6.3	0.33	<0.02	24	0.5	0.03	9.2	2.70	0.1	0.18	
917570	Soil			15.8	65.9	0.84	258.2	0.110	<1	3.61	0.006	0.27	0.3	4.8	0.24	<0.02	36	0.5	0.05	9.5	2.41	<0.1	0.21	
917571	Soil			16.3	71.9	0.84	171.4	0.133	<1	3.48	0.012	0.20	0.3	6.0	0.20	<0.02	24	0.5	<0.02	8.4	2.05	<0.1	0.25	
917572	Soil			16.8	60.9	0.74	193.4	0.141	<1	3.91	0.009	0.18	0.3	5.9	0.22	<0.02	22	0.4	0.03	10.2	2.21	<0.1	0.28	
917573	Soil			18.1	80.2	0.96	163.4	0.124	<1	2.83	0.008	0.27	0.3	7.1	0.18	<0.02	15	0.4	0.04	7.4	2.02	0.1	0.16	
917574	Soil			19.2	91.6	1.12	118.4	0.120	<1	2.59	0.004	0.39	0.3	7.2	0.30	<0.02	21	0.5	0.02	7.2	3.08	0.1	0.09	
917575	Soil			17.3	80.8	0.99	138.1	0.119	<1	3.11	0.010	0.24	0.3	6.5	0.18	<0.02	23	0.4	0.03	8.2	2.03	<0.1	0.13	
917576	Soil			14.9	65.0	0.84	219.1	0.121	<1	3.82	0.011	0.20	0.3	5.7	0.17	<0.02	27	0.4	0.03	9.4	2.13	<0.1	0.34	
917577	Soil			17.3	93.8	1.04	105.7	0.096	<1	1.92	0.008	0.21	0.3	5.8	0.14	<0.02	16	0.4	0.03	5.7	1.60	<0.1	0.05	
917578	Soil			17.5	71.3	0.97	164.0	0.123	<1	2.81	0.007	0.26	0.3	6.4	0.18	<0.02	15	0.4	0.03	7.3	2.11	<0.1	0.13	
917579	Soil			20.7	82.1	1.04	162.9	0.123	<1	2.49	0.007	0.24	0.3	6.8	0.19	<0.02	21	0.4	0.02	7.0	2.30	<0.1	0.13	
917580	Soil			15.9	74.1	0.88	388.2	0.103	4	3.09	0.010	0.20	0.2	4.9	0.22	0.02	49	0.3	0.04	7.9	2.16	<0.1	0.08	
917581	Soil			18.6	85.5	1.06	87.2	0.098	1	2.25	0.013	0.18	0.4	6.2	0.19	<0.02	26	0.4	<0.02	6.1	2.43	0.1	0.14	
917582	Soil			18.7	75.8	0.89	138.9	0.092	3	2.75	0.013	0.15	0.5	5.3	0.21	<0.02	36	0.4	<0.02	6.9	2.76	<0.1	0.19	
917583	Soil			18.9	72.6	0.92	162.3	0.112	3	3.05	0.016	0.19	0.4	6.0	0.17	<0.02	36	0.4	<0.02	7.3	2.44	0.1	0.30	
917584	Soil			19.2	63.9	0.71	182.5	0.112	3	3.51	0.019	0.14	0.5	4.9	0.22	<0.02	28	0.3	<0.02	8.1	2.95	<0.1	0.27	
917585	Soil			12.9	54.9	0.79	181.8	0.101	2	2.56	0.013	0.16	0.3	4.4	0.16	<0.02	23	0.3	0.05	6.4	1.80	<0.1	0.14	
917586	Soil			15.2	53.2	0.85	225.0	0.122	3	3.64	0.014	0.18	0.4	5.2	0.18	<0.02	30	0.4	<0.02	8.8	1.99	<0.1	0.22	
917587	Soil			14.0	51.6	0.71	243.0	0.103	2	3.15	0.016	0.16	0.3	4.7	0.16	<0.02	29	0.3	<0.02	8.0	1.82	<0.1	0.20	
917588	Soil			15.5	47.7	0.74	308.4	0.117	3	3.52	0.021	0.17	0.3	5.0	0.16	<0.02	26	0.3	<0.02	8.4	2.14	<0.1	0.22	
917589	Soil			15.7	71.8	1.07	90.8	0.111	2	3.50	0.009	0.14	0.6	5.0	0.18	<0.02	40	0.7	0.07	7.3	2.17	<0.1	0.17	
917590	Soil			12.9	55.2	0.77	183.8	0.138	2	3.78	0.012	0.10	0.4	4.1	0.17	<0.02	54	0.4	<0.02	9.5	2.25	<0.1	0.26	
917591	Soil			12.7	45.3	0.65	151.7	0.136	2	3.95	0.011	0.10	0.5	3.8	0.18	<0.02	62	0.7	0.09	10.1	2.35	<0.1	0.19	
917592	Soil			12.8	59.3	0.74	228.3	0.106	2	2.80	0.010	0.12	0.4	3.2	0.16	<0.02	41	0.3	<0.02	9.6	2.52	<0.1	0.04	
917701	Soil			33.9	44.6	0.55	370.1	0.135	4	3.60	0.018	0.17	0.4	4.7	0.20	<0.02	60	0.5	<0.02	9.4	2.96	<0.1	0.16	
917702	Soil			26.2	51.7	0.67	256.5	0.155	3	4.16	0.020	0.20	0.4	5.5	0.26	<0.02	32	0.4	<0.02	10.1	2.89	<0.1	0.28	
917703	Soil			18.7	48.9	0.62	303.3	0.116	4	3.28	0.018	0.21	0.6	4.6	0.22	<0.02	26	0.2	<0.02	8.7	2.45	0.1	0.11	
917704	Soil			17.1	49.9	0.61	254.4	0.130	4	3.41	0.017	0.19	0.9	4.4	0.23	<0.02	43	0.5	0.04	8.7	2.49	<0.1	0.19	
917705	Soil			18.6	50.1	0.64	227.2	0.145	3	3.72	0.017	0.16	0.9	5.0	0.22	<0.02	38	0.4	0.04	9.2	2.49	<0.1	0.30	
917706	Soil			20.6	48.1	0.59	320.0	0.127	3	3.60	0.018	0.19	0.7	4.9	0.25	<0.02	35	0.2	<0.02	8.9	2.48	<0.1	0.22	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917569	Soil	1.53	45.7	0.8	<0.05	14.0	9.54	44.2	0.04	<1	0.9	31.6	<10	<2
917570	Soil	2.03	32.8	0.9	<0.05	9.3	8.68	40.0	0.08	<1	0.8	28.8	<10	<2
917571	Soil	1.30	25.8	0.7	<0.05	17.9	9.53	44.2	0.03	<1	0.8	25.8	<10	<2
917572	Soil	1.48	24.8	0.9	<0.05	18.2	10.74	46.7	0.03	<1	1.0	30.6	<10	<2
917573	Soil	0.92	31.8	0.5	<0.05	12.2	9.14	39.5	0.03	<1	0.7	22.1	<10	<2
917574	Soil	0.59	54.9	0.5	<0.05	5.5	8.44	41.1	0.03	<1	0.9	25.1	<10	<2
917575	Soil	1.00	30.4	0.6	<0.05	10.5	9.37	40.5	0.03	<1	0.8	22.9	<10	<2
917576	Soil	1.43	22.3	0.7	<0.05	17.6	8.82	43.6	0.04	<1	0.8	26.2	<10	<2
917577	Soil	0.72	26.0	0.4	<0.05	4.3	8.27	36.1	0.02	<1	0.5	17.6	<10	<2
917578	Soil	1.20	39.0	0.6	<0.05	8.3	8.86	37.9	0.03	<1	0.7	24.8	<10	<2
917579	Soil	1.22	32.2	0.5	<0.05	9.0	14.23	41.9	0.03	<1	0.8	30.3	<10	<2
917580	Soil	2.48	26.5	0.7	<0.05	4.8	8.26	34.9	0.10	<1	0.7	24.6	<10	<2
917581	Soil	0.58	28.7	0.4	<0.05	6.9	16.06	32.2	0.03	<1	1.0	21.1	<10	<2
917582	Soil	1.05	26.4	0.6	<0.05	9.1	23.04	29.7	0.05	1	1.1	26.1	<10	<2
917583	Soil	1.13	33.8	0.6	<0.05	15.9	18.60	32.1	0.03	<1	0.8	22.5	<10	<2
917584	Soil	1.46	29.0	0.7	<0.05	14.5	22.93	35.4	0.05	<1	1.1	25.3	<10	<2
917585	Soil	0.93	23.3	0.4	<0.05	8.7	7.12	27.6	0.03	<1	0.5	16.5	<10	<2
917586	Soil	1.33	22.9	0.6	<0.05	13.3	10.35	35.4	0.04	<1	0.6	20.2	<10	<2
917587	Soil	1.16	19.7	0.6	<0.05	11.8	9.87	30.9	0.04	<1	0.7	17.7	<10	<2
917588	Soil	1.31	23.9	0.7	<0.05	15.7	12.47	31.9	0.04	<1	0.9	20.2	<10	<2
917589	Soil	1.78	20.0	0.4	<0.05	9.6	8.51	38.4	0.03	<1	0.8	20.5	<10	<2
917590	Soil	2.29	20.7	0.8	<0.05	14.7	7.39	37.3	0.04	<1	1.0	20.8	<10	<2
917591	Soil	2.72	20.0	0.8	<0.05	12.2	6.88	30.3	0.04	1	1.0	20.1	11	3
917592	Soil	2.12	23.4	0.9	<0.05	2.3	5.21	26.8	0.05	<1	1.0	19.5	<10	<2
917701	Soil	2.43	44.5	1.0	<0.05	11.0	20.99	55.0	0.08	<1	1.5	28.8	<10	<2
917702	Soil	2.28	47.9	1.0	<0.05	16.7	17.48	52.2	0.06	<1	1.5	29.4	<10	<2
917703	Soil	1.78	31.0	0.8	<0.05	7.2	11.46	38.8	0.04	<1	0.9	24.2	12	<2
917704	Soil	2.53	28.1	0.9	<0.05	10.4	9.77	39.5	0.06	<1	1.1	22.0	<10	<2
917705	Soil	2.64	29.4	0.9	<0.05	16.7	12.35	43.0	0.08	<1	1.1	22.7	13	<2
917706	Soil	1.83	36.5	0.9	<0.05	12.5	13.54	40.7	0.05	2	1.1	24.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 25, 2008

Page:

3 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	Unit	MDL	1F30 Mo	1F30 Cu	1F30 Pb	1F30 Zn	1F30 Ag	1F30 Ni	1F30 Co	1F30 Mn	1F30 Fe	1F30 As	1F30 U	1F30 Au	1F30 Th	1F30 Sr	1F30 Cd	1F30 Sb	1F30 Bi	1F30 V	1F30 Ca	1F30 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
917707	Soil			0.97	37.61	35.56	418.2	198	88.1	19.1	1064	3.32	19.5	1.3	3.2	4.4	38.6	2.59	0.97	0.46	52	0.39	0.278
917708	Soil			1.41	33.87	37.01	388.1	202	75.8	18.1	1511	3.07	20.4	1.0	2.6	3.8	44.2	4.30	1.14	0.49	48	0.61	0.291
917709	Soil			3.46	34.04	80.68	540.9	312	86.0	20.8	1580	3.47	19.2	1.1	5.7	4.0	40.3	5.68	1.26	0.59	56	0.68	0.135
917710	Soil			2.27	39.79	66.97	437.2	238	86.7	20.7	1284	3.67	19.1	1.3	23.9	5.2	32.5	4.81	1.58	0.63	60	0.39	0.095
917711	Soil			1.17	45.17	38.92	367.7	236	95.1	19.9	1044	3.46	17.4	1.3	3.0	4.9	45.0	2.31	0.89	0.71	54	0.50	0.257
917712	Soil			1.14	38.51	40.22	379.3	224	94.2	20.0	1394	3.42	17.7	1.1	2.9	4.5	57.0	3.01	0.96	0.70	53	0.62	0.321
917713	Soil			1.43	36.42	39.96	288.3	150	89.6	17.8	1302	3.31	21.0	1.1	3.6	4.4	38.3	2.13	1.31	0.51	53	0.56	0.222
917714	Soil			1.43	40.79	44.16	368.1	222	86.1	20.5	1077	3.53	16.8	1.2	1.4	5.2	42.0	3.01	0.85	0.54	57	0.59	0.150
917715	Soil			1.49	36.82	61.98	441.1	238	87.5	20.6	1452	3.55	21.1	1.0	5.8	4.9	50.0	6.09	1.55	0.78	58	0.76	0.109
917716	Soil			1.69	41.35	70.54	283.9	258	78.4	21.2	1726	3.59	20.9	1.3	3.5	4.6	40.4	2.12	1.11	0.73	59	0.39	0.148
917717	Soil			3.84	27.61	37.56	653.2	297	80.8	16.9	1342	3.06	13.8	1.0	3.6	3.7	34.5	10.42	0.82	0.40	53	0.45	0.178
917718	Soil			2.08	27.34	31.17	482.9	273	79.9	15.5	1066	2.83	15.9	1.0	2.3	3.7	45.6	6.95	0.90	0.36	46	0.48	0.264
917719	Soil			1.38	29.65	22.68	303.6	359	91.6	16.9	1273	3.00	16.8	1.1	3.6	3.7	37.9	3.94	0.68	0.32	45	0.35	0.370
917720	Soil			0.97	31.44	23.65	249.9	268	104.4	19.8	1796	3.12	13.0	1.3	2.6	3.7	75.1	1.96	0.63	0.34	46	0.53	0.443
917721	Soil			0.79	41.37	20.16	96.2	96	31.6	11.5	362	2.94	6.8	1.3	6.8	6.9	36.5	0.31	0.34	0.27	61	0.33	0.074
917722	Soil			1.75	30.99	30.97	390.1	184	94.1	17.2	1193	2.90	18.2	1.2	1.5	4.6	61.2	3.15	0.85	0.38	44	0.76	0.383
917723	Soil			1.15	28.94	31.81	562.6	230	96.0	17.5	1935	2.87	12.7	1.1	2.0	4.0	85.9	7.77	0.73	0.35	41	0.93	0.538
917724	Soil			2.36	30.31	34.90	403.4	285	82.4	17.7	1130	3.12	20.2	1.1	3.3	3.6	39.4	5.30	0.86	0.46	47	0.54	0.275
917725	Soil			2.13	28.72	28.54	484.1	387	76.7	16.9	1058	2.96	17.1	1.2	3.0	3.7	45.1	6.24	0.59	0.40	43	0.58	0.371
917726	Soil			2.33	32.12	56.90	681.6	412	76.5	17.7	1606	3.15	16.5	1.1	3.1	3.4	35.3	15.57	0.80	0.47	50	0.45	0.154
917727	Soil			1.67	34.03	83.86	482.6	330	76.1	17.9	1486	3.22	18.9	1.2	3.2	4.0	41.4	9.32	1.09	0.55	54	0.50	0.125
917728	Soil			2.14	27.17	59.44	777.9	235	81.3	16.8	1123	3.10	20.5	1.0	3.3	3.8	40.0	20.70	0.96	0.50	53	0.58	0.145
917729	Soil			1.81	23.92	37.30	503.2	432	63.6	13.6	1339	2.67	17.4	0.9	5.3	2.1	38.3	10.25	0.73	0.46	42	0.34	0.302
917730	Soil			3.50	19.49	50.63	1019	159	68.2	14.9	1587	3.12	18.7	0.7	2.8	3.1	32.4	19.45	0.82	0.81	48	0.37	0.185
917731	Soil			2.67	25.73	141.9	864.4	319	74.1	18.2	1681	3.18	34.3	0.9	3.6	3.2	45.0	16.44	1.03	0.71	51	0.69	0.138
917732	Soil			1.82	34.47	99.57	525.4	508	74.4	18.3	1370	3.24	20.2	1.2	6.1	4.3	46.2	8.14	1.02	0.59	53	0.57	0.122
917651	Soil			0.69	34.55	19.79	160.6	171	102.2	20.8	849	3.37	11.5	0.7	3.5	3.0	37.5	1.06	1.00	0.27	57	0.32	0.306
917652	Soil			0.67	38.83	21.02	229.7	303	104.3	20.1	563	3.44	13.6	0.9	15.0	3.0	26.7	3.83	0.95	0.27	59	0.25	0.254
917653	Soil			0.66	31.71	23.58	252.8	230	107.4	19.3	588	3.38	12.2	0.8	3.5	3.1	29.5	4.93	1.00	0.29	58	0.28	0.280
917654	Soil			0.66	35.13	20.97	209.0	234	100.8	19.1	802	3.48	13.4	0.8	5.1	2.9	34.6	3.29	1.01	0.29	58	0.31	0.274



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
917707	Soil	19.0	51.3	0.65	267.3	0.129	4	3.64	0.019	0.21	0.9	5.0	0.23	<0.02	45	0.5	<0.02	9.1	2.48	<0.1	0.17
917708	Soil	15.8	49.1	0.62	270.2	0.116	4	3.17	0.016	0.22	0.7	4.3	0.22	<0.02	41	0.3	0.03	8.5	2.48	<0.1	0.10
917709	Soil	16.9	52.4	0.68	210.7	0.143	4	3.58	0.016	0.19	1.1	4.2	0.22	<0.02	50	0.4	<0.02	9.4	2.74	<0.1	0.12
917710	Soil	18.3	54.1	0.72	236.7	0.145	2	3.85	0.016	0.17	1.2	5.2	0.26	<0.02	44	0.5	0.06	10.0	2.65	<0.1	0.26
917711	Soil	19.9	50.6	0.66	277.7	0.134	3	3.69	0.019	0.21	0.5	5.3	0.24	<0.02	31	0.4	<0.02	9.4	2.65	<0.1	0.15
917712	Soil	18.2	51.1	0.64	322.7	0.129	4	3.53	0.018	0.23	0.5	4.8	0.23	<0.02	28	0.3	0.05	9.4	2.59	<0.1	0.13
917713	Soil	16.2	48.5	0.64	278.5	0.136	5	3.62	0.018	0.20	0.7	4.5	0.21	<0.02	45	0.4	0.09	9.4	2.62	<0.1	0.15
917714	Soil	18.1	55.7	0.76	244.4	0.148	3	3.71	0.018	0.20	0.7	5.2	0.24	<0.02	29	0.3	<0.02	9.9	2.85	<0.1	0.26
917715	Soil	16.9	56.9	0.77	248.0	0.149	4	3.62	0.018	0.21	1.1	4.8	0.30	<0.02	55	0.3	0.10	9.8	3.23	<0.1	0.20
917716	Soil	18.7	59.1	0.79	251.1	0.138	3	3.70	0.014	0.19	0.7	5.2	0.25	<0.02	44	0.3	0.03	9.7	2.77	<0.1	0.11
917717	Soil	16.7	46.7	0.57	242.7	0.119	3	3.43	0.017	0.16	0.6	4.2	0.18	<0.02	38	0.3	<0.02	8.5	2.21	<0.1	0.21
917718	Soil	17.1	45.8	0.54	290.4	0.119	3	3.19	0.018	0.16	0.7	4.1	0.17	<0.02	38	0.5	<0.02	8.2	2.02	<0.1	0.13
917719	Soil	16.1	47.5	0.56	341.4	0.116	2	3.52	0.016	0.17	0.5	4.0	0.19	<0.02	34	0.4	<0.02	8.6	2.15	<0.1	0.12
917720	Soil	18.8	54.8	0.61	426.0	0.121	3	3.50	0.018	0.20	0.3	4.7	0.23	<0.02	36	0.4	0.04	9.0	2.39	<0.1	0.07
917721	Soil	20.7	38.4	0.66	95.1	0.114	<1	1.76	0.017	0.27	0.4	4.0	0.21	<0.02	10	0.1	0.03	5.5	1.99	<0.1	0.23
917722	Soil	19.2	46.9	0.54	294.8	0.132	4	3.53	0.019	0.21	0.4	4.6	0.21	<0.02	26	0.4	0.03	8.9	2.40	<0.1	0.15
917723	Soil	18.4	45.7	0.52	427.9	0.116	4	3.29	0.020	0.21	0.5	4.3	0.22	<0.02	27	0.4	0.03	8.6	2.31	<0.1	0.12
917724	Soil	13.6	44.5	0.58	254.7	0.104	4	3.10	0.012	0.17	0.7	4.3	0.19	<0.02	32	0.3	0.06	8.4	2.06	<0.1	0.15
917725	Soil	15.5	43.1	0.52	265.9	0.104	3	3.34	0.014	0.17	0.6	4.5	0.19	<0.02	28	0.2	0.02	7.9	2.10	<0.1	0.14
917726	Soil	16.4	44.1	0.58	238.7	0.114	3	3.36	0.013	0.16	0.7	4.3	0.19	<0.02	28	0.4	0.04	8.4	2.35	0.1	0.16
917727	Soil	17.3	47.0	0.58	249.3	0.119	4	3.49	0.012	0.15	0.7	4.9	0.20	<0.02	38	0.5	0.06	8.9	2.30	<0.1	0.17
917728	Soil	14.9	48.7	0.60	230.4	0.120	4	3.24	0.013	0.18	0.6	4.2	0.21	<0.02	37	0.3	0.03	8.3	2.37	<0.1	0.13
917729	Soil	12.4	37.6	0.47	302.8	0.079	3	2.89	0.010	0.12	0.7	3.2	0.15	<0.02	30	0.4	0.05	7.3	1.77	<0.1	0.10
917730	Soil	11.6	43.6	0.56	239.5	0.092	3	2.85	0.010	0.15	1.5	3.3	0.16	<0.02	34	0.4	0.03	7.9	2.11	<0.1	0.06
917731	Soil	12.5	43.8	0.56	248.0	0.110	5	3.18	0.013	0.19	0.9	3.8	0.20	0.02	38	0.4	0.06	8.7	2.53	<0.1	0.09
917732	Soil	19.1	47.3	0.60	223.6	0.119	4	3.44	0.012	0.18	0.7	5.0	0.23	<0.02	45	0.4	<0.02	8.9	2.30	<0.1	0.13
917651	Soil	13.3	69.0	0.84	339.9	0.089	3	2.57	0.013	0.17	0.3	5.0	0.15	<0.02	17	0.3	0.04	7.4	1.84	<0.1	0.14
917652	Soil	13.9	64.0	0.82	229.5	0.085	2	2.98	0.013	0.15	0.4	5.3	0.15	<0.02	33	0.4	0.05	7.7	1.72	<0.1	0.20
917653	Soil	12.7	64.1	0.81	248.0	0.088	2	3.00	0.012	0.16	0.4	5.2	0.16	<0.02	31	0.3	<0.02	7.4	1.68	<0.1	0.14
917654	Soil	13.4	62.2	0.81	311.8	0.091	3	3.07	0.013	0.18	0.3	5.0	0.16	<0.02	34	0.4	<0.02	7.9	1.96	<0.1	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917707	Soil	1.96	35.7	0.8	<0.05	10.0	11.54	42.9	0.07	<1	1.0	24.2	<10	<2
917708	Soil	1.92	29.0	0.9	<0.05	7.1	8.80	36.4	0.05	<1	0.8	21.7	13	<2
917709	Soil	2.89	29.9	0.9	<0.05	10.2	10.47	42.8	0.08	<1	1.0	24.3	<10	<2
917710	Soil	2.65	30.6	0.9	<0.05	15.9	12.23	45.9	0.09	<1	1.1	24.6	24	<2
917711	Soil	1.80	35.9	0.9	<0.05	10.9	11.88	43.9	0.05	<1	1.3	27.0	<10	<2
917712	Soil	1.88	37.7	0.9	<0.05	8.5	10.68	42.1	0.07	<1	1.1	26.5	13	<2
917713	Soil	2.11	31.5	0.8	<0.05	11.4	9.86	40.7	0.05	<1	0.9	25.0	<10	2
917714	Soil	2.11	38.5	0.9	<0.05	13.5	10.48	43.0	0.07	<1	1.6	25.2	12	<2
917715	Soil	2.57	45.9	1.1	<0.05	12.3	9.92	41.9	0.09	<1	1.0	25.5	<10	3
917716	Soil	2.30	34.0	1.0	<0.05	7.7	10.65	45.4	0.09	<1	1.2	25.1	<10	<2
917717	Soil	2.05	26.1	0.7	<0.05	9.7	9.87	38.0	0.04	<1	0.9	20.1	21	<2
917718	Soil	1.75	22.3	0.8	<0.05	7.7	9.90	35.6	0.05	<1	0.9	20.3	13	<2
917719	Soil	1.76	22.9	0.8	<0.05	9.2	9.30	38.2	0.04	2	1.0	22.3	18	<2
917720	Soil	1.67	29.5	0.9	<0.05	6.3	10.35	42.0	0.04	<1	1.3	24.1	10	<2
917721	Soil	0.35	34.5	0.5	<0.05	10.7	9.24	34.9	0.03	<1	0.5	16.5	<10	2
917722	Soil	1.96	33.8	0.9	<0.05	10.4	11.49	42.7	0.05	<1	1.0	25.5	<10	<2
917723	Soil	1.64	30.4	0.9	<0.05	8.9	11.02	38.7	0.06	<1	1.0	24.0	19	<2
917724	Soil	1.91	22.9	0.8	<0.05	9.8	8.88	33.5	0.06	<1	0.8	23.1	<10	<2
917725	Soil	1.85	25.9	0.8	<0.05	10.1	10.59	33.7	0.04	<1	0.8	23.8	<10	<2
917726	Soil	2.27	26.7	0.8	<0.05	10.9	11.28	35.6	0.06	<1	0.9	22.5	<10	<2
917727	Soil	2.26	28.2	0.8	<0.05	11.3	11.95	37.2	0.06	<1	1.0	24.7	<10	<2
917728	Soil	2.13	27.4	0.9	<0.05	8.7	9.32	36.0	0.06	<1	1.0	24.4	<10	<2
917729	Soil	1.54	20.0	0.8	<0.05	5.7	8.11	29.0	0.05	<1	0.8	20.5	<10	<2
917730	Soil	1.82	24.4	0.9	<0.05	4.1	5.84	29.1	0.08	<1	0.7	23.9	<10	<2
917731	Soil	2.23	27.8	0.9	<0.05	6.4	8.31	33.5	0.09	<1	1.2	24.4	<10	<2
917732	Soil	2.31	29.0	0.8	<0.05	10.0	12.80	41.3	0.06	2	0.8	25.1	<10	<2
917651	Soil	0.87	22.5	0.5	<0.05	7.0	7.50	27.1	0.03	<1	0.5	22.5	<10	<2
917652	Soil	0.98	17.0	0.6	<0.05	9.8	10.58	28.0	0.03	<1	0.6	20.0	<10	<2
917653	Soil	1.16	16.6	0.6	<0.05	8.3	9.01	26.8	0.04	<1	0.6	18.9	<10	3
917654	Soil	1.36	21.3	0.6	<0.05	7.5	9.41	27.4	0.04	<1	0.6	20.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
			0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
917655	Soil		0.68	40.40	22.69	191.6	353	101.0	20.0	984	3.53	15.3	1.0	7.2	3.1	35.2	2.97	0.76	0.28	55	0.32	0.406	
917656	Soil		0.73	29.27	48.20	182.3	194	114.4	17.7	856	2.92	13.3	0.8	8.1	3.2	28.7	3.52	0.98	0.43	51	0.30	0.233	
917657	Soil		0.77	25.20	21.60	149.6	233	137.4	19.1	739	2.82	18.8	0.9	18.0	3.2	26.4	2.37	0.70	0.37	49	0.27	0.235	
917658	Soil		0.72	27.42	30.47	191.4	422	112.5	16.9	681	2.88	17.1	1.0	9.5	3.5	34.7	2.15	0.70	0.37	49	0.32	0.360	
917659	Soil		0.75	39.68	20.90	93.2	108	28.8	11.4	355	2.86	7.3	1.3	5.6	6.1	34.2	0.35	0.32	0.30	55	0.27	0.076	
917660	Soil		0.94	31.75	44.71	270.6	504	84.2	18.1	856	3.03	26.4	0.9	10.1	3.4	43.2	4.22	0.87	0.38	57	0.38	0.239	
917661	Soil		1.00	41.39	49.66	232.2	329	94.0	22.3	1606	3.45	29.2	1.1	7.6	3.4	52.7	5.04	0.93	0.44	61	0.30	0.334	
917662	Soil		0.95	35.72	40.07	179.3	177	108.2	22.6	1160	3.70	18.3	0.7	3.8	2.4	54.9	2.53	1.11	0.42	66	0.46	0.299	
917663	Soil		0.81	29.49	28.32	148.1	443	80.6	19.1	1102	3.33	17.4	0.7	3.9	3.6	59.1	1.52	0.86	0.38	57	0.32	0.213	
917664	Soil		0.86	23.24	65.06	147.0	298	405.3	27.8	1140	3.25	27.5	0.7	13.5	3.0	50.9	1.51	1.38	1.05	55	0.43	0.199	
917665	Soil		0.87	29.31	32.29	131.5	270	119.7	19.8	1537	3.37	48.2	1.2	5.7	4.5	44.8	0.91	1.14	0.44	55	0.35	0.128	
917666	Soil		0.75	32.20	27.47	149.2	274	118.2	18.9	880	3.37	22.3	1.0	5.9	4.8	30.9	0.66	0.93	0.37	54	0.21	0.125	
917667	Soil		0.66	27.09	31.28	228.9	226	93.6	14.5	1008	2.63	14.2	0.8	6.3	3.1	33.6	4.54	0.62	0.36	43	0.29	0.455	
917668	Soil		0.73	29.93	27.59	237.2	263	106.3	15.9	1028	2.68	15.0	0.9	3.6	3.4	38.2	4.92	0.62	0.34	43	0.32	0.504	
917669	Soil		0.57	32.95	34.00	138.4	159	122.5	19.4	963	3.37	16.2	0.9	5.0	3.9	59.1	1.05	1.05	0.38	54	0.43	0.279	
917670	Soil		0.69	40.00	21.57	133.1	268	124.7	21.5	1289	3.49	17.0	1.1	3.4	3.1	58.9	0.86	0.83	0.30	59	0.43	0.299	
917671	Soil		0.62	32.72	27.12	196.6	346	88.5	14.5	861	2.93	14.9	1.1	2.9	3.1	54.7	1.83	0.52	0.33	45	0.47	0.570	
917672	Soil		0.80	41.49	20.18	99.5	135	29.0	11.5	342	2.87	7.2	1.4	7.3	6.3	37.6	0.31	0.33	0.28	56	0.31	0.076	
917673	Soil		0.57	41.38	20.92	210.8	261	89.5	16.9	878	3.37	17.6	0.9	3.6	2.6	45.1	3.09	0.88	0.27	58	0.37	0.347	
917674	Soil		0.66	32.79	18.80	215.2	211	111.6	17.1	1120	3.19	14.1	0.9	3.3	3.1	38.7	5.50	1.00	0.28	55	0.45	0.342	
917675	Soil		0.85	32.30	19.97	205.9	276	151.3	20.2	715	3.36	17.2	0.9	5.1	3.2	29.0	3.25	0.85	0.28	58	0.37	0.307	
917676	Soil		0.67	23.66	19.63	153.7	173	151.0	19.3	813	3.10	15.7	0.7	4.4	3.0	32.4	1.94	0.75	0.32	54	0.37	0.198	
917677	Soil		0.77	24.82	24.23	157.4	160	151.9	21.9	1091	3.09	15.5	0.7	4.2	3.2	39.4	2.36	0.80	0.37	53	0.33	0.216	
917678	Soil		0.91	27.67	37.58	157.0	113	112.0	18.1	1254	3.06	16.9	0.8	3.9	3.5	32.6	2.49	1.20	0.37	54	0.34	0.241	
917679	Soil		1.16	29.98	35.19	259.2	204	105.3	18.7	2640	2.96	22.3	0.6	4.6	2.9	54.3	5.58	1.34	0.38	48	0.54	0.408	
917680	Soil		0.67	32.05	51.80	163.7	170	134.6	23.3	1606	3.24	20.1	0.8	5.8	3.7	50.7	2.76	1.17	0.39	59	0.40	0.174	
917681	Soil		0.68	28.35	98.40	203.8	176	132.3	19.7	1695	2.99	20.1	0.6	3.7	2.6	61.0	3.85	1.92	0.57	50	0.54	0.263	
918845	Soil		0.70	52.80	18.50	130.7	272	83.3	18.4	667	3.68	17.2	1.3	5.4	4.4	27.7	0.55	0.91	0.35	65	0.27	0.209	
918848	Soil		0.59	46.74	20.23	162.1	190	70.1	16.4	608	3.29	13.2	1.1	4.1	3.8	33.9	1.26	0.82	0.25	57	0.28	0.261	
918849	Soil		0.71	46.73	27.18	137.8	188	107.4	22.5	1166	3.88	23.4	1.0	14.4	3.6	35.5	1.39	0.99	0.33	73	0.34	0.218	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 25, 2008

Page:

4 of 6

Part 2

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917655	Soil	14.3	60.5	0.79	304.1	0.098	2	3.35	0.015	0.21	0.4	5.6	0.18	<0.02	37	0.3	0.03	8.2	1.99	<0.1	0.16
917656	Soil	12.9	68.5	0.71	323.4	0.089	3	2.53	0.012	0.17	0.5	4.6	0.17	<0.02	27	0.3	0.07	6.6	1.74	<0.1	0.10
917657	Soil	11.9	78.4	0.73	264.9	0.094	3	2.63	0.012	0.16	0.5	4.3	0.17	<0.02	34	0.4	0.03	7.0	1.84	<0.1	0.11
917658	Soil	12.4	73.2	0.72	289.5	0.101	5	2.97	0.012	0.18	0.5	4.5	0.19	<0.02	25	0.4	0.03	7.9	1.99	<0.1	0.11
917659	Soil	15.9	33.0	0.64	98.8	0.091	<1	1.49	0.013	0.27	0.3	3.9	0.20	<0.02	12	0.1	0.07	5.1	1.94	0.1	0.24
917660	Soil	13.4	64.6	0.71	299.7	0.083	2	2.64	0.007	0.17	0.4	4.5	0.17	<0.02	41	0.8	0.06	7.2	1.97	<0.1	0.06
917661	Soil	15.3	66.7	0.76	324.9	0.104	3	3.44	0.009	0.19	0.3	5.0	0.22	<0.02	40	0.4	0.04	9.4	2.43	<0.1	0.06
917662	Soil	12.4	78.6	0.91	313.2	0.091	3	2.99	0.009	0.21	0.4	5.7	0.16	<0.02	36	0.4	0.04	8.4	2.29	<0.1	0.04
917663	Soil	12.4	55.8	0.69	283.2	0.106	3	3.64	0.011	0.21	0.3	4.7	0.20	<0.02	37	0.3	0.06	9.8	2.58	<0.1	0.08
917664	Soil	10.0	83.9	0.83	287.1	0.103	4	3.30	0.010	0.18	0.5	4.3	0.20	0.02	48	0.3	0.09	9.0	2.42	<0.1	0.07
917665	Soil	14.8	56.9	0.72	290.3	0.130	4	3.60	0.013	0.21	0.3	4.6	0.24	<0.02	46	0.4	0.04	9.3	2.29	<0.1	0.14
917666	Soil	15.7	63.1	0.78	230.4	0.103	3	3.19	0.011	0.23	0.3	4.8	0.21	<0.02	34	0.3	0.03	8.5	2.14	<0.1	0.11
917667	Soil	11.7	61.4	0.57	449.3	0.092	2	2.73	0.015	0.15	0.4	4.6	0.14	<0.02	34	0.3	0.04	6.9	1.73	<0.1	0.14
917668	Soil	12.9	63.7	0.58	475.2	0.100	3	2.81	0.018	0.16	0.4	4.7	0.15	<0.02	22	0.2	0.04	7.5	1.91	<0.1	0.13
917669	Soil	15.5	61.9	0.81	278.3	0.102	3	3.21	0.014	0.22	0.3	5.4	0.20	<0.02	32	0.3	0.05	8.1	1.94	<0.1	0.13
917670	Soil	15.8	62.2	0.80	265.7	0.102	4	3.50	0.016	0.23	0.4	5.6	0.20	<0.02	29	0.5	0.04	8.6	1.98	<0.1	0.13
917671	Soil	14.8	48.9	0.60	369.1	0.102	3	3.34	0.019	0.19	0.4	4.9	0.14	<0.02	39	0.4	<0.02	7.9	1.92	<0.1	0.12
917672	Soil	18.4	34.9	0.63	111.3	0.108	1	1.82	0.020	0.28	0.4	4.2	0.21	<0.02	11	0.2	0.11	5.6	1.97	<0.1	0.27
917673	Soil	14.3	53.7	0.78	337.2	0.100	4	3.29	0.017	0.22	0.4	5.4	0.16	<0.02	34	0.5	0.03	8.2	1.77	<0.1	0.13
917674	Soil	15.2	60.4	0.72	327.2	0.111	4	3.24	0.020	0.22	0.4	5.4	0.17	<0.02	27	0.4	0.03	8.0	1.90	<0.1	0.12
917675	Soil	13.3	79.7	0.90	238.5	0.110	3	3.31	0.018	0.22	0.4	5.8	0.19	<0.02	29	0.5	<0.02	8.1	2.04	<0.1	0.15
917676	Soil	11.2	86.0	0.88	260.7	0.097	3	2.77	0.014	0.19	0.4	4.8	0.15	<0.02	28	0.3	0.03	7.2	1.87	<0.1	0.08
917677	Soil	12.2	93.1	0.89	312.4	0.095	3	2.59	0.011	0.18	0.5	4.6	0.16	<0.02	24	0.4	0.04	7.1	1.88	<0.1	0.12
917678	Soil	12.1	74.1	0.81	296.2	0.100	3	2.86	0.011	0.19	0.4	4.6	0.17	<0.02	34	0.3	0.04	7.3	1.93	<0.1	0.15
917679	Soil	11.1	67.0	0.67	513.8	0.092	4	2.71	0.016	0.22	0.4	4.4	0.19	0.02	53	0.4	0.05	7.5	2.06	<0.1	0.10
917680	Soil	13.5	81.9	0.85	353.3	0.112	4	3.12	0.011	0.22	0.4	5.5	0.21	<0.02	28	0.3	0.05	8.0	2.00	<0.1	0.14
917681	Soil	11.7	73.5	0.74	474.0	0.094	3	2.76	0.014	0.18	0.3	4.5	0.19	<0.02	48	0.4	0.05	7.1	1.85	<0.1	0.05
918845	Soil	14.5	50.0	0.87	258.4	0.132	3	3.91	0.017	0.19	0.4	5.4	0.18	<0.02	35	0.6	<0.02	9.5	2.24	<0.1	0.28
918848	Soil	16.0	48.2	0.72	273.6	0.115	3	3.50	0.021	0.25	0.3	5.8	0.19	<0.02	33	0.4	0.04	8.4	1.95	<0.1	0.28
918849	Soil	15.6	83.3	0.97	310.2	0.114	3	3.43	0.011	0.24	0.3	5.9	0.17	<0.02	24	0.4	<0.02	8.2	2.10	<0.1	0.09



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917655	Soil	1.43	21.8	0.7	<0.05	10.0	10.86	29.0	0.05	<1	0.7	20.5	<10	<2
917656	Soil	1.08	20.2	0.7	<0.05	5.9	8.18	25.4	0.05	<1	0.6	18.2	<10	<2
917657	Soil	1.08	21.2	0.6	<0.05	6.5	6.92	24.5	0.04	2	0.6	16.8	<10	<2
917658	Soil	1.17	21.1	0.7	<0.05	7.6	7.95	26.9	0.04	<1	0.8	19.7	<10	<2
917659	Soil	0.25	35.6	0.4	<0.05	12.2	8.98	26.4	0.03	<1	0.5	16.6	<10	<2
917660	Soil	1.30	21.5	0.6	<0.05	3.7	7.67	24.8	0.05	<1	0.8	19.9	<10	<2
917661	Soil	1.76	24.7	0.8	<0.05	5.0	8.79	33.1	0.06	<1	1.1	26.9	<10	<2
917662	Soil	1.45	20.5	0.7	<0.05	2.9	7.03	25.9	0.06	<1	1.1	28.6	<10	<2
917663	Soil	1.74	25.0	0.9	<0.05	5.0	6.43	29.4	0.06	<1	1.3	30.4	<10	<2
917664	Soil	1.71	21.6	1.0	<0.05	3.6	4.77	23.8	0.12	<1	1.0	27.3	<10	<2
917665	Soil	1.98	28.6	0.9	<0.05	9.7	9.04	37.3	0.07	<1	1.2	29.2	<10	<2
917666	Soil	1.43	31.2	0.8	<0.05	6.6	7.86	33.0	0.04	<1	0.9	26.3	<10	<2
917667	Soil	1.20	17.7	0.6	<0.05	7.6	6.94	25.0	0.05	<1	0.5	16.6	<10	<2
917668	Soil	1.30	19.6	0.7	<0.05	8.6	7.75	27.7	0.05	1	0.5	17.3	<10	<2
917669	Soil	1.24	23.9	0.8	<0.05	8.4	9.63	31.1	0.07	<1	0.9	22.8	<10	<2
917670	Soil	1.53	21.9	0.7	<0.05	10.0	11.77	29.0	0.04	<1	0.7	22.4	<10	<2
917671	Soil	1.28	23.1	0.7	<0.05	8.4	11.02	27.9	0.04	<1	0.9	20.1	<10	<2
917672	Soil	0.38	35.6	0.4	<0.05	13.6	9.17	30.6	0.03	1	0.6	17.9	<10	<2
917673	Soil	1.38	21.6	0.6	<0.05	8.1	10.62	26.6	0.05	<1	0.5	18.5	<10	<2
917674	Soil	1.51	22.4	0.7	<0.05	8.5	10.11	30.4	0.04	<1	0.8	18.8	<10	<2
917675	Soil	1.08	23.0	0.6	<0.05	9.3	9.40	27.8	0.04	<1	0.9	20.0	<10	<2
917676	Soil	1.11	20.8	0.6	<0.05	5.0	5.59	24.8	0.04	<1	0.6	17.3	<10	<2
917677	Soil	1.23	20.5	0.6	<0.05	5.9	5.49	26.4	0.05	1	0.4	17.4	<10	<2
917678	Soil	1.17	18.8	0.7	<0.05	7.1	5.86	28.8	0.05	<1	0.7	19.1	<10	<2
917679	Soil	1.55	19.6	0.7	<0.05	5.3	5.66	24.1	0.06	<1	0.6	16.5	<10	<2
917680	Soil	1.22	22.1	0.9	<0.05	7.9	7.59	30.1	0.08	<1	0.5	22.7	<10	<2
917681	Soil	1.39	20.0	1.0	<0.05	4.0	5.95	24.1	0.16	<1	0.9	18.1	<10	<2
918845	Soil	1.75	22.9	0.8	<0.05	16.5	8.59	38.5	0.04	<1	0.9	24.3	<10	<2
918848	Soil	0.96	21.2	0.7	<0.05	17.5	11.53	34.8	0.03	<1	0.8	20.9	<10	2
918849	Soil	1.37	22.9	0.7	<0.05	6.0	8.41	33.2	0.04	<1	0.6	22.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 5 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
918850	Soil		0.85	34.14	43.41	182.9	288	147.3	18.8	765	3.38	16.3	0.8	5.5	3.3	30.6	1.95	1.33	0.44	72	0.32	0.228
918851	Soil		0.64	25.77	25.20	188.7	176	232.7	20.4	730	3.06	14.1	0.7	3.5	3.5	23.8	1.03	0.61	0.37	54	0.20	0.273
918852	Soil		1.07	33.66	22.51	152.2	493	128.4	18.7	670	3.43	9.8	0.7	6.2	2.5	26.1	1.97	0.65	0.38	125	0.17	0.115
918853	Soil		0.57	25.23	22.41	120.2	169	429.8	28.3	567	3.14	17.5	0.6	3.6	3.1	23.4	0.43	0.81	0.56	47	0.21	0.221
918854	Soil		0.62	22.41	21.84	119.0	172	412.9	28.4	555	3.00	15.8	0.5	5.1	2.9	18.7	0.48	0.75	0.52	44	0.17	0.208
918855	Soil		0.59	24.96	19.84	110.0	190	295.6	23.0	506	3.09	18.1	0.7	3.7	3.4	20.4	0.52	1.11	0.37	48	0.22	0.242
918856	Soil		0.54	26.00	20.10	121.2	159	290.7	24.9	622	3.35	14.9	0.7	2.6	3.4	27.9	0.69	0.97	0.41	52	0.33	0.236
918857	Soil		0.75	34.00	19.03	113.3	173	271.2	24.0	650	3.56	18.0	0.9	2.8	3.7	25.1	0.43	0.95	0.41	58	0.17	0.204
918858	Soil		0.85	29.18	21.69	320.6	403	144.6	19.5	1259	3.26	10.2	0.5	4.4	2.6	32.1	2.20	0.80	0.38	88	0.31	0.232
918859	Soil		0.49	28.18	17.71	135.6	427	117.2	12.9	519	2.49	14.3	0.9	18.0	3.1	25.7	0.79	0.74	0.30	47	0.23	0.354
918860	Soil		0.39	35.57	22.62	122.6	273	344.4	26.2	629	3.57	13.1	0.6	1.9	2.3	27.0	0.58	0.69	0.35	99	0.29	0.138
918861	Soil		0.48	20.95	19.50	105.8	168	692.6	33.9	688	2.88	17.5	0.7	2.4	2.6	23.6	0.55	0.75	0.43	41	0.23	0.154
918862	Soil		0.83	40.00	21.63	97.4	89	33.5	11.0	365	2.97	7.7	1.4	4.9	6.6	35.4	0.33	0.36	0.30	58	0.31	0.077
918863	Soil		0.66	27.66	28.61	177.4	198	645.9	35.9	786	3.15	22.0	0.5	4.5	2.9	25.2	1.65	0.85	0.62	57	0.25	0.212
918864	Soil		0.78	33.92	56.19	213.5	230	264.1	26.8	675	3.49	30.3	0.7	4.7	3.7	36.4	1.91	1.16	0.66	70	0.35	0.247
918865	Soil		0.99	24.53	37.41	271.2	282	116.6	15.2	1020	2.68	20.1	0.6	8.7	3.3	60.6	4.00	0.91	0.36	46	0.43	0.307
918866	Soil		0.82	34.10	24.78	327.2	314	93.1	15.9	1342	3.01	18.9	0.9	5.8	3.4	63.5	9.37	0.79	0.30	51	0.55	0.318
918867	Soil		1.00	47.92	33.74	321.8	399	82.6	19.8	1054	3.60	24.8	1.2	4.7	4.3	35.3	8.30	0.79	0.31	64	0.25	0.253
918868	Soil		0.74	44.47	20.16	106.3	270	321.6	22.6	442	3.55	24.3	1.3	4.2	4.2	32.5	0.47	1.13	0.39	61	0.35	0.176
918869	Soil		0.56	44.32	28.99	195.7	340	118.9	19.6	526	3.50	20.7	1.0	5.2	4.3	48.3	3.23	1.09	0.32	63	0.68	0.260
918963	Soil		0.93	32.21	30.13	174.5	258	85.7	18.4	852	3.32	22.2	1.2	2.9	7.0	22.4	0.51	0.60	0.40	43	0.13	0.125
918964	Soil		0.83	44.25	55.05	129.9	234	172.6	20.9	564	3.32	26.6	1.1	14.0	6.3	34.1	0.90	0.77	0.38	57	0.39	0.134
918965	Soil		0.63	35.35	36.68	113.3	113	129.2	18.1	477	3.06	14.8	0.8	6.7	3.6	34.5	1.36	0.85	0.29	56	0.33	0.121
918966	Soil		0.85	26.94	29.74	216.7	358	97.6	11.3	291	2.54	10.4	0.8	4.7	4.0	36.5	1.90	0.64	0.28	42	0.37	0.135
918967	Soil		0.75	40.21	20.32	104.9	155	28.2	10.6	414	2.77	7.2	1.3	2.2	6.2	39.0	0.36	0.33	0.29	54	0.30	0.088
918968	Soil		0.74	21.99	35.23	324.2	359	99.3	11.7	862	2.37	10.0	0.8	1.7	3.8	47.7	7.01	0.70	0.29	38	0.53	0.395
918969	Soil		0.62	24.49	71.93	375.1	491	128.6	12.3	597	2.43	12.2	0.9	2.7	4.1	54.6	7.87	0.76	0.30	42	0.68	0.384
918970	Soil		0.67	26.09	93.26	311.9	360	217.3	17.8	637	2.80	11.3	1.0	6.9	4.2	38.3	5.52	1.01	0.37	48	0.67	0.252
918971	Soil		0.62	21.54	43.63	240.0	255	151.5	16.0	826	2.70	9.7	0.7	9.9	3.9	40.9	3.48	0.73	0.33	46	0.52	0.256
918972	Soil		0.63	20.31	36.79	225.8	237	159.8	18.0	749	2.82	9.8	0.7	5.7	3.2	32.2	3.01	0.64	0.30	48	0.47	0.259

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 5 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30					
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf		
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm					
				0.5	0.5	0.01	0.5	0.001			1	0.01	0.001	0.01	0.01	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
918850	Soil			11.3	68.1	0.89	281.9	0.130	3	3.22	0.016	0.19	0.5	6.0	0.17	<0.02	40	0.4	0.04	8.2	2.89	<0.1	0.16		
918851	Soil			11.3	73.6	0.87	288.6	0.125	3	3.25	0.016	0.17	0.4	5.0	0.18	<0.02	23	0.4	<0.02	8.3	3.18	<0.1	0.15		
918852	Soil			8.4	72.1	1.07	350.9	0.173	2	2.98	0.015	0.25	0.9	8.2	0.21	<0.02	27	0.2	0.03	8.8	4.02	<0.1	0.23		
918853	Soil			8.3	121.1	1.31	284.5	0.111	3	3.00	0.013	0.12	0.6	4.3	0.18	<0.02	27	0.3	0.02	8.1	3.68	<0.1	0.14		
918854	Soil			7.4	116.8	1.22	281.6	0.106	3	2.89	0.012	0.11	0.5	3.9	0.16	<0.02	27	0.4	<0.02	7.7	3.66	<0.1	0.18		
918855	Soil			9.0	86.3	0.88	271.7	0.109	3	3.09	0.013	0.13	0.6	4.2	0.14	<0.02	36	0.3	0.05	8.1	2.63	<0.1	0.24		
918856	Soil			10.6	87.5	0.97	285.4	0.101	3	3.09	0.012	0.14	0.5	4.6	0.15	<0.02	36	0.2	0.02	8.1	2.95	<0.1	0.16		
918857	Soil			12.2	78.2	0.97	251.2	0.116	2	3.62	0.014	0.13	0.5	5.1	0.17	<0.02	29	0.4	0.04	8.7	2.85	<0.1	0.13		
918858	Soil			8.2	66.1	0.93	437.5	0.140	3	2.66	0.015	0.15	0.5	6.8	0.16	<0.02	31	0.4	0.05	7.9	3.35	<0.1	0.13		
918859	Soil			9.6	46.0	0.63	324.2	0.120	3	3.12	0.021	0.15	0.6	4.9	0.17	<0.02	37	0.3	0.03	7.1	2.13	<0.1	0.19		
918860	Soil			7.7	135.9	1.78	220.7	0.173	2	2.91	0.016	0.46	0.7	8.7	0.34	<0.02	25	0.3	0.03	8.3	4.94	0.1	0.18		
918861	Soil			8.2	125.0	1.21	329.8	0.102	4	3.03	0.015	0.11	0.4	4.0	0.18	<0.02	30	0.4	0.07	7.5	3.38	<0.1	0.13		
918862	Soil			18.3	35.7	0.68	96.7	0.101	<1	1.80	0.016	0.28	0.4	4.0	0.20	<0.02	15	0.3	0.04	5.2	1.95	<0.1	0.22		
918863	Soil			9.8	152.6	1.47	331.7	0.137	4	3.42	0.017	0.12	0.6	5.0	0.22	<0.02	26	0.2	<0.02	9.0	6.14	<0.1	0.15		
918864	Soil			13.5	154.6	1.52	384.0	0.150	1	3.78	0.014	0.17	0.7	7.2	0.28	<0.02	37	0.2	<0.02	9.7	5.19	0.1	0.18		
918865	Soil			11.5	71.2	0.77	405.9	0.113	3	2.85	0.016	0.15	0.3	4.6	0.21	<0.02	27	0.3	<0.02	7.9	3.56	<0.1	0.10		
918866	Soil			16.1	49.8	0.65	395.5	0.115	3	3.28	0.019	0.19	0.3	4.8	0.18	<0.02	34	0.5	0.03	8.2	2.72	<0.1	0.19		
918867	Soil			17.4	59.3	0.78	298.3	0.130	2	3.66	0.015	0.20	0.3	6.2	0.18	<0.02	21	0.6	0.03	9.2	2.35	<0.1	0.22		
918868	Soil			15.0	78.5	1.02	305.6	0.150	3	4.29	0.019	0.14	0.6	5.6	0.15	<0.02	40	0.5	<0.02	9.8	2.65	<0.1	0.26		
918869	Soil			15.7	65.2	0.84	339.3	0.131	5	3.67	0.015	0.20	0.5	5.6	0.15	<0.02	29	0.5	0.03	9.5	2.00	<0.1	0.28		
918963	Soil			19.5	44.3	0.65	237.8	0.100	2	3.37	0.013	0.28	0.3	4.0	0.25	<0.02	21	0.3	<0.02	8.6	2.40	<0.1	0.09		
918964	Soil			22.1	128.3	1.27	126.1	0.093	2	2.19	0.012	0.30	0.5	5.4	0.21	<0.02	20	0.4	0.08	6.1	2.31	<0.1	0.08		
918965	Soil			16.2	113.7	1.01	119.4	0.093	2	1.94	0.012	0.21	0.5	4.8	0.15	<0.02	19	0.3	<0.02	5.4	1.91	<0.1	0.07		
918966	Soil			12.0	71.2	0.60	110.4	0.083	2	2.51	0.011	0.18	0.5	4.2	0.15	<0.02	20	0.5	0.04	6.6	2.06	<0.1	0.10		
918967	Soil			18.1	30.6	0.62	136.9	0.111	1	2.04	0.022	0.26	0.4	3.9	0.19	<0.02	13	0.2	0.02	5.7	1.94	<0.1	0.26		
918968	Soil			12.5	74.0	0.57	301.8	0.082	3	2.67	0.013	0.20	0.5	3.8	0.22	<0.02	35	0.5	0.04	7.0	2.55	<0.1	0.07		
918969	Soil			17.8	83.3	0.69	287.9	0.082	4	2.84	0.013	0.25	0.5	4.5	0.21	<0.02	26	0.6	0.03	7.3	2.40	<0.1	0.09		
918970	Soil			19.7	143.2	1.04	213.6	0.090	4	2.43	0.014	0.22	0.7	4.7	0.20	<0.02	28	0.5	0.03	6.2	2.12	<0.1	0.09		
918971	Soil			16.1	114.0	0.93	270.7	0.081	2	2.37	0.011	0.20	0.5	4.4	0.19	<0.02	26	0.4	0.05	6.2	2.04	<0.1	0.06		
918972	Soil			14.1	119.4	0.97	242.7	0.085	4	2.41	0.011	0.23	0.6	4.5	0.21	<0.02	20	0.2	<0.02	6.3	2.21	<0.1	0.05		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918850	Soil	1.31	25.3	0.8	<0.05	11.4	6.43	27.9	0.08	<1	0.7	21.5	<10	<2
918851	Soil	1.34	31.7	0.8	<0.05	9.0	5.81	30.3	0.04	<1	0.7	23.1	<10	<2
918852	Soil	0.74	44.8	0.7	<0.05	13.4	6.27	21.8	0.04	<1	1.1	23.9	<10	<2
918853	Soil	1.12	20.8	0.8	<0.05	9.0	3.65	23.1	0.03	<1	0.6	23.5	<10	2
918854	Soil	1.15	19.8	0.8	<0.05	9.0	3.08	21.3	0.05	<1	0.7	22.9	<10	<2
918855	Soil	0.82	17.4	0.8	<0.05	14.2	4.49	27.0	0.04	<1	0.7	20.3	<10	<2
918856	Soil	0.93	21.8	0.7	<0.05	9.4	5.26	28.9	0.04	<1	0.5	20.0	<10	<2
918857	Soil	1.09	25.5	0.7	<0.05	9.4	6.55	33.5	0.04	<1	0.8	24.8	<10	<2
918858	Soil	0.99	27.5	0.7	<0.05	7.7	5.63	20.3	0.04	<1	1.1	22.6	<10	<2
918859	Soil	0.85	21.3	0.8	<0.05	13.3	6.64	25.5	0.04	<1	0.9	20.1	<10	<2
918860	Soil	0.55	59.3	0.7	<0.05	11.6	5.22	17.1	0.06	<1	1.0	32.1	<10	<2
918861	Soil	0.93	24.7	0.9	<0.05	7.6	4.05	21.2	0.03	<1	0.7	22.5	<10	<2
918862	Soil	0.30	34.1	0.5	<0.05	11.7	9.14	30.2	0.03	<1	0.4	16.8	<10	<2
918863	Soil	1.08	28.1	1.0	<0.05	8.3	3.58	24.1	0.05	<1	0.8	29.0	<10	<2
918864	Soil	1.15	26.2	0.9	<0.05	12.1	5.48	33.9	0.08	<1	0.9	28.1	<10	3
918865	Soil	1.22	23.3	0.8	<0.05	6.7	5.31	28.2	0.05	<1	0.7	22.3	<10	<2
918866	Soil	1.75	24.5	0.8	<0.05	12.7	10.00	32.5	0.04	<1	0.6	19.1	<10	<2
918867	Soil	1.49	25.1	0.8	<0.05	15.9	11.58	36.7	0.04	<1	0.8	20.9	<10	<2
918868	Soil	1.82	19.5	1.0	<0.05	19.8	9.88	41.6	0.05	2	0.9	23.3	<10	<2
918869	Soil	1.61	21.1	0.8	<0.05	16.5	10.98	35.4	0.05	<1	0.8	22.4	<10	<2
918963	Soil	1.23	34.4	0.9	<0.05	5.7	6.11	39.4	0.03	<1	1.2	36.0	<10	<2
918964	Soil	0.82	30.6	0.8	<0.05	4.4	9.96	37.2	0.04	<1	0.7	21.6	<10	<2
918965	Soil	1.05	23.9	0.4	<0.05	4.1	8.01	27.9	0.04	<1	0.9	16.7	<10	<2
918966	Soil	1.05	24.4	0.5	<0.05	6.4	10.24	21.4	0.05	1	0.8	17.9	<10	<2
918967	Soil	0.49	33.6	0.5	<0.05	15.5	8.66	31.7	0.03	<1	0.5	15.2	<10	<2
918968	Soil	1.12	27.4	0.6	<0.05	4.2	11.04	23.7	0.04	<1	0.9	23.4	<10	<2
918969	Soil	1.05	28.3	0.6	<0.05	4.5	14.41	31.7	0.03	<1	0.8	24.5	<10	<2
918970	Soil	1.21	26.3	0.6	<0.05	5.2	12.84	32.0	0.05	3	0.8	20.4	<10	<2
918971	Soil	1.14	26.2	0.5	<0.05	3.7	9.55	29.0	0.04	<1	0.7	21.1	<10	<2
918972	Soil	1.26	28.3	0.5	<0.05	3.8	9.03	31.2	0.04	<1	0.9	23.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 6 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
918973	Soil	0.66	28.28	35.18	196.6	331	145.1	15.8	562	2.73	12.3	0.8	5.0	3.2	31.1	1.76	0.82	0.29	48	0.44	0.285	
918974	Soil	0.56	40.08	20.55	164.6	254	129.6	17.5	547	2.96	14.6	0.7	4.2	3.1	33.3	1.92	0.52	0.25	52	0.45	0.245	
918975	Soil	0.69	28.81	21.77	157.3	307	159.9	19.7	864	3.08	15.6	0.8	17.9	2.3	45.3	1.78	0.82	0.28	48	0.66	0.332	
918976	Soil	0.85	19.11	27.43	212.2	212	134.1	15.5	413	2.66	11.2	0.6	4.1	3.3	39.7	1.83	0.57	0.29	44	0.65	0.370	
918556	Soil	0.80	28.26	16.38	104.3	139	282.5	26.9	829	3.65	19.8	0.7	3.8	2.6	30.9	0.53	0.74	0.26	65	0.33	0.153	
918559	Soil	0.49	20.66	13.60	94.3	123	652.0	39.0	696	3.18	12.7	0.5	3.5	2.3	24.2	0.32	0.65	0.54	47	0.25	0.112	
918560	Soil	0.48	27.91	18.10	110.1	222	470.3	31.4	435	3.15	17.0	0.7	8.9	2.4	28.0	0.44	0.51	0.71	48	0.32	0.189	
918564	Soil	0.75	20.12	34.29	129.5	134	233.1	19.3	1107	2.95	14.7	0.5	16.9	2.0	26.5	0.69	0.87	0.45	47	0.32	0.208	
918871	Soil	0.67	22.31	37.00	192.2	98	90.3	17.6	1138	3.01	11.5	0.4	3.2	2.1	57.8	1.61	1.03	0.29	51	0.56	0.366	
918872	Soil	0.74	41.06	19.28	151.0	255	115.8	25.4	1257	3.99	22.2	0.6	3.8	2.1	36.9	1.19	0.91	0.26	70	0.33	0.262	
918873	Soil	0.70	37.66	22.63	122.7	186	104.8	22.5	1134	3.54	22.8	0.5	6.2	2.2	51.8	1.25	1.04	0.23	66	0.56	0.194	
918956	Soil	1.07	35.09	35.65	220.0	217	105.4	19.9	975	3.11	16.0	1.2	4.1	4.3	53.3	0.93	0.67	0.34	41	0.47	0.330	
918957	Soil	1.06	27.54	24.28	176.6	204	85.3	18.8	1207	3.21	11.1	1.0	2.9	3.9	37.8	0.69	0.33	0.26	48	0.29	0.238	
918958	Soil	0.85	27.58	20.61	131.7	188	67.0	15.6	788	2.92	15.3	1.0	1.5	4.2	38.7	0.48	0.36	0.27	43	0.30	0.298	
918959	Soil	0.56	13.77	34.55	144.4	244	73.3	12.2	418	2.26	12.7	0.6	1.7	3.3	28.3	1.04	0.46	0.22	37	0.42	0.118	
918960	Soil	0.71	35.57	14.95	100.3	183	28.6	11.4	418	2.75	6.8	1.0	2.1	4.9	35.7	0.30	0.24	0.22	53	0.31	0.085	
918961	Soil	0.77	24.93	24.61	137.5	253	72.2	17.0	901	3.11	17.5	0.9	2.2	4.6	31.7	0.41	0.41	0.29	47	0.25	0.158	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008175.1

	Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918973	Soil	13.2	98.9	0.92	241.9	0.089	3	2.79	0.015	0.20	0.5	4.6	0.19	<0.02	32	0.5	0.02	7.0	2.15	<0.1	0.10
918974	Soil	13.0	80.8	0.90	192.4	0.105	3	2.83	0.022	0.23	0.5	5.5	0.16	<0.02	25	0.5	<0.02	6.9	2.02	<0.1	0.16
918975	Soil	14.2	82.4	0.87	309.7	0.092	6	2.90	0.017	0.29	0.5	5.0	0.16	<0.02	40	0.4	<0.02	7.3	2.02	0.1	0.09
918976	Soil	12.4	94.9	0.83	328.6	0.085	4	2.45	0.015	0.17	0.5	4.2	0.14	<0.02	38	0.5	0.02	6.6	1.88	<0.1	0.08
918556	Soil	9.8	86.3	0.99	244.4	0.126	4	3.68	0.015	0.12	0.5	4.9	0.16	<0.02	41	0.4	0.03	9.0	2.55	<0.1	0.14
918559	Soil	6.6	137.6	1.38	263.6	0.115	4	3.19	0.013	0.11	0.4	3.9	0.21	<0.02	28	0.3	<0.02	8.6	3.39	<0.1	0.15
918560	Soil	8.1	143.5	1.39	208.2	0.121	4	3.10	0.021	0.15	0.6	5.1	0.19	<0.02	29	0.3	<0.02	7.9	4.91	<0.1	0.18
918564	Soil	7.3	71.2	0.78	281.0	0.105	5	2.97	0.017	0.16	0.4	3.6	0.17	<0.02	37	0.4	0.02	7.3	2.75	<0.1	0.08
918871	Soil	9.1	59.0	0.64	515.4	0.090	4	2.51	0.017	0.17	0.3	4.6	0.13	<0.02	43	0.3	0.04	6.6	1.72	<0.1	0.08
918872	Soil	11.5	80.0	0.94	298.3	0.099	4	3.18	0.012	0.26	0.3	5.9	0.17	<0.02	31	0.5	<0.02	8.3	2.23	<0.1	0.06
918873	Soil	12.2	79.1	0.92	298.5	0.097	4	2.55	0.012	0.23	0.4	5.5	0.17	<0.02	25	0.4	0.02	7.0	1.90	<0.1	0.07
918956	Soil	14.7	57.1	0.66	308.0	0.116	4	3.42	0.020	0.32	0.4	4.5	0.24	<0.02	37	0.5	0.02	8.9	3.20	<0.1	0.11
918957	Soil	14.0	71.2	0.78	300.8	0.123	3	3.50	0.016	0.34	0.3	4.9	0.25	<0.02	26	0.3	<0.02	9.5	3.29	<0.1	0.08
918958	Soil	13.3	46.6	0.58	279.0	0.118	3	3.44	0.015	0.22	0.3	4.4	0.20	<0.02	32	0.4	<0.02	9.0	2.34	<0.1	0.18
918959	Soil	12.4	53.6	0.57	179.7	0.094	3	2.71	0.024	0.14	0.3	3.7	0.13	<0.02	25	0.6	<0.02	6.5	1.64	<0.1	0.17
918960	Soil	15.3	32.6	0.59	147.5	0.117	2	2.20	0.027	0.26	0.3	3.9	0.19	<0.02	15	0.3	<0.02	6.1	1.91	<0.1	0.25
918961	Soil	14.2	50.9	0.63	253.3	0.120	3	3.47	0.014	0.28	0.2	4.0	0.24	<0.02	34	0.3	0.02	9.2	2.48	<0.1	0.11



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 6 of 6 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08008175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
918973	Soil	1.17	21.9	0.6	<0.05	6.9	10.58	27.6	0.04	<1	0.8	23.5	<10	<2
918974	Soil	1.13	31.2	0.5	<0.05	10.5	10.68	30.8	0.03	<1	0.6	19.5	<10	<2
918975	Soil	1.57	22.4	0.5	<0.05	5.9	9.49	31.4	0.04	<1	0.7	19.9	<10	<2
918976	Soil	1.22	19.9	0.5	<0.05	5.7	7.45	31.1	0.04	<1	0.7	24.2	<10	<2
918556	Soil	1.60	21.1	0.7	<0.05	9.2	5.51	32.8	0.03	<1	0.8	23.1	<10	<2
918559	Soil	1.29	20.4	0.7	<0.05	7.8	2.80	21.0	0.03	<1	0.8	28.1	<10	<2
918560	Soil	1.17	23.9	0.7	<0.05	10.6	4.68	28.8	0.04	<1	0.6	25.0	<10	<2
918564	Soil	1.26	22.9	0.7	<0.05	4.5	3.33	24.5	0.07	<1	0.7	21.1	<10	<2
918871	Soil	1.35	16.0	0.6	<0.05	5.4	4.62	25.6	0.09	<1	0.6	16.3	<10	<2
918872	Soil	1.64	23.4	0.5	<0.05	4.1	6.92	29.4	0.04	<1	0.7	22.5	<10	<2
918873	Soil	1.75	22.2	0.4	<0.05	4.6	6.77	28.2	0.05	<1	0.6	18.2	<10	<2
918956	Soil	1.51	32.1	0.8	<0.05	8.0	8.41	35.0	0.04	<1	1.0	36.3	<10	<2
918957	Soil	1.20	33.3	0.8	<0.05	6.6	6.98	35.9	0.03	<1	1.0	36.9	<10	<2
918958	Soil	1.37	22.4	0.7	<0.05	13.0	7.33	37.7	0.03	<1	1.1	31.1	<10	<2
918959	Soil	1.75	22.3	0.6	<0.05	12.1	8.98	31.5	0.02	<1	0.6	26.8	<10	<2
918960	Soil	0.46	30.9	0.4	<0.05	16.8	7.37	35.5	0.02	<1	0.6	16.9	<10	2
918961	Soil	1.50	30.0	0.7	<0.05	7.2	5.28	40.9	0.03	<1	1.0	35.8	<10	<2

QUALITY CONTROL REPORT

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
917573	Soil	0.64	38.25	19.74	98.9	156	85.4	16.3	511	3.76	21.9	1.1	3.7	5.0	32.1	0.27	0.78	0.24	67	0.24	0.088
REP 917573	QC	0.64	38.65	19.53	97.1	153	83.0	16.0	489	3.68	20.9	1.1	3.7	5.0	32.4	0.26	0.76	0.24	66	0.22	0.085
917586	Soil	0.68	46.41	23.79	207.8	267	71.5	17.7	645	3.50	14.7	1.7	3.5	3.8	31.0	2.83	0.83	0.27	68	0.27	0.177
REP 917586	QC	0.70	48.12	24.83	218.2	277	73.4	18.2	668	3.59	15.4	1.8	2.0	3.9	31.8	2.91	0.85	0.26	67	0.27	0.182
917706	Soil	1.06	40.66	36.53	459.5	146	94.7	19.6	1253	3.34	14.7	1.4	3.4	4.6	70.7	3.68	1.03	0.48	49	0.85	0.328
REP 917706	QC	1.03	40.62	36.14	473.0	150	94.6	19.8	1253	3.37	15.1	1.4	2.0	4.6	70.0	3.53	1.02	0.49	50	0.85	0.333
917656	Soil	0.73	29.27	48.20	182.3	194	114.4	17.7	856	2.92	13.3	0.8	8.1	3.2	28.7	3.52	0.98	0.43	51	0.30	0.233
REP 917656	QC	0.69	30.36	49.84	177.9	198	114.7	18.1	854	2.95	13.0	0.7	7.0	3.3	29.4	3.48	0.96	0.43	51	0.31	0.229
917670	Soil	0.69	40.00	21.57	133.1	268	124.7	21.5	1289	3.49	17.0	1.1	3.4	3.1	58.9	0.86	0.83	0.30	59	0.43	0.299
REP 917670	QC	0.66	37.92	20.32	126.7	260	119.3	20.1	1262	3.41	16.6	1.0	7.1	2.8	57.4	0.88	0.81	0.28	57	0.41	0.287
917679	Soil	1.16	29.98	35.19	259.2	204	105.3	18.7	2640	2.96	22.3	0.6	4.6	2.9	54.3	5.58	1.34	0.38	48	0.54	0.408
REP 917679	QC	1.20	29.32	36.19	259.4	196	107.2	18.7	2632	3.01	21.9	0.6	5.7	2.9	55.0	5.73	1.31	0.38	49	0.53	0.414
918861	Soil	0.48	20.95	19.50	105.8	168	692.6	33.9	688	2.88	17.5	0.7	2.4	2.6	23.6	0.55	0.75	0.43	41	0.23	0.154
REP 918861	QC	0.51	21.63	20.35	110.0	178	720.3	33.7	719	2.99	18.5	0.7	2.8	2.8	25.1	0.59	0.73	0.45	44	0.25	0.163
918564	Soil	0.75	20.12	34.29	129.5	134	233.1	19.3	1107	2.95	14.7	0.5	16.9	2.0	26.5	0.69	0.87	0.45	47	0.32	0.208
REP 918564	QC	0.77	20.85	35.48	133.4	136	242.0	20.7	1115	3.00	15.4	0.5	6.0	2.0	28.0	0.64	0.86	0.47	49	0.33	0.215
Reference Materials																					
STD DS7	Standard	21.10	114.7	73.82	406.8	836	57.0	9.4	609	2.39	54.4	5.3	65.0	4.7	76.8	7.06	6.59	4.84	88	0.95	0.078
STD DS7	Standard	20.73	115.7	75.96	411.9	791	55.7	9.1	623	2.40	55.0	5.2	66.2	4.7	75.4	6.66	6.63	4.78	88	0.96	0.078
STD DS7	Standard	19.77	109.7	70.03	421.0	848	53.9	8.9	601	2.34	53.2	4.9	106.2	4.4	74.4	6.44	5.84	4.35	77	0.93	0.081
STD DS7	Standard	20.25	98.03	56.45	376.4	807	53.3	9.8	617	2.31	51.6	3.9	59.4	3.7	64.8	5.43	4.99	3.59	83	0.94	0.077
STD DS7	Standard	20.66	115.6	74.83	401.3	794	57.7	9.6	617	2.37	49.4	5.1	60.6	4.6	71.0	5.99	6.40	4.75	84	0.95	0.073
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
Pulp Duplicates																					
917573	Soil	18.1	80.2	0.96	163.4	0.124	<1	2.83	0.008	0.27	0.3	7.1	0.18	<0.02	15	0.4	0.04	7.4	2.02	0.1	0.16
REP 917573	QC	17.0	77.3	0.97	147.6	0.118	<1	2.75	0.006	0.25	0.3	6.4	0.17	<0.02	11	0.4	0.03	7.2	1.85	<0.1	0.15
917586	Soil	15.2	53.2	0.85	225.0	0.122	3	3.64	0.014	0.18	0.4	5.2	0.18	<0.02	30	0.4	<0.02	8.8	1.99	<0.1	0.22
REP 917586	QC	15.4	54.0	0.87	239.4	0.120	2	3.73	0.014	0.19	0.3	5.4	0.17	<0.02	30	0.5	<0.02	9.1	2.05	<0.1	0.23
917706	Soil	20.6	48.1	0.59	320.0	0.127	3	3.60	0.018	0.19	0.7	4.9	0.25	<0.02	35	0.2	<0.02	8.9	2.48	<0.1	0.22
REP 917706	QC	21.3	48.0	0.60	326.6	0.125	3	3.63	0.019	0.20	0.6	4.8	0.25	<0.02	34	0.4	<0.02	9.4	2.52	<0.1	0.23
917656	Soil	12.9	68.5	0.71	323.4	0.089	3	2.53	0.012	0.17	0.5	4.6	0.17	<0.02	27	0.3	0.07	6.6	1.74	<0.1	0.10
REP 917656	QC	12.6	68.4	0.72	315.9	0.088	3	2.55	0.013	0.17	0.5	4.7	0.18	<0.02	25	0.2	0.04	6.7	1.76	<0.1	0.09
917670	Soil	15.8	62.2	0.80	265.7	0.102	4	3.50	0.016	0.23	0.4	5.6	0.20	<0.02	29	0.5	0.04	8.6	1.98	<0.1	0.13
REP 917670	QC	15.0	59.7	0.77	253.8	0.092	3	3.38	0.014	0.21	0.3	5.2	0.19	<0.02	32	0.4	<0.02	8.0	1.92	<0.1	0.15
917679	Soil	11.1	67.0	0.67	513.8	0.092	4	2.71	0.016	0.22	0.4	4.4	0.19	0.02	53	0.4	0.05	7.5	2.06	<0.1	0.10
REP 917679	QC	11.3	68.0	0.69	492.9	0.093	4	2.69	0.016	0.21	0.4	4.4	0.19	0.02	45	0.4	0.05	7.3	2.05	<0.1	0.09
918861	Soil	8.2	125.0	1.21	329.8	0.102	4	3.03	0.015	0.11	0.4	4.0	0.18	<0.02	30	0.4	0.07	7.5	3.38	<0.1	0.13
REP 918861	QC	8.9	142.6	1.30	327.1	0.117	4	3.17	0.018	0.12	0.4	4.3	0.19	<0.02	30	0.3	0.09	7.9	3.46	<0.1	0.10
918564	Soil	7.3	71.2	0.78	281.0	0.105	5	2.97	0.017	0.16	0.4	3.6	0.17	<0.02	37	0.4	0.02	7.3	2.75	<0.1	0.08
REP 918564	QC	7.8	72.8	0.79	295.2	0.105	4	3.01	0.017	0.16	0.4	3.8	0.18	<0.02	42	0.4	<0.02	7.9	2.86	<0.1	0.07
Reference Materials																					
STD DS7	Standard	14.5	185.4	1.07	390.0	0.124	43	0.99	0.092	0.47	3.9	2.9	4.15	0.19	196	3.3	1.24	4.7	6.17	0.1	0.13
STD DS7	Standard	14.3	188.9	1.07	381.4	0.126	42	1.00	0.097	0.46	3.8	2.7	4.16	0.20	207	3.5	1.21	4.9	6.03	0.1	0.12
STD DS7	Standard	13.3	195.7	1.02	390.0	0.111	41	1.05	0.092	0.43	3.9	2.5	4.46	0.18	218	3.6	1.18	5.1	6.12	<0.1	0.14
STD DS7	Standard	12.1	203.7	1.01	363.5	0.119	41	1.02	0.086	0.45	3.5	2.8	4.01	0.18	213	3.5	1.02	4.7	5.83	0.1	0.10
STD DS7	Standard	13.7	203.1	1.04	379.5	0.125	37	1.01	0.088	0.42	3.7	2.6	4.27	0.18	201	3.3	1.21	4.7	6.13	<0.1	0.15
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08008175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates														
917573	Soil	0.92	31.8	0.5	<0.05	12.2	9.14	39.5	0.03	<1	0.7	22.1	<10	<2
REP 917573	QC	0.92	32.1	0.5	<0.05	11.8	9.04	36.3	0.04	<1	0.8	22.5	<10	<2
917586	Soil	1.33	22.9	0.6	<0.05	13.3	10.35	35.4	0.04	<1	0.6	20.2	<10	<2
REP 917586	QC	1.33	23.4	0.7	<0.05	14.5	10.80	34.8	0.04	<1	0.9	21.2	<10	<2
917706	Soil	1.83	36.5	0.9	<0.05	12.5	13.54	40.7	0.05	2	1.1	24.8	<10	<2
REP 917706	QC	1.85	37.3	0.9	<0.05	12.1	13.49	41.4	0.05	<1	1.2	26.6	20	<2
917656	Soil	1.08	20.2	0.7	<0.05	5.9	8.18	25.4	0.05	<1	0.6	18.2	<10	<2
REP 917656	QC	1.09	20.1	0.7	<0.05	6.1	8.11	24.9	0.05	1	0.8	17.7	<10	<2
917670	Soil	1.53	21.9	0.7	<0.05	10.0	11.77	29.0	0.04	<1	0.7	22.4	<10	<2
REP 917670	QC	1.52	20.5	0.6	<0.05	9.7	11.30	28.3	0.04	<1	0.7	20.6	<10	<2
917679	Soil	1.55	19.6	0.7	<0.05	5.3	5.66	24.1	0.06	<1	0.6	16.5	<10	<2
REP 917679	QC	1.58	20.1	0.7	<0.05	5.5	5.64	24.5	0.07	<1	0.6	16.8	<10	<2
918861	Soil	0.93	24.7	0.9	<0.05	7.6	4.05	21.2	0.03	<1	0.7	22.5	<10	<2
REP 918861	QC	0.96	25.3	0.9	<0.05	7.7	4.16	22.1	0.03	2	0.8	23.3	<10	<2
918564	Soil	1.26	22.9	0.7	<0.05	4.5	3.33	24.5	0.07	<1	0.7	21.1	<10	<2
REP 918564	QC	1.32	24.2	0.8	<0.05	4.8	3.52	25.8	0.06	<1	0.7	22.8	<10	<2
Reference Materials														
STD DS7	Standard	0.75	38.9	5.2	<0.05	5.5	6.42	35.8	1.83	2	1.5	29.9	38	40
STD DS7	Standard	0.82	35.2	5.1	<0.05	5.5	6.65	35.9	1.66	4	1.6	29.0	52	36
STD DS7	Standard	0.63	40.0	4.7	<0.05	6.3	6.46	37.8	1.60	5	1.6	31.1	57	44
STD DS7	Standard	0.67	34.5	4.0	<0.05	5.1	5.89	37.5	1.34	3	1.6	27.9	86	34
STD DS7	Standard	0.66	35.0	4.9	<0.05	5.3	6.15	36.1	1.66	5	1.6	28.6	70	35
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

August 12, 2008

Report Date:

August 25, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08008211.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 005
P.O. Number
Number of Samples: 109

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	109	Sieve soil to 230 mesh		
RJSV	109	Save all or part of soil reject fraction		
1F30	109	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 25, 2008

Page:

2 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917593	Soil	5.555	0.92	54.08	19.44	76.4	116	64.2	17.2	654	3.68	20.7	7.0	9.9	14.5	37.5	0.11	0.51	0.39	53	0.36
917594	Soil	5.115	0.84	57.42	19.77	90.3	86	76.1	19.5	554	3.86	22.6	2.1	7.6	11.0	26.9	0.18	0.51	0.37	62	0.23
917595	Soil	4.155	0.92	48.44	30.92	92.9	161	64.1	17.4	900	3.48	24.6	6.8	8.5	10.4	38.4	0.28	0.78	0.42	58	0.40
917596	Soil	2.6	0.58	16.66	16.98	127.3	238	30.5	9.4	962	2.33	12.2	1.0	1.8	2.6	22.2	0.37	0.51	0.35	38	0.19
917597	Soil	4.21	0.58	57.92	17.10	93.2	113	132.6	29.8	848	5.29	13.8	2.2	2.8	9.0	69.8	0.17	0.33	0.22	87	0.65
917598	Soil	3.72	0.45	58.78	14.41	85.5	116	152.2	31.5	778	5.19	8.1	1.1	2.3	8.8	73.6	0.14	0.21	0.20	91	0.73
917599	Soil	4.645	0.67	44.14	20.45	79.2	80	53.1	17.6	698	3.53	12.0	1.4	9.8	8.7	31.9	0.15	0.49	0.30	55	0.29
917600	Soil	3.14	0.51	29.85	22.97	153.4	278	72.3	18.4	1082	3.01	6.3	1.0	2.6	4.3	28.9	0.40	0.53	0.34	48	0.22
917682	Soil	1.91	0.66	31.83	33.19	134.3	150	155.0	25.8	1541	3.51	17.9	0.8	11.3	3.1	45.1	1.60	0.81	0.33	60	0.35
917683	Soil	1.815	1.00	34.47	105.6	235.7	262	116.9	23.4	1783	3.30	27.5	0.8	10.5	3.0	47.5	5.17	1.59	0.56	62	0.42
917684	Soil	1.685	1.04	44.19	58.54	250.9	136	96.8	28.2	1662	3.74	36.4	0.8	7.6	3.2	51.2	4.07	1.10	0.45	80	0.54
917685	Soil	2.07	1.25	49.17	47.31	206.3	254	89.5	25.1	1522	3.57	28.9	1.0	7.7	3.7	30.9	2.99	1.06	0.36	75	0.24
917686	Soil	2.025	0.79	38.72	35.60	204.2	212	80.7	16.9	1537	2.89	22.8	0.8	7.0	3.3	74.7	2.73	1.05	0.33	56	0.75
917687	Soil	1.885	0.63	40.57	24.61	153.3	424	110.9	17.6	870	3.22	23.3	0.9	3.6	3.3	47.1	1.22	0.59	0.29	59	0.45
917688	Soil	1.725	0.59	23.53	21.80	121.7	220	528.8	34.6	951	3.10	15.7	0.5	14.3	2.5	43.8	0.84	0.69	0.91	49	0.38
917689	Soil	1.71	0.56	44.73	28.49	109.4	165	917.7	61.3	945	4.21	22.4	0.8	52.4	2.9	27.2	0.53	0.84	2.12	68	0.33
917690	Soil	2.015	0.58	24.25	48.81	119.5	104	461.7	31.5	967	3.06	12.0	0.6	3.6	2.7	32.9	0.82	1.20	0.86	50	0.28
917691	Soil	1.85	0.80	39.73	19.41	95.0	109	31.3	11.0	371	2.94	6.9	1.4	3.5	6.9	39.5	0.30	0.35	0.27	60	0.34
917692	Soil	2.06	0.46	21.34	19.25	131.0	182	302.8	20.1	716	2.67	11.8	0.6	2.8	2.7	39.4	0.99	0.73	0.69	42	0.40
917693	Soil	1.85	0.61	22.40	34.44	137.6	157	173.3	16.7	795	2.67	14.7	0.8	3.4	3.2	37.8	0.92	0.92	0.43	41	0.38
917694	Soil	1.485	0.75	46.36	51.53	121.6	110	76.0	16.8	716	3.29	21.5	1.1	5.7	3.5	30.1	0.93	1.26	0.33	69	0.37
917695	Soil	1.51	0.71	20.56	17.57	186.0	239	56.0	13.1	1282	2.56	14.2	0.6	7.2	3.0	16.1	0.57	0.56	0.30	44	0.13
917696	Soil	2.18	0.64	55.21	17.79	117.7	212	138.9	22.7	414	3.78	19.8	1.7	4.2	4.1	25.6	0.39	0.83	0.29	73	0.24
917697	Soil	2.075	0.81	57.02	18.81	110.0	389	107.7	20.5	360	3.67	26.4	1.6	3.1	4.6	21.7	0.44	0.89	0.31	75	0.20
917698	Soil	1.62	0.81	63.12	23.00	118.0	290	131.9	21.2	547	3.91	40.5	2.3	7.8	3.8	27.9	0.59	0.92	0.33	79	0.28
917699	Soil	1.785	0.71	59.43	21.34	167.6	371	108.0	22.4	712	3.62	23.4	1.3	4.8	3.8	26.0	1.43	0.69	0.35	69	0.23
917700	Soil	1.98	0.77	42.41	28.07	297.2	359	111.5	21.0	1601	3.63	27.6	1.1	12.2	4.0	30.5	3.39	0.85	0.37	68	0.28
917751	Soil	4.71	1.41	57.00	25.70	122.8	165	61.2	18.4	615	3.64	24.3	2.1	3.6	9.4	27.4	0.24	0.70	0.63	62	0.20
917752	Soil	3.68	1.14	53.26	24.94	133.2	207	57.2	17.8	607	3.27	19.9	2.0	2.9	7.5	30.4	0.29	0.63	0.54	59	0.22
917753	Soil	2.425	2.70	136.7	53.29	169.3	273	67.8	27.2	2573	5.74	120.9	1.9	9.9	16.2	28.5	0.39	1.12	0.87	37	0.35



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 25, 2008

Page:

2 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
917593	Soil			0.090	42.6	80.4	1.06	96.6	0.067	2	2.24	0.010	0.14	0.4	6.2	0.13	<0.02	33	0.3	0.10	6.2	2.38	<0.1
917594	Soil			0.089	32.8	82.5	1.08	109.4	0.084	2	2.98	0.009	0.13	0.4	4.7	0.16	<0.02	27	0.2	0.07	7.3	3.16	<0.1
917595	Soil			0.126	31.3	60.9	0.88	143.5	0.084	2	2.73	0.013	0.12	0.5	4.7	0.14	<0.02	44	0.5	<0.02	7.5	2.31	<0.1
917596	Soil			0.394	8.5	20.6	0.28	286.5	0.117	3	3.49	0.017	0.06	0.3	2.1	0.12	<0.02	39	0.2	<0.02	9.0	1.99	<0.1
917597	Soil			0.161	36.4	237.8	2.28	279.3	0.211	1	3.25	0.015	0.38	0.2	10.8	0.33	<0.02	21	0.4	<0.02	9.9	8.08	0.1
917598	Soil			0.160	32.6	253.4	2.83	275.2	0.256	3	3.25	0.016	0.67	0.2	9.4	0.48	<0.02	22	0.3	<0.02	10.3	9.46	0.1
917599	Soil			0.104	30.8	67.9	1.02	136.5	0.091	<1	2.11	0.013	0.16	0.2	4.3	0.16	<0.02	20	0.3	0.07	5.9	2.56	<0.1
917600	Soil			0.205	14.9	59.3	0.74	231.3	0.138	2	3.36	0.017	0.12	0.2	2.9	0.18	<0.02	39	0.2	<0.02	8.8	3.08	<0.1
917682	Soil			0.205	12.5	81.4	0.91	389.7	0.119	4	3.17	0.014	0.21	0.4	4.9	0.18	<0.02	31	0.4	<0.02	8.3	1.94	<0.1
917683	Soil			0.216	12.0	70.1	0.78	401.6	0.115	4	3.07	0.012	0.19	0.4	4.8	0.22	<0.02	40	0.4	0.03	8.4	2.09	<0.1
917684	Soil			0.151	11.5	73.1	0.87	478.9	0.136	4	3.44	0.011	0.28	0.4	7.0	0.22	<0.02	32	0.3	0.04	9.9	2.47	<0.1
917685	Soil			0.155	13.0	67.4	0.84	349.5	0.127	3	3.43	0.009	0.20	0.3	5.8	0.21	<0.02	27	0.5	0.03	9.3	2.25	<0.1
917686	Soil			0.288	11.8	52.5	0.69	513.5	0.117	7	3.14	0.013	0.20	0.3	4.7	0.17	<0.02	49	0.3	0.06	8.5	1.94	<0.1
917687	Soil			0.252	14.0	58.4	0.70	421.7	0.133	4	3.57	0.018	0.18	0.3	5.1	0.13	<0.02	26	0.4	<0.02	9.2	2.15	<0.1
917688	Soil			0.212	9.4	144.5	1.17	268.1	0.103	3	2.70	0.013	0.15	0.4	4.2	0.16	<0.02	30	0.1	<0.02	7.3	2.47	<0.1
917689	Soil			0.084	11.5	208.1	2.74	187.8	0.129	6	2.77	0.013	0.16	1.0	6.9	0.24	<0.02	27	0.4	0.10	7.3	3.50	0.1
917690	Soil			0.138	10.4	124.3	1.28	293.8	0.124	4	3.28	0.016	0.13	0.4	3.9	0.19	<0.02	26	0.3	0.08	8.8	3.31	<0.1
917691	Soil			0.076	21.1	37.4	0.67	100.9	0.124	2	1.86	0.020	0.27	0.4	4.0	0.19	<0.02	13	0.3	<0.02	5.5	1.94	<0.1
917692	Soil			0.287	9.6	92.8	0.87	365.1	0.115	5	2.94	0.021	0.16	0.3	3.8	0.16	<0.02	33	0.2	0.04	7.5	3.69	<0.1
917693	Soil			0.335	11.4	64.0	0.64	346.2	0.124	4	3.32	0.023	0.14	0.4	4.0	0.16	<0.02	36	0.4	0.06	7.7	2.62	<0.1
917694	Soil			0.134	16.3	69.5	1.00	179.3	0.114	2	2.47	0.014	0.15	0.3	5.3	0.15	<0.02	36	0.3	0.02	6.8	1.83	<0.1
917695	Soil			0.366	7.0	31.4	0.38	194.1	0.134	3	3.10	0.019	0.10	0.2	2.8	0.15	<0.02	24	0.3	<0.02	8.7	1.98	<0.1
917696	Soil			0.163	12.2	68.3	0.95	206.5	0.143	3	4.06	0.021	0.15	0.3	5.3	0.14	<0.02	35	0.5	<0.02	9.4	2.07	<0.1
917697	Soil			0.165	17.6	66.6	0.88	204.2	0.166	2	4.45	0.018	0.15	0.4	6.9	0.17	<0.02	62	0.4	<0.02	10.7	2.43	<0.1
917698	Soil			0.178	15.2	68.0	1.00	252.6	0.145	2	4.24	0.018	0.17	0.3	5.9	0.18	<0.02	42	0.5	0.03	9.8	2.44	<0.1
917699	Soil			0.273	15.5	61.2	0.76	258.1	0.146	2	4.14	0.019	0.13	0.3	5.6	0.15	<0.02	51	0.5	0.04	10.6	2.51	<0.1
917700	Soil			0.347	13.8	62.7	0.81	371.0	0.141	3	4.04	0.019	0.14	0.4	5.1	0.19	<0.02	44	0.5	<0.02	9.6	2.77	<0.1
917751	Soil			0.076	29.6	43.0	0.73	179.5	0.131	1	3.03	0.014	0.13	0.9	6.6	0.17	<0.02	27	0.4	0.07	7.4	4.72	<0.1
917752	Soil			0.093	20.5	33.6	0.57	230.5	0.143	1	3.55	0.018	0.11	0.6	5.3	0.16	<0.02	42	0.4	<0.02	8.5	4.58	<0.1
917753	Soil			0.147	52.4	22.9	0.64	183.5	0.082	2	3.40	0.014	0.11	0.3	8.9	0.17	<0.02	54	0.9	0.11	8.8	6.35	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 2 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917593	Soil	0.04	0.44	20.1	0.3	<0.05	2.7	16.82	68.2	0.03	1	0.7	30.1	<10	<2
917594	Soil	0.05	0.76	19.0	0.5	<0.05	3.5	8.61	62.6	0.04	<1	0.9	33.8	<10	<2
917595	Soil	0.07	1.44	18.7	0.5	<0.05	4.0	13.92	54.6	0.04	<1	0.8	31.2	<10	<2
917596	Soil	0.10	1.58	15.0	0.9	<0.05	8.2	3.72	27.7	0.04	<1	0.9	18.5	<10	<2
917597	Soil	0.14	0.80	95.7	0.7	<0.05	8.8	17.26	61.3	0.06	<1	1.6	38.1	<10	<2
917598	Soil	0.11	0.66	117.4	0.7	<0.05	8.2	10.94	58.2	0.04	<1	1.6	34.2	<10	<2
917599	Soil	0.04	0.99	38.8	0.3	<0.05	3.0	8.96	54.2	<0.02	<1	0.7	25.4	<10	<2
917600	Soil	0.13	2.31	46.1	0.9	<0.05	7.6	5.75	41.2	0.04	<1	0.9	30.0	<10	<2
917682	Soil	0.11	1.38	21.3	0.7	<0.05	6.8	6.68	28.0	0.04	<1	0.9	21.0	<10	<2
917683	Soil	0.13	1.47	20.0	1.0	<0.05	5.9	7.18	27.1	0.17	<1	0.8	21.9	<10	<2
917684	Soil	0.13	1.41	26.5	0.9	<0.05	6.9	7.10	25.8	0.09	<1	0.6	27.5	<10	<2
917685	Soil	0.11	1.27	25.2	0.8	<0.05	6.4	7.39	27.7	0.07	<1	0.7	25.5	<10	<2
917686	Soil	0.11	1.69	20.4	0.8	<0.05	7.2	6.51	27.6	0.05	<1	0.8	23.3	<10	<2
917687	Soil	0.15	1.83	24.7	0.9	<0.05	9.2	8.39	31.2	0.03	<1	0.5	23.0	<10	<2
917688	Soil	0.08	1.29	23.8	0.6	<0.05	3.5	3.92	20.1	0.03	<1	0.8	23.1	<10	<2
917689	Soil	0.09	0.83	29.4	0.6	<0.05	6.2	6.34	21.8	0.05	<1	0.7	26.5	<10	<2
917690	Soil	0.07	1.34	24.8	1.0	<0.05	4.7	3.45	25.0	0.08	<1	0.5	25.8	<10	<2
917691	Soil	0.19	0.42	35.2	0.4	<0.05	12.6	9.61	37.4	0.03	<1	0.4	17.5	<10	2
917692	Soil	0.11	1.24	22.0	0.7	<0.05	6.6	4.58	24.3	0.05	<1	0.7	21.5	<10	<2
917693	Soil	0.15	1.55	22.1	0.9	<0.05	11.0	6.55	28.7	0.07	<1	0.8	19.0	<10	<2
917694	Soil	0.09	1.42	19.4	0.6	<0.05	5.6	8.36	29.3	0.09	1	0.8	18.2	<10	<2
917695	Soil	0.16	1.77	18.2	0.8	<0.05	9.0	2.28	21.4	0.03	<1	1.0	18.1	<10	<2
917696	Soil	0.24	1.31	19.8	0.8	<0.05	15.5	6.78	39.7	0.04	1	0.8	22.4	<10	<2
917697	Soil	0.34	1.43	19.4	0.8	<0.05	24.6	12.44	40.3	0.04	<1	0.9	24.3	10	<2
917698	Soil	0.18	1.51	23.2	0.7	<0.05	12.7	9.23	37.4	0.06	<1	0.8	26.9	<10	2
917699	Soil	0.24	1.40	22.5	0.8	<0.05	14.2	10.40	35.8	0.04	<1	0.7	21.3	<10	<2
917700	Soil	0.12	1.24	25.1	0.8	<0.05	8.3	7.62	38.6	0.05	<1	0.6	22.2	<10	<2
917751	Soil	0.27	0.98	29.0	0.6	<0.05	17.4	14.11	59.1	0.03	<1	1.3	30.1	<10	<2
917752	Soil	0.31	1.56	25.3	0.9	<0.05	21.7	10.97	54.3	0.05	3	0.8	26.6	15	<2
917753	Soil	0.14	0.82	25.6	1.3	<0.05	9.8	54.86	98.8	0.14	<1	2.7	48.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

August 25, 2008

Page:

3 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917754	Soil	4.28	1.07	46.23	25.83	127.4	255	46.2	15.8	900	3.26	19.5	2.0	3.1	7.6	26.0	0.29	0.61	0.54	52	0.23
917755	Soil	3.885	1.25	59.15	42.66	132.4	234	68.4	19.7	1261	3.66	20.6	2.3	10.0	9.5	33.0	0.35	0.72	1.21	54	0.25
917756	Soil	2.785	1.19	45.89	47.59	154.3	132	66.4	19.7	2170	3.75	19.8	1.9	13.0	10.2	38.2	0.59	0.78	1.15	51	0.46
917757	Soil	3.14	0.96	50.50	39.29	99.9	176	50.5	17.1	1640	3.14	16.3	2.4	7.6	7.5	26.9	0.37	0.44	0.90	37	0.27
917758	Soil	3.725	1.30	70.30	51.90	135.7	259	69.7	23.8	1859	3.87	22.3	2.4	9.5	10.7	30.5	0.42	0.60	1.16	40	0.25
917759	Soil	3.9	1.54	74.34	44.16	95.6	147	71.6	23.6	1260	4.66	19.5	2.6	21.1	11.1	29.6	0.22	0.61	0.67	53	0.23
917760	Soil	2.88	0.92	102.2	78.55	128.4	345	78.1	31.8	4247	6.01	49.6	1.8	4.7	12.5	39.8	0.35	0.71	1.31	42	0.51
917761	Soil	4	1.30	68.44	28.80	85.4	213	81.0	21.1	500	3.71	22.1	2.0	11.3	8.4	22.2	0.21	0.73	0.59	59	0.18
917762	Soil	3.23	0.94	27.02	26.09	114.0	195	48.3	14.0	1064	3.17	14.1	1.2	5.5	4.5	24.8	0.31	0.71	0.54	44	0.26
917763	Soil	4.185	1.00	41.03	26.45	118.2	235	72.0	18.0	653	3.43	21.6	1.7	4.3	7.2	23.9	0.26	0.50	0.59	50	0.20
917764	Soil	3.41	1.68	60.62	42.09	152.7	292	94.6	23.5	476	4.24	29.2	1.6	9.7	8.9	26.4	0.23	0.74	0.69	63	0.25
917765	Soil	4.035	0.85	38.31	23.62	108.0	239	83.5	18.1	518	3.36	16.3	1.6	6.6	6.6	26.6	0.24	0.33	0.49	54	0.21
917766	Soil	4.06	1.16	40.67	34.30	159.7	199	71.4	17.1	855	3.61	26.3	1.2	3.8	8.3	30.6	0.32	0.74	0.73	49	0.29
917767	Soil	3.63	0.97	35.79	23.41	143.5	250	57.7	16.2	889	3.09	14.4	1.9	3.5	6.4	29.2	0.40	0.39	0.53	44	0.30
917768	Soil	3.46	0.97	48.97	36.64	121.0	124	49.6	16.1	1117	3.85	12.5	2.4	5.1	10.4	33.7	0.34	0.42	0.71	38	0.34
917769	Soil	3.5	0.97	31.35	26.77	153.2	185	44.7	14.3	1027	3.01	14.0	1.9	2.9	6.4	24.0	0.49	0.35	0.56	40	0.23
917770	Soil	3.01	1.07	32.37	26.31	161.9	220	53.6	15.1	867	3.04	14.3	1.7	4.0	6.4	24.6	0.41	0.40	0.60	40	0.19
917771	Soil	2.715	0.99	49.24	40.42	101.6	203	44.7	18.1	1903	3.41	13.6	2.4	6.6	8.6	29.5	0.39	0.49	0.84	34	0.22
917772	Soil	3.455	0.95	63.33	41.61	131.5	207	63.6	21.6	1716	3.80	19.7	2.6	11.7	9.6	41.8	0.40	0.54	1.24	42	0.35
917773	Soil	3.57	1.08	55.45	36.89	106.2	169	47.2	18.7	1446	3.31	15.0	2.7	4.4	9.3	30.6	0.47	1.18	0.82	37	0.23
917774	Soil	3.375	1.06	64.41	47.08	132.1	199	64.8	22.7	1712	4.38	16.7	2.3	5.8	10.9	36.4	0.37	0.61	1.32	40	0.27
917775	Soil	4.27	1.11	48.60	32.35	84.1	89	55.3	18.8	629	3.97	28.0	1.8	34.1	11.0	23.5	0.15	0.66	0.81	45	0.18
917776	Soil	4.095	0.81	44.12	33.85	136.2	188	67.3	21.5	831	3.59	17.4	1.7	5.9	9.1	29.3	0.34	0.62	0.53	41	0.22
917777	Soil	4.115	0.78	36.57	37.30	97.2	135	49.5	15.6	609	3.12	18.6	1.3	6.7	6.8	25.1	0.43	0.75	0.60	45	0.21
917778	Soil	3.715	0.65	35.23	20.95	78.1	159	53.5	13.8	437	3.01	15.9	1.4	11.9	8.2	24.4	0.16	0.52	0.52	45	0.19
917779	Soil	3.44	1.18	40.84	47.57	100.3	129	60.4	16.7	876	3.11	20.6	1.9	25.9	13.2	26.9	0.23	0.63	0.51	44	0.27
917780	Soil	4.075	1.20	35.30	32.71	121.9	300	58.1	14.5	713	2.97	17.9	1.6	14.7	8.3	26.7	0.29	0.61	0.71	42	0.26
917781	Soil	3.995	1.02	29.94	28.12	74.8	109	50.8	12.7	541	2.96	19.6	1.5	15.2	8.7	26.4	0.18	0.72	0.59	45	0.28
917782	Soil	2.92	0.67	23.90	34.11	219.1	308	86.3	14.0	1110	2.83	11.1	1.4	7.1	6.3	43.0	0.59	0.66	0.53	36	0.32
917783	Soil	4.47	0.85	45.21	22.70	115.3	84	47.9	14.1	500	3.76	17.5	3.6	3.7	14.2	24.5	0.13	0.52	0.56	39	0.13



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917754	Soil	0.146	24.6	35.9	0.54	223.4	0.164	2	4.44	0.023	0.10	0.5	5.5	0.21	<0.02	47	0.4	<0.02	9.9	4.38	<0.1
917755	Soil	0.098	28.2	41.3	0.62	185.5	0.150	2	4.39	0.020	0.13	3.1	6.7	0.19	<0.02	48	0.7	0.09	10.0	2.83	<0.1
917756	Soil	0.118	27.0	34.3	0.54	236.1	0.160	4	4.56	0.022	0.14	1.8	5.4	0.23	<0.02	42	0.7	<0.02	10.4	3.27	<0.1
917757	Soil	0.094	21.9	24.5	0.43	148.0	0.143	1	4.76	0.016	0.09	2.6	5.9	0.16	<0.02	46	0.5	0.03	9.5	2.33	<0.1
917758	Soil	0.099	28.0	29.3	0.54	143.2	0.135	2	4.12	0.015	0.11	2.2	6.7	0.17	<0.02	56	0.8	0.09	9.6	2.68	<0.1
917759	Soil	0.077	30.9	55.1	1.02	98.7	0.103	1	3.25	0.016	0.15	0.9	9.6	0.23	<0.02	64	0.5	0.07	7.7	2.74	<0.1
917760	Soil	0.081	58.1	45.5	1.01	98.2	0.067	<1	2.75	0.010	0.17	0.5	10.0	0.21	<0.02	47	0.5	0.25	8.1	5.09	<0.1
917761	Soil	0.080	22.7	52.4	0.88	83.2	0.095	<1	2.77	0.008	0.10	1.3	6.7	0.13	<0.02	32	0.5	0.10	5.9	2.05	<0.1
917762	Soil	0.093	13.6	32.4	0.55	194.2	0.125	2	3.66	0.014	0.10	0.6	3.7	0.20	<0.02	37	0.3	0.05	8.8	3.19	<0.1
917763	Soil	0.106	20.8	78.5	0.80	165.8	0.116	1	3.64	0.014	0.10	0.8	5.9	0.15	<0.02	28	0.3	<0.02	8.1	7.90	<0.1
917764	Soil	0.084	22.0	99.3	1.25	141.0	0.083	1	3.38	0.009	0.12	0.9	5.0	0.14	<0.02	40	0.3	0.08	8.9	9.56	0.1
917765	Soil	0.076	20.7	128.8	0.98	242.2	0.135	1	3.70	0.017	0.11	0.6	6.1	0.14	<0.02	34	0.2	<0.02	8.7	11.51	0.1
917766	Soil	0.103	17.7	56.7	0.69	199.3	0.135	3	3.50	0.016	0.11	0.8	4.7	0.17	<0.02	24	0.1	0.07	9.5	8.30	<0.1
917767	Soil	0.128	15.6	34.9	0.54	184.5	0.138	1	3.74	0.018	0.10	0.5	5.2	0.17	<0.02	48	0.3	0.05	8.8	3.65	<0.1
917768	Soil	0.113	23.4	23.6	0.50	179.0	0.108	2	3.71	0.020	0.09	0.4	6.2	0.16	<0.02	23	0.4	0.09	7.6	2.54	<0.1
917769	Soil	0.134	16.8	27.6	0.43	218.2	0.151	2	3.98	0.021	0.09	0.6	4.2	0.18	<0.02	44	0.2	<0.02	9.5	3.28	<0.1
917770	Soil	0.110	17.8	34.1	0.51	223.9	0.155	2	4.03	0.022	0.11	0.6	5.3	0.19	<0.02	44	0.2	0.05	9.3	4.08	<0.1
917771	Soil	0.124	23.7	20.9	0.40	138.1	0.144	2	4.49	0.018	0.10	1.3	5.9	0.17	0.02	44	0.4	<0.02	9.4	2.12	<0.1
917772	Soil	0.112	30.0	33.6	0.58	164.2	0.132	2	4.26	0.018	0.15	2.4	6.5	0.17	<0.02	55	0.5	0.05	9.9	2.44	0.2
917773	Soil	0.127	26.9	20.6	0.46	112.9	0.140	2	4.36	0.020	0.10	1.5	5.6	0.17	<0.02	56	0.5	0.11	9.6	2.54	<0.1
917774	Soil	0.092	32.1	32.4	0.63	179.5	0.113	2	4.08	0.015	0.11	2.3	6.8	0.18	<0.02	48	0.7	0.13	9.2	2.46	<0.1
917775	Soil	0.079	38.8	59.8	0.86	79.1	0.058	<1	2.20	0.006	0.14	2.0	4.8	0.12	<0.02	17	0.5	0.03	5.9	1.41	<0.1
917776	Soil	0.109	32.6	55.0	0.75	161.2	0.076	<1	2.79	0.010	0.16	0.7	4.8	0.16	<0.02	29	0.6	<0.02	7.8	1.86	<0.1
917777	Soil	0.108	22.3	46.2	0.64	122.2	0.059	1	2.50	0.006	0.13	1.2	3.4	0.12	<0.02	31	0.4	0.05	6.1	1.49	<0.1
917778	Soil	0.066	29.7	49.0	0.71	92.5	0.069	<1	2.04	0.007	0.14	1.3	4.3	0.11	<0.02	20	0.4	0.05	5.2	1.44	<0.1
917779	Soil	0.083	33.6	55.1	0.85	99.7	0.071	<1	1.89	0.010	0.21	1.5	5.3	0.15	<0.02	20	0.3	0.03	5.6	1.93	<0.1
917780	Soil	0.133	23.1	43.1	0.67	127.1	0.091	<1	2.35	0.012	0.19	2.1	4.7	0.15	<0.02	23	0.1	0.03	6.7	1.67	<0.1
917781	Soil	0.078	25.1	56.9	0.80	80.5	0.075	<1	1.52	0.009	0.17	2.1	4.2	0.12	<0.02	8	0.3	0.04	4.6	1.38	<0.1
917782	Soil	0.222	22.2	35.5	0.55	225.7	0.087	2	2.88	0.013	0.16	0.9	3.8	0.17	<0.02	44	<0.1	<0.02	7.6	1.89	<0.1
917783	Soil	0.050	49.6	44.8	0.79	97.7	0.092	<1	2.47	0.009	0.16	0.4	5.3	0.14	<0.02	7	0.2	0.07	7.2	4.29	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 3 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917754	Soil	0.38	1.37	22.7	0.9	<0.05	24.1	15.28	59.5	0.05	<1	1.0	26.7	13	<2
917755	Soil	0.37	1.29	23.4	1.0	<0.05	24.4	21.96	59.1	0.05	<1	1.3	27.9	<10	<2
917756	Soil	0.41	1.85	26.7	1.0	<0.05	25.1	20.63	61.6	0.07	<1	1.6	32.2	17	<2
917757	Soil	0.50	1.75	15.6	1.0	<0.05	30.9	24.69	49.7	0.05	<1	1.5	22.7	<10	<2
917758	Soil	0.28	1.46	17.9	0.9	<0.05	22.5	30.27	58.5	0.06	<1	1.7	31.0	<10	3
917759	Soil	0.11	1.08	21.8	0.5	<0.05	7.9	21.96	57.2	0.07	<1	1.4	33.4	<10	<2
917760	Soil	0.04	0.79	22.7	0.7	<0.05	3.6	76.35	82.3	0.11	<1	2.0	43.9	<10	<2
917761	Soil	0.11	1.06	13.9	0.4	<0.05	7.0	12.71	58.8	0.04	<1	0.8	21.4	<10	<2
917762	Soil	0.15	2.20	24.3	0.9	<0.05	10.8	7.56	43.7	0.04	1	1.0	25.8	<10	<2
917763	Soil	0.19	1.66	22.6	0.8	<0.05	13.9	11.06	56.5	0.04	<1	1.2	32.3	<10	<2
917764	Soil	0.08	1.61	24.2	0.8	<0.05	6.8	6.31	58.8	0.07	1	1.4	49.6	<10	<2
917765	Soil	0.30	1.59	26.8	0.8	<0.05	19.1	9.95	59.7	0.04	3	1.3	46.4	14	<2
917766	Soil	0.20	2.25	25.9	0.9	<0.05	14.1	8.41	59.4	0.06	2	1.3	33.7	<10	<2
917767	Soil	0.33	1.49	32.5	0.8	<0.05	21.5	9.79	48.9	0.04	1	1.1	48.8	<10	<2
917768	Soil	0.29	1.25	23.1	0.7	<0.05	19.2	25.69	48.7	0.06	1	1.3	23.7	<10	<2
917769	Soil	0.30	1.55	26.6	1.1	<0.05	23.9	11.80	43.8	0.04	1	1.0	31.3	<10	<2
917770	Soil	0.30	1.84	31.3	1.0	<0.05	19.8	11.58	53.1	0.04	2	1.2	50.5	<10	<2
917771	Soil	0.32	1.49	16.5	1.0	<0.05	28.0	24.40	53.9	0.06	1	1.3	23.2	<10	3
917772	Soil	0.28	1.55	23.7	1.0	<0.05	20.5	26.12	60.1	0.05	4	1.4	30.9	<10	<2
917773	Soil	0.40	1.73	17.5	1.0	<0.05	30.9	24.14	56.9	0.05	1	1.3	25.8	<10	4
917774	Soil	0.32	1.54	21.0	0.8	<0.05	19.2	31.17	63.5	0.08	2	1.2	29.1	<10	<2
917775	Soil	0.03	0.68	14.9	0.3	<0.05	2.3	7.69	71.9	0.04	<1	0.9	29.7	<10	<2
917776	Soil	0.11	1.15	19.8	0.6	<0.05	7.5	10.90	63.2	0.04	<1	1.0	33.7	<10	<2
917777	Soil	0.06	1.14	14.6	0.4	<0.05	3.5	5.72	43.8	0.04	2	0.9	27.9	<10	<2
917778	Soil	0.06	0.92	19.2	0.3	<0.05	4.3	7.71	54.3	0.03	<1	0.6	23.1	<10	<2
917779	Soil	0.06	0.91	23.7	0.4	<0.05	3.3	10.53	59.7	0.03	1	0.6	25.5	<10	<2
917780	Soil	0.12	1.21	25.0	0.5	<0.05	8.6	9.03	47.0	0.03	<1	1.0	20.0	<10	<2
917781	Soil	0.04	0.87	25.8	0.3	<0.05	2.7	7.63	44.3	<0.02	2	0.7	18.1	<10	<2
917782	Soil	0.12	1.83	22.1	0.8	<0.05	10.0	11.10	44.6	0.05	<1	0.8	25.0	<10	<2
917783	Soil	0.18	0.53	42.5	0.5	<0.05	12.5	12.77	83.2	0.02	<1	1.0	45.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917784	Soil	3.55	0.70	44.80	27.88	120.5	168	44.1	16.5	677	3.42	15.9	3.4	3.0	9.9	24.0	0.22	0.52	0.50	36	0.20
917785	Soil	4.2	0.86	49.77	27.04	115.2	127	49.5	15.0	653	3.56	23.2	2.4	3.9	11.4	19.0	0.22	0.67	0.51	31	0.13
917786	Soil	3.285	0.75	39.31	31.60	228.2	112	55.8	19.5	1128	3.36	13.9	2.3	3.3	8.8	27.6	0.43	0.76	0.57	34	0.20
917787	Soil	4.55	0.51	46.13	18.74	66.3	96	54.1	15.0	437	3.31	13.1	1.4	8.5	8.8	22.4	0.11	0.41	0.37	39	0.17
917788	Soil	3.8	0.57	41.96	19.85	68.6	76	52.2	14.6	445	3.31	12.8	1.4	3.3	8.1	24.7	0.12	0.37	0.37	41	0.18
917789	Soil	4.9	0.73	50.57	22.23	107.2	176	65.3	17.6	511	3.59	13.0	1.7	3.7	9.0	28.9	0.20	0.36	0.46	44	0.22
917790	Soil	3.89	0.67	33.59	26.82	136.8	261	71.6	16.2	973	3.08	11.7	1.1	2.7	7.0	49.1	0.51	0.51	0.46	38	0.42
917791	Soil	4.455	0.78	46.81	44.28	179.4	100	57.6	23.3	795	3.57	16.4	1.6	10.2	9.8	25.7	0.49	0.90	0.54	32	0.19
917792	Soil	3.905	0.69	45.44	39.21	144.4	170	49.3	25.3	662	3.56	15.9	1.9	2.2	10.1	23.6	0.33	0.61	0.50	40	0.15
917793	Soil	4.32	0.85	42.50	28.91	192.5	289	69.0	27.7	1707	3.60	16.3	1.5	3.3	8.3	27.2	0.62	0.51	0.51	42	0.19
917794	Soil	3.365	0.89	50.65	29.43	181.1	214	67.8	32.6	1026	3.65	14.8	1.6	3.6	8.1	23.3	0.37	0.46	0.42	45	0.16
917795	Soil	3.8	0.86	51.34	23.33	104.8	117	48.7	18.0	604	4.11	19.6	1.4	5.5	9.6	26.6	0.22	0.46	0.37	44	0.15
917796	Soil	4.61	0.80	60.92	21.48	104.9	104	62.6	21.9	814	4.51	17.2	1.5	3.9	9.0	35.2	0.21	0.41	0.40	53	0.20
917797	Soil	4.88	0.73	58.69	32.07	149.4	153	53.0	20.0	807	4.48	17.7	1.5	26.8	9.7	47.7	0.33	0.44	0.41	46	0.24
917798	Soil	3.775	0.74	56.64	29.73	178.8	211	61.9	22.1	1387	4.21	16.7	1.4	3.3	8.2	32.7	0.52	0.62	0.39	49	0.22
917799	Soil	3.37	1.63	84.56	38.04	116.0	133	59.9	26.6	2127	5.10	32.5	1.6	6.8	12.1	28.4	0.21	0.84	0.53	32	0.16
917800	Soil	3.44	0.56	46.89	35.72	85.3	141	36.5	15.4	1957	4.38	24.7	1.1	2.5	9.8	40.8	0.31	0.60	0.56	15	0.38
917801	Soil	1.735	0.66	32.33	15.81	130.1	265	102.5	15.0	359	3.16	17.9	1.0	2.8	3.2	24.5	0.59	1.00	0.31	53	0.27
917802	Soil	2.08	0.55	35.12	12.56	105.2	233	81.8	14.4	388	3.23	16.6	1.0	2.4	3.1	27.0	0.44	0.95	0.25	55	0.27
917803	Soil	2.085	0.65	41.44	14.54	110.8	212	70.1	16.0	332	3.35	15.1	0.9	2.5	3.2	22.3	0.42	0.86	0.24	59	0.20
917804	Soil	2.105	0.63	37.09	22.06	120.3	177	56.8	14.6	744	3.13	14.2	0.8	4.4	2.5	27.8	0.60	0.93	0.23	60	0.26
917805	Soil	1.8	0.56	20.24	14.13	144.7	232	41.3	10.2	748	2.40	10.5	0.7	1.5	2.6	31.5	0.63	0.51	0.22	36	0.26
917806	Soil	1.755	0.78	30.34	40.67	168.5	199	52.8	15.4	1262	3.13	14.6	2.7	4.8	4.6	52.8	1.72	0.77	0.49	46	0.69
917807	Soil	1.64	0.74	29.50	53.97	178.7	189	53.6	15.1	1360	3.05	14.7	2.5	4.3	4.7	59.8	2.34	1.01	0.54	45	0.81
917808	Soil	1.68	1.18	36.10	82.56	175.9	225	58.9	17.1	1402	3.32	14.7	3.5	7.2	5.3	56.4	1.74	0.57	0.48	50	0.61
917809	Soil	1.81	1.63	27.83	70.33	182.7	99	54.6	16.1	1335	3.26	14.7	3.1	3.9	5.5	56.5	1.99	0.70	0.50	52	0.49
917810	Soil	1.605	1.42	28.55	84.31	172.0	101	57.0	16.4	1367	3.17	17.0	2.0	4.4	4.9	70.7	2.19	1.06	0.68	50	0.59
917811	Soil	2.265	0.57	28.73	12.15	74.3	63	22.0	8.9	298	2.40	5.5	0.9	2.1	4.6	30.5	0.26	0.24	0.17	49	0.28
917812	Soil	1.84	2.42	42.58	55.05	223.4	190	56.0	19.4	1990	3.45	29.9	3.0	64.9	5.3	46.7	2.91	1.05	0.89	53	0.42
917813	Soil	1.74	1.49	47.73	26.40	403.2	95	57.0	20.0	1929	3.37	16.3	1.1	3.2	4.4	78.9	3.04	0.54	1.22	42	0.96

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917784	Soil	0.109	31.0	33.6	0.61	107.1	0.103	1	3.19	0.014	0.12	0.4	4.7	0.15	<0.02	33	0.4	0.03	7.8	4.25	<0.1
917785	Soil	0.095	39.1	37.9	0.66	92.9	0.065	<1	2.19	0.008	0.14	1.0	4.1	0.12	<0.02	22	0.6	0.07	6.4	2.99	<0.1
917786	Soil	0.164	25.5	31.1	0.53	238.5	0.133	2	4.04	0.019	0.14	0.3	4.2	0.19	<0.02	41	0.5	<0.02	10.0	3.91	<0.1
917787	Soil	0.045	23.8	53.0	0.82	71.5	0.067	<1	1.72	0.005	0.23	0.5	4.6	0.14	<0.02	15	0.4	0.04	4.9	1.54	<0.1
917788	Soil	0.056	23.1	51.8	0.80	78.5	0.067	<1	1.85	0.006	0.23	0.5	4.5	0.15	<0.02	7	0.3	<0.02	5.0	1.55	<0.1
917789	Soil	0.078	23.4	58.1	0.84	130.3	0.094	<1	2.32	0.010	0.31	0.6	5.1	0.20	<0.02	21	0.2	0.02	7.1	1.88	<0.1
917790	Soil	0.264	18.7	44.7	0.60	296.8	0.097	3	2.84	0.016	0.19	0.6	4.3	0.18	<0.02	27	0.3	<0.02	8.0	1.84	<0.1
917791	Soil	0.097	37.1	35.5	0.46	165.9	0.067	1	2.23	0.009	0.13	0.4	3.5	0.13	<0.02	28	0.3	<0.02	6.5	1.48	<0.1
917792	Soil	0.109	30.1	39.7	0.52	180.7	0.088	<1	2.71	0.009	0.15	0.5	4.4	0.16	<0.02	27	0.3	0.03	7.3	1.54	<0.1
917793	Soil	0.155	32.3	35.7	0.47	270.1	0.087	2	3.32	0.016	0.16	0.5	4.2	0.19	<0.02	28	0.5	0.02	8.7	2.08	<0.1
917794	Soil	0.123	24.5	40.1	0.51	220.4	0.109	2	3.44	0.018	0.20	0.5	5.1	0.19	<0.02	25	0.7	<0.02	8.5	1.94	<0.1
917795	Soil	0.057	29.8	46.2	0.88	106.6	0.073	2	2.50	0.011	0.23	0.3	4.8	0.15	<0.02	12	0.9	0.05	6.4	1.93	<0.1
917796	Soil	0.068	21.6	54.9	1.30	164.9	0.108	1	3.32	0.013	0.33	0.5	6.1	0.23	<0.02	18	0.7	0.06	8.0	2.64	<0.1
917797	Soil	0.074	24.1	47.2	1.04	189.9	0.093	1	3.46	0.024	0.36	0.3	6.2	0.22	<0.02	17	0.5	0.08	8.6	2.91	<0.1
917798	Soil	0.170	21.1	46.9	0.99	285.0	0.111	2	3.89	0.018	0.20	0.3	4.6	0.23	<0.02	33	0.7	0.06	9.7	2.78	<0.1
917799	Soil	0.063	29.8	34.2	0.74	94.4	0.027	1	2.67	0.008	0.10	0.2	4.0	0.10	<0.02	22	1.1	0.15	6.5	1.51	<0.1
917800	Soil	0.091	28.0	14.7	0.60	48.4	0.027	1	1.78	0.009	0.05	0.2	5.2	0.06	<0.02	28	0.7	0.14	4.7	1.19	<0.1
917801	Soil	0.267	12.6	39.4	0.61	230.0	0.133	3	4.07	0.022	0.12	0.5	4.7	0.14	<0.02	42	0.4	<0.02	9.7	2.21	<0.1
917802	Soil	0.280	11.7	39.4	0.64	232.4	0.125	3	4.15	0.022	0.12	0.4	4.3	0.14	<0.02	46	0.4	<0.02	9.1	1.96	<0.1
917803	Soil	0.245	11.0	41.8	0.74	180.0	0.115	2	3.63	0.019	0.17	0.3	4.3	0.13	<0.02	41	0.4	0.04	8.9	1.91	<0.1
917804	Soil	0.245	11.4	42.1	0.72	239.4	0.101	2	2.98	0.024	0.13	0.3	4.6	0.13	<0.02	24	0.5	0.02	7.5	1.79	<0.1
917805	Soil	0.532	7.9	24.1	0.37	343.0	0.118	2	3.33	0.026	0.11	0.2	3.7	0.12	<0.02	31	0.4	<0.02	8.1	1.74	<0.1
917806	Soil	0.167	16.9	42.3	0.61	248.2	0.096	3	3.21	0.011	0.25	0.8	4.1	0.19	0.02	37	0.3	0.04	8.8	2.29	<0.1
917807	Soil	0.181	16.7	41.2	0.60	285.9	0.097	4	3.19	0.013	0.25	0.8	4.2	0.20	0.03	45	0.4	0.04	8.6	2.28	<0.1
917808	Soil	0.240	23.0	56.3	0.74	330.1	0.116	4	3.48	0.015	0.28	0.8	4.8	0.22	<0.02	30	0.4	0.03	9.4	2.78	<0.1
917809	Soil	0.145	19.6	59.3	0.74	304.3	0.113	4	3.19	0.012	0.27	1.1	4.6	0.21	<0.02	31	0.3	0.04	8.6	2.32	<0.1
917810	Soil	0.140	16.5	50.7	0.68	290.7	0.106	3	3.03	0.011	0.26	2.0	4.5	0.23	<0.02	41	0.5	0.08	8.2	2.16	<0.1
917811	Soil	0.070	14.5	27.5	0.51	77.6	0.083	1	1.36	0.018	0.23	0.3	3.2	0.15	<0.02	9	0.2	0.03	4.4	1.57	<0.1
917812	Soil	0.218	19.5	41.3	0.66	277.6	0.122	3	4.04	0.020	0.21	2.7	4.7	0.23	0.02	27	0.5	0.08	10.3	2.71	<0.1
917813	Soil	0.528	14.8	40.7	0.58	320.7	0.096	5	3.46	0.027	0.27	3.1	4.7	0.18	<0.02	26	0.3	0.04	8.9	2.75	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 4 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917784	Soil	0.21	1.19	23.2	0.7	<0.05	16.3	13.27	61.1	0.05	<1	1.0	50.1	<10	<2
917785	Soil	0.12	0.90	20.1	0.4	<0.05	10.1	11.79	66.6	0.04	<1	1.2	40.0	<10	3
917786	Soil	0.21	2.08	29.1	1.1	<0.05	17.0	10.73	61.6	0.06	1	1.3	68.1	<10	<2
917787	Soil	0.06	0.52	22.1	0.3	<0.05	3.1	8.40	42.1	0.03	<1	0.7	23.1	<10	<2
917788	Soil	0.06	0.64	24.7	0.3	<0.05	2.1	7.86	42.3	<0.02	<1	0.7	22.2	<10	<2
917789	Soil	0.12	0.76	34.2	0.6	<0.05	7.9	8.90	44.8	0.02	2	1.1	29.7	<10	<2
917790	Soil	0.14	1.63	23.6	0.7	<0.05	8.9	6.87	42.1	0.04	<1	0.9	31.1	<10	<2
917791	Soil	0.07	0.79	19.2	0.6	<0.05	4.4	9.78	69.3	0.07	2	1.0	31.3	<10	<2
917792	Soil	0.18	0.91	20.4	0.5	<0.05	11.5	10.80	58.6	0.05	<1	0.9	30.3	<10	<2
917793	Soil	0.10	1.09	24.1	0.8	<0.05	8.4	10.53	88.3	0.05	<1	0.7	38.8	<10	<2
917794	Soil	0.27	0.90	21.4	0.7	<0.05	17.3	10.07	62.2	0.04	<1	0.9	35.5	<10	<2
917795	Soil	0.08	0.58	32.1	0.4	<0.05	4.8	9.38	64.2	<0.02	<1	1.1	34.0	<10	<2
917796	Soil	0.13	0.70	45.4	0.5	<0.05	9.6	11.63	46.6	0.03	<1	1.6	46.7	<10	<2
917797	Soil	0.19	0.62	53.6	0.6	<0.05	13.9	15.42	48.7	0.03	<1	1.2	43.4	<10	<2
917798	Soil	0.24	1.34	33.7	0.7	<0.05	15.0	10.82	53.2	0.04	<1	1.3	46.5	<10	<2
917799	Soil	0.08	0.40	13.1	0.3	<0.05	5.7	17.65	58.8	0.05	<1	0.8	43.9	<10	<2
917800	Soil	0.11	0.37	6.4	0.3	<0.05	6.0	36.41	53.5	0.06	<1	1.1	50.4	10	<2
917801	Soil	0.30	1.67	16.9	0.8	<0.05	21.7	9.08	39.4	0.04	<1	0.9	20.3	17	<2
917802	Soil	0.30	1.76	16.3	0.7	<0.05	20.1	8.19	41.3	0.03	<1	0.6	19.8	23	<2
917803	Soil	0.37	1.39	19.0	0.6	<0.05	22.1	6.95	35.0	0.03	<1	0.8	20.0	<10	<2
917804	Soil	0.09	1.36	17.8	0.6	<0.05	8.6	6.65	31.2	0.05	<1	0.5	17.9	<10	<2
917805	Soil	0.32	1.28	13.1	0.8	<0.05	14.4	5.24	26.6	0.03	<1	0.6	13.7	<10	<2
917806	Soil	0.08	2.59	29.8	0.7	<0.05	5.5	9.38	38.0	0.06	<1	1.0	30.4	<10	<2
917807	Soil	0.09	2.76	30.4	0.8	<0.05	5.8	8.63	39.1	0.08	<1	1.2	29.7	<10	<2
917808	Soil	0.11	2.80	43.4	0.7	<0.05	7.0	13.61	50.5	0.04	<1	1.5	27.4	12	<2
917809	Soil	0.11	3.04	36.6	0.6	<0.05	7.1	10.03	44.8	0.04	<1	1.1	27.3	<10	<2
917810	Soil	0.10	2.42	31.6	0.7	<0.05	6.7	8.36	40.1	0.13	<1	1.4	25.7	<10	<2
917811	Soil	0.14	0.43	26.0	0.3	<0.05	9.3	6.97	29.9	<0.02	<1	0.5	14.2	10	<2
917812	Soil	0.15	2.69	34.2	0.8	<0.05	8.8	11.69	48.3	0.04	<1	1.4	31.6	<10	<2
917813	Soil	0.09	2.07	55.7	0.7	<0.05	7.6	9.03	37.4	0.06	<1	0.9	31.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2	0.01
917814	Soil	1.525	1.30	41.38	27.63	252.8	152	58.0	17.9	1821	3.20	13.1	1.6	4.1	3.5	75.1	3.01	0.59	1.27	44	0.82
917815	Soil	1.655	0.70	56.18	59.29	197.7	150	57.8	23.7	2299	4.01	20.4	1.2	4.6	4.9	105.9	1.88	0.94	0.70	47	1.09
917816	Soil	1.96	0.61	46.89	51.25	160.3	125	58.4	20.7	1849	3.61	16.0	1.0	3.8	4.4	72.8	1.51	0.99	0.71	49	0.74
917817	Soil	1.66	0.66	60.96	39.82	175.5	104	57.7	27.0	3462	3.98	16.4	1.3	2.4	5.5	95.2	1.04	0.75	0.53	42	0.80
917818	Soil	1.81	0.76	45.17	31.85	132.9	105	53.5	20.4	1702	3.66	13.4	1.1	2.2	5.9	62.3	0.68	0.80	0.37	48	0.63
917851	Soil	3.94	0.73	44.75	20.41	84.8	113	37.9	14.0	624	3.86	21.3	1.4	5.9	9.6	20.9	0.13	0.61	0.32	33	0.17
917852	Soil	3.155	0.94	54.01	30.29	117.3	144	53.1	19.7	841	4.33	21.0	1.6	2.7	10.5	31.5	0.27	0.79	0.49	40	0.29
917853	Soil	4.42	0.77	59.71	18.95	63.4	209	33.0	14.3	486	3.20	14.5	2.0	11.6	7.7	37.1	0.18	0.41	0.24	61	0.34
917854	Soil	4.595	0.95	68.34	24.01	81.1	195	37.8	16.3	552	3.31	13.4	4.8	11.5	8.2	43.6	0.35	0.54	0.30	59	0.44
917855	Soil	4.495	0.77	68.50	30.68	74.8	177	49.7	15.4	492	3.20	14.0	1.8	12.7	8.1	32.5	0.18	0.45	0.26	60	0.29
917856	Soil	3.765	0.85	42.02	22.93	102.2	182	32.0	13.6	558	2.99	9.2	2.0	6.1	7.4	30.9	0.47	0.42	0.36	46	0.28
917857	Soil	3.35	0.97	57.27	29.82	156.0	378	40.0	13.7	860	2.90	9.2	2.2	6.2	6.0	41.9	1.35	0.34	0.30	45	0.49
917858	Soil	3.36	1.11	85.02	32.96	102.0	271	38.2	13.8	508	3.03	9.3	1.8	13.8	7.6	30.0	0.35	0.25	0.31	51	0.30
917859	Soil	4.245	1.44	78.49	30.14	146.2	403	46.9	15.1	705	3.26	10.2	3.1	13.5	7.2	37.4	0.70	0.37	0.34	49	0.36
917860	Soil	3.13	0.84	57.98	30.19	171.3	342	44.8	14.4	1040	2.87	8.8	2.1	7.0	5.0	43.1	1.40	0.40	0.31	43	0.45
917861	Soil	3.56	1.31	121.1	35.46	168.8	452	50.7	21.0	1085	3.15	9.7	3.2	8.7	5.2	36.5	1.12	0.29	0.40	51	0.37
917862	Soil	3.55	1.64	127.9	51.57	167.3	416	57.3	19.9	797	3.30	10.3	3.3	12.5	6.2	34.7	0.86	0.40	0.42	53	0.30
917863	Soil	3.185	1.56	122.1	55.48	238.4	663	48.9	19.9	2518	2.98	16.6	2.8	9.8	2.7	52.7	1.99	0.60	0.50	43	0.75
917864	Soil	2.85	1.47	137.3	42.37	219.8	402	58.4	23.3	2171	3.00	8.3	2.8	7.5	3.1	54.1	2.18	0.63	0.44	51	0.71



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: August 25, 2008

Page: 5 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917814	Soil	0.465	16.0	40.4	0.63	363.9	0.092	5	3.32	0.027	0.29	4.0	4.5	0.19	<0.02	26	0.5	0.06	8.5	2.33	<0.1
917815	Soil	0.255	19.3	48.7	0.82	285.8	0.096	7	4.08	0.057	0.38	0.9	5.2	0.28	0.03	37	0.6	0.05	10.6	3.07	<0.1
917816	Soil	0.163	18.8	49.2	0.72	254.1	0.103	5	3.69	0.026	0.43	0.8	5.4	0.24	0.02	34	0.4	0.09	9.5	2.80	<0.1
917817	Soil	0.188	17.2	31.8	0.60	253.9	0.106	7	4.61	0.058	0.32	0.4	5.1	0.27	0.02	33	0.5	0.11	11.8	3.88	<0.1
917818	Soil	0.146	20.0	42.8	0.64	210.0	0.096	6	3.46	0.017	0.38	0.5	5.0	0.23	<0.02	33	0.4	0.04	8.8	2.73	<0.1
917851	Soil	0.079	39.9	35.6	0.74	80.8	0.034	1	1.90	0.007	0.16	0.2	3.0	0.09	<0.02	13	0.8	0.06	5.2	1.28	<0.1
917852	Soil	0.097	30.6	30.1	0.61	131.9	0.080	3	3.76	0.016	0.14	0.3	4.9	0.16	<0.02	38	0.5	0.07	8.8	2.50	<0.1
917853	Soil	0.072	20.2	39.1	0.86	138.6	0.081	1	2.53	0.019	0.31	0.4	5.0	0.22	<0.02	20	0.3	0.03	6.7	2.68	<0.1
917854	Soil	0.072	22.8	44.5	0.97	167.1	0.098	2	2.75	0.016	0.34	0.4	6.1	0.27	0.02	23	0.9	<0.02	7.6	3.00	<0.1
917855	Soil	0.064	20.4	44.3	0.99	132.4	0.091	1	2.37	0.008	0.30	0.3	5.6	0.25	<0.02	15	0.6	<0.02	6.5	2.52	<0.1
917856	Soil	0.067	19.2	36.0	0.71	152.8	0.104	2	2.93	0.013	0.26	0.3	4.3	0.23	<0.02	19	0.6	0.04	7.5	2.66	<0.1
917857	Soil	0.189	21.1	28.2	0.66	229.0	0.099	2	2.90	0.010	0.28	0.3	3.8	0.25	0.02	15	0.9	0.03	7.1	2.51	<0.1
917858	Soil	0.091	22.3	33.9	0.73	120.9	0.081	1	2.08	0.007	0.30	0.3	3.6	0.27	<0.02	18	0.7	<0.02	5.8	2.36	0.1
917859	Soil	0.122	23.1	33.7	0.84	215.8	0.114	2	3.17	0.013	0.31	0.3	4.3	0.34	0.04	16	0.9	0.05	7.6	3.31	0.2
917860	Soil	0.213	20.5	27.5	0.63	258.2	0.094	3	3.11	0.010	0.22	0.2	3.6	0.24	0.02	22	0.7	0.04	7.9	2.46	<0.1
917861	Soil	0.141	19.4	26.4	0.69	215.1	0.123	2	3.92	0.017	0.13	0.3	4.6	0.21	0.02	19	0.8	0.11	8.7	3.10	<0.1
917862	Soil	0.145	19.5	25.6	0.73	207.8	0.117	3	3.85	0.012	0.16	0.3	4.5	0.22	0.03	28	1.1	0.08	8.2	3.83	<0.1
917863	Soil	0.279	13.9	21.3	0.49	309.9	0.105	4	4.23	0.013	0.12	0.2	3.0	0.19	0.05	54	1.0	0.03	10.0	3.26	<0.1
917864	Soil	0.201	19.6	26.0	0.66	314.7	0.100	4	3.92	0.013	0.12	0.2	3.6	0.21	0.04	49	1.2	0.06	9.2	3.26	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: August 25, 2008

Page: 5 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08008211.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917814	Soil	0.07	2.01	36.6	0.6	<0.05	6.5	9.44	37.6	0.04	<1	1.2	25.3	<10	<2
917815	Soil	0.06	2.09	45.5	0.7	<0.05	4.4	16.13	42.3	0.08	<1	1.0	40.5	<10	<2
917816	Soil	0.09	2.04	40.4	0.7	<0.05	6.0	13.08	41.4	0.08	1	1.3	33.0	<10	<2
917817	Soil	0.12	2.00	46.0	0.8	<0.05	7.2	16.07	40.0	0.05	<1	1.5	52.8	<10	<2
917818	Soil	0.09	1.87	38.4	0.6	<0.05	6.6	10.95	44.3	0.06	<1	0.9	36.0	13	<2
917851	Soil	<0.02	0.49	16.2	0.2	<0.05	1.1	7.35	90.4	<0.02	<1	0.5	28.9	<10	<2
917852	Soil	0.18	1.21	21.2	0.7	<0.05	15.4	18.91	71.3	0.04	<1	0.8	46.5	15	<2
917853	Soil	0.05	0.84	34.8	0.4	<0.05	4.1	10.20	41.7	0.02	<1	0.8	16.9	<10	2
917854	Soil	0.09	1.22	45.8	0.5	<0.05	4.5	14.88	37.4	0.05	1	0.8	21.5	<10	<2
917855	Soil	0.06	0.78	35.5	0.4	<0.05	3.9	10.08	34.4	0.04	1	0.8	17.5	<10	<2
917856	Soil	0.14	1.51	44.1	0.7	<0.05	9.0	9.02	35.7	0.04	<1	0.9	25.0	<10	3
917857	Soil	0.09	1.77	40.7	0.7	<0.05	6.4	12.17	41.2	0.03	<1	0.9	20.7	<10	2
917858	Soil	0.06	1.01	29.6	0.4	<0.05	3.0	14.75	40.0	0.06	<1	0.7	15.9	<10	<2
917859	Soil	0.14	1.26	58.2	0.6	<0.05	9.9	17.22	42.9	0.03	<1	1.3	24.9	<10	3
917860	Soil	0.12	1.78	37.6	0.7	<0.05	6.7	12.90	41.1	0.04	<1	1.0	21.4	<10	3
917861	Soil	0.30	1.58	32.7	0.9	<0.05	18.5	17.70	41.8	0.07	<1	1.0	22.5	<10	3
917862	Soil	0.32	1.89	31.4	0.7	<0.05	18.8	16.59	42.8	0.04	1	1.3	23.9	<10	3
917863	Soil	0.17	2.29	26.2	1.0	<0.05	11.4	12.05	37.4	0.12	1	1.0	20.5	<10	2
917864	Soil	0.14	2.17	32.1	0.9	<0.05	9.8	17.01	39.2	0.04	<1	1.2	21.3	<10	3

QUALITY CONTROL REPORT

VAN08008211.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
917685	Soil	2.07	1.25	49.17	47.31	206.3	254	89.5	25.1	1522	3.57	28.9	1.0	7.7	3.7	30.9	2.99	1.06	0.36	75	0.24
REP 917685	QC		1.20	48.63	48.49	209.5	251	90.2	24.8	1481	3.59	29.4	1.1	8.6	4.0	32.4	3.07	1.06	0.38	76	0.25
917756	Soil	2.785	1.19	45.89	47.59	154.3	132	66.4	19.7	2170	3.75	19.8	1.9	13.0	10.2	38.2	0.59	0.78	1.15	51	0.46
REP 917756	QC		1.21	45.20	45.74	152.1	130	64.7	19.3	2135	3.64	19.4	1.8	4.5	10.0	36.5	0.57	0.77	1.08	48	0.44
917771	Soil	2.715	0.99	49.24	40.42	101.6	203	44.7	18.1	1903	3.41	13.6	2.4	6.6	8.6	29.5	0.39	0.49	0.84	34	0.22
REP 917771	QC		1.00	49.07	41.65	102.1	219	47.9	19.0	1873	3.47	14.0	2.4	4.9	8.7	30.9	0.42	0.49	0.85	35	0.23
917782	Soil	2.92	0.67	23.90	34.11	219.1	308	86.3	14.0	1110	2.83	11.1	1.4	7.1	6.3	43.0	0.59	0.66	0.53	36	0.32
REP 917782	QC		0.69	25.22	36.30	237.6	326	88.2	14.5	1088	2.88	11.7	1.4	10.9	6.7	43.8	0.63	0.68	0.56	37	0.35
917799	Soil	3.37	1.63	84.56	38.04	116.0	133	59.9	26.6	2127	5.10	32.5	1.6	6.8	12.1	28.4	0.21	0.84	0.53	32	0.16
REP 917799	QC		1.63	86.08	37.13	121.9	137	62.8	27.2	2101	5.05	32.5	1.7	5.8	12.3	29.0	0.17	0.90	0.53	32	0.17
917805	Soil	1.8	0.56	20.24	14.13	144.7	232	41.3	10.2	748	2.40	10.5	0.7	1.5	2.6	31.5	0.63	0.51	0.22	36	0.26
REP 917805	QC		0.50	19.50	13.48	139.1	219	38.9	9.6	715	2.34	9.7	0.6	2.5	2.4	30.8	0.60	0.53	0.21	37	0.25
917859	Soil	4.245	1.44	78.49	30.14	146.2	403	46.9	15.1	705	3.26	10.2	3.1	13.5	7.2	37.4	0.70	0.37	0.34	49	0.36
REP 917859	QC		1.46	75.80	30.34	139.5	400	46.6	15.4	703	3.25	9.7	3.1	6.0	7.3	36.6	0.65	0.35	0.32	50	0.35
Reference Materials																					
STD DS7	Standard		19.73	109.4	59.86	399.3	852	54.7	9.4	643	2.43	51.8	4.2	71.7	3.9	71.9	6.23	5.63	3.79	88	0.99
STD DS7	Standard		20.14	106.8	81.09	398.7	842	56.7	9.3	622	2.35	50.9	5.3	67.9	4.7	72.9	6.31	6.20	4.92	72	0.92
STD DS7	Standard		20.03	110.7	77.60	394.8	869	58.2	9.6	642	2.31	51.2	5.4	66.6	4.9	74.5	6.25	5.88	4.69	75	0.94
STD DS7	Standard		21.27	115.1	76.51	395.9	853	57.5	9.9	642	2.42	53.1	5.2	64.4	5.0	80.4	6.23	6.50	4.84	90	1.01
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08008211.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
917685	Soil	0.155	13.0	67.4	0.84	349.5	0.127	3	3.43	0.009	0.20	0.3	5.8	0.21	<0.02	27	0.5	0.03	9.3	2.25	<0.1
REP 917685	QC	0.155	13.8	72.6	0.83	353.8	0.137	2	3.49	0.011	0.21	0.3	6.0	0.22	<0.02	30	0.6	<0.02	9.4	2.37	<0.1
917756	Soil	0.118	27.0	34.3	0.54	236.1	0.160	4	4.56	0.022	0.14	1.8	5.4	0.23	<0.02	42	0.7	<0.02	10.4	3.27	<0.1
REP 917756	QC	0.121	25.3	34.5	0.52	223.3	0.151	3	4.32	0.020	0.13	1.8	5.2	0.21	<0.02	46	0.6	0.03	10.3	3.10	<0.1
917771	Soil	0.124	23.7	20.9	0.40	138.1	0.144	2	4.49	0.018	0.10	1.3	5.9	0.17	0.02	44	0.4	<0.02	9.4	2.12	<0.1
REP 917771	QC	0.128	24.1	22.0	0.41	147.3	0.150	2	4.62	0.020	0.11	1.3	5.8	0.18	0.02	43	0.6	0.04	9.8	2.29	<0.1
917782	Soil	0.222	22.2	35.5	0.55	225.7	0.087	2	2.88	0.013	0.16	0.9	3.8	0.17	<0.02	44	<0.1	<0.02	7.6	1.89	<0.1
REP 917782	QC	0.235	23.7	39.0	0.56	237.1	0.096	2	2.77	0.015	0.16	1.0	3.9	0.19	<0.02	48	0.3	<0.02	8.0	2.00	<0.1
917799	Soil	0.063	29.8	34.2	0.74	94.4	0.027	1	2.67	0.008	0.10	0.2	4.0	0.10	<0.02	22	1.1	0.15	6.5	1.51	<0.1
REP 917799	QC	0.068	31.3	35.3	0.74	94.3	0.031	<1	2.71	0.010	0.11	0.2	4.1	0.10	<0.02	24	1.1	0.14	6.5	1.58	<0.1
917805	Soil	0.532	7.9	24.1	0.37	343.0	0.118	2	3.33	0.026	0.11	0.2	3.7	0.12	<0.02	31	0.4	<0.02	8.1	1.74	<0.1
REP 917805	QC	0.500	8.2	23.3	0.35	335.0	0.131	4	3.19	0.027	0.11	0.2	4.2	0.11	<0.02	30	0.3	0.03	7.6	1.69	<0.1
917859	Soil	0.122	23.1	33.7	0.84	215.8	0.114	2	3.17	0.013	0.31	0.3	4.3	0.34	0.04	16	0.9	0.05	7.6	3.31	0.2
REP 917859	QC	0.117	23.4	33.1	0.84	206.8	0.113	2	3.18	0.012	0.30	0.3	4.2	0.32	0.04	15	1.0	0.03	7.6	3.29	<0.1
Reference Materials																					
STD DS7	Standard	0.079	12.3	198.0	1.06	371.3	0.119	37	1.04	0.097	0.49	3.9	2.7	4.09	0.19	196	3.7	1.09	4.9	6.07	<0.1
STD DS7	Standard	0.074	13.5	198.7	1.04	355.4	0.126	40	1.01	0.087	0.46	3.9	2.7	4.27	0.19	223	4.1	1.08	4.6	5.98	0.1
STD DS7	Standard	0.074	14.3	204.6	1.03	384.6	0.130	40	1.02	0.093	0.42	3.9	2.9	4.06	0.19	217	3.1	1.07	4.7	5.92	0.1
STD DS7	Standard	0.078	15.2	210.5	1.09	402.9	0.136	41	1.09	0.100	0.46	3.9	2.9	4.38	0.19	204	3.7	1.36	5.2	6.15	0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08008211.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
917685	Soil	0.11	1.27	25.2	0.8	<0.05	6.4	7.39	27.7	0.07	<1	0.7	25.5	<10	<2
REP 917685	QC	0.09	1.33	26.7	0.9	<0.05	5.9	7.60	29.1	0.09	1	1.1	27.1	<10	<2
917756	Soil	0.41	1.85	26.7	1.0	<0.05	25.1	20.63	61.6	0.07	<1	1.6	32.2	17	<2
REP 917756	QC	0.43	1.91	25.1	1.1	<0.05	26.9	20.23	59.4	0.06	<1	1.4	28.9	11	<2
917771	Soil	0.32	1.49	16.5	1.0	<0.05	28.0	24.40	53.9	0.06	1	1.3	23.2	<10	3
REP 917771	QC	0.42	1.45	16.6	1.1	<0.05	27.5	25.47	55.5	0.04	<1	1.4	25.5	<10	<2
917782	Soil	0.12	1.83	22.1	0.8	<0.05	10.0	11.10	44.6	0.05	<1	0.8	25.0	<10	<2
REP 917782	QC	0.12	1.92	23.1	0.8	<0.05	9.0	11.44	48.8	0.06	1	0.9	25.7	<10	<2
917799	Soil	0.08	0.40	13.1	0.3	<0.05	5.7	17.65	58.8	0.05	<1	0.8	43.9	<10	<2
REP 917799	QC	0.08	0.44	13.6	0.3	<0.05	5.6	18.07	62.5	0.03	<1	1.0	45.0	<10	<2
917805	Soil	0.32	1.28	13.1	0.8	<0.05	14.4	5.24	26.6	0.03	<1	0.6	13.7	<10	<2
REP 917805	QC	0.34	1.64	13.0	0.7	<0.05	16.8	5.04	27.0	0.03	2	0.6	13.2	27	<2
917859	Soil	0.14	1.26	58.2	0.6	<0.05	9.9	17.22	42.9	0.03	<1	1.3	24.9	<10	3
REP 917859	QC	0.13	1.27	56.4	0.7	<0.05	9.5	16.55	43.5	0.03	<1	1.0	25.3	<10	3
Reference Materials															
STD DS7	Standard	0.12	0.72	36.2	4.4	<0.05	5.6	6.10	37.3	1.42	2	1.8	28.9	70	35
STD DS7	Standard	0.13	0.67	35.7	5.3	<0.05	5.8	6.34	37.1	1.65	4	1.7	28.2	60	45
STD DS7	Standard	0.15	0.65	34.7	4.9	<0.05	5.8	6.68	38.1	1.64	8	1.7	30.0	62	40
STD DS7	Standard	0.13	0.83	37.7	5.2	<0.05	5.9	7.01	38.8	1.76	3	2.1	29.0	65	41
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

August 19, 2008

Report Date:

September 09, 2008

Page:

1 of 8

CERTIFICATE OF ANALYSIS

VAN08008427.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 006
P.O. Number
Number of Samples: 201

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	201	Sieve soil to 230 mesh		
RJSV	201	Save all or part of soil reject fraction		
1F30	190	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917865	Soil	4.34	1.20	68.98	17.71	70.3	80	38.3	17.0	927	3.18	13.0	2.4	17.3	9.8	46.1	0.26	0.64	0.23	70	0.37
917866	Soil	5.00	0.89	64.85	12.94	56.0	83	36.1	17.7	828	3.21	12.2	2.3	14.1	9.5	46.6	0.13	0.59	0.18	75	0.39
917867	Soil	4.92	1.23	53.05	59.21	159.4	316	37.2	17.1	1179	3.44	18.9	22.2	8.3	5.9	32.5	0.76	0.49	0.32	61	0.22
917868	Soil	3.46	0.83	39.37	31.32	167.2	158	35.9	16.1	1537	2.99	9.7	2.7	4.1	4.6	66.1	1.51	0.49	0.30	49	0.46
917869	Soil	4.42	0.78	42.60	16.39	69.3	142	21.1	11.7	663	3.12	11.0	2.3	9.4	10.4	25.7	0.19	0.36	0.22	53	0.19
917870	Soil	4.06	1.22	50.75	24.90	82.7	186	23.8	13.6	1041	3.49	20.0	3.7	5.6	13.4	30.6	0.38	0.48	0.26	52	0.23
917871	Soil	5.58	1.26	58.20	26.37	109.6	226	26.7	14.3	1364	4.13	12.2	2.8	19.9	8.6	28.7	0.54	0.42	0.43	51	0.23
917872	Soil	2.67	1.06	38.61	29.32	104.3	342	21.2	10.6	1514	3.01	13.6	2.3	6.5	4.8	58.2	0.86	0.62	0.35	43	0.60
917735	Soil	1.22	0.62	17.26	19.78	146.6	292	55.0	9.8	796	2.16	10.4	0.7	2.4	2.5	17.5	0.72	0.46	0.26	35	0.14
917736	Soil	2.28	0.77	36.52	18.34	90.2	137	29.1	10.5	351	2.82	6.4	1.2	5.2	6.0	36.2	0.27	0.25	0.23	56	0.30
917737	Soil	0.95	1.09	22.43	74.26	241.6	275	44.0	13.6	3575	2.51	13.0	1.7	2.0	1.1	45.2	1.87	0.99	0.50	40	0.45
917738	Soil	1.07	1.07	28.01	23.22	129.3	149	63.9	12.5	1005	3.11	11.3	1.6	3.0	4.2	18.2	0.44	0.59	0.31	58	0.21
917739	Soil	0.92	1.59	20.41	43.03	199.2	133	47.4	13.3	2165	2.71	13.5	1.2	1.1	2.8	28.5	1.15	0.97	0.40	44	0.30
917740	Soil	1.10	1.34	29.34	40.35	136.5	137	69.0	17.5	1549	3.16	13.7	1.1	2.2	2.8	26.0	0.58	0.63	0.34	55	0.30
917741	Soil	1.08	1.25	28.17	55.14	191.3	184	59.1	19.3	2113	3.10	20.0	0.9	2.2	2.1	37.2	0.91	0.90	0.38	53	0.41
917742	Soil	1.12	1.21	25.74	44.87	164.0	195	64.6	17.6	2026	2.98	18.6	0.8	1.8	2.1	37.5	1.30	0.97	0.37	53	0.35
917743	Soil	1.27	0.95	28.30	43.63	139.4	231	89.1	19.3	1497	3.36	13.6	0.8	11.8	3.0	33.1	1.24	0.93	0.36	62	0.28
917744	Soil	1.14	0.85	28.38	54.80	151.9	217	79.1	20.4	1766	3.39	20.1	0.8	3.7	2.8	41.0	1.57	1.32	0.53	61	0.39
917745	Soil	1.15	0.64	31.00	66.52	164.0	174	82.0	20.0	1668	3.34	20.0	0.6	4.1	1.9	45.6	1.95	1.29	0.50	60	0.42
917746	Soil	1.23	0.75	29.66	47.65	203.8	178	73.3	21.4	2163	3.59	17.0	0.7	4.0	2.6	32.6	1.38	1.26	0.55	61	0.35
917747	Soil	1.54	0.56	51.95	34.49	133.0	490	118.8	18.8	897	3.96	22.4	3.2	4.6	4.5	51.2	0.70	0.82	0.38	78	0.61
917748	Soil	1.37	0.60	44.93	21.76	145.1	351	108.1	21.6	1267	3.99	21.0	1.4	3.0	3.5	51.8	0.75	0.55	0.33	68	0.54
917749	Soil	1.21	1.08	27.95	22.55	266.8	716	99.0	15.7	563	3.47	13.7	1.2	2.4	4.3	28.1	1.87	1.11	0.31	47	0.33
917750	Soil	1.38	0.50	31.81	19.67	142.3	163	86.0	17.7	941	3.57	13.9	1.0	1.8	3.8	99.0	0.70	0.57	0.28	57	0.82
917601	Soil	1.90	1.10	32.09	42.80	124.3	154	77.4	17.5	957	3.46	18.7	1.3	6.1	5.4	46.8	0.91	0.83	0.82	50	0.44
917602	Soil	2.40	1.18	31.77	37.94	167.0	180	60.1	17.7	1146	3.43	11.8	1.9	5.7	5.4	36.3	1.12	0.60	0.71	46	0.27
917603	Soil	1.74	1.30	31.10	89.90	147.6	199	48.0	16.0	1378	3.02	17.5	1.8	3.1	4.6	63.1	1.28	0.71	0.78	43	0.60
917604	Soil	2.31	1.33	35.13	70.38	172.1	172	58.4	17.6	1490	3.37	17.6	2.1	5.5	5.0	50.7	1.92	0.66	0.63	46	0.44
917605	Soil	1.64	1.86	32.90	96.55	263.3	176	51.7	16.1	2151	3.30	26.2	2.1	4.7	4.5	77.4	3.04	1.20	1.53	47	0.68
917606	Soil	1.82	1.23	34.48	43.41	281.5	238	107.5	17.8	1458	3.17	16.9	2.0	2.9	4.3	68.8	2.35	0.57	0.79	42	0.73

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 2 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917865	Soil	0.087	26.4	58.0	0.80	145.4	0.099	2	2.04	0.015	0.19	0.3	6.7	0.14	<0.02	15	0.3	0.06	5.9	2.13	<0.1
917866	Soil	0.085	25.2	56.0	0.83	123.7	0.108	1	1.93	0.015	0.17	0.3	6.7	0.12	<0.02	12	0.3	0.04	5.6	1.77	<0.1
917867	Soil	0.101	35.9	51.5	0.69	135.7	0.100	2	3.02	0.010	0.20	0.3	6.2	0.15	<0.02	22	1.0	0.05	8.1	2.44	0.1
917868	Soil	0.251	21.8	37.8	0.57	340.5	0.072	3	2.34	0.008	0.17	0.3	4.0	0.16	<0.02	26	0.5	0.05	6.2	1.84	<0.1
917869	Soil	0.075	29.4	28.1	0.59	201.2	0.111	2	2.84	0.008	0.23	2.8	4.4	0.22	<0.02	17	0.6	0.04	7.4	2.14	0.1
917870	Soil	0.102	32.4	27.5	0.56	204.6	0.107	2	3.33	0.007	0.22	1.0	4.1	0.25	0.03	34	0.8	0.05	7.6	3.22	<0.1
917871	Soil	0.125	29.0	29.1	0.73	234.7	0.124	2	3.40	0.011	0.18	31.2	4.7	0.24	0.03	21	0.8	0.11	8.0	2.32	0.1
917872	Soil	0.224	26.1	20.6	0.46	266.5	0.119	4	3.59	0.012	0.16	9.5	3.1	0.21	0.05	43	0.8	0.06	8.5	2.10	0.1
917735	Soil	0.278	9.1	28.3	0.34	241.0	0.115	2	2.85	0.020	0.09	0.3	2.5	0.12	<0.02	36	0.4	0.03	7.3	1.67	<0.1
917736	Soil	0.066	17.6	36.2	0.63	102.0	0.115	<1	1.93	0.022	0.28	0.3	4.0	0.19	<0.02	14	0.3	0.03	5.3	1.84	0.1
917737	Soil	0.154	12.8	35.8	0.41	276.5	0.091	3	2.08	0.015	0.11	0.2	2.3	0.19	0.04	53	0.5	0.07	7.7	1.99	<0.1
917738	Soil	0.281	12.0	43.8	0.52	193.8	0.159	2	4.03	0.014	0.13	0.3	3.9	0.20	<0.02	54	0.6	0.03	10.3	2.30	<0.1
917739	Soil	0.328	11.0	37.2	0.48	310.7	0.132	3	2.56	0.013	0.13	0.4	2.7	0.20	<0.02	50	0.6	0.02	8.8	2.13	<0.1
917740	Soil	0.179	11.9	45.0	0.59	200.0	0.130	2	3.37	0.012	0.13	0.3	3.4	0.18	0.02	45	0.6	0.03	9.2	2.25	<0.1
917741	Soil	0.231	11.3	40.4	0.54	266.8	0.123	2	3.11	0.013	0.12	0.2	2.8	0.18	0.03	50	0.5	0.05	9.5	2.53	<0.1
917742	Soil	0.256	11.3	44.4	0.56	289.5	0.119	3	3.12	0.014	0.15	0.3	2.8	0.20	0.03	36	0.6	0.04	9.1	2.21	<0.1
917743	Soil	0.121	13.2	64.4	0.77	237.2	0.119	3	2.94	0.011	0.17	0.3	3.5	0.19	<0.02	30	0.5	0.05	8.0	2.12	<0.1
917744	Soil	0.191	10.8	58.8	0.74	269.7	0.117	3	3.09	0.011	0.16	0.3	3.6	0.20	<0.02	58	0.4	0.08	9.0	2.51	<0.1
917745	Soil	0.169	11.1	65.5	0.81	270.7	0.084	2	2.65	0.008	0.19	0.3	3.3	0.20	0.03	52	0.4	0.07	7.4	2.35	<0.1
917746	Soil	0.240	10.0	70.2	0.80	310.4	0.113	2	2.82	0.009	0.19	0.3	3.4	0.22	0.02	65	0.4	0.07	9.7	3.07	<0.1
917747	Soil	0.089	22.3	126.7	1.07	435.7	0.129	2	3.13	0.013	0.28	0.2	6.8	0.19	<0.02	53	0.5	0.04	8.4	2.32	0.1
917748	Soil	0.225	16.3	84.1	0.90	448.4	0.103	3	3.65	0.010	0.22	0.2	5.5	0.16	<0.02	31	0.4	0.04	9.5	2.21	<0.1
917749	Soil	0.159	10.4	55.8	0.65	214.7	0.114	3	3.95	0.015	0.14	0.4	3.8	0.18	<0.02	39	1.2	0.05	10.2	2.91	<0.1
917750	Soil	0.491	22.7	66.5	0.89	733.2	0.115	4	3.21	0.016	0.27	0.3	5.6	0.18	0.02	46	0.4	0.03	8.8	2.52	<0.1
917601	Soil	0.149	18.6	56.3	0.72	175.9	0.082	3	2.32	0.009	0.30	1.6	4.4	0.21	<0.02	32	0.4	0.05	6.5	2.13	0.1
917602	Soil	0.155	18.9	45.1	0.65	209.2	0.103	3	3.32	0.011	0.29	1.1	4.3	0.20	<0.02	27	0.4	0.05	8.7	2.21	0.1
917603	Soil	0.173	17.5	37.3	0.56	259.8	0.092	3	3.19	0.011	0.26	1.7	3.9	0.18	0.02	39	0.5	0.05	8.4	1.87	<0.1
917604	Soil	0.220	20.2	43.6	0.62	286.6	0.098	2	3.56	0.010	0.30	1.2	5.0	0.19	0.02	29	0.4	0.04	9.1	2.15	<0.1
917605	Soil	0.266	17.3	43.6	0.59	379.5	0.084	4	3.24	0.009	0.21	1.2	3.9	0.20	0.04	52	0.5	0.12	9.2	2.12	<0.1
917606	Soil	0.354	17.3	46.3	0.62	298.8	0.100	4	3.37	0.015	0.22	0.8	4.4	0.17	0.02	29	0.5	0.03	8.6	2.03	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 2 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917865	Soil	0.04	1.31	18.7	0.5	<0.05	2.6	9.53	48.5	0.02	<1	0.7	17.0	<10	<2
917866	Soil	0.05	0.73	15.7	0.4	<0.05	2.9	9.84	45.7	<0.02	<1	0.6	14.8	<10	<2
917867	Soil	0.05	2.49	26.9	0.6	<0.05	3.7	24.09	55.4	0.02	<1	1.7	27.8	<10	<2
917868	Soil	0.04	2.18	29.0	0.5	<0.05	1.9	8.84	41.4	0.03	<1	0.9	16.5	<10	<2
917869	Soil	0.09	2.49	26.6	0.5	<0.05	7.0	8.55	63.5	0.03	<1	0.7	18.4	<10	<2
917870	Soil	0.08	2.65	25.5	0.6	<0.05	6.7	10.30	83.5	0.03	<1	1.0	20.0	<10	<2
917871	Soil	0.08	2.14	26.7	0.8	<0.05	7.5	13.32	63.3	0.04	<1	0.9	22.2	<10	<2
917872	Soil	0.13	3.07	21.1	0.8	<0.05	9.8	12.17	55.8	0.05	<1	1.0	19.0	<10	<2
917735	Soil	0.13	1.63	18.1	0.7	<0.05	8.4	4.05	28.1	0.04	<1	0.7	16.1	<10	<2
917736	Soil	0.26	0.34	31.9	0.5	<0.05	14.4	8.01	32.9	<0.02	<1	0.3	17.1	<10	<2
917737	Soil	0.03	1.43	23.6	0.9	<0.05	1.7	7.82	25.3	0.08	<1	0.8	15.8	<10	<2
917738	Soil	0.19	2.46	21.8	0.9	<0.05	14.6	5.74	32.4	0.04	<1	1.1	20.5	11	<2
917739	Soil	0.05	2.26	22.4	0.9	<0.05	3.8	3.79	25.3	0.06	<1	0.7	20.2	<10	<2
917740	Soil	0.09	2.29	24.5	0.7	<0.05	6.2	5.26	29.3	0.04	<1	0.8	21.8	<10	<2
917741	Soil	0.09	2.26	25.1	0.9	<0.05	5.5	4.79	26.2	0.05	<1	0.9	22.1	<10	<2
917742	Soil	0.08	2.12	25.9	0.8	<0.05	5.7	4.78	27.7	0.05	<1	1.0	21.7	<10	<2
917743	Soil	0.05	1.93	27.7	0.7	<0.05	3.8	4.43	32.7	0.07	<1	0.7	21.7	<10	<2
917744	Soil	0.08	2.06	30.5	0.9	<0.05	4.5	4.69	30.0	0.09	1	0.8	23.7	<10	<2
917745	Soil	0.03	1.62	29.4	0.7	<0.05	1.7	4.18	28.5	0.11	2	0.6	19.9	<10	<2
917746	Soil	0.04	2.12	33.7	0.8	<0.05	2.6	3.41	22.5	0.06	2	1.0	24.6	<10	<2
917747	Soil	0.11	3.13	34.3	0.7	<0.05	6.1	13.25	45.3	0.05	2	1.0	66.9	12	<2
917748	Soil	0.08	2.19	27.5	0.6	<0.05	5.3	9.13	43.1	0.04	2	1.2	45.5	<10	<2
917749	Soil	0.17	2.06	20.3	0.7	<0.05	9.4	8.08	31.6	0.03	1	0.9	33.2	12	<2
917750	Soil	0.12	2.20	29.6	0.6	<0.05	7.8	9.44	50.3	0.04	2	0.9	25.7	13	<2
917601	Soil	0.04	1.83	33.3	0.5	<0.05	2.5	6.49	39.7	0.05	2	0.9	19.9	<10	<2
917602	Soil	0.10	2.16	32.4	0.7	<0.05	6.6	8.22	40.6	0.03	<1	1.3	26.7	<10	<2
917603	Soil	0.13	2.36	27.7	0.7	<0.05	7.5	8.35	36.7	0.05	2	1.0	23.1	<10	<2
917604	Soil	0.08	1.87	31.8	0.7	<0.05	5.6	10.16	43.2	0.04	<1	1.1	26.8	<10	<2
917605	Soil	0.06	2.68	28.5	0.8	<0.05	3.6	7.92	38.0	0.08	<1	0.9	26.5	<10	<2
917606	Soil	0.12	2.23	29.3	0.7	<0.05	8.2	10.17	38.4	0.04	<1	1.0	22.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917607	Soil	2.10	0.76	36.58	18.42	97.9	140	27.1	10.7	403	2.84	7.3	1.2	45.2	5.8	35.9	0.35	0.27	0.26	55	0.32
917608	Soil	2.21	1.16	36.77	22.85	166.9	288	137.4	20.6	1121	3.59	18.7	1.3	6.0	3.0	47.9	0.94	0.67	0.45	52	0.51
917609	Soil	2.49	1.24	34.51	27.20	206.2	175	70.8	18.1	1513	3.39	12.3	1.8	6.8	3.1	60.5	1.62	0.54	0.53	45	0.63
917610	Soil	2.68	0.95	53.56	35.99	162.0	189	64.3	22.8	1721	3.86	17.4	1.3	0.9	4.6	78.4	0.81	0.63	0.60	48	0.78
917611	Soil	2.21	0.75	37.09	27.46	140.8	105	47.7	17.6	1981	3.01	15.2	0.9	<0.2	4.3	70.1	0.55	0.50	0.45	38	0.75
917612	Soil	1.77	0.97	50.09	32.14	147.1	97	55.6	22.4	2052	3.70	15.1	1.3	<0.2	4.5	86.4	0.50	0.55	0.49	44	0.94
917613	Soil	1.87	0.93	51.36	31.01	137.9	98	53.5	21.4	2044	3.61	14.2	1.2	<0.2	4.0	76.5	0.48	0.54	0.47	43	0.77
917614	Soil	2.22	0.84	47.75	36.49	135.6	88	52.4	20.5	1753	3.57	11.6	1.3	7.4	5.7	54.2	0.63	0.74	0.45	47	0.59
917615	Soil	1.47	0.86	46.25	68.78	143.8	108	59.0	23.1	1784	3.90	14.9	1.2	1.4	6.1	52.8	1.04	0.97	0.58	49	0.59
917616	Soil	2.19	1.20	56.57	38.74	146.9	154	57.4	24.6	1945	4.12	13.1	1.4	0.7	7.1	67.7	0.58	0.66	0.46	49	0.68
917617	Soil	1.83	1.00	35.92	85.40	181.8	95	51.9	20.4	1861	3.25	19.3	1.1	1.4	5.2	102.8	2.12	1.29	0.60	43	0.74
917819	Soil	1.56	0.94	33.77	84.06	149.1	102	40.3	17.2	1930	3.01	13.2	0.8	0.7	4.3	77.0	1.39	1.18	0.55	38	0.89
917820	Soil	1.98	1.06	34.48	125.1	186.8	179	48.7	19.7	1826	3.24	16.1	1.0	1.9	4.5	59.3	1.85	1.20	0.60	42	0.53
917821	Soil	1.65	1.04	42.54	95.04	254.8	246	58.5	29.4	2608	3.98	21.2	0.9	2.6	3.3	54.5	2.47	1.62	0.67	53	0.43
917822	Soil	1.28	0.94	52.47	62.32	363.9	358	90.6	24.1	4615	3.22	11.0	1.1	1.4	2.4	232.5	3.11	1.12	0.55	37	1.40
917823	Soil	1.42	0.87	52.66	32.08	337.7	394	92.6	24.8	4228	3.26	10.0	1.1	<0.2	3.2	217.8	2.35	0.79	0.45	38	1.22
917824	Soil	1.81	0.60	39.10	80.70	213.6	146	103.4	25.1	2610	3.25	10.3	0.9	0.5	3.2	115.3	3.18	1.05	0.49	44	0.83
917825	Soil	1.64	0.64	14.51	18.14	131.9	129	48.3	10.2	1772	2.42	10.4	0.6	0.5	1.6	24.8	0.65	0.57	0.28	39	0.18
917826	Soil	1.53	0.65	17.62	14.60	93.1	175	47.5	9.2	397	2.23	13.4	0.7	0.5	2.6	14.8	0.46	0.81	0.24	38	0.14
917827	Soil	1.69	0.68	20.30	22.05	169.6	141	73.2	14.0	1203	2.93	12.8	1.6	<0.2	2.2	34.0	0.89	0.58	0.31	47	0.36
917828	Soil	1.18	1.21	32.55	51.60	211.2	181	82.1	16.8	2054	3.35	21.3	1.2	11.2	2.3	35.4	1.47	1.29	0.46	54	0.33
917829	Soil	1.82	0.76	29.14	18.73	136.6	169	85.9	17.4	927	3.41	17.7	0.6	<0.2	2.6	25.1	0.57	0.64	0.26	56	0.25
917830	Soil	1.39	1.34	37.02	50.85	125.6	172	50.5	21.9	1406	3.38	89.0	0.9	8.7	0.7	15.3	0.93	1.57	0.42	61	0.12
917831	Soil	1.58	1.08	28.80	22.40	109.2	107	74.4	21.3	1759	3.14	53.0	1.0	20.9	3.0	37.3	0.56	0.85	0.31	61	0.35
917832	Soil	1.51	1.08	26.95	40.76	127.2	108	66.6	17.9	1659	3.06	36.9	0.9	12.4	2.4	36.8	0.82	1.07	0.37	58	0.37
917833	Soil	1.49	0.64	23.11	18.95	124.4	100	85.1	15.5	1128	2.79	18.6	0.8	3.9	3.4	41.4	0.54	0.82	0.27	49	0.35
917834	Soil	1.82	0.76	35.46	18.63	110.1	192	88.7	18.0	876	3.18	12.8	1.3	1.7	4.5	32.8	0.34	0.58	0.25	59	0.32
917835	Soil	1.58	0.56	27.35	17.58	172.4	135	102.6	17.4	1173	3.19	7.4	0.8	2.4	4.1	36.5	0.68	0.37	0.25	57	0.35
917836	Soil	1.48	0.88	30.34	50.07	237.5	214	135.3	25.2	1309	3.94	22.4	0.8	2.0	4.1	34.8	1.39	0.75	0.39	54	0.34
917837	Soil	1.60	0.86	28.96	52.97	263.6	474	83.9	14.9	655	3.10	14.1	1.2	2.3	3.8	32.5	2.74	0.87	0.27	53	0.43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 3 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917607	Soil	0.086	16.5	34.2	0.61	117.8	0.104	<1	1.82	0.020	0.28	0.3	3.9	0.20	<0.02	21	0.4	0.05	5.7	1.90	<0.1
917608	Soil	0.217	15.4	61.8	0.79	206.2	0.086	3	3.21	0.012	0.27	0.7	5.0	0.16	<0.02	30	0.4	0.04	8.6	2.04	0.1
917609	Soil	0.292	15.1	50.5	0.67	364.6	0.084	4	3.41	0.014	0.27	0.8	4.2	0.16	0.03	31	0.5	0.04	8.7	1.90	<0.1
917610	Soil	0.205	19.2	48.9	0.75	255.3	0.094	4	4.17	0.037	0.35	0.6	5.1	0.23	0.03	39	0.6	0.06	11.2	2.54	<0.1
917611	Soil	0.227	14.7	33.4	0.57	246.8	0.098	4	3.87	0.041	0.24	0.5	4.2	0.17	0.02	31	0.4	0.05	9.7	2.18	<0.1
917612	Soil	0.190	16.5	39.7	0.79	224.1	0.095	6	4.33	0.051	0.37	0.3	4.7	0.26	0.03	35	0.6	0.06	11.1	3.01	0.1
917613	Soil	0.146	14.6	37.4	0.73	198.4	0.088	4	4.14	0.043	0.36	0.3	4.7	0.27	0.03	34	0.6	0.05	10.6	3.00	0.1
917614	Soil	0.104	19.3	40.4	0.64	230.7	0.104	4	3.73	0.020	0.34	0.3	5.4	0.23	<0.02	28	0.6	0.10	10.0	2.77	<0.1
917615	Soil	0.109	17.6	43.2	0.72	183.1	0.102	2	3.71	0.016	0.41	0.4	5.6	0.31	0.02	53	0.5	0.06	10.0	2.88	0.1
917616	Soil	0.194	25.2	42.1	0.74	275.7	0.104	3	4.10	0.017	0.44	0.4	5.2	0.25	0.02	38	0.6	0.06	10.4	3.02	0.1
917617	Soil	0.240	17.2	39.8	0.65	487.7	0.115	5	3.24	0.012	0.30	0.3	4.5	0.24	0.03	49	0.5	0.12	9.0	2.12	<0.1
917819	Soil	0.138	14.8	32.8	0.51	298.0	0.075	4	3.06	0.011	0.29	0.4	4.0	0.24	0.04	70	0.4	0.10	8.2	2.03	<0.1
917820	Soil	0.204	15.2	36.4	0.63	362.9	0.103	3	3.41	0.010	0.28	0.3	4.1	0.26	0.02	57	0.6	0.09	9.4	2.20	0.1
917821	Soil	0.292	16.2	45.9	0.74	375.5	0.114	2	3.10	0.016	0.22	0.3	3.9	0.22	0.04	84	0.5	0.06	10.4	2.72	<0.1
917822	Soil	0.697	22.6	38.8	0.58	2304	0.083	4	3.03	0.014	0.20	0.2	3.7	0.23	0.07	83	0.7	0.07	8.9	2.17	<0.1
917823	Soil	0.806	24.3	40.2	0.60	2265	0.091	5	3.29	0.016	0.20	0.2	4.1	0.21	0.05	63	0.7	0.05	8.6	2.15	<0.1
917824	Soil	0.437	18.3	50.3	0.73	652.0	0.106	4	3.08	0.015	0.24	0.2	4.4	0.23	0.03	55	0.6	0.07	7.8	2.32	<0.1
917825	Soil	0.279	6.8	26.1	0.34	336.1	0.094	2	2.97	0.015	0.08	0.2	2.1	0.13	<0.02	30	0.4	0.03	8.4	1.96	<0.1
917826	Soil	0.262	5.1	23.2	0.29	176.0	0.113	2	3.65	0.013	0.07	0.3	1.9	0.11	<0.02	55	0.4	0.03	7.8	1.48	<0.1
917827	Soil	0.211	8.4	46.5	0.57	282.4	0.083	2	2.91	0.010	0.14	0.2	2.8	0.16	<0.02	29	0.3	0.03	8.1	1.97	<0.1
917828	Soil	0.212	9.0	59.9	0.74	314.7	0.082	2	2.91	0.009	0.16	0.3	3.2	0.20	0.03	54	0.3	0.06	9.0	2.10	<0.1
917829	Soil	0.178	9.4	54.4	0.79	258.4	0.098	1	3.24	0.010	0.15	0.2	3.4	0.17	<0.02	33	0.3	0.04	9.1	2.25	<0.1
917830	Soil	0.128	10.7	49.6	0.66	159.5	0.077	2	2.59	0.008	0.12	0.2	2.4	0.19	0.04	74	0.5	0.05	9.8	3.04	<0.1
917831	Soil	0.180	13.4	48.6	0.64	278.7	0.156	3	3.31	0.015	0.12	0.3	3.7	0.25	0.03	47	0.6	0.07	9.4	2.73	<0.1
917832	Soil	0.219	11.5	47.8	0.62	326.6	0.117	3	3.08	0.014	0.13	0.2	3.0	0.19	0.03	58	0.5	0.06	8.9	2.29	<0.1
917833	Soil	0.284	12.6	45.9	0.56	422.7	0.133	3	3.40	0.020	0.14	0.2	3.5	0.19	<0.02	41	0.3	<0.02	8.5	2.13	<0.1
917834	Soil	0.185	18.3	59.8	0.71	451.4	0.174	3	3.95	0.025	0.17	0.3	4.7	0.22	<0.02	34	0.5	<0.02	9.9	2.18	0.1
917835	Soil	0.327	15.8	90.6	0.92	536.5	0.176	2	3.21	0.024	0.18	0.2	4.2	0.21	<0.02	30	0.4	<0.02	9.2	2.21	<0.1
917836	Soil	0.361	11.8	63.3	0.66	331.8	0.127	3	3.30	0.016	0.17	0.4	3.8	0.18	<0.02	36	0.4	0.04	9.9	2.56	<0.1
917837	Soil	0.151	13.6	56.4	0.69	164.5	0.119	4	3.34	0.021	0.14	0.3	4.8	0.18	<0.02	36	0.7	0.03	8.0	2.36	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 3 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917607	Soil	0.26	0.40	33.8	0.4	<0.05	14.1	7.58	33.0	0.03	<1	0.5	16.3	<10	<2
917608	Soil	0.10	1.69	29.5	0.6	<0.05	5.1	8.46	35.6	0.03	<1	0.8	22.7	<10	<2
917609	Soil	0.09	1.97	30.4	0.6	<0.05	5.0	7.88	33.7	0.04	2	0.8	26.6	<10	<2
917610	Soil	0.07	2.04	41.5	0.6	<0.05	5.5	15.01	37.5	0.04	2	1.3	36.8	<10	<2
917611	Soil	0.12	1.94	39.0	0.7	<0.05	8.9	9.62	34.3	0.05	<1	0.9	32.6	<10	<2
917612	Soil	0.09	1.98	60.4	0.6	<0.05	6.0	13.25	34.7	0.04	<1	1.2	47.9	<10	<2
917613	Soil	0.12	1.83	55.1	0.6	<0.05	6.2	12.75	30.5	0.03	1	1.1	42.3	<10	<2
917614	Soil	0.21	2.50	45.4	0.6	<0.05	13.7	12.35	38.4	0.05	<1	1.3	38.0	<10	<2
917615	Soil	0.16	1.99	48.3	0.8	<0.05	9.5	10.54	38.9	0.11	<1	1.1	36.1	<10	<2
917616	Soil	0.12	2.93	44.5	0.7	<0.05	8.6	12.76	50.8	0.04	2	1.3	45.0	<10	<2
917617	Soil	0.23	2.64	28.0	0.9	<0.05	15.0	8.72	43.7	0.10	<1	1.1	31.4	<10	<2
917819	Soil	0.12	2.11	29.9	0.8	<0.05	6.8	7.93	32.6	0.18	<1	0.9	31.4	<10	<2
917820	Soil	0.11	2.15	30.6	0.9	<0.05	7.7	6.52	39.2	0.17	<1	1.0	28.9	<10	<2
917821	Soil	0.13	4.78	32.3	1.1	<0.05	7.1	5.05	38.0	0.18	<1	1.6	30.1	<10	<2
917822	Soil	0.13	3.11	33.8	1.0	<0.05	6.5	9.47	48.5	0.10	<1	1.1	29.2	<10	<2
917823	Soil	0.09	2.52	35.1	0.9	<0.05	6.6	10.24	50.2	0.07	<1	1.0	31.7	<10	<2
917824	Soil	0.15	3.01	35.9	0.9	<0.05	9.3	8.44	47.0	0.12	<1	1.1	27.7	<10	<2
917825	Soil	0.07	1.51	19.6	0.8	<0.05	4.3	2.78	21.2	0.04	<1	0.6	14.8	<10	<2
917826	Soil	0.20	1.87	13.1	0.8	<0.05	16.2	2.69	23.8	0.03	<1	0.7	15.0	<10	<2
917827	Soil	0.06	1.38	25.7	0.7	<0.05	3.1	3.86	24.4	0.03	<1	0.8	22.0	<10	<2
917828	Soil	<0.02	1.88	27.0	1.4	<0.05	1.5	3.41	22.1	0.08	<1	0.6	22.2	<10	<2
917829	Soil	0.08	1.72	27.4	0.7	<0.05	4.4	3.65	25.5	0.04	<1	0.8	21.0	<10	<2
917830	Soil	0.03	2.30	27.9	1.0	<0.05	2.3	4.08	24.2	0.09	<1	0.8	20.1	<10	<2
917831	Soil	0.13	2.81	30.0	0.8	<0.05	8.2	5.54	33.1	0.05	1	1.0	23.4	<10	<2
917832	Soil	0.09	2.36	25.4	0.8	<0.05	5.1	4.45	29.1	0.04	<1	0.8	21.5	<10	<2
917833	Soil	0.14	1.79	30.1	0.7	<0.05	9.6	5.98	35.0	0.03	<1	0.9	21.5	<10	<2
917834	Soil	0.23	2.23	30.2	0.8	<0.05	17.4	9.83	45.6	0.03	<1	1.0	22.8	14	<2
917835	Soil	0.17	2.22	34.6	0.7	<0.05	10.0	6.51	44.3	0.03	<1	0.6	22.1	<10	<2
917836	Soil	0.11	1.64	29.7	0.8	<0.05	7.3	5.96	31.4	0.05	<1	0.9	27.1	<10	<2
917837	Soil	0.19	1.81	23.8	0.6	<0.05	12.9	11.53	32.8	0.06	<1	0.9	21.3	12	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 4 of 8 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917838	Soil	2.61	0.76	35.67	17.42	97.6	115	29.0	10.7	350	2.79	6.6	1.3	5.2	6.5	36.7	0.25	0.26	0.23	57	0.34
917839	Soil	1.41	0.78	23.49	55.85	422.9	269	85.2	13.0	874	2.80	12.2	1.2	3.7	2.8	48.8	12.73	0.83	0.30	47	0.92
917840	Soil	1.70	0.57	31.63	39.65	276.2	196	77.1	14.6	871	3.10	12.7	0.8	2.3	3.0	47.4	3.39	0.82	0.27	53	0.62
917942	Soil	1.52	0.95	38.89	19.75	130.6	264	78.7	17.4	578	3.36	16.7	0.8	15.7	3.4	24.9	1.17	0.70	0.21	75	0.27
917943	Soil	1.75	0.81	22.29	38.92	196.0	164	79.0	14.8	1049	2.88	12.8	0.7	8.9	2.4	27.1	1.50	0.76	0.26	56	0.29
917944	Soil	1.68	0.82	23.69	36.66	199.4	178	82.2	14.9	1050	2.96	12.5	0.7	2.0	2.4	26.2	1.58	0.77	0.26	56	0.28
917945	Soil	1.54	0.62	26.89	50.65	337.4	181	72.2	13.4	446	3.00	18.3	0.9	7.7	4.1	32.4	2.69	0.62	0.26	57	0.36
917946	Soil	1.33	0.99	30.82	73.58	223.7	302	75.1	16.4	783	3.36	17.7	1.1	3.9	4.1	22.9	1.05	0.77	0.33	64	0.23
917947	Soil	1.64	1.06	20.89	63.13	184.9	252	55.7	14.2	1577	3.41	30.3	0.7	2.0	3.6	19.7	1.22	1.10	0.48	66	0.19
917948	Soil	2.00	0.97	27.85	54.04	177.6	180	86.4	16.0	720	3.02	83.1	1.0	5.2	3.3	26.0	1.62	1.05	0.67	60	0.29
917949	Soil	1.48	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917950	Soil	1.69	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918450	Soil	1.95	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918500	Soil	1.72	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917734	Soil	1.34	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917636	Soil	2.01	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917637	Soil	1.35	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917951	Soil	1.92	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917952	Soil	1.86	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917953	Soil	1.76	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917954	Soil	1.64	0.66	36.27	26.50	162.1	264	79.9	16.4	858	3.33	12.8	0.9	1.2	3.4	37.2	1.26	0.71	0.23	58	0.38
917955	Soil	1.98	0.80	38.85	18.02	93.2	123	30.1	11.0	347	2.88	6.5	1.2	2.5	6.0	34.7	0.26	0.27	0.23	57	0.30
917956	Soil	1.23	0.90	21.81	47.72	318.6	206	64.6	12.1	829	2.66	16.4	1.2	1.3	3.0	43.2	3.90	0.96	0.29	40	0.73
917957	Soil	1.50	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917958	Soil	1.92	0.71	20.06	87.28	473.8	396	78.0	10.8	648	2.49	13.3	0.9	1.9	3.8	48.3	8.03	0.61	0.24	43	0.76
917932	Soil	1.68	0.72	21.89	14.95	112.6	232	49.4	12.4	580	2.78	10.4	2.4	0.7	3.9	21.5	0.42	0.49	0.24	48	0.26
917933	Soil	1.88	0.81	26.10	26.64	149.2	250	59.2	14.7	652	3.35	21.8	2.5	1.5	3.8	15.6	0.44	0.59	0.29	60	0.15
917934	Soil	1.69	1.25	19.68	32.79	165.4	200	47.7	16.9	1223	3.00	38.1	1.2	4.3	2.9	17.3	0.36	0.65	0.36	49	0.18
917935	Soil	1.83	0.67	27.08	13.97	149.5	175	62.6	12.7	598	2.76	12.9	0.9	2.4	2.9	19.2	0.54	0.38	0.22	48	0.22
917936	Soil	1.61	0.83	21.91	24.62	240.7	356	63.7	9.9	324	2.40	11.0	1.8	2.9	3.7	26.1	3.73	0.88	0.25	52	0.34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 4 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917838	Soil	0.078	19.8	35.0	0.63	102.3	0.120	1	1.82	0.025	0.26	0.3	4.0	0.20	<0.02	13	0.2	0.04	5.6	1.80	0.1
917839	Soil	0.196	10.7	47.2	0.61	179.0	0.091	5	3.00	0.021	0.10	0.4	3.2	0.22	0.03	39	1.1	0.04	7.7	4.08	<0.1
917840	Soil	0.381	14.0	55.0	0.72	270.6	0.108	5	3.15	0.024	0.23	0.3	4.8	0.20	<0.02	32	0.5	0.03	7.9	2.09	<0.1
917942	Soil	0.093	14.7	80.4	0.88	161.2	0.125	3	2.64	0.015	0.11	0.3	5.3	0.13	<0.02	16	0.7	<0.02	7.0	1.73	<0.1
917943	Soil	0.201	11.6	58.0	0.70	247.4	0.101	2	2.66	0.017	0.14	0.2	3.8	0.16	<0.02	33	0.5	0.03	6.9	2.08	<0.1
917944	Soil	0.202	11.4	58.1	0.71	244.1	0.102	3	2.68	0.016	0.13	0.2	3.9	0.15	<0.02	33	0.4	0.04	7.0	2.01	<0.1
917945	Soil	0.421	14.6	68.0	0.84	353.9	0.120	3	3.29	0.027	0.13	0.4	4.7	0.16	<0.02	26	0.3	0.02	8.3	2.68	<0.1
917946	Soil	0.260	16.3	53.6	0.67	273.5	0.155	4	3.19	0.020	0.13	0.3	4.0	0.17	<0.02	40	0.5	0.04	9.7	2.43	<0.1
917947	Soil	0.154	11.8	52.0	0.58	192.1	0.113	3	2.31	0.012	0.13	0.3	3.0	0.18	0.02	49	0.4	0.05	9.9	2.41	<0.1
917948	Soil	0.145	11.1	49.4	0.68	174.6	0.121	2	2.92	0.018	0.12	1.0	3.5	0.17	<0.02	36	0.4	0.05	8.1	2.10	<0.1
917949	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917950	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918450	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918500	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917734	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917636	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917637	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917951	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917952	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917953	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917954	Soil	0.247	15.0	60.0	0.81	273.9	0.112	3	3.02	0.014	0.21	0.2	4.9	0.17	<0.02	30	0.5	0.02	7.6	1.92	<0.1
917955	Soil	0.063	17.3	36.4	0.65	95.3	0.114	1	1.81	0.022	0.28	0.3	3.9	0.19	<0.02	14	0.3	0.03	5.6	1.90	<0.1
917956	Soil	0.308	9.6	51.6	0.55	150.3	0.079	3	2.51	0.021	0.13	0.3	2.8	0.14	<0.02	31	0.8	0.03	6.6	2.26	<0.1
917957	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917958	Soil	0.455	15.1	59.1	0.62	261.5	0.092	3	2.84	0.018	0.15	0.4	4.1	0.19	<0.02	25	0.6	0.02	7.0	2.76	<0.1
917932	Soil	0.270	10.4	35.3	0.56	297.5	0.165	2	3.91	0.018	0.11	0.2	3.1	0.16	<0.02	45	0.6	0.03	10.0	2.99	<0.1
917933	Soil	0.187	11.0	47.2	0.62	204.2	0.141	2	3.53	0.013	0.12	0.3	3.5	0.16	<0.02	39	0.5	0.03	9.6	2.37	<0.1
917934	Soil	0.342	7.8	37.1	0.41	209.0	0.115	2	2.82	0.011	0.09	0.3	2.4	0.14	0.02	60	0.6	0.04	9.8	2.23	<0.1
917935	Soil	0.259	9.8	41.8	0.54	231.8	0.114	1	2.94	0.017	0.12	0.2	3.5	0.13	<0.02	31	0.5	<0.02	7.6	1.79	<0.1
917936	Soil	0.266	17.5	38.7	0.48	149.6	0.123	2	3.52	0.020	0.08	0.4	4.3	0.18	<0.02	50	0.9	<0.02	8.5	2.39	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 4 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	Unit	MDL	1F30 Hf	1F30 Nb	1F30 Rb	1F30 Sn	1F30 Ta	1F30 Zr	1F30 Y	1F30 Ce	1F30 In	1F30 Re	1F30 Be	1F30 Li	1F30 Pd	1F30 Pt
		ppm		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
917838	Soil	0.22	0.50	34.0	0.4	<0.05	13.4	8.41	37.8	0.02	<1	0.5	17.4	12	<2		
917839	Soil	0.10	2.05	24.8	0.6	<0.05	6.2	8.55	24.5	0.07	<1	0.8	21.4	<10	<2		
917840	Soil	0.09	1.59	28.5	0.6	<0.05	7.4	10.07	29.7	0.06	<1	0.7	21.0	<10	<2		
917942	Soil	0.12	1.44	18.2	0.5	<0.05	7.2	6.89	32.5	0.03	<1	0.7	16.9	<10	<2		
917943	Soil	0.04	1.40	21.9	0.6	<0.05	3.3	5.05	28.9	0.07	<1	0.6	17.6	<10	<2		
917944	Soil	0.06	1.43	21.6	0.6	<0.05	3.3	5.24	28.8	0.05	<1	0.7	18.8	<10	<2		
917945	Soil	0.14	1.78	20.6	0.7	<0.05	10.0	8.39	38.7	0.05	<1	1.0	26.0	<10	<2		
917946	Soil	0.13	2.76	24.3	0.9	<0.05	8.8	6.60	35.6	0.08	<1	1.0	20.0	12	<2		
917947	Soil	0.05	2.00	23.0	0.9	<0.05	2.9	3.55	23.8	0.09	<1	0.8	21.5	<10	<2		
917948	Soil	0.08	1.76	21.9	0.8	<0.05	5.3	4.36	27.6	0.07	<1	0.6	23.7	<10	<2		
917949	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917950	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918450	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918500	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917734	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917636	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917637	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917951	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917952	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917953	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917954	Soil	0.12	1.94	23.9	0.6	<0.05	8.5	8.28	34.4	0.05	<1	0.7	19.7	10	<2		
917955	Soil	0.28	0.30	34.7	0.4	<0.05	14.9	8.04	32.4	<0.02	<1	0.6	18.7	<10	2		
917956	Soil	0.09	1.65	20.9	0.5	<0.05	5.4	8.13	20.5	0.07	<1	0.6	20.0	<10	<2		
917957	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917958	Soil	0.14	1.30	27.9	0.6	<0.05	9.3	16.68	28.5	0.03	<1	0.9	24.9	13	<2		
917932	Soil	0.22	2.60	24.8	0.9	<0.05	18.6	6.37	41.2	0.03	<1	0.9	24.7	10	<2		
917933	Soil	0.15	2.24	23.9	0.8	<0.05	9.8	5.58	34.5	0.03	<1	1.0	24.3	<10	<2		
917934	Soil	0.08	2.16	17.2	0.9	<0.05	5.3	2.68	17.4	0.04	<1	0.7	21.9	<10	<2		
917935	Soil	0.11	1.48	17.3	0.6	<0.05	8.6	4.76	29.9	0.03	<1	0.7	19.6	<10	<2		
917936	Soil	0.26	1.51	19.3	0.8	<0.05	21.3	17.65	35.5	0.04	<1	1.0	20.8	17	<2		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 5 of 8 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917937	Soil	1.74	0.58	17.48	30.51	240.9	340	60.1	9.2	318	2.45	9.1	1.3	0.8	4.2	34.7	3.53	0.89	0.27	41	0.62
917938	Soil	2.14	0.64	27.52	21.85	318.8	262	94.6	12.4	481	2.70	14.4	1.0	1.5	3.9	36.4	6.40	0.75	0.26	46	0.41
917939	Soil	1.72	0.78	24.88	22.97	212.7	255	97.7	14.8	463	3.09	16.2	0.9	0.7	3.0	24.6	2.74	0.77	0.25	54	0.25
917940	Soil	1.86	0.86	37.53	45.17	279.5	422	102.7	15.9	465	3.29	19.0	1.3	3.1	3.8	30.4	2.96	1.20	0.25	62	0.39
917941	Soil	2.28	0.79	48.09	25.63	309.3	332	64.6	18.2	867	3.79	16.5	1.4	5.3	2.8	27.5	4.76	0.95	0.22	66	0.28
918440	Soil	1.89	0.66	41.41	18.30	94.7	167	62.2	17.0	530	3.49	16.9	0.7	7.5	3.1	26.5	0.50	0.88	0.20	66	0.25
918441	Soil	1.48	0.90	31.18	28.23	272.6	250	65.4	15.1	1139	3.09	13.4	0.8	3.1	3.0	22.9	3.37	0.79	0.27	50	0.20
918442	Soil	1.46	1.04	31.50	43.91	347.1	579	82.7	14.2	898	3.15	19.6	1.4	1.9	3.6	28.5	5.30	0.89	0.26	55	0.44
918443	Soil	1.36	0.93	21.44	20.40	231.6	156	55.9	12.5	607	2.79	14.0	0.7	5.5	2.7	25.1	3.92	0.90	0.28	44	0.30
918444	Soil	1.47	0.83	15.74	45.83	402.8	485	48.4	13.8	462	2.87	21.3	1.1	1.2	3.0	32.3	2.52	0.60	0.33	39	0.37
918445	Soil	1.21	0.92	21.44	39.67	227.8	297	28.9	12.4	1033	2.49	17.1	0.5	1.5	1.7	22.1	2.66	0.92	0.46	41	0.29
918446	Soil	0.91	1.68	29.79	41.36	301.9	460	76.2	11.2	661	2.32	12.7	1.3	8.0	2.2	41.8	9.06	0.91	0.34	78	0.96
918447	Soil	1.73	0.77	25.77	27.58	176.5	313	70.4	12.7	574	2.64	10.4	0.9	0.8	2.7	19.7	0.91	0.48	0.27	42	0.17
918448	Soil	2.13	11.47	27.34	64.19	196.7	325	49.4	12.2	300	2.92	33.5	5.5	2.3	5.1	16.7	0.77	0.51	0.42	47	0.15
918449	Soil	2.02	1.48	52.53	78.68	189.1	282	66.8	18.0	776	3.77	33.5	10.7	11.7	7.4	34.1	0.69	0.84	0.31	63	0.36
917841	Soil	1.73	0.80	30.16	26.92	112.5	128	85.1	19.2	1494	3.39	19.0	0.9	14.0	3.7	37.4	0.68	0.84	0.33	59	0.30
917842	Soil	1.76	0.82	30.91	30.12	128.9	167	87.2	20.1	1510	3.58	21.4	0.8	2.9	3.1	42.3	0.83	0.86	0.32	60	0.34
917843	Soil	1.51	0.74	18.80	22.10	156.7	155	50.3	12.2	1144	2.86	10.9	0.7	0.6	2.4	14.2	0.62	0.41	0.34	51	0.11
917844	Soil	1.51	0.95	22.32	21.51	117.5	124	57.2	13.0	702	2.83	11.7	0.8	2.6	3.0	19.3	0.43	0.92	0.32	53	0.16
917845	Soil	1.40	1.05	24.89	21.35	138.8	169	52.8	12.7	1490	3.03	11.6	1.2	1.4	3.6	20.9	0.59	0.78	0.34	51	0.19
917846	Soil	1.28	1.03	23.90	33.43	144.9	147	53.5	15.6	1930	3.08	14.5	1.3	2.3	2.6	30.2	0.74	0.92	0.37	53	0.28
917847	Soil	1.41	0.91	18.08	41.37	165.9	166	55.4	12.1	1668	2.57	11.6	0.7	1.8	2.3	29.1	1.13	0.97	0.33	41	0.26
917848	Soil	1.47	1.05	22.55	55.18	142.3	163	55.1	14.6	1273	3.11	14.9	0.6	2.2	1.1	18.6	1.13	1.90	0.48	57	0.17
917849	Soil	1.39	1.12	30.88	31.68	158.1	166	67.0	19.5	1855	3.51	22.9	0.8	2.5	2.7	26.1	0.94	1.06	0.36	60	0.24
917850	Soil	1.36	0.98	25.02	71.38	145.8	116	56.1	16.5	1770	3.07	23.5	0.7	2.7	2.1	30.3	1.48	1.60	0.52	55	0.30
917927	Soil	1.20	1.12	40.05	41.56	182.5	380	110.4	21.4	764	3.81	35.3	0.9	21.0	3.7	38.7	1.73	1.09	0.41	70	0.29
917928	Soil	1.79	1.00	36.91	30.73	178.7	485	84.5	16.6	739	3.48	24.6	1.1	5.7	4.4	50.2	1.63	0.79	0.35	60	0.39
917929	Soil	1.43	0.76	23.94	33.81	184.9	277	133.9	16.3	1013	3.20	19.5	0.8	4.0	3.2	56.9	1.88	0.78	0.35	48	0.44
917930	Soil	1.81	0.78	31.06	24.19	139.7	256	259.9	26.3	860	3.80	32.6	0.9	10.4	3.7	32.0	0.68	1.07	0.56	65	0.24
917931	Soil	1.33	0.61	23.88	20.09	100.6	214	555.5	27.7	704	3.39	30.4	0.8	2.3	3.5	31.2	0.52	0.77	0.56	51	0.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 5 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917937	Soil	0.261	13.5	35.4	0.43	182.1	0.138	4	4.01	0.026	0.08	0.5	3.8	0.17	<0.02	43	0.8	<0.02	9.1	2.51	<0.1
917938	Soil	0.295	15.1	40.3	0.55	282.9	0.122	3	3.66	0.023	0.11	0.4	4.0	0.18	<0.02	39	0.7	<0.02	8.5	2.35	<0.1
917939	Soil	0.275	11.0	44.9	0.60	222.9	0.115	3	3.75	0.017	0.12	0.4	4.0	0.16	<0.02	30	0.7	<0.02	9.1	2.22	<0.1
917940	Soil	0.118	16.5	60.3	0.83	198.3	0.116	3	3.55	0.017	0.16	0.4	5.7	0.23	<0.02	35	0.9	0.04	9.0	2.55	<0.1
917941	Soil	0.323	14.7	50.6	0.90	242.8	0.092	2	3.51	0.014	0.22	0.3	5.3	0.20	<0.02	43	0.7	0.02	8.4	2.11	<0.1
918440	Soil	0.107	13.3	59.9	0.97	140.7	0.090	2	2.28	0.011	0.16	0.3	5.7	0.13	<0.02	24	0.6	0.02	6.0	1.47	<0.1
918441	Soil	0.302	10.7	44.7	0.64	277.2	0.099	2	3.25	0.017	0.12	0.3	4.5	0.17	<0.02	27	0.6	<0.02	8.3	1.88	<0.1
918442	Soil	0.330	12.5	50.7	0.70	247.8	0.094	3	3.24	0.015	0.13	0.4	4.5	0.20	<0.02	39	0.7	0.03	7.8	2.89	<0.1
918443	Soil	0.271	8.5	34.4	0.50	259.8	0.108	3	3.20	0.017	0.14	0.3	3.3	0.15	<0.02	29	0.5	0.03	8.3	1.90	<0.1
918444	Soil	0.476	8.5	35.4	0.44	186.3	0.107	3	2.93	0.012	0.09	0.6	2.4	0.13	<0.02	36	0.6	<0.02	8.5	2.97	<0.1
918445	Soil	0.223	7.1	28.3	0.35	288.4	0.078	2	1.58	0.009	0.08	0.3	2.1	0.13	<0.02	39	0.5	0.04	8.2	2.59	<0.1
918446	Soil	0.259	10.5	56.0	0.51	158.5	0.078	4	2.31	0.015	0.09	0.6	3.3	0.16	0.03	41	0.7	0.05	6.1	1.73	<0.1
918447	Soil	0.193	10.5	34.8	0.51	258.5	0.111	2	3.17	0.017	0.11	0.7	3.4	0.17	<0.02	39	0.4	0.02	8.1	1.99	<0.1
918448	Soil	0.170	13.4	30.8	0.44	203.2	0.128	1	4.31	0.016	0.08	0.6	3.8	0.15	<0.02	50	0.6	0.05	9.9	1.84	<0.1
918449	Soil	0.133	30.2	66.8	1.16	172.5	0.089	1	2.51	0.009	0.16	0.5	6.0	0.15	<0.02	44	0.7	0.05	6.7	3.01	0.1
917841	Soil	0.154	12.7	52.3	0.76	305.7	0.127	3	3.61	0.012	0.13	0.3	4.1	0.22	<0.02	37	0.5	0.04	9.5	2.52	<0.1
917842	Soil	0.183	11.8	55.6	0.81	297.3	0.115	3	3.32	0.011	0.17	0.3	3.7	0.22	0.02	36	0.5	0.03	9.0	2.44	<0.1
917843	Soil	0.257	8.7	31.3	0.47	287.0	0.107	3	2.96	0.012	0.08	0.3	2.6	0.15	<0.02	41	0.4	0.02	8.9	2.27	<0.1
917844	Soil	0.157	9.2	34.9	0.51	225.4	0.111	3	3.01	0.013	0.10	0.3	2.9	0.15	<0.02	37	0.4	0.02	8.6	2.14	<0.1
917845	Soil	0.276	10.9	35.1	0.47	332.4	0.131	3	3.79	0.015	0.10	0.3	3.4	0.20	<0.02	41	0.5	<0.02	10.5	2.38	<0.1
917846	Soil	0.288	10.6	41.9	0.54	286.1	0.112	2	3.23	0.012	0.13	0.3	3.1	0.21	0.03	64	0.6	0.06	9.3	2.32	<0.1
917847	Soil	0.258	8.8	33.4	0.47	359.9	0.103	2	2.91	0.015	0.14	0.2	2.6	0.20	<0.02	46	0.4	0.03	8.1	2.10	<0.1
917848	Soil	0.124	8.1	54.2	0.68	191.2	0.094	2	2.36	0.010	0.13	0.3	2.4	0.22	0.03	65	0.4	0.07	8.6	2.97	<0.1
917849	Soil	0.259	9.1	55.5	0.75	257.6	0.140	2	3.59	0.013	0.13	0.3	3.4	0.23	0.02	40	0.4	0.08	11.3	3.23	<0.1
917850	Soil	0.238	8.9	47.3	0.64	252.8	0.101	2	2.75	0.010	0.14	0.3	2.6	0.22	0.03	66	0.5	0.05	9.1	2.60	<0.1
917927	Soil	0.182	14.1	73.2	0.91	209.1	0.120	3	3.87	0.011	0.19	0.4	5.6	0.20	<0.02	40	0.5	0.06	9.9	2.59	0.1
917928	Soil	0.146	16.4	60.5	0.76	263.1	0.142	3	4.37	0.016	0.27	0.3	6.0	0.25	<0.02	41	0.8	0.03	10.6	3.01	<0.1
917929	Soil	0.260	12.2	63.6	0.74	304.9	0.104	4	3.32	0.014	0.19	0.3	4.1	0.18	<0.02	39	0.5	0.03	8.9	2.24	<0.1
917930	Soil	0.192	13.2	86.5	0.92	240.5	0.126	4	3.79	0.014	0.16	0.5	5.3	0.18	<0.02	39	0.6	0.04	9.8	2.35	<0.1
917931	Soil	0.174	11.5	97.3	0.89	348.3	0.144	5	3.87	0.020	0.14	0.5	5.1	0.18	<0.02	40	0.5	0.04	9.7	3.24	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 5 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917937	Soil	0.67	2.42	22.2	0.9	<0.05	44.2	13.66	36.2	0.04	<1	1.0	21.5	16	3
917938	Soil	0.23	2.09	25.5	0.7	<0.05	18.6	11.24	40.4	0.05	<1	0.8	21.9	<10	<2
917939	Soil	0.19	1.56	22.1	0.7	<0.05	12.0	6.96	39.8	0.04	<1	0.9	18.5	<10	<2
917940	Soil	0.19	1.35	29.8	0.7	<0.05	13.9	14.43	40.3	0.03	<1	1.0	22.6	<10	<2
917941	Soil	0.10	1.42	32.3	0.5	<0.05	7.6	10.73	34.2	0.03	<1	0.7	21.2	<10	2
918440	Soil	0.07	0.73	20.8	0.4	<0.05	4.5	6.91	29.9	<0.02	<1	0.5	16.3	<10	2
918441	Soil	0.15	1.15	21.1	0.7	<0.05	10.6	7.08	30.3	0.04	<1	0.7	18.1	<10	<2
918442	Soil	0.17	1.46	25.5	0.7	<0.05	12.2	12.12	31.1	0.05	1	0.9	21.4	<10	<2
918443	Soil	0.21	1.84	22.0	0.7	<0.05	12.5	4.47	33.1	0.04	<1	0.9	19.0	<10	<2
918444	Soil	0.10	2.14	18.9	0.8	<0.05	7.0	5.75	23.9	0.04	<1	0.6	23.6	<10	<2
918445	Soil	0.04	1.29	15.2	1.0	<0.05	2.2	2.24	14.7	0.06	<1	0.5	15.5	<10	<2
918446	Soil	0.07	1.77	18.0	0.6	<0.05	6.2	9.02	23.8	0.10	<1	0.6	16.4	<10	<2
918447	Soil	0.16	1.52	23.1	0.8	<0.05	9.7	5.89	35.6	0.03	1	0.6	19.3	<10	<2
918448	Soil	0.26	2.07	17.0	0.9	<0.05	22.3	10.81	46.1	0.03	<1	1.1	20.9	<10	<2
918449	Soil	0.04	1.35	23.6	0.4	<0.05	2.8	14.35	50.5	0.04	<1	1.1	25.9	<10	3
917841	Soil	0.17	2.08	34.7	0.8	<0.05	10.5	6.39	36.1	0.05	<1	1.0	22.0	<10	<2
917842	Soil	0.09	2.19	33.6	0.7	<0.05	6.0	4.96	34.3	0.05	<1	0.9	23.0	<10	<2
917843	Soil	0.08	1.69	22.1	0.8	<0.05	5.2	2.98	25.1	0.03	<1	0.9	22.2	<10	<2
917844	Soil	0.14	2.02	23.0	0.8	<0.05	8.7	3.27	26.1	0.05	<1	0.9	20.2	<10	<2
917845	Soil	0.12	1.85	22.9	1.0	<0.05	9.7	5.34	32.5	0.05	<1	1.0	21.1	12	<2
917846	Soil	0.06	2.02	24.7	0.9	<0.05	5.0	4.26	27.0	0.06	<1	1.0	19.4	<10	<2
917847	Soil	0.07	1.41	22.1	0.8	<0.05	5.7	3.57	26.6	0.04	<1	0.7	17.7	<10	<2
917848	Soil	0.02	2.28	25.7	1.0	<0.05	1.9	2.83	18.9	0.11	<1	0.8	19.7	<10	<2
917849	Soil	0.13	2.71	29.6	1.0	<0.05	8.7	3.99	24.3	0.07	<1	1.0	24.5	<10	<2
917850	Soil	0.06	2.36	26.8	1.0	<0.05	4.4	3.49	22.1	0.11	<1	0.7	20.2	<10	<2
917927	Soil	0.16	1.69	24.2	0.8	<0.05	9.5	8.04	35.1	0.07	2	1.0	27.1	<10	<2
917928	Soil	0.22	1.89	30.4	1.0	<0.05	14.0	10.75	44.5	0.06	1	1.2	30.3	19	<2
917929	Soil	0.08	1.70	22.6	0.8	<0.05	6.3	6.04	32.3	0.05	<1	0.9	22.4	<10	<2
917930	Soil	0.15	1.64	19.9	0.9	<0.05	8.9	6.94	39.5	0.04	<1	0.9	25.2	10	2
917931	Soil	0.22	1.58	22.7	1.0	<0.05	16.0	6.40	36.7	0.04	1	0.9	22.0	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

September 09, 2008

Page:

6 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918977	Soil	1.42	0.73	27.88	23.44	186.4	237	108.2	18.4	1082	3.27	15.6	1.1	1.1	3.2	45.2	0.83	0.72	0.39	47	0.36
918978	Soil	1.29	0.68	46.14	20.20	122.2	235	102.7	20.5	671	4.05	22.6	1.2	2.7	4.4	38.1	0.38	0.88	0.27	69	0.32
918979	Soil	1.40	0.61	37.10	24.86	164.1	228	88.3	18.7	1357	3.57	16.9	1.0	3.2	3.1	40.8	0.97	0.72	0.28	54	0.34
918980	Soil	1.17	0.70	29.95	27.11	142.5	262	100.3	22.0	1736	3.74	15.1	1.0	0.4	3.3	57.8	0.86	0.65	0.33	57	0.46
918981	Soil	1.39	0.65	31.17	43.93	148.0	183	90.7	20.6	1516	3.60	14.8	0.8	2.6	3.7	53.7	1.14	0.92	0.37	60	0.47
918982	Soil	1.68	0.62	23.93	23.08	148.6	142	89.4	18.9	815	3.40	12.2	0.9	2.7	4.3	34.2	0.55	0.76	0.33	54	0.27
918983	Soil	1.28	0.51	29.49	25.30	144.2	268	80.4	16.0	1211	3.15	14.5	0.9	1.9	3.2	51.6	0.82	0.46	0.25	48	0.46
918984	Soil	1.24	0.63	27.93	25.10	167.4	195	100.0	16.3	984	3.33	16.4	1.0	2.5	3.2	46.9	1.42	0.99	0.32	52	0.45
918985	Soil	1.54	0.80	42.85	23.80	184.7	448	97.4	17.4	1145	3.71	19.9	1.8	2.6	3.1	40.7	1.23	0.71	0.39	53	0.48
918986	Soil	1.15	0.75	35.23	28.91	296.3	208	97.2	17.4	1143	3.41	23.5	1.6	5.6	3.9	54.1	2.47	0.85	0.67	50	0.76
918987	Soil	1.33	0.63	40.00	37.11	264.4	358	87.6	16.4	497	3.43	12.9	1.4	2.2	4.6	40.6	1.82	0.61	0.28	55	0.35
918988	Soil	1.49	0.81	29.91	110.6	484.0	1299	103.7	13.1	710	2.88	17.3	1.0	5.4	3.9	41.5	7.99	0.78	0.25	55	0.56
918989	Soil	1.41	0.71	32.03	54.66	341.6	403	94.4	16.8	822	3.36	14.4	1.0	2.4	3.6	34.1	4.93	0.89	0.29	62	0.44
918990	Soil	1.38	0.65	29.48	23.12	225.1	228	63.2	15.9	724	3.34	16.1	0.6	18.6	2.8	51.8	2.47	1.38	0.24	54	0.57
918991	Soil	1.44	0.72	31.87	33.50	159.1	374	72.7	15.6	400	2.74	20.2	0.7	18.1	3.2	27.1	1.61	0.69	0.25	57	0.35
918992	Soil	1.56	0.72	32.76	32.92	153.3	374	71.7	16.4	392	2.85	21.1	0.7	27.0	3.2	26.9	1.46	0.70	0.25	63	0.35
918993	Soil	1.50	0.69	26.35	28.79	171.1	307	135.0	18.5	738	2.81	17.3	0.8	16.9	2.9	29.1	2.30	0.85	0.30	54	0.40
918994	Soil	1.32	0.89	16.64	24.73	188.1	145	107.3	12.9	1006	2.41	11.5	0.6	5.2	2.4	26.4	2.98	0.58	0.32	42	0.24
918995	Soil	1.56	0.73	20.07	22.52	256.2	210	108.0	15.0	667	2.67	14.5	0.6	6.5	3.3	23.7	3.37	0.84	0.30	43	0.24
918996	Soil	1.37	0.80	21.93	31.75	185.7	212	107.3	16.3	1120	2.89	17.0	0.7	7.1	3.2	41.3	1.95	0.77	0.36	50	0.39
918997	Soil	1.80	0.68	26.39	32.09	165.0	272	85.9	14.6	1062	2.79	20.5	0.7	3.0	2.5	34.6	2.10	0.98	0.36	46	0.35
918998	Soil	1.47	0.71	38.06	17.36	92.8	125	26.7	10.9	324	2.73	6.6	1.2	2.1	5.9	33.4	0.29	0.30	0.27	50	0.27
918999	Soil	1.39	1.23	35.23	35.41	230.1	423	111.0	24.8	1497	3.46	53.3	0.9	7.2	3.1	38.6	3.78	0.84	0.37	60	0.38
919000	Soil	1.80	1.06	37.33	49.64	224.3	236	87.8	23.6	1595	3.38	44.7	1.0	6.7	3.2	38.5	3.50	0.98	0.42	56	0.31
917905	Soil	1.48	0.70	38.39	19.91	252.8	126	62.1	17.5	1021	3.41	11.1	0.9	1.6	3.3	33.2	3.72	0.76	0.23	54	0.32
917906	Soil	1.82	0.55	57.41	24.17	141.6	168	72.3	18.8	623	3.70	15.6	1.2	3.0	3.5	41.2	1.42	1.10	0.21	67	0.41
917907	Soil	1.64	0.78	40.60	52.41	257.1	252	101.0	19.6	828	3.58	21.3	1.3	3.0	3.8	37.0	3.97	1.03	0.32	64	0.52
917908	Soil	1.81	1.11	36.55	77.17	360.3	338	100.6	17.4	535	3.52	23.2	1.4	2.9	4.8	28.2	4.61	1.11	0.32	61	0.36
917909	Soil	1.54	1.10	34.75	37.94	294.3	390	93.8	16.3	737	3.00	16.0	1.4	1.6	2.7	33.7	4.90	0.97	0.31	52	0.52
917910	Soil	1.29	0.50	20.25	35.32	341.8	213	64.5	9.3	1035	2.15	12.7	0.9	0.5	2.7	41.4	9.31	0.92	0.32	33	0.56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 6 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918977	Soil	0.360	14.3	61.0	0.68	284.0	0.108	4	3.45	0.016	0.19	0.6	4.5	0.20	<0.02	53	0.5	0.02	8.8	2.14	<0.1
918978	Soil	0.149	17.2	71.0	1.03	200.4	0.127	2	3.86	0.014	0.25	0.3	6.1	0.19	<0.02	33	0.6	0.04	9.9	2.17	<0.1
918979	Soil	0.317	13.5	55.6	0.79	394.0	0.096	4	3.42	0.014	0.24	0.2	5.0	0.19	<0.02	37	0.6	0.05	8.3	2.06	<0.1
918980	Soil	0.185	15.1	73.6	0.86	466.0	0.145	3	3.72	0.016	0.25	0.2	4.1	0.23	0.03	48	0.5	0.03	10.2	2.57	<0.1
918981	Soil	0.243	14.0	84.8	1.00	493.7	0.154	3	3.16	0.015	0.28	0.3	4.6	0.26	0.02	43	0.3	0.05	9.0	2.63	<0.1
918982	Soil	0.267	14.4	61.4	0.74	347.2	0.153	3	3.62	0.019	0.24	0.3	4.8	0.26	<0.02	38	0.4	<0.02	10.3	2.64	<0.1
918983	Soil	0.298	19.0	58.3	0.74	356.9	0.113	2	3.24	0.019	0.26	0.2	4.7	0.20	<0.02	26	0.5	0.03	8.8	2.26	<0.1
918984	Soil	0.308	14.9	53.9	0.65	281.7	0.121	3	3.66	0.018	0.23	0.3	4.4	0.22	<0.02	38	0.6	0.03	9.9	2.44	<0.1
918985	Soil	0.260	15.3	55.0	0.64	253.0	0.106	3	4.17	0.015	0.20	0.3	4.6	0.17	0.02	38	0.6	0.03	10.6	2.25	0.1
918986	Soil	0.345	14.5	44.4	0.57	310.9	0.124	2	3.94	0.018	0.19	0.4	4.6	0.19	<0.02	33	0.5	0.02	10.6	2.39	<0.1
918987	Soil	0.124	15.0	64.6	0.75	246.9	0.130	1	3.76	0.018	0.18	0.4	5.7	0.18	<0.02	20	0.8	0.02	9.5	2.57	<0.1
918988	Soil	0.409	16.7	74.2	0.75	260.4	0.094	2	2.90	0.014	0.17	0.4	5.0	0.17	<0.02	24	0.7	0.04	7.7	2.52	<0.1
918989	Soil	0.266	16.5	67.4	0.79	244.2	0.108	3	3.32	0.018	0.18	0.4	5.0	0.18	<0.02	26	0.7	0.04	8.9	2.51	<0.1
918990	Soil	0.447	13.4	46.4	0.69	369.2	0.099	3	3.07	0.019	0.23	0.3	5.2	0.20	<0.02	37	0.4	0.02	8.7	1.85	<0.1
918991	Soil	0.198	12.5	70.2	0.83	188.0	0.108	2	2.33	0.016	0.18	0.6	4.8	0.16	<0.02	25	0.6	0.05	7.0	1.76	<0.1
918992	Soil	0.177	13.5	75.7	0.86	180.6	0.113	2	2.28	0.016	0.18	0.6	4.9	0.15	<0.02	27	0.5	0.03	6.7	1.81	0.1
918993	Soil	0.235	14.4	89.9	0.82	280.0	0.115	3	2.84	0.019	0.20	0.4	5.0	0.19	<0.02	31	0.5	0.03	7.3	2.02	<0.1
918994	Soil	0.333	10.7	65.5	0.58	400.9	0.104	4	2.64	0.021	0.17	0.4	3.9	0.16	<0.02	40	0.3	0.03	7.2	1.79	<0.1
918995	Soil	0.338	10.5	72.4	0.65	394.5	0.105	2	2.69	0.018	0.17	0.4	4.2	0.14	<0.02	30	0.4	0.02	7.6	1.95	<0.1
918996	Soil	0.354	12.3	82.7	0.70	480.9	0.113	2	2.82	0.016	0.17	0.4	4.3	0.16	<0.02	39	0.4	0.03	8.4	2.00	<0.1
918997	Soil	0.309	10.9	60.5	0.62	348.5	0.093	3	2.77	0.010	0.15	0.3	4.1	0.16	0.02	34	0.3	<0.02	7.3	1.90	<0.1
918998	Soil	0.071	16.0	31.7	0.61	100.7	0.096	<1	1.64	0.016	0.26	0.3	3.7	0.19	<0.02	15	0.2	0.02	5.5	1.96	<0.1
918999	Soil	0.302	12.8	64.7	0.72	278.3	0.102	3	3.11	0.010	0.17	0.5	5.2	0.19	<0.02	32	0.5	0.03	8.5	2.29	<0.1
919000	Soil	0.280	13.3	58.5	0.69	272.1	0.097	3	3.31	0.008	0.15	0.4	4.6	0.19	<0.02	40	0.5	0.03	8.8	2.31	<0.1
917905	Soil	0.345	13.7	46.7	0.72	288.8	0.102	3	3.31	0.017	0.21	0.3	5.6	0.17	<0.02	34	0.3	0.03	8.3	2.04	<0.1
917906	Soil	0.120	15.9	56.8	0.91	191.3	0.113	2	3.33	0.016	0.23	0.3	6.6	0.18	<0.02	26	0.4	0.02	8.2	2.05	<0.1
917907	Soil	0.232	15.0	66.2	0.85	237.3	0.107	4	3.39	0.013	0.16	0.4	5.7	0.21	<0.02	25	0.5	0.04	8.7	2.75	<0.1
917908	Soil	0.104	17.0	55.6	0.79	190.8	0.114	3	3.47	0.013	0.12	0.4	5.6	0.20	<0.02	21	0.5	0.03	8.3	3.41	<0.1
917909	Soil	0.163	12.3	50.6	0.62	136.7	0.088	3	2.95	0.012	0.09	0.5	4.0	0.17	<0.02	34	1.3	0.04	7.5	2.88	<0.1
917910	Soil	0.431	10.6	33.1	0.36	293.8	0.101	3	2.93	0.017	0.10	0.4	3.4	0.19	<0.02	43	0.6	<0.02	7.0	2.47	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 6 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918977	Soil	0.15	1.61	24.7	0.8	<0.05	9.0	8.63	34.4	0.04	2	1.1	23.2	<10	<2
918978	Soil	0.17	1.21	25.7	0.7	<0.05	14.1	10.64	45.4	0.03	<1	0.7	24.2	<10	<2
918979	Soil	0.09	1.51	24.7	0.7	<0.05	6.3	7.53	34.4	0.04	<1	0.8	24.7	<10	<2
918980	Soil	0.16	3.25	29.5	0.9	<0.05	8.8	6.34	50.5	0.05	<1	0.9	26.7	16	<2
918981	Soil	0.10	3.20	41.8	0.8	<0.05	7.7	4.88	41.8	0.09	<1	0.7	27.3	<10	<2
918982	Soil	0.18	2.06	31.0	1.0	<0.05	12.0	6.52	41.3	0.04	<1	0.9	30.6	10	<2
918983	Soil	0.08	1.95	25.3	0.8	<0.05	6.9	8.92	46.5	0.04	<1	0.9	24.4	<10	<2
918984	Soil	0.17	2.46	29.0	0.9	<0.05	11.6	8.94	39.0	0.04	<1	0.8	26.9	<10	<2
918985	Soil	0.11	2.42	24.7	0.8	<0.05	7.2	12.20	38.2	0.04	<1	1.0	62.0	<10	<2
918986	Soil	0.15	2.37	26.9	1.0	<0.05	10.5	9.06	40.7	0.04	1	0.9	46.2	<10	<2
918987	Soil	0.32	1.14	29.0	0.8	<0.05	22.5	11.22	39.8	0.04	1	0.8	28.0	<10	<2
918988	Soil	0.09	1.35	25.9	0.6	<0.05	6.4	13.98	33.1	0.04	<1	1.0	28.6	<10	<2
918989	Soil	0.13	1.47	26.3	0.7	<0.05	8.2	13.32	36.5	0.04	<1	0.8	25.7	<10	<2
918990	Soil	0.14	1.14	22.2	0.6	<0.05	8.5	8.40	30.6	0.04	<1	0.7	19.8	<10	<2
918991	Soil	0.09	1.03	21.7	0.5	<0.05	6.7	8.32	26.1	0.04	<1	0.6	18.9	<10	<2
918992	Soil	0.10	0.93	21.9	0.6	<0.05	6.5	8.61	26.3	0.03	<1	0.6	17.7	<10	<2
918993	Soil	0.09	1.25	19.9	0.6	<0.05	6.0	8.32	33.5	0.04	<1	0.5	18.4	<10	<2
918994	Soil	0.08	1.14	18.0	0.7	<0.05	5.1	4.92	27.2	0.03	<1	0.6	16.4	<10	<2
918995	Soil	0.15	1.18	18.8	0.7	<0.05	8.0	4.64	28.5	0.04	<1	0.7	18.1	<10	<2
918996	Soil	0.08	1.31	20.1	0.7	<0.05	5.9	5.69	31.5	0.04	<1	0.9	18.8	<10	<2
918997	Soil	0.07	1.39	19.5	0.7	<0.05	4.8	5.66	25.5	0.06	<1	0.7	17.2	<10	<2
918998	Soil	0.23	0.29	33.2	0.4	<0.05	14.2	7.79	28.2	0.03	<1	0.4	17.3	<10	<2
918999	Soil	0.07	1.48	22.6	0.7	<0.05	4.6	6.95	30.6	0.06	<1	0.7	21.9	<10	<2
919000	Soil	0.10	1.63	22.7	0.7	<0.05	6.2	7.56	30.8	0.07	<1	1.0	21.9	<10	<2
917905	Soil	0.17	1.37	26.5	0.6	<0.05	10.6	9.28	29.6	0.04	<1	0.7	19.8	<10	<2
917906	Soil	0.20	1.39	42.5	0.6	<0.05	12.3	12.50	26.7	0.03	<1	0.6	21.8	<10	<2
917907	Soil	0.09	1.49	32.1	0.6	<0.05	7.3	10.75	32.1	0.04	<1	1.1	23.3	<10	<2
917908	Soil	0.21	1.34	23.4	0.7	<0.05	14.3	14.03	38.3	0.05	<1	1.0	21.9	<10	<2
917909	Soil	0.10	1.95	22.6	0.6	<0.05	5.9	9.53	27.2	0.04	<1	0.7	19.0	<10	<2
917910	Soil	0.14	1.45	26.2	0.8	<0.05	8.4	7.54	25.0	0.06	<1	0.5	16.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 7 of 8 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917911	Soil	1.75	0.67	22.66	43.92	214.4	197	73.5	14.8	892	2.86	9.9	1.3	1.9	3.4	36.7	3.82	0.98	0.30	50	0.54
917912	Soil	1.59	0.65	32.66	34.14	228.4	197	88.2	16.7	1043	2.96	13.1	1.0	1.5	3.5	44.2	4.58	0.75	0.26	49	0.56
917913	Soil	1.84	0.76	26.37	30.56	198.1	165	97.4	15.3	850	2.91	12.3	1.1	1.8	3.5	22.2	2.83	0.85	0.29	49	0.26
917914	Soil	1.22	1.09	19.97	35.02	566.8	335	91.1	12.8	959	2.75	20.6	1.5	1.0	3.9	35.0	5.59	0.69	0.35	33	0.61
917915	Soil	1.65	1.04	35.25	40.45	156.8	183	69.1	20.2	1909	3.16	18.6	1.0	1.2	2.9	32.3	1.35	0.87	0.41	50	0.26
917916	Soil	1.74	0.73	39.11	18.43	104.8	149	27.0	10.9	366	2.77	7.3	1.3	2.7	6.2	37.2	0.35	0.28	0.25	50	0.31
917917	Soil	1.43	0.96	27.38	21.26	113.9	185	48.4	16.7	828	2.88	39.2	1.2	2.5	3.2	24.3	0.48	0.98	0.36	47	0.21
917918	Soil	1.43	0.57	18.12	15.18	204.4	189	41.2	8.1	1290	1.93	11.1	0.6	3.2	2.2	41.4	1.40	0.40	0.26	24	0.25
917919	Soil	1.20	0.89	33.93	90.63	164.8	209	80.4	21.3	1598	3.30	69.3	1.2	7.7	0.9	24.2	1.61	1.88	0.71	54	0.20
917920	Soil	1.35	0.71	29.59	18.75	148.8	203	60.7	15.5	1083	3.06	15.8	1.0	1.3	2.5	25.4	0.58	0.67	0.28	48	0.23
917921	Soil	1.45	0.74	28.23	19.89	148.1	194	58.7	14.6	1185	2.91	15.0	0.9	1.1	2.3	26.7	0.66	0.65	0.27	48	0.24
917922	Soil	1.20	0.66	20.17	21.05	110.5	163	45.1	11.7	854	2.49	12.8	1.3	1.6	2.8	18.8	0.78	0.88	0.31	39	0.16
917923	Soil	1.32	0.95	24.57	77.74	206.8	168	53.6	13.5	1320	3.05	16.3	1.6	6.7	3.3	22.5	1.82	1.41	0.61	49	0.23
917924	Soil	1.20	0.68	14.87	40.03	304.5	174	44.5	13.3	955	2.09	14.4	1.0	1.8	1.9	42.3	2.12	0.65	0.44	32	0.42
917925	Soil	1.25	1.02	26.61	56.68	307.2	144	68.5	16.9	879	2.89	14.3	0.8	2.8	3.5	31.3	3.18	1.16	0.49	47	0.41
917926	Soil	1.21	1.07	28.78	73.29	250.0	172	64.7	22.9	1937	3.27	20.0	0.8	3.6	2.1	26.9	2.64	1.26	0.55	49	0.33
917638	Soil	1.46	0.88	27.22	20.53	210.7	242	91.9	17.2	1613	2.76	12.2	1.1	1.5	3.1	61.3	2.04	0.54	0.31	38	0.43
917639	Soil	1.57	1.23	25.20	21.76	272.4	336	78.9	15.2	1149	2.64	16.0	1.0	1.5	2.9	36.3	4.55	0.64	0.29	36	0.32
917640	Soil	1.66	1.99	27.43	29.19	425.9	313	75.3	15.7	891	2.88	17.0	1.1	9.3	3.7	39.0	7.01	0.87	0.35	42	0.42
917641	Soil	1.26	1.66	23.12	31.55	482.8	471	63.8	13.5	1222	2.60	17.1	0.9	2.0	2.2	36.1	9.34	0.59	0.39	40	0.36
917642	Soil	1.44	1.70	25.00	41.13	658.5	276	75.2	15.8	950	2.96	17.4	1.0	2.0	3.9	42.0	13.04	0.60	0.60	47	0.55
917643	Soil	1.50	2.28	25.21	119.3	737.5	361	72.7	17.5	1267	3.00	30.4	0.9	5.3	3.5	38.9	13.22	0.88	0.63	47	0.59
917644	Soil	1.73	2.18	30.08	51.30	633.6	283	81.7	16.3	813	2.99	18.0	1.1	7.2	4.1	30.0	12.60	0.77	0.42	51	0.39
917645	Soil	1.47	3.73	26.34	36.90	590.0	269	74.4	16.2	1177	2.90	14.9	1.0	1.4	3.4	31.9	10.80	0.84	0.39	46	0.40
917646	Soil	1.62	2.04	27.62	25.67	460.1	371	69.2	15.3	927	2.79	16.1	1.1	0.9	3.4	36.7	5.68	0.56	0.35	41	0.49
917647	Soil	1.92	1.86	34.84	26.99	310.1	203	79.2	16.6	902	2.84	16.1	1.2	2.8	4.1	38.9	2.51	0.65	0.35	41	0.41
917648	Soil	1.32	0.93	26.85	27.84	486.7	244	80.2	15.1	1554	2.64	13.0	1.1	1.7	3.3	71.6	7.62	0.61	0.34	38	0.80
917649	Soil	1.60	2.16	34.93	30.44	347.1	285	76.9	18.1	813	3.23	20.5	1.1	5.2	3.8	32.3	3.21	0.78	0.42	51	0.43
917650	Soil	1.61	2.28	34.85	55.79	656.5	455	76.1	18.0	1442	3.11	16.5	1.2	2.1	3.7	26.8	10.74	0.64	0.44	47	0.31
917901	Soil	1.42	1.54	33.04	72.62	444.2	359	71.7	17.4	1237	3.15	18.8	1.2	6.4	4.1	37.3	7.36	0.94	0.50	50	0.43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 7 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917911	Soil	0.209	13.1	49.8	0.60	224.6	0.114	4	3.08	0.016	0.12	0.4	4.2	0.18	<0.02	30	0.6	0.03	7.8	2.34	<0.1
917912	Soil	0.374	15.0	52.5	0.66	320.0	0.113	2	3.06	0.019	0.14	0.3	4.5	0.18	<0.02	38	0.4	0.03	7.9	2.08	<0.1
917913	Soil	0.221	12.5	49.5	0.65	219.9	0.115	3	3.15	0.012	0.12	0.3	4.0	0.19	<0.02	36	0.5	<0.02	7.8	2.21	<0.1
917914	Soil	0.363	8.5	29.3	0.36	289.0	0.103	4	3.51	0.023	0.11	0.4	2.8	0.20	<0.02	45	0.8	0.03	8.7	3.15	<0.1
917915	Soil	0.226	13.0	41.2	0.60	241.7	0.099	2	3.09	0.010	0.15	0.3	3.4	0.17	0.02	34	0.3	0.04	9.0	2.22	<0.1
917916	Soil	0.099	18.4	30.2	0.60	128.2	0.114	1	2.06	0.024	0.25	0.4	4.1	0.19	<0.02	18	0.2	0.04	5.9	1.99	<0.1
917917	Soil	0.276	9.6	30.5	0.44	197.4	0.134	2	3.53	0.012	0.10	0.4	3.2	0.18	<0.02	54	0.4	0.03	9.8	2.56	<0.1
917918	Soil	0.637	7.4	22.9	0.24	655.2	0.097	3	2.61	0.017	0.10	0.2	2.7	0.11	<0.02	31	0.3	<0.02	6.7	1.65	<0.1
917919	Soil	0.135	14.0	47.5	0.61	194.3	0.090	2	2.54	0.010	0.13	0.3	2.8	0.22	0.04	74	0.6	0.07	9.5	3.02	<0.1
917920	Soil	0.284	10.0	43.2	0.64	291.6	0.097	2	2.96	0.011	0.13	0.3	3.2	0.16	<0.02	33	0.3	0.02	8.0	2.12	<0.1
917921	Soil	0.258	9.3	41.2	0.60	290.1	0.096	2	2.83	0.011	0.13	0.2	3.1	0.15	<0.02	40	0.3	<0.02	7.8	2.04	<0.1
917922	Soil	0.240	7.6	26.8	0.37	191.6	0.111	1	3.29	0.011	0.07	0.3	2.7	0.14	<0.02	44	0.2	<0.02	8.1	1.82	<0.1
917923	Soil	0.236	7.9	35.4	0.51	238.3	0.101	2	2.69	0.007	0.10	0.5	2.6	0.18	<0.02	57	0.5	0.06	9.3	2.24	<0.1
917924	Soil	0.152	8.5	22.1	0.32	256.5	0.105	3	2.55	0.012	0.09	0.5	2.3	0.12	<0.02	31	0.3	<0.02	7.5	1.82	<0.1
917925	Soil	0.080	10.6	38.4	0.56	195.9	0.113	2	2.99	0.011	0.12	0.6	3.5	0.17	<0.02	43	0.3	0.04	8.4	2.36	<0.1
917926	Soil	0.127	10.2	41.6	0.60	188.1	0.086	2	2.56	0.008	0.15	0.5	2.9	0.21	0.03	46	0.3	0.05	8.2	2.54	<0.1
917638	Soil	0.390	15.9	44.8	0.52	373.9	0.101	3	2.94	0.014	0.19	0.3	4.2	0.20	<0.02	36	0.4	<0.02	8.0	2.15	<0.1
917639	Soil	0.359	13.2	37.7	0.48	309.4	0.095	2	2.97	0.013	0.16	0.5	3.7	0.17	<0.02	42	0.3	<0.02	7.6	1.96	<0.1
917640	Soil	0.270	15.1	39.9	0.52	270.6	0.110	3	3.16	0.014	0.17	0.8	4.3	0.17	<0.02	41	0.4	<0.02	8.0	1.99	<0.1
917641	Soil	0.289	12.1	36.9	0.47	276.6	0.085	2	2.85	0.012	0.12	0.7	3.4	0.14	<0.02	31	0.4	0.03	7.4	1.78	<0.1
917642	Soil	0.192	15.4	42.7	0.56	220.0	0.111	3	3.09	0.013	0.16	1.4	4.4	0.18	<0.02	28	0.4	<0.02	8.4	2.13	<0.1
917643	Soil	0.102	13.7	40.7	0.54	221.8	0.112	4	3.01	0.013	0.17	0.8	4.1	0.18	<0.02	33	0.3	0.04	8.5	2.47	<0.1
917644	Soil	0.104	15.5	44.9	0.58	210.0	0.123	3	3.18	0.015	0.16	0.6	4.6	0.19	<0.02	26	0.3	0.02	8.3	2.32	<0.1
917645	Soil	0.181	15.1	42.2	0.52	232.0	0.112	3	3.07	0.015	0.16	0.7	4.2	0.18	<0.02	29	0.3	0.04	8.1	2.17	<0.1
917646	Soil	0.300	15.3	40.4	0.50	236.7	0.106	3	3.06	0.015	0.17	0.6	4.5	0.16	<0.02	31	0.5	0.02	7.9	2.13	<0.1
917647	Soil	0.262	17.5	39.4	0.52	234.1	0.125	3	3.29	0.016	0.21	0.3	4.7	0.19	<0.02	28	0.4	<0.02	8.2	2.24	<0.1
917648	Soil	0.463	15.0	37.8	0.49	363.8	0.100	5	2.91	0.016	0.20	0.4	4.2	0.19	0.02	31	0.4	<0.02	6.9	2.08	<0.1
917649	Soil	0.185	14.6	48.8	0.66	218.8	0.109	3	3.02	0.014	0.18	0.7	4.8	0.17	<0.02	29	0.5	0.03	7.7	2.08	<0.1
917650	Soil	0.143	17.5	44.1	0.58	217.7	0.118	2	3.29	0.015	0.17	0.6	4.9	0.20	<0.02	23	0.4	<0.02	8.1	2.39	<0.1
917901	Soil	0.115	17.1	46.0	0.58	237.4	0.127	3	3.39	0.015	0.15	0.7	5.0	0.20	<0.02	33	0.5	0.03	8.6	2.39	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 7 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917911	Soil	0.18	2.05	28.0	0.7	<0.05	9.4	9.09	31.2	0.04	<1	0.7	20.2	<10	<2
917912	Soil	0.16	2.41	28.3	0.7	<0.05	11.3	8.48	36.1	0.05	<1	0.7	17.4	<10	<2
917913	Soil	0.19	1.80	26.3	0.7	<0.05	10.9	7.19	32.7	0.04	<1	0.9	18.7	<10	<2
917914	Soil	0.18	1.80	24.7	0.8	<0.05	8.2	7.53	23.3	0.07	<1	0.9	19.7	<10	<2
917915	Soil	0.07	1.87	28.7	0.7	<0.05	5.3	5.73	31.8	0.06	<1	1.2	22.7	<10	<2
917916	Soil	0.28	0.47	33.0	0.5	<0.05	15.7	8.77	32.9	0.03	<1	0.4	17.5	<10	<2
917917	Soil	0.16	2.24	23.4	1.0	<0.05	11.9	4.85	24.1	0.04	<1	0.9	20.0	<10	<2
917918	Soil	0.13	1.06	15.6	0.8	<0.05	6.8	4.00	20.3	0.04	<1	0.7	11.7	<10	<2
917919	Soil	0.02	1.89	27.9	1.2	<0.05	1.5	7.62	28.0	0.17	<1	0.9	24.0	<10	<2
917920	Soil	0.05	1.49	26.7	0.7	<0.05	3.7	4.04	25.7	0.04	<1	0.6	20.8	<10	<2
917921	Soil	0.06	1.45	26.7	0.7	<0.05	3.3	3.87	25.3	0.03	<1	0.7	19.2	<10	<2
917922	Soil	0.18	2.02	17.2	0.9	<0.05	11.2	4.29	28.4	0.05	<1	0.8	16.5	<10	<2
917923	Soil	0.08	2.09	23.3	1.0	<0.05	5.1	3.35	19.8	0.12	<1	0.7	18.4	<10	<2
917924	Soil	0.12	1.96	21.6	0.8	<0.05	7.8	4.31	26.8	0.04	<1	0.7	15.0	<10	<2
917925	Soil	0.20	2.06	27.2	0.9	<0.05	12.3	5.71	30.9	0.09	<1	0.9	19.7	<10	<2
917926	Soil	0.05	1.95	31.9	0.8	<0.05	2.6	4.70	25.8	0.09	<1	1.0	21.0	<10	<2
917638	Soil	0.10	1.75	27.7	0.8	<0.05	7.3	8.99	36.0	0.04	<1	1.0	22.6	<10	<2
917639	Soil	0.15	1.70	20.9	0.7	<0.05	9.3	7.86	32.0	0.03	<1	0.9	19.4	<10	<2
917640	Soil	0.17	1.73	22.6	0.8	<0.05	11.7	9.66	35.0	0.04	<1	1.0	20.5	<10	<2
917641	Soil	0.09	1.54	21.2	0.7	<0.05	6.5	7.20	29.1	0.04	<1	0.7	18.9	<10	<2
917642	Soil	0.20	2.07	26.7	0.8	<0.05	12.0	9.06	37.5	0.05	<1	1.0	21.5	<10	<2
917643	Soil	0.14	2.27	25.9	0.8	<0.05	8.9	8.24	36.5	0.07	<1	1.1	21.9	<10	<2
917644	Soil	0.22	1.99	26.2	0.8	<0.05	14.5	9.40	38.0	0.05	<1	0.8	21.3	<10	<2
917645	Soil	0.18	2.04	25.8	0.7	<0.05	11.1	8.79	35.8	0.05	<1	0.9	20.5	<10	<2
917646	Soil	0.19	1.71	25.5	0.7	<0.05	11.5	9.53	34.5	0.04	<1	0.9	19.4	<10	<2
917647	Soil	0.24	1.87	32.3	0.9	<0.05	14.1	10.76	40.7	0.04	<1	0.8	23.6	<10	<2
917648	Soil	0.13	1.73	26.9	0.8	<0.05	9.4	9.41	32.8	0.04	<1	1.0	23.3	<10	<2
917649	Soil	0.13	1.80	25.1	0.7	<0.05	9.1	8.47	35.0	0.05	<1	1.0	21.6	<10	<2
917650	Soil	0.16	2.07	28.1	0.7	<0.05	10.6	10.80	38.7	0.05	<1	0.8	21.2	<10	<2
917901	Soil	0.19	2.20	28.5	0.8	<0.05	12.9	11.51	38.1	0.06	<1	0.9	23.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 8 of 8 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
917902	Soil	1.42	1.59	33.44	72.72	451.9	353	72.2	17.6	1284	3.16	18.8	1.2	7.9	4.1	38.3	7.79	0.93	0.50	51	0.46
917903	Soil	1.56	1.65	32.27	83.26	479.2	490	67.1	16.7	1277	3.06	19.3	1.1	1.9	4.2	39.3	6.61	0.80	0.51	48	0.46
917904	Soil	2.49	0.73	38.86	18.69	93.0	100	27.2	11.2	335	2.78	7.0	1.3	4.5	6.2	35.4	0.33	0.32	0.27	53	0.28
917618	Soil	1.74	1.94	30.48	56.78	130.1	118	41.8	17.5	1057	3.46	21.8	2.0	8.1	8.9	38.9	1.02	0.97	1.25	40	0.32
917619	Soil	1.56	1.49	35.82	42.72	138.5	149	51.3	18.5	1036	3.34	19.2	1.9	6.1	7.8	58.3	1.18	0.84	1.11	44	0.48
917620	Soil	1.81	1.08	37.36	73.57	168.8	137	59.8	18.2	1213	3.19	19.6	1.7	4.6	6.9	58.6	1.88	1.25	0.98	46	0.46
917621	Soil	1.79	2.43	28.25	155.5	269.2	376	47.9	14.3	1822	2.93	29.7	2.4	10.9	7.0	54.8	3.67	1.71	1.95	39	0.42
917622	Soil	1.89	2.25	34.50	208.7	275.9	416	43.1	15.7	1650	3.32	36.9	4.4	14.9	10.4	38.2	2.95	0.80	3.95	44	0.26
917623	Soil	1.93	1.64	44.62	73.30	213.5	282	93.1	20.3	1674	3.40	23.6	2.5	18.4	6.1	61.6	2.38	0.74	3.26	47	0.58
917624	Soil	1.71	0.70	43.63	33.53	139.9	106	97.1	22.5	1167	3.38	15.7	1.0	2.9	4.6	49.9	1.37	0.87	0.52	48	0.54
917625	Soil	1.76	0.74	54.10	29.64	126.4	194	105.3	22.9	1196	3.57	20.1	1.3	2.3	3.2	47.5	0.97	1.01	0.41	55	0.59
917626	Soil	2.14	0.91	47.34	26.24	134.8	109	64.7	18.7	1292	3.27	15.8	1.2	2.1	4.3	49.0	0.80	0.91	0.54	48	0.55
917627	Soil	1.94	0.91	46.08	27.20	145.3	109	65.9	20.4	1466	3.37	16.3	1.2	1.2	4.3	49.7	0.87	0.91	0.57	48	0.58
917628	Soil	2.08	0.69	41.91	35.57	126.7	139	41.7	17.2	1550	2.86	13.6	0.9	2.8	3.8	62.6	0.92	0.87	0.50	36	0.70
917629	Soil	1.66	0.75	40.93	56.02	157.6	61	47.3	19.3	1685	3.06	13.7	1.0	2.8	5.5	59.8	1.18	0.88	0.61	39	0.66
917630	Soil	1.99	0.64	47.65	39.10	139.6	77	48.2	20.5	1680	3.18	13.0	1.1	1.4	4.8	54.2	0.83	0.88	0.46	41	0.67
917631	Soil	1.98	0.73	96.07	36.87	203.9	109	72.1	41.5	3130	3.85	15.0	1.4	1.4	5.3	118.7	1.16	0.96	0.64	29	1.76
917632	Soil	2.03	0.62	60.25	27.81	142.1	94	64.2	24.9	1922	3.77	11.9	1.2	2.2	5.0	85.1	0.90	0.64	0.46	44	1.00
917633	Soil	2.08	0.74	52.73	33.31	149.3	114	60.4	22.2	1750	3.72	12.2	1.2	3.1	5.0	61.1	0.73	0.67	0.46	43	0.65
917634	Soil	1.40	0.79	38.55	37.45	179.9	109	51.5	19.7	1459	3.02	12.7	1.4	1.3	4.3	77.5	1.48	0.70	0.49	36	1.01
917635	Soil	1.69	1.01	35.67	65.54	261.1	114	35.1	18.9	2651	2.63	11.7	0.9	1.7	1.5	109.0	2.75	0.93	0.57	29	1.09



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: September 09, 2008

Page: 8 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917902	Soil	0.122	17.2	45.7	0.59	246.6	0.129	2	3.41	0.015	0.16	0.7	5.2	0.21	<0.02	37	0.4	0.02	8.6	2.39	<0.1
917903	Soil	0.114	17.0	42.3	0.57	211.8	0.118	3	3.29	0.013	0.17	0.7	4.9	0.19	<0.02	34	0.5	<0.02	8.2	2.31	<0.1
917904	Soil	0.078	17.0	34.9	0.62	108.3	0.103	1	1.62	0.018	0.27	0.3	4.0	0.19	<0.02	12	0.3	0.03	5.1	1.97	<0.1
917618	Soil	0.064	23.5	37.6	0.53	152.7	0.094	2	2.40	0.007	0.34	2.5	4.0	0.29	<0.02	23	0.4	0.08	7.0	2.75	<0.1
917619	Soil	0.078	21.4	41.3	0.55	204.6	0.108	3	2.85	0.009	0.31	2.2	5.0	0.24	<0.02	28	0.4	0.08	7.6	2.35	<0.1
917620	Soil	0.188	20.6	45.4	0.63	239.6	0.103	4	2.96	0.009	0.30	2.0	5.2	0.22	<0.02	35	0.4	0.05	7.7	2.09	<0.1
917621	Soil	0.192	19.4	34.1	0.52	278.0	0.096	3	3.08	0.010	0.16	1.6	3.6	0.21	0.02	47	0.4	0.07	8.5	2.19	<0.1
917622	Soil	0.101	24.6	38.3	0.57	252.0	0.114	2	3.64	0.008	0.24	3.8	5.2	0.24	<0.02	24	0.4	0.13	9.6	2.54	<0.1
917623	Soil	0.158	22.4	49.5	0.67	241.1	0.106	3	3.35	0.010	0.33	3.4	5.4	0.21	<0.02	19	0.4	0.11	9.0	2.65	<0.1
917624	Soil	0.194	17.4	64.8	0.79	255.5	0.093	2	2.55	0.011	0.37	0.9	5.5	0.19	<0.02	24	0.3	0.02	6.8	2.08	<0.1
917625	Soil	0.175	15.5	60.4	0.87	225.2	0.087	3	2.70	0.012	0.33	0.5	5.6	0.17	<0.02	24	0.4	0.04	7.0	2.12	<0.1
917626	Soil	0.133	17.1	43.1	0.65	238.7	0.096	3	3.27	0.019	0.32	0.6	5.2	0.19	<0.02	28	0.5	0.05	8.4	2.23	<0.1
917627	Soil	0.154	17.6	44.4	0.67	265.2	0.098	4	3.35	0.020	0.34	0.6	5.3	0.19	<0.02	26	0.4	0.04	8.9	2.30	<0.1
917628	Soil	0.163	13.6	31.8	0.52	226.8	0.073	4	2.79	0.018	0.32	0.5	4.0	0.16	<0.02	32	0.3	0.05	7.6	1.96	<0.1
917629	Soil	0.116	16.0	34.3	0.55	256.7	0.091	4	3.38	0.021	0.37	0.6	4.7	0.23	<0.02	37	0.3	0.04	9.3	2.50	<0.1
917630	Soil	0.107	17.3	38.5	0.62	221.3	0.093	5	3.28	0.016	0.37	0.4	4.8	0.22	0.02	28	0.4	0.04	8.7	2.63	<0.1
917631	Soil	0.314	13.2	26.1	0.54	176.6	0.075	5	3.83	0.054	0.20	0.5	4.2	0.31	0.04	54	0.8	0.09	9.2	3.27	<0.1
917632	Soil	0.282	19.9	43.1	0.88	276.7	0.103	4	3.78	0.040	0.44	0.3	5.3	0.30	0.03	29	0.4	0.05	9.8	3.56	0.1
917633	Soil	0.235	19.4	44.8	0.73	269.3	0.092	3	3.21	0.015	0.41	0.2	5.1	0.20	<0.02	31	0.4	0.05	8.9	2.86	<0.1
917634	Soil	0.255	16.3	38.9	0.61	315.7	0.096	5	2.75	0.010	0.33	0.2	4.3	0.19	0.02	28	0.4	0.04	7.6	2.13	<0.1
917635	Soil	0.347	10.6	23.3	0.41	549.6	0.079	5	2.24	0.008	0.19	0.2	2.3	0.16	0.05	56	0.4	0.06	7.5	1.96	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: September 09, 2008

Page: 8 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08008427.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917902	Soil	0.18	2.28	29.1	0.9	<0.05	12.7	11.49	37.5	0.06	<1	1.1	23.7	<10	<2
917903	Soil	0.19	2.09	27.6	0.8	<0.05	11.8	11.57	37.3	0.05	<1	1.3	23.7	<10	<2
917904	Soil	0.21	0.35	35.5	0.5	<0.05	12.2	8.08	29.5	0.03	<1	0.5	16.8	<10	<2
917618	Soil	0.06	2.06	41.9	0.7	<0.05	4.2	7.17	41.5	0.07	<1	1.0	24.4	<10	<2
917619	Soil	0.18	2.13	37.8	0.7	<0.05	11.1	8.99	39.5	0.05	<1	1.1	26.0	<10	<2
917620	Soil	0.13	2.01	32.4	0.7	<0.05	7.8	9.32	37.9	0.09	<1	1.2	25.9	<10	<2
917621	Soil	0.09	2.98	24.4	0.8	<0.05	5.8	8.83	39.5	0.06	<1	1.1	25.4	<10	<2
917622	Soil	0.15	2.53	34.3	0.9	<0.05	9.6	12.99	51.0	0.06	<1	1.6	30.8	<10	<2
917623	Soil	0.12	2.62	40.9	0.7	<0.05	7.7	11.71	39.2	0.05	<1	1.7	30.9	<10	<2
917624	Soil	0.08	1.86	31.7	0.5	<0.05	5.2	8.79	32.2	0.04	<1	0.6	22.6	<10	<2
917625	Soil	0.05	1.72	29.6	0.5	<0.05	3.1	9.06	29.3	0.05	<1	0.8	22.8	<10	<2
917626	Soil	0.09	1.86	40.1	0.6	<0.05	5.3	10.25	31.6	0.03	<1	0.9	28.9	<10	<2
917627	Soil	0.08	2.03	41.1	0.7	<0.05	4.9	10.43	33.8	0.04	<1	1.0	31.0	<10	<2
917628	Soil	0.11	1.79	36.2	0.6	<0.05	6.2	9.03	25.2	0.05	<1	1.0	26.4	<10	<2
917629	Soil	0.24	2.34	42.8	0.8	<0.05	13.1	10.87	31.1	0.10	<1	0.9	33.2	<10	<2
917630	Soil	0.16	2.24	44.5	0.7	<0.05	9.5	10.76	32.5	0.06	<1	1.0	33.9	<10	<2
917631	Soil	0.14	1.70	34.3	0.6	<0.05	7.7	15.46	27.1	0.07	<1	1.0	57.2	<10	<2
917632	Soil	0.14	3.61	65.2	0.7	<0.05	7.9	12.68	35.9	0.05	<1	1.0	49.8	<10	<2
917633	Soil	0.12	2.52	45.4	0.6	<0.05	7.2	10.61	34.8	0.05	<1	1.0	31.2	<10	<2
917634	Soil	0.18	2.76	29.7	0.7	<0.05	9.4	7.28	33.5	0.06	<1	0.8	30.7	<10	<2
917635	Soil	0.06	2.12	21.1	0.9	<0.05	3.9	4.89	23.9	0.13	<1	0.8	21.8	<10	<2

QUALITY CONTROL REPORT

VAN08008427.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
917866	Soil	5.00	0.89	64.85	12.94	56.0	83	36.1	17.7	828	3.21	12.2	2.3	14.1	9.5	46.6	0.13	0.59	0.18	75	0.39
REP 917866	QC		0.98	65.64	12.88	56.4	78	37.7	17.6	847	3.27	12.5	2.3	14.0	9.1	48.8	0.13	0.63	0.19	75	0.38
917749	Soil	1.21	1.08	27.95	22.55	266.8	716	99.0	15.7	563	3.47	13.7	1.2	2.4	4.3	28.1	1.87	1.11	0.31	47	0.33
REP 917749	QC		1.09	28.49	23.15	269.0	756	101.8	16.2	594	3.52	13.6	1.3	2.9	4.4	30.1	2.01	1.14	0.31	49	0.36
917821	Soil	1.65	1.04	42.54	95.04	254.8	246	58.5	29.4	2608	3.98	21.2	0.9	2.6	3.3	54.5	2.47	1.62	0.67	53	0.43
REP 917821	QC		1.15	44.18	97.90	261.6	252	62.6	32.8	2782	4.17	22.5	1.0	<0.2	3.6	58.2	2.60	1.77	0.69	56	0.45
917838	Soil	2.61	0.76	35.67	17.42	97.6	115	29.0	10.7	350	2.79	6.6	1.3	5.2	6.5	36.7	0.25	0.26	0.23	57	0.34
REP 917838	QC		0.77	36.32	17.53	98.4	122	29.6	11.2	366	2.88	6.5	1.3	3.9	6.5	36.1	0.29	0.28	0.23	59	0.34
917946	Soil	1.33	0.99	30.82	73.58	223.7	302	75.1	16.4	783	3.36	17.7	1.1	3.9	4.1	22.9	1.05	0.77	0.33	64	0.23
REP 917946	QC		0.96	29.89	72.58	219.5	316	71.2	15.7	767	3.26	17.9	1.0	2.5	3.9	22.5	1.03	0.70	0.32	63	0.23
918449	Soil	2.02	1.48	52.53	78.68	189.1	282	66.8	18.0	776	3.77	33.5	10.7	11.7	7.4	34.1	0.69	0.84	0.31	63	0.36
REP 918449	QC		1.49	51.89	80.15	186.3	291	68.2	18.1	765	3.71	33.0	11.1	16.4	7.7	35.2	0.70	0.86	0.32	63	0.38
918978	Soil	1.29	0.68	46.14	20.20	122.2	235	102.7	20.5	671	4.05	22.6	1.2	2.7	4.4	38.1	0.38	0.88	0.27	69	0.32
REP 918978	QC		0.69	44.50	19.36	121.9	229	98.4	19.8	639	3.99	22.4	1.2	2.6	4.2	39.0	0.39	0.81	0.27	67	0.32
918983	Soil	1.28	0.51	29.49	25.30	144.2	268	80.4	16.0	1211	3.15	14.5	0.9	1.9	3.2	51.6	0.82	0.46	0.25	48	0.46
REP 918983	QC		0.51	28.89	24.79	137.5	254	80.2	15.4	1210	3.03	14.2	0.9	1.2	3.1	49.9	0.76	0.44	0.25	47	0.44
917911	Soil	1.75	0.67	22.66	43.92	214.4	197	73.5	14.8	892	2.86	9.9	1.3	1.9	3.4	36.7	3.82	0.98	0.30	50	0.54
REP 917911	QC		0.67	23.05	44.33	209.2	192	75.5	15.0	879	2.85	9.5	1.3	1.4	3.5	35.6	3.75	0.98	0.30	52	0.54
917918	Soil	1.43	0.57	18.12	15.18	204.4	189	41.2	8.1	1290	1.93	11.1	0.6	3.2	2.2	41.4	1.40	0.40	0.26	24	0.25
REP 917918	QC		0.50	16.40	14.02	184.0	171	36.9	7.0	1167	1.71	9.9	0.6	1.2	2.1	37.0	1.30	0.34	0.22	22	0.22
917650	Soil	1.61	2.28	34.85	55.79	656.5	455	76.1	18.0	1442	3.11	16.5	1.2	2.1	3.7	26.8	10.74	0.64	0.44	47	0.31
REP 917650	QC		2.26	33.40	55.47	635.8	459	73.4	17.6	1443	3.06	16.2	1.2	2.0	3.6	26.1	11.07	0.62	0.45	48	0.30
917903	Soil	1.56	1.65	32.27	83.26	479.2	490	67.1	16.7	1277	3.06	19.3	1.1	1.9	4.2	39.3	6.61	0.80	0.51	48	0.46
REP 917903	QC		1.69	33.41	85.21	486.6	496	69.7	17.5	1209	3.05	19.3	1.2	3.3	4.4	41.2	6.90	0.85	0.53	50	0.48
Reference Materials																					
STD DS7	Standard		19.17	105.2	66.82	395.9	833	54.2	9.0	610	2.31	53.6	4.6	68.4	4.4	73.4	6.40	5.97	4.37	83	0.98
STD DS7	Standard		20.44	109.6	68.29	390.1	840	53.6	9.3	652	2.46	52.1	4.7	69.1	4.2	68.0	6.22	5.72	4.41	86	0.94
STD DS7	Standard		19.78	108.5	66.95	409.5	864	53.9	8.7	610	2.43	53.2	4.6	72.9	4.1	72.6	6.24	5.83	4.35	83	0.98

QUALITY CONTROL REPORT

VAN08008427.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
917866	Soil	0.085	25.2	56.0	0.83	123.7	0.108	1	1.93	0.015	0.17	0.3	6.7	0.12	<0.02	12	0.3	0.04	5.6	1.77	<0.1
REP 917866	QC	0.090	25.2	57.5	0.85	128.5	0.106	2	2.05	0.016	0.17	0.3	6.9	0.12	<0.02	17	0.4	0.03	5.7	1.83	<0.1
917749	Soil	0.159	10.4	55.8	0.65	214.7	0.114	3	3.95	0.015	0.14	0.4	3.8	0.18	<0.02	39	1.2	0.05	10.2	2.91	<0.1
REP 917749	QC	0.166	11.1	59.8	0.67	221.2	0.116	4	4.04	0.016	0.15	0.4	3.8	0.18	<0.02	55	1.3	0.04	10.1	3.04	<0.1
917821	Soil	0.292	16.2	45.9	0.74	375.5	0.114	2	3.10	0.016	0.22	0.3	3.9	0.22	0.04	84	0.5	0.06	10.4	2.72	<0.1
REP 917821	QC	0.313	18.2	49.5	0.79	395.6	0.125	3	3.33	0.019	0.23	0.3	4.2	0.25	0.04	87	0.6	0.08	10.7	2.95	0.1
917838	Soil	0.078	19.8	35.0	0.63	102.3	0.120	1	1.82	0.025	0.26	0.3	4.0	0.20	<0.02	13	0.2	0.04	5.6	1.80	0.1
REP 917838	QC	0.077	19.9	36.7	0.64	105.7	0.118	1	1.86	0.026	0.26	0.3	3.8	0.20	<0.02	14	<0.1	0.03	5.9	1.85	<0.1
917946	Soil	0.260	16.3	53.6	0.67	273.5	0.155	4	3.19	0.020	0.13	0.3	4.0	0.17	<0.02	40	0.5	0.04	9.7	2.43	<0.1
REP 917946	QC	0.252	15.5	50.8	0.64	269.6	0.149	2	3.10	0.017	0.13	0.3	4.0	0.17	<0.02	40	0.5	0.03	9.3	2.36	<0.1
918449	Soil	0.133	30.2	66.8	1.16	172.5	0.089	1	2.51	0.009	0.16	0.5	6.0	0.15	<0.02	44	0.7	0.05	6.7	3.01	0.1
REP 918449	QC	0.126	31.5	67.0	1.15	179.5	0.090	2	2.53	0.010	0.17	0.5	5.7	0.16	<0.02	47	0.9	0.06	6.7	3.13	0.1
918978	Soil	0.149	17.2	71.0	1.03	200.4	0.127	2	3.86	0.014	0.25	0.3	6.1	0.19	<0.02	33	0.6	0.04	9.9	2.17	<0.1
REP 918978	QC	0.147	16.6	70.3	1.01	195.7	0.124	1	3.88	0.014	0.25	0.3	6.2	0.17	<0.02	28	0.6	0.05	9.3	2.12	<0.1
918983	Soil	0.298	19.0	58.3	0.74	356.9	0.113	2	3.24	0.019	0.26	0.2	4.7	0.20	<0.02	26	0.5	0.03	8.8	2.26	<0.1
REP 918983	QC	0.299	16.7	54.7	0.72	337.7	0.104	2	3.16	0.016	0.24	0.2	4.3	0.18	<0.02	21	0.5	0.02	8.3	2.12	<0.1
917911	Soil	0.209	13.1	49.8	0.60	224.6	0.114	4	3.08	0.016	0.12	0.4	4.2	0.18	<0.02	30	0.6	0.03	7.8	2.34	<0.1
REP 917911	QC	0.207	13.0	48.1	0.61	224.7	0.111	4	3.08	0.016	0.12	0.4	4.1	0.19	<0.02	29	0.6	<0.02	7.9	2.31	<0.1
917918	Soil	0.637	7.4	22.9	0.24	655.2	0.097	3	2.61	0.017	0.10	0.2	2.7	0.11	<0.02	31	0.3	<0.02	6.7	1.65	<0.1
REP 917918	QC	0.572	6.7	20.7	0.21	586.5	0.088	2	2.37	0.015	0.08	0.2	2.5	0.10	<0.02	24	0.3	<0.02	6.0	1.51	<0.1
917650	Soil	0.143	17.5	44.1	0.58	217.7	0.118	2	3.29	0.015	0.17	0.6	4.9	0.20	<0.02	23	0.4	<0.02	8.1	2.39	<0.1
REP 917650	QC	0.144	16.6	45.4	0.56	211.0	0.114	2	3.24	0.015	0.17	0.6	4.7	0.20	<0.02	31	0.4	0.02	8.1	2.30	<0.1
917903	Soil	0.114	17.0	42.3	0.57	211.8	0.118	3	3.29	0.013	0.17	0.7	4.9	0.19	<0.02	34	0.5	<0.02	8.2	2.31	<0.1
REP 917903	QC	0.120	17.8	43.9	0.58	217.4	0.124	4	3.27	0.014	0.17	0.6	5.2	0.20	<0.02	35	0.5	0.02	8.6	2.38	<0.1
Reference Materials																					
STD DS7	Standard	0.075	13.2	161.2	1.03	353.9	0.116	38	0.98	0.082	0.43	4.0	2.4	4.08	0.19	199	3.7	1.14	5.0	5.86	0.1
STD DS7	Standard	0.077	12.2	161.0	1.07	409.5	0.125	37	1.00	0.082	0.49	4.0	2.7	4.20	0.20	212	3.7	1.20	4.9	6.13	0.1
STD DS7	Standard	0.073	12.6	163.6	1.06	384.6	0.117	34	0.95	0.080	0.43	4.0	2.6	4.22	0.20	201	3.6	1.17	4.6	6.04	0.1

QUALITY CONTROL REPORT

VAN08008427.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
917866	Soil	0.05	0.73	15.7	0.4	<0.05	2.9	9.84	45.7	<0.02	<1	0.6	14.8	<10	<2
REP 917866	QC	0.05	0.70	16.6	0.4	<0.05	3.1	10.03	46.6	<0.02	<1	0.6	15.7	<10	<2
917749	Soil	0.17	2.06	20.3	0.7	<0.05	9.4	8.08	31.6	0.03	1	0.9	33.2	12	<2
REP 917749	QC	0.15	2.12	21.3	0.7	<0.05	9.8	8.40	33.7	0.04	1	1.3	35.9	<10	<2
917821	Soil	0.13	4.78	32.3	1.1	<0.05	7.1	5.05	38.0	0.18	<1	1.6	30.1	<10	<2
REP 917821	QC	0.09	5.11	32.7	1.2	<0.05	6.9	5.39	43.1	0.18	<1	1.5	35.2	<10	<2
917838	Soil	0.22	0.50	34.0	0.4	<0.05	13.4	8.41	37.8	0.02	<1	0.5	17.4	12	<2
REP 917838	QC	0.22	0.51	33.7	0.4	<0.05	13.6	8.45	37.5	0.02	<1	0.5	17.2	15	<2
917946	Soil	0.13	2.76	24.3	0.9	<0.05	8.8	6.60	35.6	0.08	<1	1.0	20.0	12	<2
REP 917946	QC	0.14	2.38	24.1	0.8	<0.05	8.9	6.51	34.2	0.09	<1	1.0	19.2	<10	<2
918449	Soil	0.04	1.35	23.6	0.4	<0.05	2.8	14.35	50.5	0.04	<1	1.1	25.9	<10	3
REP 918449	QC	0.04	1.42	23.7	0.4	<0.05	2.9	15.11	53.1	0.05	2	0.9	25.9	<10	3
918978	Soil	0.17	1.21	25.7	0.7	<0.05	14.1	10.64	45.4	0.03	<1	0.7	24.2	<10	<2
REP 918978	QC	0.20	1.19	26.7	0.7	<0.05	14.2	10.89	42.9	0.04	<1	0.8	24.2	<10	2
918983	Soil	0.08	1.95	25.3	0.8	<0.05	6.9	8.92	46.5	0.04	<1	0.9	24.4	<10	<2
REP 918983	QC	0.11	1.88	24.4	0.7	<0.05	7.4	8.25	39.6	0.04	<1	0.8	22.1	<10	<2
917911	Soil	0.18	2.05	28.0	0.7	<0.05	9.4	9.09	31.2	0.04	<1	0.7	20.2	<10	<2
REP 917911	QC	0.17	1.98	26.6	0.7	<0.05	9.2	8.98	30.8	0.04	<1	0.8	19.8	<10	<2
917918	Soil	0.13	1.06	15.6	0.8	<0.05	6.8	4.00	20.3	0.04	<1	0.7	11.7	<10	<2
REP 917918	QC	0.13	0.88	13.6	0.7	<0.05	6.2	3.67	18.3	0.03	<1	0.7	10.0	<10	<2
917650	Soil	0.16	2.07	28.1	0.7	<0.05	10.6	10.80	38.7	0.05	<1	0.8	21.2	<10	<2
REP 917650	QC	0.17	2.01	27.8	0.8	<0.05	11.4	10.59	37.5	0.05	<1	0.9	20.2	<10	<2
917903	Soil	0.19	2.09	27.6	0.8	<0.05	11.8	11.57	37.3	0.05	<1	1.3	23.7	<10	<2
REP 917903	QC	0.17	2.19	28.1	0.8	<0.05	11.5	11.77	38.2	0.06	<1	0.9	24.5	<10	<2
Reference Materials															
STD DS7	Standard	0.13	0.82	33.8	4.8	<0.05	5.5	5.73	36.8	1.56	4	1.5	27.0	78	37
STD DS7	Standard	0.10	0.58	38.0	4.6	<0.05	5.4	5.04	36.6	1.55	4	1.9	30.5	86	40
STD DS7	Standard	0.11	0.69	36.3	4.8	<0.05	5.3	5.37	38.1	1.66	3	1.6	27.0	86	40

QUALITY CONTROL REPORT

VAN08008427.1

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
STD DS7	Standard	18.98	109.5	68.62	398.1	830	52.7	9.3	595	2.29	52.8	4.9	65.1	4.3	65.4	6.69	5.91	4.63	80	0.92	
STD DS7	Standard	19.66	115.5	69.66	408.6	841	54.4	9.9	596	2.33	56.0	5.0	60.6	4.3	65.1	7.11	6.13	4.80	81	0.93	
STD DS7	Standard	20.54	104.8	71.22	389.2	800	55.1	9.2	605	2.35	47.2	4.7	64.2	4.3	65.0	5.81	5.21	4.12	83	0.93	
STD DS7	Standard	18.96	108.2	66.35	384.7	769	53.7	8.9	613	2.32	44.6	4.4	69.6	4.2	68.2	5.44	4.83	3.84	86	0.92	
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	5	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	

QUALITY CONTROL REPORT

VAN08008427.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
STD DS7	Standard	0.081	12.7	143.0	1.02	347.2	0.114	40	0.90	0.075	0.42	4.1	2.6	4.13	0.18	191	3.5	1.13	4.7	6.30	<0.1
STD DS7	Standard	0.086	12.7	147.7	1.04	338.4	0.115	41	0.94	0.077	0.46	3.8	2.7	4.32	0.19	200	3.7	1.23	4.8	6.51	0.1
STD DS7	Standard	0.076	12.5	168.1	1.02	363.8	0.119	34	0.97	0.079	0.43	3.9	2.4	4.23	0.19	199	3.7	1.06	4.4	5.87	<0.1
STD DS7	Standard	0.070	13.0	171.4	1.01	348.2	0.129	39	1.00	0.082	0.44	3.7	2.5	3.96	0.18	182	3.4	1.05	4.9	5.50	0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08008427.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
STD DS7	Standard	0.12	0.59	36.5	4.9	<0.05	5.5	5.36	33.9	1.64	4	1.7	28.7	43	37
STD DS7	Standard	0.11	0.62	37.4	5.2	<0.05	5.6	5.26	34.5	1.81	3	1.3	29.3	53	38
STD DS7	Standard	0.11	0.58	33.8	4.4	<0.05	5.4	5.13	35.8	1.47	4	1.4	25.0	94	36
STD DS7	Standard	0.12	0.67	36.3	4.0	<0.05	5.4	5.54	35.7	1.38	3	1.5	28.7	76	37
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
Receiving Lab: Canada-Vancouver
Received: August 27, 2008
Report Date: May 04, 2009
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN08008715.3

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 007
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	126	Crush, split and pulverize rock to 200 mesh		
1F30	126	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
7KP	2	Phosphoric acid leach, ICP-ES analysis	0.5	Completed
G6	3	Fire Assay fusion Au by ICP-ES	30	Completed
7AR	1	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed

ADDITIONAL COMMENTS

Version 3 : G6-Au & G7AR included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method Analyte	Unit	MDL	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
			0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
918051	Rock		1.25	0.91	34.12	6.64	86.8	84	30.0	13.9	1143	5.18	20.4	0.2	0.6	0.7	185.6	0.22	1.98	0.07	56	3.96
918052	Rock		0.93	1.17	44.05	20.59	29.9	75	10.7	3.8	179	3.00	4.8	1.0	6.2	5.3	5.9	0.04	0.30	0.24	7	0.03
918053	Rock		0.77	0.73	32.57	8.67	65.7	10	21.9	7.5	426	3.56	1.6	1.1	2.5	7.4	7.7	0.08	0.19	0.21	14	0.06
918054	Rock		1.07	0.99	4.82	7.95	9.4	29	4.5	1.1	266	0.64	12.8	2.0	3.1	14.4	4.5	0.07	0.10	0.04	<2	0.03
918055	Rock		1.04	1.93	7.69	8.22	16.0	51	4.8	1.0	324	0.81	6.0	2.4	1.5	3.5	2.6	0.14	0.29	0.04	<2	0.02
918056	Rock		1.38	0.80	5.68	28.81	26.3	88	8.1	1.5	553	0.78	3.1	<0.1	1.0	0.5	13.6	0.07	0.66	0.31	<2	0.29
918058	Rock		1.47	0.31	18.76	8.72	78.9	74	23.8	12.5	859	3.61	7.9	0.1	2.5	0.6	154.8	0.12	0.11	0.08	50	3.13
918060	Rock		0.93	1.19	8.66	5.37	11.6	27	3.6	0.7	191	0.55	1.5	2.2	2.5	9.5	3.8	0.02	0.04	0.07	<2	0.05
918061	Rock		1.83	11.84	496.6	4.25	42.3	1054	46.9	36.3	775	15.98	0.9	2.3	2190	8.3	121.0	0.06	0.18	144.8	30	0.89
918063	Rock		0.71	3.37	7.76	4.29	14.9	16	4.0	0.8	418	0.77	0.6	4.1	12.0	8.1	3.1	0.04	0.07	1.07	<2	0.03
918064	Rock		1.66	0.20	15.04	7.36	34.5	20	1931	113.4	487	3.19	18.7	0.5	5.2	<0.1	3.2	0.28	0.14	0.43	12	0.20
918065	Rock		1.13	0.27	32.48	14.32	73.1	170	101.1	16.7	472	4.37	12.7	0.5	3.1	11.2	29.9	1.64	0.29	0.55	39	0.31
918066	Rock		0.40	2.22	55.30	1.82	40.3	72	608.1	43.6	544	3.76	12.6	0.6	2.2	1.4	58.8	0.18	0.29	0.16	71	0.68
918067	Rock		1.85	1.03	59.64	2.32	66.6	47	20.2	18.9	599	4.14	3.8	0.9	2.2	3.6	59.4	0.24	1.25	0.10	96	1.00
918068	Rock		1.04	0.54	94.63	2.07	25.8	160	27.6	13.2	344	1.70	3.8	0.4	2.5	0.9	178.5	0.11	1.46	0.02	62	1.12
918069	Rock		0.82	0.31	135.9	2.07	72.9	56	31.5	34.4	1149	5.48	5.9	0.3	1.8	0.8	145.7	0.12	0.96	0.02	141	1.23
918070	Rock		1.02	1.33	167.3	6.78	74.5	394	34.8	35.8	1393	5.94	340.4	<0.1	22.2	0.5	155.5	0.55	4.30	0.03	26	5.03
918071	Rock		1.28	0.54	30.01	2.56	73.6	152	14.1	18.5	1248	4.32	24.0	0.5	6.4	2.4	22.1	0.17	0.55	0.03	45	0.42
918072	Rock		1.57	0.55	11.64	3.98	136.5	162	95.2	31.5	1194	7.11	8.4	0.6	4.6	4.3	69.1	0.12	0.26	0.21	182	0.96
918073	Rock		1.59	1.39	19.82	15.15	113.3	491	50.8	33.2	1575	6.19	17.3	0.4	9.7	2.6	43.8	0.18	0.27	0.23	156	0.64
918074	Rock		0.78	0.35	95.83	2.09	80.4	84	17.9	23.3	787	5.05	9.9	0.4	1.8	1.3	75.2	0.37	1.89	<0.02	131	1.13
918075	Rock		1.65	39.12	21.86	9.84	75.2	112	24.1	13.5	1068	4.06	31.9	0.2	0.9	0.7	204.7	0.29	2.43	0.06	36	3.91
918351	Rock		1.31	1.48	45.03	3.64	27.4	156	28.0	15.5	453	1.84	2.6	<0.1	2.0	1.3	5.6	0.09	0.10	0.06	56	0.08
918352	Rock		1.35	0.94	6.24	57.89	107.4	348	5.0	1.1	62	0.54	12.0	0.9	1.3	7.7	4.3	0.19	0.19	1.00	2	0.05
918353	Rock		2.01	6.54	8.60	11.25	6.2	315	3.3	1.0	85	0.76	5.5	1.5	18.6	1.3	2.2	<0.01	0.08	5.79	3	0.03
918354	Rock		1.88	1.25	7.82	8.77	2.9	55	4.0	1.0	35	0.41	0.9	<0.1	1.8	0.5	1.3	0.02	0.11	0.12	<2	<0.01
918355	Rock		1.47	0.57	5.46	85.08	15.7	229	2.7	0.4	90	0.44	2.4	0.3	5.4	1.2	6.3	<0.01	0.14	0.52	<2	<0.01
918356	Rock		1.71	0.63	11.06	3.33	8.7	23	4.0	1.5	60	0.62	0.9	0.1	0.3	0.7	5.1	<0.01	0.03	0.08	4	<0.01
918357	Rock		1.34	0.59	4.79	1.65	47.5	58	9.8	0.8	67	0.41	1.2	0.1	<0.2	0.2	42.4	0.38	0.06	0.03	5	1.65
918358	Rock		1.08	2.13	14.85	146.1	94.5	1431	19.3	2.9	538	1.46	27.9	0.8	24.1	2.2	34.1	0.83	2.45	0.13	27	0.87

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
918051	Rock			0.087	6.0	29.9	1.38	110.3	0.003	2	2.73	0.019	0.13	<0.1	3.9	0.05	0.26	31	0.3	0.03	6.3	0.49	<0.1
918052	Rock			0.035	13.6	20.9	0.40	33.2	0.002	<1	1.05	0.010	0.11	<0.1	2.1	0.04	<0.02	<5	1.3	0.05	2.7	0.35	<0.1
918053	Rock			0.040	16.2	23.9	0.85	40.8	0.007	<1	1.85	0.012	0.16	<0.1	2.0	0.06	<0.02	<5	0.2	0.03	5.3	0.36	<0.1
918054	Rock			0.011	21.0	7.7	0.02	31.1	<0.001	1	0.22	0.043	0.12	0.2	0.6	0.03	<0.02	<5	0.1	<0.02	0.7	0.20	<0.1
918055	Rock			0.005	5.4	11.0	0.02	41.3	<0.001	<1	0.16	0.007	0.08	<0.1	0.2	0.04	<0.02	<5	0.1	0.02	0.5	0.50	<0.1
918056	Rock			0.018	1.6	16.0	0.08	8.9	<0.001	<1	0.07	0.008	0.02	<0.1	0.6	<0.02	<0.02	<5	<0.1	0.03	0.3	0.07	<0.1
918058	Rock			0.081	5.9	24.3	1.66	82.5	0.003	<1	2.51	0.025	0.12	<0.1	3.2	<0.02	0.09	<5	0.3	0.02	6.4	0.27	<0.1
918060	Rock			0.012	9.7	6.8	0.03	13.1	<0.001	<1	0.24	0.047	0.12	0.1	0.5	0.05	<0.02	<5	0.1	<0.02	1.1	0.36	<0.1
918061	Rock			0.036	21.3	44.3	0.67	21.9	0.096	1	2.59	0.223	0.61	>100	5.9	0.60	9.22	<5	3.8	5.69	13.0	9.34	0.2
918063	Rock			0.008	7.8	6.4	0.05	21.0	0.012	<1	0.30	0.041	0.18	1.7	0.8	0.09	0.07	<5	<0.1	0.05	2.0	0.93	<0.1
918064	Rock			0.001	0.6	469.9	14.38	13.9	0.002	43	0.19	<0.001	<0.01	0.6	5.5	<0.02	0.07	<5	0.4	<0.02	0.5	0.21	<0.1
918065	Rock			0.095	29.9	46.9	1.06	113.1	0.014	2	3.12	0.019	0.23	0.1	3.8	0.12	<0.02	<5	0.3	0.06	9.0	4.04	<0.1
918066	Rock			0.078	6.0	408.7	5.92	52.1	0.093	11	1.03	0.064	0.21	0.6	4.9	0.04	0.05	<5	0.2	0.03	4.1	0.75	0.1
918067	Rock			0.194	14.8	19.2	1.56	98.0	0.144	25	1.82	0.087	0.44	0.5	3.2	0.15	<0.02	<5	0.1	<0.02	5.5	2.55	<0.1
918068	Rock			0.109	5.4	216.3	1.19	27.7	0.195	3	1.26	0.019	0.22	0.2	3.2	0.03	<0.02	<5	<0.1	0.03	4.0	0.49	0.1
918069	Rock			0.157	4.8	33.3	2.74	31.2	0.231	3	3.09	0.030	0.10	0.1	4.9	<0.02	<0.02	<5	<0.1	<0.02	9.6	0.51	0.1
918070	Rock			0.156	3.3	11.1	0.67	195.4	0.004	7	0.75	0.007	0.47	0.2	7.9	0.19	0.80	<5	0.6	0.10	1.7	1.05	<0.1
918071	Rock			0.156	17.8	17.3	0.93	130.0	0.006	2	2.08	0.010	0.33	0.1	4.1	0.05	<0.02	<5	0.1	0.12	4.4	0.82	<0.1
918072	Rock			0.318	55.0	168.3	3.21	92.4	0.008	1	4.11	0.014	0.06	0.1	19.1	<0.02	<0.02	<5	0.3	0.14	14.2	0.52	0.3
918073	Rock			0.204	31.4	119.1	2.86	69.8	0.006	<1	3.38	0.017	0.06	0.1	16.8	<0.02	<0.02	<5	0.4	0.17	11.8	0.40	0.1
918074	Rock			0.153	5.9	28.9	1.99	34.5	0.170	101	3.07	0.054	0.36	0.2	5.5	0.08	<0.02	<5	<0.1	<0.02	7.1	0.77	<0.1
918075	Rock			0.076	4.5	14.5	0.86	66.6	0.003	3	1.18	0.028	0.12	<0.1	3.9	0.05	0.63	461	0.1	0.05	4.1	0.84	<0.1
918351	Rock			0.015	3.6	28.7	0.75	49.4	0.008	<1	0.75	0.015	0.02	<0.1	5.1	<0.02	0.04	15	0.1	0.06	3.8	0.11	<0.1
918352	Rock			0.018	9.1	12.4	0.05	20.3	0.001	3	0.24	0.029	0.13	0.2	0.5	0.03	<0.02	<5	<0.1	0.08	0.9	0.29	<0.1
918353	Rock			0.014	4.3	18.0	0.10	7.7	0.002	1	0.21	0.008	0.04	0.2	0.7	<0.02	0.03	<5	0.1	0.79	1.3	0.21	<0.1
918354	Rock			0.003	<0.5	26.6	<0.01	7.9	<0.001	1	0.05	0.004	<0.01	<0.1	0.2	<0.02	<0.02	<5	0.1	0.04	0.2	0.04	<0.1
918355	Rock			0.005	4.4	16.0	0.14	9.0	<0.001	<1	0.20	0.006	0.04	<0.1	0.4	<0.02	<0.02	<5	0.6	0.05	1.0	0.14	<0.1
918356	Rock			0.007	2.0	19.7	0.14	12.8	0.007	<1	0.29	0.003	0.07	<0.1	0.7	0.04	<0.02	<5	0.3	0.02	1.1	0.46	<0.1
918357	Rock			0.011	2.0	19.7	0.20	5.6	0.002	<1	0.17	0.002	<0.01	<0.1	0.5	<0.02	0.02	<5	0.5	<0.02	0.5	0.07	<0.1
918358	Rock			0.396	10.3	51.8	0.25	39.1	0.007	1	0.37	0.002	0.08	0.2	2.4	0.05	<0.02	6	0.7	0.03	0.9	0.19	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
918051	Rock	0.02	<0.02	5.2	<0.1	<0.05	1.1	6.33	10.0	<0.02	<1	0.2	38.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918052	Rock	0.03	0.04	6.6	0.1	<0.05	1.6	2.97	27.1	0.03	<1	0.5	13.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918053	Rock	0.05	0.07	9.8	0.2	<0.05	2.2	3.31	29.8	0.02	<1	0.5	52.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918054	Rock	0.03	0.24	6.3	0.1	<0.05	1.3	2.22	36.1	<0.02	<1	0.3	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918055	Rock	<0.02	0.06	6.4	<0.1	<0.05	0.5	1.76	9.8	<0.02	<1	0.4	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918056	Rock	<0.02	0.05	1.1	<0.1	<0.05	0.1	1.20	3.2	<0.02	<1	<0.1	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918058	Rock	0.02	<0.02	3.8	<0.1	<0.05	0.8	6.72	11.8	<0.02	<1	0.2	53.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918060	Rock	0.05	0.94	8.1	0.2	<0.05	1.7	4.27	18.9	<0.02	<1	0.2	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918061	Rock	0.12	0.76	99.7	1.1	<0.05	3.3	9.89	39.0	0.02	<1	3.8	42.7	<10	<2	0.026	2.07	N.A.	N.A.	N.A.	N.A.
918063	Rock	0.04	1.95	18.0	0.5	<0.05	1.2	3.18	15.3	<0.02	<1	0.1	9.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918064	Rock	<0.02	<0.02	1.1	0.3	<0.05	0.2	1.27	1.4	<0.02	<1	<0.1	0.8	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918065	Rock	<0.02	0.03	18.9	0.3	<0.05	0.9	11.06	51.3	0.02	<1	1.1	41.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918066	Rock	0.12	0.07	11.9	0.3	<0.05	2.9	5.31	11.4	<0.02	<1	0.2	7.2	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918067	Rock	0.22	0.42	41.7	0.7	<0.05	8.3	6.83	31.0	<0.02	<1	0.2	12.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918068	Rock	0.20	0.10	12.2	0.3	<0.05	4.9	5.28	10.5	<0.02	<1	<0.1	10.0	<10	9	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918069	Rock	0.24	0.18	5.9	0.4	<0.05	6.4	4.99	9.0	<0.02	<1	0.5	15.4	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918070	Rock	0.03	0.03	18.5	0.1	<0.05	1.1	8.12	7.1	0.02	<1	0.5	2.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918071	Rock	0.03	0.02	15.6	<0.1	<0.05	1.9	9.11	32.7	<0.02	<1	0.6	13.5	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918072	Rock	0.03	0.19	3.0	0.3	<0.05	1.9	19.81	100.8	0.04	<1	0.6	76.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918073	Rock	0.03	0.02	2.9	0.2	<0.05	4.0	13.42	56.2	0.05	<1	0.5	58.7	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918074	Rock	0.14	0.07	23.3	0.2	<0.05	4.0	6.35	12.0	<0.02	<1	0.2	16.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918075	Rock	0.03	<0.02	3.8	0.1	<0.05	1.7	5.39	8.9	<0.02	<1	0.2	18.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918351	Rock	<0.02	0.03	0.9	0.1	<0.05	0.3	1.18	7.9	0.02	<1	0.2	6.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918352	Rock	0.03	1.04	7.5	0.3	<0.05	1.1	3.55	16.5	0.12	<1	0.3	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918353	Rock	<0.02	0.55	4.2	<0.1	<0.05	0.2	1.43	7.9	<0.02	<1	0.2	3.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918354	Rock	<0.02	0.06	0.6	0.1	<0.05	0.1	0.17	0.7	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918355	Rock	0.02	0.03	2.6	<0.1	<0.05	0.6	0.41	7.0	<0.02	<1	<0.1	3.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918356	Rock	<0.02	0.14	6.5	<0.1	<0.05	0.2	0.34	3.7	<0.02	<1	<0.1	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918357	Rock	<0.02	0.04	0.7	<0.1	<0.05	0.3	6.41	2.5	0.03	<1	<0.1	3.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918358	Rock	0.08	0.12	4.8	0.2	<0.05	2.7	11.31	13.9	<0.02	<1	0.3	3.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
918051	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918052	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918053	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918054	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918055	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918056	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918058	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918060	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918061	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918063	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918064	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918065	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918066	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918067	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918068	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918069	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918070	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918071	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918072	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918073	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918074	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918075	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918351	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918352	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918353	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918354	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918355	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918356	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918357	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918358	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918359	Rock	1.60	1.37	37.67	1.94	41.7	45	63.3	17.0	323	2.82	0.7	1.5	0.6	6.6	29.3	0.07	0.06	0.08	89	0.75
918360	Rock	1.20	0.55	223.8	12.15	117.7	143	64.6	39.8	1418	8.91	37.9	0.1	3.2	0.8	248.1	0.37	1.42	0.07	280	4.02
918361	Rock	1.08	0.12	1.80	3.32	7.9	9	0.6	0.7	395	0.28	0.4	0.2	<0.2	0.3	571.6	0.07	0.04	<0.02	<2	16.63
918362	Rock	2.02	0.28	57.79	4.48	26.4	53	19.2	13.4	483	0.81	0.7	1.0	<0.2	4.4	94.8	0.69	0.03	0.04	3	14.03
918363	Rock	1.30	18.59	196.4	9.40	19.1	1043	67.9	46.9	4588	11.89	0.7	3.4	952.2	4.4	7.0	0.07	0.30	59.21	22	0.51
918364	Rock	2.33	365.4	509.2	1868	8.5	39162	66.0	57.7	115	12.27	74.7	2.0	18960	0.5	1.8	0.50	2.67	1383	<2	0.05
918365	Rock	1.66	1.81	6.28	9.49	5.9	772	3.2	0.5	60	0.27	0.4	<0.1	37.9	<0.1	84.5	0.10	0.08	3.32	<2	1.00
918366	Rock	1.57	1.81	62.88	14.09	58.4	246	41.0	19.1	705	3.31	10.9	1.8	12.1	12.4	386.4	0.11	0.03	5.54	34	3.91
918367	Rock	1.53	0.84	15.62	1.17	3.0	25	1.1	0.3	37	0.44	16.3	<0.1	2.4	0.6	3.8	0.03	0.06	0.22	<2	<0.01
918368	Rock	1.40	2.51	69.83	4.68	21.8	65	35.1	19.7	204	2.92	2.0	0.2	1.3	0.5	28.6	0.04	0.13	0.71	46	1.00
918369	Rock	1.26	2.51	240.8	3.90	20.5	203	22.0	35.2	339	4.55	3.7	0.2	5.2	0.6	24.3	0.06	0.79	0.75	55	0.92
918370	Rock	2.04	3.37	102.6	5.94	82.9	137	31.5	30.1	963	6.41	24.1	<0.1	3.6	0.4	371.8	0.29	1.37	0.05	57	8.07
918371	Rock	2.41	9.60	125.2	7.29	12.4	183	10.7	22.6	618	2.21	45.3	0.2	20.2	0.5	221.2	0.08	1.52	0.21	9	2.78
918101	Rock	0.24	1.33	25.25	6.80	48.7	41	2.9	1.3	377	2.74	3.9	0.4	4.1	11.6	23.2	0.10	0.17	0.10	11	0.13
918102	Rock	0.33	0.85	34.99	43.47	12.9	83	4.3	2.0	111	1.05	2.8	0.7	4.7	0.8	6.8	0.05	0.15	0.56	3	0.03
918103	Rock	1.03	0.25	12.23	10.99	49.0	15	24.6	6.9	573	2.00	0.7	0.5	2.9	5.3	65.8	0.06	0.06	0.11	24	1.16
918104	Rock	0.71	2.34	12.04	1.31	6.0	7	1.5	0.7	112	0.45	0.6	<0.1	2.2	0.3	1.5	0.03	0.07	0.04	<2	0.03
918105	Rock	0.66	0.42	8.61	6.64	7.3	23	3.6	1.0	89	0.58	10.8	0.1	2.3	0.5	2.2	0.02	0.11	0.04	<2	0.01
918106	Rock	0.20	0.91	8.38	4.84	10.5	13	1.6	0.3	27	0.51	12.4	<0.1	1.9	1.1	8.3	0.01	0.05	<0.02	<2	<0.01
918107	Rock	0.58	0.38	3.81	13.32	1.5	114	1.1	0.2	27	0.28	108.5	<0.1	1.9	<0.1	1.6	0.02	0.09	0.04	<2	<0.01
918108	Rock	0.29	0.92	27.32	5.09	8.2	34	4.8	1.7	64	0.79	33.6	0.6	3.3	7.5	3.6	0.02	0.24	0.08	3	<0.01
918109	Rock	0.58	0.59	7.03	17.54	12.9	294	4.7	2.4	208	0.77	61.8	0.1	6.3	0.4	2.6	0.07	0.19	0.30	<2	<0.01
918110	Rock	0.38	0.54	6.15	7.37	12.2	13	4.1	0.9	44	0.56	1.2	0.3	0.9	1.9	2.0	0.02	0.07	0.05	<2	<0.01
918111	Rock	0.37	0.61	13.83	43.81	20.2	89	2.4	0.8	121	0.65	6.1	0.6	1.6	6.5	3.0	0.08	0.11	0.16	<2	0.01
918112	Rock	0.65	0.51	7.01	6.99	9.6	14	1.3	0.3	22	0.52	23.5	0.1	1.5	1.2	10.0	0.02	0.04	<0.02	<2	<0.01
918113	Rock	0.48	0.48	3.90	15.09	2.3	36	1.4	0.2	31	0.30	0.5	<0.1	0.5	0.2	1.2	<0.01	0.07	<0.02	<2	<0.01
918114	Rock	1.09	0.46	14.64	7.54	33.1	18	7.8	2.8	293	1.48	1.1	0.2	0.8	2.0	7.2	0.02	0.06	0.07	8	0.05
918115	Rock	0.32	0.40	8.86	0.90	26.3	48	2754	139.5	761	5.59	103.9	0.2	16.5	<0.1	3.2	0.27	0.26	2.48	15	0.06
918116	Rock	1.43	1.24	51.64	4.14	63.2	157	7.8	2.8	127	1.01	12.5	0.3	1.9	0.1	1.6	0.12	0.23	0.05	2	0.02
918117	Rock	1.49	0.32	27.10	17.73	25.9	240	13.0	2.4	95	0.38	7.9	0.1	9.7	0.2	1.0	0.14	0.20	0.22	2	0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918359	Rock			0.280	29.3	37.3	1.47	214.0	0.189	3	0.62	0.039	0.55	0.5	1.9	0.25	<0.02	<5	0.2	<0.02	3.3	3.65	0.1
918360	Rock			0.146	5.6	144.8	4.61	38.0	0.012	2	4.98	0.011	0.03	<0.1	30.6	0.03	0.21	16	0.3	<0.02	15.8	0.79	0.2
918361	Rock			0.002	1.8	1.5	5.50	15.7	0.002	<1	0.03	0.001	0.01	<0.1	0.3	<0.02	<0.02	<5	0.2	0.05	<0.1	0.06	<0.1
918362	Rock			0.037	7.5	5.6	0.06	14.8	0.034	2	0.38	0.021	0.02	0.5	0.5	<0.02	0.36	<5	0.4	0.02	1.0	0.09	<0.1
918363	Rock			0.045	7.5	13.3	0.31	14.0	0.039	<1	0.94	0.025	0.28	>100	2.5	0.32	9.18	44	5.6	2.00	10.8	4.51	0.6
918364	Rock			0.002	0.6	9.5	0.02	3.9	0.001	<1	0.06	0.003	0.01	11.3	<0.1	0.16	7.11	6	7.8	60.07	0.2	0.11	<0.1
918365	Rock			0.001	1.3	16.1	0.04	13.7	<0.001	<1	0.03	0.005	<0.01	2.2	0.1	<0.02	0.03	<5	<0.1	0.13	0.1	0.04	<0.1
918366	Rock			0.043	7.6	49.9	0.54	45.5	0.092	<1	5.26	0.517	0.14	0.7	4.1	0.10	1.41	<5	0.8	0.26	14.4	0.85	<0.1
918367	Rock			0.007	2.5	11.2	<0.01	8.2	<0.001	<1	0.04	0.005	0.02	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.1	0.10	<0.1
918368	Rock			0.090	3.2	38.1	0.73	20.7	0.047	1	1.49	0.101	0.06	0.2	1.0	<0.02	1.35	<5	0.9	0.17	4.7	0.24	<0.1
918369	Rock			0.140	2.3	33.9	0.99	13.9	0.058	1	1.37	0.048	0.05	0.5	2.1	<0.02	2.61	<5	6.7	0.21	4.3	0.40	<0.1
918370	Rock			0.116	2.7	42.4	2.56	79.3	0.008	3	2.06	0.004	0.28	<0.1	5.5	0.13	1.63	5	0.4	0.02	4.6	1.43	<0.1
918371	Rock			0.084	2.5	7.8	0.87	24.6	0.001	2	0.16	0.014	0.11	0.2	3.6	0.03	0.74	8	0.9	0.11	0.3	0.39	<0.1
918101	Rock			0.064	20.5	30.0	0.93	86.5	0.003	<1	1.26	0.021	0.19	<0.1	1.0	0.09	0.09	<5	1.0	<0.02	3.6	0.63	<0.1
918102	Rock			0.053	1.6	7.9	0.10	9.6	0.002	<1	0.34	0.011	0.02	<0.1	0.6	<0.02	<0.02	<5	0.7	0.09	0.6	0.09	<0.1
918103	Rock			0.027	9.9	34.3	0.82	38.3	0.023	<1	1.53	0.036	0.22	<0.1	3.8	0.18	<0.02	<5	0.2	<0.02	5.3	2.56	<0.1
918104	Rock			0.005	1.6	10.0	0.03	5.0	0.001	<1	0.05	0.002	0.01	0.2	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.2	0.06	<0.1
918105	Rock			0.008	1.0	12.1	0.05	5.6	<0.001	<1	0.11	0.004	0.01	<0.1	0.4	<0.02	<0.02	<5	0.2	<0.02	0.4	0.09	<0.1
918106	Rock			0.007	0.8	12.8	<0.01	5.4	<0.001	<1	0.04	0.011	0.01	<0.1	0.3	<0.02	0.02	<5	<0.1	<0.02	0.3	0.04	<0.1
918107	Rock			0.002	<0.5	8.2	<0.01	3.5	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	0.13	<0.1	<0.02	<0.1
918108	Rock			0.012	13.5	9.4	0.11	8.2	0.001	<1	0.25	0.018	0.02	0.1	0.9	<0.02	<0.02	<5	0.4	0.02	0.6	0.08	<0.1
918109	Rock			0.012	0.8	13.7	<0.01	9.7	<0.001	<1	0.04	0.004	<0.01	<0.1	0.2	<0.02	<0.02	<5	0.4	0.17	0.2	0.04	<0.1
918110	Rock			0.013	2.9	7.7	0.02	5.7	<0.001	<1	0.09	0.009	0.02	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.2	0.05	<0.1
918111	Rock			0.013	4.3	11.1	0.03	17.5	<0.001	<1	0.14	0.015	0.05	0.2	0.2	0.02	<0.02	<5	0.4	<0.02	0.4	0.14	<0.1
918112	Rock			0.006	1.3	11.7	<0.01	6.7	<0.001	<1	0.04	0.017	<0.01	<0.1	0.3	<0.02	0.03	<5	<0.1	<0.02	0.8	0.02	<0.1
918113	Rock			0.002	<0.5	15.3	<0.01	1.7	<0.001	<1	0.02	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
918114	Rock			0.021	3.8	15.4	0.43	11.0	0.008	<1	0.71	0.007	0.04	<0.1	1.2	0.03	<0.02	<5	0.2	<0.02	2.4	0.39	<0.1
918115	Rock			0.002	0.7	498.0	18.51	10.0	0.004	79	0.20	<0.001	<0.01	0.9	10.4	<0.02	0.07	<5	0.3	0.05	0.5	0.17	0.2
918116	Rock			0.006	<0.5	10.9	0.03	1.5	<0.001	<1	0.12	0.002	0.01	0.2	0.3	<0.02	0.06	<5	2.8	0.04	0.4	0.08	<0.1
918117	Rock			0.003	<0.5	19.5	0.10	8.7	<0.001	<1	0.02	<0.001	0.01	0.1	0.2	<0.02	0.03	<5	0.6	0.11	<0.1	0.04	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	%
918359	Rock	0.24	0.62	58.6	0.7	<0.05	5.7	8.00	54.7	<0.02	<1	0.2	12.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918360	Rock	0.03	0.02	2.1	0.1	<0.05	0.5	6.19	8.2	0.07	<1	0.4	65.9	22	14	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918361	Rock	<0.02	0.02	0.3	<0.1	<0.05	0.5	1.86	3.3	<0.02	<1	<0.1	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918362	Rock	0.08	0.08	1.0	0.4	<0.05	2.1	8.34	13.1	<0.02	<1	0.3	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918363	Rock	0.16	1.19	47.5	1.4	<0.05	6.1	7.12	14.1	0.04	4	0.8	17.0	13	3	0.604	0.91	N.A.	N.A.	N.A.	N.A.
918364	Rock	<0.02	0.65	1.3	<0.1	<0.05	<0.1	0.84	1.1	<0.02	5	<0.1	0.7	52	<2	N.A.	18.55	0.038	0.046	0.17	<0.01
918365	Rock	<0.02	0.05	0.4	0.2	<0.05	<0.1	0.70	0.7	<0.02	<1	<0.1	0.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918366	Rock	0.04	0.24	14.8	1.1	<0.05	0.9	4.02	14.2	<0.02	1	1.4	22.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918367	Rock	<0.02	0.03	1.4	0.2	<0.05	0.2	0.24	4.1	<0.02	1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918368	Rock	0.09	0.04	3.3	0.2	<0.05	1.7	3.61	6.8	<0.02	3	<0.1	4.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918369	Rock	0.07	0.04	2.5	0.2	<0.05	1.3	3.33	5.2	<0.02	4	0.2	7.1	10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918370	Rock	0.03	0.02	11.5	0.3	<0.05	0.8	6.68	5.7	0.02	3	0.3	16.8	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918371	Rock	0.05	<0.02	5.1	0.1	<0.05	2.0	4.02	5.2	<0.02	6	0.2	0.5	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918101	Rock	<0.02	0.02	15.2	<0.1	<0.05	0.6	1.26	37.3	<0.02	<1	0.2	20.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918102	Rock	<0.02	0.06	1.3	<0.1	<0.05	0.5	0.77	3.0	<0.02	<1	0.3	3.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918103	Rock	<0.02	0.15	22.2	0.2	<0.05	0.6	3.91	18.6	<0.02	<1	0.3	49.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918104	Rock	<0.02	0.06	1.2	<0.1	<0.05	0.2	0.59	3.0	<0.02	<1	<0.1	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918105	Rock	<0.02	0.04	1.3	<0.1	<0.05	0.2	0.37	2.1	<0.02	<1	<0.1	2.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918106	Rock	<0.02	0.06	0.9	<0.1	<0.05	0.3	0.11	1.6	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918107	Rock	<0.02	0.05	0.2	<0.1	<0.05	<0.1	0.03	0.3	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918108	Rock	<0.02	0.03	1.6	<0.1	<0.05	0.6	1.06	25.6	<0.02	<1	<0.1	3.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918109	Rock	<0.02	0.05	0.5	0.1	<0.05	0.2	0.53	1.5	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918110	Rock	<0.02	0.06	1.1	<0.1	<0.05	0.4	0.65	5.8	<0.02	<1	<0.1	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918111	Rock	0.02	1.08	3.4	<0.1	<0.05	0.7	1.75	7.3	<0.02	<1	0.2	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918112	Rock	<0.02	0.03	0.5	<0.1	<0.05	0.3	0.14	2.4	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918113	Rock	<0.02	0.06	<0.1	<0.1	<0.05	<0.1	0.04	0.3	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918114	Rock	<0.02	0.09	4.3	2.0	<0.05	0.4	1.00	7.3	<0.02	<1	<0.1	27.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918115	Rock	<0.02	<0.02	0.3	<0.1	<0.05	<0.1	1.17	0.4	<0.02	<1	0.3	3.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918116	Rock	<0.02	0.04	0.8	0.4	<0.05	0.2	0.75	1.0	0.20	<1	0.3	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918117	Rock	<0.02	0.02	0.7	<0.1	<0.05	<0.1	0.50	0.7	<0.02	<1	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.05	0.05
918359	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918360	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918361	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918362	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918363	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918364	Rock	37	0.006	0.005	0.01	11.98	<0.01	<0.001	<0.001	<0.001	0.12	0.05	<0.001	<0.001	0.01	0.06	<0.01	0.01	<0.001	<0.001	8.28
918365	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918366	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918367	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918368	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918369	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918370	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918371	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918101	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918102	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918103	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918104	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918105	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918106	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918107	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918108	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918109	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918110	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918111	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918112	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918113	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918114	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918115	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918116	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918117	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918118	Rock	0.97	5.93	82.46	11.62	22.4	69	35.6	38.3	3117	3.14	11.8	0.5	1.5	3.1	14.4	0.19	0.28	0.13	3	0.05
918119	Rock	1.23	1.07	41.11	506.7	23.6	6892	11.4	3.6	589	0.97	1.4	0.4	23.5	1.7	6.2	0.25	0.24	24.07	5	0.06
918120	Rock	1.51	1.61	24.25	9.95	31.7	80	21.5	22.4	2476	4.08	12.1	0.1	25.9	0.3	97.1	0.27	0.17	0.24	35	7.14
918121	Rock	0.39	0.53	3.55	8.48	1.2	103	2.2	0.4	71	0.35	0.3	<0.1	<0.2	<0.1	1.9	0.02	0.15	0.41	<2	0.02
918122	Rock	1.39	18.33	28.46	11.99	171.7	1608	54.4	7.2	662	1.91	11.0	1.3	0.6	2.3	925.4	3.83	3.59	0.14	31	16.82
918123	Rock	0.88	0.71	13.46	13.92	11.4	205	13.4	6.5	336	0.83	4.1	<0.1	1.1	0.7	150.8	0.17	0.38	0.23	3	2.20
918124	Rock	1.09	0.45	13.36	16.34	56.2	76	13.2	5.2	393	1.41	6.7	1.3	1.4	6.0	134.0	0.18	0.88	0.09	7	0.46
918251	Rock	0.84	0.27	28.26	13.94	46.4	27	17.5	7.6	213	1.97	3.4	2.2	0.4	10.6	6.4	0.07	0.07	0.25	5	0.05
918252	Rock	0.63	0.45	18.57	19.38	85.3	35	21.9	8.1	399	4.34	6.0	0.9	0.6	10.3	13.4	0.02	0.21	0.18	20	0.02
918253	Rock	1.00	1.53	50.96	11.92	71.7	115	30.7	13.2	263	3.06	3.5	1.6	0.9	9.1	8.3	0.05	0.09	0.13	35	0.18
918254	Rock	0.39	0.49	166.3	10.94	20.3	81	16.9	8.1	485	1.50	1.8	0.7	0.4	5.0	649.0	0.09	<0.02	0.19	13	18.51
918255	Rock	0.76	0.41	21.27	6.92	118.9	43	3.7	9.9	832	2.81	0.7	0.3	0.3	1.1	101.0	0.07	0.27	0.04	20	3.03
918256	Rock	1.11	1.14	40.60	12.72	41.3	28	10.8	5.8	393	2.74	41.7	1.7	1.6	14.2	19.5	0.05	0.13	0.22	15	0.27
918257	Rock	1.33	0.48	40.38	15.37	100.1	85	29.6	10.6	1057	4.28	4.9	1.5	9.0	10.2	35.8	0.07	0.06	0.41	43	0.70
918258	Rock	1.10	0.31	86.59	3.13	68.3	39	46.1	25.5	1140	4.26	1.2	0.6	0.4	1.8	68.8	0.22	0.71	0.03	128	2.79
918259	Rock	1.02	1.32	108.7	15.61	38.5	103	17.3	13.1	332	3.24	35.9	2.7	1.2	17.2	15.9	0.05	0.10	0.86	15	0.08
918260	Rock	1.33	4.22	22.61	11.78	39.0	28	11.4	4.2	522	1.82	0.9	4.0	0.6	14.4	9.2	0.05	0.07	0.47	18	0.04
918261	Rock	0.53	0.55	22.35	12.94	23.8	37	10.4	1.0	92	8.86	5.4	0.4	0.3	6.8	14.8	0.02	0.13	0.21	23	0.09
918379	Rock	2.49	1.20	249.2	1574	391.6	4922	17.3	14.4	556	2.39	93.5	0.2	1100	0.5	605.8	3.01	5.30	0.07	28	9.70
918380	Rock	1.49	1.65	136.7	33.08	65.1	529	37.4	30.6	706	4.94	123.9	<0.1	98.4	0.4	457.5	0.20	2.80	0.04	72	8.06
918381	Rock	1.35	2.10	109.2	11.15	50.4	124	35.9	31.4	599	3.14	17.0	0.3	15.7	0.5	111.4	0.28	1.03	0.04	62	6.23
918382	Rock	1.47	0.52	9.47	5.38	22.9	30	4.8	1.8	336	0.62	5.0	1.2	5.7	10.0	12.7	0.28	0.16	0.03	6	0.25
918383	Rock	1.69	1.21	6.78	36.19	72.3	45	9.1	1.3	710	0.83	2.9	2.5	2.4	14.0	10.9	1.62	0.13	0.04	7	0.22
918384	Rock	1.22	1.24	4.05	18.27	85.8	48	1.8	0.8	1233	0.69	2.9	2.8	11.2	15.4	6.2	0.97	0.09	0.04	4	0.08
918385	Rock	1.34	0.42	2.42	2.01	9.5	31	1.4	0.4	233	0.28	2.2	0.6	0.9	1.8	1.2	0.06	0.06	<0.02	<2	0.01
918386	Rock	1.10	2.67	3.62	4.50	33.7	58	28.0	1.1	131	0.21	1.0	8.1	1.3	7.3	156.9	0.45	0.15	0.19	74	5.44
918387	Rock	1.37	0.60	3.17	15.51	45.5	40	2.4	1.0	734	0.86	1.1	2.8	0.8	15.7	7.6	0.25	0.11	0.08	3	0.09
918388	Rock	1.68	1.93	44.88	8.71	163.5	77	78.1	35.9	1225	5.54	17.0	3.2	0.7	13.6	667.3	0.50	3.85	0.05	119	4.60
918389	Rock	1.57	2.49	17.23	1.92	49.5	189	4.9	1.6	3243	0.70	6.4	0.4	<0.2	1.4	1032	0.66	7.59	0.05	28	14.57
918390	Rock	1.02	2.51	4.34	40.50	34.9	54	2.6	0.6	182	0.42	28.5	2.3	1.3	21.6	5.3	0.11	0.32	0.19	<2	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918118	Rock	0.024	3.4	7.8	0.06	87.1	<0.001	<1	0.20	0.039	0.03	<0.1	2.4	<0.02	0.25	<5	0.4	0.05	0.6	0.08	<0.1
918119	Rock	0.020	5.4	15.8	0.10	14.2	<0.001	<1	0.16	0.009	0.03	<0.1	0.8	0.05	<0.02	<5	7.8	2.51	0.5	0.07	<0.1
918120	Rock	0.030	1.2	19.3	1.03	59.0	0.054	<1	1.02	0.012	0.04	<0.1	5.4	<0.02	1.08	<5	1.1	0.05	3.3	0.29	<0.1
918121	Rock	<0.001	<0.5	10.9	<0.01	5.8	<0.001	<1	0.02	0.007	<0.01	<0.1	0.1	<0.02	<0.02	<5	0.1	0.04	0.1	0.09	<0.1
918122	Rock	0.154	6.2	18.5	0.45	63.7	0.002	<1	0.44	0.005	0.09	<0.1	2.7	0.08	0.02	22	4.7	0.08	1.2	0.43	<0.1
918123	Rock	0.010	2.0	9.7	0.09	16.3	<0.001	<1	0.14	0.005	0.01	<0.1	0.5	<0.02	0.16	<5	1.5	<0.02	0.4	0.11	<0.1
918124	Rock	0.033	20.4	6.3	0.03	65.7	0.001	<1	0.19	0.051	0.10	<0.1	2.9	0.03	0.19	<5	0.2	<0.02	1.2	0.14	<0.1
918251	Rock	0.033	33.5	16.9	0.35	50.3	0.001	<1	0.80	0.004	0.18	<0.1	0.8	0.07	<0.02	<5	0.2	<0.02	2.3	0.42	0.1
918252	Rock	0.044	22.4	37.9	1.45	43.5	0.001	<1	2.54	0.013	0.10	<0.1	2.0	0.03	<0.02	<5	1.0	<0.02	6.8	0.34	<0.1
918253	Rock	0.065	14.2	46.0	0.77	61.6	0.068	<1	1.70	0.042	0.50	0.5	4.2	0.39	0.55	5	2.0	0.05	7.1	2.95	<0.1
918254	Rock	0.038	11.5	15.5	0.26	15.6	0.029	2	2.62	0.259	0.22	0.1	1.2	0.19	0.30	<5	0.3	0.12	7.0	2.40	<0.1
918255	Rock	0.076	8.9	5.6	1.14	58.3	0.003	1	1.52	0.012	0.16	<0.1	2.5	<0.02	<0.02	11	0.2	<0.02	4.1	0.22	<0.1
918256	Rock	0.060	34.0	24.5	0.87	43.9	0.010	<1	1.71	0.015	0.18	<0.1	1.6	0.16	0.04	<5	1.0	0.05	4.7	2.01	<0.1
918257	Rock	0.033	6.5	59.3	1.25	30.7	0.040	<1	2.87	0.130	0.16	<0.1	4.4	0.10	0.85	<5	0.9	0.05	9.2	1.26	<0.1
918258	Rock	0.140	10.9	107.0	2.31	34.3	0.128	1	2.62	0.018	0.13	0.2	2.7	<0.02	<0.02	<5	<0.1	<0.02	8.5	0.86	0.1
918259	Rock	0.023	43.7	23.0	0.51	80.3	0.032	<1	1.45	0.016	0.33	<0.1	1.3	0.21	0.05	<5	2.1	0.10	4.2	2.25	0.1
918260	Rock	0.025	33.4	29.0	0.55	41.0	0.027	<1	1.18	0.016	0.26	<0.1	1.5	0.22	<0.02	<5	0.4	0.04	4.7	2.59	<0.1
918261	Rock	0.068	4.9	33.5	0.17	42.7	0.016	<1	0.83	0.013	0.15	<0.1	1.9	0.09	0.26	<5	0.7	<0.02	4.5	1.54	<0.1
918379	Rock	0.060	2.2	16.0	0.53	59.5	0.015	2	0.74	0.005	0.31	<0.1	3.7	0.15	1.25	35	6.0	0.04	2.0	1.59	<0.1
918380	Rock	0.124	2.8	38.6	1.40	92.1	0.058	4	2.18	0.004	0.70	<0.1	7.8	0.44	1.84	8	0.7	0.04	5.2	5.10	<0.1
918381	Rock	0.079	1.2	64.0	1.15	18.6	0.201	2	1.42	0.014	0.05	0.2	2.5	0.04	1.01	11	0.3	<0.02	3.3	0.40	<0.1
918382	Rock	0.024	13.1	6.2	0.08	42.7	0.004	<1	0.25	0.028	0.09	<0.1	0.9	0.05	0.04	<5	0.1	<0.02	1.0	0.31	<0.1
918383	Rock	0.028	21.1	6.7	0.05	74.9	0.003	1	0.33	0.042	0.15	<0.1	1.1	0.07	<0.02	<5	0.1	<0.02	1.4	0.47	<0.1
918384	Rock	0.031	24.3	4.2	0.08	41.3	<0.001	<1	0.33	0.030	0.13	<0.1	0.8	0.05	<0.02	<5	0.2	<0.02	1.7	0.69	<0.1
918385	Rock	0.003	5.6	10.6	0.02	4.0	<0.001	<1	0.06	0.009	<0.01	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.17	<0.1
918386	Rock	0.274	25.7	73.4	0.07	74.4	0.074	2	2.07	0.014	0.05	0.9	1.6	<0.02	<0.02	<5	0.2	<0.02	6.6	0.10	0.2
918387	Rock	0.030	27.0	5.2	0.13	56.9	0.002	1	0.47	0.035	0.16	<0.1	1.0	0.05	<0.02	<5	0.2	<0.02	2.1	0.45	<0.1
918388	Rock	0.353	110.4	79.6	3.16	675.6	0.177	2	3.76	0.410	0.46	<0.1	14.4	0.95	0.36	<5	0.6	0.03	9.6	6.61	0.3
918389	Rock	0.067	5.4	5.8	6.14	578.9	0.002	2	0.09	0.016	0.04	<0.1	1.9	0.10	0.15	7	0.5	0.09	0.5	0.09	<0.1
918390	Rock	0.003	4.2	4.2	0.03	17.6	<0.001	1	0.23	0.040	0.13	0.1	0.8	0.07	<0.02	<5	0.2	<0.02	0.8	0.69	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
			Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
			0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
918118	Rock		<0.02	0.04	1.6	0.2	<0.05	0.6	3.86	5.8	<0.02	<1	<0.1	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918119	Rock		<0.02	0.02	1.2	0.6	<0.05	0.3	1.70	9.8	<0.02	<1	<0.1	2.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918120	Rock		<0.02	0.04	2.2	0.3	<0.05	1.4	5.85	2.8	0.03	1	0.1	11.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918121	Rock		<0.02	0.05	0.2	0.1	<0.05	0.1	0.12	0.3	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918122	Rock		0.07	0.03	4.8	<0.1	<0.05	3.8	12.48	9.5	0.02	2	0.3	4.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918123	Rock		<0.02	0.04	0.9	<0.1	<0.05	0.3	3.32	3.8	<0.02	<1	<0.1	2.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918124	Rock		0.36	0.04	4.9	0.2	<0.05	8.1	3.58	34.1	0.03	<1	0.4	4.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918251	Rock		<0.02	0.06	10.3	0.1	<0.05	0.5	1.90	60.8	<0.02	<1	0.2	13.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918252	Rock		0.03	<0.02	5.2	<0.1	<0.05	1.7	1.80	43.1	<0.02	<1	0.3	95.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918253	Rock		0.02	0.16	54.2	0.2	<0.05	0.7	5.18	27.2	0.02	<1	0.4	31.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918254	Rock		<0.02	0.14	33.3	0.2	<0.05	0.3	4.70	19.7	<0.02	<1	0.7	38.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918255	Rock		0.05	<0.02	5.3	<0.1	<0.05	2.3	6.28	18.0	<0.02	<1	0.2	14.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918256	Rock		0.07	0.05	18.0	0.1	<0.05	3.4	4.36	57.0	<0.02	<1	0.4	48.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918257	Rock		<0.02	0.08	13.9	0.3	<0.05	0.5	5.13	12.9	0.03	<1	0.8	90.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918258	Rock		0.11	0.09	9.8	0.2	<0.05	2.9	9.07	22.5	<0.02	<1	0.3	15.0	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918259	Rock		0.06	0.09	25.1	0.4	<0.05	2.1	4.88	78.0	<0.02	<1	0.7	41.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918260	Rock		0.03	0.42	31.7	0.2	<0.05	1.4	4.71	60.2	<0.02	<1	0.7	28.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918261	Rock		<0.02	0.41	12.0	5.4	<0.05	0.4	2.15	9.7	0.04	<1	0.3	9.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918379	Rock		0.02	0.03	15.0	0.1	<0.05	0.7	4.98	4.4	0.02	<1	0.3	6.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918380	Rock		0.03	0.03	40.6	0.1	<0.05	0.9	7.32	6.0	0.02	<1	0.5	18.1	10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918381	Rock		0.20	0.12	3.1	0.1	<0.05	4.2	3.04	2.6	<0.02	2	0.2	12.1	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918382	Rock		0.03	0.19	6.6	<0.1	<0.05	1.4	2.95	21.3	<0.02	<1	0.3	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918383	Rock		0.06	0.22	11.8	1.0	<0.05	2.3	4.28	32.6	<0.02	<1	0.3	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918384	Rock		0.05	0.30	9.6	0.3	<0.05	1.8	7.91	38.3	<0.02	<1	0.6	3.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918385	Rock		<0.02	0.46	0.7	<0.1	<0.05	0.2	0.84	9.4	<0.02	<1	<0.1	0.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918386	Rock		0.16	0.34	2.0	0.5	<0.05	6.0	19.25	29.4	<0.02	3	1.4	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918387	Rock		0.09	0.39	11.6	0.2	<0.05	2.5	7.51	45.5	<0.02	<1	0.6	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918388	Rock		0.04	0.67	31.7	5.4	<0.05	4.2	18.75	185.2	0.06	<1	1.0	30.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918389	Rock		0.09	0.09	1.5	<0.1	<0.05	3.6	7.21	10.8	<0.02	3	0.2	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918390	Rock		0.37	1.33	13.2	0.2	<0.05	7.0	3.71	12.1	<0.02	2	0.2	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 4 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method Analyte Unit MDL		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		2	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
918118	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918119	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918120	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918121	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918122	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918123	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918124	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918251	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918252	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918253	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918254	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918255	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918256	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918257	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918258	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918259	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918260	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918261	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918379	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918380	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918381	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918382	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918383	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918384	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918385	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918386	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918387	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918388	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918389	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918390	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918391	Rock	1.32	0.36	4.33	64.34	20.8	45	1.0	0.9	602	0.57	2.5	2.2	0.7	14.2	14.5	0.23	0.15	0.05	<2	0.17
918392	Rock	1.09	0.70	1.57	319.2	38.5	216	0.9	0.9	605	0.49	1.5	3.7	0.7	17.3	5.5	0.25	0.14	0.09	3	0.07
918393	Rock	1.26	0.41	3.86	6.14	9.3	25	1.4	0.2	120	0.25	0.6	0.2	<0.2	2.1	1.9	0.07	0.06	<0.02	<2	0.01
869001	Rock	0.94	0.62	3.95	10.52	24.0	77	4.2	1.2	515	0.71	13.7	3.3	3.2	14.5	9.1	0.35	0.09	0.05	4	0.06
918083	Rock	1.13	0.44	48.06	4.33	78.9	68	19.0	5.5	673	4.83	2.1	1.1	0.7	12.3	12.4	0.07	0.11	0.19	20	0.06
918084	Rock	1.29	0.30	12.03	4.72	35.9	15	9.1	2.9	264	2.11	2.5	0.5	0.3	6.2	8.1	0.03	0.07	0.09	9	0.02
918085	Rock	1.45	0.38	16.05	16.93	68.0	15	29.5	12.4	479	2.82	6.4	1.4	0.4	14.8	11.1	0.11	0.10	0.22	11	0.10
918086	Rock	1.02	0.25	24.68	23.93	101.1	48	35.9	14.7	381	3.98	6.5	1.9	0.6	15.2	15.5	0.20	0.07	0.31	17	0.10
918087	Rock	0.88	0.84	48.16	17.21	53.5	54	23.0	6.4	353	4.37	24.0	1.6	1.0	17.1	26.0	0.03	1.34	1.37	16	0.08
918088	Rock	1.45	0.34	174.2	2.37	88.5	60	16.0	35.2	1339	6.77	1.5	0.5	0.7	1.7	89.8	0.14	0.13	0.02	171	3.88
918089	Rock	0.72	0.52	3.12	15.71	9.6	33	1.5	0.7	235	0.34	3.8	1.3	1.2	6.1	3.8	0.09	0.10	0.04	2	0.03
918090	Rock	1.47	0.32	3.83	5.70	11.7	9	1.1	0.9	408	0.53	0.5	1.3	0.9	14.3	5.5	0.15	0.07	0.05	4	0.06
918091	Rock	1.54	2.00	103.7	7.45	79.8	151	37.5	31.0	972	5.53	9.6	0.2	4.1	1.1	286.6	0.39	1.23	0.05	131	6.44
918092	Rock	1.71	2.64	115.5	6.09	62.6	117	28.8	31.6	1195	4.80	15.2	0.1	5.1	0.6	467.5	0.21	1.67	0.05	89	8.69
918093	Rock	1.76	1.16	102.4	6.52	69.8	119	41.2	35.7	1166	5.99	16.9	0.1	13.5	0.6	304.9	0.13	1.80	0.04	177	8.54
918094	Rock	1.07	0.21	65.97	7.60	61.7	59	18.3	12.8	667	3.78	2.6	0.1	1.4	2.3	36.5	0.11	0.55	0.05	51	0.71
918095	Rock	0.75	1.48	103.0	3.32	57.2	62	43.5	34.1	789	3.55	12.2	0.3	0.9	0.5	93.5	0.19	0.65	0.04	88	4.29
918096	Rock	1.69	1.63	116.7	3.74	83.4	89	42.0	33.6	870	4.91	7.3	0.2	1.8	0.5	84.7	0.28	2.52	0.03	156	3.60
918097	Rock	1.87	1.75	95.04	2.80	66.5	75	35.6	28.6	1019	4.09	7.5	0.2	2.5	0.3	114.6	0.21	0.94	0.02	99	8.15
918098	Rock	2.00	0.50	103.4	3.00	76.8	113	31.6	31.1	970	6.18	7.5	0.1	3.1	0.8	432.8	0.19	1.65	0.03	138	5.73
918099	Rock	1.32	1.87	141.4	1.63	37.7	88	14.2	23.8	359	3.37	0.8	1.1	10.1	2.3	28.2	0.05	0.27	0.03	130	0.97
918100	Rock	1.07	0.45	14.82	17.49	25.8	34	4.2	1.7	118	1.78	0.6	1.0	1.9	4.0	8.3	0.69	0.11	0.24	9	0.08
918372	Rock	1.21	2.10	5.27	43.64	100.4	123	1.4	0.7	1089	0.48	4.8	2.3	0.9	17.5	7.2	1.00	0.13	0.30	3	0.08
918373	Rock	1.45	4.64	12.60	4.90	72.7	175	3.0	3.8	214	1.71	15.0	5.2	5.7	9.8	35.0	0.78	0.87	0.78	26	0.21
918374	Rock	1.63	2.40	126.1	13.30	41.1	267	29.5	22.5	230	2.48	12.8	0.3	7.2	0.9	147.2	0.18	0.37	0.24	109	1.78
918375	Rock	1.45	3.58	84.85	14.35	45.2	354	32.8	30.1	960	5.73	40.0	<0.1	12.0	0.4	407.5	0.43	1.92	0.06	29	8.65
918376	Rock	1.21	1.96	145.8	2.59	48.3	64	10.1	27.6	957	5.33	2.8	0.8	2.8	1.6	296.7	0.09	0.86	0.05	151	7.35
918377	Rock	0.74	0.87	96.43	5.08	94.6	181	39.6	28.1	1066	5.50	8.9	0.1	1.4	0.9	246.0	0.32	0.64	<0.02	109	6.49
918378	Rock	1.09	3.03	54.64	619.6	11.7	4050	2.6	1.1	50	0.59	38.2	0.6	9.2	0.7	6.7	0.13	0.47	2.34	5	0.05
918076	Rock	1.72	18.43	1.69	5.64	4.4	58	1.8	0.4	217	0.33	0.6	0.4	1.8	0.7	2.6	0.03	0.04	0.09	<2	0.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918391	Rock	0.022	24.1	3.9	0.11	54.3	0.003	<1	0.30	0.025	0.15	<0.1	0.6	0.05	<0.02	<5	0.1	<0.02	1.4	0.56	<0.1
918392	Rock	0.032	28.8	4.7	0.05	57.0	0.002	2	0.38	0.028	0.22	<0.1	0.7	0.09	<0.02	<5	<0.1	<0.02	1.6	0.79	<0.1
918393	Rock	0.003	4.3	10.5	0.01	10.3	<0.001	<1	0.08	0.011	0.03	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.14	<0.1
869001	Rock	0.024	24.1	8.3	0.11	59.1	<0.001	1	0.30	0.056	0.09	<0.1	1.2	0.04	<0.02	<5	0.2	<0.02	1.4	0.21	<0.1
918083	Rock	0.030	35.0	40.8	1.37	73.4	0.003	<1	2.96	0.011	0.13	<0.1	1.9	0.04	<0.02	<5	0.2	<0.02	7.2	0.46	0.1
918084	Rock	0.021	26.3	19.2	0.49	26.1	0.001	<1	1.10	0.016	0.08	<0.1	1.5	0.03	<0.02	<5	0.2	<0.02	3.4	0.38	<0.1
918085	Rock	0.059	35.7	16.1	0.63	72.7	0.002	<1	1.42	0.010	0.24	<0.1	1.4	0.07	<0.02	<5	0.2	<0.02	4.3	0.51	<0.1
918086	Rock	0.057	53.3	22.7	1.06	85.6	0.003	<1	2.16	0.008	0.30	<0.1	1.5	0.09	<0.02	<5	0.3	<0.02	6.1	0.50	0.1
918087	Rock	0.052	52.1	36.3	0.71	88.0	0.001	<1	1.75	0.031	0.24	<0.1	2.8	0.07	<0.02	<5	0.5	0.12	6.6	0.95	0.1
918088	Rock	0.167	8.7	31.4	2.74	42.5	0.124	<1	3.12	0.018	0.06	0.1	5.3	<0.02	<0.02	5	0.2	<0.02	10.2	0.36	0.1
918089	Rock	0.008	15.8	6.3	0.02	27.5	0.002	2	0.18	0.020	0.09	<0.1	0.4	0.03	<0.02	<5	0.1	<0.02	0.7	0.30	<0.1
918090	Rock	0.015	24.7	3.6	0.08	42.9	0.003	1	0.35	0.032	0.14	<0.1	0.7	0.04	<0.02	<5	<0.1	<0.02	1.5	0.38	<0.1
918091	Rock	0.124	4.7	95.0	2.45	71.5	0.011	2	3.07	0.018	0.13	<0.1	10.1	0.05	0.71	6	0.4	0.02	9.3	0.96	<0.1
918092	Rock	0.141	3.9	43.5	1.66	65.0	0.029	2	2.22	0.010	0.21	<0.1	8.5	0.09	0.82	9	0.4	0.03	5.8	0.78	<0.1
918093	Rock	0.114	3.2	104.9	2.57	45.4	0.015	2	3.19	0.016	0.09	<0.1	14.7	<0.02	1.01	5	0.3	<0.02	9.4	0.49	<0.1
918094	Rock	0.117	6.0	20.3	1.52	77.0	0.040	3	2.34	0.017	0.25	<0.1	3.4	0.07	<0.02	<5	0.2	<0.02	6.9	0.65	<0.1
918095	Rock	0.107	2.0	76.3	1.67	31.7	0.176	7	2.10	0.019	0.10	0.2	4.4	0.06	0.46	9	0.3	<0.02	4.6	0.77	<0.1
918096	Rock	0.110	1.9	111.2	2.40	29.4	0.180	1	2.62	0.028	0.02	0.2	8.2	<0.02	0.87	10	0.4	<0.02	7.8	0.39	0.1
918097	Rock	0.097	1.0	92.8	1.98	26.4	0.191	2	2.29	0.021	0.04	0.2	3.0	<0.02	1.04	7	0.3	<0.02	4.5	0.41	<0.1
918098	Rock	0.102	5.7	64.0	2.72	93.7	0.029	2	3.22	0.012	0.17	<0.1	10.0	0.11	0.38	6	0.4	0.02	8.9	1.17	<0.1
918099	Rock	0.139	7.6	19.2	0.95	314.9	0.200	<1	1.23	0.087	0.72	0.1	3.9	0.10	0.34	5	0.6	<0.02	4.1	0.70	0.1
918100	Rock	0.031	12.0	13.7	0.32	14.3	0.003	<1	0.71	0.013	0.04	<0.1	1.1	<0.02	<0.02	<5	0.3	<0.02	2.3	0.15	<0.1
918372	Rock	0.029	28.6	4.4	0.04	52.2	0.002	23	0.25	0.030	0.12	<0.1	0.6	0.05	<0.02	<5	<0.1	<0.02	1.1	0.60	<0.1
918373	Rock	0.068	13.2	6.2	0.31	57.5	0.045	<1	0.76	0.041	0.28	0.2	1.8	0.38	0.88	<5	4.9	<0.02	4.5	2.27	<0.1
918374	Rock	0.133	3.8	46.0	0.86	297.0	0.169	2	2.30	0.286	0.73	0.4	4.5	0.29	0.32	<5	0.5	0.05	6.2	3.12	<0.1
918375	Rock	0.096	2.9	20.3	2.07	94.3	0.004	3	0.70	0.004	0.29	<0.1	5.9	0.18	2.44	<5	1.1	0.07	1.8	1.59	<0.1
918376	Rock	0.139	7.1	9.5	0.82	50.8	0.142	2	2.85	0.288	0.34	0.1	3.9	0.07	2.48	9	0.3	<0.02	8.2	1.27	0.1
918377	Rock	0.135	4.2	83.8	2.84	92.3	0.015	2	3.51	0.007	0.19	<0.1	7.7	0.09	0.26	<5	0.4	<0.02	8.8	1.43	<0.1
918378	Rock	0.020	2.5	12.3	0.03	25.5	0.001	<1	0.07	0.004	0.03	0.6	0.4	<0.02	0.04	<5	2.8	0.47	0.6	0.11	<0.1
918076	Rock	0.010	0.7	10.9	0.06	13.1	<0.001	8	0.11	0.002	0.02	0.6	0.3	<0.02	<0.02	<5	0.1	<0.02	0.7	0.11	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
918391	Rock	0.07	0.57	10.6	0.1	<0.05	1.6	5.98	37.8	<0.02	<1	0.5	2.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918392	Rock	0.09	0.78	17.5	0.3	<0.05	2.4	5.81	47.8	<0.02	<1	0.7	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918393	Rock	<0.02	0.27	1.9	<0.1	<0.05	0.3	0.88	7.3	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869001	Rock	0.10	0.11	5.1	0.4	<0.05	2.6	4.12	37.3	<0.02	<1	0.3	2.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918083	Rock	0.05	0.06	7.4	0.1	<0.05	1.6	2.77	69.2	<0.02	<1	0.3	47.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918084	Rock	0.03	0.02	4.6	0.1	<0.05	1.4	1.30	44.5	<0.02	<1	0.1	34.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918085	Rock	0.03	0.05	13.3	0.2	<0.05	1.2	4.67	72.4	<0.02	<1	0.3	21.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918086	Rock	0.04	0.06	15.8	0.2	<0.05	1.9	7.65	103.2	<0.02	<1	0.4	32.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918087	Rock	0.06	<0.02	12.7	0.2	<0.05	3.3	4.33	93.6	<0.02	<1	0.7	28.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918088	Rock	0.13	0.05	2.7	0.2	<0.05	3.4	6.07	16.6	<0.02	<1	0.4	22.9	15	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918089	Rock	0.04	2.02	5.1	<0.1	<0.05	0.9	4.35	28.3	<0.02	<1	0.2	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918090	Rock	<0.02	0.24	8.2	<0.1	<0.05	0.6	2.61	38.8	<0.02	<1	0.3	2.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918091	Rock	0.02	<0.02	6.6	<0.1	<0.05	0.7	6.93	9.3	0.03	2	0.3	30.6	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918092	Rock	<0.02	0.03	9.2	<0.1	<0.05	0.4	6.41	7.9	0.02	1	0.2	21.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918093	Rock	0.03	0.02	3.8	0.1	<0.05	0.7	5.16	6.5	0.03	2	0.3	29.1	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918094	Rock	0.04	0.05	10.8	0.2	<0.05	1.7	5.41	11.9	<0.02	<1	0.7	23.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918095	Rock	0.14	0.08	6.1	0.2	<0.05	2.5	3.87	4.3	<0.02	<1	0.2	18.6	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918096	Rock	0.16	0.09	1.4	0.2	<0.05	2.9	4.69	4.1	<0.02	<1	0.2	24.5	11	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918097	Rock	0.14	0.10	2.2	0.2	<0.05	2.5	2.89	2.3	<0.02	<1	0.1	20.4	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918098	Rock	0.03	<0.02	8.7	<0.1	<0.05	0.6	5.04	11.7	0.03	1	0.2	28.2	11	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918099	Rock	0.11	0.04	17.2	0.2	<0.05	2.1	4.71	14.3	<0.02	<1	<0.1	5.9	11	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918100	Rock	<0.02	<0.02	2.3	<0.1	<0.05	0.4	0.95	22.3	<0.02	<1	0.2	10.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918372	Rock	0.07	0.73	8.9	0.4	<0.05	2.3	7.02	44.9	0.03	<1	1.1	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918373	Rock	0.04	0.21	34.8	0.8	<0.05	0.8	5.70	23.5	0.03	1	0.3	6.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918374	Rock	0.05	0.04	26.3	0.2	<0.05	1.4	5.17	7.8	<0.02	1	0.2	20.9	11	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918375	Rock	<0.02	<0.02	14.2	<0.1	<0.05	0.5	7.43	5.9	<0.02	2	0.5	6.0	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918376	Rock	0.28	0.08	25.1	0.3	<0.05	7.5	6.91	14.3	<0.02	5	0.4	12.9	18	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918377	Rock	0.02	<0.02	11.8	0.1	<0.05	0.6	7.60	8.7	0.03	<1	0.3	47.9	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918378	Rock	<0.02	0.06	1.8	0.1	<0.05	0.7	0.67	4.1	0.06	<1	0.1	0.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918076	Rock	<0.02	0.88	2.6	0.1	<0.05	0.4	2.61	1.2	<0.02	1	0.2	2.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08008715.3

	Method Analyte Unit MDL	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		2	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
918391	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918392	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918393	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869001	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918083	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918084	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918085	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918086	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918087	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918088	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918089	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918090	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918091	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918092	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918093	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918094	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918095	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918096	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918097	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918098	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918099	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918100	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918372	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918373	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918374	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918375	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918376	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918377	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918378	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918076	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918077	Rock	1.39	1.79	3.99	26.02	7.9	55	1.0	0.7	305	0.28	2.0	4.4	3.0	11.8	3.1	0.06	0.03	0.08	<2	0.05
918078	Rock	0.91	1.14	29.98	8.16	33.6	36	11.2	5.8	179	2.28	3.2	1.4	1.1	11.0	10.3	0.04	0.08	0.36	15	0.04
918079	Rock	0.91	0.60	9.50	4.13	28.3	21	12.1	4.0	167	1.34	0.8	0.7	0.3	5.1	4.7	0.04	0.04	0.05	17	0.04
918080	Rock	0.95	0.52	11.15	4.46	33.0	21	16.9	5.6	204	1.69	1.1	0.8	0.2	5.2	5.1	0.03	0.04	0.06	21	0.05
918081	Rock	1.22	1.78	39.33	9.67	34.0	77	17.6	7.3	192	2.84	21.3	3.3	2.7	14.3	7.0	0.07	0.20	0.46	14	0.05
918082	Rock	1.64	0.81	43.65	10.69	39.2	95	9.2	6.3	178	1.95	15.1	2.3	1.5	13.8	18.8	0.06	0.20	0.65	11	0.04



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918077	Rock	0.017	11.5	6.0	0.03	16.7	<0.001	<1	0.16	0.033	0.08	0.2	0.5	0.03	<0.02	<5	0.1	<0.02	0.8	0.38	<0.1
918078	Rock	0.042	31.0	27.8	0.47	40.3	0.016	<1	1.11	0.013	0.23	<0.1	1.2	0.15	<0.02	<5	1.0	0.03	4.0	1.67	<0.1
918079	Rock	0.011	10.6	27.5	0.42	38.7	0.042	<1	0.82	0.016	0.26	<0.1	1.7	0.16	0.07	<5	0.2	<0.02	2.8	1.71	<0.1
918080	Rock	0.015	11.4	36.9	0.53	51.8	0.057	<1	1.01	0.018	0.36	<0.1	2.2	0.22	0.11	<5	0.2	<0.02	3.5	2.27	<0.1
918081	Rock	0.069	46.9	21.4	0.51	31.1	0.005	<1	1.21	0.007	0.20	0.2	1.3	0.12	<0.02	<5	2.4	0.07	4.8	1.35	0.1
918082	Rock	0.064	40.0	18.4	0.42	42.9	0.006	<1	0.86	0.017	0.19	<0.1	1.0	0.14	0.05	<5	2.5	0.05	3.1	1.58	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01	
918077	Rock	0.11	2.03	5.9	<0.1	<0.05	2.0	7.10	22.0	<0.02	<1	<0.1	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918078	Rock	0.03	0.14	19.8	0.8	<0.05	1.5	4.08	53.3	<0.02	<1	0.6	27.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918079	Rock	<0.02	0.10	22.9	0.2	<0.05	0.3	1.67	20.2	<0.02	<1	0.2	12.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918080	Rock	<0.02	0.12	31.5	0.2	<0.05	0.2	2.01	21.6	<0.02	<1	0.2	14.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918081	Rock	<0.02	0.03	14.6	0.1	<0.05	0.9	6.97	78.1	<0.02	<1	0.5	21.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918082	Rock	<0.02	0.04	16.6	0.1	<0.05	0.8	4.40	65.7	<0.02	<1	0.3	16.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08008715.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
918077	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918078	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918079	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918080	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918081	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918082	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN08008715.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
918051	Rock	1.25	0.91	34.12	6.64	86.8	84	30.0	13.9	1143	5.18	20.4	0.2	0.6	0.7	185.6	0.22	1.98	0.07	56	3.96
REP 918051	QC		0.88	33.52	6.30	85.3	82	28.7	13.0	1102	5.01	20.3	0.2	0.5	0.7	184.1	0.22	2.08	0.05	52	3.88
918061	Rock	1.83	11.84	496.6	4.25	42.3	1054	46.9	36.3	775	15.98	0.9	2.3	2190	8.3	121.0	0.06	0.18	144.8	30	0.89
REP 918061	QC																				
918353	Rock	2.01	6.54	8.60	11.25	6.2	315	3.3	1.0	85	0.76	5.5	1.5	18.6	1.3	2.2	<0.01	0.08	5.79	3	0.03
REP 918353	QC		6.96	9.03	11.68	6.8	336	3.4	1.0	92	0.78	5.7	1.7	20.8	1.5	2.4	0.02	0.09	6.30	4	0.03
918361	Rock	1.08	0.12	1.80	3.32	7.9	9	0.6	0.7	395	0.28	0.4	0.2	<0.2	0.3	571.6	0.07	0.04	<0.02	<2	16.63
REP 918361	QC		0.14	1.94	3.46	8.0	9	0.4	0.7	416	0.28	0.3	0.2	<0.2	0.3	550.6	0.08	0.05	<0.02	2	16.83
918122	Rock	1.39	18.33	28.46	11.99	171.7	1608	54.4	7.2	662	1.91	11.0	1.3	0.6	2.3	925.4	3.83	3.59	0.14	31	16.82
REP 918122	QC		18.00	27.89	12.17	171.1	1597	53.2	7.2	651	1.88	10.9	1.3	0.6	2.3	895.5	3.79	3.58	0.14	32	16.27
918381	Rock	1.35	2.10	109.2	11.15	50.4	124	35.9	31.4	599	3.14	17.0	0.3	15.7	0.5	111.4	0.28	1.03	0.04	62	6.23
REP 918381	QC		2.19	115.7	12.10	53.0	128	38.0	33.0	617	3.34	17.7	0.3	13.8	0.5	112.2	0.30	1.03	0.04	63	6.41
918391	Rock	1.32	0.36	4.33	64.34	20.8	45	1.0	0.9	602	0.57	2.5	2.2	0.7	14.2	14.5	0.23	0.15	0.05	<2	0.17
REP 918391	QC		0.36	4.22	66.30	21.8	53	1.1	1.0	571	0.58	2.4	2.3	0.6	14.7	14.8	0.23	0.15	0.05	<2	0.18
918099	Rock	1.32	1.87	141.4	1.63	37.7	88	14.2	23.8	359	3.37	0.8	1.1	10.1	2.3	28.2	0.05	0.27	0.03	130	0.97
REP 918099	QC		1.90	141.7	1.61	37.6	87	13.8	23.0	357	3.37	0.9	1.1	12.0	2.2	27.8	0.06	0.27	0.03	131	0.96
918077	Rock	1.39	1.79	3.99	26.02	7.9	55	1.0	0.7	305	0.28	2.0	4.4	3.0	11.8	3.1	0.06	0.03	0.08	<2	0.05
REP 918077	QC		1.70	3.68	26.22	7.5	50	0.8	0.6	299	0.28	2.1	4.5	2.2	11.5	3.0	0.05	0.03	0.08	<2	0.05
Reference Materials																					
STD DS7	Standard		20.51	119.2	68.34	390.0	837	57.9	10.2	683	2.48	52.0	5.0	73.3	4.5	73.7	6.54	5.85	4.44	85	0.97
STD DS7	Standard		20.34	114.8	73.42	399.2	860	54.4	10.0	658	2.43	51.0	5.4	69.7	4.7	66.4	6.90	6.30	5.13	82	0.89
STD DS7	Standard		21.27	116.6	68.56	406.5	912	55.4	10.4	658	2.52	53.7	5.0	366.3	4.4	71.4	6.76	6.02	4.81	87	0.97
STD DS7	Standard		20.81	119.0	68.06	396.8	772	54.2	10.1	649	2.41	52.2	5.3	64.2	4.7	63.7	6.37	6.08	4.79	84	0.93
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN08008715.3

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
918051	Rock	0.087	6.0	29.9	1.38	110.3	0.003	2	2.73	0.019	0.13	<0.1	3.9	0.05	0.26	31	0.3	0.03	6.3	0.49	<0.1
REP 918051	QC	0.084	6.1	27.4	1.37	105.1	0.003	3	2.70	0.018	0.12	<0.1	3.7	0.05	0.25	33	0.4	0.04	6.3	0.51	<0.1
918061	Rock	0.036	21.3	44.3	0.67	21.9	0.096	1	2.59	0.223	0.61	>100	5.9	0.60	9.22	<5	3.8	5.69	13.0	9.34	0.2
REP 918061	QC																				
918353	Rock	0.014	4.3	18.0	0.10	7.7	0.002	1	0.21	0.008	0.04	0.2	0.7	<0.02	0.03	<5	0.1	0.79	1.3	0.21	<0.1
REP 918353	QC	0.015	4.8	19.7	0.10	8.7	0.002	1	0.23	0.009	0.04	0.2	0.7	<0.02	0.03	<5	0.1	0.88	1.3	0.24	<0.1
918361	Rock	0.002	1.8	1.5	5.50	15.7	0.002	<1	0.03	0.001	0.01	<0.1	0.3	<0.02	<0.02	<5	0.2	0.05	<0.1	0.06	<0.1
REP 918361	QC	0.003	1.9	1.4	5.52	16.3	0.002	<1	0.04	0.001	0.01	<0.1	0.3	<0.02	<0.02	<5	<0.1	0.03	<0.1	0.06	<0.1
918122	Rock	0.154	6.2	18.5	0.45	63.7	0.002	<1	0.44	0.005	0.09	<0.1	2.7	0.08	0.02	22	4.7	0.08	1.2	0.43	<0.1
REP 918122	QC	0.154	6.5	18.3	0.45	64.6	0.003	<1	0.44	0.005	0.09	<0.1	2.6	0.08	<0.02	22	4.6	0.09	1.1	0.44	<0.1
918381	Rock	0.079	1.2	64.0	1.15	18.6	0.201	2	1.42	0.014	0.05	0.2	2.5	0.04	1.01	11	0.3	<0.02	3.3	0.40	<0.1
REP 918381	QC	0.088	1.2	68.6	1.19	20.4	0.199	2	1.49	0.014	0.06	0.2	2.6	0.04	1.07	10	0.4	<0.02	3.3	0.42	<0.1
918391	Rock	0.022	24.1	3.9	0.11	54.3	0.003	<1	0.30	0.025	0.15	<0.1	0.6	0.05	<0.02	<5	0.1	<0.02	1.4	0.56	<0.1
REP 918391	QC	0.022	23.5	3.7	0.10	56.8	0.003	1	0.30	0.025	0.15	<0.1	0.6	0.05	<0.02	<5	0.2	<0.02	1.3	0.56	<0.1
918099	Rock	0.139	7.6	19.2	0.95	314.9	0.200	<1	1.23	0.087	0.72	0.1	3.9	0.10	0.34	5	0.6	<0.02	4.1	0.70	0.1
REP 918099	QC	0.124	7.4	19.0	0.95	283.4	0.187	<1	1.21	0.086	0.70	0.1	3.9	0.10	0.35	6	0.5	<0.02	4.3	0.69	0.1
918077	Rock	0.017	11.5	6.0	0.03	16.7	<0.001	<1	0.16	0.033	0.08	0.2	0.5	0.03	<0.02	<5	0.1	<0.02	0.8	0.38	<0.1
REP 918077	QC	0.017	11.5	5.1	0.03	16.6	<0.001	<1	0.16	0.034	0.08	0.2	0.5	0.03	<0.02	<5	0.1	<0.02	0.8	0.39	<0.1
Reference Materials																					
STD DS7	Standard	0.079	14.1	168.0	1.11	404.5	0.136	41	1.13	0.088	0.51	4.0	3.1	4.15	0.19	189	3.6	1.20	5.2	6.54	<0.1
STD DS7	Standard	0.077	13.0	146.7	1.07	398.3	0.128	42	0.96	0.075	0.45	4.3	2.7	4.71	0.19	221	3.5	1.14	4.9	6.91	0.2
STD DS7	Standard	0.078	14.4	164.9	1.12	394.2	0.134	40	1.02	0.087	0.52	4.1	3.1	4.46	0.19	202	3.4	1.22	5.6	7.18	<0.1
STD DS7	Standard	0.080	13.4	163.6	1.08	367.3	0.128	37	1.06	0.080	0.48	4.0	2.9	4.42	0.19	200	3.5	1.17	5.3	6.73	<0.1
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

VAN08008715.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
Pulp Duplicates																					
918051	Rock	0.02	<0.02	5.2	<0.1	<0.05	1.1	6.33	10.0	<0.02	<1	0.2	38.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918051	QC	0.02	<0.02	5.1	<0.1	<0.05	1.1	6.09	10.3	<0.02	<1	0.2	38.2	<10	<2						
918061	Rock	0.12	0.76	99.7	1.1	<0.05	3.3	9.89	39.0	0.02	<1	3.8	42.7	<10	<2	0.026	2.07	N.A.	N.A.	N.A.	N.A.
REP 918061	QC															0.026					
918353	Rock	<0.02	0.55	4.2	<0.1	<0.05	0.2	1.43	7.9	<0.02	<1	0.2	3.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918353	QC	<0.02	0.59	4.6	<0.1	<0.05	0.3	1.61	8.8	<0.02	<1	0.1	4.1	<10	<2						
918361	Rock	<0.02	0.02	0.3	<0.1	<0.05	0.5	1.86	3.3	<0.02	<1	<0.1	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918361	QC	<0.02	0.02	0.4	<0.1	<0.05	0.6	1.91	3.5	<0.02	<1	<0.1	1.5	<10	<2						
918122	Rock	0.07	0.03	4.8	<0.1	<0.05	3.8	12.48	9.5	0.02	2	0.3	4.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918122	QC	0.07	0.03	5.0	0.1	<0.05	3.8	12.23	9.8	<0.02	2	0.1	4.2	<10	<2						
918381	Rock	0.20	0.12	3.1	0.1	<0.05	4.2	3.04	2.6	<0.02	2	0.2	12.1	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918381	QC	0.18	0.12	3.3	0.1	<0.05	4.1	3.07	2.7	<0.02	1	0.1	13.2	13	4						
918391	Rock	0.07	0.57	10.6	0.1	<0.05	1.6	5.98	37.8	<0.02	<1	0.5	2.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918391	QC	0.06	0.55	10.4	0.1	<0.05	1.6	6.11	38.9	<0.02	<1	0.6	2.2	<10	<2						
918099	Rock	0.11	0.04	17.2	0.2	<0.05	2.1	4.71	14.3	<0.02	<1	<0.1	5.9	11	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918099	QC	0.06	0.04	17.5	0.2	<0.05	1.4	4.56	14.1	<0.02	<1	<0.1	5.6	12	3						
918077	Rock	0.11	2.03	5.9	<0.1	<0.05	2.0	7.10	22.0	<0.02	<1	<0.1	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918077	QC	0.09	2.04	5.8	0.1	<0.05	1.9	6.92	21.7	<0.02	<1	0.1	1.4	<10	<2						
Reference Materials																					
STD DS7	Standard	0.13	0.71	41.2	4.7	<0.05	5.8	6.02	37.3	1.69	3	1.7	32.9	68	41						
STD DS7	Standard	0.11	0.54	41.6	5.2	<0.05	5.4	5.11	34.8	1.74	3	1.9	33.7	65	43						
STD DS7	Standard	0.11	0.66	44.3	5.2	<0.05	5.9	6.07	37.0	1.84	3	1.9	32.6	71	38						
STD DS7	Standard	0.12	0.62	40.4	4.9	<0.05	5.5	5.42	35.0	1.65	3	1.6	31.4	70	40						
STD KP-1	Standard															0.766					
STD KP-1	Standard															0.768					
STD OXH55	Standard																1.29				
STD OXK69	Standard																3.69				
STD R4A	Standard																	0.063	0.509	1.50	3.34



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 1 of 2 Part 4

QUALITY CONTROL REPORT

VAN08008715.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
Pulp Duplicates																					
918051	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918051	QC																				
918061	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918061	QC																				
918353	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918353	QC																				
918361	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918361	QC																				
918122	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918122	QC																				
918381	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918381	QC																				
918391	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918391	QC																				
918099	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918099	QC																				
918077	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918077	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard	87	0.364	0.040	0.06	23.37	0.03	0.004	0.018	0.018	<0.01	0.97	0.040	0.012	0.87	1.31	0.08	0.51	<0.001	0.001	15.95

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN08008715.3

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	0.02	0.01
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93
STD KP-1 Expected																					
STD R4A Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.80	4.07	3.01	50.4	13	6.1	4.7	606	2.17	<0.1	2.7	5.1	4.4	68.8	0.03	0.03	0.10	42	0.60
G1	Prep Blank	<0.01	0.78	3.66	2.99	49.7	16	6.2	4.9	598	2.18	0.2	2.5	3.0	4.4	69.3	0.02	0.03	0.09	41	0.60



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

VAN08008715.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
STD R4A	Standard																					
STD DS7 Expected		0.08	11.7	179	1.05	370.3	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	6.36	0.1	
STD KP-1 Expected																						
STD R4A Expected																						
STD OXH55 Expected																						
STD OXK69 Expected																						
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	0.083	9.4	12.2	0.66	267.9	0.147	<1	1.12	0.106	0.65	<0.1	2.7	0.38	<0.02	<5	<0.1	<0.02	5.5	3.69	0.1	
G1	Prep Blank	0.085	9.4	12.1	0.66	265.0	0.147	1	1.17	0.110	0.62	<0.1	2.8	0.38	<0.02	<5	<0.1	<0.02	5.3	3.63	<0.1	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 Part 3

QUALITY CONTROL REPORT

VAN08008715.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
STD R4A	Standard																	0.064	0.499	1.48	3.28
STD DS7 Expected		0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	58	37						
STD KP-1 Expected															0.74						
STD R4A Expected																		0.062	0.502	1.5	3.31
STD OXH55 Expected																	1.282				
STD OXK69 Expected																	3.583				
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank														<0.005						
BLK	Blank																	<0.001	<0.001	<0.01	<0.01
BLK	Blank																	<0.01			
BLK	Blank																	<0.01			
Prep Wash																					
G1	Prep Blank	0.09	0.45	53.1	0.6	<0.05	1.2	5.32	18.0	<0.02	<1	0.3	36.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	0.11	0.42	51.7	0.6	<0.05	1.3	5.38	17.9	0.02	<1	0.2	35.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 4

QUALITY CONTROL REPORT

VAN08008715.3

		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.001	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
STD R4A	Standard	86	0.350	0.040	0.06	22.97	0.02	0.004	0.018	0.016	<0.01	0.94	0.042	0.012	0.84	1.26	0.07	0.50	<0.001	<0.001	15.26
STD DS7 Expected																					
STD KP-1 Expected																					
STD R4A Expected		86	0.336	0.04	0.06	23.38	0.023	0.004	0.017	0.012	0.0024	0.94	0.042	0.012	0.83	1.25	0.07	0.51	0	0.001	16.7
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.05
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

August 28, 2008

Report Date:

October 21, 2008

Page:

1 of 6

CERTIFICATE OF ANALYSIS

VAN08008740.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID:
P.O. Number
Number of Samples: 127

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	127	Sieve soil to 230 mesh		
RJSV	127	Save all or part of soil reject fraction		
1F30	126	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

“**” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 21, 2008

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2	0.01
918451	Soil	5.30	0.93	81.62	23.12	111.4	308	40.2	19.5	658	3.41	10.8	1.6	17.1	7.6	48.2	0.47	0.57	0.32	90	0.48
918452	Soil	4.66	0.98	52.45	44.74	172.0	230	54.4	19.1	962	3.19	17.8	1.2	3.4	5.2	39.8	0.73	0.44	0.26	55	0.39
918453	Soil	3.63	0.64	35.08	33.69	151.0	180	37.6	13.0	790	2.91	7.4	1.1	3.5	5.0	48.6	0.69	0.60	0.32	56	0.39
918454	Soil	5.69	0.64	52.35	30.91	87.5	154	42.2	16.6	632	3.02	10.4	0.9	10.1	6.8	47.4	0.37	0.45	0.24	65	0.60
918455	Soil	4.50	0.99	75.74	63.38	160.1	307	48.1	19.0	847	3.69	18.2	1.4	6.4	7.0	57.0	0.72	0.61	0.35	85	0.61
918456	Soil	5.72	0.66	49.75	17.40	76.9	133	33.0	12.8	431	2.72	9.1	1.0	10.3	6.3	34.9	0.31	0.42	0.24	64	0.38
918457	Soil	2.35	0.44	39.00	14.56	69.8	393	19.5	6.4	345	1.50	2.9	0.6	1.1	2.7	43.7	0.48	0.14	0.24	22	0.50
918458	Soil	5.37	0.55	42.89	11.98	68.5	121	23.2	11.9	409	2.68	6.0	1.2	6.2	7.1	32.2	0.24	0.40	0.18	58	0.34
918459	Soil	3.75	0.57	55.25	12.54	65.2	182	23.6	16.1	543	3.15	6.8	1.8	9.4	8.8	42.6	0.23	0.45	0.18	72	0.39
918460	Soil	2.51	0.69	78.72	23.78	123.2	428	74.6	22.4	934	4.90	6.8	1.3	7.5	11.0	72.0	0.38	0.22	0.25	74	0.90
918461	Soil	3.53	0.67	32.91	20.13	112.9	194	25.5	12.1	978	2.55	6.5	1.7	2.2	5.4	39.5	0.41	0.52	0.25	49	0.37
918462	Soil	3.89	0.68	24.64	32.51	149.8	122	28.8	14.4	1264	2.97	6.3	1.7	5.1	7.0	31.1	0.61	0.65	0.33	61	0.33
918463	Soil	4.52	0.60	55.65	23.45	121.0	213	44.1	18.8	502	3.32	6.6	1.3	25.5	7.1	30.5	0.48	0.35	0.31	64	0.48
918464	Soil	2.68	0.56	88.58	16.31	107.7	216	47.1	15.0	482	2.56	4.9	1.1	1.4	3.8	24.6	0.41	0.35	0.23	49	0.26
918465	Soil	3.18	0.56	61.75	14.54	66.0	239	34.3	15.5	477	3.12	10.8	0.9	9.6	5.0	41.3	0.23	0.60	0.17	83	0.46
918466	Soil	4.23	0.63	68.42	15.03	70.5	279	37.5	17.1	518	3.37	11.6	0.9	7.9	5.5	46.7	0.25	0.65	0.18	92	0.53
918467	Soil	3.57	0.45	32.22	17.44	90.3	118	26.9	11.9	451	2.61	4.6	1.0	3.4	6.8	39.1	0.26	0.28	0.22	52	0.36
918468	Soil	2.49	0.76	54.92	20.46	104.2	165	32.9	15.4	658	3.26	8.5	1.1	3.3	6.5	47.7	0.42	0.68	0.24	70	0.52
918469	Soil	2.08	1.27	38.89	49.38	132.6	137	26.2	13.2	1368	2.47	9.4	1.4	1.4	4.7	52.0	1.02	1.24	0.35	43	0.47
918470	Soil	3.78	0.74	45.91	17.75	104.2	154	31.0	12.4	485	2.96	8.7	1.0	56.4	6.7	38.9	0.43	0.61	0.24	60	0.42
918471	Soil	3.06	1.02	68.63	69.85	178.7	362	36.9	19.6	1125	3.15	17.7	1.2	4.2	4.3	49.9	1.74	2.31	0.44	70	0.70
918472	Soil	2.69	1.03	80.58	24.15	126.2	426	51.6	17.9	777	4.31	13.2	1.2	7.1	7.8	71.7	0.41	0.66	0.42	102	0.72
918473	Soil	2.73	0.93	63.84	23.06	105.3	276	55.8	18.4	645	3.69	12.1	1.1	5.7	4.3	48.1	0.71	1.23	0.19	81	0.55
918474	Soil	3.47	1.25	42.80	13.56	116.6	243	37.5	14.8	434	3.29	9.9	1.1	1.4	5.1	41.3	0.64	0.81	0.23	71	0.34
918475	Soil	3.65	0.80	40.75	20.07	91.8	125	30.4	11.8	362	2.89	6.7	1.5	2.4	8.0	43.8	0.29	0.32	0.27	58	0.35
918476	Soil	3.29	0.75	55.68	15.12	92.2	233	28.4	16.2	597	3.13	12.4	1.8	2.0	5.0	39.3	0.32	0.59	0.24	63	0.35
918477	Soil	3.52	1.16	86.10	11.36	64.9	215	53.4	18.4	458	3.94	15.6	0.8	6.2	4.4	44.3	0.19	1.28	0.16	92	0.47
918478	Soil	3.55	1.09	57.52	15.08	90.0	175	34.5	18.4	643	3.74	13.7	1.0	2.7	4.4	42.9	0.35	1.02	0.22	88	0.51
918479	Soil	3.08	1.50	132.1	15.04	89.5	156	48.3	26.9	1001	5.69	26.9	1.0	11.7	3.6	67.3	0.23	1.39	0.12	145	0.80
918480	Soil	3.26	1.06	69.25	91.32	172.4	694	33.5	17.3	1144	3.53	13.5	1.4	24.2	4.7	54.5	2.08	0.91	0.25	72	0.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 21, 2008

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918451	Soil			0.145	18.4	53.8	1.10	208.2	0.165	3	3.16	0.019	0.42	0.6	5.2	0.37	<0.02	38	0.5	<0.02	7.8	3.19	0.1
918452	Soil			0.215	20.3	52.7	0.75	283.8	0.145	2	3.16	0.029	0.31	0.3	5.5	0.20	<0.02	26	0.4	0.02	7.8	2.18	<0.1
918453	Soil			0.196	21.3	43.1	0.69	311.3	0.126	3	2.62	0.019	0.31	0.4	4.7	0.21	<0.02	27	0.3	<0.02	7.1	2.16	<0.1
918454	Soil			0.120	21.6	49.3	0.85	135.6	0.108	2	1.62	0.028	0.27	0.5	4.4	0.19	<0.02	11	0.3	0.05	5.1	1.75	<0.1
918455	Soil			0.134	24.2	58.3	1.11	235.4	0.155	3	2.66	0.022	0.51	0.6	6.2	0.31	<0.02	22	0.4	0.03	7.8	3.11	<0.1
918456	Soil			0.092	19.0	40.4	0.70	107.4	0.107	1	1.64	0.015	0.27	0.7	4.1	0.21	<0.02	11	0.4	<0.02	4.9	1.68	<0.1
918457	Soil			0.092	10.1	12.8	0.37	180.7	0.080	2	1.64	0.045	0.17	0.1	2.4	0.13	<0.02	29	0.2	<0.02	3.6	1.33	<0.1
918458	Soil			0.091	20.2	39.7	0.69	107.9	0.112	1	1.48	0.014	0.27	0.4	4.3	0.15	<0.02	19	0.2	<0.02	4.8	1.39	<0.1
918459	Soil			0.086	21.1	53.7	0.98	104.9	0.133	<1	1.60	0.014	0.23	0.2	5.1	0.13	<0.02	30	0.3	0.03	5.2	1.53	<0.1
918460	Soil			0.196	45.5	87.0	1.87	353.7	0.180	<1	3.35	0.022	0.68	0.2	7.7	0.53	<0.02	20	0.4	<0.02	10.1	5.03	0.2
918461	Soil			0.232	17.8	34.8	0.55	394.9	0.114	2	2.49	0.019	0.19	0.3	3.9	0.16	<0.02	23	0.3	<0.02	6.7	1.67	<0.1
918462	Soil			0.203	18.7	43.5	0.69	314.4	0.113	2	2.20	0.014	0.15	0.3	3.4	0.17	<0.02	30	0.2	<0.02	7.2	1.81	<0.1
918463	Soil			0.152	20.1	45.1	0.88	260.4	0.162	2	2.91	0.024	0.35	0.7	4.8	0.28	<0.02	30	0.3	<0.02	8.0	2.55	<0.1
918464	Soil			0.177	10.5	66.1	0.71	251.9	0.170	2	3.61	0.025	0.12	0.3	3.9	0.18	<0.02	37	0.3	<0.02	9.0	2.20	<0.1
918465	Soil			0.077	17.8	52.8	0.91	121.7	0.149	<1	2.05	0.021	0.32	0.3	5.5	0.22	<0.02	18	<0.1	<0.02	5.8	2.10	<0.1
918466	Soil			0.083	18.8	57.8	1.04	138.6	0.168	2	2.25	0.024	0.35	0.5	6.2	0.25	<0.02	24	0.3	0.03	6.3	2.23	<0.1
918467	Soil			0.103	21.1	33.8	0.64	204.1	0.123	2	2.18	0.022	0.34	0.5	3.9	0.20	<0.02	18	0.1	<0.02	6.0	1.88	<0.1
918468	Soil			0.107	23.5	44.8	0.91	225.0	0.150	2	2.66	0.024	0.43	0.3	5.6	0.22	<0.02	23	0.1	0.03	7.4	2.36	<0.1
918469	Soil			0.238	16.3	24.9	0.43	294.5	0.140	4	3.60	0.026	0.18	0.3	4.5	0.22	<0.02	51	0.4	0.06	8.3	1.94	<0.1
918470	Soil			0.118	23.5	38.0	0.67	169.8	0.122	3	2.32	0.023	0.37	0.4	4.9	0.18	<0.02	14	0.2	0.04	6.6	1.91	<0.1
918471	Soil			0.191	16.6	38.7	0.80	243.8	0.141	4	3.23	0.020	0.22	0.3	4.8	0.28	<0.02	47	0.5	0.03	8.0	2.63	<0.1
918472	Soil			0.099	26.6	71.3	1.31	230.5	0.185	1	3.31	0.023	0.39	0.5	7.9	0.29	<0.02	31	0.4	0.08	9.7	3.44	<0.1
918473	Soil			0.104	22.3	74.0	0.87	179.8	0.155	3	2.88	0.016	0.28	0.3	7.8	0.16	<0.02	23	0.6	0.05	7.6	1.82	<0.1
918474	Soil			0.095	22.0	47.5	0.69	167.5	0.152	3	2.76	0.017	0.22	0.2	6.3	0.18	<0.02	15	0.5	0.02	7.4	2.11	<0.1
918475	Soil			0.061	25.0	38.5	0.66	109.4	0.133	1	1.90	0.024	0.28	0.4	4.0	0.20	<0.02	13	0.2	<0.02	5.6	2.05	<0.1
918476	Soil			0.154	21.4	35.9	0.57	168.3	0.157	3	3.80	0.031	0.14	0.2	7.0	0.15	<0.02	33	0.4	<0.02	8.7	1.88	<0.1
918477	Soil			0.065	20.0	84.5	0.94	96.0	0.137	2	2.10	0.016	0.15	0.1	9.6	0.11	<0.02	67	0.5	0.04	6.0	1.66	<0.1
918478	Soil			0.114	22.5	53.3	0.86	163.5	0.155	2	2.68	0.019	0.24	0.2	8.0	0.17	<0.02	24	0.5	0.03	7.5	2.33	<0.1
918479	Soil			0.138	23.1	94.8	1.46	180.4	0.188	3	3.69	0.017	0.29	0.2	14.3	0.14	<0.02	45	0.5	0.10	9.8	2.08	<0.1
918480	Soil			0.104	24.3	41.0	0.59	230.7	0.146	2	2.99	0.017	0.20	0.2	8.0	0.14	<0.02	19	0.3	<0.02	7.4	1.88	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 21, 2008

Page:

2 of 6

Part 3

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918451	Soil	0.09	1.68	36.1	0.6	<0.05	7.0	7.80	42.0	0.04	1	0.8	29.5	<10	2
918452	Soil	0.19	1.71	26.4	0.7	<0.05	14.3	10.42	41.1	0.05	<1	0.5	20.4	<10	<2
918453	Soil	0.08	1.82	26.2	0.7	<0.05	5.7	8.07	35.8	0.06	1	0.8	19.7	<10	<2
918454	Soil	0.06	1.39	21.0	0.4	<0.05	2.9	8.01	37.5	0.03	<1	0.6	16.3	<10	<2
918455	Soil	0.08	1.97	34.8	0.6	<0.05	4.4	11.51	40.9	0.09	<1	0.7	22.8	<10	<2
918456	Soil	0.10	1.41	22.6	0.4	<0.05	5.9	7.87	32.6	0.03	<1	0.4	15.9	<10	2
918457	Soil	0.19	0.75	15.9	0.4	<0.05	11.9	12.21	21.1	0.03	<1	0.3	10.2	<10	2
918458	Soil	0.11	0.92	21.7	0.4	<0.05	5.9	7.84	32.6	<0.02	<1	0.5	13.9	<10	<2
918459	Soil	0.07	0.97	18.7	0.4	<0.05	3.3	9.05	35.8	0.03	<1	0.4	13.7	<10	3
918460	Soil	0.15	1.69	70.3	0.6	<0.05	6.6	15.94	79.0	0.03	<1	1.4	30.4	11	<2
918461	Soil	0.09	1.79	18.7	0.7	<0.05	6.3	7.37	33.5	0.02	<1	0.6	15.9	<10	<2
918462	Soil	0.03	1.84	21.9	0.7	<0.05	1.5	4.97	31.2	0.06	<1	0.6	23.3	<10	<2
918463	Soil	0.25	1.40	37.0	0.6	<0.05	17.2	10.30	40.3	0.03	<1	0.7	23.3	<10	<2
918464	Soil	0.25	1.39	15.2	0.8	<0.05	21.0	5.81	27.7	0.03	<1	0.7	21.4	<10	<2
918465	Soil	0.10	1.03	22.9	0.4	<0.05	4.0	8.10	29.7	0.02	<1	0.5	15.6	10	2
918466	Soil	0.12	1.07	23.9	0.5	<0.05	4.3	8.69	31.2	0.03	<1	0.5	17.2	<10	4
918467	Soil	0.17	1.23	28.9	0.5	<0.05	10.7	7.69	36.2	<0.02	<1	0.3	16.6	<10	<2
918468	Soil	0.17	1.99	30.9	0.6	<0.05	11.8	9.96	39.3	0.06	<1	0.6	20.5	<10	<2
918469	Soil	0.25	1.90	21.4	0.9	<0.05	18.1	9.84	37.6	0.08	<1	0.8	17.7	<10	<2
918470	Soil	0.12	1.56	23.9	0.5	<0.05	9.5	9.17	37.4	0.03	<1	0.7	18.1	<10	<2
918471	Soil	0.12	2.60	26.7	0.8	<0.05	9.4	8.22	34.9	0.13	<1	0.7	20.5	11	<2
918472	Soil	0.13	1.65	33.6	0.7	<0.05	6.7	12.39	41.7	0.05	<1	0.7	29.6	<10	2
918473	Soil	0.20	1.91	23.3	0.5	<0.05	14.3	12.36	34.9	0.05	<1	0.6	17.4	<10	3
918474	Soil	0.12	1.59	25.3	0.6	<0.05	8.6	8.45	41.2	0.03	<1	0.6	17.1	<10	<2
918475	Soil	0.26	0.47	33.7	0.6	<0.05	14.7	9.18	41.4	0.03	1	0.6	17.7	<10	<2
918476	Soil	0.27	1.33	16.8	0.8	<0.05	17.4	13.56	44.0	0.04	<1	0.8	18.1	<10	<2
918477	Soil	0.19	0.72	11.7	0.4	<0.05	9.3	10.68	34.1	0.03	1	0.6	13.5	<10	3
918478	Soil	0.10	1.55	25.3	0.5	<0.05	7.5	10.75	38.4	0.04	<1	0.6	19.4	<10	2
918479	Soil	0.12	0.77	16.6	0.5	<0.05	7.2	12.86	37.5	0.03	<1	0.9	18.8	<10	4
918480	Soil	0.17	1.92	19.9	0.7	<0.05	10.1	14.16	38.6	0.05	<1	0.8	18.2	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 21, 2008

Page:

3 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918481	Soil	3.58	2.14	62.88	32.14	122.4	685	40.5	17.3	831	3.45	13.5	1.0	4.9	5.9	56.9	1.32	1.37	0.30	67	0.64
918482	Soil	3.84	0.95	76.80	65.41	173.5	302	39.9	21.4	1538	3.41	15.2	1.2	4.7	3.6	80.0	2.00	1.73	0.44	73	0.79
918483	Soil	3.59	1.27	78.50	116.2	229.7	246	32.9	21.9	1665	3.61	15.2	1.3	1.6	5.0	120.2	3.26	2.85	0.40	75	1.37
918484	Soil	3.54	1.17	82.88	19.05	90.2	307	37.7	21.2	918	4.24	15.3	1.2	7.1	6.0	70.9	0.53	1.02	0.25	99	0.87
918485	Soil	2.99	0.86	54.06	67.26	117.8	200	27.7	15.7	763	3.22	11.1	0.8	5.1	3.7	69.5	1.46	2.14	0.33	71	0.77
918486	Soil	3.02	0.78	51.76	57.83	110.4	189	26.6	15.0	677	3.17	10.2	0.8	4.2	3.8	62.0	1.29	1.82	0.31	70	0.69
918487	Soil	4.32	1.01	55.41	22.68	102.8	241	34.7	16.1	793	3.70	12.0	0.9	3.0	5.3	43.3	0.69	1.12	0.31	62	0.53
918488	Soil	4.09	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918489	Soil	3.75	1.17	79.98	22.49	130.9	350	39.2	18.8	791	4.50	13.1	0.9	2.7	4.9	47.2	0.66	1.45	0.27	83	0.66
918490	Soil	5.40	1.15	131.9	23.55	80.8	1374	38.3	24.7	1088	4.65	20.7	1.2	12.0	3.4	60.2	0.59	2.27	0.35	101	0.71
918491	Soil	3.90	1.85	75.26	57.71	208.2	1011	58.3	22.0	1210	4.50	22.7	1.3	3.4	5.6	60.0	2.77	2.41	0.55	63	0.75
918492	Soil	4.00	0.89	77.76	22.14	119.5	310	47.1	22.4	1051	3.93	12.0	1.5	3.9	5.1	40.0	0.66	0.87	0.31	84	0.44
918493	Soil	3.40	0.95	79.51	24.55	151.9	418	45.0	21.0	910	4.10	14.5	1.0	4.2	5.2	78.3	1.01	0.99	0.32	90	0.92
918494	Soil	3.60	1.31	88.14	26.55	113.0	517	53.2	24.0	897	4.25	17.4	0.7	17.7	4.4	61.0	0.95	1.48	0.23	99	1.21
918495	Soil	4.40	0.77	41.61	19.82	96.4	136	31.0	12.7	361	2.84	7.0	1.3	3.4	6.2	38.5	0.35	0.32	0.28	59	0.31
918496	Soil	4.10	1.38	66.55	16.46	97.2	298	38.6	20.5	658	4.26	18.4	0.6	5.9	5.7	74.4	0.65	1.57	0.25	82	1.38
918497	Soil	4.40	0.75	99.21	6.83	87.0	196	51.8	23.0	639	4.97	7.3	0.6	3.0	1.5	36.6	0.10	0.45	0.17	179	0.52
918498	Soil	3.40	0.77	56.17	16.41	111.4	255	30.1	17.7	735	3.82	14.7	1.3	4.2	4.2	39.7	0.52	0.85	0.25	79	0.33
918499	Soil	4.60	0.71	44.00	14.81	98.5	216	32.2	16.5	479	3.34	10.6	1.4	2.2	4.9	35.8	0.28	0.66	0.26	66	0.30
918151	Soil	3.60	1.13	85.28	12.99	82.4	179	36.4	19.7	707	4.30	17.9	0.9	5.7	4.0	54.4	0.30	1.20	0.19	99	0.65
918152	Soil	5.80	0.74	40.90	19.40	98.8	135	29.3	12.3	373	2.85	6.8	1.3	6.6	6.3	37.9	0.34	0.33	0.28	60	0.30
918153	Soil	6.00	1.67	88.55	22.67	108.1	194	45.0	24.9	1003	5.00	19.4	1.3	5.1	5.2	61.2	0.63	1.31	0.28	95	0.70
918154	Soil	5.50	0.93	52.82	20.83	145.4	202	36.1	20.3	1000	3.90	10.9	1.3	1.9	4.3	44.7	0.80	0.84	0.30	70	0.40
918155	Soil	4.00	1.04	45.73	54.84	184.6	240	31.3	14.9	1034	2.97	10.9	1.1	1.9	2.8	62.5	2.30	1.54	0.37	57	0.64
918156	Soil	6.80	3.55	100.8	34.54	179.5	2322	41.4	25.7	932	3.87	26.1	0.7	6.5	3.3	140.5	3.78	2.83	0.34	67	3.33
918157	Soil	3.60	1.57	72.08	28.85	154.4	418	38.1	19.1	1186	3.24	15.7	1.2	4.4	2.6	70.2	2.38	1.07	0.28	56	0.83
918158	Soil	3.80	0.87	79.61	18.63	123.8	166	35.1	19.1	1063	3.57	13.7	1.3	1.7	3.2	56.4	0.96	0.98	0.27	63	0.72
918159	Soil	4.10	0.90	76.45	22.04	126.5	171	36.7	19.8	1050	3.58	14.0	1.3	2.1	3.2	55.7	0.96	1.04	0.27	64	0.70
918160	Soil	5.10	0.96	58.34	20.45	92.5	184	32.5	17.0	634	3.68	14.3	1.0	3.1	3.6	40.1	0.57	1.10	0.25	79	0.54
918161	Soil	3.40	1.00	43.25	65.41	149.3	209	29.5	16.8	1209	3.09	13.8	1.2	1.9	2.8	93.1	1.79	2.24	0.46	51	0.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 3 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918481	Soil	0.111	25.5	44.4	0.69	178.8	0.115	3	2.46	0.018	0.28	0.2	6.7	0.15	<0.02	24	0.7	0.05	6.6	1.88	<0.1
918482	Soil	0.149	21.9	46.4	0.89	297.7	0.139	5	3.20	0.020	0.35	0.3	6.3	0.29	0.03	48	0.6	0.03	8.1	3.29	<0.1
918483	Soil	0.257	25.3	44.1	0.65	354.7	0.153	8	3.69	0.041	0.41	0.3	8.6	0.16	<0.02	14	0.4	0.06	9.6	2.07	<0.1
918484	Soil	0.140	27.3	53.7	0.91	150.2	0.149	2	2.59	0.034	0.26	0.2	8.7	0.19	<0.02	37	0.4	0.07	7.2	2.57	<0.1
918485	Soil	0.101	21.1	39.4	0.62	156.1	0.136	4	2.19	0.021	0.29	0.2	6.1	0.17	0.02	44	0.7	<0.02	6.3	1.71	<0.1
918486	Soil	0.098	20.1	38.7	0.62	140.3	0.134	5	2.11	0.021	0.29	0.3	6.1	0.15	<0.02	42	0.4	0.03	6.1	1.75	<0.1
918487	Soil	0.111	22.7	43.6	0.64	180.6	0.105	4	2.67	0.017	0.38	0.3	7.1	0.14	<0.02	11	0.7	0.02	7.0	1.96	0.1
918488	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918489	Soil	0.138	21.9	48.8	0.76	187.3	0.122	4	3.05	0.018	0.38	0.2	8.9	0.11	<0.02	15	0.7	0.06	8.5	2.18	0.1
918490	Soil	0.113	25.0	53.0	1.00	138.9	0.129	4	2.72	0.017	0.27	0.3	12.9	0.18	0.02	145	1.4	<0.02	6.9	3.34	0.1
918491	Soil	0.182	25.1	64.2	0.88	250.1	0.132	4	3.13	0.015	0.32	0.2	8.3	0.25	<0.02	42	2.0	0.06	7.6	3.23	0.1
918492	Soil	0.193	25.2	83.9	1.08	307.0	0.174	3	3.98	0.016	0.27	0.3	8.8	0.27	<0.02	26	0.7	0.04	10.7	3.44	0.2
918493	Soil	0.206	22.1	64.1	1.22	274.7	0.138	4	2.85	0.021	0.43	0.4	7.3	0.21	<0.02	39	0.6	0.04	8.6	2.84	0.1
918494	Soil	0.164	21.6	83.5	1.27	186.6	0.127	4	2.43	0.020	0.31	0.3	8.5	0.20	<0.02	40	0.9	0.04	7.5	2.67	0.1
918495	Soil	0.071	18.6	37.5	0.64	111.3	0.113	1	1.91	0.020	0.30	0.3	4.3	0.20	<0.02	13	0.3	0.04	5.6	2.24	0.2
918496	Soil	0.183	24.7	49.2	1.07	132.9	0.091	3	2.05	0.026	0.14	0.2	7.5	0.09	<0.02	29	1.0	0.05	6.3	1.93	0.1
918497	Soil	0.023	7.9	138.7	2.72	98.5	0.303	1	3.34	0.011	1.62	0.2	11.9	0.47	<0.02	12	0.5	0.03	10.7	7.24	0.3
918498	Soil	0.174	18.9	41.0	0.63	205.7	0.147	3	4.09	0.020	0.16	0.2	7.0	0.13	<0.02	23	0.7	0.04	10.1	1.98	0.1
918499	Soil	0.166	19.6	41.0	0.65	202.2	0.135	2	3.40	0.018	0.15	0.2	5.9	0.15	<0.02	29	0.5	0.04	8.6	2.49	<0.1
918151	Soil	0.162	20.7	60.6	0.94	139.4	0.127	3	2.68	0.021	0.15	0.2	10.6	0.10	<0.02	52	0.6	0.04	7.6	1.89	0.2
918152	Soil	0.076	18.4	36.3	0.63	115.9	0.110	1	1.87	0.021	0.29	0.3	4.2	0.20	<0.02	13	0.2	0.04	5.8	2.20	0.1
918153	Soil	0.177	25.0	68.6	0.96	204.4	0.133	3	3.16	0.022	0.22	0.2	10.8	0.16	<0.02	46	0.8	0.04	8.8	2.95	0.1
918154	Soil	0.248	22.4	46.1	0.67	271.8	0.138	4	3.90	0.020	0.25	0.2	7.6	0.17	<0.02	25	0.6	0.04	10.0	2.43	0.1
918155	Soil	0.244	17.7	38.2	0.57	312.9	0.114	5	3.02	0.020	0.29	0.3	5.3	0.20	0.03	40	0.6	0.05	8.1	2.24	<0.1
918156	Soil	0.150	20.2	34.9	0.67	156.1	0.088	5	1.77	0.027	0.21	0.3	6.4	0.16	0.02	74	2.2	0.10	4.9	2.33	0.1
918157	Soil	0.196	19.3	34.7	0.56	247.3	0.089	4	2.65	0.013	0.30	0.2	5.8	0.14	0.03	24	1.0	0.05	6.5	2.03	0.1
918158	Soil	0.211	20.3	42.8	0.64	252.3	0.116	4	3.51	0.015	0.25	0.2	7.5	0.14	<0.02	24	0.7	0.04	8.8	2.15	0.1
918159	Soil	0.199	20.5	41.9	0.63	242.8	0.118	4	3.46	0.015	0.25	0.2	7.6	0.14	<0.02	22	0.7	0.03	9.1	2.07	<0.1
918160	Soil	0.150	20.0	47.5	0.70	178.0	0.126	3	2.77	0.013	0.30	0.2	7.7	0.15	<0.02	18	0.7	0.04	7.7	2.14	0.1
918161	Soil	0.155	17.6	32.7	0.51	256.6	0.097	4	2.85	0.014	0.16	0.2	5.3	0.14	0.03	60	0.7	0.06	7.3	3.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 21, 2008

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918481	Soil	0.14	1.79	21.9	0.6	<0.05	9.0	13.52	42.1	0.06	<1	0.7	20.3	<10	<2
918482	Soil	0.12	2.90	36.8	1.0	<0.05	8.5	12.73	37.8	0.13	<1	0.8	25.6	<10	<2
918483	Soil	0.53	2.35	21.1	1.3	<0.05	30.4	14.45	43.8	0.26	<1	1.0	19.6	12	5
918484	Soil	0.20	1.50	17.6	0.6	<0.05	7.0	14.01	45.9	0.04	<1	0.5	19.5	11	3
918485	Soil	0.10	2.64	16.1	0.7	<0.05	6.5	9.73	34.4	0.16	<1	0.5	14.7	<10	3
918486	Soil	0.11	2.51	15.9	0.7	<0.05	6.7	9.45	33.0	0.13	<1	0.6	14.5	<10	<2
918487	Soil	0.17	1.94	19.4	0.5	<0.05	9.1	12.51	37.9	0.05	<1	0.7	21.8	23	<2
918488	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
918489	Soil	0.19	1.94	18.5	0.6	<0.05	10.7	12.74	35.1	0.05	<1	0.8	22.3	15	<2
918490	Soil	0.08	2.13	17.3	0.4	<0.05	3.8	23.96	41.0	0.06	<1	0.6	20.0	35	3
918491	Soil	0.15	1.63	31.3	0.8	<0.05	10.2	21.99	44.7	0.14	<1	1.1	23.6	<10	<2
918492	Soil	0.18	2.39	49.0	0.9	<0.05	14.3	14.61	48.9	0.06	<1	0.8	25.1	<10	2
918493	Soil	0.05	2.65	34.7	0.6	<0.05	3.7	11.59	38.2	0.05	<1	0.6	26.1	<10	<2
918494	Soil	0.06	1.43	25.9	0.5	<0.05	3.6	12.75	39.5	0.07	<1	0.6	19.4	<10	<2
918495	Soil	0.27	0.34	37.4	0.5	<0.05	15.0	8.86	33.2	0.03	<1	0.5	16.8	<10	<2
918496	Soil	0.11	0.50	11.3	0.3	<0.05	5.4	9.93	46.0	0.04	<1	0.5	18.2	<10	<2
918497	Soil	0.16	0.19	79.4	0.5	<0.05	7.5	10.49	13.3	0.03	<1	0.8	39.5	<10	<2
918498	Soil	0.20	1.59	15.2	0.8	<0.05	14.8	12.14	45.8	0.04	<1	1.0	19.6	<10	<2
918499	Soil	0.18	1.34	21.2	0.7	<0.05	12.9	9.84	44.8	0.03	<1	1.1	24.4	<10	<2
918151	Soil	0.13	1.07	10.1	0.4	<0.05	7.1	12.65	38.3	0.04	<1	0.6	18.2	<10	<2
918152	Soil	0.30	0.33	37.2	0.5	<0.05	15.7	8.94	31.3	0.02	<1	0.6	16.5	<10	<2
918153	Soil	0.17	1.14	18.0	0.6	<0.05	10.5	13.37	46.3	0.05	<1	0.9	23.5	<10	<2
918154	Soil	0.15	2.18	23.6	0.9	<0.05	10.8	12.84	45.0	0.06	<1	0.9	24.6	<10	<2
918155	Soil	0.10	2.25	26.2	0.9	<0.05	7.5	10.14	33.4	0.13	<1	0.7	18.5	<10	<2
918156	Soil	0.06	1.30	21.4	0.4	<0.05	3.8	16.96	36.3	0.04	<1	0.7	13.1	<10	<2
918157	Soil	0.13	2.03	26.3	0.5	<0.05	8.1	14.77	31.4	0.05	<1	0.8	18.4	<10	<2
918158	Soil	0.17	2.24	24.7	0.7	<0.05	11.4	14.25	35.6	0.05	<1	1.0	22.2	<10	<2
918159	Soil	0.17	2.32	25.0	0.8	<0.05	11.4	14.35	36.2	0.05	<1	1.1	21.4	<10	2
918160	Soil	0.12	2.03	22.0	0.6	<0.05	8.7	11.68	32.5	0.05	<1	0.6	19.1	<10	<2
918161	Soil	0.16	2.30	21.9	0.9	<0.05	10.7	10.38	32.6	0.17	<1	0.9	22.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918162	Soil	4.60	1.06	86.40	30.78	136.7	381	44.3	23.9	1225	4.42	16.3	1.0	5.8	4.4	54.2	1.56	1.52	0.31	77	0.68
918163	Soil	4.60	1.05	105.0	27.40	104.9	316	37.9	25.2	968	4.68	19.7	0.8	10.4	3.3	56.9	0.86	1.81	0.23	100	0.78
918164	Soil	5.90	0.69	54.12	18.03	84.0	213	29.5	15.3	602	3.42	10.4	1.0	3.1	4.0	42.0	0.55	0.96	0.22	73	0.53
918165	Soil	4.80	0.83	57.60	20.48	100.7	255	34.9	17.2	772	3.63	12.3	1.2	8.0	3.1	57.6	0.51	0.95	0.23	71	0.62
918166	Soil	5.60	0.84	60.26	11.44	58.2	224	28.6	15.6	431	3.52	17.1	0.7	6.2	3.7	58.9	0.21	1.33	0.16	72	0.67
918167	Soil	4.90	0.87	31.82	46.50	147.6	298	29.5	12.2	1070	2.66	10.9	1.0	1.0	3.2	57.7	1.03	2.13	0.35	45	0.42
918168	Soil	5.90	0.79	81.33	21.33	99.0	133	28.8	21.3	867	4.12	13.4	0.9	4.2	2.8	62.7	0.63	1.34	0.16	108	0.72
918169	Soil	5.80	1.63	102.6	15.94	106.1	167	46.0	27.6	1183	5.41	33.3	0.8	9.6	3.4	70.0	0.42	1.73	0.15	111	0.69
918170	Soil	5.90	1.29	96.27	15.52	99.6	229	41.6	25.5	1026	4.69	38.2	0.8	15.6	3.3	72.3	0.54	2.17	0.15	103	0.90
918171	Soil	6.30	1.41	114.9	12.71	95.2	181	43.0	24.9	994	5.13	44.3	0.7	20.5	3.2	65.3	0.34	1.74	0.14	122	0.80
918172	Soil	4.20	1.58	107.1	13.15	113.5	132	44.9	27.4	1143	5.64	14.4	0.8	5.3	2.8	60.4	0.47	1.50	0.12	134	0.74
918173	Soil	4.00	1.53	131.9	13.08	101.6	184	50.1	28.5	1060	5.91	33.9	0.9	15.4	3.2	72.7	0.31	1.36	0.12	147	0.82
918174	Soil	3.90	0.67	72.68	19.68	152.4	358	28.5	16.6	775	3.67	17.3	1.1	14.5	3.7	45.5	0.71	0.96	0.24	72	0.43
918175	Soil	4.70	1.39	97.78	11.33	93.7	83	39.9	23.6	848	5.32	24.2	0.8	14.5	3.1	60.5	0.26	1.48	0.12	131	0.67
918176	Soil	3.90	1.19	102.7	15.08	96.8	245	44.4	23.9	926	5.29	25.1	0.7	9.5	3.5	62.5	0.38	1.71	0.14	121	0.77
918177	Soil	4.90	2.96	74.74	12.76	134.1	220	47.7	20.6	566	4.32	30.0	0.8	5.8	3.5	41.7	0.92	3.36	0.17	84	0.42
918178	Soil	2.90	3.09	81.00	13.51	149.3	253	51.8	21.1	616	4.64	32.5	0.9	5.4	3.6	45.9	1.08	3.60	0.18	86	0.45
918179	Soil	5.40	1.79	84.24	14.77	87.9	290	39.2	27.0	1023	4.82	37.9	0.6	11.6	3.8	71.1	0.59	1.97	0.16	95	0.87
918180	Soil	3.00	1.10	92.57	11.08	84.9	98	36.2	21.9	936	4.97	28.0	0.7	10.4	3.2	74.8	0.29	1.67	0.10	115	0.83
918181	Soil	4.30	1.34	79.57	10.01	70.0	152	33.9	20.0	656	4.46	28.6	1.0	10.5	3.1	62.4	0.20	1.78	0.10	110	0.72
918182	Soil	4.30	0.96	65.43	9.89	65.7	185	26.5	16.3	445	3.87	24.1	0.9	31.1	3.1	49.8	0.23	1.75	0.10	94	0.53
918183	Soil	4.60	0.81	40.27	18.21	97.1	136	32.1	12.6	377	3.05	7.0	1.3	2.7	6.8	40.0	0.33	0.34	0.25	58	0.33
918184	Soil	6.40	0.99	57.84	10.92	83.1	155	30.7	19.0	682	4.15	21.0	1.0	5.2	4.4	47.8	0.27	1.37	0.13	98	0.55
918185	Soil	3.60	1.33	94.66	15.82	85.5	240	42.3	23.0	862	4.88	31.3	0.9	13.3	3.6	55.7	0.28	2.13	0.14	116	0.64
918186	Soil	2.10	1.10	67.51	12.30	86.2	247	31.9	18.0	582	4.21	27.8	0.8	10.2	3.0	53.3	0.41	1.91	0.13	96	0.59
917959	Soil	4.60	0.78	63.46	8.96	64.4	75	22.1	17.4	534	3.87	12.1	0.7	15.5	2.3	53.4	0.20	1.38	0.08	104	0.67
917960	Soil	3.50	0.85	76.10	13.49	97.0	99	32.5	21.9	870	4.54	15.7	0.8	5.9	2.9	58.4	0.38	1.60	0.12	112	0.60
917961	Soil	3.80	0.77	65.59	11.61	81.6	73	35.9	21.2	691	4.60	12.0	1.0	2.3	3.8	58.9	0.22	1.23	0.12	115	0.58
917962	Soil	4.30	1.07	113.0	13.20	110.1	76	41.4	24.6	942	5.63	17.4	0.8	5.9	3.1	84.2	0.34	1.89	0.10	135	0.97
917963	Soil	4.00	1.26	67.08	9.39	77.7	40	35.3	20.2	538	4.49	12.2	0.9	4.1	3.3	54.8	0.19	1.37	0.09	120	0.54



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 4 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918162	Soil	0.178	24.8	82.8	1.13	259.4	0.126	4	3.37	0.010	0.35	0.2	10.0	0.18	<0.02	42	0.8	0.04	9.0	2.92	<0.1
918163	Soil	0.187	20.6	62.3	0.97	174.2	0.111	4	2.80	0.013	0.29	0.2	10.6	0.14	<0.02	54	0.7	0.05	8.2	2.11	0.1
918164	Soil	0.149	21.2	47.3	0.64	171.0	0.110	3	2.40	0.015	0.32	0.2	7.1	0.12	<0.02	13	0.5	0.03	6.9	1.90	<0.1
918165	Soil	0.160	18.8	57.0	0.83	161.9	0.092	2	2.58	0.016	0.16	0.1	7.2	0.12	<0.02	34	0.6	0.05	7.0	2.15	0.1
918166	Soil	0.159	20.3	44.6	0.74	123.1	0.087	2	1.72	0.017	0.08	0.2	6.8	0.06	<0.02	50	0.5	0.04	4.9	1.32	<0.1
918167	Soil	0.350	13.7	31.0	0.50	350.7	0.113	3	3.25	0.020	0.12	0.2	4.5	0.16	<0.02	43	0.4	0.03	8.1	2.70	<0.1
918168	Soil	0.164	19.1	51.2	0.84	151.9	0.141	3	2.73	0.017	0.17	0.2	10.3	0.10	<0.02	61	0.5	0.04	8.0	1.39	0.1
918169	Soil	0.166	19.7	71.3	1.23	188.8	0.114	2	3.13	0.020	0.17	0.2	12.0	0.12	<0.02	63	0.4	0.05	9.0	2.51	0.1
918170	Soil	0.179	21.8	64.1	1.18	181.6	0.107	3	2.56	0.024	0.16	0.2	9.7	0.11	<0.02	45	0.6	0.04	7.9	2.03	0.1
918171	Soil	0.190	21.4	71.9	1.24	197.5	0.132	3	2.93	0.023	0.14	0.2	12.8	0.09	<0.02	57	0.5	0.04	8.6	2.01	0.2
918172	Soil	0.161	19.8	75.5	1.27	210.8	0.148	3	3.44	0.018	0.18	0.1	12.7	0.12	<0.02	85	0.6	0.07	9.4	2.47	0.1
918173	Soil	0.165	22.1	86.6	1.41	207.6	0.166	3	3.53	0.020	0.17	0.4	15.2	0.12	<0.02	78	0.6	0.03	10.6	2.50	0.2
918174	Soil	0.206	16.6	40.9	0.67	206.7	0.131	3	3.79	0.022	0.12	0.3	7.3	0.15	<0.02	46	0.4	<0.02	9.6	2.05	<0.1
918175	Soil	0.140	19.4	66.1	1.26	165.4	0.157	2	3.40	0.022	0.16	0.3	11.9	0.11	<0.02	55	0.6	<0.02	9.3	1.98	0.2
918176	Soil	0.149	20.6	72.5	1.35	147.6	0.136	2	3.15	0.019	0.18	0.2	11.9	0.13	<0.02	62	0.6	<0.02	9.2	2.32	<0.1
918177	Soil	0.136	15.9	42.6	0.76	159.2	0.119	2	2.29	0.018	0.17	0.2	8.2	0.24	<0.02	36	0.6	<0.02	6.3	1.58	<0.1
918178	Soil	0.152	17.1	44.1	0.80	174.0	0.128	2	2.45	0.017	0.19	0.2	8.9	0.27	0.02	44	0.6	<0.02	6.9	1.68	<0.1
918179	Soil	0.127	21.2	59.0	1.08	156.1	0.123	3	2.70	0.027	0.16	0.4	10.3	0.14	0.02	45	0.8	0.05	7.7	2.11	0.1
918180	Soil	0.205	23.4	61.3	1.14	185.7	0.154	3	2.78	0.022	0.15	0.2	11.5	0.08	<0.02	47	0.5	0.10	8.0	1.83	0.2
918181	Soil	0.143	22.4	60.3	1.03	146.8	0.148	3	2.57	0.023	0.12	0.2	11.0	0.09	<0.02	44	0.5	0.02	7.4	1.60	0.1
918182	Soil	0.076	17.3	46.9	0.82	100.7	0.147	3	2.00	0.022	0.09	0.2	8.9	0.09	<0.02	48	0.5	<0.02	6.2	1.23	<0.1
918183	Soil	0.071	19.5	38.4	0.68	111.3	0.116	2	1.92	0.021	0.28	0.4	4.4	0.21	<0.02	18	0.2	0.03	6.3	2.12	0.1
918184	Soil	0.099	21.9	54.0	0.94	138.2	0.163	3	2.72	0.025	0.17	0.3	10.0	0.12	<0.02	37	0.4	<0.02	7.6	1.62	0.1
918185	Soil	0.126	23.7	68.8	1.12	154.5	0.157	3	2.93	0.019	0.16	0.3	12.9	0.11	<0.02	63	0.6	<0.02	8.4	2.11	0.1
918186	Soil	0.128	19.9	54.8	0.90	133.0	0.140	4	2.39	0.020	0.16	0.2	9.3	0.11	<0.02	47	0.5	<0.02	7.1	1.67	0.1
917959	Soil	0.143	17.2	44.0	0.86	86.6	0.157	2	1.88	0.018	0.11	0.2	7.8	0.06	<0.02	28	0.4	<0.02	6.4	1.21	0.1
917960	Soil	0.151	20.9	50.4	0.97	154.7	0.162	3	3.09	0.016	0.15	0.2	10.2	0.10	<0.02	54	0.6	<0.02	8.6	1.64	<0.1
917961	Soil	0.130	23.4	61.2	1.16	171.6	0.200	3	3.17	0.018	0.22	0.2	10.1	0.13	<0.02	14	0.4	0.03	8.8	2.16	0.1
917962	Soil	0.165	20.8	62.4	1.40	198.8	0.191	3	3.53	0.028	0.18	0.2	12.6	0.11	<0.02	62	0.4	0.03	9.9	1.94	0.2
917963	Soil	0.096	16.6	61.3	1.10	131.3	0.202	3	2.54	0.017	0.10	0.2	8.9	0.09	<0.02	14	0.6	<0.02	7.5	1.53	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 21, 2008

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918162	Soil	0.21	2.35	26.8	0.6	<0.05	12.4	18.04	40.2	0.08	<1	0.8	26.0	<10	<2
918163	Soil	0.12	2.58	14.8	0.5	<0.05	5.7	13.16	34.3	0.08	<1	0.7	18.5	<10	<2
918164	Soil	0.24	1.67	19.1	0.5	<0.05	13.0	12.49	34.7	0.05	<1	0.7	15.8	<10	<2
918165	Soil	0.08	1.61	16.7	0.5	<0.05	4.4	10.51	35.1	0.06	<1	0.7	19.6	<10	3
918166	Soil	0.08	0.76	7.7	0.3	<0.05	4.8	10.43	35.3	0.03	<1	0.6	12.4	<10	<2
918167	Soil	0.17	1.63	16.5	0.9	<0.05	11.0	7.88	31.9	0.08	<1	0.9	17.6	<10	<2
918168	Soil	0.15	1.93	10.2	0.6	<0.05	8.1	12.77	34.9	0.07	<1	0.5	15.2	<10	<2
918169	Soil	0.16	0.37	11.0	0.4	<0.05	7.7	12.48	35.0	0.05	<1	0.8	21.3	<10	<2
918170	Soil	0.15	1.20	10.5	0.4	<0.05	6.8	12.63	37.9	0.04	<1	0.7	17.2	<10	2
918171	Soil	0.14	0.48	9.8	0.4	<0.05	7.3	12.59	39.6	0.04	<1	0.8	17.5	<10	2
918172	Soil	0.21	0.33	11.7	0.4	<0.05	9.0	12.65	36.8	0.04	<1	0.7	19.3	11	5
918173	Soil	0.21	0.58	14.0	0.8	<0.05	10.0	15.69	40.6	0.04	<1	0.9	20.4	<10	3
918174	Soil	0.21	1.99	16.8	0.8	<0.05	12.8	11.96	37.1	0.05	<1	0.9	22.5	19	<2
918175	Soil	0.17	0.46	13.2	0.4	<0.05	8.6	12.15	37.2	0.04	<1	0.5	19.3	15	3
918176	Soil	0.12	0.70	13.3	0.8	<0.05	6.7	13.05	34.4	0.04	<1	0.7	20.8	<10	2
918177	Soil	0.16	1.15	16.2	0.4	<0.05	9.6	9.76	32.0	0.04	<1	0.7	14.6	20	2
918178	Soil	0.17	1.40	18.0	0.4	<0.05	9.9	10.50	33.8	0.04	<1	0.8	15.8	18	<2
918179	Soil	0.10	1.24	18.5	0.4	<0.05	6.6	14.22	41.4	0.04	<1	0.8	21.7	<10	<2
918180	Soil	0.29	0.46	10.1	0.5	<0.05	10.9	12.40	41.6	0.04	<1	0.5	15.3	21	<2
918181	Soil	0.15	0.73	10.7	0.3	<0.05	9.3	12.82	39.5	0.03	<1	0.5	14.8	<10	2
918182	Soil	0.22	0.75	10.8	0.4	<0.05	10.4	10.85	34.2	0.02	<1	0.6	13.1	10	<2
918183	Soil	0.30	0.52	34.9	0.5	<0.05	15.3	8.78	35.0	0.03	<1	0.5	18.0	<10	<2
918184	Soil	0.25	0.99	22.1	0.5	<0.05	12.9	11.26	45.0	0.03	<1	0.7	17.1	<10	<2
918185	Soil	0.12	0.78	11.3	0.5	<0.05	6.7	13.59	43.5	0.04	<1	0.5	17.9	13	2
918186	Soil	0.14	1.25	13.0	0.4	<0.05	7.5	12.15	39.6	0.03	<1	0.5	16.4	<10	2
917959	Soil	0.15	0.72	7.5	0.4	<0.05	8.3	9.56	33.8	0.02	<1	0.3	12.4	<10	2
917960	Soil	0.09	1.35	11.4	0.5	<0.05	5.9	13.41	38.3	0.03	<1	0.6	15.8	<10	2
917961	Soil	0.14	1.28	22.3	0.5	<0.05	7.7	10.44	43.0	0.03	<1	0.6	16.5	<10	<2
917962	Soil	0.24	0.44	11.9	0.4	<0.05	10.8	12.50	35.4	0.03	<1	0.7	18.7	<10	3
917963	Soil	0.24	0.58	12.0	0.4	<0.05	12.2	8.13	33.3	0.04	<1	0.5	15.5	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 21, 2008

Page:

5 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917964	Soil	4.50	1.46	131.8	12.40	109.9	262	47.1	30.1	1001	5.55	20.9	1.6	6.2	2.9	86.3	0.53	1.86	0.10	142	0.96
917965	Soil	2.20	1.21	116.3	14.75	117.0	70	52.8	31.0	1062	5.27	17.6	1.2	4.1	4.2	78.2	0.39	1.50	0.14	135	0.60
917966	Soil	3.90	0.60	55.97	9.76	82.4	97	49.0	17.7	542	4.04	9.3	1.5	2.6	6.1	63.6	0.18	0.80	0.13	98	0.76
917967	Soil	3.80	1.04	99.71	11.43	89.2	69	60.6	26.1	900	5.47	17.2	1.2	6.3	5.1	69.2	0.21	1.81	0.11	135	0.83
917968	Soil	3.20	0.64	71.64	14.35	82.1	49	91.3	28.7	971	5.41	15.2	1.7	3.5	8.0	92.5	0.19	1.12	0.14	124	1.05
917969	Soil	4.10	0.86	77.77	10.25	71.8	76	57.0	23.7	642	4.64	14.5	1.2	4.6	5.0	58.0	0.16	1.43	0.10	120	0.69
917970	Soil	3.70	0.71	58.09	9.90	78.4	132	35.2	17.9	637	4.23	12.6	1.5	6.1	3.5	46.6	0.22	1.76	0.11	83	0.56
917971	Soil	3.20	1.20	93.82	11.91	80.6	247	43.2	19.9	739	4.60	19.1	2.5	6.7	3.5	58.6	0.32	1.85	0.10	96	0.76
917972	Soil	4.30	1.02	89.71	11.56	87.8	85	43.5	21.5	755	4.79	41.9	0.9	6.7	3.7	58.5	0.26	1.81	0.11	99	0.66
917973	Soil	3.60	0.71	64.54	15.50	102.8	192	45.2	21.7	796	4.12	14.7	1.1	4.7	4.1	52.3	0.41	1.48	0.15	84	0.65
917974	Soil	4.20	0.76	36.87	18.10	97.0	120	31.1	11.6	358	2.98	7.0	1.3	3.4	7.0	41.1	0.32	0.32	0.25	58	0.36
917975	Soil	3.90	0.78	42.73	22.69	187.5	238	39.2	20.0	1017	3.92	16.1	1.2	1.5	4.0	52.7	0.92	1.35	0.23	68	0.49
917976	Soil	3.30	1.10	104.7	11.90	82.9	71	40.4	24.6	922	5.46	33.7	0.8	10.7	3.9	95.1	0.18	1.37	0.10	137	0.94
917977	Soil	3.40	0.89	107.0	10.57	92.4	81	44.8	22.7	922	5.39	21.8	0.8	7.6	3.1	75.6	0.22	1.18	0.10	141	0.89
917978	Soil	3.90	1.06	105.8	10.54	91.7	87	46.7	23.0	903	5.35	25.1	0.9	8.5	3.1	75.7	0.17	1.14	0.10	141	0.89
918001	Soil	3.20	0.63	45.15	9.26	86.0	74	36.4	17.8	452	3.84	10.4	0.9	1.9	3.6	38.2	0.21	1.32	0.11	84	0.33
918002	Soil	3.00	0.88	49.20	22.75	138.3	165	57.1	25.3	1583	3.84	9.1	1.4	2.6	4.6	42.9	0.60	1.06	0.22	82	0.54
918003	Soil	2.60	0.56	55.43	23.04	113.0	146	76.0	25.3	866	4.31	7.7	1.5	1.9	6.6	56.8	0.32	0.88	0.19	93	0.75
918004	Soil	3.60	0.49	56.47	8.12	65.5	78	84.0	23.5	443	3.86	5.8	1.6	4.3	8.1	48.3	0.11	0.49	0.10	85	0.75
918005	Soil	4.00	0.78	72.12	8.49	70.3	67	53.8	22.5	532	4.11	9.9	1.2	4.5	5.6	42.9	0.16	0.83	0.10	100	0.68
918006	Soil	2.80	1.06	96.05	11.05	97.2	74	46.8	24.0	897	5.08	14.9	0.8	4.6	2.9	71.4	0.30	1.53	0.09	122	0.90
918007	Soil	3.50	0.98	83.62	10.37	93.0	96	43.5	22.2	787	4.65	15.1	0.9	9.7	2.6	71.2	0.35	1.39	0.10	110	0.95
918008	Soil	3.20	0.96	56.47	9.95	99.8	154	35.5	21.6	511	4.14	8.5	0.9	3.2	3.3	31.0	0.32	0.84	0.13	107	0.40
918009	Soil	4.10	0.69	39.99	15.52	66.9	141	20.4	12.1	669	3.05	10.8	2.3	28.3	9.0	21.5	0.20	0.38	0.22	48	0.18
918010	Soil	2.60	0.76	35.92	16.49	132.0	91	34.5	18.3	1309	3.67	8.4	0.7	<0.2	2.6	22.4	0.74	0.95	0.19	85	0.30
918011	Soil	4.00	1.64	119.7	13.47	125.8	239	63.8	34.2	1167	5.57	15.1	1.0	3.5	3.8	55.2	0.62	1.01	0.11	145	0.65
918012	Soil	3.60	1.37	115.7	19.66	111.8	191	63.9	29.3	1233	5.11	21.8	1.0	14.4	3.3	63.0	0.45	1.77	0.14	124	0.67
918013	Soil	4.00	1.15	89.45	14.88	124.7	108	57.6	28.4	905	4.53	17.2	1.1	3.0	4.7	33.9	0.39	1.00	0.17	104	0.37
918014	Soil	3.30	0.78	38.04	16.64	91.5	115	30.6	12.6	403	2.82	6.8	1.2	31.4	6.3	32.4	0.29	0.28	0.25	58	0.32
918015	Soil	3.50	0.88	102.0	15.02	113.1	141	79.8	27.9	1076	4.64	17.3	1.2	3.8	4.4	59.9	0.44	1.09	0.15	104	0.62



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 5 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917964	Soil	0.136	19.6	66.2	1.31	245.9	0.188	3	3.20	0.034	0.17	0.2	12.7	0.15	<0.02	71	0.8	<0.02	8.9	2.86	0.1
917965	Soil	0.204	23.3	69.9	1.33	263.9	0.185	3	4.23	0.018	0.25	0.2	11.6	0.19	<0.02	31	0.7	0.04	10.7	3.09	0.2
917966	Soil	0.176	29.2	70.7	1.30	226.1	0.192	2	2.82	0.029	0.34	0.2	9.4	0.24	<0.02	28	0.4	<0.02	8.7	4.44	0.1
917967	Soil	0.211	31.2	93.0	1.47	263.5	0.202	4	3.52	0.023	0.41	0.2	12.4	0.23	<0.02	54	0.5	0.03	10.0	3.10	0.2
917968	Soil	0.343	52.6	138.4	2.08	428.3	0.271	2	3.86	0.025	0.70	0.2	10.6	0.38	<0.02	17	0.4	0.05	10.9	4.41	0.2
917969	Soil	0.167	28.4	90.6	1.40	176.5	0.200	4	2.92	0.017	0.33	0.2	10.0	0.22	<0.02	17	0.5	<0.02	8.5	2.69	0.2
917970	Soil	0.146	21.1	49.0	1.02	145.2	0.120	2	2.50	0.020	0.25	0.1	7.6	0.16	<0.02	34	0.5	<0.02	7.0	1.92	0.1
917971	Soil	0.160	23.2	66.2	1.23	166.8	0.146	3	2.61	0.023	0.31	0.2	10.2	0.14	<0.02	79	0.7	0.02	7.4	2.38	0.1
917972	Soil	0.138	22.3	61.7	1.25	141.9	0.148	2	2.95	0.018	0.17	0.2	9.8	0.15	<0.02	45	0.5	0.06	8.1	2.18	0.2
917973	Soil	0.173	22.7	56.9	1.05	171.3	0.153	3	3.06	0.022	0.22	0.2	8.0	0.16	<0.02	47	0.7	<0.02	8.3	2.23	0.1
917974	Soil	0.070	21.1	37.5	0.67	112.6	0.120	1	1.95	0.022	0.30	0.4	4.2	0.21	<0.02	13	0.3	0.02	6.0	2.11	0.1
917975	Soil	0.304	16.9	42.8	0.81	264.3	0.144	9	3.83	0.025	0.26	0.2	5.7	0.19	<0.02	29	0.5	0.03	10.1	2.47	<0.1
917976	Soil	0.240	30.7	73.5	1.40	191.4	0.194	4	3.49	0.031	0.17	0.5	12.3	0.09	<0.02	48	0.6	<0.02	9.8	2.46	0.1
917977	Soil	0.161	21.1	73.3	1.38	189.5	0.190	7	3.48	0.028	0.14	0.3	13.3	0.09	<0.02	45	0.6	<0.02	10.5	1.94	0.1
917978	Soil	0.158	21.8	81.9	1.44	185.0	0.193	4	3.49	0.032	0.15	0.3	13.0	0.09	<0.02	49	0.7	<0.02	9.9	1.97	0.2
918001	Soil	0.069	15.7	51.4	0.99	128.8	0.170	2	2.55	0.018	0.20	0.1	5.9	0.14	<0.02	14	0.3	<0.02	7.6	2.01	0.1
918002	Soil	0.245	22.8	62.8	1.07	297.9	0.191	4	3.58	0.024	0.28	0.2	6.6	0.25	0.03	41	0.5	0.03	10.1	2.84	0.1
918003	Soil	0.228	35.3	96.3	1.48	299.8	0.225	4	3.50	0.028	0.40	0.2	8.1	0.26	0.02	37	0.4	<0.02	10.6	3.46	0.1
918004	Soil	0.221	34.8	97.2	1.73	340.6	0.200	3	2.63	0.019	0.53	0.2	5.7	0.32	<0.02	24	0.3	0.03	8.0	3.64	0.2
918005	Soil	0.198	26.2	76.7	1.35	241.7	0.149	2	2.51	0.017	0.30	0.2	6.8	0.20	<0.02	25	0.4	<0.02	7.3	2.94	0.2
918006	Soil	0.182	19.9	66.9	1.33	200.4	0.144	2	2.89	0.023	0.14	0.1	10.3	0.12	<0.02	50	0.4	0.02	8.3	2.14	0.1
918007	Soil	0.185	18.9	67.3	1.27	220.4	0.135	1	2.55	0.020	0.16	0.1	9.3	0.14	<0.02	50	0.4	<0.02	7.7	2.04	<0.1
918008	Soil	0.084	11.3	54.3	1.03	118.5	0.165	2	3.07	0.011	0.11	0.2	7.1	0.16	<0.02	29	0.4	<0.02	8.3	1.90	<0.1
918009	Soil	0.071	24.1	27.5	0.60	200.4	0.093	<1	2.86	0.005	0.21	3.2	4.2	0.24	<0.02	17	0.5	0.06	7.4	2.25	<0.1
918010	Soil	0.216	9.6	45.8	0.75	229.2	0.146	2	3.25	0.013	0.07	0.2	4.7	0.17	<0.02	28	0.3	<0.02	9.5	1.87	<0.1
918011	Soil	0.210	19.2	76.5	1.64	306.8	0.187	2	4.50	0.014	0.16	0.2	8.6	0.29	<0.02	61	0.8	0.03	10.7	4.54	0.2
918012	Soil	0.169	23.0	84.8	1.55	209.0	0.163	2	3.45	0.011	0.21	0.1	12.7	0.22	<0.02	43	0.7	0.03	9.0	3.68	0.1
918013	Soil	0.145	21.5	73.0	1.41	160.2	0.163	2	3.58	0.012	0.16	0.2	9.7	0.19	<0.02	39	0.4	0.02	8.7	2.93	<0.1
918014	Soil	0.082	17.3	40.1	0.70	103.5	0.101	<1	1.61	0.015	0.28	0.4	3.7	0.20	<0.02	14	0.2	0.05	5.3	1.93	0.1
918015	Soil	0.176	26.7	106.4	1.86	321.9	0.174	2	3.58	0.015	0.22	0.2	9.6	0.22	<0.02	52	0.4	<0.02	9.0	5.07	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 21, 2008

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
917964	Soil	0.20	0.78	14.3	0.4	<0.05	8.7	15.84	37.8	0.04	<1	0.7	17.8	18	2
917965	Soil	0.16	0.72	23.2	0.6	<0.05	10.6	12.24	47.1	0.04	<1	0.9	20.9	<10	2
917966	Soil	0.19	1.82	37.9	0.6	<0.05	11.4	11.47	57.7	0.03	<1	0.7	18.7	<10	<2
917967	Soil	0.17	1.12	39.1	0.6	<0.05	10.8	12.92	56.7	0.04	<1	0.5	19.4	<10	<2
917968	Soil	0.10	2.04	76.1	0.8	<0.05	12.0	14.68	92.8	0.04	<1	1.1	20.2	<10	2
917969	Soil	0.17	1.16	34.9	0.5	<0.05	10.3	9.78	50.4	0.03	<1	0.5	16.0	<10	2
917970	Soil	0.12	0.83	27.9	0.4	<0.05	6.6	12.11	37.1	0.03	<1	0.5	19.4	<10	2
917971	Soil	0.08	1.10	26.5	0.4	<0.05	4.9	14.68	41.4	0.03	<1	0.6	17.5	<10	<2
917972	Soil	0.11	0.63	19.0	0.4	<0.05	7.7	11.77	42.7	0.02	<1	0.4	18.4	<10	3
917973	Soil	0.12	2.22	27.4	0.6	<0.05	9.8	12.20	43.3	0.04	<1	0.5	21.3	<10	2
917974	Soil	0.23	0.36	36.2	0.5	<0.05	15.5	8.94	36.9	0.02	<1	0.6	17.6	<10	<2
917975	Soil	0.12	2.54	20.4	0.9	<0.05	9.2	8.23	42.9	0.07	<1	0.9	26.0	<10	<2
917976	Soil	0.14	0.78	12.2	0.5	<0.05	8.4	14.00	53.4	0.04	<1	0.6	17.9	10	<2
917977	Soil	0.16	0.44	10.3	0.5	<0.05	9.1	13.72	36.8	0.05	<1	0.7	18.3	<10	3
917978	Soil	0.16	0.44	11.2	0.5	<0.05	9.4	14.23	38.1	0.03	<1	0.6	18.9	<10	<2
918001	Soil	0.10	1.29	21.1	0.5	<0.05	7.2	6.07	34.2	0.03	<1	0.5	22.4	<10	<2
918002	Soil	0.08	3.98	36.8	0.8	<0.05	7.1	10.14	50.8	0.05	<1	0.7	22.5	<10	<2
918003	Soil	0.12	3.49	54.4	0.8	<0.05	8.7	12.25	66.9	0.07	<1	0.9	23.3	<10	<2
918004	Soil	0.33	1.53	106.1	0.5	<0.05	15.1	9.73	86.3	0.03	<1	0.7	18.9	<10	3
918005	Soil	0.23	0.79	52.7	0.3	<0.05	12.5	9.67	58.2	0.03	2	0.5	17.3	<10	3
918006	Soil	0.23	0.53	11.3	0.3	<0.05	10.4	10.99	37.4	0.04	<1	0.5	16.7	<10	3
918007	Soil	0.24	0.61	13.4	0.3	<0.05	9.9	10.23	35.4	0.03	<1	0.5	15.1	<10	<2
918008	Soil	0.32	1.29	20.0	0.5	<0.05	17.4	6.94	32.5	0.03	<1	0.6	20.4	<10	3
918009	Soil	0.10	2.77	26.9	0.5	<0.05	7.4	7.94	54.8	0.03	<1	1.0	16.3	<10	<2
918010	Soil	0.20	2.41	16.9	0.7	<0.05	11.5	5.36	28.7	0.04	<1	0.6	12.6	<10	<2
918011	Soil	0.20	2.56	19.4	0.5	<0.05	12.6	12.24	73.7	0.04	<1	1.1	18.8	<10	3
918012	Soil	0.19	1.88	24.9	0.5	<0.05	11.5	13.87	46.8	0.06	<1	0.8	17.3	<10	3
918013	Soil	0.26	0.89	23.0	0.4	<0.05	16.7	12.68	52.0	0.04	<1	0.9	20.2	<10	2
918014	Soil	0.18	0.47	34.5	0.4	<0.05	9.2	8.01	33.9	0.03	<1	0.6	16.0	<10	<2
918015	Soil	0.18	2.66	28.6	0.5	<0.05	10.8	12.46	64.9	0.06	<1	0.6	24.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 6 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918016	Soil	2.60	0.89	74.17	12.06	87.7	146	36.7	21.2	428	3.89	11.4	1.3	1.8	5.0	19.0	0.27	1.05	0.16	83	0.23
918017	Soil	2.70	2.41	37.48	15.78	208.9	320	29.8	25.0	1658	3.85	12.2	0.9	0.9	3.4	11.5	1.56	1.18	0.25	62	0.09
918018	Soil	2.60	0.82	60.87	14.95	148.7	262	29.4	20.7	1185	3.92	10.3	0.9	1.4	3.4	22.9	0.74	0.79	0.24	82	0.27
918019	Soil	2.60	0.77	60.06	15.18	146.0	262	30.5	21.1	1064	4.09	11.1	0.9	1.8	3.5	23.3	0.67	0.74	0.23	83	0.26
918020	Soil	2.00	0.91	77.80	15.41	113.8	147	30.4	22.0	648	4.01	13.5	1.7	2.9	4.6	17.9	0.38	0.82	0.25	93	0.20
918021	Soil	2.90	1.54	114.2	29.11	161.3	230	46.3	30.1	703	4.78	29.6	1.0	3.4	3.5	31.2	0.49	1.85	0.23	100	0.26
918022	Soil	3.50	0.97	81.97	15.24	109.8	195	50.0	22.6	521	3.42	13.8	1.1	5.7	6.0	31.9	0.35	0.70	0.22	68	0.31



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918016	Soil	0.212	12.5	49.1	0.88	125.9	0.136	1	3.83	0.010	0.09	0.3	5.7	0.13	<0.02	59	0.5	<0.02	8.1	2.36	<0.1
918017	Soil	0.182	7.0	22.9	0.52	162.6	0.150	<1	4.26	0.014	0.05	0.3	4.1	0.23	0.04	79	0.5	<0.02	9.5	3.46	<0.1
918018	Soil	0.176	15.1	39.6	0.70	177.0	0.160	2	4.35	0.014	0.09	0.2	7.0	0.15	<0.02	73	0.5	0.02	10.2	1.82	<0.1
918019	Soil	0.191	12.8	42.2	0.76	163.8	0.165	3	4.41	0.015	0.10	0.2	6.6	0.15	<0.02	67	0.4	<0.02	10.4	1.85	<0.1
918020	Soil	0.194	15.2	40.0	0.85	90.4	0.149	1	4.35	0.008	0.08	0.3	7.0	0.18	<0.02	53	0.6	<0.02	10.5	2.61	<0.1
918021	Soil	0.115	15.0	50.5	1.20	117.2	0.135	<1	4.01	0.007	0.09	0.2	7.6	0.21	<0.02	90	0.8	0.03	9.2	6.13	<0.1
918022	Soil	0.159	18.5	48.1	0.90	102.8	0.104	<1	2.61	0.009	0.10	0.2	6.1	0.14	<0.02	40	0.4	<0.02	6.3	3.10	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 21, 2008

Page: 6 of 6 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08008740.1

	Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
	Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
	MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
918016	Soil	0.36	2.85	15.0	0.5	<0.05	21.4	7.06	47.9	0.03	<1	1.1	15.3	10
918017	Soil	0.31	1.39	15.7	0.8	<0.05	23.8	5.75	34.1	0.05	<1	0.9	18.5	<10
918018	Soil	0.28	2.24	14.7	0.9	<0.05	19.1	12.31	41.3	0.05	<1	0.8	27.5	<10
918019	Soil	0.30	2.06	14.8	0.9	<0.05	20.0	10.45	38.7	0.05	<1	0.9	30.0	<10
918020	Soil	0.39	2.25	18.8	0.8	<0.05	24.2	10.33	44.4	0.04	<1	1.0	18.1	<10
918021	Soil	0.30	1.89	13.8	0.5	<0.05	19.9	10.60	46.1	0.06	<1	1.0	21.7	<10
918022	Soil	0.22	1.54	17.7	0.4	<0.05	11.9	9.20	57.4	0.03	<1	0.7	20.0	<10

QUALITY CONTROL REPORT

VAN08008740.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
918457	Soil	2.35	0.44	39.00	14.56	69.8	393	19.5	6.4	345	1.50	2.9	0.6	1.1	2.7	43.7	0.48	0.14	0.24	22	0.50
REP 918457	QC		0.40	40.06	15.54	69.0	429	20.3	6.8	356	1.51	3.0	0.6	0.9	2.9	45.0	0.45	0.15	0.25	23	0.51
918473	Soil	2.73	0.93	63.84	23.06	105.3	276	55.8	18.4	645	3.69	12.1	1.1	5.7	4.3	48.1	0.71	1.23	0.19	81	0.55
REP 918473	QC		1.00	65.60	23.79	110.9	291	56.3	18.6	662	3.79	12.3	1.1	3.9	4.5	52.6	0.78	1.19	0.19	84	0.61
918172	Soil	4.20	1.58	107.1	13.15	113.5	132	44.9	27.4	1143	5.64	14.4	0.8	5.3	2.8	60.4	0.47	1.50	0.12	134	0.74
REP 918172	QC		1.53	102.8	13.33	105.9	134	43.8	26.6	1116	5.44	13.9	0.8	9.7	2.8	61.4	0.45	1.46	0.12	132	0.73
917960	Soil	3.50	0.85	76.10	13.49	97.0	99	32.5	21.9	870	4.54	15.7	0.8	5.9	2.9	58.4	0.38	1.60	0.12	112	0.60
REP 917960	QC		0.87	74.63	13.19	95.7	84	30.1	20.9	820	4.53	14.7	0.9	6.0	2.9	58.0	0.29	1.68	0.13	106	0.61
917977	Soil	3.40	0.89	107.0	10.57	92.4	81	44.8	22.7	922	5.39	21.8	0.8	7.6	3.1	75.6	0.22	1.18	0.10	141	0.89
REP 917977	QC		0.89	103.2	10.53	90.4	79	45.0	23.0	894	5.44	22.0	0.8	7.1	3.0	74.4	0.22	1.16	0.10	137	0.85
918012	Soil	3.60	1.37	115.7	19.66	111.8	191	63.9	29.3	1233	5.11	21.8	1.0	14.4	3.3	63.0	0.45	1.77	0.14	124	0.67
REP 918012	QC		1.31	112.7	19.47	110.1	185	63.8	29.6	1248	5.14	21.3	1.0	7.0	3.2	61.4	0.45	1.70	0.14	120	0.64
Reference Materials																					
STD DS7	Standard		20.82	115.8	77.84	397.3	823	57.5	10.3	657	2.40	51.1	5.5	69.7	5.1	79.9	6.14	5.20	4.68	85	0.97
STD DS7	Standard		20.01	117.7	65.79	420.6	829	56.8	10.5	660	2.45	55.5	4.8	70.4	4.2	66.9	6.93	6.21	4.80	86	0.94
STD DS7	Standard		20.96	102.4	66.10	385.6	790	57.8	10.4	687	2.54	53.0	5.0	62.0	4.9	79.5	6.33	6.09	4.38	86	1.01
STD DS7	Standard		21.25	102.6	65.44	379.0	831	56.6	10.1	631	2.35	49.9	4.9	71.7	4.7	73.4	6.28	5.84	4.59	85	0.96
STD DS7	Standard		20.37	103.7	67.46	388.4	829	56.8	9.5	588	2.25	47.8	4.7	68.5	4.2	59.1	5.61	5.26	4.24	78	0.91
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
918457	Soil	0.092	10.1	12.8	0.37	180.7	0.080	2	1.64	0.045	0.17	0.1	2.4	0.13	<0.02	29	0.2	<0.02	3.6	1.33	<0.1
REP 918457	QC	0.097	10.6	13.1	0.38	192.1	0.083	2	1.69	0.045	0.18	0.2	2.6	0.13	<0.02	35	0.2	<0.02	3.6	1.36	<0.1
918473	Soil	0.104	22.3	74.0	0.87	179.8	0.155	3	2.88	0.016	0.28	0.3	7.8	0.16	<0.02	23	0.6	0.05	7.6	1.82	<0.1
REP 918473	QC	0.106	24.7	77.0	0.90	190.9	0.168	3	3.12	0.019	0.29	0.2	8.4	0.16	<0.02	23	0.5	0.03	8.1	1.90	0.1
918172	Soil	0.161	19.8	75.5	1.27	210.8	0.148	3	3.44	0.018	0.18	0.1	12.7	0.12	<0.02	85	0.6	0.07	9.4	2.47	0.1
REP 918172	QC	0.158	20.2	72.0	1.22	210.1	0.146	3	3.29	0.016	0.17	0.1	12.2	0.11	<0.02	83	0.6	0.03	9.2	2.45	0.1
917960	Soil	0.151	20.9	50.4	0.97	154.7	0.162	3	3.09	0.016	0.15	0.2	10.2	0.10	<0.02	54	0.6	<0.02	8.6	1.64	<0.1
REP 917960	QC	0.149	21.4	48.6	0.99	154.4	0.187	4	2.97	0.014	0.16	0.2	10.1	0.10	<0.02	46	0.6	<0.02	8.0	1.71	0.1
917977	Soil	0.161	21.1	73.3	1.38	189.5	0.190	7	3.48	0.028	0.14	0.3	13.3	0.09	<0.02	45	0.6	<0.02	10.5	1.94	0.1
REP 917977	QC	0.160	20.5	72.3	1.36	180.2	0.180	3	3.42	0.025	0.14	0.3	13.3	0.09	<0.02	50	0.6	<0.02	10.0	1.91	0.2
918012	Soil	0.169	23.0	84.8	1.55	209.0	0.163	2	3.45	0.011	0.21	0.1	12.7	0.22	<0.02	43	0.7	0.03	9.0	3.68	0.1
REP 918012	QC	0.165	22.1	82.6	1.56	201.9	0.154	1	3.44	0.011	0.21	0.2	12.2	0.22	<0.02	44	0.6	0.04	8.9	3.58	0.1
Reference Materials																					
STD DS7	Standard	0.073	16.0	175.6	1.06	383.8	0.135	38	1.03	0.084	0.46	3.8	2.9	4.39	0.18	202	3.6	1.34	4.9	6.41	<0.1
STD DS7	Standard	0.085	13.0	160.5	1.06	367.4	0.121	38	1.01	0.080	0.48	4.0	2.8	4.36	0.19	198	3.7	1.19	5.1	6.91	0.1
STD DS7	Standard	0.077	15.6	178.5	1.11	399.1	0.138	40	1.12	0.094	0.49	4.2	3.2	4.25	0.20	177	3.7	1.24	5.6	6.44	0.2
STD DS7	Standard	0.078	14.5	188.9	1.02	387.8	0.126	38	1.04	0.086	0.45	4.0	2.9	4.27	0.18	206	3.6	1.17	5.0	6.34	0.2
STD DS7	Standard	0.072	11.8	174.1	0.97	369.7	0.104	37	0.89	0.074	0.39	4.2	2.3	4.23	0.19	210	3.3	1.12	4.7	6.07	0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08008740.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
918457	Soil	0.19	0.75	15.9	0.4	<0.05	11.9	12.21	21.1	0.03	<1	0.3	10.2	<10	2
REP 918457	QC	0.24	0.75	16.0	0.4	<0.05	13.2	12.66	21.4	0.03	<1	0.4	10.7	<10	3
918473	Soil	0.20	1.91	23.3	0.5	<0.05	14.3	12.36	34.9	0.05	<1	0.6	17.4	<10	3
REP 918473	QC	0.22	1.80	24.7	0.6	<0.05	12.8	12.88	38.1	0.04	<1	0.6	18.3	<10	<2
918172	Soil	0.21	0.33	11.7	0.4	<0.05	9.0	12.65	36.8	0.04	<1	0.7	19.3	11	5
REP 918172	QC	0.22	0.37	11.1	0.4	<0.05	9.4	12.82	36.1	0.05	<1	0.6	19.6	<10	3
917960	Soil	0.09	1.35	11.4	0.5	<0.05	5.9	13.41	38.3	0.03	<1	0.6	15.8	<10	2
REP 917960	QC	0.11	2.24	11.5	0.5	<0.05	6.6	13.37	38.9	0.04	<1	0.7	15.8	13	<2
917977	Soil	0.16	0.44	10.3	0.5	<0.05	9.1	13.72	36.8	0.05	<1	0.7	18.3	<10	3
REP 917977	QC	0.18	0.41	9.8	0.5	<0.05	9.0	13.67	35.6	0.04	<1	0.6	19.1	<10	3
918012	Soil	0.19	1.88	24.9	0.5	<0.05	11.5	13.87	46.8	0.06	<1	0.8	17.3	<10	3
REP 918012	QC	0.18	1.97	24.9	0.5	<0.05	11.6	13.59	45.1	0.04	<1	1.0	16.4	<10	3
Reference Materials															
STD DS7	Standard	0.13	0.76	37.0	5.1	<0.05	5.6	6.30	39.1	1.66	3	1.7	27.5	74	42
STD DS7	Standard	0.11	0.65	40.0	5.2	<0.05	5.5	5.41	34.9	1.73	2	1.7	28.8	49	39
STD DS7	Standard	0.13	1.20	39.4	4.8	<0.05	5.8	6.77	38.8	1.57	4	1.6	30.2	75	36
STD DS7	Standard	0.13	0.99	34.8	4.6	<0.05	5.8	6.15	37.4	1.50	1	1.8	28.8	32	37
STD DS7	Standard	0.12	0.67	34.4	4.2	<0.05	5.8	5.10	34.7	1.50	4	1.4	25.4	84	41
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

September 08, 2008

Report Date:

October 06, 2008

Page:

1 of 6

CERTIFICATE OF ANALYSIS

VAN08009119.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 008
P.O. Number
Number of Samples: 122

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	122	Sieve soil to 230 mesh		
1F30	121	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
RJSV	122	Save all or part of soil reject fraction		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 2 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
869201	Soil	1.07	66.39	13.04	108.0	192	33.2	21.0	719	4.09	9.3	1.1	1.2	3.3	21.8	0.48	1.25	0.21	91	0.23	0.144
869202	Soil	0.78	71.00	9.31	75.1	144	28.4	19.2	572	4.08	7.0	1.0	1.4	2.9	36.0	0.30	0.75	0.12	101	0.43	0.118
869203	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
869204	Soil	1.06	48.56	14.45	99.4	180	24.5	18.1	1045	3.83	7.8	1.0	1.3	3.0	17.3	0.33	0.85	0.23	80	0.18	0.185
869205	Soil	0.83	84.60	10.93	89.7	79	47.3	24.6	886	4.52	7.0	1.0	1.1	4.8	50.4	0.25	0.52	0.14	115	0.57	0.287
869206	Soil	0.75	56.26	13.15	84.1	87	27.8	17.7	689	3.78	7.5	0.9	4.0	3.2	23.3	0.29	0.69	0.15	84	0.24	0.153
869207	Soil	0.79	45.54	10.43	68.3	176	36.3	15.1	397	3.50	12.1	0.9	3.4	3.3	29.9	0.22	0.99	0.17	79	0.29	0.053
869208	Soil	0.77	43.43	12.91	108.3	211	30.1	14.0	459	3.14	10.1	1.2	1.7	3.8	30.0	0.41	0.69	0.22	57	0.26	0.147
869209	Soil	0.84	59.22	14.85	94.6	178	49.8	17.5	483	3.47	13.4	1.4	5.0	4.3	29.5	0.27	0.73	0.29	66	0.28	0.102
869210	Soil	0.78	49.13	14.19	83.8	211	35.9	16.2	462	3.26	13.3	0.9	14.4	3.2	34.0	0.30	1.11	0.19	71	0.31	0.083
869211	Soil	1.81	62.99	47.62	263.7	2409	67.3	11.2	404	2.41	41.2	0.8	4.7	4.6	66.4	4.03	8.63	0.48	41	0.68	0.175
869212	Soil	0.81	77.41	10.80	79.3	330	31.4	18.1	469	3.52	13.6	1.1	5.1	3.7	51.7	0.30	1.06	0.18	80	0.33	0.077
869213	Soil	0.65	64.87	11.35	96.2	336	24.4	17.5	554	3.03	11.1	1.1	2.0	3.5	34.1	0.45	0.60	0.18	58	0.29	0.151
869214	Soil	0.77	74.82	10.47	78.6	210	33.1	18.1	474	3.93	14.4	0.9	3.3	2.8	46.5	0.30	1.20	0.13	91	0.45	0.081
869215	Soil	1.22	45.62	34.92	129.6	190	37.2	17.1	1218	3.44	11.7	0.8	4.0	2.9	47.2	1.29	1.49	0.33	66	0.60	0.169
869216	Soil	0.81	45.72	15.32	91.5	212	30.2	15.8	510	3.50	11.4	1.2	4.9	3.4	34.1	0.41	1.09	0.19	71	0.44	0.130
917979	Soil	0.79	39.42	25.91	131.9	173	51.7	17.4	628	3.46	8.5	1.0	4.7	4.8	35.9	0.70	0.68	0.25	72	0.41	0.116
917980	Soil	0.66	40.42	19.16	111.2	183	42.8	16.5	671	3.19	12.5	1.6	4.5	4.7	40.8	0.53	0.70	0.22	59	0.44	0.107
917981	Soil	0.87	110.0	16.96	82.2	526	60.6	22.5	724	3.89	24.6	1.1	16.9	3.8	41.8	0.39	1.23	0.22	81	0.52	0.097
917982	Soil	0.69	38.30	21.28	115.2	203	31.9	12.4	582	3.01	6.5	0.8	4.2	6.3	37.4	0.55	0.60	0.24	58	0.46	0.132
918023	Soil	1.10	174.6	16.77	102.5	216	178.7	41.8	1053	6.20	23.0	1.0	9.2	5.2	88.1	0.33	1.42	0.11	166	0.86	0.176
918024	Soil	0.65	63.64	10.94	102.3	117	43.5	22.1	636	4.14	12.9	0.8	3.3	3.2	32.2	0.36	1.27	0.12	94	0.34	0.072
918025	Soil	1.11	117.6	15.60	108.3	212	45.9	30.7	1071	4.77	19.2	1.2	7.0	4.3	45.6	0.42	1.57	0.13	113	0.43	0.172
918026	Soil	1.04	85.23	13.22	99.2	267	41.8	25.1	679	4.23	15.0	1.3	5.2	5.4	31.0	0.33	1.58	0.17	90	0.32	0.112
918027	Soil	1.18	87.69	15.57	118.6	251	32.6	26.8	963	4.16	11.2	1.3	1.9	4.4	15.2	0.51	0.89	0.22	94	0.17	0.169
918028	Soil	1.28	77.53	15.04	101.1	198	36.4	23.4	1031	3.89	15.2	1.2	6.5	4.7	18.4	0.44	1.07	0.24	77	0.19	0.153
918029	Soil	0.77	65.47	13.26	127.0	272	47.8	22.2	781	3.95	18.7	1.2	1.3	5.2	27.9	0.37	1.07	0.22	70	0.29	0.159
918030	Soil	0.65	51.28	8.69	72.5	109	30.2	16.7	460	3.38	8.5	0.9	5.2	4.0	34.1	0.16	0.86	0.12	81	0.41	0.077
918031	Soil	1.00	52.60	7.72	76.2	69	29.7	15.9	433	3.72	8.4	0.7	2.7	2.5	39.1	0.26	1.01	0.08	97	0.49	0.094
918032	Soil	0.66	73.21	10.21	74.2	157	33.7	19.8	698	4.13	9.3	0.7	5.9	2.8	59.5	0.21	0.97	0.08	110	0.68	0.142

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 2 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869201	Soil	15.1	47.7	0.88	167.1	0.150	3	3.67	0.009	0.10	0.3	5.8	0.18	<0.02	55	0.5	0.10	8.8	2.45	<0.1	0.14
869202	Soil	16.0	44.9	0.91	133.1	0.151	3	2.78	0.009	0.08	0.2	8.0	0.09	<0.02	35	0.4	0.04	7.6	1.60	0.1	0.19
869203	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
869204	Soil	12.6	35.9	0.70	170.5	0.124	2	3.62	0.008	0.08	0.2	5.3	0.11	<0.02	55	0.4	0.02	10.6	1.86	<0.1	0.16
869205	Soil	23.2	78.9	1.34	378.4	0.187	2	3.63	0.015	0.20	0.2	9.8	0.19	<0.02	22	0.4	0.05	9.2	2.30	<0.1	0.25
869206	Soil	12.1	43.1	0.90	180.8	0.120	2	3.12	0.009	0.14	0.2	6.4	0.11	<0.02	39	0.4	0.03	7.5	1.46	<0.1	0.11
869207	Soil	14.8	61.5	0.86	124.1	0.137	2	2.54	0.011	0.26	0.2	7.3	0.15	<0.02	12	0.4	0.02	6.7	2.11	<0.1	0.19
869208	Soil	15.6	36.0	0.55	194.6	0.120	2	3.09	0.016	0.19	0.2	5.9	0.14	<0.02	26	0.3	0.04	7.8	1.76	<0.1	0.19
869209	Soil	15.8	64.3	0.81	239.1	0.137	2	3.64	0.017	0.21	0.2	6.7	0.18	<0.02	27	0.4	<0.02	8.8	2.22	<0.1	0.32
869210	Soil	13.9	55.8	0.76	130.4	0.117	2	2.47	0.016	0.21	0.2	6.9	0.14	<0.02	19	0.3	0.03	6.6	1.82	<0.1	0.15
869211	Soil	19.2	27.6	0.43	142.1	0.079	2	2.06	0.019	0.10	0.5	6.5	0.11	<0.02	36	2.0	0.08	4.8	1.51	<0.1	0.18
869212	Soil	13.9	42.2	0.75	158.2	0.138	2	3.02	0.013	0.18	0.2	8.0	0.16	<0.02	34	0.4	0.03	7.6	1.92	<0.1	0.40
869213	Soil	13.4	29.2	0.55	183.3	0.143	2	3.71	0.021	0.15	0.2	6.6	0.13	<0.02	40	0.3	<0.02	8.2	1.51	<0.1	0.41
869214	Soil	15.0	44.9	1.00	128.2	0.131	2	2.83	0.012	0.14	0.2	7.4	0.12	<0.02	28	0.3	0.03	7.3	1.81	<0.1	0.16
869215	Soil	13.8	45.1	0.67	262.4	0.107	3	2.81	0.011	0.19	0.2	5.4	0.16	<0.02	31	0.5	0.04	7.6	1.98	<0.1	0.09
869216	Soil	16.5	45.0	0.77	129.5	0.104	3	2.48	0.015	0.20	0.2	6.2	0.13	<0.02	26	0.4	0.04	7.1	1.65	<0.1	0.11
917979	Soil	17.9	73.5	1.14	229.2	0.145	3	2.65	0.013	0.39	0.3	5.8	0.28	<0.02	23	0.4	0.03	7.8	3.42	<0.1	0.17
917980	Soil	19.7	44.3	0.78	152.1	0.111	2	2.52	0.012	0.25	0.3	5.4	0.19	<0.02	23	0.5	0.05	7.0	2.02	<0.1	0.11
917981	Soil	18.0	67.1	1.08	110.4	0.099	2	2.35	0.014	0.27	0.5	8.7	0.21	<0.02	65	0.6	0.06	6.9	2.82	<0.1	0.07
917982	Soil	19.2	39.2	0.75	191.2	0.097	4	2.08	0.019	0.40	0.4	4.4	0.18	<0.02	21	0.2	0.02	6.2	1.96	<0.1	0.10
918023	Soil	29.3	288.5	3.06	264.1	0.206	3	3.86	0.015	0.35	0.2	18.1	0.47	<0.02	55	0.6	0.05	11.6	14.54	0.2	0.27
918024	Soil	15.7	55.4	1.17	148.6	0.151	3	2.74	0.013	0.12	0.2	8.1	0.13	<0.02	34	0.4	0.04	7.5	2.61	<0.1	0.24
918025	Soil	22.4	62.7	1.27	230.0	0.148	3	3.84	0.014	0.14	0.2	10.6	0.15	<0.02	60	0.7	0.04	9.1	3.59	0.1	0.15
918026	Soil	20.2	54.7	1.01	173.8	0.144	2	3.52	0.011	0.11	0.2	9.5	0.17	<0.02	67	0.6	0.03	7.4	3.68	<0.1	0.20
918027	Soil	13.7	40.2	0.78	151.4	0.146	3	4.24	0.010	0.08	0.3	7.3	0.16	0.02	78	0.6	<0.02	10.6	4.01	<0.1	0.45
918028	Soil	16.4	36.6	0.74	132.3	0.175	3	4.66	0.015	0.10	0.2	7.9	0.16	0.04	50	0.6	0.02	11.0	4.69	<0.1	0.48
918029	Soil	28.3	60.3	0.96	282.8	0.165	3	4.08	0.014	0.15	0.2	6.9	0.22	<0.02	49	0.6	0.03	10.0	4.74	<0.1	0.28
918030	Soil	15.3	45.7	0.85	141.4	0.144	2	2.46	0.012	0.16	0.2	6.1	0.14	<0.02	19	0.4	0.04	6.7	1.85	<0.1	0.18
918031	Soil	13.4	47.2	0.98	99.8	0.150	2	2.13	0.013	0.09	0.1	7.4	0.10	<0.02	27	0.4	<0.02	6.7	1.41	<0.1	0.24
918032	Soil	19.8	59.9	1.20	151.9	0.143	2	2.72	0.016	0.14	0.2	8.7	0.09	<0.02	25	0.4	0.04	7.8	1.96	<0.1	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869201	Soil	2.78	14.5	0.6	<0.05	8.6	7.42	49.9	0.05	<1	0.8	17.2	<10	<2
869202	Soil	1.56	8.9	0.4	<0.05	9.3	8.58	36.5	0.03	<1	0.6	14.2	<10	<2
869203	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
869204	Soil	1.86	14.2	0.7	<0.05	9.2	8.79	32.9	0.04	<1	0.8	20.1	<10	<2
869205	Soil	1.41	21.7	0.5	<0.05	13.6	9.45	65.4	0.03	<1	1.0	18.0	<10	4
869206	Soil	1.13	10.9	0.4	<0.05	7.4	6.59	40.3	0.03	<1	0.7	14.7	<10	<2
869207	Soil	1.06	29.2	0.5	<0.05	10.2	7.84	26.4	0.04	<1	0.7	16.1	<10	<2
869208	Soil	1.26	18.6	0.6	<0.05	12.1	8.92	35.6	0.03	<1	0.7	18.3	<10	<2
869209	Soil	1.39	24.5	0.7	<0.05	20.7	9.68	39.5	0.04	<1	0.7	24.9	<10	<2
869210	Soil	1.15	25.5	0.5	<0.05	10.9	8.11	29.1	0.03	<1	0.7	15.5	<10	2
869211	Soil	0.89	12.0	0.5	<0.05	11.3	17.43	36.5	0.04	<1	0.7	12.2	<10	<2
869212	Soil	0.58	23.0	0.6	<0.05	22.7	9.90	31.7	0.03	<1	0.7	17.4	<10	3
869213	Soil	1.19	14.0	0.7	<0.05	24.7	10.27	36.1	0.03	<1	0.8	16.1	<10	3
869214	Soil	1.53	16.5	0.5	<0.05	7.6	7.73	31.2	0.03	<1	0.7	16.0	<10	<2
869215	Soil	2.07	21.9	0.7	<0.05	5.2	5.75	29.3	0.06	<1	0.6	18.2	<10	<2
869216	Soil	1.57	15.3	0.5	<0.05	6.7	9.00	31.0	0.04	<1	0.6	17.7	<10	<2
917979	Soil	1.65	47.8	0.6	<0.05	10.9	7.66	34.3	0.03	<1	0.7	21.5	<10	2
917980	Soil	2.32	34.1	0.5	<0.05	8.1	8.99	37.1	0.03	<1	0.5	30.3	<10	<2
917981	Soil	1.58	27.7	0.3	<0.05	4.0	14.41	33.3	0.02	<1	0.5	28.1	<10	3
917982	Soil	1.62	23.9	0.4	<0.05	6.1	8.12	35.4	0.05	<1	0.5	20.3	<10	<2
918023	Soil	0.28	46.1	0.6	<0.05	15.9	16.74	63.4	0.06	<1	1.2	26.9	<10	4
918024	Soil	0.97	18.9	0.5	<0.05	12.8	8.88	38.2	0.03	<1	0.6	21.8	<10	<2
918025	Soil	1.60	15.4	0.4	<0.05	9.6	14.05	69.1	0.04	<1	0.8	19.8	<10	2
918026	Soil	2.78	16.5	0.5	<0.05	12.8	11.14	79.3	0.04	<1	0.7	21.0	<10	<2
918027	Soil	1.75	17.0	0.7	<0.05	28.5	10.23	44.8	0.05	<1	1.0	18.6	<10	3
918028	Soil	2.53	18.9	0.9	<0.05	32.2	9.99	57.8	0.04	<1	0.8	20.8	<10	3
918029	Soil	2.70	23.5	0.8	<0.05	22.9	10.83	87.0	0.04	<1	0.8	23.3	<10	2
918030	Soil	1.47	23.9	0.5	<0.05	11.0	6.95	37.7	0.02	<1	0.6	17.2	<10	3
918031	Soil	0.56	13.1	0.4	<0.05	12.4	7.75	27.0	<0.02	<1	0.4	14.1	<10	3
918032	Soil	1.54	15.2	0.3	<0.05	6.8	9.86	39.0	0.02	<1	0.6	15.7	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 3 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
918033	Soil	0.82	56.96	10.90	90.1	173	25.0	20.2	520	3.88	10.4	0.8	2.5	3.0	28.4	0.40	1.17	0.12	94	0.35	0.095
918034	Soil	0.77	49.96	10.12	105.3	155	24.1	17.5	400	3.37	7.6	1.0	1.0	3.2	31.8	0.40	0.53	0.16	78	0.42	0.127
918035	Soil	0.60	47.47	13.63	86.5	439	46.8	19.1	585	3.61	16.1	1.1	3.9	3.4	45.8	0.36	0.91	0.16	65	0.45	0.118
918036	Soil	0.84	41.54	16.39	125.1	270	39.4	19.9	657	3.38	12.4	1.1	2.6	3.7	13.4	0.56	0.93	0.23	56	0.12	0.168
918037	Soil	1.20	32.11	15.71	61.1	301	17.6	12.4	281	3.76	12.2	0.9	13.7	1.4	19.7	0.51	0.64	0.26	68	0.19	0.053
918038	Soil	0.75	65.67	8.35	67.6	128	28.1	19.3	471	3.90	8.8	0.7	3.3	2.2	36.4	0.21	0.92	0.08	104	0.42	0.098
918039	Soil	0.68	51.47	13.13	99.3	142	25.8	19.3	880	3.84	10.3	0.8	2.3	3.0	31.1	0.41	0.77	0.16	85	0.35	0.183
918040	Soil	0.67	49.93	12.48	108.0	128	25.8	19.5	827	3.85	11.5	0.9	1.7	3.3	27.4	0.43	0.84	0.18	84	0.32	0.213
918041	Soil	0.66	47.84	8.20	84.9	253	25.4	15.8	399	3.44	8.3	0.8	2.6	3.4	31.0	0.26	0.65	0.13	81	0.32	0.071
918042	Soil	0.61	65.57	11.70	109.3	313	28.2	15.4	523	3.78	5.7	0.9	1.8	3.0	38.9	0.33	0.65	0.14	90	0.40	0.077
918043	Soil	0.73	51.74	11.14	89.9	91	26.9	21.0	616	3.86	7.6	0.9	1.2	3.2	24.0	0.35	0.70	0.16	98	0.28	0.127
918044	Soil	0.83	63.62	13.98	114.2	134	28.1	23.1	644	3.82	9.0	1.0	1.1	3.6	25.2	0.56	1.16	0.18	89	0.24	0.155
918045	Soil	0.75	65.00	7.69	59.5	74	30.4	23.2	626	4.21	7.1	0.9	2.7	2.3	51.3	0.18	0.92	0.07	119	0.67	0.108
918046	Soil	0.73	33.72	15.66	83.0	101	26.7	11.3	350	2.59	5.9	1.0	2.2	5.0	28.9	0.27	0.28	0.21	51	0.28	0.074
918047	Soil	0.80	60.31	12.14	82.5	159	28.3	18.6	598	3.99	18.4	0.9	3.7	3.2	32.4	0.27	1.12	0.13	93	0.35	0.092
918048	Soil	0.69	43.62	10.45	106.6	107	26.0	17.6	769	3.72	11.1	0.8	3.4	2.5	32.3	0.38	0.66	0.14	73	0.33	0.144
918049	Soil	0.77	55.09	10.41	80.9	177	26.3	18.1	648	3.86	17.9	0.9	12.6	3.2	31.5	0.25	0.88	0.13	89	0.37	0.091
918050	Soil	0.67	47.47	8.14	67.0	130	24.4	15.3	432	3.41	14.6	0.8	3.5	2.9	31.1	0.20	0.75	0.11	84	0.42	0.056
918187	Soil	0.71	55.73	30.51	115.7	356	80.4	18.1	788	2.96	18.5	1.5	4.6	4.6	39.5	0.58	0.62	0.41	53	0.40	0.150
918188	Soil	0.68	43.83	24.11	105.2	247	40.4	13.3	443	2.79	13.7	1.6	3.3	4.5	20.7	0.53	0.64	0.27	51	0.20	0.235
918189	Soil	1.15	39.87	38.34	158.7	273	50.3	15.9	780	3.27	18.9	1.3	3.9	4.4	23.5	0.73	1.19	0.46	57	0.27	0.327
918190	Soil	0.70	48.45	18.55	128.7	238	44.5	13.9	426	2.93	17.3	1.5	1.8	4.0	25.7	0.50	0.82	0.27	48	0.23	0.369
918191	Soil	1.09	41.39	15.64	94.7	234	37.7	13.3	441	3.23	11.2	1.0	9.8	3.2	37.0	0.42	0.75	0.20	65	0.39	0.097
918192	Soil	0.96	31.13	23.07	154.6	303	33.6	12.5	1032	2.94	8.2	0.8	1.6	2.6	41.7	1.14	0.81	0.26	50	0.33	0.293
918193	Soil	0.92	36.63	18.01	118.2	260	35.7	13.1	621	3.11	9.0	0.9	5.4	3.2	32.4	0.45	0.61	0.21	58	0.33	0.121
918194	Soil	0.91	62.55	15.10	103.6	270	33.5	14.5	510	3.57	13.4	1.0	5.1	3.3	38.2	0.56	1.23	0.16	77	0.42	0.100
918195	Soil	0.71	59.19	11.98	68.3	238	54.6	16.0	435	3.31	13.6	1.1	8.5	4.2	31.8	0.25	0.68	0.20	71	0.33	0.057
918196	Soil	0.71	40.27	10.83	71.3	111	146.9	17.2	404	3.32	8.9	1.0	2.9	3.3	28.0	0.22	0.57	0.22	69	0.25	0.060
918197	Soil	0.36	34.21	22.85	132.4	196	32.6	10.7	718	2.64	12.7	0.9	1.5	2.8	54.2	0.58	0.66	0.25	38	0.47	0.145
918198	Soil	0.96	23.55	17.30	297.4	183	54.9	13.5	467	2.81	7.3	0.9	1.0	3.6	30.7	1.07	0.52	0.26	38	0.25	0.151



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.02	
918033	Soil	13.5	39.2	0.90	114.6	0.143	3	2.77	0.012	0.14	0.2	6.1	0.09	<0.02	21	0.4	0.04	7.3	1.35	<0.1	0.12
918034	Soil	12.3	32.9	0.67	151.3	0.132	3	3.45	0.014	0.09	0.2	5.1	0.12	<0.02	38	0.4	0.03	8.6	1.64	<0.1	0.24
918035	Soil	13.7	53.6	1.11	153.4	0.115	2	3.34	0.015	0.10	0.2	5.1	0.13	<0.02	76	0.7	<0.02	7.3	2.14	<0.1	0.22
918036	Soil	11.7	34.9	0.71	122.0	0.130	2	3.86	0.012	0.10	0.3	4.5	0.18	<0.02	62	0.5	0.03	8.6	2.47	<0.1	0.40
918037	Soil	9.2	32.6	0.44	131.9	0.068	1	2.64	0.009	0.05	0.2	3.2	0.08	<0.02	68	0.6	0.04	9.1	1.45	<0.1	0.04
918038	Soil	12.6	46.4	1.00	110.8	0.127	2	2.55	0.010	0.08	0.1	6.9	0.07	<0.02	43	0.4	0.03	6.9	1.34	<0.1	0.16
918039	Soil	13.5	41.7	0.78	177.8	0.126	3	3.32	0.009	0.12	0.1	6.4	0.11	<0.02	21	0.3	0.05	9.0	1.59	<0.1	0.12
918040	Soil	12.5	41.3	0.76	204.8	0.134	3	3.65	0.010	0.14	0.2	6.1	0.12	<0.02	15	0.4	0.03	9.7	1.75	<0.1	0.13
918041	Soil	12.7	36.5	0.79	124.8	0.122	2	2.36	0.010	0.13	0.2	5.9	0.10	<0.02	23	0.3	0.03	6.6	1.34	<0.1	0.20
918042	Soil	11.6	46.3	0.81	156.3	0.136	2	3.29	0.016	0.10	0.1	7.3	0.10	<0.02	38	0.4	<0.02	8.4	1.54	<0.1	0.18
918043	Soil	12.7	42.6	0.80	181.9	0.145	2	2.98	0.011	0.09	0.2	7.0	0.13	<0.02	32	0.3	<0.02	7.9	1.65	<0.1	0.27
918044	Soil	10.0	38.0	0.82	215.9	0.122	3	3.39	0.010	0.11	0.2	5.8	0.13	<0.02	34	0.4	0.03	8.6	1.96	<0.1	0.30
918045	Soil	15.8	51.8	1.06	123.2	0.143	2	2.33	0.016	0.08	0.1	9.7	0.07	<0.02	25	0.6	0.04	7.6	1.22	<0.1	0.22
918046	Soil	14.0	33.3	0.60	98.2	0.078	<1	1.40	0.011	0.27	0.4	3.4	0.18	<0.02	11	0.1	0.04	4.6	1.75	<0.1	0.16
918047	Soil	15.2	47.3	0.89	119.9	0.125	2	2.82	0.010	0.14	0.2	9.0	0.10	<0.02	20	0.4	0.02	7.7	1.61	<0.1	0.22
918048	Soil	12.6	43.5	0.69	202.1	0.102	2	3.07	0.010	0.15	0.2	6.7	0.10	<0.02	17	0.1	<0.02	8.0	1.47	<0.1	0.11
918049	Soil	15.1	46.6	0.82	143.0	0.133	2	2.80	0.012	0.13	0.2	8.3	0.10	<0.02	26	0.4	0.02	7.5	1.59	<0.1	0.18
918050	Soil	12.6	44.0	0.85	105.2	0.124	2	2.16	0.012	0.08	0.2	6.7	0.09	<0.02	25	0.5	<0.02	6.4	1.59	<0.1	0.17
918187	Soil	16.7	48.6	0.65	206.3	0.109	3	3.33	0.014	0.21	1.2	5.5	0.17	<0.02	45	0.6	0.03	8.3	1.83	<0.1	0.24
918188	Soil	14.1	37.9	0.56	227.6	0.135	2	4.15	0.018	0.11	0.4	5.4	0.16	<0.02	35	0.4	0.06	9.6	1.86	<0.1	0.38
918189	Soil	10.3	42.6	0.64	283.4	0.125	3	3.78	0.012	0.13	0.6	4.4	0.16	<0.02	61	0.4	0.03	9.8	2.18	<0.1	0.36
918190	Soil	13.4	40.1	0.60	275.1	0.119	2	3.72	0.014	0.11	0.4	5.1	0.16	<0.02	53	0.4	0.06	8.4	1.85	<0.1	0.29
918191	Soil	15.3	49.7	0.82	147.8	0.121	2	2.34	0.016	0.23	0.2	4.9	0.17	<0.02	19	0.4	0.03	6.4	1.94	<0.1	0.13
918192	Soil	13.3	36.7	0.58	346.6	0.103	3	3.14	0.014	0.20	0.3	4.0	0.15	<0.02	24	0.3	<0.02	8.0	1.87	<0.1	0.08
918193	Soil	16.0	40.5	0.61	225.5	0.122	2	2.98	0.017	0.21	0.2	5.7	0.16	<0.02	20	0.5	0.06	7.6	1.77	<0.1	0.13
918194	Soil	16.9	49.0	0.82	125.7	0.115	2	2.14	0.013	0.25	0.2	6.7	0.14	<0.02	31	0.4	0.04	6.2	1.62	<0.1	0.14
918195	Soil	14.9	54.4	0.90	123.4	0.128	1	2.19	0.020	0.26	0.3	6.5	0.17	<0.02	29	0.2	0.05	6.1	1.82	0.1	0.27
918196	Soil	15.1	124.7	1.13	136.6	0.138	1	2.80	0.017	0.13	0.3	7.1	0.17	<0.02	16	0.4	0.05	7.0	2.33	<0.1	0.20
918197	Soil	12.3	39.9	0.74	218.1	0.118	2	3.05	0.029	0.15	0.2	4.5	0.17	<0.02	27	0.2	<0.02	7.1	1.70	<0.1	0.21
918198	Soil	12.6	37.2	0.63	322.1	0.134	3	3.53	0.019	0.16	0.2	4.3	0.20	<0.02	19	0.4	0.02	8.6	2.50	<0.1	0.26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 3 of 6 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	10	2	
918033	Soil	1.26	12.0	0.4	<0.05	7.5	6.50	31.6	0.03	<1	0.6	16.3	<10	3
918034	Soil	2.42	12.0	0.6	<0.05	15.3	6.92	40.3	0.03	<1	0.6	16.6	<10	<2
918035	Soil	1.44	16.1	0.4	<0.05	15.0	10.32	34.2	0.02	<1	0.5	26.5	<10	2
918036	Soil	1.70	21.6	0.7	<0.05	28.4	8.16	39.1	0.03	<1	1.0	21.6	11	4
918037	Soil	2.38	8.3	0.7	<0.05	3.4	4.82	26.9	0.04	<1	0.6	18.8	<10	<2
918038	Soil	0.74	8.1	0.3	<0.05	7.4	7.52	28.8	0.02	<1	0.5	18.5	<10	<2
918039	Soil	1.68	14.4	0.5	<0.05	8.3	6.52	34.3	0.03	<1	0.9	16.7	<10	<2
918040	Soil	1.85	16.8	0.6	<0.05	9.9	6.28	37.5	0.03	<1	1.0	18.5	<10	<2
918041	Soil	0.58	16.1	0.4	<0.05	11.5	6.53	33.2	0.03	<1	0.5	16.6	<10	<2
918042	Soil	1.52	10.9	0.6	<0.05	10.9	10.06	32.5	0.04	<1	0.7	24.7	<10	<2
918043	Soil	1.22	12.9	0.5	<0.05	16.4	8.09	33.6	0.04	<1	0.8	15.0	<10	<2
918044	Soil	1.60	13.1	0.6	<0.05	17.4	5.84	34.8	0.05	<1	0.8	16.9	<10	3
918045	Soil	0.97	9.3	0.3	<0.05	9.9	10.53	30.0	0.03	<1	0.5	13.5	<10	4
918046	Soil	0.39	30.6	0.3	<0.05	7.7	6.93	27.0	<0.02	<1	0.5	15.2	<10	<2
918047	Soil	0.81	13.1	0.4	<0.05	12.4	10.42	33.5	0.03	<1	0.6	16.2	<10	<2
918048	Soil	1.60	12.8	0.5	<0.05	6.6	6.89	27.7	0.03	<1	0.7	17.5	<10	<2
918049	Soil	1.34	15.4	0.5	<0.05	11.4	9.48	33.7	0.03	<1	0.8	18.2	<10	2
918050	Soil	1.20	17.0	0.4	<0.05	9.2	7.35	32.0	0.02	<1	0.6	13.9	<10	<2
918187	Soil	1.85	22.2	0.6	<0.05	15.5	11.53	36.1	0.05	<1	0.9	21.3	<10	<2
918188	Soil	1.39	14.6	0.9	<0.05	26.2	10.14	37.3	0.04	<1	1.1	17.9	<10	2
918189	Soil	2.13	16.7	0.9	<0.05	18.5	5.87	33.8	0.07	1	0.8	21.3	<10	<2
918190	Soil	1.30	16.0	0.7	<0.05	17.1	8.89	37.6	0.03	<1	0.9	19.1	<10	<2
918191	Soil	1.46	23.5	0.4	<0.05	7.5	7.42	27.5	0.03	<1	0.6	16.7	<10	<2
918192	Soil	1.64	19.3	0.7	<0.05	6.2	5.96	32.3	0.05	<1	0.8	18.2	<10	<2
918193	Soil	1.58	20.9	0.6	<0.05	9.3	9.07	36.6	0.03	<1	0.7	18.0	<10	<2
918194	Soil	1.44	20.4	0.4	<0.05	6.2	9.59	28.7	0.04	<1	0.5	14.2	<10	<2
918195	Soil	0.65	33.3	0.4	<0.05	14.3	9.13	33.3	0.02	<1	0.6	14.8	<10	<2
918196	Soil	0.74	30.0	0.5	<0.05	14.1	8.21	29.4	0.03	<1	0.6	17.4	<10	<2
918197	Soil	1.57	17.0	0.6	<0.05	10.8	7.52	28.8	0.05	<1	0.8	17.3	<10	<2
918198	Soil	2.09	24.8	0.8	<0.05	15.6	7.09	40.8	0.03	<1	0.9	26.8	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
918199	Soil	0.83	35.03	17.77	227.8	247	52.4	13.8	368	2.97	7.7	1.1	0.5	4.2	45.9	1.00	0.56	0.24	44	0.30
918200	Soil	0.76	36.28	15.40	82.2	104	26.8	11.1	368	2.70	6.2	1.1	3.3	5.4	30.9	0.26	0.29	0.22	52	0.29
918201	Soil	1.65	59.05	11.30	112.7	225	39.2	16.0	479	3.51	17.4	1.3	4.4	3.3	37.4	0.37	1.50	0.16	65	0.36
918202	Soil	0.72	94.62	15.83	82.8	273	60.6	22.0	769	4.49	19.6	1.2	17.3	4.7	47.0	0.28	1.61	0.13	88	0.71
918203	Soil	0.73	31.56	9.41	60.5	129	24.7	12.1	374	2.97	10.6	0.8	3.0	3.2	27.5	0.21	0.75	0.14	65	0.29
869101	Soil	0.62	46.82	23.34	111.8	339	41.0	15.6	1021	3.15	13.3	0.7	2.4	0.7	70.7	1.24	1.25	0.19	51	1.03
869102	Soil	0.63	44.31	24.14	98.5	257	32.7	14.3	1076	2.69	10.2	1.1	6.5	0.9	73.3	0.94	1.09	0.18	52	1.11
869103	Soil	0.66	100.3	33.47	116.8	486	28.9	12.0	1215	2.30	8.4	3.3	3.4	0.4	86.8	1.61	1.77	0.20	42	1.81
869104	Soil	0.74	68.60	21.76	115.5	221	37.6	19.7	1063	3.71	13.6	1.1	3.4	1.6	77.9	1.19	1.45	0.15	86	1.09
869105	Soil	1.23	37.81	106.0	309.7	350	25.2	11.4	419	2.61	11.1	2.2	104.7	5.5	32.0	2.93	0.53	0.95	47	0.99
869106	Soil	0.75	66.13	24.06	126.0	223	36.0	19.4	856	3.81	13.2	0.9	1.4	1.5	71.6	1.01	1.49	0.17	87	1.08
869107	Soil	0.81	77.53	17.12	112.8	161	31.6	20.2	742	3.57	16.0	1.0	3.0	2.1	56.8	0.97	1.11	0.16	96	0.90
869108	Soil	0.61	67.42	17.96	91.9	206	28.3	19.1	887	3.95	13.4	0.9	3.5	1.8	63.4	0.56	1.06	0.13	94	0.83
869109	Soil	0.73	56.48	16.17	86.2	163	35.6	20.6	877	4.05	14.7	0.9	5.0	2.9	57.5	0.51	1.38	0.13	79	0.88
869110	Soil	0.71	56.71	16.45	86.1	183	34.0	17.6	852	3.57	13.6	1.0	8.2	2.0	54.2	0.55	1.24	0.14	69	0.84
869111	Soil	0.76	60.90	18.72	91.1	191	38.2	20.2	977	4.02	15.2	1.1	7.0	2.5	54.9	0.58	1.42	0.14	78	0.85
869112	Soil	0.66	69.51	20.81	94.9	184	29.5	19.4	742	3.65	11.1	0.8	2.8	2.2	48.1	0.55	0.99	0.19	85	0.57
869113	Soil	0.63	52.00	17.68	84.9	166	33.2	16.8	787	3.24	12.4	1.0	5.3	1.8	61.9	0.59	1.15	0.14	65	1.00
869114	Soil	0.67	52.38	15.00	81.0	159	35.7	18.3	727	3.71	13.5	1.0	5.9	2.9	67.2	0.50	1.23	0.14	79	0.82
869115	Soil	0.76	44.21	17.21	84.9	158	33.4	14.8	1796	3.05	16.3	0.8	13.6	3.7	91.7	0.67	0.79	0.18	62	1.66
869116	Soil	0.86	86.45	30.68	112.3	142	31.7	20.1	800	3.82	20.3	1.1	6.1	3.0	59.7	0.64	1.00	0.17	109	0.87
869117	Soil	0.69	56.54	40.15	162.5	361	30.5	16.3	1610	3.07	8.2	0.6	2.2	2.6	91.4	2.34	1.48	0.35	55	1.36
869118	Soil	0.83	103.5	27.94	105.2	350	21.3	14.7	1187	2.62	19.3	1.5	3.0	0.7	91.5	1.66	1.58	0.22	63	2.15
869119	Soil	0.75	72.64	26.53	148.9	262	39.8	19.8	889	3.47	13.8	1.2	1.6	1.6	88.4	1.53	1.43	0.17	84	1.38
869120	Soil	0.66	66.07	34.82	132.4	187	31.5	16.4	1015	3.25	13.6	0.9	1.5	2.3	86.9	1.32	1.34	0.23	74	1.37
869121	Soil	0.81	41.65	34.01	106.2	232	20.6	11.7	2175	2.70	9.9	2.1	0.8	0.7	126.3	1.85	1.34	0.18	64	1.84
869122	Soil	0.93	84.58	28.97	97.6	531	60.1	16.0	1170	3.35	24.3	3.0	3.9	1.4	108.4	1.23	1.37	0.20	68	1.70
869123	Soil	0.77	63.46	23.02	101.9	231	37.2	19.0	909	3.80	17.8	1.3	10.7	2.3	63.5	0.64	1.42	0.16	72	0.91
869124	Soil	0.60	33.32	14.64	58.0	94	26.2	13.9	679	2.77	5.9	8.3	14.8	8.9	48.2	0.41	0.38	0.18	56	0.72
869125	Soil	0.66	37.66	17.28	63.2	117	23.9	12.3	832	2.52	6.7	8.1	21.7	4.3	51.9	0.46	0.54	0.17	53	0.92



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 4 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918199	Soil	16.6	39.3	0.72	327.1	0.144	2	3.28	0.022	0.20	0.2	5.1	0.27	<0.02	19	0.2	<0.02	8.2	2.59	<0.1	0.35
918200	Soil	15.7	34.6	0.62	94.3	0.093	<1	1.51	0.013	0.27	0.4	3.5	0.18	<0.02	12	0.2	0.03	4.6	1.72	<0.1	0.15
918201	Soil	15.2	52.4	0.91	138.9	0.120	1	2.32	0.013	0.18	0.2	6.2	0.25	<0.02	35	0.3	0.06	6.2	1.83	<0.1	0.13
918202	Soil	28.3	93.5	1.43	189.5	0.145	2	2.72	0.012	0.40	0.3	8.0	0.26	<0.02	56	0.4	0.04	7.3	3.01	0.1	0.14
918203	Soil	13.4	39.9	0.63	94.1	0.110	1	1.81	0.012	0.15	0.2	5.5	0.13	<0.02	12	0.3	0.07	5.2	1.37	<0.1	0.19
869101	Soil	12.6	51.6	0.82	104.9	0.065	3	2.30	0.012	0.10	0.1	3.4	0.12	0.05	65	1.3	0.04	5.7	2.45	<0.1	0.03
869102	Soil	13.3	47.8	0.66	137.1	0.068	3	2.12	0.014	0.09	0.1	3.2	0.14	0.07	78	1.4	0.04	5.4	1.42	<0.1	0.07
869103	Soil	22.9	47.4	0.52	125.4	0.050	6	1.90	0.014	0.09	0.2	2.4	0.15	0.10	121	2.2	<0.02	4.5	1.19	<0.1	0.07
869104	Soil	15.1	65.1	0.96	164.7	0.104	4	2.43	0.017	0.11	0.1	5.3	0.12	0.04	74	1.6	0.04	6.2	2.72	<0.1	0.07
869105	Soil	18.8	29.0	0.90	105.9	0.060	<1	1.27	0.017	0.12	6.8	2.3	0.12	<0.02	41	0.5	0.07	4.0	1.46	<0.1	<0.02
869106	Soil	14.8	62.6	0.94	136.7	0.114	3	2.41	0.019	0.11	0.1	5.1	0.11	0.05	70	1.7	0.04	6.4	3.19	<0.1	0.07
869107	Soil	13.0	47.5	0.82	109.9	0.130	4	2.56	0.012	0.08	0.2	6.4	0.13	0.03	46	1.1	<0.02	7.2	2.34	<0.1	0.12
869108	Soil	16.3	51.0	0.96	167.1	0.112	3	2.54	0.016	0.14	0.2	7.0	0.08	<0.02	50	0.7	0.03	6.7	1.29	<0.1	0.07
869109	Soil	22.3	51.1	1.05	131.2	0.085	2	2.11	0.017	0.13	0.3	4.9	0.10	0.02	41	0.9	0.06	5.7	1.59	<0.1	0.04
869110	Soil	17.3	47.8	0.95	123.8	0.075	2	2.10	0.016	0.13	0.2	4.5	0.10	0.03	50	0.9	0.05	5.4	1.59	<0.1	0.02
869111	Soil	19.1	52.7	1.06	138.5	0.082	2	2.26	0.016	0.15	0.2	5.0	0.11	0.03	56	0.7	<0.02	5.9	1.81	<0.1	0.03
869112	Soil	13.5	41.1	0.78	151.4	0.131	3	2.89	0.017	0.18	0.2	6.7	0.14	<0.02	58	0.3	<0.02	7.5	1.52	<0.1	0.12
869113	Soil	16.9	45.6	0.86	128.8	0.077	3	1.96	0.015	0.13	0.2	4.2	0.11	0.04	51	1.1	0.05	5.2	1.51	<0.1	0.04
869114	Soil	18.7	53.7	1.08	117.7	0.096	2	1.94	0.020	0.14	0.3	5.0	0.10	0.03	31	0.6	0.04	5.6	1.46	<0.1	0.05
869115	Soil	16.1	42.1	0.94	171.8	0.082	3	1.55	0.022	0.22	0.5	3.9	0.13	0.05	27	1.2	0.05	4.8	1.49	<0.1	0.04
869116	Soil	13.7	52.2	0.98	135.4	0.173	4	3.06	0.016	0.09	0.2	8.2	0.14	0.02	55	0.7	<0.02	8.1	2.50	<0.1	0.23
869117	Soil	19.4	52.4	0.65	181.5	0.140	6	3.15	0.022	0.09	0.2	5.7	0.20	0.05	80	1.5	0.04	5.6	8.81	<0.1	0.18
869118	Soil	18.2	50.5	0.57	103.7	0.089	8	2.42	0.020	0.07	0.1	5.5	0.19	0.11	121	3.4	<0.02	5.1	4.53	<0.1	0.09
869119	Soil	17.6	69.6	1.00	148.8	0.139	5	2.79	0.025	0.11	0.1	6.1	0.13	0.07	79	2.2	0.03	6.7	3.76	<0.1	0.09
869120	Soil	20.8	53.8	0.84	150.4	0.131	5	2.54	0.026	0.10	0.2	5.2	0.13	0.05	60	1.8	0.04	6.3	4.09	<0.1	0.11
869121	Soil	12.0	49.4	0.54	195.1	0.082	6	1.76	0.016	0.08	0.1	3.7	0.14	0.09	99	3.7	0.02	4.8	1.25	<0.1	0.06
869122	Soil	23.3	88.6	0.84	253.9	0.093	5	2.72	0.019	0.19	0.3	7.4	0.16	0.06	97	2.7	<0.02	6.3	1.90	<0.1	0.06
869123	Soil	19.0	50.3	1.05	160.4	0.088	3	2.46	0.021	0.15	0.2	5.7	0.12	0.03	55	0.9	0.03	6.1	1.95	<0.1	0.03
869124	Soil	26.4	46.7	0.77	160.7	0.100	1	1.57	0.023	0.20	0.3	3.6	0.15	<0.02	26	0.6	0.04	4.8	1.67	<0.1	<0.02
869125	Soil	20.5	43.5	0.73	164.1	0.085	2	1.59	0.020	0.18	0.3	3.5	0.15	0.05	46	1.3	0.03	5.0	1.56	<0.1	0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	10	2	
918199	Soil	1.35	39.5	0.7	<0.05	23.4	10.54	40.0	0.03	<1	1.0	28.2	<10	<2
918200	Soil	0.36	28.9	0.4	<0.05	7.7	7.13	30.7	<0.02	<1	0.4	15.8	<10	<2
918201	Soil	1.43	24.7	0.4	<0.05	8.5	9.43	30.5	0.02	<1	0.6	15.2	<10	<2
918202	Soil	3.10	42.4	0.5	<0.05	8.7	12.77	51.9	0.03	<1	0.9	17.2	<10	3
918203	Soil	0.67	22.0	0.4	<0.05	10.6	6.18	25.5	0.03	<1	0.5	12.5	<10	<2
869101	Soil	1.69	15.5	0.5	<0.05	2.1	9.92	25.4	0.05	<1	0.5	23.5	<10	<2
869102	Soil	2.35	12.5	0.5	<0.05	3.6	9.25	26.4	0.04	<1	0.5	18.7	<10	<2
869103	Soil	2.63	11.6	0.5	<0.05	3.1	18.35	22.0	0.07	1	0.5	17.6	<10	<2
869104	Soil	3.41	11.6	0.4	<0.05	4.4	8.27	33.5	0.05	1	0.4	25.3	<10	<2
869105	Soil	1.07	14.1	0.4	<0.05	1.1	6.96	35.8	0.04	<1	0.5	17.7	<10	<2
869106	Soil	3.64	12.3	0.5	<0.05	3.8	7.67	33.5	0.05	1	0.5	27.8	<10	<2
869107	Soil	2.24	10.5	0.5	<0.05	7.4	9.05	27.2	0.05	2	0.8	17.9	<10	<2
869108	Soil	1.80	10.2	0.4	<0.05	3.7	10.94	31.3	0.04	<1	0.5	15.6	<10	<2
869109	Soil	1.47	12.6	1.2	<0.05	2.3	9.64	45.8	0.04	1	0.4	17.8	<10	<2
869110	Soil	1.83	12.6	0.8	<0.05	2.0	9.03	35.6	0.04	<1	0.4	17.6	<10	2
869111	Soil	1.80	14.4	1.4	<0.05	2.0	9.71	41.1	0.04	<1	0.4	19.8	<10	<2
869112	Soil	2.08	13.2	0.5	<0.05	8.0	9.46	30.6	0.06	<1	0.5	17.0	<10	<2
869113	Soil	2.57	13.8	0.7	<0.05	2.4	8.53	34.5	0.03	<1	0.4	16.5	<10	<2
869114	Soil	1.51	12.4	0.7	<0.05	2.3	8.52	37.2	0.04	<1	0.5	17.7	<10	<2
869115	Soil	2.07	14.4	0.3	<0.05	2.0	6.60	31.8	0.03	<1	0.3	15.2	<10	<2
869116	Soil	2.28	13.6	0.5	<0.05	12.1	9.14	29.3	0.08	<1	0.6	21.0	<10	3
869117	Soil	3.64	16.5	0.9	<0.05	11.3	12.15	41.3	0.08	<1	0.8	53.1	<10	<2
869118	Soil	4.85	12.0	0.7	<0.05	4.8	14.07	31.5	0.06	4	0.6	26.2	13	<2
869119	Soil	5.64	15.0	0.5	<0.05	5.2	9.66	35.6	0.06	3	0.6	32.8	<10	<2
869120	Soil	6.12	14.6	0.7	<0.05	7.1	9.13	40.7	0.08	1	0.6	27.8	<10	<2
869121	Soil	2.71	8.2	0.5	<0.05	4.0	7.65	21.5	0.07	2	0.4	13.4	<10	<2
869122	Soil	2.64	20.7	0.5	<0.05	3.6	22.60	28.5	0.06	2	0.6	21.4	<10	<2
869123	Soil	2.01	16.0	2.0	<0.05	2.2	10.87	35.4	0.04	<1	0.5	22.1	<10	<2
869124	Soil	2.12	20.1	0.4	<0.05	1.3	11.19	44.9	0.02	<1	0.5	18.8	<10	<2
869125	Soil	2.53	17.4	0.4	<0.05	1.4	11.43	32.7	0.03	<1	0.6	16.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	Unit	MDL	1F30 Mo	1F30 Cu	1F30 Pb	1F30 Zn	1F30 Ag	1F30 Ni	1F30 Co	1F30 Mn	1F30 Fe	1F30 As	1F30 U	1F30 Au	1F30 Th	1F30 Sr	1F30 Cd	1F30 Sb	1F30 Bi	1F30 V	1F30 Ca	1F30 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
869126	Soil			0.55	25.69	14.02	62.2	94	24.2	9.7	862	2.06	4.8	2.5	6.2	2.5	93.0	1.01	0.38	0.14	42	2.58	0.110
869127	Soil			0.50	31.05	21.42	72.6	116	21.8	10.7	635	2.19	5.9	2.7	10.4	5.6	67.2	0.98	0.52	0.17	45	1.33	0.133
869128	Soil			0.67	42.27	25.82	96.9	168	45.9	14.3	717	3.08	10.3	2.1	25.5	8.4	56.2	0.41	0.31	0.30	46	0.67	0.115
869129	Soil			0.61	39.89	22.53	86.6	141	48.0	14.8	614	2.97	9.7	2.3	10.3	7.9	48.0	0.37	0.32	0.31	42	0.57	0.096
869130	Soil			0.81	51.95	28.83	136.7	291	53.2	16.2	916	3.24	12.5	7.8	3.9	6.3	79.9	0.62	0.35	0.35	51	0.88	0.125
869131	Soil			0.37	26.79	26.01	44.6	90	21.6	5.9	424	1.07	6.0	1.0	2.6	0.5	302.4	0.81	0.63	0.11	19	18.12	0.087
869132	Soil			0.47	37.79	23.10	100.2	192	29.5	10.2	610	2.27	11.5	1.3	49.5	2.3	106.7	1.17	0.43	0.21	45	2.09	0.118
869133	Soil			0.58	49.38	100.4	171.3	214	24.1	12.1	1051	2.48	9.9	1.0	1.4	1.3	219.9	3.13	2.15	0.38	48	5.72	0.167
869134	Soil			0.79	43.60	40.50	128.4	282	65.5	15.5	1011	3.07	15.9	3.1	18.5	6.3	75.5	1.02	0.73	0.67	35	1.33	0.121
869135	Soil			0.98	44.46	38.55	117.2	266	64.5	17.2	844	2.87	15.2	2.8	15.7	7.6	54.2	0.75	0.52	1.47	36	0.71	0.091
869136	Soil			0.51	37.35	15.94	83.9	117	40.5	12.9	593	2.67	8.4	0.7	6.9	5.9	49.2	0.48	0.54	0.20	53	0.83	0.129
869137	Soil			0.48	29.25	18.96	78.1	103	37.0	10.6	481	2.54	6.3	1.6	31.4	6.5	46.6	0.43	0.55	0.20	47	0.65	0.101
869138	Soil			0.84	32.90	22.50	101.4	138	31.5	12.3	429	2.62	9.3	1.0	7.1	5.3	47.3	0.53	0.47	0.23	48	0.68	0.126
869139	Soil			0.98	25.39	16.52	120.0	259	22.6	10.0	532	2.17	13.3	25.6	10.9	1.4	52.0	0.91	0.31	0.28	36	0.36	0.116
869140	Soil			1.27	40.90	33.63	132.0	393	49.6	15.2	1105	3.16	14.5	4.5	11.3	3.7	66.5	0.91	0.43	0.62	44	0.59	0.098
869141	Soil			0.61	18.91	39.07	86.7	263	15.5	5.3	637	1.06	8.2	235.8	1.0	0.5	160.0	1.17	0.55	0.26	19	1.40	0.127
869142	Soil			0.63	24.70	37.87	61.5	236	15.9	7.4	648	1.40	9.2	82.8	15.8	0.4	125.3	0.93	0.60	0.28	25	1.00	0.130
869143	Soil			1.09	34.35	39.05	90.7	370	51.6	13.0	1245	2.35	12.2	70.0	7.6	1.2	99.3	1.38	0.70	0.34	44	0.78	0.133
869144	Soil			0.83	39.41	34.25	81.8	276	18.6	11.3	818	2.31	8.0	37.5	12.4	1.1	74.2	1.06	0.78	0.25	42	0.58	0.120
869145	Soil			0.87	34.68	31.44	71.7	237	19.5	11.8	1140	2.52	8.5	26.3	76.0	2.6	67.8	0.93	0.70	0.26	47	0.59	0.122
869146	Soil			0.67	29.10	26.14	68.7	189	19.0	10.4	614	2.29	6.8	15.9	24.9	3.5	55.2	0.64	0.53	0.23	44	0.48	0.125
869147	Soil			0.87	32.64	29.10	67.2	221	20.6	11.4	887	2.40	8.5	24.4	21.4	2.5	70.9	0.80	0.63	0.26	46	0.61	0.126
869151	Soil			0.61	30.10	15.91	57.5	97	20.9	12.1	659	2.59	6.7	8.6	20.9	7.3	44.2	0.43	0.47	0.17	49	0.63	0.163
869152	Soil			0.59	29.06	15.82	50.7	75	19.1	13.0	692	2.57	6.6	9.8	14.4	9.0	45.0	0.43	0.43	0.19	52	0.59	0.165
869153	Soil			0.62	32.35	10.59	57.0	89	18.2	10.5	908	2.39	7.0	2.5	3.7	4.3	53.6	0.57	0.51	0.12	44	1.01	0.185
869154	Soil			0.43	16.92	7.10	41.5	60	13.6	7.6	507	1.93	4.5	2.7	1.2	3.9	42.2	0.27	0.25	0.09	41	0.92	0.213
869155	Soil			0.55	25.44	8.23	46.5	69	20.3	10.6	541	2.40	4.6	1.8	12.5	6.1	39.4	0.28	0.31	0.14	51	0.85	0.254
869156	Soil			0.58	24.84	18.24	56.4	116	21.0	11.0	624	2.16	6.5	3.8	12.0	2.8	39.6	0.52	0.50	0.16	47	1.07	0.169
869157	Soil			0.65	65.38	37.43	71.3	399	32.7	10.5	696	2.49	5.1	21.7	17.5	2.5	59.9	0.79	1.06	0.28	48	1.03	0.103
869158	Soil			0.63	27.68	16.83	45.3	106	14.9	13.0	761	2.32	5.6	11.2	33.6	5.6	47.5	0.35	0.52	0.19	45	0.56	0.132

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 5 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
869126	Soil	12.7	43.1	0.51	126.2	0.062	5	1.06	0.025	0.15	0.5	2.1	0.11	0.08	32	2.6	0.03	3.5	1.03	<0.1	0.02
869127	Soil	19.4	37.0	0.60	110.7	0.079	4	1.11	0.023	0.17	0.4	3.0	0.13	0.04	33	1.5	0.02	3.6	1.25	<0.1	0.03
869128	Soil	28.8	48.6	0.81	165.1	0.089	2	2.10	0.027	0.29	0.3	4.1	0.21	0.02	20	0.5	0.04	5.9	2.19	<0.1	0.05
869129	Soil	26.5	49.7	0.76	137.3	0.081	1	2.05	0.024	0.25	0.4	3.9	0.17	0.02	26	0.6	<0.02	6.1	1.99	<0.1	0.04
869130	Soil	30.3	52.2	0.91	224.0	0.100	2	2.77	0.023	0.30	0.4	5.1	0.26	0.04	37	1.0	0.04	7.3	2.80	<0.1	0.05
869131	Soil	5.6	19.5	0.38	119.1	0.033	4	0.70	0.012	0.09	0.3	1.4	0.07	0.08	25	1.4	<0.02	1.9	0.72	<0.1	<0.02
869132	Soil	15.0	48.0	0.70	133.1	0.077	5	1.67	0.032	0.20	0.5	2.9	0.15	0.07	40	1.8	<0.02	4.9	1.46	<0.1	0.05
869133	Soil	12.2	34.4	0.64	198.0	0.086	10	1.58	0.033	0.31	0.3	4.5	0.13	0.09	36	2.1	0.02	4.5	1.46	<0.1	0.08
869134	Soil	26.7	56.9	0.72	122.5	0.066	5	2.01	0.028	0.26	1.4	3.8	0.14	0.10	38	1.9	0.04	5.6	1.88	<0.1	0.03
869135	Soil	25.9	52.5	0.66	103.9	0.060	2	1.76	0.020	0.16	1.0	3.6	0.13	0.03	43	1.2	0.07	5.1	1.69	<0.1	0.04
869136	Soil	21.1	44.7	0.77	131.6	0.086	2	1.55	0.021	0.26	0.4	3.9	0.15	<0.02	16	0.6	0.02	4.6	1.58	<0.1	0.05
869137	Soil	24.8	40.8	0.57	99.4	0.080	2	1.25	0.019	0.17	0.6	3.1	0.11	<0.02	15	0.8	<0.02	3.8	1.31	<0.1	0.05
869138	Soil	19.6	40.0	0.72	134.1	0.086	2	1.62	0.019	0.29	0.4	3.8	0.16	0.03	25	0.5	<0.02	5.1	1.54	<0.1	0.05
869139	Soil	19.3	98.0	0.37	128.2	0.071	<1	2.12	0.019	0.09	0.3	2.3	0.09	0.04	33	1.1	0.02	6.7	1.91	<0.1	0.05
869140	Soil	25.0	60.3	0.65	214.9	0.081	1	2.71	0.012	0.15	0.7	4.3	0.18	0.04	40	1.4	0.03	7.2	3.32	<0.1	0.04
869141	Soil	17.0	167.7	0.36	264.3	0.034	3	1.01	0.017	0.08	0.3	1.1	0.09	0.14	75	3.8	0.02	3.1	1.52	<0.1	<0.02
869142	Soil	19.7	115.5	0.41	220.1	0.038	3	1.52	0.016	0.09	0.3	1.4	0.11	0.11	71	2.1	<0.02	3.8	1.25	<0.1	0.02
869143	Soil	29.9	89.1	0.77	259.1	0.053	2	2.03	0.016	0.10	0.3	2.7	0.16	0.08	73	1.2	<0.02	5.8	4.51	<0.1	0.03
869144	Soil	21.7	39.4	0.57	186.1	0.038	2	1.63	0.011	0.10	0.2	2.4	0.12	0.08	61	0.9	0.04	4.8	1.81	<0.1	<0.02
869145	Soil	28.9	41.5	0.57	182.6	0.045	2	1.47	0.011	0.10	0.2	2.6	0.13	0.06	77	0.8	0.05	4.5	1.87	<0.1	<0.02
869146	Soil	21.9	38.6	0.54	151.7	0.061	2	1.67	0.011	0.11	0.3	2.7	0.10	0.04	39	0.7	0.04	4.9	1.65	<0.1	0.04
869147	Soil	26.3	41.9	0.56	187.9	0.051	1	1.58	0.013	0.12	0.3	2.9	0.13	0.05	41	1.0	0.03	4.8	1.89	<0.1	0.02
869151	Soil	24.5	36.8	0.62	141.4	0.075	1	1.32	0.015	0.16	0.2	3.2	0.12	<0.02	25	0.6	0.02	4.3	1.45	<0.1	0.02
869152	Soil	26.3	36.5	0.58	136.3	0.072	<1	1.25	0.015	0.14	0.3	3.2	0.11	<0.02	23	0.5	<0.02	4.0	1.31	<0.1	0.02
869153	Soil	16.8	24.4	0.55	151.7	0.065	2	1.03	0.017	0.17	0.3	2.7	0.10	0.04	20	2.0	<0.02	3.3	0.99	<0.1	<0.02
869154	Soil	14.6	22.8	0.43	104.1	0.062	2	0.88	0.021	0.18	0.4	2.1	0.09	0.03	16	1.3	<0.02	2.7	0.84	<0.1	0.02
869155	Soil	18.3	27.7	0.57	125.1	0.083	2	1.13	0.023	0.23	0.4	2.8	0.14	<0.02	8	0.4	0.03	3.9	1.17	<0.1	0.02
869156	Soil	11.0	39.4	0.53	137.0	0.070	3	1.11	0.015	0.21	0.5	2.3	0.17	0.05	23	1.3	<0.02	3.6	1.21	<0.1	<0.02
869157	Soil	22.2	34.5	0.59	228.9	0.091	5	1.92	0.017	0.27	0.4	3.1	0.20	0.05	30	1.4	0.05	5.3	1.50	<0.1	0.02
869158	Soil	22.4	32.6	0.51	137.9	0.052	2	1.12	0.013	0.12	0.3	2.6	0.12	0.03	39	0.7	0.05	3.7	1.18	<0.1	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869126	Soil	2.03	13.0	0.4	<0.05	1.2	5.45	22.4	0.02	<1	0.2	14.6	<10	<2
869127	Soil	2.46	14.7	0.4	<0.05	1.5	7.63	33.4	0.03	<1	0.3	12.8	<10	<2
869128	Soil	1.79	27.7	0.7	<0.05	3.2	9.71	50.0	0.03	<1	0.7	26.4	<10	<2
869129	Soil	1.73	24.6	0.5	<0.05	3.5	8.78	45.9	0.03	<1	0.6	30.3	<10	<2
869130	Soil	3.03	33.4	0.7	<0.05	3.9	14.21	52.1	0.04	<1	1.1	31.1	<10	<2
869131	Soil	0.85	6.8	0.3	<0.05	1.3	3.76	10.0	0.04	<1	0.3	8.9	<10	<2
869132	Soil	2.27	17.8	1.0	<0.05	2.3	7.60	25.9	0.03	<1	0.5	19.4	<10	<2
869133	Soil	2.04	13.3	0.9	<0.05	3.6	7.51	22.0	0.23	<1	0.6	15.9	<10	<2
869134	Soil	2.27	19.5	0.4	<0.05	2.4	11.42	46.2	0.05	<1	1.0	33.6	<10	<2
869135	Soil	1.81	17.8	0.4	<0.05	2.7	10.68	45.6	0.04	<1	0.8	32.9	<10	<2
869136	Soil	2.16	20.8	0.3	<0.05	3.1	7.06	37.7	0.02	<1	0.4	21.3	<10	<2
869137	Soil	1.82	16.3	0.3	<0.05	2.8	6.91	40.2	0.03	<1	0.4	24.8	<10	<2
869138	Soil	2.54	19.0	0.4	<0.05	3.6	6.87	34.9	0.03	<1	0.5	20.4	<10	2
869139	Soil	2.13	15.4	0.7	<0.05	3.3	11.52	36.4	<0.02	<1	1.5	36.4	<10	<2
869140	Soil	3.16	30.9	0.8	<0.05	2.6	13.42	48.3	0.04	<1	1.5	53.6	<10	<2
869141	Soil	1.86	9.1	0.5	<0.05	1.1	10.91	21.2	0.05	<1	1.2	18.4	<10	<2
869142	Soil	1.72	9.9	0.6	<0.05	1.4	12.67	28.8	0.06	1	0.9	21.4	<10	<2
869143	Soil	3.09	15.5	0.8	<0.05	1.8	21.48	41.9	0.05	<1	1.6	30.9	<10	<2
869144	Soil	2.16	13.8	0.5	<0.05	1.2	16.88	31.3	0.06	<1	1.2	18.6	<10	<2
869145	Soil	1.93	13.5	0.5	<0.05	0.9	14.51	46.2	0.04	<1	0.9	19.4	<10	2
869146	Soil	2.25	15.0	0.5	<0.05	1.8	10.50	38.8	0.04	<1	0.8	23.2	<10	<2
869147	Soil	2.32	16.2	0.6	<0.05	1.2	14.89	40.7	0.05	<1	1.1	21.2	<10	<2
869151	Soil	2.01	15.0	0.4	<0.05	1.1	11.21	41.4	0.02	<1	0.4	16.0	<10	<2
869152	Soil	1.80	13.9	0.4	<0.05	1.3	11.52	42.9	0.02	<1	0.4	15.0	<10	<2
869153	Soil	1.87	12.5	0.2	<0.05	1.1	8.23	29.5	<0.02	1	0.3	10.8	<10	<2
869154	Soil	1.69	12.2	0.2	<0.05	0.9	7.68	26.7	<0.02	<1	0.2	8.2	<10	<2
869155	Soil	1.44	16.1	0.3	<0.05	1.1	9.46	34.6	0.03	<1	0.4	10.5	<10	<2
869156	Soil	1.80	16.4	0.3	<0.05	0.8	5.56	20.8	0.04	2	0.3	14.1	<10	<2
869157	Soil	1.96	20.3	0.6	<0.05	1.6	16.71	23.6	0.05	<1	0.7	22.2	11	<2
869158	Soil	1.38	12.3	0.3	<0.05	0.7	10.78	39.1	0.03	<1	0.5	13.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 06, 2008

Page:

6 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
869159	Soil	0.57	28.76	15.19	44.8	83	15.8	12.6	620	2.53	5.8	7.7	36.2	9.4	39.3	0.22	0.47	0.18	50	0.45	0.134
869160	Soil	0.60	79.70	33.61	111.7	453	41.2	13.3	1119	3.24	5.5	9.7	2.9	5.6	65.8	0.61	0.60	0.33	57	0.55	0.078



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
869159	Soil	25.3	35.3	0.55	117.9	0.066	2	1.25	0.013	0.13	0.2	3.2	0.11	<0.02	20	0.4	<0.02	4.0	1.20	<0.1	<0.02
869160	Soil	44.7	51.4	0.84	299.8	0.108	2	3.42	0.019	0.21	0.2	8.3	0.26	0.02	46	0.5	0.06	8.8	2.30	<0.1	0.06



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 06, 2008

Page:

6 of 6

Part 3

CERTIFICATE OF ANALYSIS

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869159	Soil	1.58	13.5	0.4	<0.05	0.9	10.94	43.7	0.03	<1	0.6	13.9	<10	<2
869160	Soil	2.74	34.3	0.9	<0.05	4.9	43.14	39.6	0.05	<1	1.3	32.0	<10	<2

QUALITY CONTROL REPORT

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
869206	Soil	0.75	56.26	13.15	84.1	87	27.8	17.7	689	3.78	7.5	0.9	4.0	3.2	23.3	0.29	0.69	0.15	84	0.24	0.153
REP 869206	QC	0.71	53.78	13.20	85.8	77	26.7	16.5	659	3.69	7.0	0.8	1.1	3.1	22.4	0.26	0.66	0.15	86	0.22	0.146
918024	Soil	0.65	63.64	10.94	102.3	117	43.5	22.1	636	4.14	12.9	0.8	3.3	3.2	32.2	0.36	1.27	0.12	94	0.34	0.072
REP 918024	QC	0.66	64.39	11.47	105.3	116	43.3	22.3	643	4.16	12.9	0.9	2.3	3.4	33.7	0.34	1.25	0.12	99	0.36	0.073
918045	Soil	0.75	65.00	7.69	59.5	74	30.4	23.2	626	4.21	7.1	0.9	2.7	2.3	51.3	0.18	0.92	0.07	119	0.67	0.108
REP 918045	QC	0.69	61.48	6.97	57.9	70	28.6	21.5	598	3.97	6.5	0.9	3.1	2.2	49.0	0.18	0.85	0.06	113	0.64	0.098
869114	Soil	0.67	52.38	15.00	81.0	159	35.7	18.3	727	3.71	13.5	1.0	5.9	2.9	67.2	0.50	1.23	0.14	79	0.82	0.174
REP 869114	QC	0.70	51.72	14.92	80.5	155	35.3	18.3	735	3.65	13.0	1.0	9.4	2.8	66.1	0.47	1.20	0.14	78	0.81	0.173
869128	Soil	0.67	42.27	25.82	96.9	168	45.9	14.3	717	3.08	10.3	2.1	25.5	8.4	56.2	0.41	0.31	0.30	46	0.67	0.115
REP 869128	QC	0.71	42.66	25.83	96.9	168	45.5	14.1	730	3.14	10.4	2.2	13.0	8.7	56.8	0.41	0.33	0.30	47	0.70	0.119
869135	Soil	0.98	44.46	38.55	117.2	266	64.5	17.2	844	2.87	15.2	2.8	15.7	7.6	54.2	0.75	0.52	1.47	36	0.71	0.091
REP 869135	QC	1.02	44.90	37.51	114.6	264	63.2	16.4	827	2.84	15.5	2.7	25.6	7.5	53.3	0.75	0.53	1.39	33	0.70	0.094
Reference Materials																					
STD DS7	Standard	21.13	116.7	71.55	395.7	852	56.9	10.0	652	2.41	52.4	5.1	91.4	4.4	72.0	6.50	6.17	4.72	81	0.96	0.074
STD DS7	Standard	20.13	101.0	68.32	383.1	854	55.3	9.8	637	2.36	46.0	4.8	71.6	4.5	72.2	6.11	5.61	4.30	82	0.97	0.074
STD DS7	Standard	20.41	112.7	68.61	398.2	867	57.6	9.4	634	2.41	48.2	4.9	65.5	4.2	72.7	5.93	5.70	4.38	84	0.98	0.076
STD DS7	Standard	19.94	110.1	67.23	390.8	822	56.2	9.3	638	2.32	46.4	4.6	81.6	3.9	67.8	5.65	5.47	4.28	82	0.92	0.073
STD DS7	Standard	18.42	104.1	69.08	390.2	781	51.7	8.4	606	2.32	51.2	5.0	60.9	4.6	75.5	6.23	5.57	4.32	77	0.97	0.075
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
Pulp Duplicates																					
869206	Soil	12.1	43.1	0.90	180.8	0.120	2	3.12	0.009	0.14	0.2	6.4	0.11	<0.02	39	0.4	0.03	7.5	1.46	<0.1	0.11
REP 869206	QC	11.6	41.3	0.88	170.2	0.108	2	3.01	0.008	0.13	0.2	6.2	0.10	<0.02	34	0.3	0.04	7.3	1.40	<0.1	0.13
918024	Soil	15.7	55.4	1.17	148.6	0.151	3	2.74	0.013	0.12	0.2	8.1	0.13	<0.02	34	0.4	0.04	7.5	2.61	<0.1	0.24
REP 918024	QC	16.3	57.4	1.20	154.3	0.161	3	2.82	0.014	0.13	0.2	8.4	0.13	<0.02	37	0.4	<0.02	7.5	2.64	<0.1	0.25
918045	Soil	15.8	51.8	1.06	123.2	0.143	2	2.33	0.016	0.08	0.1	9.7	0.07	<0.02	25	0.6	0.04	7.6	1.22	<0.1	0.22
REP 918045	QC	14.7	50.2	1.00	114.3	0.136	2	2.20	0.019	0.08	0.2	9.1	0.06	<0.02	23	0.3	<0.02	7.0	1.11	<0.1	0.20
869114	Soil	18.7	53.7	1.08	117.7	0.096	2	1.94	0.020	0.14	0.3	5.0	0.10	0.03	31	0.6	0.04	5.6	1.46	<0.1	0.05
REP 869114	QC	18.0	51.4	1.06	114.4	0.091	2	1.88	0.019	0.13	0.3	4.7	0.10	0.02	30	0.7	<0.02	5.5	1.44	<0.1	0.04
869128	Soil	28.8	48.6	0.81	165.1	0.089	2	2.10	0.027	0.29	0.3	4.1	0.21	0.02	20	0.5	0.04	5.9	2.19	<0.1	0.05
REP 869128	QC	31.1	49.7	0.82	168.9	0.096	1	2.16	0.028	0.30	0.4	4.1	0.21	0.02	18	0.6	0.03	6.0	2.24	<0.1	0.04
869135	Soil	25.9	52.5	0.66	103.9	0.060	2	1.76	0.020	0.16	1.0	3.6	0.13	0.03	43	1.2	0.07	5.1	1.69	<0.1	0.04
REP 869135	QC	26.2	49.8	0.67	106.6	0.058	1	1.88	0.020	0.16	0.9	3.5	0.13	0.03	37	1.0	0.05	4.9	1.64	<0.1	0.03
Reference Materials																					
STD DS7	Standard	13.0	201.5	1.06	375.8	0.123	37	0.95	0.086	0.44	3.9	2.6	4.26	0.19	187	3.8	1.14	4.7	6.18	0.1	0.12
STD DS7	Standard	13.3	213.6	1.03	375.6	0.120	39	1.02	0.089	0.44	3.9	2.7	4.25	0.18	192	3.6	1.17	5.0	6.09	0.1	0.14
STD DS7	Standard	12.9	203.1	1.06	389.9	0.123	39	1.08	0.090	0.45	3.9	2.8	4.38	0.19	214	3.4	1.11	5.0	6.08	<0.1	0.12
STD DS7	Standard	11.9	205.0	1.02	375.7	0.121	36	0.99	0.086	0.46	3.6	2.4	4.10	0.19	191	3.6	1.04	4.5	5.81	<0.1	0.11
STD DS7	Standard	13.7	188.4	1.04	381.0	0.122	40	1.03	0.094	0.44	3.5	2.7	4.15	0.18	179	3.3	1.14	4.6	5.91	<0.1	0.11
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08009119.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates														
869206	Soil	1.13	10.9	0.4	<0.05	7.4	6.59	40.3	0.03	<1	0.7	14.7	<10	<2
REP 869206	QC	1.09	10.5	0.4	<0.05	7.0	6.12	37.6	0.03	<1	0.8	15.1	<10	<2
918024	Soil	0.97	18.9	0.5	<0.05	12.8	8.88	38.2	0.03	<1	0.6	21.8	<10	<2
REP 918024	QC	0.92	19.2	0.4	<0.05	12.8	9.12	39.7	0.03	<1	0.7	22.1	<10	3
918045	Soil	0.97	9.3	0.3	<0.05	9.9	10.53	30.0	0.03	<1	0.5	13.5	<10	4
REP 918045	QC	0.92	8.8	0.2	<0.05	9.4	9.83	28.1	<0.02	<1	0.5	12.3	<10	3
869114	Soil	1.51	12.4	0.7	<0.05	2.3	8.52	37.2	0.04	<1	0.5	17.7	<10	<2
REP 869114	QC	1.46	12.2	0.7	<0.05	2.5	8.60	36.4	0.04	<1	0.4	17.2	<10	<2
869128	Soil	1.79	27.7	0.7	<0.05	3.2	9.71	50.0	0.03	<1	0.7	26.4	<10	<2
REP 869128	QC	1.90	27.9	0.7	<0.05	2.8	9.85	55.6	0.02	<1	0.7	28.2	<10	<2
869135	Soil	1.81	17.8	0.4	<0.05	2.7	10.68	45.6	0.04	<1	0.8	32.9	<10	<2
REP 869135	QC	1.85	17.3	0.4	<0.05	2.6	10.40	44.6	0.04	<1	0.8	31.5	<10	<2
Reference Materials														
STD DS7	Standard	0.69	37.1	5.0	<0.05	5.6	5.53	36.2	1.71	4	1.5	28.8	62	38
STD DS7	Standard	0.72	36.0	4.6	<0.05	6.1	5.87	37.3	1.53	5	1.7	28.7	80	42
STD DS7	Standard	0.63	36.1	4.7	<0.05	5.3	5.86	37.3	1.56	4	1.5	29.7	86	35
STD DS7	Standard	0.64	33.3	4.4	<0.05	5.1	5.16	35.1	1.50	3	1.5	28.9	71	33
STD DS7	Standard	0.60	35.4	4.8	<0.05	5.5	5.96	35.2	1.45	3	1.4	28.4	54	38
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

September 09, 2008

Report Date:

October 03, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08009175.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 009
P.O. Number
Number of Samples: 101

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	101	Crush, split and pulverize rock to 200 mesh		
1F30	101	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method Analyte Unit MDL	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2	0.01
918394	Rock	1.22	0.14	49.53	9.52	64.7	88	75.1	26.3	888	4.68	0.7	0.5	0.6	2.7	283.5	0.18	0.08	0.08	126	5.32
918395	Rock	1.64	2.12	273.2	7.54	54.1	164	61.3	30.8	404	5.00	2.7	2.2	8.6	4.3	48.6	0.10	0.13	0.69	168	1.19
918396	Rock	1.39	0.13	6.04	16.10	23.1	44	1.7	3.3	684	1.04	5.1	1.0	5.5	3.0	239.0	0.15	0.33	0.06	4	1.81
918397	Rock	1.05	0.14	10.81	22.95	35.9	63	2.1	3.5	748	1.29	1.5	0.8	5.6	3.1	206.1	0.12	0.41	0.04	5	1.67
918398	Rock	1.83	0.33	12.74	13.66	21.1	39	3.3	3.2	489	1.02	6.9	0.6	0.4	3.7	29.3	0.08	0.31	0.05	8	0.15
918399	Rock	0.69	0.97	81.52	2.63	83.0	31	10.7	16.5	826	5.46	2.0	0.3	11.4	0.9	35.5	0.09	0.44	0.04	101	0.50
918400	Rock	1.44	0.48	15.17	11.78	35.7	530	13.6	7.5	943	3.08	19.6	0.4	7.8	1.9	428.8	0.40	0.42	0.54	8	7.03
869002	Rock	1.62	0.17	1.39	51.47	42.0	279	1.1	0.2	574	0.44	323.7	4.4	74.4	29.8	4.6	0.12	1.13	0.80	<2	0.05
869003	Rock	1.75	1.37	11.96	5.19	126.9	26	11.6	5.2	241	0.91	2.4	2.3	<0.2	9.1	115.5	0.16	0.17	1.02	17	2.10
869004	Rock	1.17	1.78	30.14	21.41	64.3	38	24.9	13.4	1516	2.91	10.1	1.9	<0.2	9.0	568.8	0.06	0.11	0.48	5	17.04
869005	Rock	1.16	0.43	20.13	9.13	51.4	15	17.6	9.4	901	2.08	2.8	1.4	<0.2	7.4	966.2	0.07	0.04	0.26	3	23.04
869006	Rock	2.14	10.77	31.66	39.18	56.2	61	25.4	13.3	1108	3.00	2.4	1.5	0.2	9.3	421.9	0.05	0.05	0.40	6	10.00
869007	Rock	1.73	0.19	13.37	1.65	24.5	20	9.5	8.0	1163	1.63	0.8	<0.1	<0.2	0.1	23.9	0.13	0.08	<0.02	37	1.18
869008	Rock	1.33	0.12	1.56	11.94	20.1	6	1.1	1.1	276	1.37	0.2	0.6	<0.2	4.2	143.0	0.07	0.04	<0.02	9	1.03
918262	Rock	0.72	0.41	21.97	7.14	46.3	35	25.0	8.3	228	1.99	1.9	1.4	4.2	10.8	206.8	0.06	<0.02	0.20	25	2.20
918263	Rock	1.19	0.42	42.20	7.63	48.3	37	18.2	6.7	490	2.70	10.3	1.0	3.1	6.5	58.5	0.02	0.03	0.19	39	0.65
918264	Rock	0.93	0.16	15.01	11.51	15.1	24	14.4	7.0	610	1.24	2.8	0.6	4.9	5.6	790.2	0.11	0.02	0.67	10	23.46
918265	Rock	0.96	0.25	29.02	12.56	49.5	25	8.9	4.7	548	2.67	1.2	2.6	<0.2	20.2	11.2	<0.01	0.04	0.23	21	0.24
918268	Rock	1.65	0.69	62.98	32.45	80.0	75	46.8	27.1	1234	3.97	17.3	1.0	<0.2	19.1	21.0	0.08	0.31	0.52	11	0.11
918269	Rock	0.59	3.84	1.75	5.53	4.5	28	1.5	0.7	271	0.45	2.2	2.6	1.2	12.0	6.2	0.02	0.06	0.16	<2	0.08
918270	Rock	1.10	1.28	11.24	10.74	47.9	40	11.2	5.7	366	2.25	3.4	1.0	<0.2	9.8	20.7	0.02	0.06	0.14	47	0.10
918271	Rock	0.52	0.51	31.39	11.71	29.4	40	7.7	5.9	224	1.59	3.6	1.0	<0.2	9.0	9.4	<0.01	0.06	0.22	10	0.07
918272	Rock	0.42	0.28	20.92	13.03	83.7	37	34.1	14.2	300	3.59	2.7	0.9	0.9	9.8	39.9	0.02	0.05	0.14	39	0.34
918273	Rock	1.58	0.30	17.15	17.01	60.1	24	32.3	14.7	1038	3.56	6.9	0.9	<0.2	12.9	10.7	0.08	0.04	0.11	30	0.08
918274	Rock	1.12	0.27	13.80	10.51	71.4	36	22.2	6.1	246	1.38	2.1	0.8	0.6	8.6	68.4	0.05	0.05	0.13	16	0.43
918275	Rock	1.12	0.56	13.48	5.29	48.2	15	20.6	8.7	358	2.69	4.7	1.9	1.2	14.3	5.5	0.03	0.05	0.31	30	0.09
918276	Rock	1.44	0.83	39.26	22.41	49.0	70	32.6	14.3	815	2.97	0.8	1.7	<0.2	11.9	526.9	0.09	0.02	0.39	42	10.09
918277	Rock	1.10	0.23	23.90	16.37	25.1	31	20.0	9.8	1080	1.66	3.2	1.0	1.3	6.9	573.9	0.09	0.02	0.29	16	18.97
918278	Rock	0.59	1.20	36.83	20.12	80.6	60	35.1	14.8	403	3.63	2.8	2.3	1.1	14.4	503.3	0.06	0.03	0.46	52	3.55
918279	Rock	0.85	28.88	4.18	187.7	23.3	2845	1.2	0.3	271	0.22	4.3	2.5	152.5	5.9	2.9	0.33	0.21	21.62	<2	0.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 03, 2008

Page:

2 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918394	Rock	0.294	18.6	211.4	3.68	1403	0.320	<1	2.79	0.045	1.99	<0.1	10.9	0.70	0.16	<5	0.5	<0.02	9.6	6.18	0.2
918395	Rock	0.172	10.6	100.8	1.84	40.2	0.317	<1	1.85	0.092	1.34	0.4	3.8	0.38	1.80	<5	1.1	0.57	6.5	2.00	0.1
918396	Rock	0.065	7.5	2.0	0.05	250.4	0.002	<1	0.35	0.038	0.28	<0.1	0.7	0.05	0.26	<5	0.2	<0.02	1.0	0.31	<0.1
918397	Rock	0.067	7.5	1.8	0.12	109.6	0.002	2	0.43	0.037	0.31	<0.1	0.8	0.07	0.24	7	0.4	<0.02	1.0	0.45	<0.1
918398	Rock	0.065	14.8	7.2	0.06	97.3	0.003	2	0.48	0.034	0.26	<0.1	1.0	0.06	<0.02	<5	0.4	<0.02	1.1	0.36	<0.1
918399	Rock	0.120	4.0	15.7	1.53	27.1	0.126	<1	2.40	0.026	0.05	0.2	2.6	<0.02	0.52	<5	0.9	<0.02	5.8	0.31	<0.1
918400	Rock	0.067	2.3	3.3	1.26	51.0	0.001	2	0.22	0.031	0.14	<0.1	2.6	0.07	1.42	<5	3.6	0.06	0.7	0.54	<0.1
869002	Rock	0.001	4.9	5.0	0.01	23.4	0.002	2	0.18	0.052	0.13	0.4	1.1	0.07	0.02	8	0.5	<0.02	0.9	0.72	<0.1
869003	Rock	0.051	23.4	19.4	0.27	56.1	0.097	1	1.37	0.035	0.27	0.2	2.4	0.13	0.03	<5	0.4	<0.02	3.8	1.50	<0.1
869004	Rock	0.036	17.9	14.1	0.75	20.6	<0.001	<1	1.17	0.021	0.11	<0.1	2.6	0.03	0.74	<5	0.6	0.15	3.1	0.36	<0.1
869005	Rock	0.033	18.0	7.4	0.58	20.7	<0.001	<1	0.69	0.020	0.11	<0.1	2.8	0.03	0.80	<5	0.6	0.14	1.8	0.33	<0.1
869006	Rock	0.042	20.7	10.9	0.69	22.9	<0.001	<1	1.00	0.016	0.13	<0.1	1.9	0.04	1.13	<5	0.5	0.07	2.7	0.35	<0.1
869007	Rock	0.018	0.6	29.2	0.64	48.8	0.085	6	0.74	0.014	0.02	<0.1	3.6	<0.02	0.04	<5	0.3	<0.02	2.3	0.08	<0.1
869008	Rock	0.018	19.3	3.8	0.03	44.2	0.002	<1	0.22	0.071	0.11	<0.1	0.4	0.03	<0.02	<5	0.2	0.03	1.4	0.21	<0.1
918262	Rock	0.036	12.8	35.3	0.39	39.6	0.139	4	3.30	0.168	0.37	0.3	2.9	0.24	0.57	<5	0.6	<0.02	8.8	1.72	<0.1
918263	Rock	0.028	11.2	53.9	1.02	107.6	0.102	<1	3.20	0.163	0.90	<0.1	5.9	0.55	0.21	5	0.6	0.04	8.9	4.64	<0.1
918264	Rock	0.041	9.3	14.2	0.26	13.7	0.038	4	2.54	0.255	0.19	0.2	1.2	0.15	<0.02	<5	0.4	0.08	6.3	1.70	<0.1
918265	Rock	0.056	54.0	42.8	1.35	44.7	0.020	<1	2.13	0.026	0.20	<0.1	1.9	0.10	<0.02	<5	0.6	<0.02	6.6	1.34	0.1
918268	Rock	0.022	18.4	23.1	1.08	59.2	0.002	2	2.12	0.039	0.24	<0.1	2.1	0.08	0.94	<5	0.8	0.06	5.7	1.93	<0.1
918269	Rock	0.009	14.3	4.6	0.04	26.1	0.003	<1	0.24	0.047	0.16	<0.1	0.8	0.04	<0.02	<5	0.2	<0.02	1.0	0.30	<0.1
918270	Rock	0.038	17.7	68.4	0.75	174.3	0.182	<1	1.49	0.048	0.87	0.2	5.9	0.32	0.04	<5	0.5	0.03	7.5	1.58	<0.1
918271	Rock	0.029	23.4	20.3	0.49	30.9	0.006	<1	1.07	0.020	0.14	<0.1	1.1	0.10	0.02	<5	0.9	<0.02	3.2	0.98	<0.1
918272	Rock	0.036	13.7	53.1	1.07	156.1	0.130	<1	2.65	0.070	1.05	0.1	4.7	0.55	0.28	<5	0.4	<0.02	8.5	2.61	<0.1
918273	Rock	0.028	33.6	46.2	0.94	49.3	0.014	<1	1.92	0.028	0.27	<0.1	3.5	0.10	<0.02	<5	0.6	<0.02	7.3	0.83	<0.1
918274	Rock	0.044	12.4	27.1	0.30	60.9	0.056	<1	1.69	0.105	0.21	<0.1	2.1	0.10	0.15	<5	0.5	0.03	3.7	0.67	<0.1
918275	Rock	0.047	33.8	40.6	0.76	119.5	0.128	<1	1.84	0.028	0.96	<0.1	3.5	0.42	<0.02	<5	0.2	0.02	6.4	2.08	<0.1
918276	Rock	0.058	15.6	43.7	0.63	44.5	0.103	2	5.98	0.449	0.54	0.2	5.2	0.27	0.97	<5	0.9	0.12	14.7	2.03	<0.1
918277	Rock	0.050	11.4	20.4	0.30	20.8	0.058	1	3.24	0.270	0.22	0.2	1.7	0.19	0.12	<5	0.3	0.09	7.8	1.49	<0.1
918278	Rock	0.043	18.1	59.5	1.13	71.5	0.150	3	6.60	0.477	0.67	0.3	6.0	0.36	0.45	<5	0.4	0.04	16.1	2.80	0.1
918279	Rock	0.007	8.3	8.8	<0.01	18.5	0.001	2	0.17	0.024	0.10	0.9	0.2	0.02	<0.02	<5	0.1	0.71	0.5	0.20	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 2 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
918394	Rock	0.03	0.05	80.4	0.5	<0.05	1.8	8.11	36.0	0.03	<1	1.0	23.6	<10	<2
918395	Rock	0.17	0.06	58.3	0.5	<0.05	3.5	6.74	21.4	<0.02	6	0.1	13.9	11	6
918396	Rock	0.23	0.02	8.5	0.1	<0.05	8.0	2.69	12.6	<0.02	<1	0.4	0.9	<10	<2
918397	Rock	0.14	<0.02	10.4	<0.1	<0.05	6.3	4.47	12.0	<0.02	<1	0.7	1.4	<10	<2
918398	Rock	0.15	0.04	9.1	<0.1	<0.05	5.7	3.68	25.3	<0.02	<1	0.3	1.7	<10	<2
918399	Rock	0.14	0.05	2.6	0.1	<0.05	3.2	4.92	7.4	<0.02	2	0.2	9.2	<10	<2
918400	Rock	0.04	<0.02	6.8	<0.1	<0.05	1.4	5.74	4.2	<0.02	2	0.2	1.1	<10	<2
869002	Rock	0.42	5.34	13.2	0.4	<0.05	8.9	10.80	13.8	0.04	<1	0.2	2.1	<10	<2
869003	Rock	0.17	0.42	27.5	0.6	<0.05	6.5	6.12	39.5	0.04	<1	1.4	18.4	<10	<2
869004	Rock	0.03	<0.02	5.2	<0.1	<0.05	1.7	8.46	29.4	0.02	1	0.2	27.4	<10	<2
869005	Rock	0.04	0.02	5.0	<0.1	<0.05	1.9	9.07	28.0	0.03	<1	0.2	17.0	<10	<2
869006	Rock	<0.02	<0.02	5.7	0.1	<0.05	1.3	6.18	35.2	<0.02	4	0.4	20.8	<10	<2
869007	Rock	<0.02	0.10	0.9	0.1	<0.05	0.7	3.37	1.1	<0.02	<1	0.2	5.7	<10	<2
869008	Rock	0.06	0.37	5.7	0.2	<0.05	1.9	5.58	35.1	<0.02	<1	0.5	6.3	<10	<2
918262	Rock	0.09	0.41	35.3	1.0	<0.05	1.9	5.32	22.3	<0.02	2	0.8	13.7	<10	<2
918263	Rock	<0.02	0.16	72.3	0.8	<0.05	0.5	2.10	19.9	0.03	<1	0.8	60.0	<10	<2
918264	Rock	<0.02	0.20	25.6	0.2	<0.05	0.4	4.47	15.4	<0.02	<1	0.5	21.6	<10	<2
918265	Rock	0.03	0.04	15.5	0.1	<0.05	1.4	5.62	82.4	<0.02	<1	0.7	51.7	<10	<2
918268	Rock	0.06	<0.02	11.8	0.2	<0.05	2.7	4.70	29.7	0.03	<1	0.8	63.7	<10	<2
918269	Rock	0.02	2.03	8.0	<0.1	<0.05	1.3	6.83	25.6	<0.02	<1	0.3	2.9	<10	<2
918270	Rock	<0.02	0.56	53.9	1.0	<0.05	0.7	3.08	31.2	<0.02	<1	0.4	15.3	<10	<2
918271	Rock	0.02	0.04	12.4	0.1	<0.05	0.9	2.42	37.2	<0.02	<1	0.3	25.6	<10	<2
918272	Rock	<0.02	0.26	69.1	0.7	<0.05	0.9	2.25	26.3	<0.02	<1	0.4	28.4	<10	<2
918273	Rock	0.04	0.03	16.2	0.3	<0.05	1.7	5.03	61.1	<0.02	<1	0.4	38.1	<10	<2
918274	Rock	0.02	0.21	14.7	0.7	<0.05	0.6	4.32	22.9	<0.02	<1	0.5	9.8	<10	<2
918275	Rock	0.03	0.28	64.3	0.8	<0.05	1.3	4.95	59.9	<0.02	<1	0.4	24.7	<10	<2
918276	Rock	0.03	0.17	49.0	0.8	<0.05	0.9	8.28	26.1	<0.02	1	2.1	24.9	<10	<2
918277	Rock	0.02	0.36	29.6	0.4	<0.05	0.7	9.34	18.8	<0.02	<1	0.5	30.2	<10	<2
918278	Rock	0.03	0.24	62.8	0.9	<0.05	1.3	6.05	29.3	<0.02	2	1.6	79.8	<10	<2
918279	Rock	<0.02	1.31	5.1	<0.1	<0.05	0.5	4.42	13.6	<0.02	1	0.3	1.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 03, 2008

Page: 3 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918280	Rock	1.38	3.40	9.53	4.01	6.1	63	1.1	1.1	101	0.58	9.4	2.9	7.7	4.8	3.4	0.05	0.07	0.97	<2	0.03
918281	Rock	1.45	13.84	22.82	4.58	210.9	52	20.3	8.0	620	3.53	1.5	1.4	<0.2	9.7	40.9	1.13	<0.02	0.29	55	0.46
918282	Rock	1.44	11.98	7.35	1.14	187.7	11	10.0	4.8	3672	1.17	0.8	3.9	<0.2	7.1	76.2	1.72	0.06	0.49	15	4.55
918283	Rock	1.52	1.72	2.53	9.52	34.9	50	0.9	0.4	546	0.40	1.3	7.5	1.3	12.4	3.6	0.28	0.04	0.20	<2	0.05
918284	Rock	1.60	0.24	19.68	15.72	33.7	22	16.2	8.1	831	1.93	2.9	1.1	<0.2	6.3	783.0	0.07	0.03	0.25	28	21.98
918286	Rock	1.35	0.68	124.1	1.73	61.7	253	30.0	30.2	938	5.71	10.0	0.2	7.1	1.0	247.1	0.10	0.88	0.05	197	3.44
918287	Rock	1.38	0.57	49.06	1.22	41.4	90	30.7	24.7	695	4.10	3.9	0.4	7.9	0.9	37.2	0.06	1.08	0.07	133	0.83
918288	Rock	0.86	24.04	94.67	3.30	67.3	499	39.6	44.2	1525	7.72	59.9	0.2	17.0	0.8	103.7	0.42	2.71	0.17	119	3.28
918289	Rock	0.62	1.80	46.61	11.03	61.7	60	142.2	24.6	668	3.92	2.5	2.6	2.7	10.8	67.6	0.07	0.07	0.08	85	0.91
918290	Rock	0.80	0.25	11.63	15.28	16.4	178	25.7	13.5	504	2.02	18.8	0.2	3.5	0.6	29.1	0.07	0.47	0.04	60	1.37
918291	Rock	0.58	0.39	19.41	12.28	84.5	96	26.3	12.4	1177	5.28	13.0	0.2	2.2	0.9	77.1	0.37	1.21	0.08	48	2.85
918292	Rock	1.20	0.85	209.6	7.74	67.2	189	37.8	23.8	1274	6.00	46.8	1.0	2.1	4.2	81.4	0.19	1.42	0.02	59	3.11
918293	Rock	0.95	0.82	124.0	3.45	99.4	152	37.0	38.5	1489	8.10	4.9	0.5	5.4	0.7	65.8	0.15	0.54	0.14	245	2.41
918294	Rock	1.04	0.20	6.45	24.75	22.0	94	13.3	6.0	456	1.73	7.7	3.2	1.1	20.7	88.9	0.13	0.43	0.15	9	1.58
918295	Rock	0.97	0.20	2.23	9.07	19.7	70	0.9	0.3	339	0.39	8.3	2.1	<0.2	17.2	2.6	0.15	0.42	0.12	<2	0.02
918296	Rock	0.01	0.24	3.01	12.39	10.8	103	0.8	0.3	97	0.34	8.6	2.5	<0.2	24.8	2.5	0.11	0.46	0.27	<2	0.02
918297	Rock	1.01	0.07	179.8	2.43	56.2	71	44.6	29.2	933	4.51	1.9	0.2	0.7	0.6	107.0	0.18	0.16	0.08	98	3.25
918298	Rock	1.10	0.28	64.89	1.87	81.9	37	33.3	26.2	1316	5.94	3.6	0.5	0.7	1.3	192.9	0.12	0.37	<0.02	176	3.96
918299	Rock	1.10	1.38	31.19	4.92	45.8	41	34.5	14.2	337	2.88	1.3	1.0	1.5	9.1	40.6	0.11	0.07	0.06	86	0.90
918300	Rock	1.24	0.19	10.29	10.44	29.0	332	10.5	3.1	661	1.10	6.7	0.4	1.1	4.2	196.7	0.26	1.90	0.12	9	4.30
869301	Rock	1.19	0.16	10.65	11.80	49.0	195	11.5	2.4	510	1.00	6.0	0.4	3.5	3.3	248.3	0.67	1.17	0.07	5	6.49
869302	Rock	0.20	1.65	14.88	22.44	36.9	339	2.3	2.0	184	0.89	13.0	12.6	5.2	43.6	20.6	0.46	0.49	0.72	2	0.17
869303	Rock	1.48	0.20	8.33	7.55	6.3	61	3.8	1.8	38	0.60	1.8	0.3	0.3	0.9	2.8	0.02	0.15	0.18	<2	0.03
869304	Rock	1.80	0.55	83.04	4.28	57.4	57	85.4	23.3	947	3.31	2.1	0.6	1.2	1.1	106.6	0.16	0.10	0.04	114	6.07
869305	Rock	1.22	1.76	26.07	7.13	67.1	81	7.9	13.7	565	3.44	6.9	7.5	0.6	27.6	26.8	0.15	0.38	0.12	94	0.68
918125	Rock	1.99	0.39	10.35	14.06	11.2	40	3.7	2.3	117	0.48	0.4	0.2	0.6	0.2	37.2	0.13	0.04	0.02	3	1.31
918126	Rock	0.28	0.97	10.92	15.77	273.9	170	7.0	1.8	706	1.35	11.6	1.6	0.6	6.4	37.1	1.72	0.06	0.20	3	0.05
918127	Rock	0.19	1.08	19.54	23.10	50.6	144	8.5	3.0	368	1.12	1.8	2.1	0.8	5.7	115.5	0.37	0.12	0.14	11	1.77
918128	Rock	0.43	0.52	0.22	4.20	2.9	9	2.4	<0.1	240	0.05	1.2	0.7	<0.2	0.1	820.8	0.04	0.02	<0.02	<2	35.56
918129	Rock	2.63	1.68	6.33	8.17	27.1	131	15.9	4.9	266	1.23	17.9	0.2	8.5	1.7	30.6	0.19	0.43	0.08	5	0.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918280	Rock			0.009	8.3	10.3	0.02	12.6	0.001	<1	0.19	0.024	0.06	0.3	0.4	<0.02	<0.02	<5	0.3	0.09	0.6	0.21	<0.1
918281	Rock			0.101	12.8	68.9	1.36	177.4	0.228	<1	2.84	0.079	1.77	0.4	7.5	1.00	0.05	<5	0.3	0.03	10.3	16.68	0.1
918282	Rock			0.043	21.7	14.9	0.08	19.7	0.085	<1	1.80	0.078	0.04	5.6	2.3	<0.02	<0.02	<5	0.1	0.04	7.9	0.48	1.1
918283	Rock			0.008	9.2	6.1	0.05	20.5	0.007	<1	0.25	0.049	0.15	0.2	0.9	0.06	<0.02	<5	0.3	<0.02	1.3	0.46	<0.1
918284	Rock			0.029	12.5	28.7	0.66	43.0	0.076	1	3.40	0.263	0.65	<0.1	5.8	0.29	0.33	<5	0.4	0.18	8.5	2.24	<0.1
918286	Rock			0.109	4.1	169.6	4.01	35.2	0.093	<1	3.82	0.016	0.59	0.2	21.5	0.33	0.08	<5	0.5	<0.02	10.7	4.00	0.4
918287	Rock			0.117	4.9	178.1	2.66	26.9	0.163	2	2.47	0.027	0.15	0.6	5.2	0.08	<0.02	9	0.3	0.03	8.3	0.97	0.2
918288	Rock			0.107	4.5	119.5	2.33	168.2	0.033	3	2.74	0.015	0.47	1.2	15.7	0.20	0.22	8	1.3	0.16	6.8	1.56	<0.1
918289	Rock			0.282	49.9	76.6	2.77	686.1	0.332	12	2.29	0.154	2.12	0.9	2.0	0.70	<0.02	<5	<0.1	<0.02	8.1	6.69	0.2
918290	Rock			0.083	2.3	130.0	1.33	26.1	0.097	2	1.24	0.023	0.09	0.5	2.6	0.02	<0.02	<5	0.1	0.06	3.8	0.20	<0.1
918291	Rock			0.083	8.5	21.3	0.78	126.2	0.002	4	1.62	0.035	0.14	<0.1	6.0	0.06	0.02	22	<0.1	0.05	4.8	1.89	<0.1
918292	Rock			0.207	18.4	34.4	1.09	127.7	0.006	3	1.76	0.023	0.28	0.2	7.7	0.05	<0.02	<5	<0.1	<0.02	4.0	0.47	<0.1
918293	Rock			0.122	3.6	218.5	4.72	108.0	0.235	2	4.41	0.014	0.21	0.2	12.0	0.19	0.33	5	0.6	0.15	14.3	1.49	0.2
918294	Rock			0.082	36.8	10.2	0.42	57.9	0.003	3	0.49	0.037	0.27	0.1	3.1	0.11	<0.02	<5	<0.1	<0.02	2.2	0.68	<0.1
918295	Rock			0.008	3.7	10.5	0.01	20.2	0.002	<1	0.14	0.053	0.08	0.2	1.3	0.03	<0.02	<5	<0.1	<0.02	0.5	0.12	<0.1
918296	Rock			0.003	4.7	7.6	0.02	14.2	0.002	<1	0.18	0.055	0.10	0.3	1.0	0.03	<0.02	<5	<0.1	<0.02	0.7	0.16	<0.1
918297	Rock			0.133	2.9	247.5	3.22	53.5	0.212	2	2.97	0.013	0.82	0.1	3.6	0.33	<0.02	<5	0.2	0.03	8.8	7.37	<0.1
918298	Rock			0.135	7.1	92.0	2.86	54.4	0.168	2	3.26	0.018	0.06	0.2	12.7	<0.02	0.06	<5	<0.1	<0.02	10.0	0.68	0.2
918299	Rock			0.212	31.7	38.8	1.24	246.9	0.236	8	1.10	0.085	0.99	0.7	2.0	0.51	<0.02	<5	<0.1	<0.02	4.8	5.96	0.1
918300	Rock			0.104	19.0	9.3	1.49	45.8	0.004	1	0.34	0.006	0.21	0.1	3.1	0.09	<0.02	<5	0.1	0.02	0.9	0.43	<0.1
869301	Rock			0.092	15.1	9.0	2.53	31.8	0.003	1	0.21	0.010	0.13	<0.1	2.7	0.05	0.02	<5	0.8	0.03	0.7	0.27	<0.1
869302	Rock			0.014	16.1	5.3	0.05	61.7	0.001	2	0.35	0.043	0.20	<0.1	0.4	0.09	0.06	<5	1.3	0.04	1.3	0.32	<0.1
869303	Rock			0.006	2.8	16.3	0.03	6.9	0.001	<1	0.18	0.004	0.02	<0.1	0.3	<0.02	<0.02	<5	0.2	<0.02	0.4	0.09	<0.1
869304	Rock			0.098	3.5	51.3	1.13	33.8	0.181	3	2.28	0.101	0.09	0.3	2.3	0.04	0.04	<5	0.2	0.02	6.6	0.79	<0.1
869305	Rock			0.099	17.7	18.6	1.12	77.1	0.208	3	1.36	0.082	0.52	0.5	3.3	0.30	<0.02	<5	<0.1	0.02	5.8	3.67	<0.1
918125	Rock			0.004	<0.5	22.0	0.06	11.2	0.004	<1	0.08	0.008	0.01	<0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.19	<0.1
918126	Rock			0.016	10.5	11.4	0.03	166.8	0.003	<1	0.17	0.050	0.09	<0.1	0.7	0.03	0.12	<5	0.2	<0.02	1.0	0.10	<0.1
918127	Rock			0.046	10.0	8.7	0.16	110.1	0.008	2	0.42	0.043	0.24	0.2	0.5	0.15	<0.02	<5	0.3	<0.02	2.1	1.07	<0.1
918128	Rock			0.004	1.2	1.5	0.17	6.0	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	0.02	6	<0.1	<0.02	<0.1	<0.02	<0.1
918129	Rock			0.063	6.8	26.0	0.02	269.1	0.001	1	0.16	0.018	0.07	<0.1	2.1	0.02	<0.02	<5	0.5	0.02	0.6	0.15	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 3 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918280	Rock	<0.02	2.23	3.6	<0.1	<0.05	0.6	6.61	12.5	<0.02	2	0.6	1.1	<10	<2
918281	Rock	<0.02	0.33	142.4	1.0	<0.05	0.4	6.06	23.7	0.03	<1	0.6	37.8	<10	<2
918282	Rock	0.30	0.85	4.1	5.1	<0.05	10.6	6.46	37.4	0.33	<1	5.6	2.0	<10	<2
918283	Rock	0.13	1.45	12.1	0.2	<0.05	2.5	5.89	16.6	<0.02	<1	<0.1	3.5	<10	<2
918284	Rock	<0.02	0.09	56.1	0.6	<0.05	0.5	11.13	21.2	0.03	<1	0.7	35.8	<10	<2
918286	Rock	0.02	<0.02	50.0	0.1	<0.05	0.5	4.42	8.1	0.03	<1	0.7	18.3	<10	7
918287	Rock	0.10	0.05	11.3	0.2	<0.05	2.0	6.12	10.3	0.04	1	0.2	16.0	<10	8
918288	Rock	0.04	0.02	29.5	0.2	<0.05	1.0	6.48	9.5	0.03	1	0.5	17.4	11	12
918289	Rock	0.34	2.08	133.7	1.1	<0.05	14.2	9.51	96.1	<0.02	<1	1.0	17.1	<10	3
918290	Rock	0.10	0.03	4.7	0.1	<0.05	2.0	3.18	4.4	<0.02	<1	0.1	7.8	<10	8
918291	Rock	0.02	0.02	5.8	<0.1	<0.05	1.6	6.44	16.9	0.03	<1	0.4	23.3	<10	<2
918292	Rock	0.06	<0.02	11.1	<0.1	<0.05	2.5	9.24	36.7	<0.02	<1	0.2	8.8	<10	6
918293	Rock	0.21	0.05	15.6	0.3	<0.05	4.0	6.50	7.4	0.02	<1	0.4	21.4	17	7
918294	Rock	0.11	0.63	19.2	<0.1	<0.05	2.3	9.15	67.5	0.03	1	0.7	2.7	<10	<2
918295	Rock	0.15	7.16	4.5	0.2	<0.05	4.1	10.80	10.3	<0.02	<1	<0.1	0.6	<10	2
918296	Rock	0.58	6.01	5.2	0.4	<0.05	11.2	12.76	13.8	<0.02	<1	0.1	0.6	<10	2
918297	Rock	0.12	0.08	67.5	0.2	<0.05	3.1	3.86	7.0	<0.02	<1	0.1	15.9	<10	10
918298	Rock	0.19	0.08	2.7	0.3	<0.05	3.4	7.48	14.1	<0.02	<1	0.5	22.5	<10	2
918299	Rock	0.05	0.68	103.7	1.2	<0.05	2.0	7.63	66.2	<0.02	<1	0.3	13.5	<10	<2
918300	Rock	0.03	0.07	8.3	0.1	<0.05	2.3	9.64	33.6	<0.02	<1	0.6	2.1	<10	<2
869301	Rock	0.05	0.03	5.3	<0.1	<0.05	1.8	9.61	26.8	<0.02	2	0.6	1.5	<10	<2
869302	Rock	0.20	0.58	8.1	0.1	<0.05	6.5	4.97	28.0	<0.02	<1	0.4	1.0	<10	2
869303	Rock	<0.02	0.07	1.3	<0.1	<0.05	0.6	0.34	5.4	<0.02	<1	<0.1	1.7	<10	<2
869304	Rock	0.24	0.08	6.5	0.2	<0.05	5.1	4.68	7.4	<0.02	<1	0.2	6.0	<10	2
869305	Rock	0.13	0.19	43.2	0.6	<0.05	1.8	7.68	33.1	<0.02	1	0.2	19.8	<10	<2
918125	Rock	<0.02	0.09	0.8	<0.1	<0.05	0.2	0.85	0.9	<0.02	<1	<0.1	0.5	<10	<2
918126	Rock	0.27	0.30	2.9	<0.1	<0.05	10.8	5.41	18.9	0.03	<1	0.2	1.6	12	<2
918127	Rock	0.28	0.41	8.5	0.5	<0.05	9.2	6.37	18.7	<0.02	2	0.3	3.9	<10	<2
918128	Rock	<0.02	0.09	0.1	<0.1	<0.05	0.2	1.55	2.1	<0.02	<1	<0.1	<0.1	<10	<2
918129	Rock	<0.02	0.06	2.7	<0.1	<0.05	0.7	2.37	12.2	<0.02	<1	<0.1	1.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 03, 2008

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918130	Rock	1.47	1.05	27.90	9.67	51.9	94	32.2	13.1	447	3.96	163.9	1.1	2.9	9.2	18.1	0.21	0.46	0.40	49	0.11
918131	Rock	0.78	0.28	155.0	1.39	53.9	120	25.2	25.4	683	3.92	3.4	0.5	2.6	1.0	137.8	0.06	0.25	<0.02	109	1.28
918132	Rock	0.41	10.44	90.50	11.44	124.6	585	26.2	6.1	554	1.79	5.3	1.4	0.8	4.9	1254	2.72	1.77	0.10	11	11.41
918133	Rock	0.88	0.75	51.49	9.78	81.8	101	64.4	23.0	861	5.78	6.7	0.5	3.7	0.9	45.7	0.31	0.38	0.06	214	2.21
918134	Rock	1.11	0.61	4.33	20.75	57.9	138	2.9	1.0	127	0.36	5.3	11.2	1.4	18.5	352.8	2.85	0.32	0.14	2	2.37
918135	Rock	1.81	0.28	47.72	2.49	74.4	137	52.8	34.9	1246	7.27	2.2	<0.1	0.6	0.1	195.0	0.16	0.11	0.03	297	3.80
918136	Rock	2.02	1.06	3.80	22.71	18.1	121	9.1	1.3	194	0.63	8.8	0.1	0.7	1.0	86.0	0.29	0.10	0.03	5	1.60
918137	Rock	2.15	0.35	4.70	4.20	6.1	15	3.9	1.5	619	0.49	3.4	0.1	<0.2	0.9	8.5	0.08	0.10	0.03	3	0.06
918138	Rock	1.77	0.30	23.33	10.87	88.0	126	29.6	14.2	1069	5.01	29.0	0.2	1.5	0.7	154.8	0.26	1.90	0.07	53	3.12
918139	Rock	1.84	0.78	577.9	4.77	87.6	486	19.4	17.4	940	3.42	1.0	0.2	8.9	0.4	286.0	0.19	0.16	0.19	84	1.91
918140	Rock	1.13	0.70	5057	2.76	56.5	232	34.8	102.7	522	2.36	0.9	0.5	1.9	2.0	83.7	1.02	0.09	0.16	14	3.05
918141	Rock	1.34	3.31	1231	3.44	38.8	405	13.9	24.6	486	5.83	0.7	0.4	19.4	1.0	181.9	0.41	0.16	0.13	82	3.78
918142	Rock	0.12	0.75	1876	2.23	59.8	128	11.4	15.9	811	2.34	0.6	0.3	1.7	0.9	117.9	0.21	0.11	0.06	60	2.92
918143	Rock	0.09	1.45	8747	1.43	39.6	21	39.1	93.2	1503	1.18	0.8	0.2	0.5	1.5	72.9	0.69	0.19	0.08	55	2.87
918301	Rock	1.86	0.58	43.17	7.78	100.4	97	10.9	24.9	1259	6.97	16.3	0.2	1.0	1.2	98.8	0.09	0.20	0.08	162	3.34
918302	Rock	1.63	0.42	33.03	5.68	19.9	29	4.0	2.7	636	0.97	29.5	0.4	1.3	1.8	16.5	0.10	0.43	<0.02	9	0.09
918303	Rock	1.20	0.22	170.6	10.65	85.2	255	56.2	32.3	1636	5.40	29.5	0.5	2.3	1.8	94.9	0.24	0.42	0.03	83	4.98
918304	Rock	1.33	0.65	137.8	12.47	39.3	93	4.2	5.0	893	1.45	46.1	0.6	2.4	2.9	34.3	0.17	0.54	0.03	9	0.23
918305	Rock	1.20	0.54	30.68	24.06	90.0	57	39.9	15.6	766	4.89	18.9	2.1	<0.2	16.1	289.2	0.05	0.16	0.45	13	7.48
918306	Rock	1.53	0.29	17.31	24.33	36.8	42	27.9	11.9	1641	3.13	26.3	1.5	<0.2	8.9	613.7	0.06	0.33	0.41	6	18.35
918307	Rock	2.74	1.70	76.68	7.56	10.9	69	8.9	3.9	250	1.46	<0.1	0.3	0.3	1.8	18.1	0.05	0.05	0.12	<2	0.13
918308	Rock	1.71	3.13	23.68	64.55	14.3	278	4.0	14.4	38	2.51	2.4	0.4	<0.2	6.7	11.4	0.02	0.07	0.65	4	0.05
918309	Rock	0.73	0.42	28.28	10.69	104.7	43	40.5	10.6	465	4.47	4.7	1.6	0.9	13.7	10.1	0.06	0.07	0.18	51	0.03
918310	Rock	0.41	0.37	11.38	10.47	6.3	19	2.1	0.5	71	0.58	0.7	0.3	<0.2	1.6	4.0	0.01	<0.02	0.09	<2	0.02
918311	Rock	0.37	0.32	3.35	4.92	51.9	6	4.0	3.6	614	1.96	<0.1	1.8	<0.2	8.3	13.8	0.09	0.04	0.08	24	0.21
918312	Rock	0.48	1.56	15.10	11.66	31.1	49	2.2	1.4	181	1.95	1.9	3.5	0.5	12.0	9.1	0.03	0.08	0.15	20	0.05
869051	Rock	1.10	0.23	5.13	5.76	52.0	7	39.3	18.2	530	3.49	1.2	1.0	0.3	9.7	71.0	0.07	0.07	0.05	94	1.67
918144	Rock	0.33	1.19	6.91	12.34	28.7	45	2.0	1.1	146	1.36	1.3	4.4	<0.2	11.7	8.2	0.03	0.05	0.10	16	0.08
918145	Rock	0.57	0.33	8.95	1.98	13.6	17	1.3	0.2	31	0.44	0.9	<0.1	<0.2	0.2	2.5	0.05	0.04	0.02	<2	0.01
869306	Rock	1.03	0.37	22.01	7.95	120.5	161	12.9	16.5	929	6.45	2.0	0.2	1.3	0.6	53.1	0.21	0.43	0.09	199	1.23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918130	Rock			0.051	18.8	44.5	0.96	37.7	0.011	<1	2.01	0.035	0.19	<0.1	3.2	0.10	0.51	<5	0.3	0.04	6.9	1.63	<0.1
918131	Rock			0.135	6.3	123.1	2.06	16.7	0.209	2	2.39	0.017	0.07	0.2	3.7	<0.02	<0.02	<5	<0.1	<0.02	6.9	0.26	<0.1
918132	Rock			0.116	11.7	8.2	1.08	102.5	0.003	1	0.36	0.004	0.25	0.4	2.3	0.14	0.83	<5	3.5	0.04	1.3	0.38	<0.1
918133	Rock			0.093	4.0	98.2	3.04	69.9	0.222	3	3.29	0.055	0.07	0.2	11.8	0.02	0.42	41	0.3	0.06	11.0	0.96	0.2
918134	Rock			0.002	5.4	5.2	0.04	78.5	<0.001	1	0.24	0.014	0.18	0.3	0.2	0.11	0.08	<5	1.9	0.03	0.8	0.39	<0.1
918135	Rock			0.051	1.6	127.4	4.37	82.6	0.059	<1	4.35	0.015	0.14	<0.1	29.1	0.05	0.14	<5	<0.1	<0.02	13.9	1.45	0.3
918136	Rock			0.021	2.6	16.7	0.13	19.4	<0.001	<1	0.14	0.007	0.05	<0.1	0.7	0.02	0.04	<5	1.0	<0.02	0.4	0.12	<0.1
918137	Rock			0.009	3.0	24.3	0.04	30.4	0.003	<1	0.12	0.017	0.02	<0.1	0.7	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.06	<0.1
918138	Rock			0.079	5.6	22.3	1.25	70.3	0.001	2	1.31	0.029	0.15	<0.1	5.9	0.05	0.14	43	0.4	0.04	4.3	1.01	<0.1
918139	Rock			0.215	2.1	6.4	2.79	216.8	0.164	<1	2.99	0.009	1.02	<0.1	2.3	0.45	0.53	15	0.8	0.12	5.2	5.14	0.2
918140	Rock			0.119	10.6	1.6	0.28	101.5	0.049	2	1.28	0.031	0.28	0.2	0.7	0.15	0.45	<5	1.5	0.08	1.3	0.49	<0.1
918141	Rock			0.201	3.6	7.3	1.70	40.5	0.150	1	1.64	0.023	1.04	<0.1	3.3	0.34	4.70	9	5.6	0.28	4.5	2.41	<0.1
918142	Rock			0.215	5.9	3.7	1.72	82.0	0.110	<1	1.86	0.042	0.25	<0.1	2.2	0.07	1.95	9	1.4	0.14	4.6	0.74	<0.1
918143	Rock			0.288	13.7	2.2	0.83	58.9	0.106	2	1.73	0.038	0.55	0.1	3.0	0.18	2.06	<5	1.0	0.10	3.0	1.97	<0.1
918301	Rock			0.145	6.9	35.5	3.02	29.9	0.010	1	4.15	0.026	0.07	<0.1	10.8	<0.02	0.04	6	0.2	<0.02	12.8	0.17	<0.1
918302	Rock			0.029	7.0	15.0	0.07	59.1	0.008	2	0.31	0.022	0.15	<0.1	1.6	0.05	0.03	13	<0.1	<0.02	0.8	0.31	<0.1
918303	Rock			0.160	5.8	78.1	1.41	111.4	0.158	2	2.70	0.012	0.27	0.2	4.9	0.04	0.21	<5	0.2	0.04	5.6	0.41	<0.1
918304	Rock			0.064	9.8	8.0	0.15	81.5	0.007	2	0.44	0.031	0.21	<0.1	1.4	0.06	0.03	11	0.2	<0.02	1.1	0.41	<0.1
918305	Rock			0.066	35.1	28.8	1.41	24.1	0.001	<1	2.49	0.038	0.12	<0.1	2.8	0.03	1.19	<5	0.5	0.13	6.4	0.68	<0.1
918306	Rock			0.092	19.3	14.7	0.75	25.5	0.001	<1	1.17	0.033	0.13	<0.1	3.2	0.04	1.19	<5	0.4	0.04	3.4	0.53	<0.1
918307	Rock			0.037	3.6	11.8	0.02	5.2	<0.001	<1	0.13	0.056	0.02	<0.1	0.8	<0.02	0.03	<5	0.4	0.05	0.3	0.08	<0.1
918308	Rock			0.020	12.6	9.5	0.17	44.5	<0.001	<1	0.45	0.018	0.22	<0.1	0.8	0.06	0.93	<5	1.7	0.15	2.1	0.46	<0.1
918309	Rock			0.029	25.9	71.5	1.14	108.9	0.148	<1	3.09	0.036	0.90	<0.1	6.4	0.51	0.08	<5	0.3	<0.02	10.1	2.73	<0.1
918310	Rock			0.014	3.4	8.1	0.09	14.2	0.001	<1	0.31	0.013	0.08	<0.1	0.5	0.03	<0.02	<5	1.3	0.03	0.9	0.24	<0.1
918311	Rock			0.076	26.4	8.4	0.45	97.0	0.062	<1	0.81	0.044	0.26	<0.1	2.0	0.14	<0.02	<5	<0.1	<0.02	4.5	1.31	<0.1
918312	Rock			0.027	24.9	18.6	0.54	36.1	0.021	<1	1.02	0.042	0.24	<0.1	2.0	0.12	0.04	<5	1.4	0.02	3.6	0.96	<0.1
869051	Rock			0.256	25.9	63.7	1.86	859.9	0.270	<1	1.97	0.087	1.34	<0.1	2.9	0.50	<0.02	<5	0.1	<0.02	8.7	3.46	<0.1
918144	Rock			0.035	25.0	14.5	0.51	34.0	0.020	<1	0.90	0.045	0.22	<0.1	1.9	0.10	0.03	<5	0.7	0.03	3.2	0.81	<0.1
918145	Rock			0.007	0.8	9.4	0.02	2.8	0.001	<1	0.04	0.003	<0.01	<0.1	0.1	<0.02	<0.02	<5	0.4	0.03	0.2	0.11	<0.1
869306	Rock			0.095	3.3	31.9	1.60	313.5	0.179	<1	2.98	0.104	0.90	0.2	4.7	0.26	0.07	<5	0.2	0.03	11.6	3.89	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 03, 2008

Page: 4 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918130	Rock	<0.02	<0.02	10.8	0.2	<0.05	0.5	3.61	38.5	<0.02	3	0.6	35.1	<10	<2
918131	Rock	0.20	0.05	2.9	0.2	<0.05	3.6	5.60	12.6	<0.02	2	0.2	10.7	<10	6
918132	Rock	0.05	0.02	10.8	0.3	<0.05	2.2	12.26	18.8	0.03	3	0.6	1.9	<10	<2
918133	Rock	0.26	0.05	4.0	0.3	<0.05	5.7	9.88	9.4	0.04	4	0.3	28.5	<10	4
918134	Rock	0.20	1.19	8.0	<0.1	<0.05	3.7	4.02	7.1	<0.02	<1	0.8	0.8	11	<2
918135	Rock	<0.02	<0.02	9.3	0.1	<0.05	0.5	3.30	3.8	0.06	<1	0.4	26.7	<10	<2
918136	Rock	<0.02	0.06	2.0	<0.1	<0.05	0.6	2.33	4.8	<0.02	1	<0.1	1.1	<10	<2
918137	Rock	<0.02	0.07	0.8	<0.1	<0.05	0.8	1.13	5.6	<0.02	<1	<0.1	0.6	<10	<2
918138	Rock	0.02	<0.02	4.3	<0.1	<0.05	1.3	5.70	11.8	0.02	<1	0.2	28.3	<10	<2
918139	Rock	0.09	0.02	37.8	<0.1	<0.05	2.1	5.82	3.9	<0.02	3	0.3	28.2	18	4
918140	Rock	0.04	0.10	7.7	<0.1	<0.05	1.5	73.41	24.5	<0.02	2	0.9	5.5	11	<2
918141	Rock	0.11	0.07	35.0	0.2	<0.05	1.5	8.42	7.7	0.02	15	0.2	16.6	46	4
918142	Rock	0.11	0.06	9.5	0.2	<0.05	2.7	20.11	12.1	0.02	2	0.4	21.8	13	3
918143	Rock	<0.02	0.12	21.5	0.4	<0.05	1.6	115.5	30.2	<0.02	3	0.5	15.1	15	3
918301	Rock	0.04	<0.02	2.2	<0.1	<0.05	1.3	6.19	13.9	0.04	<1	0.2	33.7	<10	<2
918302	Rock	0.08	0.17	6.5	<0.1	<0.05	4.6	4.05	14.7	<0.02	<1	0.2	1.1	<10	<2
918303	Rock	0.17	0.10	9.3	0.3	<0.05	4.3	6.90	13.3	<0.02	<1	0.4	13.2	11	7
918304	Rock	0.16	0.06	7.4	<0.1	<0.05	7.1	6.32	16.7	<0.02	<1	0.3	2.5	<10	<2
918305	Rock	0.04	0.02	5.7	0.1	<0.05	2.1	7.17	63.8	0.02	<1	0.3	83.9	<10	<2
918306	Rock	0.05	0.02	6.4	0.1	<0.05	1.8	10.20	34.2	0.04	<1	0.2	38.5	<10	<2
918307	Rock	<0.02	0.03	1.0	<0.1	<0.05	0.2	1.22	6.8	<0.02	<1	<0.1	0.7	<10	<2
918308	Rock	0.04	<0.02	8.5	0.1	<0.05	2.3	0.85	22.0	<0.02	3	0.3	3.5	<10	<2
918309	Rock	<0.02	0.54	70.0	0.8	<0.05	0.8	2.92	50.1	0.03	<1	0.7	70.6	<10	<2
918310	Rock	<0.02	0.05	4.4	<0.1	<0.05	0.5	0.66	5.9	<0.02	<1	<0.1	6.3	<10	<2
918311	Rock	0.02	0.68	24.1	0.7	<0.05	0.6	10.43	43.4	<0.02	<1	0.2	21.0	<10	<2
918312	Rock	0.02	0.17	13.0	0.1	<0.05	0.8	4.07	42.2	<0.02	<1	0.1	14.4	<10	<2
869051	Rock	0.08	0.36	111.1	1.1	<0.05	3.7	8.95	56.1	<0.02	<1	0.5	39.3	<10	<2
918144	Rock	<0.02	0.06	12.3	0.1	<0.05	0.7	4.63	43.3	<0.02	<1	0.4	12.8	<10	<2
918145	Rock	<0.02	0.12	0.8	<0.1	<0.05	0.2	0.10	1.2	0.05	<1	<0.1	0.4	<10	<2
869306	Rock	0.09	0.05	37.6	0.3	<0.05	1.8	5.39	7.3	<0.02	<1	0.1	31.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 03, 2008

Page:

5 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869307	Rock	1.27	0.19	33.74	10.09	46.9	45	22.4	8.2	1006	2.99	0.8	0.9	11.5	10.1	60.7	0.04	0.05	1.13	36	0.68
869308	Rock	0.96	1.99	38.41	4.75	76.1	82	52.3	26.1	1119	5.51	1.2	0.7	1.1	6.7	567.3	0.12	0.06	0.05	126	4.38
869309	Rock	1.05	1.33	37.78	5.30	93.3	79	50.5	25.6	1088	5.53	1.8	0.9	<0.2	8.0	606.8	0.18	0.11	0.06	126	4.32
869310	Rock	1.11	2.67	67.41	13.04	15.5	539	49.2	15.7	220	4.92	17.0	1.4	<0.2	8.7	13.3	0.03	0.58	1.33	9	0.15
869311	Rock	1.03	0.31	1.80	3.57	6.3	2	1.0	0.7	253	0.57	0.6	2.8	<0.2	11.2	7.0	0.06	0.08	0.03	<2	0.05
869312	Rock	1.21	0.33	10.29	8.49	34.9	31	8.0	3.1	101	2.20	1.4	0.5	1.5	4.8	5.2	0.04	0.04	0.24	9	<0.01
869313	Rock	1.09	0.24	1.89	20.21	22.7	36	11.8	5.6	499	1.64	9.5	2.4	<0.2	20.8	113.5	0.12	0.14	0.05	4	1.35
869314	Rock	0.75	2.44	7.54	3.15	49.0	22	4.2	6.4	1637	2.69	6.9	0.3	<0.2	2.5	63.3	0.19	0.12	<0.02	5	2.45
869315	Rock	1.13	1.81	34.86	4.60	33.2	63	23.4	12.6	487	3.76	7.5	1.5	0.9	8.7	4.7	0.03	0.18	0.27	51	0.11
869316	Rock	1.13	1.48	47.50	16.85	47.5	68	18.2	9.2	275	4.17	2.5	1.3	<0.2	11.7	16.5	0.04	0.04	0.57	53	0.07
869317	Rock	1.58	0.69	21.64	9.12	25.3	57	9.1	2.9	285	2.45	0.4	0.5	<0.2	6.8	59.2	0.02	0.02	0.22	45	0.51



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 03, 2008

Page: 5 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869307	Rock	0.015	16.8	50.7	0.82	21.0	0.072	<1	3.40	0.196	0.06	0.1	4.0	0.07	0.13	<5	0.3	0.12	8.7	0.87	0.1
869308	Rock	0.620	110.7	111.6	2.80	1803	0.341	<1	3.12	0.246	1.12	<0.1	8.3	0.18	0.09	6	0.3	<0.02	8.8	2.69	0.2
869309	Rock	0.623	94.4	114.9	2.80	1238	0.231	<1	2.86	0.192	0.71	<0.1	9.1	0.08	0.13	<5	0.1	0.03	8.6	2.64	0.2
869310	Rock	0.062	15.4	16.2	0.48	36.4	0.007	<1	1.00	0.020	0.28	0.1	1.2	0.25	2.39	<5	6.5	0.10	3.4	2.21	<0.1
869311	Rock	0.010	9.2	4.1	0.07	23.9	0.013	<1	0.30	0.045	0.17	0.2	0.6	0.09	<0.02	<5	<0.1	<0.02	1.5	0.98	<0.1
869312	Rock	0.033	13.1	12.6	0.43	15.9	0.003	<1	0.91	0.014	0.07	<0.1	1.3	<0.02	<0.02	<5	0.1	<0.02	2.8	0.12	<0.1
869313	Rock	0.089	29.9	7.8	0.44	69.3	0.002	2	0.34	0.032	0.23	<0.1	3.0	0.09	<0.02	<5	<0.1	<0.02	1.5	0.49	<0.1
869314	Rock	0.085	13.0	2.7	0.30	268.5	0.002	1	0.89	0.015	0.25	<0.1	1.0	0.08	<0.02	14	0.1	<0.02	1.7	0.40	<0.1
869315	Rock	0.044	9.9	37.8	0.79	71.7	0.110	7	1.61	0.024	0.99	0.1	3.4	0.80	0.49	<5	0.3	0.04	5.6	7.29	<0.1
869316	Rock	0.036	16.5	46.4	1.14	105.3	0.113	<1	2.50	0.036	1.08	<0.1	5.2	0.44	0.11	<5	0.4	0.07	9.0	3.03	<0.1
869317	Rock	0.048	7.5	42.7	0.70	31.3	0.102	<1	2.02	0.178	0.44	0.2	4.1	0.24	0.41	<5	0.5	0.04	7.7	1.89	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 03, 2008

Page: 5 of 5 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08009175.1

	Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
869307	Rock	<0.02	0.09	6.0	1.5	<0.05	0.3	8.08	21.5	0.09	<1	0.4	66.3	<10	<2
869308	Rock	0.08	1.25	47.6	0.8	<0.05	8.6	18.41	209.4	0.03	<1	1.0	38.7	<10	<2
869309	Rock	0.15	0.94	33.6	0.8	<0.05	10.3	16.53	177.2	0.04	<1	1.0	46.1	<10	<2
869310	Rock	0.03	0.03	25.4	0.1	<0.05	1.9	4.02	25.8	<0.02	5	0.7	12.1	<10	<2
869311	Rock	0.05	1.64	15.8	0.3	<0.05	1.6	3.66	18.0	<0.02	<1	0.2	5.7	<10	<2
869312	Rock	0.02	0.06	3.4	0.1	<0.05	1.1	1.04	26.9	<0.02	<1	0.2	10.2	<10	<2
869313	Rock	0.10	0.50	17.1	<0.1	<0.05	2.8	9.62	53.9	0.02	<1	0.7	2.1	<10	<2
869314	Rock	0.04	0.02	7.3	<0.1	<0.05	2.3	5.49	25.0	<0.02	<1	0.4	8.1	<10	<2
869315	Rock	0.07	0.12	96.9	0.9	<0.05	2.8	3.48	20.2	<0.02	5	0.4	30.2	<10	2
869316	Rock	0.03	0.09	65.9	1.0	<0.05	1.6	5.77	33.4	0.04	<1	0.7	66.5	<10	<2
869317	Rock	0.03	0.09	40.1	0.6	<0.05	1.0	4.19	14.4	<0.02	2	0.4	16.8	<10	<2

QUALITY CONTROL REPORT

VAN08009175.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01		
Pulp Duplicates																						
869003	Rock	1.75	1.37	11.96	5.19	126.9	26	11.6	5.2	241	0.91	2.4	2.3	<0.2	9.1	115.5	0.16	0.17	1.02	17	2.10	
REP 869003	QC		1.23	11.02	4.83	119.5	22	10.5	4.6	226	0.86	1.6	2.1	<0.2	8.4	112.5	0.14	0.14	0.95	15	1.90	
918270	Rock	1.10	1.28	11.24	10.74	47.9	40	11.2	5.7	366	2.25	3.4	1.0	<0.2	9.8	20.7	0.02	0.06	0.14	47	0.10	
REP 918270	QC		1.19	10.51	10.06	42.3	35	11.3	5.5	337	2.18	3.1	1.0	<0.2	9.3	21.0	0.03	0.06	0.13	44	0.09	
918297	Rock	1.01	0.07	179.8	2.43	56.2	71	44.6	29.2	933	4.51	1.9	0.2	0.7	0.6	107.0	0.18	0.16	0.08	98	3.25	
REP 918297	QC		0.06	166.0	2.15	52.6	66	41.3	27.5	864	4.22	1.5	0.2	<0.2	0.5	99.4	0.18	0.14	0.07	89	3.05	
918125	Rock	1.99	0.39	10.35	14.06	11.2	40	3.7	2.3	117	0.48	0.4	0.2	0.6	0.2	37.2	0.13	0.04	0.02	3	1.31	
REP 918125	QC		0.36	9.64	13.44	10.9	36	3.4	2.2	108	0.44	0.3	0.2	0.6	0.2	33.5	0.11	0.04	<0.02	2	1.24	
918307	Rock	2.74	1.70	76.68	7.56	10.9	69	8.9	3.9	250	1.46	<0.1	0.3	0.3	1.8	18.1	0.05	0.05	0.12	<2	0.13	
REP 918307	QC		1.85	73.66	8.03	10.9	66	8.3	3.7	248	1.46	0.1	0.3	0.3	1.9	19.2	0.05	0.05	0.13	<2	0.14	
Reference Materials																						
STD DS7	Standard		19.09	101.8	66.29	383.1	807	53.6	9.2	613	2.35	49.5	4.6	61.9	3.9	73.0	5.88	5.90	4.33	78	0.92	
STD DS7	Standard		21.27	115.6	71.31	383.7	784	55.2	10.1	627	2.39	50.0	5.2	63.8	4.6	71.0	6.47	5.93	4.65	82	0.97	
STD DS7	Standard		21.06	112.1	77.26	399.8	964	58.3	9.8	663	2.45	48.9	5.1	87.8	4.7	77.0	5.82	5.59	4.35	87	1.00	
STD DS7	Standard		21.07	113.6	73.43	418.2	886	56.6	10.1	673	2.57	54.2	5.2	70.6	4.7	76.5	6.51	6.17	4.77	83	1.01	
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	1.58	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
Prep Wash																						
G1	Prep Blank		<0.01	0.22	17.90	2.50	53.2	29	4.4	5.0	605	1.99	0.3	2.8	0.5	4.1	67.3	0.03	0.03	0.08	43	0.66
G1	Prep Blank		<0.01	0.31	10.70	3.08	60.8	24	4.5	4.7	588	2.02	0.3	2.7	<0.2	4.2	81.0	0.07	0.10	0.08	42	0.60

QUALITY CONTROL REPORT

VAN08009175.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
869003	Rock	0.051	23.4	19.4	0.27	56.1	0.097	1	1.37	0.035	0.27	0.2	2.4	0.13	0.03	<5	0.4	<0.02	3.8	1.50	<0.1
REP 869003	QC	0.049	21.4	17.3	0.26	53.0	0.088	2	1.32	0.033	0.26	0.2	2.1	0.13	0.03	<5	0.3	<0.02	3.4	1.39	<0.1
918270	Rock	0.038	17.7	68.4	0.75	174.3	0.182	<1	1.49	0.048	0.87	0.2	5.9	0.32	0.04	<5	0.5	0.03	7.5	1.58	<0.1
REP 918270	QC	0.037	16.8	67.0	0.72	167.2	0.174	<1	1.45	0.044	0.81	0.2	5.6	0.29	0.04	<5	0.3	0.02	6.9	1.53	0.1
918297	Rock	0.133	2.9	247.5	3.22	53.5	0.212	2	2.97	0.013	0.82	0.1	3.6	0.33	<0.02	<5	0.2	0.03	8.8	7.37	<0.1
REP 918297	QC	0.126	2.5	233.3	3.04	47.5	0.185	1	2.72	0.011	0.75	<0.1	3.2	0.30	<0.02	<5	<0.1	<0.02	8.0	6.66	<0.1
918125	Rock	0.004	<0.5	22.0	0.06	11.2	0.004	<1	0.08	0.008	0.01	<0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.19	<0.1
REP 918125	QC	0.004	<0.5	20.4	0.06	10.5	0.004	<1	0.08	0.007	0.01	<0.1	0.3	<0.02	<0.02	<5	0.2	<0.02	0.2	0.18	<0.1
918307	Rock	0.037	3.6	11.8	0.02	5.2	<0.001	<1	0.13	0.056	0.02	<0.1	0.8	<0.02	0.03	<5	0.4	0.05	0.3	0.08	<0.1
REP 918307	QC	0.038	3.7	12.9	0.03	5.9	<0.001	<1	0.13	0.058	0.02	<0.1	0.9	<0.02	0.03	<5	0.4	0.06	0.3	0.08	<0.1
Reference Materials																					
STD DS7	Standard	0.074	13.2	187.1	1.03	368.1	0.121	34	0.93	0.086	0.46	3.3	2.7	3.72	0.18	185	3.6	1.23	4.5	5.97	0.1
STD DS7	Standard	0.076	14.3	200.9	1.05	372.6	0.123	40	1.02	0.087	0.43	4.1	2.7	4.32	0.18	199	3.6	1.17	5.1	6.42	0.1
STD DS7	Standard	0.073	14.9	220.7	1.06	404.0	0.132	37	1.06	0.093	0.47	4.0	2.9	4.57	0.20	202	3.4	1.28	5.1	6.50	0.1
STD DS7	Standard	0.080	13.9	196.3	1.09	430.4	0.129	39	1.06	0.093	0.51	4.3	3.0	4.60	0.20	224	3.7	1.03	5.1	6.60	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	0.087	10.7	10.0	0.68	242.4	0.144	<1	1.06	0.087	0.56	<0.1	2.6	0.40	<0.02	<5	<0.1	<0.02	5.4	3.63	0.1
G1	Prep Blank	0.084	10.3	11.9	0.61	241.6	0.144	1	1.09	0.101	0.55	<0.1	2.6	0.40	<0.02	<5	0.1	<0.02	5.4	3.96	0.1

QUALITY CONTROL REPORT

VAN08009175.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
869003	Rock	0.17	0.42	27.5	0.6	<0.05	6.5	6.12	39.5	0.04	<1	1.4	18.4	<10	<2
REP 869003	QC	0.16	0.39	26.8	0.6	<0.05	6.1	5.79	36.4	0.04	<1	0.6	17.3	<10	<2
918270	Rock	<0.02	0.56	53.9	1.0	<0.05	0.7	3.08	31.2	<0.02	<1	0.4	15.3	<10	<2
REP 918270	QC	0.02	0.55	53.9	1.0	<0.05	0.6	3.08	30.5	<0.02	<1	<0.1	14.5	<10	<2
918297	Rock	0.12	0.08	67.5	0.2	<0.05	3.1	3.86	7.0	<0.02	<1	0.1	15.9	<10	10
REP 918297	QC	0.10	0.08	62.9	0.1	<0.05	2.7	3.43	6.1	<0.02	<1	0.1	14.9	<10	8
918125	Rock	<0.02	0.09	0.8	<0.1	<0.05	0.2	0.85	0.9	<0.02	<1	<0.1	0.5	<10	<2
REP 918125	QC	<0.02	0.07	0.6	<0.1	<0.05	0.2	0.76	0.7	<0.02	<1	<0.1	0.5	<10	<2
918307	Rock	<0.02	0.03	1.0	<0.1	<0.05	0.2	1.22	6.8	<0.02	<1	<0.1	0.7	<10	<2
REP 918307	QC	<0.02	0.05	1.0	<0.1	<0.05	0.2	1.29	7.4	<0.02	<1	<0.1	0.6	<10	<2
Reference Materials															
STD DS7	Standard	0.11	0.56	35.3	4.6	<0.05	5.1	5.57	34.3	1.53	2	1.7	25.5	69	38
STD DS7	Standard	0.11	0.68	37.6	5.0	<0.05	4.8	6.10	36.1	1.67	4	1.6	28.6	56	39
STD DS7	Standard	0.15	0.60	37.0	4.9	<0.05	5.8	6.06	41.8	1.58	4	1.7	27.7	82	39
STD DS7	Standard	0.15	0.62	38.9	4.9	<0.05	6.3	5.94	39.9	1.77	4	1.7	31.4	71	42
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
G1	Prep Blank	0.08	0.35	49.3	0.5	<0.05	1.2	5.54	19.0	<0.02	<1	0.2	33.7	<10	<2
G1	Prep Blank	0.10	0.35	48.8	0.6	<0.05	1.3	5.63	18.6	<0.02	<1	0.3	33.4	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

September 16, 2008

Report Date:

October 09, 2008

Page:

1 of 6

CERTIFICATE OF ANALYSIS

VAN08009388.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 010
P.O. Number
Number of Samples: 148

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	148	Sieve soil to 230 mesh		
RJSV	148	Save all or part of soil reject fraction		
1F30	148	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 2 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869217	Soil	2.605	1.18	55.78	18.79	155.5	272	52.9	23.8	929	4.22	20.1	1.2	1.8	4.4	19.2	0.53	1.50	0.27	68	0.15
869218	Soil	2.92	0.68	63.88	13.97	89.0	197	52.5	18.8	617	4.40	21.8	0.8	3.5	3.0	29.5	0.27	1.75	0.12	88	0.30
869219	Soil	3.095	0.98	68.57	15.67	98.8	103	61.9	19.2	683	4.74	21.9	0.8	3.5	2.8	27.1	0.25	2.20	0.15	84	0.31
869220	Soil	2.33	0.73	56.25	17.73	123.2	256	36.1	17.7	699	4.25	13.8	1.1	1.4	3.9	25.9	0.51	1.22	0.21	77	0.22
869221	Soil	1.405	1.06	73.25	22.08	151.8	862	64.3	25.6	878	4.29	51.6	1.6	19.1	6.8	45.5	0.66	1.57	0.30	77	0.49
869222	Soil	3.01	0.85	48.22	19.48	115.0	314	38.1	14.7	563	3.01	7.9	1.4	21.9	6.9	29.6	0.41	0.40	0.29	59	0.28
869223	Soil	2.825	0.76	44.20	20.08	129.1	361	42.2	16.2	630	3.09	9.7	1.4	2.7	6.7	33.9	0.40	0.36	0.30	58	0.31
869224	Soil	2.945	1.09	51.91	37.88	167.7	304	49.5	20.1	606	3.87	12.3	2.1	18.6	8.8	29.2	0.45	0.58	0.39	59	0.33
869225	Soil	3.105	1.03	49.61	20.74	102.7	194	47.3	16.0	606	3.44	9.8	1.3	2.0	6.1	36.4	0.22	0.38	0.35	67	0.37
869226	Soil	3.735	0.62	64.83	35.73	416.1	305	65.4	19.8	813	4.06	60.9	1.6	4.3	7.2	45.4	1.31	0.51	0.31	57	0.38
869227	Soil	3.225	0.65	62.42	28.87	95.2	323	62.6	21.2	860	3.79	29.5	1.8	28.1	5.1	43.5	0.45	0.74	0.31	64	0.44
869228	Soil	3.015	0.68	46.35	18.05	92.2	282	67.9	20.7	726	3.13	26.4	2.0	4.4	4.7	36.7	0.30	0.42	0.28	40	0.36
869229	Soil	3.31	0.69	47.27	24.23	118.0	199	46.0	17.8	752	3.68	14.9	1.4	4.2	6.5	43.3	0.45	1.04	0.29	62	0.38
869230	Soil	2.795	0.87	49.83	38.95	105.0	179	56.1	16.8	637	3.59	18.7	1.7	4.5	7.3	33.1	0.39	0.57	0.31	54	0.33
869231	Soil	3.58	0.47	28.89	17.30	75.5	179	46.2	11.2	320	2.96	9.3	1.2	7.2	7.9	19.5	0.21	0.26	0.31	40	0.14
869232	Soil	3.365	0.59	43.56	17.05	102.6	130	46.4	17.6	340	3.84	9.4	1.1	2.2	8.7	27.2	0.23	0.24	0.40	73	0.19
869233	Soil	3.13	0.45	36.25	19.15	96.7	151	49.8	14.0	386	2.76	8.1	1.5	7.6	7.6	24.8	0.28	0.28	0.30	44	0.20
869234	Soil	3.42	0.52	38.27	19.48	91.6	150	52.8	14.8	409	3.00	9.0	1.6	7.6	7.9	26.2	0.28	0.33	0.30	46	0.21
869235	Soil	3.16	0.73	36.34	17.50	86.8	118	26.7	11.0	369	2.67	6.5	1.2	3.6	6.1	34.6	0.32	0.31	0.27	53	0.30
869236	Soil	3.505	0.48	27.28	16.10	73.5	131	41.8	10.5	246	2.77	6.5	1.0	2.8	7.8	19.5	0.18	0.28	0.25	38	0.13
869237	Soil	3.1	0.85	54.48	14.06	110.6	176	29.1	13.7	441	2.83	11.1	1.2	8.8	5.5	35.2	0.49	0.38	0.27	64	0.33
869238	Soil	3.87	0.90	49.55	13.43	77.5	132	27.7	12.0	393	2.89	9.7	1.2	7.1	5.9	37.1	0.31	0.40	0.27	65	0.35
869239	Soil	3.185	1.40	65.11	13.28	68.4	74	26.3	12.9	457	2.93	18.9	1.1	54.6	6.1	34.8	0.30	0.43	0.30	67	0.41
869240	Soil	2.92	1.21	65.74	19.92	147.3	317	32.7	16.5	430	3.02	15.4	1.8	8.6	6.6	26.4	0.67	0.60	0.40	67	0.26
869241	Soil	4.495	1.40	108.1	23.76	136.8	170	40.0	22.7	795	4.01	27.1	1.5	21.0	5.6	46.9	0.56	0.59	0.57	98	0.37
869243	Soil	3.06	0.53	31.32	17.21	71.1	107	38.0	11.4	267	2.95	8.6	1.2	2.0	8.1	20.6	0.15	0.29	0.30	40	0.12
869244	Soil	3.2	0.54	29.77	16.63	68.3	102	38.5	11.1	268	2.89	8.6	1.2	4.6	8.4	20.2	0.15	0.28	0.29	38	0.12
869245	Soil	3.685	0.82	61.54	10.81	79.7	93	31.0	11.3	562	2.89	7.6	1.4	9.6	6.1	38.1	0.18	0.39	0.24	71	0.29
869246	Soil	2.895	0.51	36.66	10.51	59.5	106	24.6	11.4	290	2.59	5.8	0.9	7.3	6.3	32.5	0.18	0.36	0.18	51	0.42
869247	Soil	2.72	1.18	67.26	36.06	156.5	356	43.2	15.3	583	3.16	11.2	3.2	<0.2	6.6	32.7	0.50	0.37	0.34	57	0.37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 2 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869217	Soil	0.169	17.3	52.3	0.91	79.3	0.094	1	3.23	0.008	0.12	0.1	5.4	0.22	0.02	66	0.5	0.02	7.1	2.87	<0.1
869218	Soil	0.110	12.8	61.8	1.27	136.3	0.113	<1	2.88	0.010	0.17	0.1	5.5	0.14	<0.02	33	0.2	0.04	6.9	2.19	<0.1
869219	Soil	0.142	14.5	66.3	1.25	139.0	0.103	1	3.11	0.010	0.13	0.2	4.9	0.15	0.02	46	0.6	0.07	7.2	2.70	<0.1
869220	Soil	0.178	13.5	55.6	0.88	189.0	0.136	2	3.36	0.014	0.12	0.1	5.2	0.15	<0.02	58	0.1	0.08	8.8	2.18	<0.1
869221	Soil	0.216	27.3	63.7	1.13	287.4	0.176	2	3.57	0.021	0.32	1.5	7.4	0.30	<0.02	47	0.1	0.06	9.7	3.10	<0.1
869222	Soil	0.161	19.9	39.5	0.74	210.5	0.124	<1	2.74	0.019	0.26	0.4	4.4	0.21	<0.02	22	0.2	0.06	7.5	2.05	<0.1
869223	Soil	0.260	21.4	43.0	0.74	238.4	0.124	2	2.76	0.018	0.26	0.6	4.8	0.22	<0.02	31	<0.1	0.03	7.7	2.04	<0.1
869224	Soil	0.160	26.2	43.0	0.83	271.3	0.156	1	3.21	0.020	0.28	0.3	5.0	0.29	<0.02	39	0.2	0.05	8.7	2.93	<0.1
869225	Soil	0.096	21.2	55.5	0.76	200.3	0.144	2	2.69	0.018	0.35	0.2	5.5	0.20	<0.02	14	0.4	0.04	7.8	2.39	0.2
869226	Soil	0.120	28.3	66.4	0.79	183.3	0.131	2	3.17	0.016	0.28	0.2	6.6	0.16	<0.02	21	0.1	<0.02	7.5	2.07	<0.1
869227	Soil	0.107	23.7	69.8	0.85	215.2	0.114	2	2.84	0.011	0.32	0.2	6.4	0.16	0.02	27	0.4	0.05	7.7	1.94	0.2
869228	Soil	0.136	18.2	34.6	0.49	262.4	0.141	2	3.59	0.031	0.19	0.2	6.0	0.16	<0.02	31	0.2	0.03	8.1	1.75	<0.1
869229	Soil	0.199	23.3	49.1	0.73	206.5	0.112	2	2.75	0.016	0.23	0.3	5.6	0.15	<0.02	25	0.6	0.03	7.6	1.78	0.1
869230	Soil	0.093	27.8	59.9	0.83	159.5	0.102	<1	2.34	0.015	0.27	0.2	5.2	0.17	<0.02	24	0.3	0.04	6.5	1.78	0.1
869231	Soil	0.055	26.7	53.0	0.76	154.4	0.071	1	1.72	0.018	0.21	0.4	4.5	0.13	<0.02	21	0.2	0.03	5.3	1.51	0.1
869232	Soil	0.078	20.9	68.6	1.10	217.9	0.109	<1	3.35	0.011	0.40	0.3	6.5	0.29	<0.02	27	0.2	<0.02	9.6	3.33	<0.1
869233	Soil	0.050	26.7	52.2	0.77	100.6	0.089	2	1.65	0.011	0.19	0.3	4.8	0.14	<0.02	24	0.4	<0.02	5.2	1.74	<0.1
869234	Soil	0.058	26.5	55.7	0.80	98.7	0.089	<1	1.70	0.009	0.18	0.4	4.7	0.14	<0.02	23	0.2	0.02	5.2	1.81	0.1
869235	Soil	0.077	17.2	33.9	0.65	109.8	0.100	1	1.58	0.018	0.27	0.4	4.2	0.18	<0.02	13	0.2	0.03	5.1	1.82	<0.1
869236	Soil	0.038	28.8	48.8	0.65	100.2	0.069	<1	1.44	0.008	0.17	0.2	3.5	0.11	<0.02	8	<0.1	0.04	4.7	1.22	<0.1
869237	Soil	0.150	16.2	39.3	0.72	145.0	0.105	<1	1.80	0.019	0.28	0.7	4.2	0.19	<0.02	21	0.3	<0.02	5.6	1.95	<0.1
869238	Soil	0.078	17.4	40.7	0.80	131.2	0.123	<1	2.00	0.022	0.35	0.6	4.6	0.24	<0.02	15	0.2	<0.02	5.8	2.24	<0.1
869239	Soil	0.107	16.8	38.9	0.75	76.9	0.087	<1	1.33	0.017	0.27	0.6	4.1	0.19	<0.02	21	0.2	0.06	4.1	1.78	<0.1
869240	Soil	0.172	17.0	34.0	0.72	163.8	0.142	<1	3.43	0.016	0.15	0.7	5.2	0.25	<0.02	47	0.7	0.05	8.3	2.62	<0.1
869241	Soil	0.131	17.4	54.5	1.27	236.2	0.171	1	2.92	0.019	0.63	0.7	6.5	0.47	<0.02	25	0.6	0.11	8.1	4.60	0.2
869243	Soil	0.050	30.0	47.9	0.68	84.7	0.070	<1	1.56	0.007	0.17	0.3	4.0	0.12	<0.02	13	0.3	0.05	5.0	1.29	<0.1
869244	Soil	0.044	31.4	47.5	0.68	85.8	0.070	<1	1.52	0.008	0.18	0.3	4.1	0.11	<0.02	16	0.4	0.03	4.7	1.33	<0.1
869245	Soil	0.043	19.0	45.5	0.93	129.2	0.139	<1	2.12	0.013	0.27	0.4	5.2	0.20	<0.02	18	0.4	0.05	6.4	2.23	0.1
869246	Soil	0.112	18.7	36.1	0.70	90.1	0.095	1	1.34	0.019	0.23	0.4	3.6	0.18	<0.02	17	0.3	0.03	4.4	1.59	<0.1
869247	Soil	0.190	23.6	34.6	0.80	259.5	0.138	3	3.55	0.025	0.34	0.3	5.2	0.24	<0.02	42	0.7	0.04	8.9	2.35	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869217	Soil	0.07	1.83	21.8	0.5	<0.05	5.6	8.65	48.3	0.06	<1	1.0	26.0	<10	<2
869218	Soil	0.08	0.69	20.8	0.3	<0.05	4.7	6.95	33.6	0.02	<1	0.6	24.8	<10	<2
869219	Soil	0.05	1.72	19.4	0.3	<0.05	3.3	7.72	34.7	0.04	<1	0.3	26.3	<10	<2
869220	Soil	0.18	1.40	21.6	0.7	<0.05	11.1	7.22	35.8	0.04	<1	0.8	21.7	27	<2
869221	Soil	0.19	4.40	42.8	0.8	<0.05	15.0	13.81	56.9	0.05	<1	1.0	23.2	19	3
869222	Soil	0.25	1.10	30.3	0.6	<0.05	14.4	8.88	37.3	0.03	<1	0.6	19.5	15	<2
869223	Soil	0.12	1.24	27.0	0.5	<0.05	9.7	9.61	38.0	0.03	<1	0.7	20.5	16	<2
869224	Soil	0.25	1.94	35.5	0.7	<0.05	18.6	12.97	55.2	0.04	<1	0.9	24.2	25	2
869225	Soil	0.29	1.43	32.4	0.6	<0.05	15.9	10.05	35.7	0.04	<1	0.8	20.0	12	<2
869226	Soil	0.24	1.49	24.4	0.6	<0.05	14.0	16.05	47.9	0.04	<1	0.6	47.2	20	<2
869227	Soil	0.11	1.86	27.1	0.5	<0.05	7.8	11.97	38.9	0.05	<1	0.9	20.7	<10	<2
869228	Soil	0.32	1.39	14.4	0.8	<0.05	22.9	12.69	38.5	0.04	<1	0.9	18.5	15	<2
869229	Soil	0.11	1.50	22.1	0.5	<0.05	10.1	9.69	43.0	0.04	<1	0.8	21.5	<10	2
869230	Soil	0.09	1.78	28.0	0.4	<0.05	6.8	10.90	47.9	0.04	<1	0.8	20.8	13	<2
869231	Soil	0.08	0.85	39.9	0.4	<0.05	6.2	5.29	50.5	0.03	<1	0.6	18.3	<10	<2
869232	Soil	0.16	0.65	43.6	0.9	<0.05	9.3	5.66	46.9	0.04	<1	1.0	33.1	11	3
869233	Soil	0.07	0.90	32.6	0.4	<0.05	5.3	8.25	44.2	0.02	<1	0.5	26.3	<10	<2
869234	Soil	0.08	0.93	32.0	0.4	<0.05	4.9	8.03	45.7	0.02	1	0.6	25.2	<10	<2
869235	Soil	0.17	0.49	34.0	0.4	<0.05	9.0	7.19	30.6	<0.02	<1	0.4	15.5	<10	<2
869236	Soil	0.08	0.61	33.6	0.3	<0.05	4.8	6.02	49.3	<0.02	1	0.4	19.7	<10	3
869237	Soil	0.17	0.60	29.1	0.4	<0.05	10.3	7.82	27.3	0.02	1	0.5	16.8	<10	3
869238	Soil	0.26	0.48	30.7	0.5	<0.05	13.0	8.52	28.8	0.02	<1	0.6	18.0	<10	<2
869239	Soil	0.06	0.50	20.2	0.3	<0.05	2.9	8.67	27.7	<0.02	<1	0.3	12.3	<10	2
869240	Soil	0.37	1.37	31.1	0.7	<0.05	25.6	9.81	37.9	0.03	<1	0.9	22.2	<10	4
869241	Soil	0.11	0.63	58.7	0.5	<0.05	6.7	10.07	32.1	0.03	1	0.8	27.4	11	3
869243	Soil	0.06	0.65	26.0	0.3	<0.05	3.9	5.78	54.2	<0.02	1	0.4	17.2	<10	<2
869244	Soil	0.05	0.61	25.9	0.3	<0.05	4.2	5.51	55.9	<0.02	<1	0.5	17.7	<10	<2
869245	Soil	0.09	0.45	34.5	0.4	<0.05	4.2	7.91	28.2	0.02	2	0.7	19.9	<10	3
869246	Soil	0.04	0.88	22.7	0.4	<0.05	2.6	7.47	32.2	0.02	<1	0.3	12.9	<10	<2
869247	Soil	0.32	1.89	32.5	0.9	0.09	21.1	14.88	46.3	0.05	<1	1.0	27.1	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 3 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2	0.01
869248	Soil	3.08	0.99	54.86	22.22	88.5	233	47.7	11.4	438	2.83	11.6	6.8	4.4	7.2	38.6	0.30	0.43	0.29	51	0.41
869351	Soil	2.045	0.51	19.59	26.89	170.2	197	62.7	17.0	1146	2.43	9.8	1.2	1.8	5.4	59.4	0.61	0.52	0.42	30	0.43
869352	Soil	2.565	1.01	47.78	36.11	115.6	183	58.4	21.9	755	3.41	23.4	1.9	5.4	8.1	47.7	0.60	0.88	0.55	31	0.43
869353	Soil	2.945	0.65	33.69	15.41	77.1	84	23.7	10.4	346	2.44	6.1	1.1	2.1	5.4	30.5	0.26	0.29	0.23	49	0.26
869354	Soil	2.55	0.66	35.30	47.22	138.3	207	77.7	17.3	1236	2.95	15.2	1.5	3.6	4.5	67.5	1.07	0.87	0.54	36	0.52
869355	Soil	2.28	1.07	34.01	48.58	125.1	138	57.8	16.5	1696	3.10	16.9	2.0	1.7	6.4	57.9	0.93	1.09	0.60	44	0.45
869356	Soil	2.33	1.03	25.61	41.40	126.8	162	40.5	11.8	1750	2.43	14.2	2.0	3.8	6.2	40.5	0.85	0.88	0.54	33	0.28
869357	Soil	2.78	1.11	20.81	44.11	147.3	221	45.7	11.7	1650	2.27	10.1	2.2	1.5	5.6	47.0	0.87	0.97	0.48	29	0.32
869358	Soil	2.79	0.91	26.98	55.16	136.3	204	75.9	15.7	1178	2.82	16.8	1.2	4.8	4.8	50.7	1.46	1.06	0.57	41	0.44
869359	Soil	3.035	0.83	34.60	66.60	138.4	163	60.7	14.5	1178	3.06	19.7	3.5	4.5	6.9	61.3	1.65	1.47	0.76	46	0.51
869360	Soil	2.355	0.82	35.63	75.36	153.9	158	63.0	15.2	1183	3.09	20.6	3.3	6.8	6.9	68.2	1.92	1.61	0.77	48	0.54
869361	Soil	2.325	0.72	30.65	88.12	171.5	132	81.7	18.2	1631	3.22	15.0	1.8	3.2	5.6	61.5	2.18	1.04	0.76	48	0.43
869362	Soil	2.455	0.67	27.80	40.99	116.4	98	81.7	17.4	1044	2.99	14.6	1.0	4.1	4.9	58.1	1.25	0.96	0.45	46	0.44
869363	Soil	2	0.62	25.63	93.74	191.0	130	69.7	16.5	1325	2.86	15.4	0.8	13.2	4.6	72.9	2.87	1.28	0.65	41	0.60
869364	Soil	2.745	0.66	31.41	93.48	173.8	79	70.8	19.1	1445	3.50	20.2	1.3	13.0	6.4	42.3	2.28	1.20	0.71	52	0.36
869365	Soil	2.57	0.75	26.55	55.35	149.6	71	63.2	16.6	1553	3.12	17.2	1.2	4.4	6.1	44.3	1.32	0.91	0.60	44	0.34
869366	Soil	2.415	0.76	29.29	113.0	200.8	92	59.9	17.1	1495	3.18	18.9	1.4	4.5	6.9	41.4	2.22	1.31	0.82	50	0.33
869367	Soil	2.61	1.32	28.66	106.8	182.2	125	68.3	16.4	1970	3.20	17.1	1.3	4.7	6.7	57.8	2.28	1.20	0.80	48	0.41
869368	Soil	2.575	1.29	23.87	67.18	188.0	284	56.7	13.7	2174	2.87	16.3	1.7	4.7	5.9	69.6	2.21	1.28	0.66	44	0.55
869369	Soil	2.57	0.65	23.96	101.7	174.7	128	76.9	12.8	1256	2.56	14.7	0.9	5.1	5.1	55.4	2.22	1.28	0.77	42	0.44
869370	Soil	2.505	0.64	31.91	56.86	129.8	117	57.4	17.4	1028	3.34	17.3	0.7	7.5	4.4	29.3	1.26	0.88	0.48	50	0.30
869161	Soil	1.875	0.65	82.77	13.13	171.9	450	42.4	15.3	965	3.56	18.8	0.6	5.5	2.6	69.1	0.84	1.17	0.19	61	0.79
869162	Soil	2.025	0.51	57.01	38.12	128.3	836	30.4	11.2	1017	2.73	10.5	1.1	2.3	0.8	190.1	2.17	2.19	0.23	44	2.76
869163	Soil	2.52	0.51	41.71	17.03	96.4	244	24.4	13.7	451	2.97	10.7	0.7	5.0	1.8	59.7	1.21	1.15	0.13	60	0.90
869164	Soil	2.32	0.70	55.45	17.27	92.2	197	34.5	18.2	914	4.08	16.6	1.1	47.2	2.9	64.7	0.70	1.30	0.15	86	1.07
869165	Soil	2.225	0.67	54.93	16.36	95.6	205	32.5	17.0	763	3.77	13.9	1.0	3.4	2.0	63.9	0.59	1.28	0.14	77	1.01
869166	Soil	1.72	0.87	61.35	44.30	144.1	215	28.6	17.1	1572	3.71	19.5	0.5	3.3	2.2	57.1	1.38	1.34	0.31	70	0.82
869167	Soil	1.98	0.74	50.83	15.72	91.9	185	35.4	18.8	896	3.95	16.9	0.8	11.1	2.7	60.7	0.60	1.30	0.14	80	0.89
869168	Soil	2	0.81	70.49	22.33	98.1	317	36.7	15.6	514	3.40	11.8	2.5	5.3	1.9	109.3	0.92	1.80	0.18	75	1.68
869148	Soil	1.835	0.87	83.58	25.53	92.3	539	26.4	12.0	1327	3.62	22.6	2.8	1.9	0.9	159.7	1.56	1.67	0.15	85	2.22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 3 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869248	Soil	0.047	24.6	46.0	0.70	187.3	0.120	2	2.77	0.023	0.25	0.3	5.7	0.23	<0.02	32	0.5	0.03	7.8	2.28	<0.1
869351	Soil	0.383	24.2	32.4	0.43	253.4	0.084	3	2.72	0.017	0.16	0.6	3.3	0.16	0.02	31	0.5	0.03	7.3	1.82	<0.1
869352	Soil	0.168	37.7	49.6	0.67	120.1	0.047	2	2.20	0.009	0.20	0.6	3.3	0.12	0.03	31	1.1	0.07	6.3	1.49	0.1
869353	Soil	0.075	14.6	33.1	0.62	92.7	0.081	<1	1.34	0.018	0.25	0.3	3.4	0.16	<0.02	13	0.2	<0.02	4.3	1.60	<0.1
869354	Soil	0.231	22.6	55.8	0.63	212.4	0.060	1	2.51	0.010	0.22	0.6	3.5	0.15	0.03	36	0.6	0.06	7.2	1.97	<0.1
869355	Soil	0.233	18.3	42.4	0.53	296.5	0.103	3	3.54	0.010	0.18	0.8	3.8	0.20	0.03	45	0.7	0.03	9.5	2.07	<0.1
869356	Soil	0.297	21.0	24.8	0.36	365.6	0.109	3	3.31	0.015	0.15	0.7	3.8	0.19	<0.02	47	0.6	<0.02	8.2	1.89	<0.1
869357	Soil	0.240	20.7	24.1	0.35	290.5	0.095	2	2.97	0.014	0.12	0.7	3.3	0.18	0.02	47	0.7	0.02	7.4	1.75	<0.1
869358	Soil	0.170	17.8	49.3	0.60	270.0	0.079	2	2.25	0.011	0.20	0.9	3.5	0.19	<0.02	41	0.6	0.06	6.5	1.84	<0.1
869359	Soil	0.099	26.5	60.1	0.65	217.3	0.094	2	2.36	0.009	0.30	1.5	5.4	0.20	0.02	44	0.5	0.05	6.6	1.94	<0.1
869360	Soil	0.099	26.0	60.9	0.64	232.6	0.097	3	2.42	0.009	0.30	1.5	5.6	0.22	0.02	48	0.6	0.07	7.0	1.99	<0.1
869361	Soil	0.221	20.3	60.5	0.69	358.5	0.095	2	2.83	0.009	0.24	0.8	4.7	0.23	<0.02	37	0.5	0.06	7.8	2.20	<0.1
869362	Soil	0.196	17.5	56.1	0.64	234.7	0.087	2	2.46	0.011	0.24	0.5	4.0	0.20	<0.02	40	0.4	0.04	6.7	1.79	<0.1
869363	Soil	0.240	16.4	50.1	0.60	377.8	0.084	3	2.20	0.012	0.25	0.7	3.8	0.23	0.02	49	0.5	0.06	6.3	1.83	<0.1
869364	Soil	0.187	19.6	58.6	0.72	325.9	0.112	2	3.17	0.009	0.29	0.8	5.0	0.26	<0.02	43	0.6	0.09	8.6	2.17	<0.1
869365	Soil	0.170	18.0	52.5	0.64	309.9	0.092	3	2.69	0.008	0.23	0.8	3.9	0.25	<0.02	41	0.3	0.05	7.6	2.11	<0.1
869366	Soil	0.131	20.7	52.0	0.68	324.5	0.102	3	2.72	0.009	0.26	0.7	4.2	0.30	<0.02	44	0.5	0.09	7.6	2.19	<0.1
869367	Soil	0.149	19.1	50.8	0.64	375.7	0.103	3	2.97	0.010	0.23	0.7	4.1	0.26	<0.02	55	0.5	0.09	8.1	2.13	<0.1
869368	Soil	0.144	17.8	43.6	0.57	387.1	0.102	4	2.92	0.012	0.21	0.4	3.5	0.24	0.02	63	0.4	<0.02	8.0	1.97	<0.1
869369	Soil	0.172	14.1	41.9	0.51	302.2	0.099	3	2.53	0.016	0.18	0.5	3.3	0.24	<0.02	54	0.4	0.06	7.3	1.82	<0.1
869370	Soil	0.135	14.9	47.6	0.72	169.4	0.066	1	2.23	0.008	0.28	0.4	4.4	0.21	<0.02	30	0.3	0.03	6.1	1.74	<0.1
869161	Soil	0.106	18.8	43.8	0.76	182.8	0.076	3	2.39	0.023	0.15	0.5	12.0	0.10	0.03	32	1.2	0.03	5.9	3.10	<0.1
869162	Soil	0.106	13.5	51.0	0.77	239.1	0.059	8	2.37	0.018	0.15	0.2	5.7	0.12	0.11	68	2.7	<0.02	5.5	1.90	<0.1
869163	Soil	0.117	11.0	36.7	0.74	129.3	0.069	3	1.76	0.016	0.14	0.2	5.1	0.08	0.04	30	1.4	0.04	5.2	1.19	<0.1
869164	Soil	0.212	22.4	51.0	1.07	160.7	0.079	3	2.16	0.017	0.17	0.3	6.1	0.11	0.04	48	1.1	0.03	6.1	1.71	<0.1
869165	Soil	0.186	19.1	49.2	1.03	142.8	0.075	3	2.15	0.018	0.16	0.2	5.6	0.10	0.04	46	1.4	<0.02	5.9	1.64	<0.1
869166	Soil	0.212	12.4	36.8	0.75	259.2	0.086	3	2.69	0.016	0.22	0.2	5.8	0.18	0.03	58	0.6	0.04	7.8	1.88	<0.1
869167	Soil	0.214	21.2	48.1	1.06	150.7	0.081	4	2.04	0.020	0.16	0.3	6.1	0.11	0.03	29	0.9	0.03	6.4	1.61	<0.1
869168	Soil	0.179	15.9	56.6	1.18	182.1	0.074	5	2.25	0.020	0.21	0.3	6.4	0.13	0.15	76	3.5	0.04	6.3	1.74	<0.1
869148	Soil	0.130	32.3	75.5	0.77	216.7	0.079	4	2.78	0.014	0.13	0.2	10.0	0.09	0.08	123	4.1	<0.02	7.3	1.36	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869248	Soil	0.24	2.03	30.9	0.7	<0.05	14.4	13.66	39.1	0.03	2	0.9	25.1	<10	<2
869351	Soil	0.12	1.73	19.0	0.7	<0.05	7.4	10.63	43.8	0.05	2	0.9	25.1	<10	<2
869352	Soil	0.04	1.16	17.8	0.5	<0.05	2.3	9.01	62.3	0.04	<1	0.8	31.7	<10	<2
869353	Soil	0.13	0.38	29.5	0.4	<0.05	6.6	6.66	25.2	<0.02	<1	0.3	13.7	<10	2
869354	Soil	0.06	1.93	25.4	0.7	<0.05	3.3	9.78	39.1	0.06	<1	1.0	31.5	<10	<2
869355	Soil	0.18	2.79	25.9	0.9	<0.05	9.3	8.64	42.2	0.07	1	1.1	26.6	<10	<2
869356	Soil	0.27	2.88	22.6	0.9	<0.05	14.7	10.46	41.5	0.05	<1	1.4	18.8	<10	<2
869357	Soil	0.19	2.67	20.6	0.8	<0.05	13.4	11.21	39.7	0.05	<1	1.0	18.6	<10	<2
869358	Soil	0.06	2.04	23.8	0.7	<0.05	3.5	6.02	35.2	0.08	<1	0.6	20.1	<10	<2
869359	Soil	0.09	2.74	32.2	0.7	<0.05	5.5	14.96	39.8	0.10	1	0.9	23.9	<10	<2
869360	Soil	0.10	2.90	33.3	0.7	<0.05	5.8	14.62	39.9	0.10	<1	1.0	24.0	<10	<2
869361	Soil	0.09	2.31	31.5	0.9	<0.05	5.8	8.27	39.6	0.15	<1	1.2	24.5	<10	<2
869362	Soil	0.09	1.91	26.8	0.7	<0.05	5.9	6.36	35.7	0.07	<1	0.9	20.0	<10	<2
869363	Soil	0.09	1.98	26.1	0.9	<0.05	5.3	5.54	34.6	0.16	<1	0.7	18.7	<10	<2
869364	Soil	0.13	2.14	33.5	1.1	<0.05	8.0	7.39	41.0	0.20	1	0.9	26.9	<10	<2
869365	Soil	0.05	2.06	35.3	0.7	<0.05	4.1	5.17	37.7	0.08	<1	0.8	24.7	<10	<2
869366	Soil	0.10	2.25	33.9	1.0	<0.05	5.9	6.88	42.8	0.18	<1	0.8	23.0	<10	<2
869367	Soil	0.10	2.81	35.3	1.0	<0.05	6.2	7.67	40.1	0.13	<1	0.7	23.5	<10	<2
869368	Soil	0.12	2.65	28.3	0.9	<0.05	6.2	9.57	38.6	0.07	<1	1.1	21.2	<10	<2
869369	Soil	0.12	2.11	30.6	1.1	<0.05	6.6	5.03	32.0	0.18	<1	0.7	19.5	<10	<2
869370	Soil	0.04	1.59	29.7	0.6	<0.05	2.7	5.69	33.7	0.09	<1	0.9	22.5	<10	<2
869161	Soil	0.11	1.66	12.1	0.4	<0.05	5.4	33.16	33.8	0.03	<1	0.7	22.0	15	<2
869162	Soil	0.16	2.34	11.2	0.5	<0.05	9.3	15.98	25.3	0.07	<1	0.6	23.7	12	<2
869163	Soil	0.12	1.85	11.2	0.4	<0.05	6.1	7.74	21.5	0.05	<1	0.4	17.7	<10	<2
869164	Soil	0.04	2.61	15.7	0.9	<0.05	3.2	10.29	44.3	0.04	<1	0.4	18.9	<10	<2
869165	Soil	0.08	2.83	15.4	0.7	<0.05	3.6	10.31	37.7	0.04	<1	0.4	20.6	<10	<2
869166	Soil	0.09	2.11	21.1	0.6	<0.05	6.6	7.94	31.4	0.07	<1	0.7	19.7	<10	<2
869167	Soil	0.06	2.06	14.6	0.7	<0.05	3.0	9.86	41.3	0.03	<1	0.2	20.1	<10	<2
869168	Soil	0.09	4.24	18.5	0.5	<0.05	5.2	10.94	29.2	0.06	<1	0.6	18.3	<10	<2
869148	Soil	0.09	2.73	8.9	0.4	<0.05	6.0	35.03	32.9	0.07	2	0.6	16.8	14	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869149	Soil	1.485	0.74	68.74	25.11	107.7	301	28.0	19.1	1023	4.13	15.0	0.9	2.6	1.9	66.5	0.95	1.21	0.15	105	0.87
869150	Soil	1.705	0.74	67.87	30.00	116.9	445	29.5	16.4	1246	4.08	17.1	1.1	8.2	1.5	77.8	1.36	1.26	0.20	96	1.03
869175	Soil	2.19	0.71	22.59	11.68	85.5	92	21.3	8.4	663	2.14	7.8	2.8	15.0	2.7	42.3	1.26	0.43	0.14	53	0.74
869176	Soil	1.41	0.81	71.63	33.70	128.1	567	30.8	14.2	1071	3.72	11.1	1.4	9.7	1.1	103.7	1.51	1.24	0.23	81	1.28
869177	Soil	2.425	1.01	89.50	29.76	62.6	536	18.9	7.5	659	1.35	4.2	6.6	0.4	0.2	147.1	2.05	1.88	0.18	49	2.54
869178	Soil	1.415	0.75	48.81	28.02	124.2	346	20.1	10.7	883	2.59	10.2	1.2	1.7	0.5	105.2	1.61	1.31	0.21	60	1.77
869179	Soil	1.975	0.87	64.53	28.97	171.4	333	29.7	13.6	1054	3.25	15.0	0.8	2.9	0.8	100.9	2.24	1.32	0.21	78	1.66
869180	Soil	1.905	0.93	69.33	36.82	162.2	445	32.0	13.3	1145	3.15	14.6	1.5	2.2	0.6	125.9	2.34	1.63	0.25	72	2.00
869181	Soil	1.75	0.79	64.16	31.38	121.4	518	29.4	13.4	1136	3.47	9.9	1.3	3.1	1.0	102.7	1.62	1.28	0.21	80	1.33
869182	Soil	2.38	0.78	35.75	15.39	88.7	158	22.7	11.3	537	2.87	8.9	2.4	88.5	4.2	53.8	0.99	0.44	0.21	67	0.83
869183	Soil	1.955	0.62	56.80	29.61	113.9	337	48.9	11.6	704	2.92	8.0	3.2	18.6	3.6	39.4	1.03	0.40	0.25	55	0.86
869184	Soil	1.405	0.67	53.55	19.62	95.1	377	38.5	11.5	670	2.99	9.0	7.4	8.7	2.2	53.0	0.72	0.65	0.25	56	1.21
869185	Soil	1.245	0.71	57.78	27.67	98.3	404	43.2	11.5	689	2.92	9.1	8.5	2.2	1.9	53.8	0.71	0.75	0.28	54	1.15
869186	Soil	1.55	0.49	67.37	21.39	82.4	376	46.4	10.1	721	2.74	5.1	2.2	1.8	3.4	36.8	0.58	0.41	0.28	45	0.66
869187	Soil	2.17	0.92	32.44	11.25	80.8	112	23.4	11.9	505	2.78	6.3	1.5	11.0	5.4	43.2	0.53	0.39	0.21	67	0.70
869188	Soil	1.97	0.56	24.07	42.75	2385	201	24.7	3.4	489	1.00	13.3	7.0	2.0	0.2	248.9	19.08	0.73	0.13	15	20.58
869189	Soil	1.605	0.64	46.60	17.63	119.4	437	25.4	15.2	1109	3.49	15.4	1.5	1.4	1.7	52.3	0.96	1.03	0.23	56	0.65
869190	Soil	2.64	1.00	34.33	102.8	291.9	345	25.3	11.8	446	2.90	12.3	2.0	66.6	6.3	31.4	3.27	0.55	0.92	55	0.99
869191	Soil	1.33	0.60	51.00	24.62	137.6	406	30.6	16.6	1541	3.74	15.5	1.5	1.0	1.4	85.4	1.28	1.09	0.29	56	1.11
869192	Soil	1.63	0.75	47.39	34.52	146.5	503	30.6	14.9	1067	3.57	19.8	0.7	1.8	0.4	64.1	1.57	1.63	0.25	61	1.11
869193	Soil	1.835	0.71	42.11	35.07	133.5	419	35.7	13.9	1012	3.05	14.5	0.7	2.3	0.4	110.5	1.61	1.66	0.23	51	1.56
869194	Soil	2.345	0.68	38.13	35.54	136.5	329	34.3	12.9	968	2.96	14.4	0.7	1.4	0.5	108.0	1.44	1.63	0.22	50	1.51
869195	Soil	2.045	0.70	39.08	38.34	128.6	367	33.2	12.7	909	2.89	13.5	0.7	1.9	0.4	112.9	1.61	1.69	0.26	47	1.64
869196	Soil	1.065	0.59	37.06	46.07	140.5	367	29.0	13.0	1219	2.68	10.3	0.6	0.7	0.7	96.3	1.67	1.34	0.32	45	1.44
918214	Soil	2.55	0.90	66.20	15.14	132.8	312	33.3	15.0	493	3.33	21.7	3.6	10.7	4.3	48.4	0.93	0.23	0.35	73	0.55
918215	Soil	2.8	0.90	45.13	17.35	102.0	181	29.6	13.5	425	3.60	10.4	1.7	27.8	7.4	42.0	0.47	0.43	0.33	83	0.52
918216	Soil	2.88	0.49	39.10	12.37	123.6	244	37.2	14.6	301	2.88	9.4	1.3	2.2	4.1	22.9	0.40	0.54	0.27	49	0.31
918217	Soil	2.68	0.45	38.04	12.49	122.2	266	38.8	14.7	324	3.03	9.2	1.2	3.7	4.1	21.1	0.45	0.47	0.27	53	0.31
918218	Soil	2.78	0.49	44.66	13.81	87.2	142	29.4	14.7	400	3.25	6.6	1.8	4.5	4.6	34.5	0.27	0.29	0.24	65	0.36
918219	Soil	2.6	0.54	22.42	12.89	119.4	210	28.5	10.6	493	2.54	5.2	1.5	3.0	4.1	20.0	0.30	0.25	0.24	40	0.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 4 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	Analyte	Unit	MDL	1F30 P %	1F30 La ppm	1F30 Cr ppm	1F30 Mg %	1F30 Ba ppm	1F30 Ti %	1F30 B ppm	1F30 Al %	1F30 Na %	1F30 K %	1F30 W ppm	1F30 Sc ppm	1F30 TI ppm	1F30 S %	1F30 Hg ppb	1F30 Se ppm	1F30 Te ppm	1F30 Ga ppm	1F30 Cs ppm	1F30 Ge ppm
869149	Soil			0.157	17.7	48.7	1.00	211.8	0.108	3	2.66	0.020	0.15	0.2	8.8	0.10	0.03	52	1.1	<0.02	7.9	1.52	<0.1
869150	Soil			0.137	18.5	54.7	0.89	252.7	0.094	3	3.05	0.016	0.14	0.2	9.0	0.11	0.05	96	2.0	0.02	7.9	1.51	<0.1
869175	Soil			0.111	9.7	54.2	0.52	99.0	0.054	2	1.04	0.020	0.15	1.1	2.1	0.10	0.03	21	1.7	<0.02	3.3	1.11	<0.1
869176	Soil			0.128	17.9	53.8	0.78	243.2	0.089	3	3.31	0.017	0.12	0.2	8.7	0.14	0.06	114	2.2	<0.02	8.7	1.77	<0.1
869177	Soil			0.129	16.8	74.8	0.43	102.1	0.044	4	1.91	0.015	0.06	0.2	2.7	0.12	0.35	187	8.4	<0.02	5.5	1.51	<0.1
869178	Soil			0.130	12.4	45.8	0.62	134.0	0.061	6	2.15	0.015	0.09	0.1	4.3	0.12	0.12	105	4.7	<0.02	5.5	2.09	<0.1
869179	Soil			0.125	11.4	56.7	0.79	181.2	0.086	6	2.59	0.014	0.11	0.2	6.6	0.14	0.09	110	3.4	0.04	6.5	3.21	<0.1
869180	Soil			0.140	13.5	57.8	0.73	198.2	0.069	6	2.74	0.014	0.11	0.2	5.9	0.16	0.13	151	4.9	0.03	7.1	2.58	<0.1
869181	Soil			0.114	15.4	52.4	0.75	228.5	0.075	3	3.13	0.015	0.10	0.2	7.3	0.13	0.07	121	2.4	<0.02	8.1	1.63	<0.1
869182	Soil			0.183	16.1	41.1	0.62	124.6	0.064	<1	1.21	0.023	0.24	1.0	3.4	0.17	0.03	20	1.3	<0.02	4.1	1.48	0.1
869183	Soil			0.153	15.6	45.4	0.77	248.9	0.079	2	2.25	0.020	0.23	0.7	3.8	0.19	0.03	35	0.9	0.05	5.9	1.85	0.1
869184	Soil			0.123	14.1	46.5	0.68	308.2	0.074	3	2.59	0.015	0.30	0.6	4.6	0.21	0.07	57	1.6	<0.02	6.3	1.89	0.1
869185	Soil			0.122	15.7	47.5	0.68	317.4	0.082	4	2.79	0.016	0.29	0.6	4.8	0.20	0.06	65	1.6	0.05	7.0	1.76	<0.1
869186	Soil			0.058	18.7	37.1	0.42	356.1	0.098	1	2.92	0.023	0.19	0.5	4.0	0.18	0.02	28	0.9	0.03	6.9	1.33	0.1
869187	Soil			0.188	17.0	36.5	0.80	116.2	0.079	<1	1.39	0.024	0.26	0.9	3.8	0.16	<0.02	7	1.1	0.03	4.8	1.66	<0.1
869188	Soil			0.123	5.5	27.6	0.34	106.8	0.021	8	0.56	0.012	0.10	0.3	0.8	0.13	0.15	63	4.0	0.06	1.5	2.18	0.2
869189	Soil			0.232	13.9	39.7	0.60	172.7	0.104	2	3.58	0.018	0.11	0.1	4.8	0.12	0.04	64	0.9	<0.02	9.8	1.96	<0.1
869190	Soil			0.132	20.2	32.4	0.97	120.4	0.063	<1	1.36	0.019	0.15	6.3	3.2	0.13	<0.02	27	0.6	0.08	4.5	1.62	<0.1
869191	Soil			0.160	13.0	61.3	0.65	171.4	0.090	2	3.29	0.017	0.10	0.1	4.6	0.12	0.05	68	1.5	0.04	8.3	2.30	<0.1
869192	Soil			0.149	14.3	42.0	0.79	137.6	0.057	1	2.84	0.012	0.14	0.1	3.8	0.14	0.08	75	1.2	<0.02	7.6	2.79	<0.1
869193	Soil			0.148	11.6	43.7	0.74	98.9	0.052	2	2.35	0.013	0.10	0.2	3.1	0.13	0.10	97	2.7	0.05	6.3	3.25	<0.1
869194	Soil			0.152	11.5	43.9	0.72	89.4	0.055	3	2.32	0.013	0.10	0.2	3.2	0.14	0.09	100	2.5	0.06	6.2	3.66	<0.1
869195	Soil			0.144	11.2	46.3	0.74	81.7	0.055	3	2.24	0.013	0.09	0.1	2.9	0.13	0.10	100	3.0	0.05	5.6	3.76	<0.1
869196	Soil			0.126	11.2	42.9	0.63	138.5	0.075	5	2.49	0.020	0.12	0.1	3.1	0.16	0.10	81	1.6	<0.02	6.2	2.47	<0.1
918214	Soil			0.066	15.6	77.2	0.77	228.2	0.152	<1	3.04	0.042	0.18	0.5	6.0	0.22	<0.02	56	0.8	0.04	8.3	2.26	0.1
918215	Soil			0.176	20.3	44.0	0.77	166.4	0.109	<1	2.17	0.027	0.26	1.6	5.0	0.21	<0.02	29	0.4	0.08	6.8	2.06	<0.1
918216	Soil			0.303	12.9	33.7	0.55	212.4	0.128	4	3.40	0.024	0.18	0.6	4.1	0.17	<0.02	36	0.5	<0.02	9.1	1.94	<0.1
918217	Soil			0.290	12.0	33.4	0.58	212.6	0.132	3	3.67	0.022	0.17	0.5	3.9	0.17	<0.02	33	0.4	0.05	8.8	1.91	<0.1
918218	Soil			0.126	13.4	39.2	0.80	295.9	0.139	3	3.29	0.023	0.34	0.4	4.9	0.23	<0.02	25	0.4	0.02	8.8	2.12	<0.1
918219	Soil			0.224	11.0	27.3	0.50	346.3	0.106	2	2.64	0.021	0.16	0.4	4.0	0.16	<0.02	21	0.4	<0.02	7.6	1.85	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869149	Soil	0.11	2.56	10.9	0.5	<0.05	6.7	14.11	32.1	0.06	<1	0.6	18.4	11	<2
869150	Soil	0.11	2.60	11.9	0.6	<0.05	5.5	16.93	33.6	0.09	<1	0.6	19.0	<10	<2
869175	Soil	0.03	1.49	13.0	0.2	<0.05	1.2	4.24	19.5	0.03	<1	0.2	14.4	<10	<2
869176	Soil	0.12	3.27	12.6	0.6	<0.05	7.0	17.89	32.3	0.10	<1	0.7	21.1	<10	<2
869177	Soil	0.11	1.56	7.3	0.5	<0.05	4.1	16.01	18.1	0.06	9	0.7	11.0	<10	<2
869178	Soil	0.08	3.05	9.4	0.5	<0.05	4.8	11.07	21.8	0.08	1	0.6	19.0	<10	<2
869179	Soil	0.10	2.97	11.8	0.6	<0.05	5.8	10.91	24.4	0.09	3	0.5	24.0	10	<2
869180	Soil	0.10	3.01	12.0	0.5	<0.05	5.4	14.10	25.8	0.12	<1	0.6	23.8	<10	<2
869181	Soil	0.12	2.91	11.1	0.5	<0.05	6.1	15.23	27.6	0.11	<1	0.6	20.5	<10	<2
869182	Soil	<0.02	1.57	17.0	0.3	<0.05	1.4	7.41	30.4	0.04	<1	0.2	14.2	<10	<2
869183	Soil	0.07	1.69	21.8	0.3	<0.05	6.1	12.06	27.9	0.03	<1	0.6	30.2	<10	<2
869184	Soil	0.09	2.28	26.9	0.4	<0.05	5.4	14.71	24.4	0.04	<1	0.4	31.3	<10	<2
869185	Soil	0.09	2.08	24.7	0.5	<0.05	5.0	18.00	22.8	0.07	1	0.6	29.8	<10	<2
869186	Soil	0.20	1.86	17.5	0.6	<0.05	12.7	17.97	26.1	0.05	2	0.8	36.1	<10	<2
869187	Soil	0.05	1.82	19.6	0.3	<0.05	2.3	7.35	32.6	0.02	<1	0.3	17.0	<10	<2
869188	Soil	<0.02	0.84	10.4	0.3	<0.05	0.9	6.83	9.6	0.05	1	0.1	8.0	33	<2
869189	Soil	0.15	2.87	16.7	0.8	<0.05	9.9	10.83	40.2	0.04	<1	0.8	23.1	10	<2
869190	Soil	<0.02	1.33	16.1	0.5	<0.05	1.5	7.46	39.9	0.05	<1	0.4	20.2	<10	<2
869191	Soil	0.14	3.00	21.5	0.8	<0.05	8.7	10.87	34.5	0.05	<1	1.0	33.7	<10	<2
869192	Soil	0.04	1.86	23.3	0.6	<0.05	2.2	11.52	26.3	0.07	<1	0.6	24.1	<10	<2
869193	Soil	0.05	2.13	16.9	0.6	<0.05	2.8	10.43	23.3	0.10	<1	0.5	25.5	<10	<2
869194	Soil	0.05	2.21	16.0	0.6	<0.05	3.1	9.09	25.0	0.10	2	0.1	23.5	<10	<2
869195	Soil	0.07	2.33	16.4	0.6	<0.05	3.5	9.60	23.5	0.09	<1	0.7	24.2	<10	<2
869196	Soil	0.12	2.42	25.2	0.8	<0.05	6.0	9.36	24.7	0.10	<1	0.4	28.9	<10	<2
918214	Soil	0.23	2.53	17.4	0.6	<0.05	15.6	12.29	42.2	0.04	<1	0.6	47.6	<10	2
918215	Soil	0.21	1.24	31.3	0.4	<0.05	11.2	9.69	40.2	<0.02	<1	0.5	19.7	<10	<2
918216	Soil	0.38	1.81	19.3	0.7	<0.05	22.8	8.80	35.6	0.04	<1	0.9	22.8	<10	<2
918217	Soil	0.30	1.66	19.0	0.7	<0.05	23.0	7.65	34.4	0.03	<1	0.8	22.8	<10	2
918218	Soil	0.49	0.61	38.9	0.6	<0.05	28.7	10.24	31.6	0.02	<1	0.7	21.2	<10	2
918219	Soil	0.29	1.28	17.9	0.6	<0.05	15.5	5.22	30.7	0.03	<1	0.8	20.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918220	Soil	1.965	0.77	28.77	15.12	146.8	183	26.8	11.3	573	2.79	6.0	0.7	12.0	4.1	36.5	0.67	0.32	0.24	50	0.34
918221	Soil	2.595	0.63	36.38	10.90	85.9	125	26.0	11.4	428	3.04	9.6	1.0	8.3	5.3	38.8	0.40	0.34	0.20	62	0.47
918222	Soil	2.955	0.71	37.80	12.10	105.1	211	24.1	11.4	354	2.71	11.6	0.9	24.5	4.8	34.8	0.54	0.30	0.22	55	0.32
918223	Soil	3.02	0.63	32.83	19.45	241.5	226	33.5	14.0	894	3.15	11.1	1.1	3.1	4.9	34.3	1.17	0.36	0.34	53	0.43
918224	Soil	2.085	0.60	26.38	37.50	196.1	271	35.9	12.1	1033	2.68	11.5	0.9	1.2	3.3	29.1	1.31	0.73	0.38	44	0.36
918225	Soil	3.595	0.80	35.95	16.07	100.2	124	28.4	12.0	432	2.99	7.0	1.1	4.9	6.1	37.6	0.34	0.34	0.24	55	0.33
918204	Soil	1.81	0.89	72.74	31.95	141.4	294	34.7	18.1	940	3.96	16.0	1.4	3.3	1.4	109.9	1.43	1.84	0.20	85	1.54
918205	Soil	1.3	0.61	96.49	51.49	127.8	538	32.2	14.1	1193	4.30	8.6	1.3	2.6	1.6	117.5	1.26	1.97	0.30	93	1.25
918206	Soil	2.01	0.72	56.72	20.73	103.3	370	26.3	15.9	1052	3.79	16.0	1.1	4.2	1.8	72.3	0.96	1.11	0.16	87	0.97
918207	Soil	2.15	0.86	51.95	31.56	110.8	353	24.9	14.4	1421	3.53	34.5	1.8	4.2	1.0	126.6	1.52	1.42	0.20	75	1.55
918208	Soil	1.92	0.81	82.74	28.67	106.8	562	63.7	15.9	1192	3.57	21.1	2.7	7.6	1.2	110.5	1.24	1.42	0.21	67	1.65
918209	Soil	1.845	0.75	61.00	22.02	102.7	225	33.1	19.6	1047	4.16	18.5	1.1	9.2	1.8	60.1	0.72	1.25	0.19	74	0.79
918210	Soil	2.12	0.77	54.76	19.63	103.8	312	26.3	17.4	2274	4.05	36.6	1.0	5.5	2.0	83.7	1.16	1.26	0.16	76	1.02
918211	Soil	2.085	0.78	66.90	29.70	112.0	529	28.7	16.3	961	3.84	10.6	1.5	2.5	1.6	86.0	1.46	1.18	0.21	81	1.20
918212	Soil	0.525	0.49	50.39	41.87	125.7	210	27.4	14.1	1003	3.23	7.9	0.7	1.7	1.7	55.2	1.11	1.26	0.25	68	0.56
918226	Soil	2.465	1.29	31.61	22.98	57.5	261	17.1	9.4	825	2.05	6.8	27.6	2.6	1.1	158.4	0.82	0.75	0.21	37	1.60
918227	Soil	2.09	0.83	32.24	24.52	73.9	166	21.4	13.4	975	2.89	8.2	19.2	32.0	5.4	64.6	0.72	0.61	0.25	48	0.64
918228	Soil	1.99	0.89	36.02	23.17	63.4	271	17.6	11.4	1437	2.36	7.0	42.9	47.7	1.2	129.5	0.92	0.74	0.21	40	1.14
918229	Soil	2.215	0.85	35.89	26.40	78.2	232	22.6	13.7	1055	2.79	8.3	24.2	6.7	2.9	74.8	1.00	0.61	0.25	49	0.72
918230	Soil	1.695	0.68	47.22	28.90	60.1	232	22.8	11.1	826	2.60	5.6	19.2	3.7	2.7	97.5	0.59	0.77	0.23	47	0.89
918231	Soil	2.05	0.63	29.12	15.95	50.8	98	15.6	13.5	714	2.87	7.2	9.5	19.3	8.6	49.8	0.40	0.56	0.20	51	0.57
918232	Soil	1.48	0.65	63.17	29.27	96.4	365	33.6	11.4	940	2.69	5.7	7.4	8.4	3.7	71.4	0.61	0.87	0.26	44	0.64
918239	Soil	1.96	0.63	59.33	15.98	90.1	152	36.9	18.4	823	3.88	12.0	1.1	13.4	3.5	77.1	0.68	1.14	0.16	87	1.21
918240	Soil	2.2	0.75	58.46	19.67	93.6	206	36.6	19.0	958	4.11	18.6	1.0	30.3	2.1	61.1	0.62	1.65	0.14	68	0.93
918241	Soil	1.775	0.79	62.39	21.96	96.8	201	39.2	19.6	1016	4.17	19.2	1.2	13.4	2.3	69.2	0.75	1.56	0.16	75	0.95
869169	Soil	1.625	0.64	56.43	12.89	84.3	135	51.8	20.4	793	4.29	10.4	1.4	5.6	4.0	53.1	0.35	0.98	0.14	83	0.73
869170	Soil	1.855	0.70	73.32	19.22	108.6	298	59.1	19.9	947	4.21	14.1	2.1	2.8	5.4	82.1	0.68	0.87	0.18	90	1.41
869171	Soil	1.625	1.08	84.83	40.17	119.6	260	50.2	20.4	2057	4.07	13.3	2.8	1.5	3.6	84.5	1.42	1.35	0.30	80	1.26
869172	Soil	2.605	1.27	41.69	125.7	362.3	402	28.2	12.4	451	3.06	14.3	2.3	96.2	6.8	40.1	4.09	0.63	1.04	53	1.13
869173	Soil	2.105	0.87	65.74	26.88	116.9	240	36.2	16.5	564	3.84	15.6	2.9	2.0	1.4	100.6	0.92	1.40	0.17	79	1.35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 09, 2008

Page:

5 of 6

Part 2

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918220	Soil			0.224	12.3	35.5	0.65	263.9	0.089	1	2.10	0.018	0.19	0.7	3.5	0.15	<0.02	19	0.2	0.03	6.2	1.63	<0.1
918221	Soil			0.195	16.9	39.5	0.72	125.8	0.093	<1	1.78	0.016	0.33	0.7	4.2	0.19	<0.02	6	0.4	0.03	5.6	1.82	<0.1
918222	Soil			0.109	13.7	32.8	0.66	155.1	0.092	2	1.95	0.023	0.25	0.6	4.0	0.19	<0.02	20	0.3	0.03	5.5	1.76	<0.1
918223	Soil			0.364	14.4	33.0	0.65	358.1	0.108	3	2.89	0.021	0.19	0.7	4.3	0.22	<0.02	25	0.4	0.04	8.1	2.30	<0.1
918224	Soil			0.337	10.1	28.3	0.45	390.9	0.118	4	3.34	0.022	0.17	0.4	3.4	0.19	<0.02	15	0.3	0.04	8.5	2.18	<0.1
918225	Soil			0.097	17.6	36.9	0.67	119.7	0.098	1	1.90	0.019	0.31	0.4	4.2	0.20	<0.02	11	0.5	0.02	5.8	1.90	<0.1
918204	Soil			0.156	16.5	62.8	0.99	193.4	0.105	7	2.71	0.021	0.17	0.2	7.8	0.16	0.08	124	2.7	0.04	7.7	2.37	0.1
918205	Soil			0.131	45.8	53.8	0.99	252.6	0.116	5	3.80	0.017	0.19	0.2	14.8	0.16	0.05	127	1.9	0.03	10.2	1.74	0.2
918206	Soil			0.149	19.4	51.4	0.86	247.1	0.110	4	3.02	0.017	0.12	0.2	9.3	0.11	0.04	85	1.7	<0.02	8.2	1.59	<0.1
918207	Soil			0.101	14.0	52.8	0.71	225.7	0.093	5	2.77	0.020	0.10	0.4	6.3	0.13	0.10	93	2.6	0.06	7.1	1.48	0.1
918208	Soil			0.142	21.5	86.8	0.98	284.1	0.082	6	2.86	0.019	0.25	0.3	8.3	0.19	0.07	114	3.2	0.05	7.5	2.04	<0.1
918209	Soil			0.169	16.0	48.3	0.97	161.7	0.079	3	2.57	0.017	0.13	0.2	5.9	0.12	0.04	59	1.4	0.06	6.6	1.65	<0.1
918210	Soil			0.135	16.6	50.0	0.75	211.6	0.106	3	3.14	0.020	0.11	0.3	7.4	0.12	0.04	81	1.4	0.03	8.4	1.57	<0.1
918211	Soil			0.128	20.8	59.9	0.83	384.2	0.098	4	3.48	0.018	0.14	0.2	10.2	0.14	0.06	112	2.6	0.04	9.1	1.97	<0.1
918212	Soil			0.108	17.5	39.8	0.70	193.3	0.116	5	2.62	0.015	0.14	0.2	6.3	0.15	0.03	59	0.7	<0.02	7.6	1.78	<0.1
918226	Soil			0.148	20.4	39.0	0.50	242.9	0.051	7	1.70	0.019	0.13	0.4	2.1	0.15	0.11	101	2.8	0.04	4.2	1.23	<0.1
918227	Soil			0.156	27.2	42.2	0.63	190.3	0.049	2	1.64	0.012	0.12	0.3	3.1	0.13	0.05	46	1.1	0.09	5.5	1.91	<0.1
918228	Soil			0.145	21.2	52.4	0.64	254.7	0.039	4	1.79	0.015	0.16	0.2	2.6	0.15	0.12	95	1.9	0.02	4.9	1.42	<0.1
918229	Soil			0.139	25.6	46.3	0.63	214.0	0.050	2	1.82	0.013	0.13	0.2	3.1	0.14	0.06	49	1.4	0.05	5.1	2.07	0.1
918230	Soil			0.118	31.1	40.1	0.74	239.8	0.064	2	2.21	0.014	0.20	0.4	4.5	0.18	0.06	78	1.4	0.02	6.1	1.61	<0.1
918231	Soil			0.183	28.9	32.9	0.52	121.1	0.055	1	1.35	0.012	0.12	0.3	2.9	0.10	0.03	31	0.8	0.05	4.2	1.28	0.1
918232	Soil			0.091	51.5	39.1	0.68	253.0	0.077	2	2.76	0.016	0.17	0.3	5.8	0.20	0.04	56	1.4	0.06	7.7	2.15	0.1
918239	Soil			0.227	25.6	57.1	1.05	169.7	0.109	3	2.32	0.024	0.20	0.2	6.3	0.12	0.03	47	1.0	0.03	6.3	1.97	0.1
918240	Soil			0.194	19.0	42.4	1.04	145.7	0.066	3	2.19	0.017	0.15	0.2	5.0	0.11	0.03	61	1.4	0.03	5.8	1.81	<0.1
918241	Soil			0.192	20.8	51.0	1.04	168.1	0.075	4	2.22	0.018	0.17	0.2	5.8	0.13	0.04	56	1.4	0.04	6.1	1.92	<0.1
869169	Soil			0.256	29.7	69.8	1.26	196.4	0.127	3	2.64	0.017	0.42	0.2	6.9	0.20	<0.02	34	0.5	0.05	7.8	2.46	0.2
869170	Soil			0.249	35.6	126.0	1.24	359.2	0.140	5	3.33	0.022	0.32	0.4	9.0	0.25	0.05	75	1.5	<0.02	8.6	3.45	0.1
869171	Soil			0.109	24.4	82.7	1.01	330.0	0.148	6	3.40	0.022	0.19	0.3	7.5	0.24	0.03	69	1.3	0.08	8.6	2.25	0.1
869172	Soil			0.166	23.1	31.2	1.03	123.9	0.067	2	1.55	0.023	0.15	7.9	3.0	0.14	<0.02	35	0.9	0.06	4.9	1.73	<0.1
869173	Soil			0.134	15.4	63.8	0.99	152.0	0.105	5	2.59	0.021	0.14	0.2	6.2	0.10	0.08	83	2.9	0.04	6.9	2.74	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 09, 2008

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	Analyte	Unit	MDL	1F30 Hf	1F30 Nb	1F30 Rb	1F30 Sn	1F30 Ta	1F30 Zr	1F30 Y	1F30 Ce	1F30 In	1F30 Re	1F30 Be	1F30 Li	1F30 Pd	1F30 Pt
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb
918220	Soil			0.24	1.08	21.0	0.4	<0.05	11.3	5.96	26.4	0.03	<1	0.5	16.5	<10	<2
918221	Soil			0.22	0.37	26.9	0.3	<0.05	10.6	8.48	30.4	0.02	<1	0.6	17.7	<10	<2
918222	Soil			0.29	0.41	30.8	0.3	<0.05	14.6	6.75	28.3	<0.02	<1	0.5	18.1	<10	<2
918223	Soil			0.28	1.90	26.1	0.6	<0.05	14.0	7.71	34.4	0.03	2	0.5	21.6	<10	<2
918224	Soil			0.18	1.89	21.4	0.9	<0.05	11.4	5.68	30.0	0.05	<1	0.9	21.7	13	<2
918225	Soil			0.22	0.52	38.6	0.4	<0.05	10.8	8.02	34.2	<0.02	<1	0.6	18.8	<10	<2
918204	Soil			0.11	4.38	15.2	0.6	<0.05	6.5	12.16	34.2	0.10	2	0.6	23.4	<10	2
918205	Soil			0.10	3.45	16.9	0.8	<0.05	6.3	57.38	41.3	0.16	<1	0.6	23.8	<10	<2
918206	Soil			0.10	2.86	11.0	0.5	<0.05	6.4	16.12	37.4	0.05	<1	0.6	20.8	<10	2
918207	Soil			0.09	2.80	12.2	0.5	<0.05	5.2	11.78	29.4	0.07	4	0.5	18.6	<10	<2
918208	Soil			0.07	2.66	24.2	0.5	<0.05	4.3	22.68	30.4	0.10	4	0.8	23.6	15	<2
918209	Soil			0.06	2.12	15.0	0.5	<0.05	3.2	10.37	35.1	0.05	<1	0.6	21.3	<10	<2
918210	Soil			0.11	2.61	11.6	0.6	<0.05	6.8	13.31	34.5	0.05	<1	0.5	21.0	13	<2
918211	Soil			0.13	3.79	12.5	0.6	<0.05	7.5	24.05	38.7	0.08	<1	1.1	24.4	<10	<2
918212	Soil			0.14	2.88	15.7	0.8	<0.05	5.7	16.95	27.0	0.10	<1	0.8	21.9	<10	<2
918226	Soil			0.05	2.09	13.2	0.5	<0.05	2.6	14.39	30.0	0.04	3	0.4	14.3	<10	2
918227	Soil			0.02	2.47	16.9	0.5	<0.05	1.5	15.67	48.3	0.04	<1	0.8	23.7	<10	<2
918228	Soil			0.02	2.77	14.4	0.5	<0.05	1.5	15.47	31.4	0.05	<1	0.9	22.2	<10	<2
918229	Soil			<0.02	2.16	18.0	0.5	<0.05	1.1	15.62	44.2	0.04	<1	1.2	24.4	<10	<2
918230	Soil			0.04	3.09	24.2	0.6	<0.05	2.5	26.07	35.8	0.10	<1	0.8	22.4	<10	<2
918231	Soil			0.03	1.91	15.6	0.4	<0.05	0.9	12.79	54.0	0.02	<1	0.5	15.6	<10	3
918232	Soil			0.09	3.56	26.7	0.7	<0.05	4.8	46.46	39.2	0.07	<1	1.3	26.6	<10	<2
918239	Soil			0.09	3.83	19.7	0.4	<0.05	5.3	10.93	52.9	0.05	<1	0.6	18.8	<10	2
918240	Soil			0.05	2.20	15.7	1.2	<0.05	2.5	10.31	38.3	0.04	2	0.5	19.8	<10	<2
918241	Soil			0.05	3.08	17.7	1.2	<0.05	2.9	11.27	43.5	0.04	<1	0.6	21.5	<10	<2
869169	Soil			0.09	3.35	39.9	0.5	<0.05	5.8	14.48	55.6	0.04	<1	0.8	20.2	10	<2
869170	Soil			0.17	7.21	47.5	0.7	<0.05	10.1	16.65	82.0	0.06	<1	0.7	27.3	<10	<2
869171	Soil			0.16	5.88	26.9	0.8	<0.05	8.3	13.20	48.7	0.09	1	1.0	31.7	<10	<2
869172	Soil			0.02	1.68	16.8	0.4	<0.05	1.6	8.49	43.6	0.05	<1	0.5	23.2	<10	2
869173	Soil			0.12	5.09	13.4	0.5	<0.05	6.5	8.83	32.7	0.07	5	0.7	27.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 09, 2008

Page:

6 of 6

Part 1

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869174	Soil	1.74	0.77	69.18	23.80	126.2	323	42.3	15.3	862	3.51	12.0	5.5	23.4	1.8	82.8	0.96	1.16	0.21	70	1.31
869371	Soil	1.695	0.77	70.38	24.64	101.3	392	46.8	11.2	619	3.04	8.7	10.9	2.4	2.2	74.2	0.74	0.82	0.27	49	1.29
869372	Soil	2	0.50	74.01	20.54	83.6	340	42.9	11.8	685	2.73	4.1	3.3	4.8	3.3	43.5	0.66	0.76	0.28	53	0.89
869373	Soil	2.645	0.81	43.57	14.32	95.3	147	26.1	13.1	492	3.16	10.7	1.4	63.9	5.7	49.7	0.97	0.48	0.24	71	0.69
869375	Soil	1.66	0.57	28.09	19.03	147.2	251	55.7	15.2	1222	2.93	10.2	0.9	1.2	4.6	43.2	0.57	0.71	0.30	45	0.29
869376	Soil	1.91	0.58	30.27	15.07	91.5	143	47.2	15.1	344	3.00	7.4	1.0	0.2	6.3	25.0	0.23	0.39	0.27	44	0.22
869377	Soil	1.62	0.67	22.64	15.66	112.1	266	49.0	14.4	554	2.79	9.9	0.9	8.4	4.3	26.2	0.43	0.76	0.30	47	0.24
869378	Soil	1.96	0.51	24.68	18.64	104.1	209	36.7	10.2	635	2.36	9.2	0.9	2.1	4.2	31.6	0.45	0.75	0.29	34	0.34
869379	Soil	1.795	0.75	31.38	19.50	114.0	308	59.1	13.0	802	2.66	15.3	1.1	5.7	6.2	28.7	0.28	0.63	0.49	37	0.27
869380	Soil	1.79	0.66	29.45	18.07	101.0	192	55.1	14.4	667	2.93	9.6	1.2	1.9	5.0	32.3	0.21	0.41	0.43	43	0.33
869381	Soil	1.62	0.73	19.37	17.24	149.3	293	49.0	11.5	635	2.41	10.4	1.0	4.2	4.7	23.1	0.35	0.53	0.59	34	0.22
869382	Soil	1.585	0.71	20.08	20.88	174.1	785	61.1	12.8	885	2.61	9.4	0.9	5.9	4.6	30.0	0.41	0.55	0.55	36	0.27
869383	Soil	2.24	0.77	34.26	14.78	82.9	110	26.9	11.7	395	2.82	6.9	1.1	2.7	5.7	32.9	0.32	0.32	0.23	55	0.31
869384	Soil	1.295	0.59	19.75	22.37	163.6	182	48.7	17.4	523	2.98	10.6	1.1	2.2	4.8	30.6	0.33	0.68	0.61	43	0.38
869385	Soil	1.735	0.54	20.30	21.19	154.1	195	45.8	15.2	464	2.90	9.9	1.2	2.7	4.6	30.8	0.33	0.55	0.56	39	0.38
869386	Soil	1.62	0.31	22.85	18.88	91.7	227	44.0	14.9	468	2.82	10.8	1.0	10.0	6.6	40.1	0.35	0.29	0.48	40	0.48
869387	Soil	1.78	0.53	35.39	16.92	191.1	257	48.5	14.3	664	2.65	10.7	1.1	3.5	4.4	31.5	0.51	0.48	0.37	37	0.41
869388	Soil	1.78	0.37	24.38	16.65	146.2	124	52.8	17.2	1085	2.97	9.1	1.0	2.7	4.9	27.3	0.33	0.28	0.34	46	0.27
869389	Soil	1.6	0.55	20.83	20.72	165.5	149	48.4	16.6	466	3.22	8.6	1.1	7.1	5.5	33.8	0.32	0.55	0.57	51	0.32
869390	Soil	1.67	0.52	31.35	21.76	142.4	289	58.2	17.7	465	3.34	9.3	1.4	4.4	6.1	49.0	0.27	0.38	0.70	48	0.36
869391	Soil	1.605	0.48	36.55	19.96	162.7	166	70.5	21.7	817	3.71	6.4	1.0	4.2	5.9	40.1	0.34	0.45	0.56	45	0.42
869392	Soil	2.005	0.56	25.54	16.81	189.2	179	48.7	16.5	1250	2.78	6.8	0.9	2.0	3.7	28.8	0.39	0.43	0.30	34	0.21
869393	Soil	2.045	0.62	45.71	16.22	134.6	316	83.2	20.7	603	3.19	7.8	1.4	7.1	6.1	38.6	0.27	0.48	1.42	42	0.32
869394	Soil	1.695	0.44	21.60	39.27	138.2	110	37.3	12.8	821	2.62	14.1	0.8	2.5	5.8	38.3	0.71	0.91	0.41	37	0.32
869395	Soil	1.6	0.37	23.84	23.11	125.9	197	55.0	12.1	528	2.49	11.1	0.7	3.5	4.1	35.1	0.49	0.66	0.27	38	0.34
869396	Soil	1.505	0.47	21.90	18.60	170.8	203	64.8	13.1	655	2.45	10.3	0.7	6.6	3.3	39.0	0.87	0.62	0.26	42	0.35
869397	Soil	1.5	0.49	24.48	16.49	169.8	226	67.6	14.3	612	2.55	10.3	0.8	6.8	3.5	36.6	0.73	0.62	0.25	43	0.34
869398	Soil	2.195	0.49	23.50	23.51	135.7	159	65.8	14.3	651	2.65	11.3	0.6	4.2	3.7	40.0	0.92	0.77	0.26	48	0.44



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869174	Soil	0.133	15.8	52.9	0.82	238.8	0.093	5	2.68	0.020	0.18	0.3	5.2	0.16	0.07	72	2.2	0.02	6.9	2.31	<0.1
869371	Soil	0.120	18.4	45.1	0.69	349.3	0.088	4	3.01	0.017	0.26	0.7	5.4	0.23	0.07	67	1.7	0.04	7.0	2.02	0.1
869372	Soil	0.074	19.3	42.5	0.55	302.4	0.109	4	2.59	0.020	0.28	0.6	4.2	0.20	<0.02	38	0.8	<0.02	6.2	1.64	0.1
869373	Soil	0.181	17.9	43.1	0.65	116.9	0.073	2	1.40	0.020	0.23	0.9	3.5	0.16	<0.02	14	0.6	0.03	4.1	1.34	0.1
869375	Soil	0.298	17.2	36.4	0.53	221.1	0.091	2	3.02	0.015	0.14	0.3	3.5	0.15	<0.02	36	0.4	<0.02	8.0	2.16	<0.1
869376	Soil	0.144	19.6	46.0	0.74	170.0	0.091	3	2.68	0.013	0.22	0.3	3.5	0.17	<0.02	20	0.4	<0.02	7.2	2.08	<0.1
869377	Soil	0.291	12.2	33.4	0.47	256.6	0.111	3	3.52	0.018	0.14	0.5	3.4	0.14	<0.02	49	0.5	<0.02	8.8	1.90	<0.1
869378	Soil	0.277	15.1	28.1	0.42	272.0	0.081	2	2.57	0.016	0.14	0.6	3.8	0.13	<0.02	25	0.6	<0.02	6.4	1.53	<0.1
869379	Soil	0.171	22.4	34.3	0.52	153.5	0.079	3	2.59	0.014	0.16	1.3	3.3	0.15	<0.02	46	0.5	0.03	6.5	1.71	<0.1
869380	Soil	0.224	20.1	46.7	0.65	192.1	0.110	3	3.10	0.016	0.17	0.8	4.6	0.17	<0.02	24	0.4	0.04	8.1	2.44	<0.1
869381	Soil	0.314	17.0	27.8	0.43	262.6	0.091	3	2.90	0.018	0.16	1.5	3.4	0.16	<0.02	40	0.3	<0.02	7.3	1.93	<0.1
869382	Soil	0.245	17.6	33.6	0.47	254.1	0.087	3	2.81	0.017	0.16	1.3	3.2	0.17	<0.02	36	0.4	<0.02	7.6	2.14	<0.1
869383	Soil	0.082	17.2	35.3	0.65	107.3	0.092	<1	1.53	0.014	0.31	0.4	3.9	0.18	<0.02	11	0.3	<0.02	5.0	1.91	0.1
869384	Soil	0.111	15.6	41.9	0.51	204.6	0.097	2	3.37	0.019	0.13	1.4	3.9	0.17	<0.02	23	0.6	<0.02	8.4	2.88	<0.1
869385	Soil	0.100	16.4	43.1	0.49	201.1	0.104	3	3.33	0.023	0.12	1.3	3.8	0.18	<0.02	28	0.7	0.03	8.7	2.90	<0.1
869386	Soil	0.043	20.8	54.9	0.58	131.9	0.110	2	2.74	0.026	0.16	1.2	4.4	0.17	<0.02	19	0.4	<0.02	7.0	2.19	0.1
869387	Soil	0.332	17.1	33.3	0.49	165.9	0.088	3	2.98	0.019	0.17	0.9	4.1	0.15	<0.02	33	0.6	<0.02	6.8	1.80	<0.1
869388	Soil	0.163	16.5	45.1	0.55	287.3	0.106	3	3.20	0.020	0.19	0.5	4.8	0.18	<0.02	24	0.4	<0.02	8.1	2.44	<0.1
869389	Soil	0.045	19.0	42.6	0.58	206.3	0.121	3	3.66	0.022	0.18	0.7	4.7	0.17	<0.02	29	0.4	0.03	9.0	2.10	<0.1
869390	Soil	0.043	20.2	49.9	0.62	222.2	0.112	2	3.55	0.020	0.20	2.1	5.6	0.22	<0.02	27	0.8	<0.02	8.6	2.92	<0.1
869391	Soil	0.049	18.4	61.5	0.67	231.5	0.122	3	3.75	0.024	0.22	0.9	5.7	0.26	<0.02	34	0.6	0.04	9.3	4.88	<0.1
869392	Soil	0.227	17.8	41.1	0.51	294.5	0.078	3	2.80	0.019	0.16	0.2	2.7	0.18	<0.02	26	0.2	<0.02	7.7	2.23	<0.1
869393	Soil	0.197	19.7	64.6	0.71	297.4	0.121	2	3.31	0.018	0.24	1.1	4.0	0.28	<0.02	30	0.4	0.05	8.6	3.25	<0.1
869394	Soil	0.084	20.8	35.1	0.55	224.2	0.080	3	2.00	0.012	0.28	0.4	3.1	0.23	<0.02	31	0.3	0.03	5.7	2.25	<0.1
869395	Soil	0.163	16.2	36.9	0.52	171.9	0.074	3	2.28	0.016	0.20	0.3	3.3	0.19	<0.02	36	0.4	0.04	6.1	1.92	<0.1
869396	Soil	0.271	12.7	34.7	0.54	274.2	0.087	2	2.60	0.019	0.17	0.4	3.5	0.15	<0.02	26	0.4	<0.02	7.0	1.78	<0.1
869397	Soil	0.222	13.9	35.6	0.53	268.2	0.094	2	2.67	0.020	0.17	0.4	3.9	0.16	<0.02	28	0.3	0.03	6.8	1.83	<0.1
869398	Soil	0.202	14.6	44.9	0.59	264.8	0.077	2	2.31	0.013	0.21	0.3	4.0	0.15	<0.02	18	0.3	<0.02	6.4	1.70	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 09, 2008

Page: 6 of 6 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08009388.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869174	Soil	0.11	3.53	18.9	0.6	<0.05	5.8	13.41	29.0	0.07	<1	0.6	32.2	<10	<2
869371	Soil	0.08	2.19	25.1	0.7	<0.05	5.8	19.27	28.6	0.06	<1	0.8	33.9	<10	<2
869372	Soil	0.12	1.96	20.5	0.5	<0.05	5.3	16.10	26.9	0.05	2	0.8	29.5	<10	<2
869373	Soil	0.03	1.26	16.1	0.3	<0.05	1.8	8.18	34.3	0.02	<1	0.3	12.5	<10	<2
869375	Soil	0.10	1.43	19.4	0.7	<0.05	8.4	8.37	42.6	0.05	<1	0.9	25.1	<10	<2
869376	Soil	0.14	1.50	26.8	0.6	<0.05	11.4	6.00	47.4	<0.02	<1	0.7	22.4	<10	<2
869377	Soil	0.21	1.82	17.2	0.8	<0.05	14.9	5.74	39.4	0.03	<1	0.9	21.3	<10	<2
869378	Soil	0.16	1.28	15.9	0.6	<0.05	11.8	8.53	35.8	0.03	<1	0.4	17.4	<10	<2
869379	Soil	0.12	1.39	19.3	0.6	<0.05	9.9	8.58	51.9	0.03	<1	0.8	23.6	<10	<2
869380	Soil	0.13	1.57	26.1	0.7	<0.05	11.0	8.60	52.3	0.03	<1	0.8	25.9	<10	<2
869381	Soil	0.11	1.39	18.4	0.7	<0.05	8.7	6.91	42.1	0.03	<1	0.9	22.0	<10	<2
869382	Soil	0.06	1.53	24.3	0.7	<0.05	6.3	6.76	42.6	0.04	<1	0.9	25.6	<10	<2
869383	Soil	0.14	0.37	33.1	0.4	<0.05	8.0	7.36	34.1	0.02	<1	0.4	17.0	<10	<2
869384	Soil	0.14	2.35	22.6	0.8	<0.05	11.1	7.26	46.0	0.04	<1	0.9	30.2	<10	<2
869385	Soil	0.14	2.64	21.6	0.9	<0.05	11.0	7.66	46.0	0.04	<1	1.2	31.9	<10	<2
869386	Soil	0.24	1.76	25.2	0.7	<0.05	16.9	9.10	47.5	0.02	<1	1.0	68.5	<10	<2
869387	Soil	0.14	1.42	20.8	0.6	<0.05	10.8	9.35	38.4	0.04	<1	0.7	21.8	<10	<2
869388	Soil	0.17	1.62	26.7	0.7	<0.05	11.3	7.19	42.4	0.04	<1	1.0	36.2	<10	<2
869389	Soil	0.34	2.37	28.8	0.8	<0.05	20.5	8.99	50.0	0.04	<1	0.8	47.1	<10	<2
869390	Soil	0.36	2.19	30.5	0.8	<0.05	21.7	11.44	46.7	0.05	<1	1.1	64.2	<10	<2
869391	Soil	0.26	2.30	40.4	0.8	<0.05	16.3	11.43	46.4	0.04	<1	1.3	105.2	<10	<2
869392	Soil	0.04	1.35	26.7	0.7	<0.05	3.7	4.78	41.9	0.02	1	0.9	36.6	<10	<2
869393	Soil	0.19	2.06	45.5	0.7	<0.05	12.8	8.45	54.1	0.03	<1	1.1	45.3	<10	<2
869394	Soil	0.07	2.01	46.1	0.5	<0.05	5.0	4.92	45.0	0.05	<1	0.7	21.4	<10	<2
869395	Soil	0.07	1.38	38.0	0.5	<0.05	6.0	6.23	37.2	0.04	<1	0.5	21.0	<10	<2
869396	Soil	0.13	1.41	23.0	0.6	<0.05	9.0	5.92	33.7	0.03	<1	0.8	21.4	<10	<2
869397	Soil	0.15	1.43	24.5	0.6	<0.05	9.3	6.46	36.3	0.03	<1	0.8	20.6	<10	<2
869398	Soil	0.08	1.36	21.2	0.5	<0.05	4.4	4.69	35.1	0.03	<1	0.5	21.6	<10	<2

QUALITY CONTROL REPORT

VAN08009388.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
869230	Soil	2.795	0.87	49.83	38.95	105.0	179	56.1	16.8	637	3.59	18.7	1.7	4.5	7.3	33.1	0.39	0.57	0.31	54	0.33
REP 869230	QC		1.01	49.55	39.56	103.5	179	58.2	17.5	640	3.59	19.5	1.7	5.1	7.4	34.2	0.39	0.61	0.31	55	0.35
869231	Soil	3.58	0.47	28.89	17.30	75.5	179	46.2	11.2	320	2.96	9.3	1.2	7.2	7.9	19.5	0.21	0.26	0.31	40	0.14
REP 869231	QC		0.48	29.16	17.86	75.1	188	46.7	11.9	308	2.89	9.1	1.0	3.8	8.0	19.5	0.21	0.24	0.32	39	0.13
869356	Soil	2.33	1.03	25.61	41.40	126.8	162	40.5	11.8	1750	2.43	14.2	2.0	3.8	6.2	40.5	0.85	0.88	0.54	33	0.28
REP 869356	QC		1.07	26.95	44.66	136.5	173	41.2	12.1	1811	2.50	14.8	2.1	2.0	6.5	42.3	0.87	0.93	0.58	34	0.30
869180	Soil	1.905	0.93	69.33	36.82	162.2	445	32.0	13.3	1145	3.15	14.6	1.5	2.2	0.6	125.9	2.34	1.63	0.25	72	2.00
REP 869180	QC		0.82	64.14	33.92	145.3	436	27.0	12.6	1094	2.96	13.2	1.4	2.6	0.6	102.5	2.26	1.57	0.23	71	1.96
869188	Soil	1.97	0.56	24.07	42.75	2385	201	24.7	3.4	489	1.00	13.3	7.0	2.0	0.2	248.9	19.08	0.73	0.13	15	20.58
REP 869188	QC		0.58	25.06	40.05	2342	213	24.0	3.9	474	0.97	14.3	7.0	7.0	0.2	236.8	19.47	0.72	0.13	15	20.12
918221	Soil	2.595	0.63	36.38	10.90	85.9	125	26.0	11.4	428	3.04	9.6	1.0	8.3	5.3	38.8	0.40	0.34	0.20	62	0.47
REP 918221	QC		0.57	34.43	11.00	83.1	126	24.5	10.3	405	2.91	9.1	0.9	19.0	5.2	35.3	0.38	0.33	0.20	63	0.50
918229	Soil	2.215	0.85	35.89	26.40	78.2	232	22.6	13.7	1055	2.79	8.3	24.2	6.7	2.9	74.8	1.00	0.61	0.25	49	0.72
REP 918229	QC		0.95	36.75	27.86	78.4	234	23.2	13.7	1090	2.80	9.4	25.0	74.6	3.0	77.8	0.94	0.70	0.26	44	0.74
869385	Soil	1.735	0.54	20.30	21.19	154.1	195	45.8	15.2	464	2.90	9.9	1.2	2.7	4.6	30.8	0.33	0.55	0.56	39	0.38
REP 869385	QC		0.53	20.52	21.96	161.0	196	47.9	15.2	479	2.95	10.4	1.2	3.5	4.7	32.3	0.36	0.54	0.58	40	0.40
869391	Soil	1.605	0.48	36.55	19.96	162.7	166	70.5	21.7	817	3.71	6.4	1.0	4.2	5.9	40.1	0.34	0.45	0.56	45	0.42
REP 869391	QC		0.49	38.06	20.63	158.6	168	73.9	21.5	828	3.70	6.5	1.1	3.8	6.3	42.1	0.30	0.54	0.58	46	0.44
Reference Materials																					
STD DS7	Standard		21.80	109.2	81.30	410.7	856	56.9	9.5	673	2.61	54.3	6.0	71.0	5.6	88.0	6.29	6.81	5.30	89	1.01
STD DS7	Standard		21.71	110.4	72.06	384.6	813	56.2	9.5	659	2.41	53.2	5.0	70.8	4.5	77.2	6.77	6.07	4.75	88	0.97
STD DS7	Standard		20.39	102.1	65.65	390.4	903	52.1	9.2	662	2.45	56.0	4.6	69.9	4.3	73.4	6.35	5.53	4.30	90	0.99
STD DS7	Standard		21.87	103.2	69.12	443.4	921	54.8	9.1	673	2.44	62.9	4.8	70.3	4.3	72.2	6.74	5.92	4.57	85	0.94
STD DS7	Standard		20.47	103.2	66.23	413.3	847	55.9	9.4	720	2.51	56.4	4.8	70.5	4.4	73.9	6.70	5.96	4.41	86	1.01
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
869230	Soil	0.093	27.8	59.9	0.83	159.5	0.102	<1	2.34	0.015	0.27	0.2	5.2	0.17	<0.02	24	0.3	0.04	6.5	1.78	0.1
REP 869230	QC	0.094	29.2	57.9	0.84	167.0	0.104	2	2.27	0.015	0.26	0.3	4.8	0.18	<0.02	27	0.4	0.04	6.7	1.88	<0.1
869231	Soil	0.055	26.7	53.0	0.76	154.4	0.071	1	1.72	0.018	0.21	0.4	4.5	0.13	<0.02	21	0.2	0.03	5.3	1.51	0.1
REP 869231	QC	0.056	26.3	50.3	0.77	152.1	0.068	1	1.69	0.011	0.21	0.4	4.6	0.14	<0.02	17	0.2	<0.02	5.5	1.50	<0.1
869356	Soil	0.297	21.0	24.8	0.36	365.6	0.109	3	3.31	0.015	0.15	0.7	3.8	0.19	<0.02	47	0.6	<0.02	8.2	1.89	<0.1
REP 869356	QC	0.301	21.5	27.0	0.38	378.1	0.114	3	3.44	0.016	0.15	0.8	3.7	0.19	<0.02	48	0.6	0.05	8.9	1.94	<0.1
869180	Soil	0.140	13.5	57.8	0.73	198.2	0.069	6	2.74	0.014	0.11	0.2	5.9	0.16	0.13	151	4.9	0.03	7.1	2.58	<0.1
REP 869180	QC	0.125	12.4	55.1	0.69	181.6	0.070	5	2.53	0.012	0.10	0.2	5.7	0.14	0.11	147	4.1	0.03	6.1	2.50	0.1
869188	Soil	0.123	5.5	27.6	0.34	106.8	0.021	8	0.56	0.012	0.10	0.3	0.8	0.13	0.15	63	4.0	0.06	1.5	2.18	0.2
REP 869188	QC	0.130	5.6	27.5	0.36	108.0	0.021	10	0.58	0.014	0.11	0.3	0.8	0.13	0.15	64	4.5	0.08	1.8	2.14	0.2
918221	Soil	0.195	16.9	39.5	0.72	125.8	0.093	<1	1.78	0.016	0.33	0.7	4.2	0.19	<0.02	6	0.4	0.03	5.6	1.82	<0.1
REP 918221	QC	0.169	17.0	38.0	0.71	121.2	0.094	2	1.64	0.014	0.34	0.6	4.4	0.20	<0.02	<5	0.4	0.03	5.4	1.79	0.1
918229	Soil	0.139	25.6	46.3	0.63	214.0	0.050	2	1.82	0.013	0.13	0.2	3.1	0.14	0.06	49	1.4	0.05	5.1	2.07	0.1
REP 918229	QC	0.154	27.1	43.8	0.65	215.8	0.058	2	1.87	0.012	0.13	0.4	3.2	0.15	0.06	48	1.4	0.05	5.7	2.31	0.1
869385	Soil	0.100	16.4	43.1	0.49	201.1	0.104	3	3.33	0.023	0.12	1.3	3.8	0.18	<0.02	28	0.7	0.03	8.7	2.90	<0.1
REP 869385	QC	0.106	17.5	41.7	0.48	208.9	0.103	3	3.41	0.023	0.12	1.2	3.8	0.19	<0.02	32	0.6	<0.02	9.0	3.09	<0.1
869391	Soil	0.049	18.4	61.5	0.67	231.5	0.122	3	3.75	0.024	0.22	0.9	5.7	0.26	<0.02	34	0.6	0.04	9.3	4.88	<0.1
REP 869391	QC	0.053	20.7	63.5	0.67	237.6	0.140	3	3.81	0.025	0.27	1.2	6.3	0.28	<0.02	30	0.8	0.03	9.1	5.13	<0.1
Reference Materials																					
STD DS7	Standard	0.080	15.2	211.9	1.08	424.5	0.135	39	1.11	0.102	0.49	4.1	2.9	4.47	0.21	215	3.5	1.41	4.9	6.39	<0.1
STD DS7	Standard	0.078	14.7	199.3	1.04	402.2	0.128	38	1.03	0.095	0.47	3.8	2.9	4.21	0.20	196	3.6	1.30	4.7	6.28	<0.1
STD DS7	Standard	0.092	13.2	181.6	1.06	403.6	0.118	40	1.04	0.093	0.53	3.8	2.9	4.43	0.19	200	3.8	1.17	5.2	6.37	<0.1
STD DS7	Standard	0.087	12.9	193.7	1.04	438.6	0.113	39	1.10	0.105	0.55	3.8	3.1	4.63	0.20	213	4.0	1.30	5.5	6.73	<0.1
STD DS7	Standard	0.085	13.2	200.3	1.09	406.4	0.118	44	1.14	0.102	0.52	3.9	3.0	4.39	0.21	205	3.7	1.21	5.1	6.26	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08009388.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
869230	Soil	0.09	1.78	28.0	0.4	<0.05	6.8	10.90	47.9	0.04	<1	0.8	20.8	13	<2
REP 869230	QC	0.10	1.74	28.9	0.5	<0.05	6.5	10.99	51.0	0.04	<1	0.6	20.7	<10	<2
869231	Soil	0.08	0.85	39.9	0.4	<0.05	6.2	5.29	50.5	0.03	<1	0.6	18.3	<10	<2
REP 869231	QC	0.13	0.82	40.5	0.3	<0.05	6.2	5.58	49.0	<0.02	<1	0.5	18.0	<10	<2
869356	Soil	0.27	2.88	22.6	0.9	<0.05	14.7	10.46	41.5	0.05	<1	1.4	18.8	<10	<2
REP 869356	QC	0.23	2.96	24.5	1.0	<0.05	14.9	10.94	42.7	0.07	<1	1.3	18.7	<10	<2
869180	Soil	0.10	3.01	12.0	0.5	<0.05	5.4	14.10	25.8	0.12	<1	0.6	23.8	<10	<2
REP 869180	QC	0.07	2.26	11.1	0.5	<0.05	4.1	12.35	23.2	0.10	<1	0.2	20.9	<10	<2
869188	Soil	<0.02	0.84	10.4	0.3	<0.05	0.9	6.83	9.6	0.05	1	0.1	8.0	33	<2
REP 869188	QC	<0.02	0.91	11.5	0.3	<0.05	0.9	7.44	9.6	0.08	<1	0.4	9.4	39	2
918221	Soil	0.22	0.37	26.9	0.3	<0.05	10.6	8.48	30.4	0.02	<1	0.6	17.7	<10	<2
REP 918221	QC	0.21	0.37	24.5	0.3	<0.05	10.2	7.86	30.2	<0.02	<1	0.4	17.1	12	<2
918229	Soil	<0.02	2.16	18.0	0.5	<0.05	1.1	15.62	44.2	0.04	<1	1.2	24.4	<10	<2
REP 918229	QC	<0.02	2.19	18.3	0.4	<0.05	1.0	16.75	47.5	0.04	<1	1.6	26.2	<10	<2
869385	Soil	0.14	2.64	21.6	0.9	<0.05	11.0	7.66	46.0	0.04	<1	1.2	31.9	<10	<2
REP 869385	QC	0.14	2.58	22.4	0.8	<0.05	10.8	7.62	48.0	0.03	<1	1.1	32.3	<10	<2
869391	Soil	0.26	2.30	40.4	0.8	<0.05	16.3	11.43	46.4	0.04	<1	1.3	105.2	<10	<2
REP 869391	QC	0.21	2.77	42.6	0.8	<0.05	16.2	11.96	51.5	0.04	<1	0.9	110.7	<10	<2
Reference Materials															
STD DS7	Standard	0.16	0.62	37.8	5.2	<0.05	6.0	6.33	39.7	1.52	5	1.9	31.8	91	49
STD DS7	Standard	0.12	0.66	36.4	5.3	<0.05	5.8	6.15	37.5	1.69	4	1.6	28.7	41	38
STD DS7	Standard	0.14	0.75	37.4	4.5	<0.05	6.1	5.81	40.9	1.44	6	1.6	33.9	87	35
STD DS7	Standard	0.14	0.60	42.0	5.0	<0.05	6.3	5.82	38.4	1.75	4	1.8	31.0	95	40
STD DS7	Standard	0.15	0.62	41.0	5.1	<0.05	6.8	6.03	38.9	1.64	3	1.9	30.9	75	39
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2

QUALITY CONTROL REPORT

VAN08009388.1

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08009388.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08009388.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

September 18, 2008

Report Date:

October 06, 2008

Page:

1 of 4

CERTIFICATE OF ANALYSIS

VAN08009517.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 011
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	81	Crush, split and pulverize rock to 200 mesh		
1F30	81	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869318	Rock	1.18	0.94	59.64	11.82	81.7	64	268.3	40.8	1143	5.65	26.9	1.0	1.5	6.7	66.1	0.11	0.29	0.11	128	0.93
869319	Rock	1.46	0.82	83.54	38.82	104.1	126	47.2	12.7	2024	5.76	4.1	2.5	2.9	18.0	28.5	0.06	0.38	0.95	50	0.17
869320	Rock	1.47	1.02	18.10	2.33	43.7	23	48.6	15.5	315	2.70	1.1	0.6	1.1	2.4	31.1	0.08	0.07	0.08	89	0.74
869321	Rock	1.26	0.45	39.66	60.15	206.4	525	32.1	18.7	1457	3.43	18.2	1.3	1.0	10.6	281.2	0.98	0.36	0.52	13	10.02
869322	Rock	1.07	0.38	44.92	13.11	110.5	57	36.4	14.9	625	4.97	0.6	1.5	1.1	13.5	148.8	0.03	0.06	0.35	64	1.46
869323	Rock	1.08	0.40	21.36	13.11	104.9	130	30.9	16.0	1199	5.29	13.8	0.2	2.1	0.7	221.8	0.45	2.05	0.10	96	4.16
869324	Rock	1.34	0.21	21.70	4.34	54.3	46	15.9	8.4	331	2.26	5.0	0.5	0.8	1.6	37.7	0.16	0.34	0.05	66	0.55
869325	Rock	1.49	0.40	13.19	11.85	21.3	42	8.6	2.4	154	1.49	3.2	0.6	0.6	9.1	5.2	0.04	0.17	0.15	9	0.05
869326	Rock	1.47	0.18	23.35	26.45	39.5	60	12.1	3.7	175	1.84	3.9	1.3	0.8	11.7	5.8	0.10	0.14	0.26	7	0.03
869327	Rock	1.49	0.29	23.13	10.60	35.8	56	11.4	5.7	124	1.65	3.2	1.0	0.7	6.9	5.2	0.06	0.11	0.25	5	0.03
869328	Rock	1.13	0.35	28.78	6.90	20.2	153	7.1	8.1	153	1.12	15.1	0.7	1.0	1.5	4.8	0.04	0.32	0.19	4	0.02
869329	Rock	1.08	0.28	16.60	9.42	11.0	68	1.9	0.7	68	0.52	2.5	0.3	1.0	1.6	3.4	0.03	0.13	0.15	<2	<0.01
869330	Rock	1.45	0.42	16.94	14.80	39.0	84	3.3	0.9	265	2.50	6.5	0.7	1.1	9.7	12.6	0.03	0.28	0.39	6	0.03
869331	Rock	1.20	0.89	24.17	10.31	63.6	85	30.1	24.8	1213	5.70	5.0	0.7	2.5	5.6	247.6	0.13	0.63	0.15	78	3.30
869332	Rock	0.94	1.75	24.22	11.58	47.9	93	36.2	19.4	846	5.16	32.8	1.2	4.8	11.8	74.1	0.08	0.67	0.27	37	1.12
869333	Rock	0.68	1.06	53.16	6.97	126.8	46	37.2	16.7	640	7.05	1.6	2.1	0.6	14.2	15.6	0.02	0.06	0.40	21	0.09
869334	Rock	0.53	2.59	22.91	5.08	67.8	62	12.9	3.9	364	4.77	0.6	0.6	0.3	8.9	20.2	0.02	0.05	0.48	19	0.01
869335	Rock	1.64	0.90	64.01	5.01	54.3	141	23.5	12.8	353	1.15	1.7	2.4	0.6	9.7	180.0	0.50	0.18	0.45	17	5.38
869336	Rock	1.06	0.70	14.97	10.12	40.2	22	6.4	2.4	386	2.65	1.3	0.6	0.8	5.5	7.8	0.06	0.08	0.17	15	0.03
869337	Rock	1.82	5.36	22.35	18.57	42.6	49	4.0	2.4	410	3.04	0.7	0.6	1.5	7.8	10.1	0.06	0.06	0.22	17	0.06
869338	Rock	1.36	0.44	43.80	16.11	58.3	55	32.9	14.8	1177	2.88	2.8	1.1	0.7	10.9	136.3	0.08	0.07	0.37	24	0.63
869339	Rock	1.09	0.18	15.37	52.06	19.8	63	8.2	2.8	55	0.94	3.3	0.4	0.4	3.3	5.8	0.02	0.05	0.33	4	0.02
869340	Rock	0.90	0.19	6.09	8.39	26.7	12	4.9	1.7	234	1.52	2.6	0.5	0.6	5.5	7.1	0.04	0.08	0.04	8	0.02
869341	Rock	1.30	0.21	64.28	9.38	102.2	30	94.4	28.2	1358	5.41	0.8	0.5	0.3	3.7	147.9	0.29	0.09	0.04	108	1.60
869342	Rock	1.19	0.45	4.88	5.41	20.5	11	8.4	2.7	121	1.43	1.7	1.6	0.7	14.2	5.7	0.02	0.04	0.06	13	0.06
869343	Rock	0.94	9.98	21.31	11.20	57.2	79	14.3	5.0	621	3.22	18.2	1.9	0.7	8.5	11.3	0.12	0.16	0.20	17	0.04
869344	Rock	1.23	0.41	11.70	61.55	51.8	28	17.1	7.3	372	2.05	1.0	0.9	<0.2	10.9	9.1	0.08	0.02	0.38	11	0.09
869345	Rock	1.12	0.31	6.98	10.16	30.1	22	6.2	1.6	167	1.46	2.7	0.6	0.4	5.4	8.0	0.05	0.07	0.06	6	0.04
869346	Rock	1.11	0.22	9.10	5.02	11.2	14	2.6	0.7	82	0.84	1.9	0.5	0.7	1.2	3.0	0.04	0.19	0.09	3	0.01
869347	Rock	0.97	4.56	59.03	6.36	48.6	38	21.3	10.7	1387	3.65	33.8	1.1	1.2	8.6	12.8	0.10	0.32	0.29	12	0.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869318	Rock	0.204	42.2	349.2	3.48	625.8	0.289	6	2.52	0.026	1.31	0.1	15.3	0.64	0.04	<5	0.1	<0.02	10.1	9.09	0.1
869319	Rock	0.044	48.6	51.6	1.07	106.0	0.009	1	2.53	0.012	0.27	<0.1	6.5	0.14	<0.02	6	0.2	0.10	10.2	3.11	<0.1
869320	Rock	0.260	32.1	50.5	1.33	214.2	0.257	7	0.88	0.055	0.79	0.3	2.4	0.41	<0.02	<5	<0.1	<0.02	4.1	4.17	<0.1
869321	Rock	0.039	7.8	18.4	0.70	29.3	0.003	<1	1.13	0.025	0.12	<0.1	3.2	0.07	0.43	6	0.1	0.08	3.4	1.48	<0.1
869322	Rock	0.043	6.7	74.0	1.49	229.0	0.167	<1	4.57	0.240	1.27	0.2	8.8	0.65	0.59	6	0.2	0.03	16.2	6.61	0.1
869323	Rock	0.087	5.1	37.9	1.35	114.3	0.005	2	2.36	0.026	0.09	<0.1	5.1	0.02	0.26	33	0.2	0.05	7.5	0.39	<0.1
869324	Rock	0.107	6.7	15.8	0.82	363.0	0.139	4	1.04	0.085	0.53	<0.1	2.5	0.18	<0.02	5	0.1	<0.02	3.3	3.97	<0.1
869325	Rock	0.023	19.7	22.6	0.38	18.2	0.002	<1	0.77	0.024	0.06	<0.1	1.4	0.03	<0.02	<5	0.3	<0.02	2.4	0.23	<0.1
869326	Rock	0.033	23.0	21.7	0.50	36.2	0.002	<1	1.12	0.015	0.11	<0.1	1.2	0.05	<0.02	5	0.4	<0.02	2.4	0.22	<0.1
869327	Rock	0.021	17.8	18.0	0.30	33.7	0.002	<1	0.86	0.007	0.10	<0.1	1.0	0.04	<0.02	<5	0.6	0.02	1.9	0.28	<0.1
869328	Rock	0.023	5.1	24.0	0.25	22.2	0.004	<1	0.47	0.003	0.04	0.1	0.8	0.03	<0.02	<5	0.6	0.03	1.3	0.25	<0.1
869329	Rock	0.006	3.9	22.3	0.10	7.2	<0.001	<1	0.20	0.006	0.03	<0.1	0.4	<0.02	<0.02	11	0.5	<0.02	0.7	0.12	<0.1
869330	Rock	0.051	26.3	17.4	0.74	37.0	0.002	1	1.07	0.019	0.16	<0.1	0.8	0.06	0.07	<5	1.5	<0.02	2.9	0.54	<0.1
869331	Rock	0.349	66.0	87.5	2.14	262.7	0.032	3	2.06	0.043	0.37	<0.1	16.1	0.15	0.24	<5	<0.1	<0.02	7.1	5.19	<0.1
869332	Rock	0.220	56.1	24.3	0.71	105.1	0.003	2	1.45	0.017	0.25	<0.1	9.6	0.11	0.10	<5	0.2	0.03	4.6	4.23	<0.1
869333	Rock	0.055	27.3	36.3	1.37	33.4	0.014	<1	2.46	0.017	0.15	<0.1	2.5	0.06	0.39	<5	0.3	0.07	7.3	0.65	<0.1
869334	Rock	0.028	17.7	30.6	0.93	28.1	0.003	<1	1.67	0.015	0.12	<0.1	2.0	0.04	0.10	<5	0.3	0.08	5.4	0.71	<0.1
869335	Rock	0.110	15.0	19.2	0.26	33.5	0.103	3	1.42	0.014	0.20	0.5	1.9	0.09	0.32	<5	0.1	<0.02	4.2	1.08	<0.1
869336	Rock	0.030	13.9	23.3	0.47	30.2	0.014	<1	0.99	0.021	0.07	<0.1	1.9	0.03	<0.02	<5	<0.1	<0.02	3.2	0.28	<0.1
869337	Rock	0.044	13.6	30.4	0.62	16.8	0.005	<1	0.99	0.047	0.05	<0.1	2.8	<0.02	0.03	<5	<0.1	<0.02	3.1	0.15	<0.1
869338	Rock	0.052	21.2	33.0	0.82	77.3	0.047	<1	2.74	0.151	0.28	<0.1	4.0	0.14	0.02	5	0.3	0.09	7.1	3.14	<0.1
869339	Rock	0.017	8.2	20.5	0.17	19.5	0.001	<1	0.41	0.011	0.06	<0.1	0.7	<0.02	<0.02	<5	<0.1	0.03	0.9	0.13	<0.1
869340	Rock	0.021	14.5	19.9	0.37	23.0	0.007	1	0.70	0.016	0.10	<0.1	0.9	0.05	<0.02	<5	<0.1	<0.02	2.2	0.37	<0.1
869341	Rock	0.289	29.7	246.0	2.81	415.5	0.255	1	2.32	0.103	0.48	<0.1	6.0	0.09	0.03	<5	<0.1	<0.02	10.7	1.62	0.2
869342	Rock	0.039	25.3	20.7	0.31	45.7	0.020	<1	0.69	0.017	0.17	<0.1	1.2	0.07	<0.02	<5	<0.1	<0.02	2.8	0.46	<0.1
869343	Rock	0.040	18.6	25.7	0.78	37.2	0.007	<1	1.24	0.034	0.12	<0.1	3.3	0.05	0.03	<5	<0.1	0.07	5.1	0.43	<0.1
869344	Rock	0.051	25.4	18.2	0.54	53.7	0.009	1	1.09	0.014	0.20	<0.1	1.5	0.09	<0.02	<5	<0.1	<0.02	3.5	0.41	<0.1
869345	Rock	0.043	13.8	19.2	0.36	34.4	0.003	<1	0.77	0.017	0.11	<0.1	0.7	0.04	<0.02	<5	<0.1	<0.02	2.0	0.31	<0.1
869346	Rock	0.019	4.6	21.5	0.14	12.6	<0.001	<1	0.26	0.005	0.04	<0.1	0.4	<0.02	<0.02	<5	0.3	<0.02	0.8	0.18	<0.1
869347	Rock	0.060	9.0	25.8	0.65	46.9	0.033	1	1.15	0.040	0.09	0.2	3.0	0.06	<0.02	<5	0.2	0.04	3.4	0.39	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 2 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869318	Rock	0.46	0.08	118.5	0.8	<0.05	15.7	19.81	62.1	0.04	<1	3.1	57.3	10	5
869319	Rock	0.06	0.02	17.6	0.6	<0.05	2.7	15.28	73.5	0.07	<1	1.6	66.0	<10	2
869320	Rock	0.17	0.73	77.4	1.1	<0.05	3.4	6.81	58.9	<0.02	<1	0.2	12.2	<10	<2
869321	Rock	0.08	0.03	6.9	0.1	<0.05	3.6	9.30	13.9	0.03	<1	0.7	33.7	<10	<2
869322	Rock	<0.02	0.27	83.5	2.0	<0.05	0.7	2.78	13.2	0.04	<1	0.5	103.3	<10	<2
869323	Rock	0.02	<0.02	4.0	<0.1	<0.05	1.0	5.35	9.5	0.03	<1	0.2	33.2	<10	<2
869324	Rock	0.05	0.06	24.1	0.3	<0.05	0.9	6.73	14.5	<0.02	<1	0.1	27.4	<10	<2
869325	Rock	0.03	0.03	4.1	<0.1	<0.05	0.9	1.58	35.9	<0.02	<1	0.2	14.1	<10	<2
869326	Rock	<0.02	0.02	6.6	<0.1	<0.05	0.5	2.46	41.5	<0.02	<1	0.2	21.4	<10	<2
869327	Rock	<0.02	<0.02	5.5	<0.1	<0.05	0.8	2.12	30.8	<0.02	<1	0.5	14.5	<10	<2
869328	Rock	<0.02	0.07	3.3	<0.1	<0.05	0.9	0.78	8.7	<0.02	<1	0.2	8.8	<10	<2
869329	Rock	<0.02	0.04	2.4	0.1	<0.05	0.3	0.32	6.6	<0.02	<1	<0.1	4.5	<10	<2
869330	Rock	<0.02	0.02	7.9	<0.1	<0.05	0.7	1.52	48.0	<0.02	<1	0.3	17.4	<10	<2
869331	Rock	0.08	0.06	19.5	0.2	<0.05	3.3	15.13	109.2	0.06	<1	1.2	46.5	<10	<2
869332	Rock	0.05	0.05	13.6	0.3	<0.05	2.9	13.19	91.2	0.05	<1	1.6	26.3	<10	<2
869333	Rock	0.05	0.06	7.5	<0.1	<0.05	3.1	4.76	52.1	0.02	<1	1.2	42.0	<10	<2
869334	Rock	0.03	0.02	5.7	<0.1	<0.05	1.6	1.31	28.6	<0.02	<1	0.5	28.0	<10	<2
869335	Rock	0.18	0.33	18.9	0.4	<0.05	5.8	6.41	26.7	0.02	2	0.6	13.0	<10	<2
869336	Rock	<0.02	0.16	4.7	<0.1	<0.05	0.6	2.78	24.6	<0.02	<1	0.2	15.7	<10	<2
869337	Rock	<0.02	0.04	3.2	<0.1	<0.05	0.9	2.24	24.8	<0.02	<1	0.2	13.9	<10	<2
869338	Rock	0.08	0.15	18.1	0.5	<0.05	4.6	9.53	35.2	0.02	<1	1.2	42.5	<10	<2
869339	Rock	<0.02	0.02	3.0	<0.1	<0.05	0.4	0.95	14.8	<0.02	<1	0.1	8.3	<10	<2
869340	Rock	<0.02	0.09	7.4	<0.1	<0.05	0.3	1.66	25.6	<0.02	<1	0.2	10.0	<10	<2
869341	Rock	0.17	0.30	21.7	0.4	<0.05	9.3	12.61	55.6	0.03	<1	0.6	17.8	<10	<2
869342	Rock	<0.02	0.25	11.5	0.2	<0.05	0.5	2.50	46.1	<0.02	<1	0.2	8.4	<10	<2
869343	Rock	<0.02	0.08	8.5	0.3	<0.05	0.7	3.53	32.2	0.03	<1	0.4	19.6	<10	<2
869344	Rock	0.03	0.11	12.9	<0.1	<0.05	1.4	4.28	50.3	<0.02	<1	0.1	12.1	<10	<2
869345	Rock	<0.02	0.06	7.5	<0.1	<0.05	0.3	2.03	25.3	<0.02	<1	0.2	11.9	<10	<2
869346	Rock	<0.02	0.03	2.9	<0.1	<0.05	0.3	0.56	8.2	<0.02	<1	0.1	3.1	<10	<2
869347	Rock	0.02	0.27	8.5	<0.1	<0.05	1.0	4.23	15.5	<0.02	<1	0.3	28.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 3 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869348	Rock	1.72	1.57	93.30	1.78	84.2	90	13.8	25.0	529	4.53	1.9	0.7	4.3	1.1	42.1	0.14	0.06	0.06	126	0.71
869349	Rock	1.03	0.57	21.02	12.88	34.0	51	14.1	8.5	561	1.80	4.9	1.1	0.4	8.2	639.8	0.11	0.19	0.23	3	19.50
869350	Rock	1.56	0.74	2.80	4.33	1.8	26	1.0	0.3	25	0.46	1.7	1.3	3.0	5.3	3.5	0.02	0.34	0.17	<2	0.02
869501	Rock	0.89	1.09	41.58	1.99	54.6	32	23.2	19.1	540	3.39	0.5	2.2	0.9	9.4	40.2	0.05	0.05	0.08	77	0.87
869502	Rock	1.30	0.27	23.75	21.07	83.0	121	29.0	15.9	1285	3.86	15.8	0.2	1.3	1.1	162.0	0.45	0.83	0.11	49	4.55
869503	Rock	0.94	1.43	40.05	1.23	39.4	37	53.2	16.0	285	2.63	1.4	0.9	1.1	5.3	28.3	0.06	0.10	0.07	91	0.78
869504	Rock	0.96	0.73	2.99	36.40	105.6	38	1.2	0.6	952	0.46	2.1	2.8	0.2	17.8	7.7	0.85	0.09	0.03	<2	0.11
869505	Rock	0.94	1.57	5.74	15.88	28.1	56	2.4	1.0	1024	0.61	6.9	2.4	1.6	15.2	7.1	0.31	0.16	0.08	3	0.08
869506	Rock	1.14	0.30	2.57	51.17	106.7	24	1.4	0.8	552	0.58	2.7	1.2	0.4	16.5	6.6	0.50	0.12	0.02	<2	0.11
869507	Rock	0.97	0.22	21.93	7.14	83.6	59	29.4	16.9	1242	4.65	7.8	0.1	1.1	0.5	233.1	0.23	0.42	0.08	88	4.97
869508	Rock	1.44	1.96	119.9	4.53	33.5	214	39.9	31.3	137	4.09	7.8	0.7	14.7	1.0	177.8	0.20	0.22	0.09	62	1.98
869509	Rock	1.28	0.21	2.98	23.88	23.1	33	1.2	0.8	306	0.43	18.9	2.1	1.8	14.9	5.8	0.27	0.09	0.03	<2	0.10
869510	Rock	1.11	0.22	2.25	22.92	29.0	19	1.2	0.5	240	0.35	1.8	2.8	<0.2	10.5	3.9	0.22	0.06	<0.02	<2	0.04
869511	Rock	1.13	20.23	1.24	100.5	2.1	2717	1.0	0.2	81	0.23	0.6	0.2	3.8	0.8	1.0	0.03	0.05	5.52	<2	0.02
869512	Rock	0.30	0.19	2.44	7.32	15.1	3	2.2	1.3	353	0.78	0.7	1.5	<0.2	15.5	5.3	0.22	0.07	<0.02	5	0.06
869513	Rock	0.78	0.26	3.27	22.18	62.3	39	1.2	1.0	365	0.74	2.8	1.2	0.4	14.2	4.3	0.29	0.10	0.04	3	0.05
869514	Rock	1.20	0.78	4.29	8.16	4.9	13	1.3	0.8	564	0.45	1.1	2.4	0.7	12.5	3.4	0.06	0.11	0.05	<2	0.03
869515	Rock	0.78	0.36	29.96	24.75	45.2	108	25.9	7.5	440	2.27	15.1	1.1	1.1	8.1	33.0	0.07	0.12	0.32	28	0.29
869516	Rock	1.08	0.65	18.65	9.30	43.0	196	25.9	3.4	149	0.84	5.5	1.1	1.0	2.9	70.9	0.28	0.22	0.11	20	0.79
869517	Rock	1.30	0.67	72.74	15.75	81.1	169	38.4	9.5	816	3.41	7.6	1.0	13.9	8.6	38.9	0.07	0.06	8.84	22	0.11
869518	Rock	1.27	0.19	5.30	9.50	21.1	16	6.9	2.9	205	0.93	3.6	0.3	0.6	6.0	2.6	0.04	0.07	0.15	5	0.03
869519	Rock	1.22	1.35	28.33	2.08	42.2	45	20.6	11.4	190	2.27	1.4	1.8	1.4	12.4	36.1	0.07	0.10	0.09	98	0.87
869520	Rock	0.60	4.80	128.3	2.32	77.7	77	24.6	27.8	667	5.24	2.1	0.6	1.2	1.4	24.9	0.10	0.09	0.02	97	1.22
869521	Rock	0.81	0.66	46.74	8.66	99.8	55	29.5	18.8	491	4.60	12.2	2.2	0.7	13.3	14.7	0.03	0.05	0.47	19	0.04
869522	Rock	1.11	0.31	33.88	6.55	73.3	48	31.6	14.1	429	3.83	8.0	1.6	<0.2	11.2	7.1	0.02	0.18	0.30	15	0.08
869523	Rock	1.20	0.33	11.53	25.11	34.9	67	11.7	4.9	204	1.52	5.1	0.6	<0.2	9.3	8.7	0.06	0.10	0.58	5	0.14
869524	Rock	0.97	0.98	18.06	8.04	43.1	27	16.8	5.5	234	2.83	12.9	1.0	5.4	12.4	6.9	0.05	0.16	0.16	11	0.03
869525	Rock	0.95	5.14	6.66	102.2	4.3	128	1.1	0.4	21	1.58	14.2	0.3	2.2	7.4	12.3	0.03	0.35	0.18	3	<0.01
869526	Rock	0.59	0.21	8.37	10.41	58.0	16	19.2	7.9	185	1.60	4.6	0.5	<0.2	5.2	7.0	0.03	0.11	0.09	5	0.05
869527	Rock	1.17	2.25	53.69	23.67	114.3	142	44.4	15.9	625	4.30	4.6	1.4	0.7	6.4	7.3	0.33	0.15	0.46	34	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 06, 2008

Page:

3 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869348	Rock	0.139	5.8	15.4	1.36	39.0	0.113	3	2.01	0.032	0.10	0.2	2.6	0.07	0.49	9	1.3	<0.02	7.4	1.40	0.1
869349	Rock	0.044	20.1	8.0	0.46	22.0	0.002	1	0.53	0.004	0.12	<0.1	2.0	0.06	<0.02	<5	0.3	0.09	1.6	1.14	<0.1
869350	Rock	0.007	3.4	24.5	0.01	13.8	0.002	7	0.08	0.017	0.05	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.17	<0.1
869501	Rock	0.254	25.7	11.7	1.51	128.2	0.163	5	0.69	0.078	0.36	0.9	1.4	0.15	<0.02	<5	0.1	<0.02	3.8	3.22	0.1
869502	Rock	0.085	7.1	30.2	1.15	78.6	0.082	3	2.06	0.017	0.12	0.1	3.0	0.03	0.15	18	0.5	0.03	5.4	0.42	<0.1
869503	Rock	0.259	31.3	35.2	1.31	235.4	0.262	9	0.79	0.048	0.68	0.6	2.1	0.38	<0.02	<5	0.2	<0.02	3.9	5.18	0.2
869504	Rock	0.028	23.8	8.3	0.04	35.7	0.001	8	0.24	0.031	0.10	<0.1	0.5	0.04	<0.02	<5	<0.1	<0.02	1.0	0.29	<0.1
869505	Rock	0.029	24.2	5.5	0.04	44.5	0.001	2	0.25	0.025	0.11	<0.1	0.7	0.04	<0.02	<5	0.1	<0.02	1.0	0.42	<0.1
869506	Rock	0.026	27.4	5.4	0.08	41.8	<0.001	2	0.30	0.031	0.16	<0.1	0.5	0.05	<0.02	7	0.2	<0.02	1.3	0.61	<0.1
869507	Rock	0.082	5.0	38.2	1.55	39.0	0.004	2	2.76	0.019	0.07	<0.1	4.5	<0.02	0.19	19	0.3	0.02	7.4	0.30	<0.1
869508	Rock	0.118	4.1	42.5	0.61	58.8	0.140	2	2.62	0.294	0.18	0.3	2.2	0.41	2.33	<5	1.6	0.23	5.8	0.77	<0.1
869509	Rock	0.015	19.2	7.8	0.05	23.1	0.001	4	0.24	0.037	0.09	<0.1	0.4	0.03	<0.02	<5	0.2	<0.02	0.9	0.25	<0.1
869510	Rock	0.015	14.4	5.8	0.04	22.6	<0.001	1	0.25	0.039	0.12	<0.1	0.3	0.04	<0.02	<5	<0.1	<0.02	1.1	0.31	<0.1
869511	Rock	0.002	<0.5	22.2	0.01	3.4	<0.001	1	0.04	0.004	0.01	<0.1	0.1	<0.02	<0.02	<5	0.1	0.48	0.2	0.07	<0.1
869512	Rock	0.015	25.9	4.6	0.12	41.5	0.013	<1	0.44	0.041	0.14	<0.1	1.1	0.07	<0.02	<5	0.1	<0.02	2.5	0.71	<0.1
869513	Rock	0.027	23.3	5.3	0.08	45.9	0.002	<1	0.34	0.033	0.10	<0.1	0.5	0.04	<0.02	<5	<0.1	<0.02	1.5	0.38	<0.1
869514	Rock	0.018	18.8	6.2	0.01	52.5	0.002	22	0.19	0.035	0.08	<0.1	0.4	0.03	<0.02	<5	<0.1	<0.02	0.7	0.26	<0.1
869515	Rock	0.026	16.6	32.5	0.64	87.0	0.047	2	2.01	0.035	0.35	0.1	3.8	0.24	<0.02	<5	0.2	0.02	5.4	1.66	<0.1
869516	Rock	0.265	12.1	41.8	0.56	59.1	0.033	2	0.89	0.009	0.12	0.3	1.8	0.14	<0.02	7	0.8	<0.02	2.1	1.09	<0.1
869517	Rock	0.015	11.9	28.9	0.81	86.5	0.006	<1	2.05	0.031	0.11	<0.1	3.4	0.06	<0.02	<5	0.3	0.63	5.1	0.93	<0.1
869518	Rock	0.009	11.6	13.6	0.28	54.2	0.003	1	0.49	0.010	0.09	0.1	0.7	0.04	<0.02	<5	<0.1	<0.02	1.8	0.30	<0.1
869519	Rock	0.273	31.0	30.8	0.85	166.3	0.195	8	0.90	0.079	0.72	0.5	2.5	0.53	<0.02	<5	0.3	<0.02	4.4	5.68	0.1
869520	Rock	0.128	4.3	25.5	1.46	18.9	0.123	3	2.32	0.025	0.03	0.2	3.5	<0.02	1.52	40	0.2	<0.02	7.8	0.24	0.1
869521	Rock	0.036	29.3	31.4	0.98	42.0	0.024	<1	2.19	0.017	0.18	<0.1	2.1	0.23	0.18	<5	0.5	0.10	5.7	2.80	<0.1
869522	Rock	0.066	8.3	28.1	1.10	22.7	0.012	<1	1.66	0.014	0.11	<0.1	1.5	0.07	0.76	<5	1.0	0.02	5.6	0.54	<0.1
869523	Rock	0.050	17.7	14.3	0.37	34.0	0.004	1	0.69	0.015	0.12	0.1	0.7	0.06	<0.02	<5	0.1	<0.02	2.1	0.46	<0.1
869524	Rock	0.036	32.3	24.4	0.65	49.2	0.003	<1	1.31	0.012	0.16	0.1	1.3	0.06	<0.02	<5	1.0	<0.02	4.2	0.61	<0.1
869525	Rock	0.029	23.5	6.8	0.02	18.8	0.001	<1	0.21	0.081	0.05	<0.1	0.7	<0.02	0.03	<5	0.9	0.15	1.4	0.10	<0.1
869526	Rock	0.041	10.0	13.2	0.29	19.6	0.001	<1	0.64	0.009	0.08	<0.1	0.6	0.03	<0.02	<5	0.1	<0.02	1.9	0.20	<0.1
869527	Rock	0.034	10.5	35.5	1.25	55.3	0.032	1	1.87	0.016	0.52	<0.1	2.6	0.36	1.38	<5	0.8	0.03	5.5	2.48	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 3 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869348	Rock	0.22	0.08	10.7	0.1	<0.05	5.2	5.67	11.3	<0.02	7	0.1	7.2	<10	3
869349	Rock	0.09	0.02	10.2	<0.1	<0.05	4.2	11.98	33.8	<0.02	<1	0.5	16.4	<10	<2
869350	Rock	0.03	1.99	2.3	<0.1	<0.05	0.5	2.42	5.6	<0.02	<1	0.2	0.3	<10	<2
869501	Rock	0.34	1.54	45.5	0.9	<0.05	14.3	8.39	50.5	<0.02	<1	0.2	11.0	<10	<2
869502	Rock	0.07	0.08	4.2	8.5	<0.05	1.7	9.12	13.1	<0.02	3	0.1	24.0	<10	<2
869503	Rock	0.21	1.15	81.5	1.0	<0.05	5.5	8.20	59.1	<0.02	<1	0.1	10.3	<10	<2
869504	Rock	0.07	0.59	7.1	0.1	<0.05	2.0	6.63	36.6	<0.02	<1	0.6	2.0	<10	<2
869505	Rock	0.07	0.43	7.8	<0.1	<0.05	1.6	6.44	37.1	<0.02	<1	0.4	1.8	<10	<2
869506	Rock	0.02	0.48	11.0	0.1	<0.05	0.8	3.88	42.6	<0.02	<1	0.5	2.4	<10	<2
869507	Rock	<0.02	<0.02	2.5	<0.1	<0.05	1.4	6.07	9.4	0.02	<1	0.2	38.3	<10	<2
869508	Rock	0.11	0.14	10.7	0.1	<0.05	3.5	3.82	7.8	<0.02	1	0.2	16.3	<10	6
869509	Rock	0.04	0.53	4.8	<0.1	<0.05	1.0	6.09	29.9	<0.02	<1	0.3	2.3	<10	<2
869510	Rock	<0.02	0.83	7.7	<0.1	<0.05	0.2	3.34	23.5	<0.02	<1	0.1	2.3	<10	<2
869511	Rock	<0.02	0.24	1.2	<0.1	<0.05	0.2	0.46	0.8	<0.02	<1	<0.1	0.3	<10	<2
869512	Rock	0.03	0.65	11.7	0.2	<0.05	1.4	3.87	41.9	<0.02	<1	0.2	8.7	<10	<2
869513	Rock	0.03	0.35	7.1	<0.1	<0.05	1.0	3.73	36.8	<0.02	<1	0.3	4.1	<10	<2
869514	Rock	<0.02	1.09	5.8	<0.1	<0.05	0.9	3.45	29.1	<0.02	<1	0.6	1.3	<10	<2
869515	Rock	0.02	0.19	28.2	0.3	<0.05	0.7	2.78	32.4	<0.02	<1	0.6	23.6	<10	<2
869516	Rock	0.05	0.28	11.7	0.8	<0.05	3.8	12.91	10.6	<0.02	1	0.3	10.8	<10	<2
869517	Rock	0.03	0.03	7.8	0.3	<0.05	1.1	5.39	24.6	0.05	<1	0.5	43.0	<10	<2
869518	Rock	<0.02	0.03	5.8	<0.1	<0.05	0.6	1.36	21.8	<0.02	1	0.2	9.0	<10	<2
869519	Rock	0.21	0.38	89.4	0.9	<0.05	6.0	9.47	58.7	<0.02	1	0.3	15.9	<10	<2
869520	Rock	0.32	0.06	1.1	0.2	<0.05	9.9	5.16	8.7	<0.02	<1	0.2	13.0	<10	7
869521	Rock	0.08	0.06	18.9	<0.1	<0.05	3.1	4.77	50.0	<0.02	1	1.3	69.7	<10	<2
869522	Rock	0.02	0.06	8.2	<0.1	<0.05	0.7	2.12	15.4	<0.02	<1	0.4	42.1	<10	<2
869523	Rock	<0.02	0.15	8.6	<0.1	<0.05	0.8	2.44	33.1	<0.02	<1	0.2	7.6	<10	<2
869524	Rock	0.04	0.03	10.4	<0.1	<0.05	1.2	3.02	55.8	<0.02	<1	0.4	18.3	<10	2
869525	Rock	<0.02	0.03	2.9	<0.1	<0.05	1.0	1.41	41.2	<0.02	<1	0.1	0.6	<10	<2
869526	Rock	<0.02	0.03	4.4	<0.1	<0.05	0.2	1.38	18.9	<0.02	<1	0.1	11.6	<10	<2
869527	Rock	<0.02	0.03	44.0	0.3	<0.05	0.8	3.60	18.8	0.03	5	0.9	34.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869528	Rock	1.00	0.36	26.11	13.64	73.2	31	25.8	9.0	163	2.60	4.2	0.8	1.6	7.5	4.8	0.06	0.20	0.13	6	0.03
869529	Rock	0.57	0.36	66.66	4.36	96.3	26	43.8	28.6	1193	4.56	2.3	0.6	0.4	1.2	45.7	0.28	0.21	0.04	129	1.70
869530	Rock	1.07	0.89	30.85	2.91	40.4	19	36.8	11.9	224	2.16	0.9	1.2	<0.2	5.9	24.3	0.08	0.07	0.07	87	0.75
869531	Rock	1.05	0.59	48.46	11.80	112.8	34	38.0	24.1	277	3.92	5.3	1.8	<0.2	13.2	21.8	0.05	0.29	0.22	14	0.05
869532	Rock	1.81	0.25	4.74	4.61	2.3	10	1.6	0.4	36	0.56	1.0	<0.1	0.2	0.3	1.2	0.02	0.07	<0.02	<2	<0.01
869533	Rock	1.32	0.18	12.93	3.13	5.5	29	4.0	2.7	448	1.03	1.0	0.1	7.0	0.4	59.6	0.05	0.04	1.89	4	0.87
869534	Rock	1.18	1.34	45.72	2.29	61.4	41	23.4	19.7	578	3.90	0.4	1.6	1.2	7.1	46.1	0.05	0.05	0.11	82	0.84
869535	Rock	0.78	1.09	56.45	6.69	46.9	49	47.5	16.8	402	3.09	1.2	1.9	0.8	9.5	43.0	0.11	0.07	0.10	86	0.86
869536	Rock	0.96	0.82	1.73	3.46	94.7	26	2.1	4.6	592	2.74	0.7	3.0	<0.2	14.6	39.5	0.07	0.05	0.05	28	0.46
869537	Rock	1.07	1.52	46.32	9.43	64.7	53	139.3	27.7	719	4.12	2.4	1.8	0.5	12.3	101.9	0.09	0.07	0.09	79	0.90
869538	Rock	0.95	0.24	0.89	2.47	25.8	6	1.6	2.5	261	1.44	<0.1	1.9	<0.2	5.3	19.5	0.07	0.03	<0.02	37	0.32
869539	Rock	0.97	0.69	55.63	7.22	94.7	32	17.8	8.3	696	4.99	7.9	0.9	<0.2	15.1	12.3	0.05	0.19	0.25	17	0.03
869540	Rock	0.95	0.43	39.54	10.64	36.9	16	11.1	3.5	175	2.17	16.1	0.9	0.7	6.6	5.2	0.03	0.20	0.14	6	0.01
869541	Rock	1.23	0.92	20.48	47.86	53.6	70	8.8	3.4	308	5.24	22.7	0.5	2.9	5.2	11.3	0.13	0.63	0.36	25	0.06
869451	Rock	0.49	5.00	144.7	22.91	92.6	298	21.0	34.6	874	7.96	17.3	0.8	8.1	1.0	90.0	0.40	7.75	0.54	125	3.71
869452	Rock	0.29	0.19	3.79	1.32	24.0	17	2550	130.8	1013	5.66	7.4	0.1	0.6	<0.1	14.4	0.06	0.33	0.14	21	0.30
918146	Rock	0.95	0.96	88.45	8.74	72.5	96	30.0	26.6	1158	5.98	12.0	0.3	4.4	1.2	183.6	0.14	1.13	0.06	120	3.72
918147	Rock	0.51	1.49	4.86	11.84	1.6	137	5.7	0.5	38	0.61	2.2	1.2	4.1	4.2	5.2	0.02	0.43	0.58	<2	0.02
918148	Rock	0.38	1.62	169.0	4.67	51.2	147	35.5	35.4	319	4.80	14.8	0.8	7.6	1.4	71.2	0.26	0.98	0.17	82	1.54
918149	Rock	0.33	0.13	49.99	3.35	55.1	109	7.0	14.5	1344	3.63	6.7	0.5	<0.2	3.1	227.9	0.09	0.22	<0.02	35	4.35
918150	Rock	0.64	0.74	113.7	32.87	123.3	645	61.0	48.4	365	3.79	36.4	0.1	2.8	<0.1	23.1	4.02	0.29	0.33	106	0.68



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 06, 2008

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869528	Rock	0.038	17.1	14.1	0.36	32.5	0.002	<1	0.96	0.014	0.11	<0.1	1.2	0.05	0.03	<5	0.9	<0.02	2.5	0.31	<0.1
869529	Rock	0.133	4.8	79.5	2.28	75.7	0.163	<1	2.66	0.027	0.07	0.2	3.8	0.02	<0.02	<5	0.2	<0.02	8.7	0.64	0.2
869530	Rock	0.263	31.2	64.6	0.92	123.7	0.116	3	0.44	0.049	0.34	0.6	2.1	0.17	<0.02	<5	0.2	<0.02	2.9	2.99	0.1
869531	Rock	0.076	43.8	29.8	0.88	54.8	0.003	<1	1.92	0.008	0.19	<0.1	1.5	0.09	<0.02	<5	1.9	<0.02	5.7	0.61	<0.1
869532	Rock	0.007	<0.5	12.3	<0.01	2.0	<0.001	<1	0.06	0.005	<0.01	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.03	<0.1
869533	Rock	0.009	1.0	11.1	0.06	18.1	0.005	1	1.15	0.099	0.03	0.6	0.9	0.02	0.07	<5	0.2	0.13	2.5	0.24	<0.1
869534	Rock	0.288	31.5	15.3	1.47	198.3	0.193	8	1.04	0.163	0.68	0.7	1.7	0.28	<0.02	5	0.3	<0.02	4.8	5.46	0.1
869535	Rock	0.264	32.8	60.9	1.39	227.1	0.223	7	1.05	0.091	0.85	0.7	2.9	0.49	<0.02	5	0.1	<0.02	5.1	6.67	0.2
869536	Rock	0.114	41.1	7.0	0.57	162.3	0.203	<1	1.36	0.082	0.93	0.1	1.9	0.47	<0.02	8	<0.1	<0.02	7.0	3.83	0.2
869537	Rock	0.327	50.7	62.2	3.00	703.5	0.318	12	2.21	0.238	1.93	1.1	1.9	0.61	<0.02	<5	0.2	<0.02	8.3	6.84	0.2
869538	Rock	0.069	9.4	6.4	0.27	58.9	0.085	<1	0.45	0.079	0.20	<0.1	1.5	0.10	<0.02	<5	<0.1	<0.02	2.4	0.65	0.1
869539	Rock	0.026	56.3	29.2	1.00	70.1	0.002	1	2.39	0.013	0.21	<0.1	1.6	0.05	<0.02	<5	0.5	0.05	7.0	0.64	0.1
869540	Rock	0.030	14.6	18.2	0.40	23.7	0.002	<1	1.07	0.007	0.07	<0.1	1.3	<0.02	<0.02	<5	0.9	0.02	2.6	0.23	<0.1
869541	Rock	0.060	22.8	38.1	0.89	69.3	0.004	<1	1.94	0.033	0.15	<0.1	4.7	0.06	<0.02	<5	2.5	0.07	7.2	0.61	<0.1
869451	Rock	0.161	4.6	30.1	1.37	58.9	0.136	<1	1.48	0.119	0.71	0.4	8.9	1.27	4.50	8	5.5	0.42	7.1	2.79	0.2
869452	Rock	0.001	<0.5	781.5	19.80	5.6	0.003	79	0.22	0.002	<0.01	1.8	10.0	0.03	0.24	<5	0.1	<0.02	0.6	0.78	0.2
918146	Rock	0.130	6.0	39.6	2.50	135.4	0.032	2	2.92	0.045	0.11	0.1	9.9	<0.02	0.68	14	0.5	0.02	9.9	0.39	<0.1
918147	Rock	0.008	3.8	18.8	0.05	24.4	<0.001	12	0.08	0.024	0.07	0.2	0.1	<0.02	0.07	<5	0.3	<0.02	0.4	0.22	<0.1
918148	Rock	0.166	5.0	45.1	0.83	64.1	0.178	3	1.57	0.211	0.34	0.5	3.2	0.27	2.33	<5	1.1	0.34	4.6	2.04	<0.1
918149	Rock	0.085	11.4	7.3	1.13	99.1	0.006	2	1.76	0.033	0.16	<0.1	4.6	<0.02	<0.02	13	<0.1	<0.02	7.0	0.38	<0.1
918150	Rock	0.038	0.8	114.8	1.33	28.4	0.175	1	1.39	0.100	0.05	0.4	8.6	<0.02	0.82	<5	4.6	0.07	6.2	0.13	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 06, 2008

Page: 4 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08009517.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869528	Rock	0.02	0.05	7.5	<0.1	<0.05	0.8	4.38	31.7	<0.02	1	0.4	16.7	<10	<2
869529	Rock	0.12	0.11	13.3	0.1	<0.05	3.7	5.15	9.7	<0.02	1	0.2	9.0	<10	4
869530	Rock	0.32	1.21	42.9	0.8	<0.05	11.7	8.03	59.5	<0.02	<1	0.2	4.6	<10	2
869531	Rock	0.03	<0.02	10.8	<0.1	<0.05	1.7	5.28	76.3	<0.02	<1	0.8	34.8	<10	<2
869532	Rock	<0.02	0.08	0.7	0.4	<0.05	0.1	0.11	0.8	<0.02	<1	<0.1	0.1	<10	<2
869533	Rock	<0.02	0.09	2.5	<0.1	<0.05	0.3	2.30	1.8	<0.02	<1	0.4	3.8	<10	<2
869534	Rock	0.31	1.38	82.2	1.2	<0.05	12.3	9.69	57.8	0.03	<1	0.4	16.2	<10	3
869535	Rock	0.15	0.75	98.0	1.2	<0.05	6.2	8.21	59.9	<0.02	<1	0.7	18.0	<10	<2
869536	Rock	0.05	0.60	76.9	0.8	<0.05	1.0	6.96	65.6	<0.02	<1	0.2	43.4	<10	<2
869537	Rock	0.25	2.29	133.8	1.1	<0.05	10.6	10.19	84.9	<0.02	<1	1.0	18.5	<10	3
869538	Rock	0.08	0.64	23.7	0.3	<0.05	1.4	4.18	14.6	<0.02	<1	0.1	14.8	<10	<2
869539	Rock	0.07	0.02	11.8	0.2	<0.05	4.4	2.49	99.6	0.02	<1	0.4	51.2	<10	<2
869540	Rock	0.02	0.03	4.7	0.1	<0.05	1.2	1.20	25.7	<0.02	<1	0.2	17.5	<10	<2
869541	Rock	0.03	0.03	12.5	<0.1	<0.05	1.6	1.87	40.2	<0.02	<1	0.4	28.8	<10	<2
869451	Rock	0.25	0.12	51.7	0.5	<0.05	8.4	8.99	9.0	0.04	12	0.2	16.3	<10	<2
869452	Rock	<0.02	<0.02	0.6	<0.1	<0.05	<0.1	0.23	0.1	<0.02	<1	<0.1	13.3	<10	6
918146	Rock	0.05	0.02	4.4	<0.1	<0.05	1.8	7.58	12.2	0.02	1	0.4	19.7	<10	4
918147	Rock	<0.02	1.93	3.8	0.1	<0.05	0.6	3.68	6.2	<0.02	<1	0.3	0.5	<10	<2
918148	Rock	0.26	0.13	23.2	0.4	<0.05	10.2	6.81	9.4	<0.02	5	0.2	11.6	14	4
918149	Rock	0.06	<0.02	6.7	<0.1	<0.05	2.4	8.10	21.8	<0.02	<1	0.2	14.3	<10	<2
918150	Rock	0.09	0.02	1.8	0.8	<0.05	2.9	6.16	2.0	0.04	<1	0.2	21.3	<10	<2

QUALITY CONTROL REPORT

VAN08009517.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01		
Pulp Duplicates																						
869329	Rock	1.08	0.28	16.60	9.42	11.0	68	1.9	0.7	68	0.52	2.5	0.3	1.0	1.6	3.4	0.03	0.13	0.15	<2	<0.01	
REP 869329	QC		0.28	16.63	9.48	11.6	59	1.9	0.8	67	0.54	2.2	0.3	1.0	1.6	3.5	0.03	0.14	0.14	<2	<0.01	
869334	Rock	0.53	2.59	22.91	5.08	67.8	62	12.9	3.9	364	4.77	0.6	0.6	0.3	8.9	20.2	0.02	0.05	0.48	19	0.01	
REP 869334	QC		2.74	23.43	5.12	71.1	64	13.5	4.1	358	4.72	0.4	0.6	0.6	9.1	21.1	0.01	0.05	0.49	20	0.02	
869350	Rock	1.56	0.74	2.80	4.33	1.8	26	1.0	0.3	25	0.46	1.7	1.3	3.0	5.3	3.5	0.02	0.34	0.17	<2	0.02	
REP 869350	QC		0.79	2.90	4.33	1.6	23	0.9	0.3	25	0.45	1.8	1.3	3.2	5.5	3.7	0.01	0.32	0.18	<2	0.01	
869526	Rock	0.59	0.21	8.37	10.41	58.0	16	19.2	7.9	185	1.60	4.6	0.5	<0.2	5.2	7.0	0.03	0.11	0.09	5	0.05	
REP 869526	QC		0.22	8.59	10.75	61.1	11	19.6	8.3	189	1.61	4.7	0.5	<0.2	5.5	7.0	0.03	0.10	0.09	5	0.05	
869534	Rock	1.18	1.34	45.72	2.29	61.4	41	23.4	19.7	578	3.90	0.4	1.6	1.2	7.1	46.1	0.05	0.05	0.11	82	0.84	
REP 869534	QC		1.31	46.83	2.23	62.9	43	23.6	20.2	583	3.97	0.4	1.7	1.9	7.3	48.2	0.06	0.05	0.11	83	0.87	
Reference Materials																						
STD DS7	Standard		21.04	115.1	73.78	388.8	819	57.8	10.3	630	2.42	49.9	5.2	61.9	4.8	69.1	6.39	5.73	4.58	81	0.97	
STD DS7	Standard		18.25	111.2	68.97	389.7	785	49.1	8.7	578	2.31	49.5	4.9	73.6	4.0	65.6	6.75	5.90	4.60	77	0.97	
STD DS7	Standard		22.14	124.9	72.02	415.9	803	58.2	10.5	676	2.61	57.7	5.2	79.2	4.7	79.0	7.06	6.48	4.76	84	1.03	
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
Prep Wash																						
G1	Prep Blank		<0.01	0.17	3.02	3.08	8.5	24	3.6	3.8	818	0.58	2.6	0.2	1.2	0.8	147.7	0.07	0.63	0.09	9	14.33
G1	Prep Blank		<0.01	0.17	3.15	3.04	8.2	21	3.4	3.9	833	0.58	2.7	0.2	1.4	0.8	143.9	0.05	0.62	0.11	9	14.43

QUALITY CONTROL REPORT

VAN08009517.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
869329	Rock	0.006	3.9	22.3	0.10	7.2	<0.001	<1	0.20	0.006	0.03	<0.1	0.4	<0.02	<0.02	11	0.5	<0.02	0.7	0.12	<0.1
REP 869329	QC	0.006	4.0	21.5	0.10	7.5	<0.001	<1	0.20	0.006	0.03	<0.1	0.4	<0.02	<0.02	6	0.4	0.03	0.7	0.13	<0.1
869334	Rock	0.028	17.7	30.6	0.93	28.1	0.003	<1	1.67	0.015	0.12	<0.1	2.0	0.04	0.10	<5	0.3	0.08	5.4	0.71	<0.1
REP 869334	QC	0.027	19.5	31.7	0.92	30.7	0.003	1	1.67	0.015	0.12	<0.1	2.1	0.04	0.10	<5	0.3	0.10	5.7	0.74	<0.1
869350	Rock	0.007	3.4	24.5	0.01	13.8	0.002	7	0.08	0.017	0.05	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.17	<0.1
REP 869350	QC	0.008	3.4	25.1	0.01	13.9	0.002	7	0.08	0.018	0.05	0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.17	<0.1
869526	Rock	0.041	10.0	13.2	0.29	19.6	0.001	<1	0.64	0.009	0.08	<0.1	0.6	0.03	<0.02	<5	0.1	<0.02	1.9	0.20	<0.1
REP 869526	QC	0.041	10.2	13.0	0.29	19.7	0.001	<1	0.66	0.010	0.08	<0.1	0.7	0.03	<0.02	<5	0.2	<0.02	2.0	0.19	<0.1
869534	Rock	0.288	31.5	15.3	1.47	198.3	0.193	8	1.04	0.163	0.68	0.7	1.7	0.28	<0.02	5	0.3	<0.02	4.8	5.46	0.1
REP 869534	QC	0.310	31.9	15.8	1.51	206.1	0.208	7	1.06	0.168	0.69	0.8	1.9	0.29	<0.02	<5	<0.1	<0.02	5.0	5.44	0.2
Reference Materials																					
STD DS7	Standard	0.077	14.0	204.1	1.05	365.6	0.123	37	1.00	0.085	0.43	4.0	2.8	4.29	0.20	196	3.8	1.21	4.9	6.30	<0.1
STD DS7	Standard	0.074	12.1	176.1	1.12	357.5	0.112	39	0.94	0.081	0.43	3.5	2.6	3.88	0.19	185	3.3	1.12	4.4	5.69	<0.1
STD DS7	Standard	0.086	16.0	205.2	1.10	410.8	0.138	38	1.07	0.093	0.47	4.0	3.1	4.24	0.21	183	4.1	1.25	5.4	6.92	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	0.008	1.2	3.2	14.08	14.9	0.001	5	0.06	0.006	0.03	<0.1	1.2	0.16	0.07	15	<0.1	<0.02	0.2	0.11	<0.1
G1	Prep Blank	0.008	1.2	3.4	14.19	14.6	0.001	4	0.06	0.006	0.03	<0.1	1.2	0.18	0.08	12	0.1	<0.02	0.2	0.11	<0.1

QUALITY CONTROL REPORT

VAN08009517.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
Pulp Duplicates															
869329	Rock	<0.02	0.04	2.4	0.1	<0.05	0.3	0.32	6.6	<0.02	<1	<0.1	4.5	<10	<2
REP 869329	QC	<0.02	0.04	2.3	<0.1	<0.05	0.3	0.32	6.4	<0.02	<1	<0.1	4.5	<10	<2
869334	Rock	0.03	0.02	5.7	<0.1	<0.05	1.6	1.31	28.6	<0.02	<1	0.5	28.0	<10	<2
REP 869334	QC	0.04	0.06	6.3	<0.1	<0.05	1.7	1.45	31.3	<0.02	2	0.4	28.8	<10	<2
869350	Rock	0.03	1.99	2.3	<0.1	<0.05	0.5	2.42	5.6	<0.02	<1	0.2	0.3	<10	<2
REP 869350	QC	0.02	2.09	2.4	<0.1	<0.05	0.5	2.57	5.7	<0.02	<1	0.1	0.3	<10	<2
869526	Rock	<0.02	0.03	4.4	<0.1	<0.05	0.2	1.38	18.9	<0.02	<1	0.1	11.6	<10	<2
REP 869526	QC	<0.02	0.04	4.3	<0.1	<0.05	0.3	1.43	19.0	<0.02	<1	0.1	11.8	<10	<2
869534	Rock	0.31	1.38	82.2	1.2	<0.05	12.3	9.69	57.8	0.03	<1	0.4	16.2	<10	3
REP 869534	QC	0.42	1.51	83.4	1.2	<0.05	14.6	9.78	60.4	0.02	1	0.3	15.8	10	<2
Reference Materials															
STD DS7	Standard	0.13	0.61	38.8	4.5	<0.05	5.7	5.88	36.1	1.70	3	1.6	28.4	56	42
STD DS7	Standard	0.08	0.44	33.8	4.9	<0.05	4.8	4.66	31.6	1.57	4	1.7	28.1	43	36
STD DS7	Standard	0.13	0.76	40.0	5.4	<0.05	6.3	6.83	38.9	1.90	2	1.4	28.3	48	38
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
G1	Prep Blank	0.04	<0.02	1.0	<0.1	<0.05	0.9	3.15	2.7	0.03	<1	0.2	3.2	<10	<2
G1	Prep Blank	0.03	0.02	0.9	<0.1	<0.05	1.0	3.19	2.6	0.03	<1	0.2	3.3	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By:

Bruce Ballantyne

Receiving Lab:

Canada-Vancouver

Received:

September 24, 2008

Report Date:

October 17, 2008

Page:

1 of 6

CERTIFICATE OF ANALYSIS

VAN08009663.1

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 012
P.O. Number
Number of Samples: 125

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	125	Sieve soil to 230 mesh		
1F30	125	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
RJSV	125	Save all or part of soil reject fraction		
RJSV	125	Saving all or part of Soil Reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

“**” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 2 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
869401	Soil		0.82	40.26	26.96	169.4	294	64.2	23.0	2168	3.51	12.4	1.4	2.5	4.6	54.6	0.52	1.02	0.46	47	0.35	0.380
869402	Soil		0.37	28.56	40.45	127.3	226	98.9	19.9	908	3.14	7.2	1.4	5.3	5.0	65.7	0.81	0.85	0.41	43	0.51	0.155
869403	Soil		0.65	30.43	29.76	161.8	312	53.9	18.6	1692	3.48	13.5	1.8	2.3	6.5	39.5	0.80	1.69	0.44	45	0.24	0.388
869404	Soil		0.62	27.40	24.20	150.0	333	52.8	15.7	1289	3.28	7.9	1.5	2.7	6.6	45.2	0.57	0.64	0.39	45	0.23	0.333
869405	Soil		0.74	26.91	22.45	119.9	299	35.1	13.8	1171	2.91	8.7	1.2	1.1	4.8	29.3	0.46	1.02	0.36	42	0.19	0.239
869406	Soil		0.71	19.71	35.91	145.1	269	24.9	12.4	2207	2.38	6.0	0.7	1.1	3.7	24.6	0.51	1.01	0.47	32	0.12	0.226
869407	Soil		0.67	22.52	23.83	135.6	373	29.0	11.8	1867	2.43	6.6	0.8	0.6	3.5	26.3	0.54	0.79	0.37	35	0.17	0.254
869408	Soil		1.01	33.71	18.40	93.0	215	36.1	15.8	880	2.86	7.1	1.4	0.7	4.6	12.8	0.32	0.61	0.33	43	0.08	0.196
869409	Soil		0.95	22.33	21.29	106.0	113	30.4	15.5	1387	2.76	8.5	0.9	0.2	4.5	20.1	0.30	0.60	0.39	39	0.12	0.226
869410	Soil		0.81	32.51	29.77	89.7	86	34.3	12.7	370	2.99	12.0	1.5	3.4	8.5	17.1	0.22	0.78	0.52	39	0.11	0.073
869411	Soil		0.88	24.42	24.88	124.1	201	41.4	13.3	1008	2.69	12.9	1.1	4.8	5.7	20.0	0.40	0.68	0.50	37	0.13	0.203
869412	Soil		0.85	23.85	23.12	114.7	208	39.7	13.4	875	2.76	11.9	1.0	2.1	5.7	19.0	0.36	0.58	0.49	37	0.14	0.189
869413	Soil		0.63	15.72	23.30	155.0	174	36.2	10.9	1193	2.40	9.0	0.7	1.1	4.1	21.9	0.51	0.61	0.48	31	0.13	0.313
869414	Soil		0.59	23.69	20.49	156.1	221	47.3	11.9	730	2.60	8.4	1.1	1.0	5.3	23.3	0.49	0.51	0.41	32	0.12	0.297
869415	Soil		0.44	18.76	20.81	130.6	204	42.5	14.5	551	2.78	6.7	0.7	0.9	4.9	21.3	0.44	0.53	0.40	35	0.15	0.304
869416	Soil		0.56	23.75	21.86	172.8	333	42.1	16.1	911	2.90	7.3	0.9	3.8	5.6	25.7	0.46	0.32	0.45	36	0.12	0.390
869417	Soil		0.42	19.60	24.59	118.1	284	40.4	13.9	791	2.73	7.2	0.8	0.5	5.4	25.4	0.41	0.51	0.44	34	0.15	0.296
869418	Soil		0.50	17.66	22.13	161.9	306	33.9	13.4	920	2.84	7.0	0.6	0.8	5.1	20.6	0.38	0.50	0.50	35	0.11	0.356
869419	Soil		0.46	28.85	17.81	122.2	188	33.1	13.5	932	2.78	8.4	1.1	1.8	5.5	42.4	0.37	0.45	0.39	38	0.24	0.270
869420	Soil		0.57	35.64	25.20	135.6	357	47.0	19.3	357	3.60	9.5	1.4	1.2	7.0	33.1	0.45	0.68	0.52	49	0.20	0.110
869421	Soil		0.55	39.23	25.10	115.9	292	56.7	14.2	496	3.29	10.4	2.1	2.8	7.0	50.8	0.37	0.46	0.50	47	0.36	0.118
869422	Soil		0.44	21.48	19.95	159.5	133	38.2	14.6	572	2.92	8.3	0.9	0.4	5.6	20.3	0.32	0.38	0.42	39	0.14	0.331
869423	Soil		0.44	19.60	31.37	153.5	274	32.1	13.2	762	2.79	7.9	0.7	0.6	4.6	24.9	0.46	0.66	0.48	37	0.17	0.341
869424	Soil		0.43	23.85	33.33	169.0	229	82.5	18.4	892	2.92	10.1	1.5	2.2	6.6	49.3	0.42	0.77	0.49	31	0.30	0.232
869425	Soil		0.58	27.74	29.12	170.9	209	70.5	18.9	1345	2.79	12.2	1.3	1.5	5.3	74.5	0.62	0.78	0.42	32	0.57	0.428
869426	Soil		0.79	41.92	37.14	176.3	207	86.0	26.5	1972	3.30	15.0	2.1	2.0	5.3	60.9	0.75	1.00	0.53	36	0.41	0.219
869427	Soil		0.73	37.76	34.15	151.3	194	94.8	22.4	2298	3.30	14.2	1.7	2.5	5.7	70.4	0.64	0.98	0.54	37	0.47	0.200
869428	Soil		0.69	34.04	16.09	78.2	102	23.3	10.5	328	2.45	6.2	1.1	11.2	5.7	30.0	0.31	0.32	0.27	46	0.26	0.076
869429	Soil		0.74	46.61	31.49	124.9	202	88.1	27.4	1248	3.55	18.0	1.7	5.1	7.3	22.4	0.31	1.08	0.57	43	0.14	0.128
869430	Soil		0.63	34.35	35.92	114.1	223	56.3	20.6	1542	2.94	15.6	1.4	2.3	4.7	54.8	0.75	1.07	0.49	34	0.54	0.235

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 17, 2008

Page:

2 of 6

Part 2

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869401	Soil	15.6	59.8	0.72	406.2	0.137	3	3.50	0.016	0.19	0.2	4.0	0.20	0.03	50	0.6	0.07	9.6	5.04	<0.1	0.09
869402	Soil	17.3	77.2	1.25	318.8	0.154	2	3.12	0.026	0.18	0.2	4.1	0.22	<0.02	32	0.4	0.04	8.2	4.75	<0.1	0.17
869403	Soil	26.6	35.7	0.59	388.7	0.132	2	3.65	0.018	0.17	0.3	4.0	0.21	<0.02	34	0.5	<0.02	9.4	2.57	<0.1	0.14
869404	Soil	33.4	34.3	0.57	435.6	0.133	2	3.31	0.019	0.19	0.3	4.3	0.18	<0.02	38	0.3	0.03	8.9	2.67	<0.1	0.12
869405	Soil	18.4	23.9	0.45	312.4	0.103	1	3.33	0.015	0.12	0.3	3.7	0.16	<0.02	49	0.4	0.03	8.4	1.90	<0.1	0.15
869406	Soil	13.7	20.8	0.37	311.9	0.118	<1	2.92	0.016	0.11	0.2	2.6	0.16	<0.02	41	0.3	0.04	8.9	1.77	<0.1	0.11
869407	Soil	12.5	23.5	0.42	306.6	0.133	2	3.48	0.019	0.12	0.2	2.9	0.18	<0.02	39	0.5	0.04	9.6	1.97	<0.1	0.11
869408	Soil	15.9	28.8	0.57	160.5	0.160	1	4.08	0.016	0.09	0.3	4.1	0.17	<0.02	47	0.6	0.05	9.8	2.36	<0.1	0.21
869409	Soil	10.7	21.9	0.41	264.9	0.127	2	3.82	0.014	0.06	0.3	2.4	0.16	<0.02	28	0.4	0.03	10.2	2.00	<0.1	0.26
869410	Soil	25.8	32.5	0.57	205.9	0.088	2	3.13	0.011	0.10	0.9	3.8	0.15	<0.02	32	0.3	0.04	8.0	1.69	<0.1	0.21
869411	Soil	17.2	27.4	0.46	252.2	0.105	2	3.04	0.014	0.09	0.9	2.8	0.15	<0.02	36	0.3	0.04	8.1	1.77	<0.1	0.15
869412	Soil	17.4	29.8	0.47	226.0	0.096	2	2.93	0.013	0.09	0.9	2.6	0.14	<0.02	43	0.2	<0.02	8.1	1.66	<0.1	0.18
869413	Soil	11.9	25.0	0.37	277.1	0.101	2	2.81	0.015	0.09	0.7	2.3	0.13	<0.02	43	0.3	0.03	7.9	1.90	<0.1	0.13
869414	Soil	15.3	27.1	0.44	257.2	0.110	2	3.29	0.017	0.10	0.5	3.2	0.16	<0.02	32	0.3	<0.02	8.1	2.23	<0.1	0.23
869415	Soil	11.0	30.5	0.45	284.4	0.112	1	3.01	0.013	0.14	0.4	2.8	0.16	<0.02	27	0.2	<0.02	8.6	2.29	<0.1	0.27
869416	Soil	12.5	37.0	0.47	352.6	0.111	2	3.24	0.014	0.16	0.4	3.4	0.20	<0.02	45	0.4	0.04	9.4	2.56	<0.1	0.25
869417	Soil	15.1	32.1	0.46	292.2	0.106	2	2.89	0.015	0.13	0.3	2.9	0.15	<0.02	33	0.3	0.04	8.8	2.26	<0.1	0.13
869418	Soil	14.4	35.3	0.49	337.8	0.087	2	2.55	0.012	0.14	0.4	2.9	0.18	<0.02	30	0.4	<0.02	8.5	2.30	<0.1	0.10
869419	Soil	16.2	31.9	0.52	293.3	0.110	2	3.11	0.017	0.15	0.5	4.0	0.16	<0.02	25	0.2	<0.02	8.3	1.91	<0.1	0.22
869420	Soil	18.6	47.2	0.64	187.4	0.121	2	3.96	0.014	0.16	0.4	4.8	0.14	<0.02	74	0.6	0.03	10.7	2.15	<0.1	0.37
869421	Soil	27.3	89.7	0.62	221.5	0.105	2	3.44	0.015	0.17	0.4	5.4	0.16	<0.02	45	0.5	<0.02	8.5	2.32	<0.1	0.16
869422	Soil	12.6	38.3	0.50	296.7	0.120	2	3.24	0.014	0.10	0.3	3.0	0.13	<0.02	26	0.3	<0.02	9.0	2.15	<0.1	0.27
869423	Soil	11.8	39.2	0.43	260.8	0.102	1	2.93	0.015	0.10	0.3	2.9	0.15	<0.02	48	0.1	<0.02	8.8	1.81	<0.1	0.13
869424	Soil	22.0	38.7	0.49	258.9	0.105	2	3.36	0.019	0.14	0.4	3.7	0.19	<0.02	37	0.5	<0.02	8.6	2.06	<0.1	0.19
869425	Soil	21.2	32.5	0.48	344.8	0.099	4	3.07	0.015	0.17	0.4	3.6	0.16	<0.02	26	0.7	<0.02	7.4	1.99	<0.1	0.14
869426	Soil	23.2	31.9	0.48	173.9	0.107	2	3.62	0.014	0.15	0.3	4.0	0.18	0.03	52	0.6	0.03	9.0	2.28	<0.1	0.16
869427	Soil	20.6	35.3	0.51	217.6	0.101	3	3.41	0.012	0.14	0.3	3.8	0.17	0.02	35	0.4	<0.02	9.1	2.07	<0.1	0.16
869428	Soil	14.7	32.0	0.57	107.2	0.077	<1	1.33	0.013	0.26	0.3	3.2	0.15	<0.02	11	0.2	0.03	4.4	1.81	<0.1	0.13
869429	Soil	21.7	51.6	0.67	150.3	0.071	2	2.95	0.006	0.17	0.5	3.8	0.16	<0.02	37	0.5	0.05	7.6	2.48	<0.1	0.06
869430	Soil	17.4	39.5	0.51	337.0	0.087	2	3.08	0.010	0.14	0.3	3.3	0.15	0.02	41	0.5	0.04	7.9	1.96	<0.1	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 17, 2008

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869401	Soil	2.04	30.6	1.0	<0.05	6.7	6.30	36.2	0.05	<1	1.3	29.9	<10	<2
869402	Soil	1.87	29.8	0.9	<0.05	12.5	5.82	43.9	0.06	<1	1.0	35.7	<10	<2
869403	Soil	3.09	23.4	1.0	<0.05	10.0	8.05	59.9	0.05	<1	1.4	37.1	<10	<2
869404	Soil	3.55	27.5	0.9	<0.05	9.7	7.69	68.2	0.04	<1	1.2	30.3	<10	<2
869405	Soil	1.75	20.4	0.8	<0.05	9.8	6.04	48.6	0.05	<1	1.3	22.3	<10	<2
869406	Soil	1.75	19.6	1.1	<0.05	8.9	4.01	34.0	0.04	<1	0.9	24.4	<10	<2
869407	Soil	1.92	22.4	1.1	<0.05	8.7	4.84	34.3	0.03	1	1.1	23.3	<10	<2
869408	Soil	2.31	19.3	1.0	<0.05	18.9	8.43	40.7	0.04	<1	0.9	26.0	21	<2
869409	Soil	2.09	14.2	0.9	<0.05	17.1	3.95	28.5	0.04	<1	1.0	20.3	<10	<2
869410	Soil	2.01	17.9	0.7	<0.05	17.6	7.85	55.0	0.04	<1	0.9	23.6	<10	<2
869411	Soil	1.48	16.5	0.9	<0.05	11.0	4.48	40.6	0.04	<1	1.0	23.9	<10	<2
869412	Soil	1.35	15.6	0.7	<0.05	9.7	3.87	38.5	0.04	<1	0.8	20.3	<10	<2
869413	Soil	1.74	20.3	0.9	<0.05	8.2	3.36	27.8	0.04	<1	0.8	19.1	<10	<2
869414	Soil	1.34	24.6	0.9	<0.05	15.4	7.15	37.6	0.03	<1	0.9	22.3	12	<2
869415	Soil	1.55	24.3	0.9	<0.05	14.2	2.99	28.1	0.04	<1	1.0	27.0	<10	<2
869416	Soil	1.73	27.2	0.9	<0.05	13.7	3.82	32.2	0.05	<1	0.9	30.1	<10	<2
869417	Soil	1.61	22.3	0.9	<0.05	8.8	3.66	32.9	0.05	<1	1.0	27.1	<10	<2
869418	Soil	1.22	22.2	0.9	<0.05	4.9	2.58	28.7	0.04	<1	0.7	28.5	<10	<2
869419	Soil	1.71	20.6	0.7	<0.05	14.6	7.55	39.2	0.03	1	1.1	23.1	<10	2
869420	Soil	2.11	18.1	1.0	<0.05	21.5	11.19	60.9	0.04	<1	1.0	34.8	<10	3
869421	Soil	2.11	21.5	0.9	<0.05	10.1	15.52	59.1	0.05	<1	1.3	41.4	<10	<2
869422	Soil	1.75	18.3	1.0	<0.05	14.4	3.53	34.9	0.05	<1	0.9	26.0	<10	3
869423	Soil	1.48	12.9	1.1	<0.05	8.0	3.41	26.5	0.05	<1	0.7	25.4	<10	2
869424	Soil	1.78	21.7	0.9	<0.05	12.8	9.79	44.8	0.05	<1	0.8	60.3	<10	<2
869425	Soil	1.70	18.4	0.8	<0.05	8.7	9.79	40.2	0.04	<1	0.9	23.8	<10	<2
869426	Soil	2.09	20.1	0.9	<0.05	11.3	14.83	48.1	0.04	<1	1.2	31.6	<10	<2
869427	Soil	2.11	21.5	0.8	<0.05	9.4	10.67	44.8	0.05	<1	1.1	33.9	<10	<2
869428	Soil	0.42	32.4	0.4	<0.05	7.1	6.49	27.0	0.02	<1	0.3	12.1	<10	<2
869429	Soil	1.57	21.7	0.7	<0.05	3.6	8.40	44.3	0.04	<1	1.1	43.1	<10	<2
869430	Soil	1.89	21.5	0.8	<0.05	8.5	7.64	38.7	0.04	<1	0.5	25.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 3 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
869431	Soil		0.59	37.39	41.23	135.0	176	63.6	19.7	1266	3.40	12.9	1.7	2.3	6.4	42.1	0.69	0.74	0.50	35	0.44	0.179
869432	Soil		0.73	42.97	52.58	111.7	72	42.5	16.6	826	3.45	14.1	1.5	2.7	9.3	42.8	0.61	0.91	0.51	31	0.53	0.088
869433	Soil		0.62	41.36	31.12	96.1	139	40.0	15.4	1083	3.41	12.0	2.4	1.0	7.2	41.0	0.47	0.92	0.49	29	0.52	0.078
869434	Soil		0.88	60.39	24.85	76.1	84	42.0	20.2	868	4.15	17.6	1.7	4.5	12.9	41.4	0.18	0.67	0.40	39	0.46	0.081
869435	Soil		0.58	35.21	36.76	135.6	138	56.7	18.0	1142	3.30	17.5	2.4	1.1	4.7	28.5	0.78	1.27	0.55	37	0.35	0.169
869436	Soil		0.88	37.62	46.65	122.4	82	48.5	19.2	1202	3.04	18.0	1.5	2.2	4.8	24.9	0.75	1.20	0.58	37	0.29	0.099
869437	Soil		0.82	36.32	42.86	117.1	79	47.4	18.4	1171	2.92	17.2	1.4	2.9	4.4	23.3	0.75	1.12	0.53	34	0.26	0.094
869438	Soil		0.87	39.47	36.66	119.3	93	49.2	20.3	1194	3.14	17.0	1.6	2.3	5.1	24.1	0.61	1.09	0.54	38	0.27	0.094
869439	Soil		0.97	50.40	53.80	149.0	220	54.9	23.8	1620	3.45	31.4	1.7	1.6	5.2	28.2	0.91	1.32	0.60	43	0.22	0.136
869440	Soil		0.87	48.60	29.13	137.5	197	81.4	26.4	1571	3.90	37.0	1.8	1.6	6.2	27.8	0.53	1.65	0.46	45	0.25	0.169
869441	Soil		0.97	49.00	30.39	130.7	123	58.8	23.6	1663	3.42	28.7	2.0	0.3	6.2	23.9	0.55	1.25	0.49	42	0.24	0.147
869442	Soil		1.01	48.32	41.86	167.5	274	54.7	28.7	2342	3.58	31.0	2.0	1.1	4.6	41.8	0.53	1.19	0.63	37	0.42	0.191
869443	Soil		0.71	42.05	33.76	193.2	112	57.4	22.8	1458	3.47	18.8	1.8	0.7	8.6	31.0	0.58	0.89	0.60	40	0.24	0.216
869444	Soil		0.61	32.21	27.72	225.7	150	57.8	18.6	1200	3.19	18.9	1.3	1.5	6.7	29.7	0.47	0.84	0.55	36	0.25	0.223
869445	Soil		0.70	27.88	31.22	196.2	226	40.1	14.7	1220	2.93	14.4	1.0	1.6	6.1	25.2	0.44	0.76	0.60	34	0.20	0.141
869446	Soil		0.57	31.80	28.57	180.7	146	54.5	17.3	597	3.34	13.3	1.3	1.0	8.2	24.8	0.32	0.62	0.50	36	0.20	0.098
869447	Soil		0.71	38.91	17.79	87.4	98	27.0	11.9	354	2.68	6.7	1.2	15.3	6.1	31.4	0.31	0.33	0.25	53	0.29	0.079
869448	Soil		0.62	29.33	32.96	163.6	167	52.2	18.0	763	3.42	15.8	1.0	3.3	7.3	33.6	0.42	0.86	0.53	38	0.25	0.134
869449	Soil		0.71	20.52	56.00	155.6	130	50.9	12.9	1270	2.46	14.2	1.4	4.7	6.1	55.4	1.25	0.88	0.54	31	0.50	0.171
869450	Soil		0.59	24.04	83.31	275.0	259	60.7	13.8	1259	2.33	11.9	1.1	2.5	2.6	105.9	2.86	1.16	0.65	29	1.05	0.327
869251	Soil		0.71	32.64	34.13	333.5	261	102.2	16.2	1483	2.97	13.1	1.5	1.4	6.3	40.8	0.72	0.54	0.46	34	0.29	0.270
869252	Soil		0.82	30.89	22.30	373.1	326	78.6	14.9	1588	2.61	12.2	1.3	1.3	6.1	33.1	0.63	0.85	0.41	33	0.28	0.277
869253	Soil		0.73	36.37	16.97	82.1	107	25.3	11.5	340	2.62	6.4	1.2	11.8	5.9	32.3	0.33	0.33	0.22	50	0.29	0.081
869254	Soil		0.92	32.88	25.68	232.4	287	72.4	15.0	1436	2.68	11.4	1.5	1.3	6.2	30.3	0.49	0.59	0.42	34	0.25	0.124
869255	Soil		0.96	27.31	47.68	235.9	180	55.5	15.5	2036	2.62	20.5	1.1	2.3	5.2	40.2	1.27	1.38	0.56	35	0.38	0.297
869256	Soil		1.08	40.50	39.93	138.2	275	59.9	17.2	916	3.20	19.9	1.6	7.1	8.7	30.0	0.41	0.61	0.67	46	0.21	0.113
869257	Soil		0.93	45.63	31.74	164.6	263	61.0	25.5	1251	3.36	24.0	1.7	6.2	5.5	34.2	0.49	0.65	0.69	44	0.28	0.194
869258	Soil		0.86	33.51	32.50	158.2	165	60.8	22.8	799	3.23	20.2	1.6	2.5	7.2	37.5	0.66	0.76	0.58	42	0.29	0.160
869259	Soil		0.83	33.41	43.19	209.5	165	82.7	28.1	2130	3.19	16.5	1.4	1.0	7.6	28.3	0.96	1.12	0.63	37	0.20	0.134
869260	Soil		1.01	39.10	37.17	163.8	195	79.3	20.2	1008	3.22	12.6	1.7	2.2	7.6	25.6	0.59	1.07	0.57	42	0.19	0.102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 17, 2008

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm			
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
869431	Soil			26.5	57.2	0.64	299.4	0.078	2	2.88	0.008	0.15	0.2	3.5	0.14	<0.02	32	0.5	0.04	7.9	1.96	<0.1	0.09	
869432	Soil			28.2	46.7	0.70	146.9	0.038	1	2.14	0.007	0.18	0.4	3.6	0.14	<0.02	32	0.6	0.06	5.9	1.90	<0.1	0.04	
869433	Soil			27.5	42.4	0.64	137.6	0.037	2	2.27	0.006	0.20	0.4	3.2	0.12	<0.02	37	0.6	0.06	6.1	1.85	<0.1	0.05	
869434	Soil			32.1	45.4	0.80	118.1	0.044	1	2.19	0.012	0.19	0.3	4.6	0.11	<0.02	8	0.5	0.07	6.1	2.06	<0.1	0.09	
869435	Soil			20.3	52.4	0.59	139.0	0.081	2	3.09	0.010	0.16	0.3	3.5	0.15	0.02	40	0.6	0.04	7.9	2.27	<0.1	0.07	
869436	Soil			19.2	34.7	0.50	165.6	0.080	2	3.03	0.011	0.11	0.4	2.8	0.14	0.03	36	0.6	0.05	8.0	2.26	<0.1	0.07	
869437	Soil			17.4	32.8	0.48	157.5	0.073	1	2.92	0.009	0.11	0.3	2.7	0.13	0.02	31	0.4	0.05	7.8	2.08	<0.1	0.09	
869438	Soil			19.1	35.5	0.51	172.0	0.084	1	3.17	0.010	0.11	0.4	3.1	0.14	0.03	40	0.4	0.05	8.7	2.32	<0.1	0.10	
869439	Soil			22.1	36.0	0.55	207.8	0.078	1	3.27	0.008	0.13	0.4	3.0	0.16	0.02	45	0.7	0.06	8.5	2.85	<0.1	0.04	
869440	Soil			24.3	56.6	0.73	235.3	0.073	2	3.18	0.008	0.13	0.3	3.9	0.17	<0.02	31	0.6	0.07	8.4	3.40	<0.1	0.04	
869441	Soil			25.0	40.1	0.58	266.3	0.089	1	3.36	0.008	0.13	0.3	3.5	0.16	<0.02	29	0.6	0.06	9.1	3.19	<0.1	0.08	
869442	Soil			20.5	33.5	0.55	259.3	0.058	1	2.94	0.006	0.13	0.2	2.4	0.15	0.03	38	0.5	0.07	8.7	3.75	<0.1	0.03	
869443	Soil			22.4	31.7	0.55	341.5	0.111	2	3.71	0.011	0.11	0.3	3.5	0.18	<0.02	41	0.4	0.05	10.6	3.61	<0.1	0.14	
869444	Soil			18.8	32.1	0.50	264.9	0.101	3	3.47	0.011	0.13	0.4	2.7	0.17	<0.02	38	0.4	0.04	9.2	4.14	<0.1	0.09	
869445	Soil			12.3	24.4	0.37	188.8	0.108	2	3.20	0.013	0.10	0.2	2.7	0.14	<0.02	34	0.4	0.05	8.8	6.01	<0.1	0.15	
869446	Soil			17.9	36.0	0.53	148.4	0.103	<1	3.83	0.012	0.11	0.2	3.4	0.15	<0.02	32	0.4	0.04	8.5	2.93	<0.1	0.31	
869447	Soil			16.2	33.6	0.62	111.5	0.085	<1	1.43	0.012	0.27	0.3	3.7	0.18	<0.02	11	0.2	0.03	4.7	1.92	<0.1	0.13	
869448	Soil			19.6	36.6	0.55	184.5	0.076	2	3.20	0.011	0.12	0.2	3.1	0.16	<0.02	38	0.4	0.04	8.7	2.87	<0.1	0.09	
869449	Soil			19.5	37.0	0.51	187.1	0.057	2	1.88	0.008	0.17	1.0	2.6	0.15	0.02	30	0.3	0.04	6.3	2.08	<0.1	0.02	
869450	Soil			12.0	31.7	0.46	291.4	0.063	5	2.15	0.009	0.16	1.2	2.6	0.14	0.05	53	0.5	0.05	6.0	1.61	<0.1	0.11	
869251	Soil			21.7	37.8	0.51	295.5	0.085	2	3.18	0.012	0.15	0.5	3.7	0.18	<0.02	39	0.6	0.02	8.3	2.19	<0.1	0.11	
869252	Soil			20.3	27.7	0.42	313.4	0.102	2	3.07	0.014	0.12	0.6	3.7	0.16	<0.02	45	0.5	<0.02	8.2	1.96	<0.1	0.14	
869253	Soil			16.1	31.2	0.60	112.0	0.086	<1	1.39	0.012	0.25	0.3	3.6	0.17	<0.02	11	0.1	0.02	4.4	1.85	0.1	0.14	
869254	Soil			18.7	28.1	0.42	282.4	0.108	2	3.17	0.014	0.13	0.5	3.9	0.16	<0.02	43	0.5	<0.02	7.9	1.72	<0.1	0.20	
869255	Soil			17.1	31.7	0.42	326.9	0.080	3	2.61	0.013	0.15	0.7	3.1	0.17	<0.02	53	0.4	0.05	7.2	1.87	<0.1	0.09	
869256	Soil			25.9	42.9	0.62	155.2	0.096	1	2.71	0.011	0.16	1.5	4.8	0.17	<0.02	31	0.7	0.04	7.5	2.18	<0.1	0.09	
869257	Soil			19.1	41.4	0.58	182.6	0.077	1	2.96	0.009	0.16	1.2	3.7	0.15	0.02	42	0.6	0.05	7.9	2.27	<0.1	0.06	
869258	Soil			19.1	36.1	0.50	207.8	0.096	<1	3.27	0.011	0.13	0.9	3.6	0.19	<0.02	29	0.4	0.03	8.7	2.17	<0.1	0.21	
869259	Soil			30.4	32.9	0.41	347.4	0.079	2	3.04	0.011	0.14	0.5	3.3	0.18	<0.02	38	0.4	0.05	8.6	2.01	<0.1	0.07	
869260	Soil			21.0	44.3	0.50	237.1	0.117	<1	3.50	0.013	0.16	0.7	4.5	0.19	<0.02	48	0.6	0.04	9.4	2.14	<0.1	0.22	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 17, 2008

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869431	Soil	1.92	24.1	0.8	<0.05	6.1	8.87	48.9	0.06	1	1.1	46.5	<10	<2
869432	Soil	1.30	20.4	0.5	<0.05	2.3	7.24	50.0	0.07	<1	0.8	36.2	<10	<2
869433	Soil	1.40	22.7	0.5	<0.05	2.7	8.92	45.8	0.05	<1	0.6	36.8	<10	<2
869434	Soil	0.55	17.4	0.3	<0.05	5.1	10.17	56.5	0.03	<1	0.6	25.3	<10	<2
869435	Soil	2.07	25.2	0.8	<0.05	4.8	8.04	44.2	0.06	<1	0.9	90.5	<10	<2
869436	Soil	1.92	20.3	0.9	<0.05	4.9	6.36	44.8	0.08	<1	1.0	45.6	<10	<2
869437	Soil	1.83	18.2	0.9	<0.05	4.9	6.20	42.1	0.07	<1	0.7	41.6	<10	<2
869438	Soil	2.01	19.8	0.9	<0.05	5.8	7.03	46.2	0.06	<1	0.9	45.8	<10	<2
869439	Soil	1.90	22.4	0.9	<0.05	4.0	6.64	50.9	0.08	1	0.9	30.9	<10	<2
869440	Soil	1.69	23.1	0.7	<0.05	3.3	6.27	56.6	0.04	<1	1.2	37.3	<10	<2
869441	Soil	1.87	23.6	0.8	<0.05	6.3	7.91	54.5	0.05	<1	1.3	31.2	<10	<2
869442	Soil	1.58	22.1	0.8	<0.05	1.8	5.26	41.9	0.05	<1	0.9	41.5	<10	<2
869443	Soil	1.92	24.2	1.1	<0.05	9.6	7.05	51.4	0.06	<1	1.2	45.7	<10	<2
869444	Soil	1.82	31.0	1.0	<0.05	7.1	5.01	46.2	0.05	<1	1.2	65.8	<10	<2
869445	Soil	1.79	24.2	1.1	<0.05	9.7	4.70	52.3	0.06	<1	0.9	56.7	<10	<2
869446	Soil	1.85	23.9	1.0	<0.05	17.0	6.38	53.5	0.05	<1	0.9	102.1	<10	<2
869447	Soil	0.52	33.9	0.4	<0.05	7.0	7.02	28.8	<0.02	<1	0.4	13.4	<10	<2
869448	Soil	1.67	27.9	0.9	<0.05	5.7	4.76	48.7	0.04	<1	0.9	69.6	<10	<2
869449	Soil	2.12	25.5	0.6	<0.05	1.7	5.00	36.9	0.06	<1	0.8	21.9	<10	<2
869450	Soil	1.94	22.5	0.9	<0.05	5.5	5.96	26.0	0.14	<1	0.6	22.3	<10	<2
869251	Soil	1.73	25.3	0.8	<0.05	7.2	11.05	43.9	0.04	<1	1.3	35.2	<10	<2
869252	Soil	1.59	20.1	0.8	<0.05	11.4	10.59	40.6	0.03	<1	0.8	23.1	<10	<2
869253	Soil	0.45	33.1	0.4	<0.05	7.3	7.08	28.7	<0.02	<1	0.3	14.0	<10	<2
869254	Soil	1.67	19.2	0.9	<0.05	15.1	10.29	41.5	0.04	<1	0.6	24.2	<10	<2
869255	Soil	1.62	20.3	0.9	<0.05	6.8	6.60	35.9	0.08	<1	0.9	17.8	<10	<2
869256	Soil	1.38	24.5	0.7	<0.05	7.8	9.81	48.7	0.03	<1	1.1	24.7	<10	<2
869257	Soil	1.76	24.2	0.7	<0.05	4.8	7.96	40.4	0.03	<1	1.0	31.2	<10	<2
869258	Soil	2.05	21.4	0.8	<0.05	13.7	7.94	43.7	0.04	<1	1.2	27.5	<10	<2
869259	Soil	1.30	23.5	0.8	<0.05	5.1	8.40	72.3	0.07	<1	0.9	35.6	<10	<2
869260	Soil	1.93	24.4	1.0	<0.05	15.6	10.45	48.5	0.06	<1	1.1	29.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method Analyte Unit MDL	1F30 Mo	1F30 Cu	1F30 Pb	1F30 Zn	1F30 Ag	1F30 Ni	1F30 Co	1F30 Mn	1F30 Fe	1F30 As	1F30 U	1F30 Au	1F30 Th	1F30 Sr	1F30 Cd	1F30 Sb	1F30 Bi	1F30 V	1F30 Ca	1F30 P	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
869261	Soil	0.71	32.55	38.46	151.7	193	88.0	18.8	1345	3.04	12.8	1.3	1.9	5.9	27.2	0.67	0.92	0.48	41	0.26	0.290
869262	Soil	0.70	28.46	69.10	174.1	189	70.4	20.4	1538	3.15	13.7	1.3	1.6	5.6	39.5	1.11	1.37	0.61	41	0.33	0.270
869263	Soil	0.71	32.17	58.17	163.6	195	66.2	20.6	1272	3.10	13.5	1.4	1.5	5.7	37.1	0.90	1.23	0.57	42	0.31	0.238
869264	Soil	0.77	45.79	25.62	139.7	116	86.0	23.3	1015	3.84	12.4	1.9	2.6	7.7	34.1	0.31	0.55	0.54	54	0.25	0.118
869265	Soil	1.01	44.17	59.53	138.0	182	66.4	23.2	2821	3.30	16.6	1.8	2.1	4.7	63.9	0.87	1.19	0.65	41	0.45	0.211
869266	Soil	0.78	40.26	29.82	191.7	199	48.2	17.4	2602	3.26	14.5	1.5	6.1	6.3	51.7	0.65	0.43	0.56	34	0.30	0.311
869267	Soil	0.78	50.19	38.44	139.4	164	45.9	19.0	1758	3.27	19.3	1.9	1.9	8.7	66.4	0.61	1.03	0.63	31	0.35	0.142
869268	Soil	0.97	44.45	32.56	144.2	137	50.5	21.6	2655	3.41	16.2	1.4	1.4	7.5	38.0	0.46	0.69	0.64	38	0.23	0.094
869269	Soil	1.07	51.06	54.16	181.7	152	52.4	21.0	3140	3.49	19.6	1.6	1.7	6.5	49.4	1.09	1.35	0.71	35	0.40	0.153
869270	Soil	0.83	37.43	39.99	253.6	154	48.2	17.4	2592	3.00	16.6	1.3	0.7	5.1	53.9	1.28	0.90	0.62	33	0.52	0.198
869271	Soil	0.67	45.25	24.60	257.5	169	82.1	28.5	668	4.07	16.4	1.7	1.8	8.8	40.9	0.62	0.40	0.54	54	0.29	0.190
869272	Soil	0.71	35.93	41.00	233.1	220	59.2	20.5	1597	3.50	14.4	1.5	2.4	6.3	44.3	0.99	0.79	0.60	41	0.27	0.404
869273	Soil	0.82	34.01	44.56	179.3	176	44.8	19.3	1933	3.33	16.0	1.3	1.5	6.4	42.3	1.14	1.07	0.65	39	0.31	0.315
869274	Soil	0.84	30.64	34.60	168.7	238	46.2	17.7	2162	3.34	15.9	1.3	2.3	5.6	47.2	0.92	0.80	0.62	37	0.42	0.338
869275	Soil	0.76	36.18	32.03	197.8	187	59.2	18.6	1630	3.59	17.2	1.4	1.9	8.2	28.5	0.72	0.81	0.59	40	0.19	0.311
869276	Soil	0.85	46.28	37.20	173.3	157	57.2	19.0	1624	3.73	17.3	1.5	1.2	8.9	30.6	0.67	0.97	0.64	33	0.28	0.175
869277	Soil	1.06	48.16	44.67	178.1	124	57.6	21.7	2348	4.22	24.4	1.5	3.0	11.3	28.8	0.57	1.07	0.82	39	0.19	0.112
869278	Soil	1.43	58.19	49.32	757.1	270	445.5	148.3	5155	5.45	15.5	4.0	5.1	7.0	76.1	1.43	0.85	0.68	44	0.60	0.083
869279	Soil	3.00	67.67	51.72	537.6	598	237.4	87.5	2172	7.06	18.3	4.1	6.5	7.5	66.2	0.77	1.12	0.80	51	0.58	0.064
869280	Soil	0.92	35.45	39.11	304.4	246	76.7	21.0	1213	2.96	12.7	1.5	2.6	4.5	46.2	0.94	0.56	0.53	47	0.37	0.321
869281	Soil	0.88	39.59	31.86	212.0	348	86.9	25.4	1202	3.49	21.4	2.3	12.8	8.4	31.9	0.42	0.96	0.62	33	0.25	0.165
869282	Soil	0.84	31.03	26.15	199.1	354	60.2	23.2	1344	2.82	12.6	1.8	2.0	6.6	34.9	0.47	0.86	0.51	33	0.28	0.150
869283	Soil	0.69	26.75	22.95	155.5	226	49.8	16.2	819	2.71	10.9	1.5	2.4	5.9	19.7	0.29	0.72	0.50	32	0.14	0.122
869284	Soil	0.73	30.74	40.85	182.1	291	76.1	18.3	1474	2.86	13.8	1.3	4.4	5.2	29.6	0.68	0.81	0.56	35	0.28	0.177
869285	Soil	0.65	25.81	50.74	187.1	201	64.3	15.5	1980	2.84	13.2	1.0	1.3	4.8	51.0	1.11	0.90	0.59	34	0.38	0.331
869286	Soil	0.80	26.95	33.58	218.3	298	69.3	15.8	1590	2.63	13.0	1.3	3.5	4.3	32.9	0.78	0.84	0.50	35	0.28	0.244
869287	Soil	0.86	40.23	47.99	165.3	184	65.2	18.8	1198	3.09	14.8	1.7	14.0	6.5	28.3	0.85	1.23	0.59	39	0.23	0.183
869288	Soil	0.83	32.39	27.64	145.5	166	54.0	16.9	1556	2.98	14.9	1.5	1.3	6.1	28.3	0.63	0.82	0.49	37	0.30	0.275
869289	Soil	0.74	33.05	44.74	147.6	187	55.6	18.9	1387	3.14	14.2	1.6	2.6	5.0	25.9	0.84	1.04	0.52	45	0.25	0.166
869290	Soil	0.58	36.70	39.58	161.3	201	102.1	19.5	1311	3.37	11.3	1.4	0.2	6.5	41.2	0.67	0.88	0.47	42	0.40	0.358

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 4 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.01	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869261	Soil	20.3	61.8	0.56	359.0	0.110	2	3.06	0.012	0.16	0.5	4.2	0.21	<0.02	48	0.4	0.03	8.3	2.44	<0.1	0.11
869262	Soil	19.7	54.5	0.56	415.3	0.088	2	2.95	0.012	0.13	0.5	3.9	0.17	<0.02	52	0.4	0.06	8.3	1.95	<0.1	0.09
869263	Soil	20.9	52.5	0.56	360.0	0.092	2	3.05	0.012	0.13	0.6	4.0	0.17	<0.02	46	0.3	0.04	8.5	1.98	<0.1	0.12
869264	Soil	25.9	75.0	0.85	282.0	0.167	2	3.88	0.014	0.16	0.4	6.6	0.25	<0.02	48	0.5	<0.02	11.0	2.53	<0.1	0.48
869265	Soil	24.6	45.2	0.55	263.6	0.104	3	3.20	0.010	0.14	0.3	4.7	0.18	0.03	48	0.7	0.05	9.4	1.97	<0.1	0.18
869266	Soil	26.8	28.8	0.51	251.6	0.083	2	2.98	0.009	0.17	0.3	4.0	0.17	<0.02	38	0.5	0.03	8.6	1.86	<0.1	0.12
869267	Soil	35.2	27.6	0.53	165.1	0.077	2	2.98	0.008	0.16	0.3	4.1	0.16	<0.02	44	0.7	0.09	8.1	2.01	<0.1	0.13
869268	Soil	20.6	31.3	0.53	228.4	0.106	3	3.44	0.012	0.17	0.5	4.0	0.22	<0.02	36	0.6	0.04	9.8	2.65	<0.1	0.20
869269	Soil	18.3	28.3	0.54	219.7	0.095	3	3.52	0.013	0.19	0.6	4.2	0.22	0.02	54	0.8	0.08	9.7	2.62	<0.1	0.16
869270	Soil	17.2	23.1	0.42	280.7	0.105	4	3.53	0.013	0.13	0.5	3.5	0.17	0.02	47	0.7	0.03	9.4	2.15	<0.1	0.16
869271	Soil	23.7	79.9	0.77	444.4	0.131	2	3.41	0.013	0.14	0.5	5.3	0.15	<0.02	31	0.5	0.03	9.8	2.26	<0.1	0.25
869272	Soil	21.4	49.6	0.60	355.0	0.093	2	3.15	0.010	0.14	0.4	4.1	0.16	<0.02	37	0.6	0.03	9.8	2.17	<0.1	0.12
869273	Soil	19.2	36.6	0.50	420.6	0.086	2	2.90	0.009	0.14	0.6	3.1	0.16	<0.02	39	0.6	0.04	8.6	1.91	<0.1	0.10
869274	Soil	19.8	34.0	0.50	445.5	0.082	3	3.12	0.009	0.15	0.5	3.1	0.15	<0.02	50	0.7	0.04	8.9	1.98	<0.1	0.10
869275	Soil	25.4	38.3	0.53	407.9	0.084	2	3.24	0.010	0.14	0.4	3.5	0.16	<0.02	47	0.7	0.04	9.5	2.19	<0.1	0.11
869276	Soil	30.0	31.9	0.52	235.6	0.068	2	3.04	0.010	0.16	0.4	4.0	0.17	<0.02	44	0.6	0.06	8.3	1.99	<0.1	0.08
869277	Soil	26.3	31.9	0.53	200.8	0.074	2	3.35	0.010	0.13	0.4	4.0	0.18	<0.02	49	0.7	0.05	9.7	2.41	<0.1	0.13
869278	Soil	25.4	72.7	0.63	370.7	0.095	3	3.37	0.013	0.20	1.0	6.2	0.25	0.03	70	1.2	0.03	8.3	2.97	<0.1	0.15
869279	Soil	24.6	88.4	0.74	225.6	0.075	3	3.12	0.009	0.15	1.5	6.7	0.19	0.03	58	1.9	0.04	8.4	3.66	<0.1	0.08
869280	Soil	19.3	65.6	0.66	299.1	0.103	4	2.88	0.015	0.18	0.7	4.7	0.16	<0.02	36	0.6	<0.02	8.4	1.89	<0.1	0.12
869281	Soil	23.7	36.5	0.46	223.8	0.077	2	2.77	0.011	0.16	0.7	3.5	0.16	<0.02	40	0.7	0.03	7.7	1.88	<0.1	0.14
869282	Soil	18.1	27.2	0.39	227.0	0.096	2	3.02	0.011	0.14	0.6	3.4	0.17	<0.02	40	0.6	<0.02	7.7	1.75	<0.1	0.21
869283	Soil	23.1	26.2	0.37	188.8	0.084	2	2.69	0.010	0.11	0.6	2.8	0.13	<0.02	39	0.7	0.03	7.1	1.54	<0.1	0.17
869284	Soil	23.8	32.7	0.46	259.2	0.080	2	2.89	0.010	0.12	0.8	3.3	0.16	<0.02	40	0.6	0.03	8.0	1.84	<0.1	0.14
869285	Soil	17.1	35.8	0.50	297.8	0.072	2	2.61	0.010	0.18	0.7	3.1	0.17	<0.02	48	0.5	0.03	7.7	1.98	<0.1	0.09
869286	Soil	23.2	30.9	0.40	243.0	0.088	2	3.11	0.013	0.13	0.6	3.4	0.16	0.02	60	0.6	0.04	8.2	1.95	<0.1	0.13
869287	Soil	18.8	36.4	0.50	242.6	0.097	2	3.09	0.012	0.16	0.7	4.3	0.19	<0.02	59	0.5	0.02	8.5	1.89	<0.1	0.21
869288	Soil	17.5	31.5	0.42	377.6	0.091	2	3.35	0.012	0.14	0.6	3.8	0.18	<0.02	43	0.6	<0.02	8.5	1.84	<0.1	0.20
869289	Soil	23.9	45.0	0.53	413.0	0.066	2	2.83	0.010	0.14	0.4	3.8	0.17	<0.02	39	0.5	<0.02	8.0	2.02	<0.1	0.08
869290	Soil	20.1	78.3	0.88	444.7	0.135	3	3.16	0.013	0.22	0.5	5.2	0.27	<0.02	51	0.5	<0.02	9.1	4.35	<0.1	0.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 17, 2008

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869261	Soil	1.91	36.0	0.8	<0.05	8.7	7.93	45.0	0.06	<1	1.2	26.2	<10	<2
869262	Soil	1.60	26.8	1.0	<0.05	6.9	7.27	43.6	0.11	<1	1.1	31.7	<10	<2
869263	Soil	1.60	26.8	1.0	<0.05	8.3	8.31	46.4	0.08	<1	0.9	32.2	<10	<2
869264	Soil	2.59	27.1	1.0	<0.05	28.1	11.80	67.5	0.05	<1	1.2	40.6	<10	<2
869265	Soil	2.40	21.4	1.0	<0.05	11.7	12.31	58.8	0.10	<1	1.2	36.0	<10	2
869266	Soil	1.50	27.3	0.9	<0.05	7.5	11.22	70.1	0.04	<1	1.3	43.9	<10	<2
869267	Soil	1.42	25.1	0.8	<0.05	8.1	18.82	68.8	0.06	<1	1.1	42.2	<10	<2
869268	Soil	2.16	32.8	0.9	<0.05	12.4	12.09	47.7	0.04	<1	1.1	42.6	<10	<2
869269	Soil	1.91	29.4	1.0	<0.05	9.1	11.70	41.9	0.10	<1	1.1	39.5	<10	<2
869270	Soil	2.36	22.0	1.0	<0.05	13.2	10.70	42.1	0.06	<1	1.2	29.9	<10	<2
869271	Soil	1.75	29.2	0.9	<0.05	16.8	9.13	62.1	0.05	<1	1.1	47.0	<10	<2
869272	Soil	1.81	27.3	0.9	<0.05	7.8	7.49	48.6	0.08	<1	1.0	41.8	<10	<2
869273	Soil	1.82	24.5	0.9	<0.05	7.7	5.80	44.0	0.06	<1	0.9	30.2	<10	<2
869274	Soil	1.86	29.9	0.9	<0.05	6.0	6.44	44.0	0.05	<1	1.2	33.4	<10	<2
869275	Soil	1.61	28.0	1.0	<0.05	7.8	8.21	56.7	0.05	<1	1.1	34.5	<10	<2
869276	Soil	1.39	22.8	0.8	<0.05	6.2	15.69	63.2	0.05	1	0.9	38.8	<10	<2
869277	Soil	1.58	21.6	1.0	<0.05	8.2	12.27	57.7	0.06	<1	1.3	47.2	<10	<2
869278	Soil	2.20	48.7	0.9	<0.05	10.0	19.88	42.5	0.05	<1	3.0	47.1	<10	<2
869279	Soil	2.36	36.1	0.8	<0.05	5.1	22.08	42.9	0.06	<1	3.0	61.7	<10	<2
869280	Soil	1.82	25.8	0.8	<0.05	8.6	8.98	42.5	0.07	<1	0.7	24.9	<10	<2
869281	Soil	1.63	20.4	0.7	<0.05	9.5	7.86	51.9	0.04	<1	0.8	32.2	<10	<2
869282	Soil	1.77	19.0	0.9	<0.05	13.7	9.44	42.8	0.04	<1	0.8	31.7	<10	<2
869283	Soil	1.60	14.8	0.7	<0.05	10.6	9.14	50.3	0.03	<1	0.8	25.6	<10	<2
869284	Soil	1.72	21.5	0.9	<0.05	8.7	12.72	44.8	0.06	<1	0.8	26.6	<10	<2
869285	Soil	1.57	24.3	0.8	<0.05	6.2	6.58	35.4	0.09	<1	0.8	25.9	<10	<2
869286	Soil	1.73	19.2	0.9	<0.05	8.6	12.19	43.8	0.05	<1	1.0	24.2	<10	<2
869287	Soil	1.53	20.3	0.9	<0.05	15.8	10.18	43.7	0.07	<1	1.1	26.5	<10	<2
869288	Soil	1.45	20.8	0.9	<0.05	13.7	8.49	41.7	0.04	<1	1.0	24.3	<10	<2
869289	Soil	1.37	27.2	0.8	<0.05	4.8	6.45	56.4	0.07	<1	0.8	32.9	<10	<2
869290	Soil	2.25	80.8	0.9	<0.05	13.1	9.26	46.0	0.07	<1	1.0	33.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 5 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
869291	Soil	0.64	18.84	52.12	112.9	133	59.5	14.8	999	2.66	14.5	1.3	5.7	7.8	38.0	0.87	0.66	0.42	31	0.32	0.094
869292	Soil	0.75	40.71	20.32	100.3	130	29.7	12.1	477	2.72	7.6	1.3	8.5	6.2	35.5	0.47	0.33	0.28	51	0.31	0.116
869293	Soil	0.85	36.33	65.87	153.6	284	81.2	17.4	1031	3.38	16.9	1.9	1.9	5.1	51.1	0.76	0.86	0.53	49	0.51	0.148
869294	Soil	0.78	37.74	31.01	131.6	356	55.2	16.4	799	3.00	15.3	1.7	2.0	4.9	39.0	0.57	0.80	0.53	42	0.31	0.174
869295	Soil	0.74	28.25	28.79	141.8	216	53.7	14.0	691	2.64	12.7	1.3	6.8	5.0	26.6	0.54	0.49	0.51	38	0.24	0.194
869296	Soil	0.74	31.13	33.10	152.3	197	61.7	14.2	626	2.87	15.9	1.5	2.3	6.0	25.9	0.65	0.90	0.54	40	0.21	0.271
869297	Soil	0.85	33.17	35.57	140.5	217	58.9	14.5	658	3.01	16.3	1.6	8.4	7.2	30.6	0.68	0.85	0.59	45	0.24	0.228
869298	Soil	0.66	24.06	27.37	266.8	374	68.8	15.6	1659	2.92	10.8	1.1	4.5	4.4	45.6	1.04	0.48	0.57	36	0.39	0.319
869299	Soil	0.80	26.28	33.00	182.3	248	65.1	16.4	1227	2.90	13.6	1.3	2.5	5.1	45.5	0.85	0.74	0.60	36	0.43	0.313
869300	Soil	0.81	28.75	25.97	172.6	217	77.8	16.1	977	3.03	16.6	1.4	4.4	6.2	30.8	0.43	0.84	0.46	37	0.26	0.143
869601	Soil	0.86	27.87	33.00	181.5	183	64.5	17.2	1470	2.86	12.3	1.3	3.4	5.9	33.5	0.54	0.83	0.45	33	0.27	0.102
869602	Soil	0.96	26.70	25.21	142.0	212	49.4	21.1	1055	3.11	22.1	1.2	4.5	6.4	24.7	0.47	0.82	0.48	35	0.18	0.135
869603	Soil	0.99	31.26	33.54	140.2	191	38.3	18.1	497	3.09	28.3	1.5	6.5	8.1	34.1	0.72	1.31	0.53	35	0.30	0.158
869604	Soil	0.79	24.97	28.51	200.7	118	61.1	22.7	1575	2.99	14.6	1.1	1.9	5.3	23.7	0.78	0.84	0.47	38	0.23	0.214
869605	Soil	0.84	25.06	36.45	157.8	132	61.3	17.9	1317	3.01	12.3	1.2	2.5	4.9	27.3	0.65	0.86	0.47	39	0.32	0.263
869606	Soil	0.79	54.20	25.40	120.1	235	58.5	21.5	1297	3.44	17.7	1.2	4.7	4.5	39.1	0.86	1.13	0.21	62	0.57	0.236
869607	Soil	0.74	53.47	21.40	125.0	313	57.4	21.2	1110	3.51	28.9	1.1	9.4	4.6	38.1	0.77	1.04	0.20	59	0.61	0.191
869608	Soil	0.66	45.15	13.81	122.0	211	55.5	19.5	1018	3.43	14.9	1.4	2.2	4.7	34.0	0.47	0.77	0.19	55	0.51	0.308
869609	Soil	0.62	48.64	17.78	121.0	209	53.8	20.0	1172	3.56	19.9	0.9	4.2	4.0	45.9	0.61	0.88	0.19	58	0.70	0.305
869610	Soil	0.61	42.09	17.36	113.1	207	42.4	17.6	907	3.37	12.3	1.1	1.1	3.6	32.0	0.49	0.94	0.19	55	0.42	0.240
869611	Soil	0.55	40.71	16.11	126.9	260	43.6	16.6	1212	3.39	14.7	1.2	1.6	3.0	41.8	0.65	0.99	0.20	52	0.62	0.320
869612	Soil	0.59	42.46	30.86	122.8	170	41.9	16.2	886	3.34	13.4	1.1	2.9	2.9	35.6	0.78	1.42	0.21	54	0.48	0.193
869613	Soil	0.52	39.65	18.48	127.3	141	50.7	19.0	1239	3.56	15.0	1.2	2.0	3.6	39.5	0.68	1.15	0.20	53	0.56	0.220
869614	Soil	0.54	42.52	18.20	131.4	156	51.5	18.8	1117	3.66	15.0	1.3	1.4	3.7	38.0	0.59	1.23	0.21	53	0.51	0.191
869615	Soil	0.53	46.68	19.00	132.9	153	51.7	21.1	1359	3.71	13.7	1.1	1.8	3.2	39.5	0.68	1.13	0.20	56	0.59	0.224
869616	Soil	0.68	33.19	21.38	132.0	276	29.9	11.2	604	2.55	7.7	1.1	1.4	4.9	34.7	0.54	0.33	0.25	43	0.35	0.184
869617	Soil	1.23	94.43	17.14	104.0	495	71.3	30.8	964	4.14	31.4	1.1	22.0	4.0	37.4	0.50	1.22	0.21	83	0.53	0.227
869618	Soil	0.71	40.91	20.18	136.7	262	47.1	16.6	1332	2.87	21.4	0.8	3.6	3.0	47.7	0.91	1.03	0.23	44	0.65	0.335
869619	Soil	0.82	44.83	16.63	126.7	270	55.5	21.3	1155	3.57	35.0	0.9	9.0	4.4	32.0	0.87	1.08	0.22	58	0.45	0.210
869620	Soil	0.71	38.51	16.43	151.6	454	53.1	19.1	1164	3.34	26.9	1.1	15.7	4.7	32.0	0.95	1.02	0.23	52	0.45	0.318

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 5 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869291	Soil	24.9	47.0	0.68	150.5	0.036	1	1.73	0.006	0.16	0.6	2.6	0.13	<0.02	21	0.3	0.03	5.6	1.69	<0.1	<0.02
869292	Soil	16.4	32.7	0.59	148.4	0.089	1	1.72	0.013	0.25	0.4	3.6	0.18	<0.02	14	0.4	0.03	5.3	1.85	<0.1	0.18
869293	Soil	22.4	62.3	0.83	214.1	0.097	2	2.99	0.011	0.20	0.7	3.7	0.17	0.02	35	0.5	0.04	8.5	2.23	<0.1	0.07
869294	Soil	17.3	38.3	0.55	216.4	0.095	2	3.36	0.012	0.16	0.9	3.5	0.15	0.02	38	0.6	0.05	8.4	1.92	<0.1	0.15
869295	Soil	16.2	36.3	0.48	173.9	0.081	2	2.72	0.011	0.13	0.9	3.5	0.14	<0.02	27	0.4	0.03	7.1	1.68	<0.1	0.11
869296	Soil	17.3	38.5	0.55	217.0	0.094	2	3.14	0.012	0.17	1.0	3.7	0.16	<0.02	40	0.4	<0.02	8.5	2.11	<0.1	0.20
869297	Soil	22.4	43.1	0.61	225.6	0.104	2	2.96	0.012	0.18	1.0	4.4	0.19	<0.02	35	0.5	0.05	8.0	2.36	<0.1	0.15
869298	Soil	16.1	33.5	0.48	380.8	0.088	4	2.98	0.012	0.16	0.8	3.1	0.16	<0.02	45	0.5	0.02	8.5	2.28	<0.1	0.11
869299	Soil	15.5	31.9	0.47	276.9	0.083	3	3.09	0.012	0.14	1.1	3.3	0.17	<0.02	42	0.5	0.03	8.3	2.09	<0.1	0.15
869300	Soil	21.0	31.2	0.43	203.9	0.105	4	3.29	0.014	0.14	0.8	3.5	0.22	0.04	51	0.5	0.06	8.6	2.05	<0.1	0.20
869601	Soil	19.2	27.1	0.44	211.9	0.081	2	3.12	0.013	0.14	0.5	3.1	0.18	<0.02	38	0.3	<0.02	8.3	1.74	<0.1	0.17
869602	Soil	15.4	30.4	0.41	200.8	0.081	2	3.14	0.010	0.12	0.5	2.8	0.18	<0.02	42	0.4	0.03	8.4	1.96	<0.1	0.27
869603	Soil	16.0	29.0	0.39	200.7	0.091	3	3.49	0.010	0.13	0.7	3.0	0.17	<0.02	44	0.7	0.07	9.1	1.83	<0.1	0.33
869604	Soil	14.1	37.0	0.40	282.1	0.076	2	3.11	0.011	0.14	0.6	3.1	0.19	<0.02	34	0.3	0.02	8.4	1.81	<0.1	0.13
869605	Soil	14.8	43.1	0.45	335.2	0.092	3	3.23	0.012	0.16	0.7	3.5	0.18	<0.02	43	0.3	0.04	8.8	2.14	<0.1	0.13
869606	Soil	23.0	53.2	1.11	328.7	0.135	3	3.14	0.015	0.29	0.4	5.4	0.30	<0.02	51	0.3	<0.02	8.2	2.87	0.1	0.11
869607	Soil	22.7	53.2	1.15	264.2	0.127	3	3.26	0.013	0.24	0.6	5.2	0.23	<0.02	60	0.2	<0.02	8.6	2.67	<0.1	0.14
869608	Soil	21.8	43.9	0.99	301.1	0.137	3	3.69	0.018	0.26	0.3	4.9	0.28	<0.02	38	0.3	0.02	9.1	2.78	<0.1	0.15
869609	Soil	20.3	51.3	1.02	314.0	0.121	4	3.21	0.014	0.25	0.3	4.8	0.22	<0.02	35	0.4	<0.02	8.7	2.69	<0.1	0.12
869610	Soil	17.5	43.7	0.87	309.7	0.119	3	3.30	0.015	0.27	0.3	5.3	0.22	<0.02	32	0.3	<0.02	8.3	2.49	<0.1	0.15
869611	Soil	16.7	41.9	0.80	344.8	0.111	4	3.58	0.015	0.26	0.2	4.8	0.17	0.02	39	0.4	<0.02	9.0	2.47	<0.1	0.15
869612	Soil	18.2	40.8	0.85	259.0	0.106	3	2.99	0.015	0.28	0.2	4.9	0.24	0.02	42	0.3	0.02	7.5	2.59	<0.1	0.11
869613	Soil	18.2	43.6	0.93	338.8	0.118	4	3.41	0.014	0.27	0.2	4.9	0.21	<0.02	37	0.3	<0.02	8.6	2.88	<0.1	0.13
869614	Soil	17.8	43.9	0.95	314.2	0.117	3	3.56	0.014	0.25	0.2	5.1	0.22	<0.02	36	0.4	<0.02	8.8	2.85	<0.1	0.15
869615	Soil	19.7	49.7	1.01	275.1	0.109	3	3.28	0.014	0.23	0.2	5.1	0.19	0.02	39	0.3	<0.02	8.2	2.76	<0.1	0.10
869616	Soil	15.1	27.5	0.48	214.7	0.101	3	2.51	0.021	0.21	0.4	3.5	0.18	<0.02	21	0.2	0.04	6.3	1.80	<0.1	0.21
869617	Soil	19.4	101.8	1.75	277.6	0.150	4	3.63	0.014	0.41	1.5	6.9	0.35	<0.02	37	0.5	0.07	9.8	3.51	<0.1	0.13
869618	Soil	14.1	44.5	0.81	463.2	0.102	3	3.01	0.015	0.17	0.7	4.2	0.19	<0.02	52	0.3	0.04	7.9	1.91	0.1	0.16
869619	Soil	19.7	50.4	1.04	278.3	0.127	3	3.31	0.012	0.21	1.2	5.1	0.23	<0.02	37	0.3	0.04	8.8	2.65	<0.1	0.21
869620	Soil	18.5	43.1	0.91	339.0	0.129	3	3.39	0.014	0.20	0.6	4.6	0.25	<0.02	49	0.3	0.02	8.7	2.54	<0.1	0.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 17, 2008

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869291	Soil	1.47	26.8	0.4	<0.05	1.3	5.19	48.1	0.03	<1	0.9	25.3	<10	<2
869292	Soil	0.74	29.4	0.5	<0.05	9.9	8.28	30.6	0.03	<1	0.6	15.8	<10	<2
869293	Soil	2.75	31.9	0.7	<0.05	4.8	9.32	42.6	0.05	<1	1.0	31.5	<10	<2
869294	Soil	2.27	25.4	0.8	<0.05	10.1	9.33	38.3	0.04	<1	0.8	26.7	<10	<2
869295	Soil	1.69	21.8	0.6	<0.05	7.7	8.20	33.1	0.04	<1	0.6	22.8	<10	<2
869296	Soil	2.50	24.5	0.8	<0.05	12.4	8.40	37.7	0.05	<1	0.9	22.6	<10	<2
869297	Soil	2.57	30.6	0.8	<0.05	11.0	9.63	45.6	0.05	<1	0.8	24.1	<10	<2
869298	Soil	1.92	30.2	0.9	<0.05	6.5	6.76	34.9	0.04	<1	0.7	24.6	<10	<2
869299	Soil	1.93	21.8	0.8	<0.05	9.4	7.77	37.3	0.05	<1	0.8	22.9	<10	<2
869300	Soil	2.05	22.7	0.8	<0.05	14.3	9.17	52.1	0.04	3	1.1	31.0	<10	<2
869601	Soil	1.81	21.8	0.8	<0.05	11.3	8.81	45.5	0.05	<1	0.9	30.4	<10	<2
869602	Soil	1.90	22.4	0.8	<0.05	15.2	6.42	43.7	0.05	<1	1.0	28.4	<10	<2
869603	Soil	1.75	17.6	0.9	<0.05	23.1	5.69	44.9	0.06	<1	1.1	28.7	<10	3
869604	Soil	1.55	23.4	0.7	<0.05	8.4	5.36	38.2	0.05	<1	0.9	26.1	<10	<2
869605	Soil	1.82	23.7	0.8	<0.05	11.1	6.78	39.4	0.06	<1	0.9	24.8	<10	<2
869606	Soil	5.47	43.9	0.8	<0.05	9.0	10.96	50.7	0.08	<1	0.9	19.6	<10	2
869607	Soil	5.62	37.3	0.7	<0.05	10.3	10.97	50.7	0.05	<1	0.8	21.2	<10	2
869608	Soil	5.53	41.2	0.7	<0.05	13.9	11.53	52.1	0.03	<1	0.7	20.5	<10	<2
869609	Soil	5.43	34.7	0.7	<0.05	9.2	9.47	48.0	0.04	<1	0.7	21.0	<10	<2
869610	Soil	3.95	35.9	0.6	<0.05	11.2	9.94	38.5	0.03	<1	0.6	18.7	<10	<2
869611	Soil	4.47	29.3	0.7	<0.05	10.6	9.70	38.9	0.05	<1	0.9	18.6	<10	<2
869612	Soil	4.68	34.7	0.7	<0.05	8.3	9.91	38.1	0.08	<1	0.6	18.8	<10	<2
869613	Soil	5.56	35.5	0.7	<0.05	9.2	9.25	43.4	0.04	<1	0.9	20.5	<10	<2
869614	Soil	5.44	34.5	0.7	<0.05	11.0	9.67	42.1	0.04	<1	0.6	21.6	<10	<2
869615	Soil	5.52	34.3	0.6	<0.05	6.1	10.45	45.2	0.03	1	0.8	23.3	<10	<2
869616	Soil	1.35	25.2	0.5	<0.05	14.9	8.21	33.5	0.04	<1	0.6	16.0	<10	<2
869617	Soil	4.64	57.6	0.7	<0.05	9.3	10.44	43.2	0.04	<1	0.8	21.0	<10	2
869618	Soil	4.32	24.7	0.6	<0.05	11.8	7.74	36.7	0.04	<1	0.6	16.6	<10	<2
869619	Soil	5.42	35.9	0.7	<0.05	14.4	9.59	48.7	0.03	1	0.9	20.0	<10	<2
869620	Soil	5.70	32.0	0.7	<0.05	13.7	9.28	48.7	0.03	<1	0.9	19.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 6 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
869621	Soil	0.74	30.63	17.33	141.5	281	36.5	15.4	962	3.05	17.8	0.8	15.4	3.2	42.4	1.06	0.97	0.21	44	0.48	0.542	
869622	Soil	0.68	39.78	15.93	158.0	209	48.4	18.4	1293	3.60	13.8	0.8	1.2	2.8	42.4	1.17	1.21	0.18	53	0.59	0.343	
869623	Soil	0.64	40.13	18.84	126.4	192	46.3	19.1	1383	3.66	14.9	0.9	1.1	2.6	39.9	0.89	1.32	0.19	54	0.59	0.231	
869624	Soil	0.66	43.79	18.83	123.8	200	41.8	19.1	1279	3.53	16.4	0.8	1.5	2.3	34.8	0.54	1.24	0.20	55	0.51	0.186	
869625	Soil	0.56	34.19	15.77	118.2	201	31.3	15.3	1316	3.06	14.6	0.8	2.0	2.9	34.8	0.67	0.83	0.22	47	0.55	0.243	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 17, 2008

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009663.1

	Method	1F30																				
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
869621	Soil	13.6	35.4	0.59	461.0	0.099	3	3.20	0.013	0.16	0.2	4.5	0.17	<0.02	42	0.3	<0.02	8.2	2.07	<0.1	0.21	
869622	Soil	16.5	46.8	0.86	398.7	0.100	3	2.99	0.010	0.27	0.2	4.9	0.19	<0.02	45	0.2	<0.02	8.0	2.61	<0.1	0.10	
869623	Soil	15.3	45.4	0.92	306.1	0.099	3	3.31	0.010	0.25	0.2	5.0	0.20	0.02	44	0.4	<0.02	8.2	2.83	<0.1	0.13	
869624	Soil	15.9	48.1	0.88	237.5	0.089	3	3.02	0.011	0.19	0.2	4.8	0.18	0.03	39	0.3	<0.02	7.4	2.53	<0.1	0.08	
869625	Soil	14.6	41.6	0.60	304.8	0.109	4	3.61	0.015	0.17	0.3	4.6	0.19	0.02	43	0.3	<0.02	8.5	2.16	<0.1	0.22	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 17, 2008

Page:

6 of 6

Part 3

CERTIFICATE OF ANALYSIS

VAN08009663.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
869621	Soil	3.02	22.4	0.7	<0.05	13.9	8.03	36.2	0.03	<1	0.8	17.1	<10	<2
869622	Soil	4.94	30.9	0.6	<0.05	6.5	8.02	37.9	0.03	<1	0.7	18.4	<10	<2
869623	Soil	5.22	33.7	0.6	<0.05	7.6	8.54	37.2	0.05	<1	0.9	20.0	<10	<2
869624	Soil	4.33	34.0	0.6	<0.05	5.2	9.29	39.7	0.05	<1	0.7	22.9	<10	<2
869625	Soil	3.49	39.5	0.7	<0.05	13.7	9.77	37.5	0.04	<1	0.8	21.3	<10	<2

QUALITY CONTROL REPORT

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
869402	Soil	0.37	28.56	40.45	127.3	226	98.9	19.9	908	3.14	7.2	1.4	5.3	5.0	65.7	0.81	0.85	0.41	43	0.51	0.155
REP 869402	QC	0.37	28.05	38.50	124.1	216	98.1	19.5	909	3.13	7.3	1.3	0.7	4.9	67.7	0.75	0.85	0.40	41	0.52	0.159
869419	Soil	0.46	28.85	17.81	122.2	188	33.1	13.5	932	2.78	8.4	1.1	1.8	5.5	42.4	0.37	0.45	0.39	38	0.24	0.270
REP 869419	QC	0.50	29.32	18.58	123.7	190	33.6	13.6	1021	2.80	8.2	1.2	0.4	5.6	42.5	0.42	0.46	0.40	40	0.26	0.277
869441	Soil	0.97	49.00	30.39	130.7	123	58.8	23.6	1663	3.42	28.7	2.0	0.3	6.2	23.9	0.55	1.25	0.49	42	0.24	0.147
REP 869441	QC	0.90	48.10	29.83	123.1	123	57.3	22.7	1629	3.37	27.8	2.1	0.9	6.1	22.6	0.53	1.21	0.51	39	0.23	0.152
869256	Soil	1.08	40.50	39.93	138.2	275	59.9	17.2	916	3.20	19.9	1.6	7.1	8.7	30.0	0.41	0.61	0.67	46	0.21	0.113
REP 869256	QC	1.01	39.79	37.67	135.3	268	56.6	16.6	881	3.19	19.1	1.6	12.1	8.4	28.7	0.39	0.60	0.64	45	0.20	0.111
869267	Soil	0.78	50.19	38.44	139.4	164	45.9	19.0	1758	3.27	19.3	1.9	1.9	8.7	66.4	0.61	1.03	0.63	31	0.35	0.142
REP 869267	QC	0.82	53.33	41.55	143.4	175	51.1	20.6	1873	3.50	20.2	2.0	2.5	9.8	72.3	0.65	1.08	0.69	36	0.39	0.150
869285	Soil	0.65	25.81	50.74	187.1	201	64.3	15.5	1980	2.84	13.2	1.0	1.3	4.8	51.0	1.11	0.90	0.59	34	0.38	0.331
REP 869285	QC	0.63	24.57	47.94	177.6	189	65.4	15.3	1968	2.64	12.2	1.0	2.2	4.9	48.7	1.01	0.86	0.56	35	0.37	0.307
869300	Soil	0.81	28.75	25.97	172.6	217	77.8	16.1	977	3.03	16.6	1.4	4.4	6.2	30.8	0.43	0.84	0.46	37	0.26	0.143
REP 869300	QC	0.82	28.63	25.77	176.1	220	81.1	16.3	986	3.02	16.5	1.4	5.8	6.3	31.3	0.42	0.80	0.46	39	0.26	0.142
Reference Materials																					
STD DS7	Standard	20.39	115.0	75.69	391.2	814	54.6	9.5	586	2.29	52.7	5.3	65.7	4.6	64.5	6.89	6.46	4.76	76	0.90	0.081
STD DS7	Standard	19.69	100.4	65.75	390.0	857	55.9	9.4	586	2.29	50.8	4.7	119.9	4.1	61.2	5.96	5.61	4.16	79	0.91	0.079
STD DS7	Standard	18.84	102.0	68.79	386.7	832	50.9	8.7	616	2.35	52.7	5.4	134.2	4.7	81.2	6.17	6.62	4.92	77	1.00	0.079
STD DS7	Standard	19.58	111.2	70.41	390.8	800	54.2	9.1	593	2.34	51.6	5.4	63.2	4.6	65.1	6.81	6.29	4.94	76	0.93	0.076
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
Pulp Duplicates																					
869402	Soil	17.3	77.2	1.25	318.8	0.154	2	3.12	0.026	0.18	0.2	4.1	0.22	<0.02	32	0.4	0.04	8.2	4.75	<0.1	0.17
REP 869402	QC	17.2	78.1	1.26	312.1	0.157	2	3.15	0.028	0.18	0.2	4.3	0.22	<0.02	30	0.3	0.04	8.5	4.73	<0.1	0.13
869419	Soil	16.2	31.9	0.52	293.3	0.110	2	3.11	0.017	0.15	0.5	4.0	0.16	<0.02	25	0.2	<0.02	8.3	1.91	<0.1	0.22
REP 869419	QC	15.2	32.9	0.52	290.9	0.107	2	3.18	0.017	0.16	0.4	4.1	0.16	<0.02	20	0.3	0.02	7.8	1.89	<0.1	0.26
869441	Soil	25.0	40.1	0.58	266.3	0.089	1	3.36	0.008	0.13	0.3	3.5	0.16	<0.02	29	0.6	0.06	9.1	3.19	<0.1	0.08
REP 869441	QC	23.7	39.6	0.57	252.3	0.085	1	3.19	0.008	0.12	0.4	3.2	0.15	<0.02	35	0.6	0.05	8.6	3.03	<0.1	0.08
869256	Soil	25.9	42.9	0.62	155.2	0.096	1	2.71	0.011	0.16	1.5	4.8	0.17	<0.02	31	0.7	0.04	7.5	2.18	<0.1	0.09
REP 869256	QC	24.1	41.6	0.59	148.9	0.090	1	2.68	0.011	0.15	1.4	4.5	0.16	<0.02	27	0.5	0.04	7.1	2.02	<0.1	0.13
869267	Soil	35.2	27.6	0.53	165.1	0.077	2	2.98	0.008	0.16	0.3	4.1	0.16	<0.02	44	0.7	0.09	8.1	2.01	<0.1	0.13
REP 869267	QC	38.3	30.1	0.57	178.0	0.082	2	3.12	0.010	0.17	0.4	4.3	0.17	<0.02	47	0.8	0.07	8.5	2.14	0.1	0.13
869285	Soil	17.1	35.8	0.50	297.8	0.072	2	2.61	0.010	0.18	0.7	3.1	0.17	<0.02	48	0.5	0.03	7.7	1.98	<0.1	0.09
REP 869285	QC	17.2	37.3	0.45	285.6	0.070	2	2.65	0.010	0.18	0.6	3.0	0.17	<0.02	39	0.5	0.04	7.2	1.93	<0.1	0.08
869300	Soil	21.0	31.2	0.43	203.9	0.105	4	3.29	0.014	0.14	0.8	3.5	0.22	0.04	51	0.5	0.06	8.6	2.05	<0.1	0.20
REP 869300	QC	21.1	32.6	0.43	200.4	0.109	4	3.35	0.014	0.14	1.0	3.7	0.21	<0.02	49	0.7	<0.02	8.9	2.01	<0.1	0.22
Reference Materials																					
STD DS7	Standard	12.3	160.0	0.99	359.5	0.108	39	0.94	0.077	0.39	3.9	2.5	4.17	0.18	199	3.7	1.13	4.3	6.41	<0.1	0.09
STD DS7	Standard	11.3	165.1	1.00	349.3	0.100	41	0.93	0.077	0.41	4.4	2.3	4.42	0.18	188	3.8	1.21	4.6	6.12	0.1	0.11
STD DS7	Standard	14.7	167.9	1.04	381.8	0.126	42	1.02	0.086	0.42	4.3	2.7	4.22	0.19	184	3.7	1.16	4.6	6.16	0.1	0.11
STD DS7	Standard	12.5	157.3	1.01	342.7	0.105	39	0.90	0.076	0.39	4.0	2.5	4.08	0.19	189	3.6	1.14	4.4	6.31	0.1	0.10
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08009663.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates														
869402	Soil	1.87	29.8	0.9	<0.05	12.5	5.82	43.9	0.06	<1	1.0	35.7	<10	<2
REP 869402	QC	1.90	30.7	0.9	<0.05	10.7	5.87	43.9	0.07	<1	0.7	35.3	<10	<2
869419	Soil	1.71	20.6	0.7	<0.05	14.6	7.55	39.2	0.03	1	1.1	23.1	<10	2
REP 869419	QC	1.58	21.1	0.8	<0.05	16.4	7.70	38.3	0.02	<1	1.1	23.5	<10	<2
869441	Soil	1.87	23.6	0.8	<0.05	6.3	7.91	54.5	0.05	<1	1.3	31.2	<10	<2
REP 869441	QC	1.90	22.7	0.8	<0.05	6.2	7.71	50.9	0.04	<1	1.3	30.7	<10	<2
869256	Soil	1.38	24.5	0.7	<0.05	7.8	9.81	48.7	0.03	<1	1.1	24.7	<10	<2
REP 869256	QC	1.33	24.1	0.6	<0.05	7.4	9.11	46.2	0.03	<1	0.9	24.1	<10	<2
869267	Soil	1.42	25.1	0.8	<0.05	8.1	18.82	68.8	0.06	<1	1.1	42.2	<10	<2
REP 869267	QC	1.52	27.6	0.8	<0.05	9.0	19.83	76.1	0.07	<1	1.1	44.6	<10	<2
869285	Soil	1.57	24.3	0.8	<0.05	6.2	6.58	35.4	0.09	<1	0.8	25.9	<10	<2
REP 869285	QC	1.42	23.6	0.8	<0.05	5.6	6.23	35.1	0.07	<1	0.5	25.2	<10	<2
869300	Soil	2.05	22.7	0.8	<0.05	14.3	9.17	52.1	0.04	3	1.1	31.0	<10	<2
REP 869300	QC	2.11	23.4	0.8	<0.05	13.4	9.24	53.2	0.04	2	1.2	29.8	<10	<2
Reference Materials														
STD DS7	Standard	0.59	35.4	5.0	<0.05	5.5	5.24	34.2	1.67	3	2.0	25.6	57	39
STD DS7	Standard	0.73	36.6	4.5	<0.05	5.8	5.04	33.7	1.61	6	1.7	27.4	72	38
STD DS7	Standard	0.90	35.2	5.0	<0.05	5.6	6.27	36.3	1.63	5	2.0	28.2	72	36
STD DS7	Standard	0.62	32.9	5.0	<0.05	5.6	5.25	33.8	1.62	4	1.5	26.9	48	40
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: October 02, 2008
 Report Date: October 30, 2008
 Page: 1 of 10

CERTIFICATE OF ANALYSIS

VAN08009997.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 013
 P.O. Number
 Number of Samples: 243

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	243	Sieve to 230 mesh		
RJSV	243	Save all or part of soil reject fraction		
RJSV	243	Saving all or part of Soil Reject		
1F30	243	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 "**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

2 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method Analyte	Unit MDL	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
945003	Soil	2.61	0.76	29.05	39.62	208.5	105	41.5	14.7	2029	2.87	14.9	1.1	1.2	5.4	27.0	0.64	0.73	0.54	34	0.23
945004	Soil	2.60	0.87	33.02	54.54	331.4	228	40.3	19.3	3440	3.31	15.7	1.1	2.3	3.5	41.5	2.11	0.70	0.62	36	0.32
945005	Soil	3.12	0.86	43.73	33.84	254.0	181	75.2	28.9	2286	3.21	13.6	1.8	1.1	4.9	39.9	0.94	0.65	0.50	36	0.38
945006	Soil	2.57	0.63	28.19	46.15	261.2	142	41.5	14.4	1512	3.04	11.6	0.9	2.9	6.6	31.1	1.04	0.74	0.53	33	0.19
945007	Soil	3.28	1.06	53.95	44.60	103.4	63	40.0	17.2	1332	3.68	21.5	1.1	3.8	8.8	32.6	0.41	0.97	0.46	26	0.29
945008	Soil	2.83	0.98	55.82	34.73	142.2	96	49.0	19.9	1336	3.85	19.3	1.8	1.4	11.5	35.3	0.35	0.67	0.59	35	0.21
945009	Soil	2.50	0.79	36.16	37.31	161.5	130	44.0	17.1	1219	3.26	16.7	1.2	2.2	7.5	48.5	0.55	0.58	0.51	37	0.38
945010	Soil	3.08	0.79	35.09	36.79	136.5	155	39.3	15.7	1939	3.21	17.0	1.7	1.4	6.5	35.5	0.57	0.81	0.52	37	0.29
945011	Soil	2.94	0.76	57.39	43.71	207.0	243	61.0	21.8	1188	3.87	15.8	1.6	2.6	9.4	39.9	0.61	0.52	0.46	44	0.28
945012	Soil	3.16	0.67	39.97	19.99	161.1	445	42.3	14.6	744	3.14	9.9	1.3	2.2	7.6	23.7	0.50	0.43	0.36	37	0.17
945013	Soil	3.23	0.72	39.60	28.37	140.7	248	44.7	15.3	758	3.27	13.9	1.6	2.5	8.5	30.1	0.43	0.54	0.43	36	0.18
945014	Soil	3.50	0.69	51.83	28.66	144.2	311	51.0	18.9	935	3.77	16.8	1.8	2.3	10.6	30.0	0.43	0.44	0.48	41	0.17
945015	Soil	2.87	0.68	57.01	26.55	294.3	310	102.6	27.7	725	4.31	12.9	1.2	1.7	7.2	38.8	0.96	0.47	0.35	68	0.30
945016	Soil	2.77	0.72	36.83	32.63	251.1	153	47.9	17.2	811	3.44	14.2	1.4	3.2	7.8	28.9	0.90	0.75	0.48	41	0.27
945017	Soil	2.74	0.76	43.50	30.91	174.8	194	54.1	18.0	1701	3.52	15.6	1.4	2.7	7.7	25.2	0.56	0.68	0.52	44	0.21
945018	Soil	2.74	0.69	40.04	22.12	130.7	338	46.9	14.1	464	3.04	12.9	1.5	1.8	8.0	22.3	0.33	0.63	0.41	37	0.19
945019	Soil	3.25	0.65	34.56	20.18	120.4	238	26.7	10.8	510	2.41	7.4	1.2	1.5	5.5	37.9	0.52	0.34	0.25	44	0.34
945020	Soil	2.82	0.93	27.93	32.79	206.9	270	42.4	15.2	941	3.22	13.4	1.8	1.1	7.5	20.5	0.63	0.90	0.50	40	0.15
945021	Soil	2.40	0.72	38.82	30.50	161.6	188	50.5	17.4	852	3.39	14.5	1.5	6.5	8.1	21.0	0.45	0.74	0.52	42	0.18
945022	Soil	2.93	0.89	45.96	29.84	178.8	216	74.6	19.6	1289	3.66	14.1	1.4	2.7	8.9	21.4	0.47	0.70	0.56	50	0.16
945023	Soil	2.60	0.66	39.88	50.43	295.0	121	45.9	18.9	3048	3.24	16.2	1.3	2.7	5.2	31.8	1.10	1.07	0.61	39	0.30
945024	Soil	2.54	0.66	48.59	28.75	141.6	195	51.5	19.2	1117	3.82	13.0	1.8	1.0	9.6	39.7	0.31	0.67	0.50	47	0.32
945025	Soil	2.85	0.64	36.96	19.46	111.5	164	27.9	11.1	494	2.61	7.6	1.2	2.2	6.3	37.6	0.43	0.32	0.25	52	0.34
945026	Soil	2.46	1.25	59.59	52.66	156.7	113	59.3	28.1	3766	3.43	9.9	1.5	2.5	6.1	79.5	0.92	0.94	0.66	47	0.76
945027	Soil	2.54	0.72	41.43	35.17	176.5	168	57.3	22.8	1979	3.56	16.5	1.4	1.3	5.7	35.6	0.71	0.63	0.52	41	0.31
945028	Soil	2.84	0.63	34.39	21.94	88.8	142	41.7	13.8	689	3.35	11.7	2.0	4.2	7.5	26.9	0.29	0.53	0.38	40	0.28
945029	Soil	2.98	0.77	42.86	22.25	92.7	148	40.6	15.2	798	3.49	17.1	2.0	4.5	7.6	23.6	0.26	0.52	0.37	32	0.21
945030	Soil	2.06	0.54	26.46	29.88	87.2	143	35.3	11.6	778	2.84	7.8	0.9	1.9	4.5	65.9	0.73	0.58	0.39	28	1.03
945031	Soil	2.66	0.60	30.40	27.67	89.4	132	36.7	12.7	730	3.07	10.4	1.0	2.7	5.9	56.9	0.53	0.59	0.38	29	0.85
945032	Soil	2.57	0.65	20.32	18.95	155.0	316	34.5	11.9	1337	2.62	11.3	1.0	0.8	2.9	23.0	0.49	0.43	0.37	30	0.18



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 2 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945003	Soil	0.227	16.8	26.9	0.43	267.6	0.094	2	3.09	0.013	0.13	0.3	2.7	0.16	<0.02	37	0.3	0.04	8.3	3.49	<0.1
945004	Soil	0.364	17.3	27.6	0.41	329.9	0.064	2	2.89	0.009	0.14	0.2	2.2	0.14	0.02	53	0.3	0.06	8.8	3.19	<0.1
945005	Soil	0.263	20.4	30.7	0.48	259.8	0.074	2	3.29	0.011	0.15	0.3	3.0	0.15	0.02	57	0.7	0.05	8.6	2.26	<0.1
945006	Soil	0.284	19.6	29.5	0.45	304.3	0.074	2	2.72	0.011	0.14	0.2	2.6	0.15	<0.02	39	0.3	0.06	7.6	2.26	<0.1
945007	Soil	0.088	34.8	30.2	0.58	81.4	0.023	1	1.56	0.006	0.15	0.2	2.7	0.09	<0.02	26	0.9	0.12	4.7	1.16	<0.1
945008	Soil	0.113	25.9	28.2	0.53	135.8	0.079	2	3.50	0.011	0.15	0.3	4.1	0.15	<0.02	34	0.4	0.08	8.2	2.08	<0.1
945009	Soil	0.199	21.0	29.6	0.50	204.9	0.082	3	3.21	0.014	0.20	0.3	3.3	0.16	<0.02	34	0.4	0.04	8.2	1.77	<0.1
945010	Soil	0.163	18.4	28.6	0.50	219.2	0.089	2	3.42	0.019	0.12	0.2	3.2	0.20	<0.02	46	0.3	0.08	8.4	1.79	<0.1
945011	Soil	0.132	25.2	49.0	0.94	224.5	0.116	2	3.83	0.024	0.23	0.2	5.2	0.25	<0.02	33	0.5	0.11	9.5	3.29	<0.1
945012	Soil	0.187	27.2	33.9	0.52	247.2	0.065	1	2.78	0.011	0.15	0.2	3.9	0.14	<0.02	46	0.4	0.03	7.3	1.74	<0.1
945013	Soil	0.187	25.7	33.5	0.52	201.9	0.081	2	2.98	0.013	0.15	0.2	3.4	0.14	<0.02	31	0.4	0.02	7.9	1.79	<0.1
945014	Soil	0.116	29.7	38.2	0.62	203.6	0.085	2	3.63	0.014	0.20	0.3	4.7	0.20	<0.02	43	0.4	0.06	9.0	2.23	<0.1
945015	Soil	0.158	24.5	108.5	2.03	264.5	0.166	2	3.78	0.015	0.21	0.2	3.8	0.28	<0.02	34	0.5	0.03	9.8	4.88	<0.1
945016	Soil	0.203	21.6	34.5	0.56	233.4	0.100	2	3.51	0.016	0.17	0.3	3.7	0.19	<0.02	42	0.4	<0.02	9.0	2.57	<0.1
945017	Soil	0.154	22.7	37.1	0.55	212.2	0.095	2	3.58	0.014	0.15	0.4	3.6	0.18	<0.02	47	0.6	0.05	9.3	2.36	<0.1
945018	Soil	0.153	25.6	31.5	0.49	210.6	0.095	2	3.71	0.017	0.12	0.4	3.7	0.15	<0.02	43	0.4	0.03	8.7	1.81	<0.1
945019	Soil	0.155	17.2	27.0	0.48	185.4	0.110	2	2.25	0.027	0.21	0.4	3.6	0.17	<0.02	16	0.3	<0.02	6.0	1.71	<0.1
945020	Soil	0.208	21.0	33.2	0.49	175.9	0.112	1	3.76	0.017	0.14	0.3	3.4	0.17	<0.02	52	0.4	0.05	9.7	2.18	<0.1
945021	Soil	0.115	23.2	39.3	0.58	187.2	0.112	2	3.79	0.014	0.13	0.4	3.9	0.19	<0.02	38	0.4	0.04	9.5	2.70	<0.1
945022	Soil	0.084	26.4	49.7	0.68	232.6	0.121	2	3.67	0.013	0.14	0.4	4.0	0.22	<0.02	53	0.4	0.07	9.5	3.14	<0.1
945023	Soil	0.263	18.6	34.3	0.50	227.0	0.092	2	3.15	0.017	0.14	0.2	3.3	0.21	<0.02	53	0.4	0.06	9.2	2.66	<0.1
945024	Soil	0.074	26.1	41.8	0.74	217.0	0.124	3	4.79	0.026	0.16	0.3	5.8	0.25	<0.02	37	0.5	0.05	11.7	3.12	<0.1
945025	Soil	0.127	18.5	32.0	0.55	163.2	0.105	2	1.92	0.022	0.24	0.4	3.8	0.17	<0.02	14	0.2	0.04	5.6	1.73	<0.1
945026	Soil	0.093	18.8	47.6	0.76	137.1	0.113	3	4.62	0.029	0.18	0.2	5.3	0.36	0.04	66	0.8	0.08	12.4	3.58	<0.1
945027	Soil	0.164	25.9	44.4	0.61	186.9	0.070	2	3.17	0.008	0.18	0.3	3.1	0.18	0.02	26	0.4	0.07	8.7	2.97	<0.1
945028	Soil	0.097	23.3	41.3	0.62	141.0	0.079	3	2.50	0.012	0.18	0.4	4.1	0.16	<0.02	28	0.5	0.05	6.7	1.75	<0.1
945029	Soil	0.101	31.5	39.9	0.69	117.1	0.047	2	2.06	0.007	0.18	0.3	3.3	0.13	<0.02	26	0.6	0.07	5.9	1.57	<0.1
945030	Soil	0.060	17.5	32.1	0.49	128.9	0.048	4	2.31	0.017	0.12	0.4	2.6	0.13	0.03	50	0.6	0.02	5.5	1.17	<0.1
945031	Soil	0.055	22.5	35.1	0.55	122.9	0.047	4	2.22	0.014	0.13	0.3	3.0	0.13	0.03	38	0.6	<0.02	5.6	1.25	<0.1
945032	Soil	0.405	10.8	23.3	0.34	243.0	0.084	3	3.38	0.014	0.09	0.3	2.4	0.12	<0.02	41	0.4	0.04	8.3	1.76	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 2 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945003	Soil	0.14	1.67	26.2	0.9	<0.05	9.6	5.71	44.9	0.06	<1	0.9	31.6	<10	<2
945004	Soil	0.05	1.39	22.7	0.9	<0.05	3.1	5.51	40.1	0.07	<1	0.9	28.2	<10	<2
945005	Soil	0.11	1.55	21.9	0.7	<0.05	7.0	9.33	44.9	0.05	<1	1.1	42.8	<10	<2
945006	Soil	0.08	1.33	21.8	0.8	<0.05	5.9	5.01	43.6	0.07	<1	0.8	27.8	<10	<2
945007	Soil	<0.02	0.69	12.7	0.4	<0.05	0.8	8.15	64.2	0.12	<1	0.8	29.0	<10	<2
945008	Soil	0.24	1.31	22.8	0.7	<0.05	14.3	17.08	57.9	0.05	<1	1.1	41.5	<10	<2
945009	Soil	0.15	1.69	27.7	0.8	<0.05	10.3	8.36	49.4	0.06	<1	0.8	33.2	<10	<2
945010	Soil	0.13	1.77	22.5	0.8	<0.05	8.4	7.30	43.9	0.05	<1	0.9	63.2	<10	<2
945011	Soil	0.14	1.56	41.6	0.8	<0.05	12.2	13.14	54.3	0.05	<1	1.0	44.7	<10	<2
945012	Soil	0.09	1.12	23.6	0.6	<0.05	8.1	9.48	52.8	0.03	<1	0.7	30.3	<10	<2
945013	Soil	0.16	1.61	22.6	0.8	<0.05	10.9	7.44	55.7	0.04	<1	0.7	35.5	<10	<2
945014	Soil	0.19	1.08	29.0	0.7	<0.05	14.9	11.85	62.2	0.05	<1	1.2	39.2	<10	<2
945015	Soil	0.16	1.79	37.2	0.7	<0.05	13.8	7.25	64.7	0.03	<1	1.2	48.9	<10	<2
945016	Soil	0.19	1.79	23.7	0.8	<0.05	12.9	8.43	52.5	0.05	<1	1.2	37.5	<10	<2
945017	Soil	0.12	1.57	27.7	0.8	<0.05	8.2	7.78	54.4	0.05	<1	1.4	39.4	<10	<2
945018	Soil	0.25	1.64	21.0	0.8	<0.05	19.0	10.34	56.3	0.04	<1	0.9	32.5	<10	<2
945019	Soil	0.19	1.24	24.7	0.5	<0.05	13.7	8.35	34.6	0.04	<1	0.5	15.5	<10	<2
945020	Soil	0.22	2.00	21.8	0.9	<0.05	14.6	6.42	52.5	0.05	<1	0.9	68.7	<10	<2
945021	Soil	0.23	1.84	27.9	0.9	<0.05	17.2	8.68	58.2	0.06	<1	1.2	41.4	<10	<2
945022	Soil	0.16	1.66	31.3	0.9	<0.05	13.0	9.10	61.6	0.04	<1	1.1	39.2	<10	<2
945023	Soil	0.06	1.70	26.7	1.0	<0.05	5.2	5.92	40.6	0.09	<1	1.0	53.0	<10	<2
945024	Soil	0.22	1.93	42.9	1.1	<0.05	16.2	13.70	58.1	0.04	<1	1.6	53.0	<10	<2
945025	Soil	0.17	1.03	27.9	0.5	<0.05	11.1	8.28	35.1	0.03	<1	0.5	16.4	<10	<2
945026	Soil	0.09	2.62	53.6	0.9	<0.05	5.1	10.08	41.7	0.10	<1	1.2	67.4	<10	<2
945027	Soil	0.03	1.61	40.6	0.6	<0.05	2.3	6.67	55.9	0.04	<1	1.1	48.1	<10	<2
945028	Soil	0.16	1.44	20.8	0.5	<0.05	10.4	9.33	54.0	0.04	<1	0.9	28.4	<10	<2
945029	Soil	0.03	0.86	18.0	0.4	<0.05	2.9	8.87	65.7	0.02	<1	0.8	28.3	<10	<2
945030	Soil	0.13	1.80	14.5	0.6	<0.05	6.5	6.63	39.8	0.04	<1	0.9	57.5	<10	<2
945031	Soil	0.11	1.68	15.2	0.6	<0.05	5.9	7.06	50.9	0.04	<1	0.8	53.1	10	<2
945032	Soil	0.08	1.38	19.2	0.9	<0.05	6.0	4.54	40.2	0.04	<1	0.9	23.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 3 of 10 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945033	Soil	2.53	0.54	28.12	22.81	136.8	351	42.6	12.4	995	2.93	10.7	1.0	2.5	4.6	25.2	0.43	0.55	0.36	36	0.20
945034	Soil	2.73	0.66	33.24	29.18	140.0	260	37.4	13.1	1246	2.91	12.9	1.4	1.9	4.4	31.2	0.55	0.72	0.37	33	0.29
869900	Soil	2.52	0.60	40.44	19.98	127.7	246	59.3	20.4	893	3.65	11.0	1.7	5.8	4.7	55.6	0.24	0.28	0.40	40	0.34
869901	Soil	2.91	0.79	45.64	18.60	111.9	203	46.4	18.6	545	3.85	13.8	1.7	2.2	8.6	29.7	0.22	0.44	0.48	50	0.24
869902	Soil	3.27	0.47	44.08	30.78	87.0	86	56.2	16.9	344	3.86	5.3	1.7	1.4	8.4	30.4	0.11	0.14	0.35	85	0.19
869903	Soil	3.31	0.92	35.83	26.96	87.9	119	39.1	14.3	478	3.46	10.6	2.5	2.7	11.2	27.8	0.13	0.20	0.43	45	0.15
869904	Soil	3.78	0.74	27.42	19.72	80.3	100	27.3	11.0	547	2.84	9.5	2.0	4.1	9.8	19.2	0.16	0.23	0.40	36	0.09
869905	Soil	2.91	0.80	36.42	19.08	96.6	80	33.7	14.9	814	3.62	15.7	1.8	2.1	8.7	34.8	0.35	0.39	0.49	42	0.21
869906	Soil	3.31	0.65	36.14	14.79	107.0	109	35.5	12.9	648	3.40	11.4	1.5	2.6	7.7	34.5	0.32	0.27	0.43	41	0.24
869907	Soil	3.68	0.64	36.88	14.04	97.5	102	33.3	12.9	536	3.37	11.9	1.6	8.0	7.8	34.5	0.23	0.34	0.40	43	0.23
869908	Soil	2.71	0.68	36.23	17.30	119.0	126	43.3	15.9	748	3.46	11.0	1.3	3.3	5.4	33.9	0.33	0.41	0.36	46	0.23
869909	Soil	2.81	0.68	35.91	16.77	105.9	110	42.0	15.8	676	3.51	11.5	1.3	2.3	6.0	32.0	0.26	0.41	0.35	48	0.23
869910	Soil	3.06	0.72	41.60	19.52	102.7	182	46.4	17.0	724	3.50	11.5	1.5	2.2	5.1	35.1	0.30	0.40	0.36	48	0.28
869911	Soil	2.81	0.77	40.59	25.32	141.2	249	48.9	17.6	1286	3.48	11.2	1.6	1.3	5.2	54.7	0.46	0.52	0.44	44	0.40
869912	Soil	4.01	1.15	48.08	18.06	74.4	102	32.5	16.7	711	3.63	18.8	2.0	6.7	9.2	29.9	0.17	0.45	0.57	44	0.20
869913	Soil	2.44	0.75	35.70	17.96	107.8	128	28.8	11.0	515	2.76	7.2	1.2	3.1	5.5	34.4	0.43	0.31	0.24	50	0.31
869914	Soil	3.79	0.88	45.07	20.92	123.2	155	39.5	17.3	1097	3.58	13.2	1.9	7.3	6.7	35.5	0.45	0.32	0.49	43	0.24
869915	Soil	3.34	1.20	38.45	20.97	63.3	64	25.1	14.0	559	3.23	21.7	2.5	10.1	9.3	24.0	0.13	0.45	0.46	40	0.14
869916	Soil	2.34	0.71	40.43	32.32	99.4	132	31.6	14.1	1120	3.11	13.2	1.8	2.9	5.1	45.3	0.73	0.63	0.43	41	0.37
869917	Soil	2.72	0.64	47.03	14.41	66.9	72	31.3	15.3	622	3.21	13.5	1.8	7.9	7.2	23.3	0.16	0.44	0.31	53	0.18
869918	Soil	3.20	0.65	58.57	16.26	90.8	119	32.4	17.0	885	3.40	11.9	2.7	6.0	6.3	28.9	0.39	0.47	0.26	60	0.21
869919	Soil	3.45	0.63	52.23	13.46	51.8	60	28.2	15.8	807	3.01	13.5	2.3	10.6	7.1	37.4	0.16	0.66	0.20	62	0.29
869920	Soil	2.94	1.32	49.79	24.69	131.9	190	39.1	17.9	1542	3.63	18.1	6.3	3.1	5.4	23.3	0.44	0.47	0.43	51	0.18
869921	Soil	3.58	0.71	31.08	12.15	39.0	50	18.7	11.0	500	2.21	9.8	4.4	10.9	8.3	24.7	0.09	0.37	0.22	45	0.19
869922	Soil	2.95	0.63	49.34	12.68	76.3	119	33.5	12.2	496	2.99	11.3	3.9	5.4	6.3	24.4	0.20	0.46	0.24	51	0.17
869923	Soil	3.17	0.65	38.76	17.80	103.7	225	41.5	15.1	728	3.24	12.3	1.9	8.1	6.5	31.7	0.36	0.51	0.31	50	0.24
869924	Soil	3.93	0.63	34.45	14.71	78.5	71	34.0	12.8	570	2.95	9.9	1.6	1.3	5.8	25.9	0.25	0.39	0.26	49	0.22
869925	Soil	3.19	0.89	44.99	48.11	135.1	194	43.9	17.5	1039	3.46	12.4	1.8	5.6	7.4	36.8	0.60	0.49	0.36	54	0.26
869926	Soil	3.29	0.75	42.82	23.95	89.9	133	38.5	15.0	762	3.17	11.4	1.7	3.7	6.6	42.1	0.33	0.38	0.29	54	0.31
869927	Soil	2.91	0.74	27.83	22.86	135.6	205	32.6	12.1	1051	2.69	8.4	1.2	2.2	4.6	41.7	0.53	0.41	0.31	38	0.29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

3 of 10

Part 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
945033	Soil			0.244	18.2	35.6	0.51	226.6	0.079	2	2.84	0.012	0.12	0.3	2.8	0.15	<0.02	31	0.4	0.03	7.3	1.91	<0.1
945034	Soil			0.215	19.1	32.8	0.52	219.8	0.067	3	2.69	0.015	0.17	0.4	3.0	0.15	0.02	28	0.3	0.03	7.5	1.84	<0.1
869900	Soil			0.124	24.5	51.5	0.78	270.7	0.078	2	2.66	0.009	0.36	0.3	4.0	0.27	0.02	22	0.4	0.06	7.4	2.78	<0.1
869901	Soil			0.104	24.3	45.3	0.75	170.9	0.110	2	3.51	0.007	0.30	0.5	4.6	0.28	<0.02	22	0.6	0.08	8.7	2.75	<0.1
869902	Soil			0.033	17.7	91.6	1.06	182.4	0.187	1	3.31	0.008	0.80	0.3	7.2	0.53	<0.02	17	<0.1	0.03	10.0	3.54	<0.1
869903	Soil			0.035	28.8	51.7	0.85	121.7	0.120	1	2.35	0.008	0.52	0.5	5.1	0.39	<0.02	12	0.1	0.07	7.5	3.34	0.1
869904	Soil			0.048	25.8	32.8	0.52	132.6	0.098	1	2.53	0.007	0.28	0.4	3.8	0.25	<0.02	13	0.2	0.08	7.0	2.55	<0.1
869905	Soil			0.088	28.8	40.0	0.62	161.5	0.086	2	2.46	0.006	0.32	0.6	3.9	0.25	<0.02	14	0.3	0.08	6.9	2.55	<0.1
869906	Soil			0.088	26.0	37.6	0.61	144.4	0.091	2	2.41	0.007	0.28	0.5	3.8	0.21	<0.02	15	0.5	0.08	6.9	2.30	<0.1
869907	Soil			0.079	29.7	38.3	0.63	113.0	0.090	2	2.18	0.008	0.28	0.4	3.9	0.21	<0.02	10	0.3	0.05	6.2	2.35	<0.1
869908	Soil			0.120	21.9	39.4	0.66	157.2	0.092	2	2.83	0.009	0.22	0.3	3.6	0.19	<0.02	9	0.5	0.08	7.8	2.15	<0.1
869909	Soil			0.102	23.3	42.6	0.68	132.7	0.090	2	2.62	0.008	0.22	0.3	3.8	0.19	<0.02	12	0.3	0.04	7.1	2.08	<0.1
869910	Soil			0.129	21.6	38.9	0.65	186.9	0.102	2	3.49	0.009	0.22	0.4	4.3	0.22	<0.02	30	0.6	0.06	8.9	2.14	<0.1
869911	Soil			0.253	19.0	36.2	0.59	317.2	0.099	3	3.46	0.012	0.23	0.4	3.9	0.24	<0.02	48	0.3	0.02	9.4	2.26	<0.1
869912	Soil			0.060	27.8	40.2	0.68	91.7	0.073	<1	1.73	0.009	0.31	0.7	4.5	0.24	<0.02	17	0.5	0.06	5.5	2.38	0.1
869913	Soil			0.119	15.3	33.4	0.61	150.5	0.086	1	1.76	0.015	0.26	0.5	3.5	0.18	<0.02	17	0.2	0.03	5.3	1.64	<0.1
869914	Soil			0.130	22.5	40.8	0.64	230.8	0.088	1	2.84	0.008	0.28	0.5	4.1	0.22	<0.02	17	0.4	0.08	7.7	2.53	<0.1
869915	Soil			0.043	26.3	34.7	0.55	85.4	0.059	<1	1.52	0.007	0.19	0.7	3.5	0.17	<0.02	10	0.4	0.08	4.7	2.20	<0.1
869916	Soil			0.141	21.0	35.6	0.56	258.4	0.065	2	2.40	0.007	0.24	0.5	3.6	0.19	0.02	32	0.5	0.06	6.4	2.01	<0.1
869917	Soil			0.065	21.7	40.5	0.68	109.8	0.087	1	2.50	0.007	0.21	0.4	5.1	0.17	<0.02	20	0.4	0.05	6.7	1.96	<0.1
869918	Soil			0.122	20.8	44.1	0.68	175.5	0.101	2	3.13	0.010	0.21	0.8	5.7	0.15	<0.02	9	0.4	0.08	8.2	1.95	0.1
869919	Soil			0.070	20.7	42.4	0.72	106.3	0.075	<1	1.73	0.009	0.18	0.3	5.4	0.12	<0.02	13	0.2	0.08	4.9	1.59	<0.1
869920	Soil			0.206	22.9	41.1	0.62	146.7	0.090	2	3.73	0.006	0.19	0.4	4.5	0.22	0.02	34	0.6	0.05	9.8	2.47	<0.1
869921	Soil			0.039	23.0	31.9	0.53	72.9	0.070	1	1.44	0.009	0.15	0.3	4.1	0.12	<0.02	13	0.1	0.08	4.2	1.47	<0.1
869922	Soil			0.054	22.7	40.1	0.64	86.7	0.083	1	2.20	0.007	0.18	0.3	4.2	0.15	<0.02	10	0.4	0.07	6.2	1.88	<0.1
869923	Soil			0.164	18.5	39.3	0.63	177.3	0.108	2	3.41	0.011	0.20	0.3	4.2	0.20	<0.02	22	0.5	0.06	8.6	2.16	<0.1
869924	Soil			0.079	21.0	42.2	0.70	102.7	0.093	<1	2.36	0.007	0.22	0.3	4.4	0.20	<0.02	10	0.4	<0.02	6.3	2.14	<0.1
869925	Soil			0.120	21.2	41.4	0.76	231.2	0.101	2	3.31	0.008	0.25	0.4	4.7	0.23	<0.02	30	0.6	0.03	9.0	2.48	<0.1
869926	Soil			0.089	24.4	42.2	0.84	166.9	0.095	2	2.62	0.010	0.30	0.4	4.9	0.24	<0.02	30	0.5	0.06	7.5	2.43	<0.1
869927	Soil			0.311	15.9	29.0	0.50	313.8	0.092	2	3.06	0.013	0.17	0.4	3.6	0.17	<0.02	29	0.6	0.05	7.9	1.82	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 3 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945033	Soil	0.06	1.28	20.0	0.7	<0.05	4.9	5.58	48.1	0.04	<1	0.8	26.4	<10	<2
945034	Soil	0.07	1.54	20.3	0.7	<0.05	5.1	6.49	46.3	0.04	<1	0.8	29.1	<10	<2
869900	Soil	0.04	2.20	35.5	0.7	<0.05	2.2	10.69	55.6	0.03	<1	1.2	42.9	<10	<2
869901	Soil	0.18	2.07	33.3	0.7	<0.05	10.8	8.31	63.7	0.02	<1	1.3	32.2	<10	<2
869902	Soil	0.10	1.29	72.3	1.0	<0.05	5.7	4.38	38.7	0.03	<1	1.1	30.6	<10	<2
869903	Soil	0.09	1.06	53.0	0.6	<0.05	4.5	8.71	56.6	0.02	<1	1.1	30.0	<10	<2
869904	Soil	0.14	1.72	32.0	0.7	<0.05	7.2	6.91	56.6	0.02	<1	1.0	24.0	<10	<2
869905	Soil	0.04	1.77	32.1	0.6	<0.05	3.6	5.87	61.8	<0.02	<1	1.0	26.0	<10	<2
869906	Soil	0.07	1.54	31.5	0.6	<0.05	4.7	7.48	52.9	0.02	<1	1.0	28.3	<10	<2
869907	Soil	0.09	1.43	32.4	0.5	<0.05	4.3	9.29	57.9	0.02	<1	1.0	28.4	<10	<2
869908	Soil	0.08	1.82	28.6	0.6	<0.05	4.7	6.63	52.5	0.03	<1	0.9	30.7	<10	<2
869909	Soil	0.06	1.60	28.8	0.5	<0.05	4.3	6.55	55.4	0.03	<1	0.7	29.2	<10	<2
869910	Soil	0.15	2.02	23.1	0.7	<0.05	8.8	8.61	51.6	0.03	<1	1.1	26.9	<10	<2
869911	Soil	0.16	2.22	30.2	0.7	<0.05	10.0	9.80	45.0	0.04	<1	1.4	31.2	<10	<2
869912	Soil	<0.02	1.01	30.5	0.8	<0.05	1.5	6.46	60.8	0.03	<1	0.9	21.9	<10	<2
869913	Soil	0.18	0.96	26.2	0.4	<0.05	8.4	7.55	31.1	0.02	2	0.5	15.9	<10	<2
869914	Soil	0.08	1.74	31.1	0.6	<0.05	5.4	7.61	49.5	0.04	<1	1.2	29.0	<10	<2
869915	Soil	0.02	1.20	23.2	0.4	<0.05	1.3	5.50	55.0	0.02	<1	0.8	19.6	<10	<2
869916	Soil	0.04	1.89	26.3	0.6	<0.05	2.4	6.85	43.1	0.05	<1	0.9	21.1	<10	<2
869917	Soil	0.10	1.32	26.5	0.4	<0.05	5.2	8.19	48.0	0.02	<1	1.1	21.1	<10	<2
869918	Soil	0.10	1.81	24.7	0.5	<0.05	8.6	11.00	44.1	0.02	<1	1.2	18.9	<10	3
869919	Soil	0.04	1.23	16.5	0.4	<0.05	2.1	7.30	41.9	<0.02	<1	0.7	14.1	<10	<2
869920	Soil	0.06	2.49	26.9	0.7	<0.05	4.7	10.96	48.5	0.03	<1	1.6	30.3	<10	<2
869921	Soil	0.03	1.10	14.7	0.3	<0.05	2.5	6.62	44.5	<0.02	<1	0.6	13.1	<10	<2
869922	Soil	0.07	1.58	22.1	0.5	<0.05	3.4	14.44	42.3	<0.02	2	1.0	29.1	<10	<2
869923	Soil	0.14	1.95	30.3	0.7	<0.05	9.9	7.92	47.3	0.02	<1	1.0	27.5	<10	<2
869924	Soil	0.07	1.47	28.8	0.6	<0.05	4.9	8.01	42.1	0.02	<1	0.7	22.3	<10	<2
869925	Soil	0.10	2.47	30.6	0.7	<0.05	7.4	8.44	50.0	0.05	<1	1.1	26.3	<10	<2
869926	Soil	0.06	1.99	35.1	1.1	<0.05	4.4	12.20	45.6	0.04	<1	0.9	22.3	<10	<2
869927	Soil	0.12	1.81	19.2	0.6	<0.05	7.9	7.78	37.4	0.03	2	0.8	21.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

4 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
869928	Soil	3.09	0.68	34.15	17.46	100.1	115	26.5	10.3	478	2.71	7.1	1.1	4.0	5.5	34.4	0.36	0.31	0.24	51	0.30	
869929	Soil	3.58	0.62	34.50	24.61	118.1	158	45.4	15.8	1147	3.36	11.5	2.6	3.1	8.5	54.1	0.52	0.44	0.33	52	0.37	
869930	Soil	3.20	0.61	46.25	22.37	100.3	214	36.2	15.5	820	3.01	11.8	4.5	3.3	6.5	32.0	0.34	0.42	0.33	44	0.27	
869931	Soil	2.84	0.63	30.84	23.50	117.0	264	35.7	12.1	932	2.65	11.6	1.4	4.1	4.9	43.9	0.48	0.51	0.32	35	0.31	
869932	Soil	2.91	0.64	35.33	18.12	99.5	181	31.9	12.4	705	2.82	9.3	1.3	3.5	5.7	29.1	0.31	0.45	0.29	40	0.21	
869933	Soil	3.62	0.84	30.67	27.16	97.3	199	20.4	11.0	886	2.91	10.2	2.1	7.6	9.1	20.9	0.34	0.34	0.26	42	0.17	
869876	Soil	1.96	0.85	39.79	26.07	100.9	159	39.4	16.0	668	3.73	15.8	1.4	6.5	8.6	33.1	0.29	0.58	0.43	37	0.24	
869877	Soil	2.41	0.59	34.33	23.63	175.8	258	49.2	15.8	554	3.45	12.0	2.4	3.6	7.8	25.7	0.37	0.48	0.45	39	0.19	
869878	Soil	2.52	0.79	36.97	22.86	132.1	167	42.4	16.0	804	3.31	13.9	1.2	2.4	6.4	29.7	0.34	0.60	0.44	38	0.32	
869879	Soil	2.19	0.83	40.06	20.91	103.7	130	43.3	17.0	1076	3.61	16.7	1.3	11.4	6.9	16.2	0.26	0.57	0.41	37	0.15	
869880	Soil	2.68	0.62	40.19	25.03	142.0	264	63.4	18.4	627	3.74	11.9	1.3	2.6	7.4	54.5	0.27	0.45	0.47	36	0.55	
869881	Soil	2.37	0.68	40.02	24.10	174.3	193	53.1	17.8	1793	3.38	10.8	1.6	3.0	6.5	47.1	0.77	0.58	0.41	36	0.57	
869882	Soil	2.20	0.73	51.61	64.62	193.8	235	62.9	25.9	2341	3.79	17.6	2.7	9.1	4.4	65.3	1.38	1.13	0.74	43	0.73	
869883	Soil	3.06	0.56	39.25	25.41	168.2	194	73.6	18.4	783	3.70	11.9	2.0	2.7	7.7	28.0	0.40	0.58	0.46	37	0.26	
869884	Soil	2.32	0.59	33.61	24.50	137.8	161	49.3	16.5	492	3.45	11.4	1.4	1.6	6.6	20.5	0.36	0.57	0.43	40	0.17	
869885	Soil	2.43	0.53	40.75	24.85	113.2	121	45.6	17.6	1206	3.65	12.0	1.5	4.0	5.6	35.4	0.29	0.44	0.40	37	0.42	
869886	Soil	3.13	0.53	33.13	22.47	123.3	166	44.0	13.8	391	3.38	8.9	4.3	2.5	7.3	28.1	0.31	0.41	0.41	38	0.19	
869887	Soil	2.94	0.74	54.87	22.69	81.5	112	53.2	21.0	895	4.07	20.2	1.4	11.1	9.9	61.7	0.25	0.55	0.39	49	0.67	
869888	Soil	2.90	0.59	41.92	19.41	76.5	125	44.8	16.4	541	3.56	15.0	2.0	7.7	8.3	31.9	0.17	0.50	0.38	43	0.37	
869889	Soil	2.09	0.72	29.47	25.12	187.9	299	49.8	15.8	2361	3.14	16.5	0.8	3.8	4.9	31.9	1.01	0.70	0.45	37	0.31	
869890	Soil	2.25	0.60	37.40	18.93	162.6	123	53.8	19.4	644	3.99	15.5	1.2	3.0	5.7	48.8	0.51	0.55	0.39	54	0.35	
869892	Soil	2.79	0.58	37.72	18.77	163.7	135	54.7	21.2	630	3.97	16.5	1.1	2.6	5.5	52.3	0.48	0.57	0.38	56	0.38	
869893	Soil	2.82	0.70	49.99	18.88	88.5	105	45.7	17.6	483	3.78	13.0	1.6	2.9	7.7	30.2	0.18	0.37	0.40	53	0.21	
869894	Soil	2.12	1.02	28.88	22.40	122.9	283	63.2	21.8	552	3.68	24.9	8.5	3.1	5.6	55.9	0.31	0.34	0.47	48	0.44	
869895	Soil	3.42	0.35	45.11	19.38	120.1	151	40.4	18.3	572	4.12	5.4	1.5	9.9	8.7	52.6	0.25	0.18	0.36	61	0.29	
869896	Soil	3.16	0.59	46.01	31.23	152.3	375	84.9	24.0	928	4.52	12.2	1.6	2.8	10.3	64.9	0.52	0.30	0.46	59	0.38	
869897	Soil	1.89	0.63	40.55	45.15	164.7	162	94.3	28.8	2313	3.71	11.3	1.0	3.1	4.2	93.4	1.18	0.66	0.52	50	0.71	
869898	Soil	3.23	0.76	33.66	21.36	126.6	249	27.5	10.9	600	2.60	8.2	1.2	3.5	4.7	39.8	0.58	0.36	0.26	42	0.36	
869899	Soil	3.54	0.62	40.89	19.45	111.8	107	59.6	22.7	532	4.41	6.4	1.2	1.5	7.3	36.4	0.12	0.18	0.43	56	0.19	
869399	Soil	2.44	0.73	28.72	31.37	228.3	345	134.2	16.7	960	2.64	12.6	0.8	1.8	2.9	31.6	4.97	0.72	0.30	42	0.36	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 4 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869928	Soil	0.111	16.1	33.0	0.62	137.0	0.088	1	1.73	0.015	0.25	0.4	3.4	0.17	<0.02	13	0.2	0.05	4.9	1.62	<0.1
869929	Soil	0.256	35.1	39.2	0.92	399.0	0.103	2	3.21	0.007	0.22	0.3	4.2	0.22	<0.02	30	0.3	0.05	9.0	2.84	0.1
869930	Soil	0.176	20.0	29.4	0.56	299.3	0.105	2	3.65	0.011	0.18	0.3	4.8	0.18	<0.02	33	0.6	0.04	9.1	1.92	<0.1
869931	Soil	0.477	15.5	24.9	0.42	440.6	0.093	1	3.35	0.012	0.14	0.4	3.8	0.14	<0.02	42	0.3	0.03	8.0	1.69	<0.1
869932	Soil	0.185	17.2	29.0	0.53	273.2	0.081	3	2.55	0.009	0.19	0.3	3.6	0.16	<0.02	25	0.3	0.04	7.0	1.80	<0.1
869933	Soil	0.229	18.4	21.6	0.45	224.1	0.115	2	3.58	0.010	0.20	0.3	4.3	0.17	<0.02	39	0.5	0.03	9.5	2.18	<0.1
869876	Soil	0.088	31.3	41.1	0.69	101.3	0.063	1	2.50	0.012	0.15	0.6	4.1	0.13	<0.02	26	0.5	0.06	6.7	1.62	0.1
869877	Soil	0.116	20.4	35.9	0.54	158.0	0.108	2	3.96	0.015	0.15	0.4	4.6	0.19	<0.02	54	0.5	0.02	8.7	2.23	<0.1
869878	Soil	0.073	19.7	34.0	0.57	166.2	0.096	2	3.47	0.013	0.13	0.3	4.0	0.16	<0.02	48	0.5	0.05	8.7	2.22	<0.1
869879	Soil	0.099	24.4	43.8	0.80	158.4	0.059	<1	2.44	0.005	0.18	0.5	2.9	0.14	<0.02	21	0.5	0.06	6.9	1.82	<0.1
869880	Soil	0.056	25.5	39.3	0.65	113.3	0.105	2	3.88	0.021	0.12	0.3	4.8	0.19	<0.02	50	0.6	0.04	8.1	2.76	<0.1
869881	Soil	0.063	22.8	39.8	0.61	114.3	0.063	1	2.76	0.015	0.15	0.4	3.9	0.14	<0.02	40	0.7	0.05	7.0	1.82	<0.1
869882	Soil	0.113	23.1	41.3	0.71	191.1	0.079	1	3.15	0.012	0.19	0.5	3.8	0.24	0.04	53	0.6	0.07	8.3	3.17	0.1
869883	Soil	0.073	21.2	37.7	0.61	126.6	0.100	1	3.59	0.015	0.13	0.3	4.4	0.15	<0.02	48	0.5	0.02	7.6	2.39	<0.1
869884	Soil	0.120	19.1	31.1	0.55	203.8	0.094	2	3.67	0.014	0.13	0.3	3.8	0.18	<0.02	43	0.4	0.02	8.6	2.35	<0.1
869885	Soil	0.084	25.5	41.6	0.63	125.7	0.056	1	3.03	0.008	0.13	0.2	3.9	0.15	0.02	41	0.6	0.04	7.2	1.74	<0.1
869886	Soil	0.102	19.5	34.4	0.51	203.8	0.110	2	4.20	0.016	0.12	0.4	4.3	0.14	<0.02	49	0.4	0.03	9.4	1.78	<0.1
869887	Soil	0.133	32.7	49.0	0.94	141.8	0.064	<1	2.12	0.021	0.22	0.4	4.5	0.17	<0.02	16	0.6	0.07	6.4	1.99	0.1
869888	Soil	0.073	27.3	44.3	0.68	109.8	0.079	<1	2.58	0.016	0.19	0.5	4.6	0.17	<0.02	22	0.5	0.07	6.9	1.78	<0.1
869889	Soil	0.301	13.2	29.8	0.44	543.6	0.085	1	3.09	0.014	0.13	0.3	3.0	0.16	<0.02	63	0.4	0.05	8.2	1.82	<0.1
869890	Soil	0.284	15.0	55.8	0.92	301.8	0.089	2	3.45	0.011	0.18	0.3	4.8	0.18	<0.02	35	0.2	0.03	9.8	2.51	<0.1
869892	Soil	0.261	15.4	55.7	0.92	280.6	0.088	2	3.56	0.012	0.19	0.3	4.6	0.19	<0.02	23	0.3	0.04	10.2	2.59	<0.1
869893	Soil	0.081	22.8	45.7	0.89	213.6	0.098	1	3.35	0.009	0.32	0.4	5.2	0.27	<0.02	27	0.5	0.03	8.1	2.67	<0.1
869894	Soil	0.047	19.3	59.8	0.67	150.3	0.109	2	3.42	0.020	0.23	0.3	4.1	0.26	0.02	49	0.7	0.03	8.8	3.20	<0.1
869895	Soil	0.071	25.7	53.8	1.18	201.5	0.196	<1	4.23	0.014	0.91	0.2	7.1	0.54	<0.02	23	0.3	0.05	12.5	4.42	0.2
869896	Soil	0.237	55.5	87.2	1.50	511.1	0.134	2	3.49	0.009	0.50	0.3	5.1	0.44	<0.02	28	0.2	0.05	10.4	5.66	0.1
869897	Soil	0.210	13.0	99.0	1.58	568.5	0.119	2	3.24	0.020	0.36	0.3	4.4	0.38	0.02	42	0.2	0.06	9.5	4.77	<0.1
869898	Soil	0.167	15.2	26.8	0.50	225.6	0.099	1	2.34	0.027	0.23	0.4	3.8	0.18	<0.02	21	0.2	0.03	6.1	1.66	<0.1
869899	Soil	0.071	17.5	58.3	1.01	134.3	0.100	<1	3.35	0.006	0.50	0.3	5.0	0.35	<0.02	23	0.2	0.02	9.8	3.35	<0.1
869399	Soil	0.228	11.9	51.7	0.67	432.6	0.088	3	2.67	0.016	0.18	0.4	3.5	0.19	<0.02	32	0.2	0.03	6.9	1.83	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 4 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869928	Soil	0.18	0.85	26.4	0.4	<0.05	7.6	7.33	30.6	0.02	<1	0.6	15.3	<10	<2
869929	Soil	0.10	3.13	27.0	0.7	<0.05	7.1	7.50	80.0	0.03	<1	1.1	27.8	<10	<2
869930	Soil	0.26	2.08	19.8	0.8	<0.05	16.0	12.35	45.9	0.04	<1	0.7	24.1	<10	<2
869931	Soil	0.28	1.66	17.6	0.8	<0.05	13.8	8.93	36.2	0.05	<1	0.8	19.6	<10	<2
869932	Soil	0.14	1.69	25.2	0.6	<0.05	9.1	8.52	37.6	0.02	1	1.0	21.1	<10	<2
869933	Soil	0.32	2.62	21.2	0.9	<0.05	19.8	9.42	46.2	0.03	<1	0.9	20.5	11	<2
869876	Soil	0.10	1.06	21.2	0.8	<0.05	7.0	12.03	56.9	0.03	<1	0.9	48.8	<10	<2
869877	Soil	0.33	1.49	21.0	0.9	<0.05	21.4	11.36	54.5	0.04	<1	1.0	82.1	27	<2
869878	Soil	0.19	2.06	26.1	0.9	<0.05	12.7	9.28	52.7	0.03	2	1.0	53.8	<10	<2
869879	Soil	0.05	1.04	24.0	0.5	<0.05	2.6	4.90	54.7	0.03	<1	0.8	36.2	<10	<2
869880	Soil	0.32	2.08	27.9	0.9	<0.05	17.5	14.10	54.3	0.03	<1	1.4	124.8	13	3
869881	Soil	0.09	1.72	31.8	0.6	<0.05	5.7	10.05	47.0	0.03	<1	1.0	68.6	<10	<2
869882	Soil	0.06	2.78	39.6	0.9	<0.05	3.3	9.54	47.5	0.10	<1	1.2	100.7	<10	<2
869883	Soil	0.28	2.08	24.3	0.9	<0.05	16.7	10.44	52.1	0.04	<1	1.1	100.8	<10	<2
869884	Soil	0.23	2.02	29.6	0.8	<0.05	15.7	8.25	51.2	0.05	<1	1.1	43.3	<10	<2
869885	Soil	0.10	1.73	19.8	0.6	<0.05	4.7	10.26	53.0	0.04	<1	1.0	46.6	<10	<2
869886	Soil	0.67	1.09	15.6	1.0	<0.05	36.6	9.73	50.9	0.05	<1	0.7	41.4	<10	<2
869887	Soil	0.06	1.42	21.5	0.4	<0.05	3.5	10.06	62.2	0.03	<1	1.0	30.8	<10	3
869888	Soil	0.18	1.23	22.4	0.8	<0.05	10.0	10.42	53.9	<0.02	<1	1.2	32.2	<10	<2
869889	Soil	0.12	1.40	19.4	0.9	<0.05	6.0	4.19	36.6	0.04	<1	0.9	28.8	<10	<2
869890	Soil	0.14	1.87	24.3	0.9	<0.05	7.8	6.11	39.8	0.04	<1	0.9	37.2	<10	<2
869892	Soil	0.12	1.88	25.2	0.9	<0.05	7.5	6.05	41.1	0.04	<1	1.1	34.3	<10	<2
869893	Soil	0.13	2.00	29.8	0.6	<0.05	8.9	7.59	57.8	0.03	<1	1.0	30.3	<10	<2
869894	Soil	0.16	2.62	25.3	1.1	<0.05	9.5	9.42	49.1	0.04	<1	1.0	85.8	<10	<2
869895	Soil	0.39	1.97	86.2	1.3	<0.05	25.6	10.84	65.2	0.04	1	1.4	48.3	<10	2
869896	Soil	0.11	4.30	53.5	1.2	<0.05	7.8	6.82	115.4	0.03	<1	1.6	43.7	<10	3
869897	Soil	0.10	2.26	51.7	0.9	<0.05	5.1	4.46	34.0	0.07	<1	1.2	37.9	<10	<2
869898	Soil	0.19	1.37	24.8	0.7	<0.05	12.4	8.21	33.1	0.03	<1	0.5	16.8	<10	<2
869899	Soil	0.05	1.62	46.9	0.9	<0.05	3.3	4.74	39.9	0.03	<1	0.9	38.4	<10	<2
869399	Soil	0.15	1.95	26.8	0.8	<0.05	8.3	7.44	29.2	0.03	<1	0.5	21.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 5 of 10 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
869400	Soil	2.42	0.77	21.03	34.25	174.2	203	226.5	19.8	1213	2.74	14.4	0.5	1.9	2.1	26.8	1.94	0.99	0.38	39	0.27
869626	Soil	2.23	0.69	27.08	38.38	191.4	224	90.8	15.1	1052	2.65	16.0	0.7	2.3	2.8	41.1	2.18	0.99	0.38	38	0.44
869627	Soil	2.76	0.70	22.75	55.66	181.9	167	83.4	12.9	1619	2.41	11.5	0.6	1.9	2.2	50.9	3.03	0.88	0.41	36	0.45
869628	Soil	2.11	0.72	22.34	43.79	227.0	438	82.0	11.6	782	2.47	18.3	0.8	2.1	2.9	32.8	2.68	0.83	0.33	35	0.30
869629	Soil	1.88	0.67	24.84	61.62	194.4	314	78.6	11.8	782	2.42	15.2	0.7	8.8	2.0	32.5	2.48	0.77	0.33	36	0.32
869630	Soil	2.12	0.82	23.87	38.64	196.7	233	272.3	22.4	1325	2.92	16.3	0.6	2.5	2.3	28.9	2.15	1.10	0.44	43	0.31
869631	Soil	2.38	0.56	27.07	28.89	136.3	142	543.3	37.1	1895	3.26	9.0	0.3	3.5	1.7	39.8	1.03	0.74	0.31	43	0.39
869632	Soil	2.32	0.44	27.76	40.82	112.1	89	678.1	35.6	931	3.36	7.2	0.3	3.8	1.4	22.3	0.73	1.13	0.38	37	0.27
945001	Soil	2.69	0.43	24.71	28.22	104.1	81	1146	56.3	520	3.74	9.6	0.4	1.6	1.6	19.6	0.50	0.57	0.56	39	0.24
945002	Soil	2.46	0.58	18.52	49.53	110.8	103	575.1	34.1	1051	2.88	15.9	0.6	2.4	1.9	27.9	0.86	0.82	1.04	38	0.31
869801	Soil	2.28	0.69	36.82	69.86	260.4	227	107.6	25.2	1773	3.84	22.7	1.2	2.3	3.4	83.6	3.91	1.28	0.46	58	0.64
869802	Soil	2.04	0.80	31.14	63.71	212.3	184	79.8	22.2	2433	3.51	22.6	1.0	3.8	2.9	75.9	3.56	0.98	0.45	52	0.53
869803	Soil	1.98	0.62	30.17	33.32	136.9	132	93.6	19.1	1367	3.43	20.2	0.7	10.0	2.7	55.8	1.28	0.96	0.35	52	0.39
869804	Soil	2.12	0.74	23.94	26.69	140.2	133	115.8	16.9	1519	3.24	19.3	0.7	35.5	2.6	42.1	1.06	0.88	0.35	46	0.35
869805	Soil	2.45	0.62	33.36	31.31	128.8	158	115.2	18.1	824	3.35	16.4	0.8	4.7	3.0	50.8	0.80	0.92	0.34	51	0.45
869806	Soil	2.37	0.59	33.76	23.71	132.0	148	117.5	18.3	796	3.44	16.5	0.9	4.3	3.2	50.6	0.63	0.86	0.30	50	0.38
869807	Soil	2.06	0.82	31.66	32.43	143.9	246	108.4	19.9	1345	3.47	16.5	0.8	4.1	2.3	54.6	1.14	1.06	0.32	53	0.47
869808	Soil	2.51	0.60	30.85	18.54	147.0	166	116.2	19.0	701	3.63	12.9	0.7	3.3	2.8	49.1	0.88	0.70	0.26	51	0.33
869809	Soil	2.18	0.83	35.79	19.74	184.9	303	141.8	21.7	1212	3.58	14.9	0.7	4.7	2.2	65.4	1.84	0.78	0.31	57	0.57
869810	Soil	1.70	0.58	30.02	20.89	253.9	226	117.8	18.3	824	3.31	15.7	0.8	2.2	2.4	44.8	4.24	0.73	0.27	52	0.50
869811	Soil	1.97	0.73	30.86	18.37	211.9	214	155.0	20.2	773	3.55	17.8	0.7	1.1	2.9	42.7	3.24	0.74	0.28	53	0.46
869812	Soil	1.93	0.67	26.22	19.46	201.0	221	122.9	18.7	806	3.41	13.0	0.7	4.8	2.5	35.4	2.99	0.73	0.26	50	0.46
869813	Soil	2.81	0.56	27.64	31.19	210.3	163	118.4	18.0	633	3.19	11.5	0.7	2.1	2.7	37.6	3.01	0.78	0.31	49	0.39
869814	Soil	2.62	0.75	38.40	17.71	104.3	128	29.5	11.3	487	2.91	7.7	1.2	6.8	5.7	38.4	0.40	0.34	0.26	53	0.35
869815	Soil	2.60	0.60	23.66	22.02	129.4	166	117.6	16.2	870	2.88	13.1	0.7	0.9	2.6	38.2	1.09	0.58	0.27	41	0.35
869816	Soil	2.82	0.64	21.32	24.61	172.3	180	159.7	20.2	1081	3.09	11.7	0.6	8.1	2.5	34.5	2.42	0.78	0.34	41	0.32
869817	Soil	2.55	0.65	29.18	24.39	210.9	243	150.0	19.4	1129	3.26	14.2	0.6	3.4	2.5	58.2	3.85	0.98	0.30	49	0.49
869818	Soil	2.51	0.78	25.40	48.27	180.8	161	138.1	21.0	1309	3.49	16.2	0.7	2.9	2.4	57.1	2.26	1.19	0.38	53	0.48
869819	Soil	2.93	0.72	30.68	51.08	186.0	218	101.0	19.7	1423	2.94	58.4	0.7	6.5	2.4	71.9	2.42	1.40	0.40	49	0.63
869820	Soil	2.70	0.71	30.46	23.78	171.7	277	108.2	22.2	1658	3.23	49.1	0.8	4.6	3.0	62.0	2.27	0.68	0.31	52	0.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 5 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869400	Soil	0.234	6.9	93.8	0.65	356.9	0.088	4	2.79	0.017	0.15	0.5	3.4	0.17	<0.02	40	0.1	<0.02	7.1	2.34	<0.1
869626	Soil	0.297	10.2	47.6	0.66	442.8	0.089	4	2.58	0.016	0.16	0.4	3.6	0.15	<0.02	38	0.2	0.05	6.7	1.60	<0.1
869627	Soil	0.331	10.1	38.1	0.55	516.8	0.085	3	2.49	0.016	0.16	0.3	3.6	0.15	<0.02	39	0.3	0.03	6.4	1.50	<0.1
869628	Soil	0.371	11.3	41.0	0.50	396.2	0.093	2	2.86	0.021	0.15	0.3	3.9	0.15	<0.02	38	0.3	<0.02	7.3	1.65	<0.1
869629	Soil	0.265	10.2	43.2	0.58	296.4	0.082	2	2.65	0.020	0.17	0.3	3.5	0.15	<0.02	36	0.2	0.05	6.5	1.50	<0.1
869630	Soil	0.248	7.8	102.9	1.02	402.9	0.096	3	3.08	0.018	0.16	0.6	3.8	0.19	<0.02	42	0.1	0.04	7.9	2.58	0.1
869631	Soil	0.154	5.9	321.9	2.09	406.2	0.075	3	2.42	0.015	0.15	0.3	3.8	0.21	<0.02	17	<0.1	<0.02	6.5	2.68	<0.1
869632	Soil	0.078	5.0	307.5	2.14	303.8	0.075	4	2.07	0.016	0.17	0.4	4.3	0.24	<0.02	33	<0.1	<0.02	5.8	2.96	0.1
945001	Soil	0.079	4.9	454.5	2.97	232.1	0.072	4	2.32	0.016	0.11	0.4	5.0	0.17	<0.02	24	<0.1	0.02	6.0	2.57	0.2
945002	Soil	0.152	9.1	143.5	1.18	353.0	0.083	3	2.47	0.016	0.18	0.7	4.2	0.23	<0.02	31	0.3	0.03	6.4	3.15	<0.1
869801	Soil	0.228	12.6	92.1	1.01	473.4	0.122	2	3.63	0.010	0.51	0.6	5.5	0.37	0.02	49	0.4	0.04	10.9	3.79	<0.1
869802	Soil	0.286	12.2	72.2	0.78	497.9	0.099	3	3.27	0.010	0.33	0.5	4.6	0.27	0.02	46	0.4	0.04	9.3	2.76	<0.1
869803	Soil	0.295	11.0	64.3	0.78	412.3	0.084	2	2.95	0.010	0.20	0.3	4.8	0.16	<0.02	48	0.4	0.03	7.6	1.81	<0.1
869804	Soil	0.333	10.2	58.9	0.69	381.5	0.087	3	2.95	0.012	0.22	0.3	4.0	0.17	<0.02	44	0.4	<0.02	8.0	1.90	<0.1
869805	Soil	0.201	12.9	57.1	0.79	313.0	0.090	3	3.05	0.014	0.26	0.3	4.8	0.18	<0.02	38	0.4	<0.02	7.9	1.85	<0.1
869806	Soil	0.205	13.2	57.4	0.82	294.3	0.092	2	3.18	0.014	0.25	0.3	4.9	0.19	<0.02	27	0.4	0.02	8.3	1.82	<0.1
869807	Soil	0.301	12.3	60.3	0.84	326.5	0.075	3	2.90	0.011	0.26	0.3	4.7	0.18	<0.02	42	0.4	<0.02	7.6	1.80	<0.1
869808	Soil	0.321	12.3	62.4	0.87	356.3	0.077	2	2.88	0.012	0.22	0.4	5.0	0.15	<0.02	31	0.3	<0.02	7.3	1.69	<0.1
869809	Soil	0.402	12.5	87.8	0.95	400.0	0.077	2	2.88	0.015	0.32	0.5	5.4	0.18	<0.02	34	0.4	<0.02	8.1	1.90	<0.1
869810	Soil	0.387	12.3	67.1	0.83	328.6	0.088	3	3.07	0.018	0.25	0.4	5.2	0.18	<0.02	38	0.5	0.02	8.0	1.90	<0.1
869811	Soil	0.422	11.5	70.6	0.84	415.7	0.088	2	3.19	0.015	0.25	0.4	5.4	0.14	<0.02	42	0.4	0.04	7.8	1.80	<0.1
869812	Soil	0.334	12.4	69.0	0.79	331.0	0.087	2	2.99	0.013	0.26	0.3	5.0	0.16	<0.02	29	0.4	<0.02	7.6	1.87	<0.1
869813	Soil	0.276	10.9	64.2	0.80	346.3	0.085	3	2.99	0.014	0.23	0.4	4.8	0.16	<0.02	30	0.3	0.02	7.5	1.66	<0.1
869814	Soil	0.111	17.2	33.0	0.65	155.5	0.095	1	1.86	0.019	0.30	0.4	3.8	0.19	<0.02	10	0.3	0.03	5.5	1.75	<0.1
869815	Soil	0.257	9.7	61.8	0.71	303.5	0.084	2	2.83	0.012	0.20	0.3	3.7	0.14	<0.02	32	0.3	<0.02	7.5	1.65	<0.1
869816	Soil	0.221	9.4	89.5	0.87	338.1	0.079	2	2.51	0.011	0.20	0.4	4.1	0.15	<0.02	25	0.1	0.03	6.7	1.69	<0.1
869817	Soil	0.211	10.7	81.5	0.85	362.5	0.083	4	2.57	0.014	0.25	0.3	4.3	0.13	<0.02	44	0.4	<0.02	7.0	1.84	<0.1
869818	Soil	0.241	10.9	80.9	0.89	373.7	0.085	3	2.86	0.010	0.23	0.3	4.3	0.17	<0.02	35	0.4	0.04	7.4	1.90	<0.1
869819	Soil	0.341	9.8	59.1	0.69	508.8	0.091	4	2.85	0.012	0.28	0.4	4.3	0.18	0.02	46	0.4	0.02	7.0	1.79	<0.1
869820	Soil	0.271	11.7	60.5	0.75	474.2	0.097	3	2.99	0.014	0.18	0.4	4.5	0.19	<0.02	32	0.4	<0.02	7.9	1.90	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 5 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869400	Soil	0.08	1.25	21.2	0.9	<0.05	5.9	3.39	22.1	0.08	<1	0.6	20.1	<10	<2
869626	Soil	0.11	1.73	17.0	0.8	<0.05	7.2	5.60	27.8	0.05	<1	0.7	19.6	<10	2
869627	Soil	0.11	1.78	14.8	0.9	<0.05	7.0	6.13	26.6	0.05	1	0.5	16.7	<10	<2
869628	Soil	0.23	1.55	19.8	0.9	<0.05	13.7	6.90	28.7	0.06	<1	0.8	17.3	<10	<2
869629	Soil	0.11	1.40	18.2	3.0	<0.05	7.2	6.24	25.8	0.09	<1	0.6	16.1	<10	<2
869630	Soil	0.12	1.34	22.6	0.9	<0.05	6.5	3.86	24.3	0.08	<1	0.9	22.7	<10	<2
869631	Soil	0.07	0.94	21.8	0.7	<0.05	3.2	1.92	15.5	0.06	<1	0.5	22.0	<10	<2
869632	Soil	0.06	0.82	19.3	0.8	<0.05	3.9	1.84	14.2	0.06	<1	0.5	19.6	<10	3
945001	Soil	0.10	0.53	12.1	0.6	<0.05	6.0	1.83	14.3	0.05	<1	0.7	21.9	<10	<2
945002	Soil	0.11	1.13	27.7	1.0	<0.05	5.1	3.94	22.2	0.09	<1	0.8	19.2	<10	<2
869801	Soil	0.10	2.59	53.2	1.1	<0.05	6.6	7.63	32.1	0.09	1	1.1	36.9	<10	<2
869802	Soil	0.09	2.04	32.6	0.9	<0.05	6.1	7.16	33.3	0.12	<1	0.7	31.6	<10	<2
869803	Soil	0.07	1.61	20.8	0.7	<0.05	5.6	5.92	27.9	0.06	<1	0.9	23.6	<10	<2
869804	Soil	0.12	1.47	19.3	0.7	<0.05	6.3	5.75	27.7	0.05	<1	0.4	21.6	<10	<2
869805	Soil	0.15	1.39	21.6	0.8	<0.05	9.8	8.50	29.5	0.04	<1	0.8	22.1	<10	<2
869806	Soil	0.20	1.33	23.6	0.7	<0.05	11.3	8.59	30.5	0.04	<1	0.5	22.5	<10	2
869807	Soil	0.06	1.46	21.7	0.7	<0.05	5.1	7.07	28.2	0.05	<1	0.7	20.9	<10	<2
869808	Soil	0.07	1.26	20.8	0.6	<0.05	5.8	7.41	27.1	0.04	<1	0.8	23.1	<10	<2
869809	Soil	0.08	1.20	28.1	0.6	<0.05	4.4	7.99	26.5	0.03	<1	0.4	20.2	<10	<2
869810	Soil	0.10	1.37	21.9	0.7	<0.05	7.0	8.44	26.9	0.03	<1	0.6	19.4	<10	<2
869811	Soil	0.18	1.30	16.2	0.7	<0.05	10.9	7.44	29.5	0.04	<1	0.7	18.8	<10	<2
869812	Soil	0.08	1.23	21.9	0.6	<0.05	5.5	7.83	27.6	0.03	<1	0.5	17.5	<10	<2
869813	Soil	0.11	1.10	18.0	0.7	<0.05	7.0	6.33	26.1	0.05	<1	0.6	19.0	<10	<2
869814	Soil	0.15	0.81	28.2	0.4	<0.05	9.7	7.87	34.5	0.02	<1	0.4	16.7	<10	<2
869815	Soil	0.10	1.23	18.0	0.6	<0.05	6.8	4.92	25.7	0.02	<1	0.6	19.6	<10	<2
869816	Soil	0.09	1.20	21.0	0.6	<0.05	4.6	4.26	24.1	0.05	<1	0.6	18.6	<10	<2
869817	Soil	0.10	1.46	21.5	0.7	<0.05	5.5	5.42	25.0	0.03	<1	0.7	19.7	<10	<2
869818	Soil	0.09	1.47	22.7	0.7	<0.05	5.6	5.51	27.6	0.09	<1	0.5	20.2	<10	<2
869819	Soil	0.11	1.78	21.0	0.8	<0.05	6.6	5.74	24.8	0.07	<1	0.7	20.0	<10	4
869820	Soil	0.10	1.73	20.3	0.8	<0.05	6.9	6.72	31.1	0.05	<1	0.6	22.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 6 of 10 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
869821	Soil	2.37	0.89	31.70	57.19	345.2	170	92.3	20.2	1914	3.15	28.8	0.8	35.1	3.2	41.2	6.44	1.12	0.44	51	0.33
869822	Soil	2.91	0.78	43.75	33.53	210.4	133	81.9	26.4	1058	3.81	29.9	1.0	7.3	3.8	48.7	2.68	0.91	0.33	70	0.41
869823	Soil	2.54	0.59	30.52	27.21	215.4	389	99.6	18.3	1008	3.25	25.6	0.8	20.6	3.4	58.5	6.05	0.73	0.33	51	0.51
869824	Soil	2.39	0.67	29.36	21.07	200.2	362	85.3	15.6	1001	2.82	21.8	0.9	5.0	2.9	46.7	3.04	0.62	0.30	43	0.44
869825	Soil	2.04	0.44	22.56	19.78	192.0	305	79.3	14.5	607	2.67	26.6	0.8	2.9	3.1	43.8	1.85	0.55	0.27	38	0.51
869851	Soil	3.91	0.94	52.42	37.83	169.4	186	62.1	18.5	1224	3.61	19.3	2.0	3.6	8.8	42.6	0.44	0.58	0.88	43	0.34
869852	Soil	3.30	0.77	37.13	30.00	113.7	273	38.4	18.4	1250	3.34	20.2	2.2	1.7	7.3	30.2	0.38	0.62	0.52	38	0.20
869853	Soil	3.01	0.82	37.40	33.94	128.3	263	42.1	18.0	1650	3.22	21.8	2.1	0.4	6.5	40.3	0.65	0.76	0.54	39	0.31
869854	Soil	2.00	0.72	36.20	18.32	100.5	131	27.5	11.6	461	2.79	7.4	1.2	3.0	6.1	38.3	0.38	0.33	0.27	51	0.35
869855	Soil	3.22	0.83	41.50	29.24	130.8	252	59.3	19.6	1058	3.40	13.3	1.8	2.8	8.0	34.7	0.36	0.45	0.49	37	0.26
869856	Soil	2.67	0.75	27.34	24.90	161.7	303	59.1	13.8	1091	3.09	10.3	1.3	1.1	4.0	32.5	0.52	0.59	0.45	40	0.28
869857	Soil	2.22	0.84	39.58	32.16	149.9	211	57.9	16.8	858	3.25	17.5	1.4	4.4	7.0	27.2	0.48	0.71	0.47	38	0.20
869858	Soil	2.80	0.88	32.91	30.51	150.2	157	66.6	17.4	653	3.52	18.3	1.5	3.3	7.1	24.4	0.38	0.68	0.61	45	0.19
869859	Soil	2.58	0.95	37.11	29.34	148.9	229	66.6	21.2	1265	3.43	17.1	1.3	2.7	6.8	27.3	0.42	0.92	0.47	42	0.21
869860	Soil	2.09	1.02	36.88	32.24	167.8	164	80.9	21.9	2691	3.56	14.3	1.4	1.6	6.2	33.4	0.78	0.94	0.51	44	0.29
869861	Soil	2.56	0.59	31.40	33.59	127.6	137	68.2	18.7	827	3.51	13.6	1.3	1.8	8.3	48.1	0.56	0.79	0.45	43	0.48
869862	Soil	2.60	0.62	32.19	33.54	129.6	130	56.0	18.0	879	3.58	15.1	1.6	0.7	6.9	42.5	0.71	1.07	0.41	43	0.53
869863	Soil	2.04	0.73	34.40	24.51	124.9	180	67.8	19.2	1047	3.83	11.2	1.6	2.6	7.0	29.1	0.43	0.82	0.43	53	0.30
869864	Soil	1.97	0.71	30.50	23.84	145.9	396	67.3	14.8	739	3.36	10.5	1.5	4.4	7.1	28.5	0.41	1.03	0.43	41	0.27
869865	Soil	1.96	0.69	36.67	43.80	191.8	343	57.8	17.6	545	3.33	13.1	1.7	3.6	7.2	19.5	0.46	0.59	0.40	46	0.16
869866	Soil	2.99	0.94	46.61	27.68	141.0	194	90.6	26.4	1316	4.24	18.9	1.9	1.9	9.1	27.2	0.34	0.68	0.42	60	0.20
869867	Soil	2.62	1.05	51.95	32.32	122.0	171	90.5	25.7	845	4.61	24.7	2.2	3.8	11.0	23.0	0.21	0.78	0.46	63	0.14
869868	Soil	2.49	0.84	36.88	37.12	181.8	175	53.8	23.0	2241	3.60	17.2	1.4	0.9	6.0	48.1	0.58	0.82	0.57	40	0.33
869869	Soil	2.28	0.69	38.18	23.14	176.0	150	46.7	17.3	1226	3.21	14.7	2.2	5.0	7.5	21.4	0.32	0.56	0.45	35	0.17
869870	Soil	2.39	0.70	33.75	91.31	268.5	160	54.3	16.2	1640	3.23	17.8	1.4	1.0	5.6	46.9	1.29	1.75	0.70	37	0.47
869871	Soil	2.93	0.67	42.15	24.62	103.3	158	40.7	14.3	630	3.48	13.6	1.0	3.3	9.4	23.5	0.19	0.73	0.34	30	0.16
869872	Soil	2.38	0.57	32.20	22.70	166.6	350	56.5	15.2	604	3.44	15.4	1.2	1.0	8.0	31.3	0.50	0.71	0.39	35	0.24
869873	Soil	2.20	0.78	39.06	19.26	108.4	147	29.8	12.2	526	3.05	8.4	1.3	14.0	6.7	41.1	0.43	0.40	0.28	58	0.38
869874	Soil	2.35	0.61	33.27	20.46	203.7	499	45.5	15.0	1673	3.44	10.0	1.3	0.6	8.7	29.7	0.67	0.31	0.37	41	0.18
869875	Soil	2.64	0.59	23.59	20.10	192.3	406	42.4	14.6	1248	3.35	11.5	1.1	1.7	6.8	35.4	0.64	0.46	0.39	39	0.29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 6 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
869821	Soil			0.191	13.0	61.6	0.79	469.6	0.094	2	2.93	0.016	0.20	0.4	5.2	0.18	<0.02	27	0.3	<0.02	8.4	1.84	<0.1
869822	Soil			0.154	14.5	69.4	0.90	410.7	0.123	3	3.46	0.013	0.30	0.3	6.7	0.21	<0.02	30	0.4	0.02	9.1	2.26	<0.1
869823	Soil			0.276	16.0	57.9	0.79	461.7	0.116	3	3.26	0.016	0.17	0.3	4.9	0.16	<0.02	46	0.4	0.02	8.5	2.02	<0.1
869824	Soil			0.367	12.7	47.7	0.60	448.7	0.103	4	3.06	0.025	0.16	0.3	4.5	0.15	<0.02	40	0.4	<0.02	7.8	1.75	<0.1
869825	Soil			0.404	11.0	42.1	0.51	412.7	0.105	2	3.07	0.019	0.13	0.3	4.2	0.11	<0.02	34	0.4	<0.02	7.6	2.09	<0.1
869851	Soil			0.106	23.2	30.0	0.55	177.7	0.114	2	3.74	0.018	0.15	1.6	5.5	0.17	<0.02	45	0.7	0.04	9.2	2.49	<0.1
869852	Soil			0.179	16.9	22.9	0.42	174.4	0.129	1	4.31	0.014	0.16	0.5	3.9	0.21	<0.02	45	0.6	<0.02	10.0	1.84	<0.1
869853	Soil			0.209	17.7	23.2	0.41	249.7	0.124	3	4.01	0.014	0.17	0.5	3.9	0.20	<0.02	43	0.5	<0.02	10.3	1.89	<0.1
869854	Soil			0.112	17.2	33.7	0.60	154.7	0.093	<1	1.82	0.017	0.29	0.4	3.7	0.17	<0.02	18	0.3	<0.02	5.2	1.71	0.1
869855	Soil			0.126	33.7	52.2	0.74	168.0	0.070	<1	2.84	0.010	0.17	0.6	4.0	0.16	<0.02	28	0.7	0.02	7.3	1.94	<0.1
869856	Soil			0.277	17.3	36.2	0.51	299.4	0.102	2	3.59	0.016	0.15	0.5	3.5	0.16	<0.02	34	0.4	<0.02	8.9	2.02	<0.1
869857	Soil			0.117	22.5	35.2	0.57	163.1	0.067	1	2.94	0.010	0.15	0.6	3.5	0.14	<0.02	46	0.5	0.02	7.1	1.65	<0.1
869858	Soil			0.144	18.9	40.9	0.57	199.4	0.096	2	3.43	0.011	0.20	1.2	4.0	0.16	<0.02	42	0.4	0.03	8.8	2.13	<0.1
869859	Soil			0.179	21.7	34.8	0.46	246.5	0.091	3	3.26	0.012	0.15	0.7	3.8	0.18	<0.02	50	0.7	0.06	8.5	1.76	<0.1
869860	Soil			0.211	21.8	39.1	0.53	401.4	0.107	3	3.77	0.014	0.14	0.5	3.9	0.21	0.03	43	0.5	0.05	9.6	2.19	<0.1
869861	Soil			0.207	27.1	61.4	0.71	299.6	0.100	4	3.00	0.014	0.21	0.4	3.9	0.21	<0.02	42	0.5	0.04	8.8	2.82	<0.1
869862	Soil			0.090	28.4	56.8	0.65	153.3	0.070	2	2.77	0.012	0.18	0.3	3.4	0.16	0.03	40	0.6	0.05	7.8	2.04	0.1
869863	Soil			0.101	27.4	64.3	0.70	215.8	0.101	2	3.47	0.015	0.17	0.4	3.9	0.18	0.02	43	0.7	0.04	9.5	2.61	<0.1
869864	Soil			0.195	21.9	36.9	0.51	254.2	0.124	3	4.26	0.019	0.16	0.4	4.2	0.18	<0.02	52	0.5	0.04	11.0	3.16	0.1
869865	Soil			0.118	24.1	52.7	0.56	222.8	0.119	2	3.76	0.017	0.13	0.4	4.5	0.17	<0.02	49	0.6	0.05	9.8	3.33	<0.1
869866	Soil			0.177	27.9	104.5	0.89	257.0	0.126	2	3.84	0.015	0.23	0.5	5.8	0.24	<0.02	41	0.6	0.05	10.4	5.15	<0.1
869867	Soil			0.140	33.7	104.8	0.93	181.0	0.123	2	3.84	0.012	0.21	0.6	7.2	0.25	<0.02	43	0.7	0.06	10.6	5.04	0.1
869868	Soil			0.290	19.5	37.1	0.55	390.2	0.088	1	3.23	0.010	0.14	0.3	3.1	0.18	0.02	45	0.6	0.06	9.5	4.07	<0.1
869869	Soil			0.170	21.4	28.0	0.44	230.6	0.124	2	4.12	0.021	0.13	0.3	3.8	0.20	<0.02	36	0.6	0.04	10.6	3.67	<0.1
869870	Soil			0.112	22.4	30.8	0.51	178.4	0.092	3	3.02	0.015	0.13	0.3	3.0	0.22	0.03	66	0.6	0.05	8.5	4.87	0.1
869871	Soil			0.069	54.6	37.5	0.64	99.8	0.028	1	1.87	0.005	0.13	0.1	2.5	0.11	<0.02	22	0.4	0.06	5.5	1.25	0.1
869872	Soil			0.341	25.2	35.4	0.49	386.2	0.075	2	3.27	0.017	0.16	0.3	3.5	0.15	<0.02	46	0.6	0.03	8.5	2.01	<0.1
869873	Soil			0.121	19.7	36.7	0.65	167.4	0.100	<1	2.00	0.020	0.30	0.4	4.2	0.19	<0.02	15	0.4	0.04	5.7	1.85	0.1
869874	Soil			0.277	29.9	37.9	0.55	391.1	0.084	2	3.04	0.022	0.19	0.2	4.2	0.22	<0.02	29	0.4	0.03	8.1	1.99	0.1
869875	Soil			0.297	23.3	32.2	0.48	306.7	0.086	2	3.25	0.018	0.16	0.3	3.2	0.17	<0.02	34	0.4	0.04	8.7	2.04	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

6 of 10

Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869821	Soil	0.11	1.40	17.8	0.9	<0.05	5.5	7.28	30.8	0.09	<1	1.0	24.6	<10	<2
869822	Soil	0.19	1.69	28.2	0.8	<0.05	11.8	9.15	30.5	0.05	<1	0.7	26.7	<10	<2
869823	Soil	0.14	2.14	19.4	0.9	<0.05	10.4	7.47	41.2	0.06	<1	0.7	24.8	<10	<2
869824	Soil	0.11	1.75	17.8	0.8	<0.05	7.8	7.43	32.2	0.05	<1	0.6	19.2	<10	<2
869825	Soil	0.18	1.68	22.3	0.8	<0.05	11.4	6.11	31.9	0.04	<1	0.7	19.1	<10	<2
869851	Soil	0.30	1.54	17.6	0.8	<0.05	19.9	18.07	54.6	0.05	<1	1.0	31.8	<10	<2
869852	Soil	0.30	1.83	17.9	1.0	<0.05	21.6	9.80	48.2	0.04	<1	0.9	28.0	<10	<2
869853	Soil	0.21	1.97	18.2	1.0	<0.05	15.4	9.66	49.9	0.03	<1	1.3	28.4	<10	<2
869854	Soil	0.15	0.75	26.9	0.4	<0.05	9.6	7.74	34.2	0.02	<1	0.5	16.9	<10	<2
869855	Soil	0.10	1.40	22.4	0.6	<0.05	6.5	14.39	60.3	0.05	<1	1.2	34.3	<10	<2
869856	Soil	0.23	1.81	23.3	0.8	<0.05	8.1	7.82	42.2	0.04	<1	0.8	25.0	<10	<2
869857	Soil	0.12	1.32	15.5	0.6	<0.05	7.7	7.98	50.1	0.05	<1	0.8	26.5	<10	<2
869858	Soil	0.26	1.90	19.7	0.8	<0.05	14.4	7.41	45.9	0.05	<1	0.7	44.3	<10	<2
869859	Soil	0.18	1.79	20.4	0.8	<0.05	13.0	8.57	51.2	0.05	<1	1.0	27.4	<10	<2
869860	Soil	0.16	2.03	24.5	0.9	<0.05	10.5	9.29	53.7	0.05	<1	1.1	36.7	10	<2
869861	Soil	0.17	2.57	39.3	0.8	<0.05	12.5	7.18	58.1	0.05	<1	1.0	38.1	<10	<2
869862	Soil	0.05	2.29	29.6	0.7	<0.05	3.7	6.26	62.8	0.05	<1	1.1	60.5	<10	<2
869863	Soil	0.11	2.23	35.2	0.9	<0.05	6.2	7.28	63.2	0.05	<1	1.0	40.9	<10	<2
869864	Soil	0.36	2.14	27.0	1.0	<0.05	27.8	10.35	57.1	0.05	<1	1.1	33.6	<10	<2
869865	Soil	0.27	2.30	24.1	0.9	<0.05	20.3	9.82	65.5	0.04	<1	1.2	36.2	16	<2
869866	Soil	0.16	1.71	38.0	0.9	<0.05	12.3	9.90	66.8	0.04	<1	2.0	40.8	<10	<2
869867	Soil	0.20	1.71	38.5	0.8	<0.05	12.7	11.21	79.1	0.04	<1	1.5	43.5	<10	<2
869868	Soil	0.06	1.76	30.0	1.0	<0.05	5.3	5.22	50.1	0.06	<1	1.2	43.2	<10	<2
869869	Soil	0.23	1.82	24.4	1.1	<0.05	21.1	8.55	57.2	0.04	<1	1.0	48.2	<10	<2
869870	Soil	0.11	2.13	22.7	1.3	<0.05	6.9	6.84	54.3	0.18	<1	1.1	76.1	11	<2
869871	Soil	<0.02	0.72	16.4	0.3	<0.05	0.8	4.57	99.8	0.03	<1	0.5	37.1	<10	<2
869872	Soil	0.15	1.22	22.1	0.9	<0.05	10.4	6.53	60.0	0.05	<1	1.1	36.6	<10	<2
869873	Soil	0.17	0.93	30.0	0.5	<0.05	10.3	8.46	39.1	0.03	<1	0.6	17.9	<10	<2
869874	Soil	0.15	0.90	28.2	0.8	<0.05	9.6	7.72	62.8	0.03	<1	0.9	31.3	<10	<2
869875	Soil	0.08	1.19	25.6	0.8	<0.05	5.7	4.88	58.1	0.04	<1	0.8	40.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

7 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869826	Soil	2.17	0.66	44.78	85.66	266.6	212	87.7	25.1	1522	4.21	22.4	0.9	1.9	5.1	122.9	2.92	1.98	0.54	62	1.29
869827	Soil	2.29	0.62	37.03	52.82	156.7	177	82.4	22.8	1571	3.91	15.7	1.0	4.1	5.1	69.9	1.35	1.19	0.40	56	0.49
869828	Soil	2.49	0.57	35.17	69.11	160.3	167	75.0	21.5	1648	3.96	18.5	0.8	3.0	4.6	69.9	1.66	1.55	0.42	64	0.59
869829	Soil	2.16	0.67	35.05	93.00	178.3	148	95.3	25.4	2825	4.27	20.3	0.9	0.8	4.6	86.2	2.01	1.39	0.57	64	0.53
869830	Soil	2.18	0.83	31.23	82.78	189.9	138	100.4	23.9	1821	4.03	18.0	0.9	1.7	5.1	85.3	2.07	1.33	0.57	63	0.67
869831	Soil	2.46	0.82	44.18	77.23	340.9	300	108.0	25.8	1795	4.41	23.4	1.2	1.5	6.2	89.6	2.81	1.15	0.54	61	0.57
869832	Soil	1.90	1.81	58.54	86.77	279.8	427	123.8	26.6	1381	4.21	26.9	2.0	3.0	6.8	58.7	1.95	1.04	0.54	61	0.41
869833	Soil	2.32	1.01	50.29	85.88	231.7	261	134.4	34.8	1702	4.63	25.4	1.3	2.5	5.2	84.9	2.50	1.45	0.58	71	0.78
869834	Soil	2.66	1.11	46.05	56.80	219.6	195	153.0	35.3	1820	4.81	18.7	1.2	3.6	4.3	64.4	1.58	1.28	0.49	71	0.50
869835	Soil	2.49	0.71	36.53	46.10	130.6	100	143.8	28.2	1264	4.13	15.2	0.9	5.1	3.7	54.8	1.45	1.23	0.37	69	0.43
869836	Soil	2.39	0.79	40.32	20.14	116.8	144	31.7	12.5	549	3.20	8.7	1.5	13.7	7.6	47.5	0.49	0.38	0.29	59	0.43
869837	Soil	2.40	0.67	41.49	58.77	149.3	105	159.9	30.3	1481	4.61	20.5	0.9	2.3	3.9	67.3	1.61	1.69	0.45	78	0.57
869838	Soil	2.21	0.68	35.15	62.05	151.9	107	157.7	29.0	1422	4.27	19.0	0.8	2.4	3.6	75.7	1.62	1.67	0.42	70	0.54
869839	Soil	2.15	0.84	41.90	29.04	143.7	163	174.8	29.9	1793	4.33	17.0	1.0	4.6	4.2	92.6	1.17	1.15	0.34	63	0.66
869840	Soil	2.27	0.69	32.85	79.31	188.2	168	150.7	24.9	1944	3.97	17.5	0.9	1.6	3.5	102.2	2.58	1.80	0.50	60	0.83
869841	Soil	2.22	0.68	35.17	26.07	186.5	237	163.7	23.4	1070	3.95	15.7	1.0	3.0	3.1	72.2	2.63	1.04	0.30	65	0.71
869842	Soil	2.23	0.77	32.97	38.37	260.7	322	120.5	20.5	893	4.01	11.5	0.9	3.4	3.4	60.3	4.91	1.06	0.34	64	0.79
869843	Soil	2.11	0.75	22.61	48.69	242.6	257	118.8	18.5	877	3.21	11.7	0.6	7.4	3.3	57.6	2.82	0.95	0.27	51	0.62
869844	Soil	2.34	0.63	26.52	33.14	248.2	296	126.5	16.4	926	3.01	10.5	0.9	1.5	3.7	61.3	5.17	0.83	0.26	43	0.86
869845	Soil	2.25	0.61	28.75	35.99	188.6	313	101.3	16.8	860	3.09	12.2	0.7	4.1	3.7	45.8	3.08	0.76	0.29	49	0.73
869846	Soil	2.06	0.70	20.36	53.08	206.1	210	144.4	19.7	851	3.34	14.6	0.6	25.9	3.4	47.9	3.36	1.07	0.45	48	0.50
869847	Soil	2.27	0.50	20.98	40.28	158.2	125	103.3	16.1	726	2.89	11.3	0.6	5.2	3.3	30.7	1.81	0.95	0.32	44	0.38
869848	Soil	2.18	0.76	20.47	52.81	303.5	381	97.8	13.8	1281	2.72	11.7	0.8	1.2	3.6	38.0	7.57	0.87	0.33	38	0.44
869849	Soil	2.46	0.74	21.79	35.98	248.6	199	114.5	15.8	701	3.06	11.6	0.7	15.9	3.7	30.2	3.25	0.86	0.36	41	0.34
869850	Soil	2.09	0.88	22.90	61.32	261.0	151	106.4	16.0	1058	2.94	12.3	0.6	3.0	3.3	35.5	3.27	1.21	0.44	40	0.46
869633	Soil	2.30	0.75	38.87	20.21	176.1	375	52.8	18.4	1772	3.46	19.0	1.1	19.4	3.7	65.7	1.43	1.01	0.26	46	0.72
869634	Soil	2.29	0.97	39.25	21.53	172.5	228	63.5	20.0	1828	3.67	18.7	1.0	0.9	5.0	57.5	1.30	1.07	0.26	54	0.63
869635	Soil	2.52	0.85	55.83	34.68	154.6	529	50.7	21.6	1129	3.89	28.9	1.1	4.8	4.1	58.1	1.47	1.83	0.28	62	0.60
869636	Soil	2.42	0.79	57.48	46.29	186.0	1281	52.2	20.7	1440	4.01	29.8	1.1	43.4	3.9	48.6	1.81	1.86	0.25	61	0.54
869637	Soil	2.33	0.91	35.45	55.12	410.2	1457	46.8	19.0	1277	3.82	30.5	0.9	6.0	3.6	71.7	4.50	2.39	0.30	50	0.66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 7 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869826	Soil	0.216	22.2	67.2	1.08	506.6	0.136	7	3.42	0.033	0.51	0.6	6.8	0.33	0.03	68	0.7	0.10	9.8	2.98	<0.1
869827	Soil	0.149	23.7	68.7	0.95	391.6	0.141	3	3.39	0.023	0.42	0.4	6.1	0.28	<0.02	36	0.3	0.06	9.3	2.83	0.1
869828	Soil	0.152	17.6	66.1	0.89	361.7	0.124	5	3.09	0.014	0.52	0.2	5.6	0.30	0.02	45	0.4	0.06	8.5	2.47	<0.1
869829	Soil	0.262	17.5	74.7	0.91	508.2	0.131	4	3.74	0.015	0.46	0.3	5.7	0.31	0.02	52	0.4	0.06	11.1	2.64	<0.1
869830	Soil	0.192	16.7	75.6	0.93	385.4	0.136	3	3.82	0.013	0.44	0.3	5.9	0.35	0.02	61	0.4	0.05	10.4	2.83	<0.1
869831	Soil	0.310	19.2	73.0	0.92	554.8	0.140	4	3.99	0.013	0.52	0.5	6.6	0.40	<0.02	53	0.5	0.07	12.0	4.53	0.1
869832	Soil	0.164	22.5	69.7	0.76	277.9	0.134	4	4.08	0.015	0.33	0.2	5.4	0.34	<0.02	57	0.8	0.06	10.6	3.38	<0.1
869833	Soil	0.255	20.4	108.1	1.07	423.5	0.140	6	3.41	0.017	0.61	0.3	7.0	0.28	0.02	21	0.6	0.05	10.3	3.66	<0.1
869834	Soil	0.262	17.7	114.6	1.06	398.2	0.127	3	3.53	0.015	0.52	0.3	6.7	0.30	0.02	41	0.5	0.06	10.8	3.45	0.1
869835	Soil	0.142	17.1	106.8	1.06	244.2	0.120	3	2.78	0.012	0.32	0.3	6.2	0.21	<0.02	28	0.4	0.04	7.9	2.19	0.1
869836	Soil	0.126	23.5	40.2	0.66	174.1	0.114	2	2.10	0.025	0.32	0.5	4.5	0.20	<0.02	21	0.4	0.04	6.2	1.93	<0.1
869837	Soil	0.178	18.5	121.4	1.25	323.1	0.131	4	3.29	0.013	0.38	0.4	7.1	0.25	<0.02	28	0.4	0.06	8.9	2.39	<0.1
869838	Soil	0.171	15.4	106.5	1.08	300.8	0.110	5	3.05	0.012	0.30	0.3	6.0	0.22	<0.02	46	0.4	0.04	8.5	2.03	<0.1
869839	Soil	0.194	16.2	103.3	1.07	333.7	0.113	4	3.46	0.014	0.35	0.3	6.1	0.21	0.02	34	0.4	0.03	9.2	2.19	<0.1
869840	Soil	0.278	14.0	88.3	0.95	425.8	0.101	6	3.14	0.014	0.32	0.3	5.7	0.23	0.02	66	0.4	0.05	8.1	1.96	<0.1
869841	Soil	0.280	15.2	90.8	1.02	291.1	0.109	3	3.34	0.020	0.29	0.3	6.2	0.18	0.02	37	0.5	0.03	9.1	2.01	<0.1
869842	Soil	0.303	15.8	92.2	0.93	311.1	0.107	5	3.38	0.017	0.32	0.4	6.3	0.19	0.02	42	0.8	0.06	9.0	2.32	<0.1
869843	Soil	0.185	15.0	98.3	0.84	295.3	0.092	2	2.32	0.014	0.23	0.5	4.8	0.18	<0.02	36	0.3	0.05	6.7	1.91	<0.1
869844	Soil	0.421	14.7	72.0	0.70	366.9	0.092	4	3.07	0.021	0.29	0.5	4.8	0.19	<0.02	41	0.4	0.02	7.9	1.98	<0.1
869845	Soil	0.252	14.1	68.0	0.80	282.4	0.093	7	2.72	0.014	0.37	0.4	4.8	0.18	<0.02	25	0.5	0.03	7.3	2.01	<0.1
869846	Soil	0.310	11.0	84.3	0.79	343.4	0.085	3	2.69	0.012	0.22	0.5	4.1	0.18	<0.02	40	0.5	0.07	7.5	1.97	<0.1
869847	Soil	0.123	10.9	74.4	0.72	198.4	0.076	2	2.04	0.009	0.22	0.4	3.4	0.17	<0.02	31	0.4	0.05	5.6	1.67	<0.1
869848	Soil	0.407	14.5	61.8	0.64	425.3	0.091	4	2.65	0.015	0.24	0.5	4.1	0.20	<0.02	45	0.3	0.04	7.4	2.22	<0.1
869849	Soil	0.278	12.2	69.1	0.72	280.3	0.094	4	2.90	0.015	0.22	0.5	4.4	0.19	<0.02	33	0.3	0.03	7.9	2.17	<0.1
869850	Soil	0.263	10.9	71.0	0.65	354.8	0.082	4	2.60	0.012	0.21	0.5	3.8	0.19	<0.02	42	0.4	0.04	7.2	1.90	<0.1
869633	Soil	0.469	19.2	40.6	0.75	555.2	0.115	5	3.64	0.018	0.21	0.4	4.8	0.21	0.03	62	0.7	0.02	8.7	2.37	<0.1
869634	Soil	0.408	20.9	51.4	0.98	521.3	0.140	4	3.27	0.018	0.23	0.5	4.6	0.24	0.02	48	0.5	<0.02	8.4	2.42	<0.1
869635	Soil	0.366	21.0	51.0	0.91	343.8	0.122	4	3.39	0.015	0.22	0.6	6.5	0.20	0.02	65	0.6	0.03	8.5	2.35	<0.1
869636	Soil	0.278	20.2	52.0	0.89	341.7	0.117	4	3.43	0.016	0.23	0.6	5.7	0.24	0.02	50	0.5	0.05	9.1	2.68	<0.1
869637	Soil	0.599	16.3	45.9	0.79	533.1	0.110	3	3.46	0.017	0.21	0.7	5.6	0.19	0.02	51	0.6	0.03	8.8	2.30	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 7 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869826	Soil	0.14	5.08	56.4	1.0	<0.05	9.4	8.97	52.4	0.15	1	1.3	29.3	<10	<2
869827	Soil	0.14	2.79	45.1	0.9	<0.05	8.9	8.40	50.2	0.10	<1	1.1	31.1	<10	<2
869828	Soil	0.07	1.98	41.1	0.8	<0.05	5.5	6.53	40.4	0.12	<1	0.8	29.0	<10	<2
869829	Soil	0.05	1.94	40.4	1.1	<0.05	4.8	6.83	44.1	0.12	<1	1.0	38.8	<10	<2
869830	Soil	0.10	2.36	43.1	1.1	<0.05	7.8	6.44	40.1	0.16	2	1.0	37.0	<10	<2
869831	Soil	0.12	2.22	58.1	1.1	<0.05	8.4	10.10	42.9	0.14	<1	1.0	44.6	<10	<2
869832	Soil	0.11	2.11	37.3	0.9	<0.05	7.7	9.16	50.1	0.08	<1	1.2	41.3	<10	2
869833	Soil	0.19	2.60	41.0	1.1	<0.05	10.4	10.12	42.4	0.20	<1	1.2	34.5	<10	<2
869834	Soil	0.07	2.30	39.7	0.9	<0.05	4.3	9.05	39.2	0.07	<1	1.1	36.1	<10	<2
869835	Soil	0.07	1.64	28.3	0.7	<0.05	4.4	7.54	38.0	0.08	<1	0.7	22.0	<10	<2
869836	Soil	0.18	0.94	31.7	0.6	<0.05	10.6	8.97	46.9	0.03	<1	0.6	18.7	<10	3
869837	Soil	0.09	1.74	31.2	0.8	<0.05	5.5	8.41	42.3	0.11	<1	0.7	24.3	<10	<2
869838	Soil	0.09	1.80	24.7	0.7	<0.05	5.6	7.32	36.2	0.11	<1	0.8	23.2	<10	<2
869839	Soil	0.10	2.07	29.0	0.8	<0.05	5.8	8.51	40.4	0.06	<1	1.0	29.9	13	<2
869840	Soil	0.06	1.78	24.8	0.9	<0.05	5.0	7.06	32.1	0.16	<1	0.7	26.1	<10	<2
869841	Soil	0.07	1.64	28.8	0.7	<0.05	6.0	8.40	34.1	0.05	<1	0.7	23.4	<10	<2
869842	Soil	0.08	1.71	32.4	0.7	<0.05	5.4	9.92	33.3	0.06	<1	0.8	22.6	<10	<2
869843	Soil	0.05	1.56	33.8	0.6	<0.05	3.6	5.62	33.6	0.05	1	0.7	19.0	<10	<2
869844	Soil	0.09	1.41	27.7	0.7	<0.05	8.1	9.89	31.4	0.05	<1	0.9	22.0	<10	<2
869845	Soil	0.13	1.76	29.2	0.6	<0.05	9.5	9.16	30.2	0.07	<1	0.8	22.7	<10	3
869846	Soil	0.09	1.64	24.0	0.7	<0.05	5.4	4.84	29.2	0.07	1	0.9	22.2	<10	<2
869847	Soil	0.09	1.38	31.2	0.6	<0.05	3.9	4.06	25.3	0.06	<1	0.5	18.4	<10	<2
869848	Soil	0.09	1.28	32.7	0.8	<0.05	6.7	7.59	33.3	0.08	1	0.8	21.1	<10	<2
869849	Soil	0.12	1.47	26.9	0.7	<0.05	7.6	6.28	29.5	0.05	<1	0.8	23.3	<10	<2
869850	Soil	0.11	1.62	28.4	0.8	<0.05	6.0	5.42	26.0	0.11	<1	0.8	21.7	<10	<2
869633	Soil	0.11	4.34	26.8	1.0	<0.05	9.5	10.40	49.5	0.05	1	0.9	21.2	<10	<2
869634	Soil	0.10	6.03	31.9	0.9	<0.05	8.8	8.59	54.3	0.04	<1	1.0	22.6	<10	2
869635	Soil	0.17	3.78	25.5	0.9	<0.05	11.1	11.38	50.3	0.05	1	0.7	21.3	<10	2
869636	Soil	0.14	3.77	31.7	0.8	<0.05	8.6	10.05	49.4	0.04	<1	0.7	19.6	<10	<2
869637	Soil	0.12	3.37	26.0	0.9	<0.05	8.8	8.28	43.3	0.05	<1	0.8	20.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

8 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869638	Soil	2.64	0.67	47.90	21.27	178.5	396	43.1	20.3	1085	3.95	17.4	1.2	2.0	3.7	45.9	0.73	1.43	0.23	60	0.58
869639	Soil	2.32	0.75	38.67	18.16	148.2	205	35.8	17.4	1064	3.75	20.0	1.1	2.1	2.9	51.8	0.78	1.45	0.23	48	0.52
869640	Soil	2.53	0.74	41.59	19.82	163.4	243	41.7	19.6	1250	4.04	21.0	1.1	0.3	3.1	48.9	0.63	1.51	0.24	55	0.51
869641	Soil	2.47	0.71	37.76	20.02	191.7	287	41.6	19.3	1073	4.03	23.4	1.1	1.7	3.8	49.3	0.85	1.25	0.27	61	0.52
869642	Soil	2.26	1.15	47.56	21.69	144.4	419	58.4	23.7	1659	4.33	33.8	0.8	2.7	3.2	73.6	0.90	1.38	0.28	62	0.86
869643	Soil	2.28	1.11	66.83	39.13	121.4	601	69.3	28.1	1567	4.26	52.1	1.1	4.4	3.5	64.1	0.88	1.45	0.32	66	0.66
869644	Soil	2.69	0.88	76.84	21.96	128.3	868	50.3	25.7	1006	4.35	43.2	1.1	7.9	3.7	59.9	0.70	1.81	0.23	74	0.50
869645	Soil	2.81	0.84	71.26	19.09	139.8	390	93.1	29.5	1811	4.54	25.9	1.8	15.0	11.2	63.5	0.82	1.02	0.25	68	0.81
869646	Soil	2.53	0.88	64.48	46.33	141.4	463	46.0	21.8	1092	4.35	37.8	1.1	12.5	3.4	51.0	1.22	2.66	0.30	75	0.59
869647	Soil	2.15	0.71	42.45	35.23	216.5	651	57.2	21.1	1290	4.08	26.2	0.9	8.0	3.8	69.3	2.74	1.59	0.32	63	0.85
869648	Soil	2.26	0.64	41.99	16.50	124.9	237	44.5	16.2	1086	3.50	14.7	1.0	3.3	3.5	53.5	0.87	1.09	0.20	55	0.63
869649	Soil	2.12	0.82	45.96	20.49	154.5	292	46.2	21.5	1873	4.13	14.9	1.0	1.1	3.4	57.7	0.90	1.14	0.26	67	0.68
869650	Soil	2.29	0.64	46.27	19.91	150.1	191	52.5	18.4	1597	3.92	15.4	1.2	0.9	3.8	58.6	0.93	1.10	0.25	57	0.65
869651	Soil	2.21	0.77	55.72	28.36	136.4	698	62.7	22.2	911	4.55	19.4	1.5	1.8	4.5	49.5	0.61	1.16	0.23	70	0.61
869652	Soil	2.44	0.67	49.14	21.69	142.2	253	50.7	22.0	1458	4.28	16.4	1.3	23.5	4.1	67.1	0.97	1.21	0.25	65	0.75
869653	Soil	2.44	0.68	44.36	16.28	137.4	207	48.0	19.8	1142	4.21	15.5	1.3	0.6	4.1	59.3	0.54	1.28	0.22	63	0.65
869654	Soil	2.12	0.75	38.05	18.02	107.5	141	28.5	11.8	494	3.00	7.8	1.2	9.9	6.1	40.0	0.41	0.36	0.27	53	0.38
869655	Soil	2.42	0.87	44.73	19.99	153.8	239	63.9	22.2	1504	4.36	13.0	1.3	3.0	6.4	63.2	0.81	1.11	0.25	62	0.67
869656	Soil	2.25	0.72	41.41	33.64	141.8	201	46.6	18.1	1343	3.72	14.5	1.1	2.4	3.7	54.1	1.12	1.25	0.29	57	0.55
869657	Soil	2.80	0.71	44.70	52.75	225.6	534	94.5	16.6	698	3.58	22.6	1.1	4.6	3.9	40.1	2.71	0.91	0.30	68	0.42
869658	Soil	2.28	0.77	32.08	41.35	218.9	217	95.3	17.6	1060	3.63	17.5	0.8	0.7	3.0	44.9	2.28	0.99	0.35	53	0.36
869659	Soil	2.16	0.56	37.46	19.91	211.7	203	73.9	16.4	854	3.65	17.3	0.9	4.8	3.0	50.5	2.17	0.70	0.23	54	0.37
869660	Soil	2.41	0.69	51.46	27.80	205.9	398	80.7	17.2	692	3.90	24.8	1.0	1.6	3.6	42.2	1.48	0.71	0.27	61	0.32
869661	Soil	2.16	0.65	31.64	23.14	177.5	305	105.0	15.6	783	3.20	18.7	0.9	6.1	3.3	51.3	2.48	1.06	0.30	49	0.43
869662	Soil	2.20	0.63	31.14	21.92	275.1	272	106.9	14.9	789	3.09	17.4	0.9	1.4	3.2	54.3	5.21	0.73	0.28	47	0.46
869663	Soil	2.40	1.16	32.58	30.13	272.6	480	90.0	17.8	970	3.47	20.3	1.0	4.1	3.9	55.6	4.53	0.90	0.33	53	0.40
869664	Soil	2.37	1.05	37.43	26.64	184.0	457	74.8	15.7	1062	3.39	25.7	1.0	5.8	4.2	52.7	2.55	0.91	0.30	58	0.34
869665	Soil	2.11	0.90	30.89	27.66	188.4	455	76.3	17.4	1568	3.37	28.9	0.9	5.8	3.6	99.2	3.37	0.89	0.36	55	0.60
869666	Soil	2.23	0.75	27.31	41.32	350.5	466	74.1	14.1	823	2.95	20.7	1.0	5.4	4.0	73.1	6.88	0.82	0.37	44	0.50
869667	Soil	2.49	0.84	47.07	27.42	227.5	411	377.2	39.9	1092	4.42	59.6	0.7	20.0	3.2	89.8	2.32	0.70	0.33	81	0.62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 8 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869638	Soil	0.263	19.2	45.3	0.81	320.5	0.122	4	3.47	0.021	0.24	0.3	6.3	0.20	0.02	55	0.6	0.03	8.9	2.28	<0.1
869639	Soil	0.436	16.4	34.5	0.63	385.3	0.099	4	3.42	0.017	0.26	0.2	5.5	0.18	0.02	32	0.6	0.04	8.9	2.30	<0.1
869640	Soil	0.291	17.7	40.2	0.71	330.7	0.097	4	3.44	0.016	0.21	0.2	5.8	0.18	0.02	52	0.7	0.04	9.0	2.38	<0.1
869641	Soil	0.428	19.1	34.9	0.65	416.4	0.116	5	3.72	0.020	0.20	0.3	6.2	0.18	<0.02	37	0.5	<0.02	10.0	2.28	<0.1
869642	Soil	0.353	14.3	55.1	1.00	367.9	0.121	7	3.54	0.014	0.22	0.4	4.9	0.19	0.04	58	0.5	0.04	9.4	2.54	<0.1
869643	Soil	0.301	18.3	66.0	1.15	478.4	0.143	5	4.02	0.017	0.27	0.6	5.6	0.23	0.03	40	0.5	0.05	10.8	2.62	<0.1
869644	Soil	0.394	20.8	61.7	0.97	345.9	0.119	4	3.45	0.014	0.26	0.5	7.0	0.20	<0.02	50	0.6	0.07	8.9	2.58	0.1
869645	Soil	0.449	41.5	65.3	1.50	583.1	0.144	4	3.16	0.015	0.40	0.6	4.7	0.35	<0.02	49	0.4	0.05	9.6	4.16	0.2
869646	Soil	0.216	19.3	56.1	1.00	263.2	0.112	4	2.99	0.015	0.28	0.5	6.6	0.22	0.02	57	0.8	0.07	8.0	2.43	0.1
869647	Soil	0.420	20.4	52.1	1.00	449.1	0.120	5	3.35	0.017	0.25	0.4	5.3	0.22	0.04	57	0.5	0.02	9.4	2.56	<0.1
869648	Soil	0.383	18.5	42.7	0.78	456.6	0.119	5	3.32	0.026	0.29	0.3	5.4	0.20	0.02	38	0.6	0.03	8.7	2.30	<0.1
869649	Soil	0.301	16.2	54.9	0.88	491.1	0.125	5	3.40	0.017	0.26	0.2	5.9	0.20	0.02	50	0.5	0.03	9.4	2.57	<0.1
869650	Soil	0.398	19.4	47.9	0.93	529.2	0.128	4	3.59	0.019	0.26	0.2	5.7	0.23	0.03	51	0.6	0.04	9.6	2.66	<0.1
869651	Soil	0.268	23.2	58.0	1.21	292.2	0.156	4	3.82	0.019	0.32	0.3	6.3	0.27	0.02	47	0.6	0.04	10.8	3.21	0.1
869652	Soil	0.286	19.4	51.7	1.00	492.1	0.134	5	3.54	0.014	0.33	0.3	6.2	0.22	0.02	42	0.5	0.02	9.9	2.77	<0.1
869653	Soil	0.292	21.2	47.9	0.95	395.7	0.139	4	3.81	0.017	0.37	0.3	6.2	0.23	0.02	39	0.5	0.03	9.4	2.80	<0.1
869654	Soil	0.117	18.7	33.3	0.64	162.7	0.095	1	1.93	0.020	0.30	0.4	4.1	0.19	<0.02	9	0.3	0.05	5.4	1.82	<0.1
869655	Soil	0.367	26.0	60.3	1.24	435.0	0.136	4	3.27	0.014	0.29	0.3	5.5	0.24	0.02	51	0.6	0.05	9.4	3.07	<0.1
869656	Soil	0.314	19.6	42.1	0.82	394.7	0.126	4	3.37	0.019	0.30	0.2	5.3	0.23	0.02	41	0.5	0.05	9.6	2.48	<0.1
869657	Soil	0.202	17.6	72.5	0.90	216.3	0.105	2	3.10	0.015	0.24	0.3	6.0	0.17	<0.02	37	0.6	0.02	7.7	2.32	<0.1
869658	Soil	0.390	13.1	59.2	0.78	366.0	0.093	3	3.02	0.015	0.22	0.3	5.1	0.17	<0.02	39	0.6	0.02	8.0	2.06	<0.1
869659	Soil	0.364	14.8	51.6	0.77	351.4	0.094	4	3.27	0.020	0.24	0.3	5.6	0.18	<0.02	39	0.5	0.02	8.3	1.94	<0.1
869660	Soil	0.285	15.6	53.9	0.85	336.9	0.113	3	3.74	0.024	0.25	0.3	6.3	0.19	<0.02	33	0.4	0.04	9.9	2.10	<0.1
869661	Soil	0.373	14.2	55.3	0.70	381.0	0.100	3	3.24	0.021	0.18	0.4	5.3	0.18	<0.02	36	0.4	0.03	8.3	1.99	<0.1
869662	Soil	0.413	14.4	53.4	0.69	377.5	0.092	3	3.09	0.021	0.22	0.4	5.4	0.17	<0.02	34	0.5	0.02	8.2	2.01	<0.1
869663	Soil	0.331	15.0	56.1	0.73	322.5	0.099	4	3.21	0.018	0.22	0.5	5.4	0.20	<0.02	33	0.4	<0.02	8.3	2.05	<0.1
869664	Soil	0.162	17.8	61.4	0.71	244.3	0.103	4	2.99	0.014	0.23	0.4	5.9	0.19	<0.02	42	0.5	0.04	8.2	2.12	0.1
869665	Soil	0.364	15.7	53.6	0.65	361.5	0.103	4	3.43	0.014	0.19	0.3	4.6	0.20	0.03	44	0.5	0.03	9.0	2.26	<0.1
869666	Soil	0.297	16.7	45.3	0.54	283.3	0.114	4	3.71	0.021	0.15	0.4	4.8	0.26	<0.02	42	0.6	0.03	9.0	3.52	<0.1
869667	Soil	0.221	11.2	221.8	1.80	408.0	0.135	4	4.24	0.019	0.41	0.6	7.9	0.38	<0.02	29	0.2	0.03	11.0	5.40	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 8 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869638	Soil	0.17	3.55	24.9	0.9	<0.05	11.0	11.66	44.4	0.05	<1	0.7	20.7	<10	<2
869639	Soil	0.12	2.85	22.9	0.7	<0.05	9.6	9.86	41.2	0.03	1	0.9	21.3	<10	<2
869640	Soil	0.17	3.18	22.8	0.8	<0.05	8.5	10.31	43.9	0.05	<1	0.6	22.3	<10	<2
869641	Soil	0.18	2.72	25.7	0.9	<0.05	11.7	10.46	48.7	0.05	<1	1.1	23.8	<10	<2
869642	Soil	0.07	5.97	28.4	1.0	<0.05	4.8	5.49	46.5	0.04	<1	0.9	27.8	<10	<2
869643	Soil	0.11	4.78	34.7	0.9	<0.05	7.8	7.81	57.6	0.05	1	1.2	25.8	<10	<2
869644	Soil	0.10	3.12	31.0	0.8	<0.05	7.9	10.86	49.8	0.04	<1	0.9	20.4	<10	<2
869645	Soil	0.08	7.60	59.0	0.9	<0.05	5.3	10.30	93.3	0.04	<1	0.9	24.1	<10	3
869646	Soil	0.09	3.18	30.2	0.7	<0.05	5.6	10.11	44.1	0.10	<1	1.0	24.4	<10	2
869647	Soil	0.09	6.04	35.4	0.9	<0.05	6.8	8.47	49.9	0.06	<1	0.9	22.1	<10	<2
869648	Soil	0.13	3.70	33.4	0.7	<0.05	11.5	10.30	40.9	0.04	1	0.7	19.9	<10	<2
869649	Soil	0.10	4.19	29.5	0.8	<0.05	6.6	7.65	41.8	0.06	<1	1.0	22.2	<10	<2
869650	Soil	0.14	5.68	32.3	0.8	<0.05	10.2	9.90	46.1	0.04	<1	0.8	22.1	<10	<2
869651	Soil	0.13	5.92	42.7	0.9	<0.05	10.5	10.57	58.3	0.04	<1	0.9	22.2	<10	2
869652	Soil	0.14	5.23	37.5	0.8	<0.05	9.0	9.15	45.7	0.04	<1	1.0	22.5	13	<2
869653	Soil	0.12	5.14	37.7	0.8	<0.05	9.4	10.22	50.6	0.04	<1	0.8	25.0	<10	<2
869654	Soil	0.17	0.78	28.8	0.5	<0.05	9.4	8.18	37.6	0.03	<1	0.6	17.5	<10	2
869655	Soil	0.08	7.57	38.6	0.8	<0.05	6.7	9.29	59.9	0.04	<1	1.1	23.2	<10	<2
869656	Soil	0.12	4.57	31.9	0.9	<0.05	8.6	9.54	48.8	0.06	<1	0.6	20.2	15	<2
869657	Soil	0.11	1.46	29.5	0.6	<0.05	8.2	13.33	37.6	0.05	1	0.8	22.4	<10	<2
869658	Soil	0.08	1.48	21.1	0.7	<0.05	5.6	7.46	32.7	0.06	<1	0.9	20.8	<10	<2
869659	Soil	0.15	1.31	21.3	0.6	<0.05	8.1	9.68	33.4	0.03	<1	0.9	20.9	<10	<2
869660	Soil	0.19	1.11	22.0	0.7	<0.05	14.1	10.38	37.9	0.04	<1	1.0	22.7	<10	<2
869661	Soil	0.13	1.36	22.7	0.7	<0.05	9.5	8.38	35.1	0.04	<1	0.7	20.5	<10	<2
869662	Soil	0.12	1.20	20.4	0.7	<0.05	8.0	9.77	32.5	0.03	<1	0.7	20.3	<10	<2
869663	Soil	0.19	1.29	21.7	0.7	<0.05	11.9	9.85	37.0	0.06	<1	0.8	21.2	<10	<2
869664	Soil	0.18	1.33	25.2	0.7	<0.05	10.0	10.92	34.8	0.04	<1	1.0	19.7	<10	<2
869665	Soil	0.12	2.18	23.3	0.8	<0.05	8.8	8.65	39.3	0.05	<1	1.5	22.1	<10	<2
869666	Soil	0.20	1.65	34.3	1.0	<0.05	13.3	11.29	38.5	0.07	<1	1.1	20.5	<10	<2
869667	Soil	0.08	1.19	58.0	0.7	<0.05	4.7	6.78	26.8	0.04	<1	1.0	36.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

October 30, 2008

Page:

9 of 10

Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
869668	Soil	2.36	0.73	40.52	18.68	112.7	144	30.7	11.9	533	3.15	8.4	1.2	6.5	6.2	41.4	0.45	0.40	0.28	57	0.36
869669	Soil	2.67	0.83	33.42	28.93	182.1	336	423.4	32.6	851	3.99	54.9	0.7	2.9	3.0	44.3	1.95	2.02	0.36	66	0.36
869670	Soil	2.32	0.56	30.11	49.39	124.2	175	425.2	33.0	1218	3.90	21.8	0.6	5.6	2.4	44.4	1.13	1.61	0.36	56	0.47
869671	Soil	2.24	0.61	28.29	69.39	136.5	177	417.5	33.2	1289	3.87	20.7	0.5	3.2	2.3	47.0	1.47	1.88	0.45	56	0.47
869672	Soil	2.55	0.60	26.28	31.97	176.3	256	241.6	21.3	859	3.54	19.4	0.8	5.6	3.1	41.7	1.07	0.86	0.33	55	0.39
869673	Soil	2.47	0.61	28.32	31.56	144.1	331	289.7	21.7	719	3.45	21.7	1.0	10.5	3.4	31.3	1.00	0.83	0.43	51	0.28
869674	Soil	2.10	0.64	23.35	19.23	143.9	254	255.5	18.1	714	2.86	16.0	0.7	0.9	2.6	29.3	0.92	0.58	0.31	45	0.31
869675	Soil	2.32	0.69	29.88	27.65	247.1	618	190.5	19.8	1142	3.38	18.1	0.7	2.6	3.0	46.0	3.27	0.68	0.31	59	0.40
869676	Soil	2.45	0.99	44.75	44.47	351.7	622	192.2	24.9	1001	4.11	23.6	1.0	4.9	3.5	45.6	4.85	0.83	0.37	68	0.41
869677	Soil	2.19	1.21	35.57	106.2	358.0	363	156.4	20.6	1248	3.48	23.7	0.8	6.3	2.9	53.0	6.50	2.18	0.62	61	0.57
869678	Soil	2.39	0.72	30.44	48.38	231.3	461	374.8	26.3	982	3.66	23.1	0.6	2.5	2.9	50.9	4.56	1.18	0.51	56	0.52
869679	Soil	2.29	0.58	25.10	53.22	227.0	296	93.3	15.5	1206	2.86	14.8	0.9	2.9	4.6	58.4	1.15	0.97	0.36	39	0.40
869680	Soil	2.05	0.57	33.15	40.65	190.8	410	98.5	18.7	1434	3.32	15.8	0.8	14.3	3.0	84.9	1.64	0.92	0.32	51	0.62
869681	Soil	2.04	0.71	38.68	25.38	200.7	331	122.6	19.9	1015	3.99	22.7	1.0	10.4	3.8	52.8	2.37	0.95	0.31	61	0.45
869682	Soil	2.20	0.60	42.45	25.28	221.4	254	93.4	19.2	739	3.91	20.9	1.1	2.2	3.6	49.7	2.28	0.88	0.29	60	0.43
869683	Soil	2.27	0.79	30.47	25.07	282.9	384	92.9	16.0	955	3.47	14.7	0.9	2.5	2.9	74.2	3.49	0.73	0.29	52	0.72
869684	Soil	2.46	0.64	38.68	20.76	256.7	272	89.3	18.1	1069	3.53	13.8	0.8	4.5	2.7	55.6	3.99	0.71	0.25	57	0.56
869685	Soil	2.16	0.87	38.23	40.58	204.9	278	111.9	19.9	964	3.76	19.5	0.8	13.4	2.9	36.8	3.09	1.00	0.33	65	0.37
869686	Soil	2.15	0.87	26.79	35.58	199.0	343	153.1	19.6	909	3.53	22.2	0.8	6.1	3.6	43.9	3.68	1.17	0.41	61	0.46
869687	Soil	2.29	0.84	20.87	32.75	225.6	209	156.5	19.7	1134	3.15	15.2	0.7	4.7	3.7	37.2	4.79	1.27	0.40	54	0.31
869688	Soil	2.28	0.82	24.85	28.56	189.8	340	155.2	20.5	1022	3.34	15.9	0.8	6.3	3.5	38.0	2.20	1.09	0.34	52	0.39
869689	Soil	2.34	0.73	23.02	29.21	189.7	250	122.9	16.2	1099	3.01	13.9	0.7	1.7	3.7	40.1	1.50	0.86	0.29	47	0.38
869690	Soil	2.06	0.83	42.91	21.64	133.8	163	32.7	12.6	620	3.23	8.8	1.4	2.7	7.0	50.2	0.58	0.41	0.29	58	0.42
869691	Soil	2.54	0.63	25.51	29.30	123.6	188	215.1	22.8	714	3.44	20.9	0.8	6.8	3.6	48.0	0.85	0.98	0.33	56	0.41
869692	Soil	2.34	0.92	27.74	30.76	293.1	434	188.3	21.2	790	3.29	25.2	0.7	4.6	3.6	37.7	4.66	1.12	0.36	55	0.36
869693	Soil	2.19	0.89	29.29	31.59	295.5	442	186.8	20.7	763	3.40	26.5	0.8	13.9	3.7	39.1	4.15	1.13	0.37	55	0.36
869694	Soil	2.42	1.33	34.94	189.9	457.2	720	112.3	15.4	1013	3.08	31.8	0.8	5.4	3.9	47.0	5.59	0.94	0.38	49	0.37
869695	Soil	2.43	1.07	42.33	134.8	334.8	565	108.6	20.5	1324	3.59	29.4	0.9	5.9	4.1	61.7	4.11	0.97	0.36	55	0.48
869696	Soil	2.70	1.03	33.10	77.50	283.8	427	97.3	17.9	1270	3.41	26.8	0.8	3.7	4.5	58.4	3.88	0.97	0.38	53	0.41
869697	Soil	2.42	1.17	62.94	36.62	250.4	426	101.9	34.9	1408	4.77	21.5	0.7	4.1	3.0	54.5	3.20	0.85	0.33	89	0.46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 9 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869668	Soil	0.112	17.9	35.3	0.66	160.6	0.092	1	1.89	0.018	0.29	0.5	4.0	0.19	<0.02	14	0.2	0.03	5.4	1.88	<0.1
869669	Soil	0.186	10.5	188.5	1.20	366.0	0.125	3	3.87	0.019	0.24	0.4	6.4	0.23	<0.02	31	0.3	<0.02	9.7	3.93	<0.1
869670	Soil	0.148	13.8	164.2	1.39	347.2	0.113	4	2.81	0.013	0.17	0.5	5.4	0.19	0.02	46	0.2	0.05	7.3	2.93	<0.1
869671	Soil	0.153	12.9	162.5	1.32	399.6	0.097	4	2.78	0.012	0.15	0.4	5.1	0.20	0.02	58	0.3	0.02	7.4	2.77	<0.1
869672	Soil	0.229	12.9	82.9	0.91	345.1	0.107	3	3.33	0.019	0.17	0.3	5.2	0.18	<0.02	51	0.3	<0.02	8.4	2.68	<0.1
869673	Soil	0.297	12.5	89.3	0.93	279.6	0.121	4	3.55	0.022	0.16	0.5	5.4	0.19	<0.02	41	0.4	<0.02	8.8	2.81	<0.1
869674	Soil	0.345	9.1	80.0	0.79	340.4	0.111	3	3.10	0.021	0.16	0.5	4.7	0.15	<0.02	46	0.3	<0.02	8.0	2.59	<0.1
869675	Soil	0.298	11.3	89.0	0.95	446.2	0.111	3	2.93	0.020	0.20	0.6	5.3	0.17	<0.02	32	0.3	<0.02	8.0	2.68	<0.1
869676	Soil	0.293	14.9	86.2	0.98	351.7	0.114	4	3.52	0.020	0.22	0.5	6.6	0.19	<0.02	36	0.5	<0.02	9.6	3.11	<0.1
869677	Soil	0.267	11.9	70.6	0.84	398.3	0.102	5	3.13	0.018	0.18	0.4	5.4	0.22	0.02	77	0.4	0.03	8.9	2.52	<0.1
869678	Soil	0.283	10.2	120.2	0.99	368.5	0.106	6	3.09	0.017	0.20	0.6	4.8	0.17	<0.02	42	0.3	0.02	8.9	3.28	<0.1
869679	Soil	0.297	17.0	50.1	0.58	331.5	0.081	3	2.80	0.017	0.25	0.5	3.8	0.21	<0.02	42	0.3	<0.02	7.9	2.06	<0.1
869680	Soil	0.397	15.0	57.9	0.71	436.8	0.088	4	2.97	0.017	0.27	0.3	5.0	0.17	<0.02	38	0.5	<0.02	8.3	1.83	<0.1
869681	Soil	0.473	15.7	63.8	0.80	380.7	0.114	4	3.65	0.021	0.25	0.4	5.9	0.21	<0.02	43	0.5	0.03	9.5	2.04	<0.1
869682	Soil	0.436	16.8	57.5	0.79	437.7	0.113	3	3.84	0.026	0.21	0.3	6.6	0.17	<0.02	31	0.5	<0.02	10.1	2.08	0.1
869683	Soil	0.697	14.9	51.0	0.70	519.7	0.087	4	3.49	0.023	0.21	0.3	5.6	0.18	0.02	39	0.4	<0.02	9.4	1.97	<0.1
869684	Soil	0.334	14.6	56.6	0.82	437.0	0.097	4	3.06	0.021	0.22	0.3	5.6	0.17	<0.02	40	0.4	<0.02	8.4	1.84	<0.1
869685	Soil	0.318	13.8	66.5	0.86	312.0	0.095	3	3.18	0.020	0.22	0.4	5.5	0.18	<0.02	34	0.4	<0.02	8.0	1.91	<0.1
869686	Soil	0.282	14.8	100.5	0.92	346.0	0.102	4	2.97	0.019	0.24	0.5	5.5	0.20	<0.02	38	0.4	0.04	8.3	2.15	<0.1
869687	Soil	0.249	14.9	103.7	0.89	447.3	0.119	4	2.61	0.018	0.22	0.6	5.0	0.20	<0.02	33	0.3	<0.02	7.7	2.04	0.1
869688	Soil	0.195	13.6	101.4	0.91	443.3	0.102	4	2.96	0.014	0.20	0.4	5.1	0.20	<0.02	30	0.2	0.04	7.8	2.40	0.1
869689	Soil	0.272	13.2	71.4	0.73	458.1	0.103	3	3.11	0.014	0.21	0.5	4.7	0.20	<0.02	32	0.2	0.03	8.5	2.19	<0.1
869690	Soil	0.140	22.5	36.2	0.68	188.4	0.110	2	2.19	0.026	0.32	0.5	4.4	0.20	<0.02	20	0.3	0.03	6.4	2.05	<0.1
869691	Soil	0.144	13.4	108.5	1.01	299.8	0.107	3	2.83	0.018	0.18	0.5	5.5	0.19	<0.02	33	0.3	<0.02	7.9	1.99	<0.1
869692	Soil	0.254	13.0	92.2	0.83	374.3	0.110	3	3.13	0.021	0.16	0.6	4.8	0.16	<0.02	42	0.4	0.05	8.2	1.93	<0.1
869693	Soil	0.239	13.0	94.0	0.85	352.4	0.109	3	3.11	0.020	0.15	0.6	4.8	0.15	<0.02	39	0.4	0.02	8.7	1.88	<0.1
869694	Soil	0.295	15.2	51.7	0.65	417.3	0.102	3	3.11	0.023	0.21	0.4	4.8	0.18	<0.02	36	0.5	<0.02	8.3	2.15	<0.1
869695	Soil	0.253	17.3	67.1	0.78	419.4	0.098	4	2.96	0.014	0.25	0.3	5.3	0.17	<0.02	29	0.5	0.04	8.2	2.09	<0.1
869696	Soil	0.190	14.9	53.7	0.68	422.7	0.106	2	3.37	0.017	0.17	0.3	4.5	0.17	<0.02	42	0.3	<0.02	9.7	2.75	<0.1
869697	Soil	0.242	10.2	77.2	1.09	578.8	0.123	3	4.06	0.014	0.26	0.3	8.1	0.18	0.02	30	0.5	<0.02	11.3	3.66	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: October 30, 2008

Page: 9 of 10 Part 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869668	Soil	0.18	0.95	29.8	0.5	<0.05	10.1	8.12	37.2	0.03	<1	0.5	18.2	<10	<2
869669	Soil	0.17	1.34	39.5	0.8	<0.05	10.0	6.30	28.8	0.05	<1	0.5	34.3	<10	<2
869670	Soil	0.08	2.02	27.3	0.7	<0.05	4.2	4.84	33.6	0.10	<1	0.5	22.2	<10	<2
869671	Soil	0.08	1.90	25.7	0.9	<0.05	4.0	4.44	33.3	0.15	<1	0.9	21.4	<10	<2
869672	Soil	0.12	1.49	29.5	0.8	<0.05	9.1	7.38	33.4	0.05	<1	0.9	24.6	<10	<2
869673	Soil	0.21	1.60	23.2	0.9	<0.05	12.7	8.05	37.1	0.06	<1	0.9	23.4	<10	<2
869674	Soil	0.16	1.17	19.1	0.8	<0.05	11.6	5.36	27.1	0.04	<1	0.7	21.9	<10	<2
869675	Soil	0.10	1.39	28.3	0.7	<0.05	7.1	6.28	28.2	0.04	<1	0.9	24.8	<10	<2
869676	Soil	0.14	1.63	29.5	0.8	<0.05	9.7	9.61	38.5	0.05	<1	1.2	24.9	<10	<2
869677	Soil	0.08	1.57	25.0	1.0	<0.05	6.4	7.20	31.7	0.17	<1	1.0	22.9	<10	<2
869678	Soil	0.12	1.52	26.4	0.9	<0.05	7.5	4.21	26.5	0.10	<1	0.7	25.1	<10	<2
869679	Soil	0.08	1.47	30.3	0.8	<0.05	5.9	7.28	39.2	0.05	<1	1.1	24.4	<10	<2
869680	Soil	0.09	1.50	23.0	0.7	<0.05	5.7	8.75	32.9	0.04	<1	0.7	18.3	<10	<2
869681	Soil	0.12	1.71	24.4	0.8	<0.05	10.7	9.33	38.5	0.05	<1	1.0	23.0	<10	<2
869682	Soil	0.13	1.53	22.0	0.9	<0.05	9.5	11.26	39.9	0.04	<1	0.9	23.7	12	<2
869683	Soil	0.11	1.32	18.6	0.7	<0.05	7.0	9.90	32.4	0.04	<1	0.8	21.6	<10	<2
869684	Soil	0.08	1.50	22.7	0.6	<0.05	6.5	9.37	30.6	0.03	<1	0.6	20.2	<10	<2
869685	Soil	0.07	1.37	21.1	0.8	<0.05	6.2	8.40	32.2	0.07	<1	1.0	18.7	<10	<2
869686	Soil	0.05	1.51	29.1	0.7	<0.05	5.8	7.12	32.8	0.05	<1	0.8	19.8	<10	<2
869687	Soil	0.11	1.69	25.6	0.7	<0.05	6.6	5.75	34.8	0.06	<1	0.8	18.3	<10	<2
869688	Soil	0.07	1.34	28.2	0.7	<0.05	5.3	5.33	31.5	0.05	<1	0.8	21.6	<10	<2
869689	Soil	0.10	1.41	23.1	0.7	<0.05	7.5	6.36	31.5	0.05	<1	0.7	22.5	<10	<2
869690	Soil	0.16	1.18	32.9	0.6	<0.05	9.7	9.47	44.6	0.03	<1	0.6	19.1	<10	2
869691	Soil	0.11	1.39	23.9	0.7	<0.05	6.9	6.25	30.7	0.04	<1	0.7	21.0	<10	<2
869692	Soil	0.11	1.46	17.8	0.8	<0.05	8.7	5.83	33.5	0.06	<1	0.7	21.5	<10	<2
869693	Soil	0.15	1.32	17.7	0.9	<0.05	10.7	6.00	33.4	0.06	<1	1.0	21.7	<10	<2
869694	Soil	0.10	1.19	19.4	0.7	<0.05	7.3	9.29	36.1	0.05	<1	0.9	24.5	<10	<2
869695	Soil	0.10	1.41	22.5	0.7	<0.05	5.6	8.93	36.9	0.05	<1	0.9	24.2	<10	<2
869696	Soil	0.10	1.70	18.8	0.9	<0.05	6.9	7.06	37.5	0.05	<1	1.2	31.5	<10	<2
869697	Soil	0.06	1.33	25.0	0.8	<0.05	4.2	8.06	24.7	0.06	<1	0.9	40.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 10 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869698	Soil	2.31	0.85	37.55	47.68	182.8	185	80.1	22.9	1472	3.72	19.3	0.8	3.7	3.2	40.4	2.48	1.02	0.36	64	0.34
869699	Soil	2.32	0.71	29.92	35.10	141.5	172	62.3	16.2	1338	3.18	16.0	0.8	4.8	3.1	31.2	1.59	0.98	0.33	52	0.31
869700	Soil	2.11	0.42	23.67	19.82	110.6	172	146.1	13.7	661	2.61	16.0	0.9	1.5	3.2	43.9	0.82	0.67	0.26	37	0.41



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 10 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869698	Soil	0.259	12.2	57.7	0.80	427.3	0.113	3	3.51	0.012	0.20	0.3	5.2	0.19	<0.02	37	0.3	<0.02	9.5	2.47	<0.1
869699	Soil	0.239	11.1	46.5	0.69	412.3	0.104	3	3.13	0.011	0.16	0.3	4.6	0.17	<0.02	36	0.2	0.02	8.1	1.91	<0.1
869700	Soil	0.359	12.7	51.4	0.63	368.4	0.114	3	3.21	0.020	0.14	0.3	4.2	0.17	<0.02	39	0.2	<0.02	7.6	2.18	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: October 30, 2008

Page: 10 of 10 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869698	Soil	0.08	1.69	24.0	0.8	<0.05	6.3	5.99	30.4	0.06	<1	0.8	27.9	<10	<2
869699	Soil	0.12	1.64	19.7	0.7	<0.05	7.1	5.41	26.2	0.05	<1	0.9	23.2	<10	<2
869700	Soil	0.21	1.67	17.3	0.8	<0.05	16.2	7.24	29.9	0.03	<1	0.7	18.4	<10	<2

QUALITY CONTROL REPORT

VAN08009997.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
945010	Soil	3.08	0.79	35.09	36.79	136.5	155	39.3	15.7	1939	3.21	17.0	1.7	1.4	6.5	35.5	0.57	0.81	0.52	37	0.29
REP 945010	QC		0.72	34.64	36.41	137.3	153	39.4	15.8	1877	3.18	16.7	1.7	1.6	6.4	35.0	0.61	0.81	0.52	37	0.29
869905	Soil	2.91	0.80	36.42	19.08	96.6	80	33.7	14.9	814	3.62	15.7	1.8	2.1	8.7	34.8	0.35	0.39	0.49	42	0.21
REP 869905	QC		0.88	36.80	19.24	102.1	88	35.0	14.8	804	3.54	15.9	1.8	2.9	8.9	35.6	0.33	0.38	0.50	42	0.21
869920	Soil	2.94	1.32	49.79	24.69	131.9	190	39.1	17.9	1542	3.63	18.1	6.3	3.1	5.4	23.3	0.44	0.47	0.43	51	0.18
REP 869920	QC		1.39	50.93	25.41	136.9	203	40.6	19.0	1603	3.75	19.0	6.6	4.5	5.6	24.4	0.44	0.46	0.44	53	0.19
869879	Soil	2.19	0.83	40.06	20.91	103.7	130	43.3	17.0	1076	3.61	16.7	1.3	11.4	6.9	16.2	0.26	0.57	0.41	37	0.15
REP 869879	QC		0.78	40.08	20.65	105.8	141	43.6	17.1	1066	3.57	15.7	1.3	73.5	6.7	15.5	0.23	0.54	0.41	41	0.15
869898	Soil	3.23	0.76	33.66	21.36	126.6	249	27.5	10.9	600	2.60	8.2	1.2	3.5	4.7	39.8	0.58	0.36	0.26	42	0.36
REP 869898	QC		0.68	32.09	20.56	124.4	239	25.5	10.1	552	2.47	7.7	1.1	2.2	4.4	38.1	0.57	0.35	0.26	42	0.34
869632	Soil	2.32	0.44	27.76	40.82	112.1	89	678.1	35.6	931	3.36	7.2	0.3	3.8	1.4	22.3	0.73	1.13	0.38	37	0.27
REP 869632	QC		0.41	28.74	39.00	113.1	88	704.8	35.0	912	3.35	6.9	0.3	1.8	1.4	22.6	0.71	1.13	0.38	39	0.26
869824	Soil	2.39	0.67	29.36	21.07	200.2	362	85.3	15.6	1001	2.82	21.8	0.9	5.0	2.9	46.7	3.04	0.62	0.30	43	0.44
REP 869824	QC		0.65	28.19	20.02	190.5	338	81.2	15.7	929	2.75	21.3	0.8	4.8	2.6	44.4	2.87	0.57	0.27	41	0.45
869875	Soil	2.64	0.59	23.59	20.10	192.3	406	42.4	14.6	1248	3.35	11.5	1.1	1.7	6.8	35.4	0.64	0.46	0.39	39	0.29
REP 869875	QC		0.59	24.95	19.61	197.4	426	44.4	15.1	1266	3.38	11.9	1.2	0.4	6.7	35.0	0.61	0.47	0.39	40	0.28
869831	Soil	2.46	0.82	44.18	77.23	340.9	300	108.0	25.8	1795	4.41	23.4	1.2	1.5	6.2	89.6	2.81	1.15	0.54	61	0.57
REP 869831	QC		0.91	44.58	80.53	330.4	309	112.9	25.2	1850	4.45	25.0	1.3	1.8	6.6	89.9	2.92	1.17	0.56	68	0.61
869636	Soil	2.42	0.79	57.48	46.29	186.0	1281	52.2	20.7	1440	4.01	29.8	1.1	43.4	3.9	48.6	1.81	1.86	0.25	61	0.54
REP 869636	QC		0.81	58.70	47.55	195.5	1246	54.3	22.2	1437	3.94	29.5	1.1	6.4	4.0	49.4	1.81	1.85	0.23	61	0.55
869650	Soil	2.29	0.64	46.27	19.91	150.1	191	52.5	18.4	1597	3.92	15.4	1.2	0.9	3.8	58.6	0.93	1.10	0.25	57	0.65
REP 869650	QC		0.66	43.71	20.05	145.6	202	49.6	18.4	1650	4.01	15.6	1.2	1.4	4.0	59.1	0.95	1.09	0.26	57	0.67
869670	Soil	2.32	0.56	30.11	49.39	124.2	175	425.2	33.0	1218	3.90	21.8	0.6	5.6	2.4	44.4	1.13	1.61	0.36	56	0.47
REP 869670	QC		0.57	30.67	49.24	126.8	176	435.4	34.5	1246	3.89	20.7	0.6	2.9	2.4	44.8	1.24	1.67	0.36	58	0.48
869687	Soil	2.29	0.84	20.87	32.75	225.6	209	156.5	19.7	1134	3.15	15.2	0.7	4.7	3.7	37.2	4.79	1.27	0.40	54	0.31
REP 869687	QC		0.82	20.75	31.99	225.8	211	157.9	20.3	1133	3.12	15.4	0.7	3.9	3.6	35.2	4.62	1.20	0.41	49	0.29
869699	Soil	2.32	0.71	29.92	35.10	141.5	172	62.3	16.2	1338	3.18	16.0	0.8	4.8	3.1	31.2	1.59	0.98	0.33	52	0.31
REP 869699	QC		0.73	29.92	34.91	147.1	178	62.1	17.0	1363	3.20	16.4	0.8	3.2	3.2	31.6	1.60	1.03	0.34	51	0.31

QUALITY CONTROL REPORT

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
945010	Soil	0.163	18.4	28.6	0.50	219.2	0.089	2	3.42	0.019	0.12	0.2	3.2	0.20	<0.02	46	0.3	0.08	8.4	1.79	<0.1
REP 945010	QC	0.157	17.8	28.6	0.47	212.9	0.087	2	3.27	0.018	0.12	0.2	3.1	0.20	<0.02	48	0.4	0.07	8.2	1.74	<0.1
869905	Soil	0.088	28.8	40.0	0.62	161.5	0.086	2	2.46	0.006	0.32	0.6	3.9	0.25	<0.02	14	0.3	0.08	6.9	2.55	<0.1
REP 869905	QC	0.088	30.0	40.7	0.62	160.1	0.087	1	2.54	0.006	0.33	0.6	3.8	0.25	<0.02	14	0.4	0.03	7.1	2.60	<0.1
869920	Soil	0.206	22.9	41.1	0.62	146.7	0.090	2	3.73	0.006	0.19	0.4	4.5	0.22	0.02	34	0.6	0.05	9.8	2.47	<0.1
REP 869920	QC	0.215	23.8	43.6	0.64	156.2	0.094	1	3.84	0.006	0.19	0.4	4.6	0.22	0.02	34	0.5	0.05	10.0	2.58	<0.1
869879	Soil	0.099	24.4	43.8	0.80	158.4	0.059	<1	2.44	0.005	0.18	0.5	2.9	0.14	<0.02	21	0.5	0.06	6.9	1.82	<0.1
REP 869879	QC	0.093	22.6	46.1	0.79	148.0	0.056	<1	2.34	0.005	0.17	0.4	2.7	0.13	<0.02	26	0.3	0.04	6.8	1.78	<0.1
869898	Soil	0.167	15.2	26.8	0.50	225.6	0.099	1	2.34	0.027	0.23	0.4	3.8	0.18	<0.02	21	0.2	0.03	6.1	1.66	<0.1
REP 869898	QC	0.163	14.8	27.2	0.46	223.3	0.099	2	2.35	0.026	0.22	0.4	3.6	0.18	<0.02	21	0.2	0.05	5.8	1.65	<0.1
869632	Soil	0.078	5.0	307.5	2.14	303.8	0.075	4	2.07	0.016	0.17	0.4	4.3	0.24	<0.02	33	<0.1	<0.02	5.8	2.96	0.1
REP 869632	QC	0.079	5.2	306.7	2.16	285.9	0.075	4	2.11	0.016	0.16	0.4	4.0	0.21	<0.02	28	0.2	<0.02	5.5	2.83	<0.1
869824	Soil	0.367	12.7	47.7	0.60	448.7	0.103	4	3.06	0.025	0.16	0.3	4.5	0.15	<0.02	40	0.4	<0.02	7.8	1.75	<0.1
REP 869824	QC	0.348	11.6	45.5	0.60	414.2	0.099	3	3.06	0.022	0.16	0.3	4.3	0.14	<0.02	41	0.5	<0.02	7.4	1.60	<0.1
869875	Soil	0.297	23.3	32.2	0.48	306.7	0.086	2	3.25	0.018	0.16	0.3	3.2	0.17	<0.02	34	0.4	0.04	8.7	2.04	<0.1
REP 869875	QC	0.305	23.0	34.7	0.51	299.4	0.085	2	3.29	0.017	0.16	0.2	3.1	0.18	<0.02	42	0.5	0.03	8.9	2.01	<0.1
869831	Soil	0.310	19.2	73.0	0.92	554.8	0.140	4	3.99	0.013	0.52	0.5	6.6	0.40	<0.02	53	0.5	0.07	12.0	4.53	0.1
REP 869831	QC	0.324	21.0	76.8	0.97	578.3	0.153	5	4.19	0.016	0.54	0.4	7.3	0.43	<0.02	52	0.6	0.04	12.0	4.71	<0.1
869636	Soil	0.278	20.2	52.0	0.89	341.7	0.117	4	3.43	0.016	0.23	0.6	5.7	0.24	0.02	50	0.5	0.05	9.1	2.68	<0.1
REP 869636	QC	0.272	19.9	53.9	0.89	340.2	0.120	4	3.40	0.017	0.24	0.5	5.8	0.25	0.02	43	0.6	0.03	9.0	2.68	<0.1
869650	Soil	0.398	19.4	47.9	0.93	529.2	0.128	4	3.59	0.019	0.26	0.2	5.7	0.23	0.03	51	0.6	0.04	9.6	2.66	<0.1
REP 869650	QC	0.409	20.5	47.0	0.95	545.5	0.128	4	3.74	0.019	0.28	0.3	5.6	0.24	0.03	46	0.5	<0.02	10.0	2.76	<0.1
869670	Soil	0.148	13.8	164.2	1.39	347.2	0.113	4	2.81	0.013	0.17	0.5	5.4	0.19	0.02	46	0.2	0.05	7.3	2.93	<0.1
REP 869670	QC	0.153	13.8	162.4	1.43	328.5	0.111	5	2.84	0.015	0.16	0.5	5.3	0.19	0.02	42	0.3	0.04	7.6	2.85	0.1
869687	Soil	0.249	14.9	103.7	0.89	447.3	0.119	4	2.61	0.018	0.22	0.6	5.0	0.20	<0.02	33	0.3	<0.02	7.7	2.04	0.1
REP 869687	QC	0.254	14.3	104.6	0.89	428.6	0.114	2	2.61	0.016	0.20	0.6	4.8	0.19	<0.02	32	<0.1	0.03	6.8	2.00	<0.1
869699	Soil	0.239	11.1	46.5	0.69	412.3	0.104	3	3.13	0.011	0.16	0.3	4.6	0.17	<0.02	36	0.2	0.02	8.1	1.91	<0.1
REP 869699	QC	0.240	11.6	47.8	0.69	416.2	0.107	3	3.17	0.011	0.16	0.3	4.5	0.17	<0.02	37	0.2	0.03	8.6	1.96	<0.1

QUALITY CONTROL REPORT

VAN08009997.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
945010	Soil	0.13	1.77	22.5	0.8	<0.05	8.4	7.30	43.9	0.05	<1	0.9	63.2	<10	<2
REP 945010	QC	0.12	1.71	21.8	0.8	<0.05	8.5	7.10	42.6	0.05	<1	0.9	61.3	<10	<2
869905	Soil	0.04	1.77	32.1	0.6	<0.05	3.6	5.87	61.8	<0.02	<1	1.0	26.0	<10	<2
REP 869905	QC	0.06	1.73	33.5	0.5	<0.05	3.8	5.94	65.2	0.03	<1	1.0	26.0	<10	<2
869920	Soil	0.06	2.49	26.9	0.7	<0.05	4.7	10.96	48.5	0.03	<1	1.6	30.3	<10	<2
REP 869920	QC	0.07	2.62	28.1	0.7	<0.05	4.9	11.55	50.8	0.04	<1	1.6	30.8	<10	<2
869879	Soil	0.05	1.04	24.0	0.5	<0.05	2.6	4.90	54.7	0.03	<1	0.8	36.2	<10	<2
REP 869879	QC	0.05	0.99	21.6	0.4	<0.05	2.6	4.74	49.1	0.02	<1	0.7	36.5	<10	<2
869898	Soil	0.19	1.37	24.8	0.7	<0.05	12.4	8.21	33.1	0.03	<1	0.5	16.8	<10	<2
REP 869898	QC	0.18	1.28	23.1	0.6	<0.05	11.8	7.69	32.0	0.03	<1	0.6	15.4	<10	<2
869632	Soil	0.06	0.82	19.3	0.8	<0.05	3.9	1.84	14.2	0.06	<1	0.5	19.6	<10	3
REP 869632	QC	0.06	0.78	19.3	0.7	<0.05	3.6	1.86	13.8	0.05	4	0.3	19.5	<10	3
869824	Soil	0.11	1.75	17.8	0.8	<0.05	7.8	7.43	32.2	0.05	<1	0.6	19.2	<10	<2
REP 869824	QC	0.10	1.70	16.7	0.8	<0.05	7.2	7.00	30.4	0.05	<1	0.9	19.0	<10	<2
869875	Soil	0.08	1.19	25.6	0.8	<0.05	5.7	4.88	58.1	0.04	<1	0.8	40.0	<10	<2
REP 869875	QC	0.06	1.21	25.5	0.9	<0.05	5.3	5.02	58.3	0.03	<1	0.8	42.0	<10	<2
869831	Soil	0.12	2.22	58.1	1.1	<0.05	8.4	10.10	42.9	0.14	<1	1.0	44.6	<10	<2
REP 869831	QC	0.12	2.21	55.7	1.2	<0.05	7.9	10.83	46.1	0.15	1	1.2	48.7	<10	<2
869636	Soil	0.14	3.77	31.7	0.8	<0.05	8.6	10.05	49.4	0.04	<1	0.7	19.6	<10	<2
REP 869636	QC	0.11	3.63	31.7	0.8	<0.05	8.5	10.33	49.4	0.04	<1	0.7	21.7	<10	<2
869650	Soil	0.14	5.68	32.3	0.8	<0.05	10.2	9.90	46.1	0.04	<1	0.8	22.1	<10	<2
REP 869650	QC	0.16	5.65	34.0	1.0	<0.05	9.4	10.04	48.4	0.04	<1	0.9	22.2	14	<2
869670	Soil	0.08	2.02	27.3	0.7	<0.05	4.2	4.84	33.6	0.10	<1	0.5	22.2	<10	<2
REP 869670	QC	0.10	2.03	27.0	0.8	<0.05	4.4	4.82	34.3	0.10	<1	0.6	21.6	<10	<2
869687	Soil	0.11	1.69	25.6	0.7	<0.05	6.6	5.75	34.8	0.06	<1	0.8	18.3	<10	<2
REP 869687	QC	0.08	1.58	23.3	0.7	<0.05	5.1	5.35	33.5	0.06	<1	0.3	18.4	<10	<2
869699	Soil	0.12	1.64	19.7	0.7	<0.05	7.1	5.41	26.2	0.05	<1	0.9	23.2	<10	<2
REP 869699	QC	0.10	1.68	19.6	0.8	<0.05	7.1	5.55	28.3	0.04	<1	0.6	23.2	<10	<2

QUALITY CONTROL REPORT

VAN08009997.1

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Reference Materials																						
STD DS7	Standard	21.43	108.5	72.80	420.9	896	60.4	9.9	665	2.52	54.9	5.2	82.8	4.9	85.1	6.46	6.16	4.65	89	1.06		
STD DS7	Standard	21.10	111.2	72.79	423.6	902	55.2	9.1	661	2.46	56.4	4.8	154.2	4.4	80.5	6.80	6.28	4.71	85	1.01		
STD DS7	Standard	21.46	110.0	73.15	415.3	899	56.5	9.3	650	2.56	56.2	5.1	69.2	4.7	82.8	6.92	6.30	4.89	85	1.02		
STD DS7	Standard	20.29	105.4	71.28	409.4	873	53.6	9.0	603	2.29	53.6	4.8	80.0	4.0	67.8	6.83	6.07	4.62	82	0.92		
STD DS7	Standard	20.45	105.3	73.11	402.5	889	53.5	8.8	600	2.37	52.9	4.9	69.8	4.5	76.5	6.47	6.05	4.66	80	0.96		
STD DS7	Standard	20.11	105.4	71.96	404.2	906	54.2	9.2	614	2.40	50.5	4.8	74.2	4.2	69.2	6.03	5.74	4.59	81	0.95		
STD DS7	Standard	18.51	108.8	69.03	389.0	828	55.0	9.0	591	2.25	49.7	4.8	61.3	4.3	64.2	6.40	5.63	4.38	81	0.91		
STD DS7	Standard	19.76	103.8	77.54	381.5	840	53.3	8.9	600	2.32	52.2	5.6	59.7	5.1	76.3	6.21	6.21	5.22	77	0.94		
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		

QUALITY CONTROL REPORT

VAN08009997.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Reference Materials																					
STD DS7	Standard	0.078	15.3	185.8	1.07	408.8	0.126	39	1.09	0.095	0.46	4.3	3.0	4.38	0.21	222	3.8	1.31	4.9	6.15	0.1
STD DS7	Standard	0.080	13.4	177.5	1.06	376.4	0.111	39	1.00	0.089	0.48	4.2	2.8	4.35	0.21	205	3.8	1.24	4.9	5.96	0.1
STD DS7	Standard	0.080	14.0	175.5	1.07	414.7	0.114	40	1.06	0.094	0.49	4.3	2.9	4.50	0.21	228	4.1	1.24	4.9	6.41	<0.1
STD DS7	Standard	0.079	11.2	168.5	1.02	419.9	0.105	41	0.96	0.081	0.44	4.3	2.5	4.37	0.19	196	3.6	1.27	4.3	5.94	0.1
STD DS7	Standard	0.079	12.8	178.5	1.04	413.4	0.116	38	1.02	0.085	0.44	4.4	2.5	4.38	0.20	196	3.4	1.30	4.6	5.93	0.1
STD DS7	Standard	0.074	12.1	172.8	1.05	366.6	0.112	40	1.00	0.084	0.44	4.4	2.5	4.55	0.20	215	3.6	1.20	4.8	5.95	0.2
STD DS7	Standard	0.076	12.1	162.9	0.99	340.0	0.108	37	0.93	0.075	0.40	3.7	2.4	4.05	0.18	195	3.6	1.25	4.4	5.82	<0.1
STD DS7	Standard	0.074	14.1	164.6	1.03	385.7	0.115	40	0.93	0.080	0.43	4.2	2.6	4.34	0.18	177	3.6	1.19	4.4	5.88	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08009997.1

Reference Materials		1F30 Hf ppm 0.02	1F30 Nb ppm 0.02	1F30 Rb ppm 0.1	1F30 Sn ppm 0.1	1F30 Ta ppm 0.05	1F30 Zr ppm 0.1	1F30 Y ppm 0.01	1F30 Ce ppm 0.1	1F30 In ppm 0.02	1F30 Re ppb 1	1F30 Be ppm 0.1	1F30 Li ppm 0.1	1F30 Pd ppb 10	1F30 Pt ppb 2
STD DS7	Standard	0.15	0.94	34.4	5.0	<0.05	5.8	6.50	41.4	1.66	4	1.9	28.4	94	42
STD DS7	Standard	0.11	0.81	37.1	5.1	<0.05	5.5	6.01	38.7	1.55	6	1.4	29.0	76	39
STD DS7	Standard	0.13	0.75	36.2	5.1	<0.05	6.5	6.11	40.8	1.59	5	2.2	30.2	69	42
STD DS7	Standard	0.12	0.57	32.6	5.0	<0.05	5.5	5.00	35.1	1.64	3	1.4	29.3	66	42
STD DS7	Standard	0.15	0.63	33.2	4.8	<0.05	5.5	5.31	36.9	1.54	5	1.5	29.2	66	40
STD DS7	Standard	0.12	0.69	33.6	4.5	<0.05	5.7	5.40	37.2	1.55	6	1.9	26.2	87	40
STD DS7	Standard	0.12	0.50	34.3	4.7	<0.05	5.7	5.13	33.9	1.58	3	1.7	25.8	57	38
STD DS7	Standard	0.13	0.52	34.2	5.2	<0.05	5.8	5.68	36.3	1.67	3	2.0	28.3	73	34
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
Receiving Lab: Canada-Vancouver
Received: October 02, 2008
Report Date: May 04, 2009
Page: 1 of 5

CERTIFICATE OF ANALYSIS

VAN08009998.3

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 014
P.O. Number
Number of Samples: 106

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 5 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status. Rows include R150, 1F30, 7KP, G6, and 7AR.

ADDITIONAL COMMENTS

Version 3 : G6-Au & 7AR included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918313	Rock	1.75	0.45	58.63	3.34	47.2	38	51.4	28.0	1070	4.48	4.9	0.4	1.1	2.7	195.3	0.16	0.12	0.04	115	3.49
918314	Rock	1.43	0.73	0.48	15.80	23.1	79	6.8	1.2	622	0.69	15.4	1.1	1.0	1.0	2364	0.42	0.64	0.02	3	27.58
918315	Rock	1.09	0.25	18.43	7.43	11.9	20	12.4	5.7	655	0.99	1.3	0.9	0.7	5.5	296.1	0.05	0.04	0.14	8	10.11
918316	Rock	0.65	0.49	2.84	4.71	7.0	17	1.7	0.9	176	0.34	0.6	5.5	0.7	11.2	27.1	0.06	0.05	0.13	<2	0.31
869542	Rock	0.86	1.32	58.49	8.78	67.8	61	24.8	15.0	176	1.99	30.8	2.2	0.5	11.2	193.7	0.12	0.07	0.05	24	2.10
869543	Rock	0.99	0.56	28.26	10.83	72.3	57	40.9	16.8	393	3.58	1.0	1.2	<0.2	9.6	59.4	0.04	0.04	0.22	48	0.90
869544	Rock	0.76	0.78	4.90	6.66	28.9	16	8.6	3.4	343	1.32	0.4	1.6	1.1	8.8	3.7	0.02	0.03	0.18	16	0.03
869545	Rock	0.67	1.23	36.29	2.86	63.3	59	49.7	24.5	1149	4.75	2.0	0.8	0.8	5.4	411.1	0.11	0.06	0.05	93	3.61
869546	Rock	1.08	0.95	4.98	10.48	27.5	86	7.9	2.5	946	0.72	1.2	4.7	<0.2	8.4	8.3	0.21	0.07	7.29	4	0.04
869547	Rock	1.32	0.55	21.28	6.44	60.9	39	28.8	14.9	271	3.00	2.7	1.0	0.7	9.1	193.5	0.07	0.03	0.18	59	3.34
869548	Rock	0.67	1.70	36.11	10.80	68.7	162	33.9	10.6	248	3.25	1.6	1.1	1.0	7.5	254.8	0.24	0.05	0.24	71	1.75
869549	Rock	1.16	1.10	45.41	8.27	81.1	328	54.0	14.9	180	3.11	1.1	0.6	0.7	5.5	50.5	0.37	0.06	0.41	51	0.70
869550	Rock	0.98	8.64	129.5	14.35	38.8	408	28.2	7.4	340	4.44	0.5	3.8	1.8	3.5	85.4	0.45	0.14	0.46	62	0.98
869751	Rock	0.94	0.21	32.31	5.51	19.6	234	39.5	15.0	95	2.44	2.5	1.3	8.6	10.7	171.1	0.13	0.07	0.11	30	5.53
869752	Rock	1.03	7.20	64.93	5.52	91.4	264	46.8	16.2	352	3.18	2.4	1.8	0.4	5.6	47.4	0.26	0.06	0.41	103	0.77
869753	Rock	0.90	2.10	79.71	10.93	45.3	159	32.4	10.7	151	1.79	0.4	2.7	1.6	6.3	308.2	0.25	0.03	0.17	67	5.12
869754	Rock	0.89	0.33	33.79	5.85	44.0	632	34.9	14.3	304	3.09	2.7	2.2	15.6	12.4	185.2	0.13	0.08	0.15	55	4.43
869755	Rock	0.95	0.06	0.22	4.57	5.4	4	4.8	0.8	492	0.33	0.5	1.6	0.7	0.3	495.3	0.11	<0.02	<0.02	4	30.91
869756	Rock	1.09	7.91	34.04	21.69	32.5	2354	6.1	5.7	1363	5.29	30.8	1.1	16.8	2.2	50.3	0.18	0.89	0.41	41	0.30
869757	Rock	0.73	4.48	15.74	5.22	30.2	82	10.6	3.5	383	1.61	2.5	2.8	4.4	12.6	46.0	0.08	0.06	0.06	29	0.64
869758	Rock	1.38	7.12	69.20	16.13	39.2	726	9.6	2.5	423	2.09	10.6	1.7	8.9	4.3	65.8	0.42	0.08	0.39	47	0.84
869759	Rock	1.45	5.04	68.06	9.81	91.4	484	72.7	21.9	171	4.01	3.1	2.0	1.8	4.8	64.6	0.85	0.11	0.48	55	0.93
869760	Rock	0.84	15.37	51.20	14.52	16.6	630	8.9	1.7	253	1.65	1.5	3.8	1.7	5.7	33.6	0.09	0.11	0.50	108	0.51
869761	Rock	1.58	1.68	9.72	5.68	9.3	167	2.8	0.6	156	0.57	0.6	0.4	2.1	2.4	33.3	0.07	0.05	0.08	10	0.35
869762	Rock	0.85	6.11	26.65	16.67	36.9	533	3.3	1.1	729	1.49	0.8	1.5	1.7	8.7	71.9	0.27	0.06	0.26	43	0.60
869763	Rock	1.05	0.41	55.21	5.97	77.6	53	8.5	20.2	893	5.21	20.0	0.2	3.5	1.5	49.1	0.11	0.90	0.07	30	2.84
869764	Rock	0.95	0.43	1.01	1.38	1.7	19	1.5	0.2	34	0.20	1.6	<0.1	1.9	0.3	0.8	0.02	0.04	<0.02	<2	<0.01
869765	Rock	1.62	0.63	2.88	6.17	18.2	149	4.4	2.0	219	0.32	1.5	0.2	0.2	1.0	35.7	0.29	0.08	2.57	<2	0.49
869766	Rock	0.99	0.42	30.91	59.79	79.5	411	3.9	3.5	274	1.55	17.0	0.4	3.9	0.7	25.4	0.28	0.10	0.44	27	0.07
869767	Rock	1.03	0.18	132.6	14.62	71.1	180	40.7	32.9	1155	5.83	35.3	0.3	1.2	1.7	212.3	0.10	0.61	0.04	130	3.69

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918313	Rock	0.257	23.9	365.1	3.49	878.1	0.208	1	1.77	0.052	1.05	<0.1	15.3	0.36	0.12	<5	0.1	0.04	6.8	5.05	0.2
918314	Rock	0.054	4.2	2.6	4.71	30.2	0.001	<1	0.06	0.001	0.04	0.5	1.0	0.03	<0.02	<5	<0.1	0.22	0.1	0.08	<0.1
918315	Rock	0.028	7.1	13.0	0.12	20.2	0.056	3	1.72	0.144	0.08	0.2	1.0	0.07	0.06	<5	0.1	0.06	4.8	0.79	<0.1
918316	Rock	0.019	2.6	4.0	0.08	7.6	0.010	<1	0.26	0.038	0.07	0.6	2.1	0.02	<0.02	<5	<0.1	0.03	1.3	0.16	<0.1
869542	Rock	0.051	18.9	33.1	0.59	100.2	0.121	3	2.17	0.095	0.69	0.5	3.1	0.38	0.38	<5	0.1	0.06	5.0	3.82	<0.1
869543	Rock	0.039	9.6	53.1	1.25	148.0	0.150	<1	3.40	0.153	1.50	0.1	5.8	0.60	0.48	<5	<0.1	0.04	9.7	3.29	<0.1
869544	Rock	0.016	17.4	17.4	0.28	45.4	0.080	<1	0.79	0.028	0.42	<0.1	2.6	0.19	<0.02	<5	<0.1	<0.02	3.5	1.13	<0.1
869545	Rock	0.411	76.9	90.4	2.35	833.7	0.105	<1	1.85	0.115	0.49	<0.1	9.7	0.11	0.11	<5	0.1	0.04	7.6	3.41	0.2
869546	Rock	0.021	8.0	9.9	0.13	67.6	0.024	<1	0.50	0.027	0.27	0.2	0.7	0.33	<0.02	<5	<0.1	<0.02	1.6	3.36	<0.1
869547	Rock	0.052	14.1	64.2	1.58	331.7	0.197	6	4.62	0.225	1.76	0.2	7.9	0.62	0.27	<5	0.2	0.04	13.1	20.23	0.2
869548	Rock	0.146	17.6	59.8	1.46	343.2	0.179	2	3.87	0.250	1.08	0.2	5.9	0.55	0.21	<5	0.5	0.08	11.6	5.32	0.2
869549	Rock	0.176	13.6	47.1	0.69	85.0	0.121	<1	1.18	0.079	0.31	0.1	3.1	0.23	1.78	<5	1.1	0.04	4.9	1.48	<0.1
869550	Rock	0.173	8.8	29.5	0.31	61.5	0.053	2	1.18	0.078	0.22	0.2	1.6	0.24	1.66	<5	3.1	0.13	4.0	1.12	<0.1
869751	Rock	0.056	15.2	47.7	0.53	59.4	0.100	5	4.51	0.222	0.51	0.2	5.3	0.37	1.20	<5	0.2	0.05	12.2	2.73	<0.1
869752	Rock	0.201	11.8	83.3	1.54	87.5	0.206	<1	1.81	0.059	0.24	0.3	6.4	0.15	1.54	<5	1.5	0.08	9.8	1.11	0.1
869753	Rock	0.135	18.0	40.4	0.60	238.1	0.109	4	2.94	0.231	0.53	0.2	2.6	0.29	0.56	<5	1.2	0.08	8.7	3.52	0.1
869754	Rock	0.105	15.6	63.6	0.84	94.1	0.128	4	4.57	0.160	0.83	0.3	10.2	0.46	1.46	<5	0.4	0.08	13.3	3.53	<0.1
869755	Rock	0.001	2.5	1.9	6.31	38.9	0.003	<1	0.05	0.008	0.02	<0.1	0.5	<0.02	0.03	<5	<0.1	0.07	<0.1	0.09	<0.1
869756	Rock	0.082	8.5	14.2	0.14	69.3	0.050	2	0.45	0.013	0.05	0.6	1.2	0.05	1.00	<5	1.9	0.09	2.4	0.15	0.1
869757	Rock	0.113	28.3	7.3	0.32	129.6	0.062	6	0.71	0.029	0.17	0.8	1.8	0.07	0.04	<5	0.3	0.04	2.5	0.59	<0.1
869758	Rock	0.168	13.1	31.6	0.43	51.9	0.094	2	1.20	0.075	0.20	0.3	1.3	0.24	0.84	<5	2.6	0.16	5.2	0.90	<0.1
869759	Rock	0.220	14.9	44.0	0.56	64.9	0.162	<1	1.11	0.088	0.28	0.3	2.5	0.21	2.63	<5	2.0	0.10	4.2	1.19	<0.1
869760	Rock	0.123	10.4	28.9	0.29	160.5	0.092	1	0.62	0.010	0.28	0.4	2.0	0.35	0.63	<5	2.9	0.10	2.7	0.84	<0.1
869761	Rock	0.096	5.8	21.3	0.18	306.3	0.027	<1	0.44	0.023	0.08	0.1	0.9	0.06	0.13	<5	0.7	0.02	1.3	0.25	<0.1
869762	Rock	0.045	14.0	15.2	1.10	507.0	0.113	1	1.77	0.097	0.85	0.3	4.4	0.72	0.39	<5	2.2	0.09	6.0	2.64	0.1
869763	Rock	0.108	8.5	6.1	0.77	270.1	0.003	3	1.75	0.013	0.18	<0.1	4.9	0.03	0.09	15	0.1	<0.02	3.8	0.47	<0.1
869764	Rock	0.001	<0.5	11.9	<0.01	7.8	<0.001	12	0.02	0.003	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	0.1	0.06	<0.1
869765	Rock	0.020	5.6	9.2	0.01	31.2	0.004	<1	0.16	0.080	0.03	1.8	0.4	<0.02	<0.02	<5	<0.1	0.02	0.4	0.13	<0.1
869766	Rock	0.040	4.2	10.5	0.25	63.2	0.021	<1	0.44	0.086	0.05	<0.1	3.4	<0.02	<0.02	<5	0.1	0.04	2.7	0.14	<0.1
869767	Rock	0.113	6.5	69.8	3.63	64.5	0.035	3	3.77	0.015	0.15	<0.1	10.6	<0.02	<0.02	<5	<0.1	0.02	9.7	0.57	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
918313	Rock	0.14	0.17	62.2	0.6	<0.05	6.9	9.56	45.2	0.04	<1	0.9	24.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918314	Rock	<0.02	0.07	2.4	<0.1	<0.05	1.2	5.37	6.1	0.02	<1	0.3	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918315	Rock	0.03	0.27	11.9	0.4	<0.05	0.6	5.02	12.0	<0.02	<1	0.5	10.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918316	Rock	0.19	4.82	4.1	0.2	<0.05	4.1	7.78	6.1	<0.02	<1	0.3	4.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869542	Rock	0.05	0.20	73.1	0.4	<0.05	1.6	8.26	30.9	<0.02	2	0.8	59.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869543	Rock	<0.02	0.18	94.9	1.0	<0.05	0.5	4.27	16.8	<0.02	<1	0.6	30.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869544	Rock	0.07	0.50	31.8	0.6	<0.05	1.5	3.72	28.8	<0.02	<1	0.2	20.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869545	Rock	0.08	0.44	25.8	0.4	<0.05	4.3	17.48	135.4	0.05	<1	1.1	44.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869546	Rock	0.53	0.78	53.4	0.2	<0.05	6.1	2.49	14.1	<0.02	<1	0.4	8.7	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869547	Rock	<0.02	0.27	102.8	1.0	<0.05	0.6	6.68	22.3	0.02	<1	0.8	42.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869548	Rock	0.05	0.55	78.2	0.5	<0.05	2.0	6.95	28.6	<0.02	1	0.8	28.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869549	Rock	0.04	1.00	27.1	0.4	<0.05	1.1	7.49	22.3	<0.02	2	0.3	11.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869550	Rock	0.05	0.29	20.2	0.3	<0.05	1.7	6.32	12.8	<0.02	10	0.8	7.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869751	Rock	0.04	0.20	52.6	0.4	<0.05	1.4	6.26	26.0	<0.02	<1	1.3	28.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869752	Rock	0.05	0.49	16.2	0.5	<0.05	1.8	10.85	20.7	0.04	5	0.3	32.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869753	Rock	0.04	0.27	48.0	0.4	<0.05	1.3	6.42	26.3	<0.02	4	0.9	22.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869754	Rock	<0.02	0.12	72.5	0.6	<0.05	0.6	7.43	27.4	0.02	<1	2.0	28.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869755	Rock	<0.02	0.09	1.0	<0.1	<0.05	0.6	2.71	3.9	<0.02	1	<0.1	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869756	Rock	0.03	0.45	3.2	0.4	<0.05	1.2	6.06	8.8	0.04	6	0.5	5.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869757	Rock	0.07	0.94	10.2	0.3	<0.05	1.7	7.57	39.8	<0.02	2	0.4	5.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869758	Rock	0.04	0.34	17.9	0.5	<0.05	1.3	6.55	17.9	<0.02	5	0.6	9.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869759	Rock	0.06	1.44	23.7	0.5	<0.05	2.5	10.15	25.0	<0.02	7	0.3	9.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869760	Rock	0.07	0.53	22.8	0.5	<0.05	2.5	7.70	16.4	<0.02	23	0.3	8.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869761	Rock	<0.02	0.34	6.2	0.2	<0.05	0.6	3.90	9.8	<0.02	2	0.3	4.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869762	Rock	0.04	0.34	70.7	1.2	<0.05	0.8	6.57	23.7	<0.02	5	1.0	26.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869763	Rock	0.03	<0.02	7.5	<0.1	<0.05	2.4	6.95	18.1	0.02	1	0.4	12.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869764	Rock	<0.02	0.65	0.7	<0.1	<0.05	<0.1	0.58	0.4	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869765	Rock	<0.02	0.68	1.0	0.2	<0.05	0.4	2.50	9.5	<0.02	<1	0.1	0.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869766	Rock	<0.02	1.18	3.3	0.3	<0.05	1.0	2.81	7.7	0.03	<1	0.3	4.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869767	Rock	0.05	0.02	7.8	<0.1	<0.05	1.4	6.89	13.1	0.02	<1	0.3	21.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 5 Part 4

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
918313	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918314	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918315	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
918316	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869542	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869543	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869544	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869545	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869546	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869547	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869548	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869549	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869550	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869751	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869752	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869753	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869754	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869755	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869756	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869757	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869758	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869759	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869760	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869761	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869762	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869763	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869764	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869765	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869766	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869767	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869768	Rock	0.81	0.13	16.70	7.81	81.8	75	25.6	11.8	870	4.31	9.4	0.1	0.6	0.6	174.7	0.31	0.59	0.07	68	2.93
869769	Rock	1.05	0.21	1.17	6.11	31.2	16	5.3	1.0	96	0.26	0.7	1.8	<0.2	0.3	1555	0.66	0.24	<0.02	12	24.49
869770	Rock	1.93	1.88	89.87	7.63	96.1	97	25.1	26.3	1104	6.56	21.6	0.8	5.1	1.4	66.3	0.34	1.05	0.04	129	1.63
869771	Rock	1.37	0.86	91.88	3.13	64.9	120	52.1	27.1	1049	3.54	43.3	0.2	3.8	0.3	691.6	0.18	2.79	<0.02	15	13.78
869773	Rock	1.39	0.73	4.68	6.19	22.9	15	1.6	1.0	149	0.69	0.3	2.6	<0.2	7.5	6.0	0.06	0.07	0.08	4	0.07
869774	Rock	0.78	1.86	77.16	7.45	36.2	410	17.3	4.3	971	3.40	7.1	1.3	103.8	2.6	98.7	0.18	0.09	0.25	31	1.68
869775	Rock	1.12	5.07	70.82	19.10	22.1	493	16.4	5.7	124	3.74	17.0	1.8	8.0	5.6	87.8	0.37	0.10	0.33	38	1.09
869551	Rock	6.01	5.49	13.72	101.2	5.1	5768	2.6	0.5	317	0.23	1.4	2.1	1289	5.8	2.9	0.08	0.42	69.34	<2	0.02
869552	Rock	6.34	1.01	14.07	76.85	8.5	5016	1.9	0.6	173	0.22	3.4	1.1	46.9	5.8	2.8	0.10	0.10	6.08	<2	0.02
869553	Rock	9.13	1.12	12.77	62.08	14.3	441	2.4	0.6	505	0.21	3.6	1.6	26.4	7.3	2.2	0.32	0.07	0.84	<2	0.02
869554	Rock	7.37	1.13	16.26	50.91	4.8	1007	4.1	0.7	233	0.24	2.5	1.4	120.2	5.5	2.2	0.10	0.11	7.02	<2	0.01
869555	Rock	4.81	1.71	10.99	58.97	6.1	4134	3.0	0.3	142	0.22	0.7	1.4	123.9	3.5	4.4	0.09	0.17	19.41	<2	0.06
869556	Rock	6.73	0.55	9.00	4.87	12.9	156	6.4	0.3	603	0.22	3.6	3.0	14.4	10.3	5.6	0.30	0.06	0.69	<2	0.14
869557	Rock	6.13	0.98	4.82	10.86	8.5	175	4.8	0.4	596	0.20	1.1	2.3	2.6	8.1	2.8	0.26	0.05	0.23	<2	0.02
869558	Rock	5.22	1.90	41.14	99.78	6.5	3294	3.0	1.0	140	0.30	4.7	2.2	483.5	8.2	2.7	0.04	0.14	27.79	<2	<0.01
869559	Rock	4.65	0.90	32.44	12.25	8.1	320	3.8	0.9	209	0.28	2.0	1.5	5.3	9.5	3.4	0.04	0.07	1.06	<2	0.01
869560	Rock	3.38	2.94	16.77	35.17	8.6	1815	2.0	0.6	163	0.21	2.0	1.4	219.5	7.6	2.5	0.04	0.06	10.34	<2	0.01
869561	Rock	3.07	1.27	10.10	26.56	3.7	1695	2.1	0.3	102	0.18	0.6	0.8	239.8	3.3	1.5	0.03	0.05	29.20	<2	<0.01
869562	Rock	4.17	0.56	5.34	4.31	6.7	60	3.3	1.0	315	0.24	3.4	2.7	11.6	8.5	3.0	0.10	0.04	0.67	<2	0.02
869563	Rock	4.54	0.92	40.42	3.62	7.8	38	4.1	0.5	449	0.26	1.7	3.5	12.2	11.1	2.8	0.11	0.05	0.68	<2	0.03
869564	Rock	3.79	0.92	9.42	4.98	7.3	43	3.1	0.9	331	0.25	3.0	3.2	2.0	11.5	3.0	0.11	0.05	0.11	<2	0.02
869565	Rock	3.83	2.47	13.96	3.55	5.3	12	2.8	0.7	383	0.34	2.4	2.4	0.6	15.6	3.9	0.09	0.05	0.06	<2	0.05
869566	Rock	3.75	1.70	15.01	36.37	12.5	126	2.9	3.4	568	0.27	2.9	1.2	1.1	8.0	2.0	0.09	0.07	0.14	<2	<0.01
869567	Rock	3.96	4.34	40.19	80.35	10.4	2756	4.3	1.9	907	0.27	3.8	1.2	75.8	3.7	2.6	0.22	0.10	10.65	<2	<0.01
869568	Rock	7.41	1.36	10.24	3.35	12.3	37	5.0	1.3	617	0.29	4.9	3.5	8.7	11.0	4.0	0.27	0.04	0.17	<2	0.03
869569	Rock	7.39	1.56	17.00	6.05	6.7	72	2.7	1.5	499	0.28	2.7	3.2	4.4	11.9	2.7	0.07	0.06	0.19	<2	0.02
869570	Rock	8.06	1.84	9.35	1.53	7.2	17	2.6	0.9	287	0.23	1.2	1.7	16.2	8.3	1.7	0.06	0.03	0.31	<2	<0.01
869571	Rock	3.49	2.96	6.91	3.37	8.5	22	2.7	0.7	329	0.33	2.7	2.8	1.1	9.9	2.2	0.06	0.05	0.10	<2	0.02
869572	Rock	4.38	0.69	5.61	5.07	7.7	170	3.8	1.4	366	0.30	1.0	1.8	2.2	7.2	3.1	0.08	0.05	0.94	<2	0.02
869573	Rock	7.94	3.01	16.67	16.91	18.7	170	3.9	2.1	147	0.52	5.6	1.5	3.1	8.6	3.3	0.04	0.14	0.48	<2	0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869768	Rock	0.084	6.2	33.2	1.31	139.0	0.005	1	2.28	0.026	0.10	<0.1	3.5	<0.02	0.03	31	<0.1	0.04	6.8	0.40	<0.1
869769	Rock	0.040	2.0	5.5	7.34	87.3	<0.001	<1	0.05	0.003	0.01	<0.1	0.6	<0.02	0.05	<5	<0.1	0.19	0.1	0.03	<0.1
869770	Rock	0.188	6.2	55.9	2.25	62.9	0.244	2	2.66	0.027	0.14	0.2	8.8	0.02	1.35	6	0.5	0.04	6.6	0.61	<0.1
869771	Rock	0.094	3.6	16.1	0.52	303.2	0.004	3	0.42	0.005	0.24	<0.1	5.8	0.30	0.40	<5	0.2	0.11	0.8	1.31	<0.1
869773	Rock	0.026	8.5	8.1	0.12	69.9	0.041	1	0.35	0.036	0.24	<0.1	2.5	0.09	<0.02	<5	<0.1	<0.02	1.5	0.72	<0.1
869774	Rock	0.177	6.3	14.8	0.39	115.2	0.043	2	1.17	0.050	0.31	0.2	1.9	0.17	0.89	<5	1.4	0.13	4.0	1.14	<0.1
869775	Rock	0.161	10.7	22.5	0.22	48.4	0.084	4	0.98	0.157	0.13	0.2	1.1	0.08	1.03	<5	2.3	0.11	3.9	0.65	<0.1
869551	Rock	0.007	6.1	12.4	0.01	26.3	0.001	2	0.18	0.026	0.08	2.5	0.3	0.03	<0.02	<5	<0.1	4.13	0.5	0.26	<0.1
869552	Rock	0.007	6.0	11.0	<0.01	21.5	<0.001	<1	0.16	0.026	0.06	0.2	0.3	0.02	<0.02	<5	<0.1	0.50	0.4	0.19	<0.1
869553	Rock	0.007	9.9	11.5	<0.01	38.9	<0.001	2	0.20	0.028	0.10	0.3	0.2	0.03	<0.02	<5	<0.1	0.07	0.6	0.25	<0.1
869554	Rock	0.006	6.4	13.3	<0.01	19.2	<0.001	1	0.15	0.026	0.07	0.2	0.3	0.02	<0.02	<5	<0.1	0.39	0.4	0.16	<0.1
869555	Rock	0.017	2.6	13.4	0.02	16.6	<0.001	<1	0.17	0.030	0.04	0.2	0.3	<0.02	<0.02	<5	<0.1	1.33	0.6	0.19	<0.1
869556	Rock	0.014	10.1	7.7	0.01	42.3	<0.001	2	0.21	0.036	0.11	0.2	0.4	0.03	<0.02	<5	<0.1	0.03	0.7	0.34	<0.1
869557	Rock	0.010	11.5	8.1	<0.01	28.6	<0.001	3	0.22	0.039	0.10	0.2	0.3	0.03	<0.02	<5	<0.1	<0.02	0.7	0.26	<0.1
869558	Rock	0.007	9.0	7.9	0.01	18.6	<0.001	<1	0.19	0.028	0.09	0.2	0.4	0.03	<0.02	<5	<0.1	1.75	0.6	0.28	<0.1
869559	Rock	0.005	12.3	10.1	0.02	28.2	0.002	<1	0.22	0.031	0.08	0.3	0.5	0.02	<0.02	<5	<0.1	0.10	0.6	0.29	<0.1
869560	Rock	0.006	8.8	10.3	0.01	19.1	0.001	<1	0.17	0.027	0.06	0.1	0.3	<0.02	<0.02	<5	<0.1	0.51	0.4	0.22	<0.1
869561	Rock	0.003	5.3	12.6	<0.01	11.4	<0.001	<1	0.09	0.018	0.04	<0.1	0.2	<0.02	<0.02	<5	<0.1	1.46	0.3	0.11	<0.1
869562	Rock	0.009	9.9	8.2	<0.01	27.7	<0.001	<1	0.20	0.032	0.08	1.0	0.3	0.02	<0.02	<5	<0.1	0.03	0.5	0.27	<0.1
869563	Rock	0.011	11.4	6.8	0.02	28.9	0.001	<1	0.21	0.034	0.10	0.2	0.5	0.03	<0.02	<5	<0.1	0.02	0.6	0.31	<0.1
869564	Rock	0.010	10.4	7.4	0.01	29.0	0.001	1	0.21	0.036	0.10	1.6	0.5	0.03	<0.02	<5	<0.1	<0.02	0.6	0.29	<0.1
869565	Rock	0.011	12.6	6.2	0.02	42.6	0.001	1	0.19	0.033	0.10	1.3	0.6	0.03	<0.02	<5	<0.1	<0.02	0.6	0.37	<0.1
869566	Rock	0.005	6.5	6.9	0.01	28.9	0.001	2	0.24	0.031	0.11	0.5	0.4	0.03	<0.02	<5	<0.1	<0.02	0.6	0.27	<0.1
869567	Rock	0.004	6.2	13.3	<0.01	34.2	<0.001	2	0.15	0.017	0.07	0.9	0.3	0.03	<0.02	<5	<0.1	0.75	0.4	0.19	<0.1
869568	Rock	0.012	10.3	9.7	0.02	34.9	0.001	2	0.27	0.042	0.13	0.2	0.6	0.03	<0.02	<5	0.1	<0.02	0.8	0.42	<0.1
869569	Rock	0.010	12.0	8.1	0.01	27.8	0.001	2	0.26	0.039	0.13	1.2	0.5	0.03	<0.02	<5	0.1	<0.02	0.8	0.46	<0.1
869570	Rock	0.007	10.6	11.2	0.01	24.2	<0.001	<1	0.19	0.028	0.10	0.1	0.4	0.03	<0.02	<5	0.1	0.02	0.6	0.36	<0.1
869571	Rock	0.013	8.9	8.4	0.01	27.0	<0.001	1	0.20	0.029	0.10	0.2	0.4	0.03	<0.02	<5	<0.1	<0.02	0.6	0.36	<0.1
869572	Rock	0.012	9.3	12.5	0.01	29.8	<0.001	1	0.23	0.038	0.10	0.1	0.3	0.03	<0.02	<5	<0.1	0.04	0.7	0.37	<0.1
869573	Rock	0.009	8.5	8.8	0.02	23.1	<0.001	1	0.32	0.037	0.10	0.9	0.5	0.03	<0.02	<5	0.1	0.04	0.8	0.41	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
869768	Rock	<0.02	<0.02	3.3	<0.1	<0.05	0.8	4.60	11.7	<0.02	<1	0.2	30.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869769	Rock	0.03	0.04	0.6	<0.1	<0.05	1.5	2.24	3.0	<0.02	<1	0.7	2.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869770	Rock	0.29	0.22	5.0	0.3	<0.05	6.5	8.56	12.6	<0.02	2	0.3	24.6	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869771	Rock	<0.02	0.04	9.4	<0.1	<0.05	0.6	8.68	7.5	<0.02	<1	0.3	1.6	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869773	Rock	0.02	2.18	14.6	0.3	<0.05	0.5	5.18	15.9	<0.02	<1	<0.1	6.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869774	Rock	<0.02	0.52	18.2	0.5	<0.05	0.4	7.79	9.2	<0.02	3	0.5	11.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869775	Rock	0.07	1.01	11.8	0.4	<0.05	1.8	4.11	16.0	<0.02	8	0.3	4.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869551	Rock	0.03	1.44	5.2	1.7	<0.05	0.9	3.12	11.4	<0.02	<1	0.2	1.1	<10	<2	N.A.	0.72	<0.001	0.001	0.01	<0.01
869552	Rock	<0.02	0.73	3.8	1.6	<0.05	0.9	2.43	10.4	<0.02	<1	0.2	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869553	Rock	0.02	0.75	6.8	1.7	<0.05	1.0	3.00	18.5	<0.02	<1	0.2	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869554	Rock	0.02	0.93	3.5	1.8	<0.05	0.6	2.58	10.8	<0.02	<1	0.1	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869555	Rock	0.02	0.65	2.4	1.4	<0.05	0.6	3.14	4.3	<0.02	<1	0.4	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869556	Rock	0.05	1.30	7.1	1.1	<0.05	1.2	7.17	16.7	<0.02	<1	0.5	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869557	Rock	0.04	0.91	6.0	0.6	<0.05	1.1	4.82	21.1	<0.02	<1	0.2	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869558	Rock	<0.02	1.04	5.6	6.3	<0.05	0.8	2.40	13.5	<0.02	<1	0.2	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869559	Rock	<0.02	0.98	5.0	3.5	<0.05	0.8	3.02	20.3	<0.02	<1	0.2	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869560	Rock	<0.02	1.31	3.8	2.1	<0.05	0.5	3.09	15.9	<0.02	<1	0.3	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869561	Rock	<0.02	0.99	2.3	1.1	<0.05	0.4	1.93	8.8	<0.02	<1	0.1	0.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869562	Rock	0.02	1.43	5.1	0.5	<0.05	0.9	4.59	17.4	<0.02	<1	0.3	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869563	Rock	0.04	1.73	6.2	5.1	<0.05	1.1	5.88	20.9	<0.02	<1	0.3	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869564	Rock	0.04	2.04	5.9	0.9	<0.05	1.0	5.99	19.0	<0.02	<1	0.3	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869565	Rock	0.05	1.08	6.8	1.5	<0.05	1.0	3.69	24.4	<0.02	<1	0.2	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869566	Rock	<0.02	0.71	7.4	1.8	<0.05	0.8	1.92	13.1	<0.02	<1	0.2	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869567	Rock	<0.02	0.89	4.6	4.8	<0.05	0.5	1.91	13.0	<0.02	<1	0.2	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869568	Rock	0.03	1.67	8.7	1.1	<0.05	1.3	7.61	17.5	<0.02	<1	0.4	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869569	Rock	0.04	1.96	8.3	2.0	<0.05	1.2	6.22	22.6	<0.02	<1	0.3	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869570	Rock	<0.02	1.13	6.7	1.1	<0.05	0.6	3.25	18.5	<0.02	<1	0.2	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869571	Rock	<0.02	1.86	6.9	0.7	<0.05	0.8	4.71	17.2	<0.02	<1	0.1	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869572	Rock	0.04	0.82	7.3	0.6	<0.05	0.9	3.05	16.2	<0.02	<1	0.3	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869573	Rock	<0.02	1.21	6.5	1.9	<0.05	1.1	3.21	14.4	<0.02	<1	0.4	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 5 Part 4

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
869768	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869769	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869770	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869771	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869773	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869774	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869775	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869551	Rock	7	<0.001	<0.001	0.03	0.24	<0.01	<0.001	<0.001	<0.001	<0.01	0.02	0.002	0.001	0.01	0.25	0.06	0.12	<0.001	<0.001	<0.05
869552	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869553	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869554	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869555	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869556	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869557	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869558	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869559	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869560	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869561	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869562	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869563	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869564	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869565	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869566	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869567	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869568	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869569	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869570	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869571	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869572	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869573	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869574	Rock	5.89	1.56	29.71	17.11	11.9	859	3.3	1.7	140	0.37	5.0	2.1	56.6	8.5	2.2	0.04	0.08	6.84	<2	0.01
869575	Rock	7.13	1.35	10.32	5.63	12.2	199	2.2	2.1	209	0.30	4.8	2.4	61.5	8.2	2.3	0.06	0.08	5.54	<2	0.01
869576	Rock	3.88	1.37	47.21	3.54	11.4	40	4.3	2.8	327	0.29	4.1	2.9	8.2	9.5	2.7	0.13	0.06	0.58	<2	0.02
869577	Rock	2.81	5.10	46.71	1.57	15.5	30	8.2	1.5	185	1.10	1.1	1.2	18.4	4.1	4.0	0.01	0.07	2.91	9	0.03
869578	Rock	1.52	20.40	12.16	2.08	28.1	27	9.8	2.9	553	2.32	0.7	3.7	35.4	8.7	6.4	0.03	0.08	2.10	33	0.04
869579	Rock	1.29	6.19	26.78	2.19	12.1	38	5.8	0.7	205	0.96	0.4	3.6	160.8	3.9	7.0	0.03	0.11	10.93	9	0.34
869580	Rock	3.54	18.84	18.29	3.84	3.2	235	2.8	0.3	80	0.43	0.3	0.8	1429	1.6	2.4	0.02	0.29	138.1	3	0.13
869581	Rock	2.22	4.49	11.55	1.98	5.2	174	2.7	0.5	114	0.63	0.4	2.4	1157	1.5	5.2	0.02	0.13	83.13	5	0.37
869582	Rock	2.99	1.78	52.09	11.11	41.8	57	16.2	5.4	671	3.33	1.5	2.0	5.7	13.4	14.0	0.04	0.14	1.57	38	0.05
869583	Rock	5.21	9.57	59.09	5.20	33.5	50	17.2	6.0	387	2.52	1.2	2.0	6.8	10.8	15.0	0.03	0.10	1.16	28	0.07
869584	Rock	2.76	16.41	37.74	3.98	4.9	79	4.5	1.3	62	0.86	0.9	1.2	308.8	2.2	2.7	0.01	0.07	18.55	<2	0.06
869585	Rock	3.67	13.45	19.74	4.78	32.1	45	9.3	2.2	530	2.67	0.6	1.5	76.2	9.6	7.2	<0.01	0.09	4.34	30	0.06
869586	Rock	4.92	26.78	22.62	54.75	52.5	101	14.7	5.3	482	2.48	1.6	4.5	4.3	14.8	8.9	0.05	0.06	1.34	33	0.06
869587	Rock	3.89	1.78	24.68	3.88	12.2	17	3.2	0.9	130	0.37	0.9	2.1	1.1	6.1	3.2	0.03	0.04	0.08	<2	0.02
869588	Rock	2.23	15.80	51.18	3.75	32.4	88	29.2	12.2	515	3.40	0.7	2.9	1.8	9.0	13.2	0.03	0.14	0.67	23	0.05
869589	Rock	4.18	11.68	10.82	5.63	5.8	141	3.3	0.6	67	0.46	6.4	4.7	26.6	9.0	3.2	0.03	0.07	1.70	<2	0.01
869590	Rock	4.68	3.98	12.99	11.40	41.7	82	16.0	7.1	288	2.43	3.4	2.6	0.6	11.5	9.9	0.05	0.07	0.19	30	0.05
869591	Rock	2.08	2.09	24.82	33.73	34.9	92	9.9	3.5	215	2.19	1.5	3.9	1.1	12.5	10.2	0.04	0.08	0.54	25	0.06
869592	Rock	6.02	8.93	21.34	8.77	41.0	398	30.4	9.7	524	2.94	1.0	2.6	56.1	10.4	14.4	0.05	0.08	4.50	33	0.06
869593	Rock	4.56	5.63	29.99	33.91	102.0	772	58.2	18.9	297	2.15	0.8	2.9	10.8	10.0	7.4	0.48	0.10	0.55	17	0.04
869594	Rock	5.31	3.93	3.98	13.50	18.7	172	10.5	3.0	229	1.47	2.9	1.9	145.0	7.3	5.5	0.04	0.07	10.22	13	0.04
869595	Rock	4.45	1.43	2.02	30.00	2.6	529	11.2	2.2	29	0.68	1.1	0.5	93.6	1.6	1.3	0.01	0.10	5.41	<2	<0.01
869596	Rock	4.50	1.91	2.11	5.56	9.0	245	5.1	1.5	108	0.83	0.8	0.9	1258	3.1	2.2	0.02	0.45	80.18	6	0.02
869597	Rock	4.45	4.95	14.33	3.35	32.5	265	17.8	5.6	307	1.91	2.1	4.1	302.7	8.9	15.7	0.05	0.12	16.07	22	0.04
869598	Rock	5.20	13.45	3.26	2.88	11.5	469	20.3	4.9	1270	1.54	0.9	0.7	904.3	0.9	2.8	0.02	0.11	45.07	<2	0.02
869599	Rock	2.97	13.12	3.02	2.08	2.7	379	16.8	3.4	31	0.40	0.6	0.3	430.0	0.5	1.3	0.02	0.05	25.59	<2	0.03
869600	Rock	4.82	8.03	10.56	3.07	10.5	219	3.8	0.9	396	0.98	0.8	2.6	2296	3.5	5.5	0.02	0.07	101.9	5	0.19
869700	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869701	Rock	3.78	8.46	84.24	4.74	19.9	286	17.3	4.6	2198	4.53	1.3	2.7	88.7	9.0	56.1	0.09	0.11	4.28	27	0.88
869702	Rock	3.41	0.69	12.13	0.83	2.6	10	1.9	0.3	49	0.44	0.2	0.6	5.6	1.3	1.3	<0.01	0.07	0.61	<2	0.04



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869574	Rock	0.009	8.2	8.8	0.01	21.5	0.001	2	0.26	0.035	0.11	0.9	0.5	0.03	<0.02	<5	<0.1	0.31	0.8	0.36	<0.1
869575	Rock	0.008	7.9	6.8	0.01	18.0	<0.001	<1	0.21	0.034	0.10	0.7	0.4	0.03	<0.02	<5	<0.1	0.27	0.5	0.34	<0.1
869576	Rock	0.011	8.1	8.4	0.01	22.1	0.001	1	0.21	0.039	0.10	0.4	0.5	0.03	<0.02	<5	0.1	0.04	0.6	0.34	<0.1
869577	Rock	0.023	7.6	24.4	0.25	34.1	0.040	<1	0.54	0.014	0.35	0.2	1.3	0.27	0.05	<5	0.2	0.18	2.2	4.27	<0.1
869578	Rock	0.035	19.8	50.3	0.72	80.0	0.133	<1	1.42	0.034	0.99	2.3	6.5	0.81	0.05	<5	0.2	0.11	8.0	14.78	<0.1
869579	Rock	0.186	9.5	18.5	0.24	34.4	0.043	<1	0.54	0.017	0.33	65.7	2.4	0.28	0.02	6	0.3	0.62	3.0	5.03	<0.1
869580	Rock	0.073	6.0	17.5	0.07	11.4	0.011	<1	0.15	0.007	0.08	32.0	0.7	0.07	<0.02	<5	0.2	6.87	0.7	1.21	<0.1
869581	Rock	0.205	4.8	16.2	0.09	19.9	0.017	<1	0.23	0.010	0.11	9.0	1.7	0.10	<0.02	<5	0.2	5.28	1.5	1.98	<0.1
869582	Rock	0.046	25.1	52.6	1.04	92.3	0.150	<1	2.12	0.035	1.39	0.2	5.3	1.00	0.14	<5	0.7	0.09	9.7	14.03	<0.1
869583	Rock	0.050	20.0	43.4	0.83	76.9	0.110	<1	1.54	0.034	0.97	0.6	3.6	0.75	0.18	<5	0.9	0.08	6.0	13.19	<0.1
869584	Rock	0.038	6.2	13.9	0.02	16.9	0.002	<1	0.20	0.011	0.07	0.5	1.0	0.05	<0.02	<5	<0.1	1.24	0.6	0.72	<0.1
869585	Rock	0.038	15.2	42.5	0.74	68.7	0.107	<1	1.50	0.027	1.07	0.2	4.2	0.81	0.06	<5	0.3	0.31	7.8	13.23	<0.1
869586	Rock	0.035	20.4	37.1	0.69	99.4	0.128	<1	1.60	0.041	1.00	0.3	5.4	0.69	<0.02	<5	0.2	0.11	8.2	9.72	0.1
869587	Rock	0.008	3.8	7.2	0.02	22.4	0.002	<1	0.31	0.038	0.09	0.5	0.5	0.04	<0.02	<5	<0.1	<0.02	1.0	0.42	<0.1
869588	Rock	0.045	17.4	29.9	0.87	63.8	0.067	<1	1.71	0.031	0.87	0.3	2.9	0.64	0.75	<5	2.3	0.10	6.4	10.58	<0.1
869589	Rock	0.010	7.3	7.9	0.03	31.1	0.005	<1	0.30	0.044	0.13	0.7	0.7	0.06	<0.02	<5	<0.1	0.09	1.0	0.76	<0.1
869590	Rock	0.037	21.6	38.9	0.66	121.7	0.108	<1	1.49	0.038	0.86	1.2	3.8	0.51	0.05	<5	0.3	0.03	6.1	7.53	<0.1
869591	Rock	0.052	24.8	33.1	0.59	86.8	0.064	<1	1.30	0.031	0.60	0.9	3.1	0.43	0.04	<5	0.3	0.06	5.7	5.89	<0.1
869592	Rock	0.036	18.1	46.1	0.78	106.3	0.101	<1	1.78	0.043	1.03	11.2	4.9	0.80	0.11	<5	0.3	0.30	8.2	12.41	<0.1
869593	Rock	0.023	13.3	25.6	0.47	61.4	0.051	<1	1.24	0.037	0.57	28.4	2.9	0.44	0.30	<5	0.5	0.05	5.0	7.35	<0.1
869594	Rock	0.023	15.0	29.7	0.35	63.2	0.060	<1	0.89	0.031	0.54	6.5	3.8	0.42	<0.02	<5	<0.1	0.62	5.4	7.81	<0.1
869595	Rock	0.008	4.4	10.0	<0.01	6.0	<0.001	<1	0.06	0.006	0.03	74.1	0.4	<0.02	<0.02	<5	<0.1	0.34	0.4	0.23	<0.1
869596	Rock	0.008	7.3	18.3	0.13	34.4	0.024	<1	0.42	0.016	0.21	48.1	2.1	0.19	<0.02	<5	0.1	4.87	2.2	3.70	<0.1
869597	Rock	0.027	25.1	35.4	0.52	71.6	0.077	<1	1.16	0.037	0.77	6.5	3.9	0.64	0.07	<5	0.5	1.02	5.7	12.09	<0.1
869598	Rock	0.014	3.0	8.5	0.01	14.1	0.001	3	0.09	0.008	0.02	18.2	1.1	<0.02	<0.02	5	<0.1	2.86	0.4	0.25	<0.1
869599	Rock	0.014	1.5	12.5	0.02	11.8	0.002	<1	0.12	0.006	0.04	14.0	0.4	0.02	<0.02	<5	<0.1	1.64	0.5	0.39	<0.1
869600	Rock	0.096	9.9	18.8	0.13	18.9	0.015	<1	0.42	0.015	0.09	1.8	2.0	0.08	<0.02	<5	0.1	9.12	2.6	1.62	<0.1
869700	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869701	Rock	0.076	17.8	30.6	0.40	82.3	0.131	<1	2.42	0.019	0.17	>100	3.9	0.16	0.10	8	1.1	0.23	11.3	1.99	0.2
869702	Rock	0.022	5.6	9.5	0.02	4.2	0.001	<1	0.07	0.005	0.02	1.0	0.3	<0.02	<0.02	<5	<0.1	0.06	0.6	0.15	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
869574	Rock	0.03	1.69	7.1	3.8	<0.05	1.1	3.23	14.0	<0.02	<1	0.3	2.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869575	Rock	<0.02	2.58	6.2	1.3	0.19	0.8	4.82	14.2	<0.02	<1	0.2	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869576	Rock	0.03	2.44	6.7	6.0	<0.05	1.1	5.18	14.8	<0.02	<1	0.2	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869577	Rock	<0.02	0.56	47.4	5.7	<0.05	0.5	1.95	13.6	<0.02	<1	0.1	12.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869578	Rock	<0.02	1.07	132.8	1.4	<0.05	0.9	6.59	34.3	<0.02	<1	0.5	43.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869579	Rock	<0.02	2.35	47.9	3.3	<0.05	0.4	10.52	17.6	<0.02	<1	0.2	16.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869580	Rock	<0.02	1.18	12.2	2.2	<0.05	0.1	4.85	11.0	<0.02	<1	0.1	4.1	<10	<2	N.A.	1.63	N.A.	N.A.	N.A.	N.A.
869581	Rock	<0.02	3.70	18.3	1.3	<0.05	0.3	11.80	9.3	<0.02	<1	0.3	5.7	<10	<2	N.A.	1.35	N.A.	N.A.	N.A.	N.A.
869582	Rock	0.02	0.28	163.9	4.5	<0.05	0.9	4.44	42.8	<0.02	<1	0.5	64.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869583	Rock	<0.02	0.39	114.1	4.2	<0.05	0.9	4.23	33.9	<0.02	2	0.4	44.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869584	Rock	0.02	0.49	7.9	4.4	<0.05	0.4	3.29	13.0	<0.02	1	0.3	3.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869585	Rock	0.03	0.33	154.0	2.3	<0.05	0.8	3.80	32.1	<0.02	1	0.5	50.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869586	Rock	0.07	1.06	122.6	3.1	<0.05	1.7	6.68	45.2	<0.02	2	0.6	39.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869587	Rock	0.02	2.27	5.3	2.9	<0.05	0.9	5.03	8.3	<0.02	1	0.4	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869588	Rock	0.08	0.80	113.7	2.3	<0.05	2.5	5.15	33.7	<0.02	3	0.7	39.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869589	Rock	0.06	2.26	10.1	1.3	<0.05	1.7	3.75	13.5	<0.02	2	0.3	2.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869590	Rock	0.03	0.44	74.1	0.6	<0.05	1.1	4.77	47.3	<0.02	3	0.6	32.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869591	Rock	<0.02	0.35	64.1	1.7	<0.05	1.0	6.39	53.8	<0.02	3	0.4	27.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869592	Rock	0.06	0.54	138.5	0.9	<0.05	1.4	4.29	38.1	<0.02	2	0.7	47.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869593	Rock	0.11	0.76	71.9	0.9	<0.05	2.4	5.04	27.4	<0.02	<1	0.6	26.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869594	Rock	0.05	1.23	72.9	0.6	<0.05	1.3	4.21	31.2	<0.02	<1	0.3	21.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869595	Rock	<0.02	0.69	2.6	0.1	<0.05	0.2	1.33	8.8	<0.02	2	<0.1	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869596	Rock	0.02	1.10	29.8	0.2	<0.05	0.7	2.53	15.7	<0.02	2	0.3	8.7	<10	<2	N.A.	1.40	N.A.	N.A.	N.A.	N.A.
869597	Rock	0.03	0.65	102.1	0.8	<0.05	1.4	5.97	46.5	<0.02	3	0.4	29.1	<10	<2	N.A.	0.26	N.A.	N.A.	N.A.	N.A.
869598	Rock	<0.02	0.32	2.6	0.3	<0.05	0.3	3.22	5.8	<0.02	<1	<0.1	1.3	<10	<2	N.A.	1.04	N.A.	N.A.	N.A.	N.A.
869599	Rock	<0.02	0.23	3.9	0.2	<0.05	0.2	1.10	3.0	<0.02	1	0.1	1.9	<10	<2	N.A.	0.47	N.A.	N.A.	N.A.	N.A.
869600	Rock	0.03	1.13	12.9	1.1	<0.05	0.5	7.11	20.6	<0.02	<1	0.6	6.5	<10	<2	N.A.	2.48	N.A.	N.A.	N.A.	N.A.
869700	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869701	Rock	0.14	2.17	18.2	6.3	<0.05	4.0	4.71	35.8	0.14	2	3.2	12.9	<10	<2	0.059	N.A.	N.A.	N.A.	N.A.	N.A.
869702	Rock	<0.02	0.39	2.1	1.4	<0.05	0.1	1.56	11.2	<0.02	<1	0.2	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 4 of 5 Part 4

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
869574	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869575	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869576	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869577	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869578	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869579	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869580	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869581	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869582	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869583	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869584	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869585	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869586	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869587	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869588	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869589	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869590	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869591	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869592	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869593	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869594	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869595	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869596	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869597	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869598	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869599	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869600	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869700	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869701	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869702	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2
869703	Rock	7.79	0.75	26.97	0.98	3.4	10	3.1	0.5	155	0.68	0.5	0.6	3.5	0.8	3.1	0.01	0.04	0.25	<2	0.09
869704	Rock	9.53	4.65	13.93	3.39	62.1	54	13.8	4.0	1206	3.91	0.6	4.0	17.4	11.2	12.5	0.04	0.04	1.19	51	0.87
869705	Rock	3.65	12.02	16.36	10.42	50.3	117	9.9	3.2	754	3.32	1.8	3.2	166.2	11.1	14.4	0.04	0.07	10.05	38	0.12
869706	Rock	3.68	25.74	19.18	11.24	37.7	1104	16.0	6.5	338	2.29	5.2	1.8	2284	7.8	8.1	0.08	0.17	201.3	18	0.07
869707	Rock	2.87	6.19	17.51	2.27	12.5	56	4.9	2.8	346	1.50	0.7	1.5	13.3	1.7	2.5	0.02	0.06	0.71	6	0.01
869708	Rock	3.76	1.85	11.71	1.14	2.8	66	1.7	0.4	34	0.54	0.6	0.1	33.2	0.5	0.5	<0.01	0.03	4.60	<2	<0.01
869709	Rock	4.37	2.01	32.72	3.40	37.1	78	11.1	5.1	575	3.08	0.9	1.3	2.2	10.4	11.8	0.02	0.04	0.54	33	0.08
869710	Rock	5.40	0.61	15.63	0.61	0.9	19	1.8	0.3	42	0.34	0.4	<0.1	1.3	0.2	1.2	<0.01	0.03	0.30	<2	0.07
869711	Rock	3.10	61.28	39.06	29.98	23.7	251	6.9	3.0	290	3.04	1.8	1.1	60.6	9.9	19.0	0.02	0.08	5.71	31	0.06
869712	Rock	1.84	3.57	14.18	0.80	7.0	37	2.7	0.6	95	0.91	0.4	0.5	4.8	1.5	1.3	<0.01	0.03	0.77	5	<0.01
869713	Rock	2.14	3.29	32.26	3.34	54.1	71	26.0	9.8	726	3.34	0.9	2.1	3.4	10.5	8.3	0.03	0.04	0.69	44	0.10
869714	Rock	3.29	6.87	4.88	0.70	3.5	8	1.5	0.3	83	0.64	0.4	1.1	2.1	0.7	2.1	<0.01	<0.02	1.22	<2	0.12
869715	Rock	3.16	5.95	34.78	4.08	31.5	130	9.2	3.4	684	3.14	2.6	2.0	9.2	11.3	7.4	<0.01	0.04	1.82	30	0.06
869716	Rock	2.74	7.64	6.23	1.45	10.2	34	2.7	0.7	210	1.04	0.3	1.3	1.6	3.1	4.1	0.01	0.03	0.58	7	0.09
869717	Rock	4.19	14.53	14.36	1.19	18.9	31	5.1	1.4	431	1.87	1.5	2.0	0.8	6.4	4.6	0.02	0.04	0.28	15	0.10
869718	Rock	2.62	13.22	10.72	1.72	23.3	27	10.2	2.9	442	1.91	1.6	1.3	2.1	7.8	4.2	0.01	0.04	0.30	21	0.04



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869703	Rock	0.033	2.5	9.0	0.03	6.7	0.007	<1	0.16	0.005	0.02	19.7	0.6	<0.02	<0.02	<5	<0.1	0.03	0.9	0.35	<0.1
869704	Rock	0.366	24.2	68.3	1.10	158.6	0.138	<1	2.53	0.042	1.56	1.2	13.1	1.31	<0.02	<5	0.2	0.09	17.0	25.29	0.2
869705	Rock	0.062	23.6	51.8	0.92	111.0	0.136	<1	2.00	0.039	1.26	1.3	9.0	0.95	0.05	<5	0.4	0.67	12.6	17.93	0.1
869706	Rock	0.033	17.5	32.3	0.52	44.9	0.032	<1	1.20	0.023	0.32	0.4	2.3	0.22	0.08	<5	0.9	14.29	4.5	3.11	<0.1
869707	Rock	0.015	3.8	17.5	0.11	17.0	0.013	<1	0.30	0.009	0.10	0.3	1.1	0.08	<0.02	<5	0.2	0.09	1.6	0.97	<0.1
869708	Rock	0.006	1.4	13.1	0.02	3.3	0.002	<1	0.07	0.003	0.02	0.2	0.3	<0.02	<0.02	<5	<0.1	0.34	0.5	0.29	<0.1
869709	Rock	0.049	17.4	50.2	1.00	100.4	0.127	<1	1.72	0.030	1.10	0.2	3.9	0.79	0.24	<5	0.7	0.06	7.3	9.29	<0.1
869710	Rock	0.041	1.2	11.4	<0.01	2.0	<0.001	<1	0.02	0.002	<0.01	<0.1	0.1	<0.02	<0.02	<5	<0.1	0.03	0.1	0.06	<0.1
869711	Rock	0.033	16.3	45.3	0.44	56.1	0.078	<1	0.96	0.048	0.45	0.7	4.1	0.24	0.28	<5	1.6	0.47	5.7	2.86	<0.1
869712	Rock	0.010	3.9	17.8	0.13	7.6	0.004	<1	0.29	0.013	0.04	0.1	1.0	0.03	<0.02	<5	<0.1	0.03	1.9	0.52	<0.1
869713	Rock	0.048	11.3	64.4	1.04	104.0	0.102	<1	1.83	0.046	0.88	0.2	6.8	0.72	0.20	<5	0.3	0.04	10.4	10.29	<0.1
869714	Rock	0.069	2.3	13.0	0.02	4.2	0.002	<1	0.10	0.006	0.02	0.3	0.5	0.02	<0.02	<5	<0.1	0.10	0.6	0.29	<0.1
869715	Rock	0.053	22.5	45.6	0.87	44.7	0.033	<1	1.45	0.026	0.37	0.3	3.0	0.26	0.06	<5	0.3	0.15	7.0	3.67	<0.1
869716	Rock	0.053	8.2	24.0	0.20	26.1	0.021	<1	0.52	0.020	0.16	0.2	1.5	0.14	<0.02	<5	<0.1	0.03	2.8	2.30	<0.1
869717	Rock	0.056	14.0	29.3	0.45	41.1	0.025	<1	0.91	0.022	0.22	0.3	2.3	0.16	<0.02	<5	<0.1	0.03	5.5	2.85	<0.1
869718	Rock	0.028	17.8	34.0	0.54	63.1	0.070	<1	1.10	0.026	0.62	1.2	2.5	0.52	<0.02	<5	0.1	0.02	5.6	9.09	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
869703	Rock	<0.02	0.71	3.1	3.2	<0.05	0.4	2.16	5.4	<0.02	2	0.2	1.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869704	Rock	<0.02	1.13	256.4	3.0	<0.05	0.4	22.02	52.2	<0.02	<1	0.9	72.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869705	Rock	0.04	1.26	183.0	1.9	<0.05	1.1	7.06	47.3	<0.02	2	0.5	54.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869706	Rock	<0.02	0.34	31.0	0.5	<0.05	0.7	3.56	36.4	<0.02	1	0.5	17.8	<10	<2	N.A.	2.68	N.A.	N.A.	N.A.	N.A.
869707	Rock	<0.02	0.41	10.3	0.4	<0.05	0.6	1.03	7.9	<0.02	<1	0.3	5.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869708	Rock	<0.02	0.36	3.0	1.1	<0.05	0.2	0.36	2.9	<0.02	<1	<0.1	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869709	Rock	<0.02	0.21	119.2	1.6	<0.05	0.9	4.13	35.6	<0.02	1	0.3	35.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869710	Rock	<0.02	0.22	0.5	1.8	<0.05	0.1	1.51	2.8	<0.02	3	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869711	Rock	0.04	0.29	33.5	2.3	<0.05	1.3	2.13	30.7	<0.02	3	0.2	15.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869712	Rock	<0.02	0.29	5.1	1.4	<0.05	0.3	0.80	8.1	<0.02	<1	0.1	5.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869713	Rock	<0.02	0.40	109.3	1.9	<0.05	0.8	4.19	24.6	0.02	2	0.4	41.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869714	Rock	<0.02	1.09	2.8	0.3	<0.05	0.2	3.14	5.1	<0.02	<1	0.2	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869715	Rock	<0.02	0.19	34.0	2.3	<0.05	0.8	4.01	46.8	<0.02	<1	0.4	31.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869716	Rock	<0.02	0.71	20.1	0.6	<0.05	0.4	3.04	16.1	<0.02	<1	0.3	9.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869717	Rock	<0.02	0.42	24.8	1.4	<0.05	0.5	3.57	27.8	<0.02	<1	0.4	18.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869718	Rock	0.02	0.51	73.8	0.8	<0.05	0.8	4.00	36.3	<0.02	<1	0.3	27.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 5 Part 4

CERTIFICATE OF ANALYSIS

VAN08009998.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.01	0.001	0.001	0.05
869703	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869704	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869705	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869706	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869707	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869708	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869709	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869710	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869711	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869712	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869713	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869714	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869715	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869716	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869717	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869718	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN08009998.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
869549	Rock	1.16	1.10	45.41	8.27	81.1	328	54.0	14.9	180	3.11	1.1	0.6	0.7	5.5	50.5	0.37	0.06	0.41	51	0.70
REP 869549	QC		1.08	43.58	7.93	80.0	313	50.8	14.3	181	3.07	1.1	0.6	0.8	5.1	47.4	0.38	0.05	0.39	50	0.67
869755	Rock	0.95	0.06	0.22	4.57	5.4	4	4.8	0.8	492	0.33	0.5	1.6	0.7	0.3	495.3	0.11	<0.02	<0.02	4	30.91
REP 869755	QC		0.05	0.15	4.32	5.2	4	3.9	0.8	471	0.32	0.6	1.4	<0.2	0.2	486.9	0.10	<0.02	<0.02	4	29.25
869774	Rock	0.78	1.86	77.16	7.45	36.2	410	17.3	4.3	971	3.40	7.1	1.3	103.8	2.6	98.7	0.18	0.09	0.25	31	1.68
REP 869774	QC		2.01	80.11	7.54	38.1	420	17.5	4.3	1007	3.43	7.6	1.3	170.5	2.7	100.3	0.20	0.11	0.26	32	1.73
869571	Rock	3.49	2.96	6.91	3.37	8.5	22	2.7	0.7	329	0.33	2.7	2.8	1.1	9.9	2.2	0.06	0.05	0.10	<2	0.02
REP 869571	QC		2.95	6.84	3.46	9.4	21	2.7	0.7	337	0.34	2.6	3.0	1.2	9.9	2.3	0.06	0.06	0.11	<2	0.02
869586	Rock	4.92	26.78	22.62	54.75	52.5	101	14.7	5.3	482	2.48	1.6	4.5	4.3	14.8	8.9	0.05	0.06	1.34	33	0.06
REP 869586	QC		27.32	23.29	56.29	53.5	108	15.4	5.6	499	2.58	1.5	4.7	3.7	15.4	9.3	0.03	0.06	1.35	34	0.06
869710	Rock	5.40	0.61	15.63	0.61	0.9	19	1.8	0.3	42	0.34	0.4	<0.1	1.3	0.2	1.2	<0.01	0.03	0.30	<2	0.07
REP 869710	QC		0.60	15.16	0.61	0.8	17	1.6	0.2	40	0.34	0.4	<0.1	0.4	0.2	1.3	0.01	0.02	0.29	<2	0.07
Reference Materials																					
STD DS7	Standard		20.02	110.6	71.13	386.2	867	51.0	8.8	604	2.34	51.0	5.2	64.3	4.9	73.8	6.71	6.41	4.87	79	0.98
STD DS7	Standard		19.74	111.7	66.22	390.4	821	53.1	9.2	632	2.41	52.7	5.2	146.6	4.8	75.8	6.65	6.28	4.55	81	0.96
STD DS7	Standard		19.51	101.4	64.50	386.0	860	53.5	9.2	626	2.32	51.4	4.4	90.6	4.0	63.7	6.02	5.59	4.12	79	0.95
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93
STD KP-1 Expected																					
STD R4A Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN08009998.3

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
869549	Rock	0.176	13.6	47.1	0.69	85.0	0.121	<1	1.18	0.079	0.31	0.1	3.1	0.23	1.78	<5	1.1	0.04	4.9	1.48	<0.1
REP 869549	QC	0.167	12.2	47.0	0.67	76.9	0.111	<1	1.11	0.074	0.30	0.1	2.8	0.21	1.74	<5	1.0	0.05	4.6	1.38	<0.1
869755	Rock	0.001	2.5	1.9	6.31	38.9	0.003	<1	0.05	0.008	0.02	<0.1	0.5	<0.02	0.03	<5	<0.1	0.07	<0.1	0.09	<0.1
REP 869755	QC	0.001	2.3	1.9	6.05	34.4	0.003	<1	0.05	0.006	0.02	<0.1	0.5	<0.02	<0.02	<5	0.1	0.08	<0.1	0.08	<0.1
869774	Rock	0.177	6.3	14.8	0.39	115.2	0.043	2	1.17	0.050	0.31	0.2	1.9	0.17	0.89	<5	1.4	0.13	4.0	1.14	<0.1
REP 869774	QC	0.180	6.8	15.3	0.41	114.7	0.045	2	1.18	0.050	0.34	0.2	1.9	0.19	0.96	<5	1.7	0.13	4.2	1.16	0.1
869571	Rock	0.013	8.9	8.4	0.01	27.0	<0.001	1	0.20	0.029	0.10	0.2	0.4	0.03	<0.02	<5	<0.1	<0.02	0.6	0.36	<0.1
REP 869571	QC	0.013	9.7	9.1	0.01	27.8	0.001	2	0.22	0.030	0.11	0.2	0.5	0.03	<0.02	<5	<0.1	<0.02	0.7	0.40	<0.1
869586	Rock	0.035	20.4	37.1	0.69	99.4	0.128	<1	1.60	0.041	1.00	0.3	5.4	0.69	<0.02	<5	0.2	0.11	8.2	9.72	0.1
REP 869586	QC	0.034	22.0	38.1	0.69	103.0	0.133	<1	1.64	0.042	1.02	0.3	5.8	0.69	<0.02	<5	<0.1	0.13	8.0	9.94	<0.1
869710	Rock	0.041	1.2	11.4	<0.01	2.0	<0.001	<1	0.02	0.002	<0.01	<0.1	0.1	<0.02	<0.02	<5	<0.1	0.03	0.1	0.06	<0.1
REP 869710	QC	0.041	1.2	11.5	<0.01	2.0	<0.001	<1	0.02	0.002	<0.01	<0.1	0.1	<0.02	<0.02	<5	<0.1	<0.02	0.1	0.06	<0.1
Reference Materials																					
STD DS7	Standard	0.078	14.5	182.1	1.03	379.0	0.128	39	0.99	0.095	0.44	3.7	2.9	4.15	0.19	183	3.3	1.21	4.8	6.11	0.1
STD DS7	Standard	0.077	15.2	186.1	1.02	379.2	0.132	38	0.98	0.093	0.46	3.8	3.0	4.12	0.18	194	3.2	1.19	4.8	6.23	0.1
STD DS7	Standard	0.078	12.2	210.5	1.04	386.4	0.112	40	1.05	0.094	0.44	3.8	2.7	4.17	0.19	205	3.5	1.19	4.9	6.12	0.1
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected		0.08	11.7	179	1.05	370.3	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	6.36	0.1
STD KP-1 Expected																					
STD R4A Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

VAN08009998.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01	
Pulp Duplicates																					
869549	Rock	0.04	1.00	27.1	0.4	<0.05	1.1	7.49	22.3	<0.02	2	0.3	11.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869549	QC	0.03	0.85	25.5	0.3	<0.05	1.0	6.99	19.8	<0.02	3	0.3	10.9	<10	<2						
869755	Rock	<0.02	0.09	1.0	<0.1	<0.05	0.6	2.71	3.9	<0.02	1	<0.1	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869755	QC	<0.02	0.09	0.9	<0.1	<0.05	0.5	2.56	3.6	<0.02	2	<0.1	0.7	<10	<2						
869774	Rock	<0.02	0.52	18.2	0.5	<0.05	0.4	7.79	9.2	<0.02	3	0.5	11.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869774	QC	0.04	0.57	18.6	0.4	<0.05	0.5	8.36	9.8	<0.02	2	0.4	11.5	<10	<2						
869571	Rock	<0.02	1.86	6.9	0.7	<0.05	0.8	4.71	17.2	<0.02	<1	0.1	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869571	QC	<0.02	1.98	7.6	0.7	<0.05	0.9	4.78	18.2	<0.02	<1	0.3	2.4	<10	<2						
869586	Rock	0.07	1.06	122.6	3.1	<0.05	1.7	6.68	45.2	<0.02	2	0.6	39.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869586	QC	0.04	1.10	131.0	3.2	<0.05	1.9	7.06	48.7	<0.02	<1	0.4	39.7	<10	<2						
869710	Rock	<0.02	0.22	0.5	1.8	<0.05	0.1	1.51	2.8	<0.02	3	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869710	QC	<0.02	0.17	0.6	1.8	<0.05	0.2	1.49	2.8	<0.02	<1	<0.1	0.3	<10	<2						
Reference Materials																					
STD DS7	Standard	0.12	0.73	37.4	5.0	<0.05	5.5	6.09	35.6	1.67	6	1.5	28.4	48	37						
STD DS7	Standard	0.14	0.69	37.7	5.2	<0.05	5.7	6.34	36.6	1.64	4	1.6	28.2	41	37						
STD DS7	Standard	0.12	0.69	36.3	4.5	<0.05	6.0	5.51	37.8	1.45	8	1.7	28.1	82	41						
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected		0.11	0.71	35.8	4.61			5.4	5.18	36	1.57	4	1.6	29.3	58	37					
STD KP-1 Expected																					
STD KP-1 Expected																					
STD R4A Expected																					
STD R4A Expected																					
STD OXH55 Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
STD OXK69 Expected																					
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 1 of 2 Part 4

QUALITY CONTROL REPORT

VAN08009998.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
Pulp Duplicates																					
869549	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869549	QC																				
869755	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869755	QC																				
869774	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869774	QC																				
869571	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869571	QC																				
869586	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869586	QC																				
869710	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869710	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard	87	0.364	0.040	0.06	23.37	0.03	0.004	0.018	0.018	<0.01	0.97	0.040	0.012	0.87	1.31	0.08	0.51	<0.001	0.001	15.95
STD R4A	Standard	86	0.350	0.040	0.06	22.97	0.02	0.004	0.018	0.016	<0.01	0.94	0.042	0.012	0.84	1.26	0.07	0.50	<0.001	<0.001	15.26
STD DS7 Expected																					
STD KP-1 Expected																					
STD R4A Expected		86	0.336	0.04	0.06	23.38	0.023	0.004	0.017	0.012	0.0024	0.94	0.042	0.012	0.83	1.25	0.07	0.51	0	0.001	16.7
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank																				



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN08009998.3

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.21	2.64	15.92	68.9	90	3.8	4.2	545	1.91	0.5	2.2	1.2	3.8	48.8	0.16	0.30	0.07	36	0.53
G1	Prep Blank	<0.01	0.30	2.76	18.38	75.6	96	4.5	4.7	573	2.14	0.5	2.4	0.9	4.5	51.2	0.17	0.35	0.07	41	0.58



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

VAN08009998.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.087	7.1	7.5	0.57	255.1	0.133	1	0.90	0.055	0.46	<0.1	2.1	0.34	0.02	11	<0.1	<0.02	4.3	2.88	<0.1
G1	Prep Blank	0.098	8.6	10.8	0.63	269.1	0.142	1	0.99	0.059	0.53	<0.1	2.4	0.40	<0.02	12	0.1	<0.02	5.0	3.27	0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 3

QUALITY CONTROL REPORT

VAN08009998.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	%	gm/mt	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank														<0.005						
BLK	Blank																<0.001	<0.001	<0.01	<0.01	
BLK	Blank																<0.01				
BLK	Blank																<0.01				
Prep Wash																					
G1	Prep Blank	0.08	0.32	41.7	0.5	<0.05	0.9	4.14	12.4	0.02	<1	0.3	33.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	0.08	0.34	48.0	0.5	<0.05	1.0	4.67	14.7	0.02	<1	0.2	36.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 4

QUALITY CONTROL REPORT

VAN08009998.3

		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.05
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: October 10, 2008
 Report Date: November 06, 2008
 Page: 1 of 11

CERTIFICATE OF ANALYSIS

VAN08010161.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 015
 P.O. Number
 Number of Samples: 287

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	287	Sieve soil to 230 mesh		
RJSV	287	Save all or part of soil reject fraction		
1F30	283	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 "**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 2 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
869934	Soil	2.91	0.73	34.99	28.83	103.5	181	25.2	11.0	1193	2.61	11.0	1.5	4.6	6.6	32.6	0.52	0.48	0.24	40	0.31
869935	Soil	3.30	0.75	37.01	32.50	118.0	181	28.9	11.3	1276	2.81	12.1	1.7	3.2	7.4	33.3	0.52	0.50	0.26	44	0.32
869936	Soil	3.21	0.64	39.55	41.49	119.2	225	31.4	11.7	1402	2.81	12.4	2.3	3.1	6.7	45.4	0.57	0.55	0.27	42	0.38
869937	Soil	3.25	0.58	35.97	29.86	128.1	273	32.7	12.4	1050	2.91	12.8	2.6	1.7	6.7	35.7	0.47	0.47	0.25	44	0.31
869938	Soil	4.18	0.61	41.90	18.17	85.3	205	30.4	12.0	389	3.05	10.6	4.9	3.3	8.2	26.4	0.16	0.30	0.20	48	0.21
869939	Soil	3.96	0.60	34.86	15.92	96.2	260	24.3	11.3	761	2.63	8.7	1.5	2.9	5.3	30.2	0.41	0.38	0.23	43	0.29
869940	Soil	3.37	0.62	29.95	22.37	103.9	214	23.2	10.6	1417	2.55	9.1	1.5	1.7	4.8	40.4	0.65	0.52	0.25	40	0.35
869941	Soil	3.85	1.13	69.21	57.77	207.9	1298	43.3	14.9	2132	3.37	12.9	2.4	73.6	5.6	32.3	1.09	0.62	0.28	57	0.69
869942	Soil	4.63	0.74	56.21	23.61	110.6	267	35.3	15.9	1009	3.41	14.7	2.5	6.8	7.3	40.8	0.71	0.66	0.22	58	0.67
869943	Soil	3.90	1.37	76.07	47.36	170.1	463	53.1	18.6	2017	4.50	18.8	2.6	37.7	6.7	30.4	1.02	0.59	0.51	65	0.39
869944	Soil	3.01	1.79	81.38	24.81	128.5	565	51.9	16.9	1238	3.50	13.2	2.7	4.8	4.6	31.5	0.82	0.29	0.31	53	0.31
869945	Soil	3.22	2.41	113.9	17.60	150.3	738	70.0	21.6	993	4.38	10.6	3.4	5.7	5.8	56.9	0.77	0.41	0.36	73	0.54
869946	Soil	3.16	0.57	43.04	14.33	61.7	88	16.3	16.2	864	2.71	9.1	2.2	12.6	7.7	31.7	0.40	0.61	0.16	52	0.43
869947	Soil	3.49	0.66	52.49	15.06	95.7	174	29.6	14.3	872	3.16	9.6	2.4	3.3	5.0	36.4	0.35	0.49	0.25	58	0.37
869948	Soil	3.30	0.63	53.55	19.91	108.4	186	28.2	15.1	1013	3.36	8.5	2.8	7.6	5.4	41.3	0.44	0.65	0.32	55	0.41
869949	Soil	3.37	0.63	29.19	11.03	61.7	100	21.3	11.2	552	2.44	5.3	2.6	4.6	7.2	33.9	0.25	0.45	0.15	44	0.43
869950	Soil	3.69	0.90	42.73	19.77	113.1	146	32.2	16.2	963	3.47	9.8	2.1	17.3	5.9	29.5	0.39	0.53	0.31	57	0.28
869951	Soil	3.01	0.74	53.97	45.85	159.0	1004	36.4	17.5	1384	3.45	10.3	2.5	20.3	4.4	37.9	0.74	0.85	0.38	52	0.85
869952	Soil	3.40	0.83	52.94	52.55	170.4	248	51.2	21.2	1435	3.47	10.5	1.8	11.4	4.6	40.3	0.95	0.58	0.72	46	0.49
869953	Soil	3.69	0.77	40.10	23.93	138.8	267	30.6	12.9	599	2.83	9.3	1.3	2.4	5.3	41.4	0.60	0.39	0.30	44	0.37
869954	Soil	3.66	1.11	68.72	29.15	146.4	226	52.6	20.3	1305	3.95	9.7	2.2	3.8	4.9	37.3	0.66	0.47	0.43	55	0.39
869955	Soil	4.94	0.67	71.68	22.99	117.4	295	78.2	18.9	912	3.64	9.1	2.7	4.5	6.4	42.6	0.54	0.44	0.31	59	0.58
869956	Soil	3.34	0.56	37.87	19.31	84.5	131	45.5	16.5	629	3.29	7.7	1.4	9.5	5.8	26.3	0.25	0.30	0.23	56	0.28
869957	Soil	3.98	0.69	46.73	19.87	124.4	159	89.1	21.7	861	4.23	7.9	1.6	8.0	6.2	30.4	0.34	0.37	0.26	68	0.40
869958	Soil	2.92	0.72	41.06	27.46	125.3	164	50.3	16.1	1447	3.05	7.9	1.4	3.2	4.3	38.1	0.78	0.49	0.33	48	0.51
869959	Soil	3.45	0.96	59.44	29.70	119.5	337	69.0	22.0	1419	4.28	7.8	1.9	2.7	5.8	35.0	0.54	0.50	0.43	65	0.52
869960	Soil	4.11	0.91	65.41	32.44	143.3	410	69.0	29.9	2188	4.53	10.8	1.2	3.9	6.5	43.0	0.90	0.46	0.41	62	1.18
869961	Soil	3.17	3.79	211.6	65.44	448.0	354	277.9	77.1	1109	6.49	13.3	3.9	3.4	4.4	40.7	1.38	0.28	0.44	146	0.67
869962	Soil	2.79	0.73	37.88	30.59	201.9	201	54.7	16.8	2357	3.09	8.7	1.3	1.9	3.4	55.7	1.43	0.60	0.36	43	0.64
869963	Soil	2.01	0.52	26.04	19.04	146.1	129	39.0	14.5	1741	3.09	5.5	1.0	0.8	4.3	47.4	0.90	0.36	0.27	42	0.55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

2 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869934	Soil	0.223	21.1	26.4	0.47	328.0	0.096	2	2.82	0.011	0.16	0.3	3.7	0.16	0.03	41	0.7	<0.02	7.6	1.95	<0.1
869935	Soil	0.222	22.5	28.8	0.51	345.2	0.103	3	3.05	0.012	0.17	0.3	3.9	0.17	0.03	42	0.8	0.04	7.7	2.11	<0.1
869936	Soil	0.237	21.5	33.6	0.50	358.0	0.096	2	3.09	0.011	0.16	0.3	3.8	0.16	0.03	44	0.7	0.07	8.1	1.93	<0.1
869937	Soil	0.278	20.8	35.1	0.55	366.3	0.108	2	3.02	0.012	0.16	0.2	3.9	0.18	0.02	32	0.6	0.05	8.3	2.36	0.1
869938	Soil	0.163	20.6	37.2	0.58	237.2	0.109	1	3.13	0.010	0.17	0.2	3.7	0.16	<0.02	29	0.4	<0.02	8.4	2.16	<0.1
869939	Soil	0.240	17.9	24.0	0.43	239.1	0.121	2	3.59	0.014	0.12	0.2	3.8	0.15	<0.02	34	0.7	0.07	8.9	2.03	<0.1
869940	Soil	0.325	16.1	24.2	0.42	358.5	0.108	3	3.22	0.014	0.14	0.2	3.6	0.16	<0.02	32	0.6	0.02	8.6	2.01	<0.1
869941	Soil	0.186	23.5	30.6	0.78	264.1	0.133	3	3.79	0.017	0.17	0.3	5.5	0.26	0.03	34	0.7	0.07	9.0	2.31	0.1
869942	Soil	0.098	21.6	51.4	0.95	164.4	0.117	3	3.18	0.023	0.23	0.2	5.7	0.23	0.02	31	0.7	0.09	8.6	2.24	0.1
869943	Soil	0.144	27.6	44.3	1.28	233.3	0.119	3	3.74	0.010	0.26	16.5	6.5	0.37	0.04	37	0.9	0.08	8.9	3.15	<0.1
869944	Soil	0.183	21.1	26.8	0.53	178.3	0.127	2	4.22	0.015	0.13	1.1	4.7	0.19	0.05	25	1.0	0.03	9.8	2.48	<0.1
869945	Soil	0.149	18.8	36.6	0.76	178.3	0.130	2	4.15	0.017	0.17	0.3	5.2	0.26	0.06	40	1.6	0.08	9.5	2.78	0.1
869946	Soil	0.084	22.8	28.0	0.50	95.8	0.085	1	1.70	0.008	0.16	0.2	4.5	0.12	<0.02	14	0.6	0.05	5.2	1.30	<0.1
869947	Soil	0.099	24.3	38.5	0.61	161.4	0.108	2	3.12	0.009	0.20	0.2	4.5	0.13	0.02	18	0.7	0.04	8.2	1.98	<0.1
869948	Soil	0.133	23.8	38.1	0.65	186.7	0.105	2	3.18	0.009	0.21	0.2	4.3	0.15	<0.02	30	0.6	0.07	8.4	2.02	<0.1
869949	Soil	0.112	23.7	28.8	0.51	126.4	0.098	<1	1.68	0.010	0.22	0.2	3.9	0.15	<0.02	14	0.5	0.04	5.3	1.48	<0.1
869950	Soil	0.218	18.7	38.3	0.66	230.4	0.144	2	4.15	0.010	0.23	0.2	4.4	0.21	0.02	32	0.8	0.04	10.8	2.43	<0.1
869951	Soil	0.252	22.7	36.4	0.83	267.4	0.134	6	4.00	0.018	0.19	0.3	5.8	0.26	0.03	45	0.8	0.03	9.9	2.73	0.1
869952	Soil	0.171	18.7	32.9	0.62	286.5	0.132	3	3.59	0.013	0.17	0.3	4.9	0.20	0.03	43	0.7	0.04	8.8	2.56	<0.1
869953	Soil	0.184	17.4	30.8	0.55	223.3	0.116	2	2.53	0.025	0.24	0.4	4.1	0.20	<0.02	19	0.5	<0.02	6.7	1.90	<0.1
869954	Soil	0.176	22.2	43.1	0.85	214.0	0.128	4	3.68	0.012	0.20	0.3	4.9	0.25	0.04	31	1.0	0.06	9.6	3.20	0.1
869955	Soil	0.073	21.9	57.7	0.82	187.0	0.139	5	3.21	0.023	0.28	0.4	5.7	0.24	0.02	38	0.9	0.04	8.0	2.77	<0.1
869956	Soil	0.089	19.5	50.2	0.78	153.5	0.121	1	2.49	0.011	0.27	0.3	4.9	0.23	<0.02	<5	0.6	<0.02	6.7	2.53	0.1
869957	Soil	0.145	19.5	89.6	1.24	205.6	0.145	3	3.11	0.011	0.42	0.2	6.4	0.31	<0.02	27	0.5	0.04	9.0	4.03	0.1
869958	Soil	0.285	16.8	45.0	0.76	383.8	0.143	4	3.51	0.018	0.21	0.4	4.5	0.23	0.02	29	0.4	<0.02	8.9	2.70	<0.1
869959	Soil	0.133	21.7	48.5	0.86	225.2	0.151	3	3.79	0.017	0.28	2.0	6.3	0.30	0.03	26	0.7	0.06	9.9	3.57	<0.1
869960	Soil	0.175	26.8	50.3	1.13	257.9	0.126	3	3.26	0.021	0.28	0.3	7.0	0.36	0.03	25	1.0	0.03	8.1	3.68	0.1
869961	Soil	0.259	13.8	129.4	1.76	355.1	0.241	2	4.32	0.022	0.60	0.4	11.3	0.62	0.04	38	1.2	0.10	11.3	6.52	0.1
869962	Soil	0.347	15.1	33.8	0.56	378.4	0.109	3	3.16	0.012	0.18	0.2	3.6	0.19	0.03	38	0.7	0.04	8.5	2.13	<0.1
869963	Soil	0.367	14.3	38.5	0.64	451.1	0.104	4	2.83	0.012	0.29	0.3	3.9	0.20	<0.02	19	0.5	0.02	8.1	2.18	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 2 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869934	Soil	0.10	2.61	19.6	0.7	<0.05	7.7	9.36	44.6	0.05	<1	0.7	18.2	<10	<2
869935	Soil	0.09	2.68	20.8	0.7	<0.05	8.4	10.02	47.8	0.04	<1	0.8	20.4	<10	<2
869936	Soil	0.06	2.32	18.3	0.7	<0.05	6.4	11.51	47.1	0.05	<1	1.1	21.8	<10	<2
869937	Soil	0.10	2.32	22.3	0.7	<0.05	8.5	10.16	45.9	0.04	<1	1.0	22.8	<10	<2
869938	Soil	0.12	2.08	21.9	0.7	<0.05	10.3	8.61	51.0	0.03	<1	0.9	24.6	<10	<2
869939	Soil	0.15	2.19	19.2	0.8	<0.05	14.4	10.10	42.4	0.04	<1	0.8	19.3	<10	<2
869940	Soil	0.13	2.16	22.2	0.8	<0.05	10.5	8.95	37.5	0.03	<1	0.8	17.5	<10	<2
869941	Soil	0.12	2.25	29.5	0.8	<0.05	12.4	19.27	50.3	0.04	<1	1.1	23.5	<10	<2
869942	Soil	0.09	2.91	39.6	0.7	<0.05	6.8	15.00	41.1	0.04	<1	0.9	30.1	<10	<2
869943	Soil	0.06	2.08	41.0	0.8	<0.05	5.8	22.14	56.4	0.06	<1	1.4	32.0	<10	<2
869944	Soil	0.16	2.50	25.0	0.8	<0.05	13.0	13.95	49.9	0.03	<1	1.0	22.9	<10	<2
869945	Soil	0.13	2.79	28.3	0.8	<0.05	10.4	14.63	46.1	0.03	<1	1.2	28.5	<10	<2
869946	Soil	0.04	2.38	20.8	0.4	<0.05	3.6	9.10	47.2	<0.02	<1	0.6	11.6	<10	<2
869947	Soil	0.08	2.64	25.8	0.6	<0.05	4.2	12.14	42.5	0.03	<1	0.7	22.7	<10	<2
869948	Soil	0.06	2.64	29.1	0.7	<0.05	4.1	12.37	36.7	0.03	<1	1.1	26.0	<10	<2
869949	Soil	0.04	2.17	24.9	0.5	<0.05	2.7	11.35	40.9	<0.02	<1	0.6	16.1	<10	<2
869950	Soil	0.12	2.91	29.4	0.9	<0.05	8.4	9.03	45.3	0.04	<1	1.0	25.8	<10	<2
869951	Soil	0.15	2.57	32.7	0.9	<0.05	11.7	17.52	45.8	0.05	<1	1.4	27.3	<10	<2
869952	Soil	0.17	3.05	30.6	0.8	<0.05	12.2	11.66	42.8	0.04	<1	1.3	23.3	<10	<2
869953	Soil	0.23	1.29	27.9	0.6	<0.05	16.3	9.12	35.1	0.04	<1	0.6	18.2	<10	3
869954	Soil	0.14	2.88	33.8	0.9	<0.05	9.1	13.37	44.0	0.03	<1	1.1	25.6	<10	<2
869955	Soil	0.18	2.68	43.4	0.8	<0.05	10.6	13.55	38.4	0.04	<1	0.9	63.5	<10	<2
869956	Soil	0.14	1.79	36.7	0.5	<0.05	7.6	8.57	38.8	0.03	<1	0.7	19.3	<10	<2
869957	Soil	0.13	2.37	58.9	0.7	<0.05	8.6	8.20	43.4	0.05	<1	1.0	31.2	<10	<2
869958	Soil	0.22	2.82	32.3	0.9	<0.05	14.5	10.15	39.8	0.05	<1	0.8	22.9	<10	<2
869959	Soil	0.19	2.54	41.1	0.8	<0.05	13.4	18.11	46.1	0.05	2	1.4	26.7	<10	<2
869960	Soil	0.12	1.79	37.2	0.6	<0.05	8.9	28.04	52.4	0.06	<1	1.3	28.9	<10	<2
869961	Soil	0.27	2.52	65.8	0.7	<0.05	17.7	16.88	27.5	0.06	1	1.0	38.1	12	<2
869962	Soil	0.12	2.63	27.1	0.9	<0.05	8.4	8.38	34.9	0.04	<1	0.9	20.3	<10	<2
869963	Soil	0.10	2.69	31.7	0.6	<0.05	5.7	6.79	30.6	0.03	<1	0.8	21.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

3 of 11

Part 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869964	Soil	2.25	0.49	25.47	19.80	90.6	159	32.9	13.1	1132	2.83	6.5	1.0	1.0	4.2	40.5	0.42	0.47	0.26	45	0.58
869965	Soil	2.09	0.58	30.47	27.00	127.7	162	38.8	14.8	1308	3.10	7.8	1.2	1.3	5.0	32.8	0.54	0.63	0.32	45	0.49
869966	Soil	2.29	0.44	41.43	19.95	96.9	167	33.2	14.9	585	3.02	8.5	1.3	4.0	5.2	25.9	0.24	0.34	0.25	48	0.37
869967	Soil	2.20	0.56	42.58	38.83	148.1	178	36.8	15.9	1536	2.83	9.9	1.2	14.2	2.6	48.0	1.20	0.58	0.36	38	0.59
869968	Soil	2.15	0.65	50.92	43.27	210.5	149	46.3	17.8	1004	3.40	10.5	1.4	1.6	4.3	51.1	1.39	0.58	0.37	51	0.76
869969	Soil	2.70	3.95	132.2	147.5	358.2	727	106.2	55.3	4168	6.82	17.5	3.4	5.9	4.5	52.2	2.30	1.76	0.95	73	0.45
869970	Soil	2.05	0.49	29.80	29.92	131.9	92	35.0	14.2	1039	2.89	7.0	1.3	2.2	4.8	48.1	0.91	0.55	0.35	39	0.63
869971	Soil	2.48	0.53	32.92	27.16	135.1	108	38.3	14.2	1001	2.99	6.7	1.4	16.4	5.0	45.1	0.85	0.51	0.33	39	0.63
869972	Soil	2.50	0.54	38.36	23.29	111.8	183	48.0	15.3	1065	3.06	8.9	1.8	4.3	3.6	48.6	0.84	0.55	0.31	46	0.67
869973	Soil	2.53	0.67	55.04	40.74	167.2	191	44.5	21.2	1854	3.38	13.0	1.5	2.3	2.8	87.0	1.39	0.70	0.40	42	0.93
869974	Soil	3.27	0.78	50.04	59.71	151.2	167	33.1	17.0	1889	3.17	13.5	1.6	3.3	3.1	58.1	1.81	0.90	0.55	41	0.91
869975	Soil	2.90	1.29	91.78	46.75	256.6	348	55.1	29.5	1893	4.12	17.8	2.7	2.1	3.4	44.7	2.18	0.77	0.46	58	0.40
869976	Soil	2.67	0.79	57.21	31.57	239.3	229	55.1	16.8	1313	3.03	10.2	1.5	2.2	2.3	68.1	2.62	0.77	0.34	44	1.07
869977	Soil	2.62	0.82	73.73	30.48	172.7	230	38.5	20.0	1431	3.15	10.5	2.4	2.6	3.0	55.6	1.66	0.59	0.33	53	0.56
869978	Soil	2.73	0.74	39.35	22.56	119.7	193	32.9	12.9	540	2.99	9.8	1.3	2.7	5.4	38.0	0.51	0.39	0.29	48	0.32
869979	Soil	2.01	0.89	56.27	60.86	170.5	135	38.8	18.2	1259	3.38	12.8	2.6	4.7	4.7	52.1	1.64	1.16	0.47	55	0.53
869980	Soil	2.22	0.98	57.18	65.42	221.8	236	44.0	19.1	1590	3.00	12.0	1.7	3.7	2.4	57.6	2.41	0.87	0.43	47	0.67
869981	Soil	2.44	0.77	41.93	51.16	185.8	150	41.4	15.9	1539	3.07	14.9	1.4	3.0	5.0	54.0	1.95	1.02	0.35	48	0.52
869982	Soil	2.26	0.71	40.64	36.02	201.8	144	34.8	14.6	1808	2.94	11.4	1.2	1.6	4.0	72.9	1.99	0.62	0.34	41	0.59
869983	Soil	2.36	0.71	43.75	36.49	128.2	145	35.0	17.1	1340	3.33	13.0	1.5	2.2	3.9	58.6	1.19	0.71	0.35	51	0.53
869984	Soil	2.15	1.28	86.58	54.90	310.6	326	83.4	49.5	2057	3.74	17.5	2.2	2.5	3.2	67.8	2.68	0.89	0.47	49	0.84
869985	Soil	2.52	0.71	53.03	75.98	184.7	210	50.0	16.9	1813	3.35	18.4	6.8	5.6	9.8	65.4	1.58	1.19	0.43	56	0.54
869986	Soil	2.36	0.51	46.71	42.08	137.0	159	52.2	19.4	1208	3.40	9.6	7.9	5.3	10.3	95.8	0.89	0.70	0.28	57	0.67
869987	Soil	2.11	0.63	43.12	41.81	194.7	201	34.3	14.2	1477	2.83	20.6	1.7	3.1	4.5	79.2	1.69	0.62	0.36	43	0.62
869988	Soil	2.36	0.93	47.58	52.74	138.7	140	39.7	17.0	1677	3.11	15.1	2.2	7.0	5.6	54.8	1.59	0.82	0.42	49	0.39
869989	Soil	2.93	0.76	38.90	21.50	108.8	171	28.5	11.8	461	2.73	7.9	1.3	10.4	6.1	37.4	0.44	0.37	0.29	49	0.32
869990	Soil	1.76	0.98	29.80	48.06	174.4	155	31.1	11.6	2609	2.64	12.0	1.8	4.9	3.9	68.9	1.65	0.80	0.41	38	0.66
869991	Soil	2.12	0.70	27.74	21.70	118.4	196	28.6	10.4	1409	2.44	12.6	1.6	2.1	6.4	41.4	0.45	0.50	0.29	34	0.33
869992	Soil	2.59	1.00	29.06	29.03	124.4	190	27.4	12.3	1617	2.77	14.3	1.8	2.2	7.5	41.6	0.66	0.57	0.52	42	0.30
869993	Soil	2.52	0.88	44.75	26.27	130.1	211	35.4	16.4	1149	3.38	10.0	1.9	21.8	8.1	33.9	0.52	0.36	0.38	56	0.23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 3 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869964	Soil	0.274	14.9	33.0	0.64	315.2	0.100	2	2.41	0.011	0.28	0.3	3.3	0.22	<0.02	23	0.3	0.03	6.9	2.07	0.1
869965	Soil	0.251	17.1	38.6	0.65	295.4	0.119	3	3.00	0.016	0.26	0.3	4.1	0.24	<0.02	31	0.5	0.05	8.2	2.39	<0.1
869966	Soil	0.124	16.0	35.9	0.63	162.4	0.103	<1	2.62	0.011	0.22	0.2	4.2	0.20	<0.02	18	0.5	<0.02	6.9	2.14	<0.1
869967	Soil	0.335	15.1	31.1	0.55	350.7	0.092	4	2.97	0.013	0.22	0.2	3.7	0.19	0.03	26	0.6	0.03	7.9	2.13	<0.1
869968	Soil	0.161	16.0	36.1	0.69	247.2	0.107	3	2.99	0.012	0.19	0.3	4.2	0.20	0.03	15	0.5	0.02	8.0	2.23	<0.1
869969	Soil	0.387	16.6	58.6	0.93	216.9	0.111	1	3.43	0.016	0.33	0.4	5.4	0.39	0.18	57	2.7	0.15	10.5	4.56	0.1
869970	Soil	0.263	15.3	35.2	0.62	364.4	0.109	2	2.95	0.011	0.30	0.3	4.4	0.21	<0.02	20	0.4	0.03	8.3	2.29	0.1
869971	Soil	0.261	16.0	34.6	0.65	335.1	0.109	2	3.04	0.012	0.28	0.3	4.4	0.22	<0.02	32	0.4	<0.02	8.6	2.29	<0.1
869972	Soil	0.228	16.3	40.2	0.61	346.3	0.106	3	3.09	0.010	0.30	0.2	4.1	0.18	0.03	26	0.4	0.02	9.0	2.35	<0.1
869973	Soil	0.311	17.9	36.2	0.62	363.5	0.093	3	2.95	0.008	0.32	0.3	3.8	0.19	0.04	39	0.7	<0.02	8.8	2.41	<0.1
869974	Soil	0.247	16.1	36.5	0.59	387.2	0.081	4	2.44	0.009	0.26	0.3	3.6	0.17	0.04	26	0.6	0.05	7.0	2.00	<0.1
869975	Soil	0.216	19.0	36.3	0.73	311.9	0.100	2	2.99	0.007	0.35	0.2	4.1	0.25	0.04	26	0.7	0.05	8.8	3.16	<0.1
869976	Soil	0.231	13.3	31.8	0.66	274.0	0.082	4	2.63	0.011	0.17	0.2	3.2	0.15	0.04	33	0.7	0.04	7.3	2.34	<0.1
869977	Soil	0.174	16.0	35.2	0.65	267.3	0.081	3	2.72	0.009	0.20	0.2	4.0	0.17	0.03	24	0.6	0.03	8.3	2.46	<0.1
869978	Soil	0.137	16.7	34.7	0.62	173.0	0.106	<1	2.17	0.019	0.29	0.4	4.0	0.20	<0.02	25	0.4	0.03	6.3	1.89	<0.1
869979	Soil	0.196	17.5	32.0	0.68	255.8	0.102	2	2.92	0.009	0.21	0.3	4.1	0.22	0.03	39	0.6	0.05	8.5	2.52	<0.1
869980	Soil	0.222	14.2	33.7	0.59	278.5	0.063	3	2.09	0.008	0.19	0.3	3.0	0.21	0.04	38	0.7	0.04	6.4	2.39	<0.1
869981	Soil	0.205	17.4	36.7	0.61	347.2	0.098	3	2.72	0.010	0.23	0.3	3.7	0.20	0.02	38	0.6	0.04	8.1	2.35	<0.1
869982	Soil	0.376	16.6	32.1	0.56	515.1	0.097	3	2.91	0.011	0.19	0.2	3.6	0.17	0.02	26	0.6	0.07	8.4	2.20	<0.1
869983	Soil	0.157	19.0	39.3	0.76	306.6	0.101	2	3.09	0.009	0.26	0.2	4.7	0.20	0.03	34	0.5	0.03	9.1	2.37	<0.1
869984	Soil	0.259	14.3	35.2	0.77	310.8	0.078	4	2.77	0.014	0.18	0.2	3.2	0.23	0.07	54	0.6	0.04	7.5	3.57	<0.1
869985	Soil	0.120	34.2	52.2	0.74	391.6	0.119	4	3.41	0.013	0.29	0.5	6.3	0.25	0.03	43	0.3	<0.02	8.8	2.76	<0.1
869986	Soil	0.117	38.1	67.3	1.13	433.4	0.159	3	2.56	0.012	0.35	0.2	5.8	0.31	0.02	30	0.4	0.03	7.3	3.79	<0.1
869987	Soil	0.309	20.7	28.9	0.54	350.1	0.087	3	3.12	0.011	0.21	0.2	3.8	0.17	0.03	25	0.4	0.04	7.9	2.38	<0.1
869988	Soil	0.187	22.6	34.9	0.63	322.8	0.085	3	3.00	0.009	0.20	0.3	3.9	0.20	0.02	27	0.4	0.05	8.1	2.36	<0.1
869989	Soil	0.117	18.8	32.9	0.57	157.4	0.107	1	2.02	0.020	0.25	0.4	3.8	0.19	<0.02	21	0.2	0.02	5.7	1.88	<0.1
869990	Soil	0.260	15.8	25.5	0.46	537.8	0.082	2	2.95	0.011	0.15	0.2	3.0	0.15	0.03	42	0.3	0.05	8.5	2.09	<0.1
869991	Soil	0.397	16.4	22.1	0.38	362.1	0.109	3	3.37	0.016	0.15	0.2	3.8	0.19	<0.02	46	0.4	0.02	8.1	2.36	<0.1
869992	Soil	0.354	17.7	26.8	0.50	367.1	0.094	2	3.15	0.011	0.15	0.2	3.8	0.20	<0.02	38	0.3	<0.02	8.3	2.21	<0.1
869993	Soil	0.176	20.3	39.2	0.74	278.0	0.131	2	4.03	0.012	0.19	0.2	5.5	0.23	<0.02	34	0.3	0.04	10.8	2.79	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 3 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
869964	Soil	0.04	2.92	38.1	0.7	<0.05	2.8	6.53	30.6	0.04	<1	0.7	20.1	<10	<2
869965	Soil	0.13	2.47	35.5	0.7	<0.05	7.5	8.67	35.3	0.04	1	0.9	20.7	<10	<2
869966	Soil	0.14	1.66	31.8	0.6	<0.05	9.8	9.97	33.5	0.03	<1	0.9	19.4	<10	<2
869967	Soil	0.10	2.29	28.2	0.7	<0.05	6.4	8.68	33.7	0.06	<1	1.0	18.3	<10	<2
869968	Soil	0.13	2.75	35.7	0.7	<0.05	8.4	9.66	34.8	0.05	<1	0.9	22.3	<10	<2
869969	Soil	0.08	2.75	50.4	1.1	<0.05	5.2	15.46	37.5	0.12	<1	1.3	30.2	<10	<2
869970	Soil	0.17	2.88	35.8	0.7	<0.05	11.2	8.62	32.5	0.04	<1	0.7	22.5	<10	<2
869971	Soil	0.17	2.89	38.1	0.8	<0.05	11.1	9.05	32.5	0.05	1	1.2	23.0	<10	<2
869972	Soil	0.10	3.44	34.7	0.7	<0.05	5.3	8.32	34.1	0.04	<1	1.1	22.4	<10	<2
869973	Soil	0.10	3.10	37.9	0.7	<0.05	5.7	9.83	37.4	0.06	<1	1.1	21.6	<10	<2
869974	Soil	0.07	2.65	32.0	0.8	<0.05	3.6	8.50	33.9	0.10	<1	0.7	21.8	<10	<2
869975	Soil	0.06	2.53	46.3	0.8	<0.05	3.9	10.93	42.2	0.07	<1	1.1	26.1	<10	2
869976	Soil	0.09	2.72	40.6	0.7	<0.05	4.3	7.26	28.3	0.05	<1	0.9	22.2	<10	<2
869977	Soil	0.08	2.40	36.6	0.7	<0.05	5.0	10.02	34.1	0.05	<1	1.0	23.5	<10	<2
869978	Soil	0.16	1.27	31.7	0.6	<0.05	11.6	8.58	33.3	0.03	1	0.5	19.3	<10	<2
869979	Soil	0.11	3.02	35.1	0.9	<0.05	6.1	7.90	39.3	0.11	<1	1.1	25.0	<10	<2
869980	Soil	0.02	2.07	30.4	0.6	<0.05	1.6	7.05	31.0	0.10	<1	0.8	18.1	<10	<2
869981	Soil	0.11	2.67	36.8	0.8	<0.05	7.2	7.78	37.5	0.10	<1	0.8	19.8	<10	<2
869982	Soil	0.10	2.58	27.6	0.7	<0.05	6.8	7.09	35.6	0.05	1	1.0	21.0	<10	<2
869983	Soil	0.09	2.97	39.6	0.7	<0.05	5.6	8.07	41.5	0.06	<1	1.0	23.8	<10	<2
869984	Soil	0.04	1.98	33.2	0.6	<0.05	2.3	9.16	31.8	0.06	<1	1.0	31.2	<10	<2
869985	Soil	0.05	2.64	30.6	0.9	<0.05	3.9	23.14	60.3	0.13	<1	1.0	45.6	<10	<2
869986	Soil	0.10	5.50	40.6	0.7	<0.05	6.1	13.62	64.9	0.08	<1	1.0	42.2	<10	<2
869987	Soil	0.07	2.76	30.5	0.8	<0.05	4.3	8.98	39.9	0.05	<1	0.9	22.2	<10	<2
869988	Soil	0.04	2.28	27.6	0.7	<0.05	3.6	8.58	44.6	0.08	<1	1.1	26.0	<10	<2
869989	Soil	0.13	1.15	27.5	0.5	<0.05	9.1	7.95	35.4	0.03	<1	0.5	18.9	<10	<2
869990	Soil	0.06	2.44	19.8	0.9	<0.05	4.1	6.45	34.2	0.07	<1	0.9	24.2	<10	<2
869991	Soil	0.11	1.86	19.9	0.8	<0.05	9.3	8.06	36.2	0.03	<1	0.9	20.6	<10	<2
869992	Soil	0.09	2.07	22.1	0.8	<0.05	7.3	8.02	38.7	0.04	<1	1.0	25.7	<10	<2
869993	Soil	0.15	1.94	29.3	0.8	<0.05	10.7	9.01	46.3	0.04	<1	1.0	29.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 4 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
869994	Soil	2.47	0.79	38.64	59.40	310.0	181	36.9	16.9	1420	3.08	11.1	1.3	2.6	4.3	72.7	4.32	0.57	0.36	46	0.74
869995	Soil	2.91	0.86	51.09	38.88	263.8	238	61.8	18.9	1353	3.73	13.7	2.9	1.2	5.6	62.0	3.31	0.88	0.42	58	0.58
869996	Soil	2.40	0.70	38.96	33.42	169.1	274	119.7	17.9	1283	3.28	15.8	2.2	2.4	5.0	57.1	1.20	0.63	0.41	49	0.54
869997	Soil	2.58	0.71	41.09	32.47	170.8	302	123.0	18.0	1221	3.32	16.5	2.4	3.8	5.4	56.8	1.14	0.67	0.41	51	0.54
869998	Soil	2.63	0.89	45.94	29.11	99.9	162	60.6	15.6	585	3.14	15.9	6.0	5.0	8.1	33.2	0.59	0.59	0.44	48	0.38
869999	Soil	2.30	0.75	29.82	22.34	150.3	253	37.8	13.3	1098	2.81	8.9	2.3	1.7	5.6	39.6	0.60	0.39	0.38	37	0.36
867000	Soil	2.50	0.81	27.03	29.90	124.5	138	33.6	13.8	1165	2.74	8.8	1.3	2.1	4.8	62.5	0.90	0.52	0.41	37	0.52
945201	Soil	2.22	0.69	23.90	43.41	118.2	182	102.7	15.8	1101	2.67	10.6	1.4	2.3	8.7	44.8	0.72	0.71	0.32	41	0.43
945202	Soil	3.02	0.58	34.63	20.48	86.0	170	90.4	17.4	964	2.65	6.3	1.2	3.3	8.0	39.4	0.44	0.32	0.23	51	0.35
945203	Soil	3.04	0.47	30.27	25.43	114.6	90	55.5	15.3	538	3.35	6.5	1.1	1.0	8.6	35.5	0.27	0.35	0.29	51	0.27
945204	Soil	2.80	0.80	40.98	23.72	177.7	165	46.4	19.6	1165	3.53	9.9	1.8	2.8	8.6	30.1	0.81	0.32	0.59	43	0.14
945205	Soil	2.33	0.69	34.92	22.37	154.7	213	41.2	15.9	939	3.18	8.7	1.6	1.6	6.1	43.3	0.50	0.46	0.40	39	0.33
945206	Soil	2.49	0.77	28.56	25.85	131.7	175	37.4	15.1	1254	2.80	7.6	1.3	1.0	4.6	44.7	0.54	0.49	0.39	34	0.34
945207	Soil	2.46	0.62	32.43	22.18	176.3	168	48.3	15.8	1038	3.08	8.7	1.6	70.8	6.7	47.5	0.69	0.55	0.46	37	0.33
945208	Soil	2.67	0.63	42.55	19.68	124.7	329	41.3	16.8	501	3.02	9.8	2.0	1.4	7.6	34.9	0.36	0.32	0.41	38	0.27
945209	Soil	3.07	0.60	34.25	17.15	137.9	244	39.2	15.8	797	3.02	8.6	1.8	1.6	8.3	33.9	0.29	0.24	0.41	34	0.19
945210	Soil	3.18	1.03	79.79	33.57	124.1	287	56.6	22.7	1033	4.19	15.5	6.1	3.8	8.3	64.4	0.43	0.57	0.66	49	0.48
945211	Soil	2.50	0.71	38.22	15.39	77.5	60	31.6	13.4	419	3.20	14.3	2.0	3.7	12.1	22.7	0.17	0.35	0.42	38	0.16
945212	Soil	1.81	0.64	30.71	37.52	142.7	153	38.1	15.3	1082	3.10	8.8	1.3	1.5	5.7	45.8	0.82	0.74	0.43	37	0.33
945213	Soil	2.00	0.61	27.41	31.81	158.5	156	38.5	13.9	1480	2.89	9.4	1.1	1.9	5.1	38.6	0.79	0.67	0.43	36	0.24
945214	Soil	2.93	0.65	49.87	15.90	130.0	236	32.6	14.0	683	2.97	8.3	2.3	2.3	8.5	36.7	0.30	0.36	0.39	43	0.27
945215	Soil	2.99	0.69	47.56	15.78	117.6	220	31.5	14.1	627	3.11	9.8	2.4	5.2	9.4	36.0	0.27	0.36	0.42	43	0.26
945216	Soil	2.72	0.75	35.25	36.45	239.8	221	50.9	16.9	924	3.43	9.0	1.4	1.7	6.8	51.5	0.91	0.50	0.45	45	0.46
945217	Soil	2.85	0.64	43.28	20.34	137.1	275	41.2	15.0	526	3.00	8.2	1.7	2.4	6.5	34.1	0.41	0.37	0.35	43	0.28
945218	Soil	3.09	0.74	39.74	22.14	110.6	170	30.2	12.6	470	2.75	8.2	1.4	4.0	6.1	36.0	0.44	0.38	0.27	49	0.32
945219	Soil	3.05	0.94	52.42	27.14	101.0	115	46.7	20.5	809	3.56	14.0	3.2	6.4	10.3	45.7	0.40	0.44	0.40	49	0.39
945220	Soil	2.95	0.61	39.92	16.19	73.0	114	74.9	13.2	394	2.91	12.6	1.8	3.8	7.2	25.7	0.16	0.16	0.19	55	0.24
945221	Soil	3.56	0.61	27.88	24.26	100.2	199	39.1	11.4	565	2.52	9.3	1.9	7.6	7.2	32.6	0.53	0.27	0.27	36	0.26
945222	Soil	3.30	0.59	26.21	20.39	89.8	163	34.0	10.1	446	2.37	9.0	1.9	2.5	7.6	28.5	0.36	0.25	0.24	35	0.22
945223	Soil	3.57	0.75	33.92	24.92	88.8	231	45.9	11.5	413	2.73	11.2	2.1	3.5	9.2	33.4	0.25	0.23	0.22	48	0.24



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 4 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
869994	Soil			0.274	16.9	36.6	0.71	378.4	0.103	4	3.39	0.012	0.25	0.3	4.1	0.20	0.03	42	0.4	0.02	9.0	2.68	<0.1
869995	Soil			0.140	23.2	53.1	0.78	227.8	0.106	3	3.55	0.010	0.24	0.3	5.7	0.23	0.02	34	0.3	0.07	9.5	3.58	<0.1
869996	Soil			0.160	20.9	47.0	0.79	328.5	0.109	3	3.48	0.013	0.21	0.3	4.5	0.20	<0.02	37	0.4	0.04	8.9	2.99	<0.1
869997	Soil			0.151	22.7	50.1	0.81	326.9	0.120	3	3.54	0.014	0.22	0.3	5.0	0.22	<0.02	33	0.4	0.03	9.5	3.11	<0.1
869998	Soil			0.118	26.2	41.2	0.62	145.1	0.095	2	2.75	0.011	0.27	0.5	5.1	0.20	<0.02	27	0.4	0.04	7.1	2.27	<0.1
869999	Soil			0.333	18.4	30.8	0.46	356.7	0.100	3	3.39	0.015	0.18	0.3	3.8	0.18	<0.02	25	0.4	0.04	8.6	2.21	<0.1
867000	Soil			0.190	19.6	31.7	0.48	288.8	0.077	2	2.39	0.009	0.20	0.3	3.0	0.16	0.02	24	0.2	0.04	6.8	1.96	<0.1
945201	Soil			0.122	21.2	45.3	0.68	417.4	0.106	3	2.88	0.012	0.19	0.2	3.6	0.24	<0.02	36	0.4	0.03	8.6	3.20	<0.1
945202	Soil			0.067	20.0	66.5	0.85	285.9	0.125	1	2.32	0.014	0.24	0.2	3.9	0.26	<0.02	14	0.2	<0.02	6.9	5.30	<0.1
945203	Soil			0.063	18.7	56.3	0.89	249.0	0.106	1	3.00	0.008	0.40	0.2	4.5	0.37	<0.02	30	0.2	<0.02	9.2	2.99	<0.1
945204	Soil			0.165	27.6	41.0	0.58	228.3	0.081	2	2.66	0.009	0.26	0.5	4.5	0.23	<0.02	20	0.3	0.05	7.6	2.68	<0.1
945205	Soil			0.188	23.6	34.6	0.52	225.9	0.090	2	2.95	0.014	0.19	0.3	3.8	0.19	<0.02	31	0.4	0.03	7.9	2.13	<0.1
945206	Soil			0.237	18.5	30.0	0.47	275.3	0.090	2	3.00	0.014	0.19	0.3	3.4	0.17	<0.02	30	0.3	0.03	7.8	2.02	<0.1
945207	Soil			0.275	27.6	34.7	0.53	297.7	0.113	2	3.33	0.014	0.25	0.4	4.2	0.22	<0.02	26	0.6	0.04	8.4	2.61	<0.1
945208	Soil			0.186	24.6	30.7	0.49	288.8	0.111	2	3.50	0.018	0.18	0.4	4.3	0.22	<0.02	41	0.5	0.02	8.6	2.27	0.1
945209	Soil			0.189	29.2	29.0	0.46	214.5	0.094	2	2.92	0.015	0.26	0.3	3.6	0.23	<0.02	19	0.4	0.02	7.5	2.21	<0.1
945210	Soil			0.094	47.2	60.2	0.82	188.1	0.084	1	3.41	0.014	0.43	0.6	7.4	0.31	0.03	31	0.9	0.07	9.1	3.53	0.1
945211	Soil			0.062	39.7	37.3	0.61	83.8	0.077	<1	1.66	0.007	0.31	0.4	3.8	0.22	<0.02	7	0.4	0.05	5.2	2.25	0.1
945212	Soil			0.209	19.9	34.5	0.54	294.7	0.092	2	3.08	0.011	0.22	0.3	3.5	0.20	<0.02	32	0.3	0.04	8.3	2.28	0.1
945213	Soil			0.259	19.0	31.6	0.48	345.5	0.093	2	3.00	0.016	0.19	0.3	3.4	0.19	<0.02	31	0.4	0.04	8.0	2.07	<0.1
945214	Soil			0.054	33.5	41.4	0.58	120.0	0.098	<1	2.02	0.014	0.25	0.4	5.1	0.20	<0.02	23	0.4	0.05	5.8	2.45	<0.1
945215	Soil			0.051	34.4	41.6	0.60	111.6	0.097	<1	1.92	0.014	0.26	0.4	4.9	0.20	<0.02	20	0.5	0.06	5.9	2.46	<0.1
945216	Soil			0.173	23.6	41.3	0.65	217.2	0.094	2	2.98	0.011	0.23	0.3	4.0	0.20	<0.02	31	0.3	0.04	8.1	2.56	<0.1
945217	Soil			0.150	20.9	31.7	0.51	207.5	0.132	2	3.91	0.022	0.17	0.3	4.7	0.22	<0.02	24	0.4	0.05	9.3	2.20	<0.1
945218	Soil			0.121	18.9	33.2	0.59	159.6	0.106	1	2.01	0.019	0.24	0.4	3.9	0.19	<0.02	22	0.2	0.03	5.5	1.87	<0.1
945219	Soil			0.124	31.0	46.7	0.81	162.1	0.099	1	2.45	0.017	0.31	0.5	4.8	0.25	<0.02	24	0.4	0.05	6.8	2.59	<0.1
945220	Soil			0.069	18.0	63.3	1.04	204.5	0.128	<1	2.61	0.012	0.54	0.2	5.1	0.36	<0.02	14	0.4	0.03	8.2	3.12	0.1
945221	Soil			0.096	22.9	34.2	0.52	201.7	0.107	<1	2.56	0.012	0.26	0.3	4.0	0.22	<0.02	14	0.6	0.05	7.0	2.20	0.1
945222	Soil			0.070	23.2	32.2	0.51	162.1	0.102	<1	2.22	0.011	0.25	0.3	3.8	0.21	<0.02	18	0.3	0.03	6.4	2.10	<0.1
945223	Soil			0.060	24.4	43.8	0.73	183.9	0.125	<1	2.62	0.012	0.39	0.3	4.5	0.30	<0.02	14	0.5	<0.02	8.2	2.76	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 4 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
869994	Soil	0.08	2.55	40.2	0.8	<0.05	4.9	7.67	35.1	0.05	<1	1.0	26.1	<10	<2
869995	Soil	0.06	3.31	49.3	0.8	<0.05	4.2	14.56	39.0	0.06	<1	1.1	38.0	<10	<2
869996	Soil	0.11	3.17	40.3	0.8	<0.05	6.2	8.94	41.7	0.06	<1	1.1	33.7	<10	<2
869997	Soil	0.10	3.19	41.8	0.8	<0.05	6.2	9.89	45.7	0.05	<1	1.0	37.8	<10	<2
869998	Soil	0.09	2.13	34.3	0.6	<0.05	5.7	9.32	47.5	0.04	<1	1.0	25.7	<10	<2
869999	Soil	0.12	2.00	22.9	0.8	<0.05	7.7	7.11	40.1	0.03	<1	1.0	26.5	<10	<2
867000	Soil	0.05	1.95	27.3	0.7	<0.05	2.8	5.42	39.0	0.04	<1	0.8	22.3	<10	<2
945201	Soil	0.06	3.34	31.6	1.0	<0.05	3.2	4.72	42.7	0.06	<1	1.1	25.6	<10	<2
945202	Soil	0.04	2.69	44.6	0.6	<0.05	2.1	4.70	36.7	0.02	<1	0.8	21.5	<10	<2
945203	Soil	0.05	2.09	54.9	0.8	<0.05	2.6	3.69	37.6	0.04	<1	1.0	33.4	<10	<2
945204	Soil	0.08	1.64	30.6	0.7	<0.05	4.7	8.98	48.0	0.03	<1	1.0	33.4	<10	<2
945205	Soil	0.08	1.77	26.7	0.7	<0.05	5.5	8.55	45.7	0.03	<1	1.0	30.7	<10	<2
945206	Soil	0.09	1.88	25.1	0.6	<0.05	5.3	6.30	39.0	0.04	<1	0.9	27.8	<10	<2
945207	Soil	0.09	2.14	28.6	0.8	<0.05	5.5	9.07	52.3	0.05	<1	1.2	35.6	<10	<2
945208	Soil	0.19	1.99	25.7	0.8	<0.05	14.2	10.13	47.6	0.03	<1	0.9	27.8	<10	<2
945209	Soil	0.09	1.64	27.4	0.7	<0.05	6.9	8.01	54.2	0.03	<1	1.2	29.1	<10	<2
945210	Soil	0.08	2.18	46.3	0.7	<0.05	4.5	31.16	60.6	0.06	<1	1.6	45.4	<10	<2
945211	Soil	0.05	1.03	29.1	0.5	<0.05	3.1	7.98	68.0	<0.02	<1	0.8	24.4	<10	<2
945212	Soil	0.08	1.99	26.6	0.9	<0.05	5.1	5.95	42.1	0.06	<1	0.8	30.4	<10	<2
945213	Soil	0.06	1.62	25.8	0.9	<0.05	3.8	5.69	39.5	0.05	<1	0.9	31.3	<10	<2
945214	Soil	0.08	1.56	37.2	0.5	<0.05	5.2	13.02	49.9	0.02	<1	1.0	32.5	<10	<2
945215	Soil	0.07	1.54	37.8	0.5	<0.05	5.3	12.31	53.1	0.02	<1	0.7	30.9	<10	<2
945216	Soil	0.07	1.83	28.0	0.7	<0.05	4.1	6.73	43.6	0.04	<1	0.8	34.1	<10	<2
945217	Soil	0.25	1.74	22.1	0.8	<0.05	18.2	10.12	46.4	0.03	<1	0.9	28.0	<10	<2
945218	Soil	0.14	1.13	27.9	0.5	<0.05	9.5	8.33	35.3	0.03	<1	0.5	17.9	<10	<2
945219	Soil	0.08	1.95	31.8	0.6	<0.05	5.2	10.11	55.1	0.04	1	1.2	28.5	<10	<2
945220	Soil	0.12	1.25	52.5	0.6	<0.05	7.1	7.48	37.3	<0.02	<1	1.0	23.0	<10	2
945221	Soil	0.12	2.05	29.7	0.6	<0.05	9.1	8.65	47.0	0.02	<1	1.0	19.8	<10	<2
945222	Soil	0.14	1.64	30.5	0.6	<0.05	10.1	8.33	45.2	0.04	<1	1.2	17.8	<10	<2
945223	Soil	0.22	1.86	44.3	0.7	<0.05	13.7	8.51	47.6	<0.02	<1	1.1	23.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 5 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945224	Soil	3.28	0.71	39.06	31.75	130.3	312	43.3	13.8	650	3.08	10.5	1.7	2.7	7.0	36.7	0.57	0.18	0.26	55	0.28
945225	Soil	3.33	0.81	34.50	42.89	91.2	109	33.0	12.0	479	2.74	13.6	1.4	3.9	6.9	26.0	0.24	0.25	0.23	44	0.27
945226	Soil	2.73	0.61	41.29	27.37	158.3	311	40.5	14.3	767	3.05	11.2	1.7	2.5	5.2	42.0	0.55	0.22	0.26	47	0.34
945227	Soil	4.25	0.94	50.78	23.94	76.9	60	40.9	15.5	582	3.60	15.5	1.9	41.3	8.5	34.6	0.12	0.27	0.29	62	0.32
945228	Soil	3.48	0.79	42.34	18.61	76.6	127	34.9	14.9	513	3.34	15.0	1.9	5.1	7.4	28.7	0.22	0.32	0.30	47	0.32
945229	Soil	2.06	1.24	165.9	39.69	245.6	595	81.9	23.1	1000	4.15	19.3	3.3	3.7	4.5	53.7	1.04	0.35	0.33	85	0.76
945230	Soil	2.42	1.33	130.4	25.42	178.7	933	59.0	15.7	404	3.43	12.9	10.0	3.3	6.0	34.8	1.47	0.42	0.37	74	0.46
945231	Soil	3.85	0.81	54.58	28.24	130.4	281	38.1	13.9	656	2.97	10.2	3.2	3.2	6.1	46.6	0.74	0.34	0.29	56	0.45
945232	Soil	3.53	0.89	45.86	22.52	131.2	184	38.6	14.4	754	3.21	11.3	2.4	2.6	6.2	32.2	0.45	0.37	0.34	47	0.29
945233	Soil	3.22	0.83	46.54	19.79	101.7	257	36.7	12.6	583	2.80	9.8	1.8	3.4	6.1	33.9	0.56	0.42	0.25	48	0.31
945234	Soil	3.42	1.76	100.2	27.27	160.1	334	55.4	19.6	811	3.83	10.7	3.5	7.0	7.8	42.6	0.74	0.37	0.35	61	0.42
945235	Soil	3.23	0.57	29.52	16.02	87.7	124	23.9	9.6	367	2.31	6.5	1.0	2.2	4.7	31.6	0.34	0.34	0.21	42	0.28
945236	Soil	3.43	1.18	66.92	34.68	178.9	346	48.6	14.9	893	3.19	8.9	2.3	6.3	6.6	37.9	0.99	0.34	0.29	52	0.33
945237	Soil	3.04	0.90	74.96	25.71	177.5	232	46.7	13.4	798	2.87	8.8	3.6	1.3	5.0	52.9	1.71	0.68	0.29	59	0.64
945238	Soil	3.29	0.83	65.27	24.79	122.5	239	41.2	16.6	876	2.97	10.4	2.2	11.3	5.2	37.4	0.93	0.49	0.33	51	0.43
945239	Soil	3.26	0.70	40.16	60.55	141.9	122	33.2	14.6	1072	2.83	11.6	2.6	1.1	5.5	46.4	1.19	1.26	0.43	44	0.55
945240	Soil	2.43	0.65	35.41	37.96	122.5	143	35.6	12.4	1034	2.56	10.1	1.8	0.3	3.7	47.7	0.92	0.93	0.34	38	0.69
945241	Soil	2.71	0.89	55.44	23.40	113.9	217	48.5	16.6	926	3.30	8.4	1.9	0.9	5.7	41.2	0.67	0.47	0.30	60	0.43
945242	Soil	3.07	0.81	51.01	25.26	174.1	308	43.6	12.9	841	2.67	8.2	5.1	98.2	5.1	50.4	0.98	0.58	0.28	46	0.74
945243	Soil	2.79	0.93	54.88	25.11	154.7	268	53.6	16.2	1170	3.11	11.0	1.9	1.8	5.8	37.2	0.83	0.44	0.31	50	0.41
945244	Soil	3.12	2.23	131.5	38.49	227.6	665	60.5	18.1	1389	4.01	11.7	3.6	1.5	5.8	47.7	1.59	0.62	0.41	68	0.62
945245	Soil	2.04	1.26	96.27	26.80	194.5	399	52.7	18.4	1311	2.92	8.0	2.3	2.0	4.2	51.2	1.76	0.38	0.33	48	0.51
945246	Soil	2.76	1.32	100.2	29.34	195.7	413	53.9	19.1	1281	3.00	8.9	2.4	3.4	4.3	49.2	1.83	0.40	0.35	51	0.51
945247	Soil	2.49	2.59	69.52	60.87	454.0	480	44.6	17.7	2704	3.55	15.2	2.1	2.8	4.1	86.3	4.55	0.84	0.55	47	1.01
945248	Soil	3.12	1.43	79.38	43.00	151.7	453	48.7	16.6	930	3.37	16.1	2.3	60.8	6.6	31.2	0.77	0.37	0.39	60	0.29
945249	Soil	2.51	1.24	75.81	26.86	126.5	437	59.3	19.4	908	3.67	11.6	2.5	2.7	7.0	43.2	0.45	0.37	0.30	64	0.40
945250	Soil	3.23	1.47	80.75	39.90	113.8	125	58.7	23.8	1583	4.54	28.9	1.7	5.3	13.4	26.9	0.15	0.85	0.55	28	0.15
945251	Soil	2.64	0.75	42.34	23.20	112.3	213	42.0	13.9	642	2.91	11.3	2.0	5.4	6.4	34.1	0.42	0.44	0.28	47	0.32
945252	Soil	3.18	0.69	42.73	25.35	91.4	261	38.7	12.7	677	2.57	12.3	5.2	34.9	7.4	37.6	0.49	0.59	0.29	47	0.43
945253	Soil	2.51	0.62	40.86	25.57	96.0	201	32.4	12.9	600	2.72	9.9	2.9	0.6	6.6	36.9	0.44	0.34	0.27	49	0.44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 5 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945224	Soil	0.088	22.4	52.5	0.83	217.9	0.118	1	2.89	0.008	0.41	0.2	4.8	0.34	<0.02	15	0.6	<0.02	8.3	2.90	<0.1
945225	Soil	0.069	24.5	41.6	0.65	118.9	0.092	<1	2.00	0.006	0.26	0.2	3.9	0.23	<0.02	12	0.4	<0.02	5.8	2.04	<0.1
945226	Soil	0.175	24.1	42.3	0.65	258.5	0.120	2	3.32	0.014	0.33	0.3	4.6	0.25	<0.02	19	0.5	<0.02	9.0	2.45	<0.1
945227	Soil	0.062	30.9	60.6	1.04	189.7	0.114	<1	3.18	0.012	0.45	0.4	5.9	0.32	<0.02	17	0.6	<0.02	9.2	3.18	0.2
945228	Soil	0.069	27.7	46.6	0.75	117.1	0.095	<1	2.32	0.013	0.32	0.4	4.8	0.22	<0.02	19	0.5	<0.02	6.6	2.39	<0.1
945229	Soil	0.231	18.9	60.0	1.43	277.4	0.149	3	5.09	0.024	0.32	0.3	5.3	0.38	0.05	46	1.2	0.05	13.0	10.43	0.1
945230	Soil	0.231	21.5	35.2	0.93	106.5	0.132	2	5.01	0.015	0.14	0.3	4.9	0.27	0.03	64	1.0	0.05	11.1	6.62	<0.1
945231	Soil	0.122	20.4	37.5	0.75	287.1	0.117	2	3.96	0.022	0.26	0.3	4.7	0.23	<0.02	22	0.3	0.05	9.8	2.87	<0.1
945232	Soil	0.184	22.8	37.9	0.63	214.7	0.107	2	3.73	0.012	0.32	0.3	4.6	0.22	<0.02	18	0.4	0.04	9.7	2.74	<0.1
945233	Soil	0.094	21.2	32.5	0.62	152.7	0.083	2	2.32	0.007	0.24	0.3	3.7	0.21	<0.02	17	0.4	0.05	6.4	2.35	<0.1
945234	Soil	0.154	27.0	36.1	0.95	218.2	0.123	2	3.77	0.014	0.31	0.2	4.5	0.36	0.06	22	0.9	0.06	9.6	3.66	<0.1
945235	Soil	0.103	14.7	26.8	0.47	121.8	0.081	1	1.54	0.015	0.20	0.3	3.0	0.14	<0.02	14	0.1	0.02	4.8	1.47	<0.1
945236	Soil	0.159	24.0	32.0	0.68	238.0	0.109	1	3.30	0.013	0.25	0.2	4.1	0.23	<0.02	10	0.5	0.07	8.6	2.81	<0.1
945237	Soil	0.102	19.3	37.3	0.81	207.9	0.114	3	3.74	0.033	0.19	0.2	4.1	0.23	0.02	26	0.5	0.03	9.5	3.51	<0.1
945238	Soil	0.136	22.5	35.2	0.69	192.0	0.097	2	3.29	0.014	0.18	0.2	4.1	0.21	<0.02	29	0.4	0.05	8.3	2.57	<0.1
945239	Soil	0.127	19.3	34.0	0.57	253.6	0.088	2	2.71	0.013	0.23	0.3	3.7	0.22	0.02	55	0.3	0.05	7.5	2.38	<0.1
945240	Soil	0.159	16.0	31.3	0.51	227.2	0.078	3	2.62	0.012	0.17	0.3	3.2	0.15	0.03	48	0.3	0.05	7.0	1.96	<0.1
945241	Soil	0.102	22.4	43.9	0.81	204.7	0.109	2	3.44	0.014	0.22	0.2	4.7	0.24	<0.02	23	0.4	0.04	9.2	2.64	<0.1
945242	Soil	0.106	17.7	32.9	0.57	163.5	0.098	3	2.78	0.020	0.20	0.2	3.7	0.21	<0.02	28	0.4	0.04	7.2	2.22	<0.1
945243	Soil	0.194	21.8	34.1	0.70	269.1	0.108	2	3.20	0.016	0.21	0.3	4.3	0.23	<0.02	28	0.4	0.04	8.5	2.60	<0.1
945244	Soil	0.290	20.5	33.9	1.13	211.7	0.096	3	3.32	0.013	0.21	0.2	4.0	0.33	0.04	42	0.8	0.10	8.6	3.06	<0.1
945245	Soil	0.196	22.3	22.6	0.57	257.4	0.112	3	4.20	0.019	0.12	0.1	3.5	0.20	0.03	37	0.8	0.03	10.1	3.47	<0.1
945246	Soil	0.196	24.2	23.8	0.59	258.7	0.130	3	4.36	0.020	0.13	0.2	3.8	0.24	0.03	30	0.7	0.05	10.5	3.71	<0.1
945247	Soil	0.415	24.5	28.6	0.83	533.7	0.074	3	2.75	0.012	0.17	0.2	3.7	0.23	0.04	51	0.7	0.05	8.6	3.32	<0.1
945248	Soil	0.104	20.8	34.0	0.90	203.5	0.096	<1	2.86	0.011	0.21	0.2	4.6	0.24	<0.02	17	0.4	0.07	7.8	2.54	<0.1
945249	Soil	0.157	31.1	49.5	1.24	286.5	0.122	2	3.10	0.013	0.34	0.3	4.9	0.26	0.03	18	0.4	0.11	8.0	3.08	0.1
945250	Soil	0.060	32.0	33.7	0.68	88.0	0.027	<1	2.39	0.007	0.09	0.2	3.7	0.09	<0.02	21	1.0	0.15	6.4	1.48	<0.1
945251	Soil	0.126	20.5	34.8	0.59	208.5	0.107	1	3.10	0.014	0.23	0.3	4.4	0.19	<0.02	20	0.3	0.03	8.5	2.30	<0.1
945252	Soil	0.083	22.4	30.0	0.56	183.6	0.096	2	2.63	0.019	0.32	0.3	4.3	0.23	<0.02	23	0.4	0.04	7.3	2.36	<0.1
945253	Soil	0.075	22.5	35.0	0.61	172.8	0.112	1	3.12	0.020	0.33	0.3	4.5	0.24	<0.02	27	0.4	0.03	8.2	2.55	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

5 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
945224	Soil	0.08	2.13	47.7	0.6	<0.05	4.9	8.63	44.3	0.04	<1	1.0	26.9	<10	<2
945225	Soil	0.05	1.42	30.3	0.4	<0.05	3.1	7.75	51.1	0.04	<1	0.9	18.9	<10	<2
945226	Soil	0.12	1.95	42.1	0.7	<0.05	8.5	11.73	45.1	0.04	<1	1.1	26.2	<10	<2
945227	Soil	0.05	1.26	41.6	0.5	<0.05	3.5	10.10	61.4	0.03	<1	1.0	28.4	<10	2
945228	Soil	0.08	1.30	35.6	0.5	<0.05	5.6	10.22	51.6	0.02	<1	1.0	23.8	<10	<2
945229	Soil	0.16	2.80	50.8	1.0	<0.05	10.8	19.37	45.1	0.06	<1	1.6	44.3	<10	<2
945230	Soil	0.23	2.28	25.1	0.9	<0.05	18.5	22.47	47.1	0.05	<1	1.1	28.2	<10	<2
945231	Soil	0.18	1.92	50.7	0.8	<0.05	14.7	13.37	39.4	0.04	<1	1.0	25.7	<10	3
945232	Soil	0.12	2.14	41.9	0.7	<0.05	7.4	9.86	45.2	0.03	<1	1.1	27.3	<10	<2
945233	Soil	0.07	1.61	35.3	0.5	<0.05	6.2	9.67	37.3	0.03	<1	0.7	17.4	<10	<2
945234	Soil	0.15	1.79	50.0	0.7	<0.05	12.1	19.60	54.8	0.03	<1	1.2	26.1	<10	<2
945235	Soil	0.11	1.07	23.2	0.4	<0.05	7.8	6.82	28.2	0.02	<1	0.5	13.2	<10	<2
945236	Soil	0.12	1.76	44.7	0.7	<0.05	8.7	14.16	44.8	0.04	<1	0.9	21.0	<10	<2
945237	Soil	0.15	2.78	55.3	0.7	<0.05	9.4	13.57	38.0	0.04	<1	0.9	38.3	<10	<2
945238	Soil	0.08	2.15	36.6	0.6	<0.05	6.5	11.76	43.3	0.04	<1	1.0	22.1	<10	<2
945239	Soil	0.08	2.33	29.8	0.7	<0.05	5.5	8.26	37.3	0.12	<1	0.9	22.6	<10	<2
945240	Soil	0.06	2.38	24.0	0.7	<0.05	3.7	6.02	32.0	0.09	<1	0.7	21.0	<10	<2
945241	Soil	0.08	2.09	46.5	0.6	<0.05	6.4	12.57	41.7	0.04	<1	0.8	23.8	<10	<2
945242	Soil	0.11	2.38	35.1	0.6	<0.05	7.1	10.13	32.3	0.05	<1	0.8	27.9	<10	<2
945243	Soil	0.13	2.13	36.0	0.6	<0.05	8.5	11.24	43.9	0.03	<1	1.0	23.3	<10	<2
945244	Soil	0.07	1.68	42.1	0.6	<0.05	5.9	17.94	39.5	0.07	<1	1.1	24.1	<10	<2
945245	Soil	0.15	2.24	32.4	0.8	<0.05	13.9	16.10	44.2	0.04	<1	1.2	19.9	<10	<2
945246	Soil	0.16	2.60	33.6	0.8	<0.05	14.1	17.06	47.4	0.05	<1	1.4	21.1	<10	<2
945247	Soil	0.05	2.47	35.6	0.8	<0.05	3.8	13.59	53.6	0.11	<1	1.0	25.7	<10	<2
945248	Soil	0.18	1.13	39.9	0.7	<0.05	12.6	15.42	38.5	0.09	<1	1.1	21.8	<10	<2
945249	Soil	0.14	1.65	44.0	0.6	<0.05	11.4	14.85	60.6	0.04	<1	1.1	22.4	<10	<2
945250	Soil	0.10	0.74	12.9	0.3	<0.05	5.4	16.39	58.2	0.04	<1	0.9	40.0	<10	<2
945251	Soil	0.15	1.84	30.4	0.6	<0.05	9.1	9.39	40.7	0.04	<1	0.9	22.1	<10	<2
945252	Soil	0.11	2.65	32.0	0.6	<0.05	7.9	12.59	38.7	0.04	<1	1.0	24.8	<10	<2
945253	Soil	0.16	2.50	45.1	0.7	<0.05	10.3	12.17	40.1	0.04	<1	1.0	28.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 6 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945254	Soil	3.02	0.72	56.53	21.73	95.6	311	39.6	15.1	562	2.97	12.4	1.5	104.8	6.9	37.8	0.53	0.57	0.22	60	0.37
945255	Soil	3.08	0.65	35.08	19.41	87.0	153	29.7	12.0	472	2.68	9.9	1.7	4.5	7.7	28.6	0.33	0.39	0.24	48	0.25
945256	Soil	2.88	0.84	41.49	21.06	63.7	142	26.7	10.0	548	2.33	11.6	2.5	4.4	11.0	40.1	0.24	0.56	0.22	46	0.44
945257	Soil	2.99	0.62	44.56	19.59	84.8	266	33.6	12.4	486	2.62	11.4	6.9	6.1	6.2	39.6	0.27	0.44	0.24	48	0.40
945258	Soil	2.51	0.72	34.28	29.10	92.8	161	32.8	12.3	702	2.71	10.1	3.4	1.0	6.0	36.4	0.40	0.55	0.29	44	0.43
945259	Soil	4.94	0.35	14.52	20.60	42.2	72	11.9	6.7	510	1.37	7.9	2.0	11.0	10.1	16.5	0.18	0.32	0.17	25	0.14
945260	Soil	3.71	1.05	50.87	26.44	77.8	204	40.4	13.6	556	3.07	15.6	1.3	3.3	7.3	27.0	0.29	0.53	0.29	46	0.37
945261	Soil	3.61	0.58	35.31	17.74	64.0	154	27.2	10.8	395	2.47	9.1	1.3	3.0	7.7	24.3	0.26	0.39	0.26	39	0.26
945262	Soil	2.79	0.39	68.68	23.80	109.4	479	35.7	10.3	240	2.02	4.5	1.0	1.4	3.9	42.8	0.51	0.16	0.19	32	0.41
945263	Soil	3.49	0.72	83.45	37.70	118.3	375	48.6	15.1	304	3.63	6.4	1.7	100.2	7.1	69.0	0.44	0.21	0.27	86	0.63
945264	Soil	3.28	0.53	43.26	16.42	95.8	111	32.7	10.7	333	2.60	6.5	1.1	2.7	6.1	26.9	0.35	0.24	0.23	50	0.30
945265	Soil	3.67	0.61	47.00	18.94	98.3	279	36.9	12.2	363	2.79	9.0	1.3	4.3	6.6	28.3	0.29	0.27	0.23	53	0.35
945266	Soil	4.03	1.37	97.64	84.50	204.8	1013	62.9	20.0	1070	4.31	25.1	1.6	9.1	8.3	40.5	0.86	0.59	0.41	55	0.51
945267	Soil	3.01	0.24	48.86	36.46	106.3	133	216.9	33.4	917	4.31	2.1	2.2	2.0	24.0	695.0	0.13	0.11	0.16	71	3.47
945268	Soil	3.85	0.77	40.42	13.32	54.4	94	31.1	11.5	391	2.84	8.3	1.4	3.4	7.3	34.4	0.16	0.29	0.23	51	0.33
945269	Soil	3.63	2.76	94.81	19.82	90.1	407	39.0	11.5	535	5.64	21.2	2.8	8.1	8.3	64.4	0.26	0.37	0.37	90	0.27
945270	Soil	3.36	0.75	52.47	40.88	99.1	155	52.1	15.7	541	3.33	20.2	1.3	4.7	5.6	28.3	0.37	0.47	0.21	54	0.32
945271	Soil	2.91	0.60	37.08	101.2	157.7	367	41.3	13.4	484	2.81	15.5	0.9	2.7	5.3	33.2	0.48	0.43	0.27	39	0.33
945272	Soil	2.75	0.96	126.2	22.46	130.4	412	63.3	18.7	597	4.01	6.4	1.8	4.3	5.7	58.8	0.73	0.28	0.28	82	0.79
945273	Soil	3.27	1.03	54.16	46.29	109.5	401	45.6	14.6	684	3.23	13.0	1.6	4.0	6.6	33.3	0.52	0.54	0.24	44	0.37
945274	Soil	2.76	0.63	41.47	67.37	168.4	860	38.1	14.0	1174	2.85	12.6	0.9	9.3	4.4	41.6	0.91	1.09	0.30	39	0.96
945275	Soil	3.50	0.67	41.81	68.39	170.5	902	38.2	14.4	1222	2.85	12.5	0.9	12.1	4.2	41.6	0.94	1.12	0.30	39	1.00
945276	Soil	2.07	0.78	49.19	47.85	140.2	272	47.8	17.8	1083	3.58	14.5	1.0	3.1	5.5	43.6	0.67	0.58	0.34	45	0.73
945277	Soil	3.15	1.49	82.02	40.77	112.0	135	60.9	25.0	1701	4.58	28.6	1.7	11.4	13.7	27.9	0.16	0.83	0.56	28	0.16
945278	Soil	3.79	0.64	44.38	34.62	90.8	260	38.4	14.9	611	2.90	10.1	1.1	3.0	5.2	27.4	0.28	0.41	0.24	43	0.40
945279	Soil	2.23	1.02	74.83	35.57	135.6	364	59.4	22.5	1025	4.40	13.5	1.7	2.5	6.2	39.1	0.71	0.60	0.32	64	0.64
945280	Soil	3.21	0.79	53.63	43.61	123.5	301	46.7	17.5	880	3.18	14.2	1.4	3.8	4.8	38.1	0.56	0.50	0.41	50	0.42
945281	Soil	3.00	0.88	66.17	27.46	136.5	305	49.7	20.7	1037	3.98	7.8	1.6	1.6	6.2	50.6	0.69	0.36	0.38	56	0.64
945282	Soil	2.65	0.70	50.48	22.83	115.1	228	47.1	15.9	642	3.14	11.6	1.4	3.0	4.8	33.4	0.34	0.45	0.26	54	0.39
945035	Soil	2.44	0.70	33.19	32.31	127.2	259	44.2	14.3	1565	2.74	21.3	1.2	7.8	4.7	31.0	0.51	0.86	0.39	32	0.28

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 6 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945254	Soil	0.090	20.2	39.7	0.84	157.8	0.095	1	2.48	0.012	0.24	0.2	4.5	0.21	<0.02	21	0.4	0.03	7.1	2.56	<0.1
945255	Soil	0.076	22.8	32.1	0.58	142.2	0.095	<1	2.29	0.011	0.25	0.3	4.1	0.18	<0.02	14	0.4	<0.02	6.5	2.04	<0.1
945256	Soil	0.055	22.3	27.0	0.51	180.1	0.079	<1	2.12	0.019	0.25	0.3	4.2	0.20	<0.02	14	0.3	0.04	6.1	2.06	<0.1
945257	Soil	0.077	21.8	33.9	0.58	189.5	0.106	1	2.82	0.022	0.24	0.3	4.7	0.21	<0.02	23	0.4	0.04	7.6	2.11	<0.1
945258	Soil	0.089	22.0	33.8	0.53	212.9	0.101	1	2.70	0.015	0.22	0.3	4.0	0.18	<0.02	29	0.3	0.02	7.4	2.13	<0.1
945259	Soil	0.058	25.2	16.9	0.25	76.5	0.039	<1	0.99	0.007	0.11	0.2	2.0	0.09	<0.02	9	0.2	0.03	3.2	1.19	<0.1
945260	Soil	0.067	25.0	43.7	0.66	127.9	0.077	1	1.87	0.013	0.29	0.3	4.0	0.20	<0.02	23	0.3	0.03	5.8	1.97	<0.1
945261	Soil	0.063	21.4	29.5	0.54	95.8	0.059	<1	1.45	0.008	0.20	0.3	2.9	0.16	<0.02	15	0.3	0.05	4.6	1.71	<0.1
945262	Soil	0.071	11.8	19.4	0.50	267.7	0.103	1	2.66	0.053	0.16	0.2	3.4	0.15	<0.02	22	0.3	0.02	6.2	2.00	<0.1
945263	Soil	0.068	20.8	61.5	1.57	375.6	0.135	<1	3.34	0.078	0.71	0.4	6.1	0.36	<0.02	16	0.4	0.05	10.2	4.48	0.2
945264	Soil	0.083	18.9	39.0	0.83	166.7	0.087	<1	1.71	0.019	0.38	0.3	3.6	0.22	<0.02	13	0.3	<0.02	5.5	3.06	<0.1
945265	Soil	0.113	21.7	42.1	0.84	162.1	0.102	<1	2.31	0.022	0.33	0.3	4.1	0.23	<0.02	18	0.2	0.03	6.7	2.51	<0.1
945266	Soil	0.090	22.1	42.3	1.09	237.8	0.081	2	2.73	0.032	0.43	1.1	5.6	0.27	<0.02	31	0.4	0.06	7.8	3.26	<0.1
945267	Soil	0.514	187.6	68.1	4.59	1787	0.077	2	3.54	0.051	0.56	0.2	3.6	0.47	0.04	12	<0.1	0.04	10.3	7.79	0.3
945268	Soil	0.087	21.6	37.2	0.76	86.7	0.065	<1	1.29	0.015	0.21	0.3	2.7	0.20	<0.02	6	0.3	0.04	4.4	1.82	<0.1
945269	Soil	0.150	25.1	68.7	0.85	214.3	0.105	1	2.29	0.022	0.62	0.3	4.9	0.50	0.28	15	1.3	0.07	7.4	4.45	<0.1
945270	Soil	0.100	15.1	58.2	0.83	135.7	0.068	<1	1.57	0.012	0.22	0.2	4.7	0.18	0.05	14	0.4	0.02	5.2	1.77	<0.1
945271	Soil	0.054	18.3	36.2	0.58	162.0	0.092	2	2.27	0.019	0.19	0.2	4.0	0.16	<0.02	25	0.3	0.03	6.2	1.63	<0.1
945272	Soil	0.125	18.9	62.7	1.68	432.3	0.128	1	3.02	0.055	0.62	0.2	5.5	0.36	<0.02	18	0.5	0.05	9.2	4.27	0.1
945273	Soil	0.073	23.5	38.7	0.78	154.2	0.091	2	1.89	0.012	0.32	0.2	4.1	0.26	0.03	22	0.4	0.05	5.6	2.14	<0.1
945274	Soil	0.189	20.2	30.2	0.60	236.1	0.088	4	2.45	0.019	0.17	0.2	4.2	0.18	<0.02	23	0.4	0.03	6.1	1.82	<0.1
945275	Soil	0.190	19.9	30.8	0.60	233.6	0.090	3	2.54	0.019	0.17	0.2	4.0	0.18	0.02	28	0.5	0.03	6.1	1.78	<0.1
945276	Soil	0.156	22.3	36.2	0.94	195.4	0.097	5	2.84	0.018	0.26	0.2	4.6	0.21	<0.02	25	0.4	0.02	7.1	2.26	<0.1
945277	Soil	0.061	35.2	34.4	0.70	90.5	0.029	<1	2.53	0.007	0.09	0.2	3.9	0.09	<0.02	24	1.1	0.14	6.4	1.56	<0.1
945278	Soil	0.074	18.5	35.0	0.62	181.7	0.101	2	2.39	0.021	0.16	0.2	4.2	0.15	<0.02	14	0.3	<0.02	6.2	1.72	<0.1
945279	Soil	0.134	25.1	55.9	1.35	273.1	0.128	2	2.78	0.015	0.45	0.2	6.0	0.28	<0.02	27	0.5	0.04	8.0	2.84	<0.1
945280	Soil	0.146	20.0	43.0	0.73	237.8	0.106	2	2.62	0.017	0.23	0.2	4.6	0.18	<0.02	20	0.4	0.02	6.6	2.10	<0.1
945281	Soil	0.155	20.8	44.6	1.31	391.9	0.152	3	3.55	0.038	0.70	0.2	5.4	0.37	<0.02	22	0.6	0.02	9.5	4.38	<0.1
945282	Soil	0.118	18.7	48.7	0.78	219.4	0.119	2	2.65	0.020	0.35	0.3	5.0	0.19	<0.02	24	0.3	0.03	7.6	2.41	<0.1
945035	Soil	0.204	22.3	32.0	0.52	206.8	0.061	2	2.41	0.012	0.14	0.3	2.9	0.15	0.02	39	0.4	0.07	6.7	2.20	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 6 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
945254	Soil	0.06	1.75	41.6	0.5	<0.05	4.6	8.66	36.4	0.04	<1	0.6	17.3	<10	<2
945255	Soil	0.11	1.53	32.8	0.5	<0.05	9.1	8.95	39.8	0.03	<1	0.6	16.9	<10	<2
945256	Soil	0.10	1.87	29.8	0.6	<0.05	7.2	9.45	39.3	0.03	<1	0.6	18.8	<10	<2
945257	Soil	0.14	2.08	30.3	0.6	<0.05	10.2	12.19	37.6	0.03	<1	0.7	21.2	<10	<2
945258	Soil	0.13	2.25	28.2	0.6	<0.05	8.3	9.51	40.2	0.04	<1	0.7	20.1	<10	<2
945259	Soil	<0.02	1.49	13.8	0.3	<0.05	0.9	5.30	46.7	<0.02	<1	0.5	9.0	<10	<2
945260	Soil	0.05	1.61	25.9	0.4	<0.05	3.6	8.95	46.9	0.04	<1	0.7	18.8	<10	<2
945261	Soil	0.03	1.34	23.0	0.3	<0.05	1.6	7.09	38.1	0.02	<1	0.6	15.4	<10	<2
945262	Soil	0.35	0.76	24.0	0.6	<0.05	22.3	14.26	26.6	0.04	<1	0.7	18.4	<10	<2
945263	Soil	0.13	0.93	69.9	0.8	<0.05	8.0	17.51	37.2	0.15	<1	0.7	28.9	<10	<2
945264	Soil	0.05	0.98	38.1	0.5	<0.05	3.5	9.12	33.4	0.03	<1	0.6	16.4	<10	3
945265	Soil	0.08	1.29	34.9	0.5	<0.05	5.9	9.38	40.2	0.03	<1	0.5	20.9	<10	<2
945266	Soil	0.12	0.60	38.1	0.5	<0.05	6.2	18.64	40.8	0.06	<1	0.7	23.7	<10	<2
945267	Soil	<0.02	1.34	44.7	0.5	<0.05	1.5	16.39	347.6	0.02	<1	1.1	31.3	<10	<2
945268	Soil	0.07	0.53	19.9	0.3	<0.05	4.4	7.71	37.7	0.02	<1	0.5	14.7	<10	<2
945269	Soil	0.05	1.61	52.2	0.6	<0.05	3.9	12.77	45.5	0.04	<1	0.7	23.2	<10	<2
945270	Soil	0.09	0.77	17.9	0.4	<0.05	5.8	8.00	28.2	0.03	<1	0.4	15.2	<10	<2
945271	Soil	0.18	1.72	19.1	0.4	<0.05	13.0	9.21	37.1	0.07	<1	0.6	20.3	<10	<2
945272	Soil	0.09	1.34	53.1	0.7	<0.05	7.2	18.03	33.0	0.05	<1	0.8	27.0	<10	<2
945273	Soil	0.10	1.73	34.3	0.4	<0.05	8.1	12.09	44.1	0.03	<1	0.6	16.9	<10	<2
945274	Soil	0.14	1.85	25.3	0.5	<0.05	9.5	13.09	40.6	0.04	<1	0.8	16.4	<10	<2
945275	Soil	0.13	1.87	25.3	0.5	<0.05	9.0	12.85	41.1	0.04	<1	0.8	16.7	<10	<2
945276	Soil	0.14	1.80	30.5	0.5	<0.05	10.9	16.20	44.4	0.04	2	0.7	21.0	<10	<2
945277	Soil	0.08	0.41	13.3	0.3	<0.05	5.2	17.03	63.5	0.04	<1	0.8	41.4	<10	<2
945278	Soil	0.27	1.42	24.6	0.5	<0.05	16.2	10.89	36.0	0.03	<1	0.8	15.7	<10	<2
945279	Soil	0.11	2.52	43.1	0.6	<0.05	7.2	19.05	44.7	0.06	<1	0.4	20.8	<10	<2
945280	Soil	0.16	1.73	30.7	0.5	<0.05	9.7	11.90	38.1	0.04	<1	0.8	17.9	<10	<2
945281	Soil	0.22	1.79	63.5	0.8	<0.05	16.4	22.08	37.2	0.05	<1	0.8	28.3	<10	<2
945282	Soil	0.17	1.53	33.7	0.5	<0.05	12.6	10.77	34.0	0.03	<1	0.6	22.1	<10	<2
945035	Soil	0.07	1.26	20.5	0.6	<0.05	4.8	7.94	46.3	0.06	<1	0.8	25.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 7 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945036	Soil	2.75	0.77	42.20	26.89	103.9	237	44.6	15.4	1077	3.28	28.3	1.6	4.5	8.2	25.7	0.24	0.65	0.44	33	0.17
945037	Soil	2.46	0.70	38.68	24.32	105.0	218	40.9	14.1	1082	2.88	11.9	1.5	1.9	7.9	27.0	0.24	0.48	0.42	33	0.15
945038	Soil	2.24	0.55	29.68	23.34	118.5	347	40.3	11.9	778	2.58	8.8	1.1	2.1	5.1	24.9	0.37	0.49	0.37	34	0.16
945039	Soil	2.32	0.54	28.63	22.20	112.2	354	38.8	11.8	711	2.52	8.6	1.1	1.9	5.1	23.7	0.40	0.48	0.35	33	0.15
945040	Soil	2.15	0.70	28.85	37.99	118.0	174	31.1	12.4	1608	2.43	10.7	1.1	1.8	3.9	39.4	0.65	0.76	0.43	31	0.25
945041	Soil	1.80	0.65	22.89	51.46	149.2	266	30.4	10.7	2343	2.21	9.9	0.7	1.8	2.4	46.4	1.10	1.05	0.46	28	0.34
945042	Soil	2.33	0.76	38.09	39.36	132.8	128	41.5	18.3	1502	3.15	11.4	1.3	23.8	4.2	50.7	1.00	0.81	0.43	45	0.40
945043	Soil	2.44	0.83	35.92	19.94	82.0	110	34.9	15.3	768	3.02	12.1	1.6	5.0	5.6	30.1	0.31	0.44	0.41	38	0.22
945044	Soil	2.50	0.68	33.39	23.74	99.9	132	36.7	15.9	901	2.98	10.1	1.4	1.4	5.1	32.0	0.48	0.48	0.39	40	0.22
945045	Soil	2.28	0.83	45.94	21.48	120.0	165	54.8	20.4	937	3.69	13.1	1.7	1.5	5.6	35.9	0.40	0.44	0.42	50	0.25
945046	Soil	2.59	0.80	47.60	17.15	73.9	65	37.4	18.9	701	3.57	14.6	1.7	4.7	8.1	33.7	0.23	0.48	0.47	48	0.23
945047	Soil	2.34	0.78	40.44	28.26	133.0	174	40.1	17.8	1265	3.10	12.4	1.8	1.8	2.6	64.3	0.86	0.52	0.45	39	0.50
945048	Soil	2.25	0.59	43.12	16.58	104.0	154	36.9	15.0	859	3.04	11.4	1.8	3.2	4.7	41.1	0.44	0.46	0.32	48	0.33
945049	Soil	2.33	0.56	29.33	17.16	102.1	184	23.3	9.1	449	2.22	6.2	1.0	2.0	4.5	32.7	0.43	0.31	0.21	38	0.29
945050	Soil	2.45	0.56	41.18	15.65	72.7	101	28.8	14.5	617	2.80	10.4	1.9	5.8	6.3	27.2	0.28	0.50	0.29	48	0.20
945051	Soil	2.38	0.73	41.58	21.72	132.6	220	33.7	14.8	1316	2.93	9.8	2.6	1.5	4.5	47.1	1.00	0.57	0.31	48	0.37
945052	Soil	2.29	0.77	33.10	24.19	147.1	115	32.5	14.7	1512	2.76	8.7	1.7	2.2	4.0	35.5	1.16	0.68	0.32	41	0.26
945053	Soil	2.16	0.69	36.28	19.72	154.5	246	33.7	13.3	1505	2.66	8.5	1.4	3.3	3.9	54.4	0.93	0.49	0.31	39	0.44
945054	Soil	2.34	0.84	30.54	26.01	139.9	124	34.9	13.1	1057	2.80	11.4	1.4	2.1	6.4	36.7	0.60	0.63	0.34	46	0.28
945055	Soil	1.86	0.66	24.42	50.17	143.1	120	21.4	9.7	1343	2.11	8.3	1.1	4.8	4.2	54.0	1.21	0.82	0.36	33	0.52
945056	Soil	2.21	0.78	44.88	19.56	123.3	200	37.6	16.4	1171	3.11	10.0	1.7	5.7	5.2	32.8	0.63	0.49	0.34	50	0.26
945057	Soil	2.36	0.64	38.73	38.34	137.4	130	27.8	13.4	1382	2.72	10.1	1.7	5.4	4.3	52.5	1.30	0.78	0.35	44	0.37
945058	Soil	2.72	0.69	38.54	26.33	122.5	132	31.4	14.2	1129	2.95	11.4	1.5	5.4	5.2	44.9	0.92	0.67	0.37	48	0.33
945059	Soil	2.24	0.66	39.18	25.19	119.4	124	30.7	14.2	1132	2.91	10.8	1.5	5.0	5.0	41.7	0.86	0.63	0.35	48	0.30
945060	Soil	2.20	0.76	45.34	22.95	107.0	121	35.9	17.0	1118	3.14	11.9	1.8	38.3	4.8	45.1	0.75	0.67	0.33	53	0.31
945061	Soil	2.20	0.75	41.65	38.56	142.1	164	60.1	16.7	873	3.01	12.4	1.0	3.1	3.3	49.4	1.13	1.13	0.32	55	0.52
945062	Soil	2.49	0.61	42.03	24.54	95.5	158	66.0	19.0	749	3.24	11.4	1.0	10.1	3.8	51.0	0.73	0.94	0.26	63	0.58
945063	Soil	2.78	0.81	51.08	32.48	112.9	229	66.3	17.6	1217	2.82	15.9	1.1	1.8	2.2	51.7	1.04	1.18	0.33	49	0.53
945064	Soil	2.96	0.73	51.19	44.83	154.6	207	65.2	20.2	1745	3.04	14.6	1.0	1.3	2.7	67.9	1.65	1.40	0.36	54	0.73
945065	Soil	2.34	0.73	38.25	48.42	135.7	184	46.6	14.6	1117	2.63	12.1	0.9	1.5	2.0	68.6	1.58	1.56	0.33	49	0.77

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
945036	Soil			0.106	31.1	34.6	0.63	120.0	0.064	1	2.39	0.009	0.13	0.4	3.6	0.13	<0.02	29	0.4	0.07	6.9	2.19	<0.1
945037	Soil			0.087	27.5	31.4	0.53	132.5	0.071	<1	2.38	0.008	0.11	0.4	3.3	0.12	<0.02	27	0.4	0.06	6.9	1.97	<0.1
945038	Soil			0.161	23.9	27.7	0.41	213.3	0.084	1	3.05	0.014	0.11	0.4	2.8	0.15	<0.02	36	0.3	0.06	8.1	1.84	<0.1
945039	Soil			0.154	22.7	26.5	0.39	203.7	0.084	2	2.95	0.013	0.10	0.4	2.8	0.15	<0.02	32	0.3	0.03	7.7	1.78	<0.1
945040	Soil			0.156	21.1	25.9	0.40	207.1	0.067	1	2.56	0.010	0.10	0.4	2.5	0.16	0.02	36	0.4	0.05	7.1	1.79	<0.1
945041	Soil			0.196	15.2	24.7	0.35	309.7	0.060	2	2.17	0.010	0.10	0.5	1.9	0.17	0.03	41	0.3	0.02	6.3	1.72	<0.1
945042	Soil			0.186	18.7	37.8	0.58	265.4	0.083	2	2.92	0.008	0.21	0.3	3.3	0.20	0.02	35	0.4	0.05	7.8	2.14	<0.1
945043	Soil			0.078	20.6	36.6	0.53	115.3	0.066	1	1.77	0.005	0.23	0.5	3.1	0.18	<0.02	15	0.5	0.05	5.4	1.94	<0.1
945044	Soil			0.103	19.2	36.3	0.54	166.0	0.077	1	2.36	0.007	0.25	0.4	3.2	0.19	<0.02	22	0.5	0.05	6.9	2.01	<0.1
945045	Soil			0.161	18.2	48.0	0.68	160.8	0.095	1	3.28	0.006	0.31	0.4	3.8	0.22	<0.02	22	0.3	0.04	9.0	2.59	<0.1
945046	Soil			0.066	25.5	45.2	0.65	94.4	0.078	1	1.79	0.006	0.27	0.5	4.3	0.18	<0.02	8	0.6	0.07	5.7	2.26	<0.1
945047	Soil			0.171	20.3	36.9	0.54	218.9	0.055	2	2.22	0.007	0.27	0.4	2.9	0.19	0.03	25	0.4	0.04	6.6	2.31	<0.1
945048	Soil			0.239	18.8	35.6	0.58	194.0	0.083	1	3.06	0.009	0.19	0.3	4.0	0.16	<0.02	19	0.3	0.04	8.3	2.13	<0.1
945049	Soil			0.138	14.2	25.1	0.42	158.6	0.085	2	1.81	0.019	0.18	0.4	3.0	0.14	<0.02	11	0.1	0.02	5.1	1.49	<0.1
945050	Soil			0.075	20.8	33.8	0.56	126.4	0.078	<1	2.20	0.008	0.19	0.3	4.1	0.15	<0.02	16	0.3	0.06	6.2	1.81	<0.1
945051	Soil			0.236	19.9	34.3	0.54	284.9	0.091	2	3.11	0.010	0.17	0.3	3.9	0.17	<0.02	34	0.3	0.04	8.7	2.23	<0.1
945052	Soil			0.273	15.4	32.4	0.51	309.8	0.074	2	2.68	0.007	0.15	0.2	3.4	0.14	<0.02	28	0.3	0.05	7.6	2.09	<0.1
945053	Soil			0.319	16.9	28.8	0.47	355.3	0.091	2	3.30	0.011	0.16	0.2	3.7	0.16	<0.02	32	0.4	0.03	8.8	2.19	<0.1
945054	Soil			0.310	15.7	30.3	0.53	360.3	0.102	3	3.33	0.012	0.18	0.3	3.8	0.17	<0.02	40	0.3	0.04	9.0	2.35	<0.1
945055	Soil			0.289	14.1	21.2	0.39	374.7	0.086	4	2.36	0.014	0.15	0.3	3.2	0.17	0.02	51	0.3	0.04	6.5	1.85	<0.1
945056	Soil			0.232	19.3	35.8	0.55	209.1	0.112	3	3.68	0.012	0.18	0.3	4.3	0.19	<0.02	25	0.4	0.06	9.2	2.38	<0.1
945057	Soil			0.277	18.1	27.5	0.49	350.4	0.082	3	2.91	0.010	0.17	0.3	3.7	0.17	<0.02	32	0.3	0.07	7.9	2.19	<0.1
945058	Soil			0.231	21.2	33.3	0.54	283.9	0.099	2	3.05	0.012	0.20	0.3	4.2	0.18	<0.02	24	0.4	0.04	8.3	2.24	<0.1
945059	Soil			0.210	19.8	32.6	0.54	265.6	0.094	2	2.98	0.011	0.19	0.3	4.1	0.18	<0.02	22	0.3	0.04	7.9	2.11	<0.1
945060	Soil			0.149	23.6	35.5	0.61	193.8	0.092	2	3.02	0.011	0.21	0.3	4.4	0.18	0.02	11	0.3	0.06	8.1	2.20	<0.1
945061	Soil			0.312	15.0	52.4	0.69	350.8	0.104	4	2.93	0.024	0.20	0.3	5.4	0.14	<0.02	44	0.4	0.03	7.6	1.72	<0.1
945062	Soil			0.144	15.7	54.6	0.82	217.1	0.126	4	3.07	0.021	0.25	0.3	5.5	0.17	<0.02	23	0.3	0.03	8.0	1.96	<0.1
945063	Soil			0.168	15.0	39.8	0.58	318.8	0.101	4	3.39	0.023	0.21	0.2	4.9	0.16	0.04	56	0.5	0.03	7.9	1.72	<0.1
945064	Soil			0.283	15.4	43.8	0.65	376.4	0.098	4	3.23	0.017	0.19	0.2	5.3	0.17	0.04	43	0.5	0.04	7.9	1.82	<0.1
945065	Soil			0.225	12.7	38.2	0.58	314.6	0.099	4	2.66	0.017	0.20	0.3	4.6	0.15	0.04	43	0.5	0.04	6.8	1.55	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 7 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945036	Soil	0.09	1.09	20.5	0.5	<0.05	6.4	11.41	58.5	0.05	<1	1.0	32.4	<10	<2
945037	Soil	0.09	1.20	18.3	0.5	<0.05	7.6	8.73	55.8	0.03	<1	1.0	28.0	<10	2
945038	Soil	0.13	1.45	19.4	0.7	<0.05	9.5	8.67	52.6	0.04	<1	1.1	25.3	<10	<2
945039	Soil	0.12	1.35	18.5	0.7	<0.05	10.5	8.70	49.9	0.04	<1	1.2	24.1	<10	<2
945040	Soil	0.06	1.40	16.9	0.7	<0.05	4.8	6.87	45.1	0.08	<1	1.2	24.1	<10	<2
945041	Soil	0.05	1.31	18.2	0.7	<0.05	3.7	4.53	33.6	0.08	<1	0.7	19.7	<10	<2
945042	Soil	0.06	2.19	28.6	0.7	<0.05	4.6	6.49	39.6	0.07	<1	1.0	25.7	<10	<2
945043	Soil	0.04	1.61	24.5	0.4	<0.05	2.4	6.34	38.4	0.04	<1	0.8	24.3	<10	<2
945044	Soil	0.06	1.70	27.4	0.6	<0.05	3.6	5.89	40.2	0.04	<1	1.0	23.1	<10	<2
945045	Soil	0.07	2.00	31.5	0.7	<0.05	5.1	6.35	44.6	0.04	<1	1.0	32.2	<10	<2
945046	Soil	0.03	1.12	24.1	0.4	<0.05	2.4	6.67	48.0	0.03	<1	0.8	22.4	<10	<2
945047	Soil	<0.02	1.59	29.6	0.6	<0.05	1.4	7.14	40.7	0.06	<1	1.0	25.2	<10	<2
945048	Soil	0.08	1.91	25.8	0.6	<0.05	5.5	8.44	39.8	0.03	<1	0.9	23.0	<10	<2
945049	Soil	0.16	1.10	20.9	0.4	<0.05	11.8	6.83	28.0	0.03	<1	0.5	13.3	<10	<2
945050	Soil	0.07	1.61	22.9	0.5	<0.05	4.7	7.24	41.4	0.03	<1	0.7	19.9	<10	<2
945051	Soil	0.08	2.42	26.4	0.7	<0.05	6.3	10.57	39.6	0.04	<1	1.1	25.7	<10	<2
945052	Soil	0.06	2.29	27.9	0.7	<0.05	4.4	7.25	32.9	0.04	<1	1.0	24.0	<10	<2
945053	Soil	0.09	2.11	26.8	0.8	<0.05	7.0	9.31	35.6	0.04	<1	0.8	21.9	<10	<2
945054	Soil	0.13	2.46	25.4	0.8	<0.05	8.7	5.95	36.5	0.06	<1	0.9	21.6	<10	<2
945055	Soil	0.09	2.46	19.5	0.8	<0.05	6.7	5.84	30.6	0.09	<1	0.6	16.3	<10	<2
945056	Soil	0.13	2.39	27.7	0.8	<0.05	8.8	9.80	43.3	0.03	<1	1.2	25.3	<10	<2
945057	Soil	0.07	2.53	25.9	0.8	<0.05	4.5	7.53	38.7	0.07	<1	1.0	21.4	<10	<2
945058	Soil	0.08	2.24	28.3	0.7	<0.05	5.7	8.59	45.5	0.05	<1	0.9	22.3	<10	<2
945059	Soil	0.08	2.22	27.2	0.7	<0.05	6.0	8.33	42.7	0.05	<1	0.9	21.5	<10	<2
945060	Soil	0.06	2.34	27.2	0.6	<0.05	3.8	8.36	48.9	0.04	<1	1.0	21.6	<10	<2
945061	Soil	0.08	2.32	19.3	0.7	<0.05	7.6	8.73	34.4	0.11	<1	0.7	15.5	<10	<2
945062	Soil	0.21	2.85	30.3	0.7	<0.05	14.2	8.70	36.4	0.07	<1	0.8	17.1	<10	2
945063	Soil	0.13	2.64	21.5	0.8	<0.05	8.8	10.14	36.6	0.07	<1	0.8	17.4	<10	<2
945064	Soil	0.08	2.47	21.5	0.8	<0.05	5.9	9.21	37.1	0.12	<1	0.6	16.5	<10	<2
945065	Soil	0.09	2.83	18.3	0.8	<0.05	6.7	6.97	29.9	0.12	<1	0.6	14.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 8 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945066	Soil	2.48	0.57	48.56	56.94	126.4	218	40.0	13.6	805	2.71	12.9	1.0	3.5	2.4	61.3	1.43	1.80	0.32	54	0.79
945067	Soil	2.54	0.54	47.90	23.62	101.9	220	43.1	15.9	643	3.00	13.9	1.2	14.4	2.8	54.5	0.63	1.04	0.21	61	0.63
945068	Soil	2.56	0.75	39.92	48.38	165.9	172	42.8	15.9	1406	2.94	11.8	1.4	0.9	2.2	66.6	1.77	1.45	0.34	51	0.71
945069	Soil	2.36	0.68	32.43	55.96	153.4	141	37.0	14.6	1009	2.91	11.6	0.9	1.6	2.1	52.3	2.53	1.66	0.32	52	0.58
945070	Soil	2.09	0.72	33.59	58.30	166.6	157	42.0	15.2	1112	2.92	11.7	0.9	1.1	2.3	53.9	2.27	1.75	0.32	50	0.60
945071	Soil	2.19	0.61	28.90	54.01	180.7	172	38.5	14.5	1177	2.90	11.8	0.9	1.7	2.5	53.2	1.75	1.54	0.35	49	0.52
945072	Soil	1.98	0.61	32.26	80.07	200.7	176	37.7	12.5	1309	2.41	10.0	0.8	1.3	1.3	79.5	2.37	1.57	0.45	42	0.89
945073	Soil	1.99	0.52	27.80	32.84	152.0	139	34.4	12.5	793	2.76	10.4	1.1	1.2	2.3	50.8	0.77	1.08	0.26	42	0.57
945074	Soil	2.05	0.51	28.19	31.40	147.7	146	35.0	12.5	768	2.79	10.3	1.1	3.0	2.3	50.0	0.74	1.06	0.26	43	0.56
945075	Soil	2.19	0.68	31.33	32.84	160.0	141	31.5	15.5	1198	3.08	12.1	0.9	1.3	2.5	40.7	0.94	1.28	0.25	51	0.40
945076	Soil	2.42	0.77	30.44	62.33	175.7	128	32.1	14.9	1365	2.97	14.1	0.8	2.4	2.5	44.7	1.60	2.00	0.39	53	0.41
945077	Soil	2.91	0.68	36.83	21.97	131.6	261	28.0	11.8	571	2.59	8.6	1.2	2.8	5.2	39.5	0.59	0.37	0.27	45	0.34
945078	Soil	2.29	0.65	45.16	32.53	147.9	237	33.3	11.8	705	2.59	17.7	1.1	4.7	2.7	50.9	1.02	1.19	0.27	45	0.45
945079	Soil	1.95	0.62	35.00	41.61	193.4	274	25.8	9.7	760	2.09	16.8	1.1	2.2	1.8	63.8	1.82	1.25	0.29	37	0.62
945080	Soil	1.93	0.65	23.82	49.59	161.7	180	20.4	7.9	1011	1.67	15.7	0.8	1.5	1.1	82.7	1.84	1.58	0.29	29	0.91
945081	Soil	2.45	0.87	40.23	24.25	138.7	194	31.5	13.5	767	2.81	19.3	2.2	2.9	3.1	44.6	0.71	0.88	0.28	52	0.37
945082	Soil	1.99	1.70	26.97	70.75	241.7	272	42.9	13.2	2205	2.92	22.3	0.9	3.0	2.6	46.3	1.83	1.54	0.76	47	0.38
945083	Soil	2.10	1.04	23.01	45.66	193.7	104	57.7	14.0	1573	2.73	23.2	0.6	2.9	3.8	58.3	1.50	1.41	0.42	44	0.51
945084	Soil	2.01	1.06	28.05	91.31	299.8	164	45.3	13.7	1550	2.86	17.9	0.8	1.8	3.9	88.4	6.39	2.35	0.55	42	0.65
945085	Soil	2.31	0.59	26.93	52.35	128.0	245	105.5	14.4	1027	2.39	15.7	0.9	24.9	2.2	58.3	1.47	1.40	0.41	35	0.64
945086	Soil	3.12	0.62	48.71	45.11	119.2	186	196.9	21.4	889	2.82	16.6	1.1	3.3	3.1	45.5	0.97	1.09	0.39	50	0.52
945087	Soil	3.04	0.66	48.84	49.24	123.6	185	201.9	21.9	910	2.90	16.9	1.2	4.9	3.1	48.3	1.06	1.17	0.41	52	0.53
945088	Soil	3.29	0.51	43.29	21.04	89.0	168	248.7	17.4	659	2.33	12.7	0.7	4.7	2.3	41.5	0.60	0.62	0.23	41	0.52
945089	Soil	3.32	0.72	42.98	30.71	112.6	183	137.2	16.3	1007	2.80	15.7	1.1	3.1	2.7	41.6	0.81	0.89	0.31	50	0.43
945090	Soil	2.06	0.97	23.66	30.01	113.2	133	118.9	14.8	965	2.55	14.6	0.8	0.6	2.2	22.9	0.78	1.21	0.36	39	0.24
945091	Soil	2.25	0.78	16.79	27.69	111.2	79	36.9	9.4	1751	2.13	11.3	0.5	0.4	2.1	26.3	0.91	0.95	0.39	32	0.27
945092	Soil	2.44	0.99	22.83	21.87	131.9	140	62.3	13.9	1468	2.69	15.2	0.5	1.3	1.7	28.2	0.71	0.92	0.37	40	0.32
945093	Soil	2.61	0.81	28.03	15.67	94.2	103	84.3	15.7	1137	2.87	12.1	0.8	5.6	2.9	29.7	0.51	0.71	0.33	48	0.30
945094	Soil	2.17	0.66	23.84	34.91	139.9	130	85.4	14.8	862	2.88	15.1	0.5	1.3	2.6	28.4	1.09	1.32	0.38	47	0.26
945095	Soil	2.17	0.79	17.99	45.89	118.1	83	79.2	13.9	1184	2.67	15.5	0.5	1.3	2.4	27.6	0.92	1.87	0.42	43	0.30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

8 of 11

Part 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
945066	Soil			0.117	15.0	41.6	0.68	216.9	0.115	4	2.76	0.020	0.23	0.3	4.8	0.16	0.03	45	0.4	0.04	6.9	1.69	<0.1
945067	Soil			0.106	15.9	48.9	0.82	205.3	0.138	3	3.02	0.022	0.22	0.3	5.4	0.19	0.02	24	0.4	0.04	7.9	2.34	<0.1
945068	Soil			0.262	14.0	41.7	0.65	395.4	0.108	4	3.00	0.018	0.20	0.2	4.8	0.15	0.04	36	0.4	0.04	7.8	1.90	<0.1
945069	Soil			0.234	12.7	40.2	0.64	347.2	0.114	4	2.91	0.016	0.24	0.2	4.3	0.17	0.04	32	0.4	0.04	7.8	1.89	<0.1
945070	Soil			0.238	13.1	42.1	0.69	350.2	0.115	5	2.80	0.015	0.24	0.3	4.3	0.17	0.03	43	0.4	0.02	7.8	2.01	<0.1
945071	Soil			0.234	12.2	38.2	0.68	365.4	0.111	4	2.91	0.015	0.24	0.2	4.1	0.17	0.03	36	0.3	0.05	7.9	2.24	<0.1
945072	Soil			0.294	9.8	33.2	0.56	399.9	0.078	5	2.27	0.013	0.20	0.2	3.2	0.11	0.04	27	0.4	0.05	6.5	1.68	<0.1
945073	Soil			0.262	11.0	34.9	0.64	294.0	0.106	3	3.01	0.015	0.20	0.2	3.9	0.15	0.03	27	0.4	0.03	7.8	2.15	<0.1
945074	Soil			0.265	11.0	34.7	0.64	283.0	0.106	3	3.09	0.015	0.20	0.2	4.0	0.16	0.03	25	0.3	0.02	8.2	2.16	<0.1
945075	Soil			0.289	12.1	40.0	0.63	337.4	0.110	3	3.14	0.012	0.21	0.2	4.3	0.17	0.02	25	0.4	0.04	8.5	2.11	<0.1
945076	Soil			0.267	10.8	40.4	0.61	345.2	0.109	3	3.00	0.012	0.18	0.2	4.3	0.17	<0.02	31	0.3	0.03	8.2	1.91	<0.1
945077	Soil			0.175	17.0	29.1	0.51	210.3	0.110	2	2.46	0.028	0.23	0.4	3.8	0.18	<0.02	18	0.3	0.03	6.4	1.80	<0.1
945078	Soil			0.128	13.6	40.4	0.64	228.1	0.110	3	2.79	0.026	0.16	0.3	4.7	0.15	<0.02	36	0.4	0.03	6.9	1.78	<0.1
945079	Soil			0.187	10.1	29.9	0.48	195.6	0.088	5	2.45	0.024	0.16	0.3	3.3	0.14	0.03	40	0.4	0.04	5.9	1.49	<0.1
945080	Soil			0.149	8.6	25.5	0.45	208.6	0.067	6	1.85	0.021	0.13	0.2	2.6	0.14	0.05	41	0.5	0.02	4.3	1.24	<0.1
945081	Soil			0.213	15.2	37.7	0.61	216.4	0.123	4	3.38	0.023	0.17	0.3	5.2	0.18	<0.02	28	0.5	<0.02	8.1	1.89	<0.1
945082	Soil			0.180	11.4	58.4	0.75	353.8	0.124	3	2.97	0.019	0.17	0.4	4.2	0.23	<0.02	42	0.4	0.07	8.1	2.49	<0.1
945083	Soil			0.289	14.0	49.2	0.70	577.3	0.126	5	2.65	0.021	0.21	0.3	4.1	0.23	<0.02	42	0.4	0.06	7.8	2.19	<0.1
945084	Soil			0.288	18.8	47.5	0.61	404.6	0.090	4	2.70	0.012	0.16	0.3	4.4	0.14	<0.02	45	0.5	0.07	7.1	1.78	<0.1
945085	Soil			0.431	9.4	35.3	0.52	408.2	0.097	4	2.90	0.023	0.11	0.2	3.6	0.13	0.03	55	0.5	0.03	7.5	1.73	<0.1
945086	Soil			0.297	14.4	68.5	0.82	258.6	0.112	4	3.33	0.025	0.16	0.3	5.5	0.17	0.02	41	0.6	0.02	8.0	2.07	<0.1
945087	Soil			0.303	15.2	69.6	0.85	270.1	0.120	4	3.37	0.027	0.16	0.4	5.6	0.19	0.02	52	0.5	0.03	8.2	2.15	<0.1
945088	Soil			0.154	11.8	65.7	0.83	197.5	0.109	4	2.80	0.032	0.14	0.3	4.4	0.17	0.03	27	0.4	0.03	6.8	2.71	<0.1
945089	Soil			0.286	14.1	58.4	0.76	269.1	0.110	3	3.24	0.022	0.15	0.3	4.8	0.16	0.03	36	0.4	0.02	8.2	2.19	<0.1
945090	Soil			0.340	7.7	63.7	0.66	284.6	0.107	2	3.70	0.013	0.09	0.2	3.7	0.15	<0.02	43	0.5	0.04	8.9	2.81	<0.1
945091	Soil			0.403	6.2	31.7	0.40	420.4	0.105	2	3.03	0.013	0.11	0.2	2.7	0.16	<0.02	48	0.3	<0.02	8.1	2.05	<0.1
945092	Soil			0.388	6.9	56.0	0.66	398.7	0.086	3	2.91	0.012	0.12	0.2	2.6	0.15	0.02	48	0.4	0.04	8.3	2.42	<0.1
945093	Soil			0.285	10.9	58.7	0.69	327.4	0.113	2	3.15	0.016	0.13	0.4	4.9	0.18	<0.02	39	0.5	0.03	7.7	2.31	<0.1
945094	Soil			0.318	8.9	56.6	0.62	269.0	0.085	3	2.49	0.014	0.11	0.4	4.4	0.13	<0.02	34	0.4	0.03	6.9	1.79	<0.1
945095	Soil			0.265	7.4	58.9	0.57	307.2	0.094	3	2.59	0.015	0.10	0.3	3.5	0.17	<0.02	44	0.3	0.02	7.0	2.23	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 8 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945066	Soil	0.16	3.76	21.4	0.8	<0.05	8.9	8.54	29.7	0.12	<1	0.7	18.0	<10	<2
945067	Soil	0.19	3.95	27.8	0.8	<0.05	11.6	8.66	33.0	0.06	<1	0.6	19.0	<10	<2
945068	Soil	0.09	3.31	25.6	0.8	<0.05	6.5	7.11	32.7	0.11	<1	0.9	17.6	<10	<2
945069	Soil	0.10	3.78	29.1	0.9	<0.05	6.6	5.76	30.7	0.15	<1	0.6	16.5	<10	<2
945070	Soil	0.10	4.44	28.7	0.9	<0.05	6.8	5.79	30.4	0.15	<1	0.7	16.2	<10	<2
945071	Soil	0.10	3.60	29.3	0.8	<0.05	5.7	5.23	28.9	0.10	<1	0.7	17.8	<10	<2
945072	Soil	0.09	2.54	19.9	0.9	<0.05	4.5	4.57	22.9	0.16	<1	0.5	13.0	<10	<2
945073	Soil	0.11	3.83	24.5	0.7	<0.05	7.6	5.10	27.9	0.07	<1	0.8	17.3	<10	<2
945074	Soil	0.11	3.79	24.7	0.7	<0.05	7.7	5.34	27.6	0.06	1	0.9	17.8	<10	<2
945075	Soil	0.10	3.16	24.7	0.7	<0.05	5.8	5.04	30.1	0.07	<1	0.7	16.5	<10	<2
945076	Soil	0.11	2.89	22.0	0.8	<0.05	6.8	4.81	27.0	0.12	<1	0.7	15.8	<10	<2
945077	Soil	0.21	1.36	26.1	0.5	<0.05	15.0	8.62	34.7	0.03	<1	0.7	16.1	<10	<2
945078	Soil	0.14	2.49	19.4	0.7	<0.05	10.3	7.96	29.0	0.07	<1	0.5	18.2	<10	<2
945079	Soil	0.14	2.25	14.6	0.6	<0.05	8.7	6.17	24.1	0.10	<1	0.6	16.3	<10	<2
945080	Soil	0.06	1.85	12.8	0.6	<0.05	4.5	4.80	19.9	0.10	<1	0.5	16.2	<10	<2
945081	Soil	0.16	2.06	23.0	0.8	<0.05	12.6	9.60	35.9	0.05	<1	0.8	17.6	<10	<2
945082	Soil	0.11	1.75	31.5	0.9	<0.05	7.6	6.18	29.5	0.15	<1	0.9	19.0	<10	<2
945083	Soil	0.12	2.63	30.2	0.8	<0.05	8.5	4.78	34.9	0.08	<1	0.8	18.7	<10	<2
945084	Soil	0.10	2.72	19.5	0.9	<0.05	7.7	8.01	38.7	0.15	<1	1.0	15.9	<10	<2
945085	Soil	0.15	2.18	15.4	0.9	<0.05	10.6	5.71	27.6	0.08	<1	0.7	15.2	<10	<2
945086	Soil	0.19	2.02	21.6	0.8	<0.05	13.2	10.01	32.1	0.10	<1	0.7	18.9	<10	<2
945087	Soil	0.15	2.20	22.3	0.8	<0.05	12.3	10.55	33.7	0.12	<1	0.7	18.8	<10	<2
945088	Soil	0.16	2.03	31.8	0.7	<0.05	10.5	8.11	26.1	0.04	<1	0.7	18.9	<10	<2
945089	Soil	0.11	2.07	23.6	0.8	<0.05	8.2	8.41	32.4	0.06	<1	0.7	17.4	<10	<2
945090	Soil	0.17	1.82	19.9	1.0	<0.05	11.6	5.13	26.9	0.06	<1	0.7	16.5	<10	2
945091	Soil	0.19	2.24	16.9	1.0	<0.05	11.3	3.30	20.6	0.08	<1	0.7	14.2	<10	<2
945092	Soil	0.06	1.51	21.4	0.8	<0.05	3.5	2.90	17.7	0.05	<1	0.6	17.8	<10	<2
945093	Soil	0.19	1.56	22.2	0.7	<0.05	11.4	6.63	32.1	0.04	<1	0.9	15.5	<10	<2
945094	Soil	0.13	1.47	18.1	0.8	<0.05	7.0	4.36	25.9	0.09	<1	0.6	14.0	<10	<2
945095	Soil	0.14	1.73	19.3	0.9	<0.05	8.0	3.43	22.5	0.11	<1	0.5	14.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 9 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945096	Soil	2.46	0.69	31.18	36.88	106.5	125	133.3	19.8	1042	3.03	12.1	0.7	1.8	2.5	25.0	0.80	1.38	0.38	57	0.30
945097	Soil	2.62	0.95	42.72	21.52	129.2	189	51.5	16.1	1141	3.39	14.2	0.9	1.2	3.2	21.6	0.66	1.02	0.39	67	0.23
945098	Soil	2.70	0.63	34.77	20.42	126.4	237	26.8	10.4	557	2.48	8.8	1.1	2.1	4.8	37.3	0.55	0.36	0.28	41	0.32
945099	Soil	2.60	0.76	30.18	47.85	117.1	162	69.4	13.1	1173	2.69	14.9	0.8	1.5	1.9	34.4	1.10	1.34	0.40	47	0.43
945100	Soil	2.52	0.68	16.96	23.64	142.9	123	333.2	29.3	1615	2.86	13.7	0.4	0.8	1.9	41.3	0.70	0.90	0.41	39	0.36
945101	Soil	2.43	0.55	21.59	21.67	77.3	115	360.5	24.1	428	2.63	11.2	0.7	1.6	2.8	22.6	0.43	0.86	0.35	44	0.19
945102	Soil	2.66	0.36	40.71	10.92	20.9	392	274.4	6.6	160	0.84	7.2	1.4	1.3	0.6	82.7	0.64	0.45	0.15	13	0.99
945103	Soil	2.14	1.79	24.76	43.07	200.0	132	134.3	19.0	906	3.28	12.5	1.0	2.6	1.6	60.2	1.47	0.95	1.00	78	0.82
945104	Soil	2.36	1.12	37.07	23.43	287.2	396	76.6	17.8	1050	3.42	10.5	0.8	5.4	2.4	34.2	2.13	0.48	0.66	78	0.33
945105	Soil	2.49	0.98	29.39	24.65	176.6	198	42.7	14.3	799	3.05	14.7	0.6	3.5	2.5	47.8	1.57	1.02	0.39	57	0.47
945106	Soil	2.11	1.59	29.72	37.60	251.9	180	54.3	20.0	1245	3.57	8.4	0.6	5.0	2.1	39.1	2.22	0.72	0.74	74	0.40
945107	Soil	2.31	0.76	33.71	18.32	152.5	180	31.4	13.0	941	2.90	13.2	0.8	2.4	2.5	50.3	1.24	1.01	0.25	52	0.54
945108	Soil	2.18	0.90	28.99	21.74	155.3	147	35.7	13.7	1235	2.76	11.3	0.6	2.9	2.4	71.3	1.75	0.87	0.26	48	0.59
945109	Soil	3.54	0.70	36.45	20.83	117.4	230	27.0	11.2	512	2.50	7.3	1.2	5.4	5.0	35.6	0.54	0.33	0.27	43	0.31
945110	Soil	2.65	0.90	31.65	35.34	146.9	202	80.8	18.5	1323	2.98	33.7	0.7	2.3	2.4	40.4	1.85	1.42	0.33	59	0.37
945111	Soil	2.93	3.93	52.34	81.50	254.4	372	86.1	25.0	1757	3.95	23.0	1.5	6.4	3.3	64.3	3.43	1.46	0.79	73	0.63
945112	Soil	2.67	0.92	46.16	28.50	215.3	234	46.8	18.0	1891	3.18	13.2	0.8	2.6	2.4	70.9	2.32	0.94	0.33	54	0.63
945113	Soil	2.20	0.95	28.43	37.38	182.6	168	30.3	13.1	1439	2.73	17.1	0.7	1.5	1.9	69.9	1.67	1.46	0.28	44	0.65
945114	Soil	2.97	1.16	40.27	18.09	148.8	184	35.2	16.1	947	2.92	17.1	1.2	6.7	3.1	41.2	0.97	0.94	0.24	51	0.38
945115	Soil	2.57	0.84	41.03	55.14	159.5	211	43.8	15.0	1686	2.61	15.8	0.7	5.9	1.4	71.7	1.79	1.31	0.46	45	0.86
945116	Soil	3.33	0.96	46.33	41.17	128.1	183	36.7	14.6	1685	2.62	14.8	1.0	1.3	2.2	34.3	1.32	1.10	0.39	46	0.32
945117	Soil	3.23	0.83	41.10	29.20	133.6	177	47.1	14.5	1276	2.76	12.8	1.2	1.5	2.2	42.3	0.91	0.85	0.40	45	0.42
945118	Soil	2.90	0.59	46.20	27.41	119.3	244	80.6	14.1	832	2.68	11.7	1.1	8.0	1.6	47.7	0.76	0.88	0.50	49	0.57
945119	Soil	2.57	0.54	34.13	24.95	111.3	167	59.7	13.4	701	2.52	8.9	1.2	37.8	2.0	40.5	0.70	0.73	0.29	45	0.50
945120	Soil	2.45	0.84	35.28	26.19	134.6	171	61.3	15.5	810	2.94	10.8	1.0	0.9	2.4	35.4	0.75	0.81	0.32	52	0.37
945121	Soil	2.54	0.80	35.47	25.56	134.4	244	58.7	14.1	878	2.64	12.2	1.0	3.1	2.0	34.9	0.87	0.84	0.30	46	0.33
945122	Soil	2.46	0.80	33.86	25.24	119.7	146	59.9	13.3	696	2.58	10.7	1.1	6.9	2.1	33.4	0.72	0.90	0.28	46	0.34
945123	Soil	2.59	0.77	30.10	29.00	122.1	160	78.2	14.6	856	2.73	10.1	1.0	2.1	2.3	36.3	0.99	0.85	0.28	48	0.35
945124	Soil	2.60	0.76	31.04	22.01	122.0	193	84.7	14.6	753	2.93	12.2	0.9	6.9	2.6	35.6	0.66	0.69	0.27	50	0.33
945125	Soil	2.70	0.66	42.93	17.91	93.7	157	55.6	14.4	552	2.76	10.0	1.1	2.4	2.9	41.3	0.81	0.91	0.20	61	0.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 9 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945096	Soil	0.158	10.0	110.2	0.87	249.2	0.113	2	2.90	0.013	0.11	0.3	4.7	0.17	<0.02	53	0.5	0.04	7.5	3.34	<0.1
945097	Soil	0.389	9.9	53.4	0.68	284.3	0.123	3	3.89	0.013	0.14	0.3	5.6	0.17	<0.02	38	0.7	0.07	10.1	4.52	<0.1
945098	Soil	0.160	14.5	27.6	0.48	205.3	0.098	2	2.36	0.023	0.22	0.4	3.7	0.17	<0.02	27	0.5	0.02	6.0	1.72	<0.1
945099	Soil	0.207	9.4	40.5	0.60	269.4	0.090	2	3.00	0.018	0.11	0.2	3.9	0.16	0.02	37	0.4	0.03	7.5	1.86	<0.1
945100	Soil	0.284	6.2	85.6	1.00	342.4	0.082	4	2.31	0.012	0.11	0.4	3.2	0.16	<0.02	43	0.3	<0.02	6.9	2.09	<0.1
945101	Soil	0.124	8.2	88.1	0.74	167.8	0.118	4	3.15	0.019	0.09	0.8	4.0	0.13	<0.02	38	0.4	<0.02	7.7	2.92	<0.1
945102	Soil	0.047	7.7	26.4	0.99	133.2	0.036	5	1.19	0.035	0.07	0.9	1.6	0.22	0.13	46	1.3	<0.02	2.9	7.49	<0.1
945103	Soil	0.039	5.9	112.9	1.39	222.9	0.163	3	3.27	0.030	0.30	1.5	7.0	0.33	0.04	23	0.7	0.08	9.4	10.89	<0.1
945104	Soil	0.151	10.3	64.5	1.03	299.3	0.157	3	3.43	0.021	0.29	1.6	9.1	0.30	<0.02	33	0.6	<0.02	9.0	6.76	0.1
945105	Soil	0.227	11.3	41.2	0.67	257.8	0.100	5	2.66	0.014	0.23	0.6	5.4	0.15	<0.02	29	0.5	0.02	7.2	1.94	<0.1
945106	Soil	0.171	9.3	51.7	1.25	286.4	0.138	3	3.13	0.015	0.24	1.4	6.9	0.27	<0.02	27	0.2	0.04	8.5	3.73	<0.1
945107	Soil	0.307	12.3	37.5	0.60	321.0	0.110	4	3.12	0.014	0.20	0.3	4.6	0.16	<0.02	36	0.3	<0.02	7.8	1.65	<0.1
945108	Soil	0.362	11.6	38.4	0.60	428.0	0.100	3	2.75	0.013	0.16	0.3	4.3	0.15	<0.02	25	0.3	<0.02	7.4	1.67	<0.1
945109	Soil	0.158	15.3	27.7	0.51	196.2	0.099	2	2.24	0.021	0.22	0.4	3.6	0.18	<0.02	17	0.2	0.03	5.8	1.70	<0.1
945110	Soil	0.171	13.3	51.6	0.80	358.0	0.111	3	2.84	0.011	0.25	0.2	4.9	0.20	<0.02	30	0.4	0.02	7.5	2.30	<0.1
945111	Soil	0.192	18.4	81.7	1.39	441.4	0.160	3	3.46	0.013	0.32	1.3	7.2	0.42	0.02	46	0.6	0.04	9.1	3.92	0.1
945112	Soil	0.378	15.3	52.7	0.73	502.8	0.103	5	2.96	0.013	0.25	0.3	5.6	0.17	<0.02	20	0.4	0.03	7.6	1.97	<0.1
945113	Soil	0.401	11.4	35.7	0.53	462.5	0.094	4	2.67	0.014	0.17	0.2	4.2	0.15	0.02	44	0.2	<0.02	7.0	1.52	<0.1
945114	Soil	0.182	14.6	35.6	0.61	244.2	0.112	3	3.13	0.016	0.19	0.4	5.6	0.18	<0.02	28	0.4	<0.02	7.6	1.74	<0.1
945115	Soil	0.314	9.4	29.5	0.54	349.5	0.088	5	2.76	0.014	0.16	0.3	3.1	0.14	0.04	54	0.4	0.03	7.0	1.53	<0.1
945116	Soil	0.319	11.6	29.0	0.53	323.5	0.100	3	3.26	0.013	0.12	0.3	3.8	0.17	0.03	40	0.4	0.04	7.8	1.71	<0.1
945117	Soil	0.358	13.9	37.1	0.65	376.3	0.100	3	3.18	0.016	0.16	0.2	4.1	0.18	0.03	47	0.3	0.04	8.0	1.89	<0.1
945118	Soil	0.181	11.8	45.1	0.70	282.1	0.090	3	2.78	0.017	0.15	0.3	3.8	0.17	0.03	43	0.5	<0.02	7.0	1.90	<0.1
945119	Soil	0.165	13.1	46.1	0.72	277.1	0.098	3	2.53	0.016	0.20	0.3	3.5	0.17	0.03	47	0.3	0.04	6.9	1.96	<0.1
945120	Soil	0.236	15.0	53.2	0.77	331.9	0.100	3	2.66	0.013	0.21	0.3	3.9	0.20	0.02	39	0.3	0.03	7.4	2.15	<0.1
945121	Soil	0.294	14.1	42.5	0.60	323.8	0.099	3	2.83	0.016	0.17	0.3	4.0	0.17	0.02	40	0.4	0.02	7.3	1.85	<0.1
945122	Soil	0.173	13.1	43.9	0.63	247.7	0.110	3	2.67	0.016	0.16	0.4	4.0	0.16	0.02	24	0.4	<0.02	6.9	1.78	<0.1
945123	Soil	0.237	11.9	46.0	0.64	299.0	0.102	3	3.05	0.013	0.15	0.3	4.0	0.16	<0.02	30	0.3	<0.02	7.8	1.78	<0.1
945124	Soil	0.306	11.2	49.9	0.67	324.8	0.110	3	3.20	0.014	0.17	0.3	4.4	0.15	<0.02	31	0.3	<0.02	8.6	1.92	<0.1
945125	Soil	0.153	15.4	46.4	0.72	155.5	0.113	2	2.22	0.017	0.16	0.4	4.8	0.14	0.02	24	0.3	0.03	6.2	1.67	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 9 of 11 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
945096	Soil	0.13	1.69	23.8	0.9	<0.05	9.0	5.41	27.4	0.10	<1	0.7	16.5	<10	2
945097	Soil	0.16	1.78	25.5	1.0	<0.05	10.9	6.19	31.9	0.06	<1	1.0	18.8	<10	3
945098	Soil	0.21	1.14	24.2	0.6	<0.05	14.0	8.15	31.5	0.03	<1	0.4	15.2	<10	3
945099	Soil	0.10	1.89	15.9	0.9	<0.05	6.1	5.27	26.8	0.09	<1	0.7	17.4	<10	<2
945100	Soil	0.06	1.24	16.7	0.9	<0.05	3.6	2.10	16.3	0.05	<1	0.5	14.7	<10	<2
945101	Soil	0.30	1.28	20.6	0.9	<0.05	18.7	4.92	27.3	0.05	<1	0.6	15.6	<10	2
945102	Soil	0.14	0.73	16.0	0.3	<0.05	5.6	8.06	12.0	0.03	<1	0.2	4.2	<10	<2
945103	Soil	0.23	1.93	71.8	1.6	<0.05	11.0	3.51	17.2	0.10	<1	1.0	30.7	<10	2
945104	Soil	0.17	1.14	47.1	0.8	<0.05	12.3	7.79	25.1	0.04	<1	1.0	24.3	<10	2
945105	Soil	0.14	1.71	22.1	0.6	<0.05	7.9	5.94	26.8	0.04	<1	0.6	17.2	<10	3
945106	Soil	0.11	1.22	30.9	0.6	<0.05	7.4	6.47	21.2	0.07	<1	0.8	26.6	<10	<2
945107	Soil	0.15	1.80	16.9	0.6	<0.05	9.2	6.90	31.3	0.04	<1	0.6	15.4	<10	<2
945108	Soil	0.10	1.83	19.5	0.6	<0.05	6.9	5.84	27.4	0.04	<1	0.7	15.3	<10	<2
945109	Soil	0.20	1.07	24.9	0.5	<0.05	13.4	8.12	32.4	0.03	<1	0.5	16.6	<10	<2
945110	Soil	0.16	2.51	27.9	0.7	<0.05	9.3	6.33	31.1	0.07	<1	1.0	17.9	<10	<2
945111	Soil	0.18	2.04	50.6	0.8	<0.05	10.9	11.18	38.0	0.15	<1	1.2	22.6	<10	2
945112	Soil	0.12	1.85	24.3	0.6	<0.05	6.8	8.34	32.0	0.06	<1	0.8	17.0	<10	<2
945113	Soil	0.08	2.07	16.2	0.7	<0.05	5.1	6.02	27.7	0.08	<1	0.8	17.0	<10	<2
945114	Soil	0.16	1.71	23.8	0.7	<0.05	9.7	9.72	33.9	0.04	<1	1.0	19.3	<10	<2
945115	Soil	0.10	2.07	15.1	0.9	<0.05	5.6	5.33	26.3	0.10	<1	0.6	17.1	<10	<2
945116	Soil	0.15	1.98	17.2	0.9	<0.05	9.5	7.79	31.7	0.09	<1	1.1	16.5	<10	<2
945117	Soil	0.11	2.78	23.9	0.8	<0.05	7.9	8.14	33.0	0.06	<1	1.0	17.2	<10	<2
945118	Soil	0.09	2.38	27.1	0.7	<0.05	5.5	6.91	27.9	0.06	<1	0.7	22.5	<10	<2
945119	Soil	0.12	3.27	31.9	0.7	<0.05	7.3	6.85	30.0	0.06	<1	0.8	18.8	<10	<2
945120	Soil	0.07	2.80	34.8	0.7	<0.05	5.0	6.52	33.1	0.06	<1	0.7	17.5	<10	<2
945121	Soil	0.05	2.13	21.9	0.7	<0.05	5.2	7.36	32.6	0.06	<1	0.6	16.4	<10	<2
945122	Soil	0.10	2.11	20.4	0.7	<0.05	5.8	6.54	30.0	0.06	<1	0.6	16.7	<10	<2
945123	Soil	0.12	1.93	18.3	0.7	<0.05	8.5	6.86	29.9	0.07	<1	0.6	17.1	<10	<2
945124	Soil	0.11	1.72	18.8	0.7	<0.05	7.5	5.65	32.0	0.05	<1	0.8	19.4	<10	<2
945125	Soil	0.11	2.03	18.4	0.5	<0.05	6.5	8.30	30.6	0.06	<1	0.6	17.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 10 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945126	Soil	2.90	0.72	35.00	26.83	126.5	421	124.0	17.1	901	2.93	13.3	0.8	3.7	1.6	32.3	0.70	0.97	0.34	55	0.34
945127	Soil	2.68	0.68	39.41	31.69	127.7	145	42.8	14.0	902	2.82	13.5	1.0	1.4	1.6	38.9	1.41	1.07	0.28	52	0.40
945128	Soil	2.70	0.83	34.14	38.71	138.2	199	36.5	12.3	1110	2.43	15.5	0.9	2.1	1.2	38.2	1.15	1.16	0.34	43	0.38
945129	Soil	2.92	0.77	33.90	36.02	139.0	188	36.0	12.0	1051	2.43	15.6	0.9	0.6	1.2	38.6	1.11	1.11	0.33	44	0.38
945130	Soil	2.63	0.76	44.89	32.55	154.7	226	31.6	12.6	911	2.61	15.6	1.5	2.6	1.8	82.0	1.31	1.14	0.29	51	0.80
945131	Soil	3.36	0.70	36.93	19.93	105.0	165	28.9	11.8	442	2.56	8.1	1.2	2.6	5.5	33.6	0.41	0.36	0.26	48	0.29
945132	Soil	2.55	0.73	29.77	34.89	149.9	214	21.3	10.4	1298	2.07	17.3	1.0	1.3	1.5	51.6	1.48	1.02	0.33	31	0.45
945133	Soil	2.25	0.78	23.41	47.69	159.1	195	23.1	10.1	1159	2.19	16.3	0.8	1.2	1.7	52.6	1.40	1.07	0.36	34	0.50
945134	Soil	2.51	0.66	29.32	32.69	139.5	155	31.7	11.7	1017	2.56	12.3	0.8	1.4	2.1	38.5	0.89	1.04	0.28	48	0.34
945135	Soil	2.33	0.70	30.02	24.09	121.9	150	28.4	11.5	900	2.65	12.2	0.7	1.9	1.9	38.5	0.72	0.89	0.23	51	0.35
945136	Soil	2.43	1.24	26.70	18.73	157.6	133	38.0	13.9	684	2.71	10.7	0.9	2.1	2.2	32.2	0.97	0.64	0.22	51	0.33
945137	Soil	2.67	0.78	38.77	20.96	111.7	188	31.5	14.1	825	2.99	25.5	1.0	3.6	2.4	36.2	0.69	0.84	0.23	57	0.33
945138	Soil	2.61	0.76	34.15	23.37	131.4	203	33.0	12.9	853	2.75	11.4	0.9	2.6	2.1	37.3	1.15	0.92	0.23	51	0.35
945139	Soil	2.55	0.72	32.70	31.40	131.8	176	31.3	12.7	906	2.75	12.4	0.8	1.7	2.1	40.6	1.08	1.29	0.25	53	0.36
945140	Soil	2.40	0.71	27.18	40.59	149.3	172	28.7	11.2	1001	2.49	12.9	0.7	1.6	2.1	40.3	1.33	1.09	0.28	44	0.39
945141	Soil	2.41	0.87	30.64	41.83	157.9	157	32.8	12.1	969	2.63	13.6	0.9	5.6	2.4	50.4	1.42	1.33	0.32	49	0.50
945142	Soil	2.52	1.08	30.20	58.62	151.9	124	29.6	14.2	1141	2.93	11.4	0.9	2.7	2.6	48.6	1.51	1.42	0.33	55	0.39
945143	Soil	3.68	0.74	40.05	21.29	111.8	176	31.0	12.7	475	2.84	8.1	1.3	5.3	5.7	35.4	0.44	0.36	0.29	50	0.34
945144	Soil	2.57	0.96	30.84	76.86	160.0	173	35.7	17.2	1307	3.27	12.0	1.0	3.5	3.6	86.5	1.80	2.03	0.42	58	0.69
945145	Soil	2.61	0.77	31.27	89.70	146.9	400	37.0	16.5	798	3.27	9.2	1.1	2.6	4.6	110.4	1.41	2.18	0.35	59	0.64
945146	Soil	2.13	1.14	26.22	72.28	457.3	270	43.7	12.2	2198	2.73	23.0	1.2	4.7	3.4	88.1	7.40	1.55	0.47	70	0.64
945147	Soil	2.02	0.70	22.54	81.23	384.8	169	26.5	10.9	2218	2.59	51.0	1.5	3.7	3.0	62.9	6.69	1.29	0.48	37	0.48
945148	Soil	2.30	0.69	24.95	89.52	306.8	293	21.9	11.9	1764	2.68	41.8	1.1	7.3	1.4	69.5	3.51	1.97	0.45	49	0.51
945149	Soil	2.43	0.63	17.59	66.02	187.4	124	29.3	11.3	907	2.75	8.3	1.2	1.3	4.3	108.8	1.97	1.96	0.34	43	0.66
945150	Soil	2.28	0.59	18.67	31.48	172.7	138	33.9	13.3	915	2.77	6.5	1.0	1.7	3.9	234.9	1.57	1.07	0.23	42	1.00
945151	Soil	2.58	0.55	25.65	23.34	101.5	158	40.0	14.6	548	3.09	5.1	0.5	0.9	4.7	157.0	0.59	1.08	0.20	54	0.85
945152	Soil	2.60	0.56	26.01	23.88	105.3	148	40.3	15.9	613	3.13	5.3	0.5	0.4	4.8	158.9	0.60	1.15	0.20	53	0.87
945153	Soil	1.88	0.23	10.24	37.00	345.3	151	18.9	3.9	472	1.05	4.1	0.6	0.4	1.1	180.1	2.67	0.78	0.21	17	0.98
917983	Soil	2.58	1.14	74.15	21.43	105.3	203	89.0	27.3	827	4.27	25.2	4.8	20.1	3.7	67.1	0.85	0.97	0.25	90	0.75
917984	Soil	2.13	1.01	70.04	21.50	96.8	241	80.9	26.7	765	4.22	22.5	6.3	209.9	3.9	72.8	0.85	0.99	0.22	97	0.85

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 10 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945126	Soil	0.319	10.9	80.8	0.73	270.8	0.093	3	3.01	0.012	0.11	0.3	4.6	0.13	0.02	28	0.4	0.04	7.7	1.79	<0.1
945127	Soil	0.259	12.3	38.8	0.61	257.3	0.100	3	2.97	0.014	0.15	0.3	4.2	0.15	0.03	33	0.3	0.03	7.5	1.64	<0.1
945128	Soil	0.281	10.6	30.2	0.45	277.9	0.087	3	2.97	0.013	0.13	0.3	3.3	0.15	0.04	49	0.3	0.03	7.4	1.57	<0.1
945129	Soil	0.282	10.3	29.7	0.46	276.5	0.092	4	3.01	0.013	0.13	0.3	3.3	0.15	0.04	42	0.3	0.03	7.5	1.57	<0.1
945130	Soil	0.238	11.7	34.2	0.58	204.9	0.099	4	2.68	0.017	0.12	0.4	4.3	0.15	0.04	48	0.6	0.02	6.7	1.62	<0.1
945131	Soil	0.124	16.3	31.4	0.56	153.8	0.098	1	2.01	0.015	0.24	0.4	3.5	0.18	<0.02	22	0.2	<0.02	5.4	1.75	<0.1
945132	Soil	0.464	9.8	18.4	0.32	346.2	0.095	3	3.09	0.018	0.11	0.2	3.2	0.16	0.03	50	0.4	<0.02	7.0	1.46	<0.1
945133	Soil	0.398	9.0	22.0	0.36	352.0	0.097	3	2.77	0.018	0.12	0.3	2.9	0.14	0.03	46	0.5	<0.02	6.9	1.56	<0.1
945134	Soil	0.243	11.6	31.1	0.48	275.9	0.110	3	3.02	0.016	0.13	0.3	4.0	0.15	<0.02	41	0.3	0.02	7.3	1.66	<0.1
945135	Soil	0.265	11.4	32.2	0.52	258.5	0.101	3	2.61	0.014	0.15	0.2	4.0	0.13	<0.02	22	0.2	0.03	6.8	1.48	<0.1
945136	Soil	0.178	11.3	43.5	0.73	279.6	0.112	2	2.61	0.014	0.18	0.2	4.3	0.16	<0.02	22	0.3	<0.02	7.0	2.02	<0.1
945137	Soil	0.209	14.6	38.2	0.62	223.4	0.111	2	2.79	0.013	0.15	0.2	5.0	0.15	<0.02	29	0.4	0.04	7.4	1.67	<0.1
945138	Soil	0.230	13.7	35.5	0.53	276.4	0.104	3	2.88	0.016	0.14	0.2	4.5	0.14	<0.02	29	0.3	0.02	7.2	1.59	<0.1
945139	Soil	0.271	14.1	36.1	0.56	277.3	0.119	3	2.84	0.014	0.14	0.2	4.3	0.14	<0.02	32	0.4	0.03	6.9	1.58	<0.1
945140	Soil	0.302	10.9	32.5	0.50	310.0	0.098	2	2.63	0.013	0.13	0.3	3.9	0.15	<0.02	44	0.3	0.02	6.6	1.47	<0.1
945141	Soil	0.297	12.9	39.4	0.57	293.6	0.119	3	2.67	0.016	0.15	0.3	4.2	0.14	0.02	50	0.5	<0.02	7.0	1.61	<0.1
945142	Soil	0.182	12.8	38.5	0.58	228.8	0.105	3	2.68	0.014	0.15	0.2	4.7	0.18	<0.02	42	0.2	0.04	7.7	1.51	<0.1
945143	Soil	0.131	17.5	36.0	0.58	149.7	0.103	2	2.01	0.020	0.25	0.4	4.0	0.20	<0.02	21	0.2	0.05	5.8	1.83	<0.1
945144	Soil	0.151	17.8	48.3	0.70	303.4	0.116	3	2.67	0.015	0.19	0.2	5.6	0.21	<0.02	47	0.2	0.04	7.3	1.76	<0.1
945145	Soil	0.138	24.6	51.5	0.78	380.8	0.130	4	3.12	0.018	0.20	0.3	6.2	0.22	<0.02	40	0.3	0.04	8.1	1.95	<0.1
945146	Soil	0.330	17.7	48.6	0.76	592.3	0.101	3	2.82	0.017	0.17	0.4	4.8	0.17	<0.02	41	0.4	0.02	7.0	2.08	<0.1
945147	Soil	0.280	11.7	36.8	0.52	466.6	0.138	4	3.14	0.023	0.17	0.2	3.9	0.27	0.02	45	0.3	0.04	8.1	2.70	<0.1
945148	Soil	0.230	11.1	29.4	0.47	345.0	0.099	3	2.98	0.014	0.11	0.2	3.1	0.16	0.03	42	0.3	0.03	8.1	1.97	<0.1
945149	Soil	0.224	17.8	30.1	0.46	208.8	0.108	5	3.10	0.021	0.12	0.3	5.4	0.17	<0.02	40	0.3	0.05	7.6	1.50	<0.1
945150	Soil	0.300	21.1	45.1	0.79	277.5	0.116	4	2.94	0.019	0.14	0.2	5.1	0.21	<0.02	32	0.4	0.03	6.8	2.40	<0.1
945151	Soil	0.119	22.8	70.8	1.04	258.7	0.148	4	3.22	0.028	0.20	0.2	6.1	0.22	<0.02	21	0.3	<0.02	8.0	2.62	<0.1
945152	Soil	0.130	22.5	76.9	1.04	270.9	0.155	5	3.20	0.030	0.23	0.2	6.3	0.22	<0.02	27	0.3	<0.02	7.9	2.67	<0.1
945153	Soil	0.238	7.5	12.7	0.23	231.3	0.064	5	1.47	0.031	0.11	0.1	1.6	0.11	0.02	33	0.3	<0.02	2.9	1.41	<0.1
917983	Soil	0.219	20.8	89.4	1.50	150.1	0.093	2	2.01	0.015	0.16	0.3	6.0	0.16	0.02	23	0.7	0.10	6.1	2.93	<0.1
917984	Soil	0.239	21.0	89.3	1.47	154.1	0.114	2	2.03	0.018	0.18	0.6	5.9	0.15	0.03	37	1.3	0.07	6.0	2.99	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 10 of 11 Part 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
945126	Soil	0.08	1.35	14.7	0.7	<0.05	4.9	5.87	28.2	0.05	<1	0.7	15.7	<10	<2
945127	Soil	0.07	2.05	16.1	0.8	<0.05	5.8	7.10	30.6	0.10	<1	0.7	15.6	<10	<2
945128	Soil	0.08	1.80	14.5	0.9	<0.05	5.5	6.34	29.5	0.08	<1	0.7	14.6	<10	<2
945129	Soil	0.08	1.86	14.6	0.8	<0.05	5.4	6.36	29.6	0.09	<1	0.6	15.1	<10	<2
945130	Soil	0.10	2.13	14.7	0.7	<0.05	7.2	7.58	27.8	0.08	<1	0.7	18.7	<10	<2
945131	Soil	0.14	1.17	27.1	0.5	<0.05	9.6	8.01	32.3	0.02	<1	0.5	16.7	<10	<2
945132	Soil	0.13	1.85	11.7	0.9	<0.05	9.3	7.00	28.3	0.07	<1	0.7	13.6	<10	<2
945133	Soil	0.11	2.08	12.7	0.9	<0.05	8.1	5.26	27.9	0.09	<1	0.6	13.6	<10	<2
945134	Soil	0.12	1.99	14.8	0.8	<0.05	8.3	6.70	29.2	0.07	<1	0.8	14.4	<10	<2
945135	Soil	0.09	1.79	16.0	0.6	<0.05	6.1	6.16	27.2	0.06	<1	0.6	13.0	<10	<2
945136	Soil	0.12	1.97	26.0	0.6	<0.05	7.4	5.76	29.4	0.04	<1	0.6	18.5	<10	<2
945137	Soil	0.11	1.76	18.3	0.6	<0.05	7.1	8.04	32.1	0.05	<1	0.7	15.7	<10	<2
945138	Soil	0.11	1.91	17.0	0.7	<0.05	7.6	7.95	31.6	0.05	<1	0.6	14.5	<10	<2
945139	Soil	0.12	2.08	16.7	0.6	<0.05	7.4	7.25	32.0	0.07	<1	0.7	14.1	<10	<2
945140	Soil	0.14	1.81	15.4	0.7	<0.05	8.2	5.87	27.3	0.09	<1	0.6	13.8	<10	<2
945141	Soil	0.15	2.20	17.6	0.7	<0.05	8.6	6.45	30.5	0.09	<1	1.0	15.5	<10	<2
945142	Soil	0.13	2.42	23.3	0.8	<0.05	8.4	6.60	30.1	0.11	<1	0.9	16.8	<10	<2
945143	Soil	0.14	1.48	30.8	0.4	<0.05	10.3	8.62	34.1	0.04	<1	0.7	19.3	<10	<2
945144	Soil	0.20	2.69	31.5	0.9	<0.05	11.4	9.17	39.4	0.11	<1	0.9	17.4	<10	<2
945145	Soil	0.37	2.75	34.1	0.8	<0.05	19.8	11.47	52.2	0.11	<1	1.2	20.4	<10	2
945146	Soil	0.14	2.11	24.7	0.7	<0.05	9.8	10.38	34.3	0.12	<1	0.7	21.5	<10	<2
945147	Soil	0.25	2.83	30.0	1.0	<0.05	15.6	7.52	34.5	0.13	<1	0.9	17.3	<10	<2
945148	Soil	0.11	2.34	22.5	0.8	<0.05	7.3	5.74	28.5	0.10	<1	0.7	16.3	<10	<2
945149	Soil	0.21	2.26	18.8	0.9	<0.05	14.3	13.64	40.3	0.10	<1	3.7	18.3	<10	<2
945150	Soil	0.24	3.13	27.5	0.6	<0.05	15.1	10.99	42.8	0.07	<1	1.6	19.2	<10	<2
945151	Soil	0.33	2.11	35.2	0.7	<0.05	21.5	11.31	49.4	0.04	<1	1.5	20.8	<10	<2
945152	Soil	0.33	2.26	36.7	0.7	<0.05	21.0	11.33	49.3	0.05	<1	1.3	20.0	<10	2
945153	Soil	0.10	1.07	12.8	0.5	<0.05	6.2	5.33	15.9	0.06	<1	0.8	11.8	<10	<2
917983	Soil	0.04	1.55	27.0	0.3	<0.05	2.3	11.24	38.7	0.03	<1	0.5	18.4	<10	<2
917984	Soil	0.06	2.07	28.1	0.2	<0.05	2.8	11.61	40.9	0.04	<1	0.7	18.0	<10	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917985	Soil	1.83	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917986	Soil	1.86	0.86	53.01	35.88	142.9	553	49.9	14.2	1025	2.80	19.8	5.2	9.5	1.6	91.7	1.78	0.91	0.43	47	1.87
917987	Soil	2.23	0.82	51.50	42.30	116.2	629	46.5	13.1	1012	2.44	21.1	8.7	2.6	1.1	105.6	1.77	0.96	0.43	39	2.27
917988	Soil	1.62	0.70	52.36	67.06	199.2	729	64.1	14.6	973	2.75	16.3	3.6	3.2	1.2	99.7	1.70	1.00	0.62	38	1.89
917989	Soil	1.75	0.87	47.21	79.65	133.2	670	48.6	13.8	1107	2.74	24.1	4.7	8.7	1.6	115.1	1.81	1.20	0.66	40	2.52
917990	Soil	1.92	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917991	Soil	1.84	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917992	Soil	1.96	1.98	50.11	54.94	237.5	844	42.4	12.2	830	2.56	29.5	20.3	5.8	1.2	90.0	2.60	1.06	0.87	41	1.82
917993	Soil	2.03	1.80	49.50	45.75	125.3	727	37.0	14.6	749	2.88	19.8	119.2	15.8	3.6	78.4	1.39	0.81	0.52	55	1.11
917994	Soil	2.51	1.95	50.98	40.93	153.8	632	36.9	14.7	662	2.93	20.4	57.2	7.0	3.2	63.9	1.41	0.81	0.58	55	0.93
917995	Soil	2.07	0.79	56.57	41.25	111.6	592	54.0	16.4	1037	3.11	21.4	3.6	5.0	2.5	85.3	1.11	0.79	0.51	49	1.81
917996	Soil	2.25	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917997	Soil	2.40	0.77	53.55	35.06	161.8	561	62.3	17.2	949	3.21	19.4	3.6	25.1	2.4	76.9	1.18	0.63	0.51	47	1.38
869197	Soil	1.99	1.09	86.64	25.21	114.4	255	92.4	28.6	974	4.38	23.1	6.8	26.1	2.7	77.1	1.10	1.06	0.26	93	0.86
869198	Soil	1.91	1.09	88.81	27.40	121.3	282	104.1	28.8	909	4.22	23.6	7.3	8.2	2.8	74.1	1.14	1.03	0.27	91	0.82
869199	Soil	2.52	1.04	80.36	21.92	108.7	236	95.8	29.6	880	4.34	22.7	5.3	130.1	3.6	72.8	0.92	0.98	0.25	95	0.81
869200	Soil	2.63	1.52	58.31	46.86	120.0	493	41.4	16.2	927	3.29	21.8	28.6	11.7	3.7	66.1	1.54	0.86	0.56	67	1.09



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917985	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917986	Soil	0.129	15.8	74.9	0.63	128.0	0.063	4	2.08	0.015	0.15	0.9	4.3	0.15	0.09	103	3.4	0.04	5.6	3.91	<0.1
917987	Soil	0.099	16.0	84.9	0.54	118.2	0.053	4	1.96	0.015	0.12	0.8	3.6	0.12	0.09	102	4.4	0.07	5.0	3.24	<0.1
917988	Soil	0.123	15.2	58.3	0.64	123.2	0.052	5	2.36	0.015	0.16	0.8	3.5	0.17	0.11	111	3.1	0.07	5.9	4.70	<0.1
917989	Soil	0.099	17.6	77.1	0.60	113.2	0.061	5	2.12	0.011	0.15	1.3	4.2	0.20	0.12	128	3.4	0.07	5.9	5.55	0.1
917990	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917991	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917992	Soil	0.117	20.7	56.0	0.59	137.9	0.059	4	1.83	0.012	0.12	3.1	3.6	0.14	0.11	102	3.2	0.05	5.2	3.22	0.1
917993	Soil	0.128	26.1	80.1	0.78	221.6	0.067	3	2.37	0.014	0.16	0.9	5.0	0.15	0.07	82	1.9	0.07	6.0	3.54	<0.1
917994	Soil	0.138	23.8	72.6	0.72	174.5	0.079	3	2.06	0.015	0.15	1.4	4.9	0.13	0.09	79	2.1	0.04	5.9	3.28	<0.1
917995	Soil	0.111	18.5	90.3	0.75	142.4	0.074	4	2.57	0.014	0.17	1.1	5.2	0.19	0.09	88	2.7	0.07	6.5	4.76	<0.1
917996	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
917997	Soil	0.113	17.8	70.1	0.72	139.2	0.068	3	2.63	0.019	0.16	0.8	4.3	0.16	0.07	69	2.5	0.05	6.5	4.72	<0.1
869197	Soil	0.189	18.9	99.3	1.52	198.5	0.109	3	2.45	0.017	0.20	0.2	6.6	0.19	0.03	33	1.0	0.06	6.6	3.43	<0.1
869198	Soil	0.198	18.9	109.4	1.59	201.0	0.104	3	2.46	0.015	0.20	0.3	6.3	0.20	0.04	37	0.9	0.09	6.8	3.71	<0.1
869199	Soil	0.210	19.7	102.5	1.60	183.1	0.107	2	2.28	0.018	0.19	0.3	6.1	0.17	0.03	32	0.8	0.07	6.2	3.13	<0.1
869200	Soil	0.107	20.8	74.7	0.88	183.3	0.078	3	2.51	0.013	0.14	1.2	5.9	0.14	0.05	73	2.0	0.07	6.3	2.75	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 11 of 11 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08010161.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
917985	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917986	Soil	0.05	2.57	18.5	0.4	<0.05	2.4	15.08	31.1	0.08	<1	0.9	35.2	<10	<2
917987	Soil	0.04	2.06	16.2	0.4	<0.05	2.3	16.02	27.8	0.09	3	1.0	33.0	<10	<2
917988	Soil	0.06	3.28	22.3	0.7	<0.05	3.3	14.81	29.3	0.15	<1	0.9	40.6	<10	<2
917989	Soil	0.06	3.31	24.2	0.7	<0.05	3.2	17.94	33.7	0.16	3	0.7	39.4	<10	<2
917990	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917991	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917992	Soil	0.04	2.93	20.2	0.5	<0.05	2.6	20.94	27.6	0.12	<1	1.6	31.9	<10	<2
917993	Soil	0.07	4.29	21.4	0.5	<0.05	3.3	27.59	40.2	0.09	<1	1.9	26.7	<10	<2
917994	Soil	0.05	3.33	21.2	0.4	<0.05	2.6	23.11	36.6	0.05	<1	1.4	28.3	<10	<2
917995	Soil	0.05	3.23	24.9	0.5	<0.05	2.9	16.05	40.0	0.08	<1	1.0	45.7	<10	<2
917996	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
917997	Soil	0.05	3.24	23.4	0.5	<0.05	3.2	16.53	35.0	0.07	1	1.0	45.5	<10	<2
869197	Soil	0.04	1.95	32.3	0.4	<0.05	2.5	12.38	35.4	0.04	<1	0.8	19.2	<10	<2
869198	Soil	0.03	1.93	35.3	0.4	<0.05	2.5	12.38	35.7	0.06	<1	0.7	19.4	<10	<2
869199	Soil	0.04	1.71	29.6	0.4	<0.05	2.3	11.38	38.0	0.04	1	0.6	18.5	<10	<2
869200	Soil	0.07	3.32	19.7	0.5	<0.05	3.0	18.63	35.9	0.09	1	1.3	32.9	<10	<2

QUALITY CONTROL REPORT

VAN08010161.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
869943	Soil	3.90	1.37	76.07	47.36	170.1	463	53.1	18.6	2017	4.50	18.8	2.6	37.7	6.7	30.4	1.02	0.59	0.51	65	0.39
REP 869943	QC		1.30	74.09	45.50	163.7	439	51.0	18.5	2014	4.52	19.0	2.6	9.3	6.6	30.6	0.94	0.59	0.49	66	0.38
869952	Soil	3.40	0.83	52.94	52.55	170.4	248	51.2	21.2	1435	3.47	10.5	1.8	11.4	4.6	40.3	0.95	0.58	0.72	46	0.49
REP 869952	QC		0.82	54.74	53.01	171.6	251	54.4	21.5	1452	3.45	10.3	1.9	11.2	4.9	41.9	1.04	0.59	0.73	47	0.51
869979	Soil	2.01	0.89	56.27	60.86	170.5	135	38.8	18.2	1259	3.38	12.8	2.6	4.7	4.7	52.1	1.64	1.16	0.47	55	0.53
REP 869979	QC		0.93	54.44	60.96	162.8	130	38.1	17.8	1257	3.35	12.7	2.5	5.3	4.5	54.4	1.65	1.17	0.47	55	0.53
869998	Soil	2.63	0.89	45.94	29.11	99.9	162	60.6	15.6	585	3.14	15.9	6.0	5.0	8.1	33.2	0.59	0.59	0.44	48	0.38
REP 869998	QC		0.83	45.17	29.71	97.0	162	59.8	14.6	582	3.05	15.2	6.0	3.5	7.8	32.7	0.58	0.60	0.45	47	0.37
945215	Soil	2.99	0.69	47.56	15.78	117.6	220	31.5	14.1	627	3.11	9.8	2.4	5.2	9.4	36.0	0.27	0.36	0.42	43	0.26
REP 945215	QC		0.69	48.09	15.86	123.6	221	32.0	14.4	646	3.04	9.7	2.3	4.1	9.6	36.2	0.27	0.42	0.41	43	0.26
945225	Soil	3.33	0.81	34.50	42.89	91.2	109	33.0	12.0	479	2.74	13.6	1.4	3.9	6.9	26.0	0.24	0.25	0.23	44	0.27
REP 945225	QC		0.81	35.20	40.85	89.7	117	31.6	11.5	476	2.76	16.7	1.3	26.0	6.6	26.1	0.20	0.25	0.23	44	0.27
945240	Soil	2.43	0.65	35.41	37.96	122.5	143	35.6	12.4	1034	2.56	10.1	1.8	0.3	3.7	47.7	0.92	0.93	0.34	38	0.69
REP 945240	QC		0.68	36.77	38.22	125.8	145	37.0	13.0	1067	2.64	10.5	1.8	0.7	4.0	49.9	0.94	0.94	0.34	41	0.70
945260	Soil	3.71	1.05	50.87	26.44	77.8	204	40.4	13.6	556	3.07	15.6	1.3	3.3	7.3	27.0	0.29	0.53	0.29	46	0.37
REP 945260	QC		1.10	52.15	26.98	79.7	221	41.7	13.9	568	3.13	16.0	1.3	3.4	7.6	27.3	0.30	0.51	0.29	47	0.37
945276	Soil	2.07	0.78	49.19	47.85	140.2	272	47.8	17.8	1083	3.58	14.5	1.0	3.1	5.5	43.6	0.67	0.58	0.34	45	0.73
REP 945276	QC		0.71	45.86	45.06	132.3	256	45.1	16.4	1007	3.31	13.7	0.9	2.5	5.1	40.6	0.58	0.56	0.33	42	0.69
945051	Soil	2.38	0.73	41.58	21.72	132.6	220	33.7	14.8	1316	2.93	9.8	2.6	1.5	4.5	47.1	1.00	0.57	0.31	48	0.37
REP 945051	QC		0.69	38.40	20.43	121.1	197	31.5	13.5	1225	2.81	9.2	2.4	3.6	4.4	43.7	0.93	0.54	0.30	46	0.34
945058	Soil	2.72	0.69	38.54	26.33	122.5	132	31.4	14.2	1129	2.95	11.4	1.5	5.4	5.2	44.9	0.92	0.67	0.37	48	0.33
REP 945058	QC		0.67	38.05	25.98	120.4	124	30.2	14.3	1105	2.90	11.1	1.5	2.9	5.0	41.9	0.93	0.65	0.36	47	0.32
945079	Soil	1.95	0.62	35.00	41.61	193.4	274	25.8	9.7	760	2.09	16.8	1.1	2.2	1.8	63.8	1.82	1.25	0.29	37	0.62
REP 945079	QC		0.59	36.64	41.90	202.1	258	26.4	9.8	760	2.04	17.4	1.1	3.8	1.9	64.4	1.84	1.32	0.29	38	0.65
945092	Soil	2.44	0.99	22.83	21.87	131.9	140	62.3	13.9	1468	2.69	15.2	0.5	1.3	1.7	28.2	0.71	0.92	0.37	40	0.32
REP 945092	QC		0.98	22.64	21.18	128.3	147	62.3	13.7	1466	2.66	15.2	0.5	1.1	1.6	28.6	0.73	0.93	0.36	42	0.32
945122	Soil	2.46	0.80	33.86	25.24	119.7	146	59.9	13.3	696	2.58	10.7	1.1	6.9	2.1	33.4	0.72	0.90	0.28	46	0.34
REP 945122	QC		0.77	33.69	26.35	127.4	149	60.3	13.6	709	2.73	10.7	1.1	5.7	2.2	35.1	0.65	0.88	0.29	46	0.35

QUALITY CONTROL REPORT

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
869943	Soil	0.144	27.6	44.3	1.28	233.3	0.119	3	3.74	0.010	0.26	16.5	6.5	0.37	0.04	37	0.9	0.08	8.9	3.15	<0.1
REP 869943	QC	0.143	27.2	44.3	1.27	229.4	0.120	3	3.79	0.010	0.26	16.4	6.3	0.37	0.04	37	0.7	0.05	8.9	3.14	0.1
869952	Soil	0.171	18.7	32.9	0.62	286.5	0.132	3	3.59	0.013	0.17	0.3	4.9	0.20	0.03	43	0.7	0.04	8.8	2.56	<0.1
REP 869952	QC	0.165	18.7	33.1	0.62	287.4	0.131	3	3.64	0.013	0.17	0.3	5.0	0.20	0.03	42	0.7	<0.02	9.2	2.52	<0.1
869979	Soil	0.196	17.5	32.0	0.68	255.8	0.102	2	2.92	0.009	0.21	0.3	4.1	0.22	0.03	39	0.6	0.05	8.5	2.52	<0.1
REP 869979	QC	0.205	17.2	31.8	0.68	256.4	0.100	2	2.80	0.008	0.21	0.3	4.1	0.23	0.03	39	0.6	0.08	8.1	2.52	<0.1
869998	Soil	0.118	26.2	41.2	0.62	145.1	0.095	2	2.75	0.011	0.27	0.5	5.1	0.20	<0.02	27	0.4	0.04	7.1	2.27	<0.1
REP 869998	QC	0.119	24.8	40.6	0.60	144.5	0.092	2	2.68	0.010	0.26	0.5	4.9	0.19	<0.02	27	0.3	0.03	6.8	2.17	<0.1
945215	Soil	0.051	34.4	41.6	0.60	111.6	0.097	<1	1.92	0.014	0.26	0.4	4.9	0.20	<0.02	20	0.5	0.06	5.9	2.46	<0.1
REP 945215	QC	0.051	36.8	42.4	0.62	111.3	0.104	<1	1.89	0.013	0.26	0.5	5.2	0.21	<0.02	21	0.5	0.05	5.7	2.52	<0.1
945225	Soil	0.069	24.5	41.6	0.65	118.9	0.092	<1	2.00	0.006	0.26	0.2	3.9	0.23	<0.02	12	0.4	<0.02	5.8	2.04	<0.1
REP 945225	QC	0.068	25.5	41.9	0.67	113.4	0.098	1	2.01	0.011	0.28	0.3	3.8	0.22	<0.02	13	0.8	<0.02	6.0	2.08	<0.1
945240	Soil	0.159	16.0	31.3	0.51	227.2	0.078	3	2.62	0.012	0.17	0.3	3.2	0.15	0.03	48	0.3	0.05	7.0	1.96	<0.1
REP 945240	QC	0.160	16.5	32.3	0.53	236.4	0.080	3	2.79	0.013	0.18	0.3	3.3	0.16	0.03	52	0.3	0.04	7.4	2.09	<0.1
945260	Soil	0.067	25.0	43.7	0.66	127.9	0.077	1	1.87	0.013	0.29	0.3	4.0	0.20	<0.02	23	0.3	0.03	5.8	1.97	<0.1
REP 945260	QC	0.071	25.2	45.0	0.67	130.7	0.075	2	2.01	0.013	0.29	0.3	4.0	0.20	<0.02	23	0.4	0.05	5.9	1.97	<0.1
945276	Soil	0.156	22.3	36.2	0.94	195.4	0.097	5	2.84	0.018	0.26	0.2	4.6	0.21	<0.02	25	0.4	0.02	7.1	2.26	<0.1
REP 945276	QC	0.142	21.1	34.0	0.88	183.6	0.092	4	2.60	0.018	0.24	0.2	4.3	0.20	<0.02	26	0.3	0.02	6.5	2.11	<0.1
945051	Soil	0.236	19.9	34.3	0.54	284.9	0.091	2	3.11	0.010	0.17	0.3	3.9	0.17	<0.02	34	0.3	0.04	8.7	2.23	<0.1
REP 945051	QC	0.216	18.8	31.8	0.51	262.4	0.087	2	2.83	0.009	0.16	0.3	3.8	0.17	<0.02	29	0.4	0.05	7.8	2.08	<0.1
945058	Soil	0.231	21.2	33.3	0.54	283.9	0.099	2	3.05	0.012	0.20	0.3	4.2	0.18	<0.02	24	0.4	0.04	8.3	2.24	<0.1
REP 945058	QC	0.216	20.0	32.3	0.53	278.0	0.094	2	2.97	0.011	0.18	0.3	4.2	0.18	<0.02	22	0.3	0.06	7.9	2.16	<0.1
945079	Soil	0.187	10.1	29.9	0.48	195.6	0.088	5	2.45	0.024	0.16	0.3	3.3	0.14	0.03	40	0.4	0.04	5.9	1.49	<0.1
REP 945079	QC	0.181	10.8	29.7	0.48	195.8	0.103	5	2.43	0.027	0.16	0.4	3.4	0.16	0.03	38	0.4	0.03	5.9	1.60	<0.1
945092	Soil	0.388	6.9	56.0	0.66	398.7	0.086	3	2.91	0.012	0.12	0.2	2.6	0.15	0.02	48	0.4	0.04	8.3	2.42	<0.1
REP 945092	QC	0.400	7.0	54.8	0.65	422.7	0.088	3	2.93	0.012	0.13	0.2	2.8	0.16	0.02	44	0.4	<0.02	8.5	2.49	<0.1
945122	Soil	0.173	13.1	43.9	0.63	247.7	0.110	3	2.67	0.016	0.16	0.4	4.0	0.16	0.02	24	0.4	<0.02	6.9	1.78	<0.1
REP 945122	QC	0.179	13.0	44.6	0.62	245.4	0.110	3	2.69	0.016	0.16	0.4	4.1	0.16	0.02	31	0.3	<0.02	7.0	1.73	<0.1

QUALITY CONTROL REPORT

VAN08010161.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
869943	Soil	0.06	2.08	41.0	0.8	<0.05	5.8	22.14	56.4	0.06	<1	1.4	32.0	<10	<2
REP 869943	QC	0.06	2.07	40.0	0.8	<0.05	5.4	21.65	57.4	0.06	1	1.4	31.3	<10	<2
869952	Soil	0.17	3.05	30.6	0.8	<0.05	12.2	11.66	42.8	0.04	<1	1.3	23.3	<10	<2
REP 869952	QC	0.18	2.93	31.6	0.9	<0.05	12.9	11.61	42.2	0.04	<1	1.1	23.7	<10	<2
869979	Soil	0.11	3.02	35.1	0.9	<0.05	6.1	7.90	39.3	0.11	<1	1.1	25.0	<10	<2
REP 869979	QC	0.12	3.12	36.5	0.8	<0.05	6.5	7.92	39.3	0.13	1	1.0	24.1	<10	<2
869998	Soil	0.09	2.13	34.3	0.6	<0.05	5.7	9.32	47.5	0.04	<1	1.0	25.7	<10	<2
REP 869998	QC	0.09	2.10	33.8	0.6	<0.05	5.8	9.21	45.1	0.04	<1	1.0	25.0	<10	<2
945215	Soil	0.07	1.54	37.8	0.5	<0.05	5.3	12.31	53.1	0.02	<1	0.7	30.9	<10	<2
REP 945215	QC	0.08	1.71	38.4	0.5	<0.05	4.9	12.46	56.6	0.02	2	0.8	30.3	<10	<2
945225	Soil	0.05	1.42	30.3	0.4	<0.05	3.1	7.75	51.1	0.04	<1	0.9	18.9	<10	<2
REP 945225	QC	0.03	1.85	29.9	0.4	<0.05	2.9	7.97	52.3	0.03	<1	0.8	19.3	<10	<2
945240	Soil	0.06	2.38	24.0	0.7	<0.05	3.7	6.02	32.0	0.09	<1	0.7	21.0	<10	<2
REP 945240	QC	0.06	2.49	24.5	0.7	<0.05	3.9	6.24	33.6	0.08	<1	0.8	21.5	<10	<2
945260	Soil	0.05	1.61	25.9	0.4	<0.05	3.6	8.95	46.9	0.04	<1	0.7	18.8	<10	<2
REP 945260	QC	0.06	1.62	26.9	0.4	<0.05	3.8	9.09	47.4	0.04	<1	0.7	18.7	<10	<2
945276	Soil	0.14	1.80	30.5	0.5	<0.05	10.9	16.20	44.4	0.04	2	0.7	21.0	<10	<2
REP 945276	QC	0.12	1.74	28.4	0.5	<0.05	9.4	14.76	41.5	0.04	<1	0.7	19.5	<10	<2
945051	Soil	0.08	2.42	26.4	0.7	<0.05	6.3	10.57	39.6	0.04	<1	1.1	25.7	<10	<2
REP 945051	QC	0.08	2.30	24.7	0.7	<0.05	5.8	10.08	37.9	0.03	<1	1.1	24.4	<10	<2
945058	Soil	0.08	2.24	28.3	0.7	<0.05	5.7	8.59	45.5	0.05	<1	0.9	22.3	<10	<2
REP 945058	QC	0.09	2.19	27.5	0.7	<0.05	5.8	8.17	43.3	0.05	<1	0.8	21.2	<10	<2
945079	Soil	0.14	2.25	14.6	0.6	<0.05	8.7	6.17	24.1	0.10	<1	0.6	16.3	<10	<2
REP 945079	QC	0.11	2.19	14.9	0.6	<0.05	7.7	6.21	24.8	0.11	<1	0.6	16.0	<10	<2
945092	Soil	0.06	1.51	21.4	0.8	<0.05	3.5	2.90	17.7	0.05	<1	0.6	17.8	<10	<2
REP 945092	QC	0.05	1.45	20.5	0.8	<0.05	3.1	2.83	18.6	0.05	<1	0.7	18.5	<10	<2
945122	Soil	0.10	2.11	20.4	0.7	<0.05	5.8	6.54	30.0	0.06	<1	0.6	16.7	<10	<2
REP 945122	QC	0.10	2.11	20.3	0.7	<0.05	6.3	6.47	30.1	0.06	<1	0.7	16.8	<10	<2

QUALITY CONTROL REPORT

VAN08010161.1

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
945139	Soil	2.55	0.72	32.70	31.40	131.8	176	31.3	12.7	906	2.75	12.4	0.8	1.7	2.1	40.6	1.08	1.29	0.25	53	0.36
REP 945139	QC		0.75	32.26	31.20	128.8	164	30.2	12.5	897	2.69	12.8	0.8	4.9	1.9	39.2	1.09	1.26	0.24	50	0.36
917984	Soil	2.13	1.01	70.04	21.50	96.8	241	80.9	26.7	765	4.22	22.5	6.3	209.9	3.9	72.8	0.85	0.99	0.22	97	0.85
REP 917984	QC		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard		20.05	105.9	73.51	401.8	849	58.8	9.5	632	2.40	56.9	5.0	63.9	4.3	74.9	6.62	6.43	4.86	81	0.97
STD DS7	Standard		20.19	107.9	68.92	392.0	863	53.4	9.0	607	2.28	52.2	4.9	64.5	4.4	71.5	6.48	6.15	4.48	80	0.95
STD DS7	Standard		18.88	102.6	65.54	370.2	769	51.5	8.7	564	2.18	48.0	4.6	59.0	4.3	65.7	6.02	5.57	4.19	75	0.90
STD DS7	Standard		19.82	109.5	70.50	399.5	857	54.8	9.4	612	2.32	51.1	5.1	73.0	4.7	73.5	6.58	6.01	4.53	81	0.97
STD DS7	Standard		21.63	114.4	71.29	409.7	849	59.6	10.0	629	2.45	53.0	4.6	68.1	4.2	68.6	5.94	5.04	4.33	85	0.98
STD DS7	Standard		20.66	110.6	70.28	397.9	855	56.5	9.4	603	2.37	53.4	5.2	67.2	4.7	69.5	6.48	6.09	4.81	83	0.95
STD DS7	Standard		20.73	113.0	65.67	404.5	820	59.5	9.6	638	2.44	51.3	4.4	60.1	4.0	68.6	5.97	5.39	4.15	86	0.99
STD DS7	Standard		19.81	106.4	68.41	387.8	855	55.2	9.2	574	2.30	51.5	4.8	60.7	4.2	66.4	6.20	5.67	4.53	78	0.89
STD DS7	Standard		18.76	100.2	64.78	388.8	840	51.0	8.9	609	2.29	57.4	4.7	67.0	4.2	72.7	6.21	6.14	4.74	75	0.91
STD DS7	Standard		20.98	111.4	68.64	384.8	849	56.5	9.3	590	2.33	50.4	5.1	61.9	4.4	71.7	6.61	5.60	4.59	86	0.95
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08010161.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
945139	Soil	0.271	14.1	36.1	0.56	277.3	0.119	3	2.84	0.014	0.14	0.2	4.3	0.14	<0.02	32	0.4	0.03	6.9	1.58	<0.1
REP 945139	QC	0.268	13.5	35.9	0.55	264.5	0.112	3	2.71	0.014	0.13	0.2	4.2	0.14	<0.02	33	0.3	<0.02	6.9	1.55	<0.1
917984	Soil	0.239	21.0	89.3	1.47	154.1	0.114	2	2.03	0.018	0.18	0.6	5.9	0.15	0.03	37	1.3	0.07	6.0	2.99	0.1
REP 917984	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	0.087	11.5	164.6	1.05	383.2	0.113	42	0.93	0.083	0.46	4.1	2.4	4.36	0.21	195	3.9	1.25	4.9	6.10	<0.1
STD DS7	Standard	0.080	13.2	167.3	1.00	347.5	0.112	39	0.94	0.080	0.41	3.9	2.6	4.15	0.18	190	3.6	1.20	4.7	6.02	0.1
STD DS7	Standard	0.073	12.5	157.7	0.96	309.1	0.104	35	0.91	0.074	0.39	3.7	2.5	3.93	0.17	183	3.4	1.04	4.4	5.78	<0.1
STD DS7	Standard	0.078	14.0	174.1	1.02	345.1	0.115	37	0.98	0.083	0.43	4.1	2.7	4.25	0.18	192	3.7	1.19	4.7	6.20	<0.1
STD DS7	Standard	0.072	13.0	195.9	1.03	398.1	0.124	35	0.99	0.083	0.42	4.3	2.8	4.47	0.20	226	4.0	1.18	4.6	6.08	<0.1
STD DS7	Standard	0.079	13.4	172.9	1.05	338.1	0.117	41	0.97	0.081	0.41	3.9	2.7	4.18	0.18	194	3.7	1.17	4.6	6.11	<0.1
STD DS7	Standard	0.072	12.8	194.8	1.04	351.6	0.119	40	1.03	0.083	0.40	4.0	2.8	4.26	0.20	190	4.0	1.19	4.6	5.77	<0.1
STD DS7	Standard	0.077	12.2	162.1	1.02	369.1	0.110	39	0.91	0.076	0.41	4.0	2.4	4.11	0.19	197	3.4	1.08	4.4	5.89	<0.1
STD DS7	Standard	0.086	11.8	162.5	1.00	370.8	0.104	43	0.94	0.088	0.43	3.9	2.5	4.03	0.19	218	3.7	1.12	4.6	5.78	0.1
STD DS7	Standard	0.085	13.2	173.2	1.01	375.0	0.119	40	1.01	0.089	0.40	4.2	2.7	4.22	0.19	197	3.4	1.15	4.8	6.22	0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08010161.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
945139	Soil	0.12	2.08	16.7	0.6	<0.05	7.4	7.25	32.0	0.07	<1	0.7	14.1	<10
REP 945139	QC	0.10	2.08	16.2	0.7	<0.05	7.2	7.03	30.7	0.08	<1	0.7	13.5	<10
917984	Soil	0.06	2.07	28.1	0.2	<0.05	2.8	11.61	40.9	0.04	<1	0.7	18.0	<10
REP 917984	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials														
STD DS7	Standard	0.15	0.59	37.2	5.3	<0.05	5.8	5.15	34.8	1.68	7	1.6	29.4	82
STD DS7	Standard	0.11	0.75	34.5	4.8	<0.05	5.3	5.89	35.7	1.69	3	1.7	26.4	50
STD DS7	Standard	0.10	0.60	33.5	4.4	<0.05	5.6	5.38	34.0	1.56	4	1.6	24.7	65
STD DS7	Standard	0.12	0.73	36.3	4.9	<0.05	6.0	6.01	37.4	1.68	5	1.7	25.8	59
STD DS7	Standard	0.13	0.58	33.4	4.3	<0.05	5.8	5.71	38.3	1.44	4	1.6	27.3	77
STD DS7	Standard	0.12	0.68	34.1	4.7	<0.05	5.5	5.45	35.6	1.58	5	1.8	28.8	70
STD DS7	Standard	0.11	0.68	33.8	4.3	<0.05	5.9	5.79	36.6	1.47	7	1.9	27.4	83
STD DS7	Standard	0.12	0.56	33.7	4.7	<0.05	5.4	5.29	33.8	1.55	3	1.6	26.9	52
STD DS7	Standard	0.10	0.61	34.1	5.2	<0.05	5.8	5.34	34.0	1.57	4	1.5	27.3	76
STD DS7	Standard	0.11	0.61	35.1	5.1	<0.05	5.1	5.74	35.5	1.65	5	1.7	30.0	56
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: October 16, 2008
 Report Date: November 14, 2008
 Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN08010290.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 016
 P.O. Number
 Number of Samples: 62

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S230	62	Sieve soil to 230 mesh		
RJSV	62	Save all or part of soil reject fraction		
RJSV	62	Saving all or part of Soil Reject		
1F30	62	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 "**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 14, 2008

Page: 2 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
917733	Soil	2.26	0.81	50.86	24.00	106.8	130	37.5	16.7	720	3.75	12.2	0.7	3.6	5.1	61.3	0.67	1.05	0.22	77	0.55
945283	Soil	2.43	0.73	42.10	21.95	87.2	181	40.5	13.1	683	2.97	12.0	4.3	4.1	6.2	40.0	0.39	0.42	0.24	53	0.46
945284	Soil	2.895	0.62	31.92	20.59	81.6	164	36.4	11.3	581	2.80	9.5	3.4	2.0	5.4	34.0	0.29	0.33	0.23	45	0.37
945285	Soil	2.49	0.63	37.95	21.79	78.3	159	37.5	11.0	479	2.65	9.0	5.1	2.6	6.2	31.2	0.30	0.36	0.20	47	0.35
945286	Soil	2.325	0.57	30.31	15.11	77.7	125	22.7	9.5	423	2.67	6.9	1.2	2.2	6.0	29.3	0.24	0.30	0.18	46	0.26
945287	Soil	2.825	0.85	46.63	31.00	106.7	226	45.8	15.2	788	3.02	12.4	2.8	2.1	5.6	40.5	0.53	0.45	0.28	50	0.52
945288	Soil	3.345	0.72	34.74	28.01	118.7	199	46.3	13.4	778	3.12	12.5	1.4	1.3	5.5	28.5	0.34	0.38	0.24	46	0.35
945289	Soil	2.21	0.88	41.87	22.64	128.7	273	50.2	11.5	757	2.72	5.6	1.0	1.1	5.2	63.1	0.60	0.31	0.25	39	0.69
945290	Soil	3.54	0.99	39.62	24.70	126.5	223	41.1	14.0	878	3.11	9.5	2.6	1.8	5.6	40.3	0.49	0.33	0.27	50	0.38
945291	Soil	1.835	0.97	40.26	33.07	189.5	286	40.8	18.5	1838	3.45	10.4	1.6	1.5	3.0	36.9	0.76	0.45	0.32	47	0.32
945292	Soil	2.59	1.03	43.47	32.15	129.9	257	37.9	12.5	1109	2.97	9.9	3.3	4.1	5.2	38.4	0.61	0.37	0.27	51	0.39
945293	Soil	2.32	1.09	47.58	42.76	148.1	253	40.9	13.6	1045	3.06	8.7	2.6	1.2	5.5	49.2	0.70	0.47	0.29	57	0.57
945294	Soil	2.85	0.92	39.59	32.61	169.3	199	38.0	13.1	959	2.93	8.4	1.8	2.7	5.0	39.8	0.79	0.37	0.26	51	0.45
945295	Soil	2.285	1.09	37.77	43.60	187.6	218	39.1	12.8	1182	2.77	9.7	1.4	2.8	4.2	46.6	1.18	0.55	0.29	48	0.52
945296	Soil	2.875	0.81	39.99	28.77	153.0	211	44.3	14.6	839	3.18	8.0	1.3	2.5	5.5	35.0	0.60	0.30	0.25	50	0.43
945297	Soil	2.935	0.82	48.81	26.76	122.1	146	51.7	19.9	811	3.81	8.9	1.6	2.1	6.6	30.3	0.45	0.26	0.23	70	0.51
945298	Soil	3.07	0.89	47.31	27.57	132.8	226	43.0	15.2	829	3.31	9.9	1.3	4.2	5.8	40.2	0.57	0.35	0.23	56	0.41
945299	Soil	2.725	0.71	37.77	30.13	177.0	161	49.5	16.4	1010	3.23	9.0	1.0	2.4	5.4	41.1	0.74	0.33	0.27	50	0.42
945300	Soil	2.26	0.75	39.59	30.04	175.3	164	51.6	16.8	1065	3.31	9.4	1.1	3.7	5.7	41.3	0.75	0.35	0.27	51	0.45
945301	Soil	3.13	0.82	43.70	26.00	140.7	247	44.7	14.8	548	3.13	8.1	1.2	1.6	6.3	28.9	0.41	0.31	0.23	50	0.31
945302	Soil	3.15	0.67	36.07	19.89	102.5	185	34.0	13.1	401	3.17	7.9	1.0	58.0	6.9	30.8	0.25	0.23	0.21	52	0.34
945303	Soil	2.16	0.72	34.36	24.91	110.1	191	33.2	12.8	739	2.90	7.3	1.1	2.9	5.5	37.0	0.44	0.34	0.22	48	0.53
945304	Soil	2.095	0.82	26.22	37.38	161.7	169	50.0	13.8	1157	3.21	5.9	1.1	1.0	5.0	42.1	1.07	0.52	0.30	52	0.44
945305	Soil	2.235	0.63	40.32	21.82	130.1	250	41.9	17.2	532	4.19	4.4	1.2	1.9	8.9	53.5	0.32	0.21	0.24	59	0.92
945306	Soil	2.535	0.65	29.52	15.42	85.5	140	24.8	9.8	396	2.54	6.8	1.0	3.3	4.7	30.8	0.34	0.33	0.22	36	0.28
945307	Soil	2.71	2.87	58.72	23.56	112.5	275	41.0	14.8	713	4.76	11.2	2.3	5.3	9.7	68.0	0.34	0.33	0.35	69	0.38
945308	Soil	2.31	0.85	33.34	23.29	138.9	221	40.7	12.8	646	3.13	8.8	1.6	2.7	5.2	33.6	0.45	0.59	0.32	45	0.33
945309	Soil	2.395	0.63	29.80	20.51	113.2	176	35.6	11.7	684	2.86	7.0	1.0	2.4	5.1	33.5	0.44	0.39	0.26	46	0.33
945310	Soil	3.505	0.65	31.50	17.47	113.9	200	33.6	11.5	512	2.77	6.2	1.0	2.6	4.9	28.4	0.40	0.31	0.24	50	0.27
945311	Soil	2.465	0.69	31.37	22.61	125.0	139	38.6	12.2	847	2.86	6.8	0.8	2.4	4.5	33.4	0.56	0.43	0.26	45	0.35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 14, 2008

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
917733	Soil	0.122	19.9	51.9	1.00	233.3	0.117	3	2.40	0.022	0.44	0.4	5.9	0.20	<0.02	17	0.2	<0.02	6.8	2.09	0.1
945283	Soil	0.102	20.4	40.2	0.67	212.8	0.112	2	2.92	0.023	0.30	0.3	4.5	0.22	<0.02	25	0.3	0.03	7.6	2.22	0.1
945284	Soil	0.091	21.0	33.9	0.60	177.2	0.101	2	2.66	0.019	0.24	0.3	3.8	0.20	<0.02	19	0.1	0.04	6.9	2.00	0.1
945285	Soil	0.056	22.3	38.5	0.60	149.3	0.102	1	2.44	0.021	0.25	0.3	4.0	0.19	<0.02	21	0.2	<0.02	6.3	1.97	0.1
945286	Soil	0.085	18.4	26.6	0.51	140.7	0.090	<1	1.86	0.014	0.21	1.2	3.2	0.16	<0.02	15	0.3	0.03	5.2	1.61	0.1
945287	Soil	0.089	21.1	39.7	0.65	222.7	0.113	2	2.86	0.024	0.23	0.3	4.6	0.20	<0.02	25	0.3	0.03	7.5	1.99	0.1
945288	Soil	0.152	20.9	37.1	0.61	231.2	0.105	2	2.93	0.017	0.24	0.2	4.2	0.17	<0.02	26	0.2	<0.02	7.3	1.86	<0.1
945289	Soil	0.049	18.4	34.3	0.59	184.0	0.118	2	3.10	0.049	0.17	0.3	4.2	0.22	<0.02	27	0.3	<0.02	6.7	2.00	<0.1
945290	Soil	0.121	21.6	37.3	0.67	246.2	0.111	2	3.01	0.022	0.25	0.2	4.1	0.21	<0.02	26	0.3	<0.02	7.6	2.19	0.1
945291	Soil	0.349	19.2	35.0	0.66	400.3	0.091	2	3.17	0.012	0.22	0.2	3.0	0.20	0.04	33	0.2	<0.02	8.8	2.42	<0.1
945292	Soil	0.140	20.2	32.4	0.64	303.7	0.111	2	3.09	0.023	0.21	0.2	4.0	0.21	<0.02	32	0.3	<0.02	7.9	2.15	0.1
945293	Soil	0.108	21.2	36.5	0.80	327.6	0.132	2	3.46	0.041	0.20	0.2	4.3	0.25	<0.02	34	0.2	0.03	8.9	2.32	<0.1
945294	Soil	0.249	19.1	35.8	0.74	342.5	0.124	2	3.24	0.033	0.18	0.3	3.9	0.22	<0.02	28	0.2	<0.02	7.9	2.26	<0.1
945295	Soil	0.330	17.8	34.2	0.70	435.5	0.123	2	3.11	0.033	0.14	0.3	3.8	0.22	<0.02	43	0.4	<0.02	8.0	2.27	<0.1
945296	Soil	0.213	19.8	38.2	0.85	289.6	0.131	2	3.05	0.024	0.27	0.2	4.0	0.26	<0.02	32	0.2	0.02	7.9	2.64	0.1
945297	Soil	0.095	26.4	61.6	1.42	228.6	0.153	2	2.90	0.017	0.33	0.2	5.7	0.33	<0.02	25	0.2	0.04	7.9	3.55	0.2
945298	Soil	0.169	23.3	43.6	0.83	303.1	0.116	2	2.68	0.014	0.27	0.2	4.1	0.24	<0.02	23	0.2	<0.02	7.3	2.51	0.1
945299	Soil	0.270	21.5	38.7	0.71	397.0	0.115	2	2.75	0.023	0.28	0.2	3.8	0.23	<0.02	28	0.2	<0.02	7.7	2.44	0.1
945300	Soil	0.273	22.4	39.5	0.73	412.2	0.122	2	2.86	0.026	0.28	0.2	4.0	0.24	<0.02	26	0.2	0.03	7.6	2.56	<0.1
945301	Soil	0.121	21.9	37.3	0.76	271.5	0.125	2	2.63	0.024	0.28	0.2	4.0	0.26	<0.02	23	0.2	0.03	7.1	2.43	0.1
945302	Soil	0.064	22.8	42.3	0.80	186.8	0.131	1	2.46	0.027	0.30	0.2	4.1	0.24	<0.02	30	0.2	<0.02	6.9	2.15	<0.1
945303	Soil	0.092	21.8	36.1	0.64	249.4	0.114	2	2.35	0.026	0.29	0.2	3.8	0.23	<0.02	33	0.2	<0.02	6.4	1.95	<0.1
945304	Soil	0.187	21.1	42.2	0.66	288.3	0.113	2	2.78	0.015	0.23	0.2	3.6	0.23	0.03	29	0.3	<0.02	7.6	2.20	<0.1
945305	Soil	0.096	25.4	53.6	1.58	243.4	0.184	2	3.96	0.075	0.75	0.2	7.6	0.74	<0.02	37	0.2	<0.02	11.4	5.03	0.2
945306	Soil	0.106	13.4	26.4	0.52	131.6	0.076	2	1.64	0.014	0.23	0.4	2.9	0.16	<0.02	26	0.2	0.08	4.8	1.47	<0.1
945307	Soil	0.181	27.4	51.7	1.08	222.3	0.135	2	2.80	0.021	0.71	0.2	4.6	0.52	0.30	22	1.4	0.12	8.3	3.57	<0.1
945308	Soil	0.180	17.7	40.3	0.76	319.3	0.114	2	3.30	0.024	0.23	0.3	4.5	0.23	<0.02	29	0.4	<0.02	8.6	2.44	<0.1
945309	Soil	0.155	18.1	39.3	0.68	282.6	0.102	3	2.54	0.017	0.29	0.3	4.1	0.20	<0.02	30	0.3	0.08	7.1	1.92	<0.1
945310	Soil	0.123	16.0	37.3	0.69	211.6	0.105	2	2.60	0.015	0.24	0.4	3.9	0.19	<0.02	21	0.4	0.05	6.8	1.94	<0.1
945311	Soil	0.142	14.1	39.1	0.70	283.5	0.093	2	2.43	0.014	0.25	0.4	3.6	0.20	<0.02	26	0.2	0.05	7.0	1.82	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 14, 2008

Page: 2 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
917733	Soil	0.09	2.75	31.5	0.4	<0.05	5.2	8.35	39.0	0.06	<1	0.7	18.2	<10	<2
945283	Soil	0.16	2.28	29.9	0.6	<0.05	10.6	9.78	42.3	0.03	<1	0.8	21.1	<10	<2
945284	Soil	0.10	2.15	29.1	0.6	<0.05	7.1	9.04	40.6	0.02	<1	0.8	19.4	<10	<2
945285	Soil	0.15	2.30	26.9	0.5	<0.05	10.4	10.45	40.5	0.02	<1	0.8	19.0	<10	<2
945286	Soil	0.09	1.42	22.8	0.4	<0.05	7.2	6.62	38.8	<0.02	<1	0.6	13.2	<10	<2
945287	Soil	0.17	2.60	27.2	0.6	<0.05	11.7	10.51	45.0	0.05	<1	1.0	22.3	<10	<2
945288	Soil	0.17	1.69	22.9	0.5	<0.05	9.6	8.99	45.7	0.03	<1	0.9	18.3	<10	<2
945289	Soil	0.23	1.52	27.2	0.6	<0.05	14.1	9.85	41.0	0.02	<1	0.8	53.0	<10	<2
945290	Soil	0.12	2.38	33.0	0.5	<0.05	7.6	9.04	47.3	0.03	<1	0.8	24.0	<10	<2
945291	Soil	0.07	1.92	33.1	0.7	<0.05	4.2	7.22	48.0	0.03	<1	0.9	21.9	<10	<2
945292	Soil	0.15	1.99	32.1	0.6	<0.05	10.4	10.23	43.5	0.04	<1	0.7	23.1	<10	<2
945293	Soil	0.22	2.14	30.6	0.8	<0.05	15.1	11.41	48.1	0.07	<1	1.0	28.8	16	<2
945294	Soil	0.15	2.03	27.6	0.6	<0.05	10.9	9.77	44.1	0.05	<1	0.9	21.2	<10	<2
945295	Soil	0.13	2.20	25.5	0.8	<0.05	9.8	8.66	43.8	0.07	<1	0.8	20.4	<10	<2
945296	Soil	0.23	1.67	31.3	0.6	<0.05	15.9	9.33	47.0	0.04	<1	0.8	19.5	<10	<2
945297	Soil	0.19	2.32	43.1	0.6	<0.05	13.6	13.02	53.0	0.03	<1	0.8	22.5	<10	<2
945298	Soil	0.09	1.93	33.2	0.5	<0.05	7.1	8.68	48.8	0.04	<1	0.8	19.1	<10	<2
945299	Soil	0.12	1.85	30.3	0.6	<0.05	6.7	8.20	49.2	0.03	<1	0.8	19.3	<10	<2
945300	Soil	0.10	1.89	32.5	0.7	<0.05	7.4	8.67	52.4	0.04	<1	0.9	19.1	<10	<2
945301	Soil	0.15	1.52	32.9	0.5	<0.05	12.0	8.72	47.9	0.02	<1	0.7	18.5	<10	<2
945302	Soil	0.18	1.80	33.1	0.5	<0.05	11.5	8.88	50.1	0.02	<1	0.7	25.7	<10	<2
945303	Soil	0.14	2.66	30.0	0.5	<0.05	8.6	8.33	45.8	0.03	<1	0.7	26.9	<10	<2
945304	Soil	0.09	2.09	30.1	0.6	<0.05	5.7	6.88	51.0	0.06	<1	0.8	18.0	<10	<2
945305	Soil	0.15	1.31	87.0	1.1	<0.05	9.8	23.35	49.8	0.04	<1	1.1	33.6	<10	<2
945306	Soil	0.12	1.07	23.7	0.4	<0.05	7.7	6.69	28.7	0.02	<1	0.4	14.3	<10	<2
945307	Soil	0.10	2.10	56.3	0.6	<0.05	7.1	14.26	59.9	0.03	<1	0.9	20.5	<10	<2
945308	Soil	0.16	1.86	29.4	0.6	<0.05	10.3	8.78	42.2	<0.02	<1	0.9	26.2	<10	<2
945309	Soil	0.12	1.61	28.6	0.6	<0.05	8.4	7.76	36.6	0.04	<1	0.6	18.9	<10	<2
945310	Soil	0.13	1.46	27.1	0.5	<0.05	9.3	7.72	34.1	0.03	<1	0.6	18.0	<10	<2
945311	Soil	0.12	1.80	24.6	0.6	<0.05	6.4	5.86	32.4	0.05	2	0.7	18.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 14, 2008

Page:

3 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945312	Soil	2.8	0.56	26.02	12.09	122.5	160	34.1	10.3	492	2.80	5.5	0.7	1.8	3.9	30.0	0.30	0.31	0.22	50	0.29
945313	Soil	2	0.57	34.94	13.69	127.2	333	32.4	10.2	331	2.60	6.5	1.1	1.8	4.2	25.8	0.38	0.35	0.24	43	0.25
945314	Soil	3.09	0.56	30.86	12.54	163.8	468	28.3	10.1	371	2.60	5.9	1.0	1.7	4.2	24.5	0.44	0.25	0.23	44	0.23
945315	Soil	3.48	0.54	28.98	11.63	158.8	392	26.7	9.9	354	2.63	5.8	0.9	0.6	4.1	27.1	0.40	0.25	0.22	47	0.26
945316	Soil	2.985	2.11	58.74	22.19	101.9	223	35.8	15.8	980	3.49	14.7	3.7	13.6	8.7	42.6	0.46	0.44	0.25	66	0.50
945317	Soil	2.74	0.57	38.64	16.10	198.8	576	26.7	10.8	561	2.50	7.5	1.5	3.1	4.7	29.7	0.72	0.29	0.26	42	0.27
945318	Soil	2.645	0.64	44.29	12.84	116.2	426	25.8	11.5	564	2.62	7.6	1.3	2.6	4.9	23.5	0.56	0.27	0.27	52	0.21
945319	Soil	5.76	0.73	60.32	12.39	87.2	54	32.4	13.7	537	3.19	8.7	1.1	8.3	5.9	40.0	0.27	0.36	0.25	78	0.36
945320	Soil	3.54	0.61	46.60	15.91	130.8	587	27.3	11.2	395	2.73	9.1	1.5	2.8	5.4	35.5	0.50	0.34	0.25	45	0.32
945321	Soil	2.85	0.59	34.31	14.98	163.4	425	26.5	10.9	709	2.59	7.1	1.4	13.9	4.9	35.8	0.60	0.40	0.24	37	0.47
945322	Soil	2.335	0.41	28.90	16.11	110.7	380	28.4	10.2	484	2.62	5.7	1.1	3.3	4.8	35.1	0.42	0.32	0.24	44	0.45
945323	Soil	3.015	0.45	40.03	14.76	118.2	254	27.5	11.7	615	2.83	7.5	1.3	5.9	5.4	30.9	0.34	0.30	0.24	47	0.40
945324	Soil	3.22	0.47	28.87	18.30	131.2	172	30.2	11.1	536	2.69	7.2	1.0	9.2	4.9	32.6	0.43	0.39	0.25	44	0.38
945325	Soil	3.15	0.49	32.91	8.40	49.6	99	19.2	10.9	384	2.46	6.4	0.8	14.7	5.9	35.2	0.18	0.33	0.15	50	0.45
945326	Soil	2.62	0.53	47.15	15.06	85.9	219	36.3	11.4	393	2.95	7.5	1.1	7.6	6.9	39.1	0.19	0.27	0.22	58	0.51
945327	Soil	2.94	0.52	34.72	15.38	94.1	207	29.1	10.9	442	2.77	6.3	1.1	4.1	5.6	33.9	0.26	0.30	0.23	54	0.41
945328	Soil	2.315	0.54	26.58	12.99	140.5	167	28.4	9.6	557	2.57	6.4	1.0	3.3	3.7	34.2	0.35	0.27	0.22	44	0.31
945329	Soil	2.945	0.51	26.93	11.08	109.2	177	30.3	10.2	514	2.68	4.0	0.6	2.4	3.9	36.4	0.29	0.29	0.20	52	0.36
945330	Soil	2.57	0.45	25.45	17.79	113.3	99	23.8	9.9	601	2.50	5.3	0.8	14.2	4.9	32.8	0.34	0.35	0.19	45	0.39
945331	Soil	2.105	0.48	23.69	16.47	128.2	124	25.4	9.3	572	2.39	6.0	0.9	2.2	4.4	31.2	0.35	0.33	0.21	41	0.32
945332	Soil	2.54	0.54	27.49	12.38	114.4	183	28.2	9.8	459	2.68	6.5	0.9	3.9	4.4	34.4	0.30	0.32	0.21	51	0.32
918781	Soil	3.73	0.69	20.04	76.78	411.8	384	72.3	9.9	610	2.54	14.4	0.9	1.2	3.7	48.0	6.89	0.67	0.24	41	0.77
918782	Soil	3.625	0.87	29.65	31.33	165.6	489	53.0	11.4	423	2.96	12.3	5.2	2.1	5.1	28.2	0.75	0.54	0.30	45	0.28
918783	Soil	3.77	0.91	37.05	25.74	113.6	157	61.7	15.0	483	3.29	16.4	2.7	3.4	5.2	26.6	0.51	0.59	0.24	55	0.25
918784	Soil	3.11	0.84	44.87	81.07	215.7	407	80.7	16.4	384	3.76	22.3	1.9	8.9	7.6	21.9	0.84	0.61	0.36	59	0.20
918785	Soil	2.21	0.65	13.33	21.19	145.5	319	47.2	8.6	1050	2.09	11.3	0.6	2.5	1.8	19.5	0.82	0.73	0.30	28	0.17
918786	Soil	4.385	0.85	29.62	34.29	171.3	201	74.0	14.7	1207	3.15	19.0	0.8	4.3	3.1	26.5	1.76	0.97	0.33	52	0.32
918787	Soil	3.16	1.69	48.03	65.04	256.2	233	72.4	36.9	2593	4.46	15.2	1.2	2.5	3.8	55.5	1.54	1.48	0.58	48	0.46
918788	Soil	3.21	0.95	44.80	31.00	266.2	346	115.3	24.7	2240	3.65	9.9	1.4	1.1	4.6	136.1	1.22	0.58	0.39	46	0.62
918789	Soil	2.84	0.55	35.61	30.24	182.3	179	116.2	24.6	952	4.00	14.1	1.0	1.7	4.6	41.5	1.16	0.69	0.29	73	0.54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 14, 2008

Page:

3 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945312	Soil	0.102	13.7	41.6	0.85	202.0	0.112	2	2.37	0.015	0.34	0.4	3.8	0.21	<0.02	21	0.2	0.03	6.8	2.15	<0.1
945313	Soil	0.207	16.4	29.9	0.60	299.4	0.118	2	3.40	0.020	0.19	0.4	4.3	0.21	<0.02	35	0.5	0.04	8.5	2.13	<0.1
945314	Soil	0.228	13.0	34.6	0.70	261.5	0.098	1	2.72	0.018	0.19	0.4	3.8	0.17	<0.02	23	0.4	0.02	7.3	1.89	<0.1
945315	Soil	0.191	14.4	34.6	0.70	239.2	0.103	2	2.47	0.018	0.21	0.3	3.8	0.17	<0.02	26	0.2	0.03	7.2	1.90	<0.1
945316	Soil	0.127	22.6	49.7	0.87	186.4	0.103	1	2.29	0.023	0.22	0.4	4.9	0.26	<0.02	38	0.5	0.05	7.1	2.49	<0.1
945317	Soil	0.327	13.6	24.1	0.49	247.7	0.110	2	3.27	0.023	0.14	0.4	3.9	0.20	<0.02	46	0.6	0.05	7.9	1.86	<0.1
945318	Soil	0.188	14.0	28.9	0.61	213.6	0.119	2	3.32	0.020	0.16	0.5	4.3	0.24	<0.02	33	0.4	0.04	8.4	2.02	<0.1
945319	Soil	0.091	17.8	44.1	0.95	150.2	0.119	<1	2.48	0.012	0.33	0.5	4.7	0.29	<0.02	11	0.6	0.07	6.6	2.27	<0.1
945320	Soil	0.225	17.0	25.2	0.53	227.2	0.120	3	3.49	0.022	0.14	0.4	4.4	0.17	<0.02	58	0.4	0.03	8.6	2.05	<0.1
945321	Soil	0.346	15.2	23.5	0.44	344.2	0.109	4	3.21	0.020	0.14	0.2	3.9	0.19	<0.02	33	0.6	0.06	8.0	1.99	<0.1
945322	Soil	0.087	16.0	34.9	0.53	300.8	0.122	2	3.16	0.028	0.21	0.3	4.1	0.21	<0.02	43	0.6	0.03	7.5	1.80	<0.1
945323	Soil	0.210	16.0	31.0	0.62	259.7	0.102	3	2.75	0.023	0.21	0.4	4.0	0.18	<0.02	26	0.5	0.07	7.3	1.82	<0.1
945324	Soil	0.183	14.1	30.9	0.60	291.5	0.109	3	2.87	0.024	0.20	0.4	3.8	0.19	<0.02	30	0.4	<0.02	7.4	1.88	<0.1
945325	Soil	0.095	18.2	30.8	0.64	80.7	0.085	1	1.27	0.020	0.18	0.5	3.4	0.14	<0.02	11	0.5	0.06	4.1	1.20	<0.1
945326	Soil	0.062	19.2	42.9	0.73	142.1	0.108	1	2.00	0.034	0.27	0.4	4.3	0.23	<0.02	21	0.3	0.04	6.0	2.04	<0.1
945327	Soil	0.083	16.3	37.9	0.69	174.8	0.117	2	2.37	0.026	0.29	0.4	4.2	0.21	<0.02	22	0.4	0.04	6.7	2.00	<0.1
945328	Soil	0.207	13.7	32.7	0.63	284.5	0.097	2	2.70	0.019	0.22	0.4	3.5	0.17	<0.02	22	0.4	<0.02	7.1	1.94	<0.1
945329	Soil	0.080	14.5	39.1	0.80	193.6	0.118	2	2.12	0.018	0.32	0.3	3.9	0.21	<0.02	12	0.3	0.02	6.4	2.10	<0.1
945330	Soil	0.122	15.1	31.6	0.60	190.5	0.090	2	1.71	0.018	0.18	0.4	3.2	0.17	<0.02	13	0.4	0.04	5.0	1.49	<0.1
945331	Soil	0.214	13.0	30.4	0.56	267.3	0.093	2	2.24	0.021	0.14	0.3	3.1	0.17	<0.02	23	0.4	<0.02	6.3	1.62	<0.1
945332	Soil	0.146	15.5	38.2	0.74	244.0	0.110	2	2.22	0.016	0.29	0.4	3.8	0.19	<0.02	21	0.5	0.04	6.5	1.95	<0.1
918781	Soil	0.412	13.3	50.5	0.59	226.5	0.089	4	2.87	0.020	0.18	0.4	3.7	0.23	<0.02	27	0.5	0.03	7.2	2.83	<0.1
918782	Soil	0.173	18.5	34.0	0.50	211.0	0.130	3	4.06	0.020	0.11	0.3	4.3	0.18	<0.02	56	0.5	<0.02	10.0	2.74	<0.1
918783	Soil	0.105	17.1	52.9	0.82	137.0	0.105	1	2.76	0.011	0.12	0.4	4.0	0.14	<0.02	26	0.3	0.03	7.5	1.95	<0.1
918784	Soil	0.175	16.4	57.0	0.82	258.0	0.118	2	3.67	0.015	0.16	0.6	5.2	0.19	<0.02	58	0.6	0.04	9.3	2.43	<0.1
918785	Soil	0.295	7.0	22.8	0.26	219.4	0.097	2	3.08	0.018	0.07	0.2	2.2	0.12	<0.02	25	0.4	<0.02	7.7	1.75	<0.1
918786	Soil	0.309	11.3	55.6	0.67	314.6	0.104	2	3.38	0.014	0.14	0.3	4.5	0.18	<0.02	45	0.7	<0.02	8.5	2.03	<0.1
918787	Soil	0.286	15.7	40.4	0.63	335.2	0.116	4	3.54	0.016	0.19	0.2	3.9	0.30	0.05	97	0.9	0.03	10.9	2.86	<0.1
918788	Soil	0.436	26.5	41.2	0.73	777.4	0.136	4	4.29	0.019	0.21	0.2	5.5	0.23	0.04	50	0.6	0.06	11.1	2.15	<0.1
918789	Soil	0.171	18.4	137.8	1.36	331.0	0.182	3	3.20	0.015	0.32	0.3	5.7	0.25	<0.02	37	0.5	0.05	9.3	2.72	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 14, 2008

Page: 3 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
945312	Soil	0.08	1.65	32.0	0.5	<0.05	6.5	5.65	27.6	0.02	<1	0.5	19.5	<10	<2
945313	Soil	0.28	1.58	20.5	0.6	<0.05	21.9	9.35	36.3	0.02	<1	0.8	19.6	<10	<2
945314	Soil	0.15	1.35	22.3	0.6	<0.05	10.7	5.68	33.0	0.03	<1	0.6	20.3	<10	<2
945315	Soil	0.10	1.34	24.1	0.5	<0.05	9.3	6.02	31.4	<0.02	<1	0.5	19.5	<10	<2
945316	Soil	0.09	2.35	27.0	0.5	<0.05	5.6	10.19	44.9	0.03	<1	0.6	22.9	<10	<2
945317	Soil	0.16	1.30	23.1	0.6	<0.05	12.0	8.01	34.8	0.03	<1	0.6	19.4	<10	<2
945318	Soil	0.26	1.21	26.6	0.7	<0.05	16.5	8.23	36.2	0.03	<1	0.6	20.2	<10	<2
945319	Soil	0.07	0.83	29.3	0.4	<0.05	3.5	8.01	34.8	<0.02	<1	0.7	20.8	<10	<2
945320	Soil	0.25	1.72	21.9	0.7	<0.05	20.4	10.05	40.9	0.03	<1	0.7	21.6	<10	<2
945321	Soil	0.17	1.88	18.4	0.7	<0.05	12.2	8.03	36.2	0.04	<1	0.7	19.8	<10	<2
945322	Soil	0.22	1.89	20.4	0.7	<0.05	15.7	8.81	38.0	<0.02	<1	0.6	40.0	<10	<2
945323	Soil	0.14	1.84	21.7	0.6	<0.05	10.3	8.31	36.4	0.02	<1	0.6	20.8	<10	<2
945324	Soil	0.15	1.81	22.4	0.7	<0.05	10.2	6.51	34.9	0.03	<1	0.6	21.5	<10	<2
945325	Soil	0.03	0.78	15.5	0.3	<0.05	2.3	7.40	36.3	<0.02	<1	0.2	11.7	<10	<2
945326	Soil	0.15	0.91	29.9	0.5	<0.05	8.4	9.92	38.8	0.02	<1	0.5	21.8	<10	<2
945327	Soil	0.18	1.75	30.6	0.5	<0.05	10.4	8.29	34.2	0.02	<1	0.6	20.2	<10	<2
945328	Soil	0.12	1.47	22.2	0.6	<0.05	6.9	6.59	30.1	0.03	<1	0.5	19.2	<10	<2
945329	Soil	0.05	1.37	30.1	0.5	<0.05	3.9	5.33	29.0	<0.02	<1	0.4	18.6	<10	<2
945330	Soil	0.07	1.76	19.0	0.4	<0.05	4.0	5.71	32.4	0.03	<1	0.4	17.3	<10	<2
945331	Soil	0.13	1.56	16.6	0.6	<0.05	7.9	5.46	31.2	0.03	1	0.5	18.3	<10	<2
945332	Soil	0.09	1.52	26.6	0.5	<0.05	6.4	5.62	32.9	0.02	<1	0.5	18.7	<10	<2
918781	Soil	0.13	1.72	30.3	0.6	<0.05	9.4	13.12	29.2	0.04	<1	0.7	21.6	<10	<2
918782	Soil	0.21	2.43	21.5	0.9	<0.05	20.8	13.02	48.0	0.04	<1	1.1	23.1	<10	<2
918783	Soil	0.11	1.79	21.9	0.5	<0.05	7.9	6.73	39.2	0.03	<1	0.6	23.9	<10	<2
918784	Soil	0.19	2.12	25.5	0.7	<0.05	13.9	9.22	48.5	0.03	<1	1.0	26.1	<10	<2
918785	Soil	0.11	1.65	14.7	0.9	<0.05	8.0	3.29	28.5	0.04	<1	0.6	14.4	<10	<2
918786	Soil	0.09	1.49	19.3	0.7	<0.05	7.9	6.05	33.1	0.07	<1	0.7	18.1	<10	<2
918787	Soil	0.08	3.74	27.9	1.2	<0.05	6.3	6.20	36.7	0.15	2	1.5	40.1	<10	<2
918788	Soil	0.10	2.60	39.7	1.0	<0.05	11.3	11.78	63.9	0.07	<1	1.7	31.2	<10	<2
918789	Soil	0.14	3.10	42.7	0.7	<0.05	10.6	7.40	50.2	0.06	<1	0.7	26.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 14, 2008

Page:

4 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918790	Soil	3.465	0.43	46.68	29.81	109.0	149	114.4	28.0	1283	4.66	8.2	0.8	2.3	5.9	77.8	0.51	0.36	0.25	105	0.67
918791	Soil	3.045	0.74	25.30	32.65	153.7	113	80.0	20.1	1444	3.60	15.5	0.6	4.4	2.4	24.9	0.83	1.06	0.35	59	0.24



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 14, 2008

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
918790	Soil	0.264	31.3	203.1	2.08	886.5	0.258	2	3.05	0.015	0.68	0.2	7.1	0.49	<0.02	21	0.2	0.05	10.8	4.31	0.1
918791	Soil	0.211	10.7	72.0	0.81	363.2	0.091	3	2.71	0.008	0.17	0.3	3.4	0.15	0.02	35	0.3	0.05	7.9	2.22	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 14, 2008

Page: 4 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918790	Soil	0.14	2.52	79.2	0.7	<0.05	9.5	8.02	75.5	0.05	<1	0.9	31.4	<10	<2
918791	Soil	0.04	2.05	25.3	0.6	<0.05	2.6	3.51	28.1	0.06	<1	0.7	21.7	<10	<2

QUALITY CONTROL REPORT

VAN08010290.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
945283	Soil	2.43	0.73	42.10	21.95	87.2	181	40.5	13.1	683	2.97	12.0	4.3	4.1	6.2	40.0	0.39	0.42	0.24	53	0.46
REP 945283	QC		0.84	45.73	23.07	94.4	189	43.0	14.1	726	2.95	13.0	4.6	21.5	6.9	43.8	0.40	0.47	0.26	58	0.51
945294	Soil	2.85	0.92	39.59	32.61	169.3	199	38.0	13.1	959	2.93	8.4	1.8	2.7	5.0	39.8	0.79	0.37	0.26	51	0.45
REP 945294	QC		0.89	40.27	32.12	170.6	200	40.0	12.9	926	3.06	8.7	1.8	3.4	5.0	40.4	0.79	0.40	0.26	49	0.46
945313	Soil	2	0.57	34.94	13.69	127.2	333	32.4	10.2	331	2.60	6.5	1.1	1.8	4.2	25.8	0.38	0.35	0.24	43	0.25
REP 945313	QC		0.57	34.55	13.25	127.5	338	31.3	10.0	332	2.65	6.5	1.1	1.8	4.2	25.4	0.36	0.34	0.24	44	0.24
945328	Soil	2.315	0.54	26.58	12.99	140.5	167	28.4	9.6	557	2.57	6.4	1.0	3.3	3.7	34.2	0.35	0.27	0.22	44	0.31
REP 945328	QC		0.52	26.78	13.12	141.6	166	28.2	9.9	557	2.63	6.7	0.9	2.0	3.6	35.5	0.35	0.29	0.23	43	0.34
Reference Materials																					
STD DS7	Standard		19.36	100.6	62.80	394.1	821	55.2	8.7	646	2.41	49.1	4.5	61.9	4.2	74.0	5.88	5.46	4.12	79	0.98
STD DS7	Standard		19.70	94.17	67.19	378.8	902	52.9	8.4	588	2.35	47.9	4.3	63.3	3.7	63.8	5.91	5.37	4.16	77	0.89
STD DS7	Standard		20.87	105.7	69.99	398.8	872	56.4	9.6	641	2.46	49.0	5.0	69.4	4.8	80.5	6.00	5.13	4.41	85	1.00
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01

QUALITY CONTROL REPORT

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
945283	Soil	0.102	20.4	40.2	0.67	212.8	0.112	2	2.92	0.023	0.30	0.3	4.5	0.22	<0.02	25	0.3	0.03	7.6	2.22	0.1
REP 945283	QC	0.109	22.0	42.9	0.66	222.6	0.122	2	3.00	0.028	0.32	0.3	4.9	0.23	<0.02	26	0.2	<0.02	8.1	2.33	0.1
945294	Soil	0.249	19.1	35.8	0.74	342.5	0.124	2	3.24	0.033	0.18	0.3	3.9	0.22	<0.02	28	0.2	<0.02	7.9	2.26	<0.1
REP 945294	QC	0.256	21.0	35.9	0.73	343.4	0.135	2	3.16	0.029	0.18	0.3	4.3	0.23	<0.02	39	0.3	<0.02	7.9	2.40	0.2
945313	Soil	0.207	16.4	29.9	0.60	299.4	0.118	2	3.40	0.020	0.19	0.4	4.3	0.21	<0.02	35	0.5	0.04	8.5	2.13	<0.1
REP 945313	QC	0.204	16.2	30.9	0.60	300.0	0.119	3	3.44	0.021	0.18	0.4	4.1	0.20	<0.02	40	0.5	<0.02	8.3	2.09	<0.1
945328	Soil	0.207	13.7	32.7	0.63	284.5	0.097	2	2.70	0.019	0.22	0.4	3.5	0.17	<0.02	22	0.4	<0.02	7.1	1.94	<0.1
REP 945328	QC	0.203	13.9	32.1	0.64	286.4	0.098	2	2.62	0.021	0.22	0.4	3.8	0.18	<0.02	23	0.3	<0.02	7.4	2.05	<0.1
Reference Materials																					
STD DS7	Standard	0.075	13.1	244.0	1.02	402.5	0.114	40	1.12	0.100	0.46	4.0	2.7	3.99	0.19	208	3.8	1.18	5.0	5.75	0.1
STD DS7	Standard	0.072	10.8	188.7	0.98	380.2	0.100	35	0.91	0.079	0.45	4.2	2.3	4.29	0.19	197	3.5	1.13	4.3	5.81	<0.1
STD DS7	Standard	0.076	14.2	241.7	1.05	410.1	0.125	44	1.08	0.104	0.47	3.6	2.9	4.27	0.19	203	3.1	1.22	4.6	5.97	<0.1
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08010290.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
945283	Soil	0.16	2.28	29.9	0.6	<0.05	10.6	9.78	42.3	0.03	<1	0.8	21.1	<10	<2
REP 945283	QC	0.15	2.35	31.9	0.6	<0.05	11.4	10.56	45.8	0.03	1	0.9	23.3	<10	<2
945294	Soil	0.15	2.03	27.6	0.6	<0.05	10.9	9.77	44.1	0.05	<1	0.9	21.2	<10	<2
REP 945294	QC	0.20	2.54	28.3	0.7	<0.05	12.9	10.30	47.8	0.06	<1	1.0	20.5	<10	<2
945313	Soil	0.28	1.58	20.5	0.6	<0.05	21.9	9.35	36.3	0.02	<1	0.8	19.6	<10	<2
REP 945313	QC	0.31	1.54	20.0	0.6	<0.05	21.4	9.09	35.9	0.03	<1	0.6	19.2	<10	<2
945328	Soil	0.12	1.47	22.2	0.6	<0.05	6.9	6.59	30.1	0.03	<1	0.5	19.2	<10	<2
REP 945328	QC	0.19	1.47	21.4	0.6	<0.05	6.4	6.56	31.2	0.03	<1	0.6	18.8	<10	<2
Reference Materials															
STD DS7	Standard	0.14	0.68	34.6	4.6	<0.05	5.8	5.77	38.1	1.43	7	1.3	28.6	64	39
STD DS7	Standard	0.10	0.63	33.3	4.3	<0.05	5.0	4.70	34.0	1.53	4	1.6	25.1	88	37
STD DS7	Standard	0.16	0.61	35.7	4.8	<0.05	6.2	6.08	39.7	1.48	4	1.5	29.2	79	41
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
Receiving Lab: Canada-Vancouver
Received: October 17, 2008
Report Date: May 19, 2009
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN08010315.2

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 017
P.O. Number
Number of Samples: 225

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 5 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status. Rows include R150, 1F30, G6, 7AR, and 7AR.1.

ADDITIONAL COMMENTS

Version 2 : G6-Au, G6-Ag gravimetric & 7AR included.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method Analyte Unit MDL	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869719	Rock	4.51	2.83	10.54	9.07	2.4	64	1.9	0.3	43	0.38	0.6	0.2	8.8	0.2	2.2	0.02	0.18	0.31	<2	0.04
869720	Rock	3.32	3.04	8.86	2.35	5.4	25	2.3	0.4	59	0.47	0.7	0.3	1.0	0.5	3.1	0.01	0.06	0.11	<2	0.02
869721	Rock	4.50	12.16	13.48	23.20	53.6	119	11.7	2.7	700	3.44	1.8	4.7	19.1	11.6	12.8	0.10	0.05	1.58	37	0.26
869722	Rock	3.57	7.74	7.70	9.19	4.1	50	2.1	0.4	69	0.41	16.4	2.4	2.9	1.2	3.0	0.02	0.06	0.12	<2	0.11
869723	Rock	3.75	16.23	19.18	4.21	46.0	49	11.8	4.7	1301	3.69	1.4	7.5	8.3	14.4	13.7	0.05	0.09	0.42	26	0.24
869724	Rock	1.42	8.51	2.37	4.19	10.5	26	1.4	0.2	40	0.34	0.5	0.5	19.0	0.9	2.5	0.01	0.38	1.09	<2	0.02
869725	Rock	2.22	7.16	34.82	4.97	71.5	86	32.5	11.4	785	3.15	2.5	3.5	3.4	12.1	9.0	0.12	0.10	0.54	34	0.12
869726	Rock	4.51	1.62	3.50	2.11	2.9	59	1.7	0.3	44	0.25	0.9	0.5	2.7	0.4	3.6	0.01	0.04	0.44	<2	0.03
869727	Rock	1.74	16.40	28.64	4.14	77.3	53	34.6	6.5	1050	4.30	2.6	9.8	4.6	13.9	14.0	0.08	0.08	0.42	47	0.33
869728	Rock	4.00	3.28	8.29	77.28	4.6	6458	1.8	0.3	97	0.36	1.6	1.1	314.9	0.9	2.5	0.02	0.19	45.62	<2	0.06
869729	Rock	2.84	3.97	63.19	98.19	31.4	258	9.8	6.7	321	2.54	2.5	1.4	5.0	11.2	16.3	0.16	0.08	0.37	23	0.05
869730	Rock	5.82	25.60	83.90	168.6	59.7	220	20.4	9.5	394	2.54	0.3	1.5	2.7	8.9	18.6	0.14	0.08	1.03	31	0.09
869731	Rock	2.06	26.90	25.23	47.97	17.5	129	8.2	4.2	189	1.62	0.8	1.0	19.6	5.4	8.6	<0.01	0.08	2.38	15	0.03
869732	Rock	4.16	7.13	93.00	113.1	87.3	149	35.1	14.5	567	2.95	0.1	1.7	2.1	9.3	20.2	0.16	0.08	0.62	37	0.16
869733	Rock	0.46	39.78	46.60	194.6	61.7	328	13.6	4.8	464	1.93	2.1	1.0	1.5	6.8	34.2	0.08	0.11	0.62	15	0.25
869734	Rock	0.49	34.84	20.74	99.22	8.2	289	7.1	1.5	88	1.20	11.6	0.2	2.6	1.1	4.4	<0.01	0.14	0.61	3	0.09
869735	Rock	1.77	4.36	65.84	89.01	48.2	143	19.5	7.0	358	2.27	1.6	1.1	0.7	6.8	22.8	0.10	0.11	0.13	18	0.14
869736	Rock	0.98	8.53	34.04	120.8	25.2	225	3.6	1.1	142	2.71	25.4	0.7	4.0	6.3	6.3	<0.01	0.19	0.27	10	0.02
869737	Rock	1.70	30.70	45.62	271.0	42.1	490	11.0	4.1	228	3.29	2.4	2.6	6.7	14.4	10.7	0.04	0.18	3.67	34	0.04
869738	Rock	1.13	16.06	22.86	272.8	37.4	2095	3.1	0.7	36	1.58	1.6	0.4	16.1	1.8	2.2	0.09	0.10	16.43	4	<0.01
869739	Rock	0.96	29.55	43.70	229.2	72.9	338	10.6	4.3	231	2.95	2.3	2.5	3.5	13.8	11.6	0.15	0.17	1.91	31	0.05
869740	Rock	3.11	48.87	9.92	92.01	17.0	1265	1.4	1.4	311	0.41	9.6	3.8	16.9	6.6	3.7	0.18	0.25	2.76	<2	0.06
869741	Rock	2.17	7.78	5.69	10.83	25.6	378	3.5	1.0	789	0.28	2.5	4.0	3.8	11.6	4.9	0.63	0.07	0.35	<2	0.09
869742	Rock	1.40	11.74	10.03	42.80	8.7	2489	1.9	0.9	493	0.19	2.6	1.0	33.2	1.6	5.0	0.27	0.06	12.10	<2	0.29
869743	Rock	2.72	8.13	18.43	15.86	25.3	227	4.0	1.4	588	0.23	4.5	2.9	3.9	7.6	4.6	0.52	0.07	0.40	<2	0.16
869744	Rock	2.00	160.1	19.90	203.7	4.3	7184	1.9	0.3	63	0.23	6.8	2.0	242.2	0.5	1.4	<0.01	0.14	24.34	<2	0.01
869745	Rock	4.21	11.26	3.10	30.26	1.0	96	1.3	0.2	28	0.19	1.2	0.1	0.5	<0.1	0.5	<0.01	0.09	0.07	<2	<0.01
869746	Rock	1.59	2.52	8.28	14.18	16.1	256	2.1	0.9	169	0.17	4.2	1.6	4.9	10.6	2.9	0.25	0.05	0.94	<2	0.07
869747	Rock	1.26	96.16	20.17	181.3	4.5	14103	2.0	0.3	35	0.17	2.6	2.3	4118	0.5	1.1	0.03	2.61	324.9	<2	0.03
869748	Rock	4.16	15.86	5.19	62.89	2.9	238	0.8	0.2	22	0.16	1.7	0.3	3.7	<0.1	<0.5	<0.01	0.20	0.60	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869719	Rock	0.019	0.8	11.5	0.01	2.0	<0.001	2	0.04	0.003	<0.01	<0.1	0.1	<0.02	<0.02	7	<0.1	0.03	0.2	0.11	<0.1
869720	Rock	0.008	1.3	12.4	0.04	3.4	0.001	<1	0.09	0.004	0.02	<0.1	0.4	<0.02	<0.02	<5	<0.1	<0.02	0.5	0.21	<0.1
869721	Rock	0.131	18.9	62.0	0.89	126.7	0.137	<1	2.10	0.036	1.02	3.4	7.0	0.92	<0.02	<5	<0.1	0.11	13.4	18.05	0.2
869722	Rock	0.062	2.8	20.2	0.03	6.1	0.002	1	0.12	0.007	0.03	0.3	0.4	0.02	<0.02	<5	<0.1	<0.02	0.6	0.26	<0.1
869723	Rock	0.128	32.0	47.8	0.91	86.8	0.068	2	2.07	0.055	0.60	1.6	4.9	0.51	0.03	<5	0.3	0.05	10.4	9.04	<0.1
869724	Rock	0.006	1.8	17.4	0.02	3.8	0.003	<1	0.07	0.005	0.02	0.1	0.2	0.02	<0.02	<5	<0.1	0.05	0.3	0.36	<0.1
869725	Rock	0.051	18.6	50.9	0.93	98.1	0.103	2	1.74	0.041	0.83	0.4	4.8	0.72	0.23	<5	0.5	0.04	8.0	10.25	<0.1
869726	Rock	0.009	1.6	14.3	0.02	3.4	<0.001	<1	0.05	0.004	0.01	0.2	0.2	<0.02	<0.02	<5	<0.1	0.04	0.2	0.11	<0.1
869727	Rock	0.155	27.3	77.0	1.23	181.1	0.206	1	2.61	0.051	1.52	4.5	8.7	1.41	0.10	<5	0.4	0.04	15.8	26.19	0.1
869728	Rock	0.030	2.6	16.4	0.04	5.3	0.004	2	0.11	0.004	0.03	0.2	0.5	0.03	<0.02	<5	0.2	1.98	0.6	0.46	<0.1
869729	Rock	0.042	18.7	39.1	0.64	56.9	0.043	<1	1.12	0.038	0.42	<0.1	2.7	0.23	0.25	<5	1.4	0.35	4.6	1.62	<0.1
869730	Rock	0.027	11.4	40.9	0.56	47.3	0.064	<1	1.02	0.027	0.45	0.2	3.4	0.24	0.73	<5	1.1	0.20	4.5	1.59	<0.1
869731	Rock	0.021	10.4	32.3	0.30	44.2	0.038	<1	0.66	0.023	0.38	0.2	1.8	0.26	0.11	<5	0.4	0.12	3.8	3.06	<0.1
869732	Rock	0.035	13.1	49.9	0.85	73.6	0.090	<1	1.51	0.042	0.62	0.2	4.4	0.35	0.99	<5	1.1	0.19	6.3	3.03	<0.1
869733	Rock	0.032	10.5	26.3	0.64	46.9	0.036	<1	1.33	0.068	0.29	0.3	2.3	0.15	0.53	<5	1.0	0.12	3.8	1.12	<0.1
869734	Rock	0.049	2.2	13.3	0.22	8.0	0.002	<1	0.39	0.005	0.04	0.4	1.1	<0.02	0.13	<5	0.3	0.15	1.2	0.15	<0.1
869735	Rock	0.035	10.9	28.8	0.63	41.3	0.037	1	1.13	0.043	0.30	0.1	2.5	0.15	0.48	<5	1.4	0.12	3.6	1.11	<0.1
869736	Rock	0.026	13.0	19.3	0.30	26.8	0.003	<1	0.60	0.019	0.12	0.1	1.6	0.05	0.08	<5	0.6	0.17	2.3	0.61	<0.1
869737	Rock	0.051	26.4	42.3	0.57	69.0	0.040	1	1.30	0.045	0.50	0.2	4.0	0.28	0.23	<5	1.3	0.21	5.9	2.85	<0.1
869738	Rock	0.011	3.2	20.0	0.03	8.7	0.002	<1	0.12	0.007	0.05	0.2	0.7	0.04	0.07	<5	2.3	1.03	1.0	0.28	<0.1
869739	Rock	0.053	25.3	41.5	0.59	63.5	0.036	1	1.20	0.035	0.43	0.2	3.5	0.27	0.23	<5	1.2	0.16	6.1	2.56	<0.1
869740	Rock	0.033	5.2	6.7	<0.01	23.4	<0.001	<1	0.15	0.021	0.07	1.0	0.3	0.04	0.02	<5	<0.1	0.17	0.6	0.15	<0.1
869741	Rock	0.036	11.5	7.1	0.01	41.6	0.001	<1	0.24	0.037	0.13	0.5	0.6	0.04	<0.02	<5	<0.1	0.05	1.0	0.35	<0.1
869742	Rock	0.143	7.3	12.8	<0.01	23.1	0.001	<1	0.06	0.005	0.02	1.5	0.2	<0.02	<0.02	<5	0.2	0.75	0.2	0.07	<0.1
869743	Rock	0.078	6.5	5.1	0.01	34.4	0.001	1	0.26	0.027	0.11	1.9	0.5	0.04	<0.02	<5	0.1	<0.02	1.0	0.33	<0.1
869744	Rock	0.005	<0.5	20.6	<0.01	9.4	<0.001	2	0.07	0.005	0.04	6.1	0.1	0.03	<0.02	<5	<0.1	1.19	0.3	0.12	<0.1
869745	Rock	<0.001	<0.5	16.9	<0.01	0.7	<0.001	<1	<0.01	0.001	<0.01	0.2	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	0.02	<0.1
869746	Rock	0.029	8.0	5.8	<0.01	15.6	0.001	<1	0.16	0.022	0.08	0.8	0.3	0.02	<0.02	<5	<0.1	0.03	0.5	0.22	<0.1
869747	Rock	0.011	0.7	19.9	<0.01	4.6	<0.001	<1	0.06	0.008	0.03	60.0	0.1	<0.02	<0.02	10	<0.1	18.53	0.3	0.12	<0.1
869748	Rock	<0.001	<0.5	18.1	<0.01	0.5	<0.001	1	<0.01	<0.001	<0.01	0.2	0.1	<0.02	<0.02	<5	<0.1	0.05	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 2 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	gm/mt	gm/mt	%	%	%	%
869719	Rock	<0.02	0.19	1.0	1.2	<0.05	0.1	1.14	1.7	<0.02	<1	0.2	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869720	Rock	<0.02	0.24	2.1	0.9	<0.05	0.2	0.60	2.2	<0.02	<1	0.1	2.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869721	Rock	0.02	1.03	148.9	1.8	<0.05	0.7	9.65	36.8	<0.02	<1	0.9	51.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869722	Rock	<0.02	1.00	3.5	0.8	<0.05	0.2	3.16	5.7	<0.02	<1	0.2	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869723	Rock	0.05	0.95	80.6	0.9	<0.05	1.4	12.32	58.2	<0.02	<1	1.2	45.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869724	Rock	<0.02	0.44	3.4	0.2	<0.05	0.2	0.73	3.4	<0.02	<1	0.1	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869725	Rock	0.03	0.29	107.8	1.4	<0.05	0.9	8.40	35.6	<0.02	<1	0.7	36.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869726	Rock	<0.02	0.31	1.6	0.5	<0.05	0.2	0.59	2.8	<0.02	<1	<0.1	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869727	Rock	0.03	1.12	220.5	3.2	<0.05	0.9	12.08	51.9	<0.02	<1	0.9	67.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869728	Rock	<0.02	0.43	4.7	0.8	<0.05	0.2	1.52	5.1	<0.02	<1	<0.1	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869729	Rock	0.02	0.13	32.0	2.1	<0.05	0.8	2.44	33.6	<0.02	<1	0.6	20.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869730	Rock	<0.02	0.10	36.1	2.2	<0.05	0.6	2.33	20.9	<0.02	4	0.4	16.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869731	Rock	<0.02	0.16	42.0	0.8	<0.05	0.6	2.31	19.1	<0.02	3	0.4	18.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869732	Rock	<0.02	0.12	54.8	2.2	<0.05	0.6	3.48	24.2	<0.02	<1	0.6	26.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869733	Rock	<0.02	0.10	22.8	0.6	<0.05	0.4	2.90	20.4	<0.02	6	0.7	17.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869734	Rock	<0.02	0.05	3.3	1.1	<0.05	0.3	1.16	4.2	<0.02	2	0.2	9.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869735	Rock	<0.02	0.09	23.1	1.3	<0.05	0.4	2.69	20.8	<0.02	<1	0.6	16.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869736	Rock	<0.02	0.03	8.7	0.5	<0.05	0.4	2.56	24.6	<0.02	<1	0.6	10.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869737	Rock	<0.02	0.06	43.7	0.5	<0.05	0.9	5.07	48.2	<0.02	2	1.1	25.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869738	Rock	<0.02	0.06	3.7	0.2	<0.05	0.2	0.86	5.9	0.33	1	0.1	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869739	Rock	0.02	0.07	37.4	0.3	<0.05	0.7	5.46	45.8	<0.02	<1	0.7	25.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869740	Rock	0.05	1.47	4.1	0.8	<0.05	1.0	4.66	9.9	<0.02	<1	0.3	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869741	Rock	0.05	0.88	7.4	0.4	<0.05	1.4	6.89	22.9	<0.02	<1	0.3	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869742	Rock	<0.02	1.13	1.2	0.9	<0.05	0.4	11.98	14.8	<0.02	<1	0.2	0.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869743	Rock	0.07	0.86	7.0	2.3	<0.05	1.4	8.82	12.5	<0.02	<1	0.5	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869744	Rock	<0.02	0.93	2.3	2.5	<0.05	0.2	1.52	0.8	<0.02	<1	0.1	0.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869745	Rock	<0.02	0.08	0.2	0.3	<0.05	<0.1	0.07	0.2	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869746	Rock	0.03	1.06	4.6	0.9	<0.05	1.1	5.39	15.4	<0.02	<1	<0.1	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869747	Rock	<0.02	0.78	2.2	2.3	<0.05	0.2	2.46	1.3	<0.02	<1	0.1	0.5	<10	<2	5.18	N.A.	0.010	0.002	0.02	<0.01
869748	Rock	<0.02	0.07	0.1	0.5	<0.05	<0.1	0.07	0.1	<0.02	<1	<0.1	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 2 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.001	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.05	0.05
869719	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869720	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869721	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869722	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869723	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869724	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869725	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869726	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869727	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869728	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869729	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869730	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869731	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869732	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869733	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869734	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869735	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869736	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869737	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869738	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869739	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869740	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869741	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869742	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869743	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869744	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869745	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869746	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869747	Rock	15	<0.001	<0.001	<0.01	0.18	<0.01	<0.001	<0.001	<0.001	0.03	0.02	0.008	0.002	<0.01	0.09	0.02	0.05	0.006	<0.001	<0.05
869748	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 2 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR.1
Analyte	Pb
Unit	%
MDL	0.01
869719	Rock
869720	Rock
869721	Rock
869722	Rock
869723	Rock
869724	Rock
869725	Rock
869726	Rock
869727	Rock
869728	Rock
869729	Rock
869730	Rock
869731	Rock
869732	Rock
869733	Rock
869734	Rock
869735	Rock
869736	Rock
869737	Rock
869738	Rock
869739	Rock
869740	Rock
869741	Rock
869742	Rock
869743	Rock
869744	Rock
869745	Rock
869746	Rock
869747	Rock
869748	Rock



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869749	Rock	1.10	18.87	6.55	34.01	26.2	590	3.6	2.0	874	0.27	7.2	4.2	13.4	4.2	2.9	0.91	0.18	1.71	<2	0.03
869750	Rock	1.75	59.81	2.82	245.3	3.5	20740	0.8	0.2	65	0.17	1.6	0.9	1111	0.2	1.0	0.06	1.10	114.0	<2	<0.01
945401	Rock	4.55	26.00	5.06	75.31	1.5	537	1.4	0.1	33	0.18	1.2	0.2	3.5	<0.1	<0.5	<0.01	0.21	0.37	<2	<0.01
945402	Rock	4.70	5.35	3.62	136.5	22.8	592	0.8	0.2	37	0.26	11.6	5.8	9.4	6.5	2.2	0.07	0.13	0.31	<2	0.05
945403	Rock	3.02	31.74	2.63	79.95	3.1	5965	1.1	0.1	21	0.13	1.2	0.3	190.1	0.2	0.9	<0.01	0.14	30.04	<2	0.01
945404	Rock	1.85	15.95	5.73	42.53	9.2	437	1.0	0.5	138	0.14	2.1	0.6	25.5	0.4	0.7	0.44	0.09	1.43	<2	<0.01
945405	Rock	2.03	77.87	18.49	>10000	2214	40506	2.2	0.2	31	0.39	10.6	1.2	157.5	<0.1	1.6	39.17	18.77	10.45	<2	<0.01
945406	Rock	1.41	26.66	5.80	120.4	24.5	421	1.2	0.5	68	0.21	8.1	2.9	3.4	5.3	2.1	0.12	0.12	0.24	<2	0.07
945407	Rock	3.80	1532	1.01	138.6	2.1	820	0.7	0.2	14	0.21	6.5	0.3	96.6	0.2	1.4	0.89	0.20	2.68	<2	0.01
945408	Rock	3.22	26.09	1.54	18.07	5.6	182	1.1	0.2	16	0.14	1.8	0.3	9.0	0.2	0.9	0.07	0.06	0.43	<2	0.01
945409	Rock	1.27	50.42	22.38	33.21	3.7	618	1.5	0.2	11	0.11	1.1	0.7	37.4	0.1	<0.5	0.03	0.09	2.02	<2	<0.01
945410	Rock	5.94	241.0	25.01	101.9	4.4	2495	2.1	0.2	20	0.30	11.8	1.0	204.2	0.4	0.6	0.12	0.31	22.61	<2	<0.01
869454	Rock	2.51	2.23	1.90	3.53	1.5	96	1.0	0.2	21	0.22	0.1	<0.1	200.6	<0.1	0.7	0.03	0.04	12.87	<2	<0.01
869455	Rock	4.90	3.00	2.79	4.19	2.6	60	1.4	0.2	23	0.40	0.3	<0.1	208.0	<0.1	0.7	0.02	0.04	25.83	<2	<0.01
869456	Rock	4.90	1.31	1.81	3.00	1.5	726	0.7	0.3	23	0.19	0.9	<0.1	3697	<0.1	0.5	0.01	0.11	85.51	<2	<0.01
869457	Rock	1.97	1.05	1.75	5.05	1.5	1318	1.6	0.4	29	0.21	0.3	<0.1	6345	<0.1	0.6	0.01	0.08	40.45	<2	<0.01
869458	Rock	6.00	23.38	9.71	241.7	6.5	26014	2.9	1.1	38	0.47	5.3	1.3	3228	0.8	1.1	0.03	0.37	229.7	<2	<0.01
869459	Rock	5.68	21.54	14.22	2.60	8.9	138	4.0	2.3	39	1.44	17.9	0.9	174.8	<0.1	0.7	0.05	0.13	15.55	2	<0.01
869460	Rock	3.94	20.61	9.52	3.52	5.6	211	2.5	1.0	38	0.81	11.8	0.7	227.8	<0.1	0.6	0.07	0.09	26.25	<2	<0.01
869461	Rock	3.61	56.49	34.32	2.17	5.8	232	5.6	2.8	33	1.51	7.2	1.1	91.2	0.5	0.9	0.09	0.08	9.44	2	<0.01
869462	Rock	3.45	16.29	25.95	1.14	2.8	243	3.7	2.7	27	1.15	5.2	0.4	324.3	<0.1	0.9	0.05	0.07	39.53	<2	<0.01
869463	Rock	3.18	0.72	1.48	0.88	0.7	70	1.2	0.1	19	0.19	0.6	<0.1	280.0	<0.1	<0.5	0.03	0.03	10.31	<2	<0.01
869464	Rock	1.57	3.82	18.66	2.53	7.0	227	3.6	1.1	27	0.98	2.7	0.4	34.6	0.4	1.3	0.04	0.07	1.23	<2	<0.01
869465	Rock	2.71	15.06	18.04	6.38	15.4	223	9.2	2.3	58	1.97	4.1	0.6	302.7	0.2	1.2	0.09	0.12	13.82	3	<0.01
869466	Rock	2.23	87.13	8.52	3.02	4.3	651	2.3	0.6	40	0.53	0.9	0.4	3335	0.7	1.5	0.09	0.13	121.5	<2	<0.01
869467	Rock	4.92	3.82	8.03	8.89	4.9	33	2.6	0.4	22	0.60	2.8	0.2	33.0	<0.1	<0.5	0.04	0.06	19.75	<2	<0.01
869468	Rock	4.85	26.73	3.63	0.95	1.6	48	0.9	0.2	21	0.34	0.5	<0.1	314.4	<0.1	<0.5	0.02	0.05	14.46	<2	<0.01
869469	Rock	3.80	9.19	7.07	2.64	4.3	68	2.2	0.4	28	0.50	2.0	0.1	22.9	<0.1	0.9	0.04	0.05	4.35	<2	<0.01
869470	Rock	1.73	24.33	70.27	9.50	27.3	292	10.7	4.1	173	3.12	2.1	3.6	75.7	18.2	8.3	0.07	0.16	20.72	15	0.02
869471	Rock	1.04	352.8	19.84	18.46	9.9	459	5.8	1.7	62	1.38	2.9	1.9	803.3	0.2	1.9	0.23	0.12	51.68	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869749	Rock	0.019	3.8	8.0	<0.01	40.1	<0.001	<1	0.17	0.023	0.08	1.7	0.4	0.10	<0.02	<5	0.1	0.12	0.6	0.26	<0.1
869750	Rock	0.003	<0.5	22.7	<0.01	3.2	<0.001	<1	0.03	0.005	0.01	1.7	<0.1	<0.02	<0.02	<5	<0.1	5.07	0.2	0.05	<0.1
945401	Rock	<0.001	<0.5	18.0	<0.01	<0.5	<0.001	1	<0.01	0.001	<0.01	0.2	<0.1	<0.02	<0.02	<5	<0.1	0.03	<0.1	<0.02	<0.1
945402	Rock	0.024	3.6	5.0	<0.01	11.0	<0.001	<1	0.18	0.031	0.09	0.3	0.3	<0.02	<0.02	<5	<0.1	0.05	0.7	0.22	<0.1
945403	Rock	0.003	0.6	21.8	<0.01	1.4	<0.001	<1	0.01	0.003	<0.01	0.3	<0.1	<0.02	<0.02	<5	<0.1	1.21	<0.1	0.03	<0.1
945404	Rock	0.001	0.7	15.4	<0.01	9.1	<0.001	<1	0.04	0.005	0.02	2.2	<0.1	<0.02	<0.02	<5	<0.1	0.10	0.2	0.06	<0.1
945405	Rock	0.001	<0.5	20.9	<0.01	3.5	<0.001	2	<0.01	0.001	<0.01	0.1	<0.1	<0.02	0.41	27	1.8	1.37	<0.1	0.02	<0.1
945406	Rock	0.030	2.1	6.3	<0.01	8.8	<0.001	2	0.23	0.030	0.09	0.3	0.4	0.02	<0.02	<5	<0.1	<0.02	0.8	0.25	<0.1
945407	Rock	0.003	<0.5	22.8	<0.01	6.3	<0.001	7	0.03	0.003	0.02	4.8	<0.1	<0.02	0.14	<5	<0.1	0.14	0.1	0.07	<0.1
945408	Rock	0.003	<0.5	24.0	<0.01	2.1	<0.001	<1	0.01	0.001	<0.01	0.7	<0.1	<0.02	<0.02	<5	<0.1	0.03	<0.1	0.03	<0.1
945409	Rock	<0.001	<0.5	22.4	<0.01	2.1	<0.001	<1	0.04	0.002	0.01	2.2	<0.1	<0.02	<0.02	<5	<0.1	0.10	<0.1	0.05	<0.1
945410	Rock	<0.001	<0.5	19.2	<0.01	4.1	<0.001	<1	0.05	0.003	0.03	3.6	<0.1	<0.02	0.08	<5	<0.1	1.02	0.2	0.08	<0.1
869454	Rock	0.002	<0.5	20.6	<0.01	2.4	<0.001	<1	0.01	0.001	<0.01	1.9	<0.1	<0.02	<0.02	<5	<0.1	0.60	<0.1	<0.02	<0.1
869455	Rock	0.004	<0.5	19.6	<0.01	2.5	<0.001	<1	0.01	0.001	<0.01	4.0	<0.1	<0.02	<0.02	<5	<0.1	1.11	<0.1	<0.02	<0.1
869456	Rock	0.002	<0.5	12.6	<0.01	1.8	<0.001	<1	0.01	0.002	<0.01	1.0	<0.1	<0.02	<0.02	7	<0.1	5.30	<0.1	0.03	<0.1
869457	Rock	0.001	<0.5	22.1	<0.01	2.3	<0.001	<1	0.02	0.002	<0.01	0.3	<0.1	<0.02	<0.02	<5	<0.1	2.26	<0.1	0.04	<0.1
869458	Rock	0.006	2.5	22.3	0.03	7.4	0.001	<1	0.09	0.004	0.02	2.5	0.2	<0.02	0.03	<5	0.5	15.80	0.3	0.09	<0.1
869459	Rock	0.023	<0.5	15.4	<0.01	2.6	<0.001	<1	0.02	0.002	<0.01	0.5	<0.1	<0.02	0.11	<5	0.4	0.43	0.1	0.04	<0.1
869460	Rock	0.009	<0.5	18.0	<0.01	2.5	<0.001	<1	0.02	0.002	<0.01	0.5	<0.1	<0.02	0.05	<5	0.2	0.65	0.1	0.03	<0.1
869461	Rock	0.009	1.0	17.8	<0.01	6.0	<0.001	<1	0.06	0.003	0.02	0.8	0.3	<0.02	<0.02	<5	0.4	0.21	0.3	0.10	<0.1
869462	Rock	0.006	<0.5	10.7	<0.01	1.9	<0.001	<1	0.01	<0.001	<0.01	0.1	0.3	<0.02	<0.02	<5	0.5	1.17	<0.1	0.03	<0.1
869463	Rock	0.001	<0.5	22.5	<0.01	1.4	<0.001	<1	<0.01	<0.001	<0.01	0.4	0.2	<0.02	<0.02	<5	0.2	0.34	<0.1	<0.02	<0.1
869464	Rock	0.012	1.0	17.4	0.01	7.9	0.002	<1	0.07	<0.001	0.03	0.5	0.5	<0.02	<0.02	<5	0.9	0.04	0.4	0.18	<0.1
869465	Rock	0.030	0.8	12.9	0.02	7.1	0.003	<1	0.09	<0.001	0.01	7.7	0.5	<0.02	<0.02	<5	0.5	0.72	0.2	0.08	<0.1
869466	Rock	0.008	1.3	15.5	0.02	8.4	0.004	<1	0.06	<0.001	0.02	6.6	0.3	<0.02	<0.02	<5	0.6	4.85	0.2	0.11	<0.1
869467	Rock	0.008	<0.5	21.3	<0.01	2.2	<0.001	<1	0.02	0.001	<0.01	3.7	<0.1	<0.02	<0.02	<5	0.2	0.43	<0.1	0.02	<0.1
869468	Rock	0.004	<0.5	10.3	<0.01	2.0	<0.001	<1	<0.01	<0.001	<0.01	4.3	0.1	<0.02	<0.02	<5	0.2	0.82	<0.1	<0.02	<0.1
869469	Rock	0.008	<0.5	20.6	<0.01	4.6	<0.001	<1	0.03	0.001	<0.01	0.4	<0.1	<0.02	<0.02	<5	0.4	0.33	<0.1	0.03	<0.1
869470	Rock	0.046	48.6	24.0	0.52	68.9	0.070	1	1.21	0.004	0.73	0.4	1.5	0.58	<0.02	<5	3.3	0.86	5.2	7.99	0.1
869471	Rock	0.025	1.0	11.9	<0.01	10.0	0.001	<1	0.08	<0.001	0.01	5.9	0.2	<0.02	<0.02	<5	0.5	2.11	0.2	0.10	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 3 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	gm/mt	gm/mt	%	%	%	%
869749	Rock	0.06	1.01	6.0	0.6	<0.05	1.2	3.88	6.3	<0.02	<1	0.2	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869750	Rock	<0.02	0.35	0.8	0.2	<0.05	0.1	0.83	0.6	<0.02	<1	0.1	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945401	Rock	<0.02	0.10	<0.1	0.5	<0.05	<0.1	0.05	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945402	Rock	0.06	2.29	5.4	0.3	<0.05	1.4	5.89	6.3	<0.02	<1	0.3	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945403	Rock	<0.02	0.30	0.4	0.2	<0.05	<0.1	0.51	1.1	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945404	Rock	<0.02	0.39	1.5	0.5	<0.05	0.2	0.80	0.9	<0.02	<1	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945405	Rock	<0.02	0.14	0.1	2.1	<0.05	<0.1	0.07	0.1	0.37	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	0.008	0.002	1.32	0.22
945406	Rock	0.06	1.07	5.4	0.6	<0.05	1.4	4.63	3.3	<0.02	2	0.3	1.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945407	Rock	<0.02	1.00	1.3	<0.1	<0.05	0.1	0.54	0.3	<0.02	12	<0.1	0.3	53	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945408	Rock	<0.02	0.19	0.5	<0.1	<0.05	<0.1	0.28	0.3	<0.02	1	<0.1	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945409	Rock	<0.02	0.34	1.0	2.9	<0.05	0.1	0.28	0.3	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945410	Rock	<0.02	0.69	1.7	3.4	<0.05	0.2	0.33	0.1	<0.02	1	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869454	Rock	<0.02	0.11	0.2	0.1	<0.05	<0.1	0.10	0.2	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869455	Rock	<0.02	0.08	0.2	<0.1	<0.05	<0.1	0.09	0.1	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869456	Rock	<0.02	0.06	0.3	<0.1	<0.05	<0.1	0.05	0.4	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869457	Rock	<0.02	0.10	0.4	<0.1	<0.05	<0.1	0.07	0.2	<0.02	<1	<0.1	0.2	<10	<2	5.68	N.A.	<0.001	<0.001	<0.01	<0.01
869458	Rock	<0.02	0.21	1.4	<0.1	<0.05	0.3	0.90	4.1	<0.02	<1	<0.1	1.1	<10	<2	2.61	N.A.	0.002	<0.001	0.02	<0.01
869459	Rock	<0.02	0.14	0.3	<0.1	<0.05	0.2	0.69	0.4	<0.02	<1	0.4	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869460	Rock	<0.02	0.07	0.3	<0.1	<0.05	0.2	0.55	0.4	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869461	Rock	<0.02	0.39	1.6	<0.1	<0.05	0.2	0.46	1.6	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869462	Rock	<0.02	0.10	0.3	<0.1	<0.05	0.1	0.16	0.2	<0.02	<1	<0.1	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869463	Rock	<0.02	0.07	0.1	<0.1	<0.05	<0.1	0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869464	Rock	<0.02	0.13	2.1	<0.1	<0.05	0.3	0.30	1.6	<0.02	<1	<0.1	0.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869465	Rock	<0.02	0.21	0.9	<0.1	<0.05	0.5	0.61	1.3	<0.02	<1	0.2	0.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869466	Rock	<0.02	0.31	1.2	<0.1	<0.05	0.2	0.25	2.2	<0.02	<1	<0.1	0.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869467	Rock	<0.02	0.11	0.2	<0.1	<0.05	0.1	0.14	0.2	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869468	Rock	<0.02	0.09	<0.1	0.1	<0.05	<0.1	0.04	0.2	<0.02	<1	<0.1	<0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869469	Rock	<0.02	0.10	0.3	<0.1	<0.05	0.1	0.08	0.3	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869470	Rock	0.04	0.53	81.0	0.4	<0.05	2.1	3.96	70.7	<0.02	<1	0.5	24.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869471	Rock	<0.02	0.32	0.7	<0.1	<0.05	0.2	0.58	1.4	<0.02	<1	0.2	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 3 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
869749	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869750	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945401	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945402	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945403	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945404	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945405	Rock	45	<0.001	<0.001	<0.01	0.42	<0.01	<0.001	0.003	<0.001	<0.01	<0.01	<0.001	0.002	<0.01	<0.01	<0.01	<0.001	<0.001	0.42
945406	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945407	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945408	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945409	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945410	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869454	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869455	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869456	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869457	Rock	2	<0.001	<0.001	<0.01	0.23	<0.01	<0.001	<0.001	<0.01	<0.01	<0.001	0.002	<0.01	0.02	<0.01	<0.01	<0.001	<0.001	<0.05
869458	Rock	30	<0.001	<0.001	<0.01	0.50	<0.01	<0.001	<0.001	<0.001	0.02	<0.01	0.002	0.002	0.02	0.09	<0.01	0.03	<0.001	<0.001
869459	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869460	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869461	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869462	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869463	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869464	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869465	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869466	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869467	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869468	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869469	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869470	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869471	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 3 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

	Method	7AR.1
	Analyte	Pb
	Unit	%
	MDL	0.01
869749	Rock	
869750	Rock	
945401	Rock	
945402	Rock	
945403	Rock	
945404	Rock	
945405	Rock	
945406	Rock	
945407	Rock	
945408	Rock	
945409	Rock	
945410	Rock	
869454	Rock	
869455	Rock	
869456	Rock	
869457	Rock	
869458	Rock	
869459	Rock	
869460	Rock	
869461	Rock	
869462	Rock	
869463	Rock	
869464	Rock	
869465	Rock	
869466	Rock	
869467	Rock	
869468	Rock	
869469	Rock	
869470	Rock	
869471	Rock	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869472	Rock	2.47	395.7	12.13	16.11	8.3	2232	4.0	1.3	45	1.29	3.3	2.7	924.3	1.6	4.7	0.21	0.23	77.85	2	0.01
869473	Rock	3.55	79.48	13.29	10.56	8.6	869	5.1	2.2	74	0.99	1.7	1.8	273.9	2.6	2.3	0.05	0.16	72.43	<2	<0.01
869474	Rock	5.04	163.6	11.76	15.59	3.7	2169	2.0	0.9	25	0.68	1.2	1.9	1685	0.8	1.1	0.08	1.08	714.0	<2	<0.01
869475	Rock	1.90	28.21	36.18	92.92	9.1	6561	6.8	1.5	42	2.05	2.4	0.7	2595	1.0	2.2	0.07	0.57	312.7	<2	<0.01
869476	Rock	4.42	191.3	14.72	634.3	5.2	26091	2.8	0.8	34	1.14	14.6	0.7	2808	0.5	2.2	0.17	0.37	209.7	<2	<0.01
869477	Rock	4.53	34.98	11.10	115.0	6.4	5229	4.7	0.9	55	0.94	4.9	0.3	6240	0.3	1.5	0.09	0.87	281.8	<2	<0.01
869478	Rock	2.17	88.94	87.78	32.05	4.1	2452	4.8	2.3	56	1.22	3.7	0.5	4021	0.3	1.4	0.13	0.31	197.5	<2	<0.01
869479	Rock	4.62	281.4	23.63	210.4	5.8	3815	3.0	0.9	52	1.56	50.4	0.6	220.2	0.6	3.8	0.37	0.29	40.63	3	0.01
869480	Rock	3.98	68.89	7.63	201.0	3.4	6460	1.4	0.5	40	0.59	22.0	0.1	84.2	0.2	1.5	0.11	0.20	23.32	<2	<0.01
869481	Rock	4.00	22.11	11.88	544.6	6.3	24607	4.5	0.9	60	0.94	26.1	0.2	877.8	0.3	3.7	0.11	0.33	75.11	<2	0.01
869482	Rock	3.23	52.87	14.64	168.2	3.3	7513	3.0	1.1	28	0.94	35.3	0.6	174.2	0.8	2.1	0.06	0.20	46.76	<2	<0.01
869483	Rock	1.62	978.4	52.75	104.7	9.6	3806	2.6	1.1	84	3.04	57.0	1.2	17062	2.3	4.6	0.71	2.67	1185	<2	0.02
869484	Rock	1.91	15.99	19.73	382.3	6.7	38732	2.7	1.0	54	1.01	65.1	0.2	3210	0.2	2.7	0.12	1.42	838.5	<2	0.01
869485	Rock	3.58	5.78	10.22	48.38	15.1	3634	1.7	1.3	115	0.70	44.4	2.6	1215	4.6	2.4	0.29	2.55	98.65	<2	<0.01
869486	Rock	1.56	3.05	2.70	73.69	18.8	3591	1.2	0.7	89	0.29	23.8	1.5	794.0	4.2	1.6	0.20	0.99	69.03	<2	0.01
869487	Rock	4.97	1.36	1.76	64.23	7.6	3096	1.4	0.5	61	0.19	11.9	0.8	384.3	2.0	1.0	0.10	1.36	40.33	<2	<0.01
869488	Rock	1.80	0.87	1.65	95.72	52.0	319	1.5	1.2	284	0.24	7.6	1.0	40.9	8.4	3.3	0.76	0.13	3.31	<2	0.02
869489	Rock	1.81	2.81	1.90	158.9	52.4	2521	2.0	1.1	307	0.32	21.5	2.0	215.4	9.2	2.9	0.47	0.34	31.05	3	0.02
869490	Rock	1.14	1.63	4.51	66.53	74.5	466	2.5	0.9	308	0.37	21.2	2.1	35.5	9.4	4.7	1.34	0.22	3.13	2	0.03
869491	Rock	2.18	0.60	2.04	35.04	34.0	240	1.2	0.6	355	0.31	11.3	2.8	2.5	12.8	4.1	0.53	0.13	0.37	3	0.03
869492	Rock	2.55	1.88	3.01	88.26	16.7	2350	2.1	0.9	248	0.40	16.2	2.3	418.7	8.2	3.4	0.30	0.54	36.26	<2	0.02
869493	Rock	1.85	1.01	3.17	46.41	23.7	739	0.9	0.7	254	0.36	12.4	4.9	3.2	12.9	3.5	0.41	0.17	0.65	<2	0.03
869494	Rock	1.98	1.90	5.95	41.47	33.4	336	2.8	1.8	369	0.50	13.8	4.2	7.4	10.9	4.6	0.51	0.14	0.53	2	0.03
869495	Rock	2.39	10.40	7.12	14.36	15.5	376	1.0	1.0	185	0.60	9.3	4.1	39.8	9.0	3.1	0.31	0.25	4.60	<2	0.02
869496	Rock	1.85	4.71	1.87	82.58	29.1	3959	1.6	0.7	301	0.25	7.2	3.3	87.4	10.4	3.4	0.32	0.12	15.01	<2	0.03
869453	Rock	1.61	0.34	8.13	3.02	7.7	47	4.4	2.0	177	0.31	1.2	0.1	2.2	0.4	160.6	0.13	0.04	0.17	2	2.57
869772	Rock	1.07	1.94	41.59	12.76	30.8	135	25.4	7.5	426	0.96	0.4	2.5	10.3	4.7	210.7	0.37	0.07	0.54	32	4.08
869776	Rock	1.64	0.35	32.66	17.54	20.9	405	7.7	7.5	87	2.31	2.0	0.6	7.5	4.9	7.2	0.07	0.14	0.35	25	0.17
869777	Rock	0.99	4.95	44.31	40.81	111.1	301	43.2	17.0	306	3.54	<0.1	1.7	1.7	13.0	12.2	0.29	0.07	0.48	52	0.18
869778	Rock	0.94	0.22	4.91	7.05	21.0	29	12.2	5.5	216	0.89	1.0	0.9	0.7	6.7	228.8	0.10	0.07	0.07	17	22.27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869472	Rock	0.030	6.8	15.2	0.02	21.1	0.002	<1	0.12	<0.001	0.04	6.9	0.3	0.03	0.03	<5	1.0	3.42	0.6	0.22	<0.1
869473	Rock	0.013	7.3	18.3	0.05	16.6	0.002	<1	0.22	<0.001	0.05	3.9	0.5	0.02	<0.02	<5	0.5	3.84	0.8	0.24	<0.1
869474	Rock	0.006	2.5	10.8	<0.01	5.5	<0.001	<1	0.07	<0.001	0.02	7.5	0.2	<0.02	<0.02	<5	1.1	12.00	0.3	0.11	<0.1
869475	Rock	0.023	3.9	13.9	<0.01	25.1	0.001	<1	0.13	<0.001	0.06	13.7	0.4	0.03	<0.02	<5	2.0	20.02	0.7	0.33	<0.1
869476	Rock	0.021	2.8	19.3	<0.01	6.4	0.001	<1	0.06	<0.001	0.02	1.3	0.2	0.02	0.02	<5	1.1	6.72	0.3	0.12	<0.1
869477	Rock	0.016	1.4	14.7	<0.01	8.5	0.002	<1	0.05	<0.001	0.01	2.3	0.1	<0.02	<0.02	5	0.6	13.31	0.3	0.07	<0.1
869478	Rock	0.011	1.8	15.5	<0.01	6.9	0.001	<1	0.05	<0.001	0.01	1.2	0.2	<0.02	<0.02	<5	2.1	6.20	0.2	0.06	<0.1
869479	Rock	0.024	2.5	20.2	<0.01	12.4	0.001	<1	0.07	<0.001	0.02	3.4	0.4	<0.02	<0.02	<5	1.9	1.63	0.4	0.07	<0.1
869480	Rock	0.011	1.1	12.7	<0.01	7.0	0.001	<1	0.02	<0.001	<0.01	1.0	0.2	<0.02	<0.02	6	1.4	0.85	0.2	0.04	<0.1
869481	Rock	0.024	1.6	19.7	0.02	17.1	0.003	<1	0.08	<0.001	0.03	1.5	0.3	<0.02	0.03	5	0.9	5.14	0.3	0.08	<0.1
869482	Rock	0.016	4.6	22.5	<0.01	7.4	<0.001	<1	0.08	<0.001	0.02	5.1	0.3	<0.02	0.03	<5	1.1	2.46	0.4	0.10	<0.1
869483	Rock	0.036	11.2	11.9	0.01	32.0	0.002	<1	0.12	<0.001	0.03	4.6	0.4	<0.02	<0.02	5	2.6	26.14	1.3	0.16	<0.1
869484	Rock	0.020	1.0	22.5	<0.01	15.9	0.001	<1	0.06	0.001	0.01	0.6	0.1	<0.02	0.03	7	0.7	21.48	0.3	0.07	<0.1
869485	Rock	0.005	4.1	18.8	<0.01	12.4	<0.001	1	0.14	0.018	0.04	0.7	0.2	<0.02	0.06	<5	0.2	4.69	0.5	0.13	<0.1
869486	Rock	0.005	5.4	15.3	<0.01	9.4	<0.001	<1	0.12	0.010	0.03	0.4	0.2	<0.02	<0.02	<5	0.2	2.55	0.3	0.08	<0.1
869487	Rock	0.002	2.9	19.9	<0.01	5.1	<0.001	<1	0.07	0.008	0.02	0.2	<0.1	<0.02	<0.02	<5	<0.1	1.47	0.2	0.05	<0.1
869488	Rock	0.009	13.6	13.1	<0.01	27.5	<0.001	2	0.24	0.023	0.10	1.0	0.3	0.03	<0.02	5	0.1	0.11	0.6	0.23	<0.1
869489	Rock	0.010	10.4	9.8	0.01	23.5	<0.001	2	0.22	0.017	0.09	0.5	0.3	0.03	<0.02	<5	<0.1	1.05	0.6	0.27	<0.1
869490	Rock	0.011	11.6	10.9	0.02	27.7	0.001	1	0.25	0.027	0.10	0.3	0.4	0.03	<0.02	6	<0.1	0.10	0.7	0.29	<0.1
869491	Rock	0.013	14.0	4.8	0.02	37.3	0.002	1	0.25	0.029	0.11	0.4	0.6	0.03	<0.02	6	0.2	0.03	0.8	0.37	<0.1
869492	Rock	0.010	9.1	12.0	<0.01	29.5	0.001	2	0.25	0.031	0.12	0.4	0.4	0.03	<0.02	8	0.2	1.75	0.7	0.29	<0.1
869493	Rock	0.012	10.2	5.0	0.02	27.2	0.003	<1	0.22	0.029	0.10	0.5	0.6	0.03	<0.02	<5	<0.1	0.06	0.8	0.36	<0.1
869494	Rock	0.008	10.2	7.4	0.03	36.3	0.003	<1	0.36	0.039	0.11	0.4	0.7	0.03	<0.02	5	<0.1	0.06	1.0	0.41	<0.1
869495	Rock	0.008	7.9	5.7	0.01	20.7	0.002	<1	0.20	0.027	0.09	0.4	0.4	0.02	<0.02	<5	0.2	0.25	0.6	0.28	<0.1
869496	Rock	0.011	10.5	9.0	0.01	26.2	0.002	1	0.28	0.035	0.11	1.0	0.3	0.03	<0.02	6	0.1	0.48	0.7	0.27	<0.1
869453	Rock	0.010	1.1	12.7	0.06	26.1	0.006	<1	0.14	0.006	0.03	<0.1	0.3	<0.02	<0.02	<5	0.2	0.02	0.4	0.15	<0.1
869772	Rock	0.172	11.6	24.5	0.21	113.3	0.054	3	1.37	0.139	0.15	0.3	1.0	0.09	0.02	<5	0.4	0.05	3.9	1.84	<0.1
869776	Rock	0.102	14.8	20.5	0.32	137.5	0.031	2	0.76	0.025	0.58	<0.1	3.5	0.26	0.75	<5	1.4	0.11	3.4	1.14	<0.1
869777	Rock	0.061	16.3	58.3	1.05	110.1	0.144	1	1.91	0.019	1.10	<0.1	3.3	0.66	1.46	<5	0.8	0.05	5.9	4.85	<0.1
869778	Rock	0.041	14.8	22.1	0.43	29.9	0.068	2	0.97	0.078	0.33	0.1	2.3	0.35	0.06	<5	0.4	0.03	3.5	2.84	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 4 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
869472	Rock	<0.02	1.26	3.0	<0.1	<0.05	0.3	1.10	11.2	<0.02	<1	0.4	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	
869473	Rock	<0.02	0.37	4.1	<0.1	<0.05	0.6	1.18	12.0	<0.02	<1	0.2	3.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	
869474	Rock	<0.02	0.43	1.3	0.1	<0.05	0.3	0.43	4.3	<0.02	<1	0.1	0.5	<10	<2	1.74	N.A.	0.017	0.001	<0.01	<0.01
869475	Rock	<0.02	0.30	4.0	<0.1	<0.05	0.5	0.78	6.0	<0.02	<1	0.2	0.8	<10	<2	2.57	N.A.	0.003	0.003	<0.01	<0.01
869476	Rock	<0.02	0.13	1.3	<0.1	<0.05	0.3	0.38	4.6	<0.02	<1	<0.1	0.4	<10	<2	2.91	N.A.	0.021	0.002	0.06	<0.01
869477	Rock	<0.02	0.31	1.0	<0.1	<0.05	0.2	0.37	2.4	<0.02	<1	<0.1	0.3	<10	<2	6.77	N.A.	0.004	0.001	<0.01	<0.01
869478	Rock	<0.02	0.30	1.0	<0.1	<0.05	0.3	0.28	3.1	<0.02	<1	<0.1	0.3	<10	<2	4.35	N.A.	0.010	0.009	<0.01	<0.01
869479	Rock	<0.02	0.39	1.3	<0.1	<0.05	0.3	0.33	4.2	<0.02	1	0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869480	Rock	<0.02	0.17	0.5	<0.1	<0.05	0.2	0.14	1.8	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869481	Rock	<0.02	0.26	1.4	0.1	<0.05	0.3	0.41	2.6	<0.02	<1	<0.1	0.5	<10	<2	0.86	N.A.	0.002	0.001	0.05	<0.01
869482	Rock	<0.02	0.27	1.5	<0.1	<0.05	0.4	0.58	7.3	<0.02	1	0.2	0.3	<10	<2	0.18	N.A.	0.005	0.001	0.02	<0.01
869483	Rock	<0.02	1.65	2.6	<0.1	<0.05	0.5	0.79	18.8	<0.02	<1	<0.1	0.7	<10	<2	16.89	N.A.	0.104	0.005	<0.01	<0.01
869484	Rock	<0.02	0.22	0.7	<0.1	<0.05	0.2	0.21	1.7	<0.02	<1	<0.1	0.4	<10	<2	3.62	N.A.	0.002	0.002	0.04	<0.01
869485	Rock	0.02	1.20	1.9	<0.1	<0.05	0.9	2.83	7.7	<0.02	<1	0.2	0.5	<10	<2	1.55	N.A.	<0.001	<0.001	<0.01	<0.01
869486	Rock	<0.02	0.95	1.5	<0.1	<0.05	0.4	1.35	9.6	<0.02	<1	0.1	0.6	<10	<2	N.A.	N.A.	<0.001	<0.001	<0.01	<0.01
869487	Rock	<0.02	0.39	0.9	<0.1	<0.05	0.3	0.67	5.2	<0.02	<1	0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869488	Rock	<0.02	0.81	4.7	<0.1	<0.05	0.5	2.14	21.8	<0.02	<1	0.2	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869489	Rock	<0.02	1.17	4.7	<0.1	<0.05	0.5	2.64	17.5	<0.02	<1	0.2	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869490	Rock	<0.02	1.17	5.4	0.2	<0.05	0.5	3.17	19.4	<0.02	<1	0.2	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869491	Rock	0.03	2.59	6.2	0.2	<0.05	0.9	5.33	25.5	<0.02	<1	0.3	1.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869492	Rock	<0.02	2.60	5.9	0.1	<0.05	0.5	3.83	17.8	<0.02	<1	0.4	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869493	Rock	<0.02	3.19	5.9	1.3	<0.05	0.7	6.72	20.7	<0.02	<1	0.4	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869494	Rock	<0.02	1.43	5.5	1.1	<0.05	0.6	6.37	20.4	<0.02	<1	0.3	2.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869495	Rock	<0.02	2.68	4.7	<0.1	<0.05	0.8	5.31	16.5	<0.02	<1	0.3	1.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869496	Rock	0.02	3.06	6.3	0.1	<0.05	1.1	5.12	20.6	<0.02	<1	0.2	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869453	Rock	<0.02	0.22	2.0	0.3	<0.05	0.2	4.64	2.3	<0.02	<1	<0.1	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869772	Rock	<0.02	0.94	15.5	0.4	<0.05	0.9	5.99	19.2	<0.02	1	0.6	5.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869776	Rock	<0.02	0.04	32.3	0.6	<0.05	0.4	6.94	33.2	0.02	<1	0.4	13.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869777	Rock	<0.02	0.08	78.5	0.8	<0.05	0.6	7.45	33.5	<0.02	2	0.5	26.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869778	Rock	0.03	0.80	40.8	0.6	<0.05	0.8	3.76	25.5	<0.02	<1	0.3	23.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 4 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
869472	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869473	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869474	Rock	2	<0.001	<0.001	<0.01	0.71	<0.01	<0.001	<0.001	<0.001	0.07	<0.01	0.002	0.001	<0.01	0.08	<0.01	0.03	<0.001	<0.001	<0.05
869475	Rock	7	<0.001	<0.001	<0.01	2.20	<0.01	<0.001	<0.001	<0.001	0.03	<0.01	0.020	0.002	<0.01	0.17	<0.01	0.12	<0.001	<0.001	<0.05
869476	Rock	29	<0.001	<0.001	<0.01	1.25	<0.01	<0.001	<0.001	<0.001	0.02	<0.01	0.024	0.002	<0.01	0.06	<0.01	0.02	<0.001	<0.001	<0.05
869477	Rock	5	<0.001	<0.001	<0.01	1.06	<0.01	<0.001	<0.001	<0.001	0.03	<0.01	0.013	0.002	<0.01	0.06	<0.01	0.02	<0.001	<0.001	<0.05
869478	Rock	3	<0.001	<0.001	<0.01	1.34	<0.01	<0.001	<0.001	<0.001	0.02	<0.01	0.009	0.002	<0.01	0.06	<0.01	0.02	<0.001	<0.001	<0.05
869479	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869480	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869481	Rock	25	<0.001	<0.001	<0.01	1.02	<0.01	<0.001	<0.001	<0.001	<0.01	0.02	0.023	0.002	0.02	0.09	<0.01	0.03	<0.001	<0.001	<0.05
869482	Rock	8	<0.001	<0.001	<0.01	1.07	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	0.018	0.002	<0.01	0.09	<0.01	0.03	<0.001	<0.001	<0.05
869483	Rock	4	<0.001	<0.001	<0.01	3.48	<0.01	<0.001	<0.001	<0.001	0.12	0.02	0.036	0.001	0.01	0.15	<0.01	0.04	<0.001	<0.001	<0.05
869484	Rock	48	<0.001	<0.001	<0.01	1.12	<0.01	<0.001	<0.001	<0.001	0.09	0.01	0.019	0.002	<0.01	0.06	<0.01	0.02	<0.001	<0.001	<0.05
869485	Rock	4	<0.001	<0.001	0.01	0.76	<0.01	<0.001	<0.001	<0.001	0.01	0.01	<0.001	0.002	<0.01	0.21	0.04	0.06	<0.001	<0.001	0.06
869486	Rock	4	<0.001	<0.001	<0.01	0.31	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	0.001	<0.01	0.14	0.02	0.04	<0.001	<0.001	<0.05
869487	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869488	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869489	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869490	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869491	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869492	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869493	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869494	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869495	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869496	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869453	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869772	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869776	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869777	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869778	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 4 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR.1
Analyte	Pb
Unit	%
MDL	0.01
869472	Rock
869473	Rock
869474	Rock
869475	Rock
869476	Rock
869477	Rock
869478	Rock
869479	Rock
869480	Rock
869481	Rock
869482	Rock
869483	Rock
869484	Rock
869485	Rock
869486	Rock
869487	Rock
869488	Rock
869489	Rock
869490	Rock
869491	Rock
869492	Rock
869493	Rock
869494	Rock
869495	Rock
869496	Rock
869453	Rock
869772	Rock
869776	Rock
869777	Rock
869778	Rock



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
869779	Rock	1.20	4.95	95.90	12.32	24.8	303	23.8	6.4	105	2.13	<0.1	2.8	2.6	2.0	48.1	0.33	0.06	0.34	25	0.71
869780	Rock	1.11	14.41	84.44	10.21	21.7	462	13.2	3.3	90	1.39	<0.1	5.0	2.2	3.8	89.1	0.30	0.06	0.43	82	1.21
869781	Rock	2.12	0.47	7.20	5.51	4.2	132	2.9	1.0	42	1.34	0.6	0.2	2.0	0.1	4.8	0.02	0.04	0.11	<2	0.03
869782	Rock	1.67	8.88	19.06	11.12	21.0	436	6.6	5.9	143	2.29	1.7	1.7	1.2	4.8	58.9	0.11	0.04	0.68	50	0.64
869783	Rock	1.48	4.52	79.77	9.60	46.9	409	26.9	8.2	218	2.33	0.2	2.9	1.8	3.5	164.0	0.79	0.09	0.35	60	1.69
869784	Rock	1.22	8.74	107.0	11.72	80.2	332	38.5	8.6	357	2.93	2.6	3.4	1.8	2.7	54.5	1.58	0.27	0.23	37	1.07
869785	Rock	1.29	0.74	81.25	4.07	68.7	77	11.7	21.5	1248	4.80	3.5	0.4	1.2	1.3	108.1	0.08	0.48	0.43	157	1.47
869786	Rock	1.17	0.23	6.14	9.42	7.8	32	1.0	0.5	110	0.41	7.6	0.1	2.2	0.1	17.1	0.04	0.06	0.27	<2	0.02
869787	Rock	1.33	0.29	8.59	6.28	7.6	207	7.1	0.9	163	0.38	6.6	<0.1	1.2	0.1	23.0	0.05	0.05	0.43	2	0.05
869788	Rock	2.12	0.26	2.85	2.73	3.0	13	1.5	0.4	25	0.21	0.4	<0.1	1.4	<0.1	1.3	0.02	0.03	0.03	<2	0.01
869789	Rock	1.24	0.24	3.55	2.48	11.9	5	4.1	1.8	99	0.33	0.3	0.2	1.2	1.2	10.4	0.08	0.03	0.03	5	0.11
869790	Rock	1.40	3.02	52.29	17.61	29.7	385	14.3	4.5	187	3.01	8.5	1.6	5.0	8.3	127.9	0.51	0.04	0.23	41	1.23
869791	Rock	0.26	5.03	90.37	20.25	19.4	744	17.2	8.2	172	2.51	6.6	2.3	5.5	6.7	104.2	0.35	0.04	0.55	48	1.48
869792	Rock	1.49	0.22	2.15	0.63	1.7	10	1.9	0.6	32	0.21	0.2	<0.1	0.8	<0.1	1.3	0.03	0.03	<0.02	<2	0.01
869793	Rock	1.53	2.16	6.61	19.16	33.7	69	2.8	3.7	500	1.48	1.7	2.9	0.6	10.8	11.0	0.08	0.11	0.30	15	0.17
869794	Rock	1.13	9.37	31.97	17.01	31.3	600	15.0	5.5	131	2.37	1.4	2.0	3.3	5.2	109.7	0.22	0.05	0.52	65	0.83
869776	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869777	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869778	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869779	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869780	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869781	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869782	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869783	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869784	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869785	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869786	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869787	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869788	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869789	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869779	Rock	0.134	6.7	27.2	0.12	38.0	0.037	1	0.56	0.041	0.10	0.2	0.5	0.05	1.02	<5	2.1	0.09	1.8	0.35	<0.1
869780	Rock	0.202	10.3	28.2	0.26	64.8	0.057	1	0.90	0.064	0.18	0.4	0.8	0.12	0.76	<5	3.2	0.15	4.2	1.05	0.1
869781	Rock	0.008	<0.5	27.9	0.02	5.2	0.009	<1	0.05	0.005	<0.01	<0.1	0.1	<0.02	0.15	<5	0.7	0.03	0.2	0.04	<0.1
869782	Rock	0.177	12.8	41.2	0.45	95.4	0.144	<1	0.69	0.076	0.17	0.3	2.4	0.11	0.99	<5	2.0	0.07	4.3	0.68	<0.1
869783	Rock	0.286	10.3	32.3	0.31	61.4	0.076	3	1.39	0.147	0.20	0.2	1.4	0.13	0.61	<5	2.0	0.09	5.0	1.15	<0.1
869784	Rock	0.134	5.0	23.9	0.15	31.3	0.036	1	0.61	0.028	0.11	0.6	0.9	0.24	1.94	<5	3.1	0.07	2.3	0.57	<0.1
869785	Rock	0.109	4.7	18.4	2.43	166.2	0.169	1	2.70	0.054	0.05	0.5	10.9	<0.02	1.13	<5	0.5	0.12	10.6	0.47	0.3
869786	Rock	0.011	0.8	8.0	<0.01	35.3	<0.001	<1	0.14	0.047	0.06	<0.1	0.2	<0.02	<0.02	<5	<0.1	<0.02	0.5	0.09	<0.1
869787	Rock	0.015	0.9	6.5	0.02	41.3	0.002	14	0.21	0.050	0.11	<0.1	0.3	0.02	<0.02	<5	0.1	<0.02	0.7	0.10	<0.1
869788	Rock	0.006	<0.5	20.1	0.01	9.6	0.001	<1	0.02	0.002	0.01	<0.1	0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	0.07	<0.1
869789	Rock	0.009	2.6	25.7	0.08	29.4	0.019	<1	0.19	0.012	0.07	<0.1	0.5	0.04	<0.02	<5	<0.1	<0.02	0.7	0.42	<0.1
869790	Rock	0.116	13.9	33.9	0.34	88.0	0.109	3	1.58	0.189	0.28	0.3	2.1	0.17	0.32	<5	1.9	0.09	6.2	1.70	<0.1
869791	Rock	0.161	12.1	36.4	0.34	66.7	0.102	4	1.07	0.174	0.20	0.3	1.1	0.17	2.13	<5	3.9	0.15	4.6	1.47	0.1
869792	Rock	0.002	<0.5	19.0	0.01	2.2	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	0.04	<0.1
869793	Rock	0.048	20.6	7.5	0.29	84.2	0.053	1	0.79	0.047	0.41	0.4	1.0	0.24	<0.02	<5	0.1	<0.02	2.9	3.06	<0.1
869794	Rock	0.206	14.6	54.2	0.64	196.5	0.171	1	1.25	0.106	0.49	0.6	3.7	0.34	0.96	<5	1.8	0.06	5.8	3.03	<0.1
869776	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869777	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869778	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869779	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869780	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869781	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869782	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869783	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869784	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869785	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869786	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869787	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869788	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869789	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 5 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01
869779	Rock	0.04	0.76	6.9	0.2	<0.05	1.4	5.91	12.0	<0.02	12	0.2	3.7	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869780	Rock	0.04	0.80	16.9	0.4	<0.05	1.4	8.16	17.1	<0.02	16	0.4	6.4	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869781	Rock	<0.02	0.19	0.5	1.8	<0.05	0.2	0.43	0.8	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869782	Rock	0.10	1.03	11.9	0.6	<0.05	3.5	7.48	23.9	<0.02	7	0.2	7.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869783	Rock	0.08	0.60	15.8	0.4	<0.05	3.4	8.89	18.0	<0.02	6	0.4	8.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869784	Rock	0.03	0.55	9.8	0.2	<0.05	1.0	4.83	9.3	<0.02	18	0.3	5.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869785	Rock	0.17	0.10	1.9	0.5	<0.05	3.2	7.10	10.2	0.03	<1	0.3	23.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869786	Rock	<0.02	0.11	2.4	0.6	<0.05	0.6	0.32	2.0	<0.02	<1	<0.1	0.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869787	Rock	0.02	0.20	3.8	0.1	<0.05	0.6	0.72	1.9	<0.02	<1	0.1	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869788	Rock	<0.02	0.07	0.7	0.3	<0.05	<0.1	0.18	0.5	<0.02	<1	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869789	Rock	<0.02	0.41	6.0	0.1	<0.05	0.3	0.86	4.5	<0.02	<1	<0.1	2.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869790	Rock	0.07	0.78	24.7	1.1	<0.05	2.3	5.16	24.8	<0.02	5	0.5	7.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869791	Rock	0.08	0.75	22.1	1.2	<0.05	2.4	5.48	20.9	<0.02	9	0.2	7.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869792	Rock	<0.02	0.05	0.2	<0.1	<0.05	<0.1	0.12	0.4	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869793	Rock	0.14	0.75	36.3	0.5	<0.05	4.5	9.52	34.6	<0.02	<1	0.5	12.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869794	Rock	0.10	0.94	39.3	4.8	<0.05	3.2	8.30	26.7	<0.02	5	0.3	18.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869776	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869777	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869778	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869779	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869780	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869781	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869782	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869783	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869784	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869785	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869786	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869787	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869788	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869789	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 5 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
869779	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869780	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869781	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869782	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869783	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869784	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869785	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869786	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869787	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869788	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869789	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869790	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869791	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869792	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869793	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869794	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869776	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869777	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869778	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869779	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869780	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869781	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869782	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869783	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869784	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869785	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869786	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869787	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869788	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869789	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 5 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR.1
Analyte	Pb
Unit	%
MDL	0.01
869779	Rock
869780	Rock
869781	Rock
869782	Rock
869783	Rock
869784	Rock
869785	Rock
869786	Rock
869787	Rock
869788	Rock
869789	Rock
869790	Rock
869791	Rock
869792	Rock
869793	Rock
869794	Rock
869776	Rock
869777	Rock
869778	Rock
869779	Rock
869780	Rock
869781	Rock
869782	Rock
869783	Rock
869784	Rock
869785	Rock
869786	Rock
869787	Rock
869788	Rock
869789	Rock



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.1	0.5	0.01	0.02	0.02	2	0.01
869790	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869791	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869792	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869793	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869794	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869795	Rock	0.75	0.78	5.38	54.33	8.3	291	1.7	0.8	514	0.84	4.6	3.7	1.3	8.7	6.5	0.05	0.06	0.85	<2	0.02
869796	Rock	1.12	1.31	14.51	6.01	69.3	79	45.7	49.2	279	6.72	2.6	0.1	11.0	0.4	78.5	0.11	0.09	0.32	171	1.15
869797	Rock	1.78	0.76	19.17	8.23	27.8	101	5.3	3.0	277	1.35	0.5	1.4	1.0	6.7	40.7	0.11	0.03	0.13	5	0.20
869798	Rock	1.63	3.08	77.29	12.22	61.3	239	31.3	10.6	775	2.20	2.1	3.1	0.2	4.1	480.1	0.26	0.05	0.23	109	8.83
869799	Rock	1.16	2.33	112.9	10.86	72.1	273	30.4	9.2	433	2.53	1.5	4.0	2.1	5.0	162.7	0.29	0.09	0.29	121	1.96
869800	Rock	1.90	0.36	9.32	26.57	31.6	127	3.9	2.1	149	0.38	6.2	0.2	2.0	0.2	4.2	0.25	0.08	0.05	3	0.05
945451	Rock	3.03	3.68	1598	>10000	>10000	>100000	23.0	3.7	6961	14.45	2789	3.7	130.5	1.9	92.0	924.9	128.1	0.20	17	3.67
945452	Rock	2.15	7.67	87.17	63.20	95.0	317	23.4	8.0	115	2.11	2.0	3.8	1.6	4.7	90.7	0.69	0.12	0.28	67	1.02
945453	Rock	2.20	1.94	70.70	329.5	451.2	714	59.9	25.7	470	2.42	6.1	0.9	2.1	1.3	65.5	3.09	0.55	0.22	45	3.99
945454	Rock	1.03	0.72	0.67	19.60	10.6	25	1.3	0.2	123	0.08	8.2	0.6	0.5	<0.1	610.0	0.11	0.03	0.03	<2	39.73
945455	Rock	1.64	8.12	58.16	28.98	30.4	252	8.9	3.8	80	1.83	0.7	0.2	1.7	<0.1	8.6	0.23	0.07	0.09	<2	0.26
945456	Rock	1.47	3.87	52.99	18.81	49.7	223	14.4	3.1	485	2.67	0.5	1.3	3.2	6.7	60.7	0.18	0.10	0.36	65	0.81
945457	Rock	1.35	1.29	50.77	16.12	35.0	185	26.4	7.8	187	1.25	3.2	1.6	0.2	7.4	316.1	0.37	0.04	0.24	35	7.59
945458	Rock	1.70	5.38	92.33	11.64	78.8	280	35.2	8.6	200	1.81	1.8	7.5	0.7	5.0	220.9	0.69	0.08	0.45	171	4.86
945459	Rock	1.82	3.43	100.0	13.39	64.5	324	25.9	7.7	152	2.06	0.8	3.2	1.5	6.2	82.5	0.27	0.04	0.31	94	0.91
945460	Rock	1.23	4.76	79.38	13.05	46.8	318	11.2	3.4	1529	9.82	0.9	1.0	68.3	5.6	88.9	0.16	0.08	0.29	69	0.80
945461	Rock	1.24	0.34	69.31	8.74	45.4	119	25.8	5.8	>10000	3.38	4.9	10.7	1.1	2.2	864.6	0.90	0.10	0.21	20	19.65
945462	Rock	1.63	1.07	36.47	5.26	22.8	67	24.6	11.4	583	2.60	2.4	1.8	1.5	8.0	206.8	0.10	0.10	0.33	53	8.38
945463	Rock	1.65	1.52	35.29	10.41	33.7	358	8.4	3.4	877	1.87	1.4	1.9	0.9	7.4	76.1	0.14	0.07	0.26	13	1.47
945464	Rock	1.72	5.84	86.78	7.81	69.3	247	29.6	7.5	686	3.05	22.3	4.2	1.0	5.9	41.8	0.27	0.14	0.29	95	1.05
945465	Rock	1.87	1.74	55.43	6.01	80.3	93	50.4	20.9	410	3.78	0.3	2.3	0.4	9.4	7.6	0.05	<0.02	0.47	67	0.07
945466	Rock	1.97	2.92	25.84	12.97	37.0	66	27.8	9.1	333	1.46	2.8	1.5	0.4	3.6	617.8	0.45	0.06	0.19	47	11.90
945467	Rock	1.42	0.27	15.63	2.59	8.4	46	4.2	1.3	60	0.34	0.6	0.2	<0.2	0.5	3.9	0.06	0.03	0.16	5	0.05
945468	Rock	1.17	0.34	45.33	8.69	54.2	49	72.3	23.6	818	4.25	1.7	0.5	1.4	3.1	191.8	0.07	0.03	0.08	96	3.43
945469	Rock	1.67	1.72	45.99	10.75	55.5	103	22.6	7.9	338	2.09	2.5	2.3	0.7	5.4	402.1	0.64	0.04	0.15	90	11.49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
869790	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869791	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869792	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869793	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869794	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869795	Rock	0.013	12.4	6.0	0.02	34.5	0.002	<1	0.29	0.029	0.17	0.1	0.5	0.06	0.12	<5	0.4	0.03	0.9	0.58	<0.1
869796	Rock	0.158	3.1	22.0	2.42	118.9	0.176	<1	4.80	0.173	1.41	0.1	3.5	1.09	1.17	<5	0.4	0.03	11.4	25.26	0.3
869797	Rock	0.022	14.1	10.4	0.14	49.4	0.013	<1	0.34	0.045	0.16	<0.1	0.6	0.05	0.05	<5	0.3	<0.02	2.2	0.84	<0.1
869798	Rock	0.152	12.5	46.2	1.26	218.9	0.085	<1	2.68	0.141	0.90	0.1	3.9	0.32	0.82	<5	1.3	0.08	7.2	2.66	0.2
869799	Rock	0.206	17.5	58.9	1.24	359.6	0.099	<1	2.50	0.171	0.90	0.1	3.6	0.29	0.36	<5	1.3	0.09	7.8	6.94	0.2
869800	Rock	0.010	0.9	18.2	0.08	8.8	0.002	<1	0.09	0.002	<0.01	<0.1	0.2	<0.02	0.04	<5	0.2	<0.02	0.3	0.06	<0.1
945451	Rock	0.080	2.1	6.7	0.81	7.8	0.002	1	0.21	0.002	0.10	0.4	1.2	0.31	>10	308	10.0	0.07	1.5	0.40	<0.1
945452	Rock	0.191	12.1	27.3	0.45	83.3	0.082	<1	1.16	0.070	0.32	0.2	1.6	0.17	0.73	<5	3.2	0.08	3.6	1.06	<0.1
945453	Rock	0.154	5.1	26.3	0.36	54.0	0.220	1	1.04	0.061	0.10	0.5	2.2	0.04	0.87	<5	1.8	0.04	2.7	0.67	<0.1
945454	Rock	0.002	<0.5	2.2	0.27	12.4	0.001	<1	0.01	0.001	<0.01	<0.1	<0.1	<0.02	0.09	<5	<0.1	0.05	<0.1	0.06	<0.1
945455	Rock	0.005	<0.5	16.1	0.08	4.8	0.003	<1	0.02	0.003	<0.01	<0.1	0.2	<0.02	0.64	<5	0.8	0.06	0.2	0.03	<0.1
945456	Rock	0.217	14.7	58.1	0.58	103.3	0.177	<1	1.17	0.007	0.36	0.2	3.1	0.23	0.62	<5	3.7	0.09	3.8	2.39	<0.1
945457	Rock	0.148	16.6	24.3	0.36	126.3	0.059	2	2.04	0.159	0.09	0.3	1.5	0.04	0.21	<5	0.7	0.05	5.3	0.88	<0.1
945458	Rock	0.391	16.4	53.1	0.98	303.7	0.073	<1	2.67	0.164	0.69	0.2	3.2	0.25	0.34	<5	1.7	0.06	7.6	3.22	<0.1
945459	Rock	0.177	13.5	54.3	1.03	303.3	0.079	<1	1.81	0.121	0.79	0.1	3.1	0.34	0.38	<5	1.3	0.06	6.2	2.64	<0.1
945460	Rock	0.272	21.6	29.5	0.80	141.9	0.102	<1	1.68	0.052	0.95	0.6	3.4	0.77	0.72	<5	2.5	0.15	7.0	2.63	0.2
945461	Rock	>5	36.8	9.6	0.76	18.0	0.045	<1	0.56	0.004	0.02	1.3	1.6	0.04	0.88	<5	0.7	0.06	1.2	0.32	1.0
945462	Rock	0.071	14.6	40.4	1.32	377.7	0.108	<1	2.67	0.109	1.00	<0.1	5.2	0.33	0.22	<5	0.6	0.05	7.6	2.90	<0.1
945463	Rock	0.472	19.2	19.2	0.74	130.7	0.027	<1	0.88	0.010	0.37	0.2	1.5	0.17	0.10	<5	0.8	0.07	2.7	1.09	<0.1
945464	Rock	0.380	15.0	41.9	1.30	72.4	0.077	<1	1.85	0.046	0.82	0.3	3.5	0.57	1.12	<5	2.7	0.12	6.1	2.76	0.1
945465	Rock	0.039	12.3	65.1	1.34	127.2	0.193	<1	3.05	0.037	1.40	<0.1	6.3	0.58	0.98	<5	0.5	0.03	10.4	3.97	<0.1
945466	Rock	0.132	11.2	28.3	0.77	235.8	0.120	3	2.83	0.223	0.61	0.1	1.5	0.30	0.06	<5	0.5	0.05	7.7	3.46	<0.1
945467	Rock	0.014	1.7	25.7	0.08	37.8	0.006	<1	0.14	0.006	0.04	<0.1	0.4	<0.02	<0.02	<5	<0.1	<0.02	0.5	0.24	<0.1
945468	Rock	0.365	26.1	166.8	2.67	1266	0.248	<1	2.90	0.072	1.11	0.1	4.6	0.25	0.16	<5	0.2	<0.02	9.8	2.07	0.2
945469	Rock	0.111	13.7	50.4	1.41	750.1	0.100	<1	3.05	0.248	0.98	0.1	5.2	0.21	0.42	<5	0.9	0.03	9.1	3.12	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 6 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01	
869790	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869791	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869792	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869793	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869794	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
869795	Rock	0.09	0.96	11.0	1.3	<0.05	2.7	4.05	23.8	0.18	<1	0.3	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869796	Rock	<0.02	0.12	103.0	1.4	<0.05	0.6	5.07	7.2	<0.02	<1	0.1	49.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869797	Rock	0.03	1.01	9.0	0.5	<0.05	1.4	7.02	26.3	<0.02	<1	0.4	4.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869798	Rock	0.09	0.06	49.2	0.5	<0.05	3.7	14.60	20.2	0.02	8	1.1	21.7	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869799	Rock	0.05	0.24	56.0	0.6	<0.05	2.4	14.56	27.2	0.02	3	0.9	24.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
869800	Rock	<0.02	0.04	0.6	0.1	<0.05	0.4	0.86	1.4	0.02	<1	<0.1	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945451	Rock	<0.02	0.05	6.5	20.0	<0.05	0.8	8.23	4.4	49.03	8	0.2	2.4	*	<2	N.A.	195	<0.001	0.174	>4	14.01
945452	Rock	0.04	0.32	20.6	1.2	<0.05	1.1	7.08	18.0	0.04	13	0.4	6.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945453	Rock	0.19	1.25	5.6	0.7	<0.05	5.8	5.98	9.2	0.11	2	0.4	5.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945454	Rock	<0.02	0.08	0.2	0.1	<0.05	<0.1	0.33	0.4	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945455	Rock	<0.02	0.05	0.3	<0.1	<0.05	0.4	0.25	0.3	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945456	Rock	0.11	0.56	30.5	0.5	<0.05	2.9	6.87	26.0	<0.02	5	0.4	12.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945457	Rock	0.04	0.26	7.2	0.4	<0.05	1.7	7.99	26.2	<0.02	<1	0.7	8.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945458	Rock	0.05	0.09	45.2	0.6	<0.05	2.3	17.03	24.9	<0.02	14	0.7	19.4	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945459	Rock	0.05	0.08	54.9	0.6	<0.05	2.2	9.28	20.7	<0.02	7	0.5	14.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945460	Rock	0.05	0.61	48.0	1.3	<0.05	2.0	6.02	26.0	0.03	<1	0.5	13.1	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945461	Rock	0.08	0.79	1.8	0.5	<0.05	3.7	25.61	45.8	0.03	2	0.4	2.4	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945462	Rock	0.03	0.09	62.9	1.1	<0.05	1.0	12.58	24.5	0.02	2	0.4	20.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945463	Rock	0.05	0.20	22.9	0.4	<0.05	1.9	11.31	30.3	<0.02	<1	0.3	11.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945464	Rock	0.09	0.07	45.0	0.5	<0.05	4.1	14.56	25.7	<0.02	14	0.6	24.7	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945465	Rock	0.03	0.08	96.0	1.5	<0.05	0.9	2.93	23.3	0.06	4	1.3	41.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945466	Rock	0.03	0.33	49.0	0.8	<0.05	1.0	10.06	20.5	<0.02	3	0.8	11.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945467	Rock	<0.02	0.07	2.5	0.2	<0.05	0.6	1.44	3.0	<0.02	<1	<0.1	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945468	Rock	0.13	0.25	46.5	0.4	<0.05	8.6	6.99	49.9	0.03	<1	0.8	19.9	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945469	Rock	<0.02	0.06	44.9	0.9	<0.05	0.6	12.96	23.3	0.03	4	0.6	27.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 6 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
869790	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869791	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869792	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869793	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869794	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
869795	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869796	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869797	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869798	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869799	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
869800	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945451	Rock	198	0.002	<0.001	0.70	15.16	0.29	0.009	0.087	0.021	<0.01	3.87	0.088	<0.001	0.86	0.25	<0.01	0.13	<0.001	<0.001	20.46
945452	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945453	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945454	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945455	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945456	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945457	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945458	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945459	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945460	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945461	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945462	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945463	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945464	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945465	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945466	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945467	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945468	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945469	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 6 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

Table with 3 columns: Method, Analyte, Unit, MDL. Row 945451 shows a value of 10.33 for Pb.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945470	Rock	1.37	0.65	35.96	5.58	10.9	96	7.4	2.7	76	0.59	0.5	0.2	1.2	0.4	6.6	0.09	0.04	0.13	4	0.11
945471	Rock	1.24	2.35	74.79	5.65	73.7	153	22.6	6.1	190	1.90	1.6	2.6	0.6	6.1	111.5	0.44	0.06	0.17	57	3.01
945472	Rock	1.77	4.83	25.05	55.20	392.8	3789	262.2	33.5	2237	4.58	121.6	4.1	7.3	18.4	1816	2.98	2.04	0.17	53	14.49
945473	Rock	1.50	0.60	48.05	6.67	19.3	380	15.0	8.2	320	1.58	13.1	0.2	11.1	0.8	37.3	0.16	0.25	0.14	<2	2.62
945474	Rock	1.55	0.50	10.55	20.35	9.8	279	2.7	0.8	106	1.57	17.9	0.5	2.1	4.0	20.1	0.03	0.09	0.64	<2	0.08
945475	Rock	1.21	1.56	48.68	12.66	66.0	161	16.7	5.5	303	2.92	4.6	1.1	0.7	12.1	46.8	0.08	<0.02	0.21	30	0.60
945476	Rock	1.54	0.39	1.96	4.32	3.8	8	2.5	0.6	126	0.17	10.1	0.9	0.6	0.4	500.1	0.06	0.48	0.03	<2	36.69
945477	Rock	1.77	0.58	69.01	7.34	61.8	61	45.3	25.0	684	4.16	8.4	0.7	4.9	1.8	71.5	0.09	0.76	0.05	91	1.33
945478	Rock	1.33	0.37	24.26	13.24	207.9	71	7.6	14.1	802	5.10	5.6	0.3	1.0	0.8	23.2	0.07	0.44	0.08	126	0.65
945479	Rock	1.96	0.19	45.26	13.92	122.7	146	57.4	15.2	682	4.52	15.6	0.1	0.5	0.9	90.6	0.58	0.69	0.14	45	2.17
945480	Rock	1.49	0.80	106.0	5.39	87.8	106	16.5	22.7	1125	5.65	35.7	0.2	3.0	1.7	233.2	0.34	1.92	0.09	100	3.76
945481	Rock	2.31	4.53	35.84	9.30	156.7	224	30.6	16.2	708	6.08	14.3	0.4	1.0	0.9	52.8	1.56	1.92	0.07	146	2.33
945482	Rock	1.49	0.20	1.99	3.64	16.9	16	7.7	4.3	803	3.10	15.2	<0.1	1.1	0.2	106.8	0.06	0.43	0.05	9	3.49
945483	Rock	0.75	0.48	25.70	42.17	87.9	197	37.3	18.5	1298	5.30	88.6	0.2	6.4	0.9	42.2	0.35	4.82	0.28	20	2.26
945484	Rock	1.41	11.14	48.19	15.65	51.6	210	4.4	11.2	818	4.27	4.2	1.2	1.3	2.0	12.3	0.10	0.89	0.09	83	0.74
945485	Rock	0.96	0.53	153.3	3.66	84.2	481	12.8	30.4	1542	5.81	37.9	0.2	10.5	1.5	352.2	0.18	0.48	0.06	68	4.51
945486	Rock	0.81	0.52	9.63	4.91	17.6	44	3.5	3.1	533	0.95	166.6	0.3	2.7	1.4	15.2	0.11	1.10	0.10	6	0.07
945487	Rock	2.07	0.24	175.8	1.58	48.3	37	20.4	18.6	478	3.04	0.6	0.7	24.3	1.8	74.1	0.04	0.28	0.04	107	1.03
945488	Rock	1.50	0.42	36.71	2.63	77.9	284	6.1	15.6	791	4.07	2.3	0.4	3.7	1.3	67.6	0.20	0.16	0.05	70	1.22
945489	Rock	1.73	0.22	101.9	5.86	71.5	34	47.1	27.4	618	4.23	2.3	0.6	2.7	1.7	74.8	0.08	0.35	0.06	78	0.83
945490	Rock	1.89	2.16	100.4	14.82	68.0	100	18.2	20.4	493	5.27	5.6	0.7	0.5	1.5	35.2	0.28	1.40	0.24	63	0.55
945491	Rock	1.89	2.80	94.38	8.86	81.7	64	21.9	22.9	465	5.01	1.6	0.6	0.3	1.3	36.5	0.30	0.85	0.17	83	0.86
945492	Rock	1.82	0.13	55.15	3.35	79.7	21	4.7	19.9	962	5.17	0.6	0.3	0.5	2.4	113.7	0.07	0.30	0.08	68	3.01
945493	Rock	2.03	0.36	152.8	2.79	32.9	10	16.6	15.8	384	2.16	2.3	0.5	0.2	1.3	113.0	0.06	0.82	0.02	55	1.25
945494	Rock	1.58	0.28	190.5	3.37	80.6	47	22.0	37.6	1242	6.56	1.0	0.3	<0.2	0.9	42.0	0.07	0.19	0.02	153	3.15
945495	Rock	1.93	0.09	0.71	1.91	1.4	<2	<0.1	<0.1	25	<0.01	0.2	2.2	<0.2	<0.1	3504	0.07	0.05	<0.02	<2	37.96
945496	Rock	1.74	0.83	49.67	3.08	60.2	73	77.7	29.6	917	4.62	1.8	0.4	0.3	3.8	198.3	0.13	0.67	0.09	139	4.31
945497	Rock	1.54	1.84	13.22	62.88	35.0	787	11.6	4.2	85	2.21	53.4	0.5	0.9	8.9	14.6	0.13	1.93	0.29	5	0.06
945498	Rock	1.85	2.02	47.27	11.94	84.4	350	58.6	26.2	903	4.66	4.6	1.4	<0.2	5.0	320.5	0.20	0.98	0.09	125	4.61
945499	Rock	1.86	0.40	68.40	114.7	181.6	998	45.7	33.1	1349	5.33	48.3	0.6	16.5	0.5	1462	1.91	5.99	0.08	33	6.58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945470	Rock	0.018	1.3	14.1	0.09	39.9	0.004	<1	0.10	0.007	0.03	<0.1	0.3	<0.02	<0.02	<5	0.3	<0.02	0.4	0.19	<0.1
945471	Rock	0.180	14.7	29.3	1.12	470.9	0.053	<1	1.30	0.037	0.65	<0.1	2.4	0.21	0.22	<5	1.1	0.05	4.4	2.92	<0.1
945472	Rock	0.807	110.0	85.3	2.76	261.3	0.010	2	0.62	0.013	0.30	<0.1	7.6	0.14	0.60	<5	0.4	0.13	2.1	4.11	0.1
945473	Rock	0.005	1.9	19.8	0.28	19.7	<0.001	1	0.09	0.005	0.02	0.1	0.7	<0.02	0.07	<5	0.4	<0.02	0.3	0.13	<0.1
945474	Rock	0.020	9.1	7.6	0.07	38.5	<0.001	<1	0.17	0.039	0.06	<0.1	0.5	<0.02	0.09	<5	0.3	0.06	1.6	0.13	<0.1
945475	Rock	0.198	23.5	29.6	0.94	176.6	0.115	<1	1.59	0.036	1.09	0.1	2.4	0.67	0.81	<5	0.9	0.04	4.7	4.72	<0.1
945476	Rock	0.003	1.6	1.6	0.21	5.9	<0.001	<1	0.02	0.001	<0.01	<0.1	0.3	<0.02	0.05	<5	0.2	0.03	<0.1	0.02	<0.1
945477	Rock	0.114	6.7	75.8	1.64	13.7	0.176	3	2.39	0.031	0.03	0.2	4.8	<0.02	0.05	<5	<0.1	<0.02	6.7	0.24	0.1
945478	Rock	0.089	5.2	18.1	1.58	20.6	0.183	5	2.21	0.033	0.10	0.1	8.5	<0.02	0.71	21	0.3	<0.02	9.5	1.26	0.1
945479	Rock	0.095	6.2	43.0	1.79	92.6	0.004	3	3.14	0.013	0.17	<0.1	3.1	0.03	0.04	66	0.2	0.04	6.9	0.69	<0.1
945480	Rock	0.139	11.0	9.7	1.95	64.4	0.006	2	2.68	0.018	0.14	<0.1	13.0	0.05	0.05	23	0.3	0.04	6.6	0.98	<0.1
945481	Rock	0.089	3.8	64.8	1.48	27.8	0.123	3	3.49	0.030	0.06	<0.1	9.1	<0.02	0.74	82	3.1	0.03	10.3	0.91	<0.1
945482	Rock	0.036	2.6	5.5	0.42	51.8	0.001	2	0.15	0.006	0.08	<0.1	3.1	<0.02	<0.02	10	0.1	0.03	0.4	0.72	<0.1
945483	Rock	0.095	6.8	6.2	0.11	177.2	0.001	5	0.54	0.014	0.22	<0.1	6.9	0.10	0.71	80	1.2	0.10	1.1	1.78	<0.1
945484	Rock	0.077	5.3	9.9	1.13	50.3	0.120	3	1.58	0.020	0.10	0.3	5.1	0.03	1.13	13	0.2	<0.02	6.3	0.27	<0.1
945485	Rock	0.147	9.0	12.0	1.87	114.7	0.004	3	1.46	0.022	0.18	<0.1	7.3	<0.02	0.04	<5	0.4	0.03	4.8	0.44	<0.1
945486	Rock	0.027	5.2	11.8	0.04	43.8	0.006	2	0.20	0.019	0.10	<0.1	1.2	0.04	<0.02	5	0.1	<0.02	0.6	0.26	<0.1
945487	Rock	0.141	9.6	43.6	1.33	114.1	0.163	1	2.28	0.126	1.20	0.2	3.1	0.07	<0.02	<5	0.2	<0.02	6.5	1.73	0.1
945488	Rock	0.098	6.9	13.6	1.50	219.0	0.127	2	2.40	0.109	0.57	0.3	2.9	0.06	<0.02	<5	0.1	<0.02	8.7	1.10	0.1
945489	Rock	0.112	5.7	46.8	1.77	15.9	0.141	2	2.47	0.036	0.03	0.3	3.4	<0.02	<0.02	<5	0.4	<0.02	6.7	0.13	0.1
945490	Rock	0.105	6.0	15.2	1.17	64.3	0.188	7	2.34	0.009	0.20	0.2	4.2	0.03	0.21	14	0.7	0.07	4.7	0.49	<0.1
945491	Rock	0.118	5.3	20.4	1.51	45.4	0.176	10	2.70	0.012	0.17	0.2	4.3	<0.02	0.79	24	0.5	0.06	5.1	0.29	<0.1
945492	Rock	0.146	12.2	1.9	1.68	64.3	0.091	3	3.21	0.021	0.26	<0.1	3.3	<0.02	<0.02	<5	0.3	0.02	8.1	0.56	<0.1
945493	Rock	0.205	7.8	65.0	0.97	25.0	0.117	2	1.26	0.017	0.04	0.2	2.6	<0.02	<0.02	<5	<0.1	<0.02	4.0	0.13	<0.1
945494	Rock	0.128	4.7	10.6	2.49	24.7	0.168	2	3.57	0.023	0.11	0.2	4.9	<0.02	<0.02	<5	0.3	<0.02	9.7	0.94	<0.1
945495	Rock	0.006	<0.5	1.7	0.28	74.0	0.001	<1	0.01	<0.001	<0.01	<0.1	<0.1	<0.02	0.09	<5	0.2	0.26	<0.1	<0.02	<0.1
945496	Rock	0.245	23.2	283.0	3.67	704.6	0.231	<1	2.10	0.039	0.93	<0.1	16.1	0.29	0.07	<5	0.3	<0.02	7.9	3.23	0.2
945497	Rock	0.020	36.7	4.6	0.03	39.4	<0.001	<1	0.30	0.017	0.16	<0.1	2.8	0.09	<0.02	5	0.4	0.04	0.9	1.08	<0.1
945498	Rock	0.299	24.8	157.6	2.70	66.9	0.010	<1	2.03	0.018	0.07	<0.1	13.2	<0.02	0.19	<5	0.4	0.04	10.7	0.63	0.2
945499	Rock	0.042	2.4	18.6	2.56	85.7	0.007	2	0.35	0.017	0.27	<0.1	12.6	0.07	0.73	<5	0.6	0.11	1.6	0.50	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 7 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01
945470	Rock	<0.02	0.06	1.8	0.1	<0.05	0.4	1.98	2.0	<0.02	<1	<0.1	1.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945471	Rock	0.08	0.07	36.1	0.4	<0.05	3.5	14.63	24.8	<0.02	3	0.3	17.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945472	Rock	<0.02	1.24	15.9	1.1	<0.05	2.5	21.35	215.1	0.04	1	1.6	4.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945473	Rock	<0.02	<0.02	1.0	<0.1	<0.05	0.3	2.04	3.2	<0.02	<1	<0.1	1.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945474	Rock	0.04	0.21	1.5	0.1	<0.05	1.4	0.93	15.8	<0.02	<1	0.1	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945475	Rock	<0.02	0.15	76.5	1.3	<0.05	0.5	10.43	41.7	<0.02	1	0.4	14.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945476	Rock	<0.02	0.06	0.3	<0.1	<0.05	0.1	1.22	2.9	<0.02	<1	<0.1	0.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945477	Rock	0.31	0.06	1.3	0.5	<0.05	8.6	6.01	13.7	<0.02	<1	0.5	17.4	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945478	Rock	0.32	0.06	6.3	0.5	<0.05	8.5	8.10	10.9	0.04	<1	0.2	15.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945479	Rock	0.04	<0.02	5.6	0.1	<0.05	1.0	4.78	11.8	0.04	2	0.4	49.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945480	Rock	0.05	<0.02	7.2	0.2	<0.05	1.8	8.96	21.3	0.04	<1	0.3	34.1	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945481	Rock	0.33	0.04	2.2	0.4	<0.05	10.7	7.47	8.1	0.03	2	0.3	46.5	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945482	Rock	<0.02	0.02	2.4	0.1	<0.05	0.9	4.58	4.8	<0.02	<1	0.2	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945483	Rock	0.05	<0.02	8.0	<0.1	<0.05	1.9	8.53	11.8	0.03	2	0.5	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945484	Rock	0.48	0.13	3.7	0.8	<0.05	13.6	6.62	12.0	<0.02	<1	0.4	10.0	12	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945485	Rock	0.12	<0.02	6.4	<0.1	<0.05	0.9	6.49	18.4	0.02	<1	0.2	10.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945486	Rock	0.07	0.15	4.5	0.7	<0.05	3.4	5.16	9.4	<0.02	<1	0.1	1.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945487	Rock	0.15	0.04	61.7	0.2	<0.05	3.2	8.23	19.6	<0.02	<1	0.3	7.9	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945488	Rock	0.22	0.09	23.0	0.5	<0.05	4.8	7.12	15.2	<0.02	<1	0.2	10.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945489	Rock	0.30	0.07	1.3	0.2	<0.05	9.6	4.95	11.1	<0.02	1	0.5	8.5	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945490	Rock	0.37	0.08	8.9	0.6	<0.05	9.7	7.20	11.0	<0.02	3	0.3	11.1	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945491	Rock	0.38	0.07	7.9	0.8	<0.05	10.4	6.38	12.0	<0.02	2	0.3	12.1	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945492	Rock	0.11	0.06	9.3	0.1	<0.05	3.5	10.40	25.9	<0.02	<1	0.3	25.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945493	Rock	0.18	0.07	1.7	0.9	<0.05	5.1	4.81	14.6	<0.02	<1	0.1	4.3	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945494	Rock	0.20	0.04	5.7	2.0	<0.05	3.9	6.66	10.2	<0.02	<1	0.3	18.2	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945495	Rock	<0.02	0.06	<0.1	<0.1	<0.05	0.2	0.23	0.5	<0.02	<1	<0.1	0.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945496	Rock	0.15	0.07	59.3	0.5	<0.05	5.4	9.68	51.9	0.06	<1	1.1	24.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945497	Rock	0.09	<0.02	7.7	0.1	<0.05	5.6	3.86	67.5	0.02	<1	0.5	0.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945498	Rock	0.19	0.06	3.4	0.1	<0.05	7.8	10.66	54.1	0.05	<1	0.9	19.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945499	Rock	0.11	0.03	12.2	0.2	<0.05	3.1	7.84	5.2	0.06	<1	1.3	21.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 7 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945470	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945471	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945472	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945473	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945474	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945475	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945476	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945477	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945478	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945479	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945480	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945481	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945482	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945483	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945484	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945485	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945486	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945487	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945488	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945489	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945490	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945491	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945492	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945493	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945494	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945495	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945496	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945497	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945498	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945499	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 7 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

	Method	7AR.1
	Analyte	Pb
	Unit	%
	MDL	0.01
945470	Rock	
945471	Rock	
945472	Rock	
945473	Rock	
945474	Rock	
945475	Rock	
945476	Rock	
945477	Rock	
945478	Rock	
945479	Rock	
945480	Rock	
945481	Rock	
945482	Rock	
945483	Rock	
945484	Rock	
945485	Rock	
945486	Rock	
945487	Rock	
945488	Rock	
945489	Rock	
945490	Rock	
945491	Rock	
945492	Rock	
945493	Rock	
945494	Rock	
945495	Rock	
945496	Rock	
945497	Rock	
945498	Rock	
945499	Rock	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2	0.01
945500	Rock	1.41	3.90	7.88	118.2	124.3	2028	11.1	1.1	111	0.32	8.2	3.3	0.3	0.6	1896	2.98	4.51	<0.02	18	28.38
918317	Rock	1.82	0.35	30.66	23.72	60.5	133	24.1	13.0	311	2.24	3.9	1.5	0.4	8.5	8.7	0.11	0.16	0.13	8	0.06
918318	Rock	1.55	0.45	15.26	3.27	44.6	56	36.5	26.7	772	3.74	1.2	<0.1	1.1	<0.1	37.8	0.06	0.17	<0.02	85	1.59
918319	Rock	1.77	11.91	67.31	51.46	18.9	454	31.5	6.2	2812	1.82	9.3	0.6	8.5	2.9	167.4	0.30	0.82	0.28	11	4.76
918320	Rock	0.59	3.09	10.90	16.37	94.6	93	10.9	20.5	1026	3.80	4.2	1.1	1.4	3.1	309.1	0.67	0.67	0.16	27	5.51
918321	Rock	1.28	0.80	63.69	22.59	136.0	555	56.8	39.3	1729	5.85	98.3	<0.1	3.5	<0.1	211.3	0.84	3.26	0.12	70	6.73
918322	Rock	1.93	0.53	49.31	2.86	62.0	94	69.2	36.1	1134	5.93	13.7	0.1	9.3	<0.1	204.7	0.21	0.74	<0.02	177	5.65
918323	Rock	1.27	1.29	8.07	107.4	95.6	800	4.5	2.5	138	1.15	20.9	0.3	4.8	6.4	10.8	0.84	5.41	0.13	4	0.10
918324	Rock	0.83	0.84	9.44	14.92	39.2	41	21.5	9.8	1331	2.62	1.0	0.5	<0.2	5.2	638.4	0.49	0.26	0.16	9	20.67
918325	Rock	1.62	0.50	38.49	22.55	42.9	179	23.1	10.0	660	2.93	16.4	0.3	1.5	4.3	212.8	0.31	0.24	0.23	5	7.89
918326	Rock	1.36	0.32	7.84	31.60	43.8	306	5.7	2.8	342	1.19	4.3	0.9	<0.2	6.0	38.3	0.49	0.49	0.90	3	0.23
918327	Rock	0.79	0.60	78.19	8.65	50.2	536	54.1	33.5	1077	5.35	40.8	0.1	2.4	<0.1	200.7	0.21	3.12	0.04	45	6.49
918328	Rock	1.38	0.25	57.32	4.22	62.5	246	66.3	37.2	1131	6.21	20.2	<0.1	0.9	<0.1	177.4	0.20	1.31	0.03	144	5.45
918329	Rock	0.95	4.04	95.17	15.98	43.8	96	50.8	19.6	1930	2.98	5.4	0.7	0.9	5.2	13.9	0.25	0.31	0.26	15	0.12
918330	Rock	0.87	4.47	9.21	14.50	65.0	198	10.3	2.6	640	1.53	5.8	0.3	0.4	1.1	224.7	1.15	0.71	0.06	4	4.34
945358	Rock	3.06	0.43	6.24	6.54	2.9	231	2.3	0.8	44	1.98	1.0	0.4	2.1	5.5	5.5	0.01	0.07	0.61	<2	0.02
945359	Rock	3.76	0.39	387.8	20.52	11.9	630	3.5	34.2	92	10.38	1.1	6.5	3.8	23.6	4.3	0.06	0.14	1.26	3	0.03
945360	Rock	2.98	1.26	157.6	96.36	30.0	714	2.4	27.7	336	7.64	4.5	4.5	4.3	17.3	3.8	0.15	0.29	1.33	<2	0.02
945361	Rock	3.18	1.34	29.17	17.45	9.8	132	2.0	3.6	223	1.70	2.5	4.0	1.1	18.1	4.7	0.05	0.12	0.21	5	0.03
945362	Rock	3.08	2.11	27.33	22.87	3.6	418	2.7	1.0	27	3.39	10.4	0.5	3.6	6.9	6.1	<0.01	0.13	0.77	<2	0.01
945363	Rock	4.53	0.19	317.7	14.82	6.2	498	3.9	39.9	65	8.55	<0.1	5.2	1.5	16.1	3.5	0.01	0.09	1.46	4	0.02
945364	Rock	3.60	1.22	112.7	10.59	3.3	356	1.6	9.2	51	4.39	1.2	2.5	6.7	13.5	4.6	<0.01	0.06	1.16	<2	0.02
945365	Rock	6.41	0.83	133.8	43.59	14.4	480	1.6	36.3	61	5.68	3.7	2.8	3.5	14.3	3.7	0.12	0.21	1.01	3	0.02
945366	Rock	4.85	1.14	243.8	8.79	10.4	436	2.7	29.9	136	9.22	0.8	5.0	2.4	17.9	5.2	0.06	0.11	1.48	5	0.03
945367	Rock	6.54	0.57	9.59	12.52	8.1	51	0.9	0.9	104	1.45	1.1	3.2	0.6	18.7	4.2	0.02	0.07	0.08	4	0.02
945368	Rock	2.30	1.18	209.1	20.16	16.6	542	2.9	38.3	289	9.34	21.9	6.9	7.5	20.1	4.0	0.09	0.59	1.58	5	0.04
945369	Rock	5.59	0.63	30.79	9.98	68.5	73	9.2	6.4	456	3.95	1.7	0.9	1.6	13.0	23.9	0.03	0.11	0.37	13	0.03
945370	Rock	1.91	16.83	54.20	5.16	24.0	56	9.4	6.2	546	3.51	0.6	0.4	0.5	2.9	7.4	0.04	0.06	0.29	3	0.05
945371	Rock	3.72	3.26	16.30	12.05	12.6	68	1.9	4.2	182	1.12	1.7	0.2	0.7	2.9	6.7	0.03	0.09	0.16	4	0.02
945372	Rock	1.76	1.00	13.22	3.07	8.5	17	2.7	5.0	186	0.87	0.4	0.2	0.3	1.4	3.8	0.02	0.03	0.06	3	0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945500	Rock	0.072	4.8	6.4	7.89	12.1	<0.001	<1	0.03	0.002	0.02	0.3	0.7	<0.02	<0.02	<5	1.3	0.15	0.1	0.02	<0.1
918317	Rock	0.008	7.2	12.8	0.53	15.4	0.001	3	1.10	0.011	0.07	<0.1	1.0	<0.02	0.12	<5	0.2	0.02	3.4	0.18	<0.1
918318	Rock	0.069	1.1	73.4	1.79	22.3	0.249	<1	1.86	0.017	0.08	0.4	2.0	0.05	0.08	<5	0.3	<0.02	5.9	1.24	0.1
918319	Rock	0.072	2.7	17.1	0.21	160.9	0.001	<1	0.12	0.017	0.04	<0.1	3.9	0.05	0.43	<5	2.3	0.15	0.7	0.11	<0.1
918320	Rock	0.341	37.7	3.5	0.51	652.2	0.005	1	0.95	0.088	0.31	<0.1	5.8	0.15	0.06	<5	0.5	<0.02	2.1	2.69	0.1
918321	Rock	0.048	0.9	53.8	2.71	27.7	0.023	2	0.81	0.016	0.30	3.0	15.4	0.13	0.53	6	0.3	0.03	3.3	2.02	<0.1
918322	Rock	0.052	1.9	129.2	3.95	76.2	0.081	1	2.72	0.015	0.09	<0.1	21.0	<0.02	0.83	<5	0.8	<0.02	8.8	1.69	<0.1
918323	Rock	0.022	12.0	6.6	0.03	10.1	<0.001	<1	0.12	0.066	0.01	<0.1	1.4	<0.02	<0.02	<5	0.4	0.02	0.4	0.04	<0.1
918324	Rock	0.109	8.2	13.5	0.70	47.8	0.001	<1	0.79	0.019	0.07	<0.1	3.5	<0.02	0.28	<5	0.8	0.04	2.3	0.71	<0.1
918325	Rock	0.052	6.1	4.6	0.37	52.3	<0.001	<1	0.35	0.030	0.13	<0.1	3.0	0.04	0.74	<5	1.2	0.03	0.9	0.55	<0.1
918326	Rock	0.037	14.4	4.6	0.03	36.6	<0.001	<1	0.13	0.054	0.02	<0.1	1.7	<0.02	0.23	<5	0.4	0.06	0.6	0.07	<0.1
918327	Rock	0.041	0.9	38.6	2.77	64.4	0.002	2	0.56	0.016	0.15	<0.1	14.2	0.03	0.55	<5	0.6	<0.02	1.9	0.49	<0.1
918328	Rock	0.054	1.4	94.0	2.94	69.5	0.048	1	1.40	0.021	0.51	<0.1	23.3	0.26	0.34	<5	0.4	0.04	6.7	4.68	<0.1
918329	Rock	0.032	7.6	13.6	0.29	53.9	0.002	<1	0.52	0.022	0.07	<0.1	2.0	0.03	0.07	<5	0.6	0.04	1.4	0.19	<0.1
918330	Rock	0.055	2.7	6.4	0.07	29.8	<0.001	<1	0.09	0.006	0.03	<0.1	1.7	<0.02	0.03	<5	2.4	<0.02	0.2	0.15	<0.1
945358	Rock	0.015	8.1	1.6	0.02	77.3	0.003	<1	0.21	0.052	0.19	0.7	0.3	0.05	0.25	<5	1.2	<0.02	1.3	0.42	<0.1
945359	Rock	0.024	11.0	1.6	0.08	13.9	0.002	<1	0.36	0.021	0.10	0.6	0.7	0.02	7.40	<5	4.4	<0.02	1.9	0.66	0.1
945360	Rock	0.019	10.1	1.8	0.04	31.1	0.002	1	0.28	0.024	0.12	0.5	0.4	0.08	3.38	<5	2.8	0.02	1.4	0.72	<0.1
945361	Rock	0.020	17.0	3.8	0.09	47.9	0.013	<1	0.37	0.024	0.12	0.4	0.9	0.06	0.16	<5	0.2	<0.02	2.3	0.89	<0.1
945362	Rock	0.020	8.4	1.1	0.03	52.2	0.004	1	0.19	0.049	0.18	1.0	0.4	0.06	0.24	<5	2.9	0.02	1.5	0.54	<0.1
945363	Rock	0.011	13.2	0.7	0.10	12.4	0.007	<1	0.33	0.022	0.10	0.4	1.1	0.06	7.51	<5	4.1	0.03	2.4	0.71	<0.1
945364	Rock	0.023	7.5	0.5	0.04	51.2	0.003	1	0.28	0.035	0.17	0.7	0.6	0.08	2.03	<5	1.9	<0.02	1.5	0.82	<0.1
945365	Rock	0.013	13.9	0.7	0.07	25.9	0.007	<1	0.34	0.031	0.13	0.5	0.8	0.08	4.41	<5	2.9	<0.02	1.9	0.77	<0.1
945366	Rock	0.015	15.4	0.6	0.11	10.5	0.005	<1	0.43	0.030	0.12	0.4	1.3	0.07	5.75	<5	3.3	<0.02	3.4	0.73	<0.1
945367	Rock	0.019	13.4	6.0	0.09	42.0	0.010	<1	0.32	0.033	0.12	0.3	1.1	0.06	0.05	<5	<0.1	<0.02	2.2	0.68	<0.1
945368	Rock	0.022	21.1	0.6	0.15	15.4	0.003	<1	0.54	0.025	0.10	0.8	1.3	0.07	5.28	<5	2.5	<0.02	3.5	0.76	<0.1
945369	Rock	0.038	32.4	30.5	1.04	53.1	0.004	<1	1.70	0.022	0.14	<0.1	1.6	0.07	0.07	<5	0.3	0.07	5.9	0.80	<0.1
945370	Rock	0.033	5.6	13.8	0.17	13.3	0.005	<1	0.30	0.016	0.02	0.2	1.6	<0.02	0.03	<5	0.3	0.04	0.9	0.16	<0.1
945371	Rock	0.013	7.6	15.0	0.14	18.8	0.001	<1	0.29	0.011	0.04	<0.1	0.6	0.02	<0.02	<5	0.1	0.03	1.3	0.22	<0.1
945372	Rock	0.005	3.7	15.6	0.11	10.4	0.001	<1	0.18	0.007	0.03	<0.1	0.5	<0.02	<0.02	<5	<0.1	<0.02	0.8	0.20	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 8 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01
945500	Rock	0.04	0.04	0.8	<0.1	<0.05	1.9	6.17	5.6	<0.02	2	0.2	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918317	Rock	0.02	<0.02	3.4	<0.1	<0.05	0.8	1.14	15.1	<0.02	2	0.2	22.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918318	Rock	0.08	0.02	8.3	<0.1	<0.05	1.0	6.19	3.2	<0.02	<1	0.1	15.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918319	Rock	0.06	0.03	1.9	<0.1	<0.05	3.2	5.18	4.9	<0.02	2	0.1	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918320	Rock	0.09	0.17	13.7	0.1	<0.05	4.7	10.95	74.5	0.04	<1	0.8	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918321	Rock	<0.02	0.02	15.7	<0.1	<0.05	0.2	5.20	2.7	0.05	<1	0.5	8.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918322	Rock	0.11	0.02	4.7	0.1	<0.05	1.9	10.98	5.8	0.06	<1	0.3	22.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918323	Rock	0.09	0.04	0.4	<0.1	<0.05	4.4	1.01	18.4	<0.02	<1	0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918324	Rock	0.06	0.03	4.0	<0.1	<0.05	2.4	10.72	15.2	0.03	<1	0.3	13.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918325	Rock	0.02	<0.02	6.5	<0.1	<0.05	1.2	5.77	12.6	0.03	<1	0.9	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918326	Rock	0.06	0.12	0.9	<0.1	<0.05	2.9	2.64	24.3	0.02	<1	0.1	0.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918327	Rock	<0.02	<0.02	4.9	<0.1	<0.05	0.3	5.68	2.9	0.05	<1	0.3	6.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918328	Rock	0.02	<0.02	31.7	0.1	<0.05	0.3	5.93	3.9	0.06	<1	0.3	21.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918329	Rock	0.02	0.04	3.5	<0.1	<0.05	1.5	4.13	13.6	<0.02	<1	0.1	8.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918330	Rock	<0.02	0.05	1.6	<0.1	<0.05	1.1	7.47	5.0	<0.02	1	<0.1	0.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945358	Rock	<0.02	1.45	8.1	0.1	<0.05	0.6	0.69	13.0	<0.02	<1	0.3	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945359	Rock	0.05	2.33	8.0	0.1	<0.05	1.3	2.84	19.4	<0.02	<1	0.3	5.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945360	Rock	0.06	1.60	8.6	0.7	<0.05	1.5	5.09	19.9	<0.02	<1	0.5	3.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945361	Rock	0.06	0.87	10.8	1.6	<0.05	1.2	4.77	28.0	<0.02	<1	0.1	7.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945362	Rock	<0.02	1.87	9.1	0.2	<0.05	0.6	1.46	13.7	<0.02	<1	0.3	2.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945363	Rock	0.06	2.34	8.2	0.2	<0.05	1.3	5.25	23.2	<0.02	<1	0.3	5.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945364	Rock	0.05	1.61	11.4	0.2	<0.05	1.2	1.72	12.3	<0.02	<1	0.3	4.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945365	Rock	0.06	2.73	9.2	0.2	<0.05	1.3	3.93	25.9	<0.02	<1	0.5	4.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945366	Rock	0.07	2.03	8.3	0.3	<0.05	1.6	7.71	27.7	<0.02	<1	0.5	8.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945367	Rock	0.07	0.63	8.3	0.2	<0.05	1.1	3.08	23.2	<0.02	<1	0.1	5.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945368	Rock	0.07	1.92	9.2	0.2	<0.05	1.7	12.30	37.7	<0.02	<1	0.9	11.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945369	Rock	0.09	0.03	8.8	0.1	<0.05	3.8	1.88	53.5	<0.02	<1	0.5	41.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945370	Rock	<0.02	0.11	1.7	<0.1	<0.05	0.6	1.86	10.3	<0.02	<1	<0.1	4.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945371	Rock	<0.02	0.04	3.1	0.1	<0.05	0.7	0.84	13.7	<0.02	<1	0.1	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945372	Rock	<0.02	0.04	2.6	0.1	<0.05	0.3	0.70	7.1	<0.02	<1	<0.1	4.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 8 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945500	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918317	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918318	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918319	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918320	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918321	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918322	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918323	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918324	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918325	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918326	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918327	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918328	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918329	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
918330	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945358	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945359	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945360	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945361	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945362	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945363	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945364	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945365	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945366	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945367	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945368	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945369	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945370	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945371	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945372	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 8 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR.1
Analyte	Pb
Unit	%
MDL	0.01
945500	Rock
918317	Rock
918318	Rock
918319	Rock
918320	Rock
918321	Rock
918322	Rock
918323	Rock
918324	Rock
918325	Rock
918326	Rock
918327	Rock
918328	Rock
918329	Rock
918330	Rock
945358	Rock
945359	Rock
945360	Rock
945361	Rock
945362	Rock
945363	Rock
945364	Rock
945365	Rock
945366	Rock
945367	Rock
945368	Rock
945369	Rock
945370	Rock
945371	Rock
945372	Rock



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 9 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945373	Rock	4.04	1.46	7.21	9.07	6.6	68	3.0	6.2	215	0.82	1.8	0.1	0.7	0.9	2.8	0.02	0.10	0.03	<2	0.02
945374	Rock	5.70	12.03	63.50	57.10	127.1	359	16.8	13.4	1137	4.78	1.1	1.3	4.4	12.8	18.3	0.54	0.09	1.87	21	0.06
945375	Rock	4.24	7.17	12.56	8.06	8.2	40	2.9	7.5	180	0.92	1.3	0.2	0.6	1.5	3.3	0.04	0.07	0.11	<2	0.02
945376	Rock	3.97	1.12	16.99	3.05	15.1	30	2.8	4.0	152	1.39	1.7	0.3	0.7	3.6	8.1	0.02	0.04	0.11	4	0.03
945377	Rock	3.46	0.17	6.64	3.68	30.5	25	1893	103.6	741	3.39	10.8	<0.1	0.5	<0.1	1.8	0.10	<0.02	0.13	12	0.12
945378	Rock	2.69	0.19	1.26	0.52	22.0	7	1945	98.3	739	3.60	6.0	<0.1	0.7	<0.1	0.9	0.06	<0.02	0.21	7	0.05
945379	Rock	3.95	0.14	6.61	1.66	34.6	15	1781	90.8	740	3.01	2.7	<0.1	0.2	<0.1	0.9	0.13	0.02	0.11	11	0.05
945380	Rock	4.51	0.17	14.22	3.16	34.4	19	1841	88.9	650	3.14	3.9	<0.1	0.4	<0.1	1.2	0.14	0.02	0.15	14	0.07
945381	Rock	4.21	0.22	3.58	1.00	25.7	6	1803	93.8	623	4.17	2.8	<0.1	0.6	<0.1	2.5	0.12	0.02	0.07	18	0.12
945382	Rock	4.62	0.16	2.69	0.71	26.8	5	1845	97.3	742	4.00	3.0	<0.1	0.4	<0.1	1.8	0.10	0.03	0.05	18	0.06
945383	Rock	5.65	0.11	3.69	6.39	21.7	37	1854	98.2	865	3.61	3.5	<0.1	0.4	<0.1	2.7	0.08	0.02	0.06	14	0.22
945384	Rock	6.48	0.07	1.88	0.58	32.8	6	1794	91.3	794	3.72	4.3	<0.1	0.5	<0.1	2.0	0.11	0.03	0.05	18	0.24
945385	Rock	4.47	0.11	2.51	1.70	29.1	14	1829	94.1	700	3.65	3.3	<0.1	0.7	<0.1	2.0	0.07	0.03	0.06	16	0.19
945386	Rock	4.36	0.20	5.94	2.34	20.2	21	1825	102.6	798	4.32	4.0	<0.1	1.1	<0.1	2.2	0.07	0.02	0.12	12	0.07
945387	Rock	3.64	0.18	7.95	0.59	11.8	16	1831	97.3	769	4.23	4.2	<0.1	0.5	<0.1	1.6	0.06	0.03	0.09	21	0.05



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945373	Rock	0.005	3.1	19.2	0.06	5.1	<0.001	<1	0.09	0.003	<0.01	<0.1	0.4	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.05	<0.1
945374	Rock	0.057	13.5	38.1	0.81	43.4	0.011	<1	1.24	0.025	0.10	0.1	3.9	0.06	0.09	<5	0.5	0.22	5.7	0.63	<0.1
945375	Rock	0.009	2.0	21.9	0.08	10.3	<0.001	<1	0.14	0.008	0.02	<0.1	0.5	<0.02	<0.02	<5	<0.1	0.02	0.5	0.11	<0.1
945376	Rock	0.018	8.2	12.3	0.20	22.2	0.001	<1	0.40	0.012	0.06	<0.1	0.8	0.04	<0.02	<5	0.2	0.04	1.6	0.27	<0.1
945377	Rock	0.006	<0.5	459.5	14.84	12.9	0.002	7	0.19	<0.001	<0.01	0.3	7.6	<0.02	0.07	<5	0.2	<0.02	0.4	0.13	0.1
945378	Rock	0.005	<0.5	350.6	15.57	7.2	0.003	8	0.15	<0.001	<0.01	0.4	8.2	<0.02	<0.02	<5	0.2	0.02	0.4	0.04	<0.1
945379	Rock	0.004	<0.5	377.4	14.15	7.5	0.002	5	0.15	<0.001	<0.01	0.4	7.3	<0.02	0.06	<5	0.1	0.02	0.3	0.03	<0.1
945380	Rock	0.006	<0.5	396.3	15.47	7.8	0.002	6	0.17	0.001	<0.01	0.4	7.6	<0.02	0.05	<5	0.1	<0.02	0.3	<0.02	<0.1
945381	Rock	0.007	<0.5	584.8	18.23	7.8	0.004	8	0.21	0.001	<0.01	<0.1	8.2	<0.02	0.05	<5	<0.1	0.02	0.4	0.06	0.1
945382	Rock	0.005	<0.5	466.0	16.41	8.6	0.003	6	0.19	<0.001	<0.01	0.1	8.8	<0.02	0.03	<5	0.1	<0.02	0.4	0.05	<0.1
945383	Rock	0.006	<0.5	497.9	15.98	11.2	0.003	7	0.20	<0.001	<0.01	0.2	7.6	<0.02	0.13	<5	<0.1	<0.02	0.4	0.07	0.1
945384	Rock	0.004	<0.5	551.5	15.80	10.5	0.004	6	0.23	<0.001	<0.01	0.2	8.1	<0.02	0.10	<5	0.1	<0.02	0.5	0.09	0.1
945385	Rock	0.003	<0.5	502.3	16.88	5.4	0.003	6	0.21	<0.001	<0.01	0.2	7.7	<0.02	0.05	<5	0.2	<0.02	0.4	0.03	<0.1
945386	Rock	0.007	<0.5	445.0	17.18	8.0	0.002	7	0.23	<0.001	<0.01	0.2	9.2	<0.02	0.08	<5	<0.1	<0.02	0.5	0.07	0.1
945387	Rock	0.005	<0.5	562.5	18.15	6.2	0.003	6	0.23	<0.001	<0.01	0.2	9.0	<0.02	0.10	<5	0.2	<0.02	0.5	0.05	0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 9 of 9 Part 3

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01
945373	Rock	<0.02	0.04	0.5	0.1	<0.05	0.2	0.65	6.4	<0.02	<1	<0.1	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.
945374	Rock	0.05	0.05	6.7	0.2	<0.05	2.0	3.34	25.8	0.05	<1	0.3	27.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.
945375	Rock	<0.02	0.04	1.5	0.1	<0.05	0.4	0.44	3.6	<0.02	<1	<0.1	2.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.
945376	Rock	<0.02	0.04	3.9	0.1	<0.05	0.7	1.01	15.1	<0.02	<1	0.1	8.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.
945377	Rock	<0.02	<0.02	0.4	<0.1	<0.05	0.3	0.77	0.8	<0.02	<1	<0.1	3.7	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.
945378	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	1.29	0.4	<0.02	<1	<0.1	2.6	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.
945379	Rock	<0.02	<0.02	<0.1	0.1	<0.05	0.1	0.49	0.4	<0.02	<1	<0.1	1.7	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.
945380	Rock	<0.02	<0.02	<0.1	0.2	<0.05	0.4	1.10	0.5	<0.02	<1	<0.1	0.4	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.
945381	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.1	0.32	0.2	<0.02	<1	0.1	3.9	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.
945382	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.1	0.33	0.2	<0.02	<1	<0.1	4.0	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.
945383	Rock	<0.02	<0.02	0.2	<0.1	<0.05	<0.1	0.38	0.2	<0.02	<1	<0.1	3.2	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.
945384	Rock	<0.02	<0.02	0.1	<0.1	<0.05	<0.1	0.43	0.1	<0.02	<1	<0.1	3.8	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.
945385	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.35	0.1	<0.02	<1	<0.1	1.7	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.
945386	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.2	0.39	0.5	<0.02	<1	<0.1	2.4	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.
945387	Rock	<0.02	<0.02	<0.1	0.1	<0.05	0.1	0.35	0.4	<0.02	<1	<0.1	2.6	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 9 of 9 Part 4

CERTIFICATE OF ANALYSIS

VAN08010315.2

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945373	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945374	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945375	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945376	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945377	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945378	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945379	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945380	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945381	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945382	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945383	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945384	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945385	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945386	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945387	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 9 of 9 Part 5

CERTIFICATE OF ANALYSIS

VAN08010315.2

	Method	7AR.1
	Analyte	Pb
	Unit	%
	MDL	0.01
945373	Rock	
945374	Rock	
945375	Rock	
945376	Rock	
945377	Rock	
945378	Rock	
945379	Rock	
945380	Rock	
945381	Rock	
945382	Rock	
945383	Rock	
945384	Rock	
945385	Rock	
945386	Rock	
945387	Rock	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN08010315.2

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
869719	Rock	4.51	2.83	10.54	9.07	2.4	64	1.9	0.3	43	0.38	0.6	0.2	8.8	0.2	2.2	0.02	0.18	0.31	<2	0.04
REP 869719	QC		2.89	10.79	8.95	2.8	64	1.9	0.3	44	0.39	0.4	0.2	2.5	0.2	2.0	0.01	0.17	0.20	<2	0.04
869741	Rock	2.17	7.78	5.69	10.83	25.6	378	3.5	1.0	789	0.28	2.5	4.0	3.8	11.6	4.9	0.63	0.07	0.35	<2	0.09
REP 869741	QC		7.64	5.53	10.73	25.6	368	3.6	1.0	799	0.27	2.5	4.2	5.7	11.2	4.8	0.63	0.08	0.35	<2	0.08
869460	Rock	3.94	20.61	9.52	3.52	5.6	211	2.5	1.0	38	0.81	11.8	0.7	227.8	<0.1	0.6	0.07	0.09	26.25	<2	<0.01
REP 869460	QC		19.31	8.84	3.35	5.6	212	2.5	1.0	37	0.80	11.1	0.7	236.1	<0.1	0.5	0.06	0.09	24.70	<2	<0.01
869474	Rock	5.04	163.6	11.76	15.59	3.7	2169	2.0	0.9	25	0.68	1.2	1.9	1685	0.8	1.1	0.08	1.08	714.0	<2	<0.01
REP 869474	QC																				
869479	Rock	4.62	281.4	23.63	210.4	5.8	3815	3.0	0.9	52	1.56	50.4	0.6	220.2	0.6	3.8	0.37	0.29	40.63	3	0.01
REP 869479	QC		256.2	22.41	194.0	5.5	3473	2.9	0.9	47	1.47	46.3	0.6	175.6	0.5	3.4	0.33	0.28	38.33	3	<0.01
869493	Rock	1.85	1.01	3.17	46.41	23.7	739	0.9	0.7	254	0.36	12.4	4.9	3.2	12.9	3.5	0.41	0.17	0.65	<2	0.03
REP 869493	QC		1.03	3.06	45.39	22.6	748	0.9	0.8	250	0.36	12.2	5.0	9.5	12.6	3.4	0.39	0.18	0.66	<2	0.03
869780	Rock	1.11	14.41	84.44	10.21	21.7	462	13.2	3.3	90	1.39	<0.1	5.0	2.2	3.8	89.1	0.30	0.06	0.43	82	1.21
REP 869780	QC		13.86	83.19	9.81	21.0	445	12.7	3.1	87	1.38	<0.1	4.7	1.6	3.7	81.6	0.29	0.04	0.40	76	1.18
945451	Rock	3.03	3.68	1598	>10000	>10000	>100000	23.0	3.7	6961	14.45	2789	3.7	130.5	1.9	92.0	924.9	128.1	0.20	17	3.67
REP 945451	QC																				
945455	Rock	1.64	8.12	58.16	28.98	30.4	252	8.9	3.8	80	1.83	0.7	0.2	1.7	<0.1	8.6	0.23	0.07	0.09	<2	0.26
REP 945455	QC		8.14	59.56	30.95	33.1	250	9.0	3.9	80	1.88	0.9	0.2	1.7	<0.1	9.1	0.24	0.08	0.09	<2	0.25
945479	Rock	1.96	0.19	45.26	13.92	122.7	146	57.4	15.2	682	4.52	15.6	0.1	0.5	0.9	90.6	0.58	0.69	0.14	45	2.17
REP 945479	QC		0.20	45.76	14.31	124.1	149	57.9	15.0	694	4.61	15.9	0.1	0.5	0.9	92.6	0.60	0.73	0.15	47	2.21
945487	Rock	2.07	0.24	175.8	1.58	48.3	37	20.4	18.6	478	3.04	0.6	0.7	24.3	1.8	74.1	0.04	0.28	0.04	107	1.03
REP 945487	QC		0.22	168.6	1.65	47.0	41	19.7	17.9	473	3.03	0.4	0.7	80.3	1.9	76.8	0.04	0.27	0.03	106	1.05
918324	Rock	0.83	0.84	9.44	14.92	39.2	41	21.5	9.8	1331	2.62	1.0	0.5	<0.2	5.2	638.4	0.49	0.26	0.16	9	20.67
REP 918324	QC		0.82	9.00	14.12	39.4	33	20.1	9.8	1308	2.60	0.8	0.5	0.4	4.7	592.3	0.43	0.23	0.15	9	19.98
945367	Rock	6.54	0.57	9.59	12.52	8.1	51	0.9	0.9	104	1.45	1.1	3.2	0.6	18.7	4.2	0.02	0.07	0.08	4	0.02
REP 945367	QC		0.55	10.03	12.03	8.3	48	0.9	0.8	101	1.49	1.1	3.1	0.4	18.0	4.3	0.02	0.06	0.07	3	0.02
945376	Rock	3.97	1.12	16.99	3.05	15.1	30	2.8	4.0	152	1.39	1.7	0.3	0.7	3.6	8.1	0.02	0.04	0.11	4	0.03
REP 945376	QC		1.20	18.67	3.27	15.8	33	2.9	4.4	165	1.40	1.8	0.3	0.8	3.8	8.1	0.02	0.04	0.11	5	0.03



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
869719	Rock	0.019	0.8	11.5	0.01	2.0	<0.001	2	0.04	0.003	<0.01	<0.1	0.1	<0.02	<0.02	7	<0.1	0.03	0.2	0.11	<0.1
REP 869719	QC	0.019	0.8	12.1	0.02	1.9	<0.001	1	0.04	0.003	<0.01	<0.1	0.1	<0.02	<0.02	6	<0.1	0.04	0.2	0.11	<0.1
869741	Rock	0.036	11.5	7.1	0.01	41.6	0.001	<1	0.24	0.037	0.13	0.5	0.6	0.04	<0.02	<5	<0.1	0.05	1.0	0.35	<0.1
REP 869741	QC	0.034	10.6	7.4	0.01	39.0	0.001	<1	0.22	0.037	0.12	0.4	0.5	0.04	<0.02	<5	<0.1	0.03	1.0	0.32	<0.1
869460	Rock	0.009	<0.5	18.0	<0.01	2.5	<0.001	<1	0.02	0.002	<0.01	0.5	<0.1	<0.02	0.05	<5	0.2	0.65	0.1	0.03	<0.1
REP 869460	QC	0.007	<0.5	16.6	<0.01	2.4	<0.001	<1	0.02	0.001	<0.01	0.5	<0.1	<0.02	0.05	<5	0.2	0.64	0.1	0.03	<0.1
869474	Rock	0.006	2.5	10.8	<0.01	5.5	<0.001	<1	0.07	<0.001	0.02	7.5	0.2	<0.02	<0.02	<5	1.1	12.00	0.3	0.11	<0.1
REP 869474	QC																				
869479	Rock	0.024	2.5	20.2	<0.01	12.4	0.001	<1	0.07	<0.001	0.02	3.4	0.4	<0.02	<0.02	<5	1.9	1.63	0.4	0.07	<0.1
REP 869479	QC	0.021	2.2	18.3	<0.01	11.4	0.001	<1	0.07	<0.001	0.02	3.4	0.3	0.02	<0.02	<5	1.9	1.62	0.5	0.06	<0.1
869493	Rock	0.012	10.2	5.0	0.02	27.2	0.003	<1	0.22	0.029	0.10	0.5	0.6	0.03	<0.02	<5	<0.1	0.06	0.8	0.36	<0.1
REP 869493	QC	0.011	10.0	4.8	0.02	27.2	0.002	<1	0.24	0.029	0.10	0.4	0.6	0.03	<0.02	<5	<0.1	0.06	0.8	0.36	<0.1
869780	Rock	0.202	10.3	28.2	0.26	64.8	0.057	1	0.90	0.064	0.18	0.4	0.8	0.12	0.76	<5	3.2	0.15	4.2	1.05	0.1
REP 869780	QC	0.192	10.0	25.9	0.25	62.9	0.054	1	0.83	0.058	0.17	0.4	0.7	0.11	0.73	<5	3.0	0.13	4.0	1.01	<0.1
945451	Rock	0.080	2.1	6.7	0.81	7.8	0.002	1	0.21	0.002	0.10	0.4	1.2	0.31	>10	308	10.0	0.07	1.5	0.40	<0.1
REP 945451	QC																				
945455	Rock	0.005	<0.5	16.1	0.08	4.8	0.003	<1	0.02	0.003	<0.01	<0.1	0.2	<0.02	0.64	<5	0.8	0.06	0.2	0.03	<0.1
REP 945455	QC	0.005	<0.5	16.5	0.08	4.7	0.003	<1	0.03	0.003	<0.01	<0.1	0.2	<0.02	0.62	<5	0.8	0.04	0.1	0.03	<0.1
945479	Rock	0.095	6.2	43.0	1.79	92.6	0.004	3	3.14	0.013	0.17	<0.1	3.1	0.03	0.04	66	0.2	0.04	6.9	0.69	<0.1
REP 945479	QC	0.093	6.5	43.1	1.87	97.2	0.004	3	3.22	0.014	0.18	<0.1	3.2	0.03	0.04	72	0.2	0.04	6.7	0.72	<0.1
945487	Rock	0.141	9.6	43.6	1.33	114.1	0.163	1	2.28	0.126	1.20	0.2	3.1	0.07	<0.02	<5	0.2	<0.02	6.5	1.73	0.1
REP 945487	QC	0.146	9.8	44.5	1.32	111.8	0.165	1	2.32	0.135	1.17	0.2	3.2	0.07	<0.02	<5	<0.1	<0.02	6.2	1.69	0.1
918324	Rock	0.109	8.2	13.5	0.70	47.8	0.001	<1	0.79	0.019	0.07	<0.1	3.5	<0.02	0.28	<5	0.8	0.04	2.3	0.71	<0.1
REP 918324	QC	0.109	7.4	12.3	0.68	44.8	0.001	<1	0.76	0.018	0.07	<0.1	3.3	<0.02	0.27	<5	0.7	0.03	2.2	0.66	<0.1
945367	Rock	0.019	13.4	6.0	0.09	42.0	0.010	<1	0.32	0.033	0.12	0.3	1.1	0.06	0.05	<5	<0.1	<0.02	2.2	0.68	<0.1
REP 945367	QC	0.017	14.2	5.7	0.09	42.2	0.010	<1	0.32	0.031	0.11	0.3	1.0	0.05	0.04	<5	<0.1	<0.02	2.3	0.70	<0.1
945376	Rock	0.018	8.2	12.3	0.20	22.2	0.001	<1	0.40	0.012	0.06	<0.1	0.8	0.04	<0.02	<5	0.2	0.04	1.6	0.27	<0.1
REP 945376	QC	0.019	8.5	13.5	0.21	22.7	0.001	<1	0.42	0.014	0.06	<0.1	0.8	0.04	<0.02	<5	0.2	0.03	1.6	0.27	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 19, 2009

Page: 1 of 3 Part 3

QUALITY CONTROL REPORT

VAN08010315.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01	
Pulp Duplicates																					
869719	Rock	<0.02	0.19	1.0	1.2	<0.05	0.1	1.14	1.7	<0.02	<1	0.2	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869719	QC	<0.02	0.18	1.1	1.1	<0.05	0.1	1.17	1.7	<0.02	<1	<0.1	0.7	<10	<2						
869741	Rock	0.05	0.88	7.4	0.4	<0.05	1.4	6.89	22.9	<0.02	<1	0.3	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869741	QC	0.06	0.89	7.1	0.4	<0.05	1.4	6.67	21.1	<0.02	<1	0.4	2.1	<10	<2						
869460	Rock	<0.02	0.07	0.3	<0.1	<0.05	0.2	0.55	0.4	<0.02	<1	<0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869460	QC	<0.02	0.06	0.2	<0.1	<0.05	0.2	0.51	0.4	<0.02	<1	<0.1	0.1	<10	<2						
869474	Rock	<0.02	0.43	1.3	0.1	<0.05	0.3	0.43	4.3	<0.02	<1	0.1	0.5	<10	<2	1.74	N.A.	0.017	0.001	<0.01	<0.01
REP 869474	QC																0.017	0.001	<0.01	<0.01	
869479	Rock	<0.02	0.39	1.3	<0.1	<0.05	0.3	0.33	4.2	<0.02	1	0.1	0.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869479	QC	<0.02	0.36	1.1	<0.1	<0.05	0.2	0.26	3.5	<0.02	1	0.2	0.3	<10	<2						
869493	Rock	<0.02	3.19	5.9	1.3	<0.05	0.7	6.72	20.7	<0.02	<1	0.4	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869493	QC	<0.02	3.02	5.8	0.6	<0.05	0.7	6.60	20.6	<0.02	<1	0.4	1.7	<10	<2						
869780	Rock	0.04	0.80	16.9	0.4	<0.05	1.4	8.16	17.1	<0.02	16	0.4	6.4	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 869780	QC	0.05	0.77	16.1	0.6	<0.05	1.3	7.65	16.0	<0.02	17	0.3	6.5	<10	<2						
945451	Rock	<0.02	0.05	6.5	20.0	<0.05	0.8	8.23	4.4	49.03	8	0.2	2.4	*	<2	N.A.	195	<0.001	0.174	>4	14.01
REP 945451	QC																<0.001	0.163	>4	12.98	
945455	Rock	<0.02	0.05	0.3	<0.1	<0.05	0.4	0.25	0.3	<0.02	<1	<0.1	0.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945455	QC	<0.02	0.05	0.3	<0.1	<0.05	0.4	0.26	0.3	<0.02	<1	<0.1	0.4	<10	<2						
945479	Rock	0.04	<0.02	5.6	0.1	<0.05	1.0	4.78	11.8	0.04	2	0.4	49.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945479	QC	0.02	<0.02	5.8	0.1	<0.05	1.1	4.83	12.6	0.03	1	0.4	50.8	<10	<2						
945487	Rock	0.15	0.04	61.7	0.2	<0.05	3.2	8.23	19.6	<0.02	<1	0.3	7.9	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945487	QC	0.14	0.04	61.6	0.2	<0.05	3.2	8.23	19.7	<0.02	<1	0.1	8.0	<10	5						
918324	Rock	0.06	0.03	4.0	<0.1	<0.05	2.4	10.72	15.2	0.03	<1	0.3	13.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 918324	QC	0.05	0.02	3.9	<0.1	<0.05	2.4	10.42	14.2	0.03	<1	0.5	14.5	<10	<2						
945367	Rock	0.07	0.63	8.3	0.2	<0.05	1.1	3.08	23.2	<0.02	<1	0.1	5.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945367	QC	0.08	0.63	8.5	0.2	<0.05	1.1	3.01	24.5	<0.02	<1	0.2	5.4	<10	<2						
945376	Rock	<0.02	0.04	3.9	0.1	<0.05	0.7	1.01	15.1	<0.02	<1	0.1	8.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945376	QC	<0.02	0.03	4.3	<0.1	<0.05	0.7	1.02	15.3	<0.02	<1	0.1	8.8	<10	<2						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 1 of 3 Part 4

QUALITY CONTROL REPORT

VAN08010315.2

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
Pulp Duplicates																					
869719	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869719	QC																				
869741	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869741	QC																				
869460	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869460	QC																				
869474	Rock	2	<0.001	<0.001	<0.01	0.71	<0.01	<0.001	<0.001	0.07	<0.01	0.002	0.001	<0.01	0.08	<0.01	0.03	<0.001	<0.001	<0.05	
REP 869474	QC	<2	<0.001	<0.001	<0.01	0.72	<0.01	<0.001	<0.001	0.07	<0.01	0.002	<0.001	<0.01	0.08	<0.01	0.03	<0.001	<0.001	<0.05	
869479	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869479	QC																				
869493	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869493	QC																				
869780	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 869780	QC																				
945451	Rock	198	0.002	<0.001	0.70	15.16	0.29	0.009	0.087	0.021	<0.01	3.87	0.088	<0.001	0.86	0.25	<0.01	0.13	<0.001	<0.001	20.46
REP 945451	QC	192	0.003	<0.001	0.66	14.31	0.28	0.008	0.079	0.019	<0.01	3.66	0.084	<0.001	0.81	0.24	<0.01	0.13	<0.001	<0.001	19.58
945455	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945455	QC																				
945479	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945479	QC																				
945487	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945487	QC																				
918324	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 918324	QC																				
945367	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945367	QC																				
945376	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945376	QC																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 1 of 3 **Part** 5

QUALITY CONTROL REPORT

VAN08010315.2

	Method	7AR.1
	Analyte	Pb
	Unit	%
	MDL	0.01
Pulp Duplicates		
869719	Rock	
REP 869719	QC	
869741	Rock	
REP 869741	QC	
869460	Rock	
REP 869460	QC	
869474	Rock	
REP 869474	QC	
869479	Rock	
REP 869479	QC	
869493	Rock	
REP 869493	QC	
869780	Rock	
REP 869780	QC	
945451	Rock	10.33
REP 945451	QC	
945455	Rock	
REP 945455	QC	
945479	Rock	
REP 945479	QC	
945487	Rock	
REP 945487	QC	
918324	Rock	
REP 918324	QC	
945367	Rock	
REP 945367	QC	
945376	Rock	
REP 945376	QC	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 2 of 3 **Part** 1

QUALITY CONTROL REPORT

VAN08010315.2

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Reference Materials																						
STD CCU-1C	Standard																					
STD CZN-3	Standard																					
STD DS7	Standard	19.54	111.2	70.99	403.5	852	55.2	9.8	611	2.39	52.8	5.1	81.2	4.4	64.2	6.41	5.93	4.71	80	0.94		
STD DS7	Standard	21.54	110.4	74.18	429.0	893	57.2	10.0	658	2.41	57.1	5.4	71.3	4.8	82.3	7.46	6.47	4.90	88	1.00		
STD DS7	Standard	19.63	111.4	72.06	392.9	845	54.1	9.8	584	2.33	49.8	5.2	63.9	4.4	61.5	6.48	5.59	4.62	76	0.92		
STD DS7	Standard	19.71	102.0	65.21	377.8	777	52.9	9.0	591	2.27	52.6	5.0	64.8	4.6	70.3	6.41	5.61	4.60	76	0.96		
STD DS7	Standard	20.71	116.2	77.34	377.5	810	55.6	9.5	595	2.29	52.3	5.6	64.2	5.0	74.3	7.19	6.37	4.99	79	0.98		
STD DS7	Standard	19.69	100.4	66.43	382.0	825	56.4	8.8	597	2.31	51.5	4.5	66.8	4.0	69.1	5.82	5.25	4.32	78	0.93		
STD DS7	Standard	19.89	105.8	72.45	376.9	833	54.1	8.8	588	2.32	50.6	5.2	84.2	4.7	73.5	6.39	5.75	4.88	79	0.95		
STD DS7	Standard	20.18	104.4	78.44	402.4	880	52.2	8.9	594	2.22	50.8	5.3	139.0	4.5	70.3	7.04	6.46	5.25	82	0.88		
STD GBM997-6	Standard																					
STD OXE56	Standard																					
STD OXH55	Standard																					
STD OXK69	Standard																					
STD PTC-1A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93		
STD OXH55 Expected																						
STD OXK69 Expected																						
STD R4A Expected																						
STD CZN-3 Expected																						
STD PTC-1A Expected																						
STD CCU-1C Expected																						
STD GBM997-6 Expected																						
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN08010315.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Reference Materials																						
STD CCU-1C	Standard																					
STD CZN-3	Standard																					
STD DS7	Standard	0.078	12.1	166.7	1.01	391.3	0.113	37	0.90	0.073	0.42	4.2	2.5	4.40	0.19	189	3.8	1.23	4.6	6.38	<0.1	
STD DS7	Standard	0.086	14.2	196.9	1.04	402.8	0.121	42	0.96	0.087	0.42	4.2	2.8	4.19	0.20	196	4.0	1.25	5.0	6.73	<0.1	
STD DS7	Standard	0.079	12.0	164.2	0.99	327.5	0.104	41	0.89	0.079	0.39	4.1	2.3	4.11	0.21	183	3.4	1.07	4.4	5.96	0.1	
STD DS7	Standard	0.078	13.3	159.3	0.98	363.8	0.117	38	0.95	0.085	0.42	4.0	2.7	4.04	0.19	184	3.5	1.16	4.6	6.02	0.1	
STD DS7	Standard	0.074	15.0	169.5	1.01	366.5	0.121	42	0.94	0.081	0.42	4.2	2.7	4.15	0.19	183	3.7	1.16	4.7	6.20	<0.1	
STD DS7	Standard	0.079	11.5	187.1	0.98	405.8	0.106	39	0.91	0.086	0.45	3.9	2.5	4.33	0.18	199	3.5	1.25	4.5	5.98	<0.1	
STD DS7	Standard	0.074	14.0	161.2	1.02	375.7	0.115	35	0.92	0.082	0.41	4.3	2.8	4.50	0.18	199	3.1	1.14	4.5	6.23	<0.1	
STD DS7	Standard	0.074	13.1	168.9	0.96	364.2	0.109	40	0.90	0.073	0.42	4.1	2.6	4.22	0.18	189	3.6	1.23	4.7	6.18	<0.1	
STD GBM997-6	Standard																					
STD OXE56	Standard																					
STD OXH55	Standard																					
STD OXK69	Standard																					
STD PTC-1A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD DS7 Expected		0.08	11.7	179	1.05	370.3	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	6.36	0.1	
STD OXH55 Expected																						
STD OXK69 Expected																						
STD R4A Expected																						
STD CZN-3 Expected																						
STD PTC-1A Expected																						
STD CCU-1C Expected																						
STD GBM997-6 Expected																						
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 19, 2009

Page: 2 of 3 Part 3

QUALITY CONTROL REPORT

VAN08010315.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR		
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01	
Reference Materials																						
STD CCU-1C	Standard																					
STD CZN-3	Standard																					
STD DS7	Standard	0.12	0.54	34.8	5.0	<0.05	5.9	5.05	34.7	1.66	6	1.6	27.2	55	41							
STD DS7	Standard	0.13	0.66	37.4	5.4	<0.05	6.2	6.27	38.2	1.76	3	1.9	28.6	54	41							
STD DS7	Standard	0.11	0.49	32.1	4.7	<0.05	5.4	4.89	33.2	1.53	6	1.5	27.8	52	36							
STD DS7	Standard	0.14	0.58	33.2	5.0	<0.05	5.6	5.47	35.4	1.63	5	1.6	28.0	58	38							
STD DS7	Standard	0.15	0.75	35.9	5.3	<0.05	6.1	6.46	38.4	1.71	4	1.7	29.7	42	37							
STD DS7	Standard	0.12	0.50	34.0	4.3	<0.05	5.6	5.07	35.8	1.35	2	1.8	27.8	90	39							
STD DS7	Standard	0.12	0.58	31.1	5.1	<0.05	5.4	5.91	37.3	1.64	4	1.6	27.9	60	39							
STD DS7	Standard	0.13	0.54	34.7	5.4	<0.05	5.5	5.35	35.8	1.78	4	1.6	25.7	52	27							
STD GBM997-6	Standard																					
STD OXE56	Standard																					
STD OXH55	Standard															1.29						
STD OXK69	Standard															3.69						
STD PTC-1A	Standard																					
STD R4A	Standard																		0.063	0.509	1.50	3.34
STD R4A	Standard																		0.064	0.499	1.48	3.28
STD R4A	Standard																		0.063	0.511	1.54	3.26
STD R4A	Standard																		0.063	0.508	1.49	3.26
STD DS7 Expected		0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	58	37							
STD OXH55 Expected																1.282						
STD OXK69 Expected																3.583						
STD R4A Expected																			0.062	0.502	1.5	3.31
STD CZN-3 Expected																						
STD PTC-1A Expected																						
STD CCU-1C Expected																						
STD GBM997-6 Expected																						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 2 of 3 **Part** 4

QUALITY CONTROL REPORT

VAN08010315.2

		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
Reference Materials																					
STD CCU-1C	Standard																				
STD CZN-3	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD GBM997-6	Standard																				
STD OXE56	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD PTC-1A	Standard																				
STD R4A	Standard	87	0.364	0.040	0.06	23.37	0.03	0.004	0.018	0.018	<0.01	0.97	0.040	0.012	0.87	1.31	0.08	0.51	<0.001	0.001	15.95
STD R4A	Standard	86	0.350	0.040	0.06	22.97	0.02	0.004	0.018	0.016	<0.01	0.94	0.042	0.012	0.84	1.26	0.07	0.50	<0.001	<0.001	15.26
STD R4A	Standard	87	0.349	0.040	0.06	23.19	0.02	0.004	0.018	0.016	<0.01	0.97	0.042	0.013	0.86	1.28	0.07	0.50	<0.001	<0.001	15.95
STD R4A	Standard	85	0.364	0.040	0.06	23.35	0.02	0.004	0.018	0.015	<0.01	0.96	0.043	0.013	0.86	1.29	0.07	0.50	<0.001	<0.001	16.49
STD DS7 Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
STD R4A Expected		86	0.336	0.04	0.06	23.38	0.023	0.004	0.017	0.0135	0.0024	0.94	0.042	0.012	0.83	1.25	0.07	0.51	0.0011	0.001	16.7
STD CZN-3 Expected																					
STD PTC-1A Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 2 of 3 **Part** 5

QUALITY CONTROL REPORT

VAN08010315.2

		7AR.1 Pb % 0.01
Reference Materials		
STD CCU-1C	Standard	0.36
STD CZN-3	Standard	0.07
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD DS7	Standard	
STD GBM997-6	Standard	22.43
STD OXE56	Standard	
STD OXH55	Standard	
STD OXK69	Standard	
STD PTC-1A	Standard	0.04
STD R4A	Standard	
STD R4A	Standard	
STD R4A	Standard	
STD R4A	Standard	
STD DS7 Expected		
STD OXH55 Expected		
STD OXK69 Expected		
STD R4A Expected		
STD CZN-3 Expected		0.113
STD PTC-1A Expected		0.05
STD CCU-1C Expected		0.34
STD GBM997-6 Expected		24.9095
BLK	Blank	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN08010315.2

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	1.8	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	2.08	2.13	7.45	48.9	29	4.6	4.8	559	1.96	1.0	2.0	<0.2	4.2	50.7	0.02	0.05	0.08	39	0.52
G1	Prep Blank	<0.01	<0.01	2.20	3.23	46.8	15	4.3	4.8	554	1.99	0.5	2.1	<0.2	4.3	57.1	0.02	0.04	0.09	38	0.56



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

VAN08010315.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.087	7.6	9.3	0.59	256.3	0.125	<1	0.91	0.049	0.52	<0.1	2.2	0.37	<0.02	<5	<0.1	<0.02	5.0	3.58	<0.1
G1	Prep Blank	0.084	9.0	10.1	0.61	255.9	0.137	<1	0.95	0.064	0.52	<0.1	2.4	0.37	<0.02	<5	<0.1	<0.02	5.1	3.74	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 3 of 3 **Part** 3

QUALITY CONTROL REPORT

VAN08010315.2

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	G6	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Au	Ag	Mo	Cu	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/mt	gm/mt	%	%	%	%
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	5	0.001	0.001	0.01	0.01
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2						
BLK	Blank																	<0.001	<0.001	<0.01	<0.01
BLK	Blank															<0.01					
BLK	Blank															<0.01					
BLK	Blank																	<0.001	<0.001	<0.01	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.08	0.34	46.0	0.4	<0.05	0.9	3.78	13.7	<0.02	<1	0.3	32.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	0.08	0.38	46.0	0.5	<0.05	1.1	4.75	16.7	0.03	<1	0.2	32.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 3 of 3 **Part** 4

QUALITY CONTROL REPORT

VAN08010315.2

		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
		2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.05	
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 19, 2009

Page: 3 of 3 Part 5

QUALITY CONTROL REPORT

VAN08010315.2

		7AR.1 Pb % 0.01
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.01
Prep Wash		
G1	Prep Blank	
G1	Prep Blank	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
Receiving Lab: Canada-Vancouver
Received: October 21, 2008
Report Date: May 04, 2009
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN08010365.3

CLIENT JOB INFORMATION

Project: Nox Fort
Shipment ID: 018
P.O. Number
Number of Samples: 139

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8
Canada

CC: J. David Williams

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 5 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status. Rows include R150, 1F30, 7KP, G6, and 7AR.

ADDITIONAL COMMENTS

Version 3 : G6-Au & 7AR included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945154	Rock	3.06	0.47	9.06	51.82	81.7	270	7.5	1.9	42	0.59	14.8	1.0	1.1	6.4	2.1	0.19	0.17	0.76	<2	0.04
945155	Rock	6.97	0.36	6.79	78.95	163.6	232	3.3	3.6	31	0.56	20.8	0.9	3.6	8.1	2.2	0.32	0.20	0.59	<2	0.02
945156	Rock	5.10	0.38	12.70	101.3	90.7	470	5.8	2.8	30	0.80	25.1	1.1	6.4	9.4	3.0	0.25	0.23	0.94	<2	0.03
945157	Rock	4.96	0.39	15.59	170.1	159.2	697	13.9	3.5	29	1.08	44.4	1.1	10.0	7.4	2.7	0.27	0.21	1.44	<2	0.03
945158	Rock	5.22	0.72	12.80	110.5	81.7	347	10.8	3.0	23	0.68	35.4	1.6	3.4	10.3	2.8	0.24	0.19	0.66	<2	0.02
945159	Rock	5.11	0.53	10.68	179.0	145.8	575	8.7	8.5	24	0.66	30.8	1.8	4.4	9.5	2.7	0.25	0.22	0.79	<2	0.03
945160	Rock	7.65	0.71	14.80	217.0	80.4	503	19.2	6.1	40	0.94	39.3	1.6	4.5	11.2	3.0	0.16	0.27	1.10	2	0.03
945161	Rock	6.69	0.75	17.03	356.8	104.3	813	15.1	3.0	48	0.95	39.7	1.4	9.7	11.2	2.7	0.17	0.38	2.04	2	0.03
945162	Rock	3.23	1.11	14.82	233.5	153.2	581	10.0	21.6	35	1.01	18.9	2.3	1.8	11.5	2.9	0.15	0.22	1.34	3	0.04
945163	Rock	11.60	0.43	7.29	176.1	110.3	471	8.6	10.8	77	0.91	30.5	1.4	6.2	9.6	2.4	0.16	0.24	1.12	<2	0.03
945351	Rock	5.30	24.82	247.2	5.56	84.9	473	61.4	39.3	2524	12.67	1.2	4.4	294.1	13.8	29.7	0.11	0.25	23.93	43	0.69
945352	Rock	5.00	29.69	99.35	6.35	59.6	237	36.0	21.8	1722	7.51	34.8	2.5	157.2	10.5	23.1	0.13	0.47	11.06	33	0.52
945353	Rock	7.75	98.85	105.9	6.62	58.9	393	27.4	19.6	1791	7.05	2.7	3.5	757.7	10.9	94.7	0.10	0.25	70.40	31	1.67
945354	Rock	5.86	45.38	48.98	5.27	179.1	100	32.0	14.0	2018	3.22	1.4	2.5	30.7	10.1	101.7	1.16	0.11	3.73	26	2.32
945355	Rock	3.55	121.4	135.4	5.90	53.0	691	20.1	17.7	3956	8.28	0.8	4.2	1174	11.3	55.9	0.06	0.24	102.1	32	1.26
945356	Rock	6.72	128.8	210.5	4.38	56.2	617	30.1	29.3	3898	11.45	1.1	6.4	776.3	9.2	40.4	0.19	0.25	74.13	30	2.54
945357	Rock	6.55	61.83	263.9	3.39	48.5	592	30.1	29.8	2779	12.18	0.4	4.2	659.2	9.6	23.2	0.06	0.22	58.14	39	1.26
945388	Rock	3.83	1.00	3.93	0.43	18.2	13	2188	101.8	804	4.20	7.7	0.1	6.8	<0.1	1.0	0.04	0.04	0.71	7	0.04
945389	Rock	2.15	0.59	3.90	0.42	21.0	12	2326	107.5	896	4.95	8.1	<0.1	4.6	<0.1	1.2	0.05	0.05	0.58	7	0.03
945390	Rock	4.36	0.37	5.06	0.31	23.9	7	2158	97.8	809	4.22	8.0	<0.1	3.0	<0.1	0.8	0.04	0.03	0.32	5	0.02
945391	Rock	2.96	0.55	23.38	0.48	40.1	30	2262	103.9	789	4.24	7.6	<0.1	2.9	<0.1	0.6	0.11	0.03	0.33	7	0.02
945392	Rock	5.20	0.56	5.14	0.34	27.8	8	2348	112.7	796	4.31	10.4	<0.1	2.2	<0.1	0.7	0.06	0.02	0.39	7	0.02
945393	Rock	5.37	0.42	1.95	0.27	25.9	4	2158	97.3	842	3.91	11.0	<0.1	1.2	<0.1	0.5	0.03	0.03	0.39	5	0.01
945394	Rock	3.68	0.29	6.26	0.45	26.2	5	2277	113.9	884	4.59	27.5	<0.1	1.7	<0.1	1.2	0.09	0.04	0.47	9	0.03
945395	Rock	6.21	0.36	8.09	0.43	31.2	10	2062	98.0	851	4.23	20.9	<0.1	2.3	<0.1	1.6	0.10	0.06	0.59	11	0.11
945396	Rock	3.71	0.13	13.25	0.88	30.2	70	2282	109.5	884	5.00	7.5	0.2	1.7	0.1	3.1	0.07	0.05	0.40	17	0.03
945397	Rock	3.99	0.11	8.05	0.80	28.5	29	2108	95.6	819	4.65	4.7	<0.1	0.6	<0.1	1.9	0.07	0.05	0.60	14	0.11
945398	Rock	7.41	0.13	7.90	0.44	30.4	37	2435	112.2	1004	5.45	13.3	<0.1	0.4	<0.1	1.9	0.04	0.03	0.61	6	0.04
945399	Rock	6.10	0.18	9.69	0.56	30.0	28	2431	120.4	1057	5.92	17.3	<0.1	0.3	<0.1	2.3	0.08	0.03	0.55	7	0.04
945400	Rock	2.41	0.14	14.78	1.58	15.9	26	2116	113.4	451	3.55	19.9	0.2	3.3	<0.1	3.6	0.07	0.10	0.41	13	0.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945154	Rock	0.014	7.2	11.9	0.04	16.0	0.001	10	0.24	0.015	0.14	0.7	0.4	0.03	<0.02	<5	<0.1	<0.02	1.0	0.36	<0.1
945155	Rock	0.011	6.2	11.7	0.04	10.4	0.001	13	0.16	0.020	0.06	0.7	0.2	<0.02	<0.02	<5	<0.1	0.07	0.4	0.15	<0.1
945156	Rock	0.013	9.2	10.4	0.05	16.3	0.001	4	0.23	0.034	0.12	0.5	0.3	0.03	<0.02	<5	<0.1	0.13	0.6	0.25	<0.1
945157	Rock	0.013	6.4	8.1	0.05	15.6	0.001	4	0.23	0.020	0.10	0.4	0.3	0.03	<0.02	<5	<0.1	0.13	0.7	0.38	<0.1
945158	Rock	0.011	8.9	8.7	0.04	17.7	0.001	8	0.22	0.030	0.11	0.3	0.3	0.03	<0.02	<5	<0.1	0.12	0.5	0.38	<0.1
945159	Rock	0.012	6.9	7.9	0.04	12.8	0.001	5	0.20	0.020	0.09	0.3	0.3	0.02	<0.02	<5	<0.1	0.12	0.5	0.39	<0.1
945160	Rock	0.015	8.9	10.0	0.06	18.4	0.001	4	0.26	0.026	0.12	0.3	0.3	0.04	<0.02	<5	<0.1	0.17	0.7	0.73	<0.1
945161	Rock	0.014	8.2	9.9	0.05	16.9	0.001	2	0.25	0.021	0.12	0.4	0.4	0.03	<0.02	<5	<0.1	0.08	0.7	0.52	<0.1
945162	Rock	0.020	9.9	9.8	0.05	20.9	0.002	3	0.28	0.023	0.11	3.2	0.5	0.03	<0.02	<5	<0.1	0.06	0.9	0.47	<0.1
945163	Rock	0.017	7.2	7.7	0.06	17.3	0.001	4	0.27	0.017	0.10	7.5	0.4	0.03	<0.02	<5	<0.1	0.03	0.8	0.40	<0.1
945351	Rock	0.140	16.7	58.5	1.21	26.5	0.138	<1	2.57	0.045	1.10	>100	5.8	1.14	4.46	<5	2.6	0.63	14.8	18.31	0.1
945352	Rock	0.047	12.2	42.1	0.89	72.6	0.076	<1	2.01	0.036	0.64	>100	4.4	0.62	1.46	<5	0.9	0.27	9.8	11.06	<0.1
945353	Rock	0.375	28.8	41.8	0.85	70.9	0.102	<1	2.17	0.080	0.78	>100	4.2	0.68	1.90	<5	1.2	1.68	10.2	10.21	0.2
945354	Rock	0.123	16.4	35.2	0.81	75.1	0.089	<1	2.28	0.103	0.60	32.1	3.0	0.53	0.53	<5	0.3	0.06	7.1	7.77	<0.1
945355	Rock	0.261	22.2	43.2	0.99	60.8	0.126	<1	2.16	0.067	1.06	>100	4.4	1.06	2.17	<5	1.5	1.54	14.8	15.09	0.8
945356	Rock	0.805	26.2	28.8	0.76	31.8	0.085	<1	1.89	0.040	0.73	>100	3.4	0.70	4.74	<5	2.3	1.26	13.5	10.90	1.1
945357	Rock	0.086	24.5	43.0	0.85	31.9	0.116	<1	1.89	0.062	0.83	>100	5.7	0.77	4.84	<5	2.8	1.43	15.6	12.06	0.6
945388	Rock	0.008	<0.5	288.8	17.24	6.6	0.002	9	0.15	<0.001	<0.01	2.1	8.0	<0.02	0.05	<5	0.1	<0.02	0.3	0.09	<0.1
945389	Rock	0.005	<0.5	281.4	18.40	9.7	0.002	12	0.13	<0.001	<0.01	1.2	7.1	<0.02	0.03	<5	0.1	<0.02	0.4	0.09	<0.1
945390	Rock	0.005	<0.5	242.0	16.66	7.9	0.002	6	0.11	<0.001	<0.01	0.7	6.9	<0.02	<0.02	<5	<0.1	0.02	0.3	0.04	<0.1
945391	Rock	0.004	<0.5	327.4	18.33	5.5	0.003	10	0.17	<0.001	<0.01	0.7	8.0	<0.02	0.04	<5	0.2	<0.02	0.4	0.06	<0.1
945392	Rock	0.006	<0.5	290.7	18.33	7.0	0.002	8	0.13	<0.001	<0.01	0.7	8.4	<0.02	<0.02	<5	<0.1	<0.02	0.4	0.04	<0.1
945393	Rock	0.003	<0.5	272.9	17.47	3.7	0.001	8	0.11	<0.001	<0.01	0.5	7.8	<0.02	<0.02	<5	<0.1	<0.02	0.3	0.04	<0.1
945394	Rock	0.005	<0.5	343.5	18.02	10.7	0.002	11	0.16	<0.001	<0.01	0.4	8.8	<0.02	0.03	<5	<0.1	0.04	0.4	0.04	<0.1
945395	Rock	0.004	<0.5	522.5	16.80	9.0	0.003	17	0.22	<0.001	<0.01	0.5	7.3	<0.02	0.07	<5	0.1	0.02	0.6	0.05	<0.1
945396	Rock	0.005	1.3	448.9	15.03	11.5	0.003	8	0.30	<0.001	<0.01	0.4	10.2	0.08	0.04	<5	<0.1	0.04	0.6	0.50	<0.1
945397	Rock	0.001	<0.5	427.2	16.42	5.3	0.003	10	0.21	<0.001	<0.01	0.4	8.3	<0.02	0.11	<5	0.4	0.06	0.5	0.21	0.1
945398	Rock	0.002	<0.5	223.0	18.52	6.6	0.002	11	0.10	<0.001	<0.01	0.4	7.1	<0.02	0.08	<5	0.2	0.06	0.2	0.08	<0.1
945399	Rock	0.002	0.5	301.5	19.17	9.1	0.002	12	0.13	<0.001	<0.01	0.6	7.9	<0.02	0.06	<5	0.3	0.04	0.3	0.11	<0.1
945400	Rock	0.002	<0.5	553.5	15.70	2.1	0.002	45	0.15	<0.001	<0.01	1.8	7.0	<0.02	0.12	<5	0.4	<0.02	0.3	0.10	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 2 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
945154	Rock	0.04	1.09	8.7	0.3	<0.05	0.9	3.73	13.9	0.04	<1	0.4	1.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945155	Rock	0.04	1.24	3.1	0.2	<0.05	1.0	4.03	11.5	0.06	<1	0.4	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945156	Rock	0.05	0.82	6.1	0.2	<0.05	1.3	3.40	17.4	0.03	2	0.3	1.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945157	Rock	0.06	0.88	5.3	0.2	<0.05	1.2	3.52	12.5	0.04	<1	0.3	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945158	Rock	0.05	1.10	5.9	0.2	<0.05	1.4	4.45	17.0	0.04	<1	0.5	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945159	Rock	0.05	1.08	5.1	0.4	<0.05	1.1	4.48	13.1	0.03	<1	0.5	1.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945160	Rock	0.05	0.90	7.5	0.4	<0.05	1.6	4.97	17.7	<0.02	<1	0.5	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945161	Rock	0.07	0.80	6.9	0.2	<0.05	1.6	3.49	16.2	0.04	<1	0.2	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945162	Rock	0.03	1.26	6.3	0.7	<0.05	1.5	4.33	19.6	0.06	<1	0.6	1.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945163	Rock	0.04	1.05	5.9	0.4	<0.05	1.4	4.56	13.8	0.03	<1	0.4	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945351	Rock	0.08	1.05	176.1	1.7	<0.05	2.4	7.53	35.8	0.04	2	2.4	98.6	<10	<2	0.064	N.A.	N.A.	N.A.	N.A.	N.A.
945352	Rock	0.05	0.49	87.5	0.9	<0.05	1.9	5.50	25.2	0.02	5	1.9	58.2	<10	<2	0.024	N.A.	N.A.	N.A.	N.A.	N.A.
945353	Rock	0.08	0.93	109.2	1.7	<0.05	2.4	8.17	52.4	0.03	4	2.6	53.5	<10	<2	0.042	N.A.	N.A.	N.A.	N.A.	N.A.
945354	Rock	0.09	0.46	81.3	1.7	<0.05	2.4	5.25	31.9	0.05	2	3.0	44.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945355	Rock	0.12	1.75	158.9	2.3	<0.05	2.9	6.39	42.6	0.07	5	2.0	70.1	<10	<2	0.060	N.A.	N.A.	N.A.	N.A.	N.A.
945356	Rock	0.08	3.19	118.3	2.1	<0.05	2.5	8.31	54.9	0.06	6	2.3	61.5	<10	<2	0.159	N.A.	N.A.	N.A.	N.A.	N.A.
945357	Rock	0.16	1.90	135.6	2.1	<0.05	4.3	7.42	46.6	0.04	2	2.5	74.3	<10	<2	0.091	N.A.	N.A.	N.A.	N.A.	N.A.
945388	Rock	<0.02	<0.02	0.7	0.1	<0.05	0.2	0.29	0.6	<0.02	<1	<0.1	1.7	<10	7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945389	Rock	<0.02	<0.02	0.7	<0.1	<0.05	0.2	0.20	0.4	<0.02	<1	<0.1	2.2	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945390	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.2	0.24	0.2	<0.02	1	<0.1	2.1	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945391	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.1	0.39	0.2	<0.02	<1	<0.1	2.4	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945392	Rock	<0.02	<0.02	0.2	<0.1	<0.05	<0.1	0.26	0.2	<0.02	<1	<0.1	2.1	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945393	Rock	<0.02	<0.02	0.2	<0.1	<0.05	<0.1	0.17	0.1	<0.02	<1	<0.1	2.4	<10	7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945394	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.2	0.32	0.3	<0.02	2	<0.1	1.8	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945395	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.1	0.63	0.5	<0.02	<1	0.2	1.5	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945396	Rock	<0.02	<0.02	1.2	0.2	<0.05	0.9	1.36	0.7	<0.02	<1	0.2	3.6	<10	7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945397	Rock	<0.02	<0.02	0.4	0.3	<0.05	0.3	0.60	0.5	<0.02	<1	0.1	2.5	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945398	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.2	0.46	0.4	<0.02	1	0.1	2.3	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945399	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.4	0.50	0.8	<0.02	<1	0.1	3.1	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945400	Rock	<0.02	<0.02	0.3	0.6	<0.05	0.1	1.05	0.9	<0.02	<1	<0.1	1.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945154	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945155	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945156	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945157	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945158	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945159	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945160	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945161	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945162	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945163	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945351	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945352	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945353	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945354	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945355	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945356	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945357	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945388	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945389	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945390	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945391	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945392	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945393	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945394	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945395	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945396	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945397	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945398	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945399	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945400	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945411	Rock	5.89	5.08	116.9	2.70	72.1	306	55.4	11.9	9743	9.13	3.9	5.4	766.1	13.2	20.5	0.52	0.25	69.57	32	1.36
945412	Rock	7.60	5.25	107.0	2.62	40.9	380	36.7	11.6	7195	6.41	2.0	4.2	1120	12.9	11.4	0.09	0.43	104.8	24	0.86
945413	Rock	2.37	1.26	113.7	2.92	38.0	383	33.4	13.2	>10000	5.60	1.2	7.7	1060	16.6	8.9	0.21	0.36	107.4	28	1.68
945414	Rock	4.66	1.64	28.40	2.38	66.3	201	29.0	6.8	9418	2.69	1.6	7.5	512.2	14.5	22.6	0.47	0.25	52.31	24	3.79
945415	Rock	1.29	2.83	59.97	3.16	49.4	265	27.2	8.4	>10000	5.84	2.3	8.9	276.5	18.6	11.8	0.27	0.22	29.25	33	1.34
945416	Rock	8.95	13.85	135.1	6.76	53.2	401	40.5	13.5	6263	10.77	53.7	4.1	739.1	12.3	30.7	0.20	0.56	94.79	27	0.65
945417	Rock	2.19	0.67	61.46	8.29	65.8	66	138.2	32.5	1213	6.23	4.1	0.5	19.6	5.0	227.3	0.11	0.08	1.39	162	1.47
945418	Rock	5.44	3.91	67.34	15.41	70.3	287	33.0	10.3	1617	4.64	19.5	2.7	92.6	11.6	34.7	0.28	0.23	11.79	28	0.35
945419	Rock	5.44	3.40	34.03	9.82	73.5	129	38.6	14.6	746	4.89	32.0	2.8	5.1	12.1	36.6	0.15	0.19	0.52	41	0.23
945420	Rock	1.35	1.22	3.49	19.53	25.2	51	7.0	1.9	478	0.46	11.0	1.1	8.0	3.7	3.4	0.17	0.05	0.71	5	0.03
945421	Rock	3.36	4.25	20.11	18.64	141.7	143	42.6	12.3	1428	3.94	196.4	4.8	14.2	14.5	17.1	0.85	0.33	0.29	22	0.13
945422	Rock	3.67	2.43	4.66	112.9	57.4	113	5.3	2.4	442	0.94	61.4	1.9	9.7	12.6	3.5	0.34	0.26	0.61	5	0.02
945423	Rock	6.79	2.46	128.2	2.68	43.5	393	27.1	11.0	9970	8.39	0.9	4.4	885.3	10.6	32.8	0.07	0.30	82.31	29	1.05
945424	Rock	3.34	1.94	94.65	2.36	49.3	514	18.7	6.3	6653	8.37	2.5	3.9	1278	9.5	19.1	0.22	0.49	105.1	24	1.51
945425	Rock	6.94	3.89	151.5	2.27	36.3	477	30.1	12.4	>10000	8.59	1.0	4.9	1161	12.1	24.1	0.09	0.34	106.9	30	1.49
945426	Rock	3.04	3.26	40.87	6.16	65.0	72	26.2	13.9	598	4.21	8.9	2.5	3.3	16.4	28.6	0.09	0.04	0.74	43	0.14
945427	Rock	3.15	38.80	28.39	2.16	49.2	82	29.0	11.5	619	1.71	2.1	1.6	14.4	7.9	106.9	0.17	0.09	3.21	20	1.59
945428	Rock	5.90	7.01	10.37	4.84	138.6	75	21.0	7.8	3485	1.49	3.4	2.7	5.6	7.5	111.2	0.56	0.27	2.40	19	3.53
945429	Rock	2.96	56.83	10.67	2.55	116.8	90	17.6	6.8	5368	1.39	5.5	2.7	4.9	7.7	104.1	0.63	0.30	3.34	18	4.03
945430	Rock	2.11	377.2	37.75	6.12	216.1	153	10.8	5.6	4223	1.29	2.8	8.6	2.4	5.4	75.5	1.13	0.36	0.66	10	6.61
945431	Rock	2.56	2.40	23.10	4.33	38.0	93	32.6	8.8	1699	2.92	2.2	1.6	6.7	10.3	156.8	0.18	0.04	0.81	32	1.83
945432	Rock	5.56	11.08	45.92	7.37	39.0	228	41.2	16.4	1080	2.21	26.4	1.8	9.2	9.3	86.8	0.18	0.30	1.62	17	1.26
945433	Rock	2.81	1.62	11.41	2.11	25.6	45	11.0	3.7	522	0.64	1.9	3.4	2.0	8.2	29.5	0.18	0.03	0.54	7	0.28
945434	Rock	1.09	3.37	39.42	4.13	51.0	153	32.7	10.7	956	1.92	2.3	2.8	123.0	7.3	76.0	0.31	0.11	11.18	18	0.97
945435	Rock	6.96	10.00	11.87	2.17	522.3	59	13.8	5.6	3307	1.20	1.6	3.0	6.6	5.7	48.7	5.49	0.21	1.95	16	3.57
945436	Rock	6.21	39.40	15.55	2.18	527.8	69	14.1	6.2	4872	1.35	1.2	2.9	8.4	5.6	49.5	5.55	0.08	1.78	16	5.69
945437	Rock	2.25	51.34	49.99	2.43	267.1	122	34.0	11.5	1939	3.49	1.5	2.0	59.1	7.2	114.4	2.77	0.10	4.83	22	1.98
945438	Rock	1.75	4.55	28.69	2.63	82.4	55	43.8	12.1	941	4.01	1.9	2.0	19.7	10.8	90.0	0.09	0.03	2.06	50	0.98
945439	Rock	4.05	13.30	19.97	3.62	86.7	125	30.6	10.0	3032	2.59	4.6	2.5	85.4	10.2	110.3	0.56	0.17	6.72	29	1.42
945440	Rock	4.77	14.53	19.08	21.53	398.5	136	24.2	9.9	1504	1.53	2.4	1.8	9.9	7.0	149.6	3.46	0.23	1.98	19	3.34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	Unit	MDL	1F30 P	1F30 La	1F30 Cr	1F30 Mg	1F30 Ba	1F30 Ti	1F30 B	1F30 Al	1F30 Na	1F30 K	1F30 W	1F30 Sc	1F30 TI	1F30 S	1F30 Hg	1F30 Se	1F30 Te	1F30 Ga	1F30 Cs	1F30 Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
945411	Rock			0.111	32.0	46.2	1.01	27.7	0.101	2	2.48	0.028	0.56	>100	4.0	0.54	1.62	<5	0.8	1.06	16.3	8.73	1.4
945412	Rock			0.056	30.9	43.5	0.89	22.9	0.077	2	1.87	0.015	0.41	>100	3.9	0.40	1.94	<5	0.9	1.36	14.0	5.85	0.7
945413	Rock			0.065	28.1	26.3	0.69	12.3	0.080	1	1.79	0.011	0.42	>100	2.8	0.44	2.20	<5	0.8	1.39	12.9	6.35	2.4
945414	Rock			0.079	23.0	20.9	0.49	23.1	0.078	1	2.08	0.033	0.27	>100	2.6	0.28	0.17	<5	<0.1	0.79	10.5	4.58	1.3
945415	Rock			0.052	26.6	21.3	0.53	37.1	0.087	<1	2.05	0.021	0.25	>100	3.3	0.26	0.29	<5	0.7	0.63	14.5	4.34	1.5
945416	Rock			0.055	25.4	34.5	0.75	78.2	0.067	2	2.10	0.041	0.63	>100	3.5	0.54	1.41	<5	1.1	1.09	11.8	8.40	0.4
945417	Rock			0.311	42.5	423.9	4.23	1016	0.225	<1	3.87	0.029	0.68	4.8	14.6	1.09	<0.02	<5	<0.1	0.07	10.7	13.36	0.2
945418	Rock			0.042	18.7	37.7	0.72	70.2	0.060	2	2.03	0.032	0.46	>100	3.5	0.36	0.27	29	0.5	0.17	7.6	4.74	<0.1
945419	Rock			0.089	29.6	73.3	1.34	167.3	0.063	2	2.31	0.012	0.36	2.8	3.3	0.37	0.03	<5	<0.1	0.03	6.5	4.58	<0.1
945420	Rock			0.010	4.1	5.7	0.07	17.7	0.002	1	0.27	0.026	0.07	9.4	0.6	0.03	<0.02	<5	<0.1	<0.02	0.7	0.28	<0.1
945421	Rock			0.034	36.8	31.7	0.80	63.6	0.011	1	1.83	0.010	0.28	1.6	2.2	0.16	<0.02	<5	0.2	0.04	5.6	2.15	<0.1
945422	Rock			0.009	7.3	6.4	0.05	19.6	0.002	<1	0.32	0.020	0.11	5.7	1.0	0.05	<0.02	8	<0.1	0.02	0.8	0.33	<0.1
945423	Rock			0.064	22.3	41.8	0.99	32.1	0.081	1	2.52	0.048	0.61	>100	4.1	0.57	2.15	*	0.7	1.13	18.0	8.23	1.4
945424	Rock			0.066	19.5	32.4	0.67	14.3	0.090	1	1.82	0.040	0.36	>100	3.1	0.37	1.32	*	1.0	1.64	15.3	5.03	1.1
945425	Rock			0.068	25.7	37.0	0.96	26.7	0.079	<1	2.42	0.027	0.57	>100	3.7	0.52	2.51	*	0.8	1.34	18.2	8.06	2.0
945426	Rock			0.032	31.8	59.7	1.19	40.9	0.097	1	2.31	0.025	0.21	0.7	3.5	0.12	0.03	<5	0.1	<0.02	8.1	1.76	<0.1
945427	Rock			0.036	14.0	27.0	0.35	26.9	0.098	2	1.53	0.031	0.06	32.6	2.5	0.04	0.10	7	<0.1	0.07	4.1	0.54	0.1
945428	Rock			0.044	18.2	21.8	0.26	34.1	0.089	1	2.22	0.149	0.06	9.7	3.0	0.04	<0.02	6	<0.1	<0.02	8.7	0.54	0.9
945429	Rock			0.041	14.1	19.3	0.16	28.3	0.076	<1	2.04	0.128	0.05	16.9	2.4	0.04	0.06	<5	<0.1	0.02	7.5	0.55	0.9
945430	Rock			0.060	9.5	10.2	0.09	7.3	0.051	7	0.94	0.015	0.01	11.3	1.3	<0.02	0.28	<5	<0.1	<0.02	5.0	0.12	0.3
945431	Rock			0.046	14.5	37.5	0.77	63.2	0.086	2	2.67	0.162	0.25	2.7	4.2	0.18	0.20	6	0.2	0.03	9.2	2.38	<0.1
945432	Rock			0.049	18.8	24.1	0.36	35.5	0.062	2	1.28	0.034	0.14	2.6	2.9	0.07	0.15	<5	0.3	0.10	3.8	0.89	<0.1
945433	Rock			0.028	4.8	10.7	0.13	22.3	0.021	<1	0.61	0.065	0.11	2.1	1.5	0.05	<0.02	<5	<0.1	0.03	2.1	0.56	<0.1
945434	Rock			0.024	9.2	23.2	0.37	16.3	0.069	1	1.37	0.079	0.09	1.4	2.8	0.05	0.39	<5	<0.1	0.24	4.5	0.62	<0.1
945435	Rock			0.038	12.6	13.7	0.11	24.1	0.064	<1	1.46	0.070	0.04	>100	1.9	0.02	0.03	*	<0.1	<0.02	5.6	0.38	0.9
945436	Rock			0.054	14.1	16.0	0.09	17.2	0.066	<1	1.55	0.071	0.03	>100	2.1	<0.02	0.06	<5	<0.1	0.04	6.6	0.31	2.0
945437	Rock			0.052	14.6	26.6	0.42	38.8	0.085	1	2.23	0.182	0.15	>100	3.1	0.15	0.20	5	0.3	0.09	8.9	1.95	0.5
945438	Rock			0.037	16.7	59.8	1.25	152.6	0.174	<1	3.34	0.156	1.21	5.9	7.0	0.99	0.29	<5	0.3	0.07	11.6	12.17	<0.1
945439	Rock			0.059	16.7	32.9	0.60	57.6	0.078	2	2.26	0.164	0.22	>100	3.6	0.21	0.05	*	<0.1	0.14	8.9	2.83	0.3
945440	Rock			0.046	14.4	19.4	0.25	47.1	0.092	2	2.20	0.175	0.14	>100	2.4	0.12	0.15	*	0.2	0.03	6.4	1.47	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 3 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	%
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
945411	Rock	0.20	0.66	87.3	3.3	<0.05	5.4	7.89	71.0	0.12	2	3.0	44.9	<10	3	0.077	N.A.	N.A.	N.A.	N.A.	N.A.
945412	Rock	0.13	1.15	62.5	2.2	<0.05	3.8	6.48	61.6	0.07	3	1.7	44.9	<10	<2	0.164	N.A.	N.A.	N.A.	N.A.	N.A.
945413	Rock	0.21	1.21	64.8	3.5	<0.05	5.4	5.13	60.3	0.12	2	2.1	35.0	<10	2	0.139	N.A.	N.A.	N.A.	N.A.	N.A.
945414	Rock	0.17	0.81	41.5	4.3	<0.05	4.8	5.63	53.5	0.21	3	5.0	25.2	<10	4	0.054	N.A.	N.A.	N.A.	N.A.	N.A.
945415	Rock	0.21	0.79	44.8	3.9	<0.05	7.5	8.46	76.5	0.17	3	3.5	28.8	<10	<2	0.109	N.A.	N.A.	N.A.	N.A.	N.A.
945416	Rock	0.12	0.62	84.4	1.8	<0.05	3.5	7.54	52.2	0.07	5	2.6	50.1	<10	2	0.130	N.A.	N.A.	N.A.	N.A.	N.A.
945417	Rock	<0.02	0.12	103.7	0.4	<0.05	0.4	12.12	93.9	0.05	1	1.0	42.2	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945418	Rock	0.07	0.14	48.7	0.8	<0.05	2.1	5.40	39.3	0.03	<1	1.1	31.5	<10	<2	0.032	N.A.	N.A.	N.A.	N.A.	N.A.
945419	Rock	0.05	0.07	36.7	0.2	<0.05	3.1	6.06	60.3	<0.02	1	1.0	38.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945420	Rock	0.11	0.48	4.5	<0.1	<0.05	2.9	1.91	8.9	<0.02	1	0.2	2.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945421	Rock	<0.02	0.10	25.3	0.3	<0.05	1.2	8.66	75.2	<0.02	<1	1.7	34.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945422	Rock	0.10	0.64	6.3	<0.1	<0.05	3.6	3.19	17.8	<0.02	2	0.4	2.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945423	Rock	0.11	0.93	92.4	2.5	<0.05	3.5	7.10	46.4	0.07	2	1.9	58.6	<10	<2	0.108	N.A.	N.A.	N.A.	N.A.	N.A.
945424	Rock	0.20	0.89	55.3	3.5	<0.05	5.5	5.91	42.5	0.14	2	2.6	34.8	<10	<2	0.062	N.A.	N.A.	N.A.	N.A.	N.A.
945425	Rock	0.16	1.05	87.9	2.8	<0.05	4.2	7.29	54.2	0.09	<1	1.3	60.3	<10	<2	0.109	N.A.	N.A.	N.A.	N.A.	N.A.
945426	Rock	0.05	0.13	17.4	0.3	<0.05	1.9	6.88	67.9	<0.02	<1	1.0	77.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945427	Rock	0.15	0.40	4.7	0.7	<0.05	4.1	5.47	28.2	<0.02	1	0.7	13.9	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945428	Rock	0.18	0.52	4.5	2.2	<0.05	6.5	7.23	38.6	0.14	<1	14.7	10.1	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945429	Rock	0.24	0.46	5.6	2.6	<0.05	6.3	5.72	29.7	0.13	1	13.6	6.6	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945430	Rock	0.15	1.32	1.0	6.1	<0.05	3.8	7.34	20.5	0.30	10	2.6	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945431	Rock	0.06	0.26	28.1	0.8	<0.05	2.2	8.11	28.8	<0.02	2	0.7	37.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945432	Rock	0.11	0.45	12.1	0.7	<0.05	3.5	6.50	38.0	0.02	<1	1.5	13.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945433	Rock	0.15	1.42	8.8	0.3	<0.05	3.2	6.30	11.1	<0.02	<1	1.2	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945434	Rock	0.10	1.11	8.5	0.7	<0.05	2.7	7.09	18.9	<0.02	1	1.3	15.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945435	Rock	0.19	1.48	3.5	3.7	<0.05	5.6	4.69	26.0	0.30	1	6.2	4.6	<10	<2	0.069	N.A.	N.A.	N.A.	N.A.	N.A.
945436	Rock	0.21	1.88	2.1	4.3	<0.05	5.1	5.05	30.1	0.29	<1	3.3	3.0	<10	2	0.113	N.A.	N.A.	N.A.	N.A.	N.A.
945437	Rock	0.17	0.75	19.8	1.8	<0.05	5.3	6.13	28.9	0.17	<1	6.9	16.8	<10	3	0.034	N.A.	N.A.	N.A.	N.A.	N.A.
945438	Rock	0.06	0.19	142.6	1.2	<0.05	2.0	4.89	33.2	0.04	<1	1.2	64.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945439	Rock	0.14	0.69	30.1	1.8	<0.05	5.2	7.07	34.1	0.09	<1	3.7	29.0	<10	<2	0.066	N.A.	N.A.	N.A.	N.A.	N.A.
945440	Rock	0.22	0.86	16.2	2.4	<0.05	7.6	6.08	30.0	0.17	1	4.7	11.0	<10	<2	0.031	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 3 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR		
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945411	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945412	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945413	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945414	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945415	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945416	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945417	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945418	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945419	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945420	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945421	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945422	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945423	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945424	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945425	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945426	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945427	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945428	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945429	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945430	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945431	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945432	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945433	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945434	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945435	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945436	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945437	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945438	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945439	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945440	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945441	Rock	2.66	11.93	19.55	3.38	264.4	112	25.8	8.9	2289	1.81	2.4	1.6	9.5	6.6	129.1	2.88	0.15	1.22	20	3.13
945442	Rock	4.58	18.22	47.37	3.19	301.2	117	21.7	10.6	5384	3.12	2.8	3.0	48.7	7.0	47.3	2.89	0.15	4.42	23	2.73
945443	Rock	3.78	5.90	19.56	2.43	49.6	96	26.6	9.4	604	1.40	2.9	1.1	2.7	7.3	81.7	0.49	0.21	0.53	13	1.74
945444	Rock	6.51	32.85	33.38	3.66	531.5	83	29.3	12.0	2128	2.02	2.2	2.3	4.5	8.4	114.3	5.16	0.07	1.33	22	3.70
945445	Rock	3.82	11.92	48.23	3.89	248.3	82	37.2	12.6	3164	2.39	2.1	3.5	6.8	11.9	144.9	2.22	0.07	1.24	24	4.80
945446	Rock	1.52	23.96	26.42	3.77	487.7	82	27.7	10.5	3080	1.81	3.4	3.4	6.0	9.8	112.0	4.93	0.15	2.31	18	4.22
945447	Rock	3.79	18.91	27.03	3.48	590.1	106	22.3	11.0	4572	1.70	2.7	9.9	7.7	8.5	44.5	6.63	0.12	2.60	12	3.66
945448	Rock	3.88	34.73	51.92	3.69	325.8	128	37.0	15.1	3343	2.24	2.2	7.8	14.3	11.6	145.7	3.85	0.08	3.75	19	4.23
945449	Rock	7.06	26.67	34.32	3.13	978.2	109	24.2	10.9	4179	1.73	2.6	11.5	2.3	8.7	72.4	10.60	0.13	1.62	13	4.63
945450	Rock	6.07	47.84	69.22	5.46	628.8	166	36.2	14.3	1493	2.86	1.2	5.7	3.3	12.7	135.4	6.68	0.15	1.43	22	2.08
945501	Rock	4.61	51.80	28.03	3.36	159.6	61	28.5	9.1	1903	2.84	1.8	3.2	6.9	11.5	125.5	1.19	0.08	1.50	25	2.33
945502	Rock	3.95	29.05	50.25	4.38	165.4	103	41.5	12.9	1462	3.73	2.6	3.1	7.2	14.6	70.6	0.91	0.09	1.81	29	0.78
945503	Rock	4.28	1.64	23.84	3.19	46.2	67	20.8	9.4	1025	3.42	229.4	1.9	13.7	12.7	19.6	0.25	0.18	2.64	25	0.22
945504	Rock	6.45	2.00	52.91	5.35	39.4	162	34.3	11.9	858	4.17	37.4	2.4	12.3	12.6	40.1	0.15	0.20	1.99	33	0.30
945505	Rock	7.67	1.58	23.12	15.96	74.6	392	27.2	6.0	1002	2.20	33.6	1.3	3.5	14.6	14.2	0.28	0.14	0.53	19	0.15
945506	Rock	4.85	36.43	47.58	5.97	79.4	209	38.2	13.6	2755	3.88	6.1	2.6	152.6	10.9	67.9	0.31	0.30	12.53	25	1.02
945507	Rock	6.56	9.12	16.44	5.52	143.0	59	23.3	7.6	4682	1.91	7.0	4.3	1.7	9.0	69.1	0.93	0.39	1.11	18	2.72
945508	Rock	6.51	4.18	19.18	5.38	222.2	131	29.7	11.5	5085	1.98	16.3	4.3	3.0	8.9	41.8	1.48	0.43	1.10	22	2.54
945509	Rock	2.55	3.17	15.07	15.92	128.7	206	21.9	10.1	5297	1.97	22.4	4.6	2.4	10.8	35.0	1.24	0.30	0.60	17	2.69
945510	Rock	1.93	5.27	8.32	63.41	75.5	1300	6.2	2.9	588	0.68	17.2	1.9	19.0	10.2	4.0	0.47	0.10	4.24	<2	0.03
945511	Rock	1.68	12.63	39.86	9.26	128.9	173	37.0	15.9	928	4.39	28.2	5.5	7.0	15.2	17.2	0.53	0.17	0.58	29	0.15
945512	Rock	4.68	13.25	38.94	6.26	55.7	204	22.2	10.5	1314	3.69	4.1	2.4	62.6	12.5	51.3	0.17	0.21	5.27	39	0.62
945513	Rock	2.80	6.70	76.69	12.94	138.1	899	27.4	16.0	4998	5.80	45.2	2.9	321.8	15.4	13.6	0.68	0.24	40.68	27	0.19
945514	Rock	6.80	28.75	68.01	7.35	84.2	322	30.5	13.8	1868	5.15	5.8	4.6	115.5	14.8	84.6	0.41	0.12	8.09	41	0.91
945515	Rock	2.45	8.64	90.21	8.19	112.0	346	18.2	9.0	8471	5.90	6.5	4.3	266.1	11.3	24.1	0.52	0.53	45.68	30	0.61
945516	Rock	2.52	6.13	56.75	425.6	51.7	11651	8.8	16.1	3080	11.48	560.4	2.8	1427	8.7	11.9	0.10	1.48	116.5	25	0.17
945517	Rock	4.53	2.67	61.68	17.66	19.1	581	29.7	9.1	1761	4.94	15.0	2.0	552.4	12.3	7.0	0.05	0.82	79.48	12	0.28
945518	Rock	3.48	134.3	163.9	5.71	22.2	536	31.4	15.3	3420	8.17	20.3	4.2	2136	9.7	5.9	0.09	2.05	167.9	19	0.34
945519	Rock	3.56	68.86	158.3	4.56	47.3	379	36.4	18.5	4280	9.08	28.8	3.7	1140	10.2	13.9	0.09	0.95	105.6	31	0.41
945520	Rock	2.16	137.6	127.9	3.39	15.9	302	21.2	12.5	1780	6.73	2.2	3.0	753.0	10.8	7.2	0.06	0.88	55.50	20	0.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945441	Rock	0.043	12.3	23.5	0.37	32.5	0.084	1	2.01	0.192	0.19	>100	2.9	0.17	0.12	14	<0.1	<0.02	7.0	2.45	0.4
945442	Rock	0.051	16.5	22.5	0.33	35.6	0.081	<1	1.71	0.090	0.10	>100	2.6	0.10	0.22	*	0.2	0.08	8.9	1.37	1.3
945443	Rock	0.045	13.0	16.3	0.17	29.9	0.082	1	1.08	0.031	0.09	17.3	2.2	0.05	0.11	<5	0.1	<0.02	3.1	0.49	<0.1
945444	Rock	0.055	15.8	25.1	0.41	54.1	0.100	1	2.02	0.138	0.27	>100	2.8	0.22	0.34	<5	0.2	0.03	6.7	2.50	0.4
945445	Rock	0.076	19.7	31.2	0.58	60.8	0.111	2	2.33	0.140	0.33	>100	3.2	0.27	0.33	12	0.1	0.03	7.3	3.29	0.5
945446	Rock	0.060	18.2	21.4	0.37	33.7	0.096	<1	2.13	0.130	0.07	>100	2.6	0.05	0.14	*	<0.1	0.09	7.3	0.58	0.5
945447	Rock	0.066	24.3	13.1	0.14	24.7	0.060	<1	1.43	0.066	0.01	>100	1.8	<0.02	0.09	11	<0.1	0.05	6.3	0.18	1.1
945448	Rock	0.060	22.5	23.2	0.45	56.1	0.073	1	2.50	0.159	0.16	58.2	3.1	0.13	0.43	<5	0.2	0.09	8.0	1.64	0.6
945449	Rock	0.061	27.0	13.0	0.20	25.1	0.061	1	1.59	0.073	0.04	>100	1.9	0.03	0.14	9	<0.1	<0.02	5.8	0.39	0.9
945450	Rock	0.052	19.1	30.5	0.70	65.9	0.103	1	2.39	0.122	0.22	62.1	3.1	0.15	0.45	<5	0.2	0.10	6.8	1.85	0.1
945501	Rock	0.060	18.5	34.0	0.83	81.5	0.104	1	2.44	0.123	0.41	33.0	3.6	0.33	0.19	<5	<0.1	<0.02	8.3	4.60	0.2
945502	Rock	0.067	22.9	44.0	1.08	53.9	0.102	1	2.62	0.062	0.33	65.2	4.1	0.25	0.04	5	0.3	0.04	8.7	3.07	<0.1
945503	Rock	0.037	16.2	39.0	0.67	98.1	0.064	3	1.75	0.031	0.61	4.7	3.3	0.49	0.05	<5	0.2	0.06	6.5	6.37	<0.1
945504	Rock	0.028	18.8	41.5	0.79	82.8	0.099	2	2.33	0.039	0.33	5.4	3.8	0.25	0.12	<5	0.8	0.07	7.4	3.18	<0.1
945505	Rock	0.023	16.3	32.7	0.43	62.0	0.036	3	1.44	0.021	0.25	4.2	2.2	0.16	0.03	<5	0.1	0.02	4.6	2.10	<0.1
945506	Rock	0.043	18.7	37.9	0.63	63.1	0.105	2	2.33	0.084	0.21	>100	3.5	0.16	0.25	10	0.6	0.33	8.4	1.68	<0.1
945507	Rock	0.044	17.2	25.3	0.27	52.2	0.085	2	2.21	0.080	0.08	>100	2.9	0.07	0.02	14	0.2	<0.02	9.6	1.14	0.7
945508	Rock	0.041	18.9	23.9	0.26	61.7	0.089	2	1.88	0.013	0.08	>100	3.0	0.05	0.03	<5	0.2	0.03	8.3	0.71	0.5
945509	Rock	0.066	18.6	17.8	0.15	62.4	0.066	1	1.68	0.014	0.06	40.1	3.1	0.03	<0.02	<5	0.1	<0.02	8.1	0.66	0.8
945510	Rock	0.013	7.6	8.6	0.06	39.5	0.001	1	0.30	0.022	0.10	0.4	0.8	0.04	0.02	<5	0.1	0.19	1.2	0.41	<0.1
945511	Rock	0.054	45.0	48.0	0.91	98.0	0.023	1	2.12	0.021	0.29	1.2	3.4	0.17	<0.02	<5	0.3	0.11	8.1	2.12	<0.1
945512	Rock	0.052	22.9	63.7	0.98	103.9	0.153	1	2.67	0.053	0.49	32.7	5.2	0.36	0.07	<5	0.3	0.18	9.3	4.39	0.2
945513	Rock	0.043	25.9	40.0	0.73	83.4	0.013	1	2.37	0.012	0.23	>100	4.9	0.16	<0.02	<5	0.6	0.84	11.7	2.67	0.1
945514	Rock	0.082	22.4	52.0	1.15	127.1	0.123	1	3.87	0.129	0.74	>100	5.5	0.62	0.47	<5	0.7	0.34	12.7	8.26	0.1
945515	Rock	0.053	10.9	34.1	0.67	46.6	0.073	1	2.22	0.030	0.50	>100	3.9	0.41	0.61	<5	0.9	0.88	12.7	5.76	0.5
945516	Rock	0.049	14.8	30.6	0.44	52.3	0.052	3	1.55	0.036	0.61	>100	3.2	0.53	0.85	<5	2.0	3.33	12.2	6.96	0.1
945517	Rock	0.037	18.0	21.4	0.41	62.4	0.031	10	1.11	0.016	0.55	10.2	2.5	0.39	1.05	<5	0.9	1.28	5.3	5.91	<0.1
945518	Rock	0.059	19.8	30.8	0.58	41.3	0.049	2	1.45	0.026	0.62	>100	3.6	0.54	2.48	<5	2.6	6.25	10.8	8.05	0.2
945519	Rock	0.047	20.2	58.4	1.06	67.7	0.169	3	2.25	0.045	1.26	>100	4.8	1.15	2.71	<5	1.9	3.13	18.2	17.70	0.7
945520	Rock	0.075	23.6	32.6	0.54	40.7	0.035	3	1.24	0.029	0.63	>100	3.1	0.59	2.30	<5	1.8	1.52	8.9	11.21	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 4 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	%
945441	Rock	0.18	0.61	26.3	2.3	<0.05	5.4	5.54	26.0	0.15	<1	3.6	14.8	<10	<2	0.030	N.A.	N.A.	N.A.	N.A.	N.A.
945442	Rock	0.15	0.99	14.4	3.3	<0.05	5.4	5.91	36.1	0.22	<1	4.2	13.9	<10	<2	0.047	N.A.	N.A.	N.A.	N.A.	N.A.
945443	Rock	0.16	0.56	7.7	0.6	<0.05	4.0	5.80	25.6	<0.02	<1	0.6	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945444	Rock	0.16	0.80	30.6	2.8	<0.05	4.2	6.02	33.2	0.19	2	2.8	19.9	<10	<2	0.043	N.A.	N.A.	N.A.	N.A.	N.A.
945445	Rock	0.10	0.69	36.3	2.7	<0.05	3.3	7.58	41.7	0.15	<1	4.1	29.6	<10	<2	0.024	N.A.	N.A.	N.A.	N.A.	N.A.
945446	Rock	0.18	1.05	6.8	3.3	<0.05	5.0	5.48	38.6	0.27	1	5.3	18.5	<10	<2	0.052	N.A.	N.A.	N.A.	N.A.	N.A.
945447	Rock	0.11	1.04	1.2	4.0	<0.05	3.6	4.13	54.8	0.43	<1	4.8	4.8	<10	<2	0.023	N.A.	N.A.	N.A.	N.A.	N.A.
945448	Rock	0.12	0.47	17.1	2.8	<0.05	3.7	5.74	48.4	0.26	<1	4.7	18.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945449	Rock	0.16	0.85	3.8	3.4	<0.05	3.7	4.10	60.1	0.51	<1	3.9	8.4	<10	<2	0.031	N.A.	N.A.	N.A.	N.A.	N.A.
945450	Rock	0.12	0.37	23.8	1.5	<0.05	3.8	5.69	40.0	0.22	<1	2.6	37.7	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945501	Rock	0.11	0.38	50.7	1.6	<0.05	3.7	7.36	38.4	0.08	3	3.2	42.6	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945502	Rock	0.10	0.24	34.3	1.0	<0.05	3.7	8.86	49.6	0.08	<1	2.4	56.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945503	Rock	0.05	0.19	69.8	0.7	<0.05	2.1	5.14	32.1	0.02	1	1.0	39.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945504	Rock	0.07	0.25	37.4	1.2	<0.05	2.5	5.51	36.4	<0.02	<1	0.9	37.1	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945505	Rock	0.04	0.15	23.6	0.5	<0.05	1.2	4.67	35.4	<0.02	<1	0.6	25.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945506	Rock	0.11	0.41	23.2	2.3	<0.05	3.1	6.30	38.8	0.08	2	3.3	28.8	<10	2	0.031	N.A.	N.A.	N.A.	N.A.	N.A.
945507	Rock	0.22	0.62	10.2	5.0	<0.05	6.2	6.26	35.2	0.32	1	5.1	10.9	<10	<2	0.027	N.A.	N.A.	N.A.	N.A.	N.A.
945508	Rock	0.24	0.45	6.6	5.4	<0.05	7.0	6.97	37.5	0.40	<1	3.4	9.9	<10	3	0.034	N.A.	N.A.	N.A.	N.A.	N.A.
945509	Rock	0.27	0.57	4.6	4.8	<0.05	8.7	7.73	40.3	0.30	<1	2.7	6.0	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945510	Rock	0.09	0.62	6.4	<0.1	<0.05	3.0	4.32	16.3	<0.02	<1	0.3	3.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945511	Rock	0.02	0.12	27.9	0.3	<0.05	1.3	10.52	90.2	<0.02	<1	1.7	37.5	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945512	Rock	0.09	0.33	47.2	1.4	<0.05	2.2	6.98	44.0	0.04	<1	2.1	33.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945513	Rock	0.08	0.09	25.3	0.9	<0.05	2.8	7.44	49.5	0.06	2	1.7	39.1	<10	<2	0.053	N.A.	N.A.	N.A.	N.A.	N.A.
945514	Rock	0.10	0.32	89.2	1.4	<0.05	2.9	6.72	43.9	0.06	<1	2.7	46.4	<10	<2	0.032	N.A.	N.A.	N.A.	N.A.	N.A.
945515	Rock	0.14	0.68	65.8	1.9	<0.05	4.1	7.56	20.7	0.06	3	1.3	40.9	<10	<2	0.100	N.A.	N.A.	N.A.	N.A.	N.A.
945516	Rock	0.10	1.52	81.0	1.2	<0.05	4.0	6.52	28.7	<0.02	2	2.5	31.3	<10	<2	0.160	1.31	<0.001	0.005	0.03	<0.01
945517	Rock	0.08	0.37	66.6	0.7	<0.05	2.9	5.75	37.1	<0.02	<1	0.9	35.7	<10	<2	N.A.	0.21	N.A.	N.A.	N.A.	N.A.
945518	Rock	0.13	1.50	88.0	1.0	<0.05	3.7	7.95	40.0	<0.02	4	1.1	55.2	<10	<2	0.211	2.16	N.A.	N.A.	N.A.	N.A.
945519	Rock	0.09	2.08	205.1	2.1	<0.05	2.6	7.95	41.6	0.04	4	1.7	119.0	<10	<2	0.069	1.14	N.A.	N.A.	N.A.	N.A.
945520	Rock	0.09	1.90	101.2	1.0	<0.05	2.7	10.89	47.1	<0.02	4	1.4	56.6	<10	<2	0.225	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 4 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
945441	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945442	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945443	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945444	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945445	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945446	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945447	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945448	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945449	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945450	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945501	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945502	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945503	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945504	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945505	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945506	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945507	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945508	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945509	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945510	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945511	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945512	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945513	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945514	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945515	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945516	Rock	13	<0.001	0.001	0.28	11.06	0.06	0.001	<0.001	0.001	0.02	0.18	0.044	0.003	0.42	1.57	0.07	0.68	0.122	<0.001	0.85
945517	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945518	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945519	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945520	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945521	Rock	3.45	23.70	21.31	12.19	73.7	610	21.6	8.0	6149	3.01	5.8	4.2	84.6	13.7	108.5	0.43	0.12	7.76	21	3.98
945522	Rock	3.65	65.97	107.5	10.88	40.3	1161	18.6	23.5	9536	8.22	59.6	3.6	1988	9.9	14.7	0.08	1.15	136.5	27	0.94
945523	Rock	9.02	19.34	143.8	6.39	39.4	934	37.0	155.7	5209	9.10	5117	4.2	3953	11.9	16.7	0.05	2.55	256.5	36	0.59
945524	Rock	5.26	22.56	132.3	3.69	42.8	470	26.8	21.2	9538	7.62	5.3	4.7	881.5	11.6	19.5	0.11	0.33	65.16	30	0.90
945525	Rock	5.00	17.67	51.98	3.03	145.2	162	24.5	12.8	3637	3.18	4.7	5.0	309.9	12.6	132.9	0.91	0.19	22.24	28	3.59
945526	Rock	8.96	23.35	40.55	3.12	890.8	84	35.0	13.6	2205	1.71	3.4	3.4	10.9	9.7	168.4	9.38	0.12	2.52	22	4.76
945527	Rock	4.25	78.81	37.13	3.40	1339	94	26.1	12.9	2458	2.11	2.4	2.2	5.7	11.0	137.1	13.99	0.06	0.90	25	3.82
945528	Rock	4.45	16.72	57.28	6.35	384.1	119	41.5	22.0	1699	2.38	4.5	2.1	6.4	10.6	188.9	3.22	0.08	1.27	21	2.37
945529	Rock	5.07	2.58	37.92	5.38	86.5	70	38.6	17.5	590	4.31	15.1	2.3	2.4	15.0	48.9	0.17	0.08	0.48	37	0.15
945530	Rock	4.04	26.61	96.01	4.24	19.1	866	18.8	33.1	1575	5.40	6687	2.0	3304	5.0	15.3	0.07	2.42	355.3	12	0.81
945531	Rock	7.20	12.76	135.4	2.05	8.6	638	24.0	17.5	1325	6.15	28.0	1.0	1739	1.6	4.2	0.03	0.32	170.1	11	0.23
945532	Rock	4.68	17.28	213.6	2.65	15.7	795	30.5	26.5	2370	8.29	28.4	4.1	1905	5.5	4.7	0.04	0.21	161.5	32	0.28
945533	Rock	5.52	31.16	167.3	4.25	40.6	1043	31.1	27.0	4428	8.90	337.8	4.2	2370	11.0	23.5	0.09	0.52	194.4	34	0.66
945534	Rock	6.22	60.71	95.61	3.32	56.6	363	22.9	14.8	7849	6.03	2.6	5.3	776.4	12.0	30.1	0.27	0.31	56.51	30	3.04
945535	Rock	7.99	111.9	139.5	4.12	58.1	408	31.6	19.4	5250	7.33	1.5	4.9	818.7	12.2	36.0	0.13	0.35	59.50	38	1.03
945536	Rock	5.35	36.68	80.38	20.40	31.5	462	11.2	5.9	509	4.97	224.2	1.9	64.5	10.8	26.2	0.07	0.59	5.06	26	0.18
945537	Rock	4.74	2.10	58.86	3.81	43.5	146	17.5	8.7	727	6.95	2.8	2.0	69.1	13.1	18.4	0.07	0.18	5.00	39	0.19
945538	Rock	4.75	3.06	64.95	12.21	44.6	308	21.3	8.2	778	6.42	40.1	1.9	37.7	12.6	29.3	0.13	0.37	3.44	41	0.25
945539	Rock	3.95	14.76	55.78	2.59	42.3	263	17.6	13.9	3209	6.44	1.4	2.1	435.5	10.4	32.7	0.04	0.16	25.75	43	0.44
945540	Rock	3.00	17.89	50.95	3.58	50.4	151	24.3	13.2	948	4.32	1.5	1.8	102.0	10.4	99.1	0.09	0.14	9.72	36	1.21
945541	Rock	4.04	11.40	216.1	4.23	46.4	664	33.4	23.7	2221	10.62	<0.1	3.2	2499	12.6	11.7	0.06	0.59	213.7	49	0.44
945542	Rock	3.54	12.87	143.7	3.51	19.7	946	12.2	20.4	8883	6.48	0.2	5.2	1683	7.2	5.5	0.07	0.52	110.2	23	0.69
945543	Rock	7.11	21.38	126.2	3.91	50.9	622	24.1	19.1	6691	6.04	2.2	4.4	1183	10.1	48.8	0.22	0.40	80.05	25	0.94
945544	Rock	4.19	51.86	98.03	9.48	21.1	2691	30.9	36.0	2548	5.98	8820	3.1	14026	6.6	9.8	0.06	5.79	1248	16	0.53
945545	Rock	4.81	2.24	27.35	3.69	71.3	65	25.0	10.8	692	4.87	8.9	1.8	14.7	12.6	28.6	0.05	0.10	1.77	40	0.21
945546	Rock	2.98	5.31	32.33	3.53	46.9	65	32.1	11.9	743	3.25	8.1	2.2	13.0	12.0	58.1	0.11	0.15	1.80	25	0.65
945547	Rock	4.52	59.64	210.2	4.25	36.4	690	43.9	29.1	9661	8.81	2.3	5.3	1384	7.5	5.0	0.30	0.31	103.1	21	1.10
945548	Rock	6.41	23.89	38.35	2.81	356.3	110	25.5	10.9	4362	2.62	2.7	4.5	36.7	8.4	71.8	3.50	0.47	4.26	20	3.60
945549	Rock	6.46	13.41	38.99	3.93	73.6	115	30.5	12.3	1447	6.09	3.3	2.8	10.6	14.0	19.6	0.06	0.19	1.53	43	0.44
945550	Rock	3.70	30.87	179.5	12.33	54.2	906	61.8	38.5	3880	15.27	11.4	5.8	612.6	8.2	8.8	0.14	0.38	40.19	36	0.44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945521	Rock	0.061	29.6	30.5	0.44	38.6	0.118	2	2.54	0.103	0.34	>100	3.2	0.26	0.16	<5	0.2	0.16	9.5	3.71	0.5
945522	Rock	0.127	18.0	35.2	0.74	43.3	0.084	2	2.25	0.026	0.76	>100	3.5	0.64	1.96	<5	1.4	2.62	14.8	9.49	0.8
945523	Rock	0.055	24.5	40.9	0.90	44.3	0.073	2	2.30	0.043	0.67	>100	4.5	0.62	3.59	<5	2.4	8.41	14.9	9.62	0.3
945524	Rock	0.053	26.7	38.1	0.89	42.0	0.084	<1	2.56	0.042	0.75	>100	3.6	0.75	3.24	<5	1.6	1.43	16.9	11.12	1.0
945525	Rock	0.046	23.3	33.1	0.57	65.2	0.110	1	2.79	0.171	0.45	>100	3.4	0.42	0.76	<5	0.3	0.42	11.6	6.65	0.5
945526	Rock	0.056	21.2	26.7	0.43	68.2	0.103	1	2.46	0.182	0.23	41.3	2.9	0.21	0.24	<5	0.1	0.05	7.4	2.49	0.5
945527	Rock	0.051	20.1	28.9	0.51	62.7	0.115	1	2.47	0.140	0.34	34.4	3.4	0.27	0.18	<5	0.2	0.04	8.0	3.32	0.5
945528	Rock	0.062	19.2	29.6	0.50	87.2	0.098	2	2.84	0.202	0.19	57.1	3.7	0.17	0.09	11	0.2	0.09	8.2	2.10	0.3
945529	Rock	0.051	22.9	50.4	1.23	72.8	0.044	<1	2.48	0.029	0.40	2.2	3.7	0.26	0.19	<5	<0.1	0.07	8.2	3.56	<0.1
945530	Rock	0.034	16.2	32.8	0.39	14.6	0.020	2	0.89	0.023	0.25	>100	2.7	0.23	2.30	<5	1.6	10.04	6.2	3.64	0.1
945531	Rock	0.023	4.2	14.8	0.14	5.9	0.020	<1	0.45	0.020	0.12	>100	1.3	0.12	3.56	<5	1.9	4.82	3.7	1.57	0.2
945532	Rock	0.033	5.3	27.1	0.38	7.7	0.043	<1	0.96	0.022	0.15	>100	2.9	0.17	4.91	<5	2.9	6.29	9.4	2.34	0.4
945533	Rock	0.054	22.0	43.2	0.88	42.2	0.089	<1	2.20	0.045	0.63	>100	4.6	0.64	4.00	<5	2.1	5.09	14.2	9.42	0.4
945534	Rock	0.182	32.1	36.2	0.82	22.6	0.098	<1	2.17	0.044	0.68	>100	4.2	0.62	2.23	<5	0.9	1.20	14.3	10.06	1.1
945535	Rock	0.173	28.6	49.6	1.04	62.0	0.111	<1	2.54	0.063	1.03	>100	5.5	0.95	2.93	<5	1.4	1.37	16.6	14.52	0.7
945536	Rock	0.041	16.1	36.2	0.46	73.9	0.052	2	1.59	0.040	0.42	>100	3.8	0.34	0.22	<5	1.0	0.23	9.6	4.22	<0.1
945537	Rock	0.045	20.3	52.0	0.84	79.9	0.068	1	2.31	0.034	0.58	61.4	4.9	0.46	0.33	<5	0.6	0.26	11.4	5.74	<0.1
945538	Rock	0.039	19.5	44.3	0.75	87.4	0.074	2	2.09	0.047	0.61	>100	4.1	0.49	0.37	<5	1.0	0.15	10.8	6.30	<0.1
945539	Rock	0.076	22.2	46.2	0.78	96.8	0.119	<1	2.23	0.061	1.08	>100	5.0	0.85	0.56	<5	1.1	1.28	13.9	11.49	0.2
945540	Rock	0.062	16.4	44.3	0.73	97.5	0.122	2	3.03	0.168	0.69	34.0	5.1	0.58	0.74	<5	0.8	0.38	10.8	7.00	<0.1
945541	Rock	0.062	28.6	58.3	1.02	42.8	0.125	2	2.31	0.051	0.97	>100	9.1	0.91	3.95	<5	2.4	6.52	18.2	13.39	0.3
945542	Rock	0.046	10.1	18.9	0.46	33.7	0.087	<1	1.31	0.021	0.73	>100	2.2	0.66	2.61	*	2.1	3.19	14.5	8.44	1.9
945543	Rock	0.043	21.6	31.7	0.64	59.2	0.105	1	2.17	0.075	0.68	>100	3.5	0.69	1.99	<5	1.4	1.63	14.4	8.48	1.0
945544	Rock	0.033	19.6	41.3	0.51	16.6	0.043	2	0.93	0.029	0.43	>100	3.8	0.43	2.95	<5	2.3	33.93	8.5	7.09	0.5
945545	Rock	0.052	19.1	58.5	1.30	123.7	0.128	2	2.97	0.033	1.11	2.6	4.4	0.94	0.13	<5	0.3	0.03	10.1	12.29	<0.1
945546	Rock	0.082	19.4	40.4	0.87	87.8	0.093	2	2.31	0.088	0.66	4.1	3.2	0.57	0.46	<5	0.3	0.08	6.9	6.99	<0.1
945547	Rock	0.046	19.3	20.6	0.59	13.4	0.070	<1	1.70	0.012	0.28	>100	2.6	0.31	4.79	<5	2.1	1.49	13.4	4.10	1.8
945548	Rock	0.083	19.7	25.9	0.33	51.4	0.095	1	2.15	0.080	0.18	>100	2.9	0.17	0.17	<5	0.3	0.05	8.9	2.31	1.1
945549	Rock	0.097	16.7	56.2	1.54	108.1	0.129	2	3.07	0.040	1.08	13.5	4.9	0.96	0.74	<5	0.6	0.05	13.6	12.97	<0.1
945550	Rock	0.130	14.0	29.6	0.58	24.3	0.067	<1	1.65	0.020	0.60	>100	4.3	0.64	8.23	*	5.1	1.51	14.8	9.72	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 5 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	%
945521	Rock	0.21	1.07	39.0	4.1	<0.05	5.4	7.38	59.9	0.18	1	6.8	28.7	<10	<2	0.053	N.A.	N.A.	N.A.	N.A.	N.A.
945522	Rock	0.14	1.73	104.9	2.5	<0.05	4.2	7.73	37.1	0.05	1	1.4	80.4	<10	<2	0.116	N.A.	N.A.	N.A.	N.A.	N.A.
945523	Rock	0.08	1.43	100.1	1.5	<0.05	2.7	10.12	51.0	0.05	5	1.4	81.0	<10	<2	0.164	N.A.	N.A.	N.A.	N.A.	N.A.
945524	Rock	0.09	1.07	117.3	2.6	<0.05	2.2	9.10	55.1	0.07	<1	1.5	82.4	<10	<2	0.276	N.A.	N.A.	N.A.	N.A.	N.A.
945525	Rock	0.16	0.93	66.8	3.0	<0.05	3.9	7.33	48.1	0.14	1	5.7	42.4	<10	<2	0.063	N.A.	N.A.	N.A.	N.A.	N.A.
945526	Rock	0.22	0.52	27.4	2.5	<0.05	4.9	7.18	40.7	0.33	1	10.4	22.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945527	Rock	0.21	0.60	35.3	2.8	<0.05	5.4	7.34	40.7	0.44	4	4.2	31.1	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945528	Rock	0.16	0.39	20.8	2.0	<0.05	4.5	7.37	38.9	0.19	<1	4.9	23.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945529	Rock	0.05	0.13	35.0	0.6	<0.05	1.6	6.15	46.7	0.02	<1	1.4	70.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945530	Rock	0.06	1.05	37.5	0.5	<0.05	1.5	4.56	31.6	<0.02	4	0.8	34.9	<10	<2	0.097	3.57	0.003	0.009	<0.01	<0.01
945531	Rock	0.02	0.12	17.6	0.4	<0.05	0.9	4.15	8.5	<0.02	<1	0.5	12.0	<10	<2	0.301	1.71	N.A.	N.A.	N.A.	N.A.
945532	Rock	0.04	0.60	24.2	0.7	<0.05	1.3	5.79	11.9	0.03	<1	1.2	26.5	<10	2	0.198	2.03	N.A.	N.A.	N.A.	N.A.
945533	Rock	0.12	1.06	104.0	1.9	<0.05	3.1	7.72	46.3	0.04	4	2.1	76.1	<10	<2	0.109	2.27	N.A.	N.A.	N.A.	N.A.
945534	Rock	0.18	1.78	111.0	3.4	<0.05	4.5	8.01	65.1	0.10	4	8.0	60.9	<10	2	0.048	N.A.	N.A.	N.A.	N.A.	N.A.
945535	Rock	0.12	1.06	160.6	2.1	<0.05	3.1	8.87	57.8	0.05	<1	5.2	90.5	<10	2	0.056	N.A.	N.A.	N.A.	N.A.	N.A.
945536	Rock	0.09	0.52	50.4	1.0	<0.05	2.5	3.88	30.5	0.03	2	1.7	27.4	<10	<2	0.035	N.A.	N.A.	N.A.	N.A.	N.A.
945537	Rock	0.06	0.32	67.2	0.8	<0.05	1.8	4.54	37.1	<0.02	<1	1.0	55.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945538	Rock	0.08	0.40	75.7	0.8	<0.05	2.8	5.01	37.0	<0.02	3	1.0	50.0	<10	<2	0.029	N.A.	N.A.	N.A.	N.A.	N.A.
945539	Rock	0.07	1.26	136.9	1.6	<0.05	2.3	6.72	39.6	0.03	2	1.1	60.7	<10	<2	0.123	N.A.	N.A.	N.A.	N.A.	N.A.
945540	Rock	0.08	0.48	88.0	1.5	<0.05	2.2	6.32	32.9	<0.02	<1	1.7	44.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945541	Rock	0.13	1.75	148.7	1.7	<0.05	3.6	8.22	59.5	0.03	3	1.4	86.6	<10	<2	0.182	2.59	N.A.	N.A.	N.A.	N.A.
945542	Rock	0.12	1.58	108.7	2.7	<0.05	3.7	5.39	18.1	0.06	3	0.6	46.5	<10	<2	0.215	1.72	N.A.	N.A.	N.A.	N.A.
945543	Rock	0.12	1.27	100.5	2.5	<0.05	3.6	6.85	45.5	0.05	1	2.2	47.6	<10	<2	0.154	1.13	N.A.	N.A.	N.A.	N.A.
945544	Rock	0.06	1.41	71.1	0.9	<0.05	1.5	6.04	39.5	<0.02	2	0.9	59.8	<10	<2	0.099	11.75	0.005	0.010	<0.01	<0.01
945545	Rock	0.03	0.30	109.0	0.9	<0.05	1.0	4.30	40.9	<0.02	<1	0.7	82.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945546	Rock	0.04	0.21	77.9	0.7	<0.05	1.8	7.45	40.1	<0.02	1	1.6	54.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945547	Rock	0.21	1.37	43.9	3.2	<0.05	6.4	5.37	40.8	0.05	6	2.7	28.0	<10	<2	0.247	N.A.	N.A.	N.A.	N.A.	N.A.
945548	Rock	0.22	1.24	24.2	5.2	<0.05	6.2	7.42	39.6	0.27	<1	7.7	15.3	<10	<2	0.069	N.A.	N.A.	N.A.	N.A.	N.A.
945549	Rock	0.05	0.29	140.0	1.1	<0.05	1.4	7.52	34.6	<0.02	2	1.6	98.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945550	Rock	0.18	4.79	97.7	1.4	<0.05	6.9	8.20	28.4	0.04	9	2.7	34.0	<10	3	0.462	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 5 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
945521	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945522	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945523	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945524	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945525	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945526	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945527	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945528	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945529	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945530	Rock	<2	0.002	0.003	0.16	5.42	0.68	0.002	<0.001	<0.001	0.04	0.84	0.031	0.003	0.38	0.93	0.05	0.27	0.076	<0.001	2.29
945531	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945532	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945533	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945534	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945535	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945536	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945537	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945538	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945539	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945540	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945541	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945542	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945543	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945544	Rock	3	0.003	0.004	0.25	6.31	0.94	0.001	<0.001	<0.001	0.11	0.53	0.027	0.004	0.50	1.04	0.07	0.42	0.074	<0.001	3.02
945545	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945546	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945547	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945548	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945549	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
945550	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN08010365.3

	Method Analyte Unit MDL	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2
945551	Rock	3.75	0.07	3.61	1.60	16.1	64	1969	97.0	409	4.24	11.8	0.2	1.7	<0.1	2.2	0.13	0.18	0.10	27	0.03	
945552	Rock	3.13	0.06	3.70	1.52	15.4	60	2099	97.9	1043	3.97	11.7	0.2	1.2	<0.1	2.0	0.16	0.16	0.10	28	0.03	
945553	Rock	5.62	0.46	17.99	0.83	31.4	34	2180	96.3	751	4.63	11.1	<0.1	2.1	<0.1	5.5	0.11	0.08	0.38	16	0.42	
945554	Rock	2.55	2.45	22.99	0.81	24.7	28	2095	100.5	774	4.75	25.1	0.2	0.3	<0.1	4.4	0.10	0.10	0.35	13	0.20	
945555	Rock	2.71	0.50	15.67	0.83	26.1	23	2142	90.9	726	4.25	9.8	<0.1	<0.2	<0.1	2.1	0.08	0.06	0.24	12	0.07	
945556	Rock	3.36	0.28	16.68	1.04	14.3	29	2288	95.9	551	4.27	16.1	<0.1	1.2	<0.1	2.5	0.06	0.11	0.25	11	0.07	
945557	Rock	1.70	0.81	13.14	0.93	19.8	31	2401	102.3	564	4.53	15.7	<0.1	0.5	<0.1	3.8	0.09	0.09	1.16	15	0.17	
945558	Rock	0.88	1.17	11.15	0.82	33.9	26	2135	101.0	900	4.84	16.7	<0.1	0.3	<0.1	3.5	0.20	0.08	1.18	13	0.23	
945559	Rock	3.40	1.31	10.07	0.68	23.6	25	2254	96.3	712	4.38	22.3	<0.1	<0.2	<0.1	1.9	0.09	0.08	1.15	14	0.17	
945560	Rock	3.61	0.33	16.86	0.69	28.9	31	2356	101.5	689	4.24	19.6	0.2	<0.2	<0.1	2.9	0.10	0.07	1.50	17	0.07	
945561	Rock	3.17	0.73	12.67	0.64	17.1	24	2438	100.3	544	4.04	16.9	0.2	<0.2	<0.1	2.5	0.08	0.08	1.18	15	0.09	
945562	Rock	2.44	1.53	13.54	0.85	28.2	28	2176	86.2	671	3.90	9.5	<0.1	0.8	<0.1	12.2	0.10	0.07	1.23	14	0.48	
945563	Rock	5.14	0.05	9.31	1.90	31.3	114	2550	111.1	1252	5.12	8.9	<0.1	1.4	<0.1	1.8	0.04	0.06	0.40	10	0.02	
945564	Rock	4.69	0.08	5.50	1.52	33.2	42	1744	94.5	1638	5.53	10.9	<0.1	0.5	<0.1	2.2	0.10	0.07	0.20	8	0.02	
945565	Rock	5.56	0.06	1.74	1.20	28.4	12	1588	79.0	1580	4.89	15.5	<0.1	0.3	<0.1	1.5	0.04	0.07	0.06	9	<0.01	
945566	Rock	5.39	0.05	5.07	1.33	33.1	30	2505	104.7	1026	5.14	8.1	<0.1	2.2	<0.1	1.0	0.04	0.07	0.27	6	<0.01	
945567	Rock	5.25	0.05	7.06	0.55	30.8	14	2350	100.8	909	4.70	7.2	<0.1	0.7	<0.1	0.9	0.03	0.05	0.20	6	<0.01	
945568	Rock	5.88	0.07	10.28	0.61	35.0	19	2478	102.8	902	4.82	7.9	<0.1	0.6	<0.1	1.3	0.07	0.06	0.32	10	<0.01	
945569	Rock	4.02	0.05	7.57	0.75	36.3	19	2626	104.6	1045	5.15	8.6	<0.1	0.9	<0.1	1.3	0.04	0.07	0.36	8	0.02	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945551	Rock	0.003	0.6	1002	13.49	6.7	0.004	27	0.34	<0.001	<0.01	0.5	7.3	<0.02	0.04	<5	0.1	<0.02	0.8	0.21	0.1
945552	Rock	0.002	0.6	982.3	14.68	6.5	0.004	27	0.32	<0.001	<0.01	1.3	7.0	<0.02	<0.02	<5	0.4	<0.02	0.8	0.19	0.1
945553	Rock	0.005	<0.5	657.0	18.40	12.3	0.004	27	0.28	<0.001	<0.01	2.6	8.5	<0.02	0.10	<5	0.4	<0.02	0.7	0.12	0.2
945554	Rock	0.006	<0.5	534.0	17.07	14.7	0.003	31	0.25	<0.001	<0.01	1.1	7.2	<0.02	0.19	<5	0.3	<0.02	0.9	0.27	0.2
945555	Rock	0.004	<0.5	566.5	17.24	8.6	0.004	26	0.26	<0.001	<0.01	1.0	7.8	<0.02	0.10	<5	0.3	0.06	0.7	0.16	0.2
945556	Rock	0.003	<0.5	613.9	18.83	8.9	0.003	26	0.27	<0.001	<0.01	0.7	9.1	<0.02	0.06	<5	0.4	<0.02	0.7	0.13	0.2
945557	Rock	0.003	<0.5	684.0	20.30	5.5	0.003	22	0.25	<0.001	<0.01	0.8	9.4	<0.02	0.04	<5	0.3	0.05	0.6	0.06	0.2
945558	Rock	0.008	<0.5	544.0	18.04	17.5	0.004	31	0.25	<0.001	<0.01	0.6	8.6	<0.02	0.14	<5	0.3	0.09	0.8	0.10	0.2
945559	Rock	0.004	<0.5	566.3	18.40	6.6	0.002	29	0.21	<0.001	<0.01	0.8	7.8	<0.02	0.05	<5	0.3	0.05	0.6	0.07	0.2
945560	Rock	0.003	<0.5	650.0	17.21	9.3	0.004	30	0.32	<0.001	<0.01	0.4	8.6	<0.02	0.11	<5	0.3	0.05	0.9	0.23	0.2
945561	Rock	0.002	<0.5	570.1	18.10	5.7	0.003	29	0.21	<0.001	<0.01	1.2	8.5	<0.02	0.03	<5	0.4	0.06	0.6	0.09	0.1
945562	Rock	0.003	<0.5	519.0	16.48	10.8	0.003	34	0.21	<0.001	<0.01	1.1	6.8	<0.02	0.13	<5	0.4	0.03	0.7	0.28	0.2
945563	Rock	0.005	<0.5	422.4	19.58	2.6	0.004	22	0.15	<0.001	<0.01	0.4	8.6	<0.02	0.06	<5	0.3	<0.02	0.5	0.03	0.3
945564	Rock	0.007	0.5	387.6	21.27	17.7	0.002	22	0.14	<0.001	<0.01	0.4	7.1	<0.02	0.02	<5	0.2	<0.02	0.6	0.04	0.3
945565	Rock	0.005	<0.5	292.0	20.55	7.7	0.003	20	0.14	<0.001	<0.01	0.3	6.8	<0.02	<0.02	<5	0.4	<0.02	0.6	0.04	0.1
945566	Rock	0.003	<0.5	334.4	19.61	3.9	0.001	15	0.12	<0.001	<0.01	0.2	9.0	<0.02	0.04	<5	0.4	<0.02	0.5	0.06	0.2
945567	Rock	0.002	<0.5	282.9	17.70	3.2	0.001	11	0.12	<0.001	<0.01	0.3	7.8	<0.02	0.04	<5	0.2	<0.02	0.4	0.07	0.2
945568	Rock	0.004	<0.5	333.2	16.54	7.6	0.001	10	0.15	<0.001	<0.01	0.3	8.8	<0.02	0.05	<5	0.1	<0.02	0.5	0.06	0.2
945569	Rock	0.002	<0.5	419.1	20.67	2.8	0.002	14	0.16	<0.001	<0.01	0.3	8.9	<0.02	0.08	<5	0.2	<0.02	0.6	0.08	0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 3

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR		
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn	
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%		
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01
945551	Rock	<0.02	<0.02	0.7	0.1	<0.05	0.2	1.06	0.6	<0.02	<1	<0.1	2.1	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945552	Rock	<0.02	<0.02	0.6	0.1	<0.05	0.3	0.97	0.6	<0.02	<1	<0.1	2.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945553	Rock	<0.02	<0.02	0.4	0.1	<0.05	0.3	0.48	0.4	<0.02	<1	0.2	0.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945554	Rock	<0.02	<0.02	0.5	0.1	<0.05	0.4	0.34	0.5	<0.02	<1	0.2	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945555	Rock	<0.02	<0.02	0.5	<0.1	<0.05	0.3	0.40	0.3	<0.02	<1	0.2	1.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945556	Rock	<0.02	<0.02	0.5	0.1	<0.05	0.3	0.38	0.4	<0.02	<1	0.2	1.6	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945557	Rock	0.02	<0.02	0.3	0.3	<0.05	0.6	0.84	0.4	<0.02	<1	0.2	0.7	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945558	Rock	<0.02	<0.02	0.4	0.2	<0.05	0.7	0.57	0.8	<0.02	<1	0.2	1.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945559	Rock	<0.02	<0.02	0.3	0.2	<0.05	0.3	0.49	0.4	<0.02	<1	0.2	0.7	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945560	Rock	<0.02	<0.02	0.6	0.1	<0.05	0.5	0.80	0.6	<0.02	<1	0.2	1.5	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945561	Rock	<0.02	<0.02	0.4	0.2	<0.05	0.3	0.63	0.5	<0.02	<1	0.2	0.7	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945562	Rock	<0.02	0.02	0.4	0.1	<0.05	0.2	0.49	0.5	<0.02	<1	0.2	1.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945563	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.1	0.54	0.4	<0.02	<1	<0.1	1.2	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945564	Rock	<0.02	<0.02	0.4	<0.1	<0.05	0.4	0.74	0.7	0.03	<1	<0.1	2.1	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945565	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.2	0.43	0.5	<0.02	<1	<0.1	2.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945566	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.1	0.31	0.4	<0.02	<1	<0.1	3.8	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945567	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.2	0.34	0.4	<0.02	<1	<0.1	3.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945568	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.6	0.56	0.9	<0.02	1	<0.1	4.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945569	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.2	0.63	0.6	<0.02	<1	<0.1	3.6	<10	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 6 of 6 Part 4

CERTIFICATE OF ANALYSIS

VAN08010365.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
945551	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945552	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945553	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945554	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945555	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945556	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945557	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945558	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945559	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945560	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945561	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945562	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945563	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945564	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945565	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945566	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945567	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945568	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
945569	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: May 04, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN08010365.3

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
945352	Rock	5.00	29.69	99.35	6.35	59.6	237	36.0	21.8	1722	7.51	34.8	2.5	157.2	10.5	23.1	0.13	0.47	11.06	33	0.52
REP 945352	QC		29.50	95.89	6.29	56.1	224	34.0	20.8	1693	7.47	34.5	2.5	151.9	10.3	22.2	0.12	0.43	10.89	33	0.52
945400	Rock	2.41	0.14	14.78	1.58	15.9	26	2116	113.4	451	3.55	19.9	0.2	3.3	<0.1	3.6	0.07	0.10	0.41	13	0.10
REP 945400	QC		0.16	15.42	1.53	16.4	32	2203	115.0	474	3.68	20.4	0.2	3.2	<0.1	3.7	0.06	0.10	0.43	13	0.10
945424	Rock	3.34	1.94	94.65	2.36	49.3	514	18.7	6.3	6653	8.37	2.5	3.9	1278	9.5	19.1	0.22	0.49	105.1	24	1.51
REP 945424	QC		1.85	93.28	2.47	48.1	515	19.0	6.6	6499	8.27	2.7	3.7	1298	9.2	18.4	0.23	0.48	103.5	24	1.47
945449	Rock	7.06	26.67	34.32	3.13	978.2	109	24.2	10.9	4179	1.73	2.6	11.5	2.3	8.7	72.4	10.60	0.13	1.62	13	4.63
REP 945449	QC		26.10	34.33	3.18	986.4	105	23.8	11.2	4164	1.70	2.6	11.4	2.6	8.6	71.0	10.17	0.13	1.66	13	4.57
945504	Rock	6.45	2.00	52.91	5.35	39.4	162	34.3	11.9	858	4.17	37.4	2.4	12.3	12.6	40.1	0.15	0.20	1.99	33	0.30
REP 945504	QC		2.04	53.50	5.50	38.2	162	34.3	11.5	821	4.15	36.9	2.4	12.1	13.0	41.0	0.16	0.21	2.03	32	0.31
945506	Rock	4.85	36.43	47.58	5.97	79.4	209	38.2	13.6	2755	3.88	6.1	2.6	152.6	10.9	67.9	0.31	0.30	12.53	25	1.02
REP 945506	QC																				
945528	Rock	4.45	16.72	57.28	6.35	384.1	119	41.5	22.0	1699	2.38	4.5	2.1	6.4	10.6	188.9	3.22	0.08	1.27	21	2.37
REP 945528	QC		16.00	56.83	5.69	398.9	119	39.4	21.6	1653	2.28	4.2	1.9	4.7	10.2	182.5	3.07	0.08	1.08	26	2.28
945530	Rock	4.04	26.61	96.01	4.24	19.1	866	18.8	33.1	1575	5.40	6687	2.0	3304	5.0	15.3	0.07	2.42	355.3	12	0.81
REP 945530	QC																				
945534	Rock	6.22	60.71	95.61	3.32	56.6	363	22.9	14.8	7849	6.03	2.6	5.3	776.4	12.0	30.1	0.27	0.31	56.51	30	3.04
REP 945534	QC																				
945541	Rock	4.04	11.40	216.1	4.23	46.4	664	33.4	23.7	2221	10.62	<0.1	3.2	2499	12.6	11.7	0.06	0.59	213.7	49	0.44
REP 945541	QC		11.53	214.0	4.35	46.6	669	31.6	24.6	2281	10.60	<0.1	3.3	2527	12.7	11.9	0.07	0.60	227.0	51	0.45
945543	Rock	7.11	21.38	126.2	3.91	50.9	622	24.1	19.1	6691	6.04	2.2	4.4	1183	10.1	48.8	0.22	0.40	80.05	25	0.94
REP 945543	QC																				
Reference Materials																					
STD DS7	Standard		20.82	97.28	68.29	395.8	820	55.1	9.2	628	2.30	49.6	4.8	68.5	4.2	68.8	5.87	5.15	4.44	85	0.96
STD DS7	Standard		19.77	99.98	66.88	383.0	848	54.7	8.7	602	2.44	49.8	4.4	75.6	3.9	65.7	5.93	4.86	4.40	79	0.91
STD DS7	Standard		20.38	106.9	68.79	402.7	863	58.4	9.8	636	2.45	50.4	4.7	66.4	4.0	67.2	5.82	5.21	4.24	83	0.95
STD DS7	Standard		20.59	104.7	66.78	391.7	823	58.1	9.6	619	2.40	49.0	4.6	61.1	4.1	71.5	5.76	4.67	4.12	81	0.97
STD DS7	Standard		19.33	98.28	66.31	387.9	819	53.6	8.5	611	2.35	49.1	4.4	67.3	3.8	63.9	5.74	5.47	4.16	82	0.90



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN08010365.3

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
945352	Rock	0.047	12.2	42.1	0.89	72.6	0.076	<1	2.01	0.036	0.64	>100	4.4	0.62	1.46	<5	0.9	0.27	9.8	11.06	<0.1
REP 945352	QC	0.047	12.1	40.6	0.88	71.1	0.075	<1	1.96	0.034	0.65	>100	4.4	0.62	1.44	<5	1.1	0.32	9.8	10.89	<0.1
945400	Rock	0.002	<0.5	553.5	15.70	2.1	0.002	45	0.15	<0.001	<0.01	1.8	7.0	<0.02	0.12	<5	0.4	<0.02	0.3	0.10	0.3
REP 945400	QC	0.002	<0.5	577.5	16.53	1.9	0.003	45	0.16	<0.001	<0.01	1.7	7.6	<0.02	0.12	<5	0.2	0.05	0.3	0.10	<0.1
945424	Rock	0.066	19.5	32.4	0.67	14.3	0.090	1	1.82	0.040	0.36	>100	3.1	0.37	1.32	*	1.0	1.64	15.3	5.03	1.1
REP 945424	QC	0.063	19.5	32.5	0.66	14.6	0.090	1	1.83	0.040	0.35	>100	3.2	0.37	1.31	*	0.9	1.59	14.9	5.16	1.2
945449	Rock	0.061	27.0	13.0	0.20	25.1	0.061	1	1.59	0.073	0.04	>100	1.9	0.03	0.14	9	<0.1	<0.02	5.8	0.39	0.9
REP 945449	QC	0.062	26.6	13.3	0.20	24.4	0.061	<1	1.54	0.072	0.04	>100	1.8	0.03	0.14	7	<0.1	<0.02	6.1	0.39	1.0
945504	Rock	0.028	18.8	41.5	0.79	82.8	0.099	2	2.33	0.039	0.33	5.4	3.8	0.25	0.12	<5	0.8	0.07	7.4	3.18	<0.1
REP 945504	QC	0.030	18.5	39.0	0.79	81.5	0.099	2	2.34	0.041	0.35	5.3	3.8	0.26	0.12	<5	0.8	0.05	7.5	3.14	<0.1
945506	Rock	0.043	18.7	37.9	0.63	63.1	0.105	2	2.33	0.084	0.21	>100	3.5	0.16	0.25	10	0.6	0.33	8.4	1.68	<0.1
REP 945506	QC																				
945528	Rock	0.062	19.2	29.6	0.50	87.2	0.098	2	2.84	0.202	0.19	57.1	3.7	0.17	0.09	11	0.2	0.09	8.2	2.10	0.3
REP 945528	QC	0.059	18.0	29.0	0.47	78.2	0.092	1	2.74	0.206	0.17	57.7	3.4	0.15	0.09	<5	0.2	0.06	8.1	1.98	0.4
945530	Rock	0.034	16.2	32.8	0.39	14.6	0.020	2	0.89	0.023	0.25	>100	2.7	0.23	2.30	<5	1.6	10.04	6.2	3.64	0.1
REP 945530	QC																				
945534	Rock	0.182	32.1	36.2	0.82	22.6	0.098	<1	2.17	0.044	0.68	>100	4.2	0.62	2.23	<5	0.9	1.20	14.3	10.06	1.1
REP 945534	QC																				
945541	Rock	0.062	28.6	58.3	1.02	42.8	0.125	2	2.31	0.051	0.97	>100	9.1	0.91	3.95	<5	2.4	6.52	18.2	13.39	0.3
REP 945541	QC	0.063	28.6	59.9	1.02	41.6	0.128	2	2.31	0.050	0.97	>100	9.4	0.93	3.97	<5	2.3	6.27	17.9	13.43	0.3
945543	Rock	0.043	21.6	31.7	0.64	59.2	0.105	1	2.17	0.075	0.68	>100	3.5	0.69	1.99	<5	1.4	1.63	14.4	8.48	1.0
REP 945543	QC																				
Reference Materials																					
STD DS7	Standard	0.072	11.7	186.7	1.04	393.1	0.109	37	0.96	0.087	0.42	4.3	2.5	4.31	0.19	206	3.3	1.19	4.8	5.82	<0.1
STD DS7	Standard	0.070	11.0	203.3	1.01	402.1	0.106	35	0.96	0.084	0.45	4.0	2.5	4.29	0.20	194	3.3	1.21	4.2	5.87	<0.1
STD DS7	Standard	0.077	11.6	192.4	1.02	393.9	0.106	38	0.96	0.089	0.44	3.9	2.5	4.11	0.20	189	3.8	1.26	4.5	5.83	0.2
STD DS7	Standard	0.076	12.6	199.5	1.04	409.2	0.115	39	1.02	0.095	0.44	3.5	2.6	4.05	0.20	182	3.5	1.16	4.4	5.83	0.2
STD DS7	Standard	0.074	11.1	173.9	1.04	380.9	0.105	41	0.95	0.082	0.41	4.0	2.4	4.00	0.19	187	3.7	1.18	4.7	5.84	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

VAN08010365.3

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	%	gm/mt	%	%	%	%	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01	
Pulp Duplicates																					
945352	Rock	0.05	0.49	87.5	0.9	<0.05	1.9	5.50	25.2	0.02	5	1.9	58.2	<10	<2	0.024	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945352	QC	0.05	0.48	81.8	0.9	<0.05	1.9	5.44	25.6	0.03	<1	1.7	56.3	<10	<2						
945400	Rock	<0.02	<0.02	0.3	0.6	<0.05	0.1	1.05	0.9	<0.02	<1	<0.1	1.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945400	QC	<0.02	<0.02	0.3	0.5	<0.05	0.1	1.07	0.9	<0.02	<1	<0.1	1.1	<10	4						
945424	Rock	0.20	0.89	55.3	3.5	<0.05	5.5	5.91	42.5	0.14	2	2.6	34.8	<10	<2	0.062	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945424	QC	0.19	0.97	54.3	3.4	<0.05	5.2	5.63	42.0	0.11	1	2.1	33.0	<10	<2						
945449	Rock	0.16	0.85	3.8	3.4	<0.05	3.7	4.10	60.1	0.51	<1	3.9	8.4	<10	<2	0.031	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945449	QC	0.15	0.92	3.9	3.3	<0.05	3.6	4.20	59.4	0.52	<1	4.1	8.7	<10	<2						
945504	Rock	0.07	0.25	37.4	1.2	<0.05	2.5	5.51	36.4	<0.02	<1	0.9	37.1	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945504	QC	0.09	0.26	37.1	1.2	<0.05	2.4	5.62	35.9	<0.02	<1	0.9	38.1	<10	<2						
945506	Rock	0.11	0.41	23.2	2.3	<0.05	3.1	6.30	38.8	0.08	2	3.3	28.8	<10	2	0.031	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945506	QC														0.030						
945528	Rock	0.16	0.39	20.8	2.0	<0.05	4.5	7.37	38.9	0.19	<1	4.9	23.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945528	QC	0.16	0.34	20.3	1.8	<0.05	4.5	7.07	36.9	0.19	1	4.5	22.4	<10	<2						
945530	Rock	0.06	1.05	37.5	0.5	<0.05	1.5	4.56	31.6	<0.02	4	0.8	34.9	<10	<2	0.097	3.57	0.003	0.009	<0.01	<0.01
REP 945530	QC															3.02					
945534	Rock	0.18	1.78	111.0	3.4	<0.05	4.5	8.01	65.1	0.10	4	8.0	60.9	<10	2	0.048	N.A.	N.A.	N.A.	N.A.	N.A.
REP 945534	QC															0.047					
945541	Rock	0.13	1.75	148.7	1.7	<0.05	3.6	8.22	59.5	0.03	3	1.4	86.6	<10	<2	0.182	2.59	N.A.	N.A.	N.A.	N.A.
REP 945541	QC	0.12	1.79	154.3	1.9	<0.05	3.7	8.16	59.2	0.02	6	1.3	92.0	<10	<2						
945543	Rock	0.12	1.27	100.5	2.5	<0.05	3.6	6.85	45.5	0.05	1	2.2	47.6	<10	<2	0.154	1.13	N.A.	N.A.	N.A.	N.A.
REP 945543	QC															1.09					
Reference Materials																					
STD DS7	Standard	0.12	0.59	33.3	4.6	<0.05	5.9	5.31	35.9	1.49	3	1.7	28.0	71	45						
STD DS7	Standard	0.12	0.44	34.9	4.4	<0.05	5.7	4.91	34.1	1.43	5	1.6	27.1	67	37						
STD DS7	Standard	0.12	0.48	34.8	4.5	<0.05	5.5	4.96	35.4	1.42	4	1.8	27.5	94	34						
STD DS7	Standard	0.10	0.48	33.8	4.5	<0.05	5.6	5.34	37.2	1.50	5	1.5	27.1	83	42						
STD DS7	Standard	0.12	0.71	34.2	4.5	<0.05	5.5	4.95	34.7	1.51	7	1.7	26.4	78	37						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 1 of 2 Part 4

QUALITY CONTROL REPORT

VAN08010365.3

Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
Analyte	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S	
Unit	gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
MDL	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	
Pulp Duplicates																					
945352	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945352	QC																				
945400	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945400	QC																				
945424	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945424	QC																				
945449	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945449	QC																				
945504	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945504	QC																				
945506	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945506	QC																				
945528	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945528	QC																				
945530	Rock	<2	0.002	0.003	0.16	5.42	0.68	0.002	<0.001	<0.001	0.04	0.84	0.031	0.003	0.38	0.93	0.05	0.27	0.076	<0.001	2.29
REP 945530	QC																				
945534	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945534	QC																				
945541	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945541	QC																				
945543	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 945543	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN08010365.3

		WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	0.02	2	0.01	
STD KP-1	Standard																						
STD KP-1	Standard																						
STD KP-1	Standard																						
STD KP-1	Standard																						
STD OXH55	Standard																						
STD OXH55	Standard																						
STD OXK69	Standard																						
STD R4A	Standard																						
STD R4A	Standard																						
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93		
STD KP-1 Expected																							
STD R4A Expected																							
STD OXH55 Expected																							
STD OXK69 Expected																							
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	1.0	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01		
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
BLK	Blank																						
Prep Wash																							
G1	Prep Blank	<0.01	0.14	1.77	2.15	43.5	14	4.3	4.3	543	1.90	1.3	1.5	<0.2	3.1	48.4	0.02	0.02	0.53	37	0.52		
G1	Prep Blank	<0.01	0.13	2.03	2.14	45.3	10	4.0	4.3	549	1.96	1.3	1.6	<0.2	3.5	45.8	0.02	<0.02	0.33	37	0.51		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN08010365.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
STD KP-1	Standard																					
STD KP-1	Standard																					
STD KP-1	Standard																					
STD KP-1	Standard																					
STD OXH55	Standard																					
STD OXH55	Standard																					
STD OXK69	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD DS7 Expected		0.08	11.7	179	1.05	370.3	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	6.36	0.1	
STD KP-1 Expected																						
STD R4A Expected																						
STD OXH55 Expected																						
STD OXK69 Expected																						
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	0.082	5.8	10.3	0.58	250.8	0.126	<1	0.92	0.064	0.56	0.8	2.2	0.37	<0.02	<5	0.1	<0.02	4.7	3.39	0.1	
G1	Prep Blank	0.085	6.1	11.4	0.58	250.1	0.124	<1	0.91	0.055	0.56	1.8	2.1	0.39	<0.02	<5	<0.1	<0.02	4.7	3.41	0.1	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: May 04, 2009

Page: 2 of 2 Part 3

QUALITY CONTROL REPORT

VAN08010365.3

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	7KP	G6	7AR	7AR	7AR	7AR		
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	W	Au	Mo	Cu	Pb	Zn	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	%	gm/mt	%	%	%	%	%	
		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.005	0.01	0.001	0.001	0.01	0.01	
STD KP-1	Standard														0.792							
STD KP-1	Standard														0.785							
STD KP-1	Standard														0.771							
STD KP-1	Standard														0.769							
STD OXH55	Standard															1.29						
STD OXH55	Standard															1.29						
STD OXK69	Standard															3.69						
STD R4A	Standard																0.063	0.509	1.50	3.34		
STD R4A	Standard																0.064	0.499	1.48	3.28		
STD DS7 Expected		0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	58	37							
STD KP-1 Expected															0.74							
STD R4A Expected																	0.062	0.502	1.5	3.31		
STD OXH55 Expected																1.282						
STD OXK69 Expected																3.583						
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2							
BLK	Blank														<0.005							
BLK	Blank														<0.005							
BLK	Blank																<0.001	<0.001	<0.01	<0.01		
BLK	Blank															<0.01						
BLK	Blank															<0.01						
BLK	Blank															<0.01						
Prep Wash																						
G1	Prep Blank	0.09	0.28	44.4	0.4	<0.05	1.0	3.78	12.4	<0.02	<1	0.2	32.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	0.09	0.26	44.8	0.3	<0.05	1.0	3.65	13.1	<0.02	<1	0.2	34.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project: Nox Fort

Report Date: May 04, 2009

Page: 2 of 2 **Part** 4

QUALITY CONTROL REPORT

VAN08010365.3

		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	
		Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr	Mg	Al	Na	K	W	Hg	S
		gm/mt	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
STD KP-1	Standard	2	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05
STD KP-1	Standard																				
STD KP-1	Standard																				
STD KP-1	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard	87	0.364	0.040	0.06	23.37	0.03	0.004	0.018	0.018	<0.01	0.97	0.040	0.012	0.87	1.31	0.08	0.51	<0.001	0.001	15.95
STD R4A	Standard	86	0.350	0.040	0.06	22.97	0.02	0.004	0.018	0.016	<0.01	0.94	0.042	0.012	0.84	1.26	0.07	0.50	<0.001	<0.001	15.26
STD DS7 Expected																					
STD KP-1 Expected																					
STD R4A Expected		86	0.336	0.04	0.06	23.38	0.023	0.004	0.017	0.012	0.0024	0.94	0.042	0.012	0.83	1.25	0.07	0.51	0	0.001	16.7
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.001	<0.001	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Submitted By: Bruce Ballantyne
 Receiving Lab: Canada-Vancouver
 Received: October 21, 2008
 Report Date: November 06, 2008
 Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN08010367.1

CLIENT JOB INFORMATION

Project: Nox Fort
 Shipment ID: 019
 P.O. Number
 Number of Samples: 63

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	63	Crush, split and pulverize rock to 200 mesh		
1F30	63	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8
 Canada

CC: J. David Williams



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 "**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

2 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
918331	Rock	1.41	0.19	236.5	4.31	57.7	67	46.4	20.6	588	3.65	2.7	0.2	3.5	1.0	50.4	0.18	0.10	0.07	88	0.79
918332	Rock	1.62	2.33	21.29	23.79	44.3	1814	19.4	4.3	151	1.02	16.0	0.3	3.1	0.7	310.8	1.37	1.37	0.23	<2	3.05
918333	Rock	1.50	0.33	4.46	6.90	14.9	66	7.3	1.6	1102	1.47	5.7	0.1	0.6	0.2	2341	0.35	0.18	0.05	<2	29.38
918334	Rock	1.34	0.91	16.93	7.61	27.5	38	9.2	4.8	133	1.36	1.1	0.4	0.2	3.2	26.4	0.08	0.14	0.15	8	0.36
918335	Rock	1.83	2.32	50.51	15.27	85.2	77	21.9	23.0	858	5.08	2.7	0.8	0.5	3.4	274.1	0.13	0.13	0.26	94	3.66
918336	Rock	1.41	16.77	26.12	1290	1542	3058	10.6	2.6	738	0.84	7.7	0.3	21.9	0.4	81.2	23.48	1.69	0.24	<2	2.40
918337	Rock	1.63	0.67	35.61	16.74	44.0	130	33.8	7.9	2693	1.75	4.5	0.2	3.1	1.5	37.4	0.17	0.07	0.19	39	0.91
918338	Rock	2.38	0.66	130.4	144.9	178.9	2131	27.6	20.5	1149	4.50	113.7	<0.1	2256	0.7	344.7	2.81	0.71	0.08	6	3.25
918339	Rock	1.10	2.36	66.95	1338	335.6	7002	9.3	12.2	338	3.39	45.2	0.1	4315	<0.1	4.2	2.68	3.45	0.19	13	0.04
918340	Rock	0.84	0.96	60.63	21.41	52.4	494	57.7	27.6	1750	5.71	51.8	0.1	65.9	0.1	333.3	0.37	0.47	0.06	60	5.93
918341	Rock	1.38	0.13	45.88	7.27	36.1	187	25.1	14.4	583	2.38	1.3	0.2	11.8	1.6	82.2	0.15	0.19	0.11	55	2.65
918342	Rock	1.26	0.26	34.84	14.16	54.6	576	17.6	13.2	1155	3.61	23.9	<0.1	896.8	0.3	234.1	0.35	0.22	0.03	23	3.77
918343	Rock	1.83	0.35	22.55	5.96	18.2	76	7.9	2.8	268	0.49	1.8	<0.1	3.2	0.1	18.5	0.05	0.16	0.04	<2	0.33
918344	Rock	1.58	0.17	68.41	1.92	65.2	28	26.8	24.6	1112	4.10	1.3	0.4	2.5	1.0	84.0	0.10	0.34	0.04	101	3.83
918345	Rock	1.18	1.62	0.84	4.38	4.6	4	0.7	0.3	72	0.14	0.6	10.0	0.9	7.7	2.0	0.06	0.04	0.04	<2	0.04
918346	Rock	0.97	0.33	1.34	0.91	2.8	14	1.5	0.2	64	0.24	0.8	<0.1	0.6	<0.1	1.6	0.03	0.04	0.03	<2	0.02
918347	Rock	1.26	0.93	19.45	1086	154.6	2866	5.5	1.9	110	0.91	25.5	0.2	42.2	1.4	19.1	1.35	1.92	0.16	<2	0.02
918348	Rock	1.74	0.35	23.54	8.85	20.2	50	8.8	3.8	324	1.20	2.4	<0.1	0.7	0.2	35.8	0.11	0.13	0.08	30	0.65
918349	Rock	1.74	0.52	12.23	16.83	54.0	592	9.4	2.9	447	0.59	4.7	0.3	1.3	0.5	800.7	0.65	0.28	0.36	<2	9.43
918350	Rock	1.82	0.89	10.06	6.85	44.5	200	10.3	1.8	318	0.75	38.4	1.4	3.2	4.7	141.9	0.61	0.46	0.04	<2	0.97
945164	Rock	1.35	0.32	86.81	4.58	97.4	56	36.7	14.9	933	3.23	3.3	0.6	1.1	1.6	94.0	0.12	0.17	0.06	101	3.54
945165	Rock	1.09	0.08	11.03	3.18	20.0	37	2120	89.8	578	3.59	4.6	<0.1	1.4	<0.1	5.0	0.13	0.07	0.46	11	0.10
945166	Rock	1.42	0.24	62.04	2.94	77.2	199	49.4	33.8	999	6.45	4.1	<0.1	1.0	<0.1	121.6	0.25	0.28	0.03	300	5.20
945167	Rock	1.28	0.08	32.53	1.01	25.1	23	98.1	21.4	375	2.68	1.1	<0.1	0.4	<0.1	6.4	0.10	0.09	0.02	98	0.99
945168	Rock	1.27	0.04	50.62	1.68	40.6	53	84.7	22.0	526	3.12	0.6	<0.1	0.7	<0.1	11.0	0.18	0.09	0.03	100	0.89
945169	Rock	1.60	0.24	35.28	6.54	45.4	333	38.7	30.8	642	6.76	23.7	0.1	8.8	<0.1	40.7	0.16	0.22	0.07	371	1.61
945170	Rock	1.35	0.11	19.49	1.38	11.8	11	27.0	14.4	143	0.76	1.4	<0.1	1.0	<0.1	25.1	0.14	0.15	0.28	13	0.65
945171	Rock	1.05	0.21	48.34	3.01	33.2	76	81.8	19.5	314	2.53	1.9	<0.1	0.3	<0.1	11.6	0.10	0.08	0.15	83	0.60
945333	Rock	3.09	1.03	26.45	3.13	28.1	81	19.3	7.8	401	2.56	12.0	0.9	4.9	8.3	5.2	0.05	0.27	0.37	17	0.06
945334	Rock	3.71	1.26	26.37	4.89	31.3	98	40.0	8.8	527	2.86	15.3	0.7	6.9	7.6	13.2	0.06	0.32	0.30	25	0.16



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
				P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
				0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
918331	Rock			0.162	3.9	109.1	1.67	93.9	0.104	1	2.18	0.018	0.23	0.2	1.9	0.06	<0.02	<5	<0.1	<0.02	5.9	1.26	<0.1
918332	Rock			0.010	1.6	6.8	0.03	17.9	<0.001	<1	0.05	0.005	0.02	<0.1	0.6	<0.02	0.06	<5	3.6	0.03	0.2	0.11	<0.1
918333	Rock			0.008	16.7	2.8	0.80	17.9	0.002	<1	0.09	0.005	0.02	<0.1	1.5	<0.02	0.04	<5	0.6	0.16	0.2	0.10	<0.1
918334	Rock			0.010	6.2	15.6	0.27	8.1	0.005	<1	0.41	0.013	0.04	<0.1	0.9	<0.02	0.18	<5	0.2	<0.02	1.6	0.10	<0.1
918335	Rock			0.280	7.8	14.1	1.64	22.3	0.028	<1	1.99	0.011	0.12	<0.1	7.3	0.02	0.53	<5	0.4	<0.02	8.4	0.31	<0.1
918336	Rock			0.163	5.3	12.9	0.03	16.5	0.001	<1	0.04	0.006	<0.01	<0.1	1.0	<0.02	0.18	52	1.5	0.11	<0.1	0.02	<0.1
918337	Rock			0.051	4.9	37.1	0.26	196.1	0.014	<1	0.41	0.015	0.08	<0.1	4.0	0.06	0.39	6	0.8	0.06	2.7	0.53	<0.1
918338	Rock			0.054	1.6	4.7	1.15	50.5	0.001	2	0.25	0.004	0.17	0.1	2.6	0.06	3.40	<5	0.8	0.05	0.7	0.46	<0.1
918339	Rock			0.010	<0.5	9.9	0.01	49.6	0.001	<1	0.09	0.004	0.06	<0.1	0.9	0.02	0.31	23	0.7	0.04	0.3	0.08	<0.1
918340	Rock			0.051	1.1	63.9	3.04	146.8	0.003	2	1.78	0.008	0.17	<0.1	9.8	0.07	0.29	<5	0.6	<0.02	4.5	0.47	<0.1
918341	Rock			0.043	5.1	36.2	0.88	46.5	0.065	<1	1.25	0.014	0.09	<0.1	4.6	0.03	<0.02	<5	0.1	<0.02	5.1	0.40	<0.1
918342	Rock			0.037	1.1	5.9	1.51	93.3	0.008	<1	0.72	<0.001	0.12	<0.1	4.1	0.05	0.67	<5	0.3	0.02	2.1	0.38	<0.1
918343	Rock			0.006	<0.5	10.7	<0.01	15.3	<0.001	<1	0.03	0.004	<0.01	<0.1	0.5	<0.02	0.04	<5	0.4	<0.02	0.1	0.03	<0.1
918344	Rock			0.106	3.7	39.4	1.93	19.5	0.115	2	2.42	0.016	0.05	0.1	6.7	<0.02	<0.02	<5	0.1	<0.02	5.0	0.33	0.1
918345	Rock			0.008	3.1	5.1	<0.01	7.2	0.001	<1	0.10	0.037	0.06	0.2	0.3	0.03	<0.02	<5	<0.1	<0.02	0.6	0.09	<0.1
918346	Rock			0.006	<0.5	10.1	<0.01	11.3	<0.001	2	0.02	0.003	<0.01	0.2	<0.1	<0.02	<0.02	<5	<0.1	<0.02	0.1	0.06	<0.1
918347	Rock			0.048	7.5	13.8	<0.01	88.6	<0.001	<1	0.14	0.009	0.08	<0.1	1.0	0.03	0.06	33	2.8	0.06	0.3	0.15	<0.1
918348	Rock			0.021	0.6	16.8	0.54	20.5	0.009	1	0.61	0.005	0.02	<0.1	1.5	<0.02	<0.02	<5	0.1	0.05	2.1	0.17	<0.1
918349	Rock			0.042	2.0	8.5	0.09	7.7	<0.001	<1	0.05	0.006	<0.01	<0.1	1.4	<0.02	<0.02	14	0.4	0.03	0.1	0.07	<0.1
918350	Rock			0.029	13.0	3.4	0.03	108.8	0.001	<1	0.25	0.041	0.16	<0.1	0.6	0.08	0.06	<5	1.2	<0.02	1.0	0.42	<0.1
945164	Rock			0.128	5.8	54.3	1.13	38.0	0.134	2	1.71	0.070	0.07	0.1	3.2	<0.02	0.02	<5	0.1	0.02	6.0	0.87	<0.1
945165	Rock			0.002	<0.5	672.1	16.43	4.0	0.003	28	0.24	<0.001	<0.01	1.8	7.9	0.05	0.11	<5	0.3	0.03	0.5	0.52	0.1
945166	Rock			0.058	1.4	105.8	3.23	15.3	0.043	<1	3.62	0.014	0.01	<0.1	26.2	<0.02	0.10	<5	0.1	<0.02	14.1	0.33	0.3
945167	Rock			0.051	<0.5	227.0	2.10	29.4	0.145	<1	1.96	0.037	0.43	<0.1	3.2	0.12	0.03	<5	<0.1	<0.02	5.6	2.61	0.1
945168	Rock			0.046	<0.5	273.5	2.29	23.9	0.118	<1	2.41	0.052	0.05	0.1	3.7	0.04	<0.02	<5	<0.1	<0.02	7.1	1.23	<0.1
945169	Rock			0.075	2.3	17.8	2.68	339.7	0.213	1	4.06	0.037	1.88	0.2	24.6	0.79	0.06	<5	0.2	<0.02	14.5	3.55	0.1
945170	Rock			0.009	<0.5	55.1	0.59	12.1	0.042	1	0.78	0.016	0.01	0.7	2.2	<0.02	0.03	<5	0.1	<0.02	1.6	0.04	<0.1
945171	Rock			0.044	<0.5	192.3	2.12	81.0	0.172	<1	1.94	0.083	0.42	0.5	5.0	0.18	<0.02	<5	<0.1	<0.02	5.1	4.07	0.2
945333	Rock			0.049	10.4	19.1	0.47	56.0	0.015	4	1.13	0.009	0.21	0.2	1.4	0.09	0.30	<5	1.5	<0.02	3.5	0.98	<0.1
945334	Rock			0.067	14.2	35.6	0.89	160.0	0.030	2	1.31	0.009	0.33	0.1	2.2	0.22	0.19	<5	1.0	0.03	3.9	1.98	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 2 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
918331	Rock	0.08	0.10	13.1	<0.1	<0.05	1.8	3.92	9.1	<0.02	<1	0.1	21.8	15	<2
918332	Rock	<0.02	0.04	0.9	<0.1	<0.05	0.6	4.95	3.5	<0.02	1	<0.1	0.4	<10	<2
918333	Rock	<0.02	0.05	0.9	<0.1	<0.05	0.3	25.35	35.6	0.05	<1	<0.1	1.4	<10	<2
918334	Rock	0.02	0.02	1.7	<0.1	<0.05	0.6	0.81	13.0	<0.02	<1	<0.1	4.3	<10	<2
918335	Rock	0.04	0.05	5.4	0.1	<0.05	1.1	6.57	18.7	0.03	3	0.3	20.3	<10	<2
918336	Rock	0.02	0.06	0.4	<0.1	<0.05	0.8	5.69	4.0	0.03	1	<0.1	0.2	<10	<2
918337	Rock	0.03	0.13	6.7	0.2	<0.05	1.0	2.75	8.6	0.03	1	0.2	3.4	<10	<2
918338	Rock	<0.02	<0.02	6.1	1.1	<0.05	0.2	5.42	4.3	<0.02	3	0.2	1.1	<10	<2
918339	Rock	<0.02	0.05	1.8	0.1	<0.05	0.1	0.85	1.1	0.04	<1	<0.1	0.2	<10	<2
918340	Rock	<0.02	<0.02	6.9	<0.1	<0.05	0.2	6.90	3.7	0.04	1	0.2	15.8	<10	<2
918341	Rock	0.03	0.18	4.3	0.2	<0.05	0.8	3.89	13.2	<0.02	1	0.1	10.1	<10	<2
918342	Rock	0.04	<0.02	4.6	0.2	<0.05	<0.1	6.34	3.8	0.03	2	0.2	6.9	<10	<2
918343	Rock	<0.02	0.04	0.3	<0.1	<0.05	0.2	0.78	0.8	<0.02	1	<0.1	0.1	<10	<2
918344	Rock	0.14	0.04	1.9	0.2	<0.05	3.9	4.04	8.8	<0.02	<1	0.2	12.6	<10	4
918345	Rock	<0.02	9.23	4.4	0.1	<0.05	0.6	7.67	7.8	<0.02	1	0.2	0.5	<10	<2
918346	Rock	<0.02	0.12	0.6	<0.1	<0.05	0.2	0.20	0.3	<0.02	<1	<0.1	0.3	<10	<2
918347	Rock	0.03	0.07	3.4	<0.1	<0.05	1.9	1.55	10.8	0.10	<1	0.1	0.5	<10	<2
918348	Rock	<0.02	0.08	1.0	<0.1	<0.05	0.7	0.89	1.3	<0.02	2	<0.1	7.1	<10	<2
918349	Rock	<0.02	0.04	0.4	<0.1	<0.05	0.2	8.42	4.5	0.02	1	<0.1	0.5	<10	<2
918350	Rock	0.15	0.64	6.9	0.1	<0.05	5.0	4.43	25.5	<0.02	3	0.2	3.2	<10	<2
945164	Rock	0.20	0.08	3.7	0.2	<0.05	5.8	6.95	13.4	<0.02	1	0.2	8.0	11	4
945165	Rock	<0.02	<0.02	0.3	<0.1	<0.05	<0.1	0.35	0.3	<0.02	<1	0.2	5.3	<10	<2
945166	Rock	<0.02	<0.02	0.8	0.2	<0.05	0.2	5.79	4.8	0.05	<1	0.2	18.1	<10	<2
945167	Rock	0.03	0.05	17.6	0.1	<0.05	0.6	5.20	1.2	<0.02	<1	<0.1	22.4	<10	<2
945168	Rock	0.04	0.03	6.0	0.1	<0.05	0.9	5.71	1.3	<0.02	<1	<0.1	19.8	<10	<2
945169	Rock	<0.02	0.05	92.1	0.9	<0.05	0.2	4.44	7.6	0.08	3	0.4	36.8	<10	2
945170	Rock	<0.02	<0.02	0.4	<0.1	<0.05	0.7	1.39	0.3	<0.02	2	<0.1	4.2	<10	<2
945171	Rock	0.06	0.06	23.7	0.2	<0.05	1.2	5.51	1.4	<0.02	<1	<0.1	29.5	<10	<2
945333	Rock	0.02	0.07	11.1	0.5	<0.05	0.8	2.58	23.3	<0.02	4	0.5	15.5	<10	<2
945334	Rock	0.05	0.06	20.5	1.2	<0.05	1.9	3.07	31.9	<0.02	2	0.4	17.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945335	Rock	3.08	1.48	30.20	4.51	25.8	116	19.5	9.1	274	3.15	204.4	1.2	11.0	10.6	17.7	0.03	0.70	0.65	30	0.10
945336	Rock	5.10	0.90	44.88	7.64	18.9	245	22.3	12.1	292	3.45	541.9	0.9	22.4	9.4	9.0	0.04	0.68	0.87	12	0.06
945337	Rock	4.28	1.39	45.99	4.75	31.7	171	21.9	9.9	286	4.10	202.9	1.1	19.1	9.3	15.7	0.05	0.69	0.63	24	0.10
945338	Rock	7.11	1.03	28.52	3.54	37.3	72	17.1	7.1	357	3.73	62.0	1.3	4.5	10.9	15.7	0.07	0.55	0.41	39	0.05
945570	Rock	4.38	0.07	10.96	0.87	32.2	16	2378	112.4	716	5.05	7.5	<0.1	1.5	<0.1	1.6	0.03	0.06	0.32	12	0.02
945571	Rock	5.06	0.24	7.67	1.15	40.0	27	2602	116.9	1067	6.06	9.4	<0.1	1.4	<0.1	5.0	0.05	0.07	0.40	10	0.18
945572	Rock	5.62	0.08	9.20	0.66	35.9	16	2375	109.6	1063	5.67	9.4	<0.1	1.3	<0.1	2.3	0.04	0.05	0.32	9	0.08
945573	Rock	4.66	0.07	11.35	0.77	30.5	18	2207	105.9	933	5.17	14.1	<0.1	0.7	<0.1	1.0	0.05	0.04	0.16	10	0.01
945574	Rock	5.29	0.07	8.12	1.23	35.0	31	2406	117.4	938	5.45	9.8	<0.1	1.3	<0.1	1.4	0.05	0.04	0.16	10	0.02
945575	Rock	5.65	0.08	7.74	1.45	34.6	27	2313	111.1	1005	5.59	11.7	<0.1	1.1	<0.1	2.0	0.09	0.05	0.15	10	0.02
945576	Rock	5.48	0.07	16.55	2.23	34.4	38	2326	102.8	791	5.26	14.6	<0.1	1.0	<0.1	3.0	0.08	0.05	0.16	11	0.04
945577	Rock	4.87	0.09	14.74	0.97	37.4	16	2254	106.6	964	5.39	7.8	<0.1	1.2	<0.1	6.0	0.08	0.04	0.29	8	0.23
945578	Rock	5.56	0.09	14.54	0.93	33.4	19	2044	95.1	941	4.92	16.7	<0.1	0.4	0.1	2.5	0.04	0.04	0.22	9	0.06
945579	Rock	4.99	0.06	9.89	1.38	39.4	20	2034	101.5	916	5.26	14.2	<0.1	1.0	<0.1	3.2	0.06	0.06	0.39	25	0.06
945580	Rock	6.18	0.08	10.38	0.78	40.5	11	2012	93.4	831	5.43	11.5	<0.1	2.4	<0.1	2.3	0.02	0.05	0.52	24	0.04
945581	Rock	5.88	0.14	14.64	0.84	45.5	14	2343	103.7	806	4.39	38.0	<0.1	3.5	<0.1	1.3	0.05	0.05	0.33	12	0.02
945582	Rock	5.24	0.07	9.83	0.84	36.5	12	2122	99.8	872	4.49	14.7	<0.1	1.4	<0.1	1.0	0.04	0.03	0.25	12	0.01
945583	Rock	5.06	0.06	10.07	1.41	32.7	20	2224	109.4	847	4.83	13.1	<0.1	1.9	<0.1	1.2	0.07	0.04	0.27	13	0.01
945584	Rock	4.81	0.06	15.83	0.83	30.0	24	2080	98.8	795	4.67	6.3	<0.1	0.3	<0.1	0.9	0.05	0.03	0.05	15	0.01
945585	Rock	6.07	0.10	35.50	0.84	34.8	46	2103	99.6	832	5.25	6.7	<0.1	0.6	<0.1	2.0	0.04	0.04	0.07	21	0.03
945586	Rock	3.12	0.07	15.77	1.18	35.8	19	1794	86.9	927	4.42	3.6	0.4	0.7	<0.1	76.9	0.07	0.06	0.27	17	3.22
945587	Rock	4.73	0.06	19.68	1.06	40.3	28	1906	93.2	850	4.67	2.7	0.3	0.6	<0.1	91.6	0.11	0.06	0.34	12	2.93
945588	Rock	3.78	0.04	18.77	0.90	37.6	31	2009	91.0	783	4.77	3.0	0.3	0.8	<0.1	82.3	0.10	0.08	0.42	10	2.62
945589	Rock	4.23	0.07	22.40	0.84	32.6	23	2005	88.2	689	4.43	3.3	0.4	0.7	<0.1	65.2	0.09	0.09	0.31	11	2.41
945590	Rock	1.93	0.06	15.05	1.12	39.0	23	1750	91.8	745	4.53	4.6	0.4	0.6	<0.1	33.7	0.13	0.13	0.30	20	1.26
945591	Rock	5.69	0.05	5.93	0.50	19.2	14	1698	82.6	546	3.77	3.0	<0.1	0.8	<0.1	3.3	0.05	0.08	0.02	19	0.33
945592	Rock	1.98	0.14	2.02	0.76	21.3	8	2225	106.3	1048	5.16	9.9	<0.1	1.0	<0.1	2.0	<0.01	0.10	0.67	11	0.04
945593	Rock	2.69	0.04	13.96	0.96	20.9	13	2208	104.1	733	4.79	8.0	<0.1	1.5	<0.1	8.2	0.05	0.03	0.02	18	0.03
945594	Rock	2.17	0.07	6.98	1.32	27.7	27	2216	107.6	723	4.11	9.6	<0.1	0.4	<0.1	1.8	0.04	0.03	0.13	12	0.01
945595	Rock	3.94	0.07	6.97	1.31	35.5	33	2262	100.8	853	5.32	49.5	<0.1	7.0	<0.1	4.1	0.07	0.11	1.08	10	0.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 3 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945335	Rock	0.060	23.5	28.0	0.62	52.5	0.004	2	1.59	0.025	0.27	0.1	1.9	0.11	0.29	7	1.1	0.03	4.6	1.44	<0.1
945336	Rock	0.049	15.9	11.3	0.42	65.6	0.003	2	1.13	0.015	0.26	0.2	1.1	0.12	0.67	<5	1.4	0.08	3.0	1.36	<0.1
945337	Rock	0.053	18.3	22.2	0.54	46.6	0.004	1	1.50	0.022	0.22	0.1	1.8	0.09	0.45	<5	0.7	0.04	4.5	1.31	<0.1
945338	Rock	0.045	22.8	33.9	0.69	45.1	0.006	2	1.74	0.025	0.18	0.1	2.2	0.07	0.16	<5	0.3	0.05	6.0	1.39	<0.1
945570	Rock	0.002	0.5	504.7	17.32	4.8	0.002	13	0.23	0.001	<0.01	0.4	9.5	<0.02	0.08	<5	<0.1	0.02	0.5	0.12	<0.1
945571	Rock	0.002	0.6	536.9	20.29	3.8	0.002	15	0.20	0.001	<0.01	0.4	10.4	<0.02	0.06	<5	0.2	<0.02	0.5	0.06	0.1
945572	Rock	0.004	0.5	444.1	19.22	3.6	0.002	14	0.19	<0.001	<0.01	0.4	9.0	<0.02	0.08	5	0.2	<0.02	0.4	0.05	0.1
945573	Rock	0.004	<0.5	396.8	17.80	3.3	0.002	15	0.18	<0.001	<0.01	0.4	8.4	<0.02	0.07	<5	0.2	<0.02	0.4	0.07	0.1
945574	Rock	0.002	<0.5	467.5	18.77	3.5	0.001	13	0.21	0.001	<0.01	0.3	9.4	<0.02	0.08	<5	0.2	<0.02	0.4	0.10	0.2
945575	Rock	0.003	0.6	410.8	17.59	10.4	0.003	16	0.22	<0.001	<0.01	0.4	9.5	<0.02	0.08	<5	0.2	<0.02	0.5	0.11	0.2
945576	Rock	0.002	0.7	504.1	17.31	7.5	0.002	25	0.24	0.001	<0.01	0.4	8.7	<0.02	0.10	<5	0.4	<0.02	0.6	0.13	0.2
945577	Rock	0.001	0.8	496.7	19.00	2.9	0.002	13	0.20	0.001	<0.01	0.3	8.0	<0.02	0.15	<5	0.2	<0.02	0.6	0.10	0.2
945578	Rock	0.003	0.8	477.7	16.94	3.9	0.003	15	0.24	<0.001	<0.01	0.3	7.2	<0.02	0.11	<5	0.1	<0.02	0.7	0.15	0.2
945579	Rock	0.007	<0.5	988.4	17.82	6.0	0.008	28	0.70	<0.001	<0.01	0.2	9.6	<0.02	0.08	<5	0.2	<0.02	1.3	0.21	0.1
945580	Rock	0.003	<0.5	1012	17.52	4.5	0.008	24	0.58	<0.001	<0.01	0.3	10.5	<0.02	0.09	<5	0.2	0.02	1.0	0.13	0.1
945581	Rock	0.003	<0.5	523.7	16.70	5.9	0.003	22	0.18	<0.001	<0.01	0.5	7.4	<0.02	0.06	<5	0.3	0.02	0.5	0.05	0.1
945582	Rock	0.003	<0.5	536.5	16.19	4.7	0.004	16	0.22	<0.001	<0.01	0.2	7.8	<0.02	0.04	<5	0.2	<0.02	0.5	0.05	<0.1
945583	Rock	0.002	<0.5	505.5	16.00	3.6	0.004	18	0.27	<0.001	<0.01	0.3	7.1	<0.02	0.05	<5	0.2	<0.02	0.5	0.06	0.1
945584	Rock	0.004	<0.5	512.3	16.33	1.7	0.006	12	0.27	<0.001	<0.01	0.2	8.0	<0.02	0.04	<5	0.2	<0.02	0.7	0.05	0.1
945585	Rock	0.013	<0.5	656.9	17.57	2.2	0.009	14	0.37	<0.001	<0.01	0.2	9.5	<0.02	0.05	<5	0.2	<0.02	0.9	0.06	0.2
945586	Rock	0.005	<0.5	508.2	16.80	2.4	0.003	16	0.48	<0.001	<0.01	0.5	8.0	<0.02	0.16	<5	0.2	0.04	0.7	0.08	0.1
945587	Rock	0.006	<0.5	439.7	16.14	7.3	0.002	11	0.23	<0.001	<0.01	0.5	7.1	<0.02	0.17	<5	0.1	<0.02	0.5	0.04	0.1
945588	Rock	0.004	<0.5	425.3	16.33	2.5	0.001	12	0.17	<0.001	<0.01	0.6	7.2	<0.02	0.22	<5	0.3	<0.02	0.5	0.03	0.2
945589	Rock	0.006	<0.5	412.4	15.08	4.7	0.002	11	0.25	<0.001	<0.01	0.6	6.0	<0.02	0.23	<5	0.2	<0.02	0.5	0.04	0.1
945590	Rock	0.016	<0.5	611.2	15.30	14.7	0.005	25	0.62	<0.001	<0.01	0.6	8.2	<0.02	0.15	<5	0.2	<0.02	1.1	0.10	<0.1
945591	Rock	<0.001	<0.5	964.3	11.78	3.8	0.002	28	0.24	<0.001	<0.01	<0.1	6.0	<0.02	0.06	<5	0.2	<0.02	1.1	0.34	0.2
945592	Rock	0.002	<0.5	512.6	19.99	1.4	0.003	42	0.16	<0.001	<0.01	0.3	6.5	<0.02	0.04	<5	0.5	<0.02	0.4	0.06	0.2
945593	Rock	0.002	<0.5	959.9	17.47	3.3	0.004	10	0.15	0.001	<0.01	0.4	6.6	<0.02	<0.02	<5	0.2	0.04	0.4	0.44	0.2
945594	Rock	0.003	<0.5	618.8	17.14	4.3	0.002	15	0.16	0.001	<0.01	0.5	7.5	<0.02	<0.02	<5	0.2	<0.02	0.3	0.25	0.1
945595	Rock	0.002	<0.5	530.1	18.59	7.3	0.003	36	0.16	<0.001	<0.01	0.3	7.0	<0.02	0.09	<5	0.4	0.03	0.4	0.45	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Jaxon Minerals Inc.**
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
 Report Date: November 06, 2008

Page: 3 of 4 Part 3

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945335	Rock	<0.02	<0.02	14.1	0.9	<0.05	0.6	3.62	49.6	<0.02	3	0.6	26.1	<10	<2
945336	Rock	<0.02	<0.02	15.1	0.8	<0.05	0.7	2.98	33.4	<0.02	2	0.5	13.0	<10	<2
945337	Rock	<0.02	0.03	12.5	1.9	<0.05	0.6	3.20	39.6	<0.02	3	0.5	21.3	<10	<2
945338	Rock	<0.02	<0.02	9.4	0.3	<0.05	0.4	2.68	48.2	<0.02	<1	0.5	30.8	<10	2
945570	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.3	0.71	1.2	<0.02	<1	<0.1	4.4	<10	5
945571	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.1	0.85	1.6	<0.02	<1	<0.1	3.5	<10	6
945572	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.1	0.77	1.5	<0.02	<1	<0.1	3.8	<10	4
945573	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.3	0.86	0.7	<0.02	<1	<0.1	4.2	<10	3
945574	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.2	0.60	0.6	<0.02	<1	<0.1	4.3	<10	7
945575	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.3	1.17	0.9	<0.02	<1	<0.1	5.2	<10	4
945576	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.3	1.78	1.4	<0.02	<1	<0.1	5.5	<10	4
945577	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.3	1.15	2.2	<0.02	<1	<0.1	4.5	<10	5
945578	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.2	2.51	1.9	<0.02	<1	<0.1	4.9	<10	3
945579	Rock	<0.02	<0.02	0.3	<0.1	<0.05	0.3	1.64	1.0	<0.02	<1	0.1	5.7	<10	5
945580	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.2	1.43	0.6	<0.02	<1	0.1	4.7	<10	5
945581	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.1	0.66	0.7	<0.02	<1	0.1	3.9	<10	3
945582	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.2	0.57	0.4	<0.02	<1	0.1	3.4	<10	4
945583	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.3	0.66	0.4	<0.02	<1	<0.1	2.6	<10	5
945584	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	2.72	1.0	<0.02	2	<0.1	3.8	<10	5
945585	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.3	3.04	1.3	<0.02	<1	<0.1	3.4	<10	3
945586	Rock	<0.02	<0.02	<0.1	0.1	<0.05	<0.1	0.50	<0.1	<0.02	<1	<0.1	2.3	<10	4
945587	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.25	<0.1	<0.02	2	<0.1	2.6	<10	4
945588	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.13	<0.1	<0.02	<1	<0.1	3.5	<10	4
945589	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.21	0.1	<0.02	<1	<0.1	3.9	<10	5
945590	Rock	<0.02	<0.02	0.1	<0.1	<0.05	0.4	0.61	0.4	<0.02	2	<0.1	5.1	<10	3
945591	Rock	<0.02	<0.02	0.3	<0.1	<0.05	<0.1	0.38	0.2	<0.02	<1	<0.1	2.1	<10	4
945592	Rock	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.26	0.2	<0.02	<1	<0.1	2.6	<10	3
945593	Rock	<0.02	<0.02	1.0	<0.1	<0.05	<0.1	0.16	<0.1	<0.02	<1	<0.1	6.8	<10	2
945594	Rock	<0.02	<0.02	0.6	<0.1	<0.05	0.4	0.48	0.2	<0.02	<1	<0.1	4.1	<10	5
945595	Rock	<0.02	<0.02	0.4	0.2	<0.05	0.2	0.62	0.4	0.03	<1	<0.1	5.6	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Jaxon Minerals Inc.
 488 - 625 Howe Street
 Vancouver BC V6G 2T8 Canada

Project: Nox Fort
Report Date: November 06, 2008

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
945596	Rock	1.97	0.16	22.46	1.09	53.6	40	2652	125.4	1150	6.20	26.5	0.1	5.1	<0.1	2.8	0.13	0.04	1.24	14	0.02
869497	Rock	1.23	56.06	28.16	18.50	119.4	59	48.9	9.3	130	4.54	39.8	2.9	1.6	5.4	480.4	0.24	0.68	0.48	53	0.39
869498	Rock	1.96	2.66	29.46	18.97	98.0	22	44.7	10.9	157	2.59	14.4	1.4	1.5	6.4	311.1	0.28	0.19	0.28	54	1.21



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

4 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
945596	Rock	0.005	1.1	425.1	16.13	12.0	0.003	15	0.14	<0.001	<0.01	0.4	10.3	<0.02	0.05	<5	0.2	0.04	0.4	0.04	0.2
869497	Rock	0.103	17.1	80.5	0.33	550.4	0.055	3	2.01	0.102	0.36	0.9	4.2	0.15	0.37	<5	2.8	<0.02	7.3	0.99	0.1
869498	Rock	0.065	16.4	66.6	0.60	452.2	0.061	2	2.67	0.099	0.50	0.1	5.6	0.22	0.30	<5	1.0	<0.02	8.0	1.89	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Jaxon Minerals Inc.

488 - 625 Howe Street
Vancouver BC V6G 2T8 Canada

Project:

Nox Fort

Report Date:

November 06, 2008

Page:

4 of 4

Part 3

CERTIFICATE OF ANALYSIS

VAN08010367.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
945596	Rock	<0.02	<0.02	0.2	0.8	<0.05	0.8	1.29	0.9	0.02	<1	<0.1	4.0	<10	4
869497	Rock	0.23	0.21	12.5	0.7	<0.05	9.1	2.96	34.0	<0.02	4	0.9	3.6	<10	<2
869498	Rock	0.14	0.23	27.9	0.5	<0.05	5.7	4.06	35.9	0.02	1	1.1	5.2	<10	<2

QUALITY CONTROL REPORT

VAN08010367.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01		
Pulp Duplicates																						
918342	Rock	1.26	0.26	34.84	14.16	54.6	576	17.6	13.2	1155	3.61	23.9	<0.1	896.8	0.3	234.1	0.35	0.22	0.03	23	3.77	
REP 918342	QC		0.26	35.97	13.91	55.7	559	18.4	12.9	1123	3.49	23.4	0.1	833.9	0.3	232.7	0.41	0.24	0.03	20	3.71	
945333	Rock	3.09	1.03	26.45	3.13	28.1	81	19.3	7.8	401	2.56	12.0	0.9	4.9	8.3	5.2	0.05	0.27	0.37	17	0.06	
REP 945333	QC		1.04	27.33	3.24	27.7	80	20.6	8.0	423	2.65	11.8	1.0	4.7	8.5	5.1	0.05	0.25	0.39	19	0.06	
945578	Rock	5.56	0.09	14.54	0.93	33.4	19	2044	95.1	941	4.92	16.7	<0.1	0.4	0.1	2.5	0.04	0.04	0.22	9	0.06	
REP 945578	QC		0.10	14.49	0.86	34.0	18	2028	93.2	931	4.90	16.7	<0.1	1.0	0.1	2.6	0.06	0.05	0.21	12	0.06	
945593	Rock	2.69	0.04	13.96	0.96	20.9	13	2208	104.1	733	4.79	8.0	<0.1	1.5	<0.1	8.2	0.05	0.03	0.02	18	0.03	
REP 945593	QC		0.04	13.39	0.92	19.8	13	2140	99.6	707	4.29	7.9	<0.1	1.8	<0.1	7.8	0.04	0.02	0.02	15	0.03	
Reference Materials																						
STD DS7	Standard		19.69	100.4	66.43	382.0	825	56.4	8.8	597	2.31	51.5	4.5	66.8	4.0	69.1	5.82	5.25	4.32	78	0.93	
STD DS7	Standard		20.38	106.9	68.79	402.7	863	58.4	9.8	636	2.45	50.4	4.7	66.4	4.0	67.2	5.82	5.21	4.24	83	0.95	
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	1.0	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	
Prep Wash																						
G1	Prep Blank		<0.01	0.19	2.53	10.05	62.6	19	3.5	4.3	515	1.86	1.0	1.6	5.3	3.7	49.2	0.22	0.03	0.14	36	0.51
G1	Prep Blank		<0.01	0.20	2.37	7.96	57.3	14	3.6	4.0	484	1.77	0.8	1.5	3.8	3.0	47.3	0.26	0.03	0.10	32	0.45

QUALITY CONTROL REPORT

VAN08010367.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
918342	Rock	0.037	1.1	5.9	1.51	93.3	0.008	<1	0.72	<0.001	0.12	<0.1	4.1	0.05	0.67	<5	0.3	0.02	2.1	0.38	<0.1
REP 918342	QC	0.037	1.5	5.6	1.51	99.0	0.009	<1	0.72	<0.001	0.11	<0.1	4.0	0.05	0.66	<5	0.3	0.02	2.2	0.38	<0.1
945333	Rock	0.049	10.4	19.1	0.47	56.0	0.015	4	1.13	0.009	0.21	0.2	1.4	0.09	0.30	<5	1.5	<0.02	3.5	0.98	<0.1
REP 945333	QC	0.049	10.7	19.7	0.51	55.0	0.015	4	1.16	0.010	0.20	0.2	1.4	0.09	0.31	<5	1.5	0.02	3.4	0.96	<0.1
945578	Rock	0.003	0.8	477.7	16.94	3.9	0.003	15	0.24	<0.001	<0.01	0.3	7.2	<0.02	0.11	<5	0.1	<0.02	0.7	0.15	0.2
REP 945578	QC	0.003	0.9	607.8	17.28	4.0	0.003	16	0.32	<0.001	<0.01	0.3	7.3	<0.02	0.10	<5	0.2	0.02	0.9	0.15	0.2
945593	Rock	0.002	<0.5	959.9	17.47	3.3	0.004	10	0.15	0.001	<0.01	0.4	6.6	<0.02	<0.02	<5	0.2	0.04	0.4	0.44	0.2
REP 945593	QC	0.002	<0.5	771.5	16.94	3.3	0.003	10	0.14	0.001	<0.01	0.4	6.5	<0.02	<0.02	5	0.2	<0.02	0.4	0.41	0.2
Reference Materials																					
STD DS7	Standard	0.079	11.5	187.1	0.98	405.8	0.106	39	0.91	0.086	0.45	3.9	2.5	4.33	0.18	199	3.5	1.25	4.5	5.98	<0.1
STD DS7	Standard	0.077	11.6	192.4	1.02	393.9	0.106	38	0.96	0.089	0.44	3.9	2.5	4.11	0.20	189	3.8	1.26	4.5	5.83	0.2
STD DS7 Expected		0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	0.076	6.6	11.7	0.59	247.6	0.122	<1	0.90	0.065	0.55	<0.1	2.2	0.38	<0.02	<5	0.1	<0.02	4.4	3.31	0.1
G1	Prep Blank	0.071	5.7	7.5	0.54	231.8	0.110	1	0.91	0.067	0.49	<0.1	1.9	0.34	<0.02	<5	0.2	<0.02	4.3	3.00	0.1


QUALITY CONTROL REPORT

VAN08010367.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	
Pulp Duplicates															
918342	Rock	0.04	<0.02	4.6	0.2	<0.05	<0.1	6.34	3.8	0.03	2	0.2	6.9	<10	<2
REP 918342	QC	0.04	<0.02	4.6	0.2	<0.05	0.2	6.98	4.1	<0.02	<1	<0.1	6.9	<10	<2
945333	Rock	0.02	0.07	11.1	0.5	<0.05	0.8	2.58	23.3	<0.02	4	0.5	15.5	<10	<2
REP 945333	QC	0.03	0.07	11.2	0.5	<0.05	0.9	2.52	23.3	<0.02	2	0.4	16.5	<10	<2
945578	Rock	<0.02	<0.02	0.2	<0.1	<0.05	0.2	2.51	1.9	<0.02	<1	<0.1	4.9	<10	3
REP 945578	QC	<0.02	<0.02	0.2	<0.1	<0.05	0.3	2.58	2.3	<0.02	<1	<0.1	5.0	<10	3
945593	Rock	<0.02	<0.02	1.0	<0.1	<0.05	<0.1	0.16	<0.1	<0.02	<1	<0.1	6.8	<10	2
REP 945593	QC	<0.02	<0.02	0.9	<0.1	<0.05	<0.1	0.16	<0.1	<0.02	<1	<0.1	6.1	<10	4
Reference Materials															
STD DS7	Standard	0.12	0.50	34.0	4.3	<0.05	5.6	5.07	35.8	1.35	2	1.8	27.8	90	39
STD DS7	Standard	0.12	0.48	34.8	4.5	<0.05	5.5	4.96	35.4	1.42	4	1.8	27.5	94	34
STD DS7 Expected		0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
G1	Prep Blank	0.08	0.28	41.5	0.4	<0.05	1.0	3.81	14.0	<0.02	<1	0.3	31.9	<10	<2
G1	Prep Blank	0.07	0.29	38.7	0.3	<0.05	0.9	3.57	12.4	<0.02	<1	0.2	29.4	<10	<2

**METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE
GROUP 1F-MS – ULTRATRACE ICP-MS ANALYSIS • AQUA REGIA**

Analytical Process



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-180 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 80% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.5 g are weighed into test tubes, 15 and 30 g splits are weighed into beakers.

Sample Digestion

A modified Aqua Regia solution of equal parts concentrated ACS grade HCl and HNO₃ and de-mineralised H₂O is added to each sample (6 mL/g) to leach in a hot-water bath (~95°C) for one hour. After cooling the solution is made up to a final volume with 5% HCl. Sample weight to solution volume ratio is 0.5 g per 10 mL.

Sample Analysis

Solutions aspirated into a Perkin Elmer Elan 6000 or 9000 ICP mass spectrometer are analysed for the Basic package comprising 37 elements: Au, Ag, Al, As, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Se, Sr, Te, Th, Ti, Tl, U, V, W and Zn. The Full package adds the 16 following elements: Be, Ce, Cs, Ge, Hf, In, Li, Nb, Rb, Re, Sn, Ta, Y, Zr, Pd and Pt. Larger sample splits are recommended for better analytical precision on elements subject to nugget effects (eg. Au, Pt).

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of in-house Reference Material like STD DS7. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.

**GROUP 1F-MS – ULTRATRACE ICP-MS ANALYSIS • AQUA REGIA
DETECTION LIMITS**

	Group 1F Detection	Upper Limit
Au	0.2 ppb	100 ppm
Ag	2 ppb	100 ppm
Al*	0.01 %	10 %
As	0.1 ppm	10000 ppm
B [^]	20 ppm	2000 ppm
Ba*	0.5 ppm	10000 ppm
Bi	0.02 ppm	2000 ppm
Ca*	0.01 %	40 %
Cd	0.01 ppm	2000 ppm
Co	0.1 ppm	2000 ppm
Cr*	0.5 ppm	10000 ppm
Cu	0.01 ppm	10000 ppm
Fe*	0.01 %	40 %
Hg	5 ppb	100 ppm
Ga*	0.1 ppm	1000 ppm
K*	0.01 %	10 %
La*	0.5 ppm	10000 ppm
Mg*	0.01 %	30 %
Mn*	1 ppm	10000 ppm
Mo	0.01 ppm	2000 ppm
Na*	0.001 %	10 %
Ni*	0.1 ppm	10000 ppm
P*	0.001 %	5 %
Pb	0.01 ppm	10000 ppm
S*	0.02 %	10 %
Sb	0.02 ppm	2000 ppm
Sc*	0.1 ppm	100 ppm
Se	0.1 ppm	100 ppm
Sr*	0.5 ppm	10000 ppm
Te	0.02 ppm	1000 ppm
Th*	0.1 ppm	2000 ppm
Ti*	0.001 %	10 %
Tl	0.02 ppm	1000 ppm
U*	0.1 ppm	2000 ppm
V*	2 ppm	10000 ppm
W*	0.1 ppm	100 ppm
Zn	0.1 ppm	10000 ppm

	Group 1F Detection	Upper Limit
Be*	0.1 ppm	1000 ppm
Ce*	0.1 ppm	2000 ppm
Cs*	0.02 ppm	2000 ppm
Ge*	0.1 ppm	100 ppm
Hf*	0.02 ppm	1000 ppm
In	0.02 ppm	1000 ppm
Li*	0.1 ppm	2000 ppm
Nb*	0.02 ppm	2000 ppm
Rb*	0.1 ppm	2000 ppm
Re	1 ppb	1000 ppm
Sn*	0.1 ppm	100 ppm
Ta*	0.05 ppm	2000 ppm
Y*	0.01 ppm	2000 ppm
Zr*	0.1 ppm	2000 ppm
Pt*	2 ppb	100 ppb
Pd*	10 ppb	100 ppb


*Some elements will report partial concentrations due to refractory minerals.

[^] Detection limit = 1 ppm for 15g / 30 g analysis.

Shaded elements are optional as part of Full Suite 1F-MS analysis.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 6 – PRECIOUS METALS ASSAY

Analytical Process



Comments

Sample Preparation

Rock and drill core are jaw crushed to 80% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 μ m) in a mild-steel ring-and-puck mill. 30g aliquots are weighed into fire assay crucibles. Option for 50g aliquots is available on request. Smaller aliquots of 7.5 or 15 grams may be required with difficult ore matrices.

Metallics Assay: A 500 g reject split (or optional 1000 g) is pulverized to 95% passing 150 mesh (or optional 200 mesh). Screening the pulp gives a fine and coarse fraction (containing any coarse gold) for assaying.

Sample Digestion

The sample aliquot is custom blended with fire assay fluxes, PbO litharge and a Ag inquant. Firing the charge at 1050°C liberates Au, Ag \pm PGEs that report to the molten Pb-metal phase. After cooling the Pb button is recovered placed in a cupel and fired at 950°C to render a Ag \pm Au \pm PGEs dore bead. The bead is weighed and parted (i.e. leached in 1 mL of hot HNO₃) to dissolve Ag leaving a Au sponge. Adding 10 mL of HCl dissolves the Au \pm PGE sponge.

Sample Analysis

Solutions are analysed for Ag, Au, Pt and Pd on a Varian 735 ICP-ES. Au in excess of 30 g/t forms a large sponge that can be weighed (gravimetric finish). Ag in excess of 100 g/t is reported from the fire assay, otherwise a separate split is digested in aqua regia and analysed by ICP-ES (Group 7AR).

Metallics Assay: The coarse fraction is assayed in total. An aliquot of the fine fraction is assayed. Results report the total Au in the coarse fraction, the fine-fraction Au concentration and a weighted average Au concentration for the entire sample.


Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 35 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), two reagent blanks to measure background and 2 aliquots of Certified Reference Materials to monitor accuracy. Raw and final data undergo a final verification by a British Columbia Certified Assayer who validates the data before it is released to the client.

GROUP 6 PRECIOUS METALS ASSAY

Element	Detection Limit
Au	0.01 g/t
Pt	0.01 g/t
Pd	0.01 g/t

**METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE
GROUP 7AR – MULTI-ELEMENT ASSAY BY ICP-ES • AQUA REGIA DIGEST**



Comments

Sample Preparation

Assaying is warranted for representative well-mineralized samples (eg. Cu > 1%). Samples are dried at 60°C. Soil, sediment and moss mats (after pounding) are sieved to -80 mesh (-180 µm). Vegetation is dried (60°C) and pulverized or ashed (475°C). Rock and drill core is jaw crushed to 80% passing 10 mesh (2 mm), a 250 g aliquot is riffle split and pulverized to 85% passing 200 mesh (75 µm) in a mild-steel ring-and-puck mill. Aliquots of 1.000 ± 0.002 g are weighed into 100 mL volumetric flasks.

Sample Digestion

30 mL of Aqua Regia, a 1:1:1 mixture of ACS grade concentrated HCl, concentrated HNO₃ and de-mineralised H₂O, is added to each sample. Samples are digested for one hour in a hot water bath (>95°C). After cooling for 3 hrs, solutions are made up to volume (100 mL) with dilute (5%) HCl. Very high-grade samples may require a 1 g to 250 mL or 0.25 g to 250 mL sample/solution ratio for accurate determination. Acme's QA/QC protocol requires simultaneous digestion of a reagent blank inserted in each batch.

Sample Analysis

Sample solutions are aspirated into a Spectro Ciros Vision or Varian 735 ICP emission spectrograph to determine 21 elements: Ag, Al, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sr, W, Zn.

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of in-house Reference Materials. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.

GROUP 7AR – MULTI-ELEMENT ASSAY BY ICP-ES • AQUA REGIA DIGEST


**Group 7AR
Det. Lim.**

Ag	2 g/t
Al*	0.01 %
As	0.01 %
Bi*	0.01 %
Ca*	0.01 %
Cd	0.001 %
Co*	0.001 %
Cr*	0.001 %
Cu	0.001 %
Fe*	0.01 %
Hg	0.001 %
K*	0.01 %
Mg*	0.01 %
Mn*	0.01 %
Mo	0.001 %
Na*	0.01 %
Ni*	0.001 %
P	0.001 %
Pb	0.01 %
Sb	0.001 %
Sr*	0.001 %
W*	0.001 %
Zn*	0.01 %

Sample minimum 1 g pulp.

*indicate partial digestion if refractory minerals are present.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE GROUP 7KP – MULTI-ELEMENT ASSAY BY ICP-ES • PHOSPHORIC ACID DIGESTION



Comments

Sample Preparation

All samples are dried at 60°C. Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.25 g are weighed into Teflon test tubes.

Sample Digestion

An aliquot of the acid solution (H₃PO₄-HF-HNO₃) is digested on a hot plate for approximately 1 hour. A 25% HCl is added to redissolve the salts. The solutions are transferred to 100 mL volumetric flasks and made to volume.

Sample Analysis

Solutions aspirated into a Spectro Ciros Vision ICP atomic-emission spectrometer. Certification tests have proven the method to be effective for total analysis for a variety of elements including W, Mo, Nb, Ta, Th, and U. Not suitable for samples with high rare earths when measuring Th.

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of in-house Reference Material like STD KP-1. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before they are released to the client.

GROUP 7KP – MULTI-ELEMENT ASSAY BY ICP-ES • PHOSPHORIC ACID DIGESTION

**Group 7KP
Det. Lim.**

Mo	0.001 %
Nb	0.001 %
Ta	0.001 %
U	0.001 %
W	0.005 %

Sample minimum 1 g pulp.

APPENDIX K – Actlabs SGH – “Jaxson (*sic*) Minerals “Nox Fort – Project””

Report by Activation Laboratories Ltd (Actlabs) dated 05 September 2009 providing an overview of the soil gas hydrocarbon [SGH] sampling technique and detailing conclusions based on the samples submitted for analysis in 2008. A series of 152 samples were shipped to Actlabs (on page 6, Actlabs erroneously indicates a survey size of 154).

Also included is a series of 3 charts that reproduce the color contoured results of the SGH survey as released by Actlabs in comparison with the Acme Labs ICP-MS profile along the three sampled field grid lines, L020N, 060S & 180S. In that part of the soil survey, from each sampled location a SGH sample was taken along with a separate conventional ICP-MS sample. These charts are intended for hardcopy reproduction on oversize media at about 24.1” x 11” (h x w) in portrait mode.

Actlabs Report

JAXSON (*sic*) MINERALS “NOX FORT – PROJECT” 11 PAGES

Comparison Charts:

LINE 020N 1 CHART
LINE 060S 1 CHART
LINE 180S 1 CHART



**SGH – SOIL GAS HYDROCARBON
Predictive Geochemistry**

for

JAXSON MINERALS

"NOX FORT - PROJECT"

September 5, 2008

Dale Sutherland, Eric Hoffman

Activation Laboratories Ltd

EVALUATION OF SGH "SOIL" SAMPLE DATA

EXPLORATION FOR: "GOLD" TARGET

Workorder: A08-4651

SOIL GAS HYDROCARBONS (SGH) - OVERVIEW

SGH analysis involves the testing for 162 hydrocarbon compounds in the C5-C17 carbon series range for a wide variety of matrices. Samples of various media have been successfully analyzed by SGH such as soil (any horizon), drill core, rock, peat, lake-bottom sediments and vegetation. SGH has been shown to be very robust to the use of different sample media even "within" the same survey or transect. Recent work has illustrated that it is far more important to the ultimate interpretation of the results to take a complete sample transect or grid than to skip samples due to different sample media. The most ideal sample is still believed to be soil from the "Upper B-Horizon". Sampling design is suggested to use evenly spaced samples from 15 metres to 200 metres and line spacing from 50 metres to 500 metres depending on the size and type of target. Ideally the sample transects or grid should have one-third of the samples over the target and two-thirds of the samples into anticipated background areas. This design will allow the proper assessment of the SGH geochromatographic vectoring and background site signature levels. Samples can be drip dried in the field and do not need special preservation for shipping. SGH has been specifically designed to avoid common contaminants from sample handling and shipping. It has also been shown to be robust to cultural activities even to the point that successful analysis and interpretation has been done from roadside right-of-ways.

Upon receipt at Activation Laboratories the samples are further air-dried in isolated and dedicated environmentally controlled rooms set to 40°C. The dried samples are then sieved. It is important that compressed air is not used to clean the sieves between samples as trace amounts of compressor oils will "poison" the samples and significantly affect some target signatures. At Activation Laboratories a vacuum is used to clean the sieve between each sample. The -60 mesh sieve fraction (<250 microns, although different mesh sizes can be used at the preference of the geologist) is collected and packaged in a Kraft paper envelope and transported from Actlabs dedicated sample preparation building to our analytical building on the same street in Ancaster Ontario.

The SGH analysis incorporates a very weak leach, essentially aqueous, that only extracts the surficial bound hydrocarbon compounds from the sample particulates. These are the hydrocarbons that have been mobilized from depth. This is different than other soil hydrocarbon tests that are less specific as they thermally extract all of the hydrocarbons from the whole soil sample. The hydrocarbons in the extract are then separated by high resolution capillary column gas chromatography to help isolate only the individual hydrocarbons that have been found to be of interest from initial research and development from two Canadian Mining Industry Research Organization (CAMIRO) projects (97E04 and 01E02). Specific responses are then further isolated by mass spectrometry. This method is highly customized and different than other soil gas hydrocarbon tests that are less specific as they may not separate any of the organic compounds in the soil thus reducing confidence in the result.

SOIL GAS HYDROCARBONS (SGH) – OVERVIEW (cont.)

The separated compounds are then analyzed by mass spectrometry using customized parameters enabling the highly specific detection of the 162 targeted hydrocarbons at a reporting limit of one part-per-trillion (ppt) which is significantly more sensitive than any other test. This trace level limit of reporting is crucial to the detection of the minute level of hydrocarbons that have recently been found to be related in part to the breakdown and release of hydrocarbons from the death phase of microbes at depth.

The SGH analysis is reported in raw data form in an Excel spreadsheet without any additional statistical modification. It has been documented since 2004 that the precision of laboratory duplicates for SGH is excellent and has attained an average performance of 7% Coefficient of Variation with a range of $\pm 2\%$ CV from well over 50 survey submissions from many geographical areas for several different commodity target types. A laboratory duplicate is a site sample taken from the survey being analyzed, after it has been dried at 40°C and sieved, it is transported from Actlabs dedicated sample preparation building to our analytical building on the same street in Ancaster Ontario. In the Organics Laboratory the sieved sample is split and both samples are analyzed in the same manner. When field duplicates have been revealed to us, we have found that the precision of the field duplicates are in the range of about 9 to 12 %CV.

Over the last 10 years of research Actlabs has developed an in-depth understanding of the unique SGH signatures associated with different commodity targets. We have developed target signatures, or templates, to describe and interpret these SGH mineral signatures. SGH is not interpreted in the same way as inorganic geochemistries due to the use of forensically derived signatures and the different dispersion rates or geochromatography of the different SGH classes of compounds. In 2006 we made available an SGH interpretive service to aid our clients in the understanding of the SGH results. In June of 2007, to ensure that all of our clients benefit from the past research sponsored by Actlabs, CAMIRO and OMET, all SGH submissions must be accompanied by relative or UTM coordinates, so that we may ensure that the sample survey design is appropriate for use with SGH, and provide an interpretation with the results. In our interpretation procedure, we separate the results into 19 SGH sub-classes. These classes include specific alkanes, alkenes, thiophenes, aromatic and polyaromatic compounds. Note that there are no compounds that are "gaseous" at room temperature and pressure. The classes are then evaluated in terms of their geochromatography and for coincident compound class anomalies that are unique to different types of mineralization. Actlabs uses a six point scale in assigning a rating of similarity of the SGH signature found to those signatures previously reviewed in known case studies for a particular mineral target type. The rating scale is explained in detail on the next page. Thus in this project, the rating indicates the similarity to known Gold case studies using SGH.

SGH RATING SYSTEM

To date SGH has been found to be successful in the depiction of buried mineralization for Gold, Nickel, VMS, SEDEX, Uranium, and Copper as well as for Kimberlites. SGH data has developed into a dual exploration tool. From the interpretation, a vertical projection of the location of the target can be made as well as a statement on the rating of the comparability of the identification of the anticipated target type to that from known case studies, e.g. if the client anticipates the target to be a Gold deposit, what is the rating or comparability that the target is similar to the SGH analysis of the Gold deposits in Nunavut, shear hosted and sediment hosted deposits in Nevada, Paleochannel Gold mineralization in Western Australia, and others.

- A rating of "6" is the highest or best rating, and means that the SGH classes most important to describing a Gold signature are all present and consistently describe the same location with well defined anomalies. To obtain this rating there also needs to be other SGH classes that when mapped lend support to the predicted location. Ratings are subjective and made in 0.5 unit increments.
- A rating of "5" means that the SGH classes most important to describing a Gold signature are all present and consistently describe the same location with well defined anomalies. The SGH signatures may not be strong enough to also develop other supporting classes.
- A rating of "4" means that the SGH classes most important to describing a Gold signature are mostly present describing the location with well defined anomalies. Supporting classes may be present.
- A rating of "3" means that the SGH classes most important to describing a Gold signature are mostly present and describe the same location with fairly well defined anomalies. Some supporting classes may be present.
- A rating of "2" means that some of the SGH classes most important to describing a Gold signature are present but a predicted location is difficult to determine. Some supporting classes may be present
- A rating of "1" is the lowest rating, and means that some of the SGH classes most important to describing a Gold signature are present but a predicted location is difficult to determine. Supporting classes are not helpful.
- Some transects or study areas may not receive an SGH rating. This is usually when there are not enough samples to adequately review the SGH class geochromatography, when the sample spacing is inadequate, or if the spacing is highly variable such that it biases the interpretation of the results.

SGH – DATA REQUIREMENTS and DATA QUALITY

- Sampling Design: Research conducted in November and December of 2006 revealed that a minimum of 50 sample locations is preferred to obtain enough samples into background areas on both sides of a small suspected target (usually Kimberlite). As of December 2006, our minimum recommendation is at least 50 evenly spaced samples per target with approximately one-third of the samples over the target and one-third on each side of the target in order for SGH to be used for exploration. Targets other than Kimberlites, dykes or veins usually require substantially more samples to represent the both the target and background areas. SGH is not interpreted in the same way as inorganic based geochemistries. SGH must have enough samples over the target and background in order to fully study the dispersion patterns or geochromatography of the SGH classes of compounds over and around a target area.
- SGH Data Quality: The comparisons of laboratory replicate analysis and field duplicate results for chemical tests in the parts-per-million or even parts-per-billion range has typically been done using a “relative percent difference” statistic. This is not appropriate for SGH results as the reporting limit for SGH is 1 part-per-trillion. SGH is one of the most sensitive analyses found and this ultra low limit of detection is vital to the measurement of the small amounts of hydrocarbons now known to be leached/metabolized and subsequently released by bacteria interacting with the ore at depth. Further, SGH is a semi-quantitative technique and was not designed to have the precision of other less sensitive analyses. SGH was designed to cover a wide range of organic compounds with an unprecedented 162 compounds being measured. In order to do this, sacrifices were made to low molecular weight and high molecular weight portions of the SGH analysis. The result is that the first fifteen SGH compounds or the first page of the Excel spreadsheet, exhibit more imprecision than the other 147 compounds. For these reasons a %Coefficient of Variation is a better statistic for use with SGH. This number is calculated on all values ≥ 2 ppt, is averaged, and reported as one number per sample. All samples are then averaged to report one %CV value to represent the project. A historical record encompassing many projects for SGH, having a wide variety of soil type, geology and geography, shows that the precision for SGH is excellent with an overall precision of 6.6% Coefficient of Variation (CV). When last calculated, this number has a range having a maximum of 10% CV and a minimum of 3% CV in a population made up of a total of 85 projects since June of 2004 which has encompassed a wide variety of soils, peat, etc. in over 8,000 samples. As SGH is interpreted using a combination of compounds as a chemical “class” the effect of one concentration that may be imprecise is insignificant.

SGH EVALUATION OF RESULTS – A08-4651
JAXSON MINERALS – NOX FORT PROJECT

- This report is based on the results of the SGH analysis of 154 soil samples samples. The NOX FORT project area is composed of three East-West transects approximately one kilometre in length and 100 metres apart. The sample spacing was approximately 20 metres. The NOX FORT grid covers an area of approximately 1.0 kilometre by 0.2 kilometres. UTM coordinates were provided for mapping purposes of the results for these samples.
- The total number of samples submitted for the NOX FORT project is adequate to use SGH as an exploration tool. This enables the interpretation of the geochromatography from all of the SGH indicator classes of hydrocarbons.
- The precision of the SGH analysis for the Jaxson Minerals NOX FORT project was excellent as demonstrated by 10 pairs of samples taken from this sediment survey, each used for laboratory replicate analysis. The average Coefficient of Variation (%CV) of these replicate results for the NOX FORT project was 4.6 % which represents an excellent level of analytical performance.
- The SGH signatures used in the exploration for a Gold target are primarily made up of relatively low and moderately low molecular weight SGH classes of compounds. Various SGH signatures or interpretive templates have been defined through the research conducted since 1997 on previously analyzed case studies, especially from the two Canadian Mining Industry Research Organization projects (CAMIRO 97E04 & 01E02) and are applicable to a wide variety of commodities.
- Note that the SGH data is only reviewed for the particular mineral signature requested, in this case for the presence of Gold. It is also initially assumed that there is only one potential target. To obtain the best interpretation the client should indicate if there are possible multiple targets, say from geophysical data. The possibility of multiple targets should be known due to potential overlap and thus increased complexity of the resulting geochromatographic anomalies which could alter the interpretation. Discussions with the client indicated that there could be several, relatively small, vein type gold deposits as targets in the NOX FORT project area.
- The client should use a combination of these SGH results and its report with additional geochemical and/or geological information to possibly obtain a more confident and precise target location.

SGH EVALUATION OF RESULTS – A08-4651
JAXSON MINERALS – NOX FORT PROJECT


- The SGH primary indicator class for Gold in this report for A08-4651 produced the map on page 9 from the 154 soil samples. Interpretation was more difficult as there appears to be multiple targets in the area.
- The map on page 9 in plan view is the primary SGH indicator class of hydrocarbons for a Gold target. Other gold indicator class maps are also used in the interpretation for the NOX FORT project. The original Gold template for SGH was developed from study sites over a Gold deposit in Nunavut, shear hosted as well as sediment hosted deposits in Nevada, and Paleochannel Gold mineralization in Western Australia. More recent research since 2004 has also studied the SGH responses over both porphyry and epithermal gold and copper deposits and have found that the original templates developed are still able to be used to depict these types of blind deposits. The data is mapped with a Kriging trending algorithm set in the GeoSoft Oasis Montaj mapping software.
- The plan view maps on page 9, and 3-Dimensional maps on page 10, are maps of the primary and secondary indicator classes of hydrocarbons, or templates, used to depict gold based deposits. Three anomalous areas within the solid black ovals are shown on the primary map. Three other SGH anomalies are shown on the secondary gold indicator map. Other SGH indicator classes (not shown) were also reviewed and show good agreement with the anomalies on the primary SGH gold indicator class map. The more "agreement" found between the class maps reviewed the higher the rating for the anomaly.
- SGH has been found to be an excellent proxy for Redox measurements, thus many anomalies observed from SGH data illustrate a halo type anomaly as the circumference around a Redox cell that is often associated with buried deposits and microbiological activity. At the NOX FORT project it is expected that halo anomalies may not be observed, as the target(s) sought are expected to be thin vein geological structures too small to develop a REDOX cell type anomaly. Instead, small and narrow apical anomalies might be expected to be associated with localized bacterial activity on the deposit at depth.
- Any target veins that might have a North-South orientation automatically have a reduced rating due to the 100 metre distance between transects. The Kriging trending algorithm interpolates the data between the lines, thus the reliability of the anomalies between transects is significantly less than along each transect that has 20 metre sample spacing. The North-South oriented anomalies are also automatically reduced in their rating as they are only inferred in the SGH Secondary indicator maps relative to a gold signature.

SGH EVALUATION OF RESULTS – A08-4651
JAXSON MINERALS – NOX FORT PROJECT

- Note, at this time, we cannot correlate the strength or intensity of an SGH anomaly with either depth to the potential deposit or grade of a deposit. Note also that the maps in this report are not the only SGH maps that define the SGH gold signature or that determine the interpretation rating of target.
- Due to the possible observation of narrow anomalies, should the client wish to physically investigate the source of an anomaly, a sample location, or the nearest sample location, is identified as a reference. The client may decide that these locations may represent potential drilling targets. For vein like targets, the possible drill target, based only on this SGH data, would be at the highest point within the drawn oval over the anomaly on the plan view maps. These would be a location as a “vertical” drill target. At the NOX FORT project, six possible anomalies were identified on page 9 and rated separately. The 3D views on page 10 help to show the relative contrast of the anomalies.
- The following ratings represent the similarity of the SGH gold target signature at the anomalies in the Jaxson Minerals NOX FORT project to that from known SGH gold target case studies. These ratings are based on a scale of 6.0, with a value of 6.0 being the best. After review of the SGH gold indicator class maps, we feel that the results for **the 3 anomalies within each of the solid black ovals on the Primary indicator class map would have a “rating of 5.0” for each anomaly.** After review of the SGH gold indicator class maps, we feel that the results for **the 3 anomalies within each of the dotted black ovals on the Secondary indicator class map would have a “rating of 3.0” for each anomaly.**
- This interpretation has been conducted without any other knowledge of sampling information, or any other geochemical results or geophysical results that the client may have
- The client should use a combination of these SGH results and its report with additional geochemical and/or geological information to possibly obtain a more confident and precise target location.


SGH EVALUATION OF RESULTS – A08-4651
JAXSON MINERALS – NOX FORT PROJECT

“PRIMARY” SGH GOLD INDICATOR CLASS MAP



Samples for location references: # 918544 # 918590 # 918570

“SECONDARY” SGH GOLD INDICATOR CLASS MAP




Samples for location references: # 918584 # 918623 # 918677




Actlabs nor its employees shall be liable for any claims or damages as a result of this report, any interpretation, omissions in preparation, or in the test conducted.
This report is to be reproduced in full, unless approved in writing.

SGH EVALUATION OF RESULTS – A08-4651
JAXSON MINERALS – NOX FORT PROJECT

“PRIMARY” SGH GOLD INDICATOR CLASS MAP – 3D-VIEW



“SECONDARY” SGH GOLD INDICATOR CLASS MAP – 3D-VIEW



Actlabs nor its employees shall be liable for any claims or damages as a result of this report, any interpretation, omissions in preparation, or in the test conducted.
This report is to be reproduced in full, unless approved in writing.

Cautionary Note Regarding Assumptions and Forward Looking Statements

The statements and target rating made in the Soil Gas Hydrocarbon (SGH) interpretive report or in other communications may contain certain forward-looking information related to a target or SGH anomaly.

Statements related to the rating of a target are based on comparison of the SGH signatures derived by Activation Laboratories Ltd. through previous research on known case studies. The rating is not derived from any statistics or other formula. The rating is a subjective value on a scale of 0 to 6 relative to the similarity of the SGH signature reviewed compared to the results of previous scientific research and case studies based on the analysis of surficial samples over known ore bodies. No information on other geochemistries, geophysics, or geology is usually available as additional information for the interpretation and assignment of a rating value. The rating does not imply ore grade and is not to be used in mineral resource estimate calculations. References to the rating should be viewed as forward-looking statements to the extent that it involves a subjective comparison to known SGH case studies. As with other geochemistries, the implied rating and anticipated target characteristics may be different than that actually encountered if the target is drilled or the property developed.

Activation Laboratories Ltd. may also make a scientifically based reference in this interpretive report to an area that might be used as a drill target. Usually the nearest sample is identified as an approximation to a "possible drill target" location. This is based only on SGH results and is to be regarded as a guide based on the current state of this science.


Unless stated, Activation Laboratories Ltd. has not physically observed the exploration site and has no prior knowledge of any site description or details. The company makes general recommendations for sampling and shipping of samples. Unless stated, the laboratory does not witness sampling, does not take into consideration the specific sampling procedures used, season, handling, packaging, or shipping methods. The majority of the time, Activation Laboratories Ltd. has had no input into sampling survey design. Where specified Activation Laboratories Ltd. may not have conducted sample preparation procedures as it may have been conducted at the client's assigned laboratory. Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ scientifically which may impact the associated interpretation and target rating from those described in forward-looking statements, there may be other factors that cause actions, events or results not to be as anticipated, estimated or intended.

In general, any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions, future events or performance are not statements of historical fact. These "scientifically based educated theories" should be viewed as "forward-looking statements".


Readers of this interpretive report are cautioned not to place undue reliance on forward-looking information. Forward looking statements are made based on scientific beliefs, estimates and opinions on the date the statements are made and the interpretive report issued. The Company undertakes no obligation to update forward-looking statements or otherwise revise previous reports if these beliefs, estimates and opinions, future scientific developments, other new information, or other circumstances should change that may affect the analytical results, rating, or interpretation.

Actlabs nor its employees shall be liable for any claims or damages as a result of this report,
any interpretation, omissions in preparation, or in the test conducted.
This report is to be reproduced in full, unless approved in writing.






Soil Gas Hydrocarbon - **PRIMARY** Gold Indicator Class Map




Soil Gas Hydrocarbon - **SECONDARY** Gold Indicator Class Map




B-Horizon Soil Analyses - Acme Labs ICP-MS [code 1F30] - Selected Elements




Sample Locations [twinned B-Horizon & SGH soils] & Bedrock Geology




Soil Gas Hydrocarbon - **PRIMARY** Gold Indicator Class Map




Soil Gas Hydrocarbon - **SECONDARY** Gold Indicator Class Map




B-Horizon Soil Analyses - Acme Labs ICP-MS [code 1F30] - Selected Elements




Sample Locations [twinned B-Horizon & SGH soils] & Bedrock Geology








Soil Gas Hydrocarbon - **PRIMARY** Gold Indicator Class Map



Soil Gas Hydrocarbon - **SECONDARY** Gold Indicator Class Map



B-Horizon Soil Analyses - Acme Labs ICP-MS [code 1F30] - Selected Elements



Sample Locations [twinned B-Horizon & SGH soils] & Bedrock Geology

