



Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey



Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: GEOCHEMICAL

TOTAL COST: \$58,853.82

AUTHOR(S): Gordon G Richards, Brian K. Bowen

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2008

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): SOW 4260531, Jan 29, 2009

PROPERTY NAME: LaForce

CLAIM NAME(S) (on which the work was done): LaForce 5, 6, 12, 13, 19, 22, 23, 34-36

550108, 550110, 550157, 550747, 5550818, 550995, 550996, 581504, 581506, 581507

COMMODITIES SOUGHT: gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: none

MINING DIVISION: Omineca

NTS/BCGS: 94E/1W,2E & 94D/16W

LATITUDE: 57 ° 02 '00 " LONGITUDE: 126 ° 24 '00 " (at centre of work)

OWNER(S):

1) Orestone Mining Corp

2)

MAILING ADDRESS:

975-163 Street, Whiterock, B.C., V4A 9T8

OPERATOR(S) [who paid for the work]:

1) Orestone Mining Corp

2)

MAILING ADDRESS:

as above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Lay Group, Quesnel Terrane, qtz-carbonate-sericite vein stockwork trends northwest over 1.5 km long, southwest dip,

17.7 g/t Au over 5 m, 10.5 g/t Au over 2 m best assays.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: AR 29926 from 2007 work (discovered 2007)

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo Interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil 187	LaForce 5,6,12,13,19,22,23,34-36		\$40,000
Silt 19	as above		\$2,000
Rock 80	as above		\$16,853.82
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$58,853.82

ASSESSMENT REPORT

PROSPECTING AND GEOCHEMICAL SAMPLING ON THE LAFORCE 1-56 CLAIMS

FREDRIKSON LAKE AREA
NORTHERN BRITISH COLUMBIA

BC Geological Survey
Assessment Report
30845

OMINECA MINING DIVISION
LATITUDE 57° 02' N LONGITUDE 126° 24' W
NTS MAP SHEETS 94E / 1W, 2E & 94D / 16W
MINERAL CLAIM SHEETS 94E / 008, 009, 018 & 94D / 098, 099

MTO CLAIMS:
(on which work was done) LaForce 5, 6, 12, 13, 19, 22, 23, 34-36
(550108, 550110, 550157, 550747, 550818, 550995,
550996, 581504, 581506, 581507)

OWNER &
OPERATOR: Orestone Mining Corp., Surrey, B.C.

REPORT
AUTHORS: Gordon G. Richards, P. Eng., Consulting Geologist
6410 Holly Park Drive, Delta, B.C., Canada, V4K 4W6
and
B. K. (Barney) Bowen, P. Eng., Consulting Geologist
12470 99A Avenue, Surrey, B.C., Canada, V3V 2R5

REPORT
DATE: May 15, 2009

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SUMMARY	4
2.0 CONCLUSIONS	5
3.0 RECOMMENDATIONS	5
4.0 INTRODUCTION	6
4.1 Location and Access	6
4.2 Claims	6
4.3 Topography, Vegetation and Climate	6
4.4 History and Development	6
4.5 Summary of Work Done	7
5.0 REGIONAL SETTING	8
5.1 Regional Geology	8
5.2 Regional Residual Total Magnetic Field	8
5.3 1996 RGS Silt Geochemistry	8
6.0 RESULTS OF 2007 FIELD WORK	9
6.1 Introduction	9
6.2 Discussion of Results	10
7.0 PROPOSED WORK	13
8.0 COST STATEMENT	14
9.0 REFERENCES	16
10.0 STATEMENTS OF QUALIFICATIONS	17

FIGURES
all attached

- Figure 1 Location & Claim Map3
Scale 1:100,000
- Figure 2 North LaForce Compilation
Scale 1:15,000
- Figure 3 Central LaForce Compilation
Scale 1:7,500
- Figure 4 South LaForce Compilation
Scale 1:15,000
- Figure 5 LaForce Recce Compilation
Scale 1:125,000
- Figure 6 Regional Geology
- Figure 7 Aeromagnetic Map

TABLES
all attached

- Table 1 LaForce Claims Data
- Table 2 Central & Recce LaForce Rocks, BKB
- Table 3 Central & Recce LaForce prospecting notes, BKB
- Table 4 Central LaForce GR Rock Samples
- Table 5 South LaForce GR Rock Samples

APPENDICES all attached

SGS Canada Inc. MMI Soils, TO102785

Acme Analytical Laboratories Ltd.: VAN08008532 Gravimetric Assays
ICP-MS Analyses: VAN08008533 Soils and RR
VAN08008746 Silts
VAN08008747 Soils (few)
VAN08008748 Rocks

1.0

SUMMARY

The LaForce mineral claims are located in northern British Columbia about 400 km northwest of Prince George and 20 km east of the Kemess South mine. The claims originally covered an area of 9,791 hectares, were expanded prior to the 2008 field work to about 19,500 hectares but have since been reduced to three separate claim blocks, totaling 6766.6 hectares, referred to as LaForce North, LaForce Central, and LaForce South, which cover 2480.1, 3013.5, and 1273.0 hectares respectively. All are 100%-owned by Orestone Mining Corp., a junior mining company listed on the TSX Venture exchange and based in Surrey, British Columbia.

There are no known minfile occurrences nor is there any record of past work having been carried out in the LaForce claims area. The claims were staked in January through May 2007 to cover an area within Quesnel Terrane containing anomalous RGS copper and gold-in-silt values spatially associated with aeromagnetic anomalies. The property's regional setting appeared to have good potential for the discovery of porphyry-style copper-gold mineralization in an under-explored part of Quesnel Terrane.

The LaForce claims area straddles the contact between an Early Jurassic batholith and Upper Triassic Takla Group basic volcanic and minor sedimentary rocks. In the northeast part of the property, Devonian to Permian mafic to felsic volcanic rocks and undivided sedimentary rocks are in thrust contact with Takla Group rocks. Collectively these lithologies comprise Quesnel Terrane which is in fault contact with Upper Proterozoic Ingenika Group sedimentary and metamorphic rocks to the east.

The writers, assisted by field assistants Brent Meszaros and Jamie Morton carried out prospecting and rock, silt and soil geochemical sampling throughout the LaForce claims area during the period August 17-24, 2007. Field traverses were done out of two two-man fly-camps located in the South and North LaForce claim blocks and by daily helicopter supported field traverses on the LaForce Central claim block. A total of 80 rock, 19 silt, 72 MMI soil samples, and 115 ICP-MS soil samples were submitted to Acme Analytical Laboratories Ltd. of Vancouver and SGS Mineral Services of Toronto for multi-element analyses. Cost of the work totaled \$58,853.82.

LaForce Central. Highlight of the August 2008 field work was the definition of the BB showing, discovered in 2007 as a structure with anomalous gold in rocks and soils over a 1 ½ km length. Two higher values of gold in rock chips collected from the hangingwall side of the structure assayed 17.7 g/T Au over 5 m and 10.5 g/T Au over 2 m. The 2007 discovery of the BB gold prospect included 6.8 and 5.6 g/T Au grab samples on the hillside about 100 m north of the 10.5 g/T Au sample collected in 2008. The prospect consists of a moderately to locally well-developed quartz stockwork/vein zone hosted by strongly pyritized and silica-sericite altered clastic sediments. Quartz veins, up to 20 cm wide, carry variable amounts of pyrite and minor chalcopyrite and lesser galena and may in part be stratabound. Veining occurs across an apparent zone width of about 50 m and mineralized outcrop highly anomalous for gold extended the mineralized portion of the structure to 1 ½ km.

LaForce North. A pattern of anomalous gold in soils and silts is suggestive of another gold mineralized structure like that at the BB Showing but poorly exposed. Total length could be in the order of three km. This zone of anomalous gold values occurs on strike with the BB Showing about seven km northwest of the BB showing and could be a repeat of the BB Showing style of mineralization on a related structure.

LaForce South. A crude pattern of anomalous gold in MMI soils on four soil lines coupled with anomalous gold in a stream sediment a km northwest of the soil lines is suggestive of another mineralized structure that could also be related to the structure at the BB showing 14 km to the northwest.

2.0

CONCLUSIONS

The BB prospect in LaForce Central is a new, quartz stockwork/vein-hosted gold occurrence from which limited sampling to date has yielded encouraging results. Follow-up work is required to more fully evaluate its economic potential. The LaForce North and South contain target areas that have excellent potential for the discovery of more gold mineralization.

3.0

RECOMMENDATIONS

The following work is recommended for the three LaForce claim blocks:

- (1.) LaForce Central: Diamond Drilling of the 17.7 g/T Au sample on the southeast facing slope and 10.5, 6.8, and 5.6 g/T Au samples on the northwest facing slope is recommended to begin evaluation of grade, width and continuity of gold mineralization sampled on surface.
- (2.) LaForce North: Follow-up prospecting of the anomalous silts and soils is recommended by collecting soils along east trending lines from the creek with rock samples G34 & K23 southeast to the east flowing creek in Laforce 11 and 13 claims to search for a mineralized structure similar to the BB showing.
- (3.) LaForce South: Follow-up prospecting, geological mapping and sampling along the creek sampled by G52 is recommended. This work is designed to discover mineralization that would explain the anomalous gold in the area.

4.0

INTRODUCTION

4.1 Location and Access

The LaForce claims are located in northern British Columbia about 400 km northwest of Prince George and 20 km east of the Kemess South mine (Figures 1 and 2). Specifically, the claims are located in the Omineca Mining Division, on map sheets 94E/1W & 2E and 94D/16W at coordinates 57°02' N & 126°24' W. Fredrikson Creek runs along much of the east side of the claims.

Access is via helicopter based in the summer months at the Kemess South mine. Road access to the mine is via an all-weather gravel road which connects the mine to supply centers at Mackenzie, Fort St. James and Prince George. There is regularly-scheduled air service from the mine to Prince George, Smithers and Vancouver from Monday to Thursday throughout the year.

4.2 Claims

The LaForce claims cover a total area of 6766.6 hectares divided into three separate claim blocks of 2480.1 hectares (LaForce North), 3013.5 hectares (LaForce Central), and 1273.0 hectares (LaForce South). (Figures 1-4; Table 1). All claims are 100%-owned by Orestone Mining Corp., a junior mining company based in Surrey, B.C. By work described in this report, expiry dates of most of the claims have been extended to 31 January, 2012 with three claims in LaForce Central having new expiry dates of 31 January, 2013. Refer to Table 1.

4.3 Topography, Vegetation and Climate

The LaForce claims are located in moderately rugged terrain and occupy areas below and above tree-line. Overall, elevations range from about 1,100 m along Fredrikson Creek at the southern boundary of the LaForce 36 claim to 2,200 m along ridge lines on the property's western margin which is underlain by resistant intrusive rocks.

The climate is typical for northern British Columbia, with long cold winters, relatively short summers and moderate amounts of precipitation falling year round. The area is generally snow-free from late June to late September, compressing the exploration season into a somewhat short three-month period.

4.4 History and Development

There are no known minfile occurrences nor is there any record of past work having been carried out in any of the LaForce claims area. The claims were staked by Company personnel in January through May 2007 in response to Serengeti Resources' significant

porphyry copper-gold discovery on their Kwanika property within Quesnel Terrane 185 km to the southeast.

At LaForce, also within Quesnel Terrane, anomalous RGS copper and gold-in-silt values are spatially associated with a strong aeromagnetic high and other areas of moderate, positive aeromagnetic response. The property's regional setting appeared to have good potential for the discovery of porphyry-style copper-gold mineralization in an under-explored part of Quesnel Terrane. Its relative proximity to the Kemess South mine also provided impetus for staking the claims.

In April 2007, the writers vended the original Laforce 1-29 claims and a large claim block in the Mt. Milligan area into a private company, Orestone Mining Corp., in return for a share position in the company. Orestone completed summer work programs in both claims areas and in March 2008 went public, listing on the TSX Venture exchange.

In April 2008, Orestone staked the LaForce 30-56 claims contiguous to the south and east of the LaForce 1-29 claims bringing the total area of the LaForce property to about 19,500 hectares.

In August 2008, Orestone completed a work program on the claims focusing on three areas as described below.

In January 2009, Orestone reduced the size of the property to three separate claim blocks totaling 6766.6 hectares and filed work described in this report as assessment work.

4.5 Summary of Work Done

The writers, assisted by field assistants Brent Mazaros and Jamie Morton carried out prospecting and rock, silt and mobile metal ion (MMI) and ICP-MS soil geochemical sampling in the LaForce North, Central, and South claim areas during the period August 17-24, 2008. Canadian Helicopters based at the Kemess South mine provided the initial air support to carry out the field work. Interior Helicopters demobbed field crews at the end of fly camp fieldwork in the North and South LaForce areas. Work was entirely funded by Orestone Mining Corp.

Claims upon which work was done include LaForce 5, 6, 12, 13, 19, 22, 23, 34-36. A total of 80 rock, 19 silt, 72 MMI soil samples, and 115 ICP-MS soil samples were submitted for multi-element analyses. Results of the work are summarized in Section 6.0. Cost of the work totaled \$58,853.82.

5.0

REGIONAL SETTING

5.1 Regional Geology

The regional geology of the LaForce claims area is shown in Figure 6. The claims area straddles the contact between an Early Jurassic batholith of monzonitic to quartz dioritic composition in the west of the original claims and Upper Triassic Takla Group basic to intermediate flows, breccias and tuffs and minor sedimentary rocks in the east. In the northeast part of the property, Devonian to Permian mafic to felsic volcanic rocks and undivided sedimentary rocks are in thrust contact with Takla Group rocks. Collectively these lithologies comprise Quesnel Terrane which is in fault contact with Upper Proterozoic Ingenika Group sedimentary and metamorphic rocks to the east

Most of the principal mineral occurrences in the district lie outside the map area shown in Figure 6. Three of importance are the Kemess South and North porphyry copper-gold deposits located about 20 km west of the LaForce claim block and the Gerle Gold prospect located about 10 km to the southwest. At the Kemess South open pit mine, Northgate Minerals Corporation recovered approximately 60.3 million grams (1.94 million ounces) gold and 221.9 million kilograms (489.2 million pounds) copper during the period 1998-2005. The mine continues to operate. Gerle Gold hosts a modest indicated reserve of 43,355 tonnes grading 7.5 g/t Au. In the period from 1931-41, placer gold production from McConnell Creek, near to Gerle Gold's prospect totaled 37,708 grams (1,100 ounces). There is no record of the amount of placer gold recovered prior to 1931 or subsequent to 1941.

5.2 Regional Residual Total Magnetic Field

Figure 7 shows the regional residual total magnetic field in the LaForce claims area.

A magnetic feature of interest on the claims is an area of moderate, positive aeromagnetic response centered on the LaForce 6 and 12 claims in the LaForce Central part of the property. This anomaly has associated with it a distinctly linear, moderate-amplitude aeromagnetic high extending about 12 km further to the northwest through the LaForce north part of the property. It is shown (in "The Map Place" data base) to be underlain by Takla Group rocks. A poorly defined pyroxene phryic andesite to diorite body occurs beneath this magnetic anomaly in the LaForce Central claims.

5.3 1996 RGS Silt Geochemistry

Figure 6 shows the location of 1996 RGS silt sample locations in the expanded LaForce claims area. Seven silt samples taken from streams draining the claim block returned elevated to anomalous copper and/or gold values in the range of 107-180 ppm and 8-59 ppb respectively. The elevated/anomalous samples are highlighted in red in Figure 6. Four of these (94E963459, 3482, 3499 and 5012) were taken from easterly-draining streams which cut across the 12 km-long aeromagnetic anomaly described in Section 5.2 above.

6.0

RESULTS OF 2008 FIELD WORK

6.1 Introduction

The writers, assisted by field assistants Brent Meszaros and Jamie Morton carried out prospecting and rock, silt, MMI soil and ICP-MS soil geochemical sampling in the three LaForce claims area during the period August 17-24, 2008. Helicopter-supported field traverses were done in the Central Laforce area. Field traverses were completed out of two two-man fly-camps located in the South LaForce and North LaForce areas.

A total of 80 rock, 19 silt, 72 MMI soil, and 115 ICP-MS soil samples were collected. The rock, silt, and conventional soil samples were submitted to Acme Analytical Laboratories Ltd. of Vancouver for multi-element, ICP-MS analyses. Rock samples collected from the Central LaForce were analyzed by Acme Analytical Laboratories by a gravimetric gold assay only. The MMI samples were submitted to SGS Mineral Services of Toronto for multi-element analyses using methods described in Section 6.2.2 below. The Acme Analytical Laboratories Ltd. analytical certificates and chemical procedures and the analytical certificate for the SGS MMI results are attached.

Rock samples were collected by rock hammer from outcrop and float as described in tables. Samples collected by Mr B Bowen were placed in numbered plastic bags. Samples collected by Mr G Richards were placed in numbered gusted kraft bags.

All silt samples were comprised of fines material taken from the active part of streams. The samples were placed in numbered standard kraft bags, with an appropriately numbered survey ribbon hung on nearby vegetation.

Conventional soil samples were collected from holes dug by shovel. Mineral soil from the B and C horizons was placed in numbered standard kraft bags, with an appropriately numbered survey ribbon hung on nearby vegetation.

Watch and ring were removed prior to sampling. Pits were dug by shovel to a depth of 30 cm in order to expose the soil profile for sampling. The profile was scraped clean with a plastic scoop to remove any metal contamination from the shovel. A continuous channel of soil was collected by plastic scoop from 15 to 25 cm below the top of the true soil, placed in a pre-numbered ziplock baggie and then placed in an 11 inch by 20 inch 2 mil plastic bag. An appropriately numbered survey ribbon was hung on nearby vegetation. Samples were kept cool and shipped to SGS Mineral Services in Toronto for analyses.

MMI analysis is used to “look through” deep overburden, including such problematic materials as clay and silt layers, and into bedrock over unspecified depths determined by the extent of fracturing and the presence of water. Transported anomalies are largely “ignored” by the method.

MMI analysis uses a weak partial extraction scheme to improve the conventional geochemical response over buried ore deposits. The process measures the mobile metal

ions, from bedrock mineralization, which have moved toward the surface and are loosely attached to surface soil particles. Its effectiveness has been documented in over one thousand case histories on six continents and includes numerous commercial successes. The anomalies are sharply bounded and in most cases overlie and define the extent of the surface projection of buried primary mineralized zones. The MMI process is a proprietary method developed by Wamtech of Australia. SGS Mineral Services in Toronto provide analyses in Canada.

In the SGS lab, samples are not dried or prepared in any way. The MMI process includes analysis of a 50 gram sample. Multi-element extractants are used and metal concentrations are determined by ICP/MS in the parts per billion range. Several element packages are available. Method code MMI-M5, a 46 element package, was used on all samples.

Control of sample locations was provided by GPS readings with confirmation of soil sample spacing provided by hip chain. Direction of lines was controlled by compass except for the north part of Central LaForce where lines contoured across the hillside.

Figures 2 to 5 are maps for North LaForce, Central LaForce, South LaForce and Recce LaForce, respectively, showing locations of all samples collected and differentiated by sample type. Sample types include rock with ICP-MS analyses, rock with gravimetric assay, soil with ICP-MS analyses, soil with MMI analyses, and stream sediment with ICP-MS analyses

Table 2 presents geological descriptions of rock samples collected on the Central and Recce LaForce areas by Mr B Bowen. Table 3 presents geological and prospecting notes collected by Mr B Bowen. Table 4 presents geological descriptions of rock samples from the Central LaForce that were collected by Mr G Richards. Table 5 presents geological descriptions of rock samples from south LaForce that were collected by Mr G Richards.

6.2 Discussion of Results

Results are discussed for the four areas shown on Figures 2 to 5, North LaForce, Central LaForce, South LaForce and Recce LaForce.

6.2.1 *North LaForce. (Figure 2, Table 3)*

Eleven silt samples, 16 soil samples and 2 rock samples were collected within North LaForce Area.

Outcrops were few but what was seen fits with descriptions of the Lay Group sedimentary and volcanic sedimentary rocks described above in section 5.1.

Rock samples G34 and K23 were of variably silicified and brecciated sediments with broken quartz veins to 3 cm wide. Gold values were low (<10 ppb Au) but arsenic values were anomalous, 357 ppm for G34 and 867 ppm for K23.

Silt samples collected along a southeast flowing creek, samples B70 to B75, were all anomalous for gold and arsenic except for B74 and showed generally increasing values of gold and arsenic upstream to the northwest. Of particular note are the low arsenic and gold values from B74 which is interpreted to indicate a gold-arsenic mineralized source southwest of this creek. The altered and quartz mineralized outcrop sampled by G34 and K23 may be part of a more extensive mineralized structure lying further west and trending parallel to the known mineralized structure in Central LaForce as described below.

Soil samples B54 to B69 collected along an easterly soil line contain six samples anomalous for gold with values of 66 in B56, 200 in B58, 16 in B61, 58 in B62, 25 in B68 and 17 in B69. The last two samples contain the only anomalous arsenic – 23 and 61 ppm As. If these anomalous samples trend northwest through rock samples G34 and K23 then a mineralized zone of about 700 m wide and two km long (open along strike) is indicated.

6.2.2 *Central LaForce (Figure 3 and Tables 2, 3 & 4)*

Ninety nine conventional soils and 64 rock samples were collected within the Central LaForce area.

Three outcrop areas were examined and sampled. From the ridgeline in the Laforce 12 claim northwest 700 m through the Laforce 6 claim is the BB Showing, a moderately to locally well-developed quartz stockwork/vein zone hosted by strongly pyritized and silica-carbonate-sericite altered clastic sediments that is an apparent altered structure dipping moderately southwest.. Quartz veins, up to 20 cm wide, carry variable amounts of pyrite and minor chalcopyrite and may in part be stratabound. Veining occurs across an apparent zone width of about 50 m and has been traced along strike for approximately 700 m in this area. Most samples collected in this area are moderately anomalous for gold with values up to 0.87 g/T Au. The one exception is sample A19 which assayed 10.5 g/T Au over 2 m from the hangingwall of the altered structure. This outcrop is about 100 m southeast of a spur where discovery grab samples, collected in summer of 2007, assayed 6.80, 5.64, 0.51, 0.28 and 0.26 g/t Au.

The second outcrop area occurs toward the base of a southeast facing hillside about 500 m northwest of the previous outcrop area. Here nine samples are moderately anomalous for gold with values up to 0.68 g/T au except for G25 which assayed 17.7 g/T Au over 5 m. This sample was collected at the westernmost end of the outcrop from the hangingwall side of the mineralized structure. Alteration is similar to that at the BB Showing.

The third outcrop area occurs a further 500 m northwest of the second outcrop area on a ridgeline in the southern portion of Laforce 5 claim. Here several discrete carbonate-

pyrite-quartz alteration zones within sediments measure 5 to 20 m wide and were sampled by 10 samples, G15 to G24. G15 assayed 1.24 and G18 assayed 0.11 g/T Au over 2 ½ and 4 m respectively. Other values were weakly anomalous for gold.

Two areas of soil lines confirm the gold anomaly found in rocks over intervening ground lacking outcrop. Between the second and third outcrop area four contour soil lines with 25 m sample spacing contain anomalous gold values on all four lines up to 420 ppb Au but generally in the 30 to 60 ppb au range with supporting anomalous arsenic. The zones of anomalous gold and arsenic line up with known mineralization in outcrop above and below the soil lines.

The other area of soil samples occurs south of the first outcrop area. Here two soil lines spaced 100 m apart with sample interval of 15 m contains discrete zones, 60 and 80 m wide of anomalous gold with values of 21 to 146 ppb Au with supporting anomalous arsenic of 20 to 101 ppm As. These anomalous intervals line up with known mineralized BB Showing extending the zone an additional 200 m southeast of BB Showing outcrops.

The zone of anomalous gold with supporting anomalous arsenic has now been demonstrated to occur over a 1900 strike length. Higher gold values of 10.5 g/T over 2 m and 17.7 g/T Au over 5 m were collected from the hangingwall side of a moderately dipping mineralized structure.

6.2.3 *South LaForce* (Figures 4; Table 5)

Eight stream sediment samples, 72 MMI soil samples and 8 rock chip samples were collected from the South LaForce area.

Sediments of the Lay Assemblage occur along the east contact of a quartz diorite intrusion of unknown extent. Only a few outcrops were seen principally close to Fredrickson Creek where massive grey limestone and calcareous sediments, argillites and volcanic sediments were seen near G 49 to G53 float samples.

Soil lines were placed across a bench that was suspected to be underlain by a mineralized structure based on the pattern of RGS samples anomalous for gold and arsenic and the known northwest trend to the BB Showing mineralized structure. This bench contained abundant quartz diorite boulders with some fines of sediments. MMI soils were collected along four soil lines spaced 400, 600 and 300 m apart with sample interval of 50 m in the hopes that this method would be able to “see through” this overburden. Response ratios were calculated by dividing each geochemical result by the average of the lower quartile. A response ratio of 8 was selected as an anomalous threshold value and used to evaluate results. A crude pattern of anomalous gold with response ratios varying for 8 to 44 forms a linear trend across all four lines. Minor anomalous Cu, As and Sb provides some support for this pattern.

Float sampled by G49-51 and G53 were all silicified sediment with minor pyrite but were not anomalous. Silt sample G52 had a 27 ppb Au and a 139 ppm As value and indicates

that gold mineralization may occur upstream from this site. Rock sample G45 collected one km south of G52 was a 40 cm angular boulder of quartz fragment breccia with 3-5% fine pyrite that contains 110 ppb Au, encouragement for possible nearby more significant gold mineralization. The BB Showing contains a band of quartz fragment breccias identical in appearance to this specimen and similarly anomalous for gold. There is probably much outcrop along the creeks sampled by G52 and G44 which could easily be prospected, mapped and sampled in two days.

6.2.4 *LaForce Recce* (Figure 5, Table 3)

Two stops were made by helicopter as shown in Figure 5. None of the four samples collected contained any anomalous values of interest.

7.0

PROPOSED WORK

The following work is recommended for the three LaForce areas:

LaForce Central: Diamond drilling directed to the northeast across the southwest dipping mineralized structure is recommended on the hillside below sample A19 (10.5 g/T Au over 2 m) and also on the hillside above and below sample G25 (17.7 g/T Au over 5 m).

LaForce North: A soil grid is recommended across the hillside from samples G34-K23 southeast to the east flowing creek south of the soil line shown on Figure 2, a distance of 3 km. Altered float and outcrop should be noted and sampled along these lines. This sampling is aimed at defining the extent of soils anomalous for gold on the present soil line as well as the anomalous silts from the southeast flowing creek.

LaForce South: Two or three days prospecting, geological mapping and sampling along the creek upstream of G52 and along the lower reaches of the west flowing creek one-half km northwest of G52 is recommended. This work is aimed at finding mineralization that could explain the anomalous gold in silt sample G52 and the apparent gold mineralized structure crossing the current soil lines.

8.0

COST STATEMENT

The cost for the work summarized in Section 4.5 is as follows:

	<u>\$CDN</u>	<u>\$CDN</u>
1) <i>Salaries:</i>		
- B. Bowen, consulting geologist:		
- 2.0 days mob-demob @ \$630/d (Aug. 13, 16, 27)	1,260.00	
- 1.6 days supplies purchase @ \$630/d (Aug. 14-15)	1,008.00	
- 8.0 days field work @ \$630/d (Aug. 17-24)	5,040.00	
- G. Richards, consulting geologist:		
- 2.0 days mob-demob @ \$630/d (Aug. 15-16, 27)	1,260.00	
- 8.0 days field work @ \$630/d (Aug. 17-24)	5,040.00	
- J. Morton & B. Meszaros, field assistants:		
- 4.8 m-days mob-demob @ \$362.25/d (Aug. 14, 16, 27)	1,738.80	
- 1.6 m-days supplies purchase @ \$362.25/d (Aug. 15)	579.60	
- 16.0 m-days field work @ \$362.25/d (Aug. 17-24)	<u>5,796.00</u>	
- Sub-total salaries:	21,722.40	21,722.40
2) <i>Helicopter (for period Aug. 17-24/08):</i>		
- Canadian Helicopters invoice:	10,280.89	
- Interior Helicopters invoice:	<u>3,429.67</u>	
- Sub-total helicopter:	13,710.56	13,710.56
3) <i>Airfares:</i>		
- B. Bowen (Aug. 13 & 27/08)	327.88	
- G. Richards (Aug. 15 & 27/08)	<u>334.60</u>	
- Sub-total airfares:	662.48	662.48
4) <i>Motels & Accommodation (latter at Kemess Mine) :</i>		
- B. Bowen - motel @ Prince George (Aug. 13)	80.46	
- 4-man crew* - motels @ Prince George (Aug. 14-15, 26)	449.61	
* Bowen, Richards, Morton & Meszaros		
- Kemess mine: 24 m-days @ \$122.5/d (Aug. 16-20, 24)	<u>2,940.00</u>	
- Sub-total motel & accommodation:	3,470.07	3,470.07
5) <i>Truck Rental (Bowmac):</i>		
- one 4x4 crew cab (Aug. 13-27/08)	1,403.12	
- diesel (Aug. 16-27/08)	<u>239.22</u>	
- Sub-total truck rental	1,642.34	1,642.34

Cost Statement - continued:

	<u>\$CDN</u>	<u>\$CDN</u>
Sub-total carried forward from previous page:	41,207.85	
6) <i>Equipment Rentals:</i>		
- 2 satellite phones:	794.64	
- truck two-way radio:	40.32	
- generator:	75.86	
- 4 hand-held radios:	<u>215.04</u>	
- Sub-total equipment rental	1,125.86	1,125.86
7) <i>Groceries & Meals:</i>		
- groceries (for fly camps):	696.58	
- meals (4-man crew for period Aug. 14-27/08)	<u>283.66</u>	
- Sub-total groceries & meals:	980.24	980.24
8) <i>Field Supplies:</i>		
- Total cost:	673.58	673.58
9) <i>Other Support Costs:</i>		
- taxi (Aug. 13 & 27):	79.20	
- satellite phone calls:	146.54	
- sample shipments & freight	<u>495.64</u>	
	721.38	721.38
10) <i>Analytical (Acme Labs & SGS Mineral Services):</i>		
- ICP-MS analyses for 19 silt samples (includes prep.)	420.75	
- ICP-MS analyses for 115 soil samples (includes prep.)	2,775.83	
- ICP-MS analyses for 14 rock samples (includes prep.)	339.21	
- Au fire assay for 66 rock samples (includes prep.)	2,160.82	
- 72 MMI samples @ \$38.59/s	<u>2,778.30</u>	
- Sub-total analytical:	8,474.91	8,474.91
11) <i>Report Cost:</i>		
- G. Richards, Consulting Geologist (7 days @ \$630/d)	4,410.00	
- B. Bowen, Consulting Geologist (2 days @ \$630/d)	<u>1,260.00</u>	
- Sub-total report cost:	5,670.00	<u>5,670.00</u>
GRAND TOTAL:		\$58,853.82

9.0

REFERENCES

- (1.) B.C. Ministry of Energy and Mines' website 'The Map Place': claims data, regional geology, RGS geochemical data, aeromagnetic data and minfile descriptions for portions of map sheets 94D and 94E
- (2.) Bowen, B.K. Prospecting and Rock, Silt & Mobile Metal Ion Geochemical Sampling on the LaForce 1-29 Claims, Omineca Mining Division, B.C., May 6, 2008; Assessment Report 29926

10.0**STATEMENTS OF QUALIFICATIONS. B.K. Bowen.**

I, Brian K. Bowen, of Surrey, in the Province of British Columbia, DO HEREBY CERTIFY THAT:

1. I am a Consulting Geological Engineer with an office at 12470 99A Avenue, Surrey, British Columbia, Canada, V3V 2R5, Telephone (604) 930-0177.
2. I am a graduate of the University of British Columbia with a degree of Bachelor of Applied Science in Geological Engineering, obtained in 1970. I have been practicing my profession continuously in Canada and elsewhere since graduation.
3. I am a member in good standing of the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
4. This report is based upon my review and compilation of all available data relating to the LaForce 1-56 claims and upon my personal knowledge of the claims area gained from on-site prospecting and geochemical sampling work carried out during the periods August 11-19, 2007 and August 17-24, 2008.
5. I have an indirect interest in the property through my share holdings in Orestone Mining Corp., the 100% owner of the LaForce claims. I am also a Director of Orestone Mining Corp.

Dated at Surrey, British Columbia, this fifteenth day of May, 2009.

May 15, 2009
Surrey, B.C.
BKB/bb

B. K. Bowen, P. Eng.
Consulting Geologist

STATEMENT OF QUALIFICATIONS. G. Richards.

I, Gordon G. Richards, of Delta, in the Province of British Columbia, DO HEREBY CERTIFY THAT:

1. I am an independent consulting geologist and a Professional Engineer of the Province of British Columbia, residing at 6410 Holly Park Drive, Delta, B.C., V4K 4W6.
2. I am a graduate of The University of British Columbia, with the degrees of Bachelor of Applied Science in Geology (1968) and Master of Applied Science in Geology (1974).
3. I have practiced my profession continuously since 1968.
4. This report is based upon personal examination of all data as referenced and upon field data collected personally and by others as cited on the Laforce Property during the period August 17-24, 2008.
5. I have an indirect interest in the property through my share holdings in Orestone Mining Corp., the 100% owner of the LaForce claims. I am also a Director and President of Orestone Mining Corp.

Dated at Delta, British Columbia, this fifteenth day of May, 2009.

May 15, 2009
Delta, B.C.

G. Richards, P. Eng.
Consulting Geologist





ORESTONE
MINING CORP.

ORS: TSX.V

Date:
May 12, 2009
Drawn By:
S. Patterson
Scale:
1:100,000
Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 1: Claim Map and Property Location






ORS: TSX.V

Date:
May 11 2009
Drawn By:
S. Patterson
Scale:
1:15,000
Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 2: North LaForce 2008 Field Survey Program



LAFORCE 21

LAFORCE 22

LAFORCE 24

LAFORCE 23

094E/01

LAFORCE 26

LAFORCE 11

LAFORCE 13

LAFORCE 19

- [Yellow square] ICP Silt Samples
- [Blue circle] ICP Soil Samples
- [Green triangle] ICP Rock Samples
- [Black dot] Reference Waypoints
- [Purple box] Orestone Claims - May 2009
- [Dashed box] LaForce Historical Claim Boundary
- [White box] BC Mineral Tenures - May 2009


250 125 0 250 500 Meters



ORS: TSX.V

Date: May 11 2009
Drawn By: S. Patterson
Scale: 1:7,500
Projection: UTM Z 6 NAD

LaForce Property





ORS: TSX.V

Date:
May 11 2009
Drawn By:
S. Patterson
Scale:
1:15,000
Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 4: South LaForce 2008 Field Survey Program

North

Central


South



LAFORCE 34

094D/16

LAFORCE 36








ORS: TSX.V


Date:
May 11 2009Drawn By:
S. PattersonScale:
1:15,000Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 5: Recce Points 2008 Field Survey Program



LaForce Property



Aeromagnetic Map

LaForce
Property

✗ Kemess North

✗ Kemess South Mine

Big Billy Prospect is a quartz stockwork vein zone measuring 50m by 500m with 5 of 8 grab samples yielding grades of **6.8, 5.6, 0.5, 0.3, & 0.3 g/T Au.**

Property is a new discovery. Work in 2008 will develop the Big Billy and prospect for additional zones.

Mag anomalies indicate potential intrusions related to mineralization

Big Billy
Gold
Prospect

N

0 2 4 6

km

Table 1
LaForce Claims Data
(as of May 15, 2009)

<u>Claim Name</u>	<u>Tenure #</u>	<u>100% Owner</u>	<u>Area (hectares)</u>	<u>Expiry Date</u>
LaForce 1	550098	ORS*	440	Forfeited 31-Jan-09
LaForce 2	550101	ORS	440.1	Forfeited 31-Jan-09
LaForce 3	550103	ORS	105.7	Forfeited 31-Jan-09
LaForce 4	550106	ORS	440.4	31-Jan-12
LaForce 5	550108	ORS	440.4	31-Jan-13
LaForce 6	550110	ORS	264.3	31-Jan-13
LaForce 7	550112	ORS	264.3	31-Jan-12
LaForce 8	550113	ORS	352.1	Forfeited 31-Jan-09
LaForce 9	550116	ORS	352.3	Forfeited 31-Jan-09
LaForce 10	550118	ORS	281.7	Forfeited 31-Jan-09
LaForce 11	550156	ORS	422.3	31-Jan-12
LaForce 12	550157	ORS	352.5	31-Jan-13
LaForce 13	550747	ORS	176	31-Jan-12
LaForce 14	550748	ORS	52.8	Forfeited 31-Jan-09
LaForce 15	550749	ORS	281.9	31-Jan-12
LaForce 16	550750	ORS	334.9	31-Jan-12
LaForce 17	550751	ORS	352.7	31-Jan-12
LaForce 18	550755	ORS	282.1	31-Jan-12
LaForce 19	550818	ORS	422.4	31-Jan-12
LaForce 20	550991	ORS	439.5	Forfeited 31-Jan-09
LaForce 21	550993	ORS	439.5	31-Jan-12
LaForce 22	550995	ORS	351.6	31-Jan-12
LaForce 23	550996	ORS	351.8	31-Jan-12
LaForce 24	550998	ORS	351.8	31-Jan-12
LaForce 25	550999	ORS	387	Forfeited 31-Jan-09
LaForce 26	551000	ORS	140.7	31-Jan-12
LaForce 27	557986	ORS	423.2	Forfeited 31-Jan-09
LaForce 28	557987	ORS	423.4	Forfeited 31-Jan-09
LaForce 29	557988	ORS	423.6	Forfeited 31-Jan-09
LaForce 30	581495	ORS	423.4	Forfeited 16-Apr-09
LaForce 31	581499	ORS	423.6	Forfeited 16-Apr-09
LaForce 32	581500	ORS	423.8	Forfeited 16-Apr-09
LaForce 33	581502	ORS	424	Forfeited 16-Apr-09
LaForce 34	581504	ORS	424.2	31-Jan-12
LaForce 35	581506	ORS	424.3	31-Jan-12
LaForce 36	581507	ORS	424.5	31-Jan-12
LaForce 37	581509	ORS	424.1	Forfeited 16-Apr-09
LaForce 38	581510	ORS	424.3	Forfeited 16-Apr-09
LaForce 39	581511	ORS	424.5	Forfeited 16-Apr-09
LaForce 40	581561	ORS	424.7	Forfeited 17-Apr-09
LaForce 41	581562	ORS	424.7	Forfeited 17-Apr-09
LaForce 42	582062	ORS	282.3	Forfeited 19-Apr-09
LaForce 43	583432	ORS	423.4	Forfeited 30-Apr-09
LaForce 44	583433	ORS	423.2	Forfeited 30-Apr-09

LaForce 45	583434	ORS	423	Forfeited 30-Apr-09
LaForce 46	583435	ORS	387.8	Forfeited 30-Apr-09
LaForce 47	583436	ORS	422.8	Forfeited 30-Apr-09
LaForce 48	583437	ORS	422.6	Forfeited 30-Apr-09
LaForce 49	583438	ORS	422.5	Forfeited 30-Apr-09
LaForce 50	583439	ORS	264.1	Forfeited 30-Apr-09
LaForce 51	583441	ORS	140.9	Forfeited 30-Apr-09
LaForce 52	583442	ORS	105.7	Forfeited 30-Apr-09
LaForce 53	583443	ORS	140.9	Forfeited 30-Apr-09
LaForce 54	583444	ORS	176.3	Forfeited 30-Apr-09
LaForce 55	583451	ORS	370.3	Forfeited 01-May-09
LaForce 56	583459	ORS	176.3	Forfeited 01-May-09
	Total (as of Dec. 31/08):		19,463.20	
	Total (as of May 15/08):		6,942.60	
*ORS = Orestone Mining Corp. (209946)				

Table 2									
Central and Recce LaForce 2008 Rock Sample Descriptions & Selected Analytical Results									
Sample	Sample	NAD 83		Selected Analytical Results (FA-Au or ICP-MS)					Description
No	Type	UTM_E	UTM_N	g/t Au	Ag ppm	As ppm	Cu ppm	Pb ppm	Zn ppm
BB showing area:									
K-1	grab (float)	659924	6320016	<0.01					Angular float or talus - likely close to source (near ridge top); "boudinaged" quartz vein to a few cm wide w/ wk. to mod. limonite; wallrocks are foliated & chloritic
K-2	grab (float)	659889	6320035	<0.01					Quartz vein float to a few cm wide; limonitic; wallrocks look more bleached (sericitized?) rather than chloritic
K-3	grab (outcrop)	659746	6320099	<0.01					In main colour anomaly; quartz blow up to 0.5 m thick but strike length of limited extent (a few metres); sample is mainly quartz vein material w/ minor chloritic wallrock
K-4	grab (float)	659721	6320102	0.02					Up to 0.25 m thick bull quartz vein w/ very minor limonite; some chloritic wallrock in sample
K-5	grab (float)	659721	6320102	0.35					Large piece of angular float up to >1 m in longest dimension; pervasively silicified w/ 2-3% Py; some 1-2 cm wide quartz veins
K-6	chip (1.1 m)	659706	6320118	0.42					Semi-continuous chip across 1.1 m wide bull quartz vein (includes 0.2 m limestone horst)
K-7	chip	659695	6320108	0.01					Semi-continuous chip across ~ 1.5 m thick bull

	(1.5 m)							quartz vein		
K-8	grab (outcrop)	659695	6320081	0.09				Rusty weathering metasediment w/ abundant lamellar quartz; random grab/chip sample w/ bias towards quartz that has abundant 'active limonite'		
K-9	grab (outcrop)	659663	6320150	0.16				Bull quartz stringers & veins cut limestone; sample is of bull quartz vein material		
K-10	grab (outcrop)	659655	6320159	<0.01				Similar to K-9; veins up to 1.0 - 1.5 m thick		
K-11	grab (float)	659401	6320155	<0.01				Lamellar quartz veins in metasediment; 1-2% disseminated limonite-goethite after Py		
K-12	grab (float)	659505	6320356	0.03				4 cm wide lamellar quartz vein in sericitized & silicified wallrock; minor Py & diss. Cpy in vein; near sample no. 07G-04R		
K-13	grab (float)	659473	6320392	0.07				10 cm wide quartz vein float w/ 2-3% diss. Py & possibly minor galena; wallrock may be sericitized/silicified		
K-14	grab (float)	659449	6320390	0.04				Large piece of float (>1.0 m in maximum dimension) of pervasively silicified metasediment w/ minor diss. Py & grey sulphide; nearby is rusty outcrop of metasediment w/ lamellar quartz; lamination @ 138/75 W		
K-15	grab (float)	659392	6320406	0.03				Angular float in favourable metasedimentary zone; 2-3% diss. Py & very minor Cpy in lamellar quartz w/in metasediments		
K-16	grab (outcrop)	659403	6320412	<0.01				Strong quartz veins & irregular vlt. in limestone; bedding in limestone dips at 136/75 W; bias of sample = quartz veins		

K-17	grab (float)	659364	6320449	0.87						0.15 m x 0.3 m x 0.15 m angular float of meta-sediment w/ lamellar quartz & diss. sulphide
K-18	grab (float)	659376	6320450	0.39						Lamellar quartz to 3 cm wide w/ fine diss. sulphide (possibly grey sulphide); float piece is ~15 cm across
K-19	grab (float)	659452	6320390	0.03						Quartz vein breccia float (10 cm across)
K-20	grab (outcrop)	659679	6320116	0.18						Breccia or mega-porphyry dike cuts rusty meta-sediment
K-21	rock			0.07						No description in field notes
K-22	grab (float)	659403	6320412	0.19						No description in field notes
<i>Helicopter recce:</i>				ppb Au						
K-23	grab (float)	655372	6329953	7.8	0.2	867.2	67.6	4.8	15	0.2 m diameter piece of quartz vein float w/ poss. minor AsPy & Cpy?
K-24	grab (outcrop)	661734	6316308	0.8	<0.1	1.5	5.5	9	18	Lamellar quartz vein in limestone; minor Feox on weathered surface; w/in gossan zone which terminates sharply to the north (fault?)

**Table 3. Central, North, and Recce Laforce
B Bowen Prospecting Notes**

Station No.	UTM Co-ord. (NAD 83)		Remarks
	East	North	
B Bowen notes Central LaForce			
K1708-1	659895	6320032	Approx. NE contact of strong Feox colour zone in talus slope
K1708-2	659875	6320050	Meta-volcanoclastic rock; foliated at 110/40 SW; chloritized (locally very strong) but no Feox or veining; FW to BB showing
K1708-3	659827	6320059	Meta-volcanoclastic rock; foliated at 003/50 SW; ~ 5 m west, dip of foliation is shallower (20-30 degrees SW)
K1708-4	659789	6320055	Meta-sedimentary rock; overall, rustier appearance than previous two stations; possible finely diss. Py present
K1808-1	659104	6320245	Foliated meta-andesite w/ strong foliation at 160/85 SW; minor carbonate-chlorite veins & minor quartz veins noted in talus
K1808-2	659092	6320176	Float block of quartz-(carb.) vein cutting foliated, chloritized meta-andesite; vein carries chlorite, but no sulphides nor Cu-oxides
K1808-3	659223	6320164	Almost schistose (sheared?) country-rock at 156/85 E; to west is large bluff of foliated meta-andesite
K1808-4	659276	6319915	Small tarn in cirque to SW of BB showing; good source for drill water
K1808-5	659328	6320093	Eastern limit of foliated meta-andesite outcrops; rock is strongly foliated at 150/70 SW
K1808-6	659355	6320100	First appearance of country rock that's different in appearance than meta-andesite; rock is more finely laminated - possibly a meta-sediment; nearby is outcrop containing strong quartz veins parallel to laminations - also present is 10 cm wide limestone band
K1808-7	659386	6320162	Bedding/foliation in metasediments at 118/50 NE w/ flatter dips of ~15 degrees noted
K1808-8	659405	6320198	Rusty metasediments w/ minor quartz vein lamellae; foliation at 138/55 SW
B. Bowen notes (helicopter recce):			
K1908-1	663057	6321864	Aeromagnetic feature # 2; same ~ location as sample no. G-35; fine siltstone/sandstone w/ fine (~ 1 mm) quartz lamellae containing very minor sulphides; possible magnetite present; ~ 200 m NE of this waypoint is quartz vein boulder field - quartz veins are massive bull quartz w/ minor limonite coatings on fractures; no sulphides noted in veins
B. Bowen notes (North LaForce area):			
K2208-1	655619	6328192	Foliated meta-andesite; foliation at 150/70 SW
K2308-1	656150	6329927	Large block of quartz vein float; true width of vein ~ 1.0 m; mainly bull quartz - no sulphides noted

Table 4. Central LaForce G Richards Rock Descriptions

Sample No. or Reference Pt	Description
	Note: following samples are from north facing hillside (BB Showing area).
G1	Float. 10cm angular qtz boulder with frac hairline limonite. Host in area is phyllitic vcc-slts with carb partings, mostly green rock with very fine 1-4 mm remnant bedding(?) alt rubble in this area has ankeritic(?) pervasive altn and or limonitic altn with stronger limonitic fracs parallel to foliation.
G2	Float. Sltstone with 1 mm or less qtz vnlts throughout. Green rock with carbonate weathered rhind. Some definite lms beds to 1 cm. Minor mal on few rx.
G3	Float. Angular. Incipient bxiation of qtz with qtz-limonite matrix.
G4	Float. Angular. Strong limonitic with qtz vns <2mm parallel to foliation. 10-15 % qtz. Much qtz float across hillside since G1 and ahead.
G5	Float. Like G4 but with bxiation of early qtz with later qtz veins. Strong limonite. Micro-bxia.
G6	Float. Carb-ank altered sed with low boudined(?) qtz vns. Limonitic. No qtz in this area.
500mNE A1	Saddle area. Phyllite-schist. 166/49W foliation.
A16	OC. Phyllite with qtz vnlts in centre of 1m sample width. 002/42W foliation. Some microbxia nearby adjacent to 1/2 m pod of qtz.
A17	OC. 5m west of A16 on same qtz zone with more microbxia.
G7	OC. 5m west of A17. 1m sample width. 5cm wide qtz lens in unaltered phyllite with very weak limonitic fracs parallel to foln. Many qtz lens to 5 cm ‘boudinaged’ within phyllite.
G8	OC. 1m above G7. Ankeritic cross fracs and parallel fracs within phyllite.
A18	OC. 1 ½ to 2 m limonitic fractured phyllite with 10 cm core qtz with frac lim.
A19	OC. 2m wide ankeritic altd phyllite with 5% qtz mostly in one 10 cm vn. Unaltered or weakly altered phyllite underneath sampled oc.
G10	Float. Angular. Qtz fragment bxia like adjacent OC.
G11	Float. Angular. Qtz fragment bxia like adjacent OC.
G12	OC. Aphanitic silica very fg with ½% v.f.g. sulphide immediately underlying qtz frag bxia. Could be ankeritic silica wallrock to bxia.
G13	OC. Qtz frag bxia with sericite in matrix. 1% sulphide. ½ m wide.
G14	OC. Carbonate-silica footwall to bxia unit >1/2 m thick.
A22(3m),A21(2m), A20(2m),5m gap, A23(4m)	OCs.flinty vfg rock. Silica replaced lms(?) cut by qtz frag bxia. Later qtz veins are present everywhere but not abundant. Samples widths are measured from hangingwall of qtz frag bxia.
	Note: following samples are from south facing hillside.
G15	2 ½ m OC. carb?-ank? altered chips felsenmeer on ridge with minor qtz veinlets.
G16	6 m OC. Carb-ank-qtz vnlts, limonitic vnlts. Minor green slts with ank fracs.
G17	7 m OC. Like G16 but with slightly more qtz.
G18	4 m OC. Wkly silicified lms- some with gritty texture (calcareous slts?). All with frac lim and qtz vnlts, low-mod but persistent. Just west is slts with lms interbeds all tightly folded with fold axis plunging 320/5-10N. Beds 140/37W
G19	5m OC. To felsenmeer. Limonitic fractured siltstone with low qtz vnlts.
G20	4m OC. limonitic siltstone with qtz pods and seams. Foln 134/56SW to 10-15SW

G21	4m OC. Ankeritic altd siltstone. Cpy in one piece.
G22	4m OC. Like G21 with 3 2-3 cm throughgoing qtz vns and pod qtz and seams <<1cm.
G23	5m OC. Strong ankeritic altd matrix with lim-ank fracs and coatings on foliation. Few qtz vns to 2 cm.
G24	12 m OC. Finely laminated siltstone with foln parallel to bedding. Note: Above samples on ridge. Below samples from OC near base of hill.
G25	5m sample. Felsite. Bleached siltstone? 2 qtz veins with 1% py not in sample. Some sulphide in siltsone.
G26	4m sample. Felsites. Listwanite? Sheared with 1mm py cubes altd to lim. 5-8 qtz veins $\frac{1}{4}$ to $1\frac{1}{2}$ cm wide. Minor galena with one vein. Some mal on E end sample.
G27	2m sample. Harder felsites. Minor py 1%. Limonitic fracs and surfaces. Mariposite? Vns X-cutting and parallel to foln. Many boudinaged. 158/80SW foln.
G28	4m sample. Hard listwanite? With 1% py diss, frac, and diss lim-ank. 10 m W similar to above then green slst with many micro qtz vnlts <<1Cm parallel foln.
G29	2-3 m sample. Felsite foliated with micro qtz vnlts.
G30	Qtz to 15 cm and micro qtz bxia.
G31	3m sample. Harder foliated ank stained list(?) with qtz vnlts 10 cm or less spacing and qtz vns X-cutting to 2 cm.
G32	1-2m sample. Micro to qtz frag bxia with 4% py cut by widely spaced qtz vns.
G33	5m sample. Hard flinty siliceous 5% py within green volc seds.

Table 5. South LaForce G Richards Rock Descriptions.

Sample or Reference Pt	Description
G39	Carbonate zones 3 cm to 70 cm with qtz vns to 5 mm. No sulphide. May be alt lms beds. Host is chl-epd finely bedded volc slts 016/85W. Lms cliffs visible 100m downstream.
G41+300mW	Outcrop massive qtz diorite N side of creek. Bldrs in ck all intrusive.
G45	Float. Angular boulder with 15-20% qtz replacing calcite or fspars forming bxia fragmnts in pale green aphanitic matrix. Rare blebs py. 1-2% diss py. Some dark matrix patches have 5-10% vfg py.
G46	Subcrop siltstone with white qtz to 3 cm wide and ¼% py.
+ 200 mS	Outcrop siltstone with 152/90 foliation.
A85	Soil. Nearby outcrop siltstone 160/75W foln. Lim stained fracs with X-cutting qtz vnlts and parallel qtz vnlts over 15m width.
81	Green siltstone 175/82E foln. Minor bull qtz sweats. No sulphide. OC extends over 50 m to east. Glacial striations 074/074-no sense dirn.
87	Outcrop mg white lms with bedding 177/80-85E extends up and down creek. Many round diorite boulders.
G49	Float. 10cm qtz vn with grey sulphide and limonitic stained fracs.
G50	Float. Silicified qtz and ank? veined sed(?)
G51	Float. Silicified qtz veined siltstone
G52	Silt. Creek contains big diorite boulders and much silicified siltsone cut by qtz vns to 2 cm. Tr sulphide.
G53	Float. Sample of silicified siltstone as above.
87+500m N	Big creek contains granite bldrs. Massive lms outcrop in lower reaches and along Fredrickson Ck above confluence to 50 m high bluffs.

Sample	RR Ag	RR As	RR Au	RR Cu	RR Sb	RR Mg	RR Ni	RR Pb	MMI
A63	2	2	2	7	1	17	5	4	laforce
A64	2	6	4	6	1	24	6	0	laforce
A65	3	1	16	29	1	26	9	2	laforce
A66	0	4	1	2	1	6	5	5	laforce
A67	1	1	6	9	1	20	20	1	laforce
A68	1	4	1	3	1	10	8	1	laforce
A69	2	1	4	6	1	19	4	0	laforce
A70	2	1	10	7	1	8	1	0	laforce
A71	2	2	4	2	1	4	3	1	laforce
A72	1	2	6	31	2	8	7	0	laforce
A73	1	6	6	9	2	4	8	1	laforce
A74	2	1	6	8	1	18	4	2	laforce
A75	2	1	6	5	1	18	4	1	laforce
A76	4	2	8	2	1	16	2	3	laforce
A77	4	1	2	1	1	14	2	4	laforce
A78	3	1	8	2	1	35	2	1	laforce
A79	2	1	1	2	1	4	2	3	laforce
A80	2	1	1	1	1	2	4	4	laforce
A81	2	6	1	1	1	1	2	4	laforce
A82	3	1	1	1	1	46	4	8	laforce
A83	1	1	1	1	1	28	2	7	laforce
A84	1	10	6	0	1	53	1	2	laforce
A85	0	8	16	1	1	1	1	5	laforce
A86	2	38	8	2	1	2	3	3	laforce
A87	2	8	8	2	1	8	4	3	laforce
A88	5	1	8	1	1	1	1	3	laforce
A89	2	1	6	8	1	55	3	1	laforce
A90	1	1	32	3	1	25	2	1	laforce
A91	1	1	4	1	1	24	2	1	laforce
A92	1	2	10	3	1	4	2	1	laforce
A93	3	4	6	3	1	19	2	2	laforce
A94	2	4	6	3	1	2	2	2	laforce
A95	6	1	4	1	1	1	2	4	laforce
A96	1	1	6	3	1	2	2	1	laforce
A97	2	6	2	2	1	4	3	5	laforce
A98	1	4	6	5	1	30	4	3	laforce
A99	3	2	4	2	1	5	2	2	laforce
A100	3	1	4	4	1	1	1	1	laforce
A101	1	1	4	2	1	5	2	1	laforce
A102	1	1	1	2	1	1	1	2	laforce
A103	2	1	4	3	1	4	1	1	laforce
A104	1	1	6	5	1	34	4	0	laforce
A105	2	1	4	3	1	19	3	0	laforce
A106	2	1	2	2	1	11	2	2	laforce
A107	2	1	1	2	1	14	3	1	laforce
A108	2	1	4	3	1	4	2	2	laforce

A109	3	1	8	2	1	4	2	2 laforce
A110	2	1	2	3	1	26	3	0 laforce
A111	1	2	1	1	1	12	1	2 laforce
A112	2	1	2	1	1	14	1	1 laforce
A113	2	1	4	2	1	1	1	2 laforce
A114	3	1	6	4	1	25	1	0 laforce
A115	1	4	1	1	1	4	1	2 laforce
A116	2	4	2	1	1	5	2	5 laforce
A117	2	4	4	3	1	32	2	4 laforce
A118	3	1	2	1	1	14	3	5 laforce
A119	5	2	14	23	4	16	2	7 laforce
A120	2	1	1	1	1	35	2	7 laforce
A121	1	1	6	1	1	1	0	2 laforce
A122	1	1	44	1	1	2	1	6 laforce
A123	1	8	8	7	1	6	2	3 laforce
A124	3	4	6	5	1	13	2	1 laforce
A125	2	1	2	1	1	36	1	0 laforce
A126	2	1	4	3	1	5	1	1 laforce
A127	1	2	4	2	1	4	1	1 laforce
A128	4	1	4	1	1	1	1	1 laforce
A129	1	1	4	1	1	1	1	5 laforce
A130	3	1	4	2	1	1	1	4 laforce
A131	3	2	6	2	1	4	2	2 laforce
A132	2	6	8	14	2	6	10	1 laforce
A133	2	1	2	3	1	12	2	1 laforce
A134	2	2	12	6	1	7	0	0 laforce



Certificate of Analysis

Work Order: TO102785

To: Orestone Mining Corp.
Attn: Gordon G Richards
6410 Holly Park Drive
DELTA
BC V4K 4W6

Date: Sep 26, 2008

P.O. No. :
Project No. : LA FORCE
No. Of Samples 72
Date Submitted Aug 29, 2008
Report Comprises Pages 1 to 11
(Inclusive of Cover Sheet)

Distribution of unused material:

Discard after 90 days: 72 Soils

Certified By :

Gavin McGill
Operations Manager

SGS Minerals Services (Toronto) is accredited by Standards Council of Canada (SCC) and conforms to the requirements of ISO/IEC 17025 for specific tests as indicated on the scope of accreditation to be found at <http://www.scc.ca/en/programs/lab/mineral.shtml>

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable

I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Methods marked with the @ symbol (e.g. @AAS21E) denote accredited tests

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Ag MMI-M5 1 PPB	Al MMI-M5 1 PPM	As MMI-M5 10 PPB	Au MMI-M5 0.1 PPB	Ba MMI-M5 10 PPB	Bi MMI-M5 1 PPB	Ca MMI-M5 10 PPM	Cd MMI-M5 1 PPB	Ce MMI-M5 5 PPB	Co MMI-M5 5 PPB
A63	8	213	10	0.1	1110	<1	80	12	260	116
*Rep A63	8	218	<10	0.1	980	<1	70	12	238	128
A64	9	22	30	0.2	370	<1	530	5	18	23
A65	11	58	<10	0.8	1310	<1	490	20	147	292
A66	1	178	20	<0.1	1940	<1	40	5	148	130
A67	5	47	<10	0.3	890	<1	460	8	88	11
A68	3	212	20	<0.1	810	<1	140	4	153	99
A69	9	56	<10	0.2	550	<1	380	2	85	26
A70	6	53	<10	0.5	710	<1	210	3	65	16
A71	8	225	10	0.2	1640	<1	50	11	82	75
A72	2	65	10	0.3	960	<1	60	1	21	76
A73	2	44	30	0.3	1230	1	50	2	69	441
A74	6	75	<10	0.3	860	<1	240	2	103	31
A75	8	90	<10	0.3	530	<1	270	7	64	46
*Rep A75	7	88	<10	0.3	510	<1	260	7	72	95
A76	17	145	10	0.4	1210	<1	160	7	110	30
A77	16	212	<10	0.1	710	<1	80	2	83	40
A78	10	88	<10	0.4	880	<1	200	5	95	15
A79	8	258	<10	<0.1	760	<1	50	3	176	23
A80	7	>300	<10	<0.1	690	<1	<10	<1	79	55
A81	8	>300	30	<0.1	1110	<1	<10	5	57	39
A82	12	87	<10	<0.1	1150	<1	280	5	48	63
A83	3	203	<10	<0.1	410	<1	150	4	35	34
A84	2	52	50	0.3	1780	<1	200	<1	37	21
A85	1	265	40	0.8	300	<1	<10	4	39	12
A86	9	>300	190	0.4	1010	<1	<10	6	62	81
A87	9	216	40	0.4	840	<1	80	2	61	24
*Rep A87	10	209	40	0.5	800	<1	70	2	57	26
A88	18	136	<10	0.4	520	<1	10	2	143	16
A89	7	148	<10	0.3	2080	<1	230	3	70	21
A90	5	91	<10	1.6	1120	<1	200	3	107	19
A91	5	111	<10	0.2	620	<1	220	2	98	8
A92	4	287	10	0.5	1080	<1	70	<1	316	15
A93	11	149	20	0.3	1500	<1	130	5	96	31
A94	6	249	20	0.3	1630	<1	50	4	302	24
A95	23	158	<10	0.2	270	<1	<10	7	148	34
A96	4	294	<10	0.3	1440	<1	30	3	103	27
A97	6	274	30	0.1	980	1	30	8	91	76
A98	4	150	20	0.3	2110	<1	160	5	373	188
A99	13	262	10	0.2	550	<1	70	2	59	42
*Rep A99	13	272	<10	0.1	470	<1	70	2	55	42
A100	11	140	<10	0.2	550	<1	20	<1	69	22
A101	4	183	<10	0.2	340	<1	30	2	103	46

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Ag MMI-M5 1 PPB	Al MMI-M5 1 PPM	As MMI-M5 10 PPB	Au MMI-M5 0.1 PPB	Ba MMI-M5 10 PPB	Bi MMI-M5 1 PPB	Ca MMI-M5 10 PPM	Cd MMI-M5 1 PPB	Ce MMI-M5 5 PPB	Co MMI-M5 5 PPB
A102	5	180	<10	<0.1	210	<1	20	4	52	30
A103	9	135	<10	0.2	410	<1	120	2	126	12
A104	5	66	<10	0.3	910	<1	340	3	130	21
A105	7	60	<10	0.2	490	<1	310	2	51	8
A106	6	127	<10	0.1	820	<1	190	5	146	25
A107	9	95	<10	<0.1	390	<1	300	6	81	20
A108	9	249	<10	0.2	880	<1	150	4	103	45
A109	13	204	<10	0.4	740	<1	80	4	200	29
A110	8	79	<10	0.1	640	<1	330	2	76	20
A111	3	145	10	<0.1	830	<1	140	<1	121	11
*Rep A111	3	130	10	0.1	790	<1	110	<1	112	10
A112	6	95	<10	0.1	940	<1	140	3	65	12
A113	9	148	<10	0.2	350	<1	20	7	147	19
A114	11	88	<10	0.3	390	<1	220	3	47	10
A115	3	244	20	<0.1	1580	<1	50	6	69	49
A116	9	>300	20	0.1	980	<1	20	7	120	25
A117	9	234	20	0.2	2890	<1	170	6	116	27
A118	10	>300	<10	0.1	870	<1	100	4	49	34
A119	18	149	10	0.7	1170	<1	170	8	1860	66
A120	7	142	<10	<0.1	1200	<1	220	10	94	59
A121	5	123	<10	0.3	930	<1	20	2	513	8
A122	5	227	<10	2.2	550	<1	50	3	116	12
A123	5	179	40	0.4	3390	1	60	3	376	61
*Rep A123	5	183	40	0.4	3270	2	60	3	364	58
A124	10	100	20	0.3	1210	<1	180	7	280	51
A125	6	54	<10	0.1	710	<1	430	2	28	<5
A126	9	191	<10	0.2	790	<1	160	<1	251	40
A127	4	236	10	0.2	1240	<1	60	3	113	17
A128	16	137	<10	0.2	250	<1	10	2	77	12
A129	4	143	<10	0.2	180	<1	<10	4	94	<5
A130	10	215	<10	0.2	220	<1	10	9	42	17
A131	10	255	10	0.3	1440	<1	70	6	183	29
A132	6	69	30	0.4	1090	<1	130	2	67	150
A133	6	111	<10	0.1	420	<1	210	3	77	21
A134	6	76	10	0.6	620	<1	120	<1	64	18
*Std MMISRM16	14	29	10	24.7	60	<1	180	3	16	37
*Std MMISRM16	19	46	20	35.4	90	<1	220	4	19	55
*Blk BLANK	<1	<1	<10	<0.1	<10	<1	<10	<1	<5	<5
*Blk BLANK	<1	<1	<10	<0.1	<10	<1	<10	<1	<5	<5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Cr MMI-M5 100 PPB	Cu MMI-M5 10 PPB	Dy MMI-M5 1 PPB	Er MMI-M5 0.5 PPB	Eu MMI-M5 0.5 PPB	Fe MMI-M5 1 PPM	Gd MMI-M5 1 PPB	La MMI-M5 1 PPB	Li MMI-M5 5 PPB	Mg MMI-M5 1 PPM
A63	100	870	17	7.9	4.9	112	22	119	10	14
*Rep A63	100	880	17	8.2	4.8	114	22	105	<5	13
A64	<100	820	2	1.3	0.7	20	3	6	6	20
A65	<100	3640	13	7.0	4.2	32	20	63	12	22
A66	200	220	10	5.2	2.8	257	13	79	<5	5
A67	<100	1110	21	12.3	5.6	62	27	55	11	17
A68	<100	380	14	8.4	4.2	183	17	103	25	8
A69	<100	780	18	11.7	7.0	41	28	110	44	16
A70	<100	860	7	3.4	2.7	45	11	30	<5	7
A71	200	250	8	3.9	2.4	322	9	50	29	3
A72	<100	3950	5	4.5	0.9	404	4	12	<5	7
A73	<100	1140	11	7.5	3.0	867	12	38	<5	3
A74	<100	970	17	9.0	5.5	82	23	55	<5	15
A75	<100	630	15	8.4	4.3	62	18	34	<5	15
*Rep A75	<100	930	14	8.4	4.1	131	17	39	6	15
A76	200	240	14	7.3	4.4	176	18	56	10	13
A77	<100	90	8	4.5	2.5	93	10	45	<5	12
A78	<100	230	14	7.0	4.1	55	18	44	<5	29
A79	<100	190	18	8.8	6.0	68	23	98	12	3
A80	<100	120	7	4.0	2.2	155	8	47	12	2
A81	<100	120	6	3.1	1.9	124	7	32	<5	1
A82	<100	110	10	3.9	3.4	47	15	23	16	38
A83	<100	90	5	2.3	1.8	99	7	16	17	23
A84	<100	40	4	1.5	1.7	46	7	19	23	44
A85	<100	120	5	2.5	1.6	51	6	18	36	1
A86	<100	200	10	6.2	2.7	152	10	30	24	2
A87	<100	220	12	6.6	2.6	137	11	28	<5	7
*Rep A87	<100	260	12	7.2	2.3	143	11	25	8	8
A88	<100	170	17	8.2	6.4	27	22	62	32	<1
A89	<100	1010	14	6.9	3.7	67	17	34	26	46
A90	<100	350	14	7.4	4.4	50	20	52	20	21
A91	<100	180	14	6.8	4.3	81	19	50	15	20
A92	300	350	28	11.1	10.1	137	38	152	17	3
A93	200	350	14	7.4	3.9	240	16	46	<5	16
A94	200	440	36	15.9	13.1	143	52	170	<5	2
A95	<100	160	20	9.9	6.9	31	25	67	38	1
A96	200	360	15	7.5	4.5	196	17	54	<5	2
A97	200	190	10	4.7	2.7	270	11	46	<5	3
A98	100	590	31	13.3	10.0	83	43	191	<5	25
A99	<100	270	9	4.2	2.4	160	9	28	<5	4
*Rep A99	<100	280	9	4.0	2.3	175	9	26	<5	4
A100	<100	550	9	3.7	2.8	18	11	31	<5	<1
A101	<100	270	11	5.3	3.4	24	13	52	30	4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Cr MMI-M5 100 PPB	Cu MMI-M5 10 PPB	Dy MMI-M5 1 PPB	Er MMI-M5 0.5 PPB	Eu MMI-M5 0.5 PPB	Fe MMI-M5 1 PPM	Gd MMI-M5 1 PPB	La MMI-M5 1 PPB	Li MMI-M5 5 PPB	Mg MMI-M5 1 PPM
A102	<100	310	9	5.3	2.4	35	9	26	34	<1
A103	<100	440	14	7.0	5.1	67	21	79	25	3
A104	<100	580	15	8.7	5.1	69	21	66	20	28
A105	<100	440	9	6.0	3.4	41	14	34	18	16
A106	<100	300	13	6.5	4.3	118	17	84	<5	9
A107	<100	300	16	9.0	5.3	44	22	59	<5	12
A108	100	330	10	5.4	3.1	161	12	58	<5	3
A109	100	310	16	8.1	5.8	147	22	108	<5	3
A110	<100	430	8	4.2	2.1	43	10	30	<5	22
A111	100	140	8	3.7	2.7	138	11	68	6	10
*Rep A111	100	130	7	3.2	2.5	146	10	63	<5	7
A112	<100	70	4	2.0	1.4	75	5	36	9	12
A113	<100	190	14	6.6	4.7	22	19	86	23	<1
A114	<100	500	15	7.5	5.8	27	23	57	52	21
A115	100	80	6	3.1	2.1	137	8	39	15	3
A116	100	130	12	6.7	3.9	183	14	63	<5	4
A117	<100	340	15	7.4	4.3	100	18	58	<5	27
A118	<100	70	6	3.0	1.7	137	6	26	7	12
A119	100	2930	244	134	69.8	69	324	833	9	13
A120	<100	150	8	4.1	2.2	163	9	37	9	29
A121	<100	80	50	23.6	16.4	16	67	260	8	<1
A122	<100	140	10	4.8	3.4	76	13	61	<5	2
A123	300	920	33	16.1	11.8	199	48	196	13	5
*Rep A123	300	970	34	16.3	12.0	200	48	194	<5	4
A124	<100	680	27	14.9	8.7	122	38	136	<5	11
A125	<100	130	3	1.7	1.0	13	5	13	6	30
A126	100	370	22	10.8	6.7	304	31	122	<5	4
A127	100	220	12	6.2	3.5	174	13	58	<5	3
A128	<100	140	9	4.8	3.2	44	11	38	10	<1
A129	<100	110	11	5.1	4.3	20	14	49	24	<1
A130	<100	210	9	4.9	2.5	26	9	21	39	<1
A131	200	260	15	7.5	5.6	158	21	107	15	3
A132	<100	1780	15	10.7	2.6	402	12	36	<5	5
A133	<100	330	8	4.2	2.7	105	11	43	<5	10
A134	<100	780	15	7.6	7.7	44	31	116	10	6
*Std MMISRM16	<100	420	1	0.6	0.8	1	3	3	<5	31
*Std MMISRM16	<100	600	2	0.8	0.9	2	4	4	<5	38
*Blk BLANK	<100	<10	<1	<0.5	<0.5	<1	<1	<1	7	<1
*Blk BLANK	<100	<10	<1	<0.5	<0.5	<1	<1	<1	6	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Mo MMI-M5 5 PPB	Nb MMI-M5 0.5 PPB	Nd MMI-M5 1 PPB	Ni MMI-M5 5 PPB	Pb MMI-M5 10 PPB	Pd MMI-M5 1 PPB	Pr MMI-M5 1 PPB	Pt MMI-M5 1 PPB	Rb MMI-M5 5 PPB	Sb MMI-M5 1 PPB
A63	11	7.1	99	112	80	<1	26	<1	54	<1
*Rep A63	11	6.4	92	108	80	<1	24	<1	60	<1
A64	12	<0.5	10	148	<10	<1	2	<1	36	<1
A65	<5	<0.5	78	214	50	<1	18	<1	124	<1
A66	9	13.6	60	125	100	<1	16	<1	115	<1
A67	<5	0.5	71	488	30	<1	15	<1	54	<1
A68	6	8.3	70	186	30	<1	18	<1	76	<1
A69	<5	0.5	101	86	<10	<1	23	<1	44	<1
A70	12	1.0	38	32	10	<1	8	<1	73	<1
A71	9	12.0	35	70	30	<1	9	<1	60	<1
A72	10	1.9	11	175	10	<1	3	<1	37	1
A73	16	2.7	44	195	30	<1	10	<1	48	1
A74	<5	1.4	76	105	40	<1	17	<1	66	<1
A75	5	0.8	52	104	30	<1	11	<1	57	<1
*Rep A75	9	1.3	56	111	30	<1	12	<1	60	<1
A76	9	8.2	66	53	70	<1	15	<1	58	<1
A77	5	12.7	40	43	80	<1	10	<1	20	<1
A78	<5	2.7	62	44	30	<1	13	<1	84	<1
A79	12	11.6	99	48	70	<1	24	<1	109	<1
A80	7	17.3	34	87	80	<1	9	<1	159	<1
A81	5	14.2	26	59	90	<1	7	<1	93	<1
A82	<5	5.6	31	102	170	<1	6	<1	72	<1
A83	<5	24.0	21	45	140	<1	4	<1	71	<1
A84	<5	6.8	21	24	40	<1	5	<1	132	<1
A85	<5	5.6	18	29	110	<1	5	<1	132	<1
A86	<5	14.9	33	76	70	<1	8	<1	139	<1
A87	<5	4.8	31	85	60	<1	7	<1	71	<1
*Rep A87	<5	4.0	30	89	60	<1	7	<1	71	<1
A88	7	3.2	92	33	60	<1	21	<1	122	<1
A89	<5	2.6	48	62	30	<1	11	<1	96	<1
A90	7	8.9	70	43	20	<1	16	<1	75	<1
A91	8	4.5	65	43	20	<1	14	<1	46	<1
A92	7	7.6	156	37	30	<1	38	<1	70	<1
A93	15	22.8	60	58	50	<1	13	<1	83	<1
A94	10	8.1	197	54	50	<1	47	<1	73	<1
A95	8	3.2	95	42	90	<1	22	<1	135	<1
A96	7	6.3	65	50	30	<1	15	<1	91	<1
A97	17	28.2	43	76	100	<1	11	<1	75	<1
A98	<5	3.6	179	100	60	<1	43	<1	66	<1
A99	11	17.0	31	57	40	<1	7	<1	67	<1
*Rep A99	11	17.5	30	56	50	<1	7	<1	66	<1
A100	17	2.0	39	17	20	<1	9	<1	108	<1
A101	12	2.7	52	50	30	<1	13	<1	132	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Mo MMI-M5 5 PPB	Nb MMI-M5 0.5 PPB	Nd MMI-M5 1 PPB	Ni MMI-M5 5 PPB	Pb MMI-M5 10 PPB	Pd MMI-M5 1 PPB	Pr MMI-M5 1 PPB	Pt MMI-M5 1 PPB	Rb MMI-M5 5 PPB	Sb MMI-M5 1 PPB
A102	8	2.9	30	35	50	<1	7	<1	98	<1
A103	12	6.7	86	19	30	<1	20	<1	102	<1
A104	9	1.2	80	107	10	<1	18	<1	62	<1
A105	<5	0.7	49	68	<10	<1	10	<1	43	<1
A106	9	5.2	75	36	40	<1	19	<1	43	<1
A107	<5	1.1	72	64	20	<1	16	<1	57	<1
A108	11	9.0	47	45	40	<1	12	<1	122	<1
A109	12	5.8	96	39	40	<1	24	<1	89	<1
A110	<5	2.3	35	60	10	<1	8	<1	50	<1
A111	18	18.0	53	26	40	<1	14	<1	81	<1
*Rep A111	17	16.9	48	21	30	<1	13	<1	76	<1
A112	11	16.8	27	18	30	<1	7	<1	96	<1
A113	10	3.7	83	15	40	<1	20	<1	73	<1
A114	9	2.9	82	27	10	<1	17	<1	83	<1
A115	8	10.2	31	20	50	<1	8	<1	117	<1
A116	9	19.8	64	47	110	<1	16	<1	106	<1
A117	6	9.4	60	41	80	<1	14	<1	89	<1
A118	9	14.9	25	68	100	<1	6	<1	104	<1
A119	30	11.5	1200	48	150	<1	280	<1	59	2
A120	11	10.6	35	51	140	<1	9	<1	92	<1
A121	8	2.4	316	7	40	<1	78	<1	65	<1
A122	15	34.5	56	19	120	<1	14	<1	121	<1
A123	13	17.1	201	36	60	<1	50	<1	92	<1
*Rep A123	14	18.9	200	35	60	<1	48	<1	94	<1
A124	16	6.5	155	51	30	<1	36	<1	81	<1
A125	<5	0.5	16	26	<10	<1	3	<1	16	<1
A126	15	35.9	134	32	30	<1	32	<1	62	<1
A127	13	11.8	56	27	30	<1	14	<1	57	<1
A128	9	2.6	46	21	20	<1	11	<1	51	<1
A129	13	2.5	61	13	100	<1	14	<1	68	<1
A130	13	3.8	29	25	80	<1	6	<1	73	<1
A131	7	8.6	93	54	40	<1	23	<1	68	<1
A132	28	2.7	33	238	30	<1	8	<1	24	1
A133	30	8.0	43	39	30	<1	10	<1	65	<1
A134	21	2.1	134	11	10	<1	29	<1	77	<1
*Std MMISRM16	49	<0.5	13	133	60	20	2	<1	277	<1
*Std MMISRM16	73	<0.5	14	202	90	26	3	<1	338	<1
*Blk BLANK	<5	<0.5	<1	<5	<10	<1	<1	<1	<5	<1
*Blk BLANK	<5	<0.5	<1	<5	<10	<1	<1	<1	<5	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Sc MMI-M5 5 PPB	Sm MMI-M5 1 PPB	Sn MMI-M5 1 PPB	Sr MMI-M5 10 PPB	Ta MMI-M5 1 PPB	Tb MMI-M5 1 PPB	Te MMI-M5 10 PPB	Th MMI-M5 0.5 PPB	Ti MMI-M5 3 PPB	Tl MMI-M5 0.5 PPB
A63	31	20	2	460	<1	3	<10	26.4	2950	<0.5
*Rep A63	32	21	2	390	<1	3	<10	25.4	2690	<0.5
A64	7	3	1	1560	<1	<1	<10	7.2	17	<0.5
A65	11	18	1	1730	<1	3	<10	22.4	<3	0.5
A66	41	12	1	560	<1	2	<10	23.7	2400	<0.5
A67	14	20	1	2800	<1	4	<10	6.9	9	<0.5
A68	20	15	1	1070	<1	3	<10	33.4	1210	<0.5
A69	6	22	1	2510	<1	4	<10	6.6	9	<0.5
A70	10	9	1	980	<1	1	<10	9.1	258	<0.5
A71	26	8	1	440	<1	1	<10	24.6	2860	<0.5
A72	35	3	1	660	<1	<1	<10	9.1	617	0.6
A73	48	10	1	400	<1	2	<10	20.5	887	0.6
A74	26	19	1	930	<1	3	<10	8.8	192	<0.5
A75	16	14	1	850	<1	3	<10	6.1	158	<0.5
*Rep A75	26	14	1	810	<1	3	<10	7.1	245	<0.5
A76	28	16	1	740	<1	3	<10	17.6	3130	<0.5
A77	30	9	2	450	<1	2	<10	7.6	5890	<0.5
A78	14	15	1	970	<1	3	<10	9.2	948	<0.5
A79	29	22	1	400	<1	3	<10	20.8	1830	<0.5
A80	27	7	1	230	1	1	<10	15.7	2390	<0.5
A81	25	6	1	120	<1	1	<10	16.7	2410	<0.5
A82	6	11	1	1070	<1	2	<10	5.3	555	<0.5
A83	12	6	2	530	2	1	<10	7.2	2440	<0.5
A84	7	6	1	860	<1	<1	<10	5.8	795	<0.5
A85	14	5	1	<10	<1	1	<10	10.0	951	<0.5
A86	29	9	1	100	1	2	<10	10.3	3120	<0.5
A87	17	8	1	590	<1	2	<10	8.3	806	<0.5
*Rep A87	16	8	1	620	<1	2	<10	8.2	660	<0.5
A88	40	21	1	30	<1	3	<10	7.1	1030	<0.5
A89	20	13	1	1120	<1	2	<10	10.0	562	<0.5
A90	16	17	1	880	<1	3	<10	13.3	1020	<0.5
A91	18	16	1	640	<1	3	<10	9.4	1250	<0.5
A92	57	36	1	230	<1	6	<10	27.8	2880	<0.5
A93	34	14	2	540	2	2	<10	19.2	5080	<0.5
A94	62	48	1	250	<1	7	<10	24.6	4070	<0.5
A95	48	23	1	<10	<1	4	<10	9.9	1080	<0.5
A96	39	16	1	300	<1	3	<10	27.7	2120	<0.5
A97	26	10	2	260	2	2	<10	20.4	4330	<0.5
A98	51	40	1	1140	<1	6	<10	33.8	1680	<0.5
A99	22	8	1	230	<1	2	<10	9.0	2410	<0.5
*Rep A99	22	8	1	190	1	2	<10	9.4	2490	<0.5
A100	18	10	1	60	<1	2	<10	8.5	510	<0.5
A101	26	12	1	70	<1	2	<10	10.8	648	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	Sc MMI-M5 5 PPB	Sm MMI-M5 1 PPB	Sn MMI-M5 1 PPB	Sr MMI-M5 10 PPB	Ta MMI-M5 1 PPB	Tb MMI-M5 1 PPB	Te MMI-M5 10 PPB	Th MMI-M5 0.5 PPB	Ti MMI-M5 3 PPB	Tl MMI-M5 0.5 PPB
A102	31	7	1	40	<1	2	<10	9.6	530	<0.5
A103	25	19	1	210	<1	3	<10	9.0	1550	<0.5
A104	14	18	<1	1430	<1	3	<10	14.6	154	<0.5
A105	6	12	1	1100	<1	2	<10	6.5	92	<0.5
A106	16	15	1	720	<1	2	<10	16.8	1800	<0.5
A107	7	18	<1	840	<1	3	<10	4.1	124	<0.5
A108	29	10	1	580	<1	2	<10	22.8	1980	<0.5
A109	35	21	1	320	<1	3	<10	20.1	2650	<0.5
A110	7	8	1	1330	<1	1	<10	7.4	427	<0.5
A111	17	11	2	520	1	2	<10	16.8	3700	<0.5
*Rep A111	16	10	2	430	1	1	<10	15.9	3580	<0.5
A112	12	5	2	660	1	<1	<10	12.3	2310	<0.5
A113	27	18	1	80	<1	3	<10	12.9	704	<0.5
A114	12	20	1	600	<1	3	<10	7.2	535	<0.5
A115	30	7	1	450	<1	1	<10	11.4	3760	<0.5
A116	49	13	2	110	1	2	<10	21.2	6660	<0.5
A117	33	15	1	960	<1	3	<10	14.1	3920	<0.5
A118	30	6	2	480	1	1	<10	9.7	5030	<0.5
A119	174	289	1	710	<1	46	<10	69.7	1100	<0.5
A120	20	8	1	1140	<1	1	<10	11.7	3690	<0.5
A121	73	67	1	140	<1	10	<10	10.8	691	<0.5
A122	30	13	3	140	3	2	<10	13.2	2720	<0.5
A123	67	44	3	710	1	7	<10	71.5	5520	0.6
*Rep A123	67	46	2	710	1	7	<10	74.2	5950	0.6
A124	46	34	1	780	<1	5	<10	34.1	773	0.6
A125	<5	4	1	1460	<1	<1	<10	4.6	4	<0.5
A126	26	30	3	340	3	5	<10	35.9	1760	<0.5
A127	37	13	1	290	<1	2	<10	40.9	2700	<0.5
A128	34	11	1	20	<1	2	<10	15.5	389	<0.5
A129	27	14	1	<10	<1	2	<10	11.2	461	<0.5
A130	29	8	1	<10	<1	2	<10	8.9	706	<0.5
A131	41	20	1	360	<1	3	<10	32.8	3610	<0.5
A132	50	9	1	620	<1	2	<10	15.1	429	<0.5
A133	10	10	1	470	<1	1	<10	8.5	1370	<0.5
A134	15	28	1	510	<1	4	<10	11.0	656	<0.5
*Std MMISRM16	9	3	2	410	<1	<1	<10	18.4	<3	<0.5
*Std MMISRM16	10	4	1	500	<1	<1	<10	24.8	<3	<0.5
*Blk BLANK	<5	<1	<1	<10	<1	<1	<10	<0.5	<3	<0.5
*Blk BLANK	<5	<1	<1	<10	<1	<1	<10	<0.5	<3	<0.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	U MMI-M5 1 PPB	W MMI-M5 1 PPB	Y MMI-M5 5 PPB	Yb MMI-M5 1 PPB	Zn MMI-M5 20 PPB	Zr MMI-M5 5 PPB
A63	6	1	82	6	120	36
*Rep A63	7	<1	87	6	120	35
A64	29	<1	12	1	<20	<5
A65	76	<1	75	7	50	13
A66	26	1	50	4	360	38
A67	480	<1	149	10	40	17
A68	140	<1	79	8	80	54
A69	1690	<1	160	10	<20	5
A70	9	<1	33	3	80	27
A71	8	<1	34	3	430	64
A72	31	<1	35	4	30	22
A73	11	<1	69	8	90	74
A74	8	<1	98	7	40	22
A75	11	<1	86	7	150	18
*Rep A75	12	<1	85	7	190	21
A76	7	1	68	6	180	54
A77	3	2	47	3	80	31
A78	10	<1	70	5	140	34
A79	11	<1	87	7	<20	106
A80	5	<1	33	3	230	63
A81	5	<1	26	3	310	65
A82	5	<1	39	3	50	16
A83	4	<1	24	2	150	44
A84	5	<1	16	1	<20	18
A85	6	<1	22	2	200	53
A86	6	<1	50	6	50	42
A87	7	<1	62	5	<20	29
*Rep A87	7	<1	64	6	<20	25
A88	6	<1	83	7	<20	39
A89	8	<1	68	5	<20	31
A90	18	<1	72	6	140	107
A91	11	<1	65	5	<20	50
A92	15	1	111	8	30	166
A93	9	2	67	6	340	106
A94	11	1	167	11	140	116
A95	6	<1	98	8	90	41
A96	10	<1	65	6	120	140
A97	7	2	43	4	130	106
A98	7	<1	147	9	40	78
A99	4	<1	35	3	<20	59
*Rep A99	4	<1	33	3	<20	61
A100	6	<1	34	3	<20	42
A101	6	<1	54	4	30	59

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element Method Det.Lim. Units	U MMI-M5 1 PPB	W MMI-M5 1 PPB	Y MMI-M5 5 PPB	Yb MMI-M5 1 PPB	Zn MMI-M5 20 PPB	Zr MMI-M5 5 PPB
A102	5	<1	48	4	100	55
A103	6	<1	72	5	<20	37
A104	15	<1	85	7	<20	21
A105	8	<1	72	5	<20	8
A106	8	<1	67	5	<20	27
A107	8	<1	102	7	<20	8
A108	9	<1	47	5	<20	61
A109	10	1	77	6	20	35
A110	8	<1	44	3	<20	22
A111	9	1	37	3	<20	52
*Rep A111	8	1	33	3	<20	52
A112	8	<1	19	2	40	42
A113	7	<1	68	5	30	91
A114	82	<1	81	6	<20	29
A115	3	1	27	2	180	44
A116	7	1	57	6	200	85
A117	8	1	70	6	30	50
A118	6	1	28	2	20	46
A119	199	2	1400	103	30	324
A120	6	<1	36	3	50	31
A121	11	<1	246	18	60	140
A122	6	1	43	4	<20	209
A123	20	2	159	13	140	221
*Rep A123	20	2	159	13	140	230
A124	45	1	139	13	90	178
A125	8	<1	19	1	<20	8
A126	34	1	94	9	<20	279
A127	14	1	50	5	120	163
A128	9	<1	43	4	30	72
A129	9	<1	51	4	30	66
A130	9	<1	42	4	30	50
A131	8	1	72	6	70	57
A132	84	<1	102	10	<20	48
A133	13	<1	41	4	30	33
A134	12	<1	93	6	<20	25
*Std MMISRM16	38	<1	6	<1	160	10
*Std MMISRM16	46	<1	8	<1	200	13
*Blk BLANK	<1	<1	<5	<1	<20	<5
*Blk BLANK	<1	<1	<5	<1	<20	<5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

12470 99A Ave.
Surrey BC V3V 2R5 Canada

Submitted By:

B.K. (Barney) Bowen

Receiving Lab:

Canada-Vancouver

Received:

August 22, 2008

Report Date:

September 02, 2008

Page:

1 of 4

CERTIFICATE OF ANALYSIS

VAN08008532.1

CLIENT JOB INFORMATION

Project: LA FORCE
Shipment ID:
P.O. Number
Number of Samples: 66

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	66	Crush, split and pulverize rock to 200 mesh		
G6	66	Fire Assay fusion Au by ICP-ES	30	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

ADDITIONAL COMMENTS

Fire Assay by gravimetric finished recommended for Au > 10 gm/mt

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Orestone Mining Corp.
12470 99A Ave.
Surrey BC V3V 2R5
Canada

CC: Gordon Richards



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

12470 99A Ave.
Surrey BC V3V 2R5 Canada

Project:

LA FORCE
September 02, 2008

Report Date:

Page:

2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008532.1

Method	WGHT	G6
Analyte	Wgt	Au
Unit	kg	gm/mt
MDL	0.01	0.01
K-01	Rock	0.90 <0.01
K-02	Rock	0.80 <0.01
K-03	Rock	0.80 <0.01
K-04	Rock	0.53 0.02
K-05	Rock	1.43 0.35
K-06	Rock	1.38 0.42
K-07	Rock	1.66 0.01
K-08	Rock	0.96 0.09
K-09	Rock	0.93 0.16
K-10	Rock	0.60 <0.01
K-11	Rock	0.86 <0.01
K-12	Rock	1.16 0.03
K-13	Rock	0.77 0.07
K-14	Rock	0.64 0.04
K-15	Rock	0.85 0.03
K-16	Rock	0.69 <0.01
K-17	Rock	0.48 0.87
K-18	Rock	0.48 0.39
K-19	Rock	0.76 0.03
K-20	Rock	0.39 0.18
K-21	Rock	0.46 0.07
K-22	Rock	0.55 0.19
G-01	Rock	0.22 <0.01
G-02	Rock	0.32 <0.01
G-03	Rock	0.22 <0.01
G-04	Rock	0.23 0.08
G-05	Rock	0.24 0.06
G-06	Rock	0.21 <0.01
G-07	Rock	0.38 0.01
G-08	Rock	0.20 0.12



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

12470 99A Ave.
Surrey BC V3V 2R5 Canada

Project:

LA FORCE
September 02, 2008

Report Date:

Page:

3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008532.1

Method	WGHT	G6
Analyte	Wgt	Au
Unit	kg	gm/mt
MDL	0.01	0.01
G-09	Rock	0.38 0.05
G-10	Rock	0.28 0.13
G-11	Rock	0.40 0.09
G-12	Rock	0.45 0.01
G-13	Rock	0.26 0.04
G-14	Rock	0.27 0.01
G-15	Rock	0.34 1.24
G-16	Rock	0.55 0.07
G-17	Rock	0.54 0.06
G-18	Rock	0.44 0.11
G-19	Rock	0.68 0.04
G-20	Rock	0.57 <0.01
G-21	Rock	0.40 0.04
G-22	Rock	0.53 0.03
G-23	Rock	0.48 <0.01
G-24	Rock	0.42 <0.01
G-25	Rock	0.57 17.71
G-26	Rock	0.68 0.68
G-27	Rock	0.65 0.25
G-28	Rock	0.68 0.06
G-29	Rock	0.28 0.01
G-30	Rock	0.39 0.36
G-31	Rock	0.52 0.02
G-32	Rock	0.45 0.40
G-33	Rock	0.66 0.06
A-16	Rock	0.79 0.02
A-17	Rock	1.28 0.04
A-18	Rock	1.21 0.24
A-19	Rock	0.52 10.58
A-20	Rock	0.46 0.05



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

12470 99A Ave.
Surrey BC V3V 2R5 Canada

Project:

LA FORCE
September 02, 2008

Report Date:

Page:

4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008532.1

Method	WGHT	G6
Analyte	Wgt	Au
Unit	kg	gm/mt
MDL	0.01	0.01
A-21	Rock	0.69 0.01
A-22	Rock	0.53 0.16
A-23	Rock	0.92 0.02
A-24	Rock	0.69 0.02
B-16	Rock	1.55 <0.01
B-17	Rock	1.16 <0.01



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

12470 99A Ave.
Surrey BC V3V 2R5 Canada

Project:

LA FORCE
September 02, 2008

Report Date:

Page:

1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08008532.1

Method	WGHT	G6
Analyte	Wgt	Au
Unit	kg	gm/mt
MDL	0.01	0.01
Pulp Duplicates		
K-16	Rock	0.69 <0.01
REP K-16	QC	<0.01
A-21	Rock	0.69 0.01
REP A-21	QC	0.02
Reference Materials		
STD OXH55	Standard	1.35
STD OXH55	Standard	1.30
STD OXK69	Standard	3.67
STD OXK69	Standard	3.62
STD OXH55 Expected		1.282
STD OXK69 Expected		3.583
BLK	Blank	<0.01
Prep Wash		
G1	Prep Blank	<0.01 <0.01
G1	Prep Blank	<0.01 <0.01

Sample	RR Ag	RR As	RR Au	RR Cu	RR Sb	RR Mg	RR Ni	RR Pb	RR Hg	soilsMMI
A1	1	4	2	6	6	2	1	2	4	laforce
A2	1	10	3	3	11	1	1	3	3	laforce
A3	1	12	3	3	13	1	2	3	6	laforce
A4	1	10	4	3	11	1	2	3	3	laforce
A5	1	9	3	2	13	1	1	2	4	laforce
A6	1	8	4	3	18	2	3	2	4	laforce
A7	1	6	12	1	23	3	2	6	5	laforce
A8	4	24	13	3	24	2	2	4	2	laforce
A9	3	11	13	2	13	1	1	3	3	laforce
A10	1	15	7	2	11	1	1	3	3	laforce
A11	7	30	44	5	18	2	1	4	4	laforce
A12	6	25	24	3	27	2	1	3	2	laforce
A13	1	8	3	2	4	2	1	2	2	laforce
A14	1	11	4	2	5	3	2	3	2	laforce
A15	1	8	2	3	5	3	2	4	2	laforce
A25	1	18	3	2	10	3	2	5	2	laforce
A26	1	25	6	2	25	2	2	8	2	laforce
A27	3	18	2	2	6	2	1	1	3	laforce
A28	4	14	4	1	9	2	2	2	2	laforce
A29	1	11	6	2	8	4	3	2	2	laforce
A30	3	15	23	2	13	2	2	3	3	laforce
A31	6	6	1	1	4	2	1	3	4	laforce
A32	3	10	6	2	4	2	2	2	3	laforce
A33	4	3	15	4	3	3	2	3	2	laforce
A34	6	4	9	3	4	3	2	3	2	laforce
A35	3	2	5	2	2	2	2	12	2	laforce
A36	6	3	53	2	3	2	2	4	2	laforce
A37	10	5	3	2	3	3	3	5	2	laforce
A38	3	4	1	2	1	5	2	2	2	laforce
A39	3	3	4	2	1	4	3	2	2	laforce
A40	3	1	0	1	0	5	4	1	2	laforce
A41	1	0	1	2	0	7	6	1	0	laforce
A42	1	0	1	2	0	7	6	1	0	laforce
A43	3	8	2	2	5	4	2	2	2	laforce
A44	3	11	3	2	7	3	2	2	2	laforce
A45	1	9	2	2	6	4	2	2	3	laforce
A46	3	7	3	1	6	3	2	2	3	laforce
A47	4	9	126	2	8	3	2	2	3	laforce
A48	3	10	7	2	13	2	2	3	2	laforce
A49	9	18	15	4	27	3	2	4	2	laforce
A50	9	6	11	2	6	2	2	3	3	laforce
A51	6	6	4	2	6	3	2	4	2	laforce
A52	6	7	18	2	6	3	2	3	3	laforce
A53	4	3	2	1	2	3	3	2	2	laforce
A54	1	1	2	2	0	6	5	1	1	laforce
A55	4	1	2	1	1	3	2	1	2	laforce

A56	3	1	0	1	1	5	4	1	2 laforce
A57	1	0	1	2	0	6	5	1	1 laforce
A58	3	1	0	1	0	5	4	1	2 laforce
A59	4	1	6	1	0	5	4	1	2 laforce
A60	1	0	0	1	0	4	3	1	2 laforce
A61	1	0	1	1	0	4	3	1	1 laforce
A62	1	0	1	1	0	3	2	1	2 laforce
B1	3	3	4	1	7	1	1	2	3 laforce
B2	3	9	7	3	18	4	4	5	2 laforce
B3	3	17	15	4	13	3	3	4	1 laforce
B4	3	15	15	4	10	3	2	3	2 laforce
B5	1	9	7	2	7	2	1	2	2 laforce
B6	1	7	8	2	6	1	1	2	4 laforce
B7	3	9	5	3	8	2	2	2	6 laforce
B8	1	36	16	3	23	2	2	3	3 laforce
B9	1	20	13	3	18	2	2	3	4 laforce
B10	1	16	12	3	14	2	2	2	4 laforce
B11	3	5	7	1	4	1	1	1	3 laforce
B12	9	15	15	3	13	2	2	3	3 laforce
B13	4	17	6	2	9	3	3	3	3 laforce
B14	3	14	5	2	6	2	2	3	4 laforce
B15	7	13	3	2	6	3	2	3	4 laforce
B18	1	16	23	2	10	3	2	2	3 laforce
B19	1	19	3	2	11	4	2	2	2 laforce
B20	6	24	7	2	23	3	3	2	4 laforce
B21	7	20	5	2	13	3	2	2	3 laforce
B22	3	10	15	1	10	3	2	2	3 laforce
B23	6	5	1	1	6	2	2	3	2 laforce
B24	1	4	7	2	3	3	2	4	2 laforce
B25	3	10	58	2	8	3	2	2	0 laforce
B26	3	9	5	2	9	3	2	4	2 laforce
B27	3	17	44	2	12	2	2	3	5 laforce
B28	4	5	6	1	3	2	1	3	2 laforce
B29	7	7	16	2	4	2	2	5	2 laforce
B30	4	7	15	3	4	3	3	3	2 laforce
B31	4	5	4	2	4	4	3	2	0 laforce
B32	3	0	0	1	0	7	5	1	2 laforce
B33	1	1	6	1	1	4	3	1	2 laforce
B34	6	3	3	1	4	2	1	9	3 laforce
B35	6	4	6	1	5	3	1	2	3 laforce
B36	9	4	7	2	4	3	2	2	2 laforce
B37	4	5	11	2	4	3	2	2	1 laforce
B38	3	3	8	1	7	2	1	2	2 laforce
B39	26	6	12	2	13	3	2	3	2 laforce
B40	3	0	1	1	0	5	4	1	2 laforce
B41	1	0	1	2	0	6	5	1	0 laforce
B42	3	2	6	3	1	4	2	1	1 laforce

B43	1	0	0	1	0	3	2	1	1 laforce
B44	4	2	5	1	1	3	2	1	2 laforce
B45	1	2	2	2	1	4	3	1	2 laforce
B46	3	0	10	0	0	2	2	1	2 laforce
B47	1	1	2	2	1	4	3	1	2 laforce
B48	1	1	1	2	0	5	4	1	0 laforce
B54	3	1	1	2	1	3	1	1	2 laforce
B55	3	0	2	2	0	3	1	1	0 laforce
B56	1	0	20	1	1	3	1	1	1 laforce
B57	3	0	1	1	1	3	1	1	2 laforce
B58	3	0	60	1	0	3	1	1	1 laforce
B59	3	0	0	1	0	2	1	1	2 laforce
B60	3	0	1	1	0	2	1	1	1 laforce
B61	3	0	5	1	1	3	1	1	0 laforce
B62	4	0	18	1	1	3	1	1	1 laforce
B63	1	1	1	2	1	3	1	1	1 laforce
B64	1	1	1	2	1	3	1	1	1 laforce
B65	1	2	2	1	2	2	1	2	1 laforce
B66	3	5	1	1	7	3	1	2	0 laforce
B67	3	1	3	0	3	1	0	2	0 laforce
B68	1	8	7	1	6	3	1	2	2 laforce
B69	1	21	5	2	8	3	1	1	0 laforce



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Submitted By:

B.K. (Barney) Bowen

Receiving Lab:

Canada-Vancouver

Received:

August 22, 2008

Report Date:

September 17, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08008533.1

CLIENT JOB INFORMATION

Project: LA FORCE

Shipment ID:

P.O. Number

Number of Samples: 99

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	99	Dry at 60C sieve 100g to -80 mesh		
	Dry at 60C	99	Dry at 60C		
	RJSV	99	Save all or part of soil reject fraction		
	1DX15	99	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Orestone Mining Corp.
975 - 163rd Street
Surrey BC V4A 9T8
Canada

CC: Gordon Richards



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

2 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	Unit	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
A-1	Soil		0.9	205.7	6.2	79	0.1	23.9	21.0	2443	6.86	12.5	0.4	5.4	0.8	14	0.4	0.8	<0.1	89	0.18	0.148
A-2	Soil		1.7	101.2	10.4	84	<0.1	22.7	19.4	1632	5.84	28.3	0.4	11.4	0.3	10	0.2	1.5	0.1	90	0.10	0.131
A-3	Soil		1.4	90.0	10.0	84	<0.1	30.1	16.7	1017	5.54	33.3	0.5	8.7	0.2	8	0.2	1.8	0.2	85	0.06	0.098
A-4	Soil		1.7	87.6	12.7	84	<0.1	26.8	20.3	1967	5.59	27.9	0.3	12.5	0.2	10	0.1	1.6	0.2	109	0.11	0.123
A-5	Soil		1.5	59.9	7.7	65	<0.1	25.1	14.8	832	4.95	24.9	0.2	8.5	0.1	9	0.1	1.8	0.1	97	0.18	0.091
A-6	Soil		1.6	92.3	8.7	76	<0.1	51.8	22.2	828	6.44	24.3	0.3	12.1	0.5	7	0.1	2.5	<0.1	90	0.05	0.103
A-7	Soil		1.6	50.4	21.2	69	0.1	32.3	15.4	737	3.76	16.5	0.3	40.5	0.1	11	0.2	3.2	0.1	73	0.08	0.083
A-8	Soil		3.2	105.8	14.5	91	0.3	29.4	25.0	2025	5.24	68.3	0.6	44.3	0.5	11	0.3	3.4	0.2	77	0.09	0.118
A-9	Soil		2.6	73.4	11.4	62	0.2	13.7	14.2	1474	4.16	32.8	0.5	42.9	0.2	12	0.2	1.8	0.2	64	0.06	0.087
A-10	Soil		3.1	64.7	12.1	68	0.1	16.9	13.5	1250	3.75	41.5	0.5	24.0	0.2	10	0.2	1.6	0.3	64	0.04	0.093
A-11	Soil		3.7	154.4	14.9	109	0.5	24.2	25.1	2287	5.68	86.3	0.5	146.7	0.6	16	0.4	2.5	0.2	56	0.10	0.131
A-12	Soil		3.5	86.0	12.7	79	0.4	19.6	13.7	1028	3.83	71.6	0.5	78.9	0.2	17	0.2	3.8	0.2	60	0.04	0.100
A-13	Soil		2.8	50.9	9.0	76	0.1	23.1	11.3	696	3.25	23.4	0.4	10.3	0.2	10	0.2	0.5	0.3	58	0.05	0.090
A-14	Soil		3.2	64.7	11.9	99	0.1	27.4	19.2	1919	4.03	32.4	0.3	14.7	0.4	9	0.2	0.7	0.3	70	0.05	0.089
A-15	Soil		4.1	88.8	16.4	105	0.1	36.5	19.4	1648	4.21	22.7	0.5	7.0	0.5	9	0.5	0.7	0.2	63	0.07	0.090
A-25	Soil		1.8	72.9	18.1	70	<0.1	27.8	21.7	1920	4.59	51.9	0.2	9.7	0.2	14	0.3	1.4	0.1	70	0.09	0.066
A-26	Soil		2.1	63.6	28.8	76	0.1	29.6	19.9	1449	4.13	72.7	0.2	18.5	0.2	21	0.6	3.6	0.1	66	0.18	0.068
A-27	Soil		0.9	62.4	5.6	48	0.2	20.2	12.7	1599	2.97	50.9	0.3	5.9	0.2	13	0.5	0.8	0.1	62	0.16	0.183
A-28	Soil		1.7	35.0	8.6	55	0.3	28.3	15.1	772	3.24	39.8	0.2	14.4	0.1	19	0.2	1.3	0.2	68	0.14	0.058
A-29	Soil		1.9	52.5	6.8	67	<0.1	51.5	22.0	664	4.02	30.3	0.2	19.3	0.3	19	0.2	1.2	0.1	81	0.18	0.042
A-30	Soil		8.8	82.4	12.7	84	0.2	26.6	29.8	3314	5.15	43.7	0.4	76.0	0.3	7	0.3	1.9	0.3	55	0.08	0.149
A-31	Soil		1.6	44.0	11.4	91	0.4	22.3	15.2	1202	4.31	15.9	0.2	4.9	<0.1	7	0.2	0.5	0.2	78	0.05	0.121
A-32	Soil		2.4	72.2	9.3	118	0.2	31.6	21.4	1594	5.37	28.0	0.3	19.1	0.1	7	0.2	0.6	0.2	60	0.14	0.089
A-33	Soil		2.2	119.3	13.0	127	0.3	32.8	24.9	1701	4.48	8.5	0.2	48.6	0.5	9	0.2	0.4	0.3	58	0.13	0.095
A-34	Soil		2.5	94.0	11.4	118	0.4	38.9	23.0	1131	4.43	10.6	0.2	31.3	0.4	9	0.2	0.5	0.2	55	0.11	0.052
A-35	Soil		2.4	70.6	46.6	101	0.2	31.7	30.7	3064	4.31	6.5	0.3	15.2	0.1	7	0.5	0.3	0.3	46	0.08	0.087
A-36	Soil		3.3	59.5	14.0	77	0.4	39.3	25.3	1988	4.15	8.1	0.3	176.4	0.1	10	0.4	0.4	0.3	56	0.11	0.065
A-37	Soil		5.4	65.8	19.7	88	0.7	45.6	18.0	887	4.03	14.1	0.4	10.7	0.1	15	0.4	0.4	0.3	71	0.19	0.052
A-38	Soil		0.8	60.7	7.7	81	0.2	38.9	27.4	1730	4.70	10.7	0.2	2.6	0.1	12	0.5	0.2	<0.1	98	0.25	0.098
A-39	Soil		1.6	69.3	6.5	65	0.2	57.8	20.1	557	3.84	8.0	0.2	13.4	0.2	13	0.3	0.2	<0.1	86	0.23	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
A-1	Soil	19	33	0.75	77	0.007	<1	2.25	0.009	0.03	<0.1	0.05	13.1	<0.1	<0.05	5	0.7
A-2	Soil	11	32	0.44	98	0.005	<1	1.47	0.009	0.03	0.1	0.04	4.5	<0.1	0.05	6	0.6
A-3	Soil	9	48	0.59	58	0.008	<1	1.66	0.007	0.03	<0.1	0.08	4.1	<0.1	<0.05	7	<0.5
A-4	Soil	8	49	0.49	114	0.008	<1	1.47	0.008	0.03	<0.1	0.04	2.8	<0.1	0.06	8	0.9
A-5	Soil	7	40	0.30	56	0.004	<1	1.12	0.007	0.02	<0.1	0.05	3.0	<0.1	<0.05	5	<0.5
A-6	Soil	7	70	0.74	54	0.004	<1	1.77	0.007	0.03	<0.1	0.05	5.5	<0.1	<0.05	5	<0.5
A-7	Soil	4	71	1.11	39	0.007	<1	1.71	0.005	0.03	<0.1	0.06	2.5	<0.1	<0.05	6	<0.5
A-8	Soil	12	48	1.03	64	0.012	<1	2.24	0.008	0.05	0.2	0.03	4.2	<0.1	<0.05	8	0.7
A-9	Soil	9	21	0.62	50	0.019	<1	1.76	0.007	0.04	<0.1	0.04	1.3	<0.1	<0.05	7	0.6
A-10	Soil	9	23	0.55	54	0.019	<1	1.52	0.006	0.04	<0.1	0.04	1.3	<0.1	<0.05	7	0.9
A-11	Soil	15	28	0.71	94	0.012	<1	1.71	0.006	0.09	<0.1	0.05	4.0	<0.1	<0.05	4	<0.5
A-12	Soil	10	33	0.69	41	0.013	<1	1.54	0.010	0.06	<0.1	0.03	1.4	<0.1	0.06	7	0.7
A-13	Soil	8	50	0.97	28	0.010	<1	1.85	0.005	0.04	<0.1	0.02	1.7	<0.1	<0.05	7	0.8
A-14	Soil	9	43	1.10	38	0.018	<1	1.99	0.005	0.03	<0.1	0.02	2.7	<0.1	<0.05	7	1.5
A-15	Soil	9	52	1.09	43	0.024	<1	2.10	0.005	0.03	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5
A-25	Soil	7	51	1.05	85	0.020	<1	1.88	0.005	0.04	<0.1	0.03	2.3	<0.1	<0.05	7	<0.5
A-26	Soil	4	45	0.99	118	0.043	<1	1.58	0.006	0.04	0.1	0.02	2.1	<0.1	<0.05	5	<0.5
A-27	Soil	16	34	0.84	86	0.007	<1	1.92	0.005	0.03	<0.1	0.04	1.8	<0.1	0.10	5	<0.5
A-28	Soil	5	59	0.95	65	0.030	<1	1.57	0.006	0.05	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5
A-29	Soil	3	94	1.77	59	0.112	<1	2.31	0.005	0.24	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
A-30	Soil	8	38	0.70	82	0.012	<1	1.56	0.004	0.04	0.2	0.04	2.3	<0.1	<0.05	5	1.1
A-31	Soil	6	40	1.02	37	0.013	<1	1.75	0.004	0.03	<0.1	0.05	0.7	<0.1	<0.05	7	0.6
A-32	Soil	7	55	0.89	28	0.015	<1	1.93	0.005	0.02	<0.1	0.04	1.1	<0.1	<0.05	6	0.8
A-33	Soil	6	51	1.16	31	0.023	<1	2.10	0.004	0.02	<0.1	0.03	2.1	<0.1	<0.05	5	0.6
A-34	Soil	6	56	1.23	31	0.022	1	2.14	0.008	0.03	0.1	0.02	2.0	<0.1	<0.05	5	0.7
A-35	Soil	5	76	0.75	58	0.030	<1	1.39	0.005	0.03	<0.1	0.03	1.4	<0.1	<0.05	4	0.6
A-36	Soil	5	63	0.91	56	0.032	1	1.57	0.005	0.03	<0.1	0.03	1.5	<0.1	<0.05	5	0.9
A-37	Soil	4	82	1.15	32	0.044	<1	1.96	0.005	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	1.4
A-38	Soil	2	87	1.94	48	0.049	1	2.78	0.004	0.04	<0.1	0.03	2.6	<0.1	<0.05	6	<0.5
A-39	Soil	3	141	1.60	31	0.063	2	2.22	0.005	0.04	<0.1	0.02	2.3	<0.1	<0.05	5	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 17, 200

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
A-40	Soil	0.5	31.4	4.9	58	0.2	74.8	28.1	2026	3.70	1.5	0.2	1.4	<0.1	10	0.7	<0.1	<0.1	105	0.21	0.061
A-41	Soil	0.2	74.0	3.5	49	<0.1	93.8	29.1	913	4.08	1.3	0.1	2.8	0.1	11	<0.1	<0.1	<0.1	110	0.26	0.048
A-42	Soil	0.2	73.5	3.1	53	0.1	98.8	29.1	784	4.11	1.2	0.1	2.0	0.1	10	0.1	<0.1	<0.1	110	0.22	0.047
A-43	Soil	1.0	51.0	6.5	76	0.2	27.5	19.9	762	4.46	21.7	0.2	6.7	0.1	20	0.2	0.7	<0.1	94	0.28	0.064
A-44	Soil	1.3	60.6	8.2	73	0.2	31.4	20.3	908	4.59	30.1	0.2	10.2	0.1	16	0.2	1.0	0.1	87	0.19	0.070
A-45	Soil	1.3	52.3	7.5	80	0.1	36.4	20.7	866	5.20	27.1	0.2	7.4	<0.1	13	0.2	0.9	<0.1	96	0.14	0.075
A-46	Soil	1.6	42.7	7.6	77	0.2	27.9	19.2	1962	4.50	19.8	0.3	9.2	<0.1	14	0.3	0.8	0.2	91	0.12	0.107
A-47	Soil	2.1	53.7	8.2	86	0.3	31.0	19.3	1060	4.85	26.9	0.3	420.2	<0.1	14	0.3	1.2	0.2	93	0.12	0.095
A-48	Soil	2.3	65.8	11.9	89	0.2	27.3	19.1	1696	4.14	28.5	0.3	24.4	<0.1	11	0.2	1.9	0.2	69	0.09	0.088
A-49	Soil	2.6	126.1	15.8	106	0.6	37.4	26.8	1881	5.21	52.8	0.2	49.8	0.2	14	0.4	3.9	0.2	76	0.19	0.122
A-50	Soil	2.4	55.8	10.5	84	0.6	25.6	16.7	1493	3.56	15.8	0.3	38.1	<0.1	10	0.3	0.9	0.2	56	0.10	0.104
A-51	Soil	2.0	51.4	13.8	80	0.4	29.2	16.5	1430	4.25	18.6	0.3	14.8	0.2	10	0.2	0.8	0.2	75	0.10	0.115
A-52	Soil	2.3	72.2	13.1	82	0.4	27.0	20.3	1726	4.25	19.8	0.3	58.2	<0.1	14	0.3	0.8	0.2	76	0.12	0.084
A-53	Soil	1.7	36.3	9.5	74	0.3	43.5	28.9	4255	3.79	8.2	0.2	6.4	<0.1	14	0.6	0.3	<0.1	88	0.21	0.111
A-54	Soil	0.3	59.9	3.7	52	0.1	80.2	25.0	765	3.72	2.0	0.1	6.3	<0.1	13	0.2	<0.1	<0.1	103	0.24	0.045
A-55	Soil	0.6	24.1	3.9	32	0.3	35.6	12.7	325	2.34	3.1	0.2	8.1	<0.1	14	0.1	0.1	<0.1	76	0.18	0.028
A-56	Soil	0.4	38.2	5.0	45	0.2	60.1	20.3	456	3.38	2.9	0.2	1.5	<0.1	13	0.1	0.1	<0.1	92	0.21	0.041
A-57	Soil	0.2	60.5	2.6	48	0.1	78.2	27.6	769	3.84	1.1	0.1	2.6	0.1	11	0.1	<0.1	<0.1	103	0.23	0.042
A-58	Soil	0.5	29.7	4.8	46	0.2	72.2	24.1	1256	3.84	1.5	0.2	1.6	<0.1	10	0.1	<0.1	<0.1	107	0.18	0.062
A-59	Soil	0.4	39.9	2.9	49	0.3	61.5	18.3	436	3.05	2.2	0.2	21.1	0.1	13	<0.1	<0.1	<0.1	85	0.23	0.052
A-60	Soil	0.2	33.9	2.4	35	<0.1	54.3	16.6	383	2.53	0.8	0.2	1.5	<0.1	11	<0.1	<0.1	<0.1	71	0.19	0.036
A-61	Soil	0.3	37.5	2.3	39	0.1	46.1	16.3	554	2.61	1.3	0.2	2.0	<0.1	15	<0.1	<0.1	<0.1	78	0.22	0.038
A-62	Soil	0.3	32.4	2.4	26	0.1	28.5	11.2	344	1.80	1.2	0.1	2.4	<0.1	17	<0.1	<0.1	<0.1	59	0.26	0.029
B-01	Soil	1.3	36.4	6.6	42	0.2	20.0	9.0	372	2.65	9.2	0.3	13.6	<0.1	11	0.1	1.0	<0.1	64	0.05	0.091
B-02	Soil	1.6	105.4	17.2	92	0.2	61.6	28.4	1132	5.64	24.7	0.3	23.3	0.5	12	0.3	2.5	<0.1	103	0.12	0.099
B-03	Soil	1.9	118.5	14.8	92	0.2	47.6	27.0	1198	5.08	48.9	0.4	49.1	0.7	14	0.2	1.8	0.1	77	0.16	0.104
B-04	Soil	2.4	136.2	11.1	94	0.2	40.6	25.1	1151	4.33	43.8	0.3	49.5	1.0	15	0.3	1.4	0.2	58	0.20	0.106
B-05	Soil	2.1	61.2	6.3	70	0.1	24.9	14.6	1112	3.85	25.5	0.4	23.0	0.1	14	0.2	1.0	0.2	61	0.08	0.095
B-06	Soil	2.2	59.8	7.2	61	0.1	20.6	11.8	894	3.84	19.8	0.3	27.1	<0.1	14	0.2	0.9	0.2	65	0.07	0.114
B-07	Soil	3.0	100.5	7.7	77	0.2	27.7	18.0	1804	4.46	25.2	0.5	15.7	0.2	11	0.3	1.1	0.2	55	0.06	0.150

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

3 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
A-40	Soil	1	222	2.19	79	0.036	<1	2.19	0.004	0.03	<0.1	0.02	1.6	<0.1	<0.05	6	0.6
A-41	Soil	1	264	2.73	31	0.069	<1	2.88	0.003	0.03	<0.1	<0.01	3.3	<0.1	<0.05	6	<0.5
A-42	Soil	1	283	2.79	27	0.068	<1	2.89	0.003	0.03	<0.1	<0.01	3.1	<0.1	<0.05	7	<0.5
A-43	Soil	4	47	1.51	47	0.111	1	2.15	0.006	0.07	0.1	0.03	2.3	<0.1	<0.05	7	0.8
A-44	Soil	5	67	1.45	45	0.058	<1	2.31	0.005	0.07	<0.1	0.03	2.2	<0.1	<0.05	7	0.7
A-45	Soil	5	66	1.56	34	0.049	<1	2.46	0.005	0.05	<0.1	0.04	1.7	<0.1	<0.05	7	0.8
A-46	Soil	6	63	1.23	65	0.038	<1	2.18	0.009	0.05	<0.1	0.04	1.3	<0.1	<0.05	8	0.6
A-47	Soil	5	66	1.31	63	0.032	<1	2.24	0.009	0.05	<0.1	0.04	1.5	<0.1	<0.05	7	<0.5
A-48	Soil	7	52	0.98	51	0.017	<1	1.73	0.005	0.04	0.1	0.03	1.0	<0.1	<0.05	6	1.1
A-49	Soil	9	50	1.28	90	0.017	<1	2.07	0.005	0.04	0.2	0.03	2.6	<0.1	<0.05	6	1.4
A-50	Soil	6	47	0.98	40	0.016	<1	1.75	0.005	0.04	0.1	0.04	0.8	<0.1	<0.05	6	<0.5
A-51	Soil	6	64	1.09	39	0.034	<1	1.89	0.005	0.04	<0.1	0.03	1.7	<0.1	<0.05	7	<0.5
A-52	Soil	5	54	1.07	65	0.021	1	1.87	0.005	0.04	<0.1	0.04	0.9	<0.1	<0.05	6	0.8
A-53	Soil	3	122	1.46	136	0.017	<1	2.02	0.004	0.04	<0.1	0.03	0.8	0.2	0.06	6	<0.5
A-54	Soil	2	226	2.43	31	0.071	<1	2.70	0.003	0.03	<0.1	0.01	2.8	<0.1	<0.05	6	0.5
A-55	Soil	2	99	1.14	20	0.107	<1	1.55	0.006	0.03	<0.1	0.02	1.6	<0.1	<0.05	5	0.6
A-56	Soil	2	178	1.93	17	0.059	<1	2.23	0.004	0.03	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5
A-57	Soil	1	229	2.53	26	0.082	<1	2.74	0.003	0.03	<0.1	0.01	2.7	<0.1	<0.05	6	<0.5
A-58	Soil	2	201	2.04	66	0.058	<1	2.19	0.004	0.03	<0.1	0.02	1.8	<0.1	<0.05	7	<0.5
A-59	Soil	2	168	1.94	25	0.080	<1	2.24	0.006	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	0.5
A-60	Soil	1	155	1.68	16	0.087	<1	1.94	0.004	0.02	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
A-61	Soil	2	132	1.62	22	0.099	<1	1.89	0.006	0.03	<0.1	0.01	1.8	<0.1	<0.05	5	0.6
A-62	Soil	2	77	1.06	28	0.089	<1	1.32	0.009	0.04	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
B-01	Soil	6	43	0.51	45	0.008	<1	1.41	0.007	0.04	<0.1	0.04	0.8	<0.1	<0.05	6	0.7
B-02	Soil	8	95	1.53	54	0.016	<1	2.92	0.006	0.05	0.1	0.03	5.6	<0.1	<0.05	8	1.3
B-03	Soil	9	59	1.26	53	0.037	<1	2.54	0.005	0.04	<0.1	0.01	4.5	<0.1	<0.05	6	0.7
B-04	Soil	7	39	1.10	70	0.033	2	2.11	0.005	0.04	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5
B-05	Soil	7	36	0.77	51	0.024	2	2.01	0.006	0.04	0.2	0.03	1.5	<0.1	<0.05	7	0.8
B-06	Soil	7	36	0.61	48	0.017	1	1.95	0.005	0.03	<0.1	0.05	1.5	<0.1	<0.05	7	0.6
B-07	Soil	7	40	0.75	60	0.012	1	2.48	0.006	0.03	<0.1	0.07	1.4	<0.1	0.07	7	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

4 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	Unit	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
			ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
B-08	Soil		2.4	114.8	10.1	87	<0.1	36.0	20.0	738	6.24	101.6	0.2	54.2	0.4	8	<0.1	3.3	0.1	68	0.03	0.118
B-09	Soil		4.9	89.1	11.8	106	<0.1	39.7	17.5	679	5.24	57.7	0.4	43.6	0.3	9	0.3	2.6	0.2	63	0.05	0.101
B-10	Soil		3.5	104.1	9.5	82	0.1	36.0	18.8	1208	5.20	46.4	0.4	40.2	0.3	10	0.4	2.0	0.2	61	0.06	0.118
B-11	Soil		2.0	37.0	5.4	45	0.2	17.2	10.1	916	2.57	14.9	0.3	21.8	<0.1	10	0.2	0.6	0.1	54	0.04	0.099
B-12	Soil		4.8	87.1	11.9	114	0.6	42.4	20.0	1397	5.40	43.3	0.6	48.9	0.2	11	0.7	1.8	0.2	63	0.06	0.099
B-13	Soil		5.7	78.8	12.6	128	0.3	49.4	18.1	939	5.29	49.9	0.5	19.8	0.3	11	0.6	1.3	0.2	68	0.09	0.069
B-14	Soil		4.1	64.4	13.1	107	0.2	32.9	21.0	1922	4.55	40.0	0.5	17.0	0.2	9	0.5	0.8	0.2	59	0.06	0.118
B-15	Soil		5.2	81.7	13.1	150	0.5	41.1	23.9	1867	5.00	38.1	0.7	8.8	0.2	13	0.7	0.9	0.2	73	0.09	0.090
B-18	Soil		1.3	63.2	9.2	74	0.1	28.2	19.6	1049	4.51	45.7	0.3	75.2	0.1	19	0.2	1.4	0.1	79	0.20	0.070
B-19	Soil		1.4	57.3	9.2	78	0.1	34.8	20.6	987	4.30	53.4	0.2	9.8	0.1	19	0.3	1.6	<0.1	79	0.23	0.072
B-20	Soil		2.1	71.3	8.1	84	0.4	42.6	20.8	592	4.75	69.9	0.3	22.9	0.2	13	0.2	3.2	0.1	66	0.11	0.068
B-21	Soil		2.2	59.8	7.8	76	0.5	41.3	18.6	647	4.90	57.2	0.3	17.6	0.2	16	0.3	1.9	0.1	79	0.14	0.054
B-22	Soil		1.6	42.0	7.7	72	0.2	28.3	16.2	684	4.18	27.4	0.3	49.1	0.1	13	0.2	1.4	0.2	73	0.10	0.075
B-23	Soil		1.5	38.5	10.0	70	0.4	29.7	14.6	1619	3.84	14.9	0.3	4.3	<0.1	12	0.2	0.9	0.3	65	0.10	0.097
B-24	Soil		1.9	76.2	13.7	132	0.1	30.0	21.9	2201	4.65	11.9	0.3	21.7	0.2	9	0.2	0.4	0.3	59	0.09	0.108
B-25	Soil		1.7	51.4	8.6	78	0.2	31.3	17.3	1066	4.14	28.0	0.2	193.7	0.2	14	0.2	1.2	0.2	64	0.12	0.097
B-26	Soil		1.9	64.8	13.5	94	0.2	31.3	19.4	1840	4.22	25.2	0.3	17.3	0.1	13	0.2	1.3	0.2	65	0.11	0.102
B-27	Soil		3.0	73.3	12.0	96	0.2	31.3	20.2	814	5.07	48.8	0.3	146.0	0.2	13	0.3	1.7	0.3	60	0.10	0.073
B-28	Soil		2.5	42.7	9.8	89	0.3	23.6	15.8	1751	3.91	14.6	0.2	19.0	<0.1	13	0.2	0.4	0.2	69	0.09	0.069
B-29	Soil		3.5	63.4	18.6	100	0.5	32.6	19.1	1381	4.11	19.7	0.3	51.8	0.1	17	0.7	0.6	0.3	61	0.16	0.067
B-30	Soil		3.3	85.7	10.7	88	0.3	44.2	23.4	834	4.27	19.5	0.3	50.9	0.3	20	0.4	0.6	0.2	62	0.22	0.058
B-31	Soil		1.5	77.8	9.4	69	0.3	49.6	24.5	1341	3.96	14.3	0.3	13.7	0.3	18	0.4	0.5	0.1	77	0.31	0.073
B-32	Soil		0.3	48.1	3.3	57	0.2	87.6	27.8	1444	3.85	1.0	0.1	1.0	<0.1	13	0.2	<0.1	<0.1	97	0.21	0.054
B-33	Soil		0.4	30.3	4.2	47	<0.1	56.6	20.1	621	3.29	3.6	0.2	20.0	<0.1	15	0.1	0.2	<0.1	81	0.19	0.047
B-34	Soil		1.5	38.5	35.8	51	0.4	19.4	11.3	493	3.56	8.8	0.3	9.4	0.1	18	0.1	0.5	0.2	59	0.13	0.094
B-35	Soil		1.3	45.9	7.4	72	0.4	25.1	17.7	2607	4.37	10.9	0.3	20.6	0.1	18	0.3	0.7	0.1	82	0.16	0.121
B-36	Soil		1.3	53.6	6.2	74	0.6	31.8	17.1	508	3.93	10.5	0.2	22.6	0.3	19	0.2	0.6	0.1	69	0.20	0.074
B-37	Soil		1.4	59.7	7.9	68	0.3	32.0	19.3	923	4.09	13.0	0.3	35.9	0.3	18	0.3	0.6	0.2	69	0.22	0.083
B-38	Soil		1.1	33.8	8.0	56	0.2	24.3	14.5	1062	3.44	9.6	0.4	26.8	0.2	20	0.1	1.0	0.2	70	0.21	0.053
B-39	Soil		1.3	82.3	12.4	80	1.8	42.3	22.6	1027	4.13	18.1	0.4	40.1	0.3	21	0.5	1.8	0.2	65	0.27	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

4 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		
B-08	Soil	8	43	0.89	38	0.009	1	2.31	0.006	0.03	0.1	0.04	3.2	<0.1	<0.05	5	0.7		
B-09	Soil	8	49	0.89	32	0.011	<1	2.23	0.005	0.03	0.1	0.05	2.4	<0.1	<0.05	6	1.1		
B-10	Soil	8	50	0.81	49	0.013	1	2.49	0.007	0.03	<0.1	0.05	2.2	<0.1	0.08	6	1.4		
B-11	Soil	6	36	0.55	46	0.011	1	1.45	0.007	0.04	0.1	0.04	0.6	<0.1	0.08	5	<0.5		
B-12	Soil	6	47	0.99	64	0.016	1	2.44	0.005	0.04	0.2	0.04	2.4	<0.1	<0.05	5	1.3		
B-13	Soil	6	55	1.34	45	0.048	<1	2.70	0.005	0.04	<0.1	0.04	2.4	<0.1	<0.05	6	1.2		
B-14	Soil	7	51	1.01	45	0.027	<1	2.67	0.006	0.04	0.1	0.05	1.4	<0.1	0.08	8	1.4		
B-15	Soil	5	56	1.15	44	0.035	<1	2.83	0.005	0.03	0.1	0.05	1.9	<0.1	<0.05	7	2.1		
B-18	Soil	4	48	1.37	104	0.078	<1	2.25	0.005	0.07	<0.1	0.04	1.7	<0.1	<0.05	7	0.7		
B-19	Soil	4	60	1.59	94	0.064	<1	2.38	0.005	0.10	0.1	0.03	2.2	<0.1	<0.05	6	0.6		
B-20	Soil	6	53	1.13	35	0.031	<1	1.96	0.005	0.04	0.2	0.05	2.2	<0.1	<0.05	5	<0.5		
B-21	Soil	5	87	1.46	40	0.062	1	2.54	0.006	0.07	0.2	0.04	2.9	<0.1	<0.05	6	0.9		
B-22	Soil	4	63	1.24	38	0.025	<1	2.04	0.005	0.04	<0.1	0.04	1.4	<0.1	<0.05	7	<0.5		
B-23	Soil	6	80	0.99	62	0.025	1	1.69	0.006	0.04	0.2	0.03	1.0	<0.1	<0.05	7	0.5		
B-24	Soil	7	53	1.22	46	0.031	<1	2.16	0.009	0.03	0.1	0.02	1.9	<0.1	<0.05	6	<0.5		
B-25	Soil	5	65	1.15	34	0.035	<1	1.82	0.005	0.03	0.2	<0.01	1.7	<0.1	<0.05	6	<0.5		
B-26	Soil	6	68	1.14	41	0.037	2	2.15	0.006	0.03	1.2	0.03	1.6	<0.1	<0.05	6	0.7		
B-27	Soil	6	51	1.00	31	0.025	<1	1.90	0.004	0.03	0.2	0.06	1.5	<0.1	<0.05	6	<0.5		
B-28	Soil	5	45	0.97	54	0.043	1	1.88	0.005	0.04	<0.1	0.02	1.5	<0.1	<0.05	6	0.7		
B-29	Soil	5	53	1.04	71	0.027	<1	1.68	0.005	0.04	0.1	0.02	1.4	<0.1	<0.05	5	0.9		
B-30	Soil	5	64	1.19	50	0.057	1	1.94	0.006	0.03	<0.1	0.02	2.4	<0.1	<0.05	5	0.9		
B-31	Soil	5	105	1.60	54	0.065	<1	2.25	0.009	0.07	<0.1	<0.01	2.7	<0.1	<0.05	5	0.7		
B-32	Soil	1	236	2.74	43	0.063	<1	2.93	0.004	0.03	<0.1	0.02	2.4	<0.1	<0.05	7	<0.5		
B-33	Soil	2	157	1.87	26	0.078	<1	2.06	0.004	0.03	<0.1	0.02	1.6	<0.1	<0.05	6	<0.5		
B-34	Soil	6	44	0.89	33	0.022	<1	1.79	0.005	0.04	0.1	0.04	0.8	<0.1	<0.05	8	<0.5		
B-35	Soil	5	55	1.18	78	0.040	<1	2.17	0.006	0.05	<0.1	0.04	1.4	<0.1	<0.05	7	<0.5		
B-36	Soil	5	62	1.40	28	0.069	<1	2.27	0.008	0.04	0.1	0.02	2.2	<0.1	<0.05	6	<0.5		
B-37	Soil	4	62	1.36	32	0.075	<1	2.22	0.004	0.04	0.1	0.01	2.4	<0.1	<0.05	6	1.0		
B-38	Soil	5	51	0.97	91	0.087	<1	1.56	0.006	0.05	0.3	0.03	1.7	<0.1	<0.05	7	<0.5		
B-39	Soil	5	78	1.41	48	0.078	<1	2.18	0.007	0.04	0.2	0.03	3.0	<0.1	<0.05	5	<0.5		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

5 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08008533.1

Analyte	Method	1DX15																				
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%									
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
B-40	Soil	0.3	46.0	3.7	46	0.2	61.5	19.8	648	3.00	1.4	0.1	1.8	<0.1	15	0.1	<0.1	<0.1	78	0.20	0.046	
B-41	Soil	0.2	63.2	3.4	52	<0.1	82.2	25.6	729	3.76	1.4	0.1	2.9	<0.1	14	0.1	<0.1	<0.1	96	0.22	0.043	
B-42	Soil	0.5	97.0	4.2	59	0.2	42.4	17.7	382	2.87	4.6	0.2	19.6	0.4	19	0.1	0.2	<0.1	67	0.32	0.091	
B-43	Soil	0.2	26.6	2.9	24	0.1	36.6	12.8	463	1.90	0.5	0.1	1.2	<0.1	12	<0.1	<0.1	<0.1	60	0.15	0.023	
B-44	Soil	0.6	34.6	4.1	37	0.3	38.8	16.4	363	3.14	4.9	0.2	15.2	0.2	13	0.1	0.2	<0.1	75	0.13	0.048	
B-45	Soil	0.7	67.6	3.1	40	0.1	47.2	23.1	422	3.16	5.8	0.2	7.9	0.2	15	0.2	0.2	<0.1	70	0.20	0.057	
B-46	Soil	0.1	16.8	2.6	21	0.2	28.3	9.4	181	1.42	<0.5	0.1	33.3	<0.1	13	0.1	<0.1	<0.1	37	0.13	0.037	
B-47	Soil	0.4	76.3	2.3	33	0.1	59.3	19.0	390	2.43	2.3	0.7	5.0	<0.1	19	<0.1	0.1	<0.1	66	0.45	0.061	
B-48	Soil	0.5	61.8	2.1	36	<0.1	63.6	21.7	426	2.77	2.5	0.1	4.6	0.1	13	0.1	<0.1	0.2	80	0.26	0.059	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

www.acmelab.com

Page:

5 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08008533.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
B-40	Soil	2	172	1.99	30	0.102	<1	2.12	0.005	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	
B-41	Soil	2	234	2.65	27	0.101	<1	2.82	0.004	0.03	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	
B-42	Soil	3	110	1.56	34	0.080	<1	2.10	0.005	0.07	0.4	0.01	2.2	<0.1	<0.05	5	0.6	
B-43	Soil	1	106	1.19	28	0.117	<1	1.37	0.003	0.02	<0.1	0.01	1.6	<0.1	<0.05	4	<0.5	
B-44	Soil	2	125	1.27	21	0.082	<1	1.95	0.004	0.02	<0.1	0.02	2.5	<0.1	<0.05	5	0.5	
B-45	Soil	2	127	1.54	19	0.077	<1	1.97	0.004	0.03	<0.1	0.02	2.4	<0.1	<0.05	4	0.6	
B-46	Soil	1	80	0.91	15	0.039	<1	1.06	0.003	0.02	<0.1	0.02	0.6	<0.1	<0.05	4	<0.5	
B-47	Soil	1	155	1.82	30	0.039	<1	1.85	0.013	0.04	<0.1	0.02	2.4	<0.1	<0.05	4	1.4	
B-48	Soil	<1		183	2.12	16	0.068	<1	1.97	0.003	0.06	0.1	<0.01	2.5	<0.1	<0.05	5	<0.5



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08008533.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 17, 2008

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN08008533.1

Method	1DX15																
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
A-15	Soil	9	52	1.09	43	0.024	<1	2.10	0.005	0.03	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5
REP A-15	QC	9	52	1.11	44	0.023	<1	2.13	0.005	0.04	<0.1	0.03	2.5	<0.1	<0.05	6	0.6
A-34	Soil	6	56	1.23	31	0.022	1	2.14	0.008	0.03	0.1	0.02	2.0	<0.1	<0.05	5	0.7
REP A-34	QC	6	56	1.22	29	0.021	<1	2.08	0.003	0.03	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5
A-59	Soil	2	168	1.94	25	0.080	<1	2.24	0.006	0.03	<0.1	0.02	2.1	<0.1	<0.05	6	0.5
REP A-59	QC	2	171	1.86	25	0.076	<1	2.22	0.005	0.03	<0.1	0.02	2.0	<0.1	<0.05	6	0.6
B-13	Soil	6	55	1.34	45	0.048	<1	2.70	0.005	0.04	<0.1	0.04	2.4	<0.1	<0.05	6	1.2
REP B-13	QC	6	56	1.30	43	0.048	<1	2.60	0.006	0.04	0.1	0.05	2.5	<0.1	<0.05	6	1.4
B-31	Soil	5	105	1.60	54	0.065	<1	2.25	0.009	0.07	<0.1	<0.01	2.7	<0.1	<0.05	5	0.7
REP B-31	QC	4	111	1.62	55	0.058	<1	2.31	0.005	0.07	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5
B-44	Soil	2	125	1.27	21	0.082	<1	1.95	0.004	0.02	<0.1	0.02	2.5	<0.1	<0.05	5	0.5
REP B-44	QC	2	120	1.30	20	0.080	<1	1.93	0.004	0.02	0.1	0.03	2.3	<0.1	<0.05	5	0.7
Reference Materials																	
STD DS7	Standard	12	178	1.11	368	0.121	36	1.00	0.092	0.47	3.7	0.20	2.3	4.2	0.19	5	4.0
STD DS7	Standard	13	178	1.06	381	0.132	42	1.06	0.091	0.46	3.8	0.20	2.4	4.2	0.20	5	4.0
STD DS7	Standard	13	172	0.98	386	0.133	35	0.95	0.082	0.43	3.8	0.19	2.6	4.3	0.17	5	3.7
STD DS7	Standard	12	162	0.91	328	0.107	33	0.87	0.077	0.40	3.0	0.17	2.6	3.7	0.19	4	2.5
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Submitted By:

Gordon Richards

Receiving Lab:

Canada-Vancouver

Received:

August 28, 2008

Report Date:

September 19, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08008746.1

CLIENT JOB INFORMATION

Project: LA FORCE

Shipment ID:

P.O. Number

Number of Samples: 25

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	24	Dry at 60C sieve 100g to -80 mesh		
	Dry at 60C	24	Dry at 60C		
	RJSV	24	Save all or part of soil reject fraction		
	1DX15	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Orestone Mining Corp.
975 - 163rd Street
Surrey BC V4A 9T8
Canada

CC: B.K. (Barney) Bowen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 19, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08008746.1

Analyte	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
G38	Silt	0.2	13.1	2.0	45	<0.1	13.2	7.7	448	3.78	1.3	1.3	2.5	0.9	60	<0.1	<0.1	<0.1	107	0.48	0.109
G40	Silt	0.3	14.5	2.1	45	<0.1	13.3	7.0	469	3.14	1.5	2.1	2.5	1.0	65	<0.1	0.1	<0.1	94	0.51	0.094
G41	Silt	0.5	14.3	2.4	51	<0.1	14.7	6.8	533	2.26	1.5	1.8	2.6	0.8	74	<0.1	0.1	<0.1	62	0.52	0.106
G42	Silt	0.8	11.9	1.8	64	<0.1	16.3	7.6	658	2.79	0.5	2.1	<0.5	0.7	82	<0.1	<0.1	<0.1	76	0.56	0.120
G43	Silt	0.4	9.7	1.7	20	<0.1	5.2	3.6	249	1.70	1.3	0.5	1.7	0.5	43	<0.1	<0.1	<0.1	53	0.45	0.057
G44	Silt	0.3	17.2	2.1	26	<0.1	10.4	5.7	319	2.11	1.2	0.3	0.5	0.6	46	0.1	<0.1	<0.1	58	0.46	0.071
G48	Silt	2.5	9.2	1.3	18	<0.1	6.1	5.1	754	3.38	2.9	0.3	1.1	0.6	39	<0.1	<0.1	<0.1	55	0.42	0.064
G52	Silt	0.8	25.2	9.8	63	<0.1	22.9	12.5	499	3.01	138.9	1.8	27.4	2.9	43	0.2	1.2	0.1	67	0.47	0.098
G64	Silt	1.4	144.6	15.1	96	0.3	23.7	24.7	1874	4.82	31.4	1.6	27.9	1.7	27	0.3	1.0	0.2	62	0.52	0.093
G89	Silt	1.5	110.2	7.0	93	0.1	43.1	18.4	950	3.89	12.0	1.2	3.3	0.7	49	0.3	2.5	0.1	94	0.93	0.075
K28	Silt	1.7	62.6	24.1	93	0.2	35.1	22.5	1794	3.97	21.6	3.0	9.8	4.2	27	0.3	1.4	0.3	31	0.63	0.116
K29	Silt	2.4	103.0	15.4	112	0.3	31.6	14.9	625	3.69	29.5	6.3	10.1	1.8	53	0.5	3.7	0.2	44	0.82	0.107
K36	Silt	1.8	63.6	4.0	73	<0.1	25.5	16.1	419	2.28	3.8	2.7	5.2	0.5	52	0.3	1.0	<0.1	68	0.88	0.093
B49	Silt	0.8	106.3	2.3	63	<0.1	57.6	25.7	780	3.42	2.7	0.3	8.3	0.4	24	0.2	<0.1	<0.1	82	0.58	0.083
B50	Silt	0.9	123.8	2.4	71	<0.1	68.3	31.3	882	3.63	3.1	0.3	3.2	0.3	24	0.2	<0.1	<0.1	91	0.59	0.082
B51	Silt	1.3	104.6	5.5	76	0.2	60.3	32.1	752	3.42	22.7	0.9	8.0	0.9	33	0.5	1.1	<0.1	66	0.81	0.139
B52	Silt	2.5	118.8	2.8	77	0.1	80.4	68.0	2060	3.76	5.2	0.6	6.1	0.4	26	0.4	0.1	<0.1	86	0.67	0.101
B53	Silt	3.2	87.1	3.6	74	<0.1	57.5	50.4	1123	4.07	3.1	0.4	22.3	0.4	25	0.2	0.1	<0.1	97	0.65	0.083
B54	Silt	L.N.R.																			
B70	Silt	0.7	58.0	7.4	74	0.1	43.5	22.3	909	3.73	41.0	0.4	13.0	1.0	43	0.3	1.5	<0.1	76	3.72	0.113
B71	Silt	0.7	67.2	10.2	82	0.2	49.4	24.1	924	4.05	58.3	0.4	50.4	1.0	34	0.4	1.6	<0.1	76	1.77	0.112
B72	Silt	0.9	70.7	8.8	92	0.2	54.5	26.1	1158	4.35	70.7	0.4	25.5	1.0	37	0.5	1.7	<0.1	85	1.56	0.124
B73	Silt	1.0	75.7	9.3	94	0.2	58.8	26.9	1246	4.60	82.9	0.5	50.2	0.9	37	0.4	1.8	<0.1	88	1.07	0.120
B74	Silt	0.8	84.3	5.5	91	0.1	40.2	25.7	1181	4.39	14.3	0.3	6.9	0.5	22	0.4	0.5	<0.1	102	0.57	0.095
B75	Silt	1.9	84.5	15.9	83	0.3	77.5	33.0	1257	4.98	220.1	0.3	74.5	1.1	43	0.3	3.2	<0.1	76	1.40	0.097



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 19, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08008746.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		
G38	Silt	7	44	0.41	55	0.057	<1	0.80	0.011	0.10	<0.1	<0.01	1.3	<0.1	<0.05	3	<0.5		
G40	Silt	7	37	0.39	55	0.058	<1	0.84	0.011	0.11	<0.1	0.01	1.3	<0.1	<0.05	3	<0.5		
G41	Silt	7	31	0.52	69	0.058	1	1.04	0.013	0.12	<0.1	0.02	1.4	<0.1	<0.05	3	<0.5		
G42	Silt	7	40	0.64	69	0.054	<1	1.24	0.012	0.15	<0.1	0.02	1.4	<0.1	<0.05	4	0.9		
G43	Silt	6	17	0.20	36	0.041	<1	0.60	0.008	0.03	<0.1	0.01	0.9	<0.1	<0.05	2	<0.5		
G44	Silt	6	28	0.31	61	0.051	<1	0.83	0.012	0.06	<0.1	<0.01	1.6	<0.1	<0.05	3	<0.5		
G48	Silt	5	17	0.20	65	0.036	<1	0.51	0.010	0.03	<0.1	<0.01	1.2	<0.1	0.07	2	<0.5		
G52	Silt	14	29	0.32	65	0.032	<1	0.73	0.009	0.07	0.1	0.02	1.7	<0.1	0.09	2	0.9		
G64	Silt	13	25	1.43	585	0.040	2	2.77	0.009	0.09	0.1	0.08	7.9	<0.1	<0.05	8	<0.5		
G89	Silt	10	78	1.50	210	0.102	5	2.28	0.010	0.06	0.1	0.12	6.5	<0.1	0.10	6	2.2		
K28	Silt	15	28	0.89	204	0.006	3	1.67	0.007	0.09	<0.1	0.16	3.6	<0.1	0.09	4	0.9		
K29	Silt	10	25	1.17	369	0.009	2	2.12	0.009	0.06	<0.1	0.14	4.5	<0.1	0.10	6	1.9		
K36	Silt	6	56	1.15	158	0.071	7	1.66	0.017	0.06	0.1	0.06	7.0	<0.1	0.23	5	3.1		
B49	Silt	3	126	2.12	62	0.098	<1	2.19	0.006	0.16	<0.1	0.02	3.7	<0.1	<0.05	5	0.9		
B50	Silt	3	149	2.23	66	0.095	1	2.28	0.005	0.17	<0.1	0.01	4.2	<0.1	<0.05	5	1.6		
B51	Silt	5	77	1.37	56	0.059	<1	1.62	0.005	0.09	<0.1	0.03	3.2	<0.1	<0.05	4	0.8		
B52	Silt	4	116	1.95	102	0.077	<1	2.29	0.006	0.11	<0.1	0.03	3.9	<0.1	0.05	6	1.3		
B53	Silt	3	103	2.15	87	0.119	<1	2.36	0.006	0.10	<0.1	0.02	4.4	<0.1	<0.05	6	1.0		
B54	Silt	L.N.R.																	
B70	Silt	5	64	2.96	45	0.089	<1	1.54	0.004	0.07	<0.1	<0.01	4.0	<0.1	<0.05	5	0.8		
B71	Silt	5	69	2.17	51	0.071	<1	1.69	0.004	0.07	<0.1	0.02	3.9	<0.1	<0.05	5	0.5		
B72	Silt	6	79	2.09	63	0.081	<1	1.79	0.003	0.09	<0.1	0.01	4.9	<0.1	<0.05	5	<0.5		
B73	Silt	6	83	1.95	71	0.095	1	1.94	0.004	0.10	<0.1	0.02	5.0	<0.1	<0.05	5	0.8		
B74	Silt	4	82	1.97	70	0.136	<1	2.06	0.003	0.15	<0.1	<0.01	4.4	<0.1	<0.05	6	0.9		
B75	Silt	7	92	1.94	68	0.050	<1	1.79	0.004	0.07	<0.1	<0.01	5.4	<0.1	0.09	5	0.6		



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE

Report Date: September 19, 2008

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08008746.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 19, 2008

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN08008746.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
G52	Silt	14	29	0.32	65	0.032	<1	0.73	0.009	0.07	0.1	0.02	1.7	<0.1	0.09	2	0.9
REP G52	QC	16	29	0.34	67	0.034	<1	0.77	0.010	0.07	<0.1	0.01	1.8	<0.1	0.08	3	0.8
Reference Materials																	
STD DS7	Standard	13	192	1.06	388	0.122	36	1.10	0.095	0.44	3.9	0.19	2.4	4.1	0.20	5	3.9
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Submitted By:

Gordon Richards

Receiving Lab:

Canada-Vancouver

Received:

August 28, 2008

Report Date:

September 24, 2008

Page:

1 of 4

CERTIFICATE OF ANALYSIS

VAN08008747.1

CLIENT JOB INFORMATION

Project: LA FORCE

Shipment ID:

P.O. Number

Number of Samples: 76

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	76	Dry at 60C sieve 100g to -80 mesh		
	Dry at 60C	76	Dry at 60C		
	RJSV	76	Save all or part of soil reject fraction		
	1DX15	75	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Orestone Mining Corp.
975 - 163rd Street
Surrey BC V4A 9T8
Canada

CC: B.K. (Barney) Bowen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 24, 2008

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008747.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15								
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
G55	Soil	20.3	122.7	44.6	390	1.8	112.4	33.8	1360	5.57	81.6	2.1	15.0	8.1	28	4.0	40.7	0.7	29	0.25	0.114
G61	Soil	1.6	142.3	9.2	100	0.2	12.9	21.1	2247	5.77	11.0	0.2	7.0	1.0	26	0.3	2.8	0.1	50	0.49	0.111
G62	Soil	1.8	134.7	6.4	107	0.1	21.4	24.3	1677	6.15	20.0	0.2	7.3	1.1	13	0.2	6.5	0.1	54	0.25	0.133
K35	Soil	0.9	82.9	15.9	107	0.4	38.8	25.8	1912	6.13	22.7	0.3	9.6	0.4	16	0.6	2.6	0.2	102	0.20	0.114
A169	Soil	0.3	201.4	3.6	96	<0.1	130.9	41.3	2479	6.81	14.4	0.5	2.2	1.0	23	0.1	0.8	<0.1	191	0.45	0.138
A170	Soil	5.8	214.5	34.7	120	1.6	35.0	67.4	1690	9.16	64.3	0.2	17.5	1.0	7	0.4	2.8	0.5	149	0.16	0.079
A171	Soil	0.9	111.5	12.1	171	0.3	46.8	44.6	2219	7.03	23.9	0.3	37.0	0.6	20	0.5	2.5	0.1	149	0.40	0.093
A172	Soil	0.7	87.7	16.9	186	0.2	29.3	32.2	2020	6.44	24.0	0.2	13.3	0.3	11	0.4	3.7	0.1	104	0.10	0.110
A173	Soil	0.6	213.3	23.1	133	0.2	37.5	48.2	2282	7.29	601.9	0.2	29.2	1.3	25	0.2	44.1	1.6	54	0.17	0.090
A174	Soil	1.4	207.4	19.0	149	0.2	37.0	46.9	2807	7.36	111.3	0.3	12.7	1.2	17	0.3	53.4	1.4	52	0.13	0.124
A175	Soil	0.8	144.1	13.8	130	0.1	56.1	40.5	1903	5.67	115.5	0.3	13.0	1.9	15	0.3	54.5	0.8	49	0.13	0.089
A176	Soil	0.9	92.8	17.5	135	0.2	34.6	29.0	1525	6.10	86.7	0.3	7.3	0.8	17	0.4	14.7	0.4	94	0.19	0.094
A177	Soil	0.9	59.6	20.7	118	0.4	22.8	21.2	1421	5.96	50.6	0.2	7.9	0.5	12	0.3	9.3	0.2	75	0.15	0.095
A178	Soil	2.3	66.2	42.2	137	0.3	31.5	20.0	1416	4.63	160.5	1.2	45.6	0.8	19	0.5	13.9	0.2	61	0.19	0.073
A179	Soil	4.3	140.9	48.1	126	0.5	51.8	34.9	1153	6.64	537.4	0.8	95.7	2.7	21	0.5	23.6	0.6	60	0.17	0.128
A180	Soil	8.6	280.7	79.0	111	0.8	41.7	38.6	1522	9.72	1459	1.7	259.5	4.2	10	0.5	61.9	0.7	50	0.08	0.206
A181	Soil	2.0	127.3	17.6	111	0.2	52.8	30.4	1117	5.40	169.1	0.4	29.6	1.6	28	0.4	10.8	0.2	100	0.46	0.094
A182	Soil	0.4	102.0	27.2	117	0.2	67.6	30.1	1302	5.30	91.1	0.2	52.3	0.6	34	0.4	4.7	0.1	121	0.75	0.100
A183	Soil	0.8	41.2	14.5	64	<0.1	16.9	14.5	870	4.74	73.3	0.2	5.8	0.2	14	<0.1	8.9	0.2	94	0.11	0.078
A184	Soil	5.8	90.5	56.9	72	0.4	31.0	18.9	1100	3.80	171.1	1.1	52.1	0.7	28	0.2	38.8	0.4	23	0.16	0.092
A185	Soil	5.7	101.2	44.2	78	0.7	30.4	21.7	1379	4.56	133.1	1.5	51.6	0.9	45	0.2	34.4	0.4	21	0.16	0.130
A186	Soil	1.9	51.0	24.4	80	0.1	25.8	15.9	683	5.48	56.3	0.5	20.5	0.7	14	0.1	14.5	0.2	98	0.11	0.054
A187	Soil	1.9	29.0	28.9	62	0.2	15.1	18.4	2011	3.71	47.4	0.6	31.1	0.2	18	0.2	5.0	0.3	81	0.15	0.133
A188	Soil	4.2	144.2	39.1	195	0.6	55.3	37.0	2054	5.32	118.2	2.9	36.7	1.4	38	0.8	8.4	0.5	76	0.57	0.230
A189	Soil	3.5	201.9	20.9	139	0.6	98.5	47.5	2565	3.97	51.4	1.1	28.1	2.2	14	0.3	5.9	0.6	33	0.14	0.074
A190	Soil	11.2	363.5	47.3	594	0.9	459.0	205.3	>10000	7.65	109.6	8.3	22.7	1.7	36	3.2	55.2	0.4	28	0.29	0.205
A191	Soil	0.9	27.3	45.8	60	<0.1	15.5	20.7	3785	3.40	31.4	0.7	3.7	1.8	5	0.2	6.1	0.4	11	0.01	0.074
A192	Soil	1.8	40.5	14.8	59	0.1	11.1	11.4	1420	3.38	11.1	1.8	4.5	0.4	22	0.2	2.8	0.4	50	0.22	0.103
A193	Soil	0.5	7.8	3.9	8	<0.1	6.0	6.0	49	0.71	4.2	0.1	<0.5	2.2	2	<0.1	1.0	0.2	22	<0.01	0.025
A194	Soil	1.2	48.5	17.6	46	<0.1	23.2	15.0	744	3.73	35.2	0.5	4.8	1.7	7	<0.1	6.3	0.4	37	0.05	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24, 2008

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08008747.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
G55	Soil	13	22	0.66	74	0.011	<1	1.41	0.009	0.07	<0.1	0.13	4.5	0.3	0.07	3	8.3
G61	Soil	9	10	0.29	281	0.003	<1	1.30	0.012	0.11	<0.1	<0.01	14.0	<0.1	0.14	3	1.4
G62	Soil	10	11	0.44	142	0.009	<1	1.30	0.022	0.06	<0.1	0.06	13.8	<0.1	<0.05	3	0.7
K35	Soil	7	43	0.80	133	0.036	<1	2.02	0.010	0.04	0.1	0.11	9.0	<0.1	<0.05	6	1.2
A169	Soil	10	254	4.80	118	0.177	3	4.81	0.010	0.06	<0.1	0.02	15.8	<0.1	<0.05	12	0.7
A170	Soil	14	29	1.65	355	0.005	1	2.24	0.024	0.05	0.1	0.42	32.7	<0.1	<0.05	9	2.2
A171	Soil	5	69	2.62	108	0.114	2	3.65	0.008	0.07	<0.1	0.51	10.6	<0.1	<0.05	7	1.1
A172	Soil	4	50	1.17	98	0.015	<1	2.26	0.009	0.05	<0.1	0.20	8.5	<0.1	<0.05	5	1.1
A173	Soil	11	40	1.09	148	0.035	2	1.73	0.017	0.08	<0.1	0.21	13.9	<0.1	<0.05	4	1.3
A174	Soil	14	31	0.90	133	0.024	2	1.82	0.014	0.09	0.1	0.16	10.2	<0.1	<0.05	4	1.8
A175	Soil	13	32	0.81	133	0.020	2	1.59	0.014	0.06	<0.1	0.24	9.3	<0.1	<0.05	3	1.1
A176	Soil	9	50	1.21	88	0.046	2	2.81	0.008	0.07	0.1	0.16	6.8	<0.1	<0.05	6	1.3
A177	Soil	7	36	1.07	118	0.011	1	2.69	0.008	0.07	<0.1	0.06	5.4	<0.1	<0.05	6	1.0
A178	Soil	15	46	0.88	111	0.034	<1	1.87	0.005	0.09	<0.1	0.07	5.1	0.2	<0.05	5	1.2
A179	Soil	14	34	0.74	144	0.047	1	1.45	0.007	0.08	0.2	0.18	4.8	<0.1	0.06	4	1.6
A180	Soil	12	32	0.67	61	0.028	2	1.35	0.004	0.09	0.2	0.17	5.9	0.1	0.07	4	2.9
A181	Soil	9	65	1.82	89	0.141	2	2.47	0.015	0.06	0.2	0.07	6.9	<0.1	<0.05	6	1.0
A182	Soil	6	126	3.01	168	0.272	4	2.87	0.061	0.08	<0.1	0.09	11.8	<0.1	<0.05	8	<0.5
A183	Soil	10	28	0.54	129	0.024	2	2.09	0.006	0.08	<0.1	0.04	4.5	0.1	<0.05	8	0.7
A184	Soil	9	8	0.07	236	0.002	<1	0.50	0.003	0.08	<0.1	0.18	3.2	0.2	0.08	1	1.9
A185	Soil	14	7	0.07	352	0.001	2	0.46	0.005	0.13	0.1	5.64	4.1	0.2	0.20	1	1.8
A186	Soil	9	40	0.70	77	0.036	<1	2.10	0.006	0.05	<0.1	0.35	3.8	<0.1	<0.05	6	<0.5
A187	Soil	11	32	0.37	153	0.027	2	1.38	0.007	0.08	<0.1	0.12	2.1	0.1	<0.05	8	0.5
A188	Soil	12	52	0.82	138	0.073	<1	2.52	0.008	0.06	0.2	0.42	7.9	0.1	<0.05	4	2.2
A189	Soil	10	28	0.56	112	0.017	<1	1.43	0.004	0.11	<0.1	0.14	4.4	<0.1	<0.05	3	0.9
A190	Soil	14	15	0.12	371	0.005	1	2.11	0.003	0.07	<0.1	0.69	8.4	0.9	<0.05	3	3.3
A191	Soil	3	6	0.05	59	0.003	<1	0.47	0.002	0.07	<0.1	0.07	2.5	0.1	<0.05	2	<0.5
A192	Soil	9	17	0.17	513	0.010	<1	1.47	0.005	0.08	0.2	0.02	2.2	<0.1	<0.05	8	<0.5
A193	Soil	15	6	0.03	19	0.003	<1	0.69	0.002	0.04	<0.1	0.03	1.0	<0.1	<0.05	6	<0.5
A194	Soil	8	23	0.37	53	0.008	<1	1.50	0.004	0.06	0.1	0.04	2.3	0.1	<0.05	4	1.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 24, 2008

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008747.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
A195	Soil	8.0	170.1	25.6	68	<0.1	35.6	17.7	561	4.74	94.3	2.6	3.6	1.3	16	0.2	18.5	1.0	57	0.18	0.102
A196	Soil	2.8	50.7	26.3	43	<0.1	14.4	13.0	733	4.90	58.7	0.8	4.2	0.7	10	0.1	8.3	0.4	77	0.06	0.118
A197	Soil	2.0	35.6	15.6	46	0.1	12.2	7.4	840	2.62	14.6	2.1	16.4	1.6	28	0.2	2.3	0.4	42	0.26	0.189
A198	Soil	6.2	56.6	25.7	127	0.2	19.3	18.2	4800	3.29	31.0	1.7	7.3	1.0	40	0.5	8.2	0.4	58	0.38	0.138
B54	Soil	0.6	56.6	5.3	56	0.2	17.2	19.6	1713	3.99	1.8	0.3	4.8	0.4	13	0.2	0.2	<0.1	71	0.17	0.118
B55	Soil	0.3	52.8	3.7	51	0.2	17.5	18.3	820	4.14	1.3	0.2	6.6	0.4	20	0.1	<0.1	<0.1	82	0.32	0.112
B56	Soil	0.5	48.2	4.1	61	0.1	11.8	16.7	1110	4.75	1.1	0.2	66.2	0.4	10	0.1	0.1	0.1	95	0.17	0.095
B57	Soil	0.3	42.2	3.6	55	0.2	15.0	16.6	890	4.87	0.9	0.2	2.7	0.3	11	0.1	0.1	<0.1	103	0.19	0.110
B58	Soil	0.5	29.1	2.9	47	0.2	17.0	12.4	349	3.32	<0.5	0.1	200.6	0.5	11	<0.1	<0.1	<0.1	73	0.16	0.049
B59	Soil	0.4	20.7	4.9	38	0.2	10.0	9.4	365	3.44	<0.5	0.2	1.2	0.5	11	0.2	<0.1	0.1	92	0.14	0.074
B60	Soil	0.3	40.8	4.0	52	0.2	13.7	12.8	484	4.18	0.7	0.2	3.6	0.5	13	0.1	<0.1	<0.1	97	0.20	0.102
B61	Soil	0.5	35.9	3.7	55	0.2	19.4	13.6	470	3.95	0.7	0.2	16.6	0.6	14	0.1	0.1	<0.1	90	0.23	0.079
B62	Soil	0.5	30.8	3.7	51	0.3	17.1	13.8	428	3.51	1.2	0.2	58.6	0.4	14	0.2	0.2	<0.1	86	0.22	0.050
B63	Soil	0.8	68.0	3.5	64	0.1	19.6	15.3	629	3.58	2.9	0.6	3.7	0.6	20	<0.1	0.2	<0.1	89	0.68	0.090
B64	Soil	0.8	58.6	3.4	70	0.1	21.7	15.3	663	3.49	2.8	0.5	3.3	0.4	22	0.1	0.2	<0.1	96	0.77	0.087
B65	Soil	1.9	31.5	7.6	51	0.1	15.9	12.9	569	2.94	6.8	0.2	5.2	0.4	16	0.2	0.3	0.1	80	0.39	0.040
B66	Soil	0.8	44.3	8.4	65	0.2	17.7	13.6	536	5.04	14.9	0.2	2.0	1.1	11	0.1	1.0	0.1	129	0.16	0.099
B67	Soil	0.5	13.8	7.8	31	0.2	8.4	6.0	228	1.93	3.1	0.2	10.9	0.3	13	<0.1	0.4	0.2	75	0.14	0.030
B68	Soil	0.6	35.5	6.3	57	<0.1	24.2	15.3	500	5.36	23.5	0.2	24.8	1.2	9	0.1	0.9	<0.1	99	0.12	0.050
B69	Soil	0.6	52.5	4.8	58	<0.1	23.4	18.3	501	3.74	61.4	0.3	17.3	1.0	16	0.2	1.2	<0.1	69	0.29	0.058
B103	Soil	1.2	159.3	44.7	188	0.3	54.8	44.2	2929	7.90	38.8	0.3	13.5	1.2	21	0.6	4.6	0.2	142	0.30	0.102
B104	Soil	0.7	76.7	19.5	164	0.3	35.9	33.4	1616	7.34	21.9	0.3	5.9	0.3	18	0.4	2.7	<0.1	142	0.21	0.080
B105	Soil	0.8	138.6	29.5	215	0.3	44.2	39.6	2191	7.53	24.7	0.3	5.0	0.8	21	0.8	2.4	<0.1	198	0.41	0.086
B106	Soil	1.4	42.9	5.4	49	0.2	22.2	13.4	590	5.87	11.1	0.3	23.8	0.6	17	<0.1	1.9	0.1	144	0.21	0.157
B107	Soil	1.3	96.4	5.2	79	0.2	32.8	17.1	738	5.27	13.0	0.4	3.7	1.0	18	0.1	1.6	<0.1	101	0.26	0.110
B108	Soil	1.4	35.9	5.8	79	0.4	22.3	16.8	2032	5.56	12.8	0.4	5.4	0.6	19	0.2	2.4	0.3	162	0.19	0.154
B109	Soil	0.9	61.6	4.4	67	0.1	32.8	21.2	868	5.01	11.3	0.3	3.1	0.4	27	0.2	1.9	<0.1	124	0.40	0.065
B110	Soil	1.8	35.5	6.5	41	0.1	13.4	8.8	548	3.60	7.4	0.4	1.7	0.6	17	0.2	1.3	0.2	106	0.16	0.108
B111	Soil	1.1	79.2	8.1	123	<0.1	34.1	25.6	1241	5.97	45.0	0.5	43.2	0.7	33	0.5	11.1	0.2	116	0.50	0.093
B112	Soil	1.6	42.8	17.1	87	0.2	17.9	15.9	1370	4.51	60.9	0.3	5.5	0.2	20	0.2	14.2	0.3	113	0.24	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24, 2008

Page:

3 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08008747.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
A195	Soil	14	18	0.11	386	0.005	<1	0.86	0.004	0.06	<0.1	0.03	2.2	<0.1	<0.05	4	1.6
A196	Soil	13	22	0.20	71	0.013	2	1.48	0.005	0.07	<0.1	0.02	2.5	0.1	<0.05	8	0.9
A197	Soil	9	22	0.26	322	0.006	1	1.78	0.004	0.12	0.1	0.05	3.4	<0.1	0.09	6	0.7
A198	Soil	8	23	0.20	558	0.006	1	1.74	0.004	0.15	<0.1	0.09	3.2	0.2	<0.05	5	1.2
B54	Soil	5	31	1.23	27	0.076	<1	2.07	0.006	0.06	<0.1	0.02	2.9	<0.1	<0.05	7	0.7
B55	Soil	4	31	1.26	24	0.098	<1	1.97	0.004	0.04	<0.1	<0.01	3.0	<0.1	<0.05	7	0.6
B56	Soil	3	21	1.14	23	0.147	<1	1.95	0.014	0.05	<0.1	0.01	2.0	<0.1	<0.05	9	<0.5
B57	Soil	3	29	1.10	21	0.134	<1	2.04	0.004	0.03	<0.1	0.02	2.0	<0.1	<0.05	8	<0.5
B58	Soil	3	39	1.08	15	0.133	<1	1.95	0.005	0.02	<0.1	0.01	2.5	<0.1	<0.05	7	<0.5
B59	Soil	4	22	0.71	17	0.183	<1	1.56	0.004	0.02	<0.1	0.02	2.3	<0.1	<0.05	10	<0.5
B60	Soil	3	26	1.02	20	0.142	<1	1.89	0.016	0.03	<0.1	0.01	2.7	<0.1	<0.05	8	<0.5
B61	Soil	4	40	1.13	28	0.163	<1	1.87	0.005	0.02	<0.1	<0.01	2.5	<0.1	<0.05	8	<0.5
B62	Soil	3	36	1.10	23	0.179	<1	1.71	0.005	0.03	<0.1	0.01	2.5	<0.1	<0.05	8	<0.5
B63	Soil	6	37	1.21	70	0.068	<1	1.99	0.005	0.05	<0.1	0.01	2.7	<0.1	<0.05	6	<0.5
B64	Soil	6	38	1.27	87	0.054	<1	2.02	0.005	0.04	<0.1	0.01	2.6	<0.1	<0.05	6	<0.5
B65	Soil	5	35	0.87	114	0.097	<1	1.46	0.004	0.04	<0.1	0.01	2.4	<0.1	<0.05	7	<0.5
B66	Soil	5	30	1.23	31	0.204	<1	2.00	0.005	0.04	0.1	<0.01	3.0	<0.1	<0.05	10	<0.5
B67	Soil	4	22	0.60	27	0.145	<1	1.17	0.003	0.03	<0.1	<0.01	1.9	<0.1	<0.05	8	<0.5
B68	Soil	4	54	1.39	35	0.132	<1	2.37	0.003	0.03	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5
B69	Soil	5	38	1.33	43	0.029	<1	1.96	0.008	0.03	<0.1	<0.01	3.3	<0.1	<0.05	5	<0.5
B103	Soil	11	71	1.71	200	0.107	3	2.29	0.012	0.08	<0.1	1.22	21.0	<0.1	<0.05	6	<0.5
B104	Soil	4	69	2.07	139	0.040	2	3.78	0.008	0.06	<0.1	0.55	9.1	<0.1	<0.05	7	0.7
B105	Soil	9	57	3.02	172	0.140	1	3.48	0.012	0.21	<0.1	0.49	14.6	<0.1	<0.05	9	<0.5
B106	Soil	5	51	0.90	44	0.104	<1	2.50	0.007	0.03	<0.1	0.17	4.5	<0.1	<0.05	9	<0.5
B107	Soil	7	62	1.02	60	0.083	<1	3.14	0.008	0.03	0.1	0.09	5.4	<0.1	<0.05	6	0.7
B108	Soil	5	59	0.86	79	0.134	<1	2.83	0.011	0.04	0.2	0.10	4.6	<0.1	<0.05	9	<0.5
B109	Soil	5	61	1.36	53	0.127	1	2.35	0.009	0.03	0.1	0.09	4.8	<0.1	<0.05	7	<0.5
B110	Soil	10	37	0.47	42	0.082	1	2.27	0.010	0.03	0.2	0.07	3.2	<0.1	<0.05	10	<0.5
B111	Soil	7	55	1.21	188	0.074	2	2.53	0.008	0.05	0.1	0.11	6.9	<0.1	<0.05	8	0.8
B112	Soil	9	40	0.62	128	0.040	1	1.82	0.006	0.06	<0.1	0.04	3.6	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24, 2008

Page:

4 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08008747.1

Analyte	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B113	Soil	1.5	94.3	23.6	117	0.1	27.4	24.4	2257	5.42	126.5	0.3	12.7	0.6	15	0.2	21.1	0.3	80	0.19	0.123
B114	Soil	1.5	73.7	22.0	132	0.3	32.7	22.2	1150	5.23	82.7	0.3	26.3	0.7	17	0.4	12.6	0.2	80	0.20	0.078
B115	Soil	2.0	42.2	16.9	54	0.2	14.2	7.5	560	3.79	57.2	0.4	10.8	0.2	16	0.1	7.1	0.2	111	0.11	0.085
B116	Soil	2.6	51.6	21.2	69	0.4	19.3	12.6	815	5.17	204.0	0.5	13.7	0.5	16	0.2	8.3	0.4	129	0.13	0.083
B117	Soil	1.6	46.9	15.8	88	0.2	27.3	14.8	1116	4.34	51.6	0.5	13.3	0.3	25	0.3	4.5	0.2	114	0.23	0.101
B118	Soil	2.0	53.5	16.4	76	0.3	44.0	19.4	1154	4.75	92.1	0.4	14.5	0.5	28	0.4	4.0	0.2	127	0.42	0.097
B119	Soil	2.5	32.5	15.6	50	0.3	16.7	9.6	489	3.63	47.5	0.3	42.9	0.2	15	0.1	2.7	0.2	139	0.15	0.070
B120	Soil	0.8	61.2	11.5	63	0.2	29.0	21.1	1397	4.45	54.6	0.4	11.6	0.5	19	0.2	3.7	0.1	99	0.30	0.088
B121	Soil	5.9	99.8	44.6	83	0.5	31.3	19.9	834	4.68	139.9	1.1	39.1	0.9	40	0.1	27.1	0.4	26	0.15	0.121
B122	Soil	5.3	87.2	43.0	88	0.7	31.1	18.2	1058	4.62	132.7	1.5	49.6	1.2	63	0.2	27.6	0.4	28	0.64	0.126
B123	Soil	1.6	65.3	12.5	110	<0.1	32.0	38.0	2872	7.77	54.1	0.6	9.9	0.6	55	0.4	4.8	0.1	130	0.61	0.096
B124	Soil	2.0	41.1	7.5	55	<0.1	24.0	18.3	1138	6.13	25.8	0.4	7.3	0.6	23	0.1	3.1	0.2	168	0.27	0.128
B125	Soil	4.4	285.8	24.8	522	0.8	268.9	103.8	5036	7.97	65.1	16.0	23.1	2.0	27	2.0	11.2	0.3	30	0.27	0.227
B126	Soil	5.3	141.6	19.1	487	0.2	141.3	129.9	9125	13.29	41.3	9.8	8.2	1.9	14	0.7	9.1	0.4	35	0.09	0.203
B127	Soil	2.4	100.7	23.6	87	0.2	48.7	27.9	1758	3.94	32.8	2.3	5.6	1.7	35	0.1	6.2	0.4	42	0.49	0.080
B128	Soil	I.S.																			



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24, 2008

Page:

4 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08008747.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
B113	Soil	9	45	0.95	70	0.054	<1	1.73	0.006	0.05	<0.1	0.08	5.6	<0.1	<0.05	5	<0.5
B114	Soil	8	54	1.14	59	0.039	2	2.42	0.006	0.05	<0.1	0.07	4.9	<0.1	<0.05	5	<0.5
B115	Soil	10	32	0.30	58	0.022	<1	1.72	0.005	0.05	0.1	0.03	2.7	0.1	<0.05	8	<0.5
B116	Soil	12	36	0.49	68	0.049	<1	2.14	0.006	0.05	0.2	0.05	3.5	0.1	<0.05	11	<0.5
B117	Soil	9	60	0.77	69	0.071	<1	2.16	0.008	0.06	<0.1	0.05	4.0	<0.1	<0.05	9	<0.5
B118	Soil	7	94	1.51	71	0.177	2	2.46	0.010	0.05	<0.1	0.06	5.8	<0.1	<0.05	9	<0.5
B119	Soil	6	52	0.68	73	0.083	<1	2.25	0.008	0.05	<0.1	0.05	3.9	0.1	<0.05	10	<0.5
B120	Soil	8	47	1.06	100	0.074	<1	1.96	0.009	0.06	<0.1	0.07	4.9	<0.1	<0.05	7	<0.5
B121	Soil	11	9	0.09	237	0.001	<1	0.50	0.005	0.14	<0.1	1.27	2.8	0.2	0.17	1	1.1
B122	Soil	11	16	0.20	457	0.004	<1	0.70	0.005	0.12	<0.1	0.83	5.4	0.2	0.11	2	1.6
B123	Soil	6	60	1.14	380	0.070	2	2.00	0.008	0.05	0.1	0.22	7.4	<0.1	<0.05	6	0.8
B124	Soil	6	48	0.93	49	0.148	1	2.29	0.008	0.04	0.2	0.05	5.0	<0.1	<0.05	11	<0.5
B125	Soil	18	22	0.30	315	0.004	3	2.37	0.005	0.07	0.1	0.54	6.5	0.3	0.13	2	3.1
B126	Soil	12	22	0.13	250	0.005	2	1.69	0.003	0.06	0.1	0.29	3.9	0.2	0.10	4	1.6
B127	Soil	10	36	0.85	180	0.015	2	1.64	0.005	0.10	<0.1	0.20	5.3	<0.1	0.05	4	<0.5
B128	Soil	I.S.															



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24 2008

Page:

1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08008747.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
G55	Soil	20.3	122.7	44.6	390	1.8	112.4	33.8	1360	5.57	81.6	2.1	15.0	8.1	28	4.0	40.7	0.7	29	0.25	0.114
REP G55	QC	19.7	123.3	44.6	379	1.8	112.1	32.7	1412	5.44	78.0	2.0	15.8	8.0	28	3.9	40.3	0.7	30	0.25	0.114
A190	Soil	11.2	363.5	47.3	594	0.9	459.0	205.3	>10000	7.65	109.6	8.3	22.7	1.7	36	3.2	55.2	0.4	28	0.29	0.205
REP A190	QC	11.3	364.9	46.2	559	0.9	461.9	222.0	>10000	7.70	108.7	8.4	24.6	1.8	37	3.9	55.3	0.4	29	0.28	0.204
B61	Soil	0.5	35.9	3.7	55	0.2	19.4	13.6	470	3.95	0.7	0.2	16.6	0.6	14	0.1	0.1	<0.1	90	0.23	0.079
REP B61	QC	0.4	37.2	3.9	61	0.2	19.5	14.5	488	4.10	1.2	0.3	5.4	0.7	14	0.1	<0.1	<0.1	95	0.23	0.083
B110	Soil	1.8	35.5	6.5	41	0.1	13.4	8.8	548	3.60	7.4	0.4	1.7	0.6	17	0.2	1.3	0.2	106	0.16	0.108
REP B110	QC	1.8	36.8	6.3	42	0.2	14.1	8.0	548	3.58	6.9	0.5	1.5	0.5	17	0.1	1.3	0.2	103	0.16	0.109
Reference Materials																					
STD DS7	Standard	19.1	98.6	65.9	384	0.8	50.4	8.0	606	2.23	48.7	4.7	64.7	4.3	72	5.5	5.7	4.3	78	0.88	0.071
STD DS7	Standard	19.8	113.4	70.3	395	0.9	55.4	9.2	616	2.43	51.5	4.7	68.7	4.3	66	5.8	5.6	4.3	89	0.93	0.073
STD DS7	Standard	20.7	109.3	80.7	392	0.7	53.8	9.5	606	2.28	48.0	6.0	62.4	5.4	88	5.0	6.3	4.9	82	0.94	0.073
STD DS7	Standard	18.3	98.1	70.4	369	0.8	50.8	8.3	577	2.21	44.9	4.7	66.2	4.1	79	5.8	6.5	4.9	78	0.88	0.068
STD DS7 Expected		20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	1.3	<0.1	6	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 24, 2008

Page:

1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08008747.1

Method	1DX15																
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
G55	Soil	13	22	0.66	74	0.011	<1	1.41	0.009	0.07	<0.1	0.13	4.5	0.3	0.07	3	8.3
REP G55	QC	12	22	0.62	75	0.011	<1	1.37	0.009	0.06	0.1	0.12	4.7	0.3	0.06	3	8.4
A190	Soil	14	15	0.12	371	0.005	1	2.11	0.003	0.07	<0.1	0.69	8.4	0.9	<0.05	3	3.3
REP A190	QC	14	15	0.13	376	0.006	<1	2.29	0.003	0.07	<0.1	0.72	9.1	0.9	0.06	3	3.5
B61	Soil	4	40	1.13	28	0.163	<1	1.87	0.005	0.02	<0.1	<0.01	2.5	<0.1	<0.05	8	<0.5
REP B61	QC	4	44	1.13	29	0.167	<1	1.79	0.005	0.03	<0.1	0.01	2.7	<0.1	<0.05	8	<0.5
B110	Soil	10	37	0.47	42	0.082	1	2.27	0.010	0.03	0.2	0.07	3.2	<0.1	<0.05	10	<0.5
REP B110	QC	10	36	0.41	44	0.086	<1	2.17	0.009	0.03	0.2	0.07	3.1	<0.1	<0.05	11	<0.5
Reference Materials																	
STD DS7	Standard	13	164	0.95	374	0.115	37	0.96	0.095	0.44	3.8	0.20	2.8	4.1	0.21	5	3.2
STD DS7	Standard	12	199	1.01	382	0.123	33	1.00	0.100	0.45	3.7	0.19	2.5	4.1	0.15	5	2.9
STD DS7	Standard	15	197	1.00	360	0.128	38	1.05	0.094	0.44	3.7	0.18	2.9	4.2	0.18	5	3.3
STD DS7	Standard	13	184	1.01	377	0.126	39	0.99	0.097	0.46	3.6	0.18	2.5	4.2	0.19	4	3.9
STD DS7 Expected		13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Submitted By:

Gordon Richards

Receiving Lab:

Canada-Vancouver

Received:

August 28, 2008

Report Date:

September 12, 2008

Page:

1 of 4

CERTIFICATE OF ANALYSIS

VAN08008748.1

CLIENT JOB INFORMATION

Project: LA FORCE
Shipment ID:
P.O. Number
Number of Samples: 65

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	64	Crush, split and pulverize rock to 200 mesh		
1DX15	64	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
RTRN-RJT Return

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Orestone Mining Corp.
975 - 163rd Street
Surrey BC V4A 9T8
Canada

CC: B.K. (Barney) Bowen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 12, 2008

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008748.1

Method	Analyte	WGHT	1DX15																		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G34	Rock	0.50	1.4	19.9	53.9	64	1.4	9.5	4.2	1141	1.66	357.3	0.3	5.6	1.3	115	1.0	4.4	2.5	2	2.91
G35	Rock	0.34	0.6	28.2	11.3	80	<0.1	12.7	5.3	154	4.01	4.2	1.9	2.3	9.7	8	<0.1	<0.1	0.3	19	0.05
G36	Rock	0.66	0.5	16.6	1.0	4	<0.1	5.6	2.0	39	0.91	3.3	0.1	<0.5	0.2	4	<0.1	<0.1	<0.1	<2	0.03
G37	Rock	0.32	0.6	0.9	7.3	38	<0.1	5.4	1.3	372	0.38	0.6	0.3	<0.5	0.2	525	0.4	0.2	<0.1	10	12.23
G39	Rock	0.24	0.2	2.3	2.4	28	<0.1	3.6	4.1	1018	1.29	1.0	0.6	1.1	0.6	205	0.3	<0.1	<0.1	3	13.15
G45	Rock	0.37	0.2	5.0	2.5	49	<0.1	4.8	5.4	859	2.31	3.7	0.3	110.5	1.5	143	0.3	0.3	<0.1	3	2.16
G46	Rock	0.20	0.2	5.5	6.8	6	<0.1	1.9	1.1	108	0.62	2.6	0.2	7.5	3.4	11	<0.1	<0.1	<0.1	<2	0.17
G47	Rock	0.36	0.4	2.4	8.1	7	<0.1	4.1	2.4	118	1.00	102.3	1.0	10.8	15.1	17	<0.1	0.8	<0.1	<2	0.19
G49	Rock	0.40	0.4	2.7	98.8	3	0.3	9.2	7.7	315	0.97	10.5	0.2	2.1	2.3	19	<0.1	0.6	0.5	<2	1.16
G50	Rock	0.37	0.4	3.8	1.4	5	<0.1	4.1	2.2	99	0.41	14.0	0.4	4.6	6.3	6	<0.1	0.4	<0.1	3	0.19
G51	Rock	0.18	0.4	2.1	1.1	6	<0.1	12.1	6.1	167	0.92	68.3	0.5	30.1	5.8	6	<0.1	0.3	<0.1	2	0.40
G53	Rock	0.37	0.4	3.1	1.2	8	<0.1	7.7	3.3	435	0.85	52.4	0.4	11.4	7.2	10	0.2	0.4	<0.1	<2	0.34
G54	Rock	0.40	0.9	9.5	17.6	55	<0.1	7.2	3.8	240	1.36	5.6	1.2	<0.5	11.9	6	0.3	3.0	<0.1	2	0.03
G56	Rock	0.69	2.3	70.5	12.4	102	0.5	44.9	7.6	474	2.52	6.9	0.3	2.6	2.8	16	0.9	1.5	0.2	16	0.17
G57	Rock	0.50	0.8	82.5	3.6	64	<0.1	12.0	11.7	813	3.84	29.0	<0.1	1.9	0.5	89	<0.1	13.7	<0.1	15	3.69
G58	Rock	0.40	0.7	54.5	4.6	63	<0.1	11.8	11.1	1211	4.59	39.6	<0.1	7.1	0.4	117	<0.1	3.7	<0.1	24	5.86
G59	Rock	0.35	0.3	72.1	0.9	56	<0.1	63.6	28.0	601	3.15	1.0	0.2	3.4	0.6	34	<0.1	<0.1	<0.1	69	0.98
G60	Rock	0.32	0.5	77.1	0.5	67	<0.1	36.3	31.3	1098	5.23	3.9	0.2	1.6	0.7	49	<0.1	1.5	<0.1	142	2.05
G63	Rock	0.24	1.0	56.6	3.4	41	<0.1	5.5	8.0	1324	3.26	7.1	<0.1	1.1	0.3	62	0.1	0.2	<0.1	24	3.47
G65	Rock	0.33	0.9	39.2	1.4	56	<0.1	46.2	20.0	618	2.29	1.6	0.3	1.2	0.9	53	<0.1	0.3	<0.1	62	1.21
G66	Rock	0.25	0.6	97.6	5.4	43	<0.1	5.4	11.2	269	2.99	10.4	0.1	<0.5	1.0	11	<0.1	1.1	0.1	45	0.72
G67	Rock	0.29	0.5	79.9	4.9	58	<0.1	6.7	18.1	400	3.61	17.1	0.1	1.0	1.1	14	<0.1	1.3	0.1	60	0.70
G68	Rock	0.31	11.1	77.7	3.6	38	0.2	9.1	3.4	288	2.48	2.7	0.2	6.8	2.2	26	<0.1	0.8	0.1	33	0.16
G69	Rock	0.29	7.9	47.8	3.4	35	<0.1	9.0	2.9	214	2.14	2.9	0.2	2.9	2.7	19	<0.1	0.7	0.1	34	0.10
G70	Rock	0.34	0.4	5.7	2.5	19	<0.1	16.6	7.2	559	1.34	0.7	0.8	<0.5	4.8	64	0.1	0.5	<0.1	24	1.30
G71	Rock	0.30	0.9	31.7	1.4	18	<0.1	24.4	10.1	291	1.83	1.6	1.5	<0.5	5.5	20	<0.1	0.4	<0.1	40	0.53
G72	Rock	0.43	3.0	96.9	8.9	33	0.2	2.6	9.2	259	2.46	16.0	0.7	0.6	6.2	13	<0.1	1.2	<0.1	18	0.10
G73	Rock	0.32	1.2	43.1	5.4	19	<0.1	1.7	5.8	314	2.10	8.6	0.3	<0.5	1.6	13	<0.1	0.5	<0.1	70	0.73
G74	Rock	0.27	0.7	74.4	6.8	48	<0.1	6.3	4.6	430	3.42	29.4	0.1	<0.5	1.3	6	<0.1	1.5	0.1	46	0.18
G75	Rock	0.24	0.5	32.0	3.1	33	<0.1	1.1	5.9	316	2.35	10.0	0.1	4.4	1.0	8	<0.1	6.2	<0.1	8	1.14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 12, 2008

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08008748.1

Analyte	Method	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		Unit	MDL	0.001	1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5
G34	Rock	0.027	3	8	0.78	12	0.001	1	0.16	0.005	0.05	0.2	<0.01	1.0	<0.1	0.15	<1	1.3
G35	Rock	0.038	15	35	1.12	18	0.003	<1	1.95	0.009	0.08	<0.1	<0.01	1.5	<0.1	<0.05	5	0.5
G36	Rock	0.004	<1	7	<0.01	2	<0.001	<1	0.02	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	0.6
G37	Rock	0.010	2	7	7.36	10	<0.001	1	0.03	0.003	<0.01	0.1	<0.01	1.2	<0.1	<0.05	<1	<0.5
G39	Rock	0.019	2	5	5.06	18	<0.001	<1	0.10	0.004	0.05	<0.1	<0.01	1.5	<0.1	<0.05	<1	<0.5
G45	Rock	0.118	4	3	0.46	49	<0.001	4	0.27	0.035	0.20	0.4	<0.01	2.2	<0.1	0.87	<1	0.6
G46	Rock	0.028	7	7	0.06	38	0.003	<1	0.12	0.027	0.10	<0.1	<0.01	0.4	<0.1	<0.05	<1	0.5
G47	Rock	0.106	32	6	0.02	44	0.002	2	0.16	0.013	0.12	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5
G49	Rock	0.022	2	10	0.22	9	<0.001	<1	0.06	0.007	0.04	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5
G50	Rock	0.019	13	11	0.04	20	0.002	2	0.13	0.024	0.07	<0.1	<0.01	1.2	<0.1	<0.05	<1	<0.5
G51	Rock	0.023	14	10	0.02	20	<0.001	2	0.12	0.034	0.07	0.1	<0.01	2.3	<0.1	0.10	<1	<0.5
G53	Rock	0.043	8	8	0.04	25	<0.001	1	0.12	0.034	0.06	<0.1	<0.01	1.7	<0.1	0.11	<1	<0.5
G54	Rock	0.023	20	7	0.04	36	<0.001	<1	0.23	0.020	0.10	<0.1	0.03	0.9	<0.1	<0.05	<1	<0.5
G56	Rock	0.035	6	17	0.58	45	<0.001	<1	1.06	0.008	0.08	<0.1	0.12	1.8	0.1	<0.05	3	2.1
G57	Rock	0.062	5	6	0.61	40	0.001	<1	0.36	0.060	0.07	<0.1	0.02	8.8	<0.1	<0.05	1	0.7
G58	Rock	0.109	1	7	0.50	49	0.002	1	0.70	0.060	0.05	<0.1	0.03	10.9	<0.1	0.09	2	0.8
G59	Rock	0.151	3	74	2.10	54	0.310	3	2.02	0.021	0.10	0.1	<0.01	2.3	<0.1	<0.05	7	0.6
G60	Rock	0.094	5	61	2.71	57	0.170	1	2.93	0.020	0.08	<0.1	0.01	10.6	<0.1	<0.05	9	<0.5
G63	Rock	0.058	3	7	0.30	112	0.008	<1	0.60	0.026	0.06	<0.1	<0.01	6.5	<0.1	<0.05	2	0.6
G65	Rock	0.141	6	78	1.45	78	0.310	2	1.54	0.023	0.03	0.2	<0.01	2.8	<0.1	<0.05	6	0.5
G66	Rock	0.029	3	7	0.90	30	0.108	3	1.48	0.044	0.14	0.1	0.04	5.6	<0.1	1.22	5	1.5
G67	Rock	0.042	2	9	1.04	44	0.132	4	1.74	0.024	0.16	0.1	0.08	6.5	0.1	0.86	5	1.2
G68	Rock	0.040	6	12	0.63	49	0.136	<1	1.02	0.030	0.09	0.1	0.15	3.5	<0.1	0.05	3	1.1
G69	Rock	0.033	6	13	0.52	45	0.131	<1	0.92	0.030	0.10	0.1	0.09	3.5	<0.1	<0.05	3	0.8
G70	Rock	0.044	20	23	0.73	215	0.004	2	0.84	0.030	0.12	<0.1	0.02	2.9	<0.1	<0.05	3	0.6
G71	Rock	0.055	13	24	0.78	216	0.003	2	0.99	0.019	0.14	<0.1	0.01	1.4	<0.1	0.05	4	0.6
G72	Rock	0.028	4	5	0.56	254	0.054	1	0.96	0.017	0.18	0.2	0.12	1.2	<0.1	0.33	4	0.8
G73	Rock	0.023	4	7	0.54	43	0.158	<1	1.25	0.029	0.11	<0.1	0.11	7.3	<0.1	0.29	5	1.1
G74	Rock	0.053	6	39	1.39	77	0.008	2	1.85	0.023	0.17	<0.1	0.08	3.6	<0.1	<0.05	5	0.8
G75	Rock	0.023	2	4	0.06	151	<0.001	3	0.29	0.018	0.10	<0.1	0.27	3.4	<0.1	0.06	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 12, 2008

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008748.1

Method	WgHT	1DX15																			
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
G76	Rock	0.18	1.6	22.8	1.5	42	<0.1	3.2	3.6	566	1.64	7.2	0.4	3.2	4.1	17	<0.1	0.9	<0.1	12	0.39
G77	Rock	0.32	13.7	53.2	5.3	36	0.1	10.4	2.6	247	2.22	2.4	0.3	2.1	3.2	11	0.1	1.2	0.2	45	0.11
G78	Rock	0.34	0.3	44.4	10.7	45	<0.1	57.0	20.1	853	3.97	13.0	0.6	1.1	1.5	284	<0.1	3.0	0.2	47	4.70
G79	Rock	0.49	0.7	28.2	4.5	17	<0.1	12.4	4.9	270	1.86	10.7	0.1	0.7	1.1	95	<0.1	15.4	0.2	6	1.17
G80	Rock	0.58	0.4	28.1	12.0	42	0.3	16.3	4.8	360	1.87	20.0	0.4	3.3	3.4	29	<0.1	12.7	<0.1	16	0.54
G81	Rock	0.47	0.8	29.0	2.8	14	<0.1	12.7	3.1	254	1.17	14.5	0.3	<0.5	2.4	59	<0.1	9.0	0.1	5	1.04
G82	Rock	0.36	0.4	20.7	0.6	76	<0.1	4.4	12.1	595	3.57	5.3	<0.1	3.4	0.4	8	<0.1	3.8	<0.1	49	0.44
G83	Rock	0.32	0.5	32.4	5.1	46	0.2	7.7	11.0	792	3.04	8.9	0.1	10.1	0.4	61	0.1	9.2	<0.1	33	1.85
G84	Rock	0.21	0.6	35.9	1.6	38	0.1	4.5	8.1	511	2.53	7.9	0.2	2.7	1.2	22	<0.1	7.6	<0.1	25	1.18
G85	Rock	0.48	0.5	41.9	2.4	66	0.1	8.7	18.6	1064	4.80	8.4	0.2	2.1	0.7	53	<0.1	8.7	<0.1	78	2.26
G86	Rock	0.37	1.3	43.9	17.6	235	0.9	11.3	13.5	747	2.47	10.7	<0.1	6.9	0.3	52	1.3	16.6	0.1	16	2.64
G87	Rock	0.34	0.6	81.2	3.8	39	0.1	229.9	42.7	1096	5.93	23.8	0.1	<0.5	0.6	72	<0.1	18.6	<0.1	58	4.18
G88	Rock	0.28	0.2	38.0	2.4	42	<0.1	5.6	9.1	811	3.13	9.0	0.1	0.8	0.5	50	<0.1	11.0	<0.1	26	2.18
G90	Rock	0.24	6.2	74.8	4.8	27	<0.1	12.5	4.0	262	1.27	25.7	0.2	3.5	1.6	6	<0.1	40.9	<0.1	6	0.23
G91	Rock	0.23	12.4	80.9	6.3	25	<0.1	7.7	2.2	136	0.79	66.8	0.2	6.4	3.2	8	<0.1	37.4	<0.1	4	0.04
G92	Rock	0.37	3.8	29.3	2.3	92	<0.1	4.9	1.1	1912	1.01	7.3	0.7	<0.5	0.3	196	0.9	9.0	<0.1	134	14.15
G93	Rock	L.N.R.																			
G94	Rock	0.31	0.4	25.4	3.3	13	<0.1	2.3	2.1	135	1.00	57.1	0.2	1.8	0.8	18	<0.1	14.6	<0.1	3	0.47
G95	Rock	0.41	0.5	7469	1.9	65	2.0	110.7	85.5	440	5.45	26.4	0.2	103.5	0.8	60	0.6	8.0	0.3	150	2.08
G96	Rock	0.41	0.3	574.5	0.6	48	0.2	34.3	44.5	508	9.45	9.2	0.2	10.2	0.3	78	<0.1	3.8	<0.1	345	2.56
G97	Rock	0.38	5.6	126.0	14.6	9	0.2	18.0	5.1	150	1.06	16.4	0.2	9.1	1.2	6	<0.1	32.4	0.5	13	0.08
G98	Rock	0.26	2.8	75.4	2.7	28	0.1	16.4	6.4	420	1.16	30.8	0.2	9.2	1.2	5	0.2	32.4	0.1	7	0.02
K23	Rock	0.79	0.4	67.6	4.8	15	0.2	6.5	4.1	1023	1.98	867.2	<0.1	7.8	0.4	100	<0.1	5.3	<0.1	<2	2.20
K24	Rock	1.30	0.9	5.5	9.0	18	<0.1	6.1	0.5	130	0.27	1.5	0.5	0.8	0.2	86	0.4	1.1	<0.1	<2	12.60
K25	Rock	0.76	0.3	3.5	13.6	3	<0.1	1.1	0.2	32	0.28	2.7	0.3	0.9	1.5	3	<0.1	0.7	<0.1	<2	0.06
K26	Rock	0.96	0.2	70.1	1.4	56	<0.1	22.5	25.4	1043	4.94	62.0	<0.1	0.8	0.5	125	0.3	6.4	<0.1	46	5.07
K27	Rock	0.98	0.3	2.3	13.6	19	<0.1	2.6	0.8	264	0.67	0.7	0.8	<0.5	4.5	72	0.3	0.4	0.1	<2	0.89
K30	Rock	0.74	1.6	22.3	1.8	33	<0.1	17.9	26.2	983	4.90	2.4	<0.1	9.3	0.1	293	0.1	1.8	0.2	56	7.50
K31	Rock	0.95	12.7	211.7	2.6	102	<0.1	13.9	8.2	1914	4.10	9.0	1.5	3.7	1.9	219	0.2	43.4	<0.1	81	10.48
K32	Rock	0.95	0.1	3.9	35.5	31	<0.1	4.0	0.6	625	0.18	<0.5	0.2	0.6	<0.1	490	1.3	1.7	<0.1	<2	35.99

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 12, 2008

Page:

3 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08008748.1

Analyte	Method	1DX15																
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	
		MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5
G76	Rock	0.019	5	5	0.74	44	0.114	3	1.10	0.027	0.18	0.3	0.03	2.2	<0.1	<0.05	3	<0.5
G77	Rock	0.022	4	14	0.70	44	0.179	2	1.21	0.023	0.12	<0.1	0.11	4.7	<0.1	<0.05	4	0.8
G78	Rock	0.017	3	77	3.33	36	0.001	2	0.86	0.056	0.07	<0.1	<0.01	13.1	<0.1	0.07	2	0.7
G79	Rock	0.013	5	3	0.54	88	0.001	3	0.15	0.012	0.11	<0.1	0.11	3.2	<0.1	0.62	<1	0.9
G80	Rock	0.042	13	11	0.29	46	0.005	5	0.31	0.013	0.17	<0.1	0.04	2.4	<0.1	0.15	<1	0.6
G81	Rock	0.027	10	10	0.33	26	<0.001	5	0.11	0.016	0.08	<0.1	0.04	2.4	<0.1	0.24	<1	<0.5
G82	Rock	0.033	2	7	0.70	35	<0.001	3	0.19	0.064	0.05	<0.1	0.62	8.7	<0.1	0.08	<1	<0.5
G83	Rock	0.036	1	6	1.21	61	<0.001	1	0.15	0.055	0.05	<0.1	0.38	9.5	<0.1	1.19	<1	1.3
G84	Rock	0.031	5	7	0.81	137	0.001	2	0.17	0.068	0.06	0.7	0.65	6.7	<0.1	0.16	<1	<0.5
G85	Rock	0.080	4	6	1.42	302	0.006	2	0.33	0.043	0.09	<0.1	1.55	11.7	<0.1	0.40	2	0.8
G86	Rock	0.031	2	5	0.91	133	<0.001	3	0.17	0.049	0.10	<0.1	2.03	6.9	<0.1	0.90	<1	1.2
G87	Rock	0.083	9	119	4.65	235	0.002	3	0.41	0.020	0.22	<0.1	3.81	13.3	<0.1	<0.05	1	<0.5
G88	Rock	0.039	1	3	1.22	187	<0.001	3	0.16	0.041	0.08	<0.1	0.36	8.5	<0.1	0.47	<1	0.6
G90	Rock	0.015	8	7	0.05	80	0.002	3	0.17	0.006	0.11	<0.1	0.05	1.4	<0.1	<0.05	<1	<0.5
G91	Rock	0.008	7	7	0.02	58	<0.001	2	0.13	0.004	0.10	<0.1	0.05	0.6	<0.1	<0.05	<1	0.8
G92	Rock	0.012	3	7	0.63	164	0.004	9	0.20	0.003	0.09	0.2	0.10	0.9	<0.1	0.09	2	<0.5
G93	Rock	L.N.R.																
G94	Rock	0.043	4	7	0.04	17	<0.001	1	0.11	0.059	0.02	<0.1	0.01	2.6	<0.1	<0.05	<1	<0.5
G95	Rock	0.263	4	50	1.14	58	0.118	3	0.83	0.068	0.06	0.2	0.40	6.3	<0.1	1.48	4	8.0
G96	Rock	0.568	6	18	1.36	99	0.063	26	1.19	0.069	0.04	0.3	0.05	6.5	<0.1	0.26	7	1.0
G97	Rock	0.020	8	8	0.05	192	0.005	1	0.17	0.010	0.08	<0.1	0.05	1.0	<0.1	<0.05	<1	<0.5
G98	Rock	0.011	4	7	0.02	201	0.001	2	0.12	0.004	0.07	<0.1	0.08	1.2	<0.1	<0.05	<1	<0.5
K23	Rock	0.067	1	8	0.43	16	0.002	<1	0.07	0.002	0.04	<0.1	<0.01	1.8	<0.1	0.09	<1	<0.5
K24	Rock	0.008	2	6	3.06	14	<0.001	<1	0.04	<0.001	0.02	<0.1	0.02	0.8	<0.1	<0.05	<1	<0.5
K25	Rock	0.002	6	6	0.01	7	<0.001	<1	0.07	0.039	0.01	<0.1	0.02	0.2	<0.1	<0.05	<1	0.5
K26	Rock	0.053	4	23	1.41	61	0.002	<1	1.14	0.050	0.15	<0.1	0.04	14.3	<0.1	0.21	3	<0.5
K27	Rock	0.008	5	6	0.31	32	<0.001	<1	0.09	0.028	0.03	<0.1	0.03	1.0	<0.1	<0.05	<1	1.0
K30	Rock	0.073	<1	44	3.04	36	0.002	<1	0.32	0.019	0.02	<0.1	0.07	32.4	<0.1	0.34	2	0.6
K31	Rock	0.052	7	12	0.67	1035	0.041	7	1.11	0.009	0.12	1.9	0.32	4.4	<0.1	0.09	6	1.2
K32	Rock	0.046	<1	<1	0.78	789	<0.001	<1	0.05	<0.001	0.02	<0.1	0.73	0.6	<0.1	0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 12, 2008

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN08008748.1

Method	WGHT	1DX15																			
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm										
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
K33	Rock	0.94	0.8	124.3	6.3	27	<0.1	13.4	7.7	585	2.54	40.7	0.3	2.2	2.3	126	<0.1	2.9	0.1	9	3.15
K34	Rock	1.10	0.3	65.7	4.4	74	0.2	13.4	17.4	1100	5.07	12.4	0.3	0.7	0.5	32	0.4	1.3	<0.1	63	5.11
K37	Rock	0.56	0.3	32.9	2.4	46	<0.1	41.6	35.1	1435	5.99	30.3	<0.1	9.6	0.1	377	<0.1	5.2	<0.1	199	11.51
K38	Rock	0.68	0.9	29.6	25.3	12	0.3	22.5	14.8	381	4.21	570.7	0.4	16.0	4.3	44	<0.1	9.4	0.2	4	0.59
K39	Rock	0.49	4.0	221.8	5.9	53	<0.1	32.0	24.3	252	3.80	37.4	0.5	13.4	4.8	62	<0.1	106.2	0.1	6	2.25



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE
September 12, 2008

Report Date:

Page:

4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08008748.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15										
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
K33	Rock	0.046	7	6	1.23	178	0.001	<1	0.20	0.012	0.17	<0.1	0.11	4.8	<0.1	0.59	<1	2.6
K34	Rock	0.058	5	9	0.41	713	0.002	<1	0.39	0.059	0.06	<0.1	0.10	17.4	<0.1	0.15	1	0.7
K37	Rock	0.004	2	129	2.98	15	0.006	<1	1.12	<0.001	0.01	<0.1	0.10	30.1	<0.1	0.59	5	0.9
K38	Rock	0.024	7	5	0.21	35	0.001	<1	0.30	0.004	0.21	<0.1	0.23	1.6	<0.1	3.21	<1	1.7
K39	Rock	0.039	10	14	0.58	49	0.001	<1	0.40	0.011	0.25	<0.1	0.67	3.7	<0.1	2.22	1	4.3



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project: LA FORCE
Report Date: September 12, 2008

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN08008748.1

Method	WGHT	1DX15																				
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%								
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																						
G46	Rock	0.20	0.2	5.5	6.8	6	<0.1	1.9	1.1	108	0.62	2.6	0.2	7.5	3.4	11	<0.1	<0.1	<0.1	<2	0.17	
REP G46	QC		0.3	5.4	6.4	6	<0.1	1.9	1.1	109	0.63	2.5	0.2	4.1	3.2	10	<0.1	<0.1	<0.1	<2	0.15	
G98	Rock	0.26	2.8	75.4	2.7	28	0.1	16.4	6.4	420	1.16	30.8	0.2	9.2	1.2	5	0.2	32.4	0.1	7	0.02	
REP G98	QC		2.6	75.7	2.8	28	<0.1	16.2	5.8	434	1.17	30.9	0.2	6.4	1.2	5	0.2	32.7	0.1	7	0.02	
Reference Materials																						
STD DS7	Standard		18.4	113.2	67.6	400	0.9	54.1	9.0	613	2.33	55.9	4.5	63.3	3.9	60	6.4	6.1	4.4	85	0.89	
STD DS7	Standard		18.5	116.4	64.1	393	0.9	54.5	9.5	636	2.42	51.0	4.2	64.0	3.7	61	5.9	5.6	4.3	87	0.85	
STD DS7	Standard		18.1	109.3	66.4	384	0.8	52.5	8.9	590	2.33	49.8	4.4	74.1	3.9	69	5.4	5.8	4.2	79	0.86	
STD DS7	Standard		20.0	110.9	66.2	399	0.8	55.0	9.4	615	2.42	51.2	4.8	61.2	4.3	71	5.7	6.0	4.2	82	0.94	
STD DS7 Expected			20.9	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	5.9	4.5	86	0.93	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																						
G1	Prep Blank		<0.01	0.3	2.3	3.0	46	<0.1	4.0	4.2	562	1.92	<0.5	2.7	3.1	4.1	77	<0.1	<0.1	<0.1	41	0.65
G1	Prep Blank		<0.01	1.3	3.0	2.8	47	<0.1	4.0	4.3	564	1.88	<0.5	2.8	1.7	5.1	71	<0.1	<0.1	0.2	41	0.63



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Orestone Mining Corp.

975 - 163rd Street
Surrey BC V4A 9T8 Canada

Project:

LA FORCE

Report Date:

September 12, 2008

Page:

1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08008748.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																		
G46	Rock	0.028	7	7	0.06	38	0.003	<1	0.12	0.027	0.10	<0.1	<0.01	0.4	<0.1	<0.05	<1	0.5
REP G46	QC	0.026	7	8	0.06	37	0.003	1	0.12	0.024	0.09	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5
G98	Rock	0.011	4	7	0.02	201	0.001	2	0.12	0.004	0.07	<0.1	0.08	1.2	<0.1	<0.05	<1	<0.5
REP G98	QC	0.011	4	7	0.02	191	<0.001	2	0.12	0.004	0.07	<0.1	0.10	1.2	<0.1	<0.05	<1	<0.5
Reference Materials																		
STD DS7	Standard	0.078	11	158	1.01	375	0.116	39	0.95	0.073	0.44	4.3	0.21	2.2	4.4	0.18	5	3.9
STD DS7	Standard	0.072	10	148	1.05	378	0.127	38	1.01	0.074	0.49	4.0	0.20	2.2	4.3	0.18	5	3.8
STD DS7	Standard	0.073	11	153	0.99	355	0.115	37	0.93	0.077	0.46	3.7	0.19	1.9	4.1	0.18	5	3.6
STD DS7	Standard	0.077	12	160	1.03	361	0.128	17	1.02	0.081	0.47	3.8	0.20	2.5	4.2	0.19	5	3.5
STD DS7 Expected		0.08	13	163	1.05	370	0.124	39	0.959	0.073	0.44	3.8	0.2	2.5	4.2	0.21	4.6	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.087	6	9	0.60	234	0.131	2	0.97	0.082	0.58	0.1	<0.01	1.9	0.4	<0.05	5	<0.5
G1	Prep Blank	0.095	7	9	0.61	231	0.133	2	0.93	0.058	0.57	0.4	<0.01	1.9	0.4	<0.05	5	<0.5





ORESTONE
MINING CORP.

ORS: TSX.V

Date:
May 12, 2009
Drawn By:
S. Patterson
Scale:
1:100,000
Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 1: Claim Map and Property Location





ORS: TSX.V

Date:
Feb 12, 2010
Drawn By:
S. Patterson
Scale:
1:15,000
Projection:
UTM Zone 9, NAD 83


LaForce Property

Map 2: North LaForce 2008 Field Survey Program

North

Central

South





ORS: TSX.V

Date:
Feb 12, 2010
Drawn By:
S. Patterson
Scale:
1:3,500
Projection:
UTM Zone 9, NAD 83


LaForce Property

Map 3A: Central LaForce 2008 Field Survey Program

North

Central

South





ORS: TSX.V

LaForce Property

Map 3B: Central LaForce 2008 Field Survey Program

Date:

Feb 12, 2010

Drawn By:

S. Patterson

Scale:

1:4,000

Projection:

UTM Zone 9, NAD 83

G28

G27-0.25gpt

G26-0.68gpt

G25-17.71gpt

K18-0.39gpt

K17-0.87gpt

K16

K15

K14

K19

K13

K22-0.19gpt

K12

G9

G12

G14

G11

G10-0.13gpt

A22-0.16gpt

A19-10.58gpt

A18-0.24gpt

G7

G8-0.12gpt

K10

K9-0.16gpt

K6-0.42gpt

K20-0.18gpt

K7

K8

B17

LAFORCE 6

LAFORCE 12

K1808-1

K1808-2

K1808-3

K1808-4

K1808-5

K1808-6

K1808-7

K1808-8

K11

A24

A23

A20

A21

A17

A16

A19

A18

A17-10.58gpt

A16-0.24gpt

A15

A14-14.7ppb

A13-10.3ppb

A12-78.9ppb

A11-146.7ppb

A10-24ppb

G5

G4

G3

G2

G1

B16

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb

B1-13.6ppb

A2-11.4ppb

A4-12.5ppb

A6-12.1ppb

A7-40.5ppb

A8-44.3ppb

A9-42.9ppb

A5

A3

A1

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb

B1-13.6ppb

A2-11.4ppb

A4-12.5ppb

A6-12.1ppb

A7-40.5ppb

A8-44.3ppb

A9-42.9ppb

A5

A3

A1

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb

B1-13.6ppb

A2-11.4ppb

A4-12.5ppb

A6-12.1ppb

A7-40.5ppb

A8-44.3ppb

A9-42.9ppb

A5

A3

A1

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb

B1-13.6ppb

A2-11.4ppb

A4-12.5ppb

A6-12.1ppb

A7-40.5ppb

A8-44.3ppb

A9-42.9ppb

A5

A3

A1

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb

B1-13.6ppb

A2-11.4ppb

A4-12.5ppb

A6-12.1ppb

A7-40.5ppb

A8-44.3ppb

A9-42.9ppb

A5

A3

A1

B15

B14

B13

B12-48.9ppb

B11-21.8ppb

B10-40.2ppb

B9-43.6ppb

B8-54.2ppb

B7-15.7ppb

B6-27.1ppb

B5-23ppb

B4-49.5ppb

B3-49.1ppb

B2-23.3ppb





ORS: TSX.V

Date:
Feb 12, 2010
Drawn By:
S. Patterson
Scale:
1:15,000
Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 4: South LaForce 2008 Field Survey Program





ORS: TSX.V

Date:
Feb 12, 2010Drawn By:
S. PattersonScale:
1:15,000Projection:
UTM Zone 9, NAD 83

LaForce Property

Map 5: Recce Points 2008 Field Survey Program

Central

1

2

