

BC Geological Survey
Assessment Report
30943c



APPENDIX C

**2008 Diamond Drill Core Assay Certificates
Assayers Canada**

Quality Assaying for over 25 Years

Assay Certificate

8V-2428-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie**
Attn: **Stuart Fraser**

Aug-12-08

We hereby certify the following assay of 24 drill core samples submitted Jul-07-08

Sample Name	Au g/tonne	Pt g/tonne	Pd g/tonne
100001	0.02	<0.01	<0.01
100002	0.02	<0.01	<0.01
100003	0.04	<0.01	<0.01
100004	0.02	<0.01	<0.01
100005	0.01	<0.01	<0.01
100006	0.01	<0.01	<0.01
100007	0.03	<0.01	<0.01
100008	0.02	<0.01	<0.01
100009	0.02	<0.01	<0.01
100010	0.01	<0.01	<0.01
100011	0.02	<0.01	<0.01
100012	0.01	<0.01	<0.01
100013	0.01	<0.01	<0.01
100014	<0.01	<0.01	<0.01
100015	<0.01	<0.01	<0.01
100016	0.01	<0.01	<0.01
100017	0.01	<0.01	<0.01
100018	0.02	<0.01	<0.01
100019	0.03	<0.01	<0.01
100020	0.03	<0.01	<0.01
100021	0.31	0.07	0.04
100022	0.03	<0.01	<0.01
100023	0.04	<0.01	<0.01
100024	0.03	<0.01	<0.01
*DUP 100001	0.03	<0.01	<0.01
*DUP 100010	0.01	<0.01	<0.01
*DUP 100020	0.02	<0.01	<0.01
*PtPd5	1.16	1.23	1.78
*BLANK	<0.01	<0.01	<0.01

Certified by _____



Valterra Resources Corp

Attention: Stuart Fraser

Project: Swift Katie

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2428RJ

Date : Aug-12-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100001	1.5	1.62	<5	26	<0.5	<5	0.62	1	16	24	335	3.32	<1	0.08	<10	1.20	263	<2	0.04	11	1148	15	0.18	<5	4	49	5	0.17	<10	11	81	<10	59	3
100002	0.3	1.46	<5	22	<0.5	<5	0.63	1	19	35	358	3.00	<1	0.07	<10	1.21	308	<2	0.04	13	1348	14	0.40	<5	3	38	5	0.16	<10	12	70	<10	68	3
100003	0.2	1.39	<5	29	<0.5	<5	0.81	1	27	34	544	2.96	<1	0.07	<10	1.08	339	<2	0.04	16	1555	<2	0.29	<5	3	55	<5	0.15	<10	13	82	<10	31	3
100004	<0.2	1.40	<5	49	<0.5	<5	0.62	1	19	34	348	3.70	<1	0.08	<10	1.13	237	<2	0.04	16	1201	<2	0.17	<5	4	53	5	0.14	<10	17	86	<10	24	3
100005	<0.2	1.54	<5	38	<0.5	<5	0.64	1	31	21	559	4.11	<1	0.07	<10	1.25	279	<2	0.03	17	1326	<2	0.63	<5	4	53	<5	0.14	<10	19	90	<10	29	4
100006	<0.2	1.32	<5	24	<0.5	<5	0.59	1	17	28	352	3.33	<1	0.06	<10	1.09	214	<2	0.04	12	1113	<2	0.17	<5	4	41	5	0.12	<10	14	86	<10	21	3
100007	0.2	1.20	<5	34	<0.5	<5	0.77	1	21	32	427	3.15	<1	0.05	<10	0.91	244	<2	0.04	15	1145	2	0.11	<5	3	79	5	0.13	<10	13	79	<10	23	3
100008	<0.2	1.25	<5	45	<0.5	<5	0.77	1	22	22	348	4.48	<1	0.09	<10	1.08	313	<2	0.04	14	1573	<2	0.07	<5	3	67	<5	0.13	<10	18	137	<10	28	3
100009	<0.2	1.07	<5	74	<0.5	<5	0.62	1	12	6	257	3.51	<1	0.09	<10	0.91	290	<2	0.05	8	1394	<2	0.09	<5	3	52	5	0.10	<10	12	98	<10	27	3
100010	<0.2	0.86	<5	35	<0.5	<5	0.66	1	13	5	167	2.81	<1	0.08	<10	0.70	247	<2	0.05	5	1412	<2	0.01	<5	2	69	5	0.09	<10	11	83	<10	19	3
100011	<0.2	1.23	<5	36	<0.5	<5	0.76	1	12	51	147	3.25	<1	0.10	<10	1.01	345	<2	0.06	7	1391	<2	<0.01	<5	3	105	5	0.10	<10	14	97	<10	26	3
100012	<0.2	1.16	<5	38	<0.5	<5	0.64	1	13	27	212	3.73	<1	0.08	<10	1.05	352	<2	0.05	6	1480	<2	<0.01	<5	3	67	5	0.09	<10	13	104	<10	27	3
100013	<0.2	1.42	<5	59	<0.5	<5	0.73	1	12	29	277	3.85	<1	0.09	<10	1.24	426	<2	0.06	8	1563	<2	0.02	<5	5	74	<5	0.08	<10	11	105	<10	38	3
100014	<0.2	1.03	<5	42	<0.5	<5	0.73	1	13	28	126	3.15	<1	0.07	<10	0.89	271	<2	0.05	5	1445	<2	0.05	<5	2	82	<5	0.09	<10	13	87	<10	23	3
100015	6.5	1.31	<5	80	<0.5	<5	0.72	3	10	40	71	2.87	<1	0.12	<10	0.68	410	5	0.09	23	543	78	0.10	7	3	32	<5	0.10	<10	13	54	<10	290	6
100016	<0.2	0.89	<5	35	<0.5	<5	0.62	1	16	30	118	3.05	<1	0.09	<10	0.80	257	<2	0.05	5	1344	<2	0.06	<5	2	65	<5	0.08	<10	13	88	<10	23	3
100017	<0.2	1.20	<5	41	<0.5	<5	0.56	1	15	20	190	3.67	<1	0.07	<10	1.14	377	<2	0.04	6	1373	<2	<0.01	<5	3	55	<5	0.07	<10	15	95	<10	35	3
100018	<0.2	1.10	<5	51	<0.5	<5	0.72	1	15	37	318	3.27	<1	0.10	<10	0.94	300	<2	0.05	6	1363	<2	0.08	<5	3	67	<5	0.08	<10	10	97	<10	30	3
100019	<0.2	1.03	<5	30	<0.5	<5	0.70	1	13	17	304	3.10	<1	0.08	<10	0.90	316	<2	0.04	4	1383	<2	0.01	<5	2	73	<5	0.09	<10	10	94	<10	30	3
100020	<0.2	1.46	<5	31	<0.5	<5	0.89	1	19	59	248	3.44	<1	0.08	<10	1.19	449	<2	0.05	8	1350	<2	<0.01	<5	4	151	<5	0.09	<10	11	99	<10	35	3
100021	3.0	1.94	59	99	<0.5	<5	0.77	3	19	99	3491	4.96	<1	0.16	<10	1.02	836	44	0.07	176	874	112	0.90	5	5	40	<5	0.10	<10	11	65	<10	453	10
100022	<0.2	1.24	<5	30	<0.5	<5	0.91	1	17	18	384	3.71	<1	0.08	<10	1.23	451	<2	0.05	5	1173	<2	0.09	<5	3	69	<5	0.09	<10	13	103	<10	41	3
100023	<0.2	1.73	<5	26	<0.5	<5	1.28	1	15	21	637	3.80	<1	0.12	<10	1.78	565	2	0.05	7	1108	<2	0.62	<5	4	47	5	0.07	<10	16	96	<10	49	3
100024	<0.2	1.49	<5	34	<0.5	<5	0.73	1	16	19	547	4.16	<1	0.09	<10	1.63	509	<2	0.04	7	1229	<2	0.06	<5	5	50	5	0.10	<10	16	125	<10	44	3
767701	<0.2	1.91	11	48	<0.5	<5	0.51	1	27	39	57	3.92	<1	0.12	<10	1.53	641	<2	0.04	20	1051	<2	0.39	<5	3	26	<5	0.11	<10	18	74	<10	58	5
767702	<0.2	2.23	<5	165	<0.5	<5	0.54	2	17	40	162	5.63	<1	0.24	11	1.43	303	<2	0.02	19	1721	<2	<0.01	5	7	25	5	<0.01	<10	14	92	<10	38	3
767703	<0.2	1.64	<5	138	<0.5	<5	0.44	2	40	13	486	5.64	<1	0.25	13	0.79	221	<2	0.03	10	1820	<2	<0.01	<5	3	28	<5	<0.01	<10	<10	61	<10	26	3
767704	<0.2	0.96	<5	99	<0.5	<5	0.34	1	25	29	219	3.95	<1	0.28	<10	0.34	422	<2	0.02	8	1428	<2	<0.01	<5	2	18	<5	<0.01	<10	<10	55	<10	31	2
767705	0.3	1.33	<5	133	<0.5	6	0.21	2	25	22	372	6.70	<1	0.29	12	0.50	207	<2	0.03	10	1531	<2	0.03	<5	4	28	<5	<0.01	<10	15	65	<10	28	4
767706	<0.2	2.27	<5	170	<0.5	<5	0.52	2	39	58	292	6.15	<1	0.28	12	1.43	348	<2	0.03	23	1762	<2	<0.01	<5	7	32	<5	<0.01	<10	14	102	<10	50	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2465-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie**
Attn: **Stuart Fraser**

Aug-20-08

We hereby certify the following assay of 24 core samples submitted Jul-09-08

Sample Name	Au g/tonne	Au-Check g/tonne
767723	0.01	<0.01
767724	<0.01	
767725	<0.01	
767726	<0.01	
767727	0.02	
767728	<0.01	
767729	0.03	
767730	<0.01	
767731	<0.01	
767732	0.03	0.04
767733	0.02	
767734	0.05	
767735	0.06	
767736	0.22	
100025	0.01	
100026	0.01	
100027	0.02	
100028	0.02	
100029	0.02	
100030	0.01	<0.01
100031	0.01	
100032	<0.01	
100033	0.02	
100034	0.25	
*0218	0.93	
*BLANK	<0.01	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

8V-2465-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie**
Attn: **Stuart Fraser**

Aug-20-08

We *hereby certify* the following assay of 24 core samples submitted Jul-09-08

Sample Name	Au g/tonne	Au-Check g/tonne
100035	0.01	0.03
100036	0.04	
100037	0.10	
100038	0.01	
100039	0.02	
100040	0.01	
100041	0.01	
100042	0.01	
100043	0.01	
100044	<0.01	0.01
100045	<0.01	
100046	0.03	
100047	0.02	
100048	0.01	
100049	0.03	
100050	<0.01	
100051	0.03	
100052	<0.01	
100053	<0.01	
100054	0.01	0.01
100055	0.01	
100056	0.01	
100057	0.04	
100058	0.29	
*OxG70	1.01	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2465RJ

Date : Aug-20-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
767723	<0.2	3.01	<5	143	1.0	<5	0.60	<1	29	83	187	6.57	<1	0.18	<10	3.14	584	<2	0.03	41	1972	4	<0.01	<5	17	20	<5	0.11	<10	<10	203	<10	39	4
767724	0.4	3.28	<5	106	1.2	<5	0.67	<1	32	62	181	7.23	1	0.12	10	3.42	642	<2	0.03	32	2088	4	<0.01	<5	20	20	<5	0.15	<10	<10	241	<10	44	4
767725	0.3	3.52	<5	118	1.5	<5	0.75	<1	32	194	159	6.92	<1	0.14	<10	3.66	779	<2	0.02	99	1826	3	<0.01	<5	16	21	<5	0.23	<10	<10	197	<10	53	4
767726	<0.2	2.45	<5	108	1.2	<5	0.79	<1	30	20	241	6.35	<1	0.15	<10	2.02	608	<2	0.03	12	1937	5	<0.01	<5	8	29	<5	0.19	<10	<10	157	<10	33	4
767727	0.3	2.79	<5	119	1.3	<5	0.79	<1	33	50	274	5.99	<1	0.16	<10	2.31	670	<2	0.02	20	1861	4	<0.01	<5	9	27	<5	0.22	<10	<10	138	<10	41	4
767728	<0.2	2.84	<5	84	0.9	<5	0.67	<1	24	73	552	5.77	<1	0.16	<10	2.63	586	<2	0.02	32	1962	4	<0.01	<5	9	17	<5	0.12	<10	<10	140	<10	41	3
767729	<0.2	3.12	<5	68	1.2	<5	0.55	<1	33	71	772	6.31	<1	0.15	<10	3.20	809	<2	0.02	37	1835	4	<0.01	<5	13	12	<5	0.18	<10	<10	180	<10	58	4
767730	<0.2	3.44	<5	57	0.5	<5	0.45	<1	27	163	492	6.35	<1	0.18	<10	3.43	889	<2	0.02	56	1981	2	<0.01	<5	12	10	5	0.04	<10	<10	166	<10	46	4
767731	0.2	3.35	<5	60	<0.5	<5	0.43	<1	28	134	1158	6.49	<1	0.14	11	3.61	893	<2	0.02	58	1936	5	<0.01	<5	14	11	<5	0.02	<10	<10	187	<10	47	4
767732	0.2	2.03	<5	48	1.2	<5	0.89	<1	25	255	404	4.38	<1	0.14	<10	1.93	448	<2	0.03	73	1686	3	<0.01	<5	6	78	<5	0.22	<10	<10	110	<10	18	3
767733	0.3	2.22	<5	45	1.0	<5	0.63	<1	26	236	494	4.89	<1	0.11	<10	2.47	467	<2	0.02	65	1529	3	<0.01	<5	8	36	<5	0.16	<10	<10	117	<10	21	4
767734	0.2	2.70	<5	48	1.2	<5	0.53	<1	39	210	919	7.14	<1	0.10	<10	3.33	805	<2	0.02	80	1783	7	0.02	<5	22	19	<5	0.16	<10	<10	245	<10	45	4
767735	0.2	3.00	<5	60	1.3	<5	0.57	<1	50	241	1002	7.00	1	0.09	<10	3.93	1102	<2	0.02	97	1895	8	0.02	<5	23	18	<5	0.18	<10	<10	242	<10	47	4
767736	12.3	3.04	<5	56	1.3	<5	0.57	<1	35	266	1700	6.37	1	0.14	11	3.88	898	<2	0.03	76	2015	8	0.08	<5	25	17	<5	0.18	<10	<10	269	<10	44	4
100025	<0.2	1.61	<5	39	0.9	<5	1.39	<1	25	28	284	4.99	1	0.10	<10	1.62	621	<2	0.04	8	1579	4	0.14	<5	7	80	<5	0.15	<10	<10	157	<10	52	4
100026	<0.2	2.28	<5	245	0.5	<5	1.89	<1	23	155	98	4.70	<1	0.20	21	2.53	758	<2	0.03	32	1656	11	0.05	<5	8	80	<5	0.02	<10	<10	101	<10	86	4
100027	0.2	1.57	<5	61	0.9	<5	2.42	<1	26	27	364	4.48	<1	0.14	10	1.45	565	<2	0.04	6	1453	11	0.14	<5	8	132	<5	0.13	<10	<10	144	<10	46	4
100028	<0.2	1.06	<5	43	0.9	<5	1.42	<1	19	39	648	3.92	<1	0.13	11	0.86	413	3	0.05	3	1568	7	0.22	<5	3	93	<5	0.15	<10	<10	104	<10	40	4
100029	<0.2	1.12	<5	37	1.0	<5	1.58	<1	20	47	278	3.71	<1	0.09	<10	0.90	375	<2	0.04	8	1650	5	0.23	<5	3	104	<5	0.20	<10	<10	112	<10	30	4
100030	<0.2	1.22	<5	25	0.8	<5	2.49	<1	26	49	288	3.90	<1	0.05	<10	1.07	431	<2	0.04	12	1787	5	0.38	<5	3	127	<5	0.17	<10	<10	93	<10	28	4
100031	<0.2	1.08	<5	21	0.8	<5	2.10	<1	22	39	304	3.54	<1	0.04	<10	0.93	379	<2	0.04	8	1973	4	0.52	<5	2	127	<5	0.16	<10	<10	85	<10	25	4
100032	<0.2	1.35	<5	26	0.8	<5	2.54	<1	36	44	392	4.19	<1	0.05	<10	1.27	446	<2	0.04	14	1966	4	0.58	<5	3	131	<5	0.17	<10	<10	103	<10	30	4
100033	<0.2	1.44	<5	26	0.9	<5	2.76	<1	33	39	364	4.21	<1	0.05	<10	1.29	463	<2	0.04	13	1939	4	0.51	<5	3	154	<5	0.19	<10	<10	109	<10	30	4
100034	0.8	2.17	47	258	0.7	<5	4.40	1	25	57	1055	5.37	<1	0.51	<10	1.73	918	14	0.13	29	1622	19	1.46	<5	11	141	<5	0.05	<10	<10	154	<10	120	6
100035	0.4	1.51	<5	27	0.8	<5	2.00	<1	25	39	255	4.77	<1	0.06	<10	1.44	479	<2	0.03	11	1899	4	0.27	<5	4	127	<5	0.15	<10	<10	133	<10	33	3
100036	<0.2	1.37	<5	31	0.9	<5	2.51	<1	21	28	187	4.29	<1	0.09	<10	1.27	470	<2	0.03	9	1865	4	0.22	<5	3	133	<5	0.18	<10	<10	135	<10	31	4
100037	0.2	1.85	<5	26	0.9	<5	3.48	<1	45	12	301	5.24	<1	0.08	<10	1.74	566	<2	0.03	11	1856	4	0.84	<5	4	146	<5	0.18	<10	<10	146	<10	34	4
100038	<0.2	1.84	<5	32	1.1	<5	3.49	<1	23	17	324	4.46	<1	0.12	<10	1.75	582	5	0.03	12	1868	3	0.42	<5	5	162	<5	0.20	<10	<10	150	<10	32	4
100039	<0.2	1.77	<5	26	1.2	<5	3.60	<1	30	20	833	3.65	1	0.10	<10	2.13	539	15	0.04	12	1839	4	1.26	<5	7	88	<5	0.23	<10	<10	161	<10	40	3
100040	0.3	1.34	<5	30	1.0	<5	3.17	<1	33	15	557	3.90	<1	0.08	<10	1.35	421	<2	0.05	8	1920	5	1.98	<5	3	124	<5	0.19	<10	<10	108	<10	37	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2465RJ

Date : Aug-20-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100041	<0.2	1.40	<5	27	0.9	<5	2.24	<1	24	12	289	3.46	<1	0.05	<10	1.33	391	3	0.04	5	1537	3	1.19	<5	3	151	<5	0.17	<10	<10	115	<10	32	3
100042	0.2	1.57	<5	28	0.8	<5	2.81	<1	21	12	240	4.63	<1	0.06	<10	1.52	448	2	0.04	6	1508	4	1.41	<5	3	136	<5	0.15	<10	<10	123	<10	34	3
100043	<0.2	1.22	<5	27	0.8	<5	2.72	<1	18	19	105	3.83	<1	0.06	<10	1.06	359	2	0.04	7	1804	3	0.72	<5	2	162	<5	0.15	<10	<10	105	<10	24	3
100044	0.5	1.34	<5	22	0.8	<5	1.99	<1	17	21	122	3.69	<1	0.05	<10	1.22	339	<2	0.04	10	1830	3	0.40	<5	3	137	<5	0.17	<10	<10	105	<10	25	3
100045	0.5	1.53	<5	29	1.0	<5	2.31	<1	21	18	174	4.52	<1	0.09	<10	1.43	404	<2	0.04	11	2022	4	0.47	<5	4	138	<5	0.21	<10	<10	161	<10	31	4
100046	<0.2	1.70	<5	28	0.9	<5	2.66	<1	23	28	134	4.88	1	0.07	<10	1.66	426	<2	0.04	11	1969	6	0.44	<5	5	152	<5	0.18	<10	<10	173	<10	33	4
100047	0.2	1.60	<5	22	0.9	<5	2.08	<1	28	31	493	4.24	<1	0.05	<10	1.48	382	<2	0.04	12	1897	4	0.78	<5	4	128	<5	0.18	<10	<10	117	<10	32	3
100048	0.2	1.01	<5	27	0.6	<5	2.51	<1	39	29	449	2.67	<1	0.10	<10	0.97	241	2	0.04	11	1693	4	1.39	<5	3	64	<5	0.13	<10	<10	73	<10	19	2
100049	0.3	1.67	<5	34	0.7	<5	4.14	<1	45	34	1339	4.06	<1	0.13	<10	1.87	416	3	0.04	19	1600	7	2.05	<5	8	85	<5	0.15	<10	<10	124	<10	43	3
100050	5.7	1.97	<5	138	1.2	<5	1.31	2	16	101	71	3.70	<1	0.21	<10	0.86	606	6	0.19	30	697	69	0.11	5	7	56	<5	0.22	<10	<10	85	<10	246	9
100051	<0.2	1.58	<5	30	0.8	<5	3.86	<1	29	92	474	3.22	<1	0.13	<10	1.66	356	<2	0.04	29	1440	9	1.35	<5	5	93	<5	0.16	<10	<10	93	<10	27	3
100052	0.2	0.99	<5	36	0.8	<5	1.44	<1	44	34	623	3.44	<1	0.17	<10	0.80	132	2	0.05	29	1415	5	2.75	<5	2	58	<5	0.16	<10	<10	59	<10	13	3
100053	<0.2	1.58	<5	32	1.0	<5	1.94	<1	41	36	365	4.07	<1	0.10	<10	1.51	299	2	0.04	19	1856	4	2.15	<5	4	89	<5	0.22	<10	<10	108	<10	24	3
100054	0.3	1.01	<5	34	0.8	<5	1.17	<1	41	34	467	3.92	<1	0.13	<10	0.88	170	2	0.04	23	1464	5	3.09	<5	3	58	<5	0.17	<10	<10	67	<10	19	4
100055	0.3	2.38	<5	25	1.6	<5	2.83	<1	34	78	181	5.14	<1	0.08	10	2.37	798	<2	0.05	39	2113	3	0.95	<5	5	89	<5	0.31	<10	<10	106	<10	76	9
100056	<0.2	1.93	<5	21	1.3	<5	2.91	<1	38	68	265	5.07	<1	0.05	<10	1.82	610	<2	0.05	32	1887	4	1.86	<5	4	110	<5	0.25	<10	<10	90	<10	55	7
100057	0.3	1.54	15	30	1.1	<5	1.87	<1	33	42	383	4.19	<1	0.07	<10	1.41	290	17	0.05	19	1684	8	2.10	<5	5	95	<5	0.22	<10	<10	95	<10	30	4
100058	3.2	1.77	60	106	0.8	<5	0.84	2	21	99	3091	4.82	<1	0.15	<10	0.88	838	43	0.06	168	887	112	0.88	<5	5	29	<5	0.14	<10	<10	66	<10	423	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2491-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie/Shipment#8**
Attn: **Stuart Fraser**

Aug-25-08

We hereby certify the following assay of 24 drill core samples submitted Jul-10-08

Sample Name	Au g/tonne	Au-Check g/tonne
100059	<0.01	0.01
100060	<0.01	
100061	<0.01	
100062	<0.01	
100063	0.03	
100064	0.02	
100065	0.01	
100066	<0.01	
100067	0.01	
100068	0.01	0.01
100069	0.01	
100070	0.01	
100071	0.01	
100072	0.45	
100073	0.09	
100074	0.07	
100075	0.07	
100076	0.04	
100077	0.03	
100078	0.02	0.02
100079	0.27	
100080	0.02	
100081	0.10	
100082	0.01	
*0218	0.93	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2491-RA2

Company: **Valterra Resources Corp**
Project: **Swift Katie/Shipment#8**
Attn: **Stuart Fraser**

Aug-25-08

We hereby certify the following assay of 24 core samples submitted Jul-10-08

Sample Name	Au g/tonne	Au-Check g/tonne
100083	<0.01	0.01
100084	<0.01	
100085	0.01	
100086	<0.01	
100087	<0.01	
100088	0.02	
100089	<0.01	
100090	0.01	
100091	<0.01	
100092	<0.01	0.01
100093	0.02	
100094	0.01	
100095	0.01	
100096	0.02	
100097	0.01	
100098	0.01	
100099	<0.01	
100100	0.01	
100101	0.01	
100102	0.02	0.02
100103	0.01	
100104	0.02	
100105	0.01	
100106	0.26	
*0218	0.88	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Stuart Fraser

Project: Swift Katie/Shipment#8

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2491RJ

Date : Aug-25-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100059	<0.2	1.46	<5	47	0.7	<5	1.16	<1	33	48	387	3.50	<1	0.15	<10	1.63	234	<2	0.04	21	1558	3	1.63	<5	4	50	<5	0.13	<10	<10	82	<10	24	2
100060	<0.2	1.28	<5	28	0.6	<5	1.76	<1	17	55	180	3.44	1	0.06	<10	1.21	272	<2	0.05	11	2072	4	0.92	<5	2	84	<5	0.12	<10	<10	108	<10	23	3
100061	<0.2	1.24	<5	40	0.8	<5	1.76	<1	18	24	449	4.05	<1	0.10	<10	1.22	268	2	0.05	13	1957	4	0.73	<5	3	70	<5	0.15	<10	<10	134	<10	25	3
100062	<0.2	1.36	<5	44	0.7	<5	1.90	<1	22	31	599	4.23	<1	0.08	<10	1.36	273	27	0.06	8	1954	5	1.14	<5	2	66	<5	0.13	<10	<10	98	<10	25	3
100063	<0.2	1.46	<5	31	0.8	<5	2.50	<1	17	42	352	4.44	<1	0.05	<10	1.47	341	<2	0.06	10	1758	4	1.24	<5	2	91	<5	0.14	<10	<10	98	<10	23	3
100064	<0.2	1.25	<5	36	0.7	<5	2.14	<1	15	46	37	4.25	<1	0.06	<10	1.14	339	<2	0.05	10	1744	3	0.57	<5	2	136	<5	0.13	<10	<10	103	<10	20	3
100065	<0.2	1.18	<5	31	0.6	<5	1.96	<1	24	22	143	4.29	<1	0.06	<10	1.13	316	<2	0.05	9	1881	4	1.11	<5	2	78	<5	0.12	<10	<10	93	<10	21	3
100066	<0.2	1.23	<5	35	0.5	<5	1.68	<1	30	32	270	4.11	<1	0.06	<10	1.27	318	<2	0.05	10	1887	4	1.86	<5	2	61	<5	0.10	<10	<10	84	<10	22	3
100067	<0.2	1.02	<5	44	0.5	<5	2.63	<1	22	32	166	3.81	<1	0.06	<10	1.05	347	<2	0.04	9	1778	4	1.09	<5	2	78	<5	0.10	<10	<10	95	<10	21	3
100068	<0.2	1.38	<5	21	0.5	<5	1.86	<1	32	60	232	3.98	<1	0.03	<10	1.58	361	14	0.04	17	1680	4	1.78	<5	2	61	<5	0.08	<10	<10	68	<10	25	3
100069	<0.2	1.24	<5	22	0.6	<5	2.35	<1	39	34	303	4.07	<1	0.04	<10	1.51	324	<2	0.05	19	1471	4	2.78	<5	2	65	<5	0.11	<10	<10	71	<10	22	4
100070	<0.2	1.24	<5	20	0.6	<5	2.64	<1	41	35	292	4.05	<1	0.04	<10	1.50	333	<2	0.05	19	1421	5	2.83	<5	3	72	<5	0.13	<10	<10	71	<10	22	3
100071	<0.2	1.76	<5	32	0.6	<5	3.13	<1	30	40	175	4.63	<1	0.08	<10	1.87	480	<2	0.04	16	1610	4	1.90	<5	6	140	<5	0.10	<10	<10	98	<10	33	3
100072	9.3	0.48	541	43	<0.5	<5	6.60	8	21	21	364	4.56	<1	0.24	<10	0.90	456	2	0.02	7	1725	7	3.93	43	3	284	<5	<0.01	<10	<10	13	<10	27	3
100073	1.8	0.28	21	45	<0.5	<5	6.43	<1	23	15	214	3.31	<1	0.18	<10	1.24	316	5	0.03	10	1259	5	2.80	30	5	317	<5	<0.01	<10	<10	13	<10	24	2
100074	0.5	0.33	11	34	<0.5	<5	4.67	<1	30	15	206	4.73	<1	0.24	<10	1.58	277	<2	0.02	12	1364	7	3.93	<5	4	174	<5	<0.01	<10	<10	14	<10	14	2
100075	0.6	0.23	11	112	<0.5	<5	6.65	<1	27	15	121	3.89	<1	0.16	<10	1.15	336	3	0.03	11	1192	6	3.33	<5	4	746	<5	<0.01	<10	<10	11	<10	12	2
100076	0.4	0.28	7	51	<0.5	<5	5.58	<1	24	14	264	4.26	<1	0.21	<10	1.66	367	8	0.03	10	1283	6	3.46	<5	4	243	<5	<0.01	<10	<10	13	<10	16	2
100077	<0.2	0.27	<5	71	<0.5	<5	6.28	<1	25	11	191	3.71	<1	0.19	<10	1.25	319	<2	0.02	11	1247	4	2.93	<5	4	233	<5	<0.01	<10	<10	12	<10	11	2
100078	<0.2	0.38	<5	138	<0.5	<5	8.66	<1	27	17	160	2.93	<1	0.15	<10	0.15	354	7	0.03	10	1058	3	2.34	<5	3	194	<5	<0.01	<10	<10	11	<10	10	2
100079	2.7	2.14	57	151	0.9	<5	0.91	2	21	136	3163	4.88	<1	0.28	<10	0.91	848	42	0.11	168	891	113	0.90	<5	6	36	<5	0.14	<10	<10	71	<10	417	11
100080	<0.2	0.52	<5	126	<0.5	<5	6.67	<1	23	17	152	3.33	<1	0.20	<10	0.81	293	<2	0.03	10	1213	4	3.10	<5	3	1151	<5	<0.01	<10	<10	20	<10	10	2
100081	<0.2	1.80	<5	81	<0.5	<5	8.07	<1	45	25	333	4.64	<1	0.13	<10	1.94	526	<2	0.03	13	1560	4	2.57	<5	7	388	<5	<0.01	<10	<10	92	<10	22	2
100082	<0.2	2.21	<5	21	<0.5	<5	5.33	<1	38	27	302	5.16	<1	0.09	<10	2.35	437	<2	0.03	15	1748	3	2.57	<5	7	175	<5	<0.01	<10	<10	120	<10	22	3
100083	<0.2	1.52	<5	30	<0.5	<5	4.79	<1	21	19	158	3.71	<1	0.17	<10	1.64	318	<2	0.03	12	1444	3	2.53	<5	4	147	<5	0.02	<10	<10	63	<10	16	2
100084	<0.2	1.33	<5	34	<0.5	<5	5.91	<1	20	13	120	3.89	<1	0.19	<10	1.32	307	<2	0.03	10	1281	3	2.66	<5	4	220	<5	<0.01	<10	<10	44	<10	15	2
100085	<0.2	1.23	<5	90	<0.5	<5	7.06	<1	24	15	154	3.93	<1	0.25	<10	1.18	301	<2	0.03	12	2060	3	3.33	<5	3	306	<5	<0.01	<10	<10	36	<10	17	2
100086	0.2	2.12	<5	68	<0.5	<5	3.92	<1	20	72	140	5.94	<1	0.18	<10	2.32	279	<2	0.04	12	2506	4	1.94	<5	5	174	<5	0.04	<10	<10	94	<10	20	3
100087	0.3	1.92	<5	83	0.7	<5	3.14	<1	37	36	223	6.09	<1	0.25	<10	1.97	255	<2	0.04	15	1892	5	3.89	<5	4	121	<5	0.12	<10	<10	78	<10	16	3
100088	<0.2	1.59	<5	78	0.5	<5	8.68	<1	22	45	271	4.35	<1	0.14	<10	1.98	490	3	0.03	31	1782	6	3.02	<5	8	382	<5	0.06	<10	<10	80	<10	22	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Valterra Resources Corp

Attention: Stuart Fraser

Project: Swift Katie/Shipment#8

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No

: **8V2491RJ**

Date : **Aug-25-08**

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100089	<0.2	2.30	<5	136	1.0	<5	4.68	<1	32	41	84	5.68	1	0.15	<10	2.64	624	2	0.04	25	1750	5	1.30	<5	13	188	<5	0.15	<10	<10	189	<10	24	5
100090	<0.2	1.78	<5	162	0.6	<5	4.09	<1	33	60	74	4.68	<1	0.09	<10	2.06	505	<2	0.04	18	1620	3	1.40	<5	12	189	<5	0.09	<10	<10	143	<10	19	4
100091	0.3	2.16	<5	37	<0.5	<5	5.06	<1	38	29	191	5.29	<1	0.09	<10	2.44	466	<2	0.03	15	1742	3	2.41	<5	11	205	<5	0.05	<10	<10	167	<10	24	3
100092	<0.2	2.47	<5	61	<0.5	<5	6.38	<1	24	29	84	5.74	<1	0.10	<10	2.46	554	<2	0.03	12	1671	3	1.49	<5	8	266	<5	0.01	<10	<10	148	<10	28	3
100093	<0.2	1.81	<5	54	<0.5	<5	6.53	<1	29	13	112	5.07	<1	0.24	<10	1.88	424	4	0.02	11	1624	4	3.28	<5	4	339	<5	<0.01	<10	<10	60	<10	21	3
100094	0.2	1.76	<5	49	<0.5	<5	5.14	<1	22	18	157	4.55	<1	0.20	<10	1.74	340	<2	0.03	13	1298	4	2.36	<5	4	216	<5	0.01	<10	<10	65	<10	20	2
100095	0.2	1.84	<5	75	0.8	<5	3.08	<1	31	39	141	4.39	<1	0.14	<10	2.02	358	5	0.04	18	1446	3	1.77	<5	8	112	<5	0.14	<10	<10	123	<10	17	3
100096	<0.2	1.87	<5	46	0.8	<5	2.91	<1	35	39	270	4.54	<1	0.09	<10	2.03	359	<2	0.06	15	1423	3	1.93	<5	11	94	<5	0.17	<10	<10	132	<10	16	3
100097	0.3	1.90	<5	41	0.9	<5	2.57	<1	46	22	275	5.94	<1	0.12	<10	2.01	310	<2	0.04	16	1482	5	3.62	<5	6	71	<5	0.17	<10	<10	128	<10	19	4
100098	<0.2	2.01	<5	41	1.0	<5	1.40	<1	46	26	225	6.19	<1	0.08	<10	2.14	294	<2	0.05	21	1571	5	3.99	<5	6	58	<5	0.20	<10	<10	128	<10	19	4
100099	0.2	1.49	<5	36	0.9	<5	1.50	<1	40	32	134	4.91	<1	0.08	<10	1.83	236	<2	0.05	17	1735	5	3.80	<5	4	46	<5	0.17	<10	<10	100	<10	17	4
100100	<0.2	2.07	<5	33	0.9	<5	3.14	<1	42	52	153	6.29	<1	0.09	<10	2.52	371	<2	0.04	20	1933	5	4.41	<5	7	59	<5	0.18	<10	<10	135	<10	22	4
100101	<0.2	2.76	<5	71	1.1	<5	2.38	<1	28	29	127	6.27	<1	0.07	<10	2.97	434	<2	0.03	12	1579	4	1.57	<5	7	77	<5	0.20	<10	<10	179	<10	23	4
100102	<0.2	1.34	<5	66	0.8	<5	1.92	<1	43	22	319	5.03	<1	0.12	<10	1.52	205	<2	0.04	13	1390	6	3.76	<5	4	50	<5	0.14	<10	<10	78	<10	17	3
100103	<0.2	1.28	<5	67	0.8	<5	1.76	<1	37	21	289	5.19	<1	0.14	<10	1.45	173	4	0.05	11	1345	5	4.09	<5	4	78	<5	0.15	<10	<10	76	<10	17	3
100104	<0.2	1.92	<5	74	0.7	<5	4.01	<1	39	54	211	4.85	1	0.09	<10	2.57	339	6	0.05	14	1726	4	3.21	<5	11	449	<5	0.09	<10	<10	164	<10	18	3
100105	4.9	1.88	<5	137	1.2	<5	1.24	1	15	89	63	3.50	<1	0.19	<10	0.81	570	5	0.17	28	656	55	0.10	<5	7	53	<5	0.21	<10	<10	80	<10	202	9
100106	3.5	2.26	61	189	1.1	<5	1.02	2	22	134	3210	4.99	<1	0.30	<10	0.98	853	42	0.12	174	936	113	0.92	<5	7	49	<5	0.18	<10	<10	84	<10	422	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2539-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie/Batch#9**
Attn: **Brain McGrath**

Sep-05-08

We *hereby certify* the following assay of 24 core samples
submitted Jul-15-08

Sample Name	Au g/tonne	Au-Check g/tonne
100107	0.01	0.01
100108	0.02	
100109	0.03	
100110	0.06	
100111	0.03	
100112	0.08	
100113	0.17	
100114	0.06	
100115	0.02	
100116	0.02	0.02
100117	0.01	
100118	0.04	
100119	0.01	
100120	0.03	
100121	0.05	
100122	0.05	
100123	0.01	
100124	0.01	
100125	0.11	
100126	0.01	0.01
100127	0.01	
100128	<0.01	
100129	0.06	
100130	0.02	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Brain McGrath

Project: Swift Katie/Batch#9

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2539RJ

Date : Sep-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100107	<0.2	1.87	<5	108	<0.5	<5	3.13	<1	32	28	167	4.92	1	0.15	<10	1.98	345	<2	0.05	12	1548	5	2.51	<5	6	191	<5	0.02	<10	<10	96	<10	18	3
100108	<0.2	1.75	<5	88	<0.5	<5	4.86	<1	31	27	136	6.34	<1	0.25	<10	2.89	471	<2	0.03	14	1700	6	1.93	<5	9	285	<5	0.01	<10	<10	94	<10	37	3
100109	<0.2	1.23	<5	95	<0.5	<5	5.81	<1	39	14	240	7.08	<1	0.30	<10	2.85	496	<2	0.02	17	1853	8	3.42	<5	8	467	<5	<0.01	<10	<10	50	<10	29	3
100110	<0.2	0.84	11	63	<0.5	<5	6.11	<1	38	23	181	6.53	<1	0.33	<10	2.46	500	<2	0.01	18	1917	10	>5.00	<5	6	355	<5	<0.01	<10	<10	32	<10	22	4
100111	<0.2	1.73	7	108	<0.5	<5	4.06	<1	15	12	34	4.61	<1	0.25	16	1.43	854	2	0.04	1	3663	6	0.53	<5	3	259	<5	0.01	<10	<10	50	<10	67	5
100112	0.6	1.32	26	60	<0.5	<5	6.20	<1	28	22	160	5.64	<1	0.26	<10	1.55	508	2	0.02	11	1490	14	>5.00	7	4	408	<5	<0.01	<10	<10	31	<10	33	3
100113	9.3	1.04	49	61	<0.5	<5	5.78	1	26	17	542	5.48	1	0.27	<10	2.12	575	3	0.02	11	1585	9	3.36	165	7	373	<5	<0.01	<10	<10	33	<10	76	3
100114	1.1	1.16	10	67	<0.5	<5	5.20	<1	24	16	121	4.53	<1	0.23	<10	1.58	509	<2	0.03	10	1475	7	3.10	5	6	320	<5	<0.01	<10	<10	41	<10	26	2
100115	<0.2	1.79	<5	80	<0.5	<5	4.22	<1	23	23	87	4.88	<1	0.25	<10	1.89	450	2	0.05	10	1610	5	3.47	<5	7	186	<5	0.03	<10	<10	100	<10	24	3
100116	<0.2	1.25	<5	63	0.7	<5	1.93	<1	40	41	161	5.18	<1	0.12	<10	1.44	305	<2	0.05	27	1751	7	4.38	<5	4	84	<5	0.15	<10	<10	83	<10	17	4
100117	<0.2	3.10	<5	1057	2.2	<5	2.62	<1	52	106	87	5.16	<1	1.61	16	5.11	652	<2	0.04	228	3211	4	0.44	8	3	104	<5	0.42	<10	<10	116	<10	53	18
100118	<0.2	1.77	27	39	0.8	<5	4.22	<1	28	32	210	5.44	<1	0.18	<10	1.84	435	3	0.05	17	1683	10	3.42	<5	5	105	<5	0.13	<10	<10	140	<10	28	4
100119	<0.2	1.91	<5	479	2.3	<5	1.03	<1	41	137	50	4.69	<1	1.41	26	3.37	568	<2	0.05	177	2561	12	0.08	<5	3	57	8	0.37	<10	<10	97	<10	55	16
100120	<0.2	2.64	43	393	2.0	<5	2.35	<1	47	129	86	5.32	<1	1.40	20	3.57	569	<2	0.08	184	2270	30	1.76	<5	7	87	5	0.34	<10	<10	130	<10	58	12
100121	<0.2	3.37	34	80	1.4	<5	4.93	1	36	38	159	6.08	1	0.66	<10	2.63	540	<2	0.15	24	1819	43	2.39	<5	16	132	<5	0.23	<10	<10	232	<10	73	5
100122	<0.2	3.37	36	82	1.4	<5	4.81	<1	34	44	152	6.14	1	0.67	<10	2.67	547	<2	0.15	27	1850	43	2.35	<5	16	129	<5	0.24	<10	<10	227	<10	76	5
100123	<0.2	2.25	26	20	0.9	<5	4.19	<1	27	31	92	5.87	<1	0.06	<10	2.42	560	<2	0.07	16	1900	16	1.89	<5	7	108	<5	0.19	<10	<10	215	<10	62	5
100124	<0.2	2.62	19	64	0.8	<5	4.79	<1	29	34	115	5.39	1	0.27	<10	2.44	546	<2	0.14	17	1837	16	2.18	<5	8	109	<5	0.14	<10	<10	203	<10	56	4
100125	0.2	1.88	49	246	0.6	<5	4.58	1	27	38	1114	5.58	<1	0.35	<10	1.96	972	15	0.11	31	1822	21	1.64	<5	11	142	<5	0.05	<10	<10	148	<10	127	6
100126	<0.2	1.87	11	53	1.7	<5	3.61	<1	24	83	36	4.37	<1	0.11	19	2.14	712	<2	0.03	15	3227	13	0.70	<5	6	98	<5	0.23	<10	<10	128	<10	53	9
100127	<0.2	1.94	<5	55	0.7	<5	5.01	<1	25	23	89	4.32	<1	0.24	<10	1.66	510	<2	0.07	10	1541	5	2.21	<5	7	90	<5	0.12	<10	<10	106	<10	27	3
100128	<0.2	1.84	<5	33	0.7	<5	5.18	<1	26	22	56	4.48	<1	0.13	<10	1.81	508	<2	0.06	11	1548	2	2.57	<5	6	74	<5	0.13	<10	<10	111	<10	19	4
100129	<0.2	1.65	<5	29	0.7	<5	2.97	<1	26	27	60	4.09	<1	0.09	<10	1.83	387	<2	0.05	11	1618	3	2.34	<5	8	56	<5	0.16	<10	<10	126	<10	16	4
100130	<0.2	1.58	<5	29	0.7	<5	3.80	<1	18	24	41	3.26	<1	0.10	<10	1.84	402	<2	0.05	10	1580	<2	1.66	<5	6	57	<5	0.16	<10	<10	111	<10	15	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2540-RA1

Company: **Valterra Resources Corp.**
Project: **Swift Katie/Batch#10**
Attn: **Brain McGrath**

Aug-29-08

We hereby certify the following assay of 24 core samples submitted Jul-15-08

Sample Name	Au g/tonne	Au-Check g/tonne
100131	<0.01	0.02
100132	0.01	
100133	0.02	
100134	<0.01	
100135	0.02	
100136	0.01	
100137	0.01	
100138	0.01	
100139	0.02	
100140	0.01	0.02
100141	0.02	
100142	0.01	
100143	0.03	
100144	0.29	
100145	0.02	
100146	0.02	
100147	0.01	
100148	0.01	
100149	0.01	
100150	0.02	0.01
100151	0.01	
100152	<0.01	
100153	0.01	
100154	0.02	
*0218	0.97	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp.

Attention: Brain McGrath

Project: Swift Katie/Batch#10

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2540RJ

Date : Aug-29-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100131	<0.2	1.53	<5	26	0.9	<5	2.84	<1	26	39	157	3.74	1	0.07	<10	1.67	359	3	0.05	13	1599	5	2.59	<5	5	64	<5	0.17	<10	<10	101	<10	15	4
100132	<0.2	1.54	<5	24	0.8	<5	3.05	<1	23	54	112	3.32	1	0.07	<10	1.60	365	2	0.05	11	1440	3	1.99	<5	3	57	<5	0.15	<10	<10	83	<10	17	4
100133	<0.2	1.26	<5	22	0.9	<5	1.39	<1	25	32	79	2.91	1	0.06	<10	1.26	251	2	0.06	12	1435	3	1.91	<5	3	42	<5	0.17	<10	<10	70	<10	13	3
100134	<0.2	1.34	<5	19	0.9	<5	1.30	<1	28	52	90	2.99	1	0.04	<10	1.31	231	<2	0.07	12	1413	2	1.97	<5	3	63	<5	0.18	<10	<10	69	<10	10	3
100135	<0.2	1.68	<5	15	0.9	<5	2.39	<1	27	40	69	3.89	1	0.04	<10	1.69	318	<2	0.05	13	1567	3	2.59	<5	5	67	<5	0.16	<10	<10	94	<10	16	4
100136	<0.2	1.32	<5	16	0.8	<5	1.78	<1	24	50	60	3.27	1	0.04	<10	1.27	245	<2	0.06	12	1455	2	2.45	<5	3	45	<5	0.16	<10	<10	68	<10	11	4
100137	<0.2	1.30	291	24	0.6	<5	2.83	3	30	31	99	3.51	<1	0.07	<10	1.31	269	<2	0.04	11	1428	3	2.89	<5	4	53	<5	0.12	<10	<10	67	<10	11	4
100138	6.2	1.37	<5	93	0.9	<5	0.79	2	13	45	67	2.92	<1	0.12	<10	0.70	469	5	0.09	25	648	81	0.12	5	4	34	<5	0.16	<10	<10	65	<10	264	7
100139	<0.2	1.24	<5	17	0.8	<5	1.28	<1	21	51	56	3.10	1	0.04	<10	1.19	220	<2	0.06	12	1292	2	2.15	<5	3	45	<5	0.16	<10	<10	69	<10	10	4
100140	<0.2	1.28	<5	17	0.7	<5	1.20	<1	25	35	98	3.61	<1	0.04	<10	1.26	224	<2	0.06	11	1300	4	2.68	<5	3	41	<5	0.15	<10	<10	68	<10	12	4
100141	<0.2	1.25	<5	19	0.8	<5	1.10	<1	26	60	64	3.38	<1	0.05	<10	1.07	195	<2	0.06	12	1406	3	2.45	<5	3	47	<5	0.17	<10	<10	59	<10	9	4
100142	<0.2	1.35	<5	23	0.9	<5	1.67	<1	25	39	43	2.70	<1	0.06	<10	1.12	182	<2	0.06	10	1484	2	1.82	<5	3	47	<5	0.17	<10	<10	65	<10	10	5
100143	<0.2	1.08	<5	28	0.9	<5	1.13	<1	28	47	96	2.89	<1	0.08	<10	0.86	166	<2	0.06	10	1619	3	2.33	<5	3	40	<5	0.17	<10	<10	57	<10	9	4
100144	2.6	1.62	61	100	0.8	<5	0.71	2	19	90	2759	4.25	1	0.14	<10	0.85	767	41	0.06	155	883	105	0.84	<5	5	26	<5	0.14	<10	<10	62	<10	364	10
100145	<0.2	0.99	<5	28	0.6	<5	1.11	<1	28	51	168	3.18	<1	0.07	<10	0.88	177	<2	0.06	13	1400	4	2.68	<5	2	32	<5	0.13	<10	<10	49	<10	9	3
100146	<0.2	1.15	<5	37	0.7	<5	1.17	<1	28	39	121	3.93	<1	0.09	<10	1.05	204	<2	0.06	12	1436	4	3.30	<5	3	36	<5	0.15	<10	<10	61	<10	11	3
100147	<0.2	1.58	5	34	0.8	<5	1.61	<1	30	43	89	4.82	<1	0.08	<10	1.61	245	<2	0.05	11	1690	5	3.97	<5	5	57	<5	0.17	<10	<10	83	<10	16	4
100148	<0.2	1.32	29	46	0.8	<5	1.72	<1	25	37	64	3.79	<1	0.10	<10	1.27	219	<2	0.05	10	1524	3	2.82	<5	4	52	<5	0.17	<10	<10	75	<10	17	4
100149	<0.2	1.18	7	52	0.9	<5	1.14	<1	32	52	69	4.02	<1	0.10	<10	0.94	164	<2	0.05	14	1444	4	3.49	<5	3	51	<5	0.19	<10	<10	69	<10	10	4
100150	<0.2	1.39	7	40	0.9	<5	1.30	<1	29	42	85	4.33	<1	0.11	<10	1.23	196	<2	0.05	11	1509	4	3.50	<5	3	46	<5	0.18	<10	<10	74	<10	13	4
100151	<0.2	1.30	7	40	0.9	<5	1.31	<1	25	55	40	3.92	<1	0.13	<10	1.04	177	<2	0.06	11	1447	4	3.27	<5	3	49	<5	0.17	<10	<10	64	<10	10	4
100152	<0.2	1.21	7	324	2.6	<5	1.08	<1	32	80	35	3.80	<1	0.82	19	2.83	624	<2	0.04	132	1811	6	0.09	<5	4	52	5	0.25	<10	<10	73	<10	36	20
100153	<0.2	1.34	16	31	0.9	<5	1.30	<1	31	56	35	4.93	<1	0.11	<10	1.22	193	<2	0.05	13	1510	5	4.47	<5	4	49	<5	0.18	<10	<10	80	<10	13	4
100154	<0.2	1.42	9	31	1.0	<5	1.12	<1	29	41	67	5.52	<1	0.11	<10	1.34	189	<2	0.05	12	1330	6	4.80	<5	4	42	<5	0.20	<10	<10	80	<10	14	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2541-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#11**
Attn: **Brain McGrath**

Sep-04-08

We hereby certify the following assay of 24 core samples
submitted Jul-15-08

Sample Name	Au g/tonne	Au-Check g/tonne
100155	0.02	0.02
100156	<0.01	
100157	0.02	
100158	<0.01	
100159	<0.01	
100160	<0.01	
100161	<0.01	
100162	<0.01	
100163	<0.01	
100164	0.02	0.01
100165	0.01	
100166	0.01	
100167	0.01	
100168	0.03	
100169	0.09	
100170	0.24	
100171	0.10	
100172	0.13	
100173	0.15	
100174	0.06	0.07
100175	0.92	
100176	0.10	
100177	0.87	
100178	0.77	
*0218	0.91	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Brain McGrath

Project: Swift Katie/Batch#11

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2541RJ

Date : Sep-04-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100155	<0.2	1.66	<5	32	0.9	<5	1.18	<1	28	33	106	5.10	<1	0.11	<10	1.74	205	<2	0.05	5	2469	5	3.91	<5	3	43	<5	0.20	<10	<10	79	<10	16	4
100156	<0.2	1.39	<5	35	0.9	<5	1.15	<1	30	51	157	4.26	<1	0.12	<10	1.28	215	<2	0.06	13	1567	5	3.63	<5	3	47	<5	0.18	<10	<10	70	<10	18	4
100157	<0.2	1.73	12	45	0.9	<5	1.50	<1	28	50	120	4.43	<1	0.16	<10	1.54	281	<2	0.09	12	1415	5	3.02	<5	5	70	<5	0.18	<10	<10	96	<10	17	4
100158	<0.2	2.79	<5	371	2.1	<5	2.79	<1	35	105	55	4.75	<1	0.62	61	2.20	584	<2	0.32	47	3932	9	1.17	<5	7	347	9	0.36	<10	<10	110	<10	35	11
100159	<0.2	1.60	6	54	0.9	<5	1.49	<1	33	40	90	4.52	<1	0.14	<10	1.54	293	2	0.08	11	1430	5	3.17	<5	5	64	<5	0.18	<10	<10	91	<10	19	5
100160	<0.2	1.42	<5	35	0.8	<5	1.22	<1	25	62	70	4.04	<1	0.08	<10	1.36	249	2	0.06	10	1283	4	2.94	<5	3	44	<5	0.17	<10	<10	76	<10	15	4
100161	<0.2	1.39	<5	23	0.7	<5	1.47	<1	23	52	101	3.40	<1	0.08	<10	1.32	298	2	0.06	8	1277	3	2.40	<5	4	44	<5	0.15	<10	<10	74	<10	15	3
100162	<0.2	1.38	<5	21	0.7	<5	1.21	<1	21	69	80	3.46	<1	0.08	<10	1.20	245	2	0.06	10	1268	3	2.52	<5	3	55	<5	0.15	<10	<10	62	<10	13	3
100163	<0.2	1.48	<5	35	0.7	<5	1.86	<1	30	37	81	3.86	<1	0.12	<10	1.46	334	<2	0.04	9	1450	6	3.02	<5	4	58	<5	0.13	<10	<10	69	<10	19	3
100164	<0.2	0.73	<5	419	<0.5	<5	2.10	<1	6	43	7	1.85	<1	0.28	31	0.42	719	2	0.05	2	1287	7	0.15	<5	1	192	8	<0.01	<10	<10	13	<10	35	6
100165	<0.2	0.75	<5	537	<0.5	<5	2.04	<1	6	34	5	2.05	<1	0.28	41	0.45	785	<2	0.05	2	1363	9	0.10	<5	1	253	9	<0.01	<10	<10	15	<10	42	7
100166	<0.2	1.25	<5	94	<0.5	<5	3.26	<1	18	23	75	2.87	<1	0.31	<10	1.12	665	<2	0.03	7	1282	5	1.94	<5	4	189	<5	0.03	<10	<10	50	<10	33	2
100167	<0.2	0.48	<5	68	0.5	<5	1.17	<1	1	23	7	1.22	<1	0.19	43	0.20	630	3	0.05	<1	738	10	0.11	<5	1	66	10	0.01	<10	<10	6	<10	35	6
100168	<0.2	1.47	<5	36	0.7	<5	1.64	<1	29	41	55	3.61	<1	0.09	<10	1.45	369	<2	0.05	9	1262	7	2.40	<5	4	59	<5	0.14	<10	<10	83	<10	48	3
100169	<0.2	1.12	<5	186	0.8	<5	0.77	<1	21	27	978	6.06	<1	0.09	<10	0.91	326	<2	0.04	13	2030	83	0.03	<5	3	76	<5	0.16	<10	<10	161	<10	79	5
100170	<0.2	1.51	<5	32	1.1	<5	0.72	<1	21	33	1655	5.27	<1	0.08	<10	1.44	404	<2	0.04	16	1729	10	0.02	<5	6	64	<5	0.22	<10	<10	168	<10	28	4
100171	<0.2	1.14	<5	48	0.8	<5	0.71	<1	21	40	769	6.71	<1	0.08	<10	0.91	367	<2	0.04	14	1828	14	0.01	<5	3	71	<5	0.16	<10	<10	174	<10	27	5
100172	<0.2	1.26	<5	33	0.8	<5	0.78	<1	20	29	1119	6.62	<1	0.07	<10	0.94	351	<2	0.04	14	1575	10	0.01	<5	4	90	<5	0.16	<10	<10	192	<10	22	5
100173	<0.2	1.69	<5	33	0.9	<5	0.76	<1	25	26	899	7.06	<1	0.08	<10	1.47	494	<2	0.03	17	1164	10	0.01	<5	6	102	<5	0.18	<10	<10	204	<10	31	5
100174	<0.2	1.37	<5	36	0.9	<5	0.82	<1	22	67	609	3.95	<1	0.07	<10	1.21	397	<2	0.03	16	1702	5	0.01	<5	5	93	<5	0.18	<10	<10	134	<10	25	3
100175	15.8	1.61	33	335	1.6	<5	1.38	<1	33	31	4843	6.63	1	0.26	<10	0.95	362	303	0.24	10	1886	132	0.62	15	5	115	<5	0.21	<10	<10	229	<10	186	12
100176	<0.2	1.76	<5	41	0.9	<5	0.68	<1	22	39	796	6.02	<1	0.12	<10	1.59	514	<2	0.03	16	1946	8	0.96	<5	5	62	<5	0.18	<10	<10	159	<10	62	5
100177	0.7	0.75	8	24	<0.5	20	0.05	<1	27	58	1832	13.72	<1	0.21	13	0.37	104	<2	0.01	23	1256	406	>5.00	<5	5	11	<5	0.05	<10	<10	56	<10	191	8
100178	0.3	0.87	7	26	<0.5	17	0.04	<1	26	81	1730	14.01	<1	0.26	11	0.43	134	<2	0.01	22	1130	289	>5.00	<5	4	9	<5	0.06	<10	<10	57	<10	209	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2541-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#11**
Attn: **Brain McGrath**

Sep-04-08

We hereby certify the following assay of 24 core samples
submitted Jul-15-08

Sample Name	Au g/tonne	Au-Check g/tonne	Au-rerun g/tonne
100155	0.02	0.02	0.01
100156	<0.01		0.02
100157	0.02		0.01
100158	<0.01		<0.01
100159	<0.01		0.01
100160	<0.01		<0.01
100161	<0.01		0.01
100162	<0.01		<0.01
100163	<0.01		0.02
100164	0.02	0.01	<0.01
100165	0.01		<0.01
100166	0.01		<0.01
100167	0.01		<0.01
100168	0.03		0.02
100169	0.09		0.11
100170	0.24		0.23
100171	0.10		0.09
100172	0.13		0.15
100173	0.15		0.16
100174	0.06	0.07	0.06
100175	0.92		0.85
100176	0.10		0.14
100177	0.87		2.80
100178	0.77		1.35
*0211			2.18
*0218	0.91		
*BLANK	<0.01		<0.01

Certified by _____

Valterra Resource Corp

Attention: Brain McGrath

Project: Swift Katie/Batch#11

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2541RJ

Date : Sep-04-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100155	<0.2	2.00	<5	38	<0.5	<5	1.46	<1	33	41	119	5.69	1	0.14	<10	1.94	236	<2	0.07	7	2022	3	4.24	<5	4	62	<5	0.19	<10	<10	96	<10	20	4
100156	<0.2	1.73	<5	43	<0.5	<5	1.49	<1	35	59	174	4.93	1	0.16	<10	1.52	240	<2	0.08	15	1186	4	3.74	<5	4	64	<5	0.18	<10	<10	84	<10	21	4
100157	<0.2	2.12	10	55	<0.5	<5	1.89	<1	31	59	132	5.18	<1	0.20	<10	1.82	316	<2	0.12	14	1085	4	3.19	<5	7	91	<5	0.17	<10	<10	111	<10	20	4
100158	<0.2	3.50	<5	468	<0.5	<5	3.48	<1	41	125	62	5.79	<1	0.76	70	2.69	672	<2	0.40	55	3326	7	1.32	<5	8	421	11	0.33	<10	<10	129	<10	44	23
100159	<0.2	1.96	7	65	<0.5	<5	1.85	<1	37	51	103	5.35	1	0.18	<10	1.87	335	<2	0.10	13	1173	4	3.44	<5	6	79	<5	0.16	<10	<10	106	<10	24	4
100160	<0.2	1.82	<5	41	<0.5	<5	1.63	<1	29	77	84	4.94	<1	0.11	<10	1.70	294	2	0.08	12	1092	2	3.25	<5	4	59	<5	0.17	<10	<10	92	<10	20	4
100161	<0.2	1.71	<5	29	<0.5	<5	1.85	<1	25	68	111	4.05	<1	0.11	<10	1.61	331	2	0.08	10	1098	<2	2.58	<5	4	56	<5	0.13	<10	<10	86	<10	20	3
100162	<0.2	1.76	<5	28	<0.5	<5	1.59	<1	23	79	94	4.17	<1	0.10	<10	1.48	289	2	0.08	11	1118	<2	2.79	<5	4	73	<5	0.15	<10	<10	76	<10	18	3
100163	<0.2	1.83	<5	43	<0.5	<5	2.33	<1	34	49	91	4.61	<1	0.16	<10	1.74	378	<2	0.06	10	1183	3	3.23	<5	4	73	<5	0.12	<10	<10	81	<10	24	3
100164	<0.2	0.91	<5	527	<0.5	<5	2.62	<1	7	52	8	2.24	<1	0.35	37	0.51	852	2	0.06	2	1108	7	0.18	<5	1	235	9	0.01	<10	<10	16	<10	43	5
100165	<0.2	0.86	<5	605	<0.5	<5	2.35	<1	7	38	6	2.28	<1	0.34	46	0.52	878	<2	0.06	2	1115	9	0.11	<5	1	284	9	<0.01	<10	<10	17	<10	48	6
100166	<0.2	1.42	<5	107	<0.5	<5	3.72	<1	20	27	79	3.24	<1	0.38	<10	1.25	711	<2	0.04	8	1041	6	2.02	<5	4	205	<5	0.02	<10	<10	55	<10	37	2
100167	<0.2	0.57	<5	78	<0.5	<5	1.41	<1	2	24	8	1.39	<1	0.23	47	0.23	701	2	0.06	1	563	10	0.12	<5	1	75	10	0.01	<10	<10	6	<10	40	5
100168	<0.2	1.76	<5	37	<0.5	<5	2.02	<1	32	48	60	4.22	<1	0.11	<10	1.72	412	<2	0.07	10	1053	5	2.58	<5	5	71	<5	0.12	<10	<10	95	<10	54	3
100169	0.7	1.29	<5	212	<0.5	<5	0.94	<1	24	35	1139	6.79	<1	0.11	<10	1.04	359	<2	0.05	16	1572	87	0.03	<5	4	93	<5	0.14	<10	<10	178	<10	86	4
100170	0.3	1.84	<5	40	<0.5	<5	0.91	<1	25	44	1984	6.15	1	0.10	<10	1.75	472	<2	0.05	19	1415	7	0.02	<5	7	86	<5	0.21	<10	<10	200	<10	34	3
100171	0.2	1.32	<5	59	<0.5	<5	0.86	<1	24	50	896	7.75	<1	0.10	<10	1.06	400	<2	0.05	17	1439	12	0.02	<5	4	85	<5	0.13	<10	<10	199	<10	32	4
100172	<0.2	1.41	<5	36	<0.5	<5	0.92	<1	23	36	1277	7.50	<1	0.09	<10	1.08	376	<2	0.04	17	1194	8	0.01	<5	4	107	<5	0.14	<10	<10	217	<10	25	4
100173	0.2	2.00	<5	41	<0.5	<5	0.90	<1	28	32	1047	8.12	<1	0.10	<10	1.70	561	<2	0.05	21	938	8	0.01	<5	7	127	<5	0.17	<10	<10	232	<10	36	5
100174	<0.2	1.72	<5	45	<0.5	<5	1.09	<1	25	77	715	4.81	<1	0.10	<10	1.52	469	<2	0.05	18	1460	3	0.01	<5	6	121	<5	0.16	<10	<10	153	<10	31	3
100175	19.4	1.79	28	444	<0.5	<5	1.58	1	36	36	5506	7.54	1	0.31	<10	1.09	393	267	0.27	12	1457	141	0.70	6	6	130	<5	0.18	<10	<10	254	<10	206	10
100176	0.3	2.06	<5	50	<0.5	<5	0.83	<1	25	50	924	6.89	<1	0.15	<10	1.81	578	<2	0.04	19	1594	6	1.08	<5	6	83	<5	0.16	<10	<10	181	<10	71	4
100177	2.2	0.82	5	28	<0.5	<5	0.07	<1	29	62	1937	>15.00	1	0.25	13	0.39	107	<2	0.01	25	826	431	>5.00	<5	5	12	<5	0.04	<10	28	56	<10	190	7
100178	1.8	0.90	5	29	<0.5	<5	0.06	<1	27	84	1772	>15.00	1	0.29	11	0.45	137	<2	0.01	24	723	301	>5.00	<5	4	10	<5	0.04	<10	31	55	<10	201	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2602-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie/BATCH#12**
Attn: **Brian McGrath**

Sep-05-08

We hereby certify the following assay of 24 core samples submitted Jul-17-08

Sample Name	Au g/tonne	Au-Check g/tonne
100179	0.09	0.09
100180	0.10	
100181	0.09	
100182	0.09	
100183	0.06	
100184	0.03	
100185	0.03	
100186	0.06	
100187	0.11	
100188	0.08	0.08
100189	0.26	
100190	0.06	
100191	0.24	
100192	0.18	
100193	0.12	
100194	0.09	
100195	0.16	
100196	0.01	
100197	0.20	
100198	0.14	0.17
100199	0.06	
100200	0.05	
100201	0.06	
100202	0.12	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Brian McGrath

Project: Swift Katie/BATCH#12

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2602RJ

Date : Sep-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100179	<0.2	2.19	7	181	1.1	<5	0.55	<1	22	86	445	6.48	1	0.12	<10	1.78	650	<2	0.03	20	2900	163	0.58	<5	10	61	<5	0.21	<10	<10	179	<10	299	4
100180	<0.2	1.81	<5	104	0.8	<5	0.65	<1	25	150	632	6.26	1	0.11	<10	1.89	537	<2	0.02	26	1658	14	1.54	<5	8	69	<5	0.17	<10	<10	143	<10	67	5
100181	<0.2	2.07	<5	32	0.9	<5	1.25	<1	25	73	376	5.59	<1	0.04	<10	1.72	570	<2	0.04	24	1999	10	0.01	<5	7	186	<5	0.18	<10	<10	140	<10	47	5
100182	<0.2	1.81	<5	38	1.0	<5	1.28	<1	34	83	910	4.60	1	0.06	<10	1.46	458	<2	0.04	19	1951	6	0.36	<5	5	162	<5	0.23	<10	<10	170	<10	42	4
100183	<0.2	1.62	<5	31	0.9	<5	1.11	<1	22	134	731	4.74	1	0.08	<10	1.41	517	<2	0.05	21	1839	6	0.07	<5	4	113	<5	0.20	<10	<10	149	<10	39	4
100184	<0.2	1.58	<5	32	0.9	<5	1.21	<1	23	142	1006	4.81	<1	0.08	<10	1.20	526	<2	0.04	25	1925	6	<0.01	<5	4	127	<5	0.20	<10	<10	131	<10	78	4
100185	<0.2	1.71	<5	49	0.8	<5	1.22	<1	26	91	1245	6.03	<1	0.09	<10	1.29	601	<2	0.04	27	2329	9	0.01	<5	4	127	<5	0.19	<10	<10	162	<10	121	4
100186	<0.2	1.98	<5	43	1.0	<5	1.20	<1	28	98	1421	6.74	1	0.10	<10	1.67	587	<2	0.04	31	2053	9	0.03	<5	5	130	<5	0.23	<10	<10	192	<10	108	5
100187	<0.2	1.74	<5	74	0.9	<5	0.93	<1	25	79	1304	4.82	1	0.13	<10	1.47	477	<2	0.05	23	1720	7	0.06	<5	4	107	<5	0.20	<10	<10	136	<10	54	4
100188	<0.2	1.97	<5	36	1.0	<5	0.93	<1	27	152	1162	4.95	<1	0.10	<10	1.85	620	<2	0.04	28	1605	6	0.01	<5	5	116	<5	0.23	<10	<10	149	<10	55	4
100189	<0.2	1.15	<5	50	<0.5	<5	0.22	<1	11	37	1269	2.49	<1	0.22	<10	1.10	201	<2	0.04	7	1120	5	0.03	<5	3	13	<5	0.03	<10	<10	59	<10	41	2
100190	17.4	1.81	<5	90	0.9	<5	0.71	<1	21	41	1239	4.51	<1	0.19	10	1.61	469	<2	0.04	17	2205	6	0.02	<5	5	65	<5	0.16	<10	<10	115	44	105	5
100191	<0.2	1.57	<5	86	1.0	<5	2.41	<1	24	44	1484	4.47	<1	0.25	<10	1.53	428	<2	0.04	11	2252	8	0.78	<5	6	131	<5	0.19	<10	<10	133	<10	17	4
100192	<0.2	1.65	<5	80	1.1	<5	2.89	<1	25	54	1470	4.64	1	0.27	<10	1.66	456	<2	0.04	12	2077	8	0.98	<5	6	117	<5	0.21	<10	<10	149	<10	18	3
100193	<0.2	1.76	<5	57	1.0	<5	2.30	<1	22	64	1269	4.70	1	0.20	<10	1.88	450	<2	0.04	14	1970	7	0.21	<5	8	117	<5	0.21	<10	<10	172	<10	19	4
100194	<0.2	1.88	<5	111	1.1	<5	2.77	<1	26	114	929	4.82	1	0.23	<10	2.19	617	<2	0.04	16	1714	6	0.09	<5	13	145	<5	0.22	<10	<10	174	<10	22	4
100195	<0.2	2.25	9	123	<0.5	<5	4.97	<1	24	69	1560	5.26	1	0.24	<10	2.53	688	<2	0.03	19	1757	8	0.77	<5	10	395	<5	0.05	<10	<10	159	<10	30	3
100196	4.9	1.49	<5	97	0.9	<5	0.80	1	13	45	65	3.02	<1	0.13	<10	0.75	491	5	0.10	26	718	63	0.10	5	5	36	<5	0.17	<10	<10	68	<10	214	7
100197	1.5	1.01	120	111	<0.5	<5	5.13	1	20	39	1409	4.11	<1	0.33	<10	2.10	716	<2	0.02	15	1513	10	1.22	58	5	491	<5	<0.01	<10	<10	43	<10	42	2
100198	0.3	1.67	46	234	0.5	<5	3.90	1	24	35	1063	4.69	1	0.32	<10	1.74	839	14	0.10	27	1657	21	1.47	<5	10	135	<5	0.04	<10	<10	130	<10	105	6
100199	<0.2	1.69	86	104	<0.5	<5	3.91	1	30	34	1068	3.49	1	0.16	10	2.00	543	<2	0.04	20	1679	6	0.58	29	8	257	<5	0.03	<10	<10	99	<10	69	3
100200	<0.2	1.62	11	28	0.9	<5	3.44	<1	27	37	970	3.56	1	0.10	<10	1.82	549	<2	0.05	13	1768	6	0.44	<5	6	115	<5	0.19	<10	<10	127	<10	35	3
100201	<0.2	1.64	<5	23	1.2	<5	2.38	<1	29	36	1178	3.47	1	0.11	<10	1.77	376	<2	0.05	15	1830	6	0.40	<5	7	115	<5	0.23	<10	<10	145	<10	23	3
100202	<0.2	1.82	<5	19	1.3	<5	2.09	<1	25	99	1997	3.53	1	0.10	<10	2.09	358	2	0.04	22	1588	7	0.38	<5	6	91	<5	0.26	<10	<10	149	<10	20	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2603-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie/BATCH#13**
Attn: **Brian McGrath**

Sep-05-08

We hereby certify the following assay of 24 core samples submitted Jul-17-08

Sample Name	Au g/tonne	Au-Check g/tonne
100203	0.15	0.17
100204	0.03	
100205	0.02	
100206	0.05	
100207	0.04	
100208	0.05	
100209	0.03	
100210	0.03	
100211	0.03	
100212	0.27	0.27
100213	0.04	
100214	0.04	
100215	0.03	
100216	0.02	
100217	0.01	
100218	0.03	
100219	0.03	
100220	0.01	
100221	0.01	
100222	0.02	0.03
100223	<0.01	
100224	0.01	
100225	0.04	
100226	0.08	
*0218	0.89	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Brian McGrath

Project: Swift Katie/BATCH#13

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2603RJ

Date : Sep-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100203	<0.2	1.58	<5	106	1.0	<5	2.20	<1	30	43	3370	3.62	1	0.12	<10	1.76	376	2	0.04	18	1736	30	0.81	<5	5	101	<5	0.22	<10	<10	151	<10	30	4
100204	<0.2	1.50	<5	95	0.9	<5	1.93	<1	22	63	710	3.28	1	0.07	<10	1.47	381	<2	0.05	17	1518	12	0.29	<5	4	101	<5	0.22	<10	<10	124	<10	19	3
100205	<0.2	1.48	<5	27	0.9	<5	1.84	<1	29	30	673	3.50	1	0.07	<10	1.44	345	<2	0.05	12	1619	6	0.43	<5	3	101	<5	0.21	<10	<10	118	<10	13	3
100206	<0.2	1.22	<5	28	0.9	<5	1.91	<1	21	57	734	3.44	<1	0.08	<10	1.16	309	<2	0.04	14	1256	5	0.39	<5	3	95	<5	0.22	<10	<10	120	<10	6	3
100207	<0.2	1.37	<5	18	0.8	<5	1.64	<1	23	39	607	5.35	<1	0.07	<10	1.27	318	<2	0.05	16	1738	6	0.33	<5	3	110	<5	0.20	<10	<10	160	<10	10	4
100208	<0.2	1.32	<5	17	0.9	<5	2.11	<1	21	101	1068	3.78	<1	0.07	<10	1.31	340	<2	0.04	22	1582	5	0.25	<5	4	122	<5	0.22	<10	<10	118	<10	3	3
100209	<0.2	1.51	<5	13	1.0	<5	2.51	<1	25	87	485	2.90	<1	0.06	<10	1.38	381	<2	0.05	25	1664	3	0.31	<5	3	113	<5	0.23	<10	<10	112	<10	6	3
100210	<0.2	1.42	<5	12	0.9	<5	2.25	<1	21	103	473	3.59	1	0.06	<10	1.32	361	<2	0.05	25	1571	4	0.37	<5	3	96	<5	0.20	<10	<10	109	<10	8	3
100211	<0.2	1.48	<5	15	1.0	<5	2.44	<1	34	53	670	3.12	1	0.08	<10	1.24	359	<2	0.05	25	1754	3	0.58	<5	3	124	<5	0.23	<10	<10	113	<10	9	3
100212	2.7	1.71	59	100	0.8	<5	0.72	2	19	91	2967	4.20	<1	0.15	<10	0.87	763	41	0.07	161	845	103	0.86	<5	5	29	<5	0.15	<10	<10	62	<10	335	11
100213	<0.2	1.56	<5	13	0.9	<5	2.20	<1	30	48	704	3.30	<1	0.07	<10	1.43	371	2	0.05	23	1784	3	0.55	<5	4	112	<5	0.20	<10	<10	109	<10	10	3
100214	<0.2	1.14	<5	12	0.7	<5	1.89	<1	30	71	621	2.68	<1	0.04	<10	0.98	303	<2	0.05	25	1626	3	0.57	<5	2	87	<5	0.17	<10	<10	79	<10	1	3
100215	<0.2	1.21	<5	128	0.8	<5	1.51	<1	21	105	284	3.51	1	0.07	<10	1.10	322	<2	0.05	25	1508	50	0.63	<5	2	67	<5	0.20	<10	<10	108	<10	45	3
100216	<0.2	1.15	<5	21	0.8	<5	1.65	<1	15	98	281	1.83	<1	0.05	<10	0.96	272	2	0.04	20	1564	6	0.21	<5	2	87	<5	0.19	<10	<10	70	<10	2	3
100217	<0.2	1.21	<5	15	0.9	<5	1.42	<1	17	110	307	1.98	<1	0.05	<10	1.02	268	<2	0.05	21	1496	3	0.18	<5	2	76	<5	0.21	<10	<10	78	<10	<1	3
100218	<0.2	1.51	<5	13	1.0	<5	2.22	<1	22	119	723	3.13	<1	0.06	<10	1.43	366	<2	0.05	31	1687	4	0.31	<5	4	92	<5	0.24	<10	<10	111	<10	4	3
100219	<0.2	1.30	<5	11	0.9	<5	1.73	<1	16	99	498	2.07	<1	0.05	<10	1.27	316	<2	0.05	24	2011	2	0.11	<5	3	73	<5	0.22	<10	<10	95	<10	1	3
100220	<0.2	1.22	<5	15	0.9	<5	1.80	<1	15	83	223	1.71	1	0.07	<10	1.13	289	<2	0.05	16	1608	<2	0.16	<5	3	74	<5	0.21	<10	<10	78	<10	<1	3
100221	<0.2	1.64	<5	20	1.0	<5	2.73	<1	21	101	289	2.98	<1	0.14	<10	1.81	480	<2	0.04	22	1565	2	0.11	<5	7	107	<5	0.22	<10	<10	115	<10	8	3
100222	<0.2	1.71	<5	20	1.0	<5	3.12	<1	21	97	277	2.92	1	0.13	<10	1.91	519	2	0.04	21	1566	2	0.17	<5	7	118	<5	0.23	<10	<10	114	<10	10	4
100223	<0.2	1.85	<5	345	<0.5	<5	3.95	<1	20	144	35	3.60	<1	0.18	14	2.43	752	<2	0.03	32	1545	2	0.25	<5	8	202	<5	0.01	<10	<10	70	<10	47	4
100224	<0.2	1.48	<5	20	0.7	<5	2.76	<1	25	96	277	3.82	<1	0.08	<10	1.50	447	<2	0.04	29	1895	3	0.32	<5	5	112	<5	0.14	<10	<10	114	<10	11	3
100225	<0.2	1.21	<5	60	0.6	<5	2.03	<1	32	62	772	4.14	<1	0.07	<10	1.34	379	<2	0.04	26	1539	5	0.67	<5	4	76	<5	0.15	<10	<10	105	<10	15	3
100226	<0.2	1.18	<5	21	0.9	<5	2.01	<1	23	45	864	4.62	<1	0.08	<10	1.20	340	2	0.05	17	1840	6	0.48	<5	3	64	<5	0.21	<10	<10	120	<10	7	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2604-RA1

Company: **Valterra Resources Corp**
Project: **Swift/Batch#14**
Attn: **Brian McGrath**

Sep-11-08

We hereby certify the following assay of 24 core samples submitted Jul-17-08

Sample Name	Au g/tonne	Au-Check g/tonne
100227	0.02	0.02
100228	0.02	
100229	0.03	
100230	0.02	
100231	<0.01	
100232	0.01	
100233	0.01	
100234	<0.01	
100235	0.02	
100236	0.01	0.01
100237	0.04	
100238	0.81	
100239	0.06	
100240	0.07	
100241	0.05	
100242	0.09	
100243	0.07	
100244	0.04	
100245	0.05	
100246	0.09	0.08
100247	0.03	
100248	0.04	
100249	0.04	
100250	0.11	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Brian McGrath

Project: Swift/Batch#14

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2604RJ

Date : Sep-11-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100227	<0.2	1.49	<5	30	1.2	<5	2.27	<1	43	69	734	5.20	1	0.11	<10	1.49	430	<2	0.06	24	1854	10	0.89	<5	3	80	<5	0.24	<10	<10	143	<10	24	3
100228	<0.2	1.40	<5	32	1.3	<5	1.85	<1	38	111	555	3.97	1	0.12	<10	1.35	387	<2	0.06	19	1785	6	0.85	<5	3	71	<5	0.25	<10	<10	146	<10	18	3
100229	<0.2	1.58	<5	28	1.4	<5	1.79	<1	45	107	500	4.94	1	0.12	<10	1.50	383	<2	0.05	38	1420	6	1.22	<5	3	79	<5	0.26	<10	<10	151	<10	15	3
100230	<0.2	1.53	<5	28	1.2	<5	1.75	<1	44	122	510	4.93	1	0.10	<10	1.47	363	<2	0.05	37	1513	6	1.37	<5	3	79	<5	0.24	<10	<10	130	<10	14	4
100231	<0.2	1.56	<5	35	1.3	<5	1.76	<1	28	90	375	3.57	1	0.12	<10	1.40	371	<2	0.06	25	1583	4	0.48	<5	3	83	<5	0.26	<10	<10	133	<10	13	3
100232	<0.2	1.77	<5	24	1.4	<5	2.56	<1	31	136	352	3.40	<1	0.09	<10	1.78	468	<2	0.06	33	1501	3	0.52	<5	4	97	<5	0.26	<10	<10	116	<10	14	3
100233	<0.2	1.83	<5	27	1.4	<5	1.92	<1	38	106	531	4.55	1	0.09	<10	1.84	426	<2	0.05	37	1454	5	1.05	<5	4	79	<5	0.26	<10	<10	136	<10	13	3
100234	7.3	2.45	<5	165	1.2	<5	1.59	2	19	159	90	4.11	<1	0.26	<10	1.07	671	5	0.26	33	687	95	0.15	7	8	73	<5	0.22	<10	<10	101	<10	300	9
100235	<0.2	1.77	<5	29	1.4	<5	2.25	<1	29	109	346	3.73	1	0.15	<10	1.91	462	<2	0.05	36	1468	4	0.35	<5	4	74	<5	0.26	<10	<10	135	<10	17	3
100236	<0.2	2.33	<5	27	1.4	<5	2.50	<1	36	104	388	4.97	1	0.10	<10	2.65	588	<2	0.05	39	1473	4	0.81	<5	6	84	<5	0.26	<10	<10	168	<10	26	3
100237	<0.2	1.87	<5	24	1.5	<5	1.50	<1	40	109	658	4.07	1	0.13	<10	1.95	408	<2	0.06	41	1597	5	0.84	<5	4	78	<5	0.29	<10	<10	157	<10	16	3
100238	18.8	2.20	29	453	2.0	<5	1.89	1	40	36	5688	7.98	2	0.38	10	1.20	457	257	0.33	12	1761	146	0.72	16	7	160	<5	0.25	<10	<10	278	<10	214	14
100239	<0.2	1.91	<5	31	1.5	<5	1.75	<1	40	114	754	4.45	1	0.16	<10	1.93	441	<2	0.06	44	1539	6	0.91	<5	4	84	<5	0.29	<10	<10	162	<10	18	3
100240	<0.2	1.79	<5	30	1.4	<5	1.74	<1	36	134	805	4.53	1	0.15	<10	1.87	414	2	0.06	36	1712	6	0.87	<5	3	70	<5	0.26	<10	<10	141	<10	17	3
100241	<0.2	1.87	<5	22	1.4	<5	2.05	<1	36	112	846	4.40	1	0.11	<10	2.13	435	<2	0.06	40	1531	5	1.00	<5	4	64	<5	0.27	<10	<10	152	<10	15	3
100242	<0.2	1.93	<5	24	1.4	<5	2.09	<1	35	125	1142	3.99	1	0.08	<10	1.98	461	<2	0.06	38	1497	7	0.56	<5	4	85	<5	0.29	<10	<10	140	<10	17	3
100243	<0.2	1.55	<5	18	1.4	<5	2.27	<1	39	102	1811	3.41	1	0.07	<10	1.66	361	<2	0.06	41	1479	8	1.23	<5	4	82	<5	0.27	<10	<10	123	<10	11	2
100244	<0.2	1.62	<5	16	1.2	<5	1.89	<1	47	109	802	3.62	1	0.08	<10	1.68	407	<2	0.06	47	1527	5	1.74	<5	3	64	<5	0.25	<10	<10	119	<10	12	3
100245	<0.2	1.55	<5	19	1.2	<5	1.61	<1	57	100	1530	4.16	1	0.14	<10	1.75	342	<2	0.05	49	1547	8	2.07	<5	4	49	<5	0.24	<10	<10	123	<10	14	3
100246	<0.2	1.33	<5	29	1.1	<5	1.65	<1	35	84	1236	2.93	1	0.17	<10	1.43	279	<2	0.08	31	1171	6	0.96	<5	4	45	6	0.20	<10	<10	119	<10	12	2
100247	<0.2	1.79	<5	22	1.3	<5	1.74	<1	25	123	389	4.30	1	0.13	<10	1.82	391	<2	0.07	31	1517	4	0.36	<5	4	81	<5	0.26	<10	<10	156	<10	15	3
100248	<0.2	1.75	<5	19	1.5	<5	1.69	<1	45	108	658	3.99	<1	0.08	<10	1.89	412	<2	0.06	46	1485	5	1.17	<5	3	66	<5	0.28	<10	<10	142	<10	18	3
100249	<0.2	1.71	<5	21	1.3	<5	1.51	<1	51	109	691	4.01	<1	0.09	<10	1.79	412	<2	0.06	44	1510	5	1.42	<5	3	58	<5	0.27	<10	<10	137	<10	16	3
100250	<0.2	1.99	<5	18	1.4	<5	2.15	<1	35	98	747	3.82	1	0.09	<10	2.07	464	<2	0.05	42	1645	4	0.73	<5	4	93	<5	0.26	<10	<10	121	<10	17	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2666-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#15**
Attn: **Brian McGrath**

Sep-09-08

We hereby certify the following assay of 24 core samples submitted Jul-21-08

Sample Name	Au g/tonne	Au-Check g/tonne
100251	0.12	0.17
100252	0.01	
100253	0.03	
100254	0.04	
100255	0.08	
100256	0.12	
100257	0.03	
100258	0.27	
100259	0.03	
100260	0.02	0.02
100261	0.02	
100262	0.03	
100263	0.01	
100264	0.02	
100265	0.03	
100266	0.03	
100267	0.02	
100268	0.05	
100269	0.01	
100270	0.02	0.02
100271	0.03	
100272	0.01	
100273	<0.01	
100274	0.01	
*0218	0.91	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp.

Attention: Brian McGrath

Project: Swift Katie/Batch#15

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2666RJ

Date : Sep-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100251	<0.2	1.89	<5	20	1.4	<5	1.93	<1	61	100	824	4.16	<1	0.08	<10	2.10	447	<2	0.05	61	1479	8	1.77	<5	4	74	<5	0.27	<10	<10	125	<10	22	3
100252	<0.2	1.68	<5	16	1.4	<5	1.86	<1	46	105	497	3.57	1	0.07	<10	1.82	429	<2	0.05	52	1516	5	1.18	<5	3	61	<5	0.28	<10	<10	132	<10	13	3
100253	<0.2	1.81	<5	14	1.4	<5	1.76	<1	51	107	789	3.62	<1	0.08	<10	2.03	433	<2	0.05	57	1586	4	1.28	<5	3	61	<5	0.28	<10	<10	141	<10	15	3
100254	<0.2	1.76	<5	13	1.4	<5	1.89	<1	53	102	611	3.67	<1	0.06	<10	1.82	439	<2	0.06	47	1566	4	1.62	<5	3	82	<5	0.28	<10	<10	119	<10	14	3
100255	<0.2	1.76	<5	19	1.3	<5	2.26	<1	49	92	879	3.88	1	0.07	<10	1.73	430	<2	0.06	43	1574	5	1.30	<5	3	95	<5	0.25	<10	<10	129	<10	14	3
100256	<0.2	1.80	<5	19	1.3	<5	2.28	<1	55	99	1546	3.97	<1	0.08	<10	1.90	450	<2	0.05	52	1470	7	1.48	<5	4	79	<5	0.26	<10	<10	123	<10	16	3
100257	<0.2	1.54	<5	20	1.3	<5	1.86	<1	38	98	659	3.05	1	0.08	<10	1.61	367	<2	0.05	40	1522	4	0.91	<5	3	76	<5	0.26	<10	<10	114	<10	10	3
100258	2.9	2.55	53	186	1.1	<5	1.08	2	24	147	3300	5.20	<1	0.36	10	1.08	919	35	0.14	190	790	121	1.00	<5	7	45	<5	0.17	<10	<10	85	<10	412	13
100259	<0.2	1.74	<5	26	1.4	<5	1.87	<1	46	103	646	3.80	<1	0.11	<10	1.91	394	<2	0.05	46	1482	4	1.49	<5	4	64	<5	0.28	<10	<10	129	<10	15	3
100260	<0.2	1.44	<5	28	1.3	<5	1.55	<1	46	94	451	3.75	<1	0.13	<10	1.47	350	<2	0.06	48	1512	5	2.27	<5	3	71	<5	0.26	<10	<10	113	<10	11	3
100261	<0.2	1.85	<5	14	1.2	<5	1.40	<1	42	56	952	4.03	<1	0.05	<10	1.78	422	<2	0.04	29	1695	6	1.29	<5	3	94	<5	0.24	<10	<10	106	<10	18	2
100262	<0.2	1.85	<5	18	1.2	<5	1.51	<1	42	52	922	4.00	<1	0.06	<10	1.78	405	<2	0.05	28	1634	5	1.37	<5	3	108	<5	0.24	<10	<10	104	<10	19	3
100263	<0.2	1.21	<5	31	0.9	<5	2.10	<1	26	20	222	4.34	<1	0.12	<10	0.97	351	<2	0.05	9	1518	4	0.43	<5	2	130	<5	0.18	<10	<10	132	<10	11	3
100264	<0.2	1.08	<5	35	0.8	<5	2.61	<1	22	20	312	3.64	<1	0.13	<10	0.94	376	<2	0.05	9	1363	4	0.48	<5	3	132	5	0.15	<10	<10	124	<10	12	3
100265	<0.2	1.50	<5	30	1.1	<5	2.01	<1	21	21	215	4.13	1	0.09	<10	1.36	412	<2	0.05	9	1708	4	0.32	<5	4	188	<5	0.20	<10	<10	144	<10	17	3
100266	<0.2	1.79	<5	282	0.7	<5	3.67	<1	27	11	202	5.15	<1	0.13	11	1.83	610	<2	0.04	7	1592	4	0.52	<5	8	196	<5	0.08	<10	<10	166	<10	23	3
100267	<0.2	2.09	<5	114	<0.5	<5	4.39	<1	15	5	164	4.43	<1	0.31	<10	1.87	596	<2	0.04	4	1302	2	0.29	<5	6	175	<5	0.03	<10	<10	114	<10	27	2
100268	<0.2	2.18	<5	76	0.7	<5	3.67	<1	20	7	438	4.93	<1	0.13	<10	2.21	661	<2	0.04	6	1366	3	0.88	<5	6	227	<5	0.11	<10	<10	149	<10	38	3
100269	<0.2	2.78	<5	38	1.6	<5	2.97	<1	33	86	33	5.49	<1	0.05	<10	2.77	995	<2	0.05	44	2094	3	0.09	<5	7	206	<5	0.29	<10	<10	110	<10	85	10
100270	<0.2	2.39	<5	46	1.1	<5	4.25	<1	24	37	146	4.56	<1	0.15	<10	2.32	832	<2	0.05	19	1653	3	0.66	<5	5	180	<5	0.18	<10	<10	111	<10	56	6
100271	<0.2	2.15	<5	62	0.6	<5	5.03	<1	27	6	503	4.20	<1	0.31	<10	2.01	559	<2	0.04	7	1609	3	1.33	<5	5	110	<5	0.07	<10	<10	97	<10	22	2
100272	<0.2	1.60	<5	15	0.7	<5	4.83	<1	54	88	838	3.30	<1	0.05	<10	1.90	512	<2	0.05	54	1558	5	2.22	<5	4	139	<5	0.14	<10	<10	92	<10	15	4
100273	<0.2	1.19	<5	14	0.8	<5	4.63	<1	31	52	218	2.14	<1	0.05	<10	1.27	383	<2	0.07	33	1464	7	1.55	<5	3	131	<5	0.15	<10	<10	73	<10	9	4
100274	<0.2	1.16	<5	15	0.7	<5	3.45	<1	41	30	466	2.89	<1	0.04	<10	1.26	356	4	0.06	34	1499	5	2.44	<5	2	111	<5	0.15	<10	<10	72	<10	11	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2667-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie/BATCH#16**
Attn: **Brian McGrath**

Sep-05-08

We hereby certify the following assay of 24 core samples submitted Jul-21-08

Sample Name	Au g/tonne	Au-Check g/tonne
100275	0.01	0.01
100276	0.02	
100277	0.03	
100278	0.01	
100279	0.01	
100280	0.01	
100281	0.86	
100282	0.03	
100283	0.02	
100284	0.01	0.02
100285	<0.01	
100286	0.04	
100287	0.24	
100288	0.04	
100289	0.02	
100290	0.12	
100291	0.02	
100292	0.01	
100293	<0.01	
100294	<0.01	0.01
100295	0.01	
100296	0.02	
100297	0.02	
100298	0.03	
*0218	0.90	
*BLANK	<0.01	

Certified by _____

Valterra Resources Corp

Attention: Brian McGrath

Project: Swift Katie/BATCH#16

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2667RJ

Date : Sep-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100275	<0.2	1.06	<5	18	0.7	<5	2.28	1	20	52	383	1.51	1	0.07	<10	1.19	272	3	0.06	43	1585	<2	0.83	8	2	73	<5	0.16	<10	<10	68	<10	14	6
100276	<0.2	1.32	5	26	0.5	<5	4.68	1	30	84	332	2.81	<1	0.10	<10	1.57	371	<2	0.05	43	1464	<2	1.90	<5	3	130	<5	0.13	<10	<10	73	<10	16	7
100277	0.2	2.08	<5	25	<0.5	<5	5.26	1	26	83	459	4.34	2	0.13	<10	2.37	474	2	0.03	36	1650	<2	2.14	9	4	95	<5	0.10	<10	<10	95	<10	19	5
100278	7.3	2.08	<5	123	0.7	<5	1.35	3	15	97	80	3.34	3	0.22	<10	0.94	538	7	0.23	27	612	64	0.13	8	6	69	<5	0.19	<10	<10	79	<10	236	9
100279	0.2	1.65	<5	10	0.6	<5	3.40	1	32	117	344	3.96	3	0.04	<10	1.87	352	4	0.05	47	1628	<2	2.19	<5	4	71	<5	0.15	<10	<10	86	<10	16	5
100280	0.4	1.66	<5	20	0.6	<5	3.18	1	29	98	241	3.49	1	0.04	<10	1.92	399	<2	0.06	38	1590	<2	1.78	7	5	105	<5	0.15	<10	17	107	<10	21	6
100281	18.4	1.83	31	361	1.3	<5	1.60	3	33	34	5765	6.89	2	0.30	<10	1.08	360	303	0.27	13	1834	96	0.62	20	6	136	<5	0.22	<10	38	222	<10	171	15
100282	0.5	1.80	<5	17	0.8	<5	2.13	1	23	50	352	3.81	1	0.03	<10	1.63	347	<2	0.06	15	1853	<2	0.80	<5	3	150	<5	0.20	<10	<10	93	<10	20	5
100283	0.4	1.58	<5	22	0.8	<5	2.58	1	36	31	351	4.27	1	0.04	<10	1.54	345	<2	0.05	18	1862	<2	2.00	6	3	119	<5	0.19	<10	<10	97	<10	20	5
100284	0.2	1.87	<5	35	<0.5	<5	4.14	1	31	49	706	4.48	<1	0.12	<10	2.20	474	7	0.05	22	1354	<2	2.39	5	9	124	<5	0.06	11	<10	136	<10	22	5
100285	0.3	2.98	<5	889	1.8	<5	6.00	1	39	216	42	4.63	1	0.66	26	4.74	875	<2	0.06	292	3016	<2	0.08	5	9	460	6	0.23	<10	<10	103	<10	53	14
100286	0.3	2.07	<5	41	<0.5	<5	5.38	1	25	32	578	4.44	<1	0.12	10	2.53	568	<2	0.04	19	1366	<2	2.04	<5	11	181	<5	0.02	<10	<10	141	<10	20	4
100287	8.3	1.52	20	40	<0.5	<5	8.45	2	21	29	660	4.20	4	0.26	<10	1.73	569	11	0.02	12	1214	55	2.30	68	5	390	<5	<0.01	<10	<10	67	<10	31	4
100288	1.0	1.90	5	62	<0.5	<5	4.59	1	30	37	513	4.18	2	0.31	<10	1.94	474	<2	0.04	20	1228	<2	2.23	22	8	210	<5	0.06	<10	<10	96	<10	24	4
100289	0.2	1.78	<5	32	0.7	<5	2.62	1	31	54	474	4.66	1	0.06	<10	1.89	400	<2	0.06	18	1206	<2	2.16	<5	9	148	<5	0.19	<10	<10	119	<10	18	6
100290	0.5	2.00	<5	29	0.9	<5	2.93	1	27	58	511	4.67	2	0.07	<10	2.20	432	<2	0.05	17	1715	<2	1.04	<5	8	142	<5	0.22	<10	<10	153	<10	22	5
100291	0.3	1.88	<5	79	0.5	<5	7.39	1	29	43	328	4.63	2	0.09	<10	2.03	552	2	0.03	18	1215	<2	1.97	5	9	915	5	0.14	<10	<10	127	<10	21	4
100292	0.3	1.79	<5	21	0.6	<5	2.79	1	34	56	367	3.90	<1	0.12	<10	1.85	376	2	0.06	18	1258	<2	1.69	5	6	92	<5	0.17	<10	<10	111	<10	22	4
100293	0.4	1.09	<5	26	0.5	<5	1.81	1	32	25	441	2.49	2	0.15	<10	0.97	189	15	0.06	15	1255	<2	1.40	<5	3	81	<5	0.14	12	<10	58	<10	10	3
100294	0.5	1.67	<5	29	0.9	<5	2.06	1	28	48	183	3.44	1	0.09	<10	1.35	341	<2	0.07	12	1705	<2	0.68	<5	3	156	<5	0.22	<10	<10	124	<10	18	4
100295	0.2	1.32	<5	23	0.6	<5	1.39	1	20	34	61	3.36	2	0.06	<10	1.09	280	8	0.05	8	1684	2	0.30	<5	2	130	<5	0.16	<10	<10	115	<10	15	4
100296	0.2	1.52	<5	23	0.7	<5	2.28	1	19	37	435	3.04	1	0.08	<10	1.40	358	2	0.05	11	1676	<2	0.52	5	3	126	<5	0.16	<10	<10	112	<10	18	4
100297	0.5	1.56	<5	28	0.8	<5	1.45	1	28	33	781	3.18	<1	0.15	<10	1.76	295	6	0.06	19	1999	4	1.44	<5	5	62	<5	0.19	<10	<10	114	<10	18	4
100298	0.4	1.97	<5	37	0.6	<5	3.10	1	24	33	433	3.55	1	0.19	<10	2.02	416	11	0.05	14	1614	<2	0.77	<5	6	135	5	0.13	<10	<10	126	<10	18	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Valterra Resources Corp

Attention: Brian McGrath

Project: Swift Katie/BATCH#16

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2667RJ

Date : Sep-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100275	<0.2	1.00	<5	20	0.6	<5	2.35	<1	23	67	348	1.66	<1	0.07	<10	1.28	290	4	0.07	53	1473	3	1.01	<5	2	58	<5	0.13	<10	<10	65	<10	12	3
100276	<0.2	1.30	<5	28	0.5	<5	4.94	<1	33	90	316	3.02	<1	0.11	<10	1.70	394	<2	0.06	49	1385	2	2.36	<5	3	126	<5	0.10	<10	<10	70	<10	15	4
100277	<0.2	2.02	<5	29	<0.5	<5	5.35	<1	27	85	425	4.45	<1	0.14	<10	2.48	490	2	0.03	36	1565	2	2.45	<5	4	91	<5	0.08	<10	<10	89	<10	20	2
100278	5.8	2.07	<5	141	0.8	<5	1.38	2	16	109	75	3.75	<1	0.24	<10	0.99	595	5	0.23	31	621	82	0.15	6	6	60	<5	0.17	<10	<10	81	<10	278	7
100279	<0.2	1.61	<5	13	0.6	<5	3.48	<1	34	103	330	4.20	<1	0.04	<10	1.87	386	2	0.05	50	1546	3	2.62	<5	4	61	<5	0.12	<10	<10	81	<10	18	3
100280	<0.2	1.58	<5	24	0.5	<5	3.23	<1	31	101	229	3.73	<1	0.04	<10	1.92	435	<2	0.06	43	1491	3	2.13	<5	5	86	<5	0.11	<10	<10	98	<10	21	3
100281	16.3	1.87	28	425	1.5	<5	1.73	1	36	127	5057	7.58	2	0.33	<10	1.17	416	255	0.29	18	1619	135	0.75	16	6	126	<5	0.19	<10	<10	244	<10	198	10
100282	<0.2	1.70	<5	23	0.7	<5	2.07	<1	25	50	325	4.05	<1	0.04	<10	1.62	379	<2	0.06	17	1636	3	0.94	<5	3	112	<5	0.16	<10	<10	87	<10	22	3
100283	<0.2	1.52	<5	27	0.7	<5	2.61	<1	39	35	327	4.60	<1	0.05	<10	1.55	380	2	0.05	19	1699	6	2.36	<5	4	96	<5	0.15	<10	<10	91	<10	23	3
100284	<0.2	1.72	<5	35	<0.5	<5	4.12	<1	32	46	602	4.50	<1	0.12	<10	2.20	474	6	0.05	21	1198	4	2.49	<5	8	111	<5	0.04	<10	<10	121	<10	24	2
100285	<0.2	3.07	<5	925	1.8	<5	6.26	<1	40	228	46	4.80	<1	0.70	24	5.19	889	<2	0.06	299	2645	5	0.08	<5	10	495	<5	0.19	<10	<10	102	<10	54	10
100286	<0.2	2.11	<5	52	<0.5	<5	5.69	<1	27	38	596	4.66	1	0.13	<10	2.77	613	<2	0.05	22	1397	4	2.50	<5	12	192	<5	0.02	<10	<10	153	<10	24	3
100287	6.7	1.59	20	42	<0.5	<5	8.97	1	23	30	662	4.45	1	0.24	<10	1.94	630	10	0.02	14	1223	72	2.68	47	5	429	<5	<0.01	<10	<10	64	<10	37	2
100288	<0.2	1.94	<5	67	<0.5	<5	5.09	<1	33	41	493	4.52	1	0.32	<10	2.13	523	<2	0.04	20	1203	6	2.61	11	8	218	<5	0.05	<10	<10	95	<10	28	2
100289	<0.2	1.78	<5	38	0.7	<5	2.72	<1	36	54	450	5.07	1	0.07	<10	1.92	439	2	0.06	20	1204	6	2.58	<5	9	127	<5	0.15	<10	<10	118	<10	23	3
100290	<0.2	2.03	<5	36	0.9	<5	3.11	<1	30	64	496	5.10	<1	0.08	<10	2.40	479	<2	0.06	19	1671	4	1.27	<5	8	127	<5	0.18	<10	<10	157	<10	27	3
100291	<0.2	1.96	<5	87	0.5	<5	7.82	<1	31	47	317	4.89	<1	0.10	<10	2.25	586	2	0.04	16	1183	3	2.30	<5	10	952	<5	0.11	<10	<10	126	<10	25	2
100292	<0.2	1.86	<5	27	0.7	<5	3.05	<1	39	61	356	4.40	<1	0.14	<10	2.06	431	<2	0.07	18	1232	3	1.98	<5	6	85	<5	0.15	<10	<10	113	<10	23	2
100293	<0.2	1.09	<5	32	0.6	<5	1.96	<1	41	30	428	2.90	<1	0.17	<10	1.08	223	12	0.06	18	1258	3	1.81	<5	3	72	<5	0.12	<10	<10	61	<10	13	2
100294	<0.2	1.44	<5	31	0.7	<5	1.83	<1	30	50	160	3.50	1	0.10	<10	1.34	347	<2	0.07	14	1531	3	0.76	<5	3	94	<5	0.15	<10	<10	117	<10	20	2
100295	<0.2	1.37	<5	30	0.7	<5	1.49	<1	23	32	63	3.89	<1	0.09	<10	1.23	331	9	0.06	9	1654	2	0.39	<5	3	111	<5	0.15	<10	<10	132	<10	19	2
100296	<0.2	1.63	<5	31	0.7	<5	2.53	<1	23	44	423	3.56	<1	0.11	<10	1.59	419	2	0.06	13	1612	3	0.65	<5	4	116	<5	0.16	<10	<10	128	<10	23	2
100297	<0.2	1.56	<5	34	0.8	<5	1.50	<1	34	38	739	3.57	<1	0.16	<10	1.89	334	5	0.06	21	1925	4	1.76	<5	5	51	<5	0.17	<10	<10	126	<10	23	2
100298	<0.2	2.03	<5	42	0.5	<5	3.39	<1	26	39	414	3.98	<1	0.21	<10	2.23	465	9	0.05	14	1576	2	0.93	<5	7	131	<5	0.11	<10	<10	130	<10	21	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2668-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#17**
Attn: **Stuart Fraser**

Sep-11-08

We hereby certify the following assay of 24 core samples submitted Jul-22-08

Sample Name	Au g/tonne	Au-Check g/tonne
100299	0.01	0.02
100300	0.12	
100301	0.02	
100302	0.01	
100303	0.01	
100304	0.01	
100305	0.02	
100306	0.02	
100307	0.73	
100308	0.02	0.02
100309	<0.01	
100310	0.01	
100311	0.03	
100312	0.03	
100313	0.02	
100314	0.01	
100315	<0.01	
100316	0.01	
100317	<0.01	
100318	<0.01	0.01
100319	0.02	
100320	0.01	
100321	0.01	
100322	0.01	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#17

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2668RJ

Date : Sep-11-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100299	<0.2	2.25	<5	44	<0.5	<5	4.66	<1	27	21	366	4.17	<1	0.25	<10	2.33	498	37	0.02	12	1440	2	0.88	<5	6	303	<5	0.01	<10	<10	78	<10	13	2
100300	<0.2	2.30	<5	39	<0.5	<5	5.14	<1	25	19	712	4.35	<1	0.21	<10	2.40	523	<2	0.03	10	1501	3	1.13	<5	6	268	<5	0.02	<10	<10	102	<10	12	2
100301	<0.2	2.30	<5	41	<0.5	<5	5.15	<1	29	17	419	4.43	<1	0.22	<10	2.40	503	3	0.02	10	1426	2	1.22	<5	5	273	<5	0.01	<10	<10	103	<10	13	2
100302	<0.2	1.71	<5	23	0.9	<5	1.64	<1	42	34	544	4.37	<1	0.09	<10	1.78	320	4	0.05	14	1556	4	2.33	<5	5	62	<5	0.16	<10	<10	130	<10	14	2
100303	<0.2	1.38	<5	40	0.8	<5	1.45	<1	36	28	338	3.56	<1	0.10	<10	1.42	267	<2	0.05	24	1347	4	2.32	<5	4	76	<5	0.15	<10	<10	93	<10	10	2
100304	<0.2	1.56	<5	22	0.7	<5	1.67	<1	22	39	168	3.71	<1	0.08	<10	1.64	336	2	0.05	20	1242	3	2.02	<5	4	60	<5	0.14	<10	<10	110	<10	12	2
100305	<0.2	1.43	<5	136	0.8	<5	1.77	<1	37	45	399	4.30	<1	0.18	<10	1.60	320	4	0.05	51	1368	5	3.10	<5	4	69	<5	0.16	<10	<10	67	<10	13	5
100306	<0.2	1.34	<5	23	0.7	<5	1.04	<1	41	57	308	4.15	<1	0.09	<10	1.29	238	<2	0.06	26	1287	5	2.95	<5	3	48	<5	0.15	<10	<10	80	<10	8	2
100307	17.9	1.59	28	376	1.4	<5	1.32	<1	34	6	5346	7.23	2	0.20	<10	0.99	363	249	0.19	10	1627	140	0.67	15	5	106	<5	0.16	<10	<10	250	<10	197	9
100308	<0.2	1.92	<5	17	0.8	<5	1.28	<1	35	31	305	5.05	<1	0.05	<10	1.79	374	3	0.04	17	1564	5	2.04	<5	3	57	<5	0.16	<10	<10	124	<10	14	3
100309	<0.2	1.64	<5	23	0.8	<5	1.72	<1	41	41	274	4.23	1	0.06	<10	1.65	315	<2	0.05	16	1763	4	2.01	<5	4	91	<5	0.16	<10	<10	97	<10	9	3
100310	<0.2	1.66	<5	25	0.9	<5	1.50	<1	32	39	146	4.05	<1	0.07	<10	1.56	333	2	0.04	15	1773	3	1.01	<5	3	93	<5	0.18	<10	<10	110	<10	11	3
100311	<0.2	1.73	<5	26	0.8	<5	2.22	<1	35	40	379	4.07	<1	0.08	<10	1.88	325	3	0.04	17	1707	4	2.09	<5	5	82	<5	0.16	<10	<10	113	<10	8	2
100312	<0.2	1.91	<5	35	0.8	<5	2.24	<1	49	35	751	5.74	<1	0.14	<10	2.25	289	2	0.04	23	1456	7	4.35	<5	6	51	<5	0.15	<10	<10	109	<10	9	3
100313	<0.2	1.71	<5	32	0.7	<5	2.42	<1	31	36	150	4.39	<1	0.10	<10	2.03	326	2	0.04	16	1332	6	3.03	<5	5	57	<5	0.14	<10	<10	100	<10	11	2
100314	<0.2	1.96	<5	52	<0.5	<5	3.89	<1	37	38	151	5.47	<1	0.13	<10	2.12	463	<2	0.03	20	1404	5	3.51	<5	7	220	<5	0.08	<10	<10	100	<10	13	3
100315	<0.2	1.72	<5	30	0.8	<5	1.65	<1	38	44	193	4.78	<1	0.08	<10	1.95	361	<2	0.06	28	1251	5	3.76	<5	6	53	<5	0.16	<10	<10	107	<10	14	3
100316	<0.2	1.57	<5	27	0.7	<5	1.24	<1	38	40	166	4.71	<1	0.06	<10	1.65	315	<2	0.06	24	1108	4	3.81	<5	4	53	<5	0.15	<10	<10	90	<10	13	3
100317	<0.2	1.31	<5	24	0.6	<5	1.45	<1	34	36	200	3.80	<1	0.08	<10	1.42	207	<2	0.06	22	1169	3	3.40	<5	3	44	<5	0.13	<10	<10	71	<10	8	3
100318	<0.2	1.14	<5	24	0.5	<5	1.06	<1	33	32	123	3.68	<1	0.09	<10	1.11	147	<2	0.06	20	1167	3	3.49	<5	2	44	<5	0.12	<10	<10	56	<10	5	3
100319	<0.2	1.37	<5	33	0.6	<5	1.26	<1	33	36	89	4.32	<1	0.11	<10	1.45	163	<2	0.06	19	1273	3	3.93	<5	4	43	<5	0.13	<10	<10	76	<10	7	2
100320	<0.2	1.68	<5	35	0.9	<5	1.32	<1	42	44	206	5.40	<1	0.10	<10	1.86	214	<2	0.06	24	1165	5	4.82	<5	5	41	<5	0.18	<10	<10	99	<10	10	3
100321	<0.2	2.07	<5	12	0.7	<5	2.29	<1	20	47	29	3.79	<1	0.01	<10	2.04	387	<2	0.04	17	1302	2	0.96	<5	4	113	<5	0.13	<10	<10	102	<10	10	2
100322	<0.2	2.08	<5	36	0.6	<5	3.04	<1	24	39	87	4.46	<1	0.08	<10	2.14	392	<2	0.04	15	1351	2	1.79	<5	7	81	<5	0.11	<10	<10	126	<10	12	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#17

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2668RJ

Date : Sep-11-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Z ppm
100299	<0.2	2.56	<5	61	<0.5	<5	5.11	<1	30	25	407	4.67	<1	0.34	<10	2.69	562	42	0.03	13	1450	2	1.00	<5	7	337	<5	0.01	<10	<10	92	<10	
100300	<0.2	2.51	<5	48	<0.5	<5	5.49	<1	27	22	752	4.77	<1	0.27	<10	2.63	569	<2	0.03	11	1417	2	1.23	<5	7	286	<5	0.02	<10	<10	117	<10	
100301	<0.2	2.42	<5	51	<0.5	<5	5.34	<1	32	20	437	4.71	<1	0.27	<10	2.59	551	4	0.03	11	1380	3	1.34	<5	6	287	<5	0.01	<10	<10	114	<10	
100302	<0.2	1.85	<5	29	<0.5	<5	1.87	<1	43	41	560	4.66	<1	0.11	<10	2.05	342	4	0.05	16	1481	2	2.33	<5	6	80	<5	0.18	<10	<10	143	<10	
100303	<0.2	1.51	<5	45	<0.5	<5	1.66	<1	37	33	356	3.77	<1	0.12	<10	1.57	289	<2	0.06	24	1275	2	2.26	<5	5	93	<5	0.16	<10	<10	104	<10	
100304	<0.2	1.79	<5	28	<0.5	<5	2.04	<1	24	47	182	4.22	<1	0.11	<10	1.84	375	3	0.06	21	1219	<2	2.14	<5	6	83	<5	0.16	<10	<10	129	<10	
100305	<0.2	1.58	<5	161	<0.5	<5	2.07	<1	39	55	424	4.74	<1	0.21	<10	1.78	349	4	0.06	55	1319	4	3.14	<5	4	84	<5	0.17	<10	<10	78	<10	
100306	<0.2	1.59	<5	30	<0.5	<5	1.36	<1	44	65	356	4.74	<1	0.11	<10	1.47	284	<2	0.06	28	1275	2	3.05	<5	4	68	<5	0.17	<10	<10	97	<10	
100307	20.5	1.73	31	439	<0.5	<5	1.58	1	38	8	5845	7.89	1	0.22	<10	1.14	422	274	0.21	12	1553	146	0.72	7	6	124	<5	0.17	<10	<10	267	<10	
100308	<0.2	2.17	<5	22	<0.5	<5	1.65	<1	37	38	327	5.70	<1	0.06	<10	2.05	415	3	0.05	19	1528	3	2.15	<5	5	85	<5	0.19	<10	<10	148	<10	
100309	<0.2	1.82	<5	27	<0.5	<5	2.07	<1	42	47	288	4.62	<1	0.07	<10	1.69	341	<2	0.05	18	1678	<2	2.05	<5	5	126	<5	0.18	<10	<10	114	<10	
100310	<0.2	1.83	<5	30	<0.5	<5	1.81	<1	33	45	155	4.34	<1	0.08	<10	1.67	363	3	0.04	15	1657	<2	1.05	<5	3	128	<5	0.21	<10	<10	123	<10	
100311	<0.2	1.85	<5	33	<0.5	<5	2.46	<1	37	48	378	4.31	<1	0.10	<10	2.12	343	4	0.05	18	1602	2	2.08	<5	6	101	<5	0.18	<10	<10	127	<10	
100312	0.3	2.02	<5	43	<0.5	<5	2.36	<1	53	42	810	5.89	<1	0.17	<10	2.46	322	3	0.05	26	1402	5	4.36	<5	7	64	<5	0.17	<10	<10	124	<10	
100313	<0.2	1.87	<5	40	<0.5	<5	2.70	<1	34	47	161	4.77	<1	0.13	<10	2.28	359	2	0.05	18	1299	2	3.15	<5	7	71	<5	0.16	<10	<10	118	<10	
100314	0.2	2.12	5	63	<0.5	<5	4.19	<1	41	42	160	5.97	<1	0.16	<10	2.33	507	<2	0.03	22	1295	3	3.68	<5	8	242	<5	0.09	<10	<10	117	<10	
100315	<0.2	1.84	<5	35	<0.5	<5	1.87	<1	39	51	196	5.07	<1	0.10	<10	2.07	378	<2	0.06	29	1153	2	3.67	<5	7	64	<5	0.18	<10	<10	118	<10	
100316	<0.2	1.74	<5	33	<0.5	<5	1.50	<1	39	49	171	5.09	<1	0.07	<10	1.82	334	<2	0.06	25	1082	2	3.72	<5	5	69	<5	0.17	<10	<10	103	<10	
100317	<0.2	1.55	<5	33	<0.5	<5	1.82	<1	39	47	239	4.36	<1	0.10	<10	1.63	255	<2	0.07	24	1196	2	3.60	<5	5	63	<5	0.15	<10	<10	90	<10	
100318	<0.2	1.36	<5	33	<0.5	<5	1.36	<1	35	42	139	4.12	<1	0.10	<10	1.26	174	<2	0.07	21	1163	2	3.63	<5	3	61	<5	0.14	<10	<10	72	<10	
100319	<0.2	1.52	<5	41	<0.5	<5	1.40	<1	36	45	95	4.59	<1	0.13	<10	1.59	183	<2	0.06	21	1198	2	3.94	<5	5	57	<5	0.14	<10	<10	90	<10	
100320	<0.2	1.85	<5	44	<0.5	<5	1.55	<1	44	53	214	5.74	<1	0.12	<10	2.15	230	<2	0.06	26	1128	3	4.70	<5	6	55	<5	0.20	<10	<10	115	<10	
100321	<0.2	2.32	<5	14	<0.5	<5	2.73	<1	22	56	31	4.27	<1	0.02	<10	2.26	423	<2	0.04	18	1262	<2	1.05	<5	6	155	<5	0.14	<10	<10	119	<10	
100322	<0.2	2.22	<5	42	<0.5	<5	3.36	<1	24	46	89	4.83	<1	0.09	<10	2.45	409	<2	0.05	16	1264	<2	1.76	<5	8	93	<5	0.12	<10	<10	137	<10	

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2669-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#18**
Attn: **Stuart Fraser**

Sep-09-08

We hereby certify the following assay of 24 core samples submitted Jul-22-08

Sample Name	Au g/tonne	Au-Check g/tonne
100323	0.03	0.03
100324	0.02	
100325	<0.01	
100326	0.01	
100327	<0.01	
100328	0.01	
100329	0.14	
100330	0.01	
100331	0.02	
100332	0.02	0.01
100333	0.01	
100334	0.01	
100335	0.03	
100336	0.03	
100337	0.02	
100338	0.02	
100339	0.01	
100340	0.01	
100341	0.02	
100342	0.01	0.02
100343	0.03	
100344	0.01	
100345	0.01	
100346	0.01	
*0218	0.90	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#18

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2669RJ

Date : Sep-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100323	<0.2	1.76	<5	45	0.6	<5	1.64	<1	45	47	153	6.73	<1	0.13	<10	1.92	222	<2	0.06	20	1307	7	>5.00	<5	6	56	<5	0.15	<10	<10	99	<10	19	4
100324	<0.2	1.72	<5	36	0.6	<5	2.86	<1	31	41	95	4.41	<1	0.10	<10	2.05	306	<2	0.06	18	1264	3	3.06	<5	6	75	<5	0.14	<10	<10	115	<10	14	3
100325	<0.2	1.58	<5	29	0.6	<5	1.12	<1	46	72	205	6.20	<1	0.06	<10	1.64	234	<2	0.07	27	1256	6	>5.00	<5	3	50	<5	0.17	<10	<10	81	<10	17	4
100326	6.7	2.13	<5	143	0.9	<5	1.38	2	17	106	78	3.84	<1	0.23	<10	0.99	598	5	0.23	30	635	92	0.19	7	7	62	<5	0.18	<10	<10	85	<10	311	8
100327	<0.2	1.71	<5	44	0.7	<5	1.42	<1	35	61	117	4.68	<1	0.15	<10	1.65	241	<2	0.09	17	1282	4	3.14	<5	4	58	<5	0.16	<10	<10	103	<10	17	3
100328	<0.2	1.54	<5	35	0.7	<5	1.53	<1	27	45	52	3.95	1	0.12	<10	1.62	240	<2	0.09	15	1324	5	2.46	<5	6	65	<5	0.15	<10	<10	108	<10	21	2
100329	<0.2	2.49	39	198	0.6	<5	4.59	1	26	69	1079	5.63	1	0.62	<10	1.99	901	11	0.17	30	1389	19	1.61	<5	11	147	<5	0.04	<10	<10	160	<10	122	6
100330	<0.2	2.11	<5	130	1.0	<5	2.10	<1	23	29	31	5.18	<1	0.36	11	1.71	562	<2	0.12	4	2869	5	0.99	<5	4	118	<5	0.23	<10	<10	92	<10	64	6
100331	<0.2	1.39	<5	40	0.6	<5	1.59	<1	32	54	74	4.18	<1	0.10	<10	0.99	205	<2	0.13	17	1319	6	2.63	<5	4	310	<5	0.15	<10	<10	94	<10	16	3
100332	<0.2	1.92	<5	522	2.1	<5	1.03	<1	44	160	45	4.92	<1	1.55	28	3.67	610	<2	0.07	210	2132	11	0.04	<5	3	64	8	0.31	<10	<10	101	<10	61	14
100333	<0.2	2.10	<5	557	1.8	<5	1.86	<1	42	158	51	4.63	<1	1.46	22	3.26	596	4	0.09	182	2011	9	0.41	<5	5	98	6	0.27	<10	<10	108	<10	52	11
100334	<0.2	1.97	<5	391	1.1	<5	1.76	<1	22	23	7	5.47	<1	0.82	15	1.81	550	<2	0.10	1	3409	6	0.21	<5	6	60	<5	0.26	<10	<10	105	<10	74	5
100335	<0.2	1.50	<5	38	0.6	<5	1.94	<1	43	68	87	4.63	<1	0.08	<10	1.34	275	<2	0.10	21	1416	6	2.96	<5	4	100	<5	0.13	<10	<10	84	<10	20	3
100336	<0.2	1.67	7	62	0.5	<5	2.67	<1	36	45	135	5.98	<1	0.24	<10	1.47	306	<2	0.10	19	1459	6	4.69	<5	5	75	<5	0.09	<10	<10	93	<10	20	4
100337	<0.2	1.92	<5	24	0.5	<5	3.35	<1	21	40	34	4.40	<1	0.04	<10	2.01	462	<2	0.06	19	1554	3	1.64	<5	5	113	<5	0.12	<10	<10	112	<10	21	3
100338	<0.2	1.46	<5	36	0.5	<5	2.86	<1	43	64	93	4.89	<1	0.05	<10	1.53	353	<2	0.05	28	1512	4	3.40	<5	4	106	<5	0.12	<10	<10	77	<10	15	3
100339	<0.2	1.20	<5	56	0.6	<5	1.67	<1	49	57	206	4.56	<1	0.06	<10	1.18	294	<2	0.07	20	1301	5	3.79	<5	4	75	<5	0.13	<10	<10	67	<10	15	3
100340	<0.2	0.98	<5	29	0.5	<5	1.42	<1	35	35	82	3.87	<1	0.07	<10	0.91	231	<2	0.07	20	1300	3	3.33	<5	3	55	<5	0.12	<10	<10	53	<10	14	3
100341	<0.2	1.39	<5	29	0.6	<5	1.95	<1	30	57	67	3.70	<1	0.05	<10	1.35	335	<2	0.07	17	1244	3	2.34	<5	4	82	<5	0.14	<10	<10	75	<10	17	3
100342	<0.2	0.99	<5	25	0.5	<5	1.46	<1	23	40	33	2.99	<1	0.05	<10	0.91	227	<2	0.07	13	1243	2	2.24	<5	2	61	<5	0.12	<10	<10	62	<10	12	3
100343	<0.2	1.45	<5	39	0.5	<5	1.13	<1	35	36	79	4.63	<1	0.10	<10	1.39	297	<2	0.06	14	1202	4	3.41	<5	3	62	<5	0.13	<10	<10	64	<10	20	3
100344	<0.2	1.47	<5	37	0.6	<5	1.81	<1	28	44	61	4.04	<1	0.10	<10	1.53	310	<2	0.07	14	1175	3	2.72	<5	4	68	<5	0.13	<10	<10	74	<10	17	3
100345	<0.2	1.29	5	43	0.6	<5	1.78	<1	26	34	79	3.88	<1	0.07	<10	1.29	272	<2	0.06	14	1142	3	2.64	<5	3	72	<5	0.13	<10	<10	90	<10	15	3
100346	<0.2	1.92	<5	96	0.5	<5	2.63	<1	23	38	45	4.64	1	0.07	<10	1.83	391	<2	0.06	11	1144	3	1.82	<5	10	115	<5	0.12	<10	<10	113	<10	21	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2670-RA1

Company: **Valterra Resource Corp**
Project: **Swift katie/Batch#19**
Attn: **Stuart Fraser**

Sep-09-08

We hereby certify the following assay of 24 core samples submitted Jul-22-08

Sample Name	Au g/tonne	Au-Check g/tonne
100347	0.01	<0.01
100348	0.01	
100349	0.03	
100350	0.02	
100351	0.02	
100352	0.02	
100353	0.03	
100354	0.02	
100355	0.01	
100356	0.03	0.01
100357	0.01	
100358	0.25	
100359	0.02	
100360	0.01	
100361	0.01	
100362	0.02	
100363	0.02	
100364	<0.01	
100365	0.01	
100366	0.01	<0.01
100367	0.01	
100368	0.01	
100369	0.03	
100370	0.03	
*0218	0.91	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift katie/Batch#19

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2670RJ

Date : Sep-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100347	0.4	1.88	6	53	<0.5	<5	5.09	<1	31	15	63	4.83	<1	0.14	<10	1.95	412	<2	0.04	8	1847	3	2.72	<5	6	187	<5	0.07	<10	<10	104	<10	23	3
100348	<0.2	0.97	5	42	0.6	<5	1.60	<1	27	19	81	3.20	<1	0.11	<10	0.90	153	2	0.06	9	1226	2	2.61	<5	2	55	<5	0.14	<10	<10	54	<10	11	2
100349	0.2	1.07	7	45	0.7	<5	1.41	<1	39	22	103	5.06	<1	0.12	<10	0.95	155	<2	0.06	11	1305	5	4.93	<5	2	52	<5	0.15	<10	<10	60	<10	13	4
100350	0.7	1.24	7	51	0.6	<5	1.36	<1	51	24	119	5.34	<1	0.14	<10	1.23	197	<2	0.06	15	1288	5	>5.00	<5	3	47	<5	0.15	<10	<10	72	<10	16	3
100351	<0.2	1.12	5	45	0.5	<5	1.29	<1	47	25	56	5.79	<1	0.11	<10	1.07	161	<2	0.05	16	1309	5	>5.00	<5	2	45	<5	0.13	<10	<10	57	<10	15	4
100352	<0.2	1.14	6	48	0.6	<5	1.43	<1	45	28	51	5.88	<1	0.12	<10	1.08	167	<2	0.05	16	1303	5	>5.00	<5	2	48	<5	0.14	<10	<10	60	<10	15	4
100353	<0.2	1.28	<5	37	0.7	<5	1.26	<1	28	37	48	3.98	<1	0.07	<10	1.23	193	<2	0.06	12	1488	3	2.57	<5	3	59	<5	0.15	<10	<10	74	<10	17	3
100354	<0.2	1.71	<5	41	0.5	<5	3.59	<1	29	45	51	5.44	2	0.09	<10	1.82	327	<2	0.04	15	1342	2	2.41	<5	5	67	<5	0.12	<10	<10	107	<10	26	3
100355	<0.2	1.41	<5	44	0.5	<5	3.47	<1	28	23	57	3.98	2	0.11	<10	1.42	251	<2	0.05	11	1345	<2	2.09	<5	4	88	<5	0.12	<10	<10	77	<10	15	3
100356	<0.2	1.36	<5	37	0.7	<5	1.23	<1	38	25	141	4.29	1	0.10	<10	1.32	193	<2	0.05	12	1233	3	2.93	<5	3	52	<5	0.15	<10	<10	73	<10	16	3
100357	<0.2	1.61	<5	32	0.8	<5	1.76	<1	37	27	97	4.06	<1	0.08	<10	1.73	254	<2	0.06	11	1298	2	2.59	<5	4	67	<5	0.17	<10	<10	97	<10	16	3
100358	2.9	2.45	54	180	0.9	<5	1.03	2	23	142	3234	5.32	1	0.34	<10	1.08	908	38	0.13	186	777	119	1.00	<5	7	43	<5	0.16	<10	<10	80	<10	426	12
100359	<0.2	1.16	<5	40	0.5	<5	2.39	<1	33	25	78	3.79	<1	0.13	<10	1.32	194	18	0.05	11	1426	2	3.05	<5	4	55	<5	0.11	<10	<10	72	<10	15	2
100360	<0.2	1.03	<5	87	<0.5	<5	1.89	<1	28	15	67	4.72	<1	0.21	<10	0.98	165	6	0.05	2	1476	4	4.11	<5	2	60	<5	0.07	<10	<10	36	<10	19	2
100361	<0.2	1.04	<5	101	<0.5	<5	1.78	<1	21	12	90	4.35	<1	0.20	<10	0.89	145	2	0.05	1	1488	3	3.35	<5	2	80	<5	0.04	<10	<10	28	<10	17	2
100362	<0.2	0.65	<5	53	<0.5	<5	2.36	<1	29	13	54	5.15	<1	0.20	<10	0.65	149	14	0.05	3	1337	5	>5.00	<5	1	172	<5	<0.01	<10	<10	11	<10	12	2
100363	0.2	0.89	<5	86	<0.5	<5	2.85	<1	20	13	35	4.41	<1	0.21	<10	0.91	207	<2	0.03	4	1302	4	4.11	<5	2	246	<5	<0.01	<10	<10	27	<10	16	2
100364	<0.2	1.23	<5	42	0.5	<5	2.72	<1	21	20	14	3.65	<1	0.08	<10	1.46	224	<2	0.05	7	1189	3	2.63	<5	7	130	<5	0.09	<10	<10	97	<10	15	3
100365	<0.2	1.22	<5	37	0.6	<5	1.43	<1	28	33	28	3.79	<1	0.05	<10	1.33	200	<2	0.06	10	1259	3	2.66	<5	5	116	<5	0.12	<10	<10	94	<10	17	3
100366	0.2	1.45	<5	39	0.6	<5	2.28	<1	32	27	79	4.16	<1	0.09	<10	1.66	239	<2	0.06	12	1199	4	2.97	<5	8	119	<5	0.13	<10	<10	109	<10	15	3
100367	<0.2	1.46	<5	125	<0.5	<5	5.23	<1	17	17	41	4.31	<1	0.16	<10	1.69	402	<2	0.03	8	1099	39	3.10	<5	5	632	<5	0.01	<10	<10	65	<10	44	2
100368	<0.2	0.41	6	59	<0.5	<5	3.77	<1	22	10	68	4.44	<1	0.24	<10	0.76	250	<2	0.03	3	1255	29	4.58	<5	1	269	<5	<0.01	<10	<10	7	<10	26	2
100369	0.2	0.42	<5	103	<0.5	<5	2.03	<1	17	9	52	2.89	<1	0.20	<10	0.68	178	11	0.04	2	1300	8	2.59	<5	1	166	<5	<0.01	<10	<10	8	<10	15	2
100370	<0.2	1.25	<5	40	<0.5	<5	3.27	<1	17	17	81	3.40	<1	0.12	<10	1.31	251	<2	0.04	8	1160	3	2.31	<5	6	147	<5	0.02	<10	<10	77	<10	25	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2728-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#20**
Attn: **Stuart Fraser**

Oct-15-08

We hereby certify the following assay of 22 core samples submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100371	0.01	0.02
100372	0.01	
100373	<0.01	
100374	0.02	
100375	0.02	
100376	0.05	
100377	<0.01	
100378	0.01	
100379	0.03	
100380	0.02	0.02
100381	0.02	
100382	0.02	
100383	0.16	
100384	0.02	
100385	0.02	
100386	0.03	
100387	<0.01	
100388	0.03	
100389	0.01	
100390	0.01	0.01
100391	0.05	
100392	0.03	
*0218	0.93	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2728-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#20**
Attn: **Stuart Fraser**

Oct-15-08

We hereby certify the following assay of 3 core samples submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100393	0.04	0.03
100394	0.03	
*0218	0.92	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100371	<0.2	1.44	<5	29	<0.5	<5	3.34	<1	40	43	101	5.07	<1	0.08	<10	1.52	316	<2	0.04	11	1151	20	3.93	<5	9	148	<5	0.05	<10	<10	112	<10	32	3
100372	3.5	0.54	<5	425	<0.5	<5	1.98	<1	6	48	4	1.93	<1	0.24	42	0.38	702	2	0.03	1	1109	36	0.14	<5	1	168	9	<0.01	<10	<10	11	<10	70	6
100373	<0.2	0.39	<5	614	<0.5	<5	2.10	<1	6	40	3	1.90	<1	0.26	46	0.42	803	<2	0.03	1	1198	13	0.11	<5	1	160	9	<0.01	<10	<10	10	<10	30	7
100374	<0.2	1.14	<5	56	1.2	<5	0.25	<1	13	43	419	4.57	<1	0.09	<10	0.45	170	7	0.03	3	1032	12	0.32	<5	12	60	<5	0.24	<10	<10	150	<10	20	5
100375	<0.2	1.12	<5	49	1.1	<5	0.40	<1	12	85	254	3.66	<1	0.09	10	0.62	208	3	0.03	6	807	9	0.34	<5	9	74	<5	0.23	<10	<10	120	<10	22	4
100376	<0.2	1.36	<5	47	1.2	<5	0.52	<1	25	47	747	4.48	1	0.12	<10	0.78	344	2	0.03	7	1521	8	0.94	<5	10	61	<5	0.22	<10	<10	143	<10	26	4
100377	<0.2	2.18	<5	63	0.8	<5	0.24	<1	61	26	1198	4.90	<1	0.15	14	1.37	1599	<2	0.02	13	835	9	<0.01	<5	13	25	<5	0.11	<10	<10	129	<10	81	3
100378	<0.2	1.89	<5	60	0.9	<5	0.27	<1	40	34	1241	4.42	<1	0.09	12	1.56	1027	<2	0.02	13	704	7	<0.01	<5	11	21	<5	0.14	<10	<10	132	<10	72	3
100379	<0.2	1.49	<5	39	0.9	<5	0.57	<1	21	37	998	4.59	<1	0.08	<10	0.90	433	<2	0.04	11	1276	8	<0.01	<5	9	71	<5	0.14	<10	<10	142	<10	45	4
100380	<0.2	1.67	<5	40	0.7	<5	0.69	<1	22	23	920	4.52	<1	0.09	<10	1.20	540	<2	0.04	13	1492	6	0.01	<5	9	79	<5	0.12	<10	<10	154	<10	46	4
100381	<0.2	1.70	<5	34	0.7	<5	0.57	<1	21	27	584	4.44	<1	0.08	<10	1.37	635	<2	0.03	13	1540	6	<0.01	<5	11	51	<5	0.12	<10	<10	163	<10	51	3
100382	<0.2	1.60	<5	42	0.8	<5	0.51	<1	28	14	593	4.96	<1	0.09	<10	1.19	614	<2	0.03	8	1449	6	0.01	<5	13	43	<5	0.13	<10	<10	157	<10	41	3
100383	0.2	1.74	39	199	0.5	<5	4.27	1	24	34	1145	5.30	<1	0.32	<10	1.70	863	11	0.10	27	1361	20	1.45	<5	10	131	<5	0.04	<10	<10	132	<10	115	5
100384	<0.2	1.50	<5	37	0.8	<5	0.37	<1	18	36	759	3.53	<1	0.08	<10	1.29	511	<2	0.04	9	681	5	0.01	<5	10	36	<5	0.14	<10	<10	132	<10	45	2
100385	<0.2	1.53	<5	31	0.8	<5	0.51	<1	20	19	716	3.64	1	0.07	<10	1.25	516	<2	0.03	7	1055	5	0.02	<5	10	55	<5	0.15	<10	<10	150	<10	49	3
100386	<0.2	1.17	<5	26	0.9	<5	0.35	<1	14	27	588	3.64	<1	0.08	<10	0.75	344	<2	0.03	5	1003	5	0.26	<5	6	53	<5	0.17	<10	<10	115	<10	36	5
100387	6.6	1.54	<5	98	0.8	<5	0.98	2	15	49	84	3.32	<1	0.12	<10	0.75	502	5	0.10	26	588	96	0.12	5	5	39	<5	0.15	<10	<10	70	<10	311	7
100388	<0.2	1.44	<5	50	0.8	<5	0.45	<1	20	25	979	4.13	<1	0.09	<10	1.08	510	<2	0.04	7	802	7	0.22	<5	8	67	<5	0.14	<10	<10	123	<10	49	3
100389	<0.2	1.24	5	58	0.7	<5	0.31	<1	14	15	529	4.04	<1	0.13	<10	0.68	500	<2	0.03	4	1236	7	<0.01	<5	3	33	<5	0.11	<10	<10	70	<10	45	4
100390	<0.2	1.86	<5	74	0.9	<5	0.56	<1	26	32	784	5.19	<1	0.14	<10	1.62	824	<2	0.03	11	1492	6	<0.01	<5	8	49	<5	0.15	<10	<10	157	<10	64	4
100391	<0.2	1.96	<5	45	0.6	<5	0.38	<1	25	19	1626	5.01	<1	0.16	<10	1.85	921	<2	0.03	10	1364	7	<0.01	<5	9	18	<5	0.09	<10	<10	160	<10	59	3
100392	<0.2	2.38	<5	172	0.9	<5	0.34	<1	31	56	3559	5.12	<1	0.16	<10	2.20	1813	<2	0.02	18	1189	12	<0.01	<5	11	14	<5	0.12	<10	<10	173	<10	87	3
100393	<0.2	1.75	<5	159	0.6	<5	0.33	<1	20	44	2658	6.26	<1	0.09	<10	1.69	674	14	0.03	15	1003	12	0.12	<5	10	40	<5	0.11	<10	<10	160	35	71	4
100394	<0.2	1.60	<5	71	0.7	<5	0.52	<1	19	39	662	3.57	<1	0.06	<10	1.67	651	<2	0.03	9	951	3	0.08	<5	9	69	<5	0.12	<10	<10	106	<10	42	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2729-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch21**
Attn: **Stuart Fraser**

Sep-12-08

We *hereby certify* the following assay of 22 core samples submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100395	0.04	0.03
100396	0.07	
100397	0.07	
100398	0.02	
100399	0.03	
100400	0.02	
100401	0.24	
100402	0.27	
100403	0.10	
100404	0.08	0.08
100405	0.06	
100406	0.05	
100407	0.06	
100408	0.26	
100409	0.07	
100410	0.13	
100411	0.14	
100412	0.80	
100413	0.29	
100414	0.06	0.05
100415	0.08	
100416	0.53	
*0218	0.91	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2729-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch21**
Attn: **Stuart Fraser**

Sep-12-08

We *hereby certify* the following assay of 2 core samples
submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100417	0.37	0.38
100418	0.21	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch21

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2729RJ

Date : Sep-12-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100395	0.4	2.55	<5	36	1.0	<5	0.97	<1	27	79	452	4.81	<1	0.10	<10	2.47	937	<2	0.05	13	1473	5	0.01	<5	12	121	<5	0.21	<10	<10	173	<10	44	4
100396	0.3	1.89	<5	84	0.8	<5	1.10	1	25	62	1114	3.44	1	0.14	<10	1.64	568	<2	0.05	16	1488	53	0.04	<5	5	178	<5	0.22	<10	<10	116	<10	57	5
100397	<0.2	1.97	<5	58	0.7	<5	0.74	<1	24	38	945	5.09	<1	0.20	<10	1.82	783	<2	0.06	9	1685	5	0.01	<5	8	75	<5	0.15	<10	<10	139	<10	45	4
100398	<0.2	2.60	<5	119	0.7	<5	0.62	<1	32	61	886	6.36	<1	0.43	<10	2.30	1183	<2	0.07	21	1619	9	0.01	<5	11	57	<5	0.12	<10	<10	168	<10	57	4
100399	<0.2	2.62	<5	47	1.2	<5	1.06	<1	32	45	435	6.38	<1	0.14	14	2.61	1175	<2	0.06	16	2226	3	0.01	<5	6	87	<5	0.28	<10	<10	131	<10	78	11
100400	<0.2	1.54	<5	76	0.9	<5	0.78	<1	25	37	249	4.79	<1	0.21	<10	1.14	977	<2	0.07	5	1504	5	<0.01	<5	4	77	<5	0.20	<10	<10	90	<10	69	6
100401	0.4	2.09	<5	48	0.6	<5	2.53	<1	25	44	2331	5.78	<1	0.24	<10	2.27	846	<2	0.04	12	1320	8	0.63	<5	10	96	<5	0.12	<10	<10	158	<10	47	4
100402	0.2	1.71	<5	49	0.7	<5	1.48	<1	24	62	1593	5.44	<1	0.17	<10	1.62	753	<2	0.05	8	1358	9	0.21	<5	6	98	<5	0.17	<10	<10	176	<10	51	4
100403	0.2	1.95	<5	63	0.6	<5	0.45	<1	29	34	1700	6.88	<1	0.20	<10	2.01	960	<2	0.05	8	1366	8	0.01	<5	9	32	<5	0.12	<10	<10	175	<10	82	5
100404	<0.2	1.86	<5	56	0.7	<5	1.51	<1	27	50	1032	5.88	<1	0.21	<10	1.70	846	<2	0.06	8	1375	6	0.15	<5	7	124	<5	0.16	<10	<10	172	<10	65	5
100405	<0.2	1.86	<5	38	0.7	<5	1.39	2	26	27	1033	5.16	1	0.17	<10	1.69	743	<2	0.05	8	1187	<2	0.12	<5	7	137	5	0.17	<10	<10	169	<10	58	6
100406	<0.2	1.52	<5	59	0.8	<5	1.83	<1	21	33	396	4.78	<1	0.21	<10	1.12	1074	<2	0.06	6	1532	3	0.11	<5	4	89	<5	0.18	<10	<10	95	<10	78	5
100407	<0.2	1.50	<5	50	0.9	<5	0.93	<1	22	27	884	4.90	<1	0.15	<10	1.16	1157	<2	0.06	7	1567	4	<0.01	<5	4	95	<5	0.19	<10	<10	97	<10	94	6
100408	0.2	1.97	<5	47	1.0	<5	1.29	<1	41	69	2703	6.15	<1	0.12	<10	1.97	999	<2	0.06	16	1507	11	0.28	<5	6	147	<5	0.25	<10	<10	166	<10	83	5
100409	0.3	1.54	<5	46	0.9	<5	1.87	<1	29	31	865	5.06	<1	0.14	<10	1.33	711	<2	0.06	11	1640	4	0.42	<5	3	157	<5	0.24	<10	<10	164	<10	49	5
100410	0.3	2.06	<5	53	0.9	<5	1.02	<1	29	46	1507	5.25	<1	0.18	<10	1.79	796	<2	0.07	13	1307	7	0.09	<5	6	120	<5	0.22	<10	<10	182	<10	66	5
100411	0.5	2.32	<5	57	1.0	<5	1.04	<1	32	37	1045	5.70	<1	0.09	<10	2.23	978	<2	0.05	14	1454	5	0.08	<5	10	130	<5	0.21	<10	<10	179	<10	73	5
100412	19.8	1.67	35	439	1.6	<5	1.70	1	39	8	5683	8.49	1	0.19	<10	1.07	411	319	0.18	11	1994	146	0.72	13	6	122	<5	0.22	<10	<10	274	<10	214	13
100413	<0.2	2.37	<5	48	1.0	<5	1.88	<1	31	46	975	5.99	<1	0.09	<10	2.24	1124	<2	0.04	17	1464	5	0.03	<5	8	229	<5	0.23	<10	<10	187	<10	88	5
100414	0.2	2.59	<5	48	0.8	<5	2.14	<1	33	27	1513	6.32	<1	0.14	<10	2.92	1324	<2	0.04	16	1457	6	0.25	<5	12	64	<5	0.15	<10	<10	201	<10	89	5
100415	0.5	2.97	<5	48	0.7	<5	0.46	2	41	85	3176	5.68	<1	0.23	11	3.07	1047	<2	0.05	22	1620	<2	0.04	<5	13	24	<5	0.12	<10	<10	162	<10	91	5
100416	1.1	2.21	<5	39	1.0	<5	0.82	<1	42	48	8526	5.63	<1	0.14	<10	2.51	916	<2	0.06	21	1760	26	0.47	<5	10	43	<5	0.22	<10	<10	184	<10	75	5
100417	0.8	2.18	<5	88	0.6	<5	1.67	<1	25	122	5501	3.83	<1	0.17	10	2.33	740	<2	0.05	27	1363	10	0.39	<5	10	106	<5	0.13	<10	<10	132	<10	40	6
100418	<0.2	1.52	<5	23	0.7	<5	1.94	<1	28	51	3358	2.96	<1	0.09	<10	1.51	501	2	0.06	15	1270	<2	0.97	<5	4	106	<5	0.22	<10	<10	121	<10	11	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2730-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#22**
Attn: **Stuart Fraser**

Sep-12-08

We hereby certify the following assay of 22 core samples submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100419	0.09	0.08
100420	0.08	
100421	0.14	
100422	0.20	
100423	0.20	
100424	0.11	
100425	<0.01	
100426	0.01	
100427	<0.01	
100428	0.32	0.28
100429	0.27	
100430	0.16	
100431	<0.01	
100432	0.44	
100433	0.20	
100434	0.08	
100435	0.10	
100436	0.07	
100437	0.07	
100438	0.09	0.09
100439	0.30	
100440	0.20	
*0218	0.91	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2730-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#22**
Attn: **Stuart Fraser**

Sep-12-08

We *hereby certify* the following assay of 2 core samples submitted Jul-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
100441	0.24	0.28
100442	0.05	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#22

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2730RJ

Date : Sep-12-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100419	0.9	1.35	<5	25	<0.5	<5	3.48	1	23	60	1756	2.44	1	0.10	<10	1.47	610	<2	0.06	15	1240	345	0.91	<5	4	78	<5	0.17	<10	<10	106	<10	264	3
100420	0.9	1.34	<5	24	<0.5	<5	3.52	1	23	59	1737	2.46	<1	0.10	<10	1.48	608	<2	0.06	14	1220	337	0.90	<5	4	80	<5	0.17	<10	<10	107	<10	259	3
100421	0.4	1.53	<5	39	<0.5	<5	2.53	<1	29	38	1884	3.30	<1	0.08	<10	1.55	651	<2	0.06	13	1398	49	0.92	<5	4	121	<5	0.15	<10	<10	101	<10	85	5
100422	0.8	1.31	<5	29	<0.5	<5	3.17	<1	26	38	2389	2.90	<1	0.10	<10	1.37	623	2	0.06	11	977	22	0.88	<5	3	107	<5	0.15	<10	<10	96	<10	50	3
100423	0.8	2.00	<5	32	<0.5	<5	5.00	<1	39	21	2978	5.60	<1	0.13	<10	2.27	906	<2	0.04	14	1423	19	1.48	<5	6	123	<5	0.18	<10	<10	200	<10	63	3
100424	0.7	1.88	6	27	<0.5	<5	3.51	<1	43	30	3434	4.92	1	0.08	<10	2.13	747	<2	0.04	15	1891	22	2.09	<5	4	132	<5	0.20	<10	<10	144	<10	58	3
100425	0.2	1.79	<5	37	<0.5	<5	3.99	<1	38	45	1576	5.05	<1	0.14	<10	1.90	986	2	0.04	12	1441	16	1.67	<5	4	125	<5	0.15	<10	<10	132	<10	79	4
100426	<0.2	1.90	<5	80	<0.5	<5	3.78	<1	26	30	90	4.72	<1	0.23	<10	1.71	1235	<2	0.04	8	1705	51	0.02	<5	4	159	<5	0.17	<10	<10	120	<10	101	14
100427	0.6	1.94	<5	49	<0.5	<5	4.53	<1	25	50	99	4.68	<1	0.17	<10	1.80	1227	<2	0.04	8	1623	2	0.07	<5	4	209	<5	0.14	<10	<10	112	<10	84	8
100428	0.4	2.42	<5	61	<0.5	<5	5.60	<1	23	26	643	6.02	1	0.27	<10	2.49	957	<2	0.03	12	1386	8	0.92	<5	8	259	<5	0.06	<10	<10	130	<10	61	3
100429	0.3	1.72	<5	42	<0.5	<5	3.23	<1	44	46	3049	4.83	<1	0.11	<10	1.89	674	<2	0.04	16	1379	20	1.71	<5	7	143	<5	0.15	<10	<10	134	<10	44	3
100430	0.4	1.73	<5	33	<0.5	<5	6.38	<1	27	45	2456	4.07	<1	0.12	<10	1.89	890	<2	0.04	11	1228	12	1.28	<5	9	412	<5	0.11	<10	<10	125	<10	42	2
100431	5.8	1.77	<5	115	<0.5	<5	1.12	2	18	53	93	3.61	<1	0.15	<10	0.90	572	4	0.12	29	619	76	0.12	5	6	42	<5	0.17	<10	<10	80	<10	264	7
100432	0.7	2.12	<5	42	<0.5	<5	3.39	<1	31	37	3472	5.01	<1	0.15	<10	2.42	612	<2	0.04	12	1285	21	2.12	<5	9	150	<5	0.13	<10	<10	155	<10	50	3
100433	0.2	1.82	<5	34	<0.5	<5	3.26	<1	37	58	1990	4.63	<1	0.10	<10	2.00	565	<2	0.05	15	1314	12	2.14	<5	5	126	<5	0.17	<10	<10	124	<10	40	3
100434	0.4	2.16	<5	59	<0.5	<5	3.69	<1	29	28	1673	5.28	1	0.15	<10	2.30	716	<2	0.05	10	1433	13	1.43	<5	8	169	<5	0.15	<10	<10	182	<10	61	3
100435	0.9	2.00	<5	86	<0.5	<5	6.76	<1	21	26	2763	5.31	<1	0.22	<10	2.06	1018	<2	0.04	8	1331	20	2.58	<5	7	276	<5	0.06	<10	<10	131	<10	79	2
100436	1.1	1.95	32	68	<0.5	<5	8.00	15	22	16	1862	5.61	2	0.23	<10	2.07	2082	<2	0.02	10	1540	187	4.12	<5	6	275	<5	0.06	<10	<10	130	21	2979	3
100437	2.9	1.72	33	89	<0.5	7	7.78	3	29	39	2074	6.92	<1	0.41	<10	1.87	2150	<2	0.02	14	1500	514	>5.00	<5	5	333	<5	<0.01	<10	<10	79	<10	763	3
100438	1.7	1.15	46	60	<0.5	<5	7.40	2	25	17	1023	5.76	<1	0.33	<10	2.00	2056	<2	0.01	11	1398	68	>5.00	49	4	267	<5	0.01	<10	<10	52	<10	527	2
100439	3.2	1.75	49	113	<0.5	<5	0.79	2	22	99	2829	4.46	<1	0.15	<10	0.94	811	30	0.07	166	710	115	0.94	<5	5	28	<5	0.13	<10	<10	69	<10	414	9
100440	0.9	0.96	227	74	<0.5	<5	6.04	4	25	26	1615	4.60	<1	0.48	<10	2.13	975	<2	0.03	12	1131	20	1.98	209	5	375	<5	<0.01	<10	<10	31	<10	112	2
100441	0.8	1.20	59	72	<0.5	<5	5.36	1	20	19	865	4.26	1	0.29	<10	1.74	669	<2	0.03	11	1235	8	1.40	234	4	323	6	<0.01	<10	<10	50	<10	110	3
100442	<0.2	2.30	10	171	0.6	<5	3.82	1	26	49	1010	5.15	1	0.12	11	2.28	742	<2	0.05	24	1967	<2	0.83	5	7	181	<5	0.13	<10	<10	119	<10	77	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2806-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#23**
Attn: **Stuart Fraser**

Sep-19-08

We hereby certify the following assay of 22 drill core samples submitted Aug-14-08

Sample Name	Au g/tonne	Au-Check g/tonne
100443	<0.01	0.02
100444	0.06	
100445	0.05	
100446	0.06	
100447	0.05	
100448	0.03	
100449	0.01	
100450	0.84	
100451	0.03	
100452	<0.01	0.01
100453	<0.01	
100454	<0.01	
100455	<0.01	
100456	0.01	
100457	<0.01	
100458	0.01	
100459	0.01	
100460	<0.01	
100461	0.03	
100462	0.02	0.02
100463	0.03	
100464	0.03	
*0218	0.92	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2806-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#23**
Attn: **Stuart Fraser**

Sep-19-08

We hereby certify the following assay of 3 drill core samples submitted Aug-14-08

Sample Name	Au g/tonne	Au-Check g/tonne
100465	0.02	0.03
100466	0.02	
100467	0.02	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#23

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2806RJ

Date : Sep-19-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100443	<0.2	2.41	21	39	1.5	<5	3.28	<1	33	103	<1	6.07	<1	0.04	11	2.80	1001	<2	0.04	46	2313	12	0.19	6	10	114	<5	0.33	<10	<10	127	<10	145	14
100444	0.2	2.26	13	26	1.0	<5	4.50	2	40	34	1080	4.48	1	0.06	<10	2.40	601	<2	0.05	15	1819	23	1.30	<5	7	167	6	0.26	<10	<10	167	<10	81	5
100445	<0.2	2.02	<5	31	1.0	<5	3.75	<1	36	55	815	4.61	<1	0.06	<10	2.31	645	<2	0.05	24	2072	9	0.70	<5	6	134	<5	0.26	<10	<10	144	<10	67	7
100446	<0.2	1.90	<5	32	0.8	<5	2.84	<1	53	39	1368	5.00	<1	0.07	<10	1.95	503	<2	0.05	21	1688	8	1.75	<5	4	115	<5	0.23	<10	<10	148	<10	42	4
100447	0.2	1.53	6	23	0.5	<5	2.94	<1	41	43	796	4.35	<1	0.05	<10	1.80	450	<2	0.04	15	1726	6	1.87	<5	5	82	<5	0.15	<10	<10	124	<10	49	4
100448	<0.2	1.45	<5	18	0.6	<5	2.21	<1	20	38	133	3.34	<1	0.05	<10	1.36	359	<2	0.05	10	1451	<2	0.29	<5	4	113	<5	0.15	<10	<10	126	<10	33	3
100449	<0.2	1.07	<5	17	0.5	<5	2.78	<1	16	36	131	2.70	<1	0.05	<10	1.16	317	<2	0.05	9	1368	<2	0.71	<5	3	72	<5	0.14	<10	<10	109	<10	23	3
100450	19.1	1.47	34	359	1.3	<5	1.49	1	36	7	5411	8.04	1	0.17	<10	1.01	379	308	0.17	10	1888	139	0.70	14	5	102	<5	0.17	<10	<10	248	<10	201	10
100451	<0.2	1.75	<5	22	<0.5	<5	4.15	<1	18	23	110	3.56	<1	0.09	<10	1.80	482	<2	0.04	10	1290	<2	0.36	<5	6	82	<5	0.10	<10	<10	132	<10	41	3
100452	<0.2	1.15	6	13	0.5	<5	2.84	<1	18	42	53	1.72	<1	0.04	<10	1.12	303	<2	0.05	12	1676	<2	0.19	<5	2	98	<5	0.12	<10	<10	81	<10	25	3
100453	<0.2	1.32	5	17	0.6	<5	2.11	1	15	44	223	1.56	<1	0.09	<10	1.08	256	<2	0.08	10	1310	<2	0.24	<5	3	110	<5	0.16	<10	<10	86	<10	28	7
100454	<0.2	1.01	<5	19	0.5	<5	2.00	<1	13	36	94	1.36	<1	0.07	<10	0.87	226	<2	0.06	7	1418	<2	0.20	<5	2	76	<5	0.12	<10	<10	70	<10	22	3
100455	<0.2	0.93	<5	18	0.5	<5	2.71	<1	12	28	97	1.15	<1	0.05	<10	0.82	235	<2	0.06	8	1259	<2	0.11	<5	3	89	<5	0.13	<10	<10	69	<10	17	4
100456	<0.2	0.97	<5	24	0.5	<5	3.19	<1	12	35	132	1.30	<1	0.06	<10	0.91	280	<2	0.05	6	1128	<2	0.12	<5	3	103	<5	0.13	<10	<10	66	<10	15	4
100457	<0.2	1.51	<5	50	0.8	<5	1.92	<1	20	40	135	3.25	<1	0.12	<10	1.01	345	<2	0.06	7	1585	<2	0.36	<5	3	169	<5	0.22	<10	<10	109	<10	21	3
100458	<0.2	1.46	<5	75	0.6	<5	1.81	<1	25	34	43	3.92	<1	0.16	<10	1.30	410	<2	0.05	9	1466	<2	1.16	<5	3	113	<5	0.16	<10	<10	90	<10	25	3
100459	<0.2	1.68	<5	66	0.8	<5	2.17	<1	24	34	61	3.63	<1	0.13	<10	1.37	493	<2	0.06	9	1540	<2	0.22	<5	3	169	<5	0.20	<10	<10	107	<10	32	4
100460	<0.2	1.44	<5	44	0.8	<5	1.85	<1	31	39	63	3.93	<1	0.08	<10	1.37	513	<2	0.05	11	1791	<2	0.52	<5	3	123	<5	0.23	<10	<10	124	<10	38	4
100461	<0.2	1.46	<5	40	0.8	<5	1.87	<1	34	36	57	4.29	<1	0.09	<10	1.34	516	<2	0.05	10	1821	<2	0.57	<5	2	117	<5	0.21	<10	<10	129	<10	38	4
100462	<0.2	1.25	<5	50	0.7	<5	1.82	<1	21	24	87	4.53	<1	0.11	<10	1.02	481	<2	0.04	8	1813	<2	0.12	<5	2	108	<5	0.18	<10	<10	157	<10	36	3
100463	<0.2	1.44	<5	30	0.7	<5	1.52	2	22	20	317	4.26	<1	0.08	<10	1.13	448	<2	0.05	8	1931	<2	0.13	<5	2	166	<5	0.20	<10	<10	151	<10	36	5
100464	<0.2	1.25	<5	32	0.6	<5	2.92	<1	19	30	96	4.14	<1	0.06	<10	0.84	467	<2	0.04	6	1771	<2	0.26	<5	2	206	<5	0.15	<10	<10	132	<10	29	3
100465	<0.2	1.62	<5	26	0.6	<5	2.22	1	19	22	213	3.47	1	0.06	<10	1.18	481	<2	0.04	7	1605	21	0.17	<5	3	254	<5	0.19	<10	<10	122	<10	34	5
100466	<0.2	1.94	<5	24	0.6	<5	2.10	1	20	26	149	4.25	1	0.05	<10	1.64	607	<2	0.04	10	1731	<2	0.15	<5	3	227	<5	0.20	<10	<10	135	<10	47	5
100467	<0.2	1.36	<5	39	0.6	<5	1.97	1	17	18	175	4.50	<1	0.11	<10	1.02	431	<2	0.05	8	1766	<2	0.22	<5	2	172	<5	0.20	<10	<10	154	<10	30	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2807-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#24**
Attn: **Stuart Fraser**

Sep-19-08

We hereby certify the following assay of 22 drill core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100468	0.04	0.03
100469	0.03	
100470	0.03	
100471	0.06	
100472	0.07	
100473	0.01	
100474	0.03	
100475	0.01	
100476	0.01	
100477	0.06	0.04
100478	0.02	
100479	0.02	
100480	0.05	
100481	0.04	
100482	0.04	
100483	0.02	
100484	0.03	
100485	0.04	
100486	0.03	
100487	0.11	0.12
100488	0.02	
100489	0.04	
*0218	0.91	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2807-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#24**
Attn: **Stuart Fraser**

Sep-19-08

We *hereby certify* the following assay of 3 core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100490	0.11	0.12
100491	<0.01	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#24

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2807RJ

Date : Sep-19-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100468	<0.2	1.31	<5	51	0.5	<5	1.67	1	18	37	198	4.45	1	0.12	<10	1.06	437	<2	0.05	9	1732	<2	0.10	<5	2	130	<5	0.19	<10	<10	159	<10	32	5
100469	<0.2	1.49	<5	51	0.5	<5	2.05	1	19	70	495	4.48	1	0.12	<10	1.19	499	<2	0.05	9	1679	<2	0.08	<5	3	168	<5	0.19	<10	<10	164	<10	35	5
100470	<0.2	1.39	<5	42	0.5	<5	1.98	1	30	25	205	5.17	1	0.12	<10	1.24	533	<2	0.05	9	1788	<2	1.65	<5	3	119	<5	0.18	<10	<10	146	<10	37	5
100471	<0.2	1.30	<5	43	0.5	<5	1.77	1	22	43	553	4.86	1	0.12	<10	1.08	495	<2	0.05	10	1885	<2	0.34	<5	2	137	<5	0.19	<10	<10	166	<10	38	5
100472	<0.2	1.52	<5	37	0.5	<5	3.25	1	23	27	380	4.46	1	0.09	<10	1.25	628	<2	0.05	8	1752	<2	0.19	<5	3	200	<5	0.17	<10	<10	154	<10	39	5
100473	<0.2	2.56	5	960	1.1	<5	1.77	1	35	147	15	3.76	1	1.02	18	3.81	596	<2	0.07	238	2885	<2	0.06	<5	2	249	5	0.32	<10	<10	80	<10	53	20
100474	<0.2	1.44	<5	55	0.6	<5	1.57	1	22	20	276	5.04	1	0.14	<10	1.18	471	<2	0.05	10	2204	<2	0.29	<5	2	151	<5	0.20	<10	<10	173	<10	35	5
100475	7.7	1.63	6	92	0.6	<5	0.95	3	13	46	39	3.20	<1	0.14	<10	0.78	471	5	0.11	26	588	88	0.11	7	4	46	<5	0.16	<10	<10	68	<10	281	8
100476	<0.2	1.33	<5	53	0.5	<5	1.44	1	20	46	111	4.87	<1	0.12	<10	0.99	438	<2	0.05	10	1865	<2	0.08	<5	2	164	<5	0.19	<10	<10	166	<10	32	5
100477	<0.2	1.24	<5	35	0.5	<5	1.68	1	17	30	569	4.28	1	0.09	<10	0.94	422	<2	0.05	17	1914	<2	0.17	<5	1	151	<5	0.17	<10	<10	133	<10	28	5
100478	<0.2	1.28	<5	37	<0.5	<5	1.57	1	19	42	219	4.38	1	0.09	<10	0.95	457	<2	0.05	8	1930	<2	0.03	<5	1	144	5	0.17	<10	<10	130	<10	30	5
100479	<0.2	1.39	<5	34	0.5	<5	2.23	1	20	23	437	3.86	<1	0.10	<10	1.05	481	<2	0.06	8	1939	<2	0.26	<5	2	159	<5	0.18	<10	<10	132	<10	34	4
100480	0.2	1.26	<5	34	<0.5	<5	1.71	1	19	56	787	3.87	1	0.09	<10	1.01	457	<2	0.05	10	1682	<2	0.11	<5	2	145	<5	0.17	<10	<10	134	<10	30	4
100481	<0.2	1.58	<5	35	0.5	<5	2.39	1	22	52	413	4.35	<1	0.10	<10	1.47	589	<2	0.04	13	1708	<2	0.30	<5	4	142	<5	0.16	<10	<10	152	<10	42	5
100482	<0.2	1.32	<5	42	<0.5	<5	1.64	1	25	37	305	4.47	<1	0.12	<10	1.02	444	<2	0.05	9	1899	<2	0.45	<5	2	142	<5	0.15	<10	<10	168	<10	33	4
100483	<0.2	1.37	<5	47	<0.5	<5	1.65	1	19	20	416	3.91	<1	0.15	<10	0.97	421	<2	0.05	8	1967	<2	0.11	<5	2	152	<5	0.15	<10	<10	149	<10	31	4
100484	<0.2	1.39	<5	55	<0.5	<5	1.46	<1	25	39	218	3.95	1	0.15	<10	0.86	474	<2	0.06	8	1890	<2	0.17	<5	2	140	<5	0.14	<10	<10	168	<10	44	3
100485	<0.2	1.40	<5	23	<0.5	<5	1.50	1	22	22	420	3.57	<1	0.05	<10	1.08	457	<2	0.05	7	1830	<2	0.45	<5	2	136	<5	0.14	<10	<10	99	<10	32	4
100486	<0.2	1.42	<5	45	<0.5	<5	1.54	<1	24	36	407	4.19	<1	0.12	<10	0.98	536	<2	0.05	7	1904	2	0.08	<5	2	126	<5	0.15	<10	<10	157	<10	47	4
100487	0.6	1.73	40	202	0.5	<5	3.97	3	23	35	1074	5.03	1	0.31	<10	1.73	821	12	0.10	28	1383	12	1.28	6	9	126	<5	0.04	<10	<10	133	<10	97	7
100488	<0.2	1.30	<5	44	0.5	<5	1.74	1	20	27	357	4.50	<1	0.14	<10	0.95	442	<2	0.05	8	2012	<2	0.09	<5	2	144	<5	0.17	<10	<10	160	<10	29	5
100489	<0.2	1.80	<5	39	0.5	<5	2.36	1	28	26	449	5.10	1	0.13	<10	1.57	638	<2	0.05	10	1927	<2	0.32	<5	5	156	<5	0.16	<10	<10	199	<10	43	5
100490	<0.2	1.66	<5	35	0.6	<5	1.57	1	24	28	1866	4.28	1	0.13	<10	1.56	485	<2	0.05	13	2377	<2	0.24	<5	3	122	<5	0.20	<10	<10	190	<10	39	4
100491	1.8	1.47	<5	42	0.7	<5	1.71	1	22	32	183	4.56	1	0.14	<10	0.99	426	<2	0.05	11	2347	<2	0.04	<5	2	165	<5	0.17	<10	<10	190	<10	28	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2808-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#25**
Attn: **Stuart Fraser**

Sep-24-08

We hereby certify the following assay of 22 drill core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100492	0.01	0.02
100493	0.03	
100494	0.01	
100495	0.03	
100496	0.02	
100497	0.01	
100498	0.02	
100499	0.03	
100500	0.02	
100501	0.04	0.04
100502	0.03	
100503	0.03	
100504	0.04	
100505	0.03	
100506	0.05	
100507	0.02	
100508	0.03	
100509	0.31	
100510	0.04	
100511	0.01	<0.01
100512	<0.01	
100513	0.03	
*0211	2.22	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2808-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#25**
Attn: **Stuart Fraser**

Sep-24-08

We hereby certify the following assay of 3 drill core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100514	0.02	0.02
100515	0.05	
*0211	2.15	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#25

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2808RJ

Date : Sep-24-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100492	<0.2	1.58	<5	35	0.6	<5	1.81	1	24	21	516	4.88	1	0.13	<10	1.24	481	<2	0.05	12	2438	<2	0.10	<5	2	144	<5	0.21	<10	<10	192	<10	35	5
100493	<0.2	1.38	<5	30	0.5	<5	2.39	1	24	29	392	4.67	1	0.11	<10	1.10	472	<2	0.04	13	2123	<2	0.22	<5	2	145	5	0.18	<10	<10	166	<10	31	5
100494	<0.2	1.56	<5	36	0.5	<5	2.21	1	24	20	181	5.11	1	0.12	<10	1.24	540	<2	0.04	15	2381	<2	0.02	<5	2	169	<5	0.18	<10	<10	176	<10	34	5
100495	<0.2	1.67	<5	29	0.7	<5	2.26	1	28	71	602	4.89	1	0.09	<10	1.50	597	<2	0.03	16	2205	<2	0.32	<5	3	153	<5	0.27	<10	<10	161	<10	38	6
100496	<0.2	1.68	<5	28	0.7	<5	2.24	1	27	64	391	4.70	1	0.08	<10	1.51	599	<2	0.03	15	2153	<2	0.26	<5	3	152	<5	0.27	<10	<10	158	<10	38	6
100497	<0.2	1.71	<5	25	0.6	<5	2.78	1	26	11	211	5.24	1	0.09	<10	1.48	636	<2	0.03	9	1811	<2	0.05	<5	4	164	<5	0.22	<10	<10	202	<10	37	6
100498	<0.2	1.72	<5	20	0.6	<5	1.91	1	36	10	365	4.45	1	0.07	<10	1.57	603	<2	0.04	10	1948	<2	0.16	<5	3	119	<5	0.24	<10	<10	165	<10	37	5
100499	<0.2	2.31	<5	21	0.7	<5	3.08	2	33	12	733	5.66	1	0.07	<10	2.08	810	<2	0.03	11	1975	<2	0.15	<5	6	202	<5	0.22	<10	<10	189	<10	52	6
100500	<0.2	1.96	<5	42	0.8	<5	2.85	1	19	6	12	5.18	1	0.12	15	1.66	1001	<2	0.04	1	3524	<2	0.14	<5	4	92	<5	0.23	<10	<10	76	<10	82	9
100501	<0.2	2.27	<5	33	0.7	<5	1.83	2	33	10	453	6.17	1	0.09	<10	2.12	715	<2	0.03	11	2081	<2	0.17	<5	5	170	<5	0.23	<10	<10	210	<10	48	6
100502	<0.2	1.89	<5	16	0.6	<5	2.47	1	35	13	480	4.82	1	0.05	<10	1.56	621	<2	0.03	10	1749	<2	0.38	<5	3	188	<5	0.21	<10	<10	152	<10	36	6
100503	<0.2	1.49	<5	28	0.6	<5	2.05	1	27	38	343	5.35	1	0.10	<10	1.37	555	<2	0.04	17	1512	<2	0.21	<5	2	120	<5	0.23	<10	<10	190	<10	36	6
100504	<0.2	1.29	<5	30	0.6	<5	1.88	1	25	12	536	5.21	1	0.11	<10	0.98	465	<2	0.04	8	1906	<2	0.14	<5	2	131	<5	0.23	<10	<10	187	<10	25	6
100505	<0.2	1.43	<5	31	0.6	<5	1.84	1	28	11	290	5.30	1	0.11	<10	1.11	475	<2	0.04	9	1985	<2	0.22	<5	2	151	<5	0.23	<10	<10	191	<10	28	6
100506	1.5	1.56	8	83	0.5	<5	2.27	2	24	14	276	4.66	1	0.08	<10	1.42	556	<2	0.03	12	1510	36	0.48	<5	3	147	<5	0.18	<10	<10	152	<10	93	5
100507	<0.2	1.67	<5	37	0.6	<5	2.62	1	24	11	213	4.80	1	0.17	<10	1.33	531	<2	0.06	8	1801	<2	0.15	<5	3	181	<5	0.20	<10	<10	171	<10	30	5
100508	<0.2	2.34	<5	117	1.1	<5	4.70	2	28	41	351	5.72	1	0.47	16	2.28	823	<2	0.08	13	2268	<2	0.33	<5	12	229	6	0.14	<10	<10	211	<10	44	7
100509	3.4	2.06	65	109	0.6	<5	0.88	3	22	102	3498	4.96	1	0.18	<10	1.02	827	42	0.08	178	932	104	0.86	5	6	40	<5	0.16	<10	<10	73	<10	394	14
100510	<0.2	2.38	16	223	1.6	<5	4.93	2	35	133	329	5.39	1	1.03	21	3.25	928	<2	0.05	83	1840	4	0.19	<5	11	285	10	0.23	<10	<10	181	<10	59	14
100511	<0.2	2.00	9	571	2.1	<5	2.00	1	38	232	28	4.66	1	1.59	29	3.67	762	<2	0.07	185	2167	4	0.03	<5	6	138	10	0.36	<10	<10	111	<10	57	19
100512	<0.2	1.75	<5	401	1.6	<5	0.90	1	42	130	26	4.71	<1	1.48	28	4.02	567	<2	0.06	234	2214	4	0.03	<5	3	75	10	0.35	<10	<10	97	<10	58	17
100513	<0.2	2.07	<5	56	0.6	<5	2.85	1	25	31	320	4.85	1	0.21	<10	1.46	603	<2	0.14	11	1769	<2	0.24	<5	3	202	5	0.21	<10	<10	173	<10	44	7
100514	<0.2	1.94	<5	129	0.6	<5	3.19	1	27	23	325	4.86	1	0.47	<10	1.76	605	<2	0.11	34	1802	<2	0.27	<5	4	154	<5	0.17	<10	<10	159	<10	49	6
100515	<0.2	1.82	<5	87	0.5	<5	2.86	1	26	18	877	4.57	1	0.20	<10	1.95	550	<2	0.05	22	1576	<2	0.51	<5	4	113	<5	0.14	<10	<10	130	<10	52	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2809-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#26**
Attn: **Stuart Fraser**

Sep-22-08

We hereby certify the following assay of 22 drill core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100516	0.01	0.02
100517	0.02	
100518	0.09	
100519	0.01	
100520	0.01	
100521	0.03	
100522	0.02	
100523	0.03	
100524	0.02	
100525	0.03	0.03
100526	0.01	
100527	0.01	
100528	<0.01	
100529	0.01	
100530	<0.01	
100531	<0.01	
100532	<0.01	
100533	0.01	
100534	0.03	
100535	0.13	0.14
100536	0.02	
100537	0.02	
*0218	0.91	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2809-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#26**
Attn: **Stuart Fraser**

Sep-22-08

We hereby certify the following assay of 3 drill core samples submitted Jul-30-08

Sample Name	Au g/tonne	Au-Check g/tonne
100538	0.02	0.02
100539	0.04	
*0218	0.90	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#26

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2809RJ

Date : Sep-22-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100516	<0.2	1.88	<5	265	0.7	<5	2.17	1	22	54	369	4.75	<1	0.48	10	1.99	484	<2	0.05	46	2033	<2	0.12	<5	6	173	<5	0.22	<10	<10	156	<10	34	9
100517	<0.2	2.07	5	35	0.5	<5	3.30	1	21	36	384	4.81	1	0.12	<10	1.96	606	<2	0.04	14	1628	<2	0.21	<5	6	178	5	0.14	<10	<10	151	<10	45	5
100518	<0.2	1.56	<5	24	0.5	<5	2.27	1	19	24	347	5.09	1	0.08	<10	1.43	445	<2	0.04	9	1798	<2	0.48	<5	4	131	5	0.15	<10	<10	156	<10	32	6
100519	<0.2	1.82	<5	36	0.5	<5	2.80	1	27	26	217	4.23	<1	0.13	<10	1.56	534	<2	0.04	8	1751	<2	0.30	<5	5	185	<5	0.15	<10	<10	130	<10	33	5
100520	<0.2	1.69	<5	41	0.6	<5	2.16	1	26	22	151	5.40	<1	0.13	<10	1.43	540	<2	0.04	9	1896	<2	0.29	<5	4	155	<5	0.21	<10	<10	188	<10	35	6
100521	<0.2	1.34	<5	39	0.5	<5	1.76	1	21	23	205	4.14	<1	0.12	<10	0.96	409	2	0.04	7	2179	<2	0.21	<5	2	146	<5	0.18	<10	<10	134	<10	26	5
100522	7.1	2.17	6	129	0.7	<5	1.38	3	16	87	42	3.70	<1	0.23	<10	0.95	573	6	0.21	28	642	82	0.12	<5	7	73	5	0.21	<10	<10	88	<10	279	11
100523	<0.2	1.34	<5	37	0.5	<5	1.61	1	25	25	184	3.96	<1	0.11	<10	0.90	397	4	0.05	8	2036	<2	0.20	<5	2	143	<5	0.19	<10	<10	131	<10	28	5
100524	<0.2	1.21	<5	42	0.5	<5	1.79	1	20	32	142	4.39	<1	0.13	<10	0.86	417	2	0.04	8	2123	<2	0.09	<5	2	132	<5	0.20	<10	<10	151	<10	28	5
100525	<0.2	1.60	<5	37	0.6	<5	1.87	1	23	34	268	4.32	<1	0.11	<10	1.15	484	<2	0.04	9	2067	<2	0.06	<5	2	171	5	0.22	<10	<10	142	<10	33	5
100526	<0.2	1.65	<5	30	0.6	<5	2.59	1	22	75	382	3.77	<1	0.09	<10	1.54	630	26	0.04	9	1663	<2	0.12	<5	5	138	5	0.19	<10	<10	119	<10	38	5
100527	<0.2	1.96	<5	38	0.6	<5	3.52	1	29	31	390	4.90	<1	0.16	<10	1.81	755	78	0.03	10	1689	<2	0.65	<5	7	176	5	0.19	<10	<10	157	<10	43	6
100528	<0.2	1.88	<5	88	0.7	<5	2.20	1	29	18	54	5.24	1	0.20	12	1.64	632	4	0.06	13	1959	<2	0.09	<5	3	191	6	0.25	<10	<10	174	<10	43	9
100529	<0.2	3.49	6	1159	1.8	<5	3.57	1	38	107	<1	5.21	<1	0.74	92	2.93	779	23	0.40	74	4868	6	0.13	<5	5	523	18	0.46	<10	<10	115	<10	45	21
100530	<0.2	3.25	5	999	1.6	<5	3.35	1	36	133	<1	5.09	<1	0.71	87	2.79	706	<2	0.37	73	4779	<2	0.13	<5	4	456	17	0.41	<10	<10	107	<10	46	22
100531	<0.2	1.43	<5	57	0.7	<5	2.54	1	24	12	137	5.11	<1	0.18	<10	1.13	536	<2	0.05	9	1695	2	0.23	<5	4	167	<5	0.22	<10	<10	184	<10	29	7
100532	<0.2	2.09	<5	34	0.7	<5	4.21	1	29	13	613	5.24	1	0.12	<10	1.88	836	<2	0.03	10	1665	<2	0.22	<5	7	210	5	0.20	<10	<10	187	<10	52	6
100533	<0.2	1.55	<5	32	0.6	<5	3.11	1	24	13	369	4.28	<1	0.10	<10	1.24	583	<2	0.03	8	1496	<2	0.26	<5	3	188	5	0.21	<10	<10	147	<10	36	5
100534	<0.2	1.37	<5	37	0.7	<5	1.96	1	23	13	204	4.94	<1	0.15	<10	1.08	469	<2	0.04	9	1668	<2	0.18	<5	2	124	5	0.23	<10	<10	187	<10	31	6
100535	<0.2	2.31	39	242	0.6	<5	4.30	3	25	50	1125	5.45	<1	0.54	10	1.86	880	13	0.14	29	1418	12	1.33	<5	11	144	<5	0.05	<10	<10	151	<10	104	8
100536	<0.2	1.54	<5	27	0.6	<5	2.24	1	27	43	122	4.03	<1	0.09	<10	1.34	571	<2	0.03	11	1284	<2	0.27	<5	3	135	5	0.22	<10	<10	133	<10	37	5
100537	<0.2	1.52	<5	23	0.5	<5	2.47	1	30	94	232	3.91	<1	0.07	<10	1.28	575	<2	0.03	15	1343	<2	0.41	<5	3	159	5	0.18	<10	<10	117	<10	36	5
100538	<0.2	1.31	<5	28	<0.5	<5	1.94	1	28	73	308	4.31	<1	0.11	<10	1.28	518	10	0.04	15	1524	<2	0.50	<5	3	102	<5	0.13	<10	<10	131	<10	38	4
100539	<0.2	1.13	<5	25	<0.5	<5	1.33	1	37	32	425	4.39	<1	0.10	<10	1.12	302	<2	0.05	16	1323	<2	2.51	<5	2	62	<5	0.14	<10	18	91	<10	25	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2825-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#27**
Attn: **Stuart Fraser**

Oct-15-08

We hereby certify the following assay of 22 core samples submitted Jul-31-08

Sample Name	Au g/tonne	Au-Check g/tonne
100540	0.29	0.34
100541	0.06	
100542	0.04	
100543	0.03	
100544	0.03	
100545	0.01	
100546	0.03	
100547	0.02	
100548	0.03	
100549	0.83	0.85
100550	<0.01	
100551	<0.01	
100552	<0.01	
100553	<0.01	
100554	0.02	
100555	<0.01	
100556	<0.01	
100557	<0.01	
100558	0.01	
100559	0.01	0.02
100560	0.01	
100561	0.01	
*0211	2.26	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2825-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#27**
Attn: **Stuart Fraser**

Oct-15-08

We hereby certify the following assay of 2 core samples submitted Jul-31-08

Sample Name	Au g/tonne	Au-Check g/tonne
100562	0.01	<0.01
100563	0.01	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#27

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2825RJ

Date : Oct-15-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100540	1.7	1.83	13	54	<0.5	<5	2.46	1	41	51	1982	5.32	2	0.21	<10	1.73	487	<2	0.05	15	1309	26	3.10	<5	7	125	<5	0.21	<10	<10	117	<10	43	4
100541	0.2	1.85	<5	45	<0.5	<5	3.10	1	32	55	533	5.44	1	0.14	<10	1.70	521	2	0.05	13	1459	53	1.78	<5	4	81	<5	0.21	<10	<10	134	<10	53	4
100542	0.3	1.71	<5	48	<0.5	<5	1.86	1	37	53	369	4.76	1	0.16	<10	1.46	402	<2	0.06	14	1444	14	2.82	<5	5	106	<5	0.18	<10	<10	90	<10	30	4
100543	<0.2	2.10	<5	47	<0.5	<5	2.66	1	30	40	450	5.32	1	0.16	<10	2.00	573	<2	0.05	12	1757	17	1.48	<5	7	140	<5	0.20	<10	<10	144	<10	51	4
100544	<0.2	2.35	<5	70	<0.5	<5	2.44	1	27	63	451	4.99	1	0.24	<10	2.20	563	2	0.06	16	1783	18	1.35	<5	7	193	<5	0.30	<10	<10	168	<10	46	5
100545	<0.2	1.93	7	229	<0.5	<5	1.99	1	37	132	64	5.24	1	1.01	24	3.81	790	<2	0.05	130	2196	16	0.13	<5	6	111	6	0.33	<10	<10	101	<10	44	22
100546	<0.2	1.93	<5	48	<0.5	<5	5.11	1	28	120	241	6.18	1	0.18	<10	1.22	740	35	0.05	18	1366	14	1.30	<5	8	158	<5	0.19	<10	11	181	<10	58	4
100547	<0.2	1.42	<5	33	<0.5	<5	2.54	1	21	135	123	4.59	1	0.12	<10	1.27	529	<2	0.05	17	1420	10	0.09	<5	3	119	<5	0.24	<10	<10	137	<10	37	5
100548	<0.2	1.71	<5	44	<0.5	<5	2.56	1	26	133	128	4.77	1	0.12	<10	1.64	617	<2	0.05	17	1564	10	0.34	<5	4	155	<5	0.26	<10	<10	140	<10	44	5
100549	19.4	1.84	40	412	<0.5	<5	1.72	3	37	10	5994	8.02	2	0.21	<10	1.14	405	353	0.20	12	1963	145	0.66	<5	6	125	<5	0.24	<10	10	252	<10	206	13
100550	<0.2	1.02	<5	119	<0.5	<5	2.34	<1	8	44	18	2.64	<1	0.24	24	0.74	772	4	0.06	3	1288	11	0.07	<5	2	157	9	0.03	<10	<10	28	<10	43	13
100551	<0.2	0.99	<5	556	<0.5	<5	2.40	<1	6	54	4	2.34	<1	0.37	40	0.56	814	<2	0.06	3	1306	9	0.04	<5	1	249	10	0.01	<10	<10	19	<10	42	10
100552	<0.2	0.86	<5	320	<0.5	<5	2.08	<1	6	38	17	2.29	<1	0.29	30	0.55	727	4	0.06	2	1296	12	0.08	<5	1	175	10	0.01	<10	<10	16	<10	41	10
100553	<0.2	1.16	<5	323	<0.5	<5	2.34	<1	12	97	45	3.36	<1	0.28	26	0.82	633	<2	0.06	8	1311	9	0.04	<5	3	199	6	0.10	<10	<10	70	<10	35	8
100554	0.3	1.69	<5	49	<0.5	<5	2.37	1	25	128	658	4.50	1	0.12	<10	1.78	570	13	0.05	17	1498	11	0.23	<5	5	122	<5	0.27	<10	<10	139	<10	45	4
100555	<0.2	1.39	<5	57	<0.5	<5	1.95	1	19	125	114	4.53	<1	0.15	<10	1.05	409	<2	0.06	13	1466	8	0.11	<5	3	135	<5	0.24	<10	<10	138	<10	38	4
100556	<0.2	1.64	<5	55	<0.5	<5	2.01	1	26	31	110	4.59	<1	0.13	<10	1.33	476	2	0.06	8	1955	11	0.39	<5	3	164	<5	0.23	<10	<10	149	<10	41	4
100557	<0.2	1.88	<5	54	<0.5	<5	3.04	1	24	59	143	4.97	1	0.15	<10	1.55	813	5	0.05	10	1660	15	0.35	<5	6	237	<5	0.20	<10	<10	154	<10	54	4
100558	<0.2	1.15	<5	77	<0.5	<5	1.88	1	20	32	154	4.56	1	0.15	10	0.79	469	3	0.06	7	1793	10	0.11	<5	2	280	<5	0.22	<10	<10	155	<10	32	5
100559	<0.2	1.36	<5	98	<0.5	<5	2.12	1	23	53	140	5.16	1	0.20	10	0.89	545	3	0.07	8	1769	10	0.13	<5	3	309	<5	0.23	<10	<10	174	<10	34	5
100560	<0.2	1.91	<5	108	<0.5	<5	3.62	1	21	36	53	4.73	1	0.23	10	1.53	1316	<2	0.05	8	1840	16	0.03	<5	7	308	<5	0.15	<10	<10	159	<10	58	4
100561	<0.2	0.42	<5	149	0.5	<5	1.22	<1	1	67	1	1.29	<1	0.27	54	0.22	879	2	0.08	1	704	6	0.01	<5	1	63	13	<0.01	<10	<10	2	<10	21	6
100562	<0.2	0.55	<5	180	0.7	<5	1.59	<1	3	39	2	1.80	<1	0.37	57	0.39	1523	3	0.09	1	721	5	0.03	<5	2	111	14	<0.01	<10	<10	12	<10	29	9
100563	<0.2	0.41	<5	212	0.6	<5	1.04	<1	1	93	<1	1.34	<1	0.31	64	0.21	1087	5	0.09	2	606	3	0.01	<5	1	67	16	<0.01	<10	<10	1	<10	22	8

Au 1 A.T.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Quality Assaying for over 25 Years

Assay Certificate

8V-2826-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#28**
Attn: **Stuart Fraser**

Sep-22-08

We hereby certify the following assay of 16 core samples submitted Jul-31-08

Sample Name	Au g/tonne	Au-Check g/tonne
100564	0.01	0.01
100565	0.01	
100566	0.01	
100567	0.01	
100568	<0.01	
100569	0.01	
100570	<0.01	
100571	<0.01	
100572	0.01	
100573	<0.01	<0.01
100574	0.01	
100575	<0.01	
100576	0.01	
100577	0.88	
100578	0.01	
100579	0.02	
*0211	2.27	
*BLANK	<0.01	

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#28

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2826RJ

Date : Sep-22-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100564	<0.2	0.46	<5	238	0.7	<5	1.28	<1	1	53	<1	1.55	<1	0.32	61	0.27	1130	11	0.08	1	768	32	0.02	<5	1	70	15	<0.01	<10	<10	2	<10	28	8
100565	0.6	0.36	<5	292	0.6	<5	1.25	<1	1	62	<1	1.51	<1	0.28	59	0.26	1171	3	0.06	1	782	3	0.03	<5	1	68	15	<0.01	<10	<10	1	<10	24	7
100566	0.5	0.36	<5	264	0.6	<5	1.08	<1	1	57	<1	1.34	<1	0.28	62	0.20	1061	3	0.07	1	588	5	0.01	<5	1	72	16	<0.01	<10	<10	1	<10	30	8
100567	0.3	2.02	21	132	<0.5	<5	4.45	<1	27	24	202	6.19	<1	0.38	14	1.98	2564	<2	0.04	9	1499	10	0.22	<5	10	393	<5	0.06	<10	<10	192	<10	126	5
100568	0.7	2.04	17	102	<0.5	<5	4.63	<1	32	21	880	6.36	<1	0.27	12	2.10	1450	<2	0.04	10	1644	9	0.62	<5	10	394	<5	0.08	<10	<10	194	<10	102	5
100569	8.9	1.92	5	125	<0.5	<5	1.21	3	19	61	89	4.15	<1	0.17	<10	0.97	635	6	0.13	32	719	112	0.16	7	6	47	<5	0.18	<10	<10	86	<10	387	8
100570	0.5	1.90	10	122	<0.5	<5	5.43	<1	27	19	150	6.24	<1	0.34	11	2.29	1137	<2	0.04	9	1641	5	0.46	<5	8	462	<5	0.02	<10	<10	166	<10	84	4
100571	0.2	1.70	15	102	<0.5	<5	5.11	<1	25	18	85	5.71	<1	0.37	13	1.85	1169	<2	0.04	8	1460	4	0.08	<5	8	407	<5	0.04	<10	<10	152	<10	60	4
100572	0.2	2.03	10	75	<0.5	<5	4.99	<1	27	27	70	6.77	<1	0.29	12	2.35	1107	<2	0.04	10	1581	5	0.09	<5	11	414	<5	0.06	<10	<10	207	<10	74	4
100573	<0.2	2.43	9	84	<0.5	<5	5.74	<1	28	21	63	6.77	<1	0.26	12	2.32	1092	<2	0.04	10	1602	3	0.21	<5	11	390	<5	0.05	<10	<10	212	<10	69	5
100574	0.2	1.45	<5	63	<0.5	<5	2.73	<1	25	29	143	5.73	<1	0.16	11	1.33	717	<2	0.05	8	1717	4	0.12	<5	4	152	<5	0.18	<10	<10	196	<10	61	5
100575	0.4	1.61	<5	102	<0.5	<5	2.94	<1	30	25	167	5.81	<1	0.18	12	1.45	741	<2	0.06	9	1773	4	0.31	<5	6	209	<5	0.19	<10	<10	203	<10	64	5
100576	<0.2	2.16	<5	89	<0.5	<5	4.28	<1	31	27	149	6.44	<1	0.25	12	2.16	1101	<2	0.05	9	1699	4	0.23	<5	10	247	<5	0.16	<10	<10	218	<10	68	5
100577	18.5	1.84	35	466	<0.5	<5	1.72	1	41	8	6015	8.71	2	0.23	<10	1.16	445	315	0.21	12	1916	161	0.79	20	6	123	<5	0.21	<10	<10	282	<10	258	13
100578	0.3	2.15	<5	91	<0.5	<5	3.87	<1	28	25	102	5.87	<1	0.19	10	2.04	954	<2	0.05	9	1493	3	0.12	<5	10	282	<5	0.14	<10	<10	183	<10	64	4
100579	0.4	1.91	<5	101	<0.5	<5	3.57	<1	26	21	146	5.55	<1	0.16	10	2.03	931	<2	0.04	8	1454	2	0.17	<5	9	263	<5	0.13	<10	<10	172	<10	65	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-2827-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#29**
Attn: **Stuart Fraser**

Oct-15-08

We hereby certify the following assay of 22 core samples submitted Jul-31-08

Sample Name	Au g/tonne	Au-Check g/tonne
100651	0.01	0.01
100652	0.04	
100653	0.02	
100654	<0.01	
100655	0.01	
100656	0.01	
100657	0.02	
100658	0.01	
100659	<0.01	
100660	0.04	0.03
100661	0.02	
100662	0.01	
100663	0.02	
100664	0.01	
100665	0.02	
100666	0.03	
100667	0.02	
100668	0.03	
100669	0.09	
100670	0.03	0.03
100671	0.13	
100672	0.02	
*0211	2.14	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

8V-2827-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#29**
Attn: **Stuart Fraser**

Oct-15-08

We *hereby certify* the following assay of 2 core samples submitted Jul-31-08

Sample Name	Au g/tonne	Au-Check g/tonne
100673	0.01	0.02
100674	0.01	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#29

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2827RJ

Date : Oct-15-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100651	<0.2	2.82	<5	41	0.8	<5	0.60	2	30	21	376	6.84	1	0.22	10	2.52	873	<2	0.04	13	1736	<2	<0.01	<5	14	47	<5	0.17	<10	<10	240	<10	41	6
100652	<0.2	2.52	<5	25	0.8	<5	0.45	2	33	11	900	6.82	1	0.14	<10	2.48	848	<2	0.03	12	1796	<2	0.01	<5	14	21	<5	0.13	<10	<10	235	10	42	5
100653	<0.2	2.92	<5	31	0.8	<5	0.67	2	33	29	386	6.84	1	0.18	10	2.83	864	<2	0.05	14	1782	<2	<0.01	<5	15	56	<5	0.20	<10	<10	247	<10	47	6
100654	<0.2	2.96	<5	36	0.9	<5	0.56	1	28	200	383	4.76	1	0.13	12	3.02	818	<2	0.04	42	1399	<2	<0.01	<5	10	25	<5	0.24	<10	<10	126	<10	109	8
100655	<0.2	3.04	<5	25	0.7	<5	0.82	2	33	17	262	6.91	1	0.11	<10	3.02	850	<2	0.05	13	1822	<2	<0.01	<5	17	101	<5	0.17	<10	<10	248	<10	58	6
100656	<0.2	2.52	<5	21	0.7	<5	0.87	2	31	16	262	6.09	1	0.09	<10	2.47	688	<2	0.04	13	1837	<2	<0.01	<5	15	106	<5	0.18	<10	<10	220	<10	45	7
100657	<0.2	2.28	<5	21	0.8	<5	1.19	1	28	23	245	5.14	1	0.09	<10	2.01	488	<2	0.06	11	1848	<2	0.01	<5	8	192	<5	0.19	<10	<10	176	<10	29	6
100658	<0.2	3.38	<5	35	0.9	<5	1.50	2	33	18	330	6.54	1	0.13	10	3.00	688	<2	0.07	13	2619	<2	0.02	<5	11	272	6	0.21	<10	<10	197	<10	43	8
100659	<0.2	2.46	<5	34	0.7	<5	1.30	1	21	31	219	4.37	1	0.18	<10	1.87	401	<2	0.09	8	1958	<2	0.01	<5	6	250	<5	0.17	<10	<10	125	<10	26	6
100660	0.3	1.37	<5	30	0.5	<5	0.73	1	12	11	721	2.42	1	0.20	<10	0.99	218	<2	0.05	5	1461	<2	0.04	<5	2	119	<5	0.11	<10	<10	63	<10	16	3
100661	<0.2	1.54	<5	29	0.6	<5	0.82	1	20	28	331	4.60	<1	0.14	<10	1.35	322	<2	0.07	7	1951	<2	0.02	<5	5	111	<5	0.15	<10	<10	147	<10	20	5
100662	<0.2	1.53	<5	26	0.6	<5	0.71	1	23	16	370	4.25	<1	0.11	<10	1.43	337	<2	0.05	8	1859	<2	0.03	<5	6	101	<5	0.14	<10	<10	138	<10	22	5
100663	<0.2	2.54	<5	40	1.1	<5	0.80	1	27	78	323	5.66	1	0.15	17	2.53	683	<2	0.06	35	2183	<2	0.02	<5	9	46	<5	0.30	<10	<10	154	<10	71	13
100664	<0.2	2.47	5	28	1.1	<5	1.28	2	31	81	661	5.41	1	0.12	16	2.52	812	<2	0.05	40	2122	<2	0.01	<5	9	106	<5	0.29	<10	<10	136	<10	86	15
100665	<0.2	2.37	9	31	1.1	<5	1.63	1	29	81	502	5.20	1	0.14	13	2.32	760	<2	0.06	36	2100	<2	0.12	<5	8	150	<5	0.32	<10	<10	126	<10	77	13
100666	<0.2	1.48	<5	30	0.7	<5	3.02	1	27	14	753	5.12	<1	0.14	<10	1.69	422	4	0.05	7	1759	<2	1.55	<5	9	127	<5	0.13	<10	<10	186	<10	19	5
100667	<0.2	1.54	<5	24	0.6	<5	3.03	1	21	25	465	4.79	1	0.15	10	1.67	428	3	0.05	7	1711	<2	1.00	<5	10	134	<5	0.13	<10	<10	179	<10	17	6
100668	<0.2	1.55	<5	22	0.6	<5	3.27	1	22	11	442	4.81	1	0.14	10	1.72	450	<2	0.05	6	1796	<2	1.05	<5	11	142	<5	0.13	<10	<10	179	<10	17	6
100669	<0.2	1.86	<5	21	0.7	<5	2.97	2	39	27	778	5.68	1	0.12	<10	1.87	566	2	0.05	11	1836	<2	1.19	<5	10	171	<5	0.21	<10	<10	210	<10	22	6
100670	<0.2	2.03	<5	19	0.6	<5	2.01	2	42	10	858	7.00	1	0.13	<10	2.03	549	<2	0.04	13	2003	<2	0.88	<5	6	123	<5	0.22	<10	<10	264	<10	23	7
100671	0.5	1.80	40	186	0.5	<5	4.18	3	25	36	1115	5.26	1	0.32	<10	1.83	869	11	0.11	29	1420	12	1.32	5	10	134	<5	0.04	<10	<10	136	<10	103	7
100672	<0.2	2.02	<5	14	0.6	<5	1.85	1	35	29	561	4.09	<1	0.09	<10	1.63	423	4	0.04	11	612	<2	0.47	<5	4	179	<5	0.20	<10	<10	134	<10	18	5
100673	<0.2	2.52	<5	11	0.7	<5	2.64	2	38	15	337	6.27	1	0.06	<10	2.27	622	<2	0.04	12	2451	<2	0.20	<5	7	206	<5	0.25	<10	<10	217	<10	25	7
100674	<0.2	1.96	<5	12	0.7	<5	1.91	1	33	23	567	5.48	1	0.10	<10	1.61	473	<2	0.04	10	1461	<2	0.23	<5	4	165	<5	0.26	<10	<10	181	<10	18	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2847-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#30**
Attn: **Stuart Fraser**

Sep-26-08

We *hereby certify* the following assay of 22 core samples submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne
100675	0.04	0.03
100676	0.02	
100677	0.03	
100678	0.02	
100679	0.03	
100680	0.05	
100681	0.01	
100682	0.02	
100683	0.04	
100684	0.12	0.11
100685	0.03	
100686	0.06	
100687	0.15	
100688	0.05	
100689	0.04	
100690	0.25	
100691	0.14	
100692	0.04	
100693	<0.01	
100694	0.33	0.31
100695	0.21	
100696	0.03	
*0211	2.18	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2847-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#30**
Attn: **Stuart Fraser**

Sep-26-08

We *hereby certify* the following assay of 3 core samples submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne
100697	0.04	0.02
100698	0.08	
*0211	2.20	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#30

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2847RJ

Date : Sep-26-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100675	0.5	1.94	<5	21	<0.5	<5	2.73	<1	43	16	1258	5.55	1	0.12	<10	1.83	516	4	0.04	10	1647	9	0.80	<5	5	153	<5	0.21	<10	<10	184	<10	28	5
100676	<0.2	2.40	<5	22	<0.5	<5	2.06	<1	45	17	403	6.48	<1	0.10	<10	2.31	628	<2	0.05	12	1907	8	0.74	<5	6	149	<5	0.21	<10	<10	192	<10	40	5
100677	0.2	1.90	<5	22	<0.5	<5	2.21	<1	46	14	711	6.34	<1	0.14	<10	1.77	525	<2	0.04	11	1604	8	1.29	<5	5	138	<5	0.24	<10	<10	215	<10	29	5
100678	<0.2	1.93	<5	23	<0.5	<5	2.38	<1	36	17	284	5.57	1	0.13	<10	1.73	505	<2	0.05	8	2333	6	0.44	<5	4	157	<5	0.21	<10	<10	180	<10	27	5
100679	<0.2	1.89	<5	38	<0.5	<5	3.02	<1	35	12	301	7.27	<1	0.19	<10	1.86	611	3	0.05	9	2568	7	0.39	<5	5	145	<5	0.19	<10	<10	274	<10	30	5
100680	<0.2	3.04	<5	28	<0.5	<5	7.01	<1	42	9	516	8.57	1	0.19	<10	3.33	994	<2	0.03	12	1852	9	1.36	<5	14	187	<5	0.15	<10	<10	326	<10	40	5
100681	<0.2	1.94	<5	31	<0.5	<5	2.47	<1	38	21	269	7.51	1	0.15	<10	1.92	685	<2	0.04	11	825	7	0.52	<5	5	158	<5	0.23	<10	<10	264	<10	32	6
100682	<0.2	2.44	<5	27	<0.5	<5	4.23	<1	34	14	215	6.87	<1	0.19	<10	2.58	886	<2	0.04	12	901	5	0.03	<5	8	195	<5	0.20	<10	<10	237	<10	35	5
100683	<0.2	2.70	<5	33	<0.5	<5	7.28	<1	39	25	473	7.53	1	0.21	<10	3.00	980	4	0.03	12	1792	8	1.67	<5	11	204	<5	0.13	<10	<10	239	<10	35	4
100684	0.2	1.15	<5	110	<0.5	<5	3.72	<1	25	9	618	5.08	<1	0.18	<10	1.66	436	6	0.04	8	1615	8	2.98	<5	10	237	<5	0.01	<10	<10	151	<10	27	3
100685	<0.2	1.94	<5	108	<0.5	<5	4.93	<1	28	25	648	5.94	<1	0.21	<10	2.34	595	5	0.05	7	1454	7	2.61	<5	13	213	<5	0.09	<10	<10	182	<10	26	3
100686	0.4	0.76	<5	111	<0.5	<5	4.47	<1	25	9	886	6.04	<1	0.34	<10	1.70	463	11	0.05	7	1470	10	3.87	<5	9	296	<5	0.01	<10	<10	102	<10	23	3
100687	0.6	0.30	<5	59	<0.5	<5	3.57	<1	27	11	1174	6.01	<1	0.20	<10	1.45	492	7	0.04	7	882	13	3.69	<5	7	193	<5	0.01	<10	<10	116	<10	22	3
100688	0.3	1.46	<5	130	<0.5	<5	3.92	<1	31	30	1053	5.79	<1	0.23	<10	2.06	574	4	0.05	10	1402	10	3.19	<5	12	164	<5	0.02	<10	<10	205	<10	32	3
100689	0.2	1.46	<5	139	<0.5	<5	3.69	<1	22	21	634	4.13	<1	0.20	<10	1.91	463	7	0.04	6	1273	7	2.05	<5	11	156	<5	0.02	<10	<10	147	<10	26	2
100690	1.0	1.80	<5	140	<0.5	<5	4.16	<1	33	43	2177	7.21	1	0.23	<10	2.35	689	8	0.04	12	1704	17	2.93	<5	14	194	<5	0.04	<10	<10	286	<10	44	4
100691	0.6	1.58	<5	139	<0.5	<5	4.00	<1	27	40	1479	6.56	1	0.20	<10	2.07	622	6	0.05	11	1535	14	2.67	<5	13	186	<5	0.04	<10	<10	268	<10	38	4
100692	0.4	1.53	<5	121	<0.5	<5	4.07	<1	33	28	1098	6.76	<1	0.18	<10	1.97	615	3	0.04	13	1905	13	2.09	<5	12	215	<5	0.09	<10	<10	281	<10	31	4
100693	<0.2	3.44	<5	1220	<0.5	<5	3.66	<1	45	165	49	4.86	<1	1.38	24	5.47	842	<2	0.10	239	2882	6	0.05	5	6	284	<5	0.33	<10	<10	111	<10	54	21
100694	3.5	2.04	55	112	<0.5	<5	0.83	2	22	102	3158	4.98	<1	0.18	<10	1.05	866	35	0.08	181	812	121	0.95	<5	5	31	<5	0.13	<10	<10	70	<10	393	10
100695	<0.2	2.67	16	149	<0.5	<5	6.04	<1	34	124	219	6.97	1	0.45	<10	3.54	949	<2	0.03	55	1624	9	1.30	<5	16	272	<5	0.13	<10	<10	217	<10	36	6
100696	0.2	1.57	<5	54	<0.5	<5	3.09	<1	25	17	586	4.71	1	0.18	<10	1.85	515	73	0.04	7	1281	6	2.41	<5	12	125	<5	0.08	<10	<10	160	<10	27	3
100697	<0.2	1.54	<5	68	<0.5	<5	2.93	<1	21	32	390	4.54	<1	0.16	<10	1.80	526	26	0.04	14	1169	6	1.37	<5	10	109	<5	0.10	<10	<10	172	<10	27	4
100698	0.7	1.78	<5	19	<0.5	<5	2.76	<1	33	55	1666	6.32	<1	0.06	<10	1.95	599	5	0.03	12	1073	11	1.74	<5	8	143	<5	0.14	<10	<10	185	<10	27	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-2848-RA1

Company: **Valterra Resources Corp**
Project: **Swift Katie Batch#31**
Attn: **Stuart Fraser**

Sep-26-08

We hereby certify the following assay of 22 core samples submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne	Au-Rerun g/tonne
100699	0.03	0.03	
100700	0.04		
100701	0.06		
100702	0.20		0.21
100703	0.03		0.03
100704	0.06		0.05
100705	0.08		
100706	0.04		
100707	0.06		
100708	0.05	0.06	
100709	0.01		
100710	0.05		
100711	0.02		
100712	0.03		
100713	0.09		
100714	0.02		
100715	0.06		
100716	0.07		
100717	<0.01		
100718	0.08	0.10	
100719	0.22		
100720	0.20		
*0211	2.15		
*BLANK	<0.01		

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate**8V-2848-RA2**

Company: **Valterra Resouce Corp.**
Project: **Swift Katie Batch#31**
Attn: **Stuart Fraser**

Sep-26-08

We *hereby certify* the following assay of 3 core samples
submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne
100721	0.01	0.02
100722	0.03	
*0211	2.18	
*BLANK	<0.01	

Certified by _____

Valterra Resouce Corp.

Attention: Stuart Fraser

Project: Swift Katie Batch#31

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2848RJ

Date : Sep-26-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100699	<0.2	2.26	<5	18	0.6	<5	5.22	3	38	55	444	8.25	<1	0.09	<10	2.56	974	14	0.02	20	1642	<2	0.98	<5	12	176	6	0.15	<10	<10	276	<10	43	7
100700	<0.2	1.87	<5	12	0.5	<5	3.96	2	32	82	488	5.03	1	0.04	<10	1.81	700	3	0.03	16	1914	<2	0.93	<5	4	185	5	0.13	<10	<10	129	<10	30	5
100701	<0.2	1.85	<5	13	0.6	<5	4.00	2	41	56	911	6.12	<1	0.04	<10	1.76	692	13	0.04	21	1713	2	2.06	<5	4	174	7	0.14	<10	<10	150	<10	35	5
100702	6.7	1.42	6	84	0.5	<5	0.81	3	12	42	73	2.92	<1	0.12	<10	0.72	425	5	0.09	24	570	79	0.11	<5	4	39	<5	0.13	<10	<10	61	<10	272	7
100703	1.1	1.68	<5	12	0.5	<5	3.21	3	40	33	5802	7.66	1	0.04	<10	1.79	662	47	0.02	16	1889	4	2.15	<5	3	91	<5	0.13	<10	<10	231	<10	36	7
100704	<0.2	1.43	<5	15	0.6	<5	3.41	3	35	39	790	7.09	<1	0.05	<10	1.59	588	2	0.02	15	1691	4	1.35	<5	4	84	5	0.15	<10	<10	199	<10	28	6
100705	<0.2	1.65	<5	17	<0.5	<5	4.07	2	26	38	1141	5.17	1	0.10	<10	1.74	629	10	0.03	14	1255	<2	1.97	<5	5	97	6	0.10	<10	<10	140	<10	28	5
100706	<0.2	1.47	<5	19	0.5	<5	3.13	2	27	41	716	6.37	<1	0.08	<10	1.57	537	2	0.04	14	1094	4	1.84	<5	4	104	5	0.13	<10	<10	223	<10	32	6
100707	<0.2	1.60	<5	16	0.5	<5	3.03	1	20	63	830	4.18	1	0.07	<10	1.68	549	10	0.04	16	1338	<2	0.96	<5	4	143	<5	0.13	<10	<10	134	<10	33	5
100708	<0.2	1.98	<5	17	0.6	<5	5.75	2	25	72	870	5.09	<1	0.07	<10	2.16	917	20	0.03	18	1268	<2	1.42	<5	7	158	7	0.14	<10	<10	160	<10	153	5
100709	<0.2	1.53	<5	68	0.6	<5	3.96	2	19	19	28	4.43	<1	0.15	<10	1.48	779	22	0.04	9	1595	2	0.04	<5	5	161	5	0.11	<10	<10	122	<10	54	6
100710	<0.2	0.67	<5	165	<0.5	<5	3.26	1	8	15	31	2.13	<1	0.31	<10	0.37	635	<2	0.03	3	790	<2	0.18	<5	1	122	7	0.04	<10	<10	29	<10	30	9
100711	<0.2	0.64	<5	218	<0.5	<5	3.12	1	7	12	36	2.04	<1	0.31	<10	0.35	669	<2	0.03	3	907	2	0.05	<5	1	122	5	<0.01	<10	<10	22	<10	28	3
100712	<0.2	1.09	<5	303	<0.5	<5	4.04	1	14	50	174	2.74	<1	0.24	<10	1.23	760	2	0.03	42	1003	2	0.77	<5	3	204	5	0.01	<10	<10	47	<10	47	3
100713	<0.2	1.32	<5	96	<0.5	<5	3.73	2	22	18	1052	4.28	<1	0.28	<10	1.33	924	31	0.03	10	1058	3	2.45	<5	3	222	5	0.01	<10	<10	67	<10	149	4
100714	<0.2	1.82	5	66	0.7	<5	3.56	1	18	76	31	4.31	<1	0.12	28	2.12	790	<2	0.02	14	2792	<2	0.14	<5	11	349	8	0.01	<10	<10	112	<10	71	7
100715	<0.2	0.78	<5	152	<0.5	<5	2.95	1	12	16	377	2.20	<1	0.24	<10	0.58	553	18	0.04	6	838	<2	0.95	<5	1	157	<5	0.01	<10	<10	26	<10	32	2
100716	<0.2	1.38	<5	159	<0.5	<5	3.70	1	19	14	366	3.58	1	0.26	<10	1.28	847	16	0.02	7	1097	<2	1.40	<5	3	155	5	0.05	<10	<10	60	<10	81	5
100717	6.3	1.56	7	91	0.6	<5	0.91	3	12	45	72	3.08	<1	0.13	<10	0.77	458	5	0.10	24	594	77	0.11	5	4	43	<5	0.15	<10	<10	66	<10	266	8
100718	<0.2	0.96	<5	76	0.5	<5	3.62	1	15	21	42	3.63	<1	0.19	<10	0.87	822	<2	0.03	12	696	2	0.45	<5	4	154	5	0.09	<10	<10	87	<10	44	10
100719	0.4	1.70	43	195	0.5	<5	3.93	3	23	34	1031	4.95	1	0.32	<10	1.71	810	14	0.10	27	1366	13	1.28	<5	9	126	5	0.04	<10	<10	130	<10	98	7
100720	<0.2	0.97	<5	54	0.5	<5	3.01	1	9	21	32	2.53	<1	0.25	<10	0.68	670	2	0.03	5	861	2	0.36	<5	2	147	5	0.06	<10	<10	45	<10	42	10
100721	<0.2	1.71	8	201	1.1	<5	4.05	1	19	84	32	4.20	1	0.25	29	2.14	820	<2	0.03	16	2696	5	0.15	<5	11	402	10	0.04	<10	<10	106	<10	65	8
100722	<0.2	0.86	5	277	<0.5	<5	3.91	1	11	16	75	2.95	<1	0.31	<10	0.82	773	8	0.04	6	1163	3	0.17	<5	2	187	5	<0.01	<10	<10	38	<10	50	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Valterra Resources Corp

Attention: Stuart Fraser

Project: Swift Katie Batch#31

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2848RD

Date : Sep-26-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100702	1.6	1.90	<5	19	<0.5	<5	3.62	<1	45	38	5993	8.53	1	0.05	<10	2.03	747	47	0.02	18	1909	16	2.39	<5	4	117	<5	0.18	<10	<10	256	<10	42	5
100703	7.4	1.65	8	94	<0.5	<5	1.00	2	13	50	75	3.29	<1	0.13	<10	0.80	491	5	0.10	26	665	90	0.12	<5	5	39	<5	0.17	<10	<10	66	<10	288	7
100704	<0.2	1.45	<5	19	<0.5	<5	3.51	<1	36	43	770	7.20	1	0.06	<10	1.64	621	3	0.02	15	1892	5	1.43	<5	5	90	<5	0.18	<10	<10	200	<10	31	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95°C for 2 hours and diluted to 25ml.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2849-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#32**
Attn: **Stuart Fraser**

Sep-22-08

We hereby certify the following assay of 22 core samples submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne
100723	0.29	0.29
100724	0.25	
100725	0.17	
100726	0.18	
100727	0.02	
100728	0.29	
100729	0.02	
100730	0.13	
100731	0.01	
100732	0.10	0.12
100733	0.05	
100734	0.11	
100735	0.07	
100736	0.14	
100737	0.08	
100738	0.09	
100739	0.09	
100740	0.08	
100741	0.18	
100742	0.04	0.07
100743	0.07	
100744	0.05	
*0218	0.91	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2849-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#32**
Attn: **Stuart Fraser**

Sep-22-08

We *hereby certify* the following assay of 3 core samples submitted Aug-06-08

Sample Name	Au g/tonne	Au-Check g/tonne
100745	0.05	0.04
100746	0.04	
*0218	0.92	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#32

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2849RJ

Date : Sep-22-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100723	<0.2	1.14	<5	165	0.5	<5	3.60	1	13	47	448	3.09	<1	0.33	<10	0.80	738	9	0.06	8	942	4	1.50	<5	2	160	5	0.07	<10	<10	51	<10	75	5
100724	<0.2	1.16	<5	57	0.6	<5	3.20	1	10	31	97	2.92	<1	0.27	<10	0.83	603	21	0.05	7	927	<2	0.28	<5	3	139	<5	0.12	<10	<10	58	<10	54	6
100725	<0.2	1.20	<5	44	0.6	<5	2.99	1	13	41	301	2.77	<1	0.23	<10	0.85	605	17	0.06	8	881	<2	0.53	<5	2	160	<5	0.14	<10	<10	63	<10	49	7
100726	<0.2	2.88	<5	46	0.8	<5	4.10	2	49	14	1622	6.62	<1	0.25	<10	2.80	1184	54	0.03	12	2543	<2	1.89	<5	5	213	<5	0.23	<10	<10	170	<10	279	7
100727	<0.2	1.79	<5	48	0.8	<5	3.50	2	23	31	282	4.71	<1	0.20	<10	1.55	838	2	0.05	9	1719	<2	0.40	<5	4	204	<5	0.20	<10	<10	129	<10	72	9
100728	3.0	1.97	59	106	0.6	<5	0.83	3	20	94	3277	4.70	<1	0.18	<10	0.97	792	41	0.08	166	821	98	0.85	<5	5	38	<5	0.14	<10	<10	69	<10	374	13
100729	<0.2	0.97	<5	103	0.6	<5	2.23	1	9	26	53	2.23	<1	0.27	11	0.48	694	<2	0.05	2	750	2	0.08	<5	1	182	<5	0.12	<10	<10	39	<10	40	26
100730	<0.2	0.96	<5	99	<0.5	<5	3.16	1	10	24	13	2.59	<1	0.32	<10	0.58	830	<2	0.05	8	734	<2	0.07	<5	2	139	<5	0.07	<10	<10	43	<10	39	9
100731	<0.2	2.09	<5	43	0.9	<5	2.26	2	19	20	<1	5.15	<1	0.08	15	1.72	1055	<2	0.05	1	3581	<2	0.14	<5	3	112	<5	0.25	<10	<10	74	<10	95	11
100732	0.2	0.81	<5	308	<0.5	<5	3.65	1	8	22	52	2.07	<1	0.46	<10	0.32	818	<2	0.04	3	745	<2	0.54	<5	1	166	<5	<0.01	<10	<10	17	<10	21	3
100733	<0.2	0.79	<5	225	0.6	<5	3.54	1	10	26	121	2.32	<1	0.36	10	0.35	912	4	0.05	3	777	<2	0.18	<5	1	154	6	0.10	<10	<10	31	<10	33	16
100734	0.4	2.21	<5	97	0.7	<5	4.34	2	34	13	1984	6.33	1	0.30	<10	2.04	830	16	0.04	10	1853	<2	0.88	<5	4	182	5	0.22	<10	<10	191	<10	44	6
100735	<0.2	2.23	<5	49	0.8	<5	3.00	2	45	11	1454	6.01	<1	0.18	<10	2.16	785	<2	0.03	10	1891	<2	1.64	<5	4	163	<5	0.25	<10	<10	179	<10	50	6
100736	<0.2	2.28	<5	63	0.8	<5	2.91	2	39	10	1219	5.95	<1	0.24	<10	2.11	768	<2	0.04	10	1848	<2	1.54	<5	4	175	<5	0.25	<10	<10	181	<10	47	6
100737	<0.2	2.08	<5	46	0.7	<5	3.86	2	35	10	1554	5.76	<1	0.20	<10	2.04	723	10	0.04	9	1627	<2	1.17	<5	5	147	<5	0.20	<10	<10	171	<10	35	6
100738	<0.2	2.08	<5	54	0.7	<5	4.05	2	35	11	1725	6.11	<1	0.25	<10	2.02	813	2	0.05	9	1745	2	1.22	<5	6	140	<5	0.21	<10	<10	198	<10	42	6
100739	<0.2	1.96	<5	33	0.7	<5	1.81	2	33	14	1969	4.95	<1	0.13	<10	1.81	641	<2	0.04	10	1953	<2	0.61	<5	3	169	<5	0.26	<10	<10	166	<10	43	6
100740	<0.2	1.71	<5	31	0.7	<5	1.63	2	30	15	1202	4.81	<1	0.12	<10	1.52	619	<2	0.04	9	1938	<2	0.40	<5	2	158	<5	0.24	<10	<10	172	<10	40	6
100741	<0.2	1.96	<5	28	0.7	<5	3.49	2	33	11	1599	5.47	<1	0.16	<10	1.95	681	<2	0.04	9	1699	<2	0.90	<5	4	118	<5	0.23	<10	<10	183	<10	40	5
100742	<0.2	2.05	<5	35	0.8	<5	2.10	2	34	14	896	5.62	<1	0.16	<10	1.88	647	<2	0.04	9	1828	<2	0.68	<5	3	156	<5	0.28	<10	<10	200	<10	41	6
100743	<0.2	2.24	<5	17	0.8	<5	2.65	2	39	11	898	5.51	<1	0.06	<10	2.16	820	2	0.03	10	1829	<2	0.87	<5	3	194	<5	0.27	<10	<10	174	<10	48	6
100744	<0.2	2.12	<5	37	0.9	<5	2.50	2	34	10	1133	5.87	<1	0.20	<10	1.92	735	<2	0.05	9	1846	<2	0.59	<5	3	158	<5	0.28	<10	<10	212	<10	46	6
100745	0.4	2.19	<5	42	<0.5	<5	3.70	<1	41	9	1062	6.35	1	0.18	<10	2.18	788	<2	0.05	8	1771	11	1.21	<5	4	124		0.22	<10	<10	232	<10	51	4
100746	0.3	2.09	<5	51	<0.5	<5	3.04	<1	36	13	817	5.65	1	0.15	<10	1.92	781	<2	0.06	8	1785	9	0.56	<5	3	155		0.22	<10	<10	208	<10	55	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



ASSAYERS**C A N A D A****Assayers Canada**

8282 Sherbrooke St.

Vancouver, B.C.

V5X 4R6

Tel: (604) 327-3436

Fax: (604) 327-3423

*Quality Assaying for over 25 Years***Assay Certificate****8V-2893-RA1**

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#33**
Attn: **Stuart Fraser**

Nov-03-08

We hereby certify the following assay of 22 core samples
submitted Aug-08-08

Sample Name	Au g/tonne	Au-Check g/tonne
100747	0.03	0.03
100748	0.02	
100749	0.33	
100750	0.18	
100751	0.08	
100752	0.12	
100753	0.06	
100754	0.12	
100755	<0.01	
100756	0.01	0.01
100757	0.07	
100758	0.04	
100759	0.02	
100760	<0.01	
100761	0.02	
100762	0.12	
100763	0.03	
100764	0.02	
100765	0.05	
100766	0.05	0.05
100767	0.14	
100768	0.09	
*0211	2.13	
*BLANK	<0.01	

Au 1 A.T.

Certified by

Quality Assaying for over 25 Years

Assay Certificate

8V-2893-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#33**
Attn: **Stuart Fraser**

Nov-03-08

We *hereby certify* the following assay of 3 core samples submitted Aug-08-08

Sample Name	Au g/tonne	Au-Check g/tonne
100769	0.12	0.12
100770	0.12	
*0211	2.29	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#33

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2893RJ

Date : Nov-03-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100747	<0.2	1.97	<5	34	0.8	<5	1.93	2	32	35	660	5.23	<1	0.09	<10	1.76	660	<2	0.04	11	1822	2	0.47	<5	3	172	<5	0.27	<10	<10	184	<10	45	6
100748	<0.2	2.19	<5	61	0.9	<5	2.62	2	32	35	501	5.78	1	0.12	<10	1.95	701	<2	0.05	11	1664	5	0.36	<5	5	200	5	0.27	<10	<10	194	<10	49	7
100749	0.4	2.18	<5	80	0.7	<5	4.25	2	30	22	3315	5.84	<1	0.27	<10	2.07	821	86	0.05	10	1534	<2	1.84	<5	5	115	8	0.22	<10	<10	179	<10	61	7
100750	<0.2	2.41	<5	117	0.6	<5	4.69	2	38	29	2182	6.45	1	0.44	<10	2.27	838	17	0.05	10	1758	2	2.93	<5	6	118	5	0.18	<10	<10	176	<10	64	6
100751	<0.2	2.13	<5	103	0.8	<5	3.56	2	33	14	975	6.04	1	0.25	11	2.04	840	<2	0.06	11	2132	<2	0.46	<5	6	196	7	0.25	<10	<10	225	<10	61	8
100752	<0.2	2.04	<5	35	0.8	<5	2.43	2	30	26	2983	5.08	<1	0.16	<10	1.95	749	<2	0.05	8	2093	<2	0.80	<5	4	174	<5	0.28	<10	<10	189	<10	77	6
100753	<0.2	1.75	<5	25	0.8	<5	2.41	2	30	17	1380	5.10	1	0.11	<10	1.64	703	<2	0.04	8	1997	<2	0.65	<5	4	168	<5	0.27	<10	<10	176	<10	75	7
100754	<0.2	2.29	<5	416	1.1	<5	2.67	2	34	45	1742	5.72	1	0.83	13	2.56	727	<2	0.08	48	2506	<2	0.60	<5	5	203	8	0.34	<10	<10	205	<10	77	12
100755	<0.2	1.78	6	406	2.0	<5	1.55	2	41	153	54	5.04	1	1.23	29	3.89	764	<2	0.05	180	2248	5	0.10	<5	6	161	10	0.34	<10	<10	103	<10	45	20
100756	<0.2	1.70	5	399	2.0	<5	1.59	1	38	157	49	4.83	<1	1.19	27	3.74	730	<2	0.05	173	2114	2	0.10	<5	6	134	10	0.32	<10	<10	98	<10	39	19
100757	<0.2	2.04	<5	81	0.8	<5	2.19	2	30	22	1073	5.33	<1	0.36	<10	1.71	640	<2	0.07	11	1952	<2	0.61	<5	4	173	5	0.27	<10	<10	194	<10	71	7
100758	<0.2	2.13	<5	96	0.8	<5	2.57	2	33	28	849	5.45	<1	0.37	<10	1.84	755	<2	0.07	9	2071	<2	0.73	<5	4	191	<5	0.29	<10	<10	195	<10	79	7
100759	<0.2	2.31	<5	108	0.8	<5	2.68	2	36	17	887	5.72	<1	0.41	<10	2.03	849	<2	0.06	8	1972	<2	0.81	<5	5	202	6	0.27	<10	<10	192	<10	94	7
100760	8.4	1.82	8	99	0.7	<5	1.10	4	15	50	80	3.47	<1	0.13	<10	0.86	520	5	0.12	27	629	91	0.12	5	5	53	<5	0.19	<10	<10	76	<10	298	10
100761	<0.2	2.24	<5	111	0.8	<5	3.88	2	34	14	740	5.85	1	0.48	<10	1.95	912	<2	0.07	7	1963	<2	0.38	<5	5	177	5	0.27	<10	<10	213	<10	86	7
100762	<0.2	2.48	<5	63	0.7	<5	5.85	2	33	11	1313	6.34	<1	0.32	<10	2.42	1051	<2	0.05	9	1883	<2	1.39	<5	7	166	7	0.22	<10	<10	210	<10	100	7
100763	<0.2	1.90	<5	32	0.8	<5	2.01	2	30	19	547	5.09	1	0.13	<10	1.64	583	<2	0.05	7	1969	<2	0.38	<5	3	206	5	0.27	<10	<10	171	<10	40	7
100764	<0.2	1.85	<5	21	0.7	<5	2.26	2	29	12	256	5.06	1	0.10	<10	1.75	651	<2	0.04	7	1905	<2	0.35	<5	3	154	<5	0.25	<10	<10	161	<10	41	6
100765	<0.2	1.93	<5	22	0.8	<5	2.51	2	34	17	447	5.43	<1	0.10	<10	1.82	699	<2	0.04	8	1944	<2	0.44	<5	4	176	<5	0.28	<10	<10	180	<10	36	7
100766	<0.2	1.58	<5	27	0.6	<5	1.93	2	27	16	1126	4.96	1	0.12	<10	1.49	496	<2	0.04	7	1673	<2	1.96	<5	3	120	<5	0.21	<10	<10	125	<10	30	6
100767	0.3	2.00	44	272	0.6	<5	4.58	3	26	39	1194	5.85	1	0.36	10	1.99	939	14	0.12	32	1540	15	1.48	5	11	145	7	0.05	<10	<10	151	<10	105	8
100768	<0.2	2.02	7	43	0.7	<5	2.81	2	31	20	1336	5.55	1	0.20	<10	2.01	656	<2	0.06	8	1911	<2	1.39	<5	5	157	5	0.23	<10	<10	177	<10	47	6
100769	<0.2	2.03	5	43	0.8	<5	2.48	2	33	15	2123	5.69	<1	0.15	<10	1.92	711	<2	0.05	8	1781	<2	0.83	<5	5	202	5	0.22	<10	<10	182	<10	39	6
100770	<0.2	2.56	7	113	0.7	<5	4.93	2	37	9	916	7.16	<1	0.22	10	2.56	978	<2	0.04	9	1738	<2	1.20	<5	11	238	7	0.19	<10	<10	248	<10	50	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-2894-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#34**
Attn: **Stuart Fraser**

Oct-02-08

We *hereby certify* the following assay of 22 core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100771	0.77	0.71
100772	1.55	
100773	0.13	
100774	0.29	
100775	0.09	
100776	0.47	
100777	<0.01	
100778	<0.01	
100779	0.01	
100780	0.32	0.29
100781	0.22	
100782	1.73	
100783	0.10	
100784	0.10	
100785	0.11	
100786	0.13	
100787	0.04	
100788	0.29	
100789	0.34	
100790	0.01	0.01
100791	0.02	
100792	0.06	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**8V-2894-RA2**Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#34**
Attn: **Stuart Fraser**

Oct-02-08

We hereby certify the following assay of 3 core samples
submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100793	<0.01	<0.01
100794	<0.01	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#34

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2894RJ

Date : Oct-02-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100771	2.0	1.27	221	70	<0.5	<5	4.97	<1	25	22	2957	5.17	2	0.34	10	1.57	785	<2	0.02	5	1753	5	2.72	789	4	415	<5	<0.01	<10	<10	55	<10	131	4
100772	25.3	0.61	1682	86	<0.5	<5	4.35	1	22	29	1429	4.76	1	0.31	<10	1.61	869	<2	0.02	5	1373	4	2.36	678	4	504	<5	<0.01	<10	<10	36	<10	112	3
100773	<0.2	0.48	<5	131	<0.5	<5	4.09	1	9	11	77	2.83	<1	0.36	<10	0.74	1220	<2	0.03	2	1205	2	0.19	7	1	465	<5	<0.01	<10	<10	18	<10	16	3
100774	<0.2	0.49	5	106	<0.5	<5	3.86	1	11	11	47	2.98	<1	0.33	<10	0.78	1186	<2	0.03	3	1216	2	0.20	<5	2	361	<5	0.01	<10	<10	23	<10	18	3
100775	<0.2	0.46	<5	208	<0.5	<5	4.37	1	10	8	42	3.16	<1	0.35	<10	0.81	1311	<2	0.03	2	1307	<2	0.18	<5	1	604	<5	<0.01	<10	<10	19	<10	22	3
100776	0.9	1.08	281	102	<0.5	<5	3.95	2	12	28	156	3.61	<1	0.45	10	0.83	1100	2	0.03	3	1335	16	1.41	30	2	367	<5	<0.01	<10	<10	27	<10	69	5
100777	<0.2	0.45	<5	559	0.5	<5	2.20	1	5	26	<1	2.01	<1	0.33	44	0.53	784	<2	0.05	1	1301	8	0.06	<5	2	270	11	<0.01	<10	<10	15	<10	15	12
100778	<0.2	0.84	<5	513	0.6	<5	2.37	1	6	32	1	2.12	<1	0.35	45	0.59	663	<2	0.05	2	1311	3	0.05	<5	2	378	12	<0.01	<10	<10	18	<10	19	12
100779	<0.2	3.48	21	2449	2.4	<5	4.94	2	48	263	35	5.01	<1	1.55	72	5.73	1024	<2	0.05	267	4836	3	0.09	6	13	852	14	0.47	<10	<10	143	<10	62	13
100780	<0.2	1.10	19	131	<0.5	<5	2.86	1	9	18	23	2.57	<1	0.32	16	0.68	824	<2	0.03	4	1078	3	0.44	<5	1	226	5	0.01	<10	<10	27	<10	29	5
100781	<0.2	0.53	375	66	<0.5	<5	3.97	2	11	8	39	3.13	<1	0.34	<10	0.82	1227	<2	0.02	4	1184	11	0.42	9	1	298	<5	<0.01	<10	<10	14	<10	69	3
100782	5.6	0.51	754	186	<0.5	<5	4.78	2	20	23	1296	4.28	<1	0.35	<10	1.36	1062	<2	0.02	5	1323	7	2.12	327	3	620	<5	<0.01	<10	<10	26	<10	95	5
100783	<0.2	1.40	9	180	<0.5	<5	3.22	2	22	15	673	5.13	1	0.27	<10	1.70	664	<2	0.05	7	1261	2	1.89	<5	8	378	<5	0.04	<10	<10	155	<10	43	6
100784	<0.2	1.12	7	113	<0.5	<5	2.84	2	19	26	960	4.45	<1	0.23	<10	1.52	425	3	0.04	6	1311	3	3.04	6	7	593	5	0.02	<10	<10	111	<10	26	9
100785	1.8	1.09	12	153	0.5	<5	2.18	1	19	26	1633	4.05	<1	0.30	<10	1.70	719	<2	0.04	6	1296	8	1.84	6	6	363	6	0.01	<10	<10	65	<10	46	4
100786	2.5	0.97	15	79	0.5	<5	2.24	2	21	36	2277	4.13	<1	0.29	<10	1.60	751	<2	0.04	6	1272	7	2.03	9	6	364	5	<0.01	<10	<10	57	<10	54	4
100787	3.4	0.53	26	84	0.6	<5	1.29	1	3	50	17	1.61	<1	0.23	38	0.56	829	20	0.07	38	604	18	0.31	<5	1	148	12	<0.01	<10	<10	6	<10	49	10
100788	3.5	1.80	54	97	0.5	<5	0.74	3	18	89	3116	4.41	1	0.16	<10	0.90	738	39	0.07	155	780	114	0.79	<5	5	34	<5	0.13	<10	<10	64	<10	390	12
100789	<0.2	0.32	6	112	0.5	<5	0.97	<1	1	48	6	1.18	<1	0.22	38	0.22	801	<2	0.05	1	640	3	0.07	<5	1	111	11	<0.01	<10	<10	2	<10	45	7
100790	<0.2	0.35	<5	98	0.6	<5	0.92	<1	1	36	<1	1.07	<1	0.24	42	0.19	661	<2	0.06	1	601	4	0.05	<5	1	94	11	<0.01	<10	<10	1	<10	27	6
100791	<0.2	0.38	<5	75	0.6	<5	1.10	1	1	53	2	1.39	<1	0.22	38	0.24	843	2	0.07	1	693	7	0.15	<5	1	110	10	<0.01	<10	<10	1	<10	34	8
100792	<0.2	0.37	<5	59	0.7	<5	0.88	<1	1	43	1	1.27	<1	0.21	40	0.19	826	6	0.07	<1	585	6	0.06	<5	1	71	12	<0.01	<10	<10	1	<10	31	7
100793	<0.2	1.56	6	329	1.7	<5	1.00	1	37	164	40	4.31	1	1.34	28	3.73	577	<2	0.06	200	2028	5	0.02	<5	4	83	8	0.31	<10	<10	90	<10	55	17
100794	<0.2	1.96	<5	217	2.0	<5	4.01	2	32	390	29	4.32	<1	0.75	25	3.66	1084	<2	0.03	168	1737	3	0.01	<5	11	476	8	0.20	<10	<10	105	<10	65	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2895-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#35**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 22 core samples submitted Aug-08-08

Sample Name	Au g/tonne	Au-Check g/tonne
100795	0.01	0.01
100796	0.01	
100797	0.06	
100798	0.05	
100799	0.03	
100800	0.13	
100801	0.03	
100802	0.04	
100803	0.09	
100804	0.10	0.08
100805	0.04	
100806	0.27	
100807	0.06	
100808	0.03	
100809	0.11	
100810	0.04	
100811	0.03	
100812	0.02	
100813	0.01	
100814	0.02	0.02
100815	0.02	
100816	0.05	
*0211	2.14	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**8V-2895-RA2**

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#35**
Attn: **Stuart Fraser**

Sep-30-08

We *hereby certify* the following assay of 3 core samples
submitted Aug-08-08

Sample Name	Au g/tonne	Au-Check g/tonne
100817	0.11	0.12
100818	0.04	
*0211	2.29	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#35

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2895RJ


Date : Sep-30-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100795	<0.2	0.33	<5	32	<0.5	<5	0.36	1	2	75	33	0.72	<1	0.15	46	0.23	274	5	0.05	6	472	4	0.09	<5	1	59	12	<0.01	<10	<10	3	<10	37	8
100796	<0.2	1.28	<5	33	<0.5	<5	1.75	2	19	41	1110	4.59	<1	0.18	<10	1.54	418	2	0.03	7	1302	7	3.15	<5	6	133	7	0.01	<10	<10	112	<10	36	4
100797	<0.2	1.37	<5	77	<0.5	<5	3.02	2	22	32	1299	4.50	<1	0.15	<10	1.61	458	15	0.03	6	1334	2	2.63	<5	7	247	6	0.01	<10	<10	136	<10	24	4
100798	<0.2	1.03	<5	27	<0.5	<5	2.75	1	17	30	1761	4.11	<1	0.16	<10	1.19	357	<2	0.03	6	1226	2	3.33	<5	4	192	6	<0.01	<10	<10	89	<10	23	4
100799	<0.2	1.11	<5	24	<0.5	<5	2.50	1	18	35	1193	4.14	<1	0.20	<10	1.25	355	<2	0.03	5	1292	2	3.14	<5	4	131	8	0.01	<10	<10	96	<10	21	4
100800	<0.2	1.53	<5	42	<0.5	<5	3.42	2	21	25	1509	5.27	<1	0.14	12	1.74	706	<2	0.03	7	1338	2	1.30	<5	7	233	7	0.05	<10	<10	171	<10	35	6
100801	<0.2	1.33	<5	24	0.7	<5	2.32	1	21	29	631	4.34	1	0.09	<10	1.30	686	<2	0.04	6	1296	<2	0.21	<5	4	150	<5	0.18	<10	<10	149	<10	40	7
100802	<0.2	1.20	<5	18	0.5	<5	2.20	1	19	23	827	3.56	1	0.07	<10	1.13	597	<2	0.03	5	1097	3	0.48	<5	3	136	6	0.14	<10	<10	109	<10	35	6
100803	<0.2	1.52	<5	86	0.6	<5	3.15	2	24	46	1556	4.54	<1	0.10	10	1.70	730	<2	0.03	38	1449	2	0.40	<5	6	417	5	0.11	<10	<10	140	<10	37	7
100804	<0.2	1.64	<5	112	0.6	<5	3.04	2	29	39	711	6.60	<1	0.09	10	1.85	750	<2	0.03	27	1574	2	0.21	<5	6	426	6	0.11	<10	<10	172	<10	35	7
100805	<0.2	1.78	<5	100	<0.5	<5	3.37	2	27	20	1013	5.29	<1	0.14	12	1.87	774	15	0.03	5	1726	2	0.48	<5	8	321	6	0.05	<10	<10	154	<10	35	5
100806	<0.2	1.74	<5	99	0.6	<5	3.01	2	27	19	771	5.99	1	0.15	11	1.78	862	<2	0.04	5	1771	4	0.25	<5	7	322	6	0.09	<10	<10	168	<10	42	6
100807	<0.2	2.24	<5	74	0.5	<5	4.55	2	33	146	894	6.04	<1	0.13	13	3.06	860	<2	0.03	145	1786	<2	0.45	<5	8	481	6	0.02	<10	<10	162	<10	39	6
100808	<0.2	1.76	<5	33	<0.5	<5	3.91	2	26	11	509	6.14	<1	0.14	12	1.84	884	<2	0.03	5	1715	<2	0.16	<5	6	225	6	0.01	<10	<10	157	<10	35	5
100809	<0.2	1.81	<5	97	<0.5	<5	4.08	2	26	15	545	5.80	<1	0.13	11	1.89	867	<2	0.03	6	1643	3	0.41	<5	7	232	5	0.01	<10	<10	168	<10	34	5
100810	<0.2	1.82	<5	85	<0.5	<5	4.11	2	27	14	747	5.64	1	0.14	12	1.89	885	<2	0.03	6	1734	<2	0.38	<5	8	241	6	0.01	<10	<10	172	<10	35	5
100811	<0.2	1.63	<5	89	<0.5	<5	3.49	2	24	16	526	5.34	<1	0.13	13	1.60	902	<2	0.03	5	1590	2	0.14	<5	8	316	8	0.01	<10	<10	159	<10	38	5
100812	<0.2	2.01	<5	162	<0.5	<5	3.84	2	28	14	822	5.79	<1	0.17	12	1.98	1014	<2	0.03	5	1719	<2	0.36	<5	9	375	<5	0.01	<10	<10	159	<10	44	5
100813	7.8	1.82	6	100	0.7	<5	1.10	4	14	51	82	3.45	<1	0.15	<10	0.85	518	5	0.13	27	627	93	0.13	5	5	53	<5	0.19	<10	<10	76	<10	299	10
100814	<0.2	1.85	<5	170	<0.5	<5	3.66	2	23	16	468	5.73	<1	0.15	12	1.86	918	<2	0.03	6	1667	<2	0.13	<5	7	253	6	0.01	<10	<10	168	<10	43	5
100815	<0.2	2.38	<5	132	<0.5	<5	4.16	2	30	113	914	5.42	1	0.14	12	2.83	933	<2	0.03	94	1696	<2	0.36	<5	8	365	6	0.02	<10	<10	151	<10	42	5
100816	<0.2	2.15	<5	163	0.5	<5	3.68	2	24	15	463	5.64	<1	0.23	13	2.11	879	<2	0.03	6	1788	<2	0.21	<5	8	276	6	0.01	<10	<10	158	<10	40	5
100817	0.5	2.04	47	259	0.6	<5	4.53	3	26	40	1193	5.76	1	0.39	10	1.97	929	15	0.12	31	1518	16	1.47	5	11	145	<5	0.05	<10	<10	152	<10	112	8
100818	<0.2	2.09	<5	61	<0.5	<5	3.37	2	25	14	1446	5.77	<1	0.21	21	2.04	820	<2	0.04	7	3891	<2	0.52	<5	7	232	7	0.01	<10	<10	160	<10	44	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2896-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katic/Batch#39**
Attn: **Stuart Fraser**

Oct-22-08

We hereby certify the following assay of 22 drill core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100891	<0.01	<0.01
100892	0.03	
100893	0.02	
100894	0.04	
100895	0.03	
100896	0.06	
100897	0.11	
100898	0.11	
100899	0.05	
100900	0.03	0.02
100901	0.04	
100902	0.12	
100903	0.07	
100904	0.26	
100905	0.10	
100906	0.16	
100907	0.11	
100908	0.03	
100909	0.09	
100910	0.01	<0.01
100911	0.12	
100912	0.20	
*0211	2.17	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2896-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#39**
Attn: **Stuart Fraser**

Oct-22-08

We hereby certify the following assay of 3 drill core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100913	0.04	0.04
100914	0.01	
*0211	2.12	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#39

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **8V2896RJ**

Date : Oct-22-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100891	<0.2	2.11	<5	25	<0.5	<5	3.09	<1	27	78	109	5.60	<1	0.07	13	2.39	892	<2	0.05	35	2309	<2	0.20	<5	6	91	<5	0.30	<10	<10	138	<10	68	11
100892	<0.2	1.73	<5	35	<0.5	<5	3.35	<1	18	37	769	4.74	<1	0.10	<10	1.80	463	<2	0.04	8	1710	2	0.37	<5	6	157	<5	0.16	<10	<10	137	<10	28	3
100893	<0.2	1.95	<5	34	<0.5	<5	3.70	<1	24	27	476	5.47	<1	0.15	<10	2.01	569	<2	0.03	10	1696	2	0.95	<5	7	112	<5	0.19	<10	<10	142	<10	26	4
100894	<0.2	1.89	<5	47	<0.5	<5	4.42	<1	19	35	607	4.90	<1	0.18	<10	1.88	578	2	0.03	10	1378	2	0.54	<5	8	137	<5	0.16	<10	<10	130	<10	30	4
100895	<0.2	1.60	<5	21	<0.5	<5	3.99	<1	21	28	549	5.58	<1	0.05	<10	1.59	538	<2	0.04	11	1562	3	0.71	<5	5	136	<5	0.17	<10	<10	148	<10	30	5
100896	<0.2	1.63	7	20	<0.5	<5	2.15	<1	31	38	860	4.06	<1	0.05	<10	1.61	395	<2	0.04	12	1436	3	1.43	<5	5	80	<5	0.19	<10	<10	105	<10	24	3
100897	<0.2	1.08	6	17	<0.5	<5	1.49	<1	34	37	3326	3.72	<1	0.06	<10	1.08	227	<2	0.04	14	1503	8	2.50	<5	3	56	<5	0.17	<10	<10	88	<10	14	4
100898	<0.2	1.59	<5	21	<0.5	<5	1.95	<1	34	41	1392	4.47	<1	0.06	<10	1.60	366	<2	0.04	14	1605	4	1.85	<5	4	80	<5	0.21	<10	<10	124	<10	23	4
100899	<0.2	1.49	<5	24	<0.5	<5	2.44	<1	26	24	694	4.73	<1	0.07	<10	1.41	320	<2	0.03	7	1699	3	0.93	<5	3	96	<5	0.20	<10	<10	154	<10	21	4
100900	<0.2	1.44	<5	20	<0.5	<5	1.98	<1	18	38	350	3.76	1	0.05	<10	1.20	276	<2	0.03	7	1558	2	0.47	<5	2	123	<5	0.18	<10	<10	125	<10	18	4
100901	<0.2	1.67	<5	22	<0.5	<5	2.23	<1	22	24	309	3.97	<1	0.04	<10	1.46	324	2	0.03	7	1845	<2	1.12	<5	2	131	<5	0.20	<10	<10	121	<10	21	3
100902	0.3	1.96	51	248	<0.5	<5	4.71	2	27	43	1170	5.75	<1	0.38	<10	2.02	941	15	0.11	31	1689	19	1.50	<5	10	145	<5	0.05	<10	<10	151	<10	114	6
100903	<0.2	0.98	<5	18	<0.5	<5	1.54	<1	42	43	2026	3.80	<1	0.06	<10	0.92	169	2	0.05	15	1410	6	2.57	<5	3	58	<5	0.18	<10	<10	74	<10	11	4
100904	<0.2	1.14	<5	16	<0.5	<5	1.69	<1	55	34	6194	4.67	<1	0.07	<10	1.21	198	<2	0.04	20	1785	15	3.61	<5	3	80	<5	0.20	<10	<10	94	<10	17	4
100905	<0.2	1.69	<5	25	<0.5	<5	2.42	<1	42	44	2419	5.15	<1	0.07	<10	1.97	313	<2	0.04	22	1620	7	3.06	<5	6	99	<5	0.23	<10	<10	138	<10	22	4
100906	<0.2	2.41	<5	35	<0.5	<5	4.60	<1	35	40	3693	6.05	<1	0.18	<10	2.75	500	<2	0.02	22	1619	9	2.72	<5	10	170	<5	0.10	<10	<10	163	<10	66	3
100907	<0.2	1.43	<5	31	<0.5	<5	2.35	<1	26	56	3154	3.55	<1	0.09	<10	1.60	265	3	0.04	20	1486	8	1.74	<5	6	71	<5	0.19	<10	<10	111	<10	16	4
100908	<0.2	1.69	13	49	<0.5	<5	4.97	<1	29	32	456	4.90	<1	0.17	<10	1.60	423	<2	0.03	15	1421	4	2.27	<5	5	302	<5	0.07	<10	<10	89	<10	33	3
100909	<0.2	1.69	<5	116	<0.5	<5	3.04	<1	24	44	1220	5.23	<1	0.14	<10	1.64	329	<2	0.03	14	1387	5	2.76	<5	7	109	<5	0.12	<10	<10	123	<10	18	3
100910	6.4	1.62	<5	98	<0.5	<5	1.02	2	14	52	75	3.41	<1	0.14	<10	0.84	507	6	0.11	26	712	91	0.12	<5	4	40	<5	0.17	<10	<10	69	<10	295	7
100911	<0.2	1.77	7	31	<0.5	<5	3.40	<1	38	47	1693	4.82	<1	0.08	<10	2.07	490	<2	0.03	16	1882	6	2.56	<5	6	95	<5	0.18	<10	<10	130	<10	33	3
100912	<0.2	1.76	<5	31	<0.5	<5	3.26	<1	38	55	1892	5.26	<1	0.12	<10	2.13	542	<2	0.03	17	2030	5	3.26	<5	5	82	<5	0.22	<10	<10	136	<10	49	3
100913	<0.2	1.64	<5	32	<0.5	<5	3.26	<1	20	33	476	4.00	<1	0.15	<10	1.52	580	<2	0.04	9	1349	2	1.49	<5	4	98	<5	0.18	<10	<10	92	<10	41	3
100914	<0.2	1.78	<5	36	<0.5	<5	3.72	<1	24	43	89	4.12	<1	0.14	<10	1.64	1155	<2	0.04	28	1893	<2	0.12	<5	4	155	<5	0.20	<10	<10	103	<10	86	18

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2897-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#10**
Attn: **Stuart Fraser**

Sep-29-08

We *hereby certify* the following assay of 22 drill core samples submitted Dec-08-08

Sample Name	Au g/tonne	Au-Check g/tonne
100915	0.01	0.01
100916	0.02	
100917	0.06	
100918	0.10	
100919	0.04	
100920	0.08	
100921	0.07	
100922	0.04	
100923	0.04	
100924	0.76	0.82
100925	0.06	
100926	0.07	
100927	0.03	
100928	0.03	
100929	0.03	
100930	0.01	
100931	0.02	
100932	0.03	
100933	0.04	
100934	0.09	0.09
100935	0.04	
100936	0.04	
*0211	2.22	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2897-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#10**
Attn: **Stuart Fraser**

Sep-29-08

We *hereby certify* the following assay of 3 drill core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100937	0.01	<0.01
100938	<0.01	
*0211	2.12	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#10

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2897RJ

Date : Sep-29-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100915	<0.2	1.84	<5	27	0.7	<5	2.84	1	20	40	74	3.60	1	0.10	<10	1.57	915	<2	0.05	9	1758	<2	0.03	<5	3	199	<5	0.17	<10	<10	93	<10	65	19
100916	<0.2	1.46	<5	40	0.7	<5	3.16	1	18	21	94	3.54	<1	0.19	<10	1.14	976	<2	0.04	6	1472	<2	0.14	<5	2	126	<5	0.15	<10	<10	82	<10	62	16
100917	<0.2	1.41	5	27	0.5	<5	2.31	1	29	34	1001	4.03	<1	0.11	<10	1.25	446	<2	0.05	13	1311	2	2.41	<5	3	96	<5	0.15	<10	<10	76	<10	30	8
100918	<0.2	1.94	<5	23	0.7	<5	3.48	1	22	94	347	4.09	1	0.10	<10	2.24	440	<2	0.04	18	1548	<2	2.13	<5	5	93	5	0.20	<10	<10	110	<10	28	5
100919	<0.2	1.30	<5	23	0.5	<5	1.30	1	34	55	453	3.90	<1	0.11	<10	1.28	189	<2	0.06	20	1461	<2	2.72	<5	3	60	<5	0.17	<10	<10	81	<10	15	4
100920	<0.2	1.29	<5	21	0.6	<5	1.52	1	32	46	1009	3.55	1	0.10	<10	1.14	187	2	0.06	16	1256	<2	2.24	<5	4	68	6	0.17	<10	<10	82	<10	14	5
100921	<0.2	1.61	<5	27	0.5	<5	2.43	1	32	46	861	3.76	<1	0.11	<10	1.56	272	<2	0.06	14	1205	<2	2.01	<5	5	74	5	0.15	<10	10	102	<10	21	5
100922	<0.2	1.64	9	29	0.6	<5	1.75	1	32	38	979	4.15	<1	0.08	<10	1.57	267	2	0.05	13	1703	<2	2.55	<5	4	80	<5	0.18	<10	<10	98	<10	23	5
100923	<0.2	1.33	7	21	0.6	<5	1.97	1	35	41	891	4.13	<1	0.08	<10	1.16	198	<2	0.06	13	1551	2	3.24	<5	3	82	<5	0.17	<10	13	71	<10	17	5
100924	18.0	1.51	32	342	1.2	<5	1.32	3	32	7	5816	6.99	2	0.19	<10	0.98	341	320	0.19	11	1829	110	0.63	20	5	115	<5	0.18	<10	12	227	<10	179	12
100925	<0.2	1.24	7	37	0.5	<5	1.94	1	29	47	1234	3.61	1	0.16	<10	1.14	225	<2	0.05	17	1112	2	2.76	<5	4	65	5	0.15	<10	11	79	<10	19	5
100926	<0.2	1.37	5	27	0.5	<5	2.03	1	22	47	692	3.52	<1	0.11	<10	1.32	245	<2	0.05	14	1232	2	2.37	<5	5	80	5	0.13	<10	10	89	<10	19	5
100927	<0.2	1.17	7	23	0.5	<5	2.82	1	12	45	188	2.37	<1	0.11	<10	1.11	275	2	0.05	12	1160	<2	1.44	<5	4	88	5	0.14	<10	<10	85	<10	19	6
100928	<0.2	1.24	6	16	0.6	<5	2.63	1	18	42	848	2.64	<1	0.08	<10	1.28	251	2	0.05	12	1205	2	1.59	<5	6	105	5	0.15	<10	<10	91	<10	18	6
100929	<0.2	1.85	10	14	0.7	<5	2.72	1	27	60	438	3.46	<1	0.05	<10	1.71	338	2	0.05	13	1258	2	1.33	<5	6	193	5	0.18	<10	<10	99	<10	29	5
100930	<0.2	2.73	6	1198	1.8	<5	2.87	1	38	100	55	4.37	1	1.17	23	4.36	732	<2	0.07	182	3043	7	0.08	<5	3	222	6	0.39	<10	<10	99	<10	50	23
100931	<0.2	1.52	6	23	0.7	<5	2.54	1	18	66	371	2.50	<1	0.10	<10	1.57	279	<2	0.05	14	1324	<2	0.97	<5	4	127	<5	0.19	<10	<10	95	<10	21	5
100932	<0.2	1.46	8	19	0.7	<5	2.62	1	18	60	486	2.41	1	0.09	<10	1.47	269	<2	0.05	15	1290	<2	0.92	<5	4	133	5	0.19	<10	<10	92	<10	19	5
100933	<0.2	1.72	6	20	0.7	<5	2.42	1	29	49	391	3.70	1	0.09	<10	1.67	316	2	0.05	14	1306	<2	1.54	<5	5	111	5	0.18	<10	<10	116	<10	26	5
100934	<0.2	1.52	<5	21	0.5	<5	2.75	1	30	38	636	3.75	1	0.10	<10	1.42	294	<2	0.05	15	1166	<2	1.82	<5	5	91	5	0.14	<10	<10	99	<10	23	4
100935	<0.2	1.51	5	18	0.6	<5	1.73	1	30	46	940	3.45	1	0.08	<10	1.31	266	<2	0.05	15	1258	<2	1.56	<5	3	86	<5	0.17	<10	<10	87	<10	23	5
100936	<0.2	1.53	5	20	0.7	<5	1.63	1	29	34	608	3.58	<1	0.09	<10	1.31	274	<2	0.05	13	1199	<2	1.56	<5	4	95	5	0.17	<10	<10	89	<10	25	5
100937	<0.2	2.10	<5	122	1.3	<5	4.05	2	20	81	54	4.50	<1	0.23	29	2.24	812	<2	0.03	15	2831	5	0.18	<5	11	376	7	0.06	<10	<10	120	<10	64	9
100938	<0.2	1.96	5	54	0.6	<5	3.22	1	19	18	162	4.54	<1	0.26	15	1.65	747	<2	0.04	5	2772	2	0.50	<5	5	118	<5	0.08	<10	<10	74	<10	66	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2898-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#41**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 22 drill core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100939	<0.01	<0.01
100940	0.04	
100941	0.21	
100942	<0.01	
100943	0.06	
100944	0.02	
100945	0.03	
100946	0.18	
100947	0.02	
100948	0.04	0.03
100949	0.07	
100950	0.03	
100951	0.06	
100952	0.03	
100953	0.01	
100954	<0.01	
100955	0.03	
100956	0.02	
100957	0.02	
100958	0.13	0.14
100959	0.03	
100960	0.05	
*0211	2.07	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2898-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#41**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 3 drill core samples submitted Aug-12-08

Sample Name	Au g/tonne	Au-Check g/tonne
100961	0.05	0.06
100962	0.05	
*0211	2.16	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#41

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2898RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100939	1.2	2.04	<5	121	<0.5	<5	4.12	<1	18	62	24	4.82	<1	0.24	27	2.13	858	<2	0.03	8	2856	14	0.15	<5	9	306	<5	0.02	<10	<10	92	<10	85	5
100940	<0.2	1.57	<5	57	<0.5	<5	3.54	<1	19	33	386	3.46	<1	0.19	<10	1.54	332	<2	0.04	10	1142	7	1.44	<5	5	91	<5	0.08	<10	<10	78	<10	20	3
100941	<0.2	1.57	9	44	<0.5	<5	4.51	<1	29	34	339	4.27	<1	0.14	<10	1.51	611	<2	0.03	17	1025	7	2.01	<5	4	117	<5	0.08	<10	<10	72	<10	30	3
100942	8.3	1.69	<5	107	<0.5	<5	1.03	3	16	52	68	3.53	<1	0.15	<10	0.86	536	5	0.11	27	672	101	0.14	8	5	39	<5	0.15	<10	<10	74	<10	338	7
100943	<0.2	1.08	<5	79	<0.5	<5	4.43	<1	17	16	131	2.98	<1	0.27	<10	0.86	837	<2	0.02	6	1094	4	0.85	<5	2	179	<5	0.03	<10	<10	28	<10	39	2
100944	<0.2	1.94	<5	85	<0.5	<5	4.16	<1	22	52	60	4.40	<1	0.15	<10	1.89	1126	<2	0.03	10	1607	4	0.04	<5	4	167	<5	0.09	<10	<10	88	<10	83	6
100945	0.2	1.17	<5	96	<0.5	<5	4.91	<1	26	47	706	4.44	3	0.16	<10	1.15	935	4	0.03	13	1266	6	0.65	<5	3	142	<5	0.07	<10	<10	69	<10	77	6
100946	<0.2	1.39	<5	72	<0.5	<5	4.31	<1	33	78	565	4.84	3	0.16	<10	1.48	633	6	0.03	16	1067	8	1.72	<5	4	183	<5	0.04	16	<10	71	<10	51	3
100947	<0.2	1.39	<5	47	<0.5	<5	2.17	<1	30	45	582	4.24	<1	0.09	<10	1.42	316	<2	0.04	14	1113	9	2.51	<5	5	93	<5	0.11	<10	<10	84	<10	25	3
100948	<0.2	1.77	<5	44	<0.5	<5	2.81	<1	34	57	496	4.37	<1	0.11	<10	1.88	390	<2	0.04	14	1217	8	2.80	<5	6	109	<5	0.13	<10	<10	91	<10	29	5
100949	<0.2	1.66	<5	38	<0.5	<5	4.00	<1	30	44	530	4.40	1	0.11	<10	1.70	510	<2	0.03	13	1149	7	2.10	<5	6	114	<5	0.10	<10	<10	107	<10	26	5
100950	<0.2	1.70	<5	38	<0.5	<5	4.02	<1	28	45	524	4.41	<1	0.11	<10	1.77	505	<2	0.04	13	1144	7	2.07	<5	6	114	<5	0.11	<10	<10	107	<10	25	5
100951	<0.2	1.48	<5	22	<0.5	<5	2.71	<1	30	38	513	4.02	1	0.07	<10	1.42	452	<2	0.04	11	1257	6	1.14	<5	4	87	<5	0.14	<10	<10	119	<10	25	4
100952	<0.2	1.40	<5	33	<0.5	<5	3.43	<1	19	21	461	4.61	<1	0.10	<10	1.41	458	<2	0.04	4	1401	8	0.86	<5	5	140	<5	0.07	<10	<10	126	<10	28	3
100953	<0.2	1.57	<5	32	<0.5	<5	3.29	<1	17	15	422	4.49	<1	0.12	<10	1.70	369	<2	0.04	3	1527	7	1.10	<5	6	162	<5	0.04	<10	<10	135	<10	26	3
100954	<0.2	2.20	9	295	<0.5	<5	3.29	<1	21	54	398	4.46	<1	0.26	36	2.23	534	<2	0.16	26	2363	7	0.62	<5	9	296	7	0.12	<10	<10	126	<10	31	9
100955	<0.2	1.43	<5	33	<0.5	<5	1.91	<1	27	20	749	4.06	<1	0.13	<10	1.59	234	2	0.04	4	1372	8	1.92	<5	5	61	<5	0.10	<10	<10	107	<10	27	2
100956	<0.2	1.38	<5	32	<0.5	<5	1.52	<1	26	24	665	3.74	1	0.10	<10	1.54	244	<2	0.04	5	1474	7	1.44	<5	4	58	<5	0.14	<10	<10	115	<10	29	2
100957	<0.2	1.19	<5	25	<0.5	<5	1.97	<1	21	21	401	3.40	<1	0.09	<10	1.28	237	<2	0.04	3	1458	6	1.72	<5	3	64	<5	0.11	<10	<10	94	<10	22	2
100958	0.6	1.76	39	242	<0.5	<5	4.21	2	24	39	1016	5.24	<1	0.33	<10	1.85	852	11	0.10	27	1364	22	1.52	<5	10	130	<5	0.03	<10	<10	134	<10	115	5
100959	<0.2	0.96	<5	30	<0.5	<5	1.57	<1	27	26	487	3.47	<1	0.09	<10	0.90	232	<2	0.04	6	1526	7	2.21	<5	2	66	<5	0.12	<10	<10	77	<10	18	3
100960	<0.2	0.96	<5	28	<0.5	<5	2.45	<1	28	29	902	3.70	<1	0.08	<10	0.91	339	<2	0.04	8	1238	8	2.29	<5	3	84	<5	0.12	<10	<10	78	<10	19	3
100961	<0.2	1.10	<5	20	<0.5	<5	2.05	<1	27	65	773	3.41	<1	0.06	<10	1.04	389	<2	0.04	11	1154	7	1.57	<5	2	68	<5	0.12	<10	<10	75	<10	20	7
100962	<0.2	1.29	<5	22	<0.5	<5	2.32	<1	31	37	859	4.26	<1	0.06	<10	1.25	403	15	0.04	12	1136	9	1.78	<5	3	79	<5	0.14	<10	<10	98	<10	23	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-2937-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#36**
Attn: **Stuart Fraser**

Nov-03-08

We hereby certify the following assay of 22 core samples submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100819	0.03	0.03
100820	0.06	
100821	0.07	
100822	0.03	
100823	0.01	
100824	0.02	
100825	0.03	
100826	0.03	
100827	0.05	
100828	0.04	0.03
100829	0.08	
100830	0.05	
100831	0.02	
100832	0.01	
100833	<0.01	
100834	0.01	
100835	0.02	
100836	0.04	
100837	0.02	
100838	0.04	0.04
100839	0.02	
100840	0.11	
*0211	2.19	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2937-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#36**
Attn: **Stuart Fraser**

Nov-03-08

We *hereby certify* the following assay of 3 core samples submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100841	0.18	0.18
100842	0.25	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#36

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2937RJ

Date : Nov-03-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100819	<0.2	1.76	<5	117	<0.5	<5	2.97	2	19	11	556	4.85	<1	0.17	10	1.69	746	<2	0.03	7	1551	5	0.40	<5	6	244	6	<0.01	<10	<10	131	<10	40	4
100820	<0.2	1.80	<5	114	<0.5	<5	4.16	1	22	9	710	4.76	<1	0.19	<10	1.70	797	4	0.04	6	1510	2	0.99	<5	7	318	6	0.01	<10	<10	126	<10	34	4
100821	0.9	1.85	<5	202	<0.5	<5	3.47	2	22	11	2470	4.98	1	0.18	<10	1.83	745	2	0.03	6	1702	3	0.94	<5	7	273	6	0.01	<10	<10	133	<10	35	4
100822	0.3	2.14	<5	167	<0.5	<5	2.56	2	22	8	851	4.91	<1	0.16	11	1.99	790	2	0.04	8	1632	<2	0.39	<5	7	247	6	<0.01	<10	<10	138	<10	47	4
100823	<0.2	2.46	<5	21	0.7	<5	3.55	2	31	96	495	6.32	<1	0.09	10	2.65	799	<2	0.02	62	1385	<2	0.37	<5	13	277	5	0.04	<10	<10	204	<10	66	5
100824	<0.2	2.48	<5	209	<0.5	<5	4.85	2	37	71	795	6.04	<1	0.07	<10	2.85	1160	<2	0.04	25	1353	<2	0.71	<5	20	455	5	0.02	<10	<10	218	<10	82	4
100825	<0.2	2.53	<5	91	<0.5	<5	4.45	2	37	70	604	6.10	<1	0.09	<10	2.86	1105	<2	0.02	25	1324	2	0.57	<5	19	574	6	0.05	<10	<10	223	<10	77	4
100826	<0.2	2.71	<5	58	0.7	<5	5.16	2	34	173	356	5.48	<1	0.11	<10	3.17	1182	<2	0.03	66	1386	<2	0.48	<5	17	484	5	0.13	<10	<10	210	<10	72	5
100827	<0.2	2.62	<5	103	0.9	<5	4.14	2	37	250	635	5.24	1	0.36	<10	3.17	1057	<2	0.02	98	1626	<2	0.44	<5	13	342	<5	0.23	<10	<10	184	<10	61	5
100828	<0.2	2.62	<5	115	0.8	<5	4.69	2	35	179	324	5.62	<1	0.25	<10	3.07	1078	<2	0.03	67	1541	<2	0.18	<5	16	642	<5	0.18	<10	<10	208	<10	66	6
100829	<0.2	2.27	<5	61	0.8	<5	4.81	2	35	24	321	6.23	<1	0.10	<10	2.44	1050	<2	0.03	15	1745	<2	0.75	<5	15	846	6	0.15	<10	<10	206	<10	53	6
100830	<0.2	2.05	<5	83	0.5	<5	5.55	2	31	22	413	5.98	<1	0.07	<10	2.28	1143	<2	0.03	14	1559	<2	0.85	<5	13	550	<5	0.10	<10	<10	186	<10	55	5
100831	<0.2	0.48	<5	42	<0.5	<5	0.83	<1	2	22	23	1.46	<1	0.17	36	0.22	343	3	0.05	2	594	3	0.10	<5	1	53	15	0.01	<10	<10	20	<10	8	5
100832	<0.2	0.46	<5	41	<0.5	<5	0.98	<1	2	18	20	1.49	<1	0.18	36	0.21	493	5	0.05	2	609	2	0.11	<5	1	60	13	0.01	<10	<10	9	<10	8	5
100833	<0.2	2.41	<5	99	0.8	<5	3.64	1	27	90	26	4.96	1	0.15	15	2.55	1228	<2	0.04	45	1728	<2	0.09	<5	8	404	6	0.14	<10	<10	95	<10	77	7
100834	<0.2	2.05	<5	38	0.6	<5	4.21	2	28	59	332	5.04	<1	0.11	<10	2.29	1011	<2	0.03	18	1420	<2	0.65	<5	13	430	<5	0.12	<10	<10	163	<10	63	4
100835	<0.2	2.01	<5	63	0.8	<5	3.97	2	28	38	214	5.89	<1	0.25	<10	2.19	918	<2	0.04	15	1556	<2	0.23	<5	12	322	5	0.16	<10	<10	194	<10	60	5
100836	<0.2	2.16	<5	40	0.8	<5	4.81	2	34	29	251	5.90	<1	0.24	<10	2.16	1062	<2	0.03	15	1613	<2	1.11	<5	10	364	<5	0.15	<10	<10	171	<10	59	5
100837	<0.2	2.08	<5	62	1.0	<5	3.60	2	28	49	266	5.16	<1	0.32	<10	2.14	918	<2	0.05	14	1471	<2	0.14	<5	10	479	5	0.23	<10	<10	179	<10	55	5
100838	<0.2	1.54	<5	31	0.8	<5	4.00	1	43	55	397	4.54	<1	0.17	<10	1.64	851	5	0.02	15	1543	4	1.09	<5	5	309	<5	0.20	<10	<10	135	<10	46	5
100839	<0.2	2.00	<5	46	0.9	<5	3.31	2	33	152	351	5.75	<1	0.15	<10	2.26	927	<2	0.05	49	1651	5	0.49	<5	6	290	<5	0.23	<10	<10	174	<10	60	5
100840	0.9	2.35	<5	45	0.7	<5	4.48	2	34	222	1931	5.11	<1	0.19	<10	2.80	1036	<2	0.02	81	1684	29	0.44	<5	8	209	<5	0.21	<10	<10	174	<10	72	5
100841	0.5	2.24	<5	49	0.8	<5	4.45	2	32	219	1265	4.85	<1	0.19	<10	2.61	983	<2	0.04	78	1634	19	0.34	<5	7	210	<5	0.21	<10	<10	163	<10	66	5
100842	3.2	1.98	63	104	0.7	<5	0.77	3	20	95	3137	4.81	1	0.16	<10	0.99	808	43	0.07	169	938	101	0.86	<5	5	36	5	0.14	<10	<10	70	<10	381	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2938-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#37**
Attn: **Stuart Fraser**

Sep-30-08

We *hereby certify* the following assay of 22 core samples submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100843	0.14	0.11
100844	0.02	
100845	0.03	
100846	0.05	
100847	0.03	
100848	0.02	
100849	0.05	
100850	0.04	
100851	0.06	
100852	0.01	<0.01
100853	0.01	
100854	0.02	
100855	0.05	
100856	0.08	
100857	0.02	
100858	0.04	
100859	0.06	
100860	0.09	
100861	0.09	
100862	0.14	0.14
100863	0.06	
100864	0.07	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**8V-2938-RA2**Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#37**
Attn: **Stuart Fraser**

Sep-30-08

We *hereby certify* the following assay of 3 core samples
submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100865	0.01	0.01
100866	0.19	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#37

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2938RJ

Date : Sep-30-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100843	0.5	2.12	<5	73	<0.5	<5	3.82	<1	35	113	1060	4.82	1	0.33	<10	2.44	824	<2	0.04	50	1377	16	0.44	<5	7	241	<5	0.24	<10	<10	176	<10	66	3
100844	<0.2	1.83	<5	35	<0.5	<5	1.05	<1	23	32	268	5.06	<1	0.13	<10	1.50	530	<2	0.07	19	1394	7	<0.01	<5	7	117	<5	0.22	<10	<10	171	<10	30	4
100845	<0.2	2.02	<5	29	<0.5	<5	1.04	<1	24	41	348	3.98	<1	0.11	<10	1.71	482	<2	0.05	13	1405	5	<0.01	<5	6	113	<5	0.20	<10	<10	143	<10	31	3
100846	<0.2	2.04	<5	40	<0.5	<5	1.10	<1	27	37	430	5.97	<1	0.14	<10	1.66	551	<2	0.06	13	1468	9	<0.01	<5	8	142	<5	0.21	<10	<10	210	<10	31	4
100847	<0.2	2.62	<5	26	<0.5	<5	0.75	<1	33	29	700	5.34	1	0.09	<10	2.62	789	<2	0.04	15	1397	7	<0.01	<5	11	83	<5	0.22	<10	<10	197	<10	50	4
100848	<0.2	1.94	<5	24	<0.5	<5	0.89	<1	21	25	595	3.06	1	0.09	<10	1.84	533	<2	0.07	10	1312	5	<0.01	<5	8	121	<5	0.20	<10	<10	142	<10	27	4
100849	<0.2	1.34	<5	23	<0.5	<5	0.91	<1	34	20	761	1.97	<1	0.11	<10	1.13	693	<2	0.07	9	1501	5	<0.01	<5	3	99	<5	0.17	<10	<10	105	<10	15	3
100850	<0.2	2.04	<5	23	<0.5	<5	0.91	<1	22	40	389	4.14	<1	0.09	<10	1.90	584	<2	0.07	9	1274	6	<0.01	<5	7	124	<5	0.18	<10	<10	152	<10	34	5
100851	<0.2	1.69	<5	22	<0.5	<5	0.80	<1	24	27	825	3.87	<1	0.09	18	1.69	568	<2	0.05	7	1426	8	<0.01	<5	6	115	<5	0.17	<10	<10	157	<10	24	5
100852	<0.2	2.97	<5	30	<0.5	<5	1.30	<1	36	21	853	6.10	<1	0.07	24	2.65	1089	<2	0.08	11	2376	10	<0.01	<5	6	140	5	0.30	<10	<10	137	<10	78	14
100853	<0.2	1.47	<5	23	<0.5	<5	1.18	<1	19	27	284	4.67	<1	0.09	<10	1.15	495	<2	0.07	10	1423	7	<0.01	<5	3	165	<5	0.18	<10	<10	158	<10	22	5
100854	<0.2	1.43	<5	27	<0.5	<5	1.31	<1	19	18	302	4.72	<1	0.11	<10	0.95	432	<2	0.09	6	1616	6	<0.01	<5	3	181	<5	0.19	<10	<10	159	<10	19	6
100855	0.3	1.39	<5	19	<0.5	<5	0.87	<1	21	27	1472	6.01	1	0.08	<10	1.29	399	<2	0.06	10	1749	13	0.11	<5	3	84	<5	0.16	<10	<10	245	<10	29	5
100856	1.0	2.17	<5	24	<0.5	<5	0.91	<1	26	21	2862	4.18	1	0.11	10	2.30	636	<2	0.08	9	1470	15	0.30	<5	6	95	<5	0.24	<10	<10	261	<10	49	8
100857	<0.2	1.81	<5	19	<0.5	<5	0.94	<1	17	19	240	2.89	<1	0.08	11	1.77	557	<2	0.06	6	1660	3	<0.01	<5	4	115	<5	0.17	<10	<10	123	<10	36	7
100858	0.2	1.97	<5	39	<0.5	<5	0.87	<1	21	43	542	5.21	1	0.13	12	2.08	561	<2	0.09	10	1949	8	0.02	<5	7	72	<5	0.22	<10	<10	225	<10	60	5
100859	0.2	2.11	<5	27	<0.5	<5	2.60	<1	23	39	673	5.20	<1	0.11	<10	2.62	556	<2	0.04	12	1446	8	0.45	<5	11	103	<5	0.16	<10	<10	231	<10	46	4
100860	<0.2	1.70	<5	28	<0.5	<5	3.39	<1	42	26	990	6.94	1	0.12	15	1.94	503	<2	0.06	14	3933	12	1.35	<5	8	131	5	0.18	<10	<10	340	<10	29	5
100861	<0.2	2.02	<5	20	<0.5	<5	4.81	<1	31	24	1507	6.63	1	0.09	10	2.32	640	<2	0.04	15	2513	13	1.02	<5	8	141	<5	0.16	<10	<10	296	<10	32	4
100862	0.2	1.44	<5	23	<0.5	<5	3.21	<1	31	34	1567	5.37	<1	0.11	10	1.67	427	<2	0.05	11	1481	12	3.28	<5	6	122	<5	0.15	<10	<10	190	<10	19	4
100863	<0.2	1.54	<5	23	<0.5	<5	3.18	<1	25	26	610	4.63	<1	0.11	<10	1.78	437	<2	0.04	11	1395	7	2.28	<5	6	110	<5	0.13	<10	<10	148	<10	19	4
100864	<0.2	1.30	<5	28	<0.5	<5	2.33	<1	28	36	847	5.30	1	0.12	<10	1.36	351	<2	0.05	12	1409	9	2.10	<5	3	84	<5	0.15	<10	<10	184	<10	16	4
100865	3.9	1.46	<5	86	0.6	<5	0.75	2	12	41	53	2.99	1	0.12	<10	0.73	440	4	0.09	24	544	48	0.08	<5	4	36	<5	0.14	<10	<10	61	<10	173	8
100866	0.5	1.74	41	211	0.5	<5	4.11	3	24	35	1096	5.16	1	0.32	<10	1.77	840	12	0.10	28	1407	14	1.31	<5	9	129	<5	0.04	<10	<10	134	<10	99	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2939-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#38**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 22 core samples submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100867	0.12	0.11
100868	0.10	
100869	0.11	
100870	0.13	
100871	0.14	
100872	0.10	
100873	0.10	
100874	0.04	
100875	0.15	
100876	0.14	0.13
100877	0.10	
100878	0.06	
100879	0.05	
100880	0.03	
100881	0.04	
100882	0.18	
100883	0.23	
100884	0.11	
100885	0.03	
100886	0.18	0.17
100887	0.27	
100888	0.06	
*0211	2.16	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

*Quality Assaying for over 25 Years***Assay Certificate****8V-2939-RA2**Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#38**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 3 core samples
submitted Aug-13-08

Sample Name	Au g/tonne	Au-Check g/tonne
100889	0.02	0.03
100890	0.01	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#38

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2939RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100867	<0.2	1.52	<5	18	<0.5	<5	1.86	<1	23	41	804	4.66	<1	0.09	<10	1.85	325	<2	0.04	20	755	8	2.12	<5	5	66	<5	0.13	<10	<10	165	<10	19	3
100868	<0.2	1.39	<5	23	<0.5	<5	2.36	<1	22	24	632	5.06	<1	0.12	<10	1.66	335	<2	0.04	20	861	7	1.07	<5	6	97	<5	0.12	<10	<10	198	<10	18	3
100869	<0.2	1.60	<5	28	<0.5	<5	3.73	<1	21	22	892	5.10	<1	0.15	<10	1.81	442	<2	0.04	10	822	8	0.67	<5	8	172	<5	0.08	<10	<10	181	<10	19	3
100870	<0.2	1.12	<5	23	<0.5	<5	2.02	<1	21	30	712	4.40	<1	0.14	<10	1.24	261	<2	0.04	11	1366	8	3.77	<5	4	64	<5	0.08	<10	<10	93	<10	12	3
100871	<0.2	1.23	<5	45	<0.5	<5	2.60	<1	20	46	1556	4.05	<1	0.29	<10	1.22	260	<2	0.04	9	652	10	3.77	<5	4	81	<5	0.07	<10	<10	79	<10	10	3
100872	<0.2	1.23	<5	35	<0.5	<5	2.74	<1	23	31	1264	4.63	<1	0.14	<10	1.47	307	<2	0.05	10	601	9	4.36	<5	7	95	<5	0.13	<10	<10	107	<10	14	4
100873	<0.2	1.16	<5	40	<0.5	<5	1.87	<1	21	58	948	4.61	<1	0.18	<10	1.37	267	<2	0.05	9	506	9	4.71	<5	6	53	<5	0.13	<10	<10	105	<10	13	4
100874	<0.2	1.31	<5	29	<0.5	<5	1.52	<1	20	33	224	4.16	<1	0.08	<10	1.53	316	<2	0.04	8	642	5	2.39	<5	6	52	<5	0.15	<10	<10	124	<10	20	4
100875	1.1	1.09	5	38	<0.5	<5	5.39	<1	18	48	3993	3.73	<1	0.26	<10	0.93	1017	<2	0.02	9	747	22	3.32	<5	4	118	<5	0.06	<10	<10	89	<10	99	2
100876	<0.2	1.72	<5	21	<0.5	<5	2.20	<1	28	34	1412	6.43	<1	0.10	<10	1.78	374	<2	0.04	12	1570	13	3.75	<5	5	106	<5	0.11	<10	<10	191	<10	25	4
100877	<0.2	2.30	<5	26	<0.5	<5	3.75	<1	22	182	63	3.96	<1	0.10	<10	2.70	701	<2	0.04	31	1110	4	0.14	<5	8	99	<5	0.12	<10	<10	106	<10	95	5
100878	<0.2	1.60	<5	29	<0.5	<5	2.87	<1	23	41	597	5.56	<1	0.11	<10	1.76	387	<2	0.04	12	647	10	3.59	<5	8	127	<5	0.11	<10	<10	150	<10	37	4
100879	<0.2	1.86	<5	34	<0.5	<5	3.34	<1	20	29	566	5.81	<1	0.17	<10	2.10	405	<2	0.05	9	915	8	0.72	<5	10	143	<5	0.14	<10	<10	197	<10	24	5
100880	<0.2	1.76	<5	29	<0.5	<5	3.47	<1	18	21	397	5.54	1	0.15	<10	2.04	399	<2	0.04	8	935	7	0.75	<5	9	140	<5	0.13	<10	<10	183	<10	21	4
100881	<0.2	1.45	6	47	<0.5	<5	3.31	<1	20	30	679	5.35	<1	0.12	11	1.69	375	<2	0.06	8	2252	9	3.39	<5	8	151	<5	0.09	<10	<10	153	<10	23	4
100882	0.5	0.87	53	84	<0.5	<5	4.19	2	17	20	1049	3.95	<1	0.36	<10	1.88	454	<2	0.02	8	1848	11	2.20	55	5	387	<5	<0.01	<10	<10	41	<10	252	2
100883	2.3	0.73	429	94	<0.5	<5	4.50	13	21	26	1125	3.86	<1	0.43	<10	1.43	502	2	0.03	10	1098	99	1.67	156	3	319	<5	<0.01	<10	<10	25	<10	370	2
100884	<0.2	0.83	8	114	<0.5	<5	4.85	<1	26	16	1917	3.42	<1	0.48	<10	1.42	530	<2	0.03	11	1134	12	1.41	8	3	333	<5	<0.01	<10	<10	27	<10	27	2
100885	<0.2	1.84	<5	259	<0.5	<5	4.77	<1	19	22	559	4.43	<1	0.28	<10	1.95	580	<2	0.04	9	1138	7	0.60	<5	7	382	<5	0.04	<10	<10	121	<10	33	3
100886	<0.2	1.99	<5	110	<0.5	<5	4.72	<1	21	12	776	4.96	<1	0.23	<10	2.02	616	<2	0.03	11	1171	7	0.78	<5	8	256	<5	0.08	<10	<10	158	<10	31	3
100887	3.3	2.02	52	120	<0.5	<5	0.80	2	22	103	3124	4.80	<1	0.19	<10	1.01	829	34	0.08	168	719	122	0.92	<5	6	33	<5	0.14	<10	<10	72	<10	403	11
100888	<0.2	2.07	7	68	<0.5	<5	4.99	<1	21	18	518	5.07	<1	0.27	<10	1.81	610	<2	0.04	9	1149	7	0.64	<5	7	186	<5	0.08	<10	<10	109	<10	28	2
100889	<0.2	1.92	<5	38	<0.5	<5	3.12	<1	29	30	422	5.25	1	0.09	<10	1.83	518	<2	0.06	10	1238	7	0.55	<5	7	168	<5	0.18	<10	<10	152	<10	29	5
100890	<0.2	2.18	<5	32	<0.5	<5	3.00	<1	30	73	176	5.36	<1	0.10	13	2.29	838	<2	0.08	31	1778	8	0.20	5	6	116	<5	0.30	<10	<10	138	<10	63	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#38

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2939RP

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100867	<0.2	1.85	<5	23	<0.5	<5	2.68	1	33	72	1035	6.37	1	0.11	<10	2.48	431	<2	0.04	28	1144	17	2.68	<5	6	93	<5	0.22	<10	11	208	<10	24	5
100868	<0.2	1.62	<5	28	<0.5	<5	3.20	1	29	34	758	6.68	1	0.16	<10	2.12	425	<2	0.05	26	1258	15	1.40	<5	8	120	<5	0.18	<10	<10	237	<10	21	5
100869	<0.2	1.90	<5	35	<0.5	<5	5.11	1	28	32	1057	6.98	1	0.21	<10	2.35	565	<2	0.05	14	1203	17	0.85	<5	10	207	<5	0.12	<10	<10	225	<10	24	5
100870	<0.2	1.53	<5	33	<0.5	<5	3.25	1	31	44	949	6.62	<1	0.20	<10	1.83	358	<2	0.05	16	2215	15	4.68	<5	6	91	<5	0.15	<10	<10	125	<10	15	5
100871	<0.2	1.40	<5	57	<0.5	<5	3.41	1	27	58	1875	5.11	<1	0.36	<10	1.60	323	<2	0.04	12	933	14	4.40	<5	5	95	<5	0.11	<10	<10	98	<10	14	4
100872	<0.2	1.39	<5	42	<0.5	<5	3.63	1	30	42	1458	5.86	<1	0.17	<10	1.86	385	<2	0.05	13	818	14	4.87	<5	8	108	<5	0.20	<10	10	126	<10	16	5
100873	<0.2	1.23	<5	45	<0.5	<5	2.35	1	26	67	1057	5.46	<1	0.21	<10	1.59	308	<2	0.05	11	627	12	4.93	<5	7	59	<5	0.18	<10	<10	116	<10	15	6
100874	<0.2	1.45	<5	34	<0.5	<5	2.09	1	26	45	272	5.22	<1	0.11	<10	1.98	404	<2	0.05	11	885	12	2.81	<5	7	69	<5	0.23	<10	<10	148	<10	25	6
100875	1.0	1.26	9	46	<0.5	<5	7.00	1	23	59	5071	4.96	1	0.33	<10	1.17	1266	<2	0.02	11	1100	19	3.77	<5	5	131	<5	0.09	<10	<10	106	<10	113	3
100876	<0.2	1.78	7	23	<0.5	<5	2.68	1	34	43	1547	7.75	1	0.11	<10	2.09	420	<2	0.04	15	2111	20	4.01	<5	6	112	<5	0.15	<10	<10	207	<10	25	5
100877	<0.2	2.43	<5	31	<0.5	<5	4.69	1	28	223	64	4.89	<1	0.11	10	3.25	891	<2	0.05	39	1683	16	0.18	<5	9	114	<5	0.16	<10	<10	124	<10	122	6
100878	<0.2	1.77	6	35	<0.5	<5	3.77	1	31	58	698	7.13	1	0.14	<10	2.20	490	<2	0.04	17	906	18	4.24	<5	9	154	<5	0.18	<10	13	179	<10	45	6
100879	<0.2	2.05	<5	42	<0.5	<5	4.33	1	26	41	652	7.51	1	0.20	<10	2.58	512	<2	0.05	12	1327	18	0.93	<5	11	167	<5	0.22	<10	13	231	<10	28	7
100880	<0.2	1.93	<5	35	<0.5	<5	4.41	1	24	28	447	7.05	1	0.18	<10	2.49	497	<2	0.04	11	1353	17	0.96	<5	11	161	<5	0.20	<10	12	212	<10	25	6
100881	<0.2	1.58	11	56	<0.5	<5	4.24	1	26	40	743	6.75	<1	0.15	13	2.09	448	<2	0.06	11	3331	14	3.87	<5	9	169	<5	0.13	<10	<10	181	<10	27	6
100882	0.6	0.88	80	95	<0.5	<5	4.93	4	20	25	1134	4.61	<1	0.41	<10	2.12	520	<2	0.02	9	2565	10	2.45	82	5	404	<5	<0.01	<10	<10	44	<10	289	2
100883	2.3	0.64	586	95	<0.5	<5	4.62	19	23	29	1125	3.94	<1	0.42	<10	1.42	541	2	0.03	11	1383	100	1.84	254	3	297	<5	<0.01	<10	<10	25	<10	370	2
100884	<0.2	0.72	10	117	<0.5	<5	5.04	1	29	18	1878	3.53	<1	0.46	<10	1.41	536	2	0.02	11	1500	8	1.53	<5	3	296	<5	<0.01	<10	<10	28	<10	28	2
100885	<0.2	1.76	<5	277	<0.5	<5	5.45	1	22	30	555	5.09	1	0.29	<10	2.07	653	<2	0.04	11	1597	14	0.69	<5	7	368	<5	0.05	<10	<10	128	<10	36	3
100886	<0.2	1.86	<5	117	<0.5	<5	5.30	1	25	17	768	5.63	1	0.23	<10	2.21	695	<2	0.03	12	1639	20	0.91	<5	8	247	<5	0.10	<10	<10	164	<10	34	3
100887	3.3	1.92	74	123	<0.5	<5	1.03	4	25	108	3309	5.35	<1	0.18	<10	1.17	897	47	0.07	193	931	137	1.02	<5	6	34	<5	0.17	<10	<10	70	14	418	12
100888	<0.2	2.02	12	78	<0.5	<5	5.71	1	26	23	517	5.86	<1	0.29	<10	2.01	714	<2	0.03	11	1627	14	0.78	<5	7	182	<5	0.10	<10	<10	117	<10	32	3
100889	<0.2	1.91	6	40	<0.5	<5	3.67	1	32	34	441	5.75	1	0.10	<10	1.91	555	<2	0.06	12	1576	16	0.58	<5	8	201	<5	0.25	<10	<10	158	<10	29	7
100890	<0.2	1.97	9	32	<0.5	<5	3.27	1	31	74	171	5.52	<1	0.10	12	2.32	805	<2	0.07	31	2180	15	0.21	<5	6	121	<5	0.37	<10	<10	139	<10	59	13

Au 1 A.T.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2940-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#42**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 22 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
100963	0.07	0.08
100964	0.06	
100965	0.05	
100966	0.04	
100967	0.04	
100968	<0.01	
100969	0.03	
100970	0.02	
100971	0.02	
100972	0.01	0.03
100973	0.03	
100974	0.01	
100975	0.02	
100976	0.05	
100977	0.02	
100978	0.01	
100979	0.37	
100980	<0.01	
100981	0.03	
100982	0.03	0.04
100983	0.05	
100984	0.04	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2940-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#42**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 3 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
100985	0.01	0.01
100986	0.01	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#42

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2940RJ


Date : Sep-30-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100963	<0.2	2.26	35	47	<0.5	<5	5.17	<1	37	54	896	6.35	<1	0.21	<10	2.10	602	<2	0.05	17	1505	14	1.76	10	8	239	<5	0.11	<10	<10	145	<10	47	6
100964	<0.2	1.68	144	23	<0.5	<5	2.63	3	44	42	1071	4.86	<1	0.08	<10	1.57	405	2	0.06	18	1486	11	1.68	<5	4	138	<5	0.16	<10	<10	121	<10	26	4
100965	<0.2	1.53	8	22	<0.5	<5	3.73	<1	34	83	779	5.52	<1	0.08	<10	1.62	496	2	0.05	16	1606	10	1.41	<5	6	149	<5	0.14	<10	<10	146	<10	25	4
100966	<0.2	1.87	6	24	<0.5	<5	3.07	<1	43	36	949	5.42	<1	0.10	<10	1.59	465	<2	0.05	17	1484	9	1.77	<5	5	152	<5	0.18	<10	<10	126	<10	25	5
100967	<0.2	1.87	10	59	<0.5	<5	3.32	<1	42	41	680	5.82	<1	0.25	<10	1.76	524	<2	0.05	18	1685	10	1.27	<5	6	163	<5	0.16	<10	<10	179	<10	30	3
100968	<0.2	2.17	6	463	<0.5	<5	2.16	<1	51	203	71	5.99	<1	1.61	32	5.08	874	<2	0.06	236	2322	11	0.10	<5	8	202	7	0.32	<10	<10	121	<10	59	18
100969	<0.2	2.17	10	68	<0.5	<5	3.79	<1	43	39	689	6.08	<1	0.27	10	2.01	582	<2	0.06	19	1716	10	1.25	<5	9	204	<5	0.16	<10	<10	200	<10	39	4
100970	<0.2	1.58	<5	49	<0.5	<5	2.70	<1	47	43	616	5.17	<1	0.21	10	1.22	403	<2	0.06	20	1770	9	1.19	<5	3	184	<5	0.19	<10	<10	152	<10	25	4
100971	<0.2	1.54	<5	65	<0.5	<5	2.79	<1	36	49	525	5.76	<1	0.28	<10	1.32	446	<2	0.06	16	1715	10	0.71	<5	4	164	<5	0.18	<10	<10	184	<10	25	4
100972	<0.2	1.95	<5	118	<0.5	<5	4.22	<1	37	53	334	5.70	<1	0.39	10	1.99	660	<2	0.06	24	1712	8	0.52	<5	6	233	<5	0.19	<10	<10	193	<10	35	4
100973	<0.2	2.31	<5	393	<0.5	<5	3.11	<1	38	84	442	5.93	<1	0.71	13	2.82	641	<2	0.06	60	1905	9	0.56	<5	7	227	<5	0.23	<10	<10	186	<10	40	8
100974	<0.2	1.75	<5	27	<0.5	<5	2.07	<1	30	43	323	4.73	<1	0.09	<10	1.50	436	<2	0.06	14	1449	6	0.77	<5	4	133	<5	0.20	<10	<10	129	<10	26	4
100975	<0.2	1.82	<5	33	<0.5	<5	2.27	<1	30	52	338	5.31	<1	0.12	<10	1.53	465	<2	0.07	15	1380	7	0.61	<5	4	128	<5	0.21	<10	<10	156	<10	26	4
100976	<0.2	1.76	5	28	<0.5	<5	2.35	<1	34	51	749	4.75	<1	0.10	<10	1.49	449	<2	0.07	15	1546	8	0.66	<5	5	155	<5	0.21	<10	<10	152	<10	28	4
100977	<0.2	2.16	<5	33	<0.5	<5	3.55	<1	32	25	227	5.84	<1	0.14	<10	2.16	642	<2	0.06	12	1701	8	0.45	<5	9	231	<5	0.20	<10	<10	218	<10	45	4
100978	0.2	2.03	6	27	<0.5	<5	3.96	<1	21	29	529	5.07	<1	0.10	<10	1.81	621	<2	0.06	10	1720	7	0.24	<5	7	284	<5	0.16	<10	<10	171	<10	44	4
100979	3.8	2.39	58	139	<0.5	<5	0.95	3	25	118	3466	5.54	<1	0.22	<10	1.16	953	40	0.09	195	827	140	1.07	<5	7	38	<5	0.16	<10	<10	83	<10	457	12
100980	<0.2	2.20	<5	29	<0.5	<5	2.13	<1	36	22	427	5.29	<1	0.08	<10	2.31	644	<2	0.06	13	1794	7	0.55	<5	5	158	<5	0.23	<10	<10	175	<10	52	4
100981	<0.2	1.70	<5	29	<0.5	<5	2.99	<1	38	54	646	4.34	<1	0.11	<10	1.57	490	<2	0.08	16	1800	8	1.07	<5	4	189	<5	0.19	<10	<10	136	<10	30	4
100982	<0.2	1.52	<5	26	<0.5	<5	2.69	<1	33	32	563	4.00	<1	0.09	<10	1.39	413	<2	0.06	13	1465	6	1.01	<5	3	151	<5	0.16	<10	<10	110	<10	24	3
100983	<0.2	1.32	5	27	<0.5	<5	2.11	<1	36	36	600	3.76	<1	0.07	<10	1.28	425	2	0.05	17	1469	7	0.92	<5	3	132	<5	0.17	<10	<10	108	<10	25	3
100984	<0.2	1.35	<5	13	<0.5	<5	2.73	<1	18	47	165	2.68	<1	0.05	<10	0.83	352	2	0.05	8	1274	4	0.15	<5	3	257	<5	0.16	<10	<10	82	<10	12	5
100985	<0.2	1.46	<5	18	<0.5	<5	3.43	<1	16	24	259	2.55	<1	0.07	<10	1.50	573	3	0.05	9	1454	<2	0.18	<5	6	211	<5	0.13	<10	<10	103	<10	32	4
100986	<0.2	1.71	<5	21	<0.5	<5	4.61	<1	16	35	37	3.79	<1	0.07	<10	2.05	940	<2	0.04	9	1242	<2	0.09	<5	7	180	<5	0.12	<10	<10	135	<10	42	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2941-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#43**
Attn: **Stuart Fraser**

Sep-29-08

We hereby certify the following assay of 22 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
100987	0.03	0.03
100988	0.04	
100989	0.03	
100990	0.21	
100991	0.05	
100992	0.10	
100993	<0.01	
100994	0.02	
100995	0.03	
100996	0.02	0.01
100997	0.02	
100998	0.01	
100999	0.04	
101000	0.03	
101001	<0.01	
101002	0.01	
101003	0.01	
101004	0.01	
101005	0.01	
101006	0.02	0.02
101007	0.72	
101008	0.03	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by 

Quality Assaying for over 25 Years

Assay Certificate

8V-2941-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#43**
Attn: **Stuart Fraser**

Sep-29-08

We hereby certify the following assay of 3 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
101009	0.03	0.02
101010	0.01	
*0211	2.17	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#43

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2941RJ

Date : Sep-29-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
100987	<0.2	2.51	<5	236	<0.5	<5	5.85	<1	28	39	342	6.29	<1	0.13	<10	3.02	1076	<2	0.03	17	1372	4	0.82	<5	15	512	<5	0.06	<10	<10	197	<10	57	4
100988	<0.2	2.29	6	301	<0.5	<5	6.00	<1	28	32	572	5.47	<1	0.18	<10	2.83	903	<2	0.04	17	1300	4	1.21	<5	12	605	<5	0.01	<10	<10	163	<10	50	3
100989	<0.2	0.84	24	130	<0.5	<5	7.08	<1	24	34	398	4.63	<1	0.41	<10	2.19	1060	<2	0.02	10	1110	5	1.14	<5	5	382	<5	<0.01	<10	<10	38	<10	23	2
100990	2.4	0.79	195	50	<0.5	<5	7.21	4	24	32	549	5.94	<1	0.39	<10	2.06	1157	<2	0.01	10	1105	8	3.39	18	6	442	<5	<0.01	<10	11	23	<10	32	3
100991	0.8	0.72	409	58	<0.5	<5	5.79	8	19	16	170	4.68	<1	0.40	<10	1.40	907	2	0.03	4	1425	4	2.92	<5	3	278	<5	<0.01	<10	<10	19	<10	19	3
100992	2.1	1.33	941	69	<0.5	<5	5.60	19	27	51	125	5.25	<1	0.50	<10	1.05	698	2	0.02	7	1317	7	4.13	14	3	290	<5	0.01	<10	<10	35	<10	27	3
100993	<0.2	1.95	<5	402	<0.5	<5	1.45	<1	46	162	53	5.01	<1	1.61	30	4.10	660	<2	0.06	196	2118	9	0.05	<5	4	112	9	0.32	<10	<10	105	<10	63	16
100994	<0.2	2.10	<5	359	<0.5	<5	1.09	<1	47	217	54	5.18	<1	1.79	29	4.48	665	<2	0.07	222	2091	8	0.03	<5	3	110	9	0.32	<10	<10	102	<10	62	17
100995	<0.2	1.67	<5	103	<0.5	<5	3.03	<1	20	28	360	4.52	1	0.50	10	1.56	643	23	0.08	8	1428	5	0.40	<5	6	133	<5	0.12	<10	<10	152	<10	42	3
100996	<0.2	0.86	6	483	<0.5	<5	2.67	<1	9	29	55	2.41	<1	0.36	38	0.56	776	4	0.04	3	1202	6	0.41	<5	1	211	10	<0.01	<10	<10	16	<10	27	7
100997	<0.2	0.48	<5	660	<0.5	<5	2.40	<1	6	28	4	2.25	<1	0.35	52	0.60	933	<2	0.05	1	1268	11	0.07	<5	2	242	12	<0.01	<10	<10	13	<10	26	7
100998	<0.2	0.81	<5	398	<0.5	<5	2.29	<1	7	37	27	2.48	<1	0.32	44	0.58	796	3	0.05	2	1173	8	0.15	<5	2	180	9	<0.01	<10	<10	29	<10	34	7
100999	<0.2	1.46	<5	90	<0.5	<5	3.09	<1	20	22	261	4.67	<1	0.13	11	1.59	606	2	0.05	5	1403	3	0.47	<5	7	367	<5	0.06	<10	<10	136	<10	44	3
101000	<0.2	1.41	<5	342	<0.5	<5	4.20	<1	16	18	200	4.29	<1	0.24	12	1.61	711	2	0.05	4	1130	3	0.32	<5	6	432	<5	0.02	<10	<10	104	<10	43	3
101001	<0.2	0.32	<5	181	<0.5	<5	1.15	<1	1	44	14	1.14	<1	0.26	57	0.20	879	<2	0.06	1	550	2	0.02	<5	1	92	14	<0.01	<10	<10	2	<10	17	7
101002	<0.2	0.41	<5	81	0.5	<5	1.29	<1	1	42	1	1.36	<1	0.31	60	0.25	989	<2	0.06	1	705	<2	<0.01	<5	1	97	14	<0.01	<10	<10	2	<10	17	5
101003	<0.2	0.36	<5	113	<0.5	<5	1.18	<1	2	44	5	1.09	<1	0.27	59	0.23	834	<2	0.06	1	603	<2	0.02	<5	1	79	14	<0.01	<10	<10	1	<10	14	5
101004	<0.2	0.64	<5	279	<0.5	<5	1.56	<1	4	75	1	1.74	<1	0.26	50	0.73	1274	<2	0.06	46	799	<2	0.03	<5	2	118	12	<0.01	<10	<10	9	<10	24	7
101005	<0.2	0.38	<5	95	<0.5	<5	1.23	<1	1	47	<1	1.34	<1	0.26	53	0.30	1109	<2	0.06	8	689	2	0.02	<5	1	106	13	<0.01	<10	<10	1	<10	20	7
101006	<0.2	0.42	<5	110	<0.5	<5	1.09	<1	1	52	3	1.07	<1	0.25	57	0.17	784	<2	0.07	1	508	2	0.02	<5	1	92	15	<0.01	<10	<10	1	<10	14	7
101007	19.8	2.01	28	441	<0.5	<5	1.68	1	37	43	5821	7.48	2	0.35	10	1.10	404	274	0.30	10	1558	138	0.65	13	6	163	<5	0.23	<10	<10	260	<10	206	14
101008	0.2	1.69	<5	94	<0.5	<5	3.30	<1	29	30	429	4.61	<1	0.17	13	1.63	1179	7	0.04	8	1320	8	0.87	<5	7	382	<5	0.06	<10	<10	136	<10	84	4
101009	<0.2	1.81	<5	83	<0.5	<5	2.82	<1	27	30	620	4.10	1	0.11	10	1.72	545	4	0.05	9	1594	4	0.63	<5	7	415	<5	0.15	<10	<10	146	<10	41	4
101010	<0.2	1.72	<5	45	<0.5	<5	3.39	<1	21	27	174	3.91	1	0.13	10	1.65	538	3	0.05	8	1487	2	0.37	<5	9	209	<5	0.13	<10	<10	130	<10	36	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2942-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#44**
Attn: **Stuart Fraser**

Sep-23-08

We hereby certify the following assay of 22 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
101011	0.04	0.03
101012	0.06	
101013	0.06	
101014	0.03	
101015	0.05	
101016	0.02	
101017	0.01	
101018	0.01	
101019	0.01	
101020	<0.01	<0.01
101021	0.01	
101022	0.02	
101023	<0.01	
101024	<0.01	
101025	0.31	
101026	0.01	
101027	0.01	
101028	0.01	
101029	0.01	
101030	<0.01	0.02
101031	0.01	
101032	0.02	
*0211	2.17	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2942-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#44**
Attn: **Stuart Fraser**

Sep-23-08

We hereby certify the following assay of 3 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
101033	0.05	0.04
101034	0.70	
*0211	2.15	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#44

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2942RJ

Date : Sep-23-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101011	<0.2	2.55	38	46	<0.5	<5	5.81	<1	27	28	268	5.67	<1	0.16	10	2.68	958	2	0.04	12	1405	2	1.00	<5	13	293	<5	0.03	<10	<10	161	<10	49	3
101012	<0.2	2.51	<5	74	<0.5	<5	4.15	<1	39	13	971	5.88	<1	0.15	<10	2.61	859	3	0.04	13	1546	5	1.56	<5	11	414	<5	0.12	<10	<10	174	<10	45	4
101013	<0.2	2.71	<5	134	<0.5	<5	4.98	<1	38	11	844	6.31	<1	0.23	<10	2.64	724	6	0.03	12	1446	5	2.31	<5	10	390	<5	0.01	<10	<10	154	<10	45	3
101014	<0.2	1.05	5	55	<0.5	<5	4.22	<1	27	22	466	4.55	<1	0.47	<10	1.30	432	4	0.03	10	1088	5	3.14	<5	4	972	<5	<0.01	<10	<10	29	<10	17	2
101015	<0.2	1.51	12	98	<0.5	<5	4.24	<1	25	26	171	4.71	<1	0.47	<10	1.67	524	<2	0.02	11	1259	3	2.02	<5	5	360	<5	<0.01	<10	<10	37	<10	24	2
101016	<0.2	3.43	<5	1167	<0.5	<5	4.63	<1	40	217	46	5.54	<1	1.06	42	4.82	1012	<2	0.07	124	2818	6	0.18	<5	12	534	7	0.27	<10	<10	144	<10	63	6
101017	<0.2	2.17	5	113	<0.5	<5	4.03	<1	21	28	81	5.41	<1	0.36	10	2.23	831	<2	0.04	25	1470	4	0.44	<5	8	231	<5	0.07	<10	<10	139	<10	41	4
101018	<0.2	1.62	<5	93	<0.5	<5	3.40	<1	19	24	136	4.95	<1	0.20	<10	1.42	615	2	0.05	6	1366	2	0.22	<5	5	296	<5	0.08	<10	<10	139	<10	30	3
101019	<0.2	1.58	<5	51	<0.5	<5	2.09	<1	19	27	82	5.18	<1	0.16	<10	1.43	420	<2	0.06	6	1384	2	0.19	<5	5	121	<5	0.12	<10	<10	161	<10	27	3
101020	<0.2	1.53	<5	47	<0.5	<5	1.84	<1	34	25	91	5.15	<1	0.15	<10	1.39	519	2	0.05	8	1501	2	0.83	<5	4	111	<5	0.13	<10	<10	143	<10	39	3
101021	<0.2	2.08	<5	33	<0.5	<5	1.99	<1	26	39	150	4.88	<1	0.10	<10	1.81	675	<2	0.04	7	1495	2	0.37	<5	5	146	<5	0.15	<10	<10	143	<10	51	3
101022	<0.2	2.20	<5	34	<0.5	<5	1.88	<1	28	36	136	5.33	<1	0.11	<10	2.02	726	<2	0.05	8	1589	2	0.47	<5	5	134	<5	0.14	<10	<10	153	<10	58	3
101023	<0.2	1.47	<5	44	<0.5	<5	2.05	<1	24	25	140	4.95	<1	0.14	<10	1.14	509	2	0.05	7	1495	3	0.21	<5	3	136	<5	0.14	<10	<10	151	<10	36	3
101024	<0.2	1.69	<5	45	<0.5	<5	3.00	<1	24	35	77	5.09	<1	0.15	<10	1.45	589	2	0.07	7	1425	2	0.79	<5	4	154	<5	0.15	<10	<10	147	<10	37	3
101025	3.3	2.38	51	136	<0.5	<5	0.87	3	21	111	3380	5.20	<1	0.29	<10	1.07	871	34	0.12	173	694	117	0.95	<5	6	36	<5	0.12	<10	<10	71	<10	382	9
101026	<0.2	1.91	<5	62	<0.5	<5	2.50	<1	23	51	95	4.46	<1	0.12	<10	1.65	562	<2	0.04	22	1435	2	0.26	<5	4	234	<5	0.14	<10	<10	123	<10	33	4
101027	<0.2	2.73	<5	124	<0.5	<5	0.92	<1	22	47	143	5.58	<1	0.29	<10	2.13	678	<2	0.06	19	1190	2	0.02	<5	9	52	<5	0.16	<10	<10	170	<10	65	5
101028	<0.2	2.16	<5	32	<0.5	<5	0.64	<1	18	13	529	5.71	1	0.12	<10	1.86	420	<2	0.05	6	1513	3	<0.01	<5	9	61	<5	0.14	<10	<10	187	<10	27	4
101029	<0.2	1.67	<5	34	<0.5	<5	0.75	<1	19	18	229	4.54	<1	0.17	12	1.18	466	<2	0.06	4	1334	<2	<0.01	<5	5	84	<5	0.14	<10	<10	158	<10	31	3
101030	<0.2	1.50	<5	34	<0.5	<5	0.63	<1	18	16	189	4.20	<1	0.15	12	1.09	529	<2	0.06	4	1215	2	<0.01	<5	5	75	5	0.13	<10	<10	151	<10	32	3
101031	<0.2	1.96	<5	41	<0.5	<5	0.45	<1	22	15	307	5.02	<1	0.15	11	1.51	596	<2	0.04	6	1329	2	<0.01	<5	9	32	<5	0.09	<10	<10	173	<10	37	3
101032	<0.2	1.99	<5	61	<0.5	<5	0.57	<1	25	13	353	5.13	<1	0.21	13	1.42	694	<2	0.04	8	1559	2	<0.01	<5	8	38	<5	0.10	<10	<10	159	<10	39	4
101033	0.2	2.31	<5	62	<0.5	<5	0.69	<1	31	25	525	5.52	1	0.16	<10	2.14	588	<2	0.03	19	1614	4	<0.01	<5	12	65	<5	0.13	<10	<10	197	<10	68	3
101034	0.3	2.26	<5	46	<0.5	<5	0.67	<1	32	16	1052	5.69	1	0.13	<10	2.19	464	<2	0.03	15	1651	7	<0.01	<5	13	61	<5	0.16	<10	<10	216	<10	63	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2943-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#45**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 22 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
101035	0.04	0.03
101036	0.02	
101037	0.03	
101038	0.03	
101039	0.04	
101040	0.05	
101041	0.01	
101042	0.03	
101043	0.01	
101044	0.08	0.05
101045	0.04	
101046	0.02	
101047	0.04	
101048	0.07	
101049	0.20	
101050	0.07	
101051	0.05	
101052	0.08	
101053	0.06	
101054	0.07	0.05
101055	0.06	
101056	0.04	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2943-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#45**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 3 core samples submitted Aug-18-08

Sample Name	Au g/tonne	Au-Check g/tonne
101057	0.05	0.05
101058	0.12	
*0211	2.17	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#45

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2943RJ

Date : Sep-30-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101035	0.2	1.84	<5	80	<0.5	<5	0.41	2	24	14	656	5.27	<1	0.23	<10	1.45	435	2	0.02	16	1778	6	<0.01	<5	9	27	<5	0.05	<10	<10	126	<10	67	5
101036	0.2	2.10	<5	63	0.7	<5	0.44	2	25	14	762	5.08	<1	0.19	<10	2.05	423	<2	0.04	12	1755	2	0.01	<5	11	32	<5	0.11	<10	<10	192	<10	41	5
101037	<0.2	1.82	<5	38	0.7	<5	0.57	1	22	21	575	4.58	1	0.16	<10	1.74	413	<2	0.04	10	1652	3	0.01	<5	8	62	<5	0.14	<10	<10	167	<10	34	5
101038	<0.2	1.93	<5	34	0.7	<5	0.74	2	19	17	441	4.66	<1	0.15	<10	1.69	476	<2	0.04	9	1700	2	0.01	<5	5	101	<5	0.14	<10	<10	148	<10	39	5
101039	<0.2	1.33	<5	25	0.7	<5	0.70	1	13	23	505	4.05	<1	0.10	<10	1.13	370	<2	0.04	8	1535	2	0.01	<5	3	89	5	0.16	<10	<10	124	<10	30	5
101040	<0.2	1.70	<5	31	0.8	<5	0.65	2	20	18	504	4.75	<1	0.09	<10	1.55	512	<2	0.04	9	1600	2	0.08	<5	8	86	5	0.15	<10	<10	152	<10	40	6
101041	7.4	1.54	<5	87	0.7	<5	0.86	3	12	43	74	3.03	<1	0.13	<10	0.75	448	5	0.11	25	551	83	0.11	6	4	43	<5	0.15	<10	<10	65	<10	275	7
101042	<0.2	1.77	<5	35	0.8	<5	0.68	2	21	19	451	4.63	<1	0.13	<10	1.56	565	<2	0.04	8	1463	3	0.01	<5	9	99	<5	0.15	<10	<10	167	<10	40	5
101043	<0.2	2.11	<5	59	1.1	<5	0.68	2	24	64	413	4.82	<1	0.08	29	2.15	752	<2	0.04	16	3075	4	<0.01	<5	12	49	6	0.08	<10	<10	141	<10	95	9
101044	<0.2	1.94	<5	75	1.2	<5	0.68	1	23	59	760	4.39	<1	0.17	17	1.97	707	<2	0.03	18	2314	5	0.02	<5	10	63	5	0.12	<10	<10	139	<10	75	7
101045	<0.2	1.09	<5	23	0.5	<5	2.01	1	18	28	405	3.87	<1	0.17	<10	1.25	273	<2	0.05	7	1160	<2	2.99	<5	5	73	<5	0.11	<10	<10	106	<10	12	5
101046	<0.2	1.09	<5	28	0.5	<5	2.10	2	22	22	361	4.72	<1	0.20	<10	1.30	305	5	0.04	7	1131	<2	3.89	<5	5	80	<5	0.11	<10	<10	109	<10	11	5
101047	0.3	1.16	<5	26	0.6	<5	1.96	1	20	29	1103	4.60	<1	0.16	<10	1.38	318	<2	0.05	8	1283	2	3.71	<5	7	73	<5	0.14	<10	<10	137	<10	14	5
101048	<0.2	1.33	<5	23	0.6	<5	2.00	2	26	21	739	5.06	<1	0.16	<10	1.55	331	155	0.04	7	1083	2	3.81	<5	7	81	<5	0.12	<10	<10	144	19	15	5
101049	0.4	1.69	34	248	0.5	<5	3.84	3	22	33	1011	4.88	<1	0.32	<10	1.66	786	13	0.10	26	1277	12	1.22	<5	9	121	<5	0.04	<10	<10	128	<10	91	6
101050	<0.2	1.24	<5	24	0.5	<5	2.21	1	19	22	508	4.30	<1	0.16	<10	1.33	346	3	0.04	6	1281	2	3.02	<5	6	105	<5	0.11	<10	<10	113	<10	13	5
101051	<0.2	1.15	<5	34	<0.5	<5	2.36	1	19	21	834	4.36	<1	0.13	<10	1.42	319	<2	0.04	5	1223	<2	3.17	<5	7	108	<5	0.06	<10	<10	135	<10	18	4
101052	<0.2	0.98	<5	35	<0.5	<5	1.62	1	21	30	670	4.52	<1	0.13	<10	1.16	193	<2	0.04	6	1046	2	3.50	<5	5	72	6	0.01	<10	<10	137	<10	15	3
101053	<0.2	0.94	<5	38	<0.5	<5	1.67	1	17	26	780	4.13	<1	0.14	<10	1.13	183	4	0.05	5	1152	2	3.34	<5	5	82	6	0.01	<10	<10	111	<10	15	3
101054	0.3	0.89	<5	53	<0.5	<5	1.38	1	15	40	1006	3.51	<1	0.16	<10	1.03	152	<2	0.06	5	1117	3	2.72	<5	4	77	6	0.01	<10	<10	97	<10	14	3
101055	0.6	0.67	<5	33	<0.5	<5	1.12	1	14	30	1340	2.95	<1	0.14	<10	0.81	148	14	0.04	4	903	2	2.32	<5	4	75	6	0.01	<10	<10	77	<10	16	2
101056	0.2	0.79	<5	52	<0.5	<5	1.33	1	13	46	815	2.46	<1	0.19	<10	0.95	198	<2	0.05	4	723	<2	1.64	<5	5	70	5	0.05	<10	<10	93	<10	13	2
101057	0.3	1.09	<5	75	<0.5	<5	1.79	1	17	32	1083	3.86	<1	0.20	<10	1.35	234	44	0.04	6	1503	<2	2.52	<5	5	94	5	0.02	<10	10	133	<10	15	3
101058	0.4	1.65	<5	45	0.5	<5	2.95	1	23	25	1358	4.78	<1	0.17	12	1.84	398	6	0.04	7	2821	<2	2.72	5	8	103	<5	0.07	<10	<10	150	<10	20	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2975-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#46**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 22 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101059	0.04	0.04
101060	0.09	
101061	0.17	
101062	0.08	
101063	0.06	
101064	0.06	
101065	0.15	
101066	0.07	
101067	0.06	
101068	<0.01	0.01
101069	0.02	
101070	0.09	
101071	0.86	
101072	0.01	
101073	0.03	
101074	0.09	
101075	0.12	
101076	0.15	
101077	0.05	
101078	0.05	0.04
101079	0.05	
101080	0.06	
*0211	2.11	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2975-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#46**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 3 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101081	0.03	0.03
101082	0.03	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#46

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2975RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101059	<0.2	1.78	<5	30	<0.5	<5	3.18	<1	38	14	607	5.99	1	0.17	<10	1.99	446	<2	0.04	7	2065	5	4.27	<5	10	125	<5	0.12	<10	<10	181	<10	24	4
101060	0.2	1.48	<5	29	<0.5	<5	3.55	<1	27	13	1195	4.70	1	0.15	<10	1.65	422	2	0.04	6	1267	8	3.15	<5	9	136	<5	0.12	<10	<10	159	<10	24	3
101061	<0.2	1.48	<5	31	<0.5	<5	3.56	<1	23	12	700	5.53	1	0.13	<10	1.64	435	<2	0.03	7	975	7	3.96	<5	11	168	<5	0.08	<10	<10	180	<10	27	3
101062	0.3	1.68	<5	29	<0.5	<5	2.72	<1	26	53	1286	5.43	1	0.17	<10	1.88	346	<2	0.04	7	1195	6	3.52	<5	10	119	<5	0.14	<10	<10	165	<10	24	3
101063	0.2	1.33	<5	21	<0.5	<5	2.38	<1	26	31	1013	4.73	<1	0.11	<10	1.45	289	<2	0.04	7	1131	6	3.56	<5	5	129	<5	0.12	<10	<10	119	<10	16	4
101064	0.3	1.47	<5	26	<0.5	<5	2.27	<1	29	17	1061	4.96	<1	0.14	<10	1.62	300	<2	0.05	7	1245	6	3.62	<5	6	133	<5	0.14	<10	<10	125	<10	18	4
101065	0.2	1.25	<5	25	<0.5	<5	2.29	<1	26	15	1004	4.35	<1	0.13	<10	1.33	290	<2	0.04	7	1036	5	3.20	<5	5	109	<5	0.14	<10	<10	116	<10	17	3
101066	0.2	1.27	<5	36	<0.5	<5	2.95	<1	27	20	1048	4.59	<1	0.17	<10	1.39	323	3	0.04	7	1108	6	3.48	<5	6	104	<5	0.16	<10	<10	153	<10	16	3
101067	0.3	1.07	<5	24	<0.5	<5	4.21	<1	35	17	1140	5.48	1	0.12	<10	1.10	493	8	0.04	7	1215	8	>5.00	<5	6	122	<5	0.14	<10	<10	138	<10	25	4
101068	<0.2	2.07	<5	22	<0.5	<5	2.16	<1	23	17	16	5.57	<1	0.07	16	1.95	1054	<2	0.05	<1	3417	4	0.18	<5	5	90	<5	0.25	<10	<10	90	<10	102	10
101069	<0.2	2.64	<5	20	<0.5	<5	4.66	<1	46	8	345	6.71	1	0.16	<10	2.78	924	<2	0.03	10	1997	5	1.30	<5	6	187	<5	0.21	<10	<10	217	<10	36	5
101070	0.4	3.97	5	23	<0.5	<5	7.22	<1	49	10	977	7.96	1	0.28	<10	4.05	1434	<2	0.01	11	1945	5	1.34	<5	9	179	<5	0.15	<10	<10	241	10	59	4
101071	21.8	1.72	32	408	<0.5	<5	1.54	1	40	7	5616	7.60	2	0.22	<10	1.11	391	281	0.21	11	1639	154	0.71	18	6	136	<5	0.18	<10	<10	270	<10	206	10
101072	<0.2	2.17	<5	48	<0.5	<5	2.48	<1	40	11	378	5.79	<1	0.25	<10	1.99	650	21	0.03	10	1646	7	0.82	<5	4	180	<5	0.19	<10	<10	203	<10	40	4
101073	<0.2	2.12	<5	28	<0.5	<5	2.18	<1	50	21	407	6.33	1	0.09	<10	1.92	667	<2	0.04	13	1128	6	0.98	<5	4	187	<5	0.26	<10	<10	223	<10	42	5
101074	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
101075	0.4	2.21	<5	27	<0.5	<5	3.40	<1	48	11	1227	6.49	1	0.17	<10	2.01	671	7	0.04	12	803	7	2.84	<5	6	240	<5	0.15	<10	<10	188	<10	41	4
101076	<0.2	2.17	647	46	<0.5	<5	6.65	13	40	9	471	7.01	<1	0.37	<10	2.72	1208	<2	0.02	10	1583	5	1.62	<5	10	563	<5	0.07	<10	<10	172	<10	45	4
101077	<0.2	1.82	<5	27	<0.5	<5	2.43	<1	43	13	467	7.55	<1	0.11	<10	1.61	644	<2	0.05	12	1740	6	0.69	<5	3	180	<5	0.20	<10	<10	262	<10	40	5
101078	<0.2	1.66	<5	34	<0.5	<5	2.37	<1	40	8	399	5.52	1	0.14	<10	1.23	518	<2	0.06	8	1970	3	1.20	<5	2	220	<5	0.19	<10	<10	184	<10	31	4
101079	<0.2	2.52	<5	26	<0.5	<5	3.22	<1	51	72	606	6.83	<1	0.11	<10	2.75	756	5	0.04	91	2092	5	2.20	<5	6	249	<5	0.19	<10	<10	201	<10	42	6
101080	<0.2	2.01	<5	33	<0.5	<5	2.53	<1	40	12	408	6.73	1	0.18	<10	1.81	546	<2	0.06	10	1790	5	1.64	<5	5	177	<5	0.18	<10	<10	227	<10	33	4
101081	<0.2	1.62	<5	23	0.6	<5	2.47	2	35	10	368	6.13	<1	0.12	10	1.40	518	3	0.04	12	3451	<2	0.97	<5	3	127	5	0.16	<10	<10	189	<10	25	5
101082	<0.2	1.87	<5	24	0.9	<5	2.29	2	41	23	310	6.33	<1	0.09	<10	1.78	627	<2	0.05	37	2166	<2	0.71	<5	2	170	<5	0.22	<10	<10	209	<10	34	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2976-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#47**
Attn: **Stuart Fraser**

Sep-29-08

We hereby certify the following assay of 22 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101083	0.06	0.04
101084	0.12	
101085	0.05	
101086	0.03	
101087	0.02	
101088	0.04	
101089	0.04	
101090	0.04	
101091	0.07	
101092	0.07	0.07
101093	0.13	
101094	0.07	
101095	0.06	
101096	0.56	
101097	0.26	
101098	0.54	
101099	0.24	
101100	0.04	
101101	0.08	
101102	0.04	0.03
101103	0.01	
101104	0.04	
*0211	2.25	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

ASSAYERS**C A N A D A****Assayers Canada**

8282 Sherbrooke St.

Vancouver, B.C.

V5X 4R6

Tel: (604) 327-3436

Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate**8V-2976-RA2**

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#47**
Attn: **Stuart Fraser**

Sep-29-08

We hereby certify the following assay of 3 core samples
submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101105	0.18	0.19
101106	0.24	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#47

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2976RJ

Date : Sep-29-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101083	<0.2	1.81	<5	29	1.0	<5	3.17	2	38	12	460	6.74	<1	0.12	<10	1.62	705	<2	0.05	11	2076	3	0.89	<5	4	162	<5	0.21	<10	<10	240	<10	33	7
101084	<0.2	1.57	<5	32	1.0	<5	2.01	2	36	13	752	6.61	<1	0.15	<10	1.17	453	<2	0.06	10	1901	3	0.98	<5	2	181	<5	0.21	<10	<10	238	<10	25	7
101085	<0.2	1.51	<5	34	1.1	<5	1.97	2	33	10	567	6.74	1	0.13	<10	1.07	502	<2	0.07	9	1714	2	0.66	<5	2	163	<5	0.22	<10	<10	244	<10	26	6
101086	<0.2	1.55	<5	27	1.2	<5	1.89	2	27	25	242	5.68	<1	0.10	<10	1.18	548	<2	0.04	8	1415	<2	0.31	<5	2	170	<5	0.23	<10	<10	196	<10	30	6
101087	5.2	1.56	<5	88	1.0	<5	0.87	2	12	42	58	2.97	<1	0.13	<10	0.74	453	4	0.10	23	534	46	0.09	<5	5	42	<5	0.16	<10	<10	67	<10	214	8
101088	<0.2	1.56	<5	29	1.2	<5	1.89	1	30	10	314	5.05	<1	0.11	<10	1.21	559	<2	0.05	8	1893	2	0.43	<5	2	168	<5	0.23	<10	<10	174	<10	31	6
101089	<0.2	1.51	<5	26	1.2	<5	1.81	1	28	14	343	5.31	<1	0.10	<10	1.26	560	<2	0.04	8	1920	2	0.56	<5	2	154	<5	0.22	<10	<10	179	<10	32	6
101090	<0.2	1.52	<5	27	1.1	<5	1.99	1	30	10	428	5.03	<1	0.11	<10	1.27	523	<2	0.05	8	1904	<2	0.76	<5	2	163	<5	0.20	<10	<10	164	<10	33	5
101091	<0.2	1.92	<5	29	1.1	<5	3.01	2	35	10	784	6.51	<1	0.14	<10	1.71	707	<2	0.04	10	3216	<2	0.74	<5	4	158	<5	0.20	<10	<10	233	<10	43	7
101092	<0.2	2.33	<5	17	1.3	<5	4.02	2	38	7	636	6.39	<1	0.06	<10	2.38	944	<2	0.03	10	2226	<2	0.86	<5	6	225	<5	0.25	<10	<10	226	<10	58	7
101093	0.2	2.00	<5	11	0.9	<5	4.05	1	32	29	2104	5.06	<1	0.04	<10	1.96	711	24	0.03	10	2013	<2	1.58	<5	6	234	<5	0.18	<10	<10	171	<10	42	5
101094	<0.2	2.24	<5	21	1.0	<5	3.00	2	36	6	982	6.19	<1	0.06	13	2.32	719	<2	0.03	11	5221	<2	0.95	<5	5	204	5	0.19	<10	<10	212	<10	48	6
101095	<0.2	2.99	6	189	1.9	<5	3.72	1	38	120	716	4.82	<1	0.25	10	4.54	760	<2	0.02	216	1901	<2	0.42	<5	9	351	<5	0.26	<10	<10	145	<10	44	13
101096	2.6	1.65	<5	29	0.8	<5	3.93	2	25	7	6472	5.00	<1	0.21	<10	1.65	409	16	0.03	8	1744	4	2.81	<5	6	131	<5	0.15	<10	28	129	<10	37	4
101097	3.0	1.82	54	98	0.8	<5	0.71	3	19	89	3062	4.30	1	0.16	<10	0.89	724	37	0.06	156	868	87	0.77	<5	5	34	<5	0.14	<10	<10	66	<10	360	13
101098	4.0	1.76	<5	51	0.9	<5	2.99	2	25	14	9039	4.65	<1	0.30	<10	1.72	349	12	0.03	10	2306	3	2.55	<5	6	114	<5	0.16	<10	10	122	<10	67	5
101099	2.2	1.44	<5	51	0.6	<5	3.00	2	22	12	5383	4.70	<1	0.27	<10	1.29	373	70	0.03	6	1883	<2	2.10	<5	4	111	<5	0.11	<10	19	104	<10	34	5
101100	<0.2	1.81	<5	38	0.9	<5	3.18	1	26	57	583	4.83	<1	0.13	<10	2.19	555	<2	0.03	60	1623	<2	0.88	<5	8	133	<5	0.16	<10	<10	149	<10	30	6
101101	0.2	1.57	<5	42	0.9	<5	2.82	2	24	7	1164	4.99	<1	0.17	10	1.55	563	<2	0.04	5	1774	<2	1.56	<5	7	133	<5	0.16	<10	26	156	<10	30	6
101102	<0.2	2.07	13	342	1.4	<5	3.01	1	29	74	662	4.75	<1	0.40	13	2.78	698	5	0.04	81	1911	<2	0.61	<5	9	140	<5	0.23	<10	<10	149	<10	53	9
101103	<0.2	2.99	8	2637	3.1	<5	4.20	1	43	114	105	5.04	<1	1.56	81	4.25	868	<2	0.07	158	4860	5	0.16	<5	7	531	14	0.51	<10	15	159	<10	70	18
101104	<0.2	2.01	<5	48	1.2	<5	2.36	2	29	6	527	6.02	<1	0.29	<10	2.06	541	<2	0.02	11	512	<2	0.65	<5	6	155	<5	0.22	<10	18	252	<10	45	7
101105	<0.2	1.58	<5	22	0.8	<5	2.76	1	26	15	791	3.70	<1	0.09	<10	1.88	451	7	0.04	8	1719	<2	1.49	<5	8	95	5	0.20	<10	<10	173	<10	32	3
101106	<0.2	1.52	<5	51	0.9	<5	2.05	1	25	26	1024	3.49	1	0.16	<10	1.87	385	15	0.04	18	1242	<2	1.40	<5	8	88	<5	0.19	<10	<10	159	<10	29	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-2976-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#47**
Attn: **Stuart Fraser**

Sep-29-08

We hereby certify the following assay of 22 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne	Au-rerun g/tonne
101083	0.06	0.04	0.04
101084	0.12		0.12
101085	0.05		0.07
101086	0.03		0.02
101087	0.02		0.01
101088	0.04		0.02
101089	0.04		0.04
101090	0.04		0.03
101091	0.07		0.06
101092	0.07	0.07	0.06
101093	0.13		0.14
101094	0.07		0.07
101095	0.06		0.08
101096	0.56		0.57
101097	0.26		0.28
101098	0.54		0.60
101099	0.24		0.25
101100	0.04		0.03
101101	0.08		0.06
101102	0.04	0.03	0.04
101103	0.01		<0.01
101104	0.04		0.02
*0211	2.25		
*BLANK	<0.01		

Au 1 A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 20 years

Assay Certificate

8V-2976-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#47**
Attn: **Stuart Fraser**

Sep-29-08

We *hereby certify* the following assay of 3 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne	Au-rerun g/tonne
101105	0.18	0.19	0.18
101106	0.24		0.26
*0211	2.15		
*BLANK	<0.01		

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2977-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#48**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 22 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101107	0.06	0.04
101108	0.03	
101109	0.02	
101110	0.05	
101111	0.17	
101112	0.14	
101113	0.06	
101114	0.37	
101115	0.15	
101116	0.15	0.13
101117	0.08	
101118	0.20	
101119	0.41	
101120	0.36	
101121	0.14	
101122	<0.01	
101123	0.01	
101124	0.01	
101125	0.07	
101126	0.82	0.78
101127	0.10	
101128	0.06	
*0211	2.10	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2977-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#48**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 3 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101129	0.01	<0.01
101130	<0.01	
*0211	2.19	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#48

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2977RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101107	<0.2	1.68	<5	21	<0.5	<5	2.23	<1	35	18	1354	3.88	<1	0.13	<10	1.46	479	<2	0.03	8	600	7	0.98	<5	4	161	<5	0.17	<10	<10	139	<10	35	3
101108	<0.2	1.61	<5	15	<0.5	<5	2.48	<1	34	21	690	4.47	<1	0.08	<10	1.47	520	<2	0.02	6	1002	5	0.89	<5	3	137	<5	0.16	<10	<10	153	<10	34	3
101109	<0.2	1.71	<5	23	<0.5	<5	1.95	<1	36	11	612	4.63	<1	0.11	<10	1.61	554	<2	0.03	6	1626	5	1.03	<5	3	126	<5	0.15	<10	<10	158	<10	40	3
101110	<0.2	1.66	<5	33	<0.5	<5	2.22	<1	38	9	901	5.49	1	0.17	<10	1.59	605	2	0.03	6	1701	8	2.22	<5	3	119	<5	0.19	<10	<10	163	<10	62	4
101111	<0.2	2.09	<5	34	<0.5	<5	3.54	<1	37	7	1999	6.02	<1	0.16	<10	2.16	859	15	0.02	6	2049	10	2.91	<5	6	157	<5	0.15	<10	<10	157	<10	128	4
101112	0.2	2.09	<5	34	<0.5	<5	2.52	<1	39	13	2332	5.51	<1	0.16	<10	2.01	753	<2	0.03	6	2400	10	1.00	<5	4	159	<5	0.16	<10	<10	175	<10	73	3
101113	<0.2	2.32	<5	28	<0.5	<5	3.21	<1	35	7	935	6.03	<1	0.11	<10	2.36	954	<2	0.03	6	2628	6	0.23	<5	6	200	<5	0.15	<10	<10	197	<10	77	4
101114	0.8	2.34	<5	29	<0.5	<5	3.24	<1	43	16	3650	6.07	<1	0.10	<10	2.52	942	<2	0.02	8	2802	14	1.15	<5	6	162	<5	0.17	<10	<10	200	<10	87	4
101115	<0.2	2.30	<5	56	<0.5	<5	3.09	<1	39	13	2023	5.83	<1	0.16	<10	2.40	906	<2	0.02	11	2380	9	0.40	<5	6	184	<5	0.17	<10	<10	194	<10	78	5
101116	<0.2	2.28	<5	38	<0.5	<5	3.02	<1	38	34	1706	5.01	<1	0.14	<10	2.14	765	<2	0.02	7	2440	7	0.83	<5	5	213	<5	0.15	<10	<10	148	<10	70	3
101117	<0.2	2.43	<5	42	<0.5	<5	2.56	<1	38	7	1369	5.37	<1	0.15	<10	2.32	788	<2	0.02	6	2556	7	0.63	<5	6	224	<5	0.17	<10	<10	171	<10	67	3
101118	<0.2	2.25	<5	54	<0.5	<5	4.27	<1	40	6	1476	6.43	<1	0.23	<10	2.16	855	<2	0.03	5	2693	10	1.04	<5	6	208	<5	0.17	<10	<10	197	<10	53	4
101119	0.7	2.19	<5	80	<0.5	<5	9.31	<1	32	7	3406	6.41	<1	0.23	<10	2.21	1474	7	0.01	5	1726	14	3.57	<5	7	648	<5	0.06	<10	<10	126	<10	68	3
101120	0.7	2.36	<5	61	<0.5	<5	8.13	<1	34	10	4236	6.46	<1	0.25	<10	2.35	1394	7	0.01	6	1923	16	3.59	<5	7	448	<5	0.07	<10	<10	138	<10	71	3
101121	0.2	1.27	<5	127	<0.5	<5	4.08	<1	17	15	1033	3.52	<1	0.34	<10	0.94	842	14	0.04	6	1082	8	1.77	<5	3	184	<5	0.03	<10	<10	61	<10	42	2
101122	<0.2	0.54	<5	558	<0.5	<5	2.24	<1	5	27	32	1.92	<1	0.36	46	0.50	731	<2	0.04	1	1159	10	0.07	<5	2	246	11	<0.01	<10	<10	15	<10	21	9
101123	<0.2	0.44	<5	842	<0.5	<5	2.47	<1	5	20	15	2.06	<1	0.31	47	0.54	798	<2	0.03	1	1172	9	0.05	<5	2	251	11	<0.01	<10	<10	13	<10	21	9
101124	<0.2	0.57	<5	528	<0.5	<5	2.19	<1	6	36	12	1.92	<1	0.35	44	0.42	693	3	0.04	1	1088	6	0.09	<5	1	195	10	<0.01	<10	<10	14	<10	21	8
101125	<0.2	2.53	<5	56	<0.5	<5	3.53	<1	39	10	1274	5.74	<1	0.16	<10	2.54	1058	<2	0.03	6	2187	9	0.80	<5	8	275	<5	0.20	<10	<10	193	<10	67	4
101126	16.8	1.48	25	373	<0.5	<5	1.48	1	35	7	5758	6.96	1	0.18	<10	0.94	348	253	0.16	10	1509	132	0.62	15	5	107	<5	0.17	<10	<10	235	<10	199	9
101127	<0.2	2.51	<5	88	<0.5	<5	3.05	<1	37	14	1446	5.17	1	0.29	<10	2.41	890	4	0.05	7	2051	7	0.75	5	6	272	<5	0.24	<10	<10	180	<10	67	4
101128	<0.2	2.87	<5	166	<0.5	<5	3.39	<1	38	25	1218	5.92	1	0.62	<10	2.32	778	4	0.18	17	2107	8	0.70	6	6	357	<5	0.24	<10	<10	233	<10	60	5
101129	<0.2	1.96	<5	374	2.1	<5	2.29	1	35	271	83	4.48	<1	1.20	25	3.44	714	<2	0.05	152	2002	34	0.03	<5	4	223	10	0.34	<10	<10	105	<10	60	18
101130	<0.2	1.81	<5	339	2.3	<5	1.33	1	35	163	41	4.31	<1	1.07	25	3.49	563	<2	0.04	178	1955	<2	0.02	<5	3	364	8	0.32	<10	<10	92	<10	50	19

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2978-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#49**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 22 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101131	0.03	0.04
101132	0.02	
101133	0.05	
101134	0.04	
101135	0.01	
101136	0.02	
101137	0.04	
101138	0.04	
101139	0.28	
101140	0.06	0.06
101141	0.04	
101142	0.06	
101143	0.11	
101144	0.03	
101145	0.02	
101146	0.08	
101147	0.02	
101148	<0.01	
101149	0.01	
101150	<0.01	<0.01
101151	0.07	
101152	0.07	
*0211	2.11	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-2978-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/batch#49**
Attn: **Stuart Fraser**

Sep-30-08

We hereby certify the following assay of 3 core samples submitted Aug-19-08

Sample Name	Au g/tonne	Au-Check g/tonne
101153	0.07	0.05
101154	0.05	
*0211	2.19	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/batch#49

Sample type: Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V2978RJ

Date : Sep-30-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101131	<0.2	0.70	<5	31	<0.5	<5	2.52	<1	8	45	255	2.12	<1	0.14	21	0.47	765	2	0.06	5	647	5	0.79	<5	3	81	<5	0.06	<10	<10	47	<10	25	4
101132	0.3	3.74	<5	170	<0.5	<5	4.80	<1	40	8	501	7.30	1	0.63	<10	2.89	1245	<2	0.16	8	1999	7	0.49	<5	9	355	<5	0.16	<10	<10	270	<10	80	4
101133	0.4	2.79	<5	38	<0.5	<5	2.90	<1	42	20	1185	5.64	1	0.12	<10	2.49	842	<2	0.06	8	2044	6	0.43	<5	4	359	<5	0.17	<10	<10	176	<10	67	3
101134	0.6	2.67	<5	36	<0.5	<5	2.55	<1	42	14	1678	5.11	<1	0.13	<10	2.67	922	2	0.01	8	2177	7	0.74	<5	5	220	<5	0.17	<10	<10	156	<10	72	3
101135	0.3	2.93	<5	31	<0.5	<5	2.54	<1	46	9	545	5.33	<1	0.10	<10	2.93	1011	<2	0.01	8	2343	4	0.47	<5	6	239	<5	0.16	<10	<10	155	<10	72	3
101136	0.2	2.29	<5	44	<0.5	<5	3.25	<1	33	12	476	5.73	<1	0.15	<10	2.25	1021	<2	0.02	8	1590	4	0.50	<5	6	171	<5	0.14	<10	<10	153	<10	55	5
101137	0.3	2.61	<5	120	<0.5	<5	5.91	<1	31	9	880	6.49	1	0.22	<10	2.67	1120	58	0.01	9	1286	6	1.04	<5	8	184	<5	0.04	<10	<10	160	<10	47	3
101138	0.4	3.55	<5	38	<0.5	<5	3.57	<1	52	4	715	8.02	1	0.13	<10	3.86	1297	2	0.01	11	1467	6	0.53	<5	12	173	<5	0.18	<10	<10	252	<10	79	5
101139	3.8	2.04	55	121	<0.5	<5	0.87	3	25	109	3196	5.21	1	0.18	<10	1.03	878	34	0.06	189	745	131	1.04	<5	6	33	<5	0.13	<10	<10	73	<10	466	9
101140	0.2	3.17	<5	123	<0.5	<5	8.50	<1	42	3	679	8.10	1	0.20	<10	3.29	1252	<2	<0.01	15	474	6	1.27	<5	14	250	<5	0.01	<10	<10	280	<10	54	3
101141	0.3	0.85	<5	98	<0.5	<5	7.51	<1	27	11	694	4.97	<1	0.47	<10	2.04	1238	6	0.01	7	1191	7	1.26	<5	7	452	<5	<0.01	<10	<10	53	<10	30	2
101142	1.1	0.53	15	78	<0.5	<5	6.40	<1	24	7	640	4.81	<1	0.41	<10	2.06	1209	<2	<0.01	4	1318	8	1.39	<5	7	465	<5	<0.01	<10	<10	25	<10	32	1
101143	1.7	0.48	28	72	0.7	<5	5.73	1	28	19	790	5.09	<1	0.38	<10	1.62	2926	4	<0.01	6	1380	12	2.73	<5	6	434	<5	<0.01	<10	16	18	<10	143	1
101144	<0.2	0.31	19	177	<0.5	<5	1.41	<1	2	26	91	1.41	<1	0.21	38	0.31	1118	4	0.05	1	588	5	0.42	<5	1	132	11	<0.01	<10	<10	4	<10	31	6
101145	<0.2	0.36	15	227	<0.5	<5	1.30	<1	1	51	19	1.31	<1	0.25	37	0.25	983	<2	0.05	1	682	3	0.34	<5	1	133	10	<0.01	<10	<10	3	<10	18	6
101146	<0.2	0.32	8	174	<0.5	<5	1.19	<1	1	35	10	1.26	<1	0.24	40	0.23	943	<2	0.05	1	605	4	0.25	<5	1	105	10	<0.01	<10	<10	2	<10	32	6
101147	<0.2	0.35	<5	140	<0.5	<5	1.16	<1	2	55	5	1.20	<1	0.26	39	0.22	885	3	0.04	1	605	3	0.31	<5	1	112	10	<0.01	<10	<10	2	<10	14	5
101148	<0.2	0.36	<5	165	<0.5	<5	1.20	<1	2	45	12	1.18	<1	0.27	45	0.24	889	3	0.05	1	529	3	0.22	<5	1	104	12	<0.01	<10	<10	3	<10	16	6
101149	0.4	0.57	<5	71	<0.5	<5	5.01	<1	17	26	981	3.45	<1	0.47	<10	1.16	930	5	0.01	6	1378	7	2.41	<5	3	231	<5	<0.01	<10	<10	20	<10	17	1
101150	8.2	1.70	<5	107	<0.5	<5	1.04	2	16	52	78	3.61	<1	0.15	<10	0.83	532	5	0.10	30	609	93	0.13	6	5	42	<5	0.15	<10	<10	73	<10	322	6
101151	0.2	0.52	<5	189	<0.5	<5	5.89	<1	19	16	462	4.02	<1	0.41	<10	1.43	935	<2	0.02	6	1435	7	2.01	<5	4	314	<5	<0.01	<10	<10	22	<10	18	1
101152	0.4	0.57	<5	114	<0.5	<5	5.11	<1	25	41	813	4.67	<1	0.33	<10	1.86	787	22	0.04	28	1470	10	3.01	<5	6	237	<5	<0.01	<10	<10	33	<10	26	2
101153	0.3	0.44	<5	61	<0.5	<5	4.43	<1	20	20	970	4.09	<1	0.32	<10	1.50	901	4	0.04	5	1241	7	2.62	<5	5	155	<5	<0.01	<10	<10	24	<10	23	2
101154	0.2	0.41	<5	78	<0.5	<5	6.21	<1	17	29	980	3.92	<1	0.32	<10	1.43	828	6	0.03	4	1040	6	2.41	<5	4	286	<5	<0.01	<10	<10	23	<10	24	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3025-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#50**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 22 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101155	0.08	0.08
101156	0.06	
101157	0.07	
101158	0.04	
101159	0.08	
101160	0.08	
101161	0.14	
101162	0.04	
101163	0.03	
101164	0.48	0.52
101165	0.08	
101166	0.07	
101167	0.12	
101168	0.02	
101169	0.03	
101170	0.05	
101171	0.04	
101172	0.05	
101173	0.14	
101174	0.02	0.01
101175	0.02	
101176	0.02	
*0211	2.17	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3025-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#50**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 3 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101177	0.02	0.02
101178	0.04	
*0211	2.11	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#50

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3025RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101155	0.3	0.32	<5	70	<0.5	<5	8.72	<1	19	69	724	4.73	<1	0.26	<10	1.72	1125	21	0.01	6	694	9	2.42	<5	4	327	<5	<0.01	<10	<10	23	<10	23	2
101156	0.6	0.55	<5	46	<0.5	<5	6.53	<1	23	33	1650	4.40	<1	0.41	<10	1.65	914	5	0.02	7	1737	10	1.94	<5	6	241	<5	<0.01	<10	<10	36	<10	23	2
101157	0.5	0.50	<5	57	<0.5	<5	6.78	<1	24	54	1245	4.39	<1	0.39	<10	1.49	893	5	0.02	6	973	9	2.28	<5	5	269	<5	<0.01	<10	<10	28	<10	18	2
101158	0.4	0.52	<5	49	<0.5	<5	6.75	<1	22	42	1102	4.00	<1	0.37	<10	1.57	1021	12	0.01	7	1183	7	1.99	<5	6	314	<5	<0.01	<10	<10	36	<10	16	1
101159	0.4	0.45	<5	46	<0.5	<5	7.27	<1	29	31	1023	4.90	<1	0.32	<10	2.06	1120	5	0.02	7	1135	9	2.41	<5	8	330	<5	<0.01	<10	<10	35	<10	25	2
101160	0.4	0.48	<5	52	<0.5	<5	6.95	<1	19	22	1015	4.26	<1	0.31	<10	1.82	1096	<2	0.02	5	1105	7	1.78	<5	8	392	<5	<0.01	<10	<10	39	<10	25	2
101161	0.3	0.50	<5	45	<0.5	<5	5.64	<1	21	38	815	4.37	<1	0.23	<10	1.78	894	4	0.03	7	1155	8	2.18	<5	9	364	<5	<0.01	<10	<10	42	<10	34	2
101162	<0.2	1.27	5	92	0.5	<5	7.01	<1	31	176	534	4.64	<1	0.28	<10	3.95	1044	5	0.01	174	1289	6	1.27	<5	10	492	<5	<0.01	<10	<10	61	<10	52	2
101163	<0.2	2.84	<5	63	<0.5	<5	3.49	<1	34	97	205	5.15	<1	0.11	13	2.99	987	<2	0.03	47	1330	4	0.14	<5	13	204	<5	0.14	<10	<10	170	<10	81	3
101164	<0.2	2.89	<5	35	<0.5	<5	2.79	<1	37	21	161	5.38	<1	0.11	<10	2.56	913	<2	0.03	19	1226	<2	0.16	<5	12	179	<5	0.21	<10	<10	193	<10	80	3
101165	0.3	2.37	<5	27	<0.5	<5	4.37	<1	39	20	845	5.56	<1	0.07	<10	2.35	928	<2	0.02	14	1480	6	1.01	<5	12	226	<5	0.20	<10	<10	179	<10	67	3
101166	0.2	2.36	<5	28	<0.5	<5	4.19	<1	35	11	735	5.43	<1	0.08	<10	2.28	904	<2	0.02	13	1518	5	0.91	<5	12	227	<5	0.21	<10	<10	179	<10	64	3
101167	0.5	2.13	<5	35	<0.5	<5	3.22	<1	33	11	1012	5.03	<1	0.10	<10	2.10	762	<2	0.03	12	1531	7	0.97	<5	10	166	<5	0.17	<10	<10	153	<10	60	3
101168	<0.2	2.08	<5	26	<0.5	<5	3.47	<1	25	49	361	3.84	<1	0.08	<10	1.97	696	<2	0.04	18	1255	4	0.33	<5	10	204	<5	0.21	<10	<10	147	<10	47	3
101169	<0.2	1.53	<5	24	<0.5	<5	3.10	<1	28	23	631	3.23	<1	0.09	<10	1.41	545	<2	0.04	11	1417	3	0.54	<5	7	164	<5	0.12	<10	<10	105	<10	32	2
101170	<0.2	1.74	<5	28	<0.5	<5	2.64	<1	33	11	609	3.77	<1	0.08	<10	1.63	581	<2	0.04	11	1531	3	0.68	<5	6	149	<5	0.17	<10	<10	113	<10	38	3
101171	<0.2	1.83	<5	29	<0.5	<5	2.71	<1	32	21	677	3.90	<1	0.09	<10	1.71	613	<2	0.04	12	1558	2	0.54	<5	7	168	<5	0.18	<10	<10	125	<10	42	2
101172	<0.2	2.27	<5	20	<0.5	<5	2.94	<1	31	18	490	4.27	<1	0.08	<10	2.09	685	<2	0.04	16	1231	2	0.29	<5	7	197	<5	0.25	<10	<10	150	<10	51	2
101173	0.6	1.85	35	157	<0.5	<5	4.37	2	24	36	1063	5.48	<1	0.33	<10	1.94	879	11	0.10	28	1189	18	1.38	<5	10	138	<5	0.04	<10	<10	136	<10	111	4
101174	<0.2	2.62	<5	29	<0.5	<5	2.71	<1	33	23	246	4.86	<1	0.16	<10	2.43	747	<2	0.03	15	1229	<2	0.30	<5	9	174	<5	0.31	<10	<10	186	<10	59	2
101175	<0.2	2.36	<5	25	<0.5	<5	3.09	<1	32	119	249	4.33	<1	0.18	<10	2.32	705	<2	0.03	56	1187	<2	0.26	<5	10	182	<5	0.28	<10	<10	171	<10	48	3
101176	<0.2	2.21	<5	15	<0.5	<5	2.45	<1	40	23	393	4.73	<1	0.10	<10	2.31	680	<2	0.02	20	1227	2	0.60	<5	6	114	<5	0.27	<10	<10	175	<10	56	2
101177	<0.2	2.26	<5	43	<0.5	<5	2.43	<1	35	46	237	4.62	<1	0.39	<10	2.21	702	<2	0.04	25	1154	<2	0.29	<5	8	135	<5	0.28	<10	<10	182	<10	58	3
101178	<0.2	1.99	<5	24	<0.5	<5	2.73	<1	34	25	202	5.05	<1	0.15	<10	1.90	721	<2	0.03	11	1255	2	0.16	<5	8	166	<5	0.24	<10	<10	194	<10	57	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3026-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#51**
Attn: **Stuart Fraser**

Nov-03-08

We hereby certify the following assay of 22 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101179	<0.01	0.02
101180	0.04	
101181	0.05	
101182	<0.01	
101183	0.01	
101184	0.05	
101185	<0.01	
101186	0.01	
101187	<0.01	
101188	0.01	0.01
101189	0.01	
101190	<0.01	
101191	0.02	
101192	0.02	
101193	0.87	
101194	<0.01	
101195	0.01	
101196	<0.01	
101197	0.01	
101198	0.02	0.02
101199	0.01	
101200	0.02	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

8V-3026-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#51**
Attn: **Stuart Fraser**

Nov-03-08

We hereby certify the following assay of 3 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101201	0.01	<0.01
101202	0.01	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#51

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3026RJ

Date : Nov-03-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101179	<0.2	1.66	<5	26	<0.5	<5	1.89	<1	24	13	284	3.35	<1	0.16	<10	1.25	591	<2	0.04	7	1490	<2	0.26	<5	4	109	<5	0.16	<10	<10	104	<10	40	2
101180	<0.2	1.77	<5	29	<0.5	<5	2.15	<1	25	12	268	3.67	<1	0.20	<10	1.37	669	<2	0.04	8	1501	<2	0.25	<5	5	116	<5	0.17	<10	<10	115	<10	47	2
101181	0.2	1.64	<5	24	<0.5	<5	2.45	<1	36	11	880	4.44	<1	0.15	<10	1.40	676	<2	0.03	8	1437	6	1.61	<5	5	114	<5	0.16	<10	<10	113	<10	49	3
101182	<0.2	1.70	<5	31	<0.5	<5	2.21	<1	23	16	283	3.65	<1	0.22	<10	1.27	659	<2	0.04	7	1443	<2	0.22	<5	4	117	<5	0.18	<10	<10	116	<10	46	2
101183	<0.2	1.48	<5	33	<0.5	<5	1.68	<1	23	10	325	3.36	<1	0.22	<10	1.06	559	<2	0.03	7	1454	<2	0.18	<5	3	111	<5	0.18	<10	<10	102	<10	45	2
101184	<0.2	1.70	<5	37	<0.5	<5	1.68	<1	24	11	492	3.41	<1	0.31	<10	1.22	595	<2	0.04	8	1513	<2	0.29	<5	2	106	<5	0.18	<10	<10	105	<10	50	2
101185	<0.2	2.31	<5	53	<0.5	<5	2.25	<1	27	84	32	4.24	<1	0.37	<10	2.09	922	<2	0.07	40	1580	<2	0.14	<5	3	52	<5	0.21	<10	<10	82	<10	77	5
101186	<0.2	2.00	<5	26	<0.5	<5	2.88	<1	23	9	480	3.80	<1	0.18	<10	1.63	831	<2	0.04	9	1407	<2	0.21	<5	6	154	<5	0.17	<10	<10	118	<10	57	2
101187	<0.2	2.13	<5	39	<0.5	<5	1.47	<1	29	27	267	3.67	<1	0.48	<10	1.81	738	<2	0.03	17	1293	<2	0.14	<5	3	85	<5	0.22	<10	<10	119	<10	63	2
101188	<0.2	2.02	<5	26	<0.5	<5	1.72	<1	27	109	231	3.31	<1	0.27	<10	1.94	689	<2	0.03	45	1001	<2	0.24	<5	3	75	<5	0.24	<10	<10	120	<10	61	2
101189	<0.2	1.84	<5	20	<0.5	<5	1.62	<1	33	30	356	3.00	<1	0.13	<10	1.55	633	<2	0.04	25	1131	<2	0.43	<5	3	73	<5	0.21	<10	<10	95	<10	49	2
101190	<0.2	1.96	<5	30	<0.5	<5	1.61	<1	27	24	244	2.93	<1	0.18	<10	1.53	640	<2	0.04	16	1170	<2	0.28	<5	3	83	<5	0.21	<10	<10	97	<10	50	2
101191	<0.2	2.00	<5	29	<0.5	<5	1.58	<1	29	22	369	3.26	<1	0.13	<10	1.66	659	<2	0.04	16	1167	2	0.59	<5	3	82	<5	0.20	<10	<10	93	<10	53	2
101192	<0.2	2.52	<5	46	<0.5	<5	3.51	<1	29	21	480	4.39	<1	0.25	<10	2.14	913	<2	0.03	16	1124	2	1.05	<5	9	139	<5	0.16	<10	<10	145	<10	72	3
101193	16.0	1.49	22	331	<0.5	<5	1.21	1	29	6	5627	6.17	1	0.19	<10	0.87	364	227	0.17	8	1248	119	0.56	12	4	88	<5	0.13	<10	<10	203	<10	182	8
101194	<0.2	0.58	<5	60	<0.5	<5	1.11	<1	2	16	46	1.02	<1	0.25	29	0.21	702	4	0.05	1	524	<2	0.05	<5	1	47	12	0.02	<10	<10	4	<10	17	3
101195	<0.2	0.62	<5	63	<0.5	<5	1.12	<1	3	15	44	1.19	<1	0.24	29	0.27	684	<2	0.06	1	525	<2	0.08	<5	1	41	11	0.04	<10	<10	9	<10	21	3
101196	<0.2	2.50	<5	64	<0.5	<5	3.80	<1	26	60	268	4.68	<1	0.40	<10	2.18	1040	<2	0.03	21	1495	2	0.38	<5	13	145	<5	0.14	<10	<10	132	<10	77	3
101197	<0.2	2.43	<5	18	<0.5	<5	2.56	<1	33	52	253	4.53	<1	0.07	<10	2.15	807	<2	0.04	29	1137	<2	0.92	<5	7	104	<5	0.17	<10	<10	125	<10	54	2
101198	<0.2	1.99	<5	20	<0.5	<5	2.18	<1	34	36	238	4.18	<1	0.08	<10	1.75	721	<2	0.03	22	1162	2	1.46	<5	4	74	<5	0.17	<10	<10	102	<10	45	2
101199	4.5	1.56	<5	90	<0.5	<5	0.82	2	13	41	70	2.97	<1	0.14	<10	0.73	540	3	0.10	23	485	54	0.09	<5	4	31	<5	0.12	<10	<10	61	<10	220	5
101200	<0.2	1.90	<5	31	<0.5	<5	1.76	<1	31	32	298	3.32	<1	0.11	<10	1.52	538	<2	0.06	19	1223	<2	0.96	<5	3	116	<5	0.21	<10	<10	94	<10	41	2
101201	<0.2	3.02	<5	1356	<0.5	<5	3.41	<1	32	78	109	4.06	<1	0.57	103	3.09	898	<2	0.20	73	4881	6	0.13	<5	5	396	24	0.22	<10	<10	103	<10	68	7
101202	<0.2	2.93	<5	678	<0.5	<5	3.81	<1	32	85	105	4.13	<1	0.24	90	3.17	969	<2	0.12	64	4415	5	0.11	<5	6	327	20	0.21	<10	<10	110	<10	71	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____ 



Quality Assaying for over 25 Years.

Assay Certificate

8V-3027-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#52**
Attn: **Stuart Fraser**

Oct-10-08

We hereby certify the following assay of 22 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101203	0.03	0.03
101204	<0.01	
101205	0.02	
101206	0.01	
101207	0.02	
101208	0.01	
101209	0.02	
101210	0.01	
101211	0.02	
101212	0.03	0.03
101213	0.03	
101214	0.04	
101215	0.02	
101216	0.03	
101217	0.16	
101218	0.29	
101219	0.36	
101220	0.11	
101221	0.08	
101222	0.01	0.01
101223	0.07	
101224	0.08	
*0211	2.10	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3027-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#52**
Attn: **Stuart Fraser**

Oct-10-08

We hereby certify the following assay of 3 drill core samples submitted Aug-20-08

Sample Name	Au g/tonne	Au-Check g/tonne
101225	0.09	0.08
101226	0.12	
*0211	2.12	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3027RJ

Date : Oct-10-08

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#52

Sample type: Drill Core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101203	<0.2	2.56	<5	839	<0.5	<5	3.04	<1	31	61	216	4.20	1	0.39	45	2.51	740	<2	0.10	42	2927	14	0.47	<5	7	362	10	0.20	<10	<10	123	<10	69	11
101204	<0.2	2.34	<5	356	<0.5	<5	3.98	<1	31	93	61	4.11	1	0.12	98	2.80	797	<2	0.11	60	5177	25	0.08	<5	5	288	23	0.16	<10	<10	104	<10	69	6
101205	<0.2	1.41	<5	47	<0.5	<5	1.85	<1	27	44	257	2.49	1	0.05	11	1.22	415	<2	0.04	18	1634	5	0.33	<5	3	156	<5	0.18	<10	<10	81	<10	32	4
101206	<0.2	1.08	<5	21	<0.5	<5	2.07	<1	15	53	122	1.57	1	0.06	<10	0.94	349	<2	0.03	12	1199	5	0.10	<5	3	101	<5	0.16	<10	<10	60	<10	24	2
101207	0.2	1.95	<5	40	<0.5	<5	1.34	<1	34	42	338	6.53	1	0.09	<10	1.69	596	<2	0.03	14	1770	6	0.01	<5	5	116	<5	0.15	<10	<10	216	<10	62	4
101208	<0.2	1.94	<5	24	<0.5	<5	1.09	<1	32	19	213	4.87	1	0.06	<10	1.78	548	<2	0.01	13	473	5	<0.01	<5	4	107	<5	0.18	<10	<10	180	<10	55	3
101209	<0.2	2.01	<5	39	<0.5	<5	1.23	<1	31	22	261	4.95	1	0.12	<10	1.78	609	<2	0.03	12	1409	3	<0.01	<5	4	138	<5	0.16	<10	<10	155	<10	56	4
101210	<0.2	1.88	<5	35	<0.5	<5	1.17	<1	33	14	236	5.29	1	0.07	<10	1.84	593	<2	0.02	9	1899	4	0.06	<5	4	122	<5	0.17	<10	<10	166	<10	53	4
101211	0.2	2.10	<5	94	<0.5	<5	1.23	<1	32	18	443	5.08	<1	0.15	<10	1.87	589	<2	0.04	9	1731	4	0.04	<5	5	127	<5	0.16	<10	<10	165	<10	52	4
101212	0.4	1.87	<5	32	<0.5	<5	0.80	<1	24	12	927	4.31	1	0.12	<10	2.12	569	<2	0.03	7	1362	5	0.21	<5	3	55	<5	0.16	<10	<10	147	<10	54	3
101213	0.3	1.94	<5	38	<0.5	<5	1.82	<1	29	11	887	4.72	1	0.16	<10	2.12	586	2	0.04	8	1341	4	0.38	<5	3	85	<5	0.17	<10	<10	140	<10	53	4
101214	0.2	1.12	<5	24	<0.5	<5	2.36	<1	19	20	711	3.81	<1	0.11	<10	1.20	441	<2	0.03	5	732	5	0.93	<5	3	73	<5	0.10	<10	<10	101	<10	27	3
101215	<0.2	1.26	<5	32	<0.5	<5	1.86	<1	20	20	333	4.57	1	0.13	<10	1.29	467	<2	0.05	5	1122	4	0.28	<5	4	90	<5	0.12	<10	<10	152	<10	35	4
101216	<0.2	1.44	<5	101	<0.5	<5	3.68	<1	28	15	732	6.05	1	0.14	<10	2.18	557	3	0.03	6	1364	4	1.35	<5	11	92	<5	0.09	<10	<10	186	<10	43	3
101217	1.0	1.41	<5	46	<0.5	<5	3.94	<1	22	24	4160	5.98	1	0.17	<10	1.69	421	<2	0.04	5	1342	15	2.26	<5	7	120	<5	0.01	<10	<10	140	<10	46	2
101218	3.1	1.78	54	115	<0.5	<5	0.89	2	23	104	3010	5.30	1	0.16	<10	1.00	839	36	0.06	173	811	115	0.88	<5	5	28	<5	0.12	<10	<10	69	<10	465	9
101219	0.7	0.89	<5	41	<0.5	<5	2.06	<1	18	29	2744	4.31	1	0.18	<10	1.25	234	15	0.04	3	1357	11	1.82	<5	4	102	<5	<0.01	<10	<10	78	<10	34	1
101220	0.4	0.93	<5	44	<0.5	<5	2.53	<1	19	41	1485	4.19	1	0.28	<10	1.07	247	5	0.04	3	1122	8	2.22	<5	3	143	<5	<0.01	<10	<10	56	<10	25	1
101221	0.9	1.08	<5	38	<0.5	<5	2.77	<1	24	37	3564	4.60	1	0.22	<10	1.12	247	2	0.03	5	1029	14	2.95	<5	4	120	<5	0.01	<10	<10	95	<10	24	1
101222	1.4	1.61	<5	113	<0.5	<5	1.01	<1	15	49	51	3.80	1	0.14	<10	0.89	546	3	0.09	30	668	28	0.06	<5	6	33	<5	0.14	<10	<10	74	<10	129	6
101223	0.6	1.17	<5	34	<0.5	<5	2.61	<1	25	41	2438	4.73	1	0.24	<10	1.23	267	<2	0.03	4	1244	11	2.98	<5	4	124	<5	<0.01	<10	<10	76	<10	27	1
101224	0.4	1.05	<5	30	<0.5	<5	3.90	<1	18	27	1709	4.38	<1	0.20	<10	1.16	401	<2	0.02	3	1237	8	2.74	<5	3	215	<5	0.02	<10	<10	52	<10	30	1
101225	0.5	1.33	<5	41	<0.5	<5	4.38	<1	22	45	1706	5.00	<1	0.28	<10	1.40	450	<2	0.03	4	1393	9	3.00	<5	4	235	<5	0.02	<10	<10	66	<10	37	2
101226	0.3	1.42	<5	39	<0.5	<5	4.50	<1	32	32	1215	6.21	1	0.24	<10	1.51	522	<2	0.03	5	1521	9	3.96	<5	6	178	<5	0.02	<10	<10	104	<10	37	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3028-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#53**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 22 drill core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101227	0.40	0.43
101228	0.03	
101229	0.06	
101230	0.05	
101231	0.12	
101232	0.04	
101233	0.04	
101234	0.12	
101235	0.08	
101236	0.08	0.06
101237	0.10	
101238	0.05	
101239	0.01	
101240	0.11	
101241	0.11	
101242	0.10	
101243	0.47	
101244	0.13	
101245	0.17	
101246	0.12	0.11
101247	0.09	
101248	0.05	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

8V-3028-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#53**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 3 drill core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101249	0.06	0.05
101250	0.14	
*0211	2.12	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#53

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3028RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101227	0.6	1.92	<5	27	<0.5	<5	3.26	<1	35	14	2576	6.30	1	0.10	<10	2.05	834	<2	0.04	7	957	12	1.69	<5	6	136	<5	0.14	<10	<10	166	<10	68	4
101228	<0.2	1.71	<5	44	<0.5	<5	2.21	<1	31	20	625	4.62	1	0.13	<10	1.51	625	<2	0.05	6	1859	4	0.52	<5	2	160	<5	0.20	<10	<10	170	<10	47	5
101229	<0.2	1.29	<5	54	<0.5	<5	1.96	<1	24	23	1154	3.13	1	0.23	<10	0.94	303	4	0.05	5	1218	4	1.50	<5	2	125	<5	0.14	<10	<10	84	<10	27	3
101230	<0.2	1.63	<5	23	<0.5	<5	2.27	<1	33	20	722	5.16	1	0.07	<10	1.49	545	<2	0.04	10	1508	5	0.56	<5	3	149	<5	0.21	<10	<10	173	<10	39	5
101231	0.3	1.96	<5	27	<0.5	<5	3.57	<1	41	15	1543	4.85	1	0.14	<10	1.90	682	56	0.04	12	982	6	1.36	<5	6	134	<5	0.20	<10	<10	189	<10	54	5
101232	<0.2	1.90	<5	21	<0.5	<5	3.16	<1	41	14	790	4.82	1	0.10	<10	1.74	615	<2	0.04	10	877	3	1.00	<5	4	164	<5	0.22	<10	<10	184	<10	41	4
101233	<0.2	1.75	<5	31	<0.5	<5	2.45	<1	40	9	857	4.99	1	0.16	<10	1.58	520	<2	0.05	10	800	4	1.12	<5	3	129	<5	0.23	<10	<10	214	<10	46	4
101234	1.0	1.90	40	263	<0.5	<5	4.48	2	27	38	1147	5.55	1	0.36	<10	1.93	928	11	0.11	30	1336	21	1.46	<5	10	141	<5	0.04	<10	<10	148	<10	124	5
101235	0.2	2.14	<5	30	<0.5	<5	3.35	<1	50	16	1377	6.59	1	0.18	<10	2.14	688	<2	0.03	13	1642	10	2.17	<5	4	155	<5	0.19	<10	<10	239	<10	97	4
101236	0.2	2.86	<5	27	<0.5	<5	6.61	<1	46	21	1479	7.93	1	0.15	<10	3.03	1134	<2	0.03	16	2143	36	1.73	<5	13	236	<5	0.16	<10	<10	298	<10	104	5
101237	0.2	2.55	<5	29	<0.5	<5	5.37	<1	32	12	1629	6.22	1	0.10	<10	2.86	958	<2	0.03	9	1792	14	3.01	<5	13	283	<5	0.15	<10	<10	252	<10	84	5
101238	<0.2	1.99	<5	29	<0.5	<5	3.70	<1	36	9	992	4.98	1	0.10	<10	2.41	620	<2	0.04	9	1871	9	3.06	<5	9	160	<5	0.14	<10	<10	205	<10	54	4
101239	0.8	1.70	<5	114	<0.5	<5	0.95	<1	15	48	45	3.58	<1	0.14	<10	0.87	548	3	0.10	30	620	23	0.06	<5	6	38	<5	0.16	<10	<10	74	<10	115	6
101240	<0.2	2.10	<5	25	<0.5	<5	3.98	<1	41	13	1252	5.04	1	0.07	<10	2.26	702	<2	0.04	9	1733	12	2.93	<5	7	200	<5	0.17	<10	<10	173	<10	58	4
101241	<0.2	1.63	<5	37	<0.5	<5	4.91	<1	35	12	1040	4.34	1	0.10	<10	1.90	590	<2	0.04	7	1694	9	2.91	<5	4	158	<5	0.15	<10	<10	132	<10	45	3
101242	<0.2	1.66	<5	36	<0.5	<5	2.69	<1	41	19	647	4.03	<1	0.09	<10	1.47	457	<2	0.05	8	1896	5	2.44	<5	3	212	<5	0.20	<10	<10	105	<10	34	4
101243	<0.2	1.65	<5	29	<0.5	<5	2.62	<1	33	13	315	3.48	<1	0.08	<10	1.49	482	<2	0.05	8	1845	5	1.71	<5	4	211	<5	0.19	<10	<10	116	<10	40	4
101244	<0.2	1.37	<5	34	<0.5	<5	4.07	<1	34	18	842	3.94	1	0.13	<10	1.43	503	8	0.07	8	1956	9	3.31	<5	5	176	<5	0.15	<10	<10	119	<10	35	4
101245	<0.2	1.00	<5	49	<0.5	<5	2.13	<1	40	18	1066	4.31	1	0.16	<10	0.82	292	<2	0.05	8	1932	9	4.27	<5	2	115	<5	0.15	<10	<10	76	<10	21	4
101246	0.4	1.37	<5	39	<0.5	<5	2.45	<1	37	12	2248	4.02	<1	0.14	<10	1.14	415	2	0.05	8	2009	10	2.54	<5	2	157	<5	0.17	<10	<10	101	<10	27	4
101247	0.5	1.77	<5	26	<0.5	<5	3.62	<1	44	13	2297	5.86	1	0.08	<10	1.71	716	9	0.04	9	1726	11	2.46	<5	4	172	<5	0.17	<10	<10	149	<10	41	4
101248	0.2	2.10	<5	32	<0.5	<5	2.44	<1	42	11	1307	5.85	1	0.11	<10	1.97	752	<2	0.05	8	1701	8	1.20	<5	3	171	<5	0.23	<10	<10	184	<10	47	5
101249	0.2	1.97	<5	30	<0.5	<5	2.54	<1	36	8	1264	5.02	2	0.11	<10	1.93	760	<2	0.04	7	1625	5	0.40	<5	4	144	<5	0.22	<10	<10	197	<10	46	4
101250	0.5	1.91	<5	32	<0.5	<5	2.33	<1	39	10	2111	4.74	2	0.11	<10	1.92	708	<2	0.04	7	1523	8	1.88	<5	5	148	<5	0.22	<10	<10	165	<10	48	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3029-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#54**
Attn: **Stuart Fraser**

Oct-02-08

We hereby certify the following assay of 22 core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101251	0.15	0.12
101252	0.07	
101253	0.06	
101254	0.07	
101255	0.12	
101256	2.20	
101257	0.08	
101258	0.11	
101259	0.08	
101260	2.66	2.42
101261	0.05	
101262	0.01	
101263	0.01	
101264	0.01	
101265	0.85	
101266	0.07	
101267	0.06	
101268	0.09	
101269	0.04	
101270	0.05	0.04
101271	0.04	
101272	0.04	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3029-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#54**
Attn: **Stuart Fraser**

Oct-02-08

We *hereby certify* the following assay of 3 drill core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101273	0.02	0.02
101274	0.03	
*0211	2.12	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#54

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3029RJ

Date : Oct-02-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101251	0.3	1.90	<5	35	<0.5	<5	2.45	<1	35	8	3209	5.68	<1	0.12	<10	1.75	599	2	0.04	7	1591	16	1.51	<5	3	143	<5	0.20	<10	<10	158	<10	39	5
101252	<0.2	1.94	<5	30	<0.5	<5	2.83	<1	40	11	1748	8.30	<1	0.11	<10	1.89	763	<2	0.04	9	1690	10	0.90	<5	3	142	<5	0.18	<10	<10	245	<10	45	5
101253	<0.2	2.30	<5	35	<0.5	<5	4.29	<1	37	7	1175	6.45	<1	0.15	<10	2.31	1038	<2	0.04	7	1672	6	1.13	<5	7	189	<5	0.16	<10	<10	208	<10	46	4
101254	0.4	2.38	<5	36	<0.5	<5	6.40	<1	36	2	2699	8.35	<1	0.21	<10	2.48	1497	<2	0.03	9	1498	13	1.23	<5	9	238	<5	0.08	<10	<10	241	<10	52	4
101255	0.5	2.10	<5	105	<0.5	<5	7.43	<1	39	4	2041	6.89	<1	0.25	<10	1.96	1819	2	0.03	6	1508	9	3.98	<5	7	377	<5	0.01	<10	11	121	<10	71	3
101256	0.6	0.64	9	55	<0.5	<5	6.82	<1	32	17	4019	6.34	<1	0.33	<10	1.94	1666	<2	0.01	7	1078	18	3.41	<5	6	441	<5	<0.01	<10	17	33	<10	37	2
101257	0.3	1.61	13	54	<0.5	<5	8.22	<1	39	6	1843	7.14	<1	0.38	<10	2.94	1689	8	0.01	10	488	9	2.72	<5	11	562	<5	<0.01	<10	11	122	<10	42	3
101258	0.4	3.35	<5	29	<0.5	<5	7.32	<1	43	11	1933	7.65	1	0.14	<10	3.38	1296	<2	0.02	15	673	7	1.73	<5	19	296	<5	0.16	<10	<10	325	<10	58	4
101259	<0.2	3.31	<5	18	<0.5	<5	6.98	<1	46	4	1156	8.31	1	0.08	<10	3.59	1288	<2	0.01	16	503	6	1.70	<5	19	213	<5	0.17	<10	<10	359	<10	46	5
101260	<0.2	2.80	<5	24	<0.5	<5	4.19	<1	40	9	942	6.81	1	0.10	<10	2.90	972	<2	0.03	13	988	5	1.49	<5	8	176	<5	0.20	<10	<10	249	<10	37	5
101261	<0.2	2.95	<5	47	<0.5	<5	5.60	<1	40	4	910	6.97	<1	0.16	<10	2.99	1214	<2	0.02	12	1517	7	2.02	<5	11	190	<5	0.15	<10	<10	226	<10	47	4
101262	<0.2	0.70	<5	608	<0.5	<5	2.44	<1	6	19	27	2.26	<1	0.35	49	0.54	745	3	0.04	1	1098	5	0.09	<5	1	155	11	<0.01	<10	<10	20	<10	16	8
101263	<0.2	0.55	<5	1021	<0.5	<5	2.74	<1	6	23	18	2.46	<1	0.34	53	0.69	845	<2	0.04	1	1168	8	0.05	<5	2	233	12	<0.01	<10	<10	20	<10	17	9
101264	<0.2	0.67	<5	709	<0.5	<5	2.69	<1	5	25	4	2.34	<1	0.37	54	0.61	809	2	0.05	1	1176	9	0.04	<5	2	308	12	<0.01	<10	<10	17	<10	16	8
101265	17.6	1.75	26	375	<0.5	<5	1.61	1	34	6	5761	7.41	1	0.20	<10	1.06	377	245	0.19	10	1413	128	0.63	12	6	111	<5	0.18	<10	<10	245	<10	177	10
101266	<0.2	2.27	<5	57	<0.5	<5	5.56	<1	32	18	1344	5.66	<1	0.17	<10	2.42	1233	36	0.03	12	1290	8	2.93	<5	9	181	<5	0.13	<10	<10	164	<10	49	4
101267	<0.2	2.77	<5	70	<0.5	<5	6.19	<1	37	5	1398	7.24	<1	0.18	<10	2.84	1361	16	0.02	10	1743	8	2.87	<5	12	234	<5	0.12	<10	<10	235	<10	50	4
101268	<0.2	2.34	<5	24	<0.5	<5	6.23	<1	30	7	1492	6.11	<1	0.09	<10	2.52	1426	7	0.03	8	1572	7	2.99	<5	7	141	<5	0.15	<10	<10	188	<10	37	4
101269	<0.2	2.50	<5	19	<0.5	<5	4.43	<1	43	8	1972	6.70	<1	0.07	<10	2.51	1198	<2	0.03	10	1942	8	2.35	<5	6	182	<5	0.15	<10	<10	185	<10	47	4
101270	<0.2	2.86	<5	30	<0.5	<5	3.81	<1	37	7	1494	5.50	<1	0.12	<10	2.90	1089	<2	0.03	9	1570	4	1.01	<5	8	228	<5	0.15	<10	<10	170	<10	37	3
101271	<0.2	2.86	<5	31	<0.5	<5	4.39	<1	35	6	1344	5.32	<1	0.12	<10	2.83	1137	<2	0.02	9	1543	4	0.87	<5	8	253	<5	0.14	<10	<10	163	<10	37	3
101272	<0.2	2.60	<5	16	<0.5	<5	2.70	<1	40	9	1057	5.65	<1	0.05	<10	2.50	956	<2	0.03	9	1540	4	1.55	<5	5	169	<5	0.17	<10	<10	142	<10	36	4
101273	<0.2	2.34	<5	58	<0.5	<5	2.71	<1	32	11	1156	4.96	<1	0.25	10	2.07	916	<2	0.07	7	1508	5	1.43	<5	5	152	<5	0.18	<10	<10	143	<10	37	6
101274	<0.2	2.84	<5	79	<0.5	<5	4.29	<1	41	7	1286	6.29	<1	0.35	<10	2.25	1277	<2	0.14	9	1680	9	2.70	<5	8	195	<5	0.18	<10	<10	203	<10	48	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3030-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#55**
Attn: **Stuart Fraser**

Oct-01-08

We hereby certify the following assay of 22 core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101275	0.01	<0.01
101276	<0.01	
101277	0.01	
101278	0.05	
101279	0.05	
101280	0.01	
101281	0.04	
101282	0.16	
101283	0.13	
101284	0.14	0.11
101285	0.07	
101286	0.04	
101287	0.05	
101288	0.08	
101289	0.01	
101290	0.31	
101291	0.05	
101292	0.02	
101293	0.02	
101294	<0.01	0.01
101295	0.05	
101296	0.02	
*0211	2.19	
*BLANK	<0.01	

Au I A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3030-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#55**
Attn: **Stuart Fraser**

Oct-01-08

We *hereby certify* the following assay of 3 core samples submitted Aug-25-08

Sample Name	Au g/tonne	Au-Check g/tonne
101297	0.02	0.01
101298	0.01	
*0211	2.10	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#55

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3030RJ

Date : Oct-01-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101275	<0.2	0.74	<5	57	<0.5	<5	1.47	<1	4	69	43	1.83	<1	0.28	45	0.45	1021	3	0.07	11	699	10	0.18	<5	2	67	14	0.02	<10	<10	9	<10	40	10
101276	<0.2	2.96	<5	329	<0.5	<5	4.67	<1	44	501	62	6.15	<1	1.14	31	5.77	998	<2	0.04	223	2192	5	0.02	<5	14	358	9	0.22	<10	<10	134	<10	63	11
101277	<0.2	2.52	<5	379	<0.5	<5	4.25	<1	43	461	43	5.51	<1	1.46	29	4.67	1042	<2	0.04	182	2142	7	0.01	<5	13	341	8	0.28	<10	<10	129	<10	59	13
101278	<0.2	0.76	<5	65	<0.5	<5	0.98	<1	1	47	5	1.55	<1	0.27	44	0.29	712	3	0.06	3	723	3	0.16	<5	1	55	12	<0.01	<10	<10	4	<10	25	6
101279	<0.2	0.70	<5	87	<0.5	<5	1.28	<1	1	38	3	1.45	<1	0.31	46	0.26	794	<2	0.06	2	706	2	0.12	<5	1	76	12	<0.01	<10	<10	4	<10	21	7
101280	<0.2	0.67	<5	134	0.5	<5	1.38	<1	1	44	3	1.48	<1	0.30	41	0.24	795	2	0.05	1	672	2	0.23	<5	1	85	11	<0.01	<10	<10	5	<10	21	7
101281	<0.2	0.60	8	80	<0.5	<5	1.28	<1	1	38	10	1.30	<1	0.30	48	0.22	658	5	0.05	1	527	3	0.31	<5	1	74	13	<0.01	<10	<10	5	<10	16	7
101282	0.6	2.13	7	61	0.5	<5	6.89	<1	23	41	1025	4.62	<1	0.33	<10	2.16	1803	3	0.02	19	1328	7	1.94	<5	9	354	<5	<0.01	<10	<10	93	<10	111	3
101283	0.6	1.57	6	127	<0.5	<5	7.22	<1	22	23	1706	4.11	<1	0.29	<10	1.86	871	3	0.03	16	1027	10	2.05	<5	10	371	<5	0.02	<10	<10	79	<10	48	2
101284	0.5	1.88	7	100	<0.5	<5	6.49	<1	23	34	1339	4.31	<1	0.26	<10	2.10	806	2	0.03	21	1364	9	2.00	<5	11	357	<5	0.03	<10	<10	88	<10	53	4
101285	0.4	2.18	<5	121	<0.5	<5	7.87	<1	26	39	1135	4.70	1	0.18	<10	2.82	1035	<2	0.03	19	1389	10	1.80	<5	18	361	<5	0.01	<10	<10	134	<10	62	2
101286	0.2	2.24	<5	44	<0.5	<5	7.64	<1	24	40	444	4.73	<1	0.13	<10	2.71	1319	<2	0.02	17	1202	6	1.68	<5	14	329	<5	<0.01	<10	<10	133	<10	91	2
101287	<0.2	0.69	5	117	<0.5	<5	1.41	<1	2	32	51	1.30	<1	0.25	45	0.29	399	2	0.06	2	668	2	0.37	<5	1	72	11	<0.01	<10	<10	12	<10	23	5
101288	0.2	3.00	5	244	<0.5	<5	6.81	<1	32	235	607	5.19	<1	0.12	16	3.69	1156	2	0.01	140	1947	11	1.04	<5	11	369	<5	0.01	<10	<10	109	<10	81	4
101289	<0.2	3.23	<5	42	<0.5	<5	5.33	<1	34	79	384	6.39	1	0.06	25	3.26	856	<2	0.03	32	2025	5	0.90	<5	13	182	6	0.22	<10	<10	207	<10	63	8
101290	3.2	2.13	53	109	<0.5	<5	0.85	2	22	100	3179	5.08	<1	0.17	<10	1.00	830	35	0.06	163	767	114	0.89	<5	5	30	<5	0.12	<10	<10	67	<10	418	8
101291	<0.2	2.69	<5	19	<0.5	<5	3.54	<1	42	54	583	6.12	1	0.08	<10	2.66	710	<2	0.03	22	1399	5	0.87	<5	10	129	<5	0.25	<10	<10	202	<10	50	3
101292	<0.2	2.76	<5	434	<0.5	<5	3.97	<1	38	86	286	5.05	1	0.34	46	2.77	725	<2	0.08	37	2538	7	0.45	<5	8	251	9	0.23	<10	<10	164	<10	56	12
101293	<0.2	2.85	<5	173	<0.5	<5	2.98	<1	31	64	140	5.25	<1	0.23	24	2.84	729	<2	0.04	26	2005	4	0.32	<5	6	153	6	0.26	<10	<10	173	<10	60	7
101294	3.1	1.84	<5	106	<0.5	<5	0.99	1	14	48	56	3.63	<1	0.14	<10	0.87	518	3	0.09	28	625	44	0.07	<5	5	36	<5	0.14	<10	<10	71	<10	165	6
101295	<0.2	2.23	<5	18	<0.5	<5	4.98	<1	34	34	184	4.91	1	0.10	<10	2.16	721	<2	0.04	15	1427	6	1.03	<5	9	143	<5	0.20	<10	<10	162	<10	45	2
101296	<0.2	2.41	<5	31	<0.5	<5	2.49	<1	38	20	276	5.10	1	0.24	<10	2.18	621	<2	0.04	17	1487	4	0.69	<5	6	130	<5	0.26	<10	<10	180	<10	52	3
101297	<0.2	1.87	<5	25	0.9	<5	3.00	1	25	17	144	4.06	<1	0.23	<10	1.80	602	<2	0.04	13	1311	<2	0.44	<5	6	124	5	0.24	<10	<10	153	<10	40	4
101298	<0.2	1.63	<5	21	0.8	<5	2.17	1	25	78	95	3.39	1	0.34	<10	1.51	462	<2	0.04	16	1499	<2	0.26	<5	3	120	5	0.23	<10	<10	116	<10	34	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3160-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#56**
Attn: **Stuart Fraser**

Sep-17-08

We hereby certify the following assay of 22 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101299	0.01	0.02
101300	0.01	
101301	0.03	
101302	0.02	
101303	0.02	
101304	0.02	
101305	0.03	
101306	0.01	
101307	0.08	
101308	0.03	0.04
101309	0.06	
101310	0.01	
101311	0.01	
101312	0.04	
101313	0.13	
101314	0.03	
101315	0.03	
101316	0.03	
101317	0.02	
101318	0.01	0.01
101319	0.01	
101320	0.02	
*0211	2.10	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3160-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#56**
Attn: **Stuart Fraser**

Sep-17-08

We hereby certify the following assay of 3 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101321	0.06	0.06
101322	0.06	
*0211	2.13	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#56

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3160RJ

Date : Sep-17-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101299	<0.2	1.72	<5	20	0.9	<5	2.61	1	34	93	162	4.09	<1	0.27	<10	1.53	509	<2	0.03	20	1544	<2	0.38	<5	3	150	5	0.25	<10	<10	122	<10	36	4
101300	<0.2	1.90	<5	22	1.0	<5	2.61	1	27	91	240	4.02	<1	0.32	10	1.76	564	<2	0.04	18	1535	<2	0.13	<5	6	157	6	0.25	<10	<10	140	<10	37	5
101301	<0.2	2.51	<5	41	1.2	<5	3.11	2	35	45	112	5.95	1	0.39	<10	2.51	818	<2	0.04	20	1397	<2	0.17	<5	9	144	7	0.31	<10	<10	194	<10	48	5
101302	<0.2	2.17	<5	40	1.2	<5	2.11	1	30	31	99	4.59	<1	0.32	<10	2.02	637	<2	0.04	16	1259	<2	0.14	<5	6	137	7	0.28	<10	<10	160	<10	44	4
101303	<0.2	2.13	<5	91	1.1	<5	2.60	1	30	63	142	4.09	<1	0.14	11	2.09	698	<2	0.04	21	1497	<2	0.23	<5	7	159	6	0.26	<10	<10	144	<10	45	5
101304	<0.2	2.21	<5	25	1.1	<5	2.38	1	29	39	146	3.98	<1	0.09	<10	1.98	682	<2	0.05	19	1283	<2	0.31	<5	8	154	5	0.25	<10	<10	145	<10	42	4
101305	<0.2	2.60	<5	43	0.9	<5	4.42	2	29	38	112	5.22	<1	0.18	<10	2.45	935	<2	0.03	20	1236	<2	0.29	<5	11	164	6	0.22	<10	<10	161	<10	45	4
101306	<0.2	2.29	<5	25	1.1	<5	2.99	1	26	32	153	3.88	<1	0.10	<10	2.16	662	<2	0.04	19	1244	<2	0.19	<5	8	163	5	0.27	<10	<10	150	<10	35	4
101307	<0.2	2.02	5	26	1.0	<5	3.21	1	26	28	181	3.25	<1	0.11	<10	1.85	584	<2	0.04	17	1322	<2	0.27	<5	6	168	6	0.25	<10	<10	126	<10	29	4
101308	<0.2	2.04	<5	67	1.0	<5	2.58	1	26	33	167	4.02	<1	0.31	<10	1.99	567	<2	0.04	17	1250	<2	0.18	<5	6	135	6	0.25	<10	<10	144	<10	34	4
101309	<0.2	2.23	<5	52	1.0	<5	3.42	2	30	54	157	4.86	<1	0.27	<10	2.40	710	<2	0.05	26	1437	<2	0.55	<5	8	110	6	0.25	<10	<10	160	<10	44	6
101310	<0.2	2.36	<5	327	1.9	<5	1.61	1	40	220	43	4.62	<1	1.84	26	3.72	622	<2	0.05	190	2085	<2	0.03	<5	3	94	11	0.37	<10	<10	107	<10	58	18
101311	<0.2	2.01	<5	262	2.0	<5	1.27	2	44	174	42	5.07	<1	1.81	29	4.22	657	<2	0.04	225	2191	3	0.03	<5	3	94	11	0.36	<10	<10	107	<10	57	16
101312	0.6	1.94	41	224	0.6	<5	4.41	3	26	39	963	5.59	<1	0.37	<10	1.91	905	14	0.11	32	1411	13	1.40	<5	10	141	5	0.04	<10	<10	146	<10	112	7
101313	<0.2	2.33	<5	128	1.0	<5	2.83	1	28	39	264	4.13	<1	0.76	<10	1.75	481	<2	0.15	21	1617	<2	0.70	<5	4	168	5	0.25	<10	<10	137	<10	38	6
101314	<0.2	2.06	<5	87	0.9	<5	2.29	1	26	63	297	4.04	<1	0.61	<10	1.90	453	<2	0.05	18	1553	<2	0.31	<5	4	172	5	0.24	<10	<10	138	<10	30	4
101315	<0.2	1.06	<5	19	0.5	<5	2.53	1	9	28	137	2.08	1	0.11	<10	1.14	350	<2	0.06	8	737	<2	0.60	<5	5	69	8	0.09	<10	<10	69	<10	13	2
101316	<0.2	1.16	<5	30	0.5	<5	3.48	1	13	28	268	2.80	<1	0.20	<10	1.14	438	<2	0.05	7	873	<2	0.58	<5	5	130	6	0.11	<10	<10	94	<10	13	5
101317	<0.2	0.97	<5	29	<0.5	<5	3.19	<1	6	27	175	1.33	<1	0.09	<10	1.18	405	<2	0.06	4	883	<2	0.19	<5	4	96	6	0.09	<10	<10	61	<10	14	4
101318	<0.2	2.36	5	531	1.3	<5	3.55	1	30	159	26	4.28	<1	0.85	35	2.98	774	<2	0.04	39	3600	5	0.15	<5	4	336	7	0.27	<10	<10	97	<10	69	16
101319	<0.2	0.82	<5	24	0.5	<5	3.52	<1	6	13	69	0.90	<1	0.11	<10	0.87	354	<2	0.05	4	1330	<2	0.15	<5	3	115	5	0.11	<10	<10	52	<10	10	5
101320	<0.2	2.20	<5	33	0.6	<5	4.83	1	20	58	226	3.61	<1	0.20	<10	2.35	717	<2	0.03	34	1326	<2	0.41	<5	9	194	6	0.12	<10	<10	118	<10	40	4
101321	0.2	1.03	<5	24	0.8	<5	2.19	1	49	33	1196	3.88	<1	0.07	<10	0.75	287	<2	0.05	17	1638	2	2.70	<5	6	115	6	0.22	<10	<10	110	<10	16	6
101322	0.4	1.07	<5	23	0.8	<5	2.11	1	53	28	1235	3.97	<1	0.08	<10	0.80	291	<2	0.06	18	1643	3	2.79	<5	6	116	6	0.23	<10	<10	113	<10	16	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3161-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#57**
Attn: **Stuart Fraser**

Oct-09-08

We hereby certify the following assay of 22 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101323	0.02	0.02
101324	0.02	
101325	0.01	
101326	<0.01	
101327	0.04	
101328	0.01	
101329	0.02	
101330	0.01	
101331	0.01	
101332	0.01	0.03
101333	0.02	
101334	0.80	
101335	0.02	
101336	0.03	
101337	0.01	
101338	0.01	
101339	0.02	
101340	0.01	
101341	0.06	
101342	0.01	0.02
101343	0.03	
101344	0.04	
*0211	2.12	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3161-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#57**
Attn: **Stuart Fraser**

Oct-09-08

We hereby certify the following assay of 3 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101345	0.02	0.01
101346	0.01	
*0211	2.13	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#57

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **8V3161RJ**

Date : **Oct-09-08**

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101323	<0.2	2.16	<5	25	<0.5	<5	2.75	<1	29	52	209	3.16	<1	0.09	<10	1.68	500	<2	0.06	17	1328	<2	0.54	<5	5	154	<5	0.24	<10	<10	116	<10	29	3
101324	<0.2	2.34	<5	23	<0.5	<5	2.87	<1	28	63	204	3.69	<1	0.09	<10	1.88	528	<2	0.05	15	1583	<2	0.26	<5	4	191	<5	0.23	<10	<10	121	<10	33	3
101325	<0.2	2.03	<5	34	<0.5	<5	5.11	<1	13	22	98	2.55	<1	0.18	<10	1.81	584	<2	0.05	5	1453	<2	0.17	<5	4	159	<5	0.12	<10	<10	102	<10	27	4
101326	<0.2	1.48	<5	22	<0.5	<5	2.99	<1	18	17	153	1.92	<1	0.09	<10	0.97	335	<2	0.06	8	1476	<2	0.32	<5	3	187	<5	0.16	<10	<10	84	<10	17	4
101327	<0.2	2.06	<5	19	<0.5	<5	2.25	<1	23	62	202	3.21	<1	0.17	<10	1.68	443	<2	0.04	15	1444	<2	0.15	<5	3	155	<5	0.19	<10	<10	106	<10	31	3
101328	<0.2	1.93	<5	21	<0.5	<5	2.41	<1	24	60	126	3.16	<1	0.18	<10	1.55	408	<2	0.05	14	1473	<2	0.17	<5	3	158	<5	0.21	<10	<10	110	<10	27	3
101329	<0.2	2.59	<5	35	<0.5	<5	4.43	<1	28	47	664	4.67	<1	0.24	<10	2.45	690	<2	0.04	18	1256	3	0.62	<5	7	176	<5	0.21	<10	<10	144	<10	37	3
101330	<0.2	2.46	<5	21	<0.5	<5	3.34	<1	28	36	112	3.89	<1	0.12	<10	2.18	647	<2	0.05	19	1346	<2	0.29	<5	8	155	<5	0.21	<10	<10	137	<10	36	3
101331	<0.2	1.76	<5	15	<0.5	<5	3.59	<1	21	30	97	2.83	<1	0.07	<10	1.53	533	<2	0.05	14	1217	<2	0.48	<5	6	164	<5	0.17	<10	<10	102	<10	27	4
101332	<0.2	3.12	<5	34	<0.5	<5	4.50	<1	31	90	55	5.33	<1	0.15	11	3.16	991	<2	0.03	48	1647	2	0.33	<5	9	144	<5	0.21	<10	<10	112	<10	80	4
101333	<0.2	1.22	<5	28	<0.5	<5	4.50	<1	12	18	321	1.79	<1	0.18	<10	1.13	508	<2	0.05	6	790	<2	0.36	<5	3	230	<5	0.01	<10	<10	29	<10	18	1
101334	18.9	1.86	27	385	<0.5	<5	1.59	1	34	6	5798	7.26	1	0.22	<10	1.08	379	253	0.21	10	1482	133	0.67	15	5	110	<5	0.17	<10	<10	237	<10	179	9
101335	<0.2	1.77	<5	35	<0.5	<5	5.72	<1	15	21	311	2.67	<1	0.21	<10	1.83	676	<2	0.04	10	980	<2	0.53	<5	6	296	<5	0.01	<10	<10	57	<10	26	2
101336	<0.2	2.50	<5	28	<0.5	<5	4.87	<1	22	43	692	4.56	<1	0.17	10	2.37	738	<2	0.05	13	1576	2	0.40	<5	12	241	<5	0.16	<10	<10	148	<10	36	4
101337	<0.2	2.70	<5	34	<0.5	<5	5.20	<1	26	53	194	5.04	<1	0.18	<10	2.48	839	<2	0.04	15	1482	<2	0.29	<5	10	325	<5	0.12	<10	<10	137	<10	40	3
101338	<0.2	2.88	<5	70	<0.5	<5	5.54	<1	21	20	99	4.73	<1	0.31	10	2.38	882	<2	0.03	13	1553	<2	0.13	<5	7	375	<5	0.04	<10	<10	86	<10	47	2
101339	<0.2	2.86	<5	25	<0.5	<5	3.70	<1	27	23	352	4.34	<1	0.10	<10	2.77	731	<2	0.05	17	1363	<2	0.45	<5	9	146	<5	0.21	<10	<10	148	<10	40	3
101340	7.9	1.97	<5	100	<0.5	<5	1.11	2	15	51	78	3.53	<1	0.16	<10	0.89	531	4	0.13	26	585	83	0.12	5	5	41	<5	0.15	<10	<10	70	<10	253	6
101341	<0.2	1.98	<5	22	<0.5	<5	3.63	<1	21	55	815	3.11	<1	0.10	<10	1.72	568	<2	0.05	14	1120	2	0.40	<5	7	122	<5	0.18	<10	<10	109	<10	29	3
101342	<0.2	1.47	<5	23	<0.5	<5	2.42	<1	19	32	162	1.78	<1	0.10	<10	0.92	291	<2	0.07	10	1287	<2	0.46	<5	4	124	<5	0.20	<10	<10	79	<10	13	3
101343	<0.2	1.74	<5	20	<0.5	<5	2.86	<1	22	48	412	2.13	<1	0.09	<10	1.38	444	<2	0.06	14	1379	<2	0.28	<5	4	133	<5	0.18	<10	<10	85	<10	22	4
101344	<0.2	2.51	<5	30	<0.5	<5	4.23	<1	24	31	285	3.62	<1	0.13	<10	2.32	827	<2	0.03	17	1199	<2	0.14	<5	7	200	<5	0.11	<10	<10	101	<10	50	2
101345	<0.2	0.68	<5	98	<0.5	<5	2.00	<1	3	31	6	1.66	<1	0.33	46	0.52	1261	<2	0.06	2	763	8	0.06	<5	1	154	12	0.02	<10	<10	7	<10	54	4
101346	<0.2	0.65	<5	381	<0.5	<5	1.35	<1	1	24	6	1.19	<1	0.26	47	0.21	971	<2	0.07	1	619	3	0.07	<5	1	106	14	0.01	<10	<10	2	<10	24	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3162-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#58**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 22 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101347	0.03	0.04
101348	0.01	
101349	0.01	
101350	0.04	
101351	0.01	
101352	0.01	
101353	0.03	
101354	0.01	
101355	0.02	
101356	0.03	0.04
101357	0.01	
101358	0.02	
101359	0.01	
101360	0.04	
101361	0.02	
101362	0.83	
101363	0.02	
101364	0.01	
101365	0.02	
101366	0.02	0.03
101367	0.01	
101368	0.02	
*0211	2.11	
*BLANK	<0.01	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3162-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#58**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 3 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101369	0.02	0.02
101370	0.04	
*0211	2.13	
*BLANK	<0.01	

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#58

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3162RJ

Date : Oct-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101347	<0.2	1.79	<5	24	0.7	<5	2.55	1	22	22	535	2.88	<1	0.08	<10	1.82	636	<2	0.04	14	1276	<2	0.53	<5	6	252	<5	0.16	<10	<10	96	<10	49	3
101348	<0.2	2.06	<5	25	0.9	<5	3.52	1	23	51	208	3.30	1	0.15	<10	2.03	663	<2	0.04	15	1281	<2	0.18	<5	9	184	5	0.20	<10	<10	121	<10	37	3
101349	<0.2	2.03	<5	30	0.8	<5	4.90	1	27	75	233	3.86	<1	0.30	<10	2.08	761	<2	0.03	17	1340	<2	0.26	<5	10	209	5	0.20	<10	<10	139	<10	35	3
101350	<0.2	2.09	<5	39	0.9	<5	3.01	1	26	28	388	4.23	<1	0.32	<10	2.14	629	<2	0.03	14	1567	<2	0.53	<5	7	180	5	0.21	<10	<10	153	<10	42	4
101351	<0.2	1.98	<5	38	0.9	<5	3.02	1	24	41	285	3.87	1	0.20	<10	2.04	590	<2	0.03	18	1440	<2	0.26	<5	6	167	5	0.22	<10	<10	141	<10	36	4
101352	<0.2	2.67	<5	51	1.1	<5	5.31	2	33	94	190	5.11	1	0.05	43	3.01	1009	<2	0.04	41	2851	<2	0.16	<5	10	275	13	0.22	<10	<10	168	<10	68	15
101353	<0.2	2.37	<5	20	1.0	<5	2.95	1	30	30	352	4.03	<1	0.07	<10	2.35	688	2	0.04	21	1582	<2	0.40	<5	6	167	<5	0.24	<10	<10	137	<10	48	4
101354	<0.2	1.85	<5	16	0.9	<5	1.64	1	23	17	236	2.88	<1	0.06	<10	1.59	474	<2	0.04	13	1345	<2	0.07	<5	3	136	<5	0.19	<10	<10	93	<10	36	3
101355	<0.2	1.79	<5	20	0.8	<5	1.75	1	25	16	339	3.00	<1	0.07	<10	1.63	481	<2	0.03	14	1277	<2	0.20	<5	3	108	<5	0.21	<10	<10	92	<10	35	3
101356	<0.2	2.04	<5	34	0.9	<5	2.18	1	27	19	260	4.06	<1	0.21	<10	1.73	549	<2	0.05	12	1646	<2	0.06	<5	4	157	<5	0.23	<10	<10	126	<10	38	4
101357	<0.2	1.64	<5	20	0.7	<5	1.96	1	21	21	254	3.03	<1	0.13	<10	1.41	445	<2	0.05	12	1942	<2	0.09	<5	3	136	<5	0.18	<10	<10	96	<10	30	3
101358	<0.2	1.74	<5	29	0.9	<5	1.78	1	23	26	425	2.81	<1	0.21	<10	1.45	420	<2	0.05	16	1451	<2	0.12	<5	3	134	<5	0.22	<10	<10	99	<10	28	3
101359	<0.2	2.04	<5	34	0.6	<5	0.42	2	21	21	349	5.94	<1	0.11	<10	2.13	537	<2	0.04	14	900	<2	0.01	<5	11	48	<5	0.14	<10	<10	196	<10	52	5
101360	<0.2	1.58	<5	27	0.6	<5	0.50	2	16	38	362	4.65	1	0.09	<10	1.63	469	<2	0.04	13	1016	<2	0.01	<5	9	68	<5	0.14	<10	<10	181	<10	41	5
101361	<0.2	1.37	<5	26	0.5	<5	0.52	2	15	33	286	4.20	<1	0.08	<10	1.34	504	<2	0.03	11	1104	<2	0.01	<5	7	88	<5	0.11	<10	<10	134	<10	35	4
101362	18.1	1.54	29	370	1.4	<5	1.35	3	32	7	6105	6.86	1	0.19	<10	0.95	336	292	0.18	11	1784	107	0.59	18	5	118	<5	0.19	<10	<10	230	<10	193	12
101363	<0.2	1.98	<5	35	0.8	<5	0.69	1	17	21	336	3.74	<1	0.11	10	1.67	688	<2	0.04	10	1678	<2	0.01	<5	6	70	<5	0.18	<10	<10	90	<10	87	7
101364	<0.2	2.03	<5	19	0.8	<5	1.04	2	17	13	188	4.65	<1	0.03	15	1.59	851	<2	0.04	3	3171	<2	0.01	<5	3	98	<5	0.17	<10	<10	67	<10	126	10
101365	<0.2	1.66	<5	63	<0.5	<5	0.31	2	16	15	409	3.95	<1	0.21	<10	1.14	778	<2	0.04	11	1297	<2	0.01	<5	3	23	<5	0.03	<10	<10	69	<10	109	3
101366	<0.2	0.84	<5	37	<0.5	<5	0.16	1	8	56	369	2.02	<1	0.19	<10	0.71	266	<2	0.02	7	555	<2	0.01	<5	4	22	<5	0.04	<10	<10	54	<10	40	2
101367	<0.2	3.57	<5	248	2.0	<5	1.22	2	47	249	1301	5.15	<1	0.15	28	4.61	1041	<2	0.02	293	2846	<2	0.01	<5	8	77	6	0.31	<10	<10	110	<10	536	19
101368	<0.2	1.72	<5	23	0.6	<5	0.64	1	18	27	400	2.76	<1	0.03	<10	1.86	651	<2	0.05	11	1464	<2	0.01	<5	6	105	<5	0.12	<10	<10	90	<10	69	3
101369	7.0	1.79	<5	120	<0.5	<5	1.04	2	17	55	77	3.62	2	0.15	<10	0.89	589	5	0.12	31	707	83	0.11	5	6	43	<5	0.17	<10	<10	80	<10	294	7
101370	<0.2	1.90	<5	62	<0.5	<5	0.53	<1	16	23	336	3.18	1	0.21	<10	1.97	677	<2	0.05	12	1546	2	0.01	<5	8	44	<5	0.12	<10	<10	108	<10	78	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3163-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#59**
Attn: **Stuart Fraser**

Oct-31-08

We hereby certify the following assay of 22 drill core samples submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101371	0.08	0.10
101372	0.19	
101373	0.05	
101374	0.05	
101375	0.06	
101376	0.09	
101377	0.31	
101378	0.10	
101379	0.08	
101380	0.27	0.27
101381	0.11	
101382	0.05	
101383	0.18	
101384	0.04	
101385	0.03	
101386	0.29	
101387	0.03	
101388	0.06	
101389	0.21	
101390	0.06	0.05
101391	0.14	
101392	0.07	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



ASSAYERS**C A N A D A****Assayers Canada**

8282 Sherbrooke St.

Vancouver, B.C.

V5X 4R6

Tel: (604) 327-3436

Fax: (604) 327-3423

*Quality Assaying for over 25 Years***Assay Certificate****8V-3163-RA2**

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#59**
Attn: **Stuart Fraser**

Oct-31-08

We hereby certify the following assay of 3 drill core samples
submitted Aug-28-08

Sample Name	Au g/tonne	Au-Check g/tonne
101393	0.14	0.14
101394	0.21	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#59

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3163RJ

Date : Oct-31-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101371	<0.2	1.38	<5	179	<0.5	<5	4.59	1	15	16	128	3.64	<1	0.43	<10	0.89	1000	<2	0.04	6	1328	<2	0.40	<5	2	282	<5	0.01	<10	<10	46	<10	48	3
101372	9.2	1.06	51	89	<0.5	45	4.80	31	16	21	3744	4.62	7	0.34	<10	0.99	1327	<2	0.02	9	1361	22	4.49	315	3	237	<5	0.01	<10	<10	54	<10	6531	4
101373	<0.2	1.69	<5	287	<0.5	<5	4.34	2	21	20	507	4.90	<1	0.17	<10	1.83	749	<2	0.05	11	1080	<2	1.36	<5	8	275	<5	0.06	<10	<10	142	<10	84	4
101374	<0.2	1.53	7	68	<0.5	<5	4.78	3	16	19	628	3.46	1	0.32	<10	1.63	994	<2	0.03	10	1438	4	2.19	22	5	264	<5	0.01	<10	<10	66	<10	563	3
101375	2.4	1.19	23	64	<0.5	<5	4.85	9	16	32	816	3.40	3	0.38	<10	1.14	776	<2	0.02	10	2323	4	3.18	108	4	241	<5	0.01	<10	<10	43	<10	1905	3
101376	<0.2	1.39	<5	46	<0.5	<5	3.80	1	18	23	928	3.76	<1	0.23	<10	1.62	613	<2	0.04	9	1115	3	2.72	<5	6	176	<5	0.04	<10	<10	86	<10	49	3
101377	3.0	1.88	55	101	0.6	<5	0.77	3	19	92	3232	4.55	<1	0.17	<10	0.94	763	37	0.07	162	818	95	0.81	<5	5	36	<5	0.13	<10	<10	67	<10	366	12
101378	7.2	0.71	148	55	<0.5	10	7.34	8	17	34	2637	4.81	4	0.35	<10	0.55	3296	<2	0.01	11	1398	1316	>5.00	298	3	247	<5	<0.01	<10	<10	44	<10	1654	4
101379	<0.2	1.72	5	55	<0.5	<5	4.20	2	20	13	620	4.91	<1	0.28	<10	1.70	685	<2	0.03	10	1394	6	2.82	<5	4	220	<5	0.03	<10	<10	95	<10	49	4
101380	<0.2	1.43	<5	119	<0.5	<5	4.51	1	17	30	839	4.24	<1	0.24	<10	1.51	622	4	0.04	11	1144	8	2.81	<5	5	224	5	0.01	<10	<10	92	<10	52	3
101381	<0.2	1.31	<5	118	<0.5	<5	4.66	1	17	15	483	3.89	<1	0.30	<10	1.41	559	2	0.04	10	1133	3	2.66	<5	5	251	<5	<0.01	<10	<10	60	<10	43	3
101382	<0.2	1.41	<5	288	<0.5	<5	3.67	1	15	30	628	2.92	<1	0.32	<10	1.44	328	<2	0.04	10	1165	<2	1.51	<5	4	163	<5	0.01	<10	<10	74	<10	26	2
101383	0.2	1.33	<5	113	<0.5	<5	3.87	1	17	15	636	3.36	<1	0.32	<10	1.31	404	2	0.04	9	1312	<2	2.32	<5	4	249	5	0.01	<10	<10	61	<10	27	3
101384	<0.2	1.29	<5	43	0.7	<5	3.47	1	17	30	394	2.35	<1	0.17	<10	1.50	310	<2	0.05	10	1007	<2	0.88	<5	7	139	<5	0.15	<10	<10	86	<10	15	3
101385	<0.2	1.30	<5	35	0.7	<5	3.43	1	18	24	398	2.33	<1	0.16	<10	1.54	308	2	0.05	10	1054	<2	0.86	<5	8	134	<5	0.16	<10	<10	86	<10	14	3
101386	<0.2	1.54	<5	58	0.7	<5	3.64	1	18	33	917	3.07	<1	0.31	<10	1.59	347	<2	0.05	11	1277	<2	1.61	<5	7	160	<5	0.15	<10	<10	109	<10	15	4
101387	<0.2	1.51	<5	44	0.5	<5	2.93	1	18	43	388	2.76	1	0.34	<10	1.75	241	<2	0.05	14	999	<2	1.40	<5	8	154	<5	0.08	<10	<10	104	<10	12	3
101388	<0.2	1.22	<5	261	<0.5	<5	3.08	1	15	43	380	2.23	<1	0.47	<10	1.35	218	<2	0.05	24	1085	<2	1.30	<5	5	202	<5	0.02	<10	10	54	<10	24	2
101389	<0.2	1.06	<5	41	<0.5	<5	2.85	1	13	30	1066	1.90	<1	0.31	<10	1.08	213	<2	0.04	9	1308	<2	1.07	6	4	166	5	0.01	<10	<10	40	<10	26	2
101390	<0.2	1.59	<5	141	<0.5	<5	4.19	1	15	76	625	2.35	<1	0.32	<10	1.73	379	3	0.06	13	1349	<2	0.63	<5	6	218	5	0.04	<10	<10	66	<10	33	3
101391	<0.2	0.91	<5	28	<0.5	<5	2.74	1	14	31	1636	2.24	<1	0.23	<10	0.88	248	4	0.06	17	1156	<2	1.29	<5	4	111	5	<0.01	<10	<10	66	<10	14	2
101392	0.7	0.64	13	173	<0.5	<5	4.56	1	13	35	662	1.87	<1	0.27	<10	1.20	399	3	0.05	10	1096	327	0.86	131	4	220	<5	<0.01	<10	<10	29	<10	73	2
101393	<0.2	1.70	9	101	<0.5	<5	4.59	<1	26	26	729	4.69	1	0.17	<10	1.50	439	2	0.06	14	1205	12	1.10	<5	7	281	<5	<0.01	<10	<10	147	<10	40	2
101394	<0.2	0.61	23	64	<0.5	<5	4.46	<1	35	29	1619	4.37	<1	0.33	<10	1.30	438	2	0.05	11	1056	13	2.25	5	5	262	<5	<0.01	<10	<10	43	<10	21	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Quality Assaying for over 25 Years

Assay Certificate

8V-3205-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#64**
Attn: **Stuart Fraser**

Oct-06-08

We hereby certify the following assay of 22 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101491	0.14	0.15
101492	0.12	
101493	0.13	
101494	0.11	
101495	0.04	
101496	0.07	
101497	0.11	
101498	0.10	
101499	0.12	
101500	0.01	0.01
101501	0.08	
101502	0.13	
101503	0.06	
101504	0.04	
101505	0.05	
101506	0.07	
101507	0.04	
101508	<0.01	
101509	0.05	
101510	0.04	0.05
101511	0.03	
101512	0.01	
*0211	2.17	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3205-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#64**
Attn: **Stuart Fraser**

Oct-06-08

We *hereby certify* the following assay of 3 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101513	0.06	0.06
101514	0.79	
*0211	2.20	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#64

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3205RJ

Date : Oct-06-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101491	<0.2	1.42	<5	64	<0.5	<5	3.58	2	30	30	1611	4.76	<1	0.43	<10	1.38	247	<2	0.03	14	1266	3	1.74	<5	5	203	5	0.01	<10	<10	54	<10	85	4
101492	<0.2	1.15	<5	45	<0.5	<5	3.39	2	22	40	984	4.73	<1	0.31	<10	1.36	277	2	0.04	16	1088	3	1.75	<5	5	174	5	0.01	<10	<10	74	<10	52	4
101493	<0.2	1.48	<5	47	<0.5	<5	2.56	1	28	40	1637	3.99	<1	0.27	<10	1.41	201	2	0.04	16	1113	<2	0.99	<5	6	157	5	0.02	<10	<10	100	<10	48	3
101494	<0.2	1.56	<5	175	<0.5	<5	3.47	1	21	27	2330	3.81	<1	0.24	<10	1.55	266	3	0.05	12	1173	<2	1.52	<5	6	189	<5	0.01	<10	<10	96	<10	40	3
101495	<0.2	1.57	<5	60	0.5	<5	3.94	1	24	34	1038	4.00	1	0.15	<10	1.66	327	2	0.05	11	1096	<2	1.15	<5	10	132	<5	0.08	<10	<10	144	<10	20	4
101496	<0.2	1.56	<5	27	0.7	<5	2.97	1	31	35	1852	4.04	<1	0.13	<10	1.71	258	3	0.05	11	1121	<2	1.64	<5	11	78	5	0.15	<10	<10	148	<10	21	6
101497	<0.2	1.65	<5	26	0.6	<5	5.15	2	33	32	859	5.36	<1	0.16	<10	1.64	313	<2	0.04	11	1013	<2	2.94	<5	7	84	5	0.14	<10	<10	131	<10	39	6
101498	<0.2	1.60	<5	27	0.8	<5	3.41	1	34	38	1584	4.76	<1	0.17	<10	1.64	277	2	0.04	17	1101	<2	2.76	<5	7	52	<5	0.17	<10	<10	114	<10	49	6
101499	<0.2	1.54	<5	25	0.8	<5	2.00	2	40	35	3079	5.14	<1	0.14	<10	1.63	294	3	0.05	15	1187	<2	3.33	<5	6	62	<5	0.20	<10	<10	112	<10	59	6
101500	<0.2	1.92	<5	16	1.0	<5	2.34	1	16	16	553	3.99	<1	0.04	12	1.58	724	<2	0.04	1	3098	<2	0.23	<5	3	145	<5	0.24	<10	<10	64	<10	89	10
101501	<0.2	1.55	<5	23	0.7	<5	3.24	2	45	25	2212	5.38	<1	0.14	<10	1.64	290	3	0.04	16	1448	<2	3.76	<5	5	59	<5	0.16	<10	<10	109	<10	34	6
101502	<0.2	2.09	<5	20	0.8	<5	6.39	1	42	23	2907	4.87	<1	0.18	<10	2.28	419	<2	0.02	15	1570	<2	2.66	<5	8	121	5	0.17	<10	<10	146	<10	39	5
101503	<0.2	2.09	<5	13	0.9	<5	3.91	2	44	29	1517	5.58	1	0.06	<10	2.60	398	<2	0.03	17	1606	<2	3.46	<5	9	129	<5	0.20	<10	<10	165	<10	27	6
101504	<0.2	1.58	<5	21	0.7	<5	2.73	2	48	27	873	5.57	<1	0.09	<10	1.87	308	2	0.04	17	1658	2	4.00	<5	5	90	<5	0.19	<10	<10	117	<10	18	6
101505	<0.2	1.41	<5	24	0.7	<5	1.65	2	38	26	801	5.13	<1	0.09	<10	1.52	224	3	0.04	16	1576	<2	3.82	<5	3	97	<5	0.19	<10	<10	102	<10	15	6
101506	<0.2	1.90	<5	32	1.0	<5	2.69	2	44	38	1902	6.30	<1	0.13	<10	2.14	336	3	0.04	19	1697	<2	3.78	<5	6	95	<5	0.24	<10	<10	147	<10	20	6
101507	<0.2	1.31	<5	26	0.7	<5	2.37	2	34	26	938	5.63	<1	0.11	<10	1.33	246	3	0.05	14	1255	4	3.24	<5	5	73	<5	0.17	<10	<10	126	<10	14	6
101508	0.8	1.57	<5	95	0.7	<5	0.88	1	12	42	27	3.20	<1	0.13	<10	0.79	478	3	0.09	26	551	23	0.06	<5	5	40	<5	0.15	<10	<10	68	<10	94	8
101509	<0.2	1.58	<5	37	0.9	<5	2.53	2	34	28	1347	5.57	<1	0.14	<10	1.63	255	<2	0.05	15	1111	3	2.81	<5	6	83	<5	0.21	<10	<10	141	<10	17	5
101510	<0.2	1.69	<5	58	0.6	<5	5.02	1	23	26	658	4.55	1	0.26	<10	1.74	329	3	0.03	11	999	<2	2.75	<5	6	111	5	0.09	<10	<10	95	<10	19	4
101511	<0.2	1.68	<5	39	0.7	<5	2.53	2	26	31	820	5.24	<1	0.16	<10	1.65	323	<2	0.05	16	1014	2	2.33	<5	6	93	<5	0.18	<10	<10	112	<10	39	7
101512	<0.2	1.96	6	82	1.1	<5	2.04	1	29	96	16	3.93	<1	0.12	17	2.51	631	<2	0.08	55	1721	12	0.19	<5	5	135	5	0.24	<10	<10	88	<10	85	24
101513	<0.2	1.22	<5	39	0.6	<5	2.96	1	29	24	1115	4.23	<1	0.14	<10	1.26	322	4	0.05	14	1256	6	3.00	<5	4	107	<5	0.15	<10	<10	85	<10	18	6
101514	17.2	1.47	28	350	1.3	<5	1.33	3	31	7	5733	6.93	1	0.18	<10	0.94	330	298	0.18	10	1739	111	0.59	19	5	114	<5	0.17	<10	<10	224	<10	169	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3206-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#65**
Attn: **Stuart Fraser**

Nov-07-08

We hereby certify the following assay of 22 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101515	0.04	0.04
101516	0.01	
101517	<0.01	
101518	0.02	
101519	0.06	
101520	0.02	
101521	0.02	
101522	0.02	
101523	0.04	
101524	0.03	0.02
101525	0.30	
101526	0.05	
101527	0.03	
101528	0.11	
101529	0.04	
101530	0.04	
101531	0.05	
101532	0.03	
101533	0.01	
101534	0.02	0.02
101535	0.03	
101536	0.03	
*0211	2.15	
*BLANK	<0.01	

Au I A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3206-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#65**
Attn: **Stuart Fraser**

Nov-07-08

We hereby certify the following assay of 3 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101537	0.31	0.26
101538	0.03	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#65

Sample type: Drill core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3206RJ

Date : Nov-07-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101515	<0.2	1.42	<5	63	<0.5	<5	2.48	<1	31	55	951	4.14	<1	0.19	<10	1.32	309	3	0.07	13	1301	7	2.33	<5	5	132	<5	0.15	<10	<10	116	<10	19	3
101516	<0.2	2.51	<5	806	<0.5	<5	2.51	<1	35	100	192	4.89	<1	1.12	22	3.06	593	<2	0.14	155	2442	6	0.31	<5	4	205	5	0.26	<10	<10	124	<10	40	11
101517	<0.2	3.01	<5	1387	<0.5	<5	3.47	<1	42	162	51	5.56	<1	0.72	91	3.41	847	<2	0.24	101	4333	10	0.09	<5	6	319	16	0.33	<10	<10	103	<10	63	15
101518	<0.2	2.37	<5	186	<0.5	<5	2.06	<1	31	23	523	5.59	<1	0.58	<10	2.30	373	<2	0.10	8	1697	5	2.08	<5	7	161	<5	0.25	<10	<10	162	<10	24	3
101519	<0.2	1.47	<5	38	<0.5	<5	2.74	<1	39	65	490	4.55	1	0.10	<10	1.71	243	5	0.06	20	1060	4	2.90	<5	9	83	<5	0.18	<10	<10	141	<10	18	4
101520	<0.2	0.71	<5	29	<0.5	<5	1.83	<1	23	47	327	2.44	<1	0.09	<10	0.64	109	6	0.05	9	1104	2	1.78	<5	5	49	<5	0.14	<10	<10	63	<10	8	2
101521	<0.2	1.66	<5	28	<0.5	<5	2.15	<1	27	47	287	4.12	1	0.10	<10	2.03	203	4	0.06	12	1083	<2	2.47	<5	9	69	<5	0.20	<10	<10	135	<10	17	3
101522	<0.2	1.73	<5	36	<0.5	<5	2.11	<1	26	22	275	4.14	1	0.13	<10	2.07	187	5	0.05	8	1786	<2	2.17	<5	5	70	<5	0.20	<10	<10	131	<10	16	2
101523	<0.2	1.35	<5	34	<0.5	<5	2.71	<1	38	47	798	4.65	1	0.10	<10	1.42	247	4	0.04	18	1308	9	3.41	<5	5	126	<5	0.12	<10	<10	93	<10	25	4
101524	<0.2	2.20	<5	267	<0.5	<5	2.62	<1	39	101	265	4.79	1	0.32	10	3.53	514	<2	0.04	172	1727	4	1.51	<5	4	105	<5	0.22	<10	<10	106	<10	42	11
101525	3.2	1.86	50	115	<0.5	<5	0.80	3	23	106	3257	4.77	<1	0.16	<10	0.96	913	33	0.07	174	677	119	0.90	<5	5	30	<5	0.12	<10	<10	67	<10	441	8
101526	0.6	1.50	<5	16	<0.5	<5	2.15	<1	33	41	280	4.95	<1	0.05	<10	1.67	257	2	0.05	14	917	3	3.14	<5	6	85	<5	0.15	<10	<10	115	<10	15	3
101527	0.3	1.48	<5	19	<0.5	<5	2.97	<1	24	28	262	3.96	1	0.08	<10	1.77	260	4	0.05	12	1102	<2	2.27	<5	6	62	<5	0.12	<10	<10	102	<10	15	2
101528	<0.2	1.97	<5	24	<0.5	<5	2.67	<1	33	33	803	5.64	<1	0.11	<10	2.30	279	3	0.05	11	1120	4	3.11	<5	7	64	<5	0.14	<10	<10	127	<10	22	3
101529	<0.2	1.51	<5	34	<0.5	<5	2.60	<1	31	36	365	5.14	<1	0.05	<10	1.62	250	3	0.05	12	879	7	3.00	<5	6	57	<5	0.13	<10	<10	113	<10	20	3
101530	<0.2	1.58	<5	21	<0.5	<5	2.41	<1	33	38	1023	5.17	<1	0.08	<10	1.85	256	4	0.05	13	879	6	3.23	<5	7	39	<5	0.15	<10	<10	132	<10	19	2
101531	<0.2	1.51	<5	24	<0.5	<5	2.25	<1	31	38	386	4.50	<1	0.12	<10	1.80	257	10	0.04	14	957	4	2.71	<5	7	38	<5	0.15	<10	<10	109	<10	23	2
101532	<0.2	1.66	<5	29	<0.5	<5	2.16	<1	30	43	420	4.75	<1	0.14	<10	2.00	264	10	0.05	15	971	4	2.75	<5	8	37	<5	0.17	<10	<10	121	<10	25	2
101533	<0.2	1.55	<5	24	<0.5	<5	2.45	<1	27	43	233	4.61	<1	0.11	<10	2.03	273	4	0.04	17	1045	4	3.06	<5	8	43	<5	0.17	<10	<10	129	<10	22	2
101534	<0.2	1.63	<5	29	<0.5	<5	2.20	<1	35	50	317	5.21	<1	0.10	<10	1.97	246	5	0.06	23	1055	5	3.36	<5	9	57	<5	0.19	<10	<10	148	<10	23	3
101535	<0.2	1.72	<5	38	<0.5	<5	2.23	<1	42	51	546	5.18	<1	0.16	<10	2.11	235	4	0.05	26	985	6	3.61	<5	9	62	<5	0.18	<10	<10	123	<10	34	3
101536	<0.2	1.43	<5	38	<0.5	<5	1.85	<1	49	46	523	5.40	1	0.14	<10	1.86	197	3	0.05	19	1025	6	4.33	<5	8	31	<5	0.18	<10	<10	115	<10	36	3
101537	0.8	1.16	<5	28	<0.5	<5	1.33	<1	51	40	7897	5.68	<1	0.09	<10	1.27	156	6	0.04	13	828	25	>5.00	<5	5	39	<5	0.14	<10	<10	90	<10	18	4
101538	<0.2	1.12	<5	43	<0.5	<5	1.16	<1	25	22	339	3.94	<1	0.11	<10	1.14	227	3	0.04	8	1105	4	3.79	<5	2	75	<5	0.11	<10	<10	64	<10	16	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3207-RA1

Company: **Valterra Resource Corp.**
 Project: **Swift Katie/Batch #66**
 Attn: **Stuart Fraser**

Oct-10-08

We hereby certify the following assay of 22 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101539	0.07	0.07
101540	0.05	
101541	0.16	
101542	0.12	
101543	0.11	
101544	0.02	
101545	0.03	
101546	0.14	
101547	0.04	
101548	0.03	0.02
101549	0.03	
101550	0.02	
101551	0.03	
101552	0.03	
101553	0.02	
101554	0.03	
101555	0.01	
101556	0.02	
101557	0.01	
101558	0.02	0.01
101559	0.03	
101560	0.02	
*0211	2.19	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3207-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #66**
Attn: **Stuart Fraser**

Oct-10-08

We *hereby certify* the following assay of 3 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101561	0.01	0.02
101562	<0.01	
*0211	2.13	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch #66

Sample type: Drill core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3207RJ

Date : Oct-10-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101539	<0.2	1.73	8	44	<0.5	<5	3.97	<1	27	29	411	6.28	<1	0.14	<10	2.22	403	<2	0.05	12	1390	4	>5.00	<5	4	90	<5	0.10	<10	<10	115	<10	21	4
101540	<0.2	1.21	<5	36	<0.5	<5	2.83	<1	33	49	464	6.60	<1	0.09	<10	1.60	265	9	0.05	18	1157	7	>5.00	<5	7	69	<5	0.11	<10	<10	94	<10	17	4
101541	<0.2	1.18	<5	24	<0.5	<5	2.91	<1	40	47	570	6.33	<1	0.07	<10	1.48	262	16	0.05	18	983	6	>5.00	<5	5	64	<5	0.12	<10	<10	90	<10	17	4
101542	<0.2	1.17	<5	27	<0.5	<5	2.94	<1	30	34	426	5.61	<1	0.08	<10	1.58	276	28	0.05	16	1503	4	4.98	<5	4	60	<5	0.12	<10	<10	93	<10	18	4
101543	<0.2	1.31	<5	41	<0.5	<5	3.79	<1	24	39	420	4.60	<1	0.14	<10	1.55	429	20	0.05	15	1312	3	3.59	<5	5	76	<5	0.12	<10	<10	97	<10	27	4
101544	<0.2	1.05	<5	26	<0.5	<5	2.48	<1	40	44	682	5.66	<1	0.09	<10	1.32	197	20	0.05	19	1091	6	4.99	<5	4	62	<5	0.12	<10	<10	75	<10	14	4
101545	<0.2	1.13	<5	42	<0.5	<5	2.11	<1	31	45	439	3.51	1	0.10	<10	1.27	177	3	0.06	17	1639	2	2.97	<5	4	68	<5	0.18	<10	<10	74	<10	12	5
101546	0.8	2.04	50	246	<0.5	<5	4.55	2	26	44	1164	5.72	1	0.39	<10	1.99	950	17	0.12	32	1738	17	1.57	<5	11	146	<5	0.05	<10	<10	153	<10	122	6
101547	<0.2	1.17	<5	25	<0.5	<5	2.51	<1	41	38	867	5.00	1	0.09	<10	1.37	212	18	0.07	17	1372	3	4.44	<5	5	53	<5	0.18	<10	<10	91	<10	16	5
101548	<0.2	1.05	<5	28	<0.5	<5	2.57	<1	48	41	617	6.03	<1	0.10	<10	1.29	193	2	0.06	17	1054	6	>5.00	<5	4	55	<5	0.13	<10	<10	76	<10	14	4
101549	<0.2	1.27	<5	23	<0.5	<5	2.64	<1	40	44	519	5.55	<1	0.09	<10	1.78	227	12	0.05	17	1158	5	4.29	<5	7	49	<5	0.13	<10	<10	110	<10	17	4
101550	<0.2	1.26	<5	40	<0.5	<5	3.43	<1	43	47	642	5.44	<1	0.10	<10	1.80	221	18	0.06	22	1055	5	4.54	<5	7	55	<5	0.13	<10	<10	119	<10	15	4
101551	<0.2	1.34	<5	31	<0.5	<5	2.43	<1	36	43	635	4.88	<1	0.10	<10	1.94	213	29	0.05	17	1150	4	3.41	<5	8	43	<5	0.13	<10	<10	111	<10	17	4
101552	<0.2	1.35	<5	35	<0.5	<5	2.36	<1	37	41	502	4.70	<1	0.12	<10	1.72	204	69	0.05	16	942	3	2.98	<5	6	51	<5	0.13	<10	<10	92	<10	16	4
101553	<0.2	1.23	<5	42	<0.5	<5	2.42	<1	42	46	570	5.66	1	0.10	<10	1.59	222	10	0.05	18	1102	5	4.48	<5	7	62	<5	0.13	<10	<10	103	<10	17	5
101554	<0.2	1.33	<5	85	<0.5	<5	3.39	<1	37	55	567	6.18	<1	0.19	<10	1.91	286	16	0.05	24	1099	7	4.97	<5	7	82	<5	0.12	<10	<10	104	<10	24	5
101555	2.6	1.56	<5	102	<0.5	<5	0.98	1	13	48	48	3.60	<1	0.14	<10	0.84	515	3	0.10	27	536	41	0.07	<5	5	36	<5	0.14	<10	<10	69	<10	157	6
101556	<0.2	1.33	<5	32	<0.5	<5	4.53	<1	30	52	466	5.05	<1	0.09	<10	2.01	280	30	0.04	15	1106	4	4.17	<5	8	105	<5	0.09	<10	<10	108	<10	17	3
101557	<0.2	1.50	<5	42	<0.5	<5	3.90	<1	27	57	487	5.16	<1	0.10	<10	2.34	235	26	0.04	13	1031	4	3.76	<5	8	84	<5	0.10	<10	<10	124	<10	16	4
101558	<0.2	1.36	<5	56	<0.5	<5	3.08	<1	32	38	555	5.40	<1	0.10	<10	2.08	249	16	0.05	14	1055	5	4.40	<5	9	97	<5	0.12	<10	<10	149	<10	18	4
101559	<0.2	1.18	<5	53	<0.5	<5	3.85	<1	33	38	292	5.83	<1	0.18	<10	1.64	211	13	0.04	14	1012	5	>5.00	<5	5	139	<5	0.07	<10	<10	86	<10	18	4
101560	<0.2	1.21	<5	51	<0.5	<5	4.04	<1	38	22	356	6.39	<1	0.12	10	1.75	230	9	0.04	14	1226	6	>5.00	<5	5	137	<5	0.08	<10	<10	89	<10	15	4
101561	<0.2	1.89	<5	66	<0.5	<5	6.69	<1	23	54	145	4.47	<1	0.27	10	2.53	444	13	0.02	10	1246	2	2.79	<5	5	238	<5	0.03	<10	<10	69	<10	24	2
101562	<0.2	0.38	<5	741	<0.5	<5	2.58	<1	6	34	11	2.35	<1	0.32	49	0.61	850	3	0.04	1	1178	12	0.10	<5	2	301	10	<0.01	<10	<10	15	<10	13	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-3208-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/ Batch# 67**
Attn: **Stuart Fraser**

Oct-06-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101563	0.01	<0.01
101564	0.02	
101565	0.02	
101566	0.02	
101567	0.01	
101568	0.01	
101569	0.02	
101570	0.03	
101571	0.03	
101572	0.03	0.01
101573	0.04	
101574	0.02	
101575	0.01	
101576	0.02	
101577	0.01	
101578	0.01	
101579	0.01	
101580	0.01	
101581	0.01	
101582	0.02	0.01
101583	0.01	
101584	0.03	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

8V-3208-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/ Batch# 67**
Attn: **Stuart Fraser**

Oct-06-08

We hereby certify the following assay of 3 drill core samples submitted Sep-02-08

Sample Name	Au g/tonne	Au-Check g/tonne
101585	0.76	0.78
101586	0.08	
*0211	2.13	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/ Batch# 67

Sample type: Drill core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3208RJ

Date : Oct-06-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101563	<0.2	0.43	<5	927	<0.5	<5	2.64	<1	6	31	7	2.32	<1	0.34	52	0.63	868	<2	0.05	2	1250	11	0.07	<5	2	340	12	<0.01	<10	<10	13	<10	18	9
101564	<0.2	0.40	<5	631	<0.5	<5	2.32	<1	6	43	6	2.19	<1	0.32	49	0.51	809	6	0.04	1	1189	8	0.08	<5	2	204	11	<0.01	<10	<10	14	<10	12	10
101565	<0.2	1.49	<5	124	<0.5	<5	6.18	<1	18	8	174	3.65	<1	0.31	10	1.72	464	10	0.03	7	1492	3	2.66	<5	3	225	<5	0.01	<10	<10	58	<10	23	2
101566	<0.2	0.90	<5	91	<0.5	<5	7.57	<1	18	21	115	3.52	<1	0.23	<10	1.02	357	3	0.02	11	1099	<2	3.17	<5	3	291	<5	<0.01	<10	<10	38	<10	12	2
101567	<0.2	1.09	<5	58	<0.5	<5	5.56	<1	22	25	161	4.01	<1	0.17	<10	1.39	287	3	0.04	10	997	2	3.32	<5	4	187	<5	0.01	<10	<10	61	<10	13	3
101568	<0.2	1.11	<5	32	<0.5	<5	3.61	<1	47	35	394	6.80	<1	0.14	<10	1.47	186	8	0.05	16	1045	7	>5.00	<5	5	115	<5	0.04	<10	<10	83	<10	15	4
101569	<0.2	1.15	<5	38	<0.5	<5	3.52	<1	51	33	392	6.82	<1	0.15	<10	1.51	179	8	0.05	16	1043	7	>5.00	<5	5	111	<5	0.04	<10	<10	83	<10	15	4
101570	<0.2	1.14	<5	46	<0.5	<5	4.05	<1	39	41	386	5.66	<1	0.12	<10	1.52	237	6	0.06	14	1029	6	>5.00	<5	8	146	<5	0.09	<10	<10	119	<10	15	5
101571	<0.2	1.19	<5	64	<0.5	<5	3.87	<1	33	28	226	5.34	<1	0.26	<10	1.40	228	7	0.05	12	1157	4	>5.00	<5	5	145	<5	0.04	<10	<10	78	<10	16	4
101572	<0.2	0.54	<5	53	<0.5	<5	7.57	<1	23	16	171	3.82	<1	0.34	<10	0.80	344	6	0.03	7	1487	3	3.60	<5	2	274	<5	<0.01	<10	<10	19	<10	10	2
101573	<0.2	0.67	8	74	<0.5	<5	6.31	<1	19	14	193	4.09	<1	0.42	<10	2.24	490	2	0.03	16	1554	4	3.13	5	6	297	<5	<0.01	<10	<10	32	<10	16	2
101574	0.2	0.33	7	73	0.6	<5	1.15	<1	1	53	17	1.44	<1	0.24	45	0.20	846	5	0.06	1	520	8	0.30	<5	1	66	13	<0.01	<10	<10	1	<10	32	11
101575	<0.2	0.43	<5	60	<0.5	<5	1.21	<1	2	41	2	1.66	<1	0.23	40	0.26	1063	6	0.07	1	641	6	0.23	<5	1	70	11	0.01	<10	<10	2	<10	54	9
101576	<0.2	0.62	<5	58	<0.5	<5	1.04	<1	2	67	1	1.72	<1	0.18	39	0.25	888	<2	0.07	1	619	4	0.16	<5	1	41	11	0.02	<10	<10	1	<10	30	9
101577	<0.2	1.73	<5	441	<0.5	<5	1.47	<1	40	189	39	4.69	<1	1.47	30	3.53	658	<2	0.07	197	1894	8	0.01	<5	4	106	8	0.27	<10	<10	94	<10	66	13
101578	<0.2	2.01	8	560	<0.5	<5	2.12	<1	45	288	46	5.06	<1	1.66	28	3.92	779	<2	0.07	211	2000	9	0.01	<5	6	200	8	0.29	<10	<10	112	<10	61	14
101579	<0.2	0.71	<5	56	<0.5	<5	2.14	<1	4	56	18	1.82	<1	0.20	36	0.49	946	2	0.07	5	656	6	0.29	<5	2	145	10	<0.01	<10	<10	19	<10	43	8
101580	<0.2	0.49	<5	66	0.6	<5	1.16	<1	1	52	2	1.49	<1	0.24	54	0.25	1027	<2	0.06	2	665	5	0.04	<5	1	82	13	<0.01	<10	<10	1	<10	35	8
101581	<0.2	0.49	<5	72	0.6	<5	1.07	<1	1	44	<1	1.44	<1	0.24	56	0.23	887	<2	0.07	1	636	3	0.04	<5	1	77	14	<0.01	<10	<10	1	<10	34	7
101582	<0.2	0.56	5	150	<0.5	<5	1.16	<1	1	49	1	1.53	<1	0.21	48	0.23	892	2	0.07	1	608	3	0.12	<5	1	91	12	<0.01	<10	<10	1	<10	39	9
101583	<0.2	0.55	<5	48	0.5	<5	0.93	<1	1	45	24	1.23	<1	0.23	57	0.20	637	5	0.06	1	510	<2	0.06	<5	1	77	15	<0.01	<10	<10	1	<10	24	9
101584	<0.2	1.28	<5	65	<0.5	<5	4.35	<1	32	37	333	5.34	<1	0.29	<10	1.79	592	12	0.03	18	1253	4	4.62	<5	5	259	<5	<0.01	<10	<10	47	<10	35	3
101585	19.6	1.67	30	391	<0.5	<5	1.62	1	38	7	5612	7.96	2	0.20	<10	1.10	396	276	0.19	11	1660	149	0.69	14	6	118	<5	0.17	<10	<10	257	<10	207	10
101586	<0.2	1.35	<5	58	<0.5	<5	4.82	<1	29	31	565	5.15	<1	0.21	<10	1.70	365	13	0.03	15	1177	6	4.35	<5	5	251	<5	0.01	<10	<10	70	<10	22	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____





Quality Assaying for over 25 Years

Assay Certificate

8V-3216-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#68**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101587	0.03	0.02
101588	0.03	
101589	0.02	
101590	0.06	
101591	0.03	
101592	0.06	
101593	0.02	
101594	0.02	
101595	0.01	
101596	0.01	0.01
101597	0.02	
101598	0.02	
101599	0.01	
101600	0.02	
101601	0.03	
101602	0.02	
101603	0.02	
101604	0.02	
101605	0.02	
101606	0.02	0.01
101607	0.31	
101608	0.02	
*0211	2.09	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**8V-3216-RA2**Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#68**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 3 drill core samples
submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101609	0.04	0.02
101610	0.03	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#68

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3216RJ

Date : Oct-09-08


Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101587	<0.2	1.08	<5	44	<0.5	<5	2.66	<1	33	37	455	5.19	<1	0.07	<10	1.46	252	7	0.03	17	1072	7	4.80	<5	7	90	<5	0.05	<10	<10	91	<10	55	3
101588	<0.2	1.58	<5	46	<0.5	<5	2.18	<1	24	54	223	4.26	1	0.05	<10	1.91	326	4	0.03	14	1332	5	2.29	<5	4	91	<5	0.06	<10	<10	87	<10	23	2
101589	<0.2	1.19	<5	37	<0.5	<5	1.80	<1	30	39	258	3.97	1	0.06	<10	1.42	263	10	0.04	13	1025	23	2.39	<5	4	58	<5	0.07	<10	<10	74	<10	21	2
101590	<0.2	1.43	<5	28	<0.5	<5	2.34	<1	27	35	385	4.73	1	0.08	<10	1.72	251	10	0.05	16	1035	4	2.42	<5	4	61	<5	0.08	<10	<10	87	<10	19	2
101591	<0.2	1.41	<5	30	<0.5	<5	4.00	<1	18	35	238	4.06	<1	0.08	<10	1.69	321	5	0.03	14	1029	6	2.43	<5	5	103	<5	0.04	<10	<10	77	<10	17	2
101592	<0.2	1.26	<5	42	<0.5	<5	4.20	<1	24	29	274	3.72	<1	0.14	<10	1.31	295	3	0.04	13	919	10	2.18	<5	3	161	<5	0.04	<10	<10	61	<10	19	2
101593	<0.2	1.27	<5	30	<0.5	<5	2.32	<1	29	33	336	4.09	<1	0.07	<10	1.47	259	5	0.04	19	1117	3	2.30	<5	4	61	<5	0.07	<10	<10	80	<10	18	2
101594	<0.2	1.39	<5	36	<0.5	<5	3.06	<1	24	25	324	4.27	<1	0.12	<10	1.43	344	2	0.04	13	1189	2	1.71	<5	3	97	<5	0.06	<10	<10	85	<10	19	2
101595	2.0	1.42	<5	101	<0.5	<5	0.70	1	13	44	52	3.35	1	0.12	<10	0.77	476	3	0.08	27	558	40	0.07	<5	4	27	<5	0.09	<10	<10	59	<10	145	4
101596	<0.2	0.86	<5	16	<0.5	<5	1.30	<1	24	32	206	2.57	<1	0.05	<10	0.92	192	4	0.05	14	1002	3	1.24	<5	3	47	<5	0.06	<10	<10	62	<10	14	2
101597	<0.2	1.40	<5	28	<0.5	<5	1.44	<1	40	28	255	5.16	<1	0.06	<10	1.49	303	2	0.04	18	1360	8	1.96	<5	3	80	<5	0.09	<10	<10	107	<10	22	3
101598	<0.2	1.63	<5	26	<0.5	<5	2.63	<1	41	20	307	5.52	<1	0.07	<10	1.89	372	2	0.03	17	1321	8	2.71	<5	5	78	<5	0.06	<10	<10	117	<10	26	2
101599	<0.2	1.18	<5	22	<0.5	<5	1.27	<1	31	34	259	3.37	<1	0.06	<10	1.21	249	2	0.06	17	1101	2	1.50	<5	2	58	<5	0.09	<10	<10	68	<10	16	2
101600	<0.2	1.36	<5	20	<0.5	<5	1.23	<1	20	33	179	4.11	<1	0.05	<10	1.44	289	2	0.05	15	1093	2	0.83	<5	3	56	<5	0.08	<10	<10	85	<10	21	2
101601	<0.2	1.05	<5	28	<0.5	<5	1.25	<1	24	34	222	4.48	1	0.06	<10	1.12	247	5	0.04	11	1365	5	0.97	<5	2	50	<5	0.06	<10	<10	99	<10	20	2
101602	<0.2	1.19	<5	20	<0.5	<5	1.28	<1	23	27	229	4.47	<1	0.05	<10	1.29	286	3	0.03	12	1392	4	0.88	<5	2	51	<5	0.06	<10	<10	98	<10	21	2
101603	<0.2	1.25	<5	22	<0.5	<5	1.54	<1	27	42	276	4.06	<1	0.06	<10	1.25	263	5	0.06	20	1150	4	1.23	<5	3	62	<5	0.08	<10	<10	80	<10	19	3
101604	<0.2	1.04	<5	15	<0.5	<5	2.14	<1	29	28	149	4.79	1	0.06	<10	1.17	203	6	0.04	14	1005	5	3.54	<5	3	55	<5	0.06	<10	<10	61	<10	15	2
101605	<0.2	0.86	<5	18	<0.5	<5	1.17	<1	30	30	308	3.40	<1	0.06	<10	0.88	155	5	0.04	14	1055	3	2.27	<5	2	46	<5	0.06	<10	<10	42	<10	11	2
101606	<0.2	1.00	<5	14	<0.5	<5	1.20	<1	23	30	262	2.86	<1	0.04	<10	1.02	192	4	0.05	12	1026	4	1.15	<5	2	47	<5	0.07	<10	<10	53	<10	13	2
101607	3.1	1.63	50	86	<0.5	<5	0.61	3	20	91	3212	4.60	<1	0.12	<10	0.91	789	31	0.05	160	655	122	0.88	<5	4	23	<5	0.06	<10	<10	54	<10	406	5
101608	<0.2	1.31	<5	24	<0.5	<5	1.93	<1	24	30	230	3.83	<1	0.05	<10	1.40	282	3	0.04	12	1017	6	0.57	<5	6	71	<5	0.05	<10	<10	92	<10	21	2
101609	<0.2	1.67	<5	267	<0.5	<5	6.04	2	22	15	281	4.81	<1	0.13	<10	1.75	520	2	0.03	8	1272	<2	0.86	<5	7	483	5	0.02	<10	<10	120	<10	21	4
101610	<0.2	1.44	<5	24	0.5	<5	2.58	2	24	20	243	4.75	<1	0.09	<10	1.60	326	<2	0.03	10	1415	<2	1.01	<5	7	116	<5	0.09	<10	<10	144	<10	13	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____



Quality Assaying for over 25 Years

Assay Certificate

8V-3217-RA1

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#69**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101611	0.02	0.02
101612	0.02	
101613	0.03	
101614	0.02	
101615	0.09	
101616	0.21	
101617	0.02	
101618	0.01	
101619	0.11	
101620	0.04	0.04
101621	0.22	
101622	0.06	
101623	0.03	
101624	0.04	
101625	0.20	
101626	0.11	
101627	0.14	
101628	0.07	
101629	0.15	
101630	0.16	0.16
101631	0.13	
101632	0.04	
*0211	2.16	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

8V-3217-RA2

Company: **Valterra Resource Corp**
Project: **Swift Katie/Batch#69**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 3 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101633	0.02	0.01
101634	0.05	
*0211	2.04	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp

Attention: Stuart Fraser

Project: Swift Katie/Batch#69

Sample type: Drill Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3217RJ

Date : Oct-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101611	<0.2	1.22	<5	24	<0.5	<5	2.04	<1	31	25	308	4.46	1	0.06	<10	1.39	290	3	0.03	11	1363	6	1.54	<5	3	77	<5	0.05	<10	<10	105	<10	18	2
101612	<0.2	1.36	<5	27	<0.5	<5	1.59	<1	29	25	336	4.44	<1	0.06	<10	1.47	318	3	0.05	10	1274	5	1.14	<5	2	64	<5	0.06	<10	<10	87	<10	23	2
101613	<0.2	1.17	<5	25	<0.5	<5	1.53	<1	26	23	369	4.42	<1	0.05	<10	1.27	301	3	0.04	10	1371	3	1.46	<5	2	72	<5	0.06	<10	<10	81	<10	20	2
101614	<0.2	0.45	<5	120	<0.5	<5	3.47	<1	20	11	831	3.66	<1	0.21	22	0.86	629	<2	0.03	8	4415	8	0.12	<5	7	181	7	<0.01	<10	<10	39	<10	84	2
101615	<0.2	1.16	<5	31	<0.5	<5	1.59	<1	24	21	224	4.21	<1	0.07	<10	1.24	308	3	0.05	8	1308	3	0.90	<5	3	75	<5	0.07	<10	<10	98	<10	20	2
101616	0.4	0.94	<5	112	<0.5	<5	3.00	<1	26	20	1029	5.51	1	0.21	<10	1.96	458	<2	0.02	14	634	8	0.44	<5	6	288	<5	<0.01	<10	<10	88	<10	37	2
101617	<0.2	2.13	11	555	<0.5	<5	1.29	<1	30	63	171	5.65	<1	0.11	12	2.29	918	<2	0.03	35	1611	5	0.03	<5	5	58	<5	0.09	<10	<10	97	<10	140	5
101618	<0.2	2.34	<5	162	<0.5	<5	0.94	<1	34	91	138	5.87	<1	0.08	11	2.69	1025	<2	0.04	48	1885	4	<0.01	<5	9	30	<5	0.15	<10	<10	125	<10	250	8
101619	0.3	2.02	6	105	<0.5	<5	0.42	1	31	26	901	6.16	1	0.14	<10	2.47	669	<2	0.03	18	1285	17	0.01	<5	9	14	<5	0.10	<10	<10	209	<10	349	3
101620	<0.2	2.17	<5	162	<0.5	<5	0.38	<1	33	36	461	7.12	<1	0.23	<10	2.43	510	<2	0.02	26	1184	19	<0.01	<5	7	14	<5	0.07	<10	<10	215	<10	157	4
101621	<0.2	0.81	<5	173	<0.5	<5	2.67	<1	22	20	750	4.28	<1	0.26	<10	1.59	336	<2	0.03	11	601	6	1.18	<5	6	203	<5	<0.01	<10	<10	59	<10	29	2
101622	<0.2	0.74	<5	40	<0.5	<5	3.37	<1	21	23	489	3.63	<1	0.22	11	1.65	396	<2	0.03	10	3007	4	1.40	<5	7	208	5	<0.01	<10	<10	45	<10	22	2
101623	<0.2	0.78	6	50	<0.5	<5	3.62	<1	24	30	387	3.21	<1	0.24	19	1.55	432	<2	0.02	12	6155	3	0.68	<5	6	178	8	<0.01	<10	<10	44	<10	19	2
101624	<0.2	0.58	<5	49	<0.5	<5	2.86	<1	17	24	475	2.27	<1	0.25	<10	1.51	274	<2	0.03	11	2053	3	1.20	<5	5	182	<5	<0.01	<10	<10	34	<10	15	1
101625	0.2	0.77	<5	39	<0.5	<5	2.05	<1	26	27	1417	4.02	1	0.26	<10	1.38	228	<2	0.03	13	659	8	3.00	<5	3	123	<5	<0.01	<10	<10	40	<10	19	2
101626	<0.2	1.02	6	43	<0.5	<5	3.38	<1	20	22	1092	2.70	<1	0.28	17	1.75	257	<2	0.03	12	4801	4	0.91	<5	6	164	6	0.01	<10	<10	49	<10	25	2
101627	0.8	1.66	37	183	<0.5	<5	4.24	2	26	35	1063	5.19	1	0.27	<10	1.84	847	10	0.09	29	1184	19	1.36	<5	10	126	<5	0.03	<10	<10	126	<10	122	4
101628	<0.2	1.12	<5	49	<0.5	<5	2.60	<1	21	56	534	2.85	<1	0.36	15	1.74	200	<2	0.03	19	4751	3	0.84	<5	7	149	7	0.02	<10	<10	63	<10	21	2
101629	<0.2	1.29	<5	63	<0.5	<5	1.18	<1	25	32	902	3.90	1	0.34	17	1.47	244	<2	0.02	20	4142	5	0.20	<5	8	59	7	0.02	<10	<10	79	<10	30	2
101630	0.2	1.16	<5	58	<0.5	<5	1.40	<1	29	36	1374	3.39	<1	0.36	11	1.52	160	<2	0.03	18	2783	7	1.15	<5	6	99	<5	0.01	<10	<10	61	<10	26	2
101631	0.2	0.72	7	98	<0.5	<5	0.79	<1	21	34	1057	3.01	<1	0.29	18	0.53	250	<2	0.03	17	2896	6	0.07	<5	8	45	6	0.01	<10	<10	37	<10	38	2
101632	<0.2	0.52	5	48	<0.5	<5	3.52	<1	14	20	181	1.60	<1	0.36	15	1.66	207	<2	0.03	11	3296	<2	0.65	<5	7	311	5	0.01	<10	<10	29	<10	13	2
101633	2.6	1.39	<5	98	<0.5	<5	0.69	1	13	44	51	3.15	1	0.11	<10	0.75	462	3	0.08	27	540	41	0.07	<5	4	28	<5	0.10	<10	<10	59	<10	159	5
101634	<0.2	0.43	<5	65	<0.5	<5	2.66	<1	20	24	650	2.14	<1	0.30	<10	1.31	180	<2	0.02	11	1870	4	1.60	<5	6	255	<5	0.01	<10	<10	24	<10	13	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3218-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #70**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101635	0.07	0.08
101636	0.07	
101637	0.25	
101638	0.29	
101639	0.30	
101640	0.77	
101641	0.21	
101642	0.06	
101643	0.11	
101644	0.06	0.06
101645	0.04	
101646	0.05	
101647	0.05	
101648	0.06	
101649	0.07	
101650	0.06	
101651	0.06	
101652	5.69	
101653	0.18	
101654	0.26	0.24
101655	0.03	
101656	0.30	
*0211	2.11	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3218-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #70**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 2 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101657	0.01	0.01
101658	0.03	
*0211	2.04	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch #70

Sample type: Drill core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **8V3218RJ**

Date : Oct-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101635	0.2	0.21	<5	50	<0.5	<5	3.30	<1	16	23	1214	2.34	1	0.14	<10	1.31	310	2	0.03	9	2331	9	1.67	<5	7	271	<5	<0.01	<10	<10	17	<10	14	2
101636	<0.2	0.30	<5	49	<0.5	<5	3.81	<1	15	29	1051	2.67	<1	0.22	10	1.49	364	2	0.04	10	2600	8	1.85	<5	8	317	<5	<0.01	<10	<10	23	<10	16	3
101637	1.5	0.35	<5	87	<0.5	<5	3.56	<1	15	22	6994	2.29	2	0.18	<10	1.62	313	2	0.04	10	1817	21	1.23	9	7	311	<5	<0.01	<10	<10	22	<10	21	2
101638	3.6	0.31	18	28	<0.5	<5	3.29	<1	21	16	7298	2.64	9	0.17	<10	1.39	300	3	0.04	12	1137	21	1.41	95	6	185	<5	<0.01	<10	<10	19	<10	52	2
101639	0.9	0.92	<5	31	<0.5	<5	3.14	<1	27	33	7916	2.74	3	0.11	<10	1.40	274	2	0.05	18	1105	23	1.69	11	6	130	<5	0.01	<10	<10	80	<10	33	1
101640	17.0	1.36	26	274	<0.5	<5	1.18	1	35	6	6128	6.86	2	0.16	<10	0.96	395	244	0.17	10	1408	134	0.63	12	4	84	<5	0.11	<10	<10	214	<10	223	6
101641	0.6	1.20	<5	50	<0.5	<5	3.87	<1	23	31	5167	2.50	1	0.09	<10	1.63	329	2	0.04	13	1098	13	1.17	<5	7	124	<5	0.04	<10	<10	99	<10	34	2
101642	<0.2	1.57	<5	32	<0.5	<5	3.79	<1	20	27	1517	2.99	1	0.10	<10	2.00	387	2	0.04	12	864	4	1.00	<5	6	80	<5	0.03	<10	<10	98	<10	41	2
101643	<0.2	2.12	<5	29	<0.5	<5	4.30	<1	39	86	1649	3.91	3	0.06	<10	2.80	589	<2	0.03	23	1178	3	1.25	<5	10	93	<5	0.06	<10	<10	128	<10	24	2
101644	<0.2	1.00	<5	22	<0.5	<5	2.32	<1	38	22	1430	2.65	1	0.11	<10	1.22	269	3	0.05	16	1033	3	1.52	<5	4	33	<5	0.07	<10	<10	67	<10	17	3
101645	0.3	1.61	<5	27	<0.5	<5	2.96	<1	36	66	1169	3.44	1	0.10	<10	1.91	526	<2	0.03	20	1162	3	1.23	<5	4	44	<5	0.07	<10	<10	86	<10	44	3
101646	<0.2	1.52	<5	24	<0.5	<5	2.67	<1	28	17	615	3.98	<1	0.05	<10	1.73	453	<2	0.04	14	1416	2	1.11	<5	2	72	<5	0.07	<10	<10	98	<10	23	2
101647	<0.2	1.35	<5	26	<0.5	<5	1.42	<1	33	17	1360	3.78	<1	0.06	<10	1.50	355	<2	0.04	11	1343	3	1.19	<5	2	47	<5	0.07	<10	<10	91	<10	19	2
101648	<0.2	1.67	<5	32	<0.5	<5	2.37	<1	43	15	1586	4.33	1	0.08	<10	2.03	463	2	0.04	12	1276	4	1.87	<5	6	60	<5	0.08	<10	<10	126	<10	22	3
101649	<0.2	1.64	<5	163	<0.5	<5	4.30	<1	29	14	1345	3.60	1	0.11	<10	2.20	522	42	0.03	10	1167	3	1.30	<5	10	142	<5	0.05	<10	<10	148	<10	24	2
101650	<0.2	1.57	<5	150	<0.5	<5	3.58	<1	28	12	768	3.80	1	0.14	<10	2.15	420	40	0.04	9	1303	2	1.42	<5	10	128	<5	0.03	<10	<10	186	<10	20	2
101651	0.8	1.66	<5	86	<0.5	<5	4.49	<1	43	24	1656	4.46	4	0.12	<10	2.29	442	17	0.03	18	1299	5	2.52	16	10	180	<5	0.02	<10	<10	150	<10	39	2
101652	0.5	1.45	<5	99	<0.5	<5	4.89	<1	21	11	637	3.88	1	0.08	<10	1.86	454	3	0.03	8	1115	3	1.79	<5	8	197	<5	0.01	<10	<10	112	<10	34	1
101653	<0.2	1.25	9	115	<0.5	<5	4.49	<1	18	10	623	3.86	1	0.07	<10	1.52	478	<2	0.02	8	1015	3	1.45	<5	6	174	<5	0.01	<10	<10	100	<10	28	2
101654	<0.2	1.32	15	108	<0.5	<5	4.84	<1	15	21	451	3.21	1	0.09	<10	1.59	455	5	0.02	7	889	2	1.41	<5	5	196	<5	<0.01	<10	<10	89	<10	25	1
101655	<0.2	1.84	<5	76	<0.5	<5	4.83	<1	21	16	432	4.03	1	0.08	<10	2.16	513	<2	0.02	8	1170	<2	1.15	<5	6	151	<5	0.01	<10	<10	102	<10	22	2
101656	<0.2	0.75	16	138	0.5	<5	6.38	<1	12	19	356	1.85	<1	0.22	<10	0.78	398	11	0.01	4	1031	2	1.14	<5	2	244	<5	<0.01	<10	<10	30	<10	15	1
101657	<0.2	1.05	<5	305	<0.5	<5	3.39	<1	19	57	34	3.76	<1	0.28	23	1.97	866	<2	0.02	13	2039	4	0.12	<5	11	159	<5	0.04	<10	<10	76	<10	62	4
101658	<0.2	0.85	<5	97	<0.5	<5	3.91	<1	25	14	646	2.35	1	0.13	<10	1.05	276	4	0.03	7	1042	2	1.74	<5	3	169	<5	<0.01	<10	<10	42	<10	15	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3219-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#71**
Attn: **Stuart Fraser**

Oct-07-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101659	0.03	0.03
101660	0.03	
101661	0.03	
101662	0.02	
101663	0.02	
101664	0.04	
101665	0.04	
101666	0.02	
101667	0.04	
101668	<0.01	0.01
101669	0.05	
101670	0.03	
101671	0.03	
101672	0.03	
101673	0.01	
101674	0.02	
101675	0.02	
101676	0.02	
101677	0.02	
101678	0.28	0.29
101679	0.02	
101680	0.04	
*0211	2.16	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



*Quality Assaying for over 25 Years***Assay Certificate****8V-3219-RA2**Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch#71**
Attn: **Stuart Fraser**

Oct-07-08

We *hereby certify* the following assay of 3 drill core samples
submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101681	<0.01	0.01
101682	0.08	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch#71

Sample type: Drill core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3219RJ

Date : Oct-07-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101659	<0.2	1.07	<5	93	<0.5	<5	3.12	<1	21	21	474	3.00	<1	0.09	<10	1.27	246	3	0.03	9	869	2	2.34	<5	6	119	<5	0.03	<10	<10	79	<10	10	2
101660	<0.2	1.19	<5	50	<0.5	<5	3.43	<1	18	17	427	2.70	<1	0.15	<10	1.35	265	2	0.04	8	777	<2	2.02	<5	5	118	<5	0.02	<10	<10	73	<10	13	2
101661	<0.2	1.56	<5	60	<0.5	<5	3.31	<1	28	8	562	4.21	<1	0.14	<10	1.87	275	5	0.02	8	1057	2	3.32	<5	4	94	<5	0.01	<10	<10	72	<10	15	2
101662	<0.2	1.41	<5	33	<0.5	<5	3.08	<1	22	12	538	3.76	<1	0.12	<10	1.64	244	6	0.03	7	1043	2	3.09	<5	5	84	<5	0.04	<10	<10	96	<10	13	2
101663	<0.2	0.82	<5	49	<0.5	<5	2.25	<1	14	22	308	2.09	<1	0.07	<10	0.99	197	8	0.03	7	694	<2	1.75	<5	4	75	<5	0.04	<10	<10	74	<10	8	2
101664	<0.2	1.02	<5	78	<0.5	<5	3.97	<1	23	28	327	3.17	1	0.15	<10	1.56	322	6	0.03	18	979	2	2.86	5	8	149	<5	<0.01	<10	<10	97	<10	21	2
101665	<0.2	1.09	<5	72	<0.5	<5	3.93	<1	17	21	418	3.02	1	0.10	<10	1.33	252	34	0.02	15	821	<2	2.19	7	4	121	<5	0.01	<10	<10	54	<10	17	1
101666	<0.2	0.87	<5	70	<0.5	<5	3.47	<1	15	17	253	3.37	<1	0.18	<10	1.35	286	2	0.06	9	619	2	2.06	<5	5	103	<5	<0.01	<10	<10	51	<10	14	2
101667	<0.2	0.36	<5	75	<0.5	<5	3.18	<1	18	13	263	3.24	<1	0.10	<10	1.20	321	3	0.03	11	645	3	2.41	<5	6	114	<5	<0.01	<10	<10	40	<10	16	2
101668	0.4	1.57	<5	92	<0.5	<5	0.80	<1	12	38	43	2.99	<1	0.14	<10	0.74	544	2	0.09	23	468	12	0.05	<5	5	28	<5	0.13	<10	<10	61	<10	77	5
101669	<0.2	0.66	<5	91	<0.5	<5	2.62	<1	15	22	395	3.37	<1	0.15	<10	1.15	316	2	0.04	8	680	3	2.50	<5	5	92	<5	0.01	<10	<10	54	<10	20	2
101670	<0.2	0.56	<5	88	<0.5	<5	2.24	<1	16	16	205	2.98	<1	0.16	<10	0.99	232	6	0.04	5	566	3	2.48	<5	4	75	<5	<0.01	<10	<10	42	<10	18	2
101671	<0.2	1.43	<5	36	<0.5	<5	3.75	<1	29	19	387	3.83	1	0.09	<10	1.84	323	8	0.04	9	1031	<2	2.73	<5	9	107	<5	0.07	<10	<10	128	<10	14	3
101672	<0.2	1.90	<5	44	<0.5	<5	3.84	<1	26	18	473	3.90	<1	0.12	<10	2.37	420	6	0.04	10	1199	<2	1.97	<5	11	113	<5	0.07	<10	<10	147	<10	20	3
101673	<0.2	1.77	5	31	<0.5	<5	2.44	<1	19	14	100	3.88	<1	0.14	<10	1.70	730	<2	0.04	5	1621	<2	0.63	<5	5	53	<5	0.20	<10	<10	79	<10	54	8
101674	<0.2	1.67	<5	26	<0.5	<5	3.36	<1	28	22	367	3.85	<1	0.09	<10	2.02	473	9	0.04	12	1155	2	2.61	<5	6	71	<5	0.08	<10	<10	94	<10	15	3
101675	<0.2	1.60	<5	18	<0.5	<5	1.63	<1	16	14	11	4.46	<1	0.05	11	1.47	951	<2	0.05	<1	2491	2	0.16	<5	4	46	<5	0.17	<10	<10	70	<10	87	7
101676	<0.2	1.32	<5	12	<0.5	<5	2.20	<1	32	20	225	4.14	<1	0.08	<10	1.52	384	5	0.03	13	1102	2	3.41	<5	3	68	<5	0.10	<10	<10	75	<10	12	3
101677	<0.2	1.40	<5	11	<0.5	<5	1.85	<1	21	20	173	3.41	<1	0.07	<10	1.68	374	3	0.03	14	1021	<2	2.49	<5	4	56	<5	0.09	<10	<10	81	<10	11	2
101678	2.5	1.74	41	90	<0.5	<5	0.65	2	17	79	3136	3.96	<1	0.16	<10	0.81	815	28	0.07	136	537	92	0.74	<5	4	24	<5	0.11	<10	<10	54	<10	398	7
101679	<0.2	1.97	<5	<10	<0.5	<5	4.42	<1	18	23	149	4.12	<1	0.09	<10	2.35	550	<2	0.02	13	1152	<2	1.98	<5	10	96	<5	0.07	<10	<10	129	<10	15	3
101680	<0.2	1.99	<5	34	<0.5	<5	4.19	<1	16	21	139	4.66	<1	0.10	<10	2.23	603	<2	0.03	14	1029	<2	1.61	<5	10	118	<5	0.05	<10	<10	134	<10	19	3
101681	<0.2	2.07	<5	95	<0.5	<5	2.88	<1	32	149	33	4.51	<1	0.08	17	2.97	808	<2	0.06	49	1610	7	0.14	<5	8	436	<5	0.18	<10	<10	105	<10	62	16
101682	<0.2	1.59	7	88	<0.5	<5	4.77	<1	43	19	1292	4.63	<1	0.23	<10	2.14	466	29	0.04	15	1304	8	2.89	<5	10	281	<5	0.02	<10	<10	152	<10	31	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3220-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie Batch#72**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 22 drill core samples submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101683	0.02	0.02
101684	0.02	
101685	0.08	
101686	0.03	
101687	0.03	
101688	0.10	
101689	0.05	
101690	0.09	
101691	0.07	
101692	0.02	0.02
101693	0.05	
101694	0.02	
101695	0.20	
101696	0.04	
101697	0.03	
101698	0.13	
101699	0.03	
101700	0.06	
101701	0.04	
101702	0.02	0.02
101703	0.01	
101704	0.02	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

*Quality Assaying for over 25 Years***Assay Certificate****8V-3220-RA2**Company: **Valterra Resource Corp.**
Project: **Swift Katie Batch#72**
Attn: **Stuart Fraser**

Oct-09-08

We *hereby certify* the following assay of 3 drill core samples
submitted Sep-03-08

Sample Name	Au g/tonne	Au-Check g/tonne
101705	0.03	0.02
101706	0.02	
*0211	2.15	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie Batch#72

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3220RJ

Date : Oct-09-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101683	<0.2	1.64	<5	137	0.5	<5	4.18	2	13	17	121	5.41	<1	0.15	10	2.01	450	<2	0.03	9	1305	2	0.53	<5	9	552	<5	0.03	<10	<10	172	<10	15	4
101684	<0.2	1.40	<5	150	<0.5	<5	3.91	2	16	14	176	5.09	<1	0.13	<10	1.83	443	<2	0.04	9	1253	3	0.52	<5	8	323	<5	0.02	<10	<10	154	<10	16	4
101685	<0.2	1.36	<5	281	0.5	<5	4.17	2	18	14	199	4.84	<1	0.14	<10	1.83	408	2	0.03	8	1213	3	0.64	<5	8	641	5	0.03	<10	<10	148	<10	14	4
101686	<0.2	1.50	<5	267	<0.5	<5	3.79	2	18	13	199	5.19	<1	0.10	<10	1.87	388	2	0.04	10	1231	<2	0.71	<5	9	452	<5	0.01	<10	<10	159	<10	20	3
101687	<0.2	1.52	<5	779	<0.5	<5	4.32	2	16	14	165	5.46	<1	0.11	<10	1.87	425	2	0.04	9	1257	3	0.40	<5	9	393	5	0.01	<10	<10	148	<10	39	4
101688	<0.2	1.27	9	70	0.5	<5	5.13	1	20	23	633	4.02	<1	0.08	<10	1.78	501	2	0.04	13	1133	3	2.26	<5	9	385	<5	0.02	<10	<10	106	<10	21	3
101689	<0.2	1.28	<5	103	<0.5	<5	5.07	1	20	18	646	3.78	<1	0.15	<10	1.68	520	2	0.03	8	1180	<2	2.13	<5	7	403	6	0.01	<10	<10	82	<10	18	3
101690	<0.2	1.28	<5	124	0.5	<5	4.51	1	20	20	641	4.00	<1	0.16	<10	1.68	468	2	0.03	8	1287	2	2.31	<5	7	348	5	0.01	<10	<10	85	<10	20	3
101691	0.2	1.26	<5	134	0.5	<5	4.90	1	23	22	1014	3.64	<1	0.15	<10	1.67	544	<2	0.04	11	1153	<2	2.16	<5	8	421	<5	0.01	<10	<10	88	<10	17	3
101692	<0.2	3.12	6	1045	2.1	<5	4.57	1	38	196	31	4.43	<1	0.82	22	5.16	779	<2	0.04	262	2346	<2	0.12	<5	8	349	6	0.29	<10	<10	105	<10	46	12
101693	<0.2	1.08	<5	137	<0.5	<5	4.03	1	18	13	199	3.56	<1	0.21	<10	1.51	312	<2	0.04	5	1199	<2	2.23	<5	6	498	<5	0.01	<10	<10	79	<10	15	3
101694	<0.2	0.66	<5	119	<0.5	<5	3.62	1	18	10	155	3.90	<1	0.26	<10	1.52	351	<2	0.04	7	1199	2	2.57	<5	6	322	5	<0.01	<10	<10	54	<10	12	3
101695	0.7	1.73	40	234	0.5	<5	4.10	3	24	36	1071	5.18	<1	0.32	<10	1.75	830	15	0.10	28	1310	15	1.31	<5	9	128	<5	0.04	<10	<10	132	<10	102	7
101696	<0.2	0.51	<5	140	<0.5	<5	3.38	1	19	22	287	3.52	<1	0.25	<10	1.41	273	2	0.04	6	1141	<2	2.32	<5	5	297	<5	<0.01	<10	<10	46	<10	9	3
101697	<0.2	1.30	<5	102	<0.5	<5	3.07	1	24	15	392	4.19	<1	0.15	<10	1.72	267	<2	0.05	8	1298	2	2.60	<5	6	231	<5	0.02	<10	<10	116	<10	12	3
101698	<0.2	1.48	<5	114	0.5	<5	4.39	2	15	19	655	4.53	<1	0.15	<10	1.58	581	<2	0.03	9	1269	2	1.05	<5	5	208	5	0.06	<10	<10	107	<10	14	4
101699	<0.2	1.68	<5	143	0.5	<5	4.04	1	23	23	618	4.07	<1	0.19	<10	1.81	594	2	0.04	12	1104	<2	1.95	<5	5	247	<5	0.06	<10	<10	92	<10	17	6
101700	<0.2	1.07	<5	84	<0.5	<5	3.51	2	20	30	393	4.54	<1	0.18	<10	1.25	401	4	0.03	10	796	<2	2.68	<5	4	589	<5	0.01	<10	<10	59	<10	20	4
101701	<0.2	0.90	<5	125	<0.5	<5	2.67	1	20	16	487	3.51	<1	0.19	<10	1.18	354	<2	0.04	7	914	<2	2.03	<5	4	170	6	0.03	<10	<10	52	<10	12	4
101702	<0.2	1.01	<5	296	<0.5	<5	3.00	2	20	16	220	4.70	<1	0.22	<10	1.88	398	5	0.03	10	1259	2	0.92	<5	6	251	5	0.01	<10	<10	95	<10	19	3
101703	<0.2	1.46	<5	280	0.5	<5	3.35	2	24	17	252	5.33	<1	0.23	<10	2.28	416	<2	0.04	12	1355	3	1.14	<5	8	170	5	0.01	<10	<10	110	<10	30	4
101704	<0.2	0.70	<5	114	<0.5	<5	3.74	1	18	45	135	3.70	<1	0.33	<10	0.97	314	2	0.02	11	1062	2	2.04	<5	4	199	<5	<0.01	<10	<10	33	<10	18	3
101705	<0.2	1.04	5	75	<0.5	<5	6.16	2	31	22	183	5.01	<1	0.32	<10	1.69	409	3	0.01	12	1341	3	3.33	6	4	232	5	<0.01	<10	<10	31	<10	21	4
101706	<0.2	1.32	<5	52	<0.5	<5	3.83	2	36	26	226	4.95	<1	0.23	<10	1.57	252	5	0.04	13	934	2	3.48	<5	4	159	5	<0.01	<10	<10	53	<10	21	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 25 Years

Assay Certificate

8V-3318-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #73**
Attn: **Stuart Fraser**

Oct-15-08

We *hereby certify* the following assay of 22 rock samples submitted Sep-09-08

Sample Name	Au g/tonne	Au-Check g/tonne
101707	0.02	0.03
101708	0.02	
101709	0.02	
101710	0.02	
101711	0.02	
101712	0.02	
101713	0.02	
101714	0.02	
101715	0.01	
101716	0.02	0.02
101717	0.01	
101718	0.03	
101719	0.02	
101720	0.01	
101721	0.01	
101722	0.02	
101723	0.01	
101724	0.80	
101725	0.02	
101726	0.03	0.02
101727	0.03	
101728	0.02	
*0211	2.22	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3318-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #73**
Attn: **Stuart Fraser**

Oct-15-08

We *hereby certify* the following assay of 3 rock samples submitted Sep-09-08

Sample Name	Au g/tonne	Au-Check g/tonne
101729	0.02	0.03
101730	0.01	
*0211	2.22	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch #73

Sample type:

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3318RJ


Date : Oct-15-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101707	<0.2	1.42	<5	50	<0.5	<5	3.89	<1	27	27	217	4.35	<1	0.19	<10	1.72	257	3	0.04	11	1126	3	2.63	<5	4	148	<5	<0.01	<10	<10	59	<10	16	3
101708	<0.2	1.43	<5	36	<0.5	<5	3.85	<1	23	30	119	4.35	<1	0.14	<10	1.84	276	<2	0.04	12	1136	<2	2.67	<5	5	139	<5	0.01	<10	<10	81	<10	14	3
101709	<0.2	1.18	<5	95	<0.5	<5	3.95	<1	25	38	140	3.90	<1	0.15	<10	1.52	240	5	0.05	13	1094	<2	2.79	<5	6	123	<5	0.03	<10	<10	86	<10	11	3
101710	<0.2	1.34	<5	95	<0.5	<5	2.98	<1	26	38	118	4.65	<1	0.11	<10	1.81	248	<2	0.05	15	1157	2	3.14	<5	8	87	<5	0.08	<10	<10	115	<10	17	4
101711	<0.2	1.27	<5	72	<0.5	<5	2.19	<1	22	41	68	5.11	<1	0.09	<10	1.72	230	<2	0.06	12	1171	2	3.71	<5	8	57	<5	0.15	<10	<10	115	<10	18	4
101712	<0.2	1.29	<5	57	<0.5	<5	2.36	<1	23	43	94	5.30	<1	0.10	<10	1.64	206	<2	0.04	18	1156	2	3.58	<5	9	70	<5	0.11	<10	<10	125	<10	11	4
101713	<0.2	1.14	<5	56	<0.5	<5	2.40	<1	22	46	60	5.20	<1	0.10	<10	1.66	201	2	0.06	15	1281	2	3.97	<5	8	68	<5	0.06	<10	<10	131	<10	12	3
101714	<0.2	1.34	<5	64	<0.5	<5	2.51	<1	23	34	108	5.89	<1	0.14	<10	1.84	218	<2	0.04	13	1270	2	4.19	<5	9	72	<5	0.09	<10	<10	139	<10	12	4
101715	<0.2	2.89	<5	2482	<0.5	<5	4.13	<1	44	143	54	5.35	<1	1.73	64	4.79	852	<2	0.08	190	4420	6	0.11	<5	8	428	9	0.42	<10	<10	147	<10	58	14
101716	<0.2	1.19	<5	55	<0.5	<5	2.65	<1	27	63	46	4.55	<1	0.09	<10	1.79	270	<2	0.06	43	1280	2	3.25	<5	5	85	<5	0.17	<10	<10	96	<10	15	6
101717	<0.2	0.95	<5	29	<0.5	<5	2.20	<1	22	101	52	3.53	<1	0.12	<10	1.25	176	<2	0.05	14	1053	<2	2.41	<5	5	49	<5	0.10	<10	<10	71	<10	8	3
101718	<0.2	1.13	<5	30	<0.5	<5	2.39	<1	35	29	123	5.61	<1	0.08	<10	1.45	202	2	0.05	13	1380	2	4.58	<5	4	64	<5	0.15	<10	<10	85	<10	12	5
101719	<0.2	1.56	<5	38	<0.5	<5	2.44	<1	42	57	183	6.65	<1	0.08	<10	1.83	293	<2	0.04	20	2012	2	4.32	<5	4	113	<5	0.16	<10	<10	99	<10	14	5
101720	1.7	1.54	<5	100	<0.5	<5	0.94	1	13	43	42	3.44	<1	0.14	<10	0.82	500	4	0.10	27	664	28	0.07	<5	5	34	<5	0.17	<10	<10	67	<10	115	8
101721	<0.2	1.50	<5	30	<0.5	<5	1.83	<1	38	46	163	5.32	<1	0.06	<10	1.67	244	<2	0.04	19	2248	<2	3.24	<5	4	123	<5	0.16	<10	<10	90	<10	13	4
101722	<0.2	1.13	<5	53	<0.5	<5	1.69	<1	51	50	83	6.59	<1	0.24	<10	1.49	227	2	0.07	28	1437	3	>5.00	<5	4	66	<5	0.18	<10	<10	79	<10	15	9
101723	<0.2	1.27	<5	26	<0.5	<5	2.14	<1	29	37	61	5.04	<1	0.09	<10	1.59	201	2	0.06	13	1214	<2	3.67	<5	6	66	<5	0.16	<10	<10	99	<10	11	5
101724	17.4	1.52	36	375	<0.5	<5	1.49	1	35	7	5795	7.54	2	0.21	<10	1.00	366	314	0.18	11	1852	132	0.64	<5	5	112	<5	0.21	<10	<10	236	<10	191	12
101725	<0.2	1.31	<5	62	<0.5	<5	2.74	<1	33	42	159	6.09	<1	0.12	<10	1.58	209	<2	0.06	19	1239	2	4.60	<5	7	77	<5	0.15	<10	<10	115	<10	11	5
101726	<0.2	1.57	<5	78	<0.5	<5	4.32	<1	27	73	174	5.45	<1	0.17	<10	2.41	293	2	0.04	17	1630	<2	4.10	<5	10	197	<5	0.09	<10	<10	128	<10	11	4
101727	<0.2	1.39	<5	26	<0.5	<5	2.67	<1	33	50	177	4.97	<1	0.06	<10	1.78	306	5	0.05	17	1887	<2	3.26	<5	7	110	<5	0.14	<10	<10	101	<10	15	4
101728	<0.2	1.92	<5	39	<0.5	<5	2.96	<1	28	46	121	5.46	<1	0.09	<10	2.16	546	3	0.03	16	2024	<2	1.41	<5	8	149	<5	0.18	<10	<10	125	<10	22	5
101729	<0.2	0.59	<5	578	0.6	<5	2.18	1	6	46	1	2.05	<1	0.34	49	0.48	693	5	0.05	2	1284	4	0.06	<5	2	196	15	<0.01	<10	<10	18	<10	15	11
101730	<0.2	0.36	<5	700	<0.5	<5	2.31	1	6	29	<1	2.01	<1	0.28	49	0.56	791	<2	0.04	2	1270	7	0.04	<5	2	217	15	<0.01	<10	<10	15	<10	11	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3319-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #74**
Attn: **Stuart Fraser**

Oct-20-08

We *hereby certify* the following assay of 17 rock samples submitted Sep-09-08

Sample Name	Au g/tonne	Au-Check g/tonne
101731	<0.01	<0.01
101732	0.01	
101733	0.01	
101734	0.01	
101735	0.38	
101736	0.02	
101737	0.01	
101738	0.01	
101739	0.02	
101740	0.05	0.03
101741	0.04	
101742	0.03	
101743	0.03	
101744	0.02	
101745	0.03	
101746	0.04	
101747	0.03	
*0211	2.23	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

8V-3319-RG1

Company: **Valterra Resource Corp.**
Project: **Swift Katie/Batch #74**
Attn: **Stuart Fraser**

Oct-20-08

We *hereby certify* the following geochemical analysis of 2 core samples submitted Sep-09-08

Sample Name	Pt ppb	Pd ppb
101741	7	2
101742	2	4
*DUP 101741	5	3
*PtPd5	1190	1750
*BLANK	<1	<1

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie/Batch #74

Sample type: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3319RJ

Date : Oct-20-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101731	<0.2	0.47	<5	719	<0.5	<5	2.39	<1	6	38	1	2.26	<1	0.30	48	0.55	802	2	0.04	2	1501	9	0.05	<5	2	266	10	<0.01	<10	<10	16	<10	17	13
101732	<0.2	2.11	5	32	<0.5	<5	2.69	<1	33	64	122	5.44	<1	0.06	<10	2.23	500	<2	0.03	18	2258	<2	0.79	<5	6	178	<5	0.21	<10	<10	125	<10	28	5
101733	<0.2	1.66	<5	23	<0.5	<5	2.23	<1	31	52	147	4.21	<1	0.06	<10	1.68	320	<2	0.03	20	2155	<2	1.17	<5	4	149	<5	0.20	<10	<10	92	<10	18	5
101734	<0.2	1.17	<5	30	<0.5	<5	2.91	<1	31	29	179	4.84	<1	0.12	<10	1.60	297	4	0.05	13	1285	4	3.78	<5	8	70	<5	0.13	<10	<10	111	<10	26	4
101735	2.4	1.81	73	112	<0.5	<5	0.88	3	21	97	3250	4.86	<1	0.16	<10	0.97	788	46	0.06	162	821	108	0.86	<5	5	31	<5	0.14	<10	<10	66	11	396	12
101736	<0.2	1.45	5	17	<0.5	<5	2.11	<1	36	38	316	6.08	<1	0.05	<10	2.12	352	<2	0.06	16	1220	4	4.61	<5	7	64	<5	0.16	<10	<10	117	<10	30	5
101737	<0.2	1.59	9	54	<0.5	<5	2.84	<1	29	21	149	4.94	<1	0.19	<10	1.66	552	<2	0.07	9	2169	9	3.25	<5	5	157	<5	0.13	<10	<10	96	<10	39	4
101738	<0.2	0.49	<5	48	<0.5	<5	1.33	<1	2	54	6	1.28	<1	0.21	44	0.26	545	<2	0.06	3	741	<2	0.09	<5	1	69	11	<0.01	<10	<10	4	<10	17	9
101739	<0.2	1.45	10	27	<0.5	<5	2.51	<1	31	45	93	4.32	<1	0.07	<10	1.57	341	<2	0.08	18	2090	4	2.16	<5	5	154	<5	0.16	<10	<10	113	<10	30	5
101740	<0.2	1.62	12	42	<0.5	<5	2.91	<1	36	45	133	5.71	<1	0.11	<10	1.85	314	<2	0.10	19	1943	7	3.60	<5	5	141	<5	0.16	<10	<10	137	<10	28	5
101741	<0.2	1.95	7	465	<0.5	<5	1.30	<1	41	183	44	4.74	<1	1.44	25	3.80	568	<2	0.05	185	2498	7	0.05	<5	3	220	7	0.34	<10	<10	98	<10	60	18
101742	<0.2	2.39	<5	485	<0.5	<5	3.26	<1	50	295	88	6.53	1	1.51	30	4.54	984	<2	0.06	198	2984	6	0.47	<5	7	329	7	0.41	<10	<10	144	<10	72	27
101743	<0.2	1.63	8	90	<0.5	<5	3.62	<1	26	36	133	5.82	<1	0.15	<10	2.15	1149	<2	0.05	19	1791	5	3.59	<5	10	196	<5	0.12	<10	<10	157	<10	85	4
101744	<0.2	2.02	9	75	<0.5	<5	2.80	<1	35	55	112	5.22	<1	0.21	<10	2.14	704	2	0.07	19	1882	2	2.05	<5	6	204	<5	0.16	<10	<10	123	<10	60	5
101745	0.6	1.62	5	110	<0.5	<5	1.05	<1	14	48	43	3.59	<1	0.13	<10	0.86	528	4	0.09	29	723	20	0.06	<5	6	39	<5	0.17	<10	<10	74	<10	106	9
101746	<0.2	1.23	9	30	<0.5	<5	3.43	<1	22	30	166	3.95	<1	0.12	<10	1.73	1199	<2	0.05	11	1132	3	2.20	<5	8	136	<5	0.06	<10	<10	99	<10	56	3
101747	<0.2	0.32	11	68	<0.5	<5	1.09	<1	1	63	6	1.14	<1	0.19	45	0.21	732	<2	0.07	1	618	15	0.10	<5	1	93	12	<0.01	<10	<10	2	<10	27	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3455-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch 60**
Attn: **Stuart Fraser**

Nov-04-08

We *hereby certify* the following assay of 22 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne	Zn %
101395	0.55	0.62	1.55
101396	0.06		
101397	0.13		
101398	0.13		
101399	0.06		
101400	0.03		
101401	0.01		
101402	0.11		
101403	0.10		
101404	0.01	0.01	
101405	0.36		
101406	0.13		
101407	<0.01		
101408	0.12		
101409	0.06		
101410	0.16		
101411	0.20		
101412	0.07		
101413	0.01		
101414	0.03	0.03	
101415	0.07		
101416	0.20		
*0211	2.13		
*CCu-1c			3.90
*BLANK	<0.01		<0.01

Au 1 A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3455-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch 60**
Attn: **Stuart Fraser**

Nov-04-08

We *hereby certify* the following assay of 2 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101417	0.09	0.09
101418	0.06	
*0211	2.23	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie / Batch 60

Sample type: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3455RJ

Date : Nov-04-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101395	8.1	0.51	479	49	<0.5	<5	3.62	195	25	29	2274	4.28	3	0.32	<10	1.28	457	<2	0.02	12	1081	2927	3.23	1672	4	285	<5	<0.01	<10	<10	21	278	>10000	2
101396	<0.2	1.14	14	60	<0.5	<5	4.51	1	25	26	991	4.91	<1	0.26	<10	2.28	435	3	0.03	11	1664	19	1.47	<5	9	411	<5	<0.01	<10	<10	83	<10	56	3
101397	0.3	1.26	12	101	<0.5	<5	5.11	2	30	24	2587	5.27	<1	0.30	<10	2.42	580	<2	0.03	12	1692	34	1.40	<5	9	443	<5	0.01	<10	<10	104	<10	94	3
101398	0.7	1.06	41	133	<0.5	<5	4.47	2	33	18	2668	5.36	<1	0.37	<10	1.94	464	<2	0.02	13	1500	13	2.15	8	7	388	<5	<0.01	<10	<10	68	<10	42	3
101399	<0.2	2.07	10	152	<0.5	<5	5.18	1	27	113	1363	5.79	<1	0.30	<10	1.92	419	3	0.03	23	1462	23	1.82	<5	7	314	<5	0.04	<10	<10	131	<10	41	3
101400	0.4	1.40	17	78	<0.5	<5	4.51	1	38	26	1880	5.59	<1	0.21	<10	1.75	416	<2	0.04	13	1492	16	2.44	<5	8	262	<5	0.07	<10	<10	108	<10	29	4
101401	<0.2	2.85	21	877	<0.5	<5	5.48	1	30	223	85	5.43	1	0.25	21	3.64	956	<2	0.07	45	2174	22	0.44	<5	12	388	<5	0.05	<10	<10	139	<10	65	10
101402	0.5	1.32	29	69	<0.5	<5	4.78	2	23	36	1930	4.63	1	0.35	<10	1.18	607	11	0.03	12	1549	15	2.29	<5	5	269	<5	<0.01	<10	<10	54	<10	45	2
101403	0.6	2.44	24	154	<0.5	<5	5.73	2	17	25	1627	6.23	1	0.39	<10	2.23	734	5	0.03	10	2398	27	1.11	<5	13	313	<5	0.01	<10	<10	202	<10	90	3
101404	<0.2	2.85	24	549	<0.5	<5	4.78	1	33	271	152	5.36	1	0.41	17	4.12	951	<2	0.10	53	2081	22	0.39	<5	14	330	<5	0.10	<10	<10	146	<10	73	11
101405	2.7	0.53	302	74	<0.5	<5	4.37	14	28	15	6355	4.89	1	0.35	<10	1.67	397	3	0.01	13	1960	18	4.06	1025	5	309	<5	<0.01	<10	<10	22	<10	323	2
101406	0.8	0.44	46	83	<0.5	<5	3.10	3	24	17	6775	4.36	1	0.26	<10	1.16	238	3	0.02	13	1492	20	3.56	100	4	213	<5	<0.01	<10	<10	19	<10	50	2
101407	2.2	1.58	12	108	<0.5	<5	0.99	2	13	47	52	3.75	<1	0.14	<10	0.83	524	4	0.08	27	740	46	0.07	<5	5	37	<5	0.17	<10	<10	71	<10	136	8
101408	<0.2	0.67	9	148	<0.5	<5	3.25	1	19	20	997	4.22	<1	0.36	<10	1.38	231	4	0.04	10	1284	7	2.90	<5	5	240	<5	<0.01	<10	<10	34	<10	19	2
101409	<0.2	0.94	10	127	<0.5	<5	2.41	1	20	23	1408	4.46	<1	0.38	<10	1.38	145	2	0.04	15	1191	9	2.99	<5	5	195	<5	0.01	<10	<10	45	<10	24	2
101410	0.2	1.08	8	65	<0.5	<5	2.33	1	34	25	3030	5.62	<1	0.34	<10	1.28	139	<2	0.03	15	1323	17	>5.00	<5	4	146	<5	0.03	<10	<10	57	<10	23	3
101411	0.4	1.40	11	63	<0.5	<5	2.42	1	44	36	5980	5.59	<1	0.34	<10	1.57	155	2	0.03	19	1302	25	>5.00	<5	7	71	<5	0.19	<10	<10	113	<10	18	3
101412	0.4	2.16	13	65	<0.5	<5	2.36	1	75	38	5400	6.72	<1	0.46	11	2.26	221	<2	0.03	32	1901	32	>5.00	<5	9	75	<5	0.30	<10	<10	166	<10	25	6
101413	<0.2	3.14	15	1041	<0.5	<5	3.97	1	44	140	195	5.19	<1	1.19	21	4.99	836	<2	0.04	162	3572	23	0.16	<5	8	171	<5	0.40	<10	<10	147	<10	55	19
101414	<0.2	1.41	12	67	<0.5	<5	2.01	1	32	32	559	5.26	<1	0.17	<10	1.41	222	<2	0.04	14	1580	13	4.04	<5	4	82	<5	0.16	<10	<10	88	<10	21	4
101415	<0.2	1.61	13	62	<0.5	<5	1.76	1	56	39	1943	6.07	<1	0.16	<10	1.65	213	2	0.04	32	1902	18	>5.00	<5	4	89	<5	0.22	<10	<10	120	<10	21	5
101416	1.1	1.90	57	191	<0.5	<5	4.63	4	26	43	1125	5.42	1	0.39	<10	1.97	939	17	0.11	30	1758	29	1.43	<5	11	145	<5	0.05	<10	<10	152	<10	110	6
101417	0.3	1.18	10	63	<0.5	<5	1.60	2	44	36	2503	5.33	<1	0.22	<10	1.18	154	5	0.04	17	1209	18	4.83	<5	6	43	<5	0.19	<10	<10	82	<10	106	4
101418	<0.2	1.63	12	45	<0.5	<5	1.82	1	61	39	1328	6.02	<1	0.16	<10	1.83	231	<2	0.03	23	1832	18	>5.00	<5	4	71	<5	0.22	<10	<10	93	<10	23	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3456-RA1

Company: **Valterra Resource Corp.**
 Project: **Swift Katie / Batch 61**
 Attn: **Stuart Fraser**

Nov-05-08

We hereby certify the following assay of 22 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101419	0.18	0.21
101420	0.29	
101421	0.06	
101422	<0.01	
101423	0.01	
101424	0.01	
101425	0.49	
101426	0.07	
101427	0.09	
101428	0.05	0.04
101429	0.04	
101430	0.04	
101431	0.07	
101432	0.05	
101433	0.03	
101434	0.01	
101435	0.02	
101436	0.87	
101437	0.02	
101438	0.03	0.03
101439	0.02	
101440	0.06	
*0211	2.09	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Handwritten: 8V-3456-RA2

Assay Certificate

8V-3456-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch 61**
Attn: **Stuart Fraser**

Nov-05-08

We *hereby certify* the following assay of 2 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101441	<0.01	<0.01
101442	<0.01	
*0211	2.17	
*BLANK	<0.01	

Au I A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie / Batch 61

Sample type: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3456RJ

Date : Nov-05-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101419	0.8	1.70	9	45	<0.5	<5	1.94	1	73	27	6665	6.46	1	0.50	<10	1.62	170	<2	0.04	24	1632	32	>5.00	<5	6	63	<5	0.26	<10	<10	99	<10	24	6
101420	10.6	1.45	8	76	<0.5	<5	1.94	1	47	42	9436	5.76	1	0.28	<10	1.64	169	3	0.04	18	1432	35	>5.00	<5	8	46	<5	0.24	<10	<10	112	<10	26	5
101421	0.9	1.65	9	83	<0.5	<5	2.11	1	24	34	1778	5.44	<1	0.21	<10	1.56	230	3	0.04	12	1346	17	1.91	<5	7	73	<5	0.25	<10	<10	129	<10	23	5
101422	<0.2	0.84	<5	773	<0.5	<5	2.16	<1	6	30	53	2.61	<1	0.32	46	0.53	669	12	0.04	2	1442	6	0.06	<5	1	106	9	<0.01	<10	<10	20	<10	33	15
101423	<0.2	0.47	<5	893	<0.5	<5	2.38	<1	5	19	28	2.44	<1	0.32	47	0.55	769	<2	0.04	2	1419	7	0.05	<5	2	147	9	<0.01	<10	<10	16	<10	12	17
101424	<0.2	0.51	<5	505	<0.5	<5	2.18	<1	6	23	12	2.35	<1	0.28	45	0.45	669	3	0.03	2	1430	5	0.07	<5	1	159	9	<0.01	<10	<10	16	<10	15	15
101425	0.4	1.86	7	79	<0.5	<5	2.18	1	49	29	3139	6.01	<1	0.22	10	2.05	292	2	0.03	18	1746	22	3.89	<5	8	92	<5	0.23	<10	<10	141	<10	30	5
101426	4.7	1.52	9	58	<0.5	<5	1.47	1	45	42	2061	5.79	1	0.22	<10	1.73	169	6	0.04	23	1385	19	4.58	<5	5	49	<5	0.25	<10	<10	97	<10	21	4
101427	0.3	1.24	10	47	<0.5	<5	1.33	1	62	36	2362	5.30	<1	0.20	<10	1.40	144	2	0.04	23	1388	18	4.49	<5	5	43	<5	0.26	<10	<10	85	<10	20	4
101428	<0.2	1.60	10	62	<0.5	<5	1.63	1	53	41	1114	5.07	1	0.14	<10	1.90	220	2	0.03	24	1239	17	3.15	<5	6	50	<5	0.26	<10	<10	113	<10	28	4
101429	0.3	1.57	11	52	<0.5	<5	1.50	1	60	52	1574	5.09	1	0.26	<10	1.85	197	2	0.03	21	1902	17	3.56	<5	4	42	<5	0.26	<10	<10	104	<10	24	4
101430	1.8	1.68	11	65	<0.5	<5	1.42	1	61	62	1733	5.39	1	0.34	10	1.90	196	2	0.04	22	1907	20	4.01	<5	5	42	<5	0.28	<10	<10	110	<10	25	4
101431	1.3	1.38	11	53	<0.5	<5	1.95	1	46	49	2173	6.19	<1	0.20	10	1.63	191	<2	0.03	25	1793	16	4.90	<5	4	48	<5	0.25	<10	<10	112	<10	21	5
101432	<0.2	1.30	13	32	<0.5	<5	1.85	1	50	56	1304	5.03	<1	0.11	11	1.54	213	4	0.04	28	1762	13	3.43	<5	4	59	<5	0.22	<10	<10	104	<10	21	4
101433	<0.2	1.96	11	16	<0.5	<5	3.29	1	30	66	483	4.97	1	0.08	<10	2.36	341	5	0.04	18	1845	14	1.49	<5	6	93	<5	0.26	<10	<10	152	<10	26	4
101434	0.9	1.67	9	14	<0.5	<5	2.63	1	14	66	143	3.64	1	0.06	<10	1.86	296	4	0.04	12	1804	10	0.14	<5	4	101	<5	0.24	<10	<10	121	<10	18	4
101435	<0.2	1.66	11	15	<0.5	<5	2.30	1	27	90	338	3.91	<1	0.07	<10	1.85	260	3	0.04	19	1816	11	0.82	<5	4	83	<5	0.25	<10	<10	107	<10	18	4
101436	20.3	1.58	48	405	<0.5	<5	1.52	3	36	10	5698	7.08	2	0.21	<10	1.03	368	370	0.16	12	2004	145	0.70	<5	5	108	<5	0.20	<10	<10	247	<10	189	11
101437	1.1	1.92	13	56	<0.5	<5	1.97	1	20	73	243	4.90	1	0.30	<10	2.17	262	3	0.06	19	1955	15	1.38	<5	5	79	<5	0.29	<10	<10	140	<10	20	4
101438	<0.2	1.31	11	28	<0.5	<5	1.45	1	19	44	410	4.49	<1	0.17	<10	1.19	155	4	0.06	17	1411	10	1.89	<5	4	68	<5	0.19	<10	<10	98	<10	13	4
101439	0.9	1.36	12	27	<0.5	<5	2.26	1	21	36	247	4.37	<1	0.18	<10	1.20	201	3	0.08	21	1339	11	1.44	<5	5	67	<5	0.19	<10	<10	136	<10	17	4
101440	0.8	2.89	19	91	<0.5	<5	3.63	1	65	32	1022	5.44	1	1.06	<10	2.32	1272	2	0.15	34	1791	30	1.51	<5	13	116	<5	0.23	<10	<10	203	<10	101	5
101441	<0.2	2.01	12	525	<0.5	<5	1.24	1	38	160	50	4.56	1	1.43	28	3.54	583	<2	0.07	170	2440	23	0.03	<5	4	123	8	0.38	<10	<10	99	<10	52	19
101442	<0.2	2.06	6	390	<0.5	<5	1.13	1	40	164	63	4.79	1	1.40	27	3.58	527	<2	0.06	189	2488	23	0.03	<5	3	201	7	0.39	<10	<10	102	<10	53	19

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3457-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch #62**
Attn: **Stuart Fraser**

Nov-03-08

We hereby certify the following assay of 22 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101443	0.07	0.06
101444	0.03	
101445	0.01	
101446	0.06	
101447	<0.01	
101448	0.02	
101449	0.05	
101450	0.03	
101451	0.03	
101452	0.04	0.03
101453	0.30	
101454	0.07	
101455	0.06	
101456	0.03	
101457	0.01	
101458	0.03	
101459	0.01	
101460	0.01	
101461	0.01	
101462	0.06	0.05
101463	0.07	
101464	0.02	
*0211	2.26	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

8V-3457-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch #62**
Attn: **Stuart Fraser**

Nov-03-08

We *hereby certify* the following assay of 2 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101465	<0.01	0.01
101466	0.02	
*0211	2.18	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____

Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie / Batch #62

Sample type: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3457RJ

Date : Nov-03-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101443	0.4	1.64	12	34	<0.5	<5	2.24	1	63	41	1666	5.15	<1	0.26	<10	1.83	271	4	0.09	27	1376	19	2.56	<5	9	98	<5	0.22	<10	<10	141	<10	21	5
101444	0.2	2.12	16	71	<0.5	<5	5.27	1	34	93	1105	4.34	1	0.38	12	2.53	644	2	0.09	21	1671	18	1.36	<5	12	220	<5	0.17	<10	<10	178	<10	36	5
101445	<0.2	0.68	7	54	<0.5	<5	1.86	<1	2	31	104	2.01	<1	0.19	29	0.44	869	4	0.06	2	764	3	0.50	<5	2	108	7	0.01	<10	<10	16	<10	23	11
101446	<0.2	0.58	7	73	<0.5	<5	1.22	<1	1	27	16	1.60	<1	0.21	40	0.26	680	<2	0.05	1	733	3	0.16	<5	1	88	9	<0.01	<10	<10	4	<10	22	9
101447	<0.2	0.49	<5	94	0.5	<5	1.12	<1	1	25	5	1.53	<1	0.20	42	0.22	979	<2	0.05	1	764	2	0.09	<5	1	96	9	<0.01	<10	<10	1	<10	20	9
101448	0.2	0.54	14	51	0.5	<5	1.07	1	2	32	41	1.68	<1	0.21	38	0.25	774	5	0.06	1	635	9	0.27	<5	1	89	10	<0.01	<10	<10	4	<10	27	11
101449	<0.2	1.93	12	51	<0.5	<5	2.75	1	51	19	810	6.15	<1	0.11	<10	2.13	442	<2	0.04	15	1797	16	4.13	<5	8	127	<5	0.17	<10	<10	141	<10	24	5
101450	<0.2	2.34	12	45	<0.5	<5	3.53	1	40	110	488	5.52	<1	0.12	10	2.86	418	2	0.04	37	1906	17	1.89	<5	9	148	<5	0.24	<10	<10	175	<10	23	5
101451	<0.2	1.93	6	106	<0.5	<5	3.63	1	34	40	420	4.92	<1	0.10	10	2.07	379	3	0.05	20	1506	13	1.21	<5	10	261	<5	0.12	<10	<10	145	<10	19	4
101452	<0.2	1.73	6	38	<0.5	<5	4.23	1	21	37	926	4.62	1	0.14	10	1.81	381	3	0.06	15	1326	12	0.80	<5	10	179	<5	0.05	<10	<10	149	<10	17	3
101453	3.5	1.99	77	118	<0.5	<5	0.92	4	22	103	3236	5.25	<1	0.18	<10	0.99	851	47	0.07	177	913	123	0.90	<5	6	33	<5	0.17	<10	<10	71	12	384	13
101454	0.2	1.46	19	52	<0.5	<5	4.29	1	26	34	983	4.21	1	0.28	<10	1.77	446	6	0.04	26	1343	10	1.11	<5	8	232	<5	0.01	<10	<10	100	<10	56	2
101455	0.2	1.56	<5	47	<0.5	<5	3.31	1	24	47	1381	4.03	1	0.13	<10	1.75	341	3	0.05	17	1342	12	1.18	<5	10	162	<5	0.04	<10	<10	159	<10	19	3
101456	<0.2	1.61	5	78	<0.5	<5	3.54	1	15	37	326	4.94	<1	0.15	10	1.58	589	2	0.06	10	1320	10	0.82	<5	10	278	<5	0.06	<10	<10	161	<10	20	4
101457	<0.2	0.56	<5	54	<0.5	<5	1.21	<1	1	25	23	1.52	<1	0.23	49	0.24	671	2	0.05	1	757	<2	0.08	<5	1	87	11	<0.01	<10	<10	5	<10	14	8
101458	0.2	2.00	<5	35	<0.5	<5	4.72	1	36	39	669	5.07	<1	0.16	<10	2.11	1113	<2	0.04	16	1214	13	1.17	<5	12	305	<5	0.02	<10	<10	154	<10	37	3
101459	0.4	1.53	9	103	<0.5	<5	0.89	1	12	48	39	3.68	<1	0.13	<10	0.80	506	4	0.08	27	689	24	0.06	<5	5	32	<5	0.17	<10	<10	66	<10	76	7
101460	<0.2	1.54	6	235	<0.5	<5	2.89	1	14	44	224	4.04	1	0.11	<10	1.52	308	2	0.05	11	1235	10	0.49	<5	9	1007	<5	0.15	<10	<10	131	<10	15	4
101461	<0.2	1.99	6	72	<0.5	<5	3.44	1	16	42	126	5.09	<1	0.06	<10	1.87	354	2	0.05	10	945	12	0.40	<5	9	324	<5	0.16	<10	<10	166	<10	19	5
101462	<0.2	1.69	<5	84	<0.5	<5	2.74	1	14	39	581	5.38	<1	0.12	<10	1.56	298	3	0.04	11	1006	13	0.59	<5	10	237	<5	0.06	<10	<10	156	<10	18	4
101463	<0.2	1.65	<5	70	<0.5	<5	2.83	1	13	43	1212	5.26	1	0.11	<10	1.56	300	3	0.05	11	1114	15	0.56	<5	10	274	<5	0.05	<10	<10	133	<10	17	4
101464	<0.2	1.49	<5	113	<0.5	<5	2.55	1	13	40	222	4.96	<1	0.11	<10	1.44	264	3	0.05	12	1320	10	0.79	<5	10	183	<5	0.07	<10	<10	130	<10	16	4
101465	0.6	1.68	6	143	<0.5	<5	2.56	<1	13	37	130	5.18	<1	0.14	<10	1.69	309	3	0.06	15	1317	16	0.26	6	10	361	<5	0.09	<10	<10	167	<10	22	5
101466	<0.2	1.51	5	59	<0.5	<5	4.78	<1	13	42	211	4.48	<1	0.13	<10	1.63	402	3	0.05	11	1295	14	0.35	5	9	391	5	0.07	<10	<10	125	<10	20	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 25 Years

Assay Certificate

8V-3458-RA1

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch #63**
Attn: **Stuart Fraser**

Oct-31-08

We hereby certify the following assay of 22 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101467	0.02	0.02
101468	0.02	
101469	0.03	
101470	0.03	
101471	0.04	
101472	0.01	
101473	0.10	
101474	0.14	
101475	0.01	0.02
101476	0.04	
101477	0.12	
101478	0.13	
101479	0.13	
101480	0.09	
101481	0.18	
101482	0.19	
101483	0.18	
101484	0.15	
101485	0.07	
101486	0.07	0.05
101487	0.03	
101488	0.06	
*0211	2.21	
*BLANK	<0.01	

Au 1 A.T.

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

8V-3458-RA2

Company: **Valterra Resource Corp.**
Project: **Swift Katie / Batch #63**
Attn: **Stuart Fraser**

Oct-31-08

We *hereby certify* the following assay of 2 rock samples submitted Sep-23-08

Sample Name	Au g/tonne	Au-Check g/tonne
101489	0.12	0.13
101490	0.18	
*0211	2.17	
*BLANK	<0.01	

Au I A.T.

Certified by _____



Valterra Resource Corp.

Attention: Stuart Fraser

Project: Swift Katie / Batch #63

Sample type: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 8V3458RJ

Date : Oct-31-08

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
101467	0.4	1.63	5	85	<0.5	<5	2.35	1	19	36	187	5.93	1	0.05	<10	1.73	302	2	0.05	16	1271	16	0.59	<5	9	263	<5	0.14	<10	<10	166	<10	20	5
101468	0.4	1.74	5	63	<0.5	<5	2.94	1	17	37	177	5.48	1	0.07	<10	1.81	337	3	0.05	16	1294	14	0.36	<5	8	298	<5	0.12	<10	<10	129	<10	20	4
101469	0.3	1.79	6	234	<0.5	<5	4.72	1	16	76	257	4.56	1	0.08	10	2.03	438	10	0.04	17	1469	13	0.34	<5	14	720	<5	0.07	<10	<10	152	<10	22	3
101470	0.2	1.94	6	16	<0.5	5	4.90	1	11	26	150	4.56	1	0.10	<10	2.11	444	3	0.04	10	1145	14	0.52	<5	8	206	<5	<0.01	<10	<10	108	<10	27	2
101471	0.3	1.76	6	109	<0.5	<5	3.24	1	14	36	347	5.19	1	0.14	<10	1.86	341	5	0.04	14	1124	14	0.45	<5	8	119	<5	0.01	<10	<10	137	<10	28	3
101472	0.2	2.87	6	98	0.8	7	5.89	1	30	255	95	5.58	1	0.17	21	5.53	875	<2	0.03	227	2705	20	0.16	<5	13	764	<5	<0.01	<10	<10	137	<10	71	4
101473	0.7	1.29	156	95	<0.5	<5	0.43	9	18	15	551	4.54	1	0.32	11	0.92	631	<2	0.03	13	1245	15	0.04	<5	6	20	<5	<0.01	<10	<10	52	16	879	2
101474	4.9	0.99	181	133	<0.5	9	0.36	12	17	31	1063	6.14	2	0.37	18	0.54	845	3	0.02	16	1579	127	0.07	432	7	44	<5	0.01	<10	<10	43	22	1177	4
101475	<0.2	1.58	12	381	<0.5	<5	2.89	3	22	56	314	5.22	<1	0.47	36	1.87	905	<2	0.03	17	3587	17	0.06	<5	13	144	6	0.07	<10	<10	111	<10	334	12
101476	0.5	1.72	9	95	<0.5	<5	0.56	2	23	56	1018	4.42	<1	0.36	11	1.98	431	<2	0.04	22	1535	17	0.11	<5	11	27	<5	0.03	<10	<10	86	<10	476	2
101477	0.9	1.90	6	228	<0.5	<5	0.82	4	39	52	2607	5.50	1	0.35	12	1.85	1089	<2	0.03	25	1709	25	0.10	<5	8	37	<5	0.01	<10	<10	104	11	584	4
101478	0.4	2.33	8	184	<0.5	<5	0.39	2	32	88	1924	5.59	<1	0.40	12	2.67	421	<2	0.03	29	1628	24	0.21	<5	11	13	<5	0.04	<10	<10	142	<10	340	3
101479	0.6	2.65	7	242	<0.5	<5	1.86	1	54	122	3471	6.16	1	0.55	<10	3.40	379	<2	0.04	36	1763	28	0.80	<5	16	63	<5	0.12	<10	<10	212	<10	94	5
101480	0.4	1.58	<5	45	<0.5	<5	0.39	1	28	37	1693	5.25	<1	0.28	<10	1.56	181	<2	0.04	20	1320	17	0.25	<5	6	13	<5	0.01	<10	<10	114	<10	166	4
101481	0.6	1.67	5	142	<0.5	<5	2.16	1	39	31	3592	5.65	1	0.44	<10	1.65	213	<2	0.04	21	1317	20	2.30	<5	6	76	<5	0.02	<10	<10	97	<10	146	4
101482	0.5	1.55	5	70	<0.5	<5	2.04	1	34	28	3310	5.16	<1	0.37	<10	1.43	172	<2	0.04	20	1255	19	1.97	<5	5	79	<5	0.01	<10	<10	85	<10	101	4
101483	1.8	1.93	55	205	<0.5	<5	4.47	4	25	42	1119	5.65	<1	0.39	<10	1.92	917	16	0.11	30	1747	30	1.49	<5	10	143	<5	0.05	<10	<10	145	<10	113	6
101484	0.4	1.74	<5	95	<0.5	<5	2.06	1	34	26	2500	5.85	<1	0.32	<10	1.64	191	<2	0.04	21	1464	20	3.18	<5	5	87	<5	0.01	<10	<10	100	<10	42	5
101485	0.3	1.92	5	68	<0.5	<5	2.62	1	27	28	1385	4.90	<1	0.33	<10	1.85	474	<2	0.03	15	1378	24	1.52	<5	5	90	<5	0.01	<10	<10	93	<10	103	3
101486	3.3	0.72	108	49	<0.5	<5	7.84	7	37	17	3184	5.82	3	0.30	<10	0.70	3680	<2	0.01	14	1551	173	>5.00	188	3	191	<5	<0.01	<10	12	41	14	831	3
101487	4.6	0.61	230	46	<0.5	<5	8.02	17	30	13	2632	5.44	7	0.29	<10	0.54	4577	<2	0.01	22	1522	326	>5.00	390	3	192	<5	<0.01	<10	17	35	44	2516	3
101488	0.5	1.28	10	54	<0.5	<5	3.64	1	30	27	1566	4.69	<1	0.34	<10	1.18	855	<2	0.02	17	1315	17	1.72	<5	4	136	<5	0.01	<10	<10	61	<10	75	3
101489	<0.2	1.34	8	56	0.5	<5	2.70	<1	40	24	1784	5.75	<1	0.36	<10	1.60	259	2	0.04	13	1164	17	2.13	9	4	133	<5	0.01	<10	<10	69	<10	56	4
101490	<0.2	1.47	9	70	0.6	<5	2.82	<1	34	27	1654	6.32	<1	0.45	<10	1.63	249	<2	0.04	14	1140	18	2.13	9	5	133	<5	0.01	<10	<10	76	<10	54	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



APPENDIX D

**MINFILE Detail Reports
BC Geological Survey**



Location/Identification

MINFILE Number:	082FS W350	Mining Division:	Nelson
Name(s):	<u>ACE IN THE HOLE</u>	Electoral District:	Nelson-Creston
Status:	Showing	Forest District:	Arrow Boundary Forest District
Regions:	British Columbia	UTM Zone:	11 (NAD 83)
BCGS Map:	082F014	Northing:	5440618
NTS Map:	082F03W	Easting:	472373
Latitude:	49 07 04 N		
Longitude:	117 22 43 W		
Elevation:	1625 metres		
Location Accuracy:	Within 500M		
Comments:	Area of Trench 27 (Assessment Report 16567, Figure 3).		

Mineral Occurrence

Commodities:	Silver, Gold, Lead, Copper, Zinc	
Minerals	Significant:	Pyrite, Galena, Chalcopyrite, Sphalerite
	Associated:	Quartz
	Mineralization Age:	Unknown
Deposit	Character:	Vein
	Classification:	Hydrothermal, Epigenetic
	Type:	I05: Polymetallic veins Ag-Pb-Zn/-Au

Host Rock

Dominant Host Rock:	Volcanic		
Stratigraphic Age	Group	Formation	Igneous/Metamorphic/Other
Lower Jurassic	Rossland	Elise	----
Isotopic Age	Dating Method	Material Dated	
----	----	----	

Lithology: Mafic Volcaniclastic, Tuff, Agglomerate, Basaltic Volcanic, Flow Breccia, Massive Flow, Augite Porphyry

Geological Setting

Tectonic Belt:	Onineca	Physiographic Area:	Selkirk Mountains
Terrane:	Quesnel		

Inventory

Ore Zone:	SHAFT	Year:	1986
Category:	Assay/analysis	Report On:	N
Quantity:		NI 43-101:	N
Sample Type:	Grab		

Commodity	Grade
Silver	132.0000 grams per tonne
Gold	0.7500 grams per tonne
Copper	0.9900 per cent
Lead	4.6500 per cent
Zinc	0.1200 per cent

Reference: Assessment Report 14934, page 15.

Capsule Geology

The Ace in the Hole is underlain mainly by basaltic volcanics of the Lower Jurassic Rossland Group, Elise Formation comprised of flow breccia, massive flows, agglomerate, tuff and sill-like intrusives (augite porphyry). A minor amount of laminated, tuffaceous siltstone and shale occur as interbeds. These are overlain by argillites and quartzites of the Rossland Group, Hall Formation and underlain by black argillaceous siltstone and arenaceous argillite of the Rossland Group, Archibald Formation. The Rossland Group rocks are intruded by the Middle to Late Jurassic Nelson Intrusions comprised of a rock ranging in composition from granite to quartz diorite.

An old 5-metre deep shaft was sunk on a narrow quartz vein pinching and swelling to a maximum of 0.4 metres. A sample of a sulphide rich pocket graded 0.75 grams per tonne gold, 132 grams per tonne silver, 0.99 per cent copper, 4.65 per cent lead and 0.12 per cent zinc (Assessment Report 14934, page 15). Sulphides include pyrite, chalcopyrite, galena and sphalerite. A trench was later excavated from the shaft (trench 27) within mafic volcanoclastic country rock.

Bibliography

EMPR ASS RPT *14934, *16567

EMPR BULL 109

EMPR EXPL 1989, pp. 73-80

EMPR FIELDWORK 1987, pp. 19-30; 1988, pp. 33-43; 1989, pp. 11-27; 1990, pp. 9-31

EMPR OF 1988-1; 1989-11; 1990-8; 1990-9; 1991-2; 1991-16

GSC MAP 1090A; 1145A

GSC MEM 172; 308

Date Coded: 1991/03/21

Coded By: Gary J. Payie(GJP)

Field Check: N

Date Revised:

Revised By: BC Geological Survey (BCGS)

Field Check: N



Location/Identification

MINFILE Number:	082FS W291	Mining Division:	Nelson
Name(s):	<u>GUS</u> SWIFT	Electoral District:	Nelson-Creston
Status:	Showing	Forest District:	Arrow Boundary Forest District
Regions:	British Columbia	UTM Zone:	11 (NAD 83)
BCGS Map:	082FD14	Northing:	5441381
NTS Map:	082F03W	Easting:	474261
Latitude:	49 07 29 N		
Longitude:	117 21 10 W		
Elevation:	1675 metres		
Location Accuracy:	Within 500M		
Comments:	Located near the headwaters of Swift Creek (Assessment Report 17296).		

Mineral Occurrence

Commodities: Gold, Silver, Lead, Zinc, Copper

Minerals

Significant:	Pyrnite, Chalcopyrite, Sphalerite, Galena
Associated:	Quartz
Aberation:	Carbonate, Silica
Aberation Type:	Carbonate, Silicific'n
Mineralization Age:	Unknown

Deposit

Character:	Vein, Disseminated
Classification:	Epigenetic, Hydrothermal
Type:	L03: Alkali porphyry Cu-Au, I05: Polymetallic veins Ag-Pb-Zn+/Au

Host Rock

Dominant Host Rock: Volcanic

Stratigraphic Age	Group	Formation	Igneous/Metamorphic/Other
Lower Jurassic	Rosslard	Elise	----
Jurassic	----	----	Nelson Intrusions

Isotopic Age	Dating Method	Material Dated
----	----	----
----	----	----

Lithology: Basaltic Tuff, Basalt, Flow Breccia, Agglomerate, Augite Porphyry, Argillite, Granodiorite, Syenite Dike

Geological Setting

Tectonic Belt:	Omineca	Physiographic Area:	Selkirk Mountains
Terrane:	Quesnel		

Inventory

Ore Zone:	DRILLHOLE	Year:	1987
Category:	Assay/analysis	Report On:	N
Quantity:		NI 43-101:	N

Sample Type: Drill Core

Commodity	Grade
Gold	1.8300 grams per tonne

Comments: From a 10-metre drill interval.

Reference: Assessment Report 17296.

Capsule Geology

The Gus (Swift) area is underlain mainly by basaltic volcanics of the Lower Jurassic Rossland Group, Elise Formation comprised of flow breccia, massive flows, agglomerate, tuff and sill-like intrusives (augite porphyry). A minor amount of laminated, tuffaceous siltstone and shale occurs as interbeds. These are overlain by argillites and quartzites of the Rossland Group, Hall Formation and underlain by black argillaceous siltstone and arenaceous argillite of the Rossland Group, Archibald Formation. The Rossland Group rocks are intruded by the Middle to Late Jurassic Nelson Intrusions comprised of a mass of granodiorite and associated dykes.

Quartz veins fill irregular fractures, ranging from less than 1 centimetre up to 30 centimetres, that cut carbonatized and locally silicified mafic tuffs. Late syenite dykes occur near zones of alteration. The veins contain up to 10 per cent chalcopyrite, sphalerite and galena. Significant gold and silver values were encountered in variably altered tuffs, silicified tuffs and quartz veins.

A 2-metre trench sample (trench 21) assayed 100.2 grams per tonne gold and 18.0 grams per tonne silver; another nearby 2-metre sample gave 8.5 grams per tonne gold (Assessment Report 16901, page 13). The sample high in gold consisted of carbonatized tuff and a 0.4 metre wide quartz vein containing chalcopyrite, galena, pyrite and possibly sphalerite. A drill program in 1987 encountered 10 metres grading 1.83 grams per tonne gold (Assessment Report 17296, page i).

Bibliography

EMPR ASS RPT 15561, *16901, *17296

EMPR BULL 109

EMPR EXPL *1989, pp. 73-80

EMPR FIELDWORK 1987, pp. 19-30; 1988, pp. 33-43; 1989, pp. 11-27; 1990, pp. 9-31

EMPR OF 1988-1; 1989-11; 1990-8; 1990-9; 1991-2; 1991-16

EMPR PF (Unpublished Report)

GSC MAP 1090A; 1145A

GSC MEM 172; 308

Date Coded: 1987/10/09

Coded By: Laura L. Coughlan(LLC)

Field Check: N

Date Revised: 1991/03/20

Revised By: Gary J. Payie(GJP)

Field Check: N



Location/Identification

MINFILE Number:	082FS W290	Mining Division:	Nelson
Name(s):	<u>KATIE</u> JIM	Electoral District:	Nelson-Creston
Status:	Prospect	Forest District:	Arrow Boundary Forest District
Regions:	British Columbia	UTM Zone:	11 (NAD 83)
BCGS Map:	082F014	Northing:	5443969
NTS Map:	082F03W	Easting:	475428
Latitude:	49 08 53 N		
Longitude:	117 20 13 W		
Elevation:	1420 metres		
Location Accuracy:	Within 500M		
Comments:	Located at the headwaters of Helhoaring Creek, approximately 8.0 kilometres southwest of Salmo (Assessment Report 20331).		

Mineral Occurrence

Commodities: Copper, Gold, Zinc, Molybdenum

Minerals

Significant:	Pyrite, Chalcopyrite, Bornite, Pyrrhotite, Sphalerite, Tetrahedrite, Chalcocite, Molybdenite, Arsenopyrite, S specularite
Significant Comments:	Trace bornite.
Associated:	Quartz, Magnetite
Associated Comments:	Also biotite, malachite and azurite.
A alteration:	K-Feldspar, Albite, Quartz, Epidote, Sericite, Chlorite, Carbonate, Goethite
A alteration Comments:	Also malachite.
A alteration Type:	Potassic, Propylitic, Oxidation

Deposit

Character:	Disseminated, Stockwork
Classification:	Porphyry
Type:	LOB: Alkaline porphyry Cu-Au

Host Rock

Dominant Host Rock:	Plutonic		
Stratigraphic Age	Group	Formation	Igneous/Metamorphic/Other
Jurassic	Roseland	Elise	----
Jurassic	----	----	Nelson Intrusions
Isotopic Age	Dating Method	Material Dated	
----	----	----	
----	----	-	
Lithology:	Monzonite, Monzonitic Gabbro, Gabbro, Andesitic Tuff, Basaltic Tuff, Latite Tuff, Rhyolite, Feldspar Porphyry Dike		

Geological Setting

Tectonic Belt:	Omineca	Physiographic Area:	Selkirk Mountains
-----------------------	---------	----------------------------	-------------------

Terrane: Quesnel, Plutonic Rocks

Inventory

Ore Zone: DRILLHOLE Year: 1989
Category: Assay/analysis Report On: N
Quantity: NI 43-101: N
Sample Type: Drill Core

Commodity	Grade
Gold	0.2000 grams per tonne
Copper	0.2400 per cent

Comments: Sample across 6-metre shear zone.

Reference: Assessment Report 20331.

Capsule Geology

The Katie alkaline porphyry deposit is located seven kilometers southwest of Salmo. The earliest recorded work on the property occurred in 1980 when Amoco Canada outlined a 0.5 by 1 kilometre soil copper anomaly on their Jim claims. The claims lapsed and in 1985, Ken Murray staked the Katie claim group to cover the Amoco copper anomaly and was able to define a coincident gold soil anomaly. In 1988 Balloil Lassiter Petroleum Limited optioned the property and conducted geological and geophysical surveys and a four-hole, 305-metre diamond drilling program in 1989. The best hole, KT-89-4 intersected 6 meters grading 0.24 per cent copper and 0.2 gram per tonne gold (Assessment Report 20331). In 1990, Yellowjacket Resources Limited acquired Balloil's interest and formed a joint venture with Hemlo Gold and Brenda Mines. As operator, Noranda Exploration Company drilled 8,260 metres in 34 core holes. The soil anomaly was expanded to an area of 1.5 by over 2 kilometres and geophysics included comprehensive grid magnetics and IP surveys. In 1992, Yellowjacket drilled an additional 4,477 metres in 18 holes. John A. Chapman and KGE Management LTD. restaked the property in 2001.

The Salmo area is underlain by an arcuate belt of sedimentary and volcanic rocks of the Lower Jurassic Rossland Group, in fault contact with Paleozoic Kootenay Terrane rocks to the south and the late Jurassic Nelson Batholith to the north, east and west. The Rossland Group includes the Archibald Formation clastic sediments, a thick sequence of volcanic and epiclastic rocks of the Elise Formation and Hall Formation clastics. They are cut by synvolcanic intrusives, Middle Jurassic to Cretaceous granitic intrusions of the Nelson Batholith, the Middle Eocene Coryell intrusions and felsic to mafic Tertiary dikes.

The Katie claims cover intermediate to mafic flows and tuffs of the Elise Formation. These include andesite to basalt flow breccia, lapilli tuff and crystal tuff and latite fine tuff. Synvolcanic intrusive rocks underlie a large portion of the property and range in composition from monzonite to monzodiorite through to monzogabbro and gabbro. Younger intrusive rocks include feldspar porphyry, rhyolite, lamprophyre and diabase.

Drilling has outlined widespread alkaline porphyry copper-gold mineralization within a 1.75 by 2.5 kilometre area, focused on three zones: Main, West and 17. From one percent to greater than 10 percent pyrite and chalcopyrite occur as disseminations, fracture fillings and veins associated with contacts between monzodiorite dikes and volcanics. Weathering effects have been noted to a depth of 20 metres or more, with secondary malachite, azurite and local chalcocite. Traces of bornite, pyrrhotite, sphalerite and tetrahedrite have also been noted.

Potassic core zones, with copper grades up to one percent and gold in the range of 0.5 gram per tonne are characterized by pervasive, vein and stockwork K-feldspar, with biotite, quartz, chlorite and sometimes coarse magnetite grains. These are enveloped by broad areas of propylitic alteration including pervasive and fracture controlled epidote, chlorite, albite, hematite (goethite) calcite, sericite and magnetite. The potassic and propylitic alteration largely obliterates primary textures, with the exception of feldspar and pyroxene phenocrysts.

Mineralization and alteration are controlled by northwesterly oriented structures and are zoned outwards from highest copper and gold in the potassic cores, followed by lower grade values in the propylitic zone. A late stage of mineralization includes strongly deformed quartz-carbonate-sulphide veins within mylonitic shear structures. Sulphides include pyrite, chalcopyrite, tetrahedrite, molybdenite and arsenopyrite. Specular hematite has been tentatively identified.

Katie shows two styles of mineralization. One is an alkalic porphyry copper-gold and a later shear hosted gold-silver-copper-antimony-arsenic stage (EMPR Bulletin 109).

The porphyry mineralization (of Lower Jurassic age, consists mainly of pyrite, lesser chalcopyrite and bornite, and traces of pyrrhotite, sphalerite, tetrahedrite and ? chalcocite. Sulphides occur both disseminated in hosting volcanic beds or intrusive sills or in veins with quartz, calcite, potash

feldspar, chlorite and epidote. Magnetite is widespread except in highly altered potash feldspar zones. Propylitic alteration is mainly a mixture of chlorite, epidote, sericite and actinolite. Local calcite epidote and pyrite stringers cut this zone. Potassic alteration is shown by potash feldspar and secondary biotite. The later shear and mylonites with local enrichment of gold, copper, arsenic and antimony cut the earlier porphyritic mineralization. The age of these shears are either pre Middle Jurassic or Eocene in age.

The Main zone is northwest striking, steeply northeast dipping, 70 to 135 metres thick and at least 500 metres long. It is open in both directions and to depth. Copper grades average from 0.25 to 0.3 per cent while gold values range from 0.15 to 0.45 gram per tonne. The 17 zone is geologically similar to the Main Zone and is located 670 metres to the south. It strikes northwest, dips gently to the east and has been outlined by limited drilling over an area 110 by 300 metres. Average grades are 0.28 per cent copper and 0.3 grams per tonne gold (Carlson, 2002 (Property File)).

The drilling has been mostly directed to the northwest, parallel to the main controlling structure. The identified higher grade potassic core zones have not been fully tested. The Main Zone is open to the northwest and southeast, while the best results from drill holes in both the West and 17 zones are on the edge of the areas tested. Soil geochemistry and IP define extensions to these zones as well as a number of other untested targets.

Bibliography

EMPR ASS RPT 8258, 15781, *20331, *21704, *22200
 EMPR BULL 109
 EMPR EXPL 1980-57; 1989-73-80
 EMPR FIELDWORK 1987, pp. 19-30; 1988, pp. 33-43; 1989, pp. 11-27;
 1990, pp. 9-31; *1992, pp. 233-248
 EMPR OF 1988-1; 1989-11; 1990-8; 1990-9; 1991-2; 1991-16; 1992-1
 EMPR PF (082FSW291-Unidentified, unpublished report: Carlson, G.
 (2001): Katie property Fact Sheet; *Carlson, G. (2002): The Katie
 Cu-Au Porphyty Deposit (1 page)
 EM BULL 109
 CIMM Special Volume *46, pp. 666-673
 GSC MAP 1090A; 1145A
 GSC MEM 172; 308
 GCNL #53(Mar.15),#223(Dec.19),#242(Dec.14), 1990; #54(Mar.18),
 #140(Jul.22),#189(Oct.1), 1991; #69(Apr.7),#72(Apr.10),#83
 (Apr.29),#95(May 15),#107(June 3),#149(Aug.4), 1992
 N MINER Jul.8, Sept.16, Nov. 18, 1991; Apr. 27, 1992; May 11, 1992

Date Coded:	1987/10/09	Coded By:	Laura L. Coughlan(LLC)	Field Check:	N
Date Revised:	2007/05/07	Revised By:	Nicole Robinson(NR)	Field Check:	N