

Appendix C.1 - Rock Sample Certificates

The following section contains the certificates issued by ALS Chemex for the assay conducted on samples taken in the field.

BC Geological Survey
Assessment Report
31262h



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 27-NOV-2008

Account: RLH

CERTIFICATE SD08161861

Project: 677

P.O. No.: 285625

This report is for 5 Rock samples submitted to our lab in Sudbury, ON, Canada on 11-NOV-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08161861

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
806315		0.24	0.003	<0.005	0.001	0.04	6.75	1	590	0.64	0.23	0.05	0.02	3.08	0.5	6
803475		0.30	0.001	<0.005	<0.001	0.04	5.98	7.4	620	2.36	0.49	0.06	<0.02	69	1.4	15
806319		1.62	0.002	<0.005	0.001	0.13	7.48	2.3	1080	1.88	0.1	2.2	0.07	49.1	6.3	22
806326		0.54	0.036	<0.005	0.001	2.12	6.78	77.3	570	0.71	1.15	1.19	0.56	22.7	7.2	31
806328		0.08	0.103	0.293	4.48	0.22	5.72	2.1	40	0.1	0.15	4.66	0.06	2.31	80.6	258



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08161861

Sample Description	Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
806315		1.04	7	0.64	14	0.07	0.4	0.044	3.01	1.8	20.8	0.09	60	13.3	0.18	3.1
803475		1.36	4.7	1.7	16.1	0.1	0.2	0.163	1.81	36.5	6.6	0.74	86	2.07	0.7	3.6
806319		0.81	7.6	2.88	18.2	0.13	0.4	0.073	2.87	20.3	6.2	0.94	608	0.84	3.46	9.1
806326		6.2	549	10.05	19.65	0.17	0.2	0.607	2.09	12.7	12.5	0.74	449	31.7	1.6	3.6
806328		0.99	479	7.94	9.95	0.13	0.2	0.024	0.19	1	22.1	9.26	1420	0.75	0.58	0.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08161861

Sample Description	Method Analyte Units LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
806315		1.1	280	3.3	62.1	<0.002	0.04	0.45	2.5	2	1.6	25.2	0.28	<0.05	1.5	0.09
803475		3	300	7.8	60.9	<0.002	0.02	1.82	6.5	2	12.3	55.7	0.28	0.16	5.6	0.195
806319		13.9	740	14.2	53.9	<0.002	<0.01	0.38	10.1	1	1.7	357	0.56	<0.05	6.7	0.459
806326		15	580	88.4	58.6	<0.002	0.03	2.96	9.2	1	2	269	0.29	0.27	4.6	0.261
806328		674	20	4.3	8.7	<0.002	0.19	1.31	40	2	<0.2	85.3	<0.05	0.55	<0.2	0.101



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08161861

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5
806315		0.52	0.8	36	1.3	1.4	2	9.1
803475		1.14	0.9	62	4	4.6	15	5.3
806319		0.36	1.9	80	0.7	25.7	55	6.4
806326		0.6	17.4	99	2	6.5	76	3.3
806328		0.07	<0.1	151	1.1	2.9	94	6.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 27-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08161861

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 26-NOV-2008
Account: RLH

CERTIFICATE SD08163295

Project: 677

P.O. No.: 285634

This report is for 3 Rock samples submitted to our lab in Sudbury, ON, Canada on 14-NOV-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 26-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	SD08163295
-------------------------	------------

		WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
Sample Description	Method Analyte Units LOR	Recvd Wt.	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
806315		0.24	<1	646	5.3	0.5	10	1.00	7	0.64	0.59	0.08	15.4	0.51	5.1	0.17
803475		0.30	<1	705	73.1	1.6	20	1.42	5	3.08	1.97	0.91	21.0	4.29	7.2	0.63
806319		1.62	<1	1175	56.2	7.3	30	0.84	8	5.58	3.40	1.48	20.3	6.11	9.8	1.15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 26-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08163295

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	
806315		2.7	0.16	15	8.2	1.8	<5	38	0.56	62.7	0.32	3	26.4	0.9	0.14	2.49
803475		37.8	0.31	3	8.3	28.9	6	14	8.46	67.8	4.87	16	68.3	0.7	0.69	6.54
806319		24.0	0.55	<2	10.1	29.2	16	71	7.49	57.2	6.36	3	373	0.7	1.14	8.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 26-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08163295

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
806315		2.5	0.11	1.90	45	2	4.8	0.84	50	163	76.9	13.40	0.88	0.05	0.15	0.24
803475		1.0	0.31	1.90	93	8	17.2	2.03	35	272	74.9	13.00	2.48	0.09	1.64	1.04
806319		2.3	0.54	3.24	94	1	30.5	3.62	142	392	65.2	15.25	3.94	3.15	1.59	4.76



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 26-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS SD08163295

Sample Description	Method	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
Units		%	%	%	%	%	%	%	%
LOR		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
806315		3.67	<0.01	0.26	0.01	0.06	<0.01	0.07	2.30
803475		2.22	<0.01	0.65	0.01	0.07	0.01	0.07	2.61
806319		3.50	<0.01	0.76	0.08	0.16	0.04	0.13	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 20-JUN-2008

Account: RLH

CERTIFICATE VA08077208

Project: 677

P.O. No.: 161144

This report is for 16 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-JUN-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-JUN-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08077208

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
		kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.02	0.001	0.005	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1
6401		0.38	0.009	<0.005	0.001		0.77	7.56	2.2	1240	0.73	7.71	0.37	0.14	18.6	4.9
6402		3.86	0.171	<0.005	<0.001		11.45	6.6	15.2	470	0.88	40.8	0.14	0.13	14.75	3.9
6403		0.88	0.002	<0.005	<0.001		0.17	7.43	1.6	570	1.05	0.23	2.45	0.19	25.8	9.2
6404		0.94	0.003	<0.005	<0.001		0.16	7.91	2.6	770	1.13	0.86	2.57	0.11	31.9	7.8
6405		3.72	0.018	<0.005	0.001		0.4	3.56	106.5	90	0.48	1.33	0.12	0.24	2.48	85.7
6406		1.04	0.057	<0.005	<0.001		0.17	6.49	8	430	0.66	0.59	0.77	0.03	15.5	8.8
6407		0.40	0.006	<0.005	<0.001		0.28	6.99	6	740	0.77	0.2	1.11	0.07	22.7	81.5
6408		1.24	0.003	<0.005	0.001		5.18	8	5.7	390	0.78	1.36	0.97	2.91	37.2	6.1
6409		1.74	0.008	<0.005	<0.001		1.87	6.97	3.6	960	0.65	2.34	2.27	1.38	25.6	16.8
6410		3.98	0.002	<0.005	<0.001		1.67	6.9	3.9	790	0.59	0.8	2.3	1.31	20.4	14.1
6411		0.62	0.030	<0.005	<0.001		77.1	6.89	107.5	1680	0.79	19.75	2.77	15.4	26.5	7.7
6412		0.34	0.003	<0.005	<0.001		5.3	7.16	5.9	580	0.65	1.64	1.36	4.91	25.9	12.2
6413		0.32	0.230	<0.005	<0.001		37.9	8.06	36.5	310	0.89	4.72	0.92	6.87	34.5	12.9
6414		2.82	6.46	<0.005	<0.001		>100	1.87	568	30	0.22	978	0.05	11.05	2.85	517
6415		1.56	>10.0	<0.005	<0.001	23.1	>100	5.03	65.3	220	0.49	169	0.07	3.57	67.8	29.3
6416		0.72	0.027	<0.005	<0.001		2.02	7.75	4.6	550	0.79	4.5	2.82	7.89	27.4	11.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-JUN-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08077208

Method Analyte Units LOR	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %
Sample Description	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
6401	51	5.73	20.3	5.22	17.1	0.12	0.3	0.12	2.5	10.9	10.8	1.39	1035	3.02	1.13
6402	32	6.11	78.3	4.17	15.6	0.15	0.1	0.699	3.06	8.2	9	0.39	148	17.4	0.28
6403	29	1.99	37.6	2.36	16.5	0.12	0.3	0.049	1.46	13.5	17.1	1.06	514	0.54	2.48
6404	30	1.99	50.7	2.65	15.95	0.13	0.2	0.048	1.73	16.8	19.1	1.08	490	0.66	2.62
6405	6	3.62	86.4	34	11.85	0.48	0.1	0.085	0.48	1.6	4	0.54	93	75.9	0.34
6406	21	4.2	6.2	4.51	13.4	0.09	0.1	0.089	1.28	8.4	6.4	0.51	208	6.99	2.57
6407	26	6.4	58.7	3.4	14.2	0.11	0.2	0.031	2.2	11.7	13.2	0.91	474	1.59	1.88
6408	135	7.04	122	2.63	14.9	0.11	0.5	0.081	1.52	18.3	640	0.73	1910	3.29	2.29
6409	34	6.25	20.1	3.65	14.6	0.1	0.8	0.031	2.11	11.7	106	1.33	805	0.78	0.89
6410	39	6.99	30	3.26	14.15	0.09	0.7	0.026	1.72	8.7	151.5	0.86	687	1.11	1.95
6411	45	7.69	1100	2.3	15.3	0.1	0.5	0.075	3.16	13.2	13.8	0.29	2020	5.39	0.83
6412	18	6.69	97.7	3.27	14	0.11	1.5	0.06	1.87	11.9	102.5	1.07	844	0.42	1.54
6413	38	14.5	2630	3.85	18.9	0.12	0.2	0.725	3.18	16.6	24.6	0.97	2250	100	0.63
6414	10	3.12	6470	23.1	5.28	0.41	0.1	6.11	0.8	1.4	11.1	0.1	98	24.3	0.02
6415	22	3.84	5610	7.39	11.75	0.17	0.1	7.06	2.11	34.3	17.7	0.68	1570	15.8	0.04
6416	34	2.47	560	3.3	16.75	0.1	0.2	0.24	1.72	12	14.7	1.27	3200	2.56	2.25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-JUN-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08077208

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
6401		3.3	29.9	650	28.8	90.1	<0.002	0.96	2.09	12.2	1	2.3	174	0.27	0.44	5.6
6402		2.7	4.8	340	146.5	124	<0.002	0.05	2.82	5	3	6.6	40.5	0.21	1.02	2.6
6403		4	17	530	14.9	32.8	<0.002	<0.01	0.39	9.5	2	1.1	424	0.32	0.06	6.1
6404		4.6	16.1	560	10.9	47.7	<0.002	0.01	0.77	9.1	2	0.9	455	0.49	<0.05	7.1
6405		1	20.2	960	22.7	30.6	0.006	5.56	5.54	3.8	7	15.1	36.5	0.08	0.67	25
6406		3.2	9.4	340	15.1	60.5	0.002	0.83	0.96	5.5	2	1.7	293	0.3	0.22	7.4
6407		3.3	15.7	400	24.4	81.9	<0.002	0.01	0.52	7.7	2	1.5	319	0.3	<0.05	7.5
6408		3.1	28.3	760	128	55.7	0.002	0.04	31.5	18.8	2	0.6	108.5	0.22	0.1	3.5
6409		2.9	25.2	560	212	53.1	<0.002	1.54	5.91	11.2	1	1	103	0.23	0.47	3.2
6410		3	18.9	550	85	44.7	<0.002	0.73	10.6	10.6	2	0.7	159.5	0.23	0.17	3.1
6411		3.2	15	520	2220	103	<0.002	0.52	521	9.7	2	2.8	107	0.27	0.62	6.7
6412		3.4	20.5	580	166	57.1	<0.002	0.5	35.5	13.3	2	0.9	85.4	0.24	0.28	3.4
6413		4.1	18.5	630	2210	111	0.106	0.84	52.9	13.6	2	5	76.8	0.3	0.19	5.4
6414		0.8	16.2	100	1120	30.4	0.004	>10.0	184.5	4.4	8	6.8	7.1	<0.05	11.7	0.7
6415		2.4	10.7	360	1450	79.7	0.006	4.01	9.24	7.7	2	2.9	16.5	0.17	1.17	4.1
6416		4	18.9	610	99.4	33.9	<0.002	0.06	2.42	12.1	2	0.8	397	0.29	0.06	5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-JUN-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08077208

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5	1
6401		0.253	1.17	2.4	87	5.9	5	111	4.3	
6402		0.114	1.63	2.5	44	14.8	2.9	42	1.6	
6403		0.259	0.29	2.3	72	0.7	11.7	53	5	
6404		0.239	0.4	2.8	68	0.7	12	38	2.8	
6405		0.032	0.32	16	90	3.2	9.7	51	1.5	
6406		0.16	0.65	1.8	38	2	4.6	35	3	
6407		0.192	0.8	3.7	55	2.6	13.9	60	3.5	
6408		0.383	0.92	1.4	110	2.8	15.2	230	12.5	
6409		0.264	0.83	1.1	95	1.7	10.4	238	26.7	
6410		0.269	0.75	1.2	91	0.5	9.3	234	21.5	
6411		0.218	1.56	3.3	67	6.1	12.4	816	11.2	
6412		0.322	0.93	1.6	90	1.5	15.2	503	47.6	
6413		0.323	1.27	5.1	108	8.1	15.6	1565	3.2	
6414		0.043	0.36	3.8	30	19.6	4.1	700	2.9	232
6415		0.166	0.91	2.6	57	7.1	5.3	444	2.8	136
6416		0.306	0.45	2	96	1.5	15.1	845	3.9	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 20-JUN-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08077208

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 6-AUG-2008

Account: RLH

CERTIFICATE VA08089787

Project: 843

P.O. No.: 85801

This report is for 71 Rock samples submitted to our lab in Vancouver, BC, Canada on 2-JUL-2008.

The following have access to data associated with this certificate:

JOSHUA BAILEY
BRUCE JAGO

RANDY DUTCHBURN

BILL GILMOUR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Au-ICP23	Au 30g FA-ICP Finish, 5 ppb DL	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: JOSHUA BAILEY

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP23	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
843RJC0001		1.64	0.013	<1	417	30.2	21.0	60	4.99	52	3.68	2.45	1.35	21.4	3.92	3.4
843RJC0002		1.88	0.078	<1	581	23.8	21.3	100	2.72	271	5.93	3.95	1.44	17.9	5.32	4.5
843RJC0003		1.78	<0.005	<1	699	31.1	14.6	60	1.41	7	3.55	2.22	0.96	17.6	3.90	4.7
843RJC0004		1.72	<0.005	<1	769	32.9	9.0	50	2.05	21	2.65	1.67	0.83	17.0	3.15	3.9
843RJC0005		2.06	<0.005	<1	386	33.2	8.2	30	8.11	17	2.12	1.36	0.72	16.8	2.75	3.7
843RJC0006		1.56	<0.005	<1	193.0	32.7	12.1	40	11.80	9	2.80	1.80	0.89	18.1	3.55	4.7
843RJC0007		1.34	<0.005	<1	193.0	30.1	12.2	40	10.85	10	2.02	1.26	0.65	17.7	2.63	4.8
843RJC0008		1.70	<0.005	<1	163.0	32.7	12.6	40	10.65	<5	2.75	1.66	0.90	18.6	3.52	4.6
843RJC0009		1.88	<0.005	<1	238	32.9	12.4	40	9.61	19	2.46	1.52	0.76	18.4	3.16	4.3
843RJC0010		1.80	<0.005	<1	617	37.5	11.5	40	8.58	39	3.12	1.90	0.97	16.8	3.82	4.4
843RJC0011		1.84	0.019	<1	633	28.3	9.8	50	7.82	10	1.96	1.23	0.79	16.9	2.66	3.2
843RJC0012		1.98	0.014	1	728	25.4	5.1	30	6.17	184	2.07	1.37	0.61	17.3	2.49	4.0
843RJC0013		2.10	0.072	15	356	27.2	6.6	30	7.59	753	1.77	1.20	0.50	17.5	2.17	4.0
843RJC0014		2.16	<0.005	<1	539	26.9	5.9	30	4.66	28	2.25	1.39	0.70	16.3	2.62	3.9
843RJC0015		1.90	0.011	<1	439	29.6	7.8	40	6.39	87	2.03	1.23	0.57	16.7	2.50	4.0
843RJC0016		1.54	0.010	2	277	23.4	9.4	40	10.75	1300	5.32	3.21	1.32	18.8	5.61	4.5
843RJC0017		2.04	0.015	2	299	27.7	10.4	40	7.01	361	2.08	1.33	0.73	16.9	2.66	4.1
843RJC0018		1.90	0.009	1	363	12.0	15.0	40	12.05	115	2.31	1.66	0.46	16.2	2.05	4.1
843RJC0019		2.00	0.008	1	676	72.4	13.6	80	5.12	418	2.66	1.47	1.52	21.2	5.04	4.2
843RJC0020		1.78	0.011	19	501	63.7	9.9	70	13.65	5790	2.36	1.33	1.41	19.7	4.43	3.7
843RJC0021		2.00	0.007	2	302	23.2	9.0	40	8.97	679	3.52	2.13	0.98	17.3	4.32	4.2
843RJC0022		1.90	0.022	2	623	18.7	5.9	30	6.80	161	1.63	1.09	0.36	15.4	1.82	3.4
843RJC0023		2.44	0.007	1	263	11.8	10.6	40	10.60	30	2.62	1.62	0.67	16.1	2.45	3.4
843RJC0024		1.86	0.065	11	556	30.6	7.1	30	12.50	252	2.81	1.54	0.88	16.7	2.84	3.8
843RJC0025		2.16	0.008	1	330	15.8	11.3	40	4.87	300	2.27	1.32	0.77	17.1	2.45	3.3
843RJC0026		1.92	0.010	1	887	30.9	17.2	60	9.11	52	2.95	1.64	0.89	17.0	2.98	3.8
843RJC0027		2.08	0.005	<1	979	27.5	8.4	30	8.33	18	2.24	1.36	0.73	15.6	2.49	3.4
843RJC0028		2.14	0.015	2	866	28.6	11.3	40	11.05	39	3.09	2.01	1.07	18.3	3.70	3.7
843RJC0029		2.48	<0.005	<1	722	35.9	16.0	30	11.40	13	3.84	2.27	1.07	17.0	4.07	4.2
843RJC0030		2.02	0.008	<1	1185	28.7	7.4	20	2.61	10	2.67	1.42	0.76	15.4	2.85	3.4
843RJC0031		2.12	0.012	<1	203	20.6	4.0	20	1.13	34	2.14	1.44	0.44	21.1	1.94	4.4
843RJC0032		2.08	0.023	<1	239	21.4	7.9	10	2.59	11	2.35	1.39	0.82	20.5	2.56	3.0
843RJC0033		1.60	0.005	<1	610	25.3	17.8	10	0.48	36	2.55	1.42	1.05	19.3	2.88	2.8
843RJC0034		1.92	<0.005	<1	749	29.0	8.9	30	2.25	39	2.57	1.55	0.77	16.7	3.05	3.6
843RJC0035		2.12	0.006	<1	819	26.2	15.9	10	1.02	110	3.47	1.64	0.82	15.8	4.19	4.9
843RJC0036		2.88	0.005	<1	660	29.9	11.5	50	3.30	17	2.99	1.72	0.92	17.0	3.27	4.0
843RJC0037		2.22	0.011	1	1220	17.7	110.0	40	3.01	70	1.65	0.99	0.43	16.9	1.76	4.3
843RJC0038		2.78	0.010	<1	853	23.6	92.4	40	3.84	38	2.15	1.34	0.67	15.2	2.42	3.8
843RJC0039		1.78	0.025	1	1115	20.7	37.1	40	5.56	45	2.22	1.43	0.56	16.0	2.23	4.1
843RJC0040		2.28	0.019	1	3080	17.1	66.6	40	4.09	21	1.48	0.97	0.39	14.5	1.44	4.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
843RJC0001		0.78	13.6	0.34	3	4.3	17.5	24	27	4.07	24.3	3.84	1	332	0.3	0.62
843RJC0002		1.27	10.2	0.59	<2	3.6	17.9	25	15	3.66	62.0	4.88	1	258	0.2	0.96
843RJC0003		0.73	15.1	0.32	<2	4.6	17.9	21	9	4.26	38.5	3.85	1	432	0.3	0.59
843RJC0004		0.54	32.3	0.26	<2	4.8	16.5	18	51	4.22	37.3	3.33	1	445	0.4	0.48
843RJC0005		0.43	16.2	0.21	<2	4.5	14.6	17	16	3.91	72.8	2.77	1	171.5	0.4	0.40
843RJC0006		0.58	17.4	0.26	3	4.7	18.0	21	18	4.51	64.9	3.56	1	135.0	0.3	0.53
843RJC0007		0.41	16.6	0.19	3	4.5	14.8	20	18	3.81	66.7	2.69	1	140.5	0.4	0.38
843RJC0008		0.54	16.6	0.23	3	4.7	18.1	20	13	4.38	77.7	3.54	1	67.7	0.3	0.48
843RJC0009		0.51	18.2	0.21	2	4.5	17.5	19	17	4.49	63.6	3.12	1	133.5	0.3	0.45
843RJC0010		0.63	18.5	0.28	<2	4.6	18.8	20	14	4.80	46.2	3.85	1	301	0.4	0.57
843RJC0011		0.40	14.6	0.18	<2	3.0	15.0	21	72	3.79	57.0	2.80	1	218	0.3	0.37
843RJC0012		0.44	13.1	0.23	<2	4.7	12.4	13	52	3.26	85.7	2.37	5	178.0	0.5	0.36
843RJC0013		0.36	12.9	0.20	2	4.3	11.9	14	267	3.14	108.5	2.34	5	42.1	0.4	0.31
843RJC0014		0.45	13.0	0.24	<2	4.6	13.1	16	19	3.34	58.8	2.67	2	299	0.4	0.39
843RJC0015		0.42	12.6	0.21	<2	4.4	13.2	19	49	3.36	87.1	2.67	3	189.5	0.4	0.37
843RJC0016		1.08	12.8	0.44	<2	5.3	21.5	18	121	4.59	91.2	5.60	6	156.5	0.5	0.93
843RJC0017		0.43	12.5	0.22	<2	4.6	14.5	17	39	3.54	69.7	2.76	4	231	0.4	0.39
843RJC0018		0.50	5.3	0.30	7	4.6	7.9	11	91	1.76	98.2	2.07	6	105.0	0.4	0.36
843RJC0019		0.49	37.6	0.20	<2	3.0	35.8	53	66	9.17	54.0	5.99	1	856	0.2	0.60
843RJC0020		0.44	33.9	0.17	<2	2.7	31.4	42	2070	8.04	87.7	5.31	1	446	0.2	0.50
843RJC0021		0.70	10.7	0.33	8	4.7	19.0	18	164	3.94	95.3	4.96	4	173.0	0.4	0.65
843RJC0022		0.35	10.2	0.18	<2	4.1	8.9	12	267	2.32	114.5	1.76	12	14.5	0.4	0.29
843RJC0023		0.53	6.8	0.26	<2	4.7	8.5	21	260	1.86	117.0	2.33	4	93.8	0.4	0.43
843RJC0024		0.53	15.9	0.25	<2	4.5	14.4	20	314	3.62	154.5	3.16	3	20.9	0.4	0.43
843RJC0025		0.44	6.0	0.25	<2	4.8	11.0	22	17	2.26	49.1	2.87	3	281	0.4	0.37
843RJC0026		0.58	15.6	0.28	2	4.2	15.1	34	109	3.71	115.0	3.30	1	128.0	0.3	0.43
843RJC0027		0.49	14.4	0.24	3	4.1	12.8	16	81	3.22	96.3	2.72	1	134.5	0.3	0.36
843RJC0028		0.65	15.5	0.28	<2	4.1	15.8	25	294	3.84	92.1	3.66	1	87.9	0.3	0.54
843RJC0029		0.77	17.0	0.38	<2	3.8	19.5	20	21	4.61	69.0	4.28	1	180.5	0.3	0.62
843RJC0030		0.51	15.7	0.23	3	4.4	13.5	10	11	3.48	66.5	2.85	1	211	0.4	0.40
843RJC0031		0.46	10.4	0.23	5	5.2	9.4	6	30	2.34	24.8	2.08	2	177.0	0.5	0.30
843RJC0032		0.42	9.1	0.24	<2	2.9	12.6	16	23	2.89	31.3	2.92	1	645	0.2	0.40
843RJC0033		0.52	11.3	0.22	<2	2.9	14.6	24	7	3.37	27.2	3.49	1	881	0.2	0.45
843RJC0034		0.54	14.7	0.25	<2	4.3	14.5	21	9	3.54	41.0	2.91	1	468	0.4	0.40
843RJC0035		0.63	11.7	0.20	2	1.2	17.8	<5	12	3.83	17.2	4.43	<1	176.0	0.1	0.58
843RJC0036		0.64	14.4	0.30	6	4.6	14.6	29	85	3.67	41.1	3.16	1	451	0.4	0.48
843RJC0037		0.33	9.2	0.22	10	4.1	8.2	25	29	2.11	105.5	1.78	2	273	0.3	0.25
843RJC0038		0.43	11.9	0.24	5	3.9	10.9	25	41	2.80	88.5	2.32	1	320	0.3	0.34
843RJC0039		0.45	10.2	0.23	7	4.6	10.3	20	106	2.46	106.5	2.10	3	316	0.3	0.35
843RJC0040		0.29	8.6	0.18	11	4.9	7.7	18	45	2.04	161.0	1.59	3	189.0	0.3	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01
843RJC0001		2.76	<0.5	0.35	1.87	171	3	20.8	2.35	126	118	58.1	19.85	7.91	3.77	1.70
843RJC0002		1.61	<0.5	0.57	1.00	169	5	35.0	3.84	259	161	57.3	14.75	8.94	2.70	4.56
843RJC0003		3.84	<0.5	0.31	1.40	120	4	20.0	2.22	58	166	63.6	15.30	5.42	5.00	2.86
843RJC0004		6.39	<0.5	0.23	2.24	63	5	14.9	1.73	67	135	67.2	14.65	3.61	2.41	1.76
843RJC0005		6.76	<0.5	0.21	2.82	55	3	12.0	1.41	118	126	68.0	14.50	3.31	1.46	1.66
843RJC0006		6.75	0.6	0.24	2.43	94	4	16.2	1.70	82	169	67.2	15.70	4.39	0.36	0.67
843RJC0007		6.81	0.5	0.17	2.97	93	3	11.7	1.24	82	171	68.6	16.00	4.56	0.25	0.65
843RJC0008		6.86	0.7	0.22	3.14	96	3	15.6	1.58	80	161	69.2	15.45	4.65	0.09	0.52
843RJC0009		6.45	0.5	0.20	2.99	97	5	14.9	1.33	79	157	66.4	16.10	4.55	0.46	0.94
843RJC0010		7.46	<0.5	0.27	3.78	82	3	17.0	1.88	61	149	66.3	14.10	4.43	2.73	1.98
843RJC0011		5.67	0.7	0.18	2.75	76	4	10.9	1.27	200	108	64.6	14.00	3.59	3.81	2.22
843RJC0012		9.83	0.9	0.21	3.91	59	18	11.9	1.51	90	131	68.1	14.05	5.20	1.17	1.56
843RJC0013		9.45	1.1	0.17	4.31	61	30	9.3	1.31	81	135	70.2	13.30	5.81	0.14	1.22
843RJC0014		10.45	0.5	0.21	3.55	59	3	11.9	1.50	86	128	70.2	14.40	3.13	1.63	1.64
843RJC0015		10.30	0.7	0.19	3.64	65	4	10.2	1.37	116	130	69.5	14.35	3.37	0.74	1.74
843RJC0016		9.84	1.0	0.45	4.09	66	10	31.5	2.98	265	148	68.5	14.50	3.05	1.30	1.38
843RJC0017		9.16	0.7	0.19	4.05	61	3	11.2	1.43	147	137	70.8	14.35	3.11	0.96	1.61
843RJC0018		6.79	1.0	0.25	8.70	58	23	13.7	1.81	174	137	70.4	13.95	4.20	0.07	0.70
843RJC0019		12.00	0.5	0.18	3.39	111	6	13.2	1.32	197	149	62.7	14.80	5.66	3.99	3.18
843RJC0020		10.45	0.9	0.18	3.87	98	11	11.9	1.24	410	128	58.4	13.80	6.43	4.36	2.14
843RJC0021		8.71	1.1	0.31	3.39	63	27	19.0	2.11	158	140	68.0	15.00	3.12	1.62	1.39
843RJC0022		8.69	1.3	0.17	4.48	55	38	9.1	1.11	164	111	64.0	12.70	10.35	0.06	0.62
843RJC0023		9.80	1.1	0.23	3.94	56	5	16.1	1.50	386	119	67.3	14.75	3.20	1.22	1.11
843RJC0024		10.70	1.4	0.23	5.88	63	3	15.2	1.72	473	127	71.0	14.45	3.90	0.26	0.69
843RJC0025		10.35	<0.5	0.20	3.73	63	4	11.3	1.50	84	121	68.0	15.05	3.35	1.32	2.21
843RJC0026		6.21	1.2	0.25	2.99	104	3	15.4	1.79	205	135	65.7	16.35	5.33	0.77	0.78
843RJC0027		7.66	1.0	0.17	3.45	61	2	12.3	1.48	204	126	67.3	15.25	3.55	2.53	0.96
843RJC0028		6.32	1.0	0.28	3.06	107	3	17.6	1.93	519	132	65.1	17.20	4.24	1.52	1.53
843RJC0029		5.31	0.6	0.31	2.15	127	2	20.6	2.33	161	154	60.9	15.80	5.18	3.49	2.82
843RJC0030		6.77	<0.5	0.22	3.19	90	1	12.8	1.70	44	121	68.4	15.95	3.51	1.40	1.37
843RJC0031		8.10	<0.5	0.20	6.42	111	<1	11.4	1.48	94	148	64.3	18.30	3.70	1.02	1.73
843RJC0032		2.72	<0.5	0.17	1.61	135	1	12.3	1.42	67	110	59.8	16.05	5.32	2.10	2.71
843RJC0033		2.68	<0.5	0.20	0.95	139	<1	12.9	1.35	59	107	58.7	17.00	5.64	4.74	2.80
843RJC0034		7.52	<0.5	0.25	2.15	76	<1	13.7	1.68	42	117	65.5	15.30	3.78	3.69	1.97
843RJC0035		4.62	<0.5	0.17	0.90	70	2	15.7	1.32	97	154	65.6	13.30	7.94	2.09	2.06
843RJC0036		7.16	<0.5	0.23	3.64	94	3	16.7	1.79	75	143	66.6	15.50	4.05	2.76	2.35
843RJC0037		4.96	0.9	0.13	2.32	103	195	8.5	1.03	83	147	60.0	14.35	10.55	1.08	2.00
843RJC0038		6.23	0.5	0.20	3.03	81	13	11.9	1.53	89	132	58.5	13.55	11.20	1.70	1.85
843RJC0039		6.00	0.6	0.20	2.83	93	41	11.6	1.43	133	145	63.8	14.35	7.25	1.31	2.02
843RJC0040		5.42	1.0	0.13	9.28	86	14	7.7	1.16	99	154	57.9	16.10	8.22	0.55	2.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm
843RJC0001		2.05	0.91	0.01	0.81	0.09	0.16	0.04	0.05	4.12	0.23	9.17	62.9	400	1.07	0.14
843RJC0002		2.50	2.58	0.02	0.80	0.20	0.19	0.03	0.07	3.54	0.39	7.35	11.3	570	0.85	1.24
843RJC0003		3.47	1.84	0.01	0.66	0.09	0.13	0.05	0.08	1.66	0.02	7.55	2.8	640	1	0.05
843RJC0004		4.11	2.04	0.01	0.39	0.09	0.14	0.05	0.09	1.74	0.09	7.44	6.9	740	1.35	0.09
843RJC0005		2.87	2.61	0.01	0.35	0.07	0.08	0.02	0.04	3.65	0.17	7.09	3.6	370	1.29	0.11
843RJC0006		2.64	2.63	0.01	0.52	0.10	0.13	0.02	0.02	3.82	0.01	7.97	5.3	200	1.12	0.12
843RJC0007		2.91	2.69	0.01	0.53	0.08	0.11	0.02	0.02	3.50	0.03	7.94	4.7	190	1.14	0.07
843RJC0008		2.35	2.87	0.01	0.52	0.10	0.06	0.01	0.02	3.76	0.07	7.97	3	150	0.88	0.03
843RJC0009		2.36	2.61	0.01	0.55	0.08	0.16	0.02	0.03	4.65	0.06	8.3	3	240	0.99	0.08
843RJC0010		2.07	2.14	<0.01	0.50	0.09	0.21	0.04	0.07	5.09	0.11	7.28	1.5	590	0.91	0.05
843RJC0011		2.00	2.63	0.01	0.44	0.24	0.12	0.03	0.07	5.79	0.22	6.61	6.7	580	0.8	0.06
843RJC0012		2.13	2.83	<0.01	0.38	0.11	0.04	0.02	0.09	3.51	1.61	6.99	5.3	700	0.95	3.77
843RJC0013		1.58	2.96	0.01	0.35	0.12	0.10	0.01	0.04	3.59	18.9	6.89	10.8	340	0.87	122
843RJC0014		3.55	2.40	<0.01	0.38	0.07	0.07	0.03	0.06	2.09	0.22	7.31	1.6	520	1.1	1.48
843RJC0015		2.93	2.66	0.01	0.38	0.13	0.07	0.02	0.05	2.38	0.64	7.36	2.7	420	0.84	2.36
843RJC0016		3.19	2.29	0.01	0.39	0.20	0.11	0.02	0.03	3.32	2.39	7.13	2.5	240	1.12	1.77
843RJC0017		3.74	1.97	<0.01	0.38	0.11	0.07	0.03	0.03	2.30	1.04	7.14	2.9	290	1.1	7.61
843RJC0018		3.24	2.42	<0.01	0.38	0.08	0.12	0.01	0.04	2.64	0.95	7.4	6.3	360	1	1.18
843RJC0019		2.28	2.18	0.01	0.59	0.47	0.22	0.10	0.08	2.54	1.27	7.72	1	640	1.15	1.46
843RJC0020		1.18	3.04	0.01	0.55	2.15	0.20	0.05	0.06	6.06	24.5	7.14	1.8	470	1.26	10.45
843RJC0021		3.53	2.49	0.01	0.42	0.39	0.12	0.02	0.03	3.62	1.86	7.19	4.9	290	1.21	0.88
843RJC0022		0.15	3.70	<0.01	0.32	0.06	0.11	<0.01	0.07	5.96	3.11	6.66	7	310	0.96	8.38
843RJC0023		2.52	3.02	0.01	0.42	0.79	0.11	0.01	0.03	4.24	1.62	7.42	1.7	240	1.12	2.08
843RJC0024		0.77	4.10	<0.01	0.39	0.85	0.09	<0.01	0.06	3.35	13.6	7.17	24.7	520	1.13	4.09
843RJC0025		4.01	1.48	0.01	0.42	0.13	0.12	0.03	0.04	1.93	1.47	7.16	2.5	310	1.19	14.65
843RJC0026		2.31	3.46	0.01	0.59	0.14	0.15	0.02	0.10	4.31	1.95	7.88	9.7	800	0.94	1.28
843RJC0027		2.13	3.28	<0.01	0.43	0.09	0.10	0.02	0.11	4.28	0.67	7.09	7	880	1	0.37
843RJC0028		1.07	3.62	0.01	0.62	0.15	0.14	0.01	0.10	4.69	4.56	8.14	5.7	790	1.23	2.32
843RJC0029		2.12	2.73	<0.01	0.66	0.10	0.16	0.02	0.08	6.25	0.16	7.32	1	640	0.81	0.28
843RJC0030		2.82	2.95	<0.01	0.44	0.04	0.08	0.03	0.13	3.00	0.12	7.94	2.3	1110	0.74	0.55
843RJC0031		5.78	1.05	<0.01	0.53	0.06	0.09	0.02	0.02	3.52	0.2	8.77	5.3	200	0.74	0.76
843RJC0032		4.42	1.26	<0.01	0.70	0.05	0.20	0.08	0.02	6.09	0.2	8.15	6	220	0.76	0.56
843RJC0033		4.09	1.91	<0.01	0.72	0.09	0.19	0.12	0.07	2.43	0.07	8.76	4.5	590	0.88	0.06
843RJC0034		3.47	2.23	<0.01	0.45	0.06	0.12	0.06	0.08	1.37	0.11	8.03	1.9	730	1.06	0.22
843RJC0035		2.59	1.07	<0.01	0.37	0.08	0.12	0.02	0.08	3.90	0.43	7.04	9.6	720	1.63	0.43
843RJC0036		4.15	2.10	0.01	0.53	0.09	0.14	0.06	0.07	2.25	0.36	7.59	9.8	610	0.95	0.69
843RJC0037		2.42	4.17	0.01	0.50	0.08	0.11	0.04	0.13	4.90	0.97	7.08	10.6	390	0.68	2.24
843RJC0038		2.96	3.31	0.01	0.47	0.06	0.09	0.04	0.09	5.20	0.63	6.98	8.4	130	0.68	1.06
843RJC0039		2.47	3.99	0.01	0.53	0.10	0.11	0.04	0.12	3.31	1.81	7.35	5	1040	0.66	3.61
843RJC0040		0.89	9.06	0.01	0.58	0.14	0.11	0.02	0.34	3.83	2.04	8.15	15.9	1120	0.41	6.35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm
843RJC0001		2.47	0.28	25.5	22.1	41	4.83	62.8	5.03	24.9	0.15	0.2	0.072	0.7	10.4	51.9
843RJC0002		1.88	0.75	21.8	20.9	82	2.97	324	5.79	19.8	0.17	<0.1	0.167	2.04	8.7	44.8
843RJC0003		3.39	0.14	27.8	14.7	44	1.48	9.5	3.5	19.75	0.13	0.5	0.045	1.45	12.4	16.6
843RJC0004		1.71	0.19	31.2	9	30	2.2	24.1	2.42	19.9	0.13	0.2	0.033	1.67	14.8	38.4
843RJC0005		1	0.31	30.1	8.2	24	8.51	19	2.17	19.1	0.12	0.1	0.027	2.01	13.9	30.7
843RJC0006		0.35	0.19	31.8	12.2	31	12.5	10.9	2.91	20.6	0.14	0.3	0.044	2.07	16.6	21.4
843RJC0007		0.27	0.13	28.6	12.6	31	11.55	12.6	2.95	20.6	0.14	0.3	0.042	2.04	15.4	18.9
843RJC0008		0.16	0.2	32.3	12.4	32	10.35	6.6	3.19	18.65	0.15	0.3	0.042	2.27	15.6	11.7
843RJC0009		0.42	0.16	33.4	12.5	32	9.79	22.1	3.1	19.45	0.16	0.3	0.046	2.08	17.8	16.3
843RJC0010		1.94	0.19	34.3	11.7	28	8.73	43.2	2.94	18.1	0.17	0.3	0.047	1.7	16.1	24.6
843RJC0011		2.56	0.48	22.4	9.6	33	7.41	13.3	2.32	17.55	0.14	1.5	0.044	2.03	9.6	33.6
843RJC0012		0.84	0.39	25.5	5	26	6.03	193.5	3.42	17.75	0.15	0.2	0.063	2.22	12.8	17.5
843RJC0013		0.2	0.31	27.3	6.1	26	7.28	923	3.96	17.65	0.15	0.2	0.315	2.35	12	18.8
843RJC0014		1.2	0.29	26.8	6.1	27	4.77	31.9	2.19	17.2	0.15	0.2	0.045	1.95	12.7	18.8
843RJC0015		0.6	0.39	22.7	6.3	29	5.33	81.3	2.37	14.5	0.12	0.2	0.053	2.14	8.9	14.7
843RJC0016		0.92	2.11	21.6	8.5	29	9.7	1210	2.04	18.25	0.17	0.2	0.252	1.8	11.1	13.5
843RJC0017		0.71	0.6	27	10	29	6.64	368	2.14	17.1	0.13	0.2	0.12	1.56	11.5	16.4
843RJC0018		0.15	0.85	11.95	14.5	28	11.85	118	3.02	16.1	0.13	0.2	0.085	1.96	4.8	7.5
843RJC0019		2.88	0.44	66.1	13.6	60	5.05	449	3.91	21.9	0.2	2.3	0.317	1.83	30.4	26.3
843RJC0020		3.05	4.89	66.4	10.2	47	14.4	7430	4.19	21.6	0.2	2.3	2.36	2.44	32.5	28.9
843RJC0021		1.06	1.02	22.8	8.7	28	8.78	723	1.98	17.1	0.13	0.2	0.089	1.92	9.5	21.6
843RJC0022		0.05	0.99	19.65	6.2	21	7.31	170.5	6.96	16.45	0.21	0.1	0.082	2.96	10.2	10.1
843RJC0023		0.87	4.87	13.3	10	27	11.5	32.1	2.11	18.05	0.17	0.1	0.141	2.4	7.6	8.5
843RJC0024		0.19	7.87	33.8	7	21	13.25	246	2.54	19	0.19	0.2	0.194	3.07	17.1	25.4
843RJC0025		0.87	0.16	16.6	11.1	36	5.27	299	2.14	19.25	0.17	0.2	0.493	1.16	6.1	12.5
843RJC0026		0.55	1.71	31.4	16.2	47	9.6	60.7	3.41	18.3	0.19	1	0.066	2.6	14.9	99.8
843RJC0027		1.7	1.47	24.7	7.4	20	8.19	17.6	2.25	15.95	0.15	1.1	0.036	2.42	11.6	74.9
843RJC0028		1.04	11.3	26.5	11.5	33	11.75	55	2.75	20.6	0.18	1.3	0.099	2.66	13.5	53.7
843RJC0029		2.36	0.36	30.4	14.3	23	10.9	14	3.31	17.4	0.17	1	0.043	2.06	12.8	80
843RJC0030		1	0.31	34.5	7.5	18	3.15	11.6	2.46	16.7	0.09	0.3	0.045	2.33	19.2	15.2
843RJC0031		0.7	0.17	24.2	4.1	18	1.33	37.7	2.52	21.9	0.08	0.4	0.07	0.83	12.5	11.5
843RJC0032		1.54	0.13	23.3	7.1	11	3.06	12.6	3.79	21.5	0.11	1.4	0.044	1.04	9.9	26.6
843RJC0033		3.54	0.07	27.2	16.7	10	0.59	37.5	4.09	21.1	0.11	2.4	0.043	1.57	11.6	25.5
843RJC0034		2.78	0.08	32.7	8.8	27	2.92	42.2	2.72	18.05	0.1	0.4	0.052	1.81	16.2	13.6
843RJC0035		1.54	0.23	31.6	14.5	10	1.21	126	5.64	16	0.14	0.1	0.064	0.91	14.3	17.5
843RJC0036		1.97	0.2	31.5	10.7	38	3.94	17.2	2.79	17.55	0.1	0.2	0.073	1.66	15.1	35.4
843RJC0037		0.76	0.02	23.6	94.9	32	3.8	83.9	7.07	16.9	0.15	0.2	0.107	3.32	12.1	11.8
843RJC0038		1.24	0.2	26	75.6	28	4.74	42.8	7.46	15.35	0.15	0.3	0.051	2.69	12.8	14.6
843RJC0039		0.93	0.09	26.3	32.2	37	6.65	45.8	4.93	16.15	0.12	0.3	0.088	3.29	13.1	14.7
843RJC0040		0.41	0.13	20.9	55.8	32	5	23.3	5.52	15.8	0.13	0.3	0.099	5.16	10.4	15.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
		0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2
843RJC0001		0.93	614	2.52	1.48	3	25.4	610	35.7	17.2	0.002	2.03	4.68	22.6	3	1.2
843RJC0002		2.58	1445	0.98	1.78	2.8	26.3	730	19	49.6	<0.002	1.99	1.24	32.5	4	1.4
843RJC0003		1.54	614	0.41	2.47	4.8	20.5	590	8.9	30	<0.002	0.02	0.46	19.3	2	1
843RJC0004		1.03	652	0.62	2.95	5.4	19.1	530	21.8	37.9	<0.002	0.01	1.08	12.3	2	0.8
843RJC0005		0.94	519	0.52	2	4.8	17.8	480	15.7	72.6	<0.002	<0.01	1.71	9.7	1	0.7
843RJC0006		0.41	705	2.39	1.85	4.8	22.2	520	18.7	67	<0.002	<0.01	6.52	15.3	2	0.9
843RJC0007		0.38	562	2.46	1.97	4.4	22.5	480	18.6	69.6	<0.002	<0.01	5.14	14.3	2	0.8
843RJC0008		0.32	743	2.5	1.66	4.2	19.8	520	12.2	80.3	0.003	<0.01	6.25	13	1	0.8
843RJC0009		0.58	612	1.89	1.7	4.3	21	530	17.4	66	0.002	<0.01	4.49	13.1	1	0.8
843RJC0010		1.13	635	0.8	1.46	4.6	21.3	560	13.6	43.7	0.002	<0.01	1.02	12.4	1	0.8
843RJC0011		1.22	1760	0.47	1.4	2.9	22.6	530	74.4	43.4	0.002	0.12	3.06	9.3	<1	0.6
843RJC0012		0.89	762	1.03	1.47	3.8	14.1	410	51.5	86.3	0.002	0.1	6.36	8.2	<1	4.6
843RJC0013		0.73	855	1.63	1.11	3.4	13.9	420	303	106.5	0.002	1.22	9.11	8	1	4.1
843RJC0014		1	557	0.47	2.55	4.5	17.7	450	19.9	58.2	0.002	0.01	1.38	8.9	<1	1.9
843RJC0015		1.05	978	0.55	2.11	3.5	15.7	450	42.1	71.9	0.002	0.06	1.4	7.8	<1	1.9
843RJC0016		0.8	1430	1.09	2.2	4.3	17.4	420	125.5	85.8	0.002	0.37	2.22	9.7	1	4.2
843RJC0017		0.97	808	0.88	2.63	4.1	17.4	450	39.5	66.9	0.002	0.21	2.79	8.6	<1	3.2
843RJC0018		0.45	595	6.47	2.31	3	9.6	350	94.5	100.5	0.002	0.12	3.17	8	1	3.9
843RJC0019		1.86	3480	0.69	1.73	3.1	53.1	1030	65.5	41.4	<0.002	0.01	2.97	13.7	1	0.9
843RJC0020		1.21	15100	1.11	0.83	2.8	42.5	890	2110	87.5	0.002	0.89	10	12.7	1	0.9
843RJC0021		0.77	2620	7.95	2.4	3.9	17.6	480	179	94.9	0.003	0.56	14.5	10.5	1	3.2
843RJC0022		0.37	406	1.5	0.1	3.1	11.5	340	267	124.5	0.002	4.72	5.51	7.8	3	11.5
843RJC0023		0.6	5440	0.73	1.82	3.7	18.7	450	281	126	0.002	0.73	4.17	8.7	1	3.4
843RJC0024		0.36	5740	0.99	0.54	4.1	20.9	400	346	163	0.003	0.6	85.6	8.7	1	3.3
843RJC0025		1.19	896	0.76	2.94	4.7	21.6	480	19.9	51	0.003	0.08	2.59	10.8	1	3.6
843RJC0026		0.41	961	2.08	1.59	2.8	31.9	590	120	119.5	0.003	0.32	24.9	13.2	1	0.8
843RJC0027		0.49	624	2.95	1.46	3.1	14.3	460	93.5	87.2	0.003	0.14	7.15	7.2	1	0.7
843RJC0028		0.82	1010	0.83	0.74	3.6	23.3	580	344	98.5	0.002	0.9	17.25	15.2	1	1
843RJC0029		1.51	715	0.57	1.5	3.3	17.1	680	23	52.4	0.002	0.21	3.98	14.7	1	1
843RJC0030		0.77	275	4.07	1.99	4.1	10.4	380	12	71.5	0.002	0.36	1.24	12.1	2	1.3
843RJC0031		0.95	419	5.13	4.05	4.7	7.5	340	33.5	27.2	0.002	0.21	1.38	13.5	2	2.1
843RJC0032		1.56	399	0.81	3.23	3.1	16.5	780	27	32.9	<0.002	2.05	1.35	9.3	3	0.9
843RJC0033		1.6	670	0.27	3.16	3.1	22.6	840	7	24.3	<0.002	0.01	1.03	14.4	2	0.9
843RJC0034		1.16	477	0.82	2.58	4.2	19.9	530	10.1	43.4	<0.002	0.01	0.55	10.6	2	1.1
843RJC0035		1.3	616	1.85	1.85	1.2	4.5	500	10.4	18.2	0.007	2.06	0.16	6.7	4	0.5
843RJC0036		1.32	677	7.2	2.98	3.8	25.4	590	104	40.8	0.004	0.35	2.72	12.1	2	1.4
843RJC0037		1.09	551	10.4	1.7	3.4	21.3	390	28.5	106.5	0.003	2.92	0.83	10.7	2	2.7
843RJC0038		1.02	453	6.42	2.13	3.7	22	470	44.4	89.6	<0.002	5.11	0.85	9.7	3	1.4
843RJC0039		1.13	769	8.16	1.74	3.9	18.7	520	108.5	107.5	<0.002	0.84	0.83	11.4	1	2.5
843RJC0040		1.16	1020	12.95	0.65	4.6	16.1	480	53.3	103	<0.002	2.05	1.39	10.8	2	3.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Sr	Ta	Te	Ti	Th	Tl	V	W	U	Y	Zn	Zr
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.05	0.05	0.005	0.2	0.02	1	0.1	0.1	0.1	2	0.5
843RJC0001		330	0.21	0.13	0.262	2.3	0.24	149	1.2	0.7	9.3	124	4.3
843RJC0002		265	0.22	1.57	0.407	1.2	0.66	166	0.6	0.4	13.7	253	0.8
843RJC0003		430	0.33	0.05	0.358	3.6	0.33	118	0.4	1.2	20.4	52	5.7
843RJC0004		442	0.41	<0.05	0.233	6.1	0.26	63	0.6	1.7	16	61	2.8
843RJC0005		170.5	0.4	<0.05	0.2	6	0.63	54	0.8	2	12.5	110	2.1
843RJC0006		137	0.37	<0.05	0.287	6.7	0.64	89	1	2	17.5	74	3.7
843RJC0007		143	0.34	<0.05	0.266	6.7	0.7	89	0.7	2.5	12.4	77	3.7
843RJC0008		67.7	0.33	<0.05	0.285	6.7	0.79	91	1	2.6	14.6	71	3.5
843RJC0009		137	0.33	<0.05	0.304	6.3	0.65	96	1.2	2.6	14.2	75	4.2
843RJC0010		307	0.38	<0.05	0.287	7	0.42	80	0.7	3.2	16.2	54	3.3
843RJC0011		211	0.25	<0.05	0.239	3.5	0.94	74	1.5	1.5	8.1	196	45.4
843RJC0012		173	0.38	0.48	0.18	8.7	1.14	58	10.4	2.7	9	85	3.5
843RJC0013		41.2	0.31	2.24	0.172	9.1	1.36	57	18.5	3.3	6.9	76	3.5
843RJC0014		297	0.4	0.07	0.216	9.8	0.75	57	1.5	2.5	10.3	80	3.6
843RJC0015		175.5	0.32	0.14	0.219	7.8	0.97	62	1.5	2.4	5.8	116	3
843RJC0016		137	0.37	0.17	0.211	8.3	1.1	57	2.9	2.7	22.7	241	3.7
843RJC0017		221	0.37	0.19	0.216	8.2	0.9	59	1.8	2.9	9.3	142	3.2
843RJC0018		106	0.26	0.68	0.16	6.2	1.21	54	10.6	7.1	7.7	174	3.5
843RJC0019		864	0.19	<0.05	0.352	9.2	0.68	110	2.5	2.3	11.7	195	71.4
843RJC0020		463	0.17	<0.05	0.307	9.5	1.22	96	8.7	3.1	11.6	383	74.4
843RJC0021		167.5	0.33	0.42	0.209	8	1.27	58	23.6	2.4	11.4	153	3.3
843RJC0022		15.7	0.29	1.74	0.133	8.8	1.63	52	25.8	3.4	5.7	161	2.8
843RJC0023		97.5	0.31	0.52	0.196	8.8	1.66	49	3.1	3.2	13.7	430	2.8
843RJC0024		23.2	0.39	0.47	0.182	10.3	2.31	56	3.3	4.8	10.8	533	3.1
843RJC0025		268	0.41	0.18	0.226	9	0.63	59	2.8	3.1	10.2	91	3.3
843RJC0026		125	0.23	0.16	0.214	4.3	1.95	93	1.9	2	10.9	226	29.8
843RJC0027		128	0.27	0.11	0.19	4.4	1.69	55	1.3	2	9	229	31.6
843RJC0028		89.7	0.28	0.35	0.281	4.2	1.5	96	2.9	1.9	14.6	602	37.4
843RJC0029		170.5	0.23	0.08	0.34	2.3	1.03	116	1.6	0.9	13.4	176	29.4
843RJC0030		213	0.34	0.18	0.24	6.4	0.64	88	0.9	2.2	13.4	45	5.3
843RJC0031		174.5	0.38	0.28	0.269	7.2	0.26	106	1	5.3	11	100	6.1
843RJC0032		627	0.17	0.78	0.404	1.4	0.34	125	0.4	1.1	6.3	61	37.6
843RJC0033		936	0.17	0.06	0.424	1.4	0.36	134	0.2	0.5	11.5	59	66.1
843RJC0034		480	0.32	<0.05	0.261	7.1	0.42	73	0.5	1.6	15.2	38	10.7
843RJC0035		175.5	0.08	1.19	0.216	4.3	0.17	66	0.5	0.7	15	101	1.3
843RJC0036		435	0.25	0.06	0.264	6.5	0.54	87	1.4	2.8	16.2	74	3.8
843RJC0037		260	0.22	0.96	0.233	4.7	1.08	94	188	1.9	8.7	83	2.5
843RJC0038		310	0.27	0.41	0.243	5.4	0.88	76	12.2	2.7	12.7	90	4.1
843RJC0039		305	0.26	0.88	0.259	5.5	1.23	88	46.3	2.5	10.9	140	3.4
843RJC0040		190.5	0.28	1.44	0.292	5	1.88	83	12.2	9.4	7.1	101	3.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP23	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Au ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm
		0.02	0.005	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2
843RJC0041		2.44	0.179	5	324	26.8	11.0	40	7.42	299	2.51	1.28	0.57	17.0	2.52	3.6
843RJC0042		2.36	<0.005	<1	710	32.4	15.3	60	2.08	36	3.57	2.12	1.00	17.4	3.78	5.0
843RJC0043		2.14	0.412	1	1860	39.2	1.4	10	2.56	17	2.27	1.47	0.68	15.7	2.91	4.4
843RJC0044		2.82	0.086	3	638	39.8	1.7	10	1.74	56	1.94	1.38	0.27	13.0	2.08	4.4
843RJC0045		2.08	<0.005	<1	501	38.1	101.5	30	1.67	8	4.05	2.24	1.47	18.9	4.78	3.8
843RJC0046		2.58	0.040	<1	966	43.3	9.3	10	1.26	19	2.40	1.48	0.60	14.9	2.90	4.9
843RJC0047		2.80	<0.005	<1	838	53.3	7.7	10	1.46	21	3.70	2.20	1.14	17.6	4.29	5.7
843RJC0048		2.12	<0.005	<1	518	35.1	4.4	10	2.69	6	2.56	1.62	0.84	15.5	3.02	4.7
843RJC0049		2.64	<0.005	<1	836	37.3	1.5	10	1.52	8	1.85	1.31	0.58	16.5	2.25	6.5
843RJC0050		2.02	<0.005	<1	1135	54.2	11.8	10	1.38	<5	3.45	2.12	1.20	19.7	4.57	7.1
843RJC0051		2.38	<0.005	<1	1060	68.3	4.0	10	1.66	6	3.58	2.31	1.26	18.2	4.61	7.1
843RJC0052		1.98	<0.005	<1	839	58.3	10.4	30	1.96	8	5.80	3.51	1.41	18.9	6.06	9.7
843RJC0053		2.90	0.077	<1	513	43.8	10.2	40	3.17	436	4.14	2.26	1.19	19.9	4.80	4.7
843RJC0054		2.14	0.005	<1	1015	57.4	13.3	30	2.29	20	5.13	3.05	1.32	18.5	5.43	8.5
843RJC0055		2.10	0.005	<1	837	35.2	3.2	10	2.29	11	2.91	1.90	0.53	14.9	2.79	7.0
843RJC0056		2.26	<0.005	<1	955	36.6	2.4	10	2.19	8	2.29	1.54	0.55	13.2	2.71	7.9
843RJC0057		2.54	<0.005	<1	924	54.5	7.5	20	2.19	<5	3.28	2.19	1.00	18.1	4.28	6.2
843RJC0058		2.32	<0.005	<1	806	54.7	6.0	20	3.02	10	2.87	1.90	0.90	16.9	3.97	6.7
843RJC0059		2.34	<0.005	<1	669	48.8	12.7	30	2.65	30	3.17	1.95	1.06	18.9	4.26	5.0
843RJC0060		2.18	<0.005	<1	836	47.0	4.5	20	2.51	8	2.47	1.77	0.80	16.7	3.24	5.8
843RRS0001		0.70	0.005	<1	475	35.5	31.6	30	1.54	10	3.97	2.39	0.89	12.1	4.22	5.6
843RRS0002		1.56	0.006	<1	768	61.9	17.0	30	2.81	35	5.13	3.09	1.27	19.3	5.88	8.6
843RRS0003		2.48	<0.005	<1	803	47.8	5.7	20	2.70	11	2.72	1.73	0.81	15.7	3.55	5.5
843RRS0004		1.62	0.032	<1	566	53.8	9.0	20	2.76	110	3.82	2.34	0.93	18.6	4.77	6.8
843RRS0005		2.00	0.007	<1	419	12.5	18.3	10	0.93	31	1.48	1.01	0.45	13.2	1.63	1.7
843RRS0006		2.10	0.022	<1	1250	21.4	31.8	150	1.26	85	3.08	1.89	1.04	20.6	3.20	2.7
843RRS0007		1.90	0.006	<1	440	22.8	56.0	40	0.81	80	2.79	1.69	0.93	16.4	3.14	2.3
843RRS0008		2.48	0.021	1	14.9	1.3	89.1	20	0.09	418	0.15	0.13	0.04	1.3	0.22	0.5
843RGB0001		1.84	0.009	<1	449	23.8	10.9	10	2.01	7	5.88	3.76	1.37	19.0	5.29	3.7
843RGB0002		2.34	0.020	2	811	34.1	16.4	50	9.86	30	2.76	1.69	0.86	17.3	3.21	3.8
843RJL0001		2.56	0.284	2	941	31.5	28.3	20	2.15	1100	2.76	1.74	0.64	16.9	3.14	3.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
843RJC0041		0.46	13.2	0.21	23	4.5	12.5	22	301	3.17	117.5	2.70	3	77.9	0.5	0.38
843RJC0042		0.68	15.6	0.29	<2	4.8	16.7	37	13	3.98	41.0	3.82	1	441	0.3	0.54
843RJC0043		0.47	21.0	0.27	4	7.7	16.0	<5	137	4.56	145.5	2.80	3	24.3	0.7	0.40
843RJC0044		0.39	20.4	0.28	4	7.6	13.9	<5	26	4.19	102.5	2.36	5	10.9	0.8	0.32
843RJC0045		0.77	16.3	0.34	2	4.9	21.9	12	9	5.16	35.0	4.61	2	633	0.3	0.65
843RJC0046		0.47	20.9	0.26	3	6.4	17.1	5	12	4.70	53.1	2.98	1	261	0.6	0.37
843RJC0047		0.70	25.5	0.36	4	7.7	25.2	5	12	6.31	51.8	5.05	2	406	0.6	0.57
843RJC0048		0.55	16.6	0.28	2	6.3	17.8	7	14	4.30	73.1	3.65	4	193.5	0.5	0.47
843RJC0049		0.43	18.2	0.33	4	7.4	15.2	<5	25	4.18	56.1	2.73	2	117.5	0.6	0.31
843RJC0050		0.60	27.0	0.32	3	8.0	23.3	8	16	6.18	59.0	4.55	2	442	0.6	0.61
843RJC0051		0.74	34.1	0.37	10	8.3	30.0	7	16	7.90	67.9	5.02	2	368	0.6	0.64
843RJC0052		1.14	26.5	0.54	<2	9.8	29.7	21	13	7.29	51.4	6.87	2	294	0.6	0.93
843RJC0053		0.80	21.1	0.35	2	6.3	22.8	40	12	5.46	82.1	4.84	1	431	0.4	0.69
843RJC0054		1.06	27.3	0.50	3	9.0	28.1	18	11	7.17	68.6	6.26	3	273	0.6	0.81
843RJC0055		0.60	17.4	0.40	4	7.8	15.4	<5	7	4.11	89.2	2.96	7	157.5	0.6	0.45
843RJC0056		0.44	17.4	0.33	2	7.2	16.3	<5	5	4.39	99.9	2.99	7	156.5	0.6	0.35
843RJC0057		0.70	26.8	0.36	2	7.3	24.7	9	11	6.51	68.4	4.64	2	369	0.6	0.65
843RJC0058		0.59	26.9	0.33	7	7.0	23.3	8	15	6.44	70.9	4.15	1	344	0.5	0.55
843RJC0059		0.63	22.7	0.31	2	6.1	23.0	7	12	5.90	57.9	4.48	2	543	0.4	0.58
843RJC0060		0.52	24.2	0.31	6	7.1	19.4	7	12	5.37	73.8	3.39	2	312	0.7	0.45
843RRS0001		0.83	16.2	0.31	3	6.2	18.1	29	8	4.48	42.1	3.84	4	101.5	0.4	0.69
843RRS0002		1.03	29.3	0.47	2	9.9	29.7	19	16	7.66	69.6	5.90	3	292	0.7	0.90
843RRS0003		0.55	24.0	0.29	10	6.7	20.2	7	12	5.53	74.9	3.64	3	255	0.6	0.50
843RRS0004		0.74	26.1	0.36	5	7.2	24.6	11	12	6.43	109.0	4.65	3	112.0	0.5	0.68
843RRS0005		0.32	5.9	0.17	6	1.6	6.8	10	14	1.60	23.2	1.48	1	176.5	0.1	0.26
843RRS0006		0.63	10.7	0.30	<2	2.8	12.6	29	9	2.80	38.9	2.97	2	414	0.2	0.49
843RRS0007		0.57	10.8	0.23	<2	3.1	13.7	21	6	3.06	8.9	2.99	1	388	0.2	0.48
843RRS0008		<0.01	1.2	<0.01	<2	0.2	0.7	126	7	0.16	2.1	0.19	<1	10.3	<0.1	0.02
843RGB0001		1.23	10.4	0.55	<2	3.2	16.2	<5	11	3.41	26.8	4.52	1	334	0.2	0.92
843RGB0002		0.55	17.7	0.24	5	3.8	16.4	27	256	4.07	130.0	3.34	1	68.2	0.3	0.47
843RJL0001		0.56	16.2	0.24	2	4.3	14.7	11	8	3.76	83.3	3.06	2	327	0.4	0.45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01
843RJC0041		7.02	1.1	0.19	4.97	90	13	11.8	1.32	274	118	66.9	14.30	7.16	0.67	2.12
843RJC0042		5.70	<0.5	0.26	2.42	118	<1	17.4	1.89	80	176	63.0	15.75	4.95	4.84	2.68
843RJC0043		11.20	1.0	0.23	3.51	28	12	13.6	1.66	91	137	74.3	12.35	4.04	0.03	0.50
843RJC0044		13.00	0.6	0.19	2.34	7	6	10.9	1.67	58	103	78.5	11.35	3.35	0.02	0.32
843RJC0045		4.55	<0.5	0.28	2.14	176	2	19.1	2.16	62	125	57.0	15.50	8.14	5.49	3.14
843RJC0046		13.65	<0.5	0.21	4.98	37	2	12.4	1.73	37	162	72.2	13.95	3.07	0.38	0.84
843RJC0047		9.20	<0.5	0.27	3.49	60	14	17.1	2.00	48	201	68.1	15.10	3.02	1.58	1.05
843RJC0048		6.90	0.5	0.21	4.20	82	5	13.4	1.75	50	166	67.0	15.60	3.79	0.68	1.44
843RJC0049		8.51	<0.5	0.19	2.89	54	4	10.9	1.79	38	259	70.2	15.25	2.62	0.19	0.76
843RJC0050		8.87	<0.5	0.28	3.94	62	8	16.9	2.12	42	297	65.5	15.70	3.70	1.40	1.35
843RJC0051		8.72	<0.5	0.32	3.90	57	18	17.7	2.31	50	278	67.0	15.70	3.21	1.41	1.27
843RJC0052		7.24	<0.5	0.47	2.91	97	2	29.1	3.44	57	366	64.9	14.60	4.54	2.24	2.20
843RJC0053		6.37	<0.5	0.31	3.84	114	4	19.2	2.07	67	163	61.7	15.35	6.40	1.68	3.09
843RJC0054		8.69	<0.5	0.43	4.24	93	6	24.4	3.15	34	315	65.8	14.95	5.15	1.05	2.02
843RJC0055		8.60	0.6	0.27	3.56	71	5	15.5	2.07	19	238	70.2	15.30	3.95	0.67	0.92
843RJC0056		9.09	0.7	0.22	3.49	70	8	11.1	1.82	17	261	69.5	15.15	4.05	0.63	0.64
843RJC0057		13.05	<0.5	0.34	5.21	73	4	19.2	2.27	30	226	68.9	14.70	3.53	2.21	1.42
843RJC0058		12.10	<0.5	0.31	4.25	67	3	16.5	1.94	47	244	69.2	14.60	3.29	2.13	1.26
843RJC0059		7.48	<0.5	0.30	2.87	143	2	17.2	1.97	75	177	63.5	15.85	5.19	3.98	2.38
843RJC0060		16.30	0.5	0.29	7.50	60	3	14.8	1.84	27	206	70.3	14.15	3.04	1.58	1.10
843RRS0001		4.33	<0.5	0.37	2.36	64	3	22.7	2.22	26	219	60.8	9.87	13.70	0.54	0.92
843RRS0002		8.86	<0.5	0.50	4.22	93	7	28.2	3.18	41	346	65.4	14.70	4.31	1.42	1.74
843RRS0003		14.30	0.5	0.27	5.15	60	12	15.2	1.88	33	199	69.1	14.20	3.55	1.34	0.91
843RRS0004		11.10	0.7	0.39	6.06	71	13	21.2	2.41	95	249	67.7	14.30	4.75	0.68	1.38
843RRS0005		1.33	1.7	0.16	4.20	129	3	8.5	1.13	323	59	52.2	14.55	13.05	3.36	0.46
843RRS0006		1.92	<0.5	0.29	1.23	201	2	17.1	1.91	120	91	53.7	15.80	11.80	5.75	3.03
843RRS0007		1.77	<0.5	0.24	0.90	211	5	14.5	1.51	74	80	56.7	16.85	7.58	3.71	4.21
843RRS0008		0.10	<0.5	<0.01	0.12	14	7	0.8	0.13	27	22	63.7	1.02	25.5	0.16	0.35
843RGB0001		2.52	<0.5	0.55	1.27	105	1	32.8	3.70	137	119	62.4	15.45	6.92	5.07	2.05
843RGB0002		7.62	1.5	0.25	3.41	97	3	15.3	1.76	377	129	67.5	15.45	4.77	0.24	0.54
843RJL0001		7.49	0.6	0.24	3.15	92	3	15.9	1.76	64	126	65.5	15.50	4.80	3.41	1.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm
843RJC0041		0.64	3.82	0.01	0.51	0.33	0.12	0.01	0.04	3.80	8.36	7.31	30.5	310	0.92	10.6
843RJC0042		3.23	1.98	0.01	0.62	0.09	0.15	0.06	0.08	1.27	0.11	8.21	0.5	650	0.86	0.19
843RJC0043		0.34	3.71	<0.01	0.30	0.03	0.04	<0.01	0.21	2.75	1.97	6.48	1.6	1830	1.36	4.48
843RJC0044		0.14	3.59	<0.01	0.15	0.02	0.01	<0.01	0.07	2.37	4.38	5.74	15	620	1.16	9.85
843RJC0045		3.68	1.70	<0.01	1.00	0.13	0.25	0.08	0.05	2.36	0.12	8.31	2.3	470	1.13	0.78
843RJC0046		3.38	3.38	<0.01	0.37	0.04	0.09	0.03	0.11	1.95	0.27	7.1	4	920	1.34	1.72
843RJC0047		4.42	2.85	<0.01	0.69	0.03	0.17	0.05	0.09	1.84	0.13	7.67	1.6	800	1.62	0.8
843RJC0048		2.13	2.85	<0.01	0.75	0.03	0.15	0.02	0.06	3.60	0.15	7.88	0.4	550	1.34	0.73
843RJC0049		4.87	2.90	<0.01	0.55	0.01	0.11	0.01	0.09	2.22	0.29	7.6	0.4	810	1.47	0.65
843RJC0050		4.94	2.73	<0.01	0.57	0.03	0.26	0.06	0.13	2.23	0.09	7.54	1.1	1000	1.84	0.75
843RJC0051		4.83	3.35	<0.01	0.60	0.05	0.19	0.05	0.12	1.36	0.08	7.97	0.9	1000	1.8	0.44
843RJC0052		4.20	2.75	<0.01	0.85	0.12	0.20	0.04	0.09	1.37	0.06	7.69	0.8	790	1.78	0.31
843RJC0053		4.99	2.29	0.01	0.75	0.05	0.26	0.06	0.05	1.64	0.17	8.2	1.5	490	1.73	0.2
843RJC0054		4.56	3.04	<0.01	0.81	0.03	0.20	0.03	0.11	2.75	0.08	7.37	1.1	890	1.63	0.58
843RJC0055		1.55	3.70	<0.01	0.62	0.01	0.11	0.02	0.09	2.94	0.08	7.25	0.3	750	1.29	1.03
843RJC0056		1.47	4.47	<0.01	0.63	0.01	0.09	0.02	0.10	3.04	0.03	7.69	0.6	880	1.21	0.69
843RJC0057		4.07	3.39	<0.01	0.54	0.03	0.14	0.04	0.10	1.16	0.03	7.15	0.2	860	1.55	0.14
843RJC0058		4.09	3.48	<0.01	0.52	0.04	0.13	0.04	0.08	0.78	0.09	6.62	0.6	700	1.48	0.35
843RJC0059		4.13	2.55	<0.01	0.78	0.08	0.17	0.06	0.06	0.59	0.09	7.67	0.7	610	1.38	0.18
843RJC0060		3.87	3.56	<0.01	0.45	0.02	0.12	0.04	0.08	1.38	0.05	7.29	0.5	820	1.61	0.24
843RRS0001		1.74	2.21	<0.01	0.52	0.04	0.10	0.01	0.04	8.04	0.07	5.3	1.6	80	1.04	0.27
843RRS0002		5.00	2.78	<0.01	0.81	0.03	0.17	0.03	0.07	2.27	0.09	7.39	0.6	720	1.69	0.49
843RRS0003		3.12	3.39	<0.01	0.43	0.03	0.11	0.03	0.08	2.07	0.07	7.17	<0.2	790	1.51	0.26
843RRS0004		1.75	3.65	<0.01	0.54	0.06	0.13	0.01	0.05	3.61	0.3	7.24	0.4	530	1.57	5.08
843RRS0005		3.93	1.92	<0.01	0.50	0.04	0.15	0.02	0.05	10.00	0.15	6.47	172.5	80	0.44	0.11
843RRS0006		2.11	1.98	0.02	0.76	0.12	0.16	0.05	0.13	3.33	0.2	7.78	4.3	900	0.63	0.42
843RRS0007		6.68	0.65	0.01	0.83	0.13	0.18	0.04	0.04	2.83	0.12	7.75	22.8	420	0.61	0.3
843RRS0008		0.19	0.09	<0.01	0.03	0.02	0.10	<0.01	<0.01	8.67	2.15	0.54	3.2	20	<0.05	0.07
843RGB0001		4.45	1.28	<0.01	0.90	0.17	0.17	0.04	0.04	0.58	0.05	7.72	3.4	440	0.78	0.47
843RGB0002		2.06	3.68	0.01	0.49	0.10	0.12	0.01	0.08	3.62	4.42	7.81	48.3	810	0.65	1.6
843RJL0001		3.11	3.30	<0.01	0.42	0.05	0.09	0.04	0.10	1.57	2.85	7.43	11.1	940	0.84	1.86



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - E

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm
		0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2
843RJC0041		0.5	1.71	31.5	10.1	33	8.82	385	4.93	18.05	0.13	0.3	1.49	3.07	15.5	26.4
843RJC0042		3.54	0.12	36.7	14.4	48	2.48	36.3	3.54	18.45	0.12	0.3	0.061	1.62	17.3	17.9
843RJC0043		0.03	0.15	43.8	1.3	7	2.98	16.4	2.88	15.8	0.1	0.1	1.57	3.15	24	24.9
843RJC0044		0.02	0.37	45.8	1.6	7	1.93	60.2	2.29	13.65	0.1	0.3	0.57	2.74	24.2	14
843RJC0045		3.95	0.05	47.2	88.9	26	2.09	7.2	5.43	19.7	0.16	0.7	0.145	1.48	20.6	8.1
843RJC0046		0.29	0.09	49.3	8.7	8	1.58	20.1	2.15	16.2	0.1	2.2	0.09	2.67	24.6	16.1
843RJC0047		1.16	0.04	61.5	7.7	8	1.79	21.8	2.12	18.9	0.13	0.4	0.04	2.34	30.8	12.7
843RJC0048		0.49	0.1	47.5	4.3	14	3.63	6.8	2.65	18	0.12	0.2	0.062	2.34	22.9	17.4
843RJC0049		0.14	0.02	44.1	1.4	8	1.79	7.9	1.79	17.4	0.1	0.2	0.041	2.29	22.5	11.1
843RJC0050		0.96	0.09	63.6	11	9	1.65	2.9	2.53	20.5	0.12	0.2	0.025	2.31	31.6	18.3
843RJC0051		1.02	0.06	79	3.7	8	1.97	4.9	2.24	19.45	0.13	0.2	0.058	2.69	39.2	17.9
843RJC0052		1.65	0.11	69.2	10.2	27	2.4	8	3.19	20	0.15	0.4	0.077	2.26	32	18.1
843RJC0053		1.3	0.04	57.5	10.2	40	4.03	461	4.63	21.8	0.16	0.9	0.189	1.88	28.4	44.3
843RJC0054		0.74	0.05	66.5	12.2	26	2.8	21.7	3.48	19.3	0.14	0.4	0.027	2.38	31.9	16.2
843RJC0055		0.48	<0.02	38.6	2.8	12	2.54	11.3	2.61	14.9	0.12	0.3	0.037	2.77	19.5	16
843RJC0056		0.48	<0.02	42	2.3	11	2.55	8.1	2.82	13.6	0.12	0.4	0.019	3.62	20.8	16.5
843RJC0057		1.44	0.02	52.2	7	15	2.23	3.4	2.42	18.05	0.12	0.4	0.018	2.65	25.1	23
843RJC0058		1.35	0.04	49.8	5.4	12	2.94	9	2.1	16.15	0.11	0.3	0.031	2.42	24	22.4
843RJC0059		2.75	0.11	43.5	11.7	23	2.74	29.5	3.55	18.85	0.13	0.5	0.049	1.94	19.5	22.6
843RJC0060		1.13	0.02	48	4.2	13	2.67	7.6	2.23	17.05	0.11	0.2	0.017	2.84	24.6	17.7
843RRS0001		0.41	0.07	34	29.4	20	1.64	10.7	9.81	11.95	0.22	0.2	0.023	1.73	14.4	14.5
843RRS0002		1	0.06	65.8	16.4	27	3.02	39.8	3.11	20.2	0.15	0.3	0.037	2.17	31.2	16.1
843RRS0003		0.99	0.04	51.1	5.3	13	2.97	11	2.67	16.35	0.12	0.1	0.017	2.72	25.8	20.2
843RRS0004		0.51	0.15	55.4	8	14	2.85	137.5	3.47	18.65	0.15	0.2	0.624	2.8	26.9	29.1
843RRS0005		2.13	0.95	12.15	17.9	6	1.01	37.6	8.22	13.9	0.18	0.7	0.042	1.45	5.3	2.7
843RRS0006		4.15	0.16	19.75	29.1	109	1.24	103	8.05	20.3	0.12	<0.1	0.19	1.51	8.9	11.1
843RRS0007		2.51	0.03	18.45	48.3	29	0.74	88.9	5.1	15.75	0.09	0.1	0.064	0.49	7.6	12
843RRS0008		0.1	0.35	1.18	92.9	16	0.1	552	17.95	1.35	0.27	<0.1	0.008	0.07	0.7	3.7
843RGB0001		3.55	0.18	22.4	10.9	8	2	10.1	4.78	19.2	0.1	0.2	0.098	1.03	8.9	8.4
843RGB0002		0.18	2.99	32.1	15.3	41	9.58	30.7	3.34	16.75	0.08	0.6	0.054	2.82	15.9	14.9
843RJL0001		2.31	0.34	27.7	28	17	2.11	1245	3.24	16.85	0.1	<0.1	0.085	2.64	13.1	16.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - F

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
		0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2
843RJC0041		1.21	2380	27.8	0.46	3.9	18.8	480	334	124.5	<0.002	1.58	5.5	11.2	2	3.6
843RJC0042		1.52	678	1.34	2.45	5	31.6	630	12.9	37.3	<0.002	0.01	0.2	14.9	2	1.1
843RJC0043		0.27	218	3.72	0.27	4.5	1.6	210	164	147.5	<0.002	0.07	3.01	3	1	2.8
843RJC0044		0.16	137	4.75	0.1	4.4	0.9	40	29.8	108.5	<0.002	0.85	9.59	0.9	2	5.9
843RJC0045		1.79	966	1.39	2.91	4.6	10.6	1030	9	37.2	<0.002	1.46	0.78	20.7	2	3
843RJC0046		0.46	282	4.23	2.44	3.6	4.9	400	13.6	56.7	<0.002	0.71	0.58	4.1	1	0.8
843RJC0047		0.6	246	3.8	3.25	4.9	4.9	660	13.9	55.4	<0.002	0.78	0.41	6.8	2	1.9
843RJC0048		0.85	187	1.75	1.48	3.1	7.5	690	21	84.8	<0.002	0.68	0.51	10.6	2	4.7
843RJC0049		0.41	89	4.16	3.47	2.1	2.6	440	29.6	61.9	<0.002	0.12	0.42	5.6	2	1.5
843RJC0050		0.78	192	2.67	3.89	3.5	7.6	1080	16.6	62.2	0.003	1.84	0.4	4.8	2	1.1
843RJC0051		0.7	350	11.15	3.49	5.1	6.9	830	15.4	71.9	<0.002	0.03	0.36	5.9	2	1.3
843RJC0052		1.26	902	0.89	3.17	7.5	19.7	850	13.2	55.1	<0.002	0.34	0.32	12.7	2	1.9
843RJC0053		1.77	391	2.11	3.62	3.8	39.8	1160	12	90.3	<0.002	0.13	0.52	13	2	1.1
843RJC0054		1.11	221	3.04	3.25	3.7	16.6	750	10.3	71	<0.002	1.65	0.36	11.1	2	1.6
843RJC0055		0.47	86	4.08	1.01	3.5	4.8	420	6.2	87.6	<0.002	0.87	0.23	7.3	3	6.8
843RJC0056		0.35	68	2.64	1.03	3.6	3.3	390	5	103.5	<0.002	0.8	0.23	7.8	3	6.7
843RJC0057		0.77	225	1.52	2.8	4.2	8.3	590	9.9	67.3	<0.002	0.74	0.26	8.4	1	1.4
843RJC0058		0.62	295	6.21	2.51	5.1	6.7	490	13.2	65.7	<0.002	0.14	0.3	7.1	1	1.1
843RJC0059		1.26	610	1.78	2.79	5.2	8.1	700	10.9	50.2	<0.002	0.06	0.2	15.3	2	1.5
843RJC0060		0.62	181	6.43	2.7	3.7	6.1	510	10.8	76.6	0.015	0.72	0.17	6.8	2	1.6
843RRS0001		0.52	288	2.84	1.2	2.4	27.1	480	6	43.2	0.002	9.88	0.62	7	6	3
843RRS0002		0.99	188	2.12	3.42	4.6	18.5	750	14.7	72.4	<0.002	1.57	0.38	12.3	2	1.7
843RRS0003		0.52	198	9.7	2.19	4	6.6	500	11	79.2	0.027	1.21	0.18	6.7	2	2.3
843RRS0004		0.77	428	4.95	1.18	2.9	9.7	590	11.7	109.5	0.007	1.64	0.72	7.9	2	2.1
843RRS0005		0.22	272	6.42	2.5	1.7	10.3	430	13.7	23.1	0.015	9.23	3.54	14.1	1	0.6
843RRS0006		1.64	877	0.96	1.43	2.7	28	720	8.4	28.6	0.006	3.01	1.51	24.7	3	1.7
843RRS0007		2.32	941	0.76	4.54	2.8	19.7	800	3.9	4.5	0.005	1.26	4.41	21.3	1	1.1
843RRS0008		0.18	108	0.59	0.11	0.3	143	230	2	2.1	0.034	9.15	0.32	0.7	23	<0.2
843RGB0001		1.11	1260	0.72	3.13	3.2	1.1	800	8.9	22.7	0.005	0.17	1.44	25.7	2	1.1
843RGB0002		0.3	765	4.07	1.39	3	25.2	490	266	123	0.006	0.23	16.4	11.1	1	1.2
843RJL0001		0.88	351	1.49	2.19	4.3	11.5	390	8.7	72.2	0.005	0.67	0.77	11.1	2	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - G

Total # Pages: 3 (A - G)

Plus Appendix Pages

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Sr	Ta	Te	Ti	Th	Tl	V	W	U	Y	Zn	Zr
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.05	0.05	0.005	0.2	0.02	1	0.1	0.1	0.1	2	0.5
843RJC0041		81.2	0.33	0.49	0.25	6.3	1.51	85	12.5	4.6	11.2	300	3.7
843RJC0042		453	0.31	0.05	0.364	5.2	0.38	111	0.7	1.8	18.6	81	4.6
843RJC0043		27.2	0.35	0.18	0.122	11.2	1.63	28	8.6	2.4	4.6	81	1.9
843RJC0044		12.8	0.42	0.12	0.055	12.2	1.23	8	6.3	1	2.9	59	4.8
843RJC0045		655	0.27	0.11	0.519	3.9	0.39	161	2	1.3	20.9	54	10.4
843RJC0046		262	0.3	0.11	0.113	12.8	0.65	33	1.3	4	10.4	33	57.6
843RJC0047		405	0.3	0.37	0.246	8.7	0.59	52	7.9	2.3	16.9	42	8.1
843RJC0048		215	0.18	0.08	0.228	6.9	1.09	84	2.8	3.9	10.5	47	3.9
843RJC0049		125.5	0.14	0.09	0.113	7.2	0.81	49	1.6	1.1	5.2	24	4.5
843RJC0050		435	0.16	0.12	0.174	7.1	0.81	55	0.9	2.5	15.4	35	3.6
843RJC0051		368	0.26	0.08	0.249	7.2	0.92	55	5.2	2	15.6	44	5.3
843RJC0052		297	0.4	0.07	0.366	6.7	0.5	88	0.5	2	26.7	52	5.9
843RJC0053		447	0.2	0.14	0.331	5.2	1.06	115	0.4	2.8	19.2	66	26.6
843RJC0054		264	0.22	0.41	0.201	7.8	0.72	80	2.5	2.8	14.7	23	8.2
843RJC0055		151	0.25	0.13	0.164	7.6	1.37	63	2.4	2.6	8	12	5.4
843RJC0056		158.5	0.25	0.09	0.188	8.2	1.23	65	3.4	2.1	6	6	6.3
843RJC0057		340	0.31	<0.05	0.249	11.2	0.57	65	0.6	3.2	13.6	18	8.4
843RJC0058		299	0.35	<0.05	0.237	10.1	0.63	55	0.9	2.5	14.6	30	5.6
843RJC0059		513	0.31	<0.05	0.41	6	0.52	126	0.9	1.6	15.7	59	9
843RJC0060		304	0.26	0.06	0.171	14.8	0.81	53	0.5	4.9	8.7	18	3.6
843RRS0001		95.6	0.13	0.16	0.138	3.3	0.44	58	1	1.3	19.9	15	3.2
843RRS0002		271	0.27	0.26	0.241	8.2	0.71	80	2.3	2.8	22.8	26	5.5
843RRS0003		248	0.27	<0.05	0.178	13.4	0.83	56	0.5	3.8	11.6	26	2.7
843RRS0004		110.5	0.19	0.16	0.156	10	0.95	59	4.5	4.2	10.7	78	4.9
843RRS0005		172.5	0.1	0.11	0.25	1	2.11	123	0.4	2.6	8.1	306	18
843RRS0006		395	0.18	0.41	0.453	1.4	0.21	181	0.6	0.8	14	108	1.5
843RRS0007		358	0.17	0.07	0.472	1.1	0.08	194	0.3	0.4	11.9	61	5
843RRS0008		10.5	<0.05	0.79	0.017	<0.2	<0.02	14	0.2	0.1	0.8	17	1.6
843RGB0001		332	0.21	0.1	0.539	1.6	0.33	101	0.3	0.6	30.8	118	6.1
843RGB0002		63.1	0.25	0.35	0.241	5.6	1.99	90	1.5	2.2	9	347	21
843RJL0001		321	0.37	0.67	0.251	5.7	1.12	88	0.7	1.6	13.7	52	3.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 6-AUG-2008

Account: RLH

Project: 843

CERTIFICATE OF ANALYSIS VA08089787

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 2-AUG-2008
Account: RLH

CERTIFICATE VA08095047

Project: 677

P.O. No.: 085803

This report is for 15 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095047

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803523		0.53	0.003	<0.005	0.001	0.16	7.5	8.8	680	0.99	0.15	2.76	0.14	30.5	11.5	31
803524		0.54	0.003	<0.005	<0.001	0.09	7.1	5.3	670	1.02	0.18	2.74	0.19	28.9	11.2	30
803525		0.68	0.002	<0.005	<0.001	0.21	7.09	5.1	670	1	0.21	2.56	0.21	29.5	11.5	31
803526		0.42	0.002	<0.005	0.001	0.15	7.19	4.3	720	0.98	0.14	2.39	0.3	29.6	11.1	30
803527		0.97	0.003	<0.005	<0.001	0.18	7.4	8.2	750	0.93	0.16	2.53	0.17	29.1	11.4	32
803528		0.86	0.002	<0.005	<0.001	0.35	7.95	7.6	800	1.09	0.09	2.3	0.18	30.9	11.4	33
803529		0.88	0.002	<0.005	<0.001	0.34	8.22	6.1	710	1.08	0.12	3.13	0.14	32.1	12.6	35
803530		0.79	0.002	<0.005	<0.001	0.22	7.83	4.9	700	1.06	0.08	2.66	0.13	29.8	11.4	34
803531		0.95	0.002	<0.005	0.001	0.1	7.9	4.2	760	1.13	0.08	2.61	0.11	32	8.4	28
803541		0.38	0.004	<0.005	<0.001	0.05	4.56	1.5	410	0.66	0.04	1.92	0.03	20.2	6	23
803542		0.33	0.002	<0.005	<0.001	0.03	7.66	1	680	0.94	0.04	3.15	0.07	37.5	10.3	40
803543		0.31	0.003	<0.005	<0.001	0.04	7.56	1.1	690	1.23	0.06	3.1	0.05	33.5	10.1	34
803544		0.34	0.002	<0.005	<0.001	0.05	7.28	0.7	670	0.99	0.05	3.12	0.07	27.9	11.4	33
803545		0.35	0.002	<0.005	<0.001	0.07	7.27	0.6	740	0.91	0.06	3	0.07	31.1	10.2	35
803546		0.35	0.002	<0.005	<0.001	0.11	7.39	0.3	800	1.04	0.05	3.11	0.07	27.4	10.7	34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095047

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803523		1.94	47.4	3.02	19	0.15	0.3	0.039	1.78	13.9	23.7	1.28	703	1.43	2.63	4.7
803524		1.78	29.8	2.84	19.05	0.15	0.3	0.038	1.71	13.1	20.3	1.17	607	1.32	2.51	5
803525		1.56	36	2.78	19.75	0.15	0.3	0.04	1.76	13.2	24.7	1.16	588	1.56	2.65	4.9
803526		2.44	37	2.84	19.95	0.16	0.3	0.04	1.94	13.5	26.8	1.14	676	1.76	2.58	4.7
803527		2.25	39.8	2.96	20	0.17	0.3	0.039	2.02	13.2	25.2	1.21	659	1.89	2.69	4.8
803528		2.47	72.9	2.97	17.15	0.08	0.3	0.042	2.13	14.5	31.7	1.28	882	1.47	2.71	4.5
803529		1.43	42.6	3.14	18.95	0.09	0.3	0.044	1.73	14.5	24.7	1.32	683	1.7	2.83	4.9
803530		1.59	43.7	2.97	17.4	0.08	0.3	0.043	1.77	13.8	22.4	1.26	651	1.09	2.79	4.5
803531		1.64	29.5	2.6	17	0.06	0.2	0.023	1.43	14.9	23.4	0.96	835	0.88	2.85	3.7
803541		1.2	5.1	1.89	9.68	0.05	0.2	0.032	1.04	9.3	9.5	0.8	331	0.47	1.49	3
803542		2.11	7	3.25	16.9	0.08	0.4	0.046	1.77	17.5	16.5	1.4	557	0.47	2.52	5.2
803543		2.05	6.8	3.18	16.8	0.09	0.4	0.042	1.8	15.2	16.4	1.34	537	0.48	2.53	5
803544		1.92	11.1	3.13	16.7	0.08	0.4	0.04	1.67	11.7	16.5	1.34	564	0.48	2.51	5
803545		1.85	10.3	3.09	16.05	0.08	0.4	0.044	1.83	13.9	15.4	1.31	552	0.49	2.44	4.8
803546		1.85	10.4	3.12	16.2	0.09	0.4	0.041	1.85	11.6	16.9	1.33	568	0.48	2.51	4.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095047

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005	0.02
803523		20.3	570	13	43.7	<0.002	<0.01	0.33	11.3	2	1	414	0.37	<0.05	0.294	0.36
803524		20.4	550	14.1	39.1	<0.002	<0.01	0.33	10.5	2	0.9	410	0.39	<0.05	0.281	0.35
803525		21.8	550	12.8	40.7	<0.002	<0.01	0.32	10.7	2	0.9	396	0.39	<0.05	0.281	0.39
803526		21.3	560	17.5	50	<0.002	<0.01	0.41	10.4	2	1	400	0.39	<0.05	0.281	0.44
803527		21.3	580	14.1	55.2	<0.002	<0.01	0.41	10.8	2	1	445	0.37	<0.05	0.29	0.5
803528		20.4	580	16.6	59	<0.002	<0.01	0.46	11.9	2	0.9	425	0.37	<0.05	0.286	0.52
803529		22.6	600	14.9	32	<0.002	<0.01	0.27	12.4	2	1	452	0.37	<0.05	0.303	0.3
803530		20.1	590	12.3	35.8	<0.002	<0.01	0.36	11.5	1	0.9	440	0.36	<0.05	0.278	0.35
803531		15.5	710	15.2	25.8	<0.002	<0.01	0.41	8	1	0.7	463	0.29	<0.05	0.243	0.25
803541		7.6	340	4.2	29.4	<0.002	<0.01	0.2	8.3	1	0.7	204	0.21	<0.05	0.203	0.23
803542		13.3	570	6.6	50.8	<0.002	<0.01	0.37	15.2	2	1.2	347	0.36	<0.05	0.346	0.42
803543		12.5	550	6.8	47.5	<0.002	<0.01	0.34	14.1	2	1.2	343	0.35	<0.05	0.34	0.39
803544		12.4	560	7	38.7	<0.002	0.01	0.32	14	1	1.1	344	0.36	<0.05	0.342	0.4
803545		11.7	550	7.2	43.3	<0.002	<0.01	0.31	13.4	1	1	331	0.32	<0.05	0.34	0.39
803546		12.1	540	7.8	40.3	<0.002	<0.01	0.29	13.4	1	1	343	0.33	<0.05	0.344	0.36



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095047

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
803523		89	0.6	17.7	77	4.6
803524		82	0.6	16.7	70	4.4
803525		83	0.7	17.3	68	4.4
803526		84	0.9	17.1	87	4.3
803527		87	0.9	17.2	77	4.2
803528		86	0.9	15.6	94	3.9
803529		92	0.7	16.7	75	4.4
803530		86	0.8	15.4	67	3.8
803531		62	1.1	12.9	76	2.8
803541		61	0.7	12	21	3.1
803542		105	0.5	21.6	34	5.5
803543		102	0.5	20.4	34	5.2
803544		103	1	19.5	39	5.7
803545		102	0.5	19.2	38	5.3
803546		104	0.5	19.1	41	5.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-AUG-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095047

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 2-AUG-2008

Account: RLH

CERTIFICATE VA08095048

Project: 677

P.O. No.: 085802

This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095048

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803501		0.61	0.002	<0.005	<0.001	0.07	7.51	1.6	730	1.13	0.08	3.06	0.05	31.1	13.8	45
803502		0.45	0.003	<0.005	<0.001	0.16	7.81	1.2	680	1.13	0.07	3.59	0.1	34	15.9	46
803503		0.30	0.002	<0.005	<0.001	0.12	7.64	1.6	700	1.12	0.07	3.4	0.25	30.9	15.3	45
803505		1.19	0.003	<0.005	<0.001	0.04	7.51	0.6	520	1.07	0.02	3.86	0.06	26.4	14.8	43
803506		0.42	0.001	<0.005	<0.001	0.02	7.3	4	510	0.72	0.05	3.61	0.15	24	12	42
803507		0.62	0.002	<0.005	<0.001	0.08	7.09	6.4	680	0.96	0.07	2.28	0.1	24.5	13.2	37
803508		0.32	0.002	<0.005	<0.001	0.06	7.7	1.8	760	1.78	0.17	1.72	0.03	45.3	7.8	30
803509		0.89	0.003	<0.005	<0.001	0.06	7.46	0.6	760	1.97	0.07	2.65	0.04	52.9	11.3	31
803510		0.46	0.002	<0.005	<0.001	0.06	7.32	0.2	770	2.1	0.11	2.23	0.06	47.2	7.5	10
803511		0.76	0.002	<0.005	<0.001	0.09	6.37	0.9	760	3.35	0.2	0.64	0.05	64.3	2.7	12
803512		0.24	0.002	<0.005	<0.001	0.06	7.15	1.3	830	1.65	0.06	1.71	0.05	44.7	5.9	10
803513		0.66	0.003	<0.005	<0.001	0.06	8.33	2.3	650	1.32	0.11	2.11	0.07	53.8	17	11
803514		0.74	0.002	<0.005	<0.001	0.06	8.04	0.5	730	1.85	0.1	2.6	0.05	42.4	9.6	20
803515		0.49	0.003	<0.005	<0.001	0.06	7.28	0.9	820	2.23	0.08	1.52	0.03	49.3	6.7	12
803516		0.67	0.002	<0.005	<0.001	0.05	7.19	0.9	780	1.48	0.12	1.44	0.03	42.3	5.1	12
803517		0.71	0.002	<0.005	<0.001	0.03	6.54	0.6	740	1.77	0.05	1.13	0.02	40.8	3.3	11
803518		0.51	0.003	<0.005	0.007	0.07	7.5	3.4	370	0.31	0.01	2.53	0.04	5.67	21	15
803519		0.12	0.005	<0.005	0.011	0.06	9.4	3.3	1690	0.85	0.07	2.42	<0.02	7.72	24.9	19
803520		0.29	0.003	<0.005	0.001	0.16	8.22	9.5	200	0.57	0.01	3.13	0.03	19.25	12.5	18
803521		0.28	0.002	<0.005	0.002	1.18	8.02	47.4	350	1.01	0.15	1.63	0.93	35.3	12.6	56
803522		0.37	0.002	<0.005	<0.001	0.17	7.35	3.5	660	1.04	0.08	2.78	0.12	28.7	11.3	30
803532		0.53	0.002	<0.005	<0.001	0.04	5.69	1.3	530	1.11	0.19	0.14	0.03	15.25	2.1	8
803533		0.70	0.003	<0.005	<0.001	0.19	7.69	2.2	690	1.2	0.14	2.78	0.22	31.1	11.6	32
803534		0.38	0.004	<0.005	<0.001	0.07	7.51	4.8	780	1.18	0.05	0.88	0.26	31.4	8.1	26
803535		0.41	0.002	<0.005	<0.001	0.05	7.41	0.7	760	1.07	0.03	3.07	0.07	27.6	10.6	32
803536		0.36	0.002	<0.005	<0.001	0.04	7.24	0.8	680	1.02	0.03	3.07	0.06	30.4	10.5	33
803537		0.27	0.001	<0.005	<0.001	0.04	7.34	1	650	0.91	0.08	3.09	0.07	33.3	9.5	35
803538		0.29	0.002	<0.005	<0.001	0.03	7.25	0.5	660	1.06	0.07	3.07	0.07	29.7	9.9	33
803539		0.39	0.002	<0.005	<0.001	0.05	7.34	0.2	730	1.07	0.07	3.05	0.07	30.5	9.8	34
803540		0.17	0.002	<0.005	<0.001	0.04	7.29	0.6	690	1.04	0.07	3.03	0.06	31	10.2	35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095048

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803501		3.18	32.7	3.38	17.05	0.08	0.3	0.043	1.86	13.3	20.2	1.55	707	1.07	2.56	4.8
803502		2.57	72.8	3.58	18.6	0.1	0.3	0.053	1.63	15	15.9	1.64	688	1.92	2.55	4.8
803503		3.33	56.1	3.54	16.75	0.09	0.3	0.05	1.65	13.5	16	1.62	709	0.82	2.39	4.7
803505		1.44	16.3	3.75	17.55	0.07	0.5	0.044	1.18	11.3	15.7	1.67	696	0.34	2.62	4.5
803506		1.23	2.7	2.98	17.4	0.06	1	0.026	1.26	10.6	19.4	1.25	1480	0.27	2.2	2.6
803507		1.33	3.2	2.79	17.4	0.08	0.9	0.028	2.19	10.9	23.9	1.49	1790	0.28	2.26	2.6
803508		1.95	26.3	3.67	17.1	0.11	0.3	0.046	2.28	20.5	11.9	1.16	561	2.87	2.58	6.6
803509		1.93	9	3.33	18	0.11	0.5	0.045	2.2	23.1	9.3	1.25	731	1.79	2.94	9
803510		1.8	9.2	2.59	17.5	0.08	0.4	0.041	1.93	21.2	13.6	0.78	588	2.35	3.26	7.8
803511		1.85	7.2	1.38	16.9	0.08	0.9	0.016	3.39	29.2	13.5	0.2	166	2.21	2.77	10
803512		1.5	6.1	2.13	16.7	0.08	0.3	0.028	2.63	20.9	12.6	0.59	420	1.2	2.76	6.5
803513		1.77	35.1	5.25	21	0.12	1.1	0.277	1.06	22.8	51.9	1.97	1710	0.88	2.56	5.2
803514		1.64	13.3	3.2	18.1	0.09	0.8	0.049	2.02	18	10.8	1.15	840	5.39	3.28	6.4
803515		2.01	30.8	2.08	16.6	0.08	0.3	0.029	2.88	23.7	14.1	0.57	416	1.2	2.72	7.2
803516		1.83	6.2	2.1	16.6	0.09	0.3	0.023	2.62	19.7	9.9	0.56	419	1.3	2.7	6.4
803517		1.38	3.9	1.52	15.35	0.07	0.3	0.011	2.81	20.4	10.7	0.35	243	0.45	2.58	7.3
803518		0.27	141.5	4.92	16.7	0.09	0.4	0.044	0.51	2	11.2	3.02	948	0.44	2.56	1
803519		0.98	91.2	5.82	21.6	0.09	0.4	0.055	2.22	2.8	10.1	2.38	606	4.27	2.4	1.3
803520		0.26	29	4.22	18.65	0.09	0.8	0.036	0.48	8.3	14.4	2.26	1150	0.35	3.08	2.7
803521		0.25	148	4.64	17.5	0.08	0.3	0.05	0.48	17.7	15	1.83	918	1.67	3.09	2.9
803522		1.39	40.9	2.87	17.2	0.08	0.2	0.035	1.63	13.1	22.9	1.21	684	1.6	2.48	4.3
803532		4.89	3.9	0.73	10.5	0.05	0.3	0.009	4.21	8.3	9.9	0.15	184	1.46	1.76	2.7
803533		2.05	57.2	2.86	17.75	0.09	0.3	0.043	1.85	14.3	18.2	1.15	791	2.27	2.49	4.6
803534		4.75	15.9	2.51	16.45	0.07	0.2	0.026	2.04	14.2	33.3	0.96	637	0.93	3.29	4.9
803535		1.86	8.8	3.04	16.95	0.09	0.4	0.042	1.8	11.9	16.1	1.29	543	0.48	2.49	5
803536		1.88	9.2	3.13	16.85	0.09	0.4	0.038	1.71	13.3	16.4	1.31	550	0.58	2.48	5
803537		2.05	9.4	3.09	17.4	0.11	0.4	0.045	1.71	14.9	17.2	1.3	520	0.52	2.49	4.9
803538		1.96	10.9	3.06	16.95	0.1	0.4	0.042	1.7	12.9	16.8	1.28	522	0.56	2.44	4.7
803539		2.03	10.5	3.06	16.85	0.13	0.5	0.042	1.84	13.1	16.9	1.29	525	0.46	2.44	4.7
803540		2.05	9	3.08	17.35	0.13	0.5	0.042	1.78	13.6	17.5	1.29	522	0.6	2.45	4.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095048

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005	0.02
803501		26.1	590	12	34.9	<0.002	<0.01	0.46	13.5	1	1	427	0.35	<0.05	0.338	0.38
803502		29.8	640	9.7	35.3	<0.002	<0.01	0.28	15.9	1	1.1	437	0.35	<0.05	0.359	0.33
803503		28.6	620	16.7	33.2	<0.002	<0.01	0.31	14.6	1	1	458	0.33	<0.05	0.365	0.37
803505		15.3	720	7	20.3	<0.002	<0.01	0.24	16.9	1	0.9	411	0.3	<0.05	0.395	0.24
803506		25.7	590	19.6	26	<0.002	<0.01	4.64	11.2	1	0.6	395	0.2	<0.05	0.286	0.45
803507		23.8	600	27.3	51.9	<0.002	<0.01	3.69	11.3	1	0.6	469	0.2	<0.05	0.28	0.78
803508		17.6	950	10.6	51.2	<0.002	0.04	0.43	12.7	2	1.9	292	0.42	0.06	0.397	0.42
803509		20.3	980	8.6	49.8	<0.002	<0.01	0.28	13	1	1.7	376	0.56	<0.05	0.493	0.35
803510		3.9	780	12.4	41.2	<0.002	<0.01	0.17	9.4	1	1.4	371	0.52	<0.05	0.365	0.36
803511		3.1	170	13.8	90.8	<0.002	0.02	0.26	4	1	2.5	129.5	0.79	<0.05	0.184	0.54
803512		6.3	550	10.1	64	<0.002	<0.01	0.19	7	1	1.3	337	0.5	<0.05	0.271	0.53
803513		12.9	1890	14.6	27	<0.002	<0.01	2.71	20.5	1	1	986	0.27	<0.05	0.618	0.65
803514		10	930	9.4	54.3	<0.002	<0.01	0.25	12.1	1	1.5	459	0.44	<0.05	0.436	0.41
803515		5.8	510	9.5	81.8	<0.002	<0.01	0.21	6.4	1	1.3	315	0.6	<0.05	0.249	0.62
803516		6	500	9.6	70.9	<0.002	<0.01	0.23	6.4	1	1.1	303	0.49	<0.05	0.25	0.53
803517		3.6	310	8.2	72.7	<0.002	<0.01	0.17	3.9	1	0.8	242	0.68	<0.05	0.168	0.58
803518		9.1	470	2.5	2.4	<0.002	0.02	0.77	27.6	1	0.4	337	0.08	<0.05	0.453	0.07
803519		8.5	620	2.7	21	<0.002	0.62	0.94	36.5	2	0.5	353	0.09	0.06	0.55	0.28
803520		16.5	820	5.4	6	<0.002	0.11	0.88	18.9	2	0.5	342	0.18	0.05	0.363	0.07
803521		15.2	4000	245	8.8	0.004	0.89	1.43	20.8	3	0.6	321	0.19	0.2	0.406	0.09
803522		19.5	590	16.7	28.4	<0.002	<0.01	0.25	11.5	1	0.9	395	0.34	<0.05	0.27	0.28
803532		2.9	80	9.7	98.4	<0.002	<0.01	0.38	2	1	0.4	99.1	0.54	<0.05	0.047	0.79
803533		20.4	550	22.6	36.7	<0.002	<0.01	0.58	12.1	2	1	399	0.37	<0.05	0.274	0.35
803534		14.7	670	11.5	57	<0.002	<0.01	0.48	8	1	0.7	364	0.38	<0.05	0.227	0.52
803535		12.1	550	7.2	42.8	<0.002	<0.01	0.29	14.2	1	1	342	0.34	<0.05	0.329	0.38
803536		12.3	550	6.9	40.8	<0.002	<0.01	0.33	14.4	1	1.1	338	0.34	<0.05	0.332	0.37
803537		13.1	530	8.5	43.4	<0.002	<0.01	0.39	13.2	2	1.2	349	0.42	<0.05	0.334	0.39
803538		12.7	540	7.9	42.3	<0.002	<0.01	0.29	12.9	2	1.1	348	0.39	<0.05	0.336	0.39
803539		12.5	530	8	44.6	<0.002	<0.01	0.31	12.6	3	1.1	348	0.39	<0.05	0.344	0.4
803540		13	520	7.8	44.4	<0.002	0.01	0.31	13	2	1.1	347	0.39	<0.05	0.333	0.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095048

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
803501		109	0.5	17.3	59	4.3
803502		118	0.7	19.4	78	4.7
803503		117	0.6	18.2	70	3.7
803505		132	0.4	18.1	52	7
803506		90	0.5	8.1	232	26.1
803507		88	0.7	7.8	348	25.9
803508		100	0.7	17.3	38	5.8
803509		99	0.5	24.9	48	7.4
803510		70	0.5	21.7	46	6.1
803511		21	0.5	25.8	37	10.6
803512		52	0.6	16.6	28	5.4
803513		190	0.9	16.9	255	25.6
803514		100	1.1	17.7	45	14.6
803515		50	0.7	17.7	26	5
803516		49	1	16.5	23	5
803517		29	0.4	12.1	16	4
803518		243	0.2	8	83	9.3
803519		357	0.4	12.1	56	7.8
803520		149	0.3	11.1	116	18.1
803521		226	0.5	21.4	140	6.6
803522		85	0.7	15.4	71	4
803532		13	0.7	3.3	21	5.3
803533		83	0.9	16.1	74	4.1
803534		56	0.6	12.2	86	2.6
803535		99	0.5	19.5	38	5.8
803536		100	0.6	19.7	37	5.5
803537		100	0.5	21.1	40	6
803538		100	0.6	20.7	40	5.8
803539		101	0.5	20.7	43	6.3
803540		100	0.6	21.1	40	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 2-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08095048

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 10-AUG-2008

Account: RLH

CERTIFICATE VA08096739

Project: 677

P.O. No.: 85806

This report is for 80 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

DAVID WU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
Au-ICP22	Au 50g FA ICP-AES finish ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	
Method Analyte Units LOR	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	
843-RJC-61	2.36	0.13	7.28	1.4	720	1.8	1.45	0.72	0.11	47.8	9	29	2.1	16.8	3.1	
843-RJC-62	2.12	0.24	7.46	4.9	550	0.85	0.39	1.73	0.06	24.9	10.4	6	0.82	40.6	5.13	
843-RJC-63	1.92	0.07	7.08	<0.2	750	1.67	0.21	1.16	0.12	52.8	3.8	13	2.73	10.7	2.02	
843-RJC-64	2.42	0.59	7.37	<0.2	990	0.91	0.84	0.03	0.02	27.7	3.3	10	1.32	6	2.11	
843-RJC-65	2.58	0.38	7.67	0.5	640	1.68	5.1	0.17	0.14	46.5	8	12	2.44	178.5	3.99	
843-RJC-66	2.48	1.83	6.55	0.5	830	1.13	4.3	0.1	0.08	20.7	9	11	1.64	65.7	5.83	
843-RJC-67	2.12	0.08	6.76	0.7	670	1.09	0.12	0.18	0.03	36.9	2.8	10	2.12	4.9	1.21	
843-RJC-68	2.24	0.52	7.3	4.7	750	1.25	1.48	0.22	0.05	30.5	23.9	13	3.93	5.2	4.52	
843-RJC-69	2.30	0.11	8.43	1.8	540	0.84	1.06	1.56	0.03	32.8	14.4	32	3.41	62.7	3.15	
843-RJC-70	2.10	0.16	0.11	3.5	10	<0.05	2.48	0.05	0.03	0.72	1.1	19	0.23	19	0.96	
843-RJC-71	2.14	0.24	8.73	8.1	640	0.72	0.08	3.19	0.17	21.3	10.4	10	0.39	20.4	4.74	
843-RJC-72	2.36	0.49	8.54	5.1	240	0.9	0.19	2.05	0.1	30.5	12	37	0.41	275	3.13	
843-RJC-73	1.68	0.14	8.34	67.8	630	0.96	0.15	1.95	0.12	25.9	7.4	47	0.49	48.9	3.43	
843-RJC-74	2.14	0.2	7.94	3.3	150	0.67	0.24	1.23	0.05	19.65	16.1	30	0.25	12.3	5.8	
843-RJC-75	2.48	0.12	7.12	1	800	1.79	0.08	0.73	0.1	56	4.1	12	4.81	8	1.7	
843-RJC-76	2.24	0.09	7.15	1.4	830	1.64	0.06	1.31	0.05	44.5	6.1	9	4.66	10	2.06	
843-RJC-77	2.06	0.68	6.78	4.3	1280	1.17	0.14	0.86	0.49	38.9	3.8	12	5.64	16.3	1.36	
843-RJC-78	2.20	17	5.75	1.1	250	1.22	22.6	0.46	2.15	26.2	6.3	10	5.92	960	1.6	
843-RJC-79	1.84	1.41	7.93	18.2	310	0.89	1.17	2.87	0.43	12.4	70.6	14	3.09	846	7.33	
843-RJC-80	2.48	3.26	7.85	2.2	980	1.54	0.36	2.37	0.2	61.4	18.3	17	1.97	1100	3.56	
843-RJC-81	2.34	0.26	7.65	0.6	900	1.52	1.94	0.92	0.03	51.6	7	12	2.88	31	2.8	
843-RJC-82	2.30	0.1	7.45	0.6	560	1.26	0.86	0.49	0.04	36.8	4.2	13	2.38	18.6	2.28	
843-RJC-83	2.22	0.08	7.38	0.5	810	1.9	0.61	1.29	0.04	42.3	2.2	13	2.09	9.6	2.03	
843-RJC-84	2.32	0.72	7.06	2.5	1640	1.02	0.97	0.12	0.44	26.8	2.6	8	2.87	15.8	1.19	
843-RJC-85	2.24	0.09	8.55	83	600	0.69	0.1	4.02	0.11	22.6	16.4	22	1.32	52.3	4.15	
843-RJC-86	2.36	0.08	8.46	7.1	290	0.83	0.08	5.9	0.11	22.8	18.4	39	0.26	56.3	5.2	
843-RJC-87	1.96	0.09	9.04	145	1000	0.92	0.1	5.44	0.1	19.5	28.1	32	0.85	126	5.69	
843-RJC-88	2.18	0.1	8.91	16.7	450	1.07	0.08	3.35	0.12	27.2	15.2	20	0.94	43.1	4.18	
843-RJC-89	2.22	0.12	9.65	47.2	840	1.1	0.21	3.91	0.08	24.7	11.7	30	1.25	82	4.18	
843-RJC-90	2.22	0.32	9.61	376	400	1.08	0.19	2.78	0.27	29.1	33.6	32	1.18	80.8	4.64	
843-RJC-91	2.68	0.13	9.28	172.5	420	1.01	0.19	2.6	0.13	23.8	14.8	30	1.31	60	4.47	
843-RJC-92	2.50	0.12	8.88	33.1	2330	0.93	0.1	5.16	0.27	24.5	11.1	30	0.19	46.9	4.42	
843-RJC-93	3.08	0.14	8.78	12.7	580	0.8	0.12	6.43	0.11	26.3	27	10	1.1	110.5	7.38	
843-RJC-94	2.70	0.15	8.14	53.5	410	0.85	0.45	4.75	0.07	26.1	25.5	19	1.55	109.5	6.57	
843-RJC-95	2.72	0.45	7.56	28.9	190	0.67	2.82	2.53	0.18	23.8	35.5	17	0.5	219	7.56	
843-RJC-96	2.16	0.09	8.53	20.5	440	0.87	0.26	3.48	0.06	23.1	17.3	29	2.98	61.6	5.01	
843-RJC-97	2.34	0.11	8.81	0.6	170	1.05	0.09	3.48	0.1	30.5	23.5	57	0.66	55.5	7.11	
843-RJC-98	2.64	0.18	8.27	2.5	120	0.52	0.04	3.18	0.13	11.45	24.4	11	0.61	104.5	5.54	
843-RJC-99	2.40	0.11	7.58	2.2	570	1.16	1.85	3.23	0.06	44.9	14.8	18	2.26	16.9	5.08	
843-RJC-100	2.62	0.35	7.49	5	880	1.23	0.43	1.42	0.05	39.3	17.6	102	3.04	120	3.9	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
843-RJC-61		16.75	0.12	0.8	0.023	2.32	22	22.1	0.9	236	6.33	3.3	3.4	10.8	650	22.6
843-RJC-62		19.8	0.13	0.2	0.021	1.09	10.2	13.3	1.04	582	3.35	3.63	2.6	3	960	13.2
843-RJC-63		16.65	0.13	0.1	0.026	2.85	24.6	13.7	0.57	312	1.56	2.6	3.5	6.6	440	13.9
843-RJC-64		14.75	0.1	0.2	0.027	3.42	12	6	0.38	23	9.23	0.12	1.9	2.7	110	12.8
843-RJC-65		20.5	0.13	0.2	0.509	3.54	22.2	16.6	0.67	428	2.25	0.1	2	7.9	590	8
843-RJC-66		14.9	0.1	0.1	0.071	2.95	9.1	5.2	0.36	255	6.59	2.26	3.3	6.1	410	108.5
843-RJC-67		14.9	0.08	0.1	0.011	2.7	18.6	14.7	0.22	132	5	1.73	4.5	3.2	270	17.1
843-RJC-68		15.1	0.1	0.2	0.025	2.83	14.5	4.7	0.23	133	14.85	2.67	4.9	4.5	490	25.2
843-RJC-69		19.3	0.11	0.1	0.01	1.74	14.8	15.6	1.19	499	11	3.02	3.9	17.7	900	16.2
843-RJC-70		0.78	<0.05	<0.1	0.031	0.03	<0.5	1.1	0.02	53	1.84	0.04	0.2	1.6	30	3.1
843-RJC-71		19.7	0.12	0.5	0.049	1.24	8.9	10.4	2.23	1225	0.73	3.25	3.2	8.6	940	21.3
843-RJC-72		16.6	0.12	0.7	0.066	0.39	13.1	13.1	1.74	997	1.16	4.7	3.6	21.6	640	5
843-RJC-73		18.8	0.11	0.4	0.09	1.33	11.7	11.6	1.46	646	2.93	2.28	3.6	11.3	1660	10.6
843-RJC-74		17.05	0.12	0.2	0.021	0.53	8.4	8.9	1.48	596	1.47	3.96	2.3	15.9	990	12.3
843-RJC-75		17.45	0.12	0.3	0.017	2.76	27.7	6.8	0.35	320	4.64	2.78	5.3	5.4	530	12.5
843-RJC-76		16.8	0.12	0.2	0.014	2.88	19	8.9	0.49	378	2.95	2.55	4	5.8	510	9.1
843-RJC-77		16.15	0.1	0.2	0.023	2.27	16	30	0.35	323	3.58	1.32	4	4.9	430	59.9
843-RJC-78		16.05	0.08	0.1	3.5	2.47	12	56.7	0.6	1300	22.7	0.22	2.5	3.6	280	1070
843-RJC-79		20.4	0.12	0.2	0.304	1.95	5.7	45.9	3.53	1420	14.2	2.71	2	72.4	330	56.6
843-RJC-80		19.5	0.14	0.5	0.24	2.95	26.9	12.9	1.06	775	39.8	2.99	9.5	21.1	1100	79.7
843-RJC-81		19	0.12	0.2	0.162	2.98	24.1	17.1	0.56	205	3.6	1.9	3.9	5.3	560	17.1
843-RJC-82		17.25	0.12	0.2	0.062	2.46	14	11.1	0.53	167	2.06	1.83	3.4	4.8	510	9.6
843-RJC-83		18.05	0.1	0.2	0.029	2.16	20	12.1	0.58	182	3.11	2.91	3.9	4.3	590	12.5
843-RJC-84		13.85	0.09	0.1	0.169	4.07	13	4.3	0.19	518	1.81	1.62	2.9	1.7	280	73.7
843-RJC-85		19.15	0.12	0.2	0.034	1.07	9.4	16.2	1.83	826	1.38	3.28	3.7	10.8	830	8.7
843-RJC-86		21.9	0.12	0.6	0.083	0.37	9.8	8.1	2.21	1285	0.63	3.12	3.2	12.3	940	7.1
843-RJC-87		21.9	0.13	0.3	0.068	1.3	8	27.7	2.21	1200	0.75	2.83	3.4	21.8	980	8.5
843-RJC-88		20	0.14	0.1	0.051	0.75	11.4	12.5	1.9	674	1.48	2.58	4.6	11.5	990	12
843-RJC-89		21.6	0.13	0.1	0.028	1.88	9.9	16.7	0.87	564	4.16	2.48	3.5	13.8	1580	10.3
843-RJC-90		22.2	0.14	0.1	0.045	1.94	11.5	20.7	1.23	725	6.22	2.23	4.2	20.2	1200	20.3
843-RJC-91		19.2	0.13	<0.1	0.032	2.23	10.6	21.4	1.21	489	1.94	1.98	2.1	13.1	1480	9.3
843-RJC-92		20.4	0.12	0.2	0.111	2.03	10	10.4	1.11	1090	4.37	2.57	4.4	13.4	880	12.7
843-RJC-93		19.8	0.14	1.2	0.086	0.82	10.7	15.1	3.66	1470	0.76	2.29	3.6	8.7	1150	7.8
843-RJC-94		18.85	0.15	0.6	0.073	1	11	15.6	2.36	1180	3.04	2.31	3.6	14.7	850	8.6
843-RJC-95		14.5	0.17	0.4	0.064	0.41	9.9	7.9	0.75	334	3.9	3.64	2.5	10.8	860	8.4
843-RJC-96		18.95	0.13	0.3	0.061	1.07	10.6	26.8	1.64	804	2.11	2.44	3.6	17.6	690	10.6
843-RJC-97		22.1	0.17	0.8	0.075	0.39	12.5	28	5.08	1650	0.5	2.44	4.5	22.9	1590	5.8
843-RJC-98		19.15	0.13	0.3	0.053	0.53	4.6	24.2	2.46	1035	0.37	4.22	1.4	8.9	630	7.2
843-RJC-99		18.15	0.16	0.7	0.114	1.23	19.2	11.9	1.58	723	1.45	2.88	7	12.4	1640	5.1
843-RJC-100		18.85	0.14	0.2	0.039	2.36	19	27.9	1.17	509	4.03	1.99	9.1	46.9	730	4.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
843-RJC-61		81.5	0.004	1.27	0.32	7	2	1.4	278	0.25	0.96	9.6	0.18	1.06	5.3	62
843-RJC-62		24.1	0.002	1.82	0.57	13.7	4	1	247	0.15	0.11	1.7	0.394	0.16	1.2	102
843-RJC-63		75.3	<0.002	0.03	0.22	5.6	1	1	280	0.29	<0.05	15.7	0.165	0.64	5.4	46
843-RJC-64		90.4	<0.002	1	0.23	7.8	2	7.4	17	0.16	0.08	2.7	0.087	1.14	0.8	59
843-RJC-65		109	<0.002	1.46	0.71	7.3	1	2.9	17.3	0.16	0.1	9.6	0.111	1.11	3.1	62
843-RJC-66		78.1	<0.002	1.65	0.4	4.8	2	1.7	164	0.3	0.52	13.5	0.135	0.91	2.1	42
843-RJC-67		78.7	0.003	0.35	0.3	2.9	1	0.5	90.9	0.41	<0.05	9.8	0.112	0.54	3.2	28
843-RJC-68		97	<0.002	1.56	0.88	4.7	2	1.3	159	0.36	0.35	8.6	0.205	1.06	3.3	40
843-RJC-69		58.8	0.004	0.57	0.6	13.7	2	0.5	380	0.27	0.12	4	0.328	1.06	1.3	119
843-RJC-70		1.2	<0.002	0.05	0.5	0.3	1	0.2	4.8	<0.05	0.19	<0.2	0.005	0.02	0.1	3
843-RJC-71		21.2	<0.002	0.39	1.1	17	2	0.7	371	0.18	0.26	1.1	0.422	0.21	0.5	169
843-RJC-72		7.2	0.005	0.56	1.12	18.8	3	0.8	413	0.21	0.28	2.2	0.386	0.08	1	146
843-RJC-73		29.4	0.009	1.24	1	15.6	4	0.9	361	0.22	0.36	2.1	0.379	0.25	1.1	197
843-RJC-74		12.3	0.002	3.29	0.45	19.1	4	0.4	250	0.12	0.95	0.8	0.411	0.07	0.4	203
843-RJC-75		86.6	<0.002	0.17	1.4	5.7	1	1.2	219	0.43	<0.05	11.6	0.209	0.67	4	52
843-RJC-76		78.2	<0.002	0.62	1.88	5.8	1	1.1	188	0.33	<0.05	10.2	0.191	0.63	3	47
843-RJC-77		88.3	<0.002	0.06	5.3	4.5	1	0.9	68.4	0.33	<0.05	9.7	0.171	1.21	2.4	44
843-RJC-78		160	<0.002	0.01	4.32	3.2	1	0.8	22.6	0.17	<0.05	6.6	0.109	2.46	3.3	39
843-RJC-79		45.2	0.002	1.42	0.87	35.7	3	0.9	352	0.11	0.12	1	0.547	0.82	0.6	333
843-RJC-80		81.9	<0.002	0.09	0.49	10	2	2.3	372	0.58	0.06	5.7	0.44	0.65	4.7	82
843-RJC-81		89	<0.002	1.1	0.44	7.3	2	3.9	257	0.29	0.22	9.7	0.211	0.85	6.4	64
843-RJC-82		69.6	<0.002	1.02	0.35	7.2	2	2.6	159.5	0.25	0.15	8.8	0.176	0.7	3.6	62
843-RJC-83		59.7	<0.002	0.33	0.33	6.3	2	1.5	367	0.32	0.1	11.3	0.198	0.63	10.1	47
843-RJC-84		127.5	<0.002	0.22	1.01	3.5	2	1.2	83	0.26	0.06	14.6	0.087	1.16	5.4	19
843-RJC-85		13.9	0.004	0.42	2.49	15.7	1	0.5	598	0.22	<0.05	1.8	0.388	0.22	0.7	137
843-RJC-86		3.4	<0.002	0.49	4.44	19.3	1	1	525	0.17	<0.05	1.5	0.439	0.05	0.7	194
843-RJC-87		14.7	<0.002	0.21	4.33	23.4	2	1	528	0.18	<0.05	1.4	0.486	0.18	0.4	209
843-RJC-88		16.4	0.002	0.71	0.66	16.7	2	0.7	501	0.27	<0.05	2.1	0.407	0.32	0.9	148
843-RJC-89		36	0.006	1.36	1.9	19.2	2	0.4	467	0.22	0.06	1.9	0.409	0.36	0.9	154
843-RJC-90		42.7	0.01	2.17	1.38	18.2	2	0.7	431	0.25	0.23	2.2	0.418	0.58	1	147
843-RJC-91		64.2	0.004	1.61	1.63	15.7	2	0.4	369	0.12	0.13	2	0.276	0.57	0.7	128
843-RJC-92		15.5	0.007	1.16	2.67	16.9	2	1.2	553	0.26	<0.05	2.2	0.383	0.09	0.7	144
843-RJC-93		13.3	<0.002	0.71	0.75	35	2	1.2	353	0.23	0.08	1.1	0.837	0.06	0.6	351
843-RJC-94		18.9	<0.002	2.16	0.64	27.8	3	1.2	380	0.24	0.19	1.6	0.607	0.15	0.8	251
843-RJC-95		7.6	0.005	5.44	1.66	23.8	4	1.1	289	0.16	0.46	0.6	0.581	0.05	0.3	245
843-RJC-96		32.4	<0.002	0.87	0.48	23.5	2	1	366	0.23	0.13	2.3	0.466	0.18	0.8	166
843-RJC-97		6.3	<0.002	0.95	0.54	32	2	1.2	447	0.26	0.06	0.9	0.788	0.03	0.3	229
843-RJC-98		7.8	<0.002	0.62	0.46	27.7	2	0.4	278	0.08	0.05	0.4	0.434	0.07	0.2	229
843-RJC-99		29.4	<0.002	0.71	1.13	15.1	2	1.6	557	0.43	0.24	2.6	0.625	0.28	0.7	120
843-RJC-100		69.1	<0.002	0.37	1.64	17.6	2	0.4	245	0.58	0.18	5.5	0.444	0.42	0.9	151



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP22
		W	Y	Zn	Zr	Au
		ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.001
843-RJC-61		1.2	12	44	26	0.008
843-RJC-62		0.6	18.9	53	4.1	0.005
843-RJC-63		0.5	10.2	38	2.6	0.002
843-RJC-64		4.6	3.1	6	3.7	0.009
843-RJC-65		4.8	8.2	68	4.3	0.041
843-RJC-66		1.6	3.5	68	2.1	0.007
843-RJC-67		0.4	8.1	20	2.5	0.002
843-RJC-68		16.9	6.2	27	3.7	0.004
843-RJC-69		1.3	15.2	42	3.1	0.003
843-RJC-70		1.9	0.2	7	1.5	0.004
843-RJC-71		0.9	13	101	10.2	0.003
843-RJC-72		0.4	17.7	64	16	0.002
843-RJC-73		0.5	18.1	83	6.7	0.003
843-RJC-74		0.3	16.3	49	3.5	0.005
843-RJC-75		4.1	13.2	35	3.2	0.002
843-RJC-76		2	9.7	21	2.8	0.002
843-RJC-77		2.5	6.7	94	2.2	0.015
843-RJC-78		3.3	5.8	2310	2	0.008
843-RJC-79		1	15.5	205	3.4	0.022
843-RJC-80		1.3	25.8	84	7.3	0.049
843-RJC-81		4.7	9.2	43	3.2	0.005
843-RJC-82		4	9.3	22	2.5	0.004
843-RJC-83		1.2	10.9	29	2.3	0.003
843-RJC-84		7.6	3.9	66	2	0.012
843-RJC-85		0.7	13.6	60	3	0.003
843-RJC-86		0.4	14.1	79	12.8	0.004
843-RJC-87		0.3	13.2	104	6.9	<0.001
843-RJC-88		0.5	14.3	82	2.4	0.003
843-RJC-89		0.5	9.5	46	1.1	<0.001
843-RJC-90		0.7	7.1	98	1.1	0.009
843-RJC-91		0.2	13.7	55	3.1	0.005
843-RJC-92		0.2	16.9	75	3.6	0.004
843-RJC-93		0.4	27.2	115	26.5	0.003
843-RJC-94		0.4	29.1	87	9.1	0.005
843-RJC-95		1	20.3	28	7	0.004
843-RJC-96		0.4	20.6	91	4.1	0.004
843-RJC-97		0.6	31.5	102	20.9	0.002
843-RJC-98		0.3	13.8	75	4.8	0.003
843-RJC-99		0.7	22.1	52	14.8	0.006
843-RJC-100		0.9	13	37	5.8	0.006



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
843-RJC-101		2.72	0.17	8.27	3.7	620	1.34	0.66	3.39	0.08	47.7	19.3	16	2.15	32.5	4.88
843-RJC-102		2.54	1.5	4.78	43.9	160	0.5	0.59	2.51	0.28	19.15	62.9	56	0.83	169.5	4.81
843-RJC-103		2.32	0.61	7.53	10.9	260	1.01	3.38	3.39	0.33	43.5	21.6	19	0.98	112.5	5.55
843-RJC-104		2.46	1.26	7.68	10.6	680	1.55	0.52	4	4.05	46.1	21.4	30	0.7	58.7	5.23
843-RJC-105		2.72	0.7	7.07	8.2	970	1.11	1.55	2.46	0.38	34.9	20.6	12	2.52	203	5.63
843-RJC-106		2.28	0.33	7.56	19.2	130	0.82	0.56	3.3	0.15	19.45	73.8	100	1.05	77.5	6.84
843-RJC-107		2.36	1.22	0.42	4.1	20	0.06	1.74	0.1	0.05	2.49	33.6	16	0.22	805	4.29
843-RJC-108		2.18	0.84	3.54	4.9	220	0.57	2.63	1.07	0.11	13.05	27.7	27	0.93	478	5.23
843-RJC-109		2.62	0.27	7.77	19.9	630	1.16	0.09	5.94	0.16	630	19.1	38	2.13	45	5.26
843-RJC-110		2.20	0.46	7.49	10.8	590	1.13	8.51	0.75	0.55	31.2	10.9	45	8.39	42.3	3.67
843-RJC-111		2.26	0.14	7.62	5.6	520	1.18	3.55	2.08	0.11	25.4	11.4	52	5.04	72.1	3.74
843-RJC-112		2.46	0.24	8.01	7.1	540	1.12	1.56	2.81	0.18	24.9	15.2	51	2.98	73	3.88
843-RJC-113		2.14	0.12	7.77	6.3	620	1.11	0.42	2.79	0.15	25.4	14.1	44	2.29	28.8	3.31
843-RJC-114		2.12	0.17	7.67	6.2	460	1.08	0.76	2.89	0.21	20.2	17.1	51	2.99	36	3.85
843-RJC-115		2.74	0.52	7.52	5.8	450	1.03	1.63	1.66	0.4	21	17.5	51	8.79	74.3	3.81
843-RJC-116		2.22	1.4	8.14	14.1	610	1.36	2.84	0.51	3	29.3	15.3	47	27.3	31.5	4.13
843-RJC-117		2.20	0.2	7.99	5.2	690	1.19	1.97	0.65	0.34	33.3	11.3	33	9.59	24.9	3.54
843-RJC-118		2.50	0.38	7.7	5.3	830	1.27	8.72	1.25	0.21	29	13.7	42	5.64	76.3	4.1
843-RJC-119		2.44	0.35	7.56	7	830	1.41	4.71	1	0.26	29.3	10.6	28	5.98	15.3	3.44
843-RJC-120		1.90	0.17	7.15	6.2	830	1.01	1.62	1.45	0.24	25.9	10.7	35	4	46.4	3.27
843-RJC-121		2.02	0.3	7.63	6.1	650	1.11	3.86	1.22	0.28	28.7	13.7	43	6.67	33.4	3.81
843-RJC-122		2.16	0.28	7.85	5.4	690	1.21	1.53	1.52	0.43	28.7	15.4	46	5.54	56.7	3.74
843-RJC-123		2.22	3.83	7.32	12.4	570	1.25	7.91	1.67	1.29	29.8	15	40	5.54	179	4.16
843-RJC-124		2.28	0.71	7.51	5.5	480	1.25	3.52	1.26	0.67	26.9	14.1	43	7.56	113	3.39
843-RJC-125		2.30	0.61	7.37	6.3	580	1.07	1.38	1.49	1.1	26.5	12.3	34	7.5	60.4	2.92
843-RJC-126		2.38	0.27	7.3	2.5	630	1.07	0.77	1.69	0.27	28.5	13	36	5.98	39.8	2.97
843-RJC-127		2.80	0.2	7.7	2.9	500	1.25	0.47	1.44	0.28	29.5	14	41	9.34	38.9	3.26
843-RJC-128		2.68	0.25	7.75	3.2	540	1.24	0.37	1.68	0.33	31	14.3	41	7.62	34.2	3.34
843-RJC-129		2.46	0.49	7.66	4.4	590	1.21	0.24	1.37	0.47	30.7	11.5	36	11.15	37	2.79
843-RJC-130		2.72	0.49	8.07	7.5	670	1.17	0.31	1.46	0.7	30.4	15	44	10.7	47.2	3.53
843-RJC-131		2.60	0.35	7.96	4.9	580	1.12	0.63	1.54	0.35	26	17.1	46	12.15	56.8	3.78
843-RJC-132		2.46	0.45	7.91	6.1	680	1.05	2.46	1.72	0.42	27.6	17.6	46	7.15	85.4	3.9
843-RJC-133		2.16	0.14	7.65	3.7	830	1.06	0.41	2.05	0.23	23.9	17.6	43	6.38	27.6	3.7
843-RJC-134		2.60	0.08	7.4	2	790	1.2	0.15	2.14	0.14	23.4	15.4	37	4.58	16.6	3.23
843-RJC-135		2.80	0.05	7.72	3.4	550	1.14	0.14	1.43	0.23	27.9	14.8	50	5.21	18.1	3.29
843-RJC-136		2.48	0.08	7.35	3.7	690	0.92	0.17	1.75	0.15	24.4	12	34	4.42	16.1	2.91
843-RJC-137		2.54	0.07	7.75	2.5	620	1.06	0.17	2.55	0.15	26.5	15.5	45	4.08	19.5	3.27
843-RJC-138		2.24	0.07	8.34	1.1	610	1.15	0.13	3.09	0.12	26.9	16.9	48	3.87	20.6	3.64
843-RJC-139		2.56	0.07	7.63	0.9	580	1.08	0.16	2.52	0.21	24.8	15.6	43	3.8	20.8	3.34
843-RJC-140		2.64	0.1	7.57	1.7	710	1.17	0.2	1.31	0.23	26.1	11.8	29	3.84	22.9	2.52



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
843-RJC-101		20.1	0.16	0.7	0.092	1.27	20.1	22.3	1.61	601	1.7	3.27	8.4	15.3	1820	7.2
843-RJC-102		10.65	0.11	0.3	0.174	0.44	7.8	14	1.91	647	0.4	1.3	3.2	63.6	730	11.7
843-RJC-103		18.1	0.16	0.6	0.137	0.7	19.6	8	2.05	1225	1.13	3.81	9.7	14.8	2020	13.7
843-RJC-104		19.3	0.16	0.4	0.089	0.96	20.9	8.6	2.07	1550	1.22	4.03	10.3	16.3	2040	67
843-RJC-105		16.65	0.17	0.4	0.129	1.44	15.6	8.2	1.32	893	2.24	2.84	6.6	13.3	1400	12.9
843-RJC-106		15.7	0.07	0.5	0.222	0.42	8.2	9	3.42	1075	0.48	3.88	5.3	57.5	1140	13
843-RJC-107		1.33	0.05	<0.1	0.054	0.11	1.2	1.2	0.1	73	1.1	0.06	0.4	53.5	40	3.7
843-RJC-108		9.08	0.05	0.3	0.204	0.56	6.1	6.5	0.75	427	0.94	1.11	1.3	13.1	420	3.4
843-RJC-109		19.1	0.07	0.5	0.103	0.76	10.1	17.8	1.46	1920	0.9	2.04	3.3	16.6	1240	25.7
843-RJC-110		16.95	0.09	0.8	0.652	2.39	15.5	17.6	1.26	1495	1.73	1.31	3.9	20	490	52
843-RJC-111		17.95	0.09	0.4	0.374	1.35	11.5	27.7	1.68	1045	0.73	2.51	3.9	18.3	520	18.5
843-RJC-112		18.4	0.07	0.5	0.149	1.27	11.3	32.9	1.93	1225	0.78	2.51	3.9	19.2	580	22.3
843-RJC-113		17.65	0.07	0.4	0.071	1.44	11.2	25.5	1.61	904	0.96	2.65	4.2	17.1	560	16.9
843-RJC-114		18.5	0.07	0.5	0.172	1.1	8.6	30.8	2.03	1245	0.96	2.47	3.7	18.4	570	20.3
843-RJC-115		18.7	0.09	0.5	0.223	1.43	8.3	40.9	2.02	1535	1.36	2	3.6	19.4	570	52.2
843-RJC-116		18.7	0.1	0.3	0.277	2.81	15.8	48.6	1	3780	20.7	0.59	3.9	30.8	460	293
843-RJC-117		18.05	0.08	0.2	0.125	1.96	14.3	23	1.31	1095	2.53	1.99	4.3	33.8	520	18.5
843-RJC-118		18.95	0.09	0.3	0.197	1.49	13.2	24.2	1.62	1180	2.92	2.23	4.7	45	640	25.1
843-RJC-119		17.45	0.1	0.2	0.143	1.66	14.3	18.6	1.14	857	2.2	2.4	4.6	22.9	550	24.4
843-RJC-120		16.8	0.08	0.3	0.189	1.55	11.8	22.8	1.28	878	1.47	2.34	4.4	30.7	590	16.3
843-RJC-121		18.45	0.09	0.3	0.184	1.86	13.7	26.4	1.51	1405	29.6	2	4.2	42.7	550	23
843-RJC-122		18.75	0.08	0.4	0.151	1.55	12.8	31.4	1.67	2060	3.54	2.48	4.4	52.1	660	50.5
843-RJC-123		19.45	0.11	0.3	0.334	1.38	14	30.4	1.48	1855	23.2	2.12	4.6	46.9	630	366
843-RJC-124		18.7	0.09	0.3	0.171	1.54	12.3	28.2	1.59	1270	3.09	2.53	4.4	44.6	660	124.5
843-RJC-125		17.85	0.08	0.3	0.156	1.56	12.8	20.1	1.34	1260	1.79	2.3	4.3	37.1	590	81.4
843-RJC-126		17.7	0.1	0.3	0.138	1.61	13.6	20	1.3	1060	0.92	2.25	4.5	39.8	550	32
843-RJC-127		18.9	0.1	0.3	0.093	1.7	14.9	30.1	1.35	1510	1.11	1.94	4.4	44.5	550	40.7
843-RJC-128		18.7	0.09	0.3	0.067	1.75	14.5	34.9	1.32	1375	1	2.12	4.6	40.5	590	47.3
843-RJC-129		18.55	0.1	0.3	0.048	2.11	14.5	41.5	0.91	1735	1.34	1.9	4.4	34.1	570	173.5
843-RJC-130		19.7	0.09	0.3	0.084	1.93	13.6	36.5	1.21	2470	1.42	2.25	4.7	47.8	650	91.6
843-RJC-131		19.25	0.11	0.4	0.19	1.67	12.6	33.6	1.48	1780	0.98	1.96	4.3	54.9	640	67.8
843-RJC-132		18.8	0.09	0.3	0.186	1.43	13.2	24.1	1.67	1180	2.12	2.07	4.3	53.6	590	47.5
843-RJC-133		18.15	0.09	0.4	0.074	1.23	11.2	22.8	1.57	892	0.91	1.99	4.4	52.9	540	24.5
843-RJC-134		18.25	0.1	0.4	0.051	1.49	10.4	21.4	1.4	772	0.67	2.36	5.1	44.9	580	18.2
843-RJC-135		18.25	0.1	0.3	0.053	1.47	13.1	25.5	1.38	1055	0.85	2.32	4.5	43.9	530	26
843-RJC-136		16.8	0.09	0.3	0.051	1.7	11.5	18.3	1.25	808	0.66	2.31	4.3	33	530	22.8
843-RJC-137		18.15	0.08	0.3	0.05	1.25	12.3	18.3	1.54	850	0.53	2.57	4.5	45.9	610	21.2
843-RJC-138		18.75	0.08	0.4	0.049	1.16	12.6	21.3	1.65	733	0.98	2.61	4.5	50.2	650	16.9
843-RJC-139		18.6	0.07	0.4	0.051	1.06	11.8	20.8	1.44	814	0.87	2.51	4.3	48.5	580	16.3
843-RJC-140		17.45	0.09	0.2	0.036	2.13	12.8	18.2	0.99	679	0.63	2.48	4.3	21.5	430	16.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
843-RJC-101		29.3	<0.002	0.2	1.56	16.5	2	2.2	585	0.5	0.16	2.7	0.681	0.22	0.7	125
843-RJC-102		11	<0.002	0.9	1.3	11.3	3	1	201	0.18	0.24	0.6	0.302	0.05	0.3	95
843-RJC-103		14.2	<0.002	0.96	2.47	26.2	2	1.2	348	0.57	0.21	1.5	0.905	0.11	0.4	233
843-RJC-104		12.6	<0.002	1.15	4.46	24.3	2	1.4	385	0.61	0.22	1.6	0.889	0.07	0.5	246
843-RJC-105		28.9	0.002	1.33	1.5	22.4	3	1.4	329	0.42	0.66	2.1	0.629	0.28	0.4	137
843-RJC-106		2	<0.002	1.62	2.08	16.8	2	1.5	384	0.31	0.16	0.6	0.527	0.1	0.2	151
843-RJC-107		3.9	<0.002	5.45	1.39	1.3	9	0.2	7.8	<0.05	0.65	0.2	0.027	0.06	0.1	11
843-RJC-108		14.7	<0.002	3.22	2.19	4.9	3	1	150	0.07	0.88	0.7	0.155	0.13	0.3	46
843-RJC-109		12	0.003	0.95	1.71	25.5	2	2	521	0.2	0.07	1.1	0.641	0.19	0.5	244
843-RJC-110		91.9	<0.002	0.19	3.58	10.5	<1	1.1	174	0.35	0.51	7.8	0.248	1.31	3.6	79
843-RJC-111		31.6	<0.002	0.02	2.72	12.9	<1	1.5	391	0.3	0.06	5	0.292	0.54	2	95
843-RJC-112		25.2	<0.002	0.01	2.64	14.1	<1	1.4	447	0.32	<0.05	4.7	0.326	0.46	1.9	109
843-RJC-113		26.9	<0.002	0.02	1.8	12.5	<1	1	450	0.33	<0.05	4.8	0.298	0.42	1.6	96
843-RJC-114		17.4	<0.002	0.01	2.83	15.6	<1	1.5	444	0.28	0.06	3.4	0.352	0.44	1.5	123
843-RJC-115		30.6	<0.002	0.01	4.39	15.2	<1	1.2	297	0.27	0.08	3.5	0.347	0.67	1.7	122
843-RJC-116		119	<0.002	0.01	12.4	13.6	<1	1.4	82.3	0.31	0.21	5.4	0.302	1.63	4.8	104
843-RJC-117		65.2	<0.002	<0.01	2.52	10.1	<1	1.3	253	0.34	0.14	6	0.258	0.8	3.1	77
843-RJC-118		33.1	<0.002	0.01	2.01	11.3	<1	1.4	350	0.37	0.31	5.1	0.301	0.49	3	92
843-RJC-119		44.3	<0.002	0.01	1.71	8.4	<1	1.2	338	0.35	0.3	5.4	0.233	0.52	3.1	67
843-RJC-120		35.1	<0.002	<0.01	2.05	9.4	<1	1.1	392	0.33	0.15	4.7	0.259	0.49	2.3	79
843-RJC-121		61.8	0.003	0.01	2.59	12.2	<1	1.5	316	0.34	0.2	6.4	0.288	0.76	3.9	97
843-RJC-122		37	<0.002	<0.01	2.19	12.6	<1	1.2	412	0.34	0.08	5.1	0.321	0.55	2.8	102
843-RJC-123		41.2	0.002	0.01	3.65	12.8	<1	1.6	392	0.34	0.4	4.9	0.287	0.62	4.6	94
843-RJC-124		44.7	<0.002	<0.01	2.61	11.7	<1	1.4	364	0.33	0.16	5.3	0.303	0.64	2.6	96
843-RJC-125		44.9	<0.002	<0.01	2.37	10.4	<1	1.2	369	0.32	0.24	4.5	0.264	0.66	2.3	78
843-RJC-126		39.3	<0.002	<0.01	2.15	10.9	<1	1.1	355	0.35	0.07	5.1	0.278	0.52	2.3	81
843-RJC-127		53.1	<0.002	<0.01	3.96	12.4	<1	1	295	0.33	0.05	5.8	0.289	0.69	2.5	90
843-RJC-128		50.3	<0.002	<0.01	3.02	11.8	<1	1	319	0.35	0.05	5.6	0.292	0.72	2.1	91
843-RJC-129		71.4	<0.002	<0.01	6.27	10.6	<1	0.9	272	0.34	<0.05	5.3	0.261	0.95	2.2	79
843-RJC-130		64.5	<0.002	0.01	4.39	13.8	<1	1.3	302	0.36	<0.05	5.7	0.309	0.84	2.4	101
843-RJC-131		43	<0.002	<0.01	4.15	14.2	<1	1.3	327	0.33	0.07	4.7	0.336	0.69	2.3	110
843-RJC-132		30.7	<0.002	0.01	2.73	13.5	<1	1.4	423	0.33	0.19	4.9	0.339	0.52	2.7	112
843-RJC-133		20.9	<0.002	<0.01	1.53	12.5	<1	1.4	594	0.33	0.07	4.5	0.342	0.43	2.4	106
843-RJC-134		24	<0.002	<0.01	1.27	12	<1	1	526	0.39	<0.05	4.5	0.314	0.39	2	92
843-RJC-135		39.1	<0.002	<0.01	2.58	12.7	<1	0.9	344	0.34	<0.05	5.3	0.291	0.49	2.2	93
843-RJC-136		39	<0.002	<0.01	1.21	10.1	<1	0.8	409	0.34	<0.05	4.9	0.265	0.48	1.6	80
843-RJC-137		31.9	<0.002	<0.01	1.05	12.4	<1	1	467	0.35	<0.05	5.6	0.303	0.34	1.8	92
843-RJC-138		27	<0.002	<0.01	0.78	13.8	<1	1	508	0.34	<0.05	5	0.335	0.3	1.7	104
843-RJC-139		19.6	<0.002	<0.01	1.22	12.6	<1	0.9	441	0.32	<0.05	4.6	0.313	0.28	1.8	98
843-RJC-140		58.2	<0.002	<0.01	1.6	9.6	<1	1	352	0.37	<0.05	7.4	0.241	0.59	2.1	70



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP22
		W	Y	Zn	Zr	Au
		ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.001
843-RJC-101		1	24.7	49	15.5	0.034
843-RJC-102		0.5	12.5	70	8.6	0.033
843-RJC-103		3.2	31.1	75	12.4	0.029
843-RJC-104		5.9	32.3	210	10.8	0.099
843-RJC-105		1.6	31.6	80	9.8	0.032
843-RJC-106		0.5	14.6	96	15.3	0.044
843-RJC-107		0.3	1	9	1.4	0.029
843-RJC-108		0.5	6.3	36	12.3	0.942
843-RJC-109		0.9	23.1	137	12.5	0.012
843-RJC-110		2	10.7	202	22.5	0.009
843-RJC-111		1.3	12.8	101	5.8	0.005
843-RJC-112		1.8	14.2	111	7.7	0.011
843-RJC-113		0.8	13.2	84	6.2	0.004
843-RJC-114		1.1	13.1	109	8	0.003
843-RJC-115		1.3	11.5	169	7.9	0.006
843-RJC-116		5.5	19.6	367	5.4	0.007
843-RJC-117		3.7	9.4	105	3.8	0.004
843-RJC-118		4.6	11.6	114	4.7	0.005
843-RJC-119		4.2	10.7	101	2.7	0.004
843-RJC-120		2.4	10.1	101	6.4	0.003
843-RJC-121		2.9	13.6	120	5.1	0.005
843-RJC-122		2.8	12.7	188	5.5	0.006
843-RJC-123		2.5	17	415	4.8	0.016
843-RJC-124		3.8	14	183	5	0.006
843-RJC-125		1.8	14.4	273	4.1	0.004
843-RJC-126		0.9	14.5	99	4.8	0.003
843-RJC-127		2	16.5	117	5.6	0.003
843-RJC-128		1.1	12.5	108	4.8	0.002
843-RJC-129		1.7	13.4	98	4.1	0.009
843-RJC-130		1.1	15.6	179	5.7	0.053
843-RJC-131		1.4	16.6	204	6.2	0.015
843-RJC-132		1.7	16.2	168	5.4	0.004
843-RJC-133		1.1	13.5	106	5.7	0.004
843-RJC-134		0.9	13.6	75	5.4	0.002
843-RJC-135		1	14.3	113	5.1	0.003
843-RJC-136		0.8	11.4	76	4.2	0.002
843-RJC-137		0.5	14.1	81	5.4	0.002
843-RJC-138		0.9	15	76	5.6	0.002
843-RJC-139		1.5	13.9	83	6.3	0.002
843-RJC-140		1.8	11.2	87	3.4	0.003



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08096739

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 8-AUG-2008

Account: RLH

CERTIFICATE VA08098007

Project: 677

P.O. No.: 85804

This report is for 18 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

DAVID WU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08098007

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
803547		0.38	1.36	7.34	184.5	5280	0.69	5.55	0.17	3.79	19.1	3.1	27	10.05	46.1	2.81
803548		0.28	0.24	8.07	8.6	710	0.99	0.34	2.2	2.68	31.9	9.9	35	6.84	11.9	2.92
803549		0.32	0.09	7.49	6.1	680	0.96	0.02	0.19	0.43	23.6	7	28	5.95	1.5	1.87
803550		0.46	8.74	7.55	26.2	530	1.02	16	1.18	1.61	33.6	15.6	33	6.22	218	4.17
803301		0.42	2.51	7.91	12.2	670	0.97	4.01	0.1	0.29	26.7	7.4	14	13.05	18.9	2.85
803302		0.44	0.14	7.88	9.5	520	0.56	0.13	1.52	0.09	13.05	11.6	4	2.56	26.4	3.81
803303		0.18	0.08	1.49	1.5	180	0.12	0.04	0.49	0.05	3.35	2.6	7	0.28	9.2	0.86
803304		0.38	0.05	0.89	0.9	90	0.13	0.03	0.14	0.18	2.68	1.3	14	0.85	2.1	0.61
803305		0.28	0.08	7.87	1.5	860	0.81	0.11	2.17	0.19	22.5	8.6	10	3.65	<0.2	3.53
803306		0.72	0.07	0.78	1.9	100	0.06	0.06	0.02	0.11	0.67	2.8	65	0.43	2.1	0.98
803307		0.36	11.6	2.85	257	120	0.43	22.5	0.06	0.56	7.06	3.1	22	8.63	244	11.2
803308		0.14	0.55	3.9	15.4	110	0.86	0.58	0.17	3	36.4	6.4	14	23.4	54.6	1.36
803309		0.34	>100	2.95	127	420	0.53	36.2	0.16	359	14.45	5.6	15	7.22	1570	3.05
803310		0.72	0.64	7.44	2.6	650	0.97	0.29	3.15	1.23	28.8	11.3	35	4.2	58.9	3.02
803311		0.22	0.82	8.43	10.6	460	1.48	0.2	4.01	3.41	31.2	22.1	25	1.61	330	6.39
803312		0.54	0.31	7.45	3	630	0.95	0.18	2	0.72	29	10.3	30	3.54	63.5	2.97
803313		0.12	0.11	7.74	1.4	710	1	0.08	3.16	0.2	29.4	10.1	34	2.16	8.3	3.26
803314		0.20	0.09	7.61	1	670	0.82	0.07	3.22	0.21	26.9	8	33	1.78	5.7	3.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08098007

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
803547		14.9	0.09	0.2	0.153	1.97	10.1	8.1	0.37	686	17.8	2.29	4.5	5.6	430	344
803548		17.3	0.12	0.2	0.057	2.12	15.9	27.3	1.25	674	4.21	2.93	4.2	20.7	580	48.1
803549		15.9	0.1	1.9	0.019	2.23	10.3	160.5	0.2	379	0.4	1.98	3.6	22	510	23.7
803550		18.4	0.12	0.2	0.326	2.51	15.1	27	1.33	1280	14.15	1.53	4.1	21.3	560	208
803301		16.65	0.1	1.2	0.022	2.65	14.2	37.8	0.24	127	2.98	0.71	3.7	5	500	426
803302		16.1	0.13	0.1	0.036	0.97	5.5	14.6	1.48	619	0.55	2.92	2	4.1	420	19.4
803303		3.01	0.05	<0.1	0.005	0.25	1.4	5.7	0.24	240	0.5	0.53	0.4	1.5	100	10.8
803304		2.08	0.05	0.1	0.009	0.25	1.2	2.4	0.11	145	0.43	0.28	0.4	1	150	6.1
803305		19.5	0.13	0.1	0.028	2.05	10.3	12.6	0.86	661	1.36	2.52	2.4	3.2	310	18.9
803306		2.68	0.06	<0.1	0.008	0.2	<0.5	7.3	0.23	270	0.35	0.02	0.2	13.6	50	8.7
803307		8.52	0.16	0.2	1.13	1.19	3.6	56.6	0.25	222	81.4	0.05	1.4	2.7	360	260
803308		12.4	0.06	0.1	0.17	1.28	6.1	188	0.33	3090	3.79	0.02	1.5	10	180	753
803309		10.3	0.07	<0.1	19.6	1.37	5.4	60.1	0.2	1300	77	0.03	1.4	6.3	180	>10000
803310		17.65	0.11	0.2	0.121	1.79	12.9	12.6	1.26	643	2.04	2.5	4.6	19.2	550	57.1
803311		21	0.16	4.1	0.089	0.42	18.4	71.4	2.55	1130	0.59	2.02	15	30.9	1860	205
803312		16.85	0.12	0.3	0.066	1.88	12.9	23.7	1.18	994	1.15	2.42	4.4	18.5	560	41.6
803313		16.85	0.13	0.4	0.04	1.86	13	14.3	1.38	569	0.61	2.56	5	11.8	550	17.1
803314		14.55	0.11	0.3	0.042	1.84	11.9	12	1.35	539	0.44	2.65	4.3	9.4	540	13.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08098007

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
803547		68.5	<0.002	0.35	5.86	9.3	2	1.3	157	0.39	0.26	7.7	0.231	0.98	5.5	61
803548		39.9	0.002	0.15	2.33	11.3	2	0.8	385	0.32	<0.05	5.6	0.277	0.46	2.4	86
803549		66.1	<0.002	<0.01	1.98	9.3	2	0.8	203	0.33	<0.05	6.5	0.216	0.89	3.1	58
803550		83.5	0.003	0.46	3.26	13.5	2	1.5	237	0.32	0.41	6.1	0.258	0.94	3.9	88
803301		87.6	<0.002	0.64	7.36	9.5	3	1.6	66.5	0.3	0.34	4.2	0.266	1.24	2.3	65
803302		26.8	<0.002	0.01	1.07	15.6	2	0.6	222	0.14	<0.05	1.1	0.296	0.25	0.5	121
803303		6	<0.002	<0.01	0.34	3.2	2	0.2	62.1	<0.05	<0.05	0.7	0.046	0.08	0.2	20
803304		6.3	<0.002	<0.01	0.24	1.1	2	0.4	18.3	<0.05	<0.05	0.4	0.029	0.03	0.2	8
803305		42.4	<0.002	<0.01	0.78	9	2	0.9	316	0.18	<0.05	2.3	0.258	0.23	1.3	76
803306		4.8	<0.002	<0.01	2.05	2.3	2	0.2	6.8	<0.05	<0.05	<0.2	0.018	0.02	0.1	19
803307		48.1	0.003	0.21	18.65	4.1	4	5.3	15.6	0.09	2.79	1.8	0.096	0.54	2.2	63
803308		62.5	<0.002	0.01	63.5	5.8	2	0.5	14.9	0.11	0.08	2.3	0.106	0.65	2.9	50
803309		55.4	0.033	4.33	42.8	4.5	6	6.3	46.7	0.1	37	1.8	0.095	1.25	7.6	43
803310		33.1	<0.002	0.01	0.96	11.5	2	0.9	438	0.36	0.11	5	0.298	0.39	1.5	85
803311		1.6	<0.002	0.01	1.01	13.3	2	1.3	676	0.89	0.12	1.8	0.867	0.04	1.1	145
803312		44.1	<0.002	<0.01	4.21	11.8	2	0.9	363	0.35	<0.05	5.4	0.285	0.53	2.1	82
803313		42.2	<0.002	0.01	0.44	13.6	2	1.1	355	0.36	<0.05	4.7	0.35	0.38	1.2	99
803314		34	<0.002	<0.01	0.3	11.5	2	1.1	364	0.32	<0.05	4.3	0.349	0.33	1	97



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08098007

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Pb-OG62	Zn-OG62	Au-ICP22
		W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Pb %	Zn %	Au ppm
		0.1	0.1	2	0.5	1	0.01	0.01	0.001
803547		2.3	9.2	461	4.2				0.072
803548		0.7	16.5	93	4.1				0.004
803549		1.9	8.5	100	55.4				0.004
803550		5.1	17.3	322	3.9				0.102
803301		2.8	6	34	33.3				0.010
803302		0.7	10.7	111	1.3				0.004
803303		0.4	3.2	22	1.3				0.003
803304		0.4	1.6	19	1				0.002
803305		2	14.1	54	1.9				0.001
803306		0.4	0.5	23	0.9				0.001
803307		5	2.4	163	5.2				0.777
803308		1.1	6.7	402	1.9				0.010
803309		9.9	3.4	>10000	0.8	149	1.33	4.65	1.905
803310		1.4	14.8	207	3.5				0.007
803311		1.6	23.1	1285	161				0.007
803312		1.4	14	154	5.4				0.003
803313		0.8	19.9	49	5.8				0.002
803314		0.5	17	52	4.9				0.002



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-AUG-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08098007

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 26-AUG-2008
Account: RLH

CERTIFICATE VA08102675

Project: 677

P.O. No.: 85807

This report is for 27 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 26-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102675

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
803315		0.50	2.52	7.46	5.8	670	1.1	0.76	1.45	0.22	44.9	13.2	37	5.88	293	3.3
803316		0.44	0.08	8.24	7.6	310	1.49	0.08	0.29	0.74	44.4	12.1	33	13.2	13.1	3.08
803318	Not Recvd															
803319		0.31	1.75	7.41	3.1	420	0.96	1.38	0.97	0.28	22.4	7.1	27	5.43	2810	2.91
803320		0.54	0.05	7.19	16.7	910	1.45	0.34	1.88	0.09	26	8.2	27	2.53	13.5	2.39
803321		0.33	1.65	6.65	7.6	620	1.5	6.74	1.86	1.83	490	8.6	32	2.12	2910	2.94
803322		0.84	18.1	7.36	6.5	330	1.05	201	0.08	0.16	34.4	38.5	30	6.85	1385	3.22
803323		0.36	35.6	4.27	14.7	100	0.69	9.31	0.21	0.97	176	201	24	5.39	6160	5.06
803324		0.26	24.8	3.6	91.5	90	1.7	59.6	0.15	1.33	75.6	529	76	5.45	6850	13.75
803325		0.45	0.43	7.11	37	230	1.05	0.78	0.16	0.42	39.6	12.3	28	31.1	78.4	3.07
803326		0.69	0.14	7.31	3	710	1.06	0.3	2.32	0.06	26.9	8.2	27	2.13	47.2	2.45
803327		1.01	4.38	7.17	15.2	380	1.18	17.35	0.81	0.61	17.6	13.9	32	9.85	1660	2.63
803328		0.43	0.1	7.77	1.6	260	0.56	0.18	4.53	0.16	9.2	17.1	40	1.58	36.3	4.82
803329		0.29	0.05	7.32	1.9	330	0.74	0.16	0.83	0.32	21.5	14.3	46	5.9	14.7	3.14
803330		0.34	0.04	7.91	2.2	1060	1.24	0.1	1.09	0.3	34.3	12.1	22	1.23	7.3	3.17
803332		0.65	0.35	8.41	1.1	640	1.07	0.56	0.24	0.08	25.9	9.8	59	4.96	60.9	2.83
803333		0.61	0.05	8.26	1.1	910	1.46	0.19	2.21	0.07	49.5	16.9	22	3.21	42.6	3.88
803334		0.68	0.06	8.05	0.7	930	1.46	0.09	3.35	0.15	53.7	18	22	1.29	19.5	4
803335		0.59	0.64	7.59	1.7	670	1.23	0.7	0.3	0.09	40.2	3.4	9	2.71	23.8	2.72
803339		0.54	0.05	7.79	1.2	510	2.19	0.54	0.41	0.02	17.45	9.2	9	1.73	7.3	2.04
803340		0.34	0.04	7.08	1.3	750	0.89	0.07	2.87	0.07	23.7	10.9	33	1.85	9.5	3.09
803341		0.63	0.08	6.6	0.8	870	1.46	0.2	0.59	<0.02	38	1.7	9	3.1	4.9	1.18
803342		0.77	0.49	5.58	2.5	370	1.07	2.36	0.03	0.02	20.5	5	7	0.95	18	2.03
803343		0.52	0.05	7.32	1.6	1540	0.9	0.29	0.05	<0.02	48.1	2.6	24	1.64	6.3	2.11
803403		0.41	0.08	7.11	1.3	750	1.64	0.22	1.67	0.02	46.5	8.9	14	1.84	48.5	2.12
803405		1.32	1.68	8.01	16.5	1300	1.37	5.79	0.09	<0.02	32.4	6	12	5.22	157	6.77
803406		1.13	0.11	7.46	3.1	810	1.55	0.44	0.83	0.08	37.3	6.9	12	2.01	55.3	2.45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 26-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102675

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
803315		18.35	<0.05	0.3	0.12	1.76	18.7	32.2	1.61	471	1.68	2.24	4.8	23.1	580	29
803316		19.45	<0.05	0.3	0.044	2.45	19.8	14.3	0.31	595	2.14	1.92	4.8	25.4	610	22.1
803318																
803319		16.25	<0.05	0.2	0.273	1.74	8.2	25.4	0.91	596	0.98	2.84	3.6	12.9	310	15.3
803320		16.4	<0.05	0.2	0.029	2.26	11.9	49.9	0.99	484	1.14	2.82	4.8	16.2	470	18.5
803321		19.35	0.4	0.2	0.341	1.44	257	32.7	0.97	410	0.69	2.9	5.5	18	490	23.8
803322		17.6	<0.05	0.2	0.974	2.3	14.6	18.9	0.68	232	13.4	1.14	4.9	13.5	300	167.5
803323		10.4	0.33	0.2	2.88	1.22	49.5	24.2	0.25	325	12.1	0.91	2.3	9.8	860	658
803324		14.6	0.28	0.2	8.2	0.92	35.8	23.1	0.44	920	43.6	0.04	2.1	23.9	1130	1975
803325		16.2	0.13	0.2	0.07	2.46	17.7	35.5	0.89	1710	6.36	0.17	4	13.3	400	477
803326		16.4	0.13	0.2	0.041	2.08	13.1	15.8	0.99	433	0.47	2.42	4.3	17.5	450	15.3
803327		16.9	0.11	0.2	0.264	1.78	6.9	21.2	1.1	1075	1.04	2.52	4.6	17.8	450	101.5
803328		17.75	0.12	0.3	0.063	0.81	3.8	16.2	2.29	1330	0.88	2.26	1.9	17.4	370	9.8
803329		17.3	0.11	0.3	0.039	1.49	7.5	33.2	1.52	598	0.94	2.39	4.6	26.3	550	8.3
803330		17.55	0.14	1.7	0.032	3.1	15.7	19	1.27	747	0.46	2.47	5.5	19.1	830	13.8
803332		17.5	0.13	0.2	0.073	3.17	11.4	20.5	1.15	392	8.13	1.16	2.9	19.3	1220	48.5
803333		19.35	0.15	0.5	0.051	1.85	22.7	20.5	1.74	631	1.26	2.81	4.5	32.5	1510	12.8
803334		20.1	0.15	0.6	0.058	1.82	24.2	14.6	1.72	783	1.69	2.87	5.7	33.8	1460	13.6
803335		15	0.15	0.1	0.143	2.95	20.4	20.6	0.39	93	5.32	0.97	2	4.5	620	72.5
803339		21.3	0.1	0.1	0.03	1.04	8.3	17.3	0.87	162	3.5	4.38	3.6	7.4	1110	8.7
803340		17.1	0.12	0.4	0.042	1.91	10	16	1.28	529	0.6	2.4	5.1	12.9	530	8.2
803341		15.95	0.12	0.1	0.006	3.11	20	10.2	0.22	81	1.86	2.22	3.6	2.8	280	13.7
803342		11.95	0.11	0.5	0.051	2.44	9.8	11.9	0.12	25	7.43	0.13	3.3	1.7	140	5.2
803343		11.75	0.12	0.2	0.013	3.16	25.7	6.4	0.18	26	6.28	0.12	3.9	5.8	670	5.4
803403		16.75	0.13	0.4	0.032	2.61	21.2	16.8	0.6	350	3.94	2.65	7.4	6.6	520	9.6
803405		18.65	0.17	0.1	0.081	1.86	14.7	6.1	0.22	40	145	3.31	1.2	2.1	630	10.5
803406		17.35	0.13	0.2	0.036	2.66	17.9	8	0.56	380	3.9	2.42	6.1	6.1	570	16.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 26-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102675

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
803315		41.1	<0.002	0.01	1.53	13.1	2	1.1	325	0.39	0.21	5.2	0.298	0.36	2.6	92
803316		77.6	<0.002	<0.01	5.18	13.8	2	1.1	125	0.4	<0.05	7	0.302	0.66	2.1	93
803318																
803319		65.7	<0.002	0.01	1.1	9.2	2	3	199	0.3	0.64	7.5	0.185	0.55	3.5	69
803320		68.3	<0.002	<0.01	1.5	8.6	2	0.8	428	0.46	<0.05	7.5	0.219	0.68	2	55
803321		50.6	<0.002	0.18	1.1	10.8	3	1.5	408	0.44	<0.05	7.7	0.231	0.49	1.9	62
803322		108	<0.002	0.01	2.75	8.8	2	2.3	79.2	0.48	1.05	11.3	0.226	0.84	11.3	73
803323		70.5	0.002	0.51	9.35	4.8	2	2.9	29.5	0.21	1.05	5.1	0.101	0.6	33.3	39
803324		54.9	0.002	0.05	25.9	7.9	3	5.5	7.6	0.17	3.31	11.4	0.089	0.48	107.5	185
803325		123	<0.002	0.01	5.49	8.9	1	1.9	13.6	0.36	0.07	9	0.211	1.09	5.4	68
803326		51.8	<0.002	<0.01	0.53	9.1	1	1.4	386	0.4	<0.05	7.9	0.22	0.49	2	63
803327		83.5	<0.002	0.28	18.8	9.2	1	3.4	224	0.41	0.23	9.3	0.214	0.88	4.4	65
803328		10.5	<0.002	0.07	0.46	27.4	1	0.8	304	0.14	<0.05	1.1	0.375	0.19	0.4	224
803329		56.4	<0.002	<0.01	1.42	13.9	1	1	103	0.32	<0.05	4.5	0.317	0.51	1.7	103
803330		75.8	<0.002	<0.01	1.41	11.7	1	0.9	555	0.37	<0.05	3.9	0.343	1.26	1.6	93
803332		74.8	<0.002	0.06	0.57	12.8	1	2.5	132	0.16	0.06	3	0.277	1.03	1.2	132
803333		34.6	<0.002	0.01	0.2	12.7	1	1.1	788	0.25	<0.05	5.6	0.398	0.62	1.7	125
803334		32	<0.002	<0.01	0.15	13.4	1	1.2	913	0.34	<0.05	5.7	0.452	0.46	1.3	125
803335		84.5	<0.002	0.6	0.66	6.8	2	5.8	120	0.12	0.05	7.6	0.132	1.03	2.1	65
803339		47.4	<0.002	0.54	0.22	6.1	1	1.2	247	0.18	0.09	6	0.173	0.64	1.6	57
803340		38.4	<0.002	0.01	0.29	14.1	1	1.1	339	0.34	<0.05	4.2	0.33	0.43	1	102
803341		92.7	<0.002	0.14	0.14	3.3	2	0.6	367	0.28	<0.05	13.3	0.114	0.71	4.9	24
803342		73.9	<0.002	1.34	0.24	2.1	2	6.7	12.4	0.45	0.12	9.2	0.052	0.68	1.8	21
803343		67.4	<0.002	0.59	0.63	11.4	2	4	52.4	0.26	0.14	7.1	0.193	0.66	0.9	83
803403		68.4	<0.002	0.14	0.18	6.7	1	1.5	332	0.56	<0.05	12.9	0.265	0.55	4.6	49
803405		118.5	<0.002	0.84	0.48	10	5	1.1	163	0.08	0.94	7.1	0.071	1.66	1.1	73
803406		63.1	<0.002	0.03	0.58	7.7	1	1.3	286	0.45	0.09	10.2	0.258	0.67	2.8	57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 26-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102675

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	PGM-ICP23	PGM-ICP23	PGM-ICP23
		W	Y	Zn	Zr	Au	Pt	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.001	0.005	0.001
803315		1.7	14.6	70	4.2	0.030	<0.005	0.001
803316		0.9	19.8	104	4	<0.001	<0.005	<0.001
803318								
803319		1.2	19.6	77	3.5	0.014	<0.005	<0.001
803320		0.7	12.7	108	4.5	<0.001	<0.005	<0.001
803321		0.6	38	49	2.9	0.086	<0.005	<0.001
803322		12.6	7.2	93	4.2	0.046	<0.005	<0.001
803323		103.5	25	97	2.1	0.175	<0.005	<0.001
803324		140	48.3	152	4.6	0.903	<0.005	0.003
803325		6.7	6.9	140	3.2	0.007	<0.005	<0.001
803326		1.3	11.5	32	3	0.001	<0.005	<0.001
803327		5.8	9.8	138	3.4	0.024	<0.005	<0.001
803328		0.2	14.3	99	3.5	<0.001	<0.005	<0.001
803329		0.7	12.5	108	3.7	0.002	<0.005	<0.001
803330		0.9	13.3	159	46.1	<0.001	<0.005	<0.001
803332		4.1	6.6	86	3.8	0.004	<0.005	<0.001
803333		1.2	14.4	87	9.7	0.009	<0.005	<0.001
803334		0.5	16.8	88	9.9	0.002	<0.005	<0.001
803335		6.8	7.4	32	2.3	0.013	<0.005	<0.001
803339		3.9	10	29	3.1	0.003	<0.005	<0.001
803340		1	18.7	39	5.2	0.002	<0.005	0.001
803341		0.4	5.8	14	2.9	0.003	<0.005	0.001
803342		5.6	3.3	14	9.9	0.002	<0.005	<0.001
803343		2.1	15.5	4	2.4	0.004	<0.005	<0.001
803403		0.4	19.1	25	5.3	0.002	<0.005	<0.001
803405		5.7	2.4	8	1.6	0.022	<0.005	<0.001
803406		0.9	15	43	2.8	0.005	<0.005	<0.001



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 26-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102675

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 18-AUG-2008

Account: RLH

CERTIFICATE VA08102676

Project: 677

P.O. No.: 85808

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08102676
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803317		0.57	0.001	<0.005	<0.001	0.03	7.31	2.1	590	1.05	0.13	3.02	0.08	34.5	11.5	38
803331		0.50	0.001	<0.005	<0.001	0.04	7.3	5.5	560	1.64	0.14	3.33	0.09	49.4	20.6	111
803336		0.67	0.002	<0.005	<0.001	0.06	7.45	8.1	830	1.66	0.14	1.8	0.1	62.8	7.4	12
803337		0.98	<0.001	<0.005	<0.001	0.04	7.4	1.5	820	1.58	0.1	2.32	0.06	48.2	10.6	16
803338		1.23	<0.001	<0.005	<0.001	0.07	5.67	0.9	610	1.68	0.25	0.38	0.03	48.3	1.6	12
803404		1.07	0.002	<0.005	0.001	0.03	7.9	2.5	600	1.96	0.27	2.48	0.04	46.4	8.9	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803317		2.29	20.2	3.06	17.65	0.13	0.4	0.046	1.55	14.8	22.2	1.29	563	0.75	2.46	4.5
803331		0.84	5.9	4.11	18.8	0.18	1.7	0.049	1.66	21.1	12.3	2.3	372	0.36	3.11	7.5
803336		2.59	47.2	2.6	18.8	0.18	0.3	0.055	2.23	29.3	14.7	0.79	604	1.11	3.13	7.6
803337		2.04	21.6	2.87	19.8	0.16	0.3	0.041	2.09	21.7	13.9	0.91	519	0.76	3.03	6.8
803338		1.1	8.8	0.96	13.65	0.13	0.4	0.018	3.51	24.3	7.1	0.17	104	3.26	2.15	4.5
803404		5.33	8.1	3.53	20.7	0.17	0.3	0.04	1.81	19.4	20	0.98	618	0.46	3.24	7.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803317		20.1	580	11.5	32.1	<0.002	<0.01	0.38	13.9	1	0.9	438	0.37	<0.05	6	0.29
803331		71.5	1120	10.4	31.5	<0.002	<0.01	1.74	18.8	1	1.4	417	0.49	<0.05	3.5	0.558
803336		9.9	790	10.4	53.1	<0.002	<0.01	0.21	8.4	1	2.2	521	0.51	<0.05	7.7	0.384
803337		10.6	800	10.7	44.4	<0.002	<0.01	0.15	10.2	1	1.2	541	0.43	<0.05	6	0.398
803338		2	140	14	80.7	<0.002	0.04	0.2	2.1	1	0.5	108	0.44	<0.05	16.1	0.097
803404		1.9	1700	9.4	78.5	<0.002	0.01	0.32	7.5	1	1.4	694	0.46	<0.05	4.8	0.389



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	0.5	10	0.01	5	0.05
803317		0.33	3.5	93	0.7	17.9	45	5.3	<1	639	35.3	11.6	40	1.94	20	3.11
803331		0.36	1.3	128	1.6	21.5	41	44.2	<1	643	48.0	21.3	130	0.88	6	4.49
803336		0.61	1.6	65	0.9	19.5	42	4.5	<1	886	75.0	7.4	10	2.34	45	3.92
803337		0.46	1.3	77	0.6	17.8	43	4.6	<1	896	50.6	10.7	20	1.79	20	3.16
803338		0.64	3.1	14	1.3	6.9	15	9.3	<1	655	45.6	1.7	10	0.97	8	1.93
803404		0.81	1.4	97	1.5	18.9	44	5.4	<1	648	48.1	8.8	10	4.78	6	3.47



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803317		1.91	0.89	17.1	3.73	3.2	0.64	16.2	0.28	<2	4.0	17.5	19	11	4.36	41.4
803331		2.69	1.33	18.3	5.34	5.4	0.88	21.3	0.38	<2	6.9	26.5	74	10	6.52	44.5
803336		2.54	1.38	18.3	5.73	5.4	0.82	36.6	0.39	<2	7.2	34.4	9	10	9.07	57.1
803337		1.97	1.22	19.1	4.36	5.4	0.66	24.6	0.30	<2	6.4	24.5	10	8	6.33	48.3
803338		1.45	0.44	13.8	2.63	4.2	0.43	23.4	0.30	3	6.9	16.9	<5	14	5.15	84.3
803404		2.06	1.25	19.7	4.45	3.6	0.73	21.0	0.32	<2	7.1	25.6	<5	9	6.35	86.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803317		3.65	1	452	0.3	0.54	5.77	<0.5	0.30	3.12	93	1	17.3	1.81	59	114
803331		5.67	1	454	0.5	0.76	6.38	<0.5	0.39	2.38	138	2	24.6	2.49	63	224
803336		5.98	2	547	0.5	0.75	8.37	<0.5	0.35	2.53	70	1	22.1	2.49	54	229
803337		4.65	1	588	0.4	0.58	6.05	<0.5	0.28	1.71	79	1	18.3	1.94	57	229
803338		2.69	1	119.5	0.7	0.33	16.95	<0.5	0.23	4.50	15	3	12.8	1.84	21	124
803404		4.85	1	715	0.4	0.62	5.33	<0.5	0.31	1.82	101	2	19.5	2.12	59	136



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Sample Description	Method Analyte Units LOR	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %	ME-ICP06 CaO %	ME-ICP06 MgO %	ME-ICP06 Na2O %	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	OA-GRA05 LOI %
803317		63.5	15.45	4.77	4.49	2.29	3.64	1.95	0.01	0.56	0.08	0.14	0.06	0.08	1.87
803331		58.7	15.80	6.65	5.03	4.29	4.78	2.11	0.02	1.09	0.06	0.29	0.06	0.08	1.67
803336		65.2	15.75	4.12	2.72	1.38	4.82	2.83	<0.01	0.77	0.09	0.21	0.07	0.11	0.49
803337		64.8	15.90	4.53	3.56	1.63	4.50	2.55	<0.01	0.77	0.08	0.19	0.07	0.11	0.75
803338		76.7	12.20	1.50	0.57	0.30	3.40	4.44	<0.01	0.25	0.02	0.03	0.02	0.08	0.29
803404		62.8	16.20	5.60	3.70	1.76	4.87	2.24	<0.01	0.80	0.09	0.40	0.09	0.08	1.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102676

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 22-AUG-2008
Account: RLH

CERTIFICATE VA08102677

Project: 677

P.O. No.: 85809

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102677

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803347		0.29	0.004	<0.005	<0.001	1.16	8.61	10.2	1400	1.85	0.29	1.43	1.1	51.8	23.8	35
803352		0.52	0.003	<0.005	<0.001	0.02	7.31	1.7	150	1.79	0.06	0.2	0.16	49.4	2.2	7
803358		0.17	0.002	<0.005	<0.001	0.06	7.76	1.9	450	1.69	0.13	0.17	0.57	21.5	22.2	6
803363		0.52	<0.001	<0.005	<0.001	0.08	3.98	1.3	70	1.11	0.3	0.19	0.06	45.7	2.4	13
803367		1.07	0.005	<0.005	<0.001	0.17	6.99	6.1	350	1.63	0.37	0.15	0.88	39.1	6	17
803368		1.41	0.009	<0.005	<0.001	0.41	7.62	4.9	510	1.41	1.18	0.42	0.22	35.5	9.5	13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102677

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
803347		9.75	12.6	5.97	23.4	0.16	1.2	0.227	3.03	20.5	26.7	1.33	584	3.72	1.51
803352		7.92	8.4	1.35	18.25	0.11	0.2	0.041	2.2	24.1	14.8	0.23	435	2.29	1.84
803358		4.96	3.6	18.6	28.4	0.21	0.1	0.064	1.52	7.5	13.2	0.42	1450	12	2.78
803363		1.37	3.4	0.87	8.96	0.07	0.1	0.018	0.58	11	11.5	0.28	315	0.77	1.94
803367		8.07	25.9	2.28	17.35	0.1	0.2	0.462	2.92	17.7	19.4	0.33	1625	7.56	0.57
803368		4.25	13.4	2.82	18.4	0.12	0.2	0.089	2.47	17.6	20.4	0.76	796	7.39	2.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08102677
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Method Analyte Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803347	32.6	2480	26.6	106.5	0.003	2.13	3.04	20.4	2	1	328	0.24	0.24	3.5	0.617
803352	3.1	340	7.7	104	<0.002	0.01	0.52	4.5	1	1.1	54.5	0.5	<0.05	12	0.182
803358	21.6	260	13	91.2	<0.002	0.01	0.79	7.1	1	2.3	66	0.17	<0.05	9.9	0.183
803363	3.1	640	6.7	45.7	<0.002	<0.01	0.35	3.3	1	3.1	75	0.29	<0.05	3.3	0.182
803367	6	440	80.6	186	<0.002	0.01	3.42	7.1	1	1.2	23.3	0.4	<0.05	9.9	0.228
803368	6.9	510	42.8	98.8	<0.002	0.01	1.12	7.2	1	1.3	161	0.35	<0.05	8.3	0.238



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102677

	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	Analyte Units LOR	Ti	U	V	W	Y	Zn	Zr
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.02	0.1	1	0.1	0.1	2	0.5	
803347	1.43	6.2	191	5.8	12.4	160	30.6	
803352	0.83	5.1	41	2.7	5.4	27	2.7	
803358	0.87	3.9	600	14.8	6.8	203	1.5	
803363	0.44	2.9	23	3.6	14.8	21	2.2	
803367	1.93	5.3	56	8.1	7.4	176	3.4	
803368	1	3.5	57	3.9	9.9	164	3	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102677

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 22-AUG-2008
Account: RLH

CERTIFICATE VA08102678

Project: 677

P.O. No.: 85810

This report is for 23 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-JUL-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08102678
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
803344		0.58	0.09	7.56	9.6	640	1.13	0.08	2.52	0.4	40	14.1	49	2.13	34.7	3.36
803345		0.88	0.03	6.31	1.6	750	1.86	0.12	1.07	0.04	31.6	2.7	14	2.13	5.1	1.38
803346		0.58	0.13	7.79	3.8	250	1.76	2.16	2.29	0.13	42.5	14.7	26	3.45	1	5.33
803348		0.65	0.07	7.87	1.4	240	0.88	0.07	4.54	0.46	24.4	28.6	142	1.69	25.9	4.93
803349		0.66	0.02	6.42	1.3	790	1.9	0.14	1.08	0.03	57.5	2.8	10	1.44	3.8	1.16
803350		0.71	0.23	7.36	4.6	670	1.3	0.08	2.84	0.05	46.1	17.9	39	1.09	29.4	3.84
803351		0.44	0.01	6.39	1.6	720	1.91	0.08	1.14	0.04	34.7	2.9	7	2	3.7	1.43
803353		0.25	0.01	6.19	2.9	730	1.65	0.06	0.89	0.02	22.1	2.4	9	1.46	3	1.36
803354		0.41	0.19	7.71	5.6	570	0.79	0.05	3.57	0.33	25.2	19.6	59	1.47	139	4.54
803355		1.17	0.06	7.68	2.8	640	0.96	0.12	3.23	0.17	29.3	12	41	2.14	34.4	3.13
803356		0.43	0.02	7.92	3.6	780	1.24	0.08	3.04	0.08	56.2	18.2	31	7.23	33.5	4.29
803357		0.47	0.04	5.58	1	590	1.98	0.14	0.45	0.02	39.2	1.3	8	1.57	6.4	0.55
803359		0.95	0.05	6.93	0.5	820	1.87	0.13	1.54	0.04	44.6	5.1	18	2.13	25.1	2.12
803360		0.38	0.05	7.63	0.5	1010	1.72	0.19	2.06	0.08	41	6.7	18	2.39	11.3	2.51
803361		0.51	0.05	8.05	1.2	650	2.13	0.14	2.94	0.06	58.9	10.5	10	1.69	21.6	3.93
803364		0.80	0.07	7.28	4.4	750	1.65	0.16	0.55	0.12	40.3	7.9	17	4.74	34.8	2.66
803365		0.65	0.01	7.05	0.4	800	1.78	0.12	1.71	0.05	45.3	5.9	19	1.98	9.4	2.19
803366		0.64	0.04	7.17	0.7	830	1.69	0.12	1.88	0.06	47.8	6.4	17	1.11	12.8	2.43
803401		2.43	0.1	8.07	2.6	270	0.93	0.06	6.09	0.14	38.4	33.4	234	0.35	63.2	5.27
803402		1.58	0.06	8.03	7.3	420	1.42	0.06	4.02	0.09	44.1	26.9	84	2.31	39.9	5.36
843-RJC-0141		2.67	0.14	7.52	1.5	650	1.13	0.74	1.31	0.21	33.9	10.5	37	5.14	45.7	2.76
843-RJC-0142		2.15	0.37	7.5	5.8	800	1.06	10.7	0.12	4.21	27.2	6.9	41	9.98	11.8	3.85
803362		0.54	0.02	7.6	0.3	700	1.05	0.1	3.13	0.07	34.8	10.1	40	2.31	12.2	3.29

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
803344		18.15	0.27	0.4	0.046	1.92	19.8	51.1	1.71	725	1.5	3.29	4.8	23.7	560	20.3
803345		15.2	0.13	0.3	0.018	3.1	14	16.7	0.32	222	0.6	2.51	8	4.9	280	11.5
803346		20	0.21	0.7	0.203	1.41	16.3	37	2.15	1150	1.15	3.61	5	29.1	1580	26.2
803348		19.35	0.19	2.7	0.07	0.64	10.2	33	3.28	1010	0.52	2.03	2.1	68.3	670	15.6
803349		15.55	0.14	0.2	0.021	2.81	27.8	13	0.36	210	0.46	2.62	7	4.5	310	9.5
803350		19.1	0.14	4.1	0.058	1.81	22.2	35.6	1.74	715	0.29	3.07	5.9	33	1250	9.6
803351		16	0.14	0.2	0.015	2.91	13.9	16.2	0.37	226	0.4	2.52	7.8	4.5	330	10
803353		14.75	0.13	0.2	0.013	3.03	9.1	9.6	0.31	211	0.58	2.48	6.5	3.9	270	9.3
803354		19.95	0.19	1.9	0.071	1.15	10.9	44.6	2.45	778	0.97	2.5	2.6	22.6	620	8.1
803355		17.4	0.15	0.3	0.044	1.69	13.1	17.1	1.28	654	0.85	2.51	4.1	20.4	570	12.7
803356		21	0.2	3	0.05	1.63	25.3	34.2	1.79	810	0.34	3.2	3.5	28.5	1210	10.8
803357		13.3	0.16	0.2	0.012	2.98	21	8.6	0.09	182	0.58	2.5	6	1.7	80	10.2
803359		16.85	0.18	0.3	0.04	2.83	20.5	11.5	0.59	437	0.79	2.8	6.1	10.2	510	11.8
803360		18.9	0.18	0.3	0.041	2.22	19	16.1	0.78	542	0.95	3.31	5.1	8.7	700	12.5
803361		20.3	0.2	0.5	0.075	1.72	24.6	11.1	1.2	990	1	3.84	7.3	5.5	1460	10.3
803364		16.9	0.16	0.6	0.043	2.42	17.5	21.5	0.62	485	2.04	2.77	6	9.4	650	13.4
803365		17.5	0.16	0.3	0.029	2.49	20.3	14.6	0.68	475	0.9	2.93	6.3	8.4	580	9.6
803366		17.45	0.17	0.2	0.055	2.75	22.5	8.8	0.69	519	0.58	2.93	6.6	8.3	590	14.2
803401		18.85	0.19	2.1	0.05	0.28	17.5	25.6	3.98	1030	0.54	1.81	2.5	104.5	990	13.4
803402		19.35	0.21	1.9	0.064	1.28	18.5	30.7	2.72	977	1.06	2.72	6.6	76.7	1680	13.4
843-RJC-0141		17.3	0.18	0.2	0.06	2.01	16	18.8	1.03	726	0.7	2.32	4.3	20.5	450	25.3
843-RJC-0142		18.55	0.17	0.7	1.265	3.12	14.1	14.7	1.13	1425	3.09	0.61	4	19.8	550	50.7
803362		17.45	0.19	0.3	0.047	1.83	15.6	17	1.33	541	0.53	2.53	5.1	13.9	560	7.9

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
803344		71	<0.002	<0.01	0.52	17.3	2	1.3	364	0.34	<0.05	5.7	0.343	0.63	1.2	108
803345		83	<0.002	<0.01	0.23	3.7	1	1	229	0.87	<0.05	16	0.165	0.61	4.2	26
803346		95.9	<0.002	0.04	3.18	17.3	2	1.7	413	0.33	<0.05	1.2	0.683	1.09	1.1	123
803348		6.6	<0.002	<0.01	0.29	31.3	1	0.7	811	0.12	<0.05	1.5	0.518	0.12	1.3	168
803349		75.7	<0.002	<0.01	0.22	3.7	1	1.2	245	0.57	<0.05	11.3	0.171	0.62	2.6	25
803350		46.4	<0.002	<0.01	0.47	14	<1	1	662	0.37	<0.05	4.4	0.454	0.48	1.9	119
803351		79.5	<0.002	<0.01	0.2	4.2	1	1.2	250	0.75	<0.05	13.7	0.184	0.63	3.6	29
803353		79.8	<0.002	<0.01	0.22	3.4	1	1.2	216	0.61	<0.05	13.4	0.155	0.61	3.5	26
803354		24.4	<0.002	0.14	1.14	30	2	1.1	693	0.17	<0.05	2.1	0.429	0.4	1.1	189
803355		33.9	<0.002	<0.01	0.35	11.9	2	0.9	451	0.35	<0.05	6.4	0.286	0.31	1.8	88
803356		27.9	<0.002	0.01	0.28	16.9	2	0.9	975	0.24	<0.05	8.5	0.409	0.34	2.9	131
803357		77.2	<0.002	<0.01	0.28	1.6	2	0.7	112.5	0.75	<0.05	22.3	0.084	0.68	5.2	7
803359		79.9	<0.002	0.01	0.24	6.4	2	1.5	312	0.51	<0.05	12.5	0.245	0.61	3.4	47
803360		61.1	<0.002	<0.01	0.25	8.3	2	1.5	457	0.39	<0.05	5.7	0.311	0.55	2	62
803361		48.5	<0.002	0.01	0.29	12.8	3	2.1	594	0.52	<0.05	5.9	0.592	0.42	1.4	116
803364		64.9	<0.002	<0.01	0.57	7.3	2	1.1	306	0.47	<0.05	9.2	0.283	0.6	3.4	66
803365		65.3	<0.002	<0.01	0.21	7	2	1.7	426	0.51	<0.05	10.3	0.268	0.63	4.2	53
803366		70.1	<0.002	<0.01	0.24	7.1	3	1.6	364	0.54	<0.05	11.6	0.282	0.64	2.7	57
803401		2	<0.002	0.07	0.56	25.3	3	0.8	922	0.18	<0.05	2.4	0.501	0.06	0.8	162
803402		28.2	<0.002	0.04	0.61	18.4	3	1.1	660	0.43	<0.05	1.6	0.685	0.32	0.8	149
843-RJC-0141		59.4	<0.002	<0.01	1.61	10	2	1.1	355	0.41	<0.05	9.1	0.235	0.6	2.2	72
843-RJC-0142		126	0.002	0.7	2.58	10.8	3	1.4	39	0.43	0.49	10.8	0.215	2	5.1	73
803362		48.7	<0.002	0.01	0.36	14	3	1.2	354	0.4	<0.05	6.1	0.335	0.45	1.4	101

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		W	Y	Zn	Zr	Au	Pt	Pd	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.001	0.005	0.001	1	0.5	0.5	0.5	10	0.01	5	0.05
803344		1	21.3	110	6.3	<0.001	<0.005	<0.001	<1	681	33.5	13.7	60	1.75	31	3.49
803345		0.4	14.4	20	4	<0.001	<0.005	<0.001	<1	816	34.7	2.7	20	1.96	5	2.51
803346		9.2	22.4	166	16	<0.001	<0.005	<0.001	<1	281	43.5	15.5	30	3.27	<5	4.60
803348		0.4	20.6	85	87.3	0.001	<0.005	<0.001	<1	273	22.4	29.1	170	2.03	25	3.53
803349		0.5	13.9	20	3.6	<0.001	<0.005	<0.001	<1	854	57.1	2.9	10	1.34	<5	2.51
803350		0.7	18.9	84	119.8	<0.001	<0.005	<0.001	<1	754	42.7	16.3	40	0.97	31	3.25
803351		0.3	14.8	21	3.8	<0.001	<0.005	<0.001	<1	785	35.5	2.9	10	1.80	<5	2.61
803353		0.4	11.1	20	3.8	<0.001	<0.005	<0.001	<1	786	22.8	2.4	10	1.31	<5	2.01
803354		0.8	16.7	66	54.7	<0.001	<0.005	<0.001	<1	653	22.9	20.2	70	2.05	141	3.02
803355		0.8	16.2	64	4.6	0.001	<0.005	<0.001	<1	691	30.2	12.0	40	1.93	32	2.88
803356		0.6	16.9	71	106	<0.001	0.006	<0.001	<1	845	55.4	17.1	30	6.14	27	2.96
803357		0.6	10.6	14	5.8	<0.001	<0.005	<0.001	<1	620	34.7	1.2	10	1.36	5	1.87
803359		0.5	16.4	32	4.2	<0.001	<0.005	0.005	<1	882	44.8	5.0	20	1.85	42	2.78
803360		0.7	17	44	5.1	<0.001	<0.005	<0.001	<1	1090	40.0	6.6	20	2.18	9	2.86
803361		0.6	30	53	12.5	<0.001	<0.005	<0.001	<1	692	54.1	9.9	10	1.47	13	4.79
803364		1	10.4	48	18.2	<0.001	<0.005	<0.001	<1	788	39.5	7.8	10	4.27	31	2.07
803365		0.7	17.5	26	4.5	<0.001	<0.005	<0.001	<1	858	47.9	5.6	10	1.80	5	3.12
803366		0.8	19.2	43	3.9	<0.001	<0.005	<0.001	<1	893	46.7	6.7	20	1.04	9	3.47
803401		0.2	17.3	82	68.1	<0.001	<0.005	<0.001	<1	288	33.3	36.1	340	0.32	59	3.16
803402		0.3	21.3	79	66.4	<0.001	<0.005	<0.001	<1	474	38.3	27.7	110	1.99	31	4.39
843-RJC-0141		2.3	13	82	4	0.001	<0.005	<0.001	1	731	32.8	11.4	40	4.79	46	2.33
843-RJC-0142		1.8	8	240	21.6	0.004	<0.005	<0.001	1	872	24.4	7.3	50	9.06	8	1.69
803362		0.6	22.6	39	5	<0.001	<0.005	<0.001	<1	786	36.7	11.0	50	2.19	8	4.08

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803344		2.19	0.92	17.1	3.88	4.9	0.71	15.6	0.32	2	4.4	18.6	24	19	4.49	66.8
803345		1.71	0.58	15.4	2.97	4.4	0.54	15.6	0.29	<2	7.1	15.9	<5	12	4.29	87.6
803346		2.80	1.88	19.7	5.87	3.9	0.95	17.4	0.36	<2	5.2	27.6	30	26	6.32	108.5
803348		2.22	1.16	18.3	3.77	2.4	0.73	9.6	0.31	<2	1.8	15.3	69	16	3.37	10.8
803349		1.59	0.68	15.0	3.61	3.4	0.53	28.5	0.29	<2	6.5	23.1	<5	9	6.54	78.9
803350		1.84	1.25	17.8	4.49	3.7	0.63	19.9	0.26	<2	5.5	23.5	31	12	5.71	42.0
803351		1.81	0.71	15.4	3.25	4.2	0.53	14.5	0.29	<2	7.0	18.8	<5	10	4.85	82.3
803353		1.42	0.58	14.9	2.53	4.3	0.41	9.4	0.27	<2	6.1	13.3	<5	9	3.26	84.6
803354		1.94	0.99	19.6	3.19	2.4	0.65	10.0	0.28	<2	2.3	14.2	24	8	3.26	33.3
803355		1.86	0.90	17.6	3.42	3.5	0.60	14.4	0.28	<2	4.3	16.1	20	13	3.93	40.3
803356		1.71	1.41	20.1	4.74	2.9	0.57	27.2	0.23	<2	3.5	30.2	26	11	7.46	34.6
803357		1.32	0.41	12.9	2.17	3.5	0.40	18.9	0.27	<2	6.1	12.8	<5	10	3.80	77.5
803359		1.79	0.89	16.3	3.64	6.0	0.54	21.3	0.32	<2	6.1	20.8	15	12	5.54	78.5
803360		1.86	1.16	18.3	3.67	6.0	0.59	19.3	0.28	<2	5.2	20.0	9	12	5.06	62.7
803361		2.99	1.51	19.5	6.00	5.6	1.00	22.9	0.43	<2	7.1	30.8	<5	10	7.30	45.2
803364		1.44	0.62	16.7	2.59	5.7	0.43	17.5	0.25	2	6.4	15.6	8	14	4.21	64.3
803365		2.07	0.91	17.0	3.93	5.7	0.64	22.1	0.34	<2	6.5	22.5	7	10	6.02	66.9
803366		2.10	1.03	18.1	4.12	6.6	0.67	22.4	0.35	<2	7.0	22.4	6	15	5.63	72.1
803401		1.75	1.31	19.0	3.89	2.7	0.60	15.2	0.25	<2	2.4	19.5	107	14	4.34	3.0
803402		2.37	1.67	19.7	5.14	3.9	0.82	16.4	0.33	<2	6.7	24.5	77	15	5.27	34.7
843-RJC-0141		1.37	0.74	18.5	2.82	3.8	0.45	16.2	0.21	<2	4.5	15.1	19	27	3.79	62.8
843-RJC-0142		1.04	0.57	18.5	2.09	3.4	0.32	12.9	0.21	3	4.5	11.5	18	55	2.96	134.5
803362		2.48	1.04	18.4	4.34	4.9	0.82	17.4	0.37	<2	5.1	20.0	11	8	4.67	55.4

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803344		3.82	1	370	0.3	0.58	5.04	<0.5	0.30	1.31	111	1	19.6	2.14	125	183
803345		2.98	1	250	0.8	0.43	16.80	<0.5	0.26	4.57	26	1	15.3	1.86	33	141
803346		5.92	2	446	0.4	0.83	2.64	0.7	0.38	1.77	135	11	25.0	2.46	192	174
803348		3.62	1	821	0.1	0.58	1.51	<0.5	0.31	1.20	179	1	19.4	2.14	105	89
803349		3.87	1	265	0.6	0.45	12.35	<0.5	0.26	3.10	26	1	14.9	1.93	32	125
803350		4.68	1	690	0.4	0.60	4.19	<0.5	0.26	1.64	119	1	17.0	1.72	99	139
803351		3.48	1	269	0.7	0.47	13.65	<0.5	0.26	3.96	29	<1	15.5	1.93	32	140
803353		2.73	1	234	0.6	0.35	14.20	<0.5	0.21	4.14	27	1	12.1	1.60	32	146
803354		3.15	1	773	0.2	0.51	2.59	<0.5	0.28	1.22	200	1	17.2	1.83	82	84
803355		3.41	1	474	0.3	0.49	6.27	<0.5	0.25	1.98	94	1	16.5	1.76	66	129
803356		5.45	1	1000	0.2	0.57	7.52	<0.5	0.22	2.30	132	1	15.6	1.53	81	112
803357		2.36	1	117.5	0.8	0.32	18.95	<0.5	0.21	5.53	7	1	11.4	1.60	20	97
803359		3.91	1	336	0.5	0.47	10.25	<0.5	0.27	3.13	50	1	16.1	1.92	40	232
803360		3.97	1	481	0.4	0.52	5.10	<0.5	0.27	1.90	66	1	16.8	1.87	56	250
803361		5.90	2	592	0.5	0.85	5.34	<0.5	0.45	2.13	120	1	26.9	2.73	66	227
803364		2.90	1	322	0.5	0.36	8.46	<0.5	0.21	3.31	68	1	11.5	1.50	61	227
803365		4.22	2	441	0.5	0.57	10.05	<0.5	0.29	4.19	55	1	17.9	2.14	38	220
803366		4.18	2	363	0.6	0.58	10.10	<0.5	0.32	3.28	66	3	18.3	2.30	53	247
803401		4.06	1	879	0.1	0.57	2.50	<0.5	0.23	0.93	180	2	15.6	1.65	95	100
803402		5.43	1	654	0.4	0.74	2.23	<0.5	0.32	1.07	172	2	21.1	2.23	99	154
843-RJC-0141		2.90	1	360	0.4	0.40	8.25	<0.5	0.19	2.55	85	5	12.2	1.42	96	121
843-RJC-0142		2.17	1	35.6	0.4	0.30	10.60	1.3	0.16	5.70	85	4	8.0	1.28	257	115
803362		4.25	1	345	0.4	0.67	6.15	<0.5	0.36	1.84	120	3	21.5	2.58	59	167

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-AUG-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803344		61.9	14.95	5.14	3.69	2.85	4.83	2.38	0.01	0.66	0.10	0.13	0.05	0.08	3.87
803345		72.9	13.20	2.18	1.59	0.58	3.86	3.83	<0.01	0.31	0.03	0.05	0.03	0.10	0.47
803346		53.0	16.90	8.62	3.59	3.71	5.44	1.77	<0.01	1.46	0.17	0.41	0.05	0.03	5.00
803348		52.7	16.40	8.08	7.07	5.96	3.09	0.78	0.03	1.01	0.15	0.17	0.10	0.03	4.57
803349		73.7	13.30	1.85	1.59	0.64	3.96	3.42	<0.01	0.33	0.03	0.06	0.03	0.10	0.86
803350		58.1	15.90	6.16	4.36	3.11	4.57	2.27	0.01	0.86	0.11	0.31	0.09	0.09	3.23
803351		72.6	13.15	2.28	1.70	0.67	3.81	3.51	<0.01	0.35	0.03	0.07	0.03	0.09	0.48
803353		73.6	13.10	2.16	1.37	0.58	3.83	3.79	<0.01	0.31	0.03	0.06	0.03	0.09	1.27
803354		55.8	16.65	7.34	5.48	4.56	3.86	1.43	0.01	0.81	0.12	0.16	0.10	0.08	3.79
803355		64.6	15.80	4.75	4.67	2.25	3.72	2.10	0.01	0.57	0.09	0.12	0.06	0.08	1.26
803356		56.6	16.65	6.35	4.39	3.16	4.53	1.99	0.01	0.76	0.11	0.28	0.12	0.10	3.87
803357		78.0	11.70	0.80	0.62	0.15	3.73	3.61	<0.01	0.16	0.03	<0.01	0.01	0.07	-0.10
803359		68.5	14.15	3.26	2.29	1.05	4.11	3.38	<0.01	0.48	0.06	0.12	0.04	0.10	0.87
803360		67.4	15.65	3.76	3.03	1.36	4.84	2.70	<0.01	0.63	0.08	0.15	0.06	0.13	0.58
803361		60.6	16.05	5.78	4.28	2.08	5.48	2.02	<0.01	1.12	0.14	0.34	0.07	0.08	0.30
803364		67.3	14.70	3.90	0.78	1.08	4.06	2.94	<0.01	0.59	0.07	0.14	0.04	0.09	3.40
803365		67.6	14.75	3.25	2.55	1.20	4.28	3.00	<0.01	0.53	0.07	0.13	0.06	0.10	2.32
803366		66.9	14.85	3.53	2.68	1.24	4.37	3.33	<0.01	0.52	0.07	0.13	0.05	0.10	0.69
803401		49.5	15.80	7.90	9.09	6.91	2.62	0.34	0.05	0.89	0.14	0.24	0.11	0.03	6.48
803402		52.4	16.25	8.15	5.77	4.92	4.00	1.59	0.01	1.24	0.13	0.39	0.08	0.05	4.71
843-RJC-0141		66.7	15.85	4.09	1.96	1.86	3.54	2.55	0.01	0.45	0.10	0.12	0.05	0.08	2.65
843-RJC-0142		67.0	15.15	5.53	0.15	1.96	0.89	3.86	0.01	0.42	0.20	0.13	0.01	0.09	4.22
803362		65.0	15.40	4.90	4.52	2.43	3.80	2.30	0.01	0.62	0.07	0.13	0.05	0.08	0.88

Comments: The sample submittal indicates a sample total of 21, but the samples received total 23 samples, 22 samples as listed and one additional sample, 803362.

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-AUG-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08102678

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 4-SEP-2008

Account: RLH

CERTIFICATE VA08111422

Project: 677

P.O. No.: 85812

This report is for 21 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803369		0.34	0.003	<0.005	<0.001	0.08	7.45	3.7	500	1.21	0.15	3.93	0.22	28.7	28.1	195
803370		0.66	0.001	<0.005	<0.001	0.14	6.86	2.4	760	1.02	0.11	1.54	0.06	24.6	3	15
803371		0.72	0.001	<0.005	<0.001	0.04	7.11	1.5	480	0.69	0.02	3.82	0.03	21.2	22.5	99
803372		0.82	0.001	<0.005	<0.001	0.05	8.06	0.9	410	0.59	0.37	6.04	0.11	16.95	30.6	4
803377		0.18	0.001	<0.005	<0.001	0.06	9.67	1.8	1110	1.81	0.13	1.68	0.2	76.2	12.1	18
803378		1.06	0.001	<0.005	<0.001	0.02	6.96	1.9	740	2.05	0.11	2.69	0.1	56.5	8.5	21
803383		0.64	0.001	<0.005	<0.001	0.03	6.92	0.5	810	1.73	0.15	0.33	0.07	42.4	2.4	5
803384		0.64	0.001	<0.005	<0.001	0.01	6.86	0.9	740	2.07	0.12	1.61	0.05	50.6	8.2	14
803385		0.82	0.002	<0.005	<0.001	0.05	7.52	0.6	550	1.56	0.09	3.67	0.07	43	16.4	22
803386		0.54	0.002	<0.005	<0.001	0.02	7.66	0.2	230	1.15	0.04	4.72	0.07	26.3	16.9	28
803387		0.34	0.002	<0.005	<0.001	0.01	5.91	0.8	640	0.82	0.04	1.82	0.09	9.29	5.5	8
803388		0.52	0.002	<0.005	<0.001	0.04	8.06	1.7	190	0.62	0.04	6.05	0.32	16.25	24	36
803389		0.64	0.001	<0.005	<0.001	0.01	7.23	1.2	540	1.04	0.02	2.96	0.08	21.3	10.9	16
803391		0.58	0.004	<0.005	0.001	0.29	8.49	2.4	540	0.56	0.04	3.44	0.08	18.6	41.9	198
803392		0.52	0.001	<0.005	<0.001	0.04	7.77	0.4	740	1.4	0.05	4.5	0.11	73.7	21.7	34
803395		0.80	0.003	<0.005	<0.001	0.05	8.04	10.9	250	0.96	0.02	4.65	0.16	45.6	18.9	8
803396		0.18	<0.001	<0.005	0.001	0.02	7.4	9	40	0.78	0.07	9.41	0.1	27.3	13.8	10
803397		0.26	0.001	<0.005	0.001	0.38	7.75	9.9	570	1.52	0.36	1.09	0.12	40.7	20.2	64
803400		0.40	0.001	<0.005	<0.001	0.04	7.41	0.4	370	1.27	0.05	4.24	0.19	28.8	25.1	89
803451		0.64	0.001	<0.005	<0.001	0.04	6.88	3.7	250	1.39	0.04	4.6	0.72	26	24.3	81
803454		0.50	0.001	<0.005	0.001	0.02	6.12	0.2	850	1.64	0.05	0.99	0.04	44.9	5.3	9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803369		0.36	29.5	4.69	18.95	0.13	2.2	0.051	1.15	13.9	35	3.69	931	0.42	1.82	4.3
803370		1.53	19.5	1.97	18.5	0.1	0.6	0.054	1.16	12.2	22.9	0.6	382	2.72	1.85	3.7
803371		1.27	9.5	4.77	19.8	0.14	0.9	0.047	0.85	9.8	24.5	2.87	895	0.12	2.84	2.4
803372		0.3	28.5	8.66	23.1	0.17	0.8	0.085	0.43	7.3	16.9	2.22	1655	0.38	2.01	1.4
803377		8.05	45.3	4.72	32	0.21	1.6	0.156	2.9	35	51.9	1.45	421	6.16	1.23	8.9
803378		1.46	6.5	2.78	20.6	0.14	0.7	0.053	2.12	25.4	10.2	1.01	482	0.72	3.05	8.2
803383		1.61	5.9	1.71	20.5	0.1	2.1	0.062	2.69	21.5	21.1	0.71	450	0.57	2.52	4.3
803384		2.04	10.7	2.29	18.65	0.14	0.5	0.031	2.7	25.1	21.2	0.69	345	1.34	2.7	7
803385		2.55	26.2	4.07	22.6	0.16	0.7	0.046	1.42	20.2	13.7	1.66	784	0.7	2.88	6
803386		0.55	53	4.72	21.3	0.13	0.6	0.038	0.49	11.4	9.2	1.72	795	0.44	2.92	3.3
803387		1.08	2	1.74	14.25	0.08	0.1	0.005	1.81	4.9	14.1	0.45	247	0.36	2.09	2.2
803388		0.48	3.4	5.6	20.9	0.14	0.6	0.084	0.43	6.8	8.4	2.25	1735	0.61	2.68	1.9
803389		1.56	2	3.03	19.3	0.1	0.2	0.012	1.35	10.9	20.7	0.96	306	0.35	2.52	3.8
803391		2.15	172	6.87	20.6	0.17	0.4	0.049	1.75	8.2	26.1	4.4	1295	0.51	1.62	2.4
803392		2.21	43.4	4.73	22.9	0.19	4.4	0.057	1.72	33.7	16.8	2.16	894	0.46	2.66	4.7
803395		1.99	23.4	5.6	21.8	0.18	1	0.077	0.68	23.4	19.8	1.66	1115	0.62	3	4.2
803396		0.52	9.9	6.43	26.8	0.15	2.4	0.081	0.11	12.8	2.7	0.94	1205	0.33	0.15	3.7
803397		3.63	115.5	5.45	23	0.16	0.9	0.061	1.43	23.3	72.6	1.43	795	1.45	1.6	6.6
803400		0.51	54	4.74	21.4	0.14	2.8	0.053	0.84	14.6	20.9	2.81	850	0.38	2.42	3.8
803451		6.94	41.6	4.63	22.6	0.14	2.7	0.048	0.62	13.1	22.3	1.96	933	0.4	2.26	3.7
803454		1.62	4.8	1.64	17.25	0.11	0.1	0.014	3.08	24.7	21.2	0.43	341	0.3	2.43	5.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803369		131	950	11.5	12.7	<0.002	0.01	1.91	22.7	2	1.1	547	0.3	0.05	1.7	0.525
803370		5.7	460	10.2	33.3	0.003	0.05	0.66	14.3	3	1.4	309	0.28	0.09	2	0.319
803371		22.1	710	2.9	8.9	<0.002	<0.01	1	28.9	1	0.6	666	0.17	<0.05	1.3	0.42
803372		1.8	660	12.5	8.1	<0.002	<0.01	3.2	40.6	2	0.6	589	0.1	<0.05	0.6	0.735
803377		11.4	2470	11.3	116.5	0.005	0.46	0.44	43.9	5	2.7	214	0.58	0.09	4.2	0.974
803378		12.1	810	12.3	45	<0.002	<0.01	0.52	14.1	2	1.6	423	0.58	<0.05	7.2	0.413
803383		5.3	530	12.7	60.8	<0.002	0.02	0.41	6.4	2	1.1	271	0.4	<0.05	11.2	0.171
803384		8.1	540	9.7	74.1	<0.002	0.06	0.26	8.9	2	1.5	333	0.59	<0.05	10.7	0.297
803385		31.4	1340	9.4	34.2	<0.002	<0.01	0.16	15.3	2	0.9	761	0.43	<0.05	6.1	0.422
803386		13.4	890	4.4	6.2	0.002	0.01	0.28	30.6	2	0.8	465	0.32	<0.05	3.4	0.449
803387		3.7	190	9.8	40	<0.002	<0.01	0.56	7	2	0.3	213	0.23	<0.05	7.2	0.197
803388		17.6	420	12.9	3.8	<0.002	0.01	0.74	40.8	2	0.9	342	0.14	<0.05	1.2	0.455
803389		7.4	540	9.8	41.8	<0.002	<0.01	0.49	15.7	2	0.5	302	0.36	<0.05	6.6	0.329
803391		113.5	630	5	36.4	<0.002	0.02	0.94	27.5	2	0.6	373	0.19	<0.05	1.9	0.481
803392		34.4	1670	10.1	27.8	<0.002	<0.01	0.38	25.2	2	1	878	0.28	<0.05	5.1	0.568
803395		6.2	1250	11.2	23.4	<0.002	0.01	2.47	34.7	3	1.5	399	0.3	<0.05	3	0.67
803396		8.1	1290	7.9	2.8	<0.002	0.01	0.91	30.1	3	1.2	1145	0.23	<0.05	0.8	0.791
803397		52.6	630	15.6	59.1	<0.002	0.03	0.77	26.6	3	1	216	0.45	0.14	5.3	0.442
803400		80.7	1180	8.7	8.8	<0.002	0.01	0.14	22.9	2	0.8	637	0.23	<0.05	2.2	0.495
803451		61.3	1130	5.6	7.6	<0.002	<0.01	0.38	23.2	2	0.8	352	0.22	<0.05	1.7	0.507
803454		5.9	380	10.9	83.3	<0.002	<0.01	0.13	5	1	0.5	245	0.53	<0.05	11.4	0.212



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Tl	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	10	0.01	5	0.05	
803369		0.34	0.9	151	0.5	17.5	100	57.9	<1	543	34.9	32.5	290	0.42	27	3.73
803370		0.24	0.6	84	0.8	20.3	47	14.5	<1	850	26.9	3.4	20	1.42	17	4.64
803371		0.23	0.6	181	0.3	16.1	77	18.1	<1	549	22.8	24.4	140	1.46	6	2.98
803372		0.17	0.3	250	0.5	25.9	143	17.4	<1	475	12.9	32.6	10	0.20	24	3.94
803377		0.84	1.2	186	1.1	67.6	96	36.5	<1	1315	64.4	13.3	20	7.23	43	11.65
803378		0.24	1.9	88	0.6	24.3	48	10.5	<1	845	57.6	8.7	30	1.33	<5	4.42
803383		0.69	4.2	51	1.5	11.3	55	58.7	<1	886	44.6	2.9	10	1.53	8	2.41
803384		0.59	2.9	60	0.8	19.9	29	8.1	<1	823	50.5	9.3	20	1.97	7	3.37
803385		0.39	2.2	114	0.9	18.1	68	12	<1	619	43.6	17.2	40	2.33	22	3.01
803386		0.11	1.3	169	0.5	31.1	41	8.2	<1	277	28.5	17.1	30	0.50	47	5.78
803387		0.31	2.4	54	0.3	6.3	33	1.6	<1	717	10.0	5.7	30	0.98	<5	1.11
803388		0.1	0.6	256	0.3	24.8	115	10.3	<1	222	15.0	24.2	60	0.51	<5	3.89
803389		0.35	3.9	83	0.2	19.8	35	2.1	<1	591	21.8	11.4	30	1.49	<5	2.97
803391		0.42	1	159	0.5	16.2	117	6.2	<1	592	18.8	43.6	280	2.09	163	2.96
803392		0.33	2.1	170	0.3	24.6	82	148.5	<1	877	64.1	22.4	50	2.03	39	4.03
803395		0.17	1.1	238	1	38.3	101	20.5	<1	273	35.5	18.7	10	1.57	18	5.79
803396		0.02	0.4	319	0.4	26.6	52	70.4	<1	45.9	26.6	14.5	20	0.43	<5	4.88
803397		0.36	1.2	181	1.7	22.7	128	26.7	<1	631	34.3	20.7	80	3.10	111	4.28
803400		0.19	1.1	159	0.2	20.1	92	94.6	<1	432	30.4	26.7	130	0.51	50	3.28
803451		0.2	1.2	166	0.6	21.5	87	89.8	<1	304	31.6	25.9	120	7.05	38	3.56
803454		0.6	2.3	38	0.3	9.3	26	2.5	<1	944	44.8	5.4	10	1.49	<5	1.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803369		2.16	1.32	18.3	4.16	3.5	0.74	15.1	0.29	<2	4.4	18.0	142	23	4.41	31.0
803370		3.06	0.94	17.0	4.24	4.5	0.98	10.5	0.53	3	3.7	16.4	7	11	3.79	31.0
803371		1.90	1.11	17.8	3.20	2.8	0.60	8.8	0.30	<2	2.3	13.5	23	<5	3.19	25.3
803372		2.41	1.19	20.6	3.43	1.8	0.84	3.4	0.37	<2	1.3	10.2	<5	13	1.97	13.5
803377		7.27	2.81	29.2	11.40	8.3	2.49	27.7	1.07	7	9.0	42.0	12	13	9.20	104.5
803378		2.69	1.31	18.1	5.31	7.3	0.88	23.2	0.43	<2	7.8	27.6	12	13	7.09	45.4
803383		1.55	0.76	17.7	2.91	4.6	0.53	20.4	0.27	<2	5.6	17.6	10	18	4.91	56.9
803384		2.18	0.94	15.9	4.18	6.7	0.69	22.3	0.34	<2	6.4	22.9	11	13	6.12	72.1
803385		1.82	1.33	19.7	4.24	4.1	0.60	18.6	0.29	<2	5.9	23.0	34	11	5.69	40.9
803386		3.50	1.38	19.1	5.54	4.1	1.19	9.1	0.46	<2	3.5	19.9	12	6	4.29	13.8
803387		0.82	0.49	12.8	1.12	4.0	0.26	5.1	0.17	<2	2.3	4.6	6	11	1.20	41.5
803388		2.54	0.99	18.3	3.27	1.9	0.80	6.0	0.40	<2	1.8	10.1	21	14	2.15	11.1
803389		1.98	0.81	17.4	2.69	4.2	0.62	20.3	0.36	<2	3.7	11.0	9	12	2.68	47.4
803391		1.78	0.74	18.3	3.22	2.7	0.59	6.2	0.27	<2	2.3	11.8	115	9	2.67	59.2
803392		2.14	1.92	20.1	6.28	4.1	0.77	28.5	0.31	<2	4.4	35.3	36	12	8.59	39.0
803395		3.58	1.80	18.4	6.02	2.5	1.20	13.9	0.52	<2	3.9	22.6	7	12	5.03	19.8
803396		3.07	1.53	25.4	4.87	3.1	1.05	9.0	0.42	<2	3.5	18.5	9	10	3.89	2.5
803397		2.57	1.12	20.4	4.38	3.2	0.84	14.2	0.38	<2	6.1	18.0	51	17	4.33	51.9
803400		2.04	1.30	19.5	4.17	2.8	0.70	11.9	0.27	<2	3.7	18.9	79	10	4.41	19.8
803451		2.01	1.43	21.2	4.38	2.8	0.74	13.1	0.31	<2	3.7	20.4	64	7	4.60	21.4
803454		1.12	0.72	14.8	2.55	5.2	0.35	22.4	0.23	<2	5.1	16.4	8	13	4.86	81.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803369		3.91	1	540	0.3	0.68	3.49	<0.5	0.30	1.21	162	1	20.9	1.92	116	155
803370		3.89	2	330	0.3	0.73	2.74	<0.5	0.48	1.59	95	2	26.4	3.25	45	153
803371		3.06	1	684	0.1	0.52	2.48	<0.5	0.28	1.00	201	3	16.4	1.88	70	99
803372		3.07	1	570	0.1	0.59	0.51	<0.5	0.38	0.32	274	2	21.7	2.40	141	62
803377		10.65	3	237	0.6	1.91	4.70	0.6	1.06	2.63	217	4	65.7	7.04	110	294
803378		5.09	2	454	0.5	0.75	7.78	<0.5	0.42	2.87	96	1	24.6	2.64	39	286
803383		3.04	2	287	0.6	0.41	12.00	0.5	0.27	5.20	63	4	13.1	1.71	53	155
803384		4.21	2	340	0.6	0.63	11.20	<0.5	0.34	3.96	70	2	19.1	2.13	32	251
803385		4.50	1	801	0.4	0.60	5.48	<0.5	0.25	2.65	128	2	16.4	1.69	67	143
803386		5.23	1	501	0.3	0.96	2.90	<0.5	0.51	1.31	180	2	31.3	3.34	34	139
803387		0.88	1	227	0.2	0.19	8.37	<0.5	0.14	3.46	63	1	7.1	0.95	27	114
803388		2.74	1	352	0.1	0.63	1.09	<0.5	0.46	0.61	291	2	21.8	2.67	106	63
803389		2.57	1	311	0.4	0.47	7.78	<0.5	0.31	4.55	86	2	18.2	2.13	35	146
803391		2.88	1	368	0.2	0.51	2.87	<0.5	0.27	1.25	168	3	16.2	1.71	113	97
803392		7.14	1	908	0.3	0.82	4.40	<0.5	0.30	1.64	182	1	20.7	1.89	82	154
803395		5.87	2	395	0.3	0.98	2.14	<0.5	0.52	1.03	249	2	32.4	3.38	93	93
803396		4.51	2	1110	0.2	0.83	0.96	<0.5	0.43	0.43	344	2	27.0	2.86	55	123
803397		4.10	1	224	0.4	0.71	4.99	<0.5	0.39	1.76	192	3	22.6	2.62	118	110
803400		4.16	1	647	0.2	0.59	2.39	<0.5	0.29	1.10	176	1	18.2	1.81	87	99
803451		4.37	1	374	0.2	0.68	2.39	<0.5	0.30	1.28	191	2	21.2	1.90	85	103
803454		2.57	1	261	0.5	0.32	13.15	<0.5	0.18	3.63	47	3	9.7	1.32	22	188



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803369		53.9	16.05	7.37	6.10	6.78	2.63	1.56	0.04	0.94	0.13	0.26	0.07	0.07	3.89
803370		70.6	15.30	3.03	2.53	1.14	2.77	1.54	<0.01	0.56	0.06	0.11	0.05	0.10	2.06
803371		56.1	16.15	7.57	6.03	5.46	4.09	1.21	0.02	0.75	0.13	0.22	0.09	0.06	2.54
803372		47.6	16.75	13.30	9.32	4.16	2.75	0.59	<0.01	1.28	0.23	0.18	0.08	0.06	2.55
803377		48.9	22.8	7.72	2.91	2.91	1.88	3.97	<0.01	1.79	0.07	0.59	0.03	0.16	5.10
803378		65.2	15.95	4.28	4.35	2.04	4.43	2.81	<0.01	0.75	0.07	0.23	0.06	0.10	-0.29
803383		71.5	15.10	2.55	0.54	1.31	3.76	3.57	<0.01	0.39	0.07	0.14	0.04	0.11	1.07
803384		68.2	14.55	3.44	2.54	1.29	3.90	3.48	<0.01	0.50	0.05	0.18	0.05	0.10	0.30
803385		60.3	16.95	6.28	5.79	3.26	4.11	1.88	<0.01	0.75	0.11	0.35	0.10	0.07	0.77
803386		56.2	18.05	7.52	7.60	3.47	4.13	0.69	<0.01	0.87	0.12	0.24	0.07	0.03	0.58
803387		73.3	13.25	2.67	2.92	0.88	3.02	2.37	<0.01	0.34	0.04	0.05	0.03	0.09	1.18
803388		51.9	18.40	9.07	9.66	4.40	3.78	0.63	0.01	0.82	0.25	0.10	0.04	0.03	0.78
803389		65.5	15.85	4.54	4.57	1.84	3.54	1.72	<0.01	0.56	0.04	0.12	0.04	0.07	0.67
803391		49.4	16.75	10.25	5.30	7.61	2.30	2.17	0.04	0.83	0.18	0.16	0.05	0.07	2.99
803392		52.2	17.20	7.31	6.92	4.20	3.77	2.28	0.01	0.98	0.13	0.49	0.12	0.10	3.83
803395		55.1	16.75	8.30	6.90	3.03	4.07	0.85	<0.01	1.13	0.15	0.34	0.05	0.03	1.58
803396		54.8	14.40	9.72	15.65	1.74	0.26	0.12	<0.01	1.37	0.17	0.32	0.14	<0.01	1.04
803397		61.5	16.65	8.40	1.78	2.67	2.34	1.86	0.01	0.77	0.11	0.20	0.03	0.07	3.06
803400		51.1	16.55	7.39	6.64	5.36	3.47	1.18	0.02	0.88	0.12	0.28	0.09	0.05	5.51
803451		50.8	17.05	7.46	7.31	4.04	3.36	0.93	0.02	0.92	0.14	0.35	0.05	0.03	7.32
803454		73.1	13.40	2.46	1.62	0.82	3.58	4.04	<0.01	0.35	0.05	0.13	0.03	0.11	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 4-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111422

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 8-SEP-2008

Account: RLH

CERTIFICATE VA08111423

Project: 677

P.O. No.: 85813

This report is for 18 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111423

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803373		0.26	0.002	<0.005	<0.001	0.43	6.82	3	90	0.49	0.81	6.21	0.09	9.87	14.7	31
803374		0.26	0.001	<0.005	<0.001	0.07	0.05	0.9	<10	<0.05	0.05	0.19	0.08	0.26	1.9	9
803375		0.28	<0.001	<0.005	<0.001	0.03	1.93	0.5	100	0.19	0.05	0.93	0.07	4.75	2.3	10
803376		0.82	<0.001	<0.005	<0.001	0.04	6.89	0.9	120	0.75	0.08	2.24	0.16	25.5	11.9	5
803379		0.50	<0.001	<0.005	<0.001	0.16	7.3	1.2	820	1.27	0.41	0.09	0.02	22.6	1.5	8
803380		0.48	<0.001	<0.005	<0.001	0.01	7.11	0.8	670	1.21	0.06	2.94	0.06	30.1	11.7	30
803381		0.96	0.002	<0.005	<0.001	0.12	7.43	1.4	480	2.36	0.31	3.3	0.19	39.7	13.7	26
803382		0.86	0.019	<0.005	<0.001	0.11	6.7	0.8	650	1.92	0.94	0.31	0.05	38.1	6.3	5
803390		0.40	0.002	<0.005	<0.001	0.04	7.76	2.8	350	1.11	0.04	4.1	0.1	25.3	15	6
803393		0.30	0.057	<0.005	<0.001	1.01	6.52	5.4	650	0.67	0.64	1.66	0.66	20.5	38.7	4
803394		0.30	0.001	<0.005	<0.001	0.23	7.29	3.9	430	0.72	0.06	4.21	0.12	25.7	16.4	20
803398		0.58	0.001	<0.005	0.001	0.12	7.61	2	310	0.98	0.78	4.23	0.09	28.8	27.2	38
803399		0.56	<0.001	<0.005	<0.001	0.01	6.78	0.3	640	1.25	0.05	3	0.06	37.3	10	31
803452		0.38	0.007	<0.005	<0.001	0.41	7.04	12.1	920	1.62	1.46	1.46	0.04	53.2	6.4	29
803453		0.28	0.003	<0.005	<0.001	0.44	6.2	4.4	970	1.67	3.72	0.53	<0.02	27.7	14.1	10
803455		0.46	<0.001	<0.005	<0.001	0.26	4.97	1	700	1	0.18	0.47	0.02	46.5	1.8	39
803458		0.32	<0.001	<0.005	<0.001	0.05	6.16	0.7	750	1.72	0.15	1.13	0.04	56.2	4	8
803459		0.74	0.001	<0.005	<0.001	0.06	6	0.9	620	1.62	0.63	1.04	0.02	52.2	2	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111423

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803373		0.72	178	4.35	25.5	0.11	0.6	0.082	0.29	4.2	8.8	1.26	729	0.52	1.26	1.2
803374		0.43	4.3	0.76	0.56	<0.05	<0.1	0.023	0.01	<0.5	3.1	0.11	118	0.22	0.01	0.1
803375		0.36	7.7	1.26	5.77	0.05	0.2	0.031	0.14	2.1	5.8	0.18	274	0.23	0.57	0.5
803376		0.39	16	4.57	14.85	0.13	0.6	0.072	0.16	12.1	21.4	1.13	957	0.21	3.45	2.7
803379		2.9	44.8	1.23	19.25	0.08	0.2	0.024	3.31	13.3	30.9	0.22	33	13.4	0.73	3.3
803380		2.22	7.6	3.1	20	0.12	0.4	0.041	1.77	15.4	19.8	1.2	488	0.57	2.48	5
803381		2.96	52.1	3.86	22.6	0.15	0.6	0.09	1.65	17.7	25.1	1.62	884	2.55	3.04	7
803382		1.54	18.5	1.94	19.2	0.1	1.6	0.1	2.36	18.9	21.1	0.55	265	3.17	2.29	3.7
803390		1.51	33.3	4.39	21.5	0.14	0.5	0.059	0.76	11.6	12.6	1.22	1155	0.45	3.02	3.6
803393		3.85	289	4.47	18.35	0.12	0.2	0.039	1.39	11.8	10.3	0.46	453	8.68	2.35	2.6
803394		1.17	131.5	4.11	19.8	0.13	0.4	0.053	0.97	12.8	10.1	1.32	674	0.88	2.6	2.7
803398		0.83	7	5.25	22	0.15	0.9	0.089	0.7	13.8	9.2	1.79	1300	0.55	3.23	3.5
803399		2.19	9.8	3.17	19.15	0.13	0.4	0.045	1.72	19.3	18.1	1.25	523	0.51	2.46	5.2
803452		3.3	75.9	6.66	15.8	0.18	0.2	0.064	2.02	29	14	1.17	353	8.95	2.31	4.2
803453		4.09	9.3	4.33	16.5	0.14	0.3	0.063	2.36	15.5	21.3	0.69	194	45.3	2.28	4.8
803455		1.36	18.4	0.8	11.15	0.12	0.2	0.017	2.44	23.3	11.4	0.2	136	1.24	1.94	2.1
803458		2.12	5.9	1.27	15.5	0.14	0.2	0.01	2.97	27.2	14.2	0.34	188	0.53	2.52	4
803459		1.24	13	1.43	16.4	0.14	0.2	0.013	2.01	24.5	10.1	0.3	169	0.73	2.95	4.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111423

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803373		14.7	440	11.8	6	<0.002	0.02	4.8	18.5	2	1.7	512	0.08	0.22	0.5	0.338
803374		0.8	20	4.9	1	<0.002	<0.01	0.33	0.3	2	0.3	3	<0.05	<0.05	<0.2	<0.005
803375		1.1	200	7.8	7.2	<0.002	<0.01	0.95	4.1	2	0.2	90.1	<0.05	<0.05	0.2	0.094
803376		1.1	1280	17.6	5.3	<0.002	<0.01	2.1	21.8	2	0.4	264	0.18	<0.05	1	0.595
803379		1.4	570	36.7	97.5	0.002	0.07	0.88	9	2	10.6	48.6	0.28	0.06	2.9	0.162
803380		12.2	520	7.5	46	<0.002	0.04	0.33	16.5	2	1.1	350	0.38	<0.05	5.2	0.334
803381		16.6	810	17.9	50.3	<0.002	0.09	0.33	20.8	2	1.8	507	0.44	<0.05	5.5	0.434
803382		5.2	470	11.3	57.3	<0.002	0.22	0.36	6.4	2	1	233	0.34	0.06	11.1	0.151
803390		3.2	1010	6.5	17.9	<0.002	0.02	0.37	29	2	0.9	415	0.26	<0.05	2.1	0.422
803393		5	390	22.3	59.2	<0.002	1.03	1.26	10.4	2	1.6	319	0.28	0.14	2.8	0.188
803394		9.1	550	8.1	33.8	<0.002	0.03	1.42	19.7	2	0.8	504	0.23	<0.05	3.9	0.334
803398		23.9	970	11.6	16.8	<0.002	0.48	1.71	29.9	2	0.8	492	0.22	0.13	1.8	0.505
803399		12.5	540	7.4	47.4	<0.002	<0.01	0.33	17.8	2	1.1	335	0.39	<0.05	6.6	0.334
803452		7.7	970	8.8	56.2	<0.002	0.51	0.63	15	3	1.5	382	0.28	0.18	5.1	0.366
803453		7.6	550	17.1	93.6	0.002	0.51	0.68	9.7	3	1.9	225	0.37	0.76	7.8	0.246
803455		2.2	210	12.3	68.3	<0.002	0.03	0.3	2.6	2	0.7	141	0.2	<0.05	10.9	0.08
803458		3.5	320	10.6	78.8	<0.002	0.18	0.17	4	2	0.6	246	0.41	0.05	13.8	0.134
803459		2.8	320	9.5	55.2	<0.002	0.07	0.3	3.7	2	0.7	274	0.53	0.11	13.5	0.148



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 8-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111423

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803373		0.13	0.3	217	0.6	13.1	57	11.7
803374		0.03	<0.1	2	0.4	1.1	13	<0.5
803375		0.04	0.1	30	0.2	5.6	31	3.6
803376		0.05	0.4	59	1	29.6	112	9.4
803379		0.98	1.1	69	13.6	3.2	9	5.4
803380		0.45	1.4	97	1.9	20.7	34	5.2
803381		0.67	1.4	123	0.8	29.4	72	11.8
803382		0.6	4	47	1.1	9	35	42.3
803390		0.18	0.9	124	0.6	28.2	75	6.2
803393		0.35	1	68	3.2	14.5	80	2.4
803394		0.26	1.6	126	0.8	18.7	50	5.7
803398		0.31	0.9	165	1	23.6	118	24
803399		0.44	1.7	100	0.5	23.4	35	5.8
803452		0.74	1.7	125	2.3	16.2	43	3
803453		1.12	4.1	87	8.4	10	36	6
803455		0.61	2.7	15	1.5	4.7	15	4
803458		0.68	5.3	22	0.9	10.3	18	3
803459		0.56	3.7	26	1.3	9.5	20	3.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-SEP-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111423

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 7-SEP-2008
Account: RLH

CERTIFICATE VA08111424

Project: 677

P.O. No.: 85814

This report is for 3 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08111424
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803463		0.70	0.001	<0.005	<0.001	0.02	6.65	0.9	760	2.02	0.08	1.09	0.03	47.9	4.1	9
803464		0.36	0.001	<0.005	<0.001	0.03	6.69	0.6	690	1.81	0.07	0.54	0.18	40.8	3.4	13
803466		0.64	0.001	<0.005	<0.001	0.03	7.47	0.8	710	0.91	0.06	3.06	0.08	31.2	11	33



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111424

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803463		2.17	3.4	1.62	17.3	0.08	0.3	0.008	2.89	23.6	21.2	0.34	284	0.88	2.56	7.8
803464		2.12	3.2	1.57	16.4	0.09	0.3	0.015	3.08	18.6	9.3	0.28	350	3.1	2.4	6.5
803466		2.14	7.5	3.15	17.5	0.12	0.4	0.042	1.86	14.4	16.6	1.25	538	0.62	2.55	5.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111424

Sample Description	Method Analyte Units LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
803463		4.1	320	10.6	80.2	<0.002	<0.01	0.3	3.8	1	1.2	251	0.81	<0.05	14.6	0.177
803464		3.5	340	12.4	83.8	<0.002	<0.01	0.46	3.6	1	1.4	154	0.71	<0.05	12.6	0.173
803466		12.3	530	7.5	39	<0.002	0.01	0.36	12.7	2	1.2	366	0.42	<0.05	4.7	0.339



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 7-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111424

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5
803463		0.57	3.5	30	0.5	14.6	20	4.5
803464		0.68	4.6	30	0.5	9	42	3.8
803466		0.41	1.2	102	1	18.9	37	5.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 7-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111424

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 9-SEP-2008

Account: RLH

CERTIFICATE VA08111425

Project: 677

P.O. No.: 85816

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08111425
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803456		0.40	0.007	<0.005	0.001	0.17	7.12	1.3	780	1.69	0.19	2.16	0.33	43.6	9.1	18
803457		0.92	<0.001	<0.005	0.001	0.11	8.28	0.8	240	0.64	0.1	5.56	0.2	16.65	23.9	16
803460		0.48	<0.001	<0.005	<0.001	0.03	6.37	1.5	720	1.68	0.07	1.06	0.05	50.3	3.8	10
803461		0.68	<0.001	<0.005	<0.001	0.08	6.37	0.5	790	1.43	0.09	1.2	0.07	50.7	4.1	10
803462		0.60	<0.001	<0.005	<0.001	0.05	6.14	0.2	760	1.76	0.08	1.09	0.05	37	3.8	7
803465		0.44	0.001	<0.005	0.001	0.06	6.39	0.6	800	1.83	1.69	1.18	0.06	43.6	4.2	11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111425

Sample Description	Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
803456		1.97	20.5	2.41	18.1	0.14	0.6	0.046	2.52	20.3	13.7	0.81	528	0.55	2.88	6.6
803457		1.18	51.1	5.93	19.8	0.15	0.6	0.075	0.56	6.9	11.2	1.95	1200	0.84	2.37	2.2
803460		2.34	6.4	1.49	15.7	0.11	0.2	0.013	2.6	25.6	15.7	0.34	316	0.35	2.38	7.9
803461		1.84	10	1.69	15.55	0.11	0.2	0.011	2.54	29.9	20.1	0.35	319	0.61	2.56	6.5
803462		1.85	8.4	1.47	16	0.11	0.3	0.009	2.53	16.9	17.8	0.31	281	0.53	2.44	8
803465		1.57	8.7	1.58	15.5	0.11	0.3	0.013	2.51	18.6	17.5	0.36	257	1.15	2.63	7.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111425

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803456		10.8	620	15.1	65.1	<0.002	0.01	0.33	9	2	1.5	378	0.56	<0.05	9	0.314
803457		17.1	520	7	8	<0.002	<0.01	0.36	32.8	2	0.7	348	0.2	<0.05	1.7	0.541
803460		4.4	330	9.3	75	<0.002	<0.01	0.22	4	1	0.5	306	0.87	<0.05	12.3	0.18
803461		4.4	330	11	73.5	<0.002	0.01	0.2	3.9	2	1.1	258	0.55	<0.05	12	0.18
803462		3.6	310	10.5	77.2	<0.002	0.01	0.18	3.5	2	1	239	0.74	<0.05	14.1	0.164
803465		16.8	340	10.6	77.9	<0.002	0.01	0.21	3.9	2	1.5	292	0.63	<0.05	12	0.185



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08111425
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
Method Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	0.5	10	0.01	5	0.05
803456	0.52	2.4	67	1.3	20.6	67	12.2	<1	863	46.8	9.4	20	1.76	20	3.89
803457	0.14	0.5	288	0.4	23.1	90	9.4	<1	277	16.6	26.9	20	1.19	54	4.33
803460	0.53	3.4	31	0.5	17.5	22	3.2	<1	816	59.6	4.1	10	2.23	7	3.55
803461	0.56	2.7	36	0.4	13.3	26	2.8	<1	821	59.9	4.8	20	1.73	5	2.35
803462	0.6	3.1	27	0.5	14.5	21	3.8	<1	829	40.2	4.1	10	1.81	<5	2.84
803465	0.54	3.8	31	0.5	14.7	22	3.7	<1	786	43.9	4.1	10	1.37	6	2.57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111425

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803456		2.37	1.05	17.8	4.35	7.0	0.80	21.3	0.40	<2	6.8	23.1	9	16	6.11	66.7
803457		2.65	1.17	19.9	3.44	1.6	0.95	6.8	0.43	<2	2.2	11.5	18	9	2.52	16.2
803460		2.21	0.78	15.8	4.33	5.6	0.75	29.4	0.42	<2	8.2	25.6	<5	10	7.30	74.9
803461		1.53	0.72	16.0	3.20	5.1	0.51	37.2	0.29	<2	5.8	19.2	5	12	6.14	75.7
803462		1.87	0.70	16.3	3.35	4.8	0.62	18.2	0.37	<2	8.0	18.6	<5	12	5.18	81.6
803465		1.63	0.67	14.7	3.17	5.1	0.55	19.3	0.30	<2	6.7	19.4	15	10	5.54	73.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111425

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
	Analyte	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803456		4.85	2	396	0.6	0.66	9.35	<0.5	0.37	2.94	68	2	20.4	2.31	81	254
803457		3.31	1	361	0.2	0.65	1.91	<0.5	0.42	0.58	305	1	22.4	2.50	116	51
803460		4.91	1	333	0.9	0.60	14.70	<0.5	0.37	4.43	34	1	19.2	2.34	35	183
803461		3.21	1	271	0.6	0.43	13.20	<0.5	0.25	3.25	43	1	13.2	1.65	42	176
803462		3.65	1	268	0.9	0.50	15.00	<0.5	0.30	3.72	30	1	16.1	2.00	34	152
803465		3.68	2	287	0.7	0.45	13.80	<0.5	0.27	4.35	30	1	14.5	1.71	32	177



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08111425
-------------------------	------------

Sample Description	Method	Analyte	Units	LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05				
					SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	
					%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
					0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803456					66.8	15.45	3.85	3.32	1.48	4.24	3.22	<0.01	0.56	0.07	0.14	0.05	0.10	0.68	
803457					52.9	18.50	9.68	9.00	3.84	3.47	0.75	<0.01	0.94	0.18	0.11	0.04	0.03	0.59	
803460					71.4	14.05	2.42	1.64	0.68	3.68	3.44	<0.01	0.32	0.05	0.06	0.04	0.09	2.15	
803461					71.5	14.25	2.84	1.83	0.68	3.95	3.57	<0.01	0.40	0.05	0.06	0.03	0.10	0.68	
803462					72.4	14.05	2.30	1.72	0.62	3.76	3.75	<0.01	0.29	0.04	0.08	0.03	0.09	0.77	
803465					72.3	14.00	2.36	1.75	0.69	4.01	3.63	<0.01	0.32	0.04	0.08	0.04	0.10	0.79	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111425

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 9-SEP-2008

Account: RLH

CERTIFICATE VA08111426

Project: 677

P.O. No.: 85815

This report is for 32 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
OA-GRA05	Loss on Ignition at 1000C
ME-MS81	38 element fusion ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP

WST-SEQ

ICP-MS

ICP-AES

ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803407		0.80	0.011	<0.005	<0.001	0.7	6.61	19.7	750	0.56	0.69	2.83	0.13	17.4	12.5	7
803408		0.30	0.001	<0.005	<0.001	0.01	2.51	2.6	360	0.31	0.02	0.51	0.03	7.69	5.6	10
803409		1.10	0.002	<0.005	<0.001	0.05	5.99	5.8	750	0.74	0.31	0.74	0.16	19.45	4.4	7
803410		0.38	0.001	<0.005	<0.001	0.15	6.99	5.8	850	0.82	0.02	0.58	0.13	22.2	8.8	4
803411		0.54	0.001	<0.005	<0.001	0.04	7.26	3.5	290	0.72	0.09	2.47	0.06	13.75	19.7	18
803412		0.86	0.005	<0.005	<0.001	0.07	7.53	5.9	650	0.86	0.07	2.28	0.05	29.3	19.1	27
803413		1.16	0.003	<0.005	0.001	0.09	7.21	6	400	0.75	0.1	3.6	0.05	30.6	17.7	31
803414		0.86	0.053	<0.005	<0.001	0.11	8.04	100	670	0.88	0.97	0.67	0.05	24.4	32.3	30
803415		0.40	0.003	<0.005	<0.001	0.11	6.62	12.4	530	0.58	0.37	3.7	0.26	16.75	18.8	92
803416		0.44	0.002	<0.005	<0.001	0.08	7.21	7.6	610	0.89	0.03	3.81	0.02	16.5	22.85	17
803417		0.70	0.004	<0.005	<0.001	0.06	6.79	7.8	710	0.64	0.19	1.76	0.11	21.9	6.4	7
803418		0.80	0.002	<0.005	<0.001	0.12	7	2	640	1.93	0.91	0.41	0.26	54.1	4.7	9
803419		0.80	0.001	<0.005	<0.001	0.07	6.26	2.6	900	1.85	0.19	0.3	0.12	49.4	1.4	8
803420		0.64	0.002	<0.005	<0.001	0.02	6.77	1.4	700	1.59	0.28	0.8	0.04	59.8	3.6	10
803421		0.50	0.001	<0.005	<0.001	0.14	7.1	12.1	630	1.39	0.15	0.17	0.16	33.5	1.5	8
803422		0.36	0.001	<0.005	<0.001	0.09	6.68	1.2	1090	1.53	0.14	0.46	0.1	51.4	2.1	7
803423		0.34	0.004	<0.005	<0.001	0.22	6.6	2.2	250	1.64	0.24	0.17	0.04	48.7	0.5	9
803424		0.62	0.001	<0.005	<0.001	0.03	5.55	0.6	710	1.45	0.07	0.28	0.04	47.4	1.5	9
803425		0.72	<0.001	<0.005	<0.001	0.01	7.13	1.1	560	1.56	0.05	3.45	0.06	51.9	17.9	45
803426		0.70	0.123	<0.005	<0.001	0.8	6.92	12.2	110	0.61	0.66	2.58	0.34	11.15	13.2	17
803427		0.52	0.033	<0.005	<0.001	0.44	7.15	14.3	80	0.6	0.63	3.96	0.13	15	10.5	21
803428		0.72	0.012	<0.005	<0.001	2.46	8.43	9	450	0.69	0.45	0.22	0.02	15.7	16.2	7
803429		0.68	<0.001	<0.005	<0.001	0.03	7.07	11.3	1120	0.86	0.07	2.25	0.45	16.65	9.4	14
803430		0.56	0.001	<0.005	<0.001	0.08	7.01	12.1	1260	0.73	0.16	3.49	0.14	19.35	16.4	27
803431		0.74	<0.001	<0.005	<0.001	0.04	6.49	4.9	930	0.84	0.04	1.66	0.09	20.9	5.5	8
803432		Not Recvd														
803433		Not Recvd														
803434		Not Recvd														
803435		Not Recvd														
803436		Not Recvd														
803437		Not Recvd														
803438		Not Recvd														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803407		1.24	101	3.22	16.15	0.15	0.6	0.029	1.03	8.8	13.9	1.38	690	0.17	2.44	2.3
803408		0.36	4.2	1.71	5.85	0.12	0.3	0.013	0.3	3	4.4	0.53	479	0.22	1.26	0.9
803409		0.93	12.7	1.61	14.1	0.13	0.2	0.031	1.4	8.7	8.1	0.59	326	0.23	2.85	1.4
803410		0.99	51.2	3.07	16.55	0.14	0.4	0.034	1.49	9.1	9.2	1.21	572	0.11	3.11	1.6
803411		0.32	36.6	4.49	16.55	0.17	0.6	0.048	0.44	5.4	11.9	2.24	1035	0.14	4.04	2.8
803412		2.99	62	4.26	17.6	0.19	0.4	0.054	1.64	12.3	20.5	1.82	809	0.82	2.86	3.6
803413		1.84	57.8	4.31	19.3	0.16	0.6	0.057	1.08	11.9	16.3	1.54	786	0.82	2.83	3.8
803414		3.07	145.5	5.41	21.3	0.17	0.3	0.058	0.97	10.6	41.1	0.53	501	3.74	1.01	3
803415		0.53	54.2	4.82	15.5	0.15	0.4	0.085	0.95	7.1	10.4	1.64	834	0.34	2.51	1.7
803416		1.55	87.2	3.96	18.55	0.16	0.1	0.033	1.11	6.3	21.9	2.22	875	0.97	2.8	2.8
803417		0.79	22.9	2.21	15.55	0.14	0.3	0.028	1.39	8.9	15.6	0.69	378	0.32	3.16	2.2
803418		5.23	23.5	2.27	18.35	0.16	0.2	0.045	2.65	26.6	13	0.55	300	7.04	2.21	5.3
803419		1.54	8.1	1.35	15.1	0.14	0.4	0.023	3.83	23.6	5.8	0.28	281	1.67	2.14	7.3
803420		0.92	4.9	2.23	17.9	0.17	0.2	0.076	2.54	28.2	16.3	0.84	620	0.38	3.1	5.2
803421		2.04	22.3	1.89	17.55	0.15	0.2	0.055	2.9	16.7	7.3	0.51	363	1.67	2.52	5.5
803422		1.76	26.2	1.69	15.9	0.17	0.2	0.039	3.56	27.1	9.7	0.51	541	0.68	2.4	5.1
803423		3.35	7.5	1.57	17.05	0.14	0.2	0.088	1.87	23.4	7	0.25	119	0.8	2.99	4.1
803424		0.99	7.7	0.8	13.3	0.14	0.3	0.013	3.51	24.7	6.1	0.17	239	3.16	2.04	4.4
803425		1.86	27.6	3.89	19.65	0.22	0.6	0.06	1.75	21.5	14.2	1.72	698	0.51	2.77	6.9
803426		1.22	325	3.51	17.1	0.16	0.1	0.108	0.71	4.1	19.7	1.88	795	6.73	3.08	1.9
803427		0.5	152.5	4.23	18.5	0.17	0.2	0.116	0.34	5.6	9	2.37	1160	4.37	3.78	2
803428		2.6	102	4.78	20.3	0.21	0.1	0.045	2.35	6.4	34.8	0.99	279	19.9	0.76	1.2
803429		2.59	13.9	2.29	15.8	0.12	0.1	0.016	1.54	8	28.4	0.97	454	0.43	2.88	2.1
803430		1.44	9.1	3.78	18.3	0.18	0.2	0.062	2.43	8.2	14.9	1.47	793	0.27	2.03	2.5
803431		1.03	15.9	1.81	14.55	0.12	0.3	0.014	1.54	9	13.4	0.51	412	0.27	2.93	2.3
803432																
803433																
803434																
803435																
803436																
803437																
803438																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803407		7.3	400	20.2	21.1	<0.002	0.04	5.4	9.6	2	0.5	381	0.2	0.26	0.7	0.223
803408		2.5	390	2.8	5.3	<0.002	<0.01	0.47	8.3	3	0.3	90.6	0.06	<0.05	0.3	0.199
803409		1.8	290	10.2	35.4	<0.002	0.01	1.52	6.3	2	0.6	125	0.13	0.15	1.5	0.121
803410		2.8	590	3.8	37.5	<0.002	0.07	0.64	12.5	2	0.6	176.5	0.15	<0.05	0.9	0.232
803411		19.7	940	7.8	5.3	<0.002	<0.01	1.46	22.5	2	0.6	302	0.21	0.05	0.5	0.379
803412		21	710	6.7	41	<0.002	0.01	2.19	18.7	2	0.9	305	0.31	<0.05	4.6	0.415
803413		21.5	720	10	18.6	<0.002	<0.01	2.56	21	2	1	337	0.32	0.06	4.1	0.418
803414		20.8	340	9	26.9	0.002	0.5	1.81	18.8	5	0.8	274	0.27	0.9	2.1	0.366
803415		23	600	14.6	15.3	<0.002	0.03	2.42	19.3	2	0.6	447	0.15	0.06	1.2	0.327
803416		18.3	800	2.8	11	<0.002	0.03	0.81	15.7	2	0.5	559	0.22	<0.05	1	0.38
803417		3.1	330	20.3	27.5	<0.002	<0.01	1.83	11.5	2	0.5	334	0.22	<0.05	1.6	0.208
803418		5.2	470	15.9	75	<0.002	0.03	0.48	7.5	2	1.2	189	0.58	0.16	10.8	0.227
803419		2.7	250	17.4	89.7	<0.002	0.01	0.68	3.6	2	0.6	170	1.07	0.56	25.1	0.149
803420		8.4	620	12.5	82.3	<0.002	<0.01	0.8	9.2	2	2.1	348	0.52	<0.05	10.8	0.265
803421		3.9	270	32.7	85	<0.002	0.02	1.97	5.5	2	1.5	163	0.56	0.2	11.8	0.223
803422		5.2	390	14.4	94.2	<0.002	<0.01	0.38	5.3	2	1	266	0.58	<0.05	13.8	0.196
803423		1.5	400	28	69.2	<0.002	0.11	0.8	8.3	2	2.6	180	0.48	0.05	11.8	0.192
803424		2.2	140	11.4	80	<0.002	<0.01	0.2	2.4	2	0.4	119	0.59	<0.05	15.1	0.098
803425		27.5	1050	7.8	30.6	<0.002	<0.01	0.28	19.3	2	1.5	452	0.55	<0.05	4.8	0.54
803426		16.5	630	17.1	19.7	0.045	0.45	2.5	17	3	2.1	248	0.15	0.28	0.7	0.289
803427		17.9	770	18.9	4.1	0.013	0.38	3.51	19.1	3	3.3	319	0.15	0.23	0.6	0.345
803428		9.1	720	4.4	58.2	0.419	2.95	1.54	12.4	11	0.7	180.5	0.11	0.69	0.8	0.206
803429		8.5	560	9.5	41.3	<0.002	0.01	2.11	5.3	2	0.4	484	0.23	<0.05	3.4	0.275
803430		15.1	640	12.3	41.1	<0.002	<0.01	2.56	14.4	2	0.6	287	0.23	<0.05	2.2	0.351
803431		1.8	290	8.5	31.3	<0.002	0.01	1.59	6.8	2	0.6	381	0.22	<0.05	1.6	0.174
803432																
803433																
803434																
803435																
803436																
803437																
803438																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Tl	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	0.5	10	0.01	5	0.05
803407		0.17	0.4	88	0.3	6.9	59	15.4	<1	808	19.9	12.6	10	1.19	98	1.59
803408		0.05	0.1	62	0.1	5.4	25	7.5	<1	383	6.8	5.6	10	0.24	<5	1.15
803409		0.24	0.3	56	3.4	3.3	45	5.6	<1	807	16.5	4.7	10	0.79	8	1.19
803410		0.24	0.3	96	3.7	7.3	70	11.3	<1	896	25.3	8.6	<10	0.83	48	2.79
803411		0.09	0.3	147	0.4	12.4	85	12.2	<1	329	15.4	19.2	20	0.31	33	2.29
803412		0.4	2.8	134	0.9	17.7	60	4.7	<1	714	32.6	18.5	30	2.65	59	3.21
803413		0.27	2.8	146	0.8	19.1	51	6.7	<1	469	34.5	18.4	50	1.90	160	3.47
803414		0.3	1.1	133	1.1	3.6	47	8.7	<1	742	24.0	34.6	40	3.09	157	2.79
803415		0.16	0.8	156	0.6	10.4	98	7.1	<1	607	18.6	19.1	130	0.52	55	1.85
803416		0.24	0.5	138	0.3	10.7	51	1.7	<1	729	21.5	26.0	30	1.79	89	2.14
803417		0.25	0.6	71	0.5	17.4	46	4.9	<1	795	22.5	6.8	10	0.76	24	3.17
803418		0.68	3.8	52	0.9	18.1	53	3.2	<1	640	47.2	4.4	10	4.47	22	2.99
803419		0.86	4.9	24	1.2	9.8	35	6.8	<1	974	48.5	1.4	10	1.45	9	1.95
803420		1.17	3.6	65	2.6	20.2	87	3	<1	754	58.4	3.4	10	0.83	<5	3.88
803421		0.94	2.9	47	3.2	9.6	71	2.3	<1	645	31.8	1.5	10	1.78	19	2.42
803422		1.03	3.8	41	1.9	11.4	66	2.6	<1	1155	46.7	2.2	10	1.54	24	2.19
803423		0.84	2.4	54	2.2	8	29	2.7	<1	269	43.8	0.7	10	3.08	5	1.70
803424		0.75	5.7	13	1.2	8.8	23	6.6	<1	788	45.4	1.6	10	0.93	5	1.91
803425		0.36	1.7	126	0.4	26.2	56	9.5	<1	660	52.0	17.8	60	1.67	24	4.81
803426		0.29	0.4	143	0.7	10.4	92	2.3	1	134.0	12.0	13.1	20	1.12	340	2.00
803427		0.14	0.4	143	1	14.3	83	4.6	<1	89.3	16.8	9.6	30	0.55	150	2.84
803428		0.56	0.2	146	0.5	4.3	22	1.3	<1	477	15.3	15.8	10	2.36	92	2.10
803429		0.33	1.4	65	0.6	4.6	50	1.6	<1	1200	17.9	15.5	20	2.38	81	1.16
803430		0.35	1.1	123	0.5	10.3	73	2.3	<1	1435	21.8	16.6	40	1.45	8	2.16
803431		0.23	0.5	47	0.5	11.9	34	6.9	<1	941	19.8	4.6	10	0.92	13	2.31
803432																
803433																
803434																
803435																
803436																
803437																
803438																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803407		0.95	0.74	15.6	2.01	2.0	0.32	10.0	0.16	<2	2.5	9.6	9	22	2.37	26.4
803408		0.66	0.34	5.4	1.17	1.0	0.24	2.0	0.09	<2	0.8	4.4	5	5	1.02	5.0
803409		0.87	0.35	13.2	1.49	2.4	0.26	6.5	0.19	<2	1.8	8.3	<5	12	2.08	34.2
803410		1.77	0.92	15.3	3.03	3.1	0.60	8.6	0.27	<2	2.6	14.5	<5	6	3.39	36.7
803411		1.58	0.83	16.0	2.67	1.7	0.52	4.4	0.25	<2	2.9	9.7	19	9	2.15	11.5
803412		1.88	0.87	17.4	3.65	3.0	0.64	15.0	0.26	<2	3.9	16.4	24	9	4.09	45.6
803413		2.09	0.89	19.5	3.83	4.5	0.72	14.4	0.31	<2	4.5	19.8	21	12	4.64	27.2
803414		1.60	0.85	22.2	2.62	3.8	0.56	10.5	0.25	4	3.3	12.7	21	9	3.01	28.9
803415		1.15	0.73	15.0	2.02	1.7	0.38	8.6	0.17	<2	1.8	10.0	21	16	2.34	25.1
803416		1.24	0.90	17.8	2.45	2.1	0.42	9.6	0.18	<2	3.0	12.3	17	<5	2.80	29.2
803417		2.08	0.76	16.1	3.01	3.4	0.67	10.0	0.34	<2	2.5	12.6	<5	22	2.96	30.4
803418		1.92	0.89	17.1	3.73	6.4	0.62	22.9	0.32	9	6.6	22.4	5	16	5.87	73.6
803419		1.40	0.60	14.7	2.73	5.6	0.43	23.2	0.27	2	8.5	19.0	<5	18	5.38	93.7
803420		2.40	0.99	17.4	4.75	6.0	0.79	27.2	0.39	<2	6.9	25.4	8	11	7.00	85.9
803421		1.85	0.52	16.3	2.25	6.5	0.59	15.7	0.33	2	6.9	13.4	5	25	3.77	87.8
803422		1.42	0.81	15.2	3.37	5.7	0.46	25.0	0.26	<2	5.8	21.1	5	12	5.84	97.2
803423		1.20	0.45	16.1	2.39	5.3	0.36	22.2	0.23	<2	6.2	16.4	<5	23	4.95	69.6
803424		1.38	0.42	13.0	2.52	3.9	0.42	23.8	0.29	3	6.1	16.3	<5	11	4.86	85.7
803425		2.86	1.44	18.6	5.89	5.9	0.97	23.3	0.43	<2	7.8	27.7	28	8	6.75	43.2
803426		1.41	0.56	16.3	2.10	2.3	0.45	4.6	0.25	7	2.1	7.6	16	13	1.73	30.6
803427		1.75	0.90	17.7	2.86	2.6	0.59	6.4	0.26	4	2.1	10.7	17	16	2.40	13.3
803428		1.49	0.53	19.1	2.19	2.2	0.47	5.9	0.24	20	2.0	9.3	9	6	2.14	58.2
803429		0.70	0.66	15.7	1.59	3.3	0.24	8.7	0.12	2	2.2	8.3	12	9	2.12	47.4
803430		1.22	0.77	19.0	2.68	2.8	0.44	9.6	0.18	<2	2.8	12.1	16	11	2.88	59.0
803431		1.55	0.64	13.5	2.33	2.7	0.48	8.1	0.28	<2	2.3	10.5	<5	7	2.55	31.9
803432																
803433																
803434																
803435																
803436																
803437																
803438																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803407		1.90	1	413	0.2	0.29	1.33	<0.5	0.14	0.63	100	2	9.0	1.07	44	67
803408		1.15	<1	91.9	0.1	0.20	0.35	<0.5	0.11	0.16	71	1	6.0	0.61	11	35
803409		1.48	1	129.0	0.1	0.23	1.91	<0.5	0.15	0.89	67	5	7.6	1.03	32	84
803410		3.00	1	185.0	0.2	0.49	1.98	<0.5	0.26	1.02	103	6	16.2	1.80	63	108
803411		2.29	1	343	0.2	0.41	0.79	<0.5	0.24	0.41	157	4	14.0	1.63	62	60
803412		3.65	1	321	0.3	0.57	4.78	<0.5	0.28	2.65	143	2	17.2	1.72	51	99
803413		4.37	1	352	0.4	0.63	4.37	<0.5	0.30	2.75	160	1	20.5	2.01	68	163
803414		2.66	1	303	0.3	0.46	2.51	<0.5	0.23	2.27	149	1	15.4	1.57	65	151
803415		2.26	1	457	0.1	0.33	1.64	<0.5	0.16	0.90	166	<1	10.8	1.08	121	65
803416		2.75	1	615	0.2	0.39	1.73	<0.5	0.17	0.76	152	<1	12.2	1.18	69	84
803417		3.01	1	357	0.2	0.52	2.34	<0.5	0.31	1.15	78	<1	20.2	2.20	61	123
803418		4.31	1	185.0	0.6	0.56	10.55	<0.5	0.29	3.91	55	1	18.6	2.04	72	249
803419		3.22	1	173.0	1.2	0.37	26.3	0.5	0.22	5.98	26	1	13.0	1.65	47	180
803420		4.94	2	375	0.6	0.66	11.10	0.6	0.36	3.69	75	4	21.7	2.53	89	233
803421		2.27	2	167.5	0.6	0.38	11.65	0.5	0.29	3.41	54	4	15.9	2.07	66	244
803422		3.48	1	282	0.6	0.42	14.45	0.5	0.21	4.75	48	4	12.4	1.53	61	207
803423		2.63	3	190.5	0.6	0.30	12.15	0.5	0.20	3.07	64	7	9.5	1.47	30	208
803424		2.60	<1	129.5	0.7	0.34	17.80	<0.5	0.23	6.52	19	3	12.4	1.74	15	124
803425		5.79	1	477	0.5	0.85	6.61	<0.5	0.42	2.36	141	2	26.3	2.73	62	244
803426		1.90	2	268	0.1	0.33	1.00	<0.5	0.21	0.65	163	2	11.6	1.45	89	79
803427		2.63	3	335	0.1	0.43	0.93	<0.5	0.27	0.68	160	2	15.9	1.71	84	96
803428		2.02	1	190.5	0.1	0.34	1.14	<0.5	0.22	0.68	155	2	12.3	1.52	18	82
803429		1.52	<1	503	0.2	0.21	4.44	<0.5	0.10	4.82	69	3	6.5	0.71	303	118
803430		2.73	<1	316	0.2	0.37	2.70	<0.5	0.18	1.30	132	3	11.3	1.12	83	105
803431		2.10	<1	385	0.2	0.36	2.14	<0.5	0.23	1.17	47	1	13.6	1.67	33	92
803432																
803433																
803434																
803435																
803436																
803437																
803438																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 9-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%	%	%	%	%	%	%	%
803407		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803408		65.0	14.95	4.74	4.19	2.44	3.60	1.32	<0.01	0.38	0.09	0.12	0.06	0.09	3.28
803409		86.1	5.07	2.47	0.72	0.93	1.89	0.39	<0.01	0.34	0.07	0.13	0.01	0.04	1.63
803410		73.3	13.15	2.46	1.16	1.08	4.23	1.78	<0.01	0.24	0.05	0.07	0.02	0.09	2.08
803411		65.6	15.45	4.48	0.90	2.12	4.37	1.85	<0.01	0.59	0.08	0.14	0.03	0.10	2.43
803412		54.6	18.30	7.16	3.97	4.14	5.64	0.58	<0.01	0.65	0.15	0.22	0.05	0.04	2.55
803413		59.7	15.95	6.34	3.45	3.24	4.17	2.08	<0.01	0.70	0.11	0.16	0.04	0.08	2.28
803414		58.8	15.80	6.51	5.25	2.82	3.97	1.38	0.01	0.74	0.11	0.15	0.05	0.05	2.58
803415		63.6	17.75	7.93	1.05	0.94	1.46	1.22	<0.01	0.62	0.07	0.07	0.04	0.08	3.21
803416		58.8	14.35	7.38	5.40	2.98	3.49	1.20	0.02	0.56	0.12	0.12	0.06	0.07	3.59
803417		56.6	17.95	6.46	5.94	4.33	4.08	1.54	<0.01	0.69	0.13	0.19	0.08	0.09	0.79
803418		68.3	15.10	3.45	2.68	1.28	4.61	1.78	<0.01	0.38	0.06	0.06	0.05	0.09	1.30
803419		68.3	14.65	3.33	0.60	0.96	3.17	3.38	<0.01	0.49	0.04	0.11	0.03	0.08	2.96
803420		72.8	12.85	1.93	0.42	0.50	3.06	4.78	<0.01	0.26	0.04	0.04	0.03	0.11	1.30
803421		67.5	14.55	3.41	1.24	1.48	4.45	3.18	<0.01	0.53	0.09	0.14	0.05	0.09	1.39
803422		69.7	14.70	2.66	0.24	0.86	3.57	3.64	<0.01	0.45	0.05	0.07	0.02	0.08	2.39
803423		70.6	13.90	2.45	0.65	0.85	3.43	4.52	<0.01	0.38	0.07	0.07	0.04	0.14	1.07
803424		71.8	14.25	2.37	0.26	0.45	4.35	2.36	<0.01	0.46	0.02	0.08	0.02	0.03	2.60
803425		76.2	11.95	1.21	0.41	0.32	3.00	4.53	<0.01	0.20	0.04	0.04	0.02	0.09	0.60
803426		59.5	15.65	6.16	5.31	3.20	3.89	2.21	0.01	0.97	0.10	0.28	0.06	0.08	0.68
803427		61.3	15.15	5.45	3.93	3.43	4.41	0.92	<0.01	0.52	0.11	0.14	0.04	0.02	2.57
803428		55.8	16.40	6.60	5.93	4.39	5.32	0.47	<0.01	0.60	0.16	0.17	0.04	0.01	2.17
803429		60.8	18.90	7.52	0.31	1.80	1.22	3.01	<0.01	0.52	0.04	0.19	0.03	0.05	5.39
803430		67.4	15.45	3.47	3.21	1.87	4.14	1.91	<0.01	0.46	0.11	0.17	0.06	0.14	1.38
803431		60.7	16.00	5.69	5.08	2.69	2.83	3.09	<0.01	0.61	0.11	0.16	0.04	0.17	0.90
803432		71.4	14.35	2.83	2.53	0.92	4.47	1.95	<0.01	0.29	0.06	0.13	0.06	0.11	0.79
803433															
803434															
803435															
803436															
803437															
803438															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08111426

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 18-SEP-2008
Account: RLH

CERTIFICATE VA08121817

Project: 677

P.O. No.: 85825

This report is for 15 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
OA-GRA05	Loss on Ignition at 1000C
ME-MS81	38 element fusion ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP
	WST-SEQ
	ICP-MS
	ICP-AES
	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803601		0.54	0.001	<0.005	0.001	0.2	7.3	1.1	720	1.37	0.95	2.08	0.07	43.3	6.9	25
803603		0.54	0.002	<0.005	0.001	0.03	6.96	2.2	280	0.87	0.15	3.04	0.38	19.6	13.6	40
803604		0.54	0.001	<0.005	<0.001	0.1	7.79	3	500	1.1	0.07	4.55	0.17	39.9	22.7	32
803606		0.84	0.018	<0.005	0.001	4.51	6.81	2.3	1280	1.4	2.13	1.46	4.46	22.8	7.4	15
803607		0.50	0.027	<0.005	0.001	4.76	6.81	35.5	640	1.07	3.38	0.22	11.95	27.3	5.8	12
803609		0.86	0.001	<0.005	0.001	0.12	7.42	1.5	730	1.27	0.09	1.9	0.19	27.1	8.1	28
803611		0.74	0.003	<0.005	0.001	0.26	8.53	6.9	1480	1.36	0.13	1.93	1.2	41.4	21	34
803612		0.52	0.003	<0.005	<0.001	1.49	7.9	4.2	660	1.24	10.1	1.53	0.6	27.9	11.6	28
803614		0.54	0.001	<0.005	0.001	0.03	7.55	2.7	180	0.85	0.07	2.99	0.08	21.2	8.7	7
803616		0.44	0.018	<0.005	0.001	0.11	7.6	2.7	690	1.18	0.19	2.11	0.13	23.8	7.5	7
803618		0.66	0.001	<0.005	<0.001	0.01	7.28	1.3	900	1.29	0.09	1.55	0.05	29.3	6.7	6
803619		0.82	0.006	<0.005	<0.001	0.18	8.04	0.8	600	0.96	0.07	3.59	0.1	31.3	14.4	6
803620		0.30	0.001	<0.005	0.001	0.03	7.95	1	120	0.84	0.1	4.83	0.07	21.6	16.8	16
803621		0.60	0.004	<0.005	<0.001	0.03	7.84	6.5	420	0.81	0.16	3.82	0.07	17.6	15.1	36
803608		Empty Bag														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
803601		1.63	94.8	2.25	15.8	0.08	0.2	0.07	2.32	22.3	15.8	0.9	413	1.9	2.31
803603		3.61	1.2	3.21	15.15	0.09	1.2	0.03	1.01	9.2	153	1.32	754	0.48	2.99
803604		15.8	8.1	3.92	20.3	0.11	2.3	0.049	0.7	18	52.8	1.9	572	0.81	1.81
803606		8.95	17.7	2.29	15.2	0.09	1.1	0.069	2.85	10.1	13	0.3	2970	3.36	0.24
803607		5.74	89.3	2.03	11.95	0.07	1	0.237	2.6	14.2	17	0.26	2270	8.25	1.07
803609		2.86	56.8	2.47	16.3	0.08	0.2	0.045	2.26	13.2	19.4	0.95	727	0.48	2.3
803611		7.58	51.4	4.85	18.8	0.14	2.9	0.055	1.91	20.7	34.9	1.78	1285	0.44	3.5
803612		3.46	91	3.09	17.45	0.08	0.2	0.09	2.11	12.3	21.7	1.05	757	1.2	2.1
803614		1.11	3.5	3.12	14.35	0.08	0.2	0.034	0.67	10	14.8	0.88	941	0.22	2.41
803616		0.83	33.1	3.05	14.65	0.08	0.3	0.045	1.24	11.2	10.1	0.87	902	1.64	2.85
803618		1.62	7.3	2.46	14.4	0.09	0.3	0.023	2.43	13.3	13.7	0.6	497	0.4	2.37
803619		1.32	208	4.15	16.6	0.1	0.6	0.071	1.32	12.3	13.5	1.11	1025	0.72	2.52
803620		0.26	27.2	4.62	17	0.09	0.6	0.064	0.27	9.4	11.4	1.46	1100	0.75	2.47
803621		2.15	3.9	4.23	18.75	0.11	0.2	0.054	1.17	7.4	17.9	1.81	693	0.43	2.98
803608															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803601		19.5	460	10	54.5	<0.002	0.01	0.49	8.3	2	1.6	356	0.49	0.12	9.3	0.221
803603		37.5	630	18.2	28.4	<0.002	<0.01	6.2	11.2	1	0.7	270	0.25	<0.05	2.5	0.263
803604		19.9	690	40.8	18.3	0.002	<0.01	6.07	19.9	1	1.2	441	0.29	<0.05	2.7	0.366
803606		11	430	185.5	110.5	<0.002	0.16	13.45	6.5	2	0.9	25.5	0.32	0.56	4.1	0.184
803607		7.9	380	340	84.8	<0.002	0.54	24	4.4	2	0.7	31.8	0.27	0.93	7	0.137
803609		19	480	12.7	65.6	<0.002	<0.01	2.23	9.1	2	1.6	355	0.41	<0.05	7.9	0.229
803611		22	1360	14.5	43.8	<0.002	<0.01	2.83	21.6	2	0.9	754	0.27	<0.05	3	0.528
803612		20.2	480	85.1	57.6	<0.002	0.01	2.1	11.3	2	1.3	305	0.36	0.84	6	0.26
803614		2.8	680	5.2	20.3	<0.002	<0.01	1.08	14.2	2	0.6	257	0.23	<0.05	2.9	0.298
803616		3.1	510	9.4	36.4	<0.002	0.03	0.75	12.8	2	0.9	343	0.29	<0.05	4	0.277
803618		2.2	440	6.3	64.6	<0.002	<0.01	0.55	10.8	2	0.8	230	0.43	<0.05	6.7	0.248
803619		4	880	5.9	33.4	<0.002	0.01	0.32	19.2	2	1.3	366	0.47	<0.05	3.5	0.377
803620		4.4	820	5.1	3.4	<0.002	0.01	0.8	20.4	2	0.9	472	0.38	<0.05	2.4	0.411
803621		21.1	930	3.9	26.8	<0.002	<0.01	1.13	13.6	1	0.8	446	0.18	<0.05	1.1	0.415
803608																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	0.5	10	0.01	5	0.05	
803601		0.63	3	62	0.5	11.7	38	3.4	<1	731	54.4	7.3	30	1.73	101	2.36
803603		0.61	1.2	92	0.5	8.4	157	35.4	<1	302	28.7	15.0	50	4.16	<5	2.38
803604		0.5	1.5	132	0.6	19.2	103	33.3	<1	536	38.7	21.8	40	14.40	10	3.59
803606		2.21	2.4	53	1.6	7.1	562	32.2	3	1305	33.9	7.8	20	9.71	21	2.22
803607		1.41	2.4	38	2.1	8	1370	28.1	3	671	34.9	7.1	10	7.33	96	1.84
803609		0.68	2.5	65	1.9	11.7	48	4.3	<1	781	35.4	8.6	40	3.14	62	2.30
803611		0.71	2	173	0.7	24.5	91	106.5	<1	1585	56.0	22.5	50	8.64	59	4.88
803612		0.65	2	79	1.6	11.5	115	3.5	1	666	32.9	11.5	30	3.51	96	2.42
803614		0.12	1.3	83	0.5	17.5	43	3.3	<1	188.0	25.4	8.7	10	1.17	5	3.27
803616		0.25	1.6	80	0.4	17.4	83	6.1	<1	714	27.6	7.6	10	0.90	37	3.22
803618		0.42	2	51	0.6	23.7	30	2.6	<1	915	33.9	6.5	10	1.81	9	4.18
803619		0.27	1.7	107	0.3	29.9	72	6.4	<1	638	41.5	15.2	10	1.47	250	5.54
803620		0.06	1.6	155	0.9	19.1	71	7.3	<1	125.0	30.2	17.1	20	0.34	30	3.73
803621		0.27	0.8	143	0.7	8.9	45	3.3	<1	462	26.1	16.2	50	2.52	6	2.22
803608																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803601		1.47	0.73	16.3	3.12	3.9	0.46	27.5	0.26	2	5.0	20.1	21	13	5.76	61.3
803603		1.40	0.89	16.0	2.76	3.3	0.47	12.8	0.22	<2	3.3	13.8	43	22	3.47	37.3
803604		2.15	1.04	18.2	3.88	3.9	0.76	16.7	0.35	<2	3.4	19.5	33	45	4.87	25.3
803606		1.44	0.70	16.0	2.41	3.6	0.47	15.7	0.25	4	4.3	13.9	11	200	3.73	148.5
803607		1.15	0.58	14.2	2.24	3.5	0.37	17.1	0.22	9	4.5	13.5	8	316	3.83	103.0
803609		1.39	0.69	17.1	2.71	3.6	0.46	16.9	0.25	<2	4.5	15.0	21	18	3.99	76.1
803611		2.74	1.84	19.7	6.25	3.4	0.92	29.3	0.37	<2	4.7	32.4	23	19	7.92	59.3
803612		1.48	0.68	17.1	2.59	4.6	0.49	14.2	0.26	<2	4.8	13.9	19	93	3.59	63.1
803614		1.98	0.90	14.3	3.30	2.9	0.70	11.1	0.34	<2	2.9	13.6	<5	7	3.22	24.7
803616		2.00	0.83	14.9	3.16	3.6	0.67	12.4	0.37	2	3.4	14.0	<5	12	3.40	41.6
803618		2.60	0.81	14.2	3.80	4.3	0.84	14.8	0.47	<2	4.4	17.0	<5	9	4.22	67.1
803619		3.72	1.25	17.6	5.02	2.9	1.19	16.4	0.66	<2	4.3	22.5	<5	9	5.40	45.3
803620		2.31	1.01	17.2	3.64	2.3	0.78	13.3	0.44	<2	3.5	15.1	<5	7	3.67	9.4
803621		1.18	0.89	19.4	2.79	2.2	0.42	10.8	0.18	<2	2.9	14.3	23	7	3.41	45.6
803608																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803601		3.36	2	390	0.6	0.48	12.95	0.5	0.23	4.44	67	1	13.9	1.53	53	122
803603		2.97	1	311	0.3	0.47	6.92	0.6	0.21	2.54	106	2	13.3	1.38	178	111
803604		4.19	1	478	0.3	0.64	4.78	<0.5	0.35	1.97	151	1	21.0	2.21	122	138
803606		2.63	1	30.5	0.5	0.41	8.83	1.9	0.24	3.62	60	5	13.8	1.54	574	126
803607		2.60	1	40.6	0.5	0.35	10.60	1.4	0.19	3.89	43	4	11.6	1.28	1440	123
803609		2.91	2	398	0.5	0.42	10.85	0.6	0.23	3.37	75	3	13.7	1.45	66	125
803611		6.86	1	795	0.3	0.95	5.01	0.6	0.38	2.24	200	1	29.8	2.41	119	131
803612		2.85	1	320	0.4	0.43	8.07	0.5	0.24	2.84	86	2	13.7	1.57	128	164
803614		3.40	1	274	0.3	0.58	3.73	<0.5	0.31	1.63	90	1	19.7	2.05	57	104
803616		3.18	1	365	0.3	0.57	5.05	<0.5	0.34	2.20	88	1	20.1	2.26	99	131
803618		3.99	1	255	0.5	0.70	7.76	<0.5	0.43	2.25	54	1	25.7	2.82	46	161
803619		5.33	1	394	0.5	0.93	5.09	<0.5	0.63	2.08	117	1	36.0	4.25	90	96
803620		3.46	1	490	0.4	0.63	3.93	<0.5	0.39	2.03	170	2	23.4	2.68	87	81
803621		3.09	1	482	0.2	0.42	1.89	<0.5	0.17	1.04	162	6	11.7	1.08	65	79
803608																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	
		SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	K2O	SrO	BaO	LOI
		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
803601		67.1	15.35	3.31	3.03	1.76	3.39	2.97	<0.01	0.39	0.06	0.10	0.04	0.09	2.18	
803603		56.8	15.20	4.94	4.58	2.64	4.51	1.34	0.01	0.50	0.10	0.15	0.03	0.04	8.92	
803604		55.8	16.90	5.94	6.80	3.76	2.71	0.95	0.01	0.69	0.08	0.16	0.05	0.06	6.11	
803606		67.9	14.75	3.38	2.11	0.65	0.36	4.43	<0.01	0.38	0.40	0.11	<0.01	0.15	4.46	
803607		74.0	14.05	2.96	0.32	0.51	1.63	3.48	<0.01	0.30	0.30	0.09	<0.01	0.08	2.99	
803609		66.9	15.35	3.67	2.78	1.84	3.36	2.88	<0.01	0.41	0.10	0.11	0.04	0.09	2.02	
803611		53.6	17.80	7.45	2.86	3.47	5.20	2.54	0.01	0.96	0.17	0.32	0.09	0.18	4.87	
803612		66.2	15.25	4.34	2.11	1.90	2.94	2.64	<0.01	0.46	0.10	0.11	0.03	0.08	2.08	
803614		66.4	15.50	4.64	4.37	1.74	3.54	0.87	<0.01	0.54	0.13	0.15	0.03	0.02	2.03	
803616		66.0	15.20	4.45	3.02	1.66	4.11	1.59	<0.01	0.48	0.12	0.11	0.04	0.08	1.39	
803618		68.9	14.95	3.69	2.28	1.21	3.55	3.29	<0.01	0.45	0.07	0.10	0.03	0.11	1.47	
803619		61.5	16.90	6.17	5.27	2.19	3.72	1.73	<0.01	0.69	0.14	0.20	0.04	0.07	1.30	
803620		56.6	17.45	7.17	7.22	2.94	3.65	0.38	<0.01	0.75	0.15	0.19	0.06	0.01	2.59	
803621		58.3	17.35	6.62	5.91	3.58	4.83	1.54	<0.01	0.78	0.09	0.33	0.05	0.02	0.49	
803608																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121817

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 21-SEP-2008
Account: RLH

CERTIFICATE VA08121818

Project: 677

P.O. No.: 85826

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121818

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803602		0.96	0.032	<0.005	<0.001	1.9	6.95	1.9	310	1.09	3.72	1.75	0.11	13.25	10.8	115
803605		0.38	0.001	<0.005	<0.001	0.03	7.09	2.3	620	0.88	0.07	2.42	0.2	38.2	16.8	16
803610		0.64	0.005	<0.005	<0.001	0.13	7.28	2.9	670	1.11	1.7	2	0.39	38.3	9.6	27
803613		0.36	0.009	<0.005	<0.001	1.89	6.06	25.5	820	0.92	23	0.07	0.44	29.1	4.4	38
803615		0.44	0.014	<0.005	<0.001	0.19	7.01	4	770	0.6	0.86	2.62	0.05	27.1	8.6	10
803617		0.64	0.003	<0.005	<0.001	0.05	7.71	1.4	1430	0.47	0.26	0.02	<0.02	31.5	0.6	7
803622		0.70	0.004	<0.005	0.001	0.08	8.1	13.2	570	0.81	0.17	1.38	0.02	27	10.8	16
803623		0.70	0.001	<0.005	<0.001	0.02	6.96	4.8	350	1.43	0.08	4.89	0.06	26.6	9.1	22
803625		0.50	0.005	<0.005	0.001	0.19	8.1	8.8	480	0.84	0.15	3.04	0.07	22.8	2.7	24



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121818

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803602		9.33	1640	3	18.55	0.12	1.2	0.217	1.18	6.2	30.2	1.89	415	13.05	2.64	3.1
803605		8.98	17	3.35	18.05	0.14	1.2	0.05	1.55	19	28.1	1.54	954	0.71	2.37	3.4
803610		2.22	37.6	2.71	17.35	0.1	0.2	0.105	1.96	19	20.5	0.98	577	0.63	2.33	4.3
803613		9.07	302	4.71	20.7	0.14	2.1	0.284	3.31	13.5	21.8	1.38	949	4.26	0.13	3.5
803615		1.3	8.5	4.2	14.5	0.12	0.2	0.032	1.36	13.3	7.8	0.76	600	2.4	1.84	2.4
803617		2	5.5	2.3	23.2	0.13	0.1	0.081	3.89	14.9	5.6	0.22	40	2.85	0.15	1.1
803622		3.06	64.1	3.8	16.25	0.14	0.1	0.038	1.89	12.7	34.8	1.47	736	5.18	1.69	3.5
803623		0.44	4.5	3.1	20.7	0.12	0.4	0.032	0.59	13.1	5.5	0.62	699	0.48	2.45	3.5
803625		1.43	36.8	3.76	20.8	0.12	0.1	0.026	0.75	12.7	13.4	0.6	364	13.15	2.12	2.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121818

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803602		28.1	460	22.8	78.4	<0.002	0.98	1.22	16.4	3	4.9	339	0.32	0.53	8.8	0.255
803605		23.6	650	21.4	51.1	<0.002	<0.01	5.83	15.9	2	1	320	0.25	<0.05	2.4	0.344
803610		18.5	460	11.4	49.4	<0.002	<0.01	1.63	10.9	2	1	353	0.38	0.36	8.7	0.264
803613		21.5	400	88.5	200	<0.002	0.98	2.32	13.1	2	8.3	30.4	0.39	0.62	16.9	0.219
803615		3.7	510	7.3	43.9	<0.002	0.78	1	14.1	3	0.7	209	0.22	0.58	3.4	0.328
803617		1.2	290	3.5	92.4	0.002	0.18	0.44	16.4	5	2	31.8	0.08	0.08	1.4	0.279
803622		8.9	560	5	55	0.002	0.48	1.54	14.1	3	0.5	272	0.25	0.05	1.9	0.297
803623		9.6	620	6.2	10.4	<0.002	<0.01	2.33	9.4	2	0.8	568	0.27	<0.05	4.4	0.29
803625		6.8	580	10	20.2	0.011	0.23	1.01	30	3	0.3	270	0.2	0.13	2.2	0.376



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121818

	Method Analyte Units LOR	ME-MS61 Ti	ME-MS61 U	ME-MS61 V	ME-MS61 W	ME-MS61 Y	ME-MS61 Zn	ME-MS61 Zr
Sample Description		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803602		1.04	5	124	5.3	14.1	87	40.3
803605		0.83	1.4	114	0.4	18	153	40.6
803610		0.54	2.2	74	0.7	15.1	41	3.9
803613		2.53	5.4	82	7.5	9.7	127	70.6
803615		0.22	1.4	125	0.7	17.9	21	2.9
803617		0.86	0.3	126	0.8	6.2	<2	1.4
803622		0.38	0.4	102	0.5	6.5	54	4.8
803623		0.09	2.2	95	0.6	10.8	33	6.4
803625		0.55	5.8	154	0.6	11.7	46	2.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121818

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 16-SEP-2008

Account: RLH

CERTIFICATE VA08121819

Project: 677

P.O. No.: 85827

This report is for 12 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN
ACCOUNTS PAYABLE

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121819

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803629		0.84	0.004	<0.005	<0.001	0.08	8.96	2.3	450	1.35	0.09	5.6	0.11	45.1	24.9	84
803633		0.36	0.001	<0.005	<0.001	1.07	7.46	3.4	470	0.95	0.39	2.74	1.6	26.8	13.2	41
803634		0.36	0.007	<0.005	<0.001	0.08	9.72	14.8	270	1.12	0.44	6.41	0.04	19.05	31.7	5
803635		0.32	0.001	<0.005	<0.001	0.02	8.33	1.2	790	1.11	0.05	3.4	0.07	38.2	11.6	34
803636		0.18	0.001	<0.005	<0.001	0.03	7.57	2.1	980	1.15	0.16	1.69	0.06	36	5.4	11
803637		0.32	0.002	<0.005	<0.001	0.12	7.63	13.1	940	1.28	0.28	1.65	0.29	43.8	5.5	7
803639		0.60	0.002	<0.005	<0.001	0.03	8.76	11.4	270	0.76	0.08	4.64	0.17	23.1	19.4	13
803645	Empty Bag															
803646		0.84	0.002	<0.005	<0.001	0.03	7.95	2	580	0.87	0.07	3.62	0.13	28.4	18.4	58
803647		0.22	0.002	<0.005	<0.001	0.07	9.82	0.3	110	0.24	0.02	8.05	0.11	4.94	41.5	4
803650		0.44	0.002	<0.005	<0.001	0.04	8.25	1	720	1.04	0.06	3.19	0.07	32.9	11.8	33
803643	Empty Bag															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121819

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803629		1.18	77.4	5.05	20.4	0.15	0.7	0.069	0.9	20.7	15.3	3.05	1025	1.29	2.69	5.6
803633		6.17	46.1	2.8	18.55	0.12	1.3	0.053	1.42	12.2	338	1.08	795	0.3	2.23	3.3
803634		2.92	68.9	8.36	28.2	0.19	0.5	0.12	1.33	7.3	25.3	2.45	1165	0.58	1.9	2.4
803635		2.35	7.8	3.42	20.6	0.13	0.4	0.051	1.96	17.3	19	1.39	590	0.58	2.77	5.6
803636		2.41	9.6	2.1	17.9	0.11	1	0.028	2.27	18.4	17	0.44	555	3.48	2.84	4.6
803637		1.07	6.6	2.28	18.4	0.11	0.2	0.038	2.04	22.1	29.5	0.46	1230	0.4	3.21	4.9
803639		0.94	7.6	5.63	21	0.14	0.4	0.063	0.56	9.4	17.6	1.6	1245	0.49	2.87	3.9
803645																
803646		1.28	30.9	3.93	19.95	0.13	0.7	0.05	1.16	12.4	16.7	1.88	838	0.39	2.57	4.6
803647		0.16	121	5.32	21.2	0.14	0.5	0.058	0.19	1.8	7.4	3.28	809	0.14	1.23	0.9
803650		2.2	7	3.26	19.4	0.11	0.4	0.047	1.82	15.4	18.1	1.35	571	1.06	2.72	5.2
803643																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121819

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803629		76.3	1580	10.1	14.8	<0.002	0.01	1.07	23.2	2	1.5	703	0.38	0.13	3.6	0.507
803633		37.5	580	23.8	45.3	<0.002	0.34	16.7	13.1	2	0.8	178	0.28	0.14	3.8	0.288
803634		6.1	890	3.3	36.7	<0.002	1.2	3.02	49.5	3	1.1	525	0.14	0.33	0.9	0.714
803635		13.6	610	7.8	48.8	<0.002	<0.01	0.38	16	3	1.3	393	0.41	<0.05	6.5	0.381
803636		3.6	300	14.1	65.9	<0.002	0.01	0.49	7.1	2	1	256	0.36	<0.05	6	0.234
803637		2.9	390	19.3	52	<0.002	0.01	2.52	7.7	2	1	258	0.35	<0.05	7.1	0.245
803639		7	950	8.6	13.2	<0.002	<0.01	1.35	26.6	3	1	379	0.24	<0.05	1.4	0.577
803645																
803646		28.1	780	10.9	21.2	<0.002	<0.01	0.63	18.5	2	1	482	0.29	<0.05	3	0.397
803647		39.3	100	2.2	0.7	<0.002	0.01	0.21	31.5	2	0.5	691	0.07	<0.05	0.3	0.43
803650		12.6	590	7.6	44.1	<0.002	<0.01	0.36	16.2	2	1.3	387	0.44	<0.05	5.6	0.366
803643																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08121819
-------------------------	------------

	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Analyte Units LOR	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803629		0.22	1.2	149	0.7	24.4	81	14.9
803633		0.85	1.7	95	0.8	12.3	246	42.7
803634		0.48	0.8	347	0.8	34.8	58	7.1
803635		0.47	1.5	111	0.5	25.2	40	7
803636		0.52	2.6	51	0.7	14.9	41	31.4
803637		0.31	2	50	0.6	18.7	92	6.7
803639		0.2	0.5	178	0.7	28	73	6.4
803645								
803646		0.28	1	127	0.5	20.7	88	13.1
803647		0.05	0.1	225	0.1	9.9	62	12
803650		0.44	1.3	107	0.5	21.1	39	7.2
803643								



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08121819

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 22-SEP-2008

Account: RLH

CERTIFICATE VA08122430

Project: 677

P.O. No.: 85828

This report is for 13 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
803624		0.54	0.03	7.02	1.9	670	0.65	<0.01	1.87	0.09	19.5	5.5	10	3.55	4.8	2.34
803626		0.70	0.34	7.45	3.6	800	1.26	0.11	3.58	0.24	31.7	23.6	107	5.56	49.5	4.81
803627		0.60	0.09	7.69	0.5	840	1.86	0.08	1.93	0.15	53.8	7.7	19	3.24	9.1	2.52
803628		0.66	0.09	8.05	1.3	630	1.37	0.04	3.88	0.12	45.4	18.3	57	2.04	27.9	4.33
803630		0.76	0.09	7.33	1.5	400	1.58	0.06	4.04	0.15	36.2	22.9	86	2.95	20.4	4.27
803631		0.52	0.09	7.29	1	910	2.42	0.1	1.42	0.14	59.4	5.3	7	1.92	6.7	2.03
803638		0.46	0.2	7.74	1.6	660	0.9	0.08	3.39	0.22	31.1	14	51	1.27	25.4	3.33
803640		0.34	0.22	7.61	6.8	710	1.09	0.2	2.86	0.32	34.3	13.7	53	1.81	31.4	3.46
803641		0.84	0.26	7.07	4	260	0.82	0.28	2.38	0.36	20	11.3	40	7.24	22	2.94
803642		0.68	0.12	7.51	1.7	580	0.9	0.07	3.45	0.18	28.6	15	57	3.32	41.5	3.59
803644		0.96	0.07	7.53	6	340	0.9	0.08	4.11	0.09	20.2	12	34	2.19	8.3	3.83
803648		0.72	0.06	7.15	5.3	890	1.09	0.18	1.56	0.17	30.5	4	7	1.43	6.1	1.78
803649		0.84	0.07	2.24	26.9	210	0.54	0.27	2.07	0.08	38.6	1.5	11	1.66	15.3	0.98



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08122430
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Method Analyte Units LOR	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
Sample Description	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
803624	14.35	0.09	0.1	0.025	1.2	10	11	0.58	472	0.28	2.62	2.2	2.2	390	8.5
803626	19.75	0.12	2.5	0.066	1.85	12.8	63	3.01	946	0.76	2.74	4.2	105	1590	12.7
803627	18.2	0.12	0.5	0.044	2.03	25.7	21.7	0.83	525	1.2	3.33	5.9	13.4	800	14.1
803628	18.8	0.13	0.5	0.051	1.63	19.8	19.6	2	880	1.77	2.91	9	47.2	1500	13.5
803630	17.9	0.11	0.5	0.063	1.14	15.3	20.7	2.53	826	0.52	3.09	6.4	71.6	1700	13
803631	18.5	0.13	0.6	0.036	2.71	27.5	9.4	0.5	477	0.67	3.31	10.3	5.1	710	17.2
803638	17.85	0.57	0.5	0.046	1.54	13.8	11.5	1.56	634	0.62	2.61	4.8	46.4	660	13.2
803640	16.45	0.1	0.4	0.07	1.44	15.2	14.4	1.56	705	0.56	2.62	4.9	25.9	600	35
803641	18.05	0.08	1.4	0.106	2.12	8.7	30.9	1.23	1935	0.76	1.71	2.7	23.7	570	19.7
803642	16.75	0.11	0.5	0.054	1.4	12.2	21	1.59	842	0.71	2.49	4.4	22.8	610	22.6
803644	14.85	0.11	0.4	0.055	0.49	8.5	7	1.35	790	0.6	3.15	4.4	14	680	8.4
803648	15.85	0.08	1.3	0.025	1.83	15	18.9	0.4	757	0.3	3.17	4.3	2.7	340	17.7
803649	5.16	0.08	0.7	0.022	0.55	22.2	14.4	0.74	196	0.43	0.75	3.2	3.2	190	7.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
803624		44	<0.002	0.01	0.92	7.8	1	0.8	239	0.19	<0.05	3.4	0.231	0.34	1.3	54
803626		38.9	0.004	0.02	6.62	15.8	1	0.9	624	0.23	0.06	1	0.53	0.62	0.9	157
803627		51.9	0.003	0.01	2.23	8.6	2	1.7	391	0.42	0.05	7.9	0.275	0.44	2.5	65
803628		25.6	0.003	0.02	1.9	16	2	1.2	575	0.52	<0.05	3.2	0.582	0.33	1.2	127
803630		15.9	0.003	0.01	4.37	15.4	1	1.2	573	0.4	<0.05	3.2	0.51	0.43	1.2	118
803631		74.1	0.002	0.01	7.11	6.5	2	1.3	321	0.73	0.05	10.2	0.315	0.61	1.9	40
803638		36.5	0.011	0.01	6.83	13.5	1	1.1	477	0.36	<0.05	5.6	0.354	0.35	2.4	107
803640		27.9	0.002	0.01	5.36	14.9	2	1	532	0.34	<0.05	5.1	0.366	0.35	1.7	111
803641		41	<0.002	0.01	8.15	10.9	1	0.6	204	0.2	0.07	1.9	0.29	0.56	0.8	94
803642		32	0.002	0.01	2.22	16.7	1	1	427	0.3	<0.05	4.1	0.375	0.38	1.9	120
803644		11.2	0.003	0.01	1.46	16.8	1	1	381	0.28	<0.05	2	0.401	0.13	0.8	110
803648		56	0.003	<0.01	1.51	5.6	2	0.9	261	0.33	<0.05	5.8	0.2	0.47	2.2	41
803649		21.4	0.002	0.02	1.89	2.7	2	2.7	87.2	0.2	<0.05	3.4	0.12	0.2	1.1	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1
803624		0.4	15.4	31	2.2	<1	746	25.0	6.3	10	3.79	5	2.88	1.86	0.82	15.6
803626		0.6	14.1	129	76.1	<1	825	40.0	26.7	150	6.13	57	3.40	1.77	1.37	19.9
803627		0.5	17.6	53	7.9	<1	900	60.1	8.6	20	3.36	9	3.87	2.31	1.21	19.1
803628		0.4	20.3	89	9.4	<1	630	50.5	19.3	80	2.04	27	4.13	2.19	1.33	18.5
803630		0.4	18.3	70	7.5	<1	444	51.2	25.0	120	3.82	20	4.44	2.39	1.52	18.4
803631		0.7	20.9	56	18.6	<1	965	66.7	5.7	10	1.92	7	4.31	2.47	1.13	18.5
803638		0.5	18.2	70	6.4	<1	717	37.4	15.2	70	1.43	22	3.72	2.12	1.01	18.8
803640		0.7	17.6	98	5.8	<1	737	39.2	15.0	70	1.92	31	3.52	1.99	0.92	16.9
803641		0.7	7.3	146	41.5	<1	282	30.3	12.4	50	8.10	21	2.24	1.25	0.76	19.1
803642		0.7	17	87	7.2	<1	607	36.8	16.9	70	3.60	43	3.68	2.11	0.97	17.9
803644		0.4	19.2	46	9.3	<1	358	22.4	13.4	50	2.26	8	3.80	2.29	1.11	15.5
803648		0.4	12.3	76	22.4	<1	914	33.9	4.3	10	1.51	7	2.30	1.55	0.70	16.3
803649		0.3	5.3	21	20	<1	173.5	41.4	1.7	10	1.79	16	1.29	0.72	0.42	5.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm
		0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1
803624		2.71	5.2	0.60	11.8	0.34	<2	2.1	12.1	<5	11	2.97	45.6	2.54	1	268
803626		4.33	3.4	0.64	17.1	0.25	<2	3.8	23.3	117	25	5.41	67.2	4.83	1	615
803627		4.69	6.7	0.76	28.9	0.39	<2	8.0	26.3	13	14	6.85	53.3	4.93	2	406
803628		4.76	3.7	0.77	22.9	0.33	2	8.1	25.0	47	12	6.20	39.0	5.10	1	558
803630		5.08	4.2	0.85	22.9	0.35	<2	6.9	25.6	76	9	6.28	46.2	5.29	1	571
803631		4.83	7.5	0.82	31.7	0.42	<2	9.3	27.7	<5	13	7.45	74.8	5.23	1	336
803638		3.95	5.4	0.73	16.6	0.32	<2	4.6	19.1	28	11	4.59	45.0	4.14	1	490
803640		3.75	5.4	0.68	17.3	0.31	<2	4.7	18.4	28	34	4.62	36.0	3.84	1	517
803641		2.67	3.1	0.42	13.7	0.19	<2	2.6	15.4	25	19	3.79	57.3	2.92	1	218
803642		3.91	4.0	0.73	16.8	0.33	<2	4.4	18.1	25	25	4.55	46.8	3.90	1	446
803644		3.47	3.8	0.76	9.2	0.40	<2	4.3	12.8	15	21	2.94	15.0	3.14	1	402
803648		2.49	3.7	0.50	16.6	0.28	<2	4.0	13.7	<5	20	3.81	56.7	2.59	1	284
803649		1.91	3.4	0.23	23.5	0.13	<2	4.0	13.1	<5	6	4.04	18.4	1.89	3	86.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06
		Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01
803624		0.2	0.44	3.92	<0.5	0.30	1.75	61	1	18.0	2.05	47	190	70.8	14.50	3.72
803626		0.3	0.60	2.27	<0.5	0.25	1.24	173	2	19.3	1.67	124	136	51.2	15.45	7.15
803627		0.7	0.64	8.60	<0.5	0.35	3.34	76	1	22.1	2.49	56	275	66.2	15.70	3.89
803628		0.6	0.71	3.65	<0.5	0.34	1.62	134	1	22.3	2.25	89	148	58.9	15.65	6.23
803630		0.5	0.76	4.61	<0.5	0.35	1.77	130	1	23.9	2.37	76	171	56.8	15.85	6.59
803631		0.8	0.70	11.95	<0.5	0.39	4.16	43	1	24.4	2.76	55	306	68.8	14.85	3.08
803638		0.4	0.60	5.78	<0.5	0.32	2.47	116	1	21.3	2.19	67	203	62.3	16.35	5.41
803640		0.4	0.56	6.38	<0.5	0.31	2.20	120	1	19.9	2.03	90	198	62.9	14.95	5.14
803641		0.2	0.37	3.92	<0.5	0.19	1.75	101	2	12.4	1.25	131	112	61.7	15.35	4.49
803642		0.4	0.59	5.88	<0.5	0.32	2.63	136	2	21.5	2.20	95	147	60.9	15.90	5.55
803644		0.3	0.56	2.33	<0.5	0.36	1.13	124	1	22.5	2.57	59	156	62.2	15.20	6.04
803648		0.4	0.37	6.93	<0.5	0.24	3.13	45	1	15.3	1.87	83	131	70.2	15.20	2.79
803649		0.3	0.23	3.60	<0.5	0.11	1.40	24	1	7.4	0.81	23	134	85.9	3.87	1.42



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 22-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	PGM-ICP23	PGM-ICP23	PGM-ICP23
		CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Au	Pt	Pd
		%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.005	0.001
803624		2.99	1.08	3.86	1.54	<0.01	0.43	0.07	0.10	0.03	0.09	1.30	0.001	<0.005	<0.001
803626		6.20	5.16	3.61	2.36	0.02	0.94	0.13	0.40	0.08	0.10	6.99	0.083	<0.005	<0.001
803627		2.91	1.52	4.68	2.62	<0.01	0.67	0.07	0.19	0.05	0.11	1.13	0.013	<0.005	0.004
803628		5.68	3.46	3.68	1.99	0.01	1.00	0.12	0.33	0.07	0.08	0.75	0.001	<0.005	<0.001
803630		6.21	4.60	4.07	1.53	0.02	1.05	0.12	0.40	0.07	0.05	0.88	<0.001	<0.005	<0.001
803631		2.16	0.92	4.48	3.42	<0.01	0.56	0.07	0.15	0.04	0.11	0.89	<0.001	<0.005	<0.001
803638		5.19	2.95	3.73	2.07	0.01	0.67	0.09	0.30	0.06	0.01	1.07	0.015	<0.005	<0.001
803640		4.25	2.77	3.47	1.80	0.01	0.67	0.10	0.13	0.06	0.09	2.47	<0.001	<0.005	0.001
803641		3.69	2.31	2.35	2.76	0.01	0.54	0.27	0.12	0.03	0.03	5.67	0.036	0.011	<0.001
803642		5.39	2.97	3.46	1.84	0.01	0.70	0.12	0.15	0.05	0.07	2.85	0.001	<0.005	<0.001
803644		6.45	2.52	4.46	0.64	0.01	0.76	0.12	0.17	0.05	0.04	1.24	0.001	<0.005	<0.001
803648		2.42	0.77	4.52	2.40	<0.01	0.36	0.11	0.09	0.03	0.11	1.50	<0.001	<0.005	<0.001
803649		3.06	1.26	0.89	0.60	<0.01	0.26	0.03	0.04	0.01	0.02	2.05	<0.001	<0.005	<0.001



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-SEP-2008
Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122430

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 19-SEP-2008

Account: RLH

CERTIFICATE VA08122431

Project: 677

P.O. No.: 85823

This report is for 27 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 19-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122431

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803572		0.66	0.003	<0.005	<0.001	0.05	7.19	1.2	710	1.51	0.75	0.14	<0.02	42.3	2.7	11
803573		0.90	0.004	<0.005	0.001	0.03	8.08	1.4	690	1.96	0.33	1.44	0.04	59.2	4.6	33
803574		Not Recvd														
803575		0.70	0.003	<0.005	<0.001	0.2	8.48	2	660	1.17	0.33	2.9	0.31	28.6	11.3	31
803577		0.70	0.002	<0.005	0.001	0.14	7.67	1	740	1.02	0.13	2.6	0.16	33.5	12.2	29
803578		0.74	<0.001	<0.005	0.001	0.05	7.48	0.6	630	1.33	0.2	3.31	0.17	40.9	15.9	33
803579		0.42	0.002	<0.005	0.001	1.47	7.23	5.3	310	0.86	2.31	1.38	3.12	23.7	8	26
803580		0.16	0.020	<0.005	0.001	73.8	2.17	32.3	2880	0.49	33.4	0.05	1.21	10.85	3.9	10
803581		0.32	0.007	<0.005	0.001	1.42	7.63	3.8	570	1.22	3.31	0.8	0.48	61.5	16.5	30
803583		0.52	<0.001	<0.005	0.001	0.03	8.02	0.8	980	1.89	0.13	2.68	0.09	60.3	13.6	26
803584		0.62	<0.001	<0.005	0.001	0.41	8.1	1.7	1230	1.89	0.29	3.08	0.06	55	15	37
803585		0.64	0.003	<0.005	<0.001	0.17	8.15	1.3	920	1.72	4.66	1.55	0.07	52.7	6.8	13
803586		0.62	0.002	<0.005	<0.001	0.02	7.77	1.2	960	2.05	0.1	1.66	0.42	63.5	4.8	6
803587		0.38	<0.001	<0.005	<0.001	0.05	7.93	1.7	930	2.34	0.14	1.6	0.15	64.8	5.5	6
803588		0.62	0.005	<0.005	0.002	0.28	8.2	9.2	170	1.54	0.22	5.13	0.61	39.9	26.6	89
803589		0.54	0.001	<0.005	0.001	0.05	9.12	6.1	760	1.67	0.12	1.98	0.11	34.6	15.5	92
803590		Empty Bag														
803591		0.54	0.004	<0.005	0.001	0.07	9.64	4.6	330	0.31	0.03	5.06	0.14	7.59	30.3	141
803592		0.66	<0.001	<0.005	<0.001	0.14	9.23	2.1	330	0.63	0.09	5.22	0.13	25.4	26.2	36
803593		0.62	0.003	<0.005	0.002	0.13	8.66	8.7	400	0.74	0.09	3.19	0.1	15.2	14.6	11
803594		0.36	0.009	<0.005	<0.001	0.12	10.1	1.9	130	0.29	0.08	8.01	0.49	12.8	42.6	62
803595		0.74	0.003	<0.005	<0.001	0.05	10.4	1.1	160	0.25	0.05	7.81	0.26	3.22	31.8	15
803596		0.78	0.001	<0.005	<0.001	0.03	6.52	1	960	0.36	0.03	0.82	0.08	5.32	2.1	4
803597		0.56	0.009	<0.005	<0.001	0.24	10.75	4.9	140	0.34	0.07	7.21	0.25	5.92	40.2	28
803598		0.52	0.004	<0.005	<0.001	0.07	7.68	3.8	140	0.45	0.1	3.98	0.2	12.5	21.7	6
803599		0.64	0.002	<0.005	<0.001	0.04	8.3	3.3	430	0.65	0.08	4.79	0.11	14.65	23.6	4
803600		0.48	0.004	<0.005	<0.001	0.04	8.82	1.5	50	0.15	0.02	7.76	0.11	3.96	53.9	37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 19-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122431

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803572		1.43	19.1	1.77	18.7	0.09	1	0.017	1.93	21.5	7.5	0.34	44	4.33	3.39	4
803573		1.9	18.9	2.71	23.3	0.14	0.3	0.03	1.94	27.2	18.4	1.27	260	3.64	3.13	4.8
803574																
803575		3.93	73.8	2.83	20.9	0.11	0.2	0.05	1.72	13.1	19.8	1.07	745	1.07	3.13	4.6
803577		3.05	57.6	2.94	17.75	0.12	0.2	0.052	1.92	15.8	19.4	1.07	635	1.49	2.5	4.4
803578		3.44	30	3.98	19.35	0.15	0.3	0.106	1.8	16.7	14.2	1.98	1090	0.8	2.5	6.9
803579		6.08	107.5	2.65	16.25	0.1	0.2	0.174	1.69	11.2	32.1	1.02	1180	46.6	2.36	4.2
803580		4.11	87	1.04	5.83	0.06	0.1	0.359	0.81	5.1	158	0.1	2040	1.23	0.03	1.3
803581		9.23	1320	2.5	20.9	0.12	0.3	0.152	1.77	29.1	14.3	0.85	837	0.7	2.9	4.8
803583		1.88	11.2	3.58	20.7	0.17	0.4	0.056	2.78	26	10.9	1.21	697	0.99	2.74	10.7
803584		2.21	27.1	3.68	20.7	0.16	0.5	0.059	2.37	25.1	21.6	1.36	665	0.96	3.06	9.1
803585		2.38	105	2.76	20.3	0.14	0.2	0.066	2.61	26.2	12.6	0.65	678	6.23	2.82	7
803586		2.09	4.9	2.47	21	0.15	0.4	0.036	2.4	30.1	12.5	0.6	463	1.66	3.59	9
803587		1.29	34.4	2.49	21.6	0.15	0.5	0.11	1.88	31.1	10.9	0.63	565	1.41	4.14	9.6
803588		1.47	208	5.68	22.9	0.17	0.2	0.141	0.44	18.1	33.7	1.33	733	1.42	1.1	9
803589		3.48	22.6	4.91	24.2	0.16	0.1	0.067	1.34	15.5	43.6	1.18	584	0.83	2.1	8.2
803590																
803591		1.25	80	5.43	16.85	0.14	0.4	0.043	0.71	3.2	11.8	3.96	1435	0.93	2.86	0.9
803592		1.7	27.5	6.05	20.5	0.16	0.4	0.064	0.55	11.3	12.3	2.36	1210	0.35	2.68	3.1
803593		1.2	61	4.24	19.75	0.12	0.5	0.051	0.85	6.3	11.5	1.36	928	0.61	3.68	2.2
803594		0.97	116.5	8.41	21.8	0.17	0.6	0.093	0.29	5	10.1	3.77	1590	0.46	1.55	1.1
803595		0.55	24.1	6.59	22.8	0.13	0.2	0.053	0.28	1.4	11.3	2.44	1280	0.24	1.94	0.4
803596		0.51	4.9	0.64	9.01	0.06	<0.1	<0.005	1.44	3.8	5.8	0.12	98	0.31	3.48	0.4
803597		0.32	350	6.46	22.4	0.14	0.3	0.054	0.23	2.6	13.6	2.09	1195	0.56	2.6	0.7
803598		0.5	71.2	3.95	15.8	0.11	0.2	0.029	0.3	5.9	18.3	0.92	759	0.65	2.09	1.5
803599		1.15	55.9	5.43	19.45	0.13	0.3	0.05	0.59	6.3	18.2	1.63	820	0.22	1.93	2.1
803600		0.16	93.5	9.92	21.5	0.17	0.4	0.082	0.13	1.3	4.9	5.04	1285	0.17	1.19	0.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 19-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122431

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803572		5.7	450	10.4	48.9	<0.002	0.68	0.55	4.1	3	1.2	96.2	0.37	0.23	9.8	0.152
803573		19.7	980	10.5	54.3	<0.002	0.29	0.77	14.3	3	1.4	376	0.35	0.2	7.2	0.316
803574																
803575		18.5	610	22.4	40.4	<0.002	0.01	0.48	10.4	2	1	523	0.37	<0.05	5.9	0.272
803577		19.1	600	17.2	44.4	<0.002	0.01	0.29	9.7	2	1.1	444	0.34	<0.05	5.6	0.257
803578		29.4	590	17.1	43.3	<0.002	<0.01	0.29	21.6	2	1.8	416	0.49	<0.05	11	0.337
803579		16.9	460	221	49.1	<0.002	0.01	3.76	9.7	2	1.7	137	0.4	0.61	7.8	0.236
803580		4.8	110	1590	40.7	<0.002	0.18	213	2.3	2	1.6	1275	0.1	0.67	2.9	0.05
803581		18.3	470	44.2	96.7	<0.002	0.91	3.01	10.4	3	4.6	163	0.54	0.79	11.8	0.227
803583		18.1	940	11.7	54.8	<0.002	0.01	0.39	14.3	3	1.7	373	0.66	0.05	6.9	0.514
803584		24	1050	19.7	51.5	<0.002	0.02	1.33	14.4	2	1.6	441	0.65	<0.05	9.7	0.494
803585		7.2	620	13	75.9	0.002	0.28	0.33	7.6	3	1.3	386	0.52	0.25	10.8	0.294
803586		2.6	780	11.6	60.4	<0.002	<0.01	0.35	8.5	3	1.9	336	0.59	<0.05	7.5	0.356
803587		3.5	730	12.7	52	<0.002	<0.01	0.74	8.7	3	2.6	357	0.63	<0.05	8.2	0.359
803588		79.3	980	12.5	13.4	0.004	2.02	0.62	22.1	5	1.2	287	0.56	0.65	5.7	0.41
803589		39.8	840	21.4	43.5	0.003	0.05	0.65	23.6	3	1.4	363	0.56	0.14	5.2	0.492
803590																
803591		44.3	430	7	12.2	0.002	0.03	0.53	36.6	2	0.5	503	0.08	<0.05	0.3	0.399
803592		17.6	1330	7.7	12.9	<0.002	0.01	0.66	29.5	2	0.7	519	0.19	<0.05	2.6	0.614
803593		5.3	650	8.7	17.8	<0.002	0.03	2.67	20.2	2	0.7	481	0.16	0.06	0.8	0.369
803594		27	1280	6.6	3.3	0.002	0.06	0.38	49.5	3	0.8	495	0.08	<0.05	<0.2	0.595
803595		12.5	60	6.6	2.1	<0.002	0.02	0.41	35	2	0.3	685	<0.05	<0.05	<0.2	0.565
803596		2.5	30	6.3	25.8	<0.002	<0.01	0.36	0.9	2	<0.2	196	0.05	<0.05	1.7	0.03
803597		9.1	600	11.2	1.2	0.002	0.65	0.95	34.4	3	0.4	586	0.06	0.16	0.4	0.476
803598		9.3	930	8	7.2	<0.002	0.02	0.59	9.9	3	0.4	415	0.13	<0.05	1	0.432
803599		2.9	710	4.8	12.2	<0.002	0.02	0.39	19.9	3	0.7	489	0.12	0.05	1.2	0.446
803600		35.7	80	1.1	1.6	<0.002	0.01	0.44	73.5	2	0.5	580	<0.05	<0.05	<0.2	0.983



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 19-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122431

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803572		0.46	2.2	44	0.8	5.4	7	31.2
803573		0.63	1.9	102	0.5	26.2	39	6.2
803574								
803575		0.51	2.8	72	0.9	15.6	83	3.6
803577		0.43	2.2	72	0.7	15.4	68	4.2
803578		0.41	2.7	106	0.7	36.1	97	4.8
803579		0.67	2.5	71	2.8	14.1	254	3.6
803580		0.58	2.3	19	1.1	3.6	79	1.7
803581		1.41	4.1	70	3.5	14.8	116	5.3
803583		0.5	2.7	104	0.6	35.8	53	7.2
803584		0.41	2.9	110	0.5	28.8	53	10.1
803585		0.75	2.6	60	1.5	16.7	47	4.1
803586		0.34	2.3	54	0.7	31.9	39	8.7
803587		0.41	2.3	55	0.9	31.4	54	10
803588		0.19	1.4	177	2.1	27.3	173	6.7
803589		0.37	1.2	194	1	15.7	118	2.5
803590								
803591		0.24	0.1	241	0.3	15.9	110	5.5
803592		0.14	0.8	212	0.7	22.5	82	6.3
803593		0.22	0.3	159	0.5	16.4	62	14.6
803594		0.08	0.2	351	0.7	26.4	116	11.6
803595		0.11	0.1	403	0.5	6	95	4.5
803596		0.17	0.4	14	0.3	1.3	14	1.1
803597		0.1	0.1	289	0.6	9.3	110	5.9
803598		0.07	0.5	163	2.7	8.8	53	4
803599		0.16	0.4	137	0.3	18.3	54	4
803600		0.02	0.1	642	0.2	12	86	10.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 19-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122431

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 23-SEP-2008

Account: RLH

CERTIFICATE VA08122432

Project: 677

P.O. No.: 85821

This report is for 17 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 23-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122432

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
843RJC0143		1.10	0.004	<0.005	0.001	0.24	6.55	0.7	370	1.56	0.55	0.1	0.04	43.8	1.9	11
843RJC0144		1.22	0.003	<0.005	<0.001	0.3	7.04	0.4	290	1.7	0.73	0.13	0.04	36.8	2.6	13
843RJC0145		1.38	0.007	<0.005	<0.001	0.5	7.05	0.7	590	2.14	1.38	0.07	0.04	55.7	0.8	14
843RJC0146		1.30	0.002	<0.005	<0.001	0.06	6.73	1.1	830	2.14	0.15	1.69	0.06	55.6	4.5	3
843RJC0147		1.38	0.289	<0.005	0.001	14.9	6.75	104.5	620	1.01	14.2	0.12	8.83	28.1	11	29
843RJC0148		1.46	0.004	<0.005	<0.001	0.45	6.54	2.1	450	1.34	0.8	0.89	0.71	56.3	21.6	25
843RJC0149		1.28	0.008	<0.005	<0.001	4.59	6.81	45.7	260	1.22	0.76	0.1	2.56	33.2	28.7	20
843RJC0150		1.42	0.019	<0.005	<0.001	11.5	6.67	8.5	490	1.13	0.86	0.13	8.74	31.2	6.9	19
843RJC0151		1.70	0.002	<0.005	<0.001	0.2	6.88	2.7	510	1.11	0.16	0.43	1.66	37.1	7	22
843RJC0152		0.94	0.013	<0.005	0.001	7.78	6.78	7	600	1.04	0.75	1.2	0.7	29.5	6.7	26
843RJC0153		1.56	0.031	<0.005	<0.001	83.5	5.83	133.5	1870	1.27	39	2.69	21.3	24.6	6.5	21
843RJC0154		1.90	0.015	<0.005	<0.001	0.32	8.31	6.5	930	1.24	0.37	1.34	0.57	29.9	26.8	10
843RJC0155		2.18	0.021	<0.005	<0.001	0.53	8.48	9	220	0.77	0.72	1.71	0.14	23.1	34.1	10
843RJC0156		1.88	0.003	<0.005	<0.001	0.21	7.76	86.7	320	0.81	0.4	4.4	0.33	19.15	15.8	21
843RJC0157		1.76	0.003	<0.005	<0.001	0.06	6.51	1.3	820	2.02	0.33	0.46	<0.02	48.5	2.9	7
843RJC0158		1.76	0.003	<0.005	<0.001	0.08	6.88	1.6	730	1.83	0.51	0.67	0.03	41.3	3.9	22
843RJC0159		1.78	0.004	<0.005	<0.001	0.05	6.62	1.2	910	1.67	0.47	0.8	0.1	42.1	5.1	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 23-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122432

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
843RJC0143		0.88	23.1	1.99	15.35	0.12	0.2	0.098	1.26	21.5	9.2	0.66	213	2.3	3.65	2.8
843RJC0144		1.09	16	1.28	16.2	0.09	0.2	0.07	1.76	15.3	11.6	0.76	289	1.72	3.05	3.6
843RJC0145		1.87	19.1	2.2	17.95	0.12	0.3	0.158	2.31	25.9	9.7	0.82	199	2.23	2.08	4.6
843RJC0146		1.15	8.4	2.38	17.4	0.12	0.3	0.052	2.22	23.3	9	0.61	349	1.13	3.65	8.6
843RJC0147		12.85	167.5	4.03	17.4	0.1	0.2	3.41	3.07	12.6	14.1	0.47	6550	38.1	0.13	3.5
843RJC0148		9.04	42	2.3	15.15	0.1	0.2	0.024	1.88	23.4	10.7	0.52	658	1.99	2.44	3.7
843RJC0149		9.1	216	2.39	14.5	0.07	0.2	0.057	2.84	13.2	14.5	0.3	1750	3.82	1.01	3
843RJC0150		12.35	117	2.34	14.95	0.09	0.5	0.106	3.38	15.5	16.8	0.38	4530	6.36	0.03	4
843RJC0151		8.24	30.9	2.19	15.45	0.08	0.3	0.027	3.36	18.4	14.1	0.35	839	2.12	1.61	4.1
843RJC0152		18.15	121	2.26	14.95	0.05	0.5	0.068	1.9	15.3	21.8	0.62	646	3.12	1.79	4.2
843RJC0153		8.4	1490	2.23	13.6	0.07	1	0.066	3.04	11.6	21.6	0.36	1545	5.41	0.39	3.5
843RJC0154		3.28	115.5	6.04	20.8	0.14	0.1	0.043	3.01	14.3	26.6	0.82	976	13.1	2.74	6
843RJC0155		3.06	179.5	10.2	22.3	0.16	0.1	0.037	2.84	10.1	23.9	0.47	674	8.48	1.98	3.4
843RJC0156		1.06	63.4	4.65	17.25	0.08	0.1	0.077	0.39	7.7	16.4	1.36	832	0.6	2.31	2.4
843RJC0157		1.57	6.8	1.65	15.65	0.06	1.8	0.023	2.85	23.6	19.2	0.56	113	4.28	3.01	4.5
843RJC0158		1.96	7.6	2.33	17.6	0.07	1.3	0.023	2.34	19.9	27.6	1.17	158	3.65	3.26	3.6
843RJC0159		1.01	6	2.17	15.7	0.09	1.6	0.023	2.61	20.9	20.5	0.85	134	4.36	3.09	4.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 23-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122432

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
843RJC0143		4.2	550	9.6	45.8	<0.002	0.12	0.68	6.8	2	2	161	0.21	0.07	5.8	0.17
843RJC0144		4.7	540	12.4	54.2	<0.002	0.05	0.77	10	1	2.8	111	0.27	0.09	3.8	0.215
843RJC0145		3.4	840	17.1	69.2	<0.002	0.04	0.85	10.6	2	4	58.3	0.33	0.14	7.1	0.254
843RJC0146		2.6	720	10.1	43.6	<0.002	<0.01	0.56	7.1	1	1.7	336	0.57	<0.05	6.4	0.357
843RJC0147		9.5	480	1230	114	<0.002	0.02	17.4	10.3	1	2.7	27.5	0.28	1.5	5.8	0.241
843RJC0148		13.7	430	21.4	82.3	<0.002	0.81	1.69	7.9	1	2.4	165.5	0.4	0.2	9.9	0.181
843RJC0149		9	320	283	128.5	<0.002	0.17	78.9	6.7	2	2.7	22.8	0.34	0.21	11.2	0.145
843RJC0150		13	370	600	161	<0.002	0.07	31.5	7.5	1	1	13	0.39	0.06	9.2	0.183
843RJC0151		13.8	370	68.1	112	<0.002	<0.01	6.99	6.9	1	0.8	113.5	0.46	<0.05	14.8	0.177
843RJC0152		12.1	230	88.4	64.1	<0.002	0.01	11.5	10	1	1.3	217	0.37	<0.05	5.9	0.266
843RJC0153		11.1	400	2550	100	<0.002	0.51	790	5.9	1	2.4	108	0.34	0.71	7	0.169
843RJC0154		7.9	320	21.9	72.9	0.007	2.8	3.4	4.6	5	1.1	303	0.92	0.56	2.8	0.474
843RJC0155		12.1	250	21.7	67.3	0.023	6.79	4.02	7.3	8	1	281	0.3	0.9	2	0.404
843RJC0156		15.2	820	37.6	7.5	<0.002	1.21	3.65	15.6	2	1	427	0.15	0.68	0.9	0.356
843RJC0157		3.9	490	8.7	67.6	<0.002	0.82	0.45	4.6	1	0.7	196	0.39	0.21	11.8	0.165
843RJC0158		12.7	760	10.9	66.2	<0.002	0.63	0.62	8.8	2	1	289	0.29	0.57	7.7	0.235
843RJC0159		9.5	630	13.6	62.6	<0.002	1.05	0.41	6.4	1	0.8	310	0.34	0.35	9.3	0.206



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 23-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122432

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
843RJC0143		0.62	1	61	0.9	5	55	3.4
843RJC0144		0.59	0.8	91	1.9	4.8	45	4.2
843RJC0145		1.02	1.4	79	3	6.3	31	5
843RJC0146		0.31	1.9	60	0.4	24	31	4.8
843RJC0147		1.91	10.6	81	21.3	9.4	890	2.9
843RJC0148		1	3	57	3.7	10.8	76	3.1
843RJC0149		1.61	3	50	6	5	171	3.7
843RJC0150		2.15	3.9	57	3.6	9.4	431	12
843RJC0151		1.24	4.4	55	1.1	9.3	173	6.2
843RJC0152		0.79	2.5	64	2.5	10.6	157	11
843RJC0153		1.73	4.4	46	4.3	10	745	30.6
843RJC0154		0.46	0.7	117	1.4	7.6	68	1.3
843RJC0155		0.45	0.6	200	1.9	10.6	39	2
843RJC0156		0.21	0.2	156	0.5	13.7	90	2.7
843RJC0157		0.72	3.7	43	0.9	11.4	15	55.6
843RJC0158		0.79	2.7	79	0.4	9.4	20	42.1
843RJC0159		0.74	3.3	58	0.6	10.8	21	51.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 23-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122432

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 18-SEP-2008

Account: RLH

CERTIFICATE VA08122433

Project: 677

P.O. No.: 85817

This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122433

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803435		0.64	0.002	<0.005	<0.001	0.05	7.91	4.3	510	1.66	0.1	2.53	0.23	23.1	16.6	16
803438		0.50	0.008	<0.005	<0.001	0.53	0.47	30.7	10	0.1	0.71	0.06	0.11	14.25	24.7	7
803441		0.88	0.003	<0.005	<0.001	0.06	7.95	9.3	340	0.93	0.13	4.06	0.21	29.3	10.1	15
803442		0.74	0.002	<0.005	<0.001	0.04	7.27	25.3	250	0.22	0.72	7.72	0.51	13.85	10.4	24
803443		0.40	0.002	<0.005	<0.001	0.06	7.48	1.5	870	1.31	0.29	1.56	0.11	32.7	3.5	7
803444		0.60	0.004	<0.005	0.001	0.03	8.41	<0.2	540	0.79	0.6	1.29	0.1	22.6	19.8	24
803445		0.70	0.003	<0.005	<0.001	0.03	7.31	3.2	680	1.07	0.34	1.88	0.11	27	6	13
803446		0.50	0.003	<0.005	<0.001	0.08	7.23	1.5	810	1.36	0.39	0.85	0.05	24.1	4	11
803447		0.76	<0.001	<0.005	<0.001	<0.01	7.7	5.5	120	1.18	0.04	2.02	0.07	35.8	3.5	4
803448		0.50	0.004	<0.005	<0.001	0.03	7.98	1.2	670	0.27	0.15	1.43	0.07	9.65	2	19
803449		0.40	0.004	<0.005	<0.001	0.03	7.21	2.4	660	0.82	0.36	2.49	0.13	29.2	5.5	14
803450		0.88	0.002	<0.005	<0.001	0.34	8.3	1.3	190	1.15	0.69	3.22	0.04	18.25	17.8	7
803551		0.32	0.009	<0.005	<0.001	0.14	8.04	13.8	450	0.98	0.2	3.25	0.27	29.9	13.5	15
803552		0.70	0.030	<0.005	<0.001	4.74	7.77	12.2	600	0.72	15.35	0.1	0.38	19.7	5.9	58
803553		0.42	0.014	<0.005	0.003	2.27	7.49	17.5	570	0.74	9.72	0.08	0.13	20.9	2.5	35
803554		0.72	0.009	<0.005	<0.001	2.43	7.14	27.6	210	0.82	36.5	0.08	0.34	20.8	10.6	28
803555		0.36	0.085	<0.005	<0.001	4.75	5.97	25.6	650	0.7	19.5	0.02	0.12	18	1.6	16
803556		0.50	0.006	<0.005	<0.001	8.2	8.22	3	800	1.2	27	0.1	3.61	24.1	19.3	61
803557		0.54	0.038	<0.005	<0.001	6.42	7.68	14.1	860	0.81	18.95	0.04	0.15	26.4	1.2	25
803558		0.82	0.010	<0.005	<0.001	3.95	8.2	4.9	720	1.01	13.7	0.05	0.36	30.8	7.3	50
803559		0.52	0.010	0.006	<0.001	1.73	8.4	14.9	520	1.03	9.04	1.28	0.64	30.4	7.2	31
803560		1.10	0.004	<0.005	<0.001	0.82	7.69	12.4	750	0.99	6.51	2.89	1.73	26.8	13	30
803561		0.70	0.030	<0.005	<0.001	5.76	7.58	38.7	800	0.81	21.5	0.06	0.48	24.7	6.7	34
803562		0.36	0.015	<0.005	<0.001	3.83	7.59	26.7	600	0.84	13.45	0.06	0.38	19.9	1.8	23
803563		0.48	0.011	<0.005	<0.001	2	7.85	6.2	580	1.09	16.75	3.07	1.19	28.5	14.1	33
803564		0.46	0.009	<0.005	<0.001	2.75	7.89	22.5	600	0.97	11.55	0.77	2.29	26.1	10.2	33
803565		0.56	0.006	<0.005	<0.001	2.17	8.91	10.1	1980	0.88	5.72	0.04	0.02	10.3	1.6	25
803566		0.54	0.012	<0.005	<0.001	8.28	6.87	31.3	650	0.69	16.55	0.08	0.55	18.75	3.3	29
803567		0.96	0.009	<0.005	<0.001	3.21	8.22	14.9	600	0.85	15	0.56	0.69	32.7	6.2	26
803568		0.50	<0.001	<0.005	<0.001	0.06	7.75	0.4	760	1.14	0.2	3.23	0.07	33.3	11	31



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122433

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803435		9.32	24.1	3.94	19.7	0.1	2.3	0.045	2.05	11.8	65.6	1.09	727	0.84	1.84	3.4
803438		0.94	216	2.77	2.09	0.06	0.1	0.072	0.03	8.7	10.8	0.16	234	3.62	0.06	0.5
803441		0.93	8.4	3.33	23	0.09	0.4	0.058	0.62	11.5	13.5	0.97	947	0.8	3.06	4.1
803442		1.27	15.8	6.43	22.1	0.11	0.9	0.197	0.56	5.3	17.7	0.62	1115	0.86	0.28	2.8
803443		1.68	16.2	2.07	16.15	0.1	0.5	0.02	2.19	16.2	16.8	0.57	283	1.97	2.49	3.5
803444		4.45	14.5	6.54	20.8	0.12	0.5	0.042	1.57	9.3	31.5	1.86	1500	1.91	1.81	1.9
803445		1.49	8.5	2.76	18.05	0.08	0.5	0.035	1.53	12.8	20.7	0.75	709	2.18	2.85	3.3
803446		1.3	34.3	2.38	20.2	0.07	0.1	0.037	1.91	11.7	17.1	0.73	227	1.09	2.92	3
803447		0.28	13.5	2.44	16.3	0.08	0.6	0.03	0.5	16.2	5.1	0.25	266	0.27	5.04	7
803448		0.67	6.1	3.62	6.98	<0.05	<0.1	0.01	1.48	4.6	5.9	1.1	376	1.41	2.28	0.4
803449		1.24	6.6	2.51	17.9	0.08	0.3	0.054	1.51	14	5.7	0.79	337	1.17	3	4
803450		2.08	3.5	4.47	22.8	0.08	1	0.036	2.19	7.7	25.4	1.65	3540	1.02	1.99	2.4
803551		1.07	33.2	4.25	18.75	0.08	0.6	0.111	1.16	12.8	20.5	1.23	838	0.38	3.3	3.9
803552		5.85	19.4	6.35	23.9	0.1	0.9	0.451	2.89	9.8	16.5	1.53	591	27.2	0.09	3.1
803553		22.4	291	9.45	21.1	0.13	0.2	0.652	3.03	11.6	7.8	0.48	311	8.52	0.32	3.2
803554		9	85.3	9.55	18	0.11	0.2	0.494	3.08	9.3	8.3	0.51	293	48.8	0.13	2.9
803555		7.84	500	11.2	15.2	0.13	0.2	0.99	2.74	9	8	0.32	203	14.6	0.03	3.1
803556		17.15	29.8	4.73	21.7	0.1	0.9	0.243	2.98	12.5	27	1.71	2720	2	0.05	3.2
803557		11.9	74.7	5.78	17.9	0.08	0.2	0.543	3.15	14.4	8.5	0.46	207	16.75	0.06	3.1
803558		11.65	28.9	5.43	21.9	0.11	0.9	0.344	3.27	16.3	13.1	1.17	526	3.99	0.06	3.5
803559		7.12	23.3	3.27	20.9	0.1	0.2	0.969	2.01	15.4	12.5	0.72	571	4.49	1.95	4.8
803560		5.03	158.5	3.52	18.9	0.08	0.2	1.145	1.34	12	20.7	1.14	1090	4.12	2.14	4.5
803561		12.45	55.9	7.19	18.25	0.13	0.2	0.943	2.9	12.8	10.5	0.56	538	21.5	0.4	3.8
803562		13.7	72.1	4.35	18.15	0.09	0.2	0.876	2.71	10.2	14.1	0.43	253	12.25	0.1	3.2
803563		6.58	460	3.81	18.85	0.1	0.2	0.902	1.35	13.4	23.7	1.28	1415	2.25	1.92	4.5
803564		10.95	80.4	6.4	18.35	0.11	0.2	0.53	2.41	13.1	14.4	0.85	1065	6.31	1.08	3.8
803565		10.15	21	5.09	21.5	0.1	0.2	0.447	3.39	5.3	9.2	0.43	132	5.47	0.28	4.3
803566		11.65	384	16.55	20.1	0.17	0.1	0.368	2.52	10.6	7.7	0.34	140	104.5	0.13	2
803567		8.3	25	4.6	19.45	0.11	0.2	0.493	2.63	16.4	12	0.51	279	3.95	1.48	4.6
803568		2.14	7.9	3.31	18.75	0.1	0.4	0.047	1.9	14.6	17	1.3	566	0.73	2.51	5.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122433

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803435		26.4	890	22.4	40.6	<0.002	0.03	1.85	13.7	2	0.7	342	0.21	<0.05	1.4	0.398
803438		7.6	40	8.9	1.8	<0.002	0.52	1.07	1.8	3	0.4	5.1	<0.05	0.09	0.2	0.008
803441		7.6	960	12.6	13.7	<0.002	0.01	1.99	8.2	1	0.9	798	0.25	<0.05	1	0.422
803442		6.9	1000	13	11.6	<0.002	<0.01	16.5	24.1	2	1.4	561	0.18	<0.05	0.5	0.536
803443		2.2	400	32.7	43.4	0.005	0.38	0.66	8	2	1	285	0.28	0.14	6.3	0.181
803444		9.9	790	11.8	39.3	0.024	1.88	0.34	30.9	3	1.3	341	0.15	0.27	1.6	0.44
803445		5	480	14.8	38.5	0.002	1.05	1.12	10.1	1	1.3	325	0.34	0.35	4.5	0.265
803446		4.3	660	9.6	36.5	0.002	1.27	0.6	6.2	1	1	254	0.25	0.18	1.5	0.15
803447		1.7	700	5.5	16	<0.002	0.01	1.81	7.5	1	1.3	255	0.41	<0.05	2.1	0.306
803448		2.5	560	4.5	13.7	0.006	0.31	0.39	5.1	1	0.3	284	0.05	0.06	1.2	0.221
803449		7.4	370	13	46.3	0.002	0.01	1.51	10.8	2	2.3	315	0.4	<0.05	6.2	0.228
803450		16.9	820	78.5	68.8	<0.002	<0.01	1.79	14.1	2	0.7	256	0.16	<0.05	0.6	0.371
803551		8	730	13.2	18.7	<0.002	0.01	3	22.8	3	1.7	280	0.25	<0.05	2.1	0.474
803552		18.7	560	128.5	126.5	<0.002	1.22	3.12	15.5	3	15.5	15.4	0.24	4.44	3.2	0.282
803553		6	870	112.5	131.5	<0.002	0.13	6.1	10.2	2	1.8	22.5	0.28	2.57	7.1	0.211
803554		15.9	530	82.1	89.8	0.007	7.23	4.29	10.6	3	9.9	19.2	0.23	2.88	5.6	0.181
803555		4	360	302	119.5	<0.002	0.09	6.3	4.3	3	5.1	6.9	0.32	2.69	8	0.132
803556		33.8	670	352	102.5	<0.002	0.87	5.29	16.8	3	4.1	11	0.26	3.66	2.6	0.306
803557		3	390	311	108	<0.002	0.36	4.05	11	4	8.8	12.6	0.27	2.04	3.3	0.205
803558		19.5	490	147.5	156	<0.002	1.16	3.51	15.1	3	7.7	14.8	0.27	2.71	3.9	0.293
803559		14.8	520	53.5	63.2	<0.002	0.54	3.17	13.3	2	1.9	308	0.42	1.04	8	0.311
803560		22.5	610	45.3	21.4	<0.002	0.82	5.34	13	2	1.7	383	0.38	0.71	5.6	0.291
803561		11.1	540	242	102.5	<0.002	2.27	5.68	12.7	3	4.3	28.4	0.31	2.04	6.7	0.239
803562		3.3	350	59.5	125.5	<0.002	0.04	4.2	9.9	2	4.6	9.4	0.29	1.43	4	0.207
803563		22.1	580	52.9	26.7	<0.002	0.87	7.3	13.2	2	1.6	353	0.38	0.57	5.7	0.283
803564		16.7	610	404	70.5	<0.002	1.48	5.88	12.8	2	2.8	151	0.31	1.15	6.3	0.257
803565		2.1	150	54.6	138.5	<0.002	0.77	2.73	8.8	4	42.5	30.3	0.33	1.14	1.8	0.209
803566		5.3	830	275	102	<0.002	0.07	8.2	10.3	3	8.4	15.8	0.17	1.46	5.9	0.145
803567		9.7	440	165	96.9	<0.002	1.33	2.77	13.1	3	4.9	189.5	0.38	1.4	7.1	0.282
803568		13.4	560	11.7	36.4	<0.002	0.01	0.39	15.9	2	1.4	358	0.41	<0.05	5.3	0.343



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122433

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803435		0.48	1	131	0.3	17.6	185	77.6
803438		0.07	0.5	14	0.7	2.7	25	1.5
803441		0.18	0.5	126	0.6	9.5	61	4.9
803442		0.17	0.6	207	0.5	22.5	36	19.4
803443		0.64	2	60	0.6	10.5	39	13.7
803444		0.98	0.5	185	0.4	11.1	95	16.9
803445		0.54	1.3	81	0.9	11.4	56	14.3
803446		0.5	0.9	62	0.5	5.4	21	2.4
803447		0.22	0.8	58	1.4	32.4	24	12.6
803448		0.19	0.4	101	0.3	3.4	44	1.3
803449		0.39	1.9	75	0.6	15.9	38	5.1
803450		1.17	0.3	125	0.7	8.5	496	24
803551		0.31	1.1	154	0.6	26.5	79	14.5
803552		2.08	1.5	117	18	4.2	109	34.3
803553		1.94	1.2	110	3.7	3.5	96	3.9
803554		1.43	1.7	81	13.7	6.6	76	2.5
803555		1.73	1.2	59	7.6	2	114	8.8
803556		2.11	2.5	116	6.9	9.8	325	32.2
803557		1.59	1.7	93	27.9	3.6	104	3.3
803558		2.52	2.2	116	10.3	6.9	111	29.3
803559		1.15	2.9	91	3.2	11	127	3.8
803560		0.57	2.5	94	2.6	17.2	322	2.8
803561		1.53	2.6	97	7.4	5.6	159	3.4
803562		1.96	1.3	85	6.4	2.5	71	2.4
803563		0.67	2.7	94	2.2	21.7	199	3
803564		1.13	1.8	98	5.2	9	403	3.2
803565		2.05	1	89	27.1	8.6	23	3.1
803566		1.48	7.9	102	11.6	5.2	155	2
803567		1.55	2.2	84	6.5	6.2	129	3.6
803568		0.46	1.3	104	0.7	20.5	37	5.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 18-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122433

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 20-SEP-2008

Account: RLH

CERTIFICATE VA08122434

Project: 677

P.O. No.: 85818

This report is for 7 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08122434
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
803432		0.24	0.12	7.07	3.9	560	1.12	0.27	0.89	0.12	35.3	24.6	33	2.8	184.5	4.06
803433		0.38	4.37	3.23	15.1	100	1.07	1.96	0.1	0.09	14.55	2.5	4	5.21	28.3	0.93
803434		0.70	0.15	9.03	32.2	1550	1.3	0.12	1.44	0.14	46.5	20	2	1.87	33.7	4.95
803436		0.38	0.15	7.27	2.2	990	1.77	0.95	0.78	0.02	43.2	14	6	3.11	4.9	3.87
803437		0.56	0.04	8.07	121	470	1.17	0.14	4.1	0.15	27.3	19.2	51	2.08	14.8	4.26
803439		0.60	0.04	8.85	65	190	0.81	0.1	2.28	0.08	20.5	29	25	4.66	68	6.59
803440		0.26	0.1	8.18	1.2	560	1.19	0.08	4.54	0.1	27	17.7	25	15.4	30.4	4.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
803432		16.45	0.09	0.4	0.068	1.7	15.3	74.4	1.44	559	2.21	2.02	5.6	29.9	880	13.3
803433		8.8	0.05	0.1	0.01	1.25	7.4	85.2	0.17	160	14.65	0.12	1.3	2.6	120	287
803434		22.9	0.14	3.2	0.055	2.67	20.7	30.5	1.93	1545	0.42	3.96	3.3	11.1	1370	9.1
803436		16.6	0.11	0.3	0.022	2.79	24.8	11.4	0.4	232	41.7	2.52	7.1	4.7	460	11.2
803437		20.4	0.1	0.1	0.058	0.81	11.6	22.2	2.04	1355	1.66	2.66	6.5	47.2	970	12.9
803439		19.45	0.1	0.1	0.04	1.92	7.4	68.7	2.69	1245	0.76	3.36	3	17.3	1170	18.5
803440		22.3	0.1	3.2	0.045	0.57	11.1	38.9	2.08	817	0.39	1.9	3.7	25.5	1110	6.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
803432		45	<0.002	0.03	1.68	14.5	2	1.3	214	0.37	<0.05	4.4	0.41	0.47	3.8	109
803433		62.6	<0.002	0.05	20	2	2	0.4	19.5	0.12	<0.05	2.5	0.059	0.89	1.2	26
803434		73	<0.002	0.01	1.3	20.7	2	0.9	962	0.2	<0.05	4.1	0.474	1.15	1.5	172
803436		95.6	<0.002	0.25	0.55	7.1	2	1.5	223	0.63	0.14	12.5	0.247	0.85	9.5	57
803437		13.6	<0.002	0.01	0.73	19.1	2	0.3	596	0.46	0.13	2.4	0.513	0.49	0.8	152
803439		22.2	<0.002	0.19	0.44	42.3	2	0.5	468	0.2	0.06	1	0.73	0.58	0.4	317
803440		5.5	<0.002	0.02	0.39	15.2	2	0.8	1440	0.23	<0.05	1.5	0.443	0.14	0.7	130



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm
		0.1	0.1	2	0.5	1	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	
803432		1.4	11.4	97	9.7	<1	521	37.5	22.7	40	2.79	183	2.62	1.81	0.64	15.7
803433		0.9	2.6	39	4.5	4	102.0	14.8	2.4	10	5.29	29	0.76	0.46	0.23	8.3
803434		1.3	17.1	93	118	<1	1525	52.3	18.7	<10	1.82	34	3.05	1.67	1.41	21.1
803436		22.8	11.3	23	5	<1	1020	47.0	14.0	10	3.37	6	2.16	1.44	0.64	16.4
803437		0.7	16.1	81	2	<1	476	37.3	18.3	70	2.64	17	3.43	1.96	1.14	19.5
803439		1	16.4	89	1.5	<1	204	25.3	27.7	30	4.97	69	4.39	2.64	1.15	18.6
803440		0.3	12.2	69	117.5	<1	577	41.4	17.1	30	22.3	94	2.80	1.49	1.18	21.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1
803432		2.83	20.7	0.56	15.9	0.37	2	5.9	16.4	28	15	4.17	49.6	3.24	1	217
803433		0.95	1.1	0.15	6.3	0.08	13	1.4	5.6	<5	284	1.58	67.9	1.05	<1	21.0
803434		4.42	3.2	0.59	24.2	0.25	<2	2.9	26.3	10	11	6.49	88.6	5.00	1	921
803436		2.77	5.9	0.45	25.7	0.28	39	8.2	18.0	<5	13	5.17	105.5	2.94	2	245
803437		3.91	3.7	0.69	16.8	0.30	2	6.2	18.5	47	15	4.49	40.3	4.11	<1	587
803439		4.22	2.2	0.91	9.4	0.39	<2	2.8	16.1	16	19	3.51	39.1	4.16	1	479
803440		3.85	3.2	0.53	18.5	0.22	<2	3.4	22.5	25	11	5.50	22.6	4.41	1	1375



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06
		Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01
803432		0.4	0.48	5.69	<0.5	0.31	5.51	115	2	14.2	2.09	109	910	66.7	13.15	5.56
803433		0.1	0.14	3.46	0.7	0.12	1.53	26	2	4.7	0.46	44	46	92.1	5.92	1.20
803434		0.2	0.63	4.51	0.9	0.27	1.54	180	1	17.5	1.58	108	122	56.5	17.15	6.98
803436		0.8	0.39	14.55	0.7	0.24	10.70	65	24	14.1	1.68	37	231	69.0	15.00	5.79
803437		0.5	0.62	3.61	<0.5	0.31	1.74	156	1	19.5	1.90	97	152	59.7	17.00	6.19
803439		0.2	0.77	1.57	<0.5	0.40	0.63	322	1	24.6	2.47	109	88	52.1	18.90	10.00
803440		0.2	0.55	2.56	<0.5	0.22	1.13	136	1	15.4	1.38	122	129	53.4	17.65	6.25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803432		1.22	2.53	2.81	2.06	0.01	0.74	0.07	0.18	0.02	0.06	3.24
803433		0.13	0.32	0.18	1.53	<0.01	0.11	0.02	0.02	<0.01	0.01	-2.64
803434		2.02	3.27	5.47	3.05	<0.01	0.79	0.19	0.37	0.10	0.14	3.09
803436		1.17	0.81	3.83	4.01	<0.01	0.50	0.03	0.10	0.03	0.12	-1.47
803437		5.83	3.77	3.99	1.03	0.01	0.88	0.17	0.31	0.07	0.02	0.96
803439		3.31	5.18	4.84	2.50	<0.01	1.29	0.16	0.26	0.06	0.02	1.30
803440		6.48	3.79	2.72	0.78	<0.01	0.80	0.10	0.26	0.16	0.03	6.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122434

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 20-SEP-2008
Account: RLH

CERTIFICATE VA08122435

Project: 677

P.O. No.: 85819

This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122435

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803467		0.92	0.019	<0.005	<0.001	4.83	7.32	5.3	1010	0.66	19.75	1.27	0.22	21.8	52.6	28
803468		0.46	0.032	<0.005	<0.001	15.15	8.12	22.3	390	1.25	1.34	2.08	12.5	29.3	17	51
803469		0.42	0.059	<0.005	<0.001	2.9	7.25	184	550	0.82	0.86	1.17	0.72	24.2	8.6	37
803471		0.52	<0.001	<0.005	<0.001	0.08	7.39	1.8	670	0.65	0.11	2.79	0.26	25.4	11.2	30
803472		0.80	0.033	<0.005	<0.001	2.37	8.56	17.8	700	1.02	2.54	0.12	2.54	17.15	6	30
803473		1.68	0.013	<0.005	<0.001	1.01	7.08	22.7	640	0.59	2.27	2.14	0.32	26.2	11.1	35
803474		0.50	0.001	<0.005	<0.001	0.02	5.5	7.2	100	3.37	0.12	0.15	0.04	51	4.3	18
803476		0.20	0.003	<0.005	<0.001	0.3	8.01	0.6	620	1.35	1.04	0.13	0.03	38	3	16
803477		0.80	0.039	<0.005	<0.001	0.04	5.44	0.8	1350	0.54	0.11	0.05	0.02	4.4	0.4	9
803478		0.40	0.001	<0.005	<0.001	0.06	7.4	0.6	820	1.74	0.14	0.62	0.06	55.4	4.3	9
803479	Empty Bag															
803480		0.34	0.001	<0.005	<0.001	0.04	7.42	3.7	720	1.07	0.06	3.21	0.07	27.7	9.7	34
803481		1.52	0.004	<0.005	<0.001	0.13	7.85	6	650	0.48	0.66	3.1	0.05	14.55	11.5	97
803482		0.48	<0.001	<0.005	<0.001	0.01	6.32	3	1500	0.66	0.07	0.69	0.03	30.7	1.7	9
803483		0.88	0.002	<0.005	<0.001	0.1	7.32	1.6	980	1.85	0.66	0.66	0.05	45.8	3.2	11
803484		0.92	0.001	<0.005	<0.001	0.13	7.19	1	970	1.73	0.52	0.42	0.05	47.3	2.6	11
803485		0.94	0.002	<0.005	<0.001	0.12	7.62	1.1	1010	1.73	0.52	0.45	0.03	48	0.9	10
803486		1.22	0.001	<0.005	<0.001	0.06	7.05	1.1	1000	1.82	0.44	0.83	0.1	43.4	5.8	10
803487		0.84	0.002	<0.005	<0.001	0.07	7.76	1.6	1050	2.01	0.32	0.99	0.09	52.8	2.5	7
803488		0.72	0.001	<0.005	<0.001	0.07	7.25	1.7	1050	1.94	0.44	1.03	0.11	46.8	7.4	7
803489		0.90	0.002	<0.005	<0.001	0.08	7.25	6	1010	1.94	0.49	1	0.1	54.6	6.1	8
803490		1.06	0.001	<0.005	<0.001	0.08	7.62	6.2	1040	2	0.44	0.87	0.13	39.4	9	8
803491		0.82	0.003	<0.005	<0.001	0.09	7.3	1.9	800	2.09	0.53	0.57	0.08	22.1	7.1	9
803492		0.54	0.001	0.005	<0.001	0.07	7.25	1.2	890	1.82	0.36	0.96	0.07	56.4	7.7	11
803493		0.36	0.001	<0.005	<0.001	0.05	7.63	1	700	2.1	0.36	0.49	0.03	24.2	10	10
803494		0.58	<0.001	<0.005	<0.001	0.07	7.1	1	920	1.71	0.13	0.63	0.04	49.3	2.7	7
803496		0.32	0.001	<0.005	<0.001	0.07	6.93	1.3	660	0.99	0.42	1.78	0.71	22.3	5.4	25
803497		0.84	0.005	<0.005	<0.001	0.47	7.3	12.1	980	0.94	4.71	2.38	0.76	25.1	12.2	31
803498		0.74	0.001	<0.005	<0.001	0.14	7.95	6	640	0.98	0.44	1.95	0.79	27.7	11.7	31
803500		0.38	<0.001	<0.005	0.001	0.03	7.03	13.2	740	0.86	0.07	3.17	0.07	25.6	10	34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122435

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
803467		4.52	69.2	5.93	16.6	0.11	0.2	0.134	2.91	10.7	10.5	0.94	634	8.63	1.68	4.2
803468		14	3410	4.5	20.7	0.1	0.3	0.376	2.35	14.6	42.8	1.41	3630	13.1	1.37	4.6
803469		8.36	518	10.15	21	0.13	0.2	0.6	2.13	13.4	11.6	0.77	457	40.9	1.54	4.2
803471		3.64	12.4	2.99	16.35	0.07	1.7	0.029	1.35	11.8	36.6	1.25	708	0.31	2.59	3.8
803472		9.85	83.4	4.5	17.15	0.08	0.4	1.21	2.75	7	18.1	1	1295	9.64	0.62	3
803473		7.91	156	3.29	15.1	0.09	0.7	0.133	1.77	11.8	26.4	1.23	3440	9.13	1.66	3.5
803474		0.75	5.8	2.55	19.4	<0.05	0.3	0.199	0.43	24.5	11.1	1.26	411	1.04	0.76	3.6
803476		1.39	6.9	2.84	17.95	<0.05	0.9	0.1	2.44	19.8	15.1	0.85	371	5.64	2.76	2.6
803477		1.04	2.3	0.61	7.23	<0.05	0.5	0.007	3.59	2.6	1.3	0.14	54	0.25	1	2.3
803478		1.28	5.5	2.53	15.75	<0.05	0.2	0.082	3.02	25.8	17.1	0.95	749	0.92	3.03	5.8
803479																
803480		1.98	10.2	3.32	16.8	0.08	0.4	0.046	1.82	11.7	16.6	1.28	571	1.64	2.6	5
803481		1.18	52.6	6.49	16.65	0.1	0.1	0.106	1.99	6.2	13.9	2.32	2170	1.23	1.31	1.7
803482		0.62	4.7	1.05	10.1	0.07	0.4	0.028	3.33	15.9	3.3	0.33	334	0.71	1.67	3.7
803483		1.4	6.8	2.05	17.85	0.09	0.3	0.023	2.59	22.2	15.5	0.68	193	2.29	3.27	4.2
803484		1.72	6.9	1.94	17.1	0.09	0.3	0.025	2.8	23	16.7	0.65	194	2.9	3.06	3.7
803485		1.9	6.6	2.01	18	0.09	0.3	0.022	2.89	23.2	17.3	0.62	171	4.01	3.13	4.3
803486		1.43	6.2	1.94	17.25	0.09	0.3	0.02	2.67	20.7	17.9	0.65	184	2.06	3.18	4
803487		1.44	7.5	1.88	18.35	0.1	0.3	0.02	2.66	26	16.9	0.69	205	2.77	3.4	4.5
803488		1.39	4.8	2.07	17.8	0.09	0.3	0.018	2.45	22.3	15.3	0.67	201	1.6	3.57	4.6
803489		1.54	6.5	2.01	18.5	0.1	0.3	0.021	2.61	26.2	17.6	0.64	203	2.19	3.33	4.6
803490		1.75	9.3	1.98	19.15	0.1	0.2	0.024	2.43	18	20.8	0.72	195	2.13	3.78	4.3
803491		1.32	7.3	2.1	18.75	0.07	0.2	0.027	1.54	10.5	20.7	0.81	188	2.83	4.27	4.6
803492		3.47	5.1	2.44	17.6	0.13	0.3	0.023	2.67	26.8	14.9	0.61	188	2.87	2.73	4.2
803493		1.61	4.6	1.89	18.8	0.08	0.2	0.022	1.14	11.5	16.7	0.77	162	6.81	4.61	4.4
803494		2.6	8.2	1.87	15.8	0.09	0.2	0.015	3.21	24.6	20.8	0.48	161	1.6	2.77	5.3
803496		6.58	8.4	2.4	15.65	0.09	0.3	0.051	2.12	10.2	20.3	0.85	938	0.53	2.28	4.3
803497		6.48	51	3.63	16.95	0.1	0.2	0.385	1.83	10.8	31.5	1.1	906	1.87	2.09	4.4
803498		5.16	32.1	3.12	16.85	0.1	0.3	0.051	1.93	11.9	28.9	1.14	779	1.16	2.53	4.5
803500		1.92	7.1	3.3	16.9	0.1	0.4	0.045	1.83	10.5	17.2	1.28	584	0.6	2.54	5.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122435

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803467		18.4	510	82.1	103	<0.002	2.11	0.85	11.4	3	2.6	266	0.34	1.25	6.5	0.252
803468		33.3	740	3330	51.2	0.015	0.25	53.2	18.4	3	3.1	190.5	0.35	<0.05	4.8	0.36
803469		15.6	650	199	64	0.011	0.05	5.65	11.5	2	1.8	257	0.32	0.25	6.5	0.28
803471		26.5	550	7.2	23	<0.002	<0.01	1.7	10.7	2	0.7	186	0.34	<0.05	5.7	0.244
803472		7.6	730	1440	84	<0.002	0.19	12.75	15.2	3	1.1	45.5	0.24	0.72	3.7	0.332
803473		24.3	500	126.5	47.8	0.004	1.26	7.45	10	2	1.5	102.5	0.32	0.28	5.8	0.245
803474		5.6	450	4.6	17	<0.002	0.01	7.69	5.1	1	17.5	65	0.24	0.06	7.1	0.213
803476		3.2	890	23.4	56	0.002	0.19	1.54	7.9	2	1.6	139	0.21	0.18	7.9	0.157
803477		1	50	6.8	97.2	<0.002	0.16	0.3	2.5	2	3.2	54.6	0.22	<0.05	1.3	0.057
803478		8.8	740	14.2	102	<0.002	0.01	0.52	7.7	1	2.5	306	0.45	<0.05	10.4	0.304
803479																
803480		12.8	560	8.4	35	<0.002	0.01	0.36	12.8	2	1.1	366	0.37	<0.05	4.6	0.342
803481		46.8	470	7	37.6	<0.002	1.57	0.81	26.1	2	1.4	266	0.12	0.33	2	0.363
803482		5.1	120	12.7	86.9	<0.002	0.01	0.33	5.4	1	0.9	155.5	0.21	0.06	6.6	0.125
803483		8.1	820	15.1	63.6	<0.002	0.45	0.42	5.4	1	1	357	0.29	0.09	6.9	0.21
803484		6.2	720	14.7	68	<0.002	0.34	0.32	4.9	1	0.9	293	0.27	0.12	7.4	0.183
803485		5.8	690	14.2	69.3	<0.002	0.08	0.34	4.9	1	1	305	0.29	0.12	8	0.189
803486		7.5	740	14.4	60.7	<0.002	0.66	0.31	4.8	1	0.9	378	0.27	0.2	7.2	0.201
803487		5.9	880	15.1	63.3	<0.002	0.14	0.34	5	2	1.1	412	0.3	0.07	7.3	0.213
803488		6.6	920	16.3	55.3	<0.002	1.19	0.31	4.3	1	1.2	414	0.29	0.09	6.7	0.205
803489		6	860	18.4	58.4	<0.002	0.8	0.42	4.2	2	1.1	396	0.33	0.08	7.9	0.2
803490		5.6	900	18.3	62	<0.002	0.77	0.3	4.7	2	1.2	360	0.28	0.05	6.4	0.207
803491		6.9	800	15.1	50.6	0.002	0.7	0.31	5.6	1	1.5	306	0.28	0.11	6.7	0.214
803492		8.8	650	14.4	62.2	<0.002	1.09	0.37	4.7	2	1	332	0.33	0.14	8.1	0.187
803493		7.5	1150	9.1	50.5	<0.002	0.76	0.23	5.1	2	1.5	281	0.26	<0.05	6.5	0.201
803494		6.2	360	14.4	87.4	<0.002	0.01	0.18	4.6	1	1.1	215	0.39	<0.05	11.7	0.207
803496		17.6	450	9.2	69	<0.002	0.02	1.59	7.5	1	2	204	0.41	<0.05	7.8	0.22
803497		20	540	44.2	38.6	<0.002	0.52	3.52	10.4	1	1.7	361	0.35	0.38	5.2	0.279
803498		20	570	24.1	40.4	<0.002	0.04	3.55	11	2	1.3	375	0.35	<0.05	6	0.285
803500		12.6	560	7.6	30.6	<0.002	<0.01	0.33	12.7	1	1.1	354	0.38	<0.05	4.1	0.341



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122435

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803467		1.14	4.1	81	82.1	12.2	109	3.8
803468		0.91	4.6	123	6.6	19.1	2490	5.5
803469		0.75	18.5	113	3.3	7.2	100	3.1
803471		0.48	2.6	69	1.1	12	127	49
803472		2.02	1.5	126	2.4	3.9	483	11.6
803473		1.21	2.7	83	4.5	12.4	186	17.9
803474		0.2	4.5	70	9.9	6.2	36	5.9
803476		0.81	2.2	81	1.3	5.8	54	27.4
803477		1.44	0.8	9	0.3	4	2	16.5
803478		1.34	2.9	70	2	16	110	3.7
803479								
803480		0.42	1.2	107	0.7	18.7	37	6
803481		1.19	0.6	197	0.3	13.7	86	2.2
803482		0.8	0.9	20	0.2	14	24	14.8
803483		0.76	1.5	53	1.9	10.4	34	7.3
803484		0.84	1.8	51	1.6	10.3	36	7.6
803485		0.82	1.9	50	1.8	8.9	34	8.4
803486		0.74	2	51	1.8	12.4	35	6.5
803487		0.78	1.3	53	3.2	13.1	35	6.5
803488		0.68	1.4	51	3.5	11.3	32	6.4
803489		0.73	1.7	49	3.2	12.1	33	7.3
803490		0.78	2.2	57	2	10.1	34	5.4
803491		0.65	2	59	4.5	8.2	34	5.7
803492		0.76	2	49	1.5	14.9	32	6.5
803493		0.64	1.5	53	8.3	13.2	27	5.2
803494		0.8	2.7	38	0.6	10.6	21	4.8
803496		1.09	3.1	63	3.1	11.4	140	5
803497		0.65	2.9	89	2.5	13.4	164	3.6
803498		0.57	2.7	90	1.2	12.7	115	3.9
803500		0.41	1.1	106	0.6	17.8	37	5.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 20-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122435

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 26-SEP-2008

Account: RLH

CERTIFICATE VA08122436

Project: 677

P.O. No.: 85820

This report is for 3 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN
ACCOUNTS PAYABLE

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803470		0.24	0.003	<0.005	<0.001	0.9	8.02	2.8	730	1	0.48	1.57	0.21	32.6	12.3	45
803495		0.68	0.002	<0.005	<0.001	0.09	9.06	1	890	1.72	0.14	3.19	0.07	38.4	9.7	13
803499		0.60	0.005	<0.005	0.001	0.59	8.16	19	1250	1.05	1.32	0.71	0.57	29.5	11.1	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
803470		4.11	112.5	3.84	18.45	0.09	0.3	0.087	2.14	14.9	28.8	1.54	1070	0.85	2.27	4.2
803495		1.84	9.2	3.24	20.9	0.1	0.4	0.048	1.99	17.2	11.8	1.07	724	0.97	3.6	6
803499		4.79	62.6	3.65	18.5	0.08	0.7	0.063	1.83	14.8	55.2	1.49	918	4.68	2.79	3.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08122436
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Method Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
Sample Description															
803470	24.9	630	40	63.4	<0.002	<0.01	2.75	13.6	2	2.1	349	0.36	0.18	5.3	0.343
803495	8.5	920	13.5	43.5	<0.002	<0.01	0.72	11.9	2	0.9	654	0.45	0.08	5.9	0.437
803499	19.3	480	78.1	53.7	<0.002	0.15	7.58	14.8	2	1.6	409	0.36	0.22	6.5	0.309



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05
803470		0.63	2	109	6.1	14.6	117	4.1	1	779	35.6	14.6	60	4.27	123	3.07
803495		0.44	1.3	92	0.8	18.3	54	7.6	<1	888	40.1	10.9	20	1.85	10	3.53
803499		0.76	3.1	105	3.6	10.3	144	18.2	<1	1220	28.8	11.8	50	4.70	62	2.10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
803470		1.93	0.82	18.3	3.28	5.1	0.62	16.5	0.29	<2	4.7	16.7	31	53	4.25	71.7
803495		2.12	1.25	19.7	3.97	6.7	0.70	18.6	0.35	<2	5.8	20.5	10	18	5.01	48.9
803499		1.32	0.68	16.5	2.30	3.5	0.41	14.2	0.23	5	3.6	12.2	23	86	3.24	54.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
		0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2
803470		3.45	2	360	0.4	0.53	6.32	0.6	0.30	2.66	128	8	18.0	1.91	122	190
803495		4.28	1	626	0.5	0.62	7.53	<0.5	0.32	2.36	104	1	20.9	2.22	60	276
803499		2.44	2	390	0.4	0.37	7.31	0.7	0.20	3.79	107	5	12.2	1.47	133	131



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Sample Description	Method Analyte Units LOR	ME-ICP06 SiO2 %	ME-ICP06 Al2O3 %	ME-ICP06 Fe2O3 %	ME-ICP06 CaO %	ME-ICP06 MgO %	ME-ICP06 Na2O %	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	OA-GRA05 LOI %
803470		64.6	15.80	5.81	2.36	2.53	3.10	2.63	0.01	0.61	0.15	0.15	0.04	0.08	2.23
803495		64.0	17.05	4.82	4.49	1.76	4.70	2.33	<0.01	0.71	0.10	0.20	0.07	0.10	0.05
803499		66.0	15.30	5.28	1.01	2.38	3.69	2.15	0.01	0.52	0.12	0.11	0.04	0.14	2.95



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 26-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08122436

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 16-SEP-2008

Account: RLH

CERTIFICATE VA08124701

Project: 677

P.O. No.: 85829

This report is for 2 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124701

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803702		0.46	0.034	<0.005	0.001	0.28	6.92	14	430	0.95	0.11	0.87	0.02	34.9	1.6	7
803703		0.38	0.003	<0.005	0.001	0.03	8.38	1.8	240	0.53	0.04	6.07	0.08	9.91	29.5	84



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08124701
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Method Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
Sample Description															
803702	0.39	43.4	1.24	16.1	0.06	<0.1	0.015	1.34	14.3	12.2	0.14	101	8.19	3.62	6.6
803703	1.42	3.7	6.61	16.65	0.09	0.5	0.091	0.68	3.6	17.2	2.75	1630	0.41	2.42	2.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124701

Sample Description	Method Analyte Units LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
803702		3	90	10.9	16.6	0.004	0.06	0.81	3.3	2	1	111	0.47	0.1	2.8	0.05
803703		35.8	730	5.5	6.3	<0.002	<0.01	0.37	29.1	2	1.1	302	0.15	<0.05	0.2	0.599



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08124701
-------------------------	------------

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
Method Analyte	TI	U	V	W	Y	Zn	Zr	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.02	0.1	1	0.1	0.1	2	0.5	1	0.5	0.5	0.5	10	0.01	5	0.05
Sample Description															
803702	0.13	0.5	10	0.9	15.8	6	0.8	<1	433	40.1	1.9	10	0.42	47	6.09
803703	0.16	0.2	225	0.3	17.4	92	10.8	<1	253	15.2	31.8	120	1.90	6	4.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - E

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08124701
-------------------------	------------

	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
Method Analyte	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2
Sample Description															
803702	3.78	0.80	16.2	5.56	3.9	1.26	16.0	0.62	8	7.9	22.9	<5	14	5.34	16.8
803703	2.51	1.11	17.1	3.48	2.1	0.84	4.9	0.37	<2	2.3	10.9	38	8	2.20	18.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - F

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08124701
-------------------------	------------

	Method	Analyte	Units	LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81				
Sample Description					Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb	Zn	Zr	
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
					0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	2	
803702					5.67	1	123.0	0.6	1.04	3.54	<0.5	0.63	1.17	12	3	38.0	3.82	16	112	
803703					3.15	1	320	0.2	0.67	0.50	<0.5	0.38	0.33	252	1	23.6	2.41	115	78	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - G

Total # Pages: 2 (A - G)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08124701
-------------------------	------------

	Method	Analyte	Units	LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05			
Sample Description					SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	
					%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
					0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803702					73.3	14.65	1.81	1.30	0.28	5.54	1.76	<0.01	0.10	0.01	0.02	0.01	0.05	1.08	
803703					50.4	18.95	10.10	8.85	5.37	3.49	0.92	0.02	1.09	0.21	0.16	0.04	0.03	1.08	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124701

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 16-SEP-2008
Account: RLH

CERTIFICATE VA08124702

Project: 677

P.O. No.: 85830

This report is for 17 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124702

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803701		0.66	0.001	<0.005	0.001	0.08	8.19	1.8	380	0.77	0.11	5.55	0.15	18.5	32.9	195
803704		0.44	<0.001	<0.005	<0.001	0.03	7.64	2.6	460	0.78	0.06	4.67	0.14	14.45	22.7	64
803705	Not Recvd															
803706	Not Recvd															
803707	Not Recvd															
803708		0.64	0.003	<0.005	0.001	0.02	7.43	2.6	480	1.64	0.08	3.16	0.09	11.5	14.2	49
803709		0.72	0.002	<0.005	0.001	0.04	7.24	1.8	720	1.27	0.16	1.97	0.1	35.3	9	30
803710		0.72	0.009	<0.005	0.021	0.01	7.51	1	390	4.24	0.03	0.78	0.07	4.68	3.3	15
803711		0.22	0.001	<0.005	0.001	0.07	7.52	1.6	680	1.1	0.16	3.01	0.18	21.4	12.3	33
803712		0.40	0.030	<0.005	0.001	1.49	7.58	20.1	540	0.9	0.54	5.03	0.3	20.8	14.7	33
803713		0.44	0.005	<0.005	<0.001	0.05	7.14	4.3	1000	1.22	0.13	1.1	0.21	31.7	5	7
803714		0.50	0.005	<0.005	<0.001	0.04	8.53	5.6	190	0.72	0.05	6.39	0.08	16.45	35.9	110
803715		0.54	0.001	<0.005	<0.001	0.05	6.35	4.1	880	0.77	0.07	0.86	0.03	30.5	1.7	7
803716		0.52	<0.001	<0.005	<0.001	0.08	7.62	0.6	770	1.17	0.1	2.89	0.14	27.6	9.7	17
803717		0.82	0.001	<0.005	0.001	0.03	7.86	1	320	0.69	0.05	5.27	0.08	12.15	25.7	18
803718		0.94	0.013	<0.005	0.001	0.08	9.44	29.4	330	0.93	0.25	1.2	0.02	25.4	12.4	35
803719		0.16	0.002	<0.005	0.001	0.01	7.97	0.7	740	1.21	0.05	3.29	0.06	31.4	11.4	32



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124702

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
803701		1.28	44.3	6.64	16.05	0.1	0.5	0.074	0.93	7.5	20.4	3.62	1750	1.29	2.03	2.9
803704		1.37	15.2	4.99	18.2	0.07	0.7	0.051	0.67	6.2	49.9	2.28	981	0.51	2.4	2.8
803705																
803706																
803707																
803708		4.23	18.5	3.39	21.1	0.06	0.9	0.036	1.72	4.6	63.9	1.37	1555	0.59	2.44	2.7
803709		2.25	11.3	2.38	15.9	0.08	0.3	0.029	2.44	17.8	23.9	0.92	435	0.86	2.35	4.1
803710		2.22	7.6	1.14	26	0.06	1.7	0.008	2.6	1.9	24.6	0.31	2830	0.27	3.35	2.7
803711		1.98	17.9	3.31	16.7	0.09	0.3	0.046	1.82	9.2	15.2	1.23	694	0.37	2.41	4.2
803712		0.62	169.5	4.52	20.9	0.1	0.6	0.167	1.02	8.9	20.5	0.94	877	0.79	1.67	3.6
803713		5.08	5.9	2.07	15.25	0.07	1	0.044	2.07	16.1	18.5	0.44	781	0.52	2.4	4.4
803714		0.87	14.9	6	16.6	0.08	0.3	0.049	0.42	6.2	18.8	4.05	1645	0.2	2.09	4.2
803715		0.54	3.6	0.83	11	0.06	0.1	0.019	2.31	15.7	4.2	0.13	201	0.22	2.77	3.7
803716		3.63	8.1	3.1	16.75	0.09	0.2	0.041	1.84	12.3	18.8	1.08	602	0.49	2.55	4.1
803717		2.49	5.6	5.78	17	0.11	0.4	0.059	0.9	4.5	27.1	2.02	1100	0.51	2.65	2.6
803718		4	50.1	5.97	20.9	0.09	1	0.02	0.54	11.4	63.9	1.1	356	1.25	0.99	3.3
803719		2.15	6.8	3.43	17.55	0.1	0.4	0.043	1.83	14.1	18.3	1.35	587	0.52	2.51	5.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124702

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
803701		87.2	1020	4.7	21.2	<0.002	<0.01	0.55	31.5	2	0.8	258	0.19	0.06	0.9	0.597
803704		28	670	6.3	8.5	<0.002	0.01	0.35	20.3	2	0.9	398	0.19	<0.05	1.1	0.43
803705																
803706																
803707																
803708		19.5	520	9.1	52.4	<0.002	<0.01	0.38	14.8	2	0.8	232	0.29	<0.05	1.7	0.284
803709		11.6	380	11.6	60.1	<0.002	<0.01	0.4	9.6	2	0.9	259	0.44	<0.05	9.8	0.228
803710		4.9	290	9.6	80.4	<0.002	<0.01	0.14	3.8	2	0.4	83.6	0.56	<0.05	0.9	0.064
803711		16.9	560	15.7	35.4	<0.002	<0.01	1.44	13.6	2	1.1	375	0.32	<0.05	3.8	0.328
803712		10.5	610	50	15.5	<0.002	0.01	2.43	16.6	2	1.1	388	0.26	<0.05	1.9	0.385
803713		3.4	350	14.5	73	<0.002	<0.01	1.6	6.3	2	1	223	0.35	<0.05	5.5	0.203
803714		71	1260	3.7	6.6	<0.002	<0.01	0.64	23	2	0.8	463	0.25	<0.05	0.4	0.523
803715		1.9	140	5	58.8	<0.002	<0.01	1.06	2.9	2	0.2	140.5	0.2	<0.05	4.7	0.094
803716		7.7	520	10.5	44.1	<0.002	<0.01	0.43	12.1	2	1	327	0.35	<0.05	4.9	0.294
803717		8.9	730	4.9	13.4	<0.002	<0.01	0.44	25.8	2	0.9	305	0.18	<0.05	0.5	0.57
803718		14	1470	4.4	15.9	<0.002	1.08	1.66	19.5	2	0.4	287	0.22	0.26	1.8	0.408
803719		12.9	580	6.9	44.5	<0.002	0.01	0.31	14.6	2	1.2	368	0.38	<0.05	4.7	0.346



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124702

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
803701		0.15	0.4	203	0.7	24.2	102	9.4
803704		0.19	0.8	168	0.4	15.8	76	11
803705								
803706								
803707								
803708		0.7	1.8	114	0.4	14.1	57	9.9
803709		0.48	3	71	0.7	13.9	41	4.1
803710		0.66	2.6	26	0.2	5.9	19	17
803711		0.4	2	107	1.6	16.4	64	4.1
803712		0.2	0.9	146	0.4	18.8	53	12.3
803713		0.62	2.4	44	0.7	11.6	66	22.5
803714		0.16	0.2	124	0.3	14.9	83	3.9
803715		0.47	0.5	15	0.2	11.8	8	1.5
803716		0.47	2.3	92	0.6	18.1	47	2.8
803717		0.26	0.3	202	0.4	19.2	71	9.7
803718		0.22	0.7	168	0.4	8.8	40	31.9
803719		0.42	1.2	108	0.5	20.5	37	5.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08124702

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 24-SEP-2008

Account: RLH

CERTIFICATE VA08125042

Project: 677

P.O. No.: 85824

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN
ACCOUNTS PAYABLE

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 24-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125042

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
843RJC0160		2.78	0.389	<0.005	0.024	>100	6.35	28.3	270	0.49	26.4	1.93	3.59	>500	41.5	5
843RJC0161		1.90	0.020	<0.005	<0.001	28.8	6.99	81	840	1.07	0.9	1.87	8.85	25.1	12.5	52
843RJC0162		1.68	0.012	<0.005	<0.001	26.2	7.37	67.7	780	1.04	0.86	0.32	8.44	30.4	11.6	36
843RJC0163		2.00	0.013	<0.005	<0.001	6.63	8.09	77.4	670	1.24	0.49	0.24	7.44	28.1	14.9	40
843RJC0164		2.12	0.011	<0.005	<0.001	5.81	8.35	105.5	820	1.31	0.78	0.24	13.05	28.7	15.2	43
843RJC0165		2.44	0.009	<0.005	<0.001	4.73	8.03	179.5	530	1.04	0.49	0.2	9.77	28.6	16.9	49
843RJC0166		2.24	0.008	<0.005	<0.001	1.11	7.29	19.9	440	0.95	0.42	0.2	0.66	21.7	12	47
843RJC0167		2.02	0.004	<0.005	<0.001	1.99	8.24	20.1	600	1.22	0.42	0.4	1.4	33.4	18	62
843RJC0168		2.18	0.003	<0.005	<0.001	1.88	8.27	51.2	520	1.16	0.81	0.46	1.67	32.1	18.7	56
843RJC0169		2.08	0.001	<0.005	<0.001	1.81	8.47	14.5	500	1.23	0.37	0.3	1.4	36.1	15.5	54
843RJC0170		2.46	0.003	<0.005	<0.001	1.74	8.36	21.1	530	1.23	0.55	0.33	1.43	33.8	17.2	50
843RJC0171		1.78	0.029	<0.005	<0.001	16.65	7.43	12.5	780	1.25	16.15	0.52	12.4	36	14.5	32
843RJC0172		3.08	0.025	<0.005	<0.001	8.19	6.58	9.4	990	0.88	4.96	2.81	2.54	28.1	12.9	28
843RJC0173		2.46	0.022	<0.005	<0.001	65	2.08	20.6	400	0.42	0.39	1.38	4.43	189	18.2	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 24-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125042

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
843RJC0160		2.32	>10000	13.1	14.75	0.57	0.3	1.01	1.36	395	8.9	0.6	516	223	2.03	2.9
843RJC0161		12.4	1050	3.16	17.1	0.14	1.1	0.062	3.18	12.1	26	0.73	3010	17.95	0.47	3.2
843RJC0162		12.3	437	3.02	15.5	0.15	1.4	0.058	2.74	15	27.1	0.33	1620	15.35	1.24	3.3
843RJC0163		23	85	3.51	17.9	0.16	1.3	0.058	3.22	13.8	20.2	0.34	1490	4.79	0.71	3.2
843RJC0164		18.3	67.4	3.73	18.8	0.17	1.7	0.072	3.64	13.6	18.5	0.38	1545	5.94	0.42	3.4
843RJC0165		13.65	45.9	3.93	17.7	0.16	1.6	0.046	3.2	13.2	25	0.35	1785	4.17	0.97	3
843RJC0166		25.1	14.9	2.98	16.4	0.15	0.3	0.053	2.75	10.3	50.2	0.35	387	9.4	0.18	1.7
843RJC0167		24	49.4	4	17.9	0.21	1.4	0.06	2.62	15.7	167.5	0.41	1200	2.59	1.39	3.5
843RJC0168		20.2	27.8	4.49	17.05	0.18	1.5	0.049	2.41	14.8	151.5	0.53	1140	0.83	1.66	3.4
843RJC0169		23.8	24.9	4.14	18.55	0.2	1.8	0.064	2.81	17.6	112.5	0.37	1160	1.67	1.53	3.9
843RJC0170		17.65	37	3.66	20.9	0.15	1.4	0.042	3.2	16.4	27.8	0.41	668	4.58	0.94	3.8
843RJC0171		8.95	59.3	3.75	18.6	0.14	0.8	0.238	3.05	18.2	9.4	0.31	2780	4.07	1.04	3.8
843RJC0172		8.43	57.6	2.98	16.85	0.14	1	0.143	2.92	13.1	10.3	1.03	2440	2.07	1.01	3.8
843RJC0173		0.4	4440	1.99	9.53	0.15	0.1	0.036	0.46	112	68.3	0.54	2990	15.35	0.1	1.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 24-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125042

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
843RJC0160		28.7	70	352	33.9	<0.002	6.73	1.29	4.2	18	1.8	173	0.51	19.6	59.8	0.131
843RJC0161		34.8	580	2660	115	<0.002	0.15	272	12.5	2	0.9	58.8	0.26	0.22	5.2	0.265
843RJC0162		22.8	520	1880	120	<0.002	0.12	158.5	11.9	2	1.1	80.2	0.27	0.22	6.4	0.244
843RJC0163		21.1	620	488	145.5	<0.002	0.08	37.4	15.6	2	1.1	46.9	0.26	0.47	5.6	0.305
843RJC0164		23.7	580	597	165.5	<0.002	0.07	31.6	14.8	3	1.2	37.6	0.29	0.26	6.9	0.276
843RJC0165		28.7	590	339	141	<0.002	0.04	25.3	15	2	1.1	47	0.26	0.13	6	0.275
843RJC0166		19.2	430	115.5	113	0.002	0.02	5.38	15.9	2	4	34.6	0.13	0.3	3.7	0.193
843RJC0167		27	510	167.5	112	<0.002	0.03	17.95	18.8	3	1.1	139.5	0.25	0.22	4.5	0.359
843RJC0168		32.8	650	155.5	95.2	<0.002	0.01	16.8	18.2	2	0.9	154.5	0.25	0.07	3.6	0.361
843RJC0169		34.8	540	95	126.5	<0.002	0.03	15.05	17.2	2	1.1	132	0.32	0.15	6.2	0.317
843RJC0170		24.9	660	122.5	129.5	<0.002	0.18	11.55	17.5	2	1.1	91.6	0.27	0.3	3.9	0.331
843RJC0171		24.4	570	631	125	<0.002	0.62	29.6	10.7	2	1.5	42.1	0.32	1.52	6.3	0.224
843RJC0172		21.2	540	239	98.6	<0.002	1.25	15.45	9.6	2	1.2	61.5	0.32	1.33	4.8	0.216
843RJC0173		6.4	100	3180	14.2	<0.002	0.02	7.17	5.6	3	0.5	208	0.08	0.63	7.6	0.088



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 24-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125042

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62
		Tl	U	V	W	Y	Zn	Zr	Ag	Cu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.1	1	0.1	0.1	2	0.5	1	0.001
843RJC0160		0.32	15.7	43	3.2	10.1	163	3.2	120	8.17
843RJC0161		1.9	2.1	94	2	10.1	319	34.9		
843RJC0162		1.72	2.7	88	1.4	11.5	524	42.9		
843RJC0163		2.15	2.5	110	1.7	14.4	532	39.3		
843RJC0164		2.46	3	101	1.3	13.9	842	48.9		
843RJC0165		2.19	2.8	106	1.3	13.4	694	47.6		
843RJC0166		2.18	0.9	110	1.2	7.7	212	8.3		
843RJC0167		1.63	2	134	0.9	18	228	38.3		
843RJC0168		1.49	1.7	119	1	16.1	306	43		
843RJC0169		1.78	2.6	109	1	16.6	251	56.4		
843RJC0170		1.75	1.7	129	1	13.3	205	41.3		
843RJC0171		2.01	2.2	79	1.3	10.4	1065	26.4		
843RJC0172		1.93	2.3	72	1.2	9.2	262	32.3		
843RJC0173		0.24	4.5	45	1.4	7	5330	3.4		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 24-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125042

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 18-OCT-2008

Account: RLH

CERTIFICATE VA08142998

Project: 677

P.O. No.: 85818

This report is for 7 Rock samples submitted to our lab in Vancouver, BC, Canada on 7-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN
ACCOUNTS PAYABLE

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 18-OCT-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08142998

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23
		Au	Pt	Pd
		ppm	ppm	ppm
		0.001	0.005	0.001
803432		0.004	<0.005	<0.001
803433		0.192	<0.005	<0.001
803434		0.003	<0.005	<0.001
803436		0.002	<0.005	<0.001
803437		<0.001	<0.005	<0.001
803439		0.002	<0.005	<0.001
803440		0.002	<0.005	0.001



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 9-NOV-2008

Account: RLH

CERTIFICATE VA08151772

Project: 677

P.O. No.: 85845

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151772

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm
		1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5
806304		<1	656	70.3	22.7	30	0.91	19	3.86	1.95	1.95	19.6	6.08	3.8	0.74	32.5
806306		<1	821	25.4	11.3	10	0.85	8	5.35	3.24	1.31	17.4	4.57	3.9	1.13	10.9
806309		<1	904	35.5	14.0	10	0.99	35	3.48	2.18	0.90	16.0	3.66	4.0	0.76	17.4
806311		<1	840	30.7	22.3	10	2.76	146	5.04	3.19	1.41	19.2	4.77	3.8	1.12	13.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151772

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5
806304		0.28	<2	5.6	40.5	49	36	9.82	21.4	7.51	1	801	0.3	0.83	4.37	<0.5
806306		0.51	<2	3.1	17.2	<5	9	3.72	31.8	4.75	1	333	0.3	0.86	2.68	<0.5
806309		0.37	<2	3.6	18.3	<5	18	4.70	39.2	3.96	1	287	0.3	0.60	5.79	<0.5
806311		0.54	<2	2.9	18.8	5	9	4.40	49.7	4.73	1	228	0.2	0.84	2.57	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151772

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%
		0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01
806304		0.27	1.70	142	1	18.0	1.76	168	145	56.2	16.90	7.20	5.02	3.91	4.47	1.27
806306		0.54	1.62	125	1	28.3	3.23	57	123	61.4	16.85	6.70	5.33	1.70	4.29	1.93
806309		0.35	2.73	72	1	19.3	2.33	73	132	68.0	15.25	4.01	3.71	1.35	4.30	2.05
806311		0.50	1.44	135	1	27.7	3.27	97	125	60.6	15.80	7.32	5.23	2.52	3.54	2.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151772

Sample Description	Method	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
	Analyte	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
	Units	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.01	0.01	0.01
806304		<0.01	0.96	0.13	0.48	0.10	0.05	3.19
806306		<0.01	0.81	0.11	0.17	0.04	0.07	0.76
806309		<0.01	0.45	0.07	0.11	0.04	0.09	1.15
806311		<0.01	0.89	0.13	0.18	0.03	0.08	1.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 5-NOV-2008

Account: RLH

CERTIFICATE VA08151773

Project: 677

P.O. No.: 85844

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151773

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppm	PGM-ICP23 Pt ppm	PGM-ICP23 Pd ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
806300		0.98	<0.001	<0.005	0.001	0.04	7.4	0.7	680	1.18	0.07	3.18	0.07	34.4	12.1	37
806304		1.16	<0.001	<0.005	0.001	0.11	7.84	2.5	560	1.26	0.07	3.32	0.31	68.4	20.9	27
806306		0.94	<0.001	<0.005	0.001	0.04	8.03	1.2	700	0.84	0.06	3.52	0.11	22.4	10.5	4
806309		1.02	<0.001	<0.005	<0.001	0.13	7.24	3.3	810	1.06	0.24	2.5	0.21	31.8	13.4	5
806311		1.58	0.004	<0.005	<0.001	0.19	7.81	2.7	730	0.78	0.12	3.57	0.12	29.5	21.6	12
806312		Not Recvd														



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151773

Sample Description	Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01
806300		2.18	11.7	3.2	18.25	0.11	0.4	0.01	0.048	1.74	15.2	18.3	1.37	564	0.7	2.56
806304		0.88	19.7	4.55	20.8	0.14	1.6	<0.01	0.043	0.99	30.7	26.8	2.16	903	0.27	3.01
806306		0.84	8.9	4.24	18.95	0.12	0.3	<0.01	0.046	1.54	9	5.9	0.91	803	0.56	2.94
806309		1.02	36	2.58	17.85	0.1	0.3	<0.01	0.052	1.64	14.8	13	0.75	526	1.07	2.92
806311		2.88	152	4.78	20.4	0.13	0.3	<0.01	0.135	1.69	13.4	11.6	1.41	930	1.33	2.41
806312																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151773

Sample Description	Method Analyte Units LOR	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Ti % 0.005
806300		5	13.9	560	8.2	48.2	<0.002	0.03	0.39	16	2	1.3	342	0.41	<0.05	0.342
806304		5.5	50.7	2030	32.7	16.9	<0.002	0.01	0.32	16	2	1	769	0.32	<0.05	0.526
806306		3	1.9	730	7.8	29.6	<0.002	<0.01	0.48	21.9	2	0.9	320	0.23	<0.05	0.417
806309		3.8	1.9	510	17.7	39.1	<0.002	0.01	0.86	10.5	1	1.1	280	0.31	0.05	0.258
806311		3.1	5.1	760	8.3	51.9	<0.002	0.4	0.68	27.2	2	1.3	220	0.22	0.14	0.494
806312																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151773

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	1	0.1	0.1	2	0.5
806300		0.42	107	1.1	22.6	39	6
806304		0.27	137	0.4	17.3	166	44.6
806306		0.21	120	0.4	29.1	52	5.5
806309		0.26	71	0.5	19.7	73	4.4
806311		0.36	132	0.5	29.6	96	5.2
806312							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 5-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151773

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 6-NOV-2008

Account: RLH

CERTIFICATE VA08151774

Project: 677

P.O. No.: 85843

This report is for 24 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151774

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
806271		2.90	0.075	<0.005	0.001	27.8	6.74	8.8	2050	0.94	0.47	0.83	7.77	28	6.8	16
806272		2.86	0.010	<0.005	0.001	5.46	6.3	5.7	540	0.94	0.52	2.18	1.41	25.1	7	18
806273		1.68	0.009	<0.005	<0.001	13.2	6.76	8.6	460	0.93	0.65	2.32	6.87	28.1	7.2	19
806274		1.36	0.007	<0.005	0.001	2.1	6.69	5	540	1	0.71	2.24	5.5	28	6.6	16
806275		2.16	0.013	<0.005	<0.001	17.3	6.25	9.9	920	1.07	0.48	0.47	3.71	25.8	7.7	20
806276		1.64	0.209	<0.005	0.001	80.6	0.83	44.6	1210	0.34	0.08	0.04	6.58	11.55	3.1	8
806277		1.38	0.991	<0.005	<0.001	>100	5.56	61.5	1950	0.79	0.54	0.12	7.69	29.2	4.5	15
806278		1.98	0.044	<0.005	0.001	>100	6.31	33	4370	0.82	0.41	0.16	11.4	28.8	7.6	20
806280		2.30	0.001	<0.005	0.001	2.65	6.69	13.2	710	1.08	0.14	1.59	0.16	26	7.6	24
806281		0.78	0.001	<0.005	<0.001	0.92	6.45	9.9	710	1.07	0.17	2.03	0.13	22.4	7.7	24
806283		1.48	<0.001	<0.005	<0.001	0.25	6.87	7	680	0.93	0.11	1.31	0.27	31.5	8.9	26
806284		1.04	0.003	<0.005	<0.001	0.21	6.48	2.1	470	0.77	0.04	3.2	1.14	21.3	15.1	75
806285		1.06	<0.001	<0.005	0.001	0.07	6.81	2.1	410	0.74	0.06	2.59	0.92	20.9	15.5	61
806286		0.56	<0.001	<0.005	<0.001	0.2	6.99	1.3	700	0.82	0.05	2.88	0.09	28.4	9.7	30
806287		2.02	0.001	<0.005	<0.001	0.21	7.12	0.8	800	1.53	0.09	1.53	0.09	44.6	6.9	10
806288		2.12	0.001	<0.005	<0.001	0.34	7.08	0.9	750	1.56	0.09	1.47	0.07	43.8	7.4	10
806289		1.50	0.001	<0.005	0.001	0.11	7.05	1.1	710	1.47	0.09	1.06	0.09	42.6	7.9	9
806290		1.74	<0.001	<0.005	<0.001	0.16	7.34	1.5	680	1.65	0.46	0.75	0.09	47.5	15.6	9
806291		1.54	0.001	<0.005	0.001	0.09	6.97	0.9	670	1.24	0.37	0.36	0.07	32.7	6.1	5
806292		2.00	0.011	<0.005	<0.001	0.17	6.75	1.2	870	1.17	0.87	0.26	0.06	39	8.7	5
806293		2.62	0.013	<0.005	0.001	0.13	6.95	0.9	670	1.44	1.12	0.23	0.06	34.1	5.8	5
806294		2.56	0.019	<0.005	<0.001	0.13	6.84	1.1	770	1.28	0.96	0.23	0.07	36.8	4	4
806295		2.64	0.015	<0.005	<0.001	0.12	6.97	1.2	650	1.3	0.79	0.23	0.09	33.4	4.4	6
806296		3.78	0.003	<0.005	0.001	0.13	6.85	1.3	940	1.28	1.04	0.33	0.1	38	7.8	5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151774

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
806271		11.2	128	2.04	16.15	0.09	1.2	0.13	0.041	3.35	14	17.4	0.36	2810	4.89	0.09
806272		10.8	22.7	2.15	15.55	0.09	1.1	0.02	0.042	3.35	11.9	12.7	0.64	3080	4.57	0.07
806273		11.3	71	2.24	15.9	0.1	1.2	0.13	0.039	3.43	14.1	10.8	0.89	2950	6.1	0.07
806274		10.65	11.2	2.25	15.45	0.1	1.2	0.05	0.043	3.36	14.2	10.9	0.65	3100	4.37	0.07
806275		10.1	151.5	2.51	14.65	0.1	1.2	0.08	0.049	3	13.4	33.3	0.32	4680	3.53	0.08
806276		1.99	919	1.48	2.28	0.36	0.1	0.24	0.04	0.3	5.7	145.5	0.04	5400	1.47	0.02
806277		9	208	1.29	11.95	0.12	0.9	2.86	0.027	2.66	14.1	32.5	0.23	141	4.3	0.08
806278		10	869	1.88	14.2	0.14	1.1	0.60	0.081	3.11	14.3	23.2	0.26	2230	3.52	0.09
806280		2.23	15.2	2.06	15.65	0.14	0.1	0.02	0.026	1.91	11.7	26.9	0.88	388	0.83	3.02
806281		2.25	15.4	2.06	15.65	0.13	0.1	<0.01	0.028	1.93	9.6	29.5	0.86	429	0.5	2.72
806283		2.72	7.7	2.5	15.35	0.15	0.3	<0.01	0.035	1.91	14.7	25.5	1.04	485	0.59	2.97
806284		6.46	2.1	2.92	15.35	0.17	1.3	<0.01	0.033	2.13	9.6	29.9	1.75	630	0.22	1.71
806285		6.9	1.4	3	15.85	0.16	1.8	<0.01	0.035	1.92	9.2	28.7	1.46	670	0.4	2.34
806286		2	6.5	2.88	16	0.19	0.4	<0.01	0.042	1.82	12.1	14.1	1.22	495	0.39	2.35
806287		1.46	15.2	2.34	17.45	0.17	0.2	<0.01	0.023	2.37	20	15.2	0.75	372	1.59	2.9
806288		1.45	16.1	2.34	17.8	0.16	0.3	<0.01	0.03	2.35	19.3	14	0.76	415	1.06	2.93
806289		2.01	13	2.34	17.6	0.17	0.3	<0.01	0.029	2.38	18.9	14.1	0.76	405	1.24	2.81
806290		2.28	17.9	2.75	18.15	0.17	0.5	<0.01	0.048	2.31	19.9	17.1	0.8	395	1.39	2.66
806291		1.5	10.6	2.08	18.35	0.13	1.3	<0.01	0.081	2.32	13.5	17.1	0.86	487	1.27	2.6
806292		1.42	12.8	1.69	15.95	0.13	2	<0.01	0.079	2.61	17.4	13.1	0.52	284	2.59	2.36
806293		1.59	17.3	2.06	17.1	0.13	1.8	<0.01	0.119	2.31	13.4	16.7	0.69	353	2.94	2.31
806294		1.41	15.5	1.64	16.25	0.12	2	<0.01	0.103	2.46	14.7	15.7	0.49	254	2.57	2.24
806295		1.65	13.4	1.82	17.4	0.13	1.7	<0.01	0.112	2.27	12.1	16.5	0.67	315	2.47	2.23
806296		1.54	3.9	2.06	16.45	0.13	1.9	<0.01	0.055	2.4	16.9	14.1	0.62	277	2.8	2.41



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151774

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
806271		3	11.2	410	1580	125	<0.002	0.36	79.3	7.2	1	0.9	83.7	0.28	0.08	0.164
806272		3.1	12.2	430	686	104	<0.002	0.28	15.7	7.5	2	1	32.9	0.28	0.08	0.18
806273		3.1	12.6	430	352	119.5	<0.002	0.35	37	8.1	1	1	28.9	0.29	0.08	0.184
806274		3.3	11.6	420	308	119	<0.002	0.25	6.85	7.5	2	0.9	25.4	0.3	0.11	0.181
806275		2.8	17.8	400	568	108	<0.002	0.09	73.8	8.1	1	0.8	28	0.26	0.08	0.176
806276		0.2	6.2	50	1770	12.3	<0.002	0.09	424	1.4	2	0.2	47.1	<0.05	0.07	0.018
806277		2.5	7.7	340	4160	103	<0.002	0.37	453	5.8	2	0.7	625	0.23	0.08	0.135
806278		3	11.3	410	3630	119.5	<0.002	0.46	460	7.2	2	1	175	0.27	0.1	0.176
806280		4.4	15.2	450	36.5	53.2	<0.002	<0.01	5.92	7.6	1	0.6	433	0.37	<0.05	0.198
806281		4.3	15.5	440	27.4	49.1	<0.002	<0.01	3.23	7.7	1	0.6	418	0.37	<0.05	0.199
806283		4.1	16.2	430	15.9	53	<0.002	<0.01	1.91	9.4	1	0.7	354	0.38	<0.05	0.246
806284		2.9	55	550	19.6	58.4	<0.002	0.01	3.82	11.9	1	0.6	186	0.24	<0.05	0.253
806285		2.9	53.5	560	13.7	56.3	<0.002	<0.01	6.26	13	1	0.6	177	0.25	<0.05	0.266
806286		4.7	12.2	490	9.3	48.2	<0.002	<0.01	0.61	13.8	2	1.1	328	0.35	<0.05	0.312
806287		4.7	6.7	670	11.6	58.2	<0.002	0.01	0.33	8.1	1	0.9	434	0.31	<0.05	0.273
806288		5.6	7	620	15.8	55.1	<0.002	0.01	0.42	8	1	0.9	400	0.37	<0.05	0.288
806289		5.1	6.9	660	12.4	55.1	<0.002	0.01	0.28	8	1	0.9	324	0.35	<0.05	0.29
806290		4.4	8.2	620	17	55	<0.002	0.15	0.48	8.3	2	0.9	279	0.33	<0.05	0.251
806291		3.2	6.1	630	12.1	50	<0.002	0.09	0.4	6.8	1	1	264	0.26	<0.05	0.169
806292		4	5.3	450	11	51.7	<0.002	0.39	0.44	4.6	1	0.8	253	0.38	0.05	0.137
806293		3.1	6	470	8.2	52.7	<0.002	0.43	0.38	5.9	1	0.9	213	0.29	0.07	0.135
806294		3.7	4.4	400	10.9	58.9	<0.002	0.27	0.37	4.6	1	1	232	0.36	0.05	0.133
806295		3.5	6.4	450	9.4	59.9	<0.002	0.3	0.37	5.9	1	1.2	213	0.32	<0.05	0.15
806296		3.7	7.2	450	13.1	57.4	<0.002	0.56	0.42	5.3	1	0.9	290	0.34	0.08	0.149



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151774

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62
	Analyte	Tl	V	W	Y	Zn	Zr	Ag
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR								
806271		2.18	55	2.6	8.3	367	33.3	
806272		2.13	56	2.8	8.1	147	29.7	
806273		2.15	57	2.6	8.1	407	32	
806274		2.12	54	2.4	9.1	431	34.9	
806275		1.92	58	2.7	10	226	33.4	
806276		0.22	9	0.5	4.6	230	3	
806277		1.8	45	1.9	4.7	111	24.5	468
806278		2.14	56	2.3	7.3	302	29.7	179
806280		0.5	52	0.6	11.4	36	2.1	
806281		0.52	53	0.5	10.9	57	2.1	
806283		0.56	74	0.5	12.2	56	3.6	
806284		0.95	88	0.5	8.9	161	38.9	
806285		0.97	92	0.7	9.4	183	50.9	
806286		0.41	96	0.5	20.2	38	5.8	
806287		0.49	66	0.5	13.4	36	4.8	
806288		0.45	67	0.5	13.3	40	6.3	
806289		0.46	67	0.6	12.1	44	5.6	
806290		0.48	66	0.8	11.1	51	12.1	
806291		0.55	61	1	7.8	63	37.2	
806292		0.63	38	1.3	8.1	35	54.3	
806293		0.6	49	1.2	7.8	42	50.4	
806294		0.58	40	1.1	7.8	32	55.3	
806295		0.59	52	1.1	7.4	41	46.6	
806296		0.6	45	1.4	8.8	43	53.5	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151774

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 6-NOV-2008
Account: RLH

CERTIFICATE VA08151775

Project: 677

P.O. No.: 85842

This report is for 19 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151775

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
806251		1.24	0.004	<0.005	<0.001	0.07	7.32	4.2	740	1.47	0.16	2.14	0.12	41.3	5.3	7
806252		3.38	0.082	<0.005	<0.001	0.11	7.38	3	630	1.17	0.57	2.93	0.32	27.5	10.1	25
806253		2.12	0.051	<0.005	<0.001	0.11	7.16	3.4	970	1.62	0.26	2.66	0.28	41.1	8.5	22
806254		2.46	0.069	<0.005	<0.001	0.21	6.84	3.9	830	1.19	0.38	2.39	0.35	33.1	8.6	24
806255		2.50	0.009	<0.005	<0.001	0.11	6.99	4.8	420	1.24	0.31	3.68	0.19	32.9	12.1	37
806256		3.78	<0.001	<0.005	<0.001	0.06	8.09	2.8	390	0.85	0.49	3.64	0.13	24.6	30	28
806257		2.52	0.002	<0.005	0.001	0.15	7.55	3.3	340	0.9	0.93	2.9	0.18	23.4	17.5	28
806258		2.58	0.017	<0.005	0.001	0.1	7.19	98.3	440	1.3	0.32	2.19	0.26	33.4	16.6	81
806259		2.84	0.004	<0.005	0.001	0.29	6.81	24.8	570	1.23	0.75	0.88	0.32	34.2	18.1	99
806260		3.74	0.010	<0.005	0.001	0.07	6.78	28.3	430	1.38	0.22	1.53	0.09	43.8	14.3	98
806261		2.88	0.001	<0.005	<0.001	0.05	7.37	32.5	690	1.45	0.23	1.13	0.06	43.8	13.4	99
806262		3.12	0.002	<0.005	0.001	0.09	7.95	27.7	780	1.53	0.28	0.68	0.15	57.3	19.4	104
806263		2.42	0.003	<0.005	0.001	0.08	6.78	126	430	1.04	0.16	2.87	0.04	37.8	11.7	91
806264		2.60	0.014	<0.005	0.001	0.16	7.71	48	250	1.21	0.23	3.91	0.05	26.6	20.5	33
806265		3.22	0.001	<0.005	<0.001	0.1	7.36	37.6	310	0.79	0.49	4.07	0.04	26.8	21.9	29
806266		2.20	0.001	<0.005	0.001	0.1	6.76	28.5	330	1.06	0.63	3.76	0.09	30.1	13.6	23
806267		2.58	0.001	<0.005	<0.001	0.07	7.19	36	290	0.96	0.28	3.08	0.06	28	12.2	18
806268		1.84	0.002	<0.005	0.001	0.11	7.26	16.4	570	1.02	0.35	3.88	0.09	28.7	14.7	23
806269		2.50	0.001	<0.005	<0.001	0.08	7.29	17.6	260	1.58	0.28	4.41	0.12	36.4	9.9	35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151775

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
806251		3.11	33.5	2.3	17.5	0.17	0.4	<0.01	0.102	1.67	18	12.9	1.21	517	0.93	1.69
806252		1.88	69.6	2.91	18.6	0.18	0.5	<0.01	0.207	1.56	11.2	6.8	1.39	724	0.77	2.8
806253		2.76	46.3	2.52	18.6	0.19	0.4	<0.01	0.165	2.03	17.4	11.3	1.39	671	0.95	1.63
806254		2.37	58.2	2.92	14.6	0.19	0.5	<0.01	0.308	1.43	14.2	11.3	1.45	1045	1.55	1.97
806255		2.68	54.3	3.63	15.9	0.2	0.5	<0.01	0.325	1.05	13.9	10.5	2.17	1225	2.02	2.3
806256		1.25	5.4	4.4	19.95	0.2	0.6	<0.01	0.077	0.98	10.1	18.1	2.04	1140	0.27	2.29
806257		2.23	56.2	4.14	18.3	0.18	0.5	<0.01	0.105	0.97	9.6	15.2	1.6	924	1.12	2.33
806258		4.18	32.1	3.59	17.5	0.18	0.2	<0.01	0.064	1.51	14.7	20	1.47	653	1.65	1.21
806259		3.63	119.5	4.49	17.3	0.18	0.2	<0.01	0.055	2.08	16.1	15.5	1.05	491	3.39	0.52
806260		3.65	26.6	3.45	16.45	0.19	0.1	<0.01	0.049	1.41	21.7	14.8	1.1	468	1.43	1.63
806261		4.55	28.7	3.89	17.9	0.17	0.1	<0.01	0.04	2.03	21.3	18.1	1.15	468	1.39	1.68
806262		4.84	46.8	3.75	21.5	0.19	0.1	<0.01	0.074	2.7	26.4	16.2	1.32	349	3.79	1.01
806263		3.33	49.9	2.96	18.75	0.16	0.1	<0.01	0.044	1.41	16.9	11.5	0.98	314	2.45	0.76
806264		2.49	87	4.77	18.1	0.2	0.3	<0.01	0.105	0.98	11.5	10	1.87	765	0.96	2.44
806265		3.79	34.9	5.44	18.55	0.21	0.4	<0.01	0.179	1.38	10.7	18.7	2.07	1305	1.35	1.98
806266		2.22	62.4	3.81	17.05	0.2	0.5	<0.01	0.107	0.96	12.6	8.9	1.15	761	0.61	2.31
806267		2.55	48.9	3.83	16.4	0.21	0.7	0.01	0.073	0.92	11.4	9.5	1.32	783	1.07	3.06
806268		1.74	71.3	4.21	16.9	0.21	0.7	<0.01	0.087	0.88	11.8	7	1.41	881	1.62	2.85
806269		1.65	31.5	3.99	17.75	0.07	0.8	<0.01	0.195	0.75	14.7	9.7	1.14	998	1.26	2.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151775

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
806251		6.5	5.1	490	4.6	50	<0.002	0.06	0.49	8.6	2	1.3	324	0.46	<0.05	0.28
806252		3.8	16.3	710	4.5	37.3	<0.002	0.44	0.74	11.4	2	1.5	436	0.25	0.24	0.352
806253		6.8	14.4	660	4.5	51.8	<0.002	0.17	0.68	13.2	2	1.6	342	0.45	0.05	0.348
806254		5.9	17.8	750	11.4	38.7	<0.002	0.17	1.02	14.4	2	2.2	302	0.38	0.06	0.379
806255		6.5	28.1	1010	3.9	25.3	<0.002	0.13	1.11	18.5	2	1.8	393	0.4	0.06	0.467
806256		3.5	40.4	920	2.6	15.6	<0.002	0.29	0.56	17.9	2	0.7	695	0.2	0.06	0.417
806257		3.4	34	810	3.8	22.6	<0.002	0.22	0.68	18.6	2	1	559	0.2	0.07	0.395
806258		7	56.6	840	6.9	51.1	<0.002	0.1	1.09	19.8	2	1.3	193	0.44	0.11	0.437
806259		7	56.1	520	10.9	64	<0.002	0.99	1.06	18.8	3	1	81.9	0.45	0.19	0.399
806260		9.4	52.3	600	5.5	54.6	<0.002	0.27	0.47	14.6	2	0.9	216	0.61	0.09	0.362
806261		9.9	46.2	620	4.6	65.2	<0.002	0.17	0.34	15.3	2	1.1	183.5	0.65	0.13	0.387
806262		9.7	64.2	700	4.1	73	<0.002	0.43	0.73	22.2	2	1.6	140	0.65	0.1	0.498
806263		6.4	45.9	590	3.5	43	<0.002	0.27	0.57	17.4	2	1	300	0.44	0.14	0.344
806264		4.2	22.3	950	4.1	26.4	0.002	0.88	1.08	22.2	3	1.2	352	0.3	0.19	0.449
806265		3.5	33.7	990	2.9	27	<0.002	0.4	1.67	27	2	1.5	517	0.22	0.07	0.592
806266		4.7	25.9	760	3.8	20.8	0.003	0.59	1.25	21.3	3	1.3	327	0.31	0.08	0.465
806267		4.4	17.2	810	3.3	22.5	0.002	0.36	0.95	21.8	3	1.2	312	0.29	0.07	0.504
806268		4.6	23.7	940	4.3	17.9	0.003	0.64	1.37	23	3	1.5	284	0.3	0.1	0.51
806269		6.9	11.6	1280	4.4	14.3	0.003	0.31	1.59	18.1	3	2.2	412	0.44	0.07	0.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151775

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	1	0.1	0.1	2	0.5
806251		0.36	51	0.5	17.5	64	10.7
806252		0.28	99	0.5	11.2	81	10.6
806253		0.38	86	0.5	20.5	78	9.4
806254		0.27	107	0.8	17.9	93	13
806255		0.28	145	1	21.3	100	14.3
806256		0.23	141	0.5	14.1	88	14.4
806257		0.26	141	0.7	13	79	12.1
806258		0.46	145	1.5	18.3	103	4.4
806259		0.5	147	2	13	79	7.6
806260		0.37	107	1.1	11.4	53	5
806261		0.47	114	1.2	10.7	57	3.6
806262		0.56	175	0.8	16	102	2.3
806263		0.36	147	0.5	13	35	2.2
806264		0.21	168	0.5	17	65	7.4
806265		0.33	216	0.8	22.1	81	7.5
806266		0.2	143	0.5	26.8	58	10.9
806267		0.21	161	0.6	25.2	65	16.4
806268		0.14	157	0.7	26.9	65	15.7
806269		0.19	114	0.7	34.6	71	15.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 6-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151775

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 9-NOV-2008
Account: RLH

CERTIFICATE VA08151776

Project: 677

P.O. No.: 85840

This report is for 28 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151776

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm
		1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5
803667		<1	572	50.6	2.3	10	2.01	135	0.69	0.44	0.50	10.8	1.52	5.0	0.13	30.4
803668		<1	758	38.3	13.3	40	3.15	21	5.50	3.48	1.20	15.4	5.17	4.2	1.20	17.9
803669		21	391	18.9	10.2	30	7.67	1400	1.69	1.12	0.29	16.8	1.77	4.0	0.34	9.7
803671		31	485	18.7	2.3	40	7.39	475	1.56	1.04	0.26	17.4	1.44	4.3	0.34	9.6
803672		1	826	30.8	7.4	30	2.40	249	1.63	1.09	0.62	15.2	2.01	4.6	0.37	16.6
803673		2	710	21.9	3.1	100	8.58	22	2.18	1.29	0.39	17.1	2.04	3.8	0.46	9.2
803675		<1	230	56.1	3.0	20	0.83	12	3.96	2.55	0.93	17.3	4.07	7.8	0.84	27.3
803677		2	693	35.1	0.7	40	4.22	151	1.89	1.18	0.45	18.5	2.50	3.7	0.40	17.2
803679		1	978	38.1	1.2	30	6.03	28	3.00	1.91	0.64	22.7	3.32	5.8	0.63	18.1
803680		1	658	35.1	14.0	40	7.50	76	3.04	1.87	0.97	18.0	3.31	4.3	0.66	17.1
803681		20	521	23.5	4.8	30	5.15	1590	1.90	1.18	0.26	16.7	2.09	3.8	0.43	11.2
803682		14	4280	25.6	5.0	30	11.20	501	2.04	1.20	0.55	17.3	2.22	4.2	0.43	12.8
803683		3	465	19.9	5.2	30	7.87	222	1.03	0.60	0.27	17.2	1.30	3.7	0.19	10.7
803684		<1	671	29.7	11.8	40	5.47	247	2.55	1.58	0.76	15.2	2.82	3.7	0.55	17.1
803685		1	405	28.4	16.3	50	11.05	22	2.37	1.41	0.88	17.3	2.85	3.1	0.49	14.0
803686		2	1530	29.6	16.4	70	9.11	188	3.02	1.83	0.83	17.7	3.44	4.0	0.64	13.8
803687		<1	597	40.0	16.0	30	13.70	26	3.69	2.36	1.18	17.1	4.25	4.2	0.80	18.3
803688		<1	581	31.5	18.0	80	2.97	83	3.60	2.15	1.04	18.3	3.95	4.5	0.75	14.5
803689		<1	1290	27.1	1.4	20	2.11	11	0.84	0.50	0.57	9.8	1.38	1.7	0.18	16.9
803690		<1	278	32.3	23.8	10	1.78	312	6.10	3.61	1.95	25.5	6.17	3.6	1.31	12.8
803691		<1	773	35.5	10.3	40	2.03	8	3.93	2.46	1.06	17.5	4.17	4.9	0.83	16.9
803692		<1	399	23.2	14.4	10	1.74	64	1.75	1.00	0.58	12.3	1.95	2.2	0.36	10.5
803693		<1	739	25.1	8.5	10	1.44	52	2.41	1.52	0.76	15.3	2.60	3.4	0.51	11.1
803694		<1	252	31.4	14.9	40	9.09	21	2.43	1.52	0.70	18.4	2.80	4.7	0.49	15.9
803696		<1	492	33.5	4.0	10	1.86	14	4.21	2.86	0.96	13.5	3.84	6.1	0.90	15.6
803697		<1	944	30.1	9.4	20	1.55	92	2.47	1.51	0.64	17.5	2.73	3.2	0.50	15.8
803698		<1	1135	27.6	9.7	20	1.65	35	2.52	1.54	0.62	16.0	2.72	3.5	0.54	14.7
803699		<1	1765	43.2	7.3	10	2.84	34	6.42	4.35	1.29	18.0	6.24	6.8	1.42	18.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151776

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm
		0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5
803667		0.13	2	1.4	15.3	<5	33	5.06	110.0	1.73	1	94.3	0.3	0.15	29.9	0.6
803668		0.56	<2	4.0	22.0	21	158	5.29	87.8	5.41	1	310	0.4	0.90	6.42	<0.5
803669		0.19	60	3.8	9.9	12	4000	2.59	110.0	1.93	3	8.0	0.3	0.27	6.73	1.1
803671		0.18	32	4.2	8.8	<5	1540	2.33	115.5	1.54	2	15.9	0.4	0.24	5.81	1.1
803672		0.22	2	4.9	12.1	11	54	3.57	62.6	2.10	1	313	0.7	0.30	17.85	<0.5
803673		0.22	20	4.0	11.5	6	98	2.98	93.4	2.49	4	64.5	0.4	0.37	6.35	0.9
803675		0.43	18	8.5	25.7	8	16	7.02	40.0	4.72	4	168.5	0.6	0.67	9.01	<0.5
803677		0.19	35	4.0	17.5	<5	187	4.51	96.5	3.22	15	9.6	0.4	0.37	4.44	0.8
803679		0.28	13	5.0	19.1	<5	93	4.88	130.5	3.67	19	12.5	0.5	0.52	3.84	1.1
803680		0.31	4	4.3	18.0	20	92	4.55	73.3	3.90	2	255	0.4	0.55	7.46	0.7
803681		0.20	6	4.0	11.3	7	>10000	3.05	110.5	2.24	4	11.9	0.4	0.33	6.28	1.0
803682		0.21	6	4.2	12.3	7	321	3.34	126.5	2.39	8	16.9	0.4	0.37	7.50	1.3
803683		0.13	23	4.5	9.1	6	295	2.55	104.5	1.54	3	80.9	0.4	0.12	5.34	0.9
803684		0.27	4	3.8	14.0	27	64	3.83	109.5	2.74	5	93.7	0.5	0.46	12.95	1.1
803685		0.22	<2	3.3	14.6	42	39	3.69	125.5	3.00	1	87.0	0.3	0.43	6.57	1.3
803686		0.29	2	4.1	16.5	32	118	4.03	90.3	3.46	1	114.0	0.3	0.54	5.36	1.0
803687		0.35	2	3.4	22.0	19	92	5.44	65.4	4.57	1	234	0.3	0.69	5.10	0.7
803688		0.34	<2	4.6	17.4	31	25	4.24	34.2	3.90	1	436	0.4	0.64	5.11	<0.5
803689		0.11	<2	1.0	9.6	<5	27	2.91	59.0	1.58	<1	145.0	0.1	0.17	3.03	<0.5
803690		0.52	2	4.4	23.2	5	22	4.99	15.1	6.05	2	562	0.3	1.10	1.21	<0.5
803691		0.38	<2	4.9	18.9	12	11	4.73	50.8	4.30	1	355	0.4	0.67	5.60	<0.5
803692		0.18	<2	2.2	10.7	<5	8	2.77	28.1	2.05	1	273	0.2	0.29	1.79	<0.5
803693		0.25	<2	2.9	12.5	<5	12	3.26	27.3	2.62	1	387	0.2	0.40	2.29	<0.5
803694		0.24	2	4.6	14.9	23	24	3.98	43.8	2.79	1	280	0.4	0.42	6.72	<0.5
803696		0.51	3	6.9	17.2	<5	11	4.42	39.8	3.77	2	417	0.6	0.67	3.46	<0.5
803697		0.25	<2	4.0	13.8	9	8	3.71	60.5	2.78	2	331	0.4	0.44	7.13	<0.5
803698		0.26	<2	3.9	12.9	9	6	3.47	51.1	2.71	1	341	0.4	0.42	6.69	<0.5
803699		0.73	<2	7.2	25.8	15	6	6.14	55.5	6.05	1	203	0.5	1.07	3.95	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151776

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%
		0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803667		0.07	9.80	18	3	3.5	0.64	33	97	77.5	11.40	1.08	0.17	0.14	2.27	5.90
803668		0.54	2.37	89	2	29.4	3.51	839	141	64.0	14.70	6.08	2.36	2.71	3.68	3.07
803669		0.16	5.21	82	22	8.8	1.13	2580	128	66.5	13.85	7.23	0.11	0.60	0.06	4.09
803671		0.17	4.42	93	19	8.8	1.11	354	144	67.6	14.60	6.90	0.10	0.48	0.09	4.24
803672		0.19	6.81	47	3	9.7	1.26	78	129	70.2	13.90	3.56	2.31	1.30	3.32	3.52
803673		0.20	2.88	119	10	11.0	1.51	121	122	60.3	13.85	12.65	0.17	0.89	0.94	3.46
803675		0.41	2.67	101	4	20.8	2.74	98	303	68.1	15.65	3.20	0.25	1.72	5.79	1.36
803677		0.16	2.08	90	37	9.9	1.24	60	123	64.9	12.80	12.40	0.04	0.63	0.10	3.93
803679		0.29	2.33	83	31	15.9	1.88	33	196	70.6	16.05	3.11	0.04	0.96	0.17	4.88
803680		0.27	3.80	90	5	16.3	1.93	145	147	66.5	15.55	4.82	1.30	1.60	2.80	2.93
803681		0.19	3.73	77	15	10.2	1.22	4750	127	69.9	13.45	5.03	0.05	0.58	0.06	3.83
803682		0.20	3.00	89	19	11.3	1.38	127	138	67.8	13.85	8.13	0.07	0.72	0.10	4.04
803683		0.10	3.61	58	16	5.0	0.81	74	128	64.9	12.90	10.85	0.41	0.54	1.05	3.38
803684		0.25	6.42	62	9	14.0	1.67	100	116	67.6	13.95	5.01	1.87	2.01	1.94	2.61
803685		0.22	3.05	99	2	12.7	1.36	230	107	61.3	14.65	5.34	3.47	2.03	0.78	3.73
803686		0.26	3.07	105	1	16.5	1.77	223	145	60.6	15.40	4.59	4.56	1.76	1.42	3.28
803687		0.35	2.31	123	1	20.4	2.30	243	144	59.0	15.30	5.29	3.71	2.47	2.29	2.33
803688		0.33	1.72	138	1	19.0	2.06	70	166	60.7	16.30	5.87	5.75	3.70	3.76	1.57
803689		0.07	0.50	7	2	4.6	0.56	32	53	76.8	11.20	1.54	1.12	0.27	3.08	3.72
803690		0.53	0.67	334	2	32.1	3.37	112	139	53.2	16.10	10.75	7.78	3.29	3.92	0.70
803691		0.36	1.56	107	1	21.9	2.49	44	175	66.0	15.10	4.70	4.59	2.35	3.64	2.26
803692		0.18	1.16	51	2	8.9	1.14	32	80	74.8	11.70	2.63	1.77	0.81	3.59	1.08
803693		0.24	1.39	63	2	12.9	1.65	37	120	71.3	14.70	2.82	2.52	0.82	4.72	1.49
803694		0.24	2.16	102	2	13.3	1.44	104	169	67.4	16.55	4.84	1.54	1.01	3.47	1.92
803696		0.45	1.37	33	1	24.8	3.04	53	256	71.9	13.40	2.84	3.17	2.70	2.19	1.63
803697		0.21	2.85	84	3	14.1	1.54	31	115	67.9	15.45	4.33	3.73	1.56	3.36	2.40
803698		0.24	2.89	81	2	14.9	1.53	35	122	66.2	15.65	3.07	3.93	1.56	3.46	2.43
803699		0.67	1.66	67	2	37.7	4.43	37	267	68.8	15.65	2.92	3.23	1.15	1.60	3.61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151776

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01
803667		<0.01	0.07	0.02	<0.01	0.01	0.05	1.07
803668		<0.01	0.48	0.22	0.12	0.04	0.07	3.07
803669		<0.01	0.46	0.06	0.10	<0.01	0.03	5.39
803671		<0.01	0.50	0.03	0.12	0.01	0.04	4.48
803672		<0.01	0.33	0.08	0.07	0.04	0.07	0.89
803673		0.01	0.49	0.04	0.13	0.02	0.01	5.12
803675		<0.01	0.82	0.04	0.21	0.02	0.01	3.04
803677		0.01	0.43	0.02	0.21	<0.01	0.06	4.79
803679		<0.01	0.53	0.02	0.05	<0.01	0.09	3.42
803680		0.01	0.52	0.16	0.12	0.03	0.06	3.38
803681		<0.01	0.47	0.04	0.09	<0.01	0.04	4.41
803682		<0.01	0.48	0.11	0.09	0.01	0.50	4.16
803683		<0.01	0.31	0.02	0.11	0.02	<0.01	4.58
803684		<0.01	0.36	0.08	0.10	0.01	0.06	4.00
803685		0.01	0.49	0.34	0.12	0.01	0.03	7.30
803686		0.01	0.60	0.11	0.16	0.02	0.16	6.59
803687		<0.01	0.63	0.13	0.15	0.03	0.05	8.12
803688		0.01	0.71	0.10	0.14	0.06	0.05	1.83
803689		<0.01	0.09	0.04	<0.01	0.02	0.13	1.75
803690		<0.01	1.85	0.22	0.52	0.07	0.01	0.86
803691		0.01	0.60	0.08	0.12	0.05	0.07	0.96
803692		<0.01	0.34	0.04	0.10	0.04	0.03	3.57
803693		<0.01	0.45	0.05	0.10	0.05	0.07	0.67
803694		<0.01	0.56	0.06	0.14	0.04	0.03	2.58
803696		<0.01	0.47	0.05	0.08	0.05	0.06	1.00
803697		<0.01	0.40	0.04	0.09	0.04	0.11	0.48
803698		<0.01	0.40	0.05	0.09	0.05	0.14	1.96
803699		<0.01	0.59	0.04	0.14	0.03	0.21	1.26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 13-NOV-2008

Account: RLH

CERTIFICATE VA08151777

Project: 677

P.O. No.: 85840

This report is for 34 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151777

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803667		0.36	0.013	<0.005	<0.001	0.47	5.26	1.8	480	0.7	0.28	0.12	0.2	53.1	2.3	7
803668		0.92	0.003	<0.005	0.001	0.15	6.76	7.8	620	1.03	0.15	1.52	2.08	37.7	12.3	25
803669		1.20	0.636	0.007	<0.001	27.6	6.5	255	340	0.77	26.3	0.08	23.8	21.1	10.2	25
803670		0.44	0.003	<0.005	<0.001	0.21	6.79	1.9	700	1.1	0.18	2.89	0.17	38.7	10.2	27
803671		0.66	0.651	<0.005	<0.001	31.5	7.3	207	450	0.91	40.2	0.07	2.23	22.4	2.6	32
803672		0.30	0.009	<0.005	0.001	0.71	6.25	5.6	690	1.21	0.57	1.48	0.44	29.7	7.4	20
803673		1.34	0.018	<0.005	<0.001	2.34	6.91	31.7	650	0.87	10.8	0.13	0.17	24.6	3	83
803674		0.60	0.009	<0.005	<0.001	4.85	6.2	16.9	560	0.7	12.2	0.03	0.19	31.4	7.5	27
803675		0.94	0.003	0.005	<0.001	0.16	6.79	1.8	200	1.42	0.37	0.17	<0.02	52.1	2.7	17
803676		0.66	0.003	<0.005	0.001	0.08	6.41	1.3	330	1.4	0.25	0.07	<0.02	50	3.3	11
803677		1.40	0.022	<0.005	0.001	1.68	6.13	41.2	610	0.68	18.25	0.02	0.14	39.8	0.6	34
803678		1.18	0.004	<0.005	<0.001	0.14	6.62	1.6	270	2.07	2.83	1.02	0.02	40.3	2.5	19
803679		1.28	0.006	<0.005	0.001	0.99	7.01	14.9	830	1.04	11.5	0.03	0.02	37.5	0.9	23
803680		1.08	0.015	<0.005	0.001	0.98	6.69	22	550	1.21	6.72	0.79	0.53	35.3	12.6	26
803681		0.70	0.316	<0.005	0.001	29.2	5.98	26.8	440	0.72	3.93	0.03	43.4	24.7	4.9	22
803682		0.30	0.026	<0.005	<0.001	10.8	6.07	20	3630	0.71	52	0.04	0.23	23.2	3.9	24
803683		1.32	0.010	0.006	<0.001	4.11	6.75	17.2	430	0.79	25.1	0.3	0.14	20.2	5	27
803684		1.28	0.004	<0.005	<0.001	0.2	6.94	6.2	610	1.1	18.15	1.34	0.69	30.1	11	34
803685		1.52	0.001	<0.005	0.001	0.76	7.19	2.2	370	1.04	0.3	2.39	1.05	28.2	15.9	42
803686		0.98	0.012	<0.005	<0.001	2.91	7.58	7.5	1410	1.01	1.08	3.13	2.55	33	17.2	59
803687		1.58	0.002	<0.005	<0.001	0.47	7.01	2.1	530	1.09	0.5	2.55	0.93	32.9	15.4	26
803688		0.60	0.007	<0.005	<0.001	0.07	7.55	0.8	500	0.92	0.08	3.89	0.07	27.6	17.4	65
803689		1.42	0.002	<0.005	<0.001	0.04	5.48	4	1180	0.58	0.08	0.81	0.1	24.2	1.4	13
803690		0.66	0.007	<0.005	<0.001	0.23	8.22	54.3	250	1.34	0.12	5.44	0.17	36.4	24.3	4
803691		0.68	<0.001	<0.005	<0.001	0.03	7.08	0.6	690	1.04	0.06	3.13	0.06	34.8	10.5	35
803692		0.46	0.004	<0.005	0.001	0.11	5.53	2.2	360	0.55	0.26	1.15	0.07	18.55	13.9	5
803693		0.42	0.003	0.006	0.001	0.04	7.01	1.7	700	0.86	0.09	1.71	0.08	22.1	8	5
803694		0.72	0.001	<0.005	0.001	0.03	8.03	3.2	250	1.07	0.09	1	0.13	32.9	13.9	29
803695		Empty Bag														
803696		0.44	0.002	<0.005	<0.001	0.05	6.86	0.8	490	1.53	0.06	2.23	0.09	33.8	3.8	5
803697		0.40	3.36	<0.005	0.001	0.17	7.73	3.3	950	0.95	0.32	2.65	0.14	28.7	8.8	18
803698		0.56	0.146	<0.005	<0.001	0.06	7.38	2.6	1120	0.97	0.15	2.73	0.14	24.8	9.6	16
803699		0.52	0.013	<0.005	0.001	0.03	7.78	80.9	1760	1.48	0.05	2.33	0.09	39	7.3	10
803700		0.46	0.007	<0.005	<0.001	0.01	7.68	1.5	830	1.09	0.03	3.08	0.08	45	9.8	31



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151777

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
803667		2.05	131	0.72	11.25	0.08	0.8	0.03	0.064	4.42	31.6	6	0.1	124	1.67	1.47
803668		3.22	19.3	3.76	16.1	0.14	0.3	0.01	0.044	2.27	16.6	48	1.4	1470	1.08	2.4
803669		8.42	1595	4.69	18.95	0.12	0.2	0.33	5.35	3.16	10.6	18.6	0.32	416	64.6	0.04
803670		2.2	13.8	2.88	18.2	0.13	0.4	0.01	0.072	1.73	16.4	16.2	1.15	481	1.21	2.45
803671		8.59	494	4.76	21.2	0.12	0.2	0.28	6.43	3.42	10.7	22	0.27	251	37.8	0.06
803672		2.55	236	2.34	15.95	0.09	0.4	0.02	0.094	2.59	14.6	14.4	0.68	521	1.51	2.17
803673		9.51	20.3	8.64	18.2	0.16	0.2	0.01	0.397	2.78	11.2	9.5	0.49	232	19.75	0.65
803674		8.27	52.7	4.64	20.5	0.13	0.2	0.01	0.748	3.15	14.5	7.2	0.56	145	4.05	0.08
803675		0.81	10.6	2.1	17.55	0.12	0.1	0.01	0.075	1.05	25.2	14.2	0.93	276	17.5	3.86
803676		0.93	24.9	2.12	17.6	0.13	0.1	0.01	0.059	1.25	24.8	11	0.55	72	72.3	2.89
803677		4.49	145	8.06	19.55	0.2	0.1	0.03	0.269	3	18.7	6.9	0.34	97	35.9	0.06
803678		1.39	11.2	3.85	21.8	0.16	0.2	0.01	0.056	0.98	15.5	14.8	0.85	149	0.99	3.4
803679		5.96	24.1	2	22.1	0.16	0.2	0.01	0.275	3.62	16.7	8.9	0.5	103	12.65	0.11
803680		7.54	72	2.95	18.65	0.16	0.2	0.01	1.055	2.13	15.7	15.3	0.81	1050	4.54	1.79
803681		5.44	1895	3.2	17.85	0.16	0.2	0.73	21.2	2.81	11.6	14.8	0.29	269	6.4	0.03
803682		9.77	450	4.83	14.5	0.17	0.1	0.01	0.46	2.9	11.3	30.4	0.35	702	4.87	0.02
803683		8.41	232	7.64	18.2	0.12	0.1	0.02	0.61	2.87	10.9	7.4	0.31	158	23.7	0.77
803684		5.66	270	3.46	16.25	0.1	2.1	<0.01	0.13	2.14	16.9	15.4	1.15	583	4.87	1.39
803685		11.6	22.7	3.67	17.7	0.12	1.6	0.01	0.03	3.01	13.1	30.2	1.12	2360	0.45	0.56
803686		10.45	197	3.15	20.1	0.12	1.7	0.02	0.029	2.62	14.9	52.3	0.98	823	1.99	1.03
803687		13.6	26.1	3.56	17.85	0.11	1.3	0.01	0.047	1.88	13.2	250	1.32	905	1.69	1.61
803688		2.98	84.4	3.93	18.95	0.1	0.6	0.01	0.046	1.24	11.4	19.6	1.98	703	1.16	2.64
803689		2.17	9.7	1.06	9.83	0.05	<0.1	0.01	0.027	2.96	14.5	7.7	0.15	283	0.26	2.11
803690		2	324	7.09	27.2	0.17	0.7	0.01	0.143	0.59	14.8	10.4	1.84	1605	1.46	2.83
803691		2.18	6.4	3.18	18.4	0.11	0.5	<0.01	0.04	1.81	15.1	16.3	1.28	541	0.68	2.55
803692		1.78	61.6	1.69	11.95	0.05	0.2	0.01	0.021	0.84	7.6	8.7	0.43	260	0.6	2.4
803693		1.48	52.7	1.92	15.35	0.07	0.2	<0.01	0.02	1.21	8.5	8.3	0.45	361	0.53	3.33
803694		10.1	20.4	3.29	18.7	0.08	0.3	<0.01	0.04	1.52	15.3	23.3	0.58	458	2.33	2.43
803695																
803696		2.13	14	2.06	14.1	0.08	0.3	0.01	0.041	1.35	14.5	14.9	1.6	349	3.03	1.59
803697		1.74	89.3	3.12	17.85	0.09	0.3	0.01	0.06	1.9	13.4	26.8	0.91	318	0.58	2.34
803698		1.84	34.8	2.15	16.8	0.08	0.3	<0.01	0.033	1.97	11.3	12.5	0.86	350	1.29	2.49
803699		3.37	36.9	2.15	19.7	0.11	0.3	<0.01	0.053	3.1	13.8	11.5	0.64	268	0.76	1.21
803700		2.12	7.6	3.11	17.2	0.1	0.4	<0.01	0.042	2.05	20.6	16.4	1.29	529	0.56	2.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151777

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
803667		1.4	5.4	60	30.7	119	<0.002	0.01	0.58	0.9	1	0.6	94.4	0.26	0.05	0.04
803668		3.9	20.3	480	124.5	92.2	<0.002	<0.01	2.45	18.7	2	0.9	296	0.29	<0.05	0.242
803669		3.9	13.4	460	3670	127	<0.002	2.84	16	12.9	2	3.3	10.1	0.3	0.95	0.238
803670		5.2	9.5	480	29.8	55	<0.002	0.01	0.48	15	1	1.2	331	0.35	<0.05	0.307
803671		4	3.2	520	1495	141.5	<0.002	0.11	17.8	15.1	2	2.3	19.5	0.31	1.07	0.244
803672		5	9.4	330	51.6	66	<0.002	0.01	1.26	7.8	1	0.7	288	0.59	<0.05	0.175
803673		3.2	5.7	620	92.2	106.5	<0.002	0.15	3.92	17.9	2	3.7	67.8	0.25	1.19	0.222
803674		2.7	11.8	270	110.5	115	<0.002	3.15	2.4	12.4	1	8.4	11.5	0.22	2.08	0.163
803675		3.4	7.5	850	14.3	47.6	<0.002	0.08	1.04	11.1	1	2.6	160.5	0.22	0.07	0.189
803676		2	4.1	590	5.3	54.4	0.027	0.11	0.74	10	2	3.9	73.7	0.14	0.07	0.109
803677		1.8	1.4	880	167.5	106	<0.002	0.15	5.46	10.9	3	12.7	10.5	0.15	2.49	0.124
803678		5.2	6.9	680	11.5	51	<0.002	0.83	0.66	10.9	2	2.9	342	0.31	0.41	0.291
803679		3	2.5	240	73.9	134	<0.002	0.25	2.44	11.6	1	16.3	12.7	0.27	1.18	0.18
803680		4.1	18	500	51.1	75.9	<0.002	0.64	2.59	13	1	2.1	230	0.31	1.2	0.251
803681		3.7	7.1	400	>10000	118.5	<0.002	1.44	23.4	11.5	2	3.6	13	0.27	2.48	0.226
803682		2.9	6.2	400	257	113.5	<0.002	0.56	18.6	8.9	1	6.3	14.9	0.24	6.13	0.205
803683		3.3	4.6	670	276	117.5	<0.002	0.03	3.51	5.4	2	2.8	87.5	0.24	1.2	0.142
803684		3.1	26.7	420	59.9	118	<0.002	1.2	2.13	8.7	2	4.6	98.1	0.35	2.37	0.185
803685		3.1	42.8	560	35.9	126.5	<0.002	0.01	12.2	13.1	1	0.7	87.4	0.25	<0.05	0.273
803686		4.2	34.5	660	116.5	99.5	<0.002	0.17	24.2	16.5	2	0.9	119.5	0.29	0.2	0.325
803687		3.3	17.2	670	75.4	60.6	<0.002	0.35	11.1	16.2	1	1	225	0.22	0.11	0.34
803688		4.4	29	630	7.1	27.1	<0.002	<0.01	0.58	19.3	1	1.1	430	0.32	<0.05	0.38
803689		1.1	0.4	50	6.2	58.1	<0.002	<0.01	2.19	2	1	0.3	141.5	0.06	<0.05	0.058
803690		4.6	<0.2	2230	12	21.2	<0.002	0.2	1.64	35.8	2	1.8	579	0.27	0.05	1.045
803691		5.3	10.7	530	8.3	54.3	<0.002	<0.01	0.32	15.7	2	1.2	347	0.37	<0.05	0.339
803692		2	2.8	420	8.3	27.1	<0.002	0.06	0.42	6.5	2	0.7	262	0.17	0.1	0.182
803693		2.7	2.2	510	10.9	25.3	<0.002	0.03	0.39	8.1	1	0.7	387	0.25	<0.05	0.258
803694		4.5	23	630	22.8	44.1	<0.002	<0.01	4.35	12.9	1	0.9	277	0.4	<0.05	0.308
803695																
803696		6.3	3.8	410	11.1	35.5	<0.002	0.01	0.76	6.9	2	1.4	436	0.48	<0.05	0.24
803697		3.8	8.2	400	6.9	56.2	<0.002	0.01	1.28	11.5	2	1.4	329	0.39	0.18	0.231
803698		4.2	8.8	390	5.3	42.6	<0.002	0.03	1.22	12.2	2	1	349	0.4	<0.05	0.235
803699		6.6	15	680	6	52.5	0.003	0.27	0.61	12.5	2	1.2	212	0.51	0.06	0.337
803700		4.7	11.8	530	8.5	51	<0.002	<0.01	0.32	13.8	2	1.1	358	0.38	<0.05	0.338



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151777

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Pb-OG62
		Tl	V	W	Y	Zn	Zr	Pb
		ppm	ppm	ppm	ppm	ppm	ppm	%
		0.02	1	0.1	0.1	2	0.5	0.01
803667		1.01	17	1.1	3.6	32	16.6	
803668		0.83	81	1.6	34	818	4.2	
803669		1.71	79	18.8	7.2	2650	3.2	
803670		0.42	90	0.6	22.4	53	6.2	
803671		1.79	92	14.9	3.5	384	3.5	
803672		0.57	44	1.6	10.3	74	9.4	
803673		1.39	119	4.5	6.1	123	3.2	
803674		1.52	85	8.8	4.3	54	2.6	
803675		0.47	81	1.4	8.9	94	2.4	
803676		0.61	73	1.2	7.3	59	2.1	
803677		1.23	83	17	3.3	57	2.6	
803678		0.87	84	2.2	6.6	33	4.7	
803679		1.58	72	18.5	4.3	31	3.6	
803680		1.21	81	3.2	15.5	136	2.9	
803681		1.61	71	11.5	4	4600	2.9	2.21
803682		1.56	78	12.4	5.5	117	2.1	
803683		1.63	59	7.3	3.7	88	1.4	
803684		1.83	61	5.9	13.6	107	62	
803685		2.06	92	1.4	11.6	231	49.5	
803686		1.58	100	1	16	231	51.1	
803687		1.18	117	0.6	15.7	242	40.8	
803688		0.26	131	0.6	19.4	65	9.7	
803689		0.3	7	0.2	4.5	31	0.8	
803690		0.14	313	1.6	37	105	20.7	
803691		0.45	100	0.6	23.1	40	6.1	
803692		0.18	44	1.3	8.5	33	2.8	
803693		0.19	60	1	12.2	36	3.1	
803694		0.41	92	0.8	13	105	4	
803695								
803696		0.39	32	0.3	19.9	53	11	
803697		0.5	80	1.6	13	28	5.1	
803698		0.45	79	0.8	13.8	34	6.3	
803699		0.37	66	0.7	24.9	34	8.5	
803700		0.42	98	0.5	20.8	42	6.1	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 13-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151777

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 9-NOV-2008
Account: RLH

CERTIFICATE VA08151778

Project: 677

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151778

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5
803651		<1	776	33.3	11.3	40	2.11	13	2.84	1.79	0.78	16.5	3.24	4.1	0.58	16.4
803652		<1	881	40.1	8.6	40	2.11	39	2.60	1.62	0.73	15.4	3.14	3.7	0.54	20.9
803653		<1	261	13.3	145.5	110	1.01	913	6.03	3.56	1.10	16.0	5.95	1.5	1.28	5.3
803654		<1	257	17.4	37.2	60	0.71	414	3.81	2.20	0.87	18.1	3.77	1.1	0.78	7.3
803655		<1	136.5	6.3	40.1	90	0.46	62	2.30	1.40	0.83	18.4	2.14	0.6	0.48	2.6
803656		<1	265	10.6	43.3	110	1.48	130	2.24	1.29	0.83	18.5	2.30	0.5	0.46	4.7
803657		<1	339	9.4	34.6	110	0.84	210	2.33	1.44	0.78	17.5	2.08	0.8	0.50	3.5
803658		<1	822	45.5	6.4	10	1.35	16	3.17	2.05	0.93	16.8	3.81	6.2	0.68	21.8
803659		<1	925	32.9	3.7	20	2.62	11	2.35	1.65	0.66	14.6	2.60	3.6	0.49	17.0
803660		<1	496	33.1	25.3	130	2.08	19	3.44	1.98	1.35	18.4	4.07	2.8	0.68	13.8
803661		<1	741	47.1	22.1	30	2.20	17	3.53	2.09	1.59	21.2	4.75	3.4	0.70	21.1
803662		<1	328	16.8	18.9	10	2.15	<5	2.95	1.93	0.85	20.1	2.97	1.8	0.63	7.4
803663		<1	855	32.5	4.7	20	1.81	8	2.48	1.66	0.68	15.4	2.55	3.5	0.53	16.6
803664		<1	378	24.5	1.7	10	1.78	11	1.32	1.00	0.26	11.3	1.38	4.8	0.29	13.1
803665		<1	258	30.9	5.3	20	4.65	29	1.49	1.06	0.35	12.4	1.82	4.5	0.32	18.6
803720		<1	894	50.0	6.6	10	1.35	16	3.36	2.11	1.07	18.3	3.99	6.4	0.69	23.8
803721		<1	965	47.7	9.3	10	2.22	8	2.48	1.67	0.87	16.9	3.41	6.4	0.53	23.1
803722		1	722	46.9	0.7	10	2.90	14	2.48	1.78	0.50	17.6	2.98	6.9	0.52	23.3
803723		<1	1485	22.9	0.9	10	1.09	33	1.37	1.22	0.33	16.4	1.38	5.9	0.34	11.7
803724		<1	570	34.7	0.6	10	1.02	19	1.51	1.24	0.40	15.2	1.84	5.6	0.35	18.1
803725		<1	728	32.2	10.3	30	13.00	34	2.38	1.55	0.66	16.3	2.65	4.3	0.49	13.9
803726		<1	712	32.1	13.7	40	2.87	28	2.19	1.41	0.57	17.0	2.54	4.2	0.44	12.0
803731		<1	929	23.9	8.2	20	2.29	<5	2.30	1.58	0.98	22.3	2.52	2.8	0.49	11.0
803735		<1	246	20.5	12.4	10	0.41	63	3.49	2.32	1.00	14.3	3.40	2.5	0.76	8.8
803736		<1	903	30.6	17.9	50	4.45	86	4.84	3.22	1.36	19.9	4.69	3.5	1.05	14.1
803737		<1	372	33.2	21.5	90	4.35	43	3.82	2.25	1.25	19.9	4.43	3.2	0.79	15.0
803738		<1	518	47.8	2.0	10	3.66	<5	6.13	4.48	1.00	15.1	5.57	7.3	1.34	20.8
803739		<1	422	28.7	7.3	20	1.32	10	5.60	3.53	1.62	11.5	5.27	3.4	1.16	11.8
803740		<1	601	27.9	21.7	90	1.76	26	4.11	2.44	1.47	19.1	4.62	2.3	0.85	17.5
803741		2	874	27.6	<0.5	30	8.20	53	2.82	1.87	0.47	22.1	2.74	5.4	0.61	13.1
803742		<1	731	36.6	10.3	40	6.62	212	3.66	2.23	1.13	17.6	4.27	4.6	0.76	17.9
803743		<1	578	30.7	15.8	90	7.62	<5	2.32	1.37	0.93	17.1	2.84	3.1	0.47	15.2
803744		<1	380	25.5	15.0	90	7.74	<5	2.24	1.30	0.77	17.0	2.58	3.1	0.43	12.1
803745		<1	726	36.5	11.1	40	2.10	7	4.02	2.54	1.04	17.2	4.31	4.8	0.81	16.6
803746		<1	725	28.6	15.4	10	1.57	<5	4.64	2.83	1.19	18.4	4.55	4.5	0.95	12.9
803747		<1	695	33.5	7.1	30	3.25	16	2.23	1.36	0.74	15.7	2.67	3.7	0.43	17.0
803748		<1	492	14.3	14.5	20	2.28	62	2.43	1.53	0.71	16.5	2.38	2.2	0.53	6.0
803749		<1	512	32.4	25.4	160	0.61	48	3.41	1.93	1.41	18.6	4.39	2.7	0.66	13.7
803750		<1	470	34.7	27.2	190	0.99	36	3.21	1.71	1.53	19.3	4.17	2.7	0.59	15.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151778

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5
803651		0.30	<2	4.4	16.2	18	20	4.26	53.9	3.38	1	398	0.4	0.50	9.56	<0.5
803652		0.27	<2	4.3	17.6	17	14	4.85	57.5	3.39	1	383	0.5	0.45	10.35	<0.5
803653		0.39	4	1.2	13.4	59	13	2.39	15.0	4.79	1	446	0.1	1.01	0.43	<0.5
803654		0.32	11	2.6	12.7	32	30	2.73	11.0	3.53	1	397	0.2	0.65	1.60	<0.5
803655		0.21	<2	0.7	6.1	27	18	1.13	5.5	1.73	1	424	0.1	0.36	0.25	<0.5
803656		0.18	<2	1.2	7.9	47	7	1.65	24.5	2.10	1	502	0.1	0.39	0.19	<0.5
803657		0.23	<2	0.8	7.5	23	6	1.61	24.3	1.94	1	424	0.1	0.38	0.87	<0.5
803658		0.35	3	6.6	21.4	6	15	5.75	68.6	4.18	2	365	0.6	0.59	10.60	0.5
803659		0.29	<2	4.4	14.5	<5	11	4.05	66.9	2.66	1	226	0.4	0.39	7.80	<0.5
803660		0.28	2	4.6	20.8	73	14	4.78	35.9	4.47	1	632	0.3	0.63	2.38	<0.5
803661		0.28	<2	3.2	27.5	32	6	6.71	56.1	5.32	1	654	0.2	0.65	2.99	<0.5
803662		0.29	2	1.8	11.2	<5	<5	2.43	31.3	2.75	1	428	0.1	0.50	0.99	<0.5
803663		0.30	5	4.1	14.6	<5	13	3.97	54.4	2.83	1	246	0.4	0.41	6.82	<0.5
803664		0.22	<2	5.4	8.5	<5	11	2.66	93.9	1.43	1	97.7	1.2	0.23	40.1	<0.5
803665		0.24	19	4.3	12.3	7	10	3.57	76.8	2.05	2	148.0	0.7	0.29	41.1	0.5
803720		0.36	2	6.5	23.9	7	12	6.35	60.4	4.39	1	490	0.5	0.59	9.08	<0.5
803721		0.31	3	7.5	22.3	<5	11	6.01	51.6	3.99	3	323	0.6	0.49	9.38	<0.5
803722		0.33	4	7.0	19.8	<5	154	5.70	118.5	3.30	9	45.6	0.7	0.43	8.33	0.9
803723		0.33	5	6.7	9.1	<5	13	2.64	90.2	1.49	1	178.0	0.7	0.23	11.20	0.8
803724		0.28	5	6.6	13.8	<5	12	4.06	51.3	2.13	2	51.9	0.6	0.26	10.60	<0.5
803725		0.26	<2	4.3	13.7	18	17	3.61	133.0	2.73	1	195.5	0.4	0.41	9.50	1.0
803726		0.22	3	4.3	12.8	24	47	3.32	43.6	2.60	1	436	0.4	0.40	6.89	<0.5
803731		0.29	<2	3.4	13.1	5	7	3.25	36.5	2.68	<1	961	0.3	0.42	2.23	<0.5
803735		0.38	2	2.4	13.3	11	5	2.97	6.5	3.32	1	351	0.2	0.59	2.20	<0.5
803736		0.51	<2	5.4	17.7	32	8	4.12	55.7	4.21	1	164.0	0.4	0.79	4.07	<0.5
803737		0.29	2	4.4	20.3	59	<5	4.72	32.5	4.67	1	699	0.3	0.71	2.53	<0.5
803738		0.75	<2	7.2	26.2	<5	10	6.61	57.3	5.47	2	204	0.6	0.99	5.11	<0.5
803739		0.53	<2	4.0	20.1	6	9	4.47	17.4	5.19	1	395	0.3	0.91	1.77	<0.5
803740		0.35	<2	2.0	20.9	31	28	4.96	24.1	4.62	1	321	0.2	0.73	4.49	<0.5
803741		0.31	5	5.3	12.0	<5	108	3.26	115.0	2.45	14	15.5	0.5	0.42	5.55	0.8
803742		0.37	3	4.7	18.9	21	23	4.80	49.3	4.08	2	359	0.4	0.62	7.93	0.5
803743		0.21	<2	3.3	14.5	57	19	3.76	78.2	3.03	1	295	0.3	0.42	6.66	0.7
803744		0.24	<2	3.4	12.6	48	17	3.13	86.2	2.62	1	163.5	0.3	0.36	6.34	0.9
803745		0.37	<2	5.1	18.3	12	10	4.60	52.8	4.06	1	359	0.4	0.65	6.10	<0.5
803746		0.43	<2	4.0	16.6	<5	10	3.84	47.5	4.18	1	347	0.3	0.72	4.93	<0.5
803747		0.24	<2	4.3	13.8	17	24	3.92	64.5	2.67	1	356	0.5	0.37	9.84	<0.5
803748		0.27	<2	2.0	8.8	<5	5	1.98	19.3	2.13	1	477	0.1	0.40	1.30	<0.5
803749		0.26	<2	4.1	19.4	96	11	4.47	11.2	4.43	1	623	0.2	0.61	1.98	<0.5
803750		0.22	<2	4.1	20.5	107	15	4.66	19.3	4.47	1	781	0.2	0.57	2.49	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151778

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%
		0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01
803651		0.26	2.49	83	2	16.4	1.79	87	139	65.6	15.15	3.98	3.90	1.95	3.50	2.46
803652		0.24	5.60	74	1	14.5	1.58	52	118	67.3	14.75	3.67	3.41	1.76	3.30	3.03
803653		0.44	0.16	181	2	35.0	2.67	137	50	46.5	16.65	13.30	8.88	6.59	2.67	0.63
803654		0.34	0.76	362	2	20.6	2.03	146	32	48.7	15.30	13.50	9.59	5.93	2.38	0.54
803655		0.20	0.21	460	4	11.9	1.26	205	16	45.6	16.55	13.95	11.45	6.97	1.90	0.33
803656		0.18	0.20	330	1	11.3	1.01	150	15	46.6	16.60	12.65	10.15	6.57	1.88	0.91
803657		0.23	0.25	277	1	12.9	1.40	147	22	50.6	16.65	9.91	9.50	6.60	2.86	0.87
803658		0.33	4.16	62	2	18.8	2.06	40	245	67.7	14.90	3.32	2.83	1.37	4.00	3.25
803659		0.25	3.41	33	2	14.5	1.78	32	121	72.4	13.90	2.24	2.07	0.58	4.31	2.60
803660		0.30	1.65	160	1	17.9	1.71	83	106	53.0	16.80	8.04	1.71	5.01	4.96	1.44
803661		0.29	1.13	194	1	18.9	1.82	126	123	53.6	17.50	7.24	4.04	3.94	5.52	1.82
803662		0.29	0.57	212	4	16.7	1.80	31	62	58.7	17.65	7.50	7.30	2.94	3.56	1.04
803663		0.27	3.11	44	2	14.8	1.80	51	118	71.3	14.15	2.68	2.45	0.78	4.38	2.30
803664		0.17	10.65	10	9	7.8	1.24	14	103	77.1	11.45	1.16	0.21	0.14	2.88	4.94
803665		0.19	10.90	41	9	9.2	1.27	37	110	73.7	11.95	2.89	1.21	0.67	2.44	2.47
803720		0.34	3.66	73	1	18.4	2.12	42	249	66.2	15.75	3.61	2.43	1.39	4.44	3.06
803721		0.27	3.61	55	42	14.6	1.80	44	241	68.5	15.70	3.11	0.89	0.82	4.76	2.88
803722		0.29	2.77	61	7	15.8	1.92	34	255	71.9	14.75	2.45	0.07	0.58	0.92	3.89
803723		0.23	4.30	59	3	9.6	1.73	19	229	69.1	14.75	3.46	0.44	0.95	3.46	5.23
803724		0.20	3.56	46	2	9.6	1.56	11	202	69.7	14.30	3.22	0.07	0.61	3.90	3.15
803725		0.23	2.74	78	2	12.8	1.55	144	147	66.0	15.00	3.73	1.24	2.07	2.13	4.02
803726		0.22	3.27	92	2	11.2	1.39	89	143	66.9	15.80	4.64	1.08	2.16	4.71	2.21
803731		0.25	0.87	91	1	12.3	1.74	51	97	60.0	21.5	3.27	6.36	1.39	3.84	1.75
803735		0.36	1.00	152	1	20.8	2.18	56	83	61.5	15.55	5.86	4.66	1.57	5.95	0.80
803736		0.48	1.62	129	2	28.0	3.15	44	122	61.4	17.15	8.38	1.26	1.71	1.52	1.84
803737		0.30	1.18	153	1	20.2	1.96	69	116	56.8	16.50	6.50	6.44	4.49	3.81	1.34
803738		0.69	1.99	21	1	38.8	4.73	37	273	74.7	12.95	1.81	1.92	0.73	2.64	3.62
803739		0.53	0.86	49	1	31.3	3.16	70	127	71.3	12.60	3.56	2.65	1.03	4.07	1.04
803740		0.40	1.91	160	4	26.1	2.08	266	83	53.3	17.80	6.69	2.91	4.03	5.81	1.25
803741		0.31	2.23	97	22	16.1	1.84	31	178	69.8	15.30	4.63	0.07	0.77	0.11	4.72
803742		0.32	3.45	90	2	21.6	2.19	101	157	65.7	15.20	4.58	3.48	1.97	2.95	2.39
803743		0.22	2.95	106	1	12.4	1.37	235	108	58.6	14.70	4.78	4.15	2.49	3.30	2.55
803744		0.21	3.01	117	3	11.9	1.35	265	107	61.1	15.30	5.07	2.96	2.16	2.68	2.67
803745		0.38	1.87	112	2	22.5	2.47	42	166	65.5	15.00	4.88	4.48	2.37	3.60	2.29
803746		0.44	2.53	190	1	25.5	2.77	67	164	62.7	16.45	6.62	4.97	2.01	3.99	1.88
803747		0.21	5.26	64	1	12.3	1.45	75	120	69.2	14.35	3.41	3.03	1.62	3.41	2.81
803748		0.25	0.69	164	1	14.2	1.66	37	75	63.8	15.70	5.78	5.34	2.48	3.71	0.96
803749		0.26	1.03	171	<1	18.4	1.69	110	102	52.5	15.75	7.63	5.10	5.54	3.72	0.73
803750		0.24	1.16	157	1	15.6	1.37	102	100	51.8	16.75	8.21	5.64	5.28	4.78	1.10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 9-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151778

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05
		Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01
803651		<0.01	0.45	0.09	0.11	0.05	0.09	0.88
803652		<0.01	0.40	0.07	0.10	0.05	0.11	0.68
803653		0.01	0.61	0.21	0.06	0.06	0.03	3.23
803654		0.01	1.25	0.20	0.25	0.05	0.03	1.27
803655		0.01	1.33	0.30	0.05	0.05	0.02	1.28
803656		0.01	1.30	0.25	0.34	0.07	0.03	0.78
803657		0.01	0.73	0.22	0.02	0.06	0.04	1.85
803658		<0.01	0.52	0.07	0.12	0.05	0.10	1.08
803659		<0.01	0.29	0.05	0.06	0.03	0.11	0.76
803660		0.02	1.06	0.11	0.34	0.08	0.06	5.50
803661		<0.01	0.99	0.15	0.30	0.08	0.09	4.80
803662		<0.01	0.68	0.07	0.14	0.05	0.04	0.88
803663		<0.01	0.35	0.08	0.07	0.03	0.10	0.87
803664		<0.01	0.13	0.02	<0.01	0.02	0.04	0.86
803665		<0.01	0.26	0.10	0.04	0.02	0.03	2.23
803720		<0.01	0.61	0.05	0.14	0.06	0.10	0.96
803721		<0.01	0.70	0.03	0.12	0.04	0.11	2.07
803722		<0.01	0.50	0.01	0.06	0.01	0.08	3.47
803723		<0.01	0.48	0.01	0.13	0.03	0.18	2.05
803724		<0.01	0.47	<0.01	0.12	0.01	0.07	2.44
803725		<0.01	0.43	0.10	0.10	0.03	0.09	3.89
803726		0.01	0.52	0.10	0.13	0.06	0.08	0.78
803731		<0.01	0.48	0.04	0.04	0.12	0.11	0.77
803735		<0.01	0.64	0.10	0.13	0.05	0.03	1.34
803736		0.01	0.77	0.09	0.06	0.02	0.11	3.80
803737		0.01	0.81	0.12	0.26	0.09	0.04	0.87
803738		<0.01	0.35	0.04	0.04	0.03	0.06	0.78
803739		<0.01	0.88	0.05	0.26	0.05	0.05	1.06
803740		0.01	0.73	0.18	0.14	0.04	0.07	5.24
803741		<0.01	0.52	0.01	0.03	0.01	0.08	3.88
803742		<0.01	0.50	0.10	0.11	0.04	0.07	3.01
803743		0.01	0.51	0.14	0.13	0.04	0.05	8.36
803744		0.01	0.56	0.11	0.13	0.02	0.03	6.97
803745		<0.01	0.61	0.08	0.12	0.05	0.07	0.68
803746		<0.01	0.80	0.09	0.13	0.04	0.07	0.87
803747		<0.01	0.37	0.07	0.10	0.04	0.06	1.17
803748		<0.01	0.54	0.09	0.08	0.06	0.04	0.58
803749		0.02	0.97	0.19	0.30	0.08	0.04	5.25
803750		0.03	0.97	0.13	0.32	0.10	0.04	4.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 12-NOV-2008

Account: RLH

CERTIFICATE VA08151779

Project: 677

P.O. No.: 85838

This report is for 47 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803651		1.52	0.001	<0.005	<0.001	0.07	7.69	2.1	780	1.01	0.12	2.82	0.25	32.3	10.5	26
803652		1.02	0.002	<0.005	<0.001	0.07	7.09	2	910	1.03	0.08	2.43	0.1	43.1	8.4	27
803653		1.02	0.042	0.006	0.003	0.4	8.31	5.8	270	0.48	0.22	6.44	0.39	16.15	129.5	78
803654		1.02	0.017	0.006	0.002	0.39	8.42	15.4	260	0.48	0.15	7.02	0.27	20.1	35.9	43
803655		1.62	0.007	<0.005	0.001	0.19	8.96	3.9	130	0.31	0.13	7.97	0.62	7.3	33.8	55
803656		0.56	0.007	<0.005	0.003	0.08	9.44	2.2	280	0.29	<0.01	7.45	0.21	12.2	40.9	70
803657		0.56	0.010	<0.005	0.001	0.09	8.98	1.9	340	0.48	0.06	6.91	0.12	10.55	32.6	69
803658		0.64	<0.001	<0.005	<0.001	0.15	7.41	1.1	850	1.63	0.37	2.03	0.05	44.6	6.3	9
803659		0.98	<0.001	<0.005	<0.001	<0.01	7.14	8.8	940	1.29	0.1	1.51	0.06	34.1	3.7	12
803660		0.44	0.001	<0.005	<0.001	0.15	7.83	11	490	1.25	0.46	1.17	0.08	35.7	24.3	105
803661		0.48	<0.001	<0.005	<0.001	0.03	8.56	9.3	720	1.07	0.05	2.84	0.11	49.6	21.1	23
803662		0.50	0.002	<0.005	0.006	0.02	7.15	7.9	260	0.64	<0.01	4.34	0.02	14.65	15.2	6
803663		1.04	<0.001	0.005	0.001	0.08	7.64	5.8	880	1.27	0.13	2.06	0.04	32.3	5.4	22
803664		0.50	<0.001	<0.005	0.001	0.02	5.57	1.9	370	1.34	0.24	0.16	0.03	27	1.6	4
803665		0.56	0.001	<0.005	<0.001	0.09	6.46	4.8	290	1.26	0.52	0.92	0.08	35	5.4	15
803666		0.30	0.001	<0.005	<0.001	0.01	8.77	1.3	850	1.16	0.03	3.8	0.07	39.7	12.5	35
803720		1.28	0.001	<0.005	<0.001	0.06	7.89	0.7	910	1.72	0.06	1.73	0.09	51.8	6.7	9
803721		1.86	0.001	0.005	<0.001	0.14	7.54	0.8	1000	1.71	0.94	0.61	0.03	48.8	9.6	6
803722		1.06	0.027	<0.005	<0.001	1.08	7.67	3	780	1.4	1.8	0.05	0.08	47.8	0.7	7
803723		1.54	0.003	<0.005	0.001	0.09	7.36	0.9	1540	1.58	0.83	0.31	<0.02	24.9	0.9	7
803724		0.96	0.002	<0.005	0.001	0.12	7.3	1.7	590	1.25	0.65	0.05	<0.02	37.2	0.6	4
803725		1.20	<0.001	<0.005	<0.001	0.07	6.82	3.7	690	1	0.24	0.8	1.58	31.9	9.7	23
803726		1.22	0.004	<0.005	<0.001	0.29	7.88	15	740	1.04	0.75	0.73	0.52	33.4	13.4	33
803727		0.90	<0.001	0.005	0.001	0.01	7.78	2.1	560	0.87	0.01	3.98	0.05	25.3	13.7	6
803728		0.72	0.080	<0.005	0.001	9.38	5.14	9.3	160	0.28	1.07	3.35	1.06	7.63	14.7	19
803729		0.56	2.32	<0.005	0.001	7.62	1.4	138.5	40	0.25	12.6	0.1	26.2	12.45	78.7	1
803730		0.60	0.014	<0.005	<0.001	0.34	3.09	3.7	230	0.58	2.19	1.62	0.15	21	6.6	18
803731		1.78	0.001	<0.005	0.001	0.02	8.28	4.5	900	0.98	0.03	4.49	0.08	15.75	8.1	12
803732		0.86	0.008	<0.005	<0.001	0.47	6.79	1.7	860	1.15	1.14	1.49	0.15	34.6	11.6	25
803733		0.60	0.007	<0.005	0.001	0.07	7.27	6.4	450	0.53	0.17	1.47	0.2	20.8	8.8	3
803734		0.64	0.005	<0.005	0.001	0.99	6.82	0.3	1040	1.81	0.95	0.11	0.06	17.55	0.9	5
803735		0.72	0.002	<0.005	0.001	0.1	7.96	6.4	250	0.78	0.18	3.4	0.12	22.3	13.3	9
803736		0.88	0.002	<0.005	0.001	0.15	8.8	4.4	950	1.28	0.36	0.9	0.08	33.6	19	45
803737		1.88	0.002	<0.005	0.001	0.09	8.43	8.9	380	1.12	0.15	4.73	0.11	32.1	22.5	76
803738		1.06	<0.001	<0.005	<0.001	0.02	6.56	0.2	520	2.06	0.06	1.35	0.03	46.8	2.2	6
803739		0.66	0.001	<0.005	<0.001	0.08	6.47	7.3	430	1.06	0.11	1.88	0.19	30.4	7.7	50
803740		0.98	<0.001	<0.005	0.001	0.34	7.96	25.6	580	0.95	0.28	2.04	2.68	22.9	23.2	72
803741		0.78	0.008	<0.005	0.001	2.36	7.7	20	840	1.04	13.45	0.05	0.11	24.7	0.4	25
803742		1.64	0.004	<0.005	<0.001	0.47	6.95	5.5	670	1.16	11.4	2.28	0.33	30	9.9	29
803743		0.92	0.010	<0.005	<0.001	<0.01	6.84	2.5	590	1.02	0.18	3.07	0.61	19.7	17.3	78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
803651		2.49	13.8	2.85	18.2	0.11	0.3	0.01	0.041	2.06	14	24.8	1.14	702	0.82	2.6
803652		2.52	40.4	2.61	17.3	0.12	0.3	<0.01	0.045	2.6	19.8	19.8	1.05	524	0.37	2.49
803653		0.96	1060	9.41	17.35	0.18	0.4	<0.01	0.078	0.54	5.7	13.1	3.81	1630	3.92	2.1
803654		0.93	482	9.64	19.75	0.16	0.5	<0.01	0.095	0.48	7.9	18.7	3.68	1610	12.1	1.92
803655		0.58	63.2	9.6	20.1	0.11	0.5	<0.01	0.092	0.29	2.6	7	4.24	2220	1.18	1.46
803656		1.92	147	9.13	20.4	0.13	0.5	<0.01	0.067	0.83	5	15.3	4.16	1975	0.71	1.48
803657		1.03	248	7.1	18.95	0.11	0.4	<0.01	0.102	0.77	3.5	10.9	4.03	1730	1.15	2.23
803658		1.56	17.3	2.48	18.7	0.12	0.3	<0.01	0.052	2.82	18.7	11.6	0.82	572	4.29	3.02
803659		3.2	11.6	1.65	16.2	0.07	1.8	<0.01	0.023	2.17	15.7	32.7	0.35	391	1.19	3.15
803660		2.53	21.4	5.72	20.3	0.14	1	0.01	0.025	1.14	12.8	37.4	3	834	1.92	3.73
803661		2.66	17.1	5.18	22.8	0.14	1.1	<0.01	0.058	1.49	19.9	30.3	2.29	1135	0.74	4.13
803662		2.08	3.4	4.44	18.05	0.09	0.2	<0.01	0.028	0.72	5.7	12.7	1.37	439	1.28	2.27
803663		2.18	8.7	2.26	17.8	0.08	1.6	<0.01	0.033	2.04	14.2	24.3	0.54	695	5.58	3.42
803664		1.91	12.1	0.81	11.55	0.09	0.4	<0.01	0.01	3.82	13.6	6.9	0.09	120	1.21	1.93
803665		5.74	32.8	2.28	13.95	0.09	0.7	<0.01	0.092	2.19	17.1	17.3	0.42	798	21.2	1.88
803666		2.52	9.4	3.82	21.4	0.14	0.5	<0.01	0.053	2.15	16.2	20.6	1.53	653	1.01	3.12
803720		1.59	16.3	2.68	19.7	0.13	0.2	<0.01	0.023	2.62	22.5	18.2	0.84	406	2.51	3.33
803721		2.61	8.9	2.28	19.25	0.11	0.3	<0.01	0.041	2.43	22.9	9.7	0.49	190	3.53	3.48
803722		3.5	13.9	1.9	19.75	0.11	0.1	0.02	0.247	3.29	22.4	34.5	0.36	73	4.46	0.68
803723		1.3	36	2.53	17.95	0.12	1	<0.01	0.025	4.38	11.9	7.4	0.55	75	5.23	2.47
803724		1.25	19.8	2.39	17.05	0.11	0.5	<0.01	0.02	2.59	18.2	8.6	0.36	30	5.02	2.81
803725		13.95	35.3	2.48	17.05	0.11	0.2	<0.01	0.054	3.12	12.3	38.3	1.17	758	0.91	1.44
803726		3.27	30.5	3.39	18.55	0.12	0.2	<0.01	0.051	1.85	11.6	36.7	1.3	809	2.51	3.46
803727		1.6	7.1	4.6	18.85	0.13	0.3	<0.01	0.047	1.13	10	21.1	1.25	1140	0.64	2.88
803728		2.68	3150	17.45	15.75	0.21	0.3	<0.01	1.545	0.52	2.9	17.4	1.86	1395	1.57	0.74
803729		0.28	124	7.46	4.86	0.1	0.1	0.08	3.21	0.19	3.9	30.3	0.55	884	2.59	0.01
803730		0.5	149	5.03	8.44	0.1	0.3	<0.01	0.098	0.49	8.9	6.9	1.04	886	1.93	0.98
803731		2.35	4.5	2.24	23.9	0.08	<0.1	<0.01	0.012	1.36	5.6	27.9	0.63	273	0.41	2.85
803732		1.84	64.1	2.22	18.3	0.18	0.2	<0.01	0.055	2.52	16.5	18.4	0.71	625	2.78	2.61
803733		2.68	28.8	3.75	17.9	0.19	0.1	<0.01	0.06	1.84	8.1	37.2	0.87	419	2.36	2.48
803734		1.54	5.5	0.7	17.2	0.17	<0.1	<0.01	0.025	3.86	8.1	6.8	0.1	53	0.43	2.4
803735		0.52	71	4.16	16.7	0.16	0.5	<0.01	0.143	0.71	9.4	10.4	0.95	806	1.42	4.54
803736		5.34	94.1	5.81	22.5	0.19	<0.1	<0.01	0.052	1.55	15.3	80.5	1.05	683	0.56	1.14
803737		4.77	49.1	4.64	22.9	0.19	0.8	<0.01	0.083	1.13	13.8	21.2	2.69	911	1.42	2.89
803738		4.3	2.9	1.25	17.05	0.19	0.1	<0.01	0.047	3.02	19.9	18	0.43	297	0.35	1.91
803739		1.48	10	2.55	12.9	0.17	0.2	<0.01	0.057	0.9	12.5	21.9	0.62	397	0.72	3
803740		2.03	30	4.63	22	0.19	1.7	<0.01	0.06	0.97	12.3	91	2.27	1400	0.18	4.17
803741		8.58	51.5	3.01	24.9	0.2	0.2	0.01	0.297	3.23	12.3	7.8	0.43	84	5.23	0.07
803742		6.64	212	2.84	19.15	0.2	0.2	<0.01	0.219	1.82	14.2	16.1	1.09	665	2.75	2.02
803743		8.06	1.9	3.28	20.5	0.19	2	<0.01	0.038	2.16	8.9	183	1.44	1070	0.36	2.56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
803651		4.6	18.6	530	20.5	50.3	<0.002	<0.01	0.31	11.7	2	0.8	410	0.44	<0.05	0.27
803652		4.5	17.7	490	13.7	54.7	<0.002	<0.01	0.32	10.4	2	0.9	391	0.48	<0.05	0.253
803653		1.3	55.6	270	11.6	6.8	0.79	2.96	0.82	42	6	0.7	516	0.16	0.19	0.372
803654		2.7	31.6	1250	31.9	10.8	0.035	0.14	0.53	49.3	3	0.9	459	0.23	<0.05	0.753
803655		0.9	26.4	310	17.9	5.5	<0.002	0.09	0.37	49.9	2	0.6	483	0.09	<0.05	0.793
803656		1.3	45	1650	6.7	26.7	0.002	0.25	0.43	36.2	2	0.6	599	0.12	<0.05	0.813
803657		1	24.7	170	5	17	<0.002	0.39	0.41	36.1	2	0.7	492	0.11	0.07	0.442
803658		6.6	6.6	640	15.3	68.2	<0.002	0.04	0.36	7.9	2	1.6	382	0.57	<0.05	0.316
803659		4.5	2.1	320	10.5	67.9	<0.002	<0.01	0.76	5.2	2	1	235	0.4	<0.05	0.18
803660		4.9	72.5	1630	14.1	26.9	<0.002	1.93	0.65	11.2	2	0.9	685	0.32	0.49	0.641
803661		3.4	32.1	1370	5.3	53.3	<0.002	0.04	0.87	20.8	2	0.9	690	0.22	<0.05	0.589
803662		1.5	3	550	2.2	18	<0.002	<0.01	1.49	21.3	2	0.6	376	0.12	<0.05	0.331
803663		4.5	3	410	13.1	54.6	<0.002	0.01	0.67	7.8	1	1	279	0.39	<0.05	0.234
803664		5.1	1.7	70	8.9	89	<0.002	<0.01	0.31	1.5	1	1.3	94.3	1.04	0.06	0.068
803665		4.4	7.6	270	10.1	81.4	<0.002	0.02	2.22	6.1	2	2.1	160	0.59	<0.05	0.157
803666		6	14.7	650	8.8	53.1	<0.002	0.01	0.38	17.7	2	1.4	433	0.49	<0.05	0.415
803720		4.9	6.4	750	11.5	60.5	<0.002	0.01	0.16	9	2	1	509	0.35	<0.05	0.299
803721		5.4	3.9	690	10.4	55.8	<0.002	1.07	0.38	7	2	2.2	320	0.42	0.1	0.281
803722		2.8	1.6	240	166	122	<0.002	0.12	2.08	7.2	2	7.5	48.9	0.26	<0.05	0.144
803723		3.8	2.6	650	12.6	88.7	<0.002	0.05	0.55	5.5	2	0.8	177.5	0.37	0.33	0.16
803724		2.3	0.5	580	11.9	55.1	<0.002	0.07	0.42	4.4	3	1	56.1	0.24	0.33	0.097
803725		4.2	17.5	410	14.6	123	<0.002	<0.01	4.03	10.8	1	1	181.5	0.41	<0.05	0.238
803726		3.9	25	610	47.7	46.1	<0.002	0.1	3.9	13.6	2	1.1	441	0.35	0.12	0.274
803727		3.4	3.2	900	3.7	25.5	<0.002	<0.01	0.26	21.8	2	0.7	426	0.41	<0.05	0.428
803728		1.1	10.2	910	11.1	13.3	<0.002	2.56	3.56	12.6	8	10.8	215	0.09	2.51	0.246
803729		1.1	15.1	260	146	4.8	<0.002	4.13	5.26	5.5	3	0.3	4.5	0.07	0.43	0.115
803730		3.5	2.3	1010	5.1	10.9	<0.002	0.08	1.23	12.3	2	0.8	134.5	0.22	0.39	0.39
803731		3.7	5.4	220	6.9	18.1	<0.002	0.02	0.52	16	1	0.3	972	0.27	<0.05	0.288
803732		5.4	10.6	450	17.6	79	<0.002	0.24	0.4	6.8	2	1	409	0.5	0.13	0.23
803733		2.4	1.6	1140	10.6	44.5	<0.002	1.13	0.74	24.9	2	1	151.5	0.16	0.16	0.515
803734		2	0.8	290	14.9	120	<0.002	0.51	4.5	2.7	2	1.3	65.6	0.17	0.19	0.026
803735		2.6	10.3	640	5	6.8	0.003	0.66	2.32	23.6	3	1.3	364	0.2	0.13	0.409
803736		5.4	30.9	350	7.1	61.9	<0.002	0.66	0.93	24	3	0.9	171.5	0.38	0.18	0.431
803737		4.8	56.8	1210	4	19.3	<0.002	0.7	0.33	19.1	2	1.2	769	0.31	0.42	0.496
803738		7.4	2.2	190	10.4	59.6	<0.002	0.04	0.37	6.4	2	1.8	204	0.54	<0.05	0.209
803739		4.5	5.8	1240	9.1	19	<0.002	0.56	1.33	18.2	3	1.2	405	0.29	0.09	0.538
803740		2.3	31	680	28.7	13.2	<0.002	0.01	2.09	26.5	2	0.7	318	0.19	<0.05	0.433
803741		3.2	1.4	160	95.6	111.5	<0.002	0.1	3.08	11.7	3	9.9	16.9	0.29	1.41	0.19
803742		4.5	18	510	19	44.3	<0.002	0.75	1.42	11.8	3	1.8	333	0.37	0.73	0.277
803743		3.6	56.4	640	17	60.5	<0.002	0.01	8.66	13.9	2	0.7	309	0.32	<0.05	0.311



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.02	1	0.1	0.1	2	0.5
803651		0.51	78	0.6	16.8	88	4.5
803652		0.47	74	0.3	15.2	55	4.6
803653		0.34	182	0.5	41.6	147	9.4
803654		0.25	350	0.9	23.1	149	8.2
803655		0.07	444	2.3	13.2	212	9.4
803656		0.22	334	0.5	12.9	155	10.2
803657		0.22	273	0.3	14.3	158	7.2
803658		0.71	61	1.2	18.6	39	6.7
803659		0.51	33	0.7	14.1	31	47.3
803660		0.45	161	0.4	10.8	80	32.2
803661		0.6	185	0.3	16.9	125	31.3
803662		0.08	172	2.7	14.9	24	3.3
803663		0.48	55	0.9	14.7	53	40.6
803664		0.65	11	7.8	6.4	13	9.2
803665		0.85	43	8	9.4	38	13.5
803666		0.52	121	1.3	25.7	48	7.1
803720		0.53	72	0.6	16.1	40	4.9
803721		0.66	46	31.6	11.2	45	5.9
803722		1.39	59	4.1	4.5	33	3
803723		1.09	55	0.8	5.6	15	33.3
803724		0.57	41	0.8	3.4	8	16.4
803725		1.26	72	1.5	12.6	142	3.7
803726		0.57	92	1	11.8	93	2.7
803727		0.21	131	0.3	22.2	60	2.3
803728		0.11	104	0.3	11.6	139	8.3
803729		0.08	61	2	2.5	2430	4
803730		0.13	121	0.9	11.8	58	7
803731		0.29	91	0.4	4.3	52	0.7
803732		0.62	52	5.4	13.3	53	3.4
803733		0.5	99	2.4	18.7	84	1.8
803734		1.05	3	6.6	3.5	11	0.7
803735		0.14	151	0.6	22.8	54	8
803736		0.58	133	1	12.4	41	1
803737		0.32	159	0.4	20.4	67	20.9
803738		0.33	22	0.5	12.1	37	2.5
803739		0.18	50	0.8	32	67	4
803740		0.47	165	2.7	23.8	271	49.7
803741		1.48	89	11.6	4.4	28	3
803742		0.75	81	1.6	18.8	92	3.4
803743		1.3	109	0.5	9.2	249	61.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
803744		0.82	0.001	<0.005	0.001	0.04	7.06	3.8	370	1.16	0.11	2.02	0.88	19.45	15.3	70
803745		0.24	<0.001	<0.005	0.001	0.03	7.51	0.9	710	1.1	0.1	3.14	0.08	36.9	11.7	32
803746		0.36	0.001	<0.005	<0.001	0.01	8.23	4.3	710	1.12	0.04	3.51	0.13	29.4	16.3	10
803747		0.80	0.001	<0.005	<0.001	0.05	7.36	0.9	720	1.38	0.12	2.21	0.31	35.6	7.9	28
803748		0.74	0.003	<0.005	0.004	0.03	7.96	3.1	480	0.69	0.04	3.88	0.03	15.4	15.3	8
803749		0.46	0.001	<0.005	0.001	0.08	7.98	4.2	520	1.11	0.06	3.93	0.15	38.6	24.4	123
803750		0.62	0.002	<0.005	<0.001	0.17	7.98	4.8	450	1.05	0.12	4.09	0.36	38.5	22.7	143



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
803744		7.97	3.3	3.24	19.15	0.18	1.4	<0.01	0.045	2.1	8.6	249	1.18	768	0.45	1.9
803745		2.39	6.5	3.22	19.7	0.2	0.4	<0.01	0.045	1.85	17.2	21.9	1.32	541	0.55	2.58
803746		1.76	2.5	4.36	21.8	0.19	1.9	<0.01	0.035	1.49	12.6	23.5	1.13	653	0.76	2.92
803747		3.68	17.7	2.34	18.7	0.19	0.2	<0.01	0.033	2.36	17.7	17.5	0.96	524	0.66	2.56
803748		2.45	59.8	3.88	19	0.15	0.2	<0.01	0.034	0.79	6.6	17.3	1.4	696	0.57	2.75
803749		0.81	53.4	5.38	20.5	0.17	0.9	<0.01	0.053	0.6	16.7	32.5	3.39	1485	0.98	2.76
803750		1.26	41.5	5.45	20.9	0.2	1.6	<0.01	0.073	0.86	16.9	35.2	3.07	947	0.98	3.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08151779
-------------------------	------------

Sample Description	Method	Analyte	Units	LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61			
					Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Ti
					ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
					0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
803744					3.2	44.7	600	14.6	69.1	<0.002	0.01	10.25	15.2	2	0.8	160	0.28	<0.05	0.31
803745					5.3	12.3	560	7.4	46.8	<0.002	0.01	0.43	16	3	1.2	364	0.39	<0.05	0.361
803746					4.1	3.7	610	8.5	43.8	<0.002	<0.01	0.78	22.1	3	1.1	366	0.33	<0.05	0.453
803747					4.6	16.1	490	22.4	66.4	<0.002	<0.01	0.65	9.5	2	0.8	371	0.52	<0.05	0.23
803748					2.1	3.5	470	2.8	13.6	<0.002	<0.01	0.66	21.1	2	0.7	498	0.16	<0.05	0.323
803749					4.5	91.9	1400	8.1	9.8	0.003	0.26	1.39	19.5	2	0.9	695	0.27	0.05	0.583
803750					4.6	99.8	1490	13.6	17.2	0.004	0.36	0.47	17.5	2	0.9	838	0.27	0.13	0.562



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	1	0.1	0.1	2	0.5
803744		1.47	110	1.9	8.6	262	40
803745		0.47	108	0.9	22.3	39	5.8
803746		0.29	187	0.7	26.5	64	52.9
803747		0.59	65	0.8	13.6	74	3.3
803748		0.16	158	0.3	14.3	32	3.2
803749		0.2	169	0.2	14.5	112	26.6
803750		0.22	147	0.2	14.6	98	47.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 12-NOV-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08151779

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

Appendix C.2 – Soil Sample Certificates

The following section contains the certificates issued by ALS Chemex for the assay conducted on samples taken in the field.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: 1
Finalized Date: 14-NOV-2008
Account: RLH

CERTIFICATE VA08156824

Project: Vancouver

P.O. No.:

This report is for 150 Soil samples submitted to our lab in Vancouver, BC, Canada on 30-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: WALLBRIDGE MINING COMPANY LTD.
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6001		0.2	1.34	1.1	<0.2	<10	140	0.35	0.06	0.06	0.36	15.2	3.8	18	6.76	4.6
6002		0.99	1.71	1.9	<0.2	<10	130	0.32	1.27	0.12	0.67	24.4	8.3	16	9.67	18.7
6003		0.91	1.47	2.9	<0.2	<10	850	0.41	0.34	0.6	2.35	27.7	7.1	10	10.3	14.3
6004		0.55	1.53	4.2	<0.2	<10	160	0.27	0.56	0.25	0.91	10.55	7.8	25	4.99	22.9
6005		0.44	2.47	9.1	<0.2	<10	290	0.37	2.82	0.58	2.16	17.7	15.6	36	11	77.8
6006		0.83	2.45	5.9	<0.2	<10	280	0.38	1.94	0.93	5.73	19.6	17.2	40	6.37	98.1
6007		1.05	2.38	7.7	<0.2	<10	250	0.35	2.02	0.37	4.99	22.2	15.9	36	9.36	106.5
6008		0.81	2.71	13.5	<0.2	<10	210	0.46	2.57	0.86	1.37	24.5	15.2	55	17.15	109
6009		0.09	2.59	4.6	<0.2	<10	150	0.21	0.08	1.19	0.23	4.91	21	33	0.69	51.6
6010		0.1	2.42	5.4	<0.2	<10	200	0.17	0.06	0.72	0.13	4.59	20.1	35	0.99	41.7
6011		0.09	2.47	4	<0.2	<10	150	0.18	0.05	0.85	0.18	5.59	19.7	34	0.88	44
6012		0.04	1.92	3.8	<0.2	<10	90	0.15	0.05	0.79	0.07	11.45	15.4	60	1.12	47.1
6013		0.07	2.75	4.6	<0.2	<10	140	0.25	0.07	1.13	0.15	9.2	20.5	39	1.14	65.5
6014		0.08	2.45	2.7	<0.2	<10	90	0.24	0.06	0.38	0.1	9.31	30.6	35	1.28	38
6015		0.22	2.67	4.8	<0.2	<10	230	0.38	0.11	0.63	0.28	11.4	17.9	33	1.87	79.5
6016		0.21	2.91	2.1	<0.2	<10	110	0.27	0.09	0.38	0.11	6.6	15.6	8	1.2	65
6017		0.1	3.18	2	<0.2	<10	90	0.26	0.07	0.68	3.88	8.28	18	13	0.98	31.8
6018		0.23	3.72	4.7	<0.2	<10	200	0.34	0.11	0.5	0.35	7.6	33.3	16	1.6	37.4
6019		0.48	5.03	6.8	<0.2	<10	100	0.65	0.13	0.49	0.25	23.8	19.2	22	2.2	69.7
6020		0.08	2.45	1.5	<0.2	<10	190	0.32	0.06	0.47	0.1	7.05	14.3	45	1.54	17.8
6021		0.1	2.22	3.2	<0.2	<10	230	0.12	0.08	0.73	0.09	7.04	16.1	87	1.43	29.3
6022		0.1	2.05	2.7	<0.2	<10	200	0.19	0.09	0.67	0.13	7.11	17.8	88	1.58	31.3
6023		0.07	2.6	4.2	<0.2	<10	120	0.24	0.07	0.8	0.06	11.85	22.2	127	2.04	61.8
6024		0.1	3.07	2.6	<0.2	<10	70	0.43	0.11	0.4	0.11	10.65	14.1	27	1.55	37.8
6025		0.12	2.53	1.7	<0.2	<10	80	0.3	0.09	0.34	0.1	10.15	13	20	1.2	33.9
6026		0.59	2.87	5.5	<0.2	<10	100	0.49	0.21	0.67	1.16	11.6	39	21	1.39	220
6027		0.28	2.58	3.5	<0.2	<10	40	0.3	0.09	0.26	0.1	11.3	9.6	16	0.89	72.6
6028		0.36	2.66	9.3	<0.2	<10	210	0.23	0.09	0.8	0.09	11.45	13.1	16	0.87	48.2
6029		0.17	1.75	1.3	<0.2	<10	60	0.23	0.11	0.24	0.04	8.31	10	15	0.68	31.8
6030		0.14	2.49	2.2	<0.2	<10	260	0.28	0.1	0.36	0.18	9.61	22.4	23	1.37	88.2
6031		0.11	1.23	2.2	<0.2	<10	70	0.08	0.04	0.45	0.03	8.66	8.5	15	0.35	53.8
6032		0.25	3.18	8.1	<0.2	<10	200	0.35	0.13	0.62	0.06	25.3	17.7	22	2.37	65.5
6033		0.07	1.42	1.3	<0.2	<10	100	0.09	0.03	0.37	0.02	9.4	8.3	14	0.51	39.9
6034		0.02	2.28	1.9	<0.2	<10	190	0.11	0.03	0.74	0.04	8.94	16.2	25	1.27	65.1
6035		0.15	1.52	1.5	<0.2	<10	70	0.08	0.05	0.46	0.02	8.33	10.6	16	0.6	55.3
6036		0.05	1.41	0.7	<0.2	<10	140	0.09	0.04	0.45	0.06	6.51	9.5	14	0.67	22.9
6037		0.04	1.88	0.8	<0.2	<10	130	0.14	0.04	0.42	0.06	7.41	13	15	0.83	22.9
6038		0.05	2.18	0.7	<0.2	<10	180	0.19	0.05	0.44	0.17	9.27	13.5	16	0.94	35.8
6039		0.08	2.16	1.4	<0.2	<10	180	0.2	0.05	0.48	0.1	9.76	12.1	14	1.18	26.5
6040		0.09	2.13	2.1	<0.2	<10	120	0.13	0.03	0.43	0.04	11.45	14.3	22	1.2	43.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6001		1.75	3.26	<0.05	0.03	0.01	0.014	0.06	6.8	70.5	0.08	141	0.37	<0.01	0.22	12.5
6002		2.88	4.31	0.05	0.02	0.03	0.045	0.07	10.9	24	0.2	456	1.09	<0.01	0.26	10.5
6003		1.78	4.13	0.05	0.03	0.05	0.023	0.18	15.1	28.7	0.22	1050	0.41	0.02	0.24	7.8
6004		2.5	6.35	<0.05	<0.02	0.07	0.028	0.08	4.8	11.5	0.23	598	1.74	<0.01	0.83	9.7
6005		3.37	9.33	0.05	<0.02	0.05	0.063	0.16	5.9	21.3	0.89	1740	1.92	0.01	0.85	20.7
6006		3.44	9.36	0.07	0.02	0.07	0.052	0.17	9.5	19.6	0.68	2890	2.03	0.02	1.02	21.1
6007		3.37	8.68	0.07	0.02	0.07	0.083	0.14	8.9	16.8	0.74	2310	2.99	0.01	1	20
6008		2.95	10	0.07	0.03	0.05	0.073	0.16	10.6	32.4	1	328	6.51	0.02	1.58	26.8
6009		4.35	7.51	0.09	0.02	0.04	0.021	0.12	1.8	10.7	1.14	831	0.72	0.09	0.39	16.7
6010		4.55	7.43	0.09	0.03	0.04	0.021	0.11	1.8	10.3	0.98	706	0.66	0.07	0.38	14.8
6011		4.65	7.43	0.09	0.02	0.04	0.021	0.1	2.1	9.7	1.07	788	0.53	0.08	0.4	15.6
6012		3.12	5.49	0.08	0.03	0.03	0.013	0.15	4.6	11	0.94	454	0.62	0.04	0.45	22.9
6013		4.11	7.84	0.1	0.04	0.07	0.021	0.1	3.5	12.1	1.19	925	1.23	0.06	0.53	18.4
6014		3.71	6.33	0.06	0.04	0.02	0.014	0.09	2.9	12.7	0.58	649	1.64	0.01	0.68	24.3
6015		2.9	7.18	0.05	0.03	0.05	0.017	0.09	4.3	15	0.63	1630	0.66	0.01	0.82	19.3
6016		3.84	7.29	0.05	0.04	0.03	0.021	0.1	2.4	10.5	0.62	442	0.71	<0.01	0.72	6.8
6017		3.31	8.45	0.05	0.1	0.03	0.023	0.08	2.8	7.6	0.67	832	0.35	0.04	0.53	24.3
6018		3.9	10.2	0.07	0.07	0.05	0.026	0.11	3	22.4	0.84	1440	0.67	0.01	0.97	17.1
6019		4.67	14.85	0.09	0.25	0.07	0.035	0.08	4.3	19.5	1.1	588	1.09	0.01	2.27	50.4
6020		2.52	7.47	0.05	0.06	0.03	0.014	0.1	2.6	15.1	0.5	546	0.45	0.02	0.91	31.6
6021		2.91	6.81	0.05	0.03	0.04	0.014	0.09	3.3	16.1	0.95	683	0.39	0.03	0.63	34.2
6022		2.86	6.54	0.07	0.04	0.04	0.013	0.11	3	18.1	0.94	539	0.51	0.02	0.69	35.3
6023		3.22	7.61	0.09	0.06	0.04	0.013	0.13	5.1	18.6	1.25	468	0.98	0.03	0.76	54.7
6024		3.17	9.99	0.06	0.1	0.05	0.019	0.08	4	19.4	0.66	314	1.94	0.01	1.48	24.8
6025		2.97	7.67	0.06	0.09	0.03	0.019	0.07	3	13.6	0.42	325	1.66	0.01	1.15	13
6026		5.11	8.7	0.09	0.07	0.05	0.031	0.09	5.2	18.1	0.55	621	3.52	0.01	1.17	36.6
6027		2.68	7.06	0.06	0.1	0.07	0.017	0.04	3.6	7.7	0.39	230	1.14	<0.01	1	8.6
6028		2.71	6.11	0.09	0.09	0.07	0.016	0.09	6	49.2	0.47	315	0.65	0.03	0.74	11.8
6029		2.66	5.53	0.05	0.04	0.03	0.009	0.03	3	6.6	0.33	199	0.58	<0.01	0.65	7
6030		3.49	7.22	0.07	0.03	0.03	0.015	0.19	4.9	61	0.58	264	3.22	0.03	0.84	15.2
6031		2.33	4.23	0.07	0.04	0.02	<0.005	0.06	3.8	4.6	0.27	120	0.46	0.04	0.37	8
6032		3.05	8.45	0.08	0.13	0.05	0.016	0.17	8.7	65	0.42	816	2.08	0.04	1.23	17.4
6033		2.17	4.36	0.06	0.04	0.02	<0.005	0.09	4.2	6.2	0.3	170	0.33	0.04	0.45	6.3
6034		3.49	6.91	0.09	0.06	0.01	0.007	0.44	4	15.7	1.03	442	1.11	0.07	0.42	14.7
6035		2.71	4.83	0.08	0.03	0.02	<0.005	0.12	4	7.9	0.51	208	0.28	0.05	0.45	8.8
6036		2.24	4.57	0.05	0.02	<0.01	<0.005	0.16	2.7	8.9	0.52	451	0.2	0.03	0.47	9.8
6037		2.47	5.83	0.05	0.03	0.01	<0.005	0.16	2.9	10	0.56	403	0.24	0.03	0.55	11
6038		2.66	6.81	0.06	0.03	0.01	0.008	0.21	3.7	9.9	0.6	491	0.51	0.03	0.61	13.1
6039		2.49	7.13	0.05	0.06	0.02	0.008	0.2	3.4	19.5	0.5	371	0.46	0.04	0.88	14.9
6040		3.13	6.82	0.08	0.03	0.01	0.008	0.25	4.2	11.5	0.68	280	0.37	0.03	0.5	12.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6001		320	11.5	16.7	<0.001	0.01	0.25	2.7	0.2	0.3	5.7	<0.01	<0.01	0.8	<0.005	0.16
6002		530	71.9	19.1	<0.001	0.01	1.33	3.5	0.3	0.3	8.4	<0.01	0.16	1.2	<0.005	0.2
6003		820	33.5	23.7	<0.001	0.03	0.83	3.6	0.4	0.3	19.4	0.01	0.02	1.1	<0.005	0.23
6004		1100	72.5	15.4	<0.001	0.02	1.81	2.6	0.3	0.5	11	<0.01	0.03	1.6	0.041	0.12
6005		1420	68.4	29.3	0.001	0.06	0.89	3.1	0.6	0.5	53.1	<0.01	0.1	0.6	0.09	0.08
6006		1770	78.9	31.7	0.001	0.07	0.99	3.3	0.8	0.6	73.7	<0.01	0.08	0.7	0.106	0.09
6007		1160	85.1	30.2	0.001	0.08	1.09	3.4	0.9	0.5	35.2	<0.01	0.08	0.8	0.096	0.11
6008		640	108.5	26.1	0.002	0.1	1.82	6.1	1.8	0.6	49.2	<0.01	0.15	2.9	0.134	0.13
6009		1240	3.4	4.9	<0.001	0.03	0.26	8.2	0.6	0.3	92.4	<0.01	0.05	0.4	0.099	0.04
6010		2160	3.7	6.2	<0.001	0.02	0.27	7.5	0.5	0.3	72	<0.01	0.06	0.5	0.093	0.04
6011		1590	2.3	6.2	<0.001	0.02	0.29	8.1	0.5	0.3	77.1	<0.01	0.03	0.7	0.091	0.04
6012		810	2.2	10.2	<0.001	0.02	0.14	5.8	0.4	0.2	63.2	<0.01	0.03	2.1	0.087	0.07
6013		770	4.1	7	0.001	0.03	0.18	9.2	0.6	0.4	92.4	<0.01	0.04	1	0.105	0.07
6014		590	2.9	13.1	<0.001	0.02	0.11	4.1	0.3	0.3	37.5	<0.01	0.02	1.4	0.115	0.08
6015		2380	5.3	12.1	<0.001	0.03	0.16	4	0.5	0.4	57.6	<0.01	0.04	0.7	0.08	0.1
6016		990	5.2	11.1	<0.001	0.03	0.08	4	0.3	0.4	35.9	<0.01	0.06	0.9	0.015	0.06
6017		1320	5.2	10.9	<0.001	0.02	0.07	4.1	0.3	0.5	88.7	<0.01	0.01	0.6	0.193	0.07
6018		1240	6.1	7.5	<0.001	0.03	0.13	7.9	0.4	0.5	178.5	<0.01	0.05	0.7	0.125	0.11
6019		930	6.7	8.4	<0.001	0.04	0.17	7.1	0.5	1	67.9	0.02	0.03	1.1	0.211	0.08
6020		1230	3.9	10	<0.001	0.02	0.06	3.2	0.2	0.5	41.4	<0.01	0.01	0.9	0.117	0.06
6021		1680	3.5	7.6	<0.001	0.03	0.12	3.8	0.4	0.3	63.7	<0.01	0.02	1.5	0.123	0.05
6022		1390	3.9	11.9	<0.001	0.02	0.11	4.6	0.3	0.3	54.9	<0.01	0.02	2.6	0.128	0.07
6023		570	3.2	12.8	<0.001	0.01	0.13	6.2	0.5	0.3	66.9	<0.01	0.04	2.9	0.158	0.12
6024		650	5.5	8.8	<0.001	0.02	0.14	4	0.4	0.6	30	0.01	0.03	1.4	0.16	0.07
6025		330	3.6	7.1	<0.001	0.01	0.1	4.2	0.3	0.5	21.2	0.01	0.03	0.9	0.122	0.06
6026		660	8.2	8.7	0.001	0.02	0.26	5.8	0.8	0.5	36.7	0.01	0.72	1.3	0.127	0.11
6027		800	3.6	5.2	<0.001	0.02	0.13	4.3	0.7	0.3	19.1	0.01	0.06	1.2	0.087	0.05
6028		210	3.4	7.4	0.001	0.02	0.14	5.7	0.8	0.3	47.7	<0.01	0.06	0.9	0.105	0.12
6029		450	2.1	5	<0.001	0.01	0.1	3.1	0.3	0.2	20.9	<0.01	0.05	1.1	0.083	0.04
6030		510	4.2	14	<0.001	0.08	0.12	3.1	0.3	0.3	40.6	<0.01	0.04	2.4	0.155	0.12
6031		260	2.5	3.5	<0.001	0.12	0.12	2.9	0.2	0.2	33.2	<0.01	0.02	1.2	0.061	0.03
6032		280	6.2	19.8	0.001	0.09	0.15	4.9	0.8	0.6	30.1	<0.01	0.02	2.5	0.151	0.2
6033		350	1.6	6.2	<0.001	0.09	0.07	3.4	0.2	0.2	31.8	<0.01	0.01	1.6	0.075	0.06
6034		440	1.4	19.1	0.001	0.04	0.06	7.7	0.3	0.3	39.7	<0.01	0.02	1.5	0.155	0.15
6035		590	1.2	6.1	<0.001	0.03	0.08	3.5	0.2	0.2	26.7	<0.01	0.01	1.2	0.087	0.06
6036		1120	2.2	10.7	<0.001	0.01	0.09	4	<0.2	0.2	31.3	<0.01	0.01	0.8	0.092	0.06
6037		470	2.1	12.4	<0.001	0.01	0.07	4.4	<0.2	0.3	29.6	<0.01	0.01	0.8	0.111	0.08
6038		380	2.3	12.3	<0.001	0.01	0.08	5.4	0.2	0.3	29.3	<0.01	0.01	1	0.126	0.1
6039		1320	3.1	11.8	<0.001	0.01	0.07	3.9	<0.2	0.4	26.4	<0.01	0.01	1	0.122	0.08
6040		230	1.9	20.1	<0.001	0.15	0.07	5	0.2	0.3	29.4	<0.01	0.02	1.3	0.154	0.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
6001		0.25	33	0.07	2.01	160	0.7
6002		0.36	51	0.13	3.34	227	<0.5
6003		0.4	32	0.05	10.3	273	0.5
6004		0.46	61	0.23	2.5	209	<0.5
6005		3.51	89	0.41	5.56	244	<0.5
6006		6.22	90	0.32	8.03	289	<0.5
6007		11.7	91	0.43	9.59	184	<0.5
6008		44.4	116	1.01	13.7	258	<0.5
6009		0.37	113	0.24	4.91	81	<0.5
6010		0.17	118	0.25	4.04	78	<0.5
6011		0.23	117	0.76	5.32	73	<0.5
6012		0.58	80	0.43	7.83	46	0.5
6013		0.68	97	0.32	9.34	74	0.6
6014		0.31	84	0.16	4.08	108	1.1
6015		0.35	66	0.15	5.8	184	0.7
6016		0.17	64	0.15	3.42	70	1
6017		0.13	76	0.06	3.26	416	3
6018		0.21	74	0.2	4.72	200	2.1
6019		0.43	106	0.27	6.4	92	9.6
6020		0.21	63	0.29	2.85	187	2
6021		0.48	69	1.18	4.48	66	0.5
6022		0.44	66	0.2	4.57	94	0.9
6023		2.15	85	0.58	7.93	49	1.3
6024		0.73	74	0.32	3.96	108	3.3
6025		0.5	76	0.32	4.33	68	2.9
6026		1.46	83	0.54	9.75	305	2.3
6027		0.68	71	0.29	4.75	37	3.3
6028		2.77	56	0.41	14.2	54	2
6029		0.43	81	0.29	3.39	32	1
6030		1.46	104	0.18	3.05	54	1
6031		0.39	79	0.17	3.56	16	1.1
6032		9.11	72	0.33	11.4	43	5.6
6033		0.65	72	0.1	4.41	21	1.6
6034		1.12	102	0.17	6.45	47	1.3
6035		0.47	83	0.1	4.62	26	1.2
6036		0.19	56	0.1	3.55	65	0.5
6037		0.25	61	0.08	3.82	78	0.9
6038		0.39	65	0.11	5.43	118	1.2
6039		0.44	57	0.18	3.94	132	2.5
6040		0.44	96	0.21	5.38	50	0.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6041		0.04	1.98	2.1	<0.2	<10	130	0.15	0.04	0.43	0.08	11.5	15.3	20	0.97	58.9
6042		0.11	1.55	1.7	<0.2	<10	260	0.12	0.06	0.43	0.12	4.78	30.9	15	1.4	20.9
6043		0.08	2.23	1.6	<0.2	<10	90	0.21	0.06	0.4	0.08	12.25	13.2	25	1.23	42.9
6044		0.06	1.92	2.6	<0.2	<10	20	0.13	0.04	0.28	0.04	13.15	5.9	13	0.36	40.4
6045		0.13	1.92	2.3	<0.2	<10	80	0.2	0.16	0.38	0.11	8.9	10.5	16	1.17	49.1
6046		0.14	4.12	3.4	<0.2	<10	200	0.28	0.08	0.75	0.23	9.25	22.2	28	1.89	112.5
6047		0.15	2.86	3.6	<0.2	<10	220	0.15	0.03	0.71	0.14	6.51	23.9	26	1.5	129.5
6048		0.04	2.66	2.5	<0.2	<10	150	0.15	0.05	0.78	0.06	12.1	15.7	26	1.73	56.4
6049		0.05	2.43	2.1	<0.2	<10	140	0.15	0.06	0.62	0.1	9.81	14.2	23	1.75	51
6050		0.16	3.52	2.7	<0.2	<10	160	0.45	0.05	1.15	0.19	12.15	11.9	14	1.48	40.6
6051		0.16	3.14	4	<0.2	<10	200	0.3	0.08	0.52	0.14	9.6	27.3	18	2.1	172
6052		0.11	2.57	4	<0.2	<10	140	0.19	0.09	0.87	0.11	12.75	20.5	18	1.75	90.3
6053		0.14	2.97	2.9	<0.2	<10	130	0.2	0.06	0.57	0.07	13.25	16.7	39	1.25	82.3
6054		0.17	2.38	2.8	<0.2	<10	130	0.16	0.05	0.47	0.05	6.43	14.5	37	1.17	60.3
6055		0.09	1.7	1.7	<0.2	<10	400	0.2	0.09	0.48	0.28	9.13	12.7	25	1.66	24.1
6056		0.17	2.22	2.3	<0.2	<10	170	0.15	0.06	0.5	0.09	6.92	14.3	35	1.21	48.4
6057		0.24	3.02	2.6	<0.2	<10	110	0.21	0.05	0.57	0.05	10.3	14.6	37	1.15	80
6058		0.14	2.01	1.8	<0.2	<10	80	0.15	0.03	0.52	0.03	10.7	12.6	38	1.26	34.9
6059		0.14	1.99	2.3	<0.2	<10	160	0.16	0.05	0.46	0.1	8.17	15	43	1.26	55.3
6060		0.16	2.89	3.1	<0.2	<10	100	0.18	0.05	0.5	0.22	8.83	16.8	50	1.24	79.4
6061		0.14	3.03	3.3	<0.2	<10	110	0.19	0.05	0.52	0.21	9.3	17	50	1.29	83.1
6062		0.17	2.82	3.8	<0.2	<10	130	0.25	0.05	0.91	0.45	11.7	22.5	52	1.23	65.3
6063		0.16	4.86	2.8	<0.2	<10	60	0.3	0.03	0.52	0.18	9.5	12.6	20	0.89	46.8
6064		0.08	5.1	6.9	<0.2	<10	60	0.42	0.04	1.54	0.09	15.35	19.2	56	3.38	70.7
6065		0.35	3.16	2.5	<0.2	<10	50	0.23	0.13	0.14	0.14	6.3	5.5	11	1.41	26
6066		0.18	4.46	2.5	<0.2	<10	40	0.29	0.1	0.19	0.11	5.65	7.6	23	1.46	31.9
6067		0.09	2.33	3.8	<0.2	<10	70	0.19	0.07	0.49	0.07	7.75	15.2	20	0.98	62.9
6068		0.09	3.13	1.2	<0.2	<10	80	0.28	0.04	0.4	0.15	9.6	12.3	17	1.02	43.5
6069		0.19	4.26	2	<0.2	<10	70	0.35	0.1	0.21	0.12	9.4	8	22	1.28	24.3
6070		0.2	2.95	1.9	<0.2	<10	90	0.36	0.09	0.37	0.13	12.1	12	26	1.48	38.3
6071		0.21	4.81	1.6	<0.2	<10	110	0.45	0.1	0.29	0.17	11.65	11.2	44	2.46	39.4
6072		0.56	6.4	18.4	<0.2	<10	180	0.62	0.11	0.67	0.32	17.85	19.8	73	2.46	95
6073		0.2	3.84	2	<0.2	<10	130	0.37	0.12	0.21	0.29	8.41	11.4	34	2.02	33.2
6074		0.16	4.27	2.6	<0.2	<10	80	0.53	0.12	0.3	0.13	13.15	11	33	2.95	21
6075		0.2	5.71	2	<0.2	<10	100	0.54	0.75	0.45	0.2	16.45	16.4	28	3.51	43.7
6076		0.07	5.21	1.8	<0.2	<10	80	0.35	0.06	0.88	0.11	9.17	12.9	23	2.07	40.7
6077		0.18	4.19	4.3	<0.2	<10	90	0.15	0.04	1.07	0.12	7.08	21.7	27	2.37	77.5
6078		0.15	4.28	4	<0.2	<10	90	0.22	0.05	1.03	0.12	9.67	20.9	27	1.97	59.6
6079		0.17	3.13	4	<0.2	<10	100	0.17	0.03	1.42	0.11	10.05	23.3	24	1.83	56.4
6080		0.13	4.25	3.5	<0.2	<10	120	0.38	0.04	1.11	0.08	15.3	12	15	2.97	18.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6041		2.95	6.38	0.08	0.06	0.01	<0.005	0.14	4.1	13	0.54	252	0.55	0.04	0.55	12.4
6042		2.56	5.88	0.05	0.02	0.03	0.007	0.1	2.1	17.8	0.35	400	0.33	0.03	0.45	9
6043		2.83	7.52	0.06	0.05	0.02	0.005	0.12	4.5	12.1	0.52	285	0.49	0.03	0.83	13.3
6044		2.11	4.14	0.06	0.04	0.04	<0.005	0.04	7.3	4.5	0.23	103	0.55	0.03	0.41	4.4
6045		2.44	6.46	0.05	0.02	0.04	<0.005	0.07	4.3	10.2	0.36	252	1.19	0.05	0.66	9.5
6046		3.59	13.1	0.08	0.03	0.03	0.011	0.17	3.6	19.9	1.05	550	0.81	0.03	0.84	22.7
6047		3.16	8.5	0.07	0.02	0.04	<0.005	0.15	3.2	25.8	0.73	332	0.42	0.04	0.42	17.1
6048		3.49	8.41	0.1	0.03	0.02	0.005	0.41	5.2	21.9	1.03	483	1.54	0.03	0.98	13.7
6049		3.28	7.81	0.11	0.03	0.02	<0.005	0.32	4.2	19.4	0.88	396	2.36	0.04	0.92	12.5
6050		2.94	11.8	0.1	0.02	0.03	0.009	0.21	5	26.1	0.62	519	1.97	0.04	1.15	12.9
6051		4.26	10.8	0.09	0.08	0.03	0.005	0.18	4.4	24.7	0.89	662	1.77	0.04	0.87	17
6052		3.38	8	0.12	0.02	0.03	0.005	0.32	5.5	24.3	0.74	444	2.94	0.05	0.62	14.3
6053		3.83	8.23	0.06	0.06	0.02	0.007	0.22	4.1	10.6	0.92	488	0.66	0.04	0.43	21.1
6054		3.23	7.31	0.05	0.03	0.02	0.005	0.1	2.4	11.5	0.85	442	0.47	0.03	0.55	22.1
6055		2.23	5.56	<0.05	0.02	0.03	0.008	0.17	3.9	19.4	0.47	1835	0.36	0.03	0.71	17.5
6056		3.09	6.86	0.05	0.02	0.02	<0.005	0.13	2.7	11.3	0.72	824	0.61	0.04	0.54	22
6057		3.63	8.2	0.07	0.05	0.02	0.006	0.2	4.2	10.9	0.79	381	0.6	0.04	0.43	19
6058		3.2	6.41	0.12	0.06	0.01	<0.005	0.25	4.8	10.3	0.73	270	0.47	0.04	0.44	21.1
6059		3.18	6.8	0.05	0.03	0.02	<0.005	0.1	3.4	12.6	0.71	589	0.33	0.03	0.56	22.9
6060		3.58	7.98	0.07	0.02	0.01	0.006	0.12	2.7	12.9	1.01	434	0.49	0.03	0.52	25.6
6061		3.58	8.17	0.07	0.02	0.02	0.006	0.13	2.9	13.4	1.05	443	0.48	0.04	0.54	26.6
6062		3.86	8.03	0.06	0.07	0.02	0.009	0.12	4.2	9.6	1.4	1190	0.84	0.03	0.75	36
6063		3.12	7.72	0.08	0.07	0.14	0.008	0.05	4.4	8	0.62	383	1.03	0.03	0.7	8
6064		4.14	13.35	0.08	0.07	0.08	0.02	0.07	5.5	20.9	1.44	628	0.5	0.04	0.95	26.1
6065		5.05	16.95	0.08	0.07	0.08	0.043	0.08	2.9	8.1	0.33	272	2.46	0.02	1.96	3.6
6066		4.79	12.7	0.06	0.1	0.17	0.028	0.04	2.4	10.8	0.4	217	1.11	0.02	1.68	7.3
6067		3.33	5.78	0.09	0.06	0.02	0.013	0.13	3.2	7.5	0.77	492	0.72	0.03	0.5	10.1
6068		3	6.62	0.07	0.04	0.06	0.013	0.12	4.1	8.9	0.53	388	0.57	0.02	0.44	7.2
6069		4.51	13.75	0.07	0.05	0.11	0.033	0.06	4.2	8.6	0.47	277	4.17	0.01	1.48	6.9
6070		3.53	10.15	0.05	0.02	0.09	0.02	0.08	5.2	9	0.63	559	1.53	0.02	0.62	10.7
6071		3.24	9.89	0.06	0.04	0.1	0.02	0.12	4.6	15.1	0.8	412	1.04	0.01	1.2	17.7
6072		3.49	13.55	0.08	0.09	0.14	0.033	0.11	8.4	26.1	0.62	1445	6.17	0.03	0.96	19
6073		3.67	10.1	0.05	0.02	0.13	0.021	0.1	3.5	13.8	0.74	869	1.05	0.01	0.85	15.7
6074		3.78	13.5	0.05	0.05	0.13	0.023	0.06	5.2	19.5	0.65	800	1.97	0.01	2.06	13.2
6075		4.42	14.9	0.07	0.14	0.14	0.03	0.07	5	23	1.11	599	0.88	0.01	1.59	15.2
6076		3.64	13.35	0.07	0.05	0.08	0.022	0.06	3.9	12.5	0.72	692	1.31	0.02	0.95	9.2
6077		4.24	10.3	0.1	0.03	0.08	0.017	0.18	3	9.2	0.65	779	1.86	0.02	0.35	10.8
6078		4.59	11.5	0.1	0.03	0.09	0.018	0.08	4	10.9	0.76	497	1.38	0.04	0.38	12.1
6079		4.34	8.69	0.11	0.02	0.05	0.011	0.16	4.1	11.9	0.77	440	0.96	0.05	0.29	10.8
6080		3.54	11.1	0.11	0.03	0.07	0.018	0.17	5.6	19.6	0.82	837	0.62	0.01	0.75	7.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6041		940	2	12.4	<0.001	0.16	0.08	3.3	0.2	0.2	29.6	<0.01	0.02	2.3	0.113	0.09
6042		2490	2.8	12	<0.001	0.09	0.09	2.4	<0.2	0.2	31.9	<0.01	0.01	1.6	0.092	0.05
6043		680	2.6	14.5	<0.001	0.07	0.1	3.7	0.3	0.3	23.2	<0.01	0.01	1.6	0.125	0.1
6044		690	1.5	2.2	<0.001	0.04	0.09	3.5	0.5	<0.2	16.7	<0.01	0.02	2.2	0.055	0.03
6045		750	2.5	8.7	<0.001	0.08	0.16	3.1	0.4	0.2	28.3	0.01	0.03	1.7	0.096	0.06
6046		870	4.3	9.4	<0.001	0.02	0.08	5.1	0.3	0.4	59.2	<0.01	0.03	1.2	0.142	0.07
6047		700	2	11.3	<0.001	0.02	0.09	3.2	0.2	0.2	57.8	<0.01	0.01	1.6	0.145	0.09
6048		550	2.5	24.8	<0.001	0.01	0.09	5.3	0.2	0.3	39.1	<0.01	0.02	1.8	0.185	0.18
6049		370	2.5	25.3	<0.001	0.02	0.09	4.7	0.3	0.3	41	<0.01	0.04	1.5	0.171	0.16
6050		370	4.8	12.2	<0.001	0.22	0.11	5	0.3	0.4	47.2	<0.01	0.03	1.2	0.153	0.11
6051		1160	5.2	15.2	<0.001	0.23	0.15	4.1	0.7	0.4	44.9	<0.01	0.03	1.6	0.213	0.13
6052		730	3.8	18.3	<0.001	0.13	0.19	6	0.3	0.4	35.2	<0.01	0.04	1.7	0.135	0.19
6053		480	2.6	13.5	<0.001	0.04	0.1	5.6	0.3	0.3	71.8	<0.01	0.04	2.1	0.129	0.12
6054		570	2.6	11.7	<0.001	0.01	0.1	4.1	0.2	0.3	56.5	<0.01	0.02	1	0.114	0.06
6055		2550	5.1	13.1	<0.001	0.02	0.12	3.1	<0.2	0.4	61.2	<0.01	0.01	1.7	0.112	0.09
6056		1090	3	11.8	<0.001	0.02	0.12	4	0.2	0.3	53.8	<0.01	0.02	1.4	0.104	0.07
6057		310	2.7	11.7	<0.001	0.01	0.11	4.6	0.2	0.3	79.4	<0.01	0.03	2	0.121	0.1
6058		220	1.7	16.9	<0.001	0.04	0.09	5.2	0.3	0.3	40.9	<0.01	0.01	2.2	0.146	0.12
6059		1440	2.9	9.4	<0.001	0.14	0.11	3.8	<0.2	0.3	47.3	<0.01	0.02	1.5	0.109	0.07
6060		600	2.3	9.4	<0.001	0.18	0.11	4.4	0.2	0.3	55.1	<0.01	0.02	0.9	0.147	0.08
6061		680	2.4	10.2	<0.001	0.14	0.11	4.4	0.3	0.3	59	<0.01	0.02	1.1	0.146	0.09
6062		810	4	13.6	<0.001	0.06	0.17	5.5	0.2	0.4	67.1	<0.01	0.02	0.7	0.167	0.07
6063		1100	3.1	4.1	<0.001	0.07	0.15	6.2	0.7	0.2	34	<0.01	0.03	0.9	0.112	0.05
6064		750	4.2	5.5	0.001	0.02	0.14	10.4	0.4	0.4	99.1	<0.01	0.02	1	0.187	0.05
6065		1170	7.3	10	<0.001	0.05	0.19	6.4	0.4	0.8	12.3	0.01	0.06	1.1	0.365	0.06
6066		690	5.7	5.4	<0.001	0.03	0.18	5.4	0.4	0.5	15.5	0.01	0.05	1.8	0.212	0.05
6067		1070	2.3	8.1	<0.001	<0.01	0.19	5.1	0.3	0.2	28	<0.01	0.07	1.3	0.137	0.08
6068		1540	2.2	12.4	<0.001	0.01	0.1	3.8	0.3	0.2	18.1	0.01	0.02	0.4	0.111	0.09
6069		560	4.4	7.6	<0.001	0.02	0.17	6.3	0.6	0.5	17.9	0.03	0.05	1	0.237	0.05
6070		930	4.8	7.8	<0.001	0.03	0.18	3.5	0.4	0.4	29.8	0.01	0.04	0.3	0.139	0.08
6071		1020	3.4	16.8	<0.001	0.02	0.2	5.3	0.5	0.4	34.8	0.02	0.07	0.9	0.172	0.1
6072		1810	5.5	7.6	0.003	0.09	0.48	7.2	1.7	0.6	64.7	0.02	0.04	0.5	0.097	0.18
6073		1300	4.9	11.7	<0.001	0.03	0.18	4	0.3	0.4	32.6	0.01	0.04	0.2	0.1	0.1
6074		750	6.4	12.2	<0.001	0.01	0.19	5.4	0.6	0.7	30.4	0.03	0.04	1.3	0.209	0.09
6075		1390	8.3	11.1	<0.001	0.01	0.18	8.3	0.6	0.5	55.5	0.01	0.07	1.8	0.192	0.09
6076		1020	3.6	7.8	<0.001	0.02	0.14	6.6	0.4	0.5	58.2	0.01	0.03	0.6	0.148	0.07
6077		2470	2.7	8	<0.001	0.05	0.21	5	0.6	0.2	86.6	<0.01	0.04	0.4	0.106	0.1
6078		1500	3.1	6.1	<0.001	0.02	0.19	6.1	0.6	0.2	89.6	<0.01	0.04	0.5	0.151	0.08
6079		2140	1.9	7.3	<0.001	0.02	0.18	5.7	0.5	0.2	98.9	<0.01	0.03	0.6	0.13	0.08
6080		1120	4.2	10.9	<0.001	0.01	0.15	6.3	0.3	0.4	66.4	<0.01	0.03	1.2	0.142	0.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	1	0.05	0.05	2	0.5
6041		0.83	92	0.18	4.71	53	2.7
6042		1.48	65	0.72	1.77	182	0.7
6043		0.94	84	0.24	5.66	50	1.9
6044		1.89	71	0.13	7.26	14	1.4
6045		0.67	70	0.85	3.57	38	0.9
6046		0.61	90	0.61	3.62	71	1
6047		0.97	109	0.31	2.8	66	0.5
6048		1.55	93	0.44	6.25	59	0.9
6049		1.53	88	0.47	5.15	61	0.6
6050		1.01	63	0.54	7.5	165	<0.5
6051		0.72	94	0.32	4.14	109	4.2
6052		3.34	83	0.35	7.65	71	0.7
6053		0.46	101	0.59	4.76	53	1.7
6054		0.24	83	0.24	3.43	55	0.9
6055		0.58	51	0.26	3.29	238	0.9
6056		0.32	76	0.22	3.44	83	0.9
6057		0.57	96	0.27	5.28	45	1.5
6058		0.6	113	0.17	5.91	34	2
6059		0.33	86	0.17	3.64	79	1
6060		0.32	96	0.29	3.88	59	0.7
6061		0.35	95	0.3	4.04	59	0.8
6062		0.39	72	0.2	6.02	137	2.4
6063		0.85	76	0.27	7.9	42	2.1
6064		0.73	104	0.34	10.7	66	1.8
6065		0.5	99	0.22	5.32	39	3.1
6066		0.62	95	0.23	3.92	40	4.2
6067		0.6	82	0.18	7.32	49	1.5
6068		0.83	73	0.15	7.07	63	1
6069		0.9	95	0.29	8.22	36	2
6070		1.58	74	0.27	11.9	37	0.6
6071		1.54	62	0.26	8.03	57	1.6
6072		163.5	97	0.46	31.2	63	2.8
6073		1.76	63	0.23	6.04	61	0.5
6074		6.51	69	0.32	11.35	63	1.5
6075		1.46	85	0.35	11.7	104	5.2
6076		0.85	103	0.28	7.19	54	1.5
6077		2.12	149	0.24	3.78	39	0.7
6078		1.86	170	0.29	6.13	47	0.6
6079		2.04	166	0.17	6.32	44	<0.5
6080		1.07	65	0.46	13.4	100	0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6081		0.13	4.48	3.7	<0.2	<10	130	0.36	0.04	1.16	0.09	16.5	12.5	16	3.21	19.3
6082		0.18	1.72	3.3	<0.2	<10	60	0.12	0.06	0.4	0.18	6.01	8.6	20	1.35	21.5
6083		0.09	2.48	3.8	<0.2	<10	70	0.18	0.05	0.78	0.07	12.2	9.6	29	1.96	31.3
6084		0.13	2.88	8.9	<0.2	<10	130	0.28	0.16	0.76	0.22	20.4	17.9	22	2.79	45.1
6085		0.21	2.7	7.5	<0.2	<10	120	0.25	0.13	0.86	0.25	16.9	16	20	2.49	41
6086		0.19	3.37	6.4	<0.2	<10	70	0.29	0.15	0.19	0.19	9.93	9.4	15	3.4	20.4
6087		0.13	3.53	9	<0.2	<10	110	0.28	0.13	0.29	0.09	12.6	12.8	20	2.83	37.9
6088		0.28	2.05	4.8	<0.2	<10	100	0.19	0.09	0.29	0.21	11.1	12.6	16	1.78	22.6
6089		0.15	4.56	37.9	<0.2	<10	90	0.43	0.14	0.22	0.29	18.4	12.7	26	2.66	30.1
6090		0.29	3.45	4	<0.2	<10	160	0.29	0.16	0.26	0.13	12.4	13.6	25	3.13	39.8
6091		0.24	2.84	4.4	<0.2	<10	110	0.29	0.18	0.24	0.17	10.1	11.6	21	2.81	26.5
6092		0.38	3.35	5.3	<0.2	<10	100	0.31	0.2	0.18	0.22	14.1	12	25	2.71	30.4
6093		0.27	2.89	4.8	<0.2	<10	70	0.23	0.22	0.17	0.16	7.73	9.1	27	1.95	21.4
6094		0.28	3.6	5.8	<0.2	<10	100	0.25	0.15	0.25	0.18	11.6	12.8	37	2.69	31.3
6095		0.33	3.42	6.6	<0.2	<10	70	0.36	0.24	0.09	0.31	10.7	10.4	22	3.95	21.6
6096		0.17	3.28	10.3	<0.2	<10	90	0.33	0.18	0.27	0.1	9.18	13.2	24	2.76	20.5
6097		0.23	3.45	10	<0.2	<10	150	0.3	0.18	0.29	0.14	9	13.7	32	3.12	30.5
6098		0.54	3.19	14.5	<0.2	<10	90	0.19	0.19	0.33	0.11	8.34	24.7	14	1.6	35.9
6099		0.28	3.44	8.3	<0.2	<10	70	0.3	0.15	0.2	0.26	7.25	9.9	14	1.71	31.6
6100		0.21	2.81	9.3	<0.2	<10	100	0.19	0.21	0.25	0.14	7.8	11.8	16	2.27	30.3
6101		0.14	2.15	5.3	<0.2	<10	90	0.15	0.2	0.35	0.15	8.99	9.9	24	2.22	43.9
6102		0.16	2.21	6.6	<0.2	<10	90	0.29	0.2	0.36	0.18	10.05	12.2	23	2.33	48.5
6103		0.05	2.58	6	<0.2	<10	90	0.19	0.41	0.31	0.12	10.05	10.7	33	2.64	40.7
6104		0.13	2.93	5.9	<0.2	<10	60	0.18	0.14	0.29	0.11	12.1	8.3	23	1.7	29.9
6105		0.38	5.3	8.5	<0.2	<10	60	0.29	0.19	0.15	0.17	11.45	9.1	23	1.92	33
6106		0.15	4.07	6.4	<0.2	<10	50	0.22	0.17	0.17	0.11	16.1	7.3	21	1.89	34.2
6107		0.22	4.04	5.1	<0.2	<10	50	0.33	0.19	0.14	0.2	8.41	5.8	15	1.8	24.3
6108		0.09	3.48	41	<0.2	<10	120	0.42	0.22	0.27	0.11	11.9	15.6	25	2.31	38.2
6109		0.23	2.82	7.6	<0.2	<10	50	0.19	0.21	0.12	0.09	5.14	6.2	22	2.16	22
6110		0.15	3.21	6.4	<0.2	<10	110	0.2	0.25	0.22	0.13	11.8	11.3	26	1.95	42.5
6111		0.13	1.69	13	<0.2	<10	100	0.1	0.27	0.2	0.11	5.24	7.5	16	1.25	38.1
6112		0.13	2.51	10.7	<0.2	<10	110	0.18	0.66	0.99	0.28	9.97	15.5	47	3.34	38.7
6113		0.43	2.4	4.1	<0.2	<10	40	0.28	0.22	0.13	0.42	11.8	4.2	17	1.14	24.2
6114		0.15	0.34	1.3	<0.2	<10	40	<0.05	0.1	0.44	0.65	2.25	1.4	4	0.37	12.9
6115		0.41	2.17	5.7	<0.2	<10	40	0.16	0.22	0.17	0.22	8.51	5.9	21	1.58	22.1
6116		0.16	1.67	7.3	<0.2	<10	80	0.11	0.17	0.52	0.13	10.85	10.8	24	2.71	42.2
6117		0.43	1.88	4.1	<0.2	<10	70	0.19	0.25	0.29	0.61	12.25	7.1	23	2.34	30.4
6118		2.15	4.54	10.9	<0.2	<10	90	0.85	10.55	0.21	0.89	91	15.3	25	16.8	147
6119		0.66	4.21	5.1	<0.2	<10	110	0.4	0.38	0.21	0.23	19.4	7.5	34	5.31	33.1
6120		0.4	3.75	3.2	<0.2	<10	80	0.38	0.28	0.17	0.17	21.3	11.1	43	2.87	79.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6081		3.62	11.75	0.11	0.03	0.07	0.019	0.18	5.9	20.7	0.84	877	0.66	0.01	0.77	8.4
6082		3.22	10.2	0.05	<0.02	0.05	0.013	0.09	2.7	7.7	0.58	618	1.55	0.02	0.54	6.8
6083		3.5	9.09	0.09	<0.02	0.04	0.016	0.12	4.6	14	0.82	459	1.58	0.02	0.72	11.2
6084		5.13	10.75	0.14	0.02	0.03	0.044	0.3	7.3	22.3	1.2	1285	6.71	0.01	0.81	10
6085		4.56	10.35	0.11	0.02	0.05	0.04	0.24	6.1	20.8	1.11	1475	5.44	0.02	0.78	9.9
6086		3.49	10.05	0.06	0.03	0.09	0.024	0.1	4.1	16.2	0.54	404	2.04	0.01	1.09	7.4
6087		3.34	7.28	0.1	0.06	0.07	0.019	0.21	4.5	15.9	0.7	448	1.48	0.02	0.65	10.6
6088		2.62	5.73	0.07	0.02	0.08	0.013	0.18	4.3	11.7	0.54	490	0.78	0.02	0.53	7.5
6089		4.06	11	0.08	0.06	0.1	0.027	0.1	4.3	22.3	0.69	325	3.97	0.03	0.99	10.3
6090		3.53	9.91	0.07	0.03	0.07	0.024	0.23	4.7	17	0.83	591	1.68	0.02	0.86	11.7
6091		3.44	9.41	0.06	0.02	0.07	0.027	0.14	4	15.3	0.65	688	1.9	0.02	0.72	8.6
6092		3.84	10.7	0.07	0.05	0.07	0.028	0.12	4.9	18.2	0.7	419	1.84	0.02	1.02	9.4
6093		3.31	10.1	0.06	0.03	0.11	0.02	0.09	3.2	13.1	0.44	524	0.88	0.01	0.87	8.3
6094		3.39	8.85	0.08	0.07	0.06	0.02	0.17	4.3	15.4	0.67	533	1.01	0.02	0.86	12.3
6095		3.78	13.65	0.07	0.06	0.11	0.027	0.08	4.2	16.8	0.45	298	2.75	0.01	1.72	8.8
6096		2.85	7.73	0.07	0.05	0.05	0.019	0.11	3.7	13.1	0.48	450	0.81	0.02	0.65	8.6
6097		3.7	9.62	0.07	0.02	0.07	0.022	0.15	3.9	18.2	0.64	424	0.82	0.02	0.62	14.1
6098		2.88	5.55	0.09	0.05	0.05	0.014	0.14	3.2	9.9	0.45	714	0.96	0.03	0.47	10.9
6099		3.1	6.81	0.09	0.07	0.09	0.021	0.08	3.2	13	0.46	275	1.32	0.02	0.66	8.4
6100		3.55	8.62	0.09	0.04	0.04	0.024	0.12	3.4	12.1	0.48	353	1.14	0.02	0.79	8.5
6101		2.92	6.56	0.1	0.02	0.05	0.019	0.14	3.9	12.4	0.6	449	1.29	0.02	0.64	10.7
6102		2.93	6.62	0.07	0.03	0.06	0.018	0.14	4.4	12.8	0.62	456	1.48	0.02	0.73	11.5
6103		3.61	10.3	0.05	0.05	0.05	0.032	0.14	4.3	16.2	0.84	395	1.08	0.01	1.07	17.6
6104		3.26	6.56	<0.05	0.03	0.05	0.02	0.07	4.7	10	0.41	231	1.04	0.01	0.83	7.9
6105		4.44	11.35	<0.05	0.19	0.11	0.033	0.06	3.9	12.1	0.43	203	1.91	0.01	1.44	7
6106		3.49	10.1	<0.05	0.12	0.06	0.024	0.06	5.3	13.1	0.49	215	1.88	0.01	1.28	7.5
6107		3.25	11.25	<0.05	0.06	0.13	0.026	0.05	4	11.1	0.29	206	2.44	<0.01	1.56	6
6108		4.78	10	0.06	0.04	0.08	0.028	0.07	4.2	38.5	0.6	260	4.77	0.01	1.28	14.9
6109		3.75	11.3	<0.05	0.09	0.09	0.026	0.06	2.4	17.1	0.36	212	1.43	0.01	1.67	8.3
6110		3.53	8.6	<0.05	0.04	0.05	0.022	0.08	4.1	15.8	0.63	368	1.06	0.01	0.96	13.1
6111		2.73	5.38	<0.05	0.02	0.07	0.016	0.05	2.5	10.3	0.39	170	1.98	0.01	0.53	9.9
6112		3.68	6.52	0.05	0.02	0.05	0.022	0.18	4.8	15.5	0.93	722	1.9	0.08	0.53	17.4
6113		2.6	7.75	<0.05	0.04	0.11	0.021	0.02	5.1	7.1	0.15	135	3.74	<0.01	1.37	5.4
6114		0.37	1.05	<0.05	<0.02	0.14	0.005	0.04	0.9	1.2	0.08	28	2.21	0.01	0.18	3.4
6115		3.26	9.4	<0.05	0.04	0.06	0.022	0.04	3.9	8.7	0.34	178	5.1	0.01	0.93	7.5
6116		2.9	5.2	0.08	0.02	0.01	0.016	0.17	4.1	13.7	0.67	414	2.27	0.03	0.59	11.3
6117		2.69	7.93	<0.05	0.03	0.06	0.019	0.08	5.4	11.1	0.43	417	2.92	0.01	1.4	10
6118		3.48	9.72	0.07	0.04	0.12	0.066	0.09	33.1	20.3	0.31	3600	11.9	<0.01	1.17	15.6
6119		3.12	10.45	<0.05	0.16	0.08	0.033	0.06	5.7	22	0.46	265	1.91	0.01	2.77	14.8
6120		3.09	7.95	0.05	0.11	0.1	0.03	0.07	5.6	17.4	0.64	806	1.64	0.01	1.52	19.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
6081		1150	4.5	11.6	<0.001	0.01	0.16	6.4	0.3	0.4	69.6	<0.01	0.03	1.3	0.146	0.1
6082		860	4.7	7.6	<0.001	0.03	0.19	2.7	<0.2	0.5	41.5	<0.01	0.03	<0.2	0.122	0.06
6083		1260	4.8	7.7	<0.001	0.05	0.17	4.9	0.2	0.4	49.1	0.01	0.04	0.4	0.13	0.08
6084		1110	6.6	13.5	<0.001	0.05	0.29	11.1	0.9	0.9	42.7	<0.01	0.23	1.4	0.167	0.16
6085		1020	6.3	12.5	<0.001	0.04	0.27	9.3	0.6	0.7	44	0.01	0.18	1	0.153	0.13
6086		890	8.8	12	<0.001	0.04	0.47	3.6	0.5	0.4	12.2	0.02	0.04	0.8	0.15	0.12
6087		1380	8	14	<0.001	0.02	0.42	5.4	0.5	0.3	13.9	0.01	0.05	2.1	0.128	0.14
6088		1040	6.3	11.3	<0.001	0.02	0.4	3.5	0.3	0.3	14.8	<0.01	0.03	1.2	0.112	0.13
6089		630	7.7	8.4	<0.001	0.02	0.48	6.4	1.1	0.4	18.8	0.01	0.05	3.1	0.171	0.11
6090		800	8.6	18.7	<0.001	0.01	0.38	5.6	0.5	0.4	15.1	0.01	0.04	1.4	0.175	0.17
6091		920	9.4	13.6	<0.001	0.01	0.43	4.4	0.3	0.4	15.5	0.01	0.04	1.1	0.148	0.13
6092		720	16.9	12.9	<0.001	0.01	0.63	6.7	0.4	0.6	12.7	0.01	0.04	3.1	0.199	0.11
6093		890	11.6	8	<0.001	0.02	0.45	4.1	0.5	0.5	13.3	0.02	0.04	1.6	0.164	0.11
6094		990	11.3	12.9	<0.001	0.01	0.5	5.7	0.5	0.3	13.7	0.01	0.04	2.8	0.152	0.14
6095		650	10.8	12.6	<0.001	0.03	0.43	4	0.6	0.9	10.6	0.02	0.06	1.3	0.176	0.12
6096		1110	9.6	8.8	<0.001	0.02	0.42	4.4	0.4	0.3	16.8	0.01	0.05	1.3	0.108	0.09
6097		900	8.9	10.3	<0.001	0.02	0.44	4.1	0.4	0.3	20.1	0.01	0.04	0.7	0.142	0.1
6098		1470	8.4	7.8	<0.001	<0.01	0.54	4.6	0.5	0.2	13	0.01	0.07	2.1	0.103	0.12
6099		780	7.1	5.5	<0.001	0.01	0.4	4.9	0.4	0.2	11.5	0.01	0.04	1.1	0.135	0.07
6100		740	14.6	9.7	<0.001	<0.01	0.46	5.2	0.4	0.4	12	0.01	0.05	1.6	0.179	0.1
6101		810	10.7	8.9	<0.001	0.01	0.31	4.1	0.3	0.3	15.7	0.01	0.03	1.3	0.148	0.11
6102		770	11.6	9.7	<0.001	0.03	0.37	4	0.7	0.4	18.8	0.01	0.05	1.5	0.135	0.12
6103		450	10.5	8.4	<0.001	0.04	0.28	3.9	0.4	0.4	18.2	0.01	0.04	0.7	0.174	0.09
6104		1050	6.3	5.2	<0.001	0.03	0.37	4.8	0.5	0.3	15.4	0.01	0.03	2.5	0.131	0.05
6105		1290	8.4	5.6	0.001	0.07	0.44	7.3	0.6	0.4	12	0.01	0.06	3.3	0.215	0.06
6106		1200	7.5	4.5	<0.001	0.04	0.38	6.7	0.7	0.4	10.9	0.01	0.04	2.2	0.193	0.05
6107		900	8.1	5.9	<0.001	0.06	0.36	3.9	0.6	0.5	10.2	0.03	0.04	0.9	0.181	0.08
6108		500	5.5	4.9	<0.001	0.05	0.42	4	0.7	0.4	19	0.01	0.06	1.2	0.196	0.08
6109		1460	7.8	8.6	<0.001	0.03	0.39	3.6	0.5	0.8	8.1	0.02	0.04	3.5	0.213	0.07
6110		690	9.7	7.2	<0.001	0.01	0.36	5.3	0.5	0.4	16.6	0.01	0.04	1.6	0.153	0.08
6111		540	6.7	3.9	<0.001	0.06	0.49	3.1	0.3	0.3	16.8	<0.01	0.07	0.5	0.103	0.05
6112		1110	16.5	12.5	0.001	0.04	0.62	4.8	0.5	0.3	76.3	<0.01	0.04	1.4	0.111	0.14
6113		370	16.4	2.2	<0.001	0.04	0.47	3.3	0.5	0.6	9.9	0.03	0.03	1.3	0.155	0.06
6114		410	4.8	2.6	<0.001	0.11	0.33	0.7	0.2	<0.2	26.9	<0.01	0.01	0.2	0.017	<0.02
6115		330	10.7	3.9	<0.001	0.05	0.58	2.5	0.4	0.4	13.5	0.01	0.04	0.4	0.129	0.05
6116		840	15.2	9.7	0.001	0.02	0.56	4.1	0.2	0.3	24	<0.01	0.03	2.1	0.127	0.12
6117		600	20.3	8.3	<0.001	0.06	0.75	2.7	0.2	0.5	21.9	0.01	0.03	1.2	0.148	0.08
6118		1660	91.1	21.1	<0.001	0.12	1.43	4.9	1.1	1	24.8	0.03	0.09	1.6	0.058	0.28
6119		1070	38.8	9.7	<0.001	0.06	0.47	4.6	0.4	0.8	27.2	0.03	0.03	6	0.184	0.1
6120		1170	15.7	6.9	<0.001	0.02	0.3	5.7	0.3	0.5	22.7	0.01	0.02	6.8	0.171	0.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
6081		1.14	67	0.53	14.05	104	0.5
6082		0.48	79	0.4	3.6	38	<0.5
6083		1.05	73	0.37	9.66	51	<0.5
6084		1.9	88	0.24	19.8	110	<0.5
6085		1.59	82	0.36	15.7	103	<0.5
6086		1.28	65	0.24	6.91	45	0.9
6087		1.75	72	0.25	9.16	50	1.5
6088		1.15	60	0.3	8.14	34	<0.5
6089		6.41	95	0.37	9.12	40	1.4
6090		1.43	86	0.15	7.87	56	1.2
6091		1.05	81	0.2	6.57	52	0.6
6092		2.13	95	0.38	8.83	59	1.8
6093		1.12	83	0.33	4.96	38	1.2
6094		1.85	80	0.38	8.35	45	2.1
6095		1.81	70	0.35	7.12	45	2.6
6096		1.24	66	0.53	6.75	36	1.5
6097		1.7	82	0.27	7.6	48	0.6
6098		1.97	66	0.34	6.47	40	1.2
6099		0.91	68	0.32	5.77	48	2.1
6100		0.87	92	0.36	6.19	53	1.1
6101		1.16	88	0.32	6.17	55	0.5
6102		1.42	90	0.33	6.34	59	1
6103		1.46	99	0.31	5.63	59	1.4
6104		1.51	98	0.44	7.06	35	1.1
6105		1.38	114	0.48	7.38	44	7.1
6106		1.51	89	0.61	8.86	41	4.5
6107		1.16	73	0.46	4.39	34	2.8
6108		1.8	99	1.08	6.22	72	1.4
6109		1.66	100	0.31	2.5	49	3.8
6110		0.76	101	0.32	5.6	45	1.3
6111		0.7	66	0.55	2.98	27	<0.5
6112		4.52	111	0.83	7.29	59	<0.5
6113		2.27	65	0.43	5.54	20	1.5
6114		0.38	9	0.1	0.76	31	0.5
6115		1.44	74	0.4	4.61	25	0.9
6116		5.24	82	0.71	7.18	47	0.5
6117		4.61	71	0.43	5.24	54	1.1
6118		36.5	66	0.66	34.5	121	0.8
6119		2.58	86	0.47	4.23	82	7.7
6120		3.26	102	0.61	6.41	53	4.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6121		0.42	3.69	3.2	<0.2	<10	80	0.34	0.28	0.17	0.16	21.3	11.3	43	2.99	75.6
6122		0.57	3.77	3.9	<0.2	<10	130	0.51	0.41	0.25	0.29	23.7	13.5	43	6.95	84.9
6123		1.45	2.98	2	<0.2	<10	80	0.36	0.32	0.19	0.31	77.7	12.5	54	5.08	159
6124		0.85	3.38	3	<0.2	<10	120	0.42	1.44	0.64	0.57	38.6	12.4	37	9.4	109.5
6125		0.43	2.02	2.3	<0.2	<10	60	0.32	0.62	0.17	0.39	10.4	9.5	27	9.53	35.2
6126		0.27	1.97	2	<0.2	<10	60	0.27	0.3	0.18	0.41	11.4	9.7	37	7.52	51.8
6127		0.43	1.36	2.2	<0.2	<10	50	0.21	0.49	0.21	0.51	10.25	7.3	32	5.16	38.2
6128		7.84	2.7	6.2	<0.2	<10	60	0.41	1.34	0.27	0.32	49	9.7	45	6.33	304
6129		1.29	1.97	6.3	<0.2	<10	90	0.25	1.83	0.36	0.66	26	9.9	45	5.5	141.5
6130		0.22	2.03	4.8	<0.2	<10	90	0.29	1.07	0.39	0.38	21.7	9.9	39	3.36	105.5
6131		0.47	1.5	4.2	<0.2	<10	50	0.22	1.18	0.4	0.62	21.9	9	42	4.73	77.2
6132		1.61	2.67	9.1	<0.2	<10	120	0.43	5.95	0.65	1.04	37.3	14.8	34	13.05	257
6133		0.38	1.57	5	<0.2	<10	60	0.22	0.87	0.35	0.36	20.1	9.2	39	3.27	103
6134		2.26	2.15	43.3	<0.2	<10	60	0.37	5.59	0.33	2.15	31.2	11.9	31	9.37	174.5
6135		0.44	2.08	8.6	<0.2	<10	130	0.3	2.03	0.41	0.83	23.7	11.8	39	4.87	118.5
6136		1.51	2.61	6.1	<0.2	<10	70	0.63	4.58	0.25	1.91	18.45	13.4	30	17	136.5
6137		2.32	2.04	8.4	<0.2	<10	270	0.33	1.18	0.43	1.06	23.7	11	46	6.14	129
6138		0.37	0.86	1.4	<0.2	<10	50	0.18	0.25	0.21	0.6	7.78	4.4	19	2.43	12.2
6139		0.69	2.2	83.3	6.6	<10	210	0.34	2.27	0.28	1.19	40.5	15.6	83	4.19	165
6140		1.16	1.8	14.1	<0.2	<10	90	0.33	2.52	0.21	0.85	21.9	10.2	40	10.6	87.1
6141		1.17	1.86	15.7	<0.2	<10	90	0.29	2.24	0.2	0.82	21	10.1	38	9.87	89.6
6142		3.05	2.84	7.2	<0.2	<10	90	0.32	0.94	0.15	0.35	19.95	9.8	47	3.66	57.2
6143		1.38	3.34	6.5	<0.2	<10	100	0.38	1.19	0.15	0.32	16.75	12.9	63	4.48	110.5
6144		0.53	2.73	3	<0.2	<10	160	0.47	0.91	0.32	0.35	18.7	13.3	41	6.61	89.6
6145		0.39	2.44	3.2	<0.2	<10	70	0.3	0.59	0.12	0.2	8.74	10.1	38	2.65	51.6
6146		0.4	3.03	3.5	<0.2	<10	100	0.45	2.54	0.27	0.23	20.4	12.3	43	3.82	101.5
6147		1.5	3.06	3.9	<0.2	<10	170	0.45	8.83	0.57	0.24	19.85	11.6	34	5.97	340
6148		0.55	2.32	3.1	<0.2	<10	110	0.35	0.82	0.14	0.14	24.1	9	44	2.59	117.5
6149		0.4	1.82	2.4	<0.2	<10	80	0.24	1.05	0.13	0.24	7.87	8.7	29	5.03	62.8
6150		0.89	3.86	3.1	<0.2	<10	180	0.61	1.13	0.18	0.25	42.6	13.9	37	5.55	261



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156824
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6121		3.13	8.18	0.05	0.09	0.09	0.03	0.07	5.7	17.7	0.65	864	1.67	0.01	1.58	19.8
6122		3.95	9.75	0.05	0.11	0.08	0.05	0.07	5.5	30.9	0.89	506	2.01	0.01	1.85	25.1
6123		3.49	8.26	0.07	0.07	0.07	0.034	0.07	10	22.4	1.02	282	1.27	0.02	1.61	27.3
6124		3.24	9.45	0.06	0.04	0.05	0.048	0.17	11.5	25.7	1	667	2.3	0.03	1.62	22.6
6125		3.14	11.5	<0.05	0.03	0.04	0.043	0.06	4.8	25.3	0.57	601	2.73	0.01	2.19	16
6126		3.11	8.06	<0.05	0.03	0.05	0.028	0.07	4.8	22.9	0.62	317	1.58	0.01	1.8	18.9
6127		2.41	6.92	<0.05	0.02	0.02	0.019	0.05	4.4	15.9	0.43	237	1.33	0.01	1.46	12.9
6128		2.87	6.05	0.07	0.06	0.13	0.036	0.1	12.8	17.9	0.64	356	2.22	0.01	1.27	17.8
6129		3.03	6.59	0.07	0.03	0.04	0.082	0.14	9.3	16.6	0.73	443	2.16	0.02	1.53	19.1
6130		2.84	6.72	0.09	0.03	0.01	0.104	0.11	8.2	17.9	0.79	407	1.75	0.02	1.45	18.6
6131		2.84	5.63	0.06	0.02	0.04	0.038	0.09	8.3	17.4	0.54	327	2.32	0.02	1.25	15.3
6132		3.41	8.8	0.05	0.02	0.06	0.225	0.14	14.6	34.2	1.19	1145	4.6	0.01	1.3	21.8
6133		2.78	5.82	0.06	0.04	0.01	0.058	0.09	7.8	16.3	0.73	444	1.71	0.01	1.15	17
6134		2.99	7.77	0.05	0.02	0.09	0.583	0.07	10.7	25	0.71	1340	35.3	0.01	1.11	17
6135		3.16	6.7	0.06	0.03	0.02	0.108	0.14	9.6	20.2	0.93	708	3.21	0.02	1.35	21.6
6136		3.11	9.19	<0.05	0.03	0.09	0.284	0.05	6.6	29.6	0.59	773	3.48	0.01	1.73	18
6137		3.16	6.08	0.07	0.04	0.04	0.064	0.1	10.4	28.6	0.73	558	1.55	0.02	0.91	18.5
6138		1.39	5.81	<0.05	0.02	0.02	0.013	0.02	8.7	13.5	0.16	190	2.15	<0.01	0.72	4.9
6139		3.66	7.76	0.09	0.07	0.04	0.097	0.15	13.6	19.5	0.92	1030	4.86	0.04	0.61	58.6
6140		3.95	5.69	0.05	0.02	0.08	0.211	0.07	8.8	19.7	0.62	842	6.33	<0.01	0.59	15.1
6141		3.98	5.39	0.07	<0.02	0.08	0.212	0.07	8.4	14.6	0.65	867	6.66	0.01	0.61	14.6
6142		3.36	6.85	0.06	0.05	0.09	0.045	0.06	6.3	13.3	0.48	396	2.23	0.01	1.17	16.2
6143		3.95	7.44	0.06	0.06	0.09	0.052	0.06	5.8	13.2	0.65	788	2.4	0.01	1.37	21.3
6144		3.27	7.78	0.07	0.04	0.02	0.038	0.06	6.8	34.4	0.89	367	1.36	0.01	2	24.8
6145		3.13	8.27	0.06	0.09	0.08	0.027	0.03	4	19.1	0.67	262	3.83	0.01	1.54	18.1
6146		3.48	9.6	0.07	0.05	0.05	0.034	0.08	6	21.5	0.9	323	1.63	0.01	1.71	21.3
6147		2.67	8.97	0.05	0.02	0.05	0.041	0.09	8	16	0.59	334	1.82	0.01	1.34	15.7
6148		3.09	7.38	0.05	0.06	0.05	0.03	0.05	6.7	11.8	0.52	236	2.53	0.01	1.13	15.5
6149		2.53	8	0.05	0.03	0.03	0.025	0.04	3.9	20.1	0.5	196	1.04	<0.01	1.66	13.9
6150		3.31	10.7	0.06	0.12	0.12	0.052	0.07	8.4	26.6	0.87	337	4.71	0.01	1.71	20.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6121		1210	16.1	7.2	<0.001	0.03	0.35	5.5	0.4	0.6	21.8	0.01	0.03	6.9	0.182	0.1
6122		1300	27.8	10.2	<0.001	0.02	0.37	5.7	0.4	0.7	48.4	0.01	0.04	7.6	0.18	0.12
6123		590	28.4	11.9	<0.001	0.02	0.24	6	0.4	0.7	28.1	0.01	0.03	7.6	0.2	0.12
6124		970	46.7	19	<0.001	0.02	0.37	5.5	0.3	0.8	173.5	0.01	0.03	7.5	0.157	0.16
6125		1660	35	16.6	<0.001	0.02	0.26	3	0.2	1.1	19.4	<0.01	0.03	4.1	0.227	0.13
6126		1060	20.5	11.9	<0.001	0.02	0.23	3.2	0.2	0.7	18.4	0.01	0.03	4.2	0.175	0.08
6127		410	19.6	10.1	<0.001	0.02	0.28	2.4	<0.2	0.6	16.8	<0.01	0.02	2.1	0.139	0.06
6128		810	48.1	9.7	<0.001	0.03	0.44	4.8	0.8	0.5	27.8	0.01	0.04	8.7	0.122	0.09
6129		940	59.2	12	0.001	0.03	0.53	3.8	0.3	0.6	40.1	0.01	0.05	7.5	0.148	0.11
6130		300	38.1	8.5	0.001	0.01	0.63	4.4	0.2	0.6	33.5	0.01	0.04	10.2	0.158	0.09
6131		630	31.6	8.8	0.001	0.02	0.5	3.1	0.2	0.5	27.7	0.01	0.04	4.2	0.129	0.08
6132		730	165	13	0.001	0.02	1.12	7.4	0.4	0.6	129	0.01	0.12	6.2	0.117	0.14
6133		720	42	6.5	<0.001	0.01	0.71	3.8	0.3	0.5	26.6	0.01	0.05	8.7	0.133	0.07
6134		680	759	10.1	0.001	0.03	2.78	4.9	0.4	0.6	42.9	0.01	0.78	3.7	0.121	0.25
6135		800	82.4	12	<0.001	0.02	1.67	5.2	0.2	0.6	52.4	0.01	0.11	7.7	0.156	0.14
6136		900	115	14.8	0.001	0.03	1.3	3.7	0.3	0.8	17.4	0.01	0.18	3.5	0.149	0.1
6137		810	56.4	8.5	<0.001	0.02	1.53	4.6	0.4	0.4	32.8	<0.01	0.1	6.7	0.124	0.09
6138		160	10.7	5.1	<0.001	0.02	0.34	1.7	0.2	0.5	11.3	<0.01	0.01	0.9	0.099	0.05
6139		1020	99.8	11.9	0.001	<0.01	4.54	6.3	0.8	2.6	27	0.01	0.13	10.3	0.117	0.15
6140		900	389	12.1	<0.001	0.06	9.57	3.6	0.5	0.4	14.2	<0.01	0.35	4.3	0.045	0.12
6141		930	408	12	<0.001	0.05	6.94	3.6	0.6	0.3	13.8	<0.01	0.29	4.1	0.04	0.11
6142		1260	59.9	11.2	<0.001	0.03	1.61	4.4	0.4	0.4	12.5	0.01	0.09	5.8	0.09	0.11
6143		1270	52.4	9.5	<0.001	0.03	1	4.4	0.5	0.5	13.9	0.01	0.11	7.5	0.125	0.11
6144		340	23.7	12.2	<0.001	0.02	0.43	4.3	0.2	0.7	31.2	<0.01	0.06	4	0.176	0.09
6145		420	13.7	6.7	<0.001	0.02	0.31	3.7	0.2	0.5	18	0.01	0.05	3.8	0.139	0.05
6146		560	23.3	9.4	<0.001	0.02	0.39	4.8	0.3	0.5	22.5	0.01	0.05	5.6	0.151	0.08
6147		620	36.2	10	<0.001	0.02	0.5	4	0.3	0.5	41.9	<0.01	0.06	4.7	0.109	0.08
6148		300	28.6	7.8	<0.001	0.01	0.61	3.4	0.2	0.4	10.3	<0.01	0.07	4.9	0.097	0.08
6149		560	15.8	13.3	<0.001	0.01	0.34	3.1	0.2	0.6	10.3	0.01	0.04	3.6	0.116	0.07
6150		300	35.5	12.6	<0.001	0.02	0.45	5	0.4	0.7	14.9	<0.01	0.05	9.4	0.174	0.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
6121		3.27	104	0.64	6.22	53	3.5
6122		2.83	100	0.94	5.36	94	3.9
6123		3.02	118	0.86	10.55	84	2.7
6124		4.02	83	0.99	9.91	129	1.5
6125		1.48	81	0.83	2.59	142	1.1
6126		1.61	91	0.59	3.4	107	1
6127		1.37	78	0.59	3.23	82	0.6
6128		13.55	93	0.86	17.3	81	1.9
6129		5.88	103	0.89	9.83	204	0.9
6130		6.26	93	1.01	9.49	126	0.6
6131		12.3	101	0.93	8.59	99	0.6
6132		11.6	90	1.76	20.3	218	0.5
6133		5.94	94	0.67	8.33	87	0.9
6134		15	75	1.07	14.8	522	<0.5
6135		4.06	98	1.05	10.85	153	0.8
6136		5.14	81	1.98	6.85	517	0.7
6137		12.65	99	0.67	17	210	0.7
6138		1.37	51	0.05	7.6	39	0.5
6139		4.78	82	0.61	15.35	174	1.7
6140		2.21	91	0.48	7.03	246	<0.5
6141		1.95	88	0.43	6.83	258	<0.5
6142		2.51	112	0.46	6.69	99	2.2
6143		2.85	144	0.6	5.91	97	2.5
6144		5.3	88	0.72	7.18	115	1.1
6145		1.32	94	0.62	3.05	66	4.2
6146		5.16	101	1.18	5.92	65	2.1
6147		7.54	76	1.9	7.74	69	0.8
6148		5.31	103	1.09	6.3	50	2.3
6149		1.06	68	0.75	2.44	79	1.2
6150		8.19	91	2.15	7.36	92	5.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156824

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE VA08156826

Project: Vancouver

P.O. No.:

This report is for 179 Soil samples submitted to our lab in Vancouver, BC, Canada on 30-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE

DESCRIPTION

FND-02

Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE

DESCRIPTION

ME-MS41

51 anal. aqua regia ICPMS

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6151		0.52	2.67	2.4	<0.2	<10	150	0.29	0.99	0.16	0.25	8.58	12.3	35	3.25	283
6152		1.11	2.86	3.1	<0.2	<10	210	0.44	2.18	0.37	0.71	16.55	11.1	26	7.25	331
6153		1.07	3.51	3.1	<0.2	<10	60	0.25	0.66	0.11	0.2	9.39	10.9	53	2.51	91
6154		0.37	2.58	3.2	<0.2	<10	130	0.32	1.45	0.31	1.07	10.8	12.7	40	5.86	71.3
6155		0.81	2.69	3.8	<0.2	<10	70	0.27	1.03	0.13	0.16	28.7	11.8	61	3.45	87.8
6156		1	2.81	3.5	<0.2	<10	100	0.3	0.77	0.14	0.22	10.05	12.7	49	3.94	99.9
6157		0.87	3.53	3.9	<0.2	<10	70	0.33	0.56	0.16	0.28	14.2	12	70	2.67	79.8
6158		0.62	3.12	3.5	<0.2	<10	120	0.33	0.63	0.19	0.2	20.9	11.3	38	2.75	93
6159		0.74	3.41	4.3	<0.2	<10	140	0.38	0.72	0.4	0.36	17.35	15.1	42	4.88	109.5
6160		0.46	2.18	4.6	<0.2	<10	100	0.4	1.21	0.63	0.77	22.8	10.5	36	8.54	50.4
6161		0.47	2.17	4.5	<0.2	<10	100	0.39	1.25	0.6	0.76	23.2	10.3	35	8.74	51.2
6162		0.89	2.37	5.5	<0.2	<10	250	0.25	0.63	0.53	0.31	31.9	11.4	39	3.4	87
6163		0.54	3.55	5	<0.2	<10	90	0.41	0.65	0.17	0.19	18.7	12.1	39	3.2	57.4
6164		0.76	3.83	4.4	<0.2	<10	80	0.38	0.67	0.14	0.15	12.9	11	38	2.9	70.9
6165		0.49	3.46	3.9	<0.2	<10	70	0.36	0.62	0.12	0.11	10.15	10.7	34	3.43	67.4
6166		0.22	1.84	7.8	<0.2	<10	150	0.25	0.77	0.55	0.37	22	11.1	45	4.36	59
6167		0.66	3.09	8.3	<0.2	<10	130	0.4	1.08	0.21	0.19	51.3	12	43	5.34	133
6168		0.58	2.13	3.1	<0.2	<10	110	0.23	1.44	0.11	0.29	13.65	11.2	43	2.81	42.6
6169		0.36	2.23	3.4	0.4	<10	80	0.24	0.65	0.12	0.12	7.74	8.5	33	4.94	26.2
6170		0.22	1.26	1.8	<0.2	<10	80	0.11	0.44	0.21	0.15	9.32	8.9	41	2.31	21.8
6171		0.76	2.27	2.5	<0.2	<10	70	0.29	0.25	0.21	0.21	6.76	12.3	35	2.38	30.9
6172		0.08	1.1	2.9	<0.2	<10	110	0.11	0.51	0.54	0.1	18.85	8.5	42	1.46	33.3
6173		0.07	1.2	1.9	<0.2	<10	50	0.08	0.31	0.23	0.17	6.52	6.4	31	1.96	15.8
6174		0.25	2.79	2.9	<0.2	<10	150	0.27	0.46	0.29	0.21	20.9	12.1	30	2.84	42.4
6175		0.16	2.67	2.7	<0.2	<10	120	0.27	0.51	0.52	0.18	12.3	10.3	31	3.31	18.2
6176		0.46	3.01	4	<0.2	<10	150	0.3	0.59	0.73	0.19	26.5	12.8	60	3.1	49
6177		0.49	2.43	4.2	<0.2	<10	130	0.3	0.3	0.55	0.24	12.4	11.6	33	2.3	41.8
6178		0.1	2.09	5.4	<0.2	<10	270	0.2	0.43	0.66	0.17	18.15	10.5	33	2.52	47.1
6179		0.15	3.03	11.1	<0.2	<10	100	0.32	0.5	0.38	0.36	27.1	12.3	58	4.09	36.3
6180		0.39	3.21	6.6	<0.2	<10	90	0.32	0.25	0.17	0.16	13.85	12.4	38	2.83	215
6181		0.42	3.24	6.3	<0.2	<10	90	0.31	0.24	0.17	0.16	13.65	11.9	37	2.78	217
6182		0.33	3.5	28.5	<0.2	<10	210	0.39	0.3	0.28	0.18	26.1	16.2	35	3.01	99.4
6183		0.2	2.94	21.7	<0.2	<10	220	0.34	0.34	0.4	0.21	22.1	15.8	39	2.85	100
6184		0.14	2.55	19.1	<0.2	<10	180	0.28	0.37	0.51	0.18	19.2	16.7	36	3.09	94.2
6185		0.17	2.79	15.9	<0.2	<10	180	0.29	0.28	0.33	0.19	20.1	15.4	40	2.47	93.1
6186		0.21	2.35	12.7	<0.2	<10	140	0.27	0.22	0.37	0.17	17.1	14.8	41	2.36	70.6
6187		0.24	2.33	20.4	<0.2	<10	200	0.25	0.26	0.61	0.27	19.6	16.5	44	2.82	73.5
6188		0.32	2.8	13.3	<0.2	<10	160	0.35	0.22	0.32	0.21	9.94	14.5	34	2.43	75.7
6189		0.12	2.83	15	<0.2	<10	200	0.31	0.38	0.55	0.36	24.3	16.2	41	3.26	106.5
6190		0.23	2.66	45.8	<0.2	<10	160	0.29	0.26	0.67	0.33	18.9	16.3	37	2.75	86.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
6151		3.16	8.98	<0.05	0.05	0.04	0.033	0.05	3.9	19.8	0.75	294	1.83	0.01	1.25	17.5
6152		2.87	11.55	<0.05	0.04	0.07	0.061	0.07	7.2	26.3	0.8	576	1.63	0.01	1.42	16.9
6153		3.96	9.55	0.05	0.25	0.09	0.032	0.04	3.4	17.7	0.63	253	1.6	0.02	1.07	14.6
6154		3.64	10.8	0.05	0.03	0.04	0.049	0.07	4.3	16.2	0.59	1175	3.02	0.02	1.69	16.7
6155		4.46	8.39	0.06	0.05	0.06	0.033	0.05	6.5	11.9	0.63	331	1.09	0.02	1.19	15.5
6156		4.02	9.95	0.05	0.09	0.1	0.036	0.05	4.7	18.4	0.77	371	1.26	0.02	1.32	17.8
6157		4.67	9.53	0.07	0.07	0.14	0.032	0.04	4	10.9	0.6	245	1.16	0.02	1.25	16.6
6158		3.26	9.26	0.06	0.07	0.06	0.032	0.07	6.2	18.8	0.71	355	2.02	0.02	1.25	16.5
6159		3.63	10.85	0.06	0.03	0.05	0.038	0.1	7.8	32.3	0.92	473	5.52	0.02	1.36	23.4
6160		2.98	8.69	0.06	0.02	0.06	0.039	0.05	12.7	36.3	0.58	851	8.04	0.01	1.86	14.8
6161		2.94	9.1	0.06	0.02	0.06	0.039	0.04	12.7	35.5	0.58	824	8.06	0.01	1.88	15
6162		3.07	8.73	0.07	0.04	0.06	0.032	0.1	12	25.6	0.76	401	8.89	0.02	1.25	17.3
6163		3.55	10.3	0.05	0.12	0.09	0.033	0.07	5	19.2	0.6	589	2.87	0.02	1.53	14
6164		3.72	11.2	0.07	0.08	0.13	0.033	0.06	5.7	16	0.69	578	2.72	0.02	1.56	14.2
6165		3.4	10.85	0.05	0.11	0.11	0.034	0.05	4.4	21.6	0.61	390	2.06	0.02	1.6	14.6
6166		3.24	7.03	0.06	0.02	0.06	0.031	0.11	9.9	20.2	0.71	682	5.16	0.03	1.1	14.7
6167		3.61	9.45	0.08	0.04	0.06	0.043	0.13	13.6	25	0.82	565	2.91	0.02	1.52	16.9
6168		2.83	6.87	0.05	0.03	0.04	0.051	0.08	4.9	13	0.59	460	0.94	0.01	0.95	17.7
6169		2.94	9.45	<0.05	0.02	0.09	0.027	0.03	3.8	24.8	0.52	374	1.2	0.01	1.74	13.1
6170		2.77	8.22	<0.05	0.02	0.05	0.019	0.03	4.3	17.3	0.51	665	1.08	0.02	2.29	12.3
6171		2.89	8.81	0.05	0.04	0.08	0.021	0.04	3.7	20.9	0.45	475	4.17	0.01	1.32	12.4
6172		2.76	4.46	0.07	0.03	0.01	0.017	0.11	8	11.1	0.52	354	1.24	0.03	0.66	11.2
6173		2.89	8.89	<0.05	0.02	0.01	0.017	0.04	3.7	15	0.33	157	11.45	0.02	1.86	10.2
6174		2.96	8.37	0.05	0.02	0.05	0.025	0.09	5.9	18.5	0.99	505	1.06	0.02	1.24	17.8
6175		2.44	10.55	0.05	0.03	0.02	0.03	0.12	4.7	25.1	0.79	277	8.04	0.03	1.74	15.7
6176		2.75	9.49	0.08	0.02	0.05	0.033	0.17	7.6	24.5	1.1	396	7	0.03	1.35	22.9
6177		3.1	8.91	0.06	<0.02	0.06	0.024	0.06	9	20.7	0.73	442	3.78	0.02	1.13	15.9
6178		2.83	6.36	0.06	0.02	0.01	0.023	0.16	7.9	14.3	0.85	435	2.35	0.03	1	15
6179		3.92	10.7	0.07	0.09	0.06	0.033	0.07	6.6	33.6	0.73	469	11.45	0.02	2.21	16.8
6180		3.42	9.37	0.05	0.04	0.09	0.04	0.07	5.5	21	0.91	626	1.53	0.02	1.51	17.3
6181		3.42	9.11	0.05	0.03	0.09	0.038	0.07	5.6	20.9	0.91	640	1.46	0.02	1.54	16.9
6182		4.12	10.75	0.08	0.05	0.05	0.029	0.23	8.5	19.2	1.21	615	2.36	0.03	1.12	18.3
6183		3.92	8.88	0.07	0.03	0.03	0.027	0.22	8.4	15	1.07	533	1.35	0.03	0.61	16.9
6184		3.86	8.21	0.08	0.03	0.02	0.027	0.25	8.9	15.2	1.13	527	0.9	0.04	0.38	17.2
6185		3.96	8.59	0.08	0.03	0.03	0.025	0.2	8.3	15.3	1.06	488	1.37	0.03	0.89	17
6186		3.93	7.99	0.08	0.02	0.02	0.023	0.17	5.6	15.5	1.02	397	0.99	0.04	0.94	16
6187		4.13	8	0.1	0.02	0.02	0.026	0.23	8.7	22	1.19	607	1.69	0.06	0.94	16.9
6188		3.71	9.95	0.07	<0.02	0.02	0.024	0.08	4.6	20.1	1.04	413	1.05	0.03	1.07	16.7
6189		3.98	9.22	0.09	0.04	0.01	0.028	0.25	10.5	18.5	1.14	682	1.95	0.03	0.48	18.2
6190		3.89	8.91	0.1	0.03	0.03	0.026	0.29	8.1	29.5	1.24	545	1.22	0.05	1.05	18.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6151		230	21.8	11	<0.001	<0.01	0.41	3.5	0.2	0.6	12	<0.01	0.04	3.4	0.129	0.08
6152		580	85.3	17.6	<0.001	<0.01	0.98	5	0.3	0.8	27.2	0.01	0.06	7.3	0.095	0.11
6153		390	23.5	6.9	<0.001	0.01	0.88	4.9	0.3	0.5	11.8	0.02	0.05	7.4	0.142	0.06
6154		640	44.7	23.1	<0.001	0.01	0.53	3.5	0.3	0.7	18.5	0.02	0.05	3.3	0.138	0.09
6155		630	25.1	10.8	<0.001	<0.01	0.46	4.8	0.4	0.4	12.5	0.01	0.05	10	0.122	0.09
6156		760	23.3	11.6	<0.001	<0.01	0.38	4.5	0.4	0.5	13.6	0.01	0.05	5.4	0.153	0.08
6157		650	27.1	8.1	<0.001	<0.01	0.37	4.8	0.5	0.5	13.1	0.01	0.05	8.1	0.144	0.06
6158		810	23	9.5	<0.001	<0.01	0.43	4.4	0.3	0.5	13.2	0.01	0.06	5.6	0.134	0.08
6159		640	23.9	16.3	<0.001	<0.01	0.51	4.8	0.3	0.6	27.6	<0.01	0.05	4.9	0.151	0.12
6160		370	29.7	15.3	<0.001	0.01	0.53	3.6	0.4	0.6	33.5	0.01	0.04	4.5	0.114	0.11
6161		370	29.6	15.7	<0.001	0.01	0.53	3.6	0.4	0.7	33.9	0.01	0.04	4.3	0.109	0.12
6162		580	21.6	13.2	0.001	<0.01	0.84	5.3	0.6	0.5	35.4	<0.01	0.05	7.4	0.139	0.15
6163		2250	19.7	12.8	<0.001	<0.01	0.37	4.8	0.4	0.6	14.3	0.02	0.05	7.7	0.142	0.11
6164		1020	15.5	8.6	<0.001	<0.01	0.37	5.5	0.5	0.5	13.1	0.01	0.03	9.3	0.152	0.07
6165		1150	15.4	11.6	<0.001	<0.01	0.33	4.9	0.4	0.6	12.4	0.02	0.04	7.6	0.149	0.09
6166		980	15.5	11.5	0.001	0.03	0.58	4.1	1	0.5	39.4	<0.01	0.03	3.3	0.114	0.14
6167		1250	25	15.4	<0.001	<0.01	1.05	7.1	0.6	0.6	21.2	0.01	0.05	19.3	0.128	0.15
6168		230	48	13.2	<0.001	<0.01	0.45	3.5	0.2	0.5	11.3	<0.01	0.03	4.9	0.096	0.11
6169		1560	11.9	12	<0.001	<0.01	0.24	3.3	0.2	0.7	14	0.01	0.02	6.2	0.123	0.15
6170		620	13.2	8.2	<0.001	<0.01	0.23	2.8	0.2	0.8	13.4	<0.01	0.01	9.8	0.23	0.11
6171		830	10.2	9.4	<0.001	<0.01	0.3	3.1	0.3	0.5	14.9	0.02	0.03	3.3	0.125	0.07
6172		1010	9.8	12.2	<0.001	<0.01	0.49	3.4	0.2	0.3	28.7	<0.01	0.03	7.3	0.108	0.09
6173		190	10	7.4	<0.001	0.03	0.28	2.2	0.3	0.7	15.8	<0.01	0.02	1.5	0.211	0.06
6174		370	17.9	11.7	<0.001	0.03	0.29	4.5	0.4	0.5	20.9	<0.01	0.04	2.7	0.172	0.11
6175		270	18	17.5	0.001	0.04	0.25	4.1	0.4	0.7	26.2	0.01	0.03	2.1	0.219	0.09
6176		940	22.4	15.2	0.003	0.04	0.29	5.2	0.5	0.5	31.7	0.01	0.04	4.2	0.201	0.13
6177		550	10.5	8.1	0.001	0.03	0.32	3.5	0.6	0.5	30.7	<0.01	0.03	1.3	0.163	0.11
6178		860	13.9	20.2	<0.001	0.01	0.39	4.8	0.4	0.4	41.4	<0.01	0.04	6.5	0.161	0.16
6179		300	16.7	13.6	0.001	0.02	0.53	4.9	0.7	0.7	21.1	0.02	0.05	6.1	0.249	0.15
6180		1170	16.1	11.4	<0.001	0.02	0.25	5.7	0.6	0.6	18.6	0.02	0.05	4.4	0.178	0.1
6181		1200	16	11.2	<0.001	0.02	0.26	5.4	0.6	0.6	17.9	0.02	0.05	4.1	0.181	0.11
6182		1120	13.6	17.5	<0.001	0.07	0.58	8.9	0.8	0.5	30.3	0.01	0.1	4.5	0.195	0.18
6183		980	12.3	22.2	0.001	0.01	0.53	7.4	0.5	0.4	49.6	<0.01	0.09	6.1	0.17	0.19
6184		850	14	24.9	<0.001	0.01	0.66	8.1	0.5	0.4	64.7	<0.01	0.11	4.8	0.185	0.2
6185		980	11.7	16.6	<0.001	0.02	0.49	7.3	0.5	0.4	31.9	0.01	0.08	4.7	0.17	0.17
6186		980	9.2	18.8	<0.001	0.02	0.42	5.9	0.3	0.4	32.5	<0.01	0.07	2.9	0.177	0.14
6187		1050	11	17	<0.001	0.02	0.48	8	0.6	0.4	42.5	0.01	0.09	4.4	0.191	0.16
6188		1140	9.6	13.8	<0.001	0.02	0.38	6.2	0.3	0.5	31.1	<0.01	0.05	2.1	0.175	0.1
6189		970	15	21.1	<0.001	0.01	0.54	8.3	0.4	0.5	71.6	0.01	0.07	9	0.201	0.25
6190		1010	12.2	19.2	<0.001	0.02	0.67	8	0.6	0.5	52.1	<0.01	0.08	4.7	0.199	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156826
-------------------------	------------

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.05	1	0.05	0.05	2	0.5	
6151		1.15	87	5.29	2.8	70	1.9
6152		3.42	68	3.19	6.47	148	0.9
6153		2.29	128	3.19	3.33	63	10.7
6154		2.88	104	1.27	3.61	206	1.3
6155		2.73	153	2.67	6.27	62	2
6156		1.35	126	2.96	3.79	93	3.9
6157		1.92	168	2.27	4.27	53	3.6
6158		1.99	97	0.84	5.65	65	2.9
6159		15.85	103	1.59	7.99	105	1
6160		94.3	89	3.24	14.25	85	0.6
6161		93.1	86	3.15	14.35	85	0.7
6162		67.6	90	1.18	19.8	65	1
6163		3.29	102	0.83	4.86	79	5
6164		3.4	116	2.04	5.79	49	3.2
6165		2.32	95	0.77	3.59	68	4.5
6166		91.4	102	2.81	12	56	<0.5
6167		45.9	110	2.7	15.35	64	1.5
6168		1.95	89	0.48	3.21	101	0.9
6169		1.63	81	0.59	1.83	86	0.9
6170		2.34	92	0.22	2.28	57	0.6
6171		3.31	85	0.44	2.95	81	1.7
6172		3.7	96	0.52	7.81	37	0.8
6173		1.5	107	0.59	2.44	56	0.9
6174		1.16	79	0.39	4.85	96	0.9
6175		11.1	72	1.32	4.28	85	1.4
6176		12.9	90	0.83	8.01	87	0.8
6177		15.75	85	0.86	8.5	76	0.5
6178		7.42	84	0.7	8.27	57	0.5
6179		60.8	141	7.23	9.02	62	3.3
6180		2.29	103	0.5	4.75	84	1.9
6181		2.06	103	0.47	4.71	85	1.8
6182		6.79	134	0.81	10.85	73	1.6
6183		3.87	119	0.65	9.82	65	0.8
6184		2.3	113	0.38	11.6	74	0.8
6185		2.69	123	0.56	9.74	64	0.8
6186		1.14	126	1.07	5.83	60	<0.5
6187		9.52	133	1.46	12.2	69	0.5
6188		1.28	110	1	4.41	73	<0.5
6189		6.64	124	0.65	14	65	1
6190		4.71	120	0.56	10.55	72	0.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6191		0.37	3.12	76.1	<0.2	<10	110	0.4	0.15	0.89	0.46	9.86	15.1	25	2.49	61.9
6192		0.99	2.83	30.4	<0.2	<10	140	0.47	0.2	1.03	0.35	19.5	15.8	33	2.66	58.4
6193		0.4	2.75	11.5	<0.2	<10	90	0.38	0.17	0.34	0.27	11.9	12.2	23	1.83	77.3
6194		0.29	2.48	6.3	<0.2	<10	70	0.29	0.18	0.31	0.16	11.35	11	20	1.67	41.7
6195		0.84	3.87	20.7	<0.2	<10	80	0.88	0.23	0.49	0.28	24	14.2	25	2.24	69
6196		0.1	1.85	4.4	<0.2	<10	60	0.22	0.18	0.31	0.19	7.94	10.5	18	2.02	18.9
6197		0.22	2.58	8.4	<0.2	<10	140	0.32	0.16	0.37	0.42	6.87	13.7	16	2.32	31.6
6198		0.31	1.66	3.8	<0.2	<10	80	0.22	0.32	0.17	0.27	7.52	8.1	30	1.74	34.2
6199		0.05	2.15	2.3	<0.2	<10	80	0.27	0.26	0.25	0.17	5.63	13.9	24	2.56	49
6200		0.05	1.89	7.1	<0.2	<10	100	0.21	0.24	0.36	0.44	16.5	26.4	17	2.79	80.2
6201		0.06	1.88	7.3	<0.2	<10	100	0.24	0.25	0.35	0.44	17.3	27.3	17	2.81	81.6
6202		0.26	2.84	6.1	<0.2	<10	100	0.48	0.38	0.35	0.41	30.3	11.7	19	3.58	51.1
6203		0.07	2.64	39.2	<0.2	<10	90	0.34	0.34	0.25	0.12	7.82	13	20	3.86	28.5
6204		0.18	2.41	6.2	<0.2	<10	200	0.38	0.14	0.38	0.39	8.95	13	17	1.92	32
6205		0.31	2.81	18.6	<0.2	<10	170	0.63	0.29	0.43	0.3	13.05	14.2	24	2.77	33.5
6206		0.54	3.6	16.2	<0.2	<10	110	0.61	0.36	0.53	0.25	26.1	11	22	2.31	50
6207		0.26	2.98	10.7	<0.2	<10	80	0.49	0.25	0.37	0.27	12.15	14	23	2.19	47.6
6208		0.27	5.07	20.9	<0.2	<10	200	0.68	0.24	0.61	0.35	28.2	23.8	38	2.81	49.4
6209		0.14	2.71	9	<0.2	<10	80	0.33	0.25	0.36	0.24	8.51	14.4	20	2.19	38.7
6210		0.38	4.07	13.7	<0.2	<10	100	0.62	0.19	0.33	0.17	19.6	16.5	23	1.92	99.3
6211		0.31	3.78	5.8	<0.2	<10	130	0.64	0.3	0.5	0.16	31.1	17.3	29	2.26	67.7
6212		0.13	1.47	5.2	<0.2	<10	60	0.19	0.26	0.5	0.14	11.3	9.8	16	1.35	27.5
6213		0.29	2.36	7.7	<0.2	<10	40	0.35	0.16	0.34	0.17	17.85	10.5	15	1.31	38.9
6214		0.5	2.57	18.7	<0.2	<10	70	0.36	0.17	0.35	0.18	30	11	16	1.27	45.4
6215		0.44	2.73	6.9	<0.2	<10	80	0.45	0.17	0.32	0.17	17.05	12.5	17	1.49	42
6216		0.28	1.81	5.7	<0.2	<10	50	0.29	0.1	0.35	0.16	11.6	9.5	12	0.99	37.4
6217		0.24	2.1	5.8	<0.2	<10	60	0.33	0.11	0.35	0.13	12	9.7	12	0.98	31.7
6218		0.2	2.13	6	<0.2	<10	60	0.34	0.12	0.36	0.11	14.9	10.1	13	0.98	31.7
6219		0.82	2.43	7.4	<0.2	<10	400	0.36	2.46	0.79	7.7	17.8	18.4	38	9.74	80.9
6220		0.44	2.01	4.1	<0.2	<10	80	0.24	0.74	0.17	0.6	7.43	10.9	47	4.21	22.4
6221		0.49	2.19	4.8	<0.2	<10	80	0.31	0.76	0.17	0.57	8.29	11	46	4.36	22.7
6222		0.74	1.9	9.4	<0.2	<10	180	0.21	3.71	0.12	0.82	18.45	7	32	15.35	12.9
6223		0.29	0.93	3.1	<0.2	<10	40	0.08	0.95	0.11	0.19	13.5	4.8	56	2.65	6.1
6224		0.11	2.83	2.2	<0.2	<10	280	0.25	0.09	0.88	1.25	7.84	21.1	51	1.4	43.2
6225		0.1	3.45	2.1	<0.2	<10	110	0.31	0.05	0.77	0.25	5.55	24	77	1.33	58.8
6226		0.07	2.14	1.6	<0.2	<10	90	0.18	0.06	0.63	0.14	5.82	14.3	19	1.19	20.8
6227		0.15	2.73	6.6	<0.2	<10	100	0.4	0.16	0.7	0.4	8.79	25.4	21	2.35	44.4
6228		0.13	2.76	3.5	<0.2	<10	160	0.41	0.09	0.64	0.32	12.9	16.6	71	1.41	55.6
6229		0.11	3.08	6.5	<0.2	<10	150	0.65	0.15	0.59	0.62	15.5	20.8	23	2.28	49.9
6230		0.15	2.48	2.8	<0.2	<10	150	0.26	0.11	0.8	0.2	6.12	14.9	20	1.17	41.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156826
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS41		ME-MS41		ME-MS41		ME-MS41		ME-MS41		ME-MS41		ME-MS41		ME-MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2	
6191		3.09	10.2	0.07	0.02	0.06	0.023	0.15	5.4	39	1.07	473	2.32	0.05	1	13.8	
6192		3.69	8.83	0.13	0.03	0.05	0.022	0.27	12.5	21.3	1.27	600	1.35	0.06	0.67	15.9	
6193		3.18	8.86	0.06	0.06	0.04	0.019	0.09	4.3	16	0.91	446	0.97	0.02	1.01	13.1	
6194		2.99	10.4	0.05	0.03	0.03	0.021	0.08	4.5	17.4	0.81	550	0.78	0.03	1.06	11.8	
6195		3.71	13.15	0.1	0.1	0.13	0.025	0.09	13.7	22.9	0.85	441	3.6	0.03	1.68	14.8	
6196		2.64	9.78	0.05	0.05	0.02	0.019	0.05	3.9	23.4	0.63	406	0.72	0.03	1.22	10	
6197		2.92	10.65	<0.05	0.04	0.06	0.02	0.06	3.4	22.9	0.64	496	0.82	0.02	1.09	11.7	
6198		2.64	6.55	<0.05	0.03	0.03	0.016	0.04	3.6	11.2	0.32	683	0.67	0.02	0.96	9.4	
6199		3.4	10.15	0.05	0.04	0.04	0.022	0.05	3	14.5	0.54	456	1.85	0.02	1.18	10.4	
6200		3.51	6.63	0.07	<0.02	0.04	0.022	0.09	5.3	14.5	0.67	680	2.92	0.02	0.97	10.2	
6201		3.51	6.95	0.07	<0.02	0.04	0.022	0.09	5.6	14.5	0.65	665	3	0.02	0.98	10.4	
6202		2.97	9.43	0.07	0.06	0.07	0.029	0.1	10.7	20.9	0.75	371	1.08	0.02	1.56	11.6	
6203		3.28	13	0.06	0.07	0.05	0.028	0.05	3.7	74.6	0.67	555	5.72	0.02	1.58	14.9	
6204		2.54	8.75	<0.05	<0.02	0.04	0.017	0.07	4.1	19.3	0.68	2120	0.53	0.02	0.78	13	
6205		3.51	11.7	0.05	0.02	0.06	0.029	0.07	5.3	88	0.88	622	3.97	0.02	1.27	17.8	
6206		2.87	8.68	0.07	0.02	0.09	0.026	0.13	6.8	17.2	0.84	613	1.05	0.02	0.94	12.9	
6207		3.32	10.85	0.06	0.05	0.06	0.023	0.11	4.8	29.3	0.83	413	1.7	0.02	1.35	16.1	
6208		4.61	15.85	0.09	0.08	0.07	0.036	0.13	7.4	113	1.23	476	7.54	0.03	1.63	33.2	
6209		3.45	10.5	0.06	0.05	0.04	0.027	0.1	4.1	22.9	0.83	337	3.46	0.02	1.38	15.5	
6210		3.52	9.72	0.08	0.08	0.06	0.025	0.13	6	16.3	1.14	455	1.02	0.02	1.18	17.4	
6211		3.4	8.06	0.11	0.11	0.06	0.028	0.14	10	35.6	1.03	359	1.17	0.03	2.11	23.4	
6212		2.22	5.97	0.07	0.03	0.04	0.016	0.13	5	12	0.59	307	0.9	0.02	1.14	10.2	
6213		2.41	7.41	0.07	0.15	0.05	0.022	0.06	7.6	17	0.63	284	1.68	0.01	1.28	9.6	
6214		2.52	7.57	0.08	0.06	0.05	0.02	0.11	6.4	11.7	0.79	307	0.47	0.02	0.89	10	
6215		2.74	8.47	0.06	0.1	0.04	0.021	0.11	5.3	14.1	0.81	327	0.56	0.02	1.07	11.5	
6216		2.11	5.62	0.07	0.09	0.01	0.015	0.07	4.4	9.6	0.65	293	0.4	0.01	0.79	8.9	
6217		2.39	6.95	0.07	0.15	0.06	0.017	0.06	4.6	10	0.48	248	0.53	0.02	1.15	7.7	
6218		2.33	6.61	0.07	0.07	0.03	0.021	0.07	5.1	10.2	0.63	266	0.69	0.02	1.11	8.7	
6219		3.79	10.05	0.07	0.02	0.07	0.069	0.17	6.3	21.7	0.87	2160	1.89	0.02	0.94	21.1	
6220		3.32	8.41	0.06	0.02	0.05	0.029	0.05	3.7	18.3	0.43	281	1.02	0.02	1.11	17.6	
6221		3.41	8.98	0.07	0.03	0.06	0.03	0.05	4	19.4	0.44	283	1.06	0.02	1.23	17.9	
6222		2.51	7.68	0.05	0.02	0.03	0.051	0.05	9.4	24.6	0.22	327	1.43	0.01	0.57	9.5	
6223		2.11	6.69	<0.05	0.02	0.03	0.021	0.03	6.5	7.9	0.21	293	0.83	0.02	0.79	9.6	
6224		3.49	7.69	0.06	0.06	0.08	0.019	0.09	3.3	10.2	1.11	1200	0.34	0.03	0.67	33.3	
6225		4.51	9.28	0.07	0.09	0.04	0.019	0.06	2.5	9.8	1.74	874	0.27	0.02	0.62	50.1	
6226		2.86	6.24	0.05	0.04	0.02	0.014	0.09	2.4	8.3	0.77	841	0.56	0.02	0.67	13.3	
6227		3.13	5.78	0.07	0.05	0.13	0.021	0.08	3.4	26.5	0.54	1105	1.4	0.02	0.9	13.6	
6228		3.51	8.15	0.07	0.06	0.07	0.028	0.06	4.6	10.6	0.73	1240	0.88	0.02	1.02	29	
6229		3.48	10.8	0.06	0.06	0.09	0.027	0.06	5.6	15.2	0.74	1205	1.29	0.02	1.62	16.8	
6230		3.03	7.15	0.06	0.04	0.05	0.018	0.09	2.8	9.6	0.77	702	0.53	0.02	0.59	12.5	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156826
-------------------------	------------

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
LOR	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02	
6191		620	16.2	10.6	0.002	0.05	1.06	6.9	1.3	0.4	51.6	<0.01	0.03	0.8	0.158	0.16
6192		1750	13	16.3	0.001	0.04	0.93	6.6	1.3	0.3	62.5	0.01	0.05	1.9	0.16	0.18
6193		610	15	11.4	0.001	0.01	0.49	5.1	0.3	0.4	32	0.01	0.04	1.7	0.162	0.1
6194		580	11	10.8	<0.001	0.01	0.43	4.9	0.3	0.5	26.8	0.01	0.02	1.4	0.19	0.09
6195		380	13.3	13.6	0.001	0.03	0.94	6.8	1.5	0.6	37.1	0.03	0.07	2.3	0.221	0.14
6196		330	11.3	12.5	<0.001	0.01	0.4	4.2	0.2	0.6	25.3	<0.01	0.02	1.9	0.198	0.09
6197		1720	18.5	16.2	<0.001	0.02	0.4	4.3	0.2	0.5	33.8	<0.01	0.02	1.1	0.142	0.09
6198		740	12.9	9.9	<0.001	0.01	0.3	2.7	0.2	0.4	12.9	0.01	0.03	2.6	0.117	0.1
6199		640	38.6	15.3	<0.001	0.01	0.39	3	0.2	0.5	20.7	<0.01	0.05	1.3	0.172	0.09
6200		1120	60.1	9.5	<0.001	0.03	0.39	4.5	0.4	0.4	22.2	0.01	0.08	2.1	0.187	0.09
6201		1120	60.3	9.6	<0.001	0.03	0.35	4.7	0.4	0.4	23	<0.01	0.1	2.4	0.184	0.09
6202		1340	21.6	16.6	<0.001	0.02	0.33	4.8	0.5	0.6	61.6	0.02	0.03	4.9	0.162	0.13
6203		960	16.7	13.6	<0.001	0.02	0.54	3.8	0.2	0.7	26.2	<0.01	0.03	2.2	0.224	0.12
6204		1550	11.9	17	<0.001	0.02	0.44	3.8	0.3	0.4	42.5	<0.01	0.02	0.8	0.118	0.12
6205		2000	12.7	11.9	<0.001	0.02	0.58	4.7	0.3	0.6	39.6	<0.01	0.03	3.4	0.183	0.08
6206		1910	13.5	12.3	<0.001	0.03	0.48	5.5	0.7	0.4	45.8	0.01	0.04	2.4	0.131	0.1
6207		1080	11.1	20	<0.001	0.02	0.6	5.1	0.4	0.5	30.5	0.01	0.04	3.5	0.189	0.12
6208		320	18.7	13	0.001	0.02	0.6	6.2	0.6	0.7	81.7	<0.01	0.05	4.1	0.282	0.25
6209		310	14	15	0.001	0.01	0.56	4.4	0.3	0.6	32.8	<0.01	0.04	1.9	0.199	0.1
6210		1070	14.5	13	<0.001	0.01	0.73	7	0.7	0.4	33.8	0.01	0.06	2.7	0.179	0.13
6211		910	9.4	25.8	0.001	0.01	0.38	5	0.6	0.8	65.2	<0.01	0.03	7.4	0.294	0.25
6212		780	6.7	11.3	0.001	0.01	0.49	3.2	0.5	0.4	36.3	<0.01	0.02	1.7	0.161	0.09
6213		450	11	9.9	<0.001	<0.01	0.59	5.2	0.6	0.5	31	0.01	0.02	2.1	0.187	0.1
6214		390	12	9	<0.001	<0.01	0.78	5.3	0.4	0.4	42.5	<0.01	0.04	1.4	0.174	0.12
6215		360	9.7	13.7	<0.001	<0.01	0.69	5.7	0.4	0.4	38.3	0.01	0.04	1.6	0.187	0.12
6216		270	10.4	8.4	<0.001	<0.01	0.63	4.5	0.3	0.3	35.4	<0.01	0.01	1.2	0.158	0.07
6217		740	6.9	8.6	<0.001	<0.01	0.5	4.7	0.3	0.4	32	0.01	0.02	1.5	0.16	0.07
6218		170	8	10	<0.001	<0.01	0.61	4.8	0.3	0.4	35.5	0.01	0.02	1.4	0.174	0.09
6219		1460	112	30.8	<0.001	0.04	1.63	4.1	0.4	0.6	41.4	<0.01	0.13	1.4	0.121	0.12
6220		630	24	15.3	<0.001	0.01	0.35	2.7	0.2	0.6	12.9	<0.01	0.04	1.9	0.125	0.1
6221		740	24.7	15.9	<0.001	0.01	0.42	2.9	0.2	0.6	13.9	<0.01	0.03	2.2	0.134	0.1
6222		290	31.3	22.9	<0.001	0.01	0.83	2.2	0.2	0.7	10	<0.01	0.16	2	0.013	0.24
6223		230	13.6	5.5	<0.001	<0.01	0.39	1.8	<0.2	0.7	7.2	<0.01	0.01	3.4	0.077	0.13
6224		1620	5.4	12.3	<0.001	0.02	0.34	5	0.3	0.4	93	<0.01	0.01	0.8	0.152	0.09
6225		1190	3	8.1	<0.001	0.01	0.19	7.1	0.3	0.4	84.6	<0.01	0.02	0.6	0.233	0.07
6226		1020	3.7	10.5	<0.001	0.01	0.15	4.3	0.2	0.3	53.3	<0.01	<0.01	1	0.134	0.07
6227		1530	9.6	10.9	<0.001	0.02	0.23	4.4	0.4	0.5	41.8	<0.01	0.03	1.2	0.123	0.1
6228		900	5.1	8.1	<0.001	0.02	0.22	6.2	0.4	0.4	52.7	0.01	0.02	1	0.126	0.07
6229		2960	9.5	8.7	0.001	0.03	0.31	5	0.4	0.7	46.6	0.01	0.03	0.9	0.153	0.08
6230		1630	4.8	10.6	<0.001	0.01	0.3	4.7	0.2	0.3	78	<0.01	0.02	0.7	0.106	0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	1	0.05	0.05	2	0.5
6191		9.81	103	0.81	7.37	100	1
6192		10.95	102	0.45	22	71	0.5
6193		0.57	85	0.27	4.61	89	1.7
6194		0.55	82	0.21	5.04	74	1.1
6195		4.24	106	0.57	19.65	69	3.8
6196		0.64	73	0.2	4.18	104	1.5
6197		0.47	65	0.17	3.04	200	1.6
6198		0.81	80	0.29	2.51	91	1.5
6199		0.51	96	0.3	2.5	124	1.4
6200		1.58	92	0.59	8.19	363	0.5
6201		1.66	93	0.68	8.44	363	0.5
6202		2.36	72	0.65	11	153	2.5
6203		2.33	97	2.59	2.81	100	1.8
6204		0.53	60	0.2	3.18	128	<0.5
6205		2.9	90	1.98	4.35	99	0.7
6206		1.53	76	0.35	8.13	71	0.7
6207		3.32	82	0.38	5.02	86	2.1
6208		42.7	147	0.75	8.87	69	2.9
6209		1.63	96	0.35	3.63	78	1.1
6210		1.46	88	0.35	6.85	72	2.1
6211		4.99	87	0.29	9.41	72	3.5
6212		1.31	59	0.21	4.36	64	0.8
6213		9.92	63	0.3	8.06	73	5.7
6214		0.68	68	0.24	6.41	42	1.3
6215		0.67	70	0.22	5.9	64	3
6216		0.5	56	0.21	4.72	42	2.1
6217		0.57	54	0.19	4.79	65	5.4
6218		0.61	62	0.22	5.48	40	1.9
6219		4.06	91	0.55	5.3	461	<0.5
6220		0.6	110	0.37	2.27	166	0.7
6221		0.63	110	0.38	2.43	172	0.8
6222		0.43	70	0.18	1.52	328	0.6
6223		0.73	86	0.09	1.66	61	0.6
6224		0.25	68	0.16	4.46	387	1.5
6225		0.22	88	0.21	5.51	117	2.4
6226		0.24	47	0.13	4.42	135	1.1
6227		0.68	58	0.27	4.03	211	1.4
6228		0.45	82	0.38	7.92	70	2
6229		0.84	64	0.38	7.44	113	1.6
6230		0.35	63	0.26	4.5	105	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6231		0.11	2.71	1.6	<0.2	<10	120	0.27	0.07	0.54	0.2	6.44	17.6	27	1.21	44
6232		0.15	2.29	3.5	<0.2	<10	140	0.31	0.08	1.05	0.65	5.99	17.4	23	0.75	82.6
6233		0.08	2.11	3.3	<0.2	<10	110	0.2	0.09	0.53	0.2	5.45	13.1	12	2.93	13.4
6234		0.75	1.03	2.1	<0.2	<10	40	0.1	0.6	0.14	0.13	7.66	2.6	24	0.77	9.6
6235		0.34	4.56	6.9	<0.2	<10	50	0.51	0.36	0.17	0.16	19.85	10.5	51	2.12	31.1
6236		0.38	2.06	2.6	<0.2	<10	40	0.24	0.34	0.12	0.3	8.45	4.7	47	1.91	13.7
6237		0.7	2.02	5.3	<0.2	<10	60	0.24	0.36	0.12	0.28	6.8	4.9	34	1.16	18.9
6238		0.38	2.13	4.8	<0.2	<10	90	0.24	0.43	0.12	1	26.1	7.9	30	2.47	38
6239		0.61	3.37	17.7	<0.2	<10	100	0.55	0.71	0.73	1.31	44.9	13	56	5.01	78.4
6240		0.21	2.34	40.8	<0.2	<10	70	0.28	1.49	0.66	1.28	14.2	7.9	38	3.68	22.6
6241		0.22	2.37	42.8	<0.2	<10	70	0.3	0.38	0.69	1.35	14.45	8.2	38	3.88	23.4
6242		0.91	2.92	35.5	<0.2	<10	70	0.44	0.43	0.5	0.56	16.15	11.6	42	2.57	42.2
6243		0.15	2.01	4.5	<0.2	<10	60	0.27	0.4	0.27	0.39	7.46	12.1	32	2.38	19.1
6244		0.2	2.49	5	<0.2	<10	80	0.4	0.31	0.35	0.36	12.8	11.3	32	2.78	32.5
6245		1.84	2.86	38.5	<0.2	<10	90	0.48	0.57	1.23	2.22	20.3	12.6	105	2.47	61.1
6246		0.32	2.13	3.8	<0.2	<10	40	0.18	0.36	0.11	0.16	5.69	6.3	24	1.37	15
6247		0.33	3.39	6.6	<0.2	<10	140	0.35	0.55	0.2	0.6	25.6	13.7	35	3.15	68.1
6248		1.21	3.79	8.6	<0.2	<10	90	0.42	0.34	0.25	0.46	18.5	15.8	46	2.43	87.7
6249		1.16	2.08	3.1	<0.2	<10	60	0.36	0.36	0.37	0.4	25.3	10.7	60	1.49	65.8
6250		0.43	1.2	2.3	<0.2	<10	50	0.12	0.37	0.18	0.54	10.85	3.1	30	2.17	58.6
6251		0.51	3.45	4.3	<0.2	<10	70	0.35	0.35	0.49	0.32	16.7	9.3	37	2.47	43.2
6252		0.28	2.3	3.5	<0.2	<10	80	0.29	0.36	0.42	0.95	18.9	10.5	40	2.87	47.9
6253		0.93	3.83	6.9	<0.2	<10	70	0.51	0.19	1.2	0.69	36.5	13	47	7.38	57.4
6254		0.39	2.94	5.5	<0.2	<10	60	0.31	0.18	0.48	0.33	21.7	9.1	42	3.65	35.3
6255		0.43	2.19	7.9	<0.2	<10	90	0.34	0.31	0.51	0.59	17.25	9.4	29	4.96	32.7
6256		1	2.82	9.6	<0.2	<10	50	0.41	0.26	0.44	0.73	30.4	9.6	36	5.26	44.3
6257		0.49	3.18	3.5	<0.2	<10	40	0.36	0.16	0.21	0.21	28.7	7.9	46	2.38	18.1
6258		0.22	3.17	3.7	<0.2	<10	60	0.37	0.13	0.25	0.27	39.3	7.6	47	2.3	23.8
6259		0.25	2.55	2.9	<0.2	<10	90	0.36	0.16	0.8	0.41	31.1	13.6	49	5.1	49.1
6260		0.24	2.78	3.6	<0.2	<10	80	0.27	0.2	0.56	0.31	23.9	14.3	48	4.39	44
6261		0.23	2.65	3.5	<0.2	<10	70	0.29	0.19	0.52	0.28	23.6	13.8	46	4.31	43.3
6262		0.36	2.37	2.4	<0.2	<10	60	0.31	0.2	0.2	0.23	30	7.6	40	2.31	31.7
6263		0.31	3.03	4.2	<0.2	<10	110	0.32	0.28	0.29	0.89	29.1	12.9	47	5.5	69.5
6264		0.28	4.36	2.8	<0.2	<10	90	0.44	0.27	0.17	0.4	25.6	11.4	44	3.61	44.1
6265		0.27	2.23	2.3	<0.2	<10	80	0.22	0.29	0.23	0.23	16.65	9.9	50	2.63	31.5
6266		0.23	2.14	2.3	<0.2	<10	130	0.22	0.24	0.5	0.27	18.05	10.5	44	3.29	39.3
6267		0.28	2.92	3.7	<0.2	<10	160	0.29	0.24	0.47	0.31	25.9	11.8	47	4.4	57
6268		0.3	3.27	4.6	<0.2	110	200	0.34	0.28	0.31	0.36	15.3	13.4	48	4.36	37.2
6269		0.53	3.04	5.4	<0.2	10	150	0.35	0.22	0.55	0.76	25.9	11.6	48	4.11	70.4
6270		0.27	2.62	2.3	<0.2	<10	120	0.27	0.19	0.48	0.3	24.9	10.2	46	3.8	68



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
6231		3.2	7.55	0.05	0.05	0.02	0.017	0.07	2.7	10.5	0.8	821	0.41	0.02	0.65	14.9
6232		2.91	6.18	0.06	0.03	0.05	0.016	0.1	2.4	7	0.77	866	0.45	0.02	0.75	12.1
6233		2.32	6.27	<0.05	0.04	0.06	0.015	0.07	2.4	11.8	0.55	508	0.41	0.01	0.53	6
6234		1.67	9.1	<0.05	0.02	0.09	0.019	0.04	4	5	0.16	253	1.68	0.01	1.84	5.4
6235		3.77	13.1	0.07	0.13	0.14	0.04	0.04	8.2	17.6	0.42	611	2.06	0.02	3.12	13.9
6236		3.02	11.6	0.05	0.03	0.06	0.023	0.03	4.1	12.3	0.28	138	7.67	0.02	2.4	8.9
6237		3.34	10.8	0.05	0.02	0.13	0.025	0.03	3.3	13.7	0.29	121	5.04	0.02	2.1	8.5
6238		4.37	11.9	0.06	0.04	0.05	0.028	0.04	14.9	19.1	0.43	1440	16.55	0.02	2.63	9.2
6239		3.62	10.2	0.1	0.05	0.14	0.038	0.06	18	26.7	0.66	1165	11.95	0.02	2.14	17.5
6240		3.9	9.74	0.06	0.03	0.08	0.029	0.05	5.6	28.7	0.54	280	16.9	0.02	1.39	8.8
6241		3.94	10.05	0.06	0.03	0.07	0.03	0.05	5.7	29.9	0.55	284	17.45	0.02	1.44	9.2
6242		3.57	9.3	0.07	0.03	0.07	0.026	0.06	10.7	24.4	0.65	403	5	0.03	1.11	11.3
6243		3.67	8.72	0.05	0.03	0.03	0.023	0.05	3.2	23.1	0.66	402	4.3	0.02	1.22	10.6
6244		3.26	7.24	0.06	0.03	0.06	0.023	0.05	5.5	26	0.67	308	3.87	0.03	1.04	11.5
6245		3.45	7.46	0.08	0.05	0.11	0.022	0.09	27.7	17.1	0.6	742	12.2	0.03	0.72	14.3
6246		2.84	11.05	<0.05	0.03	0.06	0.024	0.02	2.8	14.8	0.27	200	3.37	0.01	1.85	7.4
6247		3.24	9.71	<0.05	0.07	0.08	0.04	0.11	6.5	23.7	0.78	481	1.46	0.02	1.71	20.9
6248		3.28	8.96	0.05	0.09	0.12	0.033	0.06	6.1	24	0.73	714	1.43	0.01	1.59	20.7
6249		3.07	6.91	0.06	0.03	0.08	0.023	0.05	9.4	13.7	0.56	272	0.98	0.01	1.29	16.1
6250		2.14	7.39	<0.05	0.02	0.08	0.019	0.05	5.1	3.6	0.17	146	2.78	0.01	1.6	12
6251		3.08	9.4	<0.05	0.04	0.09	0.031	0.06	6.5	21.9	0.71	342	2.24	0.01	1.82	17
6252		3.06	9.02	<0.05	0.02	0.03	0.028	0.08	7.3	18.8	0.69	697	1.63	0.01	1.47	17.1
6253		2.95	11.4	0.09	0.09	0.05	0.04	0.08	13	31.2	1.12	691	0.31	0.02	1.26	18.9
6254		2.85	9.23	<0.05	0.04	0.06	0.024	0.07	8.7	21.5	0.65	405	0.77	0.02	1.73	13.4
6255		2.62	9.93	<0.05	<0.02	0.1	0.031	0.05	6.9	21.8	0.44	877	1.01	0.01	1.42	11
6256		2.99	8.77	<0.05	0.02	0.12	0.031	0.06	9.4	21	0.5	999	2.15	0.01	1.33	12.4
6257		3.32	9.84	0.05	0.04	0.1	0.026	0.04	7.6	16.1	0.39	249	1.46	0.01	2	10.9
6258		2.92	8.74	0.06	0.04	0.08	0.022	0.04	11.4	16.3	0.49	286	0.85	0.01	1.64	11.9
6259		3.11	8.99	0.08	0.02	0.05	0.027	0.16	13	23.4	0.92	981	0.87	0.03	1.6	19.3
6260		3.6	10.4	0.06	0.02	0.07	0.031	0.07	8.7	24.6	0.78	711	1.05	0.02	2.3	18.5
6261		3.48	10.1	0.05	0.02	0.06	0.031	0.07	8.4	24.5	0.76	654	1	0.02	2.26	18.2
6262		2.63	7.07	0.05	0.03	0.07	0.022	0.06	7.1	15.7	0.47	522	0.71	0.01	1.54	13.1
6263		3.41	11.15	0.06	0.05	0.06	0.035	0.15	12.2	25	0.7	1550	3.16	0.01	2.16	19.3
6264		3.73	12.5	0.05	0.05	0.13	0.041	0.05	8.9	24.5	0.52	357	2.11	0.01	3.22	20.4
6265		3	10.7	<0.05	0.03	0.14	0.028	0.07	6.9	15.7	0.49	1005	1.32	0.01	2.62	16.9
6266		2.86	9.21	0.05	0.02	0.1	0.025	0.12	7.2	17.7	0.65	839	1.45	0.02	2.17	19.9
6267		3.17	9.71	0.08	0.03	0.05	0.029	0.21	11.9	21.5	0.87	766	2.6	0.01	2.03	22.5
6268		4.36	18.6	0.07	0.04	0.06	0.04	0.13	8.1	97.6	0.8	854	3.71	0.01	2.37	21.8
6269		3.22	10.3	0.06	0.02	0.09	0.032	0.17	13	41.8	0.76	1315	2.73	0.01	1.85	21.3
6270		3.06	8.43	0.06	0.02	0.05	0.026	0.17	9.5	19.8	0.77	894	1.09	0.01	1.81	21.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
6231		850	4.5	11.6	<0.001	0.01	0.26	5.2	0.2	0.4	44.8	<0.01	0.02	0.8	0.124	0.07
6232		1980	6.6	5.7	<0.001	0.03	0.22	4.4	0.4	0.4	88.8	<0.01	0.02	0.6	0.14	0.03
6233		1410	9.3	15.1	<0.001	0.01	0.21	3.8	0.2	0.3	66.7	<0.01	0.04	0.5	0.046	0.15
6234		470	15.9	3.5	<0.001	0.02	0.29	1.5	0.2	1	20.3	<0.01	0.01	1.7	0.194	0.07
6235		3190	19.2	5	<0.001	0.03	0.38	5.6	0.8	0.9	18.4	0.04	0.01	8.6	0.245	0.07
6236		380	14.2	4.1	<0.001	0.02	0.87	2.8	0.3	1	17.7	0.04	<0.01	2.4	0.252	0.05
6237		550	16.6	3.1	<0.001	0.05	0.5	2.5	0.5	0.8	14.1	0.02	0.02	1.6	0.189	0.05
6238		350	25	6.3	0.001	0.03	0.36	3.7	0.5	0.8	13.8	0.03	0.03	4	0.27	0.08
6239		910	58.7	10.2	0.001	0.06	0.54	4.7	1.1	0.7	35.8	0.03	0.03	4.6	0.213	0.23
6240		360	19.4	8.5	0.001	0.03	0.41	3.8	0.5	0.6	33.5	0.02	0.03	2.1	0.163	0.1
6241		360	19.7	8.9	0.001	0.03	0.43	4	0.6	0.6	35	0.02	0.03	2.1	0.169	0.1
6242		720	18.6	8.7	<0.001	0.04	0.46	5.2	0.7	0.6	29.4	0.02	0.04	2.9	0.14	0.09
6243		370	16.1	8.7	<0.001	0.02	0.34	3.8	0.2	0.5	22.8	0.01	0.03	1.4	0.154	0.06
6244		470	14.9	6	<0.001	0.02	0.33	4.4	0.5	0.5	29.7	0.01	0.04	2.3	0.129	0.08
6245		1280	19.7	9.4	0.002	0.08	0.89	6.1	1.9	0.4	48.2	0.02	0.06	2.4	0.098	0.22
6246		570	16.3	3.9	<0.001	0.02	0.26	2.6	0.2	0.8	13.5	0.03	0.03	2.1	0.175	0.05
6247		950	27	13.4	<0.001	0.02	0.33	5.1	0.3	0.6	20.6	0.01	0.04	4.3	0.186	0.13
6248		1630	24.4	7.8	<0.001	0.02	0.35	4.6	0.4	0.4	28.1	0.01	0.02	5.3	0.161	0.1
6249		1160	41.6	4.8	0.001	0.03	0.37	3.1	0.2	0.4	23.3	0.01	0.02	2.5	0.13	0.07
6250		830	22.6	8.3	0.001	0.08	0.31	1.4	0.2	0.7	22.5	0.01	0.02	0.4	0.136	0.04
6251		990	27.9	7.1	0.001	0.05	0.26	4	0.3	0.5	40	0.02	0.02	2.5	0.142	0.06
6252		950	31.2	11.9	<0.001	0.05	0.25	3.2	<0.2	0.5	36.7	0.01	0.01	1.1	0.141	0.06
6253		870	37.7	8.8	<0.001	0.02	0.41	6.8	0.3	0.6	96.1	0.01	0.01	9.3	0.173	0.1
6254		850	20.7	7	<0.001	0.03	0.33	4.1	0.3	0.6	38	0.01	0.01	4.2	0.154	0.07
6255		1300	29.9	10.8	<0.001	0.05	0.34	3.5	0.2	0.8	54.3	0.02	0.02	1.5	0.121	0.07
6256		1430	36.2	9.1	<0.001	0.07	0.55	3.1	0.4	0.6	37.1	0.02	0.02	0.8	0.106	0.1
6257		760	12.9	5.5	0.001	0.03	0.2	3.9	0.3	0.7	19.8	0.02	0.02	3.6	0.169	0.07
6258		1230	12.6	5	<0.001	0.02	0.18	4.9	0.4	0.5	22.7	0.01	0.02	4.9	0.157	0.08
6259		1140	22.6	15.6	<0.001	0.05	0.26	4.5	0.2	0.7	83.7	0.01	0.01	2.6	0.189	0.17
6260		970	22.1	9.6	0.001	0.03	0.26	4.3	0.2	0.8	56	0.02	0.02	4.4	0.23	0.11
6261		920	21	9.5	<0.001	0.03	0.25	4.1	0.2	0.8	52.9	0.02	0.01	4.4	0.223	0.11
6262		1120	12.4	9.9	<0.001	0.03	0.25	3.2	0.2	0.5	23.9	0.02	0.02	3.6	0.138	0.11
6263		1820	26.3	30.2	<0.001	0.05	0.26	4.2	0.4	0.9	45.1	0.02	0.02	2	0.19	0.19
6264		1160	27.3	11.6	<0.001	0.04	0.24	4.6	0.5	1.1	31.6	0.04	0.02	6	0.253	0.15
6265		1500	26.2	10.4	0.001	0.05	0.3	3.1	0.2	1.1	32.8	0.02	0.01	3.7	0.251	0.14
6266		1140	23.4	16.9	<0.001	0.05	0.22	3	0.2	0.8	75.8	0.01	0.01	2.4	0.2	0.16
6267		1350	21.6	23.8	<0.001	0.04	0.22	4.1	0.3	0.7	115	0.01	0.01	3.8	0.196	0.17
6268		920	23.2	18.8	<0.001	0.03	0.25	4.4	0.3	1	76.7	0.02	0.01	3.3	0.275	0.11
6269		1160	30.2	19.5	<0.001	0.04	0.38	4.5	0.5	0.8	73.1	0.01	0.01	3.5	0.202	0.18
6270		1220	25.5	17.2	<0.001	0.01	0.23	4.4	0.3	0.7	54.1	0.01	0.01	6.4	0.193	0.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	1	0.05	0.05	2	0.5
6231		0.28	76	0.21	4.31	105	1.2
6232		0.29	66	0.29	3.92	94	1.1
6233		0.21	39	0.19	3.2	174	0.9
6234		0.69	72	0.1	1.16	29	0.8
6235		3.5	106	0.48	6.21	55	5.2
6236		1	119	0.31	2.34	38	1
6237		0.89	103	0.39	2.04	37	0.6
6238		9.73	117	0.8	6.47	64	0.8
6239		89	112	8.65	15.8	87	1.3
6240		55.1	136	8.11	7.18	80	0.8
6241		58.6	138	8.55	7.35	80	0.8
6242		44.5	101	1.62	13.4	55	0.8
6243		1.43	106	0.69	2.99	58	0.6
6244		6.37	96	2.08	5.73	59	0.6
6245		247	112	4.39	46.3	48	0.7
6246		3.24	89	0.69	2.14	45	1.3
6247		2.58	86	0.7	7.12	141	2.5
6248		2.13	89	0.84	5.96	115	3.2
6249		5.76	98	0.51	10.15	52	0.7
6250		2.65	65	0.51	2.61	24	<0.5
6251		2.53	84	0.56	5.91	82	1.1
6252		2.78	90	0.59	7.01	85	<0.5
6253		5.85	82	0.42	15.05	96	2.8
6254		2.62	87	0.51	7.9	56	1
6255		2.42	65	0.32	5.48	66	<0.5
6256		13.55	69	0.41	10.1	61	<0.5
6257		2.61	105	0.34	7.42	40	1.3
6258		3.37	93	0.38	11.1	40	1.2
6259		5.29	96	0.32	13.95	75	<0.5
6260		2.39	103	0.47	7.26	83	<0.5
6261		2.35	99	0.43	6.92	81	<0.5
6262		2.49	79	0.32	5.98	45	1.1
6263		29.9	96	0.5	12.25	102	1.9
6264		4.72	88	0.57	7.1	105	2.4
6265		2.51	101	0.38	4.71	63	1.2
6266		3.27	92	0.43	5.32	72	0.7
6267		10.9	92	0.74	8.49	67	0.7
6268		9.57	112	0.83	6.34	77	1.6
6269		51.5	94	1.05	14.9	87	0.5
6270		5.28	97	0.58	7.69	80	0.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6271		0.44	2.58	2.2	<0.2	<10	90	0.29	0.17	0.28	0.22	22.2	8.3	46	2.97	53.6
6272		1.01	3.67	4.4	<0.2	<10	170	0.46	0.28	0.66	0.83	32.4	12.4	45	5.92	172
6273		0.22	2.36	1.8	<0.2	150	80	0.23	0.13	0.11	0.09	15.15	7	52	1.81	28.2
6274		0.14	2.1	2.4	<0.2	<10	50	0.16	0.15	0.37	0.14	12.25	6.1	53	1.68	22
6275		0.37	4.5	3.4	<0.2	<10	70	0.43	0.24	0.11	0.17	11.65	8.1	55	2.2	20.7
6276		1.5	5.32	5.9	<0.2	<10	90	0.55	0.19	0.22	0.5	24.3	9.2	63	2.52	46.3
6277		1.24	4.28	3.6	<0.2	<10	80	0.58	0.22	0.17	0.4	34.1	9.3	34	3.02	73.3
6278		0.69	3.4	5.5	<0.2	<10	140	0.44	0.25	0.62	0.36	39.6	11	43	3.91	79.8
6279		0.1	2.43	14.3	<0.2	<10	130	0.38	0.23	0.87	0.27	15.15	10.5	19	1.6	48.6
6280		0.14	2.33	9.7	<0.2	<10	80	0.48	0.21	0.24	0.13	17.8	12.8	20	1.85	46
6281		0.23	2.09	8.7	<0.2	<10	70	0.44	0.21	0.18	0.13	16.85	11.8	19	1.69	41.7
6282		0.08	2.35	18.1	<0.2	<10	90	0.33	0.27	0.17	0.17	23.5	10.5	21	1.29	52.2
6283		0.08	2.97	10.9	<0.2	<10	120	0.43	0.32	0.13	0.16	39.8	12.9	25	2.04	53
6284		0.37	1.74	4.8	<0.2	<10	30	0.14	0.29	0.11	0.17	8.31	6.2	27	1.8	11.7
6285		0.17	2.57	5.6	<0.2	<10	40	0.23	0.24	0.1	0.08	9.72	8.4	27	2.36	35.3
6286		0.27	1.56	3.8	<0.2	<10	40	0.18	0.31	0.11	0.13	8.29	6	20	2.07	12.4
6287		0.12	3.34	20	<0.2	<10	40	0.32	0.25	0.11	0.07	25.9	8.9	23	1.25	43.8
6288		0.14	1.07	5.6	<0.2	<10	30	0.18	0.45	0.07	0.02	7.33	2.5	11	1.13	7.3
6289		0.24	2.49	11.3	<0.2	<10	50	0.2	0.43	0.1	0.07	9.6	7.2	21	2.54	27.8
6290		0.1	2.99	16.8	<0.2	<10	50	0.22	0.24	0.1	0.07	19.65	8.2	23	1.08	46.2
6291		0.06	1.1	2.3	<0.2	<10	20	0.13	0.19	0.08	0.07	2.77	7.7	9	1.43	34.9
6292		0.1	2.46	1.8	<0.2	<10	60	0.25	0.19	0.46	0.11	3.83	9.1	7	3.91	70.9
6293		0.08	4.6	5.2	<0.2	<10	50	0.32	0.27	0.16	0.15	17.8	15.1	14	3.36	232
6294		0.21	1.99	2	<0.2	<10	60	0.26	0.41	0.22	0.81	8.4	11.7	7	3.25	45.4
6295		0.29	1.42	1.8	<0.2	<10	50	0.22	0.13	0.3	0.16	33.1	6.8	52	1.08	32.7
6296		0.89	3.75	4.8	<0.2	<10	110	0.56	0.37	0.87	1.24	41.3	19.6	15	3.17	69.8
6297		0.44	2.37	2.4	<0.2	<10	70	0.32	0.17	0.2	0.25	9.43	9.6	39	1.56	34.1
6298		0.29	2.5	3.2	<0.2	<10	60	0.4	0.2	0.21	0.41	9.92	11.2	23	2.1	21.5
6299		0.28	2.23	2.4	<0.2	<10	60	0.26	0.21	0.17	0.3	5.64	8.3	25	1.77	16.9
6300		1.09	4.24	2	<0.2	<10	120	0.57	0.25	0.53	0.44	32.4	12	29	3.5	61.4
6301		1.18	4.63	2.1	<0.2	<10	130	0.57	0.26	0.59	0.5	34.3	12.2	28	3.67	63.2
6302		0.49	3.32	4.3	<0.2	<10	170	0.46	0.39	0.53	0.32	41.1	11.4	32	3.05	58.1
6303		0.28	2.52	1.8	<0.2	<10	180	0.39	0.34	0.43	0.79	11.4	7.7	21	2.31	24.5
6304		0.59	2.71	7.3	<0.2	<10	130	0.35	0.38	0.83	2.88	21.4	12.8	44	3.52	73.4
6305		0.7	2.16	4	<0.2	<10	90	0.29	0.2	0.47	0.24	25.6	8.1	43	2.35	69
6306		0.66	4.75	4.8	<0.2	<10	70	0.84	1.09	0.26	0.54	32.5	7.6	24	3.27	88.5
6307		0.65	3.54	4.3	<0.2	<10	50	0.42	0.54	0.13	0.48	14	9.3	28	3.38	50.7
6308		0.71	3.54	3.9	<0.2	<10	80	0.41	0.43	0.27	0.51	12.7	8.3	25	2.32	32.6
6309		0.7	3.2	3.9	<0.2	<10	130	0.53	0.46	0.53	1.08	31.2	9.6	29	4.32	132.5
6310		0.82	2.97	6.9	<0.2	<10	170	0.41	0.44	0.67	0.47	18.15	12.4	44	4.89	162



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6271		2.81	8.23	0.05	0.02	0.07	0.026	0.11	7.9	14.1	0.57	668	1.02	0.01	1.52	16.4
6272		3.33	11.55	0.07	0.03	0.09	0.041	0.17	16.1	42.7	0.97	933	1.93	0.01	1.52	22.8
6273		2.9	8.1	0.05	0.05	0.06	0.02	0.04	5.1	127	0.41	207	0.81	0.01	1.43	15.6
6274		2.7	7.84	0.05	0.02	0.08	0.02	0.05	4.1	9.2	0.28	896	0.83	0.01	1.2	11.3
6275		3.41	12.75	0.05	0.09	0.15	0.035	0.04	5.6	13.3	0.33	411	1.35	0.01	2.08	12.5
6276		4.1	9.53	0.07	0.09	0.22	0.038	0.05	9.4	18.3	0.53	228	1.67	0.01	1.93	16
6277		2.98	9.62	0.05	0.07	0.16	0.034	0.04	9.6	20	0.52	469	2.16	0.01	1.66	13.7
6278		2.95	8.73	0.07	0.04	0.08	0.03	0.14	9.8	31.7	0.77	766	1.3	0.02	1.17	16.3
6279		2.89	6.64	0.06	0.03	0.04	0.026	0.13	7.6	17.1	0.57	1565	3.84	0.01	1.12	17.8
6280		2.9	7.5	0.06	0.05	0.03	0.025	0.06	8.4	37.3	0.7	291	9.18	0.01	1.16	21.8
6281		2.73	6.31	0.05	0.07	0.04	0.025	0.05	6.9	22.8	0.63	261	8.38	<0.01	1.18	20.2
6282		3.01	6.56	0.08	0.11	0.04	0.022	0.1	8.4	14.8	0.7	271	2.2	0.01	0.94	21
6283		3.39	8.32	0.07	0.14	0.05	0.028	0.12	8.6	16.4	0.92	312	3.07	0.01	1.45	22.8
6284		2.98	10.6	<0.05	0.05	0.1	0.019	0.03	4	14.9	0.42	325	3.19	<0.01	2.35	11.5
6285		3.27	8.78	<0.05	0.11	0.09	0.03	0.03	4.5	16.3	0.49	220	2.28	<0.01	1.73	16.6
6286		2.84	10.15	<0.05	0.07	0.09	0.02	0.03	4.2	13.6	0.36	212	2.22	<0.01	2.18	9.8
6287		3.14	7.33	0.06	0.21	0.11	0.03	0.04	8.2	12.5	0.49	198	3.41	<0.01	1.42	18.3
6288		2.33	8.47	<0.05	0.07	0.06	0.019	0.02	3.5	5.9	0.17	107	2.18	<0.01	1.77	4.7
6289		2.99	8.88	<0.05	0.12	0.08	0.029	0.04	4.5	14.1	0.39	220	2.94	<0.01	1.59	16.2
6290		2.64	7.22	0.05	0.15	0.03	0.025	0.05	4.3	12.4	0.58	226	2.05	<0.01	1.23	18.6
6291		3.25	7.66	<0.05	0.02	0.03	0.018	0.03	1.2	10.3	0.34	215	2.58	<0.01	0.81	3.8
6292		3.24	10.9	<0.05	0.03	0.09	0.019	0.06	1.9	12.1	0.47	431	1.41	<0.01	0.94	4.3
6293		3.89	12.5	0.07	0.12	0.14	0.024	0.15	8.4	10.5	0.64	332	4.94	0.01	1.35	7.9
6294		3	7.08	0.05	0.02	0.06	0.018	0.07	2.8	11	0.49	674	1.18	<0.01	0.67	5.1
6295		2.74	4.33	0.06	0.04	0.04	0.012	0.05	7.6	8.1	0.41	240	0.43	0.01	0.68	8.5
6296		3.43	8.47	0.08	0.06	0.07	0.027	0.11	14.4	21.3	0.97	998	2.4	0.02	0.82	25.1
6297		3.15	7.14	0.05	0.04	0.07	0.017	0.04	3.6	13.2	0.52	304	0.7	<0.01	0.99	12
6298		2.86	8.6	0.05	0.05	0.09	0.022	0.04	4.8	14.9	0.39	449	1.17	<0.01	1.02	9.2
6299		2.85	8.85	<0.05	0.05	0.07	0.019	0.03	2.7	18.7	0.37	886	1.22	<0.01	1.2	9.3
6300		3.08	11.25	0.06	0.12	0.11	0.028	0.09	8.4	21.2	0.9	511	1.18	0.01	1.8	23.8
6301		2.98	11.6	0.06	0.13	0.11	0.029	0.1	9.1	21.5	0.9	523	1.21	0.01	1.85	24.1
6302		2.86	8.18	0.08	0.07	0.06	0.026	0.17	7.7	19.5	0.92	500	0.66	0.02	1.37	16.9
6303		2.39	10.85	<0.05	0.05	0.11	0.022	0.06	5	15.6	0.34	1240	1.25	0.01	1.7	9.7
6304		3.06	10.2	0.06	0.05	0.07	0.027	0.11	9.6	22.9	0.73	1685	3.06	0.01	1.77	17.3
6305		2.32	5.98	0.1	0.06	0.02	0.018	0.16	10.2	12.1	0.67	403	0.55	0.02	1.64	15.5
6306		2.18	7.94	0.06	0.07	0.13	0.028	0.08	15.7	14.2	0.4	1050	3.3	<0.01	1.17	11.9
6307		4.88	18.1	0.06	0.06	0.2	0.055	0.05	6.1	20.1	0.38	358	5.61	<0.01	3.85	12.9
6308		3.29	13.85	0.06	0.08	0.14	0.049	0.03	8.7	13	0.2	464	3.56	<0.01	3.04	10.5
6309		2.52	7.75	0.06	0.04	0.11	0.039	0.09	14	19.6	0.53	1240	2.57	0.01	1.29	14.9
6310		2.4	9.13	0.07	0.04	0.09	0.036	0.15	7.7	41.3	0.92	490	10.7	0.02	1.4	24.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6271		1120	26.9	11.7	<0.001	0.02	0.2	3.9	0.3	0.6	40.7	0.01	0.01	5	0.163	0.11
6272		820	124	16	<0.001	0.01	0.3	7.6	0.4	0.8	100.5	0.01	0.01	6.2	0.163	0.19
6273		680	16.5	5.4	<0.001	0.01	0.29	3.7	0.3	0.5	23.4	0.01	0.01	4.4	0.146	0.05
6274		1150	14.7	5.6	<0.001	0.01	0.19	2.6	0.2	0.6	22.4	0.02	<0.01	3.1	0.128	0.1
6275		1650	21.5	5.8	<0.001	0.02	0.27	4.6	0.5	0.9	19.8	0.02	0.01	6.9	0.186	0.07
6276		1440	22.7	5.7	<0.001	0.03	0.23	6.1	0.7	0.6	29.9	0.02	0.02	10.8	0.177	0.07
6277		1070	50.8	5.6	<0.001	0.02	0.22	5.2	0.6	0.5	24.2	0.02	0.02	6.3	0.139	0.07
6278		1270	29.9	10.1	<0.001	0.01	0.35	4.8	0.4	0.5	57.9	0.01	0.01	8.5	0.153	0.17
6279		1600	14.4	10.4	0.002	<0.01	0.6	4.7	0.5	0.5	48.6	0.01	0.04	4.6	0.127	0.08
6280		530	12.4	7.3	<0.001	0.01	0.43	5.2	0.5	0.5	22.6	0.01	0.04	4.6	0.146	0.08
6281		480	11.6	6.4	0.001	<0.01	0.32	4.7	0.7	0.5	18.6	<0.01	0.04	3.5	0.127	0.11
6282		930	15.4	7.6	0.001	<0.01	0.63	5.9	1.1	0.4	19.7	0.01	0.06	5.4	0.136	0.12
6283		870	20.3	9.8	<0.001	<0.01	0.42	8.2	1	0.6	20.6	0.01	0.05	6.9	0.198	0.17
6284		900	12.8	6.7	<0.001	<0.01	0.22	3.5	0.5	1	11.4	0.01	0.01	2.9	0.21	0.12
6285		840	11.2	9.3	<0.001	<0.01	0.34	4	0.6	0.6	14	0.01	0.02	3.7	0.179	0.14
6286		510	13.3	9.9	<0.001	<0.01	0.21	3	0.4	1	13.9	0.01	0.02	4.1	0.192	0.11
6287		1140	11.8	4.6	0.001	<0.01	0.48	5.1	1.4	0.4	13.7	0.01	0.06	4.7	0.145	0.09
6288		610	11	4.4	<0.001	<0.01	0.35	1.8	0.3	0.9	7.7	0.01	0.02	2.9	0.147	0.12
6289		1650	14	9.4	<0.001	<0.01	0.42	3.1	0.6	0.7	12.3	0.01	0.05	3.3	0.123	0.15
6290		1720	11.9	4.4	<0.001	0.04	0.46	5.3	0.6	0.5	14.6	0.02	0.03	4.9	0.193	0.09
6291		620	7	4.4	<0.001	<0.01	0.17	2.5	0.3	0.5	5.7	<0.01	0.04	0.5	0.184	0.07
6292		1350	12.9	9.1	<0.001	<0.01	0.19	4.1	0.4	0.6	61.3	0.01	0.04	0.9	0.151	0.11
6293		1380	17.5	11.8	0.001	0.02	0.32	5.7	1.7	0.6	9.3	0.03	0.1	0.8	0.174	0.16
6294		1460	17.1	15.5	<0.001	<0.01	0.17	4.2	0.6	0.5	21.2	0.01	0.05	0.9	0.145	0.1
6295		840	11.6	5.5	<0.001	<0.01	0.29	3	0.4	0.7	24.8	<0.01	0.02	6.5	0.09	0.11
6296		1760	35.3	8.4	<0.001	0.02	0.26	6.3	1.4	0.7	87.3	0.01	0.09	1.8	0.129	0.18
6297		1870	13.6	5.9	<0.001	<0.01	0.19	3.8	0.5	1.1	24.6	0.01	0.02	2.2	0.121	0.1
6298		2350	12.5	9.9	<0.001	<0.01	0.22	2.8	0.6	1.1	19.1	0.01	0.02	1.1	0.113	0.11
6299		1100	11.4	6.6	<0.001	<0.01	0.26	3.3	0.4	0.8	14.8	0.01	0.01	1.6	0.14	0.1
6300		730	21.3	12.9	<0.001	<0.01	0.33	5.8	0.9	0.8	68.2	0.01	0.03	5.6	0.157	0.16
6301		790	22.1	13	<0.001	<0.01	0.32	5.8	0.8	1	75.2	<0.01	0.02	6.3	0.157	0.17
6302		1040	22.5	14.1	<0.001	<0.01	0.34	6.2	0.7	0.9	47.4	0.01	0.02	6	0.172	0.19
6303		3900	32.1	8.9	<0.001	0.02	0.25	2.6	0.7	1.1	48	0.01	0.02	1.2	0.144	0.11
6304		950	44.7	18.4	<0.001	0.03	0.26	4.5	1.3	0.8	48.5	0.01	0.03	1.5	0.166	0.17
6305		990	18	11.1	<0.001	<0.01	0.22	4.9	0.5	0.7	23.9	0.01	0.01	8.3	0.172	0.17
6306		2400	41.3	10.5	<0.001	0.06	0.31	3.2	1.5	0.5	24.4	0.01	0.03	1.3	0.079	0.18
6307		1290	28.1	6.9	<0.001	0.02	0.37	3.7	0.9	1.1	13.5	0.04	0.03	8.1	0.288	0.11
6308		660	36.8	5.8	<0.001	0.01	0.3	3.4	0.8	1.1	26.9	0.04	0.02	3.2	0.207	0.12
6309		1060	40.4	10.8	<0.001	0.03	0.35	3.6	0.9	0.6	40.6	0.01	0.03	1.8	0.119	0.2
6310		880	30	13	0.003	0.02	0.43	4.5	0.9	0.6	36.1	0.01	0.03	2.6	0.162	0.17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	1	0.05	0.05	2	0.5
6271		2.67	97	0.52	6.27	63	0.7
6272		35.1	94	1.08	24.5	166	0.6
6273		1.23	107	0.31	3.18	47	1.8
6274		1.03	110	0.24	2.81	42	0.7
6275		1.75	110	0.32	4.5	50	3.7
6276		3.27	122	0.83	9.46	68	2.9
6277		3.43	76	0.6	8.39	79	2.6
6278		5.09	90	0.7	10.8	63	1.4
6279		2.02	64	0.25	6.02	85	1.4
6280		4.21	67	0.22	6.8	61	1.7
6281		3.55	62	0.18	5.88	59	1.6
6282		1.85	72	0.19	8.19	59	1.8
6283		2.67	85	0.23	8.32	72	2.7
6284		0.71	86	0.13	1.8	70	1.3
6285		0.72	88	0.2	2.73	51	3.3
6286		0.67	80	0.14	2.06	55	1.8
6287		1.56	75	0.33	8.86	45	6.1
6288		0.45	66	0.09	1.5	27	2.1
6289		0.87	62	0.26	2.19	61	3.7
6290		1.48	81	1.19	4.1	50	3.6
6291		0.15	106	0.63	1.8	56	0.5
6292		0.36	91	0.88	1.88	76	0.8
6293		1.58	102	1.19	7.62	72	4.3
6294		0.46	77	0.22	3.35	179	0.5
6295		1.8	107	0.24	5.9	41	0.8
6296		16.6	93	0.35	23.8	125	0.9
6297		1.19	103	0.39	3.72	76	0.8
6298		1.5	67	0.31	3.66	95	1.2
6299		0.52	82	0.2	2.36	69	1.3
6300		5.42	83	0.37	7.94	117	2.7
6301		5.94	81	0.38	8.39	117	3.3
6302		1.53	82	0.48	7.45	70	1.6
6303		1.86	49	0.23	3.08	87	1.4
6304		50.6	91	0.48	10.2	118	0.9
6305		8.16	82	0.48	9.49	51	0.9
6306		10.95	54	0.74	16.45	54	1.5
6307		3.01	117	1.38	5.12	64	1.4
6308		2.57	85	0.92	6.76	61	2.1
6309		7.01	66	2.58	13.8	89	0.7
6310		45.7	69	3.64	9.19	87	0.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156826
-------------------------	------------

Sample Description	Method	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	MS41	
	Analyte	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6311		0.48	2.73	6.3	<0.2	<10	110	0.41	0.53	0.45	0.38	22.9	11.1	39	4.46	67.7
6312		0.31	2.53	7.7	<0.2	<10	110	0.35	0.43	0.41	0.36	16.65	10.1	29	4.19	44.7
6313		0.54	2.87	7.3	<0.2	<10	190	0.49	0.25	0.86	0.94	22.4	15.8	39	4.57	65.5
6314		0.36	3.79	9.5	<0.2	<10	60	0.47	0.38	0.13	0.6	18.15	6.5	39	2.97	37.7
6315		0.32	4.21	3.4	<0.2	<10	40	0.4	0.22	0.1	0.12	14.15	5.8	37	1.38	21.1
6320		1.62	0.97	11	<0.2	<10	130	0.3	11.5	0.59	2.71	17.6	8.6	34	8.64	104
6340		0.25	1.85	5.1	<0.2	<10	100	0.39	0.49	0.23	0.22	8.97	10.7	19	2.89	18.9
6341		0.22	1.71	4.1	<0.2	<10	80	0.33	0.45	0.2	0.15	8.18	9.4	20	2.81	15.2
6342		0.23	4.1	15.3	<0.2	<10	50	0.41	0.26	0.1	0.15	36.9	10	23	1.87	42
6343		0.36	3.47	12	<0.2	<10	80	0.47	0.42	0.34	0.16	29.6	15.2	23	2.28	77.2
6344		0.18	1.84	4.9	<0.2	<10	80	0.28	0.33	0.14	0.26	10.6	8.3	18	2.44	16.2
6345		0.08	3.18	16.9	<0.2	<10	60	0.31	0.28	0.13	0.09	20.7	13.6	29	1.52	66.8
6346		0.17	3.26	11.4	<0.2	<10	70	0.45	0.27	0.14	0.15	21.9	12.4	24	2.2	45
6347		0.11	1.92	6.4	<0.2	<10	50	0.9	0.22	0.23	0.3	14.65	62	22	9.2	30.5
6348		0.28	2.38	15.5	<0.2	<10	70	0.31	0.22	0.22	0.26	15.1	14.4	20	1.77	59.8
6349		0.16	2.59	17	<0.2	<10	120	0.38	0.33	0.43	0.11	24.8	14.8	21	1.67	65.8
6350		0.24	2.52	16.6	<0.2	<10	60	0.41	0.32	0.33	0.1	27.4	13.7	20	1.43	57.5
6351		0.17	2.34	8.8	<0.2	<10	60	0.42	0.24	0.28	0.17	12.3	12.1	18	2.55	38.2
6352		0.35	1.78	7.4	<0.2	<10	70	0.19	0.67	0.22	0.22	14.75	9.3	47	2.42	45.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6311		3.06	12.8	0.07	0.05	0.1	0.036	0.11	10.4	27.5	0.65	509	24.9	0.01	1.73	16.6
6312		3.51	12.05	0.06	0.06	0.09	0.034	0.1	7.4	30.9	0.62	616	9.76	0.01	2	14.9
6313		2.85	9.34	0.07	0.07	0.12	0.028	0.22	8.9	35.7	0.91	570	9.73	0.01	1.25	22.5
6314		3.31	17.1	0.06	0.1	0.17	0.04	0.06	7.9	15.2	0.31	355	6	<0.01	2.84	11
6315		2.98	12.2	0.06	0.1	0.18	0.035	0.03	6.4	9.5	0.23	469	1.5	<0.01	2.24	11.7
6320		2.82	3.65	0.06	0.02	0.07	0.129	0.08	9.7	12.6	0.4	654	6.24	0.01	0.35	13.6
6340		2.96	11.8	<0.05	0.05	0.09	0.033	0.04	5.4	13.7	0.35	1420	2.03	0.01	1.67	16.6
6341		2.95	10.7	<0.05	0.04	0.08	0.031	0.03	5	13.1	0.34	1030	1.88	0.01	1.57	14.4
6342		3.29	9.19	0.05	0.21	0.15	0.037	0.04	11.9	15.1	0.54	212	5.06	0.01	1.65	20.2
6343		3.34	9.96	0.06	0.11	0.08	0.034	0.09	12.1	19.1	0.85	332	3.98	0.02	1.35	26.8
6344		3.1	12.6	<0.05	0.06	0.05	0.025	0.04	6.7	14.4	0.28	429	3	0.01	2.27	12.2
6345		3.13	9.17	0.05	0.18	0.07	0.034	0.07	8.8	18.8	0.76	298	3.23	0.01	1.45	32.2
6346		2.85	8.39	0.05	0.09	0.3	0.031	0.05	9.8	19	0.58	458	4.8	0.01	1.39	24.7
6347		2.78	7.6	0.05	0.03	0.04	0.024	0.04	11.5	31.8	0.48	786	5.24	0.01	1.19	32
6348		3.09	7.62	<0.05	0.07	0.06	0.026	0.05	5.8	18.7	0.86	519	2.01	0.02	0.91	22.3
6349		3.21	7.3	0.06	0.06	0.02	0.027	0.1	10.3	30.1	0.86	367	8.56	0.02	0.71	22.8
6350		2.98	7.59	0.05	0.1	0.05	0.026	0.06	11.2	19.1	0.74	343	4.98	0.02	0.94	20.2
6351		2.97	8.22	<0.05	0.06	0.05	0.029	0.05	7.3	20.7	0.58	399	4.35	0.01	1.11	15.6
6352		3.2	5.89	0.05	0.04	0.02	0.035	0.06	5.7	10.4	0.52	401	1.2	0.02	0.9	14.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
6311		670	29.4	10.9	0.001	0.01	0.41	4.3	1	0.9	31.7	0.02	0.03	2.3	0.186	0.16
6312		600	20.6	11	0.001	0.01	0.47	4.2	0.8	0.8	23.8	0.01	0.02	2.4	0.205	0.15
6313		1360	24.4	13.3	0.002	0.01	0.47	4.2	1.2	0.6	30.7	0.01	0.02	1.6	0.168	0.21
6314		630	26.2	6.1	<0.001	0.01	0.4	5.2	1.1	1	20.4	0.03	0.02	4.8	0.208	0.12
6315		1350	16.2	3.7	<0.001	0.01	0.26	5.2	1.1	0.7	14.9	0.03	0.02	4.6	0.156	0.1
6320		650	116	7.4	0.004	0.05	3.24	2.7	1.6	0.4	23.4	<0.01	0.7	2.6	0.031	0.1
6340		1770	18.8	10.3	<0.001	0.03	0.33	2.7	<0.2	0.9	38	0.02	0.02	2.3	0.153	0.13
6341		1590	15.6	9.6	<0.001	0.02	0.27	2.5	<0.2	0.9	32.6	0.01	0.02	2.2	0.152	0.12
6342		1210	13.8	6.7	<0.001	0.05	0.54	5.4	0.7	0.5	18.2	0.02	0.05	4.9	0.149	0.07
6343		970	18.4	9.6	<0.001	0.03	0.43	6	0.7	0.5	156.5	0.01	0.11	4.6	0.156	0.1
6344		610	15	17.8	<0.001	0.02	0.33	2.9	0.2	1	19.4	0.02	0.03	2.2	0.164	0.1
6345		1460	12.2	7.1	<0.001	0.03	0.53	4.9	0.6	0.4	20.5	0.01	0.04	4.7	0.141	0.07
6346		960	13.1	9.2	<0.001	0.03	0.6	4.9	0.6	0.4	24.3	0.01	0.05	3.1	0.124	0.08
6347		230	11.6	15.4	0.001	0.02	0.41	3.1	0.3	0.5	26	0.01	0.03	1.4	0.116	0.17
6348		620	15.1	9.8	<0.001	0.01	0.55	5.2	0.4	0.4	25.4	0.01	0.04	3.1	0.149	0.09
6349		920	13.6	7.8	<0.001	0.02	0.64	5.5	0.5	0.4	45.4	<0.01	0.06	4.8	0.142	0.09
6350		820	13.2	8	<0.001	0.03	0.67	5.6	0.5	0.4	30.7	0.01	0.05	4.2	0.146	0.08
6351		750	12.1	11.1	<0.001	0.02	0.45	4.1	<0.2	0.5	29.6	0.01	0.04	2.5	0.109	0.08
6352		930	30.5	5.7	<0.001	0.02	0.55	4.2	0.2	0.4	19.3	0.01	0.02	8.9	0.094	0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
6311		46.3	95	2.78	11.75	70	1.1
6312		23.2	86	2.58	9.82	67	1.4
6313		85.5	84	3.49	12.7	91	1.6
6314		24.2	87	1.36	7.54	56	2.4
6315		2.62	89	0.3	5.18	26	2.7
6320		17.6	72	1.45	11.2	323	<0.5
6340		0.66	64	0.15	2.06	83	2
6341		0.57	66	0.13	1.85	71	1.9
6342		1.84	67	0.39	11.55	61	8.6
6343		1.39	84	0.41	8.4	78	4.5
6344		0.45	75	0.2	2.94	63	2.5
6345		1.07	72	0.38	8.42	73	7.3
6346		2.66	64	0.48	7.34	72	3.5
6347		4.12	63	0.18	11	197	0.7
6348		0.84	70	0.23	5.01	73	2.1
6349		13.2	77	0.32	10.6	62	1.6
6350		5.37	70	0.3	10.9	66	3.5
6351		1.73	71	0.33	5.61	111	1.8
6352		3.37	109	0.41	7.8	69	1.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-NOV-2008
Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156826

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 16-SEP-2008

Account: RLH

CERTIFICATE VA08125041

Project: 677

P.O. No.: 85832

This report is for 307 Soil samples submitted to our lab in Vancouver, BC, Canada on 28-AUG-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN
ACCOUNTS PAYABLE

KAY HOFMANN

BRUCE JAGO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41f	Screen to -75um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: RANDY DUTCHBURN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435001		0.19	0.014	0.18	1.37	5.7	<0.2	<10	50	0.27	0.35	0.16	0.11	12.45	5.5	29
8435002		0.22	0.013	0.16	2.19	10.1	<0.2	<10	100	0.52	0.31	0.2	0.66	11.85	13.7	20
8435003		0.21	<0.005	0.11	0.73	3.2	<0.2	<10	60	0.12	0.34	0.09	0.42	10.45	2.2	11
8435004		0.15	0.006	0.25	1.23	6.1	<0.2	<10	250	0.25	1.27	0.06	0.04	24.5	2.8	10
8435005		0.28	0.054	0.64	2.02	4.7	<0.2	<10	80	0.38	1.47	0.09	0.04	22	4.3	12
8435006		0.23	0.008	0.79	1.46	9.7	<0.2	<10	70	0.18	2.33	0.04	0.04	19.65	2.9	10
8435007		0.16	0.025	0.48	2.13	14.5	<0.2	<10	50	0.35	1.25	0.12	0.06	12.55	6.4	16
8435008		0.20	<0.005	0.31	1.65	5.6	<0.2	<10	70	0.34	1.56	0.06	0.03	18.6	4	10
8435009		0.24	0.011	0.11	1.94	10.6	<0.2	<10	60	0.23	0.26	0.16	0.01	8.5	5	17
8435010		0.20	0.006	0.09	2.49	13.8	<0.2	<10	60	0.46	0.37	0.16	0.16	10.6	9.2	19
8435011		0.24	0.009	0.08	2.61	11.9	<0.2	<10	60	0.45	0.25	0.15	0.07	10.55	9.3	20
8435012		0.25	0.029	0.08	1.66	15.9	<0.2	<10	40	0.24	0.3	0.17	0.06	8.06	7.2	18
8435013		0.25	0.012	0.15	3.69	16.9	<0.2	<10	40	0.41	0.19	0.16	0.12	17.55	10.4	21
8435014		0.16	0.005	0.11	2.94	10.5	<0.2	<10	70	1.38	0.28	0.12	0.21	10.05	23.1	14
8435015		0.18	<0.005	0.08	1.75	8.6	<0.2	<10	90	0.53	0.31	0.19	0.18	12.55	12.2	19
8435016		0.21	<0.005	0.07	1.15	6.3	<0.2	<10	200	0.24	0.34	0.27	0.87	10.8	14.7	16
8435017		0.19	0.008	0.61	4.28	10.8	<0.2	<10	240	2.8	0.31	0.92	3.2	87.6	47.1	15
8435018		0.23	0.005	0.14	1.41	12.7	<0.2	<10	20	0.14	0.29	0.13	0.02	9.64	3.3	15
8435019		0.27	0.005	0.08	1.06	6.2	<0.2	<10	30	0.15	0.29	0.12	0.02	13.25	2.9	12
8435020		0.21	0.006	0.28	3.02	16.5	<0.2	<10	60	0.37	0.27	0.12	0.05	10.95	7.5	22
8435021		0.24	0.012	0.15	1.47	8	<0.2	<10	70	0.26	0.26	0.18	0.07	9.53	5	15
8435022		0.31	0.012	0.12	2.45	12.3	<0.2	<10	60	0.35	0.31	0.12	0.07	10.2	7.9	21
8435023		0.19	0.008	0.11	1.97	8.5	<0.2	<10	30	0.23	0.34	0.1	0.02	11.05	3.9	15
8435024		0.26	0.013	0.09	3.22	17.3	<0.2	<10	60	0.45	0.34	0.14	0.05	12	8.6	22
8435025		0.23	<0.005	0.26	1.45	4	<0.2	<10	30	0.13	0.39	0.05	<0.01	26.2	2.8	12
8435026		0.22	<0.005	0.07	0.51	2.7	<0.2	<10	10	<0.05	0.26	0.1	<0.01	13.65	2.8	16
8435027		0.21	<0.005	0.22	1.09	4.7	<0.2	<10	30	0.1	0.23	0.12	0.02	8.82	2.3	11
8435028		0.15	0.005	0.17	2.14	6.8	<0.2	<10	30	0.17	0.19	0.15	0.03	6.04	3.7	14
8435029		0.22	<0.005	0.54	2.67	5.8	<0.2	<10	40	0.32	0.75	0.08	0.05	14.6	4.1	22
8435030		0.21	0.050	0.24	2.32	6.5	<0.2	<10	40	0.22	0.46	0.12	0.02	16.7	4.5	29
8435031		0.23	0.029	0.56	2.79	12.1	<0.2	<10	30	0.32	0.53	0.11	0.22	11.05	5.5	24
8435032		0.11	0.007	0.22	1.26	7.1	<0.2	<10	40	0.12	0.27	0.17	0.21	10.3	4.2	16
8435033		0.27	<0.005	0.13	1.66	7.8	<0.2	<10	100	0.41	0.21	0.27	0.14	11.55	15.1	17
8435034		0.17	0.009	0.16	1.25	6.7	<0.2	<10	40	0.13	0.25	0.2	0.15	8.59	5.8	13
8435035		0.20	0.018	0.07	1.84	7.9	<0.2	<10	70	0.25	0.22	0.29	0.16	12	10.8	18
8435036		0.28	<0.005	0.17	1.32	7.4	<0.2	<10	100	0.18	0.24	0.22	0.23	7.41	12.6	15
8435037		0.20	<0.005	0.12	1.71	10.2	<0.2	<10	100	0.19	0.21	0.21	0.31	8.15	12.8	18
8435038		0.27	<0.005	0.31	1.92	11.9	<0.2	<10	110	0.27	0.3	0.18	0.44	9.41	9.8	24
8435039		0.25	0.104	0.24	1.66	8.1	<0.2	<10	110	0.67	0.23	0.35	0.27	15.15	14.7	19
8435040		0.23	<0.005	0.3	3.27	13.6	<0.2	<10	100	0.56	0.25	0.21	0.35	8.5	10.3	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435001		2.24	6.6	3.9	13.9	0.05	0.05	0.05	0.03	0.04	5.1	16.6	0.51	143	1.26	0.01
8435002		2.85	24.7	3.12	9.46	0.05	0.08	0.13	0.036	0.04	5.5	20.3	0.47	586	1.76	0.01
8435003		2.18	10.9	2.41	9.84	<0.05	0.03	0.03	0.016	0.02	5.2	4.1	0.08	90	5.03	<0.01
8435004		0.79	16.9	6.15	12.05	0.09	<0.02	0.09	0.041	0.08	13.8	3.2	0.25	594	6.03	0.01
8435005		1.95	14.7	4.28	11.6	0.06	0.03	0.07	0.066	0.04	10.9	15.9	0.39	263	2.7	0.01
8435006		0.89	16.8	4.09	10.9	0.06	<0.02	0.09	0.047	0.03	9.9	5.7	0.2	125	3.6	0.01
8435007		1.68	21.3	3.62	8.2	0.05	0.03	0.06	0.098	0.03	5.2	13.5	0.31	512	1.72	0.01
8435008		0.82	12.6	3.79	8.32	0.05	0.02	0.04	0.043	0.03	9.6	8.3	0.23	423	2.57	<0.01
8435009		1.25	11	3.1	9.65	<0.05	0.03	0.04	0.025	0.02	4.4	15	0.34	283	2.36	<0.01
8435010		2.06	40.2	3.1	8.04	<0.05	0.09	0.07	0.038	0.04	4.9	13.6	0.39	635	1.86	<0.01
8435011		1.7	25	3.07	8.88	<0.05	0.08	0.08	0.034	0.03	4.8	19.8	0.43	591	2.62	<0.01
8435012		2.19	13.6	3.13	8.52	<0.05	0.03	0.06	0.031	0.04	3.8	14.4	0.4	341	1.65	<0.01
8435013		1.74	48.5	3.12	8.52	0.05	0.17	0.09	0.036	0.03	4.6	15.8	0.57	332	2.07	<0.01
8435014		3.22	19.1	2.95	10.95	<0.05	0.13	0.05	0.034	0.03	5.9	14.4	0.24	231	2.44	<0.01
8435015		2.44	29.6	3.16	8.53	0.05	0.04	0.05	0.039	0.05	6	17.7	0.56	572	2.9	<0.01
8435016		6.8	8.7	2.44	7.84	<0.05	0.02	0.03	0.028	0.05	5.4	16.5	0.35	1205	1.36	0.01
8435017		8.71	55.5	2.93	7.87	0.1	0.05	0.14	0.052	0.05	23.4	46.5	0.48	3510	5.75	0.01
8435018		0.75	7.9	2.69	12.25	<0.05	0.03	0.04	0.032	0.03	4.6	7.1	0.23	157	1.73	<0.01
8435019		1.18	3.8	2.26	9.35	<0.05	0.04	0.03	0.016	0.02	6.4	10.3	0.23	146	2.06	<0.01
8435020		2.24	22.4	3.59	11	0.05	0.15	0.12	0.039	0.03	5.4	17.3	0.38	297	2.35	0.01
8435021		2.4	8.1	2.92	9.43	<0.05	0.03	0.06	0.023	0.04	4.7	12	0.28	488	1.92	<0.01
8435022		3.29	24	3.6	10	0.05	0.09	0.08	0.035	0.04	4.7	17.3	0.39	293	3.39	<0.01
8435023		1.53	11.2	2.88	11.8	<0.05	0.11	0.06	0.025	0.03	5.1	11.3	0.21	150	2.63	<0.01
8435024		2.55	27.2	3.73	11.6	0.05	0.12	0.07	0.042	0.04	5.4	20.1	0.52	409	3.08	0.01
8435025		1.41	5.9	2.69	14.7	0.05	0.04	0.04	0.024	0.04	12.1	7.8	0.56	180	4.42	0.01
8435026		0.34	4.1	1.66	7.52	<0.05	0.06	0.03	0.013	0.02	5.7	3.1	0.23	76	1.44	<0.01
8435027		1.45	6.4	1.88	8.65	<0.05	0.04	0.03	0.016	0.02	4.2	7.8	0.15	116	1.22	<0.01
8435028		1.45	9.9	2.97	9.72	<0.05	0.11	0.06	0.023	0.02	2.9	10.3	0.25	114	1.73	0.01
8435029		2.36	9.1	3.77	18.2	0.05	0.11	0.14	0.062	0.04	6.5	12.6	0.47	208	2.91	<0.01
8435030		1.54	13.6	4.31	15.3	0.06	0.05	0.04	0.045	0.03	7.9	16.8	0.77	187	4.52	0.01
8435031		1.82	17.2	4.84	13.7	0.06	0.1	0.07	0.044	0.03	5.2	9.8	0.31	124	4.48	0.01
8435032		1.43	9.3	3.21	9.63	<0.05	0.05	0.07	0.023	0.03	4.9	9.3	0.31	130	2.7	0.01
8435033		5	25	2.95	8.68	<0.05	0.03	0.04	0.026	0.04	5.8	21.7	0.48	328	3	<0.01
8435034		1.49	10.3	2.25	7.75	<0.05	0.03	0.04	0.02	0.03	4	11.2	0.36	254	1.21	<0.01
8435035		2.45	26.2	3.11	7.84	<0.05	0.05	0.03	0.029	0.04	5.6	22.7	0.68	355	2.39	0.01
8435036		2.04	13.2	2.08	5.99	<0.05	0.04	0.07	0.02	0.04	3.5	14.5	0.36	475	1	<0.01
8435037		2.81	19.1	2.76	8.05	<0.05	0.04	0.03	0.023	0.04	4	16.8	0.41	223	4.43	<0.01
8435038		2.7	24.3	2.96	9.71	<0.05	0.04	0.05	0.031	0.04	4.6	19.4	0.51	339	1.94	<0.01
8435039		6.61	20.9	2.4	6.99	<0.05	0.03	0.05	0.023	0.04	12.5	22.4	0.55	623	9.12	<0.01
8435040		2.84	24.8	2.89	10.7	<0.05	0.15	0.11	0.033	0.04	4.2	17.9	0.39	488	2.97	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS	VA08125041
-------------------------	------------

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
8435001		2.38	11.1	620	14.8	8.9	0.001	0.01	1.85	2.6	0.2	1.4	12	<0.01	0.04	4.1
8435002		1.65	15.9	1180	17.5	14.1	0.001	0.01	2.08	3.5	0.5	0.8	16.5	0.01	0.05	2.5
8435003		1.69	3.8	120	13	6.5	0.001	<0.01	1.34	1.7	<0.2	1.3	9.3	<0.01	0.04	1.5
8435004		1.52	4.2	1620	26.7	6.3	<0.001	0.13	1.75	2	0.5	1.1	18.8	<0.01	0.16	4.4
8435005		1.2	6.3	800	26.5	9.8	0.001	0.01	1.24	3	0.3	0.9	10.5	0.01	0.13	3.8
8435006		1.26	4.7	740	22.5	5.5	<0.001	0.02	2.46	1.9	0.4	1	8.1	0.01	0.16	2.4
8435007		1.14	9.2	810	30.7	7.8	<0.001	0.02	1.33	2.8	0.7	0.5	15.7	0.01	0.3	2.1
8435008		0.83	5.1	720	33.1	5.6	<0.001	0.01	1.59	2	0.4	0.8	9.8	<0.01	0.14	2.1
8435009		1.52	10.3	460	11.5	5.7	<0.001	<0.01	1.14	2.6	0.2	0.7	17.8	0.01	0.05	1.4
8435010		1.38	15.9	1080	15.6	12.5	<0.001	0.01	1.78	3.7	0.3	0.7	16.9	0.01	0.06	2.5
8435011		1.55	16.7	1000	12.5	10.2	<0.001	0.01	0.97	3.5	0.4	0.6	14.8	0.02	0.04	3
8435012		1.36	13	670	17.1	11.8	<0.001	0.01	1.42	2.7	0.2	0.7	15.7	0.01	0.05	2
8435013		1.43	17.9	1220	12.7	8	<0.001	0.01	1.16	5.1	0.6	0.6	17.4	0.01	0.03	3.5
8435014		2.43	12.4	730	20.1	11	<0.001	0.02	1.02	2.8	0.2	0.9	14.2	0.04	0.03	2.3
8435015		1.35	15.9	620	15.7	15.5	<0.001	<0.01	1.47	4	0.2	0.6	19.9	0.01	0.06	2.5
8435016		1.22	11.1	1040	14.7	26	<0.001	0.01	1.62	2.4	<0.2	0.7	19	<0.01	0.03	1.4
8435017		1.24	20.5	1320	24	10.9	0.002	0.06	1.86	5.2	2.1	0.5	59.8	0.02	0.04	2
8435018		1.65	6.6	650	10.6	5.9	<0.001	<0.01	1.4	2.3	0.2	1	13.1	0.01	0.03	1.8
8435019		1.47	5.6	260	12.6	7.2	<0.001	<0.01	0.99	2.3	0.2	1	12.6	<0.01	0.02	2.5
8435020		2.18	14	1200	13.1	12.8	0.001	0.02	1.05	4.5	0.4	0.8	13.4	0.03	0.04	3.6
8435021		1.65	8.8	1260	13.2	18	<0.001	<0.01	0.76	2.4	0.2	0.9	15.7	0.01	0.02	2.1
8435022		1.84	13.6	680	13.3	18.5	<0.001	0.01	0.86	3.4	0.3	0.8	12.8	0.02	0.04	2.7
8435023		2.41	7	630	15.4	7.3	<0.001	0.01	0.82	2.5	0.3	1.2	9.3	0.04	0.02	3.6
8435024		2.23	15.9	810	16.4	15	<0.001	0.02	1.23	4.4	0.3	1	15.3	0.02	0.06	4.2
8435025		2.44	5.9	480	15.5	7.1	<0.001	0.02	1.04	4.6	0.2	2	10.4	<0.01	0.02	6.8
8435026		2.41	6.9	190	8.9	2.3	<0.001	<0.01	1.99	1.7	0.2	1.6	5	<0.01	0.01	10.3
8435027		1.3	4.4	620	9.6	8.5	<0.001	<0.01	0.9	1.8	0.2	0.9	12.7	0.01	0.01	2.2
8435028		1.47	5	560	9	7.9	<0.001	0.01	0.73	2.9	0.3	0.7	16.4	0.02	0.04	1.3
8435029		3.18	8.5	1160	20.8	10.1	0.001	0.02	0.75	4.3	0.4	1.8	7.5	0.04	0.05	6.5
8435030		1.94	11.9	700	21.4	7.9	<0.001	0.02	0.87	5	0.3	1.4	13.2	0.01	0.05	3.8
8435031		2.83	8.8	270	14.3	7.8	<0.001	0.02	1.13	4	0.4	1.1	12.9	0.05	0.08	2.9
8435032		2.06	8.2	200	11.8	6.6	<0.001	0.01	1.13	2.7	0.3	0.9	16.8	0.01	0.04	1.7
8435033		1.14	14.9	640	15	16.9	<0.001	0.01	0.66	3	0.2	0.6	24.6	<0.01	0.04	1.6
8435034		0.96	7.7	290	9.8	8.7	<0.001	0.01	0.68	2.7	<0.2	0.6	18.2	<0.01	0.03	1.3
8435035		1.23	14.4	320	11.3	11.3	<0.001	0.01	0.62	3.8	0.2	0.5	25.4	<0.01	0.04	2.1
8435036		0.9	9.3	620	10.4	19.8	<0.001	<0.01	0.51	3	0.2	0.5	16	<0.01	0.02	1.3
8435037		1.22	12.4	280	8.7	13.8	<0.001	<0.01	0.61	3.5	0.2	0.6	19.7	0.01	0.04	1.1
8435038		1.18	14.2	560	12.7	18.1	0.001	<0.01	0.65	4	0.2	0.8	16	<0.01	0.04	1.4
8435039		1.12	12.8	190	12.2	17.2	<0.001	<0.01	0.86	3.7	0.4	0.6	33.7	<0.01	0.04	1.1
8435040		2.22	14.5	1550	12.4	16.1	<0.001	<0.01	0.63	4.1	0.3	0.9	18.1	0.04	0.05	1.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435001		0.302	0.05	0.65	123	0.11	4.21	41	1.6
8435002		0.138	0.07	0.87	64	0.22	3.75	172	2.9
8435003		0.163	0.03	0.58	96	0.09	2.07	34	1
8435004		0.103	0.11	0.5	73	0.3	1.98	29	<0.5
8435005		0.068	0.1	0.61	76	0.22	3.27	50	1.1
8435006		0.051	0.09	0.39	67	0.25	2.6	40	<0.5
8435007		0.087	0.08	0.42	72	0.21	3.55	50	1.1
8435008		0.027	0.15	0.34	54	0.18	2.54	46	0.6
8435009		0.126	0.07	0.27	79	0.25	2.36	39	1.5
8435010		0.137	0.11	0.65	70	0.22	3.25	69	3.5
8435011		0.149	0.09	0.62	71	0.21	3.1	60	3
8435012		0.142	0.13	0.35	75	0.22	2.33	64	1.3
8435013		0.16	0.09	1.11	70	0.28	4.39	68	7.9
8435014		0.168	0.09	0.57	59	0.24	3.75	76	5.8
8435015		0.159	0.08	0.79	77	0.2	3.77	82	1.4
8435016		0.116	0.09	0.3	56	0.14	2.51	233	0.5
8435017		0.101	0.24	26.4	50	0.13	28.6	135	1.1
8435018		0.154	0.07	0.34	88	0.13	1.94	27	1.3
8435019		0.155	0.14	0.48	72	0.1	2.8	33	1.1
8435020		0.16	0.13	0.84	78	0.24	3.77	74	7.7
8435021		0.142	0.13	0.37	70	0.2	2.06	63	1.4
8435022		0.154	0.18	0.63	84	0.22	2.94	81	3.3
8435023		0.177	0.09	0.68	72	0.19	3.46	37	5.2
8435024		0.195	0.16	0.74	89	0.26	3.55	77	5.1
8435025		0.259	0.07	1.69	85	0.08	3.76	27	1.6
8435026		0.3	0.03	1.62	72	0.06	5.88	15	1.1
8435027		0.13	0.12	0.35	58	0.11	2.17	30	1.5
8435028		0.156	0.08	0.27	81	0.13	1.92	34	4.5
8435029		0.242	0.13	1.1	102	0.21	3.75	50	4.4
8435030		0.209	0.13	0.75	125	0.16	3.31	44	1.7
8435031		0.243	0.07	0.45	134	0.2	3.19	68	3.4
8435032		0.19	0.06	0.32	97	0.21	2.49	42	1.4
8435033		0.128	0.1	0.55	65	0.26	3.67	92	0.9
8435034		0.125	0.09	0.26	70	0.13	2.73	82	1
8435035		0.155	0.06	0.55	74	0.32	4.28	85	1.4
8435036		0.105	0.09	0.23	53	0.16	2.39	178	1.3
8435037		0.139	0.06	0.23	72	0.32	2.62	106	1.2
8435038		0.13	0.08	0.29	80	0.25	2.69	231	1.2
8435039		0.138	0.12	2.22	67	0.24	13.45	114	0.8
8435040		0.146	0.08	0.56	63	0.55	3.14	152	6.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435041		0.30	<0.005	0.21	2.1	5.2	<0.2	<10	110	0.39	0.23	0.25	0.51	12.3	13	19
8435042		0.27	0.008	0.46	2.05	4.5	<0.2	<10	210	0.28	1.36	0.23	1.66	8.98	10.2	23
8435043		0.27	0.006	1.2	2.18	4.8	<0.2	<10	110	0.27	1.45	0.18	0.7	7.91	10.4	28
8435044		0.29	0.037	0.38	0.97	3.6	<0.2	<10	70	0.09	0.62	0.1	1.09	7.17	5.2	29
8435045		0.39	<0.005	0.47	2.12	3.3	<0.2	<10	70	0.24	0.48	0.12	0.55	6.99	9.5	35
8435046		0.32	0.024	0.25	1.82	6.9	<0.2	<10	150	0.18	1.03	0.37	0.93	10.7	10.7	36
8435047		0.20	0.015	0.38	1.18	3.3	<0.2	<10	100	0.19	0.45	0.38	0.73	7.58	6.1	20
8435048		0.22	0.100	0.38	1.52	3	<0.2	<10	50	0.16	0.34	0.17	0.42	6.97	6.4	31
8435049		0.20	0.009	0.32	0.87	5.1	<0.2	<10	30	0.08	0.41	0.15	0.79	6.51	4	26
8435050		0.20	<0.005	0.43	1.61	3.2	<0.2	<10	40	0.2	0.43	0.15	0.46	5.46	6.1	37
8435051		0.14	<0.005	0.66	1.87	3.5	<0.2	<10	50	0.31	0.68	0.27	0.51	11.65	15.9	31
8435052		0.13	0.011	0.17	1.78	2.3	<0.2	<10	80	0.26	0.48	0.24	0.5	12	10.6	21
8435053		0.14	0.009	0.17	1.49	3.2	<0.2	<10	50	0.21	0.47	0.24	0.95	7.86	9.7	36
8435054		0.22	0.025	0.16	1.21	3	<0.2	<10	60	0.14	0.55	0.23	0.44	8.28	9.5	33
8435055		0.22	0.008	0.38	1.4	4.5	<0.2	<10	80	0.16	0.39	0.23	0.65	7.7	8.5	30
8435056		0.28	0.023	1.35	2.9	5.5	<0.2	<10	80	0.4	0.66	0.32	0.42	33.2	11.7	42
8435057		0.17	0.015	0.5	3.89	6.6	<0.2	<10	90	0.52	0.68	0.15	1.16	14.05	10.8	35
8435058		0.20	0.014	0.13	1.87	3.7	<0.2	<10	70	0.22	0.81	0.21	0.33	7.46	9.9	32
8435059		0.14	0.022	0.45	1.4	1.7	<0.2	<10	70	0.43	0.48	0.32	2.06	28.1	17.9	31
8435060		0.17	0.008	0.7	2.72	4	<0.2	<10	70	0.84	0.81	0.23	1.15	30.2	17.5	31
8435061		0.11	0.013	0.31	0.67	1.5	<0.2	<10	30	0.08	0.51	0.09	0.16	6.89	3	21
8435062		0.18	0.013	0.83	1.4	1.6	<0.2	<10	30	0.42	0.79	0.17	0.49	18	20	25
8435063		0.23	0.007	0.87	1.86	4	<0.2	<10	60	0.18	0.71	0.09	0.16	8.32	7.2	30
8435064		0.10	0.005	0.2	1.27	2.3	<0.2	<10	30	0.19	0.56	0.17	0.34	8.94	9.2	32
8435065		0.16	0.008	0.57	1.1	1.4	<0.2	<10	30	0.11	0.32	0.07	0.21	10.75	4.3	32
8435066		0.20	0.007	0.35	1.99	2.6	<0.2	<10	40	0.22	0.41	0.08	0.15	11.45	6.8	41
8435067		0.15	0.014	0.61	1.96	2	<0.2	<10	60	0.4	0.47	0.23	0.52	19.9	12.9	35
8435068		0.18	<0.005	0.37	3.5	3.1	<0.2	<10	80	0.41	0.27	0.11	0.27	14.75	15.9	69
8435069		0.18	0.009	0.45	1.53	2.7	<0.2	<10	40	0.11	0.4	0.11	0.13	9.65	6.3	43
8435070		0.20	0.005	0.41	1.73	2.4	<0.2	<10	30	0.18	0.63	0.07	0.07	10.55	7.5	47
8435071		0.16	0.006	0.26	1.11	1.7	<0.2	<10	30	0.1	0.4	0.09	0.08	9.9	8.9	47
8435072		0.18	<0.005	0.25	3.18	3.8	<0.2	<10	130	0.17	0.32	0.14	0.09	9.26	9.7	40
8435073		0.15	0.005	0.15	1.79	2.8	<0.2	<10	70	0.29	0.39	0.1	0.12	13.65	10.6	37
8435074		0.18	0.008	0.16	1.6	1.8	<0.2	<10	40	0.22	0.39	0.08	0.14	11	8.2	48
8435075		0.25	0.005	0.46	2.77	2.7	<0.2	<10	50	0.22	0.29	0.08	0.17	8.13	8.9	49
8435076		0.13	<0.005	0.15	0.98	0.9	<0.2	<10	80	0.15	0.28	0.25	0.15	8.28	5.4	17
8435077		0.18	<0.005	0.39	2.13	1.9	<0.2	<10	30	0.14	0.37	0.07	0.25	7.11	4.4	24
8435078		0.16	<0.005	0.76	3.47	4	<0.2	<10	80	0.37	0.58	0.07	0.31	8.15	7.1	24
8435079		0.21	0.008	0.9	2.63	2.6	<0.2	<10	40	0.25	0.44	0.05	0.09	7.55	3.9	23
8435080		0.07	0.014	0.26	2.14	2.7	<0.2	<10	100	0.26	0.58	0.17	0.4	11.35	9.2	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435041		3.87	26.6	2.81	7.91	<0.05	0.03	0.05	0.03	0.05	5.3	22.4	0.63	605	1.33	<0.01
8435042		8.44	60.1	2.37	8.11	<0.05	<0.02	0.07	0.126	0.06	4.5	18.3	0.53	2190	1.38	<0.01
8435043		7.87	66.6	2.71	9.2	<0.05	<0.02	0.05	0.083	0.05	4	21	0.6	558	2.77	<0.01
8435044		5.51	14.6	1.93	6.65	<0.05	<0.02	0.03	0.026	0.03	3.6	9.9	0.21	440	1.12	<0.01
8435045		5.12	52.9	2.83	8.8	<0.05	0.02	0.05	0.034	0.03	3.4	18	0.5	288	1.71	<0.01
8435046		7.17	98	2.74	7.21	<0.05	<0.02	0.06	0.069	0.07	4.2	16.4	0.71	1190	1.71	0.01
8435047		5.56	19	1.91	8.5	<0.05	<0.02	0.06	0.021	0.04	3.9	11.9	0.3	1030	1.26	<0.01
8435048		4.51	22.1	2.75	10.05	<0.05	<0.02	0.05	0.021	0.03	3.5	16	0.33	190	1.43	<0.01
8435049		6.43	19.3	2.18	8.4	<0.05	<0.02	0.02	0.029	0.02	3.4	8.9	0.22	136	5.51	<0.01
8435050		6.26	21.6	2.87	8.84	<0.05	0.03	0.06	0.041	0.03	2.8	12.9	0.28	176	1.97	<0.01
8435051		12.45	48.2	2.6	9.66	<0.05	0.02	0.07	0.043	0.05	6.2	21.2	0.46	1320	2.89	<0.01
8435052		9.6	26.6	2.49	11.3	<0.05	<0.02	0.06	0.043	0.05	5	25	0.53	1150	1.49	<0.01
8435053		5.47	40.4	2.79	8.9	<0.05	0.02	0.04	0.031	0.06	3.7	15.9	0.51	455	1.83	<0.01
8435054		7.49	39.1	2.53	9.13	<0.05	<0.02	0.05	0.037	0.03	4	16.5	0.51	428	2.09	<0.01
8435055		3.96	29.3	2.51	8.42	<0.05	0.02	0.05	0.022	0.03	3.8	15.3	0.4	398	1.23	<0.01
8435056		5.01	106.5	2.92	8.19	0.05	0.07	0.08	0.034	0.12	9.7	16.2	0.84	494	1.53	0.01
8435057		12.95	49.7	3.92	17	<0.05	0.18	0.08	0.06	0.06	5.6	31	0.55	785	3.43	<0.01
8435058		10.8	40.1	2.84	11.75	<0.05	0.03	0.04	0.028	0.04	3.9	29	0.54	250	2.03	<0.01
8435059		11.05	30.3	2.23	8.85	0.06	0.02	0.05	0.022	0.04	12.6	16.4	0.54	3320	2.94	<0.01
8435060		14.25	52.1	2.99	10.65	0.06	0.03	0.08	0.044	0.06	24.1	22.4	0.57	1190	5.17	<0.01
8435061		3.52	11	1.66	8.49	<0.05	0.03	0.03	0.011	0.03	3.7	6	0.16	110	1.73	<0.01
8435062		10.85	54.5	2.15	9.28	0.05	0.03	0.04	0.025	0.04	8.6	16.4	0.5	488	2.65	<0.01
8435063		6.82	31.5	3.13	12.5	<0.05	0.07	0.07	0.034	0.04	4.3	17.3	0.38	194	4.12	<0.01
8435064		8.13	33.4	2.82	13.75	<0.05	0.02	0.02	0.028	0.03	4.8	19.6	0.58	233	6.65	<0.01
8435065		2.87	21.4	2.2	8.79	<0.05	0.04	0.04	0.021	0.03	5.2	8.8	0.26	103	3.18	<0.01
8435066		4.02	34.3	3.33	13.85	<0.05	0.07	0.05	0.041	0.03	4.8	16.1	0.4	317	2.83	<0.01
8435067		14.15	47.9	3.01	10.6	<0.05	0.04	0.04	0.041	0.05	8.6	27	0.48	693	3.39	0.01
8435068		10.1	64.7	4.26	13.6	0.08	0.1	0.07	0.042	0.05	5.5	20.7	1.18	395	1.96	0.01
8435069		4.66	23.8	3.23	16.1	<0.05	0.05	0.09	0.028	0.05	4.6	10.9	0.49	395	2.23	<0.01
8435070		4.44	21.9	3.62	15.35	0.05	0.05	0.06	0.037	0.03	5	14.1	0.42	293	1.73	<0.01
8435071		3.73	20.9	2.8	14.6	<0.05	0.03	0.03	0.019	0.04	4.9	12	0.59	187	1.56	<0.01
8435072		9.17	30	4.67	17.85	0.06	0.06	0.08	0.05	0.06	4	26.2	0.71	535	2.4	0.02
8435073		4.89	43.1	3.69	17.3	0.07	0.05	0.05	0.029	0.04	6.2	15	0.57	380	3.71	0.02
8435074		4.23	36.3	4.23	21.9	0.06	0.05	0.03	0.021	0.05	5.5	14.3	0.59	152	8.53	0.02
8435075		5.84	34.4	3.93	16.15	0.05	0.09	0.07	0.032	0.05	3.9	23.7	0.52	215	2.3	0.02
8435076		4.93	9.6	1.51	8.11	<0.05	0.02	0.04	0.007	0.05	4.3	9.4	0.26	574	1.21	0.01
8435077		4.23	19.6	2.58	15.1	<0.05	0.08	0.06	0.02	0.02	3.5	15.3	0.28	132	2.18	0.02
8435078		5.96	29.8	3.65	17.25	0.05	0.16	0.16	0.034	0.05	4.1	20.9	0.4	285	2.99	0.02
8435079		1.98	14.9	2.89	19	<0.05	0.17	0.17	0.021	0.02	3.7	14.1	0.21	116	1.83	0.02
8435080		5.16	36.2	2.9	12.7	<0.05	0.05	0.04	0.022	0.05	5.6	19.7	0.52	242	3.85	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
8435041		1.14	19.3	1010	10.7	25.9	<0.001	<0.01	0.53	4.4	<0.2	0.5	21.1	<0.01	0.04	2.2
8435042		0.56	14.9	1390	83.8	35.3	<0.001	<0.01	2.28	2.2	<0.2	0.7	16.6	<0.01	0.09	0.9
8435043		0.94	17.3	420	36.5	28	<0.001	<0.01	1.42	2.9	<0.2	0.6	12.3	<0.01	0.08	1.7
8435044		0.64	7.3	250	17.8	9.9	<0.001	<0.01	0.75	1.7	<0.2	0.5	8.5	<0.01	0.03	1.1
8435045		1.41	16	610	27.7	12.4	<0.001	<0.01	0.7	2.8	<0.2	0.6	11.3	0.01	0.04	2.9
8435046		1.11	16.8	880	55.2	23.8	<0.001	<0.01	1.65	2.9	<0.2	0.6	26	<0.01	0.07	2.9
8435047		1.46	8.6	830	29	12.4	<0.001	0.01	0.83	2	<0.2	0.8	20.3	<0.01	0.02	2.8
8435048		1.44	9.5	740	18.5	5.8	<0.001	<0.01	0.7	2.5	0.2	0.7	14.4	0.01	0.02	2.1
8435049		1.49	8.1	140	30.5	6.7	<0.001	<0.01	0.79	1.8	<0.2	0.7	17	<0.01	0.04	1.6
8435050		1.65	10.6	390	18.4	10.6	<0.001	<0.01	0.95	2	<0.2	0.7	14.5	0.01	0.03	1.8
8435051		1.83	17.1	570	151.5	18.2	<0.001	0.01	0.56	2.5	<0.2	9.7	19.9	<0.01	0.04	2.4
8435052		1.25	14.4	430	46.4	17.4	<0.001	<0.01	0.38	3.2	<0.2	1.1	17.7	<0.01	0.04	1.2
8435053		1.64	15.8	410	27.2	15.9	<0.001	<0.01	0.25	2.4	<0.2	0.9	17	<0.01	0.03	2.6
8435054		1.56	13.7	390	51	10.9	<0.001	<0.01	0.33	2.7	<0.2	1	17.8	<0.01	0.03	1.7
8435055		1.58	13.2	640	26.3	8.2	<0.001	<0.01	0.2	2.4	0.2	1.1	12.9	<0.01	0.03	2.5
8435056		1.78	20.7	890	53.7	11	<0.001	<0.01	0.43	5.1	0.4	0.6	33.1	0.01	0.04	9.1
8435057		3.2	19.2	3900	73.8	19.5	<0.001	<0.01	0.78	4	0.3	1.6	17.9	0.02	0.06	7.6
8435058		2.16	17.2	680	45.2	12.8	<0.001	<0.01	0.26	2.7	<0.2	1.1	18.2	<0.01	0.03	2.6
8435059		1.37	17.2	260	103.5	10.5	<0.001	<0.01	0.29	2.6	0.2	1.2	23.5	<0.01	0.02	1.6
8435060		1.97	18.7	670	128.5	14.6	<0.001	<0.01	0.48	2.9	0.3	1.1	24.1	0.01	0.06	3.3
8435061		2.17	6.3	250	16.5	6.8	<0.001	<0.01	0.19	1.5	<0.2	1.8	12	<0.01	0.02	2.7
8435062		1.59	14	180	115.5	9.4	<0.001	<0.01	0.35	2.6	<0.2	0.9	12.5	<0.01	0.03	2.6
8435063		1.83	12	670	22.6	9.6	<0.001	<0.01	0.28	2.7	<0.2	1.2	15.2	0.01	0.05	4.3
8435064		2.01	16.4	320	22.8	9	<0.001	<0.01	0.3	2.7	<0.2	1.2	14.6	<0.01	0.04	1.7
8435065		2.38	10.1	360	22.4	5	<0.001	<0.01	0.11	2.2	0.2	1.2	12.6	0.02	0.01	5.8
8435066		2.59	13.6	1790	27.4	6.6	<0.001	<0.01	0.22	3.2	0.2	1.3	10.4	0.02	0.03	4.5
8435067		3.05	19	520	48.5	12.6	<0.001	<0.01	0.25	2.9	0.2	1.5	22.2	<0.01	0.04	4.4
8435068		1.59	31.4	990	20.1	13.7	<0.001	<0.01	0.15	7.6	0.4	1.1	21.7	<0.01	0.04	4
8435069		2.41	16.9	600	20.1	9.1	<0.001	<0.01	0.28	2.6	0.2	1.6	12.7	<0.01	0.03	2.8
8435070		1.87	18	970	36.4	6.7	<0.001	<0.01	0.23	2.6	<0.2	1.5	6.8	0.01	0.04	4.2
8435071		2.05	19.8	330	33.7	5.7	<0.001	<0.01	0.18	2.7	0.2	1.8	7.6	<0.01	0.03	2.7
8435072		2.68	19.5	1100	23.6	14.9	<0.001	0.02	0.39	4.1	0.3	1.3	55	0.01	0.03	4.5
8435073		2.9	19.4	520	40.2	10.2	<0.001	0.02	0.22	3	0.2	1.5	12.2	0.01	0.04	3.4
8435074		3.54	20.7	280	26.7	7.9	<0.001	0.02	0.23	2.9	0.2	1.4	12.7	<0.01	0.02	2.2
8435075		3.18	21.9	1460	30.7	12.9	<0.001	0.02	0.16	3.3	0.3	1.9	11.8	0.01	0.03	4.2
8435076		1.88	8.9	250	39.5	12.5	<0.001	0.01	0.15	1.6	0.2	0.9	37.9	<0.01	0.01	2.4
8435077		4.04	9.5	820	24.6	5.7	<0.001	0.03	0.21	2.5	0.3	1.3	11.3	0.04	0.02	5.5
8435078		3.65	14	1980	31.9	13.6	<0.001	0.02	0.27	3.3	0.5	1.3	19.3	0.04	0.03	5.3
8435079		3.46	9.2	670	19.5	4.5	<0.001	0.02	0.2	2.8	0.4	1.6	8.5	0.04	0.03	3.9
8435080		2.23	17.9	490	32.6	9.1	<0.001	0.02	0.26	3.2	0.3	0.9	28.1	0.01	0.03	2.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 3 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435041		0.118	0.14	0.49	66	0.22	3.79	169	0.8
8435042		0.042	0.22	0.73	58	0.51	2.26	382	<0.5
8435043		0.054	0.13	0.59	69	0.39	2.05	349	<0.5
8435044		0.06	0.07	0.4	71	0.19	1.6	180	<0.5
8435045		0.144	0.11	0.86	86	0.46	2.24	151	1.1
8435046		0.114	0.1	1.42	84	1.13	3.42	186	<0.5
8435047		0.148	0.09	1.28	60	0.25	1.97	105	<0.5
8435048		0.165	0.06	0.74	89	0.45	2.04	106	0.5
8435049		0.126	0.04	0.77	102	0.46	1.72	86	<0.5
8435050		0.14	0.05	0.56	97	0.51	1.53	108	1.3
8435051		0.176	0.13	1.8	74	0.44	4.35	189	0.6
8435052		0.104	0.1	1.51	67	0.29	3.56	124	<0.5
8435053		0.159	0.06	0.94	92	0.51	2.37	165	0.7
8435054		0.162	0.04	0.92	81	0.5	2.35	131	<0.5
8435055		0.158	0.09	1.31	74	0.34	2.3	128	0.6
8435056		0.168	0.11	9.09	91	0.64	10.95	94	2.6
8435057		0.237	0.13	3.67	78	0.79	3.72	260	8.7
8435058		0.21	0.07	0.88	87	0.52	2.06	151	1
8435059		0.168	0.19	3.3	72	0.51	8.58	93	<0.5
8435060		0.185	0.16	5.23	88	0.99	13.4	175	0.7
8435061		0.222	0.09	0.89	66	0.27	1.62	39	1.1
8435062		0.162	0.1	2.4	63	0.55	5.07	100	1
8435063		0.166	0.08	1.05	88	0.34	2.11	91	2.7
8435064		0.216	0.04	0.96	98	0.72	2.39	121	0.7
8435065		0.271	0.05	2.17	85	0.28	2.82	42	1.1
8435066		0.231	0.07	1.22	102	0.58	2.47	79	3
8435067		0.287	0.1	3.5	83	0.46	5.19	141	1.8
8435068		0.228	0.1	1.07	133	0.24	3.28	140	3.6
8435069		0.305	0.13	0.72	124	0.24	1.87	55	1.6
8435070		0.219	0.07	1.06	116	0.33	2.19	68	2
8435071		0.307	0.1	0.79	127	0.3	2	72	1
8435072		0.189	0.19	0.75	119	0.34	1.92	78	2.5
8435073		0.321	0.11	2.83	151	0.94	3.63	69	1.9
8435074		0.339	0.06	1.2	170	0.66	2.96	51	1.5
8435075		0.289	0.09	0.93	127	0.69	1.91	124	4
8435076		0.161	0.07	1.06	60	0.11	2	36	0.6
8435077		0.313	0.04	1.26	83	0.12	1.89	60	3.4
8435078		0.248	0.11	1.28	84	0.32	2.16	95	8.1
8435079		0.249	0.05	0.97	88	0.16	2.12	47	8.6
8435080		0.203	0.05	1.89	76	0.52	3.41	120	2.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435081		0.18	0.008	0.34	1.57	1.8	<0.2	<10	60	0.16	0.55	0.1	0.28	7.71	6.5	23
8435082		0.22	0.006	0.77	2.49	3.7	<0.2	<10	60	0.26	0.47	0.16	0.25	8.92	9.5	30
8435083		0.23	0.006	0.28	1.66	2.4	<0.2	<10	50	0.19	0.52	0.13	0.39	7.93	7.1	27
8435084		0.19	0.008	0.26	1.19	1.4	<0.2	<10	110	0.12	0.4	0.16	0.52	9.93	8.4	22
8435085		0.12	0.017	0.24	1.03	3.8	<0.2	<10	80	0.22	0.56	0.12	0.41	11.65	8.7	20
8435086		0.17	0.023	0.1	0.58	1.6	<0.2	<10	20	0.05	0.3	0.11	0.77	6.87	3.5	30
8435087		0.20	0.014	0.13	1.97	4.7	<0.2	<10	80	0.21	0.57	0.14	0.26	7.71	9.5	28
8435088		0.18	0.013	1.13	2.1	4.8	<0.2	<10	90	0.32	0.34	0.38	0.61	21.3	11.4	36
8435089		0.25	0.009	0.46	2.37	4.2	<0.2	<10	110	0.25	0.38	0.26	0.42	15.95	10.9	35
8435090		0.17	0.021	0.41	2.25	4.9	<0.2	<10	70	0.46	0.39	0.17	0.55	13.5	16.1	27
8435091		0.21	0.006	0.4	1.38	2.2	<0.2	<10	70	0.15	0.3	0.17	0.72	8.5	7.2	31
8435092		0.12	0.016	0.37	1.17	2.3	<0.2	<10	80	0.14	0.26	0.22	1.82	7.9	8.2	26
8435093		0.22	0.010	0.31	2.08	3.5	<0.2	<10	80	0.26	0.36	0.17	0.53	7.16	10.4	24
8435094		0.18	0.026	0.25	1.86	5.6	<0.2	<10	200	0.2	0.33	0.28	1.89	6.64	9.4	30
8435095		0.24	0.008	0.69	2.78	5.1	<0.2	<10	100	0.4	0.64	0.14	0.76	8.21	11.9	26
8435096		0.13	0.009	0.47	1.6	6.6	<0.2	<10	420	0.22	0.53	0.47	6.25	12.05	11.4	25
8435097		0.16	0.025	1.04	2.36	3.9	<0.2	<10	130	0.26	0.52	0.16	1.39	9.5	12.6	25
8435098		0.20	0.017	0.67	2.02	3.7	<0.2	<10	120	0.28	0.46	0.16	1.24	8.42	11.1	26
8435099		0.23	0.035	0.46	1.62	1.7	<0.2	<10	90	0.16	0.37	0.13	0.84	7.79	7.7	20
8435100		0.25	0.010	0.36	1.76	4	<0.2	<10	100	0.18	1.16	0.18	0.72	7.24	8.6	28
8435101		0.18	0.022	1.68	2.5	7.5	<0.2	<10	90	0.32	2.09	0.13	1.13	11.25	11.1	35
8435102		0.25	0.008	1.23	2.34	7.3	<0.2	<10	160	0.33	1.49	0.11	0.84	16.1	9.6	28
8435103		0.21	0.006	0.17	2.26	3.2	<0.2	<10	120	0.26	0.34	0.23	0.35	6.46	10.7	35
8435104		0.25	0.005	0.68	3.22	4.3	<0.2	<10	140	0.34	0.55	0.2	0.6	12.2	14.8	42
8435105		0.20	0.014	0.66	2.64	8.6	<0.2	<10	250	0.37	1.69	0.5	1.01	16.45	17.1	40
8435106		0.16	0.016	0.78	2.29	4.5	<0.2	<10	350	0.35	10.05	0.25	0.63	18.55	8.3	18
8435107		0.15	0.007	0.53	2.13	2.9	<0.2	<10	230	0.27	2.94	0.21	0.81	12.05	9.2	28
8435108		0.24	0.011	1.61	2.8	12.3	<0.2	<10	200	0.58	8.34	0.13	0.49	21.4	8.7	25
8435109		0.12	0.007	0.87	1.66	9.7	<0.2	<10	240	0.27	4.25	0.24	1.86	13.7	11.7	44
8435110		0.15	<0.005	0.49	1.7	5	<0.2	<10	180	0.18	2.74	0.1	0.75	13.8	6.6	26
8435111		0.14	0.005	0.57	1.77	6.4	<0.2	<10	90	0.19	0.75	0.11	0.5	6.78	9.5	58
8435112		0.25	0.005	0.61	1.74	8.3	<0.2	<10	150	0.2	1.58	0.11	0.73	8.87	11.2	56
8435113		0.20	0.014	0.44	2.41	6.3	<0.2	<10	130	0.2	0.71	0.13	0.69	6.62	13.3	69
8435114		0.14	0.014	0.68	1.98	13.4	<0.2	<10	810	0.35	3.74	0.34	1.04	23.3	6.5	15
8435115		0.16	0.019	0.89	2.14	14	<0.2	<10	380	0.36	5.49	0.23	1.14	22.3	7.5	22
8435116		0.11	0.039	0.88	0.99	6.3	<0.2	<10	1200	0.37	1.49	0.94	7.98	27.9	12.3	20
8435117		0.22	0.021	1.04	2.68	9.3	<0.2	<10	160	0.33	2.31	0.23	1.57	18.75	13.9	34
8435118		0.15	0.057	3.81	0.85	28.6	<0.2	<10	270	0.27	5.9	0.24	1.31	21.8	10.1	10
8435119		0.18	0.082	2.14	1.26	21.7	<0.2	<10	530	0.58	3.95	0.13	1.96	37.6	13.8	13
8435120		0.18	0.009	3.9	1.92	3.7	<0.2	<10	60	0.18	0.94	0.11	1.14	7.78	6.3	29



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435081		3.49	19.2	2.19	9.47	<0.05	0.03	0.06	0.012	0.03	3.9	12.3	0.29	638	1.32	0.02
8435082		8.37	46.6	2.64	9.91	<0.05	0.04	0.09	0.017	0.05	3.5	24.5	0.58	302	1.45	0.02
8435083		7.87	17	2.79	14	<0.05	0.04	0.05	0.02	0.04	3.7	23.3	0.39	232	2.44	0.02
8435084		10.65	16.5	1.96	8.58	<0.05	<0.02	0.05	0.02	0.05	4.6	14	0.34	1615	1.31	0.01
8435085		5.01	14.4	1.8	10.7	<0.05	<0.02	0.07	0.021	0.04	5.7	8.3	0.18	601	2.48	0.02
8435086		2.08	10.2	1.54	5.39	<0.05	<0.02	0.02	0.006	0.04	3.4	4.3	0.17	109	1.27	0.01
8435087		5.83	32.4	3.34	14.5	<0.05	0.03	0.04	0.03	0.04	3.7	26	0.66	380	3.61	0.02
8435088		4.03	107.5	2.63	6.46	0.1	0.04	0.05	0.018	0.14	13.3	16.1	0.77	632	1.03	0.03
8435089		3.44	67.1	2.76	8.43	0.06	0.03	0.07	0.025	0.11	5.7	17.7	0.69	485	1.29	0.02
8435090		8.64	36.2	2.81	10.5	0.05	0.03	0.06	0.024	0.07	6.9	29.5	0.58	736	1.97	0.02
8435091		3.12	26.7	2.52	9.13	<0.05	0.02	0.04	0.018	0.04	4.1	12.1	0.36	424	1.38	0.02
8435092		5.18	17.3	1.98	7.74	<0.05	0.02	0.04	0.015	0.03	4	16	0.4	843	1	0.01
8435093		8.43	27.2	2.59	11	<0.05	0.03	0.03	0.04	0.05	3.5	22.9	0.54	489	1.23	0.02
8435094		9.08	38.9	2.4	8.55	<0.05	<0.02	0.1	0.029	0.05	3.2	18.5	0.49	1770	1.07	0.02
8435095		11.5	82.9	3.07	12.7	<0.05	0.02	0.05	0.085	0.05	3.9	28.5	0.67	536	2.71	0.02
8435096		8.93	22.8	2.13	8.31	<0.05	<0.02	0.06	0.042	0.08	4.8	22.9	0.46	3930	0.71	0.02
8435097		5.43	29.5	2.55	9.43	<0.05	0.03	0.09	0.079	0.05	3.9	24.4	0.5	2270	1.04	0.02
8435098		5.96	15.4	2.34	10.2	<0.05	0.02	0.06	0.042	0.04	4	24.1	0.42	743	0.83	0.02
8435099		7.7	16.4	1.61	6.75	<0.05	<0.02	0.02	0.021	0.04	3.8	18.9	0.36	463	0.55	0.02
8435100		4.4	39.5	2.64	8.74	<0.05	<0.02	0.04	0.049	0.06	3.5	19.1	0.43	788	2.01	0.02
8435101		9.08	108.5	3.39	9.52	<0.05	0.04	0.08	0.074	0.05	4.6	26.8	0.62	478	4.69	0.01
8435102		8.64	61	2.74	6.8	<0.05	0.02	0.05	0.035	0.07	7.8	18.2	0.34	542	2.88	0.01
8435103		3.09	20.9	3.12	10.35	<0.05	0.02	0.04	0.018	0.05	3.1	19.1	0.5	808	0.87	0.02
8435104		4.9	45.5	3.56	11.25	0.05	0.03	0.05	0.062	0.07	4.6	22.7	0.85	886	1.21	0.02
8435105		9.11	58.7	3.7	11.1	0.05	0.02	0.04	0.102	0.16	5.7	27.3	0.94	2120	2.92	0.02
8435106		9.92	143	2.2	7.81	<0.05	<0.02	0.04	0.176	0.12	8.8	36.1	0.36	789	2.9	0.02
8435107		10.35	69.1	2.14	7.85	<0.05	<0.02	0.04	0.087	0.07	5.9	21.6	0.33	806	1.83	0.01
8435108		10.3	409	3.53	6.31	0.05	<0.02	0.06	0.195	0.09	10.6	22.6	0.47	666	8.48	0.01
8435109		7.76	42	3.03	6.56	<0.05	<0.02	0.06	0.063	0.08	6.2	21.4	0.26	1840	1.45	0.01
8435110		9.1	20	1.98	6.31	<0.05	<0.02	0.03	0.046	0.06	6.9	26.2	0.22	970	0.79	0.01
8435111		5.25	16.9	3.75	8.74	0.05	0.02	0.06	0.029	0.04	3.4	16.6	0.35	352	0.81	0.02
8435112		6.04	17.2	3.7	9.36	0.05	0.02	0.05	0.039	0.04	4.5	17.4	0.36	801	0.64	0.02
8435113		4.34	50.5	4.3	8.15	0.06	0.02	0.03	0.033	0.04	3.3	11.2	0.52	528	1.07	0.02
8435114		5.78	25.8	1.76	5.17	<0.05	<0.02	0.03	0.057	0.16	11.6	19.4	0.21	1275	0.79	0.01
8435115		9.66	55.8	2.27	5.84	<0.05	<0.02	0.03	0.089	0.11	11.5	24.9	0.37	933	1.37	0.01
8435116		6.02	49.9	2.17	4.68	0.06	0.02	0.12	0.03	0.22	12.3	7.4	0.35	6620	2.56	0.02
8435117		8.84	111.5	3.45	8.96	0.06	<0.02	0.05	0.066	0.13	7.7	18.2	0.76	1545	2.92	0.01
8435118		16.9	133.5	5.21	3.46	0.08	<0.02	0.12	0.083	0.11	11.9	3.3	0.07	620	5.43	0.01
8435119		9.68	114	4.63	4.56	0.08	<0.02	0.05	0.096	0.21	17.4	3.9	0.09	2380	4.95	<0.01
8435120		4.47	21.2	2.39	7.91	<0.05	0.02	0.07	0.042	0.03	3.8	12.1	0.23	369	0.85	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
8435081		1.88	10.4	850	20.5	10.1	<0.001	0.02	0.14	2.1	0.2	0.9	14.4	0.01	0.02	2.9
8435082		1.95	18.1	660	19	8.5	<0.001	0.02	0.21	2.9	0.3	0.7	23.7	0.01	0.03	3
8435083		2.67	13.7	550	37	9.4	<0.001	0.02	0.29	2.7	0.3	1.2	12.8	<0.01	0.04	2.6
8435084		1.61	10.6	200	31.4	15.6	<0.001	0.01	0.2	2.2	<0.2	0.8	17.3	<0.01	0.02	2
8435085		1.37	8.1	260	73.2	8.3	<0.001	0.02	0.49	2.4	0.2	1	14.3	<0.01	0.02	1.5
8435086		1.47	8.5	100	15.4	5	<0.001	0.01	0.21	1.4	<0.2	1.9	9.3	<0.01	0.02	2.2
8435087		2.64	17.6	420	29.5	15.6	<0.001	0.02	0.27	2.6	0.2	1.1	16.4	<0.01	0.03	2
8435088		1.31	19.9	1420	37.4	11.5	<0.001	0.02	0.31	4.2	0.5	0.5	33.5	0.01	0.03	4.6
8435089		1.74	19.4	890	39.8	10.5	<0.001	0.02	0.29	3.7	0.4	0.6	31.9	0.01	0.03	5.5
8435090		2.08	19.1	900	61.4	17.3	<0.001	0.01	0.34	3.1	0.3	2.3	18.2	<0.01	0.03	3.2
8435091		1.57	13	370	35.7	6.6	<0.001	0.02	0.28	2.4	0.2	0.9	16.2	<0.01	0.03	2.5
8435092		1.32	12.6	400	41.3	10.8	<0.001	0.01	0.28	2.6	0.2	0.8	18	<0.01	0.02	2.3
8435093		1.84	16.4	530	52.2	16.9	<0.001	0.02	0.38	3.3	0.2	0.9	26.5	<0.01	0.03	3.6
8435094		1.03	17.2	920	53	25.8	<0.001	0.02	0.32	2.4	<0.2	0.6	34.8	<0.01	0.03	1.3
8435095		1.85	21.4	690	60.2	18.8	<0.001	0.02	0.6	3.5	0.2	1	20	<0.01	0.06	2.7
8435096		1.1	15	1910	66.7	30.9	0.001	0.02	0.46	2.8	0.2	0.8	38	<0.01	0.02	1.8
8435097		1.45	20.8	1840	76	18.2	<0.001	0.02	0.37	3.3	0.3	1.5	14.2	<0.01	0.03	4.4
8435098		1.77	16.8	1490	41.3	18.1	<0.001	0.02	0.31	2.7	0.2	0.9	14.4	<0.01	0.02	2.9
8435099		1.01	12.7	440	24.5	19.1	<0.001	0.01	0.2	2.3	<0.2	0.6	11	<0.01	0.01	1.7
8435100		0.81	13.8	670	34.2	19.5	<0.001	0.02	0.98	2.2	0.2	0.6	11.3	<0.01	0.07	0.7
8435101		1.07	20.6	410	107	17	<0.001	0.01	2.48	3.9	0.3	3.4	8.7	<0.01	0.16	3.7
8435102		0.47	18.5	500	42	34.1	0.001	0.01	3.21	2.7	<0.2	1	8.7	<0.01	0.14	3.2
8435103		1.17	16.7	1500	18.9	12.6	<0.001	0.01	0.29	3	0.2	1.5	15.2	<0.01	0.03	1.4
8435104		1.45	25.8	730	59.6	21.8	<0.001	0.01	0.39	4.7	0.2	1.5	21.5	<0.01	0.03	3.1
8435105		1.3	26.5	720	109	33	<0.001	0.03	0.87	4.5	0.3	1.5	35.9	<0.01	0.09	2.7
8435106		0.33	12.9	850	54.4	27.3	<0.001	0.02	1.07	2.7	<0.2	1.7	12.3	<0.01	0.5	3.2
8435107		0.32	14.6	1000	33.4	30.2	<0.001	0.01	0.5	2.2	0.2	1.3	9.4	<0.01	0.14	2.2
8435108		0.13	17.6	960	76.9	29.1	<0.001	0.01	3.84	2.9	0.3	1.4	4.9	<0.01	0.46	5.3
8435109		0.39	18.1	790	72.7	26.1	<0.001	0.01	1.34	1.9	<0.2	1.5	10.3	<0.01	0.17	2.6
8435110		0.23	11.1	410	34.5	19.8	<0.001	0.01	0.76	1.8	<0.2	1.2	5.9	<0.01	0.11	1.7
8435111		1.01	15.7	610	24.8	9.8	<0.001	0.01	0.3	2.2	<0.2	1.5	7.1	<0.01	0.03	1.8
8435112		0.74	17.1	1090	38.5	15	<0.001	0.01	0.48	2.4	<0.2	1.3	7.4	<0.01	0.07	2.5
8435113		0.65	25	490	27	8.1	<0.001	0.01	0.42	2.8	<0.2	1.2	9.9	<0.01	0.05	2.2
8435114		0.1	11.8	410	82.5	23	<0.001	0.01	1.18	2.2	0.2	0.8	14.8	<0.01	0.51	3.3
8435115		0.19	17.8	500	199.5	26.8	<0.001	0.01	1.62	2.3	<0.2	0.8	10.1	<0.01	0.39	4.1
8435116		0.4	18.5	1090	119	20.9	<0.001	0.03	0.81	2.5	0.4	1	32.2	<0.01	0.12	2.8
8435117		0.79	18.7	1080	87.3	23.2	<0.001	0.06	1.14	3.1	0.5	0.8	27.3	<0.01	0.1	1.1
8435118		0.26	14.8	1140	121.5	21.8	<0.001	0.05	14.2	2.2	0.5	0.8	14	<0.01	1.1	4.2
8435119		0.25	16.8	750	192.5	21.3	<0.001	0.01	7.3	3.2	0.4	0.7	11.4	<0.01	0.68	7.2
8435120		0.99	10.2	720	39.2	7	<0.001	0.02	0.57	1.9	0.2	6.9	6.6	0.01	0.05	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 4 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435081		0.165	0.1	1.36	63	0.27	2	74	1.1
8435082		0.15	0.05	1.34	72	0.43	2.27	82	1.4
8435083		0.222	0.06	0.88	88	0.37	2.1	115	1.8
8435084		0.149	0.12	1.27	65	0.19	2.36	106	0.5
8435085		0.114	0.06	1.89	56	0.22	3.18	93	<0.5
8435086		0.132	0.03	0.69	68	0.16	1.48	60	<0.5
8435087		0.229	0.06	0.93	97	0.65	1.94	148	1
8435088		0.136	0.11	12.85	79	0.43	15	100	0.9
8435089		0.158	0.09	2.85	83	0.43	6.05	95	0.8
8435090		0.186	0.1	2.19	75	0.35	4.64	193	1.2
8435091		0.147	0.06	0.88	81	0.23	2.5	96	0.6
8435092		0.147	0.09	1.13	64	0.19	2.91	134	<0.5
8435093		0.151	0.13	0.97	67	0.3	2.55	198	1.2
8435094		0.1	0.13	0.65	73	0.35	2.12	200	<0.5
8435095		0.125	0.14	0.94	73	1.91	2.37	393	0.7
8435096		0.116	0.25	1.1	56	0.26	2.83	254	<0.5
8435097		0.141	0.19	1.21	72	0.3	2.45	318	0.8
8435098		0.138	0.14	0.76	62	0.35	2.13	263	0.9
8435099		0.073	0.14	0.43	46	0.27	1.87	326	<0.5
8435100		0.07	0.1	0.49	78	0.54	1.97	162	<0.5
8435101		0.051	0.12	1.35	89	0.65	3.97	260	1.2
8435102		0.014	0.27	1.06	68	0.35	3.62	188	0.5
8435103		0.157	0.12	0.47	91	0.3	2.31	115	0.6
8435104		0.165	0.17	0.91	102	0.45	3.89	192	0.9
8435105		0.139	0.14	2.9	98	0.49	4.87	307	<0.5
8435106		0.006	0.26	0.94	40	1.21	2.43	332	<0.5
8435107		0.014	0.26	0.5	57	0.27	1.58	353	<0.5
8435108		<0.005	0.35	2.17	54	0.84	4.88	226	<0.5
8435109		0.015	0.22	0.61	75	0.41	1.66	242	<0.5
8435110		0.012	0.24	0.37	58	0.29	1.33	276	<0.5
8435111		0.125	0.09	0.52	128	0.33	1.68	160	0.9
8435112		0.088	0.14	0.59	126	0.45	2.02	281	0.8
8435113		0.107	0.06	0.69	160	0.45	2.41	151	0.5
8435114		<0.005	0.31	0.91	33	0.2	3.53	266	<0.5
8435115		0.006	0.25	0.87	42	0.29	2.07	592	<0.5
8435116		0.013	0.18	6.56	28	0.37	10	259	<0.5
8435117		0.084	0.12	8.16	85	0.49	9.37	152	<0.5
8435118		0.005	0.23	1.32	30	1.38	2.82	227	<0.5
8435119		0.005	0.17	3.43	31	0.63	6.96	177	<0.5
8435120		0.091	0.05	0.67	67	0.51	2.31	220	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435121		0.21	0.012	0.29	1.59	2.5	<0.2	<10	190	0.2	0.51	0.19	0.67	9.79	8.7	33
8435122		0.14	<0.005	0.21	1.36	4	<0.2	<10	870	0.3	0.38	1.16	1.84	10.7	15.4	19
8435123		0.18	0.009	0.11	2.53	2.1	<0.2	<10	150	0.3	0.86	0.19	0.32	9.1	11.3	36
8435124		0.22	0.032	0.21	3.16	2.7	<0.2	<10	100	0.33	0.58	0.16	0.2	9.51	9.2	34
8435125		0.23	0.011	0.1	1.6	3.7	<0.2	<10	220	0.19	0.78	0.22	0.55	7.7	7.8	25
8435126		0.22	0.022	0.06	2.43	2.4	<0.2	<10	150	0.31	0.75	0.21	0.21	7.54	11	34
8435127		0.17	0.014	0.11	2.77	3	<0.2	<10	270	0.34	0.52	0.31	0.3	8.35	11	32
8435128		0.22	0.006	0.19	2.38	1.7	<0.2	<10	100	0.19	0.74	0.14	0.13	6.37	10.1	37
8435129		0.16	0.005	0.13	1.75	1.3	<0.2	<10	150	0.2	0.38	0.21	0.3	13.95	8	27
8435130		0.09	0.044	0.08	1.5	2	<0.2	<10	100	0.3	1.17	0.19	0.4	10.95	9.3	36
8435131		0.12	0.018	0.11	1.31	1.5	<0.2	<10	100	0.16	0.8	0.17	0.18	7.09	7.6	27
8435132		0.15	0.019	0.27	2.29	3.2	<0.2	<10	110	0.25	1.03	0.19	0.48	7.78	10	32
8435133		0.16	0.009	0.35	2.73	3.1	<0.2	<10	140	0.28	1	0.19	0.34	6.36	12.5	38
8435134		0.16	<0.005	0.6	1.79	2.4	<0.2	<10	70	0.19	1.19	0.17	0.31	8.89	6.7	26
8435135		0.15	0.013	0.34	1.43	1.8	<0.2	<10	80	0.17	0.99	0.15	0.33	7.44	7.1	27
8435136		0.16	0.008	0.39	1.64	1.6	<0.2	<10	80	0.79	1.32	0.19	0.44	10.7	21.2	23
8435137		0.14	0.007	0.13	2.03	1.7	<0.2	<10	80	0.26	2.23	0.13	0.24	7.65	9.3	29
8435138		0.12	0.026	0.42	2.45	2.5	<0.2	<10	70	0.29	2.06	0.17	0.19	14.45	10.4	32
8435139		0.14	<0.005	0.45	2	2.3	<0.2	<10	60	0.26	4.55	0.12	0.23	8.17	7.1	25
8435140		0.16	0.005	0.81	3.47	4	<0.2	<10	40	0.29	1.01	0.07	0.18	7.39	7.3	32
8435141		0.18	0.009	2.41	1.62	1.5	<0.2	<10	40	0.19	1.8	0.06	0.49	6.82	7.2	33
8435142		0.14	0.022	1.56	1.67	3.1	<0.2	<10	50	0.16	1.17	0.1	0.31	5.68	10.7	38
8435143		0.09	0.013	0.44	0.99	2.2	<0.2	<10	50	0.16	0.69	0.53	0.67	7.74	6.2	27
8435144		0.17	0.008	0.91	1.51	3.9	<0.2	<10	50	0.22	1.11	0.52	0.64	10.55	10.3	35
8435145		0.14	0.007	1.39	1.61	2.2	<0.2	<10	60	0.16	1.23	0.13	0.26	7.38	6.9	19
8435146		0.17	0.019	0.97	2	4	<0.2	<10	140	0.23	2.21	0.12	0.39	13.05	7.2	26
8435147		0.20	0.024	0.99	1.83	5.2	<0.2	<10	110	0.21	2.23	0.12	0.69	11.3	8.2	30
8435148		0.17	0.021	0.58	1.43	4.4	<0.2	<10	160	0.14	4.16	0.12	1.46	15.2	9.6	23
8435149		0.18	0.108	1	1.92	4	<0.2	<10	90	0.25	1.14	0.12	1.37	9.08	12.4	58
8435150		0.17	0.007	0.14	2.11	3.1	<0.2	<10	60	0.2	0.28	0.16	0.37	5.04	11.3	50
8435151		0.17	0.010	0.39	2.16	4.1	<0.2	<10	70	0.16	0.31	0.14	0.45	5.78	11	59
8435152		0.19	0.014	0.23	2.3	4	<0.2	<10	70	0.2	0.3	0.13	0.36	11.95	11.9	48
8435153		0.16	0.030	0.2	1.71	1.9	<0.2	<10	80	0.18	0.65	0.2	0.12	6.42	7.4	30
8435154		0.14	0.017	0.31	2.22	1.7	<0.2	<10	170	0.6	0.55	0.21	0.26	16.05	16.5	29
8435155		0.19	0.006	0.32	3.36	2.2	<0.2	<10	180	0.49	0.62	0.21	0.26	11.95	12.4	38
8435156		0.18	0.007	0.19	1.03	0.9	<0.2	<10	90	0.13	0.45	0.21	0.22	7.21	8.2	27
8435157		0.19	0.022	0.35	2.36	1.4	<0.2	<10	60	0.25	0.59	0.16	0.13	6.81	9.8	38
8435158		0.21	0.033	0.36	1.44	1.7	<0.2	<10	80	0.12	0.54	0.15	0.15	6.02	7.9	34
8435159		0.16	0.009	0.27	1.64	2.1	<0.2	<10	90	0.21	0.54	0.19	0.2	7.59	9.4	34
8435160		0.08	0.042	0.24	2.35	3.2	<0.2	<10	180	0.28	0.41	0.25	0.31	7.75	10.6	33



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435121		5.35	22.6	2.46	8.05	<0.05	0.03	0.02	0.025	0.05	5	22.6	0.49	389	0.75	0.01
8435122		3.63	14.7	2.06	7.11	<0.05	<0.02	0.16	0.027	0.13	4.7	17.1	0.48	7770	1.44	0.01
8435123		5.84	56.5	3.53	12.25	0.07	0.06	0.03	0.041	0.04	4.3	30.4	0.62	381	2.14	0.02
8435124		3.48	41.9	3.36	9.83	0.05	0.13	0.1	0.034	0.05	3.8	19.1	0.61	377	1.34	0.02
8435125		4.72	16.6	2.21	9.06	<0.05	0.06	0.03	0.023	0.05	3.9	21.8	0.39	543	0.56	0.01
8435126		4.43	31.7	3.23	11.75	0.06	0.06	0.02	0.031	0.05	4.4	25.8	0.68	309	1.49	0.01
8435127		4.74	38.6	3.31	13.05	0.06	0.05	0.05	0.029	0.1	4.1	33	0.66	705	1.15	0.02
8435128		3.67	57.8	2.99	9.02	0.06	0.03	0.02	0.029	0.04	3.3	27.2	0.68	336	2.76	0.01
8435129		6.22	16.1	2.07	7.82	<0.05	<0.02	0.02	0.05	0.07	7	23.9	0.45	836	0.74	0.01
8435130		6.58	35.6	2.94	8.83	0.06	<0.02	0.04	0.031	0.05	5.8	17.2	0.43	1450	2.08	0.02
8435131		4.95	16.5	2.21	7.98	0.05	0.03	0.01	0.02	0.03	3.7	18.1	0.38	307	1.54	0.02
8435132		6.62	66.1	2.94	9.75	0.05	0.02	0.02	0.037	0.05	3.9	21.8	0.69	357	2.12	0.02
8435133		7.75	160.5	3.05	7.81	0.07	0.03	0.02	0.036	0.04	3.5	28.4	0.65	345	1.56	0.02
8435134		6.76	19.6	2.21	10.15	<0.05	0.05	0.05	0.023	0.05	4.6	27.6	0.37	186	1.06	0.01
8435135		7.07	19.4	2.21	7.95	<0.05	0.04	0.03	0.021	0.03	3.8	19.1	0.36	216	0.71	0.01
8435136		9.83	30.2	2.53	9.36	0.06	0.02	0.02	0.025	0.03	6.3	25.1	0.46	434	1.36	0.01
8435137		8.55	31.4	2.76	9.27	0.05	0.04	0.02	0.037	0.03	4	15.8	0.45	348	1.68	0.02
8435138		8.15	79.4	2.98	10.55	0.06	0.07	0.05	0.043	0.04	7.6	19.8	0.6	674	1.72	0.02
8435139		7.01	29.7	2.64	10.25	<0.05	0.05	0.04	0.036	0.03	4.2	16.3	0.4	283	1.51	0.01
8435140		4.19	40.5	3.28	11.85	0.05	0.15	0.14	0.034	0.03	3.5	13.4	0.34	192	1.52	0.01
8435141		3.66	38.7	1.88	7.61	<0.05	0.04	0.04	0.034	0.03	3.3	11.4	0.26	218	1.27	0.01
8435142		4.28	53.4	3.06	8.38	0.05	0.02	0.1	0.039	0.04	2.9	16.9	0.52	832	0.85	0.01
8435143		6.34	17	2.65	10.8	<0.05	<0.02	0.02	0.027	0.03	5.6	14.2	0.18	202	11.9	0.02
8435144		7.7	25.4	2.9	10.1	<0.05	0.04	0.06	0.029	0.04	6.9	22.3	0.24	357	7.7	0.02
8435145		7.23	38.3	2.21	12.2	<0.05	0.1	0.07	0.025	0.05	3.8	22	0.34	223	1.74	0.02
8435146		13.75	83	1.98	6.09	<0.05	0.04	0.05	0.057	0.07	6.2	15.8	0.35	408	1.19	0.01
8435147		10.85	73.4	2.52	6.65	<0.05	0.04	0.05	0.071	0.06	5.7	10.7	0.35	1350	1.78	0.01
8435148		9.64	28.6	2.24	6.48	<0.05	0.04	0.05	0.05	0.05	7.1	12.2	0.22	3320	1.11	0.01
8435149		8.33	39.8	4.1	8.7	0.07	0.06	0.06	0.044	0.04	4	12.7	0.38	985	1.02	0.02
8435150		3.48	21.6	3.66	8.06	0.06	0.06	0.04	0.048	0.04	2.4	11.4	0.46	380	0.65	0.02
8435151		3.25	18.5	3.65	10.2	0.06	0.06	0.08	0.026	0.05	2.9	15	0.52	535	0.6	0.02
8435152		2.31	40.1	3.69	7.9	0.08	0.1	0.04	0.028	0.04	3.1	10.2	0.53	269	0.59	0.03
8435153		2.56	32.6	2.56	8.78	<0.05	0.05	0.04	0.026	0.04	3.2	17.5	0.47	230	0.77	0.02
8435154		3.4	39.2	3.2	12	0.06	0.07	0.05	0.032	0.06	6.1	19	0.43	1300	1.75	0.02
8435155		4.87	195	3.69	13.6	0.07	0.3	0.05	0.044	0.08	4.8	24.2	0.67	410	2.93	0.02
8435156		3.07	13.9	1.97	7.28	<0.05	0.08	0.04	0.017	0.04	3.7	14	0.28	397	1.11	0.01
8435157		2.6	35.8	3.1	10.8	0.05	0.08	0.07	0.029	0.04	3.7	19.5	0.47	188	1.36	0.02
8435158		3.34	25.5	2.45	8.26	<0.05	0.06	0.04	0.02	0.03	3.1	21.3	0.49	219	1.17	0.01
8435159		2.61	30.5	2.67	9.07	0.05	0.06	0.03	0.025	0.05	3.5	19.3	0.53	446	0.98	0.02
8435160		3.13	58.2	2.99	11.15	0.05	0.07	0.06	0.029	0.06	4.2	24.8	0.71	1395	1.22	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
8435121		1.1	13.6	1020	16.5	14.6	<0.001	0.01	0.26	3.2	<0.2	1.7	22.6	<0.01	0.02	3.8
8435122		1.57	16.2	1970	31.3	35.9	0.001	0.03	0.34	2.3	0.4	0.8	49.8	<0.01	0.03	1.9
8435123		2.22	18.3	450	22.4	13.7	<0.001	0.01	0.33	3.3	0.2	1.4	14.2	<0.01	0.05	3.7
8435124		1.79	15.4	860	17.4	12.3	<0.001	0.02	0.27	3.8	0.3	1	11.9	0.02	0.04	5.4
8435125		1.54	11.8	1650	18.5	20.8	<0.001	0.01	0.18	2.6	<0.2	1.3	13	<0.01	0.03	4.2
8435126		2.06	20.8	580	15.3	17.1	<0.001	0.01	0.22	3	<0.2	1.7	22.5	<0.01	0.03	4.4
8435127		2.67	20.7	1320	18.9	22.8	<0.001	0.01	0.22	3.1	0.2	1.7	36.2	<0.01	0.03	6.4
8435128		1.48	18.9	230	14.1	12.7	<0.001	<0.01	0.22	2.8	<0.2	0.9	18.5	<0.01	0.03	2.6
8435129		0.76	11.9	370	14.5	19.5	<0.001	0.01	0.2	2.6	<0.2	1.1	16.7	<0.01	0.02	5
8435130		1.38	14.5	560	26.3	20.9	<0.001	0.01	0.3	2.2	<0.2	1	17.5	<0.01	0.05	2.8
8435131		1.62	11.4	280	15.9	12.9	<0.001	0.01	0.19	2.1	<0.2	1.2	12.5	<0.01	0.03	4
8435132		1.39	18.8	600	22.7	17.4	<0.001	0.01	0.29	3.2	<0.2	1.3	16.7	<0.01	0.07	2.8
8435133		1.19	20	1090	22.6	7.8	<0.001	0.01	0.35	2.9	<0.2	0.9	13.8	<0.01	0.06	3.1
8435134		1.71	11	1020	19.6	14.3	<0.001	0.01	0.21	2.5	0.2	1.2	10.6	<0.01	0.03	4.7
8435135		1.4	11.9	630	17.5	12.9	<0.001	0.01	0.2	2.2	<0.2	1.2	9.6	<0.01	0.03	3.8
8435136		1.72	14.1	490	32.7	8.3	<0.001	0.01	0.25	2.4	<0.2	1.2	12.2	<0.01	0.04	3.4
8435137		1.78	15.7	330	27.4	13.6	<0.001	0.01	0.31	2.3	<0.2	1.2	10.3	<0.01	0.07	4
8435138		1.65	17.7	850	27.2	12.7	<0.001	0.01	0.32	3	0.2	1.4	12.7	0.01	0.08	5
8435139		1.69	11.7	820	29.4	11.3	<0.001	0.01	0.29	2.5	<0.2	1.1	8.6	0.01	0.06	4.4
8435140		1.34	11	370	25.4	7.2	<0.001	0.02	0.31	4	0.4	1.1	6.3	0.01	0.05	4.1
8435141		0.78	14.7	260	25.2	10.3	<0.001	0.01	0.22	2.3	<0.2	4.3	10.1	0.01	0.05	3
8435142		0.95	15.6	2240	22.5	7.9	0.001	0.01	0.21	3.1	0.2	1.4	8.8	<0.01	0.04	3.9
8435143		0.92	7.5	240	18.8	5.8	0.003	0.03	0.63	1.7	0.9	1	22.7	<0.01	0.03	0.7
8435144		1.08	11.3	380	26.5	7.8	0.004	0.03	0.71	2.1	0.9	1.1	21.9	<0.01	0.03	1.2
8435145		3.14	10.8	780	30.1	14.6	0.002	0.01	0.24	2.4	0.2	1.8	8.6	0.01	0.03	6.5
8435146		0.44	14.5	280	92.7	30.5	0.001	<0.01	0.86	2.2	<0.2	1.3	8.4	<0.01	0.12	3.1
8435147		0.52	14.2	370	92.5	27.8	0.002	<0.01	2.48	2.3	<0.2	0.7	8	<0.01	0.16	2.2
8435148		0.4	8.8	440	105.5	22.3	0.002	<0.01	0.52	1.8	<0.2	0.7	8.7	<0.01	0.09	3.4
8435149		0.8	19	500	103	12.3	0.002	<0.01	1.07	3.3	0.2	2	8.5	0.01	0.06	2.5
8435150		0.76	18.4	410	15.7	10.5	0.002	<0.01	0.3	3.1	0.2	0.7	13.7	<0.01	0.02	1.3
8435151		1.1	18.5	1270	14.9	9.8	0.002	<0.01	0.23	3.8	0.2	1.7	10.7	0.01	0.02	1.8
8435152		0.78	17.6	260	22.9	4.7	0.002	0.01	0.4	4.8	0.2	0.5	15.7	<0.01	0.03	2.6
8435153		1.57	14	1410	16.9	10.1	0.001	0.01	0.2	2.8	0.2	1.2	13.2	<0.01	0.03	3
8435154		2.36	17.3	1140	26.3	17.3	0.003	0.01	0.19	3	0.3	1.4	13.9	0.01	0.03	6.3
8435155		1.97	24.9	810	21.8	25.6	0.001	0.01	0.27	4.3	0.3	1.4	13.3	0.01	0.04	6.2
8435156		2.08	9.3	380	15.2	16.1	0.002	0.01	0.16	2.3	0.2	1.2	11.4	<0.01	0.02	5.6
8435157		1.68	18.7	390	15.5	14.8	0.001	0.01	0.22	2.8	0.2	1.1	11	0.01	0.03	2.8
8435158		1.56	15.1	270	11.6	15.4	0.001	<0.01	0.19	2.2	<0.2	1.6	16.8	<0.01	0.03	1.8
8435159		1.93	16.6	690	16	17.7	0.001	0.01	0.2	2.8	0.2	1	13.6	<0.01	0.03	4.6
8435160		2.14	21.3	1200	15.4	17.5	0.002	0.01	0.23	3.3	0.2	1.4	20	<0.01	0.03	3.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 5 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435121		0.085	0.08	0.92	69	0.38	2.51	106	1.1
8435122		0.173	0.15	1.13	46	0.25	2.56	184	<0.5
8435123		0.196	0.1	1.15	96	1.27	2.94	99	2.2
8435124		0.17	0.09	2.05	85	0.65	3.33	87	4.9
8435125		0.163	0.1	1	58	0.42	1.95	170	2
8435126		0.214	0.08	0.94	88	0.46	2.42	89	2.2
8435127		0.262	0.13	1.39	86	0.64	2.16	100	2.2
8435128		0.166	0.07	0.73	84	0.48	2.05	58	1
8435129		0.032	0.1	1.14	56	0.22	2.22	74	<0.5
8435130		0.127	0.11	0.88	91	0.63	2.75	76	<0.5
8435131		0.15	0.08	1.06	67	0.31	2	72	0.9
8435132		0.118	0.08	0.92	75	0.83	2.69	103	0.6
8435133		0.121	0.05	3.1	84	0.72	2.71	106	0.7
8435134		0.142	0.08	1.03	62	0.37	2.08	123	1.9
8435135		0.118	0.08	0.76	65	0.38	1.96	122	1.3
8435136		0.158	0.08	1.38	66	0.55	3.71	125	<0.5
8435137		0.145	0.12	0.71	76	1.13	2.07	95	1.4
8435138		0.12	0.12	1.29	72	1.69	2.47	98	2.8
8435139		0.133	0.11	0.93	66	1.18	1.9	128	2
8435140		0.138	0.07	1.23	94	0.91	2.4	78	7.6
8435141		0.052	0.09	0.78	54	0.73	1.68	175	1.7
8435142		0.078	0.08	0.89	83	0.96	1.45	101	0.5
8435143		0.094	0.05	4.54	91	0.34	4.41	86	<0.5
8435144		0.097	0.07	13.5	99	0.48	8.09	157	<0.5
8435145		0.286	0.12	2.02	62	0.44	2.21	163	3.6
8435146		0.014	0.29	0.71	51	0.24	1.97	484	<0.5
8435147		0.03	0.24	0.54	69	0.33	1.88	388	<0.5
8435148		0.019	0.33	0.65	61	0.24	1.49	303	<0.5
8435149		0.107	0.13	0.7	133	0.21	2.94	339	1.1
8435150		0.129	0.07	0.39	120	0.2	2.08	199	1
8435151		0.164	0.07	0.47	113	0.15	2.28	187	1.6
8435152		0.122	0.05	0.78	121	0.23	3.59	105	2.2
8435153		0.174	0.13	0.68	72	0.34	1.77	75	0.9
8435154		0.291	0.17	3.52	78	0.2	3	130	1.6
8435155		0.242	0.18	2.8	94	0.48	3.21	95	13.3
8435156		0.262	0.18	1.09	69	0.15	1.97	67	1.7
8435157		0.191	0.12	0.6	90	0.19	2.28	82	1.7
8435158		0.187	0.11	0.52	79	0.28	1.88	61	1.1
8435159		0.223	0.15	0.99	80	0.46	2.2	86	1.2
8435160		0.246	0.14	1.06	78	0.75	2.56	83	1.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435161		0.16	<0.005	0.45	1.56	3.3	<0.2	<10	200	0.21	0.38	0.3	0.31	8.23	10.4	30
8435162		0.18	0.007	0.2	2.04	2.6	<0.2	<10	90	0.25	0.38	0.21	0.27	8.91	9	30
8435163		0.19	0.008	0.1	1.88	2	<0.2	<10	340	0.28	0.38	0.48	0.51	8.17	11.2	33
8435164		0.20	0.016	0.17	2.35	2	<0.2	<10	170	0.26	0.3	0.3	0.28	9.3	13.6	43
8435165		0.19	0.032	0.23	1.81	1.7	<0.2	<10	190	0.23	0.36	0.27	0.33	9.52	9.8	33
8435166		0.18	0.020	0.52	3.16	2.5	<0.2	<10	70	0.31	0.33	0.26	0.14	8.6	11.8	49
8435167		0.18	0.026	0.15	2.49	3	<0.2	<10	210	0.29	0.54	0.36	0.25	8.91	12.2	42
8435168		0.18	0.013	0.15	2.11	2.2	<0.2	<10	130	0.24	0.43	0.23	0.43	7.61	11.3	41
8435169		0.18	0.027	0.14	2.15	1.9	<0.2	<10	240	0.28	0.46	0.21	0.26	9.05	11.2	31
8435170		0.18	0.005	0.17	1.88	1.4	<0.2	<10	90	0.23	0.5	0.15	0.13	7.65	6.9	31
8435171		0.16	0.016	0.09	1.73	1.6	<0.2	<10	120	0.3	0.46	0.2	0.11	7.96	9.2	30
8435172		0.14	0.007	0.09	1.86	1.7	<0.2	<10	60	0.21	0.53	0.17	0.13	7.65	6.7	30
8435173		0.17	<0.005	0.14	2.44	3.6	<0.2	<10	120	0.33	0.6	0.25	0.17	6.63	10.6	40
8435174		0.18	0.021	0.06	1.2	1.1	<0.2	<10	150	0.17	0.38	0.24	0.3	8.08	9.2	33
8435175		0.15	<0.005	0.08	1.42	2.7	<0.2	<10	150	0.2	0.43	0.32	0.23	8.13	10.7	33
8435176		0.23	0.007	0.2	1.96	2.8	<0.2	<10	130	0.29	0.35	0.31	0.18	7.63	10.6	28
8435177		0.14	0.007	0.22	1.99	2.2	<0.2	<10	100	0.39	0.37	0.32	0.27	14.15	14.5	29
8435178		0.15	0.032	0.13	2.77	3.3	<0.2	<10	130	0.38	0.31	0.22	0.26	7.33	13.2	27
8435179		0.15	0.055	0.14	1.95	3.1	<0.2	<10	260	0.29	0.52	0.33	0.2	11.35	12.6	32
8435180		0.14	0.064	0.14	2.34	3.9	<0.2	<10	120	0.33	0.56	0.24	0.21	11.65	10.5	32
8435181		0.18	0.046	0.29	2.39	2.2	<0.2	<10	110	0.3	0.29	0.18	0.22	14.5	12.9	26
8435182		0.14	0.028	0.18	2.37	4.4	<0.2	<10	190	0.39	0.34	0.25	2.62	12.65	15.9	22
8435183		0.16	0.043	0.32	3.21	5.9	<0.2	<10	90	0.34	0.28	0.23	0.42	8.79	15.2	31
8435184		0.13	<0.005	0.34	2.17	34.2	<0.2	<10	160	0.25	0.27	0.71	0.54	14.6	17	27
8435185		0.15	0.031	0.11	2.29	7.5	<0.2	<10	130	0.33	0.23	0.27	0.23	7.39	14.4	22
8435186		0.15	0.048	0.08	1.99	9.9	<0.2	<10	90	0.25	0.25	0.26	0.25	6.97	14.8	27
8435187		0.18	<0.005	0.08	2.33	9.1	<0.2	<10	110	0.25	0.21	0.2	0.18	5.92	12.6	34
8435188		0.17	0.012	0.13	2.77	9.6	<0.2	<10	110	0.3	0.26	0.2	0.17	7.8	11.5	36
8435189		0.15	0.015	0.2	1.65	6.3	<0.2	<10	60	0.19	0.28	0.15	0.15	7.12	8.1	20
8435190		0.13	<0.005	0.81	4.92	5.6	<0.2	<10	230	1.16	0.4	0.59	1.29	60.7	14.8	33
8435191		0.15	0.005	0.09	1.76	3.4	<0.2	<10	140	0.24	0.33	0.29	0.65	10.65	11.9	20
8435192		0.14	0.234	0.22	2.96	1.9	<0.2	<10	160	0.66	0.42	0.52	0.62	15.2	14.5	48
8435193		0.12	0.017	0.13	1.41	2.7	<0.2	<10	300	0.19	0.3	0.23	0.41	8.91	10.2	19
8435194		0.13	0.029	0.18	1.73	3.7	<0.2	<10	140	0.19	0.39	0.15	0.96	7.83	9.4	31
8435195		0.14	<0.005	0.76	3.84	5.3	<0.2	<10	200	0.97	1.14	0.52	2.42	13.1	21.5	54
8435196		0.14	0.074	0.08	1.31	1.2	<0.2	<10	50	0.13	0.22	0.21	0.21	5.88	7.3	27
8435197		0.14	0.019	0.17	2.35	2.3	<0.2	<10	120	0.22	0.32	0.24	0.18	7.14	11.9	34
8435198		0.20	0.006	0.21	0.69	1	<0.2	<10	40	0.07	0.22	0.21	0.07	5.62	4	20
8435199		0.12	0.026	0.21	1.57	2.4	<0.2	<10	260	0.21	0.34	0.44	0.74	8.63	10.2	22
8435200		0.12	0.018	0.15	0.62	1.3	<0.2	<10	40	0.06	0.32	0.2	0.11	6.55	2.9	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
8435161		3.21	20.4	2.28	8.01	0.05	0.05	0.07	0.029	0.06	3.6	23.3	0.47	1525	0.92	0.01
8435162		2.63	24.6	2.69	11.4	0.05	0.11	0.03	0.033	0.04	3.3	23.7	0.46	359	1.26	0.01
8435163		3.19	14.2	2.59	9.99	<0.05	0.08	0.04	0.031	0.07	3.6	26	0.47	1100	0.58	0.01
8435164		2.59	100	3.18	9.32	0.07	0.08	0.04	0.03	0.06	4	23.9	1	416	0.56	0.02
8435165		2.35	38	2.59	8	0.05	0.07	0.04	0.027	0.04	4.5	17	0.41	702	0.47	0.01
8435166		2.56	90.5	3.52	11.8	0.07	0.13	0.09	0.031	0.05	4.7	25.2	0.85	271	1.08	0.02
8435167		4.85	117	3.06	10.2	0.06	0.07	0.05	0.029	0.07	4.3	27.6	0.87	406	0.61	0.02
8435168		3.6	58.4	2.95	9.71	0.06	0.07	0.03	0.028	0.05	3.9	22.3	0.7	424	1.24	0.01
8435169		3.99	40.6	2.72	10.15	0.06	0.08	0.05	0.029	0.05	4.3	24.8	0.58	989	0.99	0.01
8435170		2.56	28.6	2.76	9.92	0.05	0.11	0.03	0.024	0.03	3.7	15.3	0.37	184	1.35	0.01
8435171		3.28	24	2.69	9.95	0.06	0.07	0.05	0.024	0.04	3.8	17.8	0.42	628	1.5	0.01
8435172		3.25	26.7	2.7	10.9	0.06	0.06	0.05	0.022	0.03	3.8	16.8	0.39	316	2.43	0.01
8435173		3.33	39.8	3.71	17.25	0.07	0.11	0.04	0.039	0.06	3.1	30.2	0.63	313	1.52	0.02
8435174		2.93	16	2.29	7.36	<0.05	0.06	0.04	0.019	0.03	3.8	17.8	0.45	856	0.61	0.01
8435175		2.98	23	2.53	9.16	0.05	0.05	0.04	0.025	0.05	3.7	24.7	0.49	541	0.55	0.02
8435176		3.66	35.8	2.67	10.25	0.06	0.08	0.03	0.023	0.06	4	24.3	0.63	362	0.92	0.02
8435177		3.23	77.9	3.13	11.35	0.07	0.06	0.05	0.028	0.06	5.8	26.5	0.74	833	1.89	0.02
8435178		3.49	51	3	12.25	0.07	0.11	0.04	0.028	0.08	3.7	29.9	0.63	440	2.52	0.02
8435179		3.96	212	3.05	10.6	0.06	0.05	0.06	0.051	0.12	4.9	22.8	0.7	2200	2.09	0.02
8435180		3.23	97	3.01	9.76	<0.05	0.08	0.05	0.027	0.07	4.2	18.6	0.56	855	3.73	0.01
8435181		3.64	167.5	3.52	11.25	0.06	0.08	0.04	0.04	0.07	6.3	24.5	0.79	391	1.91	0.02
8435182		4.39	60.6	3.03	11.3	0.06	0.05	0.04	0.033	0.08	5.6	24.1	0.67	2210	0.94	0.02
8435183		2.91	73.7	3.48	11.6	0.07	0.08	0.06	0.03	0.06	4.3	19	0.82	547	1.01	0.03
8435184		4.28	60	3.56	7.48	0.08	0.04	0.04	0.03	0.15	6.1	25.8	1.03	782	2.6	0.03
8435185		2.57	29.7	2.79	10.5	0.05	0.06	0.04	0.026	0.06	3.6	21.1	0.64	429	0.63	0.02
8435186		2.32	23.2	2.93	9.97	0.05	0.07	0.03	0.025	0.08	3.3	22.4	0.65	706	0.74	0.02
8435187		2.39	42.4	3.02	9.53	0.07	0.07	0.03	0.025	0.06	3	21.7	0.81	356	0.62	0.02
8435188		3.09	55.6	3.45	11.9	0.05	0.09	0.05	0.029	0.06	3.8	24.2	0.7	289	0.94	0.02
8435189		1.97	13.4	2.23	9.54	<0.05	0.09	0.07	0.022	0.03	3.5	15.6	0.32	987	0.52	0.01
8435190		4.48	25.1	2.92	10.8	0.1	0.07	0.07	0.039	0.07	19.2	29.3	0.6	2250	4.71	0.02
8435191		2.65	13.6	2.26	9.89	0.05	0.06	0.03	0.022	0.05	4.7	22.5	0.5	1005	2.26	0.02
8435192		4.45	48.2	3.05	9.56	0.08	0.05	0.05	0.031	0.08	7.2	39.1	0.84	1315	1.99	0.02
8435193		2.02	16.3	2.12	8.27	<0.05	0.05	0.04	0.018	0.05	4.1	17	0.42	2460	0.92	0.02
8435194		1.86	23.6	2.56	8.48	0.05	0.04	0.11	0.025	0.04	3.3	15.9	0.35	1950	1.14	0.01
8435195		29.6	1090	3.85	14.45	0.08	0.05	0.05	0.091	0.13	6.1	57.2	1.47	2000	3.94	0.02
8435196		2.74	52.2	1.84	6.85	<0.05	0.06	0.01	0.016	0.03	3	19.7	0.5	215	1.67	0.01
8435197		2.64	47.6	2.83	8.98	0.05	0.06	0.03	0.025	0.06	3.4	22.8	0.74	455	1.92	0.01
8435198		1.53	6.8	1.31	6.08	<0.05	0.06	0.02	0.009	0.03	2.7	8.3	0.24	115	0.76	0.01
8435199		2.46	14.8	2.15	8.44	0.05	0.08	0.05	0.024	0.09	3.7	18.3	0.42	1830	0.88	0.01
8435200		1.22	5.1	1.22	5.12	<0.05	0.06	0.02	0.01	0.03	3.3	8	0.17	136	1.08	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
8435161		2.02	15	1670	16.1	19.2	0.001	0.01	0.23	3.3	0.2	1.3	18.8	0.01	0.02	5.1
8435162		2.69	15.7	1120	16	11.5	0.001	0.01	0.36	3.1	<0.2	1.1	12.8	0.02	0.03	5
8435163		2.07	15.2	3660	14.4	21.1	0.001	<0.01	0.19	3.3	<0.2	1.2	24.1	0.01	0.02	6.1
8435164		1.92	27	860	11.7	13.2	0.001	<0.01	0.22	4.2	0.2	0.8	18.5	0.01	0.03	4
8435165		2	15.1	910	12.7	12.4	0.001	<0.01	0.19	3.6	<0.2	0.9	15.2	0.01	0.03	5.1
8435166		2.18	24.4	1540	13.9	12.1	<0.001	0.01	0.2	4.5	0.3	1.2	14.1	0.01	0.04	5
8435167		1.62	25.1	1670	17.6	20.8	0.001	0.01	0.22	4.3	0.2	1.2	25.3	<0.01	0.04	5.5
8435168		1.53	21.4	540	13.6	18.6	0.001	0.01	0.22	3.5	<0.2	1	15.8	<0.01	0.05	3
8435169		1.74	18.8	2370	18.4	19.8	0.001	0.01	0.17	3.7	0.2	1.3	11.6	<0.01	0.03	3.7
8435170		1.78	12.6	550	14.5	13	0.001	<0.01	0.17	2.9	0.2	1	10.5	0.01	0.04	3.3
8435171		1.98	16.4	270	16.6	18.3	0.001	<0.01	0.23	2.5	0.2	1.3	14.2	0.01	0.04	2.4
8435172		1.7	13.3	330	14.5	10.5	0.001	0.01	0.25	2.5	0.2	1.3	13	<0.01	0.04	2.6
8435173		2.91	20.6	770	17.3	15.4	0.001	<0.01	0.2	3.3	0.2	1.5	19.1	0.01	0.05	3.6
8435174		1.55	12.9	270	13.4	15.4	0.001	<0.01	0.19	2.6	<0.2	1	12.4	<0.01	0.03	4.3
8435175		1.79	13.9	1220	17	15.1	<0.001	0.01	0.17	2.8	0.2	1.2	18.5	<0.01	0.03	4.5
8435176		1.69	17.5	850	12.9	22.1	0.001	<0.01	0.21	3.6	<0.2	1.1	17.8	<0.01	0.03	3.4
8435177		2.3	16.2	500	37.4	20.6	0.001	0.01	0.2	4	0.2	1.3	21.6	<0.01	0.05	4.4
8435178		2.35	20.5	1070	15	28.8	<0.001	<0.01	0.19	3.4	0.2	1.5	16.4	0.01	0.04	3.9
8435179		2.08	18.8	1650	17.4	33.7	<0.001	0.01	0.17	3.4	0.2	1.3	19.7	<0.01	0.06	7.1
8435180		1.94	15.3	610	16.5	20.3	0.001	0.01	0.26	3.1	0.2	1.2	17.8	0.01	0.13	3.7
8435181		2.04	14	480	16.1	20.7	0.001	<0.01	0.18	4.5	0.2	1.7	18.3	<0.01	0.05	5.7
8435182		1.66	15.1	1000	44.4	35.5	<0.001	0.01	0.24	4.1	0.2	1.6	21.8	<0.01	0.05	3.6
8435183		1.22	17.2	750	14.5	16.1	0.001	0.01	0.42	5.4	0.2	1	21.3	<0.01	0.07	2.8
8435184		0.76	14	870	13.8	14.7	0.001	0.05	0.51	6.4	1.1	0.7	56.5	0.01	0.14	0.9
8435185		1.14	15.2	980	10.5	19.7	0.001	<0.01	0.28	4.1	<0.2	1.1	25.4	<0.01	0.04	1.4
8435186		1.19	14.1	1440	9.5	17.6	<0.001	<0.01	2.8	4	<0.2	0.7	22.1	<0.01	0.04	1.6
8435187		1.03	18.9	1660	8.6	13.8	<0.001	<0.01	0.26	4.9	0.2	1	19.8	<0.01	0.04	1.4
8435188		1.4	14.8	890	12.6	20.5	0.001	<0.01	0.26	4.3	0.2	0.9	17.5	0.01	0.04	2.8
8435189		1.39	7.4	1570	12.9	10.4	<0.001	<0.01	0.2	2.8	<0.2	1.4	10.2	0.01	0.02	2.5
8435190		1.62	15.6	1040	21.1	18.5	<0.001	0.02	0.28	5	0.4	1.3	49.2	0.01	0.04	5.3
8435191		1.2	11.9	820	11.4	16.7	<0.001	<0.01	0.24	3.8	0.2	1.6	19.2	<0.01	0.03	1.8
8435192		1.88	21.7	520	14.4	18.5	0.001	0.01	0.22	4.2	0.2	1.7	27.3	<0.01	0.05	3.2
8435193		1.47	10.8	710	12.1	17.2	0.001	<0.01	0.18	3.1	<0.2	1.6	21.1	<0.01	0.02	2.4
8435194		1.4	11.6	2470	15.7	9.6	0.001	0.01	0.16	2.4	0.2	1	8.4	<0.01	0.03	2.4
8435195		2.36	33.3	890	79.2	26.4	<0.001	0.01	0.28	7.4	0.3	1.9	26.2	<0.01	0.07	6.2
8435196		1.48	12.5	210	8.6	9.4	<0.001	<0.01	0.18	2.6	<0.2	0.9	15.4	<0.01	0.02	1.8
8435197		1.3	18.7	560	13	11.7	0.001	<0.01	0.24	3.5	<0.2	1.4	17.7	<0.01	0.03	1.8
8435198		1.7	7.8	230	9.6	9.9	<0.001	<0.01	0.17	2.1	<0.2	1.4	10.3	<0.01	0.02	3
8435199		1.82	13.2	1790	14.9	18.8	<0.001	<0.01	0.15	2.9	0.2	1.4	19.8	<0.01	0.02	3.6
8435200		1.42	5.1	310	8.2	6.9	<0.001	<0.01	0.13	1.9	<0.2	0.9	10.4	<0.01	0.01	3.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 6 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435161		0.233	0.19	1.65	65	0.4	2.76	160	1
8435162		0.257	0.11	1.44	74	0.53	2.32	100	4
8435163		0.232	0.19	1.24	66	0.56	2.16	159	2.2
8435164		0.224	0.09	1.12	88	0.69	3.79	80	1.4
8435165		0.212	0.11	1.22	72	0.47	3.48	85	1.5
8435166		0.248	0.1	1.47	96	0.52	3.76	79	4.2
8435167		0.182	0.12	1.22	84	0.76	3.35	103	1.5
8435168		0.193	0.11	0.75	85	0.47	2.77	115	1.5
8435169		0.214	0.22	1.38	66	0.45	2.53	162	2
8435170		0.205	0.11	1.15	82	0.27	2.33	58	2.9
8435171		0.202	0.16	0.65	83	0.36	2.26	56	1.6
8435172		0.175	0.08	1.21	83	0.23	2.14	41	1.2
8435173		0.252	0.08	0.76	105	0.61	2.05	81	3.9
8435174		0.205	0.12	1.12	76	0.26	2.58	77	0.9
8435175		0.213	0.15	1.11	72	0.47	2.22	84	0.9
8435176		0.223	0.12	0.68	80	0.37	2.74	83	1.8
8435177		0.278	0.15	1.14	90	0.31	4.1	90	1.1
8435178		0.265	0.18	0.77	82	0.7	2.5	77	4.1
8435179		0.236	0.22	1.77	85	0.39	3.05	79	1
8435180		0.206	0.14	1.54	92	0.59	2.89	50	2.6
8435181		0.236	0.14	1.38	102	0.47	5.86	89	1.4
8435182		0.203	0.22	0.95	80	0.46	4.2	291	1
8435183		0.184	0.18	0.65	104	0.37	3.93	99	1.4
8435184		0.13	0.13	29.6	107	1.05	10.1	126	<0.5
8435185		0.166	0.12	0.99	74	0.36	2.8	126	1.1
8435186		0.155	0.1	0.43	80	0.22	2.47	145	1.4
8435187		0.153	0.08	0.4	87	0.38	2.34	96	1.5
8435188		0.194	0.12	0.68	103	0.39	2.87	72	1.9
8435189		0.156	0.13	0.59	62	0.15	1.97	86	2.7
8435190		0.17	0.42	29.5	68	0.59	19.1	154	1.1
8435191		0.171	0.15	0.92	64	0.18	3.09	187	1.3
8435192		0.254	0.17	10.55	94	0.5	7.07	122	0.5
8435193		0.2	0.16	1.03	61	0.17	2.56	122	0.8
8435194		0.163	0.11	0.98	68	0.28	1.71	131	<0.5
8435195		0.316	0.18	12.7	90	1.21	8.07	710	0.8
8435196		0.201	0.05	1.15	62	0.26	2.38	50	0.9
8435197		0.169	0.08	0.83	80	0.45	2.36	103	1.1
8435198		0.205	0.09	0.77	53	0.18	2	39	1
8435199		0.212	0.19	1	56	0.26	2.2	191	2.2
8435200		0.17	0.06	0.63	49	0.18	1.85	37	1.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 7 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435201		0.14	0.012	0.17	0.63	4.8	<0.2	<10	200	0.1	0.24	0.43	0.34	6.27	5.5	47
8435202		0.18	0.020	0.16	1.35	1.2	<0.2	<10	110	0.17	0.28	0.28	0.2	6.46	9.7	26
8435203		0.15	0.019	0.12	0.52	1.1	<0.2	<10	60	0.06	0.22	0.32	0.06	5.28	3.9	32
8435204		0.16	0.020	0.14	1.04	1	<0.2	<10	80	0.09	0.39	0.17	0.19	6.74	7.3	28
8435205		0.18	<0.005	0.22	1.83	1.8	<0.2	<10	90	0.23	0.55	0.15	0.17	6.6	8.9	24
8435206		0.14	0.013	0.16	1.42	1.5	<0.2	<10	90	0.19	0.72	0.2	0.16	6.75	7.1	22
8435207		0.17	<0.005	0.17	1.45	1.2	<0.2	<10	90	0.15	0.48	0.16	0.19	7.49	8.7	25
8435208		0.13	0.015	0.17	1.37	2.3	<0.2	<10	100	0.16	0.63	0.12	0.23	7.18	6.2	32
8435209		0.20	0.013	0.23	1.5	2.4	<0.2	<10	70	0.21	0.79	0.1	0.14	7.53	7	33
8435210		0.12	0.016	0.17	3.29	3.4	<0.2	<10	170	0.5	0.61	1.35	0.35	16.7	8.9	22
8435211		0.21	<0.005	0.23	1.37	4.2	<0.2	<10	90	0.13	0.54	0.17	0.62	6.48	8.7	33
8435212		0.16	0.033	0.11	0.57	1.5	<0.2	<10	50	0.05	0.47	0.2	0.95	5.93	4.8	33
8435213		0.17	0.012	0.97	0.73	2.3	<0.2	<10	70	0.09	0.61	0.2	0.97	8.1	3.2	28
8435214		0.18	0.008	0.15	0.88	1.8	<0.2	<10	50	0.08	1.06	0.17	0.89	6.88	3.8	22
8435215		0.19	<0.005	0.14	1.63	4.7	<0.2	<10	100	0.18	0.96	0.18	0.51	6.49	8.2	27
8435216		0.19	0.026	0.18	0.94	1.9	<0.2	<10	50	0.07	0.7	0.13	0.28	5.72	4.8	21
8435217		0.20	<0.005	0.16	1.73	3.5	<0.2	<10	80	0.15	0.86	0.16	0.34	6.25	7.9	28
8435218		0.14	<0.005	0.12	0.98	2.2	<0.2	<10	40	0.06	0.44	0.11	0.36	6.41	5.1	30
8435219		0.19	0.020	0.18	1.71	2.7	<0.2	<10	70	0.18	0.33	0.16	0.38	8.06	9.5	36
8435220		0.21	0.018	0.57	2.71	4.9	<0.2	<10	140	0.27	1.13	0.15	0.62	10.6	10.9	45
8435221		0.14	<0.005	0.42	1.97	5.3	<0.2	<10	120	0.19	1.48	0.12	0.89	12.5	12.8	37
8435222		0.16	0.008	0.2	2.52	3.9	<0.2	<10	80	0.26	0.88	0.5	0.72	13.35	17.2	39
8435223		0.15	0.034	2.19	2.7	5.8	<0.2	<10	170	0.33	1.14	0.64	1.25	32.3	13.4	41
8435224		0.16	<0.005	0.68	1.39	3.3	<0.2	<10	50	0.1	1.67	0.09	0.16	10.15	6.3	30
8435225		0.15	0.016	0.43	0.93	4.4	<0.2	<10	40	0.06	0.76	0.07	0.11	8.17	3.6	25
8435226		0.18	0.015	0.64	2.22	8.5	<0.2	<10	80	0.22	0.86	0.17	0.31	6.94	10.1	39
8435227		0.13	0.015	0.43	1.57	3.4	<0.2	<10	80	0.12	0.28	0.14	0.2	8.82	7.3	39
8435228		0.15	0.014	0.22	2.3	6.5	<0.2	<10	260	0.23	1.02	0.21	0.28	5.37	12.4	63
8435229		0.13	0.019	0.58	2.17	4.9	<0.2	<10	270	0.23	1.22	0.79	10.55	18.05	15.7	33
8435230		0.13	<0.005	0.16	1.16	2.6	<0.2	<10	170	0.11	0.6	0.12	0.53	8.1	8.6	37
8435231		0.16	0.005	0.21	1.51	4.7	<0.2	<10	40	0.11	0.83	0.11	0.13	6.04	7.2	41
8435232		0.17	0.008	0.46	1.71	2.3	<0.2	<10	70	0.17	0.38	0.28	0.81	6.21	9.1	36
8435233		0.18	<0.005	0.13	1.75	2.6	<0.2	<10	60	0.18	0.38	0.1	0.22	5	10.1	51
8435234		0.22	0.007	0.38	2.44	4.1	<0.2	<10	70	0.23	0.33	0.12	0.16	6.4	12.5	56
8435235		0.15	<0.005	0.18	1.65	3.4	<0.2	<10	80	0.14	0.29	0.15	0.23	5.97	10.8	49
8435236		0.18	<0.005	0.87	2.49	5.9	<0.2	<10	90	0.21	0.4	0.14	0.26	5.49	8.6	32
8435237		0.12	<0.005	0.93	2.63	6.5	<0.2	<10	100	0.22	0.42	0.15	0.27	5.93	9.2	35
8435238		0.15	<0.005	0.52	2.32	5	<0.2	<10	60	0.2	0.58	0.11	0.12	6.58	9	41
8435239		0.12	<0.005	0.19	1.92	1.9	<0.2	<10	120	0.28	0.35	0.31	0.29	7.13	10.8	33
8435240		0.14	0.020	0.18	0.97	4.2	<0.2	<10	60	0.11	0.25	0.33	0.19	6.09	6.3	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 7 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
8435201		1.18	5	2.16	5.33	0.05	0.05	0.07	0.038	0.11	2.9	4.6	0.3	1035	3.19	0.01
8435202		2.37	13.7	1.97	7.35	<0.05	0.04	0.04	0.016	0.05	3.1	21.3	0.48	871	1.83	0.01
8435203		0.93	6.8	1.43	4.5	0.05	0.06	0.02	0.008	0.09	2.6	4.2	0.23	136	1.61	0.01
8435204		2.12	8.2	1.84	7.33	<0.05	0.07	0.04	0.015	0.04	3.3	13	0.26	602	0.81	0.01
8435205		3.07	11.4	2.41	11.55	0.05	0.12	0.05	0.022	0.04	3.4	30.2	0.42	769	1	0.01
8435206		3.35	14.6	2.19	10.45	<0.05	0.09	0.03	0.017	0.06	3.5	24.7	0.37	336	1.08	0.01
8435207		3.92	15.6	2.25	9.3	0.05	0.07	0.03	0.017	0.04	3.8	24.3	0.53	291	0.75	0.01
8435208		4.47	15.9	2.49	9.38	<0.05	0.07	0.06	0.023	0.05	3.6	16	0.29	305	0.81	0.01
8435209		3.53	14.1	2.62	8.61	<0.05	0.08	0.05	0.022	0.03	3.9	15.2	0.3	494	0.84	0.01
8435210		5.48	37.4	2.31	13.6	<0.05	0.03	0.11	0.032	0.12	6	15.9	0.55	1340	3.05	0.01
8435211		7.13	21	2.97	10.05	<0.05	0.04	0.03	0.029	0.04	3.1	20.1	0.38	314	5.38	0.01
8435212		4.56	10.6	1.75	5.95	<0.05	0.03	0.02	0.017	0.04	2.9	7.5	0.17	444	1.65	0.01
8435213		3.58	23.4	1.77	5.13	<0.05	0.03	0.03	0.018	0.03	4.3	4.3	0.09	361	2.38	0.01
8435214		4.03	10.2	1.68	6.56	<0.05	0.03	0.02	0.02	0.04	3.5	9.3	0.16	266	1.62	0.01
8435215		3.53	32.1	2.66	9.47	<0.05	0.05	0.03	0.032	0.04	3.2	27.1	0.43	509	2.29	0.01
8435216		3.19	8.8	1.83	8.88	<0.05	<0.02	0.03	0.021	0.04	2.8	12.2	0.21	176	1.46	0.02
8435217		4.02	19.9	3.19	10.7	0.05	<0.02	0.03	0.041	0.04	3.2	25.4	0.34	195	3.64	0.02
8435218		5.31	19.8	2.56	7.88	<0.05	<0.02	0.03	0.025	0.03	3.1	13.4	0.21	142	3.76	0.02
8435219		3.74	31.8	2.79	9.2	0.06	<0.02	0.05	0.026	0.04	3.4	18.5	0.44	227	2.2	0.02
8435220		5.77	40.2	3.3	8.28	0.05	0.05	0.12	0.06	0.04	4.7	16.4	0.41	1495	1.42	0.02
8435221		5.11	37.7	3.17	9.94	0.05	0.02	0.03	0.062	0.05	5.4	16.7	0.4	1730	2.06	0.03
8435222		8.36	24.8	4.45	13.3	0.07	0.03	0.04	0.059	0.06	4.6	23.7	0.36	395	8.69	0.03
8435223		10.35	56.3	3.91	11	0.08	0.02	0.12	0.053	0.06	7.6	31.9	0.44	618	10.35	0.03
8435224		8.84	20.3	2.55	8.01	<0.05	0.02	0.04	0.042	0.03	5	17.1	0.24	156	2.27	0.02
8435225		2.17	5.8	1.96	7.82	<0.05	0.02	0.05	0.02	0.02	4	8.5	0.13	653	0.69	0.02
8435226		4.71	25.9	3.26	9.26	0.05	0.02	0.06	0.033	0.04	3.3	14.4	0.32	366	1.33	0.02
8435227		1.37	26	2.65	7.29	0.05	0.03	0.04	0.019	0.06	2.9	10.1	0.32	214	0.71	0.03
8435228		3.24	24.7	4.06	10.2	0.06	0.02	0.09	0.036	0.04	2.5	14.7	0.52	591	0.65	0.03
8435229		7.91	60.2	3.08	8.33	0.07	<0.02	0.06	0.048	0.17	9.1	15	0.73	2060	1.94	0.03
8435230		1.79	9.6	2.64	7.64	<0.05	<0.02	0.05	0.022	0.02	4	7.1	0.2	5520	0.56	0.02
8435231		3.66	21	3.26	9.43	0.05	0.02	0.04	0.025	0.03	3	14	0.35	265	0.9	0.02
8435232		5.45	15.3	2.68	8.19	0.05	0.03	0.07	0.022	0.08	3	16.4	0.39	349	0.57	0.03
8435233		3.11	21.9	3.47	7.67	0.06	0.04	0.04	0.028	0.03	2.2	9.9	0.38	320	0.77	0.02
8435234		3.99	31.1	3.97	9.41	0.08	0.07	0.08	0.031	0.03	2.9	15	0.54	405	0.81	0.02
8435235		3.72	16.3	3.09	8.64	0.05	0.03	0.04	0.024	0.04	2.8	18.4	0.48	582	0.43	0.03
8435236		4.51	22.6	3.93	14.9	0.06	0.12	0.12	0.028	0.07	2.7	38.7	0.48	254	1.06	0.02
8435237		4.84	24.2	4.22	16.05	0.07	0.13	0.13	0.031	0.07	3	41.4	0.52	272	1.16	0.02
8435238		4.57	38.5	3.38	9.61	0.06	0.04	0.08	0.035	0.04	3.1	18.1	0.51	266	0.55	0.02
8435239		3.54	29.2	3.1	10.5	0.06	0.04	0.04	0.026	0.07	3.4	19.8	0.57	619	1.38	0.02
8435240		1.83	15.6	1.91	7.01	<0.05	0.04	0.03	0.014	0.04	3	12.3	0.31	263	0.48	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 7 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
8435201		2.56	11.3	530	11.8	15.1	0.001	0.01	0.86	1.8	0.2	1	14.6	<0.01	0.03	5.7
8435202		1.33	13.7	370	10.8	15.6	<0.001	<0.01	1.21	2.5	<0.2	0.7	15.6	<0.01	0.02	2.2
8435203		3.25	8.5	230	9.8	8	<0.001	<0.01	2.38	2.3	<0.2	1	7.8	<0.01	0.02	12.1
8435204		1.68	9.4	310	13.3	15.9	<0.001	<0.01	0.67	2	<0.2	1	9.3	<0.01	0.01	5.4
8435205		1.98	13.2	970	15.3	17.1	<0.001	<0.01	0.78	2.6	0.2	1.1	10.2	0.01	0.02	3.6
8435206		2.24	10.9	1000	17.5	16.3	<0.001	<0.01	0.74	2.4	0.2	1.2	11.6	<0.01	0.02	5.8
8435207		1.88	13.6	410	11.7	16.2	<0.001	<0.01	0.78	3	0.2	1	11	<0.01	0.02	7.7
8435208		1.58	9.3	1420	15.3	15.6	<0.001	<0.01	0.72	2.5	<0.2	1	8.8	0.01	0.01	3.9
8435209		1.21	10	1340	13.2	11.9	<0.001	<0.01	0.5	2.4	<0.2	0.7	7.9	0.01	0.02	4.7
8435210		1.5	14.3	620	20.9	19.4	<0.001	0.03	0.83	4.1	<0.2	0.7	118.5	0.01	0.04	2.3
8435211		1.25	11.4	140	17.1	13.3	<0.001	<0.01	0.76	2.2	<0.2	0.7	15	<0.01	0.04	1.6
8435212		1.01	7.8	100	17.6	26.5	<0.001	<0.01	0.57	1.4	<0.2	0.6	13.3	<0.01	0.01	1.1
8435213		0.74	6	100	21.1	9.9	<0.001	<0.01	0.84	1.5	<0.2	0.6	14.8	<0.01	0.04	1.4
8435214		0.47	5.3	260	24	16.8	<0.001	<0.01	0.55	1.6	<0.2	0.5	9.5	<0.01	0.03	1.5
8435215		0.92	11.7	520	31.8	12.5	<0.001	<0.01	1.29	2.4	<0.2	0.6	11.8	<0.01	0.04	1.7
8435216		1.03	7.4	180	20	8.6	<0.001	0.01	0.74	1.9	<0.2	0.7	8.2	<0.01	0.03	1.8
8435217		0.85	10.8	270	17.7	12.6	<0.001	0.01	0.87	2.4	0.2	0.6	8.7	<0.01	0.06	2.1
8435218		0.73	7.5	110	8.3	13.2	<0.001	0.01	0.81	1.6	<0.2	0.5	7.5	<0.01	0.03	1.1
8435219		1.22	17.6	340	20.4	9	<0.001	0.01	0.81	2.5	0.3	0.7	11.8	<0.01	0.02	2.1
8435220		1.01	18.6	1890	52.3	20.2	<0.001	0.02	1.02	3.9	0.4	0.6	11.3	0.01	0.09	3.8
8435221		1.15	15.1	2110	65.3	21.7	<0.001	0.01	1.42	3.4	0.2	0.7	11.4	<0.01	0.07	2.9
8435222		1.87	14.2	300	53.6	19.7	<0.001	0.02	1.31	3	0.3	0.8	33.1	0.01	0.06	3.6
8435223		1.21	19.3	490	43.9	11.3	0.003	0.05	1.83	3.7	1.4	0.6	30.6	0.01	0.06	2.8
8435224		0.51	10.3	210	23	8.8	<0.001	0.01	1.42	2.1	<0.2	0.5	8.3	<0.01	0.07	1.8
8435225		0.79	5.3	1110	13.9	7.5	<0.001	0.01	0.46	1.3	<0.2	0.7	5.2	<0.01	0.02	1.6
8435226		0.86	15.3	1720	23.6	14.2	<0.001	0.01	0.68	2.5	0.2	0.6	13	0.01	0.07	1.4
8435227		1.01	12.2	660	13.2	6.5	<0.001	0.02	0.41	2.5	0.2	0.4	14.1	<0.01	0.02	1.5
8435228		1	17.4	6220	22.7	10.2	<0.001	0.02	0.44	3.5	0.2	0.5	20.3	<0.01	0.05	3.3
8435229		1.03	18.4	640	78.8	31.3	<0.001	0.06	1	3.9	0.6	0.5	62.3	<0.01	0.07	1.7
8435230		0.57	9.2	1190	16.7	8	<0.001	0.01	0.46	1.9	0.2	0.6	11.1	<0.01	0.02	1.1
8435231		0.9	12.4	590	16.4	12.9	<0.001	0.01	0.65	2.3	0.2	0.6	8.5	<0.01	0.05	1.8
8435232		1.1	13.5	1100	17	12.8	<0.001	0.01	0.45	2.8	0.2	0.5	25.4	<0.01	0.02	1.9
8435233		0.88	15.1	410	18.9	11.9	<0.001	0.01	0.41	2.4	0.2	0.4	9.5	<0.01	0.02	2.2
8435234		0.94	17.6	1400	21.8	11.7	<0.001	0.01	0.44	3.5	0.3	0.5	10.5	0.01	0.03	2.6
8435235		0.99	14.1	1230	16.1	11.2	<0.001	0.01	0.51	3.1	0.2	0.6	11.9	<0.01	0.01	2.8
8435236		1.64	11.5	4630	31.3	13.9	<0.001	0.03	0.51	3.1	0.4	1.1	10.6	0.01	0.03	3.6
8435237		1.74	12.5	4970	33.4	14.9	<0.001	0.03	0.72	3.2	0.4	1.1	11.4	<0.01	0.03	3.2
8435238		1.2	14.2	3100	21.9	11	<0.001	0.02	0.42	3.8	0.3	0.6	8.7	<0.01	0.03	3.7
8435239		1.78	15.2	510	15.8	25.4	<0.001	0.01	0.55	3.2	0.2	0.8	20.2	<0.01	0.03	2.7
8435240		1.45	7.6	830	10.3	13.6	<0.001	0.01	0.37	2.5	0.2	0.7	18.3	<0.01	0.02	3.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 7 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435201		0.353	0.11	1.47	100	0.2	1.6	49	0.6
8435202		0.179	0.09	0.56	59	0.19	2.02	86	<0.5
8435203		0.403	0.08	2.97	82	0.28	2.17	21	0.8
8435204		0.231	0.17	1.19	62	0.12	1.77	109	1.2
8435205		0.241	0.12	0.81	62	0.22	1.85	103	3.6
8435206		0.245	0.13	1.35	62	0.24	1.61	81	2.5
8435207		0.212	0.12	1.98	65	0.2	2.08	111	1.6
8435208		0.146	0.12	0.83	68	0.3	1.77	81	2
8435209		0.102	0.12	0.88	75	0.34	1.7	77	2.1
8435210		0.115	0.1	2.85	63	0.58	4.59	81	<0.5
8435211		0.117	0.07	0.56	100	0.7	1.8	129	0.5
8435212		0.117	0.04	0.53	72	0.23	1.36	84	<0.5
8435213		0.064	0.06	1.21	65	0.23	2.45	37	<0.5
8435214		0.027	0.1	0.54	57	0.26	1.44	64	<0.5
8435215		0.078	0.09	0.45	74	0.32	2	132	0.6
8435216		0.127	0.07	0.45	61	0.27	1.54	76	<0.5
8435217		0.083	0.07	0.44	90	0.87	1.72	109	<0.5
8435218		0.074	0.06	0.4	97	0.17	1.56	71	<0.5
8435219		0.155	0.07	0.97	90	0.23	2.35	104	0.5
8435220		0.079	0.18	1.86	98	0.33	3.54	238	1.9
8435221		0.094	0.19	2.75	83	0.39	2.82	143	1
8435222		0.148	0.15	1.63	130	0.49	4.07	104	1.2
8435223		0.12	0.11	10.05	104	0.38	8.31	157	0.6
8435224		0.033	0.11	0.44	83	0.14	1.54	84	<0.5
8435225		0.08	0.1	0.32	66	0.14	1.09	37	0.7
8435226		0.092	0.1	0.62	98	0.24	1.84	155	0.7
8435227		0.118	0.06	0.44	89	0.26	2.13	62	0.9
8435228		0.134	0.1	0.86	123	0.23	1.93	136	0.9
8435229		0.114	0.16	5.27	83	0.42	7.76	320	<0.5
8435230		0.085	0.25	0.57	86	0.15	2.01	65	<0.5
8435231		0.111	0.16	0.42	112	0.28	1.49	76	0.7
8435232		0.125	0.07	0.52	84	0.25	2.25	229	1.1
8435233		0.111	0.08	0.46	116	0.29	1.6	88	1.4
8435234		0.135	0.12	0.62	128	0.3	2.26	126	2.9
8435235		0.146	0.13	0.61	99	0.21	1.9	137	1.2
8435236		0.238	0.15	0.65	91	0.38	1.82	168	5.6
8435237		0.252	0.16	0.61	98	0.31	1.92	182	6.2
8435238		0.132	0.15	0.88	92	0.56	2.11	117	1.7
8435239		0.226	0.11	0.65	91	0.38	2.5	83	1.2
8435240		0.177	0.09	0.7	60	0.23	2	69	1.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 8 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435241		0.16	0.022	0.09	2.25	5.2	<0.2	<10	70	0.22	0.3	0.19	0.12	8.26	10.5	28
8435242		0.14	0.242	0.22	2.04	4.2	<0.2	<10	120	0.27	0.3	0.26	0.22	8.13	11.1	28
8435243		0.13	0.016	0.16	2.31	3.2	<0.2	<10	150	0.27	0.29	0.43	0.19	11.15	12.5	26
8435244		0.15	0.006	0.26	2.1	2.4	<0.2	<10	80	0.38	0.29	0.16	0.17	7.1	9.3	32
8435245		0.17	0.025	0.14	1.39	1	<0.2	<10	120	0.19	0.3	0.27	0.2	7.15	8.5	27
8435246		0.24	<0.005	0.16	2.69	3.6	<0.2	<10	140	0.34	0.33	0.24	0.24	6.23	11.5	32
8435247		0.14	<0.005	0.28	0.89	1.3	<0.2	<10	60	0.09	0.24	0.26	0.22	6.3	3.3	24
8435248		0.15	<0.005	0.13	1.47	1.4	<0.2	<10	80	0.16	0.29	0.35	0.44	6.86	7.9	23
8435249		0.16	<0.005	0.18	1	1	<0.2	<10	40	0.1	0.2	0.19	0.13	6.63	6.6	17
8435250		0.20	<0.005	0.2	1.98	1.5	<0.2	<10	80	0.18	0.26	0.22	0.09	6.82	10.5	34
8435251		0.16	<0.005	0.29	2.07	1.7	<0.2	<10	80	0.22	0.31	0.24	0.23	6.89	10.2	31
8435252		0.13	<0.005	0.11	0.43	0.8	<0.2	<10	10	<0.05	0.18	0.16	0.1	5.47	2.3	18
8435253		0.19	<0.005	0.2	1.82	1.3	<0.2	<10	60	0.2	0.32	0.18	0.11	6.94	9	30
8435254		0.17	<0.005	0.35	1.48	2.1	<0.2	<10	40	0.13	0.26	0.32	0.19	12.35	9.3	33
8435255		0.17	0.006	0.31	1.88	1.8	<0.2	<10	60	0.23	0.32	0.26	0.19	8.9	10.9	31
8435256		0.19	0.027	0.16	2.21	2.8	<0.2	<10	80	0.23	0.45	0.21	0.14	8.34	8.4	40
8435257		0.17	<0.005	0.18	0.91	3.1	<0.2	<10	50	0.08	0.31	0.45	0.38	6.19	6.5	28
8435258		0.17	<0.005	0.26	1.43	1.5	<0.2	<10	80	0.15	0.41	0.28	0.49	7.51	8.5	27
8435259		0.19	0.005	0.66	2.58	1.8	<0.2	<10	170	0.31	0.44	0.75	0.55	14.85	10.2	26
8435260		0.14	0.005	0.26	1.11	3.1	<0.2	<10	130	0.09	0.37	0.65	0.39	6.3	4	24
8435261		0.16	0.005	0.32	1.38	1.4	<0.2	<10	70	0.15	0.34	0.24	0.5	6.33	8.1	30
8435262		0.15	<0.005	0.42	1.57	1.9	<0.2	<10	100	0.16	0.43	0.41	0.4	7.21	7.8	32
8435263		0.13	<0.005	0.52	1.05	1.5	<0.2	<10	90	0.08	0.27	0.26	0.27	6.39	4.1	31
8435264		0.18	<0.005	0.56	1.32	1.7	<0.2	<10	70	0.09	0.54	0.21	0.49	5.14	6.4	32
8435265		0.13	0.006	0.24	0.97	1.4	<0.2	<10	40	0.07	0.21	0.14	0.14	5.03	4.1	23
8435266		0.17	<0.005	0.26	0.83	1.1	<0.2	<10	50	0.07	0.28	0.14	0.14	6.13	3.6	19
8435267		0.19	<0.005	0.63	1.96	2.5	<0.2	<10	80	0.22	0.22	0.16	0.39	6.4	6.6	40
8435268		0.18	0.008	0.31	1.49	1.8	<0.2	<10	60	0.2	0.25	0.21	1.2	9.16	7	33
8435269		0.16	0.005	0.93	1.84	3.3	<0.2	<10	180	0.21	0.37	0.36	4.76	15	10.6	30
8435270		0.24	<0.005	0.4	2.74	4.4	<0.2	<10	70	0.31	0.34	0.26	0.93	15.75	9.3	30
8435271		0.19	0.006	0.29	2.57	3.8	<0.2	<10	80	0.4	0.37	0.69	0.44	20.5	11	38
8435272		0.13	0.019	0.32	1.02	2.4	<0.2	<10	50	0.07	0.36	0.13	0.13	10.15	3.8	32
8435273		0.15	0.026	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
8435274		0.17	0.049	0.31	1.27	4	<0.2	<10	70	0.16	0.92	0.42	0.35	6.5	6.7	23
8435275		0.19	0.050	0.38	1.83	2	<0.2	<10	50	0.38	0.54	0.19	0.23	8.25	6.8	26
8435276		0.18	<0.005	0.36	3.71	20.4	<0.2	<10	100	0.57	0.47	0.3	0.75	16.5	12.1	35
8435277		0.19	0.010	0.32	1.08	8.9	<0.2	<10	40	0.09	0.67	0.13	0.19	5.85	4.7	25
8435278		0.15	0.018	0.95	3.7	28.7	<0.2	<10	60	0.4	1.28	0.12	0.46	7.57	7.7	31
8435279		0.14	<0.005	0.22	1.83	2.8	<0.2	<10	90	0.32	0.45	0.2	0.33	8.03	7.2	27
8435280		0.19	<0.005	0.16	0.6	1.6	<0.2	<10	30	0.06	0.44	0.14	0.08	5.52	2.7	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 8 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435241		2.13	41.7	2.85	9.88	0.06	0.05	0.02	0.026	0.04	3.6	17.6	0.71	468	0.95	0.02
8435242		2.54	33.4	2.91	9.51	0.06	0.06	0.03	0.026	0.05	3.5	18.9	0.58	776	0.76	0.02
8435243		2.15	43	2.96	9.73	0.07	0.04	0.04	0.025	0.06	4.6	17.8	0.63	683	1.17	0.02
8435244		2.46	41.9	2.58	7.84	0.06	0.08	0.04	0.023	0.04	3.1	18.4	0.5	240	0.93	0.02
8435245		2.62	16.3	2.27	7.74	0.05	0.04	0.03	0.016	0.03	3.4	17.9	0.41	301	0.62	0.02
8435246		2.8	48.1	3.13	10.75	0.07	0.06	0.03	0.028	0.07	3	22.1	0.7	485	1.69	0.03
8435247		1.69	6.7	1.67	8.93	<0.05	0.05	0.03	0.011	0.05	3.1	10.7	0.2	110	3.23	0.02
8435248		2.03	16	2.19	8.4	<0.05	0.03	0.02	0.018	0.05	3.3	15.4	0.41	512	3.9	0.02
8435249		2.31	8.2	1.58	6.73	<0.05	0.04	0.02	0.012	0.03	3.1	15.9	0.26	463	5.2	0.02
8435250		2.15	36.4	2.5	6.96	0.05	0.03	0.05	0.029	0.05	2.9	17.3	0.67	362	1.33	0.02
8435251		2.41	37.3	2.48	8.47	0.07	0.05	0.04	0.023	0.07	3.3	23	0.47	589	1.95	0.02
8435252		1.38	4.7	0.92	4.39	<0.05	<0.02	0.04	0.007	0.02	2.7	4.7	0.12	124	3.68	0.02
8435253		2.05	14.8	2.41	8.02	<0.05	0.04	0.06	0.022	0.04	3.3	16.9	0.34	518	2.14	0.02
8435254		2.28	25.7	2.97	10.45	0.06	0.03	0.02	0.018	0.04	3.9	33.8	0.58	211	8.26	0.02
8435255		3.23	24.6	2.85	9.66	0.05	0.02	0.03	0.024	0.05	5.6	22.7	0.54	340	5.14	0.02
8435256		2.43	29.4	3.29	9.41	0.05	0.03	0.06	0.03	0.07	3.8	15.2	0.53	273	2.12	0.03
8435257		2.22	16.5	2.78	10.35	0.05	0.02	0.04	0.013	0.08	2.8	6.5	0.27	427	2.66	0.03
8435258		1.32	23.8	2.3	9.79	<0.05	0.02	0.1	0.018	0.06	3.2	6.6	0.29	942	1.77	0.02
8435259		3.01	34.2	2.56	10.85	0.05	<0.02	0.11	0.022	0.08	5.4	13.7	0.53	906	1.98	0.03
8435260		2.68	20.1	1.82	7.64	<0.05	<0.02	0.08	0.015	0.08	2.8	5.2	0.23	520	1.66	0.03
8435261		2.01	14.3	2.2	9.37	<0.05	0.02	0.07	0.019	0.05	2.9	14.5	0.3	988	1.02	0.03
8435262		1.79	23.1	2.64	11.5	<0.05	<0.02	0.07	0.019	0.05	3	10.6	0.42	589	1.56	0.03
8435263		1	23.9	1.83	7.77	<0.05	0.02	0.08	0.012	0.03	3.1	5.8	0.18	326	1.08	0.03
8435264		1.7	13.2	2.36	11.15	<0.05	0.04	0.02	0.014	0.05	2.6	17.2	0.35	256	1.52	0.03
8435265		1.07	7.5	2.06	8.02	<0.05	0.02	0.03	0.013	0.03	2.4	10.7	0.27	134	0.81	0.02
8435266		1.35	6.1	1.21	7.28	<0.05	0.02	0.03	0.011	0.02	3.1	9.5	0.17	391	1	0.02
8435267		1.29	19.9	2.69	8.75	0.05	0.02	0.07	0.02	0.04	3	13.8	0.26	409	2.02	0.02
8435268		1.43	21.3	2.62	9.84	0.05	<0.02	0.07	0.022	0.06	4.1	10.5	0.32	407	1.15	0.02
8435269		3.38	42.2	2.75	8.94	0.06	0.02	0.11	0.028	0.09	4.5	8.6	0.31	7550	2.83	0.03
8435270		2.94	40.8	3.33	11.85	0.07	0.02	0.06	0.027	0.08	6.6	12.1	0.41	1085	4.95	0.02
8435271		3.42	44.8	2.86	9.05	0.07	0.02	0.05	0.029	0.12	6.8	18	0.74	1025	2.08	0.03
8435272		2.16	161	2.11	5.99	<0.05	<0.02	0.06	0.02	0.06	4.2	3.7	0.21	269	2.71	0.02
8435273		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
8435274		2.16	21.3	2.03	9.13	<0.05	<0.02	0.06	0.025	0.09	3.2	13.4	0.38	358	2.77	0.02
8435275		5.6	41.9	2.97	13.8	0.05	0.03	0.05	0.032	0.03	3.9	24.5	0.45	336	6.53	0.02
8435276		4.79	160.5	3.34	11.8	0.06	0.08	0.08	0.047	0.07	4.2	28.2	0.77	641	1.27	0.02
8435277		1.14	12.5	2.22	13.2	<0.05	0.03	0.04	0.032	0.03	2.8	9.9	0.29	449	1.47	0.02
8435278		2.84	48.3	3.63	12.25	0.06	0.08	0.15	0.189	0.04	3.2	21.2	0.38	258	1.97	0.02
8435279		1.74	23	2.6	11.05	<0.05	0.04	0.05	0.024	0.04	3.6	16.8	0.24	344	1.59	0.02
8435280		1.85	8.1	1.54	8.27	<0.05	0.02	0.03	0.009	0.04	2.8	5.2	0.14	192	1.14	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 8 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
8435241		1.39	14.4	660	11.9	10	<0.001	0.01	0.58	3.8	0.2	0.6	15.3	<0.01	0.04	3
8435242		1.32	13.3	1620	12.2	15.7	<0.001	0.01	0.44	3.7	0.2	0.6	17.1	0.01	0.03	3.4
8435243		1.69	13.9	560	14.3	12.9	<0.001	0.02	0.45	3.7	0.2	0.6	25.4	0.01	0.04	3.1
8435244		1.75	13.7	1220	13.3	13.6	<0.001	0.01	0.21	2.3	0.2	0.6	9.4	0.01	0.03	4.1
8435245		1.63	10.8	260	19	14.5	<0.001	0.01	0.33	2.7	0.2	0.7	12.4	<0.01	0.02	3.3
8435246		1.73	17.4	840	13	18.3	<0.001	0.02	0.39	3.4	0.2	0.7	16.3	<0.01	0.03	4.3
8435247		1.42	5.5	480	10.9	9.6	<0.001	0.01	0.3	1.9	0.2	1	10.7	<0.01	0.01	4.4
8435248		1.17	9.9	400	11	11.9	<0.001	0.01	0.28	2.8	0.2	0.7	18.3	<0.01	0.02	2.1
8435249		1.34	6.2	210	9	11.8	<0.001	0.01	0.3	2.1	<0.2	0.8	9.9	<0.01	0.01	2.5
8435250		1.14	15.6	300	11.5	12.8	<0.001	0.01	0.31	2.9	0.2	0.5	11.8	<0.01	0.02	1.8
8435251		1.58	15.5	1060	16.3	13.4	<0.001	0.01	0.18	2.6	0.2	0.7	13.1	<0.01	0.02	2.8
8435252		1.26	5.1	140	7.2	4.9	<0.001	0.01	0.18	1.4	0.2	0.7	8.2	<0.01	0.01	1.7
8435253		1.66	11.6	670	11.3	10.7	<0.001	0.01	0.16	2.8	0.2	0.8	9.9	<0.01	0.02	3.2
8435254		1.96	12.6	210	11.1	7.4	<0.001	0.01	0.25	2.9	0.3	0.8	20.5	<0.01	0.03	1.5
8435255		1.73	13.9	220	16.7	9.4	<0.001	0.01	0.25	2.9	0.2	0.8	17.2	<0.01	0.03	1.5
8435256		1.55	13.4	3730	11	6.5	<0.001	0.03	0.22	3.5	0.3	0.7	16.7	0.01	0.03	5.2
8435257		3.23	8.2	470	15.2	8.3	<0.001	0.03	0.39	2.2	0.3	1	24.2	0.01	0.02	4.4
8435258		1.84	10.2	1330	45.5	6.1	<0.001	0.02	0.19	2.3	0.3	0.8	36.4	0.01	0.03	2.4
8435259		1.27	14.4	760	52.2	9.4	<0.001	0.06	0.19	2.3	0.4	0.6	90.5	<0.01	0.04	0.9
8435260		1.4	8.9	1110	27.8	14.4	<0.001	0.04	0.26	1.8	0.2	0.8	65.6	0.01	0.03	0.5
8435261		1.83	11.1	1890	22.6	10	<0.001	0.02	0.17	2.4	0.2	1	17.3	<0.01	0.03	2.3
8435262		2.02	14	580	32	6.9	<0.001	0.03	0.23	2.5	0.2	1.1	51.6	0.01	0.04	1.9
8435263		1.91	8.9	530	38.1	5.5	<0.001	0.02	0.2	2.1	0.2	1.1	29	<0.01	0.02	2.3
8435264		2.4	10	770	17.5	8.7	<0.001	0.01	0.27	2.1	0.2	0.9	25.6	<0.01	0.02	2.6
8435265		1.52	6.7	610	8.7	3.7	<0.001	0.02	0.13	2.5	0.3	1.6	10.3	<0.01	0.02	1.5
8435266		1.83	5.9	400	12.1	4.8	<0.001	0.01	0.14	1.7	0.2	0.9	15	<0.01	0.02	1.6
8435267		1.96	11.1	1120	15.1	5.5	<0.001	0.02	0.12	2.3	0.3	0.7	14.3	0.01	0.02	3.1
8435268		1.48	11.6	890	13.1	8	<0.001	0.04	0.12	1.6	0.2	0.7	15.7	0.01	0.02	0.5
8435269		1.73	14.6	1140	41.7	16.8	<0.001	0.03	0.27	3.2	0.3	0.8	26.1	0.01	0.04	2.2
8435270		1.96	13.2	740	37.1	11	<0.001	0.08	0.19	2.5	0.6	0.7	28	0.01	0.03	0.9
8435271		1.37	15.2	1100	38.1	15.4	<0.001	0.05	0.43	3.4	0.3	0.6	54	0.01	0.03	2
8435272		1.72	10.6	670	20.7	8.9	<0.001	0.08	0.17	1.4	0.3	0.8	21.4	<0.01	0.03	0.6
8435273		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
8435274		1.75	10.1	420	59.6	8.3	<0.001	0.03	0.17	2.5	0.2	1	32.8	0.01	0.03	3.1
8435275		2.12	11	830	84.2	10.3	<0.001	0.02	0.2	2.7	0.2	1.2	12.7	<0.01	0.04	2.1
8435276		2.27	24.8	1010	50.6	12.8	<0.001	0.02	0.24	4.5	0.3	0.8	36	0.01	0.04	5.2
8435277		2.54	8.5	670	36	5.8	<0.001	0.01	0.23	1.9	0.2	1.3	20.2	<0.01	0.03	2.6
8435278		2.11	13	1450	56.9	8	<0.001	0.03	0.27	3.7	0.4	1	11.2	0.01	0.05	4.6
8435279		2.28	10.3	1080	48.4	7.5	<0.001	0.01	0.18	2.3	0.2	1.2	20.6	0.01	0.02	4.8
8435280		2.1	6.5	530	16.7	7.5	<0.001	0.02	0.15	1.6	<0.2	1.7	9.3	<0.01	0.02	4.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 8 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435241		0.191	0.1	0.69	79	0.4	2.75	68	1.8
8435242		0.193	0.11	0.98	78	0.39	2.5	96	1.9
8435243		0.223	0.11	1.63	81	0.37	3.45	82	1.2
8435244		0.196	0.1	1.79	71	0.38	1.99	69	3.6
8435245		0.215	0.08	0.86	73	0.43	2.71	78	1
8435246		0.215	0.1	1.34	89	0.51	2.3	88	2.3
8435247		0.318	0.09	1.29	71	0.07	1.74	49	1.6
8435248		0.181	0.08	0.55	65	0.18	2.18	97	0.8
8435249		0.224	0.08	0.69	53	0.42	2.37	75	1.3
8435250		0.171	0.06	0.6	72	0.32	2.23	72	0.7
8435251		0.197	0.09	1.07	68	0.37	2.16	105	2.1
8435252		0.161	0.05	0.5	47	0.18	1.49	21	<0.5
8435253		0.182	0.09	0.79	66	0.26	2.31	96	1.5
8435254		0.26	0.06	2.52	124	2.94	2.8	58	0.7
8435255		0.189	0.11	1.93	95	0.48	3.69	74	0.7
8435256		0.138	0.06	1.89	86	0.35	3.12	68	1
8435257		0.353	0.06	1.22	111	0.33	2.14	63	0.6
8435258		0.197	0.06	1.21	67	0.2	1.91	65	0.5
8435259		0.132	0.08	3.36	67	0.21	4.22	85	<0.5
8435260		0.163	0.06	0.78	70	0.26	1.39	60	<0.5
8435261		0.22	0.09	0.75	60	0.16	1.82	105	0.7
8435262		0.223	0.07	0.88	92	0.29	1.94	74	<0.5
8435263		0.21	0.05	0.73	66	0.17	1.81	48	0.6
8435264		0.3	0.06	0.57	80	0.17	1.63	113	1.3
8435265		0.19	0.05	0.49	64	0.17	2.32	34	0.8
8435266		0.188	0.07	0.47	42	0.16	1.65	51	0.9
8435267		0.176	0.06	0.93	79	0.36	2.08	77	0.9
8435268		0.14	0.06	1	63	0.36	3.06	69	<0.5
8435269		0.181	0.22	2.37	75	0.35	3.39	265	0.8
8435270		0.164	0.09	7.97	90	0.79	6.02	50	0.5
8435271		0.147	0.1	6.52	83	0.47	8.07	82	0.6
8435272		0.14	0.05	2.41	75	0.44	2.18	27	<0.5
8435273		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
8435274		0.197	0.06	1.22	73	3.61	2.43	82	<0.5
8435275		0.184	0.08	2.99	74	1.05	2.85	110	1.1
8435276		0.183	0.09	1.53	72	0.73	4.39	189	2.6
8435277		0.291	0.07	0.65	88	0.48	1.49	69	1.3
8435278		0.173	0.09	1.17	86	0.59	2.5	240	3.5
8435279		0.228	0.07	1.07	76	0.34	1.83	89	1.6
8435280		0.236	0.08	1.24	64	0.29	1.35	24	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 9 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
8435281		0.18	<0.005	0.12	1.98	4.1	<0.2	<10	100	0.26	0.52	0.61	0.44	21.5	14	50
8435282		0.14	0.006	0.26	2.73	7.2	<0.2	<10	80	0.29	0.29	0.36	0.44	14.25	9.8	29
8435283		0.18	0.014	0.45	1.89	5.8	<0.2	<10	90	0.26	0.55	0.3	1.4	14.15	11.6	31
8435284		0.22	<0.005	0.18	2.16	6.5	<0.2	<10	70	0.27	0.36	0.91	0.96	9.82	9.3	26
8435285		0.18	<0.005	0.43	1.56	6.9	<0.2	<10	110	0.2	0.65	0.67	1.07	18.7	8.8	30
8435286		0.21	0.006	0.21	1.95	4	<0.2	<10	100	0.41	1.07	0.39	0.57	28.9	14.3	44
8435287		0.15	0.005	0.57	1.22	3.8	<0.2	<10	50	0.14	2.37	0.15	0.45	8.61	6.7	33
8435288		0.15	<0.005	0.32	0.98	5.5	<0.2	<10	40	0.06	0.31	0.13	0.23	8.33	4.2	25
8435289		0.18	0.015	0.38	2.7	5.2	<0.2	<10	90	0.35	1.16	0.88	0.75	43.7	15.3	46
8435290		0.18	<0.005	0.23	1.1	2.7	<0.2	<10	70	0.16	0.67	0.19	0.35	12.75	5	29
8435291		0.16	<0.005	0.86	3.77	4.6	<0.2	<10	80	0.44	2.03	0.15	0.38	22.7	12.8	37
8435292		0.18	<0.005	0.26	1.86	3.9	<0.2	<10	30	0.12	0.34	0.11	0.08	7.36	4.7	26
8435293		0.14	0.013	0.66	2.81	3.8	<0.2	<10	80	0.3	0.29	0.09	0.17	6.09	10	32
8435294		0.16	<0.005	0.3	1.12	3.6	<0.2	<10	20	0.08	0.27	0.09	0.1	4.89	3.3	18
8435295		0.16	0.151	0.43	1.81	2.4	<0.2	<10	30	0.14	0.36	0.07	0.07	7.3	2.4	26
8435296		0.15	<0.005	0.68	1.6	3	<0.2	<10	30	0.14	0.35	0.09	0.11	7.7	4.4	32
8435297		0.15	<0.005	0.53	1.48	3.9	<0.2	<10	20	0.09	0.59	0.11	0.08	7.82	5.4	30
8435298		0.16	<0.005	0.32	1.77	2.8	<0.2	<10	40	0.15	0.59	0.13	0.2	7.94	4.3	20
8435299		0.20	0.010	0.71	2.56	8	<0.2	<10	80	0.4	0.91	0.86	1.21	26.4	13.5	40
8435300		0.21	<0.005	0.25	1.56	3.2	<0.2	<10	70	0.2	0.42	0.15	0.27	6.9	9.5	30
8435301		0.17	0.010	0.15	1.55	3.2	<0.2	<10	110	0.2	0.62	0.27	0.21	6.26	7	26
8435302		0.21	<0.005	0.21	2.17	2.4	<0.2	<10	100	0.18	0.53	0.17	0.24	7.18	9.6	30
8435303		0.17	<0.005	0.15	1.03	0.9	<0.2	<10	70	0.06	0.24	0.22	0.09	6.57	5.2	20
8435304		0.17	0.013	0.09	1.63	2	<0.2	<10	220	0.29	0.49	0.18	0.32	7.83	7.4	24
8435305		0.23	0.031	0.2	1.38	2.8	<0.2	<10	150	0.16	0.61	0.12	0.2	6.61	7.6	26
8435306		0.24	<0.005	0.29	2.41	3.9	<0.2	<10	150	0.23	0.8	0.15	0.13	8.15	11	35
8435307		0.14	<0.005	0.35	1.65	3.7	<0.2	<10	130	0.21	0.48	0.19	0.27	11.3	9.8	25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 9 - B

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
8435281		3.53	44.7	3.39	9.58	0.07	0.02	0.05	0.038	0.07	6.3	27.8	1.07	927	1.46	0.03
8435282		2.56	32.9	3.1	8.16	0.05	0.02	0.07	0.027	0.06	4	22.9	0.72	353	2.7	0.03
8435283		3.56	51.8	3.19	10.15	0.06	0.02	0.06	0.033	0.07	5.6	16.7	0.43	702	3.71	0.03
8435284		2.39	24.8	3.09	8.71	0.06	0.02	0.11	0.029	0.09	3.7	20	0.57	325	6.82	0.03
8435285		2.86	51.3	2.72	9.21	0.05	0.02	0.06	0.025	0.09	7.9	12.9	0.45	488	5.6	0.03
8435286		2.79	62.1	3.98	12.85	0.08	0.02	0.08	0.048	0.06	6.7	22.1	0.66	896	3.23	0.02
8435287		3.23	22	2.18	11.3	<0.05	0.02	0.06	0.021	0.04	3.6	19.6	0.36	395	4.13	0.02
8435288		1.73	15.9	1.68	10.35	<0.05	0.02	0.05	0.012	0.03	4.1	7.9	0.26	109	2.46	0.02
8435289		3.99	77.6	3.2	9.65	0.09	0.03	0.1	0.044	0.09	13.9	19.6	0.66	1455	4.3	0.03
8435290		1.52	34.5	2.34	11.9	<0.05	0.02	0.04	0.019	0.03	4.3	7.6	0.22	178	4.81	0.02
8435291		3.43	67.5	3.52	13.8	0.06	0.07	0.17	0.063	0.04	5.4	21.9	0.32	775	4.46	0.02
8435292		2.19	12.9	2.75	16	<0.05	0.05	0.1	0.023	0.03	3.8	20.3	0.27	193	1.38	0.02
8435293		2.17	20.7	2.8	14.4	0.05	0.15	0.09	0.028	0.04	2.9	22.6	0.27	482	1.46	0.02
8435294		1.2	7.3	2.27	13	<0.05	0.04	0.11	0.015	0.02	2.5	12.8	0.15	292	1.74	0.02
8435295		1.86	9.9	2.03	12	<0.05	0.1	0.07	0.024	0.02	3.8	11.2	0.1	75	1.13	0.02
8435296		2.54	11.7	2.23	12.6	0.05	0.05	0.07	0.028	0.02	3.8	9.9	0.2	1140	1.58	0.02
8435297		1.98	21.2	2.35	12.15	<0.05	0.04	0.07	0.026	0.03	4	11.9	0.24	514	1.75	0.02
8435298		2.45	15.6	1.88	11.05	<0.05	0.03	0.1	0.026	0.03	4	13.7	0.17	440	2.29	<0.01
8435299		4.19	72.3	3.37	11.9	0.08	0.02	0.11	0.072	0.08	11.8	16.7	0.68	1560	5.2	<0.01
8435300		3.61	24.1	2.58	8.63	0.05	0.02	0.07	0.023	0.04	3.5	17.6	0.38	879	1.49	0.02
8435301		2.81	12.5	2.43	9.76	0.05	0.03	0.04	0.019	0.04	3.2	18.6	0.28	281	1.79	0.02
8435302		5.14	49.5	2.64	10.15	0.05	0.03	0.04	0.027	0.05	3.5	21.8	0.56	354	4.91	0.02
8435303		3.08	8.4	1.67	8.22	<0.05	0.02	0.02	0.012	0.04	3.3	13.1	0.32	239	2.41	0.02
8435304		4.5	16.1	2.21	8.66	<0.05	0.03	0.05	0.025	0.04	3.9	18.9	0.39	1950	0.82	0.02
8435305		3.51	17.2	2.48	8.04	0.05	0.05	0.02	0.023	0.04	3.3	14.7	0.35	774	0.56	0.02
8435306		4.99	62.8	3.33	11.05	0.06	0.04	0.04	0.031	0.05	4.1	18.4	0.65	392	1.18	0.02
8435307		5.9	14	2.51	10.4	0.05	0.03	0.04	0.026	0.04	5.5	26	0.52	606	1.39	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 9 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
8435281		2.02	23.4	2120	33.8	15.8	<0.001	0.02	0.17	4.4	0.3	0.9	46.7	<0.01	0.02	5.3
8435282		1.05	13	840	15.2	6.4	<0.001	0.04	0.21	3.6	0.3	0.8	34.1	<0.01	0.05	2
8435283		2.04	10.9	760	26.2	11.7	<0.001	0.03	0.18	3.3	0.3	0.8	22.6	<0.01	0.04	2.6
8435284		1.14	10.8	590	15.5	10.6	<0.001	0.05	0.22	3.1	0.3	0.6	40.8	0.01	0.05	1.2
8435285		1.72	12	560	28.1	14.4	<0.001	0.05	0.21	2.6	0.3	1.2	39.1	0.01	0.04	1.7
8435286		2.29	18.8	1800	56.7	9.9	<0.001	0.04	0.16	2.7	0.3	1.1	37.3	0.01	0.04	4.4
8435287		2.63	11.5	630	59.5	11.5	<0.001	0.02	0.21	2.3	0.3	1.3	10.1	<0.01	0.04	3.8
8435288		1.81	8.2	310	29.2	6.2	<0.001	0.02	0.22	1.9	0.2	0.9	12.4	<0.01	0.01	2.2
8435289		2.34	20.7	880	54.5	10.8	<0.001	0.07	0.2	3.7	0.6	0.9	37.1	0.02	0.03	6.2
8435290		3.01	9.2	590	42.6	5.7	<0.001	0.02	0.18	2.1	0.2	1.3	16.9	<0.01	0.02	3
8435291		3.2	16.4	2080	362	10.9	<0.001	0.03	0.18	3.7	0.5	1.3	11.4	0.01	0.03	10.5
8435292		2.21	8.2	870	15.3	6.3	<0.001	0.01	0.19	2.9	0.3	1.1	10.4	0.02	0.01	2.5
8435293		1.93	12	1540	14.7	8.6	<0.001	0.02	0.21	3	0.3	1	7.4	0.02	0.02	2.4
8435294		1.78	5	960	11.1	4.1	<0.001	0.01	0.16	1.7	0.2	1	7.5	0.01	0.01	1.5
8435295		1.84	5.3	520	13.8	4.7	<0.001	0.01	0.16	2	0.2	7.1	10.2	0.02	0.01	2.8
8435296		2.51	8.9	1630	15	7.6	<0.001	0.01	0.16	2	0.3	1.3	12.5	0.03	0.01	4.1
8435297		2.69	9.6	1390	18.7	6.6	<0.001	0.01	0.15	2.2	0.3	5.9	15.2	0.02	0.01	4.8
8435298		2.78	7.4	1490	17.4	7	<0.001	0.01	0.15	1.7	0.2	1.2	19.5	0.01	0.01	2
8435299		1.69	21.1	1000	64.8	12	<0.001	0.06	0.24	2.8	0.8	1.2	56.8	0.01	0.05	1.1
8435300		1.49	13.9	1300	12.2	12.5	<0.001	0.01	0.2	2.9	<0.2	0.8	19.1	0.01	0.02	4.7
8435301		1.5	9.9	1780	12	10.7	<0.001	0.01	0.15	2.4	0.2	0.8	22.1	0.01	0.02	2.9
8435302		1.42	17	630	14.7	14.6	<0.001	0.01	0.22	3.2	0.2	0.7	27.6	<0.01	0.03	2.4
8435303		1.53	9	160	7.7	10.8	<0.001	0.01	0.15	2.7	<0.2	0.7	22	<0.01	0.01	3.1
8435304		1.16	11.4	2720	13.2	14.5	<0.001	0.01	0.14	3	<0.2	0.7	15.4	<0.01	0.01	3.9
8435305		1.44	10.3	1520	12.4	14.5	<0.001	0.01	0.44	2.7	0.2	0.6	9.6	<0.01	0.01	4.2
8435306		1.59	16.5	800	14.2	15	<0.001	0.01	0.2	3.8	0.2	0.7	20.1	<0.01	0.02	4.2
8435307		1.74	12.9	1170	18.7	18	<0.001	0.01	0.18	3.6	<0.2	0.8	29.5	<0.01	0.01	5.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 9 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
8435281		0.215	0.08	1.92	87	0.87	5.28	104	<0.5
8435282		0.118	0.07	3.52	77	0.48	4.83	77	0.6
8435283		0.203	0.08	3.07	81	0.83	3.9	93	<0.5
8435284		0.121	0.05	2.79	76	0.65	5	59	<0.5
8435285		0.198	0.08	9.7	89	0.81	6.1	53	<0.5
8435286		0.25	0.06	3.8	90	0.83	3.74	129	<0.5
8435287		0.308	0.1	1.83	66	0.52	2.05	87	0.6
8435288		0.246	0.06	2.58	67	0.31	2.11	40	0.5
8435289		0.237	0.22	43.2	85	1.16	12.2	89	0.6
8435290		0.314	0.04	3.27	87	0.34	2.22	41	0.7
8435291		0.305	0.15	6.88	95	0.83	2.96	155	2.8
8435292		0.207	0.08	0.68	82	0.19	2.03	44	1.9
8435293		0.179	0.09	0.65	69	0.09	1.94	75	6.6
8435294		0.191	0.07	0.39	75	0.16	1.17	23	1.7
8435295		0.138	0.06	0.69	73	0.06	1.58	29	4.2
8435296		0.264	0.1	1.18	80	0.17	1.39	29	2.8
8435297		0.227	0.08	1.31	74	0.26	1.61	36	1.5
8435298		0.201	0.08	1.19	59	0.3	1.46	52	1.8
8435299		0.159	0.13	38.9	87	1.07	11.35	101	0.5
8435300		0.1	0.06	1.64	71	0.98	2.35	68	1
8435301		0.121	0.06	0.68	70	0.25	1.58	70	1.3
8435302		0.121	0.08	0.95	73	0.46	2.24	86	1
8435303		0.128	0.08	0.78	58	0.11	2.23	42	0.5
8435304		0.091	0.11	0.7	55	0.98	2.04	115	1.1
8435305		0.133	0.12	0.83	68	0.27	1.82	94	1.6
8435306		0.148	0.13	0.88	95	0.77	2.68	67	1.3
8435307		0.105	0.11	1.33	60	0.29	2.6	105	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2008

Account: RLH

Project: 677

CERTIFICATE OF ANALYSIS VA08125041

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix C.3 – HMC Sample Certificates

The following section contains the certificates issued by ALS Chemex for the assay conducted on samples taken in the field.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: July 31, 2008
 Report Date: September 29, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08007796.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number
 Number of Samples: 54

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	54	Sorting of samples on arrival and labeling		
1F30	54	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 29, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM001-150HN	Heavy Mineral	4.43	58.77	14.42	31.7	591	7.9	5.4	245	0.47	12.4	45.8	1396	177.0	97.4	0.11	0.18	16.69	17	8.65	3.601
843HM002-150HN	Heavy Mineral	15.27	69.47	43.80	110.6	314	7.5	17.2	219	1.83	8.2	13.1	6.8	31.9	28.4	0.68	0.25	11.49	23	1.18	0.413
843HM003-150HN	Heavy Mineral	119.2	151.6	594.9	113.3	5783	5.7	19.1	112	0.76	7.2	11.9	37549	27.3	21.6	1.74	0.24	4.59	73	0.99	0.339
843HM004-150HN	Heavy Mineral	4.64	38.12	9.75	17.3	1835	4.6	7.0	99	0.56	3.9	16.5	10883	22.6	21.1	0.15	0.12	2.45	13	1.00	0.374
843HM005-150HN	Heavy Mineral	5.60	34.95	12.45	22.5	5519	5.4	9.2	117	0.67	30.6	16.8	41447	44.8	23.9	0.07	0.29	9.81	18	1.40	0.570
843HM006-150HN	Heavy Mineral	12.16	101.4	46.96	61.3	65	4.6	18.7	94	0.75	18.9	33.5	21.3	55.2	19.4	0.31	0.15	11.57	14	0.90	0.342
843HM007-150HN	Heavy Mineral	3.20	27.74	25.01	34.4	66	4.5	7.7	129	0.69	2.3	128.7	84.4	479.3	14.5	0.27	0.09	2.42	15	0.96	0.419
843HM008-150HN	Heavy Mineral	2.29	20.66	13.61	48.2	28	3.5	10.9	57	0.97	1.4	48.1	1.7	238.4	9.3	0.28	0.09	0.26	8	0.37	0.142
843HM009-150HN	Heavy Mineral	6.32	82.60	88.66	89.8	1807	6.9	5.6	227	0.90	5.2	14.3	1189	9.4	13.0	0.51	1.74	63.96	9	0.46	0.174
843HM010-150HN	Heavy Mineral	16.08	112.6	60.36	63.7	3477	13.0	19.4	240	1.15	7.3	20.0	2938	11.3	15.1	0.35	0.63	39.04	19	0.63	0.228
843HM011-150HN	Heavy Mineral	18.44	144.5	98.75	52.3	355	14.7	90.6	109	2.57	26.6	137.1	23.0	74.3	13.1	0.57	0.30	10.52	30	1.04	0.411
843HM012-150HN	Heavy Mineral	1.56	37.07	4.16	20.5	49	6.1	12.8	125	0.63	6.6	33.2	3.6	77.7	25.9	0.07	0.21	2.06	20	1.28	0.467
843HM013-150HN	Heavy Mineral	12.33	62.87	54.26	94.8	6778	5.2	6.9	169	0.72	3.2	1.3	1.4	5.6	45.1	3.15	0.19	0.24	11	0.65	0.132
843HM014-150HN	Heavy Mineral	15.53	61.54	105.6	34.2	202	4.3	10.2	280	1.39	5.0	1.2	<0.2	6.4	35.5	0.43	0.58	0.32	43	0.89	0.154
843HM015-150HN	Heavy Mineral	92.65	98.18	394.2	29.2	148	2.7	4.9	166	0.38	5.3	44.4	1.8	104.3	11.0	0.72	0.10	0.16	11	0.79	0.336
843HM016-150HN	Heavy Mineral	220.0	154.3	516.9	479.6	4970	10.2	10.0	234	1.16	21.8	81.2	10.7	88.2	22.2	7.17	2.47	41.94	21	1.37	0.562
843HM017-150HN	Heavy Mineral	32.88	102.8	100.3	61.0	1425	6.4	12.9	232	1.12	11.7	21.8	4191	37.6	30.0	0.89	0.28	0.54	20	0.85	0.238
843HM018-150HN	Heavy Mineral	8.59	24.96	15.71	19.7	732	3.2	4.3	114	0.52	3.2	24.8	4154	29.6	24.2	0.20	0.15	2.45	15	1.01	0.383
843HM019-150HN	Heavy Mineral	61.30	216.3	301.0	49.8	544	12.7	13.8	107	0.46	7.9	133.2	712.8	386.0	31.4	0.63	0.23	0.22	42	2.01	0.799
843HM020-150HN	Heavy Mineral	7.65	38.92	18.83	16.2	574	2.7	5.1	94	0.40	4.3	27.8	2423	42.5	23.0	0.16	0.47	1.74	12	1.37	0.569
843HM021-150HN	Heavy Mineral	12.25	347.5	158.3	92.6	6592	16.0	57.9	165	1.78	12.0	26.7	6861	80.7	60.7	1.27	0.31	229.2	18	2.51	1.059
843HM022-150HN	Heavy Mineral	3.55	82.43	9.32	37.0	597	4.6	15.3	85	0.67	3.6	21.8	2.0	15.3	34.0	0.25	0.21	3.51	13	1.21	0.375
843HM023-150HN	Heavy Mineral	6.68	27.71	31.42	61.1	1003	2.2	5.3	104	0.62	4.0	12.8	3272	39.4	14.0	0.34	0.30	9.16	9	0.57	0.249
843HM024-150HN	Heavy Mineral	4.10	72.35	13.09	19.7	739	4.4	14.1	94	0.66	3.2	30.4	1792	28.1	36.9	0.11	0.10	20.09	20	1.09	0.368
843HM025-150HN	Heavy Mineral	10.85	17.90	87.43	28.1	1117	2.5	4.9	82	0.48	3.4	13.3	859.3	39.7	12.6	0.26	0.17	33.15	15	0.50	0.193
843HM026-150HN	Heavy Mineral	4.10	95.64	18.84	26.2	967	5.7	24.2	79	0.92	5.4	49.3	3.8	78.7	23.8	0.19	0.11	15.46	9	0.98	0.348
843HM027-150HN	Heavy Mineral	0.56	13.31	7.12	22.9	113	2.5	4.4	82	0.35	2.6	33.2	1.4	56.3	11.8	0.08	0.16	14.91	8	0.69	0.267
843HM028-150HN	Heavy Mineral	7.07	10.45	18.27	13.6	384	1.2	0.9	59	0.14	0.7	67.2	979.6	277.1	5.6	0.10	0.08	14.43	6	0.29	0.115
843HM029-150HN	Heavy Mineral	0.77	20.67	4.28	13.7	950	4.4	5.8	87	0.40	5.3	34.9	3244	165.5	25.7	0.05	0.15	9.53	8	0.64	0.171
843HM030-150HN	Heavy Mineral	0.57	14.90	3.11	10.0	56	1.7	4.1	52	0.25	1.3	46.0	0.9	194.6	8.2	0.08	0.07	9.60	6	0.54	0.243

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 29, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM001-150HN	Heavy Mineral	378.7	2.7	0.20	30.4	0.041	7	0.49	0.108	0.06	7.1	1.5	0.03	0.08	<5	0.8	0.06	0.4	0.46	0.3	<0.02
843HM002-150HN	Heavy Mineral	21.4	4.0	0.36	22.0	0.049	2	0.71	0.034	0.06	2.8	2.0	0.04	1.04	<5	0.7	2.90	2.2	0.80	<0.1	<0.02
843HM003-150HN	Heavy Mineral	15.4	3.8	0.20	14.6	0.078	1	0.53	0.028	0.04	11.1	1.3	<0.02	0.19	9	0.5	2.03	1.3	0.62	<0.1	0.02
843HM004-150HN	Heavy Mineral	14.5	4.3	0.19	20.7	0.046	1	0.43	0.022	0.03	8.5	1.0	0.02	0.13	5	0.3	0.02	1.1	0.62	<0.1	<0.02
843HM005-150HN	Heavy Mineral	31.6	5.3	0.23	45.7	0.048	<1	0.48	0.024	0.06	67.2	1.5	0.02	0.12	5	0.4	2.02	1.4	0.82	0.1	<0.02
843HM006-150HN	Heavy Mineral	16.4	2.7	0.15	20.7	0.064	1	0.39	0.023	0.03	4.7	0.9	0.02	0.43	<5	0.7	0.07	1.0	0.54	<0.1	0.05
843HM007-150HN	Heavy Mineral	57.8	2.7	0.22	25.7	0.064	2	0.40	0.011	0.06	0.2	2.1	0.05	0.07	9	0.3	0.04	1.7	0.96	0.1	0.06
843HM008-150HN	Heavy Mineral	14.8	2.0	0.08	14.9	0.044	1	0.31	0.009	0.02	0.8	0.6	0.02	0.82	14	0.8	0.10	1.0	0.69	0.1	<0.02
843HM009-150HN	Heavy Mineral	12.8	3.6	0.22	57.4	0.011	2	0.44	0.014	0.05	7.5	1.1	0.03	0.31	<5	0.3	0.26	1.3	3.91	<0.1	<0.02
843HM010-150HN	Heavy Mineral	16.0	6.9	0.37	46.3	0.047	2	0.59	0.019	0.08	>100	1.7	0.05	0.12	<5	0.5	0.17	1.8	2.04	<0.1	<0.02
843HM011-150HN	Heavy Mineral	13.1	2.5	0.11	19.0	0.154	1	0.30	0.011	0.03	17.5	0.8	<0.02	2.14	<5	1.8	0.20	1.1	0.30	0.2	0.11
843HM012-150HN	Heavy Mineral	16.6	5.1	0.20	21.4	0.113	1	0.58	0.033	0.06	2.7	1.0	0.02	0.11	5	0.6	0.02	1.4	0.60	<0.1	0.05
843HM013-150HN	Heavy Mineral	7.9	7.7	0.30	23.5	0.037	<1	0.71	0.053	0.04	0.4	1.3	0.02	0.18	6	0.4	2.36	2.1	0.74	<0.1	0.04
843HM014-150HN	Heavy Mineral	10.3	9.0	0.33	17.9	0.197	<1	0.70	0.013	0.03	4.0	2.0	<0.02	0.19	<5	0.6	0.12	2.3	0.60	0.1	0.17
843HM015-150HN	Heavy Mineral	22.0	1.8	0.13	22.3	0.047	9	0.28	0.008	0.06	5.1	0.9	0.03	0.07	14	0.4	0.06	1.0	0.93	<0.1	<0.02
843HM016-150HN	Heavy Mineral	57.5	8.5	0.39	54.1	0.092	3	0.54	0.015	0.07	31.1	2.0	0.04	0.36	60	0.4	0.09	1.7	1.30	<0.1	<0.02
843HM017-150HN	Heavy Mineral	16.8	7.5	0.34	19.4	0.075	2	0.62	0.022	0.04	1.4	1.7	0.03	0.29	22	0.4	0.29	2.1	0.62	<0.1	0.05
843HM018-150HN	Heavy Mineral	15.3	4.5	0.18	18.5	0.051	1	0.45	0.022	0.03	16.6	1.1	0.02	0.05	55	<0.1	0.84	1.4	0.61	0.1	<0.02
843HM019-150HN	Heavy Mineral	57.5	3.6	0.12	18.1	0.085	<1	0.44	0.016	0.03	6.2	1.3	<0.02	0.18	<5	0.3	0.08	1.1	0.65	0.2	0.05
843HM020-150HN	Heavy Mineral	21.8	3.7	0.14	19.0	0.067	1	0.37	0.023	0.03	14.0	0.9	<0.02	0.09	11	0.3	0.02	1.1	0.52	<0.1	0.03
843HM021-150HN	Heavy Mineral	71.0	4.5	0.23	29.4	0.032	1	0.49	0.025	0.04	10.2	1.2	0.02	1.28	10	0.7	0.29	1.2	0.57	0.1	<0.02
843HM022-150HN	Heavy Mineral	4.7	3.1	0.13	28.7	0.036	<1	0.70	0.057	0.03	6.3	0.8	<0.02	0.29	36	0.5	0.53	1.4	0.31	<0.1	0.03
843HM023-150HN	Heavy Mineral	17.4	1.4	0.10	14.3	0.052	<1	0.23	0.008	0.02	3.7	0.6	0.02	0.37	<5	0.5	0.23	0.9	0.38	<0.1	0.05
843HM024-150HN	Heavy Mineral	11.4	4.1	0.17	24.7	0.047	<1	0.67	0.050	0.03	10.3	1.0	<0.02	0.23	43	0.2	0.52	1.3	0.35	<0.1	<0.02
843HM025-150HN	Heavy Mineral	16.6	1.7	0.09	37.5	0.053	1	0.29	0.009	0.02	4.4	0.8	0.02	0.20	<5	0.2	0.08	0.9	0.50	<0.1	0.02
843HM026-150HN	Heavy Mineral	14.7	2.3	0.12	15.1	0.035	1	0.45	0.035	0.02	21.2	0.7	<0.02	0.61	309	0.4	0.25	0.9	0.26	<0.1	0.02
843HM027-150HN	Heavy Mineral	17.0	2.2	0.09	12.0	0.061	1	0.28	0.013	0.02	4.8	0.7	<0.02	0.03	18	0.2	0.08	0.8	0.47	<0.1	0.06
843HM028-150HN	Heavy Mineral	11.3	1.4	0.07	11.8	0.043	<1	0.17	0.007	0.01	16.4	0.6	<0.02	<0.02	5	0.2	0.02	0.6	0.83	0.1	<0.02
843HM029-150HN	Heavy Mineral	21.5	5.7	0.17	41.3	0.040	<1	0.45	0.031	0.02	21.0	1.0	<0.02	0.06	<5	0.3	0.03	1.0	0.58	0.1	0.02
843HM030-150HN	Heavy Mineral	19.5	1.3	0.07	15.7	0.036	1	0.20	0.006	0.02	1.2	0.7	<0.02	<0.02	<5	0.1	0.03	0.7	0.29	<0.1	0.03



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 29, 2008

Page: 2 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
843HM001-150HN	Heavy Mineral	0.34	2.1	1.0	<0.05	1.1	268.6	1070	<0.02	2	0.1	3.4	<10	4
843HM002-150HN	Heavy Mineral	0.15	2.8	0.8	<0.05	0.6	20.12	52.3	0.02	<1	0.1	6.6	<10	2
843HM003-150HN	Heavy Mineral	0.39	2.0	1.0	<0.05	0.7	16.13	37.0	<0.02	2	0.1	5.4	<10	<2
843HM004-150HN	Heavy Mineral	0.19	1.8	0.2	<0.05	0.9	18.78	37.2	<0.02	<1	<0.1	5.0	<10	<2
843HM005-150HN	Heavy Mineral	0.26	3.2	7.1	<0.05	0.5	31.35	78.5	<0.02	<1	0.2	5.6	<10	<2
843HM006-150HN	Heavy Mineral	0.37	1.7	0.2	<0.05	1.1	19.14	41.9	0.02	<1	<0.1	3.5	<10	<2
843HM007-150HN	Heavy Mineral	0.61	6.7	0.6	<0.05	1.9	33.22	122.6	0.02	<1	0.1	5.6	<10	<2
843HM008-150HN	Heavy Mineral	0.78	1.8	0.5	<0.05	0.8	14.54	32.8	<0.02	<1	0.1	3.4	<10	<2
843HM009-150HN	Heavy Mineral	0.10	3.9	0.2	<0.05	0.1	14.05	33.7	0.03	5	0.1	6.4	<10	<2
843HM010-150HN	Heavy Mineral	0.23	4.7	0.7	<0.05	0.2	17.09	39.6	0.02	1	0.1	8.9	<10	2
843HM011-150HN	Heavy Mineral	1.13	1.0	0.3	<0.05	1.8	30.90	33.2	<0.02	4	<0.1	2.4	<10	4
843HM012-150HN	Heavy Mineral	0.90	2.8	1.4	<0.05	1.2	22.28	36.1	<0.02	<1	0.2	3.0	<10	<2
843HM013-150HN	Heavy Mineral	0.23	2.5	0.4	<0.05	1.6	8.20	20.1	<0.02	<1	0.2	7.5	<10	<2
843HM014-150HN	Heavy Mineral	1.02	1.4	3.6	<0.05	3.9	10.66	24.1	<0.02	<1	0.2	5.5	<10	2
843HM015-150HN	Heavy Mineral	0.59	4.6	0.1	<0.05	0.6	25.67	52.9	<0.02	<1	0.1	7.2	10	<2
843HM016-150HN	Heavy Mineral	0.61	4.3	0.3	<0.05	0.9	39.65	139.9	<0.02	<1	<0.1	9.2	<10	3
843HM017-150HN	Heavy Mineral	0.32	2.6	0.2	<0.05	1.6	17.22	41.5	<0.02	<1	0.1	7.7	<10	<2
843HM018-150HN	Heavy Mineral	0.24	1.7	0.2	<0.05	0.9	19.52	37.3	<0.02	3	<0.1	4.9	<10	<2
843HM019-150HN	Heavy Mineral	0.87	1.5	3.1	<0.05	1.9	46.33	139.3	<0.02	<1	<0.1	2.9	20	3
843HM020-150HN	Heavy Mineral	0.38	1.4	0.3	<0.05	1.4	28.94	53.1	<0.02	2	0.2	3.5	<10	<2
843HM021-150HN	Heavy Mineral	0.20	1.9	0.5	<0.05	0.9	70.33	209.8	0.06	3	0.1	3.8	<10	4
843HM022-150HN	Heavy Mineral	0.20	1.2	0.2	<0.05	0.4	9.97	12.0	0.02	5	0.1	2.5	<10	<2
843HM023-150HN	Heavy Mineral	0.84	1.2	0.5	<0.05	1.1	18.34	45.3	0.03	<1	0.1	2.3	<10	<2
843HM024-150HN	Heavy Mineral	0.28	1.3	<0.1	<0.05	0.6	14.20	28.1	<0.02	2	<0.1	3.0	<10	<2
843HM025-150HN	Heavy Mineral	0.80	1.4	0.5	<0.05	0.8	15.53	42.1	<0.02	<1	0.1	3.5	<10	<2
843HM026-150HN	Heavy Mineral	0.28	1.0	0.2	<0.05	0.7	18.66	37.5	0.02	<1	<0.1	1.8	<10	2
843HM027-150HN	Heavy Mineral	0.82	1.1	0.4	<0.05	0.9	17.01	41.0	<0.02	<1	0.1	3.7	<10	<2
843HM028-150HN	Heavy Mineral	0.60	1.4	0.5	<0.05	0.6	17.33	28.9	<0.02	<1	0.1	3.1	<10	<2
843HM029-150HN	Heavy Mineral	0.37	1.3	0.6	<0.05	1.0	16.21	45.2	<0.02	<1	0.1	3.1	<10	<2
843HM030-150HN	Heavy Mineral	0.56	1.4	0.5	<0.05	0.9	20.86	47.9	<0.02	<1	<0.1	1.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 29, 2008

Page: 3 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM031-150HN	Heavy Mineral	0.95	28.34	6.66	20.3	332	3.2	5.2	138	0.43	3.5	482.3	1266	>2000	19.7	0.13	0.17	12.02	18	2.37	1.078
843HM032-150HN	Heavy Mineral	1.48	133.9	53.61	26.9	547	8.3	24.4	130	1.06	140.4	28.5	1905	68.0	61.5	0.19	0.35	4.57	32	3.12	0.975
843HM033-150HN	Heavy Mineral	8.33	135.8	20.89	59.6	402	6.6	29.9	85	1.17	9.5	30.2	1.6	77.8	30.7	0.39	0.13	11.42	10	1.48	0.588
843HM034-150HN	Heavy Mineral	9.03	26.09	28.62	19.4	308	2.7	4.5	100	0.83	5.2	10.9	596.0	23.2	29.8	0.17	0.99	1.05	11	2.05	0.902
843HM035-150HN	Heavy Mineral	6.42	284.8	67.25	42.3	870	12.9	39.0	146	1.18	204.9	51.2	6363	159.4	71.1	0.44	0.67	7.47	41	4.07	1.305
843HM101-150HN	Heavy Mineral	1951	74.96	4691	67.9	7647	2.3	3.8	106	0.43	24.2	62.0	31404	58.8	27.7	0.70	2.52	23.83	53	2.58	1.146
843HM102-150HN	Heavy Mineral	53.38	122.1	811.0	82.3	3259	7.7	32.6	153	1.22	59.4	132.7	19.3	198.1	44.7	0.85	2.63	6.88	24	4.51	1.941
843HM103-150HN	Heavy Mineral	6.58	64.82	34.80	55.8	1157	9.8	15.7	108	2.04	20.2	16.9	3689	32.8	26.8	0.70	1.87	10.76	12	2.17	0.942
843HM104-150HN	Heavy Mineral	21.15	47.84	118.8	116.2	3670	5.6	4.1	214	0.95	7.7	20.5	4904	46.1	21.0	1.34	2.97	180.0	12	1.73	0.732
843HM105-150HN	Heavy Mineral	22.39	74.37	146.6	95.3	7754	5.2	5.5	202	0.73	14.2	64.6	19914	90.3	35.2	0.95	4.23	451.8	22	3.55	1.637
843HM106-150HN	Heavy Mineral	32.84	184.5	190.9	75.2	9557	6.6	7.3	150	1.17	9.9	107.1	15421	83.8	21.6	0.94	4.86	792.9	17	1.79	0.867
843HM107-150HN	Heavy Mineral	79.22	452.7	189.0	24.6	5137	5.0	25.4	116	0.69	15.2	234.5	25265	275.0	30.8	0.24	1.98	123.1	18	2.60	1.189
843HM108-150HN	Heavy Mineral	73.35	185.5	967.7	88.3	3882	11.2	56.5	101	1.50	57.9	207.4	6971	322.0	21.2	0.58	0.36	39.93	23	1.96	0.792
843HM109-150HN	Heavy Mineral	6.12	35.85	13.33	7.2	1003	2.6	1.9	234	0.24	24.7	37.8	5859	104.0	156.7	0.04	0.14	0.82	20	15.63	>5
843HM110-150HN	Heavy Mineral	11.92	134.6	17.47	275.7	2380	24.3	61.8	136	7.40	40.0	19.3	6978	56.3	32.8	2.23	0.25	3.91	21	2.05	0.852
843HM111-150HN	Heavy Mineral	0.97	33.38	6.45	44.7	4356	7.9	6.1	168	0.94	7.5	6.0	31658	9.4	42.2	0.15	0.33	0.18	26	1.56	0.580
843HM112-150HN	Heavy Mineral	8.33	77.04	6.82	18.1	44	12.2	38.3	85	1.01	106.3	530.6	3.1	408.4	29.5	0.21	0.23	0.11	17	2.48	1.044
843HM113-150HN	Heavy Mineral	5.19	62.43	3.90	7.6	41	27.0	41.2	63	0.73	7.1	46.1	0.4	215.9	27.4	0.05	0.13	6.35	21	1.19	0.399
843HM114-150HN	Heavy Mineral	2.29	395.3	5.02	25.6	860	15.6	92.9	158	4.01	12.6	31.2	10.0	32.2	49.8	0.15	0.36	0.29	22	1.63	0.572
843HM115-150HN	Heavy Mineral	0.77	23.96	62.68	13.1	1509	3.9	4.8	94	0.58	7.9	18.1	12081	94.3	19.3	0.05	0.56	0.30	29	0.55	0.066
843HM116-150HN	Heavy Mineral	1.42	65.15	6.69	36.3	21178	7.2	13.1	147	1.40	15.2	12.9	>100000	62.6	21.6	0.13	0.55	6.43	31	0.78	0.223
843HM117-150HN	Heavy Mineral	35.65	255.7	77.05	80.3	1433	3.9	6.2	116	0.65	4.1	137.4	3.2	133.0	22.5	0.43	1.89	11.79	7	1.21	0.507
843HM118-150HN	Heavy Mineral	15.46	159.7	19.01	64.6	1068	24.4	33.1	250	2.46	64.0	52.6	4353	119.5	23.8	0.36	2.21	2.68	24	1.19	0.463
843HM119-150HN	Heavy Mineral	1.69	593.6	67.00	63.4	1200	27.7	114.1	222	4.47	659.4	9.4	2852	43.7	41.8	0.45	1.13	5.08	35	3.06	1.236



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: September 29, 2008

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM031-150HN	Heavy Mineral	127.6	3.2	0.23	19.3	0.112	2	0.37	0.012	0.03	15.0	3.6	0.03	<0.02	5	0.2	0.06	1.6	0.48	0.2	0.10
843HM032-150HN	Heavy Mineral	11.6	6.9	0.25	54.3	0.066	17	1.25	0.042	0.05	33.0	1.6	0.02	0.50	832	0.8	0.78	3.2	0.38	0.1	0.02
843HM033-150HN	Heavy Mineral	24.1	2.0	0.12	17.4	0.036	1	0.50	0.038	0.02	16.7	0.8	<0.02	0.87	13	0.9	0.10	1.0	0.28	<0.1	0.02
843HM034-150HN	Heavy Mineral	10.9	1.5	0.12	23.3	0.037	1	0.26	0.013	0.03	7.1	0.8	<0.02	0.64	36	0.4	0.10	0.8	0.13	0.1	<0.02
843HM035-150HN	Heavy Mineral	16.2	9.6	0.30	40.6	0.084	20	1.33	0.035	0.04	91.6	1.6	<0.02	0.49	116	0.8	4.29	3.4	0.31	0.1	0.03
843HM101-150HN	Heavy Mineral	70.2	3.3	0.10	91.1	0.067	3	0.28	0.011	0.02	>100	1.2	<0.02	0.19	<5	<0.1	0.30	0.7	0.72	0.2	0.05
843HM102-150HN	Heavy Mineral	53.6	4.7	0.15	18.7	0.072	16	0.53	0.042	0.04	37.0	1.5	0.02	0.79	32	1.4	1.32	1.8	0.48	0.2	0.07
843HM103-150HN	Heavy Mineral	32.8	4.8	0.13	21.7	0.039	3	0.45	0.025	0.05	11.9	1.0	0.05	1.73	23	1.6	0.29	1.4	2.74	0.1	0.02
843HM104-150HN	Heavy Mineral	45.9	5.5	0.16	70.7	0.016	2	0.51	0.011	0.04	14.3	1.1	0.04	0.08	20	0.5	1.01	1.5	4.65	0.1	0.03
843HM105-150HN	Heavy Mineral	108.2	5.1	0.19	33.2	0.061	2	0.56	0.026	0.05	92.1	1.8	0.04	0.13	34	1.7	0.84	2.5	3.61	0.3	<0.02
843HM106-150HN	Heavy Mineral	92.6	2.6	0.14	58.9	0.059	<1	0.36	0.022	0.06	90.3	1.1	0.05	0.79	38	1.5	3.59	1.5	2.77	0.2	0.04
843HM107-150HN	Heavy Mineral	95.8	2.9	0.12	21.9	0.061	3	0.36	0.029	0.03	>100	1.3	0.02	0.44	49	0.9	10.73	1.6	0.94	0.2	0.06
843HM108-150HN	Heavy Mineral	22.9	4.0	0.12	16.6	0.114	5	0.34	0.018	0.03	58.6	1.0	0.02	1.15	38	1.2	0.58	1.0	0.36	<0.1	0.09
843HM109-150HN	Heavy Mineral	480.2	1.8	0.08	13.0	0.060	14	0.25	0.078	0.03	3.4	1.3	<0.02	<0.02	5	2.3	0.03	3.0	0.19	0.9	<0.02
843HM110-150HN	Heavy Mineral	52.8	4.5	0.21	23.5	0.103	1	0.44	0.012	0.02	6.1	1.7	0.03	7.41	34	4.1	0.52	1.6	0.67	0.2	0.08
843HM111-150HN	Heavy Mineral	28.9	7.4	0.38	31.7	0.086	3	0.82	0.022	0.04	14.1	2.0	<0.02	0.03	71	0.3	0.03	2.2	0.79	0.1	0.04
843HM112-150HN	Heavy Mineral	17.2	6.6	0.14	24.1	0.056	3	0.35	0.017	0.03	>100	1.3	0.03	0.60	33	1.2	0.06	1.1	0.19	0.1	0.04
843HM113-150HN	Heavy Mineral	24.8	19.0	0.16	14.4	0.176	2	0.42	0.011	0.02	>100	1.3	<0.02	0.41	272	0.7	3.43	1.2	0.20	0.1	0.14
843HM114-150HN	Heavy Mineral	16.1	11.7	0.30	77.5	0.108	4	0.83	0.041	0.03	62.7	2.5	0.02	3.31	32	4.1	0.23	2.0	0.31	0.2	0.09
843HM115-150HN	Heavy Mineral	6.1	6.1	0.29	12.1	0.251	1	0.53	0.004	<0.01	18.3	1.1	<0.02	0.02	40	0.3	<0.02	1.3	0.30	<0.1	0.13
843HM116-150HN	Heavy Mineral	9.6	5.7	0.32	19.7	0.268	2	0.63	0.008	0.03	37.3	1.6	<0.02	0.56	1149	1.2	1.11	2.1	0.43	0.1	0.23
843HM117-150HN	Heavy Mineral	34.8	2.7	0.12	27.0	0.051	1	0.41	0.023	0.03	79.4	1.1	0.03	0.30	32	0.8	0.16	1.1	0.67	<0.1	0.02
843HM118-150HN	Heavy Mineral	35.0	10.0	0.43	35.0	0.055	1	0.73	0.022	0.08	31.1	2.4	0.05	0.82	42	1.1	0.27	2.4	0.86	0.1	0.02
843HM119-150HN	Heavy Mineral	26.8	6.6	0.40	56.8	0.113	3	0.87	0.061	0.13	33.7	2.1	0.06	3.33	43	3.9	4.69	2.6	0.47	0.1	0.05



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
 Report Date: September 29, 2008

Page: 3 of 3 Part 3

CERTIFICATE OF ANALYSIS

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
843HM031-150HN	Heavy Mineral	1.89	3.3	1.3	<0.05	4.2	99.96	274.5	<0.02	<1	0.1	4.6	<10	51
843HM032-150HN	Heavy Mineral	0.20	1.6	0.5	<0.05	0.9	22.65	30.4	<0.02	<1	0.2	3.0	<10	2
843HM033-150HN	Heavy Mineral	0.30	1.0	1.2	<0.05	0.7	29.16	60.8	0.03	2	0.1	2.1	<10	2
843HM034-150HN	Heavy Mineral	0.19	0.8	0.4	<0.05	0.5	16.63	24.1	0.02	<1	0.1	1.7	3000	62
843HM035-150HN	Heavy Mineral	0.26	1.3	0.2	<0.05	1.4	32.53	43.4	<0.02	4	0.1	4.1	<10	3
843HM101-150HN	Heavy Mineral	0.51	1.4	0.4	<0.05	1.9	75.09	176.3	<0.02	12	0.1	2.0	<10	2
843HM102-150HN	Heavy Mineral	0.38	1.9	0.4	<0.05	1.4	73.98	154.3	<0.02	4	0.1	3.2	10	2
843HM103-150HN	Heavy Mineral	0.26	2.9	0.7	<0.05	0.8	38.40	89.0	<0.02	2	0.1	4.5	<10	<2
843HM104-150HN	Heavy Mineral	0.12	3.3	0.2	<0.05	0.6	51.08	126.3	0.06	1	0.1	5.6	<10	<2
843HM105-150HN	Heavy Mineral	0.48	4.0	0.4	<0.05	1.5	120.7	328.8	0.05	1	0.1	6.8	10	651
843HM106-150HN	Heavy Mineral	0.54	4.5	2.7	<0.05	1.7	73.98	227.9	0.02	<1	0.1	4.5	10	14
843HM107-150HN	Heavy Mineral	0.80	2.0	3.0	<0.05	1.7	76.10	227.4	<0.02	7	0.2	3.2	<10	3
843HM108-150HN	Heavy Mineral	0.80	1.6	1.2	<0.05	2.1	39.06	60.7	<0.02	4	<0.1	2.8	10	<2
843HM109-150HN	Heavy Mineral	0.51	1.4	0.8	<0.05	1.9	326.2	1390	<0.02	2	0.1	2.3	<10	3
843HM110-150HN	Heavy Mineral	0.87	2.1	0.8	<0.05	1.8	61.92	172.6	0.06	3	0.1	5.0	<10	2
843HM111-150HN	Heavy Mineral	0.39	1.9	4.1	<0.05	1.2	29.76	75.1	<0.02	1	<0.1	12.5	<10	31
843HM112-150HN	Heavy Mineral	0.25	1.4	3.7	<0.05	2.4	55.57	45.4	<0.02	9	<0.1	2.0	<10	<2
843HM113-150HN	Heavy Mineral	0.66	1.0	1.6	<0.05	4.7	29.22	56.9	<0.02	1	<0.1	2.3	<10	2
843HM114-150HN	Heavy Mineral	0.45	1.6	2.3	<0.05	1.8	36.81	44.8	<0.02	3	0.1	2.7	<10	4
843HM115-150HN	Heavy Mineral	0.81	0.8	5.9	<0.05	2.2	10.66	17.0	<0.02	<1	<0.1	3.4	<10	<2
843HM116-150HN	Heavy Mineral	1.29	1.7	1.2	<0.05	3.4	14.54	28.7	0.05	<1	<0.1	3.3	<10	<2
843HM117-150HN	Heavy Mineral	1.10	2.2	1.4	<0.05	0.8	31.70	89.1	<0.02	2	<0.1	3.8	<10	3
843HM118-150HN	Heavy Mineral	0.27	3.6	0.5	<0.05	0.7	24.23	85.7	0.03	2	0.1	7.9	<10	<2
843HM119-150HN	Heavy Mineral	0.55	4.2	1.5	<0.05	1.1	50.70	76.3	0.02	3	0.2	5.3	<10	4

QUALITY CONTROL REPORT

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001		
843HM022-150HN	Heavy Minera	3.55	82.43	9.32	37.0	597	4.6	15.3	85	0.67	3.6	21.8	2.0	15.3	34.0	0.25	0.21	3.51	13	1.21	0.375	
Pulp Duplicates																						
843HM017-150HN	Heavy Minera	32.88	102.8	100.3	61.0	1425	6.4	12.9	232	1.12	11.7	21.8	4191	37.6	30.0	0.89	0.28	0.54	20	0.85	0.238	
REP 843HM017-150HN	QC	46.32	110.1	143.2	67.7	2299	6.2	16.1	232	1.14	15.3	20.7	11073	34.5	30.3	1.23	0.29	0.47	21	0.89	0.264	
843HM020-150HN	Heavy Minera	7.65	38.92	18.83	16.2	574	2.7	5.1	94	0.40	4.3	27.8	2423	42.5	23.0	0.16	0.47	1.74	12	1.37	0.569	
REP 843HM020-150HN	QC	5.69	36.84	12.55	13.5	529	2.7	5.3	99	0.41	4.5	34.8	3362	47.7	24.5	0.15	0.74	0.23	12	1.37	0.585	
843HM109-150HN	Heavy Minera	6.12	35.85	13.33	7.2	1003	2.6	1.9	234	0.24	24.7	37.8	5859	104.0	156.7	0.04	0.14	0.82	20	15.63	>5	
REP 843HM109-150HN	QC	3.71	31.67	8.71	9.1	6595	2.6	2.1	224	0.25	25.0	30.2	41520	72.6	164.3	0.04	0.14	0.25	22	16.21	>5	
Reference Materials																						
STD DS7	Standard	20.16	110.2	60.56	404.0	819	54.3	9.8	644	2.44	51.2	4.4	60.3	3.8	70.6	6.22	4.45	3.96	85	0.97	0.070	
STD DS7	Standard	21.60	117.9	64.75	430.7	861	61.2	10.4	687	2.69	56.3	4.7	84.0	4.3	76.2	6.29	4.18	4.24	95	1.05	0.089	
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.7	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	

QUALITY CONTROL REPORT

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM022-150HN	Heavy Minera	4.7	3.1	0.13	28.7	0.036	<1	0.70	0.057	0.03	6.3	0.8	<0.02	0.29	36	0.5	0.53	1.4	0.31	<0.1	0.03
Pulp Duplicates																					
843HM017-150HN	Heavy Minera	16.8	7.5	0.34	19.4	0.075	2	0.62	0.022	0.04	1.4	1.7	0.03	0.29	22	0.4	0.29	2.1	0.62	<0.1	0.05
REP 843HM017-150HN	QC	18.5	7.0	0.32	22.9	0.081	1	0.59	0.021	0.04	2.2	1.8	0.03	0.31	20	0.5	0.07	1.9	0.61	<0.1	0.06
843HM020-150HN	Heavy Minera	21.8	3.7	0.14	19.0	0.067	1	0.37	0.023	0.03	14.0	0.9	<0.02	0.09	11	0.3	0.02	1.1	0.52	<0.1	0.03
REP 843HM020-150HN	QC	22.5	3.3	0.15	18.7	0.069	1	0.39	0.024	0.03	19.0	0.9	<0.02	0.09	16	0.3	<0.02	1.1	0.55	<0.1	0.03
843HM109-150HN	Heavy Minera	480.2	1.8	0.08	13.0	0.060	14	0.25	0.078	0.03	3.4	1.3	<0.02	<0.02	5	2.3	0.03	3.0	0.19	0.9	<0.02
REP 843HM109-150HN	QC	510.9	1.8	0.08	12.8	0.071	22	0.25	0.072	0.03	1.5	1.4	<0.02	<0.02	89	2.4	0.03	2.8	0.21	1.1	<0.02
Reference Materials																					
STD DS7	Standard	12.7	201.5	1.07	421.1	0.124	40	1.05	0.091	0.45	3.6	2.7	4.23	0.19	193	3.6	1.12	4.9	6.25	<0.1	0.11
STD DS7	Standard	12.6	220.2	1.17	463.4	0.127	43	1.16	0.113	0.52	3.8	3.1	4.69	0.21	223	4.0	1.27	5.5	6.92	0.1	0.15
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08007796.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843HM022-150HN Heavy Minera	0.20	1.2	0.2	<0.05	0.4	9.97	12.0	0.02	5	0.1	2.5	<10	<2
Pulp Duplicates													
843HM017-150HN Heavy Minera	0.32	2.6	0.2	<0.05	1.6	17.22	41.5	<0.02	<1	0.1	7.7	<10	<2
REP 843HM017-150HN QC	0.39	2.6	0.2	<0.05	1.8	18.81	46.3	<0.02	<1	<0.1	8.3	<10	<2
843HM020-150HN Heavy Minera	0.38	1.4	0.3	<0.05	1.4	28.94	53.1	<0.02	2	0.2	3.5	<10	<2
REP 843HM020-150HN QC	0.38	1.6	0.2	<0.05	1.4	30.24	54.2	<0.02	5	0.2	3.6	<10	<2
843HM109-150HN Heavy Minera	0.51	1.4	0.8	<0.05	1.9	326.2	1390	<0.02	2	0.1	2.3	<10	3
REP 843HM109-150HN QC	0.53	1.5	0.2	<0.05	2.2	327.1	1517	<0.02	<1	<0.1	1.6	<10	4
Reference Materials													
STD DS7 Standard	0.43	36.8	4.5	<0.05	5.5	5.86	39.2	1.51	4	2.1	31.1	74	40
STD DS7 Standard	0.46	41.7	4.8	<0.05	6.4	6.15	40.7	1.62	3	2.0	33.0	100	39
STD DS7 Expected	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK Blank	<0.02	<0.1	<0.1	<0.05	<0.1	0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: July 31, 2008
 Report Date: October 22, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08007796.2

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number
 Number of Samples: 54

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	54	Sorting of samples on arrival and labeling		
1F30	54	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Version 2 : Sub-sample weights included.

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 22, 2008

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM001-150HN	Heavy Mineral	4.43	58.77	14.42	31.7	591	7.9	5.4	245	0.47	12.4	45.8	1396	177.0	97.4	0.11	0.18	16.69	17	8.65	3.601
843HM002-150HN	Heavy Mineral	15.27	69.47	43.80	110.6	314	7.5	17.2	219	1.83	8.2	13.1	6.8	31.9	28.4	0.68	0.25	11.49	23	1.18	0.413
843HM003-150HN	Heavy Mineral	119.2	151.6	594.9	113.3	5783	5.7	19.1	112	0.76	7.2	11.9	37549	27.3	21.6	1.74	0.24	4.59	73	0.99	0.339
843HM004-150HN	Heavy Mineral	4.64	38.12	9.75	17.3	1835	4.6	7.0	99	0.56	3.9	16.5	10883	22.6	21.1	0.15	0.12	2.45	13	1.00	0.374
843HM005-150HN	Heavy Mineral	5.60	34.95	12.45	22.5	5519	5.4	9.2	117	0.67	30.6	16.8	41447	44.8	23.9	0.07	0.29	9.81	18	1.40	0.570
843HM006-150HN	Heavy Mineral	12.16	101.4	46.96	61.3	65	4.6	18.7	94	0.75	18.9	33.5	21.3	55.2	19.4	0.31	0.15	11.57	14	0.90	0.342
843HM007-150HN	Heavy Mineral	3.20	27.74	25.01	34.4	66	4.5	7.7	129	0.69	2.3	128.7	84.4	479.3	14.5	0.27	0.09	2.42	15	0.96	0.419
843HM008-150HN	Heavy Mineral	2.29	20.66	13.61	48.2	28	3.5	10.9	57	0.97	1.4	48.1	1.7	238.4	9.3	0.28	0.09	0.26	8	0.37	0.142
843HM009-150HN	Heavy Mineral	6.32	82.60	88.66	89.8	1807	6.9	5.6	227	0.90	5.2	14.3	1189	9.4	13.0	0.51	1.74	63.96	9	0.46	0.174
843HM010-150HN	Heavy Mineral	16.08	112.6	60.36	63.7	3477	13.0	19.4	240	1.15	7.3	20.0	2938	11.3	15.1	0.35	0.63	39.04	19	0.63	0.228
843HM011-150HN	Heavy Mineral	18.44	144.5	98.75	52.3	355	14.7	90.6	109	2.57	26.6	137.1	23.0	74.3	13.1	0.57	0.30	10.52	30	1.04	0.411
843HM012-150HN	Heavy Mineral	1.56	37.07	4.16	20.5	49	6.1	12.8	125	0.63	6.6	33.2	3.6	77.7	25.9	0.07	0.21	2.06	20	1.28	0.467
843HM013-150HN	Heavy Mineral	12.33	62.87	54.26	94.8	6778	5.2	6.9	169	0.72	3.2	1.3	1.4	5.6	45.1	3.15	0.19	0.24	11	0.65	0.132
843HM014-150HN	Heavy Mineral	15.53	61.54	105.6	34.2	202	4.3	10.2	280	1.39	5.0	1.2	<0.2	6.4	35.5	0.43	0.58	0.32	43	0.89	0.154
843HM015-150HN	Heavy Mineral	92.65	98.18	394.2	29.2	148	2.7	4.9	166	0.38	5.3	44.4	1.8	104.3	11.0	0.72	0.10	0.16	11	0.79	0.336
843HM016-150HN	Heavy Mineral	220.0	154.3	516.9	479.6	4970	10.2	10.0	234	1.16	21.8	81.2	10.7	88.2	22.2	7.17	2.47	41.94	21	1.37	0.562
843HM017-150HN	Heavy Mineral	32.88	102.8	100.3	61.0	1425	6.4	12.9	232	1.12	11.7	21.8	4191	37.6	30.0	0.89	0.28	0.54	20	0.85	0.238
843HM018-150HN	Heavy Mineral	8.59	24.96	15.71	19.7	732	3.2	4.3	114	0.52	3.2	24.8	4154	29.6	24.2	0.20	0.15	2.45	15	1.01	0.383
843HM019-150HN	Heavy Mineral	61.30	216.3	301.0	49.8	544	12.7	13.8	107	0.46	7.9	133.2	712.8	386.0	31.4	0.63	0.23	0.22	42	2.01	0.799
843HM020-150HN	Heavy Mineral	7.65	38.92	18.83	16.2	574	2.7	5.1	94	0.40	4.3	27.8	2423	42.5	23.0	0.16	0.47	1.74	12	1.37	0.569
843HM021-150HN	Heavy Mineral	12.25	347.5	158.3	92.6	6592	16.0	57.9	165	1.78	12.0	26.7	6861	80.7	60.7	1.27	0.31	229.2	18	2.51	1.059
843HM022-150HN	Heavy Mineral	3.55	82.43	9.32	37.0	597	4.6	15.3	85	0.67	3.6	21.8	2.0	15.3	34.0	0.25	0.21	3.51	13	1.21	0.375
843HM023-150HN	Heavy Mineral	6.68	27.71	31.42	61.1	1003	2.2	5.3	104	0.62	4.0	12.8	3272	39.4	14.0	0.34	0.30	9.16	9	0.57	0.249
843HM024-150HN	Heavy Mineral	4.10	72.35	13.09	19.7	739	4.4	14.1	94	0.66	3.2	30.4	1792	28.1	36.9	0.11	0.10	20.09	20	1.09	0.368
843HM025-150HN	Heavy Mineral	10.85	17.90	87.43	28.1	1117	2.5	4.9	82	0.48	3.4	13.3	859.3	39.7	12.6	0.26	0.17	33.15	15	0.50	0.193
843HM026-150HN	Heavy Mineral	4.10	95.64	18.84	26.2	967	5.7	24.2	79	0.92	5.4	49.3	3.8	78.7	23.8	0.19	0.11	15.46	9	0.98	0.348
843HM027-150HN	Heavy Mineral	0.56	13.31	7.12	22.9	113	2.5	4.4	82	0.35	2.6	33.2	1.4	56.3	11.8	0.08	0.16	14.91	8	0.69	0.267
843HM028-150HN	Heavy Mineral	7.07	10.45	18.27	13.6	384	1.2	0.9	59	0.14	0.7	67.2	979.6	277.1	5.6	0.10	0.08	14.43	6	0.29	0.115
843HM029-150HN	Heavy Mineral	0.77	20.67	4.28	13.7	950	4.4	5.8	87	0.40	5.3	34.9	3244	165.5	25.7	0.05	0.15	9.53	8	0.64	0.171
843HM030-150HN	Heavy Mineral	0.57	14.90	3.11	10.0	56	1.7	4.1	52	0.25	1.3	46.0	0.9	194.6	8.2	0.08	0.07	9.60	6	0.54	0.243



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 22, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM001-150HN	Heavy Mineral	378.7	2.7	0.20	30.4	0.041	7	0.49	0.108	0.06	7.1	1.5	0.03	0.08	<5	0.8	0.06	0.4	0.46	0.3	<0.02
843HM002-150HN	Heavy Mineral	21.4	4.0	0.36	22.0	0.049	2	0.71	0.034	0.06	2.8	2.0	0.04	1.04	<5	0.7	2.90	2.2	0.80	<0.1	<0.02
843HM003-150HN	Heavy Mineral	15.4	3.8	0.20	14.6	0.078	1	0.53	0.028	0.04	11.1	1.3	<0.02	0.19	9	0.5	2.03	1.3	0.62	<0.1	0.02
843HM004-150HN	Heavy Mineral	14.5	4.3	0.19	20.7	0.046	1	0.43	0.022	0.03	8.5	1.0	0.02	0.13	5	0.3	0.02	1.1	0.62	<0.1	<0.02
843HM005-150HN	Heavy Mineral	31.6	5.3	0.23	45.7	0.048	<1	0.48	0.024	0.06	67.2	1.5	0.02	0.12	5	0.4	2.02	1.4	0.82	0.1	<0.02
843HM006-150HN	Heavy Mineral	16.4	2.7	0.15	20.7	0.064	1	0.39	0.023	0.03	4.7	0.9	0.02	0.43	<5	0.7	0.07	1.0	0.54	<0.1	0.05
843HM007-150HN	Heavy Mineral	57.8	2.7	0.22	25.7	0.064	2	0.40	0.011	0.06	0.2	2.1	0.05	0.07	9	0.3	0.04	1.7	0.96	0.1	0.06
843HM008-150HN	Heavy Mineral	14.8	2.0	0.08	14.9	0.044	1	0.31	0.009	0.02	0.8	0.6	0.02	0.82	14	0.8	0.10	1.0	0.69	0.1	<0.02
843HM009-150HN	Heavy Mineral	12.8	3.6	0.22	57.4	0.011	2	0.44	0.014	0.05	7.5	1.1	0.03	0.31	<5	0.3	0.26	1.3	3.91	<0.1	<0.02
843HM010-150HN	Heavy Mineral	16.0	6.9	0.37	46.3	0.047	2	0.59	0.019	0.08	>100	1.7	0.05	0.12	<5	0.5	0.17	1.8	2.04	<0.1	<0.02
843HM011-150HN	Heavy Mineral	13.1	2.5	0.11	19.0	0.154	1	0.30	0.011	0.03	17.5	0.8	<0.02	2.14	<5	1.8	0.20	1.1	0.30	0.2	0.11
843HM012-150HN	Heavy Mineral	16.6	5.1	0.20	21.4	0.113	1	0.58	0.033	0.06	2.7	1.0	0.02	0.11	5	0.6	0.02	1.4	0.60	<0.1	0.05
843HM013-150HN	Heavy Mineral	7.9	7.7	0.30	23.5	0.037	<1	0.71	0.053	0.04	0.4	1.3	0.02	0.18	6	0.4	2.36	2.1	0.74	<0.1	0.04
843HM014-150HN	Heavy Mineral	10.3	9.0	0.33	17.9	0.197	<1	0.70	0.013	0.03	4.0	2.0	<0.02	0.19	<5	0.6	0.12	2.3	0.60	0.1	0.17
843HM015-150HN	Heavy Mineral	22.0	1.8	0.13	22.3	0.047	9	0.28	0.008	0.06	5.1	0.9	0.03	0.07	14	0.4	0.06	1.0	0.93	<0.1	<0.02
843HM016-150HN	Heavy Mineral	57.5	8.5	0.39	54.1	0.092	3	0.54	0.015	0.07	31.1	2.0	0.04	0.36	60	0.4	0.09	1.7	1.30	<0.1	<0.02
843HM017-150HN	Heavy Mineral	16.8	7.5	0.34	19.4	0.075	2	0.62	0.022	0.04	1.4	1.7	0.03	0.29	22	0.4	0.29	2.1	0.62	<0.1	0.05
843HM018-150HN	Heavy Mineral	15.3	4.5	0.18	18.5	0.051	1	0.45	0.022	0.03	16.6	1.1	0.02	0.05	55	<0.1	0.84	1.4	0.61	0.1	<0.02
843HM019-150HN	Heavy Mineral	57.5	3.6	0.12	18.1	0.085	<1	0.44	0.016	0.03	6.2	1.3	<0.02	0.18	<5	0.3	0.08	1.1	0.65	0.2	0.05
843HM020-150HN	Heavy Mineral	21.8	3.7	0.14	19.0	0.067	1	0.37	0.023	0.03	14.0	0.9	<0.02	0.09	11	0.3	0.02	1.1	0.52	<0.1	0.03
843HM021-150HN	Heavy Mineral	71.0	4.5	0.23	29.4	0.032	1	0.49	0.025	0.04	10.2	1.2	0.02	1.28	10	0.7	0.29	1.2	0.57	0.1	<0.02
843HM022-150HN	Heavy Mineral	4.7	3.1	0.13	28.7	0.036	<1	0.70	0.057	0.03	6.3	0.8	<0.02	0.29	36	0.5	0.53	1.4	0.31	<0.1	0.03
843HM023-150HN	Heavy Mineral	17.4	1.4	0.10	14.3	0.052	<1	0.23	0.008	0.02	3.7	0.6	0.02	0.37	<5	0.5	0.23	0.9	0.38	<0.1	0.05
843HM024-150HN	Heavy Mineral	11.4	4.1	0.17	24.7	0.047	<1	0.67	0.050	0.03	10.3	1.0	<0.02	0.23	43	0.2	0.52	1.3	0.35	<0.1	<0.02
843HM025-150HN	Heavy Mineral	16.6	1.7	0.09	37.5	0.053	1	0.29	0.009	0.02	4.4	0.8	0.02	0.20	<5	0.2	0.08	0.9	0.50	<0.1	0.02
843HM026-150HN	Heavy Mineral	14.7	2.3	0.12	15.1	0.035	1	0.45	0.035	0.02	21.2	0.7	<0.02	0.61	309	0.4	0.25	0.9	0.26	<0.1	0.02
843HM027-150HN	Heavy Mineral	17.0	2.2	0.09	12.0	0.061	1	0.28	0.013	0.02	4.8	0.7	<0.02	0.03	18	0.2	0.08	0.8	0.47	<0.1	0.06
843HM028-150HN	Heavy Mineral	11.3	1.4	0.07	11.8	0.043	<1	0.17	0.007	0.01	16.4	0.6	<0.02	<0.02	5	0.2	0.02	0.6	0.83	0.1	<0.02
843HM029-150HN	Heavy Mineral	21.5	5.7	0.17	41.3	0.040	<1	0.45	0.031	0.02	21.0	1.0	<0.02	0.06	<5	0.3	0.03	1.0	0.58	0.1	0.02
843HM030-150HN	Heavy Mineral	19.5	1.3	0.07	15.7	0.036	1	0.20	0.006	0.02	1.2	0.7	<0.02	<0.02	<5	0.1	0.03	0.7	0.29	<0.1	0.03



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 22, 2008

Page:

2 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Weight	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	g	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	
843HM001-150HN	Heavy Mineral	0.34	2.1	1.0	<0.05	1.1	268.6	1070	<0.02	2	0.1	3.4	<10	4	1.009
843HM002-150HN	Heavy Mineral	0.15	2.8	0.8	<0.05	0.6	20.12	52.3	0.02	<1	0.1	6.6	<10	2	1.011
843HM003-150HN	Heavy Mineral	0.39	2.0	1.0	<0.05	0.7	16.13	37.0	<0.02	2	0.1	5.4	<10	<2	0.506
843HM004-150HN	Heavy Mineral	0.19	1.8	0.2	<0.05	0.9	18.78	37.2	<0.02	<1	<0.1	5.0	<10	<2	1.04
843HM005-150HN	Heavy Mineral	0.26	3.2	7.1	<0.05	0.5	31.35	78.5	<0.02	<1	0.2	5.6	<10	<2	0.501
843HM006-150HN	Heavy Mineral	0.37	1.7	0.2	<0.05	1.1	19.14	41.9	0.02	<1	<0.1	3.5	<10	<2	0.502
843HM007-150HN	Heavy Mineral	0.61	6.7	0.6	<0.05	1.9	33.22	122.6	0.02	<1	0.1	5.6	<10	<2	1.035
843HM008-150HN	Heavy Mineral	0.78	1.8	0.5	<0.05	0.8	14.54	32.8	<0.02	<1	0.1	3.4	<10	<2	1.002
843HM009-150HN	Heavy Mineral	0.10	3.9	0.2	<0.05	0.1	14.05	33.7	0.03	5	0.1	6.4	<10	<2	1.014
843HM010-150HN	Heavy Mineral	0.23	4.7	0.7	<0.05	0.2	17.09	39.6	0.02	1	0.1	8.9	<10	2	1.013
843HM011-150HN	Heavy Mineral	1.13	1.0	0.3	<0.05	1.8	30.90	33.2	<0.02	4	<0.1	2.4	<10	4	0.135
843HM012-150HN	Heavy Mineral	0.90	2.8	1.4	<0.05	1.2	22.28	36.1	<0.02	<1	0.2	3.0	<10	<2	0.329
843HM013-150HN	Heavy Mineral	0.23	2.5	0.4	<0.05	1.6	8.20	20.1	<0.02	<1	0.2	7.5	<10	<2	0.34
843HM014-150HN	Heavy Mineral	1.02	1.4	3.6	<0.05	3.9	10.66	24.1	<0.02	<1	0.2	5.5	<10	2	0.149
843HM015-150HN	Heavy Mineral	0.59	4.6	0.1	<0.05	0.6	25.67	52.9	<0.02	<1	0.1	7.2	10	<2	0.22
843HM016-150HN	Heavy Mineral	0.61	4.3	0.3	<0.05	0.9	39.65	139.9	<0.02	<1	<0.1	9.2	<10	3	0.215
843HM017-150HN	Heavy Mineral	0.32	2.6	0.2	<0.05	1.6	17.22	41.5	<0.02	<1	0.1	7.7	<10	<2	0.803
843HM018-150HN	Heavy Mineral	0.24	1.7	0.2	<0.05	0.9	19.52	37.3	<0.02	3	<0.1	4.9	<10	<2	1.005
843HM019-150HN	Heavy Mineral	0.87	1.5	3.1	<0.05	1.9	46.33	139.3	<0.02	<1	<0.1	2.9	20	3	0.151
843HM020-150HN	Heavy Mineral	0.38	1.4	0.3	<0.05	1.4	28.94	53.1	<0.02	2	0.2	3.5	<10	<2	1.006
843HM021-150HN	Heavy Mineral	0.20	1.9	0.5	<0.05	0.9	70.33	209.8	0.06	3	0.1	3.8	<10	4	1.003
843HM022-150HN	Heavy Mineral	0.20	1.2	0.2	<0.05	0.4	9.97	12.0	0.02	5	0.1	2.5	<10	<2	8.414
843HM023-150HN	Heavy Mineral	0.84	1.2	0.5	<0.05	1.1	18.34	45.3	0.03	<1	0.1	2.3	<10	<2	10.662
843HM024-150HN	Heavy Mineral	0.28	1.3	<0.1	<0.05	0.6	14.20	28.1	<0.02	2	<0.1	3.0	<10	<2	4.553
843HM025-150HN	Heavy Mineral	0.80	1.4	0.5	<0.05	0.8	15.53	42.1	<0.02	<1	0.1	3.5	<10	<2	0.503
843HM026-150HN	Heavy Mineral	0.28	1.0	0.2	<0.05	0.7	18.66	37.5	0.02	<1	<0.1	1.8	<10	2	1.005
843HM027-150HN	Heavy Mineral	0.82	1.1	0.4	<0.05	0.9	17.01	41.0	<0.02	<1	0.1	3.7	<10	<2	0.502
843HM028-150HN	Heavy Mineral	0.60	1.4	0.5	<0.05	0.6	17.33	28.9	<0.02	<1	0.1	3.1	<10	<2	1.002
843HM029-150HN	Heavy Mineral	0.37	1.3	0.6	<0.05	1.0	16.21	45.2	<0.02	<1	0.1	3.1	<10	<2	1.011
843HM030-150HN	Heavy Mineral	0.56	1.4	0.5	<0.05	0.9	20.86	47.9	<0.02	<1	<0.1	1.7	<10	<2	1.007

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 22, 2008

Page:

3 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM031-150HN	Heavy Mineral	0.95	28.34	6.66	20.3	332	3.2	5.2	138	0.43	3.5	482.3	1266	>2000	19.7	0.13	0.17	12.02	18	2.37	1.078
843HM032-150HN	Heavy Mineral	1.48	133.9	53.61	26.9	547	8.3	24.4	130	1.06	140.4	28.5	1905	68.0	61.5	0.19	0.35	4.57	32	3.12	0.975
843HM033-150HN	Heavy Mineral	8.33	135.8	20.89	59.6	402	6.6	29.9	85	1.17	9.5	30.2	1.6	77.8	30.7	0.39	0.13	11.42	10	1.48	0.588
843HM034-150HN	Heavy Mineral	9.03	26.09	28.62	19.4	308	2.7	4.5	100	0.83	5.2	10.9	596.0	23.2	29.8	0.17	0.99	1.05	11	2.05	0.902
843HM035-150HN	Heavy Mineral	6.42	284.8	67.25	42.3	870	12.9	39.0	146	1.18	204.9	51.2	6363	159.4	71.1	0.44	0.67	7.47	41	4.07	1.305
843HM101-150HN	Heavy Mineral	1951	74.96	4691	67.9	7647	2.3	3.8	106	0.43	24.2	62.0	31404	58.8	27.7	0.70	2.52	23.83	53	2.58	1.146
843HM102-150HN	Heavy Mineral	53.38	122.1	811.0	82.3	3259	7.7	32.6	153	1.22	59.4	132.7	19.3	198.1	44.7	0.85	2.63	6.88	24	4.51	1.941
843HM103-150HN	Heavy Mineral	6.58	64.82	34.80	55.8	1157	9.8	15.7	108	2.04	20.2	16.9	3689	32.8	26.8	0.70	1.87	10.76	12	2.17	0.942
843HM104-150HN	Heavy Mineral	21.15	47.84	118.8	116.2	3670	5.6	4.1	214	0.95	7.7	20.5	4904	46.1	21.0	1.34	2.97	180.0	12	1.73	0.732
843HM105-150HN	Heavy Mineral	22.39	74.37	146.6	95.3	7754	5.2	5.5	202	0.73	14.2	64.6	19914	90.3	35.2	0.95	4.23	451.8	22	3.55	1.637
843HM106-150HN	Heavy Mineral	32.84	184.5	190.9	75.2	9557	6.6	7.3	150	1.17	9.9	107.1	15421	83.8	21.6	0.94	4.86	792.9	17	1.79	0.867
843HM107-150HN	Heavy Mineral	79.22	452.7	189.0	24.6	5137	5.0	25.4	116	0.69	15.2	234.5	25265	275.0	30.8	0.24	1.98	123.1	18	2.60	1.189
843HM108-150HN	Heavy Mineral	73.35	185.5	967.7	88.3	3882	11.2	56.5	101	1.50	57.9	207.4	6971	322.0	21.2	0.58	0.36	39.93	23	1.96	0.792
843HM109-150HN	Heavy Mineral	6.12	35.85	13.33	7.2	1003	2.6	1.9	234	0.24	24.7	37.8	5859	104.0	156.7	0.04	0.14	0.82	20	15.63	>5
843HM110-150HN	Heavy Mineral	11.92	134.6	17.47	275.7	2380	24.3	61.8	136	7.40	40.0	19.3	6978	56.3	32.8	2.23	0.25	3.91	21	2.05	0.852
843HM111-150HN	Heavy Mineral	0.97	33.38	6.45	44.7	4356	7.9	6.1	168	0.94	7.5	6.0	31658	9.4	42.2	0.15	0.33	0.18	26	1.56	0.580
843HM112-150HN	Heavy Mineral	8.33	77.04	6.82	18.1	44	12.2	38.3	85	1.01	106.3	530.6	3.1	408.4	29.5	0.21	0.23	0.11	17	2.48	1.044
843HM113-150HN	Heavy Mineral	5.19	62.43	3.90	7.6	41	27.0	41.2	63	0.73	7.1	46.1	0.4	215.9	27.4	0.05	0.13	6.35	21	1.19	0.399
843HM114-150HN	Heavy Mineral	2.29	395.3	5.02	25.6	860	15.6	92.9	158	4.01	12.6	31.2	10.0	32.2	49.8	0.15	0.36	0.29	22	1.63	0.572
843HM115-150HN	Heavy Mineral	0.77	23.96	62.68	13.1	1509	3.9	4.8	94	0.58	7.9	18.1	12081	94.3	19.3	0.05	0.56	0.30	29	0.55	0.066
843HM116-150HN	Heavy Mineral	1.42	65.15	6.69	36.3	21178	7.2	13.1	147	1.40	15.2	12.9	>100000	62.6	21.6	0.13	0.55	6.43	31	0.78	0.223
843HM117-150HN	Heavy Mineral	35.65	255.7	77.05	80.3	1433	3.9	6.2	116	0.65	4.1	137.4	3.2	133.0	22.5	0.43	1.89	11.79	7	1.21	0.507
843HM118-150HN	Heavy Mineral	15.46	159.7	19.01	64.6	1068	24.4	33.1	250	2.46	64.0	52.6	4353	119.5	23.8	0.36	2.21	2.68	24	1.19	0.463
843HM119-150HN	Heavy Mineral	1.69	593.6	67.00	63.4	1200	27.7	114.1	222	4.47	659.4	9.4	2852	43.7	41.8	0.45	1.13	5.08	35	3.06	1.236



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 22, 2008

Page:

3 of 3

Part 2

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM031-150HN	Heavy Mineral	127.6	3.2	0.23	19.3	0.112	2	0.37	0.012	0.03	15.0	3.6	0.03	<0.02	5	0.2	0.06	1.6	0.48	0.2	0.10
843HM032-150HN	Heavy Mineral	11.6	6.9	0.25	54.3	0.066	17	1.25	0.042	0.05	33.0	1.6	0.02	0.50	832	0.8	0.78	3.2	0.38	0.1	0.02
843HM033-150HN	Heavy Mineral	24.1	2.0	0.12	17.4	0.036	1	0.50	0.038	0.02	16.7	0.8	<0.02	0.87	13	0.9	0.10	1.0	0.28	<0.1	0.02
843HM034-150HN	Heavy Mineral	10.9	1.5	0.12	23.3	0.037	1	0.26	0.013	0.03	7.1	0.8	<0.02	0.64	36	0.4	0.10	0.8	0.13	0.1	<0.02
843HM035-150HN	Heavy Mineral	16.2	9.6	0.30	40.6	0.084	20	1.33	0.035	0.04	91.6	1.6	<0.02	0.49	116	0.8	4.29	3.4	0.31	0.1	0.03
843HM101-150HN	Heavy Mineral	70.2	3.3	0.10	91.1	0.067	3	0.28	0.011	0.02	>100	1.2	<0.02	0.19	<5	<0.1	0.30	0.7	0.72	0.2	0.05
843HM102-150HN	Heavy Mineral	53.6	4.7	0.15	18.7	0.072	16	0.53	0.042	0.04	37.0	1.5	0.02	0.79	32	1.4	1.32	1.8	0.48	0.2	0.07
843HM103-150HN	Heavy Mineral	32.8	4.8	0.13	21.7	0.039	3	0.45	0.025	0.05	11.9	1.0	0.05	1.73	23	1.6	0.29	1.4	2.74	0.1	0.02
843HM104-150HN	Heavy Mineral	45.9	5.5	0.16	70.7	0.016	2	0.51	0.011	0.04	14.3	1.1	0.04	0.08	20	0.5	1.01	1.5	4.65	0.1	0.03
843HM105-150HN	Heavy Mineral	108.2	5.1	0.19	33.2	0.061	2	0.56	0.026	0.05	92.1	1.8	0.04	0.13	34	1.7	0.84	2.5	3.61	0.3	<0.02
843HM106-150HN	Heavy Mineral	92.6	2.6	0.14	58.9	0.059	<1	0.36	0.022	0.06	90.3	1.1	0.05	0.79	38	1.5	3.59	1.5	2.77	0.2	0.04
843HM107-150HN	Heavy Mineral	95.8	2.9	0.12	21.9	0.061	3	0.36	0.029	0.03	>100	1.3	0.02	0.44	49	0.9	10.73	1.6	0.94	0.2	0.06
843HM108-150HN	Heavy Mineral	22.9	4.0	0.12	16.6	0.114	5	0.34	0.018	0.03	58.6	1.0	0.02	1.15	38	1.2	0.58	1.0	0.36	<0.1	0.09
843HM109-150HN	Heavy Mineral	480.2	1.8	0.08	13.0	0.060	14	0.25	0.078	0.03	3.4	1.3	<0.02	<0.02	5	2.3	0.03	3.0	0.19	0.9	<0.02
843HM110-150HN	Heavy Mineral	52.8	4.5	0.21	23.5	0.103	1	0.44	0.012	0.02	6.1	1.7	0.03	7.41	34	4.1	0.52	1.6	0.67	0.2	0.08
843HM111-150HN	Heavy Mineral	28.9	7.4	0.38	31.7	0.086	3	0.82	0.022	0.04	14.1	2.0	<0.02	0.03	71	0.3	0.03	2.2	0.79	0.1	0.04
843HM112-150HN	Heavy Mineral	17.2	6.6	0.14	24.1	0.056	3	0.35	0.017	0.03	>100	1.3	0.03	0.60	33	1.2	0.06	1.1	0.19	0.1	0.04
843HM113-150HN	Heavy Mineral	24.8	19.0	0.16	14.4	0.176	2	0.42	0.011	0.02	>100	1.3	<0.02	0.41	272	0.7	3.43	1.2	0.20	0.1	0.14
843HM114-150HN	Heavy Mineral	16.1	11.7	0.30	77.5	0.108	4	0.83	0.041	0.03	62.7	2.5	0.02	3.31	32	4.1	0.23	2.0	0.31	0.2	0.09
843HM115-150HN	Heavy Mineral	6.1	6.1	0.29	12.1	0.251	1	0.53	0.004	<0.01	18.3	1.1	<0.02	0.02	40	0.3	<0.02	1.3	0.30	<0.1	0.13
843HM116-150HN	Heavy Mineral	9.6	5.7	0.32	19.7	0.268	2	0.63	0.008	0.03	37.3	1.6	<0.02	0.56	1149	1.2	1.11	2.1	0.43	0.1	0.23
843HM117-150HN	Heavy Mineral	34.8	2.7	0.12	27.0	0.051	1	0.41	0.023	0.03	79.4	1.1	0.03	0.30	32	0.8	0.16	1.1	0.67	<0.1	0.02
843HM118-150HN	Heavy Mineral	35.0	10.0	0.43	35.0	0.055	1	0.73	0.022	0.08	31.1	2.4	0.05	0.82	42	1.1	0.27	2.4	0.86	0.1	0.02
843HM119-150HN	Heavy Mineral	26.8	6.6	0.40	56.8	0.113	3	0.87	0.061	0.13	33.7	2.1	0.06	3.33	43	3.9	4.69	2.6	0.47	0.1	0.05



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 22, 2008

Page: 3 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Weight	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	g	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	
843HM031-150HN	Heavy Mineral	1.89	3.3	1.3	<0.05	4.2	99.96	274.5	<0.02	<1	0.1	4.6	<10	51	0.494
843HM032-150HN	Heavy Mineral	0.20	1.6	0.5	<0.05	0.9	22.65	30.4	<0.02	<1	0.2	3.0	<10	2	0.504
843HM033-150HN	Heavy Mineral	0.30	1.0	1.2	<0.05	0.7	29.16	60.8	0.03	2	0.1	2.1	<10	2	1.006
843HM034-150HN	Heavy Mineral	0.19	0.8	0.4	<0.05	0.5	16.63	24.1	0.02	<1	0.1	1.7	3000	62	1.001
843HM035-150HN	Heavy Mineral	0.26	1.3	0.2	<0.05	1.4	32.53	43.4	<0.02	4	0.1	4.1	<10	3	0.353
843HM101-150HN	Heavy Mineral	0.51	1.4	0.4	<0.05	1.9	75.09	176.3	<0.02	12	0.1	2.0	<10	2	0.493
843HM102-150HN	Heavy Mineral	0.38	1.9	0.4	<0.05	1.4	73.98	154.3	<0.02	4	0.1	3.2	10	2	0.503
843HM103-150HN	Heavy Mineral	0.26	2.9	0.7	<0.05	0.8	38.40	89.0	<0.02	2	0.1	4.5	<10	<2	1.905
843HM104-150HN	Heavy Mineral	0.12	3.3	0.2	<0.05	0.6	51.08	126.3	0.06	1	0.1	5.6	<10	<2	5.001
843HM105-150HN	Heavy Mineral	0.48	4.0	0.4	<0.05	1.5	120.7	328.8	0.05	1	0.1	6.8	10	651	0.411
843HM106-150HN	Heavy Mineral	0.54	4.5	2.7	<0.05	1.7	73.98	227.9	0.02	<1	0.1	4.5	10	14	0.12
843HM107-150HN	Heavy Mineral	0.80	2.0	3.0	<0.05	1.7	76.10	227.4	<0.02	7	0.2	3.2	<10	3	0.201
843HM108-150HN	Heavy Mineral	0.80	1.6	1.2	<0.05	2.1	39.06	60.7	<0.02	4	<0.1	2.8	10	<2	0.416
843HM109-150HN	Heavy Mineral	0.51	1.4	0.8	<0.05	1.9	326.2	1390	<0.02	2	0.1	2.3	<10	3	0.501
843HM110-150HN	Heavy Mineral	0.87	2.1	0.8	<0.05	1.8	61.92	172.6	0.06	3	0.1	5.0	<10	2	0.502
843HM111-150HN	Heavy Mineral	0.39	1.9	4.1	<0.05	1.2	29.76	75.1	<0.02	1	<0.1	12.5	<10	31	0.507
843HM112-150HN	Heavy Mineral	0.25	1.4	3.7	<0.05	2.4	55.57	45.4	<0.02	9	<0.1	2.0	<10	<2	1.006
843HM113-150HN	Heavy Mineral	0.66	1.0	1.6	<0.05	4.7	29.22	56.9	<0.02	1	<0.1	2.3	<10	2	0.504
843HM114-150HN	Heavy Mineral	0.45	1.6	2.3	<0.05	1.8	36.81	44.8	<0.02	3	0.1	2.7	<10	4	0.333
843HM115-150HN	Heavy Mineral	0.81	0.8	5.9	<0.05	2.2	10.66	17.0	<0.02	<1	<0.1	3.4	<10	<2	1.162
843HM116-150HN	Heavy Mineral	1.29	1.7	1.2	<0.05	3.4	14.54	28.7	0.05	<1	<0.1	3.3	<10	<2	0.229
843HM117-150HN	Heavy Mineral	1.10	2.2	1.4	<0.05	0.8	31.70	89.1	<0.02	2	<0.1	3.8	<10	3	0.731
843HM118-150HN	Heavy Mineral	0.27	3.6	0.5	<0.05	0.7	24.23	85.7	0.03	2	0.1	7.9	<10	<2	2.467
843HM119-150HN	Heavy Mineral	0.55	4.2	1.5	<0.05	1.1	50.70	76.3	0.02	3	0.2	5.3	<10	4	0.759

QUALITY CONTROL REPORT

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM022-150HN	Heavy Minera	3.55	82.43	9.32	37.0	597	4.6	15.3	85	0.67	3.6	21.8	2.0	15.3	34.0	0.25	0.21	3.51	13	1.21	0.375
Pulp Duplicates																					
843HM017-150HN	Heavy Minera	32.88	102.8	100.3	61.0	1425	6.4	12.9	232	1.12	11.7	21.8	4191	37.6	30.0	0.89	0.28	0.54	20	0.85	0.238
REP 843HM017-150HN	QC	46.32	110.1	143.2	67.7	2299	6.2	16.1	232	1.14	15.3	20.7	11073	34.5	30.3	1.23	0.29	0.47	21	0.89	0.264
843HM020-150HN	Heavy Minera	7.65	38.92	18.83	16.2	574	2.7	5.1	94	0.40	4.3	27.8	2423	42.5	23.0	0.16	0.47	1.74	12	1.37	0.569
REP 843HM020-150HN	QC	5.69	36.84	12.55	13.5	529	2.7	5.3	99	0.41	4.5	34.8	3362	47.7	24.5	0.15	0.74	0.23	12	1.37	0.585
843HM109-150HN	Heavy Minera	6.12	35.85	13.33	7.2	1003	2.6	1.9	234	0.24	24.7	37.8	5859	104.0	156.7	0.04	0.14	0.82	20	15.63	>5
REP 843HM109-150HN	QC	3.71	31.67	8.71	9.1	6595	2.6	2.1	224	0.25	25.0	30.2	41520	72.6	164.3	0.04	0.14	0.25	22	16.21	>5
Reference Materials																					
STD DS7	Standard	20.16	110.2	60.56	404.0	819	54.3	9.8	644	2.44	51.2	4.4	60.3	3.8	70.6	6.22	4.45	3.96	85	0.97	0.070
STD DS7	Standard	21.60	117.9	64.75	430.7	861	61.2	10.4	687	2.69	56.3	4.7	84.0	4.3	76.2	6.29	4.18	4.24	95	1.05	0.089
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.7	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 22, 2008

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM022-150HN	Heavy Minera	4.7	3.1	0.13	28.7	0.036	<1	0.70	0.057	0.03	6.3	0.8	<0.02	0.29	36	0.5	0.53	1.4	0.31	<0.1	0.03
Pulp Duplicates																					
843HM017-150HN	Heavy Minera	16.8	7.5	0.34	19.4	0.075	2	0.62	0.022	0.04	1.4	1.7	0.03	0.29	22	0.4	0.29	2.1	0.62	<0.1	0.05
REP 843HM017-150HN	QC	18.5	7.0	0.32	22.9	0.081	1	0.59	0.021	0.04	2.2	1.8	0.03	0.31	20	0.5	0.07	1.9	0.61	<0.1	0.06
843HM020-150HN	Heavy Minera	21.8	3.7	0.14	19.0	0.067	1	0.37	0.023	0.03	14.0	0.9	<0.02	0.09	11	0.3	0.02	1.1	0.52	<0.1	0.03
REP 843HM020-150HN	QC	22.5	3.3	0.15	18.7	0.069	1	0.39	0.024	0.03	19.0	0.9	<0.02	0.09	16	0.3	<0.02	1.1	0.55	<0.1	0.03
843HM109-150HN	Heavy Minera	480.2	1.8	0.08	13.0	0.060	14	0.25	0.078	0.03	3.4	1.3	<0.02	<0.02	5	2.3	0.03	3.0	0.19	0.9	<0.02
REP 843HM109-150HN	QC	510.9	1.8	0.08	12.8	0.071	22	0.25	0.072	0.03	1.5	1.4	<0.02	<0.02	89	2.4	0.03	2.8	0.21	1.1	<0.02
Reference Materials																					
STD DS7	Standard	12.7	201.5	1.07	421.1	0.124	40	1.05	0.091	0.45	3.6	2.7	4.23	0.19	193	3.6	1.12	4.9	6.25	<0.1	0.11
STD DS7	Standard	12.6	220.2	1.17	463.4	0.127	43	1.16	0.113	0.52	3.8	3.1	4.69	0.21	223	4.0	1.27	5.5	6.92	0.1	0.15
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02

QUALITY CONTROL REPORT

VAN08007796.2

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Weight	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	g	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	
843HM022-150HN	Heavy Minera	0.20	1.2	0.2	<0.05	0.4	9.97	12.0	0.02	5	0.1	2.5	<10	<2	8.414
Pulp Duplicates															
843HM017-150HN	Heavy Minera	0.32	2.6	0.2	<0.05	1.6	17.22	41.5	<0.02	<1	0.1	7.7	<10	<2	0.803
REP 843HM017-150HN	QC	0.39	2.6	0.2	<0.05	1.8	18.81	46.3	<0.02	<1	<0.1	8.3	<10	<2	0.303
843HM020-150HN	Heavy Minera	0.38	1.4	0.3	<0.05	1.4	28.94	53.1	<0.02	2	0.2	3.5	<10	<2	1.006
REP 843HM020-150HN	QC	0.38	1.6	0.2	<0.05	1.4	30.24	54.2	<0.02	5	0.2	3.6	<10	<2	0.503
843HM109-150HN	Heavy Minera	0.51	1.4	0.8	<0.05	1.9	326.2	1390	<0.02	2	0.1	2.3	<10	3	0.501
REP 843HM109-150HN	QC	0.53	1.5	0.2	<0.05	2.2	327.1	1517	<0.02	<1	<0.1	1.6	<10	4	0.371
Reference Materials															
STD DS7	Standard	0.43	36.8	4.5	<0.05	5.5	5.86	39.2	1.51	4	2.1	31.1	74	40	1.007
STD DS7	Standard	0.46	41.7	4.8	<0.05	6.4	6.15	40.7	1.62	3	2.0	33.0	100	39	1.006
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	30
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	30



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: August 06, 2008
 Report Date: September 24, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08008022.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number 843
 Number of Samples: 20

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	20	Sorting of samples on arrival and labeling		
1F15	19	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed
1F30	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
843HM036-60+150HN	Heavy Mineral	0.74	31.30	7.52	45.0	511	6.8	10.9	151	1.08	5.6	5897	29.7	0.14	0.26	1.35	23	0.56	0.092	6.8	6.9
843HM037-60+150HN	Heavy Mineral	0.85	8.98	6.42	18.1	27	2.6	6.7	143	0.69	2.4	5.8	22.3	0.22	0.43	<0.02	31	0.79	0.234	23.7	3.8
843HM038-60+150HN	Heavy Mineral	2.79	12.51	2.03	24.1	74	2.5	52.8	343	1.38	4.9	11.1	34.6	0.02	0.47	<0.02	40	1.96	0.727	55.6	3.8
843HM039-60+150HN	Heavy Mineral	1.10	47.46	6.47	26.5	662	4.8	11.4	148	0.75	2.1	6080	26.4	0.14	0.44	37.21	34	0.74	0.112	30.6	4.4
843HM040-60+150HN	Heavy Mineral	23.72	39.21	80.56	101.7	456	1.9	6.9	80	0.57	1.2	251.4	12.1	1.07	0.24	52.09	13	0.31	0.075	12.1	2.2
843HM041-60+150HN	Heavy Mineral	10.28	47.50	36.47	28.9	1573	5.2	58.4	102	1.03	3.1	51.7	18.5	0.29	0.41	78.08	22	0.95	0.278	56.6	3.3
843HM042-60+150HN	Heavy Mineral	140.4	221.4	627.2	231.6	969	61.4	128.5	142	14.53	24.7	26.8	19.6	2.79	2.19	19.08	17	1.02	0.326	41.8	1.3
843HM043-60+150HN	Heavy Mineral	16.94	71.02	72.02	116.6	509	1.9	1.8	110	0.43	2.3	5.6	7.3	0.56	1.05	117.5	19	0.41	0.068	24.8	1.9
843HM044-60+150HN	Heavy Mineral	8.71	326.3	504.9	241.1	26890	27.9	31.0	145	2.17	333.8	89577	54.5	3.98	6.70	131.2	32	0.86	0.197	13.4	5.0
843HM045-60+150HN	Heavy Mineral	0.72	84.61	4.70	24.5	584	11.1	31.7	120	1.33	96.8	6937	29.4	0.20	0.37	15.06	32	0.82	0.143	12.7	4.2
843HM046-60+150HN	Heavy Mineral	32.85	139.2	9.77	23.9	79	6.9	17.0	95	0.88	7.3	9.2	21.0	0.17	0.29	5.45	28	1.37	0.444	15.6	5.2
843HM047-60+150HN	Heavy Mineral	15.03	288.6	239.7	26.4	2005	15.8	92.5	66	3.30	14.9	58.0	15.4	0.50	3.09	65.23	12	1.16	0.483	16.8	2.5
843HM048-60+150HN	Heavy Mineral	23.40	55.12	45.69	13.2	176	5.5	16.2	103	0.57	4.0	15.0	20.1	0.15	0.23	20.63	21	1.26	0.603	32.6	3.0
843HM049-60+150HN	Heavy Mineral	5.05	66.27	13.70	13.9	1288	3.6	18.5	79	0.89	3.4	18785	11.1	0.15	1.20	20.02	9	0.43	0.191	5.0	3.1
843HM050-60+150HN	Heavy Mineral	13.93	136.2	4.58	212.8	170	16.7	34.5	110	2.64	363.9	12.9	19.5	2.35	0.86	0.15	26	0.85	0.253	8.7	3.2
843HM051-60+150HN	Heavy Mineral	10.29	148.9	17.41	165.8	972	21.9	32.4	120	3.46	469.5	7.5	20.8	2.19	1.27	1.76	24	0.85	0.234	6.8	2.6
843HM052-60+150HN	Heavy Mineral	23.79	104.2	3.44	69.2	740	11.7	45.3	148	2.44	205.3	4322	26.9	0.85	0.38	0.39	36	1.80	0.646	20.3	4.4
843HM053-60+150HN	Heavy Mineral	14.21	140.6	4.11	11.7	842	41.3	124.1	81	4.72	1022	3162	13.1	0.13	1.80	12.18	21	0.94	0.289	16.6	3.8
843HM054-60+150HN	Heavy Mineral	8.03	107.6	3.92	43.6	130	20.7	91.1	84	1.77	264.5	5.7	16.3	0.54	0.47	6.24	22	1.11	0.403	13.5	3.9
843HM055-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 24, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
843HM036-60+150HN	Heavy Mineral	0.37	24.7	0.117	3	0.73	0.007	0.02	1.8	1.5	<0.02	0.21	36	0.6	0.05	1.7	0.24	<0.1	0.06	0.58	1.1
843HM037-60+150HN	Heavy Mineral	0.23	31.7	0.255	2	0.49	0.005	0.06	1.4	1.7	<0.02	0.04	9	0.2	0.05	1.7	0.44	0.2	0.26	1.80	3.4
843HM038-60+150HN	Heavy Mineral	0.40	66.9	0.386	3	0.64	0.005	0.18	22.7	2.6	0.03	0.17	<5	<0.1	<0.02	2.0	0.76	0.4	0.25	3.80	10.6
843HM039-60+150HN	Heavy Mineral	0.25	14.7	0.343	2	0.55	0.007	0.02	12.7	2.2	<0.02	0.11	<5	0.7	0.05	1.9	0.80	0.3	0.29	6.36	1.2
843HM040-60+150HN	Heavy Mineral	0.11	12.1	0.113	1	0.25	0.006	0.01	8.5	1.1	<0.02	0.31	15	0.2	0.09	0.8	0.35	<0.1	0.06	1.62	0.8
843HM041-60+150HN	Heavy Mineral	0.13	14.0	0.272	3	0.33	0.010	0.02	24.5	1.8	<0.02	0.50	21	0.5	0.10	1.1	0.34	0.2	0.29	7.02	0.8
843HM042-60+150HN	Heavy Mineral	0.06	37.7	0.271	4	0.15	0.006	0.02	69.1	1.6	<0.02	>10	99	11.6	1.03	0.6	0.33	0.4	0.49	9.35	0.9
843HM043-60+150HN	Heavy Mineral	0.07	9.5	0.255	4	0.22	0.005	0.02	6.4	1.3	0.03	0.12	15	0.6	1.81	0.8	0.77	0.2	0.23	6.15	1.3
843HM044-60+150HN	Heavy Mineral	0.28	1128	0.214	4	0.62	0.007	0.03	39.9	1.6	0.08	1.29	182	1.4	10.51	1.5	0.55	0.1	0.14	1.54	1.5
843HM045-60+150HN	Heavy Mineral	0.28	24.9	0.324	3	0.69	0.015	0.08	5.8	1.3	0.03	0.71	8	0.2	0.09	1.8	0.43	0.2	0.32	2.99	3.7
843HM046-60+150HN	Heavy Mineral	0.13	19.2	0.304	10	0.32	0.007	0.02	9.7	1.1	<0.02	0.43	24	0.3	3.01	1.1	0.29	0.2	0.29	2.89	1.2
843HM047-60+150HN	Heavy Mineral	0.10	33.1	0.107	5	0.26	0.016	0.03	3.3	0.8	<0.02	2.68	24	2.6	15.92	0.7	0.64	0.1	0.05	1.04	1.5
843HM048-60+150HN	Heavy Mineral	0.14	20.0	0.120	7	0.38	0.020	0.05	1.1	1.4	<0.02	0.23	<5	0.3	0.26	1.3	1.09	<0.1	0.10	1.88	3.6
843HM049-60+150HN	Heavy Mineral	0.14	14.6	0.040	4	0.26	0.011	0.03	13.8	0.8	<0.02	0.52	6	0.5	0.27	0.7	0.61	<0.1	0.04	0.26	1.4
843HM050-60+150HN	Heavy Mineral	0.08	16.1	0.108	2	0.33	0.003	0.01	16.3	1.4	0.15	1.94	33	4.0	0.10	0.9	0.18	<0.1	0.13	0.79	0.6
843HM051-60+150HN	Heavy Mineral	0.08	17.1	0.064	2	0.34	0.003	0.01	24.2	1.5	0.27	2.86	26	6.1	0.17	0.9	0.18	0.1	0.08	0.37	0.6
843HM052-60+150HN	Heavy Mineral	0.13	15.5	0.333	2	0.42	0.007	0.02	53.0	1.9	0.04	1.43	<5	1.9	0.13	1.2	0.25	<0.1	0.31	2.13	1.2
843HM053-60+150HN	Heavy Mineral	0.09	20.7	0.257	2	0.23	0.005	0.03	25.1	1.0	0.36	4.23	107	4.6	5.24	0.7	0.20	0.2	0.36	2.47	1.1
843HM054-60+150HN	Heavy Mineral	0.25	14.7	0.185	3	0.24	0.003	0.02	74.3	1.1	0.03	1.23	36	1.5	3.42	0.7	0.14	<0.1	0.23	1.75	0.8
843HM055-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 3

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
843HM036-60+150HN	Heavy Mineral	0.3	<0.05	1.5	7.33	15.0	<0.02	1	<0.1	4.2	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM037-60+150HN	Heavy Mineral	1.5	<0.05	3.4	28.26	54.3	<0.02	2	<0.1	7.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM038-60+150HN	Heavy Mineral	1.6	<0.05	3.6	51.75	125.0	0.02	5	0.3	6.8	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM039-60+150HN	Heavy Mineral	4.0	<0.05	5.5	37.56	76.9	<0.02	1	0.1	5.9	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM040-60+150HN	Heavy Mineral	0.9	<0.05	1.1	14.77	31.0	0.02	<1	<0.1	2.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM041-60+150HN	Heavy Mineral	4.1	<0.05	4.2	39.31	109.6	<0.02	4	<0.1	3.8	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM042-60+150HN	Heavy Mineral	4.2	<0.05	6.4	47.88	110.4	<0.02	16	<0.1	1.8	29	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM043-60+150HN	Heavy Mineral	4.1	<0.05	4.5	36.18	74.7	0.04	<1	<0.1	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM044-60+150HN	Heavy Mineral	0.3	<0.05	2.5	17.87	32.5	0.04	3	0.1	4.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM045-60+150HN	Heavy Mineral	0.8	<0.05	4.2	20.49	32.4	<0.02	<1	<0.1	3.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM046-60+150HN	Heavy Mineral	0.9	<0.05	4.8	35.04	38.8	<0.02	1	<0.1	3.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM047-60+150HN	Heavy Mineral	0.2	<0.05	1.6	25.23	39.8	0.03	6	0.2	2.9	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM048-60+150HN	Heavy Mineral	4.7	<0.05	1.9	45.92	79.9	<0.02	7	<0.1	6.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM049-60+150HN	Heavy Mineral	0.1	<0.05	0.4	11.02	12.8	<0.02	2	<0.1	3.2	<10	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM050-60+150HN	Heavy Mineral	0.4	<0.05	2.6	21.04	19.7	0.02	30	<0.1	2.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM051-60+150HN	Heavy Mineral	2.5	<0.05	2.2	18.12	14.9	<0.02	25	<0.1	2.4	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM052-60+150HN	Heavy Mineral	0.7	<0.05	5.9	50.69	48.7	<0.02	33	<0.1	3.2	13	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM053-60+150HN	Heavy Mineral	0.9	<0.05	4.6	36.47	41.5	<0.02	26	<0.1	2.1	12	6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM054-60+150HN	Heavy Mineral	0.7	<0.05	4.0	35.51	32.7	<0.02	15	<0.1	1.8	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM055-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.11	6.89	1.04	5.1	<2	2.5	1.4	47	0.24



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 4

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
843HM036-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM037-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM038-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM039-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM040-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM041-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM042-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM043-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM044-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM045-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM046-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM047-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM048-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM049-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM050-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM051-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM052-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM053-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM054-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM055-60+150HN	Heavy Mineral	1.4	1.7	14.8	0.02	0.05	<0.02	9	0.47	0.135	2.7	4.1	0.11	18.2	0.023	3	0.27	0.008	0.04	<0.1	0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 5

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
843HM036-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM037-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM038-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM039-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM040-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM041-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM042-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM043-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM044-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM045-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM046-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM047-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM048-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM049-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM050-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM051-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM052-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM053-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM054-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM055-60+150HN	Heavy Mineral	<0.02	<0.02	10	<0.1	<0.02	0.7	0.30	<0.1	<0.02	0.08	2.0	<0.1	<0.05	0.2	3.41	5.4	<0.02	<1	<0.1	2.3



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 6

CERTIFICATE OF ANALYSIS

VAN08008022.1

Method	1F30	1F30
Analyte	Pd	Pt
Unit	ppb	ppb
MDL	10	2
843HM036-60+150HN	Heavy Mineral	N.A. N.A.
843HM037-60+150HN	Heavy Mineral	N.A. N.A.
843HM038-60+150HN	Heavy Mineral	N.A. N.A.
843HM039-60+150HN	Heavy Mineral	N.A. N.A.
843HM040-60+150HN	Heavy Mineral	N.A. N.A.
843HM041-60+150HN	Heavy Mineral	N.A. N.A.
843HM042-60+150HN	Heavy Mineral	N.A. N.A.
843HM043-60+150HN	Heavy Mineral	N.A. N.A.
843HM044-60+150HN	Heavy Mineral	N.A. N.A.
843HM045-60+150HN	Heavy Mineral	N.A. N.A.
843HM046-60+150HN	Heavy Mineral	N.A. N.A.
843HM047-60+150HN	Heavy Mineral	N.A. N.A.
843HM048-60+150HN	Heavy Mineral	N.A. N.A.
843HM049-60+150HN	Heavy Mineral	N.A. N.A.
843HM050-60+150HN	Heavy Mineral	N.A. N.A.
843HM051-60+150HN	Heavy Mineral	N.A. N.A.
843HM052-60+150HN	Heavy Mineral	N.A. N.A.
843HM053-60+150HN	Heavy Mineral	N.A. N.A.
843HM054-60+150HN	Heavy Mineral	N.A. N.A.
843HM055-60+150HN	Heavy Mineral	<10 <2

QUALITY CONTROL REPORT

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
843HM042-60+150HN	Heavy Minera	140.4	221.4	627.2	231.6	969	61.4	128.5	142	14.53	24.7	26.8	19.6	2.79	2.19	19.08	17	1.02	0.326	41.8	1.3
REP 843HM042-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM055-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM055-60+150HN	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard	21.09	111.5	67.78	397.6	956	54.8	9.6	617	2.40	50.1	62.6	76.5	6.56	5.72	4.52	82	0.98	0.077	13.7	191.5
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank																				
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
Pulp Duplicates																					
843HM042-60+150HN Heavy Minera	0.06	37.7	0.271	4	0.15	0.006	0.02	69.1	1.6	<0.02	>10	99	11.6	1.03	0.6	0.33	0.4	0.49	9.35	0.9	
REP 843HM042-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM055-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM055-60+150HN QC																					
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard	1.06	379.6	0.121	42	1.05	0.097	0.42	3.7	2.7	4.17	0.19	183	3.4	1.03	4.5	5.84	0.1	0.14	0.68	34.0	
STD DS7 Expected	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	
BLK Blank																					
BLK Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	

QUALITY CONTROL REPORT

VAN08008022.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
Pulp Duplicates																					
843HM042-60+150HN	Heavy Minera	4.2	<0.05	6.4	47.88	110.4	<0.02	16	<0.1	1.8	29	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM042-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.									
843HM055-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.11	6.89	1.04	5.1	<2	2.5	1.4	47	0.24
REP 843HM055-60+150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard												21.01	113.9	73.22	401.8	875	57.8	10.1	652	2.45
STD DS7	Standard	4.9	<0.05	5.6	5.91	37.3	1.61	3	1.8	30.3	60	38									
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	20.92	109	70.6	411	890	56	9.7	627	2.39
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2									

QUALITY CONTROL REPORT

VAN08008022.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
Pulp Duplicates																					
843HM042-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM042-60+150HN	QC																				
843HM055-60+150HN	Heavy Minera	1.4	1.7	14.8	0.02	0.05	<0.02	9	0.47	0.135	2.7	4.1	0.11	18.2	0.023	3	0.27	0.008	0.04	<0.1	0.5
REP 843HM055-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	49.9	96.7	69.7	6.07	5.63	4.48	90	0.99	0.068	13.6	178.3	1.07	370.2	0.136	36	0.97	0.075	0.44	4.2	2.7
STD DS7	Standard																				
STD DS7 Expected		48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5
BLK	Blank	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08008022.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
Pulp Duplicates																					
843HM042-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM042-60+150HN	QC																				
843HM055-60+150HN	Heavy Minera	<0.02	<0.02	10	<0.1	<0.02	0.7	0.30	<0.1	<0.02	0.08	2.0	<0.1	<0.05	0.2	3.41	5.4	<0.02	<1	<0.1	2.3
REP 843HM055-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	4.31	0.18	203	3.4	1.15	4.7	6.25	<0.1	0.11	0.61	38.5	4.6	<0.05	5.5	5.77	36.4	1.70	3	1.4	28.6
STD DS7	Standard																				
STD DS7 Expected		4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3
BLK	Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1
BLK	Blank																				



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: September 24, 2008

Page: 1 of 1 **Part** 6

QUALITY CONTROL REPORT

VAN08008022.1

	Method	1F30	1F30
	Analyte	Pd	Pt
	Unit	ppb	ppb
	MDL	10	2
Pulp Duplicates			
843HM042-60+150HN	Heavy Minera	N.A.	N.A.
REP 843HM042-60+150HN	QC		
843HM055-60+150HN	Heavy Minera	<10	<2
REP 843HM055-60+150HN	QC	I.S.	I.S.
Reference Materials			
STD DS7	Standard	68	39
STD DS7	Standard		
STD DS7 Expected		58	37
BLK	Blank	<10	<2
BLK	Blank		



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: August 13, 2008
 Report Date: September 24, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08008232.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number
 Number of Samples: 20

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	20	Sorting of samples on arrival and labeling		
1F	9	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed
1F15	11	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
843HM036-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM037-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM038-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM039-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM040-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM041-150HN	Heavy Mineral	3.99	26.34	17.73	26.5	4210	2.7	14.3	91	0.41	5.1	18126	28.7	0.17	0.17	21.70	11	2.17	0.834	44.8	3.2
843HM042-150HN	Heavy Mineral	63.55	159.8	526.0	112.7	413	46.0	95.3	155	8.96	33.4	305.9	40.2	0.93	0.64	4.91	16	2.60	0.990	73.6	2.7
843HM043-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM044-150HN	Heavy Mineral	0.87	311.2	618.7	205.2	51024	46.5	48.2	157	2.69	868.3	>100000	43.4	3.20	8.22	80.56	20	1.65	0.684	24.5	7.4
843HM045-150HN	Heavy Mineral	0.69	76.97	6.19	27.9	3597	11.3	30.8	100	1.19	100.3	24001	23.3	0.13	0.23	16.19	16	0.73	0.219	7.2	5.6
843HM046-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM047-150HN	Heavy Mineral	1.66	50.62	63.32	8.8	839	3.5	12.2	57	0.52	5.0	3611	19.3	0.07	0.21	16.21	7	1.56	0.593	20.6	2.3
843HM048-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM049-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM050-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM051-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM052-150HN	Heavy Mineral	2.23	67.71	4.75	61.5	63	9.5	30.1	149	1.52	112.8	0.9	31.7	0.78	0.28	0.17	23	2.59	0.964	25.1	5.7
843HM053-150HN	Heavy Mineral	2.80	104.6	2.93	17.5	103	19.6	42.2	78	1.82	384.7	1.5	23.8	0.27	0.58	11.52	12	1.69	0.717	12.7	3.8
843HM054-150HN	Heavy Mineral	7.30	149.6	6.97	40.0	643	24.9	73.8	115	1.98	238.6	1270	42.8	0.52	0.53	2.03	19	3.64	1.434	26.9	6.1
843HM055-150HN	Heavy Mineral	0.14	9.19	0.85	7.7	3	4.0	1.9	65	0.33	3.0	<0.2	14.9	0.02	0.03	0.03	11	0.75	0.255	4.9	9.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843HM036-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM037-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM038-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM039-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM040-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM041-150HN	Heavy Mineral	0.11	13.6	0.044	<20	0.40	0.032	0.02	72.0	1.1	<0.02	0.15	252	0.5	0.02	1.1	0.44	<0.1	<0.02	0.41
843HM042-150HN	Heavy Mineral	0.12	13.9	0.067	<20	0.34	0.020	0.05	>100	1.1	0.03	8.86	23	8.5	0.19	1.2	1.00	0.2	0.11	1.50
843HM043-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM044-150HN	Heavy Mineral	0.24	750.9	0.091	<20	0.56	0.019	0.05	>100	1.8	<0.02	2.19	389	2.1	5.89	1.4	0.91	0.2	0.10	0.55
843HM045-150HN	Heavy Mineral	0.26	27.1	0.097	<20	0.61	0.034	0.09	34.7	1.2	0.04	0.76	22	0.6	3.88	1.7	0.55	<0.1	0.05	0.49
843HM046-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM047-150HN	Heavy Mineral	0.08	23.5	0.023	<20	0.26	0.025	0.03	11.8	0.6	<0.02	0.35	24	0.6	2.25	0.7	0.54	<0.1	<0.02	0.12
843HM048-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM049-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM050-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM051-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM052-150HN	Heavy Mineral	0.16	22.3	0.097	<20	0.42	0.018	0.03	>100	1.8	0.04	0.98	<5	2.5	0.09	1.4	0.31	<0.1	0.08	0.43
843HM053-150HN	Heavy Mineral	0.10	23.8	0.065	<20	0.32	0.023	0.03	57.3	1.0	0.14	1.48	157	2.1	5.79	0.9	0.22	<0.1	0.07	0.43
843HM054-150HN	Heavy Mineral	0.24	18.6	0.042	<20	0.34	0.012	0.03	>100	1.8	0.11	1.64	38	3.0	0.55	1.1	0.16	0.1	0.05	0.17
843HM055-150HN	Heavy Mineral	0.16	24.8	0.021	<20	0.32	0.013	0.07	0.1	0.7	0.02	<0.02	<5	0.3	<0.02	0.9	0.34	<0.1	<0.02	0.03



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 3

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
843HM036-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.93	31.14	3.43	26.3	1317	7.3	8.4	175	1.07	
843HM037-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.32	8.11	2.43	14.5	220	2.2	2.7	115	0.46	
843HM038-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.54	12.55	1.36	20.2	15	2.0	9.9	388	0.96	
843HM039-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.86	22.08	2.71	19.4	<2	4.3	5.8	104	0.56	
843HM040-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	14.31	19.71	53.59	73.9	2150	1.6	4.3	75	0.39	
843HM041-150HN	Heavy Mineral	0.6	<0.05	1.0	36.09	89.0	<0.02	<1	<0.1	4.0	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM042-150HN	Heavy Mineral	1.0	<0.05	2.1	62.25	167.0	<0.02	8	0.2	3.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM043-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	7.77	36.50	41.44	141.2	212	3.3	1.8	126	0.39	
843HM044-150HN	Heavy Mineral	0.4	<0.05	1.8	37.29	59.3	<0.02	8	0.1	6.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM045-150HN	Heavy Mineral	0.3	<0.05	1.3	10.18	16.2	<0.02	<1	0.2	4.1	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM046-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	11.06	53.04	6.57	16.3	940	4.6	8.0	111	0.60	
843HM047-150HN	Heavy Mineral	0.1	<0.05	0.6	20.39	45.9	<0.02	<1	<0.1	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM048-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.58	17.00	2.98	11.6	29	2.6	3.2	94	0.35	
843HM049-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.14	36.17	15.06	11.4	457	2.5	7.4	93	0.49	
843HM050-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	24.93	183.6	7.87	168.3	240	14.9	28.1	127	2.13	
843HM051-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	11.85	125.2	5.17	134.3	150	11.4	11.8	139	2.12	
843HM052-150HN	Heavy Mineral	0.3	<0.05	2.2	61.38	59.3	<0.02	5	<0.1	3.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM053-150HN	Heavy Mineral	0.3	<0.05	2.1	36.65	29.8	<0.02	10	<0.1	2.4	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM054-150HN	Heavy Mineral	0.3	<0.05	2.7	79.60	63.2	<0.02	16	<0.1	1.8	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM055-150HN	Heavy Mineral	<0.1	<0.05	0.2	6.36	10.3	<0.02	<1	<0.1	3.2	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 4

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc
Unit		ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm
MDL		0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1
843HM036-150HN	Heavy Mineral	8.9	6006	26.4	0.13	0.30	0.20	43	0.55	0.121	8.6	9.7	0.40	35.0	0.124	4	0.80	0.015	0.05	1.6	2.1
843HM037-150HN	Heavy Mineral	3.1	631.7	15.8	0.07	0.20	0.05	15	1.68	0.757	31.8	3.0	0.17	30.3	0.117	<1	0.39	0.009	0.06	1.9	1.1
843HM038-150HN	Heavy Mineral	13.9	10.8	52.6	0.01	0.26	0.06	40	9.65	4.406	134.7	3.6	0.38	63.9	0.275	3	0.61	0.022	0.20	30.5	2.3
843HM039-150HN	Heavy Mineral	2.3	6.7	18.0	0.08	0.21	9.46	39	0.64	0.156	17.4	4.0	0.18	16.6	0.162	<1	0.51	0.016	0.03	12.4	2.4
843HM040-150HN	Heavy Mineral	2.0	9462	16.6	0.56	0.20	26.05	12	0.54	0.178	18.8	1.7	0.10	14.8	0.086	1	0.30	0.010	0.02	8.4	1.1
843HM041-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM042-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM043-150HN	Heavy Mineral	2.7	1233	16.9	0.57	0.36	11.93	37	0.69	0.248	26.2	1.5	0.10	17.1	0.100	<1	0.41	0.014	0.04	2.8	1.6
843HM044-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM045-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM046-150HN	Heavy Mineral	9.9	3667	23.8	0.16	0.18	5.15	44	1.51	0.709	16.0	5.4	0.17	28.1	0.156	<1	0.48	0.033	0.04	6.8	0.9
843HM047-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM048-150HN	Heavy Mineral	2.0	32.3	15.9	0.11	0.09	0.40	15	0.76	0.311	19.6	2.1	0.16	19.4	0.050	2	0.36	0.017	0.06	0.7	1.3
843HM049-150HN	Heavy Mineral	3.7	84.6	19.4	0.66	1.18	6.25	15	1.12	0.533	13.5	2.8	0.13	19.9	0.048	<1	0.34	0.021	0.03	6.1	1.0
843HM050-150HN	Heavy Mineral	264.8	37.8	34.5	2.03	0.78	2.33	60	2.50	1.053	24.8	3.9	0.08	36.6	0.197	<1	0.45	0.011	0.03	23.9	2.5
843HM051-150HN	Heavy Mineral	126.0	4.1	33.6	1.59	0.57	2.41	42	1.67	0.630	14.8	5.1	0.09	34.4	0.116	<1	0.46	0.010	0.03	11.9	2.7
843HM052-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM053-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM054-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM055-150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 5

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.02	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1
843HM036-150HN Heavy Mineral	0.02	0.09	35	1.1	<0.02	2.2	0.47	<0.1	0.08	0.86	2.5	0.4	<0.05	1.9	7.70	17.8	0.04	7	<0.1	6.5
843HM037-150HN Heavy Mineral	0.02	<0.02	<5	1.0	<0.02	1.3	0.44	<0.1	0.09	1.10	3.3	0.5	<0.05	1.6	43.07	81.3	<0.02	<1	<0.1	6.5
843HM038-150HN Heavy Mineral	0.05	<0.02	14	3.2	<0.02	2.2	0.82	0.7	0.11	3.87	11.6	1.6	<0.05	2.8	215.5	375.4	<0.02	<1	<0.1	7.3
843HM039-150HN Heavy Mineral	<0.02	0.05	<5	1.0	<0.02	1.1	1.29	0.5	0.13	3.31	2.1	0.5	<0.05	2.7	17.23	41.7	<0.02	<1	<0.1	5.3
843HM040-150HN Heavy Mineral	<0.02	0.17	15	0.5	0.34	0.9	0.49	0.2	0.02	1.45	0.9	0.6	<0.05	1.1	19.75	46.8	<0.02	<1	<0.1	2.8
843HM041-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM042-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM043-150HN Heavy Mineral	0.04	0.07	<5	0.7	<0.02	1.0	1.48	<0.1	<0.02	2.57	3.0	1.3	<0.05	2.1	26.18	64.6	0.07	11	<0.1	2.5
843HM044-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM045-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM046-150HN Heavy Mineral	0.03	0.15	<5	1.8	<0.02	1.5	0.63	<0.1	0.07	1.28	1.9	0.2	<0.05	2.5	30.63	36.2	<0.02	<1	<0.1	5.6
843HM047-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM048-150HN Heavy Mineral	0.03	0.03	<5	0.7	<0.02	1.4	1.05	<0.1	<0.02	0.60	3.3	0.3	<0.05	0.6	17.64	43.8	<0.02	2	<0.1	5.5
843HM049-150HN Heavy Mineral	<0.02	0.22	24	0.5	<0.02	0.9	0.68	0.1	<0.02	0.38	1.6	0.2	<0.05	0.6	24.46	33.6	<0.02	3	0.1	2.9
843HM050-150HN Heavy Mineral	0.15	1.43	<5	4.2	0.40	1.4	0.25	0.2	0.13	1.39	1.5	0.3	<0.05	3.8	59.96	57.6	<0.02	45	<0.1	2.2
843HM051-150HN Heavy Mineral	0.17	1.34	15	3.7	1.17	1.3	0.28	0.2	0.08	0.72	1.2	0.4	<0.05	2.8	38.23	34.6	<0.02	23	<0.1	2.7
843HM052-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM053-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM054-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM055-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 24, 2008

Page: 2 of 2 Part 6

CERTIFICATE OF ANALYSIS

VAN08008232.1

Method	1F15	1F15
Analyte	Pd	Pt
Unit	ppb	ppb
MDL	10	2
843HM036-150HN	Heavy Mineral	<10 5
843HM037-150HN	Heavy Mineral	<10 <2
843HM038-150HN	Heavy Mineral	<10 <2
843HM039-150HN	Heavy Mineral	21 <2
843HM040-150HN	Heavy Mineral	<10 <2
843HM041-150HN	Heavy Mineral	N.A. N.A.
843HM042-150HN	Heavy Mineral	N.A. N.A.
843HM043-150HN	Heavy Mineral	<10 <2
843HM044-150HN	Heavy Mineral	N.A. N.A.
843HM045-150HN	Heavy Mineral	N.A. N.A.
843HM046-150HN	Heavy Mineral	11 5
843HM047-150HN	Heavy Mineral	N.A. N.A.
843HM048-150HN	Heavy Mineral	<10 2
843HM049-150HN	Heavy Mineral	11 7
843HM050-150HN	Heavy Mineral	19 2
843HM051-150HN	Heavy Mineral	<10 <2
843HM052-150HN	Heavy Mineral	N.A. N.A.
843HM053-150HN	Heavy Mineral	N.A. N.A.
843HM054-150HN	Heavy Mineral	N.A. N.A.
843HM055-150HN	Heavy Mineral	N.A. N.A.

QUALITY CONTROL REPORT

VAN08008232.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
843HM036-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM036-150HN	QC																				
843HM042-150HN	Heavy Minera	63.55	159.8	526.0	112.7	413	46.0	95.3	155	8.96	33.4	305.9	40.2	0.93	0.64	4.91	16	2.60	0.990	73.6	2.7
REP 843HM042-150HN	QC	51.37	151.7	456.2	147.2	1387	48.6	98.1	160	9.16	67.3	24.2	45.8	1.58	1.68	6.72	17	2.73	1.029	78.7	2.6
Reference Materials																					
STD DS7	Standard	20.99	105.7	73.87	403.1	800	54.6	9.3	583	2.29	50.3	55.0	68.2	6.47	3.78	4.61	83	0.88	0.075	11.6	189.6
STD DS7	Standard	19.91	106.7	71.62	394.9	833	55.4	9.7	634	2.37	58.0	53.1	73.0	6.72	4.00	4.41	82	0.91	0.076	12.2	190.9
STD DS7	Standard																				
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08008232.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit		%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
Pulp Duplicates																					
843HM036-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM036-150HN	QC																				
843HM042-150HN	Heavy Minera	0.12	13.9	0.067	<20	0.34	0.020	0.05	>100	1.1	0.03	8.86	23	8.5	0.19	1.2	1.00	0.2	0.11	1.50	2.4
REP 843HM042-150HN	QC	0.12	15.3	0.069	<20	0.33	0.019	0.05	>100	1.2	0.03	9.94	49	9.1	0.21	1.2	1.03	0.2	0.09	1.56	2.9
Reference Materials																					
STD DS7	Standard	1.01	390.7	0.116	42	0.95	0.089	0.47	3.4	2.8	4.26	0.19	222	3.4	1.15	4.6	5.91	<0.1	0.12	0.32	34.7
STD DS7	Standard	1.04	386.8	0.118	45	1.00	0.097	0.50	3.4	2.7	4.23	0.18	216	3.6	1.27	4.8	5.97	0.1	0.13	0.33	35.7
STD DS7	Standard																				
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK	Blank	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08008232.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
Pulp Duplicates																					
843HM036-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.93	31.14	3.43	26.3	1317	7.3	8.4	175	1.07	
REP 843HM036-150HN	QC											I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM042-150HN	Heavy Minera	1.0	<0.05	2.1	62.25	167.0	<0.02	8	0.2	3.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM042-150HN	QC	0.9	<0.05	2.2	66.97	185.0	<0.02	3	<0.1	4.2	<10	<2									
Reference Materials																					
STD DS7	Standard	4.7	<0.05	5.4	4.76	33.2	1.66	3	1.8	29.3	61	40									
STD DS7	Standard	4.9	<0.05	5.5	5.13	34.1	1.68	5	1.8	30.5	53	40									
STD DS7	Standard												19.15	103.1	63.71	375.2	1000	54.8	9.2	651	2.35
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	20.92	109	70.6	411	890	56	9.7	627	2.39
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2									
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01

QUALITY CONTROL REPORT

VAN08008232.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
Pulp Duplicates																					
843HM036-150HN Heavy Minera	8.9	6006	26.4	0.13	0.30	0.20	43	0.55	0.121	8.6	9.7	0.40	35.0	0.124	4	0.80	0.015	0.05	1.6	2.1	
REP 843HM036-150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
843HM042-150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM042-150HN QC																					
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	49.3	69.0	65.9	5.92	5.05	4.25	80	0.95	0.074	12.2	172.2	1.03	370.3	0.106	37	0.95	0.092	0.47	3.3	2.7	
STD DS7 Expected	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	
BLK Blank																					
BLK Blank	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08008232.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
Pulp Duplicates																					
843HM036-150HN Heavy Minera	0.02	0.09	35	1.1	<0.02	2.2	0.47	<0.1	0.08	0.86	2.5	0.4	<0.05	1.9	7.70	17.8	0.04	7	<0.1	6.5	
REP 843HM036-150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM042-150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM042-150HN QC																					
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	4.03	0.19	203	3.7	1.20	4.6	5.95	<0.1	0.09	0.57	35.4	4.8	<0.05	5.5	5.26	34.7	1.50	3	1.6	28.6	
STD DS7 Expected	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	
BLK Blank																					
BLK Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08008232.1

	Method	1F15	1F15
	Analyte	Pd	Pt
	Unit	ppb	ppb
	MDL	10	2
Pulp Duplicates			
843HM036-150HN	Heavy Minera	<10	5
REP 843HM036-150HN	QC	I.S.	I.S.
843HM042-150HN	Heavy Minera	N.A.	N.A.
REP 843HM042-150HN	QC		
Reference Materials			
STD DS7	Standard		
STD DS7	Standard		
STD DS7	Standard	73	38
STD DS7 Expected		58	37
BLK	Blank		
BLK	Blank	<10	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By:

Joshua Bailey

Receiving Lab:

Canada-Vancouver

Received:

August 22, 2008

Report Date:

November 24, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08008535.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID: 08/08/20
 P.O. Number 843
 Number of Samples: 3

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	3	Sorting of samples on arrival and labeling		
1F	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed
1F15	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Data for Sample # 843HM058-60+150HN from VAN08008535R



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08008535.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
843HM056-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-60+150HN	Heavy Mineral	14.30	256.5	2.23	18.1	36	5.2	23.1	138	1.09	19.9	1.8	14.2	0.19	0.09	0.08	26	0.54	0.088	7.3	5.8
843HM058-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08008535.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit		%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843HM056-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-60+150HN	Heavy Mineral	0.31	41.7	0.260	<20	0.42	0.003	<0.01	>100	1.5	<0.02	0.45	<5	0.7	0.02	1.1	0.12	<0.1	0.20	1.49	0.4
843HM058-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 3

CERTIFICATE OF ANALYSIS

VAN08008535.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01
843HM056-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.91	19.19	1.61	2.4	<2	1.9	7.4	39	0.30
843HM057-60+150HN	Heavy Mineral	0.6	<0.05	3.0	20.00	19.0	<0.02	7	<0.1	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 4

CERTIFICATE OF ANALYSIS

VAN08008535.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1
843HM056-60+150HN Heavy Mineral	0.9	1.8	10.5	0.08	0.12	0.91	23	0.73	0.093	13.5	2.5	0.05	9.9	0.425	1	0.23	0.003	<0.01	12.8	0.3
843HM057-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN Heavy Mineral	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 5

CERTIFICATE OF ANALYSIS

VAN08008535.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1
843HM056-60+150HN Heavy Mineral	<0.02	0.10	<5	0.5	<0.02	0.6	0.09	0.2	0.65	5.22	0.4	2.1	0.07	6.4	32.06	46.1	<0.02	<1	<0.1	1.1
843HM057-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN Heavy Mineral	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 6

CERTIFICATE OF ANALYSIS

VAN08008535.1

	Method	1F15	1F15
	Analyte	Pd	Pt
	Unit	ppb	ppb
	MDL	10	2
843HM056-60+150HN	Heavy Mineral	<10	<2
843HM057-60+150HN	Heavy Mineral	N.A.	N.A.
843HM058-60+150HN	Heavy Mineral	I.S.	I.S.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

VAN08008535.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
843HM056-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-60+150HN	QC																				
843HM057-60+150HN	Heavy Minera	14.30	256.5	2.23	18.1	36	5.2	23.1	138	1.09	19.9	1.8	14.2	0.19	0.09	0.08	26	0.54	0.088	7.3	5.8
REP 843HM057-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	19.24	102.7	65.92	411.5	787	50.8	10.1	653	2.44	59.9	52.0	77.2	7.19	3.96	4.88	77	0.91	0.087	11.1	157.4
STD DS7	Standard	18.21	99.82	66.40	401.9	755	52.4	10.0	666	2.39	60.8	63.3	73.0	6.94	3.92	4.85	73	0.87	0.080	10.9	147.5
STD DS7	Standard																				
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank																				



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN08008535.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F		
Analyte		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit		%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
Pulp Duplicates																						
843HM056-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-60+150HN	QC																					
843HM057-60+150HN	Heavy Minera	0.31	41.7	0.260	<20	0.42	0.003	<0.01	>100	1.5	<0.02	0.45	<5	0.7	0.02	1.1	0.12	<0.1	0.20	1.49	0.4	
REP 843HM057-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																						
STD DS7	Standard	1.08	459.1	0.113	35	1.00	0.113	0.55	3.6	3.0	4.33	0.18	213	3.6	1.26	5.0	6.52	0.1	0.11	0.31	40.0	
STD DS7	Standard	1.06	461.7	0.117	34	1.02	0.103	0.55	3.3	2.9	4.40	0.18	195	3.5	1.05	5.1	6.35	0.1	0.11	0.29	41.5	
STD DS7	Standard																					
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	
BLK	Blank	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	
BLK	Blank																					



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 3

QUALITY CONTROL REPORT

VAN08008535.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
Analyte		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
Pulp Duplicates																						
843HM056-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.91	19.19	1.61	2.4	<2	1.9	7.4	39	0.30	
REP 843HM056-60+150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
843HM057-60+150HN	Heavy Minera	0.6	<0.05	3.0	20.00	19.0	<0.02	7	<0.1	2.5	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM057-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.										
Reference Materials																						
STD DS7	Standard	5.4	<0.05	5.2	4.75	33.9	1.69	2	1.2	34.9	71	27										
STD DS7	Standard	5.3	<0.05	5.3	4.37	31.9	1.57	3	1.7	34.6	75	28										
STD DS7	Standard												20.05	96.45	60.91	357.1	826	55.3	9.5	639	2.39	
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	20.92	109	70.6	411	890	56	9.7	627	2.39	
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2										
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: November 24, 2008

Page: 1 of 1 Part 4

QUALITY CONTROL REPORT

VAN08008535.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
Pulp Duplicates																					
843HM056-60+150HN	Heavy Minera	0.9	1.8	10.5	0.08	0.12	0.91	23	0.73	0.093	13.5	2.5	0.05	9.9	0.425	1	0.23	0.003	<0.01	12.8	0.3
REP 843HM056-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM057-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM057-60+150HN	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard	48.9	68.2	84.0	5.92	4.23	4.07	88	1.00	0.072	13.9	228.2	1.06	379.4	0.120	38	1.04	0.102	0.44	3.4	3.0
STD DS7 Expected		48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5
BLK	Blank																				
BLK	Blank	<0.1	0.3	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: November 24, 2008

Page: 1 of 1 Part 5

QUALITY CONTROL REPORT

VAN08008535.1

Method		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
Analyte		Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit		ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL		0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
Pulp Duplicates																						
843HM056-60+150HN	Heavy Minera	<0.02	0.10	<5	0.5	<0.02	0.6	0.09	0.2	0.65	5.22	0.4	2.1	0.07	6.4	32.06	46.1	<0.02	<1	<0.1	1.1	
REP 843HM056-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
843HM057-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM057-60+150HN	QC																					
Reference Materials																						
STD DS7	Standard																					
STD DS7	Standard																					
STD DS7	Standard	4.16	0.19	198	3.2	1.16	4.9	6.19	<0.1	0.16	0.56	32.1	4.5	<0.05	5.8	6.30	41.1	1.55	3	1.6	31.0	
STD DS7 Expected		4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	
BLK	Blank																					
BLK	Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 6

QUALITY CONTROL REPORT

VAN08008535.1

		Method	1F15	1F15
		Analyte	Pd	Pt
		Unit	ppb	ppb
		MDL	10	2
Pulp Duplicates				
843HM056-60+150HN	Heavy Minera		<10	<2
REP 843HM056-60+150HN	QC		I.S.	I.S.
843HM057-60+150HN	Heavy Minera		N.A.	N.A.
REP 843HM057-60+150HN	QC			
Reference Materials				
STD DS7	Standard			
STD DS7	Standard			
STD DS7	Standard		82	38
STD DS7 Expected			58	37
BLK	Blank			
BLK	Blank		<10	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By:

Joshua Bailey

Receiving Lab:

Canada-Vancouver

Received:

October 09, 2008

Report Date:

November 24, 2008

Page:

1 of 2

CERTIFICATE OF ANALYSIS

VAN08008535R.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID: 08/08/20
 P.O. Number: 843
 Number of Samples: 1

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	3	Sorting of samples on arrival and labeling		
1F15	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 1

CERTIFICATE OF ANALYSIS

VAN08008535R.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
843HM056-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN	Heavy Mineral	0.58	68.81	3.12	40.7	6793	3.9	8.3	90	0.64	2.9>100000	18.4	0.07	0.25	0.05	19	0.53	0.089	7.9	3.0



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN08008535R.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843HM056-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN Heavy Mineral	0.19	15.6	0.217	<1	0.44	0.005	0.01	4.3	1.5	<0.02	0.10	676	<0.1	0.17	1.1	0.18	0.2	0.14	1.85	1.3



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

2 of 2

Part 3

CERTIFICATE OF ANALYSIS

VAN08008535R.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
843HM056-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-60+150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-60+150HN Heavy Mineral	0.8	<0.05	2.4	13.37	18.9	<0.02	<1	<0.1	4.2	<10	<2	



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

VAN08008535R.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
843HM057-60+ 150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Pulp Duplicates																					
843HM056-60+ 150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM056-60+ 150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
Reference Materials																					
STD DS7	Standard	18.41	101.7	67.87	381.3	820	53.2	8.7	588	2.25	48.5	59.0	62.5	5.64	5.20	4.53	81	0.87	0.077	12.1	162.1
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: November 24, 2008

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08008535R.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843HM057-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Pulp Duplicates																				
843HM056-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																				
STD DS7 Standard	0.96	344.6	0.106	36	0.89	0.071	0.40	3.9	2.8	4.03	0.17	212	3.0	1.02	4.2	5.50	0.2	0.10	0.64	30.3
STD DS7 Expected	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

November 24, 2008

Page:

1 of 1

Part 3

QUALITY CONTROL REPORT

VAN08008535R.1

Method		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843HM057-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Pulp Duplicates												
843HM056-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials												
STD DS7	Standard	4.4	<0.05	5.1	4.90	33.3	1.47	4	1.6	26.6	99	36
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: August 25, 2008
 Report Date: October 08, 2008
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN08008605.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID: 08/08/20
 P.O. Number: 843
 Number of Samples: 3

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	3	Sorting of samples on arrival and labeling		
1F	2	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed
1F15	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 08, 2008

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN08008605.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
843HM056-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-150HN Heavy Mineral	6.41	95.04	10.60	30.5	1114	6.6	32.2	190	1.43	24.6	6.0	37.0	0.46	0.24	0.16	38	1.23	0.355	13.6	8.0
843HM058-150HN Heavy Mineral	0.33	24.65	2.79	16.1	1024	5.7	5.5	116	0.63	5.3	5418	31.4	0.07	0.31	0.05	11	1.02	0.330	9.3	3.9



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 08, 2008

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN08008605.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843HM056-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM057-150HN Heavy Mineral	0.37	29.2	0.330	<20	0.58	0.007	0.02	>100	2.8	0.14	0.47	<5	1.4	0.04	1.6	0.21	0.2	0.20	1.76	0.9
843HM058-150HN Heavy Mineral	0.21	24.8	0.116	<20	0.57	0.031	0.03	30.8	1.2	<0.02	0.09	12	0.8	<0.02	1.4	0.27	<0.1	0.07	0.69	2.0



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 08, 2008

Page: 2 of 2 Part 3

CERTIFICATE OF ANALYSIS

VAN08008605.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01
843HM056-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.04	15.74	1.37	2.9	<2	2.2	7.5	32	0.38
843HM057-150HN Heavy Mineral	0.8	<0.05	4.1	27.62	31.5	<0.02	10	<0.1	3.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-150HN Heavy Mineral	0.4	<0.05	1.7	13.89	21.1	<0.02	2	<0.1	7.7	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 08, 2008

Page: 2 of 2 Part 4

CERTIFICATE OF ANALYSIS

VAN08008605.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1
843HM056-150HN Heavy Mineral	3.4	426.4	11.7	0.03	0.11	0.91	18	1.06	0.357	12.4	2.0	0.03	9.0	0.272	<1	0.16	0.005	<0.01	13.9	0.5
843HM057-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 08, 2008

Page: 2 of 2 Part 5

CERTIFICATE OF ANALYSIS

VAN08008605.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1
843HM056-150HN Heavy Mineral	<0.02	0.23	45	0.8	0.12	0.4	0.10	0.1	0.42	4.75	0.5	1.1	<0.05	5.0	23.28	36.1	<0.02	2	<0.1	1.1
843HM057-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM058-150HN Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 08, 2008

Page:

2 of 2

Part 6

CERTIFICATE OF ANALYSIS

VAN08008605.1

	Method	1F15	1F15
	Analyte	Pd	Pt
	Unit	ppb	ppb
	MDL	10	2
843HM056-150HN	Heavy Mineral	<10	<2
843HM057-150HN	Heavy Mineral	N.A.	N.A.
843HM058-150HN	Heavy Mineral	N.A.	N.A.

QUALITY CONTROL REPORT

VAN08008605.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
Pulp Duplicates																					
843HM056-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-150HN	QC																				
843HM057-150HN	Heavy Minera	6.41	95.04	10.60	30.5	1114	6.6	32.2	190	1.43	24.6	6.0	37.0	0.46	0.24	0.16	38	1.23	0.355	13.6	8.0
REP 843HM057-150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	18.43	101.3	67.41	417.8	759	56.0	9.3	674	2.50	58.2	50.8	80.2	7.16	4.04	4.75	83	0.92	0.082	12.0	152.3
STD DS7	Standard	18.75	110.6	65.14	410.9	768	50.8	8.7	645	2.41	58.1	54.8	87.7	7.36	4.31	4.85	84	0.90	0.086	11.6	137.7
STD DS7	Standard																				
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08008605.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit		%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.02	0.1
Pulp Duplicates																						
843HM056-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM056-150HN	QC																					
843HM057-150HN	Heavy Minera	0.37	29.2	0.330	<20	0.58	0.007	0.02	>100	2.8	0.14	0.47	<5	1.4	0.04	1.6	0.21	0.2	0.20	1.76	0.9	
REP 843HM057-150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																						
STD DS7	Standard	1.11	487.5	0.119	32	1.03	0.095	0.61	3.4	3.3	4.21	0.18	202	4.0	1.24	5.5	6.54	<0.1	0.09	0.29	41.2	
STD DS7	Standard	1.05	448.4	0.112	48	1.02	0.103	0.58	3.7	2.9	4.21	0.18	211	3.5	1.21	5.1	6.54	0.1	0.12	0.33	42.8	
STD DS7	Standard																					
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	
BLK	Blank	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	
BLK	Blank																					

QUALITY CONTROL REPORT

VAN08008605.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
Pulp Duplicates																					
843HM056-150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.04	15.74	1.37	2.9	<2	2.2	7.5	32	0.38
REP 843HM056-150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM057-150HN	Heavy Minera	0.8	<0.05	4.1	27.62	31.5	<0.02	10	<0.1	3.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM057-150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.									
Reference Materials																					
STD DS7	Standard	5.2	<0.05	5.5	4.81	34.4	1.56	7	1.6	37.3	68	27									
STD DS7	Standard	5.4	<0.05	6.0	5.09	34.1	1.68	3	1.2	36.6	57	37									
STD DS7	Standard												20.28	100.2	62.17	385.8	832	54.4	9.5	625	2.40
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	20.92	109	70.6	411	890	56	9.7	627	2.39
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2									
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01

QUALITY CONTROL REPORT

VAN08008605.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
Pulp Duplicates																					
843HM056-150HN Heavy Minera	3.4	426.4	11.7	0.03	0.11	0.91	18	1.06	0.357	12.4	2.0	0.03	9.0	0.272	<1	0.16	0.005	<0.01	13.9	0.5	
REP 843HM056-150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM057-150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM057-150HN QC																					
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	51.8	58.9	77.4	5.86	4.20	4.11	80	0.93	0.077	12.0	218.9	1.03	373.8	0.110	41	1.09	0.106	0.44	3.6	2.7	
STD DS7 Expected	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	
BLK Blank																					
BLK Blank	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08008605.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
Pulp Duplicates																					
843HM056-150HN Heavy Minera	<0.02	0.23	45	0.8	0.12	0.4	0.10	0.1	0.42	4.75	0.5	1.1	<0.05	5.0	23.28	36.1	<0.02	2	<0.1	1.1	
REP 843HM056-150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM057-150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM057-150HN QC																					
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	4.17	0.19	209	3.5	1.09	5.1	6.10	<0.1	0.14	0.42	33.6	4.3	<0.05	5.9	5.62	36.8	1.51	4	1.6	28.1	
STD DS7 Expected	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	
BLK Blank																					
BLK Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08008605.1

	Method	1F15	1F15
	Analyte	Pd	Pt
	Unit	ppb	ppb
	MDL	10	2
Pulp Duplicates			
843HM056-150HN	Heavy Minera	<10	<2
REP 843HM056-150HN	QC	I.S.	I.S.
843HM057-150HN	Heavy Minera	N.A.	N.A.
REP 843HM057-150HN	QC		
Reference Materials			
STD DS7	Standard		
STD DS7	Standard		
STD DS7	Standard	90	41
STD DS7 Expected		58	37
BLK	Blank		
BLK	Blank	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: July 31, 2008
 Report Date: September 13, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08007791.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number
 Number of Samples: 54

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	54	Sorting of samples on arrival and labeling		
1F	10	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed
1F15	43	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed
1F30	1	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

2 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
843HM001-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM002-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM003-60+150HN	Heavy Mineral	495.9	356.5	1590	365.0	16608	10.5	57.4	66	1.54	7.3>100000	10.5	5.70	0.16	15.69	87	0.46	0.149	6.5	10.2	
843HM004-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM005-60+150HN	Heavy Mineral	44.08	121.9	111.2	28.4	1377	8.8	32.0	119	1.32	69.6	11731	24.3	0.19	0.96	22.32	21	1.44	0.602	27.2	5.4
843HM006-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM007-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM008-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM009-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM010-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM011-60+150HN	Heavy Mineral	27.30	422.7	159.3	184.5	2946	23.9	180.3	81	4.67	56.4	12.2	7.5	1.50	0.36	81.41	27	0.64	0.234	6.1	3.0
843HM012-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM013-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM014-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM015-60+150HN	Heavy Mineral	607.4	221.2	2148	149.2	2191	4.9	14.4	117	0.59	37.9	0.9	8.2	1.98	0.13	0.07	13	0.45	0.162	10.4	3.2
843HM016-60+150HN	Heavy Mineral	518.5	565.9	1522	1881	15484	5.9	8.9	110	1.38	22.0	29.2	17.0	31.14	0.91	55.25	37	0.94	0.359	31.5	4.1
843HM017-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM018-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM019-60+150HN	Heavy Mineral	176.6	691.2	727.0	380.4	8170	4.6	26.1	81	0.69	11.4	16.8	15.5	3.51	0.21	82.27	57	0.44	0.133	10.8	4.8
843HM020-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM021-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM022-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM023-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM024-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM025-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM026-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM027-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM028-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM029-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM030-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

2 of 3

Part 2

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
843HM001-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM002-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM003-60+150HN	Heavy Mineral	0.18	5.9	0.067	<20	0.27	0.007	0.01	>100	1.0	<0.02	1.02	21	0.5	2.83	0.9	0.25	<0.1	0.03	0.36	0.8
843HM004-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM005-60+150HN	Heavy Mineral	0.28	71.6	0.063	<20	0.51	0.016	0.05	>100	1.4	0.02	0.58	<5	0.7	0.15	1.6	0.57	0.1	0.04	0.67	2.5
843HM006-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM007-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM008-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM009-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM010-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM011-60+150HN	Heavy Mineral	0.09	11.7	0.106	<20	0.22	0.006	0.02	>100	0.5	<0.02	4.30	<5	3.7	0.54	0.7	0.23	<0.1	0.11	1.00	0.9
843HM012-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM013-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM014-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM015-60+150HN	Heavy Mineral	0.13	40.3	0.038	47	0.27	0.006	0.04	31.5	0.8	0.03	0.26	25	0.4	<0.02	1.0	0.74	<0.1	0.02	0.33	2.8
843HM016-60+150HN	Heavy Mineral	0.19	44.6	0.036	28	0.34	0.010	0.03	>100	0.8	<0.02	0.98	270	0.5	0.18	1.1	0.85	<0.1	<0.02	0.35	1.7
843HM017-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM018-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM019-60+150HN	Heavy Mineral	0.16	13.0	0.053	<20	0.32	0.007	0.02	30.5	1.0	<0.02	0.37	<5	0.6	0.13	1.0	0.45	<0.1	0.02	0.33	1.0
843HM020-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM021-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM022-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM023-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM024-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM025-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM026-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM027-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM028-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM029-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM030-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 2 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01
843HM001-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	7.67	67.78	41.93	18.1	548	5.4	6.9	126	0.40	
843HM002-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	145.0	276.5	453.5	429.0	670	14.7	67.7	299	4.59	
843HM003-60+150HN	Heavy Mineral	0.3	<0.05	0.8	9.52	14.9	<0.02	2	<0.1	3.2	65	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM004-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	5.37	153.3	16.42	18.3	6708	8.4	26.2	129	1.21	
843HM005-60+150HN	Heavy Mineral	60.6	<0.05	0.9	32.25	68.1	<0.02	5	<0.1	5.5	12	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM006-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	61.28	409.6	107.7	100.2	57	7.5	21.2	94	1.08	
843HM007-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	24.93	38.03	89.06	25.7	922	2.3	4.5	76	0.45	
843HM008-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	11.90	23.25	41.74	55.1	60	3.8	15.4	57	1.27	
843HM009-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	10.67	485.7	225.0	167.3	11635	18.2	23.4	326	3.76	
843HM010-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	27.17	214.0	101.9	71.1	4806	4.3	7.1	185	0.47	
843HM011-60+150HN	Heavy Mineral	0.3	<0.05	1.9	19.69	17.0	0.04	8	<0.1	2.3	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM012-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.56	39.69	4.43	29.7	4583	5.2	25.6	118	0.69	
843HM013-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.95	148.8	78.30	215.1	12429	5.2	6.5	106	0.52	
843HM014-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	2.81	65.41	55.53	37.6	79	4.3	7.0	233	0.76	
843HM015-60+150HN	Heavy Mineral	0.3	<0.05	0.6	12.79	24.0	<0.02	<1	<0.1	6.5	50	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM016-60+150HN	Heavy Mineral	0.3	<0.05	0.4	22.75	76.2	0.03	4	0.1	5.0	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM017-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	94.97	250.2	250.4	98.7	1026	5.7	13.9	150	0.93	
843HM018-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	23.65	65.72	51.93	22.9	2094	5.4	15.9	125	0.86	
843HM019-60+150HN	Heavy Mineral	0.3	<0.05	0.7	10.17	24.5	0.03	3	<0.1	3.6	19	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM020-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	8.17	48.93	21.61	31.8	88	3.7	12.6	91	0.64	
843HM021-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	50.24	1635	531.5	456.4	29277	29.0	193.7	110	4.33	
843HM022-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	13.58	271.7	27.78	148.5	2934	11.4	87.9	89	2.50	
843HM023-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	23.42	76.36	96.51	163.7	1770	5.9	21.5	167	2.31	
843HM024-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	4.84	213.2	21.71	48.4	2824	9.8	59.8	91	1.53	
843HM025-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	66.00	22.77	234.8	85.7	1331	2.4	11.5	79	0.70	
843HM026-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	13.01	228.3	49.98	83.6	2468	8.5	59.4	83	1.78	
843HM027-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.86	33.50	11.46	34.5	2895	1.8	10.6	80	0.35	
843HM028-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	8.55	8.57	29.87	17.8	41	1.4	2.6	79	0.25	
843HM029-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.19	42.16	6.40	14.4	82	5.5	9.1	78	0.45	
843HM030-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.73	19.98	9.13	12.6	74	2.0	3.5	78	0.32	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 2 of 3

Part 4

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
843HM001-60+150HN	Heavy Mineral	6.6	1.1	37.6	0.07	0.21	119.2	14	3.50	1.742	176.7	<0.5	0.12	4.5	0.100	6	0.15	0.011	0.02	1.8	1.3
843HM002-60+150HN	Heavy Mineral	14.5	<0.2	30.3	3.20	0.85	90.45	42	1.25	0.443	23.9	<0.5	0.38	34.5	0.284	26	0.71	0.016	0.07	6.1	2.8
843HM003-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM004-60+150HN	Heavy Mineral	4.4	80232	19.7	0.13	0.35	6.49	21	0.82	0.242	14.3	5.8	0.21	15.1	0.243	6	0.38	0.007	0.03	12.8	1.9
843HM005-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM006-60+150HN	Heavy Mineral	1.0	80.1	13.2	0.66	0.32	38.40	<2	0.54	0.137	8.5	<0.5	0.16	17.5	0.189	<1	0.37	0.018	0.05	6.3	2.2
843HM007-60+150HN	Heavy Mineral	1.4	2019	5.7	0.24	0.10	3.02	16	0.61	0.206	53.3	<0.5	0.07	8.6	0.249	3	0.15	0.004	0.02	0.6	1.4
843HM008-60+150HN	Heavy Mineral	1.6	1.1	6.1	0.37	0.15	4.73	12	0.26	0.072	18.4	0.8	0.06	9.7	0.133	<1	0.20	0.005	0.01	0.9	1.1
843HM009-60+150HN	Heavy Mineral	17.2	22.6	15.1	1.62	9.42	222.7	20	0.42	0.185	21.6	4.6	0.31	124.1	0.040	4	0.49	0.011	0.10	7.9	1.6
843HM010-60+150HN	Heavy Mineral	3.9	16369	10.5	0.66	1.04	167.0	9	0.29	0.102	12.8	2.2	0.17	28.5	0.031	3	0.35	0.013	0.07	>100	1.1
843HM011-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM012-60+150HN	Heavy Mineral	8.1	66857	16.3	0.09	0.48	38.57	43	0.77	0.175	17.3	1.6	0.17	18.4	0.387	<1	0.43	0.014	0.07	3.5	2.1
843HM013-60+150HN	Heavy Mineral	1.9	38.6	14.8	2.77	0.15	12.19	4	0.31	0.046	4.7	11.9	0.20	27.9	0.070	10	0.31	0.016	0.03	0.6	1.7
843HM014-60+150HN	Heavy Mineral	3.9	14.7	33.9	0.53	0.56	0.27	23	0.86	0.076	7.4	6.7	0.27	8.9	0.260	3	0.62	0.006	0.02	0.3	2.1
843HM015-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM016-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM017-60+150HN	Heavy Mineral	13.7	8835	19.8	1.23	0.38	6.22	17	0.51	0.080	6.9	7.3	0.22	12.1	0.133	<1	0.42	0.008	0.02	4.8	1.7
843HM018-60+150HN	Heavy Mineral	4.4	18656	21.7	0.48	2.31	10.94	22	0.65	0.181	14.2	6.8	0.20	14.9	0.208	4	0.41	0.013	0.03	16.2	1.5
843HM019-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM020-60+150HN	Heavy Mineral	3.9	16.5	16.2	0.27	0.23	19.47	23	0.62	0.175	13.3	3.2	0.15	14.7	0.181	1	0.30	0.009	0.03	9.7	1.2
843HM021-60+150HN	Heavy Mineral	19.8	6651	30.0	7.50	1.16	1053	15	1.41	0.710	58.2	<0.5	0.13	48.1	0.086	2	0.22	0.009	0.03	10.7	0.9
843HM022-60+150HN	Heavy Mineral	10.8	921.9	26.4	0.76	0.22	24.03	12	0.82	0.244	4.4	2.8	0.16	20.3	0.063	3	0.57	0.031	0.03	16.4	1.0
843HM023-60+150HN	Heavy Mineral	11.3	8896	12.1	1.11	1.18	15.20	13	0.39	0.134	20.8	1.7	0.18	15.4	0.101	<1	0.27	0.005	0.02	5.1	1.0
843HM024-60+150HN	Heavy Mineral	6.6	7684	28.1	0.42	0.20	51.04	15	0.73	0.219	8.2	4.0	0.19	16.8	0.057	1	0.53	0.023	0.02	15.8	1.2
843HM025-60+150HN	Heavy Mineral	3.8	693.6	9.1	0.87	0.32	64.18	23	0.32	0.077	17.4	0.9	0.08	34.3	0.157	<1	0.20	0.005	0.01	8.7	0.8
843HM026-60+150HN	Heavy Mineral	7.1	6316	21.9	0.71	1.59	50.88	12	0.71	0.230	11.0	1.8	0.13	16.1	0.083	2	0.44	0.026	0.02	13.3	0.9
843HM027-60+150HN	Heavy Mineral	2.1	19145	9.7	0.15	0.25	7.17	13	0.51	0.145	45.5	0.8	0.08	8.7	0.197	<1	0.24	0.008	0.01	10.8	1.2
843HM028-60+150HN	Heavy Mineral	0.9	22.5	6.8	0.24	0.28	56.74	19	0.32	0.045	17.9	0.8	0.10	13.2	0.222	<1	0.20	0.005	0.02	13.5	1.7
843HM029-60+150HN	Heavy Mineral	6.7	11.8	15.8	0.07	0.26	22.46	12	0.46	0.089	26.6	19.2	0.20	62.4	0.158	<1	0.32	0.013	0.01	46.9	1.5
843HM030-60+150HN	Heavy Mineral	1.0	7.3	8.1	0.17	0.20	73.22	11	0.48	0.201	26.4	1.3	0.13	19.5	0.138	<1	0.23	0.006	0.03	7.3	1.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 2 of 3 Part 5

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
843HM001-60+150HN	Heavy Mineral	0.04	0.20	23	1.2	0.36	2.4	0.19	0.5	0.09	1.81	0.8	22.2	<0.05	1.8	120.4	387.5	<0.02	2	0.2	1.6
843HM002-60+150HN	Heavy Mineral	0.11	3.07	50	0.4	13.81	2.1	0.80	<0.1	0.23	2.90	3.1	0.6	<0.05	3.3	25.37	50.0	<0.02	17	<0.1	8.1
843HM003-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM004-60+150HN	Heavy Mineral	0.03	0.56	75	0.8	0.08	1.4	0.43	<0.1	0.20	2.26	1.5	0.7	<0.05	3.9	26.04	34.4	0.02	2	<0.1	4.6
843HM005-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM006-60+150HN	Heavy Mineral	0.03	0.64	10	1.2	8.27	1.3	0.57	<0.1	0.18	2.36	2.0	0.1	<0.05	2.8	16.53	20.5	<0.02	<1	<0.1	3.5
843HM007-60+150HN	Heavy Mineral	<0.02	0.25	35	0.9	0.05	0.9	0.33	0.2	0.49	10.19	2.2	3.2	<0.05	7.7	56.40	120.7	<0.02	2	<0.1	1.6
843HM008-60+150HN	Heavy Mineral	<0.02	1.09	9	0.8	0.15	0.8	0.46	0.1	0.11	3.85	1.4	2.1	<0.05	2.8	23.21	44.0	<0.02	1	<0.1	2.1
843HM009-60+150HN	Heavy Mineral	0.06	1.71	20	1.7	1.15	1.8	4.81	<0.1	0.02	0.38	6.6	0.2	<0.05	0.4	14.92	45.2	0.09	3	<0.1	6.9
843HM010-60+150HN	Heavy Mineral	0.05	0.11	5	0.4	0.21	1.0	2.06	<0.1	<0.02	0.41	3.9	0.4	<0.05	0.4	9.18	27.0	0.04	2	<0.1	4.8
843HM011-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM012-60+150HN	Heavy Mineral	0.03	0.16	122	<0.1	0.29	1.4	0.58	0.1	0.29	5.34	3.3	0.6	<0.05	5.2	35.91	41.9	<0.02	<1	<0.1	3.6
843HM013-60+150HN	Heavy Mineral	0.11	0.21	36	0.5	5.78	0.6	0.29	0.1	0.07	0.70	0.5	<0.1	<0.05	1.8	4.22	9.5	<0.02	9	0.3	2.6
843HM014-60+150HN	Heavy Mineral	0.08	0.12	13	0.7	<0.02	2.0	0.32	0.1	0.23	1.88	0.8	34.4	<0.05	3.9	8.06	15.2	<0.02	1	0.2	4.1
843HM015-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM016-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM017-60+150HN	Heavy Mineral	0.05	0.41	14	0.6	0.12	1.2	0.30	<0.1	0.14	1.20	1.1	0.2	<0.05	2.2	7.77	15.2	0.02	1	<0.1	3.9
843HM018-60+150HN	Heavy Mineral	0.02	0.24	52	0.6	0.06	1.3	0.52	<0.1	0.19	1.77	1.4	2.6	<0.05	3.1	20.76	30.8	<0.02	<1	<0.1	4.2
843HM019-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM020-60+150HN	Heavy Mineral	<0.02	0.21	16	0.2	0.09	1.1	0.45	<0.1	0.16	1.74	1.2	0.5	<0.05	2.7	19.48	30.1	<0.02	2	<0.1	3.0
843HM021-60+150HN	Heavy Mineral	0.03	3.82	59	2.6	1.50	1.2	0.36	0.2	0.06	1.32	1.6	1.1	<0.05	2.2	49.68	134.5	0.30	<1	<0.1	2.0
843HM022-60+150HN	Heavy Mineral	<0.02	1.91	27	1.9	3.26	1.1	0.29	<0.1	0.04	0.39	1.2	0.1	<0.05	0.7	9.19	10.1	0.11	6	<0.1	2.3
843HM023-60+150HN	Heavy Mineral	0.02	1.41	10	1.0	1.79	1.3	0.32	0.1	0.07	1.35	1.3	1.0	<0.05	1.4	15.43	43.4	0.09	1	<0.1	2.8
843HM024-60+150HN	Heavy Mineral	<0.02	0.85	162	1.2	0.71	1.2	0.28	<0.1	0.03	0.30	1.1	0.3	<0.05	0.7	11.06	18.0	0.03	3	<0.1	2.6
843HM025-60+150HN	Heavy Mineral	<0.02	0.45	<5	0.5	1.38	0.8	0.35	<0.1	0.09	3.59	1.1	1.6	<0.05	2.0	20.15	42.2	<0.02	2	<0.1	2.4
843HM026-60+150HN	Heavy Mineral	<0.02	1.27	48	1.3	0.55	1.1	0.28	<0.1	0.06	1.04	1.1	0.4	<0.05	1.2	15.82	26.9	0.05	<1	<0.1	1.9
843HM027-60+150HN	Heavy Mineral	<0.02	0.11	38	0.3	0.07	1.1	0.42	<0.1	0.16	5.46	0.9	2.0	<0.05	2.9	27.39	76.3	<0.02	<1	<0.1	2.8
843HM028-60+150HN	Heavy Mineral	<0.02	0.03	6	0.7	0.09	1.0	0.89	0.1	0.13	5.19	1.8	2.3	<0.05	3.2	30.11	48.3	<0.02	<1	<0.1	3.1
843HM029-60+150HN	Heavy Mineral	<0.02	0.16	<5	0.5	<0.02	0.9	0.36	0.1	0.15	3.09	0.9	1.7	<0.05	3.1	24.53	56.7	<0.02	<1	<0.1	2.3
843HM030-60+150HN	Heavy Mineral	0.03	0.03	<5	0.5	0.11	1.2	0.41	0.2	0.11	3.15	2.6	1.7	<0.05	2.6	26.50	59.2	<0.02	<1	0.1	2.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

2 of 3

Part 6

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F15	1F15	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P
Unit	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%
MDL	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001
843HM001-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM002-60+150HN	Heavy Mineral	14	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM003-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM004-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM005-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM006-60+150HN	Heavy Mineral	<10	13	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM007-60+150HN	Heavy Mineral	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM008-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM009-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM010-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM011-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM012-60+150HN	Heavy Mineral	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM013-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM014-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM015-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM016-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM017-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM018-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM019-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM020-60+150HN	Heavy Mineral	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM021-60+150HN	Heavy Mineral	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM022-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM023-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM024-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM025-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM026-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM027-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM028-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM029-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM030-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 2 of 3

Part 7

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
843HM001-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM002-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM003-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM004-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM005-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM006-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM007-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM008-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM009-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM010-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM011-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM012-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM013-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM014-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM015-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM016-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM017-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM018-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM019-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM020-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM021-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM022-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM023-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM024-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM025-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM026-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM027-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM028-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM029-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM030-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

2 of 3

Part 8

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843HM001-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM002-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM003-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM004-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM005-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM006-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM007-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM008-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM009-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM010-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM011-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM012-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM013-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM014-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM015-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM016-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM017-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM018-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM019-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM020-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM021-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM022-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM023-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM024-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM025-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM026-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM027-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM028-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM029-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM030-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
843HM031-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM032-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM034-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM035-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM101-60+150HN	Heavy Mineral	>2000	143.0	7994	159.5	3225	4.0	17.6	102	1.18	36.3	9975	18.4	2.93	0.99	13.73	68	1.54	0.575	29.9	5.2
843HM102-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM103-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM104-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM105-60+150HN	Heavy Mineral	21.41	304.6	257.6	186.5	14053	7.7	12.7	234	2.04	17.1	33.6	31.5	3.41	23.49	1614	38	3.16	1.354	88.6	6.5
843HM106-60+150HN	Heavy Mineral	9.13	1209	352.9	268.9	14747	14.8	27.4	251	4.08	18.7	33.2	23.5	4.71	32.14	935.3	39	1.90	0.817	71.8	8.4
843HM107-60+150HN	Heavy Mineral	362.9	1520	939.0	43.1	6997	13.3	104.4	135	2.29	22.8	28.3	26.4	0.60	1.08	376.5	31	2.00	0.806	105.0	5.7
843HM108-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM109-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM110-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM111-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM112-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM113-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM114-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM115-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM116-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM117-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM118-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM119-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
843HM031-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM032-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM034-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM035-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM101-60+150HN	Heavy Mineral	0.13	49.3	0.063	<20	0.29	0.006	0.02	>100	0.9	<0.02	0.75	<5	0.5	0.34	1.1	0.74	0.1	0.04	0.65	1.1
843HM102-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM103-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM104-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM105-60+150HN	Heavy Mineral	0.21	71.1	0.102	<20	0.43	0.014	0.03	>100	1.8	<0.02	0.83	<5	1.4	15.51	1.9	2.85	0.2	0.05	0.91	2.8
843HM106-60+150HN	Heavy Mineral	0.26	68.1	0.118	<20	0.43	0.012	0.04	88.1	2.0	0.02	2.19	54	2.0	1.59	1.8	2.66	0.3	0.04	0.92	3.2
843HM107-60+150HN	Heavy Mineral	0.23	25.9	0.065	<20	0.34	0.014	0.03	>100	1.5	<0.02	1.41	<5	2.2	0.74	1.4	0.62	0.2	0.05	1.42	1.7
843HM108-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM109-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM110-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM111-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM112-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM113-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM114-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM115-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM116-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM117-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM118-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM119-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
843HM031-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	2.58	74.38	9.46	35.0	<2	5.9	2.6	92	0.29	
843HM032-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	8.92	244.6	70.80	83.6	433	16.1	32.3	166	2.08	
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM034-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	24.74	106.2	80.60	71.5	1392	7.9	11.9	149	2.69	
843HM035-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	2.77	600.2	111.3	124.9	881	16.2	62.6	176	2.20	
843HM101-60+150HN	Heavy Mineral	0.4	<0.05	1.2	40.84	76.0	<0.02	30	<0.1	2.6	171	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM102-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	112.8	251.9	1618	192.2	2675	15.2	118.8	139	2.49	
843HM103-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	8.19	250.3	54.82	111.7	739	13.3	41.2	116	3.50	
843HM104-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	19.97	189.3	246.3	170.7	4977	9.7	12.6	316	2.81	
843HM105-60+150HN	Heavy Mineral	1.2	<0.05	1.7	104.6	215.8	0.05	3	<0.1	6.0	<10	16	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM106-60+150HN	Heavy Mineral	7.9	<0.05	1.6	72.09	173.7	0.13	<1	0.1	5.9	<10	24	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM107-60+150HN	Heavy Mineral	19.3	<0.05	1.2	49.79	217.7	0.05	26	<0.1	4.4	41	2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM108-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	185.2	807.0	1915	418.8	1315	21.9	179.4	171	3.44	
843HM109-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.64	37.84	3.70	12.8	463	5.9	5.8	142	0.36	
843HM110-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	12.54	213.3	32.53	429.6	1505	20.4	53.7	146	8.31	
843HM111-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.34	14.47	8.59	24.1	2571	6.4	7.0	176	1.05	
843HM112-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	9.41	110.9	14.60	24.1	131	23.7	119.1	74	2.21	
843HM113-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	3.42	76.94	3.62	6.2	70	15.0	30.3	91	0.77	
843HM114-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	2.00	800.9	11.44	23.8	377	13.0	98.7	174	3.49	
843HM115-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.23	42.40	43.64	15.5	622	4.8	5.3	165	0.86	
843HM116-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.94	84.13	10.90	38.6	5473	6.1	9.1	202	1.35	
843HM117-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	153.2	1555	326.0	204.8	20382	9.1	31.9	176	3.53	
843HM118-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	258.9	1656	48.37	135.5	6557	47.0	120.1	312	5.73	
843HM119-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	18.76	1183	35.98	116.5	2682	43.0	256.9	180	14.30	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3

Part 4

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc
Unit		ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm
MDL		0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1
843HM031-60+150HN	Heavy Mineral	0.7	34.2	6.2	0.28	0.26	9.20	23	1.12	0.307	82.8	<0.5	0.13	8.9	0.614	4	0.22	0.007	0.01	2.9	3.8
843HM032-60+150HN	Heavy Mineral	119.2	28.1	76.6	1.40	1.54	1.89	50	3.41	0.500	10.2	9.8	0.37	65.4	0.173	39	2.08	0.019	0.03	8.1	2.4
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM034-60+150HN	Heavy Mineral	5.4	1362	33.4	0.89	0.22	13.26	21	1.36	0.562	12.0	<0.5	0.19	57.2	0.228	5	0.35	0.008	0.04	3.3	1.0
843HM035-60+150HN	Heavy Mineral	250.8	3.2	60.9	2.36	3.20	3.44	63	2.43	0.403	10.0	10.0	0.36	84.6	0.333	31	1.42	0.012	0.03	4.9	2.4
843HM101-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM102-60+150HN	Heavy Mineral	108.6	18.0	24.8	2.15	0.65	38.69	25	1.25	0.435	16.8	4.1	0.18	21.4	0.228	28	0.43	0.015	0.05	26.0	1.5
843HM103-60+150HN	Heavy Mineral	25.9	20.4	26.8	2.95	9.41	17.50	19	1.21	0.477	21.9	4.0	0.16	18.6	0.224	4	0.40	0.009	0.04	6.2	1.5
843HM104-60+150HN	Heavy Mineral	20.2	1068	31.6	3.07	12.10	347.9	25	1.59	0.703	63.0	9.7	0.18	507.6	0.144	3	0.47	0.007	0.06	5.2	2.4
843HM105-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM106-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM107-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM108-60+150HN	Heavy Mineral	118.9	34.6	13.3	2.32	0.87	21.85	30	0.85	0.231	17.1	3.2	0.17	16.7	0.355	9	0.33	0.012	0.04	37.1	2.1
843HM109-60+150HN	Heavy Mineral	12.5	5613	76.9	0.10	0.16	1.08	13	6.26	3.130	196.6	1.4	0.13	8.7	0.072	<1	0.22	0.016	0.04	2.3	1.2
843HM110-60+150HN	Heavy Mineral	19.5	9291	30.1	4.34	0.36	2.32	7	0.97	0.293	31.8	0.8	0.24	69.3	0.305	7	0.44	0.007	0.02	3.2	2.2
843HM111-60+150HN	Heavy Mineral	4.5	28998	47.3	0.14	0.42	0.21	26	0.88	0.192	22.7	4.8	0.37	22.3	0.187	<1	0.74	0.007	0.03	3.4	2.0
843HM112-60+150HN	Heavy Mineral	189.5	60.9	14.9	0.23	0.50	6.52	20	0.72	0.214	13.8	4.2	0.14	18.4	0.192	2	0.22	0.003	0.02	69.9	1.1
843HM113-60+150HN	Heavy Mineral	5.1	13.9	37.7	0.10	0.43	32.43	41	1.00	0.045	22.0	24.0	0.19	19.1	0.556	4	0.52	0.005	0.01	9.7	1.7
843HM114-60+150HN	Heavy Mineral	9.5	10.6	76.5	0.16	1.17	2.60	45	1.24	0.149	15.1	10.7	0.38	381.3	0.328	11	0.92	0.015	0.03	17.7	3.3
843HM115-60+150HN	Heavy Mineral	7.5	3524	67.8	0.07	2.27	0.08	60	1.35	0.020	15.4	8.4	0.39	11.3	0.637	5	0.96	0.004	<0.01	2.4	2.6
843HM116-60+150HN	Heavy Mineral	13.3	54275	70.6	0.10	1.01	0.06	71	1.39	0.059	28.9	7.9	0.41	15.9	0.783	3	1.03	0.006	0.03	8.5	2.8
843HM117-60+150HN	Heavy Mineral	5.2>100000		32.8	2.47	7.65	91.16	44	1.07	0.266	54.3	3.2	0.21	67.2	0.404	<1	0.56	0.015	0.04	>100	3.0
843HM118-60+150HN	Heavy Mineral	247.9	15565	46.8	1.75	12.27	88.43	40	1.38	0.322	68.2	10.0	0.49	152.7	0.450	3	0.89	0.016	0.08	>100	3.5
843HM119-60+150HN	Heavy Mineral	893.4	34.7	31.6	1.30	2.35	4.47	59	1.42	0.363	16.6	1.9	0.25	47.4	0.577	25	0.59	0.026	0.07	13.0	2.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

3 of 3

Part 5

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.02	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
843HM031-60+150HN	Heavy Mineral	<0.02	<0.02	37	2.1	0.03	1.8	0.20	0.7	0.97	23.38	0.9	7.6	<0.05	17.8	99.53	205.8	<0.02	5	<0.1	3.0
843HM032-60+150HN	Heavy Mineral	<0.02	1.08	64	1.6	0.11	5.4	0.31	0.2	0.08	0.99	1.0	0.2	<0.05	1.5	17.61	23.9	0.03	1	0.4	3.6
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM034-60+150HN	Heavy Mineral	<0.02	2.29	29	1.9	0.10	1.2	0.19	0.2	0.19	2.64	1.1	0.5	<0.05	2.4	23.93	29.7	0.05	3	<0.1	2.3
843HM035-60+150HN	Heavy Mineral	<0.02	1.08	58	2.1	1.43	4.1	0.25	0.3	0.10	1.59	0.9	1.4	<0.05	2.2	19.45	22.7	0.03	4	0.7	3.3
843HM101-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM102-60+150HN	Heavy Mineral	<0.02	1.68	41	1.0	0.22	1.4	0.41	0.1	0.17	2.10	1.9	16.4	<0.05	2.8	28.35	37.2	<0.02	<1	<0.1	3.4
843HM103-60+150HN	Heavy Mineral	0.04	2.99	46	3.1	0.43	1.4	1.24	0.2	0.18	1.99	2.0	0.6	<0.05	2.5	30.64	48.0	0.02	<1	0.2	3.3
843HM104-60+150HN	Heavy Mineral	0.05	0.63	26	1.2	3.22	2.4	3.70	0.3	0.09	1.04	3.9	1.0	<0.05	1.8	53.72	130.4	0.13	<1	0.1	4.7
843HM105-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM106-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM107-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
843HM108-60+150HN	Heavy Mineral	<0.02	2.16	57	2.8	0.23	1.2	0.34	0.2	0.29	3.75	1.6	0.8	<0.05	4.4	34.06	39.0	<0.02	8	<0.1	3.3
843HM109-60+150HN	Heavy Mineral	<0.02	0.04	5	2.0	0.08	2.7	0.26	0.6	<0.02	0.68	1.6	0.1	<0.05	1.3	134.8	440.6	<0.02	<1	<0.1	2.9
843HM110-60+150HN	Heavy Mineral	0.03	7.89	64	3.9	0.37	1.5	0.55	<0.1	0.17	3.17	1.7	1.1	<0.05	3.1	35.18	73.1	0.07	4	<0.1	4.9
843HM111-60+150HN	Heavy Mineral	<0.02	0.10	101	0.5	0.07	2.0	0.69	<0.1	0.08	0.95	1.6	5.8	<0.05	1.8	14.87	46.4	<0.02	4	0.2	8.6
843HM112-60+150HN	Heavy Mineral	0.02	1.59	13	2.2	1.58	0.9	0.16	<0.1	0.23	1.68	0.9	10.8	<0.05	4.1	30.96	31.4	<0.02	10	<0.1	1.5
843HM113-60+150HN	Heavy Mineral	<0.02	0.30	11	0.7	4.84	1.6	0.14	0.2	0.41	3.35	0.8	1.6	0.07	9.6	32.97	46.6	0.04	<1	<0.1	2.3
843HM114-60+150HN	Heavy Mineral	<0.02	2.48	<5	2.8	0.82	2.1	0.20	0.2	0.23	1.97	1.0	19.9	<0.05	4.9	25.54	31.3	<0.02	6	<0.1	2.1
843HM115-60+150HN	Heavy Mineral	<0.02	<0.02	29	0.5	<0.02	2.6	0.24	0.2	0.47	2.60	0.8	72.3	<0.05	6.5	26.53	40.9	<0.02	<1	<0.1	3.9
843HM116-60+150HN	Heavy Mineral	0.02	0.20	119	0.5	0.05	2.6	0.31	0.5	0.67	5.70	1.1	1.7	<0.05	9.1	32.15	66.0	<0.02	<1	0.2	4.3
843HM117-60+150HN	Heavy Mineral	0.18	2.31	175	2.3	10.40	1.6	0.54	0.5	0.58	17.52	2.6	2.8	0.14	9.9	65.94	141.9	0.05	4	<0.1	3.6
843HM118-60+150HN	Heavy Mineral	0.05	3.97	290	3.8	4.81	2.6	0.69	0.3	0.51	8.62	3.5	2.6	<0.05	10.0	53.51	162.7	0.16	38	<0.1	7.7
843HM119-60+150HN	Heavy Mineral	0.03	>10	116	11.4	1.03	1.6	0.30	0.2	0.42	5.81	2.6	4.6	<0.05	7.0	36.79	43.8	0.06	19	<0.1	4.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

September 13, 2008

Page:

3 of 3

Part 6

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F15	1F15	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	
843HM031-60+150HN	Heavy Mineral	<10	29	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM032-60+150HN	Heavy Mineral	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM033-60+150HN	Heavy Mineral	N.A.	N.A.	6.32	191.6	25.13	67.8	1138	9.0	56.1	84	1.94	13.5	4.2	16.6	0.51	0.26	20.57	14	0.54	0.151
843HM034-60+150HN	Heavy Mineral	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM035-60+150HN	Heavy Mineral	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM101-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM102-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM103-60+150HN	Heavy Mineral	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM104-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM105-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM106-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM107-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM108-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM109-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM110-60+150HN	Heavy Mineral	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM111-60+150HN	Heavy Mineral	<10	15	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM112-60+150HN	Heavy Mineral	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM113-60+150HN	Heavy Mineral	<10	5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM114-60+150HN	Heavy Mineral	<10	12	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM115-60+150HN	Heavy Mineral	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM116-60+150HN	Heavy Mineral	<10	4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM117-60+150HN	Heavy Mineral	<10	7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM118-60+150HN	Heavy Mineral	32	10	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM119-60+150HN	Heavy Mineral	<10	14	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3

Part 7

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843HM031-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM032-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM033-60+150HN	Heavy Mineral	11.2	3.0	0.17	13.1	0.048	2	0.35	0.014	0.02	20.5	0.8	<0.02	1.48	8	1.1	0.52	1.1	0.23	0.1	0.03
843HM034-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM035-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM101-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM102-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM103-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM104-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM105-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM106-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM107-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM108-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM109-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM110-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM111-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM112-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM113-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM114-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM115-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM116-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM117-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM118-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM119-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: September 13, 2008

Page: 3 of 3

Part 8

CERTIFICATE OF ANALYSIS

VAN08007791.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
843HM031-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM032-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM033-60+150HN	Heavy Mineral	0.44	0.9	0.3	<0.05	0.6	10.40	23.7	0.06	<1	<0.1	2.8	<10	<2
843HM034-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM035-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM101-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM102-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM103-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM104-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM105-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM106-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM107-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM108-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM109-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM110-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM111-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM112-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM113-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM114-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM115-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM116-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM117-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM118-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
843HM119-60+150HN	Heavy Mineral	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
843HM004-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM004-60+150HN	QC																				
843HM033-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM033-60+150HN	QC																				
843HM105-60+150HN	Heavy Minera	21.41	304.6	257.6	186.5	14053	7.7	12.7	234	2.04	17.1	33.6	31.5	3.41	23.49	1614	38	3.16	1.354	88.6	6.5
REP 843HM105-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM109-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM109-60+150HN	QC																				
843HM115-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM115-60+150HN	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard	17.71	100.2	67.51	392.5	828	51.3	8.4	550	2.15	44.7	63.5	58.9	5.97	3.97	4.44	76	0.82	0.071	10.2	145.9
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank																				
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank																				
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
Pulp Duplicates																					
843HM004-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM004-60+150HN	QC																				
843HM033-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM033-60+150HN	QC																				
843HM105-60+150HN	Heavy Minera	0.21	71.1	0.102	<20	0.43	0.014	0.03	>100	1.8	<0.02	0.83	<5	1.4	15.51	1.9	2.85	0.2	0.05	0.91	2.8
REP 843HM105-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM109-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM109-60+150HN	QC																				
843HM115-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM115-60+150HN	QC																				
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard	0.93	363.6	0.098	45	0.90	0.075	0.38	3.7	2.1	4.35	0.18	215	3.7	1.28	4.1	5.71	<0.1	0.11	0.35	32.3
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK	Blank																				
BLK	Blank	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	
Pulp Duplicates																					
843HM004-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	5.37	153.3	16.42	18.3	6708	8.4	26.2	129	1.21
REP 843HM004-60+150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM033-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM033-60+150HN	QC																				
843HM105-60+150HN	Heavy Minera	1.2	<0.05	1.7	104.6	215.8	0.05	3	<0.1	6.0	<10	16	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM105-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.									
843HM109-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	0.64	37.84	3.70	12.8	463	5.9	5.8	142	0.36
REP 843HM109-60+150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM115-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	1.23	42.40	43.64	15.5	622	4.8	5.3	165	0.86
REP 843HM115-60+150HN	QC												I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard																				
STD DS7	Standard	4.2	<0.05	5.2	4.23	32.5	1.55	2	1.6	26.9	61	42									
STD DS7	Standard												19.43	113.6	63.39	377.4	770	55.3	10.2	583	2.30
STD DS7	Standard												20.03	108.4	67.91	391.2	832	52.3	9.3	641	2.46
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37	20.92	109	70.6	411	890	56	9.7	627	2.39
BLK	Blank																				
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2									
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01
BLK	Blank												<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	
Unit	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	
MDL	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	
Pulp Duplicates																					
843HM004-60+150HN Heavy Minera	4.4	80232	19.7	0.13	0.35	6.49	21	0.82	0.242	14.3	5.8	0.21	15.1	0.243	6	0.38	0.007	0.03	12.8	1.9	
REP 843HM004-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
843HM033-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM033-60+150HN QC																					
843HM105-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 843HM105-60+150HN QC																					
843HM109-60+150HN Heavy Minera	12.5	5613	76.9	0.10	0.16	1.08	13	6.26	3.130	196.6	1.4	0.13	8.7	0.072	<1	0.22	0.016	0.04	2.3	1.2	
REP 843HM109-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
843HM115-60+150HN Heavy Minera	7.5	3524	67.8	0.07	2.27	0.08	60	1.35	0.020	15.4	8.4	0.39	11.3	0.637	5	0.96	0.004	<0.01	2.4	2.6	
REP 843HM115-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	52.9	65.7	65.4	6.76	6.01	4.53	77	0.88	0.082	13.1	143.8	0.99	351.3	0.119	40	1.00	0.081	0.44	3.8	2.7	
STD DS7 Standard	54.1	84.6	83.6	6.84	6.09	4.50	85	1.04	0.082	15.8	164.5	1.09	381.7	0.132	37	1.11	0.091	0.47	3.9	3.2	
STD DS7 Expected	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	
BLK Blank																					
BLK Blank																					
BLK Blank	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	
BLK Blank	<0.1	1.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	
Unit	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
MDL	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	
Pulp Duplicates																					
843HM004-60+150HN Heavy Minera	0.03	0.56	75	0.8	0.08	1.4	0.43	<0.1	0.20	2.26	1.5	0.7	<0.05	3.9	26.04	34.4	0.02	2	<0.1	4.6	
REP 843HM004-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM033-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM033-60+150HN QC																					
843HM105-60+150HN Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM105-60+150HN QC																					
843HM109-60+150HN Heavy Minera	<0.02	0.04	5	2.0	0.08	2.7	0.26	0.6	<0.02	0.68	1.6	0.1	<0.05	1.3	134.8	440.6	<0.02	<1	<0.1	2.9	
REP 843HM109-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM115-60+150HN Heavy Minera	<0.02	<0.02	29	0.5	<0.02	2.6	0.24	0.2	0.47	2.60	0.8	72.3	<0.05	6.5	26.53	40.9	<0.02	<1	<0.1	3.9	
REP 843HM115-60+150HN QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7 Standard																					
STD DS7 Standard																					
STD DS7 Standard	3.98	0.19	191	3.5	1.13	4.6	6.20	0.1	0.11	0.73	36.4	4.7	<0.05	5.3	5.63	31.9	1.66	3	1.8	27.7	
STD DS7 Standard	4.14	0.19	192	3.6	1.20	5.2	6.23	<0.1	0.13	0.87	37.9	5.1	<0.05	6.0	6.62	41.1	1.60	2	1.6	31.8	
STD DS7 Expected	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	
BLK Blank																					
BLK Blank																					
BLK Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	
BLK Blank	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F15	1F15	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Pd	Pt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppb	ppb	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	10	2	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
843HM004-60+150HN	Heavy Minera	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM004-60+150HN	QC	I.S.	I.S.																		
843HM033-60+150HN	Heavy Minera	N.A.	N.A.	6.32	191.6	25.13	67.8	1138	9.0	56.1	84	1.94	13.5	4.2	16.6	0.51	0.26	20.57	14	0.54	0.151
REP 843HM033-60+150HN	QC			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM105-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM105-60+150HN	QC																				
843HM109-60+150HN	Heavy Minera	<10	<2	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM109-60+150HN	QC	I.S.	I.S.																		
843HM115-60+150HN	Heavy Minera	<10	3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM115-60+150HN	QC	I.S.	I.S.																		
Reference Materials																					
STD DS7	Standard			19.56	103.2	69.70	409.4	860	53.4	8.9	604	2.32	52.7	67.8	70.3	5.94	4.78	4.29	80	0.91	0.073
STD DS7	Standard																				
STD DS7	Standard	36	36																		
STD DS7	Standard	65	42																		
STD DS7 Expected		58	37	20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank	<10	<2																		
BLK	Blank	<10	<2																		

QUALITY CONTROL REPORT

VAN08007791.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
Pulp Duplicates																					
843HM004-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM004-60+150HN	QC																				
843HM033-60+150HN	Heavy Minera	11.2	3.0	0.17	13.1	0.048	2	0.35	0.014	0.02	20.5	0.8	<0.02	1.48	8	1.1	0.52	1.1	0.23	0.1	0.03
REP 843HM033-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM105-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM105-60+150HN	QC																				
843HM109-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM109-60+150HN	QC																				
843HM115-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM115-60+150HN	QC																				
Reference Materials																					
STD DS7	Standard	10.9	192.6	1.01	331.9	0.104	42	0.91	0.081	0.45	3.3	2.5	3.97	0.17	204	3.5	1.33	4.6	5.50	0.1	0.11
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7 Expected		12.7	163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

QUALITY CONTROL REPORT

VAN08007791.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates														
843HM004-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM004-60+150HN	QC													
843HM033-60+150HN	Heavy Minera	0.44	0.9	0.3	<0.05	0.6	10.40	23.7	0.06	<1	<0.1	2.8	<10	<2
REP 843HM033-60+150HN	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
843HM105-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM105-60+150HN	QC													
843HM109-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM109-60+150HN	QC													
843HM115-60+150HN	Heavy Minera	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 843HM115-60+150HN	QC													
Reference Materials														
STD DS7	Standard	0.43	36.6	4.8	<0.05	5.3	5.01	32.0	1.56	3	1.9	29.7	74	35
STD DS7	Standard													
STD DS7	Standard													
STD DS7	Standard													
STD DS7 Expected		0.71	35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank													
BLK	Blank													
BLK	Blank													

Appendix C.4 – Stream Sediment Sample Certificates

The following section contains the certificates issued by ALS Chemex for the assay conducted on samples taken in the field.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 13-NOV-2008

Account: RLH

CERTIFICATE VA08156825

Project: Vancouver

P.O. No.:

This report is for 6 Sediment samples submitted to our lab in Vancouver, BC, Canada on 30-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE

DESCRIPTION

FND-02

Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE

DESCRIPTION

ME-MS41

51 anal. aqua regia ICPMS

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156825
-------------------------	------------

	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
Sample Description	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
Method Analyte Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
6316	0.1	1.64	2.3	<0.2	<10	60	0.14	0.14	0.35	0.13	13.35	7.6	40	2.44	30.8
6317	0.53	1.45	3.5	<0.2	<10	110	0.2	1.22	0.34	0.75	17.9	10.8	44	3.94	41.8
6318	0.67	1.14	23	<0.2	10	60	0.2	0.39	1.32	2.54	11.05	5.7	27	4.28	41
6319	0.24	1.2	9	<0.2	<10	100	0.18	0.98	0.87	0.83	10.35	11.7	22	4.37	94
6321	0.08	1.68	2.1	<0.2	<10	110	0.17	0.37	0.81	0.12	14.2	10.3	46	2.1	32.6
6322	0.13	1.81	2.7	<0.2	<10	80	0.14	0.34	0.8	0.23	12.2	10.2	21	1.38	27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156825

Sample Description	Method Analyte Units LOR	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
6316		2.62	6.46	0.07	0.03	0.03	0.018	0.15	6.2	18.9	0.54	301	1.68	0.11	1.59	14.7
6317		2.81	5.78	0.06	0.03	0.01	0.037	0.25	7.7	16.8	0.83	690	1.12	0.1	0.31	17.2
6318		1.36	3.47	0.06	0.02	0.09	0.016	0.06	13	19.7	0.33	958	15.3	0.05	0.41	7
6319		2.17	4.38	0.06	<0.02	0.05	0.03	0.14	6.2	13.2	0.56	679	3.38	0.05	0.71	11.7
6321		2.98	6.86	0.09	0.06	0.01	0.021	0.26	6.4	15.5	0.7	351	1	0.21	0.31	14.9
6322		3.1	7.27	0.08	0.09	0.01	0.028	0.24	5.5	15.4	0.82	477	0.8	0.22	0.23	9.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS	VA08156825
-------------------------	------------

	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
Method Analyte Units LOR	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Sample Description	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02	
6316	470	11.6	11.3	<0.001	<0.01	0.19	3.1	0.2	0.6	33.6	0.01	0.01	3.3	0.127	0.08	
6317	470	42.2	13.8	0.001	<0.01	1.37	4.3	0.2	0.4	27.6	<0.01	0.06	5.6	0.058	0.14	
6318	540	49.4	4.5	0.007	0.04	1.74	2	1.2	0.2	39.1	<0.01	0.03	0.7	0.036	0.13	
6319	620	26.7	11.4	0.001	0.05	0.49	2.7	1.1	0.4	49.8	<0.01	0.04	1	0.064	0.1	
6321	520	8.1	15.3	<0.001	<0.01	0.26	4.5	0.2	0.5	69.5	<0.01	0.01	5.4	0.148	0.1	
6322	570	10.4	12.9	<0.001	0.02	0.55	5.6	0.2	0.6	66.4	<0.01	0.06	2.9	0.178	0.12	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-NOV-2008

Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156825

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	1	0.05	0.05	2	0.5
6316		2.7	84	0.41	4.52	49	0.8
6317		2.83	71	0.22	6.71	130	0.7
6318		223	35	10.7	13.7	43	<0.5
6319		40.6	62	2.96	8.26	86	<0.5
6321		3.61	96	0.84	6.97	44	1.3
6322		3.41	92	0.22	8.78	76	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.
129 FIELDING RD
LIVELY ON P3Y 1L7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-NOV-2008
Account: RLH

Project: Vancouver

CERTIFICATE OF ANALYSIS VA08156825

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: July 02, 2008
 Report Date: July 16, 2008
 Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN08006949.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID: 08/07/02
 P.O. Number: 843
 Number of Samples: 74

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	74	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	74	Dry at 60C		
RJSV	74	Save all or part of soil reject fraction		
1F30	74	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
DIS-RJT	74	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 16, 2008

Page:

2 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method Analyte	Unit	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
843T001	Silt	3.29	0.77	19.50	4.77	37.7	116	17.8	7.5	227	1.42	2.0	1.4	14.7	0.28	0.20	0.19	21	0.21	0.057	7.2
843T002	Silt	3.17	1.91	39.38	18.16	97.1	118	14.0	12.7	439	4.30	3.8	33.9	36.6	0.51	0.31	1.25	160	0.52	0.077	4.4
843T003	Silt	3.20	1.07	36.70	18.38	77.4	106	11.5	11.2	292	3.20	2.3	81.0	44.6	0.35	0.25	0.39	114	0.59	0.045	2.5
843T004	Silt	3.38	0.88	15.21	4.91	34.6	35	13.8	7.2	236	2.79	2.5	0.7	19.6	0.10	0.16	0.14	106	0.28	0.051	3.3
843T005	Silt	4.94	1.23	38.78	7.19	64.1	107	13.1	12.0	368	3.58	13.5	300.1	29.0	0.20	0.34	0.17	137	0.40	0.072	4.4
843T006	Silt	5.15	0.91	19.01	7.05	45.5	35	10.2	8.3	308	2.79	2.7	1.3	28.2	0.13	0.20	0.14	103	0.37	0.052	3.8
843T007	Silt	4.75	1.36	20.75	10.00	65.8	36	11.1	8.1	294	4.13	2.1	19.6	18.4	0.22	0.09	0.34	131	0.31	0.092	10.8
843T008	Silt	4.03	2.23	15.19	18.29	72.0	98	8.6	7.8	220	4.12	2.9	1.6	12.5	0.25	0.16	0.49	148	0.18	0.057	6.1
843T009	Silt	3.35	2.67	54.14	13.86	45.4	132	14.3	13.8	331	3.60	6.5	3.0	22.7	0.24	0.32	2.09	145	0.30	0.046	3.8
843T010	Silt	2.89	1.46	59.49	60.06	153.6	835	21.1	12.8	531	4.30	6.7	10.6	16.6	0.88	2.07	3.30	161	0.28	0.062	5.7
843T011	Silt	3.98	2.25	73.71	22.77	93.8	244	17.9	13.2	486	3.82	7.3	463.6	19.2	0.56	0.34	3.78	147	0.30	0.056	4.7
843T012	Silt	3.49	1.25	27.69	7.14	70.1	36	13.6	12.1	463	2.90	11.8	5.7	15.4	0.14	0.15	0.19	101	0.32	0.055	2.1
843T013	Silt	3.77	1.26	19.96	6.32	39.9	38	15.7	11.5	406	2.73	6.9	5.2	39.4	0.15	0.25	0.45	88	0.50	0.053	2.3
843T014	Silt	4.57	0.56	14.48	13.61	71.8	77	19.7	8.7	579	3.09	2.9	0.9	81.8	0.25	0.29	0.14	91	0.61	0.048	6.0
843T015	Silt	3.22	0.49	15.71	12.47	67.6	58	10.9	7.9	496	2.59	2.1	0.5	52.6	0.21	0.25	0.10	63	0.64	0.050	4.1
843T016	Silt	2.89	1.41	9.63	9.40	52.3	66	7.6	5.5	471	2.20	2.8	2.3	24.6	0.16	0.15	0.12	67	0.27	0.036	5.5
843T017	Silt	3.46	2.56	49.20	40.03	102.4	205	27.6	10.9	511	3.58	3.7	3.4	46.6	0.77	0.25	0.24	170	0.70	0.070	8.4
843T018	Silt	3.56	1.15	19.83	11.88	62.5	67	12.8	8.0	456	3.12	2.5	0.6	41.4	0.26	0.19	0.18	105	0.47	0.055	5.2
843T019	Silt	4.10	1.18	16.83	6.63	47.1	65	10.7	8.8	318	4.08	3.0	1.0	25.3	0.12	0.27	0.31	165	0.34	0.051	4.5
843T020	Silt	3.97	1.39	15.81	6.75	38.6	74	10.2	8.0	290	3.82	3.1	1.1	23.6	0.15	0.40	0.34	155	0.31	0.052	4.2
843T021	Silt	4.15	1.04	30.87	17.59	78.7	101	9.2	10.2	364	3.32	1.4	2.5	47.4	0.41	0.14	0.12	130	0.58	0.062	4.5
843T022	Silt	4.72	1.07	25.03	15.36	52.8	62	16.1	8.9	336	4.33	2.6	2.1	35.7	0.20	0.20	0.16	191	0.52	0.066	5.4
843T023	Silt	6.06	1.00	17.70	7.51	42.0	52	10.7	8.6	276	3.85	2.5	55.3	24.9	0.12	0.19	0.14	163	0.33	0.053	4.2
843T024	Silt	4.69	1.38	43.54	16.78	84.0	200	22.9	15.4	413	5.92	2.4	434.9	52.4	0.26	0.21	6.32	269	0.66	0.147	12.0
843T025	Silt	2.67	0.64	17.54	4.01	35.5	102	16.8	6.9	203	1.48	1.5	1.0	14.8	0.24	0.15	0.12	23	0.19	0.053	9.2
843T026	Silt	4.37	0.47	39.05	3.29	33.5	44	9.4	12.8	240	4.22	2.7	1.4	20.4	0.07	0.11	0.29	168	0.40	0.051	2.3
843T027	Silt	4.87	1.66	15.94	21.64	61.4	95	8.6	7.4	286	5.24	3.2	30.4	11.8	0.28	0.18	0.63	191	0.30	0.115	10.4
843T028	Silt	4.32	0.58	35.48	4.46	33.9	97	9.7	10.9	235	4.21	2.5	1.7	24.0	0.09	0.11	0.45	174	0.38	0.058	3.1
843T029	Silt	3.82	1.28	10.00	16.05	45.6	71	9.5	6.8	304	4.55	5.0	1.0	18.2	0.16	0.24	1.36	157	0.25	0.061	6.3
843T030	Silt	4.63	1.14	27.57	8.08	36.2	88	9.6	11.1	203	4.85	2.3	1.0	18.3	0.12	0.12	0.66	198	0.32	0.071	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 16, 2008

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method Analyte	1F30		1F30		1F30		1F30		1F30		1F30		1F30		1F30		1F30		1F30		1F30	
	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb		
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02		
843T001	Silt	16.7	0.30	26.7	0.019	<1	0.51	0.008	0.05	0.2	1.6	0.04	<0.02	9	0.2	0.03	1.7	0.40	<0.1	0.04	0.13	
843T002	Silt	47.3	0.77	45.9	0.105	1	1.32	0.039	0.13	0.2	3.6	0.07	0.04	6	0.3	0.49	5.1	1.80	<0.1	0.02	0.20	
843T003	Silt	34.1	0.60	32.3	0.079	<1	1.56	0.038	0.09	0.2	2.7	0.04	<0.02	10	0.4	0.12	4.9	1.80	<0.1	0.02	0.17	
843T004	Silt	50.1	0.50	41.9	0.072	1	0.80	0.016	0.08	0.2	1.8	0.02	<0.02	6	<0.1	0.02	3.3	1.08	<0.1	0.03	0.17	
843T005	Silt	39.8	0.89	114.3	0.127	1	1.37	0.026	0.17	0.7	4.3	0.07	<0.02	10	0.4	0.08	5.0	2.35	<0.1	<0.02	0.34	
843T006	Silt	37.1	0.61	53.9	0.090	<1	1.04	0.023	0.09	0.2	2.4	0.04	<0.02	8	0.2	0.02	4.0	1.46	<0.1	0.02	0.22	
843T007	Silt	30.6	0.53	68.1	0.115	<1	0.71	0.008	0.17	0.2	2.5	0.12	<0.02	7	0.2	0.02	4.6	2.17	<0.1	0.03	0.48	
843T008	Silt	36.0	0.27	51.4	0.062	<1	0.60	0.010	0.06	0.2	1.2	<0.02	0.06	7	0.3	0.02	3.3	1.02	<0.1	<0.02	0.25	
843T009	Silt	48.7	0.54	85.9	0.085	2	1.00	0.025	0.12	3.0	2.7	0.04	<0.02	12	0.4	0.06	4.1	3.52	<0.1	<0.02	0.36	
843T010	Silt	61.8	0.67	85.3	0.079	2	0.94	0.012	0.12	0.3	2.7	0.05	0.03	11	0.5	0.13	4.4	5.95	0.1	<0.02	0.33	
843T011	Silt	57.6	0.69	79.7	0.098	2	1.09	0.021	0.15	3.0	2.8	0.06	<0.02	12	0.4	0.07	4.3	3.78	<0.1	<0.02	0.35	
843T012	Silt	32.9	0.73	105.2	0.138	1	1.41	0.020	0.18	0.2	3.0	0.08	<0.02	10	0.3	0.03	4.4	1.82	<0.1	0.02	0.23	
843T013	Silt	40.8	0.60	65.8	0.074	1	1.33	0.050	0.14	0.4	2.5	0.06	<0.02	10	0.2	<0.02	4.0	1.50	<0.1	<0.02	0.13	
843T014	Silt	26.0	0.70	39.3	0.070	<1	1.46	0.064	0.07	<0.1	3.0	0.04	<0.02	6	0.1	<0.02	5.6	1.57	<0.1	0.04	0.19	
843T015	Silt	21.4	0.63	21.7	0.081	<1	1.31	0.032	0.06	<0.1	2.6	0.03	<0.02	<5	<0.1	0.03	4.5	1.64	<0.1	0.05	0.22	
843T016	Silt	23.2	0.47	38.2	0.076	3	0.89	0.014	0.12	0.2	2.8	0.10	<0.02	13	0.2	<0.02	4.4	2.15	<0.1	<0.02	0.55	
843T017	Silt	92.4	0.90	48.7	0.138	2	1.54	0.017	0.13	1.0	3.3	0.06	0.02	23	0.3	0.03	5.9	3.00	<0.1	<0.02	0.75	
843T018	Silt	42.5	0.60	31.8	0.083	1	1.10	0.030	0.08	0.3	2.4	0.04	<0.02	9	0.2	0.02	4.8	1.48	<0.1	0.04	0.27	
843T019	Silt	58.2	0.54	39.6	0.088	<1	0.94	0.016	0.08	0.4	2.3	<0.02	<0.02	10	0.2	0.06	4.6	1.34	<0.1	0.02	0.25	
843T020	Silt	50.7	0.50	37.8	0.078	<1	0.92	0.015	0.07	0.4	2.2	0.02	<0.02	5	0.3	0.05	4.3	1.30	<0.1	<0.02	0.22	
843T021	Silt	20.0	0.70	51.3	0.139	<1	1.34	0.015	0.09	0.3	3.0	0.04	<0.02	11	0.3	0.03	4.5	1.77	<0.1	<0.02	0.41	
843T022	Silt	83.6	0.64	45.1	0.121	<1	1.15	0.012	0.09	0.3	3.3	<0.02	<0.02	<5	<0.1	<0.02	4.8	1.67	0.1	<0.02	0.45	
843T023	Silt	56.9	0.55	46.0	0.088	<1	0.89	0.015	0.08	0.3	2.3	0.02	<0.02	5	<0.1	<0.02	4.2	1.34	<0.1	0.03	0.22	
843T024	Silt	84.8	0.73	68.9	0.109	<1	1.15	0.021	0.10	0.2	2.9	<0.02	0.04	5	0.3	0.04	5.4	1.29	0.1	<0.02	0.25	
843T025	Silt	18.0	0.29	25.2	0.022	<1	0.48	0.005	0.05	<0.1	1.5	0.03	<0.02	<5	0.3	<0.02	1.8	0.41	<0.1	0.03	0.16	
843T026	Silt	25.0	0.53	41.5	0.068	<1	0.92	0.033	0.07	0.3	2.1	<0.02	0.05	5	0.2	0.03	3.8	0.56	<0.1	<0.02	0.08	
843T027	Silt	33.6	0.24	25.1	0.049	<1	0.36	0.002	0.03	0.3	1.0	<0.02	0.05	<5	<0.1	0.03	3.1	0.58	0.1	<0.02	0.19	
843T028	Silt	28.3	0.50	43.5	0.063	<1	0.84	0.029	0.06	0.3	1.9	<0.02	<0.02	68	0.2	0.04	3.6	0.64	<0.1	<0.02	0.11	
843T029	Silt	28.4	0.25	31.2	0.048	<1	0.57	0.004	0.02	0.3	1.0	<0.02	<0.02	8	<0.1	0.03	3.4	0.93	<0.1	<0.02	0.28	
843T030	Silt	31.2	0.37	32.8	0.055	<1	0.62	0.020	0.04	0.3	1.5	<0.02	0.04	<5	0.2	0.05	3.5	0.53	<0.1	<0.02	0.11	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 16, 2008

Page:

2 of 4

Part 3

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
		0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843T001	Silt	3.4	0.1	<0.05	1.5	3.89	13.7	<0.02	<1	0.2	6.2	<10	<2
843T002	Silt	7.6	0.4	<0.05	0.4	5.07	10.1	<0.02	1	0.2	13.8	<10	<2
843T003	Silt	5.8	0.2	<0.05	0.4	3.26	6.0	<0.02	<1	0.2	16.3	<10	<2
843T004	Silt	4.1	0.2	<0.05	0.8	3.36	7.4	<0.02	<1	0.1	12.1	<10	<2
843T005	Silt	11.2	0.4	<0.05	0.3	5.35	9.9	0.02	<1	<0.1	20.6	<10	<2
843T006	Silt	5.7	0.3	<0.05	0.9	3.93	8.4	<0.02	<1	<0.1	14.8	<10	<2
843T007	Silt	18.5	0.4	<0.05	0.6	6.98	21.7	0.04	1	0.1	12.0	<10	<2
843T008	Silt	4.8	0.3	<0.05	0.5	4.38	13.1	<0.02	1	<0.1	6.5	<10	<2
843T009	Silt	7.8	0.3	<0.05	0.2	4.75	9.3	0.02	2	0.1	13.9	<10	<2
843T010	Silt	9.7	0.3	<0.05	0.2	6.58	13.3	0.03	<1	0.2	14.7	<10	<2
843T011	Silt	9.1	0.4	<0.05	0.2	5.53	11.2	0.02	<1	0.2	15.5	<10	<2
843T012	Silt	8.2	0.2	<0.05	0.4	3.41	5.1	<0.02	<1	0.1	18.0	<10	<2
843T013	Silt	8.0	0.1	<0.05	0.3	3.24	4.8	<0.02	<1	<0.1	11.4	<10	<2
843T014	Silt	4.9	0.4	<0.05	1.4	5.09	13.5	<0.02	<1	0.2	17.8	<10	<2
843T015	Silt	4.1	0.3	<0.05	1.7	4.32	8.7	<0.02	<1	0.2	14.3	<10	<2
843T016	Silt	10.3	0.5	<0.05	0.3	4.56	11.1	<0.02	<1	0.1	21.4	<10	<2
843T017	Silt	9.6	0.5	<0.05	0.4	7.92	18.6	0.02	<1	0.1	19.3	<10	<2
843T018	Silt	5.4	0.4	<0.05	1.2	5.00	11.3	<0.02	<1	0.1	15.5	<10	<2
843T019	Silt	4.7	0.3	<0.05	0.7	4.70	9.5	<0.02	<1	<0.1	12.5	<10	<2
843T020	Silt	4.6	0.3	<0.05	0.8	4.60	8.7	<0.02	<1	0.3	12.4	<10	<2
843T021	Silt	6.7	0.3	<0.05	0.3	6.43	11.9	<0.02	<1	0.2	12.2	<10	<2
843T022	Silt	5.4	0.4	<0.05	0.9	5.28	12.3	<0.02	<1	0.1	13.9	<10	<2
843T023	Silt	4.8	0.3	<0.05	0.9	4.40	9.1	<0.02	<1	<0.1	13.1	<10	<2
843T024	Silt	5.2	0.4	<0.05	0.5	11.64	29.2	0.03	<1	0.2	10.8	<10	<2
843T025	Silt	3.3	0.1	<0.05	1.5	4.29	17.7	<0.02	<1	0.1	6.1	<10	<2
843T026	Silt	2.9	0.1	<0.05	0.4	2.88	4.8	<0.02	<1	<0.1	7.7	<10	<2
843T027	Silt	2.2	0.3	<0.05	0.4	10.50	25.3	0.03	<1	<0.1	4.3	<10	<2
843T028	Silt	2.8	0.1	<0.05	0.3	3.89	7.1	<0.02	<1	<0.1	7.0	<10	<2
843T029	Silt	2.0	0.2	<0.05	0.3	5.69	15.1	0.02	<1	0.1	8.2	<10	<2
843T030	Silt	2.5	0.2	<0.05	0.3	5.10	11.6	<0.02	<1	<0.1	5.8	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 16, 2008

Page: 3 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method Analyte Unit MDL	WGHT Wgt kg	1F30 Mo ppm	1F30 Cu ppm	1F30 Pb ppm	1F30 Zn ppm	1F30 Ag ppb	1F30 Ni ppm	1F30 Co ppm	1F30 Mn ppm	1F30 Fe %	1F30 As ppm	1F30 Au ppb	1F30 Sr ppm	1F30 Cd ppm	1F30 Sb ppm	1F30 Bi ppm	1F30 V ppm	1F30 Ca %	1F30 P %	1F30 La ppm	
843T031	Silt	3.83	1.78	17.28	13.26	65.5	57	8.4	7.9	289	3.94	4.2	0.9	13.5	0.18	0.19	0.23	139	0.25	0.056	5.8
843T032	Silt	3.04	1.70	7.94	4.09	27.6	31	5.5	4.4	172	2.90	1.0	0.8	17.3	0.07	0.07	0.25	97	0.22	0.042	4.9
843T033	Silt	5.22	0.85	6.09	5.16	34.4	48	4.8	4.5	203	2.37	0.6	3.3	8.1	0.09	0.09	0.47	71	0.11	0.024	4.0
843T034	Silt	3.89	1.68	10.25	3.54	40.3	21	13.0	6.7	223	2.77	1.3	0.8	33.0	0.06	0.06	0.50	89	0.37	0.052	5.9
843T035	Silt	4.12	0.79	24.07	4.29	23.5	10	4.8	5.9	168	2.84	0.8	0.5	20.6	0.08	0.06	0.36	83	0.17	0.065	6.4
843T036	Silt	3.66	0.75	27.71	4.72	30.0	21	5.9	5.2	163	2.02	0.5	1.2	14.0	0.07	0.05	0.19	57	0.16	0.060	7.8
843T037	Silt	4.80	0.69	9.02	1.45	12.3	39	6.6	7.6	114	4.17	0.7	1.2	14.9	0.03	0.05	0.18	142	0.33	0.044	3.4
843T038	Silt	4.43	0.34	21.75	2.99	26.6	32	11.3	9.1	226	3.03	4.5	0.9	34.9	0.06	0.19	0.14	111	0.64	0.048	2.2
843T039	Silt	4.38	1.02	20.51	6.67	30.8	63	9.9	11.0	200	5.77	2.0	1.0	12.8	0.07	0.09	0.33	204	0.34	0.065	4.8
843T040	Silt	4.08	0.79	24.40	6.86	32.7	63	11.0	12.5	223	6.20	2.4	0.9	14.4	0.07	0.10	0.36	221	0.36	0.068	4.8
843T041	Silt	3.62	0.26	21.99	2.10	22.0	20	10.5	8.1	187	2.01	4.5	0.6	43.7	0.04	0.14	<0.02	74	0.75	0.033	1.7
843T042	Silt	3.57	0.53	13.10	2.75	25.0	19	5.0	6.4	235	3.49	1.4	0.7	15.1	0.03	0.08	0.07	117	0.27	0.048	1.9
843T101	Silt	3.87	2.47	56.76	33.99	78.6	215	12.1	6.7	283	2.39	2.5	17.3	27.0	0.38	0.42	0.42	93	0.23	0.032	3.8
843T102	Silt	5.29	1.55	29.15	17.54	45.8	77	15.3	12.7	345	3.88	6.2	2.0	20.2	0.13	0.16	0.21	137	0.46	0.056	3.2
843T103	Silt	3.96	2.11	37.51	29.39	82.6	288	15.2	9.9	439	3.04	5.5	3.9	19.3	0.79	0.56	0.58	106	0.40	0.055	5.0
843T104	Silt	4.34	1.96	36.44	44.18	114.6	427	12.4	7.8	355	2.91	4.6	4.8	6.6	0.62	1.03	4.26	105	0.16	0.026	3.5
843T105	Silt	3.22	1.34	47.33	32.50	156.3	307	18.9	12.5	457	4.17	6.1	17.8	14.4	0.62	0.59	1.53	146	0.27	0.039	4.0
843T106	Silt	4.15	1.15	49.22	32.29	131.1	456	22.0	14.2	504	5.09	6.4	10.5	16.9	0.49	0.69	2.37	186	0.33	0.051	4.6
843T107	Silt	3.58	1.30	26.91	8.22	36.8	127	16.8	10.7	305	5.53	2.1	434.3	15.1	0.17	0.22	0.75	214	0.33	0.065	5.8
843T108	Silt	5.96	0.79	22.95	9.39	35.1	79	10.6	10.3	270	2.85	4.9	0.7	19.4	0.12	0.15	0.25	99	0.38	0.045	2.6
843T109	Silt	4.59	1.14	37.19	4.66	74.7	57	25.8	15.9	335	4.74	6.3	51.0	28.2	0.24	0.17	0.59	182	1.12	0.311	18.6
843T110	Silt	4.47	1.18	44.27	6.10	49.1	59	27.4	17.5	401	3.94	9.9	1.6	48.9	0.15	0.23	0.26	138	1.27	0.346	22.3
843T111	Silt	3.62	3.27	54.18	5.16	48.4	121	33.3	18.3	345	4.25	11.5	256.6	80.6	0.12	0.22	0.55	150	1.41	0.331	26.6
843T112	Silt	4.27	1.87	37.03	3.58	41.5	60	23.3	15.0	287	3.32	4.3	71.1	25.7	0.10	0.18	0.26	117	1.11	0.290	25.9
843T113	Silt	3.62	1.65	18.41	8.66	95.2	64	16.9	11.7	388	3.90	2.9	11.7	54.8	0.29	0.15	0.26	115	0.43	0.066	6.9
843T114	Silt	2.64	1.76	20.39	9.58	77.1	150	18.9	13.0	493	3.16	5.5	3.0	30.9	0.40	0.22	0.15	78	0.43	0.043	8.7
843T115	Silt	3.48	4.59	22.03	13.24	66.0	122	24.8	14.4	473	3.69	14.3	543.3	41.1	0.20	0.45	0.18	101	0.50	0.053	6.3
843T116	Silt	5.05	10.04	21.12	9.86	105.4	53	31.9	22.7	1226	4.76	8.1	5.2	39.6	0.42	0.23	0.42	108	0.53	0.097	12.4
843T117	Silt	4.00	4.24	19.49	10.54	103.3	436	22.2	12.6	334	3.86	4.8	2285	29.2	0.30	0.22	0.68	90	0.43	0.077	8.6
843T118	Silt	2.48	2.57	36.11	52.81	97.0	534	15.5	11.1	695	2.99	2.8	7.8	163.7	0.68	0.21	1.66	67	0.57	0.070	12.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 16, 2008

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02
843T031	Silt	23.2	0.37	47.7	0.072	<1	0.79	0.007	0.07	0.5	1.4	0.02	<0.02	9	0.1	<0.02	3.6	1.46	0.1	<0.02	0.31
843T032	Silt	14.5	0.23	45.1	0.042	<1	0.42	0.012	0.03	0.3	0.9	<0.02	<0.02	5	<0.1	<0.02	2.4	1.67	<0.1	<0.02	0.25
843T033	Silt	11.2	0.26	36.9	0.055	<1	0.34	0.001	0.05	0.4	1.1	0.03	<0.02	<5	<0.1	<0.02	2.4	1.93	<0.1	<0.02	0.36
843T034	Silt	15.8	0.55	73.8	0.074	<1	0.81	0.036	0.04	0.5	1.7	<0.02	<0.02	5	0.2	<0.02	2.8	1.65	<0.1	0.03	0.15
843T035	Silt	11.8	0.26	51.8	0.055	<1	0.46	<0.001	0.08	0.4	1.5	0.05	<0.02	<5	<0.1	<0.02	2.8	0.98	<0.1	<0.02	0.25
843T036	Silt	9.0	0.46	66.2	0.093	<1	0.81	0.002	0.13	0.4	2.4	0.12	<0.02	5	0.2	<0.02	3.8	1.98	<0.1	<0.02	0.49
843T037	Silt	24.3	0.18	29.0	0.030	<1	0.49	0.023	0.02	0.3	0.8	<0.02	<0.02	<5	<0.1	<0.02	2.3	0.60	<0.1	<0.02	0.12
843T038	Silt	28.9	0.51	43.7	0.071	3	1.08	0.037	0.08	0.2	2.0	<0.02	<0.02	<5	<0.1	0.04	3.5	0.60	<0.1	0.02	0.11
843T039	Silt	35.4	0.33	25.0	0.047	1	0.54	0.023	0.04	0.7	1.2	<0.02	0.05	<5	0.2	0.02	3.3	0.38	<0.1	<0.02	0.10
843T040	Silt	38.7	0.36	27.2	0.053	1	0.61	0.024	0.04	0.6	1.3	<0.02	0.06	<5	0.1	0.04	3.6	0.41	<0.1	<0.02	0.11
843T041	Silt	24.2	0.49	42.0	0.061	4	1.20	0.044	0.07	0.3	2.0	<0.02	<0.02	7	<0.1	0.03	3.3	0.63	<0.1	<0.02	0.08
843T042	Silt	10.6	0.39	40.5	0.055	<1	0.59	0.013	0.06	<0.1	1.0	<0.02	<0.02	<5	<0.1	0.02	2.6	0.31	<0.1	<0.02	0.07
843T101	Silt	43.3	0.45	43.0	0.059	<1	0.89	0.009	0.05	0.8	1.7	<0.02	<0.02	9	<0.1	0.06	3.2	2.48	<0.1	<0.02	0.36
843T102	Silt	53.8	0.65	71.2	0.098	3	1.17	0.030	0.13	0.6	2.3	0.04	<0.02	<5	0.2	<0.02	4.4	1.50	<0.1	<0.02	0.22
843T103	Silt	48.2	0.61	90.0	0.090	2	1.15	0.021	0.13	0.5	2.3	0.08	<0.02	8	0.2	0.07	3.7	3.31	<0.1	<0.02	0.29
843T104	Silt	48.3	0.33	57.1	0.033	1	0.60	0.006	0.05	0.2	1.3	0.02	<0.02	<5	0.3	0.29	2.7	4.27	<0.1	<0.02	0.16
843T105	Silt	60.2	0.64	89.4	0.070	1	1.56	0.011	0.07	0.3	2.8	0.04	<0.02	16	0.4	0.07	5.7	7.20	<0.1	<0.02	0.39
843T106	Silt	78.9	0.72	89.7	0.083	2	1.46	0.017	0.10	0.3	2.8	0.03	<0.02	15	0.7	0.13	5.6	5.57	<0.1	<0.02	0.37
843T107	Silt	97.0	0.50	63.0	0.078	1	0.76	0.017	0.09	1.3	1.9	<0.02	<0.02	5	0.3	<0.02	4.2	1.91	<0.1	<0.02	0.34
843T108	Silt	35.8	0.51	58.6	0.074	2	1.11	0.031	0.09	0.4	2.1	0.04	<0.02	<5	<0.1	0.03	3.6	1.27	<0.1	<0.02	0.17
843T109	Silt	81.6	1.00	46.3	0.259	<1	1.25	0.009	0.20	0.2	1.6	0.08	<0.02	<5	0.4	0.05	5.9	1.78	<0.1	<0.02	0.57
843T110	Silt	65.6	1.08	100.1	0.291	1	1.97	0.015	0.23	0.2	2.4	0.18	<0.02	<5	0.6	0.03	6.4	1.93	0.1	<0.02	0.67
843T111	Silt	71.6	1.14	74.7	0.222	<1	1.83	0.008	0.24	0.3	2.6	0.14	<0.02	<5	0.2	0.05	6.8	2.61	0.1	<0.02	0.27
843T112	Silt	51.5	0.84	44.3	0.235	1	1.25	0.012	0.13	0.1	1.7	0.08	<0.02	8	0.7	0.06	4.6	1.17	0.1	0.02	0.77
843T113	Silt	30.2	0.70	77.4	0.074	<1	1.27	0.012	0.07	0.4	2.6	0.04	0.06	5	0.3	0.06	4.5	1.74	<0.1	<0.02	0.31
843T114	Silt	26.0	0.60	93.7	0.080	1	1.77	0.009	0.06	0.1	2.7	0.05	0.02	25	0.4	0.05	4.5	2.90	<0.1	<0.02	0.63
843T115	Silt	29.6	0.96	115.1	0.116	1	2.27	0.026	0.09	0.4	4.0	0.04	<0.02	14	0.5	0.05	5.4	2.03	<0.1	<0.02	0.38
843T116	Silt	46.8	1.48	110.1	0.107	<1	1.92	0.007	0.13	1.8	6.3	0.12	0.20	14	0.8	0.18	7.5	2.34	<0.1	0.02	0.40
843T117	Silt	35.4	0.75	60.1	0.077	<1	1.36	0.009	0.08	0.9	3.1	0.05	0.29	7	0.6	0.13	4.3	2.12	<0.1	<0.02	0.31
843T118	Silt	23.1	0.67	175.6	0.056	<1	1.45	0.016	0.14	<0.1	3.0	0.10	<0.02	10	0.4	0.04	4.9	2.14	<0.1	<0.02	0.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 16, 2008

Page:

3 of 4

Part 3

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
		0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843T031	Silt	4.5	0.2	<0.05	0.3	5.32	17.1	<0.02	<1	0.1	14.6	<10	<2
843T032	Silt	3.6	0.2	<0.05	0.2	4.30	10.7	<0.02	<1	0.1	7.1	<10	<2
843T033	Silt	4.8	0.2	<0.05	0.2	3.40	9.0	<0.02	<1	0.1	8.5	<10	<2
843T034	Silt	2.9	0.2	<0.05	1.1	4.88	13.3	<0.02	<1	<0.1	8.3	<10	<2
843T035	Silt	6.9	0.2	<0.05	0.3	5.97	15.8	<0.02	<1	0.2	5.1	<10	<2
843T036	Silt	14.5	0.3	<0.05	0.5	6.01	15.3	0.02	<1	0.3	11.5	<10	<2
843T037	Silt	1.4	<0.1	<0.05	0.3	3.22	8.0	<0.02	<1	<0.1	3.4	<10	<2
843T038	Silt	2.4	0.1	<0.05	0.5	2.69	5.3	<0.02	<1	0.1	5.3	<10	<2
843T039	Silt	1.7	0.2	<0.05	0.4	4.77	12.3	<0.02	<1	<0.1	4.1	<10	<2
843T040	Silt	1.8	0.2	<0.05	0.4	5.07	12.5	<0.02	<1	<0.1	4.4	<10	<2
843T041	Silt	2.3	<0.1	<0.05	0.4	2.00	3.7	<0.02	<1	<0.1	5.1	<10	<2
843T042	Silt	1.9	0.1	<0.05	0.3	2.16	4.6	<0.02	<1	<0.1	4.0	<10	<2
843T101	Silt	3.7	0.2	<0.05	0.3	3.58	9.7	0.04	<1	0.2	6.8	<10	<2
843T102	Silt	6.3	0.2	<0.05	0.4	3.64	8.0	<0.02	<1	<0.1	11.6	<10	<2
843T103	Silt	7.4	0.2	<0.05	0.4	6.38	12.5	<0.02	<1	0.2	13.1	<10	<2
843T104	Silt	4.3	0.2	<0.05	0.2	2.85	8.2	0.04	<1	<0.1	7.6	<10	<2
843T105	Silt	7.5	0.3	<0.05	0.6	4.40	11.0	0.03	<1	0.2	18.2	<10	<2
843T106	Silt	8.0	0.3	<0.05	0.4	5.27	11.8	0.03	<1	0.2	15.8	<10	<2
843T107	Silt	5.6	0.3	<0.05	0.2	4.93	14.3	<0.02	<1	0.1	9.1	<10	<2
843T108	Silt	5.0	0.1	<0.05	0.3	3.02	6.3	<0.02	<1	<0.1	8.8	<10	<2
843T109	Silt	12.2	0.3	<0.05	0.3	12.24	46.3	<0.02	<1	0.2	16.3	<10	<2
843T110	Silt	16.8	0.5	<0.05	0.5	17.03	69.1	<0.02	<1	0.2	34.4	<10	<2
843T111	Silt	13.8	0.4	<0.05	0.1	17.71	79.6	<0.02	<1	0.2	33.5	<10	<2
843T112	Silt	8.4	0.3	<0.05	5.6	16.61	73.3	<0.02	<1	0.1	21.0	<10	<2
843T113	Silt	5.4	0.3	<0.05	0.8	6.65	18.1	<0.02	<1	0.3	16.1	<10	<2
843T114	Silt	6.4	0.3	<0.05	0.7	8.41	20.7	0.02	<1	0.7	19.5	<10	<2
843T115	Silt	5.0	0.3	<0.05	1.1	7.24	21.3	0.03	<1	0.4	51.5	<10	<2
843T116	Silt	8.4	0.5	<0.05	0.7	11.36	32.7	0.04	<1	0.7	28.0	<10	<2
843T117	Silt	5.4	0.4	<0.05	0.5	7.71	21.5	<0.02	<1	0.4	19.9	<10	<2
843T118	Silt	10.2	0.2	<0.05	0.4	9.76	34.0	0.03	<1	0.5	11.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 16, 2008

Page: 4 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm
843T119	Silt	4.35	0.92	20.71	1.39	39.2	27	17.9	12.1	285	2.49	3.5	<0.2	17.7	0.07	0.06	0.04	70	0.40	0.046	3.1
843T120	Silt	3.44	0.67	16.76	3.61	30.0	94	20.0	7.6	208	1.44	1.5	0.5	12.6	0.20	0.13	0.09	21	0.20	0.045	7.0
843T121	Silt	2.41	0.31	25.10	1.40	28.1	19	41.6	12.9	241	2.18	2.0	0.7	36.1	0.04	0.05	0.03	64	0.59	0.028	2.0
843T122	Silt	3.48	0.56	43.57	1.71	57.6	37	19.2	17.5	482	4.20	3.0	1.4	57.4	0.08	0.10	0.04	110	0.88	0.047	2.5
843T123	Silt	6.17	1.16	72.60	3.33	55.5	87	11.4	13.9	553	2.49	3.9	0.9	51.1	0.22	0.18	0.05	62	1.24	0.076	2.9
843T124	Silt	3.86	0.53	16.80	1.99	32.1	34	10.1	8.9	254	2.11	12.9	180.7	23.5	0.03	0.19	<0.02	58	0.36	0.016	1.6
843T125	Silt	4.95	1.06	50.87	7.46	62.8	61	17.5	16.0	498	3.35	22.8	32.6	32.9	0.14	0.42	0.14	82	0.52	0.049	2.7
843T126	Silt	2.84	2.66	44.62	8.95	124.8	198	13.8	8.8	471	3.81	3.1	1.3	32.6	0.83	0.85	0.43	117	0.45	0.057	5.6
843T127	Silt	3.09	2.76	45.50	9.02	122.7	191	13.8	8.6	446	4.21	3.2	2.3	31.4	0.84	0.96	0.35	130	0.44	0.057	5.7
843T128	Silt	4.28	1.00	24.34	3.62	35.9	41	27.6	12.9	311	6.94	0.9	0.6	53.0	0.13	0.13	0.05	243	0.52	0.073	7.5
843T129	Silt	6.01	1.55	35.13	5.61	38.1	106	21.9	16.9	335	4.67	7.5	183.2	33.8	0.14	0.25	0.69	173	0.55	0.104	8.0
843T130	Silt	4.14	1.35	27.02	4.89	55.7	62	23.8	11.9	375	4.74	19.0	<0.2	20.8	0.17	0.51	0.12	150	0.39	0.071	5.7
843T131	Silt	5.10	0.78	35.85	4.50	59.4	59	9.5	12.7	413	3.32	10.6	3.7	29.4	0.10	0.31	0.05	84	0.56	0.057	2.5
843T132	Silt	5.20	1.23	43.88	9.67	64.2	87	10.9	14.0	697	2.97	8.8	12.8	42.6	0.12	0.46	0.07	69	0.84	0.061	4.7



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Wallbridge Mining Company Ltd.**

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 16, 2008

Page: 4 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
843T119	Silt	35.5	0.71	80.7	0.089	<1	1.06	0.019	0.15	0.5	2.5	0.10	0.05	6	0.3	0.04	3.2	1.04	<0.1	0.02	0.11
843T120	Silt	19.3	0.27	23.0	0.020	<1	0.47	0.008	0.04	<0.1	1.4	0.03	<0.02	<5	0.3	<0.02	1.6	0.36	<0.1	0.04	0.14
843T121	Silt	100.1	0.86	46.7	0.085	2	1.26	0.032	0.09	0.3	2.1	0.05	<0.02	5	0.4	0.02	3.4	0.96	<0.1	<0.02	0.14
843T122	Silt	50.1	0.95	76.3	0.096	2	2.03	0.059	0.10	0.2	4.6	0.03	<0.02	14	0.4	0.03	5.8	0.91	<0.1	0.02	0.13
843T123	Silt	22.7	0.80	61.9	0.060	5	1.59	0.021	0.10	0.3	3.1	0.04	0.08	65	1.6	0.03	3.7	0.95	<0.1	<0.02	0.30
843T124	Silt	19.0	0.67	29.3	0.073	<1	1.09	0.008	0.02	0.3	1.6	<0.02	<0.02	<5	0.3	<0.02	3.3	0.64	<0.1	<0.02	0.14
843T125	Silt	25.5	1.06	74.0	0.104	1	2.14	0.021	0.07	0.3	3.2	0.03	<0.02	18	0.6	0.12	5.9	1.16	<0.1	0.02	0.25
843T126	Silt	41.1	0.41	70.3	0.065	1	1.06	0.017	0.07	1.5	1.7	0.03	0.04	22	0.7	0.02	3.5	1.16	<0.1	<0.02	0.51
843T127	Silt	44.5	0.38	67.4	0.063	1	0.93	0.014	0.06	1.9	1.6	0.03	0.04	30	0.6	0.04	3.5	1.15	<0.1	<0.02	0.51
843T128	Silt	98.3	0.63	75.5	0.123	<1	1.19	0.012	0.16	0.3	2.7	<0.02	<0.02	<5	0.1	<0.02	6.5	1.07	<0.1	0.03	0.30
843T129	Silt	65.1	0.60	49.4	0.091	<1	1.06	0.024	0.12	0.5	2.2	0.02	0.05	6	0.3	0.03	4.5	0.83	<0.1	<0.02	0.47
843T130	Silt	55.9	0.63	52.1	0.089	<1	1.04	0.022	0.12	0.6	2.6	0.03	0.04	<5	0.4	0.02	4.6	1.22	<0.1	<0.02	0.30
843T131	Silt	14.9	0.90	110.7	0.096	1	1.64	0.050	0.21	0.2	2.5	0.06	0.06	21	0.6	0.02	5.0	0.93	<0.1	<0.02	0.20
843T132	Silt	15.5	0.91	140.2	0.083	2	1.87	0.014	0.17	0.2	2.8	0.09	0.05	66	1.2	0.04	5.1	1.27	<0.1	<0.02	0.46



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 16, 2008

Page:

4 of 4

Part 3

CERTIFICATE OF ANALYSIS

VAN08006949.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL		0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843T119	Silt	7.1	0.1	<0.05	0.5	3.19	6.5	<0.02	<1	<0.1	10.6	<10	<2
843T120	Silt	2.8	0.1	<0.05	1.5	3.41	14.9	<0.02	<1	0.2	4.6	<10	<2
843T121	Silt	6.2	<0.1	<0.05	0.5	2.50	4.1	<0.02	<1	<0.1	9.4	<10	<2
843T122	Silt	5.2	0.2	<0.05	0.5	4.93	6.0	<0.02	<1	0.1	8.3	<10	<2
843T123	Silt	4.4	0.1	<0.05	0.5	8.86	5.3	<0.02	<1	0.1	7.1	<10	<2
843T124	Silt	1.9	<0.1	<0.05	0.7	1.89	3.7	<0.02	<1	<0.1	7.0	<10	<2
843T125	Silt	4.4	0.2	<0.05	0.9	3.08	7.2	<0.02	<1	0.2	10.4	<10	<2
843T126	Silt	4.5	0.2	<0.05	0.2	4.68	13.0	<0.02	<1	0.3	8.7	<10	<2
843T127	Silt	4.5	0.2	<0.05	0.2	4.80	13.9	<0.02	<1	0.2	8.5	<10	<2
843T128	Silt	9.1	0.3	<0.05	0.5	4.20	17.7	<0.02	<1	0.2	10.9	<10	<2
843T129	Silt	5.5	0.2	<0.05	0.4	5.14	20.0	<0.02	<1	0.2	7.3	<10	<2
843T130	Silt	5.0	0.2	<0.05	0.4	4.56	14.8	<0.02	<1	0.2	9.8	<10	<2
843T131	Silt	7.6	0.1	<0.05	0.3	3.73	6.1	<0.02	2	0.2	11.8	<10	<2
843T132	Silt	8.8	0.2	<0.05	0.5	7.22	10.0	<0.02	1	0.2	14.5	<10	<2

QUALITY CONTROL REPORT

VAN08006949.1

Method	WGHT	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	
Pulp Duplicates																					
843T005	Silt	4.94	1.23	38.78	7.19	64.1	107	13.1	12.0	368	3.58	13.5	300.1	29.0	0.20	0.34	0.17	137	0.40	0.072	4.4
REP 843T005	QC		1.25	39.76	7.16	62.1	113	13.2	12.6	371	3.70	13.4	485.6	30.4	0.23	0.37	0.17	141	0.43	0.071	4.3
843T022	Silt	4.72	1.07	25.03	15.36	52.8	62	16.1	8.9	336	4.33	2.6	2.1	35.7	0.20	0.20	0.16	191	0.52	0.066	5.4
REP 843T022	QC		0.87	26.61	12.95	55.2	61	16.4	10.2	357	4.44	2.5	1.7	35.7	0.24	0.33	0.17	199	0.52	0.062	5.4
843T107	Silt	3.58	1.30	26.91	8.22	36.8	127	16.8	10.7	305	5.53	2.1	434.3	15.1	0.17	0.22	0.75	214	0.33	0.065	5.8
REP 843T107	QC		1.42	26.90	8.34	37.0	101	17.1	10.6	298	5.44	2.2	287.9	15.0	0.15	0.24	1.22	212	0.32	0.060	5.6
843T127	Silt	3.09	2.76	45.50	9.02	122.7	191	13.8	8.6	446	4.21	3.2	2.3	31.4	0.84	0.96	0.35	130	0.44	0.057	5.7
REP 843T127	QC		2.63	45.10	8.84	118.2	272	13.7	8.6	448	4.31	3.0	1.8	31.0	0.81	0.96	0.47	133	0.42	0.056	5.6
Reference Materials																					
STD DS7	Standard		20.26	110.4	60.96	399.4	888	53.0	9.2	618	2.33	54.4	90.1	72.9	6.87	6.21	4.47	87	0.94	0.079	12.8
STD DS7	Standard		21.26	103.4	71.95	423.5	909	61.3	10.0	636	2.40	49.6	66.4	61.7	5.68	5.42	4.06	80	0.95	0.067	11.6
STD DS7	Standard		22.48	107.4	69.60	416.6	902	63.3	10.5	671	2.46	47.0	135.4	73.4	5.88	5.35	4.25	81	1.01	0.070	12.7
STD DS7 Expected			20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5

QUALITY CONTROL REPORT

VAN08006949.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	
Pulp Duplicates																					
843T005	Silt	39.8	0.89	114.3	0.127	1	1.37	0.026	0.17	0.7	4.3	0.07	<0.02	10	0.4	0.08	5.0	2.35	<0.1	<0.02	0.34
REP 843T005	QC	43.5	0.90	112.7	0.129	1	1.40	0.029	0.17	0.6	4.5	0.07	<0.02	15	0.4	0.08	5.2	2.38	<0.1	<0.02	0.36
843T022	Silt	83.6	0.64	45.1	0.121	<1	1.15	0.012	0.09	0.3	3.3	<0.02	<0.02	<5	<0.1	<0.02	4.8	1.67	0.1	<0.02	0.45
REP 843T022	QC	83.6	0.64	45.7	0.128	<1	1.14	0.012	0.08	0.3	3.1	<0.02	<0.02	<5	<0.1	<0.02	5.1	1.70	<0.1	0.02	0.47
843T107	Silt	97.0	0.50	63.0	0.078	1	0.76	0.017	0.09	1.3	1.9	<0.02	<0.02	5	0.3	<0.02	4.2	1.91	<0.1	<0.02	0.34
REP 843T107	QC	97.8	0.47	59.8	0.078	1	0.75	0.016	0.09	1.2	1.9	<0.02	<0.02	<5	0.4	<0.02	4.3	1.93	<0.1	<0.02	0.36
843T127	Silt	44.5	0.38	67.4	0.063	1	0.93	0.014	0.06	1.9	1.6	0.03	0.04	30	0.6	0.04	3.5	1.15	<0.1	<0.02	0.51
REP 843T127	QC	46.7	0.37	64.9	0.059	1	0.89	0.013	0.06	1.9	1.5	0.03	0.04	19	0.5	0.05	3.6	1.11	<0.1	<0.02	0.47
Reference Materials																					
STD DS7	Standard	181.4	1.04	387.2	0.117	40	1.03	0.091	0.47	3.9	2.7	4.23	0.20	204	3.6	1.16	4.6	6.47	<0.1	0.13	0.80
STD DS7	Standard	242.1	1.06	374.3	0.111	39	1.00	0.087	0.45	4.0	2.4	4.31	0.19	212	3.5	1.17	4.8	5.95	0.1	0.13	0.67
STD DS7	Standard	252.9	1.09	414.3	0.124	43	1.10	0.095	0.46	4.0	2.7	4.29	0.19	208	3.8	1.21	4.9	6.25	<0.1	0.14	0.68
STD DS7 Expected		163	1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71
BLK	Blank	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02
BLK	Blank	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02
BLK	Blank	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: July 16, 2008

Page: 1 of 1 **Part** 3

QUALITY CONTROL REPORT

VAN08006949.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates													
843T005	Silt	11.2	0.4	<0.05	0.3	5.35	9.9	0.02	<1	<0.1	20.6	<10	<2
REP 843T005	QC	11.5	0.4	<0.05	0.3	5.59	9.8	<0.02	<1	0.2	21.4	<10	<2
843T022	Silt	5.4	0.4	<0.05	0.9	5.28	12.3	<0.02	<1	0.1	13.9	<10	<2
REP 843T022	QC	5.7	0.3	<0.05	0.9	5.55	12.6	<0.02	<1	0.2	14.3	<10	<2
843T107	Silt	5.6	0.3	<0.05	0.2	4.93	14.3	<0.02	<1	0.1	9.1	<10	<2
REP 843T107	QC	5.7	0.3	<0.05	0.2	4.83	13.9	<0.02	<1	<0.1	9.2	<10	<2
843T127	Silt	4.5	0.2	<0.05	0.2	4.80	13.9	<0.02	<1	0.2	8.5	<10	<2
REP 843T127	QC	4.3	0.2	<0.05	0.2	4.68	13.1	<0.02	<1	0.2	8.1	<10	<2
Reference Materials													
STD DS7	Standard	37.5	4.8	<0.05	5.7	6.08	36.7	1.66	5	1.7	29.4	66	41
STD DS7	Standard	31.8	4.3	<0.05	5.4	5.05	36.4	1.48	5	1.6	24.9	80	41
STD DS7	Standard	34.3	4.4	<0.05	6.1	5.57	38.0	1.50	5	1.9	25.9	99	37
STD DS7 Expected		35.8	5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: July 17, 2008
 Report Date: July 28, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08007361.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number 843
 Number of Samples: 38

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	38	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	38	Dry at 60C		
1F30	38	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
RJSV	38	Save all or part of soil reject fraction		
DIS-RJT	38	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 28, 2008

Page: 2 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN08007361.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	%	%	ppm	ppm		
			0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
843T043	Silt		1.38	39.12	4.12	46.1	47	14.2	13.2	413	4.57	6.2	1.9	24.0	0.13	0.24	0.13	151	0.34	0.042	3.4	35.3
843T044	Silt		1.17	43.24	8.53	109.3	131	14.2	11.8	428	3.91	14.7	2.2	25.2	0.35	0.43	0.18	129	0.35	0.029	2.9	26.7
843T045	Silt		1.59	8.05	3.48	32.0	228	5.3	5.8	275	2.00	4.1	0.6	18.0	0.14	0.29	0.03	56	0.33	0.021	4.4	13.5
843T046	Silt		0.86	12.76	2.55	74.7	25	7.9	17.1	784	4.75	5.1	1.0	36.2	0.05	0.31	0.03	102	0.78	0.142	6.8	15.2
843T047	Silt		0.96	10.95	3.57	32.7	28	9.0	6.2	234	2.90	2.2	0.4	16.1	0.08	0.15	0.58	99	0.23	0.023	3.6	23.1
843T048	Silt		1.18	12.74	18.04	78.9	145	11.5	8.1	358	6.85	1.9	37.7	33.2	0.32	0.12	1.20	226	0.34	0.072	8.8	29.3
843T049	Silt		0.92	21.34	9.14	71.7	268	10.5	8.8	290	4.25	2.1	818.0	26.8	0.17	0.14	0.38	143	0.44	0.061	5.9	27.1
843T050	Silt		0.70	20.20	4.63	43.2	102	19.3	8.3	232	1.50	1.6	0.9	16.2	0.26	0.15	0.17	24	0.22	0.054	9.1	20.3
843T051	Silt		3.61	30.33	19.69	169.7	77	14.0	10.5	362	4.33	6.7	1.6	47.4	0.45	0.35	1.10	137	0.46	0.066	8.4	30.4
843T052	Silt		1.43	22.64	26.75	273.9	118	13.7	7.4	485	5.11	5.0	0.6	33.1	0.67	0.32	1.78	180	0.33	0.045	7.5	34.1
843T053	Silt		0.72	43.56	22.73	125.0	314	24.6	14.7	461	3.89	48.2	712.3	31.5	0.67	1.24	0.47	128	0.41	0.053	4.8	38.8
843T054	Silt		1.36	7.78	3.91	19.8	63	8.0	5.1	136	2.60	1.7	0.6	15.9	0.11	0.12	0.03	100	0.22	0.016	4.7	24.6
843T055	Silt		2.95	36.54	10.69	57.6	86	20.0	16.6	400	4.53	1.5	4.1	41.0	0.25	0.10	0.30	137	0.64	0.144	16.7	34.4
843T056	Silt		1.83	26.11	8.15	62.3	108	25.7	13.2	317	4.61	1.8	153.0	51.5	0.17	0.11	0.46	168	0.75	0.130	14.4	51.3
843T057	Silt		0.53	23.52	3.25	50.0	40	13.4	8.9	271	3.29	3.5	1.8	35.8	0.13	0.17	0.21	111	0.46	0.041	3.8	27.7
843T058	Silt		0.94	26.64	6.94	36.9	57	14.6	14.7	232	4.26	2.1	1.2	50.1	0.09	0.19	0.90	174	0.42	0.053	2.8	77.4
843T059	Silt		1.06	15.27	3.59	35.6	29	8.6	8.6	286	3.44	2.6	25.0	25.1	0.06	0.13	0.11	116	0.39	0.043	3.6	33.6
843T060	Silt		1.00	16.53	3.59	37.7	24	8.8	9.4	301	3.41	2.6	0.8	25.2	0.06	0.13	0.10	114	0.39	0.050	3.5	34.3
843T061	Silt		0.49	23.46	6.46	33.0	69	10.5	10.9	242	3.61	2.2	1.4	21.9	0.11	0.62	0.28	130	0.32	0.043	2.4	50.4
843T062	Silt		0.88	17.72	5.60	42.2	28	13.8	10.7	362	4.25	3.0	1.2	32.0	0.12	0.16	0.12	183	0.35	0.047	5.7	69.3
843T063	Silt		0.59	24.99	6.65	36.4	68	10.1	10.6	328	4.67	2.8	1.3	26.2	0.11	0.23	0.22	162	0.34	0.043	2.9	37.8
843T064	Silt		2.33	28.53	1.67	88.7	39	15.1	12.7	493	4.26	8.4	1.0	29.5	0.19	0.09	0.07	147	0.62	0.085	3.4	36.7
843T065	Silt		1.32	17.42	1.80	74.6	19	11.9	10.7	574	2.43	3.3	0.7	20.1	0.33	0.04	0.05	80	0.37	0.048	3.4	23.5
843T066	Silt		3.78	27.74	2.00	95.4	51	12.4	11.3	392	3.29	12.6	0.5	26.4	0.34	0.13	0.08	102	0.44	0.091	3.4	25.5
843T067	Silt		1.71	28.49	2.46	70.5	36	13.2	13.2	481	4.79	7.7	0.6	29.7	0.16	0.14	0.06	182	0.56	0.078	3.6	34.8
843T068	Silt		1.15	19.11	1.43	52.9	22	11.9	11.0	377	2.95	4.7	<0.2	27.2	0.03	0.05	0.04	102	0.46	0.072	3.7	27.7
843T069	Silt		1.45	21.99	2.01	63.4	19	17.8	11.4	404	2.63	5.9	1.1	25.0	0.08	0.07	0.05	88	0.46	0.062	4.3	41.2
843T070	Silt		1.01	21.98	1.83	48.4	18	17.1	11.8	367	2.28	10.5	<0.2	30.9	0.05	0.07	0.07	68	0.53	0.074	6.1	37.4
843T071	Silt		0.71	26.08	1.73	33.4	35	34.4	13.6	289	2.05	3.3	0.7	16.4	0.03	0.10	0.08	50	0.35	0.057	5.2	88.1
843T072	Silt		0.35	13.20	1.12	14.7	9	10.5	6.6	122	1.17	1.8	0.6	9.8	<0.01	0.05	<0.02	32	0.19	0.029	4.2	30.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: July 28, 2008

Page: 2 of 3

Part 2

CERTIFICATE OF ANALYSIS

VAN08007361.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
843T043	Silt	0.58	67.0	0.079	<1	1.01	0.013	0.06	0.2	1.8	<0.02	<0.02	11	0.4	0.04	4.0	0.70	<0.1	0.02	0.21	4.3
843T044	Silt	0.77	97.9	0.143	1	1.52	0.037	0.18	0.9	4.7	0.09	0.02	14	0.6	0.05	5.8	2.12	<0.1	<0.02	0.38	11.8
843T045	Silt	0.47	79.9	0.093	<1	1.00	0.007	0.06	<0.1	2.1	0.03	<0.02	15	0.4	<0.02	4.5	1.09	<0.1	<0.02	0.33	4.1
843T046	Silt	1.40	293.7	0.172	<1	2.13	0.010	0.54	0.3	2.4	0.21	<0.02	10	0.2	<0.02	7.0	3.44	0.1	0.02	0.10	43.7
843T047	Silt	0.34	39.4	0.069	<1	0.67	0.010	0.04	0.5	1.3	<0.02	<0.02	<5	0.2	0.02	3.2	2.46	<0.1	0.02	0.30	3.7
843T048	Silt	0.39	38.2	0.053	<1	0.62	0.007	0.03	0.3	1.6	<0.02	<0.02	10	0.3	0.04	4.0	0.85	<0.1	<0.02	0.23	2.1
843T049	Silt	0.49	59.7	0.088	<1	0.91	0.018	0.10	0.6	1.9	0.03	<0.02	11	0.3	0.02	4.0	1.80	<0.1	<0.02	0.27	6.5
843T050	Silt	0.28	28.2	0.022	<1	0.53	0.009	0.05	<0.1	1.7	0.03	<0.02	<5	0.2	<0.02	1.7	0.42	<0.1	0.04	0.15	3.2
843T051	Silt	0.51	67.4	0.117	<1	0.91	0.011	0.11	1.1	2.6	0.05	0.17	10	0.4	0.05	4.3	2.40	<0.1	<0.02	0.40	7.5
843T052	Silt	0.38	36.8	0.067	<1	0.72	0.014	0.04	0.2	1.6	<0.02	<0.02	11	0.4	0.04	3.8	1.91	<0.1	<0.02	0.31	3.5
843T053	Silt	0.87	88.2	0.084	<1	1.47	0.020	0.09	0.4	4.3	0.04	0.03	10	0.5	0.05	4.9	2.57	<0.1	<0.02	0.17	6.0
843T054	Silt	0.25	27.1	0.085	<1	0.52	0.010	0.05	0.4	1.1	0.04	<0.02	<5	<0.1	<0.02	2.8	6.09	<0.1	0.03	0.37	3.8
843T055	Silt	0.86	75.7	0.169	<1	1.12	0.015	0.14	0.9	4.0	0.14	0.04	10	0.3	0.07	5.3	3.10	0.1	<0.02	0.78	16.3
843T056	Silt	0.73	34.4	0.139	<1	1.10	0.031	0.08	0.2	3.4	0.02	0.03	<5	0.2	0.08	5.7	2.26	0.1	0.06	0.28	7.8
843T057	Silt	0.62	62.0	0.094	<1	1.31	0.050	0.12	0.1	2.5	0.04	<0.02	<5	0.1	0.03	4.6	1.06	<0.1	0.03	0.23	6.5
843T058	Silt	0.75	88.8	0.102	<1	1.30	0.027	0.12	0.2	2.6	0.05	<0.02	<5	0.3	0.08	4.5	2.10	<0.1	<0.02	0.18	6.2
843T059	Silt	0.55	53.8	0.101	<1	0.89	0.020	0.08	0.1	2.6	0.03	<0.02	8	0.2	0.03	3.8	1.22	<0.1	0.03	0.14	4.9
843T060	Silt	0.56	58.3	0.103	<1	0.92	0.022	0.09	0.1	2.6	0.03	<0.02	8	0.1	0.02	3.8	1.23	<0.1	0.04	0.15	4.9
843T061	Silt	0.59	80.5	0.094	<1	0.82	0.016	0.13	0.1	2.2	0.04	0.02	<5	0.1	0.04	3.7	1.70	<0.1	<0.02	0.13	6.8
843T062	Silt	0.62	74.5	0.141	<1	0.98	0.019	0.20	0.2	3.7	0.09	<0.02	9	0.2	0.02	5.3	2.52	<0.1	<0.02	0.43	13.0
843T063	Silt	0.65	55.4	0.087	<1	0.91	0.021	0.11	0.1	3.8	0.02	0.02	6	0.2	0.04	4.3	1.56	<0.1	<0.02	0.14	5.5
843T064	Silt	1.10	169.4	0.179	<1	1.80	0.022	0.31	0.3	6.5	0.21	0.09	9	0.9	0.04	5.5	1.73	0.1	0.02	0.14	12.8
843T065	Silt	0.64	165.5	0.129	<1	1.35	0.020	0.28	0.3	4.8	0.21	<0.02	10	0.5	0.04	4.5	1.66	<0.1	<0.02	0.23	15.7
843T066	Silt	0.71	137.2	0.119	<1	1.39	0.024	0.25	0.7	5.2	0.36	0.16	8	1.2	0.03	3.7	1.43	0.1	<0.02	0.17	9.4
843T067	Silt	0.80	90.1	0.126	<1	1.45	0.017	0.17	0.4	5.0	0.12	0.03	13	0.5	0.03	5.4	1.39	<0.1	<0.02	0.14	7.7
843T068	Silt	0.78	171.3	0.132	<1	1.26	0.025	0.31	0.3	4.9	0.13	0.05	<5	0.4	0.04	4.1	1.32	<0.1	<0.02	0.13	12.2
843T069	Silt	0.93	177.6	0.161	<1	1.44	0.018	0.49	0.3	4.8	0.29	0.02	6	0.5	0.02	4.3	3.29	0.1	<0.02	0.15	29.9
843T070	Silt	0.85	113.1	0.133	1	1.32	0.016	0.38	1.2	4.1	0.26	0.02	9	0.4	0.04	3.8	2.92	<0.1	0.02	0.13	26.8
843T071	Silt	0.89	92.2	0.113	<1	1.15	0.012	0.41	0.7	2.4	0.29	<0.02	7	0.3	0.02	3.1	2.71	0.1	<0.02	0.08	27.8
843T072	Silt	0.38	48.7	0.060	<1	0.57	0.010	0.15	0.1	1.2	0.09	<0.02	<5	0.2	<0.02	1.6	0.98	<0.1	<0.02	0.07	10.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 28, 2008

Page:

2 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007361.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843T043	Silt	0.2	<0.05	0.9	3.61	6.5	<0.02	<1	<0.1	9.1	<10	<2
843T044	Silt	0.3	<0.05	0.6	4.45	4.8	0.03	<1	0.2	18.4	<10	<2
843T045	Silt	0.2	<0.05	0.5	9.17	6.1	<0.02	<1	0.2	22.4	<10	<2
843T046	Silt	0.2	<0.05	0.5	11.13	16.3	<0.02	<1	0.4	27.8	<10	<2
843T047	Silt	0.3	<0.05	0.5	2.95	6.8	<0.02	<1	0.2	11.3	<10	<2
843T048	Silt	0.3	<0.05	0.4	7.98	19.1	0.03	<1	0.2	8.3	<10	<2
843T049	Silt	0.2	<0.05	0.3	4.83	13.4	<0.02	<1	0.1	14.3	<10	<2
843T050	Silt	0.2	<0.05	1.6	4.35	17.2	<0.02	<1	0.2	6.7	<10	<2
843T051	Silt	0.3	<0.05	0.6	6.24	17.1	0.03	<1	0.2	12.4	<10	<2
843T052	Silt	0.4	<0.05	0.4	5.39	14.6	0.07	<1	0.3	9.2	<10	<2
843T053	Silt	0.3	<0.05	0.7	5.78	11.0	0.03	<1	0.1	22.9	<10	<2
843T054	Silt	0.2	<0.05	0.9	3.18	8.5	<0.02	<1	0.1	29.7	<10	<2
843T055	Silt	0.5	<0.05	0.5	13.76	36.4	0.04	<1	0.2	24.3	<10	<2
843T056	Silt	0.5	<0.05	2.5	10.22	29.1	0.02	<1	0.3	14.9	<10	<2
843T057	Silt	0.2	<0.05	0.7	4.26	7.5	<0.02	<1	0.2	9.7	<10	<2
843T058	Silt	0.3	<0.05	0.3	3.09	6.1	<0.02	<1	0.2	13.5	<10	<2
843T059	Silt	0.3	<0.05	1.1	3.93	7.0	<0.02	<1	<0.1	14.5	<10	<2
843T060	Silt	0.2	<0.05	1.3	4.00	7.0	<0.02	<1	0.1	16.2	<10	<2
843T061	Silt	0.2	<0.05	0.2	2.69	4.9	<0.02	<1	<0.1	12.7	<10	<2
843T062	Silt	0.5	<0.05	0.5	5.07	11.4	<0.02	<1	0.2	17.6	<10	<2
843T063	Silt	0.2	<0.05	0.4	4.44	6.1	<0.02	<1	<0.1	12.1	<10	<2
843T064	Silt	0.3	<0.05	0.5	6.58	7.1	<0.02	2	0.1	25.6	<10	<2
843T065	Silt	0.2	<0.05	0.6	4.55	6.8	<0.02	2	<0.1	23.1	<10	<2
843T066	Silt	0.2	<0.05	0.5	7.08	7.4	<0.02	3	<0.1	21.4	<10	<2
843T067	Silt	0.3	<0.05	0.5	7.03	7.8	<0.02	<1	0.1	16.6	<10	<2
843T068	Silt	0.2	<0.05	0.5	5.47	7.0	0.02	<1	<0.1	17.0	<10	<2
843T069	Silt	0.1	<0.05	0.5	5.70	8.2	<0.02	<1	<0.1	25.8	<10	<2
843T070	Silt	0.2	<0.05	0.4	6.50	11.1	<0.02	<1	0.1	20.0	<10	<2
843T071	Silt	0.2	<0.05	0.4	4.04	9.1	<0.02	<1	<0.1	15.7	<10	<2
843T072	Silt	<0.1	<0.05	0.2	2.56	7.0	<0.02	<1	<0.1	7.3	<10	<2



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: July 28, 2008

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08007361.1

	Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
843T073	Silt	0.93	21.01	1.26	44.0	22	15.3	11.2	270	2.66	6.2	0.8	20.2	0.09	0.07	0.05	81	0.39	0.073	3.5	36.0
843T074	Silt	0.33	15.12	1.24	22.4	14	9.3	11.1	200	2.05	2.6	0.9	16.0	0.03	0.07	0.02	65	0.37	0.067	5.3	33.1
843T075	Silt	0.68	21.03	4.44	36.1	108	19.7	8.1	226	1.48	2.0	1.3	16.1	0.27	0.16	0.13	20	0.23	0.067	8.6	17.6
843T076	Silt	0.30	20.82	1.43	25.3	18	18.6	10.3	211	1.68	2.0	1.7	17.8	0.02	0.06	0.02	47	0.30	0.049	3.6	49.3
843T077	Silt	0.28	21.64	1.03	21.0	11	31.8	9.0	157	1.38	1.6	0.5	41.0	0.03	0.05	<0.02	38	0.41	0.039	2.5	112.2
843T078	Silt	0.14	8.84	0.47	12.5	12	6.9	4.4	83	2.90	0.8	7.1	14.2	0.02	0.02	<0.02	105	0.24	0.029	2.6	21.5
843T079	Silt	0.61	61.34	2.18	56.1	58	9.7	15.9	488	3.08	3.6	2.3	41.9	0.26	0.13	0.04	69	0.56	0.055	2.3	19.7
843T080	Silt	0.37	38.38	5.58	52.9	50	16.6	17.4	430	4.24	10.3	2.6	53.5	0.12	0.46	0.21	97	0.83	0.087	4.5	20.2



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: July 28, 2008

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08007361.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit		%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
843T073	Silt	0.68	86.1	0.105	<1	1.06	0.017	0.17	0.6	3.1	0.10	0.05	<5	0.5	0.03	3.5	1.09	<0.1	<0.02	0.11	8.5
843T074	Silt	0.50	76.7	0.086	<1	0.79	0.011	0.20	<0.1	2.1	0.07	<0.02	7	0.4	<0.02	2.5	1.00	<0.1	0.02	0.08	9.3
843T075	Silt	0.29	28.2	0.024	<1	0.54	0.009	0.05	<0.1	1.7	0.04	<0.02	<5	0.4	<0.02	1.8	0.45	<0.1	0.04	0.14	3.7
843T076	Silt	0.62	106.0	0.091	<1	0.90	0.011	0.27	0.2	1.7	0.14	<0.02	7	0.3	<0.02	2.5	1.35	<0.1	<0.02	0.08	17.4
843T077	Silt	0.72	66.3	0.070	<1	1.02	0.022	0.12	0.6	1.5	0.06	<0.02	<5	0.2	<0.02	2.4	0.78	<0.1	<0.02	0.06	6.6
843T078	Silt	0.18	18.6	0.037	<1	0.36	0.014	0.03	0.1	1.0	<0.02	<0.02	<5	0.2	<0.02	2.0	0.44	<0.1	<0.02	0.09	2.2
843T079	Silt	1.14	31.5	0.092	1	1.49	0.009	0.03	0.5	3.7	<0.02	<0.02	8	0.4	0.04	3.8	0.68	<0.1	0.02	0.11	2.0
843T080	Silt	1.07	102.2	0.171	<1	2.03	0.054	0.17	0.1	8.2	0.07	0.03	14	0.5	0.07	6.9	0.91	<0.1	0.03	0.25	10.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road
Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

July 28, 2008

Page:

3 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08007361.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
843T073	Silt	0.1	<0.05	0.3	4.69	6.9	<0.02	<1	<0.1	12.1	<10	<2
843T074	Silt	<0.1	<0.05	0.4	3.92	8.9	<0.02	<1	<0.1	8.8	<10	<2
843T075	Silt	0.2	<0.05	1.6	4.80	16.2	<0.02	<1	0.2	6.1	<10	<2
843T076	Silt	<0.1	<0.05	0.2	2.94	7.2	<0.02	<1	<0.1	9.7	<10	<2
843T077	Silt	<0.1	<0.05	0.3	1.97	4.1	<0.02	<1	<0.1	7.9	<10	<2
843T078	Silt	<0.1	<0.05	0.2	1.68	4.6	<0.02	<1	<0.1	2.7	<10	<2
843T079	Silt	0.1	<0.05	0.5	4.88	4.7	<0.02	<1	0.2	8.1	<10	<2
843T080	Silt	0.4	<0.05	0.9	7.51	10.8	<0.02	<1	0.1	32.9	<10	<2

QUALITY CONTROL REPORT

VAN08007361.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
843T059	Silt	1.06	15.27	3.59	35.6	29	8.6	8.6	286	3.44	2.6	25.0	25.1	0.06	0.13	0.11	116	0.39	0.043	3.6	33.6
REP 843T059	QC	0.90	15.68	3.45	37.9	23	8.2	9.8	311	3.47	2.5	0.4	24.6	0.04	0.14	0.09	117	0.38	0.049	3.5	37.4
Reference Materials																					
STD DS7	Standard	20.02	111.5	68.72	392.5	780	55.5	9.7	671	2.40	52.1	63.0	75.5	6.50	6.42	4.58	88	0.99	0.072	14.4	195.7
STD DS7	Standard	21.28	119.0	67.30	431.5	812	55.8	10.0	638	2.53	55.6	74.1	71.8	6.82	6.43	4.57	83	1.00	0.085	13.9	190.9
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5

QUALITY CONTROL REPORT

VAN08007361.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
Unit		%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
Pulp Duplicates																					
843T059	Silt	0.55	53.8	0.101	<1	0.89	0.020	0.08	0.1	2.6	0.03	<0.02	8	0.2	0.03	3.8	1.22	<0.1	0.03	0.14	4.9
REP 843T059	QC	0.57	61.1	0.120	2	0.87	0.025	0.10	0.2	2.6	0.03	<0.02	6	0.1	<0.02	3.5	1.29	<0.1	0.04	0.24	5.1
Reference Materials																					
STD DS7	Standard	1.06	356.6	0.123	41	0.96	0.090	0.46	3.9	2.9	4.14	0.20	190	3.7	1.15	4.9	6.16	<0.1	0.12	0.80	38.3
STD DS7	Standard	1.09	394.8	0.133	41	1.05	0.086	0.46	4.0	3.0	4.32	0.21	205	3.8	1.25	4.9	6.51	0.1	0.12	0.72	37.6
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08007361.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates												
843T059	Silt	0.3	<0.05	1.1	3.93	7.0	<0.02	<1	<0.1	14.5	<10	<2
REP 843T059	QC	0.3	<0.05	1.2	4.19	6.9	<0.02	<1	0.2	15.4	<10	<2
Reference Materials												
STD DS7	Standard	5.0	<0.05	5.6	6.66	35.4	1.76	3	1.6	30.2	50	35
STD DS7	Standard	5.2	<0.05	5.7	6.71	35.9	1.76	5	1.7	28.9	66	39
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.1	<0.05	<0.1	0.06	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: August 28, 2008
 Report Date: October 01, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08008763.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number 843
 Number of Samples: 33

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	33	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	33	Dry at 60C		
RJSV	33	Save all or part of soil reject fraction		
1F30	33	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
DIS-RJT	33	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 01, 2008

Page: 2 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008763.1

	Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr
	Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm
	MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5
1 -80	Silt	0.50	12.75	11.10	60.7	65	9.3	8.2	483	3.11	2.1	0.9	46.4	0.17	0.24	0.13	81	0.56	0.042	4.2	19.9
2 -80	Silt	0.90	7.47	6.60	44.8	52	6.0	5.3	389	2.13	2.3	0.5	16.9	0.13	0.13	0.10	59	0.25	0.027	4.7	21.5
3 -80	Silt	1.74	8.65	7.49	55.3	144	6.9	6.3	672	2.02	2.7	0.9	40.4	0.27	0.17	0.10	58	0.40	0.042	8.2	15.2
4 -80	Silt	1.75	2.87	5.46	39.9	59	3.5	3.3	279	1.10	0.9	1.0	11.8	0.13	0.11	0.06	26	0.13	0.012	5.8	9.2
5 -80	Silt	1.49	10.13	11.70	56.1	142	10.9	6.1	440	2.56	2.5	8.2	23.8	0.17	0.15	0.17	72	0.32	0.033	5.4	32.9
6 -80	Silt	0.62	19.90	5.92	29.0	98	8.2	9.8	267	3.97	2.4	148.1	16.6	0.11	0.19	0.40	126	0.26	0.046	2.1	34.8
7 -80	Silt	0.88	30.68	7.13	50.4	63	20.4	10.4	256	3.10	4.1	1.1	41.2	0.20	0.27	0.11	129	0.48	0.053	5.3	69.3
8 -80	Silt	0.59	32.24	10.09	43.4	123	19.7	10.4	295	3.12	2.1	9.3	23.6	0.23	0.40	0.32	123	0.35	0.058	5.6	85.3
9 -80	Silt	0.63	17.66	4.12	33.3	70	13.7	8.2	304	2.78	1.4	0.9	19.0	0.26	0.26	0.06	116	0.33	0.043	4.0	66.0
10 -80	Silt	0.48	24.60	6.10	35.4	95	11.4	12.9	249	3.38	2.3	4.2	20.3	0.12	0.54	0.82	112	0.37	0.056	2.3	46.2
11 -80	Silt	1.81	15.11	5.82	36.9	72	12.0	11.2	287	3.31	2.4	4.2	32.2	0.15	0.21	0.22	137	0.40	0.044	3.1	63.2
12 -80	Silt	1.43	14.25	5.01	29.0	122	10.4	8.7	271	2.91	1.6	7.4	26.1	0.13	0.22	0.23	107	0.32	0.036	2.8	57.9
13 -80	Silt	1.01	49.83	16.17	63.0	29	16.2	19.5	364	4.13	5.2	5.0	53.5	0.23	0.26	0.21	156	0.51	0.063	3.2	30.5
14 -80	Silt	4.38	42.32	22.58	49.0	58	14.5	14.2	490	3.49	6.2	6.2	20.0	0.15	0.29	0.42	119	0.21	0.049	6.4	35.8
15 -80	Silt	1.45	61.72	11.82	63.9	46	16.7	16.6	381	3.88	19.4	1.5	33.9	0.15	0.29	0.36	149	0.33	0.062	3.8	47.9
16 -80	Silt	3.50	31.86	13.23	48.9	53	12.8	10.2	305	2.78	2.5	2.3	21.8	0.17	0.34	0.13	105	0.23	0.047	3.8	35.2
17 -80	Silt	3.81	59.30	14.61	59.5	91	17.4	14.4	374	2.76	7.8	4.7	42.2	0.20	0.28	0.30	92	0.36	0.075	4.6	30.8
18 -80	Silt	1.77	37.43	31.38	91.0	178	14.4	13.7	1014	2.72	358.2	5.7	39.9	0.47	1.38	0.39	77	0.34	0.118	6.0	21.3
19 -80	Silt	6.32	119.6	152.2	205.7	1448	16.5	10.8	806	3.49	22.3	87.2	15.5	1.62	3.74	11.91	81	0.28	0.052	7.0	36.0
20 -80	Silt	1.49	25.98	11.59	44.6	102	12.8	11.5	267	3.55	9.8	1.2	42.9	0.18	0.31	0.69	127	0.41	0.056	2.9	58.5
21 -80	Silt	2.04	48.30	4.78	69.7	78	8.3	20.3	530	2.78	7.8	2.0	28.2	0.33	0.23	0.30	89	0.39	0.055	3.5	20.2
22 -80	Silt	2.26	28.75	5.35	44.8	40	7.5	11.8	253	2.54	5.0	0.7	16.2	0.12	0.15	0.21	79	0.24	0.036	2.1	22.4
23 -80	Silt	0.45	36.40	9.24	44.1	74	9.9	12.7	225	3.11	3.1	1.7	79.7	0.13	0.21	0.08	101	0.74	0.075	2.5	29.8
24 -80	Silt	0.63	40.96	10.95	46.0	124	12.9	20.8	238	4.26	3.6	3.7	66.0	0.17	0.25	0.09	143	0.72	0.076	2.7	45.3
25 -80	Silt	0.76	40.93	9.53	64.4	34	19.8	15.5	266	3.19	4.2	0.5	23.1	0.08	0.22	0.15	100	0.17	0.062	1.7	40.6
26 -80	Silt	0.30	16.30	13.19	62.9	51	7.8	7.6	450	2.28	1.7	0.8	45.9	0.21	0.21	0.11	52	0.56	0.045	3.3	15.9
27 -80	Silt	0.90	10.47	13.31	50.6	50	6.2	6.2	433	1.56	1.6	1.7	47.1	0.21	0.24	0.09	35	0.56	0.033	3.7	11.6
28 -80	Silt	2.21	12.39	23.02	74.6	207	7.6	6.9	275	1.16	2.7	1.0	29.5	0.21	0.33	0.11	40	0.34	0.070	6.0	13.0
29 -80	Silt	0.14	11.64	8.85	45.4	23	2.0	3.6	406	1.82	1.6	0.9	19.1	0.05	0.16	0.15	31	0.17	0.026	3.6	4.6
30 -80	Silt	0.54	11.67	14.44	48.8	104	6.2	4.7	389	1.40	7.5	5.0	19.3	0.11	0.18	0.23	31	0.16	0.068	5.0	10.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 01, 2008

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
1 -80	Silt	0.54	24.1	0.073	1	1.14	0.036	0.06	0.1	2.4	0.03	<0.02	6	0.1	0.03	4.7	1.50	<0.1	0.03	0.24	4.1
2 -80	Silt	0.38	29.6	0.066	<1	0.77	0.008	0.09	0.1	2.5	0.08	<0.02	9	0.3	<0.02	4.1	2.22	<0.1	<0.02	0.58	7.2
3 -80	Silt	0.45	59.8	0.051	<1	1.32	0.031	0.10	0.1	2.2	0.10	<0.02	11	0.7	<0.02	5.3	2.97	<0.1	<0.02	0.37	7.6
4 -80	Silt	0.29	27.5	0.057	<1	0.76	0.006	0.09	0.1	1.8	0.10	<0.02	9	0.3	<0.02	4.0	2.23	<0.1	<0.02	0.67	9.1
5 -80	Silt	0.45	34.8	0.076	2	0.90	0.012	0.12	0.2	2.8	0.10	<0.02	15	0.4	0.02	4.8	2.33	<0.1	<0.02	0.53	8.3
6 -80	Silt	0.53	43.2	0.061	1	0.69	0.016	0.09	0.2	2.6	0.02	0.02	8	0.3	0.03	3.6	1.31	<0.1	<0.02	0.12	3.6
7 -80	Silt	0.77	41.2	0.117	2	1.10	0.033	0.10	0.6	3.1	0.03	<0.02	14	0.3	<0.02	4.7	3.88	0.1	<0.02	0.46	6.9
8 -80	Silt	0.65	93.5	0.131	1	0.94	0.009	0.22	0.5	2.3	0.11	<0.02	10	0.2	<0.02	3.9	2.77	<0.1	<0.02	0.51	15.0
9 -80	Silt	0.53	63.2	0.108	1	0.77	0.010	0.11	0.8	1.4	0.08	<0.02	11	0.4	<0.02	3.3	1.84	<0.1	<0.02	0.47	8.7
10 -80	Silt	0.71	92.6	0.099	1	0.97	0.015	0.17	0.1	2.3	0.06	0.03	<5	0.3	0.07	3.9	2.14	<0.1	<0.02	0.16	6.9
11 -80	Silt	0.66	70.8	0.098	<1	1.23	0.020	0.10	1.0	2.3	0.09	<0.02	11	0.5	0.04	5.3	1.85	<0.1	<0.02	0.27	5.2
12 -80	Silt	0.56	67.6	0.089	1	0.92	0.016	0.10	0.3	1.7	0.10	<0.02	11	0.4	0.05	4.3	1.41	<0.1	<0.02	0.30	5.2
13 -80	Silt	0.91	90.8	0.128	1	2.09	0.058	0.23	0.2	3.6	0.10	0.02	9	0.7	0.03	6.8	2.45	<0.1	<0.02	0.29	11.7
14 -80	Silt	0.75	70.9	0.132	1	1.73	0.021	0.19	0.8	3.0	0.14	0.03	17	0.8	0.05	5.8	3.29	<0.1	<0.02	0.72	15.1
15 -80	Silt	1.07	129.2	0.176	<1	1.93	0.033	0.31	0.3	5.5	0.13	<0.02	14	0.4	<0.02	6.1	2.84	<0.1	<0.02	0.42	17.9
16 -80	Silt	0.57	59.9	0.103	<1	1.09	0.019	0.11	0.6	2.1	0.06	<0.02	8	0.1	<0.02	4.5	2.16	<0.1	<0.02	0.58	8.7
17 -80	Silt	0.97	104.2	0.180	1	1.81	0.018	0.24	1.7	3.4	0.10	0.04	19	0.4	<0.02	6.6	2.51	<0.1	<0.02	0.61	14.8
18 -80	Silt	0.73	81.5	0.062	2	2.88	0.026	0.12	0.2	3.0	0.14	0.06	42	1.3	0.09	9.4	2.50	<0.1	<0.02	0.41	10.7
19 -80	Silt	0.51	116.7	0.044	2	0.98	0.009	0.09	0.4	2.2	0.06	0.03	13	0.4	0.69	3.6	7.21	<0.1	<0.02	0.20	7.5
20 -80	Silt	0.68	90.5	0.088	1	1.20	0.021	0.11	0.4	2.2	0.05	<0.02	7	0.2	0.07	4.6	1.98	<0.1	<0.02	0.23	5.9
21 -80	Silt	0.66	90.4	0.120	1	1.81	0.025	0.12	0.3	2.7	0.23	0.02	31	0.4	0.03	6.5	3.95	<0.1	<0.02	0.26	11.2
22 -80	Silt	0.54	70.7	0.102	<1	1.44	0.016	0.11	0.3	2.2	0.11	<0.02	12	0.2	0.04	5.0	2.39	<0.1	<0.02	0.21	8.5
23 -80	Silt	0.40	61.0	0.050	<1	1.39	0.086	0.13	<0.1	2.1	0.04	<0.02	6	0.1	0.02	4.2	0.85	<0.1	<0.02	0.04	5.4
24 -80	Silt	0.40	59.5	0.059	<1	1.23	0.075	0.12	<0.1	2.2	0.03	<0.02	<5	0.2	0.03	4.7	0.82	0.1	<0.02	0.06	5.4
25 -80	Silt	0.83	81.3	0.134	1	2.07	0.030	0.17	<0.1	3.5	0.08	<0.02	12	0.4	<0.02	6.4	2.77	<0.1	0.03	0.29	9.5
26 -80	Silt	0.56	20.1	0.064	<1	1.21	0.026	0.06	<0.1	2.6	0.03	<0.02	<5	<0.1	<0.02	4.0	1.50	<0.1	0.05	0.18	3.6
27 -80	Silt	0.50	22.0	0.057	<1	1.05	0.026	0.05	0.2	2.2	0.03	<0.02	6	0.2	<0.02	3.8	1.61	<0.1	<0.02	0.31	3.9
28 -80	Silt	0.39	29.8	0.067	<1	1.69	0.015	0.03	0.1	1.8	0.03	0.03	24	0.2	0.03	4.9	1.60	<0.1	<0.02	0.50	2.3
29 -80	Silt	0.28	24.3	0.039	<1	0.58	0.015	0.06	<0.1	1.1	0.04	<0.02	<5	<0.1	<0.02	3.0	1.19	<0.1	0.03	0.27	4.3
30 -80	Silt	0.40	86.2	0.047	<1	1.61	0.013	0.08	0.1	1.4	0.09	<0.02	20	0.3	<0.02	5.8	2.69	<0.1	<0.02	0.27	6.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: October 01, 2008

Page: 2 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08008763.1

	Method Analyte Unit MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1 -80	Silt	0.3	<0.05	1.1	4.03	9.7	<0.02	<1	0.2	14.9	<10	<2
2 -80	Silt	0.4	<0.05	0.2	3.54	10.5	<0.02	<1	0.2	19.5	<10	<2
3 -80	Silt	0.3	<0.05	0.3	10.09	11.1	<0.02	<1	0.5	23.2	<10	<2
4 -80	Silt	0.4	<0.05	0.2	3.27	10.4	<0.02	<1	0.2	14.1	<10	<2
5 -80	Silt	0.4	<0.05	0.2	3.98	12.4	<0.02	<1	0.2	22.6	<10	<2
6 -80	Silt	0.2	<0.05	0.2	3.58	5.3	<0.02	<1	<0.1	9.0	<10	<2
7 -80	Silt	0.4	<0.05	0.5	5.40	11.6	<0.02	<1	<0.1	21.6	<10	<2
8 -80	Silt	0.3	<0.05	0.3	4.11	12.8	<0.02	<1	0.2	20.7	<10	<2
9 -80	Silt	0.2	<0.05	0.2	3.28	7.6	<0.02	<1	0.1	20.1	<10	<2
10 -80	Silt	0.2	<0.05	0.2	2.81	5.4	<0.02	<1	<0.1	14.0	<10	<2
11 -80	Silt	0.2	<0.05	0.2	3.30	5.5	<0.02	<1	<0.1	16.0	<10	<2
12 -80	Silt	0.2	<0.05	0.2	2.78	4.8	<0.02	<1	0.2	10.1	<10	<2
13 -80	Silt	0.3	<0.05	0.5	3.46	7.2	0.02	<1	0.2	14.1	<10	<2
14 -80	Silt	0.4	<0.05	0.4	6.16	13.3	0.02	<1	0.2	11.6	<10	<2
15 -80	Silt	0.4	<0.05	0.3	4.92	9.1	0.02	<1	<0.1	10.8	<10	<2
16 -80	Silt	0.3	<0.05	0.2	3.45	8.1	<0.02	<1	<0.1	11.1	<10	<2
17 -80	Silt	0.4	<0.05	0.5	3.80	8.4	0.02	3	0.3	17.1	<10	<2
18 -80	Silt	0.5	<0.05	0.8	7.83	10.2	0.03	2	0.6	18.6	<10	<2
19 -80	Silt	0.3	<0.05	0.2	7.23	13.7	0.13	1	0.3	11.5	<10	<2
20 -80	Silt	0.2	<0.05	0.3	3.12	5.7	<0.02	<1	0.1	15.0	<10	<2
21 -80	Silt	0.8	<0.05	0.3	6.19	6.0	<0.02	<1	0.3	30.9	<10	<2
22 -80	Silt	0.5	<0.05	0.4	3.31	4.8	<0.02	<1	0.3	21.5	<10	<2
23 -80	Silt	0.1	<0.05	0.4	2.33	5.0	<0.02	<1	<0.1	6.1	<10	<2
24 -80	Silt	0.1	<0.05	0.3	2.42	5.5	<0.02	<1	<0.1	5.6	<10	<2
25 -80	Silt	0.3	<0.05	1.2	2.00	3.9	0.02	<1	<0.1	12.8	<10	<2
26 -80	Silt	0.2	<0.05	1.5	3.24	6.9	<0.02	<1	0.2	13.5	<10	<2
27 -80	Silt	0.2	<0.05	0.6	3.06	5.8	<0.02	<1	0.1	11.7	<10	<2
28 -80	Silt	0.3	<0.05	0.4	5.17	13.6	<0.02	<1	0.4	14.8	<10	<2
29 -80	Silt	0.2	<0.05	0.8	2.91	7.4	<0.02	<1	<0.1	9.6	<10	<2
30 -80	Silt	0.4	<0.05	0.3	3.85	9.5	<0.02	<1	0.4	19.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: October 01, 2008

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
31 -80	Silt	1.07	77.94	12.73	63.1	78	13.9	14.6	442	3.39	5.2	38.8	32.1	0.21	0.30	0.58	97	0.48	0.061	2.9	40.0
32 -80	Silt	1.08	39.82	19.71	68.7	107	12.7	11.6	411	2.87	6.9	3.8	46.4	0.33	0.26	0.25	94	0.54	0.063	4.7	40.9
33 -80	Silt	2.92	103.0	27.74	92.2	298	12.6	12.4	654	2.62	8.5	91.1	32.2	0.70	0.42	2.00	83	0.53	0.056	5.0	29.9



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: October 01, 2008

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008763.1

	Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
		Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.02	0.1
31 -80	Silt	0.87	81.8	0.133	<1	1.75	0.040	0.18	1.8	4.3	0.08	<0.02	12	0.4	0.03	6.3	3.71	0.1	<0.02	0.27	8.4		
32 -80	Silt	0.67	59.8	0.100	<1	1.53	0.030	0.10	0.3	3.1	0.08	<0.02	13	0.4	0.03	5.2	2.40	<0.1	<0.02	0.40	7.0		
33 -80	Silt	0.57	94.2	0.073	2	1.19	0.023	0.11	2.9	2.5	0.07	0.04	35	1.1	0.06	3.8	3.63	<0.1	<0.02	0.47	7.7		



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 01, 2008

Page:

3 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
31 -80	Silt	0.3	<0.05	0.2	5.47	12.6	<0.02	<1	<0.1	30.5	<10	<2
32 -80	Silt	0.3	<0.05	0.4	4.98	10.6	<0.02	<1	0.2	17.0	<10	<2
33 -80	Silt	0.3	<0.05	0.2	6.39	9.0	0.03	1	0.2	12.6	<10	<2

QUALITY CONTROL REPORT

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
13 -80	Silt	1.01	49.83	16.17	63.0	29	16.2	19.5	364	4.13	5.2	5.0	53.5	0.23	0.26	0.21	156	0.51	0.063	3.2	30.5
REP 13 -80	QC	0.96	49.90	16.38	61.7	32	15.9	19.4	361	4.19	5.5	2.0	53.7	0.22	0.27	0.16	158	0.52	0.068	3.4	31.8
Reference Materials																					
STD DS7	Standard	21.13	116.7	71.55	395.7	852	56.9	10.0	652	2.41	52.4	91.4	72.0	6.50	6.17	4.72	81	0.96	0.074	13.0	201.5
STD DS7	Standard	19.94	110.1	67.23	390.8	822	56.2	9.3	638	2.32	46.4	81.6	67.8	5.65	5.47	4.28	82	0.92	0.073	11.9	205.0
STD DS7	Standard	19.68	102.7	65.88	361.8	855	55.1	9.7	615	2.26	44.9	90.5	67.1	5.72	5.19	4.21	82	0.95	0.073	12.1	226.8
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5

QUALITY CONTROL REPORT

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
13 -80	Silt	0.91	90.8	0.128	1	2.09	0.058	0.23	0.2	3.6	0.10	0.02	9	0.7	0.03	6.8	2.45	<0.1	<0.02	0.29	11.7
REP 13 -80	QC	0.91	94.0	0.129	<1	2.03	0.057	0.23	0.3	3.5	0.11	<0.02	9	0.6	0.02	6.9	2.52	<0.1	<0.02	0.26	12.6
Reference Materials																					
STD DS7	Standard	1.06	375.8	0.123	37	0.95	0.086	0.44	3.9	2.6	4.26	0.19	187	3.8	1.14	4.7	6.18	0.1	0.12	0.69	37.1
STD DS7	Standard	1.02	375.7	0.121	36	0.99	0.086	0.46	3.6	2.4	4.10	0.19	191	3.6	1.04	4.5	5.81	<0.1	0.11	0.64	33.3
STD DS7	Standard	1.02	376.2	0.115	37	0.98	0.086	0.49	3.6	2.7	4.29	0.20	194	3.4	1.12	4.6	6.26	<0.1	0.11	0.54	32.0
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1

QUALITY CONTROL REPORT

VAN08008763.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates												
13 -80	Silt	0.3	<0.05	0.5	3.46	7.2	0.02	<1	0.2	14.1	<10	<2
REP 13 -80	QC	0.3	<0.05	0.5	3.54	7.3	<0.02	<1	0.3	13.2	<10	<2
Reference Materials												
STD DS7	Standard	5.0	<0.05	5.6	5.53	36.2	1.71	4	1.5	28.8	62	38
STD DS7	Standard	4.4	<0.05	5.1	5.16	35.1	1.50	3	1.5	28.9	71	33
STD DS7	Standard	4.3	<0.05	5.6	5.26	36.3	1.52	4	1.4	27.7	79	37
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Submitted By: Joshua Bailey
 Receiving Lab: Canada-Vancouver
 Received: August 28, 2008
 Report Date: October 01, 2008
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN08008763A.1

CLIENT JOB INFORMATION

Project: 843
 Shipment ID:
 P.O. Number 843
 Number of Samples: 33

SAMPLE DISPOSAL

RTRN-PLP Return
 RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7
 Canada

CC: Bill Gilmour

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
S200	33	Sieve to 200 mesh		
RJSV	33	Save all or part of soil reject fraction		
Dry at 60C	33	Dry at 60C		
1F30	29	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed
DIS-RJT	33	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 01, 2008

Page: 2 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008763A.1

Method Analyte	Unit	MDL	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	%	%	ppm	ppm			
1 -200	Silt		0.90	17.83	17.93	76.0	114	14.2	9.1	665	2.82	4.0	0.8	71.5	0.31	0.34	0.13	75	0.83	0.054	7.2	25.9	
2 -200	Silt		1.34	9.96	8.75	53.1	91	8.5	5.6	560	1.92	4.3	0.5	24.5	0.23	0.18	0.12	51	0.35	0.040	7.7	22.4	
3 -200	Silt		2.82	13.22	11.11	76.0	284	8.6	7.4	983	1.99	4.7	1.2	48.7	0.48	0.23	0.15	55	0.57	0.065	15.2	16.2	
4 -200	Silt		2.31	3.36	7.27	44.3	93	4.2	3.5	346	1.14	1.2	16.9	14.2	0.16	0.14	0.07	29	0.16	0.016	8.9	9.9	
5 -200	Silt		1.57	10.91	12.52	57.9	127	17.7	5.5	565	1.86	3.4	0.4	28.1	0.32	0.17	0.13	49	0.38	0.042	7.2	39.9	
6 -200	Silt		1.13	33.65	12.67	50.3	164	16.2	14.3	476	4.22	5.2	2.5	36.0	0.19	0.36	0.56	125	0.57	0.095	4.1	44.3	
7 -200	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
8 -200	Silt		1.04	43.70	16.06	57.7	240	23.0	11.7	490	3.60	4.0	1.0	41.3	0.50	0.72	0.47	140	0.69	0.118	12.0	99.2	
9 -200	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
10 -200	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
11 -200	Silt		3.61	22.27	11.68	51.8	168	13.8	14.0	491	3.31	4.8	20.7	56.6	0.30	0.37	0.52	121	0.70	0.072	5.6	64.1	
12 -200	Silt		3.19	21.80	10.28	43.6	363	14.1	11.8	635	3.45	2.9	8.2	52.9	0.37	0.58	0.47	135	0.74	0.063	6.3	72.2	
13 -200	Silt		1.39	58.61	21.26	76.6	65	17.3	19.8	503	4.62	6.9	2.9	65.3	0.32	0.30	0.18	193	0.73	0.097	4.0	37.6	
14 -200	Silt		6.13	48.74	30.53	55.2	120	15.3	14.3	666	3.66	7.2	52.1	22.9	0.19	0.39	0.40	124	0.31	0.068	9.6	39.8	
15 -200	Silt		2.02	64.36	13.20	68.9	76	17.7	17.3	448	4.25	23.9	3.7	38.0	0.18	0.30	0.34	181	0.43	0.077	4.7	58.5	
16 -200	Silt		5.09	39.78	16.67	59.6	79	15.1	11.3	415	3.59	3.8	2.4	27.3	0.24	0.40	0.19	147	0.35	0.067	5.1	50.2	
17 -200	Silt		5.44	66.99	17.57	67.7	167	19.4	14.7	450	3.07	9.6	9.4	43.1	0.23	0.35	0.40	110	0.47	0.100	6.1	44.5	
18 -200	Silt		2.02	37.06	33.39	96.7	252	15.8	15.0	1135	2.86	398.0	7.6	36.7	0.51	1.29	0.43	79	0.41	0.132	7.2	26.6	
19 -200	Silt		6.05	148.8	166.6	252.1	1893	21.0	12.5	1067	3.73	33.6	175.1	22.8	2.15	3.91	10.65	100	0.54	0.072	9.8	50.1	
20 -200	Silt		2.91	39.42	17.30	61.8	173	17.4	15.0	472	4.19	14.7	1.7	61.0	0.36	0.47	1.05	151	0.76	0.103	5.1	75.8	
21 -200	Silt		3.63	72.63	7.63	91.4	176	11.3	32.5	962	3.40	11.1	1.7	37.9	0.57	0.28	0.39	112	0.71	0.095	6.5	28.7	
22 -200	Silt		5.26	50.33	10.44	79.4	108	12.9	20.4	482	3.74	9.9	1.8	26.8	0.23	0.27	0.36	114	0.51	0.078	4.4	36.6	
23 -200	Silt		0.80	43.52	11.87	55.4	100	15.7	17.8	310	6.50	4.3	5.9	71.6	0.17	0.28	0.08	227	0.89	0.131	4.0	83.7	
24 -200	Silt		1.28	51.68	16.64	69.3	140	20.5	25.5	470	7.62	5.3	8.2	70.5	0.26	0.40	0.10	276	1.00	0.129	4.4	109.3	
25 -200	Silt		0.90	44.26	11.01	71.5	48	25.3	17.5	338	4.00	4.2	1.3	21.6	0.09	0.22	0.19	152	0.23	0.079	2.3	60.5	
26 -200	Silt		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
27 -200	Silt		2.10	15.02	23.75	56.9	125	9.4	7.9	606	1.85	2.6	1.2	68.5	0.37	0.40	0.11	47	1.00	0.055	6.9	19.5	
28 -200	Silt		3.95	16.82	28.78	80.2	368	9.1	7.6	345	1.25	3.8	2.1	32.5	0.30	0.43	0.11	46	0.51	0.106	8.0	21.3	
29 -200	Silt		0.26	12.33	9.40	44.3	33	2.7	3.6	450	2.24	2.1	3.0	20.1	0.06	0.19	0.19	40	0.23	0.036	4.5	6.5	
30 -200	Silt		0.95	16.24	22.87	59.9	199	8.1	5.7	546	1.75	11.5	12.4	27.2	0.16	0.22	0.33	40	0.26	0.124	8.0	14.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: October 01, 2008

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08008763A.1

	Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
	Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb
	Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1
1 -200	Silt	0.73	42.3	0.110	1	1.79	0.054	0.10	0.2	4.2	0.08	<0.02	28	0.2	0.02	6.0	2.58	<0.1	0.03	0.63	7.4
2 -200	Silt	0.47	44.8	0.090	2	1.15	0.011	0.11	0.3	3.2	0.12	<0.02	18	0.4	<0.02	4.8	3.04	<0.1	<0.02	0.95	10.9
3 -200	Silt	0.62	93.2	0.063	1	2.09	0.036	0.15	0.3	3.4	0.16	0.03	23	1.0	<0.02	7.2	4.46	<0.1	<0.02	0.57	12.8
4 -200	Silt	0.32	35.9	0.073	<1	0.98	0.007	0.12	0.2	2.4	0.13	<0.02	14	0.3	<0.02	4.8	2.79	<0.1	<0.02	1.06	13.0
5 -200	Silt	0.48	46.0	0.087	3	1.15	0.019	0.14	0.2	3.4	0.13	<0.02	12	0.6	<0.02	4.6	2.81	<0.1	<0.02	0.93	11.2
6 -200	Silt	0.83	89.3	0.096	1	1.38	0.038	0.14	0.3	4.9	0.06	0.02	7	0.6	0.04	5.2	2.30	<0.1	0.02	0.27	6.3
7 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
8 -200	Silt	0.75	135.6	0.147	3	1.42	0.016	0.20	1.1	3.6	0.13	<0.02	18	0.3	0.03	4.9	3.25	<0.1	<0.02	0.78	17.0
9 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
10 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
11 -200	Silt	0.87	127.4	0.126	4	2.10	0.026	0.14	2.0	3.5	0.19	0.03	31	0.9	0.07	7.4	2.77	<0.1	<0.02	0.43	7.3
12 -200	Silt	0.77	129.8	0.127	3	1.53	0.021	0.16	0.9	3.0	0.24	0.03	22	1.2	0.09	7.0	2.24	<0.1	<0.02	0.56	7.9
13 -200	Silt	1.14	109.4	0.145	2	2.77	0.074	0.28	0.3	4.6	0.13	0.04	23	1.7	0.04	9.1	3.22	<0.1	<0.02	0.44	13.7
14 -200	Silt	0.83	73.5	0.132	3	2.39	0.027	0.19	1.2	3.6	0.18	0.06	30	1.5	0.04	6.9	3.69	0.1	<0.02	0.84	13.3
15 -200	Silt	1.13	127.7	0.159	2	2.30	0.045	0.30	0.3	5.6	0.14	0.03	23	0.7	0.02	7.5	3.24	<0.1	<0.02	0.53	16.1
16 -200	Silt	0.68	76.8	0.103	2	1.45	0.030	0.13	0.9	2.7	0.07	0.04	20	0.5	<0.02	5.6	2.51	<0.1	<0.02	0.71	8.8
17 -200	Silt	0.96	94.1	0.147	3	2.34	0.028	0.23	2.1	3.7	0.11	0.07	33	0.8	0.03	7.8	2.65	<0.1	<0.02	0.79	13.4
18 -200	Silt	0.79	91.5	0.062	3	3.12	0.026	0.14	0.2	3.4	0.16	0.09	54	1.6	0.09	10.2	3.01	<0.1	<0.02	0.54	11.1
19 -200	Silt	0.61	155.5	0.058	5	1.42	0.013	0.14	0.7	3.0	0.10	0.04	28	1.3	0.70	4.8	10.17	<0.1	<0.02	0.36	10.6
20 -200	Silt	0.86	133.5	0.120	4	1.95	0.035	0.15	0.9	3.6	0.09	0.03	24	1.3	0.10	6.6	3.06	<0.1	<0.02	0.50	7.8
21 -200	Silt	0.86	130.3	0.138	2	2.94	0.036	0.15	0.4	4.6	0.39	0.05	54	1.1	0.05	9.3	5.43	<0.1	<0.02	0.43	12.8
22 -200	Silt	0.80	111.1	0.160	2	2.75	0.027	0.16	0.6	4.2	0.22	0.03	29	1.0	0.04	9.1	3.89	<0.1	<0.02	0.55	11.7
23 -200	Silt	0.56	62.3	0.082	<1	1.55	0.085	0.13	<0.1	2.8	<0.02	<0.02	13	0.3	0.04	5.9	1.14	<0.1	<0.02	0.10	6.1
24 -200	Silt	0.76	81.0	0.139	2	1.74	0.092	0.20	0.2	4.1	0.05	<0.02	17	0.5	0.02	7.5	1.51	0.1	<0.02	0.19	8.2
25 -200	Silt	1.08	97.9	0.186	2	2.81	0.040	0.24	<0.1	4.7	0.10	0.02	17	0.5	<0.02	8.6	3.55	<0.1	0.03	0.42	11.4
26 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
27 -200	Silt	0.59	36.6	0.071	2	1.53	0.034	0.09	0.4	2.9	0.07	0.04	21	1.0	0.05	5.0	2.96	<0.1	<0.02	0.49	6.0
28 -200	Silt	0.43	38.5	0.083	3	2.96	0.022	0.05	0.2	2.1	0.05	0.07	51	0.6	<0.02	7.2	2.13	<0.1	<0.02	0.60	3.1
29 -200	Silt	0.26	26.2	0.047	1	0.66	0.016	0.06	0.1	1.2	0.04	<0.02	6	0.1	0.02	3.3	1.31	<0.1	<0.02	0.37	3.5
30 -200	Silt	0.45	119.0	0.047	2	2.74	0.019	0.10	0.1	1.7	0.13	0.04	41	0.8	<0.02	8.5	4.16	<0.1	<0.02	0.44	7.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.
 129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843
Report Date: October 01, 2008

Page: 2 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

VAN08008763A.1

Method	Analyte	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1 -200	Silt	0.5	<0.05	1.2	6.03	15.0	<0.02	1	0.2	20.5	<10	<2
2 -200	Silt	0.5	<0.05	0.3	5.22	16.5	<0.02	<1	0.2	25.0	<10	<2
3 -200	Silt	0.5	<0.05	0.3	18.12	16.7	<0.02	<1	0.7	33.3	<10	<2
4 -200	Silt	0.5	<0.05	0.3	4.74	16.0	<0.02	<1	0.2	15.2	<10	<2
5 -200	Silt	0.5	<0.05	0.3	5.21	16.0	0.02	<1	0.1	24.4	<10	<2
6 -200	Silt	0.3	<0.05	0.5	6.97	10.1	0.02	<1	<0.1	14.5	<10	<2
7 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
8 -200	Silt	0.4	<0.05	0.5	8.61	25.9	<0.02	<1	0.1	24.8	<10	<2
9 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
10 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
11 -200	Silt	0.4	<0.05	0.3	6.05	8.3	<0.02	5	0.2	19.0	<10	<2
12 -200	Silt	0.3	<0.05	0.4	6.34	8.1	<0.02	2	0.1	12.5	<10	<2
13 -200	Silt	0.4	<0.05	0.7	4.75	9.2	0.02	<1	0.2	13.8	<10	<2
14 -200	Silt	0.4	<0.05	0.8	9.24	22.1	0.02	3	0.3	9.9	<10	<2
15 -200	Silt	0.4	<0.05	0.5	6.37	11.9	0.02	1	0.2	10.3	<10	<2
16 -200	Silt	0.4	<0.05	0.5	5.05	12.2	<0.02	<1	0.2	10.4	<10	<2
17 -200	Silt	0.4	<0.05	1.0	5.54	10.9	0.02	2	0.3	14.9	<10	<2
18 -200	Silt	0.5	<0.05	1.1	9.61	13.0	0.03	<1	0.9	17.8	<10	<2
19 -200	Silt	0.3	<0.05	0.3	13.01	19.2	0.13	3	0.2	12.9	<10	<2
20 -200	Silt	0.3	<0.05	0.5	6.29	10.2	<0.02	<1	0.3	19.4	<10	<2
21 -200	Silt	1.0	<0.05	0.6	12.17	12.2	0.03	<1	1.0	38.1	<10	<2
22 -200	Silt	0.9	<0.05	0.9	7.87	10.5	0.02	<1	0.9	31.0	<10	<2
23 -200	Silt	0.3	<0.05	0.5	4.05	8.7	<0.02	<1	<0.1	6.3	<10	<2
24 -200	Silt	0.3	<0.05	0.6	4.84	10.1	<0.02	<1	<0.1	7.9	<10	<2
25 -200	Silt	0.4	<0.05	1.8	2.75	6.1	0.02	<1	0.3	13.7	<10	<2
26 -200	Silt	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
27 -200	Silt	0.3	<0.05	0.4	5.60	9.2	<0.02	2	0.3	12.1	<10	<2
28 -200	Silt	0.4	<0.05	0.5	7.50	18.9	<0.02	1	0.9	17.0	<10	<2
29 -200	Silt	0.4	<0.05	0.5	3.84	10.1	<0.02	<1	<0.1	8.5	<10	<2
30 -200	Silt	0.7	<0.05	0.3	6.65	16.0	0.02	<1	0.7	23.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 01, 2008

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
31 -200	Silt	1.47	100.9	13.57	72.7	104	17.6	17.3	520	4.22	6.0	22.5	31.7	0.24	0.34	0.57	144	0.66	0.086	3.8	59.2
32 -200	Silt	1.55	53.35	23.08	82.2	166	17.0	14.3	538	3.66	7.5	9.9	46.7	0.42	0.34	0.29	115	0.76	0.100	6.2	56.9
33 -200	Silt	4.31	150.2	36.84	114.5	380	14.9	17.3	844	3.08	11.9	19.3	40.1	1.08	0.61	1.79	103	0.85	0.088	7.4	39.9



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 01, 2008

Page:

3 of 3

Part 2

CERTIFICATE OF ANALYSIS

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	
31 -200	Silt	1.04	91.0	0.144	1	2.34	0.071	0.21	2.1	5.3	0.09	0.04	32	0.5	0.03	8.4	4.99	<0.1	<0.02	0.34	9.1
32 -200	Silt	0.76	75.2	0.124	3	2.09	0.045	0.13	0.7	4.0	0.11	0.03	24	0.9	0.03	6.6	3.28	<0.1	<0.02	0.54	7.3
33 -200	Silt	0.62	116.4	0.080	4	1.44	0.030	0.14	3.5	3.1	0.09	0.07	64	2.2	0.11	4.7	4.73	<0.1	<0.02	0.57	7.8



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Wallbridge Mining Company Ltd.

129 Fielding Road

Lively Ontario P3Y 1L7 Canada

Project:

843

Report Date:

October 01, 2008

Page:

3 of 3

Part 3

CERTIFICATE OF ANALYSIS

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
31 -200	Silt	0.3	<0.05	0.4	7.81	18.0	<0.02	<1	0.3	36.9	<10	<2
32 -200	Silt	0.4	<0.05	0.8	7.74	15.2	0.02	<1	0.4	19.8	<10	<2
33 -200	Silt	0.3	<0.05	0.2	10.04	13.3	0.03	<1	0.1	13.9	<10	<2

QUALITY CONTROL REPORT

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.5	0.01	0.02	0.02	2	0.01	0.001	0.5	0.5	
Pulp Duplicates																					
13 -200	Silt	1.39	58.61	21.26	76.6	65	17.3	19.8	503	4.62	6.9	2.9	65.3	0.32	0.30	0.18	193	0.73	0.097	4.0	37.6
REP 13 -200	QC	1.62	64.97	24.09	83.8	74	19.0	21.1	548	5.06	8.0	4.2	64.8	0.34	0.38	0.21	188	0.79	0.105	4.4	39.0
33 -200	Silt	4.31	150.2	36.84	114.5	380	14.9	17.3	844	3.08	11.9	19.3	40.1	1.08	0.61	1.79	103	0.85	0.088	7.4	39.9
REP 33 -200	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	20.84	105.5	69.11	390.9	857	56.4	9.8	631	2.42	47.0	67.1	69.9	6.14	5.70	4.32	82	0.95	0.071	13.1	218.3
STD DS7	Standard	19.68	102.7	65.88	361.8	855	55.1	9.7	615	2.26	44.9	90.5	67.1	5.72	5.19	4.21	82	0.95	0.073	12.1	226.8
STD DS7 Expected		20.92	109	70.6	411	890	56	9.7	627	2.39	48.2	70	68.7	6.38	5.86	4.51	86	0.93	0.08	12.7	163
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.2	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001	<0.5	<0.5

QUALITY CONTROL REPORT

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	
Unit	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	0.1	0.02	0.1
Pulp Duplicates																					
13 -200	Silt	1.14	109.4	0.145	2	2.77	0.074	0.28	0.3	4.6	0.13	0.04	23	1.7	0.04	9.1	3.22	<0.1	<0.02	0.44	13.7
REP 13 -200	QC	1.22	125.5	0.178	3	2.81	0.077	0.32	0.4	5.0	0.17	0.04	24	2.0	0.05	9.5	3.62	0.1	<0.02	0.51	14.9
33 -200	Silt	0.62	116.4	0.080	4	1.44	0.030	0.14	3.5	3.1	0.09	0.07	64	2.2	0.11	4.7	4.73	<0.1	<0.02	0.57	7.8
REP 33 -200	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials																					
STD DS7	Standard	1.03	382.1	0.117	43	1.01	0.088	0.44	3.8	2.7	4.40	0.18	204	3.6	1.29	4.9	6.24	<0.1	0.12	0.74	35.3
STD DS7	Standard	1.02	376.2	0.115	37	0.98	0.086	0.49	3.6	2.7	4.29	0.20	194	3.4	1.12	4.6	6.26	<0.1	0.11	0.54	32.0
STD DS7 Expected		1.05	370.3	0.124	38.6	0.959	0.073	0.44	3.8	2.5	4.19	0.21	200	3.5	1.08	4.6	6.36	0.1	0.11	0.71	35.8
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1
BLK	Blank	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Wallbridge Mining Company Ltd.

129 Fielding Road
 Lively Ontario P3Y 1L7 Canada

Project: 843

Report Date: October 01, 2008

Page: 1 of 1

Part 3

QUALITY CONTROL REPORT

VAN08008763A.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates												
13 -200	Silt	0.4	<0.05	0.7	4.75	9.2	0.02	<1	0.2	13.8	<10	<2
REP 13 -200	QC	0.4	<0.05	0.7	5.24	10.3	0.03	<1	0.5	13.9	<10	<2
33 -200	Silt	0.3	<0.05	0.2	10.04	13.3	0.03	<1	0.1	13.9	<10	<2
REP 33 -200	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
Reference Materials												
STD DS7	Standard	4.7	<0.05	6.0	5.69	37.7	1.52	4	1.7	28.6	79	39
STD DS7	Standard	4.3	<0.05	5.6	5.26	36.3	1.52	4	1.4	27.7	79	37
STD DS7 Expected		5.4		5.4	5.18	38	1.57	4	1.6	29.3	58	37
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 1

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE VA08151890

Project:

P.O. No.: 85848

This report is for 16 Sediment samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2008.

The following have access to data associated with this certificate:

RANDY DUTCHBURN

BRUCE JAGO

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-31	Wet screen to -75um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-01	Screen - Save plus fraction

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: WALLBRIDGE MINING COMPANY LTD.

ATTN: RANDY DUTCHBURN

129 FIELDING RD

LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - A

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE OF ANALYSIS VA08151890

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
677-S34 + 180		0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
677-S34 - 180 + 75		2.58	0.003	<0.005	0.001	0.13	7.85	4.2	540	1.19	0.58	3.2	0.19	63.2	18.4	88
677-S34 + 75 wet			0.015	<0.005	0.005	0.2	7.98	15.9	510	1.25	2.8	4.44	0.25	98.4	20	110
677-S34 - 75 wet			0.076	<0.005	0.002	1.13	8.14	9.5	490	1.21	7.33	4.27	0.34	108	24.7	143
677-S35 + 180		2.26														
677-S35 - 180 + 75			0.144	<0.005	<0.001	0.12	7.88	5.4	570	1.2	0.5	3.41	0.19	55.9	17.6	106
677-S35 + 75 wet			0.011	<0.005	0.005	0.25	8.03	5	520	1.38	1.79	4.22	0.21	95.7	20.6	95
677-S35 - 75 wet			0.016	<0.005	0.004	1.51	7.86	6.1	480	1.25	12.95	3.89	0.29	92.2	22.4	133
677-S36 + 180		2.38														
677-S36 - 180 + 75			0.002	<0.005	0.001	0.15	8.37	5.7	520	1.23	0.21	4.59	0.22	60.4	15.3	56
677-S36 + 75 wet			NSS	NSS	NSS	0.09	7.81	5.7	440	1.37	0.14	5.18	0.24	65	16.8	75
677-S36 - 75 wet			0.041	<0.005	<0.001	0.66	8.62	6.9	480	1.52	0.36	4.96	0.32	74.5	19.6	106
677-S37 + 180		1.92														
677-S37 - 180 + 75			0.003	<0.005	0.001	0.15	8.11	5.4	510	1.27	0.31	4.13	0.26	61.7	15.8	84
677-S37 + 75 wet			NSS	NSS	NSS	0.19	7.71	5.4	460	1.48	0.3	5.14	0.13	90.3	17.4	103
677-S37 - 75 wet			NSS	NSS	NSS	0.21	8.62	8.3	540	1.79	0.93	4.59	0.75	95	21.6	293



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE OF ANALYSIS VA08151890

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
677-S34 + 180		0.05	0.2	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
677-S34 - 180 + 75		2.4	31.5	6.5	18.75	0.13	0.6	<0.01	0.085	1.36	29.3	16.1	1.44	1215	1.14	2.31
677-S34 + 75 wet		2.18	37.9	8.34	18.35	0.17	0.8	<0.01	0.096	1.19	40.8	13.8	1.99	1645	1.24	2.51
677-S34 - 75 wet		3.03	50.2	10.8	21.2	0.24	0.9	0.01	0.137	1.09	44.8	17.4	1.96	1795	3.91	2.25
677-S35 + 180																
677-S35 - 180 + 75		2.09	28.2	8.03	18.65	0.13	0.6	<0.01	0.081	1.37	23.7	14.8	1.5	1415	1.22	2.5
677-S35 + 75 wet		2.28	42	7.6	19.75	0.19	0.8	<0.01	0.112	1.22	40	15.5	1.97	1530	1.19	2.52
677-S35 - 75 wet		2.78	51.8	9.24	19.6	0.2	0.8	0.01	0.108	1.1	38.8	16.5	1.83	1585	3.28	2.21
677-S36 + 180																
677-S36 - 180 + 75		2.3	25.2	5.99	21.7	0.13	1	<0.01	0.081	1.19	25.2	15.6	1.43	1340	1.29	2.57
677-S36 + 75 wet		2.28	24.4	5.63	20.4	0.13	1.1	<0.01	0.103	1.04	25.3	14.3	1.92	1360	1.58	2.44
677-S36 - 75 wet		3.71	38.2	6.81	22.4	0.13	1.2	0.01	0.093	1.07	30.5	19.3	1.96	1550	3.61	2.36
677-S37 + 180																
677-S37 - 180 + 75		1.91	19.1	8.47	20.6	0.15	0.9	<0.01	0.095	1.27	25.6	13.5	1.28	1645	1.84	2.55
677-S37 + 75 wet		2.1	33.4	7.21	20.3	0.17	1.1	<0.01	0.115	1.16	36.8	14	1.97	1670	2.6	2.53
677-S37 - 75 wet		3.51	41.9	6.88	22.8	0.18	1.1	0.02	0.128	1.25	39.3	20.3	1.87	1770	9.1	2.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE OF ANALYSIS VA08151890

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
677-S34 + 180																
677-S34 - 180 + 75		9.9	35.3	1190	18.3	37.2	<0.002	0.02	1.23	17.7	2	1.6	441	0.66	<0.05	4.7
677-S34 + 75 wet		10.1	31.6	2880	19.2	33.4	<0.002	0.03	1.44	23.2	2	2.1	486	0.64	0.05	9.9
677-S34 - 75 wet		11.7	39.8	3180	29.2	32.5	<0.002	0.04	1.65	23.6	2	2.6	464	0.77	0.05	14.8
677-S35 + 180																
677-S35 - 180 + 75		11.3	26.8	1250	16.7	33.3	<0.002	0.03	1.22	17.1	2	2.2	477	0.71	<0.05	7.3
677-S35 + 75 wet		10.1	31.1	2480	21.8	36.3	<0.002	0.04	1.35	23.7	2	2.2	488	0.65	<0.05	12
677-S35 - 75 wet		9.8	40.9	2800	30.7	31.3	0.002	0.05	1.47	20.7	2	2.4	455	0.62	0.05	12.1
677-S36 + 180																
677-S36 - 180 + 75		11.7	22	1000	22.8	34.2	<0.002	<0.01	2.17	22.3	2	2.1	550	0.72	<0.05	4.3
677-S36 + 75 wet		8.8	36.1	1470	22.7	24.5	<0.002	0.01	1.96	27.8	2	2.1	544	0.52	<0.05	7.4
677-S36 - 75 wet		8.8	58.7	1760	37.8	30.2	0.002	0.02	2.18	25.3	2	2.4	569	0.53	<0.05	16
677-S37 + 180																
677-S37 - 180 + 75		16.8	22.7	1030	23.4	33.8	<0.002	0.01	1.98	19.3	2	2.8	524	1.01	<0.05	3.7
677-S37 + 75 wet		12.8	46.6	1660	31.9	31	<0.002	0.03	2.1	28.8	2	248	535	0.81	<0.05	4.6
677-S37 - 75 wet		10.2	170.5	1990	49.2	39	0.008	0.05	2.41	24.3	2	3.8	561	0.63	0.12	11.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE OF ANALYSIS VA08151890

Sample Description	Method Analyte Units LOR	ME-MS61 Ti %	ME-MS61 Ti ppm	ME-MS61 U ppm	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
677-S34 + 180									
677-S34 - 180 + 75		0.736	0.31	1.8	256	1	26.2	111	12.7
677-S34 + 75 wet		0.945	0.25	3.2	321	1.4	41.1	135	16.1
677-S34 - 75 wet		1.055	0.29	7.7	418	1.8	43	166	20.3
677-S35 + 180									
677-S35 - 180 + 75		0.922	0.29	2.4	330	1.3	25.7	129	12.6
677-S35 + 75 wet		0.848	0.29	5.2	282	1.4	40.8	128	16.3
677-S35 - 75 wet		0.915	0.27	4.5	359	3.7	37.6	154	17.7
677-S36 + 180									
677-S36 - 180 + 75		0.88	0.29	2	226	1	28.9	107	21.7
677-S36 + 75 wet		0.77	0.24	3.1	201	1	37.2	116	24
677-S36 - 75 wet		0.834	0.31	8.6	237	1.3	35.1	152	29.3
677-S37 + 180									
677-S37 - 180 + 75		1.16	0.31	2.2	337	1.3	29.8	148	17.2
677-S37 + 75 wet		0.995	0.27	2.5	262	1.4	43	191	21.5
677-S37 - 75 wet		0.822	0.39	6.2	238	3.1	40	280	26.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WALLBRIDGE MINING COMPANY LTD.

129 FIELDING RD

LIVELY ON P3Y 1L7

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 14-NOV-2008

Account: RLH

CERTIFICATE OF ANALYSIS VA08151890

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61	NSS is non-sufficient sample. REE's may not be totally soluble in this method.

Appendix D - Statement of Exploration Expenditures

Personnel, position and work type	comment	Field Days (list actual days)	Days	Rate	Subtotal*
Geologists:					
Kay Hofmann, Project Geologist, supervision, mapping, sampling	Wallbridge employee	July 2 to Aug. 28, 2008	57	\$312.65	\$17,821.05
Joshua Bailey Pgeo, mapping, sampling	Wallbridge employee	July 15 to Aug. 2, 2008	11.5	\$474.64	\$5,458.36
Gwen Other, Geologist, mapping, sampling	Wallbridge employee	Aug. 7 to Aug. 28, 2008	20	\$228.15	\$4,563.00
Kay Hofmann, Project Geologist, supervision, mapping, sampling	Wallbridge employee	Sept. 19 to Oct.18, 2008	29	\$312.65	\$9,066.85
Lindsay Hall Pgeo, mapping, sampling	Wallbridge employee	Sept. 19 to Oct.7, 2008	20	\$480.34	\$9,606.80
Discovery Consultants Ltd. sampling	Consultant geologists (invoiced)	Sampling, June 30 to Oct. 31, 2009			\$240,457.62
Field assistants:					
Kevin Dutchburn, mapping, sampling, digital GPS	Wallbridge employee	July 15 to Aug. 28, 2008	36	\$183.48	\$6,605.28
Tom Johnson, digital GPS, sampling, mapping	Wallbridge employee	Sept. 19 to Oct.18, 2008	28	\$350.64	\$9,817.92
Mathias Smith, soil and silt sampling	Timberline Natural Resources	Aug. 22-25, 2008	4	\$400.00	\$1,600.00
John Sam, soil and silt sampling	Timberline Natural Resources	Aug. 22, 23, 2008	2	\$400.00	\$800.00
Sydney Hunter, soil and silt sampling	Timberline Natural Resources	Aug. 20, 21, 2008	2	\$400.00	\$800.00
Fredrick Charlie, soil and silt sampling	Timberline Natural Resources	Aug. 20, 21, 2008	2	\$400.00	\$800.00
		Total of section			\$307,396.88
Office Studies		Personnel		Days	
Literature search		Kay Hofmann, Project Geologist	4.8	\$312.65	\$1,485.09
Literature search		Joshua Bailey, Project Geologist	6.3	\$474.64	\$2,966.50
Database compilation		Kay Hofmann, Project Geologist	10.0	\$312.65	\$3,126.50
Database compilation		J. Churchill			
Computer modelling				\$0.00	\$0.00
Reprocessing of data		Edward F. Pattison, PGeo	10.5	\$300.00	\$3,150.00
Reprocessing of data		Kay Hofmann, Project Geologist	5.0	\$312.65	\$1,563.25
General research				\$0.00	\$0.00
Report preparation		Kay Hofmann, Project Geologist	15.0	\$312.68	\$4,690.20
Report preparation		Bruce Jago, VP of Exploration	5.0	\$312.68	\$1,563.40
Other (Thin Section Analysis)		Edward F. Pattison, PGeo	12.0	\$300.00	\$3,600.00
Other (Thin Section Analysis)		Lindsay Hall, PGeo	2.0	\$480.34	\$960.68
		Total of section			\$23,105.62

Statement of Exploration Expenditures

Geochemical Surveying	Number of Samples	No.	Rate	Subtotal
Drill (cuttings, core, etc.)			\$0.00	\$0.00
Stream sediment		153.0	\$50.00	\$7,650.00
Soil	<i>note: This is for assays or</i>	647.0	\$50.00	\$32,350.00
Rock	<i>laboratory costs</i>	428.0	\$50.00	\$21,400.00
Water			\$0.00	\$0.00
Biogeochemistry			\$0.00	\$0.00
Whole rock		258.0	\$85.00	\$21,930.00
Petrology		187.0	\$25.00	\$4,675.00
Other (specify)	Heavy Mineral Concentrates	73.0	\$223.00	\$16,279.00
	Total of section			\$104,284.00
Other Operations	Clarify	No.	Rate	Subtotal
Trenching			\$0.00	\$0.00
Bulk sampling			\$0.00	\$0.00
Underground development			\$0.00	\$0.00
Line Cutting	<i>41 km of grid lines for IP survey: The IP survey was completed in spring/summer 2009. The cost for the IP technical report and work will be claimed in an upcoming report for the 2009 program.</i>			\$ 40,629.65
Other (specify)			\$0.00	\$0.00
	Total of section			\$40,629.65
Transportation		No.	Rate	Subtotal
Airfare			\$0.00	\$0.00
Taxi			\$0.00	\$0.00
truck rental		103 days @ \$80	103.00	\$8,240.00
kilometers			0.00	\$0.00
ATV	Wallbridge equip.	44 days @ \$125		Total \$5,530.52
fuel	actual cost			Total \$2,678.32
Helicopter		19.5 hours/incl. fuel		Total \$40,984.56
Other				
	Total of section			\$57,433.40

Statement of Exploration Expenditures

Accommodation & Food		Rates per day			
Hotel		variable around \$100 per night		Total	\$581.80
Camp	rented from Discovery consultants	2 trailers @ \$2500/month - June to Nov. 2008 (5 months)	0.00	\$0.00	\$12,500.00
Meals/Camp Food		actual costs		Total	\$5,657.94
Cabin rental	Rented from R. Tretheway	camp rental & internet comm		Total	\$25,850.00
					\$44,589.74
Miscellaneous					
Sat-Phone Charges				Total	77.47
Other (Specify)					
		Total of section			\$77.47
Equipment Rentals					
Silt washing equipment	\$5 per day		2.00	\$5.00	\$10.00
Satellite phones	rentals			Total	\$ 217.50
Channel saw	rentals		1.00	\$250.00	\$250.00
2-way radios	From Discovery Consultants		1.00	\$185.00	\$185.00
		Total of section			\$662.50
Freight, rock samples					
From project site to head office in Lively, Ontario			2.0	\$500.00	\$1,000.00
				\$0.00	\$0.00
		Total of section			\$1,000.00

GRAND TOTAL of expenditures

\$579,179.26

Note: This report documents the geochemical and geological surveys conducted in the period of June 16th, 2008 until November 14th, 2008. 670 rock, 647 soil samples, 154 stream sediment samples and 73 Heavy Mineral Concentrate (HMC) samples have been acquired and analyzed during this survey. Additional costs relating to 41 km of linecutting (\$40,629) for an IP survey are claimed for credit as well. The technical report for the IP survey is pending and will be filed at a later date.

Appendix E: Statement of Qualification (Author)

I, Bruce Jago, do hereby certify that:

I am a graduate of Lakehead University having earned H.B.Sc and M.Sc. degrees in Geology in 1980 and 1982, respectively and a Ph.D. in Geology from University of Toronto in 1991.

I have been a practicing geologist since 1982 with various companies working in Canada and South America.


I am a member of the Association of Professional Geoscientists of Ontario (Registration # 377) and Professional Engineers and Geoscientists of British Columbia (Registration # 32,910).

I am currently Vice President of Exploration for Wallbridge Mining Company Limited based in Sudbury, Ontario.

I live at 29 Nova Drive, Sudbury, Ontario, P3E 0A7.

I was responsible for supervising the project geologist in charge of the Roger's Creek property.

Dated at Sudbury, Ontario this 20th day of October, 2009.

A handwritten signature in black ink, appearing to read 'Bruce Jago', written in a cursive style.

Bruce C. Jago, Ph. D., PGE
Vice President of Exploration
Wallbridge Mining Company Limited

Appendix F: References

- Boyce, R. A. (1984) Geochemical Report for Assessment Credit: Cloud Claims; Assessment Report Number 12,079. Geological Survey of British Columbia
- Camus, F. and Dilles, J. H. (2001) A special issue devoted to porphyry copper deposits of northern Chile. *Economic Geology*, Vol. 96, 233-237.
- Crickmay, C. H. (1930) The structural connection between the Coast Range of British Columbia and the Cascade Range of Washington. *Geological Magazine*, Vol. 67, 482–491.
- Jago, B. C. (2009) 2009 Report on the Rogers Creek property south-western British Columbia, New Westminster Mining District UTM Zone 10 Latitude 5,540,000 Longitude 550,000, NTS 092J – Pemberton. Assessment Report Number 30,733, Geological Survey of British Columbia.
- Journey, J. M. and Monger, J. W. H. (1997) Geoscience library for the southern Coast and Intermontane belts, S.W. British Columbia. Geological Survey of Canada, Open File Report 3276.
- Monger, J. W. H. and Journey, J.M. (1994) Basement geology and tectonic evolution of the Vancouver region, in Monger, J.W.H., Ed., *Geology and geological hazards of the Vancouver region, south-western British Columbia*. Geological Survey of Canada, Bulletin 481.
- Roddick, J. A. and Woodsworth, G. J. (1977) *Geology of Pemberton map-area, British Columbia*. Geological Survey of Canada, Open File 482, 1 sheet.
- Sinclair, W. D. (2007) Porphyry deposits, in Goodfellow, W. D., Ed., *Mineral Deposits of Canada: A synthesis of major deposit-types, district metallogeny, the evolution of geological provinces, and exploration methods*. Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, 223-243.
- Smyth, Clinton, (2008) 2008 Report on the Rogers Creek property south-western British Columbia, New Westminster Mining District, UTM Zone 10 Latitude 5,540,000, Longitude 550,000, NTS 092J – Pemberton. Assessment Report Number 30233, Geological Survey of British Columbia.
- Wilson, R. G. (1984) Report on the geology and geochemistry of the Gowan 1 claim, Gowan 1 276 (10), New Westminster Mining Division, N.T.S. 92J/1. Assessment Report Number 13,233, Geological Survey of British Columbia.
- Wilson, R. G., (1986) Report on geology and geochemistry on the RC1 and RC2 Claims; Assessment Report Number 14,119. Geological Survey of British Columbia.