MINERAL TITLES BRANCH
File
Rec'd
JAN 1 2 2010
L.I.S
VANCOUVER, B.C.

ASSESSMENT REPORT

FOR THE 2009

DRILLING REPORT OF

THE GIRLS-522788

MINERAL CLAIMS

SITUATED IN THE OMENICA

MINING DIVISION

LATITUDE: 54° 3'37"N

LONGITUDE: 126°26'11" W

BC Geological Survey
Assessment Report
31290

OWNED BY: JOHN WESLEY MOLL

WORK DONE BY: JOHN WESLEY MOLL AND MARY JEAN MOLL

REPORT BY: JOHN WESLEY MOLL

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

31,290

BRITISH COLUMBIA

Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

MINERAL TITLES BRANCH
File Rec'd
JUN 0 1 2010
L.I.S VANCOUVER, B.C.

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)]	TOTAL COST
DRILLING	$7,163.00

AUTHOR(S) John Wesley Moll SIGNATURE(S) J.W. Moll

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) N/A YEAR OF WORK 2009

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) EVENT NO 4402376 NOV 16/09

PROPERTY NAME The Girls

CLAIM NAME(S) (on which work was done) The Girls

COMMODITIES SOUGHT Ag, Au, Cu, Ta, Ti

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN N/A

MINING DIVISION Omineca NTS 093L008

LATITUDE 54 ° 3 ' 32.7 " N LONGITUDE 126 ° 26 ' 19.2 " W (at centre of work)

OWNER(S)

1) John Wesley Moll 2)

MAILING ADDRESS

P.O. Box 1182
Houston BC V0J 1Z0

OPERATOR(S) [who paid for the work]

1) John Wesley Moll 2)

MAILING ADDRESS

P.O. Box 1182
Houston B.C. V0J 1Z0

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Silver, Copper, & Arsenic occur in veins & disseminations in the clay altered porphritic andesite, brecciated rhyolite & quartz feldspar porphry of the Kasalka Group (Cretaceous)

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS UNKNOWN

(OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	E-W- 25.5 M		
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	$7,163.50

TABLE OF CONTENTS

INTRODUCTION

Location and access.....pg. 1
Claim history.....pg. 1
Status.....pg. 1
Purpose.....pg. 1
Procedure.....pg. 1

CONCLUSION.....pg. 1

DRILL LOG .....pg. 5,6 &7

REGAN CHERNISH'S QUALIFICATIONS... .....pg. 8

ASSAYS.....pg. 9 &10

STATEMENT OF EXPENDITURES.....pg. 11

AUTHORS QUALIFICATIONS.....pg. 12

ASSAYERS CANADA INVOICE.....pg. 13

CROSS SECTION.....pg. 14

MAPS

Regional property location map.....pg. 2
The Girls claim map.....pg. 3
Diamond drill hole location map.....pg. 4

LOCATION AND ACCESS: The Girls mineral claims are located at the north end of Tsichgass Lake and can be accessed by travelling south from Houston on the Morice River forest access road to the Owen North access road and then turning onto the Tsichgass logging road to the creek that drains Tsichgass Lake. At this point you are on The Girls mineral claims.

CLAIM HISTORY: In 2006 the present owners filed a prospecting report on The Girls mineral claim.

STATUS: The Girls is owned by John Wesley Moll of Houston B. C. The assessment work on the claims was performed by John Wesley Moll (prospector) and Mary Jean Moll both from Houston B. C. With acceptance of this report the mineral claims will be in good standing as follows:

The Girls-Tenure Number 522788- 170.83 Ha. Expires Nov. 26, 2014

PURPOSE: To drill a hole to test an AG, AS and SB occurrence discovered in the rock samples taken during the 2006 prospecting.

PROCEDURE: A trail was hand cleared to allow access with an A.T.V. and a small X-Ray drill to a location as close possible to the location where the sample was taken. The hole was drilled at 90^0 encountering 3.4 m. of overburden. The hole was drilled for 25.5 m. The core was then taken to the owner's residence at 855 Highway #16 West in Houston, B. C. The core was logged and split. Four samples were taken and sent to Assayers Canada for assay. The core is stored at 855 Highway #16 in Houston B. C.

CONCLUSION: Although the assay for AG was low, the AS was anomalous and the clay alteration in the core taken indicates further work is warranted.

PROPERTY LOCATION MAP-THE GIRLS

Legend

Provincial Boundary (1:6M)

- Boundary (International)
- Boundary (Interprovincial)

NTS Grid

Transportation - Lines (1:6M)

- Road - Trunk
- Road - Main
- Rail Line

Water - Lines (1:6M)

- River/Stream - Definite
- Lake - Definite
- Island - Definite
- Coastline - Definite

Water - Polygons (1:6M)

- River/Stream - Definite
- Lake - Definite

Major Cities

0 175 350 km.

Map center: 54°7' N, 126°56' W

Scale: 1:10,045,885

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

THE GIRLS CLAIM MAP



Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks

MTO Grid (MTO)

- Blocked by MEM
- Other

Mineral Tenure (current)

- Mineral Claim
- Mineral Lease

Mineral Reserves (current)

- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid

Contours (TRIM)

- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Areaof Exclusion

Scale: 1:11,385

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

THE GIRLS DIAMOND DRILL HOLE LOCATION MAP





Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks

MTO Grid (MTO)

- Blocked by MEM
- Other

Mineral Tenure (current)

- Mineral Claim
- Mineral Lease

Mineral Reserves (current)

- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid

Contours (TRIM)

- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Areaof Exclusion

Scale: 1:8,058

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

HOLE Girls #1
Phoenix Project
GEOLOGIST RGC
date logged October 4/09

PAGE 1 OF 3

Feet / meters	Lithic	Alt	description	% Py.	Sample #	Recovery
			0-11' O/B - No recovery.			
			11-42' Felsic Volcaniclastic Unit: Strong Clay alteration with local zones of strong Saussuritization (pale green colour). Unit generally fragmental to brecciated			
	10	STR CLAY OXIDIZED	appearance with local zones of bedded/banded flow/tuff @ 50° TCA.			
			Observed milled lithic fragments of banded zones within fragmental zones.	3-5		
			Pyrite very common as fine disseminations (.25-<1.0mm) and along fractures.			
			Abundant Quartz (well rounded) 'eyes'. Unit Remains moderately to strongly siliceous			
	15		11-18' Moderate oxidation (ground water)			
		STR CLAY				
	20		Core Commonly broken @ 50° TCA (parallel to observed bedding/Banding.)	5-7%		
			Upper half of drill hole dominated by fragmental/brecciated intervals. lower 1/3 of drill hole Dominated by			
	25		bedded/banded to more massive tuffaceous zones.			
	30					

PROFESSIONAL ENGINEER
PROVINCE OF BRITISH COLUMBIA
R. G. CHERNISH
#30825
GEOSCIENTIST
Oct 4/09

HOLE GIRLS #1
Phoenix Project
GEOLOGIST RGC
date logged OCT 4/09.

PAGE 2 OF 3

meters	Lithic	Alt	description	% Py	Sample #	Recovery
		STR CLAY		5-7		
			Core locally has chalky appearance			
			core generally broken ~ 5-10 cm lengths			
	35					
	40					
				5-7		
		▷	42-45' : Andesite Dyke : Dark green with 20% mm scale plagioclase phenocrysts	↓		
		+ AND +	Upper Contact sharp + broken with abnt pyrite for initial 6" into unit	---		
			lower contact Sharp (w/ v. STRONG ALT over last 1' or so) and broken	0		
	45	— — + —		0		
		STRONG CLAY ALTERATION	45'– : FELSIC VOLCANICLASTIC : As PER START OF HOLE	5		
	50		local 3-5m 'blebs' and zones of pyrite	▷		
				5-7		
			54-83' VERY STRONG CLAY ALTERATION: Core v. fragile / broken			
		VERY STRONG ALT	with local zones of matrix 'washed' away during drilling			
	55		leaving behind less altered siliceous lithic fragments			

PROFESSIONAL GEOSCIENTIST PROVINCE OF BRITISH COLUMBIA # 30825 CHENNISH
OCT 4/09

HOLE Girls #1
Phoenix Project
GEOLOGIST RLC
date logged Oct 4/09

E.O.H 83'

PAGE 3 OF 3

meters	Lithic	Alt	description	% py	Sample #	Recovery
		V. STR CLAY	Core displays 'plucked' texture on surface. Appears that sulphides preferentially removed	5-7		
	60		61-70' Extreme Clay alteration.	7		
	65		Abundant v.fine < 0.25mm sulphides throughout lower half of drill hole			
			67-70': V. broken Core			
	70		Unit becoming more 'tuffaceous' over lower 1/3 of hole			
	75		76.5-79' V. broken Core.			
	80					

83'

83' E.O.H

PROFESSIONAL ENGINEER PROVINCE OF BRITISH COLUMBIA R.J.A. VERNISH 30825 GEOSCIENTIST

Oct 4/09

CERTIFICATE OF QUALIFICATIONS

I, Regan G. Chernish of 1411-108 Avenue S.W., Calgary, Alberta, hereby certify that:

1. I am a Professional Geologist with a residence and office at the above address.

2. I graduated from the University of Alberta with a Bachelor of Science Degree in Geology (1991).

3. I am a Registered Professional Geoscientist in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (APEG).

4. I have worked as a geologist since my graduation from university.

5. I personally logged the core from the Girls Property described in this report.

6. I am President and a director of Manson Creek Resources Ltd. whose address is Suite 500, 926 – 5th Avenue S.W., Calgary, Alberta, T2P 0N7.

DATED at Calgary, Alberta this 5th day of January, 2010.

_____

Regan Chernish P. Geo

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9S-0069-RA1

Company: **Wes Moll**
Project: G#1
Attn: Wes Moll

Nov-13-09

We *hereby certify* the following assay of 4 core samples submitted Oct-23-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
16201	<0.03	0.5	1.0
16202	<0.03	0.7	1.0
16203	<0.03	0.1	2.0
16204	<0.03	0.2	1.0
*DUP 16201	<0.03	0.8	
*AC0501	8.57	242.9	
*BLANK	<0.03	<0.1	

Au,Ag by FA/Gravimetric finish

*Certified by*_____

10

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Wes Moll
Attention: Wes Moll
Project: G#1
Sample type: Core

Report No : 9S0069RR
Date : Nov-13-09

ICP-AES Report

Multi-Acid Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
16201	1	7.13	30	889	<5	1.68	<1	5	41	46	2.35	15	2.39	23	20	0.65	1274	<2	2.70	<10	13	7	1.51	<5	3	<10	165	<5	<10	0.07	51	<10	9	64	93
16202	<1	7.49	21	1418	<5	0.33	<1	1	32	77	1.80	20	3.63	<10	10	0.41	147	<2	0.19	<10	6	13	1.71	<5	3	<10	115	<5	<10	0.04	32	<10	7	49	94
16203	<1	7.15	15	1546	<5	0.29	<1	<1	41	117	1.63	18	3.81	<10	7	0.37	193	<2	0.22	<10	5	10	1.71	<5	3	<10	96	15	<10	0.04	30	<10	8	47	100
16204	1	6.85	11	1513	<5	0.28	<1	2	39	106	1.77	18	3.88	<10	5	0.35	127	<2	0.25	<10	<2	35	1.87	<5	3	<10	108	61	<10	0.05	33	<10	8	26	103
Duplicates:																																			
16201	1	6.89	31	897	<5	1.70	<1	6	50	54	2.30	16	2.30	23	20	0.67	1323	<2	2.51	<10	12	8	1.54	<5	3	<10	170	48	<10	0.08	50	<10	9	66	94
Standards:																																			
Blank	<1	0.01	<10	<10	<5	<0.01	<1	<1	2	<1	<0.01	<1	<0.01	<10	<1	<0.01	<5	<2	0.01	<10	<2	<2	<0.01	<5	<1	<10	<1	10	<10	<0.01	<1	<10	<1	<1	3
CH-4	2	7.02	16	520	<5	1.85	1	31	130	2065	5.20	20	2.19	16	18	1.12	519	<2	3.67	<10	50	18	0.67	<5	13	<10	216	5	17	0.25	106	12	10	216	114

A .2 gm sample is digested with HNO3/HClO4/HF/HCL and diluted to 25 ml.

Signed: _____

STATEMENT OF EXPENDITURES

Diamond Drilling

25.5 metres @ $86.00 per metre	$2,193.00
Mobe and demobe-72hrs @ $30.00 per hr.	$2,160.00
4x4 pickup truck for 6 days @ $100.00 per day	$ 600.00
Board for 12 man days @ $30.00 per day	$ 360.00
Trailer for 6 days @ $50.00 per day	$ 300.00
A.T.V. for 6 days @ $100.00 per day	$ 600.00
Water supply pump for 4 days @ $35.00 per day	$ 140.00
Power saw for 2 days @ $30.00 per day	$ 60.00
Splitting and assaying core including handling	$ 400.00
Report and logging core	$ 350.00
Total	$7,163.00

AUTHOR'S QUALIFICATIONS

I, John Wesley Moll, do hereby certify that

(1) I am a prospector and reside at 855 Highway #16 West, Houston, B.C.

(2) I have more than 40 years of prospecting experience.

(3) I prepared this report.

Respectfully submitted,



John Wesley Moll

Prospector

13

Assayers Canada
8282 Sherbrooke Street
Vancouver, B.C. V5X 4R6
Canada
Tel: 604.327-3436 Fax: 604.327-3423

Invoice

Date	Invoice #
13/11/2009	79634

Invoice To

Wes Moll
Box 1182
Houston, BC
V0I 1Z0

P.O. No.	Project	Terms	Due Date	File
	G#1	30 Net	13/12/2009	9S-0069

Description	Qty	Rate	Amount	Tax
H111 SAMPLE PREP: Rock	4	6.75	27.00	G
F262 FIRE ASSAY: 1AT Au & Ag, Gravimetric finish	4	20.50	82.00	G
ICP102 ICP: Multi-acid Digestion	4	11.25	45.00	G
GST On Sales		5.00%	7.70	

Thank you for your business.

Subtotal	$154.00
Sales Tax Total	$7.70
Total	$161.70
Payments/Credits	$0.00
Balance Due	**$161.70**

E-mail	Web Site	GST/HST No.
info@assayers.com	www.assayers.com	890013675

Interest at the rate of 2% per month (24% per annum) will be charged on overdue amounts.

CROSS SECTION

The Girls Hole #1-Drill core size EW –azimuth 90°

Lithology Stratighraphy Assay Numbers Mineral