



Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)]		TOTAL COST
Geochemical Sampling Report		\$26,372.18

AUTHOR(S) Jim Miller-Tait, P.Geo.

SIGNATURE(S)



NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) N/A YEAR OF WORK 2009

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4388029 / October 29, 2009

PROPERTY NAME Fandora

CLAIM NAME(S) (on which work was done) 508912, 536689, 536690, 537994, 593801, 606353,
606354, 606356, 606357

COMMODITIES SOUGHT Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 092F 041

MINING DIVISION Alberni NTS 92F/4E, 5E BCGS: 092F022

LATITUDE 49° 15' " LONGITUDE 125° 40' 36" (at centre of work)

OWNER(S)

1) Selkirk Metals Corp. 2)

MAILING ADDRESS

200-580 Hornby Street

Vancouver, BC V6C 3B6

OPERATOR(S) [who paid for the work]

1) Selkirk Metals Corp. 2)

MAILING ADDRESS

200-580 Hornby Street

Vancouver, BC V6C 3B6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

The Fandora occurrence is underlain by andesitic tuff and breccia of the pre-Jurassic Westcoast Complex. The vein system is hosted by andesites and basalts of the Nitinat Formation of the Sicker Group Volcanics and has been altered to greenstone by Jurassic plutonism including a coarse gabrodiiorite.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 26139, 29325

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil 141 / 36 element ICP-MS	see P.1	\$17,938.00	
Silt 32 / 36 element ICP-MS	see P.1	\$ 4,071.04	
Rock 11 / 31 element ICP-ES	see P.1	\$ 1,399.42	
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying Acme Analytical Labs	see P. 1	\$ 2,963.72	
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	\$26,372.18

GEOCHEMICAL SAMPLING REPORT

on the

FANDORA GOLD PROPERTY

**Tenure Nos. 508912, 536689, 536690, 537994, 593801,
606353, 606354, 606356, 606357**

Alberni Mining Division

**BC Geological Survey
Assessment Report
31379**

NTS: 92E/4E, 5E

BCGS Map Sheets: 092F022

Latitude: 49° 15.0' N; Longitude 125° 40.6' W

UTM (NAD 83 – Zone 10): 5 459 000 N; 304 300 E

Owner / Operator: Selkirk Metals Corp. - 100%

Author: Jim Miller-Tait, P.Geo.

February 23, 2010

TABLE OF CONTENTS

Section		Title	Page
A	Report	Introduction	3
		Property	3
		Location and Access	3
		Climate, Topography and Vegetation	3
		History	4
		Regional Geology	5
		Property Geology	5
		2009 Geochemical Sampling Program	6
		Conclusions	6
		Recommendations	7
		References	8
		Statement of Qualifications	9
B	Property	Schedule of Mineral Claims	10
C	Expenditures	Statement of Expenditures	11
D	Analytical Reports	Acme Analytical Laboratories Ltd.:	13
		- Certificates of Analysis - 3	
		- Statement of Analytical Procedures (2 data sheets)	
E	Sampling Data	Sampling Data Table	
		Soil Lines	
F	Illustrations		
Plan Number		Title	Scale
	FAN-09-1 (after p. 3)	BC Location Map	1:8,000,000
	FAN-09-2 (after p. 3)	General Location Map	1:250,000
	FAN-09-3 (after p. 3)	Claim Tenures	1:50,000
	FAN-09-4 (after p. 5)	Property Geology	1:50,000
	FAN-09-5 (in pocket)	2009 Geochemical Survey: Stream Sediments – Au (ppb), As (ppm)	1:10,000
	FAN-09-6 (in pocket)	2009 Geochemical Survey: Soil and Rock Sample Locations	1:5 000
	FAN-09-7 (in pocket)	2009 Geochemical Survey: Soil Samples – Au (ppb), As (ppm)	1:5 000
	FAN-09-8 (in pocket)	2009 Geochemical Survey: Soil Samples – Cu (ppm), Pb (ppm)	1:5 000

SECTION A: REPORT

INTRODUCTION:

The Fandora Gold Property covers meso-thermal, gold bearing quartz veins situated along andesite dykes and in shear zones. The Property is located on the west coast of Vancouver Island, British Columbia and is owned by Selkirk Metals Corp. (the “Company”) of Vancouver, BC. This report documents the program of soil sampling, stream sediment sampling, rock sampling and geological mapping undertaken by the Company in May 2009. The Fandora property had not been subjected to modern exploration methods as all previous exploration work was primarily trenching and drifting on the known vein system. The results of the 2009 program have confirmed the presence of the gold bearing quartz veins, re-located the underground workings and trenches, identified stream catchment areas with anomalous gold values in stream sediment and identified anomalous gold soil anomalies along strike with the known veins and in new areas for exploration.

PROPERTY:

The Fandora Gold Property is 100% owned by Selkirk Metals Corp. Selkirk acquired its interest as a result of its acquisition in 2007 and subsequent amalgamation in 2009 with Doublestar Resources Ltd.

The property is located 19 km northeast of Tofino, BC near the head of Tranquil Inlet on the west side of Vancouver Island and consists of 20 mineral tenures (5 Crown granted mineral claims; 15 cell claims / 219 cells) totaling 224 units and covering a gross area of 4,697.94 ha (Figure 3).

The details of the mineral tenures that comprise the Property are set out in Section B of this report. The “good to” dates shown are based on the Statement of Work filed on October 29, 2009 as Event #4388029 and assume that the work contained in this report will be accepted for assessment purposes.

LOCATION AND ACCESS:

The Fandora property covers the ground between Fortune Channel and Warn Bay on the west and the Tranquil Creek drainage on the east immediately to the north of Tranquil Inlet on west coast of Vancouver Island, southwestern British Columbia (Figures 2 and 3). The NTS map reference is 92F/04E and 92F/05E and the BCGS map reference is 092F022. The property is centered at approximately 49° 15.2' North latitude and 125° 41.3' West longitude (UTM NAD 83, Zone 10N, coordinates 304 300 E., 5 459 000 N). The town of Tofino is approximately 19 km southwest of the property.

Access to the Fandora property is possible by boat, fixed-wing aircraft or helicopter. Boat access is gained either from Tofino or from a barge facility at Berryman Cove which is accessed from Highway 4 (Port Alberni-Tofino) by the well maintained West Main and Deer Bay Main Forest Service Roads. From Berryman Cove it is approximately 4.5 km across Tofino Inlet to Rankin Cove or 6.5 km to the head of Tranquil Inlet. From Rankin Cove or Tranquil Inlet the Tranquil Creek Main Forest Service Road leads to and traverses the Fandora property. There are secondary deactivated and active forest access roads that can be used on the property. The main portal on the property, the 1500-level, was at one time road accessible but the road has been deactivated.

CLIMATE, TOPOGRAPHY AND VEGETATION:

The climate of the region is classified as West Coast Marine, with mild but wet winter seasons and cool drier summers. Mean annual precipitation is 3,235 mm as rain, and 536 mm of snow. The annual temperature range varies from -15.0°C to 32.8°C, with a mean of 9.0°C (Knight Piésold, Catface report



0 75 150 300


kilometres


SELKIRK METALS CORP.

FANDORA PROPERTY
Alberni Mining Division

Property Location

Date	Jan 28, 2010	Scale	1:8,000,000	Figure
Projection	UTM Zone 10 - NAD83	State/Province	BC	FAN
BCGS	092F022	NTS	092F04,05	09-1
Author	JC	File	Fan_LocMap10	





2004). Temperatures are moderated by the proximity of the ocean so that prolonged periods of freezing weather are unusual.

The Tofino and related west central Vancouver Island areas can be classified as West Coast Marine, with mild but wet winter seasons and cool drier summers. The area does tend to be relatively wet year round, with an average of 480 cm of precipitation falling annually, mostly as rain. Snowfall is highly variable but tends to be modest at the low elevations of the property (100-200 m). The higher elevations however can receive substantial amounts of snow. Snow can persist on the Property from November through May. The property is most easily worked from June through October.

The Fandora property covers an area containing some steep mountainous ridges and precipitous topography. Elevations range from sea level at the western and southern margins of the property to 1100 m on the northern limit and 1040 m on the eastern edge of the holdings.

The Fandora property is located in the Clayoquot Sound region of western Vancouver Island. This area is dominated by the Estevan Coastal Plain, a gently undulating terrain that has been broken into numerous islands and peninsulas by inlets and channels. Steep highly dissected rocky hills are formed by outliers of the Westcoast intrusive complex which forms the Vancouver Island Mountains. Recently significant areas of forest land have been harvested within the property boundaries and nearby areas.

The property is covered in a typical assemblage of west coast second growth vegetation consisting of thick stands of western hemlock, red cedar, Douglas fir and white pine. There is a thick undergrowth of salal and salmonberry throughout the area.

HISTORY:

In the late 1800's and very early 1900's Vancouver Island and the Coastal Mainland of British Columbia saw extensive mineral exploration and mine development. The Fandora Mine and several lesser auriferous quartz veins in the Tranquil Creek and adjacent watersheds of the Clayoquot Sound were first discovered in the late 1930's. Initially, these discoveries were explored on surface by hand trenching and other limited exploration techniques. In 1940, the Fandora property was staked by E.G. Brown and P. Donahue to cover what is now defined as the Bell No 1-4 Crown Grants (Report of the Minister of Mines Report, 1947). The site was subsequently taken over by Privateer Mines, who in conjunction with Canamac Mining Company, carried out most of the underground development on the Property. Four main adits on the 2100, 1900, 1700, and 1500 foot elevations were driven utilizing hand steel and wheelbarrows over the course of one year (Campbell, 1950). In 1947 three main properties (Gold Flake, Tofino, and Fandora) were amalgamated and placed into the newly formed Tofino Gold Mining Company. For several years, the Property was heavily explored, chiefly by a series of open cuts along the strike of the high-grade zones of the Fandora vein structure. This exploration period culminated in the late 1950's with the driving of two additional exploration drifts on the 1265 and 1010 levels. As with the previous episode of mining, no substantial volumes of ore were removed for milling (H.W. Agnew, 1959).

Between 1957 and 1964 a new phase of development was initiated by a group organized by Moneta Porcupine Mines. A 35 tonne/day mill was constructed in conjunction with drift expansion on the 1500 and 1700 levels. Within these levels, several high grade zones were stoped and connections were made by two raises from the 1500 to the 1700 levels. A full 20 man camp was constructed, as well as an access road, telegraph line, and tram line connecting the lower beach camp with the upper mining camp (Report of the Minister of Mines, 1960 and 1963).

This phase of development was the last major episode the Fandora Property saw. In the 1970's and 1980's several small conformational sampling and mapping projects were conducted but nothing more

substantial. In 1998, Doublestar Resources Ltd. purchased the five Fandora Crown granted mineral claims from Phrygian Mining Corporation (formerly New Privateer Mine Limited) and in 1999 conducted a series of exploration programs which included rehabilitating the 1500 portal entrance, dewatering the 1500 level adit, the removal of 1,000 kg of Fandora quartz vein material, metallurgical testwork on the Fandora vein material and associated environmental and ARD lithological studies. Also a terrain stability program focused on re-opening the last kilometer of the Fandora access road (which had been deactivated the previous year) was conducted.

The Doublestar programs succeeded in highlighting the ease of recovery of the gold within the Fandora vein material and in initiating baseline environmental work on the Property.

REGIONAL GEOLOGY:

The West Coast of Vancouver Island is underlain by the Wrangellia Terrane, an exotic assemblage accreted to the North American Cordillera in the Mesozoic, and the West Coast Complex. The Paleozoic (Late Devonian) Sicker Group is the oldest member of the Wrangellia Terrane and underlies all other lithologies. The Sicker Group is defined by two main assemblages of marine arc deposition: the Nitnat and the McLaughlin Ridge Formations.

The Nitnat Formation is dominantly an andesite-basalt metavolcanic suite with associated volcanic breccias and agglomerates. The younger McLaughlin Ridge is characterized by volcaniclastic sandstones, pillow lavas, and felsic volcanics with minor debris flow indications (Brandon, M.T., 1985). Carboniferous to Permian shallow marine deposited strata of bioclastic limestone, sandstone, and shale of the Buttle Lake Group conformably overlie the Sicker Group. The unconformable Middle Triassic Karmutsen Formation volcanics (basaltic pillow lavas, flows, and breccias) complete with a suite of hypabyssal sills and dykes, lie atop. A Late Triassic shallow marine sequence of Limestone (Quatsino Formation) overlies the Karmutsen, and is in turn overlain by thinly banded units of calcareous metasediments and argillites of the Parson's Bay Formation (Gunning, 1932).


All these lithologies are unconformably overlain by the thick Bonanza Volcanic sequence. These rocks consist chiefly of variably colored (red, green, and maroon) welded to massive dacitic tuffs and pyroclastic andesites. The Bonanza units trend prevalently northwesterly and are in turn intruded by the Lower Jurassic Island Intrusions; the cause of associated regional and contact metamorphism.

The West Coast Complex lies on the extreme western margin of Vancouver Island. The Complex is composed of a chaotic assemblage of lithologies defined by melanges of Lower Cretaceous mudstones, sandstones, and cherts overlying an older Volcanic Arc Complex. The northwest striking West Coast Fault separates this Mesozoic complex from the aforementioned Paleozoic and associated rocks of the rest of the Wrangellia Terrane on Vancouver Island (Brandon, M.T., 1985).

PROPERTY GEOLOGY:

The Fandora vein system is hosted by andesites and basalts of the Nitnat Formation. These lithologies have been altered to greenstone by Jurassic plutonism including a coarse gabbrodiorite, several stages of feldspar porphyry dykes and sills and andesitic dykes (particularly in the vicinity of the Fandora mine workings) (Seraphim, 1981). These intrusive rocks are known locally as the Island intrusions. Where the intrusives are in contact with Nitnat units widespread honfelsation is common. Numerous steeply dipping fractures cut the greenstones, and trend north-northwest on average.

The Fandora Vein System trends at approximately 075° and dips steeply (65°-70°) to the north. The vein pinches, swells and bifurcates, however it averages a width of 1-1.4 m. The Fandora Vein System is



predominantly comprised of two to three distinct veins separated by a highly sheared central andesite dyke. The vein is remarkably continuous with a strike length that has been developed (adits and opencuts) and traced on surface for over two (2) km. The vein has been tested down dip for a minimum of 330 m, and it is reasonable to assume it has a far greater down dip extension. The Fandora Vein System is apparently controlled by a shear zone, and more or less parallels the described andesite dyke. However, little alteration of the country rock is evident greater than approximately 0.5 m from the vein-greenstone contact.

The auriferous Fandora Vein System is dominated by quartz, is sheeted and thinly banded and contains varying amounts of brown-orange weathering carbonate (ankerite). Sulphide content ranges from 5% to 15% and includes both fine (disseminated to massive) sulphides on fracture and sheet boundaries, to coarser crystalline habits within the bull quartz of the vein itself. Observation and metallurgical testing indicates the gold in the vein system occurs chiefly as free gold contained within the quartz zones (Tse, 1999; Yee, 2006). Pyrite is the dominant sulphide present, however sphalerite, galena, chalcopyrite and arsenopyrite have been noted (Campbell, 1950).

2009 GEOCHEMICAL SAMPLING PROGRAM

The 2009 program was designed to test the method of stream sediment sampling of prospective drainages followed by soil sampling in an effort to delineate the gold bearing quartz veins. There were a total of 11 rock, 32 stream sediment and 141 soil samples collected in the 2009 program. The field work was carried out during the period from May 22-27, 2009. The field personnel were quartered in the floating Tranquil Inlet Camp maintained by Tranquil Timber Ltd.

The stream sediment sampling was completed by using an 80 mesh screen to sort out and discard the larger fraction of stream gravels and save the fine fraction for analysis. The drainage below the known Fandora workings were very high in gold with values from 1,282.2 ppb up to 22,903.4 ppb in samples FSS-05 & 06. Sample FSS-33 of 870.6 ppb was collected in the drainage south of the known showings but in an area of prospective geology and soil samples on Line 2. Sample FSS-37 on the west side of the Fandora Ridge assayed 118.1 ppb gold in the drainage along strike to the west of the known workings. Sample FSS-20 was low but there are known historic workings above this area and it is the author's opinion that a recent slide above the sample site contaminated the sample.

The soil samples collected along Line 1 were anomalous in gold from around stations 4+25 and 18+50 where the eastern projection of the Fandora veins would occur. It is the author's opinion that the soils collected along Line 1 were taken too low in elevation and were influenced by Tranquil Creek gravels.

One soil sample was anomalous in gold taken from the large "Bull" quartz vein, with minor chalcopyrite and pyrite, located on the east side of Tranquil Creek.

The most successful soil sampling line was along Line 2 with anomalous values in gold, arsenic, lead and copper in areas of 1+50, 11+00 to 20+00 and 29+00 to 30+00. The soil is well oxidized in the area of 11+00 to 20+00.

CONCLUSIONS:


The exploration method of using stream sediment sampling followed by soil sampling works very well in the Tranquil Creek terrain. Care must be taken to not collect samples from gravels that are influenced by the major streams in the flat terrain and collect from active streams in the steeper terrain.

The areas along the strike of the Fandora veins are highly prospective to expand the area of known gold mineralization. The area south of the know veins along the de-activated road where the soil samples from Line 2 were collected from 11+00 to 20+00 should be drill tested as this is a new area where there could be a parallel vein system as the Fandora area may be on strike with the major quartz vein on the east side of Tranquil Creek.

RECOMMENDATIONS:

The program of stream sediment sampling at higher elevations to the west of the Fandora workings is a high priority and additional soil sampling is recommended to delineate buried gold bearing veins. The known Fandora vein sets should be diamond drilled along strike, between the levels and to depth in order to confirm the historic grades and test for any down dip dimension. At the same time drilling should also test the highly anomalous areas along Line 2 and a few holes should test the major quartz vein on the east side of Tranquil Creek.

Respectfully submitted,



Jim Miller-Tait, P.Geo.

REFERENCES:

- Agnew, H.W., **1959**: Report On Tofino Copper Claims, Tofino Inlet B.C., Alberni M.D.
- Brandon, M.T., **1985**: Mesozioc Mealnge of the Pacific Rim Complex, Western Vancouver Island. In, Field Guides to Geology and Mineral Deposits in the Southern Canadian Cordillera. GSA Cordilleran Section Meeting, Vancouver, B.C., May, 1985.
- Campbell, C.M., **1950**: Report on Tofino Gold Mine, Alberni Mining Division. Including Appendices by A.M. Richmond and H. Gunning.
- Dickson. M. P., **1998** and **1999**: Fandora Property Notes
- Gray, P. D., **2000**: Geological and Physical Assessment Report, Fandora Property, for Doublestar Resources Ltd., January 2000, BC Assessment Report #26139
- Gray, P. D., **2007**: Geological Technical Assessment Report, Fandora Property, for Doubledtar Resources Ltd, September 28, 2007, BC Assessment Report #29325
- Gunning, H.C., **1932**: Annual Reports of the B.C. Department of Mines.
- Mason, E.E., **1954**: Report On the Production Possibilities of the Tofino Gold Mine, West Coast of Vancouver Island.
- Muller, R.R., **1981**: Westmin Resources' Massive Sulphide Deposits, Vancouver Island. In; Field Guides to Geology and Mineral Deposits in the Southern Canadian Cordillera. GSA Cordilleran Section Meeting, Vancouver, B.C., May, 1985.
- Seraphim, R.H., **1981**: Report on the Fandora Gold Property Tofino, B.C. for Devon Industries Inc.
- Sibbick, S.; **1999**: Final Report, Fandora Project ARD Review. Norecol, Dames, & Moore.
- Report Of the Minister of Mines (Fandora Related) **1947**, **1960**, and **1963**.

STATEMENT OF QUALIFICATIONS:

For: Jim Miller-Tait of 828 Whitchurch Street, North Vancouver, B.C. V7L 2A4

I graduated from the University of British Columbia with a Bachelor of Sciences Degree in Geology (1987);

I have been practicing my profession as a geologist in mineral exploration and mining continuously since 1987;

I am a registered member in good standing as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia;

The observations, conclusions and recommendations contained in the report are based on supervision of the described program, field examinations and the evaluation of results of the exploration program completed by the operator of the property.



SECTION B: PROPERTY

Mineral Tenure Summary Table

FANDORA PROPERTY: MINERAL TENURES				Date:	Feb 23 2010
OWNER:	Selkirk Metals Corp.	100.0%	BC Client No.	231261	Tenures: 20
ROYALTY:	nil				Cells/Units: 224
Area (ha): 4,697.94					
MINING DIVISION: Alberni					
LAND DISTRICT: Clayoquot					
LOCATION: 19 km northeast of Tofino near the head of Tranquil Inlet on the west side of Vancouver Island.					
MAP NO.	NTS:	092F/04E, 05W	GEOGRAPHIC COORDINATES:	49° 15.2' N; 125° 41.3' W	
	BCGS:	092F022	UTM COORDINATES (NAD 83, ZONE 10):	5 459 000 N	304 300 E

Crown Granted Mineral Claims:

Lot No.	Tenure Type	Claim Name	% Held	Map No.	Folio No.	Taxes Paid To	Units	Area (ha)	Taxes
L. 1901	C.G.	Bell	100.0%	092F022	001988	2010/jul/02	1	19.62	\$24.53
L. 1902	C.G.	Bell No. 1	100.0%	092F022	001988	2010/jul/02	1	19.62	\$24.53
L. 1903	C.G.	Bell No. 2	100.0%	092F022	001988	2010/jul/02	1	17.49	\$21.86
L. 1904	C.G.	Bell No. 3	100.0%	092F022	001988	2010/jul/02	1	20.85	\$26.06
L. 1905	C.G.	E.M. No. 3 Fraction	100.0%	092F022	001988	2010/jul/02	1	1.85	\$2.31
Subtotal	5						5	79.43	\$99.29

Cell Claims:

Tenure No.	Tenure Type	Claim Name	% Held	Map No.	Record Date	Good To Date	Cells	Area (ha)	Work
508912	Mineral		100.0%	092F022	2005/mar/14	2014/nov/11	31	653.72	\$5,229.77
536689	Mineral	Free Gold 2	100.0%	092F022	2006/jul/07	2012/nov/01	13	274.11	\$2,192.84
536690	Mineral	Free Gold 1	100.0%	092F022	2006/jul/07	2012/nov/01	9	189.73	\$1,517.82
537994	Mineral	Fandora	100.0%	092F022	2006/jul/07	2012/nov/01	2	42.17	\$337.37
537995	Mineral	Fandora	100.0%	092F022	2006/jul/07	2011/nov/01	18	379.59	\$3,036.70
593801	Mineral	F 6	100.0%	092F022	2008/nov/03	2011/nov/01	21	442.70	\$1,770.80
606353	Mineral	F 1	100.0%	092F022	2009/jun/19	2011/nov/01	25	527.36	\$2,109.44
606354	Mineral	F 2	100.0%	092F022	2009/jun/19	2011/nov/01	25	527.33	\$2,109.32
606355	Mineral		100.0%	092F022	2009/jun/19	2011/nov/01	24	506.31	\$2,025.24
606356	Mineral	F 3	100.0%	092F022	2009/jun/19	2011/nov/01	24	506.00	\$2,024.00
606357	Mineral	F 4	100.0%	092F022	2009/jun/19	2011/nov/01	4	84.39	\$337.56
606358	Mineral	F 5	100.0%	092F022	2009/jun/19	2011/nov/01	9	189.81	\$759.24
606359	Mineral	F 6	100.0%	092F022	2009/jun/19	2011/nov/01	1	21.09	\$84.36
619023	Mineral	F 8	100.0%	092F022	2009/aug/14	2011/nov/01	5	105.39	\$421.56
706511	Mineral	F 9	100.0%	092F022	2010/feb/18	2011/feb/18	8	168.82	\$675.28
Subtotal	15						219	4,618.51	\$24,631.30
TOTAL	20						224	4,697.94	\$24,730.59

Assessment Filing Record:									
Filing Date	Event No.	Total Work / C/L	Work	PAC Debit	PAC Credit	Report Due	Report Filed	Approved	Report No.
2007/jul/05	4156838	\$701.43	Cash-in-lieu	\$0.00	\$0.00	N/A			
2007/jul/06	4157267	\$20,919.07	\$15,795.92	\$1,046.67	\$0.00	2007/oct/04	2007/oct/02	2008/jan/03	29325
2007/jul/17	4159055	\$499.13	Cash-in-lieu	\$0.00	\$0.00	N/A			
2007/sep/25	4171375	2125.26	Cash-in-lieu	\$0.00	\$0.00	N/A			
2008/feb/19	4196763	\$2,672.95	Cash-in-lieu	\$0.00	\$0.00	N/A			
2008/aug/25	4233095	\$887.95	Cash-in-lieu	\$0.00	\$0.00	N/A			
2008/oct/23	4242788	\$2,277.26	Cash-in-lieu	\$0.00	\$0.00	N/A			
2008/oct/27	4243400	\$1,265.10	Cash-in-lieu	\$0.00	\$0.00	N/A			
2009/oct/29	4388029	\$35,200.02	\$25,642.18	\$9,557.84	\$0.00	2010/feb/23	2010/feb/23		

SECTION C: EXPENDITURES (Fandora 2009 Geochemical Assessment Program)

Item	Work Performed	Quantities / Rates	Amount
Geological Survey:			
Personnel:			
Jim Miller-Tait, P.Geo Project Manager	Period: May 22-27 2009	6 days @ \$625.00	3,750.00
Jim Chapman, P.Geo Project Geologist	Period: May 22-29, Jun 1, 2 2009	9.25 days @ \$600.00	5,550.00
George P. Frank Field Assistant	Period: May 22-27 2009	66 hours @\$20.00	1,320.00
John F.K. Frank Field Assistant	Period: May 22-27 2009	66 hours @\$20.00	1,320.00
Subtotal			11,940.00
Accommodation & Meals:			
Tranquil Timber Ltd.: Tranquil Inlet Camp	Room and board for J. Miller-Tait, J. Chapman, G.P.Frank and J.F.K. Frank Period: May 22-27 2009, 2009	17.5 man days @\$100.00	1,750.00
Vancouver to Tofino and return	J. Miller-Tait and J. Chapman		134.58
Subtotal			1,884.58
Transportation:			
J. Miller-Tait Vehicle: Ford F-150 Pickup	Vancouver to Tofino and return Fuel	450 km @ \$0.40/km <u>55.72</u> <u>235.72</u>	180.00 <u>55.72</u> <u>235.72</u>
J. Chapman	Ground and air transport from Vancouver to Tofino on May 22 2009		209.87
Far West Helicopters: Bell 206	Air transport: Tofino to camp, camp to property and return (3 days), camp to Tofino May 22, 25-28 2009	3.8 hours @ \$1266.58	4,813.00
Tranquil Timber Ltd.:	Pickup truck rental	5 days @ \$85.00	425.00
Tranquil Timber Ltd.:	Boat charter from Tofino	3 trips @ \$100.00	300.00
Subtotal			5,983.59
Field Supplies:	Sample supplies and tools		155.29
Analytical Services:			
Acme Analytical Laboratories Ltd. Vancouver, BC	Rock samples: 11 Code 1D: 31 elements (ICP-ES) Stream sediment samples: 32 Code 1DX: 36 elements (ICP-MS) Soil samples: 141 Code 1DX: 36 elements (ICP-MS)		237.53 573.12 2,153.07 2,963.72
Map Preparation:			

Mike Davies, Moonraker Multimedia	Base map preparation, data plotting,	10.0 hrs. @ \$65.00	650.00
Printing	Map printing		25.00
Subtotal			675.00
Report Preparation:			
Jim Chapman, P.Geo. Project Geologist	Data review, interpretation and map preparation	2 days @ \$600.00	1,200.00
Jim Miller-Tait, P.Geo. Project Manager	Data review, interpretation and report preparation	2 days @ \$625.00	1,250.00
Erik Andersen, Land Administrator	Data and report compilation and editing	8.0 hours @ \$40.00	320.00
Subtotal			2,770.00
Total Survey			\$26,372.18

SECTION D: ANALYTICAL REPORTS

1. Analyses carried out by Acme Analytical Laboratories Ltd. of Vancouver, B.C.

File Number	Date of Certificate	No. of Samples	Sample Type	Analytical Procedure
VAN09002046.1	June 17 2009	11	Rock	3A, 1D
VAN09002048.1	June 16 2009	32	Sediment	1DX15
VAN09002049.1	June 16 2009	141	Soil	1DX15
Total				

1. Statement of Analytical Procedures: 2 data sheets
 - Group 1D & 1DX; Multi-Element Assay by ICP-MS; Aqua Regia Digestion
 - Group 3A; Multi-Element (36) Assay by ICP-MS; Aqua Regia Digestion



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Submitted By: Jim Miller-Tait
Receiving Lab: Canada-Vancouver
Received: June 03, 2009
Report Date: June 17, 2009
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09002046.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID:
P.O. Number
Number of Samples: 11

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R200	11	Crush, split and pulverize rock to 200 mesh		
3A	11	Ignite samples, acid digest, Au by ICP-MS analysis	15	Completed
1DD	11	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Holdings Corp.
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5
Canada

CC: Rick Kemp
Erik Andersen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA

Report Date: June 17, 2009

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN09002046.1

Method	Analyte	WGHT	3A	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		MDL	0.01	0.5	1	1	3	1	0.3	1	1	0.01	2	8	2	2	1	0.5	3	3	1
487951	Rock		0.91	1.4	3	74	<3	55	<0.3	24	10	635	2.59	<2	<8	<2	<2	19	<0.5	<3	50
487952	Rock		1.02	18.2	<1	6	<3	52	<0.3	7	12	813	2.99	<2	<8	<2	<2	8	<0.5	<3	65
487953	Rock		0.73	2.3	<1	15	<3	22	<0.3	8	8	223	1.24	<2	<8	<2	<2	43	<0.5	<3	23
487954	Rock		2.06	2.7	<1	618	<3	23	0.5	8	6	237	1.57	4	<8	<2	<2	12	<0.5	<3	32
487955	Rock		1.15	47.8	<1	555	<3	25	0.6	<1	6	153	1.16	6	<8	<2	<2	1	<0.5	<3	2
487956	Rock		1.68	20.4	<1	4	<3	4	<0.3	3	2	102	0.57	<2	<8	<2	2	78	<0.5	<3	11
487957	Rock		0.51	32.7	<1	3225	<3	36	2.2	4	4	106	1.64	11	<8	<2	<2	2	<0.5	<3	24
487958	Rock		1.23	16.4	<1	125	<3	33	0.3	17	13	394	3.18	5	<8	<2	<2	30	<0.5	<3	102
780201	Rock		0.80	38.3	<1	969	<3	55	0.4	13	15	536	3.95	<2	<8	<2	2	16	<0.5	<3	42
780202	Rock		0.92	6.0	1	1275	4	26	0.8	33	24	81	2.42	<2	<8	<2	<2	384	<0.5	<3	73
780203	Rock		2.08	6.8	4	1516	<3	54	1.6	7	9	393	3.11	<2	<8	<2	4	34	<0.5	<3	38



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 17, 2009

www.acmelab.com

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09002046.1

	Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%
MDL		0.01	0.001	1	1	0.01	1	0.01	20	0.01	0.01	0.01	2	0.05
487951	Rock	3.25	0.084	3	23	1.08	45	0.06	<20	3.20	<0.01	0.07	<2	0.34
487952	Rock	4.65	0.056	1	21	1.20	3	0.08	<20	4.58	<0.01	<0.01	<2	0.17
487953	Rock	0.79	0.036	1	15	0.49	99	0.04	<20	0.96	<0.01	0.05	<2	<0.05
487954	Rock	0.32	0.015	<1	33	0.36	7	0.07	<20	0.61	0.01	0.01	<2	0.08
487955	Rock	0.11	0.001	<1	11	0.02	3	<0.01	<20	0.06	<0.01	<0.01	<2	0.16
487956	Rock	1.31	0.003	<1	10	0.17	5	0.05	<20	1.14	<0.01	<0.01	<2	<0.05
487957	Rock	0.06	0.004	<1	14	0.31	<1	0.05	<20	0.40	<0.01	<0.01	<2	0.28
487958	Rock	1.24	0.088	2	21	0.82	13	0.22	<20	1.82	0.14	0.05	<2	0.08
780201	Rock	0.31	0.048	4	13	1.38	6	0.08	<20	1.92	0.04	0.09	<2	<0.05
780202	Rock	3.96	0.032	1	9	0.13	17	0.04	<20	6.29	0.36	0.03	<2	0.89
780203	Rock	0.35	0.059	6	11	0.72	9	0.05	<20	1.63	0.05	0.03	<2	0.13



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date:

June 17, 2009

Page:

1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09002046.1

Method	WGHT	3A	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D		
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.5	1	1	3	1	0.3	1	1	2	0.01	2	8	2	2	1	0.5	3	3	1	
Pulp Duplicates																					
487954	Rock	2.06	2.7	<1	618	<3	23	0.5	8	6	237	1.57	4	<8	<2	<2	12	<0.5	<3	<3	32
REP 487954	QC			<1	628	<3	23	0.4	7	6	239	1.59	3	<8	<2	<2	11	<0.5	<3	<3	32
487958	Rock	1.23	16.4	<1	125	<3	33	0.3	17	13	394	3.18	5	<8	<2	<2	30	<0.5	<3	<3	102
REP 487958	QC				12.1																
Reference Materials																					
STD DS7	Standard			20	106	63	431	0.9	54	8	661	2.45	54	<8	<2	5	74	5.8	4	3	81
STD DS7	Standard			20	106	67	429	1.2	54	9	678	2.51	55	<8	<2	5	74	5.9	3	4	82
STD OXE56	Standard				482.0																
STD OXE56	Standard				484.3																
STD DS7 Expected				21	109	71	411	0.9	56	10	627	2.39	48	5	0.07	4	68	6.4	5	5	84
STD OXE56 Expected					545																
BLK	Blank			<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<8	<2	<2	<1	<0.5	<3	<3	<1
BLK	Blank				<0.5																
Prep Wash																					
G1	Prep Blank	<0.01	1.8	<1	2	<3	46	<0.3	3	4	556	1.93	2	<8	<2	4	55	<0.5	<3	<3	38
G1	Prep Blank	<0.01	<0.5	<1	2	<3	48	<0.3	4	4	593	2.10	3	<8	<2	5	65	<0.5	<3	<3	41



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date:

June 17, 2009

www.acmelab.com

Page:

1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09002046.1

Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	%
MDL	0.01	0.001	1	1	0.01	1	0.01	20	0.01	0.01	0.01	0.05
Pulp Duplicates												
487954	Rock	0.32	0.015	<1	33	0.36	7	0.07	<20	0.61	0.01	0.01
REP 487954	QC	0.30	0.015	<1	32	0.36	4	0.07	<20	0.60	0.01	0.01
487958	Rock	1.24	0.088	2	21	0.82	13	0.22	<20	1.82	0.14	0.05
REP 487958	QC											
Reference Materials												
STD DS7	Standard	0.95	0.077	12	208	1.10	447	0.12	33	1.10	0.10	0.50
STD DS7	Standard	0.95	0.077	12	209	1.10	452	0.12	31	1.08	0.10	0.51
STD OXE56	Standard											
STD OXE56	Standard											
STD DS7 Expected		0.93	0.08	13	179	1.05	370	0.124	39	0.959	0.073	0.44
STD OXE56 Expected												
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.01	<20	<0.01	<0.01	<0.01
BLK	Blank											
Prep Wash												
G1	Prep Blank	0.49	0.084	7	10	0.62	268	0.14	<20	0.98	0.07	0.57
G1	Prep Blank	0.50	0.086	7	13	0.64	281	0.14	<20	1.05	0.08	0.60



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Submitted By: Jim Miller-Tait
Receiving Lab: Canada-Vancouver
Received: June 03, 2009
Report Date: June 16, 2009
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09002048.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID:
P.O. Number
Number of Samples: 32

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	32	Dry at 60C sieve 100g to -80 mesh		
	Dry at 60C	32	Dry at 60C		
	1DX15	32	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Holdings Corp.
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5
Canada

CC: Rick Kemp
Erik Andersen



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 2 of 3 Part

CERTIFICATE OF ANALYSIS

VAN09002048.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
FSS-01	Sediment	1.3	130.9	10.3	64	<0.1	36.8	20.2	701	3.81	28.4	0.1	9.0	0.4	28	0.1	0.7	<0.1	96	0.95	0.054
FSS-02	Sediment	4.4	109.7	19.5	71	<0.1	72.1	21.1	626	3.93	14.0	0.3	9.6	0.6	39	0.2	0.5	<0.1	107	0.96	0.053
FSS-03	Sediment	1.3	53.2	3.8	51	<0.1	32.7	14.7	553	3.08	2.9	0.7	27.3	0.7	32	<0.1	0.2	<0.1	77	0.74	0.033
FSS-04	Sediment	0.9	10.0	4.9	63	<0.1	9.6	9.9	692	2.28	0.8	0.3	4.6	0.6	21	<0.1	0.1	<0.1	47	0.54	0.031
FSS-05	Sediment	1.8	81.8	9.7	129	0.3	60.5	30.6	1089	4.69	70.3	0.1	1282	0.4	22	0.3	0.6	<0.1	109	0.52	0.042
FSS-06	Sediment	0.6	89.5	50.3	125	3.0	65.8	31.0	1022	4.79	1129	0.2	22903	0.4	21	1.2	1.7	0.1	98	0.54	0.062
FSS-07	Sediment	0.8	62.7	5.0	86	<0.1	27.1	21.8	823	3.96	15.7	0.4	41.1	0.3	38	0.3	1.2	<0.1	103	1.07	0.043
FSS-08	Sediment	0.7	55.9	4.1	92	<0.1	33.0	21.6	562	3.86	5.9	0.3	22.0	0.5	30	<0.1	0.2	<0.1	91	0.84	0.020
FSS-09	Sediment	1.6	43.6	4.0	87	<0.1	47.3	23.4	649	3.60	2.9	0.2	3.1	0.4	42	0.1	0.2	<0.1	93	1.46	0.029
FSS-10	Sediment	0.6	71.9	6.0	113	<0.1	29.6	20.1	890	4.00	4.3	0.1	6.4	0.4	23	0.2	0.2	<0.1	93	0.70	0.048
FSS-11	Sediment	0.9	77.9	3.7	82	<0.1	22.8	15.7	575	3.17	3.4	0.2	15.7	0.5	24	0.1	<0.1	<0.1	83	0.70	0.032
FSS-12	Sediment	0.5	75.4	8.0	64	<0.1	14.1	15.7	1806	2.90	2.7	0.3	2.1	0.2	24	0.2	0.2	0.1	75	0.55	0.065
FSS-13	Sediment	0.6	87.5	10.0	121	<0.1	33.7	23.3	945	4.21	7.0	0.2	11.2	0.5	27	0.2	0.2	0.1	122	0.90	0.059
FSS-14	Sediment	1.8	26.3	6.1	138	<0.1	22.7	24.1	1366	3.77	12.9	0.8	2.0	0.7	21	0.2	0.1	<0.1	103	0.45	0.016
FSS-15	Sediment	1.0	86.6	4.2	148	0.1	22.4	18.8	904	4.00	11.7	1.3	26.6	1.0	29	0.3	0.3	<0.1	90	0.89	0.061
FSS-16	Sediment	0.6	97.2	3.7	54	<0.1	20.2	17.9	526	3.72	3.6	0.3	4.9	0.7	24	<0.1	0.2	<0.1	112	0.64	0.040
FSS-17	Sediment	0.7	40.4	5.5	129	<0.1	30.2	24.3	892	4.22	3.1	0.8	2.6	1.5	34	0.2	<0.1	0.1	87	0.94	0.048
FSS-18	Sediment	0.7	46.2	4.4	128	<0.1	49.0	29.0	974	4.60	4.6	0.9	4.6	1.3	23	0.2	0.1	<0.1	85	0.71	0.041
FSS-19	Sediment	0.6	47.0	10.2	117	<0.1	30.8	23.0	751	4.25	6.1	0.6	6.8	1.0	31	0.2	<0.1	<0.1	101	0.83	0.055
FSS-20	Sediment	1.0	54.8	4.8	52	<0.1	23.3	18.5	621	4.73	18.1	3.3	10.8	1.0	30	0.1	0.2	<0.1	122	0.79	0.054
FSS-21	Sediment	0.6	77.4	3.6	87	<0.1	38.3	23.7	890	4.26	9.5	1.1	3.5	0.7	35	0.2	0.3	<0.1	120	0.77	0.050
FSS-30	Sediment	1.0	24.2	5.2	77	<0.1	12.0	16.2	894	3.89	4.1	0.7	1.6	1.6	32	<0.1	0.1	<0.1	85	0.65	0.071
FSS-31	Sediment	1.3	21.2	5.5	71	<0.1	10.0	19.8	1059	3.80	5.1	0.7	4.7	1.2	40	0.1	0.2	<0.1	86	0.47	0.047
FSS-32	Sediment	0.8	59.3	4.0	72	<0.1	18.8	16.2	643	3.82	19.9	0.3	11.8	0.8	39	<0.1	0.3	<0.1	135	0.79	0.061
FSS-33	Sediment	0.7	31.6	3.1	58	<0.1	15.5	12.9	671	3.08	2.8	0.5	870.6	1.3	25	<0.1	0.1	<0.1	79	0.64	0.047
FSS-34	Sediment	0.4	143.3	2.9	57	<0.1	42.2	22.6	525	4.11	38.9	0.2	4.5	0.4	35	<0.1	0.2	<0.1	135	1.01	0.036
FSS-35	Sediment	0.4	128.2	3.7	90	<0.1	41.0	21.1	634	4.16	27.6	0.2	7.8	0.5	43	0.2	0.3	<0.1	121	0.89	0.038
FSS-36	Sediment	0.5	144.0	3.3	75	<0.1	55.7	28.2	859	5.04	49.0	0.3	24.8	0.3	44	0.2	0.2	<0.1	149	1.01	0.040
FSS-37	Sediment	0.5	71.3	1.8	48	<0.1	21.5	15.6	522	3.43	4.1	0.2	118.1	0.8	18	<0.1	0.2	<0.1	105	0.73	0.050
FSS-38	Sediment	0.5	8.2	4.6	63	<0.1	10.0	12.2	966	2.60	1.2	0.1	3.4	0.2	45	<0.1	<0.1	<0.1	44	0.71	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 2009

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09002048.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
FSS-01	Sediment	2	55	1.49	16	0.189	8	2.31	0.036	0.02	0.3	0.02	5.2	<0.1	<0.05	7	<0.5
FSS-02	Sediment	3	99	1.56	30	0.307	5	2.59	0.045	0.03	0.1	0.05	6.1	<0.1	<0.05	7	<0.5
FSS-03	Sediment	2	55	1.12	41	0.221	5	2.25	0.029	0.03	<0.1	0.03	5.5	<0.1	<0.05	7	<0.5
FSS-04	Sediment	3	17	0.73	27	0.123	9	1.79	0.013	0.04	<0.1	0.19	3.0	<0.1	<0.05	7	<0.5
FSS-05	Sediment	3	82	1.81	41	0.165	6	2.72	0.018	0.07	0.1	0.07	6.9	<0.1	<0.05	8	<0.5
FSS-06	Sediment	5	69	1.73	27	0.103	5	2.70	0.015	0.04	8.4	0.69	6.7	<0.1	0.08	8	1.3
FSS-07	Sediment	3	42	1.32	24	0.207	7	2.92	0.019	0.03	0.1	0.07	5.0	<0.1	<0.05	8	1.4
FSS-08	Sediment	2	62	1.53	23	0.155	6	3.96	0.035	0.03	<0.1	0.07	4.6	<0.1	<0.05	9	<0.5
FSS-09	Sediment	2	86	2.01	26	0.166	9	3.59	0.043	0.03	0.1	0.11	5.9	<0.1	<0.05	7	0.5
FSS-10	Sediment	3	37	1.32	36	0.187	5	2.57	0.021	0.05	<0.1	0.04	5.5	<0.1	<0.05	8	<0.5
FSS-11	Sediment	2	30	0.86	33	0.213	5	2.62	0.026	0.02	<0.1	0.05	4.4	<0.1	<0.05	8	0.7
FSS-12	Sediment	3	20	0.55	30	0.159	6	2.47	0.015	0.03	<0.1	0.14	3.3	<0.1	<0.05	7	1.6
FSS-13	Sediment	3	49	1.28	25	0.297	10	2.73	0.024	0.04	0.1	0.09	6.4	<0.1	<0.05	9	1.4
FSS-14	Sediment	2	29	0.94	22	0.221	3	1.99	0.017	0.03	<0.1	0.02	3.4	<0.1	<0.05	8	<0.5
FSS-15	Sediment	3	29	1.21	31	0.202	4	2.67	0.023	0.04	2.7	0.03	4.9	<0.1	<0.05	8	1.0
FSS-16	Sediment	2	27	0.88	19	0.249	3	2.86	0.025	0.02	0.5	0.06	4.8	<0.1	<0.05	9	0.7
FSS-17	Sediment	4	37	2.00	44	0.108	5	3.26	0.034	0.04	0.2	0.06	4.8	<0.1	<0.05	7	0.6
FSS-18	Sediment	3	88	2.58	33	0.133	6	3.69	0.017	0.04	<0.1	0.05	5.1	<0.1	<0.05	8	<0.5
FSS-19	Sediment	3	52	1.59	30	0.121	6	2.71	0.035	0.03	<0.1	0.03	4.2	<0.1	<0.05	7	<0.5
FSS-20	Sediment	4	51	0.89	31	0.157	5	3.32	0.021	0.03	<0.1	0.11	5.5	<0.1	<0.05	9	1.3
FSS-21	Sediment	4	64	1.34	28	0.164	6	2.78	0.025	0.03	<0.1	0.05	5.4	<0.1	<0.05	8	0.8
FSS-30	Sediment	5	22	1.19	35	0.161	4	2.10	0.018	0.04	<0.1	0.03	3.9	<0.1	<0.05	7	<0.5
FSS-31	Sediment	4	17	1.13	27	0.172	4	2.43	0.014	0.04	<0.1	0.04	4.0	<0.1	<0.05	8	0.7
FSS-32	Sediment	3	33	1.04	19	0.232	5	2.85	0.028	0.03	0.1	0.04	5.6	<0.1	<0.05	7	1.0
FSS-33	Sediment	3	28	0.89	37	0.129	8	2.13	0.019	0.03	0.1	1.67	4.0	<0.1	<0.05	6	<0.5
FSS-34	Sediment	2	66	1.22	13	0.254	5	2.59	0.031	0.02	<0.1	0.04	5.6	<0.1	<0.05	8	<0.5
FSS-35	Sediment	3	53	1.34	19	0.265	6	2.41	0.035	0.02	<0.1	0.06	5.5	<0.1	<0.05	8	0.8
FSS-36	Sediment	2	82	1.80	14	0.271	7	3.18	0.021	0.02	<0.1	0.04	7.9	<0.1	<0.05	9	0.7
FSS-37	Sediment	2	37	1.06	45	0.133	4	1.79	0.015	0.02	<0.1	0.21	4.0	<0.1	0.05	6	0.6
FSS-38	Sediment	1	14	0.67	117	0.093	2	1.87	0.016	0.03	<0.1	0.32	1.6	<0.1	<0.05	6	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA

Report Date: June 16, 2009

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09002048.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001		
FSS-39	Sediment	1.0	38.4	2.2	51	<0.1	9.5	9.5	499	2.74	1.1	0.1	3.1	0.4	22	<0.1	<0.1	<0.1	60	0.42	0.032	
FSS-40	Sediment	0.2	10.5	2.4	70	<0.1	4.9	6.5	759	2.55	2.1	0.2	0.9	0.2	17	<0.1	<0.1	<0.1	40	0.53	0.050	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 2009

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09002048.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
FSS-39	Sediment	2	18	0.84	51	0.090	3	1.68	0.015	0.03	<0.1	0.05	3.4	<0.1	0.07	5	1.3
FSS-40	Sediment	2	8	0.57	67	0.071	3	1.72	0.015	0.02	<0.1	0.05	2.3	<0.1	<0.05	6	<0.5



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date:

June 16, 2009

www.acmelab.com

Page:

1 of 1

QUALITY CONTROL REPORT

VAN09002048.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
FSS-13	Sediment	0.6	87.5	10.0	121	<0.1	33.7	23.3	945	4.21	7.0	0.2	11.2	0.5	27	0.2	0.2	0.1	122	0.90	0.059
REP FSS-13	QC	0.7	84.0	9.3	124	<0.1	33.3	22.2	906	4.16	7.1	0.2	12.0	0.4	25	0.2	0.2	<0.1	113	0.80	0.059
Reference Materials																					
STD DS7	Standard	18.9	105.6	60.0	380	0.8	51.3	9.2	635	2.38	51.7	4.1	64.4	3.8	64	5.7	4.9	4.0	83	0.88	0.078
STD DS7	Standard	20.6	107.2	68.4	388	0.9	54.3	9.2	630	2.33	49.7	4.9	65.2	4.5	81	6.8	5.7	4.8	80	0.90	0.076
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date:

June 16, 2009

www.acmelab.com

Page:

1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09002048.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
FSS-13	Sediment	3	49	1.28	25	0.297	10	2.73	0.024	0.04	0.1	0.09	6.4	<0.1	<0.05	9	1.4
REP FSS-13	QC	3	46	1.28	25	0.274	8	2.71	0.025	0.04	0.1	0.08	6.1	<0.1	<0.05	9	1.2
Reference Materials																	
STD DS7	Standard	11	187	1.04	420	0.101	39	1.02	0.094	0.50	3.7	0.19	2.3	4.1	0.17	5	4.0
STD DS7	Standard	13	188	1.02	420	0.129	37	1.03	0.099	0.48	3.5	0.20	2.7	4.1	0.20	5	3.7
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Submitted By: Jim Miller-Tait
Receiving Lab: Canada-Vancouver
Received: June 03, 2009
Report Date: June 16, 2009
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN09002049.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID:
P.O. Number
Number of Samples: 193

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

	Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
	SS80	141	Dry at 60C sieve 100g to -80 mesh		
	Dry at 60C	141	Dry at 60C		
	1DX15	117	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Holdings Corp.
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5
Canada

CC: Erik Andersen
Rick Kemp



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09002049.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 2009

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L1 00+00	Soil	2	67	0.21	10	0.266	2	6.11	0.006	0.01	<0.1	0.17	2.5	<0.1	<0.05	18	3.5
L1 00+25	Soil	2	14	0.08	6	0.311	1	0.95	0.005	0.01	<0.1	0.06	0.9	<0.1	<0.05	15	0.6
L1 00+50	Soil	1	22	0.18	5	0.326	3	1.42	0.004	0.03	<0.1	0.05	2.5	<0.1	<0.05	17	<0.5
L1 00+75	Soil	2	23	0.36	10	0.181	3	1.84	0.006	0.02	<0.1	0.11	2.2	<0.1	<0.05	12	2.6
L1 01+00	Soil	4	39	0.74	38	0.097	4	2.80	0.010	0.02	<0.1	0.17	4.3	<0.1	<0.05	7	2.0
L1 01+25	Soil	1	16	0.18	7	0.275	4	0.67	0.008	0.03	<0.1	0.10	2.0	<0.1	<0.05	9	0.5
L1 01+50	Soil	I.S.															
L1 01+75	Soil	1	43	0.88	9	0.252	5	2.50	0.014	0.02	0.1	0.14	3.4	<0.1	<0.05	10	1.9
L1 02+00	Soil	3	42	0.76	16	0.195	5	3.53	0.012	0.02	<0.1	0.33	4.2	<0.1	<0.05	9	2.1
L1 02+25	Soil	2	42	0.69	18	0.151	6	2.51	0.011	0.02	<0.1	0.14	4.2	<0.1	<0.05	9	1.7
L1 02+50	Soil	I.S.															
L1 02+75	Soil	I.S.															
L1 03+00	Soil	I.S.															
L1 03+25	Soil	1	33	1.15	27	0.184	5	3.37	0.013	0.02	0.2	0.17	3.7	<0.1	<0.05	10	1.9
L1 03+50	Soil	I.S.															
L1 03+75	Soil	2	26	0.56	11	0.159	7	1.98	0.013	0.02	0.2	0.21	2.7	<0.1	<0.05	9	2.1
L1 04+00	Soil	I.S.															
L1 04+25	Soil	I.S.															
L1 04+50	Soil	I.S.															
L1 04+75	Soil	I.S.															
L1 05+00	Soil	I.S.															
L1 05+25	Soil	2	37	0.37	12	0.219	4	3.32	0.009	0.02	0.2	0.24	3.9	<0.1	<0.05	12	2.3
L1 05+50	Soil	I.S.															
L1 05+75	Soil	I.S.															
L1 06+00	Soil	1	24	0.26	14	0.450	4	1.98	0.010	0.01	0.2	0.10	2.5	<0.1	<0.05	17	1.7
L1 06+25	Soil	2	22	0.43	20	0.220	3	2.41	0.011	0.03	0.2	0.17	3.1	<0.1	<0.05	12	2.3
L1 06+50	Soil	2	38	0.50	19	0.257	4	3.35	0.011	0.02	0.1	0.20	5.1	<0.1	<0.05	14	2.6
L1 06+75	Soil	2	24	0.31	12	0.256	4	2.10	0.010	0.01	<0.1	0.19	3.7	<0.1	<0.05	12	1.0
L1 07+00	Soil	2	19	0.16	22	0.189	2	1.36	0.009	0.02	<0.1	0.10	2.1	<0.1	<0.05	13	0.8
L1 07+25	Soil	I.S.															

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 3 of 8 Part

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15	1DX15																	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L1 07+50	Soil	I.S.																		
L1 07+75	Soil	1.3	36.2	6.6	20	0.1	5.7	6.1	171	5.25	7.4	0.2	28.9	0.4	9	<0.1	0.4	0.1	226	0.11
L1 08+00	Soil	4.8	52.1	12.7	22	0.2	7.9	6.8	309	5.96	18.3	0.2	22.1	0.3	12	0.2	0.5	0.2	259	0.14
L1 08+25	Soil	I.S.																		
L1 08+50	Soil	I.S.																		
L1 08+75	Soil	4.0	17.8	13.3	45	<0.1	4.3	33.8	1970	3.63	5.1	0.6	32.3	0.3	18	0.4	0.3	0.2	130	0.58
L1 09+00	Soil	2.0	115.4	7.9	37	<0.1	11.8	11.7	834	3.31	4.1	0.3	0.6	0.2	13	<0.1	0.2	0.1	113	0.38
L1 09+25	Soil	L.N.R.																		
L1 09+50	Soil	0.8	66.7	4.3	52	<0.1	20.6	14.3	273	4.16	3.4	0.8	0.9	0.8	18	0.3	0.4	<0.1	118	0.39
L1 09+75	Soil	L.N.R.																		
L1 10+00	Soil	L.N.R.																		
L1 10+25	Soil	L.N.R.																		
L1 10+50	Soil	1.0	14.6	7.7	39	0.1	11.9	8.7	174	4.57	2.1	0.3	<0.5	0.3	20	0.2	0.3	0.2	136	0.45
L1 10+75	Soil	0.4	14.6	4.3	30	<0.1	11.4	8.6	387	5.36	1.9	0.2	1.2	0.2	17	<0.1	0.4	0.1	172	0.65
L1 11+00	Soil	I.S.																		
L1 11+25	Soil	0.5	36.3	6.1	52	<0.1	31.8	19.2	540	4.06	3.2	0.2	0.6	0.2	25	0.2	0.2	<0.1	89	0.72
L1 11+50	Soil	I.S.																		
L1 11+75	Soil	0.5	67.2	4.4	58	<0.1	31.7	20.9	420	3.89	3.2	0.2	1.0	0.3	30	0.2	0.3	<0.1	106	0.92
L1 12+00	Soil	I.S.																		
L1 12+25	Soil	L.N.R.																		
L1 12+50	Soil	L.N.R.																		
L1 12+75	Soil	L.N.R.																		
L1 13+00	Soil	L.N.R.																		
L1 13+25	Soil	L.N.R.																		
L1 13+50	Soil	0.8	2.0	5.7	10	<0.1	0.4	0.1	33	0.13	<0.5	0.1	<0.5	0.1	3	<0.1	0.1	0.2	42	0.04
L1 13+75	Soil	L.N.R.																		
L1 14+00	Soil	2.5	7.3	3.7	15	<0.1	1.3	3.6	56	2.61	1.0	<0.1	<0.5	0.3	6	<0.1	0.2	0.1	131	0.09
L1 14+25	Soil	4.6	33.6	8.6	71	<0.1	6.3	11.2	602	4.10	3.0	0.3	<0.5	0.4	19	0.4	0.5	0.2	131	0.25
L1 14+50	Soil	0.9	56.1	9.7	100	<0.1	14.1	14.5	1039	4.42	4.4	0.2	1.0	0.4	30	0.3	0.3	0.1	95	0.44
L1 14+75	Soil	0.7	14.5	5.0	23	<0.1	2.4	3.8	97	2.65	2.9	0.1	0.9	0.2	16	<0.1	0.5	0.1	120	0.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: **FANDORA**
Report Date: June 16, 2009

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L1 07+50	Soil	I.S.															
L1 07+75	Soil	2	26	0.32	13	0.330	2	1.84	0.007	0.03	0.1	0.09	3.7	<0.1	<0.05	12	1.1
L1 08+00	Soil	3	29	0.16	24	0.349	3	2.05	0.009	0.03	0.4	0.15	2.9	<0.1	0.10	16	1.6
L1 08+25	Soil	I.S.															
L1 08+50	Soil	I.S.															
L1 08+75	Soil	3	17	0.13	35	0.204	3	1.57	0.009	0.03	<0.1	0.13	2.4	<0.1	0.09	14	1.2
L1 09+00	Soil	2	29	0.49	17	0.149	5	2.68	0.008	0.03	0.2	0.16	3.3	<0.1	<0.05	11	0.9
L1 09+25	Soil	L.N.R.															
L1 09+50	Soil	4	64	0.89	35	0.136	3	5.37	0.016	0.02	0.2	0.16	6.7	<0.1	<0.05	10	2.6
L1 09+75	Soil	L.N.R.															
L1 10+00	Soil	L.N.R.															
L1 10+25	Soil	L.N.R.															
L1 10+50	Soil	2	74	0.61	11	0.152	7	2.51	0.013	0.03	<0.1	0.23	3.7	<0.1	<0.05	15	2.2
L1 10+75	Soil	2	89	0.68	17	0.152	5	3.16	0.009	0.02	<0.1	0.17	4.1	<0.1	<0.05	17	1.1
L1 11+00	Soil	I.S.															
L1 11+25	Soil	2	83	1.64	31	0.081	6	3.90	0.016	0.02	<0.1	0.45	5.1	<0.1	<0.05	9	1.2
L1 11+50	Soil	I.S.															
L1 11+75	Soil	2	86	1.60	32	0.123	9	4.74	0.023	0.02	0.1	0.77	6.2	<0.1	<0.05	10	1.3
L1 12+00	Soil	I.S.															
L1 12+25	Soil	L.N.R.															
L1 12+50	Soil	L.N.R.															
L1 12+75	Soil	L.N.R.															
L1 13+00	Soil	L.N.R.															
L1 13+25	Soil	L.N.R.															
L1 13+50	Soil	2	3	0.01	4	0.126	1	0.31	0.005	0.01	<0.1	0.06	0.6	<0.1	<0.05	5	<0.5
L1 13+75	Soil	L.N.R.															
L1 14+00	Soil	2	6	0.04	9	0.176	1	0.81	0.005	<0.01	<0.1	0.03	0.8	<0.1	<0.05	12	<0.5
L1 14+25	Soil	4	17	0.18	36	0.155	4	2.46	0.008	0.02	<0.1	0.12	2.7	<0.1	<0.05	12	2.4
L1 14+50	Soil	2	23	0.78	44	0.097	5	2.27	0.009	0.04	0.1	0.19	3.7	<0.1	<0.05	9	1.2
L1 14+75	Soil	2	10	0.08	10	0.182	3	1.05	0.006	0.02	<0.1	0.06	1.5	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L1 15+00	Soil	0.7	36.9	6.8	61	<0.1	11.0	12.0	992	3.91	2.3	0.2	1.5	0.2	23	0.2	0.3	0.1	98	0.26 0.046
L1 15+25	Soil	1.4	77.2	7.6	95	0.1	13.6	17.3	743	4.73	2.9	0.3	1.0	0.4	20	0.3	0.3	0.1	96	0.22 0.060
L1 15+50	Soil	I.S.																		
L1 15+75	Soil	8.1	12.5	7.3	24	<0.1	2.8	2.8	187	5.60	12.8	0.5	<0.5	0.9	12	<0.1	0.3	0.2	192	0.15 0.028
L1 16+00	Soil	5.2	6.8	8.3	18	<0.1	1.2	1.1	69	1.81	2.3	0.2	<0.5	0.2	10	<0.1	0.2	0.2	154	0.13 0.025
L1 16+25	Soil	6.0	10.1	8.7	30	<0.1	2.8	4.5	238	5.64	4.5	0.2	<0.5	0.7	11	<0.1	0.3	0.1	234	0.19 0.029
L1 16+50	Soil	1.9	35.6	5.4	24	<0.1	4.9	4.7	182	6.79	4.3	0.7	14.2	2.1	10	<0.1	0.2	0.1	184	0.16 0.045
L1 16+75	Soil	L.N.R.																		
L1 17+00	Soil	L.N.R.																		
L1 17+25	Soil	1.4	78.8	10.3	43	<0.1	10.5	13.0	895	3.20	5.1	0.3	1.2	0.7	21	0.2	0.1	<0.1	134	0.66 0.090
L1 17+50	Soil	0.6	19.0	7.3	14	<0.1	3.9	4.4	50	5.69	2.5	<0.1	1.9	0.3	8	<0.1	0.5	0.2	446	0.14 0.016
L1 17+75	Soil	0.6	25.7	5.4	42	0.2	5.8	4.1	107	5.09	5.8	0.3	<0.5	0.7	12	0.1	0.2	<0.1	138	0.25 0.039
L2 00+00	Soil	0.9	69.9	2.3	49	<0.1	14.6	11.5	472	2.74	2.8	0.5	5.3	0.7	39	<0.1	0.2	<0.1	82	1.03 0.066
L2 00+25	Soil	I.S.																		
L2 00+50	Soil	L.N.R.																		
L2 00+75	Soil	2.3	72.0	2.6	69	<0.1	15.1	13.7	493	3.55	7.1	1.3	242.0	1.0	18	<0.1	0.2	<0.1	87	0.40 0.068
L2 01+00	Soil	I.S.																		
L2 01+25	Soil	1.8	43.7	3.1	53	<0.1	7.5	5.5	231	3.78	5.8	1.6	0.9	2.0	10	<0.1	<0.1	<0.1	88	0.14 0.055
L2 01+50	Soil	2.1	92.3	2.2	47	<0.1	18.5	11.6	376	2.80	26.8	5.7	198.0	0.9	20	<0.1	0.2	<0.1	79	0.47 0.078
L2 01+75	Soil	0.7	70.5	2.2	37	<0.1	22.3	12.3	409	2.92	4.7	1.3	4.1	0.6	35	<0.1	0.2	<0.1	92	0.82 0.039
L2 02+00	Soil	1.5	36.7	3.3	31	<0.1	14.3	8.7	295	4.73	4.0	0.7	1.9	1.5	18	<0.1	0.1	<0.1	107	0.24 0.030
L2 02+25	Soil	0.8	20.0	5.0	17	<0.1	5.7	4.4	128	3.69	1.9	0.6	10.0	0.6	9	<0.1	0.1	0.1	96	0.10 0.025
L2 02+50	Soil	0.5	34.0	4.3	38	<0.1	11.1	6.1	206	3.28	2.4	1.0	3.7	2.0	7	<0.1	<0.1	<0.1	65	0.08 0.055
L2 02+75	Soil	0.7	33.7	6.1	52	<0.1	11.5	9.1	440	3.14	0.5	0.7	<0.5	0.4	13	0.1	0.1	<0.1	80	0.21 0.044
L2 03+00	Soil	0.5	41.3	5.3	38	<0.1	9.2	5.4	165	4.03	2.0	0.8	<0.5	1.4	9	<0.1	<0.1	<0.1	81	0.09 0.031
L2 03+25	Soil	0.8	42.7	3.9	56	<0.1	12.2	6.5	206	3.32	2.4	0.8	2.1	1.4	7	0.1	<0.1	<0.1	71	0.11 0.047
L2 03+50	Soil	1.8	75.4	4.8	46	<0.1	15.1	9.8	293	3.21	10.0	6.3	1.5	0.8	10	<0.1	0.2	<0.1	80	0.17 0.046
L2 03+75	Soil	0.4	81.9	2.3	37	<0.1	20.1	11.6	340	2.75	4.0	2.5	10.7	1.1	11	<0.1	0.1	<0.1	74	0.32 0.058
L2 04+00	Soil	0.5	59.6	3.7	47	<0.1	20.8	12.5	576	3.44	3.2	0.7	3.1	1.1	16	<0.1	0.1	<0.1	92	0.25 0.074
L2 04+25	Soil	0.8	59.1	4.1	33	<0.1	11.5	5.6	136	3.49	2.0	0.7	1.9	1.3	6	<0.1	0.1	<0.1	98	0.11 0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: **FANDORA**
Report Date: June 16, 2009

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		
		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		
L1 15+00	Soil	3	21	0.60	38	0.085	4	2.27	0.008	0.02	<0.1	0.17	3.6	<0.1	<0.05	9	1.3		
L1 15+25	Soil	4	28	0.57	47	0.101	5	4.10	0.009	0.02	<0.1	0.31	4.9	<0.1	<0.05	10	1.9		
L1 15+50	Soil	I.S.																	
L1 15+75	Soil	3	22	0.16	14	0.315	4	2.45	0.006	0.02	0.2	0.11	3.0	<0.1	<0.05	22	1.6		
L1 16+00	Soil	2	8	0.06	7	0.291	4	0.84	0.007	0.02	<0.1	0.06	1.2	<0.1	<0.05	15	0.9		
L1 16+25	Soil	3	22	0.24	16	0.428	5	1.34	0.007	0.02	<0.1	0.05	1.5	<0.1	<0.05	20	1.1		
L1 16+50	Soil	4	39	0.27	13	0.343	3	8.15	0.008	0.02	0.2	0.16	14.5	<0.1	<0.05	17	4.8		
L1 16+75	Soil	L.N.R.																	
L1 17+00	Soil	L.N.R.																	
L1 17+25	Soil	4	24	0.60	21	0.154	6	2.60	0.023	0.03	0.2	0.07	4.2	<0.1	<0.05	7	1.0		
L1 17+50	Soil	<1	38	0.05	8	0.569	2	0.62	0.005	0.01	<0.1	0.04	0.5	<0.1	<0.05	29	<0.5		
L1 17+75	Soil	2	33	0.21	11	0.295	4	3.15	0.010	0.02	<0.1	0.19	3.5	<0.1	<0.05	13	3.3		
L2 00+00	Soil	3	29	0.86	65	0.185	6	2.94	0.026	0.03	0.1	0.05	6.2	<0.1	<0.05	8	0.5		
L2 00+25	Soil	I.S.																	
L2 00+50	Soil	L.N.R.																	
L2 00+75	Soil	4	35	0.57	21	0.156	5	5.23	0.022	0.02	0.1	0.28	7.2	<0.1	<0.05	10	1.6		
L2 01+00	Soil	I.S.																	
L2 01+25	Soil	2	41	0.33	14	0.168	3	9.65	0.011	0.02	0.3	0.25	15.6	<0.1	<0.05	11	6.1		
L2 01+50	Soil	3	36	0.78	25	0.142	4	5.20	0.017	0.02	0.2	0.14	8.0	<0.1	<0.05	8	0.7		
L2 01+75	Soil	3	45	1.01	33	0.203	5	2.80	0.029	0.02	0.1	0.15	5.3	<0.1	<0.05	7	0.6		
L2 02+00	Soil	3	59	0.55	17	0.260	4	4.85	0.012	0.02	<0.1	0.14	7.2	<0.1	<0.05	12	2.9		
L2 02+25	Soil	3	22	0.19	22	0.067	2	2.45	0.008	0.02	<0.1	0.13	2.6	<0.1	<0.05	12	2.0		
L2 02+50	Soil	3	61	0.42	24	0.101	4	9.18	0.008	0.02	0.1	0.20	10.5	<0.1	0.10	10	4.7		
L2 02+75	Soil	3	30	0.44	33	0.105	3	2.83	0.011	0.03	<0.1	0.16	3.5	<0.1	0.15	9	1.8		
L2 03+00	Soil	4	46	0.40	27	0.088	2	6.20	0.008	0.02	0.1	0.23	7.7	<0.1	<0.05	11	3.4		
L2 03+25	Soil	3	51	0.50	26	0.137	2	7.77	0.008	0.01	0.1	0.20	8.1	<0.1	<0.05	11	4.0		
L2 03+50	Soil	4	45	0.39	22	0.173	2	6.22	0.011	0.02	<0.1	0.15	6.7	<0.1	<0.05	10	3.0		
L2 03+75	Soil	4	43	0.72	23	0.159	2	5.76	0.012	0.02	<0.1	0.10	7.4	<0.1	<0.05	8	0.9		
L2 04+00	Soil	3	50	0.80	38	0.160	3	5.70	0.010	0.03	0.1	0.14	7.2	<0.1	<0.05	11	1.2		
L2 04+25	Soil	3	52	0.29	19	0.136	1	5.83	0.010	0.01	<0.1	0.18	7.9	<0.1	<0.05	11	3.3		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09002049.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: **FANDORA**
Report Date: June 16, 2009

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		
L2 04+50	Soil	4	43	0.31	11	0.187	3	5.25	0.010	0.01	<0.1	0.23	6.0	<0.1	<0.05	10	4.0		
L2 04+75	Soil	4	30	0.22	26	0.087	3	5.02	0.010	0.02	<0.1	0.19	3.8	<0.1	<0.05	11	2.7		
L2 05+00	Soil	3	115	1.27	42	0.170	3	4.02	0.016	0.03	<0.1	0.11	6.7	<0.1	<0.05	10	0.6		
L2 05+25	Soil	4	56	0.29	18	0.106	3	7.83	0.011	0.01	0.1	0.29	5.5	<0.1	<0.05	9	3.7		
L2 05+50	Soil	7	75	0.42	24	0.128	2	6.40	0.027	0.02	0.1	0.28	6.7	<0.1	<0.05	12	1.5		
L2 05+75	Soil	4	54	0.43	12	0.178	4	5.88	0.034	0.02	<0.1	0.22	5.9	<0.1	<0.05	11	2.7		
L2 06+00	Soil	4	60	0.46	12	0.158	3	7.40	0.012	0.01	0.1	0.36	6.7	<0.1	<0.05	9	2.6		
L2 06+25	Soil	L.N.R.																	
L2 06+50	Soil	7	149	0.43	20	0.139	3	8.47	0.017	0.02	0.3	0.28	8.3	<0.1	<0.05	11	3.5		
L2 06+75	Soil	3	29	0.45	21	0.188	3	3.17	0.016	0.02	<0.1	0.11	4.1	<0.1	<0.05	15	2.4		
L2 07+00	Soil	L.N.R.																	
L2 07+25	Soil	3	56	0.58	22	0.147	3	6.90	0.016	0.02	0.2	0.24	5.8	<0.1	<0.05	9	3.5		
L2 07+50	Soil	I.S.																	
L2 07+75	Soil	3	46	0.73	15	0.256	3	4.00	0.017	0.02	<0.1	0.18	4.7	<0.1	<0.05	11	1.9		
L2 08+00	Soil	3	56	0.68	42	0.260	4	2.90	0.016	0.03	<0.1	0.11	4.4	<0.1	<0.05	12	1.5		
L2 08+25	Soil	2	45	0.47	16	0.309	2	2.65	0.014	0.02	<0.1	0.12	3.9	<0.1	<0.05	14	1.1		
L2 08+50	Soil	3	40	0.55	24	0.266	3	3.30	0.012	0.03	<0.1	0.15	4.9	<0.1	<0.05	11	1.6		
L2 08+75	Soil	L.N.R.																	
L2 09+00	Soil	3	45	0.81	19	0.250	3	3.54	0.016	0.02	<0.1	0.15	4.6	<0.1	<0.05	10	1.3		
L2 09+25	Soil	3	58	0.77	30	0.174	3	5.62	0.018	0.02	<0.1	0.20	5.7	<0.1	<0.05	10	2.5		
L2 09+50	Soil	L.N.R.																	
L2 09+75	Soil	3	52	0.48	15	0.143	3	4.18	0.010	0.02	<0.1	0.15	4.2	<0.1	<0.05	13	1.6		
L2 10+00	Soil	4	50	1.21	30	0.232	5	3.97	0.020	0.03	0.1	0.05	6.3	<0.1	<0.05	7	0.6		
L2 10+25	Soil	L.N.R.																	
L2 10+50	Soil	L.N.R.																	
L2 10+75	Soil	L.N.R.																	
L2 11+00	Soil	3	69	1.55	17	0.290	4	4.13	0.023	0.02	0.1	0.12	8.0	<0.1	<0.05	10	0.9		
L2 11+25A	Soil	5	58	0.87	18	0.188	4	8.46	0.022	0.03	0.1	0.43	9.5	<0.1	<0.05	9	1.2		
L2 11+25B	Soil	3	57	0.95	10	0.435	4	3.87	0.015	0.02	<0.1	0.19	5.7	<0.1	<0.05	13	1.8		
L2 11+50	Soil	L.N.R.																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 6 of 8 Part

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15																								
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P					
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%												
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001					
L2 11+75	Soil	L.N.R.																								
L2 12+00	Soil	0.1	215.8	2.0	60	<0.1	36.5	28.4	773	4.61	13.0	0.1	21.8	0.4	33	0.2	0.4	<0.1	125	0.82	0.093					
L2 12+25	Soil	L.N.R.																								
L2 12+50	Soil	0.5	68.9	3.6	35	<0.1	20.7	12.1	300	5.23	4.7	0.5	14.3	0.5	20	<0.1	0.3	<0.1	130	0.34	0.027					
L2 12+75	Soil	0.5	74.0	4.2	19	<0.1	9.3	5.9	145	5.55	3.6	0.4	4.0	0.6	12	<0.1	0.4	0.1	175	0.23	0.029					
L2 19+00	Soil	L.N.R.																								
L2 19+25	Soil	0.5	163.5	2.9	45	0.1	14.0	7.7	200	5.62	36.9	0.4	14.9	0.8	12	<0.1	1.8	<0.1	198	0.20	0.042					
L2 19+50	Soil	0.4	149.2	3.2	62	<0.1	21.1	8.8	237	6.78	31.1	0.4	9.9	0.9	15	0.1	2.3	<0.1	259	0.21	0.059					
L2 19+75	Soil	0.4	179.4	2.2	81	<0.1	27.1	12.2	325	5.46	26.5	0.4	43.9	0.8	14	<0.1	1.7	<0.1	132	0.26	0.063					
L2 20+00	Soil	0.7	96.6	3.6	25	<0.1	11.9	7.8	171	7.56	15.6	0.4	22.5	0.9	9	<0.1	1.1	<0.1	244	0.17	0.042					
L2 20+25	Soil	L.N.R.																								
L2 20+50	Soil	L.N.R.																								
L2 20+75	Soil	L.N.R.																								
L2 21+00	Soil	1.1	109.2	4.2	53	0.1	22.1	39.5	631	7.55	86.8	0.5	10.4	0.6	16	0.2	0.8	0.1	176	0.18	0.042					
L2 21+25	Soil	L.N.R.																								
L2 21+50	Soil	L.N.R.																								
L2 21+75	Soil	1.5	66.0	5.1	16	<0.1	4.1	5.5	87	11.43	11.1	0.3	7.6	0.5	11	0.1	0.7	0.2	425	0.12	0.026					
L2 22+00	Soil	L.N.R.																								
L2 22+25	Soil	L.N.R.																								
L2 22+50	Soil	1.0	61.2	5.0	26	<0.1	8.4	8.8	173	9.30	42.4	0.3	17.4	0.5	16	0.1	0.5	0.2	359	0.17	0.034					
L2 22+75	Soil	L.N.R.																								
L2 23+00	Soil	L.N.R.																								
L2 23+25	Soil	L.N.R.																								
L2 23+50	Soil	L.N.R.																								
L2 23+75	Soil	L.N.R.																								
L2 24+00	Soil	L.N.R.																								
L2 24+25	Soil	L.N.R.																								
L2 24+50	Soil	1.2	94.9	4.7	32	0.1	10.9	15.5	1038	6.68	13.7	0.6	10.4	0.6	8	0.1	0.6	0.1	168	0.13	0.062					
L2 24+75	Soil	L.N.R.																								
L2 25+00A	Soil	0.5	140.2	2.9	44	<0.1	26.7	21.9	515	4.90	105.3	0.3	19.5	0.5	20	0.2	0.6	<0.1	151	0.47	0.062					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: **FANDORA**
Report Date: June 16, 2009

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L2 11+75	Soil	L.N.R.															
L2 12+00	Soil	3	58	1.69	33	0.240	5	3.79	0.031	0.04	<0.1	0.04	7.8	<0.1	<0.05	9	<0.5
L2 12+25	Soil	L.N.R.															
L2 12+50	Soil	2	55	0.83	9	0.394	4	3.79	0.015	0.02	<0.1	0.26	5.3	<0.1	<0.05	13	2.4
L2 12+75	Soil	3	50	0.27	6	0.348	2	3.66	0.014	0.02	<0.1	0.22	6.1	<0.1	<0.05	14	1.5
L2 19+00	Soil	L.N.R.															
L2 19+25	Soil	3	76	0.34	7	0.403	2	6.34	0.011	<0.01	<0.1	0.23	11.2	<0.1	<0.05	12	3.4
L2 19+50	Soil	3	90	0.38	10	0.546	3	6.81	0.012	<0.01	<0.1	0.11	12.0	<0.1	<0.05	13	3.5
L2 19+75	Soil	3	82	0.77	9	0.401	4	7.60	0.012	<0.01	<0.1	0.22	11.7	<0.1	<0.05	9	3.3
L2 20+00	Soil	2	74	0.36	6	0.453	2	6.57	0.009	<0.01	<0.1	0.11	10.1	<0.1	<0.05	17	1.4
L2 20+25	Soil	L.N.R.															
L2 20+50	Soil	L.N.R.															
L2 20+75	Soil	L.N.R.															
L2 21+00	Soil	3	68	0.51	12	0.430	3	5.68	0.010	0.02	<0.1	0.18	5.9	<0.1	<0.05	13	2.5
L2 21+25	Soil	L.N.R.															
L2 21+50	Soil	L.N.R.															
L2 21+75	Soil	2	46	0.11	4	0.551	1	2.62	0.006	0.01	<0.1	0.07	2.3	<0.1	<0.05	27	0.8
L2 22+00	Soil	L.N.R.															
L2 22+25	Soil	L.N.R.															
L2 22+50	Soil	2	38	0.30	8	0.506	2	3.21	0.008	0.02	<0.1	0.14	3.4	<0.1	<0.05	22	1.2
L2 22+75	Soil	L.N.R.															
L2 23+00	Soil	L.N.R.															
L2 23+25	Soil	L.N.R.															
L2 23+50	Soil	L.N.R.															
L2 23+75	Soil	L.N.R.															
L2 24+00	Soil	L.N.R.															
L2 24+25	Soil	L.N.R.															
L2 24+50	Soil	3	60	0.33	10	0.222	2	5.85	0.009	0.02	<0.1	0.34	7.6	<0.1	0.07	11	3.3
L2 24+75	Soil	L.N.R.															
L2 25+00A	Soil	3	66	1.00	12	0.290	2	4.80	0.019	0.02	<0.1	0.12	6.2	<0.1	<0.05	10	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L2 25+00B	Soil	1.1	131.1	4.3	57	<0.1	22.2	15.5	531	8.35	94.4	0.5	7.2	0.6	14	0.2	0.9	0.1	213	0.17	0.057
L2 25+25	Soil	I.S.																			
L2 25+50	Soil	I.S.																			
L2 25+75	Soil	1.1	159.3	5.1	35	0.2	9.4	9.2	176	11.84	112.9	0.4	10.0	0.6	7	0.1	0.9	0.2	364	0.09	0.041
L2 26+00	Soil	I.S.																			
L2 26+25	Soil	I.S.																			
L2 26+50	Soil	0.5	20.4	6.3	14	<0.1	3.9	7.4	187	5.59	2.7	0.2	9.9	0.5	10	<0.1	0.7	0.2	347	0.14	0.014
L2 26+75	Soil	0.7	11.8	8.1	11	0.1	3.0	2.9	73	3.71	1.7	0.2	23.8	0.5	11	0.1	0.6	0.2	252	0.16	0.012
L2 27+00	Soil	L.N.R.																			
L2 27+25	Soil	1.0	84.0	4.7	25	0.2	8.6	9.7	151	10.69	41.4	0.4	9.4	0.7	20	0.2	3.4	0.3	309	0.20	0.041
L2 27+50	Soil	0.8	101.6	4.9	69	<0.1	26.1	19.0	534	5.73	24.1	0.4	6.6	0.5	35	0.2	1.4	<0.1	179	0.43	0.056
L2 27+75	Soil	L.N.R.																			
L2 28+00	Soil	0.9	70.1	5.1	24	<0.1	8.9	7.7	226	7.29	17.5	0.5	8.4	0.6	19	<0.1	0.5	0.1	267	0.27	0.041
L2 28+25	Soil	1.4	430.3	5.2	43	0.3	14.7	10.3	340	8.90	6.4	0.4	16.5	0.7	16	0.2	0.5	0.1	302	0.22	0.054
L2 28+50	Soil	1.7	142.5	6.6	50	<0.1	17.2	11.9	182	8.05	27.0	0.5	112.1	0.9	14	<0.1	0.6	0.2	259	0.17	0.034
L2 28+75	Soil	L.N.R.																			
L2 29+00	Soil	I.S.																			
L2 29+25	Soil	0.8	36.6	5.8	25	<0.1	6.5	5.5	137	6.36	8.2	0.4	37.8	0.6	17	<0.1	0.5	0.2	301	0.20	0.023
L2 29+50A	Soil	1.0	85.7	4.2	53	<0.1	15.4	10.1	200	5.99	18.8	0.5	148.0	0.8	16	<0.1	0.4	0.2	176	0.23	0.041
L2 29+50B	Soil	0.7	113.0	3.5	43	<0.1	27.3	13.3	291	3.84	12.1	0.5	42.3	0.6	24	<0.1	0.3	<0.1	107	0.35	0.050
L2 29+75	Soil	0.5	104.2	2.3	28	<0.1	37.3	10.2	194	6.84	11.6	0.4	30.4	1.1	9	<0.1	0.3	<0.1	173	0.14	0.035
L2 30+00	Soil	0.3	153.0	3.0	63	<0.1	47.1	19.1	419	4.93	27.1	0.4	88.0	0.5	39	<0.1	0.3	<0.1	126	0.52	0.035
L3 0+00	Soil	0.6	11.3	8.5	25	<0.1	3.1	2.4	136	3.04	1.0	0.3	13.0	0.3	13	<0.1	0.2	0.2	255	0.19	0.026
L3 0+25	Soil	0.9	32.3	9.1	35	<0.1	3.4	4.4	249	7.74	1.3	0.7	5.6	1.2	9	<0.1	0.2	0.3	286	0.13	0.050
L3 0+50	Soil	I.S.																			
L3 0+75	Soil	0.9	24.9	5.6	39	<0.1	4.3	4.6	238	6.32	6.8	0.6	8.1	1.2	15	<0.1	0.3	0.2	175	0.18	0.057
L3 1+00	Soil	1.0	49.6	4.5	44	<0.1	5.6	6.9	290	7.75	5.5	0.9	4.7	1.5	12	0.1	0.2	0.1	186	0.14	0.064
L3 1+25	Soil	I.S.																			
L3 1+50	Soil	L.N.R.																			
L3 1+75	Soil	1.0	33.6	6.2	36	0.1	4.7	4.9	197	6.79	5.0	0.8	2.4	1.8	11	<0.1	0.2	0.2	191	0.13	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 2009

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L2 25+00B	Soil	4	64	0.56	15	0.410	3	5.28	0.010	0.02	0.2	0.27	7.3	<0.1	<0.05	16	4.2
L2 25+25	Soil	I.S.															
L2 25+50	Soil	I.S.															
L2 25+75	Soil	2	61	0.31	8	0.398	2	5.23	0.008	0.02	<0.1	0.21	4.8	<0.1	<0.05	26	2.7
L2 26+00	Soil	I.S.															
L2 26+25	Soil	I.S.															
L2 26+50	Soil	3	32	0.12	7	0.298	<1	1.46	0.006	0.02	<0.1	0.03	1.9	<0.1	<0.05	20	<0.5
L2 26+75	Soil	3	28	0.09	6	0.454	<1	1.17	0.006	0.01	<0.1	0.04	2.5	<0.1	0.06	16	<0.5
L2 27+00	Soil	L.N.R.															
L2 27+25	Soil	3	67	0.18	10	0.522	1	3.41	0.008	0.01	<0.1	0.14	5.2	<0.1	<0.05	19	1.3
L2 27+50	Soil	3	69	0.76	17	0.459	10	3.76	0.017	0.02	0.1	0.16	5.9	<0.1	<0.05	12	1.8
L2 27+75	Soil	L.N.R.															
L2 28+00	Soil	3	60	0.20	9	0.438	2	3.38	0.011	0.01	<0.1	0.19	4.7	<0.1	0.07	17	2.7
L2 28+25	Soil	3	72	0.46	10	0.500	4	4.73	0.012	0.02	<0.1	0.23	6.4	<0.1	0.06	21	1.9
L2 28+50	Soil	3	72	0.44	10	0.414	2	4.57	0.010	0.02	<0.1	0.15	5.2	<0.1	<0.05	20	2.9
L2 28+75	Soil	L.N.R.															
L2 29+00	Soil	I.S.															
L2 29+25	Soil	2	48	0.18	6	0.549	2	2.31	0.011	0.02	<0.1	0.09	3.0	<0.1	0.10	18	1.8
L2 29+50A	Soil	4	73	0.42	10	0.344	2	5.69	0.013	0.02	<0.1	0.25	10.0	<0.1	<0.05	13	1.9
L2 29+50B	Soil	4	73	1.03	8	0.294	3	6.08	0.017	0.02	0.1	0.24	9.0	<0.1	<0.05	11	1.8
L2 29+75	Soil	2	123	0.72	7	0.368	3	8.86	0.009	0.02	<0.1	0.13	14.0	<0.1	0.09	13	3.3
L2 30+00	Soil	4	89	1.42	11	0.356	3	4.70	0.026	0.01	0.2	0.43	9.3	<0.1	<0.05	9	1.6
L3 0+00	Soil	2	17	0.13	8	0.469	<1	0.93	0.009	0.02	<0.1	0.07	2.1	<0.1	<0.05	15	<0.5
L3 0+25	Soil	4	47	0.18	9	0.301	<1	2.72	0.007	0.02	<0.1	0.15	5.7	<0.1	0.08	23	1.0
L3 0+50	Soil	I.S.															
L3 0+75	Soil	3	26	0.34	15	0.290	3	3.31	0.012	0.02	0.1	0.24	3.8	<0.1	0.10	15	2.4
L3 1+00	Soil	3	34	0.48	12	0.219	1	5.15	0.009	0.02	<0.1	0.26	5.8	<0.1	0.06	17	3.5
L3 1+25	Soil	I.S.															
L3 1+50	Soil	L.N.R.															
L3 1+75	Soil	3	34	0.35	12	0.307	2	5.55	0.009	0.02	<0.1	0.22	6.0	<0.1	0.09	19	4.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 200

www.acmelab.com

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%							
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L3 2+00	Soil	1.0	46.3	4.5	56	0.1	3.8	3.9	135	8.55	3.9	0.6	2.6	1.3	10	0.2	0.2	0.1	218	0.12	0.055
L4 0+00	Soil	0.9	19.3	8.4	14	<0.1	3.6	4.2	162	7.87	2.5	0.5	2.2	0.5	19	<0.1	0.2	0.2	241	0.20	0.033
L4 0+25	Soil	0.7	11.3	6.1	12	0.1	3.3	3.7	196	3.97	2.9	0.4	2.1	0.3	18	<0.1	0.2	0.1	159	0.18	0.032
L4 0+50	Soil	1.4	12.1	7.2	9	<0.1	3.5	3.2	120	5.00	1.8	0.4	4.2	0.6	10	<0.1	0.2	0.3	260	0.15	0.025
L4 0+75	Soil	0.9	10.4	8.7	9	<0.1	2.1	2.5	158	4.42	1.6	0.3	52.7	0.6	12	<0.1	0.2	0.2	191	0.13	0.039
L4 1+00	Soil	0.6	8.1	13.1	11	<0.1	2.7	2.3	94	1.22	0.9	0.3	1.9	0.3	18	<0.1	0.2	0.2	156	0.21	0.033
L4 1+25	Soil	L.N.R.																			
L4 1+50	Soil	L.N.R.																			
L4 1+75	Soil	L.N.R.																			
L4 2+00	Soil	2.4	16.6	10.5	10	<0.1	2.4	3.0	134	6.46	2.1	0.4	2.8	0.6	12	<0.1	0.3	0.3	270	0.13	0.038
FGR-1	Soil	1.2	53.1	5.6	24	<0.1	6.3	4.5	115	8.66	3.3	0.6	22.6	1.3	10	<0.1	0.3	0.1	249	0.10	0.026
FRS-1	Soil	2.6	18.9	6.6	33	<0.1	3.3	4.2	108	5.87	1.1	0.7	6.1	1.4	9	<0.1	0.2	0.2	186	0.10	0.032
GK	Soil	5.0	46.1	6.0	33	0.1	9.2	7.5	203	6.16	30.3	1.1	9.4	0.5	10	0.1	1.2	0.2	221	0.26	0.024



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Selkirk Metals Holdings Corp.**
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project: FANDORA
Report Date: June 16, 2009

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09002049.1

Method	Analyte	1DX15															
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
L3 2+00	Soil	3	31	0.17	11	0.349	1	4.51	0.009	0.01	0.1	0.23	4.9	<0.1	0.08	20	3.0
L4 0+00	Soil	2	36	0.27	9	0.318	<1	1.71	0.006	0.02	<0.1	0.09	2.8	<0.1	<0.05	21	0.7
L4 0+25	Soil	2	19	0.19	14	0.325	<1	1.37	0.008	0.02	<0.1	0.09	2.5	<0.1	<0.05	13	1.1
L4 0+50	Soil	2	47	0.12	9	0.358	<1	1.41	0.006	0.02	<0.1	0.09	2.6	<0.1	<0.05	19	1.1
L4 0+75	Soil	3	18	0.10	13	0.254	1	1.48	0.005	0.02	<0.1	0.11	2.1	<0.1	<0.05	17	0.9
L4 1+00	Soil	3	14	0.14	10	0.344	3	0.92	0.009	0.03	<0.1	0.07	1.5	<0.1	0.08	13	<0.5
L4 1+25	Soil	L.N.R.															
L4 1+50	Soil	L.N.R.															
L4 1+75	Soil	L.N.R.															
L4 2+00	Soil	3	22	0.08	8	0.324	1	1.83	0.006	0.02	<0.1	0.08	2.3	<0.1	<0.05	25	0.8
FGR-1	Soil	3	53	0.16	9	0.240	1	3.57	0.006	0.02	<0.1	0.21	3.1	<0.1	<0.05	20	2.1
FRS-1	Soil	3	37	0.17	18	0.212	2	5.62	0.007	0.02	<0.1	0.13	8.4	<0.1	0.07	16	3.0
GK	Soil	2	49	0.35	13	0.256	2	3.33	0.011	0.01	0.1	0.11	3.8	<0.1	<0.05	19	2.4



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Selkirk Metals Holdings Corp.

SOUNT Metal Holdings
Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date: June 16, 2009

June 16, 2009

www.acmelab.com

Page: 1 of 1 Part

QUALITY CONTROL REPORT

VAN09002049.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
L1 03+25	Soil	0.5	82.8	3.7	62	<0.1	20.4	17.9	1136	4.63	4.1	0.2	4.4	0.2	32	<0.1	0.4	<0.1	121	0.41	0.051
REP L1 03+25	QC	0.5	79.4	3.8	63	<0.1	22.3	18.7	1235	4.88	4.7	0.2	3.3	0.2	34	0.2	0.4	<0.1	127	0.46	0.050
L1 03+75	Soil	0.6	42.9	6.0	53	0.1	12.0	11.3	481	4.13	11.2	0.2	48.9	0.1	21	0.3	0.8	<0.1	121	0.51	0.061
REP L1 03+75	QC	I.S.																			
L1 13+50	Soil	0.8	2.0	5.7	10	<0.1	0.4	0.1	33	0.13	<0.5	0.1	<0.5	0.1	3	<0.1	0.1	0.2	42	0.04	0.016
REP L1 13+50	QC	0.7	2.5	5.7	8	<0.1	0.3	0.1	31	0.14	<0.5	0.1	<0.5	0.1	3	<0.1	0.1	0.1	43	0.04	0.015
L1 15+75	Soil	8.1	12.5	7.3	24	<0.1	2.8	2.8	187	5.60	12.8	0.5	<0.5	0.9	12	<0.1	0.3	0.2	192	0.15	0.028
REP L1 15+75	QC	8.2	10.7	7.3	25	<0.1	3.4	2.7	184	5.49	12.7	0.4	<0.5	0.9	13	<0.1	0.2	0.2	196	0.16	0.025
L2 02+50	Soil	0.5	34.0	4.3	38	<0.1	11.1	6.1	206	3.28	2.4	1.0	3.7	2.0	7	<0.1	<0.1	<0.1	65	0.08	0.055
REP L2 02+50	QC	0.5	35.3	4.3	39	<0.1	10.5	6.0	206	3.32	1.9	0.9	<0.5	2.0	7	0.1	<0.1	<0.1	65	0.08	0.055
L2 09+00	Soil	0.4	94.4	3.6	37	<0.1	25.5	12.2	396	3.63	3.9	0.5	9.8	0.7	17	<0.1	0.2	<0.1	96	0.39	0.037
REP L2 09+00	QC	0.4	88.2	3.6	36	<0.1	24.9	12.6	392	3.65	4.0	0.5	5.8	0.7	19	0.1	0.2	<0.1	100	0.41	0.040
L2 26+75	Soil	0.7	11.8	8.1	11	0.1	3.0	2.9	73	3.71	1.7	0.2	23.8	0.5	11	0.1	0.6	0.2	252	0.16	0.012
REP L2 26+75	QC	0.6	11.8	8.4	11	0.1	3.8	3.3	75	3.81	2.0	0.1	42.5	0.5	11	<0.1	0.7	0.3	271	0.16	0.011
L4 0+75	Soil	0.9	10.4	8.7	9	<0.1	2.1	2.5	158	4.42	1.6	0.3	52.7	0.6	12	<0.1	0.2	0.2	191	0.13	0.039
REP L4 0+75	QC	0.9	9.8	8.6	9	<0.1	1.9	2.3	158	4.53	1.4	0.3	9.3	0.6	12	<0.1	0.2	0.2	191	0.13	0.040
Reference Materials																					
STD DS7	Standard	18.9	105.6	60.0	380	0.8	51.3	9.2	635	2.38	51.7	4.1	64.4	3.8	64	5.7	4.9	4.0	83	0.88	0.078
STD DS7	Standard	21.1	113.2	64.8	408	0.9	59.4	10.1	679	2.53	53.6	4.4	62.7	4.2	71	6.6	5.8	4.2	85	0.97	0.076
STD DS7	Standard	20.5	112.4	70.3	412	0.8	57.7	9.9	690	2.51	49.8	5.0	66.8	4.8	86	6.3	5.4	4.7	94	0.96	0.080
STD DS7	Standard	20.8	111.4	65.7	407	0.8	52.1	9.4	664	2.41	46.8	4.5	59.1	3.9	67	5.3	5.2	4.1	83	0.96	0.070
STD DS7	Standard	19.5	112.5	63.1	395	0.8	56.8	9.5	663	2.47	51.2	4.6	62.5	4.3	76	5.8	4.9	4.3	86	0.97	0.077
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Selkirk Metals Holdings Corp.

Suite 800 - 1199 W. Hastings Street
Vancouver BC V6E 3T5 Canada

Project:

FANDORA

Report Date:

June 16, 2009

Page:

1 of 1 Part 2


QUALITY CONTROL REPORT

VAN09002049.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																	
L1 03+25	Soil	1	33	1.15	27	0.184	5	3.37	0.013	0.02	0.2	0.17	3.7	<0.1	<0.05	10	1.9
REP L1 03+25	QC	2	34	1.13	29	0.194	4	3.47	0.014	0.02	0.2	0.16	4.2	<0.1	<0.05	11	1.1
L1 03+75	Soil	2	26	0.56	11	0.159	7	1.98	0.013	0.02	0.2	0.21	2.7	<0.1	<0.05	9	2.1
REP L1 03+75	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
L1 13+50	Soil	2	3	0.01	4	0.126	1	0.31	0.005	0.01	<0.1	0.06	0.6	<0.1	<0.05	5	<0.5
REP L1 13+50	QC	2	3	0.01	4	0.126	2	0.30	0.005	0.02	<0.1	0.06	0.6	<0.1	<0.05	5	<0.5
L1 15+75	Soil	3	22	0.16	14	0.315	4	2.45	0.006	0.02	0.2	0.11	3.0	<0.1	<0.05	22	1.6
REP L1 15+75	QC	3	21	0.15	13	0.328	<1	2.37	0.006	0.02	0.1	0.11	2.8	<0.1	<0.05	22	2.1
L2 02+50	Soil	3	61	0.42	24	0.101	4	9.18	0.008	0.02	0.1	0.20	10.5	<0.1	0.10	10	4.7
REP L2 02+50	QC	2	63	0.41	24	0.101	3	9.38	0.007	0.02	0.1	0.21	10.6	<0.1	0.07	10	4.4
L2 09+00	Soil	3	45	0.81	19	0.250	3	3.54	0.016	0.02	<0.1	0.15	4.6	<0.1	<0.05	10	1.3
REP L2 09+00	QC	3	44	0.83	18	0.258	3	3.68	0.017	0.03	<0.1	0.13	4.7	<0.1	<0.05	10	1.2
L2 26+75	Soil	3	28	0.09	6	0.454	<1	1.17	0.006	0.01	<0.1	0.04	2.5	<0.1	0.06	16	<0.5
REP L2 26+75	QC	3	28	0.09	6	0.481	<1	1.16	0.006	0.01	<0.1	0.04	2.4	<0.1	<0.05	17	<0.5
L4 0+75	Soil	3	18	0.10	13	0.254	1	1.48	0.005	0.02	<0.1	0.11	2.1	<0.1	<0.05	17	0.9
REP L4 0+75	QC	3	19	0.10	14	0.250	<1	1.54	0.005	0.02	<0.1	0.12	2.1	<0.1	0.07	16	0.7
Reference Materials																	
STD DS7	Standard	11	187	1.04	420	0.101	39	1.02	0.094	0.50	3.7	0.19	2.3	4.1	0.17	5	4.0
STD DS7	Standard	13	214	1.11	431	0.127	39	1.13	0.106	0.50	3.9	0.19	2.7	4.4	0.20	5	4.1
STD DS7	Standard	14	228	1.07	416	0.151	42	1.12	0.102	0.49	3.8	0.18	2.7	4.3	0.21	5	3.3
STD DS7	Standard	13	221	1.05	399	0.122	36	1.08	0.098	0.46	3.7	0.18	2.3	4.2	0.21	5	3.3
STD DS7	Standard	13	213	1.07	423	0.131	39	1.13	0.107	0.50	3.8	0.18	2.6	4.4	0.22	5	3.3
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE

GROUP 1D & 1DX – ICP & ICP-MS ANALYSIS – AQUA REGIA



Group 1D, 1DX ICP-ES & ICP-MS DETECTION LIMITS


	Group 1D Detection	Group 1DX Detection	Upper Limit
Ag	0.3 ppm	0.1 ppm	100 ppm
Al*	0.01 %	0.01 %	10 %
As	2 ppm	0.5 ppm	10000 ppm
Au	2 ppm	0.5 ppb	100 ppm
B ^{*^}	20 ppm	20 ppm	2000 ppm
Ba*	1 ppm	1 ppm	10000 ppm
Bi	3 ppm	0.1 ppm	2000 ppm
Ca*	0.01 %	0.01 %	40 %
Cd	0.5 ppm	0.1 ppm	2000 ppm
Co	1 ppm	0.1 ppm	2000 ppm
Cr*	1 ppm	1 ppm	10000 ppm
Cu	1 ppm	0.1 ppm	10000 ppm
Fe*	0.01 %	0.01 %	40 %
Ga*	-	1 ppm	1000 ppm
Hg	1 ppm	0.01 ppm	100 ppm
K*	0.01 %	0.01 %	10 %
La*	1 ppm	1 ppm	10000 ppm
Mg*	0.01 %	0.01 %	30 %
Mn*	2 ppm	1 ppm	10000 ppm
Mo	1 ppm	0.1 ppm	2000 ppm
Na*	0.01 %	0.001 %	10 %
Ni	1 ppm	0.1 ppm	10000 ppm
P*	0.001 %	0.001 %	5 %
Pb	3 ppm	0.1 ppm	10000 ppm
S	-	0.05 %	10 %
Sb	3 ppm	0.1 ppm	2000 ppm
Sc	-	0.1 ppm	100 ppm
Se	-	0.5 ppm	100 ppm
Sr*	1 ppm	1 ppm	10000 ppm
Th*	2 ppm	0.1 ppm	2000 ppm
Ti*	0.01 %	0.001 %	10 %
Tl	5 ppm	0.1 ppm	1000 ppm
U*	8 ppm	0.1 ppm	2000 ppm
V*	1 ppm	2 ppm	10000 ppm
W*	2 ppm	0.1 ppm	100 ppm
Zn	1 ppm	1 ppm	10000 ppm

* Solubility of some elements will be limited by mineral species present.

[^]Detection limit = 1 ppm for 15g / 30g analysis.

METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE

GROUP 3A - AU BY WET EXTRACTION





CARE COMMITMENT PERFORMANCE



GROUP 3A Au BY WET DIGESTION

Element	Detection Limits	Upper Limits
Au	0.5 ppb	10 ppm
Pt	2 ppb	10ppm
Pd	10 ppb	10 ppm

SECTION E: SAMPLING DATA

1. Sampling Data Table
2. Soil Lines

	SELKIRK METALS CORP.								
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey								
	Survey Date: May 22-27, 2009								
	Sampling Data								
Station			Long. W or	Lat. N or		Stream	Rock	Soil	
Code	Zone	Datum	UTM E	UTM N	Elev	Sediment #	Sample #	Sample #	Notes
FAN 1	10N	NAD 83	305672	5457620					Jct to road to 1500 level portal
FAN 2			305504	5457559	128	FSS # 1			Massive gray green fg volcanics, mod mag. Tr disseminated py.
FAN 3			305338	5457379	155	FSS # 2			
FAN 4			305305	5457299	156	FSS # 3			
FAN 5			305307	5457218	59		487951		Rusty vuggy quartz box with tr ga, py
FAN 6			305319	5457087	218				Massive mg to cg diorite oc. Tr disseminated and str py. Non mag.
FAN 7			305187	5457041	222		487952		Rusty vuggy quartz box with tr py, mostly volc frags. Angular 0.5m x 0.3m
FAN 8			305094	5456952	261		487953		Shear Zone 320/75N w vuggy quartz. Veins to 5cm. Secondary fract set at 340/70N
									Zone approx 3m wide, chip sample over 2m. In volc
FAN 9			304833	5456190	318				Massive competent mg felsic intrusive, abundant narrow <2cm quartz veining
FAN 10			304164	5456055	551	FSS # 4			Intrusive country rock
FAN 11			305812	5458615	141	FSS # 5			
						FSS # 6			
FAN 12			306153	5458877	106	FSS # 7			Massive quartz float in volc
FAN 13			306487	5459351	109	FSS # 8			
FAN 14			306602	5459624	135	FSS # 9			
FAN 15			306800	5460544	301	FSS # 10			Fandora drainage, tr VG in quartz float
						FSS # 11			West trib of Fandora drainage
FAN 16			306947	5459493	127		FRS # 1		Rusty red soil from road cut. Lim volc w tr py, 070/70N shears, porph andes dykes <10cm.
			307093	5460895	268	FSS#12			damp channel
			306744	5461979	340	FSS#13			high vol, low fines
FAN 17			306727	5458900	103	FSS # 14			cg volc, tr quartz float with slicks
FAN 18			306630	5458876	102	FSS # 15			
FAN 19			306218	5458663	96		487954		Qtz grab from face of oc
							487955		Qtz grab from basal quartz vein
							487957		Qtz grab from oc, tr Cu
							487958		fg andesite dyke?
FAN 20			306110	5457683	88	FSS # 16			
			125-41.764	49-16.354		FSS # 17			
			125-41.700	49-16.336		FSS # 18			
FAN 21			305038	5456726	320				
FAN 22			304906	5456858	332		487956		float
FAN 23			304878	5456948					
FAN 24			302312	5460422	30	FSS# 20			Free gold creek, 1 pan w 10 colours and tr ga
FAN 25			302076	5460084	44	FSS# 21			
FAN 26									
FAN 27									
FAN 28									
FAN 29									
FAN 30			307858	5459951	131				
FAN 31			307953	5460033	130				
FAN 32			305853	5458122	89				
FAN 33			306145	5455639	29				

	SELKIRK METALS CORP.								
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey								
	Survey Date: May 22-27, 2009								
	Sampling Data								
Station			Long. W or	Lat. N or		Stream	Rock	Soil	
Code	Zone	Datum	UTM E	UTM N	Elev	Sediment #	Sample #	Sample #	Notes
FAN 34			301676	5459307	89				
FAN 35			301506	5459101	116				
FAN 36			301174	5459444	87				
FAN 37			301199	5457812	105				
FAN 38			299956	5456747	58				
FAN 39			300218	5455167	104				
FAN 40			300671	5453494	98				
FAN 41			305088	5458568	558				1700 Level portal
FAN 42			305033	5458520	626				1900 level portal
FAN 43			304931	5458474	690				2100 level portal
FAN 44			305167	5458637	504				1500 level portal on dump
FAN 45			304754	5458278	762				Goldflake pit
FAN 46			306792	5459013	93				
FAN 47			306258	5458666	105				Top of roadside oc with qtz stkrk.
FAN 48			306286	5458686	93				N edge of qtz stkrk zone
			307858	5459951	131	FSS 30			6m high vol
			307952	5460028	142	FSS 31			2m high vol
			305853	5458126	90	FSS 32			2m med vol
			306146	5455638	29	FSS 33			5m high vol
			301677	5459302	90	FSS 34			3m high vol
						FSS 35			3m high vol
			301714	5459444	87	FSS 36			2m high vol
			301199	5457813	107	FSS 37			5m high vol
			299960	5456746	57	FSS 38			4m high vol
			300217	5455170	110	FSS 39			3m med vol
			300702	5453495	95	FSS 40			7m high vol

	SELKIRK METALS CORP.						
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey						
	Survey Date: May 22-27, 2009						
	Soil Lines						
			Long. W or	Lat. N or			
Line	Station	Zone	Datum	UTM E	UTM N	Elev	Comments
L 1	0+00	10N	NAD 83	125-40.107	49-14.920		Start point, contour line
	0+25						
	0+50						
	0+75						
	1+00						
	1+25						
	1+50						
	1+75						
	2+00			125-39.915	49-15.061		
	2+25						
	2+50						
	2+75						
	3+00						
	3+25						
	3+50						
	3+75						
	4+00			125-39.925	49-15.155		
	4+25						
	4+50						
	4+75						
	5+00						
	5+25						
	5+50						
	5+75						
	6+00			125-39.829	49-15.123		
	6+25						
	6+50						
	6+75						
	7+00						
	7+25						
	7+50						
	7+75						
	8+00			125-39.736	49-15.285		
	8+25			125-39.612	49-15.333		
	8+50						
	8+75						
	9+00						
	9+25						
	9+50						
	9+75						
	10+00			125-39.603	49-15.439		
	10+25						
	10+50						
	10+75						
	11+00						
	11+25						
	11+50						
	11+75						
	12+00			125-39.517	49-15.513		
	12+25						
	12+50						
	12+75						
	13+00						
	13+25						
	13+50						

	SELKIRK METALS CORP.						
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey						
	Survey Date: May 22-27, 2009						
	Soil Lines						
			Long. W or	Lat. N or			
Line	Station	Zone	Datum	UTM E	UTM N	Elev	Comments
	13+75						
	14+00			125-39.402	49-15.590		
	14+25						
	14+50						
	14+75						
	15+00						
	15+25						
	15+50						
	15+75						
	16+00			125-39.285	49-15.661		
	16+25						
	16+50						
	16+75						
	17+00						
	17+25						
	17+50						
	17+75			125-39.051	49-15.691		end point
L 2	0+00			305038	5456726	302	Start point of line L 2 on creek bank, following road cut
	0+25						log landing
	0+50						log landing
	0+75						creek bank on till
	1+00			304944	5456783		road cut
	1+25						road cut
	1+50						creek bank, qtz float
	1+75						creek bank, qtz float
	2+00			304903	5456863		road cut, qtz float
	2+25						
	2+50						
	2+75						
	3+00			304878	5456948		
	3+25						road cut
	3+50						road cut w mixed till
	3+75						basal till
	4+00			304859	5457046		road cut
	4+25						road cut
	4+50						road cut
	4+75						road cut
	5+00			304860	5457140	356	road cut
	5+25						road cut, dark br gravelly
	5+50						road cut, dark br gravelly
	5+75						road cut, dark br gravelly
	6+00						road cut, dark gray till
	6+25						NS
	6+50						road cut br till
	6+75						massive cg diorite oc
	7+00			304821	5457320	375	massive cg diorite oc
	7+25						massive cg diorite oc
	7+50						NS massive cg diorite oc
	7+75						road cut gray till
	8+00			304774	5457403	387	road cut, med br gravelly
	8+25						road cut, med br gravelly
	8+50						road cut, med br gravelly
	8+75						NS
	9+00			304710	5457436		road cut, dark br gravelly
	9+25						road cut, dark br gravelly

	SELKIRK METALS CORP.						
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey						
	Survey Date: May 22-27, 2009						
	Soil Lines						
			Long. W or	Lat. N or			
Line	Station	Zone	Datum	UTM E	UTM N	Elev	Comments
9+50							NS talus
9+75							NS talus
10+00			304638	5457516	391		creek, road cut, borrow pit
10+25							NS deep till
10+50							NS deep till
10+75							NS deep till
11+00			304646	5457579			road cut br limonitic till
11+25							road cut br limonitic till
11+50							road cut br limonitic till
11+75							NS till
12+00							road cut gray till
12+25							NS till
12+50							road cut med br
12+75							road cut dark br
13+00							
13+25							
13+50							
13+75							
14+00							
14+25							
14+50							
14+75							
15+00							
15+25							
15+50							
15+75							
16+00							
16+25							
16+50							
16+75							
17+00							
17+25							
17+50							
17+75							
18+00							
18+25							
18+50							
18+75							
19+00							
19+25							
19+50							
19+75							
20+00			125-40.853	49-14.481			
20+25							
20+50							
20+75							
21+00							
21+25							
21+50							
21+75							
22+00			125-40.705	49-14.550			
22+25							
22+50							
22+75							
23+00							
23+25							

	SELKIRK METALS CORP.					
	FANDORA PROPERTY: 2009 Geochemical Sampling Survey					
	Survey Date: May 22-27, 2009					
	Soil Lines					
			Long, W or	Lat. N or		
Line	Station	Zone	Datum	UTM E	UTM N	Elev
	23+50					
	23+75					
	24+00			125-40.601	49-14.626	
	24+25					
	24+50					
	24+75					
	25+00					
	25+25					
	25+50					
	25+75					
	26+00			125-40.570	49-14.735	
	26+25					
	26+50					
	26+75					
	27+00					
	27+25					
	27+50					
	27+75					
	28+00					
	28+25					
	28+50					
	28+75					
	29+00			125-40.554	49-14.900	
	29+25					
	29+50					
	29+75					
	30+00			125-40.648	49-14.944	end point
L 3	0+00			306218	5458663	start point line oriented 220
	0+25					
	0+50					
	0+75					
	1+00					
	1+25					
	1+50					
	1+75					
	2+00					
L 4	0+00			306218	5458663	start point line oriented 045
	0+25					
	0+50					
	0+75					
	1+00					
	1+25					
	1+50					
	1+75					
	2+00					

SECTION F: ILLUSTRATIONS

	Plan Number	Title	Scale
	FAN-09-1 (after p. 3)	BC Location Map	1:8,000,000
	FAN-09-2 (after p. 3)	General Location Map	1:250,000
	FAN-09-3 (after p. 3)	Claim Tenures	1:50,000
	FAN-09-4 (after p. 5)	Property Geology	1:50,000
	FAN-09-5 (in pocket)	2009 Geochemical Survey: Stream Sediments – Au (ppb), As (ppm)	1:10,000
	FAN-09-6 (in pocket)	2009 Geochemical Survey: Soil and Rock Sample Locations	1:5 000
	FAN-09-7 (in pocket)	2009 Geochemical Survey: Soil Samples – Au (ppb), As (ppm)	1:5 000
	FAN-09-8 (in pocket)	2009 Geochemical Survey: Soil Samples – Cu (ppm), Pb (ppm)	1:5 000

