



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2009 GEOCHEMICAL AND GEOLOGICAL REPORT ON THE RAINBOW PROPERTY

TOTAL COST: \$14,841

AUTHOR(S): Geoff Newton
SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):
STATEMENT OF WORK EVENT NUMBER(S)/DATE(S) : 4449628/ January 8, 2010

YEAR OF WORK: 2009

PROPERTY NAME: RAINBOW

CLAIM NAME(S) (on which work was done): ARM and STRONG

COMMODITIES SOUGHT: Gold

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN: 093N 205

MINING DIVISION: OMINECA

NTS / BCGS: 093N.010

LATITUDE: 55 _____ ° _____ 02 _____ ' _____ 41 _____ "

LONGITUDE: _____ 124 _____ ° _____ 03 _____ ' 15 _____ " (at centre of work)

UTM Zone: 10 EASTING: 433 000mE NORTHING: 6 101 000mN

OWNER(S): BCGold Corp.

MAILING ADDRESS: #1400, 625 Howe Street, Vancouver, BC, V6C 2T6

OPERATOR(S) [who paid for the work]: BCGold Corp.

MAILING ADDRESS: As above

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

Takla Group, Witch Lake Formation, volcanics, gold, quartz, carbonate, pyrite, vein, breccia

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT
NUMBERS:

17860, 19164A, 19164B, 21660

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area) Ground, mapping 1:10,000 scale		ARM, STRONG	\$13,493.59
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil	32		\$526.77
Silt	6		\$98.76
Rock	20		\$721.04
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			

Road, local access (km)/trail		
Trench (number/metres)		
Underground development (metres)		
Other		
	TOTAL COST	\$14,841



BCGold Corp.

BC Geological Survey
Assessment Report
31446

2009 GEOCHEMICAL AND GEOLOGICAL REPORT ON THE RAINBOW PROPERTY

Located in the Mt. Milligan area
Omineca Mining Division
NTS 093N/01E
BCGS 093N.010
55° 02' North Latitude
124° 03' West Longitude

Prepared by
Geoff Newton
Project Geologist
BCGold Corp
#1400, 625 Howe Street
Vancouver, BC
V6C 2T6

October 4, 2010

1.0 Abstract

The RAINBOW property consists of two Mineral Cell Claims: the ARM and STRONG claims and is owned 100% by BCGold Corp. Silt sediment samples from Creeks draining the property were found to contain anomalous amounts of elements associated with gold mineralization. An outcrop sample obtained by the BC Geological Survey on the property assayed 1.4g/t Au. BCGold Corp conducted a short program of prospecting, reconnaissance mapping and geochemical sampling on the RAINBOW property to define gold targets for subsequent drill testing.

No bedrock mineralization was found to explain the anomalous silt sample geochemistry of the creeks draining the property. Samples taken near the reported BC Geological Survey sample did not return significant gold values. Two zones of anomalous gold in-soil geochemistry were found on the STRONG claim and further prospecting and soil sampling is recommended.

Table of Contents

1.0 Abstract.....	i
2.0 Introduction	1
3.0 Reliance on other experts	1
4.0 Property description and location.....	1
5.0 Accessibility, Climate, Local Resources, Infrastructure and Topography.....	4
6.0 History.....	5
6.1 Previous Work.....	5
6.2 2009 Exploration Program	8
7.0 Geology	8
7.1 Regional Geology	8
7.2 Property Geology	9
8.0 Mineralization.....	11
9.0 Geochemistry.....	11
9.1 Silt Geochemistry.....	11
9.2 Soil Geochemistry.....	12
9.3 Rock Geochemistry.....	14
10.0 Discussion and Conclusions	16
11.0 Recommendations	17
12.0 References.....	18
13.0 Statement of Expenditures.....	19
14.0 Statement of Qualifications	20
15.0 Assay Certificates	21
15.1 Silt and Soil Samples.....	20
15.2 Rock Samples.....	22

List of Figures

Figure 1. Location Map	2
Figure 2. Claim Map.....	3
Figure 3. Property Map.....	Back Pocket
Figure 4. STRONG Claim soil sample locations.....	12
Figure 5. Geochem Map: Au-in-rock.....	Back Pocket
Figure 6. Geochem Map: As-in-rock, silt & soils.....	Back Pocket

List of Tables

Table 1. Claim Information.....	1
Table 2. Work History	7
Table 3. Rock Units.....	10
Table 4. Silt Sample Locations	11
Table 5. Soil Sample Locations	12
Table 6. Significant Soil Sample Results	14
Table 7. Rock Sample Descriptions.....	15
Table 8. Significant Rock Sample Results	16

2.0 Introduction

The RAINBOW property (“The Property”) consists of two Mineral Cell Claims: the ARM and STRONG claims. The Property is owned 100% by BCGold Corp. (“BCGold”).

This report describes work conducted on the Property from October 17th to 21st, 2009 to comply with assessment work reporting requirements under the Mineral Tenure Act Regulations.

3.0 Reliance on other experts

Information from the Mineral Titles Online website was used to describe the mineral tenure status of the property. There is no reason to believe that this information is incorrect.

4.0 Property description and location

The Property lies in the Nechako Plateau of northern British Columbia, near the Omineca Mountains and is approximately 65 km west of Mackenzie and 72 km north of Fort St. James (Fig. 1). The Property is centred 55° 02' 41" N 124° 03' 15" W and lies within the Omineca Mining Division.

The Property consists of two Mineral Titles Online Mineral Cell Claims (Table 1, Fig. 2). The claims are owned 100% by BCGold.

Table 1. Claim Information

Claim Name	Tenure Number	Number of cells	Area (ha)	Expiry Date
ARM	524891	25	463.04	2010/Jan/08
STRONG	524892	25	463.37	2010/Jan/08

Source: Mineral Titles Online

The claims surrounding the Property are held by Terrane Metals Corp (“Terrane”).

Surface rights over the property are held by the Province of British Columbia.





Figure 2. Rainbow Property Claims Map



5.0 Accessibility, Climate, Local Resources, Infrastructure and Topography

The property has been extensively logged and has an expansive forestry road network. The property is accessible with a four wheel drive truck by Forest Service roads from Mackenzie, about 65 km east, or Fort St. James, about 72 km south. There is sporadic active log-hauling along the Forest Service roads and the roads are radio-controlled. Snow is not plowed from the roads during the winter.

Terrane's Mt. Milligan Copper-Gold project is located approximately 9km north of the Property.

Smaller roads branching from the main Forest Service Roads provide access to different portions of both the ARM and STRONG claims (Fig. 3). Almost all of the Property is within 2 km distance from a truck-drivable road.

The area has short, cool summers and long winters, with average temperatures ranging from -11°C to $+13^{\circ}\text{C}$, respectively. The area receives an average of 385 mm of rain and 385 mm of snow per year (Mills, 2008). The ground is usually free of snow from May to late October.

Labour and services are readily available from Prince George, Fort St. James and Mackenzie.

The two claims of the property are separated by Rainbow Creek (Fig. 3). The ARM claim covers a south-facing slope. The southern, lower, part of the claim is logged clear. The northern part of the claim is steeper, treed and has many outcrop bluffs. The STRONG claims cover an east-west ridge and a north-flowing tributary of Rainbow Creek. The northern and southern edges of the claim are logged clear while the ridge and canyon are treed. Topography on both claims is steep with elevations ranging from approximately 1100m to 1550m. Creeks on the STRONG claim follow very steep canyons. The unlogged parts of the Property are covered by moderate to thick Jack Pine and Spruce.

6.0 History

6.1 Previous Work

Exploration work was undertaken in the 1980s and 1990s on the ground comprising the STRONG claim (Table 2), following up on anomalous samples from a Geological Survey of Canada “GSC” regional stream sediment survey. There is no record of work being performed on the ground comprising the ARM claim.

In 1983 the GSC’s national geochemical reconnaissance program sampled the area. Two silt samples were taken from a creek draining what is now the STRONG claim. These samples were both anomalous in elements associated with au deposits (Table 2).

Table 2. GSC Silt Sample Results

Sample	As(ppm)	Sb(ppm)	Notes
093N831178	21.5	9.4	2 nd highest sample in NTS mapsheets 93J & 93N for As, 3 rd highest for Sb
093N831179	11	2.1	3 rd highest sample in NTS mapsheets 93J & 93N for As, 6th highest for Sb
Background	1.34	0.22	Median value of bottom quartile

The first claims were staked on ground currently comprising the property in 1984 by BP Minerals Limited, to cover ground drained by creeks with anomalous As and Sb values from a recent GSC silt-sampling program. BP Minerals conducted reconnaissance mapping and geochemical sampling in 1984 and 1988 and outlined several zones with anomalous Au, As and Sb. However, no bedrock source of Au was found (Pegg and Hoffman, 1988).

In 1989, BP Minerals Limited flew a helicopter-borne magnetometer and VLF-EM survey over their property, outlining linear magnetic features and ENE-striking conductors over what is now the eastern part of the STRONG claim (Wong, 1989).

In 1990, mapping by the BC Geological Survey located carbonate-silica altered, pyrite-mineralized, fault breccia along a creek with a coincident As-Sb silt sediment anomaly. The best sample from the outcrop contained 1.4g/t Au (Nelson and Bellefontaine, 1996).

In 1991, Placer Dome Inc. drilled two diamond drill holes on what is now the northern part of the STRONG claim, testing potential tailings dam sites for Mt. Milligan. The holes encountered approximately 40m thick overburden overlying

black, locally pyritic mudstone. Analyses of the pyritic mudstone core returned average results of 41 ppb Au and a maximum result of 75 ppb Au. The claims were allowed to expire in 2005.

In 2006, the Property was staked by Robert Reynolds. In November 2007, the property was acquired 100% by BCGold as part of a larger portfolio of properties throughout BC.

Table 3. Work History

Program	Geochemistry	Geophysics	Drilling	Reference
Geological Survey of Canada (1984)	2 silt samples			Geological Survey of Canada, 1985
BP Minerals Ltd. (1984)	24 silt samples			Pegg and Hoffman, 1988
BP Minerals Ltd. (1988)	7 rock samples, 6 moss-mat samples, 104 soil samples			Pegg and Hoffman, 1988
BP Minerals Ltd. (1989)		120 line-km of helicopter borne magnetometer and VLF-EM survey		Wong, 1989
BC Geological Survey (1990)	3 rock samples, 1 silt sample			Nelson and Bellefontaine, 1996
Placer Dome Inc. (1991)			2 drillholes, 204.83m total drilling	Barnes, 1991

6.2 2009 Exploration Program

The 2009 exploration program on the Property consisted of prospecting, reconnaissance mapping at 1:10,000 scale and silt and soil sampling. The program was based from the Heidi Lake camp at Terrane's Mt. Milligan Project.

Work was focused on areas of anomalous geochemistry and geophysics identified by previous work and areas of new bedrock exposure created by forestry road construction.

Rock sample locations were marked with orange flagging and an aluminum tag. Silt and soil sample locations were marked with orange flagging and marker. Sample locations and descriptions are listed in section 9.

Silt, soil and rock samples were analyzed by Stewart Group (Ecotech) in Kamloops, BC. Silt and soil samples were analyzed by aqua regia 50-element ICP-MS. Rock samples were analyzed by fire assay for Au and by 4-acid digest, 47-element ICP-MS. Assay results are listed in section 15.

A declination of 20° east was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD 83, UTM zone 10).

7.0 Geology

7.1 Regional Geology

The RAINBOW Property lies within the Quesnel Trough of the Mesozoic Quesnellia Terrane. The Quesnel Trough is a northwest-trending belt of late Triassic to early Jurassic island arc volcanics and volcanic arc-derived sediments intruded by coeval and cogenetic intrusions. Northwesterly-striking major faults separate structural blocks.

The area around the property is mainly underlain by the upper Triassic Witch Lake succession: a series of augite-phyric trachite to latite flows and volcanoclastics. Immediately west of the property, the area is underlain by volcanoclastic and epiclastic sediments of the mid-Triassic Slate Creek succession, in fault contact with the Witch Lake rocks to the east (Nelson and Bellefontaine, 1995).

Intrusions associated with alkaline Triassic and Jurassic volcanic sequences in Quesnellia host several porphyry copper-gold deposits (Nelson and Bellefontaine, 1995) such as Mt. Milligan (482Mt @ 0.39g/t Au and 0.20% Cu; Terrane Metals Corp., 2009).

7.2 Property Geology

7.2.1. Lithology

Outcrops encountered on the property have been categorized into three different mapable units (Table 3). No direct contacts between the units were seen.

Andesite and Lapilli Tuffs, as reported in previous mapping, were not seen. Neither were hornblende (augite) porphyry diorite dykes (Pegg and Hoffman, 1988).

7.2.2 Structure

Two main structural trends were observed on the property. Bedding in the sedimentary units on the western STRONG claim was generally west-striking and moderately north-dipping, in agreement with previous mapping (Pegg and Hoffman, 1988). Southwest-striking, moderately to steeply northwest-dipping shearing was seen on both the ARM and STRONG claims.

7.2.3. Alteration

Two main styles of hydrothermal alteration were seen on the property.

Orange-weathering weak to moderate carbonate±silica alteration was seen throughout both claims, often coincident with southwest-striking shearing. Carbonate-silica alteration varies from carbonate to silica dominant locally and consists of abundant discontinuous hairline carbonate±quartz stringers and local flooding around stringers. Silica alteration, consisting of multiple generations of cross-cutting quartz stringers, was moderate to strong in and around the plagioclase-phyric felsic dyke outcrops in the southeast STRONG claim area. Minor disseminated sulfides were associated with the carbonate±quartz alteration.

Weak to moderate epidote alteration consisting of quartz±epidote veins trending roughly 210°/60° on a ridge of exposed andesite on the ARM claim. No sulphide mineralization was seen associated with the epidote alteration.

Table 4. Rock units

Unit	Name	Description	Possible Identification	
			Nelson and Bellefontaine, 1995	Pegg and Hoffman, 1988
3	Light Grey Plagioclase-phyric felsite	20% Medium-grained white euhedral plagioclase laths, 5% fine-grained black acicular hornblende, 75% light grey aphanitic groundmass. Only seen in southeast STRONG claim area	Unknown	2a
2	Green Augite-phyric andesite	Flows and agglomerate with 5-10% dark green fine-grained euhedral augite crystals in medium to dark green aphanitic groundmass. Trace epidote in groundmass.	Witch Lake Succession (u>WLa)	1b
1	Black Mudstone and Sandstone	Massive black aphanitic mudstone to dark grey, poorly wavy-bedded fine sandstone with minor discontinuous black mudstone beds. Only one bedding measurement at 260°/45°, younging to north (ie. Beds are upright) Only seen in western STRONG claim area	Slate Creek Succession (mu>sc)	1c

8.0 Mineralization

Weak disseminated sulfide mineralization was seen throughout the property. Carbonate ± silica-altered andesite often contained 0.5 to 1% very fine-grained pyrite as disseminated grains throughout the andesite, mainly in the groundmass, and in the carbonate and quartz stringers. Local trace pyrite was rare in unaltered andesites. One silica-altered outcrop of plagioclase-phyrlic felsic dyke contained 2% very fine to medium-grained pyrite. No sulfides were seen in the mudstone or sandstones.

Earlier mapping by the BCGS reported a carbonate+silica veined, well mineralized breccia outcrop containing 20% pyrite and assaying 1.4g/t Au in the north-flowing tributary to Rainbow creek on the western STRONG claims (Nelson and Bellefontaine, 1996). Prospecting along the tributary was unable to locate an outcrop as well-mineralized as described.

9.0 Geochemistry

9.1 Silt Geochemistry

Six stream sediment (silt) samples were collected during the 2009 exploration program (Fig 3; Table 4) on creeks draining the STRONG claim to confirm reported mineralization in previously sampled drainages (Pegg and Hoffman, 1988; Nelson and Bellefontaine, 1996).

Table 5. Silt Sample Locations

Sample	UTM Easting NAD83Z10	UTM Northing NAD83Z10
230618	432840	6099706
230619	432707	6099897
230620	432710	6100294
230621	432764	6100575
230632	433159	6098849
230633	433058	6098853

No silt samples taken contained anomalous amounts of elements associated with gold mineralization. Values of As ranged from 10.7 to 16.3ppm (Fig. 6) and values of Sb ranged from 1.34 to 9.54pm. Complete results for all samples are listed on the original assay certificate (section 15.1).


9.2 Soil Geochemistry

Thirty two soil samples were collected during the 2009 exploration program (Figs 3, 4 and 6; Table 5). Soil samples were taken to test for the extension of mineralization around altered outcrops and to test Au-in-soil anomalies reported by previous work (Pegg and Hoffman, 1988).

Table 6. Soil Sample Locations

Sample	UTM Easting NAD83Z10	UTM Northing NAD83Z10
230458	432731	6098672
230459	432786	6098659
230460	432847	6098651
230461	432897	6098651
230462	432946	6098657
230463	433000	6098661
230464	433049	6098660
230465	433096	6098655
230603	433063	6100614
230605	433127	6100649
230606	433214	6100747
230609	432204	6102716
230610	431794	6103077
230615	432474	6102512
230616	432577	6102368
230617	432657	6102298
230622	433576	6098589
230623	433703	6098661
230624	433884	6098678
230625	433984	6098628
230626	434164	6098627
230628	433733	6098922
230630	433745	6098913
230631	433754	6098903
230635	432750	6098570
230636	432800	6098570
230637	432850	6098570
230638	432900	6098570
230639	432950	6098570
230640	433000	6098570
230641	433050	6098570
230642	433100	6098570

Figure 4. STRONG Claim soil sample location



Seven soil samples contained anomalous amounts of elements related to gold mineralization compared to a background value of the mean of the bottom quartile of the sample population (Table 6). Complete results for all samples are listed on the original assay certificate (section 15.1).

Table 7. Significant soil sample results

SampleID	Ag_ppm	As_ppm	Bi_ppm	Cu_ppm	Hg_ppb	Sb_ppm	Te_ppm
230603	0.3	54.9	0.18	100.0	45	20.90	0.06
230605	0.1	150.3	0.08	71.3	45	62.12	0.04
230606	0.1	25.2	0.10	145.2	275	12.06	0.10
230630	0.2	35.1	0.10	78.7	25	2.66	0.06
230631	0.3	240.5	0.06	223.8	50	7.30	0.16
230639	0.2	18.3	0.08	22.6	35	3.08	0.08
230640	0.1	93.4	0.08	78.3	40	8.04	0.08
Background	0.1	4.7	0.07	21.6	25	0.39	0.04

9.3 Rock Geochemistry

Twenty rock samples were collected during the 2009 exploration program (Figs. 3, 5 and 6; Table 7). Rock samples were taken to test altered and sulfide-bearing rocks for mineralization and to determine geochemical background values for different rock units.

Seven rock samples contained anomalous amounts of elements related to gold mineralization compared to a background value of the mean of the bottom quartile of the sample population (Table 8). Complete results for all samples are listed on the original assay certificate (section 15.2).

Table 8. Rock Sample Descriptions

Sample	UTM Easting NAD83Z10	UTM Northing NAD83Z10	Date	Sampler	Notes
230451	432805	6099714	19-Oct-09	G. Newton	Augite volcanics, silicified, trace Py
230452	432752	6099576	19-Oct-09	G. Newton	Volcanic SST
230453	433890	6098863	20-Oct-09	G. Newton	VFGr volcanics, weak carb-sil alteration, trace Py
230454	433868	6908821	20-Oct-09	G. Newton	Lt. Grey plag-phyric intrusive. No altn/mnlzn.
230455	433740	6908921	20-Oct-09	G. Newton	Augite volcanics, carb-sil alteration, trace Py
230456	433736	6098915	20-Oct-09	G. Newton	Highly silicified, carbonate-altered, 2-3% Py
230457	433092	6098827	20-Oct-09	G. Newton	Augite volcanics, carb-sil alteration, trace Py
230466	432707	6099897	21-Oct-09	G. Newton	Black mudstone breccia, trace Py
230601	432963	6100479	17-Oct-09	D. Heino	Augite volcanics, carb-sil alteration, trace Py
230602	432976	6100514	17-Oct-09	D. Heino	Augite volcanics, carb-sil alteration, trace Py
230604	433063	6100614	17-Oct-09	D. Heino	Augite volcanics, carb-sil alteration, 0.5 - 1% Py
230607	433076	6102171	17-Oct-09	D. Heino	Augite volcanics, carb alteration, 0.5 - 1% Py, possibly Marcasite or Aspy
230608	432953	6102212	17-Oct-09	D. Heino	Augite volcanics, trace Po
230611	431780	6103099	18-Oct-09	G. Newton	Augite volcanics, carb-sil alteration, 0.5 - 1% Py
230612	431679	6103281	18-Oct-09	D. Heino	Augite volcanics, carb-sil alteration, 0.5 - 1% Py
230613	431747	6103308	18-Oct-09	G. Newton	Carb-sil altered volcanics. 0.5-1% VFGr diss Py
230614	432326	6103446	18-Oct-09	G. Newton	Volcanics with Epid-Qz veins
230627	433736	6098910	20-Oct-09	D. Heino	Tuff? w/ carbonate alteration, quartz veining, Py
230634	433092	6098827	20-Oct-09	D. Heino	Tuff? w/ carbonate alteration, quartz veining, 5% Py
230643	432797	6099828	21-Oct-09	D. Heino	Small zone of carb-sil alteration & qz stringers w. Py in mudstone

Table 9. Significant rock sample results

Sample ID	Au (g/t)	Ag ppm	As ppm	Bi ppm	Cu ppm	Hg ppb	Sb ppm
230455	<0.03	0.2	25.9	0.02	189.1	25	0.62
230456	<0.03	0.1	7.1	0.08	50.3	20	5.26
230601	<0.03	0.1	10.0	<0.02	36.1	35	7.50
230602	<0.03	<0.1	17.6	0.04	37.7	50	11.52
230604	<0.03	<0.1	25.5	0.04	74.4	40	7.72
230634	<0.03	0.2	8.3	0.66	120.1	20	7.34
230643	0.17	0.2	28.1	0.04	48.0	1050	90.32
Background	.015	0.1	2.0	.016	39.5	7.0	0.3

10.0 Discussion and Conclusions

No significant bedrock mineralization was found during the brief prospecting program in October 2009. No rock samples collected returned significant gold values. Only one rock sample contained gold in excess of the limit of detection: sample 230643 (section 15.2), taken from an outcrop of carbonate-silica altered mudstone with abundant quartz stringers from an outcrop on the bank of the stream draining the northwest STRONG claim (Figs. 3 and 5) contained 0.17g/t Au.

It is possible that this was the same outcrop that the BCGS obtained their sample containing 1.4g/t Au. However, no brecciated textures, as described by the BCGS were observed in the outcrop (Nelson and Bellefontaine, 1996). Thorough prospecting of the creek did not find a source for the BCGS sample or any other potential source for the anomalous silt sample values in the creek.

No anomalous values of Au, Ag, As or Sb were seen in rock or soil samples taken from the ARM claim (Fig. 6).

Two zones of anomalous soil geochemistry were noted on the STRONG claim: 1) along the new road on the north edge of the claim and 2) in the very southwest corner of the claim (Fig. 3). The northern anomaly stretches about 50m along a recently-built forestry road. Carbonate-silica altered rocks, some of them with anomalous geochemical values (Map 3, Table 9) coincide with the soil anomaly. The southern anomaly occurs beside and on the western edge of a logged block. This anomaly corresponds with the strongest soil anomaly found during BP's 1988 exploration program (Pegg and Hoffman, 1988).

11.0 Recommendations

Much of the RAINBOW property has still not been prospected or mapped. The eastern half of both the ARM and STRONG claims was not examined during the 2009 program. These areas should be prospected.

Silt sampling or panning of all creeks on the Property should be undertaken to determine areas with elevated gold and related elements.

The creek draining the northwest corner of the STRONG claim should be prospected closely again, preferably during the summer, to determine the location of the mineralization reported by the BCGS. During the October exploration program frozen moss and ground made exposing bedrock difficult.

Larger soil grids should be sampled over the two areas of anomalous geochemistry on the STRONG claim to determine the extent of the anomalies. If either anomaly is of significant size, it should be mechanically trenched. Other soil anomalies from BP's exploration programs on the STRONG claim should be resampled (Pegg and Hoffman, 1988).

12.0 References

Barnes, D.R., 1991, Assessment Report of the 1991 Diamond Drilling Program on the Rain 1 Claim Group: Assessment Report # 21,660.

Geological Survey of Canada, 1985, Regional Geochemical Reconnaissance Map 81-1985: GSC Open File 1216.

Mills, K., 2008, Technical Report – Feasibility – Mt. Milligan Property – Northern B.C. Report prepared for Terrane Metals Corp by Wardrop Engineering Inc.

Nelson, J.L. and Bellefontaine, K.A., 1996, The Geology and Mineral Deposits of Northern Quesnellia; Tezzeron Lake to Discovery Creek, Central British Columbia: BCGS Bulletin 99.

Pegg, R. and Hoffman, S., 1988, Geological and Geochemical Report on the Rain Property: Assessment Report #17,860.

Terrane Metals Corp, 2009, Company Website

Wong, R.H., 1989, Assessment Report of the 1989 Topographic Mapping and Airborne Geophysical Program on the Rain Claim Group: Assessment Report #19,164.

13.0 Statement of Expenditures

Wages

Geoff Newton, Project Geologist	\$ 4,250.00
10 days @ \$425/day	
Dave Heino, Prospector	\$ 3,500.00
10 days @ \$350/day	
Gary Lustig, consultant	\$ 1,500.00
2 days @ \$750/day	

Analyses

Stewart Group: 20 rock samples	\$ 721.04
Stewart Group: 38 silt and soil samples	\$ 626.54

Field Expenses

Terrane Metals Corp: camp rental	\$ 1,600.00
Truck Rental	\$ 1,243.90
Greyhound: Vancouver to Hope, return	\$ 67.57
Taxis	\$ 19.00
Fuel	\$ 361.03
Meals	\$ 149.81
Groceries	\$ 454.64
Hotel Rooms	\$ 249.17
Field Supplies	\$ 98.47

Total **\$14,841.17**

14.0 Statement of Qualifications

I, Geoff Newton, do hereby certify:

1. That I am a Geologist and was employed by BCGold Corp, with offices at #1400, 625 Howe Street, Vancouver, BC, when the fieldwork in this report was carried out.
2. That I am a graduate of Laurentian University (B.Sc. (Honours) Geology, 2005) and that I have practiced my profession continuously since May 2005.
3. That I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia and have been registered as a Geoscientist in Training since 2008.
4. That this report is based on publicly-available reports and maps and fieldwork carried out under my supervision in October, 2009

Dated in Vancouver, BC this 5th day of April, 2009

Geoff Newton, B.Sc., G.I.T.

15.0 Assay Certificates

Stewart Group

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2009- 0714

Extended Package

B.C. Gold Corporation

1400-625 Howe Street

Vancouver, BC

V6C 2T6

Attn: Geoff Newton

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 39

Sample Type: Soils

Project: Rain

Submitted by: Geoff Newton

Values in ppm unless otherwise reported

Et #.	Tag #	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
1	230458	0.4	2.66	7.8	92.0	0.32	0.32	0.28	9.58	8.9	42.5	0.94	33.1	4.61	7.7	4.0	0.06	70	0.05	5.0	16.6	0.51	252	1.55	0.037	1.18	19.9	2077	6.30	7.1	0.001	0.04	0.50	3.9	0.3	0.4	22.0	<0.05	0.08	1.2	0.120	0.06	0.3	126	0.4	81.1	1.96
2	230459	0.7	3.13	4.8	152.0	0.24	0.70	0.19	10.92	23.8	24.5	1.02	74.3	5.07	8.5	4.5	0.02	40	0.12	5.0	20.1	1.83	586	0.89	0.036	0.54	16.1	2181	4.58	9.9	0.001	0.04	0.28	5.4	0.2	0.4	32.0	<0.05	0.06	0.6	0.230	0.06	0.2	186	0.2	113.0	0.72
3	230460	0.4	1.93	5.0	119.0	0.28	0.38	0.19	8.94	6.7	37.5	0.66	22.7	4.40	8.5	3.7	0.02	55	0.08	4.5	13.2	0.44	884	1.05	0.035	0.96	13.8	2093	6.90	6.2	0.001	0.04	0.46	3.2	0.3	0.5	23.0	<0.05	0.06	1.0	0.113	0.08	0.2	134	0.3	66.6	0.89
4	230461	0.3	1.82	6.7	108.0	0.30	0.41	0.15	11.55	7.0	34.0	1.34	24.7	4.93	11.5	4.1	0.04	35	0.06	6.0	18.7	0.42	292	2.02	0.036	1.64	12.4	1162	7.87	11.1	0.002	0.04	0.64	3.0	0.2	0.7	26.0	<0.05	0.10	1.1	0.162	0.06	0.2	162	0.5	61.5	1.60
5	230462	0.2	2.29	8.2	635.5	0.28	0.31	0.29	14.04	7.7	33.5	2.00	25.7	5.36	11.4	4.4	0.04	30	0.05	7.0	21.9	0.34	192	2.33	0.036	2.20	12.0	983	9.04	6.8	0.002	0.04	0.96	3.4	0.2	0.8	313.5	<0.05	0.14	1.2	0.149	0.04	0.2	178	0.4	94.8	1.37
6	230463	0.2	1.43	1.8	106.5	0.14	0.40	0.07	5.60	9.1	39.0	0.54	31.1	3.38	6.4	3.2	0.02	20	0.13	3.0	6.8	0.78	715	0.81	0.045	0.46	11.2	1035	4.18	7.9	0.003	0.04	0.28	2.8	0.1	0.3	37.5	<0.05	0.02	0.5	0.218	0.04	0.1	122	0.2	48.9	0.91
7	230464	0.1	1.24	5.8	53.0	0.20	0.29	0.13	7.70	4.9	35.0	0.50	16.1	3.21	6.6	2.8	0.02	70	0.03	4.0	6.3	0.29	164	0.83	0.035	0.94	10.9	807	5.77	5.1	0.002	0.04	0.54	2.7	0.1	0.4	23.0	<0.05	0.06	0.7	0.115	0.04	0.2	114	0.3	29.5	1.21
8	230465	0.2	1.85	16.6	54.5	0.20	0.32	0.21	9.06	8.8	57.0	1.02	39.4	4.55	6.1	3.9	0.04	70	0.04	4.5	11.3	0.45	224	1.17	0.035	0.86	22.5	953	5.59	6.9	0.001	0.04	2.72	3.8	0.3	0.4	22.5	<0.05	0.06	0.8	0.096	0.06	0.2	144	0.3	43.2	1.13
9	230603	0.3	3.05	54.9	236.0	0.18	0.17	0.72	37.06	19.6	32.5	2.84	100.0	7.93	7.7	7.0	0.04	45	0.06	17.0	34.0	0.29	468	2.34	0.038	0.64	17.8	851	15.48	16.0	0.001	0.04	20.90	15.0	0.6	0.5	13.0	<0.05	0.06	1.2	0.004	0.28	0.3	154	0.3	191.6	0.89
10	230605	0.1	2.75	150.3	313.0	0.08	0.53	0.22	30.53	29.2	26.5	3.42	71.3	7.31	5.4	6.4	0.02	45	0.10	8.0	25.4	0.33	590	1.67	0.034	0.14	16.5	639	5.11	21.4	0.003	0.06	62.12	16.2	0.9	0.3	40.5	<0.05	0.04	0.7	0.001	1.06	0.2	114	0.2	97.0	0.53
11	230606	0.1	3.62	25.2	108.0	0.10	1.26	0.32	69.93	100.0	34.5	5.64	145.2	9.75	13.1	9.0	0.20	275	0.05	28.0	25.1	1.94	4215	1.58	0.038	0.14	19.7	1203	12.14	3.2	0.004	0.06	12.06	38.5	1.1	0.6	57.5	<0.05	0.10	0.8	0.021	0.40	0.2	228	0.3	111.1	2.77
12	230609	0.2	1.59	4.9	52.0	0.06	0.81	0.28	11.74	10.5	35.0	0.58	35.0	2.76	4.8	2.7	0.02	30	0.06	6.5	13.0	0.87	507	0.63	0.038	0.56	16.9	780	4.12	5.3	0.005	0.06	0.56	3.6	0.9	0.2	38.5	<0.05	0.06	0.5	0.083	0.06	0.5	74	0.1	49.9	0.58
13	230610	0.2	3.34	6.6	74.5	0.10	0.66	0.19	7.19	17.5	111.0	1.32	64.8	6.29	10.0	5.7	0.04	35	0.04	3.0	25.3	1.93	541	1.88	0.037	1.00	55.1	1250	6.97	8.6	0.002	0.06	0.98	5.8	0.3	0.4	65.5	<0.05	0.08	0.6	0.206	0.06	0.2	160	0.2	66.7	2.04
14	230615	0.2	2.50	13.3	147.5	0.12	0.75	0.29	13.26	18.6	65.5	1.14	67.8	5.76	6.9	5.3	<0.02	30	0.09	7.0	29.9	1.14	483	1.75	0.037	0.60	27.3	2469	7.26	10.3	0.001	0.04	2.26	4.6	0.5	0.3	35.5	<0.05	0.06	1.0	0.077	0.08	0.3	128	0.2	124.9	0.65
15	230616	0.5	3.24	11.4	172.5	0.12	0.81	0.53	33.91	23.9	64.0	1.46	98.9	4.90	8.3	4.8	0.02	50	0.13	12.5	25.2	1.15	1253	1.16	0.042	0.80	37.5	838	9.59	13.6	0.002	0.06	0.98	6.5	0.6	0.4	49.5	<0.05	0.04	0.7	0.076	0.10	0.6	122	0.2	84.5	0.48
16	230617	0.1	1.71	13.2	81.0	0.08	0.77	0.18	20.35	11.6	41.0	0.50	35.7	3.40	5.1	3.2	0.02	20	0.07	9.0	13.6	0.87	567	1.02	0.044	0.60	17.9	906	5.63	6.6	0.002	0.04	0.98	4.7	0.3	0.2	44.0	<0.05	0.06	1.2	0.104	0.04	0.3	86	0.2	49.8	0.67
17	230618	0.1	1.63	10.7	157.5	0.06	0.85	0.21	16.06	13.1	24.5	0.90	30.8	4.05	5.1	3.6	0.02	65	0.05	8.0	16.4	0.86	1406	1.61	0.039	0.36	15.5	1158	4.93	4.9	0.004	0.10	1.34	4.7	0.9	0.2	44.0	<0.05	0.04	0.5	0.052	0.06	0.4	82	0.1	72.2	0.62
18	230619	0.1	1.68	10.7	123.0	0.06	0.73	0.16	17.25	13.9	20.5	1.06	29.5	4.33	5.4	4.0	0.02	60	0.05	8.0	17.5	0.94	1505	1.72	0.042	0.34	15.2	1182	4.60	4.8	0.004	0.08	3.60	4.7	0.7	0.2	37.0	<0.05	<0.02	0.6	0.056	0.06	0.3	84	0.2	68.8	0.67
19	230620	0.1	2.02	16.3	143.0	0.08	0.86	0.35	33.75	19.4	15.5	1.60	66.9	5.93	7.4	5.4	0.04	110	0.06	16.5	24.1	1.15	1358	2.10	0.036	0.28	15.6	1557	7.95	4.9	0.003	0.08	9.54	6.0	0.8	0.3	31.0	<0.05	0.06	0.7	0.020	0.14	0.3	98	0.2	92.5	0.89
20	230621	0.1	1.70	12.9	105.5	0.06	0.72	0.22	26.36	15.3	16.0	1.38	45.0	4.65	6.3	4.3	0.04	70	0.05	12.0	20.5	1.00	988	1.62	0.034	0.22	14.0	1460	5.45	3.9	0.004	0.08	7.26	4.6	0.6	0.2	26.0	<0.05	0.04	0.8	0.029	0.08	0.2	82	0.2	73.2	0.90
21	230622	0.4	1.53	8.2	83.0	0.12	0.31	0.47	14.01	4.4	24.5	1.00	23.8	2.81	5.2	2.7	<0.02	45	0.06	7.5	9.5	0.30	232	1.66	0.037	0.60	9.2	1074	6.06	10.3	<0.001	0.04	1.92	2.3	0.4	0.3	24.5	<0.05	0.06	0.2	0.036	0.08	0.3	70	0.2	66.9	0.27
22	230623	0.1	1.42	2.8	61.5	0.08	0.24	0.10	11.53	1.8	15.5	0.54	11.9	0.87	6.0	1.3	<0.02	50	0.02	6.0	4.2	0.15	74	0.56	0.035	0.78	3.7	342	5.35	4.3	0.002	0.04	0.34	2.2	0.1	0.4	24.5	<0.05	0.02	0.5	0.064	0.04	0.3	46	0.1	13.3	0.45
23	230624	0.2	2.19	6.4	90.5	0.06	0.50	0.25	11.57	7.6	33.0	0.68	25.1	3.48	5.6	3.3	0.04	55	0.05	6.0	12.9	0.51	270	0.83	0.041	1.12	16.9	1931	4.33	6.4	0.003	0.06	0.50	3.5	0.3	0.3	31.5	<0.05	0.04	1.0	0.098	0.04	0.3	94	0.3	51.7	1.70
24	230625	0.2	2.38	6.1	81.0	0.10	0.45	0.28	11.38	8.9	39.5	0.74	37.5	3.25	5.3	3.1	0.04	80	0.06	5.5	14.1	0.63	250	0.87	0.040	1.12	17.1	1702	4.80	8.2	0.002	0.04	0.44	4.0	0.3	0.3	32.0	<0.05	0.04	1.2	0.108	0.04	0.3	90	0.2	56.3	1.50
25	230626	0.1	1.81	6.7	98.0	0.08	0.56	0.17	12.34	10.6	37.0	0.76	53.9	3.22	5.6	3.3	0.04	20	0.08	6.0	10.4	0.69	330	1.22	0.039	0.86	18.8	1196	5.26	10.3	0.001	0.04	0.44	4.1	0.2	0.3	42.5	<0.05	0.06	1.0	0.128	0.04	0.3	94	0.2	42.4	1.10
26	230628	0.2	2.71	8.0	99.5	0.12	0.39	0.17	17.79	15.2	40.0	1.78	42.7	4.70	8.4	4.3	0.04	30	0.06	7.0	17.6	0.66	393	1.16	0.037	1.10	24.3	877	5.55	12.5	<0.001	0.04	0.76	5.4	0.2	0.4	29.0	<0.05	0.06	1.1	0.090	0.06	0.3	130	0.2		

Et #.	Tag #	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm		
QC DATA:																																																	
Repeat:																																																	
1	230458	0.4	2.65	7.9	93.0	0.14	0.33	0.24	9.78	9.2	44.0	1.02	33.5	4.62	7.8	4.3	0.04	70	0.05	5.0	17.2	0.52	261	1.47	0.041	1.20	20.2	2098	6.39	7.6	0.002	0.04	0.58	4.0	0.3	0.4	24.0	<0.05	0.08	1.2	0.125	0.06	0.3	130	0.3	80.1	1.93		
10	230605	0.1	2.71	148.1	306.0	0.06	0.51	0.22	29.85	28.9	25.5	3.62	69.2	7.03	5.6	6.0	0.02	50	0.11	7.5	25.1	0.32	579	1.54	0.031	0.14	16.4	630	5.01	22.0	0.004	0.06	62.66	15.5	0.9	0.3	39.0	<0.05	0.04	0.6	0.001	1.06	0.2	112	0.2	96.9	0.55		
19	230620	0.1	1.92	16.0	142.0	0.08	0.84	0.28	32.61	18.4	15.0	1.64	63.5	5.62	7.0	5.2	0.02	105	0.06	16.0	22.7	1.08	1280	1.93	0.036	0.26	14.8	1498	8.04	5.0	0.003	0.10	9.30	5.9	0.8	0.3	29.0	<0.05	0.04	0.7	0.023	0.12	0.3	94	0.2	88.4	0.77		
28	230630	0.2	2.50	34.5	135.0	0.08	0.24	0.15	22.05	21.2	18.5	1.74	78.1	6.72	7.6	6.1	<0.02	25	0.11	11.0	11.4	0.33	530	2.18	0.032	0.44	14.5	858	8.70	15.4	0.002	0.04	2.56	5.9	0.4	0.3	23.0	<0.05	0.04	0.3	0.005	0.06	0.2	128	0.2	87.4	0.24		
36	230639	0.2	2.54	18.5	153.0	0.08	0.34	0.22	12.23	9.9	27.5	2.62	22.5	5.72	10.7	5.2	0.04	35	0.06	6.0	30.7	0.69	286	1.74	0.034	1.10	11.8	1510	4.49	10.5	0.003	0.04	3.08	6.8	0.3	0.5	52.0	<0.05	0.06	1.1	0.061	0.04	0.2	188	0.2	126.3	1.65		
Standard:																																																	
Till-3		1.5	1.15	80.0	38.5	0.28	0.59	0.12	32.49	10.2	66.5	0.86	23.4	2.12	4.5	2.5	0.04	105	0.05	15.0	15.9	0.60	304	0.62	0.040	1.00	30.1	440	18.48	8.9	0.002	0.04	0.50	3.8	0.4	1.1	20.5	<0.05	0.08	2.4	0.082	0.08	1.0	38	0.2	40.0	1.40		
Till-3		1.5	1.11	78.8	37.0	0.28	0.57	0.08	31.62	10.0	64.0	0.82	22.9	2.04	4.1	2.3	0.04	105	0.04	14.5	16.3	0.58	296	0.64	0.041	0.94	29.8	432	18.16	8.4	0.002	0.04	0.46	3.7	0.4	1.0	19.5	<0.05	0.06	2.3	0.079	0.06	0.9	38	0.3	38.1	1.34		

NM/nw
dt/mse714S
XLS/09


ECO TECH LABORATORY LTD.
 Norman Monteith
 B.C. Certified Assayer

Eco Tech Laboratory Ltd.
 2953 Shuswap Road
 Kamloops, BC
 V2H 1S9 Canada
 Tel + 1 250 573 5700
 Fax + 1 250 573 4557
 Toll Free + 1 877 573 5755
 www.stewartgroupglobal.com



StewartGroup
 Geochemical & Assay

CERTIFICATE OF ASSAY AK 2009-0727

B.C. Gold Corporation
 625 Howe Street
Vancouver, BC
 V6C 2T6

13-Nov-09

No. of samples received: 20
Sample Type: Rock
Project: Rain
Shipment #: 914
Submitted by: Geoff Newton

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	230451	<0.03	<0.001
2	230452	<0.03	<0.001
3	230453	<0.03	<0.001
4	230454	<0.03	<0.001
5	230455	<0.03	<0.001
6	230456	<0.03	<0.001
7	230457	<0.03	<0.001
8	230466	<0.03	<0.001
9	230601	<0.03	<0.001
10	230602	<0.03	<0.001
11	230604	<0.03	<0.001
12	230607	<0.03	<0.001
13	230608	<0.03	<0.001
14	230611	<0.03	<0.001
15	230612	<0.03	<0.001
16	230613	<0.03	<0.001
17	230614	<0.03	<0.001
18	230627	<0.03	<0.001
19	230634	<0.03	<0.001
20	230643	0.17	0.005

QC DATA:

Repeats:

1	230451	<0.03	<0.001
10	230602	<0.03	<0.001
19	230634	<0.03	<0.001
20	230643	0.14	0.004


ECO TECH LABORATORY LTD.
 Norman Monteith
 B.C. Certified Assayer

Eco Tech Laboratory Ltd.
2953 Shuswap Road
Kamloops, BC
V2H 1S9 Canada
Tel + 1 250 573 5700
Fax + 1 250 573 4557
Toll Free + 1 877 573 5755
www.stewartgroupglobal.com



StewartGroup
Geochemical & Assay

B.C. Gold Corporation AK09-0727

13-Nov-09

ET #.	Tag #	Au (g/t)	Au (oz/t)
Resplits:			
1	230451	<0.03	<0.001
Standard:			
SJ39		2.64	0.077

NM/nw
XLS/09


ECO TECH LABORATORY LTD.
Norman Monteith
B.C. Certified Assayer

20-Nov-09
Stewart Group
ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2009- 0727
 Extended Package

B.C. Gold Corporation
 1400-625 Howe Street
Vancouver, BC
 V6C 2T6

Attn: Geoff Newton

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 20
 Sample Type: Rock
 Project: Rain
 Shipment #: 914
 Submitted by: Geoff Newton

Values in ppm unless otherwise reported

Et #.	Tag #	Ag ppm	Al %	As ppm	Ba ppm	Bl ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	NI ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Tl %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
1	230451	0.1	1.93	2.8	57.5	0.10	3.26	0.28	17.52	23.7	80.0	0.30	118.5	5.47	11.1	4.1	0.28	35	0.02	9.0	14.0	1.90	997	0.33	0.074	0.22	33.4	1648	19.65	0.5	0.004	0.48	3.24	11.5	0.8	0.3	189.5	<0.05	0.06	1.3	0.114	0.08	0.5	174	1.1	102.3	10.79
2	230452	0.3	1.70	5.4	185.5	0.08	4.41	0.37	7.72	16.1	66.5	0.50	79.5	3.54	4.2	2.4	0.08	<5	0.55	4.0	8.4	1.31	775	3.08	0.054	0.68	24.5	1664	6.08	19.6	0.005	0.04	2.42	2.9	1.0	0.2	145.5	<0.05	0.04	0.5	0.167	0.16	0.5	60	0.9	71.6	1.82
3	230453	0.1	2.56	1.8	61.5	1.12	3.31	0.30	18.30	17.5	26.5	0.68	65.2	5.47	12.0	4.0	0.42	10	0.05	8.5	15.1	1.98	1081	8.47	0.108	0.42	11.5	1248	60.65	2.5	0.005	0.08	0.36	9.3	0.2	0.4	101.5	<0.05	0.08	0.8	0.239	<0.02	0.3	196	0.7	106.2	9.98
4	230454	0.1	1.03	2.1	47.0	0.06	2.14	0.06	13.34	6.6	41.5	0.32	54.3	2.48	5.9	1.6	0.12	10	0.12	7.5	5.9	0.62	482	0.19	0.074	0.10	10.3	610	18.54	4.0	0.002	0.22	0.18	2.2	0.5	0.1	186.5	<0.05	0.06	1.1	0.005	<0.02	0.4	72	0.4	56.6	5.75
5	230455	0.2	0.37	25.9	104.5	0.02	6.43	0.21	22.16	17.2	13.0	1.28	189.1	4.76	1.1	3.0	0.04	25	0.20	10.0	0.1	1.40	1039	0.68	0.057	0.02	13.3	1070	3.27	6.0	0.004	0.04	0.62	19.4	0.2	<0.1	481.5	<0.05	0.06	0.9	0.001	0.02	0.1	28	0.4	75.2	1.31
6	230456	0.1	0.30	7.1	62.0	0.08	1.12	0.06	9.69	6.7	45.5	0.44	50.3	2.38	1.0	1.6	0.10	20	0.18	5.5	<0.1	0.11	443	0.20	0.068	0.06	11.0	619	7.43	5.7	0.003	0.90	5.26	2.2	1.0	<0.1	51.5	<0.05	0.02	1.1	0.001	0.02	0.4	8	0.3	44.0	5.43
7	230457	0.1	1.75	2.6	23.5	0.06	5.35	0.02	13.20	17.3	70.0	0.54	75.4	5.31	8.5	3.2	0.06	10	0.08	6.0	19.5	2.05	916	1.97	0.063	0.02	18.9	1507	4.19	2.9	0.004	1.48	2.38	12.0	0.8	0.1	384.0	<0.05	0.14	0.8	0.008	<0.02	0.2	156	0.3	52.8	1.52
8	230466	0.1	2.38	2.5	42.5	0.04	4.24	0.06	11.37	16.4	33.0	0.92	49.7	4.31	10.0	2.8	0.50	50	0.04	5.0	21.7	1.80	947	0.85	0.081	0.10	11.5	823	4.65	1.4	0.006	1.04	0.14	8.7	0.2	0.3	45.5	<0.05	0.04	0.8	0.158	<0.02	0.3	122	0.3	50.0	13.17
9	230601	0.1	0.43	10.0	82.5	<0.02	>10	0.10	20.01	6.7	34.0	0.72	36.1	4.07	1.5	2.5	0.04	35	0.08	11.5	2.6	1.97	1620	0.18	0.029	0.02	9.0	543	6.12	3.9	0.003	0.12	7.50	4.0	0.4	0.1	279.5	<0.05	0.06	0.5	0.001	0.06	0.2	42	0.3	27.2	2.25
10	230602	<0.1	0.51	17.6	102.0	0.04	>10	0.08	10.41	11.9	24.0	0.90	37.7	3.54	1.3	1.9	0.04	50	0.13	5.0	3.0	2.32	898	0.32	0.030	<0.02	7.1	553	6.00	5.2	0.002	0.16	11.52	7.2	0.3	0.1	282.5	<0.05	0.06	0.5	0.001	0.08	0.1	46	0.3	38.0	1.12
11	230604	<0.1	1.18	25.5	106.0	0.04	0.25	0.23	14.36	26.9	15.5	1.78	74.4	4.91	2.7	3.5	<0.02	40	0.23	5.0	9.4	0.49	731	0.49	0.030	0.02	12.7	782	4.76	7.6	0.004	0.04	7.72	14.7	0.3	<0.1	9.5	<0.05	0.04	0.5	0.001	0.08	<0.1	62	0.3	80.0	0.36
12	230607	0.1	2.47	2.7	9.5	0.02	8.04	0.11	1.63	28.2	36.0	0.18	73.5	4.50	6.0	3.0	0.24	10	0.03	0.5	11.9	1.44	790	0.88	0.045	0.12	48.4	740	3.81	0.8	0.004	1.24	0.42	3.9	0.1	0.2	50.5	<0.05	<0.02	0.2	0.210	<0.02	<0.1	94	0.2	51.4	4.54
13	230608	0.1	2.58	3.0	35.0	0.04	1.74	0.07	3.07	19.3	100.0	0.24	62.3	5.00	6.6	3.5	0.26	<5	0.10	1.5	25.0	2.69	675	0.69	0.045	0.18	46.7	983	4.23	2.7	0.007	0.70	0.66	3.5	0.3	0.2	24.5	<0.05	0.02	0.3	0.194	0.04	0.1	76	0.2	52.3	5.89
14	230611	0.1	2.33	3.1	25.0	0.02	1.60	0.20	5.46	24.9	42.0	0.20	51.3	5.31	8.0	3.8	0.22	15	0.06	2.5	20.5	2.07	642	1.09	0.057	0.38	51.9	1431	5.95	1.4	0.003	1.12	0.42	2.6	0.3	0.3	25.0	<0.05	<0.02	0.5	0.206	0.02	0.2	100	0.2	66.0	6.93
15	230612	0.1	2.40	2.2	39.0	0.02	1.01	0.06	3.56	18.5	50.5	0.26	46.5	5.24	7.6	3.9	0.34	10	0.08	1.5	24.8	2.75	636	0.92	0.059	0.28	41.4	1157	5.45	2.5	0.004	1.36	1.12	5.1	0.1	0.3	15.0	<0.05	<0.02	0.4	0.227	0.04	0.1	102	0.2	53.5	8.98
16	230613	0.1	2.23	2.8	29.0	0.04	2.35	0.16	5.62	25.6	41.5	0.34	50.5	5.57	7.6	3.8	0.38	15	0.09	2.5	18.7	2.24	757	1.26	0.063	0.30	53.1	1372	8.19	3.4	0.005	2.08	0.66	4.9	0.3	0.3	42.0	<0.05	<0.02	0.5	0.203	0.04	0.2	108	0.2	71.1	10.35
17	230614	0.1	1.32	1.2	32.5	<0.02	1.63	0.11	8.11	12.4	40.5	0.12	58.5	2.72	5.0	2.1	0.36	25	0.06	4.0	4.5	0.73	418	0.40	0.062	0.52	9.3	1101	2.83	1.5	0.005	0.04	0.40	3.8	<0.1	0.3	146.0	<0.05	0.06	0.6	0.245	<0.02	0.3	102	0.2	44.7	9.69
18	230627	0.1	0.26	5.6	54.0	0.04	1.59	0.06	8.22	5.4	64.5	0.36	29.3	1.92	0.9	1.3	0.10	10	0.14	4.5	0.2	0.14	445	0.23	0.058	0.06	8.6	469	5.48	4.5	0.004	0.50	1.00	2.8	0.6	<0.1	63.0	<0.05	<0.02	0.7	0.001	0.02	0.3	8	<0.1	29.7	4.79
19	230634	0.2	1.40	8.3	26.5	0.66	2.45	0.23	10.97	17.2	61.0	0.38	120.1	5.04	8.4	3.2	0.10	20	0.10	5.0	15.2	1.51	483	8.08	0.065	0.02	24.1	868	8.98	3.0	0.008	2.06	7.34	8.7	1.8	<0.1	208.0	<0.05	0.36	0.9	0.004	0.02	0.2	112	0.1	50.7	2.96
20	230643	0.2	0.41	28.1	172.0	0.04	0.06	0.17	7.05	4.9	109.0	0.46	48.0	4.46	1.5	2.9	<0.02	1050	0.07	3.5	2.0	0.06	117	2.66	0.028	0.04	9.1	833	3.73	2.3	0.007	0.06	90.32	3.4	1.9	0.2	7.0	<0.05	0.02	0.6	0.001	0.38	0.1	22	0.1	44.3	0.75

QC DATA:

Repeat:


1	230451	0.2	1.92	2.5	58.0	0.10	3.30	0.27	16.46	23.8	79.5	0.28	117.1	5.45	10.9	3.6	0.26	35	0.02	8.5	14.3	1.91	995	0.52	0.078	0.24	32.8	1651	19.34	0.5	0.003	0.48	3.42	11.7	0.8	0.3	186.5	<0.05	0.04	1.1	0.115	0.08	0.5	172	0.4	100.5	10.07
10	230602	<0.1	0.52	17.6	99.5	0.04	>10	0.07	10.26	11.7	24.0	0.88	37.1	3.51	1.2	1.9	0.04	50	0.13	5.0	3.0	2.31	888	0.35	0.036	<0.02	7.2	526	7.77	5.3	0.004	0.16	11.90	7.4	0.2	0.1	278.5	<0.05	0.06	0.5	0.001	0.08	0.1	44	0.2	37.6	1.14

Resplit:

1	230451	0.1	1.89	6.5	56.5	0.10	3.35	0.28	16.32	23.1	76.5	0.28	118.9	5.36	10.8	3.4	0.28	35	0.02	8.5	14.1	1.90	987	0.30	0.074	0.24	32.1	1611	18.22	0.5	0.004	0.46	3.52	11.6	0.8	0.4	196.5	<0.05	0.06	1.1	0.116	0.08	0.5	170	0.2	103.7	10.44
---	--------	-----	------	-----	------	------	------	------	-------	------	------	------	-------	------	------	-----	------	----	------	-----	------	------	-----	------	-------	------	------	------	-------	-----	-------	------	------	------	-----	-----	-------	-------	------	-----	-------	------	-----	-----	-----	-------	-------

Standard:

PB129a		11.5	0.86	5.6	56.0	0.46	0.50	55.08	9.75	4.8	11.0	0.10
--------	--	------	------	-----	------	------	------	-------	------	-----	------	------



BCGold Property Outline

Rock Sample
▲

Silt Sample
■

Soil Sample
●

Road

Trail

Lake

Stream

Elevation Contour
Contour interval 50m

Lithology and Structure

2009 Mapping


Shearing		1 Mudstone/sandstone
Fracturing		2 Andesite flow/agglomerate
Vein		3 Fsp-rhyritic felsic intrusive
Bedding		

bcg bccgold
CORP

Rainbow Creek Property
Assessment Report
Map 3
Geology and Sampling

Date: 17/11/2009
Author: G. Newton
Office: Vancouver
Drawing: 3
Scale: 1:10000
Projection: UTM Zone 10 (NAD 83)
Filename: 2009_004_GeologyMap.WOR

0 125 250 500
metres



BCGold Property Outline

BCGold Property Outline
 Road
 Trail
 Lake
 Stream
 Elevation Contour
 Contour interval 50m
Au-in-rock
 g/t
 0.15 to 0.18
 0.015 to 0.03

Lithology and Structure
2009 Mapping

	Shearing		1 Mudstone/sandstone
	Fracturing		2 Andesite flow/agglomerate
	Vein		3 Fsp-rhy-felsic intrusive
	Bedding		

Date: 30/9/2010	RAINBOW Property ARM & STRONG Claims Au-in-rock (g/t)
G Newton	
Vancouver	
5	
Scale: 1:10000	Projection: UTM Zone 10 (NAD 83) UTM Zone 10 (NAD 83)