



Exploration Report on Diamond Drilling Program within the Gold Creek
Property 2009

SOW 4543432 for \$80,000 is to be applied to this report.

BC Geological Survey
Assessment Report
31562

Bullion Gold Corp.
307 - 1500 Hardy Street, Kelowna, BC V1Y 8H2
Ph: 250-862-3088 Facsimile: 250-868-0798

EXPLORATION REPORT ON DIAMOND DRILLING PROGRAM WITHIN THE GOLD CREEK PROPERTY CARIBOO GOLDFIELDS PROJECT, LIKELY AREA CARIBOO MINING DIVISION, BRITISH COLUMBIA

LOCATED: 115 km northeast of the city of Williams Lake

52° 62' North Latitude and 121° 54' West Longitude

NTS: 93A/12

WRITTEN FOR: Bullion Gold Corp. (the sub. of the parent Tiex Inc.)
Suite 307, 1500 Hardy Street
Kelowna, British Columbia
V1Y8H2

WRITTEN BY: John Buckle, P.Geo.
Geological Solutions
20 Segwun Rd.
Waterdown, Ontario L0R 2H6

DATED: January 18th, 2010

Contents

LIST OF ILLUSTRATIONS	3
SUMMARY.....	3
INTRODUCTION AND GENERAL REMARKS	3
PROPERTY AND OWNERSHIP.....	4
LOCATION AND ACCESS.....	8
PHYSIOGRAPHY	9
PREVIOUS WORK.....	10
GEOLOGY.....	14
REGIONAL.....	14
PROPERTY	17
MINERALIZATION.....	19
GOLD CREEK SECTION	19
Lithology	19
Structure	19
Gold Mineralization and Alteration.....	20
DIAMOND DRILLING.....	21
DRILLHOLES.....	22
SAMPLING PROCEDURE.....	23
ANALYTICAL METHODS.....	23
Advantages of ICP-AES Spectroscopy.....	23
Limitations of ICP-AES Spectroscopy	23
COMPIRATION OF DATA	24
DISCUSSION OF RESULTS	24
Conclusions and Recommendations.....	25
SELECTED BIBLIOGRAPHY	27
AUTHOR'S CERTIFICATE	28
Appendix A Drillhole Logs	29
Appendix B Core Sample Assays	30
Appendix C Statement of Expenditures.....	31

LIST OF ILLUSTRATIONS

Figure 1 Location of Gold creek Project	4
Figure 2 GOLD CREEK CLAIM MAP	5
Figure 4DRILLHOLES ON CLAIM MAP.....	9
Figure 5Drillholes plotted on colour contoured MMI gold values map (ppb)	22
Figure 6 DRILLHOLES ON UTM 599000 SECTION, LOOKING WEST	25
Table 1Table of contiguous claims comprising the cariboo goldfields project.....	5
Table 2 Table of drillholes	21

SUMMARY

The drilling program was carried out on the Gold Creek Grid, within the northwest section of the Cariboo Goldfields Project, during the explorations season of 2009. The drill holes are located approximately 40 km north-northwest of the settlement of Horsefly and approximately 115 km northeast of the town of Williams Lake within the Cariboo Mining Division of B.C.

The general purpose of drilling on this property is to locate the source of gold mineralization identified in the MMI geochemical survey and indicated in the mapping of the Gold Creek outcrop. The drilling results were also used as an interpretation aid for the induced polarization geophysical data also conducted on the Gold Creek prospect. Drill logs are included as Appendix A.

The drill program consisted of 3 drill holes GC09-01 to a depth of 73.3m, GC09-02 of 105.2m and GC09-03 to 205.4m totaling 383.9 meters. The drill core was sampled for the entire length of each hole with samples of one meter or one half meter depending upon the observed mineralization and alteration. These samples were bagged and sent to Chemex Laboratories in North Vancouver, British Columbia for analysis where they were tested for 36 elements. The analysis of elements, other than gold, was used as indicators for future mapping and exploration purposes. The results for gold of these samples are presented in Appendix B.


INTRODUCTION AND GENERAL REMARKS

This report discusses the drill holes, analytical results and geological interpretation of 3 holes drilled on the Gold Creek prospect within the Cariboo Goldfields Project, which is located to the northeast of Williams Lake, BC, and is owned by Tiex Inc.

The drilling work was carried out by LDS Drilling crew of eight men, during the period of December 11th to December 18th, 2009. The amount of work carried out was as follows: The main purpose of the exploration program on this property is to look for gold mineralization.

The purpose of the drilling program was to test the continuity of mineralization observed in the Gold Creek prospect outcrop and an anomalous zone identified in the MMI geochemical survey. MMI stands for mobile metal ions and describes ions, which have moved in the weathering zone and that are weakly or loosely attached to surface soil particles. MMI, which requires special sampling and testing techniques, are particularly useful in responding to mineralization at depth probably in excess of 700 meters. MMI is not affected by glacial till, while standard soil sample techniques are affected by glacial till. MMI is characterized in having a high signal to noise ratio and therefore can provide accurate drill targets. However, it may also move along fault lines and therefore could show the causative source to be laterally moved from where it actually is.

PROPERTY AND OWNERSHIP



Map Center: 54.4781N 124.7082W

FIGURE 1 LOCATION OF GOLD CREEK PROJECT

The Cariboo Goldfields Project is comprised of 77 mineral claims covering a total area of 157,211.6625 hectares described as follows and as shown on table 1. The Gold Creek prospect approximately comprises the following 10 claims: 519613, 408756, 408757, 408758, 408759, 537744, 514859, 537740, 544520, 593917.




TABLE 1 TABLE OF CONTIGUOUS CLAIMS COMPRISING THE CARIBOO GOLDFIELDS PROJECT

Tenure Number	Claim Name	Tenure Type	Good To Date	Area (ha)
408756	MAR 1	Mineral	2016/mar/01	25.0
408757	MAR 2	Mineral	2016/mar/01	25.0
408758	MAR 3	Mineral	2016/mar/01	25.0
408759	MAR 4	Mineral	2016/mar/01	25.0
514859	ORO	Mineral	2012/nov/01	392.374
514935	ORO 2	Mineral	2012/nov/01	411.747
519042	AFI 11	Mineral	2012/nov/01	294.11
519043	AFI 12	Mineral	2012/nov/01	470.453
519044	AFI 13	Mineral	2012/nov/01	470.46
519056	AFI 14	Mineral	2012/nov/01	235.228
519576	AFI 15	Mineral	2012/nov/01	450.727
519613	AFI FR	Mineral	2012/nov/01	19.628

537740	AFI 1	Mineral	2012/nov/01	470.869
537744	AFI 3	Mineral	2012/nov/01	490.442
537745	AFI 4	Mineral	2012/nov/01	490.262
537746	AFI 5	Mineral	2012/nov/01	470.733
537747	AFI 6	Mineral	2012/nov/01	451.298
537748	AFI 7	Mineral	2012/nov/01	470.652
537749	AFI 8	Mineral	2012/nov/01	490.212
537750	AFI 9	Mineral	2012/nov/01	451.001
544520	AFI 2	Mineral	2012/nov/01	529.896
553666	SHORTS 6	Mineral	2010/may/30	456.2196
553790	PETER 10	Mineral	2010/may/30	197.945
554959	BRIAN	Mineral	2010/aug/01	2488.869
555064	LLOYD 1	Mineral	2010/aug/01	3171.1965
555067	LLOYD 2	Mineral	2010/aug/01	1221.599
555070	CROOKED LAKE 1	Mineral	2010/aug/01	3444.072
555073	LLOYD 3	Mineral	2010/aug/01	3643.109
555075	LLOYD 4	Mineral	2010/aug/01	892.395
555109	SHORT FR	Mineral	2010/may/30	59.456
559680	MMM	Mineral	2010/apr/01	59.3235
565908	BRIAN 2	Mineral	2010/aug/01	4661.4706
565909	BOND	Mineral	2010/apr/01	5424.8912
565911	TEAPOT	Mineral	2010/aug/01	2960.0638
565993	MAX	Mineral	2010/apr/01	2926.1775
570785	SKY FR	Mineral	2010/jan/10	215.942
570786	SPANISH	Mineral	2010/jan/10	864.469
572217	PETER 11	Mineral	2010/may/30	237.8333
573951	MCKUSKY CREEK	Mineral	2010/aug/01	872.5347
573954	MOFFAT CREEK	Mineral	2010/may/30	8049.2688
575522	FORK 3	Mineral	2010/apr/01	27246.3373
575531	BABO 2	Mineral	2010/aug/01	12238.9242
575535	FORK	Mineral	2010/apr/01	24036.6316
575538	BABO	Mineral	2010/aug/01	7156.9595
575540	PETER	Mineral	2010/may/30	1465.9623
575541	PETER 1	Mineral	2010/may/30	991.9715
575542	PETER 2	Mineral	2010/may/30	1785.9839
575545	BRIAN 1	Mineral	2010/aug/01	3683.0676
575570	BRIAN 11	Mineral	2010/aug/01	551.0277
580540	LOUIS 1	Mineral	2010/apr/06	78.659
580543	LOUIS 2	Mineral	2010/apr/06	393.1826
580546	CEDAR1	Mineral	2010/apr/01	491.8417
580550	LOUIS 3	Mineral	2010/apr/06	39.3203
580552	CEDAR 2	Mineral	2010/apr/01	491.7431
580553	LOUIS 3	Mineral	2010/apr/06	19.6573
580589	CEDAR 3	Mineral	2010/apr/01	649.1534
580647	JC	Mineral	2010/nov/01	117.8575
581629	LOUIS 5	Mineral	2010/apr/18	19.6553
586636		Mineral	2010/nov/01	78.4353
587244	PEGGY 1	Mineral	2010/may/30	476.056
587246	PEGGY 4	Mineral	2010/may/30	495.5866
587248	PEGGY 5	Mineral	2010/may/30	495.4324

587250	PEGGY 6	Mineral	2010/may/30	356.5943
587254	PEGGY 2	Mineral	2010/may/30	495.4763
587255	PEGGY 3	Mineral	2010/may/30	495.7119
587257	PEGGY 8	Mineral	2010/may/30	99.1554
587427	FRAN B	Mineral	2010/nov/01	196.3078
587428	FRAN 1	Mineral	2010/nov/01	314.3122
587737	FRAN SOUTH 4	Mineral	2010/nov/01	137.5223
587739	FRAN SOUTH 2	Mineral	2010/nov/01	157.12
587741	FRAN SOUTH 3	Mineral	2010/nov/01	157.1234
587743	FRAN SOUTH 1	Mineral	2010/nov/01	157.1152
587744	FRAN NORTH	Mineral	2010/nov/01	255.2086
590114	FRAN 3	Mineral	2010/aug/17	392.7128
593917	MOOREHEAD 24	Mineral	2010/dec/10	314.0772
593919	MOOREHEAD 27	Mineral	2011/nov/01	19.6312
612963	C LAKE	Mineral	2010/jul/28	435.1466
Total Area:				135,993.60

The property is owned by Bullion Gold Corp. of Kelowna, British Columbia and is comprised of the following claim numbers: 408756, 408757, 408758, 408759, 514859, 514935, 519042, 519043, 519044, 519056, 519576, 519613, 537740, 537744, 537745, 537746, 537747, 537748, 537749, 537750, 544520, 553666, 553790, 554959, 555064, 555067, 555070, 555073, 555075, 555109, 559680, 565908, 565909, 565911, 565993, 570785, 570786, 572217, 573951, 573954, 575522, 575531, 575535, 575538, 575540, 575541, 575542, 575544, 575545, 575570, 580540, 580543, 580546, 580550, 580552, 580553, 580589, 580647, 581629, 586636, 587244, 587246, 587248, 587250, 587254, 587255, 587257, 587427, 587428, 587737, 587739, 587741, 587743, 587744, 590114, 591241, 591249, 591251, 591252, 591253, 591254, 591255, 591256, 591257, 591258, 591259, 591260, 591261, 591262, 591263, 591264, 591265, 591266, 591267, 591268, 591269, 591431, 591437, 591439, 591440, 591442, 591444, 591446, 591447, 591448, 591449, 591450, 591452, 591453, 591454, 591455, 591457, 591458, 591460, 591461, 591464, 591465, 593917, 593919, 612963

LOCATION AND ACCESS

Parts of this section are taken from Dan Cardinal's 2008 report. The northwestern section of the Cariboo Goldfields Project, which makes up the Gold Creek Grid, occurs approximately 40 km north-northwest of the settlement of Horsefly and is located approximately 115 km northeast of the town of Williams Lake.

The geographical coordinates for the center of the grid are 52° 62'55" North Latitude, and 122° 54'36" West Longitude with the approximate UTM coordinates being 598500 m E and 5831500 m N. The NTS index is 93A/12, and the BCGS index is 93A.063.

Gold Creek prospect is readily accessible by paved road from major population centers in the region such as Williams Lake. Easiest access is gained from the Cariboo Highway (Highway 97) starting (turn right) at 150 Mile House, 25 kilometers east of Williams Lake; there a paved all- weather road, the "Gold Rush Trail" joins the main highway from the north. The road is followed for 91 kilometers. The property is at Potter's Mill, located 2 kilometers north of the village of Likely on Keithley Creek Road.




FIGURE 3DRILLHOLES ON CLAIM MAP

PHYSIOGRAPHY

The grid and regional area occupy part of the Quesnel Highland, a physiographic transition zone of hills, valleys (e.g. Poquette Lake and Beaver Creek valleys) and low mountains (e.g. Spanish Mountain and Mount Polly). The highland lies between the gently undulating Cariboo Plateau in the west and the higher and rugged sub-alpine to alpine terrain of the Cariboo Mountains, part to the Columbia Mountain ranges, in the east.

The Gold Rush Trail from 150 Mile House to Likely intersects topographic and physiographic features that are expressions of the predominate underlying bedrock units. The western portion of the road is underlain by flat-lying Tertiary plateau basalts which form distinctive rolling grasslands and local stands of trembling aspen, a topography of northwesterly trending undulations 10 to 25 kilometers across. Beaver Creek valley represents the eastern margin of the Cariboo Plateau basalts marked by a prominent basalt rimrock scarp along the western side of the valley. From here the road enters into the transition zone of the Quesnel Highland with increase in mixed stands of evergreens and deciduous vegetation. The valley also marks the southwestern boundary of the Quesnel Trough comprised of a thick assemblage of Mesozoic volcanic and sedimentary rocks and some plutons. The higher hills around and east of Likely and the larger and deeper bodies of water, Quesnel and Horsefly lakes, are underlain mainly by sedimentary rocks of Mesozoic basal clastic assemblage and overlie higher grade basement metamorphic rocks. The village of Likely sits along the northeastern margin of the volcanic assemblage and along back arc-continental margin, volcanic-sedimentary facies change.

Typical elevations in the Quesnel Highland and Property area locally range from about a low of 640 meters at the confluence of Quesnel and Cariboo Rivers (Quesnel Forks), the undulating plateau to west varies from 900-1100 meters, to the east where Cariboo Mountains raise to about 2000 meters.

The nearest major city centers are Quesnel and Williams Lake both are resource (mining, logging, and ranching) based communities with an experienced labour force. The communities are supply and service points for fuel, groceries, accommodation and heavy construction equipment. Both also have regular scheduled air and train service. The village of Likely with

350-400 residents, is serviced with power and offers accommodations, small grocery store and local small equipment contractors are available for mineral exploration purposes. A major electrical transmission line serves the Mount Polley copper-gold mining operations located some 8 kilometers due south-southwest of Likely.

The climate of the Likely-Horsefly area is modified continental, with cold, snowy winters and long warm summers. Being located just east of the Interior dry belt, the area receives about 40 centimeters of precipitation, with most of it falling in the winter as snow. Snow depths in the Quesnel Highlands is typically 1 to 2 meters.

PREVIOUS WORK

Records of gold mining in the Quesnel River area date back to the earliest history of placer mining in British Columbia. There is mention as early as 1852 of natives trading gold nuggets from unknown sources at the Hudson's Bay Company trading post at Kamloops.

In 1859, rich river-bar placer gold was first found in the Quesnel River in an area what was to become the settlement of Quesnel Forks. Shortly after, placer gold was found at the confluence of Horsefly and Little Horsefly rivers, prospectors reportedly took out 101 ounces in one week. The news of rich placers in the Cariboo travelled quickly and the great Cariboo gold rush began. In 1860, prospectors from Quesnel Forks worked up the Cariboo River to Cariboo Lake where rich placer was found on Keithley and Antler creeks. The following season saw further prospecting up the creeks and over the divide into Williams Creek. The phenomenal richness of the gravels in this creek surpassed all the previous diggings to date. Nearly a thousand miners descended the area and for four years the surface gravels produced unheard of amounts of gold, approximately \$2,000,000 worth (117,647

ounces at \$17.00 per ounce). Between 1874 and 1945, a recorded 827,741 ounces of gold, valued at \$14,898,601, was recovered from the Cariboo goldfields (Holland, 1950).

The Bullion pit located on the south side of the Quesnel River, about 8 kilometers downstream from Likely, was the largest hydraulic mine in the Cariboo region and one of the largest in the world. Work began in the early 1870s, continued through to the 1940s. The greatest amount of production was through the periods

1894 to 1905 and 1934 to 1941. Approximately 171,000 ounces (5320 kg) was recovered up to 1942 (Panteleyev, et al, 1997).

The main activity took place in the Wells-Barkerville, Lighting Creek, Keithley Creek, Quesnel Forks-Likely and Horsefly River regions. These areas are still being worked for placer gold, though at a much reduced scale.

In more recent times the principal exploration and economic development targets in the central Quesnel belt-Cariboo Goldfields region have been for lode gold- copper type deposits. This includes: alkalic intrusion-related porphyry copper- gold deposits; gold-bearing propylitic alteration zones formed in volcanic rocks peripheral to some of the intrusions; auriferous quartz veins in the black phyllite metasedimentary succession.

Mount Polley copper-gold porphyry (i) deposit (formerly Cariboo-Bell) is located 56 kilometers northeast of Williams Lake and 8 kilometers southwest of Likely. The deposit was discovered in 1964. The initial pit reserves are stated to be 48.8 million tonnes of material with an average grade of 0.38% copper and 0.56 gram per tonne gold (Nikic et al., 1995). The geological resource is estimated at 230 million tones with an average grade of 0.25% copper and 0.34 gram per tonne gold (MINFILE). Total proven and probable reserves as of January 1, 2007 are 59.9 million tonnes of 0.36% copper, 0.27 gram per tonne gold and 0.73 gram per tonne silver (www.imperialmetals.com) The QR is a 'porphyry-related propylite (ii) skarn gold deposit' (Panteleyev et al., 1997). It represents a new type of bulk-mineable gold occurrence in the Canadian Cordillera.

The QR is 58 kilometers southeast of Quesnel and 10 kilometers west of Quesnel Forks. It was discovered in 1975 by multi-element geochemical soil surveys. In 1986, mineable reserves in three zones were 1.3 million tonnes with 4.7 gram per tonne gold (Fox and Cameron, 1995). As of 1998, 1.06 million tonnes of ore grading 4.1 gram per tonne gold had been processed. Mine operations were subsequently suspended due to low gold prices. Cross Lake Minerals Ltd. recently obtained the mine and conducted an aggressive exploration program. As of March 2006, the mineable reserves are 566,300 tonnes averaging 6 grams per tonne gold. In September 2007, the company resumed mining operations.

Auriferous-bearing quartz veins (iii) hosted in metasediments (e.g. phyllite/black shale units) have been found on Spanish Mountain 7 kilometers southeast of Likely and Eureka (FraserGold) 57 kilometers east of the community of Horsefly. In 1933, gold-quartz veins were first discovered on Spanish Mountain. During the 1980s a series of exploration programs was conducted in this area by a number of various mining companies. Presently, Skygold Ventures Ltd. is undertaking an aggressive drilling program and has outlined a gold mineralized system measuring 1200 metres by 500 metres (Main Zone) with thickness between 10 to 135 metres and grades averaging around 1.0 gm/mt gold (March 27, 2008, www.skygold.ca). In the 1980s gold veins were discovered on FraserGold property. Between 1980 and 1994, exploratory drilling delineated an auriferous-bearing horizon traceable for 10 kilometers along strike. Within this horizon, a zone 800 metres to a depth of 100 metres was

defined containing a resource of 3.2 million tonnes grading 1.71 grams per tonne gold (Panteleyev et al, 1997).

Some of the earliest (circa 1920s and earlier) reported gold placer workings on the Property were on Lawless Creek and Rose Gulch near Quesnel Forks and on Poquette Creek two kilometers east of Likely. These workings were small intermittent operations and no records exist for the amount of gold recovered. Gold Creek, a small stream (usually dry or to a small trickle in summer months) which empties into Poquette Creek about 2.5 kilometers north of Likely, is reported (Beaton, ARIS 07635A, 1978) to have been worked some time during the early part of the 1900s. At the point where the creek emerges from a gully to merge with Poquette valley, early prospectors noted a system of quartz stringers occurred in bedrock at, and just above the creek level. Subsequently these stringers were investigated by an adit (and winze?) now concealed under talus; and later by blasting and cat trenching to open the showings. Unfortunately results of this early work are not known to the author and no records appear to be in existence.

In 1977, prospector R. Mickle staked ground including the Gold Creek old workings and the quartz showings noted above. These showings are also referred to as the Moose' showings (Owsiacki, 2007). In 2006, Mickle sold the claims to Bullion Gold Corp. covering the Gold Creek area.

From 1978 through to the late 1980s the ground now covered by the Property experienced various stages of exploration surveys by several different exploration and mining companies.

In 1978, Silver Standard Mines Ltd. initially optioned the claims from Mickle and conducted limited geochemical soil surveys followed by four diamond drill holes in the Gold Creek-Poquette valley area. On the east slope of Poquette valley parallel to Gold Creek, geochemical results were as high as 620 ppb and 900 ppb Au. Directly across the valley on the west slope, some of the more anomalous geochemical values ranged between 120 ppb to 1800 ppb Au. Four widely spaced drill holes were positioned to test the geochemical anomalies on either side of the valley and also to test the gold-bearing quartz veins near the old workings. The drill results returned low gold values this is probably due to the poor core recovery and badly broken rock, one hole was abandoned and the other three did not reach their planned targets. No further drilling was carried out.

In October 1979, the author along with Dr. John Godfrey of the University of Alberta examined the Gold Creek showing as well as number of other gold anomalous areas Mickle had uncovered including workings on Spanish Mountain. Continuous chip sampling was carried out along an exposed rock face adjacent to Gold Creek in the area of the former old workings. Samples were collected from both of the mineralized quartz veins and host rock. Results from this sampling included 1.7 gm/mt gold and 8.7 gm/mt silver across 20.7 metres. Within this interval was 2.3 gm/mt gold across 12.48 metres. The altered host rock was also found to carry gold and silver averaging between 0.815 gm/mt and 8.7 gm/mt respectively. Between 1980 through to 1993 various mining and exploration companies examined ground primarily concentrating in a 75 square kilometer (approximately 15 km by 5 km) area, from Quesnel Forks and to Spanish Mountain including the Property now owned by Bullion Gold Corp.

In 1980, Aquarius Resources Ltd acquired most of the claims in the Likely area from Mickle and partnered with Carolin Mines Ltd.

Between 1980 and 1994 reconnaissance geochemical soil surveys and airborne EM and magnetometer surveys were completed. Between the Forks and Poquette valley several isolated gold geochemical highs were outlined with a magnetic anomaly trending northwesterly between the Forks and Spanish Mountain. Some limited trenching was conducted but with marginal success due

to the thickness of overburden. Majority of the gold highs are believed to be glacial or placer related with basaltic rocks encountered in the shallower trenches producing the magnetic signature.

In 1984-1986, Mt. Calvery Resources Ltd. in joint venture with Carolin conducted a comprehensive geochemical exploration program which included backhoe trenching of gold anomalous areas. Eleven backhoe trenches were dug to test some of the better gold soil anomalies located between Rosette Lake (east of the Forks) north to the Cariboo River, now part of the Property, but only 4 reached bedrock. The old 'LK' prospect located by Mickle was trenched and chip samples collected from altered (epidote, carbonate, silica) basalt, some of the better values included one 4 meter chip assaying 535 ppb and a grab sample returned 3100 ppb (3.1 gm/mt Au). Mickle reported initially obtaining a grab sample from this prospect with gold values of 7100 ppb. Gold Creek was also soil sampled with gold values peaking to 89,000 ppb. Mt. Calvery describes the Gold Creek mineralization as contained within a prophylitic alteration halo surrounding a poorly exposed diorite stock located just west of Poquette Creek.

Eighteen additional test pits were completed in the Murderer Creek area north of the Cariboo River and west of Poquette Creek and Potter's Mill. Ten reached bedrock encountering basalt or andesitic rocks. Majority of the isolated gold soil highs are believed to be glacial or placer related. Mt. Calvery concluded due to the thick mantle of glacial till it severely restricted the effectiveness of the geochemical survey. One of the test pits encountered elevated values in gold (245 ppb), silver (1.5 ppm), copper (310 ppm) and arsenic (1942 ppm) near bedrock located about 300 metres northwest of Potters Mill.

A total of 45 test pits were completed to test both geochemical and I.P. anomalies. Majority of the pits encountered weakly (silicified) altered basaltic rocks. Some of the basalt is weakly (1-3%) pyritized which may be sufficient to explain some of the I.P. anomalies.

In 1987, Dome Exploration (Canada) Ltd. conducted a 28 percussion drill hole program on four of the soil anomalies outlined from Mt. Calvery surveys. Five foot (1.5 m) continuous chip sample intervals were collected from surface to bottom of each hole. Most of the holes were positioned east of Poquette Lake along the south side of the Cariboo River and east of Murderer Creek. In addition, a 15 meter trench was dug and sampled over an area where visible gold was found in float sample. Majority of the holes encountered 20 feet (6.1 m) of overburden or greater before hitting bedrock with one hole going 150 feet in overburden. Some of the holes were abandoned in overburden most encountered dark green augite porphyry basalt with negligible gold values. The best results came from hole 329- P25. It is described as encountering 20 feet of overburden with bedrock as light grey-green, fine grained andesite tuff and trace amounts of pyrite, epidote and mariposite drilled to a depth of 200 feet (61 m). Local zones of quartz and calcite to 10% noted throughout. A section from top of bedrock to a depth of 135 feet (41 m) returned elevated gold, copper and arsenic values, which included a 7.6 meter section (25'-50') ranging 91-1115 ppb gold. This hole is located near the south end of Poquette Lake and some 150 metres west of Porter's Mill. The geological description of the hole resembles that of the auriferous-bearing host rock found on Gold Creek.

In 1989, Corona Corporation optioned the ground from Carolin Mines Ltd. Corona also concentrated its exploration efforts on ground Mt. Calvery and Dome had previously sampled, ground now covered by the Property. Corona sample the Gold Creek exposed section across 6.2 metres averaging 3.43 gm/mt gold. Additional rock sampling and limited geological mapping was also conducted on the west side of Poquette Creek south of the road to Potter's Mill. Two samples were collected from altered, hematite stained diorite which returned low gold values but high silver values of 71.8 and 27.7 ppm. This is also in the approximate area where Silver Standard Mines Ltd. (1978) obtained several elevated gold values in soil including one oil sample containing 1.8 gm/mt gold. Corona also

sampled the LK trench. Anomalous gold values (320 ppb to 2150 ppb) were returned for all but three of the rocks assayed. Silicified vesicular basalts with chalcopyrite, disseminated pyrite, 2mm quartz veinlets and carbonate clots assayed 2.15 and 1.72 gm/mt gold. Much of the work conducted by Corona was of reconnaissance in nature and to investigate and verify previous gold anomalous areas the above noted companies had already tested and defined. Corona subsequently dropped their option.

Other than a small block of claims covering Gold Creek held by Mickle, the surrounding ground eventually came open and lay dormant for several years. In 2006, with the introduction by BC Ministry of Energy, Mines and Petroleum Resources of Mineral Titles Online (MTO), companies including Bullion Gold Corp. began acquiring ground in the Likely area. In 2006-07, Skygold Ventures Ltd announced a series of positive gold results from its drilling program on Spanish Mountain this, along with a dramatic increase in the price of gold, spurred a lot of interest along the Quesnel Belt. In the summer of 2006, Bullion Gold Corp. purchased the Gold Creek claims from Mickle, now part of the Property.

During the summer of 2007, the author conducted detail mapping and sampling surveys of the Gold Creek section as well as research and compilation of previous work and preliminary field investigation on parts of the property. Continuous chip samples taken from the Gold Creek section across 20.5 metres returned a weighted average assay of 4.34 gm/mt gold included in this section is 9.55 gm/mt gold across 8.5 metres. In 2008, Bullion plans to aggressively drill the Gold Creek section and test both the east and west sides of Poquette Creek valley.

In 2008 Bullion Gold Corp. on behalf of Tiex Inc. conducted an 11 hole drill program on the Gold Creek zone on the west side of the Poquette Valley. Due to poor recoveries of drill core the zone was not thoroughly investigated. However, sampling of the core indicated a significant gold zone in drill holes GC08-1, 2, 3, 4, 5 and 6. Drill hole GC08-11 on the west side of the Poquette valley encountered a short section of the Gold Creek zone near the top of the hole. Also, in 2008, Bullion undertook an MMI soil sampling survey on the west side of Poquette Valley. A gold anomaly was identified and drilling was recommended on this anomaly.

GEOLOGY

This entire section is taken from Dan Cardinal's 2008 report.

REGIONAL

The Cariboo gold property covers part of the historical Cariboo goldfields region, it lies within the central portion of the Quesnel Belt also known as the Quesnel Trough. The belt is highly endowed with various metallic deposits and mineral prospects including the company's promising Gold Creek prospect just north of Likely.

The Quesnel belt of southwestern British Columbia represents part of a much larger tectono-lithological assemblage referred to as the Quesnel Terrane (Quesnellia). Quesnellia is one of several accreted terranes that make up the Intermontane morphological belt. Quesnellia extends along the eastern boundary of the Intermontane belt traceable from the B.C-Washington border and trends northwesterly into northern BC for a distance of some 1,500 kilometers.

The Intermontane collage is made of fragments of Paleozoic-Mesozoic sedimentary basins, island arcs, accretionary wedges and tectonically bounded terranes (e.g. Quesnel belt), and are the product

of complex sequence of process resulting from subduction, obduction, collision, transcurrent movement and continuing tectonism.

The regional geologic setting briefly discussed in this report encompasses that part of the Quesnel belt that lies between Latitudes 52° 00' N - 52° 45' N and Longitudes 120° 30' W - 122° 00' W on NTS mapsheet 093A/12 referred to as the Central Quesnel Belt. Central co-ordinates of the Property are: Latitude: 52° 39' 01"N and Longitude: 121°34'03"W.

The central Quesnel belt is comprised of Mesozoic volcanic arc-sedimentary assemblage, intruded by coeval-cogmagmatic, alkalic composition plutons of Lower Jurassic age. Studies conducted by various authors (Pentleyev, Bailey, Bloodgood, & Hancock, 1997) confirm the presence of a regional synclinal structure formed within a Triassic continent-margin basin. It was infilled first with Mid-Upper Triassic sediments and then Upper-Lower Jurassic volcanic rocks for a total interpreted thickness of between 7-9 kilometers. Together these rocks constitute the Quesnel Trough.

The volcanic and sedimentary rocks of the Quesnel Trough have been mapped and divided into several different lithological units (Pentleyev, Baily & Bloodgood, 1997), see stratigraphic column of lithologies below.

Unit 1 represents sedimentary basin fill back-arc or marginal basin deposits. It structurally overlies Pennsylvanian-Permian age Crooked amphibolite-ultramafic unit (Struik, 1987; Rees, 1987). Unit 1 is commonly referred to as the 'black phyllite unit' and is mostly exposed along the eastern flank of the trough (e.g. Spanish Mtn. & Eureka Peak). It consists of mid-Triassic (Anisian-Ladinain age) siliceous rocks to mainly younger pelitic, thinly bedded deposits with overlying, more massive volcanoclastic sediments. Bloodgood (1990) has mapped, and subdivided Unit 1 into a succession of 6 stratigraphic subunits briefly noted in this report as follows: micaceous quartzite (unit Tra1), micaceous black phyllite (unit Tra2), phyllitic siltstone (unit Tra3), laminated phyllite and prophyroblastic phyllite (unit Tra4), silty slates (unit Tra5), and graphitic black phyllites (unit Tra6).

Unit 1a is a subunit defined (Penteleyev et al, 1997) as discrete volcanic and epiclastic rocks within the predominately sedimentary unit 1. Hornblende pyroxene basalt flows, breccia, related volcanoclastic deposits (volcanic sandstone and wacke) and conglomerate comprise this subunit. It has been mapped as a klippe on Eureka Peak (Bloodgood, 1987) and found as a thin belt between Horsefly Lake and Quesnel Lake, centered around Viewland Mountain. Northwest of Likely to the Cottonwood River, similar volcanoclastic sandstone, conglomerate and basaltic breccia are locally dominant lithologies near the top of the sedimentary succession (Bailey, 1988). Unit 1 and 1a have estimated total thickness of 2,500 metres (Bloodgood, 1987) The author places the 'Gold creek section' within the Unit 1a succession, as a potentially stratabound auriferous-bearing horizon occurring between the underlying sediments of Unit 1 and overlying volcanic pile of Unit 2 - see approximate position Gold Creek zone on lithological column.

Unit 2 Basalts of Upper Triassic (Norian age), (Penteleyev & Hancock, 1989; Bailey, 1988) consist of volcanic sucessions of the Quesnel island arc subdivided into three major map units (units 2, 3 and 4). Bailey (1978) estimates a thickness of 3100 metres for the volcanic succession. The two most voluminous volcanic assemblages, units 2 and 3 are further broken down into subunits. In general the volcanic succession consists of subaqueous pyroxene-phyric basalt flows and breccias (unit 2), an overlying sequence of pyroclastic and debris-flow (laharic) deposits (unit 3) and an upper unit of subaerial analcrite-bearing olivine basalt flows (unit 4). Shallow-water sedimentary rocks (parts of units 2 and 3) overlap and flank the volcanic accumulations. The subunits (Bailey, 1978; Penteleyev & Hancock, 1989) are as follows:

- Alakli Olivine Pyroxene Basalt (Unit 2a) - Green and grey pyroxene-phyric alkali olivine and alkali basalt flows, breccia, minor pillow basalt
- Alkali (Pryoxene) Basalt (Unit 2b and Clasts within Unit 2c) -Grey and maroon pyroxene-phyric alkali basalt flows and breccia, minor basaltic tuff and maroon sandstone.
- Unit2c - Polylithic grey and maroon mafic breccia
- Hornblende Pyroxene Basalt (Units 2a/2b and 2d) - Greenish grey and maroon hornblende-bearing pyroxene basalt
- Analcite-Bearing Pyroxene Basalt (Unit 2e) - Greenish grey and maroon analcrite-bearing pyroxene basalt flows, breccia and minor tuffs. The green basalts have a characteristic coarsely crystalline porphyritic fabric that is emphasized by the presence of large white to buff analcite crystals. The rock has been described as "bird-dropping rock" because to the white splotchy appearance.
- Sedimentary Successions of Capping Unit 2 (Unit 2f) - At the top of unit 2 is a thin succession of predominately sedimentary rocks, a consolidation of three sedimentary subunits: 2f, 2g and 2h (Bailey, 1990). The rocks are dominantly dark grey to brown mafic siltstone, sandstone, calcareous sandstone; grey limestone and limestone breccia; grey to greenish grey sandstone.

Unit 3 Polylithic'Felsic' Breccias of Lower Jurassic (Sinemurian) age. Rocks of this unit form a heterogeneous sequence of basaltic and intermediate composition (felsic) coarse volcanoclastic rocks deposited within a subaqueous shallow-water and subaerial conditions. The unit occupies the central axis of the Quesnel belt. The thickness accumulations of these rocks, including flow-dome complexes and possibly intrusive breccias, outline centers of eruptive volcanism and subvolcanic intrusive emplacement along the belt. Bailey (1978) has calculated an aggregate thickness of 2160 metres for this unit.

Unit 4 is a Subaerial Basalt comprised of a distinctive dark purple to maroon, vesicular and amygdaloidal, analcite and olivine-bearing pyroxene basalt flow and breccia assemblage. A maximum exposed thickness of 620 metres is estimated by Bailey (1978).

Unit 5 & 6 are Sedimentary Overlap units of Early to Mid Jurassic age which deposited in a post-volcanic basin that developed along the flanks and partially overlapped the volcanic arc. Unit 5 rocks are predominately dark grey siltstones and sandstones and indicate by fauna to be Pliensbachian age. Unit 6 is comprised of conglomeratic rocks and thin-bedded siltstone and sandstone beds which partly overlap both Cache Creek and Quesnellia rocks. On the basis of faunal evidence this unit is Aalenian-Bajocian age however the age of some of the conglomerates is uncertain and may be as young as Cretaceous and equivalent to rocks of unit 9.

Unit 9 are fluvial deposits composed mainly of polylithic conglomerates of Cretaceous age with predominately metamorphic clasts derived from the Barkerville Terrane and to lesser extent Slide Mountain Terrane. The conglomerate has a distinctive orange-weathering carbonate matrix and occurs near Likely and along Beaver Creek valley. Both Omineca highland to the east and the Quesnellia arc have experienced uplift and repeated erosion during Cretaceous and Tertiary producing fluvial channel-fill conglomerate unit. Tertiary and Neogene to Quaternary cover rocks make up remaining of the younger units in the region. Unit 10 Tertiary rocks are poorly exposed and consist of a variety of intermediate to felsic flows, ash flows, crystal and lithic tuffs and epiclastic lacustrine beds. Radiometric dating of the volcanic rocks and pollen from the sediments determined a Middle Eocene age for this unit.

Dark grey to black and maroon alkali olivine basalts subaerial flows and tephra make up Neogene plateau basalts of Unit 11. The rocks are typical of the widespread upper Tertiary plateau basalts that cover much of the south-central BC. Commonly flows display well formed columnar joints. A conglomerate Unit 11a underlies the basalt flows. The gravels consist of a distinctive white quartz cobble conglomerate that placer miners in the area refer to as the Miocene (placer gold) channel. In the Horsefly River valley the gravel is cemented with calcite. At the historic Hobson placer mine it forms a resistant conglomerate in which adits and tunnels were driven to mine the auriferous gravels.

Intrusive Suites: Two intrusive suites occur along the magmatic Quesnel arc region, those associated with Early Jurassic volcanism and those related to a period of younger, probably Cretaceous magmatism. The older intrusions are of alkalic composition and devoid of modal quartz. Generally they form small high-level intrusive bodies that are emplaced at approximately 9 to 13 kilometer intervals along the axis of the volcanic arc. They represent subvolcanic intrusions formed in, or near, eruptive centers. A few intrusions of various sizes and diorite to syenodiorite composition also occur in the basal sedimentary rocks. The author has noted one such intrusion between Quesnel Lake and Horsefly Lake in the Viewland Mountain area. The basal unit 1 in this area has hornfelsic alteration near the margins of the intrusion. A number of the alkalic stocks host porphyry copper-gold deposits, for example Mount Polley, Shiko Lake, Kwun Lake and Cantin Creek. The QR stock is associated with a significant volcanic-hosted gold deposit.

A small number of stocks and dikes of leucocratic granodiorite, quartz monzonite and granite occur in the map area and contain some copper and molybdenum. A molybdenum occurrence is hosted in granodiorite stock in the Nyland Lake area.

Bullion Gold Corp.'s exploration project occurs between the N.T.S. co-ordinates noted above trending northwest for about 100 kilometers along the central Quesnel Belt. The hamlet of Likely is the geographical centre for this project. The project area lies along the eastern margin of the Intermontane Belt along its tectonic boundary with the Omineca Belt. It is entirely within Quesnellia, sometimes alternatively referred to as Quesnel Terrane. The western terrane boundary of Quesnellia is with the Cache Creek Terrane marked by zone of high-angle, strike-slip faulting mapped as the southern extension of the Pinchi fault system (Gabrielse, 1991). Along the eastern margin of the project area rocks of Quesnellia and a thin slice of underlying 'Crooked amphibolite', part of the Slide Mountain Terrane are structurally coupled and tectonically emplaced by the Eureka thrust onto the Barkerville Subterrane of the Omineca Belt.

The company's objective is to establish an exploration model and exploration guidelines for the search and identification of potentially favorable gold-copper bearing host-rocks within the Quesnel plutovolcanic magmatic arc and basal sedimentary assemblage.

PROPERTY

Over 95% of the Property is covered by a thick mantle of overburden. Limited bedrock is exposed along portions Poquette Creek valley (e.g. Gold Creek section), near Quesnel Forks, Rose Gulch and sections of the south bank of Cariboo River (e.g. across from Kangaroo Creek). There are also the occasional sub-outcrops of bedrock along local ridges between the Forks and Poquette valley. The author and a highly experienced prospector (both have past field experience in the area) examined some of the outcrops but concentrated mapping and sampling surveys in the area of Gold Creek on behalf of Bullion Gold Corp.

Ministry of Energy, Mines and Petroleum Resources, Geology Division interprets the underlying geology in the Property as northwest trending Mesozoic basaltic volcanic and sedimentary rocks offset by a series of northeasterly trending faults. The author compiled data from historical work documented by other companies and was able to interpret in part, the underlying bedrock geology in an area between the Forks and Poquette valley.

Based from percussion drilling and trenching data, this area is comprised predominately of northwest trending, dark green, augite porphyry basaltic to andesitic unit bounded by sedimentary rocks. To the southwest, between Quesnel River and Rosette Lake, the volcanic rocks are in contact with partly sheared, black carbonaceous and thinly bedded argillaceous unit. Occurring between the sediments and the volcanic rocks is a band of polylithic conglomerate which can be observed along sections of residential roads in Likely leading to the Forks. To the northeast, south of the Cariboo River and east of Murderer Creek to Potter's Mill and Poquette Lake, the volcanic unit comes in contact with argillite and shale unit. Between these two units is a northwest trending coarser clastic altered horizon. One of the percussion holes (P25) intersected this horizon, cuttings are described as andesitic to volcanoclastic with carbonate alteration, disseminated pyrite and quartz-carbonate stringers throughout. It appears to resemble in part, and may be the northwestern extension of the Gold Creek mineralization described in more detail below, offset by the Poquette Creek fault system.

The volcanic unit is part of Unit 1a (Panteleyev et al, 1997), a sub unit which is hosted in the upper stratigraphy sequence of Unit 1 sedimentary succession. These volcanic rocks can be traced from the Forks partly exposed along south bank of the Cariboo River to Poquette valley where they are well exposed along Keithley Creek road. At an exposed section south of the river and across from Kangaroo Creek, here the volcanic rocks are pervasively altered with iron carbonate and appear to be more felsic to tuffaceous in appearance. Samples collected in 1979 by Cardinal and Godfrey were anomalous in gold up to .04 oz per ton (approximately 1.4 gm/mt). Along Keithley Creek road section the volcanic rocks are highly foliated, intensely sheared and faulted and altered to lower greenschist chloritic facies and carbonate alteration. They appear to be more andesitic than basaltic in composition.

Poquette Creek valley (Plate IB) is suggested to be a surface expression of a major north-northeast trending fault (Figure 4) and is interpreted by the author to have a dextral movement in the order of 400-500 metres. In a steep incise gully near where the creek merges with Quesnel River, approximately 2 kilometers east of Likely, the volcanic rocks are intensely brecciated and sheared, and on the east side of the gully are in fault-contact with easterly dipping, thinly bedded, argillaceous sediments. There is physical evidence this part of the gully was placer mined probably sometime during the early part of the 1900s.

Along the hillside, on the west side of the Poquette valley and across from Gold Creek, is a dark green, medium grain, equigranular, hornblende diorite intrusive stock. Due to the overburden and heavy vegetation its dimensions are presently unknown. It intrudes into and may be coeval and feeder to the overlying volcanics.

Its close spatial relationship to the Poquette Creek fault may also indicate that it is a post fault intrusive introduced along the fault system. From the author's brief examination of the diorite it appears to be relatively fresh and unaltered. Although several assessment reports (e.g. ARIS 7635, 12778 & 19299) note the diorite to be associated with propylitic alteration at the contact with the sedimentary rocks. Some silver and gold anomalous quartz veins are also reported to occur along its margins. The diorite may have played a role in the alteration and mineralization found in Gold Creek.

MINERALIZATION

Gold Creek is a small intermittent stream about 3 kilometers in length which flows from east to west. It cuts into the hillside overlooking the Poquette Creek valley carving an incised gulley along the lower section, exposing a window of altered and mineralized bedrock before merging with Poquette Creek. Its elevation ranges between 845 metres above mean sea level at the lower section to 910 metres near the crest of the hill where it begins to level off. The dimensions of the exposed mineralized section referred to as the 'Gold Creek section', the focus of the mapping and sampling, occurs along the lower 100 meter portion of the creek bed and along a 30 meter wide by 30 meter high west facing escarpment exposed immediately adjacent to and south of the creek. Gold Creek's topographic profile, erosion and limited bedrock exposure affords a restricted but apparent- inferred 3 dimensional view (roughly 100 metres north-south by 125 metres east-west and 50 metres in height) of the altered and mineralized section.

Gold Creek section (also 'the section')and study area is also cut by two access roads, the Keithley Creek road which runs north and south and follows Poquette valley is just 25 metres to the west of the exposed mineralized escarpment. The Spanish Mountain road runs diagonally across the hillside to the east of the escarpment cutting the eastern and upper portion of the mineralized zone

GOLD CREEK SECTION

The section is exposed along a steep escarpment crudely triangular in shape. The exposure is some 25-30 metres wide at the foot of the escarpment and about 30 metres in height narrowing to just a few metres in width near the apex where it is then covered by shallow overburden and vegetation. The section also partly outcrops on the north side of Gold Creek.

LITHOLOGY

The section is characterized by an orange iron oxide coating and is predominately comprised of partly silicified, carbonate altered, competent (brittle), fine-medium grain clastic sediments. The author tentatively describes the rock as a pervasively carbonate altered, volcanically derived tuffaceous wacke unit. The tuff-wacke unit is generally massive and buff to pale green when fresh. It characteristically has networks of fine black fractures with occasionally black lithic fragments. Bedding within the tuffaceous beds is rare and where observed on the exposed escarpment is generally finely laminated and appears to occur on the top or bottom of the coarser, massive wacke beds. Stratigraphically, the tuffaceous wacke unit occurs near the upper horizon of the Unit 1 sedimentary succession and just below the volcanic Unit la. It appears to represent a transition horizon between these two units and is probably in part derived from the Unit la volcanic rocks.

STRUCTURE

The finely laminated tuffaceous beds where observed, strike north-south and dip 40-45 degrees east. These folded beds are believed by the author to be part of a northeast limb of a major F1 synclinal fold (Bloodgood, 1986) and probably represents the initial phases of tectonic accretionary eastward moved of Quesnel Terrane with the Barkerville Subterrane, which produced a series of northeasterly converging folds. The tuff-wacke unit does not display any bedding cleavage or parasitic folds due to the competent and brittle nature of the beds. However, a series of northerly dipping, low angle (25-

30 degrees) joints or cleavage fractures indicate east-west folding (F2) of the beds overprinting the F1 folds suggesting an east-west recumbent fold hinge. However these joints or cleavage fractures may be more related to the faulting and movement along the Poquette fault system as drag folding rather than related to accretionary tectonism.

There are at least two sets of structurally controlled quartz vein systems hosted in the tuffaceous wacke associated with gold mineralization. The first set occurs along the joints or cleavage fractures and appear to be related to a metamorphic event. The second set occur as a series of narrow (1cm-4cm wide), sub-paralleling quartz veins, dipping steeply to the north and striking east and cut across the bedding and the first set of veins. The second phase of veining appears to be controlled by tension structures and may be more of hydrothermal in origin.

Gold Creek is mapped as an east-west fault, slickensides were noted along the rock walls in the creek gully, it probably produced a series of east-west propagation or tension fractures in the surrounding tuffaceous wacke that were subsequently healed by quartz veins noted above. The Gold Creek fault intersects the northerly trending Poquette Creek fault along the valley and is noted in earlier assessment reports as extending across the valley floor to the west slopes in the area of diorite stock.

Further up the creek gully is a northwest-southeast trending fault which the author refers to as the 'northeast fault-contact'. This fault is offset several metres by Gold Creek fault which has a sinistral movement with south side moving several metres to the east. The author believes this fault predates the Gold Creek and Poquette faults and is probably related to the Spanish Thrust (Panteleyev et al, 1997) fault found some 200-300 metres to the east. The northeast fault-contact appears to offset and marks the eastern boundary of the Gold Creek mineralized zone.

It appears the Poquette fault to have displaced the rocks along the west side of the valley by 400-500 metres to the north, as a right lateral offset. In one of the previous percussion holes located on the west side of the Poquette valley and west of Potter's Mill, rocks intersected are described as having similar alteration characteristics and quartz mineralization as the Gold Creek rocks. These rocks are interpreted as been displaced several hundreds of metres to the north.

GOLD MINERALIZATION AND ALTERATION

In hand specimen and fresh break, the tuffaceous wacke is characteristically: light greenish-grey, massive, fine grain, weakly chloritic and siliceous in appearance and dominated by indistinct grains of quartz and carbonate matrix minerals and fine whitish kaolinitic feldspar and quartz. The carbonate alteration is associated with an occasional light aquamarine-greenish mineral of unknown composition (variably also identified as fuchsite/mariposite) in fragment-like patches or clots. Under binocular microscope the specimen has a lustrous-silky, sugary texture appearance containing very fine, interstitial grains of euhedral calcite-iron carbonate with occasional rounded translucent to smokey quartz grains and remnants of feldspathic tuffaceous sub-angular crystal laths.

The Gold Creek section appears to represent an auriferous-bearing stratabound horizon comprised of a multi-phased quartz vein system hosted in altered tuffaceous wacke rocks. These rocks are also anomalous in gold and silver and suggest a syngenetic relationship. The more dominate vein system runs vertically along the face of the escarpment. The veins are generally narrow (1-4 cm wide) but are strong and consistent nature along strike and dip. At least 15 such veins were noted forming a series of sub-paralleling, steeply dipping, and easterly striking, milky white quartz vein stringers. They fill or heal tensional fractures and follow local shear structures found along the escarpment.

The veins do not exhibit boudin or lensoid character typical of remobilized 'quartz sweats' rather they appear to be more of hydrothermal in origin possibly related to a deeper plumbing system.

The quartz veins are associated with very fine to about 1 mm size native gold and occasionally with fine sulphide assemblage of galena, sphalerite and pyrite. Along the contact walls of the quartz, pyrite can range between 5-10% and in the host rock it is usually 1-3%. Where observed, the gold has been found as fine, free individual crystalline grains (i) along the walls of the quartz veins; (ii) along walls of cubicpyrite; (iii) with limonitic pyrite and, (iv) occasionally with galena.

The highest values of gold have been obtained from the oxidized, limonitic walls of the veins.

A shear zone 2-3 metres wide running vertically along a section of the escarpment and associated with a number of paralleling quartz veins, is especially enriched in gold. The shear zone is highly oxidized with the material between the veins intensely decomposed and limonitic. Some of ocher material observed on the palm of the hand had the occasional very fine, wire-like native gold. The shear zone may represent channel way for migrating hydrothermal silica-rich solutions enriched in gold.

DIAMOND DRILLING

Three NQ drill holes were drilled in December for a total of 383.9 metres were drilled. Drilling was extremely difficult due to highly fractured rock and resulting poor core recovery.

TABLE 2 TABLE OF DRILLHOLES

Hole Number	Easting	Northing	Dip	Azimuth	Depth
GC09-01			-60	310	73.3
GC09-02			-60	310	105.2
GC09-03			-60	270	205.4




FIGURE 4DRILLHOLES PLOTTED ON COLOUR CONTOURED MMI GOLD VALUES MAP (PPB)

DRILLHOLES

Three NQ drill holes were drilled on claim 544520.

SAMPLING PROCEDURE

Drill core was sampled at intervals of 0.5 or 1.0 metres. The drill core was logged and photographed. The core lengths were measured and % recovery and RQD was recorded. The sample interval was determined and marked for sampling. The core was halved with a diamond saw tagged and sealed on-site at the Tiex core logging and storage facility in Likely, B.C. Sample standards, duplicates and blanks were randomly inserted into the sample batches at a frequency of one in twenty. Samples were transported by the company vehicle to ALS Chemex Laboratories in North Vancouver, B.C. Drill sludge was collected at the drill site and tagged. The drill sludge was subsequently analyzed as for comparison with the core assay values.

ANALYTICAL METHODS

ME-ICP41 Inductively Coupled Plasma Emission Spectroscopy (ICP-AES) In plasma emission spectroscopy, a sample solution is introduced into the core of an inductively coupled argon plasma (ICP) at a temperature of approximately 8000 C. At this temperature all elements become thermally excited and emit light at their characteristic wavelengths. This light is collected by the spectrometer and passes through a diffraction grating that serves to resolve the light into a spectrum of its constituent wavelengths. Within the spectrometer, this diffracted light is then collected by wavelength and amplified to yield an intensity measurement that can be converted to an elemental concentration by comparison with calibration standards. This measurement process is a form of atomic emission spectroscopy (AES).

ADVANTAGES OF ICP-AES SPECTROSCOPY

- Many elements (up to 70 in theory) can be determined simultaneously in a single sample analysis; the largest ICP only package offered by ALS Chemex includes 34 elements.
- Instrumentation is readily amenable to automation, thus enhancing accuracy, precision and throughput.
- High instrumental productivity permits very competitive pricing of analytical packages, thus giving the explorer a significant return on a relatively small expenditure.
- Electronic data capture and transfer to the LIMS ensures that no manual data transcription errors occur.
- ICP-AES offers a useful working range over several orders of magnitude.

LIMITATIONS OF ICP-AES SPECTROSCOPY

- Complex instrumentation requires highly skilled staff both for routine operations and for repairs and maintenance.

- The emission spectra are complex and inter-element interferences are possible if the wavelength of the element of interest is very close to that of another element; for example, one of the phosphorus wavelengths suffers from both copper and aluminum interference.
- As with atomic absorption spectroscopy, the sample to be analyzed must be digested prior to analysis in order to dissolve the element(s) of interest. In certain ICP packages (e.g., the ALS Chemex ME-ICP41 package), a significant number of elements are only partially digested.
- Rigid temperature and humidity control is required for best stability of the spectrometer.

The core samples were analyzed in ppm and percentage for the following elements: ([Add Au in here](#)) Ag (0.2 - 100), Al (0.01% -25%), As (2 - 10,000), B (10 - 10,000), Ba (10 - 10,000), Be (0.5 - 100), Bi (2 - 10,000), Ca (0.01% - 25%), Cd (0.5 - 1,000), Co (1-10,000), Cr (1 - 10,000), Cu (1 - 10,000), Fe (0.01% -50%), Ga (10 - 10,000), Hg (1 - 10,000), K (0.01% - 10%), La (10 - 10,000), Mg (0.01% - 25%), Mn (5 - 50,000), Mo (1 - 10,000), Na (0.01% - 10%), Ni (1 - 10,000), P (10 - 10,000), Pb (2 - 10,000), S (0.01% - 10%), Sb (2 - 10,000), Sc (1 - 10,000), Sr (1 - 10,000), Th (20 - 10,000), Ti (0.01% - 10%), Tl (10 - 10,000), U (10 - 10,000), V (1 - 10,000), W (10 - 10,000), Zn (2 - 10,000)

COMPIILATION OF DATA

Thirty-six elements, or metals, were reported from 256 diamond drill core samples. Of these, silver, arsenic, gold, cadmium, cerium, cobalt, copper, molybdenum, nickel, lead, uranium, and zinc were considered applicable. The drill holes were plotted on the colour contoured MMI gold values map. The gold values database in the immediate area of the current drilling was windowed out from the entire MMI database and regredded to increase the resolution of the data in the applicable area.

DISCUSSION OF RESULTS

The objective of the December drilling program was to test the MMI gold anomaly on strike to the west of the Poquette Valley and to determine if the Gold Creek zone extended across the valley. These objectives were met. Three holes to a projected depth of 200 metres were proposed to be drilled in December. Drilling began of December 12 and was completed on December 18 with 383.6 metres drilled. Due to difficult drilling on drill hole GC09-03 reached the proposed depth. Hole GC09-01 was lost in blocky and broken ground at a depth of 73.3 metres, drill hole GC09-02 was drilled approximately 75 metres north of drill hole GC09-01, this hole reached 105.2 metres. Drill hole GC09-03 reached 205.4 metres. This hole was stopped in favorable rocks of the Gold Creek zone. From approximately 194 metres sections of the anticipated hornblende diorite were encountered. The Gold Creek zone is predominantly volcano sedimentary felsic tuff and/or wacke. The unit is mostly fine grained, volcanic derived sandstone with sections of coarser and polymict wacke. The unit is cut by veinlets and stockworks of hairline to centimeter size quartz and calcite veins. Alteration is variable with chloritization and epidotization and some zones encountered exhibited considerable silification. Narrow sections of fault gouge clay were seen in all holes.




FIGURE 5 DRILLHOLES ON UTM 599000 SECTION, LOOKING WEST

CONCLUSIONS AND RECOMMENDATIONS

The interpretation of the drill holes indicates that the gold zone is striking north-north-west across the Poquette valley. Drill holes GC09-01, 02 and 03 were drilled from the collar locations in the following chart. These holes intersected silica altered felsic tuff with elevated gold values.

Drill hole GC08-11 on the west side of the Poquette valley intersected a small section of the Gold Creek zone. This supported the supposition that the Gold Creek zone extended to the west of the Poquette valley and that the MMI anomaly in this area was due to Gold Creek rocks. The drill holes in the 2009 program intersected Gold Creek felsic tuff rock for almost the entire length of each hole. Hole GC09-03 encountered mafic and dioritic rocks at about 194 metres. This supports the conclusion. It is recommended that the MMI geochemical grid be extended to the west to cover the interpreted location of the diorite intrusive. Induced polarization and magnetometer surveying also recommended on the same grid.

The Gold Creek zone extends along strike on the west side of the Poquette Valley and the MMI survey results appear to be indicating an extensive zone of gold mineralization. The gold zone is probably associated with the hornblende-diorite intrusive located a few hundreds of metres west of the current drilling location. Evidence of high temperature alteration, chlorite and epidote and evidence from the bottom of hole GC09-03 suggests the hole was approaching the intrusive with increasing frequency of mafic sections (dykes?) that support this conclusion. Assay values indicated that the Gold Creek zone is anomalous in gold. However, due to poor core recovery the values and lengths of mineralization are unreliable, particularly in the high gold zones.

Due to the highly fractured nature of the rocks in the Gold Creek zone future drilling may be more effective with reverse circulation drilling. Diamond drilling eastward from the top of the hill to the west should cut through the diorite intrusive and pierce the Gold Creek zone at the target depth of 200 metres, is also a possibility. However, the priority recommendation is that the remaining nine proposed drill holes be drilled with reverse circulation whereby accurate sampling of the rock volume could be accomplished.

SELECTED BIBLIOGRAPHY

1. Campbell, R.B. and Tipper, H.W. (1970): Geology and Mineral Potential of the Quesnel Trough, British Columbia; Canadian Institute of Mining and Metallurgy, Bulletin, Volume 63, pages 785-790.
2. Cardinal, D.G. (2008). Geological and Prospecting Reconnaissance Report on Likely-Gold Creek Claim Group. Prepared for Bullion Gold Corp.
3. Gabrielse, H. and Yorath, C.J. (1991): Tectonic Synthesis; Chapter 18 in Geology of the Cordilleran Orogen in Canada, Gabrielse, H. and Yorath, C.J., Editors, Geological Survey of Canada, Geology of Canada, Number 4, pages 677-705.
4. Hings, D. L, P.Eng, (1972) A Geophysical Survey Covering the Bird and Best Claims Groups, McLeese Lake, BC, for Rocky Mountain Trench Ltd, Whitey Wilson Oil and Gas Co., Lower Valley Mines Ltd., by ELC Geophysics Ltd., BC Assessment Report #3483
5. Hings, D. L, P.Eng, (1972) A Geophysical Survey Covering the Nick and Gail Claims Groups, McLeese Lake, BC, for Lower Valley Mines Ltd., by ELC Geophysics Ltd., BC Assessment Report #4243
6. Owsiacki, George, P.Geo., February 9, 2008 Technical Report – Geological Summary Cariboo Goldfields Property, British Columbia, NI-43-101 Technical Report filed on Sedar
7. Struik, L.C. (1985a): Thrust and Strike-slip Faults Bounding Tectono-stratigraphic Terranes, Central British Columbia, in Field Guides to Geology and Mineral Deposits in the Southern Canadian Cordillera, Tempelman-Kluit, D.J., Editor, Cordilleran Section, Geological Association of America, Colorado, pages 141-148.
8. Tipper, H.W. (1959): Quesnel, British Columbia; Geological Survey of Canada, Map 12-1959.
9. Tipper, H.W., Woodsworth, G.J. and Gabrielse, H. (1981): Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America; Geological Survey of Canada, Map 1505A, 1:2 000 000.
10. Wheeler, J.O., Brookfield, A.J., Gabrielse, H., Monger, J.W.H., Tipper, H.W. and Woodsworth, G.J. (1991): Terrane Map of the Canadian Cordillera; Geological Survey of Canada, Map 1713A, 1:2 000 000.
11. Wheeler, J.O. and McFeely, P. (1991): Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America; Geological Survey of Canada, Map 1712A, 1:2 000 000.

AUTHOR'S CERTIFICATE

I, JOHN BUCKLE, of the Town of Waterdown, in the Province of Ontario, do hereby certify that:

I am registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia and with the Association of Professional Geoscientists of Ontario.

I am a Consulting Geoscientist of Geological Solutions, with offices at 20 Segwun Rd, Waterdown, Ontario L0R 2H6.

I am the author of this report, titled: EXPLORATION REPORT ON DIAMOND DRILLING PROGRAM WITHIN THE GOLD CREEK PROPERTY CARIBOO GOLDFIELDS PROJECT, LIKELY AREA CARIBOO MINING DIVISION, BRITISH COLUMBIA and dated January 18th, 2010

I further certify that:


1. I am a graduate of York University of Ontario (1980) and hold a B.Sc. degree in Earth Science.
2. I have been practicing my profession for the past 35 years, and have been active in the mining industry for the past 35 years.
3. This report is compiled from data obtained from diamond drilling on the Gold Creek prospect of the Cariboo Goldfields Project during the drilling program of December 2009.

I hold 75,000 shares of Tiex and an option to purchase 400,000 shares of Tiex Inc but I do not expect to receive any further interest as a result of writing this report.



John Buckle, P.Geo.
Geoscientist

January 18, 2010



APPENDIX A DRILLHOLE LOGS

Please see attached pdf.

Company: TIEX INC
Project: GOLD CREEK
Location: LIKELY
Logged by: J.B.
Date: Dec 12, 2009
GC0901 310 AZ

Hole Number: CG09-01		Date Started: Dec 10, 2009	Easting:	5990000	Azimuth:	310	Casing:
		Date Completed: DEC 13, 2009	Northing:	5831177	Dip:	-60 % Recover	
		Drill Contractor: HARDCORE DRILLING	Core Size: NQ	Elevation:	Total Depth	73.2	Rig Type: BS38
			UTM Projection:Zone10 WGS 84				

From (m)	To (m)	Photo Log	Litho Log	Rock Code	Structure	Percent Sulphides (Visual)			Alteration weak(W) moderate(M) strong(S)				Quartz Veins		Assay (gm/t)		Comments (V.G. - Texture - Grain Size - Color - etc)			
						% Py	% Po	Other	Carbonate	Silica	Chlorite	Other	Number	Width	Au	m				
0	12.9																Casing			
12.9	24	Tuff				<1			M	M					0.342	13-18	Fine-medium grain, light grey mottled carbonated tuffaceous sediment, cut by calcite veinlets <2mm			
24	33	Tuff				<1			S	M					0.354	32-33	Grey fine-medium tuff, mod silicified, mod carbonated, mod oxidized, fine qtz - cc hairline veinlets 2v/m.			
33	35	Tuff				1 - 2			M - S	W	M					0.321	49-50	Broken core pieces <10cm, Grey fine-medium tuff, mod silicified, mod carbonated, mod oxidized		
35	46	Tuff				1			M - S									Grey - green colour tuff, mod - strong carbonate, mod chlorite, weak silicified, py in patches 1-2%, broken core pieces <10cm		
46	54	Tuff				1			S		M							Grey - green colour, fine medium grain tuff, mod - strong carbonate, mod chlorite, weak silicified, py 1%		
54	56	Tuff				1												Grey green tuff, mod stron carbonated, mod chloritized, py 1%		
56	57.5	Fault gouge																Fault gouge with qtz-cc fragments <3cm.		
57.5	60.5	Tuff				2			M - S		M							dark mottled grey green medium grain intrusive (hornblende-diorite), mod silicified,		
60.5	63.5	Mafic				2				M								dissem. Py, med. Grey clay Gouge, fault gouge? Mottled med grain. Intrusive (hornblende diorite)		
63.5	64.5	Tuff								S	M							light grey fine grain sil. Tuff		
64.5	69	Tuff				2			M - S		M							med. Grain, green, mottled intrusive (hornblende diorite)		
69	70.5	Mafic				2-3			W-M	M	S							black, chlorite med grain, grain size increasing downhole, cal. Vein breccia,		
70.5	73.3	Tuff				2			M - S		M							end of hole		

Company: TIEX INC
Project: GOLD CREEI
Location: LIKELY
Logged by: JB
Date: Dec 15, 2009
GC0002 310 AZ

Hole Number: CG09-02

Date Started: DEC 13, 2009 **Easting:** 599019 **Azimut:** 310 **Casing:** 73.9
Date Completed: DEC 15, 2009 **Northing:** 5831245 **Dip:** -60 **% Recover:**
Core Size: NQ **Elevation:** **Total Depth:** **Rig Type:** BS38
UTM Projection: Zone10 WGS 84 **GC0092**

-60 599019 5831245 z10 WGS84

APPENDIX B CORE SAMPLE ASSAYS

Please see attached pdf.

VA09143854 - Finalized
CLIENT : "BULGOL - Bullion Gold Corp."
of SAMPLES : 256

DATE RECEIVED : 2009-12-18 DATE FINALIZED : 2009-12-30

PROJECT : "Gold Creek"

CERTIFICATE COMMENTS : ""

PO NUMBER : ""

Sample	from	to	Au-AA24 ME-ICP41																																		
			SAMPLE DESCRIPTI	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
GC09-01																																					
7001	12.9	18 I007001	0.342	0.3	0.5	2870 <10	40 <0.5	<2	7.07 <0.5	8	1	36	3.35 <10	<1	0.23	10	1.13	1370 <1	0.03	2	1190	10	0.68	18	4	455 <20	<0.01	<10	<10	22 <10	32						
7002	18	25.2 I007002	0.062	1.6	0.54	463 <10	40 <0.5	<2	2.66 <0.5	11	2	452	2.97 <10	<1	0.21	10	0.81	560	2	0.04	4	930	4	0.87	162	3	253 <20	<0.01	<10	<10	23 <10	45					
7003	25.2	26.5 I007003	0.057	1.4	0.46	1055 <10	50 <0.5	<2	2.17 <0.5	12	2	496	2.81 <10	<1	0.23	10	0.63	443	5	0.04	3	730	3	1.11	140	3	312 <20	<0.01	<10	<10	11 <10	31					
7004	26.5	27.7 I007004	0.028	0.5	0.42	1025 <10	50 <0.5	<2	2.27 <0.5	10	1	420	2.89 <10	<1	0.24	10	0.66	432	8	0.04	2	760	3	1.01	117	3	360 <20	<0.01	<10	<10	10 <10	22					
7005	27.7	28.5 I007005	0.01	0.3	0.75	219 <10	50	0.5 <2	1.78 <0.5	10	1	438	3.07 <10	<1	0.22	10	0.72	367	4	0.05	2	960	3	1.02	33	3	318 <20	<0.01	<10	<10	17 <10	22					
7006	28.5	29 I007006	<0.005	0.2	1.43	40 <10	40	0.5 <2	1.63 <0.5	11	3	446	4	10	0.12	10	0.96	458	2	0.05	2	1280	3	1.37	16	3	111 <20	0.05 <10	<10	<10	56 <10	25					
7007	29	29.7 I007007	0.035	0.5	0.75	557 <10	60	0.5 <2	2.66 <0.5	12	1	407	3.71 <10	<1	0.27	10	0.87	513	9	0.04	2	1250	4	1.19	60	3	412 <20	<0.01	<10	<10	21 <10	24					
7008	29.7	30.4 I007008	0.049	2.2	0.42	542 <10	60 <0.5	<2	2.61 <0.5	10	1	348	2.88 <10	<1	0.29	10	0.67	511	19	0.04	1	760	3	1.06	107	3	311 <20	<0.01	<10	<10	7 <10	26					
7009	30.4	31.4 I007009	0.123	0.7	0.45	2140 <10	40 <0.5	<2	2.18 <0.5	14	2	386	2.94 <10	<1	0.22	10	0.64	440	17	0.05	2	760	4	1.1	111	3	355 <20	<0.01	<10	<10	9 <10	26					
7010	31.4	32.4 I007010	0.354	1.4	0.4	4250 <10	40 <0.5	<2	2.36 <0.5	14	2	372	3.12 <10	1	0.24	10	0.62	466	13	0.04	2	710	4	1.43	119	3	323 <20	<0.01	<10	<10	7 <10	29					
7011	32.4	33.8 I007011	0.049	0.5	0.79	635 <10	50 <0.5	<2	1.95 <0.5	25	3	485	3.11 <10	1	0.21	10	0.76	491	17	0.05	5	830	5	0.75	69	3	259 <20	<0.01	<10	<10	24 <10	30					
7012	33.8	35 I007012	0.015	0.3	0.85	360 <10	60	0.5 <2	1.93 <0.5	42	3	557	3.25 <10	<1	0.21	10	0.74	446	18	0.05	4	930	3	0.89	35	4	282 <20	<0.01	<10	<10	26 <10	26					
7013	35	35.5 I007013	0.037	0.5	0.66	515 <10	50 <0.5	<2	2.1 <0.5	37	1	496	2.98 <10	1	0.27	10	0.69	394	18	0.04	4	820	2	0.92	103	3	311 <20	<0.01	<10	<10	11 <10	23					
7014	35.5	36 I007014	0.054	0.8	0.4	527 <10	40 <0.5	<2	2 <0.5	26	2	343	2.4 <10	1	0.24	10	0.55	355	18	0.03	1	650	4	0.93	102	3	284 <20	<0.01	<10	<10	8 <10	21					
7015	36	37 I007015	0.081	2.8	0.48	1490 <10	40 <0.5	<2	3.21 <0.5	23	1	356	3.62 <10	<1	0.27	10	0.9	601	5	0.04	2	1160	6	1.38	111	4	425 <20	<0.01	<10	<10	12 <10	32					
7016	37	38 I007016	0.242	2.8	0.45	2020 <10	40 <0.5	<2	4.09	0.5	17	1	295	3.56 <10	<1	0.28	10	0.89	797	2	0.04	3	970	8	1.41	103	3	423 <20	<0.01	<10	<10	9 <10	43				
7017	38	39 I007017	0.036	0.5	0.47	782 <10	50 <0.5	<2	2.79 <0.5	13	1	276	3.21 <10	<1	0.27	10	0.8	565	1	0.05	4	950	6	1.32	92	4	377 <20	<0.01	<10	<10	12 <10	22					
7018	39	39.8 I007018	0.024	0.4	0.52	485 <10	50 <0.5	<2	2.86 <0.5	8	1	167	2.83 <10	1	0.3	10	0.78	598	1	0.05	2	940	2	0.75	53	3	351 <20	<0.01	<10	<10	12 <10	18					
7019	39.8	40.6 I007019	0.105	0.3	0.5	1130 <10	60 <0.5	<2	2.98 <0.5	8 <1	132	3.13 <10	<1	0.33	10	0.78	636	1	0.04 <1	1250	3	1.05	46	4	357 <20	<0.01	<10	<10	15 <10	16							
7020	40.6	41.2 I007020																																			

7074	89	90	I007074	0.028 <0.2	1.09	330 <10	50	0.7 <2	2.27 <0.5	9	1	66	2.35 <10	<1	0.24	10	0.7	409 <1	0.04	3	670	2	0.64	22	2	334 <20	<0.01	<10	<10	7 <10	20		
7075	90	91	I007075	0.013 <0.2	1.85	118 <10	50	0.8 <2	3.05 <0.5	7	2	29	2.56	10 <1	0.19	10	0.97	718 <1	0.04	3	990 <2	0.27	8	2	239 <20	0.01 <10	<10	48 <10	22				
7076	91	92	I007076	0.013 <0.2	1.59	45 <10	50	0.6 <2	2.77 <0.5	6	2	16	2.62 <10	<1	0.18	10	0.99	650 <1	0.04	3	1140 <2	0.13	3	3	319 <20	0.01 <10	<10	44 <10	23				
7077	92	93	I007077	0.007 <0.2	1.22	17 <10	50	0.6 <2	2.82 <0.5	6	1	19	2.91 <10	<1	0.17	10	0.98	615	1	0.05	4	1270 <2	0.18	2	4	330 <20	<0.01 <10	<10	38 <10	21			
7078	93	94	I007078	0.013 <0.2	0.6	119 <10	60 <0.5	<2	3.49 <0.5	6	2	23	2.43 <10	<1	0.28	10	0.79	668 <1	0.04	3	1170 <2	0.2	6	3	269 <20	<0.01 <10	<10	20 <10	20				
7079	94	95	I007079	0.008 <0.2	1.15	85 <10	50 <0.5	<2	2.88 <0.5	6	2	29	2.76 <10	<1	0.22	10	0.81	661 <1	0.05	3	1020 <2	0.35	8	3	255 <20	0.01 <10	<10	40 <10	23				
7080	96	96	I007080	0.006 <0.2	1.56	4 <10	50	0.5 <2	2.38 <0.5	6	3	13	2.64	10 <1	0.15	10	0.69	621 <1	0.06	3	900 <2	0.16	3	3	137 <20	0.05 <10	<10	68 <10	24				
7081	96	97	I007081	0.117 0.2	0.53	1990 <10	50 <0.5	<2	3.62 <0.5	7	1	33	2.78 <10	<1	0.29	10	0.84	693 <1	0.04	3	1170	2	0.47	12	3	333 <20	<0.01	<10	<10	15 <10	19		
7082	97	98	I007082	0.016 <0.2	1.02	245 <10	380 <0.5	<2	2.88 <0.5	6	2	21	2.94 <10	<1	0.27	10	0.79	612 <1	0.06	4	1090 <2	0.25	6	3	265 <20	<0.01 <10	<10	34 <10	27				
7083	98	99	I007083	0.006 <0.2	0.81	112 <10	80 <0.5	<2	3.1 <0.5	8	1	35	2.77 <10	<1	0.3	10	0.78	609	1	0.06	4	1170	3	0.28	8	3	342 <20	<0.01 <10	<10	26 <10	25		
7084	99	100	I007084	0.049 <0.2	1.04	132 <10	60 <0.5	<2	3.01 <0.5	13	2	47	2.96 <10	<1	0.23	10	0.9	717	1	0.05	3	1130 <2	0.67	7	3	241 <20	0.02 <10	<10	50 <10	21			
7086	100	101	I007086	0.006 <0.2	1.66	11 <10	60 <0.5	<2	4.98 <0.5	5	3	12	3.11 <10	<1	0.28	10	0.84	923 <1	0.04	3	1040 <2	0.18 <2	2	165 <20	<0.01 <10	<10	62 <10	24					
7087	101	102	I007087	0.005 <0.2	1.65	8 <10	70 <0.5	<2	2.94 <0.5	6	3	53	3.19 <10	<1	0.23	10	0.84	710	1	0.06	3	1200 <2	0.52	3	3	122 <20	0.05 <10	<10	81 <10	23			
7088	102	103	I007088	0.064 <0.2	0.69	193 <10	60 <0.5	<2	3.61 <0.5	6	1	33	2.57 <10	<1	0.28	10	0.74	672 <1	0.04	3	1030 <2	0.34	10	3	334 <20	<0.01 <10	<10	23 <10	19				
7089	103	104	I007089	0.006 <0.2	1.73	4 <10	70 <0.5	<2	2.72 <0.5	5	3	8	3.08 <10	<1	0.18	10	0.83	695 <1	0.07	4	1180 <2	0.09	2	3	119 <20	0.06 <10	<10	88 <10	25				
7090	104	105	I007090	0.007 <0.2	1.93	16 <10	70 <0.5	<2	2.21 <0.5	8	4	16	3.2	10 <1	0.15	10	0.95	665 <1	0.06	3	1210 <2	0.12 <2	3	3	129 <20	0.06 <10	<10	90 <10	26				
7091	105	105.3	I007091																														
7092	Blank		I007092	<0.005	0.9	0.04	7 <10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1	<1	0.04 <10	<1	0.01 <10	1.72	24 <1	0.02	1	50 <2	<0.01	<2	<1	5210	20 <0.01	<10	10	2 <10	<2
7093	Blank																																
7094	Blank																																
7095	Blank																																
7096	Blank		I007096	<0.005 <0.2	0.04 <2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	0.04 <10	<1	0.01 <10	1.63	26 <1	0.02 <1	40 <2	<0.01	2 <1	4540	20 <0.01	<10	10 <1	<10	<2					
7097	Blank		I007097	<0.005 <0.2	0.04 <2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	0.04 <10	<1	0.01 <10	1.46	23 <1	0.02 <1	40 <2	<0.01	2 <1	4370	20 <0.01	<10	10 <1	<10	<2					
7098	Blank		I007098	<0.005 <0.2	0.04	2 <10	<10	<0.5	<2	>25.0	<0.5	<1	<1	0.05 <10	<1	0.01 <10	1.68	30 <1	0.01 <1	60	2 <0.01	<2	<1	4250	20 <0.01	<10	10 <1	<10	<2				
7099	Blank		I007099	<0.005 <0.2	0.04 <2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	0.04 <10	<1	1 <0.01	1.49	23 <1	0.01	1	50 <2	<0.01	3 <1	4490	20 <0.01	<10	10 <1	<10	<2				
7100	Blank		I007100	<0.005 <0.2	0.04 <2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	0.04 <10	<1	0.01 <10	1.74	30 <1	0.01	1	60 <2	<0.01	<2	<1	5200	20 <0.01	<10	10 <1	<10	<2			
GC09-03																																	
7101	50	51	I007101	0.047 0.4	0.58	366 <10	60	0.6 <2	3.08 <0.5	5	1	36	2.5 <10	<1	0.41	10	0.7	548	5	0.05	3	990	4	0.31	17	2	285 <20	<0.01	<10	<10	11 <10	15	
7102	51	52	I007102	0.018 <0.2	0.77	43 <10	70	0.5 <2	3.31 <0.5	5	2	10	3.02 <10	<1	0.39	10	0.95	592	2	0.05	3	1050 <2	0.1	5	3	425 <20	<0.01	<10	<10	12 <10	22		
7103	52	53	I007103	0.007 <0.2	0.63	30 <10	60 <0.5	<2	3.07 <0.5	5	1	11	2.9 <10	<1	0.29	10	0.89	572	4	0.05	3	1140 <2	0.15	4	3	360 <20	<0.01	<10	<10	14 <10	22		
7104	53	54	I007104	0.022 <0.2	0.66	114 <10	80	0.5 <2	3.58 <0.5	9	1	49	3.16 <10	<1	0.37	10	0.96	673	3	0.04	3	1210 <2	0.26	14</td									

7160	109	110 I007160	0.008 <0.2	0.46	36 <10	60 <0.5	<2	3.89 <0.5	5	2	1	2.96 <10	<1	0.34	10	0.9	745 <1	0.04	3	1230	2	0.25 <2	3	362 <20	<0.01	<10	<10	11 <10	22		
7161	110	111 I007161	0.024 <0.2	0.49	304 <10	60 <0.5	<2	3.85 <0.5	5	1	17	2.79 <10	<1	0.34	10	0.91	701 <1	0.05	3	1180	3	0.07	9	329 <20	<0.01	<10	<10	12 <10	31		
7162	111	112 I007162	0.01 0.5	0.52	75 <10	60 <0.5	<2	3.88 <0.5	7	1	71	2.92 <10	<1	0.34	10	0.98	690	1	0.05	4	1300	2	0.23	29	3	391 <20	<0.01	<10	<10	16 <10	21
7163	112	113 I007163	0.037 <0.2	0.84	137 <10	50	0.6 <2	3.39 <0.5	5	2	20	3.04 <10	<1	0.28	10	0.91	651 <1	0.06	4	1300	3	0.55	7	4	264 <20	<0.01	<10	<10	34 <10	16	
	113	114																													
7164	114	115 I007164	0.009 <0.2	1.16	56 <10	70 <0.5	<2	2.88 <0.5	7	3	56	3.01 <10	<1	0.25	10	0.96	591 <1	0.06	4	1230	2	0.29	3	4	166 <20	<0.01	<10	<10	50 <10	19	
7165	115	116 I007165	0.007 0.5	0.58	68 <10	60 <0.5	<2	3.89 <0.5	7	1	95	3.06 <10	<1	0.33	10	1.02	695 <1	0.04	4	1210 <2	0.46	35	4	411 <20	<0.01	<10	<10	15 <10	22		
7166	116	117 I007166	0.018 1.4	0.54	559 <10	50 <0.5	<2	3.76 <0.5	7	1	120	3.15 <10	<1	0.31	10	0.98	701	1	0.05	4	1240	2	0.66	46	4	419 <20	<0.01	<10	<10	15 <10	22
7167	117	118 I007167	0.067 0.4	0.88	840 <10	70 <0.5	<2	3.03 <0.5	6	2	67	2.95 <10	<1	0.26	10	0.97	672 <1	0.05	3	1260	3	0.4	13	3	270 <20	<0.01	<10	<10	38 <10	18	
7168	118	119 I007168	0.235 0.3	1.59	985 <10	70 <0.5	<2	2.58 0.9	9	4	133	3.04 <10	<1	0.18	10	0.98	600 <1	0.07	4	1260	18	0.81	2	3	108 <20	0.04 <10	<10	<10	80 <10	61	
7169	119	120 I007169	0.007 0.2	2	21 <10	120	0.7 <2	2.7 <0.5	6	4	126	2.72	10 <1	0.13	10	0.83	517 <1	0.07	4	1260	6	0.81	3	3	94 <20	0.06 <10	<10	<10	83 <10	17	
7170	120	121 I007170	0.005 <0.2	1.7	15 <10	70 <0.5	<2	2.6 <0.5	7	4	93	3.09 <10	<1	0.21	10	1.09	648 <1	0.08	4	1300	3	0.18	<2	3	111 <20	0.02 <10	<10	<10	88 <10	23	
7171	121	122 I007171	0.008 <0.2	1.66	11 <10	60 <0.5	<2	3.57 <0.5	8	4	41	3.17	10 <1	0.25	10	1.02	697 <1	0.06	4	1290	2	0.19	<2	3	171 <20	<0.01	<10	<10	72 <10	20	
7172	122	123 I007172	<0.005 <0.2	1.43	6 <10	70 <0.5	<2	3.07 <0.5	6	3	2	2.35 <10	<1	0.18	10	0.87	523 <1	0.07	5	1250	3	0.04	<2	3	154 <20	<0.01	<10	<10	70 <10	18	
7173	123	124 I007173	<0.005 <0.2	1.7	6 <10	70 <0.5	<2	4.89 <0.5	9	4	34	3.06 <10	<1	0.23	10	1.04	738 <1	0.06	4	1140 <2	0.15	<2	3	202 <20	<0.01	<10	<10	73 <10	21		
7174	124	125 I007174	0.027 <0.2	0.71	202 <10	60	0.5 <2	3.35 <0.5	9	1	10	2.47 <10	<1	0.29	10	0.86	609 <1	0.06	4	1250	4	0.11	2	4	317 <20	<0.01	<10	<10	28 <10	21	
7175	125	126 I007175	0.025 0.2	0.47	103 <10	50 <0.5	<2	3.88 <0.5	11	1	60	2.86 <10	<1	0.29	10	0.9	707 <1	0.05	4	1200	2	0.3	28	4	407 <20	<0.01	<10	<10	14 <10	22	
7176	126	127 I007176	0.039 0.2	0.53	658 <10	50 <0.5	<2	3.29 <0.5	7	1	69	2.81 <10	<1	0.27	10	0.85	672 <1	0.06	3	1200	2	0.56	24	4	387 <20	<0.01	<10	<10	19 <10	22	
7177	127	128 I007177	0.011 <0.2	1.42	82 <10	70 <0.5	<2	3.22 <0.5	6	2	25	3.26 <10	<1	0.28	10	0.87	624 <1	0.06	3	1200	3	0.57	6	3	222 <20	<0.01	<10	<10	42 <10	20	
7178	128	129 I007178	0.009 <0.2	1.62	20 <10	50 <0.5	<2	2.75 <0.5	6	3	13	3.19 <10	<1	0.2	10	0.84	575 <1	0.07	3	1180	4	0.49	3	3	130 <20	<0.01	<10	<10	65 <10	18	
7179	129	130 I007179	0.017 <0.2	1.84	38 <10	60 <0.5	<2	5.14 <0.5	10	3	28	3.9 <10	<1	0.17	10	1.02	798 <1	0.05	4	1100	6	0.77	<2	2	182 <20	<0.01	<10	<10	61 <10	22	
7180	130	131 I007180	0.007 <0.2	0.97	34 <10	70 <0.5	<2	3.75 <0.5	7	2	6	3.13 <10	<1	0.31	10	0.86	614 <1	0.05	4	1300 <2	0.13	<2	2	2	194 <20	<0.01	<10	<10	34 <10	22	
7181	131	132 I007181	0.005 <0.2	1.39	30 <10	90 <0.5	<2	2.3 <0.5	6	2	5	2.91 <10	<1	0.2	10	0.97	496	1	0.07	3	1240 <2	0.12	<2	3	3	160 <20	<0.01	<10	<10	65 <10	21
7182	132	133 I007182	0.005 <0.2	1.75	2 <10	70 <0.5	<2	2.52 <0.5	6	3	1	3.03	10 <1	0.18	10	0.99	536	1	0.07	4	1210	2	0.04	2	3	134 <20	<0.01	<10	<10	73 <10	22
7183	133	134 I007183	<0.005 <0.2	1.59	3 <10	90 <0.5	<2	2.91 <0.5	6	3	2	2.93 <10	<1	0.2	10	0.89	571	1	0.07	4	1180	2	0.04	<2							

7245	193	194 I007245	0.075	0.4	0.46	447 <10	60	0.5 <2	2.77 <0.5	9	2	44	2.25 <10	<1	0.34	10	0.61	480	1	0.04	2	650	15	0.19	17	2	221 <20	<0.01	<10	<10	5 <10	24
7246	194	195 I007246	0.014	0.4	0.49	99 <10	50	0.5 <2	2.95 <0.5	11	2	69	2.53 <10	<1	0.3	10	0.68	473	1	0.05	4	740	6	0.47	19	3	287 <20	<0.01	<10	<10	7 <10	29
7247	195	196 I007247	0.034 <0.2	0.54	227 <10	50	0.5 <2	2.77 <0.5	5	1	11	1.93 <10	<1	0.27	10	0.58	445	1	0.04	1	610	3	0.08	5	2	218 <20	<0.01	<10	<10	5 <10	11	
7248	196	197 I007248	0.056 <0.2	0.47	169 <10	50 <0.5	<2	2.68 <0.5	6	2	34	2.2 <10	<1	0.29	10	0.61	413	1	0.05 <1	600	3	0.33	13	2	264 <20	<0.01	<10	<10	7 <10	15		
7249	197	198 I007249	0.088	0.2	0.38	713 <10	40 <0.5	<2	2.58 <0.5	8	2	68	2.28 <10	<1	0.24	10	0.58	399	1	0.05	1	630	2	0.37	27	3	261 <20	<0.01	<10	<10	6 <10	15
7250	198	199 I007250	0.287	0.7	0.41	3290 <10	40 <0.5	<2	2.36 <0.5	10	3	81	2.36 <10	<1	0.26	10	0.54	394	1	0.05	1	620	5	0.58	37	3	230 <20	<0.01	<10	<10	6 <10	17
7251	199	200 I007251	0.014 <0.2	0.45	31 <10	50 <0.5	<2	2.24 <0.5	6	2	32	1.95 <10	<1	0.29	10	0.47	365	1	0.06	1	540 <2	0.22	13	2	239 <20	<0.01	<10	<10	6 <10	11		
7252	200	201 I007252	0.026 <0.2	0.46	66 <10	60	0.5 <2	2.52 <0.5	6	2	5	2.02 <10	<1	0.31	10	0.54	440	1	0.05	2	640	3	0.19	3	2	254 <20	<0.01	<10	<10	6 <10	11	
7253	201	202 I007253	0.046 <0.2	0.48	370 <10	60 <0.5	<2	2.46 <0.5	6	2	2	1.97 <10	<1	0.32	10	0.54	402	2	0.05	2	650	7	0.17	2	2	220 <20	<0.01	<10	<10	6 <10	14	
7254	202	203 I007254	0.012 <0.2	0.39	51 <10	40 <0.5	<2	2.76 <0.5	7	2	1	1.92 <10	<1	0.25	10	0.56	409	1	0.06	1	600	2	0.13 <2	2	2	276 <20	<0.01	<10	<10	6 <10	18	
7255	203	205.4 I007255	0.019 <0.2	0.42	44 <10	50 <0.5	<2	2.3 <0.5	7	3	1	1.85 <10	<1	0.31	10	0.51	390	1	0.06	2	580	2	0.19 <2	2	2	214 <20	<0.01	<10	<10	6 <10	11	
7256	Blank	I007256	<0.005	<0.2	0.03 <2	<10	<10	<0.5	<2	>25.0	<0.5	<1	1 <1	0.03 <10	<1	0.01 <10	1.44	22 <1	0.02 <1	50 <2	<0.01	<2	<1	4680	20 <0.01	<10	<10	<1	<10	<2		



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BULLION GOLD CORP.**
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 1
Finalized Date: 30-DEC-2009
This copy reported on 5-JAN-2010
Account: BULGOL

CERTIFICATE VA09143854

Project: Gold Creek

P.O. No.:

This report is for 256 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-DEC-2009.

The following have access to data associated with this certificate:

BULLION GOLD CORP.
TIEX INC.

E. BERGINSON

JOHN BUCKLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: **BULLION GOLD CORP.**
ATTN: ERNIE BERGINSON
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 1

Finalized Date: 30-DEC-2009

This copy reported on 5-JAN-2010

Account: BULGOL

CERTIFICATE VA09143854

Project: Gold Creek

P.O. No.:

This report is for 256 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-DEC-2009.

The following have access to data associated with this certificate:

BULLION GOLD CORP.
TIEX INC.

E. BERGVINSON

JOHN BUCKLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS

To: BULLION GOLD CORP.
ATTN: ERNIE BERGINSON
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BULLION GOLD CORP.**
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 2 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
I007001		1.24	0.342	0.3	0.50	2870	<10	40	<0.5	<2	7.07	<0.5	8	1	36	3.35
I007002		1.34	0.062	1.6	0.54	463	<10	40	<0.5	<2	2.66	<0.5	11	2	452	2.97
I007003		1.86	0.057	1.4	0.46	1055	<10	50	<0.5	<2	2.17	<0.5	12	2	496	2.81
I007004		1.26	0.028	0.5	0.42	1025	<10	50	<0.5	<2	2.27	<0.5	10	1	420	2.89
I007005		1.44	0.010	0.3	0.75	219	<10	50	0.5	<2	1.78	<0.5	10	1	438	3.07
I007006		2.14	<0.005	0.2	1.43	40	<10	40	0.5	<2	1.63	<0.5	11	3	446	4.00
I007007		2.02	0.035	0.5	0.75	557	<10	60	0.5	<2	2.66	<0.5	12	1	407	3.71
I007008		1.52	0.049	2.2	0.42	542	<10	60	<0.5	<2	2.61	<0.5	10	1	348	2.88
I007009		1.70	0.123	0.7	0.45	2140	<10	40	<0.5	<2	2.18	<0.5	14	2	386	2.94
I007010		1.80	0.354	1.4	0.40	4250	<10	40	<0.5	<2	2.36	<0.5	14	2	372	3.12
I007011		2.68	0.049	0.5	0.79	635	<10	50	<0.5	<2	1.95	<0.5	25	3	485	3.11
I007012		0.88	0.015	0.3	0.85	360	<10	60	0.5	<2	1.93	<0.5	42	3	557	3.25
I007013		1.60	0.037	0.5	0.66	515	<10	50	<0.5	<2	2.10	<0.5	37	1	496	2.98
I007014		2.14	0.054	0.8	0.40	527	<10	40	<0.5	<2	2.00	<0.5	26	2	343	2.40
I007015		1.26	0.081	2.8	0.48	1490	<10	40	<0.5	<2	3.21	<0.5	23	1	356	3.62
I007016		1.36	0.242	2.8	0.45	2020	<10	40	<0.5	<2	4.09	0.5	17	1	295	3.56
I007017		3.06	0.036	0.5	0.47	782	<10	50	<0.5	<2	2.79	<0.5	13	1	276	3.21
I007018		1.52	0.024	0.4	0.52	485	<10	50	<0.5	<2	2.86	<0.5	8	1	167	2.83
I007019		1.34	0.105	0.3	0.50	1130	<10	60	<0.5	<2	2.98	<0.5	8	<1	132	3.13
I007020		1.36	0.033	0.7	0.42	224	<10	50	<0.5	<2	3.24	<0.5	5	<1	40	2.93
I007021		1.60	<0.005	0.9	0.04	7	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.04
I007022		1.18	0.039	0.5	0.40	588	<10	40	<0.5	<2	3.62	<0.5	6	1	34	3.02
I007023		1.02	0.010	<0.2	0.70	154	<10	70	0.5	<2	3.02	<0.5	7	2	10	3.11
I007024		1.06	0.012	0.2	0.67	220	<10	60	0.5	<2	2.98	<0.5	8	1	48	3.20
I007025		2.50	0.044	0.7	0.62	489	<10	70	<0.5	<2	3.56	<0.5	8	1	161	3.06
I007026		1.12	0.014	0.2	0.81	375	10	60	0.5	<2	2.52	<0.5	9	<1	157	2.97
I007027		1.10	0.038	0.3	0.51	2470	<10	40	<0.5	<2	2.91	<0.5	16	<1	253	3.51
I007028		1.12	0.011	0.2	0.60	368	<10	40	<0.5	<2	2.36	<0.5	13	<1	219	3.24
I007029		1.30	0.008	<0.2	0.67	506	<10	50	0.5	<2	2.53	<0.5	10	<1	67	3.05
I007030		2.56	0.321	0.9	0.97	2080	<10	320	0.6	<2	2.72	<0.5	22	<1	771	3.75
I007031		1.30	0.011	<0.2	1.23	33	<10	60	0.5	<2	2.10	<0.5	10	1	264	3.23
I007032		1.24	0.011	<0.2	0.70	139	<10	60	<0.5	<2	3.01	<0.5	10	1	189	3.07
I007033		1.42	0.031	0.3	0.56	282	<10	50	0.5	2	3.26	<0.5	9	<1	184	3.51
I007034		2.38	0.109	1.0	0.74	181	<10	110	0.6	<2	2.69	<0.5	16	<1	356	3.23
I007035		1.76	0.170	0.5	0.62	105	<10	60	0.5	<2	3.27	<0.5	7	1	65	3.24
I007036		1.62	0.020	<0.2	1.63	4	<10	80	0.6	<2	1.88	<0.5	6	1	104	3.52
I007037		1.16	0.032	<0.2	1.50	25	<10	70	0.5	<2	2.52	<0.5	7	1	62	3.76
I007038		1.44	0.108	0.4	0.82	128	<10	70	0.5	<2	3.39	<0.5	7	1	58	3.61
I007039		1.02	0.014	<0.2	1.73	6	<10	90	0.8	<2	1.73	<0.5	8	1	205	4.08
I007039		0.92	0.031	<0.2	0.73	52	<10	50	0.6	<2	2.90	<0.5	7	1	149	2.91



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 2 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
I007001		<10	<1	0.23	10	1.13	1370	<1	0.03	2	1190	10	0.68	18	4	455
I007002		<10	<1	0.21	10	0.81	560	2	0.04	4	930	4	0.87	162	3	253
I007003		<10	1	0.23	10	0.63	443	5	0.04	3	730	3	1.11	140	3	312
I007004		<10	<1	0.24	10	0.66	432	8	0.04	2	760	3	1.01	117	3	360
I007005		<10	1	0.22	10	0.72	387	4	0.05	2	960	3	1.02	33	3	318
I007006		10	1	0.12	10	0.86	458	2	0.05	2	1280	3	1.37	16	3	111
I007007		<10	<1	0.27	10	0.87	513	9	0.04	2	1250	4	1.19	60	3	412
I007008		<10	1	0.29	10	0.67	511	19	0.04	1	760	3	1.06	107	3	311
I007009		<10	1	0.22	10	0.64	440	17	0.05	2	760	4	1.10	111	3	355
I007010		<10	1	0.24	10	0.62	466	13	0.04	2	710	4	1.43	119	3	323
I007011		<10	1	0.21	10	0.76	491	17	0.05	5	830	5	0.75	69	3	259
I007012		<10	<1	0.21	10	0.74	446	18	0.05	4	930	3	0.89	35	4	282
I007013		<10	1	0.27	10	0.68	394	18	0.04	4	820	2	0.92	103	3	311
I007014		<10	1	0.24	10	0.55	355	18	0.03	1	650	4	0.93	102	3	284
I007015		<10	<1	0.27	10	0.90	601	5	0.04	2	1160	6	1.38	111	4	425
I007016		<10	<1	0.28	10	0.89	797	2	0.04	3	970	8	1.41	103	3	423
I007017		<10	<1	0.27	10	0.80	565	1	0.05	4	950	6	1.32	92	4	377
I007018		<10	1	0.30	10	0.78	598	1	0.05	2	940	2	0.75	53	3	351
I007019		<10	<1	0.33	10	0.78	636	1	0.04	<1	1250	3	1.05	46	4	357
I007020		<10	<1	0.29	10	0.85	688	<1	0.04	<1	1160	5	0.60	15	4	422
I007021		<10	<1	0.01	<10	1.72	24	<1	0.02	1	50	<2	<0.01	<2	<1	5210
I007022		<10	<1	0.28	10	0.91	742	<1	0.04	2	1220	4	0.47	12	4	427
I007023		<10	<1	0.32	10	0.89	709	<1	0.06	2	1220	<2	0.19	3	4	289
I007024		<10	1	0.28	10	0.94	699	<1	0.04	3	1260	<2	0.54	16	4	371
I007025		<10	1	0.26	10	0.90	544	1	0.06	1	1390	<2	0.61	53	4	358
I007026		<10	1	0.23	10	0.92	584	1	0.04	1	1290	2	1.41	98	5	517
I007027		<10	1	0.23	10	0.81	544	<1	0.05	<1	1270	3	1.01	71	4	444
I007028		<10	<1	0.24	10	0.85	587	1	0.05	<1	1380	2	0.31	21	4	345
I007029		<10	1	0.38	10	0.87	562	26	0.04	<1	1380	3	0.96	73	3	365
I007030		10	<1	0.17	10	0.79	530	26	0.05	<1	1290	<2	0.55	14	3	174
I007031		<10	1	0.24	10	0.84	606	1	0.06	1	1300	<2	0.79	5	4	447
I007032		<10	<1	0.27	10	0.88	639	2	0.04	1	1230	<2	0.81	26	3	492
I007033		<10	1	0.29	10	0.79	555	3	0.05	<1	1220	5	0.81	44	4	375
I007034		<10	<1	0.27	10	0.84	693	<1	0.04	<1	1300	2	0.41	7	4	460
I007035		10	1	0.22	10	0.77	478	<1	0.06	<1	1350	2	0.10	2	3	118
I007036		<10	<1	0.24	10	0.98	648	1	0.06	8	1500	6	0.16	2	4	210
I007037		<10	<1	0.32	10	1.02	758	1	0.06	2	1390	2	0.44	9	4	436
I007038		<10	<1	0.19	10	0.86	403	<1	0.06	3	1540	<2	0.16	2	4	141
I007039		<10	<1	0.27	10	0.84	577	<1	0.06	2	1250	<2	0.29	26	4	315



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 2 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Tl	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
I007001		<20	<0.01	<10	<10	22	<10	32
I007002		<20	<0.01	<10	<10	23	<10	45
I007003		<20	<0.01	<10	<10	11	<10	31
I007004		<20	<0.01	<10	<10	10	<10	22
I007005		<20	<0.01	<10	<10	17	<10	22
I007006		<20	0.05	<10	<10	56	<10	25
I007007		<20	<0.01	<10	<10	21	<10	24
I007008		<20	<0.01	<10	<10	7	<10	26
I007009		<20	<0.01	<10	<10	9	<10	26
I007010		<20	<0.01	<10	<10	7	<10	29
I007011		<20	<0.01	<10	<10	24	<10	30
I007012		<20	<0.01	<10	<10	26	<10	26
I007013		<20	<0.01	<10	<10	11	<10	23
I007014		<20	<0.01	<10	<10	8	<10	21
I007015		<20	<0.01	<10	<10	12	<10	32
I007016		<20	<0.01	<10	<10	9	<10	43
I007017		<20	<0.01	<10	<10	12	<10	22
I007018		<20	<0.01	<10	<10	12	<10	18
I007019		<20	<0.01	<10	<10	15	<10	16
I007020		<20	<0.01	<10	<10	12	<10	12
I007021		20	<0.01	<10	10	2	<10	<2
I007022		<20	<0.01	<10	<10	11	<10	15
I007023		<20	<0.01	<10	<10	27	<10	21
I007024		<20	<0.01	<10	<10	24	<10	22
I007025		<20	<0.01	<10	<10	41	<10	25
I007026		<20	<0.01	<10	<10	20	<10	23
I007027		<20	<0.01	<10	<10	24	<10	22
I007028		<20	<0.01	<10	<10	32	<10	22
I007029		<20	<0.01	<10	<10	33	<10	37
I007030		<20	0.05	<10	<10	82	<10	22
I007031		<20	<0.01	<10	<10	33	<10	18
I007032		<20	<0.01	<10	<10	16	<10	19
I007033		<20	<0.01	<10	<10	30	<10	28
I007034		<20	<0.01	<10	<10	27	<10	19
I007035		<20	0.11	<10	<10	98	<10	24
I007036		<20	0.04	<10	<10	92	<10	34
I007037		<20	<0.01	<10	<10	27	<10	25
I007038		<20	0.01	<10	<10	102	<10	33
I007039		<20	<0.01	<10	<10	37	<10	30



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 3 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Äu-AA24	ME-ICP41												
		Recvd Wt	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
I007040		1.34	0.018	<0.2	0.62	60	<10	60	<0.5	<2	3.50	<0.5	8	<1	127	3.15
I007093		1.38	<0.005	<0.2	0.06	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	2	0.05
I007041		1.38	0.090	0.5	0.48	208	<10	80	0.5	<2	3.77	<0.5	9	<1	213	3.26
I007042		1.02	0.072	<0.2	0.78	341	<10	50	0.6	<2	3.56	<0.5	7	<1	101	3.21
I007043		1.10	0.017	<0.2	1.46	24	<10	50	0.6	<2	2.43	<0.5	8	1	45	3.54
I007044		1.18	0.007	<0.2	1.76	9	<10	60	0.5	<2	1.94	<0.5	7	1	59	3.98
I007045		1.08	0.005	<0.2	1.83	7	<10	110	0.5	<2	2.23	<0.5	9	1	52	4.08
I007046		1.46	0.010	<0.2	1.55	9	<10	740	0.7	<2	1.55	<0.5	8	1	396	3.73
I007047		1.20	0.017	<0.2	0.73	148	<10	110	0.5	<2	3.74	<0.5	7	1	49	3.42
I007048		1.22	0.020	<0.2	0.82	97	<10	70	0.6	<2	3.44	<0.5	7	1	7	2.75
I007049		1.48	<0.005	<0.2	1.76	2	<10	80	0.5	<2	2.14	<0.5	7	1	4	3.50
I007050		1.94	0.005	<0.2	1.65	5	<10	50	0.5	<2	1.84	<0.5	7	1	5	3.05
I007051		1.74	0.006	<0.2	2.56	6	<10	80	1.0	<2	3.13	<0.5	10	2	63	3.84
I007052		1.10	0.008	<0.2	1.40	4	<10	50	0.5	<2	2.55	<0.5	9	2	108	2.96
I007053		1.20	0.006	<0.2	1.61	5	<10	60	0.5	<2	3.15	<0.5	11	1	31	3.47
I007054		1.24	<0.005	<0.2	1.61	5	<10	100	0.5	<2	1.98	<0.5	8	1	29	3.65
I007055		1.30	0.014	0.2	1.73	8	<10	70	0.8	<2	2.87	<0.5	9	1	28	3.46
I007056		1.50	0.035	<0.2	0.98	218	<10	70	0.6	<2	3.45	<0.5	13	1	156	3.18
I007057		2.80	0.006	<0.2	1.97	5	<10	50	0.7	<2	2.32	<0.5	10	2	124	3.68
I007058		1.96	<0.005	<0.2	2.08	10	<10	50	0.7	<2	2.36	<0.5	10	2	99	3.98
I007059		2.12	0.009	0.4	3.14	8	<10	90	1.5	<2	3.79	<0.5	9	1	162	3.65
I007060		0.86	0.024	0.6	0.58	82	<10	50	<0.5	<2	3.33	<0.5	9	<1	69	2.84
I007084		1.42	0.007	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	0.04	
I007061		0.80	0.029	0.3	0.75	120	<10	50	0.5	<2	3.08	<0.5	8	<1	44	2.63
I007062		0.46	0.025	0.2	0.63	418	<10	50	<0.5	<2	3.31	<0.5	8	<1	43	2.84
I007063		0.52	0.109	0.4	0.69	1125	<10	50	<0.5	<2	3.12	<0.5	6	1	42	2.69
I007064		0.42	0.015	<0.2	1.69	59	<10	240	0.8	<2	2.16	<0.5	5	3	26	3.01
I007065		0.32	0.034	0.4	0.49	81	<10	60	<0.5	<2	2.31	1.6	3	1	38	2.15
I007066		0.34	0.010	<0.2	0.45	54	<10	50	<0.5	<2	2.43	<0.5	6	1	14	2.28
I007067		0.36	0.024	<0.2	0.53	279	<10	70	0.6	<2	2.28	<0.5	6	1	19	1.99
I007068		0.68	0.025	<0.2	0.54	187	<10	50	<0.5	<2	1.99	<0.5	6	1	19	2.20
I007069		0.60	0.009	<0.2	0.46	28	<10	40	<0.5	<2	2.14	<0.5	6	1	13	2.13
I007070		0.98	0.019	<0.2	0.45	52	<10	50	<0.5	<2	2.21	<0.5	6	2	17	2.12
I007071		0.22	0.012	4.3	0.41	43	<10	50	<0.5	<2	2.42	<0.5	5	6	36	2.23
I007072		2.14	0.132	0.3	0.92	667	<10	50	0.7	<2	3.45	<0.5	4	<1	71	2.11
I007073		2.98	0.089	0.6	1.08	529	<10	40	0.8	<2	3.09	<0.5	6	<1	62	2.12
I007074		2.44	0.028	<0.2	1.09	330	<10	50	0.7	<2	2.27	<0.5	9	1	66	2.35
I007075		0.72	0.013	<0.2	1.85	118	<10	50	0.8	<2	3.05	<0.5	7	2	29	2.56
I007076		0.60	0.013	<0.2	1.59	45	<10	50	0.6	<2	2.77	<0.5	6	2	16	2.62
I007077		1.68	0.007	<0.2	1.22	17	<10	50	0.6	<2	2.82	<0.5	6	1	19	2.91



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 3 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
I007040		<10	<1	0.32	10	0.91	689	<1	0.06	2	1360	3	0.13	37	3	394
I007093		<10	<1	0.01	<10	1.67	26	<1	0.02	2	50	<2	<0.01	2	<1	4640
I007041		<10	<1	0.31	10	0.96	765	<1	0.05	2	1340	3	0.67	74	4	454
I007042		<10	<1	0.27	10	1.11	694	<1	0.05	2	1260	<2	0.37	22	4	378
I007043		<10	<1	0.18	10	0.93	582	<1	0.06	1	1390	<2	0.33	3	4	148
I007044		10	<1	0.13	10	0.93	580	<1	0.07	2	1340	<2	0.34	3	3	84
I007045		10	<1	0.15	10	0.91	588	<1	0.07	1	1380	<2	0.13	3	4	111
I007046		10	1	0.19	10	0.68	372	3	0.07	1	1300	<2	0.39	6	4	120
I007047		<10	<1	0.34	10	0.91	709	1	0.05	2	1290	<2	0.09	4	3	344
I007048		<10	<1	0.32	10	0.82	613	<1	0.07	1	1420	<2	0.08	4	4	329
I007049		10	<1	0.23	10	0.91	598	<1	0.07	2	1310	<2	0.02	<2	3	104
I007050		10	<1	0.11	10	0.78	551	<1	0.08	1	1010	<2	0.03	2	3	81
I007051		10	<1	0.07	10	1.00	782	<1	0.07	3	1610	<2	0.08	<2	3	133
I007052		<10	<1	0.11	10	0.73	661	<1	0.06	2	1140	3	0.27	<2	3	108
I007053		10	<1	0.18	30	0.86	583	<1	0.08	2	5750	2	0.32	<2	3	113
I007054		10	<1	0.20	10	0.77	542	<1	0.07	2	1340	2	0.24	<2	3	96
I007055		<10	<1	0.29	10	0.83	570	<1	0.06	2	1410	<2	0.17	5	4	157
I007056		<10	<1	0.38	10	0.80	611	<1	0.06	2	1300	<2	0.40	4	4	252
I007057		10	<1	0.14	10	0.86	608	<1	0.08	3	1610	<2	0.35	4	3	80
I007058		10	<1	0.11	10	0.98	740	<1	0.08	3	1680	<2	0.37	4	3	95
I007059		10	<1	0.10	10	0.97	716	<1	0.08	2	1530	<2	0.15	<2	3	133
I007060		<10	<1	0.29	10	0.83	725	3	0.04	4	1080	2	0.45	30	3	387
I007094		<10	<1	0.01	<10	1.55	28	<1	0.02	1	50	<2	<0.01	2	<1	4370
I007061		<10	<1	0.30	10	0.81	645	2	0.04	4	1030	<2	0.36	17	3	397
I007062		<10	<1	0.29	10	0.84	706	2	0.04	3	1010	<2	0.49	14	3	407
I007063		<10	<1	0.28	10	0.80	620	<1	0.04	3	890	3	0.67	13	3	364
I007064		<10	<1	0.23	10	0.83	560	<1	0.07	3	960	<2	0.18	4	3	184
I007065		<10	<1	0.30	10	0.56	438	<1	0.05	3	640	3	0.34	14	2	265
I007066		<10	<1	0.29	20	0.53	476	<1	0.05	2	640	2	0.49	6	3	278
I007067		<10	<1	0.45	10	0.44	376	<1	0.04	3	700	4	0.57	10	2	228
I007068		<10	<1	0.26	10	0.53	443	<1	0.06	3	640	2	0.42	5	3	279
I007069		<10	<1	0.26	10	0.53	426	<1	0.05	2	650	<2	0.24	6	3	302
I007070		<10	<1	0.27	10	0.52	432	<1	0.06	4	580	3	0.26	7	2	279
I007071		<10	<1	0.27	10	0.49	479	1	0.06	5	580	<2	0.09	9	2	276
I007072		<10	<1	0.29	10	0.50	550	<1	0.03	3	600	3	0.55	25	2	282
I007073		<10	<1	0.24	10	0.65	490	<1	0.04	2	600	3	0.64	23	1	338
I007074		<10	<1	0.24	10	0.70	409	<1	0.04	3	670	2	0.64	22	2	334
I007075		10	<1	0.19	10	0.97	718	<1	0.04	3	990	<2	0.27	8	2	238
I007076		<10	<1	0.18	10	0.99	650	<1	0.04	3	1140	<2	0.13	3	3	319
I007077		<10	<1	0.17	10	0.98	615	1	0.05	4	1270	<2	0.18	2	4	330



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 3 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Tl	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
20	0.01	10	10	10	1	10	2	
I007040		<20	<0.01	<10	<10	19	<10	27
I007043		20	<0.01	<10	10	1	<10	<2
I007041		<20	<0.01	<10	<10	14	<10	30
I007042		<20	<0.01	<10	<10	30	<10	23
I007043		<20	0.01	<10	<10	96	<10	24
I007044		<20	0.05	<10	<10	113	<10	26
I007045		<20	0.03	<10	<10	110	<10	31
I007046		<20	0.01	<10	<10	92	<10	28
I007047		<20	<0.01	<10	<10	29	<10	19
I007048		<20	<0.01	<10	<10	31	<10	22
I007049		<20	0.04	<10	<10	85	<10	29
I007050		<20	0.10	<10	<10	78	<10	26
I007051		<20	0.10	<10	<10	99	<10	29
I007052		<20	0.07	<10	<10	78	<10	21
I007053		<20	0.08	<10	<10	95	<10	23
I007054		<20	0.06	<10	<10	97	<10	23
I007055		<20	0.03	<10	<10	73	<10	27
I007056		<20	0.01	<10	<10	42	<10	20
I007057		<20	0.11	<10	<10	103	<10	23
I007058		<20	0.10	<10	<10	107	<10	24
I007059		<20	0.08	<10	<10	91	<10	24
I007060		<20	<0.01	<10	<10	10	<10	23
I007084		20	<0.01	<10	10	<1	<10	<2
I007061		<20	<0.01	<10	<10	12	<10	23
I007062		<20	<0.01	<10	<10	10	<10	20
I007063		<20	<0.01	<10	<10	12	<10	21
I007064		<20	0.02	<10	<10	52	<10	28
I007065		<20	<0.01	<10	<10	7	<10	213
I007066		<20	<0.01	<10	<10	8	<10	19
I007067		<20	<0.01	<10	<10	6	<10	24
I007068		<20	<0.01	<10	<10	13	<10	19
I007069		<20	<0.01	<10	<10	8	<10	15
I007070		<20	<0.01	<10	<10	7	<10	15
I007071		<20	<0.01	<10	<10	5	40	18
I007072		<20	<0.01	<10	<10	6	<10	18
I007073		<20	<0.01	<10	<10	7	<10	19
I007074		<20	<0.01	<10	<10	7	<10	20
I007075		<20	0.01	<10	<10	48	<10	22
I007076		<20	0.01	<10	<10	44	<10	23
I007077		<20	<0.01	<10	<10	38	<10	21



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BULLION GOLD CORP.**
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 4 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
I007078		0.28	0.013	<0.2	0.60	119	<10	60	<0.5	<2	3.49	<0.5	6	2	23	2.43
I007079		0.20	0.008	<0.2	1.15	85	<10	50	<0.5	<2	2.88	<0.5	6	2	29	2.76
I007080		0.32	0.006	<0.2	1.56	4	<10	50	0.5	<2	2.38	<0.5	6	3	13	2.64
I007085		1.80	<0.005	<0.2	0.07	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.07
I007081		0.32	0.117	0.2	0.53	1990	<10	50	<0.5	<2	3.62	<0.5	7	1	33	2.78
I007082		0.42	0.016	<0.2	1.02	245	<10	380	<0.5	<2	2.88	<0.5	6	2	21	2.94
I007083		0.24	0.006	<0.2	0.81	112	<10	80	<0.5	<2	3.10	<0.5	8	1	35	2.77
I007084		0.68	0.049	<0.2	1.04	132	<10	60	<0.5	<2	3.01	<0.5	13	2	47	2.96
I007085		0.58	0.034	1.0	0.44	308	<10	60	<0.5	<2	3.54	<0.5	12	<1	108	2.98
I007086		0.86	0.006	<0.2	1.66	11	<10	60	<0.5	<2	4.98	<0.5	5	3	12	3.11
I007087		0.88	0.005	<0.2	1.65	8	<10	70	<0.5	<2	2.94	<0.5	6	3	53	3.19
I007088		0.76	0.064	<0.2	0.69	193	<10	60	<0.5	<2	3.61	<0.5	6	1	33	2.57
I007089		0.96	0.006	<0.2	1.73	4	<10	70	<0.5	<2	2.72	<0.5	5	3	8	3.08
I007090		0.84	0.007	<0.2	1.93	16	<10	70	<0.5	<2	2.21	<0.5	8	4	16	3.20
I007091		Not Recvd														
I007101		1.98	0.047	0.4	0.58	366	<10	60	0.6	<2	3.08	<0.5	5	1	36	2.50
I007102		1.66	0.018	<0.2	0.77	43	<10	70	0.5	<2	3.31	<0.5	5	2	10	3.02
I007103		1.68	0.007	<0.2	0.63	30	<10	60	<0.5	<2	3.07	<0.5	5	1	11	2.90
I007104		1.48	0.022	<0.2	0.66	114	<10	80	0.5	<2	3.58	<0.5	9	1	49	3.16
I007105		1.92	0.071	2.4	0.49	464	<10	60	<0.5	<2	3.71	<0.5	9	1	100	3.22
I007106		2.08	0.010	<0.2	1.16	161	<10	100	<0.5	<2	2.92	<0.5	6	3	122	3.22
I007107		1.54	0.034	14.6	1.33	51	<10	80	0.5	<2	2.86	<0.5	5	2	69	3.81
I007108		1.46	<0.005	0.2	0.82	13	<10	70	<0.5	<2	2.34	<0.5	4	3	33	2.38
I007109		1.74	0.010	<0.2	1.06	21	<10	80	<0.5	<2	2.83	<0.5	9	2	118	2.86
I007096		1.48	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.04
I007110		0.78	<0.005	<0.2	0.66	48	<10	70	0.5	<2	3.48	<0.5	6	1	33	2.70
I007111		0.72	0.018	<0.2	1.00	502	<10	60	0.7	<2	3.05	<0.5	8	1	88	3.20
I007112		2.16	0.022	0.4	0.59	184	<10	70	0.5	<2	3.28	<0.5	8	1	83	3.01
I007113		0.90	0.009	<0.2	0.55	98	<10	60	<0.5	<2	3.28	<0.5	9	1	76	2.85
I007115		0.80	0.045	<0.2	0.43	87	<10	50	<0.5	<2	3.40	<0.5	7	<1	38	2.65
I007116		0.52	0.012	<0.2	0.61	132	<10	50	0.5	<2	3.21	<0.5	5	1	14	2.61
I007117		1.70	0.052	<0.2	0.69	132	<10	60	<0.5	<2	2.77	<0.5	7	1	53	2.43
I007118		1.54	<0.005	<0.2	1.48	27	<10	120	0.8	<2	3.14	<0.5	7	3	61	2.98
I007119		1.18	0.009	<0.2	0.68	39	<10	70	0.9	<2	3.75	<0.5	7	1	64	2.19
I007120		1.70	0.013	<0.2	0.38	65	<10	40	<0.5	<2	1.69	<0.5	2	2	12	1.47
I007121		2.06	0.087	<0.2	0.40	499	<10	50	<0.5	<2	1.90	<0.5	3	2	9	1.71
I007122		1.74	0.091	0.2	0.44	632	<10	50	<0.5	<2	2.22	<0.5	4	2	8	1.97
I007123		1.42	0.011	<0.2	0.41	61	<10	60	<0.5	<2	1.96	<0.5	3	2	5	1.76
I007124		1.58	0.180	<0.2	1.05	194	<10	70	0.6	<2	3.97	<0.5	9	2	10	4.54
I007125		2.18	0.059	<0.2	0.58	471	<10	60	<0.5	<2	2.48	<0.5	4	3	6	2.58



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 4 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
I007078		<10	<1	0.28	10	0.79	668	<1	0.04	3	1170	<2	0.20	6	3	269
I007079		<10	<1	0.22	10	0.81	661	<1	0.05	3	1020	<2	0.35	8	3	255
I007080		10	<1	0.15	10	0.69	621	<1	0.06	3	900	<2	0.16	3	3	137
I007095		<10	<1	0.01	<10	1.56	27	<1	0.02	1	60	<2	<0.01	<2	<1	4370
I007081		<10	<1	0.29	10	0.84	693	<1	0.04	3	1170	2	0.47	12	3	333
I007082		<10	<1	0.27	10	0.79	612	<1	0.06	4	1090	<2	0.25	6	3	265
I007083		<10	<1	0.30	10	0.78	609	1	0.06	4	1170	3	0.28	8	3	342
I007084		<10	<1	0.23	10	0.90	717	1	0.05	3	1130	<2	0.67	7	3	241
I007085		<10	<1	0.33	10	0.85	747	1	0.04	3	1130	4	0.58	48	3	376
I007086		<10	<1	0.28	10	0.84	923	<1	0.04	3	1040	<2	0.18	<2	2	165
I007087		<10	<1	0.23	10	0.84	710	1	0.06	3	1200	<2	0.52	3	3	122
I007088		<10	<1	0.28	10	0.74	672	<1	0.04	3	1030	<2	0.34	10	3	334
I007089		<10	<1	0.18	10	0.83	695	<1	0.07	4	1180	<2	0.09	2	3	119
I007090		10	<1	0.15	10	0.95	665	<1	0.06	3	1210	<2	0.12	<2	3	129
I007091																
I007101		<10	<1	0.41	10	0.70	548	5	0.05	3	990	4	0.31	17	2	285
I007102		<10	<1	0.39	10	0.95	592	2	0.05	3	1050	<2	0.10	5	3	425
I007103		<10	<1	0.29	10	0.88	572	4	0.05	3	1140	<2	0.15	4	3	360
I007104		<10	<1	0.37	10	0.96	673	3	0.04	3	1210	<2	0.26	14	3	376
I007105		<10	<1	0.33	10	0.96	690	1	0.04	4	1230	3	0.54	38	4	458
I007106		<10	<1	0.25	10	0.84	648	<1	0.06	5	1210	2	0.39	15	4	245
I007107		<10	<1	0.29	10	1.07	546	19	0.05	8	1140	<2	0.26	<2	2	294
I007108		<10	<1	0.20	10	0.79	494	1	0.06	3	1130	<2	0.04	8	3	246
I007109		<10	<1	0.28	10	0.89	602	4	0.05	3	1140	2	0.30	17	3	200
I007098		<10	<1	0.01	<10	1.63	26	<1	0.02	<1	40	<2	<0.01	2	<1	4540
I007110		<10	<1	0.35	10	0.83	530	1	0.05	3	1230	<2	0.12	12	2	339
I007111		<10	<1	0.28	10	0.95	527	<1	0.04	4	1170	2	0.47	19	3	333
I007112		<10	<1	0.31	20	0.82	605	<1	0.05	4	1140	2	0.45	30	2	421
I007113		<10	<1	0.30	20	0.83	597	<1	0.05	3	1120	<2	0.32	31	2	442
I007115		<10	<1	0.28	10	0.81	579	<1	0.04	4	1060	3	0.25	15	2	349
I007116		<10	<1	0.28	20	0.79	507	<1	0.05	3	1120	<2	0.11	4	2	351
I007117		<10	<1	0.29	20	0.70	458	<1	0.05	3	1120	<2	0.12	14	2	278
I007118		<10	<1	0.28	20	0.84	511	<1	0.05	4	1080	<2	0.13	8	2	201
I007119		<10	<1	0.39	10	0.53	416	<1	0.03	4	900	2	0.46	18	2	219
I007120		<10	<1	0.28	10	0.32	261	<1	0.04	1	320	<2	0.05	5	1	147
I007121		<10	<1	0.29	10	0.40	313	<1	0.04	2	390	3	0.11	5	1	163
I007122		<10	<1	0.32	10	0.46	350	<1	0.03	2	450	<2	0.12	5	2	184
I007123		<10	<1	0.31	10	0.41	295	<1	0.04	2	400	<2	0.02	2	1	163
I007124		<10	<1	0.42	10	1.30	605	<1	0.03	10	1390	<2	0.14	5	7	447
I007125		<10	<1	0.34	10	0.62	373	<1	0.04	4	670	4	0.16	4	3	244



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 4 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
I007078		<20	<0.01	<10	<10	20	<10	20
I007079		<20	0.01	<10	<10	40	<10	23
I007080		<20	0.05	<10	<10	68	<10	24
I007095		20	<0.01	<10	10	<1	<10	<2
I007081		<20	<0.01	<10	<10	15	<10	19
I007082		<20	<0.01	<10	<10	34	<10	27
I007083		<20	<0.01	<10	<10	26	<10	25
I007084		<20	0.02	<10	<10	50	<10	21
I007085		<20	<0.01	<10	<10	10	<10	28
I007086		<20	<0.01	<10	<10	62	<10	24
I007087		<20	0.05	<10	<10	81	<10	23
I007088		<20	<0.01	<10	<10	23	<10	19
I007089		<20	0.06	<10	<10	88	<10	25
I007090		<20	0.06	<10	<10	90	<10	26
I007091								
I007101		<20	<0.01	<10	<10	11	<10	15
I007102		<20	<0.01	<10	<10	12	<10	22
I007103		<20	<0.01	<10	<10	14	<10	22
I007104		<20	<0.01	<10	<10	17	<10	26
I007105		<20	<0.01	<10	<10	11	20	24
I007106		<20	<0.01	<10	<10	49	<10	26
I007107		<20	<0.01	<10	<10	34	60	29
I007108		<20	0.01	<10	<10	43	<10	19
I007109		<20	0.01	<10	<10	49	<10	24
I007096		20	<0.01	<10	10	<1	<10	<2
I007110		<20	<0.01	<10	<10	16	<10	22
I007111		<20	<0.01	<10	<10	28	<10	23
I007112		<20	<0.01	<10	<10	13	<10	22
I007113		<20	<0.01	<10	<10	10	<10	21
I007115		<20	<0.01	<10	<10	9	<10	18
I007116		<20	<0.01	<10	<10	13	<10	18
I007117		<20	<0.01	<10	<10	18	<10	19
I007118		<20	0.01	<10	<10	34	<10	23
I007119		<20	<0.01	<10	<10	10	<10	14
I007120		<20	<0.01	<10	<10	3	<10	9
I007121		<20	<0.01	<10	<10	3	<10	11
I007122		<20	<0.01	<10	<10	4	<10	11
I007123		<20	<0.01	<10	<10	3	<10	11
I007124		<20	<0.01	<10	<10	15	<10	51
I007125		<20	<0.01	<10	<10	6	<10	27



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollerton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 5 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41												
		Recd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	0.01
I007126		1.82	0.023	0.2	0.40	224	<10	40	<0.5	<2	1.81	<0.5	4	2	15	1.67
I007127		2.30	0.274	0.4	0.39	826	<10	40	<0.5	<2	1.88	<0.5	3	2	24	1.66
I007128		2.26	0.056	0.5	0.36	159	<10	40	<0.5	<2	1.83	<0.5	4	2	34	1.59
I007129		1.28	0.042	0.2	0.39	238	<10	50	<0.5	<2	2.25	<0.5	3	2	18	1.59
I007130		3.12	0.062	<0.2	0.39	283	<10	50	<0.5	<2	2.42	<0.5	2	2	3	1.52
I007097		1.56	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.04
I007131		2.70	0.179	<0.2	0.39	553	<10	50	0.5	<2	3.12	<0.5	2	2	3	1.49
I007132		2.64	0.017	<0.2	0.41	146	<10	50	<0.5	<2	1.90	<0.5	2	3	3	1.53
I007133		3.00	0.061	0.2	0.39	526	<10	40	<0.5	<2	1.86	<0.5	2	3	12	1.46
I007134		2.26	0.277	<0.2	0.36	445	<10	40	<0.5	<2	1.94	<0.5	2	3	3	1.31
I007135		0.64	0.014	<0.2	0.34	202	<10	40	<0.5	<2	1.91	<0.5	2	2	3	1.50
I007136		1.14	0.084	<0.2	0.30	396	<10	30	<0.5	<2	2.29	<0.5	2	4	3	1.40
I007137		0.66	0.029	<0.2	0.36	314	<10	40	<0.5	<2	2.01	<0.5	2	2	10	1.45
I007138		1.54	0.036	<0.2	0.47	290	<10	60	<0.5	<2	2.64	<0.5	3	3	6	2.21
I007139		1.36	0.026	1.5	0.41	178	<10	60	<0.5	<2	2.74	<0.5	5	2	116	2.15
I007140		0.90	0.012	<0.2	0.38	133	<10	50	<0.5	<2	2.47	<0.5	4	2	6	1.90
I007141		1.26	0.013	0.2	0.52	121	<10	60	0.5	<2	3.28	<0.5	7	1	143	2.60
I007142		0.84	0.009	0.4	0.55	90	<10	50	0.5	<2	2.98	<0.5	7	1	265	2.48
I007143		0.84	0.046	2.0	0.46	393	<10	50	<0.5	<2	3.46	<0.5	7	2	352	2.39
I007144		0.88	0.008	<0.2	0.43	46	<10	60	<0.5	<2	2.78	<0.5	5	4	69	1.62
I007145		1.46	0.022	<0.2	0.68	89	<10	190	0.6	<2	3.16	<0.5	5	2	32	2.09
I007146		1.92	0.011	<0.2	0.87	78	<10	60	<0.5	<2	2.71	<0.5	7	3	161	2.78
I007147		1.24	<0.005	<0.2	1.55	15	<10	50	<0.5	<2	2.30	<0.5	8	3	151	3.33
I007148		0.78	0.009	<0.2	1.37	23	<10	80	0.6	<2	2.78	<0.5	7	2	61	3.25
I007149		0.32	0.005	<0.2	0.52	42	<10	70	<0.5	<2	4.36	<0.5	8	1	91	3.27
I007150		0.44	0.024	<0.2	0.46	79	<10	70	<0.5	<2	4.79	<0.5	7	1	51	3.31
I007098		1.46	<0.005	<0.2	0.04	2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.05
I007151		1.36	0.024	0.2	0.73	64	<10	70	0.5	<2	3.59	<0.5	8	2	60	3.00
I007152		0.76	0.010	0.2	0.75	30	<10	70	0.6	<2	4.00	<0.5	7	<1	65	2.90
I007153		0.36	0.017	0.4	0.49	68	<10	60	<0.5	<2	3.96	<0.5	12	1	80	3.26
I007154		1.04	0.027	0.4	0.56	178	<10	70	<0.5	<2	4.24	<0.5	12	1	53	3.12
I007155		1.10	0.009	<0.2	0.52	104	<10	70	<0.5	<2	3.90	<0.5	8	1	33	2.86
I007156		1.14	0.030	<0.2	0.48	43	<10	60	<0.5	<2	4.02	<0.5	6	1	19	2.92
I007157		0.98	0.018	0.2	0.45	29	<10	60	0.5	<2	3.91	<0.5	6	2	33	2.74
I007158		0.86	0.015	0.3	0.49	30	<10	60	<0.5	<2	3.80	<0.5	6	1	33	2.80
I007159		1.02	0.028	<0.2	0.51	26	<10	70	<0.5	<2	4.14	<0.5	5	1	11	2.99
I007160		0.76	0.008	<0.2	0.46	36	<10	60	<0.5	<2	3.89	<0.5	5	2	1	2.96
I007161		0.52	0.024	<0.2	0.49	304	<10	60	<0.5	<2	3.85	<0.5	5	1	17	2.79
I007162		0.40	0.010	0.5	0.52	75	<10	60	<0.5	<2	3.88	<0.5	7	1	71	2.92
I007163		1.24	0.037	<0.2	0.84	137	<10	50	0.6	<2	3.39	<0.5	5	2	20	3.04



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 5 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	So	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
I007126		<10	<1	0.27	10	0.37	279	<1	0.05	2	410	<2	0.09	9	2	169
I007127		<10	<1	0.25	10	0.37	303	<1	0.05	1	390	5	0.36	13	1	194
I007128		<10	<1	0.24	10	0.33	289	<1	0.06	2	380	<2	0.32	16	1	153
I007129		<10	<1	0.32	10	0.29	272	<1	0.04	1	330	4	0.43	10	1	213
I007130		<10	<1	0.30	10	0.32	279	<1	0.05	2	360	<2	0.24	2	1	209
I007097		<10	<1	0.01	<10	1.46	23	<1	0.02	<1	40	<2	<0.01	2	<1	4370
I007131		<10	<1	0.31	10	0.31	287	<1	0.04	1	350	2	0.34	2	1	361
I007132		<10	<1	0.30	10	0.37	258	<1	0.05	1	400	2	0.04	3	1	163
I007133		<10	<1	0.27	10	0.36	274	<1	0.05	2	410	3	0.10	7	1	152
I007134		<10	<1	0.26	10	0.34	256	<1	0.05	1	400	<2	0.10	<2	1	159
I007135		<10	<1	0.24	10	0.36	252	<1	0.05	2	380	<2	0.07	<2	1	165
I007136		<10	<1	0.21	10	0.33	254	<1	0.05	1	370	<2	0.17	3	1	167
I007137		<10	<1	0.27	10	0.40	280	<1	0.05	1	400	<2	0.05	5	1	154
I007138		<10	<1	0.33	10	0.65	425	1	0.04	3	590	2	0.06	4	2	268
I007139		<10	<1	0.32	10	0.62	449	<1	0.04	2	730	<2	0.08	50	2	250
I007140		<10	<1	0.28	10	0.58	365	<1	0.05	2	660	<2	0.02	3	2	269
I007141		<10	<1	0.37	10	0.75	568	1	0.04	3	1080	<2	0.06	40	2	282
I007142		<10	<1	0.31	10	0.74	518	<1	0.04	2	1050	<2	0.07	54	3	316
I007143		<10	<1	0.33	10	0.67	532	1	0.04	2	880	4	0.19	91	2	342
I007144		<10	<1	0.30	10	0.38	335	<1	0.05	2	390	<2	0.14	21	1	280
I007145		<10	<1	0.34	10	0.39	326	<1	0.04	3	610	4	0.86	8	2	205
I007146		<10	<1	0.23	10	0.81	485	<1	0.06	4	1060	2	0.66	14	3	203
I007147		10	<1	0.16	10	0.96	683	<1	0.07	3	1160	<2	0.61	<2	3	83
I007148		<10	<1	0.25	10	0.97	675	1	0.05	3	1300	2	0.58	7	3	167
I007149		<10	<1	0.33	10	1.10	820	1	0.04	4	1350	<2	0.28	28	3	497
I007150		<10	<1	0.36	10	0.81	659	2	0.05	4	1180	6	1.35	20	3	322
I007098		<10	<1	0.01	<10	1.68	30	<1	0.01	<1	60	2	<0.01	<2	<1	4250
I007151		<10	<1	0.38	10	0.85	646	1	0.04	4	1300	5	0.94	23	3	336
I007152		<10	<1	0.40	10	0.89	734	<1	0.03	4	1370	2	0.43	21	2	281
I007153		<10	<1	0.40	10	0.88	725	2	0.05	4	1250	3	0.99	30	3	298
I007154		<10	<1	0.47	10	0.94	784	1	0.04	2	1250	4	0.67	20	3	304
I007155		<10	<1	0.37	10	0.97	783	1	0.05	3	1290	2	0.19	14	4	383
I007156		<10	<1	0.36	10	0.93	766	<1	0.04	2	1220	2	0.44	10	3	335
I007157		<10	<1	0.33	10	0.89	764	<1	0.04	4	1260	2	0.70	16	3	366
I007158		<10	<1	0.36	10	0.92	779	<1	0.05	3	1220	2	0.70	15	4	377
I007159		<10	<1	0.38	10	0.94	784	<1	0.05	2	1200	<2	0.12	6	3	441
I007160		<10	<1	0.34	10	0.90	745	<1	0.04	3	1230	2	0.25	<2	3	362
I007161		<10	<1	0.34	10	0.91	701	<1	0.05	3	1180	3	0.07	9	3	329
I007162		<10	<1	0.34	10	0.98	690	1	0.06	4	1300	2	0.23	29	3	391
I007163		<10	<1	0.28	10	0.91	651	<1	0.06	4	1300	3	0.56	7	4	264



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 5 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Tl	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
I007126	<20	<0.01	<10	<10	4	<10	13	
I007127	<20	<0.01	<10	<10	4	<10	10	
I007128	<20	<0.01	<10	<10	4	<10	10	
I007129	<20	<0.01	<10	<10	3	<10	13	
I007130	<20	<0.01	<10	<10	3	<10	13	
I007097	20	<0.01	<10	10	<1	<10	<2	
I007131	<20	<0.01	<10	<10	3	<10	8	
I007132	<20	<0.01	<10	<10	3	<10	15	
I007133	<20	<0.01	<10	<10	3	<10	10	
I007134	<20	<0.01	<10	<10	3	<10	6	
I007135	<20	<0.01	<10	<10	3	<10	11	
I007136	<20	<0.01	<10	<10	3	<10	8	
I007137	<20	<0.01	<10	<10	3	<10	8	
I007138	<20	<0.01	<10	<10	6	<10	12	
I007139	<20	<0.01	<10	<10	6	<10	18	
I007140	<20	<0.01	<10	<10	6	<10	8	
I007141	<20	<0.01	<10	<10	11	<10	18	
I007142	<20	<0.01	<10	<10	11	<10	18	
I007143	<20	<0.01	<10	<10	7	<10	25	
I007144	<20	<0.01	<10	<10	5	<10	11	
I007145	<20	<0.01	<10	<10	10	<10	8	
I007146	<20	<0.01	<10	<10	33	<10	18	
I007147	<20	<0.01	<10	<10	79	<10	21	
I007148	<20	<0.01	<10	<10	53	<10	19	
I007149	<20	<0.01	<10	<10	17	<10	22	
I007150	<20	<0.01	<10	<10	13	<10	16	
I007098	20	<0.01	<10	10	<1	<10	<2	
I007151	<20	<0.01	<10	<10	16	<10	18	
I007152	<20	<0.01	<10	<10	12	<10	16	
I007153	<20	<0.01	<10	<10	10	<10	16	
I007154	<20	<0.01	<10	<10	11	<10	14	
I007155	<20	<0.01	<10	<10	13	<10	16	
I007156	<20	<0.01	<10	<10	12	<10	14	
I007157	<20	<0.01	<10	<10	13	<10	16	
I007158	<20	<0.01	<10	<10	15	<10	16	
I007159	<20	<0.01	<10	<10	11	<10	14	
I007160	<20	<0.01	<10	<10	11	<10	22	
I007161	<20	<0.01	<10	<10	12	<10	31	
I007162	<20	<0.01	<10	<10	16	<10	21	
I007163	<20	<0.01	<10	<10	34	<10	16	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 6 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA24	ME-ICP41												
		Recvd Wt	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	0.01
I007164		1.90	0.009	<0.2	1.16	56	<10	70	<0.5	<2	2.88	<0.5	7	3	56	3.01
I007165		1.54	0.007	0.5	0.58	68	<10	60	<0.5	<2	3.89	<0.5	7	1	95	3.06
I007166		0.84	0.018	1.4	0.54	559	<10	50	<0.5	<2	3.76	<0.5	7	1	120	3.15
I007167		0.48	0.067	0.4	0.88	840	<10	70	<0.5	<2	3.03	<0.5	6	2	67	2.95
I007168		0.98	0.235	0.3	1.59	985	<10	70	<0.5	<2	2.58	0.9	9	4	133	3.04
I007169		0.44	0.007	0.2	2.00	21	<10	120	0.7	<2	2.70	<0.5	6	4	126	2.72
I007170		1.00	0.005	<0.2	1.70	15	<10	70	<0.5	<2	2.60	<0.5	7	4	93	3.09
I007099		1.50	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.04
I007171		1.38	0.008	<0.2	1.66	11	<10	60	<0.5	<2	3.57	<0.5	8	4	41	3.17
I007172		1.52	<0.005	<0.2	1.43	6	<10	70	<0.5	<2	3.07	<0.5	6	3	2	2.35
I007173		2.52	<0.005	<0.2	1.70	6	<10	70	<0.5	<2	4.88	<0.5	9	4	34	3.06
I007174		1.40	0.027	<0.2	0.71	202	<10	60	0.5	<2	3.35	<0.5	9	1	10	2.47
I007175		1.06	0.025	0.2	0.47	103	<10	50	<0.5	<2	3.88	<0.5	11	1	60	2.86
I007176		0.66	0.039	0.2	0.53	658	<10	50	<0.5	<2	3.29	<0.5	7	1	69	2.81
I007177		0.96	0.011	<0.2	1.42	82	<10	70	<0.5	<2	3.22	<0.5	6	2	25	3.26
I007178		0.22	0.009	<0.2	1.62	20	<10	50	<0.5	<2	2.75	<0.5	6	3	13	3.19
I007179		0.32	0.017	<0.2	1.84	38	<10	60	<0.5	<2	5.14	<0.5	10	3	28	3.90
I007180		0.36	0.007	<0.2	0.97	34	<10	70	<0.5	<2	3.75	<0.5	7	2	6	3.13
I007181		0.72	0.005	<0.2	1.39	30	<10	90	<0.5	<2	2.30	<0.5	6	2	5	2.91
I007182		1.12	0.005	<0.2	1.75	2	<10	70	<0.5	<2	2.52	<0.5	6	3	1	3.03
I007183		0.52	<0.005	<0.2	1.59	3	<10	90	<0.5	<2	2.91	<0.5	6	3	2	2.93
I007184		1.12	<0.005	<0.2	1.08	13	<10	70	0.5	<2	3.33	<0.5	6	2	6	2.83
I007185		1.16	0.007	<0.2	0.64	649	<10	60	<0.5	<2	3.34	<0.5	5	1	4	2.82
I007186		1.36	<0.005	<0.2	0.60	98	<10	40	<0.5	<2	2.49	<0.5	6	2	1	2.57
I007187		0.92	0.015	0.2	0.53	374	<10	40	<0.5	<2	3.31	<0.5	6	1	1	2.88
I007188		1.14	<0.005	<0.2	0.68	197	<10	50	0.6	<2	3.58	<0.5	6	1	<1	3.21
I007189		0.86	<0.005	<0.2	0.76	133	<10	40	0.6	<2	3.15	<0.5	5	1	1	2.84
I007190		0.96	0.018	<0.2	0.89	192	<10	70	0.6	<2	2.88	<0.5	6	1	2	2.58
I007100		1.22	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.04
I007191		0.32	0.021	<0.2	0.62	2440	<10	60	0.6	<2	3.41	<0.5	7	1	3	2.64
I007192		0.56	0.012	<0.2	0.59	1145	<10	60	0.5	<2	3.45	<0.5	6	1	3	2.71
I007193		1.02	<0.005	<0.2	0.55	250	<10	40	<0.5	<2	2.67	<0.5	6	1	14	2.07
I007194		1.54	0.016	<0.2	0.58	396	<10	50	<0.5	<2	2.56	<0.5	6	2	17	2.11
I007195		0.42	<0.005	<0.2	1.00	13	<10	80	0.5	<2	2.02	<0.5	5	4	6	2.59
I007196		0.80	<0.005	<0.2	0.60	34	<10	60	<0.5	<2	2.47	<0.5	6	3	1	2.15
I007197		2.36	<0.005	<0.2	1.65	16	<10	50	0.6	<2	3.57	<0.5	10	13	1	3.75
I007198		1.40	0.009	<0.2	1.73	17	<10	70	0.8	<2	4.64	<0.5	14	15	2	4.32
I007199		1.86	0.006	<0.2	3.16	8	<10	50	1.1	<2	3.80	<0.5	14	19	1	5.29
I007200		1.50	0.010	<0.2	0.70	34	<10	50	0.6	<2	3.91	<0.5	11	4	2	3.37
I007201		1.88	0.006	<0.2	0.41	29	<10	30	<0.5	<2	2.74	<0.5	6	1	4	2.04



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 6 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
I007164		<10	<1	0.25	10	0.96	591	<1	0.06	4	1230	2	0.29	3	4	166
I007185		<10	<1	0.33	10	1.02	695	<1	0.04	4	1210	<2	0.46	35	4	411
I007166		<10	<1	0.31	10	0.98	701	1	0.05	4	1240	2	0.66	46	4	419
I007167		<10	<1	0.26	10	0.97	672	<1	0.05	3	1260	3	0.40	13	3	270
I007168		<10	<1	0.18	10	0.98	600	<1	0.07	4	1260	18	0.81	2	3	108
I007169		10	<1	0.13	10	0.83	517	<1	0.07	4	1260	6	0.81	3	3	94
I007170		<10	<1	0.21	10	1.09	648	<1	0.08	4	1300	3	0.18	<2	3	111
I007099		<10	1	<0.01	<10	1.49	23	<1	0.01	1	50	<2	<0.01	3	<1	4490
I007171		10	<1	0.26	10	1.02	687	<1	0.06	4	1290	2	0.19	<2	3	171
I007172		<10	<1	0.18	10	0.87	523	<1	0.07	5	1250	3	0.04	<2	3	154
I007173		<10	<1	0.23	10	1.04	738	<1	0.06	4	1140	<2	0.15	<2	3	202
I007174		<10	<1	0.28	10	0.86	609	<1	0.06	4	1250	4	0.11	2	4	317
I007175		<10	<1	0.29	10	0.90	707	<1	0.05	4	1200	2	0.30	28	4	407
I007176		<10	<1	0.27	10	0.85	672	<1	0.06	3	1200	2	0.56	24	4	387
I007177		<10	<1	0.28	10	0.87	624	<1	0.06	3	1200	3	0.57	6	3	222
I007178		<10	<1	0.20	10	0.84	575	<1	0.07	3	1180	4	0.49	3	3	130
I007179		<10	<1	0.17	10	1.02	798	<1	0.05	4	1100	6	0.77	<2	2	182
I007180		<10	<1	0.31	10	0.86	614	<1	0.05	4	1300	<2	0.13	<2	2	184
I007181		<10	<1	0.20	10	0.97	496	1	0.07	3	1240	<2	0.12	<2	3	160
I007182		10	<1	0.18	10	0.99	536	1	0.07	4	1210	2	0.04	<2	3	134
I007183		<10	<1	0.20	10	0.89	571	1	0.07	4	1180	2	0.04	<2	3	132
I007184		<10	<1	0.27	10	0.86	538	2	0.05	6	1210	6	0.03	<2	3	226
I007185		<10	<1	0.30	10	0.94	578	1	0.05	4	1180	2	0.23	2	3	329
I007186		<10	<1	0.26	10	0.79	484	<1	0.06	4	1190	2	0.06	<2	3	165
I007187		<10	<1	0.32	10	0.97	503	<1	0.05	3	1150	<2	0.14	2	2	209
I007188		<10	<1	0.34	10	1.06	554	<1	0.05	4	1100	2	0.17	<2	3	249
I007189		<10	<1	0.28	10	0.92	492	<1	0.06	4	1160	2	0.20	<2	3	213
I007190		<10	<1	0.41	10	0.87	417	<1	0.04	4	1150	2	0.33	2	2	159
I007100		<10	<1	0.01	<10	1.74	30	<1	0.01	1	60	<2	<0.01	<2	<1	5200
I007191		<10	<1	0.40	10	0.83	567	1	0.02	3	1130	3	0.30	3	2	214
I007192		<10	<1	0.38	10	0.85	538	1	0.03	3	1190	2	0.32	2	2	232
I007193		<10	<1	0.26	10	0.69	385	<1	0.05	3	630	<2	0.07	6	2	208
I007194		<10	<1	0.29	10	0.63	391	1	0.05	3	630	2	0.16	7	2	208
I007195		<10	<1	0.28	10	0.71	317	<1	0.06	5	710	3	0.03	5	2	325
I007196		<10	<1	0.29	10	0.63	377	1	0.05	5	640	3	0.02	2	2	274
I007197		<10	<1	0.20	10	1.41	797	1	0.05	12	1220	3	0.05	<2	9	181
I007198		<10	<1	0.33	10	1.61	904	<1	0.04	14	1540	4	0.09	<2	12	205
I007199		10	<1	0.16	10	1.89	973	<1	0.05	15	1630	4	0.09	<2	10	113
I007200		<10	<1	0.28	20	1.11	657	1	0.04	8	1120	2	0.05	<2	7	442
I007201		<10	<1	0.24	10	0.62	422	<1	0.04	3	630	3	0.05	4	3	265



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 6 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Tl	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
I007164		<20	<0.01	<10	<10	50	<10	19
I007165		<20	<0.01	<10	<10	15	<10	22
I007166		<20	<0.01	<10	<10	15	<10	22
I007167		<20	<0.01	<10	<10	38	<10	18
I007168		<20	0.04	<10	<10	80	<10	61
I007169		<20	0.06	<10	<10	83	<10	17
I007170		<20	0.02	<10	<10	88	<10	23
I007099		20	<0.01	<10	10	<1	<10	<2
I007171		<20	<0.01	<10	<10	72	<10	20
I007172		<20	<0.01	<10	<10	70	<10	18
I007173		<20	<0.01	<10	<10	73	<10	21
I007174		<20	<0.01	<10	<10	28	<10	21
I007175		<20	<0.01	<10	<10	14	<10	22
I007176		<20	<0.01	<10	<10	19	<10	22
I007177		<20	<0.01	<10	<10	42	<10	20
I007178		<20	<0.01	<10	<10	65	<10	18
I007179		<20	<0.01	<10	<10	61	<10	22
I007180		<20	<0.01	<10	<10	34	<10	22
I007181		<20	<0.01	<10	<10	65	<10	21
I007182		<20	<0.01	<10	<10	73	<10	22
I007183		<20	0.01	<10	<10	65	<10	22
I007184		<20	<0.01	<10	<10	38	<10	24
I007185		<20	<0.01	<10	<10	22	<10	20
I007186		<20	<0.01	<10	<10	28	<10	19
I007187		<20	<0.01	<10	<10	18	<10	17
I007188		<20	<0.01	<10	<10	21	<10	18
I007189		<20	<0.01	<10	<10	23	<10	20
I007190		<20	<0.01	<10	<10	25	<10	19
I007100		20	<0.01	<10	10	<1	<10	<2
I007191		<20	<0.01	<10	<10	12	<10	19
I007192		<20	<0.01	<10	<10	13	<10	17
I007193		<20	<0.01	<10	<10	10	<10	12
I007194		<20	<0.01	<10	<10	10	<10	11
I007195		<20	<0.01	<10	<10	22	<10	16
I007196		<20	<0.01	<10	<10	13	<10	13
I007197		<20	0.02	<10	<10	96	<10	28
I007198		<20	<0.01	<10	<10	99	<10	34
I007199		<20	0.06	<10	<10	144	<10	83
I007200		<20	<0.01	<10	<10	22	<10	35
I007201		<20	<0.01	<10	<10	7	<10	12



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 7 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41												
		Recvd Wt.	Au	Ag	Al	As	B	Be	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	0.01
I007202		2.08	0.009	<0.2	0.46	30	<10	50	<0.5	<2	2.75	<0.5	8	2	10	1.98
I007203		Not Recvd														
I007206		1.10	0.304	<0.2	0.39	3400	<10	40	<0.5	<2	2.60	<0.5	9	1	18	2.23
I007207		1.42	0.007	<0.2	0.41	41	<10	40	<0.5	<2	2.62	<0.5	7	2	5	2.03
I007208		1.18	0.006	<0.2	0.41	48	<10	40	<0.5	<2	2.54	<0.5	6	2	6	2.04
I007209		0.92	0.005	<0.2	0.73	40	<10	50	0.5	<2	2.02	<0.5	7	3	<1	2.34
I007210		1.08	0.005	<0.2	0.47	22	<10	50	<0.5	<2	2.33	<0.5	5	2	2	2.01
I007211		0.86	<0.005	<0.2	0.48	31	<10	50	<0.5	<2	2.37	<0.5	5	2	6	2.02
I007212		0.68	<0.005	<0.2	1.20	2	<10	80	0.5	<2	1.59	<0.5	5	9	<1	2.31
I007213		1.02	0.016	<0.2	0.49	24	<10	50	<0.5	<2	2.55	<0.5	6	3	2	2.15
I007214		1.00	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.04
I007214		0.98	<0.005	<0.2	0.54	22	<10	50	<0.5	<2	2.48	<0.5	8	2	8	2.19
I007215		1.64	0.009	<0.2	0.49	30	<10	50	<0.5	<2	3.28	<0.5	8	2	13	2.63
I007216		1.50	0.006	0.2	0.46	55	<10	30	<0.5	<2	2.88	<0.5	7	2	8	2.40
I007217		1.20	<0.005	<0.2	0.44	27	<10	30	<0.5	<2	2.85	<0.5	8	2	3	2.51
I007218		1.58	<0.005	<0.2	0.49	37	<10	40	0.5	<2	3.03	<0.5	9	2	23	2.62
I007219		1.62	0.018	0.6	0.50	295	<10	30	<0.5	<2	2.80	<0.5	8	2	74	2.69
I007220		1.88	0.058	0.6	0.42	1085	<10	30	<0.5	<2	2.87	<0.5	8	2	81	2.71
I007221		1.72	0.009	<0.2	0.52	104	<10	50	<0.5	<2	2.04	<0.5	10	3	108	2.86
I007222		1.40	0.031	0.2	0.47	853	<10	40	<0.5	<2	2.47	<0.5	8	2	86	2.88
I007223		1.58	0.068	<0.2	0.60	671	<10	50	0.5	<2	3.09	<0.5	10	2	33	3.20
I007224		1.16	<0.005	<0.2	1.53	24	<10	60	0.7	<2	2.93	<0.5	11	9	20	3.48
I007225		1.68	0.009	<0.2	0.63	96	<10	50	0.5	<2	2.63	<0.5	14	2	82	2.44
I007226		0.48	0.008	<0.2	0.53	189	<10	50	<0.5	<2	2.76	<0.5	11	2	102	2.59
I007227		1.00	0.019	0.3	0.47	369	<10	50	<0.5	<2	3.02	<0.5	9	1	100	2.67
I007228		1.02	0.007	<0.2	0.53	43	<10	50	<0.5	<2	2.45	<0.5	8	2	72	2.36
I007229		1.74	<0.005	<0.2	0.83	56	<10	70	0.5	<2	2.44	<0.5	9	4	92	2.77
I007230		1.18	0.006	<0.2	1.04	126	<10	50	0.5	<2	1.53	<0.5	9	7	119	2.95
I007231		1.50	0.007	<0.2	1.40	7	<10	60	<0.5	<2	1.70	<0.5	9	8	30	2.98
I007232		1.28	0.012	<0.2	0.61	68	<10	50	0.6	<2	4.75	<0.5	11	2	20	2.91
I007204		1.22	<0.005	<0.2	0.04	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	<1	0.05
I007233		1.52	0.007	<0.2	0.47	42	<10	50	<0.5	<2	3.46	<0.5	8	6	23	2.62
I007234		1.76	0.022	<0.2	0.47	431	<10	50	<0.5	<2	3.23	<0.5	10	2	52	3.00
I007235		0.72	0.022	<0.2	0.70	227	<10	50	0.6	<2	2.81	<0.5	10	3	23	3.21
I007236		1.14	0.009	<0.2	0.55	48	<10	50	0.5	<2	3.09	<0.5	8	2	12	2.81
I007237		1.18	0.019	<0.2	0.54	354	<10	50	0.5	<2	2.84	<0.5	7	2	6	2.74
I007238		2.20	0.033	<0.2	0.47	371	<10	50	<0.5	<2	2.64	<0.5	8	2	26	2.45
I007239		1.82	0.022	<0.2	0.58	318	<10	50	0.6	<2	2.91	<0.5	8	2	18	2.59
I007240		1.28	0.006	<0.2	0.41	107	<10	40	<0.5	<2	2.46	<0.5	7	2	39	2.11
I007241		1.68	0.029	<0.2	0.53	213	<10	60	<0.5	<2	2.79	<0.5	7	2	18	2.44



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 7 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
I007202		<10	<1	0.33	10	0.54	401	<1	0.04	3	650	6	0.09	5	2	275
I007203		<10	<1	0.29	10	0.57	413	<1	0.04	3	630	10	0.34	19	2	241
I007206		<10	<1	0.25	10	0.59	388	<1	0.05	3	590	2	0.04	2	2	308
I007207		<10	<1	0.25	10	0.60	350	<1	0.04	3	600	2	0.04	3	3	317
I007208		<10	<1	0.27	10	0.68	266	2	0.06	2	680	<2	0.03	<2	2	279
I007209		<10	<1	0.27	10	0.56	336	1	0.05	2	590	3	0.05	<2	3	346
I007210		<10	<1	0.27	10	0.56	339	<1	0.05	3	600	<2	0.02	<2	3	319
I007211		<10	<1	0.29	10	0.56	267	1	0.07	4	870	2	0.01	<2	3	128
I007212		10	<1	0.19	10	1.18	542	1	0.04	5	870	3	0.03	6	4	387
I007213		<10	<1	0.24	20	0.75	450	<1	0.05	4	830	2	0.10	2	4	
I007214		<10	<1	0.01	<10	1.59	18	<1	0.01	1	40	<2	<0.01	<2	<1	4550
I007215		<10	<1	0.29	20	0.70	406	<1	0.05	4	810	2	0.03	3	3	337
I007216		<10	<1	0.30	10	0.83	532	<1	0.04	4	890	2	0.09	5	4	381
I007217		<10	<1	0.24	20	0.79	542	1	0.04	5	870	3	0.03	6	4	421
I007218		<10	<1	0.32	10	0.78	557	1	0.04	4	760	3	0.08	10	3	404
I007219		<10	<1	0.28	10	0.78	534	1	0.04	5	810	9	0.17	29	3	346
I007220		<10	<1	0.24	10	0.81	589	1	0.04	5	880	4	0.50	32	4	374
I007221		<10	<1	0.27	20	0.76	525	1	0.07	3	840	3	0.39	31	4	430
I007222		<10	<1	0.24	20	0.73	489	1	0.05	2	770	2	0.45	28	4	340
I007223		<10	<1	0.32	10	0.86	556	1	0.05	3	900	2	0.18	11	4	388
I007224		<10	<1	0.21	10	1.08	602	1	0.06	7	1160	<2	0.02	8	6	299
I007225		<10	<1	0.28	20	0.79	485	1	0.07	3	890	3	0.23	22	4	510
I007226		<10	<1	0.28	10	0.80	507	1	0.05	3	840	<2	0.30	30	4	451
I007227		<10	<1	0.32	10	0.77	532	1	0.05	2	820	<2	0.44	37	3	352
I007228		<10	<1	0.25	10	0.74	420	1	0.05	3	810	<2	0.32	23	3	396
I007229		<10	<1	0.28	10	0.85	506	1	0.06	3	840	<2	0.20	21	3	284
I007230		<10	<1	0.18	20	0.83	419	1	0.06	3	890	6	0.59	10	4	291
I007231		<10	<1	0.18	10	0.86	429	1	0.09	3	860	2	0.17	2	4	123
I007232		<10	<1	0.30	10	1.11	715	2	0.03	4	860	2	0.07	6	3	352
I007234		<10	<1	0.01	<10	1.84	26	<1	0.02	<1	50	<2	<0.01	<2	<1	4580
I007233		<10	<1	0.31	20	0.87	573	1	0.04	3	950	5	0.07	3	3	328
I007235		<10	<1	0.27	10	0.95	638	1	0.05	5	1020	<2	0.42	17	5	484
I007236		<10	<1	0.26	10	1.01	647	1	0.07	4	960	<2	0.54	8	5	538
I007237		<10	<1	0.30	20	0.86	594	1	0.05	3	930	<2	0.22	5	4	472
I007238		<10	<1	0.31	10	0.64	487	1	0.04	2	680	3	0.28	11	2	287
I007239		<10	<1	0.33	20	0.84	612	1	0.05	3	950	<2	0.21	6	4	416
I007240		<10	<1	0.24	10	0.59	411	1	0.05	1	630	<2	0.13	14	2	285
I007241		<10	<1	0.37	10	0.63	480	1	0.06	1	670	<2	0.23	7	3	284



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 7 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
I007202	<20	<0.01	<10	<10	7	<10	11	
I007203	<20	<0.01	<10	<10	5	<10	13	
I007206	<20	<0.01	<10	<10	6	<10	11	
I007207	<20	<0.01	<10	<10	6	<10	10	
I007208	<20	<0.01	<10	<10	6	<10	10	
I007209	<20	<0.01	<10	<10	13	<10	12	
I007210	<20	<0.01	<10	<10	7	<10	10	
I007211	<20	<0.01	<10	<10	7	<10	11	
I007212	<20	<0.01	<10	<10	36	<10	14	
I007213	<20	<0.01	<10	<10	14	<10	14	
I007214	20	<0.01	<10	10	<1	<10	<2	
I007214	<20	<0.01	<10	<10	11	<10	13	
I007215	<20	<0.01	<10	<10	10	<10	15	
I007216	<20	<0.01	<10	<10	10	<10	15	
I007217	<20	<0.01	<10	<10	10	<10	14	
I007218	<20	<0.01	<10	<10	8	<10	15	
I007219	<20	<0.01	<10	<10	9	<10	19	
I007220	<20	<0.01	<10	<10	9	<10	17	
I007221	<20	<0.01	<10	<10	15	<10	19	
I007222	<20	<0.01	<10	<10	10	<10	18	
I007223	<20	<0.01	<10	<10	11	<10	16	
I007224	<20	0.04	<10	<10	61	<10	21	
I007225	<20	<0.01	<10	<10	14	<10	16	
I007226	<20	<0.01	<10	<10	11	<10	17	
I007227	<20	<0.01	<10	<10	7	<10	19	
I007228	<20	<0.01	<10	<10	11	<10	15	
I007229	<20	<0.01	<10	<10	20	<10	17	
I007230	<20	<0.01	<10	<10	36	<10	21	
I007231	<20	0.01	<10	<10	59	<10	17	
I007232	<20	<0.01	<10	<10	8	<10	17	
I007204	20	<0.01	<10	10	<1	<10	<2	
I007233	<20	<0.01	<10	<10	12	<10	20	
I007234	<20	<0.01	<10	<10	13	<10	17	
I007235	<20	<0.01	<10	<10	17	<10	17	
I007236	<20	<0.01	<10	<10	12	<10	13	
I007237	<20	<0.01	<10	<10	10	<10	12	
I007238	<20	<0.01	<10	<10	7	<10	13	
I007239	<20	<0.01	<10	<10	11	<10	14	
I007240	<20	<0.01	<10	<10	6	<10	15	
I007241	<20	<0.01	<10	<10	7	<10	14	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 8 - A
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24	ME-ICP41												
		Recd Wt	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
I007242		2.66	<0.005	<0.2	0.46	37	<10	50	<0.5	<2	2.56	<0.5	6	3	13	2.26
I007243		1.18	<0.005	<0.2	0.40	25	<10	50	<0.5	<2	2.49	<0.5	8	3	20	2.01
I007244		1.38	0.023	<0.2	0.42	212	<10	50	<0.5	<2	2.83	<0.5	8	2	24	2.19
I007245		2.30	0.075	0.4	0.46	447	<10	60	0.5	<2	2.77	<0.5	9	2	44	2.25
I007246		1.28	0.014	0.4	0.49	99	<10	50	0.5	<2	2.95	<0.5	11	2	69	2.53
I007247		2.54	0.034	<0.2	0.54	227	<10	50	0.5	<2	2.77	<0.5	5	1	11	1.93
I007248		1.54	0.056	<0.2	0.47	169	<10	50	<0.5	<2	2.68	<0.5	6	2	34	2.20
I007249		1.88	0.068	0.2	0.38	713	<10	40	<0.5	<2	2.58	<0.5	8	2	68	2.28
I007250		2.60	0.287	0.7	0.41	3290	<10	40	<0.5	<2	2.36	<0.5	10	3	81	2.36
I007251		1.78	0.014	<0.2	0.45	31	<10	50	<0.5	<2	2.24	<0.5	6	2	32	1.85
I007252		3.16	0.026	<0.2	0.46	66	<10	60	0.5	<2	2.52	<0.5	6	2	5	2.02
I007205		1.24	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	1	<1	<1	0.04
I007253		2.28	0.046	<0.2	0.48	370	<10	60	<0.5	<2	2.46	<0.5	6	2	2	1.97
I007254		1.66	0.012	<0.2	0.39	51	<10	40	<0.5	<2	2.76	<0.5	7	2	1	1.92
I007255		0.82	0.019	<0.2	0.42	44	<10	50	<0.5	<2	2.30	<0.5	7	3	1	1.85
I007256		1.36	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	1	<1	0.03



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BULLION GOLD CORP.**
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 8 - B
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
I007242		<10	<1	0.30	10	0.59	427	1	0.06	1	680	<2	0.05	4	2	277
I007243		<10	<1	0.29	10	0.52	389	1	0.05	1	650	<2	0.06	8	2	223
I007244		<10	<1	0.28	10	0.62	477	1	0.04	1	690	<2	0.09	9	2	229
I007245		<10	<1	0.34	10	0.61	480	1	0.04	2	650	15	0.19	17	2	221
I007246		<10	<1	0.30	10	0.68	473	1	0.05	4	740	6	0.47	19	3	287
I007247		<10	<1	0.27	10	0.58	445	1	0.04	1	610	3	0.08	5	2	218
I007248		<10	<1	0.28	10	0.61	413	1	0.05	<1	600	3	0.33	13	2	264
I007249		<10	<1	0.24	10	0.58	399	1	0.05	1	630	2	0.37	27	3	261
I007250		<10	<1	0.26	10	0.54	384	1	0.05	1	620	5	0.58	37	3	230
I007251		<10	<1	0.28	10	0.47	365	1	0.06	1	540	<2	0.22	13	2	239
I007252		<10	<1	0.31	10	0.54	440	1	0.05	2	640	3	0.19	3	2	254
I007205		<10	<1	0.01	<10	1.63	22	1	0.02	<1	50	<2	<0.01	<2	<1	5380
I007253		<10	<1	0.32	10	0.54	402	2	0.05	2	650	7	0.17	2	2	220
I007254		<10	<1	0.25	10	0.56	409	1	0.06	1	600	2	0.13	<2	2	276
I007255		<10	<1	0.31	10	0.51	380	1	0.06	2	580	2	0.19	<2	2	214
I007256		<10	<1	0.01	<10	1.44	22	<1	0.02	<1	50	<2	<0.01	<2	<1	4680



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: BULLION GOLD CORP.
#307-1500 HARDY STREET
KELOWNA BC V1Y 2H2

Page: 8 - C
Total # Pages: 8 (A - C)
Finalized Date: 30-DEC-2009
Account: BULGOL

Project: Gold Creek

CERTIFICATE OF ANALYSIS VA09143854

Sample Description	Method Analyte Units LOR	ME-ICP41						
		Th	Tl	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
I007242		<20	<0.01	<10	<10	7	<10	12
I007243		<20	<0.01	<10	<10	5	<10	9
I007244		<20	<0.01	<10	<10	5	<10	11
I007245		<20	<0.01	<10	<10	5	<10	24
I007246		<20	<0.01	<10	<10	7	<10	29
I007247		<20	<0.01	<10	<10	5	<10	11
I007248		<20	<0.01	<10	<10	7	<10	15
I007249		<20	<0.01	<10	<10	6	<10	15
I007250		<20	<0.01	<10	<10	6	<10	17
I007251		<20	<0.01	<10	<10	6	<10	11
I007252		<20	<0.01	<10	<10	6	<10	11
I007205		20	<0.01	<10	<10	<1	<10	<2
I007253		<20	<0.01	<10	<10	6	<10	14
I007254		<20	<0.01	<10	<10	6	<10	18
I007255		<20	<0.01	<10	<10	6	<10	11
I007256		20	<0.01	<10	<10	<1	<10	<2

APPENDIX C STATEMENT OF EXPENDITURES

Please see attached excel worksheet.

<u>Appendix C</u>	<u>STATEMENT OF EXPENDITURES</u>				
Exploration Work type	Diamond Drill camp Dec 2009		Days		Totals
Personnel (Name)* / Position	Field Days (list actual days)		Days	Rate	Subtotal*
Dean Best	Dec 10,11,12,13,14,15,16,17		8	\$256.60	\$2,052.80
Troy Rolston	Dec 10,11,12,13,14,15,16,17		8	\$243.90	\$1,951.20
Brian Bergvinson	Dec 17,18		2	\$243.90	\$487.80
Geological Solutions	Dec 8,9,10,11,12,13,14,15,16,17,				\$0.00
Geological Solutions	Dec 18,19,		12	\$550.00	\$6,600.00
				\$0.00	\$0.00
					\$11,091.80
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Drill (cuttings, core, etc.)	Drill Core	254	\$38.09	\$9,674.86	
Stream sediment			\$0.00	\$0.00	
Soil			\$0.00	\$0.00	
Rock			\$0.00	\$0.00	
Water			\$0.00	\$0.00	
Biogeochemistry			\$0.00	\$0.00	
Whole rock			\$0.00	\$0.00	
Petrology			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$9,674.86	\$9,674.86
Drilling	No. of Holes, Size of Core and Metres	No.	Rate	Subtotal	
Diamond	3Holes,CoreNQ,383.3 metres	14	\$4,366.95	\$61,137.30	
Reverse circulation (RC)			\$0.00	\$0.00	
Rotary air blast (RAB)			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$61,137.30	\$61,137.30
Other Operations	Clarify	No.	Rate	Subtotal	
Trenching			\$0.00	\$0.00	
Bulk sampling			\$0.00	\$0.00	
				\$0.00	\$0.00
Transportation		No.	Rate	Subtotal	
Airfare		1.00	\$540.84	\$540.84	
Taxi			\$0.00	\$0.00	
truck rental		12.00	\$165.00	\$1,980.00	
kilometers			\$0.00	\$0.00	
ATV			\$0.00	\$0.00	
fuel	Drill Fuel & Camp transportation	14.00	\$219.13	\$3,067.82	
Helicopter (hours)			\$0.00	\$0.00	
Fuel (litres/hour)			\$0.00	\$0.00	
Other				\$5,588.66	\$5,588.66
Accommodation & Food	Rates per day				
Hotel	Room & Board Drill Crew [3 crew]	10.00	\$259.00	\$2,590.00	
hotel	Room & Board Drill Crew [1 crew]	14.00	\$114.40	\$1,601.60	
Hotel	Room & Board - Professional[1 crew]	10.00	\$114.40	\$1,144.00	
Hotel	Room & Board - supervisor	4.00	\$249.15	\$996.60	
Camp	supplies	8.00	\$73.95	\$591.60	
Meals	day rate or actual costs-specify		\$0.00	\$0.00	
				\$6,923.80	\$6,923.80
Miscellaneous					
Telephone			\$0.00	\$0.00	
Rental	core House	30.00	\$15.79	\$473.70	
				\$473.70	\$473.70
	TOTAL EXPENDITURES				\$94,890.12