

**2010 ASSESMENT REPORT ON SURFACE EXPLORATION OF THE CHU
CHUA SHENUL (CCS) PROPERTY, KAMLOOPS MINING DIVISION, B.C.**

**(32 CLAIMS: 529302, 528569, 517072, 523837, 523839, 52341, 523843, 523836,
517010, 528700, 508580, 508581, 508582, 508583, 508584, 508586, 508587, 508589,
508590, 530073, 530075, 530076, 530077, 533944, 528570, 526296, 526297, 523838,
523844, 523835, 529890, 530072)**

OWNER #s: 115892 & 107608

OWNERS

**KEN ELLERBECK
&
GEROLD LOCKE
KAMLOOPS, B.C.**

**BC Geological Survey
Assessment Report
31773**


OPERATOR

**SHENUL CAPITAL INC.
3707 WEST 34TH AVENUE
VANCOUVER, B.C. V6N 2K9**

MINE MANAGER

**PETER A. CHRISTOPHER Phd., P. Eng.
PAC GEOLOGICAL CONSULTING INC
3707 WEST 34TH AVENUE
VANCOUVER, B.C. V6N 2K9**

November 17, 2010

Peter A. Christopher


2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

TABLE OF CONTENTS

1.0 SUMMARY	3
1.1 Conclusions and Recommendations	4
2.0 INTRODUCTION	4
3.0 LOCATION, ACCESS, PHYSIOGRAPHY AND CLIMATE.....	4
Figure 3.1. Location Map for Chu Chua Shenul (“CCS”) Property (from Raffle and Dufresne, 2010).....	6
Figure 3.2. Claim map for CCS Property.	7
Table 3.1 Pertinent claim data CCS Property.	8
4.0 HISTORY	9
Figure 4.1 EM1 Geophysical Anomaly (From Raffle and Dufresne, 2010)	10
5.0 GEOLOGICAL SETTING (Figure 5.1).....	11
5.1 Grid Geology	11
6.0 MINERALIZATION	12
Figure 5.1 Geology of the CCS (from Raffle and Dufresne, 2010).....	13
7.0 2010 SURFACE EXPLORATION (Figure 7.1)	14
Figure 7.1 CCS EM 1 Grid Location.	15
8.0 GEOPHYSICAL PROGRAM (Figures 8.1-8.4)	16
8.1 Interpretation and Conclusions	16
Figure 8.1 VLF-EM Profiles for Annapolis Station.	17
Figure 8.2 VLF-EM Profiles for Seattle Station.	18
Figure 8.3 Interpretations of VLF-EM Conductors for Annapolis.	19
Figure 8.4 Interpretations of VLF-EM Conductors for Seattle.....	20
9.0 GEOCHEMICAL PROGRAM.....	21
9.1 Analytical Methods and QA/QC.....	21
9.2 Interpretation and Conclusions	21
Figure 9.1 Cu & Au Soil Geochemistry EM1 Grid Area.	22
Figure 9.2 Geology and Silt and Rock Samples.	23
10.0 INTERPRETATION AND CONCLUSIONS	24
11.0 RECOMMENDATIONS	24
12.0 PERSONNEL AND CONTRACTORS	24
Table 12.1 List of Contractors.	24
13.0 STATEMENT OF COSTS	25
14.0 References.....	26
15.0 CERTIFICATE OF AUTHOR	Error! Bookmark not defined.
APPENDIX A: ACME CERTIFICATES OF ANALYSIS AND QA/QC	28
APPENDIX B ACME Quality Assurance & Certification.....	59
APPENDIX C ASSESSMENT REPORT TITLE PAGE & SUMMARY	61

1.0 SUMMARY

The Chu Chua Shenul (CCS) property consists of 32 contiguous mineral claims with a total area of 7,810 ha (19,300 acres), in the Kamloops Mining Division and centered approximately 24km northeast of Barriere, British Columbia. The CCS property was acquired by Shenul Capital Inc. ("Shenul") from the owners Ken Ellerbeck and Gerald Locke by agreement dated March 10, 2010. The agreement gives Shenul the option to earn 100% interest in the CCS property subject to payments, expenditure requirements and a 2% NSR. The CCS project was acquired by Shenul to test coincident Aero TEM III airborne magnetic and electromagnetic anomalies (2) with the anomaly selected for grid geochemical and VLF-EM surveying entirely within claim 508587 and the other anomaly extending southerly off claim 508589 onto third party holdings.

The CCS property is underlain by rocks of the Mississippian to Permian Fennell Formation (Schiarizza and Preto, 1987). The Fennel Formation consists of a lower division consisting of complex interbedded and thrust imbricated massive basalt and clastic sedimentary rocks and the upper division, underlying most of the CCS property, consisting of pillow to massive basalt, diabase sills, argillite and chert. The Fennel Fm is intruded and locally contact metamorphosed by the Baldy Batholith. Regionally the Fennel Fm has been metamorphosed to lower greenschist facies but textures and bedding are preserved in volcanic and sedimentary units.

The claim are is believed to have potential for Cyprus type volcanic massive sulphide (VMS) like the Chu Chua deposit, Kuroko or Noranda type VMS associated with acidic volcanic layers and epithermal quartz veins hosting base and/or precious metals with a number of epithermal vein occurrence known in areas surrounding the CCS property (Raffle and Dufresne, 2010).

Shenul retained PAC Geological Consulting Inc. to conduct the Phase 1 exploration program recommended by Raffle and Dufresne (2010). Dr. Peter A. Christopher P. Eng. ("Christopher" or "PAC") field supervised and worked on the grid construction, VLF-EM survey and geochemical sampling. Geological observations were made during prospecting, geochemical and VLF-EM traverses but detailed geological mapping was planned to coincide with Phase 1 drilling. Christopher is president and exploration manager of Shenul.

The ground survey work was conducted between June xx and June xx, 2010 when a number of attempts to access the grid area failed because of late snow melt. Survey work was conducted between July 19 and July 28, 2010 and August 18 and August 25, 2010. A UTM N-S 1.4km baseline was constructed and surveyed with VLF-EM and cross-line run at 100m interval along the length of the baseline to investigate a coincident airborne magnetic and VLF-EM anomaly. The baseline was marked with tagged cedar pickets at 25m intervals and soil lines were marked at 25m or 50m intervals with tagged cedar pickets and all lines and 25m stations flagged with grid locations marked on flags.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

The geochemical sampling program consisted of 5 rock, 5 silt and 216 soil samples with all samples located using a UTM grid and UTM coordinates established with Garmin GPS instruments generally with 5m accuracy. The geochemical samples were analyzed by certified laboratory Acme Analytical Laboratories Ltd. (Acme) in Vancouver, B.C. Quality control and quality assurance procedures are conducted by Acme to insure accurate analytical results but standard, blanks and re-runs were not conducted by the writer because of the prospecting nature of the samples which were collected in an area of no known showings.

A total of about 15 line kilometers was surveyed with VLF-EM using two stations, generally Annapolis and Seattle and a total of 5.4 line kilometers were soil sampled. The geochemical and VLF-EM data was drafted by Chong Drafting in Vancouver, B.C. with VLF-EM conductors selected using methods suggested by Geonics.

1.1 Conclusions and Recommendations

The soil sampling has produced some moderately anomalous copper values (150-270ppm range) in a trend with similar historic results. The anomalous soil results are mainly outside the airborne magnetic and EM anomaly. The VLF-EM survey has suggested a number of weak to moderate strength conductive zones within the airborne geophysical target. The writer recommends that the EM1 grid be surveyed by ground magnetics (~18KM) and the use of 3 or 4 diamond dill holes from existing roads to test the VLF-EM conductor within the airborne anomaly and/or the moderate strength anomalous copper. If the first holes testing the EM anomaly do not intersect significant mineralization, then a hole to test the area with copper in soil response should be considered.

2.0 INTRODUCTION

Shenul acquired an option to obtain 100% interest in the CCS from Ken Elderbeck and Gerald Locke of Kamloops, B.C. through an agreement dated March 10, 2010. Shenul engaged Apex Geoscience Ltd. (APEX) to prepare a geological compilation leading to a NI 43-101 compliant technical report on the potential of the CCS (Raffle and Dufresne, 2010). The compilation report is available in a company profile of Shenul at www.sedar.com. This report described work completed by Shenul on one of the coincident airborne magnetic and electromagnetic anomalies selected by Apex for further ground surveys need to position drill holes to test the anomaly. The work described in this report was completed in June, July and August of 2010 and provides the basis for selection of drill sites.

3.0 LOCATION, ACCESS, PHYSIOGRAPHY AND CLIMATE

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

The CCS (Figures 3.1 & 3.2) is located 24 kilometers (km) northeast of Barriere, B.C. and centered on the Chu Chua deposit at 120° 03' 42"W longitude and 56° 22' 51"N latitude (704480E and 5696320N Nad 83, Zone 10) . From Barriere, the nearest center with supplies and services, access is along the paved Barriere Lakes Road to the North Barriere Lake and Birk Creek forest service road (BCFSR). The BCFSR heads westerly at KM 8 from the North Barriere Lake road and at ~KM 17.5, the Newhykulston Creek FSR (NCFSR) which is sign posted FSR RD 3300 (KM 10.5) provides access to the grid area. The exploration grid uses UTM coordinates with the baseline extending south from 707000E-5690000N to 707000E-5688600N (1.4Km). Pertinent claim data is presented in Table 3.1 with the CCS location shown on Figures 3.1 and 3.2.



Figure 3.1. Location Map for Chu Chua Shenul (“CCS”) Property (from Raffle and Dufresne, 2010).

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 3.2. Claim map for CCS Property.

Table 3.1 Pertinent claim data CCS Property.

Claim	#	Owner ¹	#	%	Acres	Hectares	Expiry ²
G & G	529302	GTL	115892	100	99.71	40.35	30-Sep-11
GERRY AND GERRY	528569	GTL/KCE	115892/107608	100	149.57	60.53	30-Sep-10
INMETEAST	517072	GTL/KCE	115892/107608	100	199.44	80.71	30-Sep-10
KC GL1	523837	GTL/KCE	115892/107608	100	946.96	383.22	30-Sep-11
KEGL4	523839	GTL/KCE	115892/107608	100	149.55	60.52	30-Sep-11
KC GL5	523841	GTL/KCE	115892/107608	100	49.84	20.17	30-Sep-11
KC GK7	523843	GTL/KCE	115892/107608	100	149.55	60.52	30-Sep-10
KC GL2	523838	GTL/KCE	115892/107608	100	847.25	342.87	30-Sep-10
INMETINFILL	517010	GTL/KCE	115892/107608	100	349.09	141.27	30-Sep-11
CC FRACTION	528700	GTL/KCE	115892/107608	100	49.84	20.17	30-Sep-10
	508580	GTL/KCE	115892/107608	100	1197.15	484.47	30-Sep-11
Deposit1	508581	GTL/KCE	115892/107608	100	997.32	403.60	30-Sep-10
Deposit2	508582	GTL/KCE	115892/107608	100	996.90	403.43	30-Sep-10
South1	508583	GTL/KCE	115892/107608	100	1247.34	504.78	30-Sep-11
North1	508584	GTL/KCE	115892/107608	100	797.21	322.62	30-Sep-10
	508586	GTL/KCE	115892/107608	100	1197.74	484.71	30-Sep-11
Southpark	508587	GTL/KCE	115892/107608	100	1248.00	505.05	30-Sep-11
Insure	508589	GTL/KCE	115892/107608	100	1148.40	464.74	30-Sep-11
Ants	508590	GTL/KCE	115892/107608	100	1197.59	484.65	30-Sep-11
YES	530073	GTL	115892	100	49.89	20.19	30-Sep-10
MORE TO GO	530075	GTL	115892	100	548.13	221.82	30-Sep-10
AND MORE	530076	GTL	115892	100	1195.32	483.73	30-Sep-10
AND MORE	530077	GTL	115892	100	299.37	121.15	30-Sep-10
DIXIE 4	533944	GTL	115892	100	199.19	80.61	30-Sep-10
ROCKNORTH	528570	GTL/KCE	115892/107608	100	249.23	100.86	30-Sep-10
CHUCHUAEAST	526296	KCE	107608	100	1047.50	423.91	30-Sep-11
CHUSOUTHWEST	526297	KCE	107608	100	1197.42	484.58	30-Sep-10
CHU CHUA 7777	523838	GTL/KCE	115892/107608	100	99.71	40.35	30-Sep-10
CHU CHUA 888	523844	GTL/KCE	115892/107608	100	99.71	40.35	30-Sep-10
CHU CHUA 777	523835	GTL/KCE	115892/107608	100	1196.83	484.34	30-Sep-11
CAVEATEMPTOR	529890	KCE	107608	100	49.89	20.19	30-Sep-11
CARPEDIEM	530072	KCE	107608	100	49.87	20.18	30-Sep-10
TOTAL	32 claims				19,300.48 acres	7,810.64 ha	

1. GLT= Gerald T. Locke; KCE=Kenneth C. Ellerbeck.
2. Expiry Date Before Recording 2010 Work.

Elevations on the CCS vary from 900 to over 2200 meters with snow remaining at higher elevation and northern slopes in July. The climate varies from -30°C in winter to +30°C in summers. The area experiences heavy winter snowfalls and trails are used for winter sports. The work season generally extends from mid-June to mid October but in 2010 roads had snow till late June and the initial work

attempt from June 8-12, 2010 failed for lack of road access to the proposed grid area.

Vegetation varies from clear cuts with thick second growth with dense spruce, pine and cedar stands at lower elevations and sub-alpine and alpine vegetation above 1800m. Logging operations are presently active along Birk, Leonie, Delta and Sprague creeks. Local ranches have summer grazing rights but the grid area was not actively grazed by cattle in 2010.

Barriere, inhabited by about 3,450 persons, is the closest town to the property with accommodations, RCMP and a health center. Kamloops, the nearest major center with drilling, mining and airport services, is located 64km south of Barriere along the Yellowhead Highway 5.

4.0 HISTORY

The CCS claims were acquired through online staking during 2005 and 2006 by Ken Elderbeck and Gerald Locke of Kamloops, B.C. to cover possible extensions of the units hosting the Chu Chua deposit. The Chu Chua deposit, presently on ground held by Reva Resource Corp. (Reva), was defined by drilling programs conducted by Craigmont Mines Ltd. (1978-1982), Falconbridge Copper Corp. (Falconbridge (1985-1986) and Minova Inc. (1987-1991). A historic mineral inventory for the Chu Chua deposit was stated by Heberlein (1990) at 2.7 million tonnes grading 1.67%Cu, 0.31% Zn, 7.4g/t Ag and 0.31 g/t Au.

In 1995, Eighty Eight Resources conducted soil and rock geochemical sampling on the KB group of claims to the south of the Chu Chua deposit and found favourable geology and alteration (Belick, 1995). No follow-up work was reported.

Strongbow Exploration Inc. (Strongbow) acquired the claims overlying the Chu Chua deposit by online staking on March 2nd, 2006. Strongbow completed a soil sampling program of 302 samples with 264 of the samples collected from the CCS property area. The soil survey found multi-element geochem response with anomalous soils related to Em conductors (Gale, 2007). The 2008 field program for the Chu Chua property was conducted by APEX for Longview Capital Partners and consisted of a property examination by Mr. Kris Raffle and an Aeroquest Limited, 839.7 line km helicopter-borne Aero TEM III survey covering the CCS and surrounding area. A compilation of airborne geophysical anomalies and copper in soils provided by APEX (2010) is presented as Figure 4.1. Shenul targeted anomaly EM1 for grid soil and VLF-EM follow-up.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 4.1 EM1 Geophysical Anomaly (From Raffle and Dufresne, 2010)

5.0 GEOLOGICAL SETTING (Figure 5.1)

The geology of the CCS property has been mapped at 1:100,000 scale by Schiarizza and Preto (1987) as part of the Adams Plateau Clearwater-Vaveby map area. The regional geological description is after Schiarizza and Preto (1987). The CCS, at the western edge of the Omineca Belt, is underlain by the Fennell Formation and the Slide Mountain Assemblage to the west and Eagle Bay Assemblage to the east (Figure 5.1). The Homestake and Rea VMS deposits occur in intermediate to felsic metavolcanic rocks of the Lower Devonian to Mississippian Eagle Bay Assemblage and the Chu Chua VMS deposit occurs in the Devonian to Middle Permian Fennell Formation.

The Fennell Formation is an oceanic sequence divided by Schiarizza and Preto (1987) into a structurally lower, easterly division consisting of bedded chert, gabbro, diabase, pillowed basalt, clastic metasediments, quartz-feldspar rhyolite porphyry and intraformational conglomerate. The upper, westerly division is host to the Chu Chua deposit and consists mainly of pillowed and massive tholeiitic basalt with gabbro, diabase sills and lesser bedded chert and argillite. The generally near vertically tilted sequence has tops consistently facing west.

Cretaceous granodiorite and quartz monzonite of the Raft and Baldy batholiths intrudes both the Fennell Formation and the Eagle Bay Assemblage with intrusive rocks underlying the northeasterly part of the CCS. The package is locally overlain or in fault contact with Kamloops Group volcanic and sedimentary rocks and Miocene lavas. Deformation in the Fennell is not intense but units have been rotated into a vertically dipping west facing position interpreted by Schiarizza and Preto (1987) to be the western limb of a thrust-dismembered anticline. Late, north and east trending normal faults cause local offsets of the Upper Fennell stratigraphy and truncation or offset of strong magnetic patterns. A west dipping thrust zone is inferred to separate the upper and lower Fennell Fm and was based by Schiarizza and Preto (1987) on conodont ages from chert beds.

The upper and lower Fennell divisions are regionally metamorphosed to lower greenschist facies with overprint of contact metamorphism to hornblende hornfels grade near contact of the Baldy Batholith.

5.1 Grid Geology

The geology of the EM 1 grid area was observed by the writer during grid construction, soil sampling and VLF-EM surveying but has not been mapped in detail. The general N-S trending and steep dip to units was confirmed and favors testing of anomalies with low angle east or west directed drill holes. Pyritic cherty units are associated with some of the EM anomalous trends and should be considered when selecting the drill method.

Strong magnetite concentration occurs along a gabbroic ridge to the west of the EM 1 Grid Area. A less or non-magnetic diorite to gabbroic body occurs in the

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY
northeast sector of the grid to the east of a major thrust zone mapped across the property.

6.0 MINERALIZATION

Exploration on the CCS property is directed toward location of Chu Chua type mineralization that is found on the enclosed Chu Chua property of Reva and description of this mineralization is pertinent to exploration of the CCS property. The Chu Chua deposit mineralization consists of massive sulphides with pyrite composing 90% of the massive sulphide. The strike extent of the surface mineralization is approximately 300m with thickness ranging up to 80m. Chalcopyrite is the main ore mineral occurring as massive streaks up to 25cm thick, as small inclusions in pyrite and magnetite and as fracture fillings and interstices in coarse angular pyrite. Covellite, chalcocite, sphalerite (and possible trace galena) and magnetite are economic minerals identified in drillcore with cubanite and stannite present (Aggarwal, 1982). Magnetite content is reported to increase toward the footwall. The matrix or gangue is likely mainly quartz and barite. Other possible by-products include gold (< 1 g/t), silver (commonly 10-30 g/t), cobalt 300-475ppm) and trace amounts of tin (stannite), platinum and palladium (Aggarwal, 1982).

The CCS property is reported by Schiarizza and Preto (1987) to be west of the Enargite occurrence (82M-065 (at 1600m @ sw slope of upper Birk Creek)), a sulphide-bearing quartz vein which cuts sheared rocks along the Fennell-Eagle Bay fault contact. The occurrence comprises a system of quartz veins and lenses with pods of coarse grained galena and pyrite with lesser sphalerite and chalcopyrite. A small high-grade shipment was reported to be made to Cominco Ltd. in 1972 (George Cross Newsletter, January 5, 1983).

Pyrite is present in nearly all rock types in the CCS prospect area and arsenopyrite and magnetite have been identified in chert and gabbro, respectively within the grid area but no copper mineralization has been identified.




Figure 5.1 Geology of the CCS (from Raffle and Dufresne, 2010).

7.0 2010 SURFACE EXPLORATION (Figure 7.1)

Shenul retained Apex Geoscience Ltd. to review the Chu Cha property and prepare a NI43-101 compliant technical report with recommendations for Phase 1 and success contingent Phase 2 exploration to test the mineral potential of airborne magnetic and electromagnetic anomalies (Raffe and Dufrese, 2010; see Shenul in www.sedar.com). Shenul retained PAC Geological Consulting Inc. to conduct the Phase 1 exploration program recommended by Raffle and Dufresne (2010). Dr. Peter A. Christopher P. Eng. ("Christopher" or "PAC") field supervised and worked on the grid construction, VLF-EM survey and geochemical sampling. Geological observations were made during prospecting, geochemical and VLF-EM traverses but detailed geological mapping was planned to coincide with Phase 1 drilling. Christopher is president and exploration manager of Shenul.

The ground survey work was conducted between June 8 and June 12, 2010 when a number of attempts to access the area of the EM1 anomaly failed because of late snow melt. Survey work was conducted on the EM1 grid (Figure 7.1) between July 19 and July 28, 2010. A UTM N-S 1.4km baseline was constructed south from UTM coordinate 707000E and 5690000N (Figure 7.1) and surveyed with VLF-EM along cross-lines run at 100m interval along the length of the baseline to investigate a coincident airborne magnetic and VLF-EM anomaly (see Raffe and Dufresne, 2010). The baseline was marked with aluminum tagged cedar pickets at 25m intervals and soil lines were marked at 25m or 50m intervals with tagged cedar pickets and all lines and 25m stations flagged with stations marked. The EM survey was extended between August 18 and August 25, 2010 during an aborted attempt to start a drilling program within the EM 1 grid area.

The geochemical sampling program consisted of 5 rock, 5 silt and 216 soil samples with all samples located using grid and UTM coordinates established with Garmin GPS instruments generally with 5m accuracy. The geochemical samples were submitted by Christopher on July 30, 2010 to certified laboratory Acme Analytical Laboratories Ltd. (Acme) in Vancouver, B.C for analysis. A total of about 18 line kilometers was surveyed with VLF-EM using two stations Annapolis and Seattle (with Cutler or Hawaii substituted if desired station was down). The geochemical and VLF-EM data was drafted by Chong Drafting in Vancouver, B.C. Strength of VLF-Em conductors was estimated by comparison of In Phase and Quaadrature value at cross overs as suggested by Geonics for their EM-16.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 7.1 CCS EM 1 Grid Location.

8.0 GEOPHYSICAL PROGRAM (Figures 8.1-8.4)

The VLF-EM survey used a Geonics EM-16 with reading normally taken using Annapolis (21.4 kHz) and Seattle (18.6 kHz) but Annapolis (17.4 kHz) or Hawaii (23.4 kHz) substituted when a station was off-air. Readings were collected for In-Phase (dip angle) and quadrature null (Out-of-Phase) at 25m stations along picketed cross lines used for soil sampling and at flagged stations when lines were not soil sampled. A total of about 18 line-kilometers were surveyed and results plotted in cross-section and an interpretation plan of the grid area prepared showing weak to moderate strength conductors. The Results are shown on Figures 8.1 to 8.4 with interpretation after Paterson and Ronka (1969) and Geonics Limited EM16 VLF Electromagnetic Unit Operating Instructions.

An attempt to use a Scintrex MP-2 magnetometer to conduct a magnetic survey failed because the instrument could not produce consistent readings on a number of successive days at the base stations. Over a 1,000 gamma difference in readings were obtained for reading spaced by a few seconds and could not be attributed to diurnal variation. Further testing suggested that the variation was caused by a faulty staff mounted sensor. The writer concluded that a different magnetometer should be obtained to survey the geophysical grid area.

8.1 Interpretation and Conclusions

The VLF-EM conductors are targeted for proposed drill holes to test the large coincident magnetic and VLF-EM anomaly designated EM1 and MAG2 on Figure 4.1. The VLF-EM conductors could represent sulphide zones but conductive zones could also be caused by wet contacts and/or fault zone or graphitic, pyritic argillite horizons within the Fennell Fm. Anomalies generally trend sub-parallel to the general N-S strike and contact zones between units are often occupied by creeks or small ponds. The proposed scout drill program should provide better understanding of the cause of the airborne and ground electromagnetic anomalies.




Figure 8.1 VLF-EM Profiles for Annapolis Station.




Figure 8.2 VLF-EM Profiles for Seattle Station.




Figure 8.3 Interpretations of VLF-EM Conductors for Annapolis.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 8.4 Interpretations of VLF-EM Conductors for Seattle.

9.0 GEOCHEMICAL PROGRAM

The geochemical program consisted of 5 rock, 5 silt and 216 soil samples with soils collected at 25 meter intervals along selected sections of the geophysical grid. Soil samples were collected from the B-soil horizon generally at 15-20cm below the surface. A mattock was used for sampling. Samples were placed in a kraft soil bag which was marked with the grid station. Samples were dried before delivery to Acme Laboratory in Vancouver. Significant values, weakly anomalous values for copper and gold, were plotted by Chong and are presented as Figure 9.1. Rock sample and silt sample locations are shown in Figure 9.2 but no significant rock or silt values were obtained.

9.1 Analytical Methods and QA/QC

Acme analytical results are presented in Appendix A (VAN10003581.1-rock; VAN10003582.1-soil; and VAN10003583.1-silt) with QA/QC procedures used by Acme summarized in Appendix B. Silt, soli and rock samples were prepared by ACME using standard crushing and sieving procedures as required. The 1DX2, ICP-MS method, was used for to analyze 15g of prepared sample that are leached in hot (95°) aqua regia. Detection limits for Copper of 0.1ppm to 10,000ppm and gold of 0.5ppb to 100ppm are obtained using the 1DX2 method. No samples requiring over limit analysis were obtained. The sample rejects and pulps were not stored for further use because sample results were only weakly anomalous.

9.2 Interpretation and Conclusions

The maximum copper in soils value of 252.9ppm was obtained at station 707425E on line 5689800N and the maximum gold in soils value of 34.7ppb was obtained at station 706800E on line 5689900N. A total of 66 copper values \geq 30ppm and 19 gold values above 5ppb were plotted on Figure 9.1. Four of the six anomalous copper values (>100ppm) occur in a cluster at the NE corner of the EM1 grid and are outside the EM1 target. All six of the >100ppm copper values occur outside the EM1 airborne target and the soil results did not help define targets to test the coincident airborne EM and magnetic anomaly.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 9.1 Cu & Au Soil Geochemistry EM1 Grid Area.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY




Figure 9.2 Geology and Silt and Rock Samples.

10.0 INTERPRETATION AND CONCLUSIONS

The maximum copper in soils value of 252.9ppm and the maximum gold in soils value of 34.7ppb are weakly anomalous compared to background of <30ppm for copper and <1ppb for gold within the CCS property boundary. Weakly anomalous copper and gold values plotted on Figure 9.1 are mainly outside the are of the EM1 and MAG2 airborne anomalies shown on Figure 4.1 The soil results did not help define targets to test the coincident airborne EM and magnetic anomaly.

The VLF-EM conductors are targeted for proposed drill holes to test the large coincident magnetic and VLF-EM anomaly designated EM1 and MAG2 on Figure 4.1. The VLF-EM conductors could represent sulphide zones but conductive zones could also be caused by wet contacts and/or fault zone or graphitic, pyritic argillite horizons within the Fennell Fm. Anomalies generally trend sub-parallel to the general N-S strike and contact zones between units are often occupied by creeks or small ponds. A proposed scout drill program of 3-4 diamond drill holes totaling 500-600m should provide better understanding of the cause of the airborne and ground electromagnetic anomalies. A ground magnetic surveys conducted over the EM1 grid area should help define the rock type and cause of the airborne magnetic anomaly.

11.0 RECOMMENDATIONS

The writer recommends a Part 2 2010 program of ~18 line kilometers of ground magnetics to survey the EM1 grid area and define the cause of the airborne magnetic anomaly. A recommended scout drill program of 3-4 diamond drill holes totaling 500-600m should provide better understanding of the cause of the airborne and ground electromagnetic anomalies. The 2010 Part 2 program is estimated to require 15 field days to complete. A budget of \$100,000 should be allowed for completion of the program.

12.0 PERSONNEL AND CONTRACTORS

Table 12.1 List of Contractors.

Contractor	Type of Work	Address
ACME Analytical Laboratories Ltd.	Geochemical Analysis	852 East Hastings Street Vancouver, B.C. V6C 2B3
PAC Geological Consulting Inc.	Grid Construction, Geochemical Sampling, Geophysical Surveys, Reporting	3707 W. 34 th Ave Vancouver, B.C. V6N 2K9
Chong Drafting Services	Drafting	5990 Nelson Ave. Burnaby, B.C. V5H 3H9

13.0 STATEMENT OF COSTS

Table 10.1 Statement of Costs for 2010 Part 1 Chu Chua Program Expenditures.

Funded by Shenul Capital Inc.
From June 8, 2010 to September 1, 2010

Item	Description	Amount
Mobalization	Review of Property Reports, Acquire Maps, Preparation of Equipment, Supplies and Permits	\$2800.00
Personnel 23 Field Days	Geologist Dr. Peter A. Christopher P.Eng Geophy. Operator Gerry Hayne B.Sc. June 8-12; July 19-28; August 18-25, 2010	\$23,000.00 9,200.00
Truck Rental	25 days @ \$100/day including insurance & 7,000km	\$2,500.00
Fuel		\$749.54
Equipment Rentals	23 Days @ \$224/day: Chain Saw, GPS (3 units), VLF-Em & Magnetometer, Cell Phones, Computer & Printer, & 2 person field equipment	\$5152.00
Hotels	23 days	\$1587.75
Board	46 man days @\$67.20/day	\$3091.20
Geochemical Costs	ACME Laboratory Charges	\$4773.70
Drafting	Chong Drafting Services	\$857.50
Consumables	Flagging, Hip Chain, Maps & Reports, Sample Bags, 300 Aluminum Tagged Pickets, Truck Repairs & Service, & misc.	\$800.00
Office Charges	Phone, Copying, Word Processing, etc.	\$560.00
Assessment Report		\$3,360.00
Total Costs	Chu Chua Part 1 2010 Program	\$58, 431.69

“Dr. Peter A. Christopher P.Eng”

14.0 References

- Aggarwal, P.K., 1982. Geochemistry of the Chu Chua Deposit, British Columbia. Unpublished University of Alberta, M.Sc. Thesis.
- Gale, D.F., 2007. 2006 Report on Exploration activities, Chu Chua Property, Kamloops Mining Division. For Strongbow Exploration Inc., BCMEMP Assessment Report 28895.
- Heberlein, D., 1990. Assessment Report on the 1990 Diamond Drilling Program, Chu 1-3 (9019, 9110, 9112), CC 1-3, CC10-11 (1154, 1373, 1374, 1459, 1460), Ch-1 (1461), Kamloops Mining Division, NTS 92P/8E, Lat. 51°22'N, Long. 120°04'W. BCMEMPR Assessment Report No. 20670.
- Paterson, N.R. and Ronka, V., 1969. Five Years of Surveying with the VLF-E.M Method. For Geonics Limited, presented at the 1969 Annual international Meeting, Soc. Exp. Geophysicists.
- Raffle, K., and Dufresne, M., 2010. Technical Report on the Base and Precious Metal Potential of the Chu Chua Property, British Columbia.
- Raffle, K., 2008. 2008 Report on the Exploration Activities Chu Chua Property, Kamloops Mining Division, NTS 92P/8E, British Columbia. For Strongbow Exploration Inc., BCMEMR Assessment Report.
- Schiarizza, P., and Preto, V.A., 1987. Geology of the Adams Plateau-Clearwater-Vavenby Area. BCDM Paper 1987-2, 88p.
- Schiarizza, P. et al., 1983. Geology of the Barriere River-Clearwater Area. BCEMPR Preliminary Map No. 53, November 1983.

15.0 CERTIFICATE OF AUTHOR

I, Peter A. Christopher, with business address at 3707 West 34th Avenue, Vancouver, British Columbia, do hereby certify that:

1. I am a Consulting Geological Engineer registered (#10,474) with the Association of Professional Engineers and Geoscientists of British Columbia since 1976.
2. I hold a B.Sc. (1966) from the State University of New York at Fredonia, a M.A. (1968) from Dartmouth College and a Ph.D. (1973) from the University of British Columbia.
3. I have been practicing my profession as a Geologist for over 35 years and as a Consulting Geological Engineer since June 1981. I have authored over 300 qualifying engineering and exploration reports, and over 20 professional publications. I have work experience in most areas of the United States, Canada, Papua New Guinea, Madagascar, Mexico, Philippines and several other Latin American countries. I have worked on copper deposits in Canada, United States, Chile, Philippines, Mexico, Spain, Portugal and Albania. As a result of my experience and qualifications.
4. I am president and exploration manager of Shenul Capital Inc.
5. I am responsible for preparation of this report entitled "Assessment Report on Surface Exploration of the Chu Chua Shenul (CCS) Property, Kamloops Mining Division, B.C." dated November 17, 2010. I have based this Assessment Report on previous copper exploration experience, review of references listed in Section 14.0 and field supervision of all of the 2010 Part 1 program but have no prior experience on the property.
6. I consent to the filing of the CCS Report by Shenul for assessment purposes.

Dated at Vancouver, British Columbia, the 17th day of November 2010.

Original Signed and Sealed

"Peter A. Christopher"
Peter A. Christopher, PhD., P.Eng



APPENDIX A: ACME CERTIFICATES OF ANALYSIS AND QA/QC



Client: **PAC Geological Consulting Inc.**
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Submitted By: Peter Christopher
 Receiving Lab: Canada-Vancouver
 Received: July 29, 2010
 Report Date: August 19, 2010
 Page: 1 of 2

CERTIFICATE OF ANALYSIS **VAN10003583.1**

CLIENT JOB INFORMATION

Project: SHENUL-PAC
 Shipment ID:
 P.O. Number:
 Number of Samples: 5

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	5	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	5	Dry at 60C			VAN
1DX2	5	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

RTRN-PLP Return
 DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liability for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 19, 2010

www.acmelab.com

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT VAN10003583.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001		
Reference Materials																						
STD D67 Standard	20.2	90.5	58.4	410	1.0	55.3	7.8	608	2.36	41.0	3.9	70.4	4.0	70	5.0	4.6	3.8	84	0.95	0.060		
STD D67 Expected	20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08		
BLK Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 19, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT VAN10003583.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Se	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.06	1	0.6	0.2	
Reference Materials																		
STD D67	Standard	12	209	1.05	392	0.125	35	1.00	0.098	0.46	4.0	0.22	1.9	4.1	0.23	5	3.0	1.5
STD D67 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 19, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS VAN10003583.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
	La ppm	Cr ppm	Mg %	Ba ppm	Tl %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	So ppm	Ti ppm	S %	Ga ppm	Se ppm	Te ppm	
L890+00N 72+70E	Silt	9	31	0.60	137	0.132	1	1.95	0.013	0.04	<0.1	0.04	1.9	<0.1	0.10	5	1.1	<0.2
L89706 74+63E	Silt	12	51	0.62	427	0.052	2	2.51	0.008	0.04	<0.1	0.14	2.5	<0.1	0.21	5	4.2	<0.2
L898+32N 66+54E	Silt	5	33	0.54	63	0.157	<1	1.43	0.010	0.03	0.1	0.08	2.2	<0.1	0.08	5	0.5	<0.2
L900+00N 67+10E	Silt	8	41	0.64	115	0.156	1	1.56	0.010	0.05	0.1	0.06	2.7	<0.1	0.07	5	0.9	<0.2
L900+00N 68+50E	Silt	14	26	0.25	200	0.024	2	1.48	0.009	0.04	<0.1	0.15	0.9	<0.1	0.28	3	1.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 19, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS		VAN10003583.1																			
Method	Analyte	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Unit	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	F	
MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
L890+00N 72+70E	SIR	0.8	32.0	8.5	55	0.1	30.8	8.8	230	1.89	5.0	0.8	1.6	0.5	10	0.2	0.2	0.1	47	0.53	0.044
L8970S 74+53E	SIR	1.4	58.3	12.1	187	0.4	51.4	24.2	1905	2.89	23.6	2.5	2.0	0.2	24	1.0	0.4	0.1	71	1.11	0.091
L898+32N 66+54E	SIR	0.8	31.4	7.4	45	0.3	25.8	9.0	381	2.06	2.8	0.5	3.7	0.5	9	0.3	0.1	<0.1	43	0.52	0.037
L900+00N 67+10E	SIR	0.9	31.5	9.8	52	0.2	29.6	11.2	435	2.45	6.4	0.6	6.6	0.9	10	0.3	0.3	0.1	67	0.45	0.033
L900+00N 68+50E	SIR	1.1	42.3	5.9	22	0.8	17.8	4.8	181	0.77	2.1	1.5	4.2	<0.1	24	0.4	0.2	<0.1	19	0.60	0.053

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: **PAC Geological Consulting Inc.**
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Submitted By: Peter Christopher
Receiving Lab: Canada-Vancouver
Received: July 29, 2010
Report Date: August 23, 2010
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN10003582.1

CLIENT JOB INFORMATION

Project: SHENUL-PAC
Shipment ID:
P.O. Number
Number of Samples: 220

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	218	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	218	Dry at 60C			VAN
1DX2	218	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9
Canada

CC: F.Y. Chong



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liability for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16	
	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Se	Tl	S	Ga	Se	Te					
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm					
L890+00N 70+00E	Soil	7	51	0.62	85	0.218	<1	2.12	0.009	0.04	0.1	0.07	2.6	<0.1	0.05	8	0.5	<0.2				
L890+00N 70+25E	Soil	9	38	0.28	113	0.117	<1	0.95	0.011	0.04	<0.1	0.08	1.4	<0.1	0.07	8	0.5	<0.2				
L890+00N 70+50E	Soil	7	32	0.30	96	0.120	<1	1.49	0.009	0.03	<0.1	0.09	1.5	<0.1	0.08	8	1.3	<0.2				
L890+00N 70+75E	Soil	8	43	0.42	204	0.068	<1	1.73	0.015	0.08	<0.1	0.09	1.5	<0.1	0.11	8	3.9	<0.2				
L890+00N 71+00E	Soil	8	36	0.33	168	0.174	<1	1.36	0.013	0.04	<0.1	0.11	1.9	<0.1	0.08	9	1.1	<0.2				
L890+00N 71+25E	Soil	9	48	0.47	105	0.183	<1	1.63	0.010	0.04	<0.1	0.07	2.4	<0.1	0.06	9	<0.5	<0.2				
L890+00N 71+50E	Soil	12	18	0.11	86	0.008	1	1.66	0.017	0.04	<0.1	0.19	0.6	0.1	0.19	3	5.3	<0.2				
L890+00N 71+75E	Soil	12	30	0.26	102	0.079	<1	2.33	0.019	0.05	<0.1	0.07	1.9	0.1	0.10	10	1.4	<0.2				
L890+00N 72+00E	Soil	7	18	0.14	56	0.116	<1	1.45	0.012	0.02	<0.1	0.06	1.2	<0.1	<0.05	9	<0.5	<0.2				
L890+00N 72+25E	Soil	5	25	0.19	69	0.176	<1	0.82	0.014	0.03	<0.1	0.07	1.2	<0.1	0.05	8	<0.5	<0.2				
L890+00N 72+50E	Soil	7	32	0.24	44	0.212	<1	1.42	0.010	0.02	<0.1	0.04	1.5	<0.1	<0.05	9	<0.5	<0.2				
L890+00N 72+75E	Soil	12	28	0.26	103	0.091	1	1.83	0.016	0.04	<0.1	0.07	1.7	<0.1	0.10	8	1.4	<0.2				
L890+00N 73+00E	Soil	7	30	0.24	130	0.172	<1	1.12	0.010	0.04	<0.1	0.10	1.4	<0.1	0.06	8	<0.5	<0.2				
L890+00N 73+25E	Soil	6	27	0.21	224	0.199	1	0.87	0.013	0.04	<0.1	0.09	1.3	<0.1	<0.05	11	<0.5	<0.2				
L890+00N 73+50E	Soil	4	21	0.15	43	0.144	<1	1.14	0.008	0.02	<0.1	0.06	0.9	<0.1	0.06	8	<0.5	0.2				
L890+00N 73+75E	Soil	8	38	0.37	104	0.179	<1	1.43	0.008	0.04	0.1	0.09	2.0	<0.1	<0.05	8	<0.5	<0.2				
L890+00N 74+00E	Soil	7	45	0.43	125	0.107	1	2.12	0.016	0.05	0.1	0.10	2.9	<0.1	<0.05	9	<0.5	<0.2				
L891+00N 70+00E	Soil	5	21	0.15	48	0.118	<1	0.80	0.007	0.02	<0.1	0.06	0.8	<0.1	0.05	7	<0.5	<0.2				
L891+00N 70+25E	Soil	6	42	0.50	98	0.155	<1	1.42	0.006	0.04	<0.1	0.08	1.6	<0.1	<0.05	7	<0.5	<0.2				
L891+00N 70+50E	Soil	6	10	0.03	73	0.061	<1	0.81	0.008	0.02	<0.1	0.04	0.3	<0.1	<0.05	6	<0.5	<0.2				
L891+00N 70+75E	Soil	5	26	0.19	136	0.169	<1	1.04	0.007	0.02	<0.1	0.07	1.1	<0.1	<0.05	8	<0.5	<0.2				
L891+00N 71+00E	Soil	5	27	0.25	98	0.149	<1	1.14	0.006	0.03	<0.1	0.06	1.1	<0.1	<0.05	7	<0.5	0.2				
L891+00N 71+25E	Soil	5	36	0.32	163	0.173	<1	1.18	0.007	0.04	<0.1	0.08	1.3	<0.1	0.05	9	<0.5	<0.2				
L891+00N 71+50E	Soil	6	34	0.38	104	0.212	1	1.23	0.007	0.03	<0.1	0.06	1.7	<0.1	<0.05	7	<0.5	<0.2				
L891+00N 71+75E	Soil	8	43	0.48	145	0.143	1	1.45	0.008	0.03	<0.1	0.04	2.0	<0.1	<0.05	8	<0.5	<0.2				
L891+00N 72+00E	Soil	7	42	0.50	146	0.166	1	1.28	0.007	0.04	<0.1	0.05	2.0	<0.1	<0.05	6	<0.5	<0.2				
L891+00N 72+25E	Soil	14	11	0.09	313	0.007	2	1.01	0.010	0.04	<0.1	0.14	0.7	<0.1	0.24	1	6.8	<0.2				
L891+00N 72+50E	Soil	5	13	0.08	96	0.108	<1	0.81	0.012	0.03	<0.1	0.10	1.1	<0.1	0.06	5	<0.5	<0.2				
L891+00N 72+75E	Soil	5	19	0.11	49	0.180	<1	0.82	0.009	0.02	<0.1	0.04	1.0	<0.1	<0.05	9	<0.5	<0.2				
L891+00N 73+00E	Soil	6	26	0.14	71	0.200	<1	0.99	0.009	0.02	<0.1	0.04	1.4	<0.1	<0.05	9	<0.5	<0.2				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

www.acmelab.com

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS VAN10003582.1

Method Analyte	1DX16																			
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L891+00N 73+25E Sol	0.9	91.1	7.3	46	3.2	19.4	3.6	71	0.66	1.0	8.6	2.8	<0.1	14	0.7	0.2	0.1	19	0.20	0.169
L891+00N 73+50E Sol	1.1	35.8	10.4	60	0.3	20.9	11.8	822	2.32	9.2	1.2	0.5	0.3	12	0.3	0.2	0.2	73	0.49	0.067
L891+00N 73+75E Sol	0.8	38.4	11.2	73	0.2	28.8	13.7	712	2.46	9.6	1.0	1.0	0.7	14	0.4	0.3	0.1	68	0.67	0.050
L891+00N 74+00E Sol	0.9	23.3	9.6	30	0.6	12.5	4.4	175	1.83	2.6	0.8	0.9	0.4	7	0.3	0.1	0.2	58	0.14	0.044
L892+00N 70+00E Sol	1.0	23.6	9.5	40	0.7	17.0	5.9	271	3.13	3.4	0.7	3.8	0.7	6	0.4	0.3	0.2	76	0.09	0.038
L892+00N 70+25E Sol	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L892+00N 70+50E Sol	1.0	21.6	9.0	34	0.6	18.0	6.1	215	3.72	3.3	0.6	1.2	1.2	7	0.4	0.3	0.2	90	0.12	0.040
L892+00N 70+75E Sol	1.5	18.9	10.6	24	0.8	8.9	2.8	99	1.91	2.2	0.7	1.2	0.2	4	0.2	0.2	0.2	53	0.04	0.035
L892+00N 71+00E Sol	1.2	16.3	12.3	19	0.2	6.9	2.2	125	2.43	2.1	0.5	1.9	0.4	6	0.2	0.2	0.3	74	0.08	0.055
L892+00N 71+25E Sol	0.9	40.5	8.9	25	0.7	15.2	4.6	108	1.90	3.4	0.8	1.1	0.2	5	0.6	0.2	0.2	44	0.07	0.047
L892+00N 71+50E Sol	0.6	19.2	10.5	42	0.6	17.3	5.7	266	2.66	3.1	0.4	0.7	0.7	7	0.6	0.2	0.2	82	0.14	0.048
L892+00N 71+75E Sol	0.9	25.1	10.7	42	0.6	15.7	5.7	187	2.60	3.4	0.7	0.7	0.4	6	0.2	0.2	0.2	63	0.08	0.038
L892+00N 72+00E Sol	0.8	19.4	9.6	49	0.5	18.5	7.5	340	2.89	3.4	0.5	8.0	1.1	6	0.2	0.3	0.2	82	0.12	0.035
L892+00N 72+25E Sol	1.0	22.0	10.5	34	0.4	16.9	5.0	162	2.66	3.8	0.6	4.9	0.5	6	<0.1	0.3	0.2	76	0.12	0.035
L892+00N 72+50E Sol	0.9	17.7	11.3	23	0.4	9.2	2.9	132	2.15	1.5	0.5	<0.5	0.6	5	0.2	0.2	0.2	69	0.08	0.038
L892+00N 72+70E Sol	1.0	12.8	11.4	25	0.8	7.2	2.6	78	2.06	1.9	0.6	1.1	0.6	6	0.3	0.2	0.2	64	0.06	0.032
L892+00N 73+00E Sol	0.9	37.6	10.6	59	0.6	33.6	12.8	311	3.10	5.3	0.9	3.6	1.5	7	0.2	0.3	0.2	78	0.13	0.031
L892+00N 73+25E Sol	0.9	17.4	8.3	43	0.4	15.5	5.7	296	2.81	3.2	0.6	4.5	0.7	7	0.3	0.2	0.2	66	0.11	0.035
L892+00N 73+50E Sol	0.9	25.9	10.0	55	0.4	23.6	12.4	621	2.84	4.9	0.7	2.7	0.8	10	0.4	0.3	0.2	73	0.23	0.048
L892+00N 73+75E Sol	1.0	15.1	8.3	30	0.1	10.4	3.6	156	2.70	2.2	0.6	0.6	0.7	5	0.2	0.1	0.2	67	0.11	0.032
L892+00N 74+00E Sol	0.8	69.6	11.1	71	0.4	40.2	14.2	562	2.96	13.4	1.2	1.3	0.9	10	0.3	0.3	0.2	75	0.31	0.056
L893+00N 70+00E Sol	1.4	22.0	14.5	22	0.9	6.4	2.0	61	1.48	2.3	0.6	4.0	<0.1	12	0.2	0.4	0.4	50	0.09	0.055
L893+00N 70+25E Sol	1.0	29.1	10.7	45	1.4	19.4	13.0	421	2.75	2.4	1.0	4.2	0.9	10	0.7	0.3	0.2	81	0.12	0.051
L893+00N 70+50E Sol	1.5	47.0	12.6	31	1.5	14.1	4.0	180	2.61	3.9	1.3	2.2	0.4	7	0.5	0.4	0.3	72	0.08	0.059
L893+00N 70+75E Sol	1.1	33.4	13.9	83	1.4	25.0	13.6	653	2.60	8.1	1.0	1.9	0.3	16	0.5	0.7	0.3	72	0.13	0.065
L893+00N 71+00E Sol	2.1	30.9	10.5	14	2.6	4.6	1.4	37	1.24	2.9	1.1	9.2	<0.1	8	0.3	0.4	0.3	39	0.04	0.060
L893+00N 71+25E Sol	1.2	23.0	7.4	16	2.7	6.2	1.9	51	1.16	1.7	1.0	0.8	<0.1	5	0.2	0.1	0.2	31	0.03	0.063
L893+00N 71+50E Sol	1.2	12.6	11.4	22	1.1	8.2	3.2	128	2.87	2.7	0.4	1.3	1.4	5	0.2	0.4	0.3	85	0.06	0.032
L893+00N 71+75E Sol	0.9	16.7	13.7	21	0.1	7.6	2.3	98	1.74	3.2	0.4	2.3	0.4	9	0.2	0.4	0.4	67	0.06	0.047
L893+00N 72+00E Sol	0.9	22.2	10.9	43	0.6	14.1	4.3	289	2.98	4.5	0.6	13.9	0.7	9	0.3	0.4	0.3	73	0.14	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Se ppm	Tl %	S %	Ga ppm	Be ppm	Te ppm
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.6	0.2
L891+00N 73+25E Soil	75	19	0.15	429	0.006	1	1.49	0.010	0.05	<0.1	0.21	0.8	0.1	0.19	3	8.7	<0.2
L891+00N 73+50E Soil	10	40	0.39	155	0.092	<1	1.84	0.012	0.05	<0.1	0.09	2.2	<0.1	0.05	8	<0.5	<0.2
L891+00N 73+75E Soil	9	45	0.59	206	0.138	1	1.85	0.009	0.04	0.1	0.05	3.0	<0.1	<0.05	6	<0.5	<0.2
L891+00N 74+00E Soil	8	28	0.28	114	0.116	1	1.47	0.011	0.03	0.1	0.06	1.5	<0.1	<0.05	8	<0.5	<0.2
L892+00N 70+00E Soil	6	34	0.33	154	0.200	<1	1.55	0.014	0.03	<0.1	0.10	1.5	<0.1	<0.05	9	<0.5	<0.2
L892+00N 70+25E Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L892+00N 70+50E Soil	7	40	0.40	84	0.240	<1	1.68	0.007	0.04	<0.1	0.07	2.1	<0.1	<0.05	9	<0.5	<0.2
L892+00N 70+75E Soil	5	14	0.13	133	0.074	1	1.12	0.008	0.03	<0.1	0.06	0.6	<0.1	<0.05	7	<0.5	<0.2
L892+00N 71+00E Soil	5	22	0.14	129	0.132	<1	0.89	0.012	0.03	<0.1	0.06	0.9	<0.1	<0.05	10	<0.5	0.2
L892+00N 71+25E Soil	6	25	0.25	134	0.102	1	1.68	0.009	0.03	<0.1	0.10	1.2	<0.1	<0.05	7	<0.5	<0.2
L892+00N 71+50E Soil	7	36	0.38	96	0.179	1	1.22	0.007	0.04	<0.1	0.06	1.6	<0.1	<0.05	7	<0.5	<0.2
L892+00N 71+75E Soil	6	31	0.30	162	0.131	1	1.36	0.008	0.03	<0.1	0.08	1.5	<0.1	<0.05	8	<0.5	<0.2
L892+00N 72+00E Soil	8	39	0.41	138	0.228	<1	1.44	0.008	0.03	<0.1	0.03	2.0	<0.1	<0.05	8	<0.5	<0.2
L892+00N 72+25E Soil	7	37	0.37	124	0.164	1	1.52	0.007	0.03	<0.1	0.07	1.6	<0.1	<0.05	7	<0.5	<0.2
L892+00N 72+50E Soil	7	25	0.17	129	0.171	<1	1.21	0.008	0.03	<0.1	0.04	1.1	<0.1	<0.05	9	<0.5	<0.2
L892+00N 72+70E Soil	7	18	0.10	133	0.141	1	1.00	0.008	0.03	<0.1	0.05	1.1	<0.1	<0.05	8	<0.5	<0.2
L892+00N 73+00E Soil	11	58	0.76	268	0.193	1	2.20	0.009	0.06	0.1	0.06	3.6	<0.1	<0.05	7	0.6	<0.2
L892+00N 73+25E Soil	7	33	0.32	132	0.169	<1	1.56	0.009	0.03	<0.1	0.06	1.6	<0.1	<0.05	8	<0.5	<0.2
L892+00N 73+50E Soil	9	42	0.52	223	0.176	1	1.62	0.007	0.04	<0.1	0.07	2.4	<0.1	<0.05	7	<0.5	<0.2
L892+00N 73+75E Soil	7	30	0.23	47	0.181	1	1.71	0.009	0.03	<0.1	0.06	1.7	<0.1	<0.05	9	<0.5	<0.2
L892+00N 74+00E Soil	11	57	0.66	171	0.132	2	2.49	0.012	0.07	0.1	0.06	4.1	<0.1	<0.05	8	<0.5	<0.2
L893+00N 70+00E Soil	5	19	0.08	263	0.063	1	0.64	0.007	0.03	<0.1	0.10	0.4	<0.1	0.08	6	0.5	<0.2
L893+00N 70+25E Soil	7	35	0.38	224	0.201	2	1.64	0.009	0.05	<0.1	0.06	2.0	<0.1	0.06	8	0.9	<0.2
L893+00N 70+50E Soil	6	29	0.26	153	0.144	<1	1.38	0.009	0.03	<0.1	0.11	1.3	<0.1	0.05	8	0.7	<0.2
L893+00N 70+75E Soil	7	23	0.28	359	0.098	1	1.18	0.009	0.04	<0.1	0.07	1.4	<0.1	0.06	8	1.5	<0.2
L893+00N 71+00E Soil	5	16	0.05	217	0.037	<1	0.76	0.007	0.03	<0.1	0.11	0.3	<0.1	<0.05	5	1.3	<0.2
L893+00N 71+25E Soil	6	13	0.10	207	0.052	<1	1.50	0.012	0.03	<0.1	0.08	0.6	<0.1	<0.05	7	0.8	<0.2
L893+00N 71+50E Soil	6	25	0.16	71	0.240	<1	0.90	0.009	0.03	<0.1	0.06	1.2	<0.1	<0.05	10	<0.5	<0.2
L893+00N 71+75E Soil	6	19	0.10	230	0.109	<1	0.65	0.006	0.03	<0.1	0.07	0.9	<0.1	<0.05	7	<0.5	<0.2
L893+00N 72+00E Soil	7	29	0.28	302	0.145	<1	1.26	0.009	0.04	<0.1	0.09	1.4	<0.1	<0.05	9	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	F			
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%			
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001			
L893+00N 72+25E	Soil	1.0	41.4	10.4	31	1.3	15.2	6.6	177	2.40	3.4	0.8	1.9	0.7	9	0.5	0.3	0.3	74	0.11	0.038		
L893+00N 72+50E	Soil	1.5	95.8	13.1	66	1.4	29.9	11.5	256	3.68	5.6	1.5	2.9	1.2	7	0.3	0.4	0.3	94	0.08	0.034		
L893+00N 72+75E	Soil	1.0	21.1	10.6	34	0.8	12.2	5.0	309	3.94	2.9	0.6	5.3	1.0	8	0.4	0.3	0.3	91	0.11	0.043		
L893+00N 73+00E	Soil	1.1	17.1	9.2	24	1.1	9.4	3.0	104	2.47	3.0	0.6	1.0	0.5	6	0.2	0.2	0.2	73	0.07	0.047		
L893+00N 73+25E	Soil	1.9	23.2	16.0	60	0.7	16.6	6.4	349	2.96	4.6	0.7	4.6	0.7	14	0.4	0.5	0.2	79	0.23	0.065		
L893+00N 73+50E	Soil	1.1	61.1	8.8	57	0.4	34.9	16.6	506	3.21	8.9	0.7	7.3	2.0	10	0.2	0.7	0.1	82	0.30	0.064		
L895+00N 70+00E	Soil	0.7	14.3	11.0	60	0.4	19.7	8.9	392	2.82	4.7	0.3	3.5	1.2	15	0.2	0.3	0.2	98	0.23	0.044		
L895+00N 70+25E	Soil	1.3	26.7	10.4	56	2.6	17.5	6.6	265	3.29	8.6	0.6	2.7	1.4	16	0.6	0.7	0.2	94	0.16	0.047		
L895+00N 70+50E	Soil	1.2	21.9	14.9	45	0.3	16.3	5.2	258	3.25	5.1	0.6	2.6	0.9	11	0.2	0.4	0.3	82	0.16	0.048		
L895+00N 70+75E	Soil	0.9	50.0	14.4	50	0.5	20.1	7.6	279	1.96	3.2	0.8	4.4	0.3	17	0.9	0.3	0.2	59	0.15	0.068		
L895+00N 71+00E	Soil	1.6	60.5	12.0	67	0.5	19.2	9.0	510	2.71	3.3	1.3	4.0	0.5	36	0.6	0.2	0.3	74	0.23	0.063		
L895+00N 71+25E	Soil	1.1	16.3	11.2	28	0.2	9.6	2.9	112	2.96	3.1	0.6	2.2	0.7	12	0.4	0.2	0.2	81	0.13	0.048		
L895+00N 71+50E	Soil	0.8	18.3	11.8	16	0.2	7.0	1.8	49	1.71	1.4	0.7	2.7	0.2	7	0.3	0.1	0.3	40	0.06	0.043		
L895+00N 71+75E	Soil	0.9	25.5	16.6	22	<0.1	10.1	2.2	106	1.38	2.6	0.4	4.2	<0.1	9	0.2	0.2	0.3	49	0.12	0.084		
L895+00N 72+00E	Soil	0.8	15.8	13.3	34	0.3	10.1	3.6	218	2.38	3.4	0.4	1.7	0.6	8	0.2	0.3	0.3	75	0.11	0.043		
L895+00N 72+25E	Soil	0.8	17.8	10.2	42	0.4	18.1	6.7	262	2.61	4.6	0.5	2.6	0.8	7	0.3	0.3	0.2	76	0.10	0.049		
L895+00N 72+50E	Soil	0.8	16.8	13.0	42	0.3	14.6	6.3	284	2.18	4.3	0.4	4.6	0.3	9	0.2	0.3	0.2	68	0.14	0.068		
L895+00N 72+75E	Soil	0.9	24.1	10.1	52	0.3	16.2	10.4	913	2.95	4.4	0.7	4.2	0.5	10	0.4	0.2	0.2	77	0.14	0.053		
L895+00N 73+00E	Soil	0.7	15.2	10.1	50	0.3	15.2	6.9	636	2.67	4.5	0.4	7.7	0.6	12	0.2	0.3	0.2	83	0.21	0.063		
L895+00N 73+25E	Soil	1.1	33.0	8.8	55	0.6	25.8	10.2	441	3.09	5.6	0.8	4.6	1.1	9	0.3	0.3	0.2	87	0.20	0.048		
L895+00N 70+00E	Soil	0.9	21.8	13.2	60	0.4	16.0	6.8	501	2.13	3.6	0.5	1.8	0.9	17	0.3	0.3	0.2	70	0.24	0.047		
L895+00N 70+25E	Soil	0.9	23.7	12.1	65	0.4	18.4	8.0	454	2.59	4.1	0.6	3.2	1.3	10	0.4	0.3	0.2	83	0.14	0.039		
L895+00N 70+50E	Soil	0.7	10.6	10.1	39	0.7	10.4	3.9	221	2.04	2.2	0.4	1.6	0.9	10	0.2	0.2	0.2	85	0.16	0.039		
L895+00N 70+75E	Soil	0.6	13.9	14.5	28	0.2	8.2	3.4	115	1.40	3.0	0.4	2.5	0.3	15	0.2	0.3	0.3	60	0.16	0.040		
L895+00N 71+00E	Soil	0.7	16.3	13.3	40	<0.1	11.2	4.3	138	1.87	2.9	0.5	1.6	0.5	16	0.2	0.3	0.2	78	0.22	0.039		
L895+00N 71+25E	Soil	0.8	16.1	12.5	29	0.1	12.3	4.3	252	2.85	2.8	0.5	10.2	0.9	7	0.2	0.2	0.3	75	0.12	0.039		
L895+00N 71+50E	Soil	0.9	17.2	11.2	36	0.2	12.5	4.7	261	2.77	3.0	0.5	2.5	0.6	7	0.2	0.3	0.2	73	0.11	0.040		
L895+00N 71+75E	Soil	0.8	31.1	12.2	27	0.5	7.8	2.3	134	1.27	2.0	0.5	4.3	0.1	9	0.2	0.2	0.3	35	0.07	0.044		
L895+00N 72+00E	Soil	0.7	11.9	11.1	22	0.4	5.5	1.8	132	1.49	0.9	0.4	2.3	0.1	7	0.2	0.2	0.3	49	0.09	0.037		
L895+00N 72+25E	Soil	0.8	18.8	10.7	40	0.2	16.2	6.1	244	2.35	4.2	0.5	1.7	0.6	11	0.1	0.3	0.2	66	0.18	0.041		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2G9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	So ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm		
L893+00N 72+25E	Soil	10	35	0.37	435	0.174	<1	1.79	0.011	0.03	<0.1	0.09	2.5	<0.1	<0.05	9	1.0	<0.2	
L893+00N 72+50E	Soil	10	52	0.62	468	0.152	<1	2.70	0.011	0.07	<0.1	0.08	4.9	<0.1	<0.05	12	1.7	<0.2	
L893+00N 72+75E	Soil	7	33	0.27	88	0.217	<1	1.29	0.009	0.03	<0.1	0.08	1.5	<0.1	<0.05	11	<0.5	<0.2	
L893+00N 73+00E	Soil	6	28	0.17	80	0.155	<1	1.61	0.009	0.03	<0.1	0.10	1.4	<0.1	<0.05	9	0.6	<0.2	
L893+00N 73+25E	Soil	8	38	0.37	263	0.189	1	1.27	0.008	0.05	<0.1	0.11	1.8	<0.1	<0.05	7	0.6	<0.2	
L893+00N 73+50E	Soil	11	50	0.78	242	0.204	<1	1.88	0.009	0.05	<0.1	0.05	3.6	<0.1	<0.05	5	0.9	<0.2	
L895+00N 70+00E	Soil	7	44	0.42	158	0.255	<1	0.98	0.008	0.05	<0.1	0.06	2.2	<0.1	<0.05	7	0.6	<0.2	
L895+00N 70+25E	Soil	7	39	0.31	164	0.258	<1	1.36	0.008	0.05	<0.1	0.12	2.0	<0.1	<0.05	8	0.8	<0.2	
L895+00N 70+50E	Soil	7	37	0.36	141	0.199	2	1.12	0.014	0.05	<0.1	0.11	1.6	<0.1	<0.05	10	<0.5	<0.2	
L895+00N 70+75E	Soil	8	33	0.39	357	0.121	1	1.42	0.010	0.05	<0.1	0.12	1.3	<0.1	<0.05	8	0.8	<0.2	
L895+00N 71+00E	Soil	8	36	0.35	380	0.165	1	1.70	0.012	0.05	<0.1	0.14	1.9	<0.1	<0.05	10	0.6	<0.2	
L895+00N 71+25E	Soil	6	28	0.19	122	0.175	<1	1.03	0.010	0.03	<0.1	0.12	1.1	<0.1	<0.05	10	0.6	<0.2	
L895+00N 71+50E	Soil	6	18	0.09	104	0.096	<1	1.28	0.012	0.02	<0.1	0.12	1.0	<0.1	0.05	9	<0.5	<0.2	
L895+00N 71+75E	Soil	7	24	0.15	215	0.090	2	0.85	0.007	0.05	<0.1	0.13	0.8	<0.1	0.08	7	<0.5	<0.2	
L895+00N 72+00E	Soil	8	27	0.25	114	0.136	<1	1.06	0.009	0.04	<0.1	0.08	1.4	<0.1	<0.05	9	<0.5	<0.2	
L895+00N 72+25E	Soil	8	37	0.44	144	0.159	<1	1.17	0.009	0.05	<0.1	0.08	2.0	<0.1	<0.05	7	<0.5	<0.2	
L895+00N 72+50E	Soil	7	31	0.35	108	0.144	<1	1.05	0.010	0.05	<0.1	0.07	1.4	<0.1	<0.05	8	<0.5	<0.2	
L895+00N 72+75E	Soil	8	32	0.37	202	0.159	<1	1.47	0.012	0.03	<0.1	0.06	1.9	<0.1	<0.05	9	0.5	<0.2	
L895+00N 73+00E	Soil	8	34	0.37	186	0.174	<1	1.05	0.010	0.04	<0.1	0.07	1.6	<0.1	<0.05	8	<0.5	<0.2	
L895+00N 73+25E	Soil	9	50	0.66	146	0.189	<1	1.79	0.010	0.05	<0.1	0.07	3.0	<0.1	<0.05	6	0.7	<0.2	
L896+00N 70+00E	Soil	7	31	0.34	239	0.189	<1	1.19	0.009	0.05	<0.1	0.11	1.8	<0.1	<0.05	7	0.6	<0.2	
L896+00N 70+25E	Soil	8	39	0.40	234	0.223	<1	1.40	0.012	0.05	<0.1	0.08	2.3	<0.1	<0.05	8	<0.5	<0.2	
L896+00N 70+50E	Soil	7	28	0.24	170	0.242	1	0.88	0.008	0.04	<0.1	0.06	1.3	<0.1	<0.05	8	<0.5	<0.2	
L896+00N 70+75E	Soil	7	23	0.20	319	0.164	<1	0.74	0.012	0.05	<0.1	0.05	1.0	<0.1	0.06	7	<0.5	<0.2	
L896+00N 71+00E	Soil	7	28	0.29	172	0.188	<1	0.95	0.014	0.05	<0.1	0.05	1.3	<0.1	<0.05	7	<0.5	<0.2	
L896+00N 71+25E	Soil	8	30	0.30	83	0.169	<1	1.26	0.012	0.03	<0.1	0.06	1.6	<0.1	<0.05	9	<0.5	<0.2	
L896+00N 71+50E	Soil	8	32	0.31	73	0.161	<1	1.47	0.009	0.04	<0.1	0.05	1.5	<0.1	<0.05	9	<0.5	<0.2	
L896+00N 71+75E	Soil	6	17	0.14	223	0.101	2	0.72	0.010	0.03	0.1	0.07	0.5	<0.1	0.19	6	<0.5	<0.2	
L896+00N 72+00E	Soil	5	17	0.10	103	0.113	<1	0.66	0.011	0.02	<0.1	0.06	0.5	<0.1	0.09	7	<0.5	<0.2	
L896+00N 72+25E	Soil	9	32	0.36	229	0.185	2	0.92	0.008	0.04	0.2	0.07	1.2	<0.1	<0.05	6	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 5 of 9 Part: 1

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method	Analyte	Unit	1DX16																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L896+00N 72+S0E	Soil		0.8	22.5	10.3	52	0.1	20.1	8.0	398	2.87	5.8	0.5	10.2	0.6	10	0.2	0.3	0.2	76	0.19	0.055
L896+00N 72+75E	Soil		1.1	69.3	11.0	46	0.8	22.9	17.7	898	2.27	6.3	1.2	2.3	0.2	21	0.7	0.3	0.2	60	0.31	0.081
L896+00N 73+00E	Soil		0.7	42.3	10.0	65	0.2	36.5	16.8	572	3.12	8.6	0.6	13.5	2.0	10	0.2	0.4	0.2	75	0.28	0.058
L896+00N 73+25E	Soil		1.2	15.3	10.3	35	0.3	15.0	6.1	284	2.72	11.1	0.5	5.4	0.6	8	0.3	0.4	0.2	64	0.15	0.046
L896+00N 73+50E	Soil		0.4	8.5	11.9	14	<0.1	4.6	1.9	160	0.59	<0.5	0.2	<0.5	0.4	5	0.1	0.1	0.2	37	0.08	0.024
L896+00N 73+75E	Soil		0.9	11.9	9.8	29	0.3	10.7	3.6	410	1.96	4.1	0.5	3.6	0.3	9	0.4	0.2	0.2	62	0.17	0.048
L896+00N 74+00E	Soil		1.1	18.4	12.5	70	0.3	17.2	8.7	580	2.87	11.6	0.7	1.7	0.3	10	0.3	0.3	0.3	71	0.19	0.056
L896+00N 74+25E	Soil		1.3	30.2	8.7	101	0.2	23.0	12.2	755	2.98	9.2	1.3	9.6	0.3	11	0.6	0.2	0.2	73	0.24	0.058
L896+00N 74+50E	Soil		1.1	55.8	9.7	187	0.4	43.5	21.0	1401	2.90	16.4	2.4	1.4	0.5	15	1.1	0.2	0.2	68	0.33	0.079
L896+00N 74+75E	Soil		1.5	51.9	10.2	76	0.4	24.3	12.8	631	2.54	21.8	2.5	3.0	0.1	7	0.7	0.2	0.3	64	0.10	0.082
L896+00N 75+00E	Soil		1.0	13.1	9.6	34	0.3	5.1	2.9	208	1.71	3.5	0.7	<0.5	0.2	6	0.4	0.1	0.3	44	0.13	0.050
L896+00N 75+25E	Soil		0.7	8.5	9.7	18	0.2	5.0	1.9	143	1.32	1.2	0.3	1.6	<0.1	5	0.2	0.1	0.3	55	0.07	0.042
L896+00N 75+50E	Soil		0.8	27.9	8.1	40	0.2	18.4	6.4	334	2.23	5.0	0.4	2.0	0.4	8	0.4	0.3	0.2	62	0.14	0.040
L896+00N 75+75E	Soil		0.7	8.1	15.3	17	0.2	6.6	2.1	75	1.29	1.8	0.3	3.1	0.2	7	0.2	0.3	0.2	59	0.09	0.037
L896+00N 76+00E	Soil		0.7	13.6	7.9	18	0.2	5.9	1.9	109	1.50	1.2	0.4	<0.5	<0.1	7	0.2	0.1	0.2	54	0.09	0.040
L897+00N 66+00E	Soil		1.6	27.7	10.6	42	0.2	16.2	6.8	204	3.43	3.4	0.6	0.5	0.8	9	0.3	0.2	0.3	89	0.18	0.047
L897+00N 66+25E	Soil		0.9	27.6	7.2	42	0.1	22.9	10.4	325	3.37	4.0	0.5	1.8	0.9	8	0.2	0.2	0.2	95	0.20	0.038
L897+00N 66+50E	Soil		0.8	27.0	8.9	28	0.5	12.5	5.2	149	2.01	2.5	1.1	<0.5	0.2	8	0.2	0.1	0.2	42	0.12	0.053
L897+00N 66+75E	Soil		0.8	36.4	10.3	35	0.9	19.3	5.3	209	1.57	3.3	1.7	1.4	<0.1	14	0.3	0.2	0.2	38	0.25	0.137
L897+00N 67+00E	Soil		1.4	57.2	9.1	48	0.6	23.2	41.3	1171	2.22	3.2	1.7	1.3	0.3	16	0.6	0.2	0.2	57	0.24	0.067
L897+00N 67+25E	Soil		1.2	25.8	15.3	35	0.7	15.9	6.0	293	1.38	2.7	1.2	1.8	<0.1	28	0.4	0.2	0.2	41	0.44	0.082
L897+00N 67+50E	Soil		1.5	43.7	13.0	52	0.7	22.8	10.1	170	2.19	5.9	1.9	2.5	1.0	12	0.4	0.2	0.3	86	0.19	0.036
L897+00N 67+75E	Soil		0.9	30.9	16.6	73	0.4	31.6	10.0	207	1.75	3.0	1.3	2.0	0.4	21	0.3	0.1	0.3	53	0.23	0.044
L897+00N 68+00E	Soil		2.4	45.2	11.3	85	0.6	34.1	12.0	426	2.51	4.9	2.2	7.4	0.6	22	0.4	0.2	0.3	70	0.32	0.056
L897+00N 68+25E	Soil		3.5	34.1	17.0	70	0.8	23.6	20.5	731	2.18	7.5	2.0	2.0	0.1	43	0.7	0.3	0.3	63	0.46	0.114
L897+00N 68+50E	Soil		1.0	52.8	9.0	36	0.5	15.8	5.5	177	2.68	4.0	1.2	1.5	0.6	13	0.3	0.2	0.2	54	0.14	0.046
L897+00N 68+75E	Soil		1.4	34.8	10.9	51	0.5	19.1	7.4	219	2.91	6.0	1.0	6.7	1.0	11	0.4	0.2	0.2	74	0.19	0.043
L897+00N 69+00E	Soil		0.6	14.7	16.0	39	0.6	10.3	4.8	443	1.32	2.5	0.4	2.2	0.3	17	0.3	0.2	0.2	47	0.30	0.059
L897+00N 69+25E	Soil		0.6	13.6	12.4	26	0.3	9.5	4.6	358	1.51	2.5	0.4	5.2	0.5	7	0.2	0.2	0.2	55	0.12	0.036
L897+00N 69+50E	Soil		1.1	16.9	10.2	13	0.2	5.0	2.4	81	1.89	2.1	0.7	<0.5	0.3	5	0.3	0.1	0.2	43	0.06	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit	1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Se ppm	Tl ppm	S %	Ga ppm	Be ppm	Te ppm	MDL			
L896+00N 72+50E	6	40	0.49	265	0.160	<1	1.19	0.007	0.04	0.1	0.05	2.0	<0.1	0.09	7	<0.5	<0.2				
L896+00N 72+75E	17	30	0.26	389	0.077	1	1.70	0.009	0.05	0.1	0.07	2.3	<0.1	0.09	7	1.8	<0.2				
L896+00N 73+00E	9	54	0.79	158	0.179	2	1.76	0.007	0.04	0.2	0.05	3.3	<0.1	<0.05	6	<0.5	<0.2				
L896+00N 73+25E	7	30	0.35	127	0.139	<1	1.35	0.009	0.02	0.1	0.08	1.4	<0.1	<0.05	8	<0.5	<0.2				
L896+00N 73+50E	6	13	0.08	85	0.133	1	0.42	0.008	0.02	<0.1	0.03	0.5	<0.1	<0.05	7	<0.5	<0.2				
L896+00N 73+75E	6	27	0.26	77	0.130	<1	0.78	0.009	0.03	<0.1	0.07	0.8	<0.1	<0.05	8	<0.5	<0.2				
L896+00N 74+00E	4	30	0.33	141	0.107	<1	1.11	0.009	0.04	<0.1	0.06	1.1	<0.1	0.05	9	<0.5	<0.2				
L896+00N 74+25E	6	37	0.41	180	0.109	1	1.97	0.010	0.04	<0.1	0.06	1.5	<0.1	<0.05	9	0.8	<0.2				
L896+00N 74+50E	12	44	0.46	348	0.104	1	3.23	0.012	0.04	<0.1	0.09	3.3	<0.1	<0.05	8	1.2	<0.2				
L896+00N 74+75E	9	54	0.27	127	0.057	2	1.78	0.010	0.04	<0.1	0.07	1.7	<0.1	<0.05	8	1.3	<0.2				
L896+00N 75+00E	4	15	0.10	93	0.103	<1	1.18	0.011	0.03	0.1	0.07	1.0	<0.1	<0.05	9	<0.5	<0.2				
L896+00N 75+25E	4	19	0.08	68	0.104	1	0.50	0.009	0.02	<0.1	0.05	0.6	<0.1	<0.05	6	<0.5	<0.2				
L896+00N 75+50E	5	35	0.40	109	0.172	1	0.99	0.011	0.05	<0.1	0.03	1.5	<0.1	<0.05	6	<0.5	<0.2				
L896+00N 75+75E	5	23	0.13	89	0.178	1	0.73	0.009	0.03	<0.1	0.07	0.8	<0.1	<0.05	8	<0.5	<0.2				
L896+00N 76+00E	3	20	0.08	73	0.098	<1	0.74	0.014	0.02	<0.1	0.07	0.4	<0.1	<0.05	5	<0.5	<0.2				
L897+00N 66+00E	5	29	0.38	71	0.223	1	1.43	0.011	0.03	0.1	0.04	1.6	<0.1	<0.05	11	<0.5	<0.2				
L897+00N 66+25E	6	44	0.57	83	0.265	1	1.53	0.009	0.03	<0.1	0.04	2.5	<0.1	<0.05	7	<0.5	<0.2				
L897+00N 66+50E	7	26	0.25	62	0.093	<1	1.83	0.015	0.03	<0.1	0.08	1.6	<0.1	0.06	8	0.6	<0.2				
L897+00N 66+75E	10	37	0.32	122	0.049	3	1.90	0.012	0.06	<0.1	0.16	1.9	<0.1	0.14	7	0.6	<0.2				
L897+00N 67+00E	20	40	0.35	244	0.085	2	2.35	0.011	0.05	<0.1	0.13	2.9	<0.1	<0.05	7	1.1	<0.2				
L897+00N 67+25E	10	28	0.31	250	0.043	2	1.47	0.013	0.06	<0.1	0.11	1.0	<0.1	0.08	7	0.7	<0.2				
L897+00N 67+50E	12	53	0.44	216	0.210	1	2.45	0.012	0.05	<0.1	0.07	4.3	<0.1	<0.05	11	0.8	<0.2				
L897+00N 67+75E	8	50	0.47	443	0.128	2	2.58	0.014	0.08	<0.1	0.07	2.7	0.1	<0.05	13	0.8	<0.2				
L897+00N 68+00E	9	55	0.57	394	0.158	2	2.24	0.014	0.06	<0.1	0.09	4.0	<0.1	<0.05	10	0.8	<0.2				
L897+00N 68+25E	10	39	0.40	495	0.069	3	1.71	0.013	0.07	<0.1	0.11	1.9	<0.1	0.10	7	1.0	<0.2				
L897+00N 68+50E	8	36	0.29	194	0.166	<1	1.86	0.015	0.04	<0.1	0.09	2.9	<0.1	<0.05	9	0.6	<0.2				
L897+00N 68+75E	9	44	0.50	148	0.214	1	2.03	0.010	0.05	<0.1	0.11	3.1	<0.1	<0.05	8	0.8	<0.2				
L897+00N 69+00E	6	21	0.25	180	0.148	2	0.82	0.009	0.05	<0.1	0.11	1.1	<0.1	0.06	5	<0.5	<0.2				
L897+00N 69+25E	6	25	0.23	69	0.177	<1	1.01	0.010	0.04	<0.1	0.06	1.2	<0.1	<0.05	7	<0.5	<0.2				
L897+00N 69+50E	6	21	0.11	45	0.118	<1	2.21	0.013	0.02	<0.1	0.09	1.3	<0.1	<0.05	10	0.7	<0.2				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit	1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16		1DX16	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %				
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001				
L897+00N 69+75E	Soil	0.5	4.5	9.6	10	<0.1	3.4	1.0	39	0.70	<0.5	0.3	0.8	0.1	8	<0.1	<0.1	0.2	34	0.08	0.020			
L897+00N 70+00E	Soil	0.6	9.1	9.6	14	0.4	4.5	1.5	70	1.65	0.7	0.4	10.9	0.2	6	0.2	0.1	0.2	52	0.08	0.032			
L897+00N 70+25E	Soil	0.6	10.3	9.7	16	0.2	4.4	2.1	95	1.61	0.5	0.3	2.9	0.3	8	0.1	0.1	0.2	62	0.08	0.032			
L897+00N 70+50E	Soil	0.9	9.2	12.4	22	0.4	8.2	3.2	92	1.52	2.3	0.3	3.0	1.0	10	0.2	0.3	0.3	80	0.12	0.029			
L897+00N 70+75E	Soil	1.6	34.9	11.5	39	0.6	12.7	6.9	802	2.21	2.6	0.7	1.8	0.6	44	0.4	0.2	0.2	69	0.40	0.042			
L897+00N 71+00E	Soil	1.5	21.0	10.7	50	0.3	21.6	8.6	429	4.18	5.1	0.8	3.6	1.7	11	0.3	0.3	0.2	92	0.17	0.043			
L897+00N 71+25E	Soil	1.8	27.9	12.1	66	0.3	22.3	8.7	467	4.20	8.2	0.8	1.8	1.8	12	0.2	0.7	0.2	96	0.18	0.058			
L897+00N 71+50E	Soil	0.9	27.8	11.9	56	0.2	21.1	8.6	280	3.18	5.8	0.6	16.7	1.2	9	0.3	0.4	0.2	81	0.18	0.048			
L897+00N 71+75E	Soil	0.7	25.3	9.2	69	<0.1	31.9	11.7	319	3.46	9.6	0.7	10.7	2.4	10	0.2	0.5	0.1	82	0.32	0.064			
L897+00N 72+00E	Soil	0.7	10.5	11.0	20	1.1	5.7	2.3	129	1.75	2.1	0.5	1.6	0.5	7	0.1	0.2	0.2	59	0.10	0.036			
L897+00N 72+25E	Soil	0.8	33.5	8.7	77	0.1	35.8	14.1	336	3.52	13.7	0.6	17.5	3.2	10	0.2	0.7	0.1	83	0.35	0.053			
L897+00N 72+50E	Soil	0.8	22.1	16.3	36	1.7	15.7	5.5	247	1.76	3.8	0.5	3.5	0.5	10	0.2	0.4	0.2	55	0.17	0.059			
L897+00N 72+75E	Soil	1.0	18.3	9.2	47	0.1	23.5	9.1	276	3.91	6.6	0.6	8.5	2.1	8	0.3	0.3	0.2	85	0.20	0.044			
L897+00N 73+00E	Soil	0.7	9.7	16.5	19	0.3	6.6	2.1	85	1.13	2.2	0.4	1.2	0.2	7	0.3	0.3	0.3	53	0.11	0.044			
L897+00N 73+25E	Soil	0.7	8.5	13.7	25	<0.1	8.4	2.7	142	1.80	2.6	0.4	1.5	0.3	8	0.1	0.2	0.2	70	0.14	0.038			
L897+00N 73+50E	Soil	0.8	11.0	9.7	25	0.1	9.4	4.0	207	2.05	3.9	0.5	1.1	0.5	7	0.2	0.2	0.2	64	0.11	0.038			
L897+00N 73+75E	Soil	0.9	24.0	11.1	54	0.2	26.7	10.5	597	2.86	7.3	0.6	1.3	0.8	9	0.4	0.3	0.2	76	0.20	0.053			
L897+00N 74+00E	Soil	0.9	12.7	9.2	22	0.1	7.7	2.5	195	2.11	1.9	0.5	2.0	0.2	10	0.2	0.1	0.2	56	0.23	0.040			
L897+00N 74+25E	Soil	0.9	12.6	11.0	25	0.1	6.2	2.8	276	1.82	1.5	0.5	<0.5	0.1	7	0.2	0.1	0.3	57	0.07	0.047			
L897+00N 74+50E	Soil	1.0	34.3	12.5	58	0.4	21.0	8.7	499	3.02	8.7	0.6	7.3	0.5	9	0.4	0.3	0.3	85	0.15	0.051			
L897+00N 74+75E	Soil	1.6	30.7	11.5	61	0.4	21.2	5.6	364	2.81	6.1	0.7	<0.5	0.2	10	0.7	0.3	0.3	69	0.23	0.059			
L897+00N 75+00E	Soil	1.6	23.5	11.5	34	0.3	9.8	3.2	163	1.81	3.6	0.8	1.0	0.2	9	0.4	0.2	0.3	49	0.18	0.060			
L897+00N 75+25E	Soil	1.3	252.9	17.2	214	1.3	128.2	30.6	1851	4.71	27.1	4.6	1.4	0.8	32	2.9	0.7	0.3	100	0.99	0.160			
L897+00N 75+50E	Soil	1.9	198.2	15.5	147	2.9	75.2	20.2	423	3.84	17.8	3.6	2.5	2.5	15	1.0	0.5	0.3	101	0.32	0.069			
L897+00N 75+75E	Soil	1.4	53.3	15.7	84	1.1	34.1	9.8	368	3.04	7.8	1.0	1.8	0.6	11	0.6	0.4	0.3	81	0.18	0.050			
L898+00N 66+00E	Soil	1.0	10.8	8.5	24	0.1	9.3	3.8	109	2.68	1.8	0.5	1.2	0.7	7	0.3	0.2	0.2	90	0.12	0.033			
L898+00N 66+25E	Soil	1.0	19.3	12.1	17	0.3	6.7	2.4	42	0.86	0.7	0.5	1.7	0.4	15	0.4	0.2	0.2	49	0.64	0.035			
L898+00N 66+50E	Soil	1.2	53.1	12.2	34	0.7	17.0	5.1	90	2.19	5.2	1.8	2.4	0.3	8	0.4	0.2	0.3	50	0.16	0.079			
L898+00N 66+75E	Soil	1.5	40.0	14.0	53	0.3	25.3	6.3	152	3.00	7.4	1.1	3.0	0.6	12	0.3	0.2	0.3	77	0.37	0.038			
L898+00N 67+00E	Soil	1.7	34.4	10.2	40	0.7	20.5	8.2	241	2.89	4.3	1.7	2.2	0.3	9	0.2	0.2	0.2	74	0.14	0.059			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C8 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Se ppm	Te ppm	S %	Ga ppm	Be ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.6	0.5		
L897+00N 69+75E	Soil	4	10	0.04	60	0.117	<1	0.42	0.012	0.02	<0.1	0.03	0.3	<0.1	<0.05	7	<0.5	<0.2
L897+00N 70+00E	Soil	4	14	0.08	56	0.140	<1	0.68	0.011	0.02	<0.1	0.04	0.5	<0.1	<0.05	8	<0.5	<0.2
L897+00N 70+25E	Soil	4	14	0.09	70	0.178	<1	0.58	0.010	0.03	<0.1	0.04	0.7	<0.1	<0.05	7	<0.5	<0.2
L897+00N 70+50E	Soil	7	19	0.12	98	0.208	1	0.53	0.009	0.03	<0.1	0.04	1.0	<0.1	<0.05	6	<0.5	<0.2
L897+00N 70+75E	Soil	9	25	0.24	507	0.167	1	1.36	0.012	0.02	<0.1	0.06	1.6	<0.1	<0.05	9	<0.5	<0.2
L897+00N 71+00E	Soil	8	48	0.49	157	0.240	2	1.75	0.010	0.04	<0.1	0.06	2.5	<0.1	<0.05	10	<0.5	<0.2
L897+00N 71+25E	Soil	9	48	0.51	158	0.248	2	1.71	0.010	0.06	0.1	0.06	2.4	<0.1	<0.05	9	<0.5	<0.2
L897+00N 71+50E	Soil	10	43	0.49	118	0.191	1	1.83	0.009	0.04	<0.1	0.05	2.4	<0.1	<0.05	7	<0.5	<0.2
L897+00N 71+75E	Soil	13	52	0.82	116	0.203	2	2.26	0.009	0.04	0.1	0.04	3.4	<0.1	<0.05	6	0.6	<0.2
L897+00N 72+00E	Soil	8	20	0.15	74	0.152	<1	0.82	0.011	0.03	<0.1	0.05	0.8	<0.1	<0.05	8	<0.5	<0.2
L897+00N 72+25E	Soil	12	59	0.88	148	0.223	<1	2.32	0.009	0.06	0.1	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
L897+00N 72+50E	Soil	9	27	0.32	197	0.124	1	1.04	0.009	0.05	<0.1	0.07	1.3	<0.1	<0.05	5	<0.5	<0.2
L897+00N 72+75E	Soil	9	49	0.62	115	0.233	1	1.84	0.009	0.03	0.1	0.07	2.5	<0.1	<0.05	7	<0.5	<0.2
L897+00N 73+00E	Soil	6	20	0.14	152	0.122	<1	0.65	0.009	0.03	<0.1	0.06	0.7	<0.1	<0.05	7	<0.5	<0.2
L897+00N 73+25E	Soil	8	25	0.20	77	0.144	1	0.80	0.010	0.03	<0.1	0.06	1.0	<0.1	<0.05	8	<0.5	<0.2
L897+00N 73+50E	Soil	8	25	0.23	58	0.151	1	1.66	0.012	0.02	0.1	0.05	1.3	<0.1	<0.05	8	<0.5	<0.2
L897+00N 73+75E	Soil	8	50	0.57	97	0.162	1	1.89	0.012	0.04	<0.1	0.06	2.3	<0.1	<0.05	8	<0.5	<0.2
L897+00N 74+00E	Soil	4	30	0.15	54	0.093	<1	0.86	0.011	0.02	<0.1	0.08	0.7	<0.1	<0.05	8	<0.5	<0.2
L897+00N 74+25E	Soil	4	16	0.12	62	0.083	1	0.86	0.015	0.03	<0.1	0.05	0.5	<0.1	<0.05	9	<0.5	<0.2
L897+00N 74+50E	Soil	6	45	0.44	163	0.155	2	1.43	0.010	0.05	0.2	0.08	2.0	<0.1	<0.05	9	<0.5	<0.2
L897+00N 74+75E	Soil	4	62	0.39	140	0.107	2	1.07	0.012	0.04	0.1	0.11	1.1	<0.1	0.05	10	<0.5	<0.2
L897+00N 75+00E	Soil	5	26	0.15	129	0.077	1	1.07	0.013	0.03	0.1	0.09	0.8	<0.1	0.07	9	<0.5	<0.2
L897+00N 75+25E	Soil	20	124	0.92	636	0.063	2	3.75	0.014	0.12	<0.1	0.11	10.4	<0.1	0.08	9	1.9	<0.2
L897+00N 75+50E	Soil	19	102	0.61	425	0.133	2	4.47	0.020	0.09	0.2	0.14	15.3	0.1	<0.05	11	1.2	<0.2
L897+00N 75+75E	Soil	11	64	0.63	282	0.097	2	2.24	0.014	0.08	0.1	0.05	3.9	<0.1	<0.05	9	<0.5	<0.2
L898+00N 66+00E	Soil	5	26	0.21	49	0.235	2	1.25	0.011	0.02	<0.1	0.04	1.7	<0.1	<0.05	9	<0.5	<0.2
L898+00N 66+25E	Soil	5	20	0.13	68	0.147	1	0.76	0.011	0.02	<0.1	0.05	1.2	<0.1	0.09	6	<0.5	0.2
L898+00N 66+50E	Soil	11	41	0.20	77	0.065	2	2.15	0.010	0.04	<0.1	0.12	3.1	<0.1	0.09	9	1.1	<0.2
L898+00N 66+75E	Soil	7	45	0.35	153	0.113	2	1.88	0.010	0.05	0.1	0.06	2.9	<0.1	<0.05	10	0.6	<0.2
L898+00N 67+00E	Soil	10	46	0.36	192	0.084	1	2.19	0.010	0.05	<0.1	0.13	3.1	<0.1	0.06	8	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Se ppm	Tl ppm	S %	Ca ppm	Fe ppm	Te ppm		
L898+00N 67+25E	12	56	0.41	286	0.091	1	2.37	0.013	0.05	<0.1	0.08	3.3	<0.1	0.09	6	1.2	<0.2		
L898+00N 67+50E	12	40	0.38	376	0.041	2	1.92	0.010	0.06	<0.1	0.10	1.6	<0.1	0.09	6	1.2	<0.2		
L898+00N 67+75E	10	77	0.62	449	0.093	1	2.76	0.008	0.09	0.1	0.11	5.0	<0.1	<0.05	7	0.8	<0.2		
L898+00N 68+00E	7	26	0.18	122	0.190	<1	1.11	0.010	0.03	<0.1	0.06	1.6	<0.1	<0.05	7	<0.5	<0.2		
L898+00N 68+25E	7	29	0.22	138	0.179	1	1.23	0.011	0.03	<0.1	0.05	1.8	<0.1	<0.05	7	<0.5	<0.2		
L898+00N 68+50E	13	53	0.38	309	0.050	2	3.04	0.012	0.06	<0.1	0.11	1.9	<0.1	0.06	7	0.8	<0.2		
L898+00N 68+75E	7	32	0.26	102	0.181	1	1.28	0.012	0.04	<0.1	0.04	1.7	<0.1	<0.05	8	<0.5	<0.2		
L898+00N 69+00E	10	28	0.28	271	0.064	2	1.50	0.013	0.04	<0.1	0.11	1.5	<0.1	0.08	7	0.8	<0.2		
L898+00N 69+25E	9	26	0.28	238	0.104	2	1.36	0.010	0.04	<0.1	0.11	2.1	<0.1	<0.05	7	0.5	<0.2		
L898+00N 69+50E	9	21	0.24	211	0.131	1	1.09	0.012	0.03	<0.1	0.08	1.8	<0.1	<0.05	7	0.6	<0.2		
L898+00N 69+75E	5	19	0.16	103	0.129	<1	0.77	0.010	0.03	<0.1	0.06	0.8	<0.1	<0.05	6	<0.5	<0.2		
L898+00N 70+00E	9	28	0.24	176	0.123	1	1.67	0.011	0.03	0.1	0.07	1.5	<0.1	<0.05	7	0.5	<0.2		
L898+00N 70+25E	6	42	0.42	228	0.221	1	1.37	0.008	0.03	<0.1	0.06	1.8	<0.1	<0.05	7	<0.5	<0.2		
L898+00N 70+50E	8	46	0.50	222	0.198	1	1.70	0.009	0.03	<0.1	0.05	2.5	<0.1	<0.05	7	0.7	<0.2		
L898+00N 70+75E	9	57	0.66	357	0.174	2	2.19	0.010	0.04	0.1	0.07	3.7	<0.1	<0.05	7	1.1	<0.2		
L898+00N 71+00E	6	32	0.25	124	0.203	<1	1.06	0.008	0.04	0.1	0.04	1.3	<0.1	<0.05	7	<0.5	<0.2		
L898+00N 71+25E	5	27	0.19	121	0.179	<1	1.05	0.008	0.03	<0.1	0.05	1.0	<0.1	<0.05	7	<0.5	<0.2		
L898+00N 71+50E	5	33	0.28	151	0.166	<1	1.24	0.008	0.03	<0.1	0.08	1.4	<0.1	<0.05	6	<0.5	<0.2		
L898+00N 71+75E	9	66	0.88	101	0.261	<1	2.60	0.008	0.03	0.1	0.06	3.2	<0.1	<0.05	6	<0.5	<0.2		
L898+00N 72+00E	6	21	0.13	75	0.115	1	0.93	0.012	0.03	<0.1	0.07	0.8	<0.1	<0.05	8	<0.5	<0.2		
L898+00N 72+25E	6	40	0.44	65	0.265	<1	1.59	0.008	0.03	0.2	0.04	1.9	<0.1	<0.05	10	<0.5	<0.2		
L898+00N 72+50E	6	33	0.21	43	0.169	<1	1.41	0.009	0.03	0.1	0.06	1.4	<0.1	<0.05	11	<0.5	<0.2		
L898+00N 72+75E	8	38	0.38	43	0.163	<1	2.00	0.010	0.03	0.1	0.05	1.8	<0.1	<0.05	11	<0.5	<0.2		
L898+00N 73+00E	6	22	0.13	41	0.153	<1	1.15	0.010	0.02	<0.1	0.06	1.0	<0.1	<0.05	9	<0.5	<0.2		
L898+00N 73+25E	7	42	0.36	44	0.215	<1	1.80	0.008	0.02	<0.1	0.04	1.9	<0.1	<0.05	9	<0.5	<0.2		
L898+00N 73+50E	5	50	0.41	41	0.257	<1	1.67	0.008	0.02	<0.1	0.07	1.7	<0.1	<0.05	11	0.6	<0.2		
L898+00N 73+75E	6	34	0.24	36	0.157	<1	2.19	0.010	0.02	<0.1	0.07	1.6	<0.1	<0.05	8	0.5	<0.2		
L898+00N 74+00E	4	29	0.11	36	0.108	<1	1.06	0.013	0.02	<0.1	0.03	0.8	<0.1	<0.05	9	<0.5	<0.2		
L898+00N 74+25E	4	25	0.08	47	0.098	<1	0.94	0.014	0.02	<0.1	0.05	0.8	<0.1	<0.05	8	<0.5	<0.2		
L898+00N 74+50E	7	33	0.25	95	0.075	<1	2.03	0.011	0.03	0.1	0.07	1.5	<0.1	<0.05	9	0.8	<0.2		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method	Analyte	Unit	MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Ir	Cd	Sb	Bi	V	Ca	%	%	%
L898+00N 74+75E	Soil			1.5	52.8	10.4	84	0.3	24.7	9.6	455	2.99	9.7	1.4	0.9	0.5	6	0.1	0.1	0.1	2	0.01	0.001		
L898+00N 75+00E	Soil			1.3	73.3	11.0	149	0.4	51.0	24.9	1329	3.44	16.8	2.2	2.2	0.8	9	0.8	0.4	0.2	73	0.21	0.083		
L898+00N 75+25E	Soil			1.7	70.5	13.4	149	0.3	57.7	27.2	1973	2.95	34.6	3.1	12.5	0.5	18	1.0	1.0	0.2	64	0.48	0.110		
L898+00N 75+50E	Soil			1.2	185.5	9.9	134	1.2	80.6	32.6	1857	3.51	26.9	3.6	23.3	0.6	14	1.3	0.4	0.2	89	0.48	0.080		
L898+00N 75+75E	Soil			1.5	167.6	12.4	79	1.1	59.6	11.5	257	3.19	11.8	2.8	2.3	0.5	14	0.7	0.4	0.3	68	0.40	0.081		
L898+00N 75+00E	Soil			2.2	98.1	11.8	55	0.6	28.2	19.5	1263	3.25	12.2	2.2	2.6	1.1	13	1.3	0.3	0.2	87	0.43	0.042		
L899+00N 66+00E	Soil			1.5	26.8	8.8	44	<0.1	19.4	9.9	265	3.22	5.3	1.1	2.4	3.1	7	0.2	0.2	0.3	90	0.19	0.029		
L899+00N 66+25E	Soil			0.5	23.5	6.5	41	<0.1	29.4	15.5	364	2.55	3.4	0.6	2.5	2.3	8	0.1	0.2	0.2	77	0.36	0.018		
L899+00N 66+50E	Soil			0.8	20.8	8.1	35	0.3	14.0	4.9	167	1.38	2.3	0.4	0.9	0.3	7	0.2	0.2	0.1	46	0.18	0.031		
L899+00N 66+75E	Soil			0.8	11.3	8.7	34	0.1	10.5	3.9	130	2.17	2.8	0.4	<0.5	0.7	7	<0.1	0.2	0.2	67	0.13	0.030		
L899+00N 67+00E	Soil			0.8	16.0	8.7	42	0.2	12.9	6.7	318	2.58	2.8	0.4	<0.5	0.8	6	0.1	0.2	0.2	68	0.13	0.028		
L899+00N 67+25E	Soil			2.0	28.6	11.8	51	0.7	21.7	7.8	210	1.96	4.0	1.3	0.6	0.2	17	0.3	0.2	0.3	59	0.21	0.083		
L899+00N 67+50E	Soil			1.3	28.7	8.2	36	0.3	15.0	7.4	232	1.68	1.9	1.0	6.8	0.4	10	0.2	0.2	0.2	56	0.15	0.043		
L899+00N 67+75E	Soil			1.2	21.1	7.2	49	<0.1	24.0	13.1	289	2.68	4.0	0.6	1.7	1.8	10	0.2	0.2	0.1	85	0.21	0.021		
L899+00N 68+00E	Soil			1.5	12.4	9.3	31	0.1	14.2	8.6	319	1.85	2.1	0.6	34.7	1.1	10	0.2	0.2	0.2	76	0.19	0.029		
L899+00N 68+25E	Soil			3.8	29.0	9.7	59	0.4	21.5	9.5	475	2.13	2.8	0.8	4.0	1.0	18	0.4	0.2	0.2	68	0.39	0.039		
L899+00N 68+50E	Soil			2.1	10.3	13.6	35	0.1	9.5	3.2	218	1.79	2.2	0.7	0.9	0.8	12	0.2	0.2	0.3	63	0.28	0.036		
L899+00N 68+75E	Soil			2.3	17.9	10.2	44	0.3	13.1	7.9	660	1.88	2.7	0.7	1.3	0.3	17	0.3	0.1	0.2	61	0.33	0.046		
L899+00N 69+00E	Soil			1.7	66.4	10.7	51	0.3	20.8	21.1	729	2.25	4.1	1.1	0.9	0.5	14	0.3	0.2	0.2	70	0.29	0.059		
L899+00N 69+25E	Soil			1.1	23.3	13.2	40	0.2	10.6	6.1	571	1.74	2.2	0.5	2.0	0.4	14	0.3	0.3	0.2	59	0.27	0.046		
L899+00N 69+50E	Soil			1.4	56.5	11.5	55	0.4	22.9	21.4	522	2.70	4.2	0.8	10.7	0.5	9	0.3	0.3	0.2	70	0.19	0.054		
L899+00N 69+75E	Soil			0.9	25.9	8.0	20	0.3	7.8	3.3	72	1.20	1.1	0.7	1.8	0.2	7	0.3	<0.1	0.2	37	0.11	0.044		
L899+00N 70+00E	Soil			1.7	57.2	9.4	68	0.7	28.3	17.6	654	3.25	5.6	1.4	1.8	0.6	29	0.4	0.3	0.2	77	0.31	0.056		
L900+00N 66+00E	Soil			0.9	17.7	13.0	30	0.3	15.1	6.2	134	1.81	3.1	0.4	2.1	0.8	15	0.4	0.2	0.2	63	0.44	0.043		
L900+00N 66+25E	Soil			0.9	36.9	10.3	62	0.5	24.3	10.2	369	2.27	2.9	0.9	3.1	0.4	13	0.4	0.1	0.2	65	0.45	0.059		
L900+00N 66+50E	Soil			1.1	43.1	11.8	45	0.5	19.1	11.7	348	1.86	2.8	0.9	1.0	0.2	12	0.4	0.2	0.2	60	0.29	0.066		
L900+00N 66+75E	Soil			1.0	13.3	8.7	40	0.1	12.4	4.7	164	2.69	2.8	0.4	3.0	0.9	10	0.3	0.2	0.2	83	0.29	0.044		
L900+00N 67+00E	Soil			1.1	38.2	11.5	87	0.3	27.1	12.0	648	3.47	8.1	1.1	1.0	0.8	14	0.3	0.3	0.3	73	0.29	0.040		
L900+00N 67+25E	Soil			0.8	24.0	10.7	37	0.2	17.3	8.7	245	2.34	5.2	0.6	1.4	0.8	8	0.2	0.2	0.2	68	0.15	0.031		
L900+00N 67+50E	Soil			0.7	6.2	12.4	19	<0.1	4.1	2.2	180	0.71	1.5	0.2	6.8	0.8	9	0.1	0.2	0.2	58	0.16	0.021		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Se ppm	Tl ppm	S %	Ga ppm	Be ppm	Te ppm
L898+00N 74+75E	6	45	0.36	114	0.099	<1	2.15	0.009	0.04	<0.1	0.12	1.8	<0.1	<0.05	8	0.9	<0.2
L898+00N 75+00E	10	63	0.59	186	0.108	1	3.24	0.010	0.05	0.1	0.12	3.6	<0.1	<0.05	8	0.9	<0.2
L898+00N 75+25E	18	75	0.51	254	0.074	1	2.95	0.008	0.05	0.1	0.09	3.6	<0.1	0.10	5	2.0	<0.2
L898+00N 75+50E	16	127	0.75	365	0.086	2	3.24	0.011	0.06	0.1	0.09	8.4	0.1	0.12	8	1.3	<0.2
L898+00N 75+75E	13	91	0.57	273	0.073	2	3.70	0.013	0.06	0.2	0.11	4.8	<0.1	0.10	12	1.4	<0.2
L898+00N 76+00E	14	94	0.54	210	0.147	<1	2.32	0.011	0.04	0.2	0.06	6.7	<0.1	0.09	10	1.1	<0.2
L899+00N 66+00E	12	52	0.56	63	0.232	1	2.14	0.005	0.03	0.3	0.06	5.2	<0.1	0.06	7	0.6	<0.2
L899+00N 66+25E	9	51	0.71	67	0.238	<1	1.63	0.007	0.03	0.2	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
L899+00N 66+50E	6	29	0.28	83	0.106	1	1.11	0.007	0.03	<0.1	0.03	1.7	<0.1	0.11	6	<0.5	<0.2
L899+00N 66+75E	5	28	0.27	46	0.191	<1	1.05	0.011	0.03	<0.1	0.06	1.3	<0.1	0.12	8	0.6	<0.2
L899+00N 67+00E	5	33	0.34	60	0.201	<1	1.33	0.009	0.02	<0.1	0.04	1.7	<0.1	0.07	7	<0.5	<0.2
L899+00N 67+25E	9	43	0.43	243	0.111	<1	1.79	0.010	0.05	0.1	0.08	2.7	<0.1	0.17	8	1.0	<0.2
L899+00N 67+50E	7	36	0.33	127	0.131	1	1.36	0.012	0.04	0.1	0.06	2.2	<0.1	0.07	7	<0.5	0.3
L899+00N 67+75E	9	50	0.64	92	0.268	1	1.57	0.009	0.04	0.1	0.02	2.6	<0.1	<0.05	8	<0.5	<0.2
L899+00N 68+00E	8	33	0.41	99	0.256	<1	1.21	0.008	0.03	<0.1	0.03	1.9	<0.1	0.06	7	<0.5	<0.2
L899+00N 68+25E	9	40	0.53	196	0.168	1	1.58	0.010	0.04	0.1	0.04	2.5	<0.1	0.05	7	<0.5	<0.2
L899+00N 68+50E	7	23	0.20	123	0.152	1	0.82	0.008	0.04	<0.1	0.07	1.0	<0.1	0.08	8	<0.5	0.2
L899+00N 68+75E	8	26	0.27	172	0.114	1	1.14	0.009	0.04	<0.1	0.04	1.4	<0.1	0.06	8	<0.5	<0.2
L899+00N 69+00E	10	37	0.44	181	0.119	2	1.89	0.013	0.04	0.1	0.07	2.7	<0.1	0.07	8	<0.5	<0.2
L899+00N 69+25E	6	21	0.22	213	0.141	2	0.93	0.011	0.04	<0.1	0.08	1.4	<0.1	0.06	7	<0.5	<0.2
L899+00N 69+50E	9	37	0.54	150	0.137	2	1.81	0.010	0.06	0.1	0.06	2.5	<0.1	0.05	8	0.6	<0.2
L899+00N 69+75E	7	19	0.14	83	0.102	1	1.21	0.012	0.02	<0.1	0.07	1.2	<0.1	<0.05	6	0.5	<0.2
L899+00N 70+00E	13	50	0.56	253	0.141	1	2.26	0.010	0.05	<0.1	0.08	3.7	<0.1	0.05	9	1.3	<0.2
L900+00N 66+00E	8	32	0.37	102	0.198	2	1.08	0.009	0.04	0.1	0.07	2.2	<0.1	0.09	6	<0.5	<0.2
L900+00N 66+25E	10	50	0.50	149	0.096	1	2.26	0.013	0.06	<0.1	0.06	3.7	<0.1	0.05	8	0.5	<0.2
L900+00N 66+50E	10	35	0.34	121	0.098	2	1.79	0.012	0.07	<0.1	0.07	2.5	<0.1	0.08	8	<0.5	<0.2
L900+00N 66+75E	6	32	0.25	111	0.214	<1	0.97	0.007	0.03	<0.1	0.05	1.4	<0.1	0.05	7	<0.5	<0.2
L900+00N 67+00E	9	44	0.43	268	0.148	1	1.99	0.014	0.05	<0.1	0.07	3.7	<0.1	0.05	9	1.3	<0.2
L900+00N 67+25E	8	38	0.46	80	0.212	<1	1.49	0.009	0.03	0.2	0.06	2.5	<0.1	0.08	6	0.9	<0.2
L900+00N 67+50E	8	14	0.08	116	0.181	2	0.42	0.008	0.03	<0.1	0.04	0.9	<0.1	0.06	6	<0.5	<0.2

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 9 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method Analyte Unit MDL	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	Bl ppm	V ppm	Ca %	F %	
L900+00N 67+75E Sol	1.2	16.4	10.6	21	0.3	7.8	3.1	88	1.22	1.5	0.5	2.2	0.7	9	0.2	0.2	0.2	51	0.16	0.034		
L900+00N 68+00E Sol	6.5	104.3	9.4	48	1.0	27.7	31.8	1656	2.02	5.5	1.9	2.4	0.2	21	0.5	0.4	0.1	63	0.37	0.122		
L900+00N 68+25E Sol	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L900+00N 68+50E Sol	1.9	60.9	11.8	41	0.5	21.9	11.9	342	2.18	4.2	1.6	3.4	0.4	11	0.2	0.2	0.2	58	0.19	0.059		
L900+00N 68+75E Sol	1.4	136.4	8.7	51	0.5	32.2	19.9	528	2.85	7.5	2.0	2.7	0.4	15	0.3	0.3	0.2	67	0.26	0.071		
L900+00N 69+00E Sol	1.2	92.6	8.9	55	0.3	33.1	33.0	954	3.52	6.8	1.3	4.0	1.1	14	0.2	0.3	0.2	87	0.30	0.058		
L900+00N 69+25E Sol	1.0	27.9	10.3	47	0.2	21.7	9.4	375	2.76	4.6	0.6	5.0	1.0	20	0.2	0.2	0.2	84	0.38	0.037		
L900+00N 69+50E Sol	1.3	28.0	9.6	48	0.3	21.6	14.2	1008	2.63	4.7	0.6	2.1	0.9	20	0.3	0.2	0.2	80	0.35	0.045		
L900+00N 69+75E Sol	1.3	21.1	9.3	35	0.2	15.7	7.4	267	2.42	3.5	0.6	4.3	0.7	19	0.2	0.2	0.2	73	0.22	0.037		
L900+00N 70+00E Sol	0.9	41.5	8.4	52	0.1	37.6	18.9	570	3.40	7.5	0.8	2.6	2.2	12	0.2	0.3	0.2	91	0.32	0.041		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN10003582.1

Method	Analyte	Unit	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Se	Tl	S	Ga	Se	Te
		MDL	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
L900+00N 67+7SE	Soil		8	20	0.15	77	0.184	<1	0.95	0.012	0.03	<0.1	0.05	1.3	<0.1	0.06	8	<0.5	<0.2
L900+00N 68+0DE	Soil		17	42	0.32	185	0.031	1	2.52	0.010	0.05	0.1	0.16	2.6	0.1	0.12	5	1.5	<0.2
L900+00N 68+2SE	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L900+00N 68+5DE	Soil		11	46	0.38	216	0.092	1	2.62	0.014	0.05	<0.1	0.11	2.9	<0.1	0.06	10	1.1	<0.2
L900+00N 68+7SE	Soil		11	52	0.44	229	0.081	2	2.56	0.021	0.06	<0.1	0.08	4.6	<0.1	0.05	9	1.0	<0.2
L900+00N 69+0DE	Soil		12	60	0.72	156	0.183	1	2.15	0.011	0.05	<0.1	0.07	4.2	<0.1	<0.05	8	0.6	0.3
L900+00N 69+2SE	Soil		9	49	0.60	199	0.197	1	1.36	0.010	0.07	<0.1	0.05	2.5	<0.1	0.06	7	<0.5	0.3
L900+00N 69+5DE	Soil		11	43	0.58	173	0.186	1	1.57	0.010	0.05	<0.1	0.05	2.5	<0.1	0.06	7	0.5	<0.2
L900+00N 69+7SE	Soil		9	36	0.38	181	0.157	<1	1.78	0.012	0.04	<0.1	0.05	2.2	<0.1	<0.05	7	<0.5	<0.2
L900+00N 70+0DE	Soil		11	65	0.85	145	0.258	<1	2.02	0.009	0.05	<0.1	0.03	4.3	<0.1	<0.05	7	0.7	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT VAN10003582.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	Ac	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P			
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%			
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.6	0.1	0.6	0.1	1	0.1	0.1	0.1	2	0.01	0.001			
Pulp Duplicates																							
L890+00N 72+00E	Soil	1.2	13.8	10.8	15	0.2	5.7	2.1	49	1.17	1.0	0.7	2.2	0.3	5	0.2	0.1	0.2	39	0.06	0.042		
REP L890+00N 72+00E	QC	1.1	13.1	10.2	16	0.3	5.3	2.1	46	1.14	1.1	0.7	<0.5	0.3	5	0.2	0.2	0.2	44	0.07	0.044		
L891+00N 70+25E	Soil	0.9	21.2	10.8	49	0.3	21.7	7.9	339	3.20	3.8	0.5	1.7	0.7	8	0.3	0.3	0.2	75	0.16	0.042		
REP L891+00N 70+25E	QC	0.8	20.1	10.8	47	0.3	21.4	7.5	321	3.24	4.4	0.5	5.7	0.6	9	0.3	0.3	0.2	76	0.17	0.044		
L892+00N 71+50E	Soil	0.6	19.2	10.5	42	0.6	17.3	5.7	266	2.66	3.1	0.4	0.7	0.7	7	0.5	0.2	0.2	82	0.14	0.048		
REP L892+00N 71+50E	QC	0.9	19.4	10.3	48	0.6	16.9	6.0	286	2.82	3.5	0.5	1.2	0.7	8	0.4	0.3	0.2	86	0.15	0.059		
L893+00N 71+00E	Soil	2.1	30.9	10.5	14	2.6	4.6	1.4	37	1.24	2.9	1.1	9.2	<0.1	8	0.3	0.4	0.3	39	0.04	0.050		
REP L893+00N 71+00E	QC	2.0	29.4	10.3	14	2.6	4.6	1.4	35	1.20	2.8	1.1	3.9	<0.1	7	0.4	0.4	0.3	38	0.04	0.052		
L893+00N 73+50E	Soil	1.1	61.1	8.8	57	0.4	34.9	16.6	506	3.21	8.9	0.7	7.3	2.0	10	0.2	0.7	0.1	82	0.30	0.064		
REP L893+00N 73+50E	QC	1.2	61.0	8.7	61	0.4	36.7	16.6	523	3.16	9.0	0.8	7.5	2.0	11	0.3	0.8	0.1	83	0.31	0.066		
L896+00N 71+75E	Soil	0.8	31.1	12.2	27	0.5	7.8	2.3	134	1.27	2.0	0.5	4.3	0.1	9	0.2	0.2	0.3	35	0.07	0.044		
REP L896+00N 71+75E	QC	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	
L897+00N 69+75E	Soil	0.5	4.5	9.6	10	<0.1	3.4	1.0	39	0.70	<0.5	0.3	0.8	0.1	8	<0.1	<0.1	0.2	34	0.08	0.020		
REP L897+00N 69+75E	QC	0.5	4.6	9.5	9	<0.1	3.1	1.0	39	0.70	<0.5	0.3	<0.5	0.1	8	<0.1	<0.1	0.2	36	0.09	0.021		
L897+00N 71+00E	Soil	1.5	21.0	10.7	50	0.3	21.6	8.6	429	4.18	5.1	0.8	3.6	1.7	11	0.3	0.3	0.2	92	0.17	0.043		
REP L897+00N 71+00E	QC	1.7	22.4	10.4	52	0.4	23.1	8.6	444	4.42	5.3	0.8	2.2	1.7	11	0.4	0.4	0.2	89	0.18	0.043		
L897+00N 74+00E	Soil	0.9	12.7	9.2	22	0.1	7.7	2.5	195	2.11	1.9	0.5	2.0	0.2	10	0.2	0.1	0.2	56	0.23	0.040		
REP L897+00N 74+00E	QC	0.9	14.6	9.6	25	0.1	7.9	2.7	209	2.16	2.1	0.5	<0.5	0.1	12	0.2	0.2	0.2	60	0.23	0.050		
L898+00N 70+50E	Soil	1.3	38.4	9.6	53	0.6	21.4	10.5	452	2.84	6.6	0.9	1.8	0.9	16	0.4	0.3	0.2	82	0.23	0.043		
REP L898+00N 70+50E	QC	1.5	39.5	9.7	51	0.6	21.7	10.8	454	2.88	6.6	0.9	10.1	0.9	16	0.3	0.3	0.2	80	0.23	0.042		
L898+00N 74+00E	Soil	0.8	12.9	9.5	12	0.1	5.8	2.0	96	2.09	1.4	0.4	2.4	0.2	5	0.3	0.1	0.2	54	0.05	0.037		
REP L898+00N 74+00E	QC	0.7	11.5	8.3	11	0.1	5.2	2.0	91	2.00	1.4	0.4	0.8	0.2	5	0.2	0.1	0.2	50	0.05	0.037		
L899+00N 68+75E	Soil	2.3	17.9	10.2	44	0.3	13.1	7.9	660	1.88	2.7	0.7	1.3	0.3	17	0.3	0.1	0.2	61	0.33	0.046		
REP L899+00N 68+75E	QC	2.4	18.5	10.6	42	0.3	13.0	7.5	644	1.86	2.9	0.7	0.7	0.3	17	0.3	0.2	0.2	62	0.33	0.046		
L900+00N 69+00E	Soil	1.2	92.6	8.9	55	0.3	33.1	33.0	954	3.52	6.8	1.3	4.0	1.1	14	0.2	0.3	0.2	87	0.30	0.056		
REP L900+00N 69+00E	QC	1.3	96.0	8.4	56	0.3	32.5	32.1	925	3.48	6.7	1.3	4.9	1.2	14	0.3	0.3	0.2	85	0.29	0.056		
Reference Materials																							
STD D87	Standard	22.2	118.5	77.6	385	1.0	51.3	9.1	612	2.18	50.4	4.7	60.9	4.7	72	6.4	6.1	4.9	87	0.91	0.076		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT VAN10003582.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	So	Ti	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.06	1	0.6	0.2	
Pulp Duplicates																		
L890+00N 72+00E	Soil	7	18	0.14	56	0.116	<1	1.45	0.012	0.02	<0.1	0.05	1.2	<0.1	<0.05	9	<0.5	<0.2
REP L890+00N 72+00E	QC	8	18	0.15	58	0.135	<1	1.67	0.014	0.02	<0.1	0.07	1.4	<0.1	0.06	9	<0.5	<0.2
L891+00N 70+25E	Soil	6	42	0.50	98	0.155	<1	1.42	0.006	0.04	<0.1	0.08	1.6	<0.1	<0.05	7	<0.5	<0.2
REP L891+00N 70+25E	QC	6	41	0.49	100	0.157	<1	1.40	0.007	0.04	0.1	0.07	1.7	<0.1	<0.05	7	<0.5	<0.2
L892+00N 71+50E	Soil	7	36	0.38	96	0.179	1	1.22	0.007	0.04	<0.1	0.05	1.6	<0.1	<0.05	7	<0.5	<0.2
REP L892+00N 71+50E	QC	8	39	0.43	101	0.218	3	1.35	0.008	0.04	<0.1	0.05	1.9	<0.1	<0.05	7	<0.5	<0.2
L893+00N 71+00E	Soil	5	16	0.05	217	0.037	<1	0.76	0.007	0.03	<0.1	0.11	0.3	<0.1	<0.05	5	1.3	<0.2
REP L893+00N 71+00E	QC	5	15	0.05	208	0.034	<1	0.76	0.008	0.03	<0.1	0.11	0.2	<0.1	<0.05	5	0.9	<0.2
L893+00N 73+50E	Soil	11	50	0.78	242	0.204	<1	1.88	0.009	0.05	<0.1	0.05	3.6	<0.1	<0.05	5	0.9	<0.2
REP L893+00N 73+50E	QC	12	52	0.77	254	0.215	<1	1.82	0.008	0.05	<0.1	0.05	3.3	<0.1	<0.05	6	1.2	<0.2
L896+00N 71+75E	Soil	6	17	0.14	223	0.101	2	0.72	0.010	0.03	0.1	0.07	0.5	<0.1	0.19	6	<0.5	<0.2
REP L896+00N 71+75E	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
L897+00N 69+75E	Soil	4	10	0.04	60	0.117	<1	0.42	0.012	0.02	<0.1	0.03	0.3	<0.1	<0.05	7	<0.5	<0.2
REP L897+00N 69+75E	QC	4	10	0.04	61	0.118	<1	0.43	0.012	0.02	<0.1	0.04	0.4	<0.1	<0.05	7	<0.5	<0.2
L897+00N 71+00E	Soil	8	48	0.49	157	0.240	2	1.75	0.010	0.04	<0.1	0.05	2.5	<0.1	<0.05	10	<0.5	<0.2
REP L897+00N 71+00E	QC	8	46	0.49	160	0.249	<1	1.77	0.011	0.04	<0.1	0.05	2.4	<0.1	<0.05	10	0.5	<0.2
L897+00N 74+00E	Soil	4	30	0.15	54	0.093	<1	0.86	0.011	0.02	<0.1	0.08	0.7	<0.1	<0.05	8	<0.5	<0.2
REP L897+00N 74+00E	QC	5	31	0.16	58	0.120	2	0.95	0.013	0.03	0.2	0.07	0.9	<0.1	0.07	9	<0.5	<0.2
L898+00N 70+50E	Soil	8	46	0.50	222	0.198	1	1.70	0.009	0.03	<0.1	0.05	2.5	<0.1	<0.05	7	0.7	<0.2
REP L898+00N 70+50E	QC	8	47	0.51	228	0.206	<1	1.71	0.010	0.03	<0.1	0.05	2.7	<0.1	<0.05	7	0.9	<0.2
L898+00N 74+00E	Soil	4	29	0.11	36	0.108	<1	1.06	0.013	0.02	<0.1	0.03	0.8	<0.1	<0.05	9	<0.5	<0.2
REP L898+00N 74+00E	QC	4	28	0.10	33	0.109	<1	0.99	0.012	0.02	<0.1	0.05	0.8	<0.1	<0.05	8	<0.5	<0.2
L899+00N 68+75E	Soil	8	26	0.27	172	0.114	1	1.14	0.009	0.04	<0.1	0.04	1.4	<0.1	0.05	8	<0.5	<0.2
REP L899+00N 68+75E	QC	8	27	0.28	177	0.120	1	1.12	0.013	0.04	<0.1	0.04	1.5	<0.1	0.06	8	<0.5	<0.2
L900+00N 69+00E	Soil	12	60	0.72	156	0.183	1	2.15	0.011	0.05	<0.1	0.07	4.2	<0.1	<0.05	8	0.6	0.3
REP L900+00N 69+00E	QC	11	60	0.69	151	0.177	1	2.12	0.020	0.05	<0.1	0.06	4.4	<0.1	<0.05	7	<0.5	<0.2
Reference Materials																		
STD 067	Standard	13	200	1.03	388	0.120	39	0.99	0.092	0.47	3.5	0.23	2.9	4.0	0.20	5	3.4	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 23, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT VAN10003582.1

		1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
STD D67	Standard	20.9	107.1	68.1	386	0.9	54.5	9.1	622	2.29	47.2	4.8	63.2	4.8	76	5.6	5.6	4.6	83	0.97	0.067		
STD D67	Standard	23.0	118.7	65.4	397	1.0	56.9	9.7	642	2.40	52.1	4.9	135.6	4.8	75	6.4	6.1	4.5	87	0.99	0.078		
STD D67	Standard	20.3	110.3	66.5	404	1.0	54.4	9.2	630	2.39	54.7	4.7	61.3	4.6	81	6.2	6.0	4.5	86	0.94	0.079		
STD D67	Standard	21.0	114.7	67.1	434	1.1	58.9	10.2	667	2.53	56.1	5.0	85.2	5.0	86	7.4	6.8	5.0	89	1.00	0.081		
STD D67	Standard	21.9	116.9	74.3	418	1.0	58.8	9.3	713	2.64	57.9	5.2	65.7	5.2	86	7.1	6.8	5.0	93	1.07	0.085		
STD D67	Standard	20.6	104.1	68.7	377	1.0	53.6	9.3	621	2.34	51.0	5.0	74.2	4.6	75	6.4	5.9	4.7	84	0.93	0.074		
STD D67	Standard	21.6	111.3	69.2	402	1.0	58.6	9.8	627	2.41	49.1	4.9	66.1	4.8	74	6.1	5.7	4.5	85	0.95	0.071		
STD D67	Standard	20.8	109.8	67.1	396	1.0	53.4	9.4	664	2.46	55.9	4.6	85.6	4.9	78	6.7	6.2	4.7	86	0.96	0.079		
STD D67	Standard	22.7	122.3	73.2	410	1.1	59.2	10.0	634	2.39	51.6	5.0	68.2	5.0	79	6.2	6.4	4.7	89	0.89	0.075		
STD D67 Expected		20.5	109	70.6	411	0.9	55	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: PAC Geological Consulting Inc.
3707 W. 34th Ave.
Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
Report Date: August 23, 2010

www.acmelab.com

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10003582.1

		1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	So	Ti	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
STD D67	Standard	14	211	1.05	411	0.133	35	1.01	0.094	0.45	3.8	0.19	2.5	4.0	0.21	5	2.5	1.4	
STD D67	Standard	14	221	1.05	399	0.127	37	1.08	0.106	0.48	3.6	0.21	2.5	4.2	0.22	5	3.0	1.3	
STD D67	Standard	13	205	1.06	387	0.129	38	1.05	0.103	0.49	3.5	0.22	2.5	4.3	0.20	5	3.5	1.5	
STD D67	Standard	14	217	1.13	424	0.137	41	1.11	0.114	0.49	4.1	0.25	2.7	4.1	0.18	5	3.6	0.9	
STD D67	Standard	14	232	1.10	437	0.138	43	1.12	0.109	0.51	3.9	0.23	2.7	4.2	0.16	5	3.1	0.6	
STD D67	Standard	13	210	1.03	387	0.125	40	1.02	0.102	0.48	3.9	0.22	2.6	4.1	0.18	5	3.1	1.3	
STD D67	Standard	14	223	1.04	387	0.136	38	1.04	0.102	0.47	3.8	0.22	2.4	3.9	0.20	5	3.2	0.8	
STD D67	Standard	14	209	1.04	419	0.128	38	1.02	0.103	0.48	3.7	0.24	2.7	4.3	0.19	5	3.8	0.8	
STD D67	Standard	14	201	1.02	408	0.137	39	1.00	0.099	0.47	3.8	0.22	2.3	4.0	0.19	5	2.6	1.1	
STD D67 Expected		12	179	1.05	410	0.124	39	0.999	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: **PAC Geological Consulting Inc.**
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Submitted By: Peter Christopher
 Receiving Lab: Canada-Vancouver
 Received: July 25, 2010
 Report Date: August 11, 2010
 Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10003581.1

CLIENT JOB INFORMATION

Project: SHENUL-PAC
 Shipment ID:
 P.O. Number
 Number of Samples: 5

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Sample	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	5	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	5	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

RTRN-PLP Return
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liability for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2G9 Canada

Project: SHENUL-PAC
 Report Date: August 11, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10003581.1

Method	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	So	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
138301	Rock	0.069	2	326	1.43	137	0.208	2	1.91	0.109	0.08	<0.1	<0.01	10.9	<0.1	0.77	5	<0.5	<0.2
138302	Rock	0.048	<1	57	0.80	20	0.407	1	1.20	0.055	<0.01	<0.1	<0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
138303	Rock	0.067	3	193	3.16	179	0.010	<1	2.98	0.081	0.02	<0.1	0.01	22.9	<0.1	0.06	11	<0.5	<0.2
138304	Rock	0.226	7	50	0.47	928	0.014	<1	0.71	0.029	0.06	0.8	0.01	1.8	<0.1	0.28	3	2.7	<0.2
138305	Rock	0.007	6	35	0.21	2136	0.003	1	0.37	0.006	0.11	<0.1	0.09	1.0	<0.1	0.17	2	5.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 11, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10003581.1

Method	WGHT	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
138301	Rock	0.54	0.2	7.7	1.5	46	<0.1	79.2	25.0	734	5.38	29.8	<0.1	<0.5	0.2	6	0.2	0.3	<0.1	125	0.35
138302	Rock	0.84	0.1	24.3	1.7	32	<0.1	32.3	15.2	314	1.91	3.8	<0.1	<0.5	<0.1	7	0.2	0.1	<0.1	58	1.12
138303	Rock	1.05	<0.1	1.3	0.8	48	<0.1	100.1	37.4	1180	6.78	8.8	<0.1	1.5	<0.1	37	0.1	<0.1	<0.1	165	2.70
138304	Rock	0.86	13.3	38.4	1.5	17	0.2	21.1	3.8	122	1.89	1.9	2.5	1.3	2.1	10	<0.1	0.2	<0.1	180	0.44
138305	Rock	1.60	1.4	23.8	4.6	29	1.3	10.9	1.5	39	0.83	6.5	0.8	1.2	1.2	24	0.1	0.9	0.1	37	0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PAC Geological Consulting Inc.
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 11, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT VAN10003581.1

Method	WGHT	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Reference Materials																					
STD D67	Standard	21.8	111.7	68.5	420	1.1	60.5	9.7	684	2.55	55.7	4.8	71.5	4.7	74	6.7	5.5	4.5	88	1.03	
STD D67	Standard	21.3	114.2	68.2	423	1.1	60.3	10.0	671	2.52	55.0	4.6	71.5	4.5	77	6.4	5.8	4.4	88	1.05	
STD D67 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	4.0	11.1	72	<0.1	3.1	4.9	613	2.06	1.7	1.8	0.6	6.4	54	0.1	<0.1	0.2	40	0.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY



Client: **PAC Geological Consulting Inc.**
 3707 W. 34th Ave.
 Vancouver BC V6N 2C9 Canada

Project: SHENUL-PAC
 Report Date: August 11, 2010

www.acmelab.com

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT VAN10003581.1

Method	Analyte	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	1DX16	
Unit		P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Se	Tl	S	Ga	Se	Te
MDL		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Reference Materials		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD D67	Standard	0.080	13	224	1.13	453	0.125	44	1.11	0.104	0.50	4.3	0.25	2.4	4.2	0.21	5	3.0	1.9
STD D67	Standard	0.083	13	227	1.13	445	0.134	40	1.14	0.106	0.50	4.1	0.25	2.7	4.2	0.21	5	2.8	1.3
STD D67 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.087	13	9	0.56	194	0.126	<1	1.06	0.128	0.56	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

APPENDIX B ACME Quality Assurance & Certification

Acme Analytical Laboratories has dedicated itself to providing a high quality service to the mining and exploration industry.

Quality Management System and ISO Registration

Foreseeing the need for a globally recognized mark of quality in 1994, Acme began adapting its Quality Management System to an ISO 9000 model. Acme implemented a quality system compliant with the International Standards Organization (ISO) 9001 Model for Quality Assurance and ISO/IEC 17025 General Requirements for the Competence of Testing and Calibration Laboratories. On November 13, 1996, Acme became the first commercial geochemical analysis and assaying lab in North America to be accredited under ISO 9001. The laboratory has maintained its registration in good standing since then. Vancouver expanded the scope of its registration to include the Smithers preparation facility in June of 2009, Yellowknife in April 2010 and Whitehorse in May 2010.

In 2005 the Santiago, Chile laboratories received ISO 9001:2000 registration with the preparation facilities in Mendoza, Argentina and Georgetown, Guyana following in 2006 and Acme's Lima, Peru facility in 2009. As of July 2010 Chile's new Copiapo facility has been added to the Sanitago registration and shortly Acme anticipates the addition of both Medellin Colombia and Goiania Brazil.

Both the Vancouver and Santiago hub laboratories are working toward ISO 17025:2005 accreditation and are expected to complete the accreditation process within the next year.



Acme has for many years regularly participated in the CANMET and Geostats round robin proficiency tests. Acme is recognized as a participant in the CALA Proficiency Testing Program and is registered by the BC Ministry of Water Land and Air Protection under the Environmental Data Quality Assurance (EDQA) Regulation.

All laboratories fall under the Quality Management Scope helping to ensure the same practices and procedures are followed throughout the organization.

Quality Control in Testing

Samples submitted are analyzed with the strictest quality control. Blanks (analytical and method), duplicates and standard reference materials inserted in the sequences of client samples provide a measure of background noise, accuracy and precision. QA/QC protocol incorporates a granite or quartz sample-prep blank(s) carried through all stages of preparation and analysis as the first sample(s) in the job. Typically an analytical batch will be comprised of 34-36 client samples, a pulp duplicate to monitor analytical precision, a -10 mesh reject duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and an aliquot of Certified Reference Material (CRM) or Inhouse Reference Material to monitor accuracy. In the absence of suitable CRMs Inhouse Reference Materials are prepared and certified against internationally certified reference materials such as CANMET and USGS standards where possible and will be externally verified at a minimum of 3 other commercial laboratories. Using these inserted quality control samples each analytical batch and complete job is rigorously reviewed and validated prior to release.

Acme has always prided itself on providing the highest level of quality control data to its clients. Recent implementation of Acme new laboratory information management system (LIMS) and AcmeAccess provides clients with even greater access to quality control data.

APPENDIX C ASSESSMENT REPORT TITLE PAGE & SUMMARY

APPENDIX C ASSESSMENT REPORT TITLE PAGE & SUMMARY



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT:

TOTAL COST:\$58,431.69

AUTHOR(S):DR. PETER A. CHRISTOPHER P.ENG.

SIGNATURE(S): *Peter A. Christopher, P.Eng.*

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-570

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S) : ATTACHED

YEAR OF WORK:2010

PROPERTY NAME: CHU CHUA SHENUL

CLAIM NAME(S) (on which work was done):

Southpark (#508587)

COMMODITIES SOUGHT: COPPER AND GOLD

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN: N/A Chu Chua Deposit on internal third party claims.

MINING DIVISION:

NTS / BCGS: 92P-8; 92P040 & 92P050

LATITUDE: 51° 18' 00"

LONGITUDE: 120° 02' 00" (at centre of work)

UTM Zone: 10 EASTING:707000

NORTHING:5689300

OWNER(S): (1) Ken Ellerbeck & (2) Gerald Locke

**MAILING ADDRESS: (1) 255 West Battle Street Kamloops, B.C. V2C 1G8
(2) 775 Sequoia Place Kamloops, B.C. V2C 5W3**

OPERATOR(S) [who paid for the work]:Shenul Capital Inc.

MAILING ADDRESS:

3707 West 34th Ave.

Vancouver, B.C. V6N 2K9

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

The Chu Chua Shenul (CCS) property is underlain by oceanic, mafic volcanic and sedimentary rocks of the Fennel Formation of the Slide Mountain Assemblage. The Fenell Formation hosts the Chu Chua volcanic massive sulphide deposit, discovered by Craigmont in 1978 and drilled to estimate a small historic resource. The Chua deposit contains massive magnetite and pyrite which parallel the N-S stratigraphic trend of the Fennel Formation. The exploration targets on the CCS are airborne magnetic and EM anomalies established by the previous operator.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
19540A, 26752, 22039, 20670

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	1:1,000 2km sq	Southpark #508587	\$7,000
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			\$1,000
Magnetic	Equipment Failure	Southpark #508587	
Electromagnetic	VLF 15 line km	Southpark #508587	\$20,000
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil	216	Southpark #508587	\$25,000
Silt		Southpark #508587	\$1,000
Rock		Southpark #508587	\$1,000
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
	15 line km	Southpark	\$3,431.69
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
		TOTAL COST	\$58,431.69



Print and Close

Cancel

Mineral Titles Online Viewer

Exploration and Development Work / Expiry Date Change Event Detail

Event Number ID	4789356
Recorded Date	2010/sep/01
Work Type	Technical Work (T)
Technical Items	Geological (G), Geophysical (P), Geochemical (C)
Work Start Date	2010/jun/08
Work Stop Date	2010/aug/25
Total Value of Work	\$ 58000.00
Mine Permit Number	MX-4-570

Summary of the work value:

Tenure Numbers	508581
Claim Name/Property	Deposit1
Issue Date	2005/mar/10
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	403.60
Applied Work Value	\$ 3223.85
Submission Fee	\$ 161.44
Tenure Numbers	508582
Claim Name/Property	Deposit2
Issue Date	2005/mar/10
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	403.43
Applied Work Value	\$ 3222.54
Submission Fee	\$ 161.37
Tenure Numbers	508584

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

Claim Name/Property	North1
Issue Date	2005/mar/10
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	322.62
Applied Work Value	\$ 2577.04
Submission Fee	\$ 129.05
Tenure Numbers	517072
Claim Name/Property	INMETEAST
Issue Date	2005/jul/12
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	80.71
Applied Work Value	\$ 645.28
Submission Fee	\$ 32.28
Tenure Numbers	523836
Claim Name/Property	KCGL2
Issue Date	2005/dec/13
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	342.87
Applied Work Value	\$ 2742.93
Submission Fee	\$ 137.15
Tenure Numbers	523838
Claim Name/Property	CHU CHUA 7777
Issue Date	2005/dec/13
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	40.35
Applied Work Value	\$ 322.79
Submission Fee	\$ 16.14
Tenure Numbers	523843
Claim Name/Property	KCGK7
Issue Date	2005/dec/13
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	60.52
Applied Work Value	\$ 484.12

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

Submission Fee	\$ 24.21
Tenure Numbers	523844
Claim Name/Property	CHU CHUA 888
Issue Date	2005/dec/13
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2015/sep/30
Numbers of Days Forward	1826
Area in Ha	40.35
Applied Work Value	\$ 1613.96
Submission Fee	\$ 80.74
Tenure Numbers	526297
Claim Name/Property	CHUSOUTHWEST
Issue Date	2006/jan/26
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	484.58
Applied Work Value	\$ 3876.67
Submission Fee	\$ 193.83
Tenure Numbers	528569
Claim Name/Property	GERRY AND GERRY
Issue Date	2006/feb/20
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	60.53
Applied Work Value	\$ 483.40
Submission Fee	\$ 24.21
Tenure Numbers	528570
Claim Name/Property	ROCKNORTH
Issue Date	2006/feb/20
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	100.86
Applied Work Value	\$ 805.50
Submission Fee	\$ 40.34
Tenure Numbers	528700
Claim Name/Property	CC FRACTION
Issue Date	2006/feb/21
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

Area in Ha	20.17
Applied Work Value	\$ 161.09
Submission Fee	\$ 8.07
Tenure Numbers	530072
Claim Name/Property	CARPEDIEM
Issue Date	2006/mar/15
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	20.18
Applied Work Value	\$ 161.18
Submission Fee	\$ 8.07
Tenure Numbers	530073
Claim Name/Property	YES
Issue Date	2006/mar/15
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2012/sep/30
Numbers of Days Forward	731
Area in Ha	20.19
Applied Work Value	\$ 323.01
Submission Fee	\$ 16.17
Tenure Numbers	530075
Claim Name/Property	MORE TO GO
Issue Date	2006/mar/15
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	221.82
Applied Work Value	\$ 1771.94
Submission Fee	\$ 88.73
Tenure Numbers	530076
Claim Name/Property	AND MORE
Issue Date	2006/mar/15
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	483.73
Applied Work Value	\$ 3864.04
Submission Fee	\$ 193.49
Tenure Numbers	530077
Claim Name/Property	AND MORE
Issue Date	2006/mar/15
Work Performed Index	N
Old Good To Date	2010/sep/30

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	121.15
Applied Work Value	\$ 967.78
Submission Fee	\$ 48.46
Tenure Numbers	533944
Claim Name/Property	DIXIE 4
Issue Date	2006/may/11
Work Performed Index	N
Old Good To Date	2010/sep/30
New Good To Date	2011/sep/30
Numbers of Days Forward	365
Area in Ha	80.61
Applied Work Value	\$ 644.16
Submission Fee	\$ 32.24
Tenure Numbers	508587
Claim Name/Property	Southpark
Issue Date	2005/mar/10
Work Performed Index	Y
Old Good To Date	2012/sep/30
New Good To Date	2015/sep/30
Numbers of Days Forward	1095
Area in Ha	505.05
Applied Work Value	\$ 12115.10
Submission Fee	\$ 606.06
Tenure Numbers	508589
Claim Name/Property	Insure
Issue Date	2005/mar/10
Work Performed Index	Y
Old Good To Date	2012/sep/30
New Good To Date	2014/sep/30
Numbers of Days Forward	730
Area in Ha	464.74
Applied Work Value	\$ 7435.84
Submission Fee	\$ 371.79
Tenure Numbers	517010
Claim Name/Property	INMETINFILL
Issue Date	2005/jul/12
Work Performed Index	N
Old Good To Date	2011/sep/30
New Good To Date	2016/sep/30
Numbers of Days Forward	1827
Area in Ha	141.27
Applied Work Value	\$ 5651.36
Submission Fee	\$ 282.84
Tenure Numbers	523839
Claim Name/Property	KEGL4
Issue Date	2005/dec/13

2010 ASSESSMENT REPORT ON SURFACE EXPLORATION-CCS PROPERTY

Work Performed Index	N
Old Good To Date	2011/sep/30
New Good To Date	2016/sep/30
Numbers of Days Forward	1827
Area in Ha	60.52
Applied Work Value	\$ 2420.87
Submission Fee	\$ 121.16
Tenure Numbers	529302
Claim Name/Property	G & G
Issue Date	2006/mar/03
Work Performed Index	N
Old Good To Date	2011/sep/30
New Good To Date	2016/sep/30
Numbers of Days Forward	1827
Area in Ha	40.35
Applied Work Value	\$ 1614.39
Submission Fee	\$ 80.78
Tenure Numbers	523841
Claim Name/Property	KCGL5
Issue Date	2005/dec/13
Work Performed Index	N
Old Good To Date	2011/sep/30
New Good To Date	2016/sep/30
Numbers of Days Forward	1827
Area in Ha	20.17
Applied Work Value	\$ 807.05
Submission Fee	\$ 40.39

Financial Summary:

Total Applied Work Value:	\$ 57935.89
PAC name	PETER ALLEN CHRISTOPHER
Debited PAC amount	\$ 0.00
Credited PAC amount	\$ 64.11
Total Submission Fees	\$ 2899.01
Total Paid	\$ 2899.03

Related Summary:

Existing Work Program
Event Numbers