



Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical

TOTAL COST: \$83,442

AUTHOR(S): Mahdad Saghezchi

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2010

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): Event # 4791621 - DATE: Sep 9 - 2010
Sep 9 - 2010

PROPERTY NAME: Addie 1

CLAIM NAME(S) (on which the work was done): Spanish (502355)

COMMODITIES SOUGHT: Gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Cariboo

NTS/BCGS: 093 A 054

LATITUDE: 52 ° 33 ' " LONGITUDE: 121 ° 20 ' " (at centre of work)

OWNER(S):

- 1) Dajin Resources Corp, client No, 202300
- 2) Lloyd Addie Client No, 100221

MAILING ADDRESS:

480-789 West Pender Street, Vancouver, BC, V6C 1H2

OPERATOR(S) [who paid for the work]:

- 1) Dajin Resources Corp
- 2)

MAILING ADDRESS:

480-789 West Pender Street, Vancouver, BC, V6C 1H2

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Quesnel terrane, nicola group, late triassic, lower jurassic, Metasedimentary, argillites, sandstones, volcanics, silicification,
Spanish trough, sedimentary hosted vein deposit, gold, base metal sulfides, massive, sub horizontal

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 31186,10262,12513

GEOPHYSICAL (line-kilometres)		
Ground		
Magnetic		
Electromagnetic		
Induced Polarization		
Radiometric		
Seismic		
Other		
Airborne		
GEOCHEMICAL (number of samples analysed for...)		
Soil 920 soil samples ICP and FA (Acme Labs)	Spanish	\$ 83,442
Silt		
Rock		
Other		
DRILLING (total metres; number of holes, size)		
Core		
Non-core		
RELATED TECHNICAL		
Sampling/assaying		
Petrographic		
Mineralographic		
Metallurgic		
PROSPECTING (scale, area)		
PREPARATORY / PHYSICAL		
Line/grid (kilometres)		
Topographic/Photogrammetric (scale, area)		
Legal surveys (scale, area)		
Road, local access (kilometres)/trail		
Trench (metres)		
Underground dev. (metres)		
Other		
	TOTAL COST:	\$83,442

ASSESSMENT REPORT FOR THE ADDIE 1 AREA CLAIMS

CARIBOO MINING DIVISION, BC

MINERAL TITLES REFERENCE MAP: 093A054

UTM: 614000E 5823000N

GEOCHEMICAL SAMPLING REPORT

Owners

LLOYD JOHN ADDIE

Client Number: 100221

**BC Geological Survey
Assessment Report
31803**

And

DAJIN RESOURCES CORP.

Client Number: 202300

Prepared by: Mahdad Saghezchi

October 2010

Table of Contents Page

1. SUMMARY	1
2. INTRODUCTION	2
3. LOCATION, ACCESS AND PHYSIOGRAPHY.....	2
4 HISTORY.....	5
5. CLAIM INFORMATION	5
6. REGIONAL GEOLOGY.....	6
7. PROPERTY GEOLOGY.....	6
8. DEPOSIT TYPE.....	10
9. 2010 EXPLORATION PROGRAM	10
10. RESULTS AND INTERPRETATION... ..	11
GOLD IN SOIL.....	11
ARSENIC IN SOIL.....	12
MOLYBDENUM IN SOIL.....	13
ZINC IN SOIL.....	13
COPPER IN SOIL.....	14
CHROMIUM IN SOIL.....	14
NICKEL IN SOIL.....	15
11. ASSAYING METHODS.....	16
12. CONCLUSION AND RECOMMENDATION	16
13. COST STATEMENT.....	17
14. AUTHOR QUALIFICATION	19
15. REFERENCES.....	20
TABLES	
1. List of Claims	5
LIST OF FIGURES	
1. Dajin Addie1 Property Location.....	3
2. Dajin Addie 1 Claim Map	4
3. Addie 1 Regional Geology map	7
4. Addie 1 Property Geology map	8
Appendixes	
Appendix A; Soil sample location map.....	21
Appendix B; Au value in soil map.....	22
Appendix C; As value in soil map.....	23
Appendix D; Cr value in soil map.....	24
Appendix E; Cu value in soil map.....	25
Appendix F; Mo value in soil map	26
Appendix G; Ni value in soil map.....	27
Appendix H; Zn value in soil map.....	28
Appendix I; Soil sample certificates	29

SUMMARY

The claims comprising the Addie 1 Claim group were staked to cover potentially favorable geological ground east and south of an area where Spanish Mountain Gold Ltd. and Wildrose Resources Ltd. have located gold mineralization in metamorphic rocks of the Quesnel Terrane. The Addie 1 Claims which cover the south easterly extensions of the Spanish Fault and the Eureka Fault, both of which are associated with significant showings of gold mineralization.

In 2007 a stream sampling program was carried out by Mr. Dave Jenkins and Mr. Rick Anctil on streams draining in Addie 1 claims. Results of the stream sampling program indicated anomalous values of arsenic and gold in streams running on the property.

In 2009 a follow up soil sampling program was run on several of the claims in Addie 1; namely, Spanish, Spanish 4, Cedar 2 and Py. Eight lines each 2.1 km long and 500 meter spaced running north-south was sampled, six hundred and sixty samples were taken in total. Gold in soil values as high as 750 PPB gold in soil were identified. The results of the program identified zones of anomalous arsenic and gold values in soil located mainly in central and northern parts of claim 502355.

In 2010, a follow up soil sampling program was carried out on Addie 1 claims outlined in figure 2. Ten lines, spaced at 100 meters, each 2.3 km were sampled. In total 920 samples were taken. The results expanded the anomalous gold and arsenic regions identified in the previous year. Gold in soil numbers as high as 463 PPB were identified in sample 3575 line L3C. Several other lines such as L2D and L2C had numbers as high 190 PPB and 179 PPB gold in soil.

The soil sampling program started in august 2010 and took approximately one month to complete. Soil samples were sent to Acme Analytical Laboratories Ltd. in Vancouver for analysis by ICP-MS for 36 elements using a 15 gram aliquot and FA ICP-MS for gold, using a 30 gram aliquot.

This report describes the results and interpretation of the 2010 soil sampling program. It is the authors' recommendation that Dajin carries out a trenching and geological mapping program followed by a drilling program in the area in order to expand on its exploration program.

Since this report describes the exploration follow up to Dajin's previous year exploration programs, portions of previous year's reports are used in this report with the permission of their author's Mr. Dave Jenkins and Mr. Jose Barquet.

INTRODUCTION

Dajin's Addie 1 property is adjacent to Spanish Mountain Gold Ltd. and Wildrose Resources gold project on the west end of Spanish Lake, B.C. The region has seen a marked increase in exploration activity and the discoveries of new gold mineralization in this area reflect a persistent effort using the exploration tools available today and taking advantage of much improved access due to the development an extensive new network of logging roads.

In 2010 Dajin implemented a follow up soil sampling program to its previous year's exploration programs. The program started in august 2010 and was finished by September. Ten lines each 2.3 km long were placed between previous years soil sampling lines. Lines were 100 meter spaced and in total 920 soil samples were taken. Results of the 2010 program expanded the anomalous gold and arsenic region identified in the previous year's exploration program.

The 2010 program was carried out by Mr. Mahdad Saghezchi and Mr. Rick Anciaill. Both gentlemen are geologists with previous experience of working in the area. Mr. Saghezchi is a geologist graduated from university of British Columbia and has GIT status with APEG B.C. he has experience in working in exploration programs in the area for three years. Mr. Rick Anciaill is a professional geologist registered with association of professional engineers and geoscientists of Alberta with over 20 years of experience in mineral exploration programs.

LOCATION, ACCESS AND PHYSIOGRAPHY

Dave Jenkins reports in 2007 "The property is currently reached by a network of logging roads from the village of Likely, a distance of approximately 20 kilometers. Paved road connects Likely to Highway 97 at 150 Mile House. The new network of logging roads has opened up the country for exploration and is this has probably contributed to some of the exploration success in the area. Climatic conditions for the area are modified continental, with cold snowy winters and generally warm summers. The area lies on the east side of the BC Interior dry belt and has about 40 cms of annual precipitation, most of which is delivered as winter snow. The Spanish Lake area is located in the Quesnel Highland of the Interior Plateau. The topography is marked by rolling hills/mountains with some deep dissected valleys. Glacial tills and glaciofluvial sediments cover much of the area in an irregular fashion. The main valleys and rivers appear to conform to some of the larger structures and faulting of the area.


The area is one of considerable industrial activity from both the logging and the new mining exploration projects being carried out. Likely have basic amenities such as a restaurant, motel and cabins for accommodation and some general goods, food and fuel are available. The population of the village is in the order of a few 100 persons who are mostly employed by the logging, tourism and placer-gold mining industries. Most equipment and supplies are sourced from the town of Williams Lake on Highway 97". Figure 1 shows the location of Addie 1 property.

Addie 1 Property location




Map Center: 54.2291N 123.9122W

SCALE 1 : 8,207,882




Addie 1 Claims map

PDF Created with deskPDF - PDF Writer - Trial :: http://www.docudesk.com



Map Center: 52.5802N 121.2612W



DAJIN RESOURCES CORP.
ADDIE 1 PROPERTY
Claims Index Map
NAD 83 ZONE 10 N
November 2009
MAP 1 J.Barquet



HISTORY

The area just to the west of the Addie 1 claims has been an active exploration location since placer gold was discovered in the Horsefly and Quesnel Rivers in 1859.

The Spanish Mountain area was reactivated in 1921 when gold was found in terraces missed by the old miners higher up on Cedar Creek. Gold veins were located on the flank of Spanish Mountain in 1933 by A.Bayley and F. Dickson. Subsequent work maintained interest and exploration has been almost continuous to the present time with junior and senior companies all taking positions to unlock the resources of the area. The property, now migrated somewhat easterly from the original showing, is currently subject to a joint venture between Spanish Mountain Gold Ltd and Wildrose Resources Ltd. The Addie 1 claims are located on rocks and structures that constitute the easterly extension of the geology of the Spanish Mountain exploration area.

CLAIM INFORMATION

The Addie 1 property is a group of 21 claims that total 8,093.6 ha, but the focus of the present exploration report is centered on only one of these claims. The table below lists the claims comprising the property. Dajin Resources Corp. owns 16 of the claims and Mr. Lloyd Addie the 5 remaining. (See table 1) Figure 2 shows the location map of the Addie 1 claims. Claim number 502355 was worked on in 2010 exploration program.

Table 1.- Tenures Included in the ADDIE 1 Property

Tenure Number	Type	Claim Name	Good Until	Area (ha)	Owner	Client ID	
502355	Mineral	Spanish	20111116	471.761	Addie, Lloyd	100221	
503342	Mineral	Spanish4	20111116	393.197	Addie, Lloyd	100221	
504627	Mineral	Cedar	20111116	491.559	Addie, Lloyd	100221	
504628	Mineral	Cedar2	20111116	235.971	Addie, Lloyd	100221	
514946	Mineral	PY	20111116	393.148	Addie, Lloyd	100221	
519294	Mineral	DAJ	20100916	471.223	Dajin Resources Corp.	202300	
519296	Mineral	DAJ 1	20100916	491.041	Dajin Resources Corp.	202300	
519300	Mineral	DAJ 2	20100916	491.023	Dajin Resources Corp.	202300	
519309	Mineral	DAJ 3	20100916	392.714	Dajin Resources	202300	

					Corp.		
519311	Mineral	DAJ 5	20100916	392.936	Dajin Resources Corp.	202300	
519312	Mineral		20100916	392.778	Dajin Resources Corp.	202300	
519358	Mineral	DAJ 6	20100916	432.328	Dajin Resources Corp.	202300	
519359	Mineral	DAJ 7	20100916	39.303	Dajin Resources Corp.	202300	
519360	Mineral		20100916	117.936	Dajin Resources Corp.	202300	
536786	Mineral	ADDIE 2	20100916	235.83	Dajin Resources Corp.	202300	
536787	Mineral	ADDIE 1	20100916	393.102	Dajin Resources Corp.	202300	
538984	Mineral	FALCON 1	20100916	491.0645	Dajin Resources Corp.	202300	
538985	Mineral	FALCON 2	20100916	392.6566	Dajin Resources Corp.	202300	
541275	Mineral	FALCON 3	20100916	490.7694	Dajin Resources Corp.	202300	
541276	Mineral	FALCON 4	20100916	490.7557	Dajin Resources Corp.	202300	
541277	Mineral	FALCON 5	20100916	392.5467	Dajin Resources Corp.	202300	
21				8,093.643			TOTALS

REGIONAL GEOLOGY

The Property Location Map indicates the regional geological setting in plan. The Spanish Mountain area is close to the east margin of the Quesnel Terrane of the Intermontane Belt. A major tectonic boundary between the Omineca Belt and the Intermontane Belt is defined by the Eureka Thrust fault (Struik 1986). This fault runs southeasterly through the Spanish Mountain property of Spanish Mountain Gold Ltd-Wildrose. The Eureka fault is paralleled by the Spanish Fault and the southeasterly extension of these structures appears to pass through the centre of the Addie 1 claim block. The principal lithologies associated with the Quesnel Terrane in the area are metamorphic sediments, siltstones, quartzites and basaltic volcanics.

PROPERTY GEOLOGY

Dajin has not to this time mapped the geology of the Addie 1 claim group or detail prospected the property with the exception of a few road cuts and exposures along the shores of Spanish Lake. The property is believed to be largely till covered. Figure 3 and Figure 4 show the geology of the claims as mapped by Bloodgood (1990). The rocks underlying the property are reportedly mainly Upper Triassic to Middle Jurassic age metasediments and volcanics with a strong

Figure 3: Regional Geology of Addie 1 Property





Figure 3. Regional geology of the Quesnel Lake area and the configuration of the Omineca - Intermontane belt boundary defined by the Eureka thrust.



Addie 1 property geology

Addie 1 property geology

GEOLOGY MAP

Geology from Bloodgood (1990)

**GEOLOGY OF THE EUREKA PEAK -
 MACKAY RIVER AREA AND THE
 SPANISH LAKE AREA
 CENTRAL BRITISH COLUMBIA
 NTS 93A/7, 11**

BY MARY ANNE BLOODGOOD

(SEE BELOW FOR ADDITIONAL SOURCES OF DATA)



LEGEND

- RECENT**
- QUATERNARY**
 - Qal** Till, alluvium, colluvium
- INTERMONTANE BELT**
- MESOZOIC**
- LATE TRIASSIC - EARLY JURASSIC**
 - NICOLA GROUP**
 - J_{kb}** Massive porphyritic flows, breccia and tuff
 - J_{ka}** Massive flows, agglomerates, ashflow tuffs, pillow basalts, mafic dikes and minor limestone
 - MIDDLE - LATE TRIASSIC**
 - NICOLA GROUP**
 - K_d** Volcanic sandstone and wacke
 - K_c** Volcaniclastic
 - K_b** Banded slates and tuffs, minor fissile phyllites and limestone
 V = volcanic flows and tuffs
 - K_a** Black phyllites
 - ka6** Graphitic black phyllites, with interbedded quartz sandstone and limestone
 - ka5** Silty slates
 - ka4** Laminated phyllite and porphyroblastic phyllite
 - ka3** Phyllitic siltstone
 - ka2** Micaceous black phyllite and tuff
 - ka1** Micaceous quartzite
 - PALEOZOIC**
 - MISSISSIPPIAN - EARLY PERMIAN (?)**
 - Pca** Crooked Amphibolite; amphibole - chlorite schist, chlorite - epidote schist, ultramafic nodules
- OMINECA BELT**
- PALEOZOIC**
- LATE DEVONIAN TO MIDDLE MISSISSIPPIAN**
 - QUESNEL LAKE GNEISS**
 - QLG** Quartz feldspar gneiss, augen gneiss
 - HADRYNIAN AND YOUNGER**
 - SNOWSHOE FM**
 - HPa** Alkali feldspar augen gneiss
 - HPs** Pelitic schist, minor quartzite
 - HPsm** Sandy marbles layers and lenses
 - HPu** Undifferentiated
- PROTEROZOIC - E. PALEOZOIC**

SYMBOLS

- Geological contact (observed, inferred or extrapolated)
- Fault contact
- Cross-cutting fault
- Bedding (strike/dip)
- Foliation
- Primary metamorphic foliation (Omineca Belt)
- Linaation (trend/plunge)
- Axial trace of minor structures
 - Antiform
 - Synform
 - Overturned

Mineral Occurrences:

MINFILE No.	Property	Commodity
	Frasergold	Au, Ag, Cu, Zn, Pb
	Eureka Peak	Cu, Au
	CPW	Au, Pb, Zn

Based on British Columbia Ministry of Energy, Mines and Petroleum Resources MINFILE data.

Moose	Au, Ag, Cu, Pb, Zn
Trump	Ag, Pb
Providence	Ag, Pb, Au, Zn
Big	Ag, Pb, Au

Figure 2B
ADDIE 1 CLAIM GROUP
GEOLOGY MAP EXPLANATION

northwest to southeast grain. The Spanish Lake Anticline dominates the south flank of the Spanish Lake valley. On the north side of the axis of the anticline the stratigraphy is dominated by tuffaceous phyllite, argillite and subordinate associated sedimentary rock types. On the north side of Spanish Lake the principal rock type is mapped as graphitic pelite. This contrasts with the mixture of volcanic wacke, serpentinite and volcanic debris flow rocks reported on the south side of the axis. The work described in the Ainsworth report of 2006 confirms the general geological setting.

DEPOSIT TYPE

The description of mineralization on the Spanish Mountain Gold Ltd-Wildrose joint venture property indicates that the mineralization is related to major structural events in the area. There is not a clear relationship with identifiable epithermal systems working within the older metamorphic terrane rocks. A more probable model is that the gold may be in part syngenetic and remobilized as in the Ballarat (Australia) and Meguma (Nova Scotia) gold camps.

2010 EXPLORATION PROGRAM

In 2010 Dajin implemented a follow up soil sampling program to its previous year's exploration programs. The program started in August 2010 and was finished by September. Ten lines each 2.3 km long running north-south were placed between previous years soil sampling lines. Lines were 100 meter spaced and in total 920 soil samples were taken. Results of the 2010 program expanded gold and arsenic anomalous region identified in the previous year's exploration program.

The 2010 program was carried out by Mr. Mahdad Saghezchi and Mr. Rick Anctill. Both gentlemen are geologists with previous experience of working in the area. Mr. Saghezchi is a geologist graduated from university of British Columbia and has GIT status with APEG B.C. he has experience in working in exploration programs in the area for three years. Mr. Rick Anctill is a professional geologist registered with association of professional engineers and geoscientists of Alberta with over 20 years of experience in mineral exploration programs.

Soil samples were collected from the "B" soil horizon, which in some areas is poorly developed and in others difficult to identify. Approximately 300-400 gm of soil was placed in Kraft paper envelope which was marked with the line number and location which were derived from the GPS coordinates of the sample site. The site was flagged by an aluminum tag and two different colored plastic flags. The sample station identifier was written on both the aluminum tag and the plastic flagging. Basic information such as soil color, texture drainage slope and direction were recorded on standardized sample registration cards maintained in a field notebook. The soil samples were brought back to camp where they were air dried and placed into rice bags; each rice bag was marked by soil sample station identifiers for the samples in the bag. A requisition sheet listing sample identifiers for each sample shipment and instructions to the laboratory were placed in each rice bag and one copy would be kept for company's records. Soil

samples were taken to the Greyhound bus station in Williams Lake for delivery to ACME Analytical Laboratories in Vancouver for analysis.

Please refer to Appendixes A to H for Soil sample location maps and their respective Au, As, Cr, Cu, Mo, Ni, Zn values in soil samples

RESULTS AND INTERPRETATION

GOLD

The results of 2010 soil sampling program expand the anomalous zones indentified by the previous year soil sampling program. Gold in soil values as high as 463 PPB was identified in a sample in line L3C.

Thresholds used for identifying anomalous zones in analysis are based on the visual inspection of data and map. For gold analysis following thresholds are used:

Gold in soil values (PPB)	Percentage of data with Gold values in soil in that range
>100	Anomalous 1.5%
50-99	Anomalous 3.5%
25-49	Anomalous 7%
15-24	Anomalous 8%
<15	Background levels 80% of values

Two major gold anomalous zones are identifiable on the property. One on the northern parts of the claim 502355, several hundred meters wide and running in a north-west south east extension, which happens to be the dominant strike of the geological units in the area as well. In this zone, gold values as high as 179 PPB are identified in line L2C sample 4700 with adjacent samples showing numbers as high as 171 PPB and 69 PPB. The line adjacent to line L2B on the west side, line L2A has gold values as high 129 PPB, the samples beside it also show gold values as high as 124 PPB and 90 PPB. Line L3B on its northern part also has numbers as high 141 PPB with several similar gold values in soil in adjacent samples. The high gold values in soil samples in these lines adjacent to each other create the first anomalous zone. The other zone is in the southern part of the same claim; it happens to be smaller in size, but nevertheless gives the same pattern of extension as the zone in the northern part. Gold values in soil as high as 463 PPB are identified in this zone in line L3C. There is gradual increase in gold number in line L3C from 32 PPB to 463 PPB and decline to 10 PPB creating an interval of over 200 meter with high gold value numbers. The line adjacent to line L3C, line L3B, shows a similar pattern but smaller, with gold value as high as 119 PPB in one sample. The anomalous zones in these lines create a north-west south-east pattern as well. No detailed geological map of the property exists, however; according to Bloodgood's (1990) geological map of the area, most of the claim


consists of a unit described as banded slates and tuffs with minor fissile phyllites and limestones. Following is an interpretation of results from several other elements

ARSENIC IN SOIL

Zones of anomalous arsenic values in soil also correspond to the similar zones identified by gold values in soil. These zones are much wider than the gold zones and cover the anomalous gold zones. Arsenic values in soil generally show a number above 100 PPM in these zones. Arsenic in soil values as high as 901 PPM are identified in a sample in line L2B sample 4625 which has a 4 PPB gold value. In general many of samples with high gold values also have a high arsenic values. Thresholds used to identify anomalous Arsenic zones are as follows:

Arsenic in soil values (PPM)	Percentage of data with Arsenic values in soil in that range
>400	Anomalous 0.5%
200-399	Anomalous 3%
100-199	Anomalous 16.5%
<99	Background levels 80% of values


To illustrate the correlation between high gold values in soil with high arsenic values in soil, Line 3C's gold values and arsenic values are graphed. Based on the following graph it is clear that in general high gold values correspond to high arsenic values.



X axis is the sample location number and y axis shows corresponding gold and arsenic values in soil in that sample. Gold is measure in PPB and Arsenic is in PPM.


MOLYBDENUM IN SOIL

The anomalous zones identified by Mo values in soil correspond strongly with the zones identified by gold. Generally when there is high value of gold in soil, the corresponding Mo value is high too. The highest Mo value in soil was detected in line L2D sample 4075 with a number of 142 PPM Mo and 39 PPB gold.




ZINC IN SOIL

Anomalous gold values usually correspond to high zinc values as well. However, Zinc values seem to be more widely spread than the gold values. The highest zinc value was detected in sample 4750 line L3C with value of 3632 PPM Zinc in soil. This is the same sample with the highest Nickel value.




COPPER IN SOIL

Copper values in soil are widely dispersed; they do not seem to create well distinguished anomalous zones. However higher gold values generally are associated with high copper values. Copper value as high as 949 PPM in line L3B sample 5300 is detected which correspond to a gold value of 12 PPB. Several other samples detect copper values above 200 PPM.




CHROMIUM IN SOIL

The anomalous zones created by chromium values in soil do not completely overlap with the zones created by the gold values. These zones sit adjacent to gold anomalous zones. However, they also show similar NW-SE trend. Highest Cr value in soil was detected in a sample in line L2B sample 4475 with the 477 PPM value.



NICKEL IN SOIL

Nickel values in soil tend to create a similar pattern as Chromium. Generally high values of Nickel correspond to high values of Chromium. The highest value of Nickel was detected in line L3C-4750 with a value of 3365 PPM. Several other samples also run high numbers of Nickel in soil above 300 PPM.



Other elements of interest were antimony, silver and lead, however since they show low values in soil samples they would not have been strong indicators of anomalous patterns in the property and hence were not included in this analysis. Highest detected antimony was 26 PPM

in sample 3575 line L3C, highest Silver, 9.5 PPM in L1D 3875 and highest Lead 85 PPM in sample 4075 line L2D.

ASSAYING METHODS

The soil samples were assayed by ACME Analytical laboratories in Vancouver using two methods, A) group 1DX2 and B) 3B01 . ACME describes each group in the following way:

3B01 "Fire assay fusion Au by ICP-MS"

1DX2 "1:1:1 Aqua Regia digestion ICP-MS analysis"

For complete list of assay certificates please refer to Appendix J.

CONCLUSION AND RECOMMENDATION

Based on the results of Dajin's 2010 exploration program, it is authors' recommendation that Dajin plan, budget and implement a trenching, prospecting and geological mapping program followed by a drill program on the Addie 1 claims.

Cost Statement

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days (list actual days)	Days	Rate	Subtotal*	
Craig Wolden/ Sawyer	July 22 to July 27 40 hours@\$50/h	5	\$400.00	\$2,000.00	
Rick Anctil/P.Geol.	July 20- Aug 14	26	\$560.00	\$14,560.00	
Mahdad Saghezchi/GIT	July 19 - Aug14	27	\$450.00	\$12,150.00	
David Jenkins	Aug 1- Aug 3	3	\$500.00	\$1,500.00	
			\$0.00	\$0.00	
			\$0.00	\$0.00	
				\$30,210.00	\$30,210.00
Office Studies	List Personnel (note - Office only, do not include field days)				
Literature search			\$0.00	\$0.00	
Database compilation	David Jenkins	1.0	\$500.00	\$500.00	
Computer modelling			\$0.00	\$0.00	
Reprocessing of data	David Jenkins	2.0	\$500.00	\$1,000.00	
General research			\$0.00	\$0.00	
Report preparation	Mahdad Saghezchi		\$5,000.00	\$5,000.00	
Other (specify)					
				\$6,500.00	\$6,500.00
Ground Exploration Surveys	Area in Hectares/List Personnel				
Geological mapping					
Regional					<i>note: expenditures here</i>
Reconnaissance					<i>should be captured in Personnel</i>
Prospect					<i>field expenditures above</i>
Underground	Define by length and width				
Trenches	Define by length and width			\$0.00	\$0.00
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Drill (cuttings, core, etc.)			\$0.00	\$0.00	
Stream sediment			\$0.00	\$0.00	
Soil	920 soil samples		\$37.98	\$34,934.67	
Rock			\$0.00	\$0.00	
Water			\$0.00	\$0.00	
Biogeochemistry			\$0.00	\$0.00	
Whole rock			\$0.00	\$0.00	
Petrology			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$34,934.67	\$34,934.67
Other Operations	Clarify	No.	Rate	Subtotal	
Trenching			\$0.00	\$0.00	
Bulk sampling			\$0.00	\$0.00	
Underground development			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	\$0.00
Reclamation	Clarify	No.	Rate	Subtotal	
After drilling			\$0.00	\$0.00	
Monitoring			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
Transportation		No.	Rate	Subtotal	
Truck insurance			\$1,042.00	\$1,042.00	
Airfare			\$0.00	\$0.00	
Taxi			\$0.00	\$0.00	
truck rental			\$0.00	\$0.00	

truck rental	Sawyer Truck+ day charge Geo 2	29.00	\$50.00	\$1,450.00	
kilometers	Geologist 2 truck	1078.00	\$0.55	\$592.90	
ATV			\$0.00	\$0.00	
fuel		753.00	\$1.00	\$753.00	
Helicopter (hours)			\$0.00	\$0.00	
Fuel (litres/hour)			\$0.00	\$0.00	
Other	truck repairs geologist 1 truck	1.00	\$440.00	\$440.00	
				\$4,277.90	\$4,277.90
Accommodation & Food	Rates per day				
Hotel			\$0.00	\$0.00	
Camp			\$3,512.00	\$3,512.00	
Meals	day rate or actual costs-specify		\$2,397.00	\$2,397.00	
				\$5,909.00	\$5,909.00
Miscellaneous					
Telephone			\$0.00	\$0.00	
Other (Specify)	parking		\$28.00	\$28.00	
				\$28.00	\$28.00
Equipment Rentals					
Field Gear (Specify)	GPS, Fire pump, Deakin Equip supplies		\$1,429.80	\$1,429.80	
Other (Specify)					
				\$1,429.80	\$1,429.80
Freight, rock samples					
	Greyhound		\$153.46	\$153.46	
			\$0.00	\$0.00	
				\$153.46	\$153.46
TOTAL Expenditures					\$83,442.83

AUTHOR QUALIFICATION

I Mahdad Saghezchi do hereby certify:


- I am the author of this report
- I am a graduate of university of British Columbia (2007)
- I am a member of Association of Professional Engineers and Geoscientist of B.C (GIT)
- I have practices my profession as GIT since graduation.

A handwritten signature in black ink, appearing to be 'MS', with a long horizontal line extending to the right.

Mahdad Saghezchi 20 October 2010

REFERENCES

- Ministry of Energy, Mines and Petroleum, BC Geological Survey, MINFILE archives:
 - o Spanish Mountain; minfile number 093A 043, Spanish Creek; minfile number 093A 067, Providence; minfile number 093A 003, Rollie Creek; minfile number 093A 232, Cedar Dam; minfile number 093A 217, SCR; minfile number 093A 203, DOG; minfile number 093A 197, Hepburn Lake; minfile number 093A 195, DUCK; minfile number 093A 194, Spanish Mountain Placer; minfile number 093A 192, Frank Creek; minfile number 093A 152, BIG; minfile number 093A 151, TAM; minfile number 093A 147, Big Gulp; minfile number 093A 143, Peacock; minfile number 093A 133, NOV; minfile number 093A 132, Hobson; minfile number 093A 074
- Logan J.; Geology and Mineral Occurrences of the Quesnel Terrane, Cottonwood Map Sheet, Central British Columbia (NTS 093G/01). Paper 2008-1, Geological Fieldwork 2007.
- Jenkins, D.M.; Assessment Report for the Addie 1 Area Claims, Cariboo Mining District Division. February 2007.
- Singh B., Stevens A.; 2007 Assessment Report on the Spanish Mountain Property Peso, Don, March, Jul, CPW, My, Mey, Armada and NR1 Claims n the Cariboo Mining District, December 2008.
- .Peatfield G.R. ,Giroux G.H and Singh B.; Updated Resource Estimation Report on the Spanish Mountain Gold Deposit, Cariboo Mining Division. May 2009.
- Klipfeld P., Sediment Hosted Vein Deposits. November 2005.
- Freeport Resources Inc. Spanish Mountain Gold. 2009.
- Lefebure D., Brown D. and Ray G.; The British Columbia Sediment-Hosted Gold Project. Geological Fieldwork 1998. Paper 1999-1.
- Bloodgood M.; Geology of the Quesnel Terrane in the Spanish Lake Area, Central British Columbia, BC. Geological Fieldwork 1988-1.
- Pantaleyev A., Bloogood M.and Hancock K.; Bulletin 97:Geology and Mineral Deposits of the Quesnel River – Horsefly Map Area, Central Quesnel Trough, British Columbia. Geology Map. 1996.



APPENDIX A: SOIL SAMPLE LOCATION MAP

61080 m 61085 m 61090 m 61095 m 61100 m 61105 m 61110 m 61115 m 61120 m 61125 m 61130 m 61135 m 61140 m 61145 m 61150 m 61155 m 61160 m 61165 m 61170 m 61175 m 61180 m 61185 m 61190 m 61195 m 61200 m 61205 m 61210 m 61215 m 61220 m 61225 m 61230 m 61235 m 61240 m 61245 m 61250 m 61255 m 61260 m 61265 m 61270 m 61275 m 61280 m 61285 m 61290 m 61295 m 61300 m 61305 m 61310 m 61315 m 61320 m 61325 m 61330 m 61335 m 61340 m 61345 m 61350 m 61355 m 61360 m 61365 m 61370 m 61375 m 61380 m 61385 m 61390 m 61395 m 61400 m 61405 m 61410 m 61415 m 61420 m 61425 m 61430 m 61435 m 61440 m 61445 m 61450 m 61455 m 61460 m 61465 m 61470 m 61475 m 61480 m 61485 m 61490 m 61495 m 61500 m 61505 m 61510 m 61515 m 61520 m 61525 m 61530 m 61535 m 61540 m 61545 m 61550 m 61555 m 61560 m 61565 m 61570 m

DAJIN RESOURCES CORP.

ADDIE 1 Project

SOIL SAMPLES LOCATION

Date: October 2009

LEGEND

L1 611000 E Line number and Easting
 503342 Tenure number


L1 610150 E
 L10 610400 E
 L2 610500 E
 L2A 610600 E
 L2B 610700 E
 L2C 610800 E
 L2D 610900 E
 L3 611000 E
 L3A 611100 E
 L3B 611200 E
 L3C 611300 E
 L3D 611400 E
 L4 611500 E
 L4A 611600 E
 L5 612000 E
 L6 612000 E
 L7 613000 E
 L8 613500 E

Scale 1:5000

Nad 83, 093A, 05/4

21

APPENDIX B: Au VALUE IN SOIL MAP



DAJIN RESOURCES CORP.

ASDIE 1 Project

Gold in Soils in ppb

LEGEND


- >= 100 ppb
- 50 - 99 ppb
- 25 - 49 ppb
- 15 - 24 ppb
- < 15 ppb

Date: September 2010

Scale 1: 50002

Nad 83, OZMA 054

APPENDIX C: AS VALUE IN SOIL MAP



DAJIN RESOURCES CORP.


ADDIE 1 Project
As in soils

LEGEND

- > 400 ppm
- 200-399 ppm
- 100-199 ppm
- 50-99 ppm
- < 50 ppm

Date: September 2010
Scale: 1:5000
Nad 83, UTM Z54

APPENDIX D: Cr VALUE IN SOIL MAP




DAJIN RESOURCES CORP.

ADDIE 1 Project
Cr in soils

LEGEND


- > 300 ppm
- 100 - 299 ppm
- 50 - 99 ppm
- 25 - 49 ppm
- < 25 ppm

Date: Sep 2010
Scale 1:5000
Road #3, 09/28/04



APPENDIX E: CU VALUE IN SOIL MAP

DAJIN RESOURCES CORP.
 ADDIE 1 Project
 Cu in Soils
 LEGEND
 ● > 200 ppm
 ● 100 - 199 ppm
 ● 50 - 99 ppm
 ● 25 - 49 ppm
 ● < 25 ppm
 Sep 2010
 Scale 1:5000
 Nord 83, UTM ZONE 48A



APPENDIX F: MO VALUE IN SOIL MAP

DAJIN RESOURCES CORP.

ADDIE 1 Project

Mo in soils


LEGEND

- > 100 ppm
- 50-99 ppm
- 25-49 ppm
- 15-24 ppm
- < 15 ppm


Sep 2010

Scale 1:5000

Node 03_09JAN2014



APPENDIX C: NI VALUE IN SOIL MAP



DAIJI RESOURCES CORP.

ADDIE 1 Project


NI in soils

LEGEND

- > 200 ppm
- 100 - 199 ppm
- 50 - 99 ppm
- 25 - 49 ppm
- < 25 ppm

Sep 2010
Scale 1:5000
Road #3, 09/1A/05A

610030 m 610100 m 610190 m 610270 m 610350 m 610430 m 610510 m 610590 m 610670 m 610750 m 610830 m 610910 m 610990 m 611070 m 611150 m 611230 m 611310 m 611390 m 611470 m 611550 m 611630 m 611710 m 611790 m 611870 m 611950 m 612030 m 612110 m 612190 m 612270 m 612350 m 612430 m 612510 m 612590 m 612670 m 612750 m 612830 m 612910 m 612990 m 613070 m 613150 m 613230 m 613310 m 613390 m 613470 m 613550 m 613630 m 613710 m 613790 m 613870 m 613950 m 614030 m 614110 m 614190 m 614270 m 614350 m 614430 m 614510 m 614590 m 614670 m 614750 m 614830 m 614910 m 614990 m 615070 m 615150 m 615230 m 615310 m 615390 m 615470 m 615550 m 615630 m 615710 m



APPENDIX H: Zn VALUE IN SOIL MAP

DAJIN RESOURCES CORP.

ADDIE 1 Project
Zn in soils

LEGEND

- > 300 ppm
- 200 - 300 ppm
- 100 - 199 ppm
- < 90 ppm

Map 2010
Scale 1:500
Road 83, 09JAX 05A

APPENDIX I: soil sample certificates



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: July 30, 2010
Report Date: August 27, 2010
Page: 1 of 12

CERTIFICATE OF ANALYSIS

VAN10003601.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 329

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	329	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	329	Dry at 60C			VAN
3B01	317	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	329	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 2 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L-3A 3000N	Soil	<2	3.1	41.2	8.4	82	0.5	27.2	12.0	761	3.63	25.4	0.4	<0.5	0.7	10	0.5	1.8	0.1	61	0.09
L-3A 3025N	Soil	5	5.3	44.0	10.0	71	0.4	30.6	7.8	291	3.46	25.2	0.6	2.4	1.2	7	0.4	1.6	0.2	56	0.06
L-3A 3050N	Soil	6	4.6	57.4	10.4	107	0.9	38.7	16.1	911	3.12	22.2	1.5	2.7	1.2	37	1.0	1.5	0.2	46	0.39
L-3A 3075N	Soil	<2	4.6	58.3	11.3	85	1.2	30.2	11.4	626	3.68	20.7	0.9	1.8	0.8	16	0.6	1.3	0.3	56	0.16
L-3A 3100N	Soil	<2	3.1	28.9	8.7	78	1.1	18.5	8.6	695	3.15	17.1	0.4	<0.5	0.4	8	0.7	0.8	0.2	56	0.05
L-3A 3125N	Soil	2	4.4	42.4	11.4	112	1.1	27.0	14.8	1269	3.82	23.4	0.7	1.8	0.4	9	1.0	1.2	0.2	53	0.06
L-3A 3150N	Soil	3	5.3	58.3	14.0	117	0.9	38.7	21.9	1331	4.35	27.1	1.0	3.3	1.3	16	1.0	1.4	0.2	69	0.15
L-3A 3175N	Soil	4	5.6	107.9	10.9	72	2.6	30.6	7.2	331	3.91	22.0	1.4	1.9	0.8	9	1.0	1.2	0.2	48	0.09
L-3A 3200N	Soil	7	4.3	38.8	10.1	79	1.1	25.4	9.4	659	2.96	19.4	0.6	2.4	0.8	11	0.5	1.2	0.2	45	0.13
L-3A 3225N	Soil	4	6.1	76.2	13.0	75	2.0	32.5	16.3	628	3.43	22.5	1.2	1.0	0.5	19	1.1	1.3	0.2	52	0.18
L-3A 3250N	Soil	4	7.1	70.0	13.3	286	1.3	69.6	22.7	1771	4.07	38.9	2.2	4.4	0.8	38	3.9	2.2	0.2	53	0.57
L-3A 3275N	Soil	<2	6.2	39.3	11.2	109	0.6	32.0	10.1	429	4.20	31.6	0.7	2.1	0.8	12	0.8	1.3	0.2	54	0.12
L-3A 3300N	Soil	18	9.4	218.3	22.1	258	6.4	134.4	36.5	3483	6.55	68.3	14.6	11.1	2.4	63	2.2	3.6	0.4	63	0.95
L-3A 3325N	Soil	4	7.0	52.4	11.2	136	0.3	63.3	18.9	528	4.28	55.2	0.8	2.8	1.5	10	0.6	1.9	0.2	53	0.11
L-3A 3350N	Soil	13	21.4	84.5	21.0	252	1.3	94.4	33.2	4905	4.10	45.3	4.3	11.5	1.0	24	4.5	2.6	0.3	56	0.37
L-3A 3375N	Soil	5	12.4	49.6	14.3	155	0.5	56.1	17.6	824	3.72	55.8	1.7	6.7	0.7	18	1.9	2.5	0.2	43	0.27
L-3A 3400N	Soil	9	9.8	66.1	15.3	197	0.5	67.2	19.8	1146	3.98	58.7	2.3	10.3	1.0	17	2.2	2.5	0.2	44	0.25
L-3A 3425N	Soil	8	9.6	62.6	15.7	107	0.7	47.2	9.2	454	3.35	46.5	1.8	5.9	0.3	16	1.2	1.8	0.3	49	0.21
L-3A 3450N	Soil	3	15.3	55.3	18.8	114	0.6	40.2	13.1	867	4.55	99.6	1.0	3.1	0.6	11	1.0	3.6	0.3	55	0.09
L-3A 3475	Soil	9	15.5	86.9	15.5	98	1.0	45.7	9.7	488	3.44	56.1	1.7	8.9	0.2	13	1.3	3.3	0.3	49	0.11
L-3A 3500N	Soil	7	9.3	84.7	15.3	114	0.9	60.0	18.8	1556	4.24	76.7	1.3	5.9	0.5	8	0.9	2.8	0.2	51	0.06
L-3A 3525	Soil	3	12.7	55.6	16.9	129	1.2	43.8	11.1	1001	3.87	74.4	0.7	1.2	0.5	12	0.8	3.9	0.2	49	0.14
L-3A 3550N	Soil	20	22.3	133.3	31.5	197	2.5	122.5	27.6	1835	5.71	206.2	2.4	14.4	1.0	17	2.9	5.1	0.4	39	0.22
L-3A 3575	Soil	28	33.8	54.2	38.6	207	3.1	34.3	6.2	441	4.27	93.4	0.7	23.1	0.8	7	0.9	14.5	0.3	43	0.04
L-3A 3600N	Soil	18	24.2	38.4	41.8	85	7.5	21.2	4.7	251	2.82	61.1	0.9	14.7	0.9	26	0.5	12.5	0.3	45	0.03
L-3A 3625	Soil	12	8.0	68.4	12.9	147	0.5	77.9	18.4	1327	4.71	79.7	1.0	6.1	0.8	12	0.8	4.2	0.2	59	0.18
L-3A 3650N	Soil	2	8.4	34.3	10.7	84	0.2	32.6	8.0	1444	2.70	48.7	0.5	2.3	0.9	7	0.6	2.3	0.2	51	0.08
L-3A 3675	Soil	<2	7.4	63.8	10.4	100	0.4	56.4	14.7	827	4.37	92.3	0.5	6.7	0.6	11	0.6	2.1	0.2	82	0.16
L-3A 3700N	Soil	76	26.8	51.0	41.0	131	2.7	47.1	10.7	506	4.53	85.3	0.7	57.8	1.6	18	0.6	7.9	0.3	47	0.04
L-3A 3725	Soil	8	20.8	50.1	36.3	193	2.3	75.4	21.9	3491	5.36	161.4	0.8	7.7	1.0	12	1.5	1.6	0.5	87	0.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 2 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	
L-3A 3000N	Soil	0.044	6	49	0.52	140	0.059	<1	1.38	0.008	0.05	<0.1	0.05	1.8	<0.1	0.10	5	<0.5	<0.2
L-3A 3025N	Soil	0.031	9	49	0.44	51	0.051	1	1.50	0.005	0.06	0.2	0.04	1.8	<0.1	0.09	5	1.0	0.5
L-3A 3050N	Soil	0.057	13	50	0.48	102	0.038	1	1.54	0.006	0.09	0.1	0.06	2.8	<0.1	0.06	4	1.1	0.2
L-3A 3075N	Soil	0.044	11	43	0.47	95	0.052	<1	1.62	0.009	0.12	0.2	0.05	1.7	<0.1	0.07	6	1.6	<0.2
L-3A 3100N	Soil	0.073	8	41	0.39	92	0.031	<1	1.54	0.008	0.06	0.1	0.06	1.3	<0.1	<0.05	5	<0.5	<0.2
L-3A 3125N	Soil	0.195	10	38	0.45	99	0.025	<1	1.99	0.003	0.10	0.1	0.11	1.1	0.1	<0.05	6	1.2	0.3
L-3A 3150N	Soil	0.055	11	58	0.63	98	0.058	1	1.86	0.005	0.10	0.1	0.07	3.0	<0.1	<0.05	7	1.9	<0.2
L-3A 3175N	Soil	0.111	12	42	0.42	72	0.032	<1	2.02	0.006	0.07	0.1	0.17	1.7	<0.1	0.06	5	1.3	0.2
L-3A 3200N	Soil	0.069	11	37	0.45	108	0.035	1	1.40	0.005	0.08	<0.1	0.08	1.6	<0.1	0.05	5	0.8	<0.2
L-3A 3225N	Soil	0.072	14	45	0.47	94	0.027	<1	1.80	0.008	0.11	0.1	0.12	1.6	0.1	<0.05	6	2.3	<0.2
L-3A 3250N	Soil	0.090	14	61	0.71	160	0.024	1	2.31	0.011	0.12	<0.1	0.10	3.3	0.2	0.07	5	1.3	0.4
L-3A 3275N	Soil	0.048	10	49	0.53	114	0.031	<1	1.80	0.004	0.07	0.1	0.08	1.5	<0.1	<0.05	5	1.6	<0.2
L-3A 3300N	Soil	0.201	30	120	0.98	337	0.027	1	4.12	0.010	0.34	0.2	0.36	12.2	0.3	0.09	8	3.1	<0.2
L-3A 3325N	Soil	0.078	11	96	0.81	91	0.020	<1	2.23	0.006	0.09	0.1	0.08	2.5	0.1	<0.05	5	1.5	0.2
L-3A 3350N	Soil	0.105	13	75	0.77	212	0.021	2	2.32	0.013	0.17	<0.1	0.13	3.7	0.3	<0.05	6	1.2	0.3
L-3A 3375N	Soil	0.069	12	55	0.54	111	0.023	1	1.27	0.005	0.09	0.1	0.04	2.1	0.1	<0.05	4	1.6	<0.2
L-3A 3400N	Soil	0.079	12	58	0.61	133	0.022	<1	1.65	0.006	0.10	<0.1	0.05	2.7	0.2	<0.05	4	1.4	0.2
L-3A 3425N	Soil	0.078	11	67	0.57	144	0.015	2	1.59	0.007	0.11	0.1	0.06	1.4	0.2	<0.05	6	1.0	<0.2
L-3A 3450N	Soil	0.060	10	46	0.22	78	0.019	<1	0.87	0.004	0.06	0.1	0.03	1.4	0.2	<0.05	5	2.1	0.2
L-3A 3475	Soil	0.074	14	45	0.27	112	0.012	<1	1.38	0.005	0.07	0.1	0.09	1.1	0.2	<0.05	5	2.0	0.5
L-3A 3500N	Soil	0.079	11	77	0.51	83	0.022	<1	1.57	0.005	0.07	0.1	0.07	1.8	0.1	<0.05	5	1.6	<0.2
L-3A 3525	Soil	0.096	10	33	0.17	112	0.015	<1	0.72	0.004	0.05	0.1	0.05	1.1	0.2	<0.05	4	0.8	<0.2
L-3A 3550N	Soil	0.110	9	35	0.30	87	0.007	1	1.27	0.006	0.08	0.3	0.12	2.5	0.2	<0.05	3	3.2	0.6
L-3A 3575	Soil	0.105	12	11	0.05	75	0.008	1	0.54	0.003	0.05	0.2	0.05	1.0	0.6	<0.05	3	2.8	0.4
L-3A 3600N	Soil	0.056	13	16	0.05	70	0.015	2	0.37	0.003	0.05	0.2	0.05	0.8	0.4	<0.05	3	4.6	0.2
L-3A 3625	Soil	0.100	10	59	0.26	115	0.019	<1	1.42	0.005	0.08	0.2	0.05	3.5	0.2	<0.05	5	1.3	0.5
L-3A 3650N	Soil	0.059	12	31	0.10	153	0.029	<1	0.57	0.007	0.05	0.1	0.03	1.3	0.2	<0.05	5	0.7	<0.2
L-3A 3675	Soil	0.079	8	63	0.33	90	0.027	1	1.02	0.004	0.04	0.1	0.04	3.7	0.1	0.05	7	0.9	0.3
L-3A 3700N	Soil	0.097	11	34	0.18	94	0.017	<1	1.16	0.010	0.08	0.2	0.15	1.8	0.4	0.08	5	3.0	<0.2
L-3A 3725	Soil	0.150	12	81	0.38	163	0.013	<1	1.48	0.008	0.04	0.2	0.09	2.3	0.4	<0.05	7	2.1	0.3



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 3 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L-3A 3750N	Soil		5	20.9	19.5	10.9	48	0.6	13.1	3.4	219	1.80	35.9	0.4	2.8	1.0	6	0.5	2.7	0.2	64	0.01
L-3A 3775	Soil		5	28.5	75.5	17.2	157	1.4	121.3	17.5	416	5.27	235.2	0.9	4.0	0.7	21	0.5	21.0	0.3	76	0.10
L-3A 3800N	Soil		2	28.0	81.1	40.4	185	0.5	146.3	20.9	772	7.09	269.3	1.1	1.7	1.3	14	1.4	21.5	0.5	87	0.03
L-3A 3825	Soil		8	27.4	90.8	23.8	184	3.7	135.0	27.2	1399	7.23	238.5	0.9	5.5	1.2	10	1.9	11.4	0.4	46	0.05
L-3A 3850N	Soil		11	7.7	55.6	13.3	108	1.5	62.9	14.7	681	3.71	51.7	0.9	8.9	1.0	7	1.2	3.3	0.2	58	0.04
L-3A 3875	Soil		5	11.1	36.8	13.0	79	0.9	35.3	9.8	1011	2.64	39.1	0.5	2.8	0.2	6	0.5	2.6	0.2	58	0.02
L-3A 3900N	Soil		9	14.3	65.5	19.5	139	0.7	59.2	14.0	1431	4.19	74.8	0.9	8.4	0.9	7	0.7	4.2	0.3	54	0.03
L-3A 3925	Soil		14	14.3	86.4	19.1	153	0.8	68.3	16.2	888	4.17	66.0	1.2	11.5	1.3	8	0.9	3.7	0.3	47	0.04
L-3A 3950N	Soil		21	12.7	82.4	20.2	157	0.6	70.4	20.3	1112	4.11	80.0	1.1	9.9	2.4	10	0.8	5.6	0.3	37	0.06
L-3A 3975	Soil		18	15.0	95.2	21.6	168	0.3	71.4	21.7	1142	4.27	83.3	1.3	12.8	3.5	6	0.6	4.9	0.3	40	0.02
L-3A 4000N	Soil		20	17.1	117.5	22.7	183	0.6	81.9	22.7	1187	4.95	81.0	1.9	48.8	2.8	6	0.6	5.3	0.3	47	0.02
L-3A 4025	Soil		6	11.7	42.9	10.6	88	0.3	34.2	6.4	222	2.46	62.1	0.5	2.3	0.5	9	0.3	3.6	0.2	50	0.10
L-3A 4050N	Soil		7	12.4	67.0	23.1	118	0.7	54.4	30.0	2643	7.16	75.0	1.5	5.1	1.2	8	0.8	3.7	0.3	58	0.08
L-3A 4075	Soil		6	11.7	56.5	17.9	101	0.4	46.1	11.9	947	3.52	85.5	0.9	3.1	0.3	40	0.6	3.5	0.2	52	0.60
L-3A 4100N	Soil		17	19.2	110.0	24.8	170	0.5	106.3	30.9	1614	5.08	147.6	1.6	11.1	3.2	18	1.5	5.1	0.3	39	0.17
L-3A 4125	Soil		7	11.7	68.1	20.7	125	0.4	71.0	30.0	1903	5.29	93.5	1.1	5.6	1.5	9	0.7	5.3	0.3	36	0.09
L-3A 4150N	Soil		16	10.3	67.2	20.3	142	0.8	64.1	20.4	1074	5.52	93.2	1.1	10.2	1.4	11	0.5	4.9	0.3	41	0.08
L-3A 4175	Soil		5	11.3	53.6	18.7	86	0.4	36.1	11.1	615	4.34	68.8	1.0	1.7	1.5	6	0.9	3.5	0.3	67	0.03
L-3A 4200N	Soil		15	8.5	52.0	15.0	137	1.2	47.8	12.3	629	3.93	72.8	0.9	4.1	1.7	8	0.9	3.6	0.2	38	0.06
L-3A 4225	Soil		12	7.0	53.5	15.4	183	0.7	64.4	12.8	411	3.43	44.7	1.7	9.1	3.5	9	1.5	3.4	0.2	37	0.07
L-3A 4250N	Soil		7	7.9	49.5	13.9	193	0.7	65.5	15.4	384	3.60	47.9	0.9	4.9	3.8	12	2.1	3.0	0.2	33	0.09
L-3A 4275	Soil		4	8.9	54.8	12.4	158	0.7	47.7	9.3	500	3.25	36.3	0.8	2.5	2.6	6	0.7	1.7	0.2	44	0.03
L-3A 4300N	Soil		11	10.3	101.4	14.3	234	0.7	79.6	13.7	381	4.03	51.4	1.5	6.3	3.3	7	1.0	2.2	0.3	30	0.04
L-3A 4325	Soil		6	25.1	74.9	20.6	137	0.3	47.6	16.5	783	4.00	57.2	0.5	6.2	2.0	4	0.2	4.1	0.5	18	0.06
L-3A 4350N	Soil		3	6.3	57.5	18.3	259	1.2	50.8	14.6	1005	3.95	40.4	0.7	1.6	2.5	6	1.0	2.1	0.5	40	0.04
L-3A 4375	Soil		3	7.6	35.5	19.8	72	0.4	21.2	5.4	359	2.33	43.4	0.4	1.9	2.0	5	0.2	1.3	0.4	34	0.02
L-3A 4400N	Soil		9	9.1	95.7	22.2	237	0.4	80.3	16.0	1000	4.69	56.2	1.0	1.7	3.0	5	0.6	2.8	0.5	42	0.03
L-3A 4425	Soil		5	9.3	71.5	16.3	127	0.5	45.7	14.4	1217	4.04	51.6	0.7	2.5	1.7	6	0.4	2.5	0.3	44	0.05
L-3A 4450N	Soil		4	6.7	95.0	16.8	222	0.4	54.2	13.8	1032	3.18	34.9	0.7	1.3	3.4	6	0.5	1.7	0.4	43	0.04
L-3A 4475	Soil		3	5.7	56.0	18.6	106	0.2	36.3	8.6	507	3.31	37.3	0.4	1.7	2.1	3	0.2	1.6	0.4	47	0.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 3 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L-3A 3750N	Soil	0.026	13	18	0.05	81	0.025	<1	0.67	0.003	0.02	0.2	0.04	1.0	0.2	0.05	5	2.3	0.2
L-3A 3775	Soil	0.105	11	75	0.09	70	0.012	2	0.53	0.003	0.05	0.2	0.05	2.4	0.2	0.05	4	1.9	0.4
L-3A 3800N	Soil	0.165	14	108	0.04	49	0.010	2	0.35	0.004	0.04	0.2	0.02	3.6	0.1	0.06	4	2.7	<0.2
L-3A 3825	Soil	0.200	15	37	0.10	86	0.005	<1	0.82	0.004	0.05	0.2	0.07	2.2	0.2	0.07	4	2.4	0.3
L-3A 3850N	Soil	0.073	11	74	0.54	81	0.017	<1	1.75	0.005	0.07	0.2	0.09	2.1	0.1	<0.05	4	1.2	<0.2
L-3A 3875	Soil	0.072	10	53	0.19	87	0.014	<1	0.72	0.003	0.06	<0.1	0.05	0.9	0.2	<0.05	5	0.8	<0.2
L-3A 3900N	Soil	0.097	9	81	0.48	137	0.014	1	1.15	0.004	0.05	0.1	0.07	1.9	0.1	<0.05	4	1.9	<0.2
L-3A 3925	Soil	0.068	10	77	0.66	87	0.010	1	1.36	0.004	0.07	0.1	0.07	2.4	<0.1	<0.05	4	1.6	<0.2
L-3A 3950N	Soil	0.092	11	62	0.56	64	0.020	<1	1.04	0.007	0.09	0.1	0.07	2.9	0.1	<0.05	3	2.0	0.3
L-3A 3975	Soil	0.066	11	67	0.60	60	0.020	1	1.16	0.005	0.07	0.2	0.07	3.5	0.1	<0.05	3	2.1	0.3
L-3A 4000N	Soil	0.077	10	90	0.76	71	0.014	<1	1.55	0.006	0.07	0.1	0.10	3.4	0.2	<0.05	4	2.6	<0.2
L-3A 4025	Soil	0.052	9	32	0.11	54	0.012	1	0.35	0.003	0.04	0.1	0.03	0.9	<0.1	<0.05	3	1.2	<0.2
L-3A 4050N	Soil	0.178	7	116	0.38	42	0.030	<1	2.24	0.005	0.04	0.1	0.12	2.3	0.1	<0.05	5	4.3	<0.2
L-3A 4075	Soil	0.125	8	47	0.24	109	0.021	3	0.58	0.011	0.12	0.1	0.06	1.2	<0.1	<0.05	4	2.1	<0.2
L-3A 4100N	Soil	0.109	11	66	0.58	101	0.026	<1	1.20	0.012	0.07	0.2	0.11	4.3	0.2	<0.05	3	2.7	<0.2
L-3A 4125	Soil	0.150	10	68	0.43	46	0.019	<1	1.18	0.003	0.05	0.1	0.07	1.8	0.1	<0.05	3	2.8	<0.2
L-3A 4150N	Soil	0.136	9	75	0.44	81	0.021	<1	1.44	0.004	0.05	0.1	0.10	1.9	0.1	<0.05	3	3.4	<0.2
L-3A 4175	Soil	0.067	9	55	0.20	67	0.041	<1	1.02	0.003	0.03	0.2	0.05	2.0	0.2	<0.05	5	1.4	<0.2
L-3A 4200N	Soil	0.131	9	50	0.34	86	0.019	5	0.99	0.004	0.04	0.1	0.05	1.9	<0.1	<0.05	3	1.3	<0.2
L-3A 4225	Soil	0.088	11	52	0.42	127	0.024	1	1.35	0.004	0.06	0.1	0.10	2.9	0.1	<0.05	3	1.3	<0.2
L-3A 4250N	Soil	0.081	9	50	0.37	77	0.021	<1	1.37	0.003	0.05	0.1	0.08	2.1	0.1	<0.05	3	1.6	<0.2
L-3A 4275	Soil	0.077	10	63	0.59	123	0.012	1	1.32	0.003	0.06	<0.1	0.04	2.4	0.1	<0.05	4	1.1	0.4
L-3A 4300N	Soil	0.052	10	38	0.40	143	0.010	<1	1.55	0.003	0.05	0.1	0.06	2.1	0.2	<0.05	3	2.1	<0.2
L-3A 4325	Soil	0.067	16	11	0.04	48	0.006	<1	0.39	0.002	0.04	0.2	0.03	1.4	0.2	<0.05	2	1.0	1.0
L-3A 4350N	Soil	0.135	9	38	0.26	103	0.018	<1	1.66	0.004	0.06	0.1	0.09	2.5	0.1	<0.05	6	0.6	<0.2
L-3A 4375	Soil	0.035	12	19	0.09	69	0.009	<1	0.78	0.005	0.03	0.1	0.04	1.7	0.1	<0.05	4	1.6	0.3
L-3A 4400N	Soil	0.057	11	44	0.24	128	0.008	<1	1.58	0.004	0.04	0.1	0.06	3.4	0.1	<0.05	5	1.2	<0.2
L-3A 4425	Soil	0.089	10	47	0.31	79	0.014	1	1.19	0.003	0.05	0.1	0.05	1.9	0.1	<0.05	4	2.0	0.3
L-3A 4450N	Soil	0.060	12	43	0.34	91	0.017	1	1.45	0.003	0.04	0.1	0.07	2.4	<0.1	<0.05	5	1.4	0.3
L-3A 4475	Soil	0.058	12	36	0.27	73	0.008	<1	1.11	0.002	0.03	0.1	0.02	2.2	0.1	<0.05	5	0.6	0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 4 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	
L-3A 4500N	Soil			3	6.8	108.0	24.9	189	0.3	85.5	16.3	815	4.34	58.6	0.8	2.4	3.4	5	0.3	1.5	0.5	53	0.04
L-3A 4525	Soil			6	8.3	92.0	28.6	156	0.8	69.0	23.6	2781	3.51	63.5	0.9	5.8	1.2	13	0.9	1.8	0.4	35	0.13
L-3A 4550N	Soil			3	4.3	63.2	18.5	172	0.4	45.5	12.3	1804	3.11	38.9	0.5	<0.5	1.9	13	0.6	1.0	0.4	38	0.13
L-3A 4575	Soil			8	5.1	46.8	17.6	85	0.2	30.2	8.1	880	2.63	39.5	0.4	1.7	1.9	6	0.4	1.4	0.3	41	0.06
L-3A 4600N	Soil			<2	3.2	19.5	11.0	64	0.1	21.0	5.9	406	1.76	22.4	0.4	3.5	2.0	10	0.3	0.6	0.2	40	0.08
L-3A 4625	Soil			3	5.4	126.4	16.7	185	0.4	112.8	24.0	1257	5.20	141.7	0.9	2.2	1.9	11	0.7	1.5	0.3	58	0.09
L-3A 4650N	Soil			9	19.3	69.4	55.8	146	0.7	38.0	11.4	927	6.02	100.1	2.7	5.1	0.6	51	3.1	4.1	0.5	48	0.50
L-3A 4675	Soil			7	28.6	98.6	45.7	243	0.4	87.4	24.4	1812	6.41	149.9	1.8	5.3	0.9	25	1.8	7.5	0.5	38	0.31
L-3A 4700N	Soil			15	28.7	61.0	34.9	170	0.6	43.1	7.9	203	4.88	120.9	1.0	11.2	0.9	12	2.3	9.4	0.5	52	0.10
L-3A 4725	Soil			91	69.5	313.8	38.4	479	1.6	172.5	30.5	1319	13.45	317.4	3.6	52.9	5.1	3	3.0	20.2	0.4	41	0.03
L-3A 4750N	Soil			44	56.1	98.4	40.5	370	1.1	111.5	21.4	846	6.72	213.0	2.1	26.1	2.2	11	2.5	15.7	0.4	33	0.13
L-3A 4775	Soil			25	15.9	89.5	25.1	237	1.0	117.4	21.7	1019	4.83	88.9	1.9	20.6	2.1	13	3.1	4.5	0.3	37	0.16
L-3A 4800N	Soil			8	30.0	82.8	40.5	229	0.9	62.8	14.2	773	6.76	134.6	1.4	7.1	0.9	8	1.6	8.4	0.4	47	0.05
L-3A 4825	Soil			7	46.4	74.7	55.3	307	0.4	97.9	36.5	2410	8.28	175.1	1.3	5.5	1.2	10	2.8	13.2	0.4	38	0.16
L-3A 4850N	Soil			3	18.7	54.9	28.6	134	0.4	47.3	14.2	1369	5.31	92.2	1.2	3.7	0.6	9	1.1	3.8	0.3	50	0.09
L-3A 4875	Soil			11	13.3	71.1	23.1	159	0.8	80.9	21.4	1611	3.97	78.8	1.4	11.8	1.7	12	1.8	2.8	0.3	42	0.12
L-3A 4900N	Soil			8	9.6	33.9	12.7	93	0.7	36.4	9.1	504	3.00	44.4	0.7	3.4	0.8	7	1.2	1.7	0.2	39	0.06
L-3A 4925	Soil			18	28.7	73.2	20.7	154	0.9	53.9	9.8	738	4.98	94.3	1.6	15.9	1.5	5	0.7	6.9	0.3	38	0.04
L-3A 4950N	Soil			30	25.8	110.6	28.7	281	0.6	102.4	34.1	2321	6.91	109.7	2.8	23.3	1.7	9	1.6	6.7	0.3	37	0.07
L-3A 4975	Soil			12	20.7	72.2	21.1	203	0.6	66.9	19.8	1443	4.52	83.7	1.8	12.3	0.7	10	1.4	4.9	0.3	36	0.11
L-3A 5000N	Soil			40	28.6	81.5	34.9	198	2.2	82.4	18.9	1822	5.71	100.6	2.3	28.0	1.0	28	3.9	6.4	0.4	32	0.59
L-3A 5025	Soil			63	56.2	195.6	25.1	197	2.4	74.1	18.0	1556	7.38	165.6	1.8	35.8	1.4	10	2.6	8.2	0.3	23	0.14
L-3A 5050N	Soil			9	14.8	57.9	16.1	171	1.0	65.5	14.3	641	4.28	71.7	1.2	16.6	2.1	5	1.0	2.4	0.3	42	0.04
L-3A 5075	Soil			66	51.7	58.3	47.4	292	1.8	77.4	19.5	992	5.22	103.1	1.2	63.9	1.3	7	1.3	10.4	0.4	30	0.03
L-3A 5100N	Soil			34	19.8	58.3	18.6	212	2.4	50.3	9.6	375	4.20	58.2	1.0	33.0	2.2	5	1.3	4.0	0.2	46	0.05
L-3A 5125	Soil			25	39.7	60.6	52.9	151	1.1	50.5	10.9	629	5.68	103.4	1.4	17.9	1.1	8	1.2	9.5	0.4	36	0.04
L-3A 5150N	Soil			40	50.1	20.0	64.3	95	0.6	21.4	4.2	115	2.74	98.9	0.5	33.1	2.6	9	0.3	8.7	0.3	27	0.02
L-3A 5175	Soil			4	10.8	28.1	10.5	73	0.4	17.8	4.9	717	2.65	32.1	0.4	2.9	0.8	8	0.3	1.7	0.3	53	0.12
L-3A 5200N	Soil			36	30.8	96.2	18.4	253	0.7	108.1	17.0	550	5.97	75.8	1.7	27.0	1.9	6	1.6	3.9	0.3	38	0.03
L-3A 5225	Soil			14	24.7	51.0	12.8	131	0.9	38.7	8.5	489	3.11	56.7	0.7	8.9	0.5	10	1.0	3.0	0.2	49	0.14



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 4 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-3A 4500N	Soil			0.093	11	89	0.57	117	0.011	1	1.92	0.004	0.06	0.1	0.06	3.5	0.1	<0.05	6	1.5	<0.2
L-3A 4525	Soil			0.080	9	51	0.41	135	0.009	<1	1.16	0.003	0.06	<0.1	0.06	2.3	0.1	<0.05	4	1.3	0.3
L-3A 4550N	Soil			0.128	10	38	0.43	127	0.013	<1	1.52	0.001	0.05	<0.1	0.05	2.4	0.2	<0.05	5	1.2	<0.2
L-3A 4575	Soil			0.073	11	34	0.33	58	0.010	1	0.88	0.004	0.05	0.1	0.03	1.6	<0.1	<0.05	5	0.9	<0.2
L-3A 4600N	Soil			0.051	13	37	0.23	77	0.025	1	0.80	0.004	0.04	0.1	0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
L-3A 4625	Soil			0.067	8	104	0.69	108	0.006	<1	1.75	0.005	0.04	0.1	0.06	6.3	<0.1	<0.05	5	1.5	<0.2
L-3A 4650N	Soil			0.158	9	35	0.11	113	0.024	1	0.92	0.004	0.06	0.1	0.09	1.3	0.2	0.06	6	2.7	0.5
L-3A 4675	Soil			0.101	9	59	0.22	63	0.007	1	0.68	0.003	0.04	0.2	0.03	1.8	0.3	<0.05	4	4.3	0.3
L-3A 4700N	Soil			0.075	10	23	0.05	94	0.008	2	0.70	0.004	0.04	0.2	0.05	1.3	0.4	<0.05	4	2.4	0.4
L-3A 4725	Soil			0.224	6	63	0.48	71	0.002	<1	1.96	0.004	0.03	0.3	0.19	4.4	0.7	<0.05	4	13.2	0.6
L-3A 4750N	Soil			0.126	9	40	0.26	106	0.004	1	0.89	0.009	0.05	0.2	0.17	2.4	0.5	<0.05	3	7.8	0.4
L-3A 4775	Soil			0.072	10	50	0.48	98	0.014	<1	1.59	0.003	0.06	0.1	0.15	2.5	0.3	<0.05	4	3.3	<0.2
L-3A 4800N	Soil			0.176	8	43	0.11	56	0.012	<1	0.78	0.003	0.03	0.2	0.05	1.0	0.3	<0.05	4	4.3	<0.2
L-3A 4825	Soil			0.127	6	22	0.04	44	0.009	1	0.48	0.003	0.04	0.2	0.03	1.5	0.3	<0.05	3	4.7	<0.2
L-3A 4850N	Soil			0.239	8	67	0.15	56	0.011	<1	0.72	0.003	0.04	0.1	0.04	0.8	0.2	<0.05	5	2.4	0.2
L-3A 4875	Soil			0.068	11	68	0.63	111	0.013	<1	1.19	0.008	0.06	0.1	0.06	2.4	0.2	<0.05	4	1.5	<0.2
L-3A 4900N	Soil			0.080	9	66	0.47	121	0.011	<1	0.90	0.005	0.05	0.1	0.04	1.2	0.1	<0.05	3	1.2	<0.2
L-3A 4925	Soil			0.084	11	44	0.15	67	0.007	<1	0.69	0.002	0.06	0.2	0.05	1.3	0.3	<0.05	3	3.3	<0.2
L-3A 4950N	Soil			0.119	9	66	0.29	92	0.007	<1	1.58	0.003	0.08	0.2	0.09	1.9	0.5	<0.05	3	6.5	0.5
L-3A 4975	Soil			0.136	10	37	0.18	63	0.010	<1	0.71	0.002	0.07	0.1	0.06	1.0	0.2	<0.05	3	3.5	0.4
L-3A 5000N	Soil			0.093	8	35	0.13	60	0.011	1	0.70	0.003	0.05	0.2	0.10	1.3	0.4	<0.05	3	3.1	<0.2
L-3A 5025	Soil			0.150	6	23	0.05	124	0.007	<1	0.72	0.002	0.05	0.3	0.09	1.6	0.5	<0.05	2	7.2	0.3
L-3A 5050N	Soil			0.138	10	70	0.54	74	0.010	<1	1.33	0.003	0.05	0.2	0.04	1.8	0.2	<0.05	4	2.5	<0.2
L-3A 5075	Soil			0.112	11	26	0.12	88	0.006	<1	0.74	0.003	0.05	0.3	0.04	1.1	0.4	<0.05	2	3.9	<0.2
L-3A 5100N	Soil			0.069	9	37	0.15	103	0.007	<1	1.20	0.003	0.06	0.2	0.10	1.5	0.4	<0.05	4	1.3	<0.2
L-3A 5125	Soil			0.147	8	22	0.06	74	0.009	1	0.55	0.003	0.04	0.2	0.04	1.0	0.2	<0.05	3	7.0	0.3
L-3A 5150N	Soil			0.086	11	15	0.06	61	0.017	<1	0.40	0.003	0.04	0.2	0.04	0.7	0.2	<0.05	3	6.6	0.4
L-3A 5175	Soil			0.056	12	25	0.09	80	0.015	<1	0.68	0.002	0.03	0.1	0.01	1.0	0.3	<0.05	5	1.0	<0.2
L-3A 5200N	Soil			0.127	9	51	0.18	94	0.006	<1	1.15	0.003	0.05	0.2	0.08	2.3	0.3	<0.05	3	4.5	<0.2
L-3A 5225	Soil			0.072	10	21	0.08	75	0.019	<1	0.50	0.003	0.05	0.2	0.04	0.9	0.2	<0.05	4	2.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 5 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L-3A 5250N	Soil	163	88.7	42.4	41.0	377	0.8	88.5	15.9	225	5.38	68.5	0.7	113.0	1.7	3	0.4	13.5	0.4	24	0.02
L-3A 5275	Soil	9	15.9	92.1	31.7	296	2.9	92.0	22.6	>10000	4.04	37.8	3.5	3.5	0.8	65	5.9	2.2	0.4	32	1.57
L-3A 5300N	Soil	16	14.2	106.1	26.3	191	0.4	95.3	24.4	2173	4.14	59.2	1.5	9.2	3.6	12	1.4	2.8	0.3	39	0.09
L-3B 3000	Soil	8	5.4	109.0	13.8	144	2.6	56.6	24.5	1620	3.93	30.4	1.7	3.3	0.5	33	3.3	2.3	0.2	60	0.49
L-3B 3025	Soil	4	4.9	52.0	10.4	83	0.8	31.7	15.3	837	3.02	23.7	0.9	6.4	0.5	27	1.5	1.7	0.2	54	0.35
L-3B 3050	Soil	6	4.0	32.6	8.1	63	0.5	23.5	6.7	261	3.51	19.4	0.6	1.8	0.9	22	0.6	1.1	0.2	55	0.23
L-3B 3075	Soil	4	4.5	31.7	9.4	79	0.3	26.6	7.9	327	3.09	21.4	0.6	3.1	1.1	11	0.6	1.6	0.2	48	0.09
L-3B 3100	Soil	3	2.7	33.1	10.0	107	0.4	29.1	13.9	921	3.84	19.9	0.4	1.2	0.9	12	0.8	0.8	0.2	88	0.07
L-3B 3125	Soil	<2	4.5	37.6	12.0	148	1.2	29.3	7.7	492	4.18	34.4	0.6	1.6	1.2	14	1.2	4.4	0.2	75	0.12
L-3B 3150	Soil	3	8.0	65.5	15.4	149	1.2	30.9	11.7	457	4.17	23.7	1.8	2.4	1.8	12	1.7	1.4	0.3	65	0.10
L-3B 3175	Soil	2	7.1	50.3	11.5	76	0.2	31.9	9.7	405	3.82	27.5	0.9	2.7	1.5	12	0.3	1.5	0.2	60	0.08
L-3B 3200	Soil	5	10.1	88.7	14.5	135	1.5	49.6	19.3	1712	3.80	30.2	3.5	2.1	0.5	56	2.6	2.1	0.2	52	0.87
L-3B 3225	Soil	<2	5.8	40.4	14.0	64	0.7	23.4	10.6	674	2.59	19.1	0.6	2.7	0.6	20	0.6	1.3	0.2	54	0.24
L-3B 3250	Soil	3	5.8	45.3	11.2	82	1.1	30.9	17.4	906	3.32	24.7	1.0	2.7	0.7	15	0.7	1.5	0.2	45	0.19
L-3B 3275	Soil	4	2.4	43.0	10.0	191	0.5	32.5	10.7	1111	2.69	10.2	1.1	1.1	1.3	81	0.5	1.0	0.1	46	0.92
L-3B 3300	Soil	3	9.9	35.2	10.8	86	0.6	33.0	10.3	430	3.43	33.4	1.2	1.6	0.6	15	0.7	1.3	0.2	51	0.18
L-3B 3325	Soil	11	9.3	53.2	13.3	117	0.4	49.1	17.4	861	3.31	44.0	0.9	9.0	1.9	13	0.8	2.6	0.2	40	0.14
L-3B 3350	Soil	4	6.3	34.2	10.7	102	0.7	38.5	12.4	883	3.10	31.1	0.7	3.6	1.1	9	0.8	1.6	0.2	42	0.08
L-3B 3375	Soil	2	7.1	26.2	10.8	103	0.7	25.3	10.9	925	3.21	39.7	0.6	1.3	0.6	10	1.0	1.3	0.2	44	0.10
L-3B 3400	Soil	3	11.5	28.3	11.3	96	0.7	30.5	8.6	712	2.84	48.7	0.4	1.4	0.5	7	0.6	2.5	0.3	47	0.06
L-3B 3425	Soil	8	15.4	67.4	14.0	199	0.5	54.6	14.2	594	4.42	88.6	1.0	10.6	1.2	8	1.8	3.7	0.2	43	0.05
L-3B 3450N	Soil	3	17.2	64.7	15.0	176	0.7	47.5	7.8	280	4.51	104.5	0.8	2.6	0.9	11	1.1	2.1	0.3	53	0.11
L-3B 3475	Soil	7	20.5	96.7	15.0	204	0.3	185.0	24.4	714	6.41	230.3	0.9	5.8	0.4	30	1.4	2.6	0.3	70	0.48
L-3B 3500N	Soil	15	5.3	185.6	25.5	154	0.1	113.1	19.7	3432	4.41	80.3	1.5	13.5	1.1	16	0.4	2.2	0.4	63	0.07
L-3B 3525	Soil	119	31.4	72.5	23.5	213	0.8	58.9	12.2	574	5.00	109.1	1.3	99.9	1.0	10	0.8	10.8	0.3	33	0.08
L-3B 3550N	Soil	37	26.6	98.4	24.6	276	1.3	78.8	38.0	1551	5.70	76.6	2.3	25.4	0.9	32	3.0	8.2	0.3	60	0.33
L-3B 3575	Soil	50	42.7	49.9	15.1	98	0.7	21.7	4.4	63	3.38	87.0	0.7	36.5	1.1	8	0.4	16.3	0.3	41	0.04
L-3B 3600N	Soil	76	43.2	117.9	31.7	391	1.7	127.1	25.7	345	7.23	224.0	2.1	44.4	3.5	8	1.7	7.5	0.3	35	0.03
L-3B 3625	Soil	7	37.7	101.3	13.1	252	1.2	149.4	29.0	1549	8.19	377.6	1.7	5.6	1.2	12	1.5	11.5	0.3	92	0.04
L-3B 3650N	Soil	2	14.0	90.2	14.0	244	1.9	188.6	52.0	3654	8.63	255.7	1.0	2.3	0.7	18	3.1	3.8	0.3	148	0.14



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 5 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-3A 5250N	Soil			0.077	12	6	0.02	55	0.003	1	0.45	0.002	0.04	0.3	0.03	0.9	0.3	<0.05	2	6.2	0.5
L-3A 5275	Soil			0.109	7	60	0.34	212	0.016	2	1.84	0.006	0.10	0.1	0.23	2.6	0.3	0.05	4	1.8	0.2
L-3A 5300N	Soil			0.074	14	69	0.61	129	0.020	1	1.36	0.005	0.11	0.1	0.05	3.8	0.1	<0.05	4	2.4	<0.2
L-3B 3000	Soil			0.104	17	68	0.64	136	0.033	1	2.14	0.007	0.12	<0.1	0.13	3.1	0.1	<0.05	6	1.6	<0.2
L-3B 3025	Soil			0.058	11	43	0.40	85	0.038	<1	1.33	0.006	0.08	<0.1	0.05	1.8	<0.1	<0.05	5	1.2	<0.2
L-3B 3050	Soil			0.031	10	40	0.41	102	0.064	<1	1.30	0.007	0.05	0.1	0.06	1.6	<0.1	<0.05	5	0.9	<0.2
L-3B 3075	Soil			0.031	11	44	0.38	75	0.038	<1	1.36	0.004	0.06	<0.1	0.07	1.3	<0.1	<0.05	5	1.3	<0.2
L-3B 3100	Soil			0.033	10	78	0.71	177	0.055	<1	2.03	0.006	0.09	0.1	0.03	3.6	0.2	<0.05	7	0.7	<0.2
L-3B 3125	Soil			0.044	11	45	0.39	138	0.045	1	1.75	0.004	0.08	0.2	0.06	2.0	<0.1	<0.05	7	2.3	<0.2
L-3B 3150	Soil			0.044	12	41	0.37	132	0.034	<1	1.81	0.004	0.09	0.1	0.08	2.1	<0.1	<0.05	7	1.9	<0.2
L-3B 3175	Soil			0.045	12	47	0.56	69	0.054	<1	1.37	0.004	0.07	0.1	0.04	1.8	<0.1	<0.05	5	2.1	<0.2
L-3B 3200	Soil			0.156	15	54	0.47	201	0.019	1	1.98	0.009	0.15	0.1	0.10	1.7	0.1	0.06	6	3.2	<0.2
L-3B 3225	Soil			0.055	13	38	0.31	124	0.045	1	0.99	0.006	0.08	<0.1	0.06	1.4	<0.1	<0.05	5	0.9	<0.2
L-3B 3250	Soil			0.058	11	45	0.51	84	0.032	<1	1.54	0.004	0.09	<0.1	0.07	1.4	<0.1	<0.05	5	1.7	<0.2
L-3B 3275	Soil			0.252	10	47	0.58	270	0.042	9	1.70	0.064	0.46	0.1	0.06	3.0	0.1	0.06	5	1.1	<0.2
L-3B 3300	Soil			0.052	13	55	0.46	120	0.022	<1	1.49	0.003	0.08	<0.1	0.07	1.6	<0.1	<0.05	5	1.2	<0.2
L-3B 3325	Soil			0.061	13	52	0.55	113	0.029	<1	1.35	0.004	0.12	0.1	0.07	2.3	0.1	<0.05	4	1.6	0.3
L-3B 3350	Soil			0.063	12	50	0.48	129	0.020	1	1.30	0.004	0.09	<0.1	0.05	1.6	0.1	<0.05	4	1.0	<0.2
L-3B 3375	Soil			0.075	9	41	0.32	146	0.019	2	1.05	0.007	0.07	0.1	0.05	1.0	<0.1	<0.05	4	1.0	<0.2
L-3B 3400	Soil			0.060	8	31	0.14	92	0.020	1	0.57	0.005	0.05	0.1	0.04	1.0	0.2	<0.05	4	0.8	<0.2
L-3B 3425	Soil			0.133	9	51	0.44	80	0.016	4	1.47	0.004	0.05	0.1	0.08	1.9	0.1	<0.05	4	1.8	<0.2
L-3B 3450N	Soil			0.050	9	39	0.21	112	0.038	<1	1.02	0.004	0.03	0.1	0.06	1.4	0.1	<0.05	5	1.6	<0.2
L-3B 3475	Soil			0.074	4	55	0.14	52	0.007	1	0.48	0.003	0.03	0.3	0.05	2.2	<0.1	<0.05	3	3.8	0.7
L-3B 3500N	Soil			0.083	13	51	0.57	63	0.012	1	1.76	0.004	0.09	0.1	0.12	2.7	<0.1	<0.05	4	2.6	<0.2
L-3B 3525	Soil			0.071	8	26	0.16	78	0.008	2	0.85	0.002	0.04	0.2	0.21	1.3	0.4	<0.05	2	4.9	0.3
L-3B 3550N	Soil			0.079	9	45	0.23	199	0.013	1	1.45	0.004	0.06	0.2	0.18	2.2	0.9	<0.05	5	4.6	<0.2
L-3B 3575	Soil			0.053	5	11	0.02	38	0.008	1	0.34	0.002	0.02	0.2	0.08	0.9	0.5	<0.05	3	7.9	<0.2
L-3B 3600N	Soil			0.151	13	26	0.21	71	0.005	<1	1.28	0.003	0.06	0.3	0.20	2.3	0.4	<0.05	3	9.6	<0.2
L-3B 3625	Soil			0.135	6	179	0.05	88	0.004	<1	0.85	0.001	0.03	0.3	0.12	6.0	0.3	<0.05	3	2.5	<0.2
L-3B 3650N	Soil			0.233	6	285	0.62	140	0.024	1	1.42	0.003	0.04	0.2	0.09	6.0	0.1	<0.05	7	1.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 6 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method Analyte	Unit	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L-3B 3675	Soil	4	49.9	77.9	35.9	271	0.6	68.4	14.0	306	6.33	277.6	1.5	2.7	2.5	45	2.0	7.7	0.5	77	0.04
L-3B 3700N	Soil	9	10.0	143.1	13.6	164	1.1	318.9	77.3	2775	11.18	338.0	1.1	0.6	0.3	11	2.2	8.2	0.2	188	0.03
L-3B 3725	Soil	2	20.7	113.7	22.4	185	1.0	126.5	19.8	1205	6.63	172.1	1.0	1.8	0.6	12	1.3	3.5	0.3	118	0.13
L-3B 3750N	Soil	14	22.7	176.9	38.1	300	1.2	472.4	79.9	2212	12.85	562.2	1.5	13.9	1.7	9	2.9	8.6	0.3	151	0.03
L-3B 3775	Soil	2	7.9	30.6	11.6	69	1.4	36.5	7.7	423	3.23	71.9	0.5	1.2	1.7	9	0.8	6.3	0.2	56	0.05
L-3B 3825	Soil	2	26.1	100.2	10.4	190	0.5	302.5	34.5	608	9.24	502.4	1.9	1.5	1.8	36	0.7	22.8	0.3	164	0.11
L-3B 3850N	Soil	4	49.7	74.3	34.5	220	0.4	137.9	26.1	920	8.78	185.3	1.5	1.3	2.9	22	2.7	8.7	0.4	110	0.07
L-3B 3875	Soil	<2	13.5	57.8	21.0	140	1.2	204.8	53.7	3163	7.42	142.9	0.8	1.1	0.4	11	2.1	2.1	0.3	161	0.06
L-3B 3900N	Soil	11	16.3	73.1	18.6	140	0.4	58.8	10.8	403	5.40	80.7	1.0	8.4	2.8	6	0.6	6.7	0.3	51	0.02
L-3B 3925	Soil	5	16.5	56.9	17.4	122	1.0	53.8	13.1	749	4.84	71.8	0.8	2.3	0.5	9	0.8	3.9	0.2	71	0.07
L-3B 3950N	Soil	5	15.5	79.9	20.4	130	1.5	55.6	13.5	717	5.22	70.5	1.2	3.7	1.2	4	1.4	2.6	0.3	96	0.02
L-3B 3975	Soil	6	14.9	63.2	19.5	130	1.5	55.9	14.9	851	4.52	60.0	0.8	16.2	1.0	5	0.8	2.9	0.2	61	0.03
L-3B 4000N	Soil	16	19.9	130.9	23.6	178	0.7	97.9	26.9	1114	5.43	76.8	1.7	10.0	2.6	6	1.1	3.6	0.3	74	0.02
L-3B 4025	Soil	4	13.9	64.8	25.3	130	0.6	52.2	16.8	1269	6.83	83.2	1.1	2.0	0.8	5	0.8	3.0	0.3	65	0.04
L-3B 4050N	Soil	5	9.1	41.9	17.6	76	1.5	26.2	6.2	268	3.36	37.4	0.7	2.2	0.7	5	0.7	1.9	0.3	50	0.03
L-3B 4075	Soil	9	13.6	67.4	17.4	131	0.9	64.7	18.1	830	3.60	51.2	1.2	6.5	2.0	9	0.7	2.9	0.2	45	0.08
L-3B 4100N	Soil	3	10.0	38.5	18.3	81	0.7	28.3	7.6	532	3.51	41.7	0.8	2.9	0.7	8	0.7	2.0	0.3	57	0.05
L-3B 4125	Soil	8	12.0	58.4	16.7	129	0.2	57.9	18.4	785	3.55	48.7	1.1	4.9	2.7	8	0.7	2.8	0.3	47	0.06
L-3B 4150N	Soil	6	13.0	94.1	25.3	138	1.6	59.9	19.6	1733	5.41	59.9	1.7	5.1	0.9	12	1.1	3.3	0.3	66	0.11
L-3B 4175	Soil	7	12.4	71.5	17.9	115	1.0	50.5	16.7	1515	4.10	61.6	1.1	5.1	0.7	8	0.8	3.5	0.2	58	0.06
L-3B 4200N	Soil	13	12.9	67.4	21.2	132	0.7	63.3	22.6	1291	3.94	63.4	1.3	7.9	2.7	26	0.9	3.4	0.2	42	0.30
L-3B 4225	Soil	18	13.5	64.1	19.8	140	0.5	63.9	22.8	1657	4.49	76.0	1.8	10.9	1.3	10	0.4	4.2	0.2	46	0.08
L-3B 4250N	Soil	15	17.9	84.7	21.2	178	0.7	77.6	22.8	1142	4.34	73.1	1.8	11.9	2.7	20	1.5	4.8	0.3	44	0.18
L-3B 4275	Soil	12	8.9	72.9	15.7	140	0.8	62.0	17.5	789	3.27	42.2	1.3	9.6	3.8	19	1.3	2.9	0.3	35	0.19
L-3B 4300N	Soil	10	10.0	57.9	15.2	106	0.6	63.2	15.4	713	3.44	52.4	1.0	10.7	2.4	6	0.7	3.2	0.2	41	0.04
L-3B 4325	Soil	11	10.5	65.1	15.0	113	0.3	59.2	14.9	801	3.32	52.6	1.2	8.6	1.9	6	0.6	3.5	0.2	36	0.05
L-3B 4350N	Soil	12	7.2	53.8	14.0	136	1.2	60.7	16.1	846	3.21	48.6	1.3	9.7	4.2	5	1.0	2.8	0.2	37	0.03
L-3B 4375	Soil	8	8.8	39.8	11.7	114	0.6	39.4	12.3	401	3.19	29.4	0.6	7.2	2.6	6	0.6	1.5	0.2	57	0.03
L-3B 4400N	Soil	5	7.7	33.2	10.1	141	0.6	48.1	11.3	760	3.12	34.4	0.7	3.8	2.6	5	0.6	1.9	0.2	48	0.03
L-3B 4425	Soil	9	7.0	73.6	15.7	144	0.5	88.0	15.2	461	3.38	33.9	0.9	7.5	4.8	6	0.5	1.8	0.3	39	0.05



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 6 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L-3B 3675	Soil	0.137	16	40	0.04	100	0.009	2	0.60	0.002	0.04	0.4	0.04	1.8	0.3	<0.05	3	4.2	0.5
L-3B 3700N	Soil	0.178	4	413	0.28	78	0.006	1	1.04	0.003	0.01	0.1	0.08	8.5	<0.1	<0.05	4	1.7	<0.2
L-3B 3725	Soil	0.247	10	210	0.68	109	0.008	<1	1.22	0.002	0.05	0.2	0.06	2.2	0.1	<0.05	6	1.8	<0.2
L-3B 3750N	Soil	0.166	6	409	1.04	84	0.006	<1	1.78	0.003	0.05	0.2	0.10	14.2	0.2	<0.05	5	2.7	<0.2
L-3B 3775	Soil	0.089	12	34	0.10	114	0.049	1	0.52	0.003	0.05	0.1	0.04	1.9	0.1	<0.05	4	1.2	<0.2
L-3B 3825	Soil	0.145	9	256	0.12	108	0.001	1	0.75	0.002	0.02	0.2	0.02	9.8	<0.1	<0.05	3	2.0	<0.2
L-3B 3850N	Soil	0.143	7	93	0.10	110	0.012	1	0.57	0.002	0.03	0.3	0.04	3.8	0.1	<0.05	4	3.5	<0.2
L-3B 3875	Soil	0.169	5	401	0.95	119	0.016	<1	1.32	0.002	0.03	0.2	0.07	8.5	<0.1	<0.05	7	0.9	<0.2
L-3B 3900N	Soil	0.113	11	90	0.58	110	0.007	<1	1.45	0.003	0.04	0.1	0.06	2.7	0.2	<0.05	4	2.2	0.2
L-3B 3925	Soil	0.109	10	93	0.62	77	0.009	<1	1.40	0.003	0.06	0.1	0.06	1.7	0.2	<0.05	5	1.6	<0.2
L-3B 3950N	Soil	0.114	11	121	0.70	92	0.016	<1	1.77	0.001	0.04	0.2	0.10	3.1	0.2	<0.05	6	2.0	0.2
L-3B 3975	Soil	0.130	12	102	0.83	66	0.018	1	1.35	0.003	0.08	0.2	0.03	2.0	0.1	<0.05	4	2.1	0.5
L-3B 4000N	Soil	0.069	13	134	1.21	103	0.015	<1	2.13	0.005	0.09	0.2	0.10	3.8	0.2	<0.05	5	3.8	<0.2
L-3B 4025	Soil	0.292	12	109	0.60	51	0.019	<1	1.23	0.003	0.06	0.2	0.06	1.3	0.1	<0.05	5	2.7	<0.2
L-3B 4050N	Soil	0.295	13	50	0.14	45	0.034	<1	0.54	0.003	0.05	0.1	0.03	0.8	0.1	<0.05	5	1.4	<0.2
L-3B 4075	Soil	0.090	14	76	0.71	76	0.033	1	1.29	0.004	0.09	0.1	0.07	2.2	0.2	<0.05	3	1.9	<0.2
L-3B 4100N	Soil	0.260	14	58	0.29	47	0.036	<1	0.78	0.003	0.07	0.1	0.05	1.2	0.1	<0.05	5	1.7	<0.2
L-3B 4125	Soil	0.046	15	77	0.80	69	0.029	<1	1.21	0.004	0.07	0.1	0.03	2.3	0.1	<0.05	3	1.8	<0.2
L-3B 4150N	Soil	0.289	10	83	0.40	104	0.034	1	1.72	0.005	0.12	0.2	0.11	2.1	0.2	<0.05	6	2.6	<0.2
L-3B 4175	Soil	0.142	11	73	0.30	66	0.027	1	1.06	0.003	0.06	0.1	0.09	1.8	0.1	<0.05	4	2.0	<0.2
L-3B 4200N	Soil	0.077	11	64	0.68	76	0.026	2	1.10	0.005	0.09	0.1	0.10	2.9	0.1	<0.05	3	2.3	<0.2
L-3B 4225	Soil	0.090	10	74	0.57	65	0.015	2	1.35	0.004	0.07	0.1	0.08	2.4	0.2	<0.05	4	3.6	<0.2
L-3B 4250N	Soil	0.068	15	76	0.74	67	0.019	<1	1.30	0.008	0.06	0.1	0.06	3.3	0.1	<0.05	3	2.5	0.3
L-3B 4275	Soil	0.056	15	48	0.56	97	0.037	<1	1.14	0.007	0.10	0.1	0.04	2.9	0.1	<0.05	3	1.9	<0.2
L-3B 4300N	Soil	0.070	10	59	0.43	63	0.026	<1	1.32	0.003	0.06	0.2	0.09	2.1	0.1	<0.05	3	2.9	<0.2
L-3B 4325	Soil	0.067	9	53	0.46	66	0.016	<1	1.09	0.002	0.06	0.1	0.05	2.0	0.1	<0.05	3	1.6	<0.2
L-3B 4350N	Soil	0.063	10	56	0.41	64	0.034	<1	1.20	0.006	0.05	0.2	0.09	3.0	0.1	<0.05	3	1.7	<0.2
L-3B 4375	Soil	0.061	9	64	0.41	161	0.014	<1	1.64	0.003	0.05	0.1	0.13	2.6	0.2	<0.05	5	1.3	<0.2
L-3B 4400N	Soil	0.053	9	62	0.37	138	0.021	<1	1.61	0.003	0.04	0.2	0.08	2.4	0.2	<0.05	4	1.2	<0.2
L-3B 4425	Soil	0.065	10	60	0.53	113	0.026	<1	2.12	0.010	0.09	0.2	0.12	2.5	0.1	<0.05	4	1.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 7 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method Analyte	Unit	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
L-3B 4450N	Soil	10	4.8	156.1	54.1	284	0.5	130.0	27.6	976	4.17	44.6	1.9	3.0	3.1	5	0.7	2.2	0.8	30	0.04
L-3B 4475	Soil	5	10.1	87.0	25.8	164	0.4	60.4	13.7	528	4.67	71.6	0.9	5.4	2.8	7	0.4	2.0	0.3	46	0.06
L-3B 4500N	Soil	<2	3.8	46.4	27.3	160	0.4	36.4	14.4	1449	2.37	25.5	0.5	1.9	2.1	14	0.2	0.8	0.3	40	0.17
L-3B 4525	Soil	<2	2.6	32.2	19.9	61	0.5	15.3	6.2	2346	1.71	17.5	0.4	1.9	1.5	13	0.2	0.4	0.3	39	0.14
L-3B 4550N	Soil	15	4.8	39.6	29.9	63	0.9	21.8	7.6	2033	2.33	28.8	0.4	2.2	1.8	5	0.3	0.8	0.4	53	0.03
L-3B 4575	Soil	7	8.8	56.1	15.9	183	0.6	74.2	18.4	1179	4.38	48.8	0.7	4.5	3.1	9	0.4	1.9	0.3	56	0.07
L-3B 4600N	Soil	<2	6.4	237.7	25.3	154	0.4	101.8	18.3	2925	7.98	133.7	2.3	3.5	1.8	13	0.4	2.0	0.6	131	0.12
L-3B 4625	Soil	25	19.3	90.2	24.2	262	1.9	103.7	15.8	1951	4.61	106.1	1.1	26.1	2.8	9	2.1	4.3	0.3	50	0.07
L-3B 4650N	Soil	18	23.1	55.8	34.3	155	3.3	34.3	9.3	700	5.38	108.7	0.8	28.7	1.9	10	1.8	4.4	0.4	50	0.06
L-3B 4675	Soil	28	78.7	180.4	40.0	425	2.8	143.7	28.3	1059	9.92	280.9	3.0	18.0	2.8	4	2.3	14.7	0.4	44	0.03
L-3B 4700N	Soil	6	12.9	61.9	19.6	231	1.5	60.5	16.0	1717	3.96	68.9	1.0	6.0	1.8	11	3.0	2.9	0.3	44	0.16
L-3B 4725	Soil	22	40.1	124.4	37.6	347	0.6	116.1	33.2	2240	7.07	158.2	2.4	19.2	1.6	10	2.8	10.8	0.4	33	0.12
L-3B 4750N	Soil	8	22.5	89.1	25.8	259	0.8	58.0	17.1	1154	5.29	91.0	1.2	8.5	2.2	6	1.6	4.4	0.4	44	0.03
L-3B 4775	Soil	12	30.4	155.8	26.3	464	0.6	201.1	49.3	4085	8.43	279.2	6.4	11.5	1.3	11	8.4	4.3	0.5	53	0.09
L-3B 4800N	Soil	19	22.7	79.2	19.2	387	1.1	152.3	26.7	2072	5.53	130.5	2.1	13.0	2.8	10	2.4	3.0	0.5	54	0.08
L-3B 4825	Soil	16	52.2	114.3	25.7	361	0.5	198.6	28.6	1743	8.08	214.2	3.0	14.0	1.9	4	2.1	8.1	0.5	34	0.03
L-3B 4850N	Soil	17	29.0	91.9	25.8	225	0.6	84.1	20.3	1597	5.70	187.8	1.8	15.6	1.8	12	1.5	4.7	0.4	46	0.14
L-3B 4875	Soil	46	52.8	123.3	64.5	401	0.7	108.7	26.2	2674	8.50	199.6	5.3	32.1	2.3	33	5.3	12.0	0.5	32	0.45
L-3B 4900N	Soil	10	17.8	108.2	31.9	432	0.8	105.7	45.2	3221	7.63	134.5	4.4	7.9	1.1	41	5.3	5.2	0.3	43	0.63
L-3B 4925	Soil	34	28.4	105.4	27.7	232	0.6	76.5	16.9	630	5.22	106.7	2.6	38.2	2.3	16	1.9	7.1	0.3	29	0.22
L-3B 4950N	Soil	4	10.8	49.0	20.2	159	0.8	40.7	10.5	518	3.70	65.0	0.8	3.0	1.3	20	2.2	2.1	0.3	49	0.30
L-3B 4975	Soil	32	17.6	121.0	32.3	290	1.2	124.9	32.3	1830	6.34	116.6	4.4	20.8	2.2	23	3.3	4.6	0.4	39	0.28
L-3B 5000N	Soil	10	13.7	71.2	23.6	136	0.6	56.6	16.3	991	4.77	77.6	1.4	10.2	1.5	9	0.7	2.7	0.3	51	0.11
L-3B 5025	Soil	8	17.2	78.9	20.7	112	1.6	45.2	8.4	432	3.30	56.6	1.6	7.1	0.5	24	1.6	3.3	0.3	39	0.37
L-3B 5050N	Soil	14	14.4	57.1	16.2	116	1.4	33.2	8.5	406	3.38	56.3	1.3	12.9	0.5	7	1.1	2.9	0.3	39	0.05
L-3B 5075	Soil	36	18.2	100.7	24.1	170	0.3	83.8	25.0	1434	4.58	86.9	2.5	26.7	2.6	12	0.8	3.7	0.3	39	0.14
L-3B 5100N	Soil	128	66.9	34.1	47.7	243	2.4	59.5	11.7	223	4.81	88.3	1.3	111.1	2.6	5	0.9	12.4	0.6	30	0.02
L-3B 5125	Soil	33	48.0	62.7	30.6	264	0.7	63.5	9.9	229	4.82	97.8	1.0	26.8	0.7	6	0.3	10.7	0.4	24	0.07
L-3B 5150N	Soil	141	71.8	124.1	67.7	320	1.3	164.8	45.0	4200	7.33	114.0	4.0	106.5	2.6	15	3.1	12.5	0.5	17	0.19
L-3B 5175	Soil	96	64.8	115.4	51.4	267	1.1	120.5	34.6	3192	6.68	104.9	3.1	73.2	2.3	22	2.5	10.2	0.4	16	0.33



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 7 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L-3B 4450N	Soil	0.094	12	31	0.37	104	0.018	<1	1.58	0.006	0.06	0.1	0.06	3.8	0.1	<0.05	4	1.1	0.2
L-3B 4475	Soil	0.145	9	57	0.50	94	0.014	<1	1.74	0.003	0.06	0.2	0.05	2.5	0.1	<0.05	4	2.4	0.6
L-3B 4500N	Soil	0.079	10	33	0.30	87	0.018	<1	1.21	0.006	0.05	0.1	0.04	2.0	0.2	<0.05	5	0.5	<0.2
L-3B 4525	Soil	0.040	11	22	0.15	104	0.027	<1	0.89	0.004	0.08	0.2	0.04	1.6	<0.1	<0.05	5	0.6	<0.2
L-3B 4550N	Soil	0.048	14	27	0.16	66	0.029	<1	0.70	0.005	0.04	0.2	0.05	1.7	0.1	<0.05	5	0.7	<0.2
L-3B 4575	Soil	0.121	9	70	0.44	99	0.028	<1	2.17	0.004	0.07	0.2	0.07	3.0	0.1	<0.05	6	1.1	<0.2
L-3B 4600N	Soil	0.155	11	51	0.52	49	0.028	<1	1.58	0.004	0.04	0.1	0.04	3.0	<0.1	<0.05	7	3.3	<0.2
L-3B 4625	Soil	0.090	10	64	0.35	156	0.017	<1	1.64	0.003	0.06	0.1	0.12	3.2	0.5	<0.05	5	1.9	<0.2
L-3B 4650N	Soil	0.191	8	49	0.25	180	0.010	<1	1.16	0.004	0.06	0.1	0.08	2.0	0.4	<0.05	5	2.5	0.2
L-3B 4675	Soil	0.171	13	27	0.08	98	0.002	1	1.15	0.003	0.06	0.2	0.20	4.1	0.7	<0.05	2	7.1	0.6
L-3B 4700N	Soil	0.112	9	48	0.43	208	0.015	<1	1.29	0.005	0.08	0.1	0.09	2.2	0.3	<0.05	4	1.7	<0.2
L-3B 4725	Soil	0.123	8	32	0.15	110	0.005	<1	0.88	0.003	0.05	0.2	0.13	2.7	0.6	<0.05	2	4.2	0.2
L-3B 4750N	Soil	0.115	10	39	0.33	156	0.018	1	1.41	0.005	0.06	0.1	0.06	2.4	0.3	<0.05	4	2.6	<0.2
L-3B 4775	Soil	0.371	10	110	0.41	145	0.018	1	2.06	0.004	0.05	0.1	0.12	4.4	0.4	<0.05	5	2.7	0.6
L-3B 4800N	Soil	0.099	10	77	0.42	139	0.016	2	1.77	0.004	0.06	0.1	0.14	3.3	0.4	<0.05	5	2.2	<0.2
L-3B 4825	Soil	0.157	10	57	0.10	93	0.004	1	0.68	0.005	0.06	0.3	0.10	3.4	0.4	<0.05	2	4.3	0.5
L-3B 4850N	Soil	0.124	10	71	0.43	147	0.010	1	1.27	0.004	0.06	0.2	0.12	3.0	0.3	<0.05	4	2.9	<0.2
L-3B 4875	Soil	0.131	8	30	0.16	93	0.007	1	0.94	0.004	0.05	0.3	0.12	2.9	0.7	<0.05	2	4.1	0.6
L-3B 4900N	Soil	0.154	9	59	0.40	96	0.019	1	1.67	0.006	0.06	0.1	0.10	2.6	0.3	0.06	4	3.9	<0.2
L-3B 4925	Soil	0.048	13	31	0.22	77	0.014	<1	0.91	0.004	0.08	0.2	0.08	2.4	0.5	<0.05	2	4.2	0.4
L-3B 4950N	Soil	0.071	12	50	0.27	110	0.020	<1	0.78	0.009	0.07	0.1	0.04	1.4	0.1	<0.05	4	0.9	<0.2
L-3B 4975	Soil	0.092	11	70	0.59	157	0.016	<1	1.48	0.007	0.09	0.2	0.08	3.7	0.3	<0.05	4	3.5	0.4
L-3B 5000N	Soil	0.079	13	80	0.40	56	0.019	<1	1.09	0.007	0.05	0.2	0.03	1.9	0.2	<0.05	4	2.3	0.2
L-3B 5025	Soil	0.076	13	33	0.12	64	0.015	<1	0.49	0.004	0.06	0.1	0.05	1.0	0.2	<0.05	3	3.1	<0.2
L-3B 5050N	Soil	0.121	12	33	0.11	48	0.016	<1	0.58	0.004	0.06	<0.1	0.05	0.8	0.2	<0.05	3	1.7	<0.2
L-3B 5075	Soil	0.073	11	73	0.54	101	0.023	<1	1.31	0.004	0.08	0.1	0.07	3.1	0.2	<0.05	3	2.8	<0.2
L-3B 5100N	Soil	0.104	10	11	0.03	66	0.008	<1	0.76	0.003	0.05	0.3	0.10	1.3	0.6	<0.05	3	5.4	0.3
L-3B 5125	Soil	0.094	12	8	0.02	47	0.005	2	0.45	0.003	0.04	0.3	0.03	1.1	0.3	<0.05	2	4.5	0.4
L-3B 5150N	Soil	0.104	10	16	0.09	127	0.005	<1	0.65	0.005	0.07	0.4	0.21	2.6	1.1	<0.05	2	5.0	0.4
L-3B 5175	Soil	0.104	9	16	0.10	152	0.005	1	0.54	0.004	0.08	0.3	0.23	2.4	0.9	0.07	1	5.4	0.6



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 8 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L-3B 5200N	Soil			108	67.2	60.5	61.7	236	3.1	57.5	9.1	326	4.85	92.1	1.1	93.6	2.3	12	0.8	18.2	0.4	24	0.03
L-3B 5225	Soil			8	39.5	120.7	15.4	529	0.7	170.2	37.7	1282	8.35	191.3	2.4	5.9	3.0	7	1.2	7.5	0.4	53	0.09
L-3B 5250N	Soil			7	8.4	34.7	11.4	133	0.2	38.0	10.9	417	3.47	42.4	0.8	9.0	2.9	4	0.4	1.8	0.2	35	0.03
L-3B 5275	Soil			10	13.1	226.5	19.3	973	0.4	761.3	162.7	>10000	6.22	56.2	10.1	13.2	3.8	24	18.3	2.5	0.3	33	0.17
L-3B 5300	Soil			12	21.0	949.7	15.4	2558	1.2	1621	230.6	>10000	5.30	43.8	22.1	9.1	3.9	35	71.9	2.4	0.2	24	0.21
L-3C 3000N	Soil			<2	4.3	51.5	10.4	66	0.6	25.7	8.4	470	4.16	27.0	0.9	3.9	1.2	15	0.5	1.7	0.2	79	0.10
L-3C 3025N	Soil			3	5.5	52.6	12.2	100	0.7	37.7	11.5	779	4.21	37.3	1.0	4.1	1.3	30	0.7	3.0	0.3	61	0.39
L-3C 3050N	Soil			I.S.	4.0	52.8	9.8	117	0.6	40.0	21.8	1726	3.13	24.5	1.2	2.8	1.2	41	1.2	1.6	0.1	51	0.59
L-3C 3075N	Soil			<2	5.5	21.9	8.3	86	0.2	27.5	12.5	860	2.82	16.2	1.7	8.2	2.0	46	0.6	0.7	0.2	38	0.51
L-3C 3100N	Soil			I.S.	5.5	18.5	4.9	96	0.6	12.1	5.3	307	2.10	22.3	19.3	1.1	0.2	217	1.2	0.4	0.1	28	3.38
L-3C 3125N	Soil			4	4.8	110.3	13.9	132	1.0	60.1	14.6	595	3.38	28.7	2.6	4.5	1.3	47	2.7	1.7	0.3	46	0.52
L-3C 3150N	Soil			4	3.3	29.8	7.6	46	0.3	18.3	4.5	163	1.87	12.6	0.6	1.8	1.7	23	0.4	1.1	0.1	45	0.23
L-3C 3175N	Soil			4	5.6	80.4	13.5	173	1.4	48.2	18.1	1149	3.62	22.7	2.7	3.9	0.9	59	1.9	1.6	0.2	50	0.69
L-3C 3200N	Soil			I.S.	1.5	58.0	2.2	38	2.7	18.9	2.5	339	0.46	4.0	6.2	3.2	0.4	243	2.2	3.1	<0.1	6	3.43
L-3C 3225N	Soil			3	6.1	78.2	12.3	105	1.0	43.3	15.7	1035	3.39	27.1	1.6	2.1	0.8	56	1.8	1.7	0.2	49	0.66
L-3C 3250N	Soil			I.S.	8.2	79.0	15.9	142	0.5	46.1	19.5	1690	3.75	30.5	1.9	2.3	0.8	45	1.4	2.0	0.3	49	0.58
L-3C 3275N	Soil			<2	7.4	38.5	10.6	90	0.4	42.8	14.6	530	3.50	38.5	0.8	2.2	1.5	19	0.5	1.7	0.2	53	0.20
L-3C 3300N	Soil			5	9.2	74.6	14.4	165	1.4	57.8	20.8	2063	3.09	35.1	3.5	3.1	0.7	30	5.2	1.7	0.2	53	0.36
L-3C 3325N	Soil			I.S.	15.8	120.4	15.0	238	2.5	98.1	18.0	2150	4.81	35.0	5.9	4.7	1.2	45	4.2	2.5	0.4	57	0.55
L-3C 3350N	Soil			<2	3.7	53.4	13.6	107	1.7	52.9	11.6	369	2.02	23.9	5.0	3.0	0.6	57	2.5	0.8	0.2	35	1.15
L-3C 3375N	Soil			14	9.7	160.2	15.9	260	1.6	95.2	43.7	1337	5.28	74.0	4.9	14.4	1.1	29	7.1	1.6	0.2	48	0.45
L-3C 3400N	Soil			32	23.1	74.1	22.5	255	1.2	65.7	17.6	652	6.68	99.7	1.2	26.7	2.8	12	1.6	5.6	0.3	60	0.06
L-2B 3000N	Soil			2	4.8	42.6	9.7	125	0.7	36.4	11.8	588	3.96	27.6	0.8	2.3	2.2	13	0.7	2.4	0.2	68	0.12
L-2B 3025N	Soil			3	8.0	46.4	13.2	104	1.1	31.6	11.8	501	4.42	45.5	1.1	4.4	1.2	10	1.2	4.4	0.3	62	0.08
L-2B 3050N	Soil			3	7.2	47.6	13.4	105	1.5	38.7	13.1	639	4.68	39.0	1.0	4.6	1.3	13	0.9	3.4	0.2	78	0.12
L-2B 3075N	Soil			I.S.	1.7	91.0	7.5	38	4.2	23.0	2.4	99	0.51	2.9	4.1	5.4	0.3	51	3.2	0.6	<0.1	11	0.61
L-2B 3100N	Soil			I.S.	6.7	69.5	10.8	377	2.5	91.2	18.2	2621	2.60	29.1	4.6	7.7	0.4	94	8.8	2.9	0.2	39	1.61
L-2B 3125N	Soil			4	3.2	38.6	11.0	121	2.9	23.5	9.1	1743	3.02	18.4	0.5	3.5	0.5	12	2.3	2.3	0.2	70	0.08
L-2B 3150N	Soil			3	3.3	50.8	9.3	223	1.9	36.9	10.8	967	3.91	20.9	0.8	2.1	0.6	12	5.2	1.4	0.2	68	0.08
L-2B 3175N	Soil			8	5.9	75.6	11.5	235	4.3	49.7	15.4	677	3.23	28.9	1.6	4.9	0.7	21	8.6	1.6	0.2	52	0.19



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 8 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-3B 5200N	Soil			0.100	9	14	0.05	95	0.005	<1	0.73	0.003	0.04	0.3	0.15	1.7	0.4	<0.05	2	5.2	0.3
L-3B 5225	Soil			0.243	7	129	0.72	76	0.004	1	1.38	0.003	0.04	0.2	0.04	5.1	0.2	<0.05	3	3.0	0.3
L-3B 5250N	Soil			0.082	9	51	0.36	42	0.010	<1	1.12	0.005	0.03	0.1	0.04	1.6	0.1	<0.05	3	1.0	<0.2
L-3B 5275	Soil			0.064	18	42	0.39	172	0.011	<1	1.71	0.006	0.10	0.1	0.04	5.9	0.3	<0.05	4	1.6	<0.2
L-3B 5300	Soil			0.205	44	29	0.19	342	0.020	<1	4.60	0.004	0.04	<0.1	0.30	11.2	0.2	<0.05	4	1.8	<0.2
L-3C 3000N	Soil			0.079	11	46	0.54	59	0.089	<1	1.63	0.002	0.06	0.1	0.05	2.9	<0.1	<0.05	6	2.4	<0.2
L-3C 3025N	Soil			0.053	12	45	0.48	83	0.059	1	1.44	0.006	0.08	0.1	0.07	2.4	<0.1	<0.05	5	1.8	<0.2
L-3C 3050N	Soil			0.056	9	49	0.66	125	0.043	<1	1.64	0.011	0.08	0.1	0.07	3.4	0.1	<0.05	4	1.1	<0.2
L-3C 3075N	Soil			0.030	11	36	0.58	78	0.055	1	1.33	0.012	0.10	<0.1	0.03	2.6	<0.1	<0.05	4	0.7	<0.2
L-3C 3100N	Soil			0.113	4	15	0.37	69	0.013	3	0.78	0.019	0.04	<0.1	0.20	0.5	<0.1	0.27	2	9.3	<0.2
L-3C 3125N	Soil			0.045	14	48	0.42	132	0.030	<1	1.87	0.006	0.11	0.1	0.06	3.5	<0.1	<0.05	4	1.2	<0.2
L-3C 3150N	Soil			0.020	15	30	0.22	44	0.042	<1	0.75	0.004	0.04	<0.1	0.01	1.4	<0.1	<0.05	4	0.9	<0.2
L-3C 3175N	Soil			0.114	14	53	0.60	160	0.028	2	2.04	0.007	0.15	<0.1	0.07	3.2	0.1	<0.05	6	1.8	<0.2
L-3C 3200N	Soil			0.231	18	14	0.20	136	0.009	5	1.00	0.016	0.03	<0.1	0.29	1.4	<0.1	0.24	<1	16.8	<0.2
L-3C 3225N	Soil			0.084	11	50	0.57	163	0.022	1	1.72	0.006	0.12	0.1	0.07	2.4	0.1	<0.05	5	2.1	<0.2
L-3C 3250N	Soil			0.118	14	57	0.55	195	0.025	1	1.94	0.010	0.17	0.1	0.06	2.7	0.1	<0.05	6	1.4	<0.2
L-3C 3275N	Soil			0.031	15	76	0.72	84	0.036	<1	1.56	0.009	0.09	0.1	0.03	2.3	0.1	<0.05	5	1.8	<0.2
L-3C 3300N	Soil			0.064	15	60	0.60	157	0.020	<1	2.00	0.008	0.09	0.1	0.11	2.7	0.1	<0.05	5	1.6	<0.2
L-3C 3325N	Soil			0.163	30	80	0.69	351	0.022	2	3.67	0.012	0.30	0.1	0.21	3.9	0.3	<0.05	7	2.5	<0.2
L-3C 3350N	Soil			0.070	11	39	0.43	146	0.021	1	1.57	0.010	0.11	<0.1	0.12	2.0	0.2	<0.05	4	3.1	<0.2
L-3C 3375N	Soil			0.097	16	52	0.40	117	0.018	<1	2.62	0.006	0.07	0.2	0.23	3.9	0.3	<0.05	5	2.3	<0.2
L-3C 3400N	Soil			0.087	10	45	0.30	193	0.017	<1	1.68	0.005	0.09	0.2	0.08	3.0	0.5	<0.05	5	3.5	<0.2
L-2B 3000N	Soil			0.074	11	57	0.61	103	0.073	1	2.09	0.006	0.09	0.1	0.10	2.9	0.1	<0.05	5	1.3	<0.2
L-2B 3025N	Soil			0.055	14	42	0.39	83	0.050	<1	1.62	0.007	0.08	0.1	0.07	2.1	0.1	<0.05	5	1.9	<0.2
L-2B 3050N	Soil			0.076	12	77	0.58	92	0.082	1	1.76	0.006	0.09	<0.1	0.09	2.2	0.1	<0.05	7	1.5	<0.2
L-2B 3075N	Soil			0.277	29	36	0.16	101	0.011	2	1.61	0.014	0.05	<0.1	0.48	2.4	0.2	0.20	2	4.6	<0.2
L-2B 3100N	Soil			0.110	13	52	0.52	149	0.024	2	1.94	0.013	0.10	<0.1	0.29	2.5	0.3	0.10	3	4.8	<0.2
L-2B 3125N	Soil			0.059	9	34	0.24	140	0.046	<1	1.47	0.004	0.06	<0.1	0.09	1.9	0.1	<0.05	6	0.8	<0.2
L-2B 3150N	Soil			0.066	11	43	0.48	105	0.041	<1	2.24	0.004	0.09	0.1	0.11	2.3	0.1	<0.05	7	1.5	<0.2
L-2B 3175N	Soil			0.046	12	38	0.40	85	0.034	<1	1.66	0.005	0.09	<0.1	0.09	1.9	0.1	<0.05	5	2.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 9 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L-2B 3200N	Soil	I.S.	5.8	137.9	15.6	929	2.6	163.2	21.4	3088	3.70	23.5	3.0	3.5	0.5	71	42.9	2.0	0.3	46	0.92
L-2B 3225N	Soil	2	2.7	58.8	11.0	76	0.3	21.4	5.6	280	3.73	19.8	0.5	<0.5	0.6	17	1.7	0.8	0.2	98	0.23
L-2B 3250N	Soil	4	3.2	60.2	12.4	86	0.6	26.1	8.9	461	3.30	22.2	0.8	2.4	0.9	28	1.5	1.2	0.2	59	0.32
L-2B 3275N	Soil	5	4.2	295.8	16.3	225	2.5	154.1	26.7	3107	4.25	41.2	5.1	4.0	0.9	78	32.0	2.2	0.3	70	0.88
L-2B 3300N	Soil	7	3.5	75.4	12.4	132	0.6	45.9	23.2	720	4.28	22.6	1.1	2.2	1.2	24	1.1	1.3	0.2	73	0.21
L-2B 3325N	Soil	I.S.	1.7	135.1	4.0	45	1.5	20.3	5.4	686	0.72	23.5	1.8	1.3	0.2	228	1.9	1.6	<0.1	11	3.07
L-2B 3350N	Soil	2	4.6	37.9	9.5	99	0.2	29.5	9.9	432	3.86	28.8	0.5	2.4	1.4	8	0.5	1.6	0.2	61	0.05
L-2B 3375N	Soil	<2	5.2	24.5	10.7	68	0.5	22.0	7.7	520	3.99	30.4	0.6	1.7	0.9	8	1.1	1.1	0.3	70	0.06
L-2B 3400N	Soil	4	4.9	76.4	13.9	116	0.8	46.4	18.8	891	4.37	40.3	1.0	2.5	1.5	58	1.7	1.6	0.3	69	0.53
L-2C 3000	Soil	<2	8.8	29.3	15.3	86	0.5	19.3	8.6	505	3.44	32.7	0.8	3.1	0.8	28	0.9	5.4	0.3	69	0.31
L-2C 3025	Soil	6	8.7	40.6	9.9	120	2.4	32.6	9.9	519	3.54	20.7	0.9	2.5	0.9	16	1.9	2.8	0.2	79	0.13
L-2C 3050	Soil	<2	3.7	28.0	10.8	118	0.8	24.8	10.9	888	3.64	20.8	0.4	2.7	1.0	13	1.1	1.9	0.2	80	0.11
L-2C 3075	Soil	2	3.5	40.2	11.4	130	2.2	29.5	11.4	809	4.22	23.5	0.6	2.6	1.0	11	0.8	2.2	0.3	82	0.07
L-2C 3100	Soil	36	2.8	36.9	8.4	90	3.1	22.2	8.3	488	3.22	15.9	0.7	2.6	0.9	12	1.7	1.2	0.2	70	0.09
L-2C 3125	Soil	<2	4.3	60.6	8.7	87	0.9	29.6	9.5	506	3.54	19.0	0.9	3.1	0.5	14	1.3	1.5	0.2	67	0.08
L-2C 3150	Soil	2	2.6	25.0	8.7	62	0.8	16.1	6.4	417	2.63	12.2	0.6	2.7	0.4	15	0.7	0.8	0.2	50	0.13
L-2C 3175	Soil	2	2.9	30.6	8.9	76	0.6	20.8	6.5	326	3.61	17.6	0.7	4.8	1.7	12	0.6	1.0	0.2	60	0.08
L-2C 3200	Soil	20	21.0	132.4	19.1	248	0.4	92.4	25.2	1262	5.16	92.3	1.6	13.6	4.2	16	1.5	3.9	0.3	56	0.12
L-2C 3225	Soil	6	4.9	53.2	12.0	141	1.0	44.7	15.2	1140	3.29	28.0	1.1	8.5	1.2	25	1.5	1.6	0.2	55	0.25
L-2C 3250	Soil	<2	3.1	24.2	10.8	102	0.8	20.7	5.6	481	2.82	11.8	0.3	1.9	1.2	10	0.9	1.1	0.3	62	0.08
L-2C 3275	Soil	9	9.1	86.3	13.8	176	0.8	71.6	20.8	1133	3.96	49.3	0.9	8.8	2.4	13	1.3	2.9	0.2	54	0.10
L-2C 3300	Soil	<2	4.0	23.7	9.6	72	0.8	20.7	6.3	280	3.38	18.3	0.5	2.9	1.0	11	0.6	1.1	0.2	68	0.06
L-2C 3325	Soil	<2	4.8	44.3	9.5	84	1.1	28.0	11.5	522	3.47	24.5	0.8	2.2	1.1	10	0.6	1.4	0.2	65	0.07
L-2C 3350	Soil	2	5.4	41.0	11.4	69	1.1	20.7	7.1	363	3.88	29.3	0.7	1.9	0.5	17	1.0	1.2	0.3	76	0.14
L-2C 3375	Soil	<2	6.0	37.2	10.0	70	0.3	25.4	8.4	399	3.43	32.3	0.6	1.3	0.7	10	0.7	1.3	0.3	62	0.07
L-2C 3400	Soil	4	6.8	76.1	13.8	114	1.8	40.5	14.7	561	4.90	78.7	1.7	4.4	0.4	27	1.8	1.7	0.3	66	0.28
L-2D 3000	Soil	2	5.4	40.2	12.6	94	1.1	27.0	9.9	464	3.74	27.2	0.7	2.5	2.0	14	1.7	1.9	0.3	80	0.11
L-2D 3025	Soil	6	4.1	36.2	12.5	186	2.7	42.9	9.5	926	3.92	33.6	0.9	10.2	0.6	14	1.9	7.0	0.3	79	0.10
L-2D 3050	Soil	4	2.2	21.0	11.7	66	1.0	19.2	5.2	733	1.76	11.8	0.3	2.7	0.5	15	0.6	1.7	0.3	64	0.24
L-2D 3075	Soil	4	4.9	31.1	11.0	124	1.7	29.4	4.3	491	2.01	7.7	0.4	3.1	0.7	10	0.5	2.7	0.3	69	0.10



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 9 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-2B 3200N	Soil			0.190	15	46	0.55	155	0.022	2	2.21	0.008	0.13	<0.1	0.12	2.4	0.1	<0.05	5	5.0	<0.2
L-2B 3225N	Soil			0.133	9	37	0.37	72	0.071	1	0.98	0.004	0.07	0.1	0.07	1.8	<0.1	<0.05	7	1.1	<0.2
L-2B 3250N	Soil			0.056	11	35	0.32	85	0.047	<1	1.23	0.004	0.10	0.1	0.05	1.6	<0.1	<0.05	5	1.6	<0.2
L-2B 3275N	Soil			0.129	27	63	0.53	216	0.033	2	2.51	0.009	0.18	<0.1	0.12	6.6	0.4	<0.05	6	2.9	<0.2
L-2B 3300N	Soil			0.060	13	47	0.54	210	0.055	1	2.58	0.005	0.11	0.1	0.09	3.0	<0.1	<0.05	6	1.5	<0.2
L-2B 3325N	Soil			0.105	14	12	0.11	103	0.009	2	1.02	0.012	0.02	<0.1	0.19	1.0	<0.1	0.11	1	6.3	<0.2
L-2B 3350N	Soil			0.041	9	54	0.65	96	0.038	<1	2.07	0.005	0.06	0.1	0.04	2.3	<0.1	<0.05	5	1.4	<0.2
L-2B 3375N	Soil			0.055	8	59	0.33	73	0.049	<1	1.38	0.007	0.05	0.2	0.05	1.6	0.1	<0.05	6	0.9	<0.2
L-2B 3400N	Soil			0.043	11	62	0.64	206	0.037	2	1.92	0.005	0.09	0.2	0.04	2.9	0.1	<0.05	6	2.1	<0.2
L-2C 3000	Soil			0.061	10	28	0.21	144	0.054	2	1.05	0.004	0.06	0.1	0.05	1.6	0.1	<0.05	5	0.7	0.3
L-2C 3025	Soil			0.045	11	44	0.45	117	0.074	1	1.46	0.005	0.06	0.1	0.10	2.0	0.1	<0.05	5	1.3	<0.2
L-2C 3050	Soil			0.075	7	35	0.51	131	0.078	<1	1.57	0.005	0.06	0.1	0.04	1.9	0.1	<0.05	6	0.9	<0.2
L-2C 3075	Soil			0.133	9	53	0.51	91	0.067	1	1.99	0.008	0.07	0.1	0.07	2.4	0.1	<0.05	8	1.0	<0.2
L-2C 3100	Soil			0.071	9	38	0.40	92	0.073	1	1.60	0.005	0.06	0.2	0.07	2.2	<0.1	<0.05	6	1.3	0.3
L-2C 3125	Soil			0.049	10	41	0.49	129	0.047	2	1.73	0.010	0.08	0.2	0.06	2.2	0.1	<0.05	6	1.7	<0.2
L-2C 3150	Soil			0.064	11	28	0.32	83	0.053	1	1.23	0.006	0.07	0.1	0.07	1.4	<0.1	<0.05	5	1.2	0.3
L-2C 3175	Soil			0.098	10	37	0.43	89	0.077	<1	1.64	0.006	0.08	0.2	0.09	2.0	<0.1	<0.05	6	1.3	0.3
L-2C 3200	Soil			0.073	13	56	0.76	126	0.038	<1	1.57	0.009	0.11	0.2	0.08	5.2	0.2	<0.05	4	2.1	0.3
L-2C 3225	Soil			0.072	12	43	0.57	136	0.050	1	1.69	0.005	0.12	0.1	0.07	2.6	0.1	<0.05	5	1.6	<0.2
L-2C 3250	Soil			0.069	11	23	0.22	84	0.041	1	1.02	0.004	0.07	0.1	0.04	1.5	<0.1	<0.05	6	<0.5	<0.2
L-2C 3275	Soil			0.076	13	55	0.73	107	0.042	<1	1.69	0.005	0.13	0.1	0.06	3.4	0.1	<0.05	4	1.8	0.2
L-2C 3300	Soil			0.059	11	33	0.37	83	0.066	<1	1.24	0.006	0.06	0.1	0.04	1.8	<0.1	<0.05	7	<0.5	<0.2
L-2C 3325	Soil			0.102	12	52	0.49	175	0.045	<1	1.66	0.005	0.08	0.1	0.07	2.3	<0.1	<0.05	6	0.7	<0.2
L-2C 3350	Soil			0.084	10	37	0.32	123	0.060	1	1.34	0.004	0.08	0.2	0.06	1.7	0.1	<0.05	7	0.8	<0.2
L-2C 3375	Soil			0.038	12	48	0.45	96	0.044	<1	1.43	0.005	0.08	0.1	0.04	1.8	0.1	<0.05	6	0.6	0.2
L-2C 3400	Soil			0.094	17	62	0.48	141	0.035	2	2.16	0.004	0.10	0.2	0.14	2.2	0.1	<0.05	6	2.3	0.6
L-2D 3000	Soil			0.046	10	43	0.39	97	0.124	2	1.39	0.005	0.07	0.2	0.08	2.1	0.1	<0.05	6	1.5	<0.2
L-2D 3025	Soil			0.074	8	38	0.37	119	0.062	1	1.81	0.005	0.05	0.1	0.10	1.8	0.1	<0.05	6	0.8	<0.2
L-2D 3050	Soil			0.045	9	23	0.12	89	0.037	1	0.75	0.004	0.04	<0.1	0.04	1.2	0.1	<0.05	6	<0.5	0.2
L-2D 3075	Soil			0.042	11	19	0.10	59	0.052	1	0.72	0.003	0.05	<0.1	0.03	1.4	<0.1	<0.05	6	1.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 10 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L-2D 3100	Soil	14	4.1	45.9	16.1	164	4.1	38.8	9.5	2095	3.06	17.6	0.4	2.7	0.9	17	1.0	2.9	0.3	56	0.28
L-2D 3125	Soil	<2	3.3	45.1	15.5	252	1.7	43.2	17.3	1327	3.81	19.6	1.4	2.7	0.9	29	1.8	1.5	0.3	75	0.45
L-2D 3150	Soil	3	3.3	52.7	13.7	150	1.0	38.5	13.6	539	4.36	25.1	0.8	5.5	1.8	25	0.9	1.4	0.3	69	0.38
L-2D 3175	Soil	4	3.9	56.0	17.2	163	1.4	37.5	12.4	835	3.20	22.6	1.4	3.6	0.4	33	2.7	2.4	0.3	62	0.44
L-2D 3200	Soil	5	9.3	130.4	25.3	264	2.4	76.1	27.2	1989	6.72	36.2	1.5	2.6	0.7	24	3.1	2.5	0.5	97	0.19
L-2D 3225	Soil	3	8.4	90.7	20.9	292	1.6	63.4	20.7	1343	5.82	42.8	1.8	4.5	0.5	26	3.2	2.4	0.4	86	0.29
L-2D 3250	Soil	13	7.4	77.8	11.5	157	0.7	61.6	18.3	669	3.98	37.2	2.6	10.7	2.3	10	0.9	2.9	0.2	50	0.07
L-2D 3275	Soil	7	6.0	83.3	40.2	242	2.7	55.7	43.3	6960	4.64	24.5	1.0	6.8	0.4	12	1.8	1.3	0.4	52	0.15
L-2D 3300	Soil	2	4.0	50.0	12.2	115	0.7	36.4	14.8	1097	5.20	31.3	0.8	0.5	0.8	23	0.7	1.9	0.2	172	0.19
L-2D 3325	Soil	2	2.4	103.6	16.3	160	0.8	25.1	17.1	1108	5.52	68.7	0.7	1.4	0.3	12	0.8	1.8	0.3	91	0.18
L-2D 3350	Soil	6	4.9	75.4	11.0	147	0.3	53.1	12.4	397	4.26	41.4	0.8	6.0	2.6	8	0.5	1.9	0.2	56	0.07
L-2D 3375	Soil	3	4.0	39.7	9.7	115	0.6	37.2	10.6	542	3.68	34.1	0.6	1.5	1.2	9	0.3	1.4	0.2	72	0.08
L-2D 3400	Soil	<2	7.2	58.2	12.1	77	0.7	24.3	9.9	633	5.01	57.4	0.5	1.7	0.7	8	0.8	1.6	0.3	93	0.06
L-2D 3425	Soil	2	2.8	64.8	8.1	84	3.2	23.9	20.7	1278	3.55	34.3	0.6	2.1	0.1	13	0.7	1.4	0.2	75	0.14
L-2D 3450N	Soil	9	7.0	90.8	13.6	213	0.8	88.1	19.0	1779	4.17	38.9	1.9	5.0	1.2	27	1.9	2.2	0.2	48	0.34
L-2D 3475	Soil	5	6.7	50.8	11.2	148	1.4	39.5	13.5	2334	3.24	43.4	0.6	1.2	1.1	7	1.2	1.2	0.2	47	0.06
L-2D 3500N	Soil	I.S.	7.2	72.5	10.0	82	2.2	36.6	6.0	256	2.59	33.2	1.2	2.8	0.4	8	1.0	1.1	0.2	46	0.07
L-2D 3525	Soil	5	7.6	59.1	12.6	41	2.4	23.2	3.9	252	1.90	27.9	1.1	2.2	0.1	9	0.6	0.9	0.3	39	0.12
L-2D 3550N	Soil	<2	11.4	45.9	15.2	106	0.4	47.4	9.9	488	4.47	73.1	0.6	3.4	0.9	6	0.8	2.5	0.2	51	0.03
L-2D 3575	Soil	<2	9.4	40.2	11.0	82	0.6	44.3	8.8	804	3.38	71.0	0.8	1.9	0.2	12	1.0	1.8	0.2	50	0.12
L-2D 3600N	Soil	11	12.7	48.6	13.5	117	1.0	37.7	11.6	1319	3.73	64.3	0.9	7.2	0.6	6	1.1	3.6	0.2	45	0.02
L-2D 3625	Soil	39	25.2	111.8	24.5	230	1.2	99.5	32.0	1669	7.54	192.3	1.8	32.3	1.2	10	1.5	6.7	0.3	61	0.07
L-2D 3650N	Soil	5	14.1	34.5	16.4	125	0.5	39.9	9.8	940	3.75	65.9	0.7	2.1	1.1	6	1.3	4.2	0.2	47	0.03
L-2D 3675	Soil	3	12.6	33.5	11.5	84	0.4	34.0	6.7	235	3.02	70.1	0.5	3.1	1.7	5	0.4	2.6	0.2	56	0.05
L-2D 3700N	Soil	I.S.	37.2	125.0	9.3	250	0.2	170.0	30.3	1167	7.39	437.0	1.8	55.7	0.6	7	1.7	2.7	0.3	46	0.05
L-2D 3725	Soil	2	15.5	51.0	16.7	128	0.5	56.0	13.1	824	4.39	93.9	0.6	4.5	0.9	9	0.7	4.3	0.3	79	0.15
L-2D 3750N	Soil	8	14.8	65.0	15.9	113	1.1	50.1	13.1	603	3.95	80.8	0.8	5.8	0.4	8	1.1	3.9	0.2	46	0.05
L-2D 3775	Soil	<2	9.1	39.2	12.4	81	0.5	37.0	9.0	1061	3.02	55.3	0.5	2.1	1.1	7	0.2	2.2	0.2	49	0.04
L-2D 3800N	Soil	12	11.9	46.6	15.7	96	1.5	48.3	10.8	489	4.48	61.6	0.9	7.9	0.9	9	1.4	3.7	0.2	46	0.04
L-2D 3825	Soil	39	17.7	94.9	19.1	145	0.3	85.2	17.8	595	4.81	100.3	1.3	32.5	1.9	8	0.5	7.5	0.2	50	0.03



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 10 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Tl	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-2D 3100	Soil			0.087	10	23	0.22	194	0.044	2	0.98	0.003	0.10	0.1	0.10	1.5	0.1	<0.05	5	2.3	0.6
L-2D 3125	Soil			0.141	10	40	0.42	183	0.045	2	1.99	0.006	0.14	0.1	0.10	2.6	0.1	<0.05	7	2.9	<0.2
L-2D 3150	Soil			0.049	10	44	0.53	117	0.068	2	2.00	0.005	0.15	0.2	0.10	2.4	<0.1	<0.05	7	2.3	<0.2
L-2D 3175	Soil			0.073	11	25	0.18	100	0.037	2	1.08	0.003	0.07	0.1	0.08	1.5	<0.1	0.06	5	2.4	0.3
L-2D 3200	Soil			0.119	11	60	0.47	245	0.041	2	2.64	0.006	0.33	0.2	0.10	2.7	0.2	<0.05	11	4.0	0.2
L-2D 3225	Soil			0.089	11	49	0.48	190	0.045	2	1.94	0.007	0.15	0.1	0.09	2.2	0.1	0.07	8	2.2	0.5
L-2D 3250	Soil			0.071	11	66	0.64	110	0.030	<1	3.63	0.010	0.09	0.2	0.22	3.9	0.2	<0.05	4	3.7	<0.2
L-2D 3275	Soil			0.163	13	24	0.21	256	0.019	<1	1.17	0.003	0.10	<0.1	0.07	1.1	0.2	<0.05	7	0.8	<0.2
L-2D 3300	Soil			0.080	7	108	0.82	166	0.165	<1	1.99	0.007	0.06	0.2	0.06	3.1	<0.1	<0.05	11	0.5	0.3
L-2D 3325	Soil			0.323	6	39	0.86	100	0.034	2	2.88	0.005	0.08	0.1	0.11	1.7	<0.1	0.05	9	<0.5	0.3
L-2D 3350	Soil			0.135	10	65	0.69	151	0.033	2	2.81	0.004	0.13	0.2	0.09	2.9	0.1	<0.05	5	1.4	<0.2
L-2D 3375	Soil			0.081	9	74	0.56	131	0.025	<1	2.29	0.004	0.06	0.2	0.08	2.4	0.1	<0.05	6	0.9	<0.2
L-2D 3400	Soil			0.060	7	49	0.25	106	0.028	1	1.56	0.004	0.06	0.2	0.05	2.4	<0.1	<0.05	7	0.9	<0.2
L-2D 3425	Soil			0.111	6	31	0.57	126	0.029	1	1.76	0.005	0.06	0.1	0.11	1.4	<0.1	<0.05	5	0.5	<0.2
L-2D 3450N	Soil			0.108	15	67	0.58	213	0.020	1	2.26	0.010	0.15	0.1	0.05	3.3	0.2	<0.05	5	1.1	0.3
L-2D 3475	Soil			0.087	10	50	0.39	141	0.032	1	1.44	0.006	0.09	0.2	0.07	1.8	0.1	<0.05	4	1.1	<0.2
L-2D 3500N	Soil			0.057	10	59	0.48	95	0.024	<1	1.46	0.005	0.11	0.1	0.09	1.2	0.1	<0.05	6	1.6	<0.2
L-2D 3525	Soil			0.058	8	34	0.18	78	0.012	<1	0.89	0.002	0.08	0.1	0.07	0.5	0.1	<0.05	4	0.7	<0.2
L-2D 3550N	Soil			0.083	9	71	0.44	75	0.026	1	1.28	0.005	0.07	0.2	0.05	1.8	0.2	<0.05	5	1.5	0.4
L-2D 3575	Soil			0.081	9	57	0.29	118	0.019	<1	1.20	0.004	0.07	0.1	0.05	1.0	0.2	<0.05	5	1.2	0.3
L-2D 3600N	Soil			0.070	9	40	0.19	76	0.019	<1	1.11	0.005	0.04	0.1	0.06	1.0	0.2	<0.05	4	2.2	<0.2
L-2D 3625	Soil			0.131	9	91	0.75	98	0.023	1	1.95	0.004	0.12	0.2	0.11	2.8	0.3	<0.05	6	7.5	<0.2
L-2D 3650N	Soil			0.124	10	38	0.17	78	0.021	<1	0.86	0.004	0.06	0.1	0.05	1.4	0.2	<0.05	4	1.3	<0.2
L-2D 3675	Soil			0.062	12	29	0.09	44	0.043	<1	0.52	0.005	0.04	0.2	0.02	1.4	0.2	<0.05	5	1.2	<0.2
L-2D 3700N	Soil			0.145	4	26	0.04	94	0.006	<1	0.68	0.007	0.05	0.6	0.04	3.4	0.2	<0.05	2	2.6	<0.2
L-2D 3725	Soil			0.077	10	87	0.35	122	0.016	<1	0.99	0.003	0.05	0.1	0.04	2.0	0.2	<0.05	5	1.4	<0.2
L-2D 3750N	Soil			0.099	11	54	0.20	86	0.017	1	0.81	0.007	0.05	0.1	0.04	0.9	0.2	<0.05	4	2.0	0.5
L-2D 3775	Soil			0.094	13	45	0.19	83	0.033	<1	0.63	0.004	0.07	0.1	0.04	1.6	0.1	<0.05	4	1.3	<0.2
L-2D 3800N	Soil			0.089	11	71	0.36	83	0.022	<1	1.32	0.005	0.07	0.1	0.10	1.5	0.2	<0.05	4	1.7	<0.2
L-2D 3825	Soil			0.079	12	83	0.47	73	0.018	<1	1.67	0.004	0.10	0.2	0.15	3.1	0.2	<0.05	4	2.1	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 11 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L-2D 3850N	Soil	35	12.2	97.0	20.9	169	0.5	90.7	20.2	686	5.12	93.3	1.0	32.1	2.3	9	1.0	5.9	0.2	55	0.04
L-2D 3875	Soil	13	15.1	90.4	22.1	145	1.9	79.9	18.1	739	5.68	113.1	1.1	12.6	1.0	7	1.0	5.3	0.2	59	0.03
L-2D 3900N	Soil	13	13.6	65.2	18.0	100	0.8	62.9	14.2	564	4.17	88.7	1.0	10.0	0.5	7	0.3	4.7	0.2	60	0.03
L-2D 3925	Soil	4	9.9	54.0	14.1	99	2.2	49.4	12.0	1197	3.68	59.4	1.5	3.5	0.5	22	1.1	3.4	0.2	56	0.29
L-2D 3950N	Soil	10	10.3	60.2	13.1	177	0.8	62.9	14.1	734	4.03	76.7	0.8	14.0	2.3	7	1.8	3.9	0.2	49	0.03
L-2D 3975	Soil	7	13.2	60.0	13.9	176	0.9	63.3	14.7	925	3.97	77.3	0.9	5.3	2.3	7	1.1	2.9	0.2	63	0.05
L-2D 4000N	Soil	5	10.4	44.0	10.2	126	0.3	41.0	9.0	325	3.42	58.5	0.6	5.8	2.2	5	0.6	2.7	0.2	54	0.03
L-2D 4025	Soil	6	10.3	42.7	14.8	115	1.2	47.6	14.5	663	4.99	70.7	0.6	3.4	1.8	6	0.8	2.8	0.2	87	0.05
L-2D 4050N	Soil	<2	12.4	46.3	13.1	99	0.7	44.9	10.5	546	3.97	87.6	0.6	1.6	1.3	7	0.6	2.8	0.2	56	0.07
L-2D 4075	Soil	39	142.2	239.7	85.1	372	1.6	108.5	38.3	1323	10.07	294.9	6.3	37.8	5.4	6	4.5	12.3	0.4	27	0.06
L-2D 4100N	Soil	2	14.9	53.5	14.1	148	1.0	56.0	15.0	1903	3.88	89.9	0.7	1.7	1.9	15	1.8	2.5	0.2	65	0.12
L-2D 4125	Soil	<2	11.8	77.2	13.2	184	0.5	85.3	20.8	717	4.80	133.8	1.3	1.7	2.2	10	1.7	2.6	0.2	60	0.08
L-2D 4150N	Soil	9	15.8	91.9	18.6	264	0.8	128.2	22.4	430	5.22	183.7	1.9	9.0	3.7	10	2.1	5.5	0.2	54	0.07
L-2D 4175	Soil	32	25.4	98.8	62.9	230	1.2	60.9	26.8	1757	6.62	139.0	3.9	23.8	2.1	43	2.3	8.6	0.5	53	0.50
L-2D 4200N	Soil	10	31.8	65.3	25.8	155	0.7	46.3	8.3	190	5.68	159.9	0.8	7.9	2.6	8	1.5	8.9	0.4	61	0.05
L-2D 4225	Soil	17	29.3	183.9	54.7	455	2.2	188.0	28.3	959	8.18	169.5	4.6	17.5	2.6	39	3.6	8.5	0.5	39	0.05
L-2D 4250N	Soil	19	32.3	102.8	36.8	231	0.6	55.8	12.0	419	5.08	94.5	1.9	19.7	2.6	29	0.7	13.7	0.3	29	0.11
L-2D 4275	Soil	190	72.9	133.8	81.5	232	1.2	67.6	20.4	991	6.12	149.4	3.9	119.2	4.2	14	1.4	25.1	0.4	13	0.07
L-2D 4300N	Soil	96	43.8	106.7	41.5	260	1.8	70.2	18.7	772	7.02	114.5	1.6	77.4	3.2	8	1.3	19.1	0.5	28	0.03
L-2D 4325	Soil	5	27.7	57.0	43.2	126	0.9	52.7	10.5	388	4.41	116.1	1.1	2.5	1.7	15	0.7	2.7	0.4	47	0.02
L-2D 4350N	Soil	3	42.8	97.6	19.7	159	0.8	52.8	12.0	939	5.00	165.6	1.1	4.7	2.6	10	0.6	1.8	0.8	64	0.15
L-2D 4375	Soil	5	51.5	27.2	30.8	116	1.6	14.8	5.5	1236	4.09	154.3	0.9	4.8	1.2	12	0.9	1.7	0.5	47	0.11
L-2D 4400N	Soil	<2	13.4	110.2	25.5	209	1.0	29.5	16.2	1284	5.19	38.5	1.3	4.2	2.6	11	1.3	1.4	0.7	61	0.07
L-2D 4425	Soil	12	17.9	167.5	29.2	211	0.2	83.1	18.2	666	5.07	77.7	1.8	18.1	3.6	6	0.5	4.5	0.5	28	0.04
L-2D 4450N	Soil	4	9.0	76.6	19.2	176	0.5	54.7	15.4	1290	4.29	77.1	1.0	2.6	1.8	6	0.6	3.2	0.5	39	0.06
L-2D 4475	Soil	27	5.2	32.0	21.4	109	0.3	30.5	14.4	2049	3.92	41.2	0.6	<0.5	0.5	5	0.7	1.2	0.6	43	0.05
L-2D 4500N	Soil	<2	3.9	53.9	25.7	83	1.1	19.1	21.4	8959	2.76	45.2	0.6	<0.5	0.4	6	0.8	0.6	0.6	45	0.04
L-2D 4525	Soil	<2	4.5	39.4	26.2	104	0.4	27.9	13.8	3027	2.72	33.6	0.4	2.8	0.2	8	0.6	1.1	0.5	39	0.09
L-2D 4550N	Soil	<2	3.8	36.7	22.8	82	1.0	16.1	13.3	6553	2.22	30.5	0.4	<0.5	0.3	9	0.7	0.5	0.6	37	0.06
L-2D 4575	Soil	5	18.6	108.7	32.3	224	0.3	85.1	26.0	2035	6.17	120.2	2.2	5.0	1.4	18	1.3	4.7	0.6	45	0.25



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 11 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L-2D 3850N	Soil			0.059	11	86	0.56	111	0.020	1	1.87	0.006	0.13	0.2	0.13	3.4	0.3	<0.05	5	2.1	<0.2
L-2D 3875	Soil			0.088	10	108	0.47	56	0.017	1	1.43	0.003	0.07	0.2	0.09	2.4	0.2	<0.05	5	2.0	0.4
L-2D 3900N	Soil			0.132	11	82	0.31	52	0.015	<1	1.06	0.004	0.06	0.1	0.09	1.4	0.2	<0.05	4	1.8	<0.2
L-2D 3925	Soil			0.098	10	60	0.34	92	0.029	1	1.12	0.004	0.08	0.1	0.08	1.4	0.2	<0.05	5	1.4	<0.2
L-2D 3950N	Soil			0.088	12	63	0.39	122	0.029	<1	1.19	0.005	0.06	0.2	0.04	2.9	0.2	<0.05	4	1.4	<0.2
L-2D 3975	Soil			0.088	11	67	0.44	136	0.018	1	1.43	0.004	0.06	0.2	0.05	2.8	0.2	<0.05	5	1.4	0.3
L-2D 4000N	Soil			0.090	10	56	0.32	61	0.021	<1	1.35	0.003	0.06	0.1	0.05	2.5	0.2	<0.05	5	0.6	0.6
L-2D 4025	Soil			0.089	8	65	0.56	69	0.078	<1	1.39	0.003	0.05	0.2	0.04	3.3	0.1	<0.05	7	1.4	<0.2
L-2D 4050N	Soil			0.091	10	51	0.23	63	0.029	<1	0.71	0.004	0.07	0.2	0.03	1.8	0.2	<0.05	4	1.2	0.2
L-2D 4075	Soil			0.194	16	29	0.08	162	0.003	<1	1.64	0.002	0.09	0.9	0.13	4.4	1.6	<0.05	3	15.2	0.4
L-2D 4100N	Soil			0.068	12	65	0.35	218	0.019	<1	1.16	0.004	0.08	0.2	0.07	2.3	0.3	<0.05	5	1.4	0.2
L-2D 4125	Soil			0.112	10	85	0.48	125	0.019	<1	1.50	0.003	0.06	0.2	0.05	2.9	0.2	<0.05	5	1.7	<0.2
L-2D 4150N	Soil			0.131	9	87	0.48	94	0.014	1	1.54	0.006	0.05	0.2	0.08	3.4	0.2	<0.05	4	2.5	<0.2
L-2D 4175	Soil			0.135	12	41	0.22	104	0.017	1	1.80	0.005	0.08	0.2	0.10	3.9	0.4	<0.05	5	2.7	0.6
L-2D 4200N	Soil			0.084	17	37	0.09	126	0.011	<1	0.91	0.005	0.06	0.2	0.03	2.2	0.3	<0.05	4	3.4	<0.2
L-2D 4225	Soil			0.272	6	55	0.30	147	0.004	<1	1.35	0.015	0.05	0.2	0.08	5.4	0.2	0.08	3	3.3	0.6
L-2D 4250N	Soil			0.162	8	18	0.10	96	0.005	<1	0.77	0.005	0.08	0.2	0.05	2.0	0.4	<0.05	3	3.5	<0.2
L-2D 4275	Soil			0.107	8	11	0.05	65	0.001	<1	0.46	0.004	0.06	0.2	0.27	2.9	0.8	<0.05	<1	8.6	0.3
L-2D 4300N	Soil			0.127	6	16	0.09	105	0.006	1	1.10	0.002	0.05	0.3	0.14	2.6	0.5	<0.05	3	4.0	<0.2
L-2D 4325	Soil			0.093	9	52	0.24	68	0.007	<1	0.94	0.014	0.03	0.3	0.04	1.9	0.3	0.06	4	2.7	<0.2
L-2D 4350N	Soil			0.097	11	69	0.31	90	0.012	3	0.95	0.002	0.05	0.4	0.05	2.2	0.3	<0.05	4	1.1	0.5
L-2D 4375	Soil			0.080	10	13	0.09	109	0.028	2	0.46	0.015	0.05	0.8	0.05	0.9	0.2	0.07	4	2.8	<0.2
L-2D 4400N	Soil			0.151	12	31	0.34	165	0.035	2	2.01	0.005	0.06	0.3	0.13	2.4	0.2	<0.05	9	0.5	0.4
L-2D 4425	Soil			0.124	9	32	0.31	104	0.010	<1	1.83	0.003	0.06	0.2	0.08	2.7	0.2	<0.05	4	2.4	0.4
L-2D 4450N	Soil			0.113	9	36	0.27	168	0.007	<1	1.47	0.003	0.05	0.1	0.07	2.2	0.2	<0.05	5	1.3	<0.2
L-2D 4475	Soil			0.094	9	22	0.17	121	0.009	<1	1.07	0.003	0.04	0.2	0.06	1.4	0.1	<0.05	6	<0.5	<0.2
L-2D 4500N	Soil			0.097	14	20	0.21	268	0.019	1	1.42	0.004	0.06	0.1	0.11	1.1	0.2	<0.05	7	<0.5	0.2
L-2D 4525	Soil			0.088	10	21	0.20	200	0.009	3	0.87	0.002	0.07	0.2	0.08	0.9	0.2	0.05	5	<0.5	<0.2
L-2D 4550N	Soil			0.060	14	16	0.07	280	0.014	2	0.81	0.005	0.07	0.1	0.05	0.9	0.3	<0.05	5	<0.5	<0.2
L-2D 4575	Soil			0.089	11	75	0.38	81	0.009	1	1.21	0.004	0.05	0.1	0.06	3.4	0.2	<0.05	4	3.3	0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 12 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L-2D 4600N	Soil	<2	24.1	86.2	54.4	175	0.7	86.6	25.6	2389	8.17	191.8	2.1	0.9	0.7	8	0.8	2.8	0.8	47	0.06
L-2D 4625	Soil	7	9.3	30.2	12.0	143	1.2	31.8	8.9	630	3.09	44.8	0.7	2.9	1.9	8	1.0	2.9	0.3	43	0.07
L-2D 4650N	Soil	2	8.2	78.9	20.4	176	0.4	55.1	13.2	927	3.86	70.2	0.9	2.2	1.9	5	0.8	1.5	0.4	47	0.04
L-2D 4675	Soil	3	10.0	67.4	21.9	166	0.2	53.6	14.9	905	4.30	87.0	0.8	4.4	2.5	5	0.4	2.7	0.4	46	0.04
L-2D 4700N	Soil	12	10.1	84.7	23.8	156	0.4	100.1	24.2	1806	4.20	102.7	1.2	11.1	3.5	9	0.8	2.4	0.3	48	0.09
L-2D 4725	Soil	4	11.4	64.4	22.7	116	0.5	44.2	11.3	920	3.86	97.3	0.7	1.6	1.0	6	0.6	2.2	0.4	55	0.04
L-2D 4750N	Soil	3	13.8	50.2	19.9	123	0.5	44.8	14.2	923	3.93	124.2	0.8	2.2	1.2	11	0.8	2.4	0.3	48	0.10
L-2D 4775	Soil	<2	4.0	14.8	10.6	40	0.6	12.9	5.1	862	1.57	25.3	0.3	1.7	1.1	6	0.4	0.8	0.3	37	0.05
L-2D 4800N	Soil	4	13.4	70.6	16.3	151	0.4	56.1	10.7	400	4.46	108.1	0.8	2.5	2.3	5	0.5	2.5	0.3	53	0.04
L-2D 4825	Soil	9	13.6	62.6	16.7	146	0.3	42.7	12.5	820	4.03	89.1	0.9	7.6	2.2	4	0.6	3.1	0.4	52	0.03
L-2D 4850N	Soil	3	8.5	64.5	12.9	158	0.3	49.1	14.8	980	3.80	95.8	0.7	2.2	2.1	6	0.7	1.9	0.3	54	0.04
L-2D 4875	Soil	6	10.5	69.5	11.6	153	0.6	50.0	11.6	422	3.65	55.3	0.9	5.9	2.9	5	0.6	2.4	0.2	54	0.04
L-2D 4900N	Soil	9	3.6	46.8	25.1	273	1.2	40.1	20.8	2009	4.35	71.0	0.7	<0.5	1.4	9	1.2	0.8	1.2	39	0.07
L-2D 4925	Soil	10	10.4	103.5	10.6	156	0.4	84.2	25.4	1672	5.49	123.5	0.8	3.4	1.2	7	0.6	1.9	0.2	58	0.13
L-2D 4950N	Soil	I.S.	2.3	22.7	8.9	92	0.5	26.2	15.6	3619	2.32	23.0	0.3	<0.5	0.3	20	1.0	0.5	0.2	62	0.37
L-2D 4975	Soil	19	16.4	106.9	15.3	311	2.7	186.7	43.8	1834	8.86	301.2	1.6	4.8	2.2	7	2.1	1.9	0.2	100	0.14
L-2D 5000N	Soil	4	9.2	38.4	9.8	138	1.9	40.5	11.4	558	3.07	52.1	0.9	2.3	2.5	7	1.0	1.8	0.2	54	0.10
L-2D 5025	Soil	13	12.0	48.4	14.0	117	0.5	41.6	10.6	570	3.23	62.6	1.1	6.9	2.9	5	0.7	2.6	0.3	50	0.04
L-2D 5050N	Soil	10	10.1	38.3	10.4	94	0.5	28.7	8.2	849	2.73	36.6	0.9	4.3	0.7	8	0.6	2.4	0.2	54	0.16
L-2D 5075	Soil	7	5.5	76.7	40.4	209	0.4	77.1	16.1	>10000	6.00	89.8	1.5	4.5	0.9	21	1.7	1.5	0.5	96	0.15
L-2D 5100N	Soil	7	15.9	73.1	19.8	128	0.4	34.7	7.9	475	5.91	137.3	0.7	4.9	2.4	8	0.6	2.8	1.1	58	0.04
L-2D 5125	Soil	16	14.9	92.4	20.4	170	0.9	53.4	11.2	1189	4.72	89.5	1.2	14.6	3.0	13	0.8	2.3	0.3	52	0.16
L-2D 5150N	Soil	11	11.6	77.5	63.3	95	3.1	25.2	8.7	2843	4.61	79.0	0.7	4.1	0.5	10	0.6	1.2	0.7	83	0.07
L-2D 5175	Soil	4	7.7	75.1	20.6	113	0.5	26.9	8.2	637	2.98	49.6	0.5	3.2	0.7	8	0.3	1.5	0.4	53	0.12
L-2D 5200N	Soil	22	13.7	207.7	25.4	201	0.4	124.6	57.4	3634	5.80	153.6	1.4	18.7	1.7	20	1.4	2.2	0.3	46	0.27
L-2D 5225	Soil	2	7.8	49.4	18.8	84	0.2	27.7	9.7	2418	3.55	48.6	0.4	8.0	1.0	14	0.7	1.3	0.3	61	0.18
L-2D 5250N	Soil	10	13.6	43.3	15.6	139	0.4	31.9	8.3	592	3.22	44.7	0.8	9.2	1.5	11	0.5	3.4	0.3	28	0.11
L-2D 5275	Soil	58	39.0	135.4	53.2	199	0.7	72.7	24.8	1603	5.72	96.4	1.6	26.7	2.8	10	0.8	6.7	0.5	20	0.09
L-2D 5300N	Soil	11	26.3	103.4	21.3	144	0.2	35.5	8.3	279	7.72	156.8	0.6	11.8	2.6	6	0.3	4.5	0.6	44	0.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 12 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L-2D 4600N	Soil	0.332	13	72	0.13	45	0.015	3	0.62	0.004	0.05	0.3	0.05	1.7	0.2	<0.05	4	2.0	0.4
L-2D 4625	Soil	0.054	10	32	0.22	91	0.024	<1	0.98	0.003	0.04	0.2	0.04	1.8	0.2	<0.05	5	1.3	<0.2
L-2D 4650N	Soil	0.081	11	61	0.49	141	0.010	<1	1.49	0.003	0.04	<0.1	0.06	2.7	0.2	<0.05	5	1.2	<0.2
L-2D 4675	Soil	0.074	12	54	0.47	132	0.017	<1	1.44	0.003	0.06	0.2	0.05	2.8	0.2	<0.05	5	1.1	0.2
L-2D 4700N	Soil	0.077	14	104	0.66	111	0.021	<1	1.67	0.004	0.06	0.2	0.08	4.2	0.2	<0.05	5	1.8	<0.2
L-2D 4725	Soil	0.102	10	47	0.40	65	0.014	<1	1.12	0.003	0.05	0.1	0.05	2.2	0.2	<0.05	6	1.3	<0.2
L-2D 4750N	Soil	0.093	10	53	0.22	79	0.015	<1	0.64	0.003	0.03	0.2	0.04	1.7	0.1	<0.05	4	1.3	0.3
L-2D 4775	Soil	0.029	10	16	0.06	83	0.027	<1	0.35	0.003	0.04	<0.1	0.02	1.0	0.1	<0.05	3	<0.5	<0.2
L-2D 4800N	Soil	0.055	11	78	0.55	92	0.005	<1	1.61	0.003	0.05	0.1	0.04	3.0	0.2	<0.05	5	1.8	<0.2
L-2D 4825	Soil	0.086	10	44	0.29	97	0.006	<1	1.52	0.002	0.04	0.1	0.08	2.6	0.3	<0.05	5	1.8	<0.2
L-2D 4850N	Soil	0.122	9	84	0.48	60	0.024	<1	1.41	0.004	0.04	0.1	0.04	2.7	0.2	<0.05	5	1.4	<0.2
L-2D 4875	Soil	0.061	9	56	0.46	146	0.013	<1	1.69	0.004	0.04	0.1	0.05	2.9	0.2	<0.05	5	1.5	<0.2
L-2D 4900N	Soil	0.191	12	32	0.46	110	0.022	<1	1.78	0.002	0.05	<0.1	0.07	2.0	0.1	<0.05	6	1.0	0.4
L-2D 4925	Soil	0.086	6	87	0.49	153	0.004	<1	1.76	0.003	0.04	0.1	0.07	5.6	0.2	<0.05	5	1.1	<0.2
L-2D 4950N	Soil	0.092	6	71	0.42	204	0.027	1	1.13	0.019	0.07	<0.1	0.06	2.9	0.1	<0.05	6	<0.5	<0.2
L-2D 4975	Soil	0.151	6	283	1.21	108	0.004	<1	2.46	0.003	0.04	0.2	0.06	8.0	0.2	<0.05	6	1.8	<0.2
L-2D 5000N	Soil	0.048	11	54	0.33	121	0.010	<1	1.57	0.003	0.03	0.1	0.07	3.0	0.3	<0.05	5	0.9	0.3
L-2D 5025	Soil	0.068	13	53	0.34	90	0.013	1	1.32	0.005	0.08	0.1	0.02	2.5	0.2	<0.05	4	1.3	<0.2
L-2D 5050N	Soil	0.073	10	45	0.31	105	0.018	<1	1.22	0.003	0.05	0.1	0.04	2.0	0.3	<0.05	4	<0.5	<0.2
L-2D 5075	Soil	0.184	14	25	0.35	124	0.012	<1	1.42	0.002	0.04	0.1	0.07	1.6	0.1	<0.05	7	0.6	<0.2
L-2D 5100N	Soil	0.147	10	54	0.33	59	0.027	<1	1.09	0.004	0.04	0.2	0.03	2.1	0.2	<0.05	5	3.6	0.4
L-2D 5125	Soil	0.109	11	41	0.32	99	0.017	<1	1.23	0.004	0.05	0.2	0.06	2.4	0.2	<0.05	5	2.3	0.3
L-2D 5150N	Soil	0.135	11	24	0.18	90	0.017	<1	0.91	0.003	0.05	0.1	0.09	1.0	0.2	<0.05	6	1.2	<0.2
L-2D 5175	Soil	0.070	11	39	0.27	74	0.009	<1	1.21	0.004	0.05	0.1	0.02	1.7	0.2	<0.05	5	<0.5	<0.2
L-2D 5200N	Soil	0.095	8	78	0.82	151	0.006	<1	1.67	0.006	0.07	0.1	0.05	6.5	<0.1	<0.05	5	2.5	0.2
L-2D 5225	Soil	0.076	12	18	0.14	84	0.016	<1	0.64	0.011	0.04	0.2	0.03	1.1	0.2	<0.05	5	0.8	<0.2
L-2D 5250N	Soil	0.087	11	37	0.24	83	0.007	<1	0.74	0.008	0.07	0.1	0.03	1.2	0.2	<0.05	3	0.9	0.4
L-2D 5275	Soil	0.079	11	28	0.26	90	0.003	<1	0.88	0.007	0.06	0.1	0.07	3.5	0.2	<0.05	2	6.5	0.5
L-2D 5300N	Soil	0.184	10	42	0.21	54	0.022	<1	0.90	0.005	0.06	0.2	<0.01	1.4	0.2	<0.05	5	4.4	0.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
Report Date: August 27, 2010

Page: 1 of 5 **Part** 1

QUALITY CONTROL REPORT

VAN10003601.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																						
L-3A 3200N	Soil	7	4.3	38.8	10.1	79	1.1	25.4	9.4	659	2.96	19.4	0.6	2.4	0.8	11	0.5	1.2	0.2	45	0.13	
REP L-3A 3200N	QC		4.2	39.3	10.3	77	1.2	25.0	9.5	662	2.97	19.1	0.6	2.6	0.8	12	0.5	1.0	0.2	45	0.12	
L-3A 3600N	Soil	18	24.2	38.4	41.8	85	7.5	21.2	4.7	251	2.82	61.1	0.9	14.7	0.9	26	0.5	12.5	0.3	45	0.03	
REP L-3A 3600N	QC	17																				
L-3A 3700N	Soil	76	26.8	51.0	41.0	131	2.7	47.1	10.7	506	4.53	85.3	0.7	57.8	1.6	18	0.6	7.9	0.3	47	0.04	
REP L-3A 3700N	QC		28.6	51.3	43.4	138	3.1	50.3	11.6	547	4.73	88.2	0.8	63.1	1.7	19	0.6	8.1	0.4	49	0.04	
L-3A 3975	Soil	18	15.0	95.2	21.6	168	0.3	71.4	21.7	1142	4.27	83.3	1.3	12.8	3.5	6	0.6	4.9	0.3	40	0.02	
REP L-3A 3975	QC		14.8	93.1	20.8	161	0.3	71.1	21.1	1120	4.08	79.8	1.3	10.8	3.1	6	0.6	5.2	0.3	39	0.03	
L-3A 4550N	Soil	3	4.3	63.2	18.5	172	0.4	45.5	12.3	1804	3.11	38.9	0.5	<0.5	1.9	13	0.6	1.0	0.4	38	0.13	
REP L-3A 4550N	QC		4.2	61.9	18.2	173	0.4	42.3	11.1	1719	2.97	37.0	0.5	6.8	1.8	12	0.5	0.9	0.4	39	0.13	
L-3A 4625	Soil	3	5.4	126.4	16.7	185	0.4	112.8	24.0	1257	5.20	141.7	0.9	2.2	1.9	11	0.7	1.5	0.3	58	0.09	
REP L-3A 4625	QC	6																				
L-3A 5000N	Soil	40	28.6	81.5	34.9	198	2.2	82.4	18.9	1822	5.71	100.6	2.3	28.0	1.0	28	3.9	6.4	0.4	32	0.59	
REP L-3A 5000N	QC		28.8	82.0	35.7	197	2.2	82.8	19.3	1881	5.79	101.8	2.3	26.7	0.9	28	3.9	6.5	0.4	32	0.58	
L-3B 3000	Soil	8	5.4	109.0	13.8	144	2.6	56.6	24.5	1620	3.93	30.4	1.7	3.3	0.5	33	3.3	2.3	0.2	60	0.49	
REP L-3B 3000	QC	7																				
L-3B 3200	Soil	5	10.1	88.7	14.5	135	1.5	49.6	19.3	1712	3.80	30.2	3.5	2.1	0.5	56	2.6	2.1	0.2	52	0.87	
REP L-3B 3200	QC		10.2	90.7	14.5	142	1.4	49.7	18.8	1734	3.86	30.3	3.5	2.1	0.4	60	2.4	2.3	0.3	54	0.88	
L-3B 3750N	Soil	14	22.7	176.9	38.1	300	1.2	472.4	79.9	2212	12.85	562.2	1.5	13.9	1.7	9	2.9	8.6	0.3	151	0.03	
REP L-3B 3750N	QC		21.5	171.8	37.9	297	1.1	478.8	77.7	2142	12.69	559.0	1.5	12.6	1.7	10	2.8	8.0	0.3	145	0.03	
L-3B 3900N	Soil	11	16.3	73.1	18.6	140	0.4	58.8	10.8	403	5.40	80.7	1.0	8.4	2.8	6	0.6	6.7	0.3	51	0.02	
REP L-3B 3900N	QC	11																				
L-3B 3925	Soil	5	16.5	56.9	17.4	122	1.0	53.8	13.1	749	4.84	71.8	0.8	2.3	0.5	9	0.8	3.9	0.2	71	0.07	
REP L-3B 3925	QC		16.6	57.1	17.5	124	1.0	53.2	12.8	747	4.93	73.6	0.8	6.4	0.5	9	0.9	3.8	0.3	72	0.07	
L-3B 4525	Soil	<2	2.6	32.2	19.9	61	0.5	15.3	6.2	2346	1.71	17.5	0.4	1.9	1.5	13	0.2	0.4	0.3	39	0.14	
REP L-3B 4525	QC		2.5	31.7	19.5	64	0.5	16.1	5.9	2372	1.73	17.8	0.3	2.7	1.5	13	0.2	0.4	0.3	37	0.15	
L-3B 4650N	Soil	18	23.1	55.8	34.3	155	3.3	34.3	9.3	700	5.38	108.7	0.8	28.7	1.9	10	1.8	4.4	0.4	50	0.06	
REP L-3B 4650N	QC	20																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
Report Date: August 27, 2010

Page: 1 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003601.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
L-3A 3200N	Soil	0.069	11	37	0.45	108	0.035	1	1.40	0.005	0.08	<0.1	0.08	1.6	<0.1	0.05	5	0.8	<0.2
REP L-3A 3200N	QC	0.071	11	37	0.44	105	0.034	<1	1.38	0.004	0.07	<0.1	0.08	1.4	<0.1	<0.05	5	0.7	0.5
L-3A 3600N	Soil	0.056	13	16	0.05	70	0.015	2	0.37	0.003	0.05	0.2	0.05	0.8	0.4	<0.05	3	4.6	0.2
REP L-3A 3600N	QC																		
L-3A 3700N	Soil	0.097	11	34	0.18	94	0.017	<1	1.16	0.010	0.08	0.2	0.15	1.8	0.4	0.08	5	3.0	<0.2
REP L-3A 3700N	QC	0.109	11	34	0.20	100	0.017	<1	1.29	0.011	0.08	0.2	0.19	1.9	0.5	0.08	6	3.1	0.2
L-3A 3975	Soil	0.066	11	67	0.60	60	0.020	1	1.16	0.005	0.07	0.2	0.07	3.5	0.1	<0.05	3	2.1	0.3
REP L-3A 3975	QC	0.064	11	66	0.59	48	0.020	1	1.14	0.005	0.07	0.2	0.06	3.4	0.1	<0.05	3	1.6	<0.2
L-3A 4550N	Soil	0.128	10	38	0.43	127	0.013	<1	1.52	0.001	0.05	<0.1	0.05	2.4	0.2	<0.05	5	1.2	<0.2
REP L-3A 4550N	QC	0.120	9	43	0.44	119	0.009	1	1.46	0.003	0.05	<0.1	0.06	2.2	0.1	<0.05	6	0.8	0.3
L-3A 4625	Soil	0.067	8	104	0.69	108	0.006	<1	1.75	0.005	0.04	0.1	0.06	6.3	<0.1	<0.05	5	1.5	<0.2
REP L-3A 4625	QC																		
L-3A 5000N	Soil	0.093	8	35	0.13	60	0.011	1	0.70	0.003	0.05	0.2	0.10	1.3	0.4	<0.05	3	3.1	<0.2
REP L-3A 5000N	QC	0.095	8	34	0.14	62	0.010	1	0.70	0.004	0.05	0.2	0.10	1.4	0.5	<0.05	3	3.2	<0.2
L-3B 3000	Soil	0.104	17	68	0.64	136	0.033	1	2.14	0.007	0.12	<0.1	0.13	3.1	0.1	<0.05	6	1.6	<0.2
REP L-3B 3000	QC																		
L-3B 3200	Soil	0.156	15	54	0.47	201	0.019	1	1.98	0.009	0.15	0.1	0.10	1.7	0.1	0.06	6	3.2	<0.2
REP L-3B 3200	QC	0.159	17	55	0.49	203	0.027	2	2.03	0.007	0.16	0.1	0.09	2.0	0.2	0.06	6	3.0	<0.2
L-3B 3750N	Soil	0.166	6	409	1.04	84	0.006	<1	1.78	0.003	0.05	0.2	0.10	14.2	0.2	<0.05	5	2.7	<0.2
REP L-3B 3750N	QC	0.165	6	400	1.04	84	0.006	<1	1.77	0.002	0.05	0.2	0.08	13.8	0.2	<0.05	5	3.0	0.2
L-3B 3900N	Soil	0.113	11	90	0.58	110	0.007	<1	1.45	0.003	0.04	0.1	0.06	2.7	0.2	<0.05	4	2.2	0.2
REP L-3B 3900N	QC																		
L-3B 3925	Soil	0.109	10	93	0.62	77	0.009	<1	1.40	0.003	0.06	0.1	0.06	1.7	0.2	<0.05	5	1.6	<0.2
REP L-3B 3925	QC	0.110	10	98	0.65	76	0.009	<1	1.44	0.002	0.07	0.1	0.06	1.7	0.2	<0.05	5	1.8	<0.2
L-3B 4525	Soil	0.040	11	22	0.15	104	0.027	<1	0.89	0.004	0.08	0.2	0.04	1.6	<0.1	<0.05	5	0.6	<0.2
REP L-3B 4525	QC	0.040	12	22	0.16	105	0.029	<1	0.92	0.009	0.07	0.1	0.05	1.5	<0.1	<0.05	5	<0.5	<0.2
L-3B 4650N	Soil	0.191	8	49	0.25	180	0.010	<1	1.16	0.004	0.06	0.1	0.08	2.0	0.4	<0.05	5	2.5	0.2
REP L-3B 4650N	QC																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 2 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003601.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
L-3B 4900N	Soil	10	17.8	108.2	31.9	432	0.8	105.7	45.2	3221	7.63	134.5	4.4	7.9	1.1	41	5.3	5.2	0.3	43	0.63
REP L-3B 4900N	QC		17.7	109.9	33.3	435	0.9	109.8	46.3	3253	7.64	137.1	4.3	12.7	1.0	41	5.6	5.2	0.3	42	0.62
L-3B 5150N	Soil	141	71.8	124.1	67.7	320	1.3	164.8	45.0	4200	7.33	114.0	4.0	106.5	2.6	15	3.1	12.5	0.5	17	0.19
REP L-3B 5150N	QC	I.S.																			
L-3C 3250N	Soil	I.S.	8.2	79.0	15.9	142	0.5	46.1	19.5	1690	3.75	30.5	1.9	2.3	0.8	45	1.4	2.0	0.3	49	0.58
REP L-3C 3250N	QC		7.9	76.4	15.6	141	0.5	46.1	20.9	1734	3.84	31.3	2.0	2.6	0.8	45	1.5	2.0	0.3	51	0.55
L-2B 3275N	Soil	5	4.2	295.8	16.3	225	2.5	154.1	26.7	3107	4.25	41.2	5.1	4.0	0.9	78	32.0	2.2	0.3	70	0.88
REP L-2B 3275N	QC		3.9	291.8	14.8	229	2.4	153.6	25.7	3145	4.18	40.4	5.1	2.0	1.2	75	31.2	2.0	0.2	69	0.87
L-2C 3225	Soil	6	4.9	53.2	12.0	141	1.0	44.7	15.2	1140	3.29	28.0	1.1	8.5	1.2	25	1.5	1.6	0.2	55	0.25
REP L-2C 3225	QC		4.9	51.3	12.0	148	0.9	45.4	15.1	1176	3.33	27.1	1.0	5.5	1.1	25	1.6	1.5	0.2	55	0.25
L-2C 3250	Soil	<2	3.1	24.2	10.8	102	0.8	20.7	5.6	481	2.82	11.8	0.3	1.9	1.2	10	0.9	1.1	0.3	62	0.08
REP L-2C 3250	QC	<2																			
L-2D 3300	Soil	2	4.0	50.0	12.2	115	0.7	36.4	14.8	1097	5.20	31.3	0.8	0.5	0.8	23	0.7	1.9	0.2	172	0.19
REP L-2D 3300	QC		3.5	52.1	12.1	120	0.7	35.6	14.6	1111	5.37	31.3	0.8	<0.5	0.8	24	0.7	1.9	0.2	179	0.21
L-2D 3475	Soil	5	6.7	50.8	11.2	148	1.4	39.5	13.5	2334	3.24	43.4	0.6	1.2	1.1	7	1.2	1.2	0.2	47	0.06
REP L-2D 3475	QC		6.5	54.5	11.5	149	1.4	42.9	13.5	2421	3.28	43.3	0.6	2.8	1.1	7	1.2	1.1	0.2	50	0.06
L-2D 3825	Soil	39	17.7	94.9	19.1	145	0.3	85.2	17.8	595	4.81	100.3	1.3	32.5	1.9	8	0.5	7.5	0.2	50	0.03
REP L-2D 3825	QC	39																			
L-2D 4050N	Soil	<2	12.4	46.3	13.1	99	0.7	44.9	10.5	546	3.97	87.6	0.6	1.6	1.3	7	0.6	2.8	0.2	56	0.07
REP L-2D 4050N	QC		13.2	47.3	13.5	97	0.7	45.6	11.0	549	4.02	86.4	0.6	3.6	1.6	7	0.6	2.7	0.2	58	0.07
L-2D 4375	Soil	5	51.5	27.2	30.8	116	1.6	14.8	5.5	1236	4.09	154.3	0.9	4.8	1.2	12	0.9	1.7	0.5	47	0.11
REP L-2D 4375	QC	6																			
L-2D 4425	Soil	12	17.9	167.5	29.2	211	0.2	83.1	18.2	666	5.07	77.7	1.8	18.1	3.6	6	0.5	4.5	0.5	28	0.04
REP L-2D 4425	QC		17.9	168.6	29.3	216	0.2	83.1	18.4	694	5.09	77.8	1.8	13.3	3.6	7	0.5	4.4	0.5	29	0.04
L-2D 5050N	Soil	10	10.1	38.3	10.4	94	0.5	28.7	8.2	849	2.73	36.6	0.9	4.3	0.7	8	0.6	2.4	0.2	54	0.16
REP L-2D 5050N	QC		10.1	37.1	10.8	93	0.4	28.6	8.1	873	2.73	36.8	0.9	5.0	0.7	8	0.5	2.6	0.2	53	0.17
Reference Materials																					
STD DS7	Standard		22.1	122.9	70.4	421	1.1	57.6	10.4	652	2.59	54.8	5.1	70.6	4.9	81	6.5	6.3	4.8	91	0.97
STD DS7	Standard		20.6	109.5	70.4	387	1.0	54.0	9.4	606	2.36	52.0	5.0	67.5	4.6	77	6.2	6.1	4.7	88	0.95



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 2 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003601.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2
L-3B 4900N	Soil	0.154	9	59	0.40	96	0.019	1	1.67	0.006	0.06	0.1	0.10	2.6	0.3	0.06	4	3.9	<0.2
REP L-3B 4900N	QC	0.150	9	58	0.39	96	0.019	2	1.65	0.007	0.05	0.2	0.10	2.3	0.4	0.06	4	3.5	0.3
L-3B 5150N	Soil	0.104	10	16	0.09	127	0.005	<1	0.65	0.005	0.07	0.4	0.21	2.6	1.1	<0.05	2	5.0	0.4
REP L-3B 5150N	QC																		
L-3C 3250N	Soil	0.118	14	57	0.55	195	0.025	1	1.94	0.010	0.17	0.1	0.06	2.7	0.1	<0.05	6	1.4	<0.2
REP L-3C 3250N	QC	0.121	15	59	0.55	201	0.027	1	2.08	0.008	0.17	0.1	0.06	2.7	0.2	<0.05	6	1.5	<0.2
L-2B 3275N	Soil	0.129	27	63	0.53	216	0.033	2	2.51	0.009	0.18	<0.1	0.12	6.6	0.4	<0.05	6	2.9	<0.2
REP L-2B 3275N	QC	0.121	27	60	0.52	213	0.027	1	2.38	0.008	0.16	<0.1	0.11	7.1	0.3	<0.05	6	3.1	<0.2
L-2C 3225	Soil	0.072	12	43	0.57	136	0.050	1	1.69	0.005	0.12	0.1	0.07	2.6	0.1	<0.05	5	1.6	<0.2
REP L-2C 3225	QC	0.071	12	45	0.54	130	0.048	2	1.65	0.005	0.11	0.1	0.08	2.4	0.1	<0.05	5	1.3	<0.2
L-2C 3250	Soil	0.069	11	23	0.22	84	0.041	1	1.02	0.004	0.07	0.1	0.04	1.5	<0.1	<0.05	6	<0.5	<0.2
REP L-2C 3250	QC																		
L-2D 3300	Soil	0.080	7	108	0.82	166	0.165	<1	1.99	0.007	0.06	0.2	0.06	3.1	<0.1	<0.05	11	0.5	0.3
REP L-2D 3300	QC	0.082	7	109	0.83	176	0.178	2	2.09	0.008	0.06	0.1	0.07	3.1	<0.1	<0.05	11	0.8	<0.2
L-2D 3475	Soil	0.087	10	50	0.39	141	0.032	1	1.44	0.006	0.09	0.2	0.07	1.8	0.1	<0.05	4	1.1	<0.2
REP L-2D 3475	QC	0.088	10	53	0.37	142	0.031	2	1.42	0.007	0.08	0.2	0.08	1.6	0.1	<0.05	5	1.2	<0.2
L-2D 3825	Soil	0.079	12	83	0.47	73	0.018	<1	1.67	0.004	0.10	0.2	0.15	3.1	0.2	<0.05	4	2.1	<0.2
REP L-2D 3825	QC																		
L-2D 4050N	Soil	0.091	10	51	0.23	63	0.029	<1	0.71	0.004	0.07	0.2	0.03	1.8	0.2	<0.05	4	1.2	0.2
REP L-2D 4050N	QC	0.097	10	53	0.24	66	0.029	<1	0.74	0.003	0.08	0.2	0.03	2.0	0.1	<0.05	4	1.0	0.3
L-2D 4375	Soil	0.080	10	13	0.09	109	0.028	2	0.46	0.015	0.05	0.8	0.05	0.9	0.2	0.07	4	2.8	<0.2
REP L-2D 4375	QC																		
L-2D 4425	Soil	0.124	9	32	0.31	104	0.010	<1	1.83	0.003	0.06	0.2	0.08	2.7	0.2	<0.05	4	2.4	0.4
REP L-2D 4425	QC	0.126	9	33	0.30	104	0.010	<1	1.81	0.003	0.07	0.2	0.07	2.9	0.2	<0.05	4	1.9	<0.2
L-2D 5050N	Soil	0.073	10	45	0.31	105	0.018	<1	1.22	0.003	0.05	0.1	0.04	2.0	0.3	<0.05	4	<0.5	<0.2
REP L-2D 5050N	QC	0.073	10	46	0.30	107	0.017	<1	1.14	0.003	0.05	0.1	0.04	2.0	0.3	<0.05	4	<0.5	<0.2
Reference Materials																			
STD DS7	Standard	0.077	13	219	1.09	435	0.127	41	1.04	0.107	0.48	3.8	0.23	2.7	4.4	0.20	5	3.5	1.9
STD DS7	Standard	0.072	13	207	1.06	404	0.119	41	1.00	0.106	0.46	3.6	0.20	2.6	4.2	0.16	5	2.8	1.0



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 3 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003601.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		20.9	111.0	69.4	405	1.1	59.0	10.2	630	2.43	51.7	4.9	64.8	5.0	82	6.0	6.5	4.8	91	0.96
STD DS7	Standard		20.4	122.6	72.8	408	1.0	58.1	10.3	659	2.54	55.5	4.7	68.7	4.6	67	6.1	5.9	4.5	90	0.95
STD DS7	Standard		22.8	121.1	72.0	406	1.0	60.3	10.0	642	2.50	52.9	5.3	74.1	5.1	73	6.7	5.8	4.7	93	0.97
STD DS7	Standard		21.6	114.1	70.3	402	1.0	58.6	9.3	621	2.42	55.5	4.9	62.4	4.9	79	6.8	6.6	5.0	82	0.95
STD DS7	Standard		21.6	107.0	67.6	392	1.0	57.4	10.2	629	2.45	52.8	4.9	67.1	4.6	76	6.5	5.6	4.6	91	0.95
STD DS7	Standard		20.5	103.3	65.4	385	0.9	55.5	9.7	615	2.30	46.8	4.6	67.8	4.2	67	6.3	5.7	4.4	83	0.92
STD DS7	Standard		21.9	111.6	76.4	421	1.0	60.8	10.2	653	2.52	56.0	5.3	79.3	5.2	85	6.7	6.5	5.1	84	1.02
STD DS7	Standard		18.6	105.3	69.4	390	0.9	53.6	8.9	605	2.36	51.2	5.7	69.7	4.8	74	6.8	6.2	5.2	80	0.89
STD OXC72	Standard	193																			
STD OXC72	Standard	201																			
STD OXC72	Standard	202																			
STD OXC72	Standard	196																			
STD OXC72	Standard	189																			
STD OXC72	Standard	189																			
STD OXC72	Standard	187																			
STD OXC72	Standard	191																			
STD OXC72	Standard	201																			
STD OXC72	Standard	200																			
STD OXC72	Standard	200																			
STD OXC72	Standard	201																			
STD OXC72	Standard	197																			
STD OXC72	Standard	203																			
STD OXC72	Standard	196																			
STD OXC72	Standard	193																			
STD OXC72	Standard	202																			
STD OXC72	Standard	209																			
STD OXC72	Standard	197																			
STD OXC72	Standard	195																			
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
Report Date: August 27, 2010

Page: 3 of 5 **Part** 2

QUALITY CONTROL REPORT

VAN10003601.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS7	Standard	0.076	13	208	1.04	408	0.131	35	1.02	0.100	0.46	3.8	0.20	2.3	3.9	0.20	5	2.8	1.2
STD DS7	Standard	0.075	12	215	1.02	389	0.119	42	0.98	0.099	0.49	3.7	0.23	2.5	4.2	0.25	5	3.5	0.7
STD DS7	Standard	0.082	13	218	1.10	408	0.132	42	1.11	0.107	0.50	3.7	0.23	2.5	4.5	0.20	5	3.3	1.0
STD DS7	Standard	0.075	14	203	1.04	416	0.127	37	1.06	0.107	0.47	3.4	0.21	2.6	4.0	0.20	5	3.5	1.9
STD DS7	Standard	0.078	13	208	1.08	411	0.129	36	1.13	0.113	0.50	3.7	0.23	3.1	4.3	0.18	5	3.1	1.4
STD DS7	Standard	0.072	12	200	1.03	393	0.111	39	1.02	0.093	0.45	3.4	0.22	2.3	3.9	0.19	5	3.2	1.4
STD DS7	Standard	0.077	15	217	1.09	418	0.137	39	1.10	0.108	0.52	4.0	0.24	2.6	4.2	0.24	5	3.5	1.0
STD DS7	Standard	0.077	13	176	1.02	399	0.127	35	1.02	0.092	0.45	3.7	0.21	2.5	4.0	0.20	5	3.2	1.1
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXC72	Standard																		
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 4 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003601.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
STD OXC72 Expected		205				1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	0.5	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	0.5	<0.1	<1	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
 Report Date: August 27, 2010

Page: 4 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003601.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC72 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: None Given
Report Date: August 27, 2010

Page: 5 of 5 **Part** 1

QUALITY CONTROL REPORT

VAN10003601.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank	<2																				
BLK	Blank	<2																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**

480 - 789 W. Pender St.

Vancouver BC V6C 1H2 Canada

Project: None Given

Report Date: August 27, 2010

Page: 5 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003601.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
BLK	Blank																			
BLK	Blank																			



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: August 16, 2010
Report Date: September 06, 2010
Page: 1 of 13

CERTIFICATE OF ANALYSIS

VAN10003916.1

CLIENT JOB INFORMATION

Project: ADDIE 1
Shipment ID:
P.O. Number
Number of Samples: 338

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include SS80, Dry at 60C, 3B01, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 2 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L1D-3000N	Soil		6	3.1	136.2	11.2	118	3.6	95.7	19.0	1335	3.56	24.2	4.5	4.7	0.5	94	5.8	1.6	0.2	57	0.91
L1D-3025N	Soil		2	4.1	60.2	11.0	97	1.3	55.3	18.8	1194	4.04	26.8	0.9	2.5	0.5	31	1.3	1.8	0.2	80	0.34
L1D-3050N	Soil		<2	4.6	43.9	12.8	114	0.8	39.1	15.3	1222	4.18	25.8	0.6	2.4	0.7	12	0.9	2.3	0.2	70	0.12
L1D-3075N	Soil		5	4.9	50.6	12.1	205	3.5	45.7	15.6	1188	4.42	40.6	0.6	4.9	0.6	12	0.7	2.7	0.2	71	0.12
L1D-3100N	Soil		6	5.9	87.5	13.9	169	2.6	70.0	19.3	1420	4.17	33.8	1.4	5.0	0.6	19	2.0	3.1	0.3	73	0.20
L1D-3125N	Soil		7	8.3	89.0	11.3	112	3.7	41.4	8.5	657	4.20	20.4	1.1	3.7	0.5	23	2.7	3.1	0.2	93	0.29
L1D-3150N	Soil		2	5.6	37.6	15.7	117	0.8	32.3	9.1	1028	3.42	19.7	0.4	2.7	0.6	14	0.9	1.9	0.3	72	0.20
L1D-3175N	Soil		5	7.2	49.0	19.3	186	1.3	42.3	17.0	1928	3.78	30.5	0.5	3.9	0.5	11	1.5	1.8	0.3	59	0.12
L1D-3200N	Soil		6	12.4	63.6	18.1	242	1.4	56.5	11.1	708	4.49	36.3	0.6	5.2	0.5	9	2.4	2.3	0.3	57	0.10
L1D-3225N	Soil		5	6.7	80.0	12.8	169	1.5	50.6	13.3	909	3.21	19.0	1.4	4.3	0.6	18	3.0	1.4	0.2	57	0.21
L1D-3250N	Soil		5	3.9	116.7	12.1	161	2.4	50.1	20.6	1706	3.73	20.6	3.1	3.8	0.5	26	3.5	1.1	0.2	48	0.30
L1D-3275N	Soil		2	3.6	42.0	9.7	60	1.0	22.8	5.8	325	3.13	19.4	0.6	2.4	0.7	15	0.7	1.0	0.2	52	0.17
L1D-3300N	Soil		7	4.5	62.3	9.7	77	1.4	29.1	6.5	318	3.68	24.1	0.8	6.6	0.7	14	1.5	1.2	0.2	58	0.14
L1D-3325N	Soil		6	5.2	77.9	13.0	125	0.7	55.0	31.1	1888	4.48	74.9	1.2	3.2	0.8	22	1.3	2.1	0.2	54	0.24
L1D-3350N	Soil		3	3.6	140.1	12.9	161	1.5	50.0	20.8	2450	3.82	55.2	2.4	1.8	0.3	62	2.8	1.3	0.2	41	0.76
L1D-3375N	Soil		3	3.4	155.0	12.8	127	1.6	54.0	19.0	4197	3.60	58.9	2.9	2.3	0.5	62	3.2	1.0	0.2	48	0.72
L1D-3400N	Soil		2	13.5	73.2	10.3	112	0.4	36.1	15.4	771	5.09	141.5	0.5	1.8	0.6	8	0.5	1.8	0.2	72	0.06
L1D-3425	Soil		3	3.9	39.4	10.0	96	0.4	23.2	11.7	847	3.47	32.2	0.4	2.4	0.1	9	0.5	1.3	0.2	56	0.10
L1D-3450N	Soil		<2	4.5	22.2	8.0	63	0.5	18.2	6.5	497	2.73	28.6	0.4	1.3	0.3	12	0.5	1.1	0.2	62	0.10
L1D-3475	Soil		5	3.6	21.6	7.8	63	0.5	19.3	5.7	451	2.82	24.2	0.3	2.2	0.3	8	0.5	1.0	0.2	55	0.06
L1D-3500N	Soil		<2	5.1	34.0	8.7	69	1.7	28.8	6.8	419	3.81	38.8	0.6	1.0	0.4	7	0.9	1.1	0.2	62	0.04
L1D-3525	Soil		8	5.8	36.9	11.2	78	0.7	32.9	9.1	686	5.33	49.1	0.6	3.3	0.5	9	0.8	1.6	0.2	72	0.06
L1D-3550N	Soil		<2	5.5	42.4	11.5	77	1.4	23.9	10.9	1012	4.78	41.0	0.8	2.0	0.6	12	0.6	1.3	0.2	59	0.14
L1D-3575	Soil		<2	3.3	22.6	12.2	53	0.5	12.0	4.5	360	1.62	19.3	0.3	5.2	0.3	26	0.4	0.9	0.3	56	0.36
L1D-3600N	Soil		11	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3625	Soil		4	4.2	68.2	10.2	94	0.3	40.8	14.6	624	3.58	72.3	1.7	2.2	0.8	26	1.4	1.5	0.2	71	0.19
L1D-3650N	Soil		4	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3675	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3700N	Soil		<2	4.0	40.1	11.0	71	0.4	25.6	11.4	642	5.26	28.4	0.4	<0.5	1.0	15	0.5	1.4	0.2	138	0.11
L1D-3725	Soil		3	3.3	66.9	9.4	156	0.8	48.6	17.0	1217	5.09	67.9	0.5	2.5	0.7	9	0.7	4.9	0.2	110	0.07



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 2 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L1D-3000N	Soil	0.099	20	81	0.56	173	0.036	1	2.76	0.010	0.10	0.1	0.20	3.8	0.1	0.05	6	2.3	<0.2
L1D-3025N	Soil	0.078	12	92	0.73	80	0.061	1	2.02	0.006	0.08	0.1	0.09	2.5	0.1	<0.05	7	2.8	<0.2
L1D-3050N	Soil	0.081	8	48	0.49	57	0.073	<1	1.57	0.004	0.10	<0.1	0.06	1.7	<0.1	<0.05	6	1.8	<0.2
L1D-3075N	Soil	0.099	8	48	0.71	117	0.049	1	2.05	0.005	0.08	0.1	0.10	1.7	0.1	<0.05	6	1.9	<0.2
L1D-3100N	Soil	0.074	11	48	0.47	85	0.054	<1	1.96	0.005	0.10	0.1	0.11	2.6	0.2	<0.05	6	3.5	<0.2
L1D-3125N	Soil	0.070	8	38	0.44	54	0.118	<1	1.63	0.004	0.06	0.1	0.13	2.3	<0.1	0.05	7	4.3	<0.2
L1D-3150N	Soil	0.106	9	36	0.31	124	0.048	1	1.06	0.006	0.10	0.1	0.03	1.5	0.1	<0.05	6	2.4	<0.2
L1D-3175N	Soil	0.112	8	35	0.33	123	0.036	<1	1.23	0.004	0.08	<0.1	0.06	1.3	<0.1	<0.05	5	2.7	<0.2
L1D-3200N	Soil	0.106	8	32	0.41	124	0.035	<1	1.33	0.003	0.07	0.1	0.06	1.4	<0.1	<0.05	5	2.9	<0.2
L1D-3225N	Soil	0.053	12	33	0.40	125	0.031	<1	1.75	0.004	0.08	0.1	0.10	2.2	0.1	<0.05	5	2.7	<0.2
L1D-3250N	Soil	0.080	16	38	0.39	113	0.033	<1	2.21	0.005	0.08	0.1	0.13	2.5	<0.1	<0.05	6	2.3	<0.2
L1D-3275N	Soil	0.062	9	34	0.49	50	0.050	<1	1.24	0.004	0.07	<0.1	0.05	1.5	0.1	<0.05	6	2.7	<0.2
L1D-3300N	Soil	0.060	11	44	0.41	70	0.057	<1	1.57	0.004	0.06	0.2	0.10	1.7	<0.1	<0.05	6	2.5	<0.2
L1D-3325N	Soil	0.068	11	65	0.64	135	0.029	<1	1.88	0.005	0.09	0.1	0.07	3.0	<0.1	<0.05	6	2.7	<0.2
L1D-3350N	Soil	0.124	13	33	0.41	200	0.022	1	1.79	0.007	0.09	0.1	0.09	2.8	<0.1	0.08	5	2.8	<0.2
L1D-3375N	Soil	0.119	25	43	0.46	244	0.029	<1	2.41	0.007	0.09	0.1	0.14	3.8	0.2	0.06	6	2.5	<0.2
L1D-3400N	Soil	0.098	8	59	0.69	117	0.030	1	3.02	0.005	0.09	0.2	0.07	2.5	<0.1	<0.05	7	1.1	<0.2
L1D-3425	Soil	0.124	7	39	0.40	118	0.019	<1	1.49	0.005	0.09	0.2	0.07	0.8	0.1	<0.05	6	0.7	<0.2
L1D-3450N	Soil	0.051	9	36	0.32	156	0.035	<1	1.08	0.005	0.06	0.1	0.09	1.3	0.1	<0.05	5	0.8	<0.2
L1D-3475	Soil	0.088	9	43	0.39	90	0.033	<1	1.25	0.006	0.06	<0.1	0.05	1.1	<0.1	<0.05	6	<0.5	<0.2
L1D-3500N	Soil	0.067	9	78	0.49	80	0.026	<1	1.84	0.005	0.05	0.1	0.09	1.5	<0.1	<0.05	6	0.9	<0.2
L1D-3525	Soil	0.119	9	80	0.41	38	0.046	<1	1.23	0.003	0.05	0.2	0.07	2.1	<0.1	<0.05	7	1.6	<0.2
L1D-3550N	Soil	0.142	8	54	0.34	72	0.047	1	1.52	0.005	0.07	0.1	0.12	1.4	<0.1	0.05	6	1.2	<0.2
L1D-3575	Soil	0.030	9	19	0.10	119	0.051	1	0.42	0.005	0.04	0.1	0.04	1.0	<0.1	<0.05	4	0.8	<0.2
L1D-3600N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3625	Soil	0.050	12	75	0.50	77	0.048	<1	1.55	0.004	0.08	0.1	0.06	2.7	<0.1	<0.05	5	1.3	<0.2
L1D-3650N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3675	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-3700N	Soil	0.047	7	61	0.61	130	0.138	<1	1.67	0.009	0.04	0.2	0.07	3.0	<0.1	<0.05	9	0.6	<0.2
L1D-3725	Soil	0.161	8	76	0.65	129	0.040	1	2.30	0.005	0.07	0.2	0.08	3.6	0.1	<0.05	8	0.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 3 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L1D-3750N	Soil			2	3.4	20.0	8.6	116	0.3	26.2	8.6	679	3.57	59.0	0.3	1.1	0.7	7	0.7	1.3	0.2	69	0.06
L1D-3775	Soil			19	10.7	91.1	12.9	191	0.6	117.2	21.6	727	4.36	64.7	1.7	15.0	1.8	11	1.0	2.7	0.2	61	0.09
L1D-3800N	Soil			15	8.8	78.7	12.0	150	2.4	62.3	13.6	1097	3.65	70.1	1.8	12.2	0.6	39	1.8	3.5	0.2	45	0.56
L1D-3825	Soil			29	9.2	61.0	12.2	135	0.2	54.9	14.6	587	3.66	65.2	0.8	22.1	1.3	11	0.7	4.1	0.2	40	0.07
L1D-3850N	Soil			7	9.7	44.3	11.2	128	0.5	53.8	13.0	798	4.40	72.7	0.8	5.0	0.7	22	0.8	3.4	0.2	54	0.10
L1D-3875	Soil			24	12.1	163.1	16.5	230	9.5	99.8	24.4	4425	4.64	151.0	8.0	16.7	0.9	88	6.4	6.2	0.3	53	1.04
L1D-3900N	Soil			4	6.6	84.6	15.0	111	1.5	40.1	20.2	1035	3.63	284.9	1.0	3.8	1.5	34	1.4	2.8	0.3	54	0.34
L1D-3925	Soil			5	7.5	37.7	10.4	99	0.3	35.3	9.2	437	3.51	53.0	0.6	2.6	1.4	6	0.5	2.3	0.2	48	0.04
L1D-3950N	Soil			5	5.8	13.4	8.2	36	0.3	14.9	6.8	482	1.49	25.2	0.4	1.0	0.6	5	<0.1	1.3	0.2	39	0.03
L1D-3975	Soil			3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4000N	Soil			2	9.6	58.0	10.3	106	0.4	36.9	16.2	956	4.66	68.9	0.7	2.4	0.7	19	0.5	3.0	0.2	60	0.20
L1D-4025	Soil			<2	8.5	35.3	10.5	75	0.7	25.4	12.3	766	3.84	56.6	0.5	0.8	0.5	7	0.6	2.1	0.2	51	0.06
L1D-4050N	Soil			2	9.4	49.8	13.3	86	1.2	26.7	10.0	441	4.81	67.4	0.7	1.1	1.4	3	0.6	2.0	0.2	51	0.02
L1D-4075	Soil			3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4100N	Soil			3	14.7	56.1	15.8	127	0.3	32.9	10.3	395	5.07	65.2	0.8	2.0	2.3	6	0.6	2.3	0.2	47	0.03
L1D-4125	Soil			<2	12.0	43.4	11.9	76	0.4	23.2	10.4	850	2.74	51.7	0.5	1.2	0.3	5	0.4	1.9	0.3	48	0.04
L1D-4150N	Soil			12	11.4	42.8	13.9	81	0.5	17.9	6.6	332	3.17	45.6	0.8	2.6	0.5	30	1.1	1.4	0.2	64	0.35
L1D-4175	Soil			3	9.9	49.2	11.7	128	1.3	14.2	8.1	404	3.60	18.9	0.4	<0.5	0.2	11	1.7	1.2	0.3	76	0.12
L1D-4200N	Soil			<2	15.4	75.7	17.1	189	0.5	49.8	16.5	715	4.82	85.4	1.1	1.9	1.0	19	1.3	1.6	0.3	70	0.23
L1D-4225	Soil			<2	10.5	50.9	16.2	102	0.4	34.3	8.8	657	3.38	61.3	0.6	1.0	0.6	6	0.6	1.3	0.4	58	0.06
L1D-4250N	Soil			18	12.9	129.7	24.0	146	0.4	106.5	26.0	1414	4.54	113.9	1.3	13.2	2.0	5	0.8	2.7	0.3	43	0.02
L1D-4275	Soil			4	19.6	87.6	15.7	132	0.8	83.9	15.7	600	4.95	153.2	0.9	2.4	1.4	6	1.0	2.9	0.2	64	0.04
L1D-4300N	Soil			3	17.7	73.0	17.8	143	1.3	60.4	15.6	726	5.17	156.2	0.8	0.6	0.5	7	1.0	3.9	0.3	63	0.05
L1D-4325	Soil			3	17.9	68.3	20.6	109	1.0	54.2	10.6	441	4.90	147.6	0.9	1.9	0.6	5	1.1	2.5	0.3	56	0.03
L1D-4350N	Soil			9	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4375	Soil			8	15.3	74.4	20.8	125	0.6	52.4	14.9	1146	4.41	99.7	1.4	8.0	0.8	5	1.0	3.6	0.3	38	0.03
L1D-4400N	Soil			31	22.8	122.0	29.1	177	0.6	73.9	21.6	1681	4.85	123.3	1.6	19.8	1.6	5	0.9	6.4	0.4	36	0.01
L1D-4425	Soil			16	20.6	98.2	22.9	169	0.2	63.9	16.9	767	4.18	111.0	1.2	12.0	1.1	5	0.7	6.3	0.3	33	0.04
L1D-4450N	Soil			4	18.0	67.0	23.6	140	0.5	51.6	17.3	1214	4.34	102.0	1.1	3.5	0.4	8	1.1	4.6	0.3	36	0.05
L1D-4475	Soil			65	24.0	132.7	28.7	187	0.8	84.8	21.4	957	5.03	115.9	2.4	60.6	2.2	12	1.2	7.6	0.3	29	0.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method Analyte Unit MDL	1DX15 P % 0.001	1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2	
L1D-3750N	Soil	0.050	8	41	0.27	138	0.037	<1	1.27	0.004	0.05	0.1	0.05	1.8	0.1	<0.05	7	<0.5	<0.2
L1D-3775	Soil	0.074	11	69	0.53	177	0.012	1	2.92	0.006	0.10	0.1	0.11	3.0	0.2	<0.05	6	2.0	<0.2
L1D-3800N	Soil	0.123	11	59	0.61	125	0.012	1	1.68	0.005	0.09	0.2	0.14	2.7	0.2	0.06	4	2.9	<0.2
L1D-3825	Soil	0.044	9	49	0.56	78	0.027	<1	1.73	0.004	0.08	0.1	0.09	2.1	0.2	<0.05	4	2.3	<0.2
L1D-3850N	Soil	0.063	9	63	0.57	124	0.035	2	1.67	0.005	0.08	0.2	0.07	1.9	0.1	0.05	5	1.3	<0.2
L1D-3875	Soil	0.215	48	78	0.51	304	0.020	3	3.24	0.010	0.18	0.2	0.40	7.3	0.4	0.12	6	4.9	<0.2
L1D-3900N	Soil	0.092	14	38	0.29	115	0.021	2	1.87	0.005	0.05	0.2	0.12	3.1	0.2	<0.05	6	1.6	<0.2
L1D-3925	Soil	0.063	8	54	0.43	72	0.019	2	1.61	0.006	0.05	0.1	0.06	2.0	0.1	<0.05	4	1.1	<0.2
L1D-3950N	Soil	0.032	11	36	0.30	73	0.022	4	0.93	0.003	0.08	0.2	0.04	1.2	0.2	<0.05	4	<0.5	<0.2
L1D-3975	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4000N	Soil	0.092	11	54	0.60	133	0.011	2	1.98	0.004	0.06	0.2	0.08	2.3	0.1	<0.05	5	1.1	0.2
L1D-4025	Soil	0.110	10	39	0.39	120	0.010	1	1.30	0.003	0.05	0.1	0.07	1.6	0.1	<0.05	5	0.7	<0.2
L1D-4050N	Soil	0.089	9	48	0.48	85	0.011	3	1.88	0.004	0.04	0.2	0.07	2.3	0.2	<0.05	5	0.8	<0.2
L1D-4075	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4100N	Soil	0.057	12	40	0.53	107	0.003	1	1.68	0.004	0.04	0.1	0.06	2.1	0.2	<0.05	4	1.7	<0.2
L1D-4125	Soil	0.047	9	26	0.13	126	0.006	1	0.66	0.002	0.04	0.1	0.06	0.8	0.2	<0.05	4	0.8	<0.2
L1D-4150N	Soil	0.046	9	27	0.26	135	0.012	2	1.12	0.003	0.04	0.2	0.04	1.6	0.1	<0.05	5	1.3	0.3
L1D-4175	Soil	0.104	6	19	0.27	157	0.011	3	1.11	0.005	0.06	0.1	0.07	0.9	0.2	<0.05	5	1.2	<0.2
L1D-4200N	Soil	0.104	8	78	0.80	181	0.005	1	2.21	0.007	0.06	0.1	0.06	2.2	0.2	<0.05	6	2.0	<0.2
L1D-4225	Soil	0.071	8	53	0.29	132	0.013	1	0.93	0.003	0.05	0.1	0.06	1.5	0.1	<0.05	5	1.0	<0.2
L1D-4250N	Soil	0.075	7	105	0.81	105	0.002	1	1.80	0.002	0.05	0.1	0.10	3.3	0.1	<0.05	4	1.8	0.2
L1D-4275	Soil	0.101	7	107	0.74	140	0.003	1	1.56	0.005	0.05	0.2	0.06	2.8	0.2	<0.05	4	2.2	<0.2
L1D-4300N	Soil	0.121	7	89	0.45	85	0.010	2	1.20	<0.001	0.05	0.2	0.06	1.6	0.2	<0.05	5	2.0	<0.2
L1D-4325	Soil	0.105	6	84	0.44	63	0.005	1	1.19	0.002	0.04	0.2	0.07	1.3	0.1	<0.05	5	2.0	0.2
L1D-4350N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L1D-4375	Soil	0.080	8	63	0.33	63	0.009	1	1.08	0.002	0.05	0.1	0.07	1.5	0.2	<0.05	3	1.9	<0.2
L1D-4400N	Soil	0.088	10	50	0.32	121	0.002	1	1.22	0.003	0.06	0.1	0.12	2.3	0.3	<0.05	3	2.5	0.4
L1D-4425	Soil	0.084	10	55	0.37	80	0.006	2	0.95	0.004	0.06	0.2	0.07	2.0	0.2	<0.05	3	1.8	0.3
L1D-4450N	Soil	0.097	8	48	0.17	64	0.006	1	0.73	0.004	0.04	0.1	0.04	1.0	0.2	<0.05	4	2.0	0.3
L1D-4475	Soil	0.096	9	56	0.38	113	0.002	1	1.32	0.004	0.07	0.1	0.21	2.4	0.2	<0.05	2	3.4	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 4 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L1D-4500N	Soil			42	23.2	86.4	22.6	153	0.9	57.5	12.2	465	4.19	93.7	1.6	36.0	1.7	4	0.8	5.7	0.3	30	0.02
L1D-4525	Soil			19	23.2	84.5	22.5	159	0.6	61.3	14.5	850	4.02	97.4	1.2	14.2	1.5	6	1.0	6.0	0.3	33	0.06
L1D-4550N	Soil			22	20.3	73.0	23.7	134	2.4	59.1	15.7	716	4.51	105.1	1.4	20.9	1.6	4	0.7	4.9	0.3	36	0.02
L1D-4575	Soil			<2	18.4	45.2	23.2	106	0.9	48.2	12.1	609	4.61	99.9	0.7	1.2	0.7	6	0.8	3.1	0.3	66	0.08
L1D-4600N	Soil			2	16.9	81.5	36.8	156	1.5	56.1	29.4	2926	6.25	114.7	1.3	3.4	0.4	10	1.2	3.9	0.5	56	0.07
L1D-4625	Soil			11	15.5	89.9	24.0	157	0.8	72.2	20.2	1697	4.26	97.0	1.2	8.7	1.5	6	0.8	2.7	0.3	41	0.06
L1D-4650N	Soil			9	12.9	95.1	17.3	114	1.0	51.3	14.2	930	3.66	59.8	1.2	8.4	1.6	3	0.6	1.7	0.3	31	0.01
L1D-4675	Soil			23	11.2	110.5	25.7	158	0.2	87.5	26.1	1834	4.10	90.4	1.6	19.3	2.6	5	1.2	2.8	0.3	29	0.02
L1D-4700N	Soil			2	7.4	54.4	15.7	159	0.8	60.0	12.8	654	3.99	63.9	0.7	1.5	2.5	4	0.7	1.1	0.4	40	0.02
L1D-4725	Soil			23	9.6	102.8	21.4	186	1.1	85.4	19.1	1331	3.79	84.9	1.6	18.3	3.0	3	1.2	2.2	0.3	39	0.01
L1D-4750N	Soil			22	18.1	66.7	20.5	175	1.4	65.0	17.3	739	4.81	97.1	1.1	19.2	2.2	5	1.8	3.7	0.3	44	0.04
L1D-4775	Soil			56	31.1	109.2	24.7	167	0.3	72.6	17.1	864	3.91	81.7	1.5	28.7	2.6	4	0.8	3.9	0.3	34	0.02
L1D-4800N	Soil			27	17.8	65.7	23.2	174	0.9	65.9	23.7	1844	5.02	104.7	1.6	20.6	1.7	12	2.2	3.7	0.3	36	0.10
L1D-4825	Soil			40	22.3	70.0	16.7	211	1.4	63.5	15.5	1193	5.93	134.5	0.9	28.7	1.5	4	1.3	4.5	0.3	36	0.04
L1D-4850N	Soil			79	22.1	80.3	26.9	191	1.6	56.6	12.1	924	4.64	100.5	2.0	67.6	0.7	11	1.4	5.5	0.3	31	0.03
L1D-4875	Soil			9	16.6	57.3	14.6	127	0.6	51.5	11.9	731	3.80	72.0	0.6	9.5	2.0	3	0.5	1.9	0.3	42	0.02
L1D-4900N	Soil			28	16.6	94.6	25.5	180	0.6	90.2	19.6	1671	4.39	107.0	1.3	24.2	2.6	5	0.8	3.3	0.3	37	0.02
L1D-4925	Soil			17	13.2	77.8	21.1	147	0.7	61.7	15.4	1993	3.94	83.6	1.1	11.6	1.2	7	0.9	2.7	0.3	40	0.08
L1D-4950N	Soil			7	12.9	44.0	12.6	125	0.7	50.4	11.0	904	3.50	74.5	0.6	6.3	1.7	4	0.6	1.7	0.2	43	0.02
L1D-4975	Soil			23	12.1	85.0	14.9	131	0.3	64.5	15.2	856	4.11	71.6	1.2	17.0	0.9	4	0.5	2.7	0.2	52	0.02
L1D-5000N	Soil			21	10.3	89.8	14.7	137	0.4	72.6	20.1	918	4.64	80.2	0.9	15.5	1.1	4	0.5	2.4	0.2	51	0.04
L1D-5025	Soil			10	9.8	61.9	16.8	136	0.9	62.7	19.9	1568	4.29	73.5	0.9	7.8	1.2	6	1.0	2.9	0.3	48	0.09
L1D-5050N	Soil			3	9.8	34.0	12.9	152	0.5	52.2	13.1	487	4.16	68.9	0.6	2.0	1.9	4	0.8	2.5	0.2	47	0.05
L1D-5075	Soil			<2	7.3	33.0	15.5	130	0.1	41.5	14.2	717	3.94	58.9	0.6	1.3	1.2	5	0.7	2.2	0.2	53	0.17
L1D-5100N	Soil			2	7.7	61.1	14.2	147	0.1	72.4	19.7	390	4.96	91.1	0.9	3.3	1.7	6	0.6	3.0	0.2	58	0.18
L1D-5125	Soil			4	1.9	17.9	6.8	87	0.3	44.2	15.7	928	3.55	31.6	0.3	2.1	0.9	10	0.7	0.5	0.2	97	0.44
L1D-5150N	Soil			<2	3.7	54.9	11.1	215	0.4	81.2	34.6	1552	4.61	52.3	0.6	1.8	1.5	12	1.9	1.1	0.2	77	0.50
L1D-5175	Soil			<2	2.7	39.0	5.1	119	0.4	59.1	23.6	1104	4.46	50.1	0.3	<0.5	0.6	9	1.1	0.6	0.1	85	0.29
L1D-5200N	Soil			<2	1.2	38.1	6.5	207	0.5	61.4	30.3	2071	4.06	22.6	0.3	0.6	1.1	16	1.6	0.6	0.2	86	0.61
L1D-5225	Soil			5	10.2	54.4	12.0	112	0.4	45.3	10.7	368	5.06	73.4	0.7	7.9	1.0	6	0.6	2.6	0.2	69	0.14



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 4 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L1D-4500N	Soil	0.074	9	54	0.29	73	0.002	<1	1.13	0.004	0.04	0.1	0.13	1.8	0.3	<0.05	3	3.5	<0.2
L1D-4525	Soil	0.076	10	62	0.35	80	0.005	2	0.92	0.003	0.07	0.2	0.06	1.9	0.2	<0.05	3	2.9	<0.2
L1D-4550N	Soil	0.091	10	79	0.40	58	0.007	1	1.15	0.003	0.05	0.2	0.09	1.9	0.3	<0.05	3	3.4	<0.2
L1D-4575	Soil	0.114	9	79	0.26	68	0.013	1	0.82	0.002	0.05	0.2	0.07	1.6	0.2	<0.05	6	1.2	<0.2
L1D-4600N	Soil	0.194	10	72	0.26	198	0.021	2	1.20	0.005	0.06	0.2	0.09	1.3	0.2	<0.05	7	2.2	0.6
L1D-4625	Soil	0.085	9	75	0.49	132	0.005	<1	1.24	0.003	0.06	0.1	0.08	2.3	0.2	<0.05	4	2.0	0.2
L1D-4650N	Soil	0.066	8	65	0.40	75	0.003	<1	1.39	0.003	0.05	0.1	0.09	1.9	0.1	<0.05	3	1.4	<0.2
L1D-4675	Soil	0.051	14	58	0.60	100	0.005	<1	1.24	0.003	0.06	0.1	0.04	3.4	0.1	<0.05	3	1.7	0.3
L1D-4700N	Soil	0.050	12	64	0.50	177	0.004	<1	1.59	0.003	0.05	<0.1	0.07	2.8	0.1	<0.05	4	0.9	<0.2
L1D-4725	Soil	0.066	13	77	0.64	173	0.005	1	1.70	0.003	0.06	0.1	0.08	3.1	0.2	<0.05	4	2.2	<0.2
L1D-4750N	Soil	0.096	10	88	0.41	139	0.005	<1	1.68	0.003	0.05	0.1	0.15	2.3	0.3	<0.05	4	2.7	0.3
L1D-4775	Soil	0.087	11	68	0.58	120	0.002	<1	1.41	0.003	0.06	0.1	0.08	2.8	0.2	<0.05	3	3.0	<0.2
L1D-4800N	Soil	0.085	7	57	0.39	126	0.007	<1	1.59	0.004	0.04	0.2	0.07	2.3	0.2	<0.05	4	3.0	0.2
L1D-4825	Soil	0.116	6	62	0.35	119	0.004	<1	1.44	0.003	0.05	0.2	0.11	1.7	0.3	<0.05	4	3.6	0.3
L1D-4850N	Soil	0.137	8	54	0.25	64	0.009	<1	1.20	0.005	0.04	0.2	0.13	1.5	0.3	<0.05	4	2.1	0.4
L1D-4875	Soil	0.057	8	62	0.48	114	0.003	<1	1.38	0.002	0.04	0.1	0.08	2.2	0.2	<0.05	4	1.2	<0.2
L1D-4900N	Soil	0.067	11	73	0.70	90	0.008	<1	1.53	0.004	0.06	0.2	0.05	2.6	0.1	<0.05	3	3.2	<0.2
L1D-4925	Soil	0.079	8	58	0.51	138	0.006	<1	1.30	0.003	0.05	0.1	0.08	2.0	0.2	<0.05	4	1.9	<0.2
L1D-4950N	Soil	0.055	8	73	0.57	158	0.007	<1	1.33	0.003	0.03	0.2	0.06	1.9	0.2	<0.05	4	1.8	<0.2
L1D-4975	Soil	0.049	7	81	0.74	109	0.012	<1	1.83	0.003	0.03	0.1	0.08	2.7	0.2	<0.05	5	1.8	0.2
L1D-5000N	Soil	0.056	6	81	0.91	84	0.019	<1	1.92	0.003	0.03	0.1	0.07	2.8	0.1	<0.05	4	2.5	<0.2
L1D-5025	Soil	0.077	7	71	0.76	115	0.023	<1	1.48	0.003	0.05	0.1	0.05	2.3	0.2	<0.05	4	1.5	0.4
L1D-5050N	Soil	0.059	9	62	0.64	115	0.020	<1	1.50	0.003	0.04	0.1	0.03	2.2	0.2	<0.05	4	1.3	<0.2
L1D-5075	Soil	0.105	8	49	0.50	111	0.011	<1	1.23	0.003	0.03	0.1	0.03	2.2	0.2	<0.05	5	0.7	<0.2
L1D-5100N	Soil	0.115	7	69	0.55	98	0.021	<1	1.69	0.003	0.03	0.2	0.02	2.6	0.2	<0.05	5	1.2	<0.2
L1D-5125	Soil	0.064	4	79	1.03	70	0.128	<1	1.81	0.004	0.03	0.1	0.04	5.0	<0.1	<0.05	8	0.5	<0.2
L1D-5150N	Soil	0.160	6	87	0.99	92	0.056	1	2.42	0.006	0.04	0.2	0.05	6.0	0.1	<0.05	7	0.6	<0.2
L1D-5175	Soil	0.104	4	93	0.96	141	0.017	<1	2.02	0.004	0.03	<0.1	0.02	5.4	<0.1	<0.05	7	<0.5	<0.2
L1D-5200N	Soil	0.145	5	101	1.24	215	0.071	1	2.46	0.007	0.04	<0.1	0.07	5.5	<0.1	<0.05	7	<0.5	<0.2
L1D-5225	Soil	0.092	8	57	0.43	60	0.029	<1	1.21	0.003	0.05	0.1	0.03	2.3	0.1	<0.05	5	1.6	0.3



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 5 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L1D-5250N	Soil			10	8.3	94.7	20.0	212	1.7	78.3	32.0	5640	5.16	84.6	1.5	4.6	1.3	27	5.0	2.2	0.3	44	1.19
L1D-5275	Soil			30	13.8	107.5	19.8	167	0.7	87.7	23.9	1852	5.01	81.9	1.4	19.5	1.9	8	1.1	2.6	0.2	54	0.10
L1D-5300N	Soil			8	23.1	92.1	19.7	158	1.6	76.2	21.5	3052	4.99	167.7	0.9	6.3	1.3	9	1.2	1.6	0.3	67	0.10
L2A-3000	Soil			4	3.6	61.0	10.0	131	0.5	52.8	12.5	323	3.63	44.6	2.4	2.6	0.5	40	0.9	1.9	0.2	56	0.62
L2A-3025	Soil			4	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-3050	Soil			5	11.3	50.8	14.6	83	0.5	24.5	6.5	287	3.34	49.2	0.9	2.6	0.5	10	1.4	6.0	0.3	51	0.09
L2A-3075	Soil			5	11.0	57.1	10.9	130	1.1	36.5	10.2	538	3.75	31.6	0.7	4.0	0.7	20	1.6	4.2	0.2	63	0.24
L2A-3100	Soil			13	23.5	60.5	14.8	229	4.4	35.2	10.9	600	4.59	40.4	1.0	10.7	0.8	12	3.1	7.1	0.2	85	0.08
L2A-3125	Soil			<2	6.5	18.2	9.0	112	1.0	22.6	8.9	764	3.94	34.1	0.4	2.9	1.2	11	0.8	3.3	0.2	92	0.08
L2A-3150	Soil			4	3.4	24.2	8.5	84	1.9	17.3	4.9	271	3.13	16.7	0.5	3.8	0.6	8	0.6	1.4	0.2	64	0.05
L2A-3175	Soil			<2	5.1	25.4	7.9	140	1.2	22.1	7.4	707	3.13	16.4	0.4	2.2	0.6	7	1.7	1.4	0.2	58	0.05
L2A-3200	Soil			5	3.1	44.7	10.1	151	0.8	23.3	6.3	963	2.68	13.7	0.8	1.7	0.7	9	3.1	0.9	0.2	43	0.11
L2A-3225	Soil			3	3.1	47.8	7.8	122	0.7	33.9	8.9	453	3.35	19.4	1.0	4.7	0.9	13	1.5	1.0	0.2	49	0.15
L2A-3250	Soil			<2	2.6	46.7	9.1	54	0.5	26.2	7.6	417	3.02	15.2	0.4	0.7	0.6	19	0.7	0.9	0.2	84	0.18
L2A-3275	Soil			3	3.9	41.7	11.3	52	0.3	21.6	5.3	161	2.94	21.1	0.8	0.9	0.4	24	0.8	1.2	0.2	62	0.24
L2A-3300	Soil			<2	4.9	48.2	8.8	52	0.7	20.4	6.1	380	2.40	17.3	0.7	1.9	0.5	13	0.7	1.2	0.2	46	0.11
L2A-3325	Soil			2	4.0	30.2	7.6	69	0.7	24.4	6.2	287	3.46	19.5	0.6	0.7	0.6	10	0.4	0.9	0.2	54	0.08
L2A-3350	Soil			4	4.6	35.7	8.2	67	0.5	21.5	7.2	442	3.19	19.6	0.7	1.9	0.9	9	0.6	1.0	0.2	50	0.06
L2A-3375	Soil			5	6.1	68.3	10.2	84	1.3	30.4	9.8	531	3.59	22.5	1.1	1.4	0.5	12	1.0	1.5	0.3	58	0.08
L2A-3400	Soil			4	5.7	61.8	10.3	78	0.6	32.8	9.5	333	3.47	41.6	1.0	3.4	1.2	8	0.5	1.4	0.2	54	0.05
L2A-3425	Soil			<2	4.0	47.2	11.0	104	0.7	34.6	11.4	526	3.75	34.7	0.6	2.9	0.7	12	0.7	1.3	0.2	60	0.10
L2A-3450N	Soil			<2	4.6	43.0	10.2	127	0.3	33.3	10.8	786	4.42	37.0	0.6	0.8	0.5	11	0.6	1.5	0.3	71	0.10
L2A-3475	Soil			3	4.5	52.3	11.1	90	0.7	34.6	14.2	1339	4.06	53.6	0.5	2.0	0.8	10	0.3	1.5	0.2	84	0.06
L2A-3500N	Soil			7	8.0	48.9	11.7	96	0.4	38.8	9.2	315	3.89	45.9	0.8	6.0	1.3	6	0.6	1.9	0.2	49	0.03
L2A-3525	Soil			<2	7.9	37.0	11.7	93	0.6	28.9	8.7	531	3.95	42.1	0.6	0.8	0.6	10	1.1	1.6	0.2	57	0.08
L2A-3550N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L2A-3575	Soil			<2	6.5	19.6	9.6	63	0.3	19.3	4.6	179	2.31	45.3	0.4	<0.5	0.5	20	0.4	0.8	0.2	68	0.22
L2A-3600N	Soil			5	11.5	55.0	12.5	130	0.6	39.9	10.5	374	4.11	68.9	0.7	5.2	0.4	8	1.0	2.4	0.2	46	0.08
L2A-3625	Soil			3	8.0	49.5	12.7	107	1.0	47.9	11.2	504	4.09	78.4	0.8	3.2	0.8	18	0.8	2.1	0.2	46	0.16
L2A-3650N	Soil			10	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 5 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L1D-5250N	Soil	0.077	10	69	0.47	87	0.041	3	2.07	0.008	0.06	0.1	0.13	9.6	0.2	0.05	5	2.6	<0.2
L1D-5275	Soil	0.071	10	71	0.73	117	0.010	<1	1.76	0.004	0.07	0.1	0.05	3.6	0.2	<0.05	5	2.2	<0.2
L1D-5300N	Soil	0.103	8	110	0.63	190	0.006	<1	1.53	0.003	0.04	0.2	0.07	2.1	0.3	<0.05	5	2.0	<0.2
L2A-3000	Soil	0.075	10	91	0.68	93	0.029	<1	2.18	0.007	0.12	0.1	0.08	3.0	0.1	<0.05	5	1.3	<0.2
L2A-3025	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-3050	Soil	0.041	9	29	0.18	93	0.034	<1	0.88	0.003	0.05	0.1	0.05	1.1	0.1	<0.05	5	2.3	<0.2
L2A-3075	Soil	0.058	9	39	0.50	113	0.056	<1	1.42	0.004	0.07	0.1	0.09	1.9	0.2	<0.05	5	3.3	<0.2
L2A-3100	Soil	0.072	7	45	0.52	107	0.065	<1	1.80	0.004	0.07	0.1	0.28	2.3	0.7	<0.05	6	5.0	<0.2
L2A-3125	Soil	0.102	8	47	0.42	124	0.074	<1	1.71	0.004	0.07	0.2	0.07	2.7	0.5	<0.05	8	1.5	<0.2
L2A-3150	Soil	0.052	7	36	0.31	65	0.043	<1	1.81	0.004	0.06	0.2	0.07	1.8	0.2	<0.05	7	1.3	<0.2
L2A-3175	Soil	0.061	8	30	0.33	78	0.031	<1	1.45	0.005	0.05	0.1	0.06	1.7	0.1	<0.05	6	1.1	<0.2
L2A-3200	Soil	0.037	10	23	0.34	178	0.023	<1	1.28	0.003	0.08	0.1	0.05	1.5	<0.1	<0.05	5	1.6	<0.2
L2A-3225	Soil	0.051	10	37	0.51	88	0.048	<1	1.82	0.004	0.10	0.2	0.09	1.8	<0.1	<0.05	5	2.2	<0.2
L2A-3250	Soil	0.051	8	41	0.42	133	0.070	<1	1.09	0.003	0.07	0.1	0.05	2.0	<0.1	<0.05	6	0.6	<0.2
L2A-3275	Soil	0.050	10	29	0.19	72	0.040	<1	1.11	0.005	0.06	0.1	0.05	1.5	<0.1	<0.05	6	1.9	<0.2
L2A-3300	Soil	0.051	11	25	0.21	49	0.046	<1	0.84	0.004	0.07	0.1	0.02	1.3	<0.1	<0.05	5	2.0	<0.2
L2A-3325	Soil	0.049	10	43	0.51	63	0.043	<1	1.39	0.005	0.07	<0.1	0.05	1.4	<0.1	<0.05	5	1.4	<0.2
L2A-3350	Soil	0.096	10	40	0.38	94	0.039	<1	1.38	0.005	0.08	0.2	0.06	1.6	0.1	<0.05	5	0.9	<0.2
L2A-3375	Soil	0.074	13	50	0.49	108	0.036	3	1.68	0.006	0.10	<0.1	0.07	1.8	0.1	<0.05	6	0.8	<0.2
L2A-3400	Soil	0.046	11	56	0.63	64	0.042	1	1.88	0.005	0.08	0.1	0.08	2.0	<0.1	<0.05	5	1.4	<0.2
L2A-3425	Soil	0.053	8	63	0.54	115	0.036	<1	1.56	0.004	0.07	0.1	0.06	1.8	<0.1	<0.05	5	1.2	<0.2
L2A-3450N	Soil	0.111	8	71	0.51	122	0.029	1	1.86	0.004	0.08	0.2	0.08	1.8	0.1	<0.05	7	<0.5	<0.2
L2A-3475	Soil	0.081	9	70	0.49	147	0.020	1	1.62	0.006	0.06	<0.1	0.05	3.3	0.1	<0.05	6	0.6	<0.2
L2A-3500N	Soil	0.041	9	62	0.49	116	0.027	2	1.87	0.004	0.07	0.2	0.08	1.9	0.1	<0.05	4	1.6	<0.2
L2A-3525	Soil	0.062	8	51	0.37	93	0.024	1	1.32	0.004	0.07	0.1	0.05	1.5	<0.1	<0.05	5	0.9	<0.2
L2A-3550N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L2A-3575	Soil	0.040	9	43	0.24	77	0.048	2	0.84	0.004	0.04	0.2	0.04	1.4	<0.1	<0.05	5	0.7	<0.2
L2A-3600N	Soil	0.071	8	48	0.40	109	0.013	1	1.34	0.005	0.08	0.1	0.06	1.2	0.1	<0.05	4	1.7	<0.2
L2A-3625	Soil	0.083	11	72	0.57	101	0.026	1	1.52	0.005	0.09	0.1	0.06	1.6	0.1	<0.05	5	1.4	<0.2
L2A-3650N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 6 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L2A-3675	Soil			<2	8.9	42.6	11.0	86	0.2	36.4	10.4	417	3.22	58.7	0.7	1.8	0.7	18	0.5	2.1	0.2	47	0.15
L2A-3700N	Soil			13	9.5	95.7	14.4	116	1.4	51.6	16.6	588	3.38	50.4	3.0	11.4	0.5	79	2.0	3.2	0.2	36	1.19
L2A-3725	Soil			58	16.9	86.6	17.7	173	0.4	61.8	11.0	355	4.62	81.1	0.9	58.1	3.0	7	1.4	5.9	0.2	39	0.03
L2A-3750N	Soil			7	8.1	36.0	12.7	99	0.3	32.8	9.2	312	3.66	43.7	0.6	5.9	1.9	7	0.5	2.0	0.2	53	0.04
L2A-3775	Soil			16	9.3	53.9	15.0	145	0.6	54.9	12.7	427	4.27	55.7	0.8	13.8	1.3	7	0.8	3.1	0.2	47	0.04
L2A-3800N	Soil			<2	7.0	47.4	15.5	85	0.4	31.4	9.0	303	3.74	39.6	0.7	2.0	1.5	14	0.9	2.1	0.3	82	0.13
L2A-3825	Soil			2	9.4	71.7	15.6	142	0.2	59.7	14.4	622	4.60	71.4	0.7	3.4	2.1	9	0.5	3.3	0.3	66	0.06
L2A-3850N	Soil			<2	6.6	51.5	13.0	147	0.9	19.9	10.6	609	5.21	63.8	0.4	0.5	1.6	8	0.7	1.7	0.2	44	0.06
L2A-3875	Soil			3	5.3	29.0	11.2	71	0.4	18.8	5.9	312	3.09	28.7	0.3	0.8	0.7	6	0.4	1.1	0.3	87	0.04
L2A-3900N	Soil			3	12.5	68.8	22.3	144	0.9	30.2	10.1	456	6.99	67.4	1.2	2.2	1.6	9	1.5	2.2	0.3	66	0.05
L2A-3925	Soil			57	14.7	126.9	22.3	185	0.2	106.4	28.8	1059	5.09	101.9	1.7	31.8	3.6	9	1.0	7.1	0.2	40	0.05
L2A-3950N	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-3975	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-4000N	Soil			4	13.3	57.3	18.4	171	0.3	40.1	9.8	314	5.25	76.5	0.7	5.0	2.5	5	0.6	3.6	0.3	63	0.02
L2A-4025	Soil			<2	6.0	59.6	16.0	181	1.2	12.0	21.4	3657	6.32	80.7	0.6	0.5	0.7	10	1.0	1.1	0.3	62	0.06
L2A-4050N	Soil			7	12.7	59.0	14.1	134	0.4	34.7	12.1	322	4.57	75.8	0.9	3.7	2.4	8	0.4	2.5	0.2	64	0.05
L2A-4075	Soil			<2	15.8	60.7	13.6	118	2.0	48.8	12.3	394	4.12	87.5	0.6	1.2	0.8	5	0.8	2.0	0.2	73	0.03
L2A-4100N	Soil			3	19.4	91.0	14.7	158	0.8	67.4	15.8	559	4.93	94.6	1.0	3.2	2.1	5	0.9	1.7	0.2	64	0.03
L2A-4125	Soil			4	19.9	84.3	16.9	168	0.8	74.7	20.3	1181	4.89	133.5	1.0	2.1	1.2	7	1.0	1.9	0.2	67	0.04
L2A-4150N	Soil			<2	23.6	106.6	18.6	155	1.2	88.0	18.7	785	5.78	181.4	1.0	1.5	1.5	7	0.8	2.9	0.3	61	0.04
L2A-4175	Soil			<2	19.5	94.7	23.4	168	1.2	81.2	28.2	4573	5.04	107.3	2.8	1.3	0.7	48	3.3	3.5	0.3	66	0.57
L2A-4200N	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-4225	Soil			<2	6.5	70.1	11.9	153	1.0	140.0	44.6	4820	6.68	128.3	0.6	0.5	0.5	9	1.5	1.5	0.2	102	0.17
L2A-4250N	Soil			6	5.3	57.7	10.5	132	0.7	84.1	55.6	1528	4.83	129.4	0.5	<0.5	0.4	16	1.2	1.9	0.2	112	0.22
L2A-4275	Soil			<2	7.6	95.9	54.1	138	1.7	48.3	23.6	>10000	5.66	73.3	0.9	1.9	0.5	13	0.9	2.2	0.5	146	0.08
L2A-4300N	Soil			<2	18.0	87.3	24.7	148	0.7	41.8	14.4	985	5.05	85.8	0.6	1.7	0.4	4	0.9	3.0	0.5	54	0.02
L2A-4325	Soil			<2	27.5	92.0	25.8	186	0.5	108.8	17.6	655	5.77	268.2	0.7	0.8	1.0	5	1.1	13.4	0.4	63	0.02
L2A-4350N	Soil			9	26.6	80.8	26.9	178	0.3	63.7	13.5	421	5.35	107.0	1.2	7.7	3.0	7	0.9	2.8	0.4	55	0.03
L2A-4375	Soil			3	45.7	59.2	32.5	166	0.4	67.1	19.8	1165	4.79	118.5	0.7	4.8	0.6	6	0.8	3.0	0.5	79	0.08
L2A-4400N	Soil			8	42.4	95.5	26.7	350	0.5	104.1	18.6	360	6.79	153.8	1.5	7.1	3.1	8	1.6	5.4	0.4	46	0.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 6 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2A-3675	Soil	0.039	10	49	0.37	106	0.026	3	1.05	0.003	0.05	0.1	0.03	1.5	0.1	<0.05	4	1.0	<0.2
L2A-3700N	Soil	0.096	14	45	0.26	110	0.025	2	1.31	0.007	0.10	0.1	0.15	2.3	0.2	<0.05	4	1.8	0.3
L2A-3725	Soil	0.041	11	53	0.40	108	0.015	2	1.68	0.004	0.09	0.2	0.11	2.6	0.3	<0.05	4	1.5	<0.2
L2A-3750N	Soil	0.034	11	57	0.41	86	0.018	1	1.69	0.003	0.06	0.1	0.06	2.0	0.2	<0.05	5	1.0	<0.2
L2A-3775	Soil	0.046	11	73	0.58	109	0.018	2	2.06	0.004	0.08	0.1	0.08	2.1	0.2	<0.05	4	1.6	<0.2
L2A-3800N	Soil	0.031	15	52	0.29	149	0.044	1	1.68	0.004	0.06	0.2	0.04	2.9	0.1	<0.05	7	0.6	<0.2
L2A-3825	Soil	0.048	13	67	0.51	136	0.033	2	1.72	0.004	0.09	0.2	0.05	3.2	0.2	<0.05	6	0.9	0.3
L2A-3850N	Soil	0.215	12	19	0.34	88	0.013	<1	1.85	0.004	0.05	0.2	0.11	2.2	0.1	<0.05	5	0.6	0.3
L2A-3875	Soil	0.044	11	32	0.27	71	0.034	1	1.11	0.003	0.04	0.2	0.03	2.0	<0.1	<0.05	7	<0.5	<0.2
L2A-3900N	Soil	0.083	12	43	0.33	71	0.044	2	1.87	0.004	0.06	0.3	0.10	2.1	0.1	<0.05	7	1.9	<0.2
L2A-3925	Soil	0.029	15	65	0.50	88	0.012	1	1.72	0.003	0.07	0.1	0.17	4.0	0.2	<0.05	3	3.2	<0.2
L2A-3950N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-3975	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-4000N	Soil	0.042	12	42	0.31	95	0.008	<1	1.76	0.003	0.05	0.2	0.04	2.6	0.2	<0.05	5	1.4	<0.2
L2A-4025	Soil	0.169	8	17	0.69	137	0.022	1	2.71	0.003	0.05	0.2	0.12	2.6	0.1	<0.05	8	0.8	0.3
L2A-4050N	Soil	0.037	13	38	0.36	124	0.008	1	1.63	0.003	0.05	0.1	0.05	2.5	0.2	<0.05	5	1.2	<0.2
L2A-4075	Soil	0.053	8	73	0.48	111	0.011	1	1.25	0.003	0.05	0.2	0.05	2.2	0.2	<0.05	5	1.4	<0.2
L2A-4100N	Soil	0.065	10	101	1.09	125	0.005	2	2.40	0.005	0.07	0.1	0.09	3.0	0.2	<0.05	5	2.5	<0.2
L2A-4125	Soil	0.158	8	120	0.87	131	0.007	1	2.13	0.005	0.07	0.1	0.08	2.2	0.2	<0.05	5	2.2	<0.2
L2A-4150N	Soil	0.100	8	111	0.64	71	0.002	1	1.52	0.004	0.05	0.2	0.06	2.8	0.2	<0.05	4	2.2	<0.2
L2A-4175	Soil	0.141	8	77	0.38	212	0.009	2	1.59	0.005	0.07	0.2	0.10	2.7	0.3	<0.05	5	1.4	<0.2
L2A-4200N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2A-4225	Soil	0.144	5	185	0.98	261	0.015	1	1.65	0.003	0.06	0.1	0.07	4.2	0.2	<0.05	6	1.1	<0.2
L2A-4250N	Soil	0.120	7	134	0.40	168	0.028	2	1.14	0.005	0.05	0.2	0.06	4.1	<0.1	<0.05	7	1.0	<0.2
L2A-4275	Soil	0.180	14	39	0.20	228	0.019	1	1.23	0.004	0.06	0.1	0.09	1.3	0.2	<0.05	8	1.3	0.3
L2A-4300N	Soil	0.088	11	29	0.11	92	0.009	<1	1.05	0.003	0.04	0.1	0.04	1.4	0.4	<0.05	5	1.4	0.3
L2A-4325	Soil	0.076	9	36	0.08	55	0.006	1	0.62	0.004	0.04	0.2	0.02	2.7	0.2	<0.05	3	2.5	0.2
L2A-4350N	Soil	0.108	10	51	0.29	61	0.020	<1	1.37	0.004	0.04	0.2	0.03	2.7	0.1	<0.05	5	2.1	<0.2
L2A-4375	Soil	0.095	12	87	0.20	67	0.014	2	0.72	0.002	0.05	0.3	0.04	1.5	0.3	<0.05	5	2.5	0.3
L2A-4400N	Soil	0.126	15	33	0.09	147	0.005	<1	0.99	0.003	0.05	0.2	0.03	3.9	0.2	<0.05	3	8.1	0.4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 7 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L2A-4425	Soil	10	35.1	13.8	30.1	125	0.3	36.7	4.8	152	3.96	69.6	0.4	8.2	0.6	2	0.5	13.7	0.4	53	0.02
L2A-4450N	Soil	5	28.2	92.2	17.2	248	0.6	63.3	21.2	2285	5.89	105.7	1.5	2.5	0.6	9	2.5	5.0	0.4	52	0.09
L2A-4475	Soil	5	36.0	64.0	17.8	191	0.6	78.4	13.7	526	4.23	91.3	1.0	3.5	2.2	4	0.9	8.0	0.3	50	0.01
L2A-4500N	Soil	13	33.6	74.5	18.3	283	0.9	120.3	18.2	608	6.26	176.3	1.7	11.4	1.8	3	2.7	5.8	0.3	60	0.02
L2A-4525	Soil	7	22.7	53.1	18.9	128	1.7	42.7	11.1	456	4.09	73.7	0.7	5.7	1.1	3	1.2	4.0	0.4	43	0.02
L2A-4550N	Soil	3	7.4	79.6	26.8	299	1.2	68.0	15.3	>10000	4.42	49.2	1.4	1.4	0.3	34	5.8	1.0	0.3	15	0.31
L2A-4575	Soil	6	13.9	57.7	18.4	140	0.3	30.1	12.6	1630	4.04	88.1	0.5	16.8	1.4	7	0.5	2.3	0.7	16	0.04
L2A-4600N	Soil	3	8.0	71.3	33.8	161	0.5	60.6	25.4	2988	5.01	127.5	0.8	1.3	0.5	9	0.8	1.7	0.6	50	0.08
L2A-4625	Soil	3	13.2	71.0	29.8	124	0.8	54.2	20.9	2005	5.18	70.3	0.8	2.5	0.9	10	0.8	2.3	0.4	41	0.07
L2A-4650N	Soil	10	13.3	94.0	32.3	238	0.6	96.0	31.3	3488	5.25	103.9	2.9	9.4	1.3	28	1.5	3.7	0.4	41	0.24
L2A-4675	Soil	28	19.6	99.3	28.0	141	0.6	82.5	29.3	2823	4.76	97.9	2.2	29.5	1.5	7	0.9	4.4	0.3	36	0.04
L2A-4700N	Soil	12	42.3	85.1	29.0	122	1.5	35.0	6.7	689	6.24	115.7	0.9	8.2	1.1	8	1.2	7.4	0.4	49	0.06
L2A-4725	Soil	12	59.1	67.6	28.6	120	0.5	24.4	5.9	350	4.55	119.1	0.7	9.4	0.5	8	0.4	11.7	0.5	37	0.14
L2A-4750N	Soil	4	16.6	71.9	20.7	136	0.7	42.8	18.3	2784	4.75	110.4	1.1	2.9	0.6	19	1.7	3.0	0.4	62	0.33
L2A-4775	Soil	13	13.2	57.9	18.4	135	0.7	37.0	10.1	1690	3.73	61.9	0.8	13.4	1.5	5	0.6	2.9	0.3	35	0.04
L2A-4800N	Soil	78	26.7	97.4	27.0	229	1.5	62.7	16.6	1997	5.67	109.6	2.0	63.4	2.1	13	1.1	6.2	0.3	48	0.20
L2A-4825	Soil	3	17.9	45.4	21.5	86	0.3	30.7	7.6	378	3.32	69.7	0.5	1.2	0.4	9	0.6	2.6	0.4	54	0.09
L2A-4850N	Soil	15	14.0	67.2	16.3	128	0.5	67.2	22.8	896	5.40	79.0	0.9	14.5	1.5	7	0.6	2.4	0.2	85	0.06
L2A-4875	Soil	5	16.9	70.7	21.8	138	0.6	52.0	17.5	1298	5.95	114.8	0.9	3.5	0.8	16	0.7	3.0	0.3	74	0.23
L2A-4900N	Soil	4	15.7	86.7	28.4	128	0.5	51.4	14.3	1123	6.53	125.0	1.2	4.7	1.5	18	1.1	3.6	0.4	87	0.23
L2A-4925	Soil	9	12.1	78.6	16.7	116	0.6	60.4	18.7	2191	3.31	52.5	2.5	8.5	0.8	11	1.1	2.9	0.2	43	0.11
L2A-4950N	Soil	11	9.8	46.0	17.1	108	0.4	44.4	12.4	475	3.53	52.1	1.0	5.8	1.8	8	0.8	3.0	0.2	40	0.06
L2A-4975	Soil	5	12.6	53.7	19.8	151	0.5	46.1	16.2	1099	4.07	70.1	0.9	3.5	2.8	7	0.9	3.4	0.3	46	0.07
L2A-5000N	Soil	3	11.8	50.3	13.2	173	0.4	64.9	18.2	897	4.11	74.8	0.8	2.8	1.9	6	0.6	2.4	0.2	66	0.10
L2A-5025	Soil	<2	7.7	26.6	14.6	120	0.1	44.1	19.3	1702	3.69	49.2	0.6	2.1	1.1	9	0.5	1.8	0.3	90	0.19
L2A-5050N	Soil	3	20.8	41.4	15.6	100	<0.1	46.8	11.3	408	3.76	108.1	1.2	2.7	1.8	3	0.4	3.8	0.3	64	0.04
L2A-5075	Soil	2	9.5	20.8	14.1	77	0.1	38.8	10.1	386	3.95	66.2	0.5	1.0	2.1	7	0.5	2.1	0.3	96	0.12
L2A-5100N	Soil	6	21.5	70.6	16.4	152	0.5	64.1	17.3	374	5.53	138.4	1.0	6.7	2.7	6	0.4	3.9	0.3	77	0.08
L2A-5125	Soil	3	1.8	11.1	12.9	36	0.2	16.0	6.9	1796	2.04	16.9	0.3	1.7	1.4	14	0.3	0.4	0.3	71	0.41
L2A-5150N	Soil	<2	2.1	11.8	7.0	62	0.4	33.3	12.4	731	2.87	10.8	0.2	2.4	1.1	7	0.6	0.5	0.2	102	0.13



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 7 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2A-4425	Soil	0.053	11	19	0.04	43	0.007	<1	0.60	0.002	0.03	0.2	0.02	1.0	0.4	<0.05	3	1.7	0.8
L2A-4450N	Soil	0.080	10	47	0.18	207	0.012	1	0.91	0.005	0.06	0.2	0.04	1.6	0.3	<0.05	4	2.8	<0.2
L2A-4475	Soil	0.080	14	47	0.17	85	0.012	<1	0.62	0.003	0.05	0.2	0.02	2.3	0.5	<0.05	4	2.6	<0.2
L2A-4500N	Soil	0.129	7	100	0.33	91	0.005	<1	1.40	0.003	0.03	0.2	0.10	3.0	0.3	<0.05	4	5.1	0.3
L2A-4525	Soil	0.088	10	37	0.17	89	0.007	<1	0.86	0.002	0.03	0.2	0.06	1.6	0.2	<0.05	4	1.3	<0.2
L2A-4550N	Soil	0.222	13	16	0.08	279	0.014	<1	1.42	0.003	0.05	0.2	0.28	4.6	0.2	<0.05	4	1.1	<0.2
L2A-4575	Soil	0.084	12	5	0.04	137	0.004	<1	0.45	0.003	0.04	<0.1	0.05	1.9	0.3	<0.05	2	1.2	0.3
L2A-4600N	Soil	0.183	11	80	0.49	152	0.012	<1	1.33	0.003	0.06	<0.1	0.05	1.8	0.1	<0.05	6	1.3	0.2
L2A-4625	Soil	0.069	11	58	0.38	221	0.006	<1	1.22	0.002	0.05	0.1	0.04	1.6	0.1	<0.05	4	1.9	0.3
L2A-4650N	Soil	0.133	9	66	0.48	190	0.006	<1	1.49	0.004	0.06	0.1	0.04	3.2	0.2	<0.05	4	3.6	<0.2
L2A-4675	Soil	0.121	11	72	0.45	79	0.010	<1	1.22	0.003	0.06	0.2	0.11	2.6	0.2	<0.05	3	3.4	<0.2
L2A-4700N	Soil	0.124	11	51	0.15	146	0.008	<1	0.82	0.003	0.05	0.2	0.05	1.7	0.5	<0.05	4	4.3	0.2
L2A-4725	Soil	0.115	12	14	0.04	73	0.007	1	0.43	0.003	0.05	0.2	0.04	0.8	0.6	<0.05	3	4.2	0.7
L2A-4750N	Soil	0.165	12	41	0.13	175	0.019	2	0.68	0.003	0.07	0.1	0.02	1.3	0.3	<0.05	5	2.3	0.2
L2A-4775	Soil	0.096	10	35	0.28	103	0.005	<1	1.25	0.003	0.04	0.1	0.07	1.8	0.2	<0.05	4	1.8	<0.2
L2A-4800N	Soil	0.103	10	42	0.18	148	0.009	2	1.48	0.006	0.09	0.2	0.15	2.7	0.4	<0.05	4	4.4	<0.2
L2A-4825	Soil	0.051	12	29	0.07	86	0.010	<1	0.55	0.002	0.04	0.1	0.02	0.9	0.2	<0.05	5	1.1	<0.2
L2A-4850N	Soil	0.053	9	119	0.89	87	0.061	<1	1.99	0.003	0.04	0.1	0.07	4.1	0.2	<0.05	6	2.2	<0.2
L2A-4875	Soil	0.094	9	81	0.42	153	0.026	<1	1.29	0.003	0.04	0.1	0.06	2.2	0.2	<0.05	6	2.7	<0.2
L2A-4900N	Soil	0.127	15	81	0.38	135	0.093	1	1.12	0.004	0.07	0.2	0.03	2.7	0.3	<0.05	8	2.8	<0.2
L2A-4925	Soil	0.073	14	52	0.34	79	0.023	<1	1.31	0.004	0.05	0.1	0.06	2.7	0.2	<0.05	4	2.9	<0.2
L2A-4950N	Soil	0.046	12	49	0.34	55	0.022	<1	1.28	0.003	0.04	0.1	0.07	1.9	0.1	<0.05	3	1.5	<0.2
L2A-4975	Soil	0.100	13	47	0.36	114	0.020	<1	1.00	0.003	0.06	0.1	0.03	2.3	0.2	<0.05	4	1.6	<0.2
L2A-5000N	Soil	0.066	11	91	0.59	183	0.014	<1	1.80	0.003	0.06	<0.1	0.04	3.2	0.2	<0.05	5	1.2	<0.2
L2A-5025	Soil	0.084	10	85	0.64	104	0.076	<1	1.69	0.003	0.09	0.1	0.03	3.2	0.3	<0.05	7	<0.5	<0.2
L2A-5050N	Soil	0.066	15	52	0.28	60	0.014	<1	0.81	0.003	0.04	0.1	0.01	2.0	0.2	<0.05	4	1.6	0.3
L2A-5075	Soil	0.074	9	67	0.41	34	0.170	<1	1.23	0.003	0.04	0.2	0.03	2.6	0.1	<0.05	8	<0.5	<0.2
L2A-5100N	Soil	0.082	12	77	0.49	106	0.025	<1	1.70	0.003	0.06	0.2	0.05	3.7	0.3	<0.05	6	1.7	<0.2
L2A-5125	Soil	0.061	7	56	0.27	123	0.184	<1	1.13	0.004	0.04	<0.1	0.04	3.3	0.1	<0.05	8	<0.5	<0.2
L2A-5150N	Soil	0.052	6	72	0.66	64	0.158	<1	1.24	0.003	0.03	0.1	0.03	4.2	<0.1	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L2A-5175	Soil			15	15.0	48.0	12.7	120	0.3	49.6	13.0	532	3.98	54.3	0.8	10.3	2.3	4	0.4	2.7	0.2	70	0.03
L2A-5200N	Soil			12	19.1	61.3	17.6	138	0.2	46.0	11.4	286	4.89	79.2	1.4	10.9	3.4	5	0.4	4.4	0.3	58	0.06
L2A-5225	Soil			6	13.4	31.4	11.5	81	0.2	30.7	7.5	351	3.13	56.7	0.5	4.5	2.2	6	0.3	2.6	0.2	65	0.15
L2A-5250N	Soil			<2	3.0	20.7	6.8	66	0.7	37.6	17.7	798	4.25	68.2	0.2	1.3	0.8	10	0.5	0.5	0.2	72	0.30
L2A-5275	Soil			10	14.3	77.8	16.0	153	0.8	61.9	23.2	1995	5.44	96.6	1.0	4.0	0.9	10	1.2	2.6	0.3	53	0.19
L2A-5300N	Soil			4	10.0	33.9	13.3	79	0.9	33.6	9.8	1005	3.28	49.7	0.6	4.0	1.4	7	0.8	1.8	0.3	63	0.13
L2B-3425	Soil			3	5.1	109.7	15.1	128	1.1	64.8	23.7	1206	4.21	42.1	1.7	1.8	1.2	49	3.4	1.7	0.3	58	0.52
L2B-3450N	Soil			<2	5.5	44.8	9.5	124	0.3	44.4	14.4	571	3.20	36.8	1.0	3.9	1.1	23	0.8	1.7	0.2	42	0.26
L2B-3475	Soil			2	6.6	61.2	12.1	87	0.6	33.4	11.3	521	3.35	32.6	1.1	2.2	0.4	27	1.3	1.4	0.2	49	0.29
L2B-3500N	Soil			I.S.	3.5	64.2	7.6	92	1.3	37.6	13.9	904	1.50	13.2	3.7	2.4	0.3	100	2.6	1.1	0.1	19	1.57
L2B-3525	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3550N	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3575	Soil			3	9.8	41.1	13.4	115	0.4	38.6	10.9	376	5.47	64.5	0.6	2.6	2.1	6	0.6	2.3	0.3	68	0.04
L2B-3600N	Soil			<2	9.0	37.7	12.0	101	0.4	32.5	9.8	672	4.73	59.9	0.6	2.5	1.0	6	0.3	2.1	0.2	70	0.03
L2B-3625	Soil			<2	24.6	60.8	26.4	138	0.4	25.4	13.8	2285	4.36	61.7	0.7	2.1	0.4	12	0.7	8.8	0.3	47	0.08
L2B-3650N	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3675	Soil			12	10.7	55.1	17.7	169	1.0	44.6	18.2	1723	4.61	80.2	0.8	6.1	0.6	19	1.4	3.2	0.2	61	0.14
L2B-3700N	Soil			3	13.1	54.3	14.0	129	0.4	40.8	11.7	1983	4.26	77.0	0.7	6.4	0.4	8	0.8	4.1	0.3	50	0.03
L2B-3725	Soil			18	16.8	94.0	18.5	178	0.9	47.2	9.3	384	5.84	133.4	0.8	13.6	0.8	8	1.3	6.9	0.3	56	0.06
L2B-3750N	Soil			8	11.3	48.2	13.5	143	0.7	45.4	14.0	904	4.81	88.1	1.0	9.7	1.0	6	0.8	4.1	0.2	46	0.03
L2B-3775	Soil			40	12.2	64.1	14.0	132	0.4	63.9	17.5	667	3.40	72.6	1.3	28.0	1.9	7	0.7	4.7	0.2	26	0.04
L2B-3800N	Soil			37	16.4	96.0	18.5	168	0.4	87.3	19.7	811	4.42	97.1	1.7	26.2	1.8	13	1.2	5.5	0.2	40	0.09
L2B-3825	Soil			54	26.8	98.2	21.0	214	0.8	99.5	26.6	710	5.46	144.2	2.0	47.1	0.9	16	1.4	6.6	0.3	37	0.14
L2B-3850N	Soil			8	10.2	48.2	13.0	138	0.4	44.3	11.5	629	4.28	68.4	0.9	7.4	1.2	7	0.6	3.4	0.2	48	0.04
L2B-3875	Soil			10	7.4	30.8	13.0	132	0.5	32.0	9.2	499	4.97	46.0	0.5	3.3	0.7	6	0.6	2.4	0.3	70	0.03
L2B-3900N	Soil			2	8.5	36.2	18.8	82	0.4	18.0	9.2	2332	3.39	88.4	0.8	6.2	0.3	6	0.4	1.5	0.3	45	0.04
L2B-3925	Soil			4	16.4	90.8	14.7	132	1.4	45.7	26.4	1248	6.93	145.0	1.4	4.6	2.0	19	1.2	3.1	0.2	34	0.26
L2B-3950N	Soil			13	15.0	96.3	16.9	150	0.1	93.0	23.7	595	4.68	98.6	1.7	14.8	2.8	15	0.9	2.9	0.2	58	0.09
L2B-3975	Soil			5	13.0	47.0	16.1	107	<0.1	46.4	10.2	435	3.89	66.4	0.8	4.4	1.3	10	0.7	3.6	0.2	49	0.07
L2B-4000N	Soil			7	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 8 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2A-5175	Soil	0.067	11	80	0.55	94	0.016	<1	1.71	0.003	0.05	0.1	0.07	3.1	0.3	<0.05	5	1.4	<0.2
L2A-5200N	Soil	0.139	14	52	0.31	68	0.015	<1	1.34	0.003	0.04	0.1	0.04	2.5	0.3	<0.05	4	2.3	<0.2
L2A-5225	Soil	0.057	13	43	0.28	64	0.018	<1	0.98	0.002	0.05	0.1	0.01	2.1	0.2	<0.05	5	0.9	<0.2
L2A-5250N	Soil	0.066	4	47	0.25	70	0.024	1	0.97	0.004	0.03	0.1	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
L2A-5275	Soil	0.131	7	53	0.29	116	0.014	1	0.87	0.002	0.05	0.1	0.04	2.7	0.2	<0.05	4	1.2	0.2
L2A-5300N	Soil	0.067	8	48	0.24	91	0.024	<1	0.92	0.002	0.03	0.1	0.04	1.8	0.2	<0.05	5	0.9	<0.2
L2B-3425	Soil	0.061	11	85	0.61	175	0.030	<1	1.68	0.005	0.10	0.1	0.04	3.2	<0.1	<0.05	5	1.3	<0.2
L2B-3450N	Soil	0.049	9	60	0.62	103	0.018	<1	1.28	0.004	0.07	0.1	0.03	2.5	<0.1	<0.05	3	0.8	<0.2
L2B-3475	Soil	0.065	11	51	0.40	99	0.022	<1	1.31	0.005	0.09	<0.1	0.04	1.6	<0.1	<0.05	5	1.5	<0.2
L2B-3500N	Soil	0.115	18	30	0.25	115	0.012	4	1.23	0.010	0.06	<0.1	0.18	1.8	0.1	0.26	2	10.0	<0.2
L2B-3525	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3550N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3575	Soil	0.073	9	64	0.36	102	0.042	1	1.82	0.004	0.06	0.2	0.09	2.4	0.2	<0.05	6	1.0	<0.2
L2B-3600N	Soil	0.123	8	46	0.32	84	0.026	1	1.66	0.004	0.08	0.2	0.06	2.0	0.2	<0.05	6	0.6	<0.2
L2B-3625	Soil	0.137	10	18	0.19	90	0.016	3	0.96	0.006	0.06	0.1	0.06	1.1	0.2	<0.05	4	1.5	0.3
L2B-3650N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-3675	Soil	0.134	8	55	0.26	152	0.022	1	1.35	0.004	0.06	0.1	0.07	1.7	0.2	<0.05	5	1.1	<0.2
L2B-3700N	Soil	0.107	11	50	0.28	175	0.030	2	0.88	0.004	0.06	0.2	0.02	1.4	0.2	<0.05	5	2.1	<0.2
L2B-3725	Soil	0.073	8	44	0.24	96	0.044	<1	1.01	0.003	0.05	0.3	0.05	2.5	0.3	<0.05	4	1.9	<0.2
L2B-3750N	Soil	0.091	9	57	0.26	71	0.017	<1	1.26	0.003	0.03	0.1	0.08	1.8	0.2	<0.05	4	2.2	<0.2
L2B-3775	Soil	0.044	11	43	0.33	43	0.015	<1	1.06	0.003	0.04	0.1	0.09	1.9	0.1	<0.05	2	2.2	<0.2
L2B-3800N	Soil	0.063	15	64	0.49	87	0.018	1	1.37	0.005	0.08	0.1	0.10	3.4	0.2	<0.05	3	2.5	<0.2
L2B-3825	Soil	0.073	9	57	0.26	59	0.008	1	1.30	0.003	0.04	0.1	0.18	2.6	0.3	<0.05	3	2.7	0.3
L2B-3850N	Soil	0.056	10	46	0.29	67	0.024	<1	1.39	0.003	0.05	0.2	0.07	1.9	0.1	<0.05	4	1.6	0.3
L2B-3875	Soil	0.063	10	48	0.38	69	0.026	1	1.53	0.004	0.03	0.2	0.05	2.2	0.1	<0.05	6	0.9	0.3
L2B-3900N	Soil	0.072	10	20	0.20	85	0.016	1	1.16	0.005	0.03	0.2	0.06	0.9	0.2	<0.05	5	0.8	0.3
L2B-3925	Soil	0.131	14	44	0.53	102	0.012	1	1.98	0.003	0.06	0.2	0.13	1.6	0.1	0.06	4	2.4	<0.2
L2B-3950N	Soil	0.051	12	96	0.74	101	0.020	1	2.38	0.004	0.09	0.2	0.11	3.4	0.2	<0.05	5	1.9	0.2
L2B-3975	Soil	0.033	13	58	0.40	82	0.016	1	1.04	0.002	0.04	0.1	0.04	1.9	0.1	<0.05	4	1.7	0.3
L2B-4000N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 9 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
L2B-4025	Soil	<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4050N	Soil	11	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4075	Soil	<2	13.5	62.5	20.0	173	1.2	55.8	25.6	1176	4.82	71.4	1.3	2.3	0.5	30	2.2	2.5	0.3	74	0.30
L2B-4100N	Soil	<2	18.4	90.2	15.3	155	0.5	52.9	18.3	665	5.45	115.6	0.9	2.5	0.4	10	0.9	2.6	0.3	70	0.07
L2B-4125	Soil	6	58.0	59.5	28.2	135	1.5	55.0	11.5	463	4.71	178.1	1.0	1.8	0.7	10	0.5	2.6	0.4	84	0.04
L2B-4150N	Soil	<2	44.7	56.1	36.9	137	1.0	27.4	8.8	1297	5.12	185.0	0.9	2.0	0.3	22	0.8	2.2	0.6	88	0.14
L2B-4175	Soil	<2	17.5	59.8	16.8	122	0.4	45.5	9.6	453	4.55	108.4	0.8	1.8	0.4	15	0.8	3.2	0.2	72	0.15
L2B-4200N	Soil	12	27.3	71.7	34.1	233	1.4	72.9	19.7	916	7.14	177.2	1.3	7.3	1.1	8	1.6	6.6	0.3	72	0.04
L2B-4225	Soil	<2	7.1	72.5	15.2	124	1.1	32.9	17.5	2474	4.07	47.4	0.7	0.6	0.5	10	1.0	1.4	0.4	55	0.07
L2B-4250N	Soil	<2	9.1	65.3	22.1	195	0.8	52.9	14.0	1129	5.32	80.6	0.8	2.3	0.9	5	0.6	2.8	0.5	59	0.04
L2B-4275	Soil	2	15.5	53.4	15.1	140	0.6	52.3	11.3	560	4.76	78.2	0.6	4.2	1.4	3	0.6	4.1	0.3	65	0.02
L2B-4300N	Soil	4	28.7	46.6	18.6	198	1.3	56.9	15.1	955	4.92	77.2	0.7	3.3	1.2	6	1.9	4.3	0.4	51	0.06
L2B-4325	Soil	3	38.8	72.0	20.2	273	0.6	109.6	16.8	564	5.39	125.0	0.6	3.9	1.1	4	1.2	8.6	0.3	48	0.02
L2B-4350N	Soil	32	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4375	Soil	21	22.5	160.5	22.1	301	2.4	185.3	31.1	6278	5.36	85.1	10.0	20.5	0.9	31	9.9	5.1	0.3	42	0.40
L2B-4400N	Soil	8	21.8	71.4	20.0	157	1.1	53.4	14.2	792	5.40	101.0	1.5	6.7	0.4	14	2.2	4.3	0.4	51	0.13
L2B-4425	Soil	16	21.9	229.8	29.0	290	1.9	172.3	42.0	8603	5.76	77.1	8.3	17.4	0.8	34	11.0	3.8	0.3	46	0.42
L2B-4450N	Soil	<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4475	Soil	<2	10.5	157.6	32.7	121	0.2	216.4	72.3	>10000	7.54	193.6	0.6	1.3	0.7	14	0.9	0.9	0.3	138	0.13
L2B-4500N	Soil	<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4525	Soil	<2	18.7	75.7	28.5	176	0.3	61.3	32.7	2165	6.30	62.0	0.9	1.4	0.3	24	1.3	1.2	0.6	59	0.31
L2B-4550N	Soil	24	18.1	404.0	39.1	317	2.5	297.8	45.5	>10000	6.56	71.1	10.3	20.5	0.9	71	13.2	2.6	0.5	29	0.97
L2B-4575	Soil	3	13.5	59.7	27.0	193	0.4	64.5	23.7	2860	6.09	152.9	0.7	2.0	0.4	16	0.9	2.2	0.5	79	0.17
L2B-4600N	Soil	9	12.5	114.8	29.9	236	0.7	126.1	30.2	7438	4.46	57.9	4.1	9.5	0.8	36	3.4	3.2	0.4	31	0.38
L2B-4625	Soil	4	29.3	84.7	11.7	358	1.9	335.2	37.1	1425	7.40	901.8	1.0	6.2	0.8	14	1.8	5.0	0.3	72	0.15
L2B-4650N	Soil	124	45.0	76.0	24.8	219	1.2	56.3	11.8	689	5.70	124.0	0.8	100.4	2.2	4	0.5	7.4	0.4	40	0.03
L2B-4675	Soil	90	49.6	50.5	20.3	161	4.9	38.4	6.6	377	5.53	96.0	0.7	78.8	0.4	3	0.5	10.0	0.3	23	0.04
L2B-4700N	Soil	62	60.8	107.0	29.3	294	0.3	106.8	16.7	725	8.84	240.1	1.0	44.8	0.6	7	1.5	13.7	0.4	39	0.06
L2B-4725	Soil	44	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4750N	Soil	129	41.2	115.8	33.0	368	0.9	104.6	17.1	1207	6.70	161.7	4.5	115.7	2.1	13	2.5	9.9	0.3	27	0.10



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 9 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2B-4025	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4050N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4075	Soil	0.102	12	78	0.49	182	0.013	1	1.70	0.004	0.07	0.1	0.06	2.2	0.2	0.05	6	1.8	<0.2
L2B-4100N	Soil	0.109	9	60	0.44	150	0.012	1	1.50	0.004	0.07	0.2	0.06	1.8	0.2	0.05	6	1.9	<0.2
L2B-4125	Soil	0.087	11	56	0.19	137	0.004	1	1.06	0.002	0.05	0.6	0.03	1.6	0.3	<0.05	5	3.1	<0.2
L2B-4150N	Soil	0.145	7	43	0.20	208	0.007	2	0.80	0.016	0.08	0.4	0.07	0.7	0.2	0.10	5	3.4	<0.2
L2B-4175	Soil	0.081	10	68	0.30	111	0.014	2	1.07	0.002	0.06	0.2	0.05	1.7	0.2	0.07	5	2.0	<0.2
L2B-4200N	Soil	0.141	9	77	0.44	107	0.013	1	1.56	0.004	0.07	0.2	0.11	2.4	0.3	<0.05	6	3.2	0.3
L2B-4225	Soil	0.095	10	41	0.21	124	0.017	1	0.83	0.004	0.07	<0.1	0.03	1.1	0.2	<0.05	6	0.6	<0.2
L2B-4250N	Soil	0.142	11	44	0.29	97	0.011	<1	1.28	0.002	0.05	0.1	0.05	2.1	0.2	<0.05	6	1.2	<0.2
L2B-4275	Soil	0.077	9	32	0.14	64	0.006	<1	1.32	0.003	0.03	0.2	0.05	1.9	0.2	<0.05	6	1.1	0.3
L2B-4300N	Soil	0.128	9	37	0.21	114	0.009	<1	1.25	0.003	0.07	0.2	0.05	1.7	0.2	<0.05	5	1.3	0.3
L2B-4325	Soil	0.082	8	30	0.07	92	0.006	<1	0.61	0.003	0.04	0.3	0.03	1.7	0.3	<0.05	3	2.9	0.5
L2B-4350N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4375	Soil	0.247	16	64	0.43	152	0.015	2	1.97	0.006	0.05	0.2	0.23	4.2	0.4	0.06	5	5.1	0.3
L2B-4400N	Soil	0.092	9	40	0.13	62	0.010	<1	1.14	0.003	0.03	0.1	0.07	1.2	0.2	<0.05	6	2.7	0.3
L2B-4425	Soil	0.234	19	74	0.44	157	0.016	2	2.18	0.008	0.05	0.2	0.25	4.9	0.5	0.07	6	4.4	<0.2
L2B-4450N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4475	Soil	0.120	4	477	1.69	88	0.013	<1	1.83	0.001	0.01	0.3	0.04	12.9	<0.1	0.07	7	0.9	<0.2
L2B-4500N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4525	Soil	0.131	7	65	0.29	91	0.007	2	1.07	0.003	0.04	0.1	0.09	0.8	0.1	<0.05	7	1.4	0.3
L2B-4550N	Soil	0.271	11	44	0.53	188	0.021	2	2.20	0.009	0.05	0.1	0.30	3.6	0.3	0.12	4	4.1	<0.2
L2B-4575	Soil	0.167	8	103	0.30	59	0.014	1	0.79	0.003	0.06	0.1	0.07	1.2	<0.1	<0.05	7	1.9	0.4
L2B-4600N	Soil	0.195	7	38	0.35	164	0.010	<1	1.47	0.006	0.04	0.2	0.11	2.7	0.2	0.07	4	3.2	<0.2
L2B-4625	Soil	0.076	6	194	0.14	150	0.006	3	0.65	0.005	0.07	0.3	0.08	3.8	0.3	<0.05	3	2.5	<0.2
L2B-4650N	Soil	0.078	11	45	0.21	122	0.002	<1	1.26	0.003	0.04	0.2	0.08	2.0	0.7	<0.05	4	4.7	<0.2
L2B-4675	Soil	0.128	8	6	0.03	38	0.003	<1	0.48	0.003	0.03	0.3	0.05	1.0	0.5	<0.05	2	5.8	0.5
L2B-4700N	Soil	0.142	6	20	0.05	33	0.005	<1	0.46	0.003	0.04	0.3	0.04	1.2	0.5	<0.05	3	6.7	0.5
L2B-4725	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-4750N	Soil	0.110	10	42	0.26	83	0.004	<1	0.92	0.004	0.05	0.2	0.14	3.1	0.5	<0.05	2	5.8	0.4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L2B-4775	Soil			4	15.0	28.4	15.2	87	0.2	36.6	8.8	672	3.43	73.0	0.4	3.9	0.6	4	0.4	2.5	0.3	55	0.03
L2B-4800N	Soil			4	13.8	37.6	17.7	94	0.4	33.9	7.9	472	4.32	78.7	0.5	9.9	1.4	4	0.3	2.2	0.3	72	0.03
L2B-4825	Soil			4	14.0	58.8	13.0	126	0.2	53.7	11.1	439	3.95	92.2	0.6	5.2	2.3	3	0.4	2.5	0.2	58	0.03
L2B-4850N	Soil			5	10.9	37.0	13.7	102	0.3	42.4	11.1	482	3.91	65.4	0.5	4.6	2.1	4	0.3	2.0	0.3	76	0.05
L2B-4875	Soil			4	10.6	44.2	12.5	135	0.6	47.6	15.0	478	4.47	62.1	0.6	4.5	1.2	5	0.5	2.2	0.3	68	0.07
L2B-4900N	Soil			<2	6.3	14.0	9.5	66	0.4	28.9	8.8	534	2.89	51.0	0.3	2.0	1.1	5	0.6	1.3	0.3	65	0.12
L2B-4925	Soil			<2	5.2	22.5	10.0	95	0.3	32.2	11.1	516	4.22	47.2	0.4	1.6	1.3	7	0.6	1.4	0.2	91	0.10
L2B-4950N	Soil			17	10.0	46.0	9.7	113	0.9	44.0	12.3	1155	4.41	77.4	0.5	3.3	0.9	5	0.6	2.0	0.2	91	0.06
L2B-4975	Soil			<2	5.0	43.1	5.7	99	0.5	57.3	18.2	922	6.01	21.6	0.3	2.2	0.7	6	0.4	0.7	0.1	127	0.14
L2B-5000N	Soil			3	8.8	47.7	8.6	121	0.3	53.5	15.9	866	4.38	69.7	0.5	4.5	0.8	5	0.5	1.6	0.2	77	0.11
L2B-5025	Soil			2	11.1	30.8	10.2	107	0.2	47.6	12.2	550	4.31	58.9	0.5	2.4	1.4	5	0.4	2.0	0.2	82	0.10
L2B-5050N	Soil			<2	9.6	27.7	10.4	149	0.4	46.9	14.2	600	4.27	81.2	0.6	2.3	1.7	7	0.9	1.7	0.3	71	0.13
L2B-5075	Soil			2	10.3	27.0	8.1	68	<0.1	26.8	5.6	202	2.54	48.8	0.4	2.3	1.3	4	0.3	1.8	0.2	58	0.05
L2B-5100N	Soil			<2	9.7	26.7	8.4	136	0.2	36.1	11.6	332	3.46	54.8	0.5	2.6	1.9	5	0.5	1.6	0.2	75	0.06
L2B-5125	Soil			9	14.7	52.7	11.9	139	0.2	53.4	16.0	564	4.32	79.7	0.6	5.7	2.0	5	0.4	2.4	0.2	61	0.07
L2B-5150N	Soil			4	15.8	26.2	9.3	77	0.2	27.2	6.9	371	3.38	51.6	0.5	4.3	1.8	4	0.4	2.0	0.2	56	0.06
L2B-5175	Soil			3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-5200N	Soil			3	17.1	110.1	11.8	287	1.6	141.1	27.0	956	5.99	103.6	1.0	2.2	2.0	7	1.7	1.4	0.2	66	0.10
L2B-5225	Soil			9	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-5250N	Soil			3	10.2	65.4	10.9	148	0.4	62.8	18.6	754	4.88	88.7	0.8	2.3	1.5	6	0.7	1.8	0.2	60	0.08
L2B-5275	Soil			3	7.9	38.5	9.6	143	0.9	35.7	8.7	729	3.27	41.0	0.7	2.7	1.1	6	1.1	1.6	0.2	45	0.07
L2B-5300N	Soil			44	28.6	80.2	20.4	221	1.9	64.9	13.1	354	5.35	102.6	1.2	32.3	3.2	6	1.1	3.8	0.3	38	0.03
L2C-3425	Soil			8	8.1	56.1	11.5	124	<0.1	53.3	16.9	657	3.52	51.1	0.8	10.3	3.3	10	0.6	2.1	0.2	41	0.08
L2C-3450N	Soil			17	15.6	78.3	18.3	186	0.4	76.4	18.1	1071	4.34	80.8	1.3	15.6	1.8	7	0.7	3.4	0.3	52	0.04
L2C-3475	Soil			25	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-3500N	Soil			3	13.7	51.2	15.7	153	0.9	54.7	15.4	773	5.60	94.5	0.7	5.0	0.8	8	1.2	3.9	0.3	65	0.04
L2C-3525	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-3550N	Soil			12	11.7	71.9	14.1	149	1.3	58.7	13.9	331	4.86	83.8	0.9	14.1	3.1	5	0.9	2.3	0.2	41	0.03
L2C-3575	Soil			2	8.7	27.6	12.9	76	0.8	27.7	5.8	246	3.39	56.9	0.5	4.2	1.5	8	0.4	2.0	0.2	42	0.06
L2C-3600N	Soil			<2	8.0	39.5	11.6	106	0.5	49.6	12.5	802	4.44	84.8	0.5	2.2	0.8	6	0.6	1.8	0.2	54	0.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 10 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2B-4775	Soil	0.081	11	37	0.16	52	0.011	<1	0.69	0.003	0.04	0.2	0.02	1.1	0.2	<0.05	5	1.3	<0.2
L2B-4800N	Soil	0.070	11	51	0.25	66	0.010	<1	1.36	0.003	0.03	0.2	0.05	2.1	0.2	<0.05	7	1.0	<0.2
L2B-4825	Soil	0.044	12	58	0.38	85	0.006	<1	1.36	0.003	0.04	0.1	0.01	2.2	0.2	<0.05	5	1.6	0.3
L2B-4850N	Soil	0.060	10	75	0.58	95	0.018	<1	2.08	0.004	0.03	0.1	0.04	3.2	0.2	<0.05	7	0.6	<0.2
L2B-4875	Soil	0.117	9	73	0.65	61	0.037	<1	1.85	0.004	0.04	0.2	0.04	2.6	0.2	<0.05	6	1.0	<0.2
L2B-4900N	Soil	0.063	10	46	0.34	63	0.049	<1	1.11	0.003	0.04	0.1	<0.01	1.8	0.1	<0.05	6	0.5	<0.2
L2B-4925	Soil	0.078	7	62	0.34	48	0.131	<1	1.36	0.004	0.03	0.1	0.04	2.2	<0.1	<0.05	7	<0.5	0.2
L2B-4950N	Soil	0.070	8	72	0.48	95	0.031	<1	1.78	0.004	0.03	0.1	0.07	3.4	0.2	<0.05	7	0.8	<0.2
L2B-4975	Soil	0.117	4	98	1.09	74	0.012	<1	2.19	0.006	0.04	<0.1	0.03	7.6	<0.1	<0.05	8	<0.5	<0.2
L2B-5000N	Soil	0.075	7	77	0.65	93	0.013	<1	1.62	0.005	0.06	<0.1	0.03	3.6	0.1	<0.05	6	0.8	<0.2
L2B-5025	Soil	0.080	9	74	0.57	72	0.018	<1	1.59	0.005	0.05	0.1	0.03	3.2	0.2	<0.05	6	0.8	<0.2
L2B-5050N	Soil	0.103	9	70	0.51	82	0.034	<1	1.69	0.004	0.04	0.1	0.03	2.8	0.2	<0.05	7	0.9	0.3
L2B-5075	Soil	0.051	10	36	0.27	42	0.017	<1	0.87	0.005	0.03	0.1	0.02	1.6	0.2	<0.05	5	0.8	<0.2
L2B-5100N	Soil	0.049	10	64	0.48	102	0.024	<1	1.82	0.004	0.03	0.2	0.04	2.9	0.3	<0.05	7	<0.5	<0.2
L2B-5125	Soil	0.092	10	74	0.63	76	0.016	<1	1.73	0.003	0.05	0.1	0.03	2.5	0.2	<0.05	6	1.3	<0.2
L2B-5150N	Soil	0.072	12	34	0.27	57	0.011	<1	1.00	0.003	0.04	0.2	0.03	1.7	0.2	<0.05	5	0.6	0.3
L2B-5175	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-5200N	Soil	0.128	7	174	1.18	52	0.013	<1	1.99	0.003	0.04	0.1	0.04	4.2	<0.1	<0.05	5	1.9	<0.2
L2B-5225	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2B-5250N	Soil	0.122	8	71	0.52	111	0.009	<1	1.51	0.003	0.04	0.1	0.05	3.7	0.1	<0.05	5	1.1	0.3
L2B-5275	Soil	0.077	9	45	0.36	74	0.017	<1	1.02	0.003	0.04	0.1	0.05	1.7	0.1	<0.05	5	1.2	<0.2
L2B-5300N	Soil	0.121	9	55	0.44	129	0.005	<1	1.63	0.002	0.06	0.1	0.11	2.5	0.3	<0.05	3	4.1	0.7
L2C-3425	Soil	0.053	11	54	0.64	104	0.028	<1	1.75	0.006	0.09	0.1	0.05	2.6	0.1	<0.05	4	2.8	0.3
L2C-3450N	Soil	0.067	11	85	0.74	107	0.015	2	1.87	0.004	0.06	<0.1	0.10	2.5	0.2	<0.05	4	3.5	<0.2
L2C-3475	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-3500N	Soil	0.080	8	84	0.49	101	0.024	<1	1.80	0.004	0.07	0.2	0.06	2.4	0.2	<0.05	6	2.6	<0.2
L2C-3525	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-3550N	Soil	0.077	8	62	0.49	110	0.008	<1	2.37	0.004	0.08	0.1	0.14	2.6	0.2	<0.05	4	3.3	<0.2
L2C-3575	Soil	0.080	8	41	0.31	62	0.029	<1	0.89	0.004	0.07	0.1	0.07	1.5	0.1	<0.05	4	1.3	<0.2
L2C-3600N	Soil	0.106	9	69	0.45	84	0.024	<1	1.31	0.005	0.05	0.1	0.04	2.1	0.1	<0.05	6	1.2	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L2C-3625	Soil			<2	7.9	32.7	10.6	75	0.5	27.2	6.8	716	3.36	55.1	0.5	2.1	0.6	6	0.4	2.0	0.2	51	0.04
L2C-3650N	Soil			<2	11.6	48.0	13.0	120	0.9	34.5	14.6	957	3.76	66.0	0.9	9.5	0.5	7	1.0	3.5	0.2	37	0.03
L2C-3675	Soil			27	9.5	38.8	12.5	106	1.0	36.5	7.2	346	3.41	56.9	0.7	20.9	1.0	10	1.0	2.7	0.2	32	0.10
L2C-3700N	Soil			4	12.3	29.5	14.2	94	0.5	28.7	6.1	342	3.48	67.1	0.6	2.9	1.2	7	0.8	3.3	0.2	47	0.03
L2C-3725	Soil			3	12.9	48.2	13.8	114	0.2	42.2	8.3	344	3.45	92.5	0.7	3.9	1.5	8	0.4	3.6	0.2	53	0.05
L2C-3750N	Soil			3	11.3	44.6	13.9	123	0.4	45.8	10.0	540	4.31	81.6	0.7	10.8	1.1	8	0.7	3.6	0.2	45	0.06
L2C-3775	Soil			<2	11.1	43.2	14.8	104	0.7	45.8	12.7	1067	4.21	81.9	0.6	2.8	0.4	9	0.5	2.9	0.3	70	0.12
L2C-3800N	Soil			<2	11.8	47.3	15.2	112	0.8	43.4	10.5	521	4.30	88.7	0.7	3.4	0.9	9	1.4	3.6	0.3	63	0.07
L2C-3825	Soil			<2	8.5	45.5	14.1	83	0.5	35.5	7.6	349	3.69	58.8	0.7	3.0	0.7	11	1.2	2.6	0.2	62	0.08
L2C-3850N	Soil			5	8.9	50.7	16.0	85	2.1	36.5	11.3	995	4.28	72.0	1.0	8.6	0.3	8	0.6	2.7	0.2	51	0.08
L2C-3875	Soil			<2	9.6	40.7	14.0	70	0.8	32.6	8.3	520	3.82	62.0	0.8	2.1	0.6	6	0.6	2.7	0.2	52	0.03
L2C-3900N	Soil			15	11.0	56.4	12.1	127	0.9	55.3	12.0	575	3.92	72.5	0.9	19.9	1.1	9	0.9	3.8	0.2	44	0.04
L2C-3925	Soil			<2	35.0	49.5	16.0	167	0.4	30.7	9.3	396	4.80	91.6	0.6	2.5	1.5	7	0.8	7.6	0.3	57	0.07
L2C-3950N	Soil			<2	14.3	45.5	10.7	178	0.4	30.6	10.5	233	3.66	76.0	0.7	3.2	1.7	8	0.8	2.7	0.2	42	0.03
L2C-3975	Soil			<2	25.6	41.9	17.9	85	0.9	11.2	3.8	188	2.92	7.7	0.6	2.8	1.3	11	0.6	1.1	0.3	86	0.05
L2C-4000N	Soil			<2	11.7	69.2	28.2	125	1.7	24.0	8.0	833	4.16	28.2	0.5	2.2	1.3	7	0.8	1.3	0.8	78	0.02
L2C-4025	Soil			<2	8.7	34.9	11.2	69	0.4	24.0	8.7	1925	2.46	50.9	0.3	3.3	0.2	9	0.7	1.5	0.2	60	0.08
L2C-4050N	Soil			<2	32.1	156.7	27.6	425	0.8	226.5	69.3	4054	6.18	231.5	3.4	6.0	1.8	37	6.3	4.9	0.3	71	0.52
L2C-4075	Soil			<2	22.5	59.6	11.1	115	0.4	60.8	13.3	1358	4.88	157.7	0.4	5.1	0.9	5	1.0	2.8	0.2	67	0.05
L2C-4100N	Soil			<2	30.9	64.9	17.9	203	1.4	58.4	11.0	433	5.90	182.1	1.3	2.9	2.1	7	2.7	2.8	0.3	63	0.05
L2C-4125	Soil			<2	20.3	59.4	15.7	169	0.8	42.9	9.0	252	5.80	163.7	0.8	4.2	1.7	9	0.8	4.6	0.2	78	0.08
L2C-4150N	Soil			<2	4.4	16.3	8.0	91	0.5	27.9	8.0	505	2.65	31.3	0.4	7.2	1.4	7	0.6	0.7	0.2	85	0.08
L2C-4175	Soil			<2	5.8	22.7	20.4	78	0.7	28.3	15.5	3063	2.97	42.5	0.3	3.9	0.2	6	0.5	0.7	0.4	64	0.06
L2C-4200N	Soil			<2	8.4	47.2	18.1	84	1.7	30.3	12.2	957	3.72	74.0	0.5	4.3	0.3	4	0.4	1.7	0.3	46	0.02
L2C-4225	Soil			5	22.0	36.1	13.8	88	1.2	28.8	5.4	241	3.91	74.3	0.5	3.7	1.4	3	0.3	5.0	0.2	46	0.01
L2C-4250N	Soil			127	50.4	87.7	34.7	233	4.7	44.0	5.8	137	5.19	140.5	1.6	83.4	2.7	8	1.1	18.7	0.3	19	0.03
L2C-4275	Soil			7	24.3	30.0	18.5	76	0.7	27.2	5.6	260	3.80	58.5	0.4	4.9	1.3	3	1.0	6.5	0.3	48	0.02
L2C-4300N	Soil			12	34.5	89.2	25.7	355	0.8	137.3	17.7	517	7.63	169.2	1.0	9.0	2.1	5	2.1	9.3	0.3	41	0.02
L2C-4325	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-4350N	Soil			2	13.2	55.4	23.4	153	0.5	79.6	23.6	1036	4.12	116.7	1.3	11.3	1.5	5	1.9	1.9	0.3	61	0.03



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2C-3625	Soil	0.064	10	37	0.21	68	0.021	<1	0.85	0.005	0.06	<0.1	0.07	1.2	0.1	<0.05	5	0.8	0.3
L2C-3650N	Soil	0.113	11	36	0.29	90	0.013	<1	1.21	0.004	0.07	0.1	0.08	1.2	0.2	<0.05	4	2.6	0.3
L2C-3675	Soil	0.068	7	41	0.35	97	0.009	1	1.49	0.004	0.06	<0.1	0.15	1.1	0.2	<0.05	3	2.4	<0.2
L2C-3700N	Soil	0.058	10	41	0.22	73	0.026	2	1.05	0.003	0.05	<0.1	0.06	1.5	0.2	<0.05	4	2.4	0.3
L2C-3725	Soil	0.045	10	42	0.24	144	0.013	1	0.96	0.005	0.06	0.2	0.03	2.1	0.2	<0.05	4	2.0	<0.2
L2C-3750N	Soil	0.092	11	60	0.39	91	0.020	<1	1.13	0.003	0.08	0.2	0.04	2.0	0.2	<0.05	4	2.1	0.3
L2C-3775	Soil	0.127	9	74	0.25	118	0.024	<1	0.73	0.002	0.05	0.1	0.06	1.6	<0.1	<0.05	5	1.4	<0.2
L2C-3800N	Soil	0.066	10	63	0.24	97	0.039	1	0.78	0.003	0.04	0.1	0.04	1.7	0.2	<0.05	5	1.8	0.7
L2C-3825	Soil	0.074	12	48	0.21	133	0.034	1	0.88	0.004	0.05	0.1	0.05	1.5	0.1	<0.05	5	1.0	<0.2
L2C-3850N	Soil	0.142	8	62	0.23	56	0.014	1	1.04	0.003	0.06	0.1	0.11	0.8	<0.1	<0.05	4	1.8	<0.2
L2C-3875	Soil	0.077	9	56	0.21	35	0.025	<1	0.76	0.003	0.03	0.1	0.05	1.2	0.1	<0.05	4	1.8	<0.2
L2C-3900N	Soil	0.073	9	56	0.38	70	0.012	1	1.38	0.004	0.05	<0.1	0.10	1.9	0.2	<0.05	4	1.5	<0.2
L2C-3925	Soil	0.080	15	6	0.04	125	0.004	2	0.57	0.004	0.09	0.1	0.08	2.0	0.2	<0.05	2	1.0	0.3
L2C-3950N	Soil	0.081	14	17	0.16	62	0.008	1	0.79	0.005	0.04	0.1	0.01	1.7	0.2	<0.05	3	2.2	<0.2
L2C-3975	Soil	0.081	14	13	0.18	59	0.004	1	1.22	0.010	0.05	0.1	0.05	1.5	0.1	<0.05	5	1.5	<0.2
L2C-4000N	Soil	0.152	7	38	0.35	77	0.012	<1	1.75	0.009	0.05	0.3	0.09	2.7	0.1	<0.05	7	2.0	<0.2
L2C-4025	Soil	0.073	10	76	0.19	96	0.012	2	0.81	0.006	0.06	0.1	0.05	0.8	0.4	<0.05	5	1.9	<0.2
L2C-4050N	Soil	0.158	7	177	1.67	183	0.005	1	2.89	0.003	0.06	0.3	0.14	5.4	0.2	<0.05	5	3.4	0.7
L2C-4075	Soil	0.073	11	60	0.16	144	0.011	3	0.72	0.005	0.06	0.2	0.03	2.6	0.3	<0.05	5	1.7	<0.2
L2C-4100N	Soil	0.113	9	71	0.19	167	0.003	1	1.70	0.001	0.05	0.2	0.08	2.9	0.3	<0.05	4	2.3	<0.2
L2C-4125	Soil	0.129	12	51	0.18	118	0.008	<1	1.02	0.004	0.07	0.2	0.05	2.4	0.2	<0.05	4	2.6	0.3
L2C-4150N	Soil	0.073	8	72	0.45	61	0.040	2	1.35	0.002	0.04	0.2	0.03	3.1	<0.1	<0.05	7	1.2	<0.2
L2C-4175	Soil	0.089	7	54	0.33	129	0.018	<1	1.06	0.003	0.05	0.2	0.06	0.9	0.2	<0.05	6	0.5	0.3
L2C-4200N	Soil	0.113	8	36	0.23	62	0.013	<1	0.89	0.003	0.05	<0.1	0.08	0.7	<0.1	<0.05	5	1.1	<0.2
L2C-4225	Soil	0.053	11	27	0.06	64	0.007	<1	0.71	0.002	0.04	0.1	0.04	1.3	0.2	<0.05	3	1.3	<0.2
L2C-4250N	Soil	0.138	10	11	0.05	103	0.002	<1	1.13	0.003	0.05	0.2	0.22	1.7	0.7	<0.05	1	5.5	0.3
L2C-4275	Soil	0.085	8	26	0.09	73	0.014	1	0.69	0.002	0.03	0.2	0.03	1.2	0.3	<0.05	4	1.6	<0.2
L2C-4300N	Soil	0.118	9	37	0.06	66	0.009	<1	0.76	0.002	0.04	0.2	0.05	2.7	0.4	0.06	3	5.3	0.3
L2C-4325	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-4350N	Soil	0.131	9	96	0.45	82	0.016	<1	1.59	0.003	0.06	0.2	0.05	2.9	0.2	<0.05	6	1.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 12 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L2C-4375	Soil			4	11.8	18.2	9.7	51	0.1	40.0	10.2	492	2.62	45.5	0.3	1.3	0.3	5	0.3	1.3	0.2	76	0.09
L2C-4400N	Soil			4	13.3	54.0	15.4	91	0.4	52.0	10.6	403	3.94	75.2	0.8	11.1	1.2	3	0.4	2.2	0.3	67	0.02
L2C-4425	Soil			<2	29.3	37.0	31.9	117	0.5	12.2	15.5	8022	2.87	33.9	0.4	1.9	0.1	15	0.7	0.5	0.7	30	0.25
L2C-4450N	Soil			<2	5.0	46.0	17.6	119	0.3	25.4	9.5	535	4.39	33.6	0.4	1.7	1.6	5	0.3	0.4	0.6	60	0.04
L2C-4475	Soil			<2	4.7	217.4	68.4	138	1.1	31.5	55.0	9480	4.24	36.1	1.1	0.8	0.1	10	1.1	0.4	0.6	46	0.15
L2C-4500N	Soil			3	8.8	72.6	19.5	114	0.2	35.1	14.7	1137	3.51	41.8	0.7	1.3	0.9	6	0.2	1.3	0.4	39	0.06
L2C-4525	Soil			4	4.3	142.1	12.8	106	1.2	66.1	9.4	1111	2.60	33.3	5.0	4.0	1.1	26	0.2	0.8	0.3	18	0.54
L2C-4550N	Soil			2	7.4	76.6	29.8	177	0.2	58.6	34.5	2317	4.23	52.3	2.0	2.1	1.2	14	0.6	2.1	0.3	30	0.18
L2C-4575	Soil			2	7.0	77.9	28.7	150	0.4	50.1	26.1	5403	3.83	53.9	2.2	1.1	0.3	29	1.1	1.5	0.4	38	0.47
L2C-4600N	Soil			24	47.5	42.3	20.6	183	2.6	32.5	6.4	468	4.38	75.2	0.7	21.2	1.3	4	0.7	4.7	0.3	40	0.04
L2C-4625	Soil			33	122.5	64.0	22.0	141	3.1	37.2	9.2	692	5.27	104.0	0.6	28.2	1.2	4	1.0	6.0	0.3	45	0.05
L2C-4650N	Soil			39	53.1	126.7	12.5	538	0.8	134.5	21.4	835	7.22	324.5	3.1	30.1	2.6	5	3.6	3.7	0.4	35	0.08
L2C-4675	Soil			171	60.3	82.6	46.3	208	1.3	69.3	10.6	589	5.49	142.9	1.3	135.9	1.4	5	1.4	16.9	0.4	24	0.03
L2C-4700N	Soil			179	48.0	203.9	29.3	423	1.7	196.3	42.4	1921	8.14	309.3	4.0	129.8	3.6	6	2.9	7.3	0.3	31	0.07
L2C-4725	Soil			69	27.9	95.9	22.0	215	1.0	90.5	18.8	1425	5.42	163.5	1.6	55.6	1.4	6	1.5	5.3	0.3	37	0.06
L2C-4750N	Soil			12	14.2	49.4	15.1	101	0.3	39.9	8.5	424	3.62	82.4	0.9	9.7	0.6	6	1.1	3.1	0.2	34	0.03
L2C-4775	Soil			5	12.8	46.9	18.1	119	0.2	45.8	13.6	1639	3.78	79.0	0.8	2.3	0.5	13	0.8	2.4	0.3	49	0.15
L2C-4800N	Soil			28	23.5	155.7	35.9	191	0.7	99.8	23.0	1814	5.91	162.2	1.2	14.9	1.6	5	1.1	2.1	0.4	63	0.05
L2C-4825	Soil			<2	11.0	41.6	13.1	99	<0.1	43.0	9.9	433	3.44	70.0	0.5	1.6	1.3	4	0.3	1.9	0.2	49	0.04
L2C-4850N	Soil			8	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-4875	Soil			<2	6.4	25.3	11.3	80	0.2	25.6	6.6	192	3.30	40.9	0.5	1.1	2.1	5	0.4	1.5	0.2	67	0.06
L2C-4900N	Soil			3	9.3	40.0	9.2	117	0.3	42.8	12.9	1287	3.52	69.1	0.5	1.1	1.2	4	0.5	1.8	0.2	54	0.05
L2C-4925	Soil			9	10.1	34.4	8.0	93	0.1	32.7	7.7	237	3.13	55.4	0.5	1.1	2.2	4	0.2	1.8	0.2	48	0.04
L2C-4950N	Soil			4	13.2	37.3	14.0	95	0.2	40.2	10.4	574	3.17	66.6	0.6	3.6	1.7	5	0.4	2.3	0.2	53	0.14
L2C-4975	Soil			2	9.9	42.1	10.6	89	0.1	37.5	9.5	337	3.77	55.5	0.5	2.5	1.5	4	0.3	1.9	0.2	60	0.04
L2C-5000N	Soil			3	4.4	40.3	9.4	81	0.6	51.2	16.6	568	4.06	51.3	0.4	1.5	1.3	13	0.3	1.1	0.2	110	0.32
L2C-5025	Soil			5	12.8	66.8	13.1	117	0.2	53.3	16.0	448	4.48	89.9	0.8	6.0	1.9	6	0.5	2.2	0.2	66	0.10
L2C-5050N	Soil			2	2.3	64.3	4.6	203	1.0	61.7	36.4	1178	3.85	26.5	0.4	0.7	1.0	8	0.7	0.4	0.2	85	0.16
L2C-5075	Soil			3	7.5	58.5	7.5	167	1.6	60.8	19.2	2386	4.45	60.6	0.4	0.7	0.8	11	0.8	1.0	0.2	71	0.16
L2C-5100N	Soil			5	6.9	58.6	8.8	134	0.3	52.3	19.7	765	3.54	67.2	0.8	2.7	1.8	9	0.4	1.6	0.2	49	0.19



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 12 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2C-4375	Soil	0.032	8	63	0.19	93	0.010	<1	1.07	0.002	0.01	0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
L2C-4400N	Soil	0.052	9	99	0.43	79	0.013	<1	1.60	0.003	0.03	0.2	0.05	2.5	0.2	<0.05	6	0.9	<0.2
L2C-4425	Soil	0.109	7	14	0.13	245	0.018	<1	0.99	0.004	0.10	0.3	0.15	0.6	0.2	0.08	5	<0.5	0.3
L2C-4450N	Soil	0.117	9	28	0.40	65	0.018	<1	1.76	0.003	0.04	0.1	0.06	1.9	<0.1	<0.05	8	<0.5	0.5
L2C-4475	Soil	0.168	7	25	0.19	202	0.015	<1	1.45	0.003	0.05	<0.1	0.11	0.8	0.1	0.06	8	0.6	<0.2
L2C-4500N	Soil	0.051	7	21	0.19	106	0.006	<1	1.32	0.003	0.04	0.1	0.05	1.6	0.2	<0.05	5	0.7	<0.2
L2C-4525	Soil	0.109	9	38	0.43	79	0.003	1	1.51	0.003	0.06	<0.1	0.15	2.5	<0.1	0.06	2	1.9	<0.2
L2C-4550N	Soil	0.075	9	37	0.35	95	0.006	<1	1.25	0.002	0.04	0.1	0.04	2.1	0.2	<0.05	3	1.7	0.8
L2C-4575	Soil	0.112	8	40	0.17	149	0.013	<1	0.79	0.003	0.04	0.1	0.07	1.2	0.2	0.07	4	1.3	<0.2
L2C-4600N	Soil	0.072	9	22	0.06	76	0.004	<1	0.68	0.003	0.02	0.4	0.08	2.3	0.5	<0.05	3	7.5	0.5
L2C-4625	Soil	0.102	10	43	0.16	86	0.007	<1	0.86	0.002	0.04	0.2	0.08	1.4	1.2	<0.05	4	3.5	0.3
L2C-4650N	Soil	0.161	8	31	0.12	131	0.002	<1	0.98	0.003	0.04	0.2	0.06	2.3	0.3	<0.05	2	4.1	<0.2
L2C-4675	Soil	0.137	8	9	0.04	47	0.010	2	0.53	0.003	0.05	0.3	0.11	1.3	0.8	<0.05	2	6.8	0.2
L2C-4700N	Soil	0.117	9	62	0.39	83	0.004	<1	1.46	0.002	0.05	0.2	0.25	3.1	0.5	<0.05	2	6.6	0.4
L2C-4725	Soil	0.110	9	58	0.32	83	0.008	<1	1.08	0.003	0.05	0.2	0.13	1.8	0.3	<0.05	3	3.9	<0.2
L2C-4750N	Soil	0.047	9	42	0.20	41	0.014	<1	0.64	0.003	0.03	0.1	0.03	1.0	0.1	<0.05	3	2.8	<0.2
L2C-4775	Soil	0.063	11	48	0.26	107	0.012	1	0.99	0.003	0.04	0.1	0.04	1.4	0.2	<0.05	4	1.6	0.5
L2C-4800N	Soil	0.150	9	103	0.81	73	0.004	<1	1.65	0.002	0.05	0.2	0.06	2.6	0.1	<0.05	5	3.0	0.4
L2C-4825	Soil	0.090	10	56	0.39	70	0.011	<1	1.05	0.003	0.04	0.1	0.03	1.8	0.2	<0.05	4	1.5	<0.2
L2C-4850N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-4875	Soil	0.116	10	45	0.28	39	0.038	<1	1.11	0.003	0.03	0.1	0.02	2.0	<0.1	<0.05	6	1.0	<0.2
L2C-4900N	Soil	0.049	10	54	0.40	91	0.026	<1	1.30	0.002	0.03	0.1	0.03	2.1	0.2	<0.05	5	1.3	<0.2
L2C-4925	Soil	0.036	11	45	0.28	44	0.019	<1	0.92	0.002	0.03	0.1	0.02	1.7	0.1	<0.05	4	1.1	0.4
L2C-4950N	Soil	0.056	11	54	0.33	106	0.008	<1	1.00	0.003	0.04	0.1	0.05	1.8	0.2	<0.05	4	1.2	<0.2
L2C-4975	Soil	0.049	9	57	0.34	60	0.021	<1	1.15	0.003	0.03	0.1	0.02	2.1	0.1	<0.05	5	1.1	<0.2
L2C-5000N	Soil	0.103	7	99	0.84	58	0.239	1	1.83	0.004	0.04	0.2	0.05	4.3	<0.1	<0.05	7	1.0	0.2
L2C-5025	Soil	0.088	9	63	0.46	69	0.035	<1	1.56	0.003	0.04	0.1	0.05	2.8	0.2	<0.05	6	1.6	<0.2
L2C-5050N	Soil	0.083	6	108	0.97	96	0.087	2	2.67	0.004	0.03	0.2	0.08	5.6	<0.1	<0.05	8	0.7	0.2
L2C-5075	Soil	0.096	5	97	0.81	89	0.017	<1	1.84	0.005	0.04	<0.1	0.05	5.8	0.1	<0.05	6	0.8	<0.2
L2C-5100N	Soil	0.086	8	65	0.49	61	0.018	<1	1.27	0.003	0.06	0.1	0.04	3.0	0.1	<0.05	5	0.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 13 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L2C-5125	Soil	4	3.2	101.1	19.5	118	0.7	55.4	18.6	5487	4.10	42.8	0.4	4.6	0.8	20	1.3	0.6	0.2	53	0.34
L2C-5150N	Soil	4	2.7	39.2	9.7	219	1.0	94.0	21.3	994	4.90	17.5	0.4	1.3	1.4	67	0.5	0.6	0.1	118	0.52
L2C-5175	Soil	11	18.5	80.9	17.2	145	1.7	49.3	12.5	728	4.89	82.4	1.0	6.7	1.7	10	1.0	3.1	0.3	41	0.11
L2C-5200N	Soil	16	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-5225	Soil	13	12.8	67.2	18.4	169	0.7	48.8	14.1	1068	4.47	73.9	1.0	7.3	1.0	7	0.9	2.7	0.3	38	0.06
L2C-5250N	Soil	26	20.9	54.5	17.2	125	0.5	37.1	7.9	265	3.99	63.6	0.8	12.2	2.8	4	0.4	4.0	0.3	46	0.01
L2C-5275	Soil	53	35.4	79.1	16.0	186	0.9	33.4	10.5	797	5.29	35.2	0.7	48.0	1.0	16	1.5	1.8	0.4	40	0.14
L2C-5300N	Soil	122	59.9	152.3	32.3	297	0.8	78.4	25.7	1314	6.62	118.6	2.7	52.8	3.7	6	2.0	8.4	0.5	23	0.03



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 13 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2C-5125	Soil	0.117	7	50	0.54	112	0.015	2	1.27	0.004	0.05	<0.1	0.08	3.3	<0.1	<0.05	5	0.7	<0.2
L2C-5150N	Soil	0.288	17	70	1.55	215	0.250	<1	2.26	0.019	0.04	<0.1	0.06	3.4	<0.1	<0.05	8	<0.5	<0.2
L2C-5175	Soil	0.084	8	48	0.28	78	0.016	<1	1.10	0.002	0.05	0.2	0.07	1.9	0.2	<0.05	4	2.2	<0.2
L2C-5200N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L2C-5225	Soil	0.127	9	46	0.35	88	0.011	<1	1.18	0.003	0.06	0.1	0.05	1.4	0.2	<0.05	4	2.2	<0.2
L2C-5250N	Soil	0.094	10	38	0.20	75	0.012	<1	1.00	0.008	0.04	0.1	0.05	1.8	0.3	<0.05	4	2.4	<0.2
L2C-5275	Soil	0.174	8	20	0.10	147	0.008	1	0.87	0.002	0.09	0.2	0.06	1.5	0.2	<0.05	4	3.0	<0.2
L2C-5300N	Soil	0.104	10	19	0.12	64	0.002	<1	0.63	0.002	0.05	0.2	0.09	3.4	0.2	<0.05	1	5.1	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 1 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003916.1

Method	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
L1D-3400N	Soil	2	13.5	73.2	10.3	112	0.4	36.1	15.4	771	5.09	141.5	0.5	1.8	0.6	8	0.5	1.8	0.2	72	0.06
REP L1D-3400N	QC		12.7	72.0	10.1	110	0.4	35.6	15.0	743	4.90	134.0	0.6	2.2	0.6	8	0.6	1.6	0.2	69	0.05
L1D-3850N	Soil	7	9.7	44.3	11.2	128	0.5	53.8	13.0	798	4.40	72.7	0.8	5.0	0.7	22	0.8	3.4	0.2	54	0.10
REP L1D-3850N	QC		9.5	44.8	11.7	129	0.5	54.7	13.2	787	4.40	74.7	0.8	5.5	0.6	23	0.9	3.6	0.2	52	0.11
L1D-3975	Soil	3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP L1D-3975	QC		I.S.																		
L1D-4275	Soil	4	19.6	87.6	15.7	132	0.8	83.9	15.7	600	4.95	153.2	0.9	2.4	1.4	6	1.0	2.9	0.2	64	0.04
REP L1D-4275	QC		19.7	84.9	15.2	124	0.7	81.5	15.6	580	4.87	150.4	0.9	2.1	1.3	5	0.9	2.8	0.2	64	0.04
L1D-4475	Soil	65	24.0	132.7	28.7	187	0.8	84.8	21.4	957	5.03	115.9	2.4	60.6	2.2	12	1.2	7.6	0.3	29	0.08
REP L1D-4475	QC		23.7	120.4	28.6	184	0.8	80.0	20.5	930	4.84	114.3	2.4	58.2	2.2	12	1.2	7.1	0.3	28	0.08
L1D-4900N	Soil	28	16.6	94.6	25.5	180	0.6	90.2	19.6	1671	4.39	107.0	1.3	24.2	2.6	5	0.8	3.3	0.3	37	0.02
REP L1D-4900N	QC		28																		
L1D-5200N	Soil	<2	1.2	38.1	6.5	207	0.5	61.4	30.3	2071	4.06	22.6	0.3	0.6	1.1	16	1.6	0.6	0.2	86	0.61
REP L1D-5200N	QC		1.3	39.2	6.4	210	0.5	61.6	30.9	2128	4.12	22.7	0.3	0.9	1.1	17	1.6	0.6	0.2	86	0.61
L1D-5225	Soil	5	10.2	54.4	12.0	112	0.4	45.3	10.7	368	5.06	73.4	0.7	7.9	1.0	6	0.6	2.6	0.2	69	0.14
REP L1D-5225	QC		10.3	58.5	12.4	119	0.4	46.6	11.2	371	5.08	75.7	0.7	5.6	1.0	6	0.7	2.5	0.2	70	0.14
L1D-5275	Soil	30	13.8	107.5	19.8	167	0.7	87.7	23.9	1852	5.01	81.9	1.4	19.5	1.9	8	1.1	2.6	0.2	54	0.10
REP L1D-5275	QC		30																		
L2A-3675	Soil	<2	8.9	42.6	11.0	86	0.2	36.4	10.4	417	3.22	58.7	0.7	1.8	0.7	18	0.5	2.1	0.2	47	0.15
REP L2A-3675	QC		8.7	40.5	10.7	82	0.2	34.4	10.2	391	3.09	55.8	0.6	1.8	0.7	17	0.5	2.0	0.2	47	0.16
L2A-3850N	Soil	<2	6.6	51.5	13.0	147	0.9	19.9	10.6	609	5.21	63.8	0.4	0.5	1.6	8	0.7	1.7	0.2	44	0.06
REP L2A-3850N	QC		I.S.																		
L2A-4125	Soil	4	19.9	84.3	16.9	168	0.8	74.7	20.3	1181	4.89	133.5	1.0	2.1	1.2	7	1.0	1.9	0.2	67	0.04
REP L2A-4125	QC		20.1	80.3	16.7	163	0.8	73.4	20.4	1169	4.96	133.3	1.1	2.5	1.2	7	0.9	1.8	0.2	66	0.04
L2A-4375	Soil	3	45.7	59.2	32.5	166	0.4	67.1	19.8	1165	4.79	118.5	0.7	4.8	0.6	6	0.8	3.0	0.5	79	0.08
REP L2A-4375	QC		47.1	62.6	34.7	174	0.4	70.6	21.1	1241	5.20	125.1	0.8	6.7	0.6	6	0.9	3.2	0.5	84	0.08
L2A-4800N	Soil	78	26.7	97.4	27.0	229	1.5	62.7	16.6	1997	5.67	109.6	2.0	63.4	2.1	13	1.1	6.2	0.3	48	0.20
REP L2A-4800N	QC		26.3	94.2	26.1	226	1.4	63.5	16.8	1922	5.61	105.3	1.9	58.2	2.0	13	1.0	6.0	0.3	48	0.19



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 1 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003916.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
L1D-3400N	Soil	0.098	8	59	0.69	117	0.030	1	3.02	0.005	0.09	0.2	0.07	2.5	<0.1	<0.05	7	1.1	<0.2
REP L1D-3400N	QC	0.088	8	57	0.66	112	0.027	<1	2.79	0.005	0.08	0.1	0.08	2.4	<0.1	<0.05	7	0.9	<0.2
L1D-3850N	Soil	0.063	9	63	0.57	124	0.035	2	1.67	0.005	0.08	0.2	0.07	1.9	0.1	0.05	5	1.3	<0.2
REP L1D-3850N	QC	0.066	10	63	0.58	129	0.036	1	1.69	0.005	0.08	0.2	0.08	1.9	0.2	<0.05	5	1.4	<0.2
L1D-3975	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP L1D-3975	QC																		
L1D-4275	Soil	0.101	7	107	0.74	140	0.003	1	1.56	0.005	0.05	0.2	0.06	2.8	0.2	<0.05	4	2.2	<0.2
REP L1D-4275	QC	0.093	7	107	0.69	139	0.003	1	1.51	0.002	0.05	0.2	0.06	2.7	0.2	<0.05	4	1.9	<0.2
L1D-4475	Soil	0.096	9	56	0.38	113	0.002	1	1.32	0.004	0.07	0.1	0.21	2.4	0.2	<0.05	2	3.4	<0.2
REP L1D-4475	QC	0.091	8	57	0.37	114	0.003	1	1.40	0.004	0.07	0.1	0.22	2.5	0.3	<0.05	3	3.9	0.3
L1D-4900N	Soil	0.067	11	73	0.70	90	0.008	<1	1.53	0.004	0.06	0.2	0.05	2.6	0.1	<0.05	3	3.2	<0.2
REP L1D-4900N	QC																		
L1D-5200N	Soil	0.145	5	101	1.24	215	0.071	1	2.46	0.007	0.04	<0.1	0.07	5.5	<0.1	<0.05	7	<0.5	<0.2
REP L1D-5200N	QC	0.150	5	99	1.25	211	0.068	1	2.51	0.007	0.04	0.1	0.07	5.4	<0.1	<0.05	7	<0.5	<0.2
L1D-5225	Soil	0.092	8	57	0.43	60	0.029	<1	1.21	0.003	0.05	0.1	0.03	2.3	0.1	<0.05	5	1.6	0.3
REP L1D-5225	QC	0.094	8	59	0.45	61	0.028	<1	1.22	0.003	0.06	0.2	0.04	2.3	0.1	<0.05	6	1.6	<0.2
L1D-5275	Soil	0.071	10	71	0.73	117	0.010	<1	1.76	0.004	0.07	0.1	0.05	3.6	0.2	<0.05	5	2.2	<0.2
REP L1D-5275	QC																		
L2A-3675	Soil	0.039	10	49	0.37	106	0.026	3	1.05	0.003	0.05	0.1	0.03	1.5	0.1	<0.05	4	1.0	<0.2
REP L2A-3675	QC	0.037	10	47	0.36	102	0.025	<1	0.98	0.003	0.05	0.1	0.03	1.6	0.1	<0.05	4	1.0	<0.2
L2A-3850N	Soil	0.215	12	19	0.34	88	0.013	<1	1.85	0.004	0.05	0.2	0.11	2.2	0.1	<0.05	5	0.6	0.3
REP L2A-3850N	QC																		
L2A-4125	Soil	0.158	8	120	0.87	131	0.007	1	2.13	0.005	0.07	0.1	0.08	2.2	0.2	<0.05	5	2.2	<0.2
REP L2A-4125	QC	0.165	8	120	0.86	135	0.007	<1	2.09	0.005	0.07	0.1	0.08	2.2	0.2	<0.05	6	1.7	<0.2
L2A-4375	Soil	0.095	12	87	0.20	67	0.014	2	0.72	0.002	0.05	0.3	0.04	1.5	0.3	<0.05	5	2.5	0.3
REP L2A-4375	QC	0.091	13	92	0.21	72	0.016	2	0.73	0.002	0.06	0.3	0.03	1.8	0.3	<0.05	5	2.5	<0.2
L2A-4800N	Soil	0.103	10	42	0.18	148	0.009	2	1.48	0.006	0.09	0.2	0.15	2.7	0.4	<0.05	4	4.4	<0.2
REP L2A-4800N	QC	0.104	10	42	0.18	141	0.010	1	1.54	0.004	0.09	0.2	0.14	2.6	0.4	<0.05	4	4.5	0.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 2 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003916.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
L2A-5100N	Soil	6	21.5	70.6	16.4	152	0.5	64.1	17.3	374	5.53	138.4	1.0	6.7	2.7	6	0.4	3.9	0.3	77	0.08
REP L2A-5100N	QC	4																			
L2A-5275	Soil	10	14.3	77.8	16.0	153	0.8	61.9	23.2	1995	5.44	96.6	1.0	4.0	0.9	10	1.2	2.6	0.3	53	0.19
REP L2A-5275	QC		15.7	84.7	16.4	159	0.8	66.4	25.8	2109	5.78	101.1	1.0	5.5	1.0	11	1.2	2.6	0.3	57	0.20
L2B-3775	Soil	40	12.2	64.1	14.0	132	0.4	63.9	17.5	667	3.40	72.6	1.3	28.0	1.9	7	0.7	4.7	0.2	26	0.04
REP L2B-3775	QC		12.9	65.2	15.0	126	0.4	63.6	18.4	700	3.39	71.4	1.3	28.6	1.9	7	0.9	4.7	0.2	26	0.04
L2B-4025	Soil	<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP L2B-4025	QC	<2																			
L2B-4625	Soil	4	29.3	84.7	11.7	358	1.9	335.2	37.1	1425	7.40	901.8	1.0	6.2	0.8	14	1.8	5.0	0.3	72	0.15
REP L2B-4625	QC		28.0	77.4	12.3	330	1.7	306.2	34.6	1345	6.90	853.5	1.0	6.5	0.8	14	1.8	5.4	0.3	68	0.14
L2B-4725	Soil	44	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP L2B-4725	QC	44																			
L2B-4775	Soil	4	15.0	28.4	15.2	87	0.2	36.6	8.8	672	3.43	73.0	0.4	3.9	0.6	4	0.4	2.5	0.3	55	0.03
REP L2B-4775	QC		14.4	28.8	14.6	86	0.2	35.9	8.7	645	3.38	74.1	0.4	3.9	0.6	4	0.4	2.4	0.3	54	0.03
L2B-5175	Soil	3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP L2B-5175	QC	3																			
L2C-3500N	Soil	3	13.7	51.2	15.7	153	0.9	54.7	15.4	773	5.60	94.5	0.7	5.0	0.8	8	1.2	3.9	0.3	65	0.04
REP L2C-3500N	QC		12.1	54.0	15.6	158	0.9	59.8	16.6	839	6.02	96.1	0.6	6.6	0.8	7	1.3	3.8	0.3	73	0.04
L2C-4000N	Soil	<2	11.7	69.2	28.2	125	1.7	24.0	8.0	833	4.16	28.2	0.5	2.2	1.3	7	0.8	1.3	0.8	78	0.02
REP L2C-4000N	QC		13.0	65.2	31.6	120	1.8	22.1	7.9	803	3.92	28.2	0.5	2.1	1.5	8	0.9	1.3	0.8	75	0.03
L2C-4175	Soil	<2	5.8	22.7	20.4	78	0.7	28.3	15.5	3063	2.97	42.5	0.3	3.9	0.2	6	0.5	0.7	0.4	64	0.06
REP L2C-4175	QC		5.6	23.6	21.2	74	0.7	27.4	15.1	3086	2.97	43.3	0.3	2.2	0.2	6	0.5	0.8	0.5	61	0.06
L2C-4800N	Soil	28	23.5	155.7	35.9	191	0.7	99.8	23.0	1814	5.91	162.2	1.2	14.9	1.6	5	1.1	2.1	0.4	63	0.05
REP L2C-4800N	QC		23.3	152.0	35.1	187	0.7	98.9	22.5	1800	5.72	161.1	1.2	11.0	1.9	5	1.1	2.1	0.4	62	0.05
Reference Materials																					
STD DS7	Standard		20.8	103.5	67.7	395	1.0	53.4	8.6	619	2.34	49.4	4.5	70.1	4.2	69	6.1	5.7	4.6	81	0.90
STD DS7	Standard		20.0	103.6	64.7	386	0.9	53.9	8.8	601	2.30	47.0	4.5	68.0	4.1	70	5.8	5.6	4.4	81	0.93
STD DS7	Standard		20.5	109.5	70.1	411	0.9	56.6	9.1	643	2.41	51.7	4.6	66.8	4.3	73	6.3	6.0	4.8	85	0.93
STD DS7	Standard		21.3	117.8	65.5	387	0.9	55.5	9.5	628	2.39	50.4	4.8	67.6	4.7	72	6.1	6.1	4.8	87	0.94



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 06, 2010

Page: 2 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003916.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L2A-5100N	Soil	0.082	12	77	0.49	106	0.025	<1	1.70	0.003	0.06	0.2	0.05	3.7	0.3	<0.05	6	1.7	<0.2	
REP L2A-5100N	QC																			
L2A-5275	Soil	0.131	7	53	0.29	116	0.014	1	0.87	0.002	0.05	0.1	0.04	2.7	0.2	<0.05	4	1.2	0.2	
REP L2A-5275	QC	0.134	8	61	0.31	121	0.016	1	0.94	0.003	0.05	0.1	0.04	3.1	0.2	<0.05	4	1.6	<0.2	
L2B-3775	Soil	0.044	11	43	0.33	43	0.015	<1	1.06	0.003	0.04	0.1	0.09	1.9	0.1	<0.05	2	2.2	<0.2	
REP L2B-3775	QC	0.046	11	44	0.33	44	0.015	<1	1.09	0.003	0.04	0.1	0.09	2.0	0.1	<0.05	2	2.1	<0.2	
L2B-4025	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
REP L2B-4025	QC																			
L2B-4625	Soil	0.076	6	194	0.14	150	0.006	3	0.65	0.005	0.07	0.3	0.08	3.8	0.3	<0.05	3	2.5	<0.2	
REP L2B-4625	QC	0.071	6	185	0.13	152	0.005	2	0.63	0.005	0.07	0.3	0.05	3.5	0.3	<0.05	3	2.5	0.3	
L2B-4725	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
REP L2B-4725	QC																			
L2B-4775	Soil	0.081	11	37	0.16	52	0.011	<1	0.69	0.003	0.04	0.2	0.02	1.1	0.2	<0.05	5	1.3	<0.2	
REP L2B-4775	QC	0.079	11	35	0.16	50	0.011	<1	0.70	0.003	0.04	0.1	0.01	1.1	0.2	<0.05	5	1.2	<0.2	
L2B-5175	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
REP L2B-5175	QC																			
L2C-3500N	Soil	0.080	8	84	0.49	101	0.024	<1	1.80	0.004	0.07	0.2	0.06	2.4	0.2	<0.05	6	2.6	<0.2	
REP L2C-3500N	QC	0.074	8	87	0.45	92	0.022	<1	1.66	0.003	0.07	0.2	0.05	2.3	0.2	<0.05	6	1.9	<0.2	
L2C-4000N	Soil	0.152	7	38	0.35	77	0.012	<1	1.75	0.009	0.05	0.3	0.09	2.7	0.1	<0.05	7	2.0	<0.2	
REP L2C-4000N	QC	0.166	7	36	0.38	79	0.013	<1	1.90	0.009	0.05	0.2	0.08	2.8	0.1	<0.05	7	2.8	<0.2	
L2C-4175	Soil	0.089	7	54	0.33	129	0.018	<1	1.06	0.003	0.05	0.2	0.06	0.9	0.2	<0.05	6	0.5	0.3	
REP L2C-4175	QC	0.090	7	55	0.32	129	0.018	<1	1.10	0.003	0.05	0.2	0.06	1.0	0.2	0.06	6	0.6	0.5	
L2C-4800N	Soil	0.150	9	103	0.81	73	0.004	<1	1.65	0.002	0.05	0.2	0.06	2.6	0.1	<0.05	5	3.0	0.4	
REP L2C-4800N	QC	0.152	11	102	0.80	71	0.006	<1	1.65	0.003	0.05	0.3	0.06	2.9	0.2	<0.05	5	2.6	0.2	
Reference Materials																				
STD DS7	Standard	0.078	12	184	1.08	414	0.114	40	1.01	0.091	0.47	4.0	0.24	2.1	4.3	0.19	5	3.6	1.6	
STD DS7	Standard	0.074	12	186	1.02	391	0.118	39	1.01	0.097	0.45	3.7	0.22	2.1	4.0	0.17	5	3.2	1.4	
STD DS7	Standard	0.077	13	193	1.06	410	0.123	40	1.05	0.100	0.47	4.0	0.22	2.3	4.1	0.20	5	3.3	1.2	
STD DS7	Standard	0.074	14	198	1.02	399	0.132	38	0.98	0.095	0.45	3.5	0.19	2.6	3.8	0.19	5	2.9	1.5	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 06, 2010

Page: 3 of 5 **Part** 1

QUALITY CONTROL REPORT

VAN10003916.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		21.2	111.6	69.6	382	0.9	54.2	9.5	612	2.28	48.3	5.3	68.2	4.8	74	6.5	5.8	4.7	85	0.92
STD DS7	Standard		20.4	101.3	66.3	361	1.0	52.7	8.8	589	2.22	46.1	4.5	55.5	4.6	68	5.4	5.0	4.1	82	0.87
STD DS7	Standard		22.1	111.8	68.8	387	1.4	55.9	9.5	625	2.41	47.7	5.1	69.0	4.6	73	6.1	5.7	4.6	89	0.93
STD DS7	Standard		19.4	115.8	69.0	376	0.9	54.3	9.3	591	2.21	47.5	4.9	74.3	4.5	68	6.6	5.7	4.6	82	0.85
STD DS7	Standard		21.9	104.5	67.4	417	1.0	59.5	9.8	678	2.57	57.7	4.7	73.3	4.7	78	6.6	6.2	4.9	90	1.06
STD DS7	Standard		19.9	98.8	68.0	377	0.8	50.5	8.4	599	2.23	49.1	4.6	64.4	4.6	73	5.3	5.2	4.5	82	0.86
STD DS7	Standard		18.6	105.3	62.9	384	0.9	53.0	8.7	538	2.15	50.1	4.9	76.1	4.6	64	6.4	5.9	4.6	76	0.84
STD OXC72	Standard		197																		
STD OXC72	Standard		195																		
STD OXC72	Standard		194																		
STD OXC72	Standard		196																		
STD OXC72	Standard		196																		
STD OXC72	Standard		205																		
STD OXC72	Standard		196																		
STD OXC72	Standard		188																		
STD OXC72	Standard		197																		
STD OXC72	Standard		202																		
STD OXC72	Standard		204																		
STD OXC72	Standard		214																		
STD OXC72	Standard		194																		
STD OXC72	Standard		188																		
STD OXC72	Standard		199																		
STD OXC72	Standard		196																		
STD OXC72	Standard		192																		
STD OXC72	Standard		193																		
STD OXC72	Standard		188																		
STD OXC72	Standard		187																		
STD OXC72	Standard		187																		
STD OXC72	Standard		195																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 06, 2010

Page: 5 of 5 Part 1

QUALITY CONTROL REPORT

VAN10003916.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.9	<0.1	<1	<0.1	0.7	<0.1	22	0.06	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 06, 2010

Page: 5 of 5 Part 2

QUALITY CONTROL REPORT

VAN10003916.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Submitted By: David Jenkins
Receiving Lab: Canada-Vancouver
Received: August 16, 2010
Report Date: September 13, 2010
Page: 1 of 10

CERTIFICATE OF ANALYSIS

VAN10003917.1

CLIENT JOB INFORMATION

Project: ADDIE 1
Shipment ID:
P.O. Number
Number of Samples: 263

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Dajin Resources Corp.
480 - 789 W. Pender St.
Vancouver BC V6C 1H2
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	262	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	262	Dry at 60C			VAN
3B01	262	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	257	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 2 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L3C-3425	Soil	47	32.6	23.1	45.2	109	0.8	33.6	5.3	135	3.55	81.8	1.1	31.9	2.5	26	0.8	12.2	0.5	28	0.04
L3C-3450N	Soil	2	4.3	30.7	10.6	141	0.3	41.5	10.1	396	3.65	42.3	0.6	1.9	2.1	7	0.6	2.2	0.3	47	0.07
L3C-3475	Soil	4	10.4	232.8	36.5	241	0.7	80.8	26.7	3656	5.83	130.1	0.8	2.3	1.2	11	1.0	8.1	0.5	98	0.09
L3C-3500N	Soil	78	43.8	111.8	27.4	241	0.8	74.9	17.4	808	5.87	144.4	1.3	59.4	2.3	8	1.4	13.3	0.3	21	0.02
L3C-3525	Soil	80	26.0	230.8	30.7	398	1.2	257.6	105.3	6948	6.81	108.2	10.7	60.8	1.5	12	19.6	6.9	0.3	27	0.09
L3C-3550N	Soil	27	18.9	68.2	18.9	198	1.0	63.3	13.1	582	4.42	102.3	1.2	21.3	1.2	7	1.0	7.1	0.3	39	0.03
L3C-3575	Soil	463	83.9	17.0	71.6	151	0.7	30.2	5.0	206	3.45	145.2	2.3	235.0	1.8	34	0.1	26.0	0.7	38	0.05
L3C-3600N	Soil	28	21.5	76.9	27.6	260	2.1	105.5	33.6	7325	4.64	102.4	3.5	16.9	0.5	51	6.9	5.6	0.4	34	0.49
L3C-3625	Soil	164	42.6	104.9	57.5	286	1.5	98.7	21.0	1118	6.89	142.4	1.7	136.2	1.1	4	2.1	18.2	0.3	23	0.04
L3C-3650N	Soil	8	27.3	84.7	15.2	173	1.0	50.1	30.9	2581	5.44	115.1	0.8	3.3	0.9	25	1.1	3.7	0.6	34	0.17
L3C-3675	Soil	28	30.4	126.4	26.6	246	1.1	134.5	38.8	3152	7.40	164.8	1.1	7.0	0.6	16	1.3	10.8	0.4	49	0.06
L3C-3700N	Soil	10	8.8	46.3	15.6	131	0.7	57.6	15.4	753	3.97	63.9	1.3	11.9	0.7	40	1.2	5.0	0.2	49	0.33
L3C-3725	Soil	3	8.7	40.6	11.9	63	0.5	26.3	5.4	184	2.56	36.6	0.9	5.2	0.6	11	0.8	3.6	0.2	40	0.09
L3C-3750N	Soil	4	8.7	55.3	15.2	79	0.4	36.1	8.8	578	3.39	40.6	1.2	2.8	0.5	12	0.7	2.7	0.3	55	0.08
L3C-3775	Soil	3	4.6	30.8	12.8	94	0.2	38.1	12.6	831	2.64	30.2	0.8	2.7	1.1	21	0.5	1.9	0.2	37	0.22
L3C-3800N	Soil	4	15.2	49.4	21.2	137	0.4	48.7	13.6	623	4.58	54.2	0.7	2.0	0.5	18	1.5	4.6	0.3	79	0.06
L3C-3825	Soil	7	44.9	340.7	42.9	268	0.7	499.8	167.4	2658	14.02	408.3	3.5	5.2	2.9	10	2.9	5.1	0.5	95	0.08
L3C-3850N	Soil	<2	25.3	57.1	24.3	147	0.6	75.8	23.4	1584	6.19	162.8	0.8	1.0	0.5	10	0.9	2.4	0.4	104	0.08
L3C-3875	Soil	5	24.9	70.4	14.4	161	2.4	45.5	9.2	247	4.97	139.2	0.4	3.0	0.7	5	0.8	2.1	0.3	52	0.05
L3C-3900N	Soil	3	22.6	91.9	21.9	259	5.9	138.0	57.5	5634	6.44	168.5	0.7	<0.5	0.7	13	2.6	2.7	0.3	129	0.23
L3C-3925	Soil	8	23.9	79.6	32.6	229	3.0	74.8	24.9	1558	6.24	168.5	1.2	51.6	1.4	10	2.4	4.0	0.4	83	0.09
L3C-3950N	Soil	13	19.0	98.6	20.8	185	1.0	79.9	19.4	1381	5.49	109.5	1.2	10.1	1.3	8	1.3	5.7	0.3	52	0.05
L3C-3975	Soil	5	12.6	46.3	14.8	134	1.5	53.1	14.6	764	4.21	76.2	0.7	2.2	0.9	11	1.9	3.0	0.2	51	0.11
L3C-4000N	Soil	11	10.9	33.4	12.3	133	1.1	40.9	13.5	608	3.44	41.3	0.9	1.4	1.3	7	1.6	2.0	0.3	54	0.06
L3C-4025	Soil	<2	11.6	28.4	11.2	121	0.4	42.9	10.8	497	3.34	40.2	0.6	1.9	1.6	7	1.1	2.1	0.2	58	0.07
L3C-4050N	Soil	20	12.0	63.4	14.6	160	0.8	87.6	15.2	447	3.64	56.8	1.4	15.8	4.0	7	1.4	2.5	0.2	51	0.04
L3C-4075	Soil	5	10.0	34.8	13.7	131	0.7	48.6	11.5	393	4.20	49.3	0.6	4.5	2.7	5	1.0	1.6	0.3	62	0.03
L3C-4100N	Soil	11	11.3	65.1	15.7	163	0.8	68.0	16.1	824	4.09	66.0	1.3	10.3	2.1	7	1.5	2.0	0.2	53	0.04
L3C-4125	Soil	8	11.5	62.0	16.2	133	0.9	59.1	17.5	1028	3.95	54.1	1.0	5.7	1.4	7	1.1	2.0	0.3	56	0.04
L3C-4150N	Soil	19	14.6	79.3	20.6	155	0.4	79.1	17.0	750	4.01	60.0	1.3	4.3	4.6	10	0.7	3.3	0.3	48	0.03



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 2 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method Analyte Unit MDL	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	
L3C-3425	Soil	0.057	10	9	0.02	77	0.009	<1	0.32	0.002	0.03	0.2	0.04	1.1	0.5	<0.05	2	1.9	0.7
L3C-3450N	Soil	0.156	8	55	0.43	121	0.025	<1	1.61	0.003	0.07	0.2	0.05	2.0	0.1	<0.05	5	0.7	<0.2
L3C-3475	Soil	0.104	9	43	0.22	127	0.015	<1	1.28	0.002	0.05	0.2	0.08	1.9	0.1	<0.05	5	1.4	0.3
L3C-3500N	Soil	0.099	6	10	0.06	103	0.002	<1	0.53	0.002	0.04	0.1	0.06	1.7	0.3	<0.05	1	5.5	<0.2
L3C-3525	Soil	0.153	10	44	0.11	143	0.017	<1	2.04	0.002	0.03	0.1	0.28	3.8	0.9	<0.05	3	7.1	0.2
L3C-3550N	Soil	0.100	8	51	0.41	76	0.009	<1	1.23	0.003	0.05	0.1	0.08	1.6	0.3	<0.05	3	3.2	<0.2
L3C-3575	Soil	0.073	13	12	0.03	84	0.003	<1	0.56	0.001	0.06	0.3	0.72	2.2	0.8	<0.05	1	9.6	0.2
L3C-3600N	Soil	0.173	11	37	0.20	174	0.010	1	1.51	0.007	0.05	0.1	0.19	1.9	0.6	<0.05	4	6.7	<0.2
L3C-3625	Soil	0.130	7	16	0.05	61	0.006	<1	0.67	0.001	0.04	0.2	0.15	1.6	0.5	<0.05	2	6.2	<0.2
L3C-3650N	Soil	0.071	8	21	0.12	94	0.009	<1	0.93	0.002	0.04	0.1	0.07	1.2	0.3	<0.05	4	2.8	0.3
L3C-3675	Soil	0.126	6	57	0.07	247	0.004	<1	0.55	0.001	0.05	0.1	0.06	1.9	0.4	<0.05	2	6.7	0.6
L3C-3700N	Soil	0.072	9	62	0.35	95	0.018	<1	1.20	0.003	0.05	0.1	0.06	1.5	0.2	<0.05	4	1.9	<0.2
L3C-3725	Soil	0.055	12	27	0.13	44	0.030	<1	0.57	0.003	0.04	0.1	0.03	0.9	<0.1	<0.05	4	1.3	<0.2
L3C-3750N	Soil	0.075	12	49	0.29	72	0.040	<1	1.08	0.003	0.07	0.2	0.02	1.4	0.1	<0.05	5	0.8	0.2
L3C-3775	Soil	0.055	9	38	0.45	65	0.020	<1	1.00	0.003	0.04	<0.1	0.02	1.4	<0.1	<0.05	3	1.1	<0.2
L3C-3800N	Soil	0.068	9	86	0.36	99	0.019	<1	1.28	0.008	0.04	0.1	0.03	1.7	0.1	<0.05	6	1.5	<0.2
L3C-3825	Soil	0.208	8	458	1.54	65	0.006	<1	2.77	0.001	0.02	0.3	0.08	17.1	<0.1	<0.05	5	9.5	<0.2
L3C-3850N	Soil	0.160	8	124	0.45	115	0.015	<1	1.12	0.002	0.04	0.2	0.04	2.3	0.1	<0.05	6	1.5	<0.2
L3C-3875	Soil	0.101	6	22	0.06	55	0.008	1	0.52	0.001	0.03	0.2	0.03	1.7	0.2	<0.05	3	1.2	<0.2
L3C-3900N	Soil	0.217	5	303	0.92	202	0.030	<1	1.48	0.003	0.05	0.3	0.13	8.5	0.2	<0.05	6	1.8	0.2
L3C-3925	Soil	0.208	6	136	0.65	124	0.022	<1	1.88	0.003	0.05	0.2	0.14	2.6	0.2	<0.05	6	4.0	0.4
L3C-3950N	Soil	0.143	11	87	0.58	96	0.013	<1	1.39	0.003	0.08	0.2	0.06	2.4	0.2	<0.05	3	2.7	0.2
L3C-3975	Soil	0.180	9	85	0.47	100	0.015	<1	0.97	0.002	0.06	0.2	0.07	1.6	<0.1	<0.05	3	1.6	<0.2
L3C-4000N	Soil	0.067	12	68	0.51	93	0.025	<1	1.44	0.003	0.05	0.2	0.05	1.5	0.2	<0.05	5	1.6	<0.2
L3C-4025	Soil	0.092	14	65	0.55	87	0.018	<1	1.04	0.002	0.05	<0.1	0.02	1.8	0.2	<0.05	4	1.2	<0.2
L3C-4050N	Soil	0.050	14	76	0.72	139	0.022	<1	1.72	0.004	0.07	0.2	0.08	2.6	0.2	<0.05	4	2.5	<0.2
L3C-4075	Soil	0.091	11	92	0.70	94	0.021	<1	1.55	0.003	0.06	0.2	0.06	2.2	0.1	<0.05	5	1.3	<0.2
L3C-4100N	Soil	0.076	12	87	0.87	107	0.021	<1	1.65	0.004	0.07	0.1	0.06	2.5	0.1	<0.05	4	2.2	<0.2
L3C-4125	Soil	0.066	11	77	0.66	118	0.022	<1	1.47	0.003	0.08	0.1	0.05	1.9	0.1	<0.05	5	1.3	0.2
L3C-4150N	Soil	0.070	15	83	0.90	145	0.038	<1	1.55	0.007	0.14	0.2	0.04	3.4	0.2	<0.05	4	3.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 13, 2010

Page: 3 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L3C-4175	Soil			21	16.4	110.4	22.1	184	0.7	90.1	23.7	1318	4.45	74.8	1.3	2.8	3.9	14	1.3	2.8	0.3	48	0.11
L3C-4200N	Soil			28	19.7	88.8	22.2	173	0.7	71.0	14.9	546	4.04	67.8	1.5	5.1	3.5	9	0.7	3.3	0.3	38	0.05
L3C-4225	Soil			24	22.2	122.6	23.7	220	0.6	99.9	28.6	1357	4.87	84.4	2.1	5.4	3.3	14	2.0	2.9	0.3	42	0.12
L3C-4250N	Soil			33	21.6	114.7	25.9	189	0.6	93.6	27.1	1176	4.91	89.1	2.0	5.4	3.3	18	1.0	3.3	0.3	46	0.12
L3C-4275	Soil			16	15.1	87.9	19.1	153	0.5	70.9	22.3	814	4.04	70.2	1.3	5.6	1.5	10	0.7	2.5	0.3	44	0.06
L3C-4300N	Soil			22	17.2	106.4	21.7	185	0.6	98.7	27.0	1355	4.43	82.7	1.6	5.6	3.6	15	1.7	2.8	0.3	40	0.13
L3C-4325	Soil			13	17.1	100.8	21.2	176	0.6	90.6	26.1	1428	4.42	77.2	1.7	6.4	3.4	13	1.6	2.6	0.2	42	0.15
L3C-4350N	Soil			30	17.8	108.2	21.4	188	0.5	91.3	24.5	1332	4.60	81.1	1.6	7.8	3.5	13	1.5	3.1	0.3	41	0.13
L3C-4375	Soil			18	14.4	99.6	20.1	156	0.8	81.0	23.2	1353	4.20	64.3	1.8	8.6	3.2	8	1.1	2.7	0.3	44	0.08
L3C-4400N	Soil			11	12.6	83.4	17.1	149	0.5	76.6	23.0	1133	4.16	53.8	1.5	6.5	3.2	10	0.8	2.4	0.2	48	0.10
L3C-4425	Soil			17	12.1	75.1	17.2	149	0.2	72.5	22.6	920	4.20	53.4	1.4	8.1	4.1	15	0.8	2.6	0.2	46	0.13
L3C-4450N	Soil			10	12.4	66.3	16.5	146	1.3	62.5	19.5	963	3.89	57.7	1.0	5.6	2.3	16	1.0	2.7	0.2	46	0.18
L3C-4475	Soil			10	9.9	63.0	13.2	137	0.5	52.9	13.8	679	3.63	47.3	0.9	52.7	3.7	15	0.6	2.5	0.2	39	0.14
L3C-4500N	Soil			4	13.1	58.2	12.8	120	0.5	46.2	10.0	491	3.42	44.9	1.0	4.3	2.1	7	0.5	2.0	0.2	48	0.03
L3C-4525	Soil			14	6.4	21.6	8.1	65	0.3	22.4	6.3	407	2.23	36.4	0.3	4.1	1.2	10	0.3	1.2	0.2	44	0.07
L3C-4550N	Soil			10	8.2	38.8	14.6	152	0.6	45.3	14.0	644	4.30	50.7	0.6	6.5	1.8	21	0.5	1.5	0.3	46	0.18
L3C-4575	Soil			10	5.7	49.2	13.6	96	0.1	36.3	8.8	399	3.03	53.9	0.4	1.5	2.0	6	0.1	0.9	0.3	49	0.04
L3C-4600N	Soil			4	9.4	126.7	25.1	212	0.4	90.9	23.9	901	4.71	89.7	0.9	4.6	2.6	9	0.6	1.3	0.4	45	0.06
L3C-4625	Soil			<2	5.8	38.8	19.2	121	0.4	36.4	9.7	2145	3.24	55.0	0.4	2.0	1.5	11	0.3	1.0	0.4	50	0.11
L3C-4650N	Soil			<2	6.1	76.0	18.5	144	0.3	55.3	13.2	577	3.85	75.0	0.5	1.6	2.2	6	0.3	0.9	0.4	40	0.05
L3C-4675	Soil			53	37.8	71.3	38.7	260	0.6	50.8	10.9	1019	6.06	129.8	1.9	42.8	2.4	8	1.2	10.0	0.4	39	0.04
L3C-4700N	Soil			3	12.1	50.7	15.9	211	0.6	63.7	18.2	681	4.92	67.6	1.0	4.1	2.8	11	0.9	2.6	0.3	59	0.12
L3C-4725	Soil			3	11.2	28.1	14.7	129	0.9	27.8	9.4	1715	3.34	47.6	0.5	3.5	0.6	15	0.8	2.1	0.3	50	0.18
L3C-4750N	Soil			17	15.2	86.5	15.2	3632	1.4	3366	878.1	>10000	19.16	50.2	19.9	14.5	0.9	133	55.1	2.3	0.2	22	0.42
L3C-4775	Soil			58	45.4	85.2	40.4	239	0.9	62.1	14.8	672	7.34	120.9	1.6	43.9	2.2	6	1.4	11.5	0.3	26	0.05
L3C-4800N	Soil			22	10.5	103.4	17.5	203	0.5	93.6	20.8	2172	4.46	72.1	2.7	17.2	2.5	11	1.2	2.3	0.3	57	0.08
L3C-4825	Soil			48	49.3	73.1	40.8	177	1.3	40.3	12.7	1355	5.88	120.5	1.8	31.6	2.0	9	2.2	9.5	0.4	36	0.06
L3C-4850N	Soil			31	32.4	98.3	37.3	279	1.2	83.2	18.1	2961	5.99	122.9	3.6	20.4	1.6	21	4.3	9.1	0.4	34	0.26
L3C-4875	Soil			23	26.0	79.2	26.1	244	0.7	71.1	26.1	2117	5.02	91.6	2.0	23.4	1.2	13	3.2	6.3	0.3	34	0.14
L3C-4900N	Soil			46	18.7	67.7	20.2	287	0.6	94.9	25.7	625	6.71	59.0	1.9	39.5	2.7	25	1.8	4.1	0.2	87	0.16



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 3 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L3C-4175	Soil	0.079	11	89	0.96	113	0.020	<1	1.42	0.006	0.12	0.1	0.04	3.4	0.1	<0.05	3	3.7	<0.2
L3C-4200N	Soil	0.075	12	64	0.70	84	0.016	<1	1.20	0.005	0.10	0.1	0.04	2.7	0.1	<0.05	3	6.4	<0.2
L3C-4225	Soil	0.098	9	72	0.80	83	0.012	<1	1.28	0.005	0.10	0.1	0.04	2.7	0.1	<0.05	3	4.8	<0.2
L3C-4250N	Soil	0.085	9	92	0.93	122	0.016	<1	1.34	0.009	0.09	<0.1	0.05	3.0	0.2	<0.05	3	5.4	<0.2
L3C-4275	Soil	0.077	11	81	0.75	59	0.023	<1	1.22	0.004	0.08	0.1	0.03	2.2	<0.1	<0.05	3	3.4	0.3
L3C-4300N	Soil	0.079	11	73	0.70	82	0.023	<1	1.16	0.004	0.08	0.1	0.04	2.7	0.2	<0.05	3	3.6	0.2
L3C-4325	Soil	0.089	10	69	0.75	68	0.021	1	1.14	0.004	0.08	0.2	0.04	3.0	<0.1	<0.05	3	5.0	0.2
L3C-4350N	Soil	0.083	11	76	0.81	83	0.021	1	1.27	0.009	0.08	0.1	0.03	3.4	0.1	<0.05	3	4.6	0.2
L3C-4375	Soil	0.085	12	76	0.83	68	0.023	1	1.32	0.010	0.08	0.1	0.04	3.3	0.1	<0.05	3	3.2	<0.2
L3C-4400N	Soil	0.080	12	96	0.97	56	0.029	1	1.49	0.004	0.07	0.2	0.03	3.4	0.1	<0.05	4	2.1	0.2
L3C-4425	Soil	0.077	12	69	0.78	68	0.046	<1	1.44	0.007	0.07	0.2	0.04	3.4	<0.1	<0.05	4	1.6	<0.2
L3C-4450N	Soil	0.089	11	75	0.80	52	0.026	<1	1.23	0.004	0.06	0.1	0.05	2.6	<0.1	<0.05	3	1.4	<0.2
L3C-4475	Soil	0.071	11	54	0.62	49	0.032	<1	1.25	0.006	0.06	0.1	0.04	2.4	<0.1	<0.05	3	1.6	0.5
L3C-4500N	Soil	0.057	11	69	0.62	65	0.016	1	1.25	0.004	0.05	0.1	0.03	2.4	<0.1	<0.05	4	1.5	<0.2
L3C-4525	Soil	0.054	9	29	0.19	64	0.023	<1	0.55	0.003	0.05	0.1	0.04	1.0	0.1	<0.05	4	1.6	0.3
L3C-4550N	Soil	0.155	8	53	0.35	87	0.019	2	1.66	0.003	0.06	0.1	0.08	1.9	0.1	<0.05	5	2.2	<0.2
L3C-4575	Soil	0.083	9	42	0.36	67	0.012	<1	1.22	0.003	0.05	0.1	0.03	2.0	<0.1	<0.05	6	1.1	<0.2
L3C-4600N	Soil	0.111	9	62	0.65	124	0.012	<1	2.13	0.004	0.06	0.2	0.06	2.4	0.1	<0.05	5	2.9	0.2
L3C-4625	Soil	0.068	9	41	0.42	143	0.010	<1	1.30	0.003	0.05	0.1	0.03	2.0	0.2	<0.05	5	1.1	<0.2
L3C-4650N	Soil	0.116	10	54	0.64	91	0.004	<1	1.56	0.002	0.05	<0.1	0.02	2.4	0.1	<0.05	5	1.1	0.4
L3C-4675	Soil	0.118	12	30	0.13	130	0.005	<1	1.09	0.002	0.05	0.2	0.04	2.0	0.5	<0.05	3	3.5	0.6
L3C-4700N	Soil	0.144	11	74	0.61	131	0.022	2	1.60	0.001	0.05	0.2	0.04	2.8	0.2	<0.05	5	3.0	<0.2
L3C-4725	Soil	0.098	9	52	0.34	192	0.008	<1	1.15	0.002	0.06	0.1	0.07	1.7	0.4	<0.05	5	0.9	<0.2
L3C-4750N	Soil	0.304	9	17	0.11	526	0.028	1	1.42	0.003	0.07	0.1	0.31	3.2	2.2	<0.05	8	3.3	<0.2
L3C-4775	Soil	0.189	8	26	0.11	76	0.004	<1	0.84	0.002	0.05	0.1	0.05	1.9	0.4	<0.05	3	5.8	0.9
L3C-4800N	Soil	0.066	16	101	0.80	154	0.015	<1	1.85	0.005	0.07	0.1	0.11	4.0	0.2	<0.05	5	1.5	<0.2
L3C-4825	Soil	0.152	11	28	0.12	144	0.009	<1	0.94	0.004	0.04	0.2	0.10	1.8	0.6	<0.05	3	4.0	0.3
L3C-4850N	Soil	0.140	12	38	0.18	244	0.008	2	1.04	0.003	0.07	0.2	0.13	3.0	0.6	<0.05	3	3.6	0.7
L3C-4875	Soil	0.158	10	45	0.32	136	0.010	<1	1.12	0.003	0.06	0.1	0.10	1.9	0.4	<0.05	3	3.5	0.9
L3C-4900N	Soil	0.086	10	55	1.12	120	0.124	<1	2.90	0.013	0.05	<0.1	0.11	3.4	0.3	<0.05	6	3.3	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 4 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
L3C-4925	Soil			9	17.4	70.2	28.0	166	0.3	51.2	18.7	979	4.82	83.4	2.5	7.2	0.8	14	1.9	3.9	0.3	38	0.20
L3C-4950N	Soil			8	14.1	78.5	28.2	254	0.6	74.6	32.2	3971	5.44	84.1	5.5	8.2	0.8	14	3.1	3.9	0.4	36	0.12
L3C-4975	Soil			14	14.5	92.1	25.8	305	1.3	82.2	24.1	3723	4.74	62.2	3.1	7.8	0.8	42	4.3	4.0	0.3	33	0.68
L3C-5000N	Soil			9	13.9	47.6	22.7	129	0.3	35.6	12.3	1018	4.28	57.1	1.3	9.0	0.7	16	0.8	3.5	0.3	31	0.16
L3C-5025	Soil			22	20.1	75.5	23.4	171	1.7	42.2	10.3	549	5.45	86.8	1.1	18.8	1.5	14	1.2	4.4	0.3	36	0.12
L3C-5050N	Soil			74	33.2	80.1	28.1	122	2.5	40.5	6.0	570	3.85	82.9	2.0	57.8	1.0	28	1.7	9.8	0.3	29	0.21
L3C-5075	Soil			8	12.8	58.5	15.7	150	0.7	44.9	12.4	938	4.03	57.7	1.2	7.0	2.1	8	0.6	2.9	0.3	30	0.05
L3C-5100N	Soil			15	15.9	61.9	15.8	172	0.5	51.7	13.3	999	3.46	57.3	1.6	11.2	1.4	22	1.2	3.8	0.2	30	0.29
L3C-5125	Soil			33	12.9	66.8	15.4	223	0.6	100.1	17.5	1854	4.00	52.3	1.8	26.6	2.3	9	1.5	4.0	0.2	36	0.07
L3C-5150N	Soil			7	6.6	46.5	13.5	138	<0.1	66.3	15.8	890	3.48	42.3	1.1	4.0	1.9	5	0.6	1.4	0.2	38	0.03
L3C-5175	Soil			8	5.0	43.6	13.9	191	0.6	57.9	14.6	1041	3.37	49.0	0.9	2.9	1.9	8	1.3	1.1	0.3	38	0.11
L3C-5200N	Soil			9	7.2	31.6	12.4	130	0.7	33.8	8.4	660	2.78	30.9	0.7	3.3	2.3	11	0.6	1.3	0.3	33	0.17
L3C-5225	Soil			3	6.5	32.6	9.0	124	0.5	36.7	7.7	485	2.63	25.0	0.5	4.1	2.1	5	0.2	2.0	0.3	31	0.04
L3C-5250N	Soil			8	6.2	96.4	11.2	178	0.4	73.1	15.7	993	3.18	27.9	2.0	15.4	4.1	12	0.6	2.3	0.3	38	0.13
L3C-5275	Soil			12	11.2	81.3	19.6	233	0.5	85.7	22.2	2417	3.63	50.2	2.4	21.5	2.5	17	1.2	4.4	0.3	32	0.24
L3C-5300N	Soil			3	3.6	35.2	13.8	220	0.5	48.9	15.2	2304	2.56	16.6	1.3	6.2	2.8	18	1.2	1.2	0.3	27	0.24
L3D-3000N	Soil			3	6.0	105.3	11.6	117	3.3	50.1	18.1	3301	3.51	20.0	4.1	3.6	0.4	40	3.2	1.3	0.3	52	0.47
L3D-3025N	Soil			<2	3.8	24.0	8.2	99	0.9	20.0	7.4	516	3.02	16.6	0.5	3.0	1.0	9	0.4	1.0	0.2	62	0.08
L3D-3050N	Soil			<2	4.0	29.1	12.2	114	0.4	23.0	8.5	423	4.24	21.8	0.7	<0.5	1.1	15	1.4	1.4	0.4	61	0.15
L3D-3075N	Soil			3	4.5	55.8	10.9	83	1.3	29.5	8.5	350	3.36	17.6	1.3	1.6	0.6	17	0.9	1.3	0.3	53	0.12
L3D-3100N	Soil			<2	4.1	36.2	8.7	91	0.4	31.3	11.4	418	3.53	25.5	0.6	2.2	1.6	13	0.5	1.3	0.2	47	0.11
L3D-3125N	Soil			2	3.0	45.1	7.1	91	0.2	29.5	10.7	392	2.73	22.4	0.5	6.1	1.7	12	0.4	1.6	0.1	37	0.13
L3D-3150N	Soil			3	8.9	84.6	12.5	105	1.2	45.7	16.9	946	4.01	29.4	2.2	4.1	1.3	20	0.9	1.8	0.3	69	0.17
L3D-3175N	Soil			4	4.4	67.1	11.6	106	2.2	43.2	12.0	1043	3.05	18.6	2.3	3.4	0.5	66	1.5	1.0	0.2	48	0.81
L3D-3200N	Soil			<2	5.5	50.2	10.4	122	0.6	35.3	10.3	475	4.74	29.9	0.7	2.3	1.5	13	0.7	1.3	0.2	62	0.16
L3D-3225N	Soil			<2	5.8	27.4	11.5	80	0.3	21.7	7.8	373	3.23	21.7	0.9	2.6	0.9	7	0.9	1.6	0.2	46	0.05
L3D-3250N	Soil			<2	5.1	33.5	9.2	73	0.7	27.1	13.2	754	3.19	26.0	0.8	<0.5	0.4	10	1.2	0.9	0.2	56	0.05
L3D-3275N	Soil			3	14.9	87.3	18.2	138	0.4	67.8	21.3	550	4.89	46.1	4.1	4.0	1.4	20	1.2	2.5	0.4	70	0.17
L3D-3300N	Soil			4	62.4	71.2	19.4	276	2.6	109.5	59.6	8675	5.56	35.8	8.3	4.6	1.3	47	5.6	1.6	0.4	71	0.36
L3D-3325N	Soil			<2	7.0	29.1	10.6	71	0.3	22.3	5.9	265	3.12	30.6	0.5	0.9	0.7	13	1.2	1.0	0.2	59	0.12



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 4 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L3C-4925	Soil	0.097	10	47	0.19	57	0.013	<1	0.95	0.002	0.06	0.1	0.03	1.5	0.2	<0.05	4	2.8	<0.2
L3C-4950N	Soil	0.168	10	61	0.28	105	0.011	<1	1.35	0.003	0.07	<0.1	0.06	1.8	0.3	<0.05	4	3.1	<0.2
L3C-4975	Soil	0.244	10	56	0.35	154	0.009	2	1.46	0.005	0.09	0.1	0.08	1.9	0.3	0.08	3	3.5	0.6
L3C-5000N	Soil	0.121	9	41	0.20	59	0.011	<1	0.74	0.003	0.06	0.1	0.02	0.9	0.2	<0.05	3	2.8	0.2
L3C-5025	Soil	0.111	10	40	0.19	83	0.014	<1	0.85	0.003	0.06	0.2	0.04	1.4	0.3	<0.05	3	3.7	0.2
L3C-5050N	Soil	0.072	11	27	0.09	132	0.006	1	0.62	0.004	0.06	0.2	0.08	1.3	0.4	<0.05	2	4.0	<0.2
L3C-5075	Soil	0.075	13	57	0.34	99	0.008	<1	0.92	0.004	0.07	0.1	0.03	1.8	0.2	<0.05	3	1.6	<0.2
L3C-5100N	Soil	0.068	11	44	0.37	96	0.009	<1	0.94	0.003	0.07	0.1	0.05	1.6	0.2	<0.05	3	2.9	<0.2
L3C-5125	Soil	0.074	13	57	0.49	142	0.012	<1	1.22	0.003	0.08	<0.1	0.06	2.5	0.2	<0.05	3	1.5	<0.2
L3C-5150N	Soil	0.038	12	63	0.51	75	0.012	<1	1.05	0.002	0.06	<0.1	0.03	2.0	0.1	<0.05	4	1.0	<0.2
L3C-5175	Soil	0.097	10	72	0.57	83	0.015	<1	1.35	0.003	0.07	0.1	0.05	2.2	0.1	<0.05	4	1.0	0.2
L3C-5200N	Soil	0.109	11	42	0.34	97	0.011	<1	0.95	0.003	0.07	<0.1	0.06	1.7	0.1	<0.05	4	1.2	0.4
L3C-5225	Soil	0.084	12	39	0.40	67	0.016	1	1.10	0.003	0.07	0.1	0.03	1.5	0.1	<0.05	4	0.8	<0.2
L3C-5250N	Soil	0.058	13	49	0.55	147	0.024	2	1.77	0.005	0.12	0.1	0.06	3.3	0.1	<0.05	3	1.4	0.2
L3C-5275	Soil	0.091	12	41	0.42	144	0.018	<1	1.28	0.004	0.11	0.1	0.06	2.6	0.2	<0.05	4	1.3	<0.2
L3C-5300N	Soil	0.065	13	32	0.49	106	0.025	1	1.34	0.004	0.09	0.2	0.05	1.9	0.1	<0.05	4	<0.5	<0.2
L3D-3000N	Soil	0.121	20	48	0.38	132	0.031	<1	2.28	0.007	0.09	0.1	0.12	2.5	0.2	0.06	6	2.9	<0.2
L3D-3025N	Soil	0.053	12	34	0.40	100	0.044	<1	1.54	0.010	0.06	0.1	0.05	1.8	0.1	<0.05	7	0.6	<0.2
L3D-3050N	Soil	0.073	12	40	0.42	99	0.083	1	1.61	0.006	0.09	0.2	0.07	1.7	0.1	<0.05	7	1.0	0.2
L3D-3075N	Soil	0.051	16	42	0.46	102	0.041	<1	1.82	0.006	0.11	0.1	0.06	2.0	0.1	<0.05	6	0.8	<0.2
L3D-3100N	Soil	0.056	11	52	0.64	90	0.044	1	1.92	0.006	0.07	<0.1	0.08	2.0	0.1	<0.05	5	1.1	<0.2
L3D-3125N	Soil	0.049	9	32	0.44	79	0.052	<1	1.16	0.006	0.05	0.1	0.05	2.1	<0.1	<0.05	3	1.1	<0.2
L3D-3150N	Soil	0.052	17	54	0.58	122	0.074	1	2.26	0.007	0.12	0.1	0.08	3.8	0.1	<0.05	7	1.2	0.2
L3D-3175N	Soil	0.108	15	50	0.52	133	0.026	1	1.93	0.008	0.10	<0.1	0.13	1.7	0.1	<0.05	6	2.2	<0.2
L3D-3200N	Soil	0.113	11	58	0.74	110	0.029	1	2.15	0.005	0.09	0.1	0.08	2.3	<0.1	<0.05	6	1.2	<0.2
L3D-3225N	Soil	0.089	14	39	0.30	78	0.032	<1	1.64	0.005	0.07	0.1	0.09	1.3	0.1	<0.05	6	1.1	<0.2
L3D-3250N	Soil	0.066	13	73	0.45	113	0.027	<1	1.66	0.011	0.07	0.2	0.09	1.3	0.1	<0.05	6	0.7	<0.2
L3D-3275N	Soil	0.062	22	87	0.59	196	0.045	3	2.67	0.008	0.15	0.2	0.10	4.2	0.2	<0.05	8	1.6	0.2
L3D-3300N	Soil	0.166	24	94	0.65	544	0.032	2	4.17	0.012	0.29	0.2	0.28	5.8	0.5	<0.05	10	1.8	<0.2
L3D-3325N	Soil	0.033	11	44	0.27	123	0.028	<1	1.18	0.004	0.05	0.1	0.06	1.5	0.1	<0.05	6	1.2	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 5 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L3D-3350N	Soil	<2	5.9	81.4	20.1	185	1.7	67.0	21.8	1245	3.88	38.3	4.4	5.2	0.8	52	3.7	1.0	0.3	53	0.79
L3D-3375N	Soil	<2	7.9	47.4	13.9	107	0.3	35.7	7.9	244	4.17	37.7	1.0	4.2	1.6	11	1.0	1.0	0.2	47	0.10
L3D-3400N	Soil	6	8.5	93.1	15.5	260	1.8	131.4	28.8	4007	4.22	42.7	8.0	9.6	1.2	52	5.5	2.4	0.3	49	1.08
L3D-3425N	Soil	2	11.4	66.6	17.8	156	0.6	73.8	22.1	1407	5.01	96.8	2.1	2.7	0.6	27	2.2	2.5	0.3	46	0.53
L3D-3450N	Soil	12	29.9	71.3	27.7	156	1.1	56.7	12.1	644	5.70	98.8	0.8	14.2	1.0	5	0.9	6.8	0.4	50	0.04
L3D-3475N	Soil	4	22.8	81.8	22.6	250	0.9	64.2	13.0	1083	6.82	194.9	1.0	4.9	0.8	54	2.3	3.9	0.4	55	0.59
L3D-3500N	Soil	2	24.8	53.8	25.5	132	0.5	51.6	8.4	302	4.16	102.9	0.8	6.4	1.1	12	1.2	6.1	0.3	44	0.05
L3D-3525	Soil	33	16.6	129.0	32.0	282	1.8	128.6	52.8	5333	5.29	66.7	4.4	26.8	0.9	28	6.0	4.3	0.3	48	0.22
L3D-3550N	Soil	3	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L3D-3575	Soil	3	5.5	44.7	11.9	88	1.3	30.2	12.0	1259	2.75	21.4	1.0	1.8	0.6	10	1.3	1.5	0.3	44	0.07
L3D-3600N	Soil	<2	4.8	46.2	13.1	79	0.5	25.8	6.5	355	3.25	24.3	1.0	4.5	0.7	9	1.1	1.9	0.3	53	0.06
L3D-3625	Soil	<2	4.4	42.4	10.0	99	0.4	41.6	11.5	585	3.00	24.9	0.8	4.4	1.4	25	0.5	1.7	0.2	49	0.22
L3D-3650N	Soil	6	6.9	53.9	14.8	135	1.1	57.2	16.5	963	3.53	48.2	2.1	10.1	1.7	31	1.5	2.9	0.2	44	0.30
L3D-3675	Soil	9	8.7	55.1	15.8	153	0.5	62.8	17.4	853	4.00	60.1	2.4	11.5	2.4	29	1.2	4.2	0.2	38	0.28
L3D-3700N	Soil	11	9.2	57.3	15.5	149	0.4	62.7	18.6	824	4.02	59.4	2.0	10.4	2.8	26	1.1	4.4	0.2	39	0.24
L3D-3725	Soil	<2	11.0	68.3	18.1	118	0.7	44.4	17.4	1071	3.88	42.2	1.4	1.9	0.8	17	2.2	2.7	0.3	54	0.14
L3D-3750N	Soil	6	14.2	88.5	21.6	135	0.8	72.3	23.9	1171	4.31	56.3	1.5	7.5	1.2	17	0.9	3.0	0.2	64	0.16
L3D-3775	Soil	22	34.2	113.9	39.0	152	2.3	60.5	15.0	1181	5.42	77.4	3.0	14.4	0.3	37	1.9	19.8	0.4	49	0.24
L3D-3800N	Soil	<2	11.7	62.1	28.6	137	0.7	47.8	19.4	2249	4.93	53.5	2.7	1.9	0.7	25	2.0	3.8	0.4	73	0.22
L3D-3825	Soil	6	16.3	77.1	20.1	164	1.0	70.3	18.6	3426	4.39	52.6	1.8	4.6	0.6	21	3.7	3.9	0.3	67	0.20
L3D-3850N	Soil	4	15.7	66.4	23.5	152	0.9	54.5	18.9	1062	6.68	85.1	1.2	6.0	2.1	10	1.0	4.9	0.3	50	0.11
L3D-3875	Soil	2	15.8	52.2	21.8	130	0.7	41.4	10.5	859	4.89	55.9	0.9	0.8	1.2	10	1.0	3.5	0.3	62	0.11
L3D-3900N	Soil	7	13.7	51.9	16.0	147	1.6	56.6	13.0	743	4.58	54.1	1.0	4.9	2.0	9	1.4	3.3	0.2	52	0.09
L3D-3925	Soil	4	16.9	53.8	18.2	126	0.3	61.6	15.5	768	4.12	63.1	1.0	3.8	1.9	6	0.5	3.5	0.3	55	0.05
L3D-3950N	Soil	<2	13.8	55.8	16.0	91	1.3	39.9	8.3	352	3.16	44.3	0.9	1.4	0.9	13	0.6	2.2	0.2	58	0.17
L3D-3975	Soil	2	15.7	61.5	22.9	128	0.5	61.5	14.1	775	4.84	73.8	1.2	4.1	1.0	10	0.8	2.7	0.3	68	0.11
L3D-4000N	Soil	3	13.4	52.8	17.9	93	1.2	39.2	9.9	498	3.49	41.4	1.2	2.9	0.7	7	0.6	2.1	0.3	49	0.06
L3D-4025	Soil	2	10.7	67.3	14.5	80	3.0	33.4	6.0	309	2.98	30.9	1.3	2.5	0.2	8	1.6	1.8	0.2	43	0.06
L3D-4050N	Soil	5	12.2	47.9	19.7	128	1.3	56.4	15.7	873	4.09	48.2	0.9	3.6	1.1	10	2.6	2.0	0.3	57	0.06
L3D-4075	Soil	3	8.7	40.0	18.0	140	0.4	39.8	10.6	658	3.83	45.5	0.8	2.6	1.3	8	1.0	2.2	0.3	54	0.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 5 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L3D-3350N	Soil			0.132	17	61	0.59	210	0.026	1	2.40	0.010	0.19	0.1	0.17	2.7	0.2	0.05	6	2.2	<0.2
L3D-3375N	Soil			0.053	13	51	0.41	109	0.038	<1	1.91	0.005	0.09	0.1	0.12	1.8	0.1	<0.05	6	2.2	<0.2
L3D-3400N	Soil			0.188	17	68	0.73	208	0.031	3	2.49	0.009	0.19	0.2	0.18	2.9	0.3	0.08	6	3.0	<0.2
L3D-3425N	Soil			0.098	12	45	0.30	84	0.020	2	1.41	0.005	0.08	0.1	0.07	1.8	0.2	<0.05	5	1.7	0.3
L3D-3450N	Soil			0.093	11	27	0.08	62	0.021	<1	0.71	0.003	0.04	0.2	0.05	1.8	0.5	<0.05	5	2.7	<0.2
L3D-3475N	Soil			0.164	9	39	0.25	191	0.025	1	0.90	0.006	0.08	0.1	0.06	1.6	0.3	0.07	6	4.7	0.3
L3D-3500N	Soil			0.084	13	45	0.06	58	0.024	1	0.37	0.003	0.04	0.1	0.01	1.2	0.4	<0.05	4	1.7	0.7
L3D-3525	Soil			0.129	12	67	0.30	120	0.025	1	1.77	0.005	0.08	0.2	0.10	2.2	0.5	0.06	6	4.3	0.3
L3D-3550N	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L3D-3575	Soil			0.069	19	40	0.31	112	0.025	<1	1.42	0.005	0.09	0.1	0.08	1.5	0.1	<0.05	5	1.3	0.3
L3D-3600N	Soil			0.065	16	38	0.22	102	0.033	<1	1.18	0.004	0.08	0.1	0.05	1.4	0.1	<0.05	6	1.5	<0.2
L3D-3625	Soil			0.032	14	43	0.50	133	0.028	<1	1.61	0.005	0.09	0.2	0.06	2.5	<0.1	<0.05	4	1.2	<0.2
L3D-3650N	Soil			0.063	16	45	0.52	123	0.028	1	1.47	0.007	0.10	0.1	0.07	2.7	0.2	<0.05	4	1.9	<0.2
L3D-3675	Soil			0.063	16	42	0.56	106	0.034	<1	1.32	0.008	0.11	0.2	0.04	3.0	0.2	<0.05	4	1.9	<0.2
L3D-3700N	Soil			0.056	15	39	0.51	104	0.036	<1	1.21	0.006	0.09	0.1	0.05	2.8	0.2	<0.05	3	1.9	<0.2
L3D-3725	Soil			0.103	15	46	0.33	95	0.037	1	1.25	0.005	0.10	0.1	0.03	1.7	0.1	<0.05	6	2.4	<0.2
L3D-3750N	Soil			0.076	17	86	0.80	105	0.023	<1	1.72	0.005	0.09	0.2	0.07	2.6	0.2	<0.05	5	4.6	<0.2
L3D-3775	Soil			0.154	18	37	0.16	126	0.012	1	1.15	0.008	0.10	0.1	0.15	1.1	0.7	0.09	4	5.7	0.4
L3D-3800N	Soil			0.113	11	68	0.35	87	0.041	<1	1.35	0.005	0.07	0.1	0.04	2.3	0.1	<0.05	7	1.9	1.0
L3D-3825	Soil			0.115	14	70	0.45	155	0.012	<1	1.91	0.004	0.07	0.2	0.07	2.2	0.3	<0.05	6	1.7	0.4
L3D-3850N	Soil			0.145	9	68	0.42	92	0.022	<1	1.70	0.003	0.05	0.2	0.14	2.0	0.2	<0.05	5	3.5	<0.2
L3D-3875	Soil			0.162	11	63	0.40	137	0.020	1	1.04	0.003	0.06	0.3	0.07	1.7	0.1	<0.05	5	2.2	<0.2
L3D-3900N	Soil			0.151	12	82	0.69	98	0.022	<1	1.53	0.004	0.06	0.2	0.07	2.2	0.1	<0.05	4	2.1	<0.2
L3D-3925	Soil			0.076	15	88	0.86	45	0.018	1	1.35	0.002	0.07	0.2	0.03	1.9	<0.1	<0.05	4	3.6	0.5
L3D-3950N	Soil			0.060	13	60	0.45	48	0.034	<1	0.86	0.003	0.04	0.1	0.02	1.5	0.2	<0.05	5	2.5	<0.2
L3D-3975	Soil			0.148	12	85	0.69	53	0.023	<1	1.31	0.003	0.07	0.2	0.05	1.6	0.2	<0.05	6	5.5	<0.2
L3D-4000N	Soil			0.146	12	56	0.42	42	0.021	<1	0.97	0.003	0.06	0.1	0.05	1.2	0.1	<0.05	5	2.4	<0.2
L3D-4025	Soil			0.122	14	45	0.24	63	0.026	<1	1.09	0.004	0.07	0.2	0.12	0.7	0.2	<0.05	4	1.4	0.4
L3D-4050N	Soil			0.074	13	75	0.49	164	0.031	<1	1.28	0.004	0.07	0.2	0.05	1.7	0.1	<0.05	5	2.9	<0.2
L3D-4075	Soil			0.136	12	59	0.51	133	0.024	<1	1.32	0.004	0.09	0.2	0.04	1.6	0.2	<0.05	6	1.2	0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 6 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method Analyte	Unit MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
L3D-4100N	Soil	10	12.7	89.7	12.6	236	2.2	42.1	13.3	1363	5.37	54.2	0.7	2.8	0.7	8	1.4	1.5	0.3	34	0.03
L3D-4125	Soil	24	122.1	316.4	31.9	852	9.1	212.8	19.4	819	10.31	354.6	2.7	22.8	2.7	5	3.4	9.6	0.6	37	0.03
L3D-4150N	Soil	41	37.9	78.8	17.0	208	6.3	39.5	9.5	702	4.96	188.2	1.6	44.6	1.7	12	1.9	1.7	0.3	52	0.12
L3D-4175	Soil	12	12.3	30.0	13.0	124	1.8	35.2	9.8	1046	3.26	39.3	0.7	5.7	1.4	6	1.6	1.2	0.3	47	0.04
L3D-4200N	Soil	70	40.2	46.8	52.2	157	2.4	29.6	5.9	476	5.52	151.5	0.9	97.3	1.9	18	1.8	2.4	0.9	52	0.04
L3D-4225	Soil	22	30.4	59.2	18.2	147	0.9	34.8	7.2	628	3.65	75.6	0.8	12.4	1.6	10	0.7	1.9	0.3	50	0.04
L3D-4250N	Soil	8	10.3	43.7	14.2	167	2.0	42.5	12.6	609	3.80	45.3	1.0	4.7	2.9	8	1.4	1.5	0.3	42	0.05
L3D-4275	Soil	7	9.2	38.9	13.7	133	1.2	37.4	8.5	416	3.88	32.8	0.6	6.2	2.3	7	0.7	0.9	0.2	54	0.05
L3D-4300N	Soil	10	13.1	81.7	15.3	184	2.3	76.5	18.1	786	4.46	44.2	1.2	13.0	3.3	7	1.2	1.6	0.2	56	0.04
L3D-4325	Soil	7	11.4	63.9	15.8	142	1.2	60.2	15.6	1211	3.70	41.6	0.9	5.0	1.6	10	1.0	1.4	0.2	53	0.05
L3D-4350N	Soil	17	14.0	91.2	18.4	172	0.4	88.6	22.2	906	3.98	59.6	1.1	3.2	4.0	17	1.2	1.6	0.2	46	0.19
L3D-4375	Soil	17	17.6	115.6	23.4	209	2.8	98.5	29.3	1604	5.27	80.5	1.7	9.4	2.8	16	1.9	2.3	0.3	56	0.20
L3D-4400N	Soil	19	24.0	106.4	25.1	206	0.6	90.0	26.1	1212	5.17	92.4	2.1	6.7	3.1	10	1.4	2.7	0.2	53	0.08
L3D-4425	Soil	10	18.0	84.2	22.6	190	0.9	70.2	19.7	1139	4.57	69.1	1.0	6.6	1.5	11	0.8	2.2	0.3	54	0.08
L3D-4450N	Soil	25	16.0	82.4	19.0	170	0.5	81.0	22.5	620	4.19	72.8	1.5	7.4	2.6	21	1.0	2.3	0.2	47	0.17
L3D-4475	Soil	11	13.6	79.8	17.5	154	0.4	77.2	25.2	1042	4.21	66.3	1.4	10.5	3.2	11	0.7	2.0	0.2	45	0.10
L3D-4500N	Soil	14	13.3	81.2	17.2	143	0.4	69.7	18.3	944	3.68	53.2	1.4	13.4	3.5	13	0.8	2.3	0.2	45	0.08
L3D-4525	Soil	2	9.7	96.5	21.3	215	0.3	72.2	18.1	2318	3.58	49.6	1.0	5.9	2.5	26	0.8	1.0	0.3	46	0.26
L3D-4550N	Soil	2	3.6	249.5	50.6	170	0.5	117.4	27.3	3135	4.85	128.8	0.8	1.8	2.4	19	0.5	0.8	0.5	77	0.37
L3D-4575	Soil	4	11.2	45.7	14.3	117	0.3	44.6	12.4	498	4.21	76.8	0.5	2.4	2.0	11	0.3	1.5	0.2	60	0.16
L3D-4600N	Soil	4	11.0	90.3	20.8	184	0.7	47.1	14.2	>10000	4.47	62.6	0.5	7.5	1.6	8	0.8	0.8	0.4	49	0.04
L3D-4625	Soil	5	4.7	46.7	17.8	234	0.6	41.9	14.4	777	3.12	33.8	0.5	1.1	3.0	9	0.4	0.7	0.4	45	0.06
L3D-4650N	Soil	3	5.3	44.7	15.5	84	0.2	26.3	7.7	581	2.27	39.1	0.3	2.0	2.3	6	0.2	0.5	0.3	44	0.06
L3D-4675	Soil	2	3.9	23.9	13.4	93	0.4	19.5	7.5	834	2.28	23.3	0.3	2.0	1.1	11	0.3	0.5	0.3	51	0.10
L3D-4700N	Soil	<2	5.1	58.9	31.7	172	0.5	132.3	30.4	2057	4.73	323.8	0.6	23.9	1.4	18	1.1	0.6	0.4	92	0.25
L3D-4725	Soil	<2	2.8	18.9	11.2	87	0.3	27.7	9.0	2382	2.06	46.2	0.3	5.4	0.7	13	0.7	0.4	0.2	56	0.17
L3D-4750N	Soil	2	8.1	55.6	17.0	256	0.4	69.6	14.9	790	3.62	90.2	1.3	8.3	2.4	16	1.4	0.9	0.2	44	0.10
L3D-4775	Soil	4	6.4	43.6	11.2	137	0.3	68.1	13.5	629	3.17	59.2	0.5	2.2	1.9	13	0.7	1.0	0.2	60	0.12
L3D-4800N	Soil	45	52.5	73.7	48.8	153	1.3	39.4	8.1	425	4.67	113.2	0.9	34.9	1.6	7	0.9	12.2	0.4	22	0.04
L3D-4825	Soil	6	12.2	29.7	12.1	130	0.5	32.2	11.7	739	3.80	55.8	0.7	3.7	1.9	7	2.0	1.5	0.3	46	0.05



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 6 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method Analyte Unit MDL	1DX15 P % 0.001	1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2	
L3D-4100N	Soil	0.132	9	21	0.16	119	0.011	<1	0.98	0.007	0.05	<0.1	0.09	1.8	0.2	<0.05	4	2.8	<0.2
L3D-4125	Soil	0.404	8	26	0.09	82	0.005	<1	1.51	0.003	0.07	0.3	0.16	2.6	0.2	<0.05	3	14.0	<0.2
L3D-4150N	Soil	0.110	10	41	0.29	138	0.020	<1	1.66	0.005	0.05	<0.1	0.14	2.3	0.2	<0.05	4	5.0	<0.2
L3D-4175	Soil	0.092	13	38	0.26	129	0.018	<1	0.96	0.003	0.06	<0.1	0.06	1.5	0.2	<0.05	5	2.4	<0.2
L3D-4200N	Soil	0.169	12	38	0.22	136	0.025	<1	1.17	0.006	0.08	0.2	0.07	1.5	0.1	<0.05	5	11.9	0.3
L3D-4225	Soil	0.076	10	36	0.27	78	0.015	<1	0.92	0.004	0.06	0.2	0.03	1.4	0.2	<0.05	4	2.9	0.3
L3D-4250N	Soil	0.128	12	51	0.38	101	0.025	<1	1.58	0.004	0.07	0.1	0.11	1.8	0.1	<0.05	4	2.0	<0.2
L3D-4275	Soil	0.099	11	66	0.54	97	0.008	<1	1.49	0.003	0.06	<0.1	0.07	2.0	0.2	<0.05	4	1.5	<0.2
L3D-4300N	Soil	0.083	13	96	0.75	151	0.009	<1	2.37	0.004	0.07	0.2	0.10	2.8	0.2	<0.05	4	2.5	<0.2
L3D-4325	Soil	0.081	12	85	0.67	115	0.014	<1	1.35	0.004	0.08	<0.1	0.06	2.4	0.1	<0.05	4	1.5	<0.2
L3D-4350N	Soil	0.093	15	95	0.94	75	0.025	1	1.32	0.007	0.12	0.1	0.04	3.8	0.1	<0.05	3	3.6	<0.2
L3D-4375	Soil	0.108	12	103	1.04	110	0.019	1	1.58	0.006	0.12	0.1	0.05	3.7	0.1	0.05	4	6.3	0.7
L3D-4400N	Soil	0.120	12	101	1.00	65	0.015	<1	1.51	0.006	0.09	0.2	0.04	3.2	0.1	<0.05	4	5.1	0.3
L3D-4425	Soil	0.117	12	91	0.75	104	0.015	<1	1.24	0.006	0.09	0.2	0.03	2.6	0.1	<0.05	4	3.2	<0.2
L3D-4450N	Soil	0.096	12	82	0.86	97	0.025	<1	1.30	0.007	0.06	0.1	0.04	2.7	0.1	<0.05	4	3.6	<0.2
L3D-4475	Soil	0.095	13	71	0.69	53	0.028	<1	1.32	0.006	0.06	0.2	0.03	2.6	0.1	<0.05	3	2.9	0.3
L3D-4500N	Soil	0.067	14	76	0.73	100	0.028	<1	1.31	0.005	0.07	0.1	0.05	3.3	0.1	<0.05	4	1.2	<0.2
L3D-4525	Soil	0.118	11	51	0.53	160	0.019	<1	1.80	0.005	0.09	0.2	0.06	2.7	0.2	<0.05	5	0.7	<0.2
L3D-4550N	Soil	0.103	11	69	0.69	85	0.018	1	2.31	0.005	0.09	0.1	0.06	5.0	0.1	<0.05	7	0.6	<0.2
L3D-4575	Soil	0.065	9	54	0.40	85	0.021	<1	1.33	0.003	0.04	0.1	0.02	2.5	0.1	<0.05	5	1.5	<0.2
L3D-4600N	Soil	0.180	9	42	0.40	198	0.009	<1	1.80	0.003	0.05	0.1	0.03	2.1	0.2	<0.05	6	1.3	1.0
L3D-4625	Soil	0.082	12	33	0.47	130	0.016	<1	1.89	0.001	0.06	<0.1	0.05	2.3	0.1	<0.05	7	0.5	<0.2
L3D-4650N	Soil	0.051	13	26	0.30	100	0.016	<1	1.00	0.003	0.05	<0.1	<0.01	1.6	0.1	<0.05	6	<0.5	0.5
L3D-4675	Soil	0.040	10	27	0.25	111	0.019	<1	1.18	0.010	0.05	<0.1	0.02	1.9	0.1	<0.05	6	<0.5	<0.2
L3D-4700N	Soil	0.104	5	297	1.44	71	0.023	<1	1.83	0.005	0.03	0.1	0.05	6.7	<0.1	<0.05	7	<0.5	<0.2
L3D-4725	Soil	0.070	6	73	0.39	184	0.010	<1	1.19	0.003	0.03	<0.1	0.03	2.2	0.2	<0.05	5	<0.5	<0.2
L3D-4750N	Soil	0.125	8	83	0.61	153	0.014	<1	1.65	0.005	0.05	<0.1	0.04	2.4	0.2	<0.05	5	1.0	<0.2
L3D-4775	Soil	0.077	8	124	1.02	128	0.021	<1	1.39	0.003	0.04	<0.1	0.02	2.9	0.1	<0.05	5	0.8	0.3
L3D-4800N	Soil	0.108	7	10	0.04	114	0.007	<1	0.33	0.002	0.04	0.2	0.04	1.0	0.5	<0.05	2	4.7	0.3
L3D-4825	Soil	0.069	10	49	0.23	124	0.015	<1	0.95	0.003	0.06	0.2	0.04	1.5	0.2	<0.05	4	1.0	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 7 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L3D-4850N	Soil			5	10.6	28.3	14.5	133	0.9	26.1	6.9	692	3.32	51.4	0.7	2.9	0.6	12	1.2	2.2	0.3	41	0.08
L3D-4875	Soil			6	11.3	58.0	21.4	256	0.6	74.0	26.1	4158	4.51	61.9	1.7	6.2	0.6	26	2.3	2.6	0.3	45	0.22
L3D-4900N	Soil			12	8.6	51.9	21.8	185	1.1	57.9	19.8	1187	4.03	69.0	1.1	6.6	1.3	20	1.2	1.3	0.3	39	0.16
L3D-4925	Soil			14	9.8	88.3	20.3	160	0.5	78.3	17.6	1402	3.86	67.8	1.4	12.9	1.6	11	0.9	1.5	0.3	38	0.07
L3D-4950N	Soil			70	26.9	106.4	29.0	236	0.7	87.6	19.5	1304	4.74	74.7	3.0	44.7	3.1	16	1.8	5.9	0.3	25	0.17
L3D-4975	Soil			38	16.6	82.5	22.2	188	0.6	80.4	20.8	1709	3.97	62.9	3.2	28.6	2.0	21	1.7	4.0	0.2	29	0.25
L3D-5000N	Soil			32	14.2	108.6	18.7	228	0.5	107.1	23.6	1885	4.81	74.4	2.4	14.0	4.2	18	1.7	3.3	0.3	37	0.18
L3D-5025	Soil			9	10.9	63.0	16.1	149	0.2	64.3	26.5	2008	3.86	52.1	0.9	7.5	1.0	5	1.0	2.5	0.2	33	0.03
L3D-5050N	Soil			10	7.6	75.3	15.3	188	1.1	75.3	21.1	2095	3.51	46.1	2.0	9.7	1.1	23	2.0	2.0	0.2	34	0.28
L3D-5075	Soil			4	6.8	46.0	16.6	155	0.5	54.5	17.8	1215	3.42	53.4	0.7	2.9	1.6	18	0.9	1.5	0.3	38	0.17
L3D-5100N	Soil			11	4.8	56.2	15.7	173	0.6	88.2	18.7	1717	3.37	41.5	1.5	11.9	2.4	16	0.8	1.4	0.2	37	0.13
L3D-5125	Soil			9	15.8	184.7	34.5	210	0.5	59.6	24.2	984	6.50	100.8	0.3	7.5	1.8	12	0.6	5.9	0.8	4	0.04
L3D-5150N	Soil			7	5.5	35.1	12.2	94	0.1	27.8	6.9	260	2.78	26.5	0.6	3.6	3.2	6	0.3	0.9	0.3	47	0.04
L3D-5175	Soil			9	6.7	107.3	15.5	171	1.5	77.3	14.0	926	3.03	27.9	6.6	30.9	1.9	25	0.5	1.1	0.3	32	0.24
L3D-5200N	Soil			6	4.5	49.4	9.1	237	0.7	49.0	10.2	1357	2.88	19.1	1.9	34.8	1.8	13	0.9	0.9	0.3	41	0.11
L3D-5225	Soil			8	4.2	32.6	9.6	113	0.3	40.0	13.5	1147	2.56	24.7	0.6	3.1	2.0	8	0.4	0.8	0.2	32	0.08
L3D-5250N	Soil			<2	3.1	24.3	7.2	112	0.5	29.5	7.3	337	2.31	16.2	0.5	1.6	3.2	8	0.2	0.6	0.2	31	0.11
L3D-5275	Soil			67	21.8	101.1	24.1	333	1.5	138.0	30.4	2572	6.19	70.8	2.8	49.7	1.9	11	2.4	6.0	0.3	27	0.13
L3D-5300N	Soil			41	18.7	80.9	23.8	299	1.1	112.6	30.6	2279	5.00	65.1	2.0	30.1	1.8	17	2.9	4.7	0.3	28	0.23
L4A-3000	Soil			<2	3.5	36.1	8.6	81	0.6	22.1	8.1	425	3.56	24.1	0.5	1.4	0.6	16	0.4	1.1	0.2	51	0.16
L4A-3025	Soil			3	4.1	142.3	14.1	179	2.2	62.2	22.2	2665	3.93	23.2	3.2	3.8	1.2	73	2.7	1.5	0.2	55	0.74
L4A-3050	Soil			<2	3.2	76.7	11.0	138	1.1	52.2	16.4	927	3.47	18.2	1.4	1.3	1.5	42	1.8	1.2	0.2	48	0.41
L4A-3075	Soil			7	7.3	90.7	13.2	160	0.9	62.9	18.0	913	4.23	28.0	5.1	5.3	1.0	70	2.4	1.5	0.3	50	0.66
L4A-3100	Soil			3	6.7	72.4	12.1	172	0.9	49.5	18.4	2279	3.56	20.2	4.0	<0.5	1.0	78	3.3	1.1	0.2	45	0.84
L4A-3125	Soil			32	3.5	25.1	8.8	87	0.2	19.9	7.1	307	3.07	16.3	0.5	0.7	1.2	9	0.3	0.9	0.2	55	0.05
L4A-3150	Soil			4	3.6	41.7	9.4	124	0.1	38.1	9.2	314	3.20	18.2	0.6	2.6	2.6	7	0.4	1.2	0.2	45	0.05
L4A-3175	Soil			<2	3.7	21.1	9.0	81	0.2	20.1	6.4	260	3.47	18.9	0.4	0.9	1.1	6	0.2	1.0	0.2	56	0.03
L4A-3200	Soil			3	4.8	33.5	9.5	70	0.7	24.7	6.0	257	2.99	23.3	0.5	1.2	0.7	15	0.3	1.1	0.2	49	0.20
L4A-3225	Soil			<2	6.1	43.0	9.8	113	0.4	28.8	12.2	1088	5.40	34.6	0.4	0.9	0.7	6	0.4	1.5	0.2	55	0.04
L4A-3250	Soil			<2	4.4	16.4	10.9	58	0.5	13.9	5.1	438	2.37	27.2	0.3	0.8	0.6	8	0.3	0.9	0.2	51	0.07



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 7 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L3D-4850N	Soil			0.077	8	38	0.20	88	0.016	<1	0.74	0.003	0.04	<0.1	0.04	1.0	0.2	<0.05	4	1.1	<0.2
L3D-4875	Soil			0.186	11	59	0.28	149	0.016	<1	1.09	0.004	0.07	0.1	0.08	1.8	0.3	<0.05	4	1.4	<0.2
L3D-4900N	Soil			0.239	8	74	0.45	141	0.012	<1	1.38	0.005	0.07	0.1	0.05	1.6	0.1	<0.05	4	1.2	<0.2
L3D-4925	Soil			0.084	12	64	0.63	97	0.014	<1	1.30	0.005	0.08	0.1	0.06	2.3	0.1	<0.05	3	1.7	<0.2
L3D-4950N	Soil			0.075	11	36	0.40	98	0.013	<1	0.90	0.005	0.09	0.2	0.09	2.7	0.3	<0.05	2	2.9	<0.2
L3D-4975	Soil			0.071	12	45	0.48	94	0.015	<1	1.00	0.007	0.09	0.1	0.07	2.5	0.2	<0.05	3	2.7	<0.2
L3D-5000N	Soil			0.073	13	55	0.62	136	0.022	1	1.22	0.006	0.14	0.2	0.05	3.4	0.2	<0.05	3	1.9	<0.2
L3D-5025	Soil			0.067	10	59	0.46	55	0.012	<1	0.98	0.003	0.08	<0.1	0.03	1.4	0.2	<0.05	3	1.5	<0.2
L3D-5050N	Soil			0.070	10	50	0.43	141	0.019	<1	1.29	0.005	0.09	0.1	0.06	2.2	0.2	<0.05	3	1.5	0.2
L3D-5075	Soil			0.090	10	73	0.61	119	0.015	<1	1.32	0.003	0.08	<0.1	0.04	2.0	0.1	<0.05	4	1.2	0.3
L3D-5100N	Soil			0.045	12	73	0.80	137	0.017	<1	1.32	0.005	0.10	<0.1	0.07	3.1	<0.1	<0.05	3	0.8	<0.2
L3D-5125	Soil			0.099	7	4	0.03	63	0.001	<1	0.41	<0.001	0.03	<0.1	0.04	2.5	0.3	<0.05	<1	1.8	0.6
L3D-5150N	Soil			0.122	13	33	0.29	71	0.032	<1	1.14	0.004	0.07	0.1	0.03	2.0	0.1	<0.05	5	0.7	<0.2
L3D-5175	Soil			0.047	17	42	0.40	95	0.020	<1	1.48	0.006	0.11	0.1	0.12	3.6	0.2	<0.05	4	1.3	<0.2
L3D-5200N	Soil			0.067	12	41	0.30	118	0.022	1	1.70	0.005	0.08	0.1	0.09	2.6	0.2	<0.05	5	0.9	<0.2
L3D-5225	Soil			0.098	12	37	0.34	67	0.021	<1	0.95	0.006	0.08	<0.1	0.04	1.4	<0.1	<0.05	3	0.8	<0.2
L3D-5250N	Soil			0.041	13	32	0.43	109	0.019	<1	1.28	0.003	0.07	<0.1	0.05	1.5	<0.1	<0.05	3	<0.5	<0.2
L3D-5275	Soil			0.073	12	32	0.25	103	0.007	<1	1.09	0.002	0.07	0.2	0.17	2.8	0.5	<0.05	3	3.0	<0.2
L3D-5300N	Soil			0.088	11	35	0.29	112	0.010	<1	1.03	0.004	0.07	0.2	0.09	2.2	0.5	<0.05	3	3.2	0.2
L4A-3000	Soil			0.073	9	37	0.48	108	0.041	<1	1.34	0.005	0.08	<0.1	0.06	1.5	<0.1	<0.05	5	0.7	<0.2
L4A-3025	Soil			0.087	24	63	0.66	266	0.047	1	2.56	0.009	0.21	0.1	0.09	5.2	0.2	<0.05	7	1.5	0.3
L4A-3050	Soil			0.044	13	48	0.63	172	0.047	1	1.91	0.009	0.17	0.1	0.04	3.2	0.1	<0.05	5	0.8	<0.2
L4A-3075	Soil			0.128	18	56	0.65	232	0.033	2	2.95	0.010	0.26	0.2	0.15	3.9	0.2	<0.05	6	2.6	0.2
L4A-3100	Soil			0.074	15	47	0.57	215	0.051	2	2.04	0.010	0.18	0.1	0.05	3.1	0.2	<0.05	5	1.8	<0.2
L4A-3125	Soil			0.041	11	34	0.33	103	0.050	<1	1.40	0.004	0.09	0.1	0.04	1.6	<0.1	<0.05	6	0.8	<0.2
L4A-3150	Soil			0.078	12	45	0.52	105	0.033	<1	2.04	0.004	0.13	0.1	0.05	2.3	<0.1	<0.05	5	1.0	<0.2
L4A-3175	Soil			0.058	10	37	0.38	75	0.034	<1	1.35	0.006	0.08	0.1	0.03	1.5	0.1	<0.05	6	0.9	<0.2
L4A-3200	Soil			0.043	9	44	0.39	128	0.034	<1	1.22	0.004	0.09	<0.1	0.09	1.4	<0.1	<0.05	5	0.6	<0.2
L4A-3225	Soil			0.097	8	50	0.40	131	0.012	<1	1.44	0.003	0.08	0.1	0.05	1.8	<0.1	<0.05	5	1.1	<0.2
L4A-3250	Soil			0.040	9	28	0.14	79	0.028	<1	0.68	0.008	0.04	0.2	0.04	1.3	<0.1	<0.05	5	0.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 8 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
				2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
L4A-3275	Soil			<2	8.6	26.9	10.5	69	0.8	14.0	4.5	217	3.24	48.0	0.3	1.1	0.7	6	0.5	1.0	0.4	69	0.06
L4A-3300	Soil			2	17.3	108.7	19.4	209	2.2	22.6	15.4	1639	8.70	128.0	0.9	2.6	0.4	12	1.7	0.9	0.4	44	0.13
L4A-3325	Soil			4	11.2	57.9	14.6	124	0.7	26.4	11.1	816	4.19	80.2	0.7	8.2	0.6	8	0.9	1.8	0.4	43	0.07
L4A-3350	Soil			6	8.8	35.8	10.4	99	0.8	26.8	8.7	525	3.11	45.0	0.6	5.6	0.9	9	0.7	1.5	0.2	38	0.10
L4A-3375	Soil			21	5.0	24.6	10.3	68	0.2	26.7	8.1	374	3.05	24.2	0.6	2.4	0.7	9	0.6	1.4	0.3	39	0.08
L4A-3400	Soil			<2	4.9	16.6	10.3	49	0.3	16.5	3.9	168	2.59	24.6	0.4	1.6	0.7	8	0.6	1.9	0.2	41	0.06
L4A-3425	Soil			2	4.7	51.0	11.0	122	0.1	36.7	18.4	1280	3.84	35.3	1.2	3.1	1.4	10	0.5	1.6	0.2	55	0.07
L4A-3450N	Soil			2	5.1	28.0	12.8	87	0.5	30.6	7.9	308	3.54	33.0	0.6	4.0	2.3	10	0.5	1.5	0.2	40	0.10
L4A-3475	Soil			18	6.2	74.2	14.0	161	2.0	137.9	17.8	1576	1.72	25.3	4.1	12.2	0.6	54	12.2	1.3	0.2	27	0.69
L4A-3500N	Soil			6	12.5	102.8	24.5	205	1.5	78.6	40.0	3095	5.65	70.2	3.2	5.2	0.7	38	2.0	3.7	0.5	61	0.43
L4A-3525	Soil			2	5.8	95.0	15.0	102	1.7	53.0	15.4	999	2.99	25.7	2.2	2.7	0.8	38	2.9	1.6	0.3	43	0.32
L4A-3550N	Soil			<2	4.1	39.1	11.0	108	0.5	37.5	11.8	815	2.82	22.5	1.7	1.8	1.3	25	2.2	1.5	0.2	45	0.27
L4A-3575	Soil			2	5.5	30.6	10.7	80	0.3	27.3	7.5	475	3.05	29.6	0.5	1.6	0.8	13	0.6	2.3	0.2	47	0.11
L4A-3600N	Soil			7	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3625	Soil			7	7.2	25.8	9.9	91	0.4	24.6	8.1	933	2.90	37.6	0.5	3.2	0.8	8	0.7	2.8	0.2	46	0.05
L4A-3650N	Soil			28	7.6	80.2	17.6	223	0.5	165.9	28.2	1402	4.37	57.6	1.8	24.1	4.0	21	2.1	4.0	0.3	42	0.16
L4A-3675	Soil			6	5.1	44.1	14.9	130	0.4	64.2	15.9	1054	3.42	43.9	1.1	10.9	2.4	26	1.3	2.3	0.2	42	0.32
L4A-3700N	Soil			<2	3.5	37.9	12.7	90	0.6	33.2	14.9	1238	3.14	29.1	0.8	4.8	1.4	12	0.7	0.9	0.2	39	0.09
L4A-3725	Soil			<2	3.6	35.4	12.8	87	0.9	27.6	10.4	1292	2.90	28.2	0.6	2.4	0.4	14	0.8	0.8	0.3	41	0.17
L4A-3750N	Soil			7	25.3	184.3	23.4	207	1.8	83.5	40.6	4426	5.54	53.0	15.1	5.3	1.1	40	5.0	4.3	0.4	44	0.38
L4A-3775	Soil			<2	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3800N	Soil			<2	11.2	57.6	17.6	113	0.4	40.6	17.6	1209	4.01	41.9	1.0	0.9	0.9	29	1.6	2.9	0.3	55	0.31
L4A-3825	Soil			7	10.4	99.2	29.2	278	0.8	82.2	40.5	3999	4.78	59.7	2.5	2.3	0.7	45	3.2	3.6	0.4	51	0.51
L4A-3850N	Soil			3	36.5	67.6	48.6	194	0.5	45.4	12.2	803	6.90	131.3	1.1	2.7	1.6	11	1.1	4.0	0.7	74	0.06
L4A-3875	Soil			<2	10.8	85.2	19.4	159	0.6	73.2	14.6	799	4.23	32.3	1.6	1.0	0.6	28	3.0	1.8	0.3	104	0.37
L4A-3900N	Soil			4	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3925	Soil			<2	17.6	55.0	26.4	214	0.6	46.1	21.4	2333	4.46	40.7	1.1	2.4	1.0	10	3.1	2.1	0.5	59	0.08
L4A-3950N	Soil			3	21.2	118.2	26.1	284	1.0	104.9	41.6	3503	6.23	146.5	2.0	3.2	1.8	19	2.2	2.6	0.4	88	0.29
L4A-3975	Soil			<2	7.6	37.6	12.5	81	0.2	28.9	7.3	227	2.88	29.2	0.7	1.0	1.4	10	0.8	1.2	0.3	57	0.07
L4A-4000N	Soil			<2	8.5	46.8	20.1	164	0.8	36.6	17.0	1057	5.13	42.6	0.9	4.6	1.4	21	1.6	1.5	0.4	66	0.24



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 8 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	
L4A-3275	Soil	0.060	9	31	0.08	56	0.030	2	0.47	0.002	0.02	0.1	0.03	2.0	<0.1	<0.05	4	0.8	0.2
L4A-3300	Soil	0.147	6	14	0.07	123	0.013	1	0.56	0.003	0.03	0.2	0.10	2.6	<0.1	<0.05	3	3.3	0.4
L4A-3325	Soil	0.083	7	29	0.20	105	0.022	<1	1.08	0.003	0.05	0.1	0.07	1.4	0.1	<0.05	4	1.8	<0.2
L4A-3350	Soil	0.056	9	32	0.28	109	0.023	1	1.17	0.003	0.06	0.1	0.07	1.2	0.1	<0.05	4	1.0	<0.2
L4A-3375	Soil	0.042	11	42	0.36	99	0.032	2	1.19	0.004	0.07	0.1	0.05	1.1	<0.1	<0.05	4	1.0	<0.2
L4A-3400	Soil	0.030	9	29	0.19	71	0.036	<1	0.77	0.003	0.04	0.1	0.05	0.8	0.1	<0.05	4	<0.5	<0.2
L4A-3425	Soil	0.038	9	61	0.62	67	0.050	1	1.73	0.004	0.08	<0.1	0.06	2.7	0.1	<0.05	5	1.6	<0.2
L4A-3450N	Soil	0.051	9	50	0.38	98	0.028	<1	1.47	0.004	0.06	0.2	0.09	1.4	<0.1	<0.05	4	1.0	0.2
L4A-3475	Soil	0.081	16	44	0.48	187	0.015	1	1.53	0.006	0.09	<0.1	0.20	2.0	0.3	0.07	3	5.7	<0.2
L4A-3500N	Soil	0.162	15	72	0.57	210	0.029	3	2.68	0.009	0.26	0.3	0.12	3.0	0.3	<0.05	8	3.6	<0.2
L4A-3525	Soil	0.055	21	45	0.38	182	0.023	1	1.70	0.006	0.11	0.1	0.09	2.3	0.1	<0.05	5	1.6	<0.2
L4A-3550N	Soil	0.034	13	44	0.35	114	0.024	1	1.17	0.007	0.07	<0.1	0.03	2.1	<0.1	<0.05	4	0.9	<0.2
L4A-3575	Soil	0.040	11	38	0.32	85	0.031	2	1.15	0.004	0.06	0.1	0.05	1.3	0.1	<0.05	4	1.3	<0.2
L4A-3600N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3625	Soil	0.070	11	36	0.27	141	0.022	1	1.07	0.003	0.05	0.1	0.04	1.3	0.1	<0.05	4	0.5	<0.2
L4A-3650N	Soil	0.075	18	59	0.62	241	0.034	1	2.82	0.009	0.15	0.1	0.09	4.9	0.3	<0.05	4	2.1	0.4
L4A-3675	Soil	0.080	12	50	0.72	98	0.044	1	1.34	0.005	0.08	<0.1	0.04	2.5	0.1	<0.05	3	2.2	<0.2
L4A-3700N	Soil	0.056	12	41	0.38	84	0.034	2	1.54	0.004	0.07	0.1	0.06	1.5	<0.1	<0.05	4	1.3	<0.2
L4A-3725	Soil	0.065	12	39	0.34	129	0.020	<1	1.34	0.003	0.07	0.1	0.05	1.2	0.1	<0.05	5	0.8	<0.2
L4A-3750N	Soil	0.177	14	52	0.40	174	0.012	2	2.22	0.005	0.08	0.2	0.13	2.8	0.2	<0.05	4	2.4	<0.2
L4A-3775	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3800N	Soil	0.076	10	45	0.25	106	0.028	2	0.80	0.004	0.04	0.1	0.06	1.5	0.1	<0.05	4	2.1	<0.2
L4A-3825	Soil	0.152	12	50	0.44	150	0.016	2	1.51	0.004	0.07	<0.1	0.08	1.9	0.2	<0.05	5	3.2	<0.2
L4A-3850N	Soil	0.110	26	62	0.44	124	0.016	1	1.45	0.003	0.06	0.2	0.05	1.7	0.3	<0.05	6	4.5	0.3
L4A-3875	Soil	0.065	12	133	0.46	69	0.040	2	0.97	0.003	0.04	0.1	0.04	1.9	<0.1	<0.05	7	2.1	0.3
L4A-3900N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-3925	Soil	0.157	12	57	0.38	209	0.025	2	1.68	0.004	0.12	0.1	0.08	1.8	0.3	<0.05	6	1.7	0.3
L4A-3950N	Soil	0.113	8	128	0.54	228	0.018	2	1.64	0.003	0.07	0.2	0.16	3.3	0.2	<0.05	5	2.6	<0.2
L4A-3975	Soil	0.033	13	49	0.27	106	0.039	2	0.96	0.003	0.06	0.2	0.02	1.4	0.1	<0.05	4	0.7	<0.2
L4A-4000N	Soil	0.063	10	68	0.34	87	0.053	2	1.38	0.003	0.06	0.1	0.04	1.6	0.1	<0.05	7	1.1	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 9 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method Analyte	Unit	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	MDL	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
L4A-4025	Soil	<2	9.6	43.1	16.3	111	2.0	42.4	15.9	931	3.58	37.6	1.1	1.6	0.8	7	0.5	1.9	0.3	49	0.06
L4A-4050N	Soil	5	11.1	41.5	18.4	95	0.5	34.8	9.1	612	4.07	52.0	1.1	2.6	1.1	5	0.6	1.7	0.3	56	0.03
L4A-4075	Soil	3	9.4	112.0	17.0	57	2.5	31.5	4.7	142	2.22	27.2	2.1	2.6	0.5	5	0.9	1.6	0.2	37	0.03
L4A-4100N	Soil	35	15.9	100.0	21.4	163	0.3	75.0	20.3	914	4.26	68.0	1.9	33.8	3.9	8	0.7	4.8	0.3	42	0.05
L4A-4125	Soil	14	15.0	122.4	26.3	177	0.4	110.8	29.8	2030	4.44	58.0	2.5	8.4	4.3	11	1.2	3.2	0.4	44	0.09
L4A-4150N	Soil	<2	10.6	137.4	23.2	260	2.4	115.1	28.7	4837	4.30	47.8	4.3	3.4	0.6	39	8.5	2.1	0.4	51	0.50
L4A-4175	Soil	12	27.6	116.8	35.3	289	1.4	89.2	26.4	2028	5.18	94.8	2.3	8.7	1.2	25	3.2	2.1	0.3	34	0.40
L4A-4200N	Soil	5	9.7	68.6	22.3	206	1.5	68.3	25.0	3163	4.30	63.5	1.3	1.5	1.1	29	3.1	2.2	0.3	56	0.50
L4A-4225	Soil	7	13.8	78.4	21.6	215	0.9	57.0	18.2	1425	4.61	78.1	1.5	0.8	1.8	14	1.8	2.3	0.3	47	0.16
L4A-4250N	Soil	7	10.2	59.4	16.1	139	0.8	60.8	15.5	731	4.06	65.2	1.1	4.9	1.5	12	1.3	2.2	0.2	36	0.18
L4A-4275	Soil	10	13.5	196.0	30.2	246	2.4	123.0	39.1	6433	5.10	52.8	4.6	2.9	0.7	41	5.1	2.8	0.4	60	0.37
L4A-4300N	Soil	26	16.7	313.2	44.3	382	4.0	233.1	42.1	6615	5.94	82.2	8.1	16.2	1.4	63	13.7	3.7	0.5	52	0.65
L4A-4325	Soil	6	19.5	80.0	27.9	140	0.5	49.4	13.4	1075	4.16	84.0	0.7	0.6	0.3	24	8.5	1.5	0.3	87	0.43
L4A-4350N	Soil	7	17.3	115.2	22.0	196	0.9	97.4	17.9	448	5.73	111.1	1.6	7.3	2.3	10	1.0	3.0	0.3	45	0.07
L4A-4375	Soil	14	53.3	75.6	58.7	232	1.5	53.5	14.1	545	6.49	304.8	2.3	12.6	3.3	9	1.0	2.8	0.5	51	0.05
L4A-4400N	Soil	4	23.8	88.1	30.9	299	1.7	140.4	29.2	751	7.70	247.1	1.4	1.9	2.5	19	3.4	1.4	0.2	118	0.12
L4A-4425	Soil	7	20.5	67.5	28.0	175	1.8	59.7	14.5	1575	4.10	98.0	1.1	7.3	1.9	18	1.9	1.4	0.3	48	0.08
L4A-4450N	Soil	6	26.1	75.4	22.1	233	1.5	73.3	17.3	757	4.87	116.4	1.2	4.3	2.1	8	2.1	1.6	0.2	58	0.04
L4A-4475	Soil	12	20.7	74.7	17.6	133	0.5	53.8	7.0	227	4.76	54.6	0.6	8.1	2.5	15	0.4	2.7	0.2	64	0.04
L4A-4500N	Soil	25	15.7	77.4	14.6	150	0.7	65.7	14.6	446	3.63	55.3	1.2	6.0	2.9	9	0.6	1.7	0.2	55	0.05
L4A-4525	Soil	<2	11.2	30.7	10.6	122	0.3	32.9	8.3	263	2.97	32.4	0.6	2.1	2.1	5	0.6	2.0	0.2	54	0.03
L4A-4550N	Soil	37	22.7	104.5	18.9	198	0.3	97.3	20.5	1098	4.44	78.9	2.8	12.9	3.6	6	1.3	5.8	0.2	43	0.02
L4A-4575	Soil	12	15.0	40.7	12.6	113	0.6	47.3	9.9	314	3.58	43.5	1.0	9.2	2.8	6	0.4	3.6	0.2	52	0.02
L4A-4600N	Soil	8	13.8	85.5	19.2	130	0.2	76.9	20.2	1358	3.70	50.2	1.6	8.0	3.7	15	0.9	2.4	0.3	40	0.13
L4A-4625	Soil	87	18.0	81.9	19.7	145	0.5	67.6	17.8	1238	3.78	58.8	1.6	13.0	3.4	16	1.1	4.0	0.2	39	0.12
L4A-4650N	Soil	20	8.5	65.7	12.9	118	0.5	71.7	20.6	725	2.85	29.6	0.9	6.1	3.9	21	1.3	1.7	0.2	30	0.20
L4A-4675	Soil	19	14.1	105.7	22.9	166	0.6	88.9	30.1	1363	4.13	77.0	1.6	7.7	4.7	14	2.1	3.1	0.2	41	0.16
L4A-4700N	Soil	11	12.9	83.9	17.7	171	0.3	82.2	21.7	1442	3.90	59.0	1.6	7.4	2.3	24	2.4	2.6	0.2	39	0.24
L4A-4725	Soil	7	8.1	78.1	25.3	122	0.5	68.8	22.6	2011	3.56	61.5	1.0	6.5	2.4	23	0.7	1.7	0.2	46	0.21
L4A-4750N	Soil	5	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 9 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2	
L4A-4025	Soil	0.071	10	72	0.58	60	0.027	2	1.45	0.003	0.06	0.1	0.04	1.4	0.2	<0.05	5	2.9	<0.2
L4A-4050N	Soil	0.152	11	60	0.46	37	0.027	1	1.04	0.002	0.06	0.1	0.03	1.3	0.1	<0.05	5	1.9	<0.2
L4A-4075	Soil	0.083	15	32	0.10	36	0.028	2	0.55	0.003	0.04	0.1	0.05	0.8	0.1	<0.05	3	1.3	<0.2
L4A-4100N	Soil	0.089	15	66	0.73	104	0.031	2	1.87	0.004	0.14	0.2	0.10	2.3	0.3	<0.05	4	1.8	0.3
L4A-4125	Soil	0.079	17	76	0.76	111	0.041	3	1.68	0.004	0.11	0.2	0.05	4.2	0.2	<0.05	4	1.8	<0.2
L4A-4150N	Soil	0.149	29	79	0.38	243	0.023	2	2.12	0.004	0.08	0.1	0.13	2.4	0.2	<0.05	5	2.4	0.3
L4A-4175	Soil	0.166	8	45	0.31	142	0.007	2	0.95	0.004	0.09	0.2	0.12	2.2	0.1	0.09	2	4.8	<0.2
L4A-4200N	Soil	0.157	8	74	0.48	235	0.034	3	1.15	0.007	0.12	0.2	0.07	1.9	0.1	<0.05	4	2.2	<0.2
L4A-4225	Soil	0.157	10	63	0.44	161	0.029	1	1.19	0.003	0.08	0.2	0.08	2.1	0.2	<0.05	4	2.6	<0.2
L4A-4250N	Soil	0.088	9	58	0.46	83	0.022	<1	1.27	0.003	0.07	0.2	0.07	1.6	0.1	<0.05	3	2.3	0.3
L4A-4275	Soil	0.205	27	96	0.53	226	0.017	2	2.31	0.005	0.16	0.2	0.14	3.0	0.4	0.10	6	5.1	0.3
L4A-4300N	Soil	0.313	31	103	0.62	274	0.025	1	3.22	0.010	0.17	0.3	0.36	7.2	0.3	0.12	6	6.4	<0.2
L4A-4325	Soil	0.088	9	91	0.24	147	0.031	1	0.58	0.003	0.04	0.1	0.07	1.4	0.2	<0.05	5	2.8	<0.2
L4A-4350N	Soil	0.087	10	70	0.59	81	0.025	<1	1.80	0.004	0.09	0.2	0.08	2.5	0.2	<0.05	4	7.0	<0.2
L4A-4375	Soil	0.160	10	66	0.47	84	0.006	<1	1.25	0.003	0.07	0.4	0.11	2.3	0.3	<0.05	4	7.7	0.3
L4A-4400N	Soil	0.382	7	332	1.90	140	0.022	<1	2.26	0.005	0.05	0.3	0.11	6.7	0.2	<0.05	7	3.1	<0.2
L4A-4425	Soil	0.119	8	75	0.55	130	0.009	<1	1.20	0.004	0.06	0.2	0.10	1.9	0.2	0.05	4	2.7	<0.2
L4A-4450N	Soil	0.127	10	88	0.61	108	0.016	<1	1.43	0.004	0.06	0.1	0.07	2.5	0.1	<0.05	5	3.6	0.8
L4A-4475	Soil	0.086	9	100	1.00	108	0.006	<1	1.69	0.005	0.08	0.1	0.04	2.3	0.2	<0.05	5	3.3	<0.2
L4A-4500N	Soil	0.051	10	88	0.92	103	0.011	<1	1.51	0.003	0.07	0.2	0.05	2.5	0.1	<0.05	4	2.1	<0.2
L4A-4525	Soil	0.046	11	63	0.54	78	0.008	<1	1.10	0.002	0.04	0.1	0.03	1.8	0.2	<0.05	4	0.9	<0.2
L4A-4550N	Soil	0.070	12	90	0.86	73	0.013	<1	1.29	0.004	0.08	0.2	0.06	3.4	0.3	<0.05	3	1.9	<0.2
L4A-4575	Soil	0.205	11	108	0.88	105	0.010	<1	1.35	0.003	0.07	0.2	0.06	2.4	0.2	<0.05	4	0.9	<0.2
L4A-4600N	Soil	0.058	13	76	0.88	87	0.019	<1	1.25	0.006	0.08	0.1	0.04	3.1	0.1	<0.05	3	1.7	<0.2
L4A-4625	Soil	0.066	11	59	0.67	71	0.018	1	1.05	0.007	0.07	<0.1	0.05	2.4	0.2	<0.05	3	1.6	0.3
L4A-4650N	Soil	0.064	12	49	0.57	57	0.037	<1	0.91	0.008	0.06	0.1	0.04	2.6	<0.1	<0.05	3	1.5	<0.2
L4A-4675	Soil	0.090	14	66	0.64	57	0.041	1	1.11	0.008	0.07	0.2	0.07	3.7	0.2	<0.05	3	2.4	0.6
L4A-4700N	Soil	0.107	13	66	0.67	87	0.023	1	1.19	0.006	0.07	0.1	0.08	3.0	0.1	<0.05	3	2.1	0.3
L4A-4725	Soil	0.088	12	65	0.69	99	0.033	<1	1.29	0.007	0.07	0.1	0.03	2.8	<0.1	<0.05	3	1.1	<0.2
L4A-4750N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 10 of 10 Part 1

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	Analyte	Unit	MDL	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
L4A-4775	Soil			17	7.0	28.2	8.5	108	0.7	31.1	6.4	482	2.36	23.3	0.5	6.0	1.9	7	0.5	1.1	0.2	38	0.04
L4A-4800N	Soil			7	11.1	177.8	29.1	216	0.8	102.9	17.9	2449	4.98	181.2	2.1	11.5	2.1	10	1.0	2.1	0.5	51	0.05
L4A-4825	Soil			12	11.7	59.0	12.2	137	0.4	43.0	12.0	470	2.91	35.4	0.7	5.6	2.7	14	0.5	1.6	0.2	34	0.09
L4A-4850N	Soil			4	9.3	55.5	10.6	156	0.3	56.8	13.2	291	3.70	41.8	0.9	3.9	2.9	6	0.6	1.6	0.2	38	0.04
L4A-4875	Soil			4	5.1	33.2	9.0	137	0.3	43.7	9.2	408	2.56	21.1	1.0	3.4	3.0	9	0.5	1.0	0.2	44	0.07
L4A-4900N	Soil			17	5.5	48.5	10.4	124	1.1	57.5	13.5	514	2.82	30.4	2.0	7.6	3.3	20	0.9	1.2	0.2	35	0.18
L4A-4925	Soil			2	7.9	39.0	13.6	224	0.5	46.5	12.0	570	3.93	47.9	0.7	5.7	2.0	19	0.8	1.4	0.2	55	0.18
L4A-4950N	Soil			3	6.0	33.4	9.7	160	0.3	37.6	9.8	607	2.69	31.5	0.6	7.7	1.9	8	0.7	1.2	0.2	35	0.07
L4A-4975	Soil			15	5.7	32.3	9.5	126	0.8	33.5	9.1	654	2.58	27.5	0.7	3.2	1.5	8	0.6	1.0	0.2	35	0.08
L4A-5000N	Soil			<2	4.4	31.2	11.7	133	0.5	37.4	10.3	760	2.73	27.8	0.7	1.1	2.0	8	0.4	0.8	0.2	42	0.05
L4A-5025	Soil			7	6.3	98.3	18.5	199	2.1	93.1	20.8	2522	3.99	41.8	4.4	3.3	1.9	38	3.3	1.6	0.3	50	0.46
L4A-5050N	Soil			13	6.6	42.6	12.4	127	0.3	55.2	15.5	758	3.07	35.2	0.9	3.5	2.8	16	1.0	1.2	0.2	43	0.17
L4A-5075	Soil			6	6.8	67.3	15.2	151	0.6	59.5	17.5	1302	3.16	43.5	1.4	5.0	1.1	25	0.9	1.5	0.2	36	0.34
L4A-5100N	Soil			14	8.0	103.9	16.7	245	1.1	114.1	22.7	1954	3.80	50.9	3.0	12.2	1.4	39	2.5	2.3	0.2	37	0.49
L4A-5125	Soil			7	5.0	51.1	11.0	145	0.6	51.1	12.5	1235	2.80	29.0	1.3	5.1	1.3	19	1.3	1.1	0.2	37	0.18
L4A-5150N	Soil			6	3.8	31.0	8.5	122	0.6	37.0	9.8	696	2.39	21.3	0.8	2.7	2.0	14	0.8	0.7	0.2	40	0.13
L4A-5175	Soil			3	4.3	26.8	7.3	82	0.5	25.4	5.9	225	2.30	20.6	0.5	1.1	1.4	7	0.4	0.8	0.1	38	0.07
L4A-5200N	Soil			10	4.8	35.0	9.2	96	0.5	35.6	10.6	522	2.40	25.3	0.7	13.4	1.7	12	0.5	0.8	0.1	34	0.14
L4A-5225	Soil			5	5.7	35.7	8.9	111	0.3	40.3	9.7	821	2.65	34.5	0.6	8.3	1.6	14	0.8	1.1	0.2	32	0.15
L4A-5250N	Soil			3	3.5	22.9	6.1	106	0.6	28.9	8.0	343	2.09	16.6	0.5	34.7	2.0	13	0.6	0.7	0.1	29	0.15
L4A-5275	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-5300N	Soil			9	7.1	58.8	12.4	116	0.3	61.4	16.2	1023	2.83	40.6	1.3	7.6	3.1	13	1.1	1.5	0.2	30	0.14
L3B-3800N	Soil			<2	5.7	25.2	9.2	72	1.3	39.9	10.6	4280	2.45	32.1	0.3	<0.5	0.5	9	1.3	2.1	0.2	57	0.06



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 10 of 10 Part 2

CERTIFICATE OF ANALYSIS

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L4A-4775	Soil	0.076	11	48	0.42	78	0.013	<1	1.03	0.003	0.07	<0.1	0.05	1.6	0.1	<0.05	3	0.8	0.5
L4A-4800N	Soil	0.121	11	61	0.37	119	0.009	<1	1.49	0.004	0.09	0.1	0.10	2.9	0.2	<0.05	4	1.1	<0.2
L4A-4825	Soil	0.050	13	42	0.43	77	0.027	<1	0.75	0.006	0.08	0.1	0.02	1.9	<0.1	<0.05	2	1.5	<0.2
L4A-4850N	Soil	0.066	9	57	0.43	95	0.016	<1	1.41	0.004	0.06	0.1	0.04	2.1	0.1	<0.05	3	1.4	<0.2
L4A-4875	Soil	0.025	12	49	0.44	92	0.019	<1	1.32	0.005	0.07	0.1	0.04	2.3	0.1	<0.05	3	0.8	<0.2
L4A-4900N	Soil	0.051	13	58	0.62	97	0.018	<1	1.22	0.005	0.10	0.1	0.05	2.5	0.1	<0.05	3	1.4	<0.2
L4A-4925	Soil	0.159	9	61	0.50	106	0.020	<1	1.23	0.004	0.05	0.1	0.04	2.1	0.1	<0.05	4	1.9	0.6
L4A-4950N	Soil	0.100	10	46	0.36	81	0.016	<1	1.02	0.003	0.05	<0.1	0.06	1.4	<0.1	<0.05	3	0.9	<0.2
L4A-4975	Soil	0.091	11	44	0.33	83	0.017	<1	1.11	0.002	0.06	<0.1	0.07	1.4	<0.1	<0.05	3	0.8	<0.2
L4A-5000N	Soil	0.054	11	57	0.43	84	0.014	<1	1.25	0.004	0.08	0.1	0.04	2.3	0.1	<0.05	4	0.7	<0.2
L4A-5025	Soil	0.078	14	79	0.71	217	0.023	2	1.98	0.007	0.16	0.1	0.10	3.8	0.1	<0.05	5	1.8	0.3
L4A-5050N	Soil	0.064	13	67	0.66	78	0.022	<1	1.18	0.005	0.08	0.1	0.03	2.1	<0.1	<0.05	3	1.3	<0.2
L4A-5075	Soil	0.068	12	52	0.50	123	0.018	<1	1.28	0.005	0.09	0.1	0.06	2.3	0.1	<0.05	4	2.1	<0.2
L4A-5100N	Soil	0.079	13	56	0.59	183	0.019	<1	1.48	0.006	0.10	0.1	0.10	3.5	0.2	<0.05	4	2.5	0.2
L4A-5125	Soil	0.062	13	46	0.46	152	0.019	<1	1.28	0.005	0.09	0.1	0.05	2.7	0.1	<0.05	4	1.0	<0.2
L4A-5150N	Soil	0.050	13	46	0.43	137	0.024	<1	1.20	0.007	0.08	0.1	0.03	2.4	<0.1	<0.05	4	0.6	<0.2
L4A-5175	Soil	0.035	11	44	0.34	91	0.020	<1	1.04	0.005	0.06	0.1	0.03	1.7	<0.1	<0.05	4	0.7	<0.2
L4A-5200N	Soil	0.035	10	45	0.43	111	0.018	<1	1.19	0.004	0.06	0.1	0.05	2.1	<0.1	<0.05	3	1.2	<0.2
L4A-5225	Soil	0.042	11	47	0.46	103	0.017	<1	1.01	0.004	0.07	0.1	0.02	1.9	<0.1	<0.05	3	1.2	<0.2
L4A-5250N	Soil	0.057	13	32	0.36	77	0.030	<1	0.82	0.006	0.07	<0.1	0.02	1.7	<0.1	<0.05	3	0.8	<0.2
L4A-5275	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4A-5300N	Soil	0.057	12	43	0.43	87	0.032	<1	0.99	0.005	0.09	0.1	0.03	3.0	<0.1	<0.05	3	1.0	<0.2
L3B-3800N	Soil	0.074	10	58	0.19	265	0.028	<1	0.69	0.004	0.03	0.1	0.07	2.0	0.2	<0.05	5	0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
480 - 789 W. Pender St.
Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 13, 2010

Page: 1 of 4 Part 1

QUALITY CONTROL REPORT

VAN10003917.1

Method	Analyte	3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Unit		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
Pulp Duplicates		2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
L3C-3725	Soil	3	8.7	40.6	11.9	63	0.5	26.3	5.4	184	2.56	36.6	0.9	5.2	0.6	11	0.8	3.6	0.2	40	0.09
REP L3C-3725	QC		8.4	42.1	12.1	63	0.5	28.2	5.4	185	2.56	36.5	0.9	4.2	0.6	11	0.7	3.4	0.2	41	0.09
L3C-4150N	Soil	19	14.6	79.3	20.6	155	0.4	79.1	17.0	750	4.01	60.0	1.3	4.3	4.6	10	0.7	3.3	0.3	48	0.03
REP L3C-4150N	QC		14.7	79.1	21.3	157	0.4	80.2	16.3	751	3.99	62.2	1.4	3.6	4.7	10	0.6	3.3	0.3	48	0.03
L3C-4300N	Soil	22	17.2	106.4	21.7	185	0.6	98.7	27.0	1355	4.43	82.7	1.6	5.6	3.6	15	1.7	2.8	0.3	40	0.13
REP L3C-4300N	QC	23																			
L3C-4600N	Soil	4	9.4	126.7	25.1	212	0.4	90.9	23.9	901	4.71	89.7	0.9	4.6	2.6	9	0.6	1.3	0.4	45	0.06
REP L3C-4600N	QC		9.1	124.8	24.9	196	0.4	90.9	23.0	880	4.73	86.4	0.8	4.8	2.8	9	0.4	1.2	0.4	44	0.06
L3C-4750N	Soil	17	15.2	86.5	15.2	3632	1.4	3366	878.1	>10000	19.16	50.2	19.9	14.5	0.9	133	55.1	2.3	0.2	22	0.42
REP L3C-4750N	QC	17																			
L3C-5075	Soil	8	12.8	58.5	15.7	150	0.7	44.9	12.4	938	4.03	57.7	1.2	7.0	2.1	8	0.6	2.9	0.3	30	0.05
REP L3C-5075	QC		12.6	56.7	15.6	160	0.7	44.8	12.4	958	4.03	60.2	1.2	6.4	2.2	8	0.6	2.9	0.2	33	0.06
L3D-3050N	Soil	<2	4.0	29.1	12.2	114	0.4	23.0	8.5	423	4.24	21.8	0.7	<0.5	1.1	15	1.4	1.4	0.4	61	0.15
REP L3D-3050N	QC	5																			
L3D-3125N	Soil	2	3.0	45.1	7.1	91	0.2	29.5	10.7	392	2.73	22.4	0.5	6.1	1.7	12	0.4	1.6	0.1	37	0.13
REP L3D-3125N	QC		3.1	46.9	7.4	89	0.2	29.9	10.3	399	2.70	22.9	0.5	2.1	1.7	12	0.6	1.9	0.2	39	0.15
L3D-3700N	Soil	11	9.2	57.3	15.5	149	0.4	62.7	18.6	824	4.02	59.4	2.0	10.4	2.8	26	1.1	4.4	0.2	39	0.24
REP L3D-3700N	QC		9.3	57.6	16.6	146	0.4	61.3	18.3	829	4.14	60.0	2.2	14.9	3.0	26	1.2	4.4	0.3	41	0.26
L3D-3825	Soil	6	16.3	77.1	20.1	164	1.0	70.3	18.6	3426	4.39	52.6	1.8	4.6	0.6	21	3.7	3.9	0.3	67	0.20
REP L3D-3825	QC		16.9	75.9	20.6	166	1.0	68.4	19.0	3482	4.38	51.5	1.7	3.8	0.7	21	3.7	3.7	0.3	64	0.19
L3D-4025	Soil	2	10.7	67.3	14.5	80	3.0	33.4	6.0	309	2.98	30.9	1.3	2.5	0.2	8	1.6	1.8	0.2	43	0.06
REP L3D-4025	QC	<2																			
L3D-4375	Soil	17	17.6	115.6	23.4	209	2.8	98.5	29.3	1604	5.27	80.5	1.7	9.4	2.8	16	1.9	2.3	0.3	56	0.20
REP L3D-4375	QC		18.8	118.3	23.8	205	2.8	102.7	28.3	1649	5.17	78.0	1.6	7.0	2.6	16	1.4	2.4	0.2	55	0.19
L3D-4750N	Soil	2	8.1	55.6	17.0	256	0.4	69.6	14.9	790	3.62	90.2	1.3	8.3	2.4	16	1.4	0.9	0.2	44	0.10
REP L3D-4750N	QC		7.5	53.7	16.9	251	0.4	67.7	14.8	798	3.59	87.6	1.3	10.8	2.4	15	1.4	0.9	0.2	43	0.10
L4A-3025	Soil	3	4.1	142.3	14.1	179	2.2	62.2	22.2	2665	3.93	23.2	3.2	3.8	1.2	73	2.7	1.5	0.2	55	0.74
REP L4A-3025	QC		3.8	138.4	13.9	179	2.1	59.8	21.2	2609	3.88	22.4	3.0	3.5	1.1	72	2.6	1.4	0.2	53	0.73



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 1 of 4 Part 2

QUALITY CONTROL REPORT

VAN10003917.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
L3C-3725	Soil	0.055	12	27	0.13	44	0.030	<1	0.57	0.003	0.04	0.1	0.03	0.9	<0.1	<0.05	4	1.3	<0.2
REP L3C-3725	QC	0.057	11	27	0.13	44	0.030	<1	0.57	0.003	0.04	<0.1	0.04	0.8	0.1	<0.05	4	1.1	<0.2
L3C-4150N	Soil	0.070	15	83	0.90	145	0.038	<1	1.55	0.007	0.14	0.2	0.04	3.4	0.2	<0.05	4	3.7	<0.2
REP L3C-4150N	QC	0.071	15	84	0.89	137	0.038	<1	1.55	0.006	0.15	0.2	0.05	3.5	0.2	<0.05	3	3.1	<0.2
L3C-4300N	Soil	0.079	11	73	0.70	82	0.023	<1	1.16	0.004	0.08	0.1	0.04	2.7	0.2	<0.05	3	3.6	0.2
REP L3C-4300N	QC																		
L3C-4600N	Soil	0.111	9	62	0.65	124	0.012	<1	2.13	0.004	0.06	0.2	0.06	2.4	0.1	<0.05	5	2.9	0.2
REP L3C-4600N	QC	0.111	8	60	0.64	114	0.011	<1	2.09	0.004	0.06	0.2	0.06	2.6	0.1	<0.05	4	2.8	0.3
L3C-4750N	Soil	0.304	9	17	0.11	526	0.028	1	1.42	0.003	0.07	0.1	0.31	3.2	2.2	<0.05	8	3.3	<0.2
REP L3C-4750N	QC																		
L3C-5075	Soil	0.075	13	57	0.34	99	0.008	<1	0.92	0.004	0.07	0.1	0.03	1.8	0.2	<0.05	3	1.6	<0.2
REP L3C-5075	QC	0.078	13	58	0.35	91	0.009	<1	0.90	0.003	0.07	0.1	0.03	1.8	0.2	<0.05	3	1.6	0.4
L3D-3050N	Soil	0.073	12	40	0.42	99	0.083	1	1.61	0.006	0.09	0.2	0.07	1.7	0.1	<0.05	7	1.0	0.2
REP L3D-3050N	QC																		
L3D-3125N	Soil	0.049	9	32	0.44	79	0.052	<1	1.16	0.006	0.05	0.1	0.05	2.1	<0.1	<0.05	3	1.1	<0.2
REP L3D-3125N	QC	0.047	10	34	0.44	79	0.055	<1	1.16	0.005	0.05	0.1	0.04	2.0	<0.1	<0.05	3	0.9	0.2
L3D-3700N	Soil	0.056	15	39	0.51	104	0.036	<1	1.21	0.006	0.09	0.1	0.05	2.8	0.2	<0.05	3	1.9	<0.2
REP L3D-3700N	QC	0.058	16	41	0.54	108	0.032	<1	1.26	0.007	0.11	0.1	0.04	2.9	0.2	<0.05	4	1.9	<0.2
L3D-3825	Soil	0.115	14	70	0.45	155	0.012	<1	1.91	0.004	0.07	0.2	0.07	2.2	0.3	<0.05	6	1.7	0.4
REP L3D-3825	QC	0.113	14	68	0.45	150	0.011	<1	1.88	0.004	0.06	0.1	0.07	2.4	0.2	<0.05	5	2.0	<0.2
L3D-4025	Soil	0.122	14	45	0.24	63	0.026	<1	1.09	0.004	0.07	0.2	0.12	0.7	0.2	<0.05	4	1.4	0.4
REP L3D-4025	QC																		
L3D-4375	Soil	0.108	12	103	1.04	110	0.019	1	1.58	0.006	0.12	0.1	0.05	3.7	0.1	0.05	4	6.3	0.7
REP L3D-4375	QC	0.105	13	100	0.99	107	0.019	<1	1.46	0.008	0.11	0.2	0.06	3.5	0.1	<0.05	4	6.2	<0.2
L3D-4750N	Soil	0.125	8	83	0.61	153	0.014	<1	1.65	0.005	0.05	<0.1	0.04	2.4	0.2	<0.05	5	1.0	<0.2
REP L3D-4750N	QC	0.122	7	82	0.60	150	0.015	<1	1.59	0.005	0.05	<0.1	0.05	2.5	0.2	<0.05	4	0.9	<0.2
L4A-3025	Soil	0.087	24	63	0.66	266	0.047	1	2.56	0.009	0.21	0.1	0.09	5.2	0.2	<0.05	7	1.5	0.3
REP L4A-3025	QC	0.086	23	62	0.63	258	0.048	1	2.53	0.009	0.21	<0.1	0.09	5.0	0.2	<0.05	6	1.3	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 2 of 4 Part 1

QUALITY CONTROL REPORT

VAN10003917.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
L4A-3150	Soil	4	3.6	41.7	9.4	124	0.1	38.1	9.2	314	3.20	18.2	0.6	2.6	2.6	7	0.4	1.2	0.2	45	0.05
REP L4A-3150	QC	3																			
L4A-3675	Soil	6	5.1	44.1	14.9	130	0.4	64.2	15.9	1054	3.42	43.9	1.1	10.9	2.4	26	1.3	2.3	0.2	42	0.32
REP L4A-3675	QC		5.4	43.8	14.2	129	0.4	63.2	16.4	1070	3.42	42.4	1.1	4.8	2.3	26	1.6	2.2	0.2	42	0.31
L4A-3700N	Soil	<2	3.5	37.9	12.7	90	0.6	33.2	14.9	1238	3.14	29.1	0.8	4.8	1.4	12	0.7	0.9	0.2	39	0.09
REP L4A-3700N	QC	<2																			
L4A-4050N	Soil	5	11.1	41.5	18.4	95	0.5	34.8	9.1	612	4.07	52.0	1.1	2.6	1.1	5	0.6	1.7	0.3	56	0.03
REP L4A-4050N	QC		10.7	43.6	18.6	101	0.5	35.1	9.6	630	4.16	53.3	1.2	2.4	0.9	5	0.5	1.7	0.3	60	0.04
L4A-4175	Soil	12	27.6	116.8	35.3	289	1.4	89.2	26.4	2028	5.18	94.8	2.3	8.7	1.2	25	3.2	2.1	0.3	34	0.40
REP L4A-4175	QC		26.1	119.5	35.8	284	1.5	84.9	27.4	2049	5.06	90.8	2.1	10.8	1.3	27	3.4	2.1	0.4	35	0.42
L4A-4200N	Soil	5	9.7	68.6	22.3	206	1.5	68.3	25.0	3163	4.30	63.5	1.3	1.5	1.1	29	3.1	2.2	0.3	56	0.50
REP L4A-4200N	QC	3																			
L4A-4625	Soil	87	18.0	81.9	19.7	145	0.5	67.6	17.8	1238	3.78	58.8	1.6	13.0	3.4	16	1.1	4.0	0.2	39	0.12
REP L4A-4625	QC		17.4	79.4	19.8	149	0.5	65.2	17.0	1223	3.70	58.5	1.6	13.2	3.1	16	1.0	3.8	0.2	39	0.11
L4A-4800N	Soil	7	11.1	177.8	29.1	216	0.8	102.9	17.9	2449	4.98	181.2	2.1	11.5	2.1	10	1.0	2.1	0.5	51	0.05
REP L4A-4800N	QC	9																			
L4A-5300N	Soil	9	7.1	58.8	12.4	116	0.3	61.4	16.2	1023	2.83	40.6	1.3	7.6	3.1	13	1.1	1.5	0.2	30	0.14
REP L4A-5300N	QC	8	7.2	61.1	12.5	115	0.3	61.6	16.7	1036	2.90	42.0	1.3	6.5	3.1	13	1.1	1.5	0.2	31	0.15
Reference Materials																					
STD DS7	Standard		22.2	115.5	73.4	441	1.1	57.7	10.1	679	2.60	55.6	4.9	80.1	4.8	79	7.0	6.2	4.7	90	0.96
STD DS7	Standard		19.7	108.5	59.0	390	1.0	53.2	8.9	612	2.32	53.7	4.3	89.8	4.0	68	6.2	5.9	4.2	81	0.91
STD DS7	Standard		20.9	113.2	67.5	398	0.9	54.8	9.4	618	2.39	51.6	4.6	76.6	4.4	78	6.5	6.0	4.7	85	0.97
STD DS7	Standard		19.4	103.9	61.2	364	0.9	51.3	8.7	594	2.22	47.4	4.2	71.2	4.4	66	5.7	5.7	4.0	83	0.87
STD DS7	Standard		21.2	112.2	67.5	398	1.1	56.4	9.3	629	2.43	53.2	4.8	64.7	4.6	74	6.0	5.8	4.6	85	0.97
STD DS7	Standard		19.5	100.8	62.2	375	0.9	51.7	8.4	597	2.26	48.1	4.4	64.7	4.2	71	5.7	5.5	4.1	79	0.88
STD DS7	Standard		19.6	104.0	64.4	399	1.0	51.0	9.1	603	2.39	51.2	4.5	80.4	4.6	72	5.7	5.9	4.5	80	0.94
STD DS7	Standard		22.2	109.8	65.6	409	1.0	55.7	9.5	612	2.44	49.7	4.8	75.0	4.5	72	5.6	5.5	4.1	88	0.95
STD DS7	Standard		22.7	120.2	74.8	406	1.0	59.7	9.7	629	2.42	50.3	5.1	72.6	4.8	73	6.0	6.0	4.8	89	0.94
STD OXC72	Standard	196																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 2 of 4 Part 2

QUALITY CONTROL REPORT

VAN10003917.1

		1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	
L4A-3150	Soil	0.078	12	45	0.52	105	0.033	<1	2.04	0.004	0.13	0.1	0.05	2.3	<0.1	<0.05	5	1.0	<0.2	
REP L4A-3150	QC																			
L4A-3675	Soil	0.080	12	50	0.72	98	0.044	1	1.34	0.005	0.08	<0.1	0.04	2.5	0.1	<0.05	3	2.2	<0.2	
REP L4A-3675	QC	0.081	12	50	0.72	96	0.043	2	1.38	0.005	0.08	0.1	0.04	2.5	<0.1	<0.05	4	1.9	<0.2	
L4A-3700N	Soil	0.056	12	41	0.38	84	0.034	2	1.54	0.004	0.07	0.1	0.06	1.5	<0.1	<0.05	4	1.3	<0.2	
REP L4A-3700N	QC																			
L4A-4050N	Soil	0.152	11	60	0.46	37	0.027	1	1.04	0.002	0.06	0.1	0.03	1.3	0.1	<0.05	5	1.9	<0.2	
REP L4A-4050N	QC	0.152	13	65	0.48	40	0.034	2	1.09	0.003	0.07	0.1	0.04	1.2	0.2	<0.05	6	2.1	<0.2	
L4A-4175	Soil	0.166	8	45	0.31	142	0.007	2	0.95	0.004	0.09	0.2	0.12	2.2	0.1	0.09	2	4.8	<0.2	
REP L4A-4175	QC	0.164	9	45	0.33	156	0.010	2	0.93	0.004	0.10	<0.1	0.12	2.6	0.1	0.09	2	4.5	0.7	
L4A-4200N	Soil	0.157	8	74	0.48	235	0.034	3	1.15	0.007	0.12	0.2	0.07	1.9	0.1	<0.05	4	2.2	<0.2	
REP L4A-4200N	QC																			
L4A-4625	Soil	0.066	11	59	0.67	71	0.018	1	1.05	0.007	0.07	<0.1	0.05	2.4	0.2	<0.05	3	1.6	0.3	
REP L4A-4625	QC	0.062	10	56	0.65	66	0.018	<1	1.00	0.008	0.07	0.1	0.04	2.5	0.2	<0.05	3	1.2	<0.2	
L4A-4800N	Soil	0.121	11	61	0.37	119	0.009	<1	1.49	0.004	0.09	0.1	0.10	2.9	0.2	<0.05	4	1.1	<0.2	
REP L4A-4800N	QC																			
L4A-5300N	Soil	0.057	12	43	0.43	87	0.032	<1	0.99	0.005	0.09	0.1	0.03	3.0	<0.1	<0.05	3	1.0	<0.2	
REP L4A-5300N	QC	0.056	12	44	0.43	93	0.031	<1	0.98	0.009	0.09	<0.1	0.03	3.0	0.1	<0.05	3	0.9	<0.2	
Reference Materials																				
STD DS7	Standard	0.089	14	199	1.12	442	0.131	40	1.09	0.107	0.50	4.0	0.21	2.6	4.3	0.23	5	3.8	1.2	
STD DS7	Standard	0.079	12	168	1.03	395	0.128	38	0.98	0.091	0.46	3.4	0.20	2.8	3.8	0.14	5	3.5	1.6	
STD DS7	Standard	0.076	12	192	1.05	401	0.129	41	1.04	0.085	0.46	3.5	0.22	2.2	3.8	0.18	5	3.4	2.6	
STD DS7	Standard	0.067	12	181	0.97	370	0.114	35	0.95	0.092	0.44	3.5	0.20	2.4	3.7	0.19	4	2.5	1.2	
STD DS7	Standard	0.079	12	198	1.10	397	0.130	42	1.05	0.090	0.47	3.6	0.22	2.3	4.2	0.20	5	3.2	1.0	
STD DS7	Standard	0.070	13	182	1.02	391	0.114	38	0.98	0.094	0.45	3.5	0.20	2.3	3.9	0.17	5	2.9	1.2	
STD DS7	Standard	0.076	12	182	1.02	386	0.109	39	1.00	0.095	0.46	3.6	0.22	2.5	4.2	0.21	5	3.5	0.2	
STD DS7	Standard	0.077	14	190	1.04	389	0.122	38	1.10	0.104	0.45	3.9	0.23	2.6	4.4	0.21	5	3.6	0.7	
STD DS7	Standard	0.074	13	198	1.06	424	0.125	40	1.04	0.094	0.47	3.8	0.21	2.4	4.1	0.18	5	2.8	1.3	
STD OXC72	Standard																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 13, 2010

Page: 3 of 4 **Part** 1

QUALITY CONTROL REPORT

VAN10003917.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
STD OXC72	Standard	188	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
STD OXC72	Standard	186																				
STD OXC72	Standard	195																				
STD OXC72	Standard	186																				
STD OXC72	Standard	189																				
STD OXC72	Standard	197																				
STD OXC72	Standard	201																				
STD OXC72	Standard	193																				
STD OXC72	Standard	189																				
STD OXC72	Standard	193																				
STD OXC72	Standard	187																				
STD OXC72	Standard	185																				
STD OXC72	Standard	199																				
STD OXC72	Standard	187																				
STD OXC72	Standard	204																				
STD OXC72	Standard	208																				
STD OXC72	Standard	189																				
STD OXC72	Standard	194																				
STD OXC72	Standard	212																				
STD OXC72	Standard	207																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	
STD OXC72 Expected		205																				
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank	<2																				
BLK	Blank	<2																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 13, 2010

Page: 3 of 4 **Part** 2

QUALITY CONTROL REPORT

VAN10003917.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD OXC72	Standard																			
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
STD OXC72 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Dajin Resources Corp.**
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
 Report Date: September 13, 2010

Page: 4 of 4 Part 1

QUALITY CONTROL REPORT

VAN10003917.1

		3B	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
BLK	Blank	<2				1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank	<2																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.04	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<2																			
BLK	Blank	<2																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Dajin Resources Corp.
 480 - 789 W. Pender St.
 Vancouver BC V6C 1H2 Canada

Project: ADDIE 1
Report Date: September 13, 2010

Page: 4 of 4 **Part** 2

QUALITY CONTROL REPORT

VAN10003917.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			