

**GEOLOGICAL ASSESSMENT REPORT ON GEOCHEMICAL
EXPLORATION FOR NICKEL-COBALT-MAGNESIUM-GOLD PROPERTY,
NEW WESTMINSTER MINING DIVISION, BRITISH COLOMBIA.**

Property Location

New Westminster Mining Division
N.T.S. Grid 92H/6(E)
Centered Near
Latitude: 49°25' N
Longitude: 121°13' W



South Group

Serp#5, Serp#6 and Serp#9

Event Number: 4807455

**BC Geological Survey
Assessment Report
31884**

Owner

Ram Vallabh
603 East, 30th Avenue,
Vancouver, B.C., V5V 2V7

Operator

Almo Capital Corp.
603 East, 30th Avenue,
Vancouver, B.C., V5V 2V7

Author of Report:

Ram Vallabh, M.Sc. (Geo.), LL.B.

Geological Work Done By:

Amit Kumar, M.Sc. (Geo.) & Uma Shankar M.Sc. (Geo.)

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

31,884

TABLE OF CONTENTS

Page No.

| | |
|--|----|
| Item 1 Introduction | 2 |
| Item 2 Location and Access | 2 |
| Item 3 Claim Information | 4 |
| Item 4 Geological Setting | 6 |
| Item 4.1 Regional Geology | 6 |
| Item 4.2 Property Geology | 8 |
| Item 5 Field Procedures | 10 |
| Item 6 Sampling and Geo-chemical analysis | 10 |
| Item 7 Conclusion | 21 |
| Item 8 Cost Statement of Exploration | 21 |
| Item 9 Statement of Authors Qualifications | 22 |
| Item 10 References | 23 |
| APPENDIX | 24 |

List of Figures:

| | |
|--|----|
| Figures-1 Location Map | 3 |
| Figures-2 Claims Map | 5 |
| Figures-3 Regional Geology Map | 7 |
| Figures-4 General Property Geology | 9 |
| Figures-5 Map of Soil Sample Locations | 15 |
| Figures-6 Map of Rock Sample Locations | 16 |

List of Tables:

| | |
|------------------------------------|----|
| Table 1: Mineral claim information | 4 |
| Table 2: Details of Soil Samples | 10 |
| Table 3: Details of Rock Samples | 14 |

Item 1: INTRODUCTION

Almo Capital Corp. acquired the “Nickel - Cobalt - Magnesium - Gold Property recently for cash on March 23, 2007. The “Nickel – Cobalt - Magnesium - Gold Property” was acquired for a total of \$5000, of which \$100 has been already paid, and \$4,900 is yet to be paid in due time.

Almo Capital Corp. along with Silcum Resources Ltd. and Precious metals Corp. of Vancouver, B.C jointly owns a couple of contiguous mineral claims located approximately 24 kilometers due east of the town of Hope, British Columbia known as Serp#5, Serp#9 and Serp#6. These claims straddle along geological structure known as the Coquihalla Serpentine Gold Belt. Geological Exploration (rock and soil sampling) were carried out over the claims on September 16 and September 22, 2010.

Hillsbar Gold Inc. recognized the potential along the belt and staked an area reported to have both gold and platinum showings. Placer gold was reported in the Serpentine Lake area and the small streams leading from the lake. Bedrock geology in the area is favorable for hosting lode or vein type gold mineralization. Similar geological environment can be found at the old Emancipation gold mine, which is located several kilometers to the northwest. Platinum placer is also reported along Sowaqua Creek. As well, the old St. Patrick workings along Sowaqua Creek are reported as a gold-platinum occurrence. It has been suggested that perhaps the source of the platinum may have originated from the serpentinized ultramafic rocks that form the Coquihalla serpentine belt. The west and east Hozameen fault systems are also potential targets such as the St. Patrick workings, which occur along the west Hozameen fault system.

Almo Capital Corp. intends to conduct systematic geological exploration program over the Serp#5, Serp#9 and Serp#6 mineral claims, with a view to find the source of gold, nickel, cobalt, magnesium, platinum etc. in the area.

Item 2: LOCATION AND ACCESS


The Serp#5, Serp#9 and Serp#6 mineral claim (south group) is located approximately 24 kilometers due east of the town of Hope, British Columbia. The nickel-cobalt-magnesium-gold property is intersected by a large northwesterly flowing stream called Sowaqua Creek, a tributary of the Coquihalla River. Access to the property can easily be gained from Hope via the Coquihalla Highway Number5. The south end of the south property may be reached by taking Sowaqua creek Exit 192 and by traveling south on the Sowaqua Creek logging road until the turn off at past 16 kilometers.

In order to follow the logging road a 4-wheel drive vehicle is recommended. The boundary of the property can easily be reached within an easy one and a half-hour drive from Hope.

FIGURE 1

LOCATION MAP

Below is a map outlining all NTS map areas that fall within the borders of British Columbia specifically showing the location of "Nickel - Cobalt - Magnesium - Gold-Property" in New Westminster mining Division of British Columbia.



Item 3: MINERAL CLAIMS

The Nickel-Cobalt-Magnesium-Gold Property covers two claims Groups, North Group, and South Group (Fig. 2). The South Group consist of Serp#5and Serp#6 mineral claims, which encompass approximately 778 hectares. The Serp#5and Serp#6 mineral claims lies under the administrative area of the New Westminster Mining Division, British Columbia on N.T.S. Grid 92H/6(E). The co-ordinates are located near the central part of the property at Latitude: 49°25' N and Longitude 121°13'W. The Serp #5and Serp #6 mineral claims are jointly held by Almo Capital Corp., Silcum Resources Ltd. and Precious metals Corp. of Vancouver, British Colombia.


According to the terms of the agreement, Almo Capital Corp. acquired an equity position of 52% in the “Nickel - Cobalt - Magnesium - Gold Property”. There is a 3% NSR held by people who are in a cooperative relationship with the company. The remaining 48% of equity is also jointly held by Silcum Resources Ltd. and Precious metals Corp. who are in a cooperative relationship with Almo Capital Corp. and their interest is undivided.

The following table summarizes the pertinent claim information:

Table 1: LIST OF MINERAL CLAIMS

| Claim Name | Tenure Number | Units | Expiry Date |
|-------------------|----------------------|--------------|--------------------|
| Serp# 5 | 677544 | 1 | December 01, 2010 |
| Serp# 6 | 677583 | <u>1</u> | December 01, 2010 |
| Serp# 9 | 677603 | <u>1</u> | December 01, 2010 |

Item 4: GEOLOGICAL SETTING



Item 4.1: REGIONAL GEOLOGY

The regional geological setting is identified by a prominent northwest-southeast trending structure known as the Coquihalla Serpentine Belt. The belt, which is represented by a semi-continuous band of serpentine rock, is fault bounded by the East and West Hozameen faults. This geological break can be traced for at least 100 kilometers in southwestern British Columbia and it extends into northern Washington State, USA.

The belt of serpentine separates two distinct crustal units. The East Hozameen fault is in contact with an andesitic volcanic greenstone unit, the Spider Peak Formation of Early Triassic age. The greenstone forms the basement for the unconformable, overlying Jurassic to Cretaceous turbidities and successor basin deposits of the Pasayten Trough. The West Hozameen fault is in contact with the Permian to Jurassic age Hozameen Group, which consists of a dismembered ophiolite succession represented by the ultramafic rocks of the Petch Creek serpentine belt in turn, is overlain by a thick unit of greenstone and chert.



The oldest sedimentary rocks in the Pasayten Trough, the Ladner Group, contain a locally developed basal unit (e.g. conglomerate, greywacke, siltstone, and slate) that hosts the Idaho zone gold deposit (former Caroline Mines) along with a number of other former small gold producers. A series of the gold occurrences and past-producing camps occur along and immediately east of the East Hozameen fault and hosted in the Ladner sediments, which is also known as the 'Coquihalla Gold Belt'.

Some gold mineralization is hosted in greenstone volcanic such as the old Emancipation mine as well as in other rock types including a suite of small sodic felsic porphyry intrusions at Siwash Creek forks old ward mine.

There is potential for additional discoveries of precious metal mineralization along the Coquihalla gold belt. For example, the reported placer gold near Serpentine Lake may be locally derived possibly from greenstone volcanic that occur in the area, similar to the geological setting as the former Emancipation mine. As well as the reported occurrence of placer platinum in Sowaqua Creek and the reported gold-platinum workings of the old St. Patrick, this raises intriguing possibilities that the Coquihalla serpentine belt could be an exploration target for platinum-group elements.

REGIONAL GEOLOGY MAP

FIGURE 3



Item 4.2 PROPERTY GEOLOGY


There are 3 main rock types that underlie the Serp#5, Serp#6 and Serp#9 mineral claims, which includes chert and cherty argillites of the Hozameen Group, serpentine, greenstone volcanics of the Spider Peak formation and, siltstone, argillite and slate of the Ladner Group formation.

The serpentine is the prominent rock type underlying approximately 1/4 of the claims and forms a continuous belt striking northwest southeast. It is well exposed in a plateau-like area on Serp#5 mineral claims where it is at least 1.5 kilometers wide. The area forms the summit of the claims at an elevation of at least thousand meters. Glaciations have produced poor drainage with marshes and ponds as well as, ridges of polished-striated bedrock.

Serpentine Rock is exposed to the northeast and in contact with the volcanic is a northwest striking, steeply dipping siltstone. The serpentine and greenstone volcanics is in fault contact marking the East Hozameen fault. At the North portion of the South Property, the West Hozameen fault can be observed and which defines the contact between serpentine and cherty argillites of the Hozameen group.

Minor disseminated pyrite and Pyrrhotite mineralization was observed with the volcanics. The serpentine is usually massive with no crystal structure and is commonly associated with disseminated magnetite.

Structurally, all rock units observed in this area strike northwest and are steeply dipping. Foliation is also concordant with northwest southeast trending faults. Several ancillary faults cut the serpentine and greenstone, paralleling the east and west Hozameen fault systems.



Item 5: FIELD PROCEDURES

Author along with two geologists and a driver carried out the soil and rock sampling survey on (September 16 and September 22, 2010). The author drove from Hope via Coquihalla Highway Number 5. The south end of the "Nickel-Cobalt-Magnesium-Gold Property" South Group may be reached by taking Sowaqua creek Exit 192 and by traveling south on the Sowaqua Creek logging road until the turn off at past 16 kilometers. In order to follow the logging road a 4-wheel drive vehicle was used. The property can easily be reached within an easy one and a half-hour drive from Hope. 1:20,000 topographic maps, obtained from the local forestry services were used for navigation. Hip chain, brunton compass, and GPS were used in the sampling surveys.

Much of the area was surveyed; Soil samples were collected randomly along the logging road from the upper "B" (rusty) soil horizon where possible (on geological considerations). Hand tools were used; the samples were placed in standard craft paper bags, and marked with UTM co-ordinates. At the close of the project, the samples were boxed and shipped to Acme Labs Ltd., of Vancouver, B.C., where analysis for Gold, Nickel, Cobalt, Magnesium, Chromium and Platinum. and other elements were conducted and forms a part of this report.

Item 6 Sampling and Geo-chemical analysis

Details of samples collected on September 16 and September 22, 2010
(Soil and Rock samples)

Samples collected by: M.Sc Geologists Amit Kumar And Uma Shankar.

Table :2;Soil Sample

| SAMPLE CODE | SAMPLE I D | UTM LOCATION | DEPTH IN CM | COLOR | VISIBLE PROPERTIES |
|--------------------|-------------------|---------------------|--------------------|--------------------|--|
| RV 1 | 065951 | 0629690 5472560 | 15 | Brown | Collected from 'B' Horizon, appx.60% of fine-grained clay and silt, sub- angular to angular clasts present. Humus content is moderate. |
| RV 2 | 065952 | 0629740 5472573 | 10 | Yellowish Brown | Collected from 'B' Horizon, Clay contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present. |
| RV 3 | 065953 | 0629829 5472585 | 15 | Light brown | Collected from 'B' Horizon, Appx.60% of Clay contains organic rich residue, Sub- angular to angular clasts present. Root hairs are also present. |

| | | | | | |
|-------|--------|--------------------|----|--------------------|---|
| RV 4 | 065954 | 0630400 5472040 | 30 | Brownish Orange | Collected from 'B' Horizon, Appx.60% of Clay contains organic rich residue, Sub-angular to angular clasts present. Root hairs are also present. Due to high leaching, its colour is dark. |
| RV 5 | 065955 | 0630438 5472005 | 25 | Dark brownish | Sample collected from horizon B, consists of appx.70% sandy clay, sub-angular to sub rounded clasts. Humus content is high. |
| RV 6 | 065956 | 0630464 5471968 | 35 | Dark Brown | Sample collected from horizon B, consists of appx.70% clay, sub-angular to sub rounded clasts. Humus content is high |
| RV 7 | 065957 | 0630513 5471888 | 15 | Reddish Brown | Collected from 'B' Horizon, appx.60% of fine-grained clay and silt , sub- angular to angular clasts present. Humus content is moderate. Clay contains organic rich residue due to high leaching |
| RV 8 | 065958 | 0630525 5471813 | 10 | Light Brown | Collected from 'B' Horizon, Appx.60% of Clay contains organic rich residue, Sub-angular to angular clasts present. Root hairs are also present. |
| RV 9 | 065959 | 0630539 5471701 | 18 | Dark Brown | Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to angular clasts are present. Root hairs are also present. Highly humic and medium grained. |
| RV 10 | 065960 | 0630563 5471626 | 15 | Yellowish Brown | Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to angular clasts are present. Root hairs are also present. Highly humic and medium grained. |
| RV 11 | 065961 | 0629632 5471869 | 25 | Dark Brown | Collected from 'B' Horizon, Silty clay contains organic rich residue, Sub- angular to |

| | | | | | |
|-------|--------|--------------------|-----|-----------------|---|
| | | | | | angular clasts are present. Root hairs are also present. Due to high leaching, its colour is dark. |
| RV 12 | 065962 | 0629678 5471773 | 50 | Blackish Brown | Sample collected from 'B' horizon. Fine to medium-grained sub-angular to angular clasts present. Humus content is moderate. soil rich in organic matter |
| RV 13 | 065963 | 0629723 5471688 | 75 | Dark Brown | Collected from 'B' Horizon, contains organic rich residue, Sub-angular to angular clasts present. Root hairs are also present. Humus content is moderate. Soil is rich in organic matter. Due to high leaching, its colour is dark. |
| RV 14 | 065964 | 0629759 5471593 | 70 | Reddish Brown | Sample collected from 'B' horizon, organic rich residue. Fine to medium-grained sub-angular to angular clasts present. Humus content is moderate. Soil rich in organic matter Root hairs are also present. |
| RV 15 | 065965 | 0629850 5471527 | 150 | Brownish Orange | Sample collected from 'B' horizon. Coarse grained with high percentage of clasts. Sub-angular to angular clasts present. Root hairs are also present. |
| RV 16 | 065966 | 0629876 5471600 | 30 | Dark Brown | Sample collected from horizon B, consists of appx.70% fine-grained clasts, sub-angular to angular clasts. Humus content is high |
| RV 17 | 065967 | 0629632 5471506 | 25 | Dark Brown | Sample collected from 'B' Horizon, appx.60% of soil contains fine-grained clasts, sub-angular to angular clasts. Humus content is high. Humus content is moderate. Soil contains organic rich residue due to high leaching |

Table :3 ROCK SAMPLES


| SAMPLE CODE | SAMPLE ID | UTM LOCATION | COLOR | VISIBLE PROPERTIES |
|--------------------|------------------|---------------------|-------------------|---|
| RVR 1 | 065915 | 0629870 5472619 | Greenish Grey | Fine grained compact intrusive rock. |
| RVR 2 | 065916 | 0629864 5472507 | Light Green | Light green colour serpentine rock with fibrous texture. |
| RVR 3 | 065917 | 0629910 5472541 | Black to green | Coarse grained compact hard rock. |
| RVR 4 | 065918 | 0629942 5472564 | Black | chert |
| RVR 5 | 065919 | 0630178 5472482 | Rust brown | Fine grained compact intrusive rock with minute quartz veins. |
| RVR 6 | 065920 | 0630285 5472235 | Rust brown | Fine grained compact intrusive rock with minute quartz veins. |
| RVR 7 | 065921 | 0630395 5472050 | Dark Grey | Fine grained compact intrusive rock with minute quartz veins. |
| RVR 8 | 065922 | 0630427 5472011 | Rust brown | Fine grained compact intrusive rock . |
| RVR 9 | 065923 | 0630468 5471964 | Dark Grey | Fine grained compact intrusive rock. |
| RVR 10 | 065924 | 0630504 5471907 | Grey | Medium grained compact intrusive rock . |
| RVR 11 | 065925 | 0630505 5471812 | Grey | Grey fine-grained compact intrusive rock . |
| RVR 12 | 065926 | 0630548 5471727 | White | Grey fine-grained compact rock with reddish brown oxidized bands. |
| RVR 13 | 065927 | 0629631 5471868 | Black | Black coarse grained compact rock with lenses of serpentine. |
| RVR 14 | 065928 | 0629703 5471728 | Black | Black coarse grained compact rock with lenses of serpentine. |
| RVR 15 | 065929 | 0629876 5471600 | Dark Grey | Fine grained compact intrusive rock . |

| | | | | |
|--------|--------|--------------------|------------|---|
| RVR 16 | 065930 | 0629877 5471588 | Rust brown | Fine grained compact intrusive rock with minute quartz veins. |
| RVR 17 | 065931 | 0629826 5471517 | Black | Phyllitic rock with pyrite as mineralization |
| RVR 18 | 065932 | 629577 5471529 | Brown | Phyllitic rock with pyrite as mineralization |

The geological soil and rock sampling was done on the property to find the major elements of interest in the property. A total of 17 soil samples and 18 rock samples were collected in the field and were later geochemically analyzed for Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, and Zinc etc


Figure 5 and 6 illustrate geochemical Locations for soil and rock samples.

Hope property south group 2010 Map of soil sample Locations




| Method | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|---------|------|------|------|--------|------|-------|-----|
| Analyte | Mo | Ag | Ni | Mn | Fe | U | |
| Unit | PPM | PPM | PPM | PPM | % | PPM | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | |
| Sample | Type | | | | | | |
| RV 1 | Soil | 0.9 | 0.2 | 671.8 | 1237 | 4.42 | 1 |
| RV 2 | Soil | 0.7 | <0.1 | 697.9 | 625 | 3.96 | 1.3 |
| RV 3 | Soil | 1 | 0.4 | 1665.3 | 1144 | 5.77 | 1.4 |
| RV 4 | Soil | 15.3 | 0.4 | 1027.7 | 1593 | 8.69 | 3.9 |
| RV 5 | Soil | 6 | 0.4 | 484.6 | 683 | 6.45 | 1.3 |
| RV 6 | Soil | 14.5 | 0.7 | 475.2 | 847 | 7.27 | 2 |
| RV 7 | Soil | 8.8 | 0.6 | 467.6 | 524 | 6.33 | 2.9 |
| RV 8 | Soil | 6.7 | 0.3 | 266 | 465 | 6.29 | 2.6 |
| RV 9 | Soil | 16.1 | 0.2 | 403.6 | 828 | 7.65 | 1.1 |
| RV 10 | Soil | 66.4 | 0.4 | 1197.4 | 972 | 20.65 | 4.2 |
| RV 11 | Soil | 1.2 | <0.1 | 659.8 | 1115 | 4.96 | 1.2 |
| RV 12 | Soil | 2 | <0.1 | 385.2 | 851 | 4.32 | 1.1 |
| RV 13 | Soil | 3.1 | 0.2 | 574.1 | 735 | 4.01 | 1.4 |
| RV 14 | Soil | 2.1 | 0.1 | 319.5 | 649 | 5.71 | 1.4 |
| RV 15 | Soil | 1.2 | 0.1 | 531.4 | 1026 | 6.23 | 1.3 |
| RV 16 | Soil | 1.5 | 0.1 | 832.2 | 1147 | 7.49 | 1.1 |
| RV 17 | Soil | 6.8 | 0.3 | 172.3 | 2216 | 7.28 | 2.8 |

Hope property south group 2010 Map of Rock Sample Locations



| Method | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|---------|------|------|------|------|--------|------|-------|------|
| Analyte | Mo | Cu | Ag | Ni | Mn | Fe | U | |
| Unit | PPM | PPM | PPM | PPM | PPM | % | PPM | |
| MDL | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | |
| Sample | Type | | | | | | | |
| RVR 1 | Rock | <0.1 | 41.2 | <0.1 | 65.2 | 1556 | 8.36 | <0.1 |
| RVR 2 | Rock | <0.1 | 15.2 | 0.9 | 2408.3 | 596 | 4.63 | <0.1 |
| RVR 3 | Rock | 0.1 | 9.4 | 0.2 | 2410.3 | 943 | 5.69 | <0.1 |
| RVR 4 | Rock | 0.2 | 6.6 | 0.3 | 2403 | 1387 | 5.89 | <0.1 |
| RVR 5 | Rock | <0.1 | 5.2 | <0.1 | 41.2 | 1559 | 6.55 | 0.3 |
| RVR 6 | Rock | 3.1 | 40.5 | 0.1 | 152.5 | 709 | 3.42 | 1 |
| RVR 7 | Rock | 1.3 | 8.9 | <0.1 | 5.8 | 372 | 2.36 | 2.2 |
| RVR 8 | Rock | 0.2 | 42.8 | <0.1 | 15.3 | 1515 | 7.88 | 0.1 |
| RVR 9 | Rock | 0.4 | 15.7 | <0.1 | 4.6 | 351 | 2.47 | 1.7 |
| RVR 10 | Rock | 0.4 | 15.1 | <0.1 | 1.4 | 562 | 2.4 | 2.3 |
| RVR 11 | Rock | <0.1 | 11.3 | <0.1 | 1.4 | 457 | 2.53 | 1.6 |
| RVR 12 | Rock | 0.6 | 10.6 | <0.1 | 5.7 | 489 | 2.19 | 3 |
| RVR 13 | Rock | 0.4 | 64.2 | 0.1 | 28.4 | 667 | 5.54 | 0.5 |
| RVR 12 | Rock | <0.1 | 21.7 | 0.1 | 2335.7 | 1074 | 5.97 | <0.1 |
| RVR 13 | Rock | 0.1 | 35.3 | <0.1 | 51.3 | 1622 | 7.63 | <0.1 |
| RVR 14 | Rock | <0.1 | 20.5 | 0.2 | 1893.6 | 1309 | 6.33 | <0.1 |
| RVR 15 | Rock | 2.4 | 52.4 | <0.1 | 68 | 1056 | 12.27 | <0.1 |
| RVR 16 | Rock | 3.5 | 50.9 | 0.2 | 12.9 | 241 | 1.75 | 1.9 |

**METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE
GROUP 1E & 1EX – ICP & ICP-MS ANALYSIS – 4-ACID DIGESTION**



Comments

Sample Preparation

All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-180 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 µm) in a mild-steel ring-and-puck mill. Pulp splits of 0.25 g are weighed into Teflon test tubes.

Sample Digestion

A 10 mL aliquot of the acid solution (2:2:1:1 H₂O-HF-HClO₄-HNO₃) is added, heated until fuming on a hot plate and taken to dryness. A 4 mL aliquot of 50% HCl is added to the residue and heated using a mixing hot block. After cooling the solutions are transferred to polypropylene test-tubes and made to a 10 mL volume with 5% HCl.

Sample Analysis

Group 1E: solutions aspirated into a Spectro Cirrus Vision or Varian 735 ICP emission spectrometer are analysed for 35 elements: Ag, Al, As, Au, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, La, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Sb, Sc, Sn, Sr, Th, Ti, U, V, W, Y, Zn and Zr.

Group 1EX: solutions aspirated into a Perkin Elmer Elan 6000 or 9000 ICP mass spectrometer are analysed for 41 elements: Ag, Al, As, Au, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cu, Fe, Hf, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, S, Sb, Sc, Sn, Sr, Ta, Th, Ti, U, V, W, Y, Zn and Zr.

Quality Control and Data Verification

QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of Certified or in-house Reference Material like STD DST6, Oreas 24P or Oreas 45P. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.

1020 Cordova St East, Vancouver BC V6A 4A3
Phone (604) 253 3158 Fax (604) 253 1716 e-mail acmeinfo@acmelab.com

Group 1E_1EX version 1.77 Revision Date: December 18, 2008

GROUP 1E AND 1EX - ICP ANALYSIS - 4-ACID DIGESTION


| | Group 1E Detection | Group 1EX Detection | Upper Limit |
|-----------------|-----------------------|------------------------|----------------|
| Ag | 0.5 ppm | 0.1 ppm | 200 ppm |
| Al* | 0.01 % | 0.01 % | 20 % |
| As ^a | 5 ppm | 1 ppm | 10000 ppm |
| Au* | 4 ppm | 0.1 ppm | 200 ppm |
| Ba* | 1 ppm | 1 ppm | 10000 ppm |
| Be* | 1 ppm | 1 ppm | 1000 ppm |
| Bi | 5 ppm | 0.1 ppm | 4000 ppm |
| Ca | 0.01 % | 0.01 % | 40 % |
| Cd | 0.4 ppm | 0.1 ppm | 4000 ppm |
| Ce | - | 1 ppm | 2000 ppm |
| Co | 2 ppm | 0.2 ppm | 4000 ppm |
| Cr* | 2 ppm | 1 ppm | 10000 ppm |
| Cu | 2 ppm | 0.1 ppm | 10000 ppm |
| Fe* | 0.01 % | 0.01 % | 60 % |
| Hf* | - | 0.1 ppm | 1000 ppm |
| K | 0.01 % | 0.01 % | 10 % |
| La | 2 ppm | 0.1 ppm | 2000 ppm |
| Li | - | 0.1 ppm | 2000 ppm |
| Mg* | 0.01 % | 0.01 % | 30 % |
| Mn* | 5 ppm | 1 ppm | 10000 ppm |
| Mo | 2 ppm | 0.1 ppm | 4000 ppm |
| Na | 0.01 % | 0.001 % | 10 % |
| Nb | 2 ppm | 0.1 ppm | 2000 ppm |
| Ni | 2 ppm | 0.1 ppm | 10000 ppm |
| P | 0.002 % | 0.001 % | 5 % |
| Pb | 5 ppm | 0.1 ppm | 10000 ppm |
| Rb | - | 0.1 ppm | 2000 ppm |
| S | - | 0.1 % | 10 % |
| Sb* | 5 ppm | 0.1 ppm | 4000 ppm |
| Sc | 1 ppm | 1 ppm | 200 ppm |
| Sn* | 2 ppm | 0.1 ppm | 2000 ppm |
| Sr | 2 ppm | 1 ppm | 10000 ppm |
| Ta* | - | 0.1 ppm | 2000 ppm |
| Th | 2 ppm | 0.1 ppm | 4000 ppm |
| Ti | 0.01 % | 0.001 % | 10 % |
| U | 20 ppm | 0.1 ppm | 4000 ppm |
| V | 2 ppm | 1 ppm | 10000 ppm |
| W* | 4 ppm | 0.1 ppm | 200 ppm |
| Y | 2 ppm | 0.1 ppm | 2000 ppm |
| Zn | 2 ppm | 1 ppm | 10000 ppm |
| Zr* | 2 ppm | 0.1 ppm | 2000 ppm |

*The digestion is only for some Cr and Ba minerals and some oxides of Al, Hf, Mn, Sn, Ta, Zr.
^aVolatilization during fuming may result in some loss of As, Sb, and Au.

1020 Cordova St East, Vancouver BC V6A 4A3
 Phone (604) 253 3158 Fax (604) 253 1716 e-mail: acmeinfo@acmelab.com

Group 1E_1EX version1.77 Revision Date: December 18, 2008

**METHODS AND SPECIFICATIONS FOR ANALYTICAL PACKAGE
GROUP 3A - AU BY WET EXTRACTION**



Comments

Sample Preparation
All samples are dried at 60°C. Soil and sediment are sieved to -80 mesh (-180 µm). Moss-mats are disaggregated then sieved to yield -80 mesh sediment. Vegetation is pulverized or ashed (475°C). Rock and drill core is jaw crushed to 70% passing 10 mesh (2 mm), a 250 g riffle split is then pulverized to 85% passing 200 mesh (75 µm) in a mild-steel ring-and-puck mill. Pulp splits of 15 and 30 g splits are weighed into beakers.

Sample Digestion
A modified Aqua Regia solution of equal parts concentrated ACS grade HCl and HNO₃ and de-mineralised H₂O is added to each sample to leach for one hour in a hot water bath (>95°C). After cooling the solution is made up to final volume with 5% HCl. Sample weight to solution volume is 1 g per 20 mL.

Sample Analysis
Solutions are aspirated into a Perkin Elmer Elan 6000 or 9000 ICP mass spectrometer for the determination of Au.

Quality Control and Data Verification
QA/QC protocol incorporates a sample-prep blank (G-1) as the first sample in the job which is carried through all stages of preparation to analysis. An Analytical Batch comprises 36 client samples and incorporates a pulp duplicate to monitor analytical precision, a -10 mesh rejects duplicate to monitor sub-sampling variation (drill core only), a reagent blank to measure background and aliquots of Certified or in-house Reference Material like STD DS7 or Rocklabs STD OxD57. Data undergoes a final verification by a British Columbia Certified Assayer who then validates results before it is released to the client.

GROUP 3A AU BY WET DIGESTION

| Element | Detection Limits | Upper Limits |
|---------|------------------|--------------|
| Au | 0.5 ppb | 10 ppm |
| Pt | 2 ppb | 10ppm |
| Pd | 10 ppb | 10 ppm |

1020 Cordova Street East, Vancouver BC V6A 4A3
Phone (604) 253 3158 Fax (604) 253 1716 e-mail: acmeinfo@acmelab.com

Group 3A version 1.3 Revision Date: December 19, 2008

Item 7: CONCLUSION

The geological soil and rock sampling was done on the property to find the major elements in the property. A total of 17 soil samples and 18 rock samples are geochemically analyzed for Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, and Zinc etc

Geochemical results of soil samples shows Copper values up to 192.66 ppm, Silver 0.7 g/t Zinc values up to 269 ppm, Nickel values up to 1665 ppm, Cobalt values up to 112.2 ppm, Manganese values up to 2216 ppm, Chromium values up to 1066 ppm, and Magnesium values up to 7.45%

Geochemical results of rock samples shows the Copper values up to 64.20 ppm, Silver 0.9 g/t Zinc values up to 283 ppm, Nickel values up to 2336 ppm, Cobalt values up to 116.9 ppm, Manganese values up to 1622 ppm, Chromium values up to 1723 ppm, and Magnesium values up to 27.48%

The Geochemical results of the Nickel-Cobalt- Magnesium-Gold Property indicates that this area is a good prospect of Gold, Copper, Nickel, Cobalt, Magnesium, Chromium, Manganese, Zinc etc. Future surveys in the area should be orientated toward heavy metal sampling and detail examination of the serpentine and associated diorite intrusive including the greenstone Volcanics and fault contact structures.

Item 8: COST STATEMENT OF EXPLORATION

Costs of Exploration on the south group claims of Nickel-Cobalt-Magnesium-Gold Property.

| | |
|--|--------------------|
| Acquisition of claims Dec 01, 2009 | \$ 874.94 |
| Geologist fee for two geologists (For field work done on September 16 th And September 22 nd 2010 and report preparation @\$33.75/hr) | \$ 3,295.00 |
| Transport, vehicle rentals and Gas expenses | \$ 556.08 |
| Expenditure on food supplies and Utilities | \$ 424.00 |
| Sampling and assaying | \$ 1,750.00 |
| Total Expenditure (already Incurred) | <u>\$ 6,900.02</u> |

Item 9: Statement of Authors Qualifications

I, Ram Vallabh, of 603 East 30th Avenue, Vancouver, British Columbia, Canada V5V 2V7, hereby certify that:

1. I am a graduate and post graduate from, University of Lucknow, India, B.Sc. in 1952, L.L.B. in 1955, and M.Sc. in 1957, both B.Sc. and M.Sc. Degrees are in Geology.
2. I am the registered owner of mineral claims held under Almo Capital Corp.
3. I had practiced geology for more than forty years in Canada.
4. This report is based on assessment, government, and private reports listed in the references, and personal field examination.
5. I am a qualified person.
6. The assessment report has been prepared in conformity of Canadian mining industry practice.

Dated at Vancouver: December 27, 2010



Ram Vallabh
603 East 30th Avenue,
Vancouver, B.C.,
Canada V5V 2V7

Item 10 References

Cardinal, D. G. (1999). Geological Reconnaissance Report on Plat1-4 mineral claims Coquihalla gold belt, Sowaqua creek area, Hillsbar Gold Inc., Sechelt, B.C., Assessment Report 26,066

Cardinal, D. G. (2000). Geological Reconnaissance Survey on Plat Claim Group (Plat5 and 6), Hillsbar Gold Inc., Sechelt, B.C., Assessment Report 26,322

Cardinal, D. G. (1981). Geological Reconnaissance Assessment Report on Portion of Jessi 1 and Jessi 2, Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 9,766

Cochrane, D.R. (1980). Geochemical Assessment Report on Portion of the Jessi: Dwedney Group, Broken Hill Group and Serpentine Group, Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 8,533

Chamberlain, J.A. (1983). Geological Report of Coquihalla Nickel Property, Border Resources Ltd., Vancouver, B.C., Assessment Report 12,340

Howe, D.(1984). Assessment Report on a Soil Geochemical Sampling Survey and Orthophoto Survey on Jessi I and Jessi II Mineral Claim Groups, Columbian North Land Exploration Ltd. And Aquarius Resources Ltd., Vancouver, B.C., Assessment Report 13,086

Lennan, B., Cardinal, D. G. and Bradely, M (1996). An Assessment Report Summarizing the 1996 Program of Geological Mapping and Geochemical Sampling on the Hillsbar Property.

Ray, G.E. (1990). The Geology and Mineralization of the Coquihalla Gold Belt and Hozameen Fault System, South Western British Columbia: B.C. Ministry Of Energy, Mines, and Petroleum Resources, Bulletin 79.

Von Hahn, H.E.A. (1992). A Process for the Recovery of Nickel, Cobalt, Magnesia, Silica, Report to Border Resources Ltd., Vancouver B.C., Assessment Report 22,521

**APPENDIX
GEO-CHEMICAL RESULTS**



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Submitted By: Ram Vallabh
Receiving Lab: Canada-Vancouver
Received: December 02, 2010
Report Date: December 16, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN10006580.1

CLIENT JOB INFORMATION

Project: Hope South 2010
Shipment ID:
P.O. Number
Number of Samples: 18

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|---|--------------|---------------|-----|
| R200-250 | 18 | Crush, split and pulverize 250 g rock to 200 mesh | | | VAN |
| 1EX | 18 | 4 Acid digestion ICP-MS analysis | 0.25 | Completed | VAN |

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Almo Capital Corp.
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 16, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10006580.1

| Method | WGHT | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|---------|------|------|------|------|------|-----|------|-------|-------|------|-------|-----|------|------|------|-----|------|------|------|------|------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.2 | 1 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| 065915 | Rock | 1.70 | <0.1 | 41.2 | 14.0 | 141 | <0.1 | 65.2 | 40.8 | 1556 | 8.36 | <1 | <0.1 | <0.1 | 0.2 | 141 | 0.4 | 0.2 | <0.1 | 353 | 5.03 |
| 065916 | Rock | 1.36 | <0.1 | 15.2 | 9.3 | 151 | 0.9 | 2408 | 89.3 | 596 | 4.63 | 70 | <0.1 | <0.1 | <0.1 | <1 | 1.9 | 31.2 | 0.3 | 36 | 0.03 |
| 065917 | Rock | 2.85 | 0.1 | 9.4 | 0.8 | 283 | 0.2 | 2410 | 109.4 | 943 | 5.69 | 7 | <0.1 | <0.1 | <0.1 | <1 | 2.8 | 4.2 | <0.1 | 28 | 0.02 |
| 065918 | Rock | 1.77 | 0.2 | 6.6 | 0.9 | 190 | 0.3 | 2403 | 115.0 | 1387 | 5.89 | 7 | <0.1 | <0.1 | <0.1 | <1 | 1.1 | 4.5 | <0.1 | 53 | 0.14 |
| 065919 | Rock | 3.01 | <0.1 | 5.2 | 3.0 | 96 | <0.1 | 41.2 | 20.3 | 1559 | 6.55 | 158 | 0.3 | <0.1 | 0.4 | 184 | 0.2 | 7.7 | <0.1 | 152 | 6.42 |
| 065920 | Rock | 4.12 | 3.1 | 40.5 | 9.1 | 80 | 0.1 | 152.5 | 23.5 | 709 | 3.42 | 174 | 1.0 | <0.1 | 0.8 | 210 | 0.4 | 4.9 | 0.3 | 212 | 6.43 |
| 065921 | Rock | 2.90 | 1.3 | 8.9 | 9.2 | 28 | <0.1 | 5.8 | 5.2 | 372 | 2.36 | 2 | 2.2 | <0.1 | 10.5 | 284 | 0.1 | 0.5 | <0.1 | 44 | 1.65 |
| 065922 | Rock | 1.14 | 0.2 | 42.8 | 1.4 | 62 | <0.1 | 15.3 | 14.7 | 1515 | 7.88 | 8 | 0.1 | <0.1 | <0.1 | 250 | <0.1 | 7.4 | 0.2 | 380 | 6.25 |
| 065923 | Rock | 1.20 | 0.4 | 15.7 | 8.6 | 26 | <0.1 | 4.6 | 4.7 | 351 | 2.47 | 3 | 1.7 | <0.1 | 8.9 | 267 | <0.1 | 0.2 | 0.2 | 46 | 1.28 |
| 065924 | Rock | 2.81 | 0.4 | 15.1 | 10.5 | 36 | <0.1 | 1.4 | 4.9 | 562 | 2.40 | <1 | 2.3 | <0.1 | 9.4 | 322 | 0.2 | 0.2 | 0.2 | 48 | 2.05 |
| 065925 | Rock | 1.61 | <0.1 | 11.3 | 9.3 | 32 | <0.1 | 1.4 | 3.9 | 457 | 2.53 | 2 | 1.6 | <0.1 | 9.4 | 292 | <0.1 | 0.2 | <0.1 | 47 | 1.73 |
| 065926 | Rock | 1.50 | 0.6 | 10.6 | 9.1 | 29 | <0.1 | 5.7 | 4.9 | 489 | 2.19 | 1 | 3.0 | <0.1 | 11.0 | 302 | <0.1 | 0.2 | 0.2 | 45 | 1.81 |
| 065927 | Rock | 3.85 | 0.4 | 64.2 | 1.8 | 112 | 0.1 | 28.4 | 15.0 | 667 | 5.54 | <1 | 0.5 | <0.1 | 0.5 | 184 | 0.3 | 0.4 | <0.1 | 183 | 3.01 |
| 065928 | Rock | 1.08 | <0.1 | 21.7 | 29.3 | 163 | 0.1 | 2336 | 112.2 | 1074 | 5.97 | 1 | <0.1 | <0.1 | <0.1 | 2 | 0.5 | 0.9 | <0.1 | 51 | 0.04 |
| 065929 | Rock | 2.57 | 0.1 | 35.3 | 3.8 | 49 | <0.1 | 51.3 | 21.4 | 1622 | 7.63 | 4 | <0.1 | <0.1 | 0.1 | 299 | 0.1 | 0.7 | 0.3 | 423 | 4.76 |
| 065930 | Rock | 4.97 | <0.1 | 20.5 | 1.2 | 113 | 0.2 | 1894 | 116.9 | 1309 | 6.33 | 26 | <0.1 | <0.1 | <0.1 | <1 | 0.2 | 0.5 | <0.1 | 47 | 0.02 |
| 065931 | Rock | 1.06 | 2.4 | 52.4 | 4.0 | 41 | <0.1 | 68.0 | 48.9 | 1056 | 12.27 | 3 | <0.1 | <0.1 | 0.1 | 124 | 0.1 | 0.5 | 0.4 | 312 | 3.32 |
| 065932 | Rock | 1.41 | 3.5 | 50.9 | 6.5 | 39 | 0.2 | 12.9 | 3.2 | 241 | 1.75 | 6 | 1.9 | <0.1 | 3.2 | 24 | 0.2 | 0.9 | 0.2 | 112 | 0.09 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Hope South 2010

Report Date:

December 16, 2010

Page:

2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10006580.1

| Method | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|---------|-------|--------|------|------|-------|-------|-------|-------|-------|-------|------|------|-----|------|------|------|------|-----|-----|------|------|
| Analyte | P | La | Cr | Mg | Ba | Ti | Al | Na | K | W | Zr | Ce | Sn | Y | Nb | Ta | Be | Sc | Li | S | |
| Unit | % | ppm | ppm | % | ppm | % | % | % | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.001 | 0.1 | 1 | 0.01 | 1 | 0.001 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 1 | 0.1 | 0.1 | |
| 065915 | Rock | 0.059 | 3.4 | 71 | 3.77 | 84 | 0.992 | 7.85 | 4.220 | 0.24 | <0.1 | 66.0 | 11 | 0.8 | 36.0 | 1.4 | 0.1 | <1 | 39 | 32.0 | <0.1 |
| 065916 | Rock | <0.001 | 0.1 | 1283 | 23.76 | 4 | 0.006 | 0.51 | 0.005 | <0.01 | 2.5 | 0.1 | <1 | 0.8 | 1.2 | <0.1 | <0.1 | <1 | 9 | 2.3 | <0.1 |
| 065917 | Rock | <0.001 | 0.1 | 1388 | 24.28 | 1 | 0.013 | 0.64 | 0.005 | <0.01 | 1.7 | 1.8 | <1 | <0.1 | 0.6 | <0.1 | <0.1 | <1 | 5 | 0.8 | <0.1 |
| 065918 | Rock | <0.001 | <0.1 | 1650 | 23.65 | 2 | 0.009 | 0.85 | 0.002 | <0.01 | 2.4 | <0.1 | <1 | <0.1 | 0.6 | <0.1 | <0.1 | <1 | 11 | 0.9 | <0.1 |
| 065919 | Rock | 0.060 | 5.2 | 62 | 4.45 | 163 | 0.426 | 7.66 | 2.739 | 0.31 | 1.6 | 13.8 | 11 | 2.5 | 20.8 | 1.5 | 0.1 | <1 | 21 | 19.5 | <0.1 |
| 065920 | Rock | 0.042 | 4.6 | 269 | 4.60 | 160 | 0.471 | 8.52 | 2.277 | 0.49 | 1.2 | 49.6 | 13 | 0.8 | 22.3 | 2.4 | 0.2 | <1 | 29 | 10.9 | 0.3 |
| 065921 | Rock | 0.040 | 12.5 | 6 | 0.54 | 906 | 0.231 | 6.57 | 2.796 | 2.72 | 0.7 | 3.7 | 24 | 1.1 | 9.7 | 4.5 | 0.4 | 1 | 5 | 14.2 | <0.1 |
| 065922 | Rock | 0.066 | 6.1 | 44 | 4.30 | 52 | 1.067 | 8.12 | 3.250 | 0.11 | 4.7 | 59.7 | 16 | 1.9 | 32.6 | 1.6 | 0.1 | <1 | 41 | 1.7 | 0.1 |
| 065923 | Rock | 0.042 | 13.3 | 5 | 0.54 | 908 | 0.232 | 6.36 | 2.785 | 2.72 | 1.1 | 2.8 | 26 | 1.1 | 9.2 | 4.4 | 0.3 | <1 | 4 | 15.6 | <0.1 |
| 065924 | Rock | 0.046 | 14.4 | 10 | 0.58 | 876 | 0.239 | 7.62 | 2.989 | 2.46 | 0.6 | 5.1 | 30 | 0.8 | 12.4 | 4.1 | 0.3 | 1 | 5 | 12.0 | <0.1 |
| 065925 | Rock | 0.043 | 10.0 | 5 | 0.55 | 824 | 0.223 | 7.35 | 2.898 | 2.34 | 0.3 | 2.7 | 21 | 0.9 | 9.9 | 4.1 | 0.3 | <1 | 5 | 13.6 | <0.1 |
| 065926 | Rock | 0.041 | 15.1 | 5 | 0.51 | 842 | 0.216 | 7.46 | 2.893 | 2.52 | 1.0 | 5.3 | 30 | 0.9 | 10.8 | 4.5 | 0.4 | 1 | 5 | 11.2 | 0.2 |
| 065927 | Rock | 0.066 | 4.6 | 57 | 2.28 | 198 | 0.449 | 7.94 | 2.226 | 0.94 | 0.2 | 11.7 | 10 | 0.6 | 19.1 | 1.7 | <0.1 | <1 | 25 | 36.9 | <0.1 |
| 065928 | Rock | <0.001 | <0.1 | 1723 | 22.51 | 3 | 0.011 | 0.70 | 0.010 | <0.01 | 0.3 | <0.1 | <1 | <0.1 | 0.7 | <0.1 | <0.1 | <1 | 10 | 2.9 | <0.1 |
| 065929 | Rock | 0.065 | 4.3 | 93 | 3.57 | 31 | 1.117 | 8.31 | 3.612 | 0.13 | 0.2 | 26.8 | 15 | 1.8 | 41.7 | 1.5 | 0.1 | <1 | 38 | 5.4 | 0.6 |
| 065930 | Rock | 0.001 | <0.1 | 1312 | 27.48 | 5 | 0.007 | 0.51 | 0.019 | <0.01 | 3.6 | 0.5 | <1 | 0.4 | 0.4 | <0.1 | <0.1 | <1 | 10 | 4.1 | 0.3 |
| 065931 | Rock | 0.064 | 5.1 | 77 | 2.82 | 28 | 0.767 | 7.68 | 3.028 | 0.13 | 0.8 | 11.3 | 16 | 1.9 | 34.2 | 1.3 | <0.1 | <1 | 30 | 10.0 | 6.0 |
| 065932 | Rock | 0.052 | 9.0 | 34 | 0.76 | 307 | 0.196 | 3.98 | 0.957 | 1.41 | 0.6 | 19.3 | 20 | 1.3 | 6.4 | 3.7 | 0.3 | <1 | 10 | 18.4 | <0.1 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 16, 2010

Page: 2 of 2 **Part** 3

CERTIFICATE OF ANALYSIS VAN100069801

| Method | 1EX | 1EX |
|---------|------|-----------|
| Analyte | Rb | Hf |
| Unit | ppm | ppm |
| MDL | 0.1 | 0.1 |
| 065915 | Rock | 1.7 2.3 |
| 065916 | Rock | 0.3 <0.1 |
| 065917 | Rock | 0.3 <0.1 |
| 065918 | Rock | 0.3 <0.1 |
| 065919 | Rock | 4.5 0.6 |
| 065920 | Rock | 18.9 1.6 |
| 065921 | Rock | 68.6 0.1 |
| 065922 | Rock | 0.2 2.4 |
| 065923 | Rock | 71.9 <0.1 |
| 065924 | Rock | 61.8 0.2 |
| 065925 | Rock | 56.2 0.1 |
| 065926 | Rock | 73.6 0.2 |
| 065927 | Rock | 15.3 0.5 |
| 065928 | Rock | 0.4 <0.1 |
| 065929 | Rock | 1.7 1.1 |
| 065930 | Rock | 0.2 <0.1 |
| 065931 | Rock | 2.2 0.5 |
| 065932 | Rock | 54.0 0.5 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 16, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10006580.1

| Method | WGHT | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|------------------------|------------|-------|------|-------|------|-----|------|-------|-------|------|-------|-----|------|-------|------|------|------|------|------|------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.2 | 1 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 065922 | Rock | 1.14 | 0.2 | 42.8 | 1.4 | 62 | <0.1 | 15.3 | 14.7 | 1515 | 7.88 | 8 | 0.1 | <0.1 | <0.1 | 250 | <0.1 | 7.4 | 0.2 | 380 | 6.25 |
| REP 065922 | QC | | 0.3 | 41.9 | 1.3 | 62 | <0.1 | 16.0 | 14.7 | 1534 | 7.96 | 8 | 0.1 | <0.1 | <0.1 | 248 | <0.1 | 6.8 | 0.2 | 384 | 6.35 |
| 065926 | Rock | 1.50 | 0.6 | 10.6 | 9.1 | 29 | <0.1 | 5.7 | 4.9 | 489 | 2.19 | 1 | 3.0 | <0.1 | 11.0 | 302 | <0.1 | 0.2 | 0.2 | 45 | 1.81 |
| REP 065926 | QC | | 0.5 | 10.6 | 9.1 | 28 | <0.1 | 6.4 | 4.8 | 488 | 2.23 | 1 | 2.9 | <0.1 | 11.0 | 292 | <0.1 | 0.1 | 0.2 | 46 | 1.80 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 065921 | Rock | 2.90 | 1.3 | 8.9 | 9.2 | 28 | <0.1 | 5.8 | 5.2 | 372 | 2.36 | 2 | 2.2 | <0.1 | 10.5 | 284 | 0.1 | 0.5 | <0.1 | 44 | 1.65 |
| DUP 065921 | QC | | 1.2 | 17.1 | 9.3 | 28 | <0.1 | 5.9 | 4.6 | 366 | 2.37 | 2 | 2.2 | <0.1 | 11.0 | 273 | 0.2 | 0.3 | <0.1 | 45 | 1.66 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD OREAS24P | Standard | | 1.6 | 50.7 | 2.7 | 112 | <0.1 | 140.2 | 44.3 | 1143 | 7.50 | 1 | 0.7 | <0.1 | 3.2 | 379 | 0.1 | <0.1 | <0.1 | 165 | 5.97 |
| STD OREAS24P | Standard | | 1.6 | 48.5 | 2.6 | 112 | <0.1 | 138.9 | 45.8 | 1093 | 7.22 | 1 | 0.7 | <0.1 | 3.1 | 375 | 0.2 | <0.1 | <0.1 | 165 | 5.65 |
| STD OREAS45P | Standard | | 1.7 | 677.6 | 20.3 | 133 | 0.3 | 368.4 | 110.3 | 1233 | 17.19 | 10 | 2.1 | <0.1 | 10.1 | 31 | 0.1 | 0.7 | 0.2 | 240 | 0.26 |
| STD OREAS45P | Standard | | 2.3 | 743.6 | 22.8 | 143 | 0.4 | 378.2 | 121.3 | 1291 | 18.45 | 13 | 2.4 | <0.1 | 10.8 | 31 | 0.1 | 0.8 | 0.2 | 284 | 0.28 |
| STD OREAS24P Expected | | | 1.5 | 52 | 2.9 | 119 | 0.06 | 141 | 44 | 1100 | 7.53 | 1.2 | 0.75 | | 2.85 | 403 | 0.15 | 0.09 | | 158 | 5.83 |
| STD OREAS45P Expected | | | 2.1 | 749 | 22 | 141 | 0.32 | 385 | 120 | 1338 | 19.22 | 12 | 2.2 | 0.055 | 9.8 | 32.6 | 0.2 | 0.82 | 0.21 | 267 | 0.3 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.2 | <1 | <0.01 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | <0.01 | <0.1 | 11.3 | 20.3 | 53 | <0.1 | 3.7 | 4.7 | 775 | 2.33 | <1 | 3.5 | <0.1 | 9.2 | 757 | <0.1 | <0.1 | 0.1 | 51 | 2.46 |
| G1 | Prep Blank | <0.01 | <0.1 | 44.4 | 19.0 | 59 | <0.1 | 2.9 | 5.0 | 820 | 2.45 | <1 | 2.9 | <0.1 | 9.2 | 726 | <0.1 | <0.1 | 0.1 | 54 | 2.50 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 16, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT VAN10006580-1

| Method | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|------------------------|------------|--------|------|------|--------|-------|--------|-------|--------|-------|------|-------|------|------|------|------|------|-----|-----|------|------|
| Analyte | P | La | Cr | Mg | Ba | Ti | Al | Na | K | W | Zr | Ce | Sn | Y | Nb | Ta | Be | Sc | Li | S | |
| Unit | % | ppm | ppm | % | ppm | % | % | % | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.001 | 0.1 | 1 | 0.01 | 1 | 0.001 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 1 | 0.1 | 0.1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 065922 | Rock | 0.066 | 6.1 | 44 | 4.30 | 52 | 1.067 | 8.12 | 3.250 | 0.11 | 4.7 | 59.7 | 16 | 1.9 | 32.6 | 1.6 | 0.1 | <1 | 41 | 1.7 | 0.1 |
| REP 065922 | QC | 0.066 | 5.6 | 49 | 4.32 | 48 | 1.106 | 8.08 | 3.300 | 0.10 | 4.4 | 86.8 | 15 | 2.0 | 33.3 | 1.8 | 0.1 | <1 | 41 | 2.9 | 0.1 |
| 065926 | Rock | 0.041 | 15.1 | 5 | 0.51 | 842 | 0.216 | 7.46 | 2.893 | 2.52 | 1.0 | 5.3 | 30 | 0.9 | 10.8 | 4.5 | 0.4 | 1 | 5 | 11.2 | 0.2 |
| REP 065926 | QC | 0.041 | 14.1 | 5 | 0.52 | 816 | 0.215 | 7.55 | 2.946 | 2.33 | 1.2 | 5.6 | 29 | 1.1 | 10.8 | 4.5 | 0.4 | 1 | 5 | 10.4 | 0.1 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 065921 | Rock | 0.040 | 12.5 | 6 | 0.54 | 906 | 0.231 | 6.57 | 2.796 | 2.72 | 0.7 | 3.7 | 24 | 1.1 | 9.7 | 4.5 | 0.4 | 1 | 5 | 14.2 | <0.1 |
| DUP 065921 | QC | 0.039 | 15.6 | 8 | 0.54 | 932 | 0.239 | 6.45 | 2.855 | 2.67 | 0.7 | 4.0 | 29 | 1.2 | 9.0 | 4.5 | 0.4 | <1 | 5 | 13.6 | <0.1 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD OREAS24P | Standard | 0.137 | 18.4 | 192 | 4.14 | 275 | 1.067 | 8.04 | 2.385 | 0.70 | 0.3 | 141.3 | 39 | 1.6 | 23.7 | 19.7 | 1.2 | 1 | 20 | 8.2 | <0.1 |
| STD OREAS24P | Standard | 0.133 | 18.8 | 191 | 4.25 | 279 | 1.001 | 7.97 | 2.393 | 0.69 | 0.4 | 135.7 | 37 | 1.6 | 22.9 | 19.4 | 1.1 | 1 | 20 | 8.1 | <0.1 |
| STD OREAS45P | Standard | 0.042 | 23.2 | 1022 | 0.20 | 261 | 0.896 | 6.50 | 0.077 | 0.34 | 1.0 | 141.3 | 49 | 2.1 | 13.0 | 16.8 | 1.0 | <1 | 64 | 15.6 | <0.1 |
| STD OREAS45P | Standard | 0.047 | 23.6 | 1088 | 0.20 | 301 | 1.027 | 6.56 | 0.076 | 0.37 | 1.0 | 154.3 | 49 | 2.7 | 13.1 | 19.9 | 1.3 | 1 | 65 | 16.4 | <0.1 |
| STD OREAS24P Expected | | 0.136 | 17.4 | 196 | 4.13 | 285 | 1.1 | 7.66 | 2.34 | 0.7 | 0.5 | 141 | 37.6 | 1.6 | 21.3 | 21 | 1.04 | | 20 | 8.7 | |
| STD OREAS45P Expected | | 0.047 | 24.8 | 1089 | 0.1962 | 296 | 1.037 | 6.82 | 0.081 | 0.35 | 1.1 | 154 | 48.9 | 2.5 | 13 | 21.6 | 1.2 | | 67 | 14.7 | 0.03 |
| BLK | Blank | <0.001 | <0.1 | <1 | <0.01 | <1 | <0.001 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <0.1 | <1 | <1 | <0.1 | <0.1 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | 0.083 | 24.3 | 6 | 0.62 | 1070 | 0.250 | 8.32 | 2.813 | 2.81 | 0.2 | 10.5 | 54 | 1.3 | 15.5 | 24.5 | 1.4 | 3 | 5 | 41.0 | <0.1 |
| G1 | Prep Blank | 0.088 | 27.0 | 9 | 0.64 | 979 | 0.278 | 8.05 | 2.794 | 2.64 | 0.2 | 10.7 | 61 | 1.6 | 16.8 | 26.3 | 1.5 | 3 | 5 | 36.6 | <0.1 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Almo Capital Corp.
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010

Report Date: December 16, 2010

Page: 1 of 1 **Part** 3

QUALITY CONTROL REPORT VAN10006580.1

| Method | 1EX | 1EX |
|-------------------------------|------------|-----------|
| Analyte | Rb | Hf |
| Unit | ppm | ppm |
| MDL | 0.1 | 0.1 |
| Pulp Duplicates | | |
| 065922 | Rock | 0.2 2.4 |
| REP 065922 | QC | 0.2 2.4 |
| 065926 | Rock | 73.6 0.2 |
| REP 065926 | QC | 69.1 0.2 |
| Core Reject Duplicates | | |
| 065921 | Rock | 68.6 0.1 |
| DUP 065921 | QC | 67.3 0.2 |
| Reference Materials | | |
| STD OREAS24P | Standard | 23.2 3.6 |
| STD OREAS24P | Standard | 20.2 3.4 |
| STD OREAS45P | Standard | 23.4 3.6 |
| STD OREAS45P | Standard | 19.5 3.9 |
| STD OREAS24P Expected | | 22.4 3.6 |
| STD OREAS45P Expected | | 24.6 4.12 |
| BLK | Blank | <0.1 <0.1 |
| Prep Wash | | |
| G1 | Prep Blank | 125.3 0.6 |
| G1 | Prep Blank | 114.0 0.6 |



Acme Labs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Almo Capital Corp.
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Submitted By: Ram Vallabh
Receiving Lab: Canada-Vancouver
Received: December 02, 2010
Report Date: December 21, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN10006579.1

CLIENT JOB INFORMATION

Project: Hope South 2010
Shipment ID:
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|-----------------------------------|--------------|---------------|-----|
| SS80 | 17 | Dry at 60C sieve 100g to -80 mesh | | | VAN |
| Dry at 60C | 17 | Dry at 60C | | | VAN |
| 1EX | 17 | 4 Acid digestion ICP-MS analysis | 0.25 | Completed | VAN |
| RJSV | 17 | Saving all or part of Soil Reject | | | VAN |

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Almo Capital Corp.
603 E. 30th Ave
Vancouver BC V5V 2V7
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Almo Capital Corp.**
 603 E. 30th Ave
 Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
 Report Date: December 21, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS VAN10006579.1

| Method | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|---------|------|------|-------|------|-----|------|-------|-------|------|-------|-----|-----|------|-----|-----|-----|-----|------|------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.2 | 1 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.001 | |
| 065951 | Soil | 0.9 | 24.8 | 7.4 | 91 | 0.2 | 671.8 | 36.8 | 1237 | 4.42 | 37 | 1.0 | <0.1 | 2.0 | 302 | 0.7 | 2.0 | 0.2 | 134 | 1.68 | 0.024 |
| 065952 | Soil | 0.7 | 13.8 | 5.7 | 94 | <0.1 | 697.9 | 42.5 | 625 | 3.96 | 55 | 1.3 | <0.1 | 2.0 | 243 | 0.4 | 3.6 | <0.1 | 117 | 1.88 | 0.034 |
| 065953 | Soil | 1.0 | 76.6 | 25.3 | 166 | 0.4 | 1665 | 73.2 | 1144 | 5.77 | 71 | 1.4 | <0.1 | 3.5 | 247 | 1.6 | 2.7 | 0.3 | 128 | 1.83 | 0.048 |
| 065954 | Soil | 15.3 | 278.4 | 21.6 | 227 | 0.4 | 1028 | 112.2 | 1593 | 8.69 | 62 | 3.9 | <0.1 | 4.8 | 160 | 1.0 | 3.0 | 2.2 | 174 | 1.55 | 0.100 |
| 065955 | Soil | 6.0 | 66.8 | 13.0 | 147 | 0.4 | 484.6 | 56.7 | 683 | 6.45 | 32 | 1.3 | <0.1 | 2.7 | 169 | 0.4 | 1.7 | 0.6 | 135 | 1.30 | 0.067 |
| 065956 | Soil | 14.5 | 107.0 | 14.5 | 152 | 0.7 | 475.2 | 62.7 | 847 | 7.27 | 36 | 2.0 | <0.1 | 4.1 | 159 | 0.7 | 1.7 | 0.9 | 153 | 1.32 | 0.081 |
| 065957 | Soil | 8.8 | 54.2 | 15.8 | 139 | 0.6 | 467.6 | 41.1 | 524 | 6.33 | 33 | 2.9 | <0.1 | 5.5 | 136 | 0.7 | 1.6 | 0.7 | 123 | 1.01 | 0.083 |
| 065958 | Soil | 6.7 | 38.3 | 16.1 | 123 | 0.3 | 266.0 | 26.6 | 465 | 6.29 | 25 | 2.6 | <0.1 | 7.6 | 139 | 0.3 | 1.5 | 0.9 | 118 | 0.72 | 0.101 |
| 065959 | Soil | 16.1 | 97.1 | 11.5 | 102 | 0.2 | 403.6 | 24.0 | 828 | 7.65 | 33 | 1.1 | <0.1 | 1.7 | 258 | 0.4 | 1.4 | 1.5 | 228 | 2.06 | 0.111 |
| 065960 | Soil | 66.4 | 192.6 | 20.0 | 164 | 0.4 | 1197 | 25.6 | 972 | 20.65 | 122 | 4.2 | <0.1 | 3.1 | 68 | 0.6 | 5.7 | 9.1 | 205 | 1.02 | 0.199 |
| 065961 | Soil | 1.2 | 28.3 | 12.2 | 119 | <0.1 | 659.8 | 53.1 | 1115 | 4.96 | 24 | 1.2 | <0.1 | 3.4 | 267 | 0.5 | 2.3 | 0.2 | 145 | 1.51 | 0.051 |
| 065962 | Soil | 2.0 | 29.4 | 9.2 | 90 | <0.1 | 385.2 | 30.2 | 851 | 4.32 | 19 | 1.1 | <0.1 | 3.0 | 283 | 0.3 | 2.0 | 0.2 | 134 | 1.59 | 0.053 |
| 065963 | Soil | 3.1 | 43.0 | 13.1 | 117 | 0.2 | 574.1 | 33.6 | 735 | 4.01 | 17 | 1.4 | <0.1 | 3.9 | 264 | 0.5 | 1.2 | 0.3 | 125 | 1.29 | 0.050 |
| 065964 | Soil | 2.1 | 30.6 | 13.4 | 96 | 0.1 | 319.5 | 31.3 | 649 | 5.71 | 24 | 1.4 | <0.1 | 3.9 | 228 | 0.6 | 1.5 | 0.3 | 143 | 0.96 | 0.067 |
| 065965 | Soil | 1.2 | 26.8 | 11.5 | 97 | 0.1 | 531.4 | 64.5 | 1026 | 6.23 | 26 | 1.3 | <0.1 | 3.7 | 233 | 0.5 | 1.4 | 0.3 | 153 | 1.31 | 0.065 |
| 065966 | Soil | 1.5 | 34.9 | 11.2 | 107 | 0.1 | 832.2 | 86.4 | 1147 | 7.49 | 38 | 1.1 | <0.1 | 2.6 | 178 | 0.5 | 2.3 | 0.5 | 150 | 1.21 | 0.080 |
| 065967 | Soil | 6.8 | 147.6 | 15.0 | 269 | 0.3 | 172.3 | 59.9 | 2216 | 7.28 | 68 | 2.8 | <0.1 | 5.4 | 151 | 0.7 | 3.1 | 0.2 | 266 | 1.30 | 0.094 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Hope South 2010

Report Date:

December 21, 2010

Page:

2 of 2

Part 2

CERTIFICATE OF ANALYSIS

VAN10006579.1

| Method | Analyte | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | |
|--------|---------|------|------|------|-----|-------|------|-------|------|-----|------|-----|-----|------|------|------|-----|-----|------|------|------|
| | | La | Cr | Mg | Ba | Ti | Al | Na | K | W | Zr | Ce | Sn | Y | Nb | Ta | Be | Sc | Li | S | Rb |
| Unit | | ppm | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | |
| MDL | | 0.1 | 1 | 0.01 | 1 | 0.001 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 1 | 0.1 | 0.1 | 0.1 | |
| 065951 | Soil | 9.9 | 497 | 3.74 | 601 | 0.525 | 7.76 | 2.395 | 1.10 | 2.0 | 45.9 | 19 | 1.1 | 13.9 | 4.9 | 0.3 | <1 | 15 | 32.8 | <0.1 | 23.8 |
| 065952 | Soil | 11.4 | 1066 | 7.45 | 349 | 0.415 | 6.25 | 1.886 | 0.69 | 1.9 | 36.0 | 23 | 0.9 | 14.4 | 4.1 | 0.2 | <1 | 14 | 23.0 | <0.1 | 26.2 |
| 065953 | Soil | 13.9 | 794 | 5.19 | 450 | 0.487 | 8.29 | 1.716 | 0.83 | 2.6 | 86.4 | 37 | 1.3 | 17.4 | 6.1 | 0.3 | 1 | 16 | 39.4 | <0.1 | 39.2 |
| 065954 | Soil | 13.0 | 846 | 4.23 | 395 | 0.379 | 7.71 | 1.481 | 0.75 | 8.5 | 27.3 | 60 | 1.2 | 19.4 | 3.9 | 0.2 | <1 | 16 | 33.4 | <0.1 | 25.6 |
| 065955 | Soil | 10.3 | 795 | 3.40 | 374 | 0.405 | 7.60 | 1.607 | 0.70 | 4.8 | 26.5 | 23 | 1.5 | 9.2 | 4.2 | 0.2 | <1 | 12 | 31.6 | <0.1 | 12.4 |
| 065956 | Soil | 11.5 | 674 | 3.62 | 389 | 0.446 | 7.51 | 1.556 | 0.77 | 6.5 | 25.7 | 24 | 1.4 | 11.5 | 4.5 | 0.3 | 1 | 13 | 30.8 | <0.1 | 16.2 |
| 065957 | Soil | 10.2 | 709 | 2.71 | 341 | 0.350 | 8.36 | 1.341 | 0.68 | 4.2 | 30.7 | 21 | 1.1 | 10.6 | 4.0 | 0.3 | <1 | 11 | 36.4 | <0.1 | 20.5 |
| 065958 | Soil | 10.8 | 435 | 2.13 | 429 | 0.396 | 6.72 | 1.571 | 1.04 | 3.7 | 36.9 | 25 | 1.8 | 9.2 | 4.9 | 0.4 | 2 | 8 | 27.4 | <0.1 | 24.3 |
| 065959 | Soil | 8.0 | 56 | 1.15 | 747 | 0.294 | 6.91 | 2.578 | 1.03 | 2.6 | 6.8 | 22 | 0.8 | 19.9 | 1.2 | <0.1 | 1 | 18 | 20.8 | <0.1 | 20.7 |
| 065960 | Soil | 11.9 | 83 | 0.84 | 134 | 0.207 | 5.76 | 0.220 | 0.18 | 5.6 | 13.6 | 45 | 2.8 | 26.5 | 1.7 | <0.1 | <1 | 12 | 21.8 | <0.1 | 11.2 |
| 065961 | Soil | 15.2 | 504 | 4.12 | 465 | 0.500 | 7.33 | 2.173 | 0.91 | 1.5 | 43.7 | 32 | 1.3 | 14.0 | 5.1 | 0.3 | <1 | 14 | 30.0 | <0.1 | 34.1 |
| 065962 | Soil | 14.7 | 400 | 3.45 | 461 | 0.471 | 7.12 | 2.385 | 0.95 | 1.4 | 40.8 | 29 | 1.0 | 14.2 | 5.0 | 0.3 | <1 | 14 | 27.9 | <0.1 | 28.1 |
| 065963 | Soil | 17.1 | 248 | 1.81 | 475 | 0.532 | 6.60 | 2.037 | 1.09 | 1.5 | 57.8 | 32 | 1.7 | 11.4 | 7.1 | 0.4 | <1 | 12 | 34.1 | <0.1 | 38.1 |
| 065964 | Soil | 16.8 | 620 | 1.41 | 437 | 0.590 | 6.21 | 1.919 | 0.94 | 1.6 | 61.0 | 34 | 1.5 | 11.7 | 6.6 | 0.4 | 1 | 11 | 35.3 | <0.1 | 33.4 |
| 065965 | Soil | 16.5 | 578 | 4.01 | 424 | 0.550 | 6.89 | 1.871 | 0.85 | 1.6 | 56.8 | 33 | 1.5 | 12.8 | 6.5 | 0.4 | <1 | 12 | 29.1 | <0.1 | 36.1 |
| 065966 | Soil | 11.4 | 797 | 6.04 | 339 | 0.466 | 6.40 | 1.563 | 0.63 | 2.0 | 61.4 | 25 | 1.2 | 13.8 | 3.9 | 0.2 | <1 | 14 | 26.2 | <0.1 | 26.3 |
| 065967 | Soil | 24.0 | 387 | 3.82 | 590 | 0.898 | 8.05 | 1.537 | 1.38 | 1.9 | 89.0 | 53 | 2.1 | 22.2 | 14.6 | 0.8 | 2 | 24 | 56.4 | <0.1 | 64.1 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Hope South 2010

Report Date:

December 21, 2010

Page:

2 of 2

Part 3

CERTIFICATE OF ANALYSIS

VAN10006579.1

| | Method | 1EX |
|--------|---------|-----|
| | Analyte | Hf |
| | Unit | ppm |
| | MDL | 0.1 |
| 065951 | Soil | 1.4 |
| 065952 | Soil | 1.3 |
| 065953 | Soil | 2.1 |
| 065954 | Soil | 0.8 |
| 065955 | Soil | 0.8 |
| 065956 | Soil | 0.8 |
| 065957 | Soil | 0.9 |
| 065958 | Soil | 1.1 |
| 065959 | Soil | 0.2 |
| 065960 | Soil | 0.3 |
| 065961 | Soil | 1.5 |
| 065962 | Soil | 1.2 |
| 065963 | Soil | 1.6 |
| 065964 | Soil | 1.8 |
| 065965 | Soil | 1.5 |
| 065966 | Soil | 1.7 |
| 065967 | Soil | 2.3 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Almo Capital Corp.

603 E. 30th Ave

Vancouver BC V5V 2V7 Canada

Project:

Hope South 2010

Report Date:

December 21, 2010

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

VAN10006579.1

| Method | Analyte | Unit | MDL | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | 1EX | | | |
|-----------------------|----------|------|-----|------|------|------|-------|------|-------|------|------|-------|-----|------|------|------|-----|------|------|------|-----|-------|--------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.2 | 1 | 0.01 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.001 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | | | |
| 065951 | Soil | | | 0.9 | 24.8 | 7.4 | 91 | 0.2 | 671.8 | 36.8 | 1237 | 4.42 | 37 | 1.0 | <0.1 | 2.0 | 302 | 0.7 | 2.0 | 0.2 | 134 | 1.68 | 0.024 |
| REP 065951 | QC | | | 1.1 | 27.1 | 8.5 | 93 | 0.2 | 734.7 | 38.4 | 1330 | 4.68 | 40 | 1.3 | <0.1 | 2.6 | 323 | 0.7 | 2.2 | 0.2 | 151 | 1.79 | 0.026 |
| 065965 | Soil | | | 1.2 | 26.8 | 11.5 | 97 | 0.1 | 531.4 | 64.5 | 1026 | 6.23 | 26 | 1.3 | <0.1 | 3.7 | 233 | 0.5 | 1.4 | 0.3 | 153 | 1.31 | 0.065 |
| REP 065965 | QC | | | 1.4 | 25.9 | 11.4 | 102 | <0.1 | 542.3 | 65.0 | 1046 | 6.35 | 26 | 2.8 | <0.1 | 4.0 | 235 | 0.3 | 1.7 | 0.4 | 159 | 1.36 | 0.066 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | | | |
| STD OREAS24P | Standard | | | 1.8 | 51.9 | 3.4 | 118 | <0.1 | 156.7 | 49.0 | 1132 | 7.87 | 2 | 0.7 | <0.1 | 3.2 | 404 | 0.2 | <0.1 | <0.1 | 175 | 6.02 | 0.145 |
| STD OREAS24P | Standard | | | 1.5 | 49.8 | 2.9 | 127 | <0.1 | 150.8 | 46.8 | 1115 | 7.84 | 1 | 0.7 | <0.1 | 3.0 | 386 | 0.2 | <0.1 | <0.1 | 167 | 5.97 | 0.140 |
| STD OREAS24P | Standard | | | 1.7 | 54.9 | 3.1 | 124 | <0.1 | 159.9 | 50.5 | 1216 | 8.41 | 2 | 0.8 | <0.1 | 3.3 | 416 | 0.1 | 0.1 | <0.1 | 181 | 6.42 | 0.145 |
| STD OREAS24P | Standard | | | 1.8 | 54.9 | 2.9 | 119 | <0.1 | 158.5 | 49.7 | 1191 | 8.26 | 2 | 0.8 | <0.1 | 3.4 | 400 | <0.1 | <0.1 | <0.1 | 179 | 6.17 | 0.144 |
| STD OREAS24P Expected | | | | 1.5 | 52 | 2.9 | 118.9 | 0.06 | 141 | 44 | 1100 | 7.53 | 1.2 | 0.75 | | 2.85 | 403 | 0.15 | 0.09 | | 158 | 5.83 | 0.136 |
| BLK | Blank | | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.2 | <1 | <0.01 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.001 |
| BLK | Blank | | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.2 | <1 | <0.01 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.001 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Almo Capital Corp.**
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 21, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10006579.1

| Method | Analyte | Unit | MDL | 1EX La | 1EX Cr | 1EX Mg | 1EX Ba | 1EX Ti | 1EX Al | 1EX Na | 1EX K | 1EX W | 1EX Zr | 1EX Ce | 1EX Sn | 1EX Y | 1EX Nb | 1EX Ta | 1EX Be | 1EX Sc | 1EX Li | 1EX S | 1EX Rb |
|-----------------------|----------|------|-----|--------|--------|--------|--------|--------|--------|--------|-------|-------|--------|--------|--------|-------|--------|--------|--------|--------|--------|-------|--------|
| | | | | ppm | ppm | % | ppm | % | % | % | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | | | 0.1 | 1 | 0.01 | 1 | 0.001 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 1 | 1 | 0.1 | 0.1 | 0.1 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | | | |
| 065951 | Soil | | | 9.9 | 497 | 3.74 | 601 | 0.525 | 7.76 | 2.395 | 1.10 | 2.0 | 45.9 | 19 | 1.1 | 13.9 | 4.9 | 0.3 | <1 | 15 | 32.8 | <0.1 | 23.8 |
| REP 065951 | QC | | | 11.0 | 543 | 4.11 | 640 | 0.559 | 8.49 | 2.541 | 1.22 | 1.9 | 57.2 | 22 | 1.2 | 16.8 | 5.4 | 0.3 | <1 | 17 | 38.4 | <0.1 | 38.8 |
| 065965 | Soil | | | 16.5 | 578 | 4.01 | 424 | 0.550 | 6.89 | 1.871 | 0.85 | 1.6 | 56.8 | 33 | 1.5 | 12.8 | 6.5 | 0.4 | <1 | 12 | 29.1 | <0.1 | 36.1 |
| REP 065965 | QC | | | 18.1 | 669 | 4.12 | 412 | 0.559 | 6.85 | 1.873 | 0.85 | 1.7 | 57.0 | 35 | 1.6 | 13.6 | 6.4 | 0.4 | <1 | 12 | 26.2 | <0.1 | 33.9 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | | | |
| STD OREAS24P | Standard | | | 20.6 | 209 | 4.25 | 292 | 1.115 | 8.30 | 2.471 | 0.74 | 0.5 | 142.3 | 41 | 1.7 | 24.0 | 23.7 | 1.1 | <1 | 19 | 9.3 | <0.1 | 27.0 |
| STD OREAS24P | Standard | | | 20.8 | 206 | 4.15 | 292 | 1.105 | 8.07 | 2.367 | 0.71 | 0.5 | 137.5 | 40 | 1.9 | 23.9 | 24.1 | 1.2 | <1 | 18 | 7.5 | <0.1 | 26.4 |
| STD OREAS24P | Standard | | | 21.2 | 222 | 4.45 | 310 | 1.177 | 8.21 | 2.619 | 0.74 | 0.5 | 148.4 | 41 | 1.9 | 25.3 | 20.8 | 1.2 | 1 | 19 | 9.0 | <0.1 | 24.8 |
| STD OREAS24P | Standard | | | 21.1 | 219 | 4.33 | 303 | 1.171 | 8.16 | 2.509 | 0.74 | 0.4 | 149.0 | 41 | 2.0 | 24.8 | 20.3 | 1.2 | <1 | 19 | 9.4 | <0.1 | 23.7 |
| STD OREAS24P Expected | | | | 17.4 | 196 | 4.13 | 285 | 1.1 | 7.66 | 2.34 | 0.7 | 0.5 | 141 | 37.6 | 1.6 | 21.3 | 21 | 1.04 | | 20 | 8.7 | | 22.4 |
| BLK | Blank | | | <0.1 | <1 | <0.01 | <1 | <0.001 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <0.1 | <1 | <1 | <0.1 | <0.1 | <0.1 |
| BLK | Blank | | | <0.1 | <1 | <0.01 | <1 | <0.001 | <0.01 | <0.001 | <0.01 | <0.1 | 0.5 | <1 | <0.1 | <0.1 | <0.1 | <0.1 | <1 | <1 | <0.1 | <0.1 | <0.1 |



AcmeLabs

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Almo Capital Corp.
603 E. 30th Ave
Vancouver BC V5V 2V7 Canada

Project: Hope South 2010
Report Date: December 21, 2010

Page: 1 of 1 Part 3

QUALITY CONTROL REPORT VAN10006579

| Method | 1EX |
|----------------------------|--------------|
| Analyte | Hf |
| Unit | ppm |
| MDL | 0.1 |
| Pulp Duplicates | |
| 065951 | Soil 1.4 |
| REP 065951 | QC 1.4 |
| 065965 | Soil 1.5 |
| REP 065965 | QC 1.6 |
| Reference Materials | |
| STD OREAS24P | Standard 3.6 |
| STD OREAS24P | Standard 3.5 |
| STD OREAS24P | Standard 3.6 |
| STD OREAS24P | Standard 3.8 |
| STD OREAS24P Expected | 3.6 |
| BLK | Blank <0.1 |
| BLK | Blank <0.1 |