




Ministry of Energy, Mines & Petroleum Resources  
Mining & Minerals Division  
BC Geological Survey



Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical Assessment Report

TOTAL COST: \$1670.00

AUTHOR(S): Le Baron Prospecting - Scott Phillips

SIGNATURE(S): *Scott Phillips*


NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): \_\_\_\_\_

YEAR OF WORK: 2009

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): Event # 4370908

PROPERTY NAME: Copper Canyon Project

CLAIM NAME(S) (on which the work was done): Tenure # 543042, #543043, # 601627(cash in lie)



COMMODITIES SOUGHT: Cu

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: \_\_\_\_\_

MINING DIVISION: Victoria

NTS/BCGS: \_\_\_\_\_

LATITUDE: 48 ° 52 ' 23 " LONGITUDE: 123 ° 50 ' 3 " (at centre of work)

OWNER(S):

- 1) Scott Phillips 2) \_\_\_\_\_
- Robert Morris

MAILING ADDRESS:

Scott - 9298 chestnut rd Chemainus BC V0R-1K5

Robert - 3006 Mt Sicker Rd Chemainus BC V0R-3C0

OPERATOR(S) [who paid for the work]:

- 1) Scott - 9298 chestnut rd Chemainus BC V0R-1K5 2) \_\_\_\_\_

MAILING ADDRESS:

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Wrangella, Paleozoic, Sicker Group of volcanics, Cowichan Uplift, interbedded tuffs, volcanics, massive sulfides, greenschists

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: ARIS Le Baron #29,537 (2008)

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

51,895

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (Incl. support)
<b>GEOLOGICAL (scale, area)</b>			
Ground, mapping		543042, 543043, 601627	
Photo interpretation	10 photos		
<b>GEOPHYSICAL (line-kilometres)</b>			
<b>Ground</b>			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
<b>Airborne</b>			
<b>GEOCHEMICAL (number of samples analysed for...)</b>			
Soil			
Silt			
Rock	5 rock chip for analysis at ALS Labratory	Certificate # VA10050311	
Other			
<b>DRILLING (total metres; number of holes, size)</b>			
Core			
Non-core			
<b>RELATED TECHNICAL</b>			
Sampling/assaying	13 rock chip samples obtained	1 stream sediment sample	
Petrographic		1 - 5 gallon bucket of classified materai	
Mineralographic		sluice box, concentrates, fine Au	
Metallurgic			
<b>PROSPECTING (scale, area)</b>			
<b>PREPARATORY / PHYSICAL</b>			
Line/grid	(kilometres)		
Topographic/Photogrammetric	(scale, area)		
Legal surveys	(scale, area)		
Road, local access	(kilometres)/trail		
Trench	(metres)		
Underground dev.	(metres)		
Other	Location and documentation of historic adits	information is confidential	
		<b>TOTAL COST:</b>	<b>\$1670.00</b>



Le Baron Prospecting  
Port Renfrew, BC

## Geochemical Assessment Report

Le Baron Prospecting  
Copper Canyon Fractions  
Tenures:  
#543042, #543043  
Vancouver Island, British Columbia  
48 degrees x 52' x 23" N x 123 degrees x 50' x 3" W

BC Geological Survey  
Assessment Report  
31895

Victoria Mining Division  
NTS: 092B081



Mount Brenton Mine Shaft

Owners  
Scott Phillips / Bob Morris  
Le Baron Prospecting  
16977 Tsonaquay Dr  
Port Renfrew BC  
V0S-1K0  
Author: Scott Phillips

Date: January 08, 2010



**Table of Contents**

**Cover..... 1**

**Table of contents..... 2**

**Summary, location, geological description..... 3**

**Tenure Geology, area history, present exploration..... 4**

**Tenure ownership, author.....5**

**Technical information.....Appendix A**

**Technical information, sampling.....6 to 8**

**Mapping (1-5,000) .....Figure maps C to D**

**ALS Information..... 9 to 10**

**Certificate of analysis..... Appendix B**

**Statement of Expenditures..... 11**

**Photos .....12**

**MTO Transaction Event .....13**





**Le Baron Prospecting  
Port Renfrew, BC**

### **Summary**

These fraction tenures have been staked and surveyed by Le Baron Prospecting of Port Renfrew, BC. These fractions, though not huge by any means, are "key" pieces of Laramide Resources Ltd, the Lara project on south eastern Vancouver Island. These fraction tenures are important as historic mining has occurred here and will some day start again. Laramide Resources has spent considerable amount of time and money rediscovering the huge deposit of copper, zinc, and gold in the area. Historic crown grant leases surround these fractions as well as a discovered exploration drift near by.

### **Property Description / Location**

These fraction tenures are located on the southern tip of Vancouver Island, roughly 70 Kilometers north of Victoria, B.C. The tenures are located 12 kilometers east of Chemainus or 15 Kilometers northwest of Duncan which are both on Hwy. 1 which runs from Victoria to Nanaimo at Latitude 48 52' 30" North and 123 52' West on NTS sheet 92 B/13W.

The area has good access from Chemainus, with a number of well developed secondary logging roads to many areas of the property. MacMillan Bloedel's Chemainus River Trunk Road can be accessed west from Chemainus to the property whereupon one takes a number of secondary logging roads at Mile 10, Mile 12, and C-7 to the power line service road to reach the fraction tenures. The use of quad or 4 X 4 vehicles due to the steep grades and rough terrain is recommended.

The topography is gentle to steep where creeks have deeply incised the terrain. A major B.C. power line transects the western side of the area in a northwest direction and road access is maintained along its right of way for repair crews. There are two mountains in the area, the Coronation Mountains which include both Mount Brenton and Mount Hall. These range in elevation from 500 to 1000 meters above sea level. Much of the area has been logged by clear cutting methods over the past forty years with present vegetation consisting of secondary growth of spruce, balsam, fir and cedar with thick undergrowth cover.

### **Geological Description**

Vancouver Island is underlain by a diverse assemblage of geological units and lithologies which in most part belong to Wrangellia which was accreted to the continental margin of North America during the Cretaceous period (Muller and Jones, 1977).

The Paleozoic Sicker Group of volcanics and sedimentary rocks are the oldest within this package and lies within discrete structural uplift episodes known as the Cowichan-Horne Lake, Buttle Lake, Tofino and Nanoose. The property lies within the southeastern most portion of the Cowichan-Horne Lake uplift.

These fraction tenures are underlain by late Paleozoic Sicker Group volcanic rocks which include interbedded tuffaceous, carbonaceous and volcanoclastic sedimentary rocks which have been strongly deformed and regionally metamorphosed into green schist



**Le Baron Prospecting  
Port Renfrew, BC**

### **Tenure Geology**

The geology of these fraction tenures and historic information has identified a number of mineralized trends and massive sulphide zones which need to be further explored for their potential. These zones bear a close similarity to Westmin's Buttle Lake deposit and the former Mt. Sicker mine to the south. Historic mine shafts, and exploration drifts are in the area.

### **Historic Information**

The Mount Sicker area owes its development to the fact that in 1897 a forest fire and subsequent rains swept bare the hill side, disclosing a gossan outcrop which proved to be the surface exposure of the Lenora and Tyee south ore bodies. During that year separate interests began surface and underground work on each claim.

### **Historic Time Line**

#### **Lenora Mine:**

1889 discovery and the first drifts were started.

1900 – 1902 first ore was shipped via railroad to the smelter at Crofton

1903 – 1927 the mine was started and stopped production several times, finally closing in 1929.

#### **Tyee Mine:**

1897 – 1902 first drifts, adits, minor production 8%-13% copper was discovered.

1902 – 1907 major production of high grade copper ore.

1907 – 1928 the mine was started and stopped many times and finally closed in 1928.

#### **Total Lenora and Tyee production:**

1889 – 1929 = 10,132,881 tons of high grade copper grading 8% - 13%

1889 – 1929 = 39,052 oz of Au.

### **Present Area Exploration**

Laramide Resources LTD. Is a Toronto based exploration company with assets all over North America. From 1981 – 2007 they have spent millions of dollars in exploration in the Lara Property, a 4000 hectare project in which these fraction tenures reside. Diamond drilling and trenching, aeromagnetic surveys and geochemical analysis. Crown grant lease tenures exist from the turn of the century to present all around these fraction tenures. Work continues to this day on this area, and hopefully one day again production will resume.



**Le Baron Prospecting  
Port Renfrew, BC**

**Project Information / Technical Information**

Note: this has been some of the most extreme topographic conditions I have ever surveyed, almost near vertical conditions, extreme care must be used when conducting exploration within these tenures.


**Tenure Ownership**

This tenure is jointly owned by Mr. Robert Morris (FMC #118959) and Mr. Scott Phillips (FMC #145817) in a 50 / 50 joint ownership.

Tenure No.	Claim Name	Owner	Map No.	Good to date	Status	Area Ha.
543042	Copper	118959	092B081	2011/10/11	Good	42 Ha
543043	Canyon	145817		2011/10/11	Good	42 Ha
601627				2010/11/10	Good	25 Ha

**Author**

- Scott Phillips [FMC # 145817]
- Owner of Le Baron Prospecting, Port Renfrew BC.
- Many years experience prospecting the Port Renfrew area.
- Member in good standing with VIPMA. [Vancouver Island Placer Miners Assn].
- Member of VIX [Vancouver Island Exploration Group]
- Owns several mineral and placer tenures within the Port Renfrew Area.
- Author of many prospecting reports accepted within the Ministry standards.
- Is presently studying the formation of Wrangell, West Coast Crystalline Complex and the Leech River Complex.

Author , Date 01-10-2010  
 Amended \_\_\_\_\_, Date 04-15-2011

**Author Disclaimer**

- I, Scott Phillips have a valued interest (50% ownership) in the tenures that are mentioned in this report.
- I consent to the use of the material within this prospecting report to further enhance the exploration and development of the subject tenure(s).
- This report is correct in the information within and any use of this information to a second or third party is the responsibilities of those parties.





**Le Baron Prospecting  
Port Renfrew, BC**

## **Appendix A**

### **The Copper Canyon Fractions**

**Exploration Work**

**Technical Information**

### **Mount Brenton Forest Service Rd**

**Rock chip sampling**

**See Figure Map C, D  
1-5,000**


# Le Baron Fractions - Copper Canyon Project



## Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion

Scale: 1:15,000



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Tenure location  
 # 543042, # 543043  
 #601627 - Cash in lue of work



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information  
Rock Chip Sampling  
Site A, B, C  
See Figure Map C to D**

**Sample Site A**  
GPS location: 438697 x 5413789

**Overview**  
This is an old overgrown road which goes down to an old rock quarry. Nearby is another old rock quarry, which back in 1970 was used for road ballast. Several large boulders are present and several out crops of green schist of the Buttle Formation  
Several old trenches can be found in the area, these trenches were part of an exploration program conducted by Esso Mineral Canada (1978). Esso Minerals also diamond drilling conducted in the area at the same time. (no DDH'S were found)

**Site B**

**Sample A – rock chip**  
GPS - 348573 x 5413876  
Description: Green schist, minor pyrite in fresh broken edge of sample.

**Sample B – rock chip**  
GPS – 438590 x 5413856  
Description: quartz – green schist alteration

**Sample C – rock chip**  
GPS – 438635 x 5413828  
Description: sulfide, chalcopyrite

**Sample D – rock chip**  
GPS – 438611 x 5413810  
Description: Gabbro – dark grey, fine grained

**Sample E – rock chip**  
GPS – 438576 x 5413507  
Description: schist, thin laminations of Mg

**Sample F – rock chip – ALS # E687391**  
GPS – 438544 x 5413800  
Description: massive pyrite in schist

**Sample G – rock chip – ALS # E687392**  
GPS – 438518 x 5413805  
Description: pyrite in schist

**Sample H – rock chip**  
GPS – 438484 x 5413811  
Description: pyrite in schist



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information - continued**  
**Rock Chip Sampling**  
**Site A, B, C**  
**See Figure Map C to D**

Site B - continued  
Sample I – rock chip  
GPS – 438460 x 5413770  
Description: crystallized green schist

Site A  
Sample J – sediment sampling  
GPS – 438666 x 5413812  
Description: massive concentrates, fine Au

Sample K – rock chip – **ALS # E687393**  
GPS – 438695 x 5413774  
Description: massive pyrite

Sample L – rock chip  
GPS – 438709 x 5413752  
Description: massive pyrite

Site C  
Sample M – rock chip – **ALS # E687394**  
GPS – 439344 x 5413831  
Description: massive chalcopyrite

Sample N – rock chip – **ALS # E687395**  
GPS – 439333 x 5413785  
Description: massive chalcopyrite

**Conclusion / Recommendations**

To continue to conduct further geochemical assessment of rock chip samples obtained within these fraction tenures. To continue to document and plot information in reference to the historic adits and drifts and workings which are located on and near these tenures. Lock these fraction tenures away for long term.

**Note:**

Copper Canyon has years of mining exploration beginning at the turn of the century, there are hundreds of shafts and adits located within the area, many have not been documented and the ones that are may pose a safety hazard. Caution must be used when traversing in the area. The information on the adits on these tenures will remain confidential.


FIGURE MAP C

# Copper Canyon Fractions - working map





## Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Work site locations  
 Site A - 438697 x 5413789  
 Site B - 438460 x 5413770




# Copper Canyon Fractions - working map



## Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- Survey Parcels
- BCGS Grid
- Contours (TRIM)
- Contour - index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)



Map center: 48° 52' 23.3" N, 123° 49' 42.7" W

Scale: 1:5,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Working locations  
Site C - 439344 x 5413831



**Le Baron Prospecting  
Port Renfrew, BC**

## **Appendix B**

### **The Copper Canyon Fractions**

**Exploration Work**

**Technical Information**

**ALS Laboratory Services  
Analytical Methods**

**Certificate of Analysis**



Le Baron Prospecting  
Port Renfrew, BC

## Copper Specific Procedures

Evaluation of copper prospects often involves the need to know more about copper mineralogy and mineral solubility for metallurgical consideration. This information can be obtained by selective leaching of the sample with weaker acids. Malachite, azurite, chrysocolla and portions of the cuprite, in addition to tenorite can be leached using sulfuric acid. The results of the preceding are often referred to as "acid soluble" copper and "non-sulfide" copper. Cyanide leach will dissolve chalcocite, bornite and a portion of the chalcopyrite contents of the sample. The mineral dissolution in each leach may vary depending on the sample matrix and specific mineralogy.

Sequential leaches done in series on a sample may provide a further opportunity to separate mineralogical forms of copper in the sample. For each project and mineral type, adjustments to leach conditions and chemicals may be needed to ensure the correct mineral types are being targeted. ALS provides custom methods using different leach conditions upon request.

Description	Code	Price per Sample (\$)
<i>Trace Cu Methods</i>		
Trace Cu method, aqua regia digestion and ICP or AAS finish, 1-10,000 ppm	Cu-ICP41	7.80
	Cu-AA45	5.75
Trace Cu method, 4 acid near total digestion and ICP or AAS finish, 1-10,000 ppm	Cu-ICP61	9.80
	Cu-AA61	8.00
<i>Assay Cu Methods</i>		
Assay Cu method, aqua regia digestion and ICP finish, 0.01-40%	Cu-OG46	10.10
Assay Cu method, 4 acid near total digestion and ICP finish, 0.01-40%	Cu-OG62	12.40
Cu by Screen Assay - dry screening to 100 micron. Duplicate assays by four acid near total digestion on undersize, and on entire oversize fractions. Calculate and report total copper content, individual assays and weight fractions	Cu-SCR21	61.20





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING  
9298 CHESTNUT RD.  
CHEMAINUS BC V0R 1K6

Page: 1  
Finalized Date: 26-APR-2010  
This copy reported on 27-APR-2010  
Account: LEBPRO

## CERTIFICATE VA10050311

Project: Copper Canyon Fractions

P.O. No.:

This report is for 5 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-APR-2010.

The following have access to data associated with this certificate:

B. MORRIS

SCOTT PHILLIPS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: LE BARON PROSPECTING  
ATTN: SCOTT PHILLIPS  
9298 CHESTNUT RD.  
CHEMAINUS BC V0R 1K6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager





Le Baron Prospecting  
Port Renfrew, BC

**Statement of Costs**

Dates of exploration:  
July 25<sup>th</sup> to 26<sup>th</sup> - 2009

Bob Morris (tenure owner / field supervisor + labor)

FMC #118959

\$30.00 x 16hrs ..... = \$480.00

Betty Morris

FMC # 146608

\$20.00 x 16 hrs ..... = \$320.00

Tom Jackson

Labor

\$20.00 x 16 hrs ..... = \$320.00

Transportation:

Truck

\$50.00 / day x 2 days ..... = \$100.00

Quads

\$50.00 / day x 2days ..... = \$100.00

ALS Laboratory Services

Certificate of analysis

VA10050311

Le Baron Prospecting

Report

\$350.00 x 1 day ..... = \$350.00

**Total ..... = \$1670.00**




Le Baron Prospecting  
Port Renfrew, BC


**Photos**

**Note:** Information in reference to these adits is confidential.


Robert Morris at old miners cabin near by these fractions



Robert Morris at entrance to Adit



Robert Morris looking into adit





**Le Baron Prospecting  
Port Renfrew, BC**

**E-mail conformation of event**

From: **MT.Online@gov.bc.ca**  
Sent: October 10, 2009 6:24:38 PM  
To: bobttmorris@shaw.ca; scottphillips53@msn.com  
Event Number: 4370908  
Event Type: Exploration and Development Work / Expiry Date Change

Work Type Description: Technical Work  
Work Type Code: T  
Technical Items: Geochemical, Prospecting  
Financial Summary:  
Total Required Work Amount: 1019.75

PAC Name: Le Baron  
PAC Debit: 0.00  
PAC Credit: 650.25  
Total Submission Fees: 67.98

---

Total Paid: 67.98  
Work Start Date: 2009/JUL/25  
Work Stop Date: 2009/JUL/26  
Total Value of Work: \$1670.00  
Mine Permit No:

Summary of the work value:  
Tenure Number: 543042  
Tenure Type: M  
Tenure Subtype: C  
Claim Name/Property: LE BARON  
Issue Date: 2006/oct/11  
Old Good To Date: 2009/oct/11  
New Good To Date: 2011/oct/11  
# of Days Forward: 730  
Area in Ha: 42.49  
Tenure Required Work Amount: 509.85  
Tenure Submission Fee: 33.99

Tenure Number: 543043  
Tenure Type: M  
Tenure Subtype: C  
Claim Name/Property: LE BARON  
Issue Date: 2006/oct/11  
Old Good To Date: 2009/oct/11  
New Good To Date: 2011/oct/11  
# of Days Forward: 730  
Area in Ha: 42.49  
Tenure Required Work Amount: 509.90  
Tenure Submission Fee: 33.99