

**SOIL GEOCHEMISTRY, TRENCHING  
AND  
DIAMOND DRILLING  
REPORT ON THE  
SPANISH MOUNTAIN PROPERTY**

for

**ACREX VENTURES LTD.  
2300 - 1066 West Hastings St  
VANCOUVER, BRITISH COLUMBIA  
V6E 3X2**

**BC Geological Survey  
Assessment Report  
32148**

**CARIBOO MINING DIVISION, BC**

**MAPSHEETS: 093A053, 054, AND 063**

**UTM ZONE 10, 5830000N/601000E and 5825000N/615000E**

by

**PERRY GRUNENBERG, P.Geo.  
Consulting Geologist**

**February 2, 2011**

For Assessment Work Filing on December 12, 2010  
Filing SOW 4817663 and 4817676

## TABLE OF CONTENTS

	<b>Page</b>
1) SUMMARY.....	3
2) INTRODUCTION AND TERMS OF REFERENCE .....	5
3) RELIANCE ON OTHER SOURCES OF INFORMATION.....	5
4) PROPERTY DESCRIPTION AND LOCATION.....	6
5) ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY .....	8
6) HISTORY .....	9
7) GEOLOGICAL SETTING .....	12
8) DEPOSIT TYPES .....	15
9) MINERALIZATION .....	16
10) EXPLORATION WORK CONDUCTED IN 2010 BY ACREX.....	17
11) SAMPLING METHOD AND PROCEDURES .....	18
12) SAMPLE PREPARATION, ANALYSES AND SECURITY .....	18
13) SAMPLE RESULTS .....	20
14) INTERPRETATION AND CONCLUSIONS .....	36
15) RECOMMENDATIONS .....	37
16) REFERENCES .....	38
17) QUALIFICATIONS .....	39
APPENDIX – COST STATEMENT DIAMOND DRILL LOGS CERTIFICATES OF ANALYSES .....	40

## TABLES

	<b>Page</b>
<b>TABLE 1 – CLAIM INFORMATION</b> .....	8
<b>TABLE 2 – 2010 DRILL HOLE SUMMARY</b> .....	17
<b>TABLE 3 – TRENCH SAMPLE RESULTS – GOLD</b> .....	26
<b>TABLE 4 – SIGNIFICANT DRILL CORE RESULTS – GOLD</b> .....	28

## FIGURES

<b>FIGURE 1 – LOCATION MAP</b> .....	6
<b>FIGURE 2 – CLAIM MAP</b> .....	7
<b>FIGURE 3 – PROPERTY BCGS GEOLOGY MAP</b> .....	13
<b>FIGURE 4 – 2010 AREAS OF WORK</b> .....	15
<b>FIGURE 5 – TRENCH MAPS</b> .....	27
<b>FIGURE 6 – WEST BLOCK CLAIMS, W SIDE, SOIL GEOCHEMISTRY GOLD</b> .....	21
<b>FIGURE 7 – WEST BLOCK CLAIMS, SE SIDE, SOIL GEOCHEMISTRY GOLD</b> .....	22
<b>FIGURE 8 – EAST BLOCK CLAIMS, SOIL GEOCHEMISTRY GOLD</b> .....	23
<b>FIGURE 9 – WEST BLOCK SOIL - GRID Au</b> .....	24
<b>FIGURE 10 – EAST BLOCK SOIL – GRID Au</b> .....	25
<b>FIGURE 11 – DRILL HOLE LOCATION MAP</b> .....	29
<b>FIGURE 12 – DIAMOND DRILL HOLE SECTION HOLE SpM1001</b> .....	30
<b>FIGURE 13 – DIAMOND DRILL HOLE SECTION HOLE SpM1004</b> .....	31
<b>FIGURE 14 – DIAMOND DRILL HOLE SECTION HOLE SpM1005</b> .....	32
<b>FIGURE 15 – DIAMOND DRILL HOLE SECTION HOLE SpM1006</b> .....	33
<b>FIGURE 16 – DIAMOND DRILL HOLE SECTION HOLE SpM1007</b> .....	34

## **1) SUMMARY**

The author of this report was retained by Acrex to manage a soil geochemical sampling, trenching and diamond-drilling program on the Spanish Mountain property. Work was conducted on the property from April to December 2010. The author participated in or managed all work.

The claims comprise two separate blocks that make up the property. The claim blocks are separated by approximately 4 kilometres, and are referred to as the West Block and East Block in this report. This assessment report summarizes work conducted on the claims in support of work recorded on December 12, 2010.

The Spanish Mountain area is underlain by a northwest trending assemblage of phyllite, shale and siltstone interbedded with volcanic tuff and debris flows. Dykes and minor intrusions of diorite and rhyolite porphyry have been noted. Important targets are the gold-bearing quartz veins hosted within black phyllite metasedimentary rocks. Gold bearing quartz veins have potential to be mined as large tonnage, low grade deposits, or high-grade production, with apparent low-temperature quartz-calcite veins indicating potential epithermal deposition.

In 2006, Acrex completed a program of infill soil sampling, trenching and diamond drilling within the Hepburn Lake group. A total of 6 excavator trenches and 15 diamond drill holes (2214.7 metres) were completed. Diamond drilling was designed to test areas of elevated gold in soil, and where surface outcrops indicated argillaceous bedrock, the potential host rocks for gold mineralization. A total of 15 widely spaced drill holes were designed to test extensive soil geochemical anomalies outlined by sampling. Results of drilling indicated a wide distribution of low gold values, ranging from 0.1 to 2.54 grams per tonne (g/t) within the bedrock underlying the gold-in-soil geochemical anomalies. Drill holes that were completed along the north-eastern margins of the soil anomalies returned higher gold values. Hole 06SM-15, the best hole, returned three intersections of greater than 0.5 g/t gold including 2.54 g/t over 1.51 m and 2.29 g/t over 1.52 m.

In 2007, Acrex continued infill and extending of the soil geochemical sampling grids on both the Spanish Mountain and Hepburn Lake areas. A total of 1,183 soil samples were taken from Spanish Mountain grid, and 205 samples were taken from the Hepburn Lake grid.

In 2007, Acrex completed a total of 1943.4 metres (6376 feet) of diamond drilling in 11 drill holes on the property. A total of 871 core samples were sent to the laboratory for analysis.

In 2010, Acrex completed a program of infill and extension soil sampling, trenching, and diamond drilling within the West Block, and soil sampling within the East Block. A total of 2,046 soil samples were taken from the West Block and 264 samples were taken from the East Block grid. None of the trenches were successful at reaching bedrock. Acrex

completed a total of 861.9 metres (2832.5 feet) of diamond drilling in 7 drill holes on the property. A total of 285 core samples were sent to the laboratory for analysis.

The West Block grid soil geochemistry results indicate strong gold values scattered throughout the grid, with general trending through the zone from southeast to northwest. The East Block grid soil geochemistry results indicate several isolated areas of values greater than 20 ppb gold.

The results from the 2010 drill program indicate that the volcanic and sedimentary rocks tested by drilling along the target trend contain areas of significant gold concentration. Drill hole SpM1007 returned the most significant intersection from the 2010 drill program. This hole intersected 1.140 g/t gold over a 3.0 metre core length within a 15.70 metre wide zone that assayed 0.677 g/t gold.

The results to date indicate strong potential for significant sediment hosted gold mineralization on the Acrex claims. Further work, including step-out diamond drilling and infill soil sampling is recommended.

## **2) INTRODUCTION AND TERMS OF REFERENCE**

Acrex Ventures Ltd. (“Acrex”) entered into an option agreement with vendor Lloyd Addie in July 2005 to acquire 100% interest in the Spanish Mountain property (“the property”). Additional claim blocks were acquired from vendor Richard Billingsley in early 2007.

The claims comprise two separate blocks that make up the property. The claim blocks are separated by approximately 4 kilometres, and are referred to as the West Block and East Block in this report.

The author of this report was retained by Acrex to manage a soil geochemical sampling, trenching, and diamond-drilling program on the Acrex groups of claims. Work was conducted on the property from May to November 2010. The author conducted or managed all of this work. This assessment report summarizes work conducted on both claim blocks in support of work recorded on the claims on December 12, 2010.

Acrex originally optioned the property following encouraging results of exploration on adjoining properties, particularly those reported by the joint venture work of Wildrose Resources Ltd and Skygold Ventures Ltd (Now Spanish Mountain Gold Ltd). During initial programs, Acrex conducted soil and rock geochemical surveys and airborne geophysics over the property and completed 15 diamond drill holes in 2006, and 11 diamond drill holes in 2007.

The 2010 program continued exploration based upon results of the previous programs, with the collection of 264 soil samples on the East Block, and on the West Block the collection of 2,046 soil samples and the completion of 3 trenches and 7 diamond drill holes.

## **3) RELIANCE ON OTHER SOURCES OF INFORMATION**

The author has prepared this report based upon information believed to be accurate at the time of completion. The author has relied on sources of information for the data contained in this report as follows: Soil Geochemistry and Diamond Drilling Report on the Spanish Mountain Property, Acrex Ventures Ltd, 2008; Soil Geochemistry, Trenching and Diamond Drilling Report on the Spanish Mountain Property, Acrex Ventures Ltd, 2007; Compilation Report of Exploration Programs on the Spanish Mountain Property for Skygold Ventures Ltd., April 4, 2003 by Jay W. Page; British Columbia Ministry of Energy and Mines website “Map Place”; and Acrex Ventures Ltd. corporate files. In writing this assessment report the author relies on the truth and accuracy presented within the sources listed in the Reference section of this report.

For information pertaining to ownership of claims on the property, the author has relied on information provided by the property vendor and Acrex, which to the best of my knowledge and experience is correct.

#### **4) PROPERTY DESCRIPTION AND LOCATION**





The Spanish Mountain Property is located within the Cariboo Mining Division and consists of 2 claim blocks containing 10 claims totalling 1473.31 hectares (Figures 1 and 2). The 2 claim blocks are centred on UTM coordinates Zone 10, 5830000N/601000E (Hepburn Lake group) and 5825000N/615000E (Spanish Mountain group), within map sheets 093A053, 054, and 063. The claims are located approximately 5 kilometres from the village of Likely and 70 kilometres northeast of Williams Lake, BC.



FIGURE 1 – Property Location



**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
Property Claim Map  
Figure 2**

**Legend**

-  Acrex Tenures
-  Likely
-  road
-  Stream





The claims are listed in Table I, below. The claims have not been surveyed. The Golden Airport, Gold Trend, Goldie, Gold, Gold 3, Moorehead 12 and 13 are referred to as the West Block group in this report, and the Spanish 1, 2, and 3 and AKV are referred to as the East Block group. The majority of work covered in this report was completed on the Hepburn Lake claim group.

**TABLE 1  
CLAIM INFORMATION**

CLAIM NAME	RECORD NUMBER	CLAIM AREA (Ha)	ANNIVERSARY DATE
GOLDEN AIRPORT	510115	274.821	July 12
GOLD TREND	514947	117.755	July 12
GOLDIE	517056	58.900	July 12
GOLD	517007	19.635	July 12
GOLD 3	517098	39.261	July 12
MOOREHEAD 12	537371	78.521	July 12
MOOREHEAD 13	537372	39.270	July 12
AKV	521302	58.94	Oct 18
SPANISH 1	502372	491.331	January 12
SPANISH 2	502608	157.233	January 12
SPANISH 3	503338	196.584	January 14

## **5) ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY**

The property covers the flanks and flat areas surrounding Spanish Mountain, to the south and west of Spanish Lake. Elevations range from approximately 910 metres at Spanish Lake to 1470 metres on Spanish Mountain. Outcrop is evident at higher elevations on hill-slopes but is less exposed in the flat-lying lower elevations.

Access to the property from 150 Mile house is by paved road for 85 kilometres to Likely, then by the BR1300 Spanish Lake-Abbott Creek forestry road. An extensive network of logging and mining access roads bisects both of the claim blocks. These are in variable condition depending on the level of maintenance provided by on-going activities.

Climate is typical of central British Columbia with cold, snowy winters and long warm summers. The area receives approximately 40 centimetres of annual precipitation, most of which falls as winter snow.

The village of Likely is located within 10 kilometres of the property and provides basic amenities such as motel, corner store, restaurant and fuels. The area has a history of placer mining and some heavy equipment is available for exploration work. The larger city of Williams Lake, located approximately 70 kilometres south, provides further support for exploration and mining in the area.

The property is located within the Quesnel Highland of the Interior Plateau. The Quesnel River drainage includes Spanish and Cedar Creeks, which drain the property area. Most valley bottoms contain thick glacial cover attributed to Quaternary glaciation.

Hillsides support heavy growths of hemlock, balsam and cedar on northern slopes with spruce and pine on higher ridges. Some of the property has been historically logged and contains various states of regenerated growth.

## **6) HISTORY**

The Cariboo region has a history as one of the most productive placer gold mining districts in British Columbia. This includes rich discoveries of placer gold at Quesnel Forks near Likely, and in bench deposits along Cedar Creek in the Spanish Mountain area in 1921.

In 1933, gold was discovered in quartz veins on the northwest flank of Spanish Mountain. Most of the following historic compilation is centred on these historic quartz vein discoveries, to the southeast of the Acrex property. Workings on Spanish Mountain consisted of an open cut and a trench where several gold-bearing quartz veins were uncovered. Prospecting and minor excavating was carried out between 1934 and 1938. In 1938, Timmins Corporation completed two short adits on 2 quartz veins that were reported to be 1 to 2 metres wide.

Exploration for bedrock sources of the placer gold continued in the Spanish Mountain area with diamond drilling by El Toro BC Mines in 1946 and 1947 with limited success. Zones of strong ankerite and silica alteration were reported with no significant mineralization. In 1947, the area of interest was covered by the Mariner, Mariner 5, Mariner 6, and the Mariner fraction claims. In 1976, following a period of dormancy, the Mariner II claim group was staked over the main area of interest and a few samples were taken that returned low values. Work continued in the area with variable success. In 1978, Littlejohn noted the association of gold with the short tension-gash type quartz veining that parallels the Spanish Fault. He recommended that soil sampling be carried out to locate veins buried under overburden. In 1979, Aquarius Resources Ltd. and Carolin Mines Ltd. carried out a regional assessment of the Likely area and concluded that the Spanish Mountain area was of economic interest and worthy of continued exploration.

In 1979, the Mariner II claims were optioned to Schultz and Kutney who excavated several areas and obtained 68 rock samples from quartz veins and shear zones. Eight samples assayed over 2 g/t gold. Higher values were obtained, however they concluded that the mineralized veins were too scattered and the values too erratic to be of further interest.

In 1981, Aquarius Resources Ltd. carried out geophysical and geochemical surveys in the Spanish Mountain area. A total of 588 soil samples were collected with 2% of the samples reported to return an average gold analysis of 590 ppb. They concluded that

high gold values in soils were probably taken near gold-bearing quartz veins within broader zones of low-grade replacement bodies within the underlying phyllites.

In 1983, Lacana Mining Corporation carried out an exploration program on claims in the area. Work focussed on the area north of the Spanish Lake road with the collection of 900 soil samples and 179 rock samples. Strong gold anomalies were found to be coincident with silicified argillite. Further trenching of these areas was recommended.

In 1984, joint venture exploration partners Mt. Calvery Resources and Teck Corporation began a 3-phase program of exploration of properties in the Spanish Mountain area. The program included 2,225 metres of trenching, 457 metres of diamond drilling in 10 holes and 589 metres of reverse circulation drilling in 10 holes. Results included 26 metres of 0.19 oz/ton gold from one of the reverse circulation drill holes. Further trenching and drilling was conducted in 1985. A combination of diamond drilling and reverse circulation drilling was completed, with some holes being twinned by the two methods. Diamond drill holes often returned much lower assay values than those returned from reverse circulation drilling. This was considered to be the result of nugget effect of the gold distribution.

In 1987, Placer Dome Inc. conducted work on claims adjacent to the March claims (now partially within the Acrex claim option). This work included 338.32 metres in 7 percussion drill holes. Very high gold values were returned from overburden in these holes. Placer concluded that these values were related to other adjacent showings.

From 1988 to 1999, exploration work was centred on the area of the historic Main Zone to assess for bulk-mining potential. Imperial Metals Corporation conducted work on the main workings to determine if low-grade gold mineralized sedimentary rocks could be used as mill-feed for the Mount Polley Mine located 15 kilometres away. A total of 64 truck loads were trucked to the Mount Polley facility. The average gold content was found to be 3.02 grams per tonne from the 1,908 dry tonnes shipped. Imperial Metals concluded that the material was not suitable for blending with the Mount Polley mill feed.

In 2002, Wildrose Resources Ltd. completed geochemical sampling on their Armada claim. In 2003, Skygold Ventures Ltd. extended the claim holdings through staking to the south and began exploration of the area. Review of work conducted by Wildrose and Skygold indicates that soil anomalies have been delineated trending to the northwest from the Main workings towards the Acrex optioned claims.

In 2004, Skygold conducted a 34-hole reverse circulation drill program. The first 16 drill holes tested a number of targets both within the area of previously known mineralization and also on new targets on other parts of the property. An area of 600 by 1,500 metres was tested, and significant results were returned from across the area. Results included 13.7 metres grading 1.51 g/t gold. Higher grade intercepts were obtained, including 1.5 metres grading 10.86 g/t gold and 1.5 metres grading 13.95 g/t gold. Targets for the 2004 program were selected on a basis of soil and geophysical surveys completed in 2003 and on mechanical trenching completed in 2004. Further drilling intercepted 2.47 g/t gold

over 60.1 metres. Skygold concluded that this work indicated the potential for both a lower grade and larger tonnage (bulk tonnage) style of mineralization and a higher grade and smaller tonnage (structurally controlled) style of mineralization.

Skygold Ventures Ltd. continued exploration of their property with diamond and reverse circulation drilling. In 2008 Skygold announced an initial NI 43-101 compliant resource of 1.75 million ounces of gold in the Measured and Indicated categories (67.06 million tonnes averaging 0.81 g Au/t). The Skygold property is now owned by Spanish Mountain Gold Ltd who recently completed a preliminary economic assessment (PEA). The PEA December 2010 report included recommendations that the Spanish Mountain project advance to the next level of study, prefeasibility, with geology drilling, engineering, and environmental field programs. The report utilized an updated resource estimate of 77.5 million tonnes grading 0.53 grams per tonne (0.2 grams per tonne cutoff).

In 2006, Acrex completed soil geochemical surveying on the West Block grid, collecting samples at 200 metre line spacing and 25 metre sample spacing. A small reconnaissance soil sampling grid was completed over the East Block grid. Follow-up trenching and drilling was completed in the fall of 2006. A total of 6 excavator trenches and 15 diamond drill holes (2214.7 metres) were completed in 2006. Trenching was not successful at intersecting bedrock. Diamond drilling was designed to test areas of elevated gold in soil, and where surface outcrops indicated argillaceous bedrock, the potential host rocks for gold mineralization. Results of drilling indicated a wide distribution of gold values, ranging from 0.1 to 2.54 grams per tonne (g/t) within the bedrock underlying gold-in-soil geochemical anomalies. Drill holes that were completed along the north-eastern margins of the soil anomalies returned higher gold values. Hole 06SM-15, the best hole, returned three intersections of greater than 0.5 g/t gold including 2.54 g/t over 1.51 m and 2.29 g/t over 1.52 m.

Acrex completed a program of infill and extension soil sampling and diamond drilling within the West and East Block claim groups in 2007. Areas were targeted from the results of an airborne geophysical survey, geology, and soil geochemistry. The original soil sampling grid was established in 2005. The grids were extended in 2006, and further extended in 2007. In 2007, a total of 1,183 soil samples were taken from the West Block grid and 205 samples were taken from the East Block grid.

The 2007 drilling program continued to sample several different target areas on the West Block portion of the property. Drilling continued from the 2006 program. Acrex completed a total of 1943.4 metres (6376 feet) of diamond drilling in 11 drill holes on the property. A total of 871 core samples were sent to the laboratory for analysis.


## **7) GEOLOGICAL SETTING**

REGIONAL GEOLOGY (from Bulletin 97, A. Panteleyev, D.G. Bailey, M.A. Bloodgood and K.D. Hancock)

The Quesnel and Horsefly rivers of central British Columbia traverse the northwesterly trending axis of the central Quesnel belt, known as the 'Quesnel Trough'. Recent economic interest has been concentrated on the Mount Polly (Cariboo-Bell) alkalic porphyry copper-gold deposit, the QR intrusion-related propylite-type gold deposit and the Frasergold and CPW (Spanish Mountain) auriferous quartz vein prospects in the black phyllite basal map unit.

Studies in the map area, all within 'Quesnel Terrane', confirm the presence of a regional synclinal structure formed within a Triassic continent-margin basin. It was infilled first with Triassic sediments and then Triassic to Jurassic volcanic rocks. Together these rocks constitute the Quesnel Trough. The basal lithologic units consist of mid-Triassic siliceous rocks to mainly younger pelitic, thinly bedded deposits with overlying, more massive volcanoclastic sediments. The younger epiclastic units pass upward or interfinger with Upper Triassic subaqueous volcanic deposits, mainly volcanic flow and breccia units. They are overlain in turn by subaqueous to subaerial Lower Jurassic volcanic flow and pyroclastic rocks and overlapping lower to Middle Jurassic sedimentary assemblages. The volcanic rocks, and some Early Jurassic plutons, form the extensive magmatic edifice that defines the medial axis of the Quesnel island arc.

The older, submarine lavas, mainly olivine and pyroxene basalts of alkalic basalt to basaltic trachyandesite composition, are overlain by both subaqueous and subaerial, dark green-grey to maroon-purple feldspathic lavas and pyroclastic deposits of trachybasalt to



**Legend**

- ImJAh
- EJsy
- CPus
- uTrJNc
- Acres Tenures

**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
Property BCGS Geology  
Figure 3**

trachyandesite composition, alternatively classified as rocks of the absarokite-shoshonite series or shoshonite association. Many of the lavas are characterized by analcite phenocrysts. Modal quartz does not occur in any of the arc rocks; the majority of chemical analyses reveal alkalic whole-rock compositions with characteristic normative nepheline.

The basal clastic rocks now form a continuous structurally complex black phyllite to metapelite unit along the eastern side of the map area. The rocks are well foliated at deeper structural levels but pass upward into weakly cleaved rocks. They are overlain by thick panels of the extensively block faulted volcanic successions. The basal sedimentary rocks are regionally metamorphosed to greenschist facies in the easternmost part of the map area. Metamorphic grade in the volcanic rocks is subgreenschist, consistent with burial metamorphism. Commonly there is extensive chloritization of mafic minerals; zeolite and calcite fill amygdules and occur in fractures in rocks throughout the region. Some zones of epidote, chlorite, tremolite, calcite and minor quartz represent locally developed propylitic alteration that can be related to nearby intrusive activity. Copper-gold and gold mineralization is associated with a number of the Early Jurassic diorite and zoned alkalic gabbro to syenite stocks that are intruded along the axis of the volcanic arc at intervals of about 11 kilometres.

The predominantly fine-grained clastic basin-fill rocks structurally overlie a thin, tectonically emplaced oceanic crustal slice, the Crooked amphibolite, part of the Slide Mountain Terrane. It defines the terrane boundary with the older metamorphic rocks of the Barkerville Subterrane (a subdivision of Kootenay Terrane) to the east. Middle Jurassic and younger polyolithic conglomerate lenses and thinly bedded, fine-grained elastic rocks are preserved in narrow fault-bounded wedges along the western terrane boundary of the Quesnel rocks with Cache Creek Terrane. In addition, a sinuous band of distinctive conglomerates of possible Cretaceous age and fluvial origin overlaps Quesnel arc rocks along Quesnel Lake and Quesnel River in the central part of the map area.

The volcanic rocks, and some Early Jurassic plutons, form the extensive magmatic edifice that defines the well mineralized medial axis of the Quesnel island arc. Copper-gold and gold mineralization is associated with many of the stocks; major deposits are the Mount Polley porphyry copper deposit and QR gold mine. The basal black phyllite assemblage contains gold-quartz veins and is the likely source-area for much of the placer gold in the Horsefly River and upper Quesnel River regions. The potential of the Au-quartz veins has been examined in the past and prospects are now being tested for their bulk-mineable gold potential.

Eocene extensional faulting and magmatism disrupted the Quesnel Trough following a period of deep tropical weathering. Graben development, with attendant ash-flow eruptions and lacustrine deposits, characterizes this time period. Hydrothermal activity, possibly related to subvolcanic intrusions, produced tourmaline-sericite and propylitic alteration. Elsewhere, incipient epithermal quartz-carbonate veining is evident. Mid-Miocene and younger basalts covered parts of the Eocene grabens and older arc rocks of Quesnel Terrane, and the tectonic boundary with Cache Creek rocks to the west, a high-

angle fault. In places the basalt flows cap older Miocene fluvial systems that contain placer gold. Both preglacial and postglacial rivers flowing out of the metamorphic highlands to the east have transported additional gold. Perhaps more importantly, postglacial rivers and some of the smaller creeks have locally redistributed and concentrated gold from older placer deposits. The main bedrock sources for the placer gold appear to be in the eastern part of the study area where Late Jurassic quartz veins occur in the basal black phyllite unit near the terrane boundary of Quesnellia and the high-grade metamorphic rocks of the Barkerville Terrane.

#### LOCAL GEOLOGY

The following paragraph was extracted from Jay W. Page, 2003 report for Skygold Ventures Ltd.

The Spanish Mountain area is underlain by a northwest trending assemblage of phyllite, shale and siltstone interbedded with volcanic tuff and debris flows. Grey lithic tuff is the most abundant rock type with black graphitic siltstones containing rounded fragments of light grey tuffaceous rocks thought to be the result of debris flows. Other rocks include carbonate rich volcanic wackes and mariposite altered crystal tuff. Dykes and minor intrusions of diorite and rhyolite porphyry have been noted on the property. Black graphitic shales and massive siltstone are the dominant rock types on the north slopes of Spanish Mountain with minor interbedded intermediate to felsic pyroclastics. Volcanic rocks form the upper part of Spanish Mountain and its southern slopes.

The diamond drilling programs conducted by Acrex in the Hepburn Lake area of the property intersected mudstones with minor greywacke interbeds within the eastern area of drilling. The more western sections were predominantly greywacke and tuffaceous siltstone. Bedrock is covered by a variable thickness of glacial materials, including compact till up to 50 metres and glaciofluvial sand and gravel of 3 to 10 metres thickness.

The author conducted field reconnaissance of the claim blocks in 2005, 2006 and 2007 and 2010. The West Block is covered in glacial and glaciofluvial deposits with some areas of thick till cover greater than 30 metres. Road cuts expose a variety of sandy gravels and till.

The higher elevation areas on the East Block have variable amounts of exposed bedrock, along road cuts and within ridges on the slopes. The author noted both coarse wacke (volcanic tuff) and fine black shales within the claim block.

#### **8) DEPOSIT TYPES (extracted from Bulletin 97)**

The Quesnel Trough hosts a wide variety of mineral deposits. The area contains 82 mineral occurrences recorded up to 1989 in the MINFILE property file system. Fifty-six of these are bedrock hosted base and precious metal deposits with the remainder being placer deposits or other deposits including industrial minerals.



The main properties of economic significance are alkalic intrusion-related porphyry copper-gold deposits and gold-bearing propylitic altered zones formed in volcanic rocks peripheral to intrusions. These include the Mount Polley and Boss Mountain Mines, located to the west of the Spanish Mountain area.

Other important targets are the gold-bearing quartz veins hosted within black phyllite metasedimentary rocks, such as those explored by Skygold-Wildrose adjacent to the Acrex property.

Gold bearing quartz veins in black phyllite includes two similar looking but possibly genetically distinctive types. The veins in some black phyllite members have potential to be mined as large tonnage, low grade deposits. Other veins systems exhibit the potential for high-grade production, with apparent low-temperature quartz-calcite veins indicating potential epithermal deposition.

The black phyllites that underlie the Acrex property have the potential to host both high-grade and bulk tonnage gold vein deposits. The two styles of mineralization are thought to be similar in age with orogenic derivation. The formation of quartz veins was synchronous with regional metamorphism and deformation. Deformed and undeformed veins occur on all scales along the limbs and within the hinge zones of regional folds. Vein fillings are likely the product of fluids that were generated during dewatering reactions during late Jurassic metamorphic events. The fluids would have migrated along cleavage surfaces and deposited as veins in dilation zones. Recent exploration indicates that where fluids migrated marginal to more porous wacke bedding, they may have deposited as replacements within these layers, creating broad zones with potential disseminated gold mineralization.

## **9) MINERALIZATION**

Spanish Mountain Gold reports that gold has been noted in a number of different modes and occurrences. These include: axial plane shear zones that contain quartz veinlets with disseminated pyrite and anomalous gold; quartz veins near fold crests that contain more base metals (galena and sphalerite) and coarse visible gold; anastomosing quartz stockworks that occupy shear zones in shaley siltstone with gold found as residual particles and wires within pyrite boxworks; quartz-carbonate-sericite veins mineralized with pyrite, galena, chalcopyrite, sphalerite and native gold within more competent siltstones and tuffs; disseminated gold deposition in graphitic shale and siltstone with pyrite.

Bulletin 97 reports that the Spanish Mountain quartz veins contain gold and minor base metals. Much of the area is affected by pervasive carbonate-silica replacements and listwanite alteration associated with quartz veins or fractures. Gold occurs in quartz veins that range from less than 1 to 4 metres width. The fracture-controlled style of mineralization suggests that the veins postdate metamorphism and deformation. The mineralized zones are located on the northeast limb of a northwest trending anticline that

is cut by numerous northwest trending thrust faults. The northwest trending structures are crosscut by a series of prominent northeast to east trending normal faults. These cross-cutting structures were found to control the mineralization.

The author noted coarse pyrite mineralization within both the shaley and tuffaceous rocks found during reconnaissance of the Acrex property. Drilling intersected variable pyrite content, predominantly within the argillaceous mudstones, with 10% pyrite common.

## **10) EXPLORATION WORK CONDUCTED IN 2010 BY ACREX**

Acrex completed a program of infill and extension soil sampling, trenching, and diamond drilling within the West Block, and soil sampling within the East Block, in 2010. Areas were targeted from the results of previous airborne geophysical survey, geology, soil geochemistry and diamond drilling.

The original soil sampling grids were established in 2005. The grids were extended in 2006, and further extended in 2007 and 2010. In 2010, a total of 2,046 soil samples were taken from the West Block and 264 samples were taken from the East Block grid.

Three trenches were excavated to test for bedrock beneath zones of elevated gold in soil. None of the trenches were successful at reaching bedrock. Glacial till samples were obtained from the bottom of each trench, with a total of 18 samples being submitted for analysis from the total trenching length of 130 metres. Trench locations are shown on figure 4.

The 2010 drilling program continued to test several different target areas on the West Block portion of the property. Drilling was designed to expand on the successes of the 2006 and 2007 programs. Acrex completed a total of 861.9 metres (2832.5 feet) of diamond drilling in 7 drill holes on the property. A total of 285 core samples were sent to the laboratory for analysis. Drill hole locations are shown on figures 4 and 11.

Table 2 summarizes the 2010 Drill program. Diamond drilling was completed by Atlas Drilling Ltd. of Kamloops, BC. Core size was NQ.


**TABLE 2 – 2010 Drill Hole Summary**

Hole #	Az	Dip	Depth (m)	UTM N	UTM E	EI	# Samples
SpM1001	45	-50	221.9	5829011	601693	1010	91
SpM1002	45	-50	42.1	5828866	601940	1015	2
SpM1003	45	-57	42.3	5828866	601940	1015	1
SpM1004	25	-55	136.9	5829240	601400	1006	45
SpM1005	10	-55	140.2	5829200	601699	1009	48
SpM1006	45	-50	140.3	5830268	600742	980	47
SpM1007	85	-50	138.2	5830437	600479	979	51

ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
Areas of Work 2010  
Figure 4

**Legend**

- Acrex Tenures
- Likely
- road
- Stream
- 2010soilsEblock
- 2010soilsWblock
- 2010 drill collar locations
- trench locations



Targets were defined by the results of an airborne geophysical survey completed earlier in 2007, and from soil geochemical sampling results. The airborne survey indicated a number of strong electromagnetic (resistivity) zones that trend from the Main Gold Zone on the Skygold property, to the Acrex claims.

Trenches were excavated using a Caterpillar 325 excavator. Trenches were typically dug to a depth of 3 to 4 metres. All trenches intersected very dense hard basal till. A total of 18 samples were submitted for analysis. Trench layout and sample intervals are shown on figure x.

## **11) SAMPLING METHOD AND PROCEDURES**

Acrex collected soil samples to infill and expand the West and East block grids. A total of 2,310 “B” horizon soil samples were collected using a soil sampling pick and shovel. Samples were placed into Kraft paper soil bags marked with location. All samples were delivered to courier in Kamloops by Acrex employees. Samples were sent to Acme Labs in Vancouver via courier for multi-element trace analysis using ICP-MS technology.

A total of 18 trench samples were obtained. Due to the depth of the trenches and the non-stable quality of the wall material, trench samples were obtained by using the excavator bucket to scrape along a length of trench and bring material representing that length to the surface for selection. Selected material that represented the trench interval was placed into a plastic sample bag and labelled with the trench number and interval number. A rock hammer was utilized to break larger pieces to manageable size.

A total of 285 diamond drill core samples were obtained by standard hydraulic core splitter. Sample intervals ranged from less than 1 metre to 3 metres of core length. Half core was placed into plastic sample bags and sealed with twist ties, and immediately placed into shipping bags sealed with zap strapping. The remainder of the core was placed back in original order into the core box. All sample intervals were marked in the core box by indelible ink and by tagging with the lab certificate number.

## **12) DRILL CORE SAMPLE PREPARATION, ANALYSES AND SECURITY**

All drill core was logged and sampled at a facility located near to the property. Samples were split from the core and shipped to Assayers Canada Laboratory in Vancouver BC. The remaining half of the core has been placed in racks at a secure core storage facility located in Likely, BC.

Acrex utilizes assay labs that are currently registered with ISO 9001:2000 accreditation. The International Standards Organization (ISO) adopted a series of guidelines (ISO 9000 to 9004) for the global standardization of Quality Assurance for products and services. A company seeking accreditation must implement and maintain a quality assurance system

that is compliant with one of the three applicable models (i.e. ISO 9001, 9002 or 9003). Some of the aspects specifically addressed in a quality assurance system include:

- Responsibility of management in defining and achieving quality goals,
- Contract review to ensure customer needs are understood and met,
- Procurement of supplies and services capable of delivering the desired level of quality,
- Handling of material supplied by the customer to ensure integrity,
- Controlling processes to ensure consistency of quality,
- Inspection and testing to ensure that all work meets or exceeds quality criteria,
- Correction and prevention of non-conformities (errors),
- Training of staff, and
- Statistical analysis to ensure quality criteria are met.

The laboratory utilizes standards and duplicate analysis of samples as part of their quality assurance. The laboratory identifies and remedies situations where the analysis of duplicates or standards is not within allowable levels of variation.

All diamond drill core was logged, and sample intervals clearly marked on the core box with the associated sample number. Samples were taken by splitting the core into 2 halves, placing one half into the sample bag and the other back into the original position in the core box. The samples were placed into uniquely numbered plastic sample bags and sealed with plastic ties. From point of collection until delivery to the courier, the samples were under complete control of Acrex.

Acrex also inserted “blank” sample material into the core sample stream at regular intervals. The blank material consisted of limestone that consistently returned zero to low values of those parameters determined to be of importance to the project.

The assay laboratory catalogues all samples and assures a complete chain of custody of each sample through the analytical process. At the lab rock and core samples were analyzed for 30 elements by ICP methodology. In the analysis, a representative sample is crushed and pulverized to 95% passing 150 mesh. A split of 15 grams is leached in hot Aqua Regia. The resulting solution is analyzed by ICP-MS. The lab reports that solubility of some elements will be limited depending on mineral species present. Refractory and graphitic samples can limit gold solubility. All samples were also assayed for gold by metallic assay.

Acrex regularly submits samples for check assay to other laboratories located in the Vancouver area.

### **13) SAMPLE RESULTS**

#### **SOIL SAMPLE RESULTS**

Soil sample grid locations and are shown on Figure 4. Copies of the full laboratory analysis are provided in the appendices.


Values for gold are posted along those lines that were sampled in 2010, shown on figures 6 to 8.

The results of soil sampling on both grids have been combined from the sampling conducted in 2005, 2006 and 2007 and 2010 and are shown as contoured values on figures 9 and 10. The gold results were gridded using MapInfo Discovery software. The cell size utilized was 50 metres, and the search range was 310 metres (the program derived default). The data was contoured using minimum curvature analysis with a 100 metre buffer.

Results for all samples taken to date on the on the West Block grid indicate that elevated gold in soil, up to 3416 ppb, defines anomalous areas roughly trending in a northwest-southeast direction. This area was targeted for diamond drilling in 2006, and for continued drilling in 2007 and 2010 within the elevated soil geochemical gold values. The area of extremely high gold-in-soil values was found to be within a thick blanket of glacial till with overlying glaciofluvial gravels. The source of some of these gold values is presumed to be distant from the sample locations due to glacial transport and placer style deposition.

The gold values obtained from soil samples taken from the East grid are generally lower than those from the West grid area, with isolated values greater than 20 ppb. The elevated West grid results are assumed to be the result of emplacement and transport of gold-bearing surficial sediments, evidenced by local placer mining operations, in the area of Hepburn Lake. Soil results within the Spanish Mountain area may more closely reflect underlying bedrock chemistry.

Figure 10 shows gold contoured values for the East Block grid. The results provide a highest gold in soil of 725 ppb. The contouring indicates several elongated elevated gold in soil zones trending roughly east-west through the grid. The zones appear to be open to the west and east, as well as to the north toward Spanish Lake. These zones of elevated gold may warrant further work, including infill soil sampling at 100 metre line spacing. The generally thin overburden in this area suggests the potential for bedrock gold sources in close proximity to the elevated soil values.



600000

601000

5832000

5832000

5831000

5831000

5830000

5830000

**Legend**


— road

● 2010Wsoils

600000



601000



**Legend**

- road
- 2010Wsoils

**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
West Block Claims, SE side  
2010 Soil Sample GOLD - Fig 7**




602000

5829000

5829000







5824000

5824000

5823000

608000

609000

608000

502608

503338

**Legend**

- 2010soilsEblock
- E block 2007 soils
- ▭ Acrex Tenures




**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
EAST Block Claims  
2010 Soil Samples, Gold Posted  
Figure 5**


ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
West Block Soils - Grid Au  
Figure 9



**Legend**

- Acrex Tenures
- 2010soilsWblock
- 2010 drill collar locations
- ✕ trench locations



WEST BLOCK






**Legend**

- 2010soilsEblock
- E block 2007 soils
- ▭ Acrex Tenures

**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
EAST Block Claims  
East Block Soil - Grid Au  
Figure 5**



607000 608000 609000 610000 611000 612000

5826000 5825000 5824000 5823000

521302

502372

502608

503338

500 250 0 500 Meters

## TRENCHING RESULTS

Three trenches were completed within the west block soil grid. Areas were selected where high gold in soil values were obtained. None of the trenches were successful at reaching bedrock. Samples of dense compact glacial till were obtained from the bottom of each trench.




The trenching sample results are shown on table 3 below. Trench diagrams are provided on figure 5.

TABLE 3 – Trench Sample Results Au ppb

Sample #	Material	Sample Length (m)	Au ppb
TR1001 1	TILL	3	2.2
TR1001 2	TILL	3	0.2
TR1001 3	TILL	3	0.6
TR1001 4	TILL	3	2.8
TR1001 5	TILL	3	<0.2
TR1002 1	TILL	2	<0.2
TR1002 2	TILL	2	4.9
TR1002 3	TILL	2	2.3
TR1002 4	TILL	2	0.9
TR1003 1	TILL	5	0.7
TR1003 2	TILL	5	1.1
TR1003 3	TILL	5	1.4
TR1003 4	TILL	5	0.6
TR1003 5	TILL	5	0.4
TR1003 6	TILL	5	0.5
TR1003 7	TILL	5	7.6
TR1003 8	TILL	5	0.4
TR1003 9	TILL	5	0.8

The results from trench till sampling show lower gold values (to 7.6 ppb) than those obtained from soil sampling; where soil samples commonly returned 200 to 400 ppb gold directly above the trenched areas. The results reflect the presence of a thin layer of gravel that lies over the till, that contains placer gold, and is likely not directly related to a bedrock source beneath this cover.

# 2010 Trench Maps - Figure 5



Samples = sample number, gold ppb

## DIAMOND DRILLING RESULTS

Acrex completed a total of 861.9 metres (2832.5 feet) of diamond drilling in 7 drill holes on the West Block portion of the property. Drill hole locations are indicated on figures 4 and 11. Drill hole sections are provided on figures 12 to 16.

Diamond drill-core geologic logs and copies of the laboratory certificates of analysis are provided within the appendices.


Hole SpM1001 intersected altered and fractured sedimentary and volcanic rocks with carbonate and quartz veining. The drill-hole carried 0.751 g/t gold across 1.5 metres within a 6.10 metre wide zone of gold enrichment (see table below). Holes SpM1002 and SpM1003 did not penetrate overburden and no bedrock samples were obtained. Drill holes SpM1004 through SpM1007 tested the target zone from south to north for a distance of over 1.5 kilometres with three of these holes intersecting zones of gold enrichment. The following table summarizes the gold-bearing intersections from the 2010 drill program:

Table 4 – Significant Drill Core Results - Gold

<b>Drill Hole</b>	<b>From (m)</b>	<b>To(m)</b>	<b>Width(m)</b>	<b>Au g/t</b>
<b>SpM1001</b>	82.46	85.2	<b>2.74</b>	<b>0.514</b>
and	173.1	179.2	<b>6.10</b>	<b>0.390</b>
Including	176.2	177.7	<b>1.50</b>	<b>0.751</b>
<b>SpM1004</b>	103.3	115.2	<b>11.90</b>	<b>0.203</b>
<b>SpM1006</b>	48.2	61.5	<b>13.30</b>	<b>0.214</b>
Including	60	61.5	<b>1.50</b>	<b>0.634</b>
and	87.3	87.7	<b>0.40</b>	<b>0.786</b>
and	139.6	140.3	<b>0.70</b>	<b>0.454</b>
<b>SpM1007</b>	32.9	48.6	<b>15.70</b>	<b>0.677</b>
including	42.1	45.1	<b>3 00</b>	<b>1.140</b>
<b>SpM1002 and</b>	<b>No significant</b>	<b>Results</b>		
<b>SpM1003</b>	<b>Bedrock not</b>	<b>reached</b>		


“Width(m)” is drill hole intercept width and may not reflect true width.

Drill hole SpM1007 returned the most significant intersection from the 2010 drill program. This hole intersected 1.140 g/t gold over a 3.0 metre core length within a 15.70 metre wide zone that assayed 0.677 g/t gold.



- Legend**
- 2010 drill collar locations
  - ▭ Acrex Tenures
  - road

**ACREX VENTURES LTD  
SPANISH MOUNTAIN PROJECT  
West Block Claims  
Drill Hole Locations - Fig 11**



sample\au

	0.5 - 1
	1 - 3

litho\litho									
	ARG		G Arg		MST		SLT		VSlst
	ARG_BX		GW		MST_ARG		SLT_ARG		VTuff
	Brxx		GW_BX		MST_GW		SLT_GW		Xtuff
	C		GW_SLT		MST_SLT		SLT_MST		carb tuff
	CAS		GW_SS		Mafic Dyke		SS		tuff
	Dyke		HLBrxx		OVB		Slst		
	FLT		LBrxx		OVBD		Till		
	FP		LTuff		QV		Tuff		

<b>ACREX VENTURES LTD</b>			
Spanish Mountain Project Drill Hole SpM1001 Gold -grams per tonne, Figure 12			
Scale: 1:	550	Plan No.	Date: 31-Jan-11

spm1001




601400E

601450E

1000E1

1000E1



950E1

950E1

900E1

900E1

sample\au	
0.5 - 1	[Red box]
1 - 3	[Dark red box]

litho\litho				
ARG	G Arg	MST	SLT	VSlst
ARG_BX	GW	MST_ARG	SLT_ARG	VTuff
Brxx	GW_BX	MST_GW	SLT_GW	Xtuff
C	GW_SLT	MST_SLT	SLT_MST	carb tuff
CAS	GW_SS	Mafic Dyke	SS	tuff
Dyke	HLBrxx	OVB	Slst	
FLT	LBrxx	OVB D	Till	
FP	LTuff	QV	Tuff	

ACREX VENTURES LTD			
Spanish Mountain Project			
Drill Hole SpM1004			
Gold - grams per tonne Figure 13			
Scale: 1:	400	Plan No.	Date: 31-Jan-11

SPM1004

601700E

601750E

SPM1005

C

OVBD

1000E1

1000E1

Xtuff

G Arg

LTuff

LBrxx

Brxx

LBrxx

Brxx

LBrxx



950E1

950E1

900E1

sample\au
0.5 - 1
1 - 3

litho\litho				
ARG	G Arg	MST	SLT	VSlst
ARG_BX	GW	MST_ARG	SLT_ARG	VTuff
Brxx	GW_BX	MST_GW	SLT_GW	Xtuff
C	GW_SLT	MST_SLT	SLT_MST	carb tuff
CAS	GW_SS	Mafic Dyke	SS	tuff
Dyke	HLBrxx	OVB	Slst	
FLT	LBrxx	OVBD	Till	
FP	LTuff	QV	Tuff	

601700E

ACREX VENTURES LTD			
Spanish Mountain Project Drill Hole SpM1005 Gold - grams per tonne, Figure 14			
Scale: 1:	350	Plan No.	Date: 31-Jan-11

SPM1005

SPM1006

600750E

600800E

C

Till

Xtuff

LTuff

Xtuff

G Arg

Xtuff

G Arg

Xtuff

G Arg

Xtuff

Dyke

Xtuff

G Arg

LTuff

0.02

0.01

0.18

0.13

0.01

0.17

0.03

0.29

0.20

0.05

0.09

0.63

0.01

0.08

0.10

0.22

0.06

0.19

0.12

0.09

0.03

0.06

0.02

0.79

0.12

0.06

0.04

0.04

0.14

0.06

0.08

0.04

0.09

0.01

0.18

0.21

0.04

0.17

0.11

0.14

0.07

0.06

0.13

0.45

950E1

950E1

900E1

900E1

sample/au


	0.5 - 1
	1 - 3

litho/litho

	ARG		G Arg		MST		SLT		VSlst
	ARG_BX		GW		MST_ARG		SLT_ARG		VTuff
	Brxx		GW_BX		MST_GW		SLT_GW		Xtuff
	C		GW_SLT		MST_SLT		SLT_MST		carb tuff
	CAS		GW_SS		Mafic Dyke		SS		tuff
	Dyke		HLBrxx		OVB		Slst		
	FLT		LBrxx		OVBBD		Till		
	FP		LTuff		QV		Tuff		

<b>ACREX VENTURES LTD</b>			
Spanish Mountain Project Drill Hole SpM1006 Gold -grams per tonne, Figure 15			
Scale: 1:	350	Plan No.	Date: 31-Jan-11

spm1006



ACREX VENTURES LTD		
Spanish Mountain Project		
Drill Hole SpM1007		
Gold - grams per tonne, Figure 16		
Scale: 1:	500	Plan No.
		Date: 31-Jan-11

spm1007\_01

The geology intersected in this drilling program is consistent with the regional geology that trends through the Spanish Mountain Gold exploration area, located immediately to the east, onto the Acrex property. The geology consists of volcanic and sedimentary formations that have been altered, and in places, sheared. They host significant fine quartz and carbonate veining as well as common pyrite-bearing sections. To date, the best gold-bearing intercepts from the Acrex drilling have been returned from samples of carbonaceous mudstone containing veined and disseminated pyrite, typical for large bulk-mineable sediment hosted gold deposits.

The complexity of deformation of the rocks, through several episodes of folding and faulting, has limited the interpretation and correlation of geology from drill hole to drill hole from the Acrex drilling.

Significant gold results from sampling of drill core are thus far clustered in 2 areas of the property, one small area near to the east border of the West Block claim group, and the other in the area of holes SpM1006 and SpM1007, central to the West Block claim block. Intersections in the 10's of metres containing gold grades over 0.5 grams per tonne are significant indicators for the potential of a sediment-hosted gold deposit, worthy of further exploration.

## **14) INTERPRETATION AND CONCLUSIONS**

The West Block grid soil geochemistry results indicate strong gold values scattered throughout the grid, with general trending through the zone from southeast to northwest. The general values and orientation of the gold in soils geochemistry is consistent with those found within the adjacent Spanish Mountain Gold property to the east.

The East Block grid soil geochemistry results indicate several isolated areas of values greater than 20 ppb gold. These values may be significant in this area of sampling due to the lack of glacial cover, with elevated values in soils likely the result of elevated gold in the underlying bedrock. It is recommended that prospecting in these areas of elevated gold-in-soil results be conducted.

The results from the 2010 drill program indicate that the volcanic and sedimentary rocks tested by drilling along the target trend contain areas of significant gold concentration. These areas of elevated gold in bedrock are considered to be good exploration targets for bulk-mineable gold mineralization similar to that found on the adjacent Spanish Mountain Gold property.

Acrex is continuing research for methods of drilling to allow further testing of areas where overburden problems inhibited bedrock penetration. In particular, follow-up drilling along the strong gold in soil anomaly extending southward from drill hole SpM1001 is warranted.

Diamond drilling of geophysical trends and areas of elevated gold-in-soil was successful at discovering gold in bedrock. It is now understood that the geologic trend of bedrock hosting gold within Spanish Mountain Gold property immediately east of the Acrex-West Block claims passes through the area tested by holes 06SpM-10 through 15, and 07SpM-01 and -02. The 2006 and 2007 drill programs were most successful at returning significant gold values where the drill holes were capable of coring to depths greater than 200 metres.

The geology intersected in the drill programs is consistent with the regional geology that trends through the Spanish Mountain Gold exploration area. The geology consists of sedimentary formations that have been altered, and in places, sheared. They host significant fine quartz and carbonate veining as well as common pyritic-bearing sections. To date, the best gold-bearing intercepts from the Acrex drilling have been returned from samples of carbonaceous mudstone containing veined and disseminated pyrite, typical for large bulk-mineable sediment hosted gold deposits.

Carbonaceous mudstones that host gold-bearing formations are commonly graphitic. The graphitic sections have been traced by the airborne electromagnetic surveys completed by Spanish Mountain Gold and Acrex. Acrex has completed 33 diamond drill holes on the West Block claim group within the geophysical and soil geochemical trends. The results of drilling indicate sedimentary horizons that host significant gold-bearing structures.

## **15) RECOMMENDATIONS**

The Acrex drilling program continues to intersect significant gold bearing bedrock. Drill hole density has not allowed tracing of these intercepts away from single holes. Success at the adjacent Spanish Mountain Gold project has been obtained by short step-outs from drill holes where significant gold intercepts were obtained, allowing determination of the strike and dip of the host structure and associated gold mineralization. It may be prudent for Acrex to drill 25 to 50 metre step-outs from the intercepts encountered in some drill holes, in particular hole SpM1007.

To date, Acrex drill programs have not been successful in obtaining samples of bedrock from depths greater than 309 metres. Significant mineralized zones have been intersected at much greater depths on the adjacent property held by Spanish Mountain Gold. It is also evident that some of the best gold values intersected by Acrex drilling was at greater depths, as shown in the results from holes 06SpM-15 and 07SpM-01 and 07SpM-02 (within the Southeast drill hole area). There have also been problems associated with the thick, muddy overburden in the area of drill holes SpM1002 and SpM1003. It is recommended that, if further drilling is to be conducted on the Acrex claims, a drill with supporting crew and equipment capable of penetrating through the thick overburden cover, and to depths greater than 500 metres be utilized.

Trenching completed by Acrex within the West Block claims has not been successful at penetrating to bedrock. The flat lying topography in this area has been interpreted to host a cover of glacial till and glacial outwash. Soil sample results may be misleading unless the soil types are taken into account. In order to further define drill targets, the 2010 drill program was primarily based on airborne geophysics, and the success of intersecting gold bearing structures suggests that this tool is valuable for tracing these structures. In particular, a prominent north-westerly striking resistivity low may be tracing a fault structure that is a good target for further exploration.

The East Block soil sampling continues to provide areas of interest for further work. Infill soil sampling to obtain 100 metre line separation is recommended. As well, prospecting of areas with elevated gold in soil is recommended. Soils in this area are expected to better relate to the underlying bedrock than in the flat lying areas of the West Block claims.

Exploration on the adjacent Spanish Mountain Gold property is progressing through Economic Assessment and Feasibility. It is recommended that Acrex monitors the progress at Spanish Mountain Gold to acquire information regarding mineralization trending to assist in defining targets on the Acrex claim block.

Respectfully submitted,

Perry Grunenberg, P.Geo.  
February 2, 2011

## **16) REFERENCES**

**ACREX VENTURES LTD. WEBSITE**, News Releases and other related information.

**BC Ministry of Energy and Mines Websites**: The Map Place and Mineral Titles Online.

**BEATON, R.H.**, 1979; Diamond Drilling Program, Easy 1 Mineral Claim, BC Ministry of Energy and Mines Assessment Report # 7635.

**GRUNENBERG, P.**, 2007; Soil Geochemistry, Trenching and Diamond Drilling Report on the Spanish Mountain Property for Acrex Ventures Ltd, assessment report.

**GRUNENBERG, P.**, 2008; Soil Geochemistry and Diamond Drilling Report on the Spanish Mountain Property for Acrex Ventures Ltd, assessment report.

**LIVGARD, E.**, 1982; Soil Survey on OCT #1 and OCT #2 MC., BC Ministry of Energy and Mines Assessment Report # 10,763.

**MICKLE, R.**, 1979; Geochemical Soil Survey, Easy 1 M.C, BC Ministry of Energy and Mines Assessment Report # 7635.

**PAGE, J.W.**, 2003; Compilation Report: A Summary of the Exploration Programs and Results, The Spanish Mountain Property for Skygold Ventures Ltd.

**PANTELEYEV, A., BAILEY, D.G., BLOODGOOD, M.A., AND HANCOCK, K.D.** 1996, Geology and Mineral Deposits of the Quesnel River – Horsefly Map Area, Central Quesnel Trough, British Columbia, BC Ministry of Energy and Mines Bulletin # 97.

**ROBB, W.**, 1996; Rock Geochemical Sampling Program on the Don Group of Mineral Claims, BC Ministry of Energy and Mines Assessment Report # 24,390.

**SKYGOLD VENTURES LTD.**, News Releases and other related information.

**TRIBE, N.L.**, 1981; Report On Reconnaissance Geological Mapping And Sampling, Mariner II Claim, Spanish Mountain Area, BC Ministry of Mines Assessment Report # 8636.

**VON ROSEN, G.**, 1979; Memorandum Report on TAM Mineral Claim, BC Ministry of Energy and Mines Assessment Report # 8219.



**17) QUALIFICATIONS**

I, **Perry Grunenberg**, hereby certify that:

1. I am an independent Consulting Geologist with PBG GEOSCIENCE having an office at 759 Dominion Street, Kamloops, British Columbia, Canada, V1C 2X8.
2. I am a graduate of the University of British Columbia with the degree of Bachelor of Science in Geology (1982).
3. I am a member of the Association of Professional Engineers and Geoscientists of British Columbia (Registration No. 19246) and a Fellow of the Geological Association of Canada (Membership No. F5203).
4. I have practiced my profession in North America since 1982, having worked as an employee and consultant for Major Mining Corporations and Junior Resource Companies.
5. I have prepared all sections of this report as well as draft illustrations. Sources of information are noted within the report.

February 2, 2011

Kamloops, B.C.

Perry Grunenberg, P.Geo.

Consulting Geologist

**APPENDICES**

**COST STATEMENT**

**DIAMOND DRILL LOGS**

**COPIES OF LABORATORY CERTIFICATES OF RESULTS –  
SOIL, TRENCH AND DRILL CORE SAMPLES**

**Spanish Mountain Property Cost Statement (1 May - 31 December 2010)**

**Soil Sampling, Diamond Drilling and Trenching**

**WEST CLAIM BLOCK**

<b>Soils</b>	Dean Best, sampler		4400	22days
	Brian Bergvinson, sampler		5500	
	Perry Grunenberg, PGeo		6500	
	Trucks	32d	4000	150/100
	Food and Lodge		4800	
	Lab	623x30	18650	
	Reporting		3000	

**TOTAL SOILS 46850**

<b>Trench</b>	Excavator		6000
	Geology		1950
	Lab		630
	Food and accom		450
	Trucks		300
	Report		1000

**TOTAL TRENCH 10330**

<b>Drill</b>	862m at 90.48/m		78,000
	Exc prep and reclaim		8000
<b>Wages</b>	Dylan Henderson, sampler		6750
	Perry Grunenberg, P Geo		17550
	Trucks		5400
	Food and Accom		8100
	Lab, 284 core		11350
	supplies		2000
	Report		5000

**TOTAL DRILL 142,150**

<b>ASSESSMENT WORK APPLIED WEST BLOCK CLAIMS</b>						
TENURE_NUM	ISSUE_DATE	CLAIM_NAME	AREA_IN_HE	% of claims all	\$ to apply	
517056	20050712	GOLDIE	58	0.092948718	18527.47	
517098	20050712	GOLD3	39	0.0625	12458.13	
537371	20060718	MOOREHEAD 12	78	0.125	24916.25	
537372	20060718	MOOREHEAD 13	39	0.0625	12458.13	
517007	20050712	GOLD	19	0.030448718	6069.34	
510115	20050403	Golden Airport	274	0.439102564	87526.31	
514947	20050621	GOLD TREND	117	0.1875	37374.38	
			624			

**EAST CLAIM BLOCK**

<b>Soils</b>	Dylan Henderson, sampler	10d	2500
	Perry Grunenberg, P Geo	10d	6500
	Food and Lodge		3000
	Trucks		2000
	Lab	167 samples	5010
	Reporting	2000	
	supplies		380

**TOTAL SOILS 19390**

<b>ASSESSMENT WORK APPLIED EAST BLOCK CLAIMS</b>						
TENURE_NUM	ISSUE_DATE	CLAIM_NAME	AREA_IN_HE	% of claims all	\$ to apply	
521302	20051018	AKV	58	0.064301552	1246.81	
502372	20050112	Spanish1	491	0.544345898	10554.87	
502608	20050112	Spanish2	157	0.17405765	3374.98	
503338	20050114	Spanish3	196	0.2172949	4213.35	
			902			

Hole id	from	to	code	description	SpM1001	Sfm	Sto	Sdescription
SpM1001		0	11.58 C	sand and gravel, till	SpM1001	26.72	30	spotted texture with 60% rounded masses sericitic, feldspar xenocrysts?, evenly distributed throughout, 1 to 5mm size, weakly purplish tinge suggests biotitic alteration
SpM1001	11.58	21.73	OVBD	till, compact grey clayey with rounded cobbles and boulders up to 30cm D, cobbles of altered tuffaceous sed with CrCo3 alterations, and py fine grained dark, massive to spotted and crackled texture (hornfelsed), fine to medium grained phyric feldspar to 50%, pyrite as coarse cubes to 2%, minor 2 to 3 mm quartz feldspar veining, about 30 to 45 tca. Patchy segments light colored grey alterations (sericite, weak potassic), little to no carbonate, alteration haloes around crackly brecciated segments	SpM1001	72.5	72.7	quartz vein, 2cm, 45 tca, quartz-feldspar
SpM1001	21.73	73.3	VTuff	Volcanic breccia, lithic fragmental with crystal matrix, similar to above, slight increase in fragment and mineral size to 2 to 5mm, dark grey, irregular textured volcanic breccia, weakly altered in patches, stress brecciated/crackled, minor coarse grains individual pyrite cubes to 1cm diameter, 2 quartz veins at 45 deg 1 to 2 cm wide, brittle fractured core with multi-orientation breaks to concoidal, slickensided surfaces common.	SpM1001	73.3	73.5	2cm quartz vein, 45tca, with feldspar colorations
SpM1001	73.3	82.46	LBrxx	Lithic volcanic tuff with crystalline segments including 1-2mm feldspar, crackled texture and post-depositional brecciation, fine grained grey compact appearance from 82.5 to 87, grading to coarser texture and more variable down hole, warpy undulating edges to possible larger volcanic bombs as darker fine grained inclusions up to 20cm size, coarse py cubes to 1.5cm size few individual, few thin quartz veins to 0.5cm, mostly 45 tca.	SpM1001	78.3	78.35	3cm quartz vein, 45tca
SpM1001	82.46	90.9	LTuff	sharp contacts, dark grey siltstone, fine, massive textured, crackled, possibly a volcanic bomb, 2mm py to 3% disseminated, fine tuffaceous spotted crystalline with 1mm light colored (feldspar)	SpM1001	83.2	83.7	core altered to clayey mush, light grey altered
SpM1001	90.9	91.2	VSlst	coarse tuff to fine breccia texture with .5 to 1cm heterolithic fragments, crystalline component with rounded feldspar to 40% of rock, minor rounded to angular py 2 to 3mm size unevenly distributed, slight increase in fine quartz veining mostly at 45 tca, 1 vein per metre approx., coarse volcanic and finer dark sediment fragments. Core increasingly broken going down hole, and increasingly darker colored.	SpM1001	104.5	104.6	2cm quartz vein
SpM1001	91.2	130.4	HLBrxx	dark grey massive to very fine granular, core very broken, brittle, slightly graphitic to very graphitic by 136, minor quartz fragments remnant veins, coarse pyrite cubes and lesser roughly aligned veinlets, clay on fractures, slickensided surfaces, few	SpM1001	106.1	106.3	large fine grained dark fragment sediment
SpM1001	130.4	144	Slst	heterolithic volcanic breccia, subtle monolithic crystal tuff with dark grey fragments of finer grained sediment, brittle fractured with alteration halos (brecciated volcanic breccia), few coarse cubes py,	SpM1001	111	111.5	quartz fragments, 2 or 3 veins of 1 to 2cm size
SpM1001	144	146.1	HLBrxx	mixture of tuff with carbonaceous black segments, sheared, clayey to fine gritty pulverized core, shiney slickensided graphitic surfaces, blocky segments grey tuff, black to grey sheared sections 10 to 20 cm, remnants of quartz in sheared ground up material, patchy py as individual cubes and clusters of grains to 3cm diameter increased near 155.4 to 5%	SpM1001	109.8	110	clusters of pyrite coarse cubes
SpM1001	146.1	160.9	carb tuff	lithic volcanic tuff with crystalline segments, white spotted in places with feldspar as rounded white anhedral grains remnant crystal tuff, core appears altered and is crackle brecciated, sericitic with weak silica?, very minor thin quartz veinlets at 30 to 45,	SpM1001	136	144	core mushy granular decomposed, graphitic
SpM1001	160.9	171.4	LTuff		SpM1001	154.6	154.9	graphitic clayey mush

Hole id	from	to	code	description	Sfm	Sto	Sdescription
SpM1001	171.4	215	G Arg	Graphitic argillite, dark grey to black, sheared to crumbled to clayey, remnant sections of competent core shows foliation/folding along core axis in sediment, pyrite increased to 4 or 5% disseminated with some rough veining alignment to foliation at 20 to 30tca, spotted texture with very fine .5mm size grey remnants or porphyroblasts (fspar), 197 to 200 finely crenulated/folded and mini block offsets of 1cm, fine pyrite along crenulations, grading to decomposed core, clayey graphitic faulted section to end of hole, minor remnant quartz in decomposed core, granulated,	SpM1001	155.2	155.5 py clusters in graphitic section, to 10% locally with finer grained disseminate
SpM1001	215	221.9	VTuff	grey, more competent banded to bedded fine to medium grained lithic crystal tuff, banded at 50tca as 1 to 2cm dark and light graded beds, coarse pyrite individual cubes, possibly weak silicification or hornfelsing, cracked in places to fault brecciated with little to no displacement or rotation, short section of graphitic and chloritic faulted core from 218.6 to 219.6	SpM1001	155.5	160.9 graphitic mush to chunks,shiny slickensided surfaces
					SpM1001	168	168.5 broken quartz veins, up to 3cm wide, few
					SpM1001	168.5	169.5 core increasingly broken, chloritic, possible graphitic
					SpM1001	171.4	179 mixed tuff and argillite segments
					SpM1001	179	185.5 strong graphitic with elevated pyrite to 8%
					SpM1001	185.5	193 more competent core, folded argillaceous siltstone and grey tuff folded along core axis, contacts in bedding at about 45tca
					SpM1001	197	200 more competent graphitic siltstone with minifolds and crenulations, minor blocky offsets of 1cm size, pyrite to 10% fine laminations
					SpM1001	200	215 strongly sheared and graphitic, slickensides
					SpM1001	215	218.6 competent core, brittle, hard, weak silicified
					SpM1001	218.6	219.6 graphitic ground section, faulted?
SpM1002	0	14.5	14.5 C	Casing through till			
	14.5	39.3	Till	Boulders in clay with smaller pebbles and stones of silty argillite and lesser spotted tuff or intrusive, some rusty stones and loose py cubes			
	39.3	42.1	G Arg	black argillaceous siltstone, coarse disseminated pyrite to 5%, clayey ground section near end of hole, pebbly broken core, lost hole due to broken			
			eoH				
SpM1003	0	39	C	Casing through till, small section of core attempted at xxx, then tricone through overburden and fault gouge to xxx			
SpM1003	39	42.3	G Arg	decomposed bedrock, black graphitic mush, fault gouge			
			eoH				
SpM1004	0	9.3	9.3 C	mushy soil and till			
	9.3	10.4	OVBD	mushy clayey soil, brown grey			
SpM1004	10.4	60.6	Slst	dark grey massive to weakly spotted marginal tuffaceous, finely brecciated/fractured crackled, coarse pyrite cubes random clusters to 1 or 2%, weak to moderate choric fractures, fine quartz infills and weak pervasive siliceousness, few 1 to 2cm quartz veins at 45tca, increasingly graphitic slickensided surfaces 38 to 54 in darker grey to black siltstone	SpM1004	14.7	14.8 broken quartz vein 2 to 3 cm
SpM1004	60.6	62.8	Xtuff	white spotted in grey matrix, feldspar crystalline gritty tuff, medium to light grey to grey green with alteration, clayey pervasive alteration with feldspar to clay (argillic), minor quartz veining	SpM1004	17.7	17.9 broken quartz vein 4cm
SpM1004	62.8	63.6	Slst	grey massive crackly brecciated, minor quartz, pyrite, contacts are broken but appear 30 to 45.	SpM1004	26.3	26.6 increased py to 3% course 5mm cubes

Hole id	from	to	code	description	Sfm	Sto	Sdescription
SpM1004	63.6	68.3	Xtuff	light grey massive to spotted textured crystal feldspar tuff, 20% white subhedral 2 to 4 mm crystal grains, very minor bright green mariposite, altered appearance with bleaching/argillic clayey feel, weakly crackled, large individual grains pyrite 1 to 2 cm size, few quartz veins at 45 deg, pyrite and other metallic in vein at 66.8 (Cr, Cu, SP), might be related to bright green alteration halos (mariposite)	SpM1004	39	42 strong chlorite pervasive and fractures
SpM1004	68.3	72.4	Slst	very broken core, dark to medium grey massive fine sediment, crackled, fine silty tuff, wispy quartz infills	SpM1004	42.1	42.2 broken quartz vein 2cm
SpM1004	72.4	103.3	Xtuff	highly altered clayey oxidized to massive mush in places, light grey, clastic sections apparent with 1 to 2 cm monolithic brecciation, short sections black graphitic mush, remnant quartz veining to 10 or 20cm size as totally decomposed white masses, no apparent carbonates, fine and coarser pyrite disseminated throughout to 3 or 4%, wispy fine fractures rimmed in darker green chloritic alteration, mariposite green coloration halos around dark rounded clasts(?)	SpM1004	43	52 strong chlorite, graphitic slickensides common, lesser graphitic siltstone, weak sheared zone
SpM1004	103.3	108.6	G Arg	decomposed black graphitic massive to weak defined brecciated, individual remnant grains and masses pyrite fine disseminate, short segments grey clayey tuff totally decomposed	SpM1004	60	62.8 clayey argillic alteration
SpM1004	108.6	110.5	Xtuff	grey green with spotty chromium green blotches, highly decomposed/altered clayey, minor pyrite	SpM1004	60.6	60.9 4cm quartz vein at 20 deg
SpM1004	110.5	118.7	G Arg	black massive partly decomposed graphitic, remnant brecciated appearance in places (from decomposition), strongly graphitic in places, becoming more competent downhole, graphitic slickensides at various orientations to c.a., pyrite disseminate fine grains to 2 or 3%	SpM1004	62.3	62.4 2cm quartz vein at 25 deg
SpM1004	118.7	136.9	tuff	grey fine lithic and lesser crystal tuff, 1 to 2mm heterolithic fragmental with 5% white spots feldspar, altered clayey/sericitic, variably altered to clay, from 133.5m core is completely decomposed to granular mush, otherwise very blocky broken core, few coarse py cubes and very minor fine disseminate, chloritic green pervasive and on fractures	SpM1004	66.7	68 quartz vein 2cm at 15tca, runs down axis
					SpM1004	78.5	84 bright green oxidized halos around individual grains metallic?
					SpM1004	94.3	94.6 quartz masses, remnant vein, white granular
					SpM1004	95.5	95.9 black graphitic section
					SpM1004	96.1	96.3 remnant quartz vein, white granular mush
					SpM1004	103.4	105.9 increased py to 5% disseminate and elongate masses of 1 to 2 cm length
SpM1005	0	10.7	C	till	SpM1005	21.2	21.3 2cm quartz at 45 tca
SpM1005	10.7	14.7	OVBD	mushy clayey till mixed with pebbles and rounded stones, up to 20cm size	SpM1005	21.7	28 mariposite spotted core, 5%
SpM1005	11.5	35.6	Xtuff	white altered feldspar spotted crystalline tuff with scitons of fine lithic fragments, grey to greenish grey with brilliant green splotches mariposite, massive texture, minor 1 to 2 cm quartz veins at 45deg, weak chlorite and clayey alteration leading to strongly clay altered near contact to arg, minor coarse py individual .5cm cubes and fine disseminate, broken contact	SpM1005	48.2	48.5 grey clay seam, soft muddy clay
SpM1005	35.6	36.5	G Arg	black mushy core, decomposed argillite, strongly graphitic, remnant pyrite clusters to 5 or 6%, contacts broken decomposed	SpM1005	58.8	60.4 clay chlorite segments as halos around wispy carbonate quartz veining
SpM1005	36.5	53.9	LTuff	heterolithic rounded grains of 1mm to 5cm size, fine green sediment and lesser crystalline lithic tuffaceous fragments, some sections xtal tuffaceous matrix, grey to greenish grey chloritic altered, very weak clayey alteration, pyrite 2 to 5m size cubes, individual grains to 1%, grey clay seams and darker colored core 49.4 to 52	SpM1005	63	65 moderate patchy clay alteration, possible sericite, large individual cubes py - few

Hole id	from	to	code	description	SpM1005	Sfm	Sto	Sdescription
SpM1005	53.9	101.6	LBrxx	slightly darker grey core with 1mm to 20cm rounded fragments, strongly carbonate altered or infused matrix (reaction to HCl), large fragment of dark sediment at 54.3, grades to finer volcanic breccia toward 85m, patchy alteration halos around fine wispy quartz and lesser carbonate veining, dark green fine fracture infills (chlorite) to 5% over some sections, coarse py cubes and lesser clusters and weak irregular discontinuous veining to 3% total. Less carbonate 70 to 90m, clay and chlorite, several 10cm decomposed to clay sections. Core texture indicates volcanic breccia followed by fault brecciation.	SpM1005	66.8	67.3	1cm quartz vein at 15deg
SpM1005	101.6	103.7	Brxx	faulted tuff and volcanic breccia mixed with graphitic sediment in angular brecciated fragmental with 2 to 10cm size fragments, mostly grey volcanic with 5 to 10% dark graphitic slst, clayey matrix, loose	SpM1005	96.6	96.7	broken bands of dense grey quartz, potassic alteration vein
SpM1005	103.7	130.1	LBrxx	mostly grey to grey green with vague white spotted fspar xtal matrix visible in places, strong chlorite pervasive, in places with clay fault gouge, 10cm segments of graphitic fault gouge possible sedimentary faulted block, subangular to rounded lithic volcanic fragments with angular apparently insitu crackle brecciation/faulting, very minor 2 to 3 mm quartz veins at 45tca, short sections with py cubes and agglomerates to 2 or 3% in 5 to 10cm sections, otherwise very little py. Cracked texture possible weak silicification and potassic alteration (seric + silica).	SpM1005	106.2	106.6	strong py as coarse cubes and weakly aligned grains to 5 or 6%, 2 narrow quartz veinlets at 45
SpM1005	130.1	131.9	Brxx	graphitic fault breccia, strong chloritic irregular patchy broken fragmental	SpM1005	110.7	110.9	graphitic section, shear, fragment?
SpM1005	131.9	140.2	LBrxx	crackle brecciated grey coarsely banded to massive in places crystalline tuff, hard to almost glassy siliceous brittle, chlorite on fractures as fine crackle infills with pervasive altered stronger at end of hole, potassic altered tuff followed by fault crackle brecciation and accompanying chlorite alteration	SpM1005	112.5	112.6	weakly graphitic with coarse py to 5%
SpM1005					SpM1005	116.9	120.5	strong chlorite-clay altered section, crackle brecciated tuffaceous volcanic, very minor graphitic segment
					SpM1005	116.9	117.1	remnant banding, warpy at 20deg
					SpM1005	124	129.5	strongly chloritic broken blocky core
					SpM1005	134.4	134.9	banded crystalline round spotted tuff layering as 5 to 10mm wide parallel bands at 70tca
SpM1006	0	11.3	C	Casing, till and loose sandy infill, till continued to further depth	SpM1006	25.3	25.4	white quartz block in broken core, possibly from overburden as does not appear to fit sequence, poor recover section
SpM1006	11.3	14.6	Till	glacial till, dense hard clayey with 5 to 10cm cobbles	SpM1006	32.9	33	slst inclusion with 10% py
SpM1006	14.6	41.4	Xtuff	crystalline tuff, medium grey to light grey altered, 50% feldspar rounded 2 to 3mm grains, massive texture, few bright green mariposite dots, sericitic grey green altered pervasive discoloration, minor thin grey quartz, late infills, very poor recovery blocky core, 32.9 to 33 dark to black sediment inclusion, 36 to 36.5 dark black fine sediment inclusion, with abundant pyrite, py in tuff coarse individual grains to less than 1%, black fine wispy veinlets crackle infills (chlorite?)	SpM1006	36	36.5	black slst inclusion, py to 5%
SpM1006	41.4	45.2	LTuff	darker grey fragmental with 35 to 40% rounded 1 to 2cm heterolithic dark fine grained and coarser grained fragments in coarse crystalline groundmass, less altered appearance with distinctive textures, weakly chloritic colored	SpM1006	55.5	60	strong clay shearing, granular tuff with clay seams and interstitial
SpM1006	45.2	60	Xtuff	light grey massive and spotted fspar xtal tuff, strong clay alterations pervasive and some total obliteration over 5 to 10cm to mush, possible sericitic feldspar xtals (white clay and sericite), greenish sericite tinge to matrix, few brilliant green spots mariposite, very minor py coarse individual grains	SpM1006	60.6	60.7	quartz vein, milky white massive, 6cm at 60

Hole id	from	to	code	description	SpM1006	Sfm	Sto	Sdescription
SpM1006		60	61.5 G Arg	granular to muddy sheared black graphitic sediment, irregular sharp contact to tuff at about 50, fault brecciated argillite, fine py remnant throughout to 3 or 4% disseminated,	SpM1006	66.7	66.8	4cm quartz vein at 40, crackled white and grey
SpM1006	61.5	68.3	Xtuff	grey with brilliant green patches (fragments?) mariposite to 10%, rounded granular lithic tuffaceous texture in places, very clayey segments to decomposed mush with remnant rounded stones, fault brecciated xtal-lithic tuff, crackle textured where not overly clayey, fracture infills of dark green to black mineral (? Chlorite, tourmaline) to 5%.	SpM1006	67.2	67.3	quartz, decomposed remnant vein 8cm width, white
SpM1006	68.3	70.5	G Arg	faulted broken fragments remnant in granular to mushy black graphitic fine grained sediment, grades from very black graphitic to more dark grey less graphitic, possible mixing with next segment in faulting, 5 to 10% fine pyrite throughout disseminate with minor clustering	SpM1006	70.3	70.4	10cm segment ground up pulverized quartz, white
SpM1006	70.5	72.8	Xtuff	massive clayey mushy and granular altered faulted tuff, light grey with very minor mariposite spots, py grains throughout bright cubic individual grains, granular quartz remnant veins of 5 to 10cm width (few)	SpM1006	71.9	72.2	graphitic sediment segment, mixed with tuff, faulted block
SpM1006	72.8	75.2	G Arg	very granular to fine sandy textured faulted sediment in places mixed with grey granulated tuff, rounded fragments remnant argillite of 1 to 2cm, brecciated graphitic argillite, 5% fine disseminated py	SpM1006	75.8	75.9	granulated quartz vein, white
SpM1006	75.2	77.2	Xtuff	as before with large patches rounded masses mariposite stained fragments - brecciated xtal-lithic tuff, grey with remnant white spotting (feldspar), crackly with fine infills dark mineral (hard - tourmaline), one large black veinlet at 76.7, 1cm very hard scratching dense fine grained, couple of quartz vein remnants as granular decomposed white quartz, sharp change to next at 45 deg	SpM1006	77.5	77.6	quartz vein 4cm width at 45, slightly banded white with black sediment separations
SpM1006	77.2	77.6	G Arg	as before, black graphitic granulated sediment, short section within tuff, could be faulted block, fine disseminated py with lesser coarse cubes to 5mm size	SpM1006	80.5	80.6	quartz vein, pocky oxidized, 4cm at 60 deg
SpM1006	77.6	87.7	Xtuff	grey feldspar xtal tuff, clayey sections as before, blocky core, 20-30% 2mm white spots fspar, massive texture to weakly brecciated, talcy sericitic feel in places (weak potassic), fine py diss to 2%, fine dark grey chloritic fracture fills, few quartz veins	SpM1006	83.2	83.7	clayey mush section
SpM1006	87.7	93.4	Dyke	fine sandstone textured massive grey colored with less than 1mm crystal feldspar and mafics networked into a very fine groundmass, weak micaceous purplish hue (biotite) alteration, fine py disseminated to 3%, sharp broken contacts at approx 70	SpM1006	84.4	84.7	graphitic section, sharp contacts, could be large fragment either faulted or volcanic brex
SpM1006	93.4	212.6	Xtuff	grey massive white spotted to fine grey sandy massive textured with patchy segments brecciated, few brilliant green mariposite from small spots to 2cm rounded fragments, 112-119 slight increase in quartz veining as 3 to 4cm granular decomposed white veins at 34 (older) and 5mm size fresh slightly translucent quartz stringers at approx 30 deg (younger), py fine disseminate 3 to 4%, sericite-clay-py with weak quartz, crackle brecciated with wispy fine dark grey to black infillings (chlorite/tourmaline?), clayey decomposed/sheared segments to 5cm mostly at top of section. Splitting core shows that green translucent mineral (mariposite) is interlinked within large pyrite masses, clinging to pyrite in places	SpM1006	87.3	87.7	black graphitic section, granular decomposed argillite segment (fragment fault block)
SpM1006	121.6	124.7	G Arg	broken core to chips and granules, graphitic brecciated argillite, py grains and masses residual large crystals to 4%	SpM1006	96.4	96.5	3cm decomposed broken white quartz



Hole id	from	to	code	description	Sfm	Sto	Sdescription
SpM1006	124.7	140.3	LTuff	grey, very clayey ground up core in places clayey mush over 5 to 10cm, rounded clasts in fault brecciated tuff, in places minor black argillite sheared component, slickensided surfaces throughout, arcuate at 30 to 45, grades to blocky with less clayey segments, no black graphite down from 124.7, massive fine grained rounded crystalline with few bright green mariposite dots, minor fine crackle with dark green to black infills,	SpM1006	104.5	104.6 grey translucent quartz 1cm veinlet, slight warpy at 35deg
SpM1006					SpM1006	112.6	112.8 white quartz vein 2cm wide, down core at 10deg
					SpM1006	115.1	115.3 white quartz vein 3cm at 45
					SpM1006	116	116.1 1cm grey quartz at 30
					SpM1006	117.5	177.8
SpM1007	0	21.3	C	Overburden, till, sand and gravel	SpM1007	25.4	25.5 py veinlet or band in tuff, 8mm wide coarse py crystals
SpM1007	21.3	36	Xtuff	white spotted in grey matrix, rounded feldspar? Xtals 2mm to 20%, remnant lithic fragments to 1 or 2cm size, grey, massive textured, hard competent core, minor segments with banding at 20 deg tca, 1 to 2cm light and dark xtal bands, disseminated and vein py 2 to 3%, crackled with fine network of dark infilled fractures (chlorite) and minor translucent quartz veining, grades to slightly more heterolithic fragmental volcanic over 1m to next unit	SpM1007	27.8	27.9 5mm grey quartz veinlet at 20, slight warpy
SpM1007	36	48.6	G Arg	massive to broken faulted black graphitic core, few slickensides, py networked as fine fracture infills to 4%, gradational change over 40 cm to next section as part of faulted granulation (as opposed to sedimentary banding).	SpM1007	39.6	42.1 very sandy gritty decomposed core
SpM1007	48.6	57.3	Xtuff	Grey gritty to mushy core, highly altered with remnant white xtals rounded fspar, py clusters and disseminate to 3%, clayey with possible chlorite dark green patches, very minor thin veins	SpM1007	45.1	47.5 very sandy gritty decomposed core
SpM1007	57.3	60.7	G Arg	black granular to weak remnant fragmental texture mixed with grey tuff, strongly graphitic over 30cm segments where more sheared, white mottling remnant veining?, py masses and disseminate to 8%, gradational change with mixing of tuff, sharp lower contact at 45	SpM1007	47.5	47.6 granules of quartz apparent decomposed vein pieces
SpM1007	60.7	61.7	Tuff	grey granular clayey section, remnant xtal and lithic fragments of 2 to 3mm size to 50%, sheared and decomposed, py remnants to 2%	SpM1007	47.6	48.6 very sandy gritty decomposed core
SpM1007	61.7	63.3	G Arg	black to dark grey granulated graphitic section, slight grade to more grey tuffaceous at end of section, sharp contact at 60 to next, py clusters to 5%, clayey grey mottling shearing.	SpM1007	53.8	54 graphitic granular segment, pyritic
SpM1007	63.3	64.9	Xtuff	highly altered light grey clayey-sericitic-talc core with remnant very indistinct white spots, fine fracture filling grey chlorite to 2%, remnant breccia fragments fault brecciation with 3 to 4cm rounded fragments, py coarse cubes and fine disseminate to 2%, minor bright green mariposite related to rounded fragments, contact at approx 60	SpM1007	77	77.5 quartz banding, 2 or more decomposed veins with banding of green softer mineral (talc?), 3 to 4 cm wide bands at 20 deg
SpM1007	64.9	75.5	G Arg	black to grey mixed with tuffaceous fragmental, shear related granular to slightly clayey core, weak to strong decomposed rock, 65 to 66.3 and 70.6 to 72.6 dark grey slightly crystalline metasediment grading from graphitic argillaceous, less sheared section, 74 to 75 fault fragmental with rounded 1 to 2cm clasts in granular clayey black matrix, variable py remnant disseminate in graphitic sections to 6%, less in metasediment sections to 2%.	SpM1007	78.5	78.6 single clot of mariposite, 5cm rounded mass in broken decomposed tuff

Hole id	from	to	code	description	Sfm	Sto	Sdescription
SpM1007	75.5	78.5	tuff	light grey highly altered tuff with remnant xtal texture and fragments, bleached clayey with sericitic feel, quartz veining of 1 to 3cm width banded with light green translucent mineral (gypsum-talc-flourite?), fine fracture infilling remnant dark green chlorite, few brilliant green clots of mariposite near 78.6, variable coarse py to 2% overall,	SpM1007	79.8	80 few 1 to 8 mm rounded spots mariposite, bright green
SpM1007	78.5	79.8	G Arg	black granular graphitic section, little to no py	SpM1007	82.6	82.8 broken decomposed quartz, white, granular, 10cm vein
SpM1007	79.8	87.8	Xtuff	grey altered with remnant poorly distinguishable white spots, less decomposed than previous but pervasively sericite clay altered, with few small spots mariposite, some lithic fragmental texture towards lower 2 m, passes in and out of tuff/arg towards 87.8 through highly broken and altered fault section, clayey and chloritic, with single quartz vein at 82.7, strong chlorite margins for 30cm	SpM1007		
SpM1007	87.8	138.2	G Arg	graphitic metasediment ranging from highly broken argillaceous slickensided with some sandy mush sections to somewhat competent dark grey metasediment with less graphite, strong pyrite in places to 10% over 20cm segments as disseminate and poorly formed warpy veins, core is brittle crackle fractured to slickensided sheared and pulverized, minor quartz veining at 45, larger veins broken and decomposed, strong greasy serpentine-chlorite feel 108 to 112, in and out of sheared graphitic graular to brecciated argillaceous metasediment, strong graphitic slickensides throughout, less quartz in lower sections, very minor weak remnant banding 1 to 2cm at 45 deg, 133.8 to 134.8 short talcy section with possible serpentine and with mariposite few spots, thrust fault listwanite?	SpM1007	99.9	100 quartz vein, 3cm at 45
SpM1007					SpM1007	102	102.2 pyrite veinlet, warpy 5mm at 10 along core
SpM1007					SpM1007	106.8	107.1 decomposed broken quartz vein, possibly 5 to 10cm
SpM1007					SpM1007	133.8	134.8 light grey talcy core with mariposite spots, listwanite? Serp-talc-maripostie

hole_id	tag #	From_m	To_m	lab cert
SpM1001	789501	11.58	14.63	VAN10004734
SpM1001	789502	17.68	20.42	VAN10004734
SpM1001	789503	20.42	21.72	VAN10004734
SpM1001	789504	21.72	23.77	VAN10004734
SpM1001	789505	26.82	29.87	VAN10004734
SpM1001	789506	29.87	32.92	VAN10004734
SpM1001	789507	35.97	39.01	VAN10004734
SpM1001	789508	39.01	42.06	VAN10004734
SpM1001	789509	42.06	45.11	VAN10004734
SpM1001	789510	45.11	48.16	VAN10004734
SpM1001	789511	48.16	51.21	VAN10004734
SpM1001	789512	51.21	54.25	VAN10004734
SpM1001	789513	54.25	57.3	VAN10004734
SpM1001	789514	57.3	60.35	VAN10004734
SpM1001	789515	60.35	63.4	VAN10004734
SpM1001	789516	63.4	66.45	VAN10004734
SpM1001	789517	66.45	69.49	VAN10004734
SpM1001	789518	69.49	72.5	VAN10004734
SpM1001	789519	72.5	73.3	VAN10004734
SpM1001	789520	73.3	75.59	VAN10004734
SpM1001	789521	75.59	76.2	VAN10004734
SpM1001	789522	76.2	76.7	VAN10004734
SpM1001	789523	76.7	78.2	VAN10004734
SpM1001	789524	78.2	78.64	VAN10004734
SpM1001	789525	78.64	81.69	VAN10004734
SpM1001	789526	81.69	82.46	VAN10004734
SpM1001	789527	82.46	85.2	VAN10004734
SpM1001	789528	85.2	87.78	VAN10004734
SpM1001	789529	87.78	90.9	VAN10004734
SpM1001	789530	90.9	91.2	VAN10004734
SpM1001	789531	91.2	93.88	VAN10004734
SpM1001	789532	93.88	96.93	VAN10004734
SpM1001	789533	96.93	99.97	VAN10004734
SpM1001	789534	99.97	103	VAN10004734
SpM1001	789535	103	104.4	VAN10004734
SpM1001	789536	104.4	106.1	VAN10004734
SpM1001	789537	106.1	109.12	VAN10004734
SpM1001	789538	109.12	110.6	VAN10004734
SpM1001	789539	110.6	112.17	VAN10004734
SpM1001	789540	112.17	115.12	VAN10004734
SpM1001	789541	115.12	118.26	VAN10004734
SpM1001	789542	118.26	121.3	VAN10004734
SpM1001	789543	121.3	124.36	VAN10004734
SpM1001	789544	124.36	127.4	VAN10004734
SpM1001	789545	127.4	130.4	VAN10004734
SpM1001	789546	130.4	133.5	VAN10004734

SpM1001	789547	133.5	136.6	VAN10004734
SpM1001	789548	136.6	139.6	VAN10004734
SpM1001	789549	139.6	142.65	VAN10004734
SpM1001	789551	142.65	144	VAN10004734
SpM1001	789552	144	145.7	VAN10004734
SpM1001	789553	145.7	148.7	VAN10004734
SpM1001	789554	148.7	149.8	VAN10004734
SpM1001	789555	149.8	151.8	VAN10004734
SpM1001	789556	151.8	153.3	VAN10004734
SpM1001	789557	153.3	154.8	VAN10004734
SpM1001	789558	154.8	156.3	VAN10004734
SpM1001	789559	156.3	157.9	VAN10004734
SpM1001	789560	157.9	159.4	VAN10004734
SpM1001	789561	159.4	160.9	VAN10004734
SpM1001	789562	160.9	164	VAN10004734
SpM1001	789563	164	165.5	VAN10004734
SpM1001	789564	165.5	167	VAN10004734
SpM1001	789565	167	170.1	VAN10004734
SpM1001	789566	170.1	171.4	VAN10004734
SpM1001	789567	171.4	173.1	VAN10004734
SpM1001	789568	173.1	176.2	VAN10004734
SpM1001	789569	176.2	177.7	VAN10004734
SpM1001	789570	177.7	179.2	VAN10004734
SpM1001	789571	179.2	182.3	VAN10004734
SpM1001	789572	182.3	183.8	VAN10004734
SpM1001	789573	183.8	185.3	VAN10004734
SpM1001	789574	185.3	188.4	VAN10004734
SpM1001	789575	188.4	189.9	VAN10004734
SpM1001	789576	189.9	191.4	VAN10004734
SpM1001	789577	191.4	192.9	VAN10004734
SpM1001	789578	192.9	194.5	VAN10004734
SpM1001	789579	194.5	197.5	VAN10004734
SpM1001	789580	197.5	200.6	VAN10004734
SpM1001	789581	200.6	203.6	VAN10004734
SpM1001	789582	203.6	205.1	VAN10004734
SpM1001	789583	205.1	206.7	VAN10004734
SpM1001	789584	206.7	208.2	VAN10004734
SpM1001	789585	208.2	209.7	VAN10004734
SpM1001	789586	209.7	211.3	VAN10004734
SpM1001	789587	211.3	212.7	VAN10004734
SpM1001	789588	212.7	214.2	VAN10004734
SpM1001	789589	214.2	215.8	VAN10004734
SpM1001	789590	215.8	218.6	VAN10004734
SpM1001	789591	218.6	219.6	VAN10004734
SpM1001	789592	219.6	221.9	VAN10004734
SpM1002	789593	36	39.3	VAN10004891
SpM1002	789594	39.3	42.1	VAN10004891

SpM1003	789595	39	42.3	VAN10004891
SpM1004	789596	11.6	14.6	VAN10004891
SpM1004	789597	14.6	17.7	VAN10004891
SpM1004	789598	17.7	19.2	VAN10004891
SpM1004	789599	19.2	20.7	VAN10004891
SpM1004	789600	20.7	23.8	VAN10004891
SpM1004	789601	23.8	24.8	VAN10004891
SpM1004	789602	24.8	26.8	VAN10004891
SpM1004	789603	26.8	29.9	VAN10004891
SpM1004	789604	29.9	32.9	VAN10004891
SpM1004	789605	32.9	36	VAN10004891
SpM1004	789606	36	39	VAN10004891
SpM1004	789607	39	42.1	VAN10004891
SpM1004	789608	42.1	45.1	VAN10004891
SpM1004	789609	45.1	48.2	VAN10004891
SpM1004	789610	48.2	51.2	VAN10004891
SpM1004	789611	51.2	54.3	VAN10004891
SpM1004	789612	54.3	57.3	VAN10004891
SpM1004	789613	57.3	60.6	VAN10004891
SpM1004	789614	60.6	62.4	VAN10004891
SpM1004	789615	62.4	63.6	VAN10004891
SpM1004	789616	63.6	66.4	VAN10004891
SpM1004	789617	66.4	68.3	VAN10004891
SpM1004	789618	68.3	72.5	VAN10004891
SpM1004	789619	72.5	74	VAN10004891
SpM1004	789620	74	75.6	VAN10004891
SpM1004	789621	75.6	78.6	VAN10004891
SpM1004	789622	78.6	81.7	VAN10004891
SpM1004	789623	81.7	87.8	VAN10004891
SpM1004	789624	87.8	90.8	VAN10004891
SpM1004	789625	90.8	93.9	VAN10004891
SpM1004	789626	93.9	96.9	VAN10004891
SpM1004	789627	96.9	100	VAN10004891
SpM1004	789628	100	103.3	VAN10004891
SpM1004	789629	103.3	106.1	VAN10004891
SpM1004	789630	106.1	108.6	VAN10004891
SpM1004	789631	108.6	110.5	VAN10004891
SpM1004	789632	110.5	112.2	VAN10004891
SpM1004	789633	112.2	115.2	VAN10004891
SpM1004	789634	115.2	118.3	VAN10004891
SpM1004	789635	118.3	121.3	VAN10004891
SpM1004	789636	121.3	124.4	VAN10004891
SpM1004	789637	124.4	127.4	VAN10004891
SpM1004	789638	127.4	130.5	VAN10004891
SpM1004	789639	130.5	133.5	VAN10004891
SpM1004	789640	133.5	136.9	VAN10004891
SpM1005	789641	14.7	20.7	VAN10005105

SpM1005	789642	20.7	21.2 VAN10005105
SpM1005	789643	21.2	21.6 VAN10005105
SpM1005	789644	21.6	23.8 VAN10005105
SpM1005	789645	23.8	26.8 VAN10005105
SpM1005	789646	26.8	29.9 VAN10005105
SpM1005	789647	29.9	32.9 VAN10005105
SpM1005	789648	32.9	35.6 VAN10005105
SpM1005	789649	35.6	36.5 VAN10005105
SpM1005	789650	36.5	39 VAN10005105
SpM1005	789651	39	42.1 VAN10005105
SpM1005	789652	42.1	45.1 VAN10005105
SpM1005	789653	45.1	48.2 VAN10005105
SpM1005	789654	48.2	51.2 VAN10005105
SpM1005	789655	51.2	54.3 VAN10005105
SpM1005	789656	54.3	57.3 VAN10005105
SpM1005	789657	57.3	59.3 VAN10005105
SpM1005	789658	59.3	60.4 VAN10005105
SpM1005	789659	60.4	63.4 VAN10005105
SpM1005	789660	63.4	66.4 VAN10005105
SpM1005	789661	66.4	69.5 VAN10005105
SpM1005	789662	69.5	72.5 VAN10005105
SpM1005	789663	72.5	75.6 VAN10005105
SpM1005	789664	75.6	78.6 VAN10005105
SpM1005	789665	78.6	81.7 VAN10005105
SpM1005	789666	81.7	84.7 VAN10005105
SpM1005	789667	84.7	87.8 VAN10005105
SpM1005	789668	87.8	90.8 VAN10005105
SpM1005	789669	90.8	93.9 VAN10005105
SpM1005	789670	93.9	96.9 VAN10005105
SpM1005	789671	96.9	100 VAN10005105
SpM1005	789672	100	101.6 VAN10005105
SpM1005	789673	101.6	103.7 VAN10005105
SpM1005	789674	103.7	106.1 VAN10005105
SpM1005	789675	106.1	107.6 VAN10005105
SpM1005	789676	107.6	109.1 VAN10005105
SpM1005	789677	109.1	112.2 VAN10005105
SpM1005	789678	112.2	115.2 VAN10005105
SpM1005	789679	115.2	118.3 VAN10005105
SpM1005	789680	118.3	121.3 VAN10005105
SpM1005	789681	121.3	124.4 VAN10005105
SpM1005	789682	124.4	127.4 VAN10005105
SpM1005	789683	127.4	130.1 VAN10005105
SpM1005	789684	130.1	131.9 VAN10005105
SpM1005	789685	131.9	133.5 VAN10005105
SpM1005	789686	133.5	136.6 VAN10005105
SpM1005	789687	136.6	139.6 VAN10005105
SpM1005	789688	139.6	140.2 VAN10005105

SpM1006	789689	14.6	23.8	VAN10005105
SpM1006	789690	23.8	26.8	VAN10005105
SpM1006	789691	26.8	32.9	VAN10005105
SpM1006	789692	32.9	37	VAN10005105
SpM1006	789693	37	41.4	VAN10005105
SpM1006	789694	41.4	45.1	VAN10005105
SpM1006	789695	45.1	48.2	VAN10005105
SpM1006	789696	48.2	51.2	VAN10005105
SpM1006	789697	51.2	54.3	VAN10005105
SpM1006	789698	54.3	57.3	VAN10005105
SpM1006	789699	57.3	60	VAN10005105
SpM1006	789700	60	61.5	VAN10005105
SpM1006	789701	61.5	63.4	VAN10005105
SpM1006	789702	63.4	66.4	VAN10005105
SpM1006	789703	66.4	68.3	VAN10005105
SpM1006	789704	68.3	70.5	VAN10005105
SpM1006	789705	70.5	72.8	VAN10005105
SpM1006	789706	72.8	75.2	VAN10005105
SpM1006	789707	75.2	77.2	VAN10005105
SpM1006	789708	77.2	77.6	VAN10005105
SpM1006	789709	77.6	78.6	VAN10005105
SpM1006	789710	78.6	81.7	VAN10005105
SpM1006	789711	81.7	84.7	VAN10005105
SpM1006	789712	84.7	87.3	VAN10005105
SpM1006	789713	87.3	87.7	VAN10005105
SpM1006	789714	87.7	90.8	VAN10005105
SpM1006	789715	90.8	93.4	VAN10005105
SpM1006	789716	93.4	95.4	VAN10005105
SpM1006	789717	95.4	96.9	VAN10005105
SpM1006	789718	96.9	100	VAN10005105
SpM1006	789719	100	103	VAN10005105
SpM1006	789720	103	104.1	VAN10005105
SpM1006	789721	104.1	105	VAN10005105
SpM1006	789722	105	106.1	VAN10005105
SpM1006	789723	106.1	109.1	VAN10005105
SpM1006	789724	109.1	112.3	VAN10005105
SpM1006	789725	112.3	113.5	VAN10005105
SpM1006	789726	113.5	115.4	VAN10005105
SpM1006	789727	115.4	118.3	VAN10005105
SpM1006	789728	118.3	121.6	VAN10005105
SpM1006	789729	121.6	124.7	VAN10005105
SpM1006	789730	124.7	127.4	VAN10005105
SpM1006	789731	127.4	130.5	VAN10005105
SpM1006	789732	130.5	133.5	VAN10005105
SpM1006	789733	133.5	136.6	VAN10005105
SpM1006	789734	136.6	139.6	VAN10005105
SpM1006	789735	139.6	140.3	VAN10005105

SpM1007	789736	21.3	23.8 VAN10005227
SpM1007	789737	23.8	25.3 VAN10005227
SpM1007	789738	25.3	26.8 VAN10005227
SpM1007	789739	26.8	29.9 VAN10005227
SpM1007	789740	29.9	32.9 VAN10005227
SpM1007	789741	32.9	36 VAN10005227
SpM1007	789742	36	39 VAN10005227
SpM1007	789743	39	42.1 VAN10005227
SpM1007	789744	42.1	45.1 VAN10005227
SpM1007	789745	45.1	48.6 VAN10005227
SpM1007	789746	48.6	51.2 VAN10005227
SpM1007	789747	51.2	54.3 VAN10005227
SpM1007	789748	54.3	57.3 VAN10005227
SpM1007	789749	57.3	60.7 VAN10005227
SpM1007	789750	60.7	61.7 VAN10005227
SpM1007	789751	61.7	63.3 VAN10005227
SpM1007	789752	63.3	64.9 VAN10005227
SpM1007	789753	64.9	66.4 VAN10005227
SpM1007	789754	66.4	69.5 VAN10005227
SpM1007	789755	69.5	72.5 VAN10005227
SpM1007	789756	72.5	75.5 VAN10005227
SpM1007	789757	75.5	77.1 VAN10005227
SpM1007	789758	77.1	78.5 VAN10005227
SpM1007	789759	78.5	79.8 VAN10005227
SpM1007	789760	79.8	80.6 VAN10005227
SpM1007	789761	80.6	81.7 VAN10005227
SpM1007	789762	81.7	82.4 VAN10005227
SpM1007	789763	82.4	82.9 VAN10005227
SpM1007	789764	82.9	84.7 VAN10005227
SpM1007	789765	84.7	87.8 VAN10005227
SpM1007	789766	87.8	90.8 VAN10005227
SpM1007	789767	90.8	93.9 VAN10005227
SpM1007	789768	93.9	96.9 VAN10005227
SpM1007	789769	96.9	100 VAN10005227
SpM1007	789770	100	101.5 VAN10005227
SpM1007	789771	101.5	102 VAN10005227
SpM1007	789772	102	106.1 VAN10005227
SpM1007	789773	106.1	107.1 VAN10005227
SpM1007	789774	107.1	109.1 VAN10005227
SpM1007	789775	109.1	110.6 VAN10005227
SpM1007	789776	110.6	112.2 VAN10005227
SpM1007	789777	112.2	115.2 VAN10005227
SpM1007	789778	115.2	118.3 VAN10005227
SpM1007	789779	118.3	121.3 VAN10005227
SpM1007	789780	121.3	124.4 VAN10005227
SpM1007	789781	124.4	127.4 VAN10005227
SpM1007	789782	127.4	130.5 VAN10005227



SpM1007	789783	130.5	133.8 VAN10005227
SpM1007	789784	133.8	134.8 VAN10005227
SpM1007	789785	134.8	136.6 VAN10005227
SpM1007	789786	136.6	138.2 VAN10005227



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: July 27, 2010  
Report Date: August 11, 2010  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

VAN10003499.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-3  
P.O. Number: Acrex SMTN  
Number of Samples: 18

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1F02	18	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1  
Canada

CC: Perry Grunenberg



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 11, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10003499.1

Method	Analyte	WGHT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
TR1001 1	Rock	1.16	2.95	62.27	8.58	87.2	234	37.5	16.5	1106	4.02	34.7	0.5	2.2	2.1	39.8	0.66	1.33	0.14	70	1.13
TR1001 2	Rock	1.22	3.98	57.21	7.94	89.9	217	38.6	14.9	921	3.35	26.4	0.5	0.2	2.1	62.2	0.82	1.54	0.11	59	1.65
TR1001 3	Rock	1.51	2.27	48.02	8.29	67.4	157	27.4	13.3	830	3.03	18.4	0.5	0.6	2.3	47.7	0.56	1.12	0.10	58	1.67
TR1001 4	Rock	0.98	2.29	115.5	6.53	53.0	314	14.8	16.1	1157	4.35	52.6	0.3	2.8	1.4	122.4	0.36	0.31	0.06	24	4.17
TR1001 5	Rock	1.53	19.92	35.90	39.93	86.4	503	20.9	9.7	389	2.20	20.3	0.9	<0.2	3.7	57.6	2.24	0.54	0.65	26	2.35
TR1002 1	Rock	1.09	0.68	54.73	1.98	56.2	50	62.6	21.2	1144	4.52	10.1	0.2	<0.2	0.4	53.1	0.18	0.32	0.02	120	2.36
TR1002 2	Rock	1.12	4.15	54.29	9.04	89.6	232	43.3	14.6	1207	3.44	47.9	0.5	4.9	2.1	48.6	0.71	1.28	0.10	41	1.41
TR1002 3	Rock	1.46	3.90	66.22	10.66	96.0	487	40.0	14.7	1047	3.73	35.9	0.5	2.3	2.2	52.0	0.59	1.26	0.11	56	1.20
TR1002 4	Rock	1.29	1.36	49.43	4.41	52.1	174	12.9	9.1	723	2.84	11.1	0.3	0.9	1.0	77.4	0.21	0.40	0.04	32	1.29
TR1003 1	Rock	1.17	4.41	61.33	9.03	89.5	259	37.2	14.7	967	3.53	36.0	0.5	0.7	1.8	48.8	0.75	1.25	0.11	46	1.18
TR1003 2	Rock	1.39	3.75	60.00	9.04	82.9	248	42.2	15.1	982	3.44	38.8	0.5	1.1	1.7	52.1	0.63	1.21	0.11	57	1.59
TR1003 3	Rock	1.48	4.11	63.75	9.53	90.8	274	42.6	17.4	1133	3.70	36.0	0.5	1.4	2.1	44.3	0.79	1.21	0.11	65	1.19
TR1003 4	Rock	1.79	2.40	43.81	7.82	70.8	170	22.8	11.6	952	3.11	25.0	0.4	0.6	1.8	50.9	0.52	0.77	0.07	39	1.72
TR1003 5	Rock	1.46	3.61	60.67	8.63	88.7	233	41.4	15.0	959	3.50	35.9	0.5	0.4	1.8	57.8	0.75	1.27	0.10	55	1.56
TR1003 6	Rock	1.57	3.12	60.95	7.84	74.6	218	33.4	14.1	987	3.20	33.4	0.4	0.5	1.7	50.1	0.59	1.18	0.09	55	1.37
TR1003 7	Rock	1.57	3.58	64.75	9.53	99.1	251	44.9	16.3	1046	3.65	52.8	0.4	7.6	2.3	39.6	0.73	1.19	0.18	54	0.97
TR1003 8	Rock	1.46	3.58	57.45	8.48	88.4	225	37.9	14.6	965	3.34	32.8	0.5	0.4	1.9	62.4	0.75	1.18	0.10	52	1.46
TR1003 9	Rock	1.64	4.37	65.55	9.90	91.1	245	41.3	15.5	1131	3.58	41.7	0.5	0.8	2.0	50.3	0.81	1.26	0.11	53	1.33



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 11, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10003499.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
TR1001 1	Rock	0.079	8.7	34.0	1.07	82.4	0.123	2	1.92	0.024	0.14	0.1	6.1	0.08	0.03	27	1.2	0.08	4.9
TR1001 2	Rock	0.069	7.2	31.7	1.08	88.0	0.091	2	1.66	0.024	0.15	0.1	5.6	0.11	0.51	39	2.0	0.05	4.0
TR1001 3	Rock	0.058	8.7	28.4	0.88	93.4	0.093	3	1.72	0.023	0.17	0.1	5.3	0.09	0.06	24	2.0	0.08	4.3
TR1001 4	Rock	0.068	5.3	7.0	0.97	119.8	0.003	2	0.73	0.032	0.33	0.2	5.9	0.06	0.19	<5	0.6	0.06	1.0
TR1001 5	Rock	0.075	15.1	10.9	0.58	84.9	0.020	<1	0.58	0.018	0.14	0.1	2.5	0.06	0.16	10	3.2	0.15	1.6
TR1002 1	Rock	0.094	4.4	91.9	3.24	39.9	0.282	1	3.37	0.030	0.12	0.2	7.7	<0.02	0.07	<5	0.2	0.04	7.5
TR1002 2	Rock	0.073	8.6	27.0	0.80	117.9	0.052	3	1.31	0.030	0.15	0.1	5.2	0.08	0.05	16	0.8	0.07	3.3
TR1002 3	Rock	0.071	8.1	27.8	0.95	114.0	0.067	2	1.67	0.030	0.17	0.1	5.6	0.07	0.17	16	2.3	0.07	4.1
TR1002 4	Rock	0.065	5.2	12.4	0.81	93.8	0.088	1	1.50	0.017	0.14	0.1	4.1	0.02	0.23	<5	0.9	0.06	3.2
TR1003 1	Rock	0.075	6.6	23.6	0.77	100.5	0.066	2	1.31	0.030	0.16	0.2	5.4	0.09	0.42	25	2.6	0.06	3.2
TR1003 2	Rock	0.078	6.1	29.9	0.93	93.9	0.078	2	1.49	0.021	0.13	0.2	5.2	0.07	0.39	29	2.2	0.06	3.8
TR1003 3	Rock	0.072	7.9	30.4	0.88	110.2	0.105	2	1.62	0.029	0.15	0.2	6.1	0.11	0.10	24	1.6	0.10	4.2
TR1003 4	Rock	0.056	6.3	18.5	0.83	90.8	0.071	2	1.29	0.034	0.13	0.1	4.4	0.07	0.10	14	1.7	0.07	3.1
TR1003 5	Rock	0.082	7.2	35.3	1.12	101.4	0.080	2	1.60	0.026	0.14	0.2	5.8	0.09	0.38	24	2.6	0.08	4.3
TR1003 6	Rock	0.070	6.2	26.2	0.83	93.0	0.090	2	1.48	0.032	0.14	0.2	5.0	0.09	0.28	26	2.8	0.08	3.7
TR1003 7	Rock	0.067	9.1	35.4	0.71	113.2	0.061	2	1.51	0.027	0.16	0.2	6.0	0.08	0.04	19	1.4	0.07	3.7
TR1003 8	Rock	0.072	6.9	27.7	0.89	93.2	0.082	2	1.45	0.023	0.14	0.2	5.1	0.10	0.35	33	4.5	0.09	3.8
TR1003 9	Rock	0.072	7.3	28.9	0.84	102.3	0.075	2	1.43	0.028	0.15	0.2	5.5	0.10	0.33	32	4.2	0.10	3.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

**Project:** Spanish Mountain  
**Report Date:** August 11, 2010

**Page:** 1 of 1 **Part** 1

## QUALITY CONTROL REPORT

VAN10003499.1

Method	WGHT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
TR1003 4	Rock	1.79	2.40	43.81	7.82	70.8	170	22.8	11.6	952	3.11	25.0	0.4	0.6	1.8	50.9	0.52	0.77	0.07	39	1.72
REP TR1003 4	QC		2.45	44.81	6.39	72.3	162	23.6	12.5	986	3.22	25.1	0.4	<0.2	1.8	50.0	0.54	0.72	0.07	40	1.73
Reference Materials																					
STD DS7	Standard		20.83	109.9	64.42	394.4	930	54.4	9.5	661	2.45	52.0	4.6	114.1	4.7	79.6	6.28	5.86	4.68	84	1.04
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.08	2.48	3.64	41.2	11	3.2	4.2	563	1.85	0.4	1.9	<0.2	6.3	59.1	0.02	0.04	0.07	37	0.57
G1	Prep Blank	<0.01	0.08	2.31	3.43	43.2	11	3.3	4.2	556	1.89	0.2	1.9	<0.2	5.8	64.9	0.03	0.03	0.08	37	0.59



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 11, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10003499.1

Method		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																				
TR1003 4	Rock	0.056	6.3	18.5	0.83	90.8	0.071	2	1.29	0.034	0.13	0.1	4.4	0.07	0.10	14	1.7	0.07	3.1	
REP TR1003 4	QC	0.056	6.3	18.7	0.84	91.6	0.070	2	1.33	0.030	0.13	0.1	4.6	0.07	0.10	15	1.8	0.07	3.0	
Reference Materials																				
STD DS7	Standard	0.083	14.0	206.7	1.06	393.9	0.124	38	1.06	0.111	0.48	3.4	2.8	3.93	0.21	214	3.2	1.37	4.8	
STD DS7 Expected		0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
Prep Wash																				
G1	Prep Blank	0.081	14.5	13.3	0.52	179.4	0.125	<1	1.00	0.095	0.51	<0.1	2.3	0.29	<0.02	<5	0.2	<0.02	4.6	
G1	Prep Blank	0.085	14.3	13.0	0.52	182.1	0.123	1	1.06	0.100	0.54	<0.1	2.4	0.29	<0.02	<5	0.1	<0.02	4.6	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Perry Grunenberg  
Receiving Lab: Canada-Vancouver  
Received: October 01, 2010  
Report Date: October 25, 2010  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

VAN10005105.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPTM-4  
P.O. Number: ACREXSMTN  
Number of Samples: 95

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC:

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-1000	95	Crush split and pulverize 1kg drill core to 200 mesh			VAN
G601	95	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1F03	95	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	Analyte	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2
789641	Drill Core	2.85	0.014	2.46	76.89	8.37	109.6	153	19.2	16.4	1113	4.31	45.7	0.5	1.0	0.7	85.6	1.11	0.24	0.06	17
789642	Drill Core	0.95	0.018	18.94	37.07	3.73	86.4	127	31.3	12.4	473	3.25	152.0	1.0	0.5	0.5	66.6	1.47	0.31	0.06	11
789643	Drill Core	1.03	0.007	0.41	52.51	4.07	44.6	78	71.1	29.0	1275	4.45	136.9	0.2	0.8	0.3	209.5	0.27	0.13	0.03	23
789644	Drill Core	1.46	0.012	0.28	87.72	1.35	45.2	117	70.7	29.5	1192	4.68	124.3	0.3	0.8	0.3	174.4	0.17	0.18	<0.02	25
789645	Drill Core	3.83	0.015	0.18	70.73	1.99	50.9	88	77.2	34.1	1367	4.92	117.6	0.1	1.2	0.3	183.0	0.14	0.18	<0.02	26
789646	Drill Core	5.33	0.023	0.34	79.06	2.19	61.6	137	42.4	25.0	1228	4.60	73.4	0.1	0.6	0.4	135.4	0.17	0.16	0.02	18
789647	Drill Core	2.04	0.024	0.95	87.22	3.76	98.6	156	13.2	17.2	1134	4.73	33.9	0.2	0.5	0.4	82.7	0.37	0.15	0.02	14
789648	Drill Core	2.64	0.018	0.70	45.60	2.43	79.2	98	12.0	16.4	1352	4.56	36.2	0.3	0.5	0.4	109.5	0.21	0.17	<0.02	15
789649	Drill Core	2.04	0.027	12.70	53.93	9.98	163.2	406	24.0	11.0	1394	3.59	57.0	0.8	<0.2	0.7	83.4	1.56	0.36	0.12	21
789650	Drill Core	3.19	0.017	0.58	45.75	4.05	55.3	133	9.1	10.2	887	3.15	22.3	0.3	0.7	1.2	66.1	0.09	0.15	0.05	22
789651	Drill Core	4.47	0.010	0.54	20.19	6.26	63.1	90	4.7	5.8	541	2.72	9.6	0.3	<0.2	1.5	38.8	0.24	0.11	0.06	23
789652	Drill Core	4.69	0.010	0.57	21.20	6.01	67.1	46	4.6	6.8	815	2.94	10.6	0.4	<0.2	1.4	48.9	0.30	0.12	0.06	29
789653	Drill Core	4.35	0.017	0.91	21.37	5.26	49.6	108	5.3	6.8	653	2.61	14.5	0.3	<0.2	1.2	43.5	0.16	0.14	0.07	24
789654	Drill Core	4.24	0.018	1.29	43.71	5.99	50.4	624	9.4	6.1	543	2.11	15.0	0.2	<0.2	1.5	38.8	0.25	0.10	0.09	23
789655	Drill Core	3.97	0.010	1.10	42.15	6.01	66.7	109	9.4	9.6	658	3.13	20.8	0.3	0.3	1.8	48.5	0.17	0.13	0.09	41
789656	Drill Core	6.46	0.011	1.18	56.87	11.02	68.5	144	10.7	10.7	703	3.25	21.0	0.3	0.8	1.6	41.0	0.23	0.12	0.14	44
789657	Drill Core	3.97	0.020	0.61	39.48	14.72	61.4	185	8.8	8.1	541	2.29	17.8	0.3	1.0	2.0	52.0	0.22	0.11	0.30	13
789658	Drill Core	2.28	0.008	0.63	35.33	8.88	46.2	118	6.3	5.2	486	1.95	16.6	0.3	0.6	1.6	54.4	0.46	0.11	0.16	9
789659	Drill Core	6.16	0.012	1.89	63.40	7.58	70.4	133	13.7	7.8	553	2.53	54.0	0.3	0.7	1.2	29.0	1.73	0.10	0.14	15
789660	Drill Core	6.35	0.006	0.39	20.96	6.75	54.2	83	10.4	9.4	659	2.82	29.1	0.3	0.6	0.9	37.3	0.41	0.06	0.11	22
789661	Drill Core	5.86	0.017	0.94	45.80	7.61	67.8	123	9.2	7.8	610	2.60	30.9	0.3	0.9	1.4	29.9	0.82	0.08	0.13	10
789662	Drill Core	2.77	0.011	0.69	27.73	5.30	44.4	99	7.2	7.1	611	2.35	21.9	0.2	0.4	1.2	36.1	0.47	0.07	0.09	5
789663	Drill Core	3.73	0.016	1.17	36.39	8.32	53.6	162	9.4	7.3	520	2.43	77.9	0.3	0.4	1.1	37.2	0.64	0.11	0.14	6
789664	Drill Core	4.10	0.012	0.22	68.94	4.26	72.0	141	12.4	15.1	893	3.68	44.2	0.2	0.5	0.7	49.0	0.17	0.07	0.06	14
789665	Drill Core	5.70	0.009	0.38	29.60	5.08	45.5	98	7.4	10.0	778	2.90	37.7	0.2	<0.2	1.3	57.5	0.20	0.13	0.05	6
789666	Drill Core	4.97	0.019	0.46	36.55	4.92	59.6	119	5.8	9.6	824	3.14	34.8	0.2	4.0	1.4	76.9	0.19	0.09	0.06	7
789667	Drill Core	2.43	0.011	0.30	24.26	4.31	35.7	83	8.6	6.9	573	1.68	26.5	0.2	<0.2	0.9	42.8	0.19	0.05	0.05	7
789668	Drill Core	1.73	0.013	0.66	37.31	5.84	27.2	109	9.9	9.1	545	1.93	52.6	0.2	0.6	0.8	44.3	0.12	0.07	0.06	7
789669	Drill Core	4.79	0.025	0.37	73.64	6.86	79.2	356	13.0	16.2	863	4.10	60.3	0.2	3.7	1.2	58.0	0.16	0.06	0.11	13
789670	Drill Core	4.20	0.014	0.27	69.48	3.94	78.7	178	12.4	15.6	1059	4.28	34.8	0.2	1.0	1.1	61.3	0.14	0.06	0.09	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 2 of 5 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN10005105.1**

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789641	Drill Core	3.27	0.057	2.6	5.7	2.04	128.8	0.008	1	0.79	0.054	0.14	0.2	8.7	0.06	0.45	8	1.6	0.08	1.2
789642	Drill Core	2.25	0.102	3.3	5.3	0.87	78.5	<0.001	1	0.53	0.045	0.10	0.3	3.8	0.06	2.06	8	7.2	0.10	0.7
789643	Drill Core	7.36	0.051	1.5	51.9	4.42	34.2	<0.001	1	0.25	0.061	0.07	0.1	26.7	0.03	0.08	<5	0.3	0.09	0.6
789644	Drill Core	6.54	0.065	1.5	58.9	4.73	29.0	<0.001	1	0.29	0.083	0.06	0.2	24.8	0.03	0.18	<5	0.3	0.07	0.6
789645	Drill Core	6.73	0.058	1.6	70.2	5.09	27.1	<0.001	1	0.29	0.070	0.07	0.1	27.7	0.03	0.08	<5	0.2	0.06	0.6
789646	Drill Core	5.23	0.061	2.3	27.9	3.41	74.3	<0.001	1	0.35	0.065	0.09	0.2	17.4	0.04	0.14	<5	0.4	0.05	0.7
789647	Drill Core	3.67	0.054	2.2	3.3	2.08	99.3	<0.001	<1	0.69	0.059	0.11	0.2	10.1	0.05	0.65	<5	1.6	0.06	0.8
789648	Drill Core	4.31	0.049	2.1	3.0	2.36	93.3	<0.001	<1	0.82	0.053	0.09	0.2	10.5	0.04	0.49	<5	0.8	0.04	1.0
789649	Drill Core	4.53	0.054	1.7	5.4	1.37	73.7	<0.001	<1	0.66	0.043	0.09	1.1	6.6	0.05	0.95	8	1.9	0.10	0.9
789650	Drill Core	3.64	0.050	3.8	6.7	1.27	70.8	<0.001	1	1.52	0.053	0.07	0.2	7.9	<0.02	0.20	<5	0.3	0.05	3.5
789651	Drill Core	2.49	0.046	5.4	6.3	0.81	41.2	0.003	1	1.73	0.075	0.07	0.2	5.9	<0.02	0.17	<5	0.2	0.07	4.9
789652	Drill Core	4.16	0.054	5.5	7.6	0.88	35.8	0.004	1	1.92	0.086	0.07	<0.1	6.2	<0.02	0.17	<5	0.3	0.03	5.2
789653	Drill Core	3.30	0.039	4.7	7.1	0.78	35.0	0.004	<1	1.68	0.072	0.06	0.3	5.5	<0.02	0.23	<5	0.3	0.04	4.3
789654	Drill Core	2.51	0.034	5.2	7.4	0.69	76.1	0.002	2	1.46	0.065	0.12	2.4	3.9	0.02	0.18	<5	0.3	0.04	2.9
789655	Drill Core	2.16	0.049	5.0	7.3	1.16	74.1	0.002	2	1.85	0.056	0.09	0.2	5.8	<0.02	0.17	<5	0.4	0.05	4.0
789656	Drill Core	2.95	0.062	4.7	8.1	1.12	77.5	0.003	1	1.97	0.054	0.12	0.1	6.0	<0.02	0.27	<5	0.6	0.05	4.1
789657	Drill Core	2.24	0.029	5.2	5.7	0.78	89.6	<0.001	<1	1.11	0.046	0.13	<0.1	3.9	0.03	0.18	<5	0.6	0.10	2.3
789658	Drill Core	2.21	0.025	4.2	3.2	0.64	86.3	<0.001	1	0.68	0.062	0.10	<0.1	3.9	0.03	0.26	<5	0.6	0.06	1.3
789659	Drill Core	2.21	0.029	3.8	5.0	0.81	72.3	<0.001	1	0.86	0.065	0.10	<0.1	4.6	0.02	0.38	<5	1.0	0.11	1.7
789660	Drill Core	2.60	0.037	4.0	8.2	0.99	60.8	<0.001	<1	0.90	0.055	0.08	<0.1	8.8	<0.02	0.22	<5	0.6	0.06	1.8
789661	Drill Core	2.57	0.031	4.0	3.1	0.80	79.5	<0.001	<1	0.63	0.077	0.11	<0.1	5.3	0.02	0.29	<5	0.7	0.08	1.3
789662	Drill Core	2.53	0.026	4.0	1.6	0.83	66.8	<0.001	<1	0.54	0.081	0.09	0.1	5.2	0.02	0.18	<5	0.4	0.07	0.7
789663	Drill Core	2.24	0.029	3.6	1.8	0.74	63.5	<0.001	1	0.48	0.060	0.09	0.1	5.4	0.02	0.51	<5	1.2	0.12	0.7
789664	Drill Core	2.82	0.048	3.0	3.3	1.34	133.0	<0.001	<1	0.54	0.068	0.08	<0.1	10.8	<0.02	0.22	<5	0.5	0.05	0.9
789665	Drill Core	2.82	0.033	3.8	2.5	1.04	83.7	<0.001	<1	0.42	0.069	0.11	0.1	6.9	0.03	0.16	<5	0.5	0.04	0.8
789666	Drill Core	3.46	0.046	5.0	2.0	1.13	82.6	<0.001	<1	0.41	0.069	0.13	0.2	6.9	0.04	0.20	<5	0.5	0.04	0.8
789667	Drill Core	2.00	0.054	5.2	7.9	0.53	61.6	<0.001	<1	0.26	0.048	0.09	0.1	4.7	0.02	0.05	<5	0.2	<0.02	0.5
789668	Drill Core	2.15	0.058	3.6	2.9	0.64	76.0	<0.001	2	0.39	0.051	0.11	0.2	5.2	0.02	0.34	<5	0.8	0.11	0.6
789669	Drill Core	2.69	0.045	3.8	5.0	1.58	79.2	<0.001	<1	0.59	0.070	0.11	0.2	9.3	0.02	0.22	<5	0.7	0.21	1.0
789670	Drill Core	2.64	0.045	4.7	3.0	1.65	68.9	<0.001	<1	0.66	0.067	0.09	0.1	9.8	<0.02	0.08	<5	0.2	0.06	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain  
**Report Date:** October 25, 2010

**Page:** 3 of 5 Part 1

# CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	Analyte	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	0.02	
789671	Drill Core	2.02	0.018	0.43	27.28	6.04	42.4	413	12.5	12.1	751	3.51	58.9	0.1	0.9	0.7	50.9	0.07	0.05	0.10	9
789672	Drill Core	1.80	0.016	2.44	85.02	5.59	124.1	239	21.4	21.9	1049	5.45	72.0	0.2	0.4	0.7	59.7	0.24	0.07	0.05	15
789673	Drill Core	2.66	0.017	1.07	56.02	6.17	63.9	1805	11.1	12.0	750	3.44	32.2	0.2	<0.2	1.2	70.9	0.18	0.07	0.05	10
789674	Drill Core	4.95	0.018	1.29	46.78	8.13	49.2	180	9.9	9.6	506	2.61	49.6	0.2	0.3	1.1	57.4	0.20	0.07	0.11	4
789675	Drill Core	2.72	0.027	0.85	81.25	7.52	46.4	228	8.2	9.0	529	2.75	40.7	0.2	0.3	1.0	53.7	0.17	0.06	0.08	4
789676	Drill Core	2.83	0.015	0.12	113.6	9.48	75.7	311	26.6	15.5	511	3.48	50.4	0.2	8.2	2.7	35.5	0.23	0.17	0.16	6
789677	Drill Core	4.35	0.023	0.15	117.8	8.33	88.2	333	25.5	20.4	819	4.46	49.1	0.3	1.6	1.7	52.7	0.22	0.17	0.14	8
789678	Drill Core	4.36	0.010	0.14	88.54	7.92	67.3	267	25.3	16.7	832	4.12	51.6	0.2	1.1	1.6	66.8	0.27	0.15	0.10	8
789679	Drill Core	4.94	0.013	0.24	97.49	5.37	82.1	267	27.4	18.0	712	4.13	45.7	0.2	0.6	2.5	65.4	0.27	0.15	0.12	10
789680	Drill Core	6.36	0.013	0.19	98.33	6.10	88.3	253	20.6	17.1	788	4.30	40.6	0.9	<0.2	1.3	59.8	0.25	0.12	0.10	11
789681	Drill Core	4.79	0.011	0.14	61.39	4.53	72.3	173	14.8	13.9	701	3.80	35.2	0.3	<0.2	1.4	53.8	0.22	0.10	0.11	8
789682	Drill Core	2.07	0.015	0.49	141.7	11.31	81.3	273	21.0	14.2	565	3.33	41.5	0.3	<0.2	1.8	41.8	0.25	0.10	0.12	9
789683	Drill Core	3.26	0.008	0.18	95.66	5.04	99.1	201	19.8	16.4	695	4.48	33.6	0.2	<0.2	1.3	48.6	0.22	0.12	0.09	11
789684	Drill Core	3.71	0.011	0.22	91.91	6.08	83.8	236	24.9	17.5	496	4.11	39.0	0.2	<0.2	2.3	62.4	0.17	0.16	0.11	12
789685	Drill Core	3.59	0.013	0.14	106.0	4.62	102.1	227	21.4	22.0	756	4.82	40.7	0.3	<0.2	1.5	49.2	0.23	0.18	0.09	12
789686	Drill Core	4.33	0.014	0.25	90.03	11.15	73.3	251	25.3	18.8	1261	3.89	50.6	0.2	<0.2	1.7	69.8	0.28	0.14	0.15	8
789687	Drill Core	2.95	0.007	0.80	20.13	7.46	58.3	96	6.2	8.2	527	2.81	19.9	0.3	<0.2	1.4	62.1	0.12	0.05	0.10	5
789688	Drill Core	1.11	0.005	0.78	33.60	4.29	66.5	129	9.3	9.7	494	2.97	19.9	0.2	<0.2	1.1	63.1	0.10	0.10	0.06	9
789689	Drill Core	1.75	0.016	0.71	75.38	9.66	70.8	289	40.5	15.3	2244	3.28	32.5	0.8	0.7	3.8	119.9	0.24	0.18	0.09	35
789690	Drill Core	1.17	0.006	0.65	24.72	3.12	49.7	61	57.1	18.0	928	3.09	27.2	0.2	<0.2	0.5	107.2	0.13	0.19	<0.02	35
789691	Drill Core	2.04	0.184	0.20	62.28	12.07	69.6	256	52.6	18.6	1335	3.87	129.0	0.2	121.5	0.5	208.3	0.32	0.21	0.05	17
789692	Drill Core	2.52	0.125	7.98	45.37	18.55	75.0	282	19.5	8.0	937	2.72	91.1	0.4	24.6	0.5	128.4	0.43	0.18	0.05	5
789693	Drill Core	1.90	0.011	0.10	20.67	11.03	58.6	82	16.9	6.2	917	2.36	55.4	0.2	5.6	0.4	156.5	0.25	0.09	<0.02	4
789694	Drill Core	4.51	0.168	2.31	67.28	9.28	95.2	442	15.2	13.3	841	3.78	113.6	0.8	69.3	0.7	135.0	0.39	0.27	0.09	5
789695	Drill Core	4.40	0.028	0.43	34.76	13.91	75.1	193	33.4	11.7	1206	3.35	106.9	0.3	31.6	0.5	199.9	0.27	0.21	0.02	6
789696	Drill Core	3.14	0.288	0.82	47.59	9.31	97.0	1461	25.7	9.0	1027	2.52	259.6	0.4	191.0	0.4	132.6	0.60	0.26	0.03	6
789697	Drill Core	2.52	0.205	0.73	27.85	9.92	103.8	2805	14.7	5.2	942	2.08	62.1	1.2	170.4	0.4	122.5	0.59	0.15	0.02	4
789698	Drill Core	4.69	0.053	0.15	36.52	4.50	75.6	1995	30.9	6.7	1115	2.27	76.9	0.3	22.0	0.4	146.2	0.44	0.20	<0.02	3
789699	Drill Core	4.26	0.090	0.37	71.02	3.67	66.7	4226	15.1	5.4	1008	2.07	47.3	0.3	55.7	0.4	161.0	0.35	0.26	0.02	3
789700	Drill Core	2.20	0.634	21.67	76.81	23.56	191.2	7050	66.1	22.4	734	4.53	174.6	1.6	7.6	1.4	148.9	2.38	0.86	0.36	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 25, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789671	Drill Core	2.57	0.040	2.2	2.6	1.13	78.6	<0.001	1	0.57	0.057	0.12	0.3	7.3	0.03	0.59	<5	1.5	0.12	0.8
789672	Drill Core	3.02	0.064	3.4	7.2	1.87	60.4	<0.001	<1	0.68	0.073	0.09	0.3	11.5	0.02	0.37	10	1.1	0.07	1.0
789673	Drill Core	2.90	0.043	4.0	2.5	1.25	77.3	<0.001	<1	0.61	0.065	0.12	3.8	7.3	0.03	0.10	<5	0.4	0.05	0.9
789674	Drill Core	2.41	0.029	2.8	1.8	0.78	51.9	<0.001	<1	0.40	0.041	0.10	0.2	3.7	0.02	0.60	<5	1.5	0.09	0.6
789675	Drill Core	2.49	0.042	3.2	1.5	0.93	59.5	<0.001	<1	0.43	0.043	0.12	0.2	4.0	0.03	0.57	<5	1.7	0.15	0.7
789676	Drill Core	1.48	0.050	5.8	5.1	1.30	68.6	<0.001	<1	0.43	0.038	0.11	0.2	4.5	0.03	0.08	20	0.6	0.06	0.7
789677	Drill Core	1.95	0.083	5.6	4.4	1.82	120.7	<0.001	<1	0.80	0.048	0.11	0.2	6.6	0.03	0.11	9	0.9	0.07	0.9
789678	Drill Core	2.61	0.071	4.4	4.7	1.74	77.3	<0.001	<1	0.61	0.041	0.11	0.3	6.3	0.03	0.14	6	1.0	0.07	0.8
789679	Drill Core	2.09	0.056	7.3	5.8	1.71	75.4	<0.001	<1	0.57	0.044	0.12	0.2	6.8	0.03	<0.02	6	0.3	<0.02	0.9
789680	Drill Core	2.33	0.061	4.9	5.0	1.76	65.9	<0.001	<1	0.55	0.036	0.11	0.2	6.9	0.03	0.04	<5	0.4	0.06	0.8
789681	Drill Core	2.33	0.063	4.1	3.2	1.46	96.5	<0.001	1	0.57	0.038	0.16	0.2	4.6	0.03	0.15	<5	1.0	0.04	0.8
789682	Drill Core	1.78	0.054	4.8	3.4	1.11	83.1	<0.001	<1	0.35	0.027	0.15	0.2	4.5	0.03	0.09	6	0.7	0.05	0.6
789683	Drill Core	1.95	0.052	5.0	4.9	1.76	78.3	<0.001	<1	0.52	0.048	0.14	0.2	6.8	0.03	0.05	<5	0.4	0.03	0.8
789684	Drill Core	1.43	0.048	6.6	6.0	1.47	67.1	<0.001	<1	0.42	0.032	0.11	0.2	6.8	0.03	0.02	5	0.3	0.04	0.8
789685	Drill Core	2.01	0.063	6.4	3.9	1.95	77.7	<0.001	<1	0.75	0.059	0.14	0.1	8.6	0.04	<0.02	5	0.3	0.06	1.0
789686	Drill Core	2.75	0.072	5.4	4.5	1.70	73.0	<0.001	<1	0.61	0.047	0.13	0.2	6.3	0.04	0.13	<5	1.0	0.08	0.9
789687	Drill Core	2.45	0.042	5.2	1.5	0.99	57.4	<0.001	<1	0.68	0.055	0.11	0.1	4.8	0.02	0.16	<5	0.6	0.04	0.9
789688	Drill Core	2.60	0.036	4.0	2.6	1.03	42.8	<0.001	<1	0.54	0.036	0.08	0.4	6.0	0.02	0.08	<5	0.3	<0.02	0.8
789689	Drill Core	2.33	0.055	6.1	23.2	1.62	88.3	0.012	<1	1.20	0.025	0.12	0.1	4.9	0.03	0.29	<5	1.0	0.04	3.0
789690	Drill Core	2.97	0.056	2.7	71.1	2.32	38.7	0.030	<1	1.04	0.018	0.06	0.1	6.8	<0.02	0.13	9	0.3	<0.02	1.8
789691	Drill Core	4.56	0.099	2.0	17.5	2.16	61.4	0.002	2	0.80	0.016	0.18	0.2	6.4	0.06	1.36	8	1.2	0.04	1.5
789692	Drill Core	2.99	0.080	1.5	3.7	0.94	64.6	<0.001	1	0.36	0.021	0.15	0.3	2.3	0.06	1.20	13	1.0	0.07	0.7
789693	Drill Core	3.18	0.094	1.6	2.2	0.92	70.6	<0.001	1	0.36	0.038	0.17	0.1	2.1	0.06	0.60	6	0.6	<0.02	0.7
789694	Drill Core	3.02	0.135	3.6	2.4	1.35	82.1	<0.001	<1	0.63	0.019	0.18	0.4	5.4	0.07	1.32	8	1.4	0.17	0.8
789695	Drill Core	4.03	0.109	1.9	3.1	1.64	84.9	<0.001	1	0.60	0.013	0.20	0.4	4.3	0.07	0.89	11	0.7	0.03	0.9
789696	Drill Core	3.10	0.097	1.2	4.1	1.10	63.5	0.002	<1	0.42	0.010	0.14	3.7	2.4	0.06	1.17	12	1.5	0.18	0.7
789697	Drill Core	3.06	0.094	1.3	1.6	1.01	67.0	<0.001	1	0.52	0.024	0.15	8.1	1.8	0.06	0.80	13	0.9	0.03	0.8
789698	Drill Core	3.50	0.105	1.6	2.2	1.16	80.7	<0.001	<1	0.57	0.020	0.17	5.9	2.0	0.07	0.73	14	0.7	<0.02	0.7
789699	Drill Core	3.13	0.095	1.7	1.9	1.03	90.2	<0.001	1	0.63	0.022	0.20	12.1	1.6	0.09	0.66	7	0.7	<0.02	0.8
789700	Drill Core	2.61	0.069	2.1	2.9	1.02	51.6	<0.001	1	0.25	0.009	0.15	19.9	2.7	0.09	4.27	42	6.1	0.39	0.6



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain  
**Report Date:** October 25, 2010

**Page:** 4 of 5 Part 1

# CERTIFICATE OF ANALYSIS

VAN10005105.1

Method Analyte Unit MDL	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	
789701	Drill Core	2.51	0.011	0.24	30.68	3.47	73.1	163	191.0	21.7	1315	3.74	268.0	0.2	<0.2	0.2	159.5	0.20	0.80	0.02	15
789702	Drill Core	5.30	0.078	0.19	86.63	4.00	56.1	315	254.3	23.5	1359	3.77	354.5	0.1	176.9	0.2	168.8	0.12	1.21	<0.02	10
789703	Drill Core	3.59	0.096	0.11	29.62	11.80	61.4	141	41.2	7.3	1012	2.42	96.6	0.3	92.7	0.4	189.3	0.27	0.22	<0.02	3
789704	Drill Core	4.61	0.220	8.85	34.56	15.71	132.9	474	30.3	12.5	947	3.17	116.9	1.5	12.0	1.3	157.4	1.00	1.52	0.18	6
789705	Drill Core	5.94	0.058	5.09	33.02	12.94	93.7	262	38.9	8.3	896	2.50	83.1	1.1	1.3	0.6	165.2	0.73	1.25	0.07	12
789706	Drill Core	4.55	0.185	19.40	57.45	22.69	164.2	822	64.5	15.0	790	3.69	121.9	1.7	0.3	1.4	157.4	1.76	2.45	0.21	23
789707	Drill Core	4.84	0.119	0.12	49.12	7.64	61.6	165	60.3	12.0	1759	3.34	109.3	0.3	116.4	0.2	295.1	0.28	0.38	0.03	5
789708	Drill Core	1.30	0.151	16.42	39.94	13.30	159.3	404	66.8	17.4	961	3.91	184.6	1.4	1.7	1.7	154.6	1.59	1.04	0.55	12
789709	Drill Core	2.04	0.092	1.66	25.64	16.23	58.8	152	22.3	6.6	1690	2.54	55.5	1.0	43.3	0.4	195.6	0.26	0.40	0.04	3
789710	Drill Core	5.29	0.029	0.76	26.87	3.85	57.1	262	36.0	6.9	1119	2.37	64.4	0.3	7.6	0.4	172.2	0.31	0.18	0.04	4
789711	Drill Core	5.58	0.056	1.45	33.51	3.07	57.0	1041	14.3	5.3	936	2.10	40.4	0.3	3.7	0.4	124.2	0.24	0.14	0.07	5
789712	Drill Core	4.85	0.021	0.60	31.85	4.14	52.0	209	14.1	5.4	1042	2.12	42.6	0.2	3.9	0.3	138.0	0.25	0.13	0.05	4
789713	Drill Core	0.68	0.786	17.30	27.69	22.88	151.5	593	51.0	13.0	1244	3.35	161.1	1.3	5.1	1.4	152.8	1.56	0.48	0.41	10
789714	Drill Core	4.23	0.124	0.20	27.00	10.23	60.6	225	65.2	8.4	1164	2.45	127.5	0.1	11.8	0.4	196.5	0.39	0.25	0.10	4
789715	Drill Core	4.26	0.060	0.24	50.16	9.64	65.2	292	82.6	9.1	1371	2.47	157.9	0.1	15.4	0.4	175.4	0.24	0.21	0.07	6
789716	Drill Core	3.41	0.039	0.13	24.14	6.48	51.9	169	76.7	9.1	1294	2.40	152.6	0.1	17.6	0.4	171.3	0.19	0.15	0.04	5
789717	Drill Core	2.55	0.035	0.06	30.34	5.10	44.3	105	67.2	8.2	1357	2.31	125.1	0.2	45.1	0.3	184.6	0.19	0.18	0.06	5
789718	Drill Core	5.87	0.138	0.14	14.13	5.67	35.8	78	74.2	7.8	1255	2.30	153.4	0.1	90.4	0.3	189.5	0.16	0.16	0.02	5
789719	Drill Core	5.97	0.061	0.09	20.42	9.41	49.6	122	102.8	10.1	1235	2.50	199.1	0.2	73.2	0.3	175.1	0.18	0.26	0.04	5
789720	Drill Core	2.07	0.077	0.07	34.04	11.26	66.2	161	120.5	12.5	1196	2.61	224.1	0.1	51.5	0.3	181.9	0.24	0.28	0.05	5
789721	Drill Core	1.27	0.096	0.18	23.81	25.12	62.2	152	63.1	8.0	1110	2.45	118.2	0.2	75.1	0.2	163.9	0.22	0.27	0.06	5
789722	Drill Core	2.14	0.035	0.25	19.59	16.92	68.0	135	73.1	8.1	1088	2.44	129.0	0.1	21.9	0.3	169.0	0.21	0.34	0.05	5
789723	Drill Core	4.68	0.092	0.13	22.05	6.72	51.5	116	66.0	8.7	1066	2.66	143.1	0.1	60.7	0.3	156.0	0.20	0.20	0.06	4
789724	Drill Core	4.45	0.015	0.09	30.54	4.01	48.6	95	89.0	10.8	1291	2.86	186.3	0.1	20.0	0.3	218.6	0.17	0.21	0.02	6
789725	Drill Core	1.53	0.181	0.04	36.87	8.46	58.4	145	167.4	18.8	1550	4.07	322.3	0.3	134.1	0.2	334.3	0.24	0.28	0.03	10
789726	Drill Core	2.82	0.213	0.04	26.75	5.53	59.2	124	61.6	14.2	1441	3.72	127.7	0.2	188.7	0.2	228.9	0.21	0.15	0.03	11
789727	Drill Core	6.24	0.045	0.33	43.76	7.46	78.2	140	42.9	13.4	1418	3.79	89.5	0.4	10.3	0.3	199.2	0.23	0.40	<0.02	11
789728	Drill Core	5.87	0.045	0.88	48.80	8.02	90.1	211	58.8	14.9	1580	4.07	115.1	0.3	14.0	0.3	208.3	0.30	0.29	0.05	12
789729	Drill Core	2.15	0.165	19.29	90.50	9.52	77.1	802	49.8	11.6	909	3.17	118.9	1.3	1.5	1.9	134.7	0.90	0.70	0.19	10
789730	Drill Core	5.01	0.112	0.47	27.69	5.27	66.0	226	61.3	7.1	1298	2.21	103.0	0.3	57.9	0.4	167.1	0.45	0.28	<0.02	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 25, 2010

Page: 4 of 5 Part 2

# CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789701	Drill Core	3.71	0.086	1.6	54.6	4.18	48.2	<0.001	1	0.64	0.022	0.18	0.2	7.7	0.07	0.23	<5	0.3	<0.02	0.9
789702	Drill Core	4.37	0.093	1.2	39.6	4.21	36.9	<0.001	<1	0.56	0.019	0.17	0.4	6.5	0.06	0.50	6	0.3	0.02	0.7
789703	Drill Core	3.95	0.115	1.7	3.9	1.43	53.7	<0.001	<1	0.40	0.016	0.16	0.3	2.1	0.06	0.98	<5	0.7	<0.02	0.6
789704	Drill Core	3.38	0.053	2.9	2.5	1.10	85.0	<0.001	<1	0.38	0.011	0.15	0.5	3.0	0.07	1.70	24	1.8	0.23	0.7
789705	Drill Core	3.44	0.106	1.8	5.1	1.24	61.3	<0.001	<1	0.52	0.009	0.14	0.5	2.5	0.11	1.33	39	1.5	0.11	0.7
789706	Drill Core	2.98	0.068	2.4	5.4	1.16	65.0	<0.001	1	0.39	0.009	0.14	0.9	4.0	0.24	3.04	127	3.5	0.46	0.8
789707	Drill Core	5.48	0.110	1.3	4.0	2.00	132.7	<0.001	<1	0.34	0.011	0.18	0.2	3.5	0.07	1.19	8	0.7	0.07	0.5
789708	Drill Core	2.94	0.086	2.1	3.9	0.91	45.7	<0.001	<1	0.34	0.009	0.12	0.7	3.2	0.08	3.21	50	2.9	0.48	0.6
789709	Drill Core	3.95	0.088	1.8	2.3	1.29	78.7	<0.001	<1	0.57	0.014	0.19	0.3	1.7	0.07	0.96	<5	0.9	0.04	0.7
789710	Drill Core	3.74	0.093	1.8	3.1	1.26	69.7	<0.001	<1	0.51	0.021	0.18	0.5	2.0	0.07	0.66	10	0.6	0.03	0.7
789711	Drill Core	2.95	0.091	1.4	1.6	0.84	54.1	<0.001	1	0.28	0.031	0.13	4.9	1.8	0.05	0.51	13	0.3	<0.02	0.7
789712	Drill Core	3.12	0.099	1.4	1.4	0.96	66.7	<0.001	2	0.34	0.028	0.15	1.4	1.7	0.05	0.61	11	0.5	<0.02	0.7
789713	Drill Core	3.54	0.077	2.0	2.8	1.14	39.3	<0.001	<1	0.24	0.011	0.09	0.8	3.1	0.04	2.08	30	2.3	0.13	0.4
789714	Drill Core	3.98	0.118	2.2	3.6	1.39	64.4	<0.001	1	0.38	0.026	0.16	0.5	1.9	0.06	0.81	<5	0.5	<0.02	0.7
789715	Drill Core	3.73	0.113	2.3	5.5	1.49	61.8	0.004	1	0.46	0.035	0.15	0.7	2.2	0.05	0.38	<5	0.3	<0.02	0.8
789716	Drill Core	4.12	0.118	2.0	4.4	1.53	58.0	<0.001	1	0.43	0.042	0.15	0.4	2.3	0.06	0.37	13	0.2	<0.02	0.8
789717	Drill Core	4.28	0.115	1.9	4.0	1.51	53.7	<0.001	<1	0.37	0.030	0.13	0.2	2.1	0.05	0.40	<5	0.2	<0.02	0.7
789718	Drill Core	4.46	0.111	1.8	4.2	1.52	69.8	<0.001	1	0.34	0.026	0.17	0.1	2.1	0.07	0.51	7	0.4	<0.02	0.7
789719	Drill Core	4.31	0.112	2.0	4.9	1.57	51.8	<0.001	1	0.36	0.031	0.14	0.1	2.1	0.05	0.36	5	0.2	<0.02	0.7
789720	Drill Core	4.64	0.109	1.7	5.9	1.60	57.8	<0.001	1	0.55	0.040	0.14	0.1	2.3	0.06	0.44	6	0.2	0.03	0.8
789721	Drill Core	4.07	0.108	1.5	3.7	1.35	57.6	<0.001	1	0.40	0.032	0.12	0.1	2.1	0.05	0.62	6	0.2	<0.02	0.7
789722	Drill Core	4.49	0.111	1.9	4.3	1.43	66.9	<0.001	<1	0.44	0.041	0.15	0.2	2.5	0.05	0.25	14	<0.1	0.02	0.8
789723	Drill Core	3.99	0.106	1.3	3.4	1.35	60.8	<0.001	1	0.39	0.033	0.14	0.1	2.2	0.05	0.95	12	0.5	<0.02	0.6
789724	Drill Core	4.94	0.118	1.7	5.1	1.78	60.1	<0.001	1	0.50	0.035	0.15	0.2	3.1	0.05	0.59	8	0.3	<0.02	0.7
789725	Drill Core	6.52	0.122	1.3	8.4	2.17	40.1	<0.001	1	0.37	0.026	0.12	0.2	5.5	0.04	1.07	<5	0.3	<0.02	0.6
789726	Drill Core	5.65	0.132	1.2	4.8	1.95	43.6	<0.001	1	0.44	0.035	0.14	0.2	5.5	0.05	1.07	5	0.4	<0.02	0.7
789727	Drill Core	5.08	0.130	1.3	2.9	1.94	43.4	<0.001	<1	0.40	0.026	0.12	0.2	5.7	0.04	0.75	<5	0.5	<0.02	0.7
789728	Drill Core	5.63	0.133	1.4	4.1	2.03	52.0	<0.001	<1	0.71	0.033	0.16	0.4	5.7	0.05	1.14	15	0.6	<0.02	0.9
789729	Drill Core	2.75	0.069	2.6	3.4	1.01	38.8	<0.001	<1	0.21	0.012	0.11	2.3	2.9	0.07	2.30	23	3.0	0.06	0.5
789730	Drill Core	4.39	0.108	2.5	4.2	1.56	59.3	<0.001	<1	0.36	0.018	0.17	0.7	2.1	0.06	0.58	14	0.8	<0.02	0.6



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789731	Drill Core	5.99	0.140	0.37	33.18	5.08	66.7	153	84.6	8.7	1395	2.33	140.7	0.3	92.3	0.3	176.5	0.39	0.31	<0.02	5
789732	Drill Core	5.39	0.071	0.26	29.47	2.77	41.3	145	81.4	9.9	1172	2.57	145.3	0.3	115.5	0.3	161.9	0.16	0.29	<0.02	4
789733	Drill Core	5.23	0.055	0.15	45.91	2.15	34.8	170	77.2	8.9	1208	2.46	140.1	0.3	33.7	0.3	161.2	0.15	0.29	<0.02	4
789734	Drill Core	5.49	0.128	0.10	35.72	2.49	34.4	421	69.1	7.5	1245	2.31	130.8	0.2	36.9	0.3	178.1	0.17	0.20	<0.02	5
789735	Drill Core	1.59	0.454	0.14	50.45	4.23	55.6	250	79.0	9.1	1258	2.80	179.0	0.3	347.9	0.3	174.1	0.26	0.26	0.03	4



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10005105.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789731	Drill Core	4.88	0.111	1.8	4.2	1.80	97.6	<0.001	1	0.38	0.017	0.15	0.3	2.3	0.05	0.48	8	0.6	<0.02	0.6
789732	Drill Core	4.17	0.110	1.7	3.8	1.47	63.7	<0.001	<1	0.43	0.022	0.17	0.2	2.0	0.06	0.76	6	0.5	<0.02	0.7
789733	Drill Core	4.29	0.117	1.7	3.4	1.48	60.8	<0.001	1	0.40	0.022	0.16	0.4	2.1	0.06	0.53	19	0.4	<0.02	0.6
789734	Drill Core	4.33	0.114	2.1	3.5	1.48	70.0	<0.001	1	0.47	0.023	0.19	1.5	2.1	0.07	0.41	8	0.3	0.02	0.8
789735	Drill Core	4.04	0.121	1.7	3.1	1.37	56.6	<0.001	<1	0.37	0.016	0.16	0.2	1.8	0.07	1.28	10	0.8	0.04	0.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 25, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN10005105.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
Pulp Duplicates																					
789642	Drill Core	0.95	0.018	18.94	37.07	3.73	86.4	127	31.3	12.4	473	3.25	152.0	1.0	0.5	0.5	66.6	1.47	0.31	0.06	11
REP 789642	QC	0.022																			
789647	Drill Core	2.04	0.024	0.95	87.22	3.76	98.6	156	13.2	17.2	1134	4.73	33.9	0.2	0.5	0.4	82.7	0.37	0.15	0.02	14
REP 789647	QC	0.85 81.72 3.34 88.6 158 12.7 17.0 1075 4.48 30.1 0.2 0.4 0.4 73.5 0.38 0.14 <0.02 14																			
789673	Drill Core	2.66	0.017	1.07	56.02	6.17	63.9	1805	11.1	12.0	750	3.44	32.2	0.2	<0.2	1.2	70.9	0.18	0.07	0.05	10
REP 789673	QC	1.18 57.82 6.39 67.6 1820 11.6 12.4 751 3.48 36.8 0.2 <0.2 1.2 73.4 0.17 0.06 0.06 9																			
789683	Drill Core	3.26	0.008	0.18	95.66	5.04	99.1	201	19.8	16.4	695	4.48	33.6	0.2	<0.2	1.3	48.6	0.22	0.12	0.09	11
REP 789683	QC	0.019																			
789692	Drill Core	2.52	0.125	7.98	45.37	18.55	75.0	282	19.5	8.0	937	2.72	91.1	0.4	24.6	0.5	128.4	0.43	0.18	0.05	5
REP 789692	QC	7.83 44.66 18.70 73.1 267 19.5 8.0 912 2.68 90.8 0.4 9.9 0.5 129.5 0.43 0.17 0.06 5																			
789696	Drill Core	3.14	0.288	0.82	47.59	9.31	97.0	1461	25.7	9.0	1027	2.52	259.6	0.4	191.0	0.4	132.6	0.60	0.26	0.03	6
REP 789696	QC	0.94 51.97 10.12 102.1 1584 26.2 9.3 1084 2.68 276.0 0.4 186.9 0.4 136.8 0.67 0.27 0.03 6																			
789700	Drill Core	2.20	0.634	21.67	76.81	23.56	191.2	7050	66.1	22.4	734	4.53	174.6	1.6	7.6	1.4	148.9	2.38	0.86	0.36	10
REP 789700	QC	0.691																			
789713	Drill Core	0.68	0.786	17.30	27.69	22.88	151.5	593	51.0	13.0	1244	3.35	161.1	1.3	5.1	1.4	152.8	1.56	0.48	0.41	10
REP 789713	QC	17.41 28.50 23.94 153.6 767 54.4 13.6 1234 3.45 169.8 1.3 5.1 1.5 153.4 1.52 0.46 0.43 9																			
789731	Drill Core	5.99	0.140	0.37	33.18	5.08	66.7	153	84.6	8.7	1395	2.33	140.7	0.3	92.3	0.3	176.5	0.39	0.31	<0.02	5
REP 789731	QC	0.35 34.47 5.30 66.5 167 85.6 8.7 1422 2.41 144.7 0.3 111.3 0.3 175.1 0.39 0.31 <0.02 5																			
789733	Drill Core	5.23	0.055	0.15	45.91	2.15	34.8	170	77.2	8.9	1208	2.46	140.1	0.3	33.7	0.3	161.2	0.15	0.29	<0.02	4
REP 789733	QC	0.054																			
Core Reject Duplicates																					
789666	Drill Core	4.97	0.019	0.46	36.55	4.92	59.6	119	5.8	9.6	824	3.14	34.8	0.2	4.0	1.4	76.9	0.19	0.09	0.06	7
DUP 789666	QC	0.018 0.50 38.12 4.85 56.0 117 6.1 9.9 867 3.09 33.3 0.3 2.4 1.5 71.3 0.23 0.09 0.06 7																			
789701	Drill Core	2.51	0.011	0.24	30.68	3.47	73.1	163	191.0	21.7	1315	3.74	268.0	0.2	<0.2	0.2	159.5	0.20	0.80	0.02	15
DUP 789701	QC	0.014 0.32 33.95 3.55 76.7 149 199.1 20.9 1305 3.73 274.2 0.2 0.6 0.2 157.0 0.21 0.78 <0.02 14																			
Reference Materials																					
STD DS7	Standard	19.00 100.1 60.55 358.0 859 50.4 8.8 622 2.38 46.3 4.6 65.9 4.4 65.9 5.84 5.23 4.36 82																			
STD DS7	Standard	24.13 125.9 77.71 395.4 964 62.3 10.4 625 2.42 46.0 5.4 61.7 5.3 73.4 5.92 5.43 4.55 87																			





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN10005105.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																				
789642	Drill Core	2.25	0.102	3.3	5.3	0.87	78.5	<0.001	1	0.53	0.045	0.10	0.3	3.8	0.06	2.06	8	7.2	0.10	0.7
REP 789642	QC																			
789647	Drill Core	3.67	0.054	2.2	3.3	2.08	99.3	<0.001	<1	0.69	0.059	0.11	0.2	10.1	0.05	0.65	<5	1.6	0.06	0.8
REP 789647	QC	3.47	0.053	2.1	3.1	1.97	91.0	<0.001	<1	0.68	0.052	0.11	0.2	8.7	0.04	0.63	<5	1.5	0.04	0.7
789673	Drill Core	2.90	0.043	4.0	2.5	1.25	77.3	<0.001	<1	0.61	0.065	0.12	3.8	7.3	0.03	0.10	<5	0.4	0.05	0.9
REP 789673	QC	2.92	0.045	4.0	2.4	1.25	80.3	<0.001	<1	0.61	0.062	0.12	4.2	7.7	0.02	0.09	6	0.3	0.05	0.9
789683	Drill Core	1.95	0.052	5.0	4.9	1.76	78.3	<0.001	<1	0.52	0.048	0.14	0.2	6.8	0.03	0.05	<5	0.4	0.03	0.8
REP 789683	QC																			
789692	Drill Core	2.99	0.080	1.5	3.7	0.94	64.6	<0.001	1	0.36	0.021	0.15	0.3	2.3	0.06	1.20	13	1.0	0.07	0.7
REP 789692	QC	2.95	0.085	1.6	3.2	0.95	67.2	<0.001	<1	0.35	0.020	0.15	0.2	2.3	0.06	1.19	12	1.1	0.06	0.7
789696	Drill Core	3.10	0.097	1.2	4.1	1.10	63.5	0.002	<1	0.42	0.010	0.14	3.7	2.4	0.06	1.17	12	1.5	0.18	0.7
REP 789696	QC	3.30	0.100	1.4	4.1	1.18	69.6	0.002	<1	0.52	0.011	0.14	3.7	2.6	0.06	1.24	10	1.4	0.24	0.7
789700	Drill Core	2.61	0.069	2.1	2.9	1.02	51.6	<0.001	1	0.25	0.009	0.15	19.9	2.7	0.09	4.27	42	6.1	0.39	0.6
REP 789700	QC																			
789713	Drill Core	3.54	0.077	2.0	2.8	1.14	39.3	<0.001	<1	0.24	0.011	0.09	0.8	3.1	0.04	2.08	30	2.3	0.13	0.4
REP 789713	QC	3.53	0.076	2.0	2.9	1.13	39.8	<0.001	<1	0.23	0.011	0.09	0.9	3.0	0.04	2.20	25	2.3	0.26	0.5
789731	Drill Core	4.88	0.111	1.8	4.2	1.80	97.6	<0.001	1	0.38	0.017	0.15	0.3	2.3	0.05	0.48	8	0.6	<0.02	0.6
REP 789731	QC	5.03	0.113	1.9	4.5	1.84	102.7	<0.001	<1	0.40	0.018	0.15	0.3	2.6	0.05	0.50	7	0.6	<0.02	0.6
789733	Drill Core	4.29	0.117	1.7	3.4	1.48	60.8	<0.001	1	0.40	0.022	0.16	0.4	2.1	0.06	0.53	19	0.4	<0.02	0.6
REP 789733	QC																			
Core Reject Duplicates																				
789666	Drill Core	3.46	0.046	5.0	2.0	1.13	82.6	<0.001	<1	0.41	0.069	0.13	0.2	6.9	0.04	0.20	<5	0.5	0.04	0.8
DUP 789666	QC	3.43	0.047	5.1	2.2	1.12	82.6	<0.001	2	0.41	0.060	0.13	0.1	6.2	0.03	0.19	<5	0.5	0.05	0.8
789701	Drill Core	3.71	0.086	1.6	54.6	4.18	48.2	<0.001	1	0.64	0.022	0.18	0.2	7.7	0.07	0.23	<5	0.3	<0.02	0.9
DUP 789701	QC	3.69	0.089	1.5	53.1	4.12	42.6	<0.001	1	0.60	0.020	0.16	0.3	7.5	0.06	0.24	5	0.2	0.02	0.9
Reference Materials																				
STD DS7	Standard	0.96	0.082	12.2	194.6	1.03	360.8	0.127	44	1.03	0.113	0.45	3.5	3.0	3.83	0.20	226	2.8	1.35	4.4
STD DS7	Standard	1.01	0.068	15.3	225.4	1.07	390.3	0.144	37	1.06	0.096	0.45	3.5	2.5	4.12	0.19	211	2.9	1.16	4.9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 25, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN10005105.1

		WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2
STD DS7	Standard			19.67	109.5	73.44	394.3	1055	52.8	9.2	629	2.43	52.3	4.9	72.4	4.8	73.7	6.05	5.68	4.95	83
STD DS7	Standard			20.85	107.8	67.65	393.6	1094	56.0	9.3	633	2.40	47.1	5.1	76.8	5.0	72.3	6.57	5.82	4.77	83
STD OXH66	Standard		1.321																		
STD OXH66	Standard		1.238																		
STD OXH66	Standard		1.257																		
STD OXH66	Standard		1.293																		
STD OXH66	Standard		1.344																		
STD OXH66	Standard		1.305																		
STD OXK79	Standard		3.292																		
STD OXK79	Standard		3.351																		
STD OXK79	Standard		3.392																		
STD DS7 Expected				20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84
STD OXH66 Expected			1.285																		
STD OXK79 Expected			3.532																		
BLK	Blank		0.007																		
BLK	Blank		0.007																		
BLK	Blank		0.010																		
BLK	Blank		0.005																		
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2
BLK	Blank		<0.005																		
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2
BLK	Blank		0.011																		
BLK	Blank		0.008																		
BLK	Blank		0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain

Report Date: October 25, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN10005105.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
STD DS7	Standard	0.98	0.081	13.3	184.3	1.05	402.3	0.115	41	1.05	0.094	0.47	3.7	2.7	4.21	0.21	239	3.1	1.21	5.0	
STD DS7	Standard	0.98	0.075	13.7	204.3	1.06	383.6	0.120	38	1.06	0.099	0.47	3.8	2.8	3.98	0.18	234	3.2	1.30	4.7	
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD DS7 Expected		0.93	0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	
STD OXH66 Expected																					
STD OXK79 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain

**Report Date:** October 25, 2010

**Page:** 3 of 3 **Part** 1

## QUALITY CONTROL REPORT

VAN10005105.1

		WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2
G1	Prep Blank	<0.01	0.022	0.13	146.5	4.41	44.5	37	2.9	3.9	554	2.02	0.3	1.5	5.1	4.9	55.7	0.03	0.05	0.16	36
G1	Prep Blank	<0.01	0.024	0.16	227.1	6.34	47.9	75	3.1	4.1	557	2.12	0.4	1.6	6.5	5.0	55.6	0.09	0.06	0.19	37



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain

**Report Date:** October 25, 2010

**Page:** 3 of 3 **Part** 2

## QUALITY CONTROL REPORT

VAN10005105.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
G1	Prep Blank	0.52	0.074	11.0	8.0	0.52	182.4	0.130	2	0.97	0.106	0.48	<0.1	2.5	0.31	0.11	9	<0.1	0.04	4.2
G1	Prep Blank	0.53	0.073	10.3	10.1	0.52	322.9	0.126	2	0.94	0.104	0.48	<0.1	2.3	0.28	0.18	13	0.1	0.05	4.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Powell Malcolm  
Receiving Lab: Canada-Vancouver  
Received: September 17, 2010  
Report Date: October 05, 2010  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

VAN10004734.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN4  
P.O. Number: ACREX SMTN  
Number of Samples: 92

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Acrex Ventures Ltd.  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC: Perry Grunenberg

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	92	Crush split and pulverize 250g drill core to 200 mesh			VAN
G601	92	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1F02	92	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 2 of 5 Part 1

# CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789501	Drill Core	1.80	0.018	1.66	67.00	5.34	76.4	716	25.9	14.3	1281	3.64	34.4	0.3	0.6	1.3	154.8	0.48	0.44	0.07	34
789502	Drill Core	4.50	0.042	3.45	60.63	9.54	97.1	403	38.2	14.6	1025	3.60	43.0	0.6	2.7	2.2	85.8	0.75	0.82	0.10	37
789503	Drill Core	2.77	0.030	2.10	61.15	6.22	76.4	1346	26.4	12.4	932	3.06	40.3	0.5	5.1	1.8	75.1	0.47	0.51	0.08	26
789504	Drill Core	2.42	0.016	0.84	44.15	2.11	47.1	179	8.3	8.3	721	2.53	33.8	0.3	3.4	1.6	89.3	0.21	0.11	0.03	12
789505	Drill Core	3.18	0.017	0.68	30.11	3.41	50.1	177	7.6	7.7	563	2.50	36.2	0.3	0.8	1.7	81.0	0.35	0.11	0.06	10
789506	Drill Core	2.98	0.126	1.42	30.31	5.08	55.9	366	6.1	6.7	492	2.16	23.6	0.3	13.5	1.7	69.1	0.35	0.14	0.09	9
789507	Drill Core	4.53	0.021	1.63	21.86	3.16	57.4	120	6.2	7.9	607	2.76	25.4	0.2	<0.2	1.2	68.1	0.09	0.08	0.06	11
789508	Drill Core	3.78	0.055	1.23	56.28	11.91	63.2	986	13.1	12.1	867	3.55	69.5	0.3	4.1	1.1	94.3	0.27	0.27	0.18	18
789509	Drill Core	4.51	0.016	1.55	47.55	6.64	55.2	350	9.4	8.1	540	2.67	31.5	0.3	0.7	1.5	45.7	0.14	0.14	0.10	13
789510	Drill Core	3.18	0.086	1.89	56.01	14.97	59.6	338	11.7	12.4	642	3.13	61.0	0.3	0.6	1.2	71.0	0.29	0.22	0.22	15
789511	Drill Core	4.25	0.008	0.85	42.86	3.56	65.7	539	10.3	10.2	596	2.99	31.5	0.2	0.2	1.7	65.0	0.31	0.13	0.06	13
789512	Drill Core	5.56	0.009	0.73	37.71	2.69	70.6	101	9.4	11.5	755	3.56	39.1	0.2	<0.2	1.3	63.5	0.13	0.11	0.04	16
789513	Drill Core	3.82	0.010	1.63	62.19	3.81	54.9	167	11.2	12.1	924	3.35	61.3	0.2	<0.2	1.2	61.1	0.24	0.13	0.05	16
789514	Drill Core	4.32	0.086	1.67	43.78	3.18	60.8	155	8.5	9.7	729	3.11	45.3	0.3	22.5	1.6	64.8	0.11	0.10	0.06	15
789515	Drill Core	4.91	0.008	0.81	57.67	3.21	60.8	184	14.5	12.6	701	3.35	45.8	0.3	2.9	1.4	63.4	0.16	0.17	0.07	19
789516	Drill Core	2.27	0.007	0.34	20.92	14.42	107.0	164	82.4	33.8	1274	4.87	143.0	0.2	0.7	0.6	148.9	0.31	1.39	0.07	62
789517	Drill Core	3.17	0.008	1.04	43.93	2.97	64.2	160	22.5	13.9	761	3.41	60.9	0.2	0.9	1.4	75.8	0.15	0.15	0.05	17
789518	Drill Core	2.99	0.016	1.37	54.89	5.05	62.0	210	11.8	10.6	808	3.44	110.7	0.5	1.0	1.3	76.7	0.28	0.19	0.06	17
789519	Drill Core	1.55	0.025	0.42	14.32	4.02	45.7	75	4.7	6.4	819	2.98	36.7	0.2	0.8	1.3	121.0	0.24	0.08	0.04	10
789520	Drill Core	4.03	0.109	0.40	25.04	3.55	58.9	97	4.4	6.2	623	2.64	83.1	0.2	7.8	1.6	79.8	0.18	0.11	0.04	9
789521	Drill Core	1.24	0.013	0.50	30.22	2.47	52.0	169	6.3	8.7	686	3.06	38.7	0.2	1.1	1.2	85.7	0.15	0.42	0.04	12
789522	Drill Core	1.12	0.142	4.24	56.67	5.90	72.8	698	9.2	11.2	734	3.93	5249	0.3	20.1	0.8	88.4	0.18	3.05	0.11	12
789523	Drill Core	2.37	0.021	3.37	53.64	3.32	50.2	269	12.6	8.8	571	3.07	92.8	1.3	<0.2	1.1	65.5	0.17	0.80	0.07	14
789524	Drill Core	0.65	0.043	1.04	31.86	3.15	73.0	146	5.3	7.5	563	2.94	107.1	0.4	2.4	1.1	82.7	0.28	0.17	0.05	11
789525	Drill Core	3.68	0.005	0.51	28.92	2.37	69.8	140	5.1	7.3	675	3.08	27.9	0.2	0.5	1.8	82.7	0.21	0.08	0.04	12
789526	Drill Core	1.11	0.191	0.38	24.63	3.20	37.5	113	4.0	5.3	763	2.62	59.6	0.3	6.9	1.1	128.2	0.22	0.11	0.02	11
789527	Drill Core	1.56	0.514	0.16	60.73	4.58	54.7	296	21.1	16.3	1315	4.63	75.0	0.5	234.0	0.3	131.8	0.15	0.12	0.02	28
789528	Drill Core	3.42	0.111	0.46	53.62	3.04	72.9	207	16.7	13.9	1237	4.12	68.2	0.5	46.8	0.7	143.8	0.26	0.21	0.03	22
789529	Drill Core	4.75	0.218	0.37	58.59	4.19	64.1	325	14.5	14.7	970	4.18	225.9	0.2	40.3	1.0	124.9	0.14	0.17	0.07	18
789530	Drill Core	0.64	0.050	8.52	164.9	4.73	31.7	618	33.2	21.4	291	2.59	177.1	0.2	4.7	0.5	35.3	0.07	0.29	0.25	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789501	Drill Core	3.53	0.086	4.5	13.2	1.43	104.0	0.013	<1	0.78	0.030	0.17	2.0	6.4	0.07	0.37	13	1.0	<0.02	2.2
789502	Drill Core	1.85	0.061	7.0	19.7	1.02	105.3	0.036	<1	1.10	0.030	0.16	0.5	5.1	0.08	0.53	23	1.7	0.08	2.7
789503	Drill Core	2.24	0.048	5.7	10.9	1.00	86.0	0.013	<1	0.72	0.033	0.14	4.4	5.1	0.06	0.31	20	1.0	<0.02	1.8
789504	Drill Core	2.88	0.037	7.0	2.8	0.95	87.5	<0.001	<1	0.38	0.041	0.17	0.3	4.6	0.05	0.20	8	0.4	<0.02	0.8
789505	Drill Core	2.79	0.036	6.1	3.6	0.88	53.3	<0.001	<1	0.37	0.054	0.12	0.4	4.5	0.04	0.29	11	0.4	<0.02	0.7
789506	Drill Core	2.10	0.035	7.5	3.2	0.67	47.1	<0.001	<1	0.37	0.050	0.13	0.9	4.2	0.04	0.24	14	0.4	<0.02	1.0
789507	Drill Core	2.55	0.050	5.8	2.6	0.92	41.2	<0.001	<1	0.33	0.068	0.11	0.2	5.0	0.02	0.22	10	0.2	<0.02	0.8
789508	Drill Core	3.32	0.064	4.4	3.2	1.19	65.1	0.001	<1	0.42	0.044	0.15	4.2	5.9	0.04	0.90	9	1.1	0.10	1.0
789509	Drill Core	2.09	0.044	6.1	2.5	0.90	63.3	<0.001	<1	0.39	0.070	0.11	0.8	5.2	0.03	0.30	9	0.5	0.03	0.9
789510	Drill Core	2.41	0.041	4.6	2.4	0.95	77.7	<0.001	<1	0.45	0.058	0.17	0.4	4.8	0.05	0.88	13	1.4	0.06	0.9
789511	Drill Core	2.30	0.044	5.5	3.3	0.98	74.6	<0.001	<1	0.40	0.056	0.14	2.7	5.4	0.03	0.33	11	0.4	<0.02	0.8
789512	Drill Core	2.84	0.049	5.5	2.7	1.28	71.9	<0.001	<1	0.45	0.079	0.12	0.2	7.1	0.03	0.30	12	0.5	<0.02	0.9
789513	Drill Core	3.41	0.050	5.1	2.6	1.25	67.1	<0.001	<1	0.40	0.070	0.10	0.4	7.4	0.02	0.31	15	0.7	<0.02	0.8
789514	Drill Core	2.98	0.040	7.2	1.7	1.14	75.5	<0.001	<1	0.50	0.077	0.12	0.3	6.6	0.03	0.32	11	0.6	0.02	1.0
789515	Drill Core	2.96	0.039	4.3	8.7	1.29	62.5	0.004	<1	0.42	0.072	0.09	0.3	7.8	0.02	0.44	15	0.8	<0.02	0.8
789516	Drill Core	6.72	0.054	2.6	162.6	4.26	27.4	<0.001	<1	1.10	0.062	0.04	0.4	29.0	<0.02	0.06	11	0.2	0.04	2.6
789517	Drill Core	3.46	0.040	5.2	13.6	1.76	73.5	<0.001	<1	0.43	0.070	0.09	0.4	10.1	0.02	0.18	10	0.4	0.03	0.8
789518	Drill Core	3.12	0.129	6.8	4.4	1.26	85.1	<0.001	<1	0.61	0.073	0.14	0.5	6.4	0.04	0.40	14	0.9	<0.02	1.1
789519	Drill Core	3.56	0.048	5.5	3.0	1.28	62.4	<0.001	<1	0.32	0.040	0.13	0.2	4.8	0.04	0.30	9	0.5	<0.02	0.8
789520	Drill Core	2.73	0.040	7.0	2.6	1.00	71.9	<0.001	<1	0.36	0.040	0.16	0.2	3.4	0.05	0.25	12	0.6	<0.02	0.8
789521	Drill Core	3.03	0.049	4.0	2.4	1.10	71.4	<0.001	<1	0.46	0.043	0.15	0.2	4.3	0.06	0.48	29	1.0	<0.02	0.9
789522	Drill Core	3.08	0.051	3.0	4.7	1.03	53.3	<0.001	<1	0.37	0.036	0.11	0.2	4.2	0.09	1.37	63	4.5	0.09	0.8
789523	Drill Core	2.42	0.040	3.3	3.8	0.84	66.1	<0.001	<1	0.41	0.041	0.12	0.2	4.1	0.07	0.91	48	1.5	<0.02	0.9
789524	Drill Core	3.04	0.042	3.8	2.4	0.91	49.5	<0.001	<1	0.30	0.041	0.09	0.2	3.9	0.03	0.98	16	1.2	0.08	0.7
789525	Drill Core	2.55	0.044	9.0	2.2	1.04	55.3	<0.001	<1	0.42	0.063	0.11	0.3	5.2	0.04	0.21	13	0.2	<0.02	1.0
789526	Drill Core	3.28	0.039	4.3	2.3	1.04	42.1	<0.001	<1	0.39	0.017	0.10	0.2	4.0	0.03	0.30	11	0.3	<0.02	0.7
789527	Drill Core	4.92	0.114	1.5	4.0	2.14	67.7	<0.001	<1	0.54	0.044	0.14	0.3	10.8	0.05	0.44	9	0.4	<0.02	1.0
789528	Drill Core	4.13	0.083	3.4	4.1	1.78	63.3	<0.001	<1	0.43	0.044	0.14	0.3	7.6	0.04	0.37	9	0.4	<0.02	0.9
789529	Drill Core	3.00	0.061	3.6	3.9	1.46	69.3	<0.001	<1	0.43	0.054	0.16	0.3	6.7	0.05	0.89	14	0.9	0.02	1.0
789530	Drill Core	0.89	0.015	2.8	4.5	0.37	58.7	<0.001	<1	0.21	0.032	0.10	0.2	3.2	0.03	1.20	7	1.6	0.04	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 05, 2010

Page: 3 of 5 Part 1

# CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	Analyte	WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
789531	Drill Core	4.12	0.060	0.61	36.73	4.76	70.9	163	7.6	11.3	867	3.72	55.0	0.5	11.1	1.2	119.9	0.25	0.09	0.04	15
789532	Drill Core	4.28	0.016	0.54	26.58	2.56	72.9	126	7.1	10.0	660	3.21	38.1	0.2	5.0	1.5	76.2	0.18	0.07	0.03	13
789533	Drill Core	5.88	0.017	0.59	37.54	2.23	55.9	168	8.5	11.1	723	3.18	45.2	0.2	1.1	1.2	75.2	0.16	0.08	0.05	14
789534	Drill Core	4.87	0.079	0.42	64.44	3.21	70.1	271	9.9	14.1	1210	3.74	60.4	0.2	19.9	0.7	106.9	0.19	0.12	0.05	9
789535	Drill Core	1.85	0.009	0.55	22.04	2.05	76.0	102	7.7	11.5	818	3.51	30.5	0.2	2.1	1.0	72.1	0.17	0.12	0.04	6
789536	Drill Core	2.71	0.088	0.54	34.14	3.01	45.7	203	7.6	9.2	720	2.83	1553	0.2	22.2	0.8	72.0	0.16	0.55	0.05	5
789537	Drill Core	5.13	0.033	0.57	31.90	3.49	69.2	145	8.6	11.5	844	3.28	131.6	0.2	3.0	1.2	88.8	0.29	0.11	0.03	7
789538	Drill Core	2.78	0.208	0.33	22.89	3.25	37.2	212	5.1	7.7	843	2.81	59.5	0.2	62.9	1.2	114.3	0.17	0.08	0.03	5
789539	Drill Core	2.37	0.083	0.31	22.18	3.61	27.4	128	6.3	8.6	863	2.67	113.2	0.2	16.4	1.1	130.7	0.19	0.11	0.02	5
789540	Drill Core	4.91	0.068	0.53	33.79	55.74	212.9	352	8.9	11.1	1236	3.77	515.8	0.2	12.4	1.0	127.4	1.85	0.25	0.32	8
789541	Drill Core	5.60	0.050	0.59	43.05	4.75	59.4	222	8.4	10.3	815	3.28	131.2	0.2	8.0	1.0	100.5	0.32	0.12	0.04	7
789542	Drill Core	3.61	0.015	0.57	48.51	4.73	79.5	181	12.4	15.2	940	4.21	53.4	0.5	0.5	1.2	92.5	0.13	0.11	0.05	10
789543	Drill Core	2.56	0.033	0.60	48.56	3.00	68.3	177	13.9	14.4	911	4.00	65.2	0.2	4.1	0.9	101.9	0.18	0.11	0.05	10
789544	Drill Core	3.15	0.030	0.53	38.74	3.14	58.1	123	8.4	10.8	821	3.22	33.9	0.2	<0.2	1.1	85.4	0.15	0.09	0.04	8
789545	Drill Core	3.88	0.008	0.71	47.43	5.45	95.1	137	16.4	17.7	972	4.10	51.8	0.3	<0.2	1.4	97.0	0.18	0.14	0.05	11
789546	Drill Core	4.56	0.030	0.92	40.54	8.06	42.7	177	8.9	6.8	505	2.49	47.4	0.2	0.4	1.5	59.4	0.34	0.15	0.11	6
789547	Drill Core	3.46	0.007	0.48	30.99	3.31	49.0	81	6.3	5.0	615	2.18	17.4	0.2	0.9	2.3	62.9	0.14	0.11	0.06	5
789548	Drill Core	0.41	0.017	0.41	30.99	3.80	50.3	105	5.8	5.1	531	1.97	17.6	0.2	<0.2	1.8	48.0	0.13	0.11	0.08	5
789549	Drill Core	4.89	0.337	14.36	76.42	13.41	81.1	492	21.3	15.4	624	3.78	141.7	0.9	10.1	1.0	102.9	0.90	0.75	0.10	15
789551	Drill Core	1.94	0.155	0.76	64.83	11.85	57.4	332	12.3	12.1	793	3.14	93.0	0.3	19.8	1.1	103.7	0.35	0.27	0.08	11
789552	Drill Core	3.19	0.026	0.48	40.42	6.22	96.5	160	5.8	9.4	488	3.14	35.1	0.2	4.2	1.1	98.4	0.62	0.14	0.05	8
789553	Drill Core	5.09	0.015	1.47	85.15	8.66	139.2	275	16.6	10.7	569	2.94	61.9	0.3	0.5	1.2	98.1	2.03	0.38	0.11	20
789554	Drill Core	1.37	0.020	0.82	100.5	12.11	91.8	260	10.7	14.3	649	3.78	65.3	0.3	0.4	1.2	99.2	0.75	0.25	0.07	17
789555	Drill Core	2.06	0.008	0.52	39.03	2.91	59.9	91	5.1	9.3	440	2.60	42.8	<0.1	0.7	0.8	81.7	0.17	0.11	0.04	7
789556	Drill Core	1.46	0.025	0.50	26.19	3.44	55.7	152	11.9	10.5	444	2.77	87.8	0.2	3.8	0.8	104.2	0.19	0.29	0.04	9
789557	Drill Core	1.32	0.203	11.07	76.10	15.55	136.8	507	39.6	21.1	786	3.60	487.8	0.6	2.7	1.0	184.2	1.27	1.30	0.09	38
789558	Drill Core	1.72	0.069	18.79	89.91	8.95	1309	664	46.3	16.9	488	3.55	443.3	1.8	1.0	1.6	106.2	19.33	0.94	0.16	36
789559	Drill Core	1.61	0.082	37.99	94.87	12.27	200.8	739	63.1	17.6	657	3.56	354.5	2.6	<0.2	0.9	167.8	2.78	1.92	0.17	50
789560	Drill Core	1.85	0.118	34.41	54.40	8.13	221.6	361	29.1	14.3	1134	3.81	200.2	1.9	3.5	0.9	160.6	2.77	0.61	0.07	30
789561	Drill Core	1.87	0.145	24.78	127.6	8.64	210.4	487	47.4	14.7	570	3.82	241.2	2.7	1.4	0.9	170.9	2.72	0.59	0.10	40



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 3 of 5 Part 2

**CERTIFICATE OF ANALYSIS**

**VAN10004734.1**

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789531	Drill Core	3.38	0.068	5.6	2.4	1.43	72.3	<0.001	<1	0.42	0.053	0.16	0.2	4.6	0.05	0.36	9	0.4	<0.02	1.0
789532	Drill Core	2.44	0.048	7.5	2.6	1.21	61.6	<0.001	1	0.37	0.056	0.13	0.2	4.8	0.04	0.08	6	<0.1	<0.02	0.8
789533	Drill Core	2.51	0.039	5.6	2.4	1.09	68.6	<0.001	<1	0.38	0.065	0.15	0.2	4.6	0.05	0.25	10	0.4	<0.02	0.8
789534	Drill Core	3.56	0.052	3.3	3.4	1.38	53.9	<0.001	1	0.28	0.042	0.10	0.2	7.2	0.03	0.40	5	0.7	0.05	0.6
789535	Drill Core	2.54	0.068	5.0	1.9	1.19	43.7	<0.001	<1	0.31	0.050	0.08	0.2	6.5	0.03	0.10	5	0.4	<0.02	0.6
789536	Drill Core	2.80	0.045	2.7	2.3	0.87	56.9	<0.001	2	0.25	0.042	0.09	0.2	4.6	0.03	0.47	<5	1.0	0.05	0.6
789537	Drill Core	2.66	0.054	4.5	2.3	1.06	50.5	<0.001	1	0.33	0.063	0.12	0.2	4.4	0.04	0.28	5	0.5	<0.02	0.8
789538	Drill Core	2.78	0.045	4.5	2.6	0.97	39.8	<0.001	2	0.24	0.038	0.10	0.2	3.6	0.03	0.33	6	0.5	<0.02	0.6
789539	Drill Core	3.04	0.048	4.3	2.0	0.94	45.6	<0.001	1	0.30	0.034	0.12	0.3	3.7	0.04	0.42	<5	0.5	0.04	0.7
789540	Drill Core	3.72	0.069	4.5	2.5	1.25	56.6	<0.001	1	0.37	0.050	0.14	0.2	5.3	0.04	0.38	22	0.8	<0.02	0.7
789541	Drill Core	2.76	0.065	5.2	1.9	1.14	58.5	<0.001	1	0.32	0.041	0.14	0.2	4.1	0.04	0.27	7	0.7	0.03	0.7
789542	Drill Core	3.03	0.093	4.4	2.0	1.55	36.9	<0.001	<1	0.40	0.059	0.07	0.2	8.2	0.02	0.23	7	0.5	0.04	0.8
789543	Drill Core	3.18	0.071	3.5	3.8	1.44	47.0	<0.001	<1	0.36	0.066	0.09	0.2	8.0	0.03	0.41	9	0.5	0.03	0.8
789544	Drill Core	2.82	0.065	4.8	3.1	1.15	43.3	<0.001	1	0.30	0.050	0.09	0.2	6.3	0.03	0.12	<5	0.3	<0.02	0.6
789545	Drill Core	2.82	0.084	6.4	7.1	1.55	47.3	<0.001	<1	0.42	0.070	0.09	0.3	9.2	0.03	0.15	7	0.5	0.05	1.0
789546	Drill Core	1.89	0.027	5.1	1.7	0.74	62.2	<0.001	<1	0.33	0.052	0.09	0.2	4.5	0.03	0.59	7	1.1	0.04	0.7
789547	Drill Core	1.89	0.031	8.6	1.5	0.75	37.4	<0.001	<1	0.31	0.068	0.07	0.2	4.7	0.05	0.12	9	0.4	0.04	0.6
789548	Drill Core	1.55	0.025	7.6	4.5	0.63	24.6	<0.001	<1	0.21	0.071	0.04	0.2	4.4	0.03	0.20	10	0.4	0.04	0.6
789549	Drill Core	3.37	0.043	2.3	2.5	1.09	43.9	<0.001	2	0.40	0.018	0.11	0.5	5.1	0.08	1.68	20	2.1	0.11	0.8
789551	Drill Core	3.53	0.042	2.5	2.8	1.12	57.1	<0.001	1	0.36	0.017	0.12	0.4	5.1	0.04	1.18	12	1.2	0.04	0.7
789552	Drill Core	3.00	0.044	4.3	1.8	1.25	65.5	<0.001	1	0.51	0.028	0.14	0.4	4.4	0.04	0.30	12	0.6	0.04	0.8
789553	Drill Core	2.95	0.037	3.1	3.5	1.10	70.6	<0.001	1	0.36	0.019	0.13	0.4	4.9	0.04	0.49	23	1.6	0.08	0.7
789554	Drill Core	3.15	0.051	4.3	1.9	1.39	70.0	<0.001	2	0.53	0.025	0.16	0.5	6.1	0.04	0.54	15	1.9	<0.02	0.9
789555	Drill Core	2.80	0.032	3.7	1.8	1.03	56.4	<0.001	1	0.34	0.021	0.12	0.4	3.8	0.03	0.33	6	1.1	<0.02	0.7
789556	Drill Core	3.43	0.034	2.3	6.2	1.15	59.2	<0.001	2	0.37	0.022	0.14	0.4	4.6	0.04	0.64	11	1.7	0.02	0.7
789557	Drill Core	3.75	0.044	2.1	16.6	1.62	110.6	<0.001	2	0.64	0.013	0.11	1.0	9.2	0.13	1.16	28	2.2	0.11	1.4
789558	Drill Core	1.77	0.057	2.5	5.2	0.71	63.1	<0.001	1	0.32	0.022	0.11	0.9	4.3	0.09	2.59	143	7.1	0.26	0.6
789559	Drill Core	2.56	0.052	1.7	5.9	1.09	61.1	<0.001	2	0.45	0.012	0.12	1.1	7.8	0.13	1.97	47	4.8	0.25	0.7
789560	Drill Core	3.67	0.057	2.2	4.4	1.25	80.2	<0.001	1	0.41	0.017	0.14	0.7	7.0	0.11	1.55	34	3.6	0.11	0.8
789561	Drill Core	1.99	0.090	1.9	6.0	1.00	90.7	<0.001	1	0.40	0.010	0.12	0.7	5.3	0.06	1.87	31	3.9	0.09	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 05, 2010

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789562	Drill Core	4.19	0.026	1.20	66.06	5.34	89.5	244	15.1	20.3	1248	4.75	115.5	0.3	2.4	0.7	227.5	0.34	0.21	<0.02	16
789563	Drill Core	3.20	0.067	1.24	65.95	5.78	73.6	234	15.7	19.1	1314	4.22	84.1	0.2	10.4	0.8	223.1	0.37	0.19	0.02	14
789564	Drill Core	3.06	0.050	1.19	71.86	7.78	86.9	253	14.5	19.8	1008	4.18	79.9	0.5	5.0	0.8	178.4	0.53	0.15	<0.02	14
789565	Drill Core	3.13	0.022	7.24	77.94	12.15	99.5	241	17.6	17.6	1193	4.02	92.5	1.0	1.8	0.8	223.3	0.61	0.33	0.03	20
789566	Drill Core	1.31	0.012	1.29	46.41	7.40	82.1	149	13.6	20.6	1387	4.56	56.3	0.2	<0.2	0.8	244.8	0.49	0.22	<0.02	14
789567	Drill Core	2.18	0.066	3.97	72.99	12.19	107.4	292	18.7	15.1	1043	3.92	119.0	1.7	0.4	0.8	195.5	1.00	0.27	0.05	18
789568	Drill Core	1.86	0.278	13.41	82.41	11.51	163.6	532	48.0	18.8	583	3.28	260.6	1.4	4.4	2.3	128.7	1.58	0.79	0.11	25
789569	Drill Core	1.94	0.751	1.76	125.6	23.40	106.6	570	29.1	19.1	1326	4.57	211.9	0.4	154.2	0.6	241.2	0.66	0.63	0.09	20
789570	Drill Core	1.79	0.260	5.06	97.70	15.07	91.3	607	17.3	17.4	1122	4.18	85.0	0.2	19.3	0.5	202.7	0.58	0.50	0.12	16
789571	Drill Core	3.57	0.177	19.45	54.27	9.83	127.9	525	34.7	18.8	1083	4.62	232.2	0.6	7.2	0.7	182.8	1.04	0.65	0.18	24
789572	Drill Core	1.96	0.041	4.46	88.63	6.77	71.4	633	29.0	24.0	1019	5.78	309.8	0.8	1.6	0.9	185.1	0.40	0.84	0.18	23
789573	Drill Core	2.01	0.050	3.06	75.28	8.06	71.9	654	30.4	23.1	1110	5.57	308.8	0.7	1.6	0.7	180.8	0.46	0.75	0.14	26
789574	Drill Core	3.69	0.034	4.48	119.3	8.38	87.2	583	26.1	20.7	1155	4.90	206.0	0.9	0.3	0.8	152.7	0.58	0.33	0.09	19
789575	Drill Core	3.08	0.032	3.10	76.05	12.53	85.1	422	24.7	20.8	1047	5.04	234.2	0.8	0.8	0.6	144.8	0.54	0.31	0.09	17
789576	Drill Core	3.22	0.028	6.28	105.0	16.60	126.5	491	25.3	21.0	634	5.12	155.0	1.1	0.2	0.8	101.4	0.77	0.31	0.06	18
789577	Drill Core	2.80	0.040	71.99	76.71	10.81	229.0	617	50.0	18.0	533	4.57	241.4	2.9	0.3	1.2	85.4	2.02	0.64	0.15	29
789578	Drill Core	2.15	0.032	28.58	128.4	9.42	322.3	613	48.9	18.5	440	4.39	200.1	2.0	<0.2	1.2	77.6	2.81	0.56	0.10	32
789579	Drill Core	1.68	0.040	33.07	72.70	10.75	233.2	430	33.9	16.8	686	4.37	182.0	2.2	<0.2	1.1	104.7	2.12	0.51	0.09	32
789580	Drill Core	4.74	0.035	39.06	53.38	12.96	249.5	601	57.6	18.5	478	4.65	277.8	3.5	<0.2	1.4	82.7	2.20	0.66	0.17	30
789581	Drill Core	4.23	0.044	50.26	142.2	13.87	311.9	617	48.9	18.2	578	4.39	176.4	2.4	<0.2	1.4	103.7	2.96	0.60	0.12	40
789582	Drill Core	1.95	0.113	20.36	178.9	7.78	255.3	607	41.3	20.6	780	4.74	177.9	2.4	0.5	1.2	159.3	2.75	0.64	0.09	44
789583	Drill Core	1.33	0.144	30.89	172.2	8.19	302.9	584	45.6	20.3	734	3.98	152.4	2.7	1.4	1.3	158.6	3.19	0.66	0.08	46
789584	Drill Core	1.98	0.095	29.32	33.25	4.97	165.4	296	39.8	10.4	622	3.31	168.9	3.0	1.1	1.8	88.3	1.75	0.40	0.05	24
789585	Drill Core	1.79	0.031	12.38	107.9	6.62	337.5	364	30.9	10.7	670	3.38	62.2	2.2	0.3	1.6	125.1	3.93	0.37	0.06	37
789586	Drill Core	2.35	0.042	9.40	154.9	9.74	415.4	666	33.4	22.1	678	4.95	124.4	1.1	1.4	1.1	138.7	5.23	0.62	0.17	32
789587	Drill Core	2.88	0.046	12.68	99.13	5.94	190.4	473	30.1	16.6	832	4.47	120.2	0.9	1.0	1.3	137.8	2.19	0.41	0.10	25
789588	Drill Core	2.93	0.035	8.59	105.0	7.11	431.2	511	34.3	15.9	712	4.29	130.2	1.0	<0.2	1.3	126.5	5.59	0.49	0.14	35
789589	Drill Core	2.51	0.043	10.12	115.6	8.15	347.6	583	35.8	14.2	636	3.79	103.1	1.8	<0.2	1.7	132.7	4.85	0.56	0.10	45
789590	Drill Core	5.04	0.025	2.27	156.7	9.30	178.7	656	25.5	20.3	1109	5.03	107.6	0.3	0.9	1.1	126.5	2.14	0.28	0.14	17
789591	Drill Core	2.14	0.079	12.43	72.75	6.62	284.7	902	56.7	26.3	767	6.53	324.7	2.3	0.9	1.5	164.2	3.83	0.58	0.30	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789562	Drill Core	3.98	0.053	2.5	2.9	2.09	102.6	<0.001	1	0.57	0.029	0.17	0.5	9.2	0.08	0.57	12	0.8	0.04	1.0
789563	Drill Core	3.91	0.054	4.1	3.1	2.11	90.7	<0.001	2	0.41	0.030	0.16	0.4	8.0	0.08	0.28	6	0.5	0.06	1.0
789564	Drill Core	3.19	0.049	3.4	2.8	1.99	102.0	<0.001	2	0.38	0.033	0.18	0.3	8.2	0.08	0.26	7	0.6	0.02	0.8
789565	Drill Core	4.06	0.063	2.6	4.2	1.90	94.9	<0.001	2	0.56	0.019	0.16	0.4	8.8	0.07	0.46	11	1.2	0.08	0.9
789566	Drill Core	4.78	0.054	3.4	2.6	2.22	84.5	<0.001	1	0.51	0.021	0.15	0.3	8.7	0.06	0.14	11	0.5	0.03	0.8
789567	Drill Core	3.64	0.074	2.5	3.2	1.63	69.2	<0.001	<1	0.36	0.019	0.13	0.5	7.6	0.06	0.59	13	1.2	0.06	0.7
789568	Drill Core	2.47	0.059	2.4	4.6	0.94	55.8	<0.001	<1	0.41	0.016	0.11	0.5	6.0	0.06	1.89	32	3.4	0.09	0.8
789569	Drill Core	5.01	0.080	1.4	3.4	1.98	74.3	<0.001	1	0.52	0.017	0.13	0.4	10.7	0.06	1.92	23	2.7	0.10	0.8
789570	Drill Core	4.67	0.057	1.3	2.8	2.01	70.5	<0.001	3	0.40	0.024	0.14	0.4	8.1	0.07	1.50	34	2.0	0.12	0.8
789571	Drill Core	4.46	0.065	1.2	5.8	1.61	48.9	<0.001	3	0.30	0.027	0.09	0.6	7.5	0.07	2.78	37	3.1	0.22	0.6
789572	Drill Core	4.58	0.072	1.5	5.1	1.69	58.8	<0.001	2	0.51	0.028	0.10	0.7	7.3	0.09	3.92	18	3.1	0.33	0.9
789573	Drill Core	4.51	0.064	1.2	5.7	1.69	59.4	<0.001	4	0.44	0.024	0.10	0.8	7.7	0.07	3.65	16	3.0	0.20	0.9
789574	Drill Core	5.16	0.072	1.5	4.2	2.01	61.0	<0.001	2	0.35	0.040	0.11	0.5	7.5	0.06	2.41	12	2.1	0.10	0.8
789575	Drill Core	5.16	0.070	1.5	5.3	1.92	59.1	<0.001	3	0.28	0.040	0.11	0.4	6.7	0.07	2.56	10	2.7	0.14	0.7
789576	Drill Core	3.33	0.071	2.1	5.0	1.85	74.1	<0.001	2	0.30	0.042	0.14	0.3	6.8	0.08	1.61	13	2.7	0.04	0.8
789577	Drill Core	2.73	0.070	2.1	4.5	1.24	57.8	<0.001	3	0.31	0.037	0.15	0.7	5.0	0.14	2.96	30	3.9	0.24	0.9
789578	Drill Core	2.28	0.049	2.1	4.0	1.17	71.0	<0.001	2	0.32	0.030	0.14	0.5	4.5	0.11	2.16	30	4.1	0.15	0.8
789579	Drill Core	3.19	0.077	1.9	5.3	1.20	55.0	<0.001	4	0.37	0.031	0.12	0.5	5.0	0.09	2.45	31	4.2	0.04	0.9
789580	Drill Core	2.57	0.065	2.0	4.9	0.94	53.5	<0.001	2	0.30	0.034	0.14	0.5	4.3	0.12	3.77	26	6.8	0.24	0.8
789581	Drill Core	2.83	0.053	2.5	4.6	1.22	73.0	<0.001	3	0.37	0.036	0.15	0.6	5.9	0.12	2.03	37	4.0	0.19	0.9
789582	Drill Core	3.82	0.069	2.0	4.3	1.38	51.6	<0.001	3	0.44	0.024	0.11	0.6	6.0	0.08	2.49	31	5.8	0.10	0.9
789583	Drill Core	3.75	0.061	2.2	4.5	1.33	53.2	<0.001	3	0.42	0.029	0.12	0.6	6.2	0.08	1.81	61	4.6	0.09	0.9
789584	Drill Core	2.82	0.052	1.8	4.3	0.91	45.1	<0.001	2	0.25	0.020	0.11	0.5	2.8	0.08	1.98	30	4.7	0.11	0.6
789585	Drill Core	3.80	0.073	3.2	4.3	1.34	70.1	<0.001	2	0.37	0.027	0.16	0.4	5.2	0.09	0.67	50	1.7	0.07	0.8
789586	Drill Core	3.47	0.059	1.9	3.5	1.40	65.6	<0.001	2	0.51	0.023	0.15	0.5	5.7	0.10	2.60	45	7.6	0.10	1.0
789587	Drill Core	3.76	0.068	2.6	3.7	1.40	64.0	<0.001	3	0.39	0.030	0.15	0.6	5.2	0.09	2.19	23	5.5	0.17	0.9
789588	Drill Core	3.35	0.058	2.6	4.6	1.31	68.1	<0.001	3	0.37	0.026	0.16	0.4	5.1	0.10	2.01	43	5.8	0.23	0.8
789589	Drill Core	3.15	0.088	3.4	4.7	1.25	72.5	<0.001	4	0.55	0.027	0.17	0.6	5.3	0.09	1.26	41	4.2	0.10	1.1
789590	Drill Core	4.74	0.048	2.3	4.0	1.63	61.9	<0.001	2	0.34	0.047	0.16	0.3	6.4	0.09	2.07	12	5.5	0.21	0.9
789591	Drill Core	3.41	0.103	2.3	5.5	1.25	52.0	<0.001	2	0.45	0.021	0.15	0.6	4.9	0.09	4.98	37	14.3	0.64	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789592	Drill Core	3.95	0.013	1.23	84.24	11.82	132.3	395	22.2	15.3	710	4.18	84.0	0.6	0.9	1.8	102.9	0.98	0.20	0.08	16
DHLO-1	Rock	1.75	0.009	0.27	18.76	3.07	80.9	44	10.8	11.1	814	3.94	2.7	0.3	<0.2	0.9	18.4	0.25	0.03	0.08	53



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain  
**Report Date:** October 05, 2010

**Page:** 5 of 5 Part 2

# CERTIFICATE OF ANALYSIS

VAN10004734.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789592	Drill Core	2.98	0.062	4.5	4.9	1.50	55.7	<0.001	2	0.32	0.044	0.14	0.2	5.1	0.09	0.83	10	1.6	0.07	1.0
DHLO-1	Rock	0.51	0.062	4.7	16.7	1.32	106.6	0.185	3	2.32	0.027	0.08	0.3	4.3	0.03	0.24	7	0.6	0.10	5.4



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10004734.1

Method	WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2		
Pulp Duplicates																						
789503	Drill Core	2.77	0.030	2.10	61.15	6.22	76.4	1346	26.4	12.4	932	3.06	40.3	0.5	5.1	1.8	75.1	0.47	0.51	0.08	26	
REP 789503	QC			2.15	58.73	6.71	75.9	1194	24.5	11.3	947	3.04	40.6	0.5	8.2	1.9	75.3	0.56	0.50	0.08	26	
789527	Drill Core	1.56	0.514	0.16	60.73	4.58	54.7	296	21.1	16.3	1315	4.63	75.0	0.5	234.0	0.3	131.8	0.15	0.12	0.02	28	
REP 789527	QC			0.17	62.10	4.79	55.0	299	23.2	16.9	1309	4.67	74.2	0.5	250.1	0.3	139.2	0.19	0.11	0.02	28	
789535	Drill Core	1.85	0.009	0.55	22.04	2.05	76.0	102	7.7	11.5	818	3.51	30.5	0.2	2.1	1.0	72.1	0.17	0.12	0.04	6	
REP 789535	QC			0.55	22.22	2.07	78.3	109	8.0	12.1	852	3.56	30.5	0.2	1.4	0.9	74.7	0.19	0.09	0.04	6	
789547	Drill Core	3.46	0.007	0.48	30.99	3.31	49.0	81	6.3	5.0	615	2.18	17.4	0.2	0.9	2.3	62.9	0.14	0.11	0.06	5	
REP 789547	QC			<0.005																		
789558	Drill Core	1.72	0.069	18.79	89.91	8.95	1309	664	46.3	16.9	488	3.55	443.3	1.8	1.0	1.6	106.2	19.33	0.94	0.16	36	
REP 789558	QC			19.44	93.38	9.79	1342	647	52.9	17.9	504	3.69	453.9	1.8	1.5	1.6	103.5	18.89	0.96	0.17	37	
789578	Drill Core	2.15	0.032	28.58	128.4	9.42	322.3	613	48.9	18.5	440	4.39	200.1	2.0	<0.2	1.2	77.6	2.81	0.56	0.10	32	
REP 789578	QC			28.74	129.0	9.34	314.1	555	46.5	19.1	440	4.40	200.6	1.9	<0.2	1.2	78.0	2.94	0.52	0.10	31	
789590	Drill Core	5.04	0.025	2.27	156.7	9.30	178.7	656	25.5	20.3	1109	5.03	107.6	0.3	0.9	1.1	126.5	2.14	0.28	0.14	17	
REP 789590	QC			2.10	149.5	8.88	179.7	625	25.3	19.6	1059	4.78	103.5	0.3	0.6	1.1	122.1	1.99	0.22	0.13	16	
Core Reject Duplicates																						
789510	Drill Core	3.18	0.086	1.89	56.01	14.97	59.6	338	11.7	12.4	642	3.13	61.0	0.3	0.6	1.2	71.0	0.29	0.22	0.22	15	
DUP 789510	QC			0.053	1.73	51.50	11.98	56.0	321	11.1	11.0	626	2.97	56.7	0.2	0.3	1.2	69.2	0.29	0.18	0.20	13
789545	Drill Core	3.88	0.008	0.71	47.43	5.45	95.1	137	16.4	17.7	972	4.10	51.8	0.3	<0.2	1.4	97.0	0.18	0.14	0.05	11	
DUP 789545	QC			0.007	0.63	44.81	5.17	88.6	133	17.1	16.9	948	4.25	50.5	0.3	<0.2	1.3	95.8	0.17	0.12	0.05	11
789581	Drill Core	4.23	0.044	50.26	142.2	13.87	311.9	617	48.9	18.2	578	4.39	176.4	2.4	<0.2	1.4	103.7	2.96	0.60	0.12	40	
DUP 789581	QC			0.052	50.76	145.2	13.37	309.9	615	49.4	19.5	586	4.41	171.9	2.4	<0.2	1.4	103.3	2.88	0.55	0.11	40
Reference Materials																						
STD DS7	Standard			21.39	106.7	78.69	411.5	1046	54.7	9.0	619	2.39	52.2	5.5	72.0	5.1	81.5	6.65	7.22	5.03	88	
STD DS7	Standard			21.17	107.8	72.22	407.7	948	56.6	9.3	636	2.32	52.9	5.3	72.3	5.0	80.9	6.59	6.96	4.99	78	
STD DS7	Standard			20.63	106.0	69.03	421.0	1071	54.1	9.0	639	2.45	54.2	5.1	106.1	4.8	82.2	6.41	5.89	4.87	86	
STD OXH66	Standard			1.351																		
STD OXH66	Standard			1.279																		
STD OXH66	Standard			1.316																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 05, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10004734.1

Method		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																				
789503	Drill Core	2.24	0.048	5.7	10.9	1.00	86.0	0.013	<1	0.72	0.033	0.14	4.4	5.1	0.06	0.31	20	1.0	<0.02	1.8
REP 789503	QC	2.22	0.050	5.9	10.1	0.99	85.6	0.014	1	0.72	0.035	0.14	4.1	5.3	0.06	0.30	14	1.0	<0.02	1.9
789527	Drill Core	4.92	0.114	1.5	4.0	2.14	67.7	<0.001	<1	0.54	0.044	0.14	0.3	10.8	0.05	0.44	9	0.4	<0.02	1.0
REP 789527	QC	4.97	0.115	1.5	3.9	2.17	67.9	<0.001	<1	0.56	0.050	0.15	0.2	10.9	0.05	0.44	9	0.4	<0.02	0.9
789535	Drill Core	2.54	0.068	5.0	1.9	1.19	43.7	<0.001	<1	0.31	0.050	0.08	0.2	6.5	0.03	0.10	5	0.4	<0.02	0.6
REP 789535	QC	2.58	0.068	4.5	1.9	1.22	41.4	<0.001	1	0.30	0.048	0.08	0.2	6.4	0.03	0.10	7	0.4	<0.02	0.6
789547	Drill Core	1.89	0.031	8.6	1.5	0.75	37.4	<0.001	<1	0.31	0.068	0.07	0.2	4.7	0.05	0.12	9	0.4	0.04	0.6
REP 789547	QC																			
789558	Drill Core	1.77	0.057	2.5	5.2	0.71	63.1	<0.001	1	0.32	0.022	0.11	0.9	4.3	0.09	2.59	143	7.1	0.26	0.6
REP 789558	QC	1.83	0.060	2.5	5.7	0.73	64.5	<0.001	2	0.33	0.022	0.11	0.7	4.4	0.09	2.67	149	7.3	0.18	0.7
789578	Drill Core	2.28	0.049	2.1	4.0	1.17	71.0	<0.001	2	0.32	0.030	0.14	0.5	4.5	0.11	2.16	30	4.1	0.15	0.8
REP 789578	QC	2.29	0.049	2.0	4.3	1.19	67.5	<0.001	4	0.30	0.031	0.14	0.5	4.5	0.10	2.18	34	4.0	0.22	0.9
789590	Drill Core	4.74	0.048	2.3	4.0	1.63	61.9	<0.001	2	0.34	0.047	0.16	0.3	6.4	0.09	2.07	12	5.5	0.21	0.9
REP 789590	QC	4.51	0.048	2.2	4.1	1.57	60.0	<0.001	2	0.31	0.041	0.15	0.3	6.3	0.08	1.97	22	5.6	0.15	0.9
Core Reject Duplicates																				
789510	Drill Core	2.41	0.041	4.6	2.4	0.95	77.7	<0.001	<1	0.45	0.058	0.17	0.4	4.8	0.05	0.88	13	1.4	0.06	0.9
DUP 789510	QC	2.37	0.042	4.1	2.3	0.93	69.0	<0.001	<1	0.39	0.048	0.15	0.4	4.5	0.04	0.73	14	1.2	0.11	0.8
789545	Drill Core	2.82	0.084	6.4	7.1	1.55	47.3	<0.001	<1	0.42	0.070	0.09	0.3	9.2	0.03	0.15	7	0.5	0.05	1.0
DUP 789545	QC	2.91	0.090	5.5	6.7	1.62	45.2	<0.001	1	0.50	0.076	0.09	0.3	9.1	0.03	0.17	5	0.4	0.05	0.8
789581	Drill Core	2.83	0.053	2.5	4.6	1.22	73.0	<0.001	3	0.37	0.036	0.15	0.6	5.9	0.12	2.03	37	4.0	0.19	0.9
DUP 789581	QC	2.86	0.050	2.2	4.7	1.24	62.6	<0.001	3	0.34	0.034	0.14	0.5	6.0	0.10	2.01	37	3.8	0.21	0.9
Reference Materials																				
STD DS7	Standard	1.01	0.081	16.5	192.0	1.07	412.8	0.129	38	1.03	0.097	0.45	4.1	2.7	4.33	0.20	236	3.2	1.31	4.7
STD DS7	Standard	0.97	0.084	14.9	190.5	1.02	404.9	0.123	40	1.00	0.095	0.43	3.5	2.6	3.79	0.19	230	3.3	1.34	4.4
STD DS7	Standard	1.00	0.077	13.2	184.6	1.08	415.3	0.120	42	1.04	0.097	0.46	3.8	2.7	4.53	0.21	243	3.3	1.38	5.2
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10004734.1

		WGHT	G6	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
STD OXH66	Standard		1.351																			
STD OXH66	Standard		1.231																			
STD OXK79	Standard		3.641																			
STD OXK79	Standard		3.609																			
STD OXK79	Standard		3.636																			
STD OXK79	Standard		3.704																			
STD OXK79 Expected			3.532																			
STD DS7 Expected				20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	
STD OXH66 Expected			1.285																			
BLK	Blank		0.006																			
BLK	Blank		0.006																			
BLK	Blank		0.007																			
BLK	Blank		0.007																			
BLK	Blank		0.008																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank		<0.005																			
Prep Wash																						
G1	Prep Blank	<0.01	0.005	0.07	2.40	3.00	44.0	10	3.3	3.8	559	1.85	0.4	1.7	3.0	5.4	52.3	0.02	0.03	0.05	37	
G1	Prep Blank	<0.01	<0.005	0.08	1.96	3.36	46.4	12	3.3	4.0	558	1.92	<0.1	1.8	1.3	5.7	57.0	<0.01	0.02	0.05	38	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 05, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10004734.1

		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79 Expected																					
STD DS7 Expected		0.93	0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6	
STD OXH66 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.43	0.075	11.3	7.0	0.53	183.2	0.120	<1	0.88	0.062	0.45	<0.1	1.9	0.32	<0.02	12	0.2	<0.02	4.8	
G1	Prep Blank	0.46	0.081	11.3	9.3	0.57	192.9	0.123	<1	0.94	0.066	0.46	<0.1	2.0	0.32	<0.02	8	<0.1	<0.02	4.8	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: September 24, 2010  
Report Date: October 22, 2010  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

VAN10004891.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-5  
P.O. Number: ACREX SMTN  
Number of Samples: 48

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Acrex Ventures Ltd.  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC: Perry Grunenberg

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-1000	48	Crush split and pulverize 1kg drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
G601	48	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1F03	48	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 2 of 3 Part 1

# CERTIFICATE OF ANALYSIS

VAN10004891.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789593	Drill Core	3.08	0.043	5.11	67.15	10.42	117.3	396	70.9	20.8	1350	4.23	68.3	0.7	2.7	2.0	87.6	0.84	1.35	0.12	36
789594	Drill Core	0.97	0.184	26.98	63.68	46.84	131.0	1960	47.0	11.3	662	3.69	49.0	2.3	1.2	2.3	63.1	2.29	6.06	0.18	18
789595	Rock Chip	0.94	0.036	6.15	79.12	11.49	133.3	486	28.8	18.5	1371	4.89	100.7	0.6	0.8	0.9	161.4	1.91	1.13	0.09	17
789596	Drill Core	3.19	0.015	0.50	55.37	4.30	73.3	140	31.7	12.0	2085	2.73	66.5	<0.1	2.8	1.5	81.8	0.40	0.17	0.07	4
789597	Drill Core	4.58	0.067	1.48	118.9	7.54	81.2	355	65.8	19.9	1960	3.65	186.3	<0.1	7.2	1.5	90.6	0.39	0.41	0.18	7
789598	Drill Core	1.65	0.033	0.59	114.3	21.42	162.4	443	58.5	17.0	1852	2.94	132.1	<0.1	5.7	1.3	110.0	0.73	0.46	0.35	6
789599	Drill Core	2.32	0.047	0.65	84.01	4.36	59.4	354	78.4	30.6	2847	3.14	223.4	0.1	8.2	1.8	116.5	0.27	0.29	0.17	11
789600	Drill Core	1.64	0.014	0.39	50.82	2.17	42.0	69	43.9	8.8	1924	2.42	88.4	<0.1	0.5	1.3	91.9	0.15	0.17	0.04	5
789601	Drill Core	2.09	0.042	0.35	85.13	7.66	253.1	216	73.7	13.9	1673	2.97	184.3	<0.1	3.1	1.6	104.5	1.79	0.19	0.25	5
789602	Drill Core	3.87	0.038	0.37	36.06	2.79	59.9	196	57.2	18.3	1930	3.00	149.5	<0.1	7.0	1.5	80.5	0.21	0.20	0.15	5
789603	Drill Core	2.50	0.043	0.39	98.43	3.91	103.8	239	56.3	21.1	2272	3.47	142.8	<0.1	3.2	2.0	84.2	0.41	0.21	0.19	7
789604	Drill Core	3.72	0.025	0.34	13.67	4.17	82.3	168	31.5	12.1	2011	2.86	86.7	<0.1	1.0	1.6	75.8	0.22	0.13	0.21	4
789605	Drill Core	3.88	0.079	0.23	31.92	5.91	85.7	347	36.3	13.4	2077	3.00	92.5	<0.1	2.1	2.1	79.8	0.23	0.21	0.14	6
789606	Drill Core	2.79	0.098	0.30	83.72	13.70	65.0	325	40.8	12.8	2483	3.29	104.2	<0.1	2.8	1.7	121.6	0.21	0.21	0.18	7
789607	Drill Core	0.97	0.019	0.38	75.69	3.93	50.9	164	42.3	13.4	2107	2.71	98.3	<0.1	<0.2	1.6	107.9	0.18	0.21	0.07	8
789608	Drill Core	3.48	0.025	0.19	120.2	23.55	64.8	283	81.7	19.6	2034	2.69	209.0	<0.1	0.4	1.3	154.9	0.25	0.36	0.21	17
789609	Drill Core	3.47	0.016	0.16	104.3	10.25	67.6	168	57.4	14.8	1652	2.94	139.2	<0.1	<0.2	2.0	80.1	0.26	0.33	0.10	10
789610	Drill Core	1.98	0.041	0.24	30.04	1.46	67.7	84	53.1	13.1	1904	2.90	116.0	<0.1	<0.2	2.5	74.8	0.17	0.13	0.06	5
789611	Drill Core	1.78	0.027	0.47	55.68	3.28	44.9	157	47.0	12.5	1768	2.52	102.9	<0.1	<0.2	1.5	95.8	0.13	0.30	0.10	5
789612	Drill Core	3.17	0.009	3.23	28.49	2.80	40.4	72	19.6	7.6	1862	2.34	40.4	0.1	<0.2	1.9	101.3	0.15	0.18	0.05	8
789613	Drill Core	2.97	0.007	0.96	37.39	3.41	37.1	75	37.8	15.1	2138	1.89	81.8	<0.1	<0.2	1.5	147.4	0.17	0.23	0.03	6
789614	Drill Core	3.18	0.010	0.32	43.65	2.46	31.2	69	10.4	4.1	1316	2.02	37.0	0.2	3.7	0.4	123.1	0.12	0.20	<0.02	5
789615	Drill Core	3.05	0.024	5.10	31.44	6.63	23.2	105	19.7	7.5	1686	2.19	73.9	0.2	0.4	0.8	233.5	0.10	0.18	0.08	5
789616	Drill Core	2.35	0.009	0.66	39.20	2.39	32.8	56	13.9	6.9	1249	2.18	62.4	0.2	3.0	0.4	158.2	0.14	0.16	<0.02	4
789617	Drill Core	3.40	0.012	0.13	26.24	2.96	49.5	59	12.5	5.6	1184	2.36	82.6	0.2	6.5	0.4	149.3	0.33	0.19	<0.02	5
789618	Drill Core	4.93	0.025	3.03	31.20	6.63	24.0	118	24.7	10.2	1333	2.02	65.6	0.1	2.6	1.3	159.9	0.11	0.23	0.15	4
789619	Drill Core	2.96	0.006	0.06	52.94	3.60	39.2	81	61.5	7.9	1504	2.36	124.5	0.4	1.9	0.5	181.0	0.13	0.25	<0.02	5
789620	Drill Core	3.29	0.006	0.09	44.24	3.16	58.7	78	44.7	7.3	1298	2.41	116.1	0.3	1.3	0.5	147.2	0.24	0.26	<0.02	4
789621	Drill Core	5.27	0.151	0.21	86.82	28.64	189.2	564	27.1	9.2	1592	2.65	96.5	0.2	156.6	0.4	215.4	1.95	0.75	0.10	7
789622	Drill Core	3.39	0.117	0.25	67.13	18.44	66.2	257	70.2	20.0	2093	4.65	203.5	<0.1	30.0	0.3	350.4	0.30	5.04	0.03	19



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10004891.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789593	Drill Core	1.94	0.076	6.7	33.6	1.54	118.4	0.039	2	1.05	0.029	0.17	0.2	5.8	0.10	0.68	15	2.3	0.13	2.5
789594	Drill Core	2.50	0.086	3.5	6.0	0.91	55.0	<0.001	2	0.34	0.025	0.16	0.9	2.6	0.38	2.82	67	4.3	0.17	0.9
789595	Rock Chip	6.25	0.067	2.5	9.8	2.20	76.5	<0.001	2	0.53	0.046	0.16	24.5	6.5	0.12	2.81	15	4.7	0.07	1.1
789596	Drill Core	2.05	0.026	7.9	6.0	1.23	52.4	<0.001	2	0.27	0.008	0.15	0.3	2.4	0.03	0.08	10	0.5	0.07	0.7
789597	Drill Core	1.76	0.030	5.6	7.6	1.19	60.0	<0.001	2	0.35	0.009	0.18	0.4	3.2	0.04	0.96	16	0.9	0.15	1.0
789598	Drill Core	2.25	0.024	4.7	8.1	1.09	39.1	<0.001	2	0.22	0.006	0.12	0.3	3.1	0.03	0.48	24	0.5	0.20	0.7
789599	Drill Core	2.66	0.036	6.0	4.5	1.40	68.5	<0.001	3	0.37	0.010	0.22	0.3	3.5	0.04	0.28	10	0.5	0.32	1.0
789600	Drill Core	1.58	0.014	6.2	6.6	0.95	50.3	<0.001	1	0.19	0.005	0.12	0.3	2.0	<0.02	0.05	<5	0.3	0.07	0.7
789601	Drill Core	1.38	0.020	7.3	7.2	0.97	72.5	<0.001	2	0.33	0.008	0.19	0.3	2.6	0.03	0.52	31	0.7	0.17	1.0
789602	Drill Core	1.42	0.021	5.8	5.7	0.95	51.4	<0.001	1	0.23	0.005	0.13	0.2	2.2	0.03	0.33	23	0.4	0.18	0.7
789603	Drill Core	1.64	0.027	7.2	5.4	1.26	74.7	<0.001	3	0.35	0.007	0.18	0.3	2.9	0.05	0.27	20	0.3	0.15	0.9
789604	Drill Core	1.65	0.032	7.5	5.3	1.26	81.8	<0.001	2	0.27	0.006	0.15	0.3	2.4	0.03	0.10	14	0.3	0.16	0.8
789605	Drill Core	1.48	0.032	8.1	3.3	1.18	127.7	<0.001	2	0.33	0.007	0.20	0.3	2.5	0.04	0.17	14	0.3	0.32	0.8
789606	Drill Core	2.03	0.027	7.3	3.0	1.31	94.1	<0.001	2	0.35	0.007	0.19	0.3	2.7	0.04	0.24	5	0.4	0.20	1.0
789607	Drill Core	1.76	0.019	5.8	4.3	1.05	46.0	<0.001	1	0.23	0.006	0.13	0.3	2.6	0.03	0.04	8	0.2	0.09	0.7
789608	Drill Core	1.96	0.019	4.5	1.6	1.08	100.5	<0.001	3	0.54	0.011	0.33	0.3	2.8	0.07	0.79	7	0.8	0.14	1.5
789609	Drill Core	1.15	0.019	8.6	4.4	1.03	57.1	<0.001	2	0.28	0.006	0.18	0.3	2.3	0.04	0.16	14	0.3	0.10	0.8
789610	Drill Core	1.37	0.021	11.8	3.3	1.00	58.1	<0.001	2	0.36	0.007	0.18	0.3	2.6	0.04	0.03	10	0.2	0.11	1.0
789611	Drill Core	1.51	0.014	7.6	2.7	0.99	50.0	<0.001	2	0.25	0.006	0.15	0.3	2.2	0.03	0.22	<5	0.3	0.10	0.8
789612	Drill Core	1.66	0.029	9.6	2.2	1.38	90.2	<0.001	2	0.44	0.010	0.26	0.4	1.7	0.08	0.11	5	0.2	0.02	1.1
789613	Drill Core	2.32	0.019	9.0	1.5	1.33	81.3	<0.001	2	0.39	0.009	0.23	0.3	2.2	0.06	0.15	<5	0.2	0.03	1.0
789614	Drill Core	2.43	0.080	2.0	2.2	0.90	85.4	<0.001	3	0.52	0.009	0.23	0.3	1.4	0.07	0.38	<5	0.3	0.03	1.0
789615	Drill Core	3.17	0.042	3.2	1.6	1.19	85.9	<0.001	2	0.41	0.010	0.20	0.5	1.7	0.06	0.69	<5	0.5	0.09	1.0
789616	Drill Core	2.84	0.098	2.2	2.0	0.98	85.9	<0.001	2	0.62	0.008	0.23	0.2	1.3	0.06	0.59	<5	0.4	0.03	1.0
789617	Drill Core	2.67	0.091	1.6	1.3	0.93	93.7	<0.001	3	0.76	0.013	0.25	0.2	1.2	0.07	0.85	<5	0.6	0.05	1.3
789618	Drill Core	2.15	0.031	5.8	2.6	1.03	80.8	<0.001	2	0.37	0.008	0.22	0.3	2.1	0.08	0.62	<5	0.4	0.20	0.9
789619	Drill Core	2.92	0.098	2.2	4.7	1.28	100.4	<0.001	1	0.65	0.024	0.21	0.2	1.4	0.05	0.37	<5	0.4	<0.02	1.1
789620	Drill Core	2.61	0.091	1.9	3.0	1.16	97.1	<0.001	1	0.76	0.019	0.16	0.2	1.2	0.05	0.47	10	0.3	0.02	1.1
789621	Drill Core	3.31	0.081	1.5	1.7	1.36	111.2	<0.001	2	0.47	0.008	0.21	1.3	2.8	0.07	0.60	39	0.5	0.10	0.9
789622	Drill Core	5.05	0.117	1.8	7.5	2.63	91.8	0.001	3	0.51	0.010	0.28	0.5	7.4	0.08	0.62	20	0.5	0.04	1.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10004891.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
789623	Drill Core	0.77	0.021	0.26	48.92	5.77	63.7	671	46.6	17.6	2412	3.08	164.3	<0.1	9.8	1.6	120.2	0.30	0.64	0.12	8
789624	Drill Core	1.81	0.142	0.19	111.5	26.18	146.0	1516	46.5	23.8	3024	3.39	5042	<0.1	134.6	1.3	263.1	1.14	1.71	0.25	7
789625	Drill Core	1.58	0.232	0.27	46.64	52.21	48.2	1964	41.9	18.5	3305	2.79	449.3	<0.1	262.4	1.1	324.6	0.32	0.71	0.07	7
789626	Drill Core	3.48	0.210	0.87	44.80	316.4	231.3	2324	28.7	12.0	2894	2.49	210.6	0.1	146.1	1.2	238.3	2.79	1.49	0.21	7
789627	Drill Core	4.76	0.052	1.24	29.63	262.2	52.1	1206	60.5	9.5	1789	2.73	162.6	0.5	48.1	0.3	264.7	0.36	0.68	0.57	6
789628	Drill Core	4.30	0.108	2.48	36.43	22.76	100.4	268	78.7	10.3	1598	2.96	192.3	0.3	44.9	0.4	292.7	0.80	0.52	0.03	7
789629	Drill Core	4.32	0.228	16.78	65.29	19.73	99.5	563	39.4	14.5	1400	3.81	182.5	2.0	5.9	0.8	161.9	0.84	0.87	0.07	15
789630	Drill Core	4.71	0.280	9.37	99.98	30.19	98.2	1150	57.5	24.4	1270	4.60	163.4	1.1	2.4	1.1	256.0	0.90	1.86	0.18	15
789631	Drill Core	2.64	0.017	0.41	33.66	3.30	51.7	218	206.0	15.4	1024	2.29	342.1	0.6	22.4	0.6	215.5	0.14	1.03	<0.02	6
789632	Drill Core	2.77	0.181	10.71	94.19	12.74	99.2	743	42.6	21.1	1268	4.37	353.0	0.9	4.4	1.1	162.3	0.85	1.13	0.08	18
789633	Drill Core	5.57	0.245	10.53	99.08	9.44	94.8	517	30.8	20.7	1153	4.53	380.9	0.9	1.7	0.8	227.5	0.73	0.72	0.07	15
789634	Drill Core	5.52	0.021	1.37	71.09	3.98	92.0	264	29.4	25.3	1327	5.13	243.7	0.7	<0.2	0.7	239.1	0.36	0.63	0.03	33
789635	Drill Core	3.72	0.008	0.63	39.74	3.71	68.4	99	23.7	12.2	1016	3.43	53.7	0.2	<0.2	1.0	93.2	0.07	0.22	0.04	12
789636	Drill Core	1.57	0.006	0.88	41.38	3.96	66.2	98	14.5	13.4	705	3.45	35.8	0.6	<0.2	1.5	65.1	0.12	0.36	0.05	42
789637	Drill Core	3.02	<0.005	0.89	43.51	5.50	72.0	109	9.9	11.2	760	3.24	16.4	0.4	1.9	2.0	59.5	0.13	0.51	0.08	40
789638	Drill Core	3.86	0.007	0.78	41.17	3.37	82.2	77	10.1	12.4	1097	3.86	20.7	0.2	1.4	1.8	74.9	0.24	0.46	0.06	48
789639	Drill Core	3.89	0.008	1.23	50.22	6.43	73.0	151	14.3	13.6	791	3.63	26.2	0.4	0.4	1.9	65.3	0.87	0.43	0.06	53
789640	Drill Core	3.90	0.009	1.55	50.50	5.50	83.4	3944	12.5	13.2	925	3.97	32.1	0.4	1.4	1.9	91.4	0.66	0.44	0.06	40



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 3 of 3 Part 2

# CERTIFICATE OF ANALYSIS

VAN10004891.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789623	Drill Core	1.90	0.040	6.7	3.8	1.54	320.1	0.001	2	0.39	0.006	0.20	4.7	3.5	0.06	0.27	7	0.3	0.12	1.0
789624	Drill Core	2.38	0.036	5.6	3.0	1.49	121.7	0.002	3	0.40	0.006	0.23	0.9	3.5	0.07	1.06	<5	1.0	3.22	1.4
789625	Drill Core	2.92	0.025	4.3	3.1	1.47	189.8	<0.001	2	0.35	0.005	0.18	1.1	3.2	0.06	0.94	<5	0.9	1.18	1.0
789626	Drill Core	2.27	0.021	3.5	4.9	1.29	186.8	<0.001	2	0.28	0.004	0.14	1.0	2.6	0.05	0.69	25	1.6	1.17	1.0
789627	Drill Core	3.85	0.113	1.7	4.1	1.56	99.1	<0.001	<1	0.56	0.007	0.18	0.5	2.3	0.06	0.79	11	1.2	0.31	1.0
789628	Drill Core	4.18	0.138	1.8	6.0	1.64	102.3	<0.001	1	0.63	0.009	0.22	0.4	2.0	0.07	1.14	13	0.7	0.06	1.0
789629	Drill Core	3.18	0.062	2.6	3.9	1.60	89.3	<0.001	<1	0.79	0.008	0.18	0.6	4.3	0.08	1.46	14	1.8	0.19	1.2
789630	Drill Core	4.76	0.071	2.5	11.4	2.15	50.4	<0.001	<1	0.30	0.006	0.13	0.9	7.0	0.14	2.35	32	3.3	0.12	0.7
789631	Drill Core	3.92	0.085	3.1	18.9	2.39	60.2	<0.001	1	0.52	0.012	0.17	1.2	2.2	0.08	0.39	<5	0.6	<0.02	0.8
789632	Drill Core	3.68	0.084	3.4	5.9	1.68	98.8	<0.001	<1	0.52	0.008	0.19	0.9	4.7	0.13	1.72	18	3.5	0.12	1.0
789633	Drill Core	4.02	0.081	2.5	4.2	1.90	86.8	<0.001	1	0.65	0.011	0.18	0.5	4.8	0.10	1.39	15	2.4	0.07	1.0
789634	Drill Core	4.44	0.086	2.9	9.3	2.25	133.8	<0.001	1	1.33	0.059	0.31	0.8	6.6	0.13	0.93	6	1.5	<0.02	2.3
789635	Drill Core	3.25	0.063	4.4	4.0	1.38	63.0	<0.001	<1	0.61	0.084	0.10	0.3	6.0	0.03	0.25	<5	0.3	<0.02	1.2
789636	Drill Core	2.14	0.091	9.5	14.5	1.20	60.7	0.007	<1	1.79	0.045	0.09	0.5	4.4	0.03	0.28	<5	0.5	<0.02	5.9
789637	Drill Core	2.05	0.045	8.8	11.9	1.12	96.9	0.014	2	2.15	0.059	0.12	0.5	4.8	0.02	0.14	5	0.3	0.03	6.5
789638	Drill Core	3.26	0.061	9.7	14.8	1.44	82.3	0.005	<1	2.53	0.033	0.09	1.8	4.4	<0.02	0.17	<5	0.4	0.02	6.8
789639	Drill Core	2.12	0.052	9.8	16.4	1.12	256.9	0.008	5	2.74	0.105	0.30	1.4	5.5	0.06	0.52	<5	0.8	0.03	6.8
789640	Drill Core	2.65	0.060	14.5	17.3	1.41	110.7	0.002	1	2.55	0.027	0.10	12.1	4.1	0.03	0.43	<5	0.9	0.04	6.0



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10004891.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
Pulp Duplicates																					
REP G1	QC		0.32	3.64	3.93	48.6	12	3.9	4.9	626	2.24	0.5	2.1	0.8	6.5	62.5	0.02	0.05	0.07	40	
789611	Drill Core	1.78	0.027	0.47	55.68	3.28	44.9	157	47.0	12.5	1768	2.52	102.9	<0.1	<0.2	1.5	95.8	0.13	0.30	0.10	5
REP 789611	QC		0.028																		
789615	Drill Core	3.05	0.024	5.10	31.44	6.63	23.2	105	19.7	7.5	1686	2.19	73.9	0.2	0.4	0.8	233.5	0.10	0.18	0.08	5
REP 789615	QC		4.93	33.01	6.41	23.4	108	20.0	7.9	1727	2.23	70.9	0.2	0.7	0.7	241.9	0.10	0.18	0.09	5	
789633	Drill Core	5.57	0.245	10.53	99.08	9.44	94.8	517	30.8	20.7	1153	4.53	380.9	0.9	1.7	0.8	227.5	0.73	0.72	0.07	15
REP 789633	QC		10.84	101.8	9.34	96.8	521	32.2	21.5	1133	4.52	375.2	1.0	0.7	0.8	233.0	0.78	0.73	0.07	15	
REP 789639	QC		0.009	1.21	46.54	6.58	68.9	161	13.5	13.4	762	3.56	26.3	0.4	0.8	1.9	63.6	0.87	0.46	0.07	52
Core Reject Duplicates																					
789604	Drill Core	3.72	0.025	0.34	13.67	4.17	82.3	168	31.5	12.1	2011	2.86	86.7	<0.1	1.0	1.6	75.8	0.22	0.13	0.21	4
DUP 789604	QC		0.026	0.39	14.04	4.80	87.8	141	32.7	12.2	1973	2.86	88.9	<0.1	0.2	1.6	78.5	0.22	0.14	0.23	5
789639	Drill Core	3.89	0.008	1.23	50.22	6.43	73.0	151	14.3	13.6	791	3.63	26.2	0.4	0.4	1.9	65.3	0.87	0.43	0.06	53
DUP 789639	QC		0.007	1.19	46.67	6.01	67.8	137	13.8	13.2	795	3.50	25.7	0.3	0.7	1.9	57.5	0.86	0.42	0.06	38
Reference Materials																					
STD DS7	Standard		22.25	120.8	73.66	418.1	1039	58.6	10.3	677	2.55	54.2	5.1	97.3	4.8	74.3	6.65	6.34	5.02	88	
STD DS7	Standard		24.13	125.9	77.71	395.4	964	62.3	10.4	625	2.42	46.0	5.4	61.7	5.3	73.4	5.92	5.43	4.55	87	
STD DS7	Standard		20.10	112.7	72.74	399.6	1006	55.0	9.3	638	2.41	48.9	5.2	138.3	5.2	80.3	6.27	5.96	4.92	83	
STD DS7	Standard		20.62	114.2	68.87	415.8	926	54.1	8.9	640	2.39	53.2	5.1	80.5	4.8	74.8	6.60	5.99	4.91	83	
STD OXH66	Standard		1.370																		
STD OXH66	Standard		1.369																		
STD OXK79	Standard		3.627																		
STD OXK79	Standard		3.294																		
STD OXH66 Expected			1.285																		
STD OXK79 Expected			3.532																		
STD DS7 Expected			20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank		<0.005																		
BLK	Blank		0.006																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 22, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10004891.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																				
REP G1	QC	0.54	0.093	16.2	7.6	0.56	188.9	0.141	<1	1.03	0.097	0.54	0.2	2.3	0.35	<0.02	<5	0.2	0.02	4.9
789611	Drill Core	1.51	0.014	7.6	2.7	0.99	50.0	<0.001	2	0.25	0.006	0.15	0.3	2.2	0.03	0.22	<5	0.3	0.10	0.8
REP 789611																				
789615	Drill Core	3.17	0.042	3.2	1.6	1.19	85.9	<0.001	2	0.41	0.010	0.20	0.5	1.7	0.06	0.69	<5	0.5	0.09	1.0
REP 789615	QC	3.25	0.042	3.1	1.8	1.23	84.9	<0.001	2	0.40	0.013	0.20	0.3	1.8	0.05	0.72	<5	0.4	0.09	0.8
789633	Drill Core	4.02	0.081	2.5	4.2	1.90	86.8	<0.001	1	0.65	0.011	0.18	0.5	4.8	0.10	1.39	15	2.4	0.07	1.0
REP 789633	QC	4.02	0.082	2.4	4.2	1.87	89.5	<0.001	<1	0.63	0.012	0.18	0.6	4.5	0.10	1.40	14	2.4	0.06	1.0
REP 789639	QC	2.08	0.049	10.0	16.3	1.11	256.7	0.008	3	2.69	0.106	0.30	1.4	5.4	0.09	0.51	<5	0.8	0.05	6.5
Core Reject Duplicates																				
789604	Drill Core	1.65	0.032	7.5	5.3	1.26	81.8	<0.001	2	0.27	0.006	0.15	0.3	2.4	0.03	0.10	14	0.3	0.16	0.8
DUP 789604	QC	1.63	0.033	7.5	5.1	1.25	82.3	<0.001	2	0.29	0.006	0.15	0.3	2.4	0.03	0.11	12	0.2	0.15	0.8
789639	Drill Core	2.12	0.052	9.8	16.4	1.12	256.9	0.008	5	2.74	0.105	0.30	1.4	5.5	0.06	0.52	<5	0.8	0.03	6.8
DUP 789639	QC	2.18	0.051	10.3	14.4	1.09	117.7	0.004	1	2.09	0.038	0.13	1.2	3.8	0.03	0.46	<5	0.7	0.04	4.8
Reference Materials																				
STD DS7	Standard	1.03	0.087	15.3	212.3	1.13	424.4	0.137	42	1.10	0.099	0.49	3.8	3.0	4.30	0.21	209	3.6	1.42	4.9
STD DS7	Standard	1.01	0.068	15.3	225.4	1.07	390.3	0.144	37	1.06	0.096	0.45	3.5	2.5	4.12	0.19	211	2.9	1.16	4.9
STD DS7	Standard	0.98	0.071	14.5	218.6	1.05	390.5	0.133	34	1.04	0.096	0.46	3.8	2.8	4.12	0.19	236	3.3	1.35	4.8
STD DS7	Standard	0.96	0.082	13.0	199.9	1.06	393.6	0.123	38	1.01	0.095	0.47	3.8	2.7	4.00	0.20	231	3.1	1.34	4.9
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXK79	Standard																			
STD OXK79	Standard																			
STD OXH66 Expected																				
STD OXK79 Expected																				
STD DS7 Expected																				
		0.93	0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 22, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10004891.1

		WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2
BLK	Blank	0.006																			
BLK	Blank	<0.005																			
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
Prep Wash																					
G1	Prep Blank	<0.01	<0.005	0.28	4.33	3.83	50.3	9	3.6	4.6	612	2.30	0.5	2.0	1.4	6.8	57.2	0.03	0.14	0.09	43
G1	Prep Blank	<0.01	<0.005																		
G1	Prep Blank			0.36	3.73	4.11	47.6	13	3.8	4.6	631	2.29	0.2	2.2	0.7	6.6	65.9	0.03	0.05	0.07	41



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain

**Report Date:** October 22, 2010

**Page:** 2 of 2 **Part** 2

**QUALITY CONTROL REPORT**

**VAN10004891.1**

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
Prep Wash																					
G1	Prep Blank	0.56	0.096	16.1	10.4	0.60	196.5	0.149	2	1.02	0.083	0.54	<0.1	2.3	0.35	<0.02	<5	0.3	0.03	4.9	
G1	Prep Blank																				
G1	Prep Blank	0.55	0.099	16.6	8.0	0.57	201.8	0.150	2	1.05	0.101	0.54	0.3	2.6	0.35	<0.02	<5	0.4	0.04	5.3	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: October 05, 2010  
Report Date: November 01, 2010  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

VAN10005227.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-3  
P.O. Number: ACREX SMTN  
Number of Samples: 51

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-1000	51	Crush split and pulverize 1kg drill core to 200 mesh			VAN
G601	51	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1F03	51	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC: Perry Grunenberg



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Acrex Ventures Ltd.
2300 - 1066 West Hastings Street
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain
Report Date: November 01, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10005227.1

Table with 21 columns: Method, Analyte, Unit, MDL, WGHT, G6, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30, 1F30. Rows 789736-789765.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: November 01, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10005227.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789736	Drill Core	2.62	0.052	3.2	4.9	2.25	155.2	<0.001	1	0.54	0.026	0.22	0.2	6.7	0.09	0.71	<5	1.3	0.08	0.9
789737	Drill Core	2.13	0.033	2.8	4.4	1.59	87.4	<0.001	<1	0.33	0.027	0.14	0.5	5.2	0.05	0.76	6	1.0	0.06	0.7
789738	Drill Core	2.39	0.040	2.8	1.9	1.52	145.1	<0.001	1	0.42	0.016	0.22	0.2	3.6	0.09	0.90	<5	0.9	0.05	0.8
789739	Drill Core	2.44	0.049	3.6	1.4	1.30	112.7	<0.001	1	0.32	0.015	0.18	0.4	3.1	0.08	0.66	8	0.5	0.03	0.7
789740	Drill Core	3.56	0.050	3.1	2.3	1.56	137.6	<0.001	<1	0.44	0.016	0.20	0.3	4.3	0.10	0.84	8	1.0	0.04	0.8
789741	Drill Core	4.71	0.054	2.7	2.5	1.68	123.9	<0.001	1	0.39	0.013	0.21	0.2	4.6	0.11	2.36	8	2.3	0.06	0.7
789742	Drill Core	2.60	0.049	1.5	3.5	0.99	29.8	<0.001	<1	0.33	0.016	0.15	1.6	4.1	0.23	4.68	47	4.1	0.45	0.6
789743	Drill Core	2.82	0.052	2.1	26.6	1.11	43.8	0.004	1	0.38	0.022	0.12	41.0	3.7	0.13	3.66	30	3.9	0.29	1.0
789744	Drill Core	1.57	0.028	1.8	3.9	0.56	58.3	<0.001	<1	0.25	0.018	0.12	1.4	2.3	0.39	3.44	69	5.4	0.24	0.6
789745	Drill Core	2.60	0.042	1.9	5.8	1.00	53.6	<0.001	<1	0.31	0.009	0.12	18.2	4.3	0.17	3.47	41	5.4	0.24	0.8
789746	Drill Core	5.30	0.069	2.2	6.0	2.78	87.2	<0.001	1	0.55	0.012	0.20	0.3	7.7	0.12	1.00	9	2.7	0.05	0.8
789747	Drill Core	5.90	0.064	1.9	5.7	2.24	75.0	<0.001	1	0.31	0.010	0.15	0.4	6.8	0.10	2.77	12	5.7	0.11	0.6
789748	Drill Core	5.05	0.060	2.2	6.0	2.87	68.3	<0.001	<1	0.37	0.011	0.16	1.5	7.3	0.08	0.89	9	1.8	0.03	0.7
789749	Drill Core	1.60	0.045	2.6	4.9	0.67	43.1	<0.001	<1	0.29	0.007	0.09	0.7	2.6	0.12	3.19	23	5.4	0.15	0.7
789750	Drill Core	4.21	0.055	2.5	11.0	3.21	60.5	<0.001	<1	0.41	0.060	0.11	0.5	11.3	0.07	0.59	<5	1.2	<0.02	0.9
789751	Drill Core	2.87	0.090	3.6	5.5	1.00	57.2	<0.001	<1	0.38	0.018	0.10	0.5	3.7	0.15	2.41	34	4.7	0.24	0.8
789752	Drill Core	4.50	0.142	1.8	5.1	2.08	55.1	<0.001	<1	0.59	0.054	0.09	0.2	6.5	0.05	0.62	<5	1.1	0.02	1.0
789753	Drill Core	2.60	0.037	2.6	1.6	1.03	74.4	<0.001	<1	0.28	0.022	0.10	0.2	2.7	0.06	1.22	9	1.5	0.05	0.6
789754	Drill Core	4.70	0.084	2.8	4.6	1.92	72.0	<0.001	<1	0.40	0.037	0.10	0.3	6.6	0.07	2.21	10	2.7	0.08	0.7
789755	Drill Core	3.98	0.058	2.5	3.5	2.55	102.6	<0.001	1	0.55	0.052	0.14	0.2	8.3	0.07	1.29	<5	1.0	0.03	0.9
789756	Drill Core	5.03	0.073	2.2	3.0	2.00	94.9	<0.001	1	0.43	0.044	0.12	0.5	7.0	0.08	2.04	16	2.5	0.06	0.8
789757	Drill Core	4.61	0.122	1.6	9.2	2.73	39.0	<0.001	<1	0.77	0.091	0.08	1.6	10.5	0.04	0.81	<5	2.0	<0.02	1.4
789758	Drill Core	5.42	0.106	1.9	11.1	2.61	51.4	<0.001	<1	0.43	0.056	0.09	0.2	7.0	0.05	0.62	<5	1.6	0.02	0.9
789759	Drill Core	3.96	0.124	4.3	5.2	1.48	78.7	<0.001	<1	0.42	0.033	0.14	0.4	3.6	0.18	2.45	87	6.4	0.21	1.0
789760	Drill Core	5.05	0.092	1.9	9.5	1.96	64.3	<0.001	1	0.41	0.058	0.13	0.1	2.9	0.08	0.79	<5	1.0	<0.02	0.8
789761	Drill Core	4.47	0.136	3.2	9.0	1.84	66.0	<0.001	<1	0.58	0.043	0.12	0.4	5.8	0.12	1.41	39	3.2	0.06	1.1
789762	Drill Core	3.26	0.053	2.2	4.0	2.55	76.4	<0.001	1	0.55	0.046	0.12	0.2	8.8	0.07	0.98	<5	1.3	<0.02	1.0
789763	Drill Core	5.78	0.076	1.4	7.8	2.57	50.8	<0.001	<1	0.69	0.061	0.09	0.3	4.7	0.06	0.70	9	1.7	0.03	1.2
789764	Drill Core	4.36	0.112	2.8	9.8	2.11	32.9	<0.001	<1	0.69	0.058	0.07	0.3	5.6	0.05	0.60	9	1.8	0.03	1.0
789765	Drill Core	4.02	0.101	2.4	10.4	1.86	69.3	<0.001	<1	0.82	0.061	0.13	4.8	4.2	0.10	0.95	19	2.0	0.05	1.2



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: November 01, 2010

Page: 3 of 3 Part 1

# CERTIFICATE OF ANALYSIS

VAN10005227.1

Method	Analyte	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	
789766	Drill Core	2.37	0.104	14.83	113.4	13.79	159.6	14407	54.2	15.8	787	3.52	83.2	1.7	0.6	1.7	112.5	2.03	2.79	0.10	18
789767	Drill Core	2.03	0.118	15.42	69.88	21.27	135.4	1058	37.7	16.1	701	3.61	60.8	1.6	0.8	1.8	91.8	1.93	3.81	0.11	18
789768	Drill Core	0.86	0.144	15.14	56.32	18.22	105.5	1058	29.2	10.6	839	3.20	36.0	0.8	1.1	1.3	108.0	1.38	4.75	0.09	13
789769	Drill Core	2.90	0.237	17.60	83.33	29.33	158.6	1433	39.2	16.6	848	4.20	48.5	1.3	<0.2	1.4	109.8	1.62	6.31	0.13	17
789770	Drill Core	2.65	0.124	9.88	74.51	11.17	101.6	523	29.4	19.7	1289	4.96	47.6	0.7	0.4	0.9	183.2	0.87	2.60	0.05	12
789771	Drill Core	2.77	0.128	8.62	152.1	9.66	145.9	559	34.6	23.0	954	5.27	118.4	0.4	0.5	0.8	118.3	1.67	1.59	0.09	11
789772	Drill Core	4.15	0.069	4.04	62.14	2.69	122.3	155	25.5	20.4	1275	4.51	57.8	0.6	<0.2	0.6	144.7	0.65	0.61	0.03	13
789773	Drill Core	1.49	0.024	5.67	92.18	5.43	131.7	311	34.2	22.6	1151	3.82	79.5	0.6	<0.2	0.8	172.4	1.35	1.23	0.07	11
789774	Drill Core	2.42	0.103	19.44	80.30	21.37	198.7	891	44.3	17.0	848	4.22	78.0	1.7	0.7	1.9	127.8	2.50	5.19	0.17	17
789775	Drill Core	2.43	0.021	7.27	47.50	7.02	171.9	322	23.0	19.4	1006	4.88	57.7	0.8	0.3	0.7	153.9	0.94	1.57	0.12	15
789776	Drill Core	2.21	<0.005	1.98	74.75	1.45	227.6	118	20.1	20.8	1082	5.22	43.1	0.4	<0.2	0.7	126.0	1.06	0.75	<0.02	14
789777	Drill Core	4.13	0.034	6.85	91.97	9.28	120.9	444	36.0	20.6	679	3.89	84.6	0.8	<0.2	0.8	111.0	1.01	1.74	0.10	12
789778	Drill Core	2.09	0.090	29.97	63.11	18.44	182.6	1932	40.6	14.3	1127	3.65	58.5	1.9	0.4	1.6	165.3	2.44	4.55	0.12	17
789779	Drill Core	4.25	0.102	19.81	97.11	18.44	133.2	1011	44.0	22.4	1191	4.60	60.6	1.4	0.4	1.2	185.2	1.74	3.65	0.10	17
789780	Drill Core	4.53	0.218	17.91	80.81	22.18	157.8	1351	46.7	18.4	911	4.43	73.3	1.3	1.0	1.1	184.0	1.81	3.91	0.09	15
789781	Drill Core	3.10	0.142	14.60	96.71	19.32	184.4	1400	42.9	15.4	855	3.87	62.6	1.7	1.0	1.3	195.4	1.93	4.95	0.09	17
789782	Drill Core	3.23	0.117	23.36	96.61	24.59	212.2	1388	45.4	15.1	734	3.40	67.0	2.3	0.6	1.7	147.5	2.68	4.72	0.12	20
789783	Drill Core	4.40	0.103	16.19	73.16	20.95	166.1	1213	38.9	16.3	824	3.95	49.0	1.6	0.5	1.5	183.6	1.97	3.58	0.11	19
789784	Drill Core	1.53	0.029	3.98	42.55	4.66	120.7	349	125.3	13.7	985	2.66	231.3	2.0	0.6	0.7	342.4	0.84	3.31	<0.02	17
789785	Drill Core	2.78	0.157	23.06	58.53	29.97	271.2	1404	51.3	13.7	642	3.48	58.4	2.2	0.2	2.0	150.9	3.50	4.54	0.14	20
789786	Drill Core	3.15	0.149	24.94	93.75	25.16	246.2	1158	51.1	14.2	735	3.32	58.0	2.8	0.5	2.5	123.7	3.28	4.57	0.11	22



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: November 01, 2010

Page: 3 of 3 Part 2

# CERTIFICATE OF ANALYSIS

VAN10005227.1

Method	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
789766	Drill Core	3.76	0.118	3.7	8.3	1.43	60.9	<0.001	<1	0.40	0.039	0.12	53.2	3.9	0.15	1.88	53	5.0	0.17	0.9
789767	Drill Core	3.38	0.102	3.4	4.1	1.25	74.7	<0.001	1	0.45	0.035	0.17	0.4	3.1	0.22	2.51	81	4.8	0.07	1.0
789768	Drill Core	3.63	0.059	2.2	3.0	1.39	59.7	<0.001	<1	0.29	0.026	0.11	0.5	3.1	0.21	1.83	53	3.9	0.10	0.7
789769	Drill Core	3.36	0.063	3.0	4.4	1.33	65.0	<0.001	<1	0.46	0.039	0.13	0.3	4.5	0.24	3.09	57	3.5	0.13	1.0
789770	Drill Core	5.46	0.065	2.3	3.0	2.18	69.3	<0.001	<1	0.39	0.035	0.12	0.3	6.5	0.11	3.08	15	2.6	0.06	0.7
789771	Drill Core	3.67	0.068	2.6	3.6	1.49	61.4	<0.001	1	0.46	0.043	0.13	0.2	4.5	0.10	3.83	16	4.8	0.11	0.9
789772	Drill Core	4.33	0.064	2.0	4.3	2.18	63.0	<0.001	<1	0.56	0.056	0.10	0.3	7.8	0.06	1.19	9	1.3	0.04	0.9
789773	Drill Core	4.59	0.059	1.6	3.2	1.74	47.9	<0.001	<1	0.52	0.036	0.08	0.3	6.1	0.05	1.67	13	2.9	0.05	0.9
789774	Drill Core	3.89	0.093	3.0	3.8	1.55	66.3	<0.001	<1	0.38	0.029	0.10	0.4	3.2	0.25	2.98	59	6.4	0.12	0.8
789775	Drill Core	3.28	0.059	1.9	3.5	1.85	66.5	<0.001	<1	1.02	0.042	0.09	0.4	8.3	0.08	1.84	8	2.0	0.09	1.2
789776	Drill Core	2.64	0.059	3.2	3.1	2.43	85.8	<0.001	<1	1.04	0.057	0.12	0.2	8.0	0.08	0.17	9	0.4	<0.02	1.3
789777	Drill Core	2.68	0.051	2.3	3.0	1.22	66.6	<0.001	<1	0.73	0.044	0.15	0.4	4.6	0.14	2.40	17	5.2	0.05	1.2
789778	Drill Core	3.99	0.090	3.2	3.8	1.57	69.8	<0.001	<1	0.40	0.032	0.12	5.0	3.7	0.20	2.32	48	4.9	0.13	0.8
789779	Drill Core	4.87	0.087	2.9	4.0	2.00	39.0	<0.001	1	0.51	0.044	0.14	0.5	5.6	0.21	3.16	31	4.8	0.13	0.9
789780	Drill Core	4.20	0.089	2.9	3.1	1.74	58.7	<0.001	<1	0.44	0.030	0.13	0.6	4.8	0.20	3.13	37	5.0	0.14	0.8
789781	Drill Core	4.01	0.099	3.6	3.8	1.62	67.9	<0.001	<1	0.37	0.020	0.15	1.6	3.6	0.24	2.53	58	5.1	0.10	0.8
789782	Drill Core	3.52	0.118	3.9	4.1	1.37	61.8	<0.001	1	0.29	0.018	0.12	0.8	2.9	0.27	2.31	97	6.8	0.14	0.7
789783	Drill Core	4.01	0.093	3.1	3.8	1.63	49.0	<0.001	<1	0.38	0.022	0.14	1.4	4.6	0.24	2.69	93	4.6	0.07	0.8
789784	Drill Core	5.04	0.085	1.8	10.5	2.14	54.6	<0.001	<1	0.40	0.028	0.11	0.7	3.9	0.08	0.84	17	1.3	<0.02	0.7
789785	Drill Core	3.44	0.109	3.0	4.6	0.98	50.4	<0.001	2	0.39	0.013	0.12	0.8	3.1	0.33	2.94	80	6.2	0.15	0.8
789786	Drill Core	3.12	0.132	2.9	3.9	1.18	49.9	<0.001	2	0.32	0.015	0.12	0.5	3.0	0.34	2.57	88	8.4	0.13	0.7





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: November 01, 2010

Page: 1 of 2 Part 1

# QUALITY CONTROL REPORT

VAN10005227.1

Method	WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
Pulp Duplicates																					
REP G1	QC		0.24	32.06	5.08	49.3	46	3.7	4.8	581	2.06	0.3	1.9	4.4	6.0	49.0	0.02	0.07	0.12	36	
789736	Drill Core	4.71	0.013	0.33	71.56	2.27	84.0	197	22.7	21.6	1310	4.61	130.0	0.2	2.6	0.5	129.0	0.17	0.10	0.05	11
REP 789736	QC	0.013																			
789760	Drill Core	1.28	0.025	0.27	32.87	2.50	95.2	65	142.7	13.9	909	2.66	253.1	0.6	7.0	0.3	131.6	1.15	0.20	<0.02	7
REP 789760	QC	0.26 32.54 2.51 95.7 67 140.5 14.0 917 2.60 249.4 0.6 11.5 0.3 130.3 1.13 0.20 <0.02 6																			
789773	Drill Core	1.49	0.024	5.67	92.18	5.43	131.7	311	34.2	22.6	1151	3.82	79.5	0.6	<0.2	0.8	172.4	1.35	1.23	0.07	11
REP 789773	QC	5.63 92.68 5.71 129.4 326 34.1 22.8 1147 3.80 80.3 0.6 0.5 0.8 172.5 1.34 1.19 0.07 11																			
789785	Drill Core	2.78	0.157	23.06	58.53	29.97	271.2	1404	51.3	13.7	642	3.48	58.4	2.2	0.2	2.0	150.9	3.50	4.54	0.14	20
REP 789785	QC	23.24 58.68 29.36 274.0 1411 49.7 13.7 645 3.47 57.6 2.2 <0.2 2.0 150.4 3.35 4.65 0.14 20																			
Core Reject Duplicates																					
789754	Drill Core	2.77	0.037	6.02	69.27	6.75	102.2	304	31.6	18.6	1358	4.34	77.7	0.7	0.6	1.1	148.8	1.04	0.69	0.13	13
DUP 789754	QC	0.038 6.02 71.39 6.69 105.3 319 33.0 19.0 1375 4.39 78.8 0.7 0.8 1.0 147.9 1.04 0.67 0.12 12																			
Reference Materials																					
STD DS7	Standard	22.74 110.1 67.78 413.6 1006 58.5 10.1 631 2.52 51.5 5.0 72.3 4.6 74.7 6.30 5.99 4.71 83																			
STD DS7	Standard	21.56 113.0 67.07 405.7 983 56.2 9.6 621 2.50 55.1 5.0 74.0 4.9 72.8 6.83 6.15 4.96 87																			
STD DS7	Standard	21.19 110.7 65.65 378.2 950 55.6 9.5 604 2.32 48.8 4.6 67.1 4.5 69.3 6.06 5.25 4.16 79																			
STD OXH66	Standard	1.281																			
STD OXH66	Standard	1.252																			
STD OXH66	Standard	1.320																			
STD OXH66	Standard	1.347																			
STD OXH66	Standard	1.288																			
STD OXK79	Standard	3.187																			
STD OXK79	Standard	3.541																			
STD OXK79	Standard	3.499																			
STD DS7 Expected		20.5 109 70.6 411 890 56 9.7 627 2.39 48.2 4.9 70 4.4 68.7 6.38 4.6 4.51 84																			
STD OXH66 Expected		1.285																			
STD OXK79 Expected		3.532																			
BLK	Blank	<0.01 <0.01 <0.01 <0.1 <2 <0.1 <0.1 <1 <0.01 <0.1 <0.1 <0.1 <0.2 <0.1 <0.5 <0.01 <0.02 <0.02 <2																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: November 01, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10005227.1

Method		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																				
REP G1	QC	0.45	0.088	11.0	7.3	0.54	207.7	0.125	<1	0.84	0.060	0.48	<0.1	2.1	0.34	0.03	<5	0.1	0.06	4.7
789736	Drill Core	2.62	0.052	3.2	4.9	2.25	155.2	<0.001	1	0.54	0.026	0.22	0.2	6.7	0.09	0.71	<5	1.3	0.08	0.9
REP 789736																				
789760	Drill Core	5.05	0.092	1.9	9.5	1.96	64.3	<0.001	1	0.41	0.058	0.13	0.1	2.9	0.08	0.79	<5	1.0	<0.02	0.8
REP 789760	QC	4.95	0.086	1.8	9.5	1.91	60.0	<0.001	<1	0.38	0.052	0.13	0.1	2.9	0.08	0.79	<5	0.9	<0.02	0.8
789773	Drill Core	4.59	0.059	1.6	3.2	1.74	47.9	<0.001	<1	0.52	0.036	0.08	0.3	6.1	0.05	1.67	13	2.9	0.05	0.9
REP 789773	QC	4.57	0.056	1.6	3.4	1.73	46.6	<0.001	<1	0.52	0.036	0.08	0.4	6.2	0.05	1.67	13	3.2	0.05	0.8
789785	Drill Core	3.44	0.109	3.0	4.6	0.98	50.4	<0.001	2	0.39	0.013	0.12	0.8	3.1	0.33	2.94	80	6.2	0.15	0.8
REP 789785	QC	3.42	0.107	2.9	4.9	0.98	52.3	<0.001	1	0.41	0.013	0.12	0.9	3.4	0.34	2.93	90	6.1	0.18	0.9
Core Reject Duplicates																				
789754	Drill Core	4.70	0.084	2.8	4.6	1.92	72.0	<0.001	<1	0.40	0.037	0.10	0.3	6.6	0.07	2.21	10	2.7	0.08	0.7
DUP 789754	QC	4.76	0.087	2.7	4.4	1.95	63.8	<0.001	<1	0.36	0.033	0.09	0.3	6.7	0.06	2.22	13	2.7	0.12	0.7
Reference Materials																				
STD DS7	Standard	1.00	0.078	13.9	231.5	1.09	425.0	0.121	42	1.08	0.099	0.48	3.7	2.9	4.29	0.22	236	3.2	1.27	5.4
STD DS7	Standard	1.00	0.085	13.7	195.0	1.08	395.8	0.123	38	1.07	0.096	0.48	3.7	2.8	4.14	0.20	231	3.4	1.27	4.9
STD DS7	Standard	0.93	0.076	13.4	202.9	1.01	389.5	0.120	40	0.99	0.093	0.45	3.6	2.7	4.04	0.20	234	3.4	1.33	4.7
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXK79	Standard																			
STD OXK79	Standard																			
STD OXK79	Standard																			
STD DS7 Expected		0.93	0.08	11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
STD OXH66 Expected																				
STD OXK79 Expected																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain

Report Date: November 01, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10005227.1

		WGHT	G6	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	0.005																				
BLK	Blank	0.006																				
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank			<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	
BLK	Blank	0.007																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
Prep Wash																						
G1	Prep Blank	<0.01	0.022																			
G1	Prep Blank	<0.01	0.006	0.25	32.14	5.24	50.6	46	3.8	5.3	587	2.12	0.3	1.8	4.8	5.9	50.2	0.02	0.07	0.12	37	
G1	Prep Blank			0.24	31.58	5.00	49.6	45	4.1	5.0	608	2.11	0.2	1.9	9.2	5.9	50.5	0.02	0.07	0.12	37	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain

Report Date: November 01, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10005227.1

		1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30	1F30		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
		0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank																				
G1	Prep Blank	0.46	0.085	10.8	7.4	0.55	210.2	0.128	<1	0.89	0.060	0.49	<0.1	2.2	0.35	0.03	<5	<0.1	0.05	4.8	
G1	Prep Blank	0.44	0.085	11.1	7.5	0.56	208.8	0.123	<1	0.88	0.061	0.50	0.1	2.1	0.35	0.03	<5	0.2	0.05	4.8	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: September 17, 2010  
Report Date: October 14, 2010  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

VAN10004733.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN4  
P.O. Number: ACREX SMTN  
Number of Samples: 111

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	111	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	111	Dry at 60C			VAN
1F02	111	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC: Perry Grunenberg



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
Unit	MDL	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
0E 1200N	Soil	2.78	33.77	6.44	108.1	110	27.6	13.0	513	2.85	22.6	0.4	3.5	1.5	12.0	0.52	1.60	0.07	47	0.17	0.055
0E 1225N	Soil	2.51	30.38	5.90	123.8	592	19.0	11.0	441	3.26	14.8	0.3	3.3	1.1	8.4	0.49	1.46	0.12	57	0.13	0.094
0E 1250N	Soil	3.31	20.81	6.51	87.8	248	17.7	7.0	769	2.10	18.4	0.3	1.6	0.8	9.6	0.42	1.16	0.12	35	0.11	0.081
0E 1275N	Soil	5.28	37.76	6.99	118.7	304	29.9	7.8	351	2.83	25.8	0.4	1.3	1.2	9.8	0.68	1.89	0.11	39	0.10	0.083
0E 1300N	Soil	9.08	109.7	16.37	125.4	1039	69.3	19.7	1187	4.20	47.5	1.8	12.1	2.0	38.4	1.42	3.89	0.21	59	0.65	0.057
0E 1325N	Soil	6.43	53.93	10.77	128.6	242	38.6	16.0	1122	3.21	35.6	0.6	1.9	1.7	16.9	0.88	2.63	0.13	50	0.23	0.061
0E 1350N	Soil	3.66	75.65	12.02	101.1	832	53.0	19.1	1417	3.94	34.1	1.3	4.1	2.4	42.6	1.59	3.16	0.18	68	0.78	0.048
0E 1375N	Soil	2.09	74.57	10.26	71.4	720	41.7	17.4	823	3.12	35.4	0.9	5.2	1.2	52.7	1.02	5.06	0.15	51	1.26	0.056
0E 1400N	Soil	3.24	86.14	11.62	77.9	209	42.0	28.9	769	4.13	61.0	0.7	3.1	2.0	31.7	0.73	9.88	0.16	70	0.61	0.038
0E 1425N	Soil	3.62	125.5	10.94	137.1	1311	48.5	24.7	418	4.32	65.4	1.5	3.7	2.8	43.7	0.62	4.27	0.17	78	0.90	0.060
0E 1450N	Soil	3.79	75.49	9.95	119.3	289	38.1	16.9	675	3.29	38.5	0.5	6.0	2.0	19.2	0.41	5.36	0.15	60	0.31	0.071
0E 1475N	Soil	3.16	44.92	8.34	114.8	291	30.3	14.2	767	2.98	26.5	0.5	1.7	2.2	18.8	0.30	6.51	0.13	57	0.30	0.064
0E 1500N	Soil	2.54	22.45	8.28	148.0	298	16.7	11.3	764	2.90	24.1	0.4	<0.2	1.5	18.5	0.58	4.27	0.18	61	0.24	0.074
0E 1525N	Soil	4.53	84.93	10.98	146.4	579	46.0	18.7	699	3.54	33.6	1.5	5.4	3.0	21.5	0.67	2.37	0.17	57	0.33	0.060
0E 1550N	Soil	4.73	56.70	10.57	147.1	371	36.3	14.5	749	3.22	28.2	0.7	3.3	3.5	21.4	0.71	1.68	0.18	55	0.30	0.045
0E 1575N	Soil	4.95	113.2	9.42	183.5	440	46.0	16.9	776	3.50	29.8	1.4	3.2	2.7	21.5	0.95	2.39	0.30	62	0.32	0.047
0E 1600N	Soil	14.59	71.46	11.39	330.3	862	41.9	20.8	718	4.80	32.4	1.1	4.5	2.0	29.1	1.98	2.86	0.18	73	0.38	0.106
0E 1625N	Soil	13.14	79.05	12.01	310.6	1126	87.3	30.5	4495	4.65	31.2	1.9	3.9	0.8	35.5	3.92	3.22	0.19	58	0.74	0.105
0E 1650N	Soil	21.10	144.1	27.03	154.9	2093	80.2	23.1	1410	4.77	62.5	5.0	4.8	0.6	47.3	4.03	5.13	0.36	56	0.94	0.167
0E 1675N	Soil	24.88	68.66	20.49	153.3	711	41.1	12.7	725	3.52	57.9	1.3	1.3	0.5	32.7	2.50	5.24	0.32	47	0.66	0.097
0E 1700N	Soil	11.26	98.77	16.55	146.4	1212	61.3	19.0	1480	3.81	29.5	1.9	3.7	1.2	32.3	1.87	3.92	0.23	65	0.60	0.083
0E 1725N	Soil	3.59	43.73	10.08	127.5	822	42.4	13.5	687	3.25	22.2	0.4	1.2	1.3	33.3	1.46	1.67	0.15	65	0.78	0.090
0E 1750N	Soil	4.18	164.7	15.86	215.9	791	49.7	20.2	2193	3.12	19.6	3.6	3.2	0.7	30.7	3.35	1.83	0.22	53	0.66	0.075
0E 1775N	Soil	5.67	145.1	26.33	301.6	418	76.6	64.3	7362	3.85	23.9	2.5	2.2	0.6	28.7	5.81	2.77	0.30	55	0.45	0.112
0E 1800N	Soil	5.47	156.4	28.94	217.3	428	92.5	48.0	4756	3.35	26.4	2.1	5.2	1.2	22.1	5.99	2.65	0.33	39	0.38	0.078
0E 1825N	Soil	7.18	53.02	14.01	163.0	533	34.9	15.4	1325	3.32	23.3	0.9	2.6	1.4	18.3	1.27	2.11	0.20	62	0.29	0.062
0E 1850N	Soil	7.72	40.48	15.13	227.1	407	32.3	16.9	1048	3.44	23.4	0.7	4.6	2.1	14.7	2.46	2.73	0.21	60	0.20	0.100
0E 1875N	Soil	9.37	43.53	15.35	184.2	1222	37.1	11.0	412	3.86	26.8	1.0	1.9	3.2	11.7	1.32	2.96	0.18	68	0.09	0.117
0E 1900N	Soil	6.04	33.72	11.00	166.2	1367	34.8	12.7	377	3.47	16.6	0.7	3.1	3.2	12.2	1.33	1.52	0.17	63	0.12	0.090
0E 1925N	Soil	6.91	48.47	11.77	236.4	1386	61.1	16.3	586	4.69	38.9	0.7	8.9	2.5	12.2	1.95	2.04	0.19	65	0.15	0.229

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
0E 1200N	Soil	6.6	41.4	0.69	85.3	0.031	<1	1.56	0.005	0.06	<0.1	2.8	0.05	<0.02	23	0.3	0.03	3.9
0E 1225N	Soil	5.2	32.5	0.63	85.0	0.026	<1	1.86	0.006	0.06	0.1	2.6	0.06	<0.02	35	0.4	0.04	5.4
0E 1250N	Soil	6.7	26.1	0.41	105.4	0.015	<1	0.92	0.005	0.05	<0.1	1.6	0.07	<0.02	18	0.4	0.04	3.6
0E 1275N	Soil	6.2	32.4	0.52	82.2	0.015	<1	1.21	0.005	0.04	0.1	2.0	0.07	<0.02	34	0.9	0.05	3.8
0E 1300N	Soil	14.5	60.8	0.74	169.2	0.020	1	2.04	0.008	0.11	0.1	5.4	0.21	0.03	112	2.3	0.15	4.8
0E 1325N	Soil	10.9	41.8	0.64	108.9	0.021	1	1.39	0.005	0.07	0.1	3.0	0.14	<0.02	34	0.9	0.08	4.1
0E 1350N	Soil	12.9	73.6	0.80	182.1	0.042	1	2.30	0.011	0.12	0.1	6.6	0.14	0.02	77	1.1	0.06	5.9
0E 1375N	Soil	11.4	62.3	0.62	143.2	0.032	2	1.89	0.011	0.09	0.1	4.9	0.12	0.05	114	1.6	0.05	4.8
0E 1400N	Soil	12.5	58.7	0.71	129.2	0.046	2	2.43	0.008	0.11	0.2	6.2	0.12	0.02	49	1.1	0.07	5.8
0E 1425N	Soil	27.9	55.4	0.62	153.9	0.046	1	3.18	0.009	0.10	0.1	8.7	0.14	0.02	209	1.6	0.08	6.6
0E 1450N	Soil	10.3	47.6	0.64	124.3	0.049	1	1.97	0.006	0.10	0.1	4.3	0.11	<0.02	71	0.7	0.07	5.3
0E 1475N	Soil	9.8	47.5	0.63	121.4	0.052	1	1.67	0.006	0.09	0.1	3.6	0.12	<0.02	31	0.4	0.07	5.3
0E 1500N	Soil	10.8	30.6	0.43	132.7	0.048	1	1.51	0.007	0.10	0.1	2.8	0.09	<0.02	21	0.3	0.04	6.2
0E 1525N	Soil	15.3	46.4	0.64	152.7	0.051	1	2.12	0.007	0.11	0.1	5.2	0.12	<0.02	86	1.1	0.08	5.1
0E 1550N	Soil	14.0	39.9	0.52	135.2	0.051	1	1.64	0.006	0.09	<0.1	3.5	0.11	<0.02	21	0.9	0.05	4.9
0E 1575N	Soil	13.8	45.4	0.65	153.4	0.056	1	2.11	0.007	0.10	<0.1	4.8	0.12	<0.02	57	0.8	0.05	5.0
0E 1600N	Soil	11.2	27.4	0.55	118.1	0.018	<1	2.11	0.007	0.09	0.1	3.4	0.16	0.02	53	0.8	0.12	5.8
0E 1625N	Soil	12.0	42.9	0.42	187.7	0.039	2	1.96	0.007	0.10	0.1	4.0	0.49	0.06	195	1.8	0.07	5.3
0E 1650N	Soil	24.8	46.5	0.36	158.4	0.013	1	2.54	0.008	0.11	0.2	3.9	0.85	0.11	290	4.2	0.20	5.7
0E 1675N	Soil	9.8	31.4	0.23	216.8	0.018	<1	1.12	0.006	0.07	0.2	1.8	0.57	0.04	70	1.5	0.19	4.4
0E 1700N	Soil	18.6	57.9	0.64	154.1	0.031	<1	2.28	0.009	0.08	0.2	4.8	0.50	0.03	114	1.9	0.11	6.3
0E 1725N	Soil	8.6	99.2	0.75	115.5	0.047	<1	1.50	0.006	0.09	<0.1	2.5	0.12	<0.02	23	0.5	0.06	5.6
0E 1750N	Soil	48.6	46.4	0.46	143.6	0.033	<1	1.90	0.008	0.06	<0.1	4.7	0.15	0.04	107	1.5	0.09	5.9
0E 1775N	Soil	23.4	44.4	0.46	344.1	0.022	<1	2.16	0.008	0.07	<0.1	3.9	0.24	0.04	76	1.0	0.10	6.6
0E 1800N	Soil	27.7	33.9	0.77	150.5	0.018	<1	2.00	0.007	0.06	<0.1	4.0	0.21	0.03	87	1.1	0.15	5.5
0E 1825N	Soil	13.9	48.1	0.61	161.5	0.037	1	1.67	0.006	0.07	<0.1	3.0	0.19	0.02	49	0.8	0.08	5.6
0E 1850N	Soil	16.0	39.6	0.63	161.7	0.034	<1	1.71	0.006	0.07	0.1	3.0	0.25	<0.02	37	0.6	0.08	6.0
0E 1875N	Soil	16.6	46.8	0.86	112.4	0.036	<1	1.91	0.006	0.05	0.1	3.4	0.26	<0.02	55	0.7	0.10	6.1
0E 1900N	Soil	13.6	47.8	0.62	104.1	0.044	<1	2.01	0.005	0.05	<0.1	3.1	0.16	<0.02	104	0.6	0.06	6.0
0E 1925N	Soil	12.2	76.3	0.63	152.6	0.033	<1	1.99	0.004	0.06	0.1	4.2	0.14	0.03	87	1.4	0.10	5.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
0E 1950N	Soil			11.25	76.77	25.44	145.4	285	39.2	11.2	458	3.77	27.6	1.0	2.7	3.5	9.3	0.95	2.50	0.26	63	0.06	0.084
0E 1975N	Soil			10.94	36.25	12.71	131.8	272	34.8	11.3	471	3.63	27.4	0.8	3.8	3.0	10.3	0.81	2.20	0.15	76	0.17	0.106
0E 2000N	Soil			10.26	157.7	21.17	219.1	511	67.6	14.9	509	4.78	75.0	1.3	7.4	3.2	9.6	1.34	5.05	0.29	89	0.10	0.064
0E 2050N	Soil			14.60	75.36	19.36	130.4	298	24.8	5.0	450	4.38	24.8	0.7	6.6	3.5	4.7	0.48	2.88	0.34	28	0.03	0.111
0E 2075N	Soil			4.97	40.05	11.07	189.5	132	22.5	7.6	380	3.19	20.7	0.5	1.2	2.1	9.6	0.72	1.82	0.21	57	0.06	0.053
0E 2100N	Soil			0.84	10.18	7.46	36.3	230	5.1	2.0	531	1.02	1.5	0.3	0.4	1.8	2.7	0.17	0.17	0.20	20	0.02	0.030
0E 2125N	Soil			34.23	17.38	27.46	73.3	321	8.0	1.7	148	3.16	36.1	0.5	0.7	0.6	3.5	0.32	4.73	0.24	49	0.04	0.081
0E 2150N	Soil			16.30	123.2	28.09	254.8	4722	91.1	16.7	1575	4.65	50.3	12.1	6.2	1.2	48.1	5.56	4.15	0.28	47	0.63	0.207
0E 2175N	Soil			30.90	88.34	32.45	304.5	854	72.3	59.3	6372	8.88	68.0	6.5	2.6	2.1	38.8	4.09	4.93	0.32	66	0.36	0.139
0E 2200N	Soil			31.11	58.84	39.93	153.0	364	20.0	4.6	394	6.42	46.0	4.9	1.9	3.3	14.1	1.02	3.85	0.40	73	0.14	0.070
0E 2225N	Soil			15.44	51.86	19.41	217.8	650	30.7	10.2	2912	4.18	25.2	2.0	0.8	2.3	12.3	5.74	2.55	0.26	67	0.09	0.117
0E 2250N	Soil			9.65	15.72	16.16	68.5	462	10.2	3.2	150	2.20	11.9	0.4	0.5	1.1	7.4	1.02	1.63	0.23	53	0.05	0.035
0E 2275N	Soil			5.03	22.04	9.72	173.1	204	14.4	5.0	197	2.90	16.6	0.3	0.6	1.0	7.9	1.35	1.15	0.19	69	0.08	0.031
0E 2300N	Soil			2.26	24.88	7.74	130.7	120	11.9	4.9	179	2.09	5.1	1.0	0.5	1.3	7.8	1.03	0.63	0.16	40	0.09	0.047
0E 2325N	Soil			9.06	59.53	14.30	136.5	774	14.2	7.5	298	5.19	7.4	1.2	0.8	1.1	6.9	1.30	0.83	0.28	64	0.09	0.173
0E 2350N	Soil			3.76	41.47	10.10	94.9	376	49.4	14.2	526	4.11	28.4	0.6	2.0	1.1	13.7	1.10	1.32	0.15	65	0.10	0.055
0E 2375N	Soil			5.66	24.23	10.43	122.3	850	26.3	8.1	507	3.63	26.5	0.5	4.1	1.1	12.1	1.54	1.54	0.16	61	0.13	0.120
0E 2400N	Soil			4.93	26.95	8.49	95.1	376	26.0	7.8	346	4.00	25.6	0.4	7.2	1.3	8.0	0.78	1.49	0.18	62	0.06	0.161
0E 2425N	Soil			58.70	213.9	43.10	176.3	1796	54.6	11.8	552	11.56	172.3	7.5	6.3	28.5	35.5	2.45	10.86	0.30	101	0.04	0.482
0E 2450N	Soil			16.55	22.23	20.61	65.0	722	16.4	3.8	317	3.14	24.9	0.8	28.3	1.7	11.0	0.41	2.75	0.21	59	0.11	0.116
0E 2475N	Soil			9.98	28.99	14.67	75.2	471	16.8	4.9	158	2.97	20.1	0.7	1.5	1.7	13.6	1.27	1.95	0.21	66	0.06	0.063
0E 2500N	Soil			6.76	16.92	9.32	67.9	688	15.1	4.2	158	2.93	16.2	0.3	2.2	1.2	6.3	0.52	1.31	0.16	65	0.06	0.087
0E 2525N	Soil			27.00	31.47	25.81	118.0	1118	29.0	5.9	220	3.87	40.5	2.2	2.3	2.7	23.6	0.65	10.64	0.27	68	0.03	0.135
0E 2550N	Soil			31.75	42.23	22.98	101.9	1124	20.5	5.7	415	3.65	42.1	1.9	5.3	2.4	42.5	0.63	15.05	0.24	46	0.06	0.113
0E 2575N	Soil			19.06	35.62	24.49	130.1	787	23.0	4.8	241	3.89	36.3	1.4	3.8	1.3	12.6	0.97	7.65	0.21	57	0.06	0.159
100E 1200N	Soil			2.73	26.91	7.00	83.0	211	25.0	9.8	412	2.49	17.2	0.3	5.9	1.4	17.6	0.43	1.17	0.11	44	0.25	0.036
100E 1225N	Soil			2.89	22.10	7.64	112.4	193	26.0	9.2	366	2.67	20.6	0.3	1.5	1.5	15.8	0.63	1.30	0.12	43	0.24	0.044
100E 1250N	Soil			3.21	26.01	6.97	115.3	238	31.5	11.2	565	2.65	20.0	0.4	28.3	1.4	16.9	0.76	1.58	0.11	38	0.23	0.056
100E 1275N	Soil			3.50	28.58	9.30	153.9	553	33.3	12.2	576	2.85	23.8	0.5	14.1	1.6	28.3	0.95	1.59	0.19	41	0.39	0.089
100E 1300N	Soil			3.68	43.80	8.64	98.3	266	35.3	12.2	427	2.85	30.0	0.5	8.5	1.7	16.4	0.73	1.50	0.14	40	0.22	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
0E 1950N	Soil	17.4	29.7	0.56	103.1	0.029	<1	1.38	0.004	0.04	0.1	3.3	0.23	<0.02	40	1.0	0.11	4.7
0E 1975N	Soil	16.0	45.6	0.91	98.5	0.094	<1	1.88	0.005	0.05	0.1	3.7	0.22	<0.02	45	1.1	0.07	6.7
0E 2000N	Soil	12.5	49.4	0.97	142.1	0.067	<1	2.35	0.004	0.06	0.1	4.4	0.23	<0.02	65	1.7	0.19	6.3
0E 2050N	Soil	28.2	15.8	0.47	63.0	0.003	<1	1.42	0.002	0.04	<0.1	1.6	0.22	<0.02	52	0.8	0.21	4.3
0E 2075N	Soil	10.4	24.6	0.42	57.8	0.028	<1	1.52	0.003	0.03	0.1	2.6	0.15	<0.02	25	0.6	0.10	6.4
0E 2100N	Soil	4.8	5.7	0.22	46.7	0.005	<1	0.94	0.003	0.03	<0.1	0.9	0.19	<0.02	25	<0.1	0.03	4.7
0E 2125N	Soil	4.9	10.6	0.11	67.9	0.007	<1	0.55	0.003	0.02	0.4	0.8	0.23	<0.02	33	1.9	0.20	3.7
0E 2150N	Soil	35.4	42.9	0.48	123.2	0.017	<1	1.81	0.005	0.03	0.2	3.1	0.58	0.11	1141	4.2	0.18	4.0
0E 2175N	Soil	19.0	31.6	0.29	203.3	0.037	<1	1.70	0.004	0.03	0.2	3.1	0.67	0.06	331	3.3	0.20	5.2
0E 2200N	Soil	11.9	26.1	0.29	59.4	0.076	<1	1.32	0.004	0.02	0.2	2.4	0.45	0.02	230	2.4	0.26	5.4
0E 2225N	Soil	7.8	17.7	0.31	189.7	0.109	<1	1.15	0.005	0.03	<0.1	2.2	0.29	0.02	64	4.1	0.14	4.5
0E 2250N	Soil	5.3	13.1	0.14	92.9	0.062	<1	0.72	0.004	0.02	<0.1	0.9	0.21	<0.02	35	0.5	0.08	3.8
0E 2275N	Soil	4.4	21.7	0.32	54.2	0.058	<1	1.14	0.004	0.02	0.1	1.6	0.06	<0.02	34	0.3	0.07	5.6
0E 2300N	Soil	7.3	16.0	0.38	78.9	0.032	<1	1.11	0.003	0.02	0.1	1.6	0.06	<0.02	18	0.3	0.03	4.6
0E 2325N	Soil	4.1	21.9	0.58	76.6	0.075	<1	1.63	0.004	0.03	0.1	2.3	0.07	0.03	56	1.6	0.11	6.4
0E 2350N	Soil	10.6	57.2	0.68	143.9	0.037	1	2.11	0.005	0.04	0.1	3.3	0.06	<0.02	50	0.9	0.07	6.0
0E 2375N	Soil	8.2	38.0	0.57	177.4	0.034	1	1.44	0.004	0.04	0.1	2.4	0.11	<0.02	54	0.6	0.07	5.7
0E 2400N	Soil	8.1	39.1	0.50	105.8	0.042	1	1.45	0.004	0.04	0.1	2.0	0.08	<0.02	48	0.8	0.11	5.9
0E 2425N	Soil	27.7	43.8	0.55	113.5	0.142	2	2.70	0.006	0.05	0.8	10.2	0.69	0.08	381	5.0	0.52	4.7
0E 2450N	Soil	6.7	25.0	0.34	55.0	0.055	<1	1.18	0.003	0.05	0.2	1.6	0.33	0.02	52	1.1	0.12	4.7
0E 2475N	Soil	8.6	23.8	0.25	116.5	0.047	<1	1.13	0.004	0.02	0.2	1.8	0.15	<0.02	36	0.7	0.11	5.7
0E 2500N	Soil	7.9	22.6	0.30	79.0	0.038	<1	1.18	0.004	0.02	0.1	1.9	0.13	<0.02	57	0.5	0.08	6.2
0E 2525N	Soil	7.6	17.6	0.32	78.9	0.131	<1	0.87	0.006	0.03	<0.1	1.3	0.52	0.04	60	1.9	0.16	3.9
0E 2550N	Soil	10.9	16.3	0.43	85.5	0.141	6	0.85	0.004	0.03	0.5	2.3	0.55	0.04	246	2.9	0.25	3.0
0E 2575N	Soil	7.4	29.0	0.36	58.4	0.048	<1	1.44	0.004	0.03	0.2	1.7	0.27	0.03	118	1.6	0.19	4.9
100E 1200N	Soil	7.8	34.5	0.41	83.2	0.034	<1	1.17	0.005	0.05	<0.1	2.4	0.06	<0.02	10	0.4	0.04	3.5
100E 1225N	Soil	7.3	34.2	0.38	74.6	0.027	<1	1.09	0.006	0.05	<0.1	2.2	0.06	<0.02	20	0.4	0.05	3.7
100E 1250N	Soil	7.2	35.5	0.50	89.6	0.020	<1	1.30	0.006	0.05	<0.1	2.5	0.07	<0.02	23	0.4	0.06	3.6
100E 1275N	Soil	7.6	43.7	0.46	120.7	0.019	2	1.29	0.005	0.06	<0.1	2.4	0.09	<0.02	63	0.4	0.05	4.1
100E 1300N	Soil	9.3	35.1	0.54	63.6	0.012	1	1.43	0.005	0.05	<0.1	2.9	0.07	<0.02	35	0.5	0.08	3.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 4 of 5 Part 1

# CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
100E 1325N	Soil			5.03	207.2	16.74	111.9	2249	66.2	20.4	1058	4.49	50.4	2.7	12.1	2.0	55.8	1.29	3.13	0.30	67	1.18	0.080
100E 1350N	Soil			6.82	233.2	18.82	170.9	2878	85.0	26.9	3175	5.84	54.5	4.1	10.1	3.0	65.0	2.09	4.52	0.34	83	1.28	0.084
100E 1375N	Soil			2.80	25.86	10.19	56.8	476	19.0	12.8	2633	2.99	13.4	0.4	4.8	1.0	30.5	1.05	0.78	0.21	66	0.41	0.040
100E 1400N	Soil			3.29	29.29	8.44	174.0	388	35.3	13.8	557	3.43	29.1	0.4	5.3	1.8	15.9	0.79	1.52	0.17	54	0.17	0.077
100E 1425N	Soil			4.53	49.82	8.63	97.8	159	35.2	15.3	680	3.06	30.4	0.6	7.8	1.6	13.3	0.68	2.35	0.13	45	0.10	0.049
100E 1450N	Soil			6.09	140.9	13.52	147.0	1867	73.9	22.2	1454	4.59	36.4	1.8	6.8	1.9	45.5	2.38	3.41	0.22	65	0.77	0.081
100E 1475N	Soil			3.85	46.91	10.14	111.3	471	23.6	9.1	266	2.95	22.5	0.6	2.8	1.4	17.3	0.92	1.51	0.18	45	0.23	0.072
100E 1500N	Soil			9.71	172.9	18.12	186.7	2071	97.1	26.4	2368	5.17	53.2	3.0	9.1	2.0	43.0	3.69	4.82	0.28	64	0.78	0.079
100E 1525N	Soil			3.39	46.39	8.52	96.7	404	27.6	13.2	556	2.79	19.5	0.6	7.7	1.3	24.4	0.87	2.17	0.13	45	0.34	0.062
100E 1550N	Soil			3.87	48.26	9.40	186.8	488	29.0	13.1	1091	2.61	18.0	0.7	3.0	1.7	33.2	2.46	2.05	0.15	43	0.51	0.078
100E 1575N	Soil			4.14	34.98	7.50	109.6	370	26.5	11.1	519	2.55	17.8	0.5	41.9	2.0	16.5	0.82	1.86	0.12	44	0.17	0.067
100E 1600N	Soil			3.94	28.70	8.36	109.8	314	23.8	10.7	672	2.28	13.5	0.5	3.8	1.8	18.3	0.92	1.79	0.14	43	0.20	0.060
100E 1625N	Soil			7.60	38.00	11.74	84.9	337	25.0	8.7	385	2.87	23.9	0.7	5.2	1.9	12.4	0.55	2.30	0.18	48	0.16	0.063
100E 1650N	Soil			4.59	47.35	8.65	92.9	260	35.8	13.6	670	2.85	24.5	0.6	6.0	1.6	14.6	0.64	2.11	0.13	44	0.21	0.065
100E 1675N	Soil			4.58	40.87	9.62	85.9	283	28.1	10.9	324	2.86	19.6	0.6	2.4	2.0	11.5	0.43	2.97	0.15	47	0.16	0.062
100E 1700N	Soil			2.82	75.90	17.51	96.7	477	23.5	16.0	2621	2.84	19.5	0.4	1.9	0.9	22.5	1.12	1.37	0.25	40	0.27	0.051
100E 1725N	Soil			3.06	106.1	45.25	100.2	207	46.2	40.7	2812	3.58	86.3	0.5	3.3	1.6	19.9	0.37	1.96	0.68	47	0.32	0.076
100E 1750N	Soil			2.97	63.99	14.13	86.7	163	40.5	22.0	850	3.17	38.5	0.8	2.1	0.7	26.1	0.27	1.60	0.19	50	0.51	0.064
100E 1775N	Soil			6.65	142.9	38.50	159.9	251	87.8	46.3	5993	3.99	60.4	1.6	17.7	3.1	22.0	1.50	6.19	0.39	35	0.28	0.091
100E 1800N	Soil			7.87	156.5	40.21	166.2	307	154.8	93.9	>10000	4.21	66.7	2.6	16.2	2.8	22.7	1.77	4.56	0.54	27	0.30	0.052
100E 1825N	Soil			2.50	54.86	19.00	384.4	481	58.3	34.4	3731	3.22	20.9	1.4	1.5	0.9	17.2	2.67	1.15	0.32	41	0.24	0.076
100E 1850N	Soil			3.69	91.37	25.35	263.8	257	53.5	20.9	3636	3.54	27.8	0.9	1.5	1.3	23.4	2.41	1.77	0.25	66	0.30	0.071
100E 1875N	Soil			2.57	105.6	24.46	257.3	542	29.7	25.5	1759	6.05	42.6	1.1	1.0	2.0	19.1	2.82	1.33	0.60	44	0.60	0.086
100E 1900N	Soil			7.73	200.1	54.21	365.3	632	78.4	41.0	8898	7.22	39.5	3.8	3.1	5.3	11.0	10.35	2.26	0.61	37	0.17	0.123
100E 1925N	Soil			12.77	164.3	29.25	165.9	896	55.8	16.3	1613	4.24	35.6	4.0	4.8	1.6	24.3	4.90	4.51	0.39	52	0.50	0.065
100E 1950N	Soil			11.54	78.50	28.34	111.3	555	27.3	12.5	1325	3.93	29.1	1.2	1.8	0.8	14.5	1.73	3.48	0.34	35	0.23	0.099
100E 1975N	Soil			13.76	65.79	21.06	111.8	451	26.9	3.2	319	4.83	39.1	1.1	<0.2	0.7	26.4	1.93	3.15	0.38	50	0.42	0.111
100E 2000N	Soil			19.41	104.0	15.27	110.7	1082	53.4	8.1	428	6.51	46.6	4.3	9.2	2.7	17.1	1.31	4.78	0.20	54	0.33	0.087
100E 2025N	Soil			21.85	37.45	25.51	211.9	1045	23.8	5.0	186	8.43	49.3	1.3	2.7	2.1	6.6	2.00	3.78	0.28	74	0.05	0.118
100E 2050N	Soil			27.77	35.17	18.19	253.1	3534	72.5	57.8	3881	5.17	26.5	3.2	4.9	3.5	12.6	2.84	2.74	0.25	58	0.19	0.058



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
100E 1325N	Soil	20.8	71.4	0.58	188.2	0.026	3	2.81	0.010	0.14	0.1	8.8	0.16	0.05	251	1.9	0.11	6.1
100E 1350N	Soil	39.4	79.4	0.64	290.4	0.043	2	3.76	0.013	0.17	0.2	12.1	0.24	0.04	407	2.3	0.11	7.5
100E 1375N	Soil	6.6	40.5	0.36	267.1	0.029	<1	1.50	0.008	0.07	0.1	2.4	0.14	<0.02	56	0.3	0.04	5.7
100E 1400N	Soil	8.0	42.8	0.63	188.3	0.024	1	1.86	0.005	0.05	0.1	3.0	0.09	<0.02	42	0.4	0.06	5.4
100E 1425N	Soil	10.5	44.3	0.68	66.9	0.031	1	1.41	0.006	0.07	<0.1	3.0	0.08	<0.02	20	0.7	0.08	3.7
100E 1450N	Soil	20.3	81.3	0.89	196.7	0.046	2	2.79	0.011	0.17	0.1	7.7	0.15	0.02	111	1.8	0.10	6.4
100E 1475N	Soil	9.4	32.7	0.30	55.6	0.038	1	1.40	0.005	0.06	0.1	2.4	0.07	<0.02	46	1.0	0.07	4.4
100E 1500N	Soil	23.6	75.2	0.77	193.5	0.042	2	2.65	0.009	0.15	0.2	8.9	0.23	0.03	178	2.3	0.15	6.1
100E 1525N	Soil	9.1	37.7	0.63	106.8	0.041	2	1.45	0.006	0.08	0.1	2.9	0.09	0.02	41	0.6	0.08	4.0
100E 1550N	Soil	11.2	38.2	0.54	217.3	0.052	1	1.27	0.006	0.09	0.1	3.1	0.09	<0.02	50	0.6	0.06	4.2
100E 1575N	Soil	9.5	36.6	0.58	109.8	0.046	<1	1.34	0.006	0.06	<0.1	2.8	0.10	<0.02	30	0.4	0.07	3.9
100E 1600N	Soil	9.8	35.4	0.44	109.7	0.038	1	1.15	0.005	0.06	<0.1	2.4	0.11	<0.02	21	0.4	0.04	4.1
100E 1625N	Soil	9.1	30.0	0.38	104.8	0.023	1	1.13	0.004	0.04	0.1	2.2	0.14	<0.02	35	0.4	0.06	4.1
100E 1650N	Soil	8.6	46.0	0.61	89.0	0.029	<1	1.38	0.006	0.06	0.1	3.0	0.10	<0.02	42	0.7	0.04	3.6
100E 1675N	Soil	7.4	37.2	0.39	77.6	0.027	<1	1.30	0.004	0.04	0.1	2.3	0.11	<0.02	18	0.6	0.06	4.2
100E 1700N	Soil	6.0	28.1	0.28	194.0	0.019	1	1.18	0.005	0.04	<0.1	2.3	0.13	<0.02	55	0.5	0.12	4.0
100E 1725N	Soil	8.5	39.8	0.52	177.5	0.010	<1	1.75	0.004	0.06	0.1	2.9	0.16	<0.02	45	0.5	0.29	6.1
100E 1750N	Soil	6.0	65.1	0.68	124.0	0.016	<1	1.93	0.006	0.08	0.1	2.8	0.08	0.02	60	0.9	0.08	4.4
100E 1775N	Soil	10.5	30.1	0.80	288.4	0.011	3	2.13	0.021	0.19	0.1	5.3	0.24	<0.02	9	0.8	0.27	4.8
100E 1800N	Soil	12.9	21.5	0.83	231.3	0.002	<1	1.77	0.003	0.04	<0.1	6.3	0.24	<0.02	151	1.0	0.29	4.9
100E 1825N	Soil	15.9	33.9	0.31	120.9	0.021	<1	1.79	0.005	0.06	<0.1	2.3	0.11	0.02	119	0.9	0.08	5.6
100E 1850N	Soil	9.1	64.1	0.52	209.7	0.021	1	2.13	0.006	0.09	<0.1	3.3	0.15	<0.02	52	0.6	0.09	5.6
100E 1875N	Soil	6.3	23.3	0.22	130.7	0.016	1	1.50	0.004	0.11	0.1	1.9	0.12	<0.02	54	0.7	0.26	5.4
100E 1900N	Soil	17.8	37.8	0.26	261.1	0.017	<1	2.53	0.004	0.05	0.1	5.7	0.37	0.04	192	2.0	0.24	5.9
100E 1925N	Soil	25.4	33.2	0.27	167.1	0.015	<1	1.76	0.006	0.05	0.3	6.3	0.32	0.02	163	2.5	0.17	4.9
100E 1950N	Soil	8.0	20.8	0.21	108.1	0.016	<1	0.95	0.004	0.04	0.2	1.6	0.28	0.04	109	0.9	0.23	3.6
100E 1975N	Soil	9.6	23.0	0.05	119.8	0.015	<1	0.60	0.003	0.04	0.2	1.1	0.12	0.04	47	1.2	0.27	3.7
100E 2000N	Soil	10.2	36.3	0.31	77.0	0.042	<1	1.38	0.005	0.07	0.2	3.8	0.41	0.02	219	2.8	0.16	4.1
100E 2025N	Soil	6.0	27.4	0.17	52.2	0.009	<1	1.32	0.003	0.05	0.3	1.8	0.35	<0.02	128	1.5	0.18	4.2
100E 2050N	Soil	17.1	28.0	0.35	126.4	0.004	<1	2.02	0.004	0.06	0.1	4.2	0.74	0.02	661	4.7	0.15	4.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
100E 2075N	Soil			26.50	12.97	20.87	71.2	1135	7.7	1.7	57	4.08	34.9	0.8	0.5	1.2	4.6	0.58	5.89	0.28	66	0.03	0.087
100E 2100N	Soil			16.83	21.94	9.89	97.1	1039	17.3	5.1	252	4.54	15.0	1.0	2.3	1.9	6.2	0.41	1.21	0.24	105	0.06	0.160
100E 2125N	Soil			31.70	16.58	20.47	37.7	624	5.6	1.1	73	2.19	33.6	1.6	1.1	4.9	5.3	0.15	3.92	0.28	40	0.03	0.093
100E 2150N	Soil			12.28	19.55	24.86	65.4	462	11.4	4.0	305	2.79	33.6	0.8	0.5	2.8	5.6	0.77	2.55	0.30	63	0.04	0.107
100E 2175N	Soil			29.82	57.12	25.70	93.5	901	17.1	4.6	204	6.16	75.1	1.8	1.7	5.3	22.5	0.72	4.41	0.28	112	0.03	0.298
100E 2200N	Soil			9.92	26.47	17.96	142.8	1976	16.2	6.9	195	4.40	32.9	1.0	2.1	2.0	8.1	1.75	1.66	0.27	71	0.08	0.087
100E 2225N	Soil			6.67	71.23	13.63	168.3	2787	70.7	25.7	1946	3.24	33.2	8.4	1.6	0.3	130.6	15.17	1.32	0.14	38	2.60	0.145
100E 2250N	Soil			4.99	25.28	11.51	80.2	480	15.7	5.5	171	2.45	14.7	0.5	3.9	1.0	12.8	1.09	1.48	0.17	52	0.14	0.039
100E 2275N	Soil			3.93	39.78	14.12	166.1	465	20.7	8.4	471	2.90	11.5	2.1	3.3	1.0	7.2	1.35	0.94	0.23	43	0.08	0.109
100E 2300N	Soil			3.83	51.20	14.02	166.1	619	31.3	16.5	453	3.74	36.6	0.6	1.3	1.5	6.2	0.78	1.33	0.24	75	0.07	0.094
100E 2325N	Soil			5.80	32.87	8.35	85.2	491	21.5	7.6	288	4.19	26.0	0.4	0.8	1.4	5.6	0.52	1.52	0.20	74	0.04	0.098
100E 2350N	Soil			6.58	19.06	12.26	73.3	376	13.4	4.3	191	2.21	12.2	0.6	0.4	0.7	9.3	0.92	1.22	0.21	60	0.11	0.052
100E 2375N	Soil			5.68	28.05	10.52	91.8	786	28.2	7.1	613	2.68	20.9	0.4	4.1	1.5	7.2	0.84	1.22	0.19	51	0.07	0.066
100E 2400N	Soil			30.28	38.98	31.38	107.0	1027	21.9	5.7	619	4.67	50.6	1.6	0.9	2.6	37.3	1.79	5.81	0.31	77	0.54	0.233
100E 2425N	Soil			7.62	50.69	11.24	76.2	867	32.6	7.7	295	3.55	29.2	0.8	3.0	0.5	9.5	1.18	1.48	0.16	54	0.06	0.105
100E 2450N	Soil			13.07	79.69	17.91	120.9	1337	49.1	15.5	1262	3.72	36.4	5.9	3.0	0.6	99.0	3.25	5.82	0.20	36	1.57	0.150
100E 2475N	Soil			8.71	38.13	13.91	99.1	198	31.0	7.9	261	3.38	28.0	0.5	6.3	2.1	10.5	0.54	3.96	0.19	59	0.07	0.040
100E 2500N	Soil			5.17	15.50	10.41	71.3	228	17.6	5.8	216	3.06	17.9	0.3	0.7	1.6	6.2	0.39	1.60	0.18	67	0.06	0.092
100E 2525N	Soil			3.10	48.41	15.85	116.1	492	23.4	9.4	571	3.42	6.0	0.4	<0.2	1.6	7.2	0.32	1.43	0.29	55	0.07	0.103
100E 2550N	Soil			4.50	29.44	14.62	51.6	165	9.7	3.4	192	2.02	6.6	0.4	0.5	0.9	7.9	0.15	1.57	0.28	52	0.06	0.042
100E 2575N	Soil			4.85	127.1	13.84	152.9	1086	56.4	19.8	3241	3.23	22.7	5.0	1.5	0.6	104.3	2.85	1.52	0.20	49	1.47	0.117



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN10004733.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
100E 2075N	Soil	4.9	8.8	0.02	50.5	0.011	<1	0.41	0.003	0.03	0.4	0.8	0.28	<0.02	42	1.2	0.17	2.6
100E 2100N	Soil	5.8	31.1	0.43	67.8	0.052	1	1.57	0.006	0.04	<0.1	2.5	0.20	<0.02	77	0.8	0.09	6.7
100E 2125N	Soil	4.7	12.3	0.12	45.5	0.060	1	0.45	0.002	0.03	<0.1	3.2	0.28	<0.02	37	5.0	0.19	4.9
100E 2150N	Soil	5.2	15.5	0.19	70.8	0.057	<1	0.88	0.004	0.04	0.2	1.5	0.24	<0.02	41	0.7	0.13	4.3
100E 2175N	Soil	8.3	34.0	0.33	93.8	0.060	<1	1.51	0.005	0.05	0.2	3.5	0.31	0.04	125	2.4	0.18	6.0
100E 2200N	Soil	7.6	29.2	0.31	85.1	0.035	<1	1.80	0.004	0.05	<0.1	2.3	0.28	0.02	164	1.2	0.12	6.4
100E 2225N	Soil	17.1	17.7	0.16	89.7	0.009	2	0.78	0.008	0.02	<0.1	1.5	0.20	0.15	549	6.3	0.06	2.0
100E 2250N	Soil	5.2	22.3	0.20	121.8	0.036	<1	0.92	0.004	0.03	0.2	1.4	0.06	0.02	74	0.4	0.10	3.9
100E 2275N	Soil	5.1	19.3	0.23	94.9	0.028	<1	1.21	0.004	0.05	0.1	1.6	0.06	<0.02	55	0.5	0.05	4.8
100E 2300N	Soil	6.6	46.3	0.61	54.3	0.042	<1	1.79	0.004	0.03	0.2	2.9	0.06	<0.02	41	0.6	0.11	6.6
100E 2325N	Soil	7.0	32.2	0.36	61.1	0.047	<1	1.32	0.003	0.04	0.1	2.3	0.06	<0.02	50	0.7	0.09	5.6
100E 2350N	Soil	5.3	18.9	0.22	97.8	0.063	<1	0.82	0.005	0.03	<0.1	1.4	0.11	<0.02	22	0.4	0.09	5.3
100E 2375N	Soil	8.5	38.1	0.41	156.9	0.037	<1	1.14	0.004	0.05	<0.1	2.2	0.12	<0.02	34	0.7	0.09	4.7
100E 2400N	Soil	7.1	24.0	0.33	170.4	0.163	2	0.93	0.006	0.08	0.1	1.5	0.35	0.05	110	1.9	0.25	4.6
100E 2425N	Soil	8.3	52.1	0.52	75.0	0.031	<1	1.51	0.004	0.03	<0.1	1.8	0.11	0.02	68	0.7	0.09	5.2
100E 2450N	Soil	12.3	35.9	0.48	135.2	0.033	2	1.38	0.007	0.05	0.2	2.4	0.26	0.10	204	2.6	0.08	3.3
100E 2475N	Soil	8.5	32.8	0.46	71.3	0.036	<1	1.61	0.003	0.03	0.1	2.5	0.08	<0.02	28	0.7	0.10	5.2
100E 2500N	Soil	6.9	26.2	0.36	88.6	0.039	<1	1.28	0.004	0.03	0.1	2.2	0.07	<0.02	32	0.3	0.06	6.0
100E 2525N	Soil	5.9	21.1	0.30	72.2	0.042	<1	1.69	0.005	0.04	0.1	2.1	0.11	0.02	59	0.4	0.07	6.3
100E 2550N	Soil	8.1	14.4	0.15	57.4	0.118	1	0.87	0.004	0.03	0.1	1.5	0.11	<0.02	25	0.2	0.10	5.7
100E 2575N	Soil	24.0	37.6	0.43	233.8	0.031	2	1.93	0.008	0.06	<0.1	3.7	0.15	0.07	141	2.3	0.08	5.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
Report Date: October 14, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10004733.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
0E 1550N	Soil	4.73	56.70	10.57	147.1	371	36.3	14.5	749	3.22	28.2	0.7	3.3	3.5	21.4	0.71	1.68	0.18	55	0.30	0.045
REP 0E 1550N	QC	4.48	54.00	9.55	138.8	347	34.6	14.0	724	3.08	27.1	0.7	3.0	3.3	20.0	0.66	1.59	0.16	53	0.28	0.043
0E 2050N	Soil	14.60	75.36	19.36	130.4	298	24.8	5.0	450	4.38	24.8	0.7	6.6	3.5	4.7	0.48	2.88	0.34	28	0.03	0.111
REP 0E 2050N	QC	14.60	72.34	19.95	128.4	295	23.7	4.8	439	4.31	24.0	0.8	1.6	3.6	4.7	0.48	2.88	0.36	29	0.02	0.109
0E 2200N	Soil	31.11	58.84	39.93	153.0	364	20.0	4.6	394	6.42	46.0	4.9	1.9	3.3	14.1	1.02	3.85	0.40	73	0.14	0.070
REP 0E 2200N	QC	30.32	56.79	40.98	159.0	346	20.9	4.3	381	6.60	49.3	4.4	2.2	3.1	13.3	0.89	3.89	0.40	77	0.14	0.065
100E 1200N	Soil	2.73	26.91	7.00	83.0	211	25.0	9.8	412	2.49	17.2	0.3	5.9	1.4	17.6	0.43	1.17	0.11	44	0.25	0.036
REP 100E 1200N	QC	2.94	27.46	7.03	90.8	209	25.3	10.7	391	2.44	18.0	0.4	1.5	1.5	18.7	0.50	1.27	0.12	43	0.23	0.041
100E 1450N	Soil	6.09	140.9	13.52	147.0	1867	73.9	22.2	1454	4.59	36.4	1.8	6.8	1.9	45.5	2.38	3.41	0.22	65	0.77	0.081
REP 100E 1450N	QC	6.17	141.2	14.28	147.2	1926	74.6	22.4	1510	4.65	36.8	1.8	6.7	1.9	46.8	2.43	3.46	0.24	66	0.79	0.081
100E 1825N	Soil	2.50	54.86	19.00	384.4	481	58.3	34.4	3731	3.22	20.9	1.4	1.5	0.9	17.2	2.67	1.15	0.32	41	0.24	0.076
REP 100E 1825N	QC	2.41	53.62	18.81	364.7	477	59.2	33.2	3620	3.19	20.1	1.3	54.6	1.0	16.4	2.82	1.09	0.30	41	0.24	0.074
100E 2300N	Soil	3.83	51.20	14.02	166.1	619	31.3	16.5	453	3.74	36.6	0.6	1.3	1.5	6.2	0.78	1.33	0.24	75	0.07	0.094
REP 100E 2300N	QC	3.66	50.70	12.99	161.8	580	30.3	15.3	419	3.54	35.0	0.5	1.7	1.4	5.9	0.74	1.20	0.23	71	0.07	0.087
Reference Materials																					
STD DS7	Standard	21.10	111.4	66.60	396.6	968	56.8	9.8	676	2.40	50.4	4.7	89.0	4.8	71.6	6.25	5.38	4.41	84	0.98	0.072
STD DS7	Standard	19.91	108.6	64.68	379.9	956	53.9	9.3	615	2.38	49.9	4.7	87.1	4.8	73.9	6.25	5.75	4.49	84	1.00	0.077
STD DS7	Standard	19.52	97.58	65.89	383.9	1055	51.4	9.2	608	2.27	51.7	4.7	93.1	4.4	71.5	6.25	5.81	4.63	78	0.89	0.080
STD DS7	Standard	18.73	102.0	63.57	371.4	945	50.6	9.2	565	2.20	50.1	4.5	66.8	4.1	62.3	6.31	5.63	4.62	76	0.87	0.079
STD DS7	Standard	20.46	112.5	69.83	387.3	940	53.4	9.2	604	2.26	50.4	4.7	63.7	4.6	69.7	6.53	5.98	4.84	78	0.92	0.077
STD DS7	Standard	19.16	111.0	60.19	381.3	924	52.7	8.7	553	2.29	52.0	4.5	64.8	4.2	69.6	6.36	5.72	4.34	76	0.90	0.084
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 14, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10004733.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																		
0E 1550N	Soil	14.0	39.9	0.52	135.2	0.051	1	1.64	0.006	0.09	<0.1	3.5	0.11	<0.02	21	0.9	0.05	4.9
REP 0E 1550N	QC	12.7	37.1	0.50	125.3	0.048	1	1.61	0.005	0.09	0.1	3.3	0.10	<0.02	21	0.9	0.07	4.7
0E 2050N	Soil	28.2	15.8	0.47	63.0	0.003	<1	1.42	0.002	0.04	<0.1	1.6	0.22	<0.02	52	0.8	0.21	4.3
REP 0E 2050N	QC	28.9	15.1	0.46	64.2	0.003	<1	1.44	0.002	0.04	<0.1	1.6	0.23	<0.02	49	0.7	0.23	4.5
0E 2200N	Soil	11.9	26.1	0.29	59.4	0.076	<1	1.32	0.004	0.02	0.2	2.4	0.45	0.02	230	2.4	0.26	5.4
REP 0E 2200N	QC	12.1	24.9	0.24	59.0	0.111	1	1.36	0.003	0.03	0.3	2.6	0.52	0.02	215	2.8	0.23	5.1
100E 1200N	Soil	7.8	34.5	0.41	83.2	0.034	<1	1.17	0.005	0.05	<0.1	2.4	0.06	<0.02	10	0.4	0.04	3.5
REP 100E 1200N	QC	8.1	33.9	0.43	86.4	0.032	<1	1.15	0.007	0.05	<0.1	2.2	0.06	<0.02	13	0.3	0.02	3.6
100E 1450N	Soil	20.3	81.3	0.89	196.7	0.046	2	2.79	0.011	0.17	0.1	7.7	0.15	0.02	111	1.8	0.10	6.4
REP 100E 1450N	QC	20.7	83.1	0.90	201.1	0.047	2	2.88	0.011	0.17	0.1	8.0	0.16	0.02	112	1.9	0.10	6.4
100E 1825N	Soil	15.9	33.9	0.31	120.9	0.021	<1	1.79	0.005	0.06	<0.1	2.3	0.11	0.02	119	0.9	0.08	5.6
REP 100E 1825N	QC	15.3	33.1	0.29	116.8	0.021	<1	1.79	0.005	0.06	<0.1	2.2	0.11	0.02	119	0.8	0.08	5.4
100E 2300N	Soil	6.6	46.3	0.61	54.3	0.042	<1	1.79	0.004	0.03	0.2	2.9	0.06	<0.02	41	0.6	0.11	6.6
REP 100E 2300N	QC	6.3	41.4	0.58	52.4	0.038	<1	1.73	0.003	0.03	0.2	2.7	0.06	<0.02	40	0.5	0.08	6.4
Reference Materials																		
STD DS7	Standard	13.6	199.0	1.05	397.2	0.131	37	1.06	0.096	0.46	3.4	2.9	4.13	0.20	221	3.5	1.24	4.9
STD DS7	Standard	13.9	191.5	1.06	371.3	0.122	40	1.07	0.099	0.46	3.4	2.9	3.92	0.20	200	3.2	1.22	5.1
STD DS7	Standard	13.2	181.5	1.01	387.0	0.119	42	0.99	0.096	0.44	3.5	2.7	3.91	0.18	206	3.2	1.31	4.5
STD DS7	Standard	11.5	162.6	0.99	365.0	0.106	40	0.93	0.089	0.44	3.5	2.4	3.87	0.18	208	3.0	1.25	4.3
STD DS7	Standard	12.9	185.3	1.02	374.4	0.115	36	0.99	0.093	0.44	3.6	2.7	4.16	0.18	205	3.1	1.29	4.6
STD DS7	Standard	12.1	173.4	1.01	364.5	0.105	40	0.96	0.098	0.45	3.3	2.4	3.95	0.18	217	3.3	1.39	4.4
STD DS7 Expected		11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: June 08, 2010  
Report Date: June 23, 2010  
Page: 1 of 11

## CERTIFICATE OF ANALYSIS

VAN10002545.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-1  
P.O. Number: ACREX SMTN  
Number of Samples: 277

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1  
Canada

CC: Perry Grunenberg

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	275	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	275	Dry at 60C			VAN
1F02	272	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L88E 0500N	Soil			2.47	181.7	11.36	70.0	1048	188.2	70.3	2150	8.88	371.0	0.6	122.8	0.7	51.2	0.98	2.40	0.16	48	0.61	0.081
L88E 0525N	Soil			2.89	96.47	8.63	186.6	398	19.6	21.2	1096	5.77	97.3	0.4	18.0	1.7	19.8	0.48	1.44	0.17	70	0.21	0.086
L88E 0550N	Soil			2.50	66.71	10.12	125.1	128	31.4	12.2	564	4.27	65.6	0.3	35.2	1.5	15.4	0.42	1.09	0.20	49	0.18	0.083
L88E 0575N	Soil			1.91	26.31	7.02	90.5	170	20.8	7.0	268	2.63	31.6	0.2	35.4	1.9	9.5	0.32	0.53	0.17	34	0.10	0.059
L88E 0600N	Soil			2.34	40.40	7.21	138.3	400	25.8	9.7	616	3.10	35.4	0.3	75.0	1.5	13.6	0.47	0.75	0.15	46	0.14	0.077
L88E 0625N	Soil			3.12	56.94	8.13	118.9	248	33.3	11.2	426	3.64	58.2	0.3	17.2	2.1	10.6	0.43	0.89	0.17	49	0.11	0.081
L88E 0650N	Soil			2.33	71.03	11.00	107.7	743	38.4	15.1	1119	3.46	48.4	0.7	45.3	1.8	26.1	0.62	0.95	0.16	44	0.39	0.052
L88E 0675N	Soil			2.19	66.59	10.96	118.1	886	35.6	16.0	899	3.28	40.0	0.6	20.6	1.8	20.6	0.58	0.78	0.16	44	0.27	0.043
L88E 0700N	Soil			1.65	42.01	9.38	97.7	278	28.4	11.9	546	2.96	39.1	0.4	55.5	2.0	19.1	0.36	0.69	0.14	38	0.27	0.028
L88E 0725N	Soil			1.74	39.90	7.83	71.3	155	27.6	11.8	624	2.80	38.3	0.4	46.1	2.1	15.0	0.21	0.62	0.13	36	0.21	0.028
L88E 0750N	Soil			1.98	57.85	9.51	86.7	587	41.5	10.4	686	3.32	42.6	0.7	190.3	1.6	24.3	0.34	0.61	0.17	38	0.30	0.039
L88E 0775N	Soil			6.37	245.2	21.26	225.8	5297	140.3	22.4	1096	7.66	112.8	3.2	150.7	2.1	69.2	1.62	1.50	0.57	72	0.85	0.183
L88E 0800N	Soil			7.32	166.4	23.00	227.1	3625	128.8	25.1	1611	8.81	137.1	3.1	51.8	2.4	71.7	1.03	1.57	0.58	77	0.85	0.178
L88E 0825N	Soil			4.86	124.7	18.59	192.4	3337	92.1	24.3	1637	5.64	82.3	2.2	47.2	1.4	67.1	1.31	0.95	0.46	57	0.85	0.146
L88E 0850N	Soil			2.77	57.09	9.38	101.7	208	32.0	10.8	375	3.07	52.3	0.4	420.3	2.2	10.2	0.55	0.86	0.13	33	0.11	0.035
L88E 0875N	Soil			3.31	159.0	15.63	127.4	2720	83.8	13.2	515	4.20	52.0	2.4	43.0	1.8	40.5	0.58	0.65	0.35	53	0.45	0.091
L88E 0900N	Soil			2.26	41.28	7.42	119.9	323	28.8	9.8	299	2.79	39.7	0.5	87.2	1.7	19.3	0.64	0.64	0.11	32	0.25	0.035
L88E 0925N	Soil			2.48	28.78	5.99	86.5	200	21.3	6.3	199	2.47	32.7	0.2	145.8	1.3	11.3	0.41	0.52	0.09	30	0.13	0.039
L88E 0950N	Soil			2.72	45.83	9.75	99.9	393	31.6	9.9	659	2.74	38.2	0.6	49.3	1.4	18.7	0.40	0.45	0.21	39	0.23	0.036
L88E 0975N	Soil			3.49	84.53	14.74	134.5	632	56.1	23.5	1828	4.01	56.6	0.9	29.9	1.3	24.6	1.11	0.65	0.21	44	0.32	0.062
L88E 1000N	Soil			2.09	28.36	5.32	75.1	203	23.3	7.4	284	2.21	30.7	0.3	85.0	1.8	9.1	0.23	0.43	0.09	27	0.11	0.036
L88E 1025N	Soil			1.72	29.18	6.30	52.9	212	23.0	8.6	378	1.70	24.0	0.4	154.5	1.9	9.7	0.16	0.31	0.09	23	0.12	0.029
L88E 1050N	Soil			3.14	36.34	7.12	78.4	166	28.8	9.9	392	2.46	42.9	0.4	128.3	2.2	8.9	0.22	0.51	0.11	27	0.10	0.040
L88E 1075N	Soil			2.11	23.67	5.66	71.4	160	22.4	5.4	183	1.98	26.4	0.3	47.5	2.1	6.9	0.21	0.39	0.08	25	0.07	0.026
L88E 1100N	Soil			2.47	32.17	6.27	78.6	205	31.2	7.5	350	2.28	29.1	0.3	29.6	1.8	11.6	0.28	0.55	0.10	26	0.15	0.053
L88E 1125N	Soil			1.94	19.07	6.74	75.1	487	14.6	6.1	1129	2.00	25.6	0.2	23.9	1.0	17.5	0.96	0.33	0.09	21	0.28	0.043
L88E 1150N	Soil			2.95	49.18	7.94	103.4	396	51.2	9.2	257	2.99	46.7	0.4	479.8	1.8	8.5	0.34	0.74	0.12	27	0.10	0.043
L88E 1175N	Soil			2.50	35.93	7.06	92.7	224	33.8	6.2	219	2.46	34.5	0.3	68.6	2.6	7.0	0.24	0.54	0.12	27	0.07	0.040
L88E 1200N	Soil			1.56	29.26	5.13	64.8	172	28.4	7.1	342	1.68	15.5	0.3	47.0	2.4	9.0	0.20	0.34	0.08	23	0.10	0.029
L88E 1225N	Soil			1.59	22.88	6.96	51.9	248	20.0	5.2	275	1.50	20.7	0.2	18.3	1.1	11.6	0.40	0.38	0.10	20	0.16	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 2 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L88E 0500N	Soil	5.4	119.9	0.45	157.4	0.002	2	1.21	0.005	0.06	0.2	14.3	0.07	0.03	57	1.5	0.04	2.7
L88E 0525N	Soil	10.8	22.1	0.91	89.3	0.004	<1	2.95	0.004	0.07	0.3	5.2	0.07	<0.02	34	0.6	0.09	7.0
L88E 0550N	Soil	8.7	21.6	0.53	105.9	0.008	1	1.65	0.004	0.09	0.2	3.1	0.06	<0.02	24	0.7	0.10	4.5
L88E 0575N	Soil	11.3	17.8	0.35	80.4	0.011	<1	1.01	0.003	0.06	0.1	2.2	0.04	<0.02	14	0.4	0.05	4.2
L88E 0600N	Soil	8.9	21.3	0.48	135.5	0.014	<1	1.32	0.005	0.08	0.1	2.6	0.05	<0.02	24	0.4	0.04	4.1
L88E 0625N	Soil	10.6	24.5	0.61	119.0	0.012	1	1.64	0.004	0.08	0.1	3.2	0.06	<0.02	19	0.9	0.10	4.5
L88E 0650N	Soil	11.1	27.4	0.60	127.5	0.017	2	1.65	0.006	0.08	0.2	4.8	0.07	<0.02	60	1.0	0.08	4.1
L88E 0675N	Soil	11.5	26.3	0.57	125.4	0.017	1	1.52	0.006	0.08	0.2	4.3	0.06	<0.02	31	0.7	0.05	4.0
L88E 0700N	Soil	10.6	24.5	0.64	87.0	0.020	<1	1.38	0.004	0.06	0.1	3.5	0.05	<0.02	13	0.6	0.04	3.6
L88E 0725N	Soil	10.9	24.3	0.68	78.0	0.024	<1	1.36	0.004	0.06	0.1	3.8	0.04	<0.02	10	0.8	0.06	3.4
L88E 0750N	Soil	11.7	32.3	0.67	115.3	0.023	2	1.68	0.006	0.09	0.2	4.9	0.06	<0.02	30	0.7	0.04	3.9
L88E 0775N	Soil	19.8	64.9	0.76	443.3	0.022	3	4.30	0.015	0.28	0.4	15.4	0.21	0.08	197	2.8	0.23	9.7
L88E 0800N	Soil	18.4	63.2	0.69	404.7	0.024	3	4.20	0.013	0.27	0.4	15.4	0.20	0.07	235	3.5	0.17	8.9
L88E 0825N	Soil	14.6	48.2	0.59	330.3	0.013	3	3.19	0.011	0.23	0.3	9.7	0.16	0.08	199	2.4	0.15	7.3
L88E 0850N	Soil	11.6	24.4	0.47	57.6	0.018	1	1.31	0.004	0.06	0.2	3.4	0.04	<0.02	20	1.2	0.06	2.9
L88E 0875N	Soil	17.8	44.5	0.57	306.0	0.013	1	3.06	0.011	0.22	0.3	9.7	0.18	0.05	137	1.8	0.11	6.9
L88E 0900N	Soil	10.6	22.8	0.40	61.8	0.017	1	1.18	0.005	0.06	0.2	3.0	0.05	<0.02	35	0.9	0.05	3.0
L88E 0925N	Soil	8.7	19.3	0.36	73.0	0.014	<1	1.03	0.003	0.05	0.2	1.9	0.04	<0.02	21	0.6	0.05	2.8
L88E 0950N	Soil	12.4	31.2	0.47	138.5	0.016	1	1.55	0.007	0.10	0.2	3.6	0.10	<0.02	28	0.7	0.05	4.4
L88E 0975N	Soil	11.5	37.9	0.52	199.3	0.009	<1	2.11	0.007	0.13	0.2	4.7	0.11	0.03	69	1.3	0.08	4.3
L88E 1000N	Soil	11.4	21.6	0.40	72.3	0.016	<1	1.06	0.004	0.06	0.1	2.0	0.05	<0.02	18	0.5	0.03	2.7
L88E 1025N	Soil	12.7	22.1	0.41	65.5	0.018	<1	1.03	0.004	0.06	0.2	2.2	0.06	<0.02	20	0.4	0.03	2.5
L88E 1050N	Soil	11.9	23.6	0.37	71.1	0.017	<1	1.13	0.004	0.06	0.2	2.3	0.05	<0.02	18	0.7	0.06	2.6
L88E 1075N	Soil	12.0	21.8	0.35	68.6	0.017	<1	1.05	0.003	0.05	0.1	1.8	0.05	<0.02	25	0.4	0.04	2.7
L88E 1100N	Soil	11.5	23.2	0.36	79.4	0.022	<1	1.06	0.004	0.07	0.1	2.1	0.05	<0.02	28	0.8	0.05	2.6
L88E 1125N	Soil	8.3	11.4	0.12	114.5	0.016	2	0.53	0.004	0.06	0.1	1.3	0.05	0.02	48	0.6	0.02	2.0
L88E 1150N	Soil	12.4	27.9	0.39	100.6	0.018	<1	1.41	0.004	0.06	0.2	2.5	0.06	<0.02	28	1.2	0.05	2.7
L88E 1175N	Soil	13.1	24.9	0.33	85.2	0.022	1	1.23	0.004	0.06	0.1	2.4	0.06	<0.02	17	0.7	0.04	2.9
L88E 1200N	Soil	13.8	23.8	0.40	66.6	0.022	<1	1.08	0.005	0.06	0.1	2.2	0.05	<0.02	18	0.4	<0.02	2.6
L88E 1225N	Soil	13.3	16.9	0.20	77.4	0.022	1	0.66	0.004	0.05	<0.1	1.5	0.04	<0.02	7	0.5	0.03	2.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L88E 1250N	Soil			3.19	101.5	13.79	131.0	877	68.4	14.3	907	3.37	35.7	1.4	24.5	1.2	24.5	1.08	0.57	0.20	42	0.30	0.059
L88E 1275N	Soil			5.42	214.6	20.11	171.3	5845	174.2	21.3	1458	6.44	78.8	9.6	31.5	2.4	69.6	2.28	1.30	0.35	59	1.14	0.110
L88E 1300N	Soil			2.96	64.08	13.02	141.5	1265	56.9	14.8	1096	3.45	42.5	1.0	65.5	1.0	34.9	1.30	0.75	0.18	34	0.52	0.091
L88E 1325N	Soil			2.02	31.34	6.84	84.4	215	31.9	8.6	326	2.33	24.8	0.4	56.7	1.1	12.6	0.32	0.44	0.11	28	0.15	0.030
L88E 1350N	Soil			2.26	30.48	6.63	71.0	532	24.2	5.9	252	1.95	24.3	0.3	12.3	0.9	15.8	0.41	0.48	0.11	26	0.22	0.031
L88E 1375N	Soil			2.39	47.36	8.63	101.5	468	43.8	10.0	601	2.59	33.1	0.8	14.9	1.6	16.7	0.53	0.52	0.12	30	0.22	0.046
L88E 1400N	Soil			2.45	43.63	10.34	91.2	496	47.8	14.0	550	2.63	37.6	1.1	37.2	1.9	15.5	0.61	0.66	0.16	26	0.21	0.025
L88E 1425N	Soil			4.42	105.9	9.74	161.5	1827	95.4	11.8	5093	3.03	32.9	3.5	11.7	0.5	135.9	1.89	0.92	0.18	21	2.86	0.140
L88E 1450N	Soil			2.33	32.83	7.80	73.9	186	31.3	7.2	371	2.26	29.3	0.5	23.8	2.3	16.7	0.35	0.56	0.11	23	0.21	0.031
L88E 1475N	Soil			2.14	33.05	7.65	90.7	314	31.0	8.0	458	2.20	22.6	0.5	153.3	1.4	10.4	0.58	0.38	0.16	25	0.11	0.036
L88E 1500N	Soil			1.73	20.92	6.79	86.5	174	22.4	5.6	271	1.74	17.8	0.3	13.5	1.0	9.1	0.32	0.33	0.12	23	0.11	0.043
L88E 1525N	Soil			2.37	21.62	6.92	89.4	204	22.9	6.6	255	2.35	24.5	0.3	101.0	1.2	7.3	0.30	0.39	0.12	27	0.07	0.039
L88E 1550N	Soil			2.73	57.95	17.08	95.4	409	40.7	14.2	623	3.43	35.6	1.3	17.8	1.3	34.9	1.00	0.59	0.20	39	0.42	0.034
L88E 1575N	Soil			9.79	150.4	19.73	126.0	1637	122.0	43.3	>10000	4.48	46.5	3.0	12.4	1.2	89.3	3.75	0.77	0.22	36	1.34	0.085
L88E 1600N	Soil			2.67	36.93	9.73	112.3	399	35.7	13.0	437	2.79	29.4	0.4	17.8	2.1	16.2	0.53	0.50	0.13	31	0.21	0.033
L88E 1625N	Soil			2.49	46.60	9.15	91.6	273	33.0	10.6	324	2.93	27.8	0.4	9.4	1.8	17.7	0.41	0.50	0.11	30	0.27	0.041
L88E 1650N	Soil			1.80	23.77	9.69	103.3	228	23.6	9.5	744	2.53	16.1	0.3	11.7	1.8	18.1	0.35	0.31	0.10	36	0.23	0.054
L88E 1675N	Soil			1.72	30.18	8.23	87.5	149	26.4	9.3	290	2.59	18.4	0.3	8.7	1.9	12.4	0.27	0.35	0.09	30	0.13	0.040
L88E 1700N	Soil			1.74	35.73	8.84	104.9	167	31.6	10.4	374	2.97	20.5	0.3	71.8	1.7	14.4	0.29	0.36	0.09	35	0.16	0.051
L88E 1725N	Soil			1.73	41.48	13.58	86.7	541	31.8	11.5	521	2.80	22.1	0.5	154.9	1.9	19.4	0.39	0.34	0.10	34	0.26	0.049
L88E 1750N	Soil			2.35	46.58	19.79	85.1	288	34.6	14.7	442	3.37	31.9	0.6	193.2	2.2	18.2	0.35	0.47	0.10	37	0.25	0.039
L88E 1775N	Soil			2.08	32.29	13.32	92.6	172	27.5	10.5	477	2.79	22.9	0.4	8.0	1.3	17.4	0.31	0.38	0.10	32	0.22	0.053
L88E 1800N	Soil			2.20	49.98	15.96	82.8	327	39.0	14.7	476	2.96	21.0	1.0	8.9	2.4	27.5	0.56	0.43	0.11	36	0.41	0.074
L88E 1825N	Soil			3.11	75.71	14.15	81.0	999	34.3	11.0	473	4.80	105.1	2.0	6.3	0.7	103.6	0.72	0.49	0.16	34	2.01	0.126
L88E 1850N	Soil			1.42	16.76	10.08	68.3	198	16.5	14.8	1615	2.65	27.2	0.5	42.7	1.9	33.2	0.54	0.16	0.07	30	0.42	0.022
L88E 1875N	Soil			1.10	24.72	8.66	103.4	234	19.9	10.2	564	2.43	14.5	0.4	2.7	1.5	34.2	1.28	0.21	0.07	33	0.39	0.043
L88E 1900N	Soil			2.04	29.95	9.45	112.3	156	21.4	11.6	354	3.12	16.1	0.4	3.0	1.8	17.6	0.37	0.31	0.09	41	0.15	0.038
L88E 1925N	Soil			2.22	28.61	8.73	92.6	196	20.8	7.9	305	2.61	14.3	0.3	4.3	1.4	21.6	0.43	0.36	0.08	36	0.23	0.061
L88E 1950N	Soil			2.03	23.82	9.01	92.1	87	19.2	6.6	235	2.61	14.5	0.3	3.9	2.0	16.4	0.27	0.29	0.09	38	0.16	0.064
L88E 1975N	Soil			1.71	14.12	6.26	48.6	136	11.7	3.5	133	1.48	10.2	0.2	5.6	1.6	14.5	0.30	0.24	0.07	26	0.15	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 3 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
MDL			ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	
			0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	
L88E 1250N	Soil		17.2	44.6	0.42	181.4	0.019	2	2.25	0.008	0.14	0.2	5.3	0.11	0.02	78	1.6	0.07	4.6
L88E 1275N	Soil		28.7	69.9	0.68	325.7	0.025	4	3.91	0.013	0.23	0.3	15.2	0.19	0.05	216	3.4	0.12	6.8
L88E 1300N	Soil		10.2	38.6	0.42	162.5	0.016	1	1.67	0.006	0.13	0.2	4.4	0.09	0.04	92	1.4	0.06	3.7
L88E 1325N	Soil		12.7	28.1	0.37	73.9	0.021	1	1.14	0.003	0.07	<0.1	2.2	0.05	<0.02	21	0.7	0.05	2.6
L88E 1350N	Soil		12.3	24.3	0.28	93.9	0.019	<1	0.85	0.004	0.06	0.1	2.1	0.05	<0.02	33	0.6	0.04	2.7
L88E 1375N	Soil		14.2	32.0	0.42	108.5	0.019	1	1.24	0.005	0.09	0.1	3.2	0.07	<0.02	39	0.7	0.11	2.9
L88E 1400N	Soil		12.3	28.3	0.37	80.2	0.015	1	1.07	0.008	0.06	0.2	3.3	0.07	<0.02	42	0.9	0.05	2.3
L88E 1425N	Soil		10.1	28.3	0.29	229.6	0.012	5	1.40	0.007	0.07	0.1	2.6	0.08	0.15	158	5.3	0.07	2.8
L88E 1450N	Soil		13.0	26.2	0.40	72.5	0.018	<1	0.89	0.005	0.06	0.1	2.4	0.05	<0.02	16	0.8	0.05	2.3
L88E 1475N	Soil		10.3	29.7	0.41	94.5	0.014	<1	1.12	0.003	0.06	<0.1	2.2	0.07	<0.02	35	0.8	0.04	2.6
L88E 1500N	Soil		10.6	22.6	0.31	71.3	0.016	<1	0.83	0.003	0.05	<0.1	1.7	0.04	<0.02	26	0.4	<0.02	2.6
L88E 1525N	Soil		9.3	25.2	0.37	58.6	0.017	<1	0.91	0.002	0.04	<0.1	1.6	0.04	<0.02	18	0.6	0.06	2.7
L88E 1550N	Soil		10.4	34.4	0.40	120.7	0.016	1	1.51	0.005	0.09	0.2	3.0	0.08	0.02	26	1.5	0.08	3.9
L88E 1575N	Soil		13.2	50.7	0.51	505.3	0.015	2	1.93	0.011	0.13	0.2	5.4	0.15	0.05	108	2.1	0.07	4.8
L88E 1600N	Soil		9.8	33.1	0.43	83.0	0.018	<1	1.28	0.004	0.06	<0.1	2.5	0.09	<0.02	23	0.7	0.07	2.9
L88E 1625N	Soil		10.1	30.6	0.55	70.6	0.015	<1	1.32	0.003	0.06	<0.1	2.6	0.05	<0.02	23	0.7	0.05	2.7
L88E 1650N	Soil		9.2	27.6	0.42	92.5	0.018	<1	1.39	0.004	0.08	0.1	2.5	0.05	<0.02	27	0.3	0.02	3.7
L88E 1675N	Soil		9.4	27.1	0.46	72.8	0.021	<1	1.24	0.003	0.06	0.1	2.4	0.04	<0.02	16	0.4	0.05	3.0
L88E 1700N	Soil		9.8	33.6	0.59	68.7	0.024	<1	1.48	0.005	0.06	<0.1	2.6	0.05	<0.02	21	0.6	0.04	3.4
L88E 1725N	Soil		10.6	36.3	0.53	87.1	0.019	<1	1.42	0.007	0.07	0.1	3.3	0.05	<0.02	32	0.6	0.03	3.4
L88E 1750N	Soil		10.3	41.7	0.68	79.7	0.028	<1	1.45	0.004	0.07	0.1	3.8	0.04	<0.02	23	0.9	0.05	3.2
L88E 1775N	Soil		10.0	34.9	0.54	64.2	0.019	1	1.18	0.004	0.07	0.1	2.4	0.04	<0.02	30	0.6	0.05	2.9
L88E 1800N	Soil		12.1	41.8	0.66	77.4	0.025	<1	1.48	0.006	0.09	0.1	4.7	0.06	<0.02	29	0.7	0.05	3.4
L88E 1825N	Soil		10.0	27.5	0.33	146.9	0.015	3	1.38	0.007	0.09	0.2	3.3	0.06	0.15	141	4.2	0.07	2.9
L88E 1850N	Soil		10.3	24.8	0.53	68.6	0.040	<1	1.11	0.004	0.06	0.2	2.2	0.03	<0.02	23	0.7	0.03	2.9
L88E 1875N	Soil		10.2	33.5	0.62	83.7	0.036	1	1.23	0.004	0.08	<0.1	2.8	0.04	<0.02	25	0.7	0.04	3.3
L88E 1900N	Soil		9.5	29.9	0.62	76.4	0.030	<1	1.55	0.004	0.07	<0.1	2.8	0.04	<0.02	21	0.4	0.05	3.9
L88E 1925N	Soil		8.2	29.9	0.63	99.2	0.021	<1	1.28	0.003	0.07	<0.1	2.4	0.04	<0.02	36	0.7	0.06	3.6
L88E 1950N	Soil		10.0	29.4	0.54	76.5	0.023	<1	1.27	0.004	0.06	<0.1	2.3	0.04	<0.02	13	0.5	0.03	3.6
L88E 1975N	Soil		10.1	19.2	0.29	64.5	0.022	2	0.80	0.003	0.05	<0.1	1.7	0.04	<0.02	36	0.3	0.04	3.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 4 of 11 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN10002545.1**

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L88E 2000N	Soil			1.66	22.21	7.05	82.6	196	20.5	6.4	253	2.30	11.7	0.3	8.8	2.3	11.3	0.27	0.26	0.08	35	0.10	0.041
L88E 2025N	Soil			2.33	38.43	10.06	94.8	556	24.4	11.7	602	2.52	16.1	0.5	22.1	1.4	17.6	0.46	0.34	0.11	32	0.18	0.075
L88E 2050N	Soil			2.36	21.90	6.20	85.2	791	12.3	5.2	349	1.51	15.5	0.2	7.5	1.0	38.2	1.19	0.35	0.09	26	0.69	0.045
L88E 2075N	Soil			1.99	24.28	7.20	98.6	298	20.6	7.4	263	2.53	13.9	0.3	20.3	1.8	12.2	0.44	0.28	0.08	34	0.12	0.042
L88E 2100N	Soil			2.42	35.58	10.38	114.0	160	26.4	10.4	357	2.95	23.5	0.4	13.1	2.2	16.4	0.52	0.43	0.11	35	0.18	0.081
L88E 2125N	Soil			2.34	32.39	11.29	82.2	142	24.3	10.6	381	2.54	20.9	0.4	9.9	1.6	13.8	0.31	0.44	0.11	33	0.14	0.044
L88E 2150N	Soil			1.81	15.44	7.18	52.1	118	11.6	4.4	123	1.78	11.7	0.3	8.7	1.9	10.9	0.37	0.25	0.09	34	0.08	0.035
L88E 2175N	Soil			3.54	70.55	15.09	137.3	666	41.7	17.0	709	3.71	27.1	1.2	7.7	0.9	30.6	0.71	0.45	0.19	48	0.37	0.096
L88E 2200N	Soil			1.74	30.01	8.39	64.9	55	24.1	8.5	381	2.42	13.9	0.6	21.7	2.8	14.7	0.17	0.28	0.08	30	0.14	0.033
L88E 2225N	Soil			2.00	17.70	9.53	76.2	97	16.6	6.7	216	2.39	13.8	0.3	4.6	2.0	13.3	0.35	0.27	0.09	37	0.12	0.026
L88E 2250N	Soil			2.12	27.69	10.48	69.1	220	20.4	8.5	309	2.41	14.2	0.5	28.8	2.5	15.8	0.27	0.31	0.11	37	0.16	0.018
L88E 2275N	Soil			2.08	28.37	7.96	88.1	85	22.5	9.8	327	2.56	13.7	0.5	13.6	2.3	17.3	0.25	0.27	0.08	38	0.16	0.030
L88E 2300N	Soil			2.13	30.57	8.28	85.4	317	23.0	12.8	609	2.48	10.3	0.4	10.3	1.5	11.8	0.23	0.29	0.14	34	0.12	0.045
L88E 2325N	Soil			1.77	19.36	6.77	78.9	217	15.9	6.2	236	2.06	9.5	0.3	7.0	1.7	11.6	0.34	0.28	0.12	30	0.13	0.049
L88E 2350N	Soil			3.20	66.07	15.94	142.1	462	44.2	19.8	1539	3.41	20.2	1.0	58.1	1.6	29.3	1.02	0.42	0.24	43	0.38	0.068
L88E 2375N	Soil			2.18	21.30	8.50	68.2	178	15.4	6.8	286	2.26	12.3	0.3	18.4	1.3	16.1	0.31	0.26	0.12	38	0.19	0.026
L88E 2400N	Soil			2.10	27.92	7.85	72.3	85	17.6	10.6	362	2.58	14.2	0.4	21.2	1.9	13.6	0.33	0.34	0.10	38	0.14	0.023
L90E 0500N	Soil			2.37	44.16	7.00	76.7	377	33.0	8.5	293	2.85	47.8	0.3	92.0	2.4	7.1	0.21	0.70	0.13	29	0.07	0.044
L90E 0525N	Soil			1.84	41.21	7.87	110.2	503	34.9	9.9	430	2.89	38.6	0.3	36.3	2.1	11.5	0.30	0.58	0.13	34	0.15	0.055
L90E 0550N	Soil			1.48	24.43	6.72	78.9	380	20.3	7.0	477	2.12	28.7	0.3	110.0	1.4	12.3	0.37	0.47	0.12	29	0.14	0.052
L90E 0575N	Soil			2.42	56.90	11.28	107.4	760	42.2	12.9	1169	3.30	50.0	0.7	54.2	1.9	22.7	0.66	0.76	0.17	37	0.34	0.037
L90E 0600N	Soil			1.93	38.18	9.01	68.3	355	32.2	14.4	683	2.96	43.4	0.5	172.7	1.9	17.4	0.31	0.57	0.12	35	0.25	0.032
L90E 0625N	Soil			2.67	69.92	12.58	120.1	557	45.4	16.2	1027	3.98	61.3	0.7	37.4	1.7	28.4	0.66	0.83	0.18	41	0.40	0.040
L90E 0650N	Soil			2.37	64.59	10.71	113.6	599	42.5	16.1	574	3.22	49.5	0.8	41.6	1.8	24.7	0.61	0.67	0.15	38	0.33	0.038
L90E 0675N	Soil			2.14	50.95	8.14	73.8	440	33.2	10.4	516	2.96	49.7	0.7	81.7	2.0	22.3	0.42	0.67	0.12	32	0.30	0.045
L90E 0700N	Soil			2.60	47.53	9.23	103.6	250	33.0	13.1	541	3.15	53.9	0.6	122.2	2.0	19.3	0.43	0.70	0.11	35	0.22	0.029
L90E 0725N	Soil			6.46	79.51	15.73	190.0	1349	53.5	16.4	1433	4.13	65.2	1.5	20.4	1.0	49.4	1.32	0.81	0.22	39	0.75	0.110
L90E 0750N	Soil			3.73	74.17	13.41	129.0	1061	49.1	13.3	682	4.31	78.0	1.2	108.3	1.9	30.5	0.43	0.75	0.23	46	0.34	0.052
L90E 0775N	Soil			3.73	106.2	12.54	138.2	1119	62.6	14.1	731	4.05	77.0	1.5	255.2	1.9	28.4	0.57	0.78	0.21	44	0.36	0.052
L90E 0800N	Soil			3.07	54.57	10.17	118.5	419	33.2	12.5	725	3.05	57.5	0.6	55.4	1.7	15.2	0.70	0.66	0.15	31	0.20	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 4 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Ti	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L88E 2000N	Soil			11.8	32.9	0.56	72.4	0.026	<1	1.41	0.003	0.06	<0.1	2.3	0.06	<0.02	20	0.6	0.02	3.7
L88E 2025N	Soil			13.1	30.5	0.56	103.2	0.020	<1	1.50	0.006	0.09	0.1	2.5	0.07	<0.02	46	0.7	0.06	3.6
L88E 2050N	Soil			8.1	14.1	0.20	56.8	0.019	3	0.49	0.003	0.08	0.1	1.3	0.05	0.04	48	0.7	0.06	2.2
L88E 2075N	Soil			10.8	29.7	0.52	78.6	0.019	<1	1.32	0.003	0.06	<0.1	2.1	0.04	<0.02	20	0.4	0.03	3.5
L88E 2100N	Soil			11.8	31.3	0.60	77.7	0.022	<1	1.36	0.006	0.07	0.1	2.5	0.05	<0.02	19	0.7	0.07	3.3
L88E 2125N	Soil			11.5	32.7	0.64	72.1	0.025	<1	1.34	0.003	0.08	0.1	2.4	0.05	<0.02	20	0.7	0.04	3.0
L88E 2150N	Soil			11.4	19.0	0.24	61.6	0.022	<1	0.99	0.003	0.04	<0.1	1.7	0.05	<0.02	24	0.3	0.02	3.6
L88E 2175N	Soil			13.3	47.1	0.63	252.7	0.014	2	2.50	0.007	0.15	0.2	4.1	0.10	0.03	95	1.5	0.06	5.5
L88E 2200N	Soil			14.3	30.3	0.62	71.3	0.035	<1	1.36	0.005	0.07	0.1	2.9	0.04	<0.02	14	0.7	0.05	3.0
L88E 2225N	Soil			11.6	25.3	0.43	68.4	0.031	<1	1.24	0.003	0.06	0.1	2.1	0.05	<0.02	18	0.6	0.04	3.9
L88E 2250N	Soil			13.7	28.0	0.50	69.5	0.026	<1	1.48	0.004	0.06	0.1	2.8	0.06	<0.02	32	0.9	0.05	3.8
L88E 2275N	Soil			12.1	31.0	0.60	85.3	0.037	<1	1.56	0.004	0.08	<0.1	2.6	0.06	<0.02	17	0.7	0.05	3.7
L88E 2300N	Soil			9.5	32.2	0.66	98.0	0.020	1	1.58	0.005	0.07	<0.1	2.3	0.07	<0.02	30	0.6	0.05	3.5
L88E 2325N	Soil			9.3	21.1	0.40	88.4	0.025	<1	1.12	0.005	0.06	0.2	1.8	0.05	<0.02	15	0.4	0.03	3.1
L88E 2350N	Soil			10.1	44.7	0.65	181.4	0.020	2	2.26	0.006	0.12	0.2	3.9	0.13	0.02	54	1.3	<0.02	4.3
L88E 2375N	Soil			8.4	23.9	0.41	73.3	0.035	<1	1.34	0.004	0.06	<0.1	1.9	0.05	<0.02	15	0.6	0.03	3.9
L88E 2400N	Soil			9.4	24.3	0.50	77.3	0.053	<1	1.45	0.005	0.06	0.1	2.4	0.05	<0.02	17	0.6	0.03	3.1
L90E 0500N	Soil			11.3	20.6	0.39	78.9	0.013	<1	1.25	0.004	0.06	0.2	2.6	0.08	<0.02	24	0.8	0.03	2.8
L90E 0525N	Soil			9.9	22.2	0.44	139.8	0.011	<1	1.43	0.004	0.06	0.1	2.6	0.05	<0.02	33	0.5	0.06	3.5
L90E 0550N	Soil			10.1	16.6	0.33	85.7	0.016	<1	1.03	0.004	0.05	0.1	2.1	0.05	<0.02	27	0.5	0.03	3.2
L90E 0575N	Soil			11.2	27.0	0.50	127.5	0.018	1	1.60	0.006	0.08	0.2	5.2	0.08	<0.02	45	1.1	0.05	3.5
L90E 0600N	Soil			11.2	25.9	0.59	77.6	0.024	<1	1.34	0.006	0.07	0.1	4.2	0.05	<0.02	19	0.8	0.06	3.2
L90E 0625N	Soil			10.5	30.7	0.63	117.9	0.021	<1	1.77	0.008	0.10	0.2	6.1	0.04	<0.02	26	1.0	0.06	3.7
L90E 0650N	Soil			11.9	30.0	0.57	120.0	0.019	<1	1.61	0.007	0.08	0.2	5.5	0.08	<0.02	35	1.0	0.05	3.9
L90E 0675N	Soil			12.0	24.8	0.54	87.1	0.020	1	1.33	0.006	0.08	0.2	4.9	0.05	<0.02	33	0.9	0.06	2.8
L90E 0700N	Soil			10.7	24.2	0.51	86.0	0.016	<1	1.36	0.005	0.08	0.3	3.9	0.06	<0.02	17	1.0	0.05	3.0
L90E 0725N	Soil			9.2	32.5	0.45	169.8	0.011	1	1.86	0.008	0.11	0.3	6.6	0.08	0.05	94	1.7	0.07	4.5
L90E 0750N	Soil			11.5	35.1	0.53	145.7	0.017	<1	2.01	0.008	0.10	0.3	6.5	0.09	0.02	51	1.4	0.10	4.7
L90E 0775N	Soil			15.4	35.3	0.46	159.8	0.016	<1	1.91	0.008	0.11	0.3	7.7	0.09	<0.02	63	1.6	0.08	4.7
L90E 0800N	Soil			11.7	24.4	0.36	96.4	0.014	<1	1.23	0.005	0.09	0.2	3.6	0.06	<0.02	35	1.1	0.06	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L90E 0825N	Soil	2.09	31.92	7.06	67.9	192	27.4	7.5	407	2.05	42.7	0.4	71.5	2.2	10.8	0.23	0.47	0.10	22	0.13	0.031
L90E 0850N	Soil	2.88	42.74	9.18	75.1	197	33.6	9.3	439	2.67	64.4	0.6	64.0	2.1	14.6	0.34	0.75	0.12	25	0.21	0.049
L90E 0875N	Soil	2.04	52.29	8.87	108.0	747	53.0	9.1	457	2.67	37.8	1.3	39.1	2.0	20.6	0.38	0.57	0.13	30	0.25	0.036
L90E 0900N	Soil	2.06	30.93	6.84	81.6	370	28.8	7.5	459	2.25	29.2	0.4	402.1	1.8	13.6	0.30	0.43	0.13	28	0.18	0.029
L90E 0925N	Soil	1.70	20.83	6.42	70.4	331	20.1	6.9	403	1.89	21.3	0.3	37.1	1.1	10.5	0.26	0.42	0.10	26	0.15	0.044
L90E 0950N	Soil	2.19	41.98	7.42	62.7	186	32.5	6.6	366	2.24	30.5	0.4	73.8	2.6	10.8	0.20	0.62	0.12	25	0.12	0.035
L90E 0975N	Soil	2.47	37.29	6.98	74.3	251	32.7	6.7	366	2.36	33.8	0.4	50.9	2.0	9.5	0.29	0.66	0.11	26	0.11	0.039
L90E 1000N	Soil	2.95	25.90	7.09	88.1	197	26.7	7.4	300	2.74	33.4	0.3	20.1	1.9	7.8	0.37	0.64	0.11	33	0.08	0.062
L90E 1025N	Soil	1.16	15.82	6.04	50.4	394	16.4	4.1	234	1.18	9.2	0.3	39.2	1.1	9.0	0.28	0.22	0.09	22	0.10	0.029
L90E 1050N	Soil	2.73	48.39	10.39	79.3	86	40.4	10.7	618	2.75	42.2	0.5	61.1	2.7	11.3	0.34	0.84	0.11	28	0.14	0.043
L90E 1075N	Soil	2.12	32.19	8.94	75.9	438	31.0	8.7	544	2.17	26.2	0.4	24.5	1.3	11.0	0.40	0.50	0.11	28	0.13	0.041
L90E 1100N	Soil	2.72	34.98	9.56	101.5	515	40.2	8.4	472	2.48	39.6	0.5	14.4	1.2	17.2	0.71	0.66	0.14	29	0.25	0.050
L90E 1125N	Soil	1.77	43.20	7.91	57.5	81	43.3	7.2	359	2.18	22.1	0.5	31.0	3.1	14.6	0.15	0.52	0.11	27	0.17	0.047
L90E 1150N	Soil	2.56	54.10	9.89	73.9	169	48.8	9.6	528	2.78	36.2	0.5	463.2	3.4	13.1	0.22	0.76	0.14	27	0.16	0.050
L90E 1175N	Soil	3.06	41.29	9.65	109.3	445	43.9	9.2	389	3.12	45.9	0.4	86.1	1.7	13.5	0.41	0.75	0.15	32	0.18	0.041
L90E 1200N	Soil	2.41	42.08	8.87	103.4	457	44.6	11.7	388	2.66	34.9	0.5	124.7	1.8	15.4	0.42	0.59	0.12	28	0.22	0.045
L90E 1225N	Soil	2.72	54.96	13.19	98.1	357	58.6	14.5	654	3.13	51.6	0.5	28.7	2.8	11.3	0.56	0.84	0.15	28	0.13	0.027
L90E 1250N	Soil	12.56	236.9	33.56	257.0	5353	250.5	36.3	7153	10.08	173.1	11.1	34.2	4.5	80.7	3.76	1.65	0.62	79	1.05	0.180
L90E 1275N	Soil	21.44	50.93	5.44	179.3	689	87.8	74.0	>10000	11.90	148.4	2.0	8.9	0.4	185.2	5.46	1.34	0.11	<2	2.66	0.214
L90E 1300N	Soil	1.68	145.8	8.38	57.0	1708	62.8	6.0	561	1.32	8.1	8.9	17.0	1.0	171.9	2.14	0.87	0.23	18	3.46	0.079
L90E 1325N	Soil	2.12	30.70	9.45	78.2	111	33.5	10.5	335	2.53	30.1	0.6	17.0	2.0	19.2	0.53	0.40	0.14	29	0.20	0.021
L90E 1350N	Soil	2.49	44.67	11.70	89.5	419	40.5	12.2	748	3.02	33.8	1.4	14.1	1.9	30.2	0.60	0.50	0.19	29	0.38	0.040
L90E 1375N	Soil	2.84	45.54	10.67	84.3	522	37.0	10.9	464	2.75	33.9	0.8	121.7	2.2	18.9	0.36	0.61	0.16	27	0.19	0.038
L90E 1400N	Soil	3.00	62.90	11.31	110.3	1496	47.8	10.9	1637	2.89	30.7	0.9	21.1	1.4	41.5	1.05	0.61	0.18	29	0.43	0.070
L90E 1425N	Soil	2.43	47.87	8.95	77.1	814	38.0	8.6	542	2.50	29.9	0.7	27.2	1.9	16.9	0.44	0.62	0.14	23	0.19	0.049
L90E 1450N	Soil	2.49	33.62	7.23	88.1	363	29.5	8.1	328	2.34	26.3	0.3	20.5	2.7	6.7	0.36	0.47	0.15	23	0.08	0.040
L90E 1475N	Soil	1.72	24.67	5.78	134.7	525	24.6	6.3	339	2.10	15.3	0.3	13.7	2.3	8.8	0.48	0.34	0.13	24	0.11	0.048
L90E 1500N	Soil	3.02	34.77	10.30	82.7	321	25.4	10.3	496	2.80	31.5	0.4	15.7	1.4	11.5	0.46	0.52	0.16	28	0.12	0.036
L90E 1525N	Soil	4.13	99.64	26.83	128.5	955	53.1	21.4	1625	4.84	47.6	1.3	22.3	2.4	31.2	1.55	0.77	0.25	40	0.49	0.054
L90E 1550N	Soil	2.32	38.28	11.26	96.4	289	18.0	9.0	392	2.85	24.5	0.3	10.4	1.4	19.6	1.13	0.39	0.14	34	0.30	0.127

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 5 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L90E 0825N	Soil	13.6	19.8	0.31	61.6	0.015	<1	0.96	0.004	0.06	0.1	2.6	0.05	<0.02	26	0.6	<0.02	2.2
L90E 0850N	Soil	13.2	21.0	0.35	72.1	0.018	<1	1.00	0.005	0.07	0.2	3.2	0.05	<0.02	28	1.0	0.06	2.3
L90E 0875N	Soil	14.1	30.0	0.39	119.1	0.019	<1	1.55	0.006	0.09	0.1	5.2	0.08	<0.02	58	1.1	0.04	3.1
L90E 0900N	Soil	11.5	27.1	0.40	102.4	0.016	<1	1.25	0.005	0.07	0.1	2.6	0.07	<0.02	28	0.5	0.04	3.0
L90E 0925N	Soil	11.1	20.9	0.26	82.9	0.016	<1	0.97	0.004	0.06	<0.1	1.8	0.05	<0.02	24	0.5	0.04	2.9
L90E 0950N	Soil	13.7	24.8	0.44	66.6	0.028	<1	1.10	0.005	0.07	0.1	3.1	0.04	<0.02	37	0.8	0.07	2.4
L90E 0975N	Soil	12.7	25.6	0.41	80.4	0.023	<1	1.10	0.004	0.07	0.1	2.3	0.05	<0.02	19	0.7	<0.02	2.5
L90E 1000N	Soil	12.0	23.2	0.32	77.6	0.020	<1	1.22	0.004	0.05	0.2	2.1	0.06	<0.02	27	0.8	0.07	3.5
L90E 1025N	Soil	10.2	18.1	0.26	75.6	0.014	<1	0.99	0.004	0.06	<0.1	1.5	0.06	<0.02	34	0.3	<0.02	2.7
L90E 1050N	Soil	13.4	26.1	0.45	61.2	0.034	<1	1.12	0.005	0.07	0.1	3.2	0.04	<0.02	24	1.0	0.06	2.6
L90E 1075N	Soil	12.1	27.2	0.38	83.9	0.022	1	1.20	0.005	0.07	0.1	2.5	0.06	<0.02	37	0.6	0.02	3.0
L90E 1100N	Soil	10.7	28.9	0.33	102.4	0.021	<1	1.06	0.005	0.07	0.1	2.5	0.06	<0.02	47	1.0	0.04	3.0
L90E 1125N	Soil	14.5	31.2	0.45	71.4	0.044	<1	1.10	0.007	0.08	<0.1	3.3	0.05	<0.02	20	0.6	0.04	2.4
L90E 1150N	Soil	14.3	32.1	0.42	74.2	0.031	<1	1.24	0.007	0.09	0.1	3.4	0.06	<0.02	26	0.7	0.04	2.5
L90E 1175N	Soil	12.0	31.2	0.37	87.4	0.024	<1	1.19	0.005	0.07	0.1	2.7	0.06	<0.02	27	1.1	0.07	3.1
L90E 1200N	Soil	13.6	28.2	0.39	92.3	0.022	<1	1.18	0.005	0.08	0.1	2.8	0.06	<0.02	28	0.9	0.05	2.8
L90E 1225N	Soil	13.9	31.6	0.40	64.5	0.027	<1	1.18	0.007	0.07	0.1	2.8	0.05	<0.02	29	1.5	0.05	2.4
L90E 1250N	Soil	33.5	87.3	0.61	520.4	0.032	2	4.79	0.016	0.30	0.2	23.8	0.23	0.07	275	3.8	0.21	9.2
L90E 1275N	Soil	3.2	9.1	0.14	2995	0.006	8	0.42	0.011	0.04	<0.1	1.7	0.28	0.21	205	9.8	0.03	1.4
L90E 1300N	Soil	12.0	22.5	0.30	162.8	0.019	10	1.32	0.012	0.08	0.1	4.1	0.10	0.25	157	7.4	0.17	2.4
L90E 1325N	Soil	10.6	28.6	0.38	76.9	0.014	2	1.24	0.004	0.06	0.1	2.5	0.06	<0.02	22	0.8	0.09	2.9
L90E 1350N	Soil	10.8	31.5	0.46	97.5	0.019	2	1.30	0.005	0.08	0.1	3.5	0.05	<0.02	39	1.1	<0.02	2.9
L90E 1375N	Soil	11.9	27.2	0.36	81.5	0.016	<1	1.11	0.004	0.07	<0.1	3.1	0.06	<0.02	45	1.1	0.13	2.6
L90E 1400N	Soil	16.2	31.1	0.33	156.0	0.011	2	1.45	0.006	0.10	0.1	3.9	0.09	0.02	82	1.8	0.02	3.1
L90E 1425N	Soil	14.1	27.3	0.38	75.8	0.014	1	1.04	0.004	0.07	<0.1	3.2	0.05	<0.02	35	1.1	<0.02	2.3
L90E 1450N	Soil	10.3	23.5	0.29	96.6	0.009	<1	1.02	0.003	0.05	0.1	1.8	0.04	<0.02	26	1.0	<0.02	2.2
L90E 1475N	Soil	10.7	25.2	0.29	105.3	0.015	2	1.12	0.004	0.05	0.1	1.8	0.04	<0.02	41	0.8	<0.02	2.7
L90E 1500N	Soil	11.1	26.1	0.33	75.3	0.018	1	0.98	0.004	0.07	0.1	1.5	0.05	<0.02	31	1.0	<0.02	2.8
L90E 1525N	Soil	13.9	43.0	0.56	136.1	0.021	2	1.76	0.007	0.10	0.2	7.2	0.07	0.02	85	1.6	<0.02	3.7
L90E 1550N	Soil	7.2	24.1	0.37	86.1	0.017	2	1.10	0.004	0.06	0.1	2.4	0.04	<0.02	32	0.5	<0.02	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 6 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L90E 1575N	Soil			2.19	48.32	15.41	74.7	224	24.8	15.2	717	3.23	26.1	0.4	9.8	1.9	19.9	0.55	0.42	0.13	36	0.26	0.046
L90E 1600N	Soil			1.91	48.83	13.72	76.7	433	31.2	11.8	549	3.14	25.1	0.5	18.3	1.9	20.4	0.45	0.35	0.11	34	0.28	0.035
L90E 1625N	Soil			2.18	51.04	14.64	78.8	473	32.6	13.7	648	3.25	29.5	0.5	134.7	1.9	29.2	0.50	0.46	0.13	35	0.44	0.047
L90E 1650N	Soil			2.22	48.58	17.66	95.9	608	36.2	15.8	771	3.41	28.4	0.7	32.6	2.1	22.8	0.61	0.42	0.14	37	0.34	0.042
L90E 1675N	Soil			3.63	87.23	22.61	116.8	1158	57.7	22.3	1544	4.69	42.8	1.2	10.2	2.1	45.8	1.40	0.62	0.22	46	0.79	0.063
L90E 1700N	Soil			2.89	74.22	15.12	84.4	1055	39.0	15.5	1182	3.31	31.3	0.9	23.9	0.9	79.3	0.99	0.66	0.16	33	1.64	0.075
L90E 1725N	Soil			3.58	81.74	17.51	96.3	771	48.2	17.9	1089	3.93	35.2	1.1	9.0	1.4	44.2	0.76	0.57	0.18	41	0.78	0.061
L90E 1750N	Soil			3.31	69.12	18.62	89.6	647	42.3	17.3	762	4.10	42.7	0.9	11.0	1.9	28.6	0.63	0.56	0.19	39	0.42	0.038
L90E 1775N	Soil			2.55	73.93	19.26	112.2	1760	44.6	16.4	1835	3.33	31.2	1.2	10.0	1.1	62.5	1.73	0.44	0.17	35	1.13	0.074
L90E 1800N	Soil			3.19	45.89	20.96	100.8	180	26.8	12.9	291	3.57	45.9	0.3	215.7	1.7	14.8	0.45	0.64	0.22	30	0.16	0.163
L90E 1825N	Soil			2.28	28.54	10.29	80.6	135	22.0	8.4	222	3.05	22.3	0.3	17.5	2.5	11.0	0.34	0.38	0.14	33	0.13	0.069
L90E 1850N	Soil			2.16	34.90	9.79	90.3	261	28.8	10.8	317	2.97	22.4	0.4	24.4	2.4	17.2	0.35	0.34	0.14	32	0.22	0.070
L90E 1875N	Soil			2.36	36.57	11.90	88.4	521	22.6	10.6	317	3.00	18.7	0.6	2.7	2.4	19.5	0.43	0.41	0.14	33	0.27	0.047
L90E 1900N	Soil			2.74	23.17	6.19	52.1	54	14.6	5.8	178	2.02	18.2	0.2	8.0	1.1	12.8	0.20	0.37	0.10	38	0.14	0.029
L90E 1925N	Soil			4.92	69.26	19.95	123.5	1661	51.1	21.9	1054	4.45	46.7	1.2	7.8	1.6	59.5	1.36	0.57	0.23	49	1.01	0.076
L90E 1950N	Soil			3.24	32.59	15.61	100.3	469	30.7	16.2	421	3.43	26.8	0.5	6.3	2.0	30.1	0.46	0.34	0.15	40	0.48	0.031
L90E 1975N	Soil			2.81	41.94	11.64	87.0	280	30.5	11.7	592	3.16	25.7	0.8	9.7	2.6	23.6	0.33	0.41	0.14	39	0.32	0.046
L90E 2000N	Soil			2.75	57.51	14.31	162.9	776	40.7	15.0	2690	3.47	21.5	1.2	3.0	1.3	46.9	2.04	0.47	0.18	42	0.79	0.101
L90E 2025N	Soil			2.53	35.97	9.55	83.1	188	23.6	13.1	555	2.79	22.6	0.4	13.3	1.4	20.7	0.46	0.42	0.13	36	0.27	0.031
L90E 2050N	Soil			2.49	48.73	12.86	110.8	481	29.3	11.6	1002	2.89	22.6	0.6	5.4	1.3	24.1	1.14	0.36	0.15	34	0.32	0.066
L90E 2075N	Soil			1.90	16.20	6.83	60.5	101	14.2	4.6	157	1.87	13.7	0.2	7.1	2.2	9.9	0.25	0.28	0.12	33	0.10	0.044
L90E 2100N	Soil			3.34	44.10	12.27	89.3	221	28.1	11.1	364	3.57	32.2	0.4	22.6	2.7	12.8	0.38	0.47	0.14	38	0.12	0.059
L90E 2125N	Soil			1.51	14.60	7.29	56.3	269	12.6	4.9	204	1.66	9.6	0.2	8.9	1.6	11.0	0.33	0.17	0.12	29	0.12	0.032
L90E 2150N	Soil			0.72	5.79	6.45	27.4	195	5.3	2.1	178	0.69	3.2	0.2	1.7	1.5	8.2	0.21	0.09	0.11	15	0.12	0.021
L90E 2175N	Soil			2.71	30.03	9.02	69.4	125	19.7	7.7	451	2.90	21.2	0.3	9.5	1.5	10.7	0.34	0.33	0.16	35	0.13	0.056
L90E 2200N	Soil			1.40	10.04	10.93	40.8	194	9.8	4.1	164	1.46	7.2	0.2	4.2	1.2	9.7	0.27	0.16	0.12	30	0.11	0.043
L90E 2225N	Soil			3.03	27.45	9.31	82.3	157	21.1	7.5	249	3.14	21.5	0.3	13.1	2.2	10.4	0.39	0.41	0.14	39	0.10	0.060
L90E 2250N	Soil			2.34	23.20	6.76	57.6	142	15.9	10.4	510	2.57	14.9	0.3	5.0	1.2	29.4	0.36	0.33	0.10	37	0.39	0.028
L90E 2275N	Soil			2.81	20.73	6.80	40.8	144	9.5	3.9	125	1.77	13.6	0.2	2.3	0.8	41.2	1.02	0.33	0.11	39	0.62	0.034
L90E 2300N	Soil			2.06	27.52	6.47	66.5	133	17.9	6.8	239	2.30	14.8	0.3	11.7	1.8	14.9	0.32	0.35	0.11	33	0.17	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 6 of 11 Part 2

# CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15			
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1		
L90E 1575N	Soil			7.9	27.4	0.62	87.5	0.025	1	1.38	0.005	0.09	<0.1	3.3	0.04	<0.02	41	0.7	<0.02	3.3
L90E 1600N	Soil			9.5	34.5	0.59	79.5	0.025	<1	1.39	0.005	0.08	<0.1	3.4	0.04	<0.02	31	0.7	0.13	3.2
L90E 1625N	Soil			9.5	39.2	0.63	83.4	0.022	2	1.38	0.005	0.08	<0.1	3.9	0.04	<0.02	41	1.1	<0.02	2.9
L90E 1650N	Soil			11.2	43.2	0.63	91.1	0.022	1	1.50	0.005	0.08	<0.1	4.3	0.06	<0.02	40	0.9	<0.02	3.4
L90E 1675N	Soil			11.7	53.1	0.65	176.9	0.018	2	2.09	0.010	0.12	0.1	6.0	0.09	0.03	61	1.5	<0.02	4.7
L90E 1700N	Soil			9.5	35.6	0.48	144.3	0.016	4	1.59	0.010	0.11	0.1	4.0	0.07	0.08	111	2.4	<0.02	3.4
L90E 1725N	Soil			11.4	47.4	0.63	140.3	0.019	2	1.84	0.009	0.10	0.1	5.2	0.07	0.03	64	2.0	<0.02	4.1
L90E 1750N	Soil			10.8	39.6	0.57	110.4	0.024	1	1.70	0.006	0.09	0.1	4.6	0.06	<0.02	35	1.4	0.12	3.6
L90E 1775N	Soil			15.4	40.3	0.50	143.6	0.017	3	1.68	0.007	0.12	0.1	4.8	0.07	0.04	86	1.6	<0.02	3.7
L90E 1800N	Soil			6.8	24.4	0.40	65.4	0.021	1	1.14	0.004	0.05	0.1	2.4	0.03	<0.02	12	1.3	0.06	2.8
L90E 1825N	Soil			9.8	28.3	0.51	49.3	0.022	1	1.23	0.004	0.05	<0.1	2.1	0.03	<0.02	16	0.4	<0.02	3.4
L90E 1850N	Soil			9.9	30.9	0.54	81.6	0.019	1	1.39	0.005	0.07	<0.1	2.5	0.04	<0.02	24	0.7	0.12	2.9
L90E 1875N	Soil			11.3	26.5	0.51	85.4	0.022	<1	1.32	0.005	0.07	0.1	2.8	0.04	<0.02	24	0.7	<0.02	3.0
L90E 1900N	Soil			8.3	20.1	0.32	37.9	0.021	1	0.89	0.004	0.04	<0.1	1.6	0.05	<0.02	19	0.4	<0.02	3.4
L90E 1925N	Soil			12.8	46.8	0.59	168.8	0.019	1	2.32	0.008	0.13	0.1	5.6	0.09	0.07	103	2.5	<0.02	4.7
L90E 1950N	Soil			9.3	36.1	0.61	104.9	0.024	1	1.65	0.006	0.08	<0.1	4.0	0.06	0.03	32	0.9	<0.02	3.7
L90E 1975N	Soil			11.7	34.3	0.71	92.8	0.030	1	1.62	0.006	0.09	<0.1	4.1	0.06	<0.02	28	0.9	<0.02	3.7
L90E 2000N	Soil			10.1	37.7	0.54	228.3	0.013	3	2.13	0.009	0.13	0.1	4.5	0.11	0.03	82	1.0	<0.02	5.0
L90E 2025N	Soil			10.3	29.5	0.60	82.8	0.025	<1	1.38	0.005	0.07	<0.1	2.5	0.05	<0.02	24	1.0	0.05	3.1
L90E 2050N	Soil			10.2	29.9	0.40	149.6	0.016	1	1.53	0.006	0.09	0.1	3.2	0.07	<0.02	52	1.0	<0.02	3.6
L90E 2075N	Soil			11.2	19.7	0.33	53.0	0.029	<1	0.87	0.003	0.05	0.1	1.7	0.05	<0.02	12	0.7	<0.02	3.7
L90E 2100N	Soil			10.9	32.0	0.59	92.5	0.032	<1	1.56	0.004	0.07	0.1	2.7	0.04	<0.02	24	1.2	0.05	3.5
L90E 2125N	Soil			10.5	19.8	0.30	71.1	0.034	<1	0.91	0.004	0.06	<0.1	1.8	0.05	<0.02	13	0.4	<0.02	3.1
L90E 2150N	Soil			9.6	10.0	0.12	55.6	0.025	<1	0.43	0.003	0.05	<0.1	0.9	0.03	<0.02	15	0.1	<0.02	2.3
L90E 2175N	Soil			10.4	22.0	0.45	81.7	0.012	1	1.19	0.004	0.06	0.1	2.2	0.04	<0.02	9	0.7	<0.02	3.2
L90E 2200N	Soil			8.8	17.0	0.22	69.5	0.015	2	0.92	0.004	0.05	<0.1	1.4	0.05	<0.02	18	0.4	<0.02	3.3
L90E 2225N	Soil			8.7	24.6	0.43	71.1	0.041	1	1.30	0.004	0.05	0.1	2.1	0.04	<0.02	13	0.9	<0.02	3.7
L90E 2250N	Soil			7.0	21.7	0.55	70.4	0.075	<1	1.18	0.004	0.06	0.1	2.2	0.03	<0.02	12	0.7	<0.02	3.2
L90E 2275N	Soil			4.8	10.7	0.13	60.9	0.076	3	0.51	0.004	0.06	0.1	1.2	<0.02	0.04	27	0.9	<0.02	2.5
L90E 2300N	Soil			8.8	19.6	0.43	79.7	0.055	<1	1.11	0.004	0.07	0.1	2.1	0.04	<0.02	13	0.6	0.05	3.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
Report Date: June 23, 2010

Page: 7 of 11 Part 1

# CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L90E 2325N	Soil			2.18	23.26	6.44	70.7	171	15.9	7.4	318	3.07	13.7	0.3	9.3	1.4	16.8	0.54	0.35	0.10	41	0.18	0.081
L90E 2350N	Soil			1.69	23.70	5.11	71.1	281	16.3	7.3	268	2.16	10.7	0.3	16.5	1.5	14.2	0.26	0.21	0.08	32	0.17	0.044
L90E 2375N	Soil			1.53	20.40	6.18	62.8	178	16.1	7.1	362	2.53	11.4	0.3	19.1	1.5	18.5	0.24	0.31	0.09	36	0.18	0.117
L90E 2400N	Soil			2.25	25.39	8.75	68.9	335	13.4	6.6	192	2.49	21.0	0.2	293.8	1.1	22.5	0.96	0.49	0.12	41	0.28	0.063
L92E 0500N	Soil			3.27	80.90	18.86	85.3	466	28.4	12.5	350	4.80	280.3	0.4	129.8	1.5	14.9	0.34	1.34	0.29	38	0.11	0.044
L92E 0525N	Soil			4.24	199.5	19.66	140.4	5505	69.3	23.5	3641	5.00	162.3	2.7	60.1	1.7	85.9	1.63	1.63	0.18	43	1.15	0.108
L92E 0550N	Soil			1.44	15.79	7.74	166.2	510	21.7	9.2	274	3.30	84.7	0.3	24.9	1.5	14.8	0.51	0.43	0.11	38	0.14	0.103
L92E 0575N	Soil			2.51	43.41	8.33	80.2	113	22.7	8.1	253	3.41	94.1	0.3	74.2	1.8	10.8	0.38	0.70	0.11	38	0.12	0.134
L92E 0600N	Soil			4.07	74.44	12.55	133.7	1748	47.5	13.6	682	4.16	140.2	1.0	89.8	1.9	26.7	0.80	1.09	0.16	32	0.42	0.059
L92E 0625N	Soil			2.18	15.69	5.14	71.8	237	12.9	4.3	180	1.66	48.4	0.2	47.2	0.9	22.3	0.55	0.41	0.10	23	0.31	0.066
L92E 0650N	Soil			4.47	50.03	13.12	217.7	2219	56.5	16.4	2659	4.16	99.5	0.7	26.6	1.8	36.5	1.96	0.79	0.19	35	0.53	0.090
L92E 0675N	Soil			2.76	50.95	8.94	66.6	997	35.7	6.9	407	2.84	58.9	0.7	116.1	1.6	21.1	0.35	0.51	0.13	27	0.37	0.047
L92E 0700N	Soil			3.68	53.16	10.53	92.5	770	39.8	11.2	603	3.22	111.9	0.6	110.3	2.1	15.9	0.44	0.90	0.14	25	0.21	0.046
L92E 0725N	Soil			2.12	31.23	7.70	51.5	110	25.9	6.3	331	2.12	52.1	0.4	84.7	2.8	11.2	0.18	0.65	0.11	19	0.15	0.037
L92E 0750N	Soil			2.50	41.19	8.27	58.4	361	32.0	7.5	417	2.44	56.8	0.6	71.7	2.5	12.0	0.16	0.55	0.12	23	0.14	0.030
L92E 0775N	Soil			2.31	31.69	8.63	57.9	311	31.5	8.0	384	2.40	52.6	0.5	113.9	2.4	11.7	0.24	0.57	0.11	24	0.13	0.018
L92E 0800N	Soil			2.18	34.02	7.67	75.7	396	34.2	7.3	514	2.46	35.5	0.6	33.3	1.6	17.4	0.40	0.61	0.12	27	0.26	0.039
L92E 0825N	Soil			3.05	64.31	13.12	116.1	952	54.5	12.5	795	3.30	51.1	1.0	19.3	1.3	23.7	0.76	0.85	0.21	36	0.35	0.059
L92E 0850N	Soil			1.93	40.79	9.35	68.0	251	36.8	8.4	507	2.31	34.5	0.6	78.8	2.2	14.3	0.42	0.57	0.12	25	0.20	0.048
L92E 0875N	Soil			2.64	37.55	9.17	96.8	574	38.3	10.1	413	2.50	42.2	0.5	28.7	1.8	14.9	0.60	0.68	0.14	28	0.20	0.044
L92E 0900N	Soil			2.51	33.87	9.05	76.2	345	35.3	8.2	392	2.53	41.9	0.5	21.6	2.8	12.9	0.38	0.71	0.12	26	0.16	0.054
L92E 0925N	Soil			2.17	28.63	7.02	64.7	151	31.2	6.9	307	2.17	30.4	0.4	59.0	2.5	11.1	0.21	0.52	0.09	25	0.14	0.046
L92E 0950N	Soil			2.50	26.55	6.92	78.4	434	29.9	8.6	431	2.31	28.9	0.3	27.0	1.9	12.2	0.39	0.51	0.11	29	0.14	0.051
L92E 0975N	Soil			2.51	40.19	8.17	68.6	120	40.8	8.3	372	2.27	33.7	0.5	34.1	3.0	9.5	0.32	0.66	0.12	25	0.09	0.029
L92E 1000N	Soil			1.69	38.05	6.13	62.8	157	40.9	5.9	264	1.81	18.8	0.4	53.5	2.2	11.8	0.20	0.45	0.12	25	0.14	0.035
L92E 1025N	Soil			1.76	39.43	8.75	59.7	64	41.3	14.3	809	2.03	23.3	0.4	46.9	3.3	10.2	0.37	0.48	0.11	23	0.12	0.036
L92E 1050N	Soil			1.77	32.21	6.39	62.5	84	36.4	7.1	363	1.96	23.0	0.4	59.9	2.8	11.0	0.22	0.45	0.12	24	0.12	0.033
L92E 1075N	Soil			7.58	126.4	28.92	164.0	1215	77.1	29.5	1962	6.08	154.2	1.0	290.0	2.0	25.4	1.78	2.31	0.27	31	0.46	0.089
L92E 1100N	Soil			3.24	52.25	13.00	162.4	1209	51.6	15.0	2504	3.33	36.6	0.6	7.8	0.4	36.0	1.81	0.63	0.21	39	0.60	0.104
L92E 1125N	Soil			3.65	72.99	12.55	131.1	1815	67.6	15.8	1912	3.28	36.1	0.9	14.8	0.5	27.8	1.32	0.67	0.24	38	0.40	0.090



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
L90E 2325N	Soil	6.5	21.1	0.54	70.3	0.066	2	1.43	0.004	0.06	0.1	2.2	0.03	<0.02	24	0.5	<0.02	3.3
L90E 2350N	Soil	9.3	19.8	0.47	74.1	0.051	1	1.17	0.004	0.06	0.1	1.9	0.04	<0.02	17	0.7	<0.02	3.1
L90E 2375N	Soil	6.4	21.8	0.60	115.2	0.066	1	1.28	0.003	0.06	0.1	2.2	0.04	<0.02	18	0.5	<0.02	3.3
L90E 2400N	Soil	5.5	14.4	0.28	58.2	0.081	1	0.87	0.003	0.06	0.2	2.0	0.04	<0.02	13	1.1	<0.02	3.4
L92E 0500N	Soil	10.3	18.9	0.16	58.9	0.010	<1	1.14	0.005	0.05	0.3	4.3	0.07	<0.02	23	1.2	0.60	2.9
L92E 0525N	Soil	22.2	31.6	0.47	269.0	0.007	3	2.44	0.011	0.15	0.3	15.7	0.12	0.05	225	2.2	0.05	4.6
L92E 0550N	Soil	8.2	19.7	0.25	100.1	0.010	1	1.40	0.005	0.06	0.2	2.5	0.06	<0.02	23	0.3	<0.02	3.9
L92E 0575N	Soil	9.5	19.9	0.38	61.7	0.009	1	1.12	0.005	0.06	0.2	2.6	0.02	<0.02	10	0.9	0.06	3.1
L92E 0600N	Soil	13.9	22.7	0.39	100.8	0.011	1	1.35	0.007	0.07	0.3	7.2	0.06	0.03	57	1.6	0.12	2.8
L92E 0625N	Soil	9.9	11.0	0.16	78.0	0.013	<1	0.47	0.004	0.07	0.2	1.1	0.04	<0.02	17	0.5	<0.02	2.5
L92E 0650N	Soil	8.8	28.1	0.30	229.2	0.015	1	1.65	0.009	0.10	0.3	6.5	0.12	0.02	73	1.3	0.12	3.5
L92E 0675N	Soil	10.9	21.8	0.35	101.2	0.010	1	1.20	0.006	0.07	0.2	3.9	0.06	0.02	40	0.7	<0.02	2.6
L92E 0700N	Soil	11.7	21.9	0.31	87.9	0.012	1	1.04	0.005	0.08	0.2	4.8	0.05	<0.02	45	1.1	<0.02	2.2
L92E 0725N	Soil	14.0	18.3	0.28	50.4	0.018	<1	0.79	0.004	0.06	0.2	2.8	0.03	<0.02	10	0.5	<0.02	1.7
L92E 0750N	Soil	13.4	21.7	0.32	76.5	0.016	1	1.02	0.005	0.07	0.2	3.8	0.05	<0.02	27	0.8	<0.02	2.1
L92E 0775N	Soil	12.7	20.5	0.29	72.6	0.017	<1	0.95	0.004	0.06	0.2	2.9	0.06	<0.02	14	0.6	0.06	2.1
L92E 0800N	Soil	10.8	26.0	0.43	90.6	0.022	2	1.14	0.007	0.07	0.2	3.5	0.05	<0.02	33	0.8	<0.02	2.6
L92E 0825N	Soil	11.1	32.8	0.42	162.7	0.013	2	1.69	0.008	0.12	0.2	4.5	0.09	0.02	49	1.2	<0.02	3.9
L92E 0850N	Soil	13.4	25.5	0.39	75.6	0.021	1	1.08	0.005	0.08	0.1	3.3	0.05	<0.02	17	0.4	<0.02	2.4
L92E 0875N	Soil	13.3	22.0	0.26	102.6	0.014	1	1.07	0.005	0.07	0.1	3.2	0.06	<0.02	14	0.8	<0.02	2.5
L92E 0900N	Soil	12.9	24.7	0.40	65.2	0.026	<1	0.98	0.004	0.07	0.1	2.9	0.04	<0.02	17	1.0	0.06	2.2
L92E 0925N	Soil	12.6	24.5	0.42	69.5	0.024	<1	1.00	0.005	0.06	0.1	2.3	0.05	<0.02	6	0.9	<0.02	2.2
L92E 0950N	Soil	12.5	25.3	0.38	116.4	0.015	<1	1.19	0.005	0.07	0.2	2.2	0.07	<0.02	13	0.5	<0.02	2.7
L92E 0975N	Soil	13.9	25.4	0.38	64.6	0.029	<1	1.04	0.005	0.06	0.1	2.9	0.05	<0.02	25	0.6	<0.02	2.2
L92E 1000N	Soil	12.4	27.1	0.39	77.0	0.020	2	1.17	0.006	0.07	0.1	2.6	0.07	<0.02	20	0.4	<0.02	2.4
L92E 1025N	Soil	14.4	25.5	0.38	77.0	0.028	<1	1.01	0.006	0.06	0.1	3.1	0.06	<0.02	20	0.6	<0.02	2.2
L92E 1050N	Soil	14.7	28.0	0.41	72.9	0.025	2	1.05	0.006	0.07	<0.1	2.5	0.07	<0.02	13	0.7	<0.02	2.3
L92E 1075N	Soil	10.8	26.6	0.40	89.2	0.022	2	0.97	0.007	0.07	0.6	7.0	0.11	0.04	69	2.6	0.19	2.5
L92E 1100N	Soil	10.3	39.0	0.39	300.2	0.013	4	1.69	0.010	0.15	0.2	2.8	0.14	0.03	88	0.9	<0.02	4.4
L92E 1125N	Soil	10.9	37.0	0.43	225.7	0.010	2	1.85	0.009	0.13	0.1	3.7	0.11	0.04	113	1.2	0.11	4.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 8 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L92E 1150N	Soil		5.25	136.6	30.05	152.3	1463	105.0	23.3	1982	5.26	69.0	2.0	54.1	2.3	34.5	1.40	0.99	0.43	48	0.40	0.103
L92E 1175N	Soil		2.67	46.19	13.13	92.4	1214	48.2	11.4	1103	2.28	34.1	0.6	14.4	0.5	41.4	1.46	0.68	0.16	22	0.64	0.071
L92E 1200N	Soil		2.65	51.29	9.97	77.2	961	47.9	9.9	440	2.60	30.1	0.8	24.3	1.0	16.9	0.40	0.59	0.18	30	0.20	0.049
L92E 1225N	Soil		1.75	27.42	7.55	43.7	186	28.7	7.5	353	1.77	21.7	0.5	48.5	2.5	8.1	0.20	0.42	0.11	19	0.09	0.017
L92E 1250N	Soil		12.57	165.1	24.49	186.0	6032	180.3	41.7	2786	7.82	135.9	7.8	39.6	2.4	74.9	2.70	1.58	0.44	54	1.03	0.166
L92E 1275N	Soil		4.95	128.1	13.14	70.4	3172	80.9	18.4	1916	3.39	50.6	4.5	20.8	0.5	111.2	2.51	1.32	0.21	25	2.29	0.149
L92E 1300N	Soil		3.09	39.81	11.61	74.9	150	37.8	11.3	673	2.88	39.7	0.6	25.2	2.7	15.3	0.46	0.67	0.15	26	0.21	0.030
L92E 1325N	Soil		2.50	43.82	13.33	129.8	635	50.5	12.2	633	3.07	31.8	0.8	26.0	1.9	22.3	0.66	0.62	0.19	29	0.31	0.045
L92E 1350N	Soil		5.97	175.7	22.48	168.5	3449	100.4	19.8	1969	5.88	74.3	2.5	51.2	2.6	53.3	1.29	1.22	0.37	46	0.91	0.090
L92E 1375N	Soil		2.74	54.29	12.59	91.3	524	42.0	12.1	608	2.75	34.8	0.8	77.7	3.3	17.8	0.45	0.70	0.18	25	0.21	0.052
L92E 1400N	Soil		1.55	21.76	8.05	94.0	369	22.3	7.6	656	1.76	13.7	0.3	8.4	1.6	16.5	0.47	0.33	0.12	23	0.27	0.041
L92E 1425N	Soil		2.58	40.42	8.45	68.8	268	31.5	9.1	330	2.54	27.6	0.5	31.7	2.5	9.2	0.23	0.57	0.16	25	0.10	0.033
L92E 1450N	Soil		3.53	52.52	9.93	97.9	144	39.4	12.3	393	3.05	39.4	0.4	18.4	2.4	7.5	0.39	0.68	0.17	25	0.09	0.063
L92E 1475N	Soil		2.62	26.34	7.03	81.5	268	28.8	7.3	215	2.48	23.5	0.3	12.7	2.5	7.3	0.24	0.47	0.13	27	0.07	0.053
L92E 1500N	Soil		2.93	31.31	8.47	106.6	212	34.6	10.0	395	2.71	28.1	0.4	32.0	2.3	12.7	0.43	0.54	0.13	29	0.16	0.050
L92E 1525N	Soil		3.64	55.46	12.86	111.7	1871	46.5	14.3	789	3.22	35.4	1.9	16.4	2.1	24.1	0.90	0.67	0.17	31	0.38	0.050
L92E 1550N	Soil		2.53	63.46	17.29	95.4	830	45.3	14.1	379	2.89	32.8	1.0	16.5	2.1	33.2	0.74	0.61	0.18	33	0.61	0.050
L92E 1575N	Soil		2.70	56.59	14.30	95.9	243	32.4	13.6	599	3.22	33.0	0.4	19.7	2.0	18.9	0.43	0.93	0.12	33	0.26	0.058
L92E 1600N	Soil		1.85	28.42	18.35	68.8	110	21.6	8.3	293	2.95	28.9	0.2	12.8	1.2	16.1	0.34	0.34	0.11	37	0.22	0.054
L92E 1625N	Soil		3.03	67.81	24.10	92.6	351	34.4	17.9	1030	3.49	34.5	0.5	8.5	2.7	31.6	0.79	0.50	0.20	32	0.53	0.090
L94E 0500N	Soil		3.99	62.06	12.49	112.0	1705	55.0	16.8	1142	3.86	69.1	0.9	173.4	1.4	23.7	0.93	0.88	0.15	29	0.37	0.053
L94E 0525N	Soil		3.57	32.83	10.28	97.8	209	22.8	9.9	618	3.36	58.7	0.3	40.6	0.5	18.6	0.86	0.59	0.15	26	0.23	0.066
L94E 0550N	Soil		3.43	29.18	10.54	76.7	168	43.7	17.6	929	3.21	116.2	0.2	31.4	0.7	26.8	0.85	0.68	0.16	52	0.24	0.048
L94E 0575N	Soil		5.37	146.5	19.09	151.7	3299	98.8	25.0	1456	4.84	89.4	9.2	76.1	1.3	66.7	2.00	1.63	0.25	39	0.85	0.071
L94E 0600N	Soil		4.32	41.02	10.69	127.5	260	54.8	11.6	335	3.24	80.1	0.4	67.1	2.1	10.6	0.45	1.37	0.13	26	0.11	0.046
L94E 0625N	Soil		3.92	46.91	12.30	102.7	1578	59.3	12.5	468	3.23	79.1	0.4	41.7	1.9	14.0	0.56	1.42	0.15	26	0.14	0.040
L94E 0650N	Soil		4.83	71.43	24.77	103.0	836	69.5	18.3	4839	4.13	100.1	0.9	534.8	2.0	25.5	0.78	1.20	0.24	28	0.24	0.052
L94E 0675N	Soil		3.97	85.26	18.44	80.8	796	62.5	17.5	1778	3.38	61.3	0.9	62.3	2.2	33.2	0.60	0.72	0.20	30	0.22	0.027
L94E 0700N	Soil		1.82	21.36	6.75	75.9	201	22.3	7.0	191	2.42	21.2	0.2	35.3	2.0	9.6	0.22	0.43	0.10	32	0.10	0.050
L94E 0725N	Soil		2.63	35.54	8.28	80.7	138	40.9	9.2	210	3.05	48.2	0.3	56.4	2.5	8.2	0.26	0.77	0.12	31	0.08	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 8 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Ti	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L92E 1150N	Soil			16.7	64.9	0.57	258.1	0.012	2	2.58	0.011	0.18	0.3	7.6	0.13	0.03	127	2.1	0.15	5.7
L92E 1175N	Soil			9.3	24.4	0.28	155.6	0.013	3	0.85	0.007	0.07	0.2	2.6	0.07	0.06	138	1.1	0.05	2.2
L92E 1200N	Soil			10.7	33.3	0.39	117.6	0.012	1	1.40	0.006	0.08	0.2	4.0	0.09	<0.02	68	1.1	0.05	3.0
L92E 1225N	Soil			11.7	21.9	0.27	46.5	0.018	<1	0.74	0.006	0.05	<0.1	2.5	0.04	<0.02	26	0.5	<0.02	1.8
L92E 1250N	Soil			24.8	61.4	0.40	267.5	0.019	3	3.18	0.013	0.15	0.3	13.7	0.21	0.10	363	4.6	0.16	5.5
L92E 1275N	Soil			11.2	33.9	0.30	183.3	0.013	5	1.26	0.011	0.08	0.1	3.2	0.10	0.16	227	6.4	0.05	3.0
L92E 1300N	Soil			11.1	26.9	0.36	65.9	0.021	1	1.01	0.007	0.08	0.1	3.6	0.06	<0.02	23	0.9	0.08	2.3
L92E 1325N	Soil			9.1	31.1	0.35	112.3	0.016	2	1.41	0.006	0.10	0.1	3.7	0.09	<0.02	49	1.1	0.07	3.1
L92E 1350N	Soil			14.7	55.2	0.48	265.8	0.021	2	2.49	0.009	0.19	0.3	8.1	0.15	0.04	132	2.8	0.16	5.3
L92E 1375N	Soil			13.3	29.9	0.40	78.4	0.021	<1	1.07	0.007	0.09	0.1	3.6	0.06	<0.02	41	1.1	0.06	2.4
L92E 1400N	Soil			9.4	20.9	0.22	94.3	0.012	1	0.91	0.004	0.07	<0.1	1.8	0.06	<0.02	37	0.6	<0.02	2.4
L92E 1425N	Soil			11.9	26.9	0.44	59.3	0.023	<1	1.03	0.005	0.07	<0.1	2.3	0.04	<0.02	18	1.0	0.06	2.3
L92E 1450N	Soil			9.1	27.1	0.37	78.0	0.014	1	1.15	0.003	0.06	0.1	2.2	0.06	<0.02	23	1.3	0.07	2.3
L92E 1475N	Soil			11.0	25.9	0.40	54.1	0.022	<1	1.09	0.003	0.06	<0.1	1.8	0.04	<0.02	25	0.9	0.02	2.8
L92E 1500N	Soil			10.0	28.1	0.33	107.5	0.022	1	1.20	0.004	0.06	0.1	2.1	0.06	<0.02	27	1.0	0.05	2.9
L92E 1525N	Soil			12.3	32.3	0.32	118.1	0.022	1	1.39	0.005	0.09	0.2	3.9	0.08	<0.02	82	1.5	0.06	3.0
L92E 1550N	Soil			10.7	39.9	0.47	94.7	0.022	<1	1.37	0.007	0.09	0.2	4.1	0.08	0.03	64	1.4	0.07	3.0
L92E 1575N	Soil			8.7	37.7	0.50	87.4	0.025	2	1.06	0.007	0.07	0.2	3.6	0.04	<0.02	40	0.7	0.04	2.6
L92E 1600N	Soil			5.8	34.0	0.42	62.0	0.021	<1	1.07	0.004	0.05	0.1	2.5	0.04	<0.02	30	0.3	0.04	3.3
L92E 1625N	Soil			12.8	31.5	0.59	95.4	0.026	2	1.28	0.006	0.14	0.2	4.5	0.05	<0.02	29	0.8	0.06	3.0
L94E 0500N	Soil			9.9	26.1	0.30	101.8	0.014	2	1.39	0.007	0.10	0.3	5.4	0.08	0.02	68	1.7	0.10	2.5
L94E 0525N	Soil			7.1	14.0	0.10	68.8	0.016	2	0.53	0.006	0.05	0.2	2.3	0.04	0.03	61	0.8	0.06	2.2
L94E 0550N	Soil			7.7	28.2	0.25	105.6	0.033	2	0.62	0.006	0.03	0.1	2.8	0.02	0.02	35	0.8	0.05	3.6
L94E 0575N	Soil			11.3	46.0	0.37	175.6	0.021	2	2.01	0.012	0.16	0.3	7.8	0.13	0.04	160	2.2	0.11	4.2
L94E 0600N	Soil			10.2	29.2	0.26	64.4	0.015	<1	1.03	0.005	0.08	0.2	2.6	0.06	<0.02	23	1.0	0.06	2.3
L94E 0625N	Soil			10.7	27.3	0.31	78.9	0.018	<1	1.08	0.005	0.06	0.2	2.7	0.06	<0.02	32	1.2	0.09	2.3
L94E 0650N	Soil			10.9	25.5	0.29	71.9	0.023	<1	1.03	0.005	0.06	0.2	4.2	0.07	<0.02	73	1.8	0.11	2.7
L94E 0675N	Soil			14.8	29.5	0.46	73.4	0.018	<1	1.35	0.006	0.07	0.2	5.7	0.06	<0.02	51	1.3	0.12	3.3
L94E 0700N	Soil			9.6	21.8	0.33	58.5	0.026	<1	1.16	0.007	0.05	0.1	1.9	0.04	<0.02	18	0.5	0.02	3.2
L94E 0725N	Soil			10.6	27.6	0.32	74.2	0.019	<1	1.12	0.004	0.06	0.1	2.3	0.05	<0.02	20	0.7	0.02	3.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

**Project:** Spanish Mountain  
**Report Date:** June 23, 2010

**Page:** 9 of 11 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN10002545.1**

Method Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
			0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L94E 0750N	Soil		2.58	33.36	7.53	80.3	164	37.1	8.1	266	2.53	39.6	0.3	60.3	2.2	9.7	0.40	0.75	0.11	27	0.10	0.046	
L94E 0775N	Soil		2.51	28.51	6.39	69.1	341	32.9	7.3	185	2.20	32.6	0.3	21.7	1.7	8.9	0.34	0.61	0.10	27	0.09	0.028	
L94E 0800N	Soil		2.28	41.48	7.73	68.8	560	46.9	8.6	222	2.47	38.0	0.6	226.0	2.3	13.5	0.25	0.65	0.12	27	0.15	0.023	
L94E 0825N	Soil		3.60	40.77	9.62	104.4	176	39.5	9.8	282	2.87	50.3	0.3	34.7	1.7	10.2	0.68	0.99	0.17	29	0.10	0.066	
L94E 0850N	Soil		2.19	30.39	7.11	82.2	459	38.0	7.7	259	2.11	29.3	0.4	113.8	2.2	14.1	0.29	0.47	0.11	26	0.16	0.028	
L94E 0875N	Soil		2.03	25.43	6.74	84.5	343	32.7	7.5	514	2.01	26.8	0.3	57.6	1.1	13.1	0.42	0.44	0.11	23	0.15	0.047	
L94E 0900N	Soil		2.09	32.04	10.73	76.4	528	40.9	16.3	1506	2.44	34.2	0.4	26.5	1.3	10.1	0.54	0.40	0.14	26	0.12	0.044	
L94E 0925N	Soil		2.30	35.73	8.30	85.5	243	41.2	8.4	424	2.48	37.0	0.4	68.8	2.2	11.5	0.33	0.52	0.13	25	0.16	0.042	
L94E 0950N	Soil		2.15	38.07	8.20	67.6	276	38.9	7.0	505	2.28	30.9	0.5	19.7	2.0	10.5	0.28	0.39	0.16	25	0.13	0.049	
L94E 0975N	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
L94E 1000N	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
L94E 1025N	Soil		2.99	29.59	9.66	55.2	566	30.3	10.6	1268	2.46	36.6	0.4	15.0	0.9	19.1	1.19	0.47	0.17	31	0.23	0.032	
L94E 1050N	Soil		2.73	38.04	14.07	85.1	617	44.5	17.6	1657	2.82	43.0	0.5	25.9	1.0	21.6	0.72	0.52	0.17	29	0.30	0.053	
L94E 1075N	Soil		3.19	24.79	7.93	67.0	111	21.2	6.0	190	2.14	30.2	0.4	45.7	2.4	6.1	0.40	0.46	0.14	26	0.04	0.025	
L94E 1100N	Soil		2.61	37.61	7.67	109.2	206	42.0	9.0	386	2.78	38.0	0.4	67.5	1.8	10.2	0.67	0.73	0.13	29	0.14	0.031	
L94E 1125N	Soil		3.39	58.74	13.28	84.3	156	51.7	13.3	715	3.09	44.8	1.0	24.4	3.1	16.2	0.50	0.79	0.18	25	0.20	0.062	
L94E 1150N	Soil		3.47	53.02	13.21	107.8	818	51.7	13.5	796	3.14	45.1	1.3	25.4	1.9	18.2	1.11	0.71	0.21	29	0.20	0.045	
L94E 1175N	Soil		2.37	27.21	8.50	73.3	349	33.7	8.3	527	2.28	27.7	1.0	25.7	2.7	13.5	0.46	0.42	0.13	22	0.16	0.027	
L94E 1200N	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
L94E 1225N	Soil		0.83	72.73	6.92	82.6	1401	42.7	5.4	296	0.78	1.2	5.9	17.8	0.7	151.8	5.70	0.42	0.16	8	3.95	0.165	
L94E 1250N	Soil		3.95	70.86	19.04	113.2	1195	55.0	19.0	1350	3.87	49.2	1.2	54.5	2.0	34.0	1.46	0.80	0.20	30	0.61	0.063	
L94E 1275N	Soil		3.82	66.92	20.06	102.7	806	48.0	20.1	862	3.94	66.4	0.8	268.3	1.8	24.2	0.96	0.84	0.23	29	0.39	0.076	
L94E 1300N	Soil		2.19	23.31	7.47	69.3	314	17.6	6.9	597	1.88	25.9	0.2	18.5	0.7	31.0	0.77	0.43	0.13	25	0.45	0.043	
L94E 1325N	Soil		4.06	50.10	14.72	88.7	145	37.3	12.6	369	3.32	52.0	0.5	70.9	2.6	11.4	0.46	0.75	0.31	27	0.16	0.048	
L94E 1350N	Soil		3.42	50.58	13.95	101.0	665	50.2	14.8	465	3.33	32.7	0.7	25.1	3.1	21.3	0.52	0.61	0.18	32	0.33	0.050	
L94E 1375N	Soil		2.82	27.57	9.17	79.8	332	30.1	8.1	244	2.33	27.9	0.5	21.6	2.4	17.3	0.53	0.56	0.13	25	0.27	0.034	
L94E 1400N	Soil		3.11	49.86	12.61	90.5	828	45.8	15.4	502	3.34	41.9	0.7	89.3	3.1	15.1	0.54	0.71	0.17	29	0.21	0.045	
L94E 1425N	Soil		2.40	40.86	11.38	82.3	994	40.3	13.0	452	3.06	32.6	0.7	30.3	2.6	20.2	0.58	0.52	0.15	30	0.30	0.037	
L94E 1450N	Soil		2.67	44.59	11.97	99.4	723	42.3	13.9	618	3.20	33.1	0.8	54.3	2.5	19.8	0.67	0.60	0.14	31	0.29	0.049	
L94E 1475N	Soil		3.30	31.11	9.14	98.4	315	36.7	10.9	229	2.83	31.1	0.4	95.1	2.1	13.9	0.46	0.48	0.14	30	0.18	0.049	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 9 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L94E 0750N	Soil	11.0	24.8	0.35	63.2	0.021	<1	1.00	0.004	0.06	0.1	2.2	0.05	<0.02	18	0.8	<0.02	2.4
L94E 0775N	Soil	10.3	22.0	0.29	74.4	0.016	<1	0.95	0.004	0.05	0.1	2.0	0.05	<0.02	21	0.7	0.05	2.6
L94E 0800N	Soil	11.7	28.2	0.37	75.5	0.020	<1	1.15	0.005	0.06	0.1	3.5	0.06	<0.02	34	0.8	0.04	2.7
L94E 0825N	Soil	10.1	25.1	0.25	129.8	0.023	<1	0.92	0.005	0.07	0.1	2.4	0.06	<0.02	20	1.2	0.03	2.9
L94E 0850N	Soil	11.1	25.4	0.33	91.8	0.017	<1	1.07	0.005	0.06	0.1	2.4	0.06	<0.02	36	0.7	<0.02	2.6
L94E 0875N	Soil	9.5	24.0	0.28	89.4	0.013	<1	0.94	0.005	0.06	0.1	1.8	0.06	<0.02	35	0.6	0.02	2.5
L94E 0900N	Soil	8.8	26.3	0.31	109.4	0.011	<1	1.02	0.005	0.06	0.1	2.5	0.06	<0.02	37	0.7	0.11	2.5
L94E 0925N	Soil	10.7	30.6	0.38	85.1	0.016	<1	1.07	0.005	0.06	0.1	2.9	0.05	<0.02	24	0.6	<0.02	2.3
L94E 0950N	Soil	11.3	33.2	0.39	89.7	0.015	<1	1.09	0.006	0.06	0.1	3.3	0.06	<0.02	20	0.4	<0.02	2.5
L94E 0975N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L94E 1000N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L94E 1025N	Soil	8.0	21.6	0.16	92.2	0.010	<1	0.71	0.005	0.04	0.1	2.0	0.05	<0.02	27	0.9	<0.02	2.4
L94E 1050N	Soil	9.3	30.1	0.31	130.7	0.012	<1	1.03	0.006	0.08	0.1	2.8	0.06	0.02	48	0.8	0.12	2.6
L94E 1075N	Soil	12.8	20.1	0.19	55.4	0.015	<1	0.82	0.003	0.04	0.1	1.9	0.03	<0.02	10	0.6	0.11	2.4
L94E 1100N	Soil	8.5	28.7	0.43	74.4	0.025	<1	1.18	0.003	0.05	<0.1	2.5	0.04	<0.02	22	1.0	<0.02	2.4
L94E 1125N	Soil	13.2	28.5	0.38	78.5	0.020	<1	1.04	0.005	0.10	0.1	4.1	0.06	<0.02	33	0.7	0.22	2.2
L94E 1150N	Soil	12.5	29.6	0.34	113.8	0.018	<1	1.21	0.006	0.09	0.1	3.7	0.09	<0.02	49	1.1	0.06	3.0
L94E 1175N	Soil	13.7	26.2	0.38	66.7	0.021	<1	0.91	0.005	0.06	0.1	3.0	0.05	<0.02	21	0.7	<0.02	2.2
L94E 1200N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L94E 1225N	Soil	9.7	14.7	0.18	99.5	0.009	5	1.01	0.019	0.04	<0.1	2.7	0.06	0.54	183	12.8	<0.02	1.0
L94E 1250N	Soil	10.3	31.7	0.38	127.5	0.019	2	1.33	0.006	0.10	0.1	4.5	0.09	0.03	60	1.3	<0.02	2.9
L94E 1275N	Soil	8.9	27.2	0.32	81.8	0.020	<1	1.21	0.005	0.08	0.1	4.0	0.07	0.03	48	2.1	<0.02	2.6
L94E 1300N	Soil	5.3	12.5	0.10	67.3	0.020	<1	0.43	0.005	0.04	0.1	1.2	0.03	0.04	89	0.7	0.11	1.9
L94E 1325N	Soil	10.9	25.8	0.35	66.1	0.017	<1	1.06	0.004	0.06	0.1	2.5	0.06	<0.02	17	2.1	<0.02	2.4
L94E 1350N	Soil	11.6	41.8	0.57	89.2	0.030	<1	1.38	0.006	0.09	0.1	3.9	0.08	<0.02	26	1.1	<0.02	3.1
L94E 1375N	Soil	11.2	20.4	0.23	66.0	0.020	<1	0.83	0.004	0.06	<0.1	1.9	0.04	<0.02	23	1.2	<0.02	2.3
L94E 1400N	Soil	13.2	28.7	0.39	76.4	0.027	<1	1.14	0.005	0.09	0.1	3.8	0.07	<0.02	30	1.4	0.06	2.5
L94E 1425N	Soil	10.5	31.0	0.43	96.6	0.026	<1	1.35	0.007	0.08	<0.1	4.0	0.06	<0.02	28	1.0	<0.02	3.0
L94E 1450N	Soil	11.6	31.9	0.49	91.5	0.023	<1	1.33	0.006	0.09	0.1	3.7	0.05	<0.02	28	1.1	0.19	3.0
L94E 1475N	Soil	9.8	24.0	0.32	74.2	0.020	<1	1.11	0.004	0.06	0.1	2.0	0.05	<0.02	13	1.3	<0.02	2.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
Report Date: June 23, 2010

Page: 10 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method Analyte	Unit MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P			
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%			
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L94E 1500N	Soil	2.88	62.96	15.20	109.3	748	47.2	14.3	1002	3.15	43.8	0.8	16.1	1.4	41.9	1.31	0.76	0.18	27	0.80	0.072			
L94E 1525N	Soil	5.13	131.1	24.12	168.2	2681	110.4	25.6	2656	5.70	69.4	2.1	27.4	3.3	45.6	1.85	1.00	0.36	47	0.76	0.079			
L94E 1550N	Soil	2.29	33.75	10.05	90.3	335	36.4	11.3	390	2.77	31.8	0.6	15.3	3.0	12.8	0.35	0.42	0.13	27	0.17	0.031			
L94E 1575N	Soil	2.39	38.21	11.98	85.0	753	36.2	10.5	625	2.84	27.9	0.6	28.2	2.3	20.0	0.67	0.37	0.18	31	0.28	0.028			
L94E 1600N	Soil	3.99	106.1	24.68	107.5	2059	80.0	22.4	1728	4.14	42.2	1.1	18.4	2.2	39.4	1.91	0.62	0.29	41	0.66	0.066			
L94E 1625N	Soil	4.08	68.26	21.05	92.2	713	56.6	20.2	1931	3.61	42.5	0.7	73.5	2.5	32.9	1.62	0.63	0.20	33	0.54	0.049			
L94E 1650N	Soil	3.99	82.71	18.40	112.6	1528	60.3	20.9	2272	3.96	41.4	0.8	9.7	2.4	37.6	2.41	0.55	0.21	41	0.65	0.067			
L94E 1675N	Soil	1.99	31.00	11.05	59.5	665	33.2	11.5	551	2.65	19.2	0.4	24.5	2.6	18.5	0.56	0.24	0.11	32	0.26	0.020			
L94E 1700N	Soil	1.74	45.84	8.32	76.0	148	28.6	13.6	558	3.63	27.4	0.3	8.5	1.7	15.8	0.24	0.41	0.08	44	0.21	0.021			
L94E 1725N	Soil	2.34	46.14	10.27	102.9	370	32.6	15.1	738	3.72	30.4	0.4	10.7	2.0	18.6	0.40	0.44	0.10	42	0.31	0.030			
L94E 1750N	Soil	3.88	86.34	23.99	105.1	489	48.1	21.3	953	4.31	47.2	0.7	13.5	3.0	22.8	0.58	0.59	0.17	43	0.31	0.077			
L94E 1775N	Soil	2.51	29.01	12.77	107.4	519	25.7	11.3	590	2.93	30.5	0.3	107.8	1.3	12.4	0.52	0.37	0.17	34	0.16	0.085			
L94E 1800N	Soil	2.41	25.92	9.17	97.0	210	26.1	7.8	255	2.59	22.4	0.3	13.7	2.2	9.5	0.28	0.33	0.12	28	0.10	0.051			
L94E 1825N	Soil	2.69	35.29	9.67	122.3	441	24.9	9.9	310	3.36	27.8	0.4	51.2	1.8	13.7	0.38	0.40	0.16	37	0.15	0.125			
L94E 1850N	Soil	3.35	42.44	10.57	73.8	365	27.4	14.1	462	2.93	25.4	0.5	32.4	2.3	18.2	0.50	0.53	0.14	33	0.27	0.028			
L94E 1875N	Soil	4.03	87.04	11.45	110.1	627	43.3	16.0	595	3.61	32.6	1.1	17.3	2.1	21.5	0.40	0.64	0.17	36	0.30	0.049			
L94E 1900N	Soil	3.06	34.47	7.36	90.5	410	25.5	8.3	375	2.91	29.3	0.3	13.0	1.3	11.5	0.56	1.18	0.12	41	0.17	0.060			
L94E 1925N	Soil	3.67	46.27	9.39	70.7	102	30.4	11.6	520	2.94	32.7	0.5	16.4	2.2	16.4	0.21	0.81	0.12	35	0.27	0.047			
L94E 1950N	Soil	2.69	39.82	7.69	75.9	164	25.0	11.6	413	2.66	21.0	0.4	56.6	1.5	15.4	0.31	0.60	0.11	34	0.23	0.034			
L94E 1975N	Soil	2.01	33.03	7.80	94.7	606	20.4	11.6	1396	2.66	21.7	0.4	1.9	1.7	41.4	0.53	0.36	0.12	45	0.56	0.127			
L94E 2000N	Soil	1.60	22.78	6.96	105.9	333	16.1	10.0	441	2.24	9.9	0.2	2.7	1.4	17.0	0.39	0.23	0.11	36	0.21	0.060			
L94E 2025N	Soil	2.02	34.62	7.87	105.1	369	23.8	11.7	674	3.06	20.9	0.4	7.6	1.4	27.8	0.44	0.41	0.11	46	0.36	0.097			
L94E 2050N	Soil	1.81	39.36	7.65	85.9	698	26.1	12.3	794	2.93	15.2	0.6	4.7	1.4	31.8	0.50	0.37	0.10	38	0.47	0.045			
L94E 2075N	Soil	2.97	74.18	9.21	86.2	1103	36.6	20.8	843	4.04	29.0	0.8	6.8	2.0	37.0	0.38	0.63	0.12	47	0.53	0.056			
L94E 2100N	Soil	2.76	52.66	7.79	76.2	696	29.2	17.3	691	3.60	22.1	0.7	7.2	1.6	40.0	0.53	0.55	0.09	43	0.53	0.040			
L94E 2125N	Soil	3.90	72.81	11.72	104.2	766	36.6	18.1	1021	3.53	23.7	0.8	6.2	2.5	41.5	0.76	0.69	0.17	38	0.65	0.044			
L94E 2150N	Soil	2.44	55.83	7.20	86.2	1070	25.7	13.7	1106	3.13	14.2	1.0	1.9	1.2	73.4	1.18	0.51	0.12	39	1.22	0.047			
L94E 2175N	Soil	3.69	43.43	9.32	118.4	741	28.1	16.9	1201	3.56	16.9	1.0	4.9	1.7	49.6	0.98	0.74	0.12	41	0.72	0.033			
L94E 2200N	Soil	2.01	36.70	7.77	121.8	574	24.1	12.4	1058	2.86	12.5	0.6	2.0	1.1	52.3	0.75	0.44	0.11	39	0.83	0.046			
L94E 2225N	Soil	2.34	36.57	7.65	77.2	599	24.6	11.7	564	3.13	16.0	0.7	8.3	1.6	47.5	0.43	0.53	0.38	39	0.73	0.033			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L94E 1500N	Soil	9.1	28.8	0.40	130.4	0.015	3	1.19	0.006	0.11	0.2	3.4	0.07	0.05	83	1.5	0.07	2.7
L94E 1525N	Soil	15.5	52.7	0.55	266.4	0.022	1	2.74	0.010	0.23	0.2	9.1	0.14	0.03	98	2.3	0.27	5.4
L94E 1550N	Soil	12.3	28.3	0.49	65.5	0.025	<1	1.13	0.005	0.08	0.2	3.2	0.04	<0.02	19	0.5	<0.02	2.9
L94E 1575N	Soil	11.7	30.2	0.36	82.2	0.020	<1	1.26	0.005	0.09	<0.1	3.5	0.07	<0.02	43	0.5	0.06	3.0
L94E 1600N	Soil	13.7	43.1	0.55	142.8	0.024	<1	1.86	0.008	0.12	0.1	7.2	0.12	0.03	83	1.4	<0.02	4.1
L94E 1625N	Soil	12.7	33.4	0.48	116.6	0.023	<1	1.38	0.007	0.10	0.1	4.9	0.08	<0.02	69	1.6	0.07	3.2
L94E 1650N	Soil	14.1	40.9	0.55	143.1	0.025	<1	1.74	0.010	0.12	0.1	5.8	0.08	0.03	51	1.4	0.20	4.1
L94E 1675N	Soil	13.3	36.4	0.58	69.3	0.028	<1	1.39	0.005	0.07	<0.1	3.9	0.04	<0.02	18	0.7	0.07	3.3
L94E 1700N	Soil	6.8	43.8	1.00	66.1	0.042	<1	1.75	0.004	0.08	<0.1	3.8	0.03	<0.02	11	0.6	<0.02	3.8
L94E 1725N	Soil	8.4	38.0	0.84	82.8	0.035	<1	1.71	0.005	0.07	0.1	4.7	0.04	<0.02	17	0.6	0.07	3.9
L94E 1750N	Soil	13.6	47.8	0.80	92.1	0.034	<1	1.82	0.006	0.11	0.1	6.3	0.05	<0.02	24	1.0	0.14	3.9
L94E 1775N	Soil	10.8	26.9	0.37	85.2	0.024	<1	1.14	0.005	0.08	0.1	2.1	0.04	<0.02	24	1.1	<0.02	3.4
L94E 1800N	Soil	12.2	25.3	0.46	70.3	0.021	<1	1.11	0.003	0.06	<0.1	1.8	0.03	<0.02	9	0.6	<0.02	2.9
L94E 1825N	Soil	9.3	26.8	0.52	62.2	0.033	<1	1.44	0.004	0.07	0.1	2.3	0.05	<0.02	15	0.9	<0.02	3.5
L94E 1850N	Soil	10.1	25.1	0.48	56.7	0.038	<1	1.18	0.005	0.06	<0.1	2.8	0.03	<0.02	10	0.9	0.06	2.5
L94E 1875N	Soil	16.8	31.1	0.62	67.6	0.041	<1	1.49	0.005	0.08	0.1	4.5	0.06	<0.02	34	1.5	0.13	3.1
L94E 1900N	Soil	7.4	25.0	0.44	86.5	0.036	1	1.13	0.005	0.05	0.1	2.1	0.04	<0.02	23	0.7	0.06	3.1
L94E 1925N	Soil	10.2	26.3	0.54	64.1	0.046	<1	1.13	0.006	0.06	<0.1	3.4	0.04	<0.02	15	0.7	<0.02	2.7
L94E 1950N	Soil	8.7	23.1	0.52	66.0	0.050	<1	1.15	0.005	0.06	<0.1	2.6	0.04	<0.02	15	0.6	0.06	2.7
L94E 1975N	Soil	7.6	21.7	0.50	162.1	0.058	5	1.45	0.027	0.21	0.1	3.2	0.05	<0.02	<5	0.5	<0.02	3.9
L94E 2000N	Soil	6.6	17.2	0.46	85.6	0.060	<1	1.35	0.005	0.07	<0.1	2.1	0.04	<0.02	27	0.4	0.06	3.6
L94E 2025N	Soil	6.7	23.9	0.57	134.1	0.067	2	1.64	0.016	0.14	0.1	3.0	0.07	<0.02	22	0.8	0.11	4.0
L94E 2050N	Soil	8.3	28.4	0.65	91.0	0.058	1	1.62	0.005	0.08	0.1	3.1	0.05	<0.02	36	0.9	<0.02	3.2
L94E 2075N	Soil	8.3	41.8	0.98	82.9	0.111	<1	1.89	0.007	0.09	0.2	5.6	0.04	<0.02	34	0.8	0.06	3.8
L94E 2100N	Soil	6.8	33.4	0.87	78.0	0.121	<1	1.70	0.006	0.09	0.1	4.5	0.04	0.02	36	1.1	<0.02	3.7
L94E 2125N	Soil	11.6	28.5	0.59	100.1	0.060	1	1.57	0.006	0.10	0.1	4.7	0.07	<0.02	35	1.3	<0.02	3.3
L94E 2150N	Soil	10.1	19.9	0.53	106.2	0.067	1	1.68	0.007	0.07	0.1	3.6	0.07	0.03	43	1.4	0.06	3.4
L94E 2175N	Soil	8.8	31.1	0.65	94.3	0.078	2	1.80	0.006	0.08	<0.1	4.0	0.06	0.02	32	1.0	0.06	3.7
L94E 2200N	Soil	8.0	23.9	0.56	104.5	0.067	2	1.66	0.007	0.08	<0.1	3.1	0.07	0.02	42	0.6	0.05	3.3
L94E 2225N	Soil	7.6	25.4	0.68	81.5	0.097	1	1.60	0.006	0.07	0.1	3.7	0.04	<0.02	32	0.8	<0.02	3.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
L94E 2250N	Soil	2.64	60.86	8.55	66.4	292	26.2	15.0	494	3.23	23.7	0.7	11.0	2.5	33.6	0.28	0.62	0.11	39	0.46	0.043
L94E 2275N	Soil	2.50	44.29	7.75	102.9	550	29.1	13.6	487	3.49	24.1	0.6	4.1	1.5	33.3	0.46	0.59	0.11	42	0.41	0.036
L94E 2300N	Soil	2.05	30.03	6.16	95.0	468	23.4	11.7	481	3.00	14.4	0.4	2.9	1.4	36.1	0.45	0.53	0.08	40	0.47	0.026
L94E 2325N	Soil	2.06	50.91	5.90	73.6	124	29.5	19.1	508	3.44	19.1	0.3	7.3	1.7	28.1	0.39	0.40	0.08	47	0.33	0.040
L94E 2350N	Soil	1.60	22.26	6.24	68.7	168	14.7	9.3	345	2.47	11.7	0.2	8.3	1.1	25.6	0.27	0.35	0.10	45	0.33	0.064
L94E 2375N	Soil	1.79	28.79	5.33	81.7	674	20.1	9.7	443	3.29	16.3	0.3	16.1	1.3	27.4	0.30	0.39	0.07	44	0.33	0.063
L94E 2400N	Soil	1.61	17.11	6.47	89.2	607	11.6	9.9	813	2.23	10.7	0.2	1.9	0.8	20.0	0.40	0.30	0.10	42	0.19	0.063



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN10002545.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
L94E 2250N	Soil	10.4	25.9	0.58	66.5	0.071	1	1.44	0.005	0.07	<0.1	4.1	0.04	<0.02	18	0.8	<0.02	3.3
L94E 2275N	Soil	7.9	31.1	0.73	84.7	0.077	<1	1.78	0.004	0.07	<0.1	3.1	0.05	<0.02	29	1.0	0.06	3.6
L94E 2300N	Soil	6.7	27.1	0.74	79.6	0.110	<1	1.49	0.005	0.07	<0.1	2.9	0.04	<0.02	23	0.8	0.11	3.3
L94E 2325N	Soil	6.1	34.8	0.87	97.3	0.123	<1	2.02	0.005	0.09	<0.1	3.1	0.03	<0.02	15	0.9	<0.02	3.8
L94E 2350N	Soil	6.2	23.5	0.44	110.7	0.070	<1	1.45	0.004	0.08	0.1	2.2	0.04	<0.02	23	0.3	<0.02	4.0
L94E 2375N	Soil	6.0	28.8	0.88	94.9	0.090	1	1.71	0.004	0.07	<0.1	2.7	0.03	<0.02	31	0.6	<0.02	3.6
L94E 2400N	Soil	5.5	21.6	0.38	119.6	0.069	<1	1.30	0.004	0.07	0.1	1.9	0.05	<0.02	32	0.2	<0.02	4.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
Report Date: June 23, 2010

Page: 1 of 2 Part 1

# QUALITY CONTROL REPORT

VAN10002545.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
L88E 0925N	Soil	2.48	28.78	5.99	86.5	200	21.3	6.3	199	2.47	32.7	0.2	145.8	1.3	11.3	0.41	0.52	0.09	30	0.13	0.039
REP L88E 0925N	QC	2.29	27.62	5.85	86.4	184	20.3	6.0	197	2.42	31.8	0.2	104.8	1.3	11.3	0.40	0.48	0.09	30	0.13	0.037
L88E 1350N	Soil	2.26	30.48	6.63	71.0	532	24.2	5.9	252	1.95	24.3	0.3	12.3	0.9	15.8	0.41	0.48	0.11	26	0.22	0.031
REP L88E 1350N	QC	2.14	30.70	6.41	71.0	518	24.7	5.9	251	1.95	23.5	0.4	21.6	0.9	15.9	0.39	0.44	0.10	27	0.20	0.031
L88E 1475N	Soil	2.14	33.05	7.65	90.7	314	31.0	8.0	458	2.20	22.6	0.5	153.3	1.4	10.4	0.58	0.38	0.16	25	0.11	0.036
REP L88E 1475N	QC	2.22	33.81	7.72	91.6	286	31.2	7.8	456	2.20	23.1	0.5	28.0	1.3	10.1	0.56	0.39	0.15	25	0.10	0.037
L88E 1925N	Soil	2.22	28.61	8.73	92.6	196	20.8	7.9	305	2.61	14.3	0.3	4.3	1.4	21.6	0.43	0.36	0.08	36	0.23	0.061
REP L88E 1925N	QC	2.26	28.81	8.80	92.4	223	20.2	7.8	322	2.70	15.1	0.4	13.7	1.4	21.8	0.45	0.37	0.08	37	0.24	0.066
L88E 2350N	Soil	3.20	66.07	15.94	142.1	462	44.2	19.8	1539	3.41	20.2	1.0	58.1	1.6	29.3	1.02	0.42	0.24	43	0.38	0.068
REP L88E 2350N	QC	3.18	63.29	14.51	146.9	436	45.2	18.7	1505	3.31	20.0	1.0	6.9	1.4	29.2	1.00	0.42	0.23	43	0.36	0.062
L90E 0875N	Soil	2.04	52.29	8.87	108.0	747	53.0	9.1	457	2.67	37.8	1.3	39.1	2.0	20.6	0.38	0.57	0.13	30	0.25	0.036
REP L90E 0875N	QC	2.12	52.13	9.02	108.8	758	52.4	8.8	455	2.69	37.9	1.3	60.7	2.1	21.7	0.36	0.56	0.14	31	0.25	0.036
L90E 1350N	Soil	2.49	44.67	11.70	89.5	419	40.5	12.2	748	3.02	33.8	1.4	14.1	1.9	30.2	0.60	0.50	0.19	29	0.38	0.040
REP L90E 1350N	QC	2.33	43.82	11.50	83.4	454	37.7	11.3	747	2.95	32.4	1.3	23.5	1.7	31.0	0.66	0.58	0.18	29	0.42	0.041
L90E 1850N	Soil	2.16	34.90	9.79	90.3	261	28.8	10.8	317	2.97	22.4	0.4	24.4	2.4	17.2	0.35	0.34	0.14	32	0.22	0.070
REP L90E 1850N	QC	2.28	36.78	9.91	92.0	304	30.0	10.1	316	2.90	23.1	0.4	110.4	2.4	18.7	0.38	0.38	0.12	32	0.23	0.073
L92E 0625N	Soil	2.18	15.69	5.14	71.8	237	12.9	4.3	180	1.66	48.4	0.2	47.2	0.9	22.3	0.55	0.41	0.10	23	0.31	0.066
REP L92E 0625N	QC	2.23	16.65	5.31	77.1	243	13.3	4.5	193	1.76	49.6	0.2	34.2	0.9	23.6	0.67	0.44	0.10	24	0.31	0.063
L92E 0925N	Soil	2.17	28.63	7.02	64.7	151	31.2	6.9	307	2.17	30.4	0.4	59.0	2.5	11.1	0.21	0.52	0.09	25	0.14	0.046
REP L92E 0925N	QC	2.19	28.32	6.99	67.0	159	30.1	7.1	321	2.17	30.6	0.4	69.3	2.4	11.8	0.24	0.54	0.12	25	0.14	0.040
L92E 1300N	Soil	3.09	39.81	11.61	74.9	150	37.8	11.3	673	2.88	39.7	0.6	25.2	2.7	15.3	0.46	0.67	0.15	26	0.21	0.030
REP L92E 1300N	QC	3.16	41.07	12.32	75.8	153	39.0	11.7	670	2.91	39.2	0.6	24.5	2.7	15.9	0.50	0.69	0.17	27	0.21	0.031
L94E 0675N	Soil	3.97	85.26	18.44	80.8	796	62.5	17.5	1778	3.38	61.3	0.9	62.3	2.2	33.2	0.60	0.72	0.20	30	0.22	0.027
REP L94E 0675N	QC	3.71	79.71	16.85	73.3	732	58.0	16.8	1840	3.40	54.8	0.8	35.3	2.0	30.0	0.56	0.67	0.19	31	0.20	0.026
L94E 1175N	Soil	2.37	27.21	8.50	73.3	349	33.7	8.3	527	2.28	27.7	1.0	25.7	2.7	13.5	0.46	0.42	0.13	22	0.16	0.027
REP L94E 1175N	QC	2.26	26.46	7.82	67.5	334	32.9	8.2	511	2.27	25.8	0.9	44.8	2.4	12.6	0.39	0.38	0.12	22	0.14	0.023
L94E 1700N	Soil	1.74	45.84	8.32	76.0	148	28.6	13.6	558	3.63	27.4	0.3	8.5	1.7	15.8	0.24	0.41	0.08	44	0.21	0.021
REP L94E 1700N	QC	2.03	47.29	8.43	77.2	147	31.0	14.5	580	3.77	27.7	0.3	7.4	1.7	16.3	0.27	0.41	0.07	45	0.22	0.021



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10002545.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																		
L88E 0925N	Soil	8.7	19.3	0.36	73.0	0.014	<1	1.03	0.003	0.05	0.2	1.9	0.04	<0.02	21	0.6	0.05	2.8
REP L88E 0925N	QC	8.9	19.2	0.35	71.5	0.014	<1	1.01	0.003	0.06	0.2	1.8	0.04	<0.02	17	0.5	0.04	2.8
L88E 1350N	Soil	12.3	24.3	0.28	93.9	0.019	<1	0.85	0.004	0.06	0.1	2.1	0.05	<0.02	33	0.6	0.04	2.7
REP L88E 1350N	QC	12.7	24.9	0.29	91.7	0.021	1	0.87	0.004	0.07	0.1	1.9	0.05	<0.02	28	0.7	0.06	2.7
L88E 1475N	Soil	10.3	29.7	0.41	94.5	0.014	<1	1.12	0.003	0.06	<0.1	2.2	0.07	<0.02	35	0.8	0.04	2.6
REP L88E 1475N	QC	9.7	28.8	0.41	93.3	0.013	<1	1.12	0.003	0.05	0.1	2.2	0.06	<0.02	27	0.8	0.03	2.7
L88E 1925N	Soil	8.2	29.9	0.63	99.2	0.021	<1	1.28	0.003	0.07	<0.1	2.4	0.04	<0.02	36	0.7	0.06	3.6
REP L88E 1925N	QC	8.6	31.2	0.64	104.9	0.021	<1	1.28	0.003	0.07	0.1	2.4	0.04	<0.02	36	0.6	0.05	3.5
L88E 2350N	Soil	10.1	44.7	0.65	181.4	0.020	2	2.26	0.006	0.12	0.2	3.9	0.13	0.02	54	1.3	<0.02	4.3
REP L88E 2350N	QC	10.0	45.3	0.63	181.9	0.026	<1	2.22	0.006	0.12	0.1	3.7	0.11	<0.02	47	1.2	0.05	4.8
L90E 0875N	Soil	14.1	30.0	0.39	119.1	0.019	<1	1.55	0.006	0.09	0.1	5.2	0.08	<0.02	58	1.1	0.04	3.1
REP L90E 0875N	QC	14.8	29.1	0.40	126.7	0.020	<1	1.59	0.006	0.09	0.2	5.0	0.08	<0.02	57	0.9	0.04	3.2
L90E 1350N	Soil	10.8	31.5	0.46	97.5	0.019	2	1.30	0.005	0.08	0.1	3.5	0.05	<0.02	39	1.1	<0.02	2.9
REP L90E 1350N	QC	10.3	29.9	0.46	96.6	0.019	2	1.25	0.005	0.08	0.1	3.5	0.05	<0.02	41	1.0	0.02	2.9
L90E 1850N	Soil	9.9	30.9	0.54	81.6	0.019	1	1.39	0.005	0.07	<0.1	2.5	0.04	<0.02	24	0.7	0.12	2.9
REP L90E 1850N	QC	10.7	31.7	0.52	85.6	0.022	<1	1.39	0.004	0.07	0.1	2.5	0.05	<0.02	23	1.1	0.11	3.1
L92E 0625N	Soil	9.9	11.0	0.16	78.0	0.013	<1	0.47	0.004	0.07	0.2	1.1	0.04	<0.02	17	0.5	<0.02	2.5
REP L92E 0625N	QC	10.5	12.1	0.16	78.9	0.014	1	0.54	0.004	0.07	0.2	1.2	0.03	<0.02	17	0.4	<0.02	2.7
L92E 0925N	Soil	12.6	24.5	0.42	69.5	0.024	<1	1.00	0.005	0.06	0.1	2.3	0.05	<0.02	6	0.9	<0.02	2.2
REP L92E 0925N	QC	13.2	24.9	0.40	70.3	0.026	1	1.01	0.004	0.07	0.1	2.3	0.05	<0.02	12	0.8	<0.02	2.3
L92E 1300N	Soil	11.1	26.9	0.36	65.9	0.021	1	1.01	0.007	0.08	0.1	3.6	0.06	<0.02	23	0.9	0.08	2.3
REP L92E 1300N	QC	11.3	27.1	0.39	70.2	0.021	1	1.00	0.006	0.09	0.1	3.8	0.06	<0.02	22	0.9	0.03	2.5
L94E 0675N	Soil	14.8	29.5	0.46	73.4	0.018	<1	1.35	0.006	0.07	0.2	5.7	0.06	<0.02	51	1.3	0.12	3.3
REP L94E 0675N	QC	14.5	29.4	0.41	70.0	0.019	<1	1.37	0.010	0.07	0.2	5.2	0.06	<0.02	49	1.3	0.08	2.8
L94E 1175N	Soil	13.7	26.2	0.38	66.7	0.021	<1	0.91	0.005	0.06	0.1	3.0	0.05	<0.02	21	0.7	<0.02	2.2
REP L94E 1175N	QC	12.5	24.9	0.34	60.7	0.018	<1	0.91	0.004	0.06	<0.1	2.7	0.05	<0.02	19	0.5	0.06	2.0
L94E 1700N	Soil	6.8	43.8	1.00	66.1	0.042	<1	1.75	0.004	0.08	<0.1	3.8	0.03	<0.02	11	0.6	<0.02	3.8
REP L94E 1700N	QC	7.4	43.9	1.02	66.0	0.044	<1	1.82	0.004	0.08	<0.1	4.0	0.03	<0.02	10	0.8	0.13	3.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10002545.1

		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L94E 1950N	Soil	2.69	39.82	7.69	75.9	164	25.0	11.6	413	2.66	21.0	0.4	56.6	1.5	15.4	0.31	0.60	0.11	34	0.23	0.034
REP L94E 1950N	QC	2.99	38.63	7.62	76.8	157	25.0	11.7	410	2.65	21.1	0.4	25.0	1.5	16.2	0.31	0.59	0.13	34	0.23	0.035
L94E 2250N	Soil	2.64	60.86	8.55	66.4	292	26.2	15.0	494	3.23	23.7	0.7	11.0	2.5	33.6	0.28	0.62	0.11	39	0.46	0.043
REP L94E 2250N	QC	3.07	64.43	9.01	68.1	299	28.0	15.4	532	3.27	24.8	0.8	6.1	2.8	37.4	0.33	0.69	0.11	40	0.53	0.046
Reference Materials																					
STD DS7	Standard	19.54	122.8	65.46	405.3	1011	58.4	10.0	623	2.42	49.3	4.6	75.1	4.2	68.0	5.99	5.44	4.26	83	0.99	0.076
STD DS7	Standard	20.45	107.4	65.07	401.5	974	55.4	9.4	631	2.40	51.2	4.7	66.6	4.5	72.5	6.50	5.99	4.58	82	0.98	0.076
STD DS7	Standard	20.04	101.7	63.06	383.3	955	56.2	9.1	610	2.34	51.3	4.4	71.7	4.0	70.6	6.00	5.87	4.45	82	0.94	0.077
STD DS7	Standard	19.88	98.86	60.78	389.3	981	53.8	9.4	635	2.42	54.9	4.4	67.5	4.2	72.8	6.65	5.85	4.53	83	0.97	0.081
STD DS7	Standard	20.81	104.6	66.54	391.3	992	52.1	9.0	612	2.38	53.9	4.8	83.9	4.8	73.0	6.56	5.76	4.68	84	0.98	0.079
STD DS7	Standard	20.04	106.1	63.63	396.4	950	55.4	9.1	628	2.36	51.9	4.5	61.7	4.1	75.2	5.95	5.75	4.41	83	0.98	0.076
STD DS7	Standard	21.53	107.9	65.44	381.6	905	55.5	9.3	610	2.35	53.1	4.6	59.5	4.3	65.8	6.17	5.85	4.66	82	0.94	0.080
STD DS7	Standard	19.51	95.79	63.13	386.3	963	53.9	9.1	633	2.36	52.0	4.4	97.0	4.2	67.9	6.54	5.55	4.51	83	0.93	0.080
STD DS7	Standard	20.45	102.5	61.42	395.4	971	56.5	9.6	627	2.42	54.8	4.5	61.9	4.5	74.3	6.51	6.04	4.51	82	0.98	0.083
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 23, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10002545.1

		1F15 La ppm 0.5	1F15 Cr ppm 0.5	1F15 Mg % 0.01	1F15 Ba ppm 0.5	1F15 Ti % 0.001	1F15 B ppm 1	1F15 Al % 0.01	1F15 Na % 0.001	1F15 K % 0.01	1F15 W ppm 0.1	1F15 Sc ppm 0.1	1F15 Ti ppm 0.02	1F15 S % 0.02	1F15 Hg ppb 5	1F15 Se ppm 0.1	1F15 Te ppm 0.02	1F15 Ga ppm 0.1
L94E 1950N	Soil	8.7	23.1	0.52	66.0	0.050	<1	1.15	0.005	0.06	<0.1	2.6	0.04	<0.02	15	0.6	0.06	2.7
REP L94E 1950N	QC	8.9	22.8	0.52	67.8	0.047	<1	1.14	0.005	0.06	0.1	2.5	0.05	<0.02	12	1.1	<0.02	2.4
L94E 2250N	Soil	10.4	25.9	0.58	66.5	0.071	1	1.44	0.005	0.07	<0.1	4.1	0.04	<0.02	18	0.8	<0.02	3.3
REP L94E 2250N	QC	12.1	28.5	0.59	75.3	0.095	1	1.50	0.005	0.08	0.1	4.6	0.04	<0.02	23	0.7	<0.02	3.3
Reference Materials																		
STD DS7	Standard	12.9	204.2	1.06	375.0	0.122	34	1.02	0.084	0.47	3.4	2.5	3.89	0.21	216	3.7	1.09	4.7
STD DS7	Standard	13.3	188.1	1.07	390.8	0.122	35	1.03	0.089	0.47	3.7	2.7	4.21	0.21	237	3.5	1.20	4.9
STD DS7	Standard	12.4	182.9	1.03	383.1	0.113	39	0.99	0.090	0.45	3.8	2.5	4.08	0.20	213	3.5	1.09	4.6
STD DS7	Standard	13.4	205.1	1.03	392.2	0.120	42	1.04	0.096	0.46	3.7	2.7	3.95	0.20	204	2.9	0.91	4.6
STD DS7	Standard	13.0	193.8	1.05	408.1	0.121	42	1.03	0.098	0.46	3.9	2.8	4.26	0.20	210	3.5	0.87	4.9
STD DS7	Standard	13.9	186.3	1.06	399.4	0.123	36	1.07	0.089	0.46	3.5	2.8	4.15	0.20	215	3.4	1.08	4.8
STD DS7	Standard	11.6	188.4	1.04	403.5	0.108	41	0.99	0.089	0.45	3.6	2.7	3.82	0.19	214	3.7	1.18	4.6
STD DS7	Standard	12.1	181.1	1.03	385.5	0.110	40	0.99	0.097	0.45	3.8	2.6	4.05	0.20	215	3.1	0.80	4.3
STD DS7	Standard	13.9	191.7	1.06	422.5	0.116	42	1.05	0.102	0.47	3.9	2.9	4.00	0.21	185	3.7	0.89	4.7
STD DS7 Expected		11.7	179	1.05	370.3	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Submitted By: Malcolm Powell  
 Receiving Lab: Canada-Vancouver  
 Received: June 15, 2010  
 Report Date: June 30, 2010  
 Page: 1 of 12

## CERTIFICATE OF ANALYSIS

VAN10002716.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
 Shipment ID: SPMTN-2  
 P.O. Number: ACREX SMTN  
 Number of Samples: 313

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	313	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	313	Dry at 60C			VAN
1F02	313	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
 DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1  
 Canada

CC: Perry Grunenberg



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 2 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L88E 2425N	Soil			2.43	30.60	8.04	84.5	92	25.2	9.3	314	2.86	17.2	0.3	9.5	1.9	14.9	0.37	0.41	0.12	38	0.18	0.056
L88E 2450N	Soil			1.98	13.79	8.82	66.1	132	12.8	6.0	164	2.38	10.8	0.3	8.8	1.1	15.8	0.64	0.31	0.13	40	0.17	0.038
L88E 2475N	Soil			2.03	23.93	7.86	110.8	205	17.2	7.6	308	2.65	11.2	0.3	4.0	1.7	28.2	0.47	0.31	0.12	38	0.39	0.089
L88E 2500N	Soil			2.21	32.19	7.05	99.4	687	21.5	9.7	329	2.84	11.7	0.4	4.4	1.7	15.1	0.40	0.26	0.09	39	0.16	0.038
L88E 2525N	Soil			3.30	37.69	11.33	78.1	57	24.8	11.0	345	3.00	17.9	0.4	3.3	2.6	14.3	0.40	0.40	0.15	33	0.19	0.037
L88E 2550N	Soil			1.98	20.69	7.49	99.0	182	15.3	10.7	394	2.27	9.2	0.3	18.4	1.7	17.9	0.73	0.24	0.11	33	0.21	0.051
L88E 2575N	Soil			2.26	38.45	8.36	90.3	122	21.2	10.9	394	3.20	15.4	0.4	6.0	1.9	23.2	0.61	0.43	0.10	43	0.25	0.030
L88E 2600N	Soil			2.00	34.59	8.71	123.0	145	19.4	11.0	369	2.79	14.1	0.4	5.1	2.0	26.6	1.39	0.41	0.09	38	0.29	0.031
L88E 2625N	Soil			2.37	25.19	7.80	64.0	141	15.7	7.7	304	2.97	14.1	0.3	2.2	1.4	23.4	0.50	0.38	0.09	49	0.22	0.044
L88E 2650N	Soil			2.35	33.88	7.67	79.4	140	18.3	8.4	395	2.93	14.8	0.4	3.9	1.5	25.2	0.46	0.42	0.09	40	0.37	0.057
L88E 2675N	Soil			4.04	116.9	19.28	128.9	1219	60.2	22.2	1021	4.75	25.8	3.4	11.8	2.2	44.3	0.48	0.43	0.27	58	0.70	0.083
L88E 2700N	Soil			1.76	31.90	6.58	103.3	237	18.5	10.7	370	3.15	10.8	0.4	2.5	1.6	22.6	0.45	0.30	0.08	51	0.28	0.094
L88E 2725N	Soil			7.09	170.8	14.94	144.9	1889	100.3	33.5	3085	5.89	37.6	8.3	9.7	2.9	48.2	1.33	0.62	0.25	65	0.78	0.084
L88E 2750N	Soil			1.91	53.13	7.41	75.8	378	26.3	12.5	620	2.73	12.4	0.9	2.8	1.4	27.8	0.38	0.23	0.10	42	0.37	0.025
L88E 2775N	Soil			2.35	45.96	7.20	86.7	240	23.4	13.0	460	2.84	15.4	0.6	6.1	1.5	29.7	0.52	0.35	0.10	44	0.36	0.033
L88E 2800N	Soil			1.87	38.16	6.35	60.8	183	24.1	15.7	686	2.75	14.3	0.5	3.5	1.7	29.4	0.32	0.28	0.08	41	0.39	0.027
L88E 2825N	Soil			2.16	44.59	6.43	79.5	222	24.7	11.9	371	2.89	13.4	0.5	24.4	1.9	24.6	0.26	0.29	0.08	48	0.28	0.027
L88E 2850N	Soil			1.74	34.55	6.36	101.8	113	19.0	9.4	313	2.58	11.3	0.5	10.8	1.7	23.9	0.24	0.24	0.09	44	0.30	0.035
L88E 2875N	Soil			1.93	69.09	6.48	67.7	67	29.5	11.6	527	3.23	20.9	0.8	12.7	2.3	35.9	0.13	0.36	0.09	45	0.50	0.061
L88E 2900N	Soil			1.76	34.31	5.80	79.1	101	20.2	10.6	442	2.79	11.8	0.4	15.4	1.6	29.2	0.31	0.27	0.07	45	0.35	0.034
L88E 2925N	Soil			1.93	38.70	6.01	87.5	86	21.8	11.2	437	2.87	12.5	0.5	2.4	1.6	30.6	0.32	0.32	0.07	49	0.35	0.029
L88E 2950N	Soil			1.96	49.33	7.40	150.8	334	27.4	13.7	606	2.79	12.3	0.7	3.5	1.2	35.5	0.49	0.26	0.10	47	0.44	0.036
L88E 2975N	Soil			2.42	62.60	7.85	104.6	184	33.4	27.7	704	3.32	16.7	0.7	2.8	1.2	32.5	0.32	0.33	0.09	49	0.39	0.045
L88E 3000N	Soil			2.62	92.07	8.93	98.7	503	39.4	23.9	762	3.51	24.9	1.3	2.3	1.5	42.6	0.60	0.46	0.11	50	0.62	0.038
L90E 2425N	Soil			1.42	14.69	5.62	57.6	151	8.7	7.0	214	1.54	6.1	0.3	2.2	1.6	21.8	0.32	0.20	0.09	37	0.25	0.029
L90E 2450N	Soil			2.23	36.40	6.68	77.4	229	19.1	10.0	396	2.89	13.8	0.4	3.3	1.9	24.9	0.33	0.37	0.09	46	0.23	0.048
L90E 2475N	Soil			1.74	35.64	5.70	78.9	222	19.3	10.7	412	2.96	11.2	0.4	1.5	1.6	27.9	0.37	0.31	0.07	48	0.31	0.072
L90E 2500N	Soil			2.98	52.95	8.10	74.4	120	25.9	9.4	341	3.33	22.1	0.5	4.5	2.0	24.7	0.56	0.65	0.08	41	0.26	0.048
L90E 2525N	Soil			2.03	20.81	7.45	97.9	278	15.0	7.5	257	3.23	11.9	0.4	2.7	1.7	25.4	0.50	0.29	0.10	56	0.32	0.127
L90E 2550N	Soil			1.09	22.03	5.77	51.6	502	7.9	8.1	1496	1.19	5.5	0.3	3.1	0.4	26.7	0.66	0.19	0.09	30	0.32	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 2 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
L88E 2425N	Soil	8.4	38.0	0.64	79.0	0.044	<1	1.29	0.003	0.05	0.1	2.3	0.04	<0.02	27	0.6	0.05	3.3
L88E 2450N	Soil	8.9	21.7	0.33	67.7	0.047	<1	1.07	0.003	0.04	0.1	1.7	0.05	<0.02	19	0.4	0.03	4.0
L88E 2475N	Soil	8.1	23.9	0.49	117.8	0.045	<1	1.31	0.003	0.06	0.1	2.1	0.05	<0.02	37	0.3	0.02	3.7
L88E 2500N	Soil	6.9	28.0	0.61	94.9	0.056	<1	1.67	0.003	0.05	0.1	2.5	0.04	<0.02	31	0.4	0.03	3.5
L88E 2525N	Soil	11.6	31.0	0.58	70.3	0.036	<1	1.28	0.003	0.05	0.1	2.3	0.03	<0.02	12	0.6	0.04	2.7
L88E 2550N	Soil	8.6	21.8	0.43	75.6	0.052	<1	1.10	0.003	0.05	<0.1	2.0	0.04	<0.02	16	0.5	<0.02	3.1
L88E 2575N	Soil	6.8	25.0	0.72	68.6	0.105	<1	1.68	0.003	0.06	0.1	2.7	0.04	<0.02	16	0.7	0.03	3.4
L88E 2600N	Soil	7.7	20.8	0.59	99.9	0.096	<1	1.24	0.003	0.07	0.1	2.6	0.03	<0.02	12	0.6	0.05	3.0
L88E 2625N	Soil	5.7	21.3	0.57	73.9	0.108	<1	1.37	0.003	0.06	0.1	2.2	0.03	<0.02	11	0.5	0.04	3.5
L88E 2650N	Soil	6.5	23.2	0.65	90.7	0.078	<1	1.36	0.004	0.07	0.1	2.5	0.03	<0.02	20	0.5	0.03	3.1
L88E 2675N	Soil	20.5	46.5	0.76	279.9	0.043	<1	3.38	0.008	0.16	0.1	7.9	0.12	0.04	122	1.6	0.11	6.1
L88E 2700N	Soil	5.6	29.0	0.62	112.3	0.074	<1	2.05	0.005	0.07	0.1	3.0	0.06	<0.02	27	0.4	0.03	4.3
L88E 2725N	Soil	28.7	51.3	0.85	331.8	0.051	1	4.03	0.008	0.16	0.1	11.6	0.15	0.03	160	1.7	0.09	6.3
L88E 2750N	Soil	10.4	29.8	0.72	108.9	0.084	<1	1.75	0.005	0.08	<0.1	3.5	0.05	<0.02	26	0.6	0.03	4.0
L88E 2775N	Soil	8.7	27.3	0.62	105.4	0.084	<1	1.56	0.004	0.08	<0.1	3.2	0.05	<0.02	14	0.6	0.05	3.5
L88E 2800N	Soil	8.1	27.8	0.75	78.6	0.132	<1	1.49	0.004	0.07	0.1	3.6	0.03	<0.02	20	0.5	0.03	3.3
L88E 2825N	Soil	8.1	26.2	0.65	106.7	0.100	<1	1.74	0.004	0.06	0.1	3.3	0.05	<0.02	14	0.6	<0.02	3.8
L88E 2850N	Soil	7.7	26.8	0.60	82.5	0.108	<1	1.55	0.004	0.07	0.1	2.9	0.04	<0.02	13	0.3	0.03	3.9
L88E 2875N	Soil	9.7	35.8	0.90	83.9	0.121	<1	1.75	0.006	0.08	0.1	4.8	0.03	<0.02	25	0.4	0.03	3.7
L88E 2900N	Soil	7.3	28.8	0.76	91.3	0.121	<1	1.59	0.004	0.07	0.1	3.2	0.04	<0.02	20	0.4	0.04	3.8
L88E 2925N	Soil	7.0	29.9	0.78	86.2	0.124	<1	1.72	0.004	0.07	<0.1	3.5	0.04	<0.02	12	0.4	0.06	4.1
L88E 2950N	Soil	9.0	31.3	0.68	118.2	0.094	<1	1.86	0.005	0.08	<0.1	3.6	0.07	<0.02	31	0.4	0.03	4.3
L88E 2975N	Soil	8.7	34.0	0.89	126.5	0.097	<1	2.12	0.005	0.09	<0.1	3.8	0.05	<0.02	22	0.7	0.03	4.1
L88E 3000N	Soil	11.9	37.6	0.84	125.7	0.101	1	2.07	0.006	0.10	0.1	5.1	0.06	0.02	33	0.7	0.06	4.2
L90E 2425N	Soil	7.5	16.3	0.25	69.2	0.083	<1	1.16	0.004	0.07	<0.1	2.4	0.05	<0.02	21	0.4	0.04	3.8
L90E 2450N	Soil	8.0	25.0	0.62	103.9	0.098	<1	1.56	0.004	0.07	0.1	3.0	0.04	<0.02	25	0.5	0.04	3.6
L90E 2475N	Soil	6.3	28.3	0.73	92.8	0.120	<1	1.82	0.004	0.07	0.1	3.3	0.05	<0.02	33	0.5	0.03	4.0
L90E 2500N	Soil	7.6	34.8	0.70	57.8	0.073	<1	1.70	0.004	0.07	0.1	3.0	0.04	<0.02	27	1.0	0.04	3.2
L90E 2525N	Soil	7.2	25.7	0.47	109.1	0.088	<1	1.63	0.004	0.06	0.1	2.8	0.05	<0.02	42	0.4	0.03	4.8
L90E 2550N	Soil	7.3	13.7	0.20	142.9	0.067	<1	0.91	0.005	0.06	<0.1	1.7	0.06	<0.02	37	0.3	<0.02	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 3 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method Analyte	Unit	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
L90E 2575N	Soil	2.45	32.73	6.90	78.2	431	21.1	8.8	328	2.86	16.5	0.4	10.3	1.8	22.6	0.35	0.56	0.09	44	0.27	0.114
L90E 2600N	Soil	2.26	47.52	8.40	111.1	380	23.9	13.8	820	2.65	20.2	0.4	3.2	1.1	56.6	0.66	0.53	0.09	40	0.96	0.125
L90E 2625N	Soil	4.16	64.29	8.00	101.7	202	38.4	13.0	410	3.12	35.8	0.5	24.5	2.6	13.3	0.41	1.18	0.11	38	0.20	0.053
L90E 2650N	Soil	2.01	40.79	6.09	86.3	548	22.4	12.7	529	2.94	15.2	0.5	4.7	1.4	28.7	0.27	0.37	0.08	47	0.34	0.071
L90E 2675N	Soil	1.81	37.51	6.12	103.0	558	21.2	11.9	414	2.65	10.7	0.5	1.5	1.8	27.5	0.35	0.24	0.10	47	0.31	0.047
L90E 2700N	Soil	2.21	34.57	6.63	92.5	247	23.5	14.7	643	2.78	12.1	0.5	3.9	1.5	36.0	0.34	0.26	0.09	47	0.50	0.027
L90E 2725N	Soil	3.82	99.01	10.08	141.7	946	45.6	17.5	1265	4.46	30.4	1.1	5.8	1.1	51.5	1.19	0.55	0.17	59	0.82	0.074
L90E 2750N	Soil	2.05	55.19	6.52	87.9	552	26.5	10.7	573	3.01	14.0	0.5	8.1	1.2	32.6	0.68	0.27	0.09	46	0.46	0.029
L90E 2775N	Soil	2.84	114.6	9.09	163.1	998	49.5	20.6	1514	4.16	26.2	1.1	6.2	2.2	53.6	1.65	0.55	0.15	58	0.67	0.103
L90E 2800N	Soil	2.64	59.22	6.05	106.4	493	28.3	12.8	704	3.37	19.1	0.6	5.5	0.8	44.1	0.84	0.52	0.10	45	0.70	0.050
L90E 2825N	Soil	2.33	37.80	7.05	82.3	174	20.7	13.8	399	3.01	18.5	0.4	2.1	1.0	27.6	0.64	0.41	0.10	45	0.44	0.028
L90E 2850N	Soil	2.36	61.85	7.75	117.1	741	34.1	14.9	753	3.71	20.4	0.6	20.4	1.3	49.3	0.83	0.56	0.11	51	0.77	0.033
L90E 2875N	Soil	3.79	100.8	13.16	243.9	1379	53.4	28.8	1654	4.64	34.5	0.9	5.6	1.9	68.3	2.84	0.81	0.21	55	1.22	0.064
L90E 2900N	Soil	4.20	567.5	12.80	191.2	9507	129.5	20.7	769	5.06	66.4	6.8	7.5	0.9	144.9	4.50	1.48	0.21	49	2.91	0.096
L90E 2925N	Soil	2.50	69.34	7.50	75.6	420	36.1	22.4	882	3.89	26.9	0.9	4.0	1.5	50.7	0.59	0.55	0.09	48	0.79	0.026
L90E 2950N	Soil	2.15	23.48	5.66	81.3	302	13.2	7.7	274	2.34	15.4	0.3	5.4	1.1	34.5	0.66	0.34	0.10	52	0.52	0.026
L90E 2975N	Soil	4.15	97.26	9.86	133.3	771	50.8	27.1	1325	4.06	32.4	1.1	7.1	1.1	56.8	1.08	0.58	0.14	56	0.86	0.043
L90E 3000N	Soil	3.05	63.98	7.72	110.2	469	36.3	17.1	541	3.87	26.6	1.0	3.5	1.4	58.1	0.70	0.52	0.11	55	0.78	0.041
L92E 1650N	Soil	4.36	83.00	23.22	98.8	557	52.3	18.6	592	5.14	81.8	0.6	28.2	2.9	18.2	0.52	0.83	0.24	40	0.22	0.055
L92E 1675N	Soil	3.17	66.90	14.76	83.2	339	44.3	17.3	896	3.91	32.7	0.7	15.6	2.5	22.2	0.43	0.49	0.13	42	0.33	0.055
L92E 1700N	Soil	2.55	55.35	13.14	87.8	721	41.3	13.8	803	3.46	25.8	0.8	5.9	1.9	25.9	0.39	0.43	0.12	42	0.37	0.040
L92E 1725N	Soil	2.77	55.40	13.36	77.5	324	41.3	14.9	700	3.61	29.3	0.8	20.4	2.4	19.0	0.28	0.43	0.11	42	0.25	0.038
L92E 1750N	Soil	2.06	31.78	8.63	89.0	282	30.8	11.7	430	3.10	21.1	0.3	7.1	1.8	13.8	0.27	0.31	0.09	36	0.18	0.037
L92E 1775N	Soil	2.26	31.90	8.17	69.5	224	30.7	8.8	265	2.95	20.9	0.3	58.8	2.3	12.1	0.18	0.35	0.10	34	0.14	0.036
L92E 1800N	Soil	2.90	38.01	8.65	84.8	185	37.6	9.3	332	3.36	23.4	0.3	14.2	2.2	12.1	0.25	0.44	0.11	37	0.12	0.045
L92E 1825N	Soil	2.90	39.25	7.73	82.0	183	32.7	8.8	318	3.42	24.0	0.3	7.1	2.0	12.4	0.23	0.44	0.10	41	0.14	0.039
L92E 1850N	Soil	3.12	33.28	9.12	74.2	92	27.6	10.3	474	2.83	22.5	0.4	13.8	2.4	14.7	0.21	0.44	0.10	33	0.18	0.038
L92E 1875N	Soil	2.78	35.60	9.52	75.5	167	28.7	14.9	745	3.05	20.0	0.5	14.9	1.9	18.2	0.27	0.42	0.09	40	0.29	0.035
L92E 1900N	Soil	1.78	25.01	8.04	110.1	222	23.7	9.2	295	2.71	15.9	0.4	5.4	1.3	19.3	0.31	0.29	0.10	36	0.30	0.033
L92E 1925N	Soil	2.70	38.54	7.76	84.1	320	26.5	11.3	597	2.93	16.7	0.6	6.8	1.3	44.5	0.39	0.34	0.09	35	0.78	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 3 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L90E 2575N	Soil	8.0	26.2	0.55	72.3	0.071	<1	1.53	0.004	0.07	0.1	3.0	0.05	<0.02	27	0.6	0.04	3.8
L90E 2600N	Soil	7.2	25.0	0.56	152.7	0.066	8	1.40	0.015	0.18	<0.1	3.0	0.03	0.03	27	0.8	0.03	3.4
L90E 2625N	Soil	10.8	30.6	0.46	74.7	0.052	1	1.33	0.005	0.06	0.2	3.3	0.05	<0.02	24	0.8	0.06	2.9
L90E 2650N	Soil	7.3	29.7	0.78	84.1	0.109	<1	1.76	0.004	0.09	0.1	3.3	0.05	<0.02	32	0.5	0.04	4.0
L90E 2675N	Soil	8.8	30.4	0.70	114.4	0.098	<1	1.82	0.004	0.08	0.1	3.4	0.07	<0.02	28	0.4	0.03	4.5
L90E 2700N	Soil	8.4	31.4	0.75	108.4	0.130	1	1.74	0.004	0.07	0.1	3.7	0.06	<0.02	22	0.3	0.03	4.2
L90E 2725N	Soil	10.7	43.7	0.86	189.4	0.046	2	2.61	0.006	0.13	0.1	5.8	0.07	0.02	53	1.1	0.09	5.5
L90E 2750N	Soil	7.8	30.8	0.75	115.5	0.074	<1	1.82	0.006	0.07	<0.1	3.6	0.05	<0.02	17	0.4	0.03	4.3
L90E 2775N	Soil	14.3	44.5	0.87	209.8	0.066	2	2.56	0.011	0.16	0.1	6.8	0.08	<0.02	43	1.4	0.09	5.8
L90E 2800N	Soil	7.8	30.6	0.74	118.0	0.046	<1	1.73	0.004	0.08	<0.1	3.9	0.04	0.03	29	1.0	0.06	3.9
L90E 2825N	Soil	5.8	24.4	0.51	69.6	0.092	<1	1.46	0.004	0.05	0.1	2.8	0.04	<0.02	20	0.5	0.04	3.5
L90E 2850N	Soil	8.3	33.5	0.82	101.7	0.077	1	2.05	0.007	0.09	0.1	4.5	0.06	0.02	30	1.0	0.04	4.1
L90E 2875N	Soil	12.4	32.7	0.57	159.1	0.038	2	2.17	0.010	0.10	0.1	4.7	0.09	0.05	48	1.9	0.08	4.7
L90E 2900N	Soil	36.2	75.5	0.54	175.4	0.029	3	3.05	0.009	0.15	0.2	7.5	0.08	0.13	145	5.3	0.12	5.4
L90E 2925N	Soil	10.9	34.9	0.89	86.9	0.085	<1	1.99	0.006	0.09	0.1	5.0	0.05	<0.02	42	1.1	0.06	3.8
L90E 2950N	Soil	6.4	19.0	0.42	80.2	0.068	<1	1.25	0.004	0.07	<0.1	2.2	0.04	<0.02	18	0.4	0.02	4.6
L90E 2975N	Soil	13.7	34.6	0.72	165.3	0.053	1	2.71	0.007	0.10	<0.1	4.8	0.08	0.03	53	1.4	0.09	5.2
L90E 3000N	Soil	9.8	34.7	0.79	111.1	0.082	1	2.34	0.006	0.09	0.1	4.6	0.05	0.02	45	1.1	0.07	4.7
L92E 1650N	Soil	11.3	35.6	0.54	80.0	0.026	<1	1.52	0.005	0.09	0.2	4.6	0.06	<0.02	27	2.1	0.13	3.4
L92E 1675N	Soil	11.8	48.2	0.77	82.9	0.026	<1	1.68	0.006	0.11	0.1	5.0	0.05	<0.02	23	0.8	0.07	3.8
L92E 1700N	Soil	13.1	43.4	0.68	107.8	0.023	<1	1.74	0.005	0.10	<0.1	4.4	0.06	<0.02	47	0.9	0.06	4.1
L92E 1725N	Soil	11.2	49.9	0.76	75.7	0.030	<1	1.65	0.004	0.10	<0.1	5.0	0.05	<0.02	24	0.8	0.05	3.7
L92E 1750N	Soil	8.9	32.7	0.58	65.2	0.018	<1	1.44	0.005	0.09	<0.1	2.6	0.04	<0.02	13	0.4	0.03	3.3
L92E 1775N	Soil	11.4	32.4	0.59	62.4	0.017	<1	1.35	0.007	0.07	<0.1	2.5	0.04	<0.02	11	0.5	0.03	3.2
L92E 1800N	Soil	9.9	36.2	0.68	66.4	0.024	<1	1.59	0.003	0.07	<0.1	2.8	0.04	<0.02	14	0.6	0.04	3.6
L92E 1825N	Soil	10.2	39.5	0.70	59.6	0.027	<1	1.63	0.006	0.08	<0.1	3.0	0.05	<0.02	13	0.6	0.06	3.5
L92E 1850N	Soil	11.8	32.4	0.58	58.2	0.035	1	1.18	0.008	0.08	<0.1	2.7	0.04	<0.02	6	0.8	0.05	3.0
L92E 1875N	Soil	10.1	33.0	0.71	76.6	0.030	<1	1.48	0.005	0.08	<0.1	3.7	0.05	<0.02	12	0.5	0.04	3.6
L92E 1900N	Soil	10.0	28.7	0.53	77.7	0.018	<1	1.33	0.006	0.08	<0.1	2.3	0.05	<0.02	16	0.6	0.04	3.5
L92E 1925N	Soil	9.0	26.5	0.63	95.7	0.025	1	1.45	0.005	0.10	<0.1	3.3	0.04	0.03	46	1.0	0.04	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 4 of 12 Part 1

# CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
L92E 1950N	Soil	5.44	82.96	4.83	64.8	1057	30.1	12.3	1407	5.14	58.1	1.9	4.7	0.2	158.5	1.07	0.61	0.06	26	3.18	0.143
L92E 1975N	Soil	6.38	60.60	18.86	122.1	431	44.2	23.9	409	4.75	53.3	0.5	61.8	1.7	30.3	0.89	0.64	0.26	59	0.52	0.050
L92E 2000N	Soil	3.30	39.32	8.39	101.0	112	31.8	8.1	335	2.92	25.7	0.3	14.3	2.9	9.4	0.28	0.46	0.12	32	0.10	0.034
L92E 2025N	Soil	2.27	21.57	6.69	106.5	398	22.7	6.5	270	2.66	15.0	0.3	10.1	1.6	13.6	0.42	0.33	0.10	36	0.16	0.092
L92E 2050N	Soil	2.40	21.59	8.10	121.4	306	25.3	8.1	309	2.67	17.9	0.3	12.1	2.5	19.7	0.48	0.37	0.12	31	0.27	0.045
L92E 2075N	Soil	4.27	38.53	11.21	94.5	314	35.8	14.7	1001	3.21	23.7	0.6	8.5	2.4	26.1	0.57	0.52	0.13	37	0.40	0.026
L92E 2100N	Soil	3.75	72.26	9.81	99.6	885	37.5	10.7	289	3.03	22.6	2.1	10.6	0.9	67.1	1.02	0.58	0.14	39	1.11	0.043
L92E 2125N	Soil	4.56	103.0	10.99	83.2	3873	53.7	12.5	413	3.49	27.5	2.6	11.2	0.8	104.4	0.92	0.88	0.16	45	1.78	0.068
L92E 2150N	Soil	5.17	67.58	10.98	81.1	1340	40.2	18.4	853	4.04	30.8	1.0	12.7	2.1	49.9	0.81	0.79	0.15	47	0.72	0.035
L92E 2175N	Soil	3.78	27.74	6.21	78.6	84	19.1	6.5	246	2.81	12.9	0.3	7.9	1.6	20.8	0.21	0.39	0.09	47	0.24	0.060
L92E 2200N	Soil	3.37	47.59	8.20	117.7	286	35.6	13.8	431	3.90	19.9	0.4	10.8	1.7	24.9	0.43	0.50	0.10	50	0.32	0.075
L92E 2225N	Soil	2.97	21.28	7.85	115.0	186	19.4	7.7	279	2.86	16.6	0.3	10.7	1.9	14.9	0.53	0.34	0.13	42	0.17	0.044
L92E 2250N	Soil	2.84	73.97	8.81	82.8	289	37.8	20.9	595	3.71	28.5	0.6	13.4	1.8	31.1	0.39	0.63	0.13	44	0.39	0.058
L92E 2275N	Soil	1.71	29.02	6.37	134.4	266	21.1	10.8	458	3.43	16.8	0.3	25.0	1.4	21.9	0.50	0.38	0.11	44	0.25	0.137
L92E 2300N	Soil	2.47	22.89	6.42	100.2	194	17.2	8.3	311	3.19	13.0	0.3	14.5	1.5	21.3	0.31	0.36	0.11	43	0.22	0.054
L92E 2325N	Soil	2.91	28.82	7.17	104.9	303	14.9	9.6	389	3.03	12.2	0.3	3.1	1.0	24.9	0.71	0.33	0.13	45	0.32	0.103
L92E 2350N	Soil	0.80	6.90	5.10	34.8	244	5.3	2.5	102	0.99	4.8	0.2	0.5	0.9	17.1	0.36	0.17	0.12	27	0.19	0.031
L92E 2375N	Soil	1.54	23.71	5.70	87.5	379	16.4	7.9	345	3.07	11.3	0.3	7.9	1.4	19.6	0.36	0.34	0.10	43	0.21	0.143
L92E 2400N	Soil	1.78	31.49	5.64	93.0	435	20.1	10.8	497	3.14	11.6	0.3	2.5	1.3	18.0	0.39	0.42	0.09	42	0.19	0.075
L96E 0500N	Soil	2.57	24.90	6.84	89.0	316	19.1	6.9	753	2.27	37.0	0.2	164.0	1.2	9.4	0.62	0.56	0.13	23	0.10	0.066
L96E 0525N	Soil	3.32	37.35	10.07	124.4	540	22.9	10.1	559	3.71	62.6	0.3	208.6	1.2	9.6	0.65	0.95	0.21	42	0.14	0.119
L96E 0550N	Soil	4.29	59.61	10.18	144.9	534	42.3	10.9	525	4.41	69.5	0.4	48.9	2.2	13.6	0.67	1.47	0.15	40	0.18	0.121
L96E 0575N	Soil	4.45	36.42	8.71	122.2	536	43.8	10.4	475	2.92	60.2	0.5	100.2	2.3	10.6	0.41	1.13	0.12	26	0.11	0.027
L96E 0600N	Soil	5.47	54.66	17.40	199.9	670	63.5	19.9	783	5.19	110.7	0.6	53.7	2.1	14.6	0.76	1.59	0.25	47	0.20	0.069
L96E 0625N	Soil	3.32	30.48	7.64	102.2	225	28.5	8.9	281	3.26	42.5	0.3	27.3	1.5	18.9	0.50	0.72	0.12	41	0.21	0.035
L96E 0650N	Soil	3.15	43.50	8.11	77.7	332	33.8	9.0	277	3.06	34.8	0.4	33.1	2.6	9.9	0.32	0.68	0.13	36	0.09	0.024
L96E 0675N	Soil	3.02	34.18	8.35	92.9	171	44.1	8.8	191	2.75	53.7	0.3	23.2	2.4	6.2	0.31	0.84	0.11	25	0.05	0.039
L96E 0700N	Soil	2.86	37.48	10.55	148.4	562	41.9	14.8	477	3.96	44.1	0.4	130.8	1.8	12.3	0.66	1.31	0.13	50	0.21	0.134
L96E 0725N	Soil	0.81	4.81	4.24	27.8	152	4.0	1.3	67	0.63	7.4	0.1	10.2	1.1	7.1	0.18	0.28	0.09	21	0.13	0.033
L96E 0750N	Soil	1.59	10.72	4.61	40.7	261	13.9	3.4	336	1.24	18.1	0.2	16.5	2.0	5.7	0.25	0.41	0.10	22	0.05	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 4 of 12 Part 2

# CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.02	0.02	5	0.1	0.02	0.1		
L92E 1950N	Soil			7.5	16.3	0.14	94.2	0.008	8	0.60	0.009	0.07	0.1	1.9	0.06	0.21	118	7.3	0.11	1.3
L92E 1975N	Soil			8.9	30.6	0.40	103.0	0.044	<1	1.87	0.006	0.06	0.2	3.2	0.08	0.03	31	2.9	0.18	5.6
L92E 2000N	Soil			11.9	29.5	0.54	62.2	0.027	<1	1.28	0.005	0.08	<0.1	2.6	0.04	<0.02	18	0.9	0.07	3.0
L92E 2025N	Soil			10.8	28.0	0.44	69.2	0.026	<1	1.35	0.006	0.08	0.1	2.3	0.06	<0.02	21	0.6	0.03	3.8
L92E 2050N	Soil			12.0	28.6	0.46	51.8	0.028	<1	1.13	0.005	0.08	<0.1	2.1	0.04	<0.02	12	0.7	0.04	3.2
L92E 2075N	Soil			10.4	32.6	0.60	76.3	0.043	1	1.47	0.005	0.11	0.1	4.1	0.06	<0.02	18	1.0	0.06	3.4
L92E 2100N	Soil			9.6	31.7	0.40	82.3	0.029	2	1.56	0.009	0.08	0.1	3.4	0.06	0.04	61	1.9	0.06	3.8
L92E 2125N	Soil			14.8	38.4	0.31	141.6	0.042	3	2.13	0.008	0.13	0.2	5.5	0.11	0.08	161	3.9	0.09	4.7
L92E 2150N	Soil			10.2	34.4	0.63	74.9	0.075	2	1.66	0.007	0.10	0.1	5.1	0.07	0.02	47	2.3	0.12	3.8
L92E 2175N	Soil			8.3	21.1	0.40	69.1	0.060	<1	1.37	0.004	0.06	<0.1	2.6	0.06	<0.02	12	0.5	0.07	4.3
L92E 2200N	Soil			7.1	31.6	0.73	96.6	0.079	<1	2.06	0.005	0.08	0.1	3.4	0.07	<0.02	20	0.8	0.07	4.3
L92E 2225N	Soil			8.9	22.4	0.34	73.3	0.052	<1	1.37	0.003	0.06	0.1	2.2	0.05	<0.02	17	0.6	0.04	4.2
L92E 2250N	Soil			8.3	43.2	0.94	88.8	0.081	2	1.84	0.005	0.07	0.2	4.1	0.05	<0.02	48	0.8	0.05	3.5
L92E 2275N	Soil			5.1	27.8	0.76	109.6	0.060	<1	1.78	0.004	0.07	0.1	2.6	0.04	<0.02	41	0.2	0.06	3.9
L92E 2300N	Soil			6.1	24.7	0.58	90.0	0.066	<1	1.65	0.004	0.05	0.1	2.4	0.05	<0.02	26	0.3	0.05	3.9
L92E 2325N	Soil			4.4	17.6	0.41	128.3	0.058	1	1.61	0.005	0.06	0.1	2.3	0.06	<0.02	44	0.3	0.05	4.3
L92E 2350N	Soil			5.6	9.3	0.15	53.0	0.089	<1	0.61	0.004	0.06	<0.1	1.4	0.03	<0.02	16	0.2	0.03	3.5
L92E 2375N	Soil			5.4	21.8	0.68	90.5	0.058	<1	1.65	0.004	0.05	0.1	2.4	0.05	<0.02	41	0.4	0.03	3.9
L92E 2400N	Soil			5.1	24.9	0.66	88.0	0.070	<1	1.66	0.004	0.07	<0.1	2.5	0.05	<0.02	27	0.3	0.04	3.7
L96E 0500N	Soil			8.8	12.2	0.13	87.2	0.015	1	0.59	0.004	0.05	0.2	1.8	0.05	<0.02	24	0.5	0.06	2.3
L96E 0525N	Soil			6.4	17.7	0.20	81.7	0.036	<1	0.96	0.003	0.04	0.2	2.9	0.06	<0.02	42	1.2	0.09	4.2
L96E 0550N	Soil			7.4	28.5	0.42	100.6	0.032	1	1.48	0.004	0.04	0.2	3.8	0.07	<0.02	50	1.2	0.08	3.0
L96E 0575N	Soil			9.9	22.8	0.31	82.2	0.017	1	0.94	0.003	0.05	0.2	3.1	0.07	<0.02	32	0.8	0.06	2.3
L96E 0600N	Soil			8.0	37.6	0.41	155.2	0.029	1	1.72	0.004	0.06	0.3	4.6	0.09	<0.02	52	1.8	0.14	3.7
L96E 0625N	Soil			7.0	26.8	0.43	70.0	0.037	1	1.36	0.003	0.03	0.1	2.4	0.04	<0.02	35	0.9	0.04	3.3
L96E 0650N	Soil			10.3	33.5	0.55	86.7	0.033	<1	1.26	0.004	0.04	<0.1	2.9	0.04	<0.02	23	0.8	0.07	3.0
L96E 0675N	Soil			10.5	25.7	0.25	74.7	0.014	<1	0.96	0.003	0.04	0.1	2.4	0.05	<0.02	18	0.9	0.06	2.2
L96E 0700N	Soil			5.8	33.7	0.53	120.3	0.041	<1	1.89	0.004	0.04	0.2	4.0	0.05	<0.02	50	0.8	0.04	4.0
L96E 0725N	Soil			6.8	7.6	0.07	22.3	0.032	1	0.47	0.003	0.02	<0.1	1.1	0.05	<0.02	12	<0.1	<0.02	3.2
L96E 0750N	Soil			11.1	15.7	0.11	70.9	0.016	<1	0.67	0.003	0.03	<0.1	1.4	0.07	<0.02	21	0.3	0.04	2.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 5 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L96E 0775N	Soil			3.45	37.87	8.93	89.2	382	42.8	9.4	304	2.85	51.0	0.4	24.1	2.6	16.5	0.33	0.76	0.13	28	0.17	0.081
L96E 0800N	Soil			3.11	35.77	8.51	98.1	555	27.4	8.5	455	2.94	31.4	0.4	48.0	1.3	14.8	0.57	0.70	0.13	35	0.17	0.078
L96E 0825N	Soil			1.98	13.18	6.80	93.2	323	18.4	6.8	411	2.22	17.3	0.2	4.5	2.0	11.0	0.49	0.40	0.13	30	0.10	0.063
L96E 0850N	Soil			2.82	36.02	8.73	70.3	349	30.0	9.3	341	2.46	30.0	0.4	21.7	2.6	9.2	0.35	0.65	0.13	26	0.09	0.053
L96E 0875N	Soil			2.45	52.40	9.56	75.1	115	47.9	8.8	524	2.28	35.6	0.5	38.8	3.3	8.8	0.23	0.65	0.14	24	0.08	0.034
L96E 0900N	Soil			1.90	28.46	5.78	72.6	229	35.0	5.7	260	1.76	20.7	0.3	21.4	2.5	8.0	0.18	0.36	0.12	23	0.08	0.027
L96E 1000N	Soil			2.16	22.86	8.20	80.4	608	27.5	8.8	787	1.67	21.6	0.3	85.6	0.9	13.7	0.72	0.37	0.12	21	0.19	0.057
L96E 1025N	Soil			4.45	74.69	12.93	113.9	3107	77.6	10.3	478	3.77	43.3	4.8	35.0	2.2	26.6	0.51	0.69	0.24	34	0.29	0.053
L96E 1050N	Soil			4.10	39.19	13.40	159.2	505	44.3	12.2	521	3.28	54.9	1.3	87.6	1.6	24.6	1.19	0.64	0.23	28	0.26	0.044
L96E 1075N	Soil			4.55	162.2	16.62	226.0	5054	111.5	12.9	657	4.30	43.1	8.6	23.1	0.7	133.8	3.69	1.02	0.36	34	2.02	0.172
L96E 1100N	Soil			5.55	106.6	16.46	190.8	2909	86.8	14.5	1643	4.09	47.2	4.1	27.3	1.2	77.2	3.80	0.83	0.36	35	1.16	0.117
L96E 1125N	Soil			7.93	92.70	6.73	82.2	1246	60.3	11.0	6937	1.50	22.6	15.7	8.1	0.2	179.4	4.51	1.16	0.10	12	4.28	0.111
L96E 1150N	Soil			3.28	92.89	18.72	131.4	1667	53.2	18.1	1041	2.75	30.3	2.4	14.6	1.0	61.1	1.98	0.55	0.23	29	1.25	0.076
L96E 1175N	Soil			3.70	71.85	15.20	152.5	703	48.3	17.5	1193	3.43	33.9	1.1	39.9	1.8	31.9	1.41	0.73	0.18	31	0.59	0.037
L96E 1200N	Soil			3.93	71.62	17.28	118.8	990	56.9	19.6	1024	3.94	48.0	0.7	208.1	1.9	34.7	1.14	0.86	0.21	34	0.65	0.062
L96E 1225N	Soil			5.47	85.20	19.07	116.2	568	59.6	19.1	732	4.17	63.0	0.8	97.2	3.7	26.0	0.78	1.08	0.21	34	0.38	0.075
L96E 1250N	Soil			5.11	85.24	18.59	131.3	452	70.8	23.7	1069	4.46	64.3	0.6	271.5	4.2	24.1	0.99	1.07	0.22	35	0.30	0.079
L96E 1275N	Soil			4.99	85.03	20.85	110.4	490	60.6	24.4	1146	4.49	59.6	0.8	22.0	3.8	25.8	0.68	0.94	0.24	37	0.35	0.081
L96E 1300N	Soil			4.10	51.25	13.14	94.8	207	38.9	16.8	585	3.63	33.7	0.5	13.5	3.0	14.9	0.49	0.58	0.15	36	0.20	0.039
L96E 1325N	Soil			3.60	48.72	13.36	84.2	211	37.3	15.5	507	3.26	40.4	0.5	20.9	3.2	12.1	0.37	0.60	0.15	30	0.14	0.023
L96E 1350N	Soil			3.69	55.80	18.91	137.5	963	54.6	19.8	2150	4.28	40.6	0.8	23.4	2.7	28.7	1.28	0.63	0.18	36	0.47	0.038
L96E 1375N	Soil			3.46	58.06	13.03	98.7	460	40.8	14.5	516	3.17	41.8	0.6	23.8	3.9	15.8	0.48	0.62	0.18	24	0.20	0.026
L96E 1400N	Soil			2.72	46.57	10.01	112.9	961	40.4	12.2	477	3.04	32.4	0.8	37.1	2.8	20.2	0.59	0.47	0.15	29	0.25	0.042
L96E 1425N	Soil			2.69	53.06	14.91	117.6	974	37.3	15.4	1048	3.32	32.9	1.3	5.8	1.8	46.7	1.02	0.42	0.20	37	0.84	0.059
L96E 1450N	Soil			4.89	73.07	19.97	100.0	553	47.5	22.4	850	4.21	64.2	0.9	43.2	3.3	20.9	0.65	0.85	0.24	35	0.31	0.047
L96E 1475N	Soil			4.19	60.02	19.05	115.8	953	46.3	18.7	1051	4.29	53.2	0.7	17.5	3.1	23.8	0.89	0.69	0.22	36	0.35	0.054
L96E 1500N	Soil			3.27	61.75	16.68	109.5	653	45.2	18.5	955	3.64	46.5	0.8	13.0	3.2	29.3	0.89	0.68	0.19	34	0.48	0.064
L96E 1525N	Soil			3.75	81.84	20.78	96.0	758	43.8	21.3	906	3.97	53.8	0.8	11.5	2.9	31.7	0.67	0.63	0.18	43	0.55	0.067
L96E 1550N	Soil			3.51	58.37	15.85	118.8	1069	49.8	18.1	817	4.02	38.0	0.6	10.1	2.9	25.4	0.87	0.66	0.18	40	0.38	0.042
L96E 1575N	Soil			4.19	52.81	16.38	111.2	533	48.1	18.1	788	3.93	47.7	0.6	24.4	3.1	17.5	0.76	0.59	0.19	35	0.25	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 5 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	
L96E 0775N	Soil	11.1	26.5	0.27	123.2	0.013	<1	1.06	0.004	0.05	0.1	2.7	0.06	<0.02	29	0.9	0.05	2.6
L96E 0800N	Soil	9.6	26.9	0.42	90.8	0.025	1	1.22	0.004	0.05	0.1	2.3	0.05	<0.02	49	0.7	0.05	2.9
L96E 0825N	Soil	9.8	21.1	0.22	81.4	0.025	2	0.79	0.003	0.07	0.1	1.6	0.05	<0.02	20	0.3	0.04	2.9
L96E 0850N	Soil	11.8	23.0	0.33	55.1	0.020	<1	0.83	0.003	0.06	0.1	2.4	0.04	<0.02	25	0.9	0.03	2.3
L96E 0875N	Soil	14.3	31.7	0.36	90.4	0.020	<1	0.95	0.004	0.07	<0.1	4.1	0.06	<0.02	30	0.6	0.05	2.3
L96E 0900N	Soil	13.7	28.7	0.37	81.2	0.018	<1	1.01	0.004	0.06	0.1	2.2	0.06	<0.02	28	0.6	0.04	2.4
L96E 1000N	Soil	9.6	23.1	0.23	109.6	0.012	1	0.83	0.003	0.07	0.1	1.6	0.06	0.02	34	0.6	0.02	2.3
L96E 1025N	Soil	15.4	40.9	0.46	192.9	0.019	<1	1.85	0.007	0.12	0.2	7.4	0.11	<0.02	123	1.2	0.09	3.6
L96E 1050N	Soil	10.8	30.2	0.36	106.7	0.015	<1	1.11	0.004	0.07	0.1	3.1	0.07	<0.02	28	1.4	0.08	2.8
L96E 1075N	Soil	14.0	41.5	0.40	260.1	0.019	5	2.07	0.010	0.16	0.2	5.9	0.12	0.13	197	4.4	0.11	4.3
L96E 1100N	Soil	12.1	38.5	0.42	210.4	0.015	6	1.96	0.009	0.14	0.2	5.7	0.12	0.07	134	2.9	0.08	4.3
L96E 1125N	Soil	4.8	15.0	0.20	261.1	0.007	5	0.61	0.006	0.05	<0.1	1.2	0.09	0.17	146	6.4	0.08	1.4
L96E 1150N	Soil	10.1	36.6	0.43	144.1	0.015	2	1.40	0.006	0.09	0.1	3.9	0.10	0.06	106	1.8	0.08	3.1
L96E 1175N	Soil	10.6	32.1	0.44	89.0	0.029	1	1.31	0.005	0.07	0.1	3.9	0.07	0.02	47	1.4	0.08	2.9
L96E 1200N	Soil	10.4	33.1	0.43	105.2	0.021	2	1.37	0.005	0.12	0.1	4.5	0.09	0.03	66	2.1	0.10	3.1
L96E 1225N	Soil	12.4	33.1	0.51	105.1	0.023	10	1.24	0.006	0.10	0.2	5.2	0.09	<0.02	57	1.6	0.10	2.8
L96E 1250N	Soil	11.9	33.6	0.53	88.9	0.031	1	1.22	0.006	0.11	0.1	4.8	0.09	<0.02	22	1.5	0.09	2.9
L96E 1275N	Soil	12.0	37.4	0.59	87.7	0.023	<1	1.29	0.005	0.10	0.2	4.9	0.09	<0.02	33	1.3	0.10	3.0
L96E 1300N	Soil	10.0	37.4	0.66	73.4	0.037	1	1.32	0.004	0.08	<0.1	3.6	0.05	<0.02	22	1.1	0.08	2.8
L96E 1325N	Soil	10.8	30.2	0.51	66.2	0.022	<1	1.11	0.003	0.06	<0.1	3.4	0.06	<0.02	18	1.0	0.07	2.3
L96E 1350N	Soil	9.7	42.4	0.65	124.3	0.021	2	1.57	0.005	0.08	0.1	5.4	0.08	<0.02	41	1.6	0.07	3.2
L96E 1375N	Soil	12.5	22.2	0.40	76.7	0.015	1	1.14	0.003	0.08	0.1	3.7	0.07	<0.02	40	1.4	0.07	2.2
L96E 1400N	Soil	13.0	26.0	0.41	96.7	0.015	1	1.40	0.004	0.08	0.1	3.0	0.06	<0.02	28	1.1	0.04	2.7
L96E 1425N	Soil	13.8	30.7	0.32	152.7	0.015	2	1.49	0.006	0.09	0.1	3.6	0.07	<0.02	57	1.1	0.07	3.5
L96E 1450N	Soil	11.3	33.6	0.54	93.9	0.023	1	1.28	0.004	0.09	0.1	4.6	0.07	<0.02	37	1.6	0.12	2.9
L96E 1475N	Soil	10.3	34.7	0.56	97.3	0.021	1	1.38	0.004	0.08	0.1	4.2	0.07	<0.02	32	1.3	0.09	3.1
L96E 1500N	Soil	12.7	34.8	0.54	104.2	0.020	1	1.35	0.005	0.10	0.2	4.2	0.07	<0.02	32	1.4	0.07	3.2
L96E 1525N	Soil	13.5	44.7	0.71	107.2	0.024	<1	1.70	0.005	0.10	0.1	5.4	0.06	<0.02	38	1.0	0.07	3.9
L96E 1550N	Soil	11.3	41.6	0.60	113.6	0.025	2	1.70	0.005	0.10	<0.1	4.7	0.08	<0.02	40	1.0	0.07	3.5
L96E 1575N	Soil	11.0	35.7	0.58	97.2	0.024	<1	1.41	0.004	0.09	0.1	4.3	0.08	<0.02	26	1.2	0.03	3.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 6 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L96E 1600N	Soil			4.00	73.24	16.90	109.0	881	54.8	16.0	556	4.33	50.6	0.8	20.9	2.7	22.0	0.56	0.71	0.22	38	0.34	0.042
L96E 1625N	Soil			3.74	61.47	17.05	113.6	1132	50.1	16.7	955	3.71	36.8	0.8	27.3	2.6	25.6	0.89	0.68	0.19	36	0.42	0.047
L96E 1650N	Soil			3.31	59.91	16.18	106.7	725	45.1	14.9	789	3.50	38.4	0.9	33.1	2.8	22.0	0.57	0.57	0.19	35	0.31	0.044
L96E 1675N	Soil			3.88	41.67	13.50	98.3	138	34.2	12.5	294	3.52	37.3	0.4	17.3	2.9	11.3	0.43	0.50	0.18	37	0.12	0.050
L96E 1700N	Soil			2.30	26.60	8.57	86.6	202	21.4	9.7	386	2.40	17.0	0.3	24.5	2.2	12.7	0.33	0.31	0.11	32	0.14	0.038
L96E 1725N	Soil			3.02	34.44	8.36	104.5	406	27.9	8.0	264	2.78	25.9	0.4	34.5	3.2	10.0	0.28	0.46	0.14	29	0.10	0.056
L96E 1750N	Soil			3.16	40.35	7.85	93.8	301	30.5	10.3	432	3.05	25.1	0.4	29.6	2.3	13.9	0.29	0.41	0.12	34	0.16	0.072
L96E 1775N	Soil			3.76	46.79	10.06	96.0	365	35.3	11.7	353	3.32	30.8	0.4	11.9	2.4	13.3	0.33	0.57	0.15	34	0.14	0.053
L96E 1800N	Soil			2.63	47.59	9.03	119.1	354	31.4	12.3	357	2.84	18.7	0.4	14.0	1.6	19.2	0.43	0.44	0.12	34	0.27	0.058
L96E 1825N	Soil			3.43	61.35	8.65	103.2	157	37.1	11.6	392	3.09	22.2	0.5	40.4	2.9	14.3	0.29	0.47	0.12	35	0.18	0.026
L96E 1850N	Soil			2.91	27.13	9.03	80.6	258	17.2	8.8	679	2.33	16.6	0.3	15.1	1.3	20.6	0.55	0.37	0.13	32	0.31	0.057
L96E 1875N	Soil			2.33	37.66	6.40	91.8	156	21.1	10.2	453	3.44	17.1	0.3	5.3	1.4	21.0	0.38	0.38	0.09	47	0.21	0.080
L96E 1900N	Soil			5.63	100.0	9.97	134.2	213	39.9	25.7	843	4.77	30.7	0.7	12.3	2.5	25.5	0.47	0.71	0.13	47	0.29	0.079
L96E 1925N	Soil			3.97	176.3	9.40	252.5	424	54.8	48.3	930	7.31	45.3	0.5	2.1	2.7	31.3	0.47	0.80	0.20	60	0.28	0.173
L96E 1950N	Soil			3.31	53.92	10.27	165.8	93	39.1	15.4	438	3.37	23.9	0.4	19.9	2.5	15.3	0.41	0.57	0.14	40	0.16	0.073
L96E 1975N	Soil			2.15	26.29	5.95	127.2	145	19.5	9.0	369	2.98	14.6	0.3	63.6	1.9	19.1	0.22	0.33	0.10	42	0.23	0.067
L96E 2000N	Soil			2.27	24.69	6.93	138.3	126	19.5	10.3	384	2.74	12.4	0.3	3.4	1.9	18.9	0.30	0.31	0.12	48	0.23	0.058
L96E 2025N	Soil			2.81	26.81	8.84	101.5	116	16.2	7.6	289	2.42	16.7	0.3	13.4	2.1	18.6	0.29	0.47	0.17	43	0.18	0.070
L96E 2050N	Soil			2.95	75.64	7.54	96.9	221	44.8	19.8	516	3.92	29.1	0.4	6.9	2.2	22.3	0.29	0.51	0.10	52	0.23	0.044
L96E 2075N	Soil			2.04	43.98	6.87	155.0	389	31.4	15.7	713	3.92	20.4	0.3	7.6	1.9	19.5	0.40	0.36	0.10	55	0.26	0.123
L96E 2100N	Soil			1.32	15.99	5.34	127.7	224	19.4	10.3	382	2.75	11.7	0.2	1.9	1.6	18.6	0.31	0.27	0.09	47	0.22	0.110
L96E 2125N	Soil			2.33	45.59	6.47	106.2	182	41.3	20.1	501	3.74	26.4	0.4	3.5	1.6	23.9	0.33	0.47	0.08	52	0.29	0.040
L96E 2150N	Soil			1.92	30.22	7.12	154.6	512	23.7	11.8	429	2.58	13.7	0.3	1.8	1.3	31.2	0.52	0.36	0.12	43	0.40	0.042
L96E 2175N	Soil			1.36	15.31	5.44	97.4	226	8.7	6.3	320	2.07	12.6	0.2	1.8	1.1	17.0	0.51	0.32	0.12	39	0.20	0.084
L96E 2200N	Soil			2.89	39.31	7.08	181.9	673	25.3	14.6	366	3.89	23.3	0.3	8.5	1.6	13.9	0.67	0.62	0.16	50	0.16	0.133
L96E 2225N	Soil			2.11	40.78	6.22	132.1	235	31.2	16.9	433	3.10	21.5	0.5	5.8	1.3	19.5	0.41	0.51	0.10	37	0.26	0.077
L96E 2250N	Soil			3.51	66.92	7.85	81.5	413	37.9	21.1	750	3.92	31.7	0.7	5.9	2.2	30.7	0.37	0.75	0.11	50	0.43	0.033
L96E 2275N	Soil			2.33	45.51	6.88	114.0	181	26.2	15.0	429	3.20	22.7	0.4	3.6	1.3	21.5	0.35	0.57	0.09	40	0.27	0.064
L96E 2300N	Soil			1.19	9.53	3.94	30.1	95	5.5	3.0	122	0.99	5.8	0.2	2.6	0.7	12.3	0.16	0.26	0.10	26	0.15	0.022
L96E 2325N	Soil			3.12	31.18	7.76	129.3	408	23.3	11.1	329	3.58	23.3	0.4	7.1	1.8	15.2	0.35	0.62	0.14	46	0.17	0.113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 6 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.01	0.02	5	0.1	0.02	0.1	
L96E 1600N	Soil	11.2	40.6	0.55	107.1	0.022	1	1.57	0.005	0.10	0.1	5.1	0.08	<0.02	32	1.3	0.08	3.5
L96E 1625N	Soil	11.7	37.8	0.55	122.9	0.019	2	1.54	0.005	0.11	0.1	5.0	0.08	<0.02	53	1.6	0.07	3.3
L96E 1650N	Soil	16.0	33.3	0.52	108.1	0.025	1	1.45	0.005	0.09	0.1	4.6	0.07	<0.02	44	1.4	0.07	3.2
L96E 1675N	Soil	10.9	30.1	0.54	61.4	0.031	<1	1.49	0.003	0.06	0.1	2.3	0.05	<0.02	11	1.2	0.06	3.3
L96E 1700N	Soil	11.3	23.6	0.45	83.2	0.030	<1	1.09	0.003	0.07	<0.1	2.0	0.04	<0.02	21	0.5	0.06	2.9
L96E 1725N	Soil	12.8	23.7	0.46	91.1	0.024	<1	1.17	0.003	0.06	<0.1	2.1	0.05	<0.02	25	0.9	0.07	2.9
L96E 1750N	Soil	10.6	27.8	0.61	86.1	0.031	<1	1.38	0.003	0.07	0.1	2.2	0.04	<0.02	15	0.7	0.08	3.1
L96E 1775N	Soil	11.3	25.9	0.57	90.3	0.032	1	1.47	0.004	0.06	0.1	2.4	0.06	<0.02	17	1.2	0.08	3.0
L96E 1800N	Soil	9.4	24.3	0.50	88.8	0.031	1	1.34	0.004	0.06	0.1	2.3	0.06	<0.02	23	0.8	0.05	3.3
L96E 1825N	Soil	11.4	24.8	0.60	69.1	0.063	<1	1.48	0.004	0.06	<0.1	2.8	0.05	<0.02	13	1.3	0.06	3.0
L96E 1850N	Soil	8.1	17.2	0.38	118.0	0.046	<1	1.04	0.003	0.08	0.1	1.9	0.05	0.02	45	0.7	0.03	3.3
L96E 1875N	Soil	6.0	25.1	0.73	108.1	0.075	<1	1.67	0.004	0.07	0.1	2.6	0.04	<0.02	16	0.6	0.04	3.8
L96E 1900N	Soil	8.6	26.8	0.83	106.7	0.099	<1	1.98	0.004	0.10	0.1	4.5	0.05	0.02	31	1.3	0.10	4.1
L96E 1925N	Soil	7.7	30.3	1.15	149.0	0.092	1	3.14	0.005	0.09	0.2	4.9	0.07	<0.02	53	1.3	0.12	5.9
L96E 1950N	Soil	9.3	28.2	0.70	137.1	0.051	1	1.82	0.003	0.07	0.1	2.9	0.06	<0.02	15	0.7	0.07	3.6
L96E 1975N	Soil	7.9	23.8	0.63	108.9	0.055	1	1.66	0.004	0.06	0.1	2.4	0.04	<0.02	12	0.5	<0.02	4.1
L96E 2000N	Soil	8.2	25.9	0.55	169.1	0.066	<1	1.90	0.003	0.06	0.1	2.5	0.08	<0.02	24	0.3	0.03	4.9
L96E 2025N	Soil	9.6	19.9	0.37	92.6	0.086	<1	1.15	0.004	0.06	0.1	2.2	0.06	<0.02	14	0.6	0.03	4.5
L96E 2050N	Soil	6.9	46.1	1.08	111.3	0.123	<1	2.38	0.004	0.07	0.1	3.6	0.05	<0.02	25	0.7	0.03	4.0
L96E 2075N	Soil	6.1	39.6	0.86	149.8	0.063	1	2.54	0.007	0.08	0.1	3.0	0.05	<0.02	35	0.4	0.05	4.7
L96E 2100N	Soil	6.5	29.3	0.63	115.3	0.080	<1	1.63	0.004	0.07	0.1	2.4	0.05	<0.02	16	0.3	0.04	4.7
L96E 2125N	Soil	6.3	41.3	0.99	113.3	0.096	<1	2.25	0.004	0.07	0.1	3.2	0.04	<0.02	15	0.6	0.05	4.3
L96E 2150N	Soil	6.5	26.8	0.56	86.3	0.056	<1	1.63	0.004	0.07	<0.1	2.7	0.06	<0.02	35	0.4	0.05	4.2
L96E 2175N	Soil	5.7	15.5	0.28	70.5	0.072	<1	1.04	0.003	0.07	<0.1	1.9	0.05	<0.02	21	0.5	<0.02	4.4
L96E 2200N	Soil	6.3	25.8	0.57	100.2	0.052	1	1.95	0.003	0.06	0.2	2.3	0.06	<0.02	43	0.8	0.08	4.5
L96E 2225N	Soil	5.6	25.7	0.63	87.6	0.032	1	1.78	0.003	0.07	<0.1	2.1	0.05	<0.02	29	0.7	0.06	3.4
L96E 2250N	Soil	8.3	33.2	0.97	73.3	0.097	<1	2.00	0.004	0.07	0.1	4.2	0.05	<0.02	32	0.9	0.06	3.5
L96E 2275N	Soil	5.3	32.2	0.73	77.6	0.024	<1	1.63	0.003	0.06	<0.1	2.2	0.05	<0.02	22	0.5	0.04	3.6
L96E 2300N	Soil	4.4	9.1	0.14	31.3	0.068	<1	0.63	0.002	0.05	<0.1	1.2	0.06	<0.02	9	0.2	<0.02	3.4
L96E 2325N	Soil	6.6	26.3	0.54	106.5	0.042	<1	1.68	0.003	0.06	0.1	2.4	0.06	<0.02	35	0.9	0.06	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 7 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L96E 2350N	Soil			2.69	35.91	5.73	112.0	430	27.7	10.7	523	3.42	19.2	0.4	3.7	1.6	12.4	0.28	0.50	0.09	40	0.14	0.091
L96E 2375N	Soil			3.65	34.71	6.49	115.5	466	26.4	11.1	385	3.74	26.1	0.4	4.2	1.8	10.6	0.36	0.59	0.11	44	0.10	0.078
L96E 2400N	Soil			3.36	43.86	7.05	152.9	510	30.0	12.6	506	3.69	29.7	0.4	2.9	1.7	13.0	0.42	0.61	0.11	44	0.13	0.072
L97E 025S	Soil			1.40	26.87	5.00	66.1	364	26.1	5.4	340	1.70	13.5	0.3	79.3	1.5	6.5	0.18	0.28	0.12	24	0.06	0.022
L97E 050S	Soil			1.96	36.68	5.39	59.7	121	27.8	6.1	317	2.29	23.7	0.2	31.8	2.1	6.2	0.22	0.43	0.10	34	0.07	0.032
L97E 075S	Soil			2.23	38.61	6.87	88.2	249	31.2	7.5	435	2.36	29.3	0.3	55.5	2.1	6.7	0.24	0.44	0.13	26	0.07	0.032
L97E 100S	Soil			1.90	39.57	7.13	103.3	356	30.8	6.9	563	2.46	26.8	0.3	24.7	2.0	6.3	0.35	0.42	0.15	25	0.06	0.052
L97E 125S	Soil			2.64	53.49	8.70	85.7	491	38.9	9.4	595	2.98	37.5	0.4	42.2	2.2	8.5	0.29	0.73	0.16	28	0.09	0.058
L97E 150S	Soil			3.05	36.99	9.17	87.5	546	39.8	9.4	2206	2.72	27.9	0.5	196.6	2.6	10.9	0.45	0.60	0.17	27	0.11	0.036
L97E 175S	Soil			1.49	31.85	8.10	77.7	730	21.3	6.3	630	2.07	32.2	0.2	30.8	1.4	23.2	0.33	0.43	0.16	20	0.25	0.059
L97E 200S	Soil			2.14	43.23	8.19	141.3	380	33.5	8.1	1049	2.67	40.1	0.2	22.1	1.4	5.9	0.51	0.54	0.14	26	0.06	0.056
L97E 225S	Soil			3.65	52.23	9.30	85.0	181	37.9	10.3	426	2.97	37.1	0.4	27.8	3.0	7.3	0.34	0.92	0.13	29	0.07	0.039
L97E 250S	Soil			1.65	12.91	5.41	38.7	193	11.8	3.5	212	1.47	15.9	0.1	11.9	1.3	4.7	0.17	0.32	0.12	23	0.04	0.024
L97E 275S	Soil			1.28	19.61	4.28	58.1	219	14.5	4.7	337	1.53	14.4	0.2	7.3	1.5	5.2	0.19	0.23	0.10	22	0.04	0.033
L97E 300S	Soil			1.28	20.67	4.63	50.6	95	14.9	4.3	262	1.41	16.0	0.1	13.4	1.6	4.1	0.12	0.28	0.10	20	0.03	0.036
L97E 325S	Soil			2.21	49.09	10.14	77.1	202	36.4	9.7	1141	2.38	31.4	0.4	22.2	1.4	13.9	0.38	0.62	0.14	25	0.20	0.047
L97E 350S	Soil			2.18	54.47	9.18	72.7	187	38.7	8.3	552	2.89	43.5	0.3	20.2	1.3	9.4	0.30	0.70	0.15	26	0.10	0.034
L97E 375S	Soil			2.28	37.89	7.55	79.4	524	31.2	9.3	442	3.00	34.9	0.3	9.4	1.7	14.2	0.33	0.58	0.14	29	0.14	0.040
L97E 400S	Soil			1.97	43.20	9.08	100.9	303	28.1	8.5	377	3.05	50.8	0.2	15.2	1.6	8.6	0.28	0.65	0.19	25	0.11	0.095
L97E 425S	Soil			1.85	36.67	6.23	67.5	271	24.6	6.3	287	2.32	34.9	0.2	30.6	2.0	5.7	0.14	0.60	0.13	24	0.07	0.041
L97E 450S	Soil			1.06	29.02	6.39	52.0	208	18.9	4.9	352	1.34	19.0	0.2	49.2	1.2	5.5	0.10	0.31	0.12	16	0.05	0.025
L97E 475S	Soil			1.53	31.92	6.63	68.5	354	20.9	5.4	476	1.90	27.0	0.3	29.2	1.2	10.5	0.17	0.40	0.15	24	0.12	0.031
L97E 500S	Soil			1.30	29.02	6.67	77.3	463	22.0	6.6	1063	1.65	18.9	0.2	42.9	0.7	11.7	0.35	0.38	0.15	21	0.14	0.051
L98E 025S	Soil			3.12	41.04	8.75	108.9	500	35.3	11.8	513	2.96	36.2	0.4	31.4	1.9	10.8	0.61	0.82	0.12	32	0.11	0.058
L98E 050S	Soil			3.68	44.88	8.11	91.8	263	37.1	11.3	327	3.10	38.7	0.4	43.7	2.1	10.0	0.43	0.93	0.11	33	0.10	0.043
L98E 075S	Soil			2.75	41.65	7.74	83.6	376	33.6	8.3	331	2.57	34.9	0.3	30.5	2.2	8.2	0.50	0.73	0.11	27	0.08	0.045
L98E 100S	Soil			2.20	55.56	7.69	101.1	417	39.7	7.4	349	2.59	32.1	0.3	119.0	2.3	5.5	0.24	0.47	0.13	27	0.05	0.055
L98E 125S	Soil			2.15	24.81	6.35	65.5	267	20.9	6.0	340	2.20	27.5	0.2	32.7	1.3	7.1	0.27	0.49	0.12	26	0.08	0.057
L98E 150S	Soil			1.46	31.79	7.01	72.6	662	18.0	5.4	495	1.86	23.8	0.2	32.3	1.1	9.8	0.59	0.35	0.15	21	0.11	0.055
L98E 175S	Soil			0.62	8.84	4.23	57.7	104	9.4	3.7	443	1.02	8.1	0.1	13.6	1.7	4.9	0.14	0.11	0.11	17	0.04	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 7 of 12 Part 2

# CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.02	5	0.1	0.02	0.1		
L96E 2350N	Soil			5.7	29.8	0.78	87.0	0.037	<1	1.93	0.002	0.06	<0.1	2.3	0.04	<0.02	49	0.4	0.04	3.7
L96E 2375N	Soil			6.4	27.3	0.70	118.5	0.030	<1	1.97	0.002	0.06	0.1	2.4	0.06	<0.02	42	0.7	0.04	4.2
L96E 2400N	Soil			7.2	30.1	0.77	111.0	0.033	1	2.01	0.003	0.06	<0.1	2.7	0.06	<0.02	50	0.7	0.06	4.5
L97E 025S	Soil			10.8	21.5	0.35	86.2	0.013	1	1.03	0.004	0.06	0.1	1.8	0.05	<0.02	25	0.3	0.05	2.6
L97E 050S	Soil			10.8	30.8	0.53	64.2	0.020	<1	1.05	0.004	0.05	0.1	2.9	0.04	<0.02	19	0.6	0.03	2.7
L97E 075S	Soil			12.5	21.2	0.33	102.8	0.010	<1	1.00	0.004	0.06	0.1	2.4	0.05	<0.02	29	0.8	0.06	2.7
L97E 100S	Soil			11.4	20.9	0.27	113.8	0.009	<1	1.00	0.004	0.06	0.1	2.5	0.05	<0.02	35	0.7	0.07	2.6
L97E 125S	Soil			11.9	24.0	0.37	88.2	0.015	1	1.11	0.004	0.07	0.1	2.9	0.05	<0.02	35	1.0	0.07	2.6
L97E 150S	Soil			14.1	25.5	0.38	96.5	0.016	<1	1.10	0.004	0.07	0.1	2.8	0.06	<0.02	28	0.9	0.07	3.1
L97E 175S	Soil			11.1	12.6	0.16	68.3	0.008	<1	0.58	0.003	0.06	0.1	1.6	0.05	<0.02	32	0.6	0.07	2.3
L97E 200S	Soil			10.5	18.7	0.25	145.7	0.009	<1	0.89	0.003	0.05	0.1	2.1	0.05	<0.02	29	0.7	0.07	2.5
L97E 225S	Soil			12.0	27.6	0.43	67.1	0.023	<1	1.13	0.004	0.06	0.1	3.0	0.05	<0.02	18	1.2	0.07	2.7
L97E 250S	Soil			10.6	11.3	0.11	48.0	0.012	<1	0.55	0.004	0.04	0.1	1.2	0.04	<0.02	18	0.3	0.05	2.7
L97E 275S	Soil			10.7	14.9	0.21	84.1	0.009	<1	0.76	0.003	0.05	0.1	1.5	0.04	<0.02	20	0.3	0.04	2.4
L97E 300S	Soil			11.4	11.7	0.16	78.0	0.008	<1	0.74	0.003	0.04	0.1	1.5	0.05	<0.02	12	0.3	0.04	2.5
L97E 325S	Soil			11.3	20.1	0.35	121.8	0.012	1	1.00	0.004	0.08	0.1	3.1	0.05	<0.02	39	0.9	0.06	2.5
L97E 350S	Soil			10.6	19.3	0.32	82.0	0.010	<1	0.95	0.003	0.06	0.1	2.3	0.03	<0.02	27	0.9	0.07	2.1
L97E 375S	Soil			10.2	21.9	0.30	67.5	0.014	<1	0.98	0.003	0.05	0.1	2.4	0.04	<0.02	22	0.7	0.08	2.7
L97E 400S	Soil			10.0	13.8	0.20	99.9	0.011	1	0.77	0.003	0.05	0.1	2.4	0.03	<0.02	30	0.7	0.09	2.4
L97E 425S	Soil			11.1	16.4	0.27	77.0	0.010	<1	0.83	0.003	0.05	<0.1	2.2	0.03	<0.02	19	0.6	0.06	2.4
L97E 450S	Soil			10.8	12.4	0.24	98.4	0.005	<1	0.72	0.004	0.05	0.1	1.5	0.04	<0.02	19	0.3	0.05	1.9
L97E 475S	Soil			12.1	14.9	0.20	128.2	0.010	<1	0.84	0.004	0.06	0.2	2.3	0.05	<0.02	24	0.5	0.05	2.6
L97E 500S	Soil			10.9	13.8	0.18	173.4	0.010	1	0.84	0.006	0.07	0.1	1.9	0.05	<0.02	40	0.4	0.05	2.7
L98E 025S	Soil			9.9	27.9	0.50	74.6	0.028	<1	1.09	0.003	0.06	0.1	2.5	0.05	<0.02	18	0.9	0.06	2.8
L98E 050S	Soil			9.8	27.3	0.44	82.6	0.021	<1	1.21	0.004	0.04	0.1	2.7	0.05	<0.02	22	1.2	0.06	2.7
L98E 075S	Soil			10.2	21.1	0.30	72.8	0.015	<1	0.91	0.003	0.05	0.2	2.4	0.05	<0.02	33	0.8	0.08	2.5
L98E 100S	Soil			11.1	22.3	0.33	106.5	0.011	1	1.25	0.004	0.07	0.1	2.6	0.06	<0.02	38	0.6	0.08	2.9
L98E 125S	Soil			11.0	16.5	0.22	60.0	0.016	<1	0.67	0.003	0.05	0.1	1.7	0.04	<0.02	16	0.4	0.06	2.6
L98E 150S	Soil			12.5	12.9	0.17	82.5	0.013	<1	0.61	0.003	0.05	<0.1	1.5	0.04	<0.02	27	0.4	0.07	2.8
L98E 175S	Soil			12.4	9.4	0.12	58.7	0.013	<1	0.57	0.003	0.05	<0.1	1.3	0.05	<0.02	5	0.1	<0.02	2.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 8 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L98E 200S	Soil			2.42	44.00	9.35	78.6	381	30.2	6.6	660	2.32	31.2	0.3	34.0	1.2	14.1	0.39	0.58	0.16	24	0.15	0.048
L98E 225S	Soil			1.36	29.64	7.74	63.0	349	20.7	4.8	331	1.80	28.5	0.1	47.2	0.8	9.4	0.32	0.39	0.16	18	0.12	0.040
L98E 250S	Soil			3.34	63.50	14.79	104.5	462	40.8	13.8	1704	3.62	50.7	0.5	38.8	2.0	10.7	0.59	1.55	0.16	37	0.17	0.079
L98E 275S	Soil			4.80	68.34	17.27	114.0	376	58.9	16.7	1235	3.78	52.4	0.5	32.3	3.4	18.0	0.78	1.24	0.20	31	0.26	0.072
L98E 300S	Soil			1.56	38.75	12.24	117.7	739	26.6	8.6	2128	2.29	30.3	0.2	53.8	0.9	26.5	1.04	0.47	0.13	24	0.41	0.086
L98E 325S	Soil			2.04	27.55	7.41	75.7	548	25.9	8.0	495	2.03	20.5	0.3	19.6	1.1	14.3	0.31	0.43	0.12	27	0.20	0.040
L98E 350S	Soil			2.92	37.55	13.22	88.7	348	33.3	15.6	821	3.64	73.2	0.3	106.6	0.9	10.3	0.58	1.12	0.24	38	0.18	0.102
L98E 375S	Soil			3.05	81.90	20.56	114.3	1385	63.2	15.9	2121	3.97	50.0	1.1	21.5	1.4	39.1	0.82	0.75	0.22	38	0.52	0.069
L98E 400S	Soil			4.42	123.9	17.53	111.9	1889	72.5	14.8	1382	5.01	65.7	3.9	939.6	1.3	61.4	1.06	1.11	0.30	40	0.98	0.091
L98E 425S	Soil			2.93	144.0	14.60	103.0	3335	69.3	10.2	1266	3.77	43.5	2.5	33.4	0.5	80.5	0.98	1.00	0.26	31	1.31	0.133
L98E 450S	Soil			2.19	29.49	14.70	119.7	494	30.0	13.1	1307	3.32	56.8	0.3	32.5	0.8	36.7	0.91	0.82	0.24	37	0.58	0.055
L98E 475S	Soil			5.12	94.55	16.14	104.8	1868	68.3	17.1	2852	3.35	45.8	2.4	13.2	1.0	60.2	1.57	0.77	0.27	32	0.74	0.098
L98E 500S	Soil			1.53	32.98	6.07	80.0	521	22.8	5.9	669	2.06	26.6	0.2	25.8	1.2	8.1	0.21	0.56	0.12	20	0.09	0.058
L99E 025S	Soil			3.62	40.48	8.60	82.7	269	37.0	8.8	458	2.55	46.8	0.4	204.2	1.8	7.9	0.27	0.68	0.12	23	0.08	0.030
L99E 050S	Soil			2.50	39.24	10.47	95.8	312	31.1	7.1	450	2.50	40.2	0.3	86.2	1.8	7.4	0.29	0.51	0.14	23	0.08	0.048
L99E 075S	Soil			1.62	26.23	5.61	73.0	410	25.6	5.9	488	1.74	18.1	0.3	37.5	1.0	9.0	0.32	0.34	0.09	23	0.10	0.041
L99E 100S	Soil			2.12	28.73	8.21	84.1	245	21.4	6.8	1039	2.12	28.6	0.2	11.5	1.7	8.3	0.86	0.55	0.12	27	0.11	0.063
L99E 125S	Soil			2.69	35.52	7.76	107.7	173	30.2	6.9	449	2.68	40.3	0.2	28.2	1.9	5.3	0.55	0.66	0.13	26	0.05	0.055
L99E 150S	Soil			3.40	45.80	9.18	92.2	408	36.0	10.8	624	3.02	39.7	0.4	115.7	1.5	8.5	0.67	1.10	0.12	34	0.11	0.048
L99E 175S	Soil			4.25	50.35	8.92	90.0	281	36.0	9.7	417	3.30	35.9	0.3	28.6	1.7	10.8	0.46	1.67	0.13	44	0.13	0.026
L99E 200S	Soil			2.57	64.82	13.71	178.9	1241	46.8	15.8	2181	3.32	35.1	0.6	12.6	1.0	31.3	1.37	0.66	0.17	45	0.41	0.107
L99E 225S	Soil			3.34	29.15	9.33	107.0	956	29.5	10.8	902	2.77	35.0	0.3	128.1	1.2	15.2	0.92	0.82	0.14	32	0.20	0.067
L99E 250S	Soil			3.21	18.68	7.48	95.6	336	21.5	6.6	235	3.05	23.5	0.3	10.1	1.2	9.8	0.54	0.64	0.12	42	0.09	0.051
L99E 275S	Soil			4.04	25.89	9.03	73.8	73	26.4	7.7	245	2.66	33.2	0.3	13.6	1.3	12.0	0.35	0.77	0.12	42	0.10	0.029
L99E 300S	Soil			3.55	51.34	13.70	120.7	397	42.2	13.5	1118	3.37	53.4	0.4	35.8	1.5	20.3	0.83	0.99	0.16	32	0.32	0.072
L99E 325S	Soil			2.96	55.17	14.12	101.6	414	39.8	11.8	1255	2.99	46.9	0.3	41.2	1.4	12.6	0.52	0.80	0.15	27	0.15	0.051
L99E 350S	Soil			2.03	38.59	11.92	112.8	820	29.6	9.3	1703	2.37	38.6	0.2	948.6	0.6	33.9	1.60	0.60	0.15	23	0.64	0.062
L99E 375S	Soil			2.07	64.38	12.45	107.3	393	46.4	12.4	1285	2.73	41.1	0.3	48.5	1.9	7.7	0.33	0.55	0.16	25	0.07	0.046
L99E 400S	Soil			1.73	41.68	11.17	91.8	507	28.3	8.2	1445	2.23	31.9	0.2	108.2	1.3	14.7	0.58	0.43	0.15	22	0.25	0.053
L99E 425S	Soil			1.02	13.89	6.37	47.3	334	11.8	4.0	602	1.31	15.3	0.1	19.4	1.0	8.2	0.24	0.23	0.12	20	0.09	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 8 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.01	0.02	0.02	5	0.1	0.02	
L98E 200S	Soil	11.4	17.0	0.27	132.8	0.008	<1	0.90	0.004	0.06	0.1	2.3	0.05	<0.02	43	0.8	0.11	2.5
L98E 225S	Soil	8.8	9.9	0.14	94.0	0.005	<1	0.64	0.003	0.05	0.1	1.1	0.04	<0.02	25	0.4	0.08	2.4
L98E 250S	Soil	9.1	24.8	0.46	93.6	0.032	<1	1.13	0.006	0.05	0.3	4.7	0.07	<0.02	42	1.1	0.10	3.0
L98E 275S	Soil	12.0	27.4	0.43	103.8	0.017	<1	1.08	0.005	0.10	0.2	4.4	0.08	<0.02	28	1.1	0.08	2.9
L98E 300S	Soil	6.2	14.1	0.21	240.8	0.009	3	0.79	0.016	0.15	0.1	1.9	0.06	0.02	32	0.5	0.06	2.4
L98E 325S	Soil	10.8	25.2	0.33	108.2	0.012	1	0.99	0.004	0.06	0.1	2.1	0.06	<0.02	34	0.6	0.03	3.0
L98E 350S	Soil	6.1	17.7	0.24	88.4	0.025	<1	0.78	0.004	0.04	0.3	2.0	0.04	0.02	37	1.4	0.12	3.7
L98E 375S	Soil	14.4	32.6	0.44	197.4	0.010	1	1.84	0.006	0.13	0.3	5.5	0.09	0.03	93	1.9	0.10	4.1
L98E 400S	Soil	10.3	32.7	0.40	186.9	0.016	1	1.92	0.007	0.11	0.3	7.0	0.08	0.05	113	2.4	0.15	4.7
L98E 425S	Soil	14.3	29.6	0.37	179.0	0.014	2	1.65	0.008	0.09	0.2	5.4	0.06	0.12	158	2.6	0.11	3.7
L98E 450S	Soil	6.2	22.9	0.23	94.6	0.025	1	0.84	0.005	0.05	0.1	2.3	0.04	0.04	40	0.9	0.10	3.7
L98E 475S	Soil	11.4	27.6	0.36	295.1	0.009	1	1.84	0.008	0.11	0.2	6.8	0.09	0.05	132	2.4	0.12	4.0
L98E 500S	Soil	9.8	13.6	0.25	103.1	0.009	<1	0.76	0.004	0.05	0.1	2.2	0.04	<0.02	25	0.5	0.06	2.6
L99E 025S	Soil	10.2	20.2	0.28	84.8	0.009	1	0.94	0.004	0.05	0.2	3.0	0.07	<0.02	29	0.7	0.09	2.2
L99E 050S	Soil	9.7	17.8	0.29	105.1	0.007	<1	0.96	0.005	0.06	0.2	2.7	0.05	<0.02	29	0.7	0.05	2.3
L99E 075S	Soil	8.4	17.7	0.33	103.7	0.008	<1	0.96	0.004	0.06	0.1	2.0	0.05	<0.02	27	0.5	0.04	2.6
L99E 100S	Soil	8.5	14.3	0.17	142.7	0.014	<1	0.72	0.004	0.04	0.1	1.9	0.05	<0.02	37	0.4	0.05	3.0
L99E 125S	Soil	10.1	18.7	0.26	93.2	0.012	<1	0.79	0.004	0.05	0.1	2.3	0.05	<0.02	20	0.7	0.08	2.7
L99E 150S	Soil	9.5	25.2	0.36	86.4	0.021	<1	1.12	0.004	0.05	0.2	2.8	0.06	<0.02	21	0.9	0.06	3.0
L99E 175S	Soil	8.8	29.9	0.55	89.5	0.030	<1	1.35	0.004	0.04	0.1	2.9	0.06	<0.02	17	1.1	0.07	3.5
L99E 200S	Soil	10.9	27.3	0.30	256.6	0.023	<1	1.45	0.006	0.08	0.1	4.4	0.09	<0.02	70	1.0	0.07	4.9
L99E 225S	Soil	9.0	23.4	0.34	85.9	0.022	<1	0.86	0.004	0.06	0.1	2.1	0.05	<0.02	18	0.9	0.06	3.1
L99E 250S	Soil	9.0	26.8	0.40	51.2	0.027	<1	1.18	0.003	0.04	0.1	1.8	0.06	<0.02	16	0.7	0.03	4.4
L99E 275S	Soil	9.4	25.3	0.39	71.4	0.022	<1	1.21	0.003	0.03	0.2	2.3	0.05	<0.02	14	1.3	0.07	3.7
L99E 300S	Soil	9.5	27.5	0.40	96.5	0.021	2	1.08	0.004	0.07	0.1	3.2	0.06	<0.02	40	1.1	0.10	3.0
L99E 325S	Soil	9.8	19.3	0.31	108.8	0.011	<1	0.94	0.003	0.06	0.2	2.8	0.05	<0.02	25	1.1	0.07	2.5
L99E 350S	Soil	7.0	15.2	0.25	133.7	0.014	2	0.70	0.003	0.05	0.1	1.7	0.05	0.04	73	1.0	0.07	2.4
L99E 375S	Soil	11.5	19.1	0.31	122.9	0.010	<1	1.05	0.005	0.07	0.1	3.0	0.04	<0.02	26	0.9	0.07	2.8
L99E 400S	Soil	10.4	15.7	0.24	140.1	0.010	1	0.78	0.004	0.06	0.1	2.1	0.04	<0.02	45	0.6	0.06	2.6
L99E 425S	Soil	11.7	10.3	0.09	93.5	0.014	<1	0.44	0.003	0.05	0.1	1.1	0.04	<0.02	12	0.3	0.05	2.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 9 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L99E 450S	Soil			2.03	33.49	8.16	83.6	453	29.4	8.5	569	2.29	25.5	0.3	36.9	1.5	11.8	0.24	0.53	0.12	28	0.17	0.034
L99E 475S	Soil			2.26	29.75	9.22	165.7	215	27.7	9.9	548	3.18	38.7	0.2	25.6	1.5	13.0	0.66	0.61	0.19	37	0.21	0.079
L99E 500S	Soil			2.55	44.21	9.39	79.9	386	38.4	8.6	381	2.63	32.1	1.0	19.6	1.9	15.4	0.30	0.45	0.14	31	0.16	0.031
L100E 025S	Soil			3.22	31.20	8.70	103.8	349	26.8	7.9	476	2.87	34.8	0.3	51.2	1.3	9.5	0.67	0.77	0.11	35	0.13	0.070
L100E 050S	Soil			3.50	45.41	9.44	117.6	748	37.7	12.7	835	3.04	45.6	0.4	53.9	1.5	11.1	0.85	0.97	0.11	34	0.13	0.045
L100E 075S	Soil			4.12	87.92	40.03	137.5	1609	71.1	16.4	1603	4.69	168.9	1.0	455.3	0.4	54.5	4.82	0.97	0.33	41	0.91	0.101
L100E 100S	Soil			6.66	168.5	34.68	208.9	3935	104.3	19.6	2753	6.14	104.7	2.9	117.7	1.6	71.4	2.01	2.12	0.35	40	1.15	0.168
L100E 125S	Soil			3.66	54.52	9.90	97.3	695	34.7	12.1	687	2.76	50.1	0.4	193.5	2.0	14.4	1.17	1.53	0.14	35	0.15	0.039
L100E 150S	Soil			4.00	41.17	10.27	105.6	318	28.0	9.7	594	2.65	55.1	0.3	171.4	1.9	19.9	0.85	1.08	0.15	29	0.23	0.048
L100E 175S	Soil			2.07	35.03	13.03	108.0	813	23.2	8.0	1307	2.35	42.6	0.3	55.4	0.9	16.3	1.14	0.64	0.20	22	0.19	0.064
L100E 200S	Soil			1.17	15.74	4.97	92.5	439	15.4	4.3	432	1.35	14.1	0.2	34.8	1.2	8.8	0.35	0.30	0.12	21	0.09	0.049
L100E 225S	Soil			2.55	40.42	7.14	91.7	449	29.9	8.0	455	1.88	29.4	0.4	102.1	1.6	10.8	0.30	0.53	0.13	23	0.12	0.049
L100E 250S	Soil			2.99	53.18	12.14	92.7	982	41.3	13.8	1727	2.61	45.1	0.6	66.4	1.1	18.7	0.86	0.75	0.15	24	0.24	0.055
L100E 275S	Soil			2.22	44.41	9.83	61.0	312	30.8	7.8	543	2.30	37.9	0.5	233.4	2.0	10.6	0.24	0.69	0.14	23	0.13	0.040
L100E 300S	Soil			1.92	44.49	10.66	134.8	573	28.6	8.5	1107	2.15	26.2	0.4	23.3	1.3	15.3	0.81	0.52	0.18	27	0.18	0.070
L100E 325S	Soil			1.43	26.76	4.56	57.1	204	20.0	4.0	254	1.56	16.0	0.3	18.7	1.9	6.9	0.14	0.34	0.11	22	0.07	0.030
L100E 350S	Soil			1.68	39.39	7.01	79.8	222	24.8	5.3	362	1.85	21.9	0.3	52.2	1.9	5.7	0.26	0.42	0.14	21	0.05	0.035
L100E 375S	Soil			1.85	50.50	9.74	80.1	162	30.6	9.5	904	2.04	29.9	0.3	17.5	2.4	6.1	0.21	0.48	0.17	23	0.05	0.038
L100E 400S	Soil			1.49	45.19	9.30	90.9	444	25.4	6.7	361	2.35	41.9	0.2	16.8	2.0	4.3	0.46	0.51	0.21	20	0.03	0.069
L100E 425S	Soil			2.45	48.40	11.26	101.0	215	30.8	9.2	765	2.72	46.7	0.5	84.4	1.8	9.2	0.36	0.66	0.18	28	0.08	0.055
L100E 450S	Soil			2.01	70.78	13.06	92.9	227	37.4	9.3	705	2.78	51.0	0.4	53.6	2.0	8.2	0.20	0.72	0.18	24	0.08	0.045
L100E 475S	Soil			2.65	39.34	8.11	86.8	137	25.1	6.9	492	2.38	36.8	0.3	37.6	2.1	8.7	0.39	0.72	0.14	23	0.07	0.064
L100E 500S	Soil			2.22	47.67	11.87	93.2	1252	40.5	8.3	435	2.63	29.8	1.9	70.7	1.7	28.1	0.33	0.69	0.21	28	0.37	0.049
L101E 025S	Soil			5.52	58.86	13.93	122.4	717	48.0	12.7	458	3.26	78.2	0.7	314.0	1.2	15.4	1.04	1.14	0.16	26	0.17	0.048
L101E 050S	Soil			5.27	46.16	13.74	116.6	664	38.6	12.6	545	3.02	84.4	0.7	339.1	1.5	14.5	0.70	1.03	0.16	22	0.17	0.050
L101E 075S	Soil			5.73	45.10	16.41	104.4	544	35.6	13.1	620	3.02	82.8	0.6	341.9	1.7	12.2	0.67	1.18	0.14	20	0.15	0.047
L101E 100S	Soil			4.67	37.14	10.08	128.9	334	36.0	9.4	340	2.68	65.7	0.4	196.1	1.6	11.7	0.82	0.95	0.13	22	0.12	0.048
L101E 125S	Soil			4.82	62.26	14.59	109.6	479	41.9	10.1	482	3.04	77.7	0.8	209.4	2.3	11.8	0.45	1.23	0.16	23	0.13	0.052
L101E 150S	Soil			5.13	68.64	15.91	193.8	1461	61.1	14.7	561	4.24	92.5	0.6	317.4	2.0	13.4	1.19	1.38	0.17	28	0.16	0.115
L101E 175S	Soil			4.39	65.30	15.25	151.9	1445	62.9	13.7	912	3.51	80.1	0.8	313.3	1.5	17.0	1.29	0.96	0.17	28	0.24	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 9 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	
L99E 450S	Soil	9.1	21.6	0.30	90.8	0.019	<1	0.98	0.004	0.05	0.1	2.1	0.05	<0.02	27	0.6	0.06	2.7
L99E 475S	Soil	8.3	21.5	0.28	87.8	0.027	<1	0.99	0.003	0.05	0.1	2.5	0.05	<0.02	26	0.8	0.06	4.1
L99E 500S	Soil	12.4	24.0	0.37	99.5	0.010	<1	1.30	0.004	0.06	0.2	3.5	0.06	<0.02	43	0.8	0.06	3.1
L100E 025S	Soil	8.0	20.8	0.27	57.2	0.030	<1	1.07	0.004	0.05	0.2	2.4	0.05	<0.02	25	0.7	0.04	3.0
L100E 050S	Soil	10.2	23.3	0.33	74.9	0.025	<1	1.08	0.004	0.05	0.2	3.0	0.06	<0.02	30	0.8	0.06	3.0
L100E 075S	Soil	8.7	23.6	0.24	121.0	0.023	1	1.14	0.005	0.07	0.3	3.7	0.05	0.07	73	2.1	0.12	4.0
L100E 100S	Soil	17.4	41.3	0.46	259.9	0.030	11	2.48	0.008	0.16	0.8	10.5	0.19	0.10	277	3.3	0.17	4.7
L100E 125S	Soil	9.9	22.3	0.35	83.4	0.031	1	0.93	0.004	0.04	0.3	3.3	0.07	<0.02	50	0.9	0.08	2.6
L100E 150S	Soil	8.7	13.9	0.16	76.6	0.019	1	0.54	0.004	0.04	0.3	2.1	0.06	<0.02	31	1.0	0.06	2.2
L100E 175S	Soil	7.6	12.6	0.15	124.6	0.012	1	0.57	0.003	0.06	0.2	1.6	0.05	0.02	65	0.6	0.07	2.1
L100E 200S	Soil	9.6	13.6	0.19	99.8	0.014	<1	0.75	0.004	0.05	0.1	1.4	0.06	<0.02	24	0.2	0.03	2.3
L100E 225S	Soil	10.8	19.1	0.27	140.9	0.008	<1	1.02	0.006	0.06	0.2	2.8	0.09	<0.02	34	0.6	0.05	2.4
L100E 250S	Soil	9.3	19.9	0.27	151.2	0.009	1	0.98	0.005	0.07	0.2	3.5	0.08	0.02	65	1.0	0.08	2.5
L100E 275S	Soil	12.3	21.3	0.35	100.1	0.015	<1	0.92	0.004	0.06	0.1	3.3	0.02	<0.02	28	0.8	0.07	2.1
L100E 300S	Soil	10.9	19.8	0.28	184.8	0.008	1	1.05	0.005	0.07	0.1	2.8	0.07	<0.02	48	0.6	0.07	3.0
L100E 325S	Soil	11.6	19.5	0.35	101.6	0.009	<1	0.89	0.004	0.05	<0.1	2.0	0.05	<0.02	21	0.3	0.04	2.3
L100E 350S	Soil	10.7	18.1	0.30	115.2	0.008	<1	0.99	0.004	0.05	0.1	2.0	0.06	<0.02	34	0.4	0.07	2.4
L100E 375S	Soil	13.3	19.2	0.32	137.5	0.009	<1	0.96	0.004	0.06	0.1	2.6	0.05	<0.02	16	0.6	0.06	2.5
L100E 400S	Soil	11.6	13.5	0.21	98.1	0.005	<1	0.81	0.003	0.05	0.1	2.0	0.04	<0.02	27	0.6	0.07	2.2
L100E 425S	Soil	11.9	21.5	0.27	130.6	0.010	<1	0.97	0.004	0.06	0.1	2.9	0.05	<0.02	29	0.8	0.07	2.7
L100E 450S	Soil	12.7	19.0	0.34	104.8	0.008	<1	0.96	0.004	0.06	0.1	3.3	0.04	<0.02	24	0.9	0.07	2.2
L100E 475S	Soil	11.2	15.7	0.23	105.7	0.010	<1	0.64	0.003	0.05	0.1	2.0	0.03	<0.02	21	0.7	0.07	2.1
L100E 500S	Soil	9.7	26.2	0.39	118.8	0.013	1	1.33	0.006	0.08	0.1	4.1	0.09	<0.02	51	0.9	0.09	3.2
L101E 025S	Soil	10.5	18.0	0.22	106.2	0.009	<1	0.93	0.005	0.06	0.3	4.1	0.08	<0.02	36	1.4	0.10	2.1
L101E 050S	Soil	9.8	18.7	0.24	99.4	0.007	<1	0.85	0.005	0.06	0.3	3.5	0.09	<0.02	33	1.4	0.09	1.9
L101E 075S	Soil	10.4	15.8	0.21	67.0	0.008	<1	0.66	0.004	0.06	0.2	2.9	0.05	<0.02	21	1.2	0.10	1.5
L101E 100S	Soil	9.3	17.0	0.24	66.8	0.010	<1	0.72	0.004	0.05	0.2	2.3	0.06	<0.02	21	1.0	0.07	2.0
L101E 125S	Soil	11.9	18.6	0.27	76.8	0.011	<1	0.86	0.005	0.06	0.2	3.9	0.06	<0.02	33	1.1	0.09	1.9
L101E 150S	Soil	10.5	21.4	0.27	124.5	0.017	<1	1.12	0.005	0.07	0.2	4.3	0.08	<0.02	38	1.6	0.10	2.6
L101E 175S	Soil	10.3	24.7	0.31	163.8	0.010	<1	1.24	0.006	0.08	0.2	4.2	0.10	0.02	70	1.5	0.09	2.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 10 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
Unit	MDL	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L101E 200S	Soil	4.15	67.82	17.30	178.8	2380	54.9	13.6	1146	3.66	77.5	1.0	254.5	1.0	28.4	1.64	1.11	0.21	28	0.53	0.106
L101E 225S	Soil	4.77	58.28	12.91	139.2	640	43.1	12.9	573	3.37	75.1	0.5	212.8	1.8	13.9	0.78	1.16	0.16	24	0.23	0.071
L101E 250S	Soil	4.75	69.67	16.10	128.7	516	52.0	15.4	846	3.44	72.2	0.7	144.5	2.1	17.1	0.98	1.37	0.18	28	0.23	0.070
L101E 275S	Soil	4.79	76.04	14.31	133.8	2031	58.2	15.0	809	3.56	64.9	1.4	148.7	1.5	20.0	0.77	1.06	0.19	35	0.29	0.055
L101E 300S	Soil	6.20	109.4	24.60	150.6	659	60.0	21.1	780	6.42	172.2	0.6	293.0	2.2	16.6	1.15	2.20	0.45	42	0.19	0.100
L101E 325S	Soil	3.98	61.56	15.79	175.9	762	38.4	13.2	781	4.04	80.4	0.4	227.7	1.8	14.7	0.83	1.37	0.21	35	0.15	0.138
L101E 350S	Soil	3.46	58.19	11.83	149.9	1201	43.2	10.7	598	3.03	59.2	0.5	72.8	2.2	16.4	0.67	1.09	0.14	27	0.18	0.054
L101E 375S	Soil	4.21	64.03	14.35	114.3	622	43.6	12.1	772	3.24	72.6	0.5	86.0	1.9	15.6	0.55	1.27	0.16	26	0.20	0.065
L101E 400S	Soil	2.92	58.33	9.73	116.9	288	51.4	9.4	421	3.03	51.0	0.4	25.8	2.9	6.5	0.34	1.02	0.15	28	0.06	0.069
L101E 425S	Soil	2.54	59.19	12.46	125.0	512	38.4	9.9	714	2.93	47.0	0.4	29.0	2.5	10.6	0.43	0.76	0.18	31	0.08	0.059
L101E 450S	Soil	1.56	41.10	10.85	103.1	596	25.9	7.6	485	2.23	36.3	0.3	15.9	2.2	9.9	0.29	0.48	0.18	22	0.12	0.062
L101E 475S	Soil	1.62	45.09	8.50	117.1	397	31.5	6.2	679	2.07	23.5	0.4	62.2	1.8	10.2	0.28	0.42	0.17	26	0.11	0.047
L101E 500S	Soil	1.70	35.10	9.87	127.5	839	28.1	8.2	860	2.35	23.5	0.3	132.7	0.8	9.8	0.54	0.66	0.21	34	0.20	0.083
L102E 025S	Soil	5.24	41.95	9.01	131.5	793	35.8	9.2	253	3.08	60.3	0.4	310.1	2.5	6.2	0.53	0.96	0.15	22	0.05	0.107
L102E 050S	Soil	5.13	39.34	9.18	124.9	589	33.9	9.5	524	2.85	56.5	0.4	124.5	1.9	10.0	0.63	0.88	0.15	24	0.10	0.083
L102E 075S	Soil	7.02	55.18	13.59	140.8	468	43.7	11.4	323	3.83	89.5	0.5	175.3	2.1	7.1	0.63	1.22	0.18	24	0.05	0.116
L102E 100S	Soil	9.36	73.79	19.22	137.3	512	58.5	16.2	563	3.87	118.5	0.7	258.9	2.1	8.5	0.69	1.71	0.20	21	0.07	0.055
L102E 125S	Soil	5.94	64.20	18.80	182.3	1119	53.6	16.1	1131	3.51	72.2	0.7	126.7	1.2	26.3	2.86	1.13	0.17	25	0.31	0.115
L102E 150S	Soil	6.32	156.4	23.58	148.7	3024	88.2	14.0	711	4.51	84.4	2.8	95.7	1.5	37.0	2.17	1.05	0.26	36	0.55	0.104
L102E 175S	Soil	5.47	71.87	15.56	156.0	1309	60.8	12.5	680	3.40	75.9	1.2	151.7	1.5	18.6	1.02	1.04	0.17	24	0.24	0.082
L102E 200S	Soil	5.09	56.18	13.56	133.7	841	40.9	12.5	789	2.99	61.8	0.6	142.8	1.3	12.1	0.92	0.84	0.17	25	0.15	0.088
L102E 225S	Soil	5.86	69.71	16.37	122.1	408	51.9	13.8	668	3.14	74.2	0.7	207.4	1.9	12.2	0.63	1.15	0.15	22	0.14	0.062
L102E 250S	Soil	5.81	50.03	13.21	119.6	519	44.3	11.5	463	3.12	76.3	0.5	214.2	2.0	9.1	0.62	1.07	0.16	24	0.11	0.063
L102E 275S	Soil	4.51	43.55	12.19	138.3	601	45.0	11.2	557	2.75	58.2	0.7	632.1	1.8	12.1	0.54	0.84	0.15	25	0.14	0.057
L102E 300S	Soil	3.57	44.61	10.76	114.4	323	36.2	10.0	519	2.71	56.8	0.4	85.6	1.8	9.7	0.56	0.76	0.15	23	0.12	0.057
L102E 325S	Soil	3.18	56.19	12.78	106.2	569	38.9	9.0	685	2.58	45.4	0.7	1032	2.3	12.5	0.62	0.48	0.18	26	0.16	0.037
L102E 350S	Soil	3.33	40.15	10.90	99.7	469	34.8	9.6	646	2.42	47.5	0.6	237.5	1.8	12.6	0.39	0.58	0.16	24	0.16	0.063
L102E 375S	Soil	4.27	90.44	16.03	174.8	915	57.3	16.8	1390	3.42	58.4	1.5	65.4	2.4	18.1	1.90	0.89	0.19	32	0.20	0.046
L102E 400S	Soil	5.67	94.65	21.38	201.1	1253	72.7	22.3	1377	4.30	89.4	1.7	68.0	1.1	34.5	3.24	1.17	0.25	34	0.52	0.080
L102E 425S	Soil	4.39	50.90	11.54	128.4	661	38.8	12.1	435	2.75	47.6	0.8	63.1	0.9	24.2	0.74	0.74	0.18	31	0.31	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 10 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L101E 200S	Soil	8.6	21.7	0.26	175.4	0.009	1	1.18	0.007	0.09	0.3	4.8	0.10	0.04	102	1.8	0.12	3.0
L101E 225S	Soil	8.9	19.1	0.26	96.2	0.012	<1	0.88	0.004	0.06	0.2	3.0	0.06	<0.02	36	1.6	0.10	1.9
L101E 250S	Soil	11.3	23.9	0.34	87.6	0.022	<1	0.96	0.005	0.07	0.2	4.1	0.07	<0.02	44	1.3	0.10	2.2
L101E 275S	Soil	13.5	24.6	0.25	127.8	0.016	<1	1.35	0.005	0.08	0.3	5.6	0.10	<0.02	97	1.7	0.12	3.2
L101E 300S	Soil	8.7	30.5	0.41	102.2	0.037	<1	1.44	0.004	0.05	0.2	4.2	0.08	<0.02	40	4.1	0.23	3.0
L101E 325S	Soil	7.9	21.6	0.28	136.2	0.022	<1	1.02	0.004	0.04	0.2	3.5	0.08	<0.02	48	1.4	0.09	3.1
L101E 350S	Soil	9.4	22.7	0.29	101.9	0.017	<1	0.99	0.004	0.05	0.2	3.3	0.06	<0.02	40	1.0	0.07	2.4
L101E 375S	Soil	10.6	20.5	0.32	98.2	0.017	1	0.89	0.004	0.06	0.2	3.5	0.06	<0.02	46	1.2	0.08	2.1
L101E 400S	Soil	10.8	25.0	0.38	106.0	0.018	<1	1.27	0.005	0.06	0.1	2.9	0.05	<0.02	41	1.0	0.09	2.6
L101E 425S	Soil	13.6	24.9	0.37	192.4	0.013	1	1.12	0.005	0.06	0.1	3.0	0.06	<0.02	27	0.9	0.07	2.9
L101E 450S	Soil	12.8	16.5	0.26	122.3	0.012	<1	0.82	0.004	0.05	<0.1	2.2	0.05	<0.02	47	0.4	0.10	2.4
L101E 475S	Soil	12.3	22.6	0.32	132.1	0.013	<1	1.09	0.005	0.07	0.1	2.6	0.07	<0.02	40	0.6	0.07	2.8
L101E 500S	Soil	9.2	24.4	0.38	134.2	0.019	1	1.23	0.005	0.07	0.1	2.4	0.06	<0.02	56	0.3	0.07	3.1
L102E 025S	Soil	10.1	17.9	0.23	67.3	0.012	<1	0.87	0.004	0.05	0.3	2.3	0.05	<0.02	54	1.2	0.08	2.0
L102E 050S	Soil	10.6	19.7	0.23	121.7	0.010	<1	0.79	0.007	0.05	0.2	2.5	0.06	<0.02	40	1.0	0.08	2.1
L102E 075S	Soil	9.7	19.4	0.25	91.4	0.008	<1	0.90	0.004	0.05	0.3	2.7	0.05	<0.02	38	1.8	0.10	2.1
L102E 100S	Soil	11.9	19.4	0.24	67.9	0.009	1	0.83	0.005	0.06	0.2	3.6	0.07	<0.02	41	2.0	0.12	1.5
L102E 125S	Soil	9.7	19.8	0.27	150.3	0.008	2	1.00	0.006	0.09	0.3	3.8	0.08	0.02	60	1.4	0.11	2.2
L102E 150S	Soil	14.5	30.5	0.31	230.2	0.006	1	1.76	0.010	0.12	0.4	7.2	0.10	0.03	119	2.5	0.12	3.1
L102E 175S	Soil	10.5	21.2	0.28	114.7	0.006	<1	1.12	0.006	0.07	0.2	4.9	0.08	<0.02	69	1.3	0.10	2.0
L102E 200S	Soil	9.2	20.9	0.27	125.3	0.006	<1	0.98	0.005	0.07	0.2	3.1	0.07	<0.02	46	1.1	0.09	2.3
L102E 225S	Soil	11.8	20.2	0.28	98.7	0.009	<1	0.93	0.005	0.08	0.3	4.3	0.07	<0.02	46	1.1	0.08	1.8
L102E 250S	Soil	12.3	22.2	0.28	86.3	0.011	<1	0.89	0.005	0.06	0.2	2.8	0.06	<0.02	29	1.2	0.09	2.0
L102E 275S	Soil	11.7	23.4	0.28	95.9	0.010	1	0.97	0.006	0.07	0.2	3.3	0.07	<0.02	35	0.9	0.05	2.2
L102E 300S	Soil	11.4	20.0	0.27	95.3	0.010	<1	0.81	0.005	0.06	0.2	2.6	0.06	<0.02	22	0.8	0.10	2.0
L102E 325S	Soil	11.7	20.7	0.29	122.5	0.010	<1	1.05	0.006	0.06	0.1	3.2	0.07	<0.02	28	1.0	0.08	2.6
L102E 350S	Soil	12.0	21.4	0.32	104.8	0.010	<1	0.98	0.006	0.07	0.2	3.2	0.06	<0.02	34	0.9	0.06	2.2
L102E 375S	Soil	13.2	25.1	0.27	146.4	0.014	1	1.20	0.007	0.08	0.3	5.5	0.08	<0.02	39	1.5	0.07	3.0
L102E 400S	Soil	11.3	29.7	0.33	170.8	0.016	1	1.39	0.007	0.09	0.2	5.3	0.09	0.03	75	1.9	0.10	3.3
L102E 425S	Soil	11.1	25.1	0.30	116.5	0.013	<1	1.19	0.005	0.07	0.2	3.5	0.08	<0.02	52	1.1	0.07	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 11 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L102E 450S	Soil			2.48	24.08	6.29	136.3	209	24.9	6.9	266	2.16	27.8	0.3	26.3	1.7	10.4	0.55	0.56	0.11	28	0.11	0.078
L102E 475S	Soil			3.87	37.21	9.25	128.5	441	32.1	8.5	432	2.68	40.7	0.4	51.9	1.9	13.6	0.53	0.87	0.13	29	0.17	0.115
L102E 500S	Soil			3.32	39.25	7.62	116.0	482	33.3	8.3	293	2.86	40.6	0.4	71.9	2.3	8.4	0.47	0.80	0.14	32	0.09	0.068
L103E 025S	Soil			6.81	52.61	15.14	156.4	283	44.1	15.4	857	4.87	103.7	0.5	71.3	1.8	13.7	0.84	1.62	0.25	49	0.14	0.068
L103E 050S	Soil			5.87	69.56	10.49	162.5	392	56.1	12.2	493	3.44	64.2	0.5	41.1	2.4	9.3	1.05	1.99	0.15	30	0.09	0.091
L103E 075S	Soil			5.39	39.06	9.12	131.2	1555	32.2	8.2	236	2.83	57.1	0.4	325.2	2.2	7.9	0.53	0.87	0.13	24	0.07	0.105
L103E 100S	Soil			6.94	102.8	18.42	140.9	259	80.9	21.6	1192	4.26	83.3	0.7	86.6	4.2	15.9	0.78	2.20	0.21	36	0.14	0.078
L103E 125S	Soil			8.53	82.64	16.56	146.0	419	55.2	15.7	671	3.80	86.9	0.6	252.7	2.3	10.0	0.85	1.36	0.17	25	0.08	0.065
L103E 150S	Soil			5.81	29.26	9.96	94.7	931	29.6	9.0	323	2.63	65.4	0.3	226.2	1.4	8.5	0.58	0.90	0.13	22	0.08	0.077
L103E 175S	Soil			5.94	40.74	9.75	127.0	696	37.6	9.5	275	2.99	65.8	0.4	143.0	1.5	8.0	0.71	0.88	0.14	23	0.08	0.081
L103E 200S	Soil			5.69	60.08	12.12	104.8	512	40.7	12.3	587	3.01	61.4	0.5	234.8	2.6	7.9	0.45	0.96	0.14	24	0.05	0.054
L103E 225S	Soil			9.76	87.88	22.08	188.0	608	80.5	20.7	918	4.22	112.7	0.8	241.5	2.5	9.3	1.01	1.65	0.18	26	0.08	0.066
L103E 250S	Soil			5.71	67.34	12.97	122.5	724	43.2	14.2	674	3.24	67.7	0.5	666.5	2.5	8.5	0.49	1.04	0.14	24	0.08	0.061
L103E 275S	Soil			6.91	58.18	10.97	125.6	371	43.4	9.9	278	3.42	85.7	0.4	327.3	1.9	6.7	0.42	1.06	0.14	25	0.05	0.093
L103E 300S	Soil			6.60	66.70	14.28	136.5	393	47.1	10.6	484	3.54	81.4	0.6	272.9	2.1	7.4	0.54	1.17	0.17	28	0.05	0.086
L103E 325S	Soil			8.45	76.55	14.74	131.0	565	62.4	12.9	488	3.49	94.3	0.8	181.6	2.7	7.2	0.46	1.51	0.17	25	0.05	0.042
L103E 350S	Soil			3.95	50.76	9.88	114.9	547	39.9	8.1	478	2.98	57.4	0.4	41.1	3.1	9.1	0.60	0.75	0.17	26	0.08	0.091
L103E 375S	Soil			4.81	51.33	11.55	94.9	389	37.0	7.9	426	2.52	52.7	0.5	292.3	2.5	7.4	0.32	0.81	0.13	22	0.06	0.034
L103E 400S	Soil			3.70	47.23	10.08	105.4	588	42.5	10.3	615	2.98	51.9	0.4	56.6	1.9	6.4	0.36	0.74	0.14	23	0.07	0.054
L103E 425S	Soil			3.24	35.53	6.40	89.8	337	34.7	7.8	401	2.36	38.6	0.3	124.6	1.5	6.2	0.31	0.57	0.13	21	0.08	0.045
L103E 450S	Soil			1.97	23.93	5.25	93.6	316	25.5	8.0	674	1.76	18.1	0.3	40.2	1.4	8.1	0.34	0.32	0.11	21	0.11	0.053
L103E 475S	Soil			2.01	26.94	5.34	64.5	340	28.0	6.6	445	2.01	21.7	0.5	176.3	1.8	8.5	0.20	0.36	0.10	23	0.13	0.034
L103E 500S	Soil			1.50	22.66	4.35	54.0	232	23.2	4.7	308	1.63	14.8	0.4	138.0	1.8	8.7	0.14	0.32	0.09	21	0.14	0.045
L104E 025S	Soil			4.70	87.51	15.22	166.5	2137	74.2	17.5	1570	4.62	74.3	1.2	44.5	0.7	37.3	1.42	1.28	0.25	35	0.78	0.123
L104E 050S	Soil			4.73	41.35	8.75	116.6	1168	28.6	13.6	606	3.10	50.1	0.3	62.9	0.8	35.4	1.79	0.83	0.19	41	0.69	0.056
L104E 075S	Soil			3.14	23.90	7.08	99.0	634	25.5	9.1	2564	2.63	35.2	0.2	22.7	0.5	24.3	1.29	0.72	0.14	34	0.43	0.055
L104E 100S	Soil			4.56	26.29	6.69	89.3	265	33.8	6.6	296	2.19	46.3	0.3	120.8	1.2	5.5	0.36	1.09	0.11	20	0.06	0.067
L104E 125S	Soil			6.37	50.49	9.07	135.8	925	47.9	10.8	363	3.63	71.1	0.4	180.9	1.3	8.8	0.56	1.05	0.14	23	0.12	0.125
L104E 150S	Soil			5.17	46.52	12.44	154.9	679	46.4	14.5	492	4.46	101.4	0.3	834.3	1.4	7.5	0.71	1.00	0.21	30	0.08	0.142
L104E 175S	Soil			3.52	19.64	6.22	79.4	586	20.1	5.7	156	2.08	34.3	0.2	182.3	1.4	5.0	0.24	0.50	0.11	23	0.04	0.079



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 11 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
L102E 450S	Soil	11.6	20.7	0.28	91.7	0.020	<1	0.84	0.004	0.06	0.1	2.1	0.06	<0.02	16	0.6	0.05	2.7
L102E 475S	Soil	11.6	23.2	0.31	92.3	0.019	<1	0.89	0.005	0.06	0.2	2.4	0.06	<0.02	34	0.7	0.06	2.5
L102E 500S	Soil	10.4	24.3	0.30	99.2	0.017	<1	1.25	0.004	0.05	0.1	2.6	0.06	<0.02	36	0.9	0.06	3.2
L103E 025S	Soil	9.0	32.1	0.34	100.6	0.042	1	1.40	0.005	0.07	0.3	3.1	0.08	<0.02	42	2.0	0.13	4.1
L103E 050S	Soil	10.6	26.1	0.39	87.3	0.029	<1	1.12	0.005	0.06	0.2	2.7	0.07	<0.02	30	1.2	0.11	2.5
L103E 075S	Soil	11.5	18.0	0.22	88.6	0.014	1	0.85	0.004	0.06	0.2	2.2	0.06	<0.02	51	1.1	0.08	2.6
L103E 100S	Soil	14.8	36.9	0.47	116.8	0.035	<1	1.26	0.007	0.12	0.2	6.1	0.11	<0.02	40	1.3	0.10	2.9
L103E 125S	Soil	12.1	21.2	0.28	78.1	0.014	1	0.96	0.006	0.09	0.4	3.8	0.07	<0.02	38	2.1	0.10	1.9
L103E 150S	Soil	10.7	14.1	0.16	104.4	0.007	<1	0.66	0.006	0.06	0.3	1.8	0.08	<0.02	33	0.9	0.08	2.0
L103E 175S	Soil	10.1	16.8	0.19	98.8	0.006	<1	0.85	0.003	0.06	0.2	2.2	0.07	<0.02	30	1.1	0.08	2.1
L103E 200S	Soil	13.6	20.8	0.28	83.3	0.016	<1	0.99	0.005	0.07	0.3	3.3	0.07	<0.02	38	1.4	0.07	2.0
L103E 225S	Soil	12.3	22.2	0.27	116.8	0.009	<1	1.09	0.006	0.08	0.4	3.8	0.12	<0.02	39	2.6	0.11	2.0
L103E 250S	Soil	12.4	21.0	0.27	94.0	0.013	1	0.96	0.005	0.07	0.3	3.4	0.06	<0.02	34	1.4	0.10	2.0
L103E 275S	Soil	11.4	18.9	0.25	73.6	0.007	<1	0.89	0.004	0.06	0.2	2.7	0.07	<0.02	27	1.3	0.08	2.3
L103E 300S	Soil	12.4	22.1	0.24	97.8	0.012	<1	1.01	0.005	0.07	0.3	3.7	0.09	<0.02	35	1.2	0.10	2.4
L103E 325S	Soil	14.4	22.0	0.28	96.7	0.012	1	0.97	0.006	0.07	0.2	3.7	0.08	<0.02	27	2.0	0.11	2.0
L103E 350S	Soil	12.2	19.6	0.30	99.6	0.013	<1	1.01	0.005	0.06	0.2	2.5	0.05	<0.02	27	0.9	0.07	2.3
L103E 375S	Soil	14.2	20.9	0.27	90.1	0.010	<1	0.88	0.005	0.06	0.2	2.7	0.06	<0.02	31	1.1	0.08	1.9
L103E 400S	Soil	9.7	22.1	0.25	72.9	0.011	<1	0.92	0.003	0.05	0.2	2.9	0.05	<0.02	31	1.2	0.09	2.0
L103E 425S	Soil	8.4	19.6	0.24	68.5	0.011	1	0.89	0.003	0.05	0.2	2.2	0.06	<0.02	31	0.8	0.05	2.1
L103E 450S	Soil	8.5	19.0	0.24	84.2	0.008	<1	0.91	0.003	0.06	0.2	2.1	0.06	<0.02	22	0.5	0.05	2.3
L103E 475S	Soil	9.2	22.3	0.33	91.8	0.012	<1	0.96	0.003	0.05	0.1	2.7	0.05	<0.02	28	0.5	0.05	2.2
L103E 500S	Soil	9.3	20.6	0.39	59.8	0.016	<1	0.89	0.003	0.05	<0.1	1.8	0.04	<0.02	22	0.5	0.04	2.1
L104E 025S	Soil	7.5	33.0	0.39	155.7	0.018	4	1.47	0.005	0.09	0.2	5.3	0.09	0.07	109	2.4	0.13	3.3
L104E 050S	Soil	5.4	19.0	0.16	61.7	0.032	1	0.58	0.004	0.05	0.2	2.1	0.04	0.03	29	1.2	0.11	3.3
L104E 075S	Soil	5.7	17.9	0.12	150.0	0.022	1	0.48	0.003	0.07	0.2	1.9	0.06	0.03	57	0.6	0.09	2.4
L104E 100S	Soil	9.8	15.5	0.10	59.4	0.014	1	0.42	0.002	0.05	0.2	1.5	0.06	<0.02	8	0.8	0.06	1.9
L104E 125S	Soil	8.6	21.4	0.19	89.8	0.009	1	0.90	0.003	0.07	0.3	2.6	0.05	<0.02	31	1.8	0.11	2.1
L104E 150S	Soil	7.2	17.1	0.14	86.6	0.017	2	0.74	0.002	0.05	0.4	2.4	0.06	<0.02	30	2.4	0.12	3.1
L104E 175S	Soil	9.6	13.1	0.11	52.2	0.015	1	0.59	0.003	0.04	0.4	1.4	0.06	<0.02	25	0.7	0.05	2.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 12 of 12 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN10002716.1**

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L104E 200S	Soil	7.27	54.51	12.08	168.1	707	47.5	14.7	494	4.08	91.8	0.4	373.8	1.6	7.5	0.99	1.03	0.17	23	0.09	0.115	
L104E 225S	Soil	6.13	62.16	15.05	136.5	1388	57.7	17.2	1281	3.95	81.6	0.9	265.6	1.5	13.9	0.84	0.88	0.20	28	0.24	0.064	
L104E 250S	Soil	4.08	27.61	7.28	86.8	1186	21.0	10.0	552	2.69	38.5	0.2	44.7	0.8	22.9	1.14	0.45	0.13	28	0.52	0.068	
L104E 275S	Soil	5.97	54.20	10.19	120.8	387	47.8	12.5	339	3.49	68.9	0.5	255.4	1.7	5.7	0.61	0.91	0.13	23	0.05	0.039	
L104E 300S	Soil	5.94	63.16	18.65	219.8	1814	54.2	15.4	549	4.74	107.8	0.4	279.6	1.3	8.0	0.98	1.16	0.22	25	0.10	0.163	
L104E 325S	Soil	5.74	75.58	18.00	186.5	848	58.5	18.8	810	5.09	115.1	0.5	450.9	1.7	9.5	0.84	1.24	0.20	26	0.11	0.104	
L104E 350S	Soil	6.10	70.65	15.92	130.2	2009	49.3	19.0	1058	3.76	63.1	0.7	114.8	1.3	16.6	1.17	1.00	0.14	25	0.30	0.070	
L104E 375S	Soil	6.41	58.11	13.84	133.6	666	54.5	19.2	1444	3.82	64.5	0.8	487.7	1.2	13.1	0.74	0.89	0.14	24	0.21	0.078	
L104E 400S	Soil	6.10	63.03	10.06	107.9	364	48.0	15.3	734	3.45	64.7	0.9	178.0	2.2	12.5	0.54	0.99	0.12	23	0.20	0.063	
L104E 425S	Soil	4.49	41.71	8.45	145.0	549	34.4	12.6	859	3.02	43.6	0.3	108.1	1.7	15.5	1.49	0.78	0.13	27	0.29	0.073	
L104E 450S	Soil	4.21	29.08	6.87	84.8	357	26.0	7.2	237	2.90	34.8	0.2	129.7	1.2	9.4	0.32	0.85	0.11	32	0.11	0.043	
L104E 475S	Soil	4.13	42.91	8.60	118.9	599	39.3	11.0	335	4.04	42.1	0.3	11.7	1.0	12.1	0.57	1.27	0.13	42	0.13	0.080	
L104E 500S	Soil	3.61	35.65	6.43	106.5	466	29.9	8.7	311	2.96	39.6	0.3	50.5	1.4	7.1	0.40	0.77	0.10	35	0.11	0.076	



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 12 of 12 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002716.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.02	0.02	5	0.1	0.02	0.1	
L104E 200S	Soil	8.0	19.7	0.20	84.6	0.009	1	0.82	0.003	0.06	0.3	2.5	0.06	<0.02	25	2.0	0.11	2.1
L104E 225S	Soil	11.1	26.7	0.26	111.6	0.010	1	1.34	0.004	0.08	0.3	5.7	0.10	<0.02	62	1.3	0.10	2.7
L104E 250S	Soil	6.0	12.8	0.10	75.6	0.017	4	0.61	0.004	0.07	0.2	2.5	0.04	0.02	75	1.1	0.05	2.5
L104E 275S	Soil	9.3	19.7	0.21	54.9	0.008	1	1.02	0.003	0.06	0.4	2.9	0.07	<0.02	31	1.6	0.09	2.0
L104E 300S	Soil	7.8	20.3	0.19	72.1	0.012	<1	1.00	0.002	0.04	0.3	3.2	0.07	<0.02	47	2.0	0.16	2.3
L104E 325S	Soil	7.9	20.8	0.22	64.3	0.013	<1	0.99	0.003	0.05	0.2	3.8	0.06	<0.02	35	2.4	0.12	2.2
L104E 350S	Soil	10.3	22.6	0.22	96.5	0.010	1	1.00	0.004	0.07	0.3	4.1	0.07	<0.02	56	1.6	0.10	2.2
L104E 375S	Soil	10.4	22.3	0.22	87.1	0.010	1	1.09	0.004	0.07	0.3	3.9	0.08	<0.02	57	1.7	0.08	2.0
L104E 400S	Soil	11.0	22.5	0.26	62.8	0.014	<1	0.93	0.004	0.07	0.3	4.1	0.06	<0.02	43	1.4	0.11	1.9
L104E 425S	Soil	8.0	22.5	0.24	91.9	0.014	1	0.85	0.003	0.07	0.2	2.7	0.05	<0.02	48	1.2	0.08	2.1
L104E 450S	Soil	8.1	21.4	0.25	39.0	0.020	1	0.90	0.003	0.05	0.2	1.8	0.05	<0.02	29	0.9	0.07	2.9
L104E 475S	Soil	7.4	34.1	0.51	87.7	0.018	<1	1.64	0.003	0.05	0.2	2.4	0.07	<0.02	37	1.1	0.13	3.8
L104E 500S	Soil	8.5	24.6	0.32	58.8	0.020	<1	1.05	0.003	0.04	0.1	2.4	0.05	<0.02	20	1.0	0.09	3.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN10002716.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
L88E 2700N	Soil	1.76	31.90	6.58	103.3	237	18.5	10.7	370	3.15	10.8	0.4	2.5	1.6	22.6	0.45	0.30	0.08	51	0.28	0.094
REP L88E 2700N	QC	1.93	33.30	6.78	104.7	251	19.5	10.9	385	3.24	11.1	0.4	15.9	1.5	24.3	0.48	0.32	0.09	53	0.28	0.102
L90E 2675N	Soil	1.81	37.51	6.12	103.0	558	21.2	11.9	414	2.65	10.7	0.5	1.5	1.8	27.5	0.35	0.24	0.10	47	0.31	0.047
REP L90E 2675N	QC	1.85	39.58	6.29	108.6	560	22.6	12.1	429	2.75	11.5	0.4	1.8	1.9	28.4	0.34	0.25	0.09	49	0.32	0.051
L90E 2825N	Soil	2.33	37.80	7.05	82.3	174	20.7	13.8	399	3.01	18.5	0.4	2.1	1.0	27.6	0.64	0.41	0.10	45	0.44	0.028
REP L90E 2825N	QC	2.24	36.69	6.69	84.1	178	20.6	13.7	399	3.08	17.9	0.4	8.8	1.0	28.0	0.58	0.38	0.09	46	0.43	0.026
L92E 1800N	Soil	2.90	38.01	8.65	84.8	185	37.6	9.3	332	3.36	23.4	0.3	14.2	2.2	12.1	0.25	0.44	0.11	37	0.12	0.045
REP L92E 1800N	QC	2.72	37.57	8.24	82.1	183	35.6	8.9	329	3.36	22.2	0.3	17.3	2.3	12.2	0.25	0.42	0.10	38	0.12	0.044
L96E 0575N	Soil	4.45	36.42	8.71	122.2	536	43.8	10.4	475	2.92	60.2	0.5	100.2	2.3	10.6	0.41	1.13	0.12	26	0.11	0.027
REP L96E 0575N	QC	4.80	38.07	9.50	130.3	630	46.3	11.0	510	2.94	64.7	0.6	274.4	2.4	11.0	0.43	1.20	0.13	26	0.13	0.029
L96E 1200N	Soil	3.93	71.62	17.28	118.8	990	56.9	19.6	1024	3.94	48.0	0.7	208.1	1.9	34.7	1.14	0.86	0.21	34	0.65	0.062
REP L96E 1200N	QC	3.91	71.03	17.71	119.6	939	56.3	19.0	1020	3.92	47.5	0.7	23.0	2.0	33.5	1.12	0.86	0.22	34	0.65	0.065
L96E 1400N	Soil	2.72	46.57	10.01	112.9	961	40.4	12.2	477	3.04	32.4	0.8	37.1	2.8	20.2	0.59	0.47	0.15	29	0.25	0.042
REP L96E 1400N	QC	2.77	46.32	10.09	120.7	940	41.3	12.5	501	3.10	32.5	0.8	7.9	2.6	19.6	0.61	0.45	0.17	29	0.26	0.040
L96E 2050N	Soil	2.95	75.64	7.54	96.9	221	44.8	19.8	516	3.92	29.1	0.4	6.9	2.2	22.3	0.29	0.51	0.10	52	0.23	0.044
REP L96E 2050N	QC	2.86	74.39	7.58	95.0	230	46.0	19.7	524	3.92	29.5	0.4	8.1	2.2	20.9	0.30	0.54	0.09	52	0.21	0.042
L96E 2300N	Soil	1.19	9.53	3.94	30.1	95	5.5	3.0	122	0.99	5.8	0.2	2.6	0.7	12.3	0.16	0.26	0.10	26	0.15	0.022
REP L96E 2300N	QC	1.18	9.26	3.95	31.2	94	5.7	2.9	119	0.98	5.6	0.2	3.7	0.7	12.4	0.15	0.25	0.10	27	0.15	0.021
L97E 325S	Soil	2.21	49.09	10.14	77.1	202	36.4	9.7	1141	2.38	31.4	0.4	22.2	1.4	13.9	0.38	0.62	0.14	25	0.20	0.047
REP L97E 325S	QC	2.18	49.39	10.62	77.3	201	35.6	9.9	1150	2.38	31.8	0.4	29.0	1.4	14.2	0.39	0.60	0.14	25	0.20	0.047
L98E 500S	Soil	1.53	32.98	6.07	80.0	521	22.8	5.9	669	2.06	26.6	0.2	25.8	1.2	8.1	0.21	0.56	0.12	20	0.09	0.058
REP L98E 500S	QC	1.57	34.15	6.35	80.3	537	23.6	6.0	706	2.10	25.8	0.2	47.0	1.2	8.1	0.22	0.57	0.13	21	0.09	0.057
L99E 200S	Soil	2.57	64.82	13.71	178.9	1241	46.8	15.8	2181	3.32	35.1	0.6	12.6	1.0	31.3	1.37	0.66	0.17	45	0.41	0.107
REP L99E 200S	QC	2.67	62.69	13.03	172.1	1243	46.2	15.5	2216	3.35	35.2	0.6	13.2	1.1	31.0	1.38	0.69	0.17	45	0.39	0.105
L100E 100S	Soil	6.66	168.5	34.68	208.9	3935	104.3	19.6	2753	6.14	104.7	2.9	117.7	1.6	71.4	2.01	2.12	0.35	40	1.15	0.168
REP L100E 100S	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L100E 225S	Soil	2.55	40.42	7.14	91.7	449	29.9	8.0	455	1.88	29.4	0.4	102.1	1.6	10.8	0.30	0.53	0.13	23	0.12	0.049
REP L100E 225S	QC	2.32	38.45	6.76	88.6	453	28.1	7.0	448	1.84	27.9	0.4	171.5	1.5	10.3	0.30	0.50	0.12	22	0.11	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN10002716.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																		
L88E 2700N	Soil	5.6	29.0	0.62	112.3	0.074	<1	2.05	0.005	0.07	0.1	3.0	0.06	<0.02	27	0.4	0.03	4.3
REP L88E 2700N	QC	5.5	30.0	0.65	120.1	0.080	<1	2.12	0.004	0.07	0.1	3.1	0.06	<0.02	31	0.3	0.04	4.5
L90E 2675N	Soil	8.8	30.4	0.70	114.4	0.098	<1	1.82	0.004	0.08	0.1	3.4	0.07	<0.02	28	0.4	0.03	4.5
REP L90E 2675N	QC	9.0	31.1	0.73	115.0	0.103	1	1.93	0.005	0.08	0.1	3.6	0.07	<0.02	29	0.4	0.03	4.9
L90E 2825N	Soil	5.8	24.4	0.51	69.6	0.092	<1	1.46	0.004	0.05	0.1	2.8	0.04	<0.02	20	0.5	0.04	3.5
REP L90E 2825N	QC	5.7	24.3	0.53	66.9	0.091	<1	1.52	0.003	0.05	0.1	2.7	0.04	<0.02	13	0.6	0.04	3.6
L92E 1800N	Soil	9.9	36.2	0.68	66.4	0.024	<1	1.59	0.003	0.07	<0.1	2.8	0.04	<0.02	14	0.6	0.04	3.6
REP L92E 1800N	QC	9.6	37.1	0.68	64.2	0.024	<1	1.60	0.004	0.07	<0.1	2.6	0.04	<0.02	14	0.8	0.05	3.5
L96E 0575N	Soil	9.9	22.8	0.31	82.2	0.017	1	0.94	0.003	0.05	0.2	3.1	0.07	<0.02	32	0.8	0.06	2.3
REP L96E 0575N	QC	10.5	24.5	0.30	86.4	0.018	<1	0.95	0.003	0.05	0.2	3.5	0.07	<0.02	39	1.0	0.09	2.4
L96E 1200N	Soil	10.4	33.1	0.43	105.2	0.021	2	1.37	0.005	0.12	0.1	4.5	0.09	0.03	66	2.1	0.10	3.1
REP L96E 1200N	QC	10.4	33.4	0.44	105.9	0.021	2	1.38	0.005	0.13	0.2	4.4	0.09	0.03	64	2.0	0.08	3.1
L96E 1400N	Soil	13.0	26.0	0.41	96.7	0.015	1	1.40	0.004	0.08	0.1	3.0	0.06	<0.02	28	1.1	0.04	2.7
REP L96E 1400N	QC	12.7	26.4	0.39	96.3	0.015	1	1.37	0.004	0.08	0.1	3.0	0.06	<0.02	37	1.0	0.07	2.9
L96E 2050N	Soil	6.9	46.1	1.08	111.3	0.123	<1	2.38	0.004	0.07	0.1	3.6	0.05	<0.02	25	0.7	0.03	4.0
REP L96E 2050N	QC	6.5	47.7	1.08	107.7	0.116	<1	2.34	0.004	0.07	0.1	3.6	0.04	<0.02	21	0.7	0.05	3.9
L96E 2300N	Soil	4.4	9.1	0.14	31.3	0.068	<1	0.63	0.002	0.05	<0.1	1.2	0.06	<0.02	9	0.2	<0.02	3.4
REP L96E 2300N	QC	4.6	9.4	0.13	30.7	0.070	<1	0.65	0.003	0.05	<0.1	1.2	0.06	<0.02	13	0.2	<0.02	3.4
L97E 325S	Soil	11.3	20.1	0.35	121.8	0.012	1	1.00	0.004	0.08	0.1	3.1	0.05	<0.02	39	0.9	0.06	2.5
REP L97E 325S	QC	10.7	20.1	0.34	120.7	0.010	1	0.99	0.004	0.07	0.1	3.0	0.05	<0.02	39	0.9	0.09	2.5
L98E 500S	Soil	9.8	13.6	0.25	103.1	0.009	<1	0.76	0.004	0.05	0.1	2.2	0.04	<0.02	25	0.5	0.06	2.6
REP L98E 500S	QC	9.4	13.5	0.24	104.9	0.008	<1	0.76	0.003	0.05	0.2	2.2	0.04	<0.02	26	0.5	0.05	2.5
L99E 200S	Soil	10.9	27.3	0.30	256.6	0.023	<1	1.45	0.006	0.08	0.1	4.4	0.09	<0.02	70	1.0	0.07	4.9
REP L99E 200S	QC	10.4	25.8	0.32	256.4	0.019	<1	1.44	0.006	0.07	0.1	4.3	0.08	<0.02	82	0.9	0.05	4.5
L100E 100S	Soil	17.4	41.3	0.46	259.9	0.030	11	2.48	0.008	0.16	0.8	10.5	0.19	0.10	277	3.3	0.17	4.7
REP L100E 100S	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L100E 225S	Soil	10.8	19.1	0.27	140.9	0.008	<1	1.02	0.006	0.06	0.2	2.8	0.09	<0.02	34	0.6	0.05	2.4
REP L100E 225S	QC	9.6	17.9	0.26	126.7	0.007	<1	1.00	0.005	0.06	0.2	2.6	0.08	<0.02	38	0.6	0.04	2.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 2 of 3 Part 1

# QUALITY CONTROL REPORT

VAN10002716.1

		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L101E 150S	Soil	5.13	68.64	15.91	193.8	1461	61.1	14.7	561	4.24	92.5	0.6	317.4	2.0	13.4	1.19	1.38	0.17	28	0.16	0.115
REP L101E 150S	QC	4.87	63.63	14.84	180.7	1306	57.4	13.8	536	4.07	85.5	0.6	166.3	1.9	12.8	1.05	1.27	0.16	27	0.15	0.112
L102E 125S	Soil	5.94	64.20	18.80	182.3	1119	53.6	16.1	1131	3.51	72.2	0.7	126.7	1.2	26.3	2.86	1.13	0.17	25	0.31	0.115
REP L102E 125S	QC	5.82	63.64	18.93	187.6	1149	53.1	16.4	1145	3.47	68.7	0.6	144.4	1.2	25.1	2.80	1.05	0.16	25	0.31	0.105
L103E 275S	Soil	6.91	58.18	10.97	125.6	371	43.4	9.9	278	3.42	85.7	0.4	327.3	1.9	6.7	0.42	1.06	0.14	25	0.05	0.093
REP L103E 275S	QC	7.21	58.07	12.47	121.9	347	43.9	9.5	279	3.51	88.4	0.4	174.0	2.0	6.6	0.42	1.05	0.14	25	0.05	0.089
L104E 050S	Soil	4.73	41.35	8.75	116.6	1168	28.6	13.6	606	3.10	50.1	0.3	62.9	0.8	35.4	1.79	0.83	0.19	41	0.69	0.056
REP L104E 050S	QC	4.58	41.46	8.64	116.7	1149	29.3	13.7	602	3.05	50.2	0.3	17.3	0.8	35.3	1.85	0.85	0.19	41	0.68	0.059
L104E 225S	Soil	6.13	62.16	15.05	136.5	1388	57.7	17.2	1281	3.95	81.6	0.9	265.6	1.5	13.9	0.84	0.88	0.20	28	0.24	0.064
REP L104E 225S	QC	5.66	60.66	14.33	134.4	1325	57.9	16.6	1269	3.82	75.8	0.8	381.9	1.4	13.6	0.82	0.80	0.20	28	0.23	0.060
Reference Materials																					
STD DS7	Standard	20.98	94.18	64.55	376.9	970	57.3	8.3	615	2.37	43.5	3.9	68.1	3.8	80.6	5.57	5.12	3.87	82	0.99	0.067
STD DS7	Standard	19.97	101.6	67.06	378.8	971	52.7	9.3	586	2.30	52.9	4.7	66.6	4.6	70.5	6.72	6.51	4.99	82	0.90	0.083
STD DS7	Standard	23.50	112.9	69.39	408.1	1013	59.0	9.8	619	2.51	56.9	4.8	73.3	4.8	76.9	6.97	6.34	4.91	87	1.00	0.095
STD DS7	Standard	21.46	104.3	60.35	378.0	912	55.1	9.5	624	2.33	49.6	4.5	64.2	4.3	75.6	6.20	5.81	4.31	83	0.93	0.075
STD DS7	Standard	19.75	94.93	62.97	375.8	969	53.3	8.2	596	2.35	47.8	4.4	71.6	4.2	69.7	6.26	5.72	4.27	81	0.93	0.077
STD DS7	Standard	21.21	109.4	64.72	366.0	926	55.3	10.0	610	2.33	47.6	4.9	69.6	4.9	74.2	6.17	5.66	4.47	82	0.98	0.073
STD DS7	Standard	20.36	102.6	67.43	409.4	1067	54.2	9.3	628	2.43	55.7	4.6	83.8	4.4	72.8	6.70	6.05	4.67	85	0.94	0.084
STD DS7	Standard	22.07	107.0	69.50	407.9	972	57.4	9.7	644	2.51	55.8	4.8	107.8	4.8	76.7	6.63	6.18	4.79	88	1.00	0.079
STD DS7	Standard	20.44	95.05	61.05	371.5	922	55.3	9.8	598	2.27	45.3	3.8	67.4	3.7	68.9	5.36	4.87	3.72	77	0.95	0.077
STD DS7	Standard	19.65	102.3	68.76	394.9	942	55.6	9.4	637	2.37	49.9	4.6	68.0	4.3	64.2	6.51	5.78	4.67	80	0.91	0.079
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN10002716.1

		1F15 La ppm 0.5	1F15 Cr ppm 0.5	1F15 Mg % 0.01	1F15 Ba ppm 0.5	1F15 Ti % 0.001	1F15 B ppm 1	1F15 Al % 0.01	1F15 Na % 0.001	1F15 K % 0.01	1F15 W ppm 0.1	1F15 Sc ppm 0.1	1F15 Ti ppm 0.02	1F15 S % 0.02	1F15 Hg ppb 5	1F15 Se ppm 0.1	1F15 Te ppm 0.02	1F15 Ga ppm 0.1
L101E 150S	Soil	10.5	21.4	0.27	124.5	0.017	<1	1.12	0.005	0.07	0.2	4.3	0.08	<0.02	38	1.6	0.10	2.6
REP L101E 150S	QC	9.4	20.3	0.26	113.8	0.016	<1	1.07	0.005	0.06	0.3	3.9	0.07	<0.02	39	1.4	0.08	2.4
L102E 125S	Soil	9.7	19.8	0.27	150.3	0.008	2	1.00	0.006	0.09	0.3	3.8	0.08	0.02	60	1.4	0.11	2.2
REP L102E 125S	QC	9.5	19.6	0.23	148.8	0.008	<1	0.96	0.005	0.09	0.3	3.8	0.08	0.02	54	1.3	0.08	2.1
L103E 275S	Soil	11.4	18.9	0.25	73.6	0.007	<1	0.89	0.004	0.06	0.2	2.7	0.07	<0.02	27	1.3	0.08	2.3
REP L103E 275S	QC	11.9	19.6	0.23	74.5	0.008	<1	0.91	0.004	0.06	0.2	2.6	0.07	<0.02	29	1.3	0.11	2.3
L104E 050S	Soil	5.4	19.0	0.16	61.7	0.032	1	0.58	0.004	0.05	0.2	2.1	0.04	0.03	29	1.2	0.11	3.3
REP L104E 050S	QC	5.3	19.0	0.16	62.4	0.032	2	0.57	0.003	0.05	0.2	1.9	0.04	0.03	35	1.2	0.11	3.3
L104E 225S	Soil	11.1	26.7	0.26	111.6	0.010	1	1.34	0.004	0.08	0.3	5.7	0.10	<0.02	62	1.3	0.10	2.7
REP L104E 225S	QC	10.7	27.4	0.24	104.8	0.010	2	1.33	0.004	0.08	0.4	5.5	0.10	<0.02	48	1.3	0.10	2.7
Reference Materials																		
STD DS7	Standard	12.3	239.5	1.04	401.3	0.104	39	1.05	0.097	0.46	3.7	2.7	3.92	0.19	204	3.5	1.16	4.9
STD DS7	Standard	13.6	177.8	1.00	416.3	0.115	38	0.96	0.089	0.42	3.9	2.6	4.37	0.20	211	3.5	1.16	4.6
STD DS7	Standard	14.8	191.4	1.07	400.2	0.135	36	1.08	0.099	0.46	3.8	2.9	4.24	0.21	220	3.5	1.21	4.8
STD DS7	Standard	13.0	201.4	1.01	397.8	0.123	33	0.98	0.083	0.43	3.9	2.8	4.05	0.20	203	3.7	1.17	4.6
STD DS7	Standard	12.5	198.2	1.00	404.6	0.115	36	0.99	0.085	0.43	3.8	2.5	3.96	0.19	206	3.4	1.08	4.7
STD DS7	Standard	14.8	201.4	1.02	377.0	0.132	37	1.04	0.092	0.44	4.0	2.9	4.08	0.19	204	3.4	1.08	4.8
STD DS7	Standard	12.2	186.3	1.05	404.6	0.112	39	1.00	0.091	0.45	3.8	2.7	4.26	0.21	220	3.3	1.19	4.7
STD DS7	Standard	13.5	192.7	1.09	441.3	0.123	43	1.08	0.100	0.46	3.8	2.8	4.30	0.21	244	3.8	1.20	4.8
STD DS7	Standard	11.4	221.4	1.03	386.5	0.103	37	0.99	0.092	0.44	3.5	2.4	3.85	0.19	202	3.3	1.17	4.6
STD DS7	Standard	11.6	200.3	1.02	419.0	0.108	35	0.96	0.084	0.45	4.0	2.5	4.44	0.19	227	3.6	1.13	4.5
STD DS7 Expected		11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: June 30, 2010

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN10002716.1

		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

**Project:** Spanish Mountain

**Report Date:** June 30, 2010

**Page:** 3 of 3 **Part** 2

## QUALITY CONTROL REPORT

VAN10002716.1

		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

Submitted By: Powell Malcolm  
Receiving Lab: Canada-Vancouver  
Received: July 27, 2010  
Report Date: August 16, 2010  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

VAN10003497.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-3  
P.O. Number: Acrex SMTN  
Number of Samples: 40

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Acrex Ventures Ltd.  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1  
Canada

CC: Perry Grunenberg

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	40	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	40	Dry at 60C			VAN
1F02	40	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 16, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10003497.1

Method	Analyte	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
Unit	MDL	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L105E 025S	Soil	7.78	35.93	9.77	118.7	543	39.3	8.8	296	2.59	67.4	0.4	125.4	1.1	10.0	0.78	1.28	0.15	21	0.12	0.057
L105E 050S	Soil	6.05	44.15	9.74	149.3	1497	45.0	10.3	569	2.88	48.5	0.6	86.1	0.9	8.0	0.90	0.87	0.17	27	0.06	0.059
L105E 075S	Soil	8.07	28.09	10.42	82.9	557	31.8	6.6	155	2.68	73.9	0.3	77.2	1.1	4.8	0.26	1.29	0.15	23	0.04	0.056
L105E 100S	Soil	8.88	67.85	12.44	166.6	1500	44.8	16.3	352	5.17	149.6	0.4	195.7	1.7	7.1	0.54	1.18	0.20	24	0.07	0.081
L105E 125S	Soil	7.70	188.8	29.30	178.1	6189	151.8	26.5	2276	7.44	111.2	6.0	72.5	2.0	52.4	0.96	1.48	0.43	48	0.95	0.175
L105E 150S	Soil	7.75	64.28	13.76	145.8	472	64.1	14.0	424	3.80	97.9	0.5	126.3	2.2	12.3	0.47	1.37	0.17	25	0.15	0.040
L105E 175S	Soil	5.21	50.54	13.65	141.5	654	57.5	16.2	644	4.41	83.7	0.5	91.9	1.0	20.0	0.79	1.38	0.21	38	0.33	0.069
L105E 200S	Soil	5.50	37.95	9.84	123.9	603	32.3	9.7	373	3.00	61.9	0.3	277.2	1.2	4.7	0.48	0.72	0.14	23	0.04	0.105
L105E 225S	Soil	7.39	58.64	11.12	151.1	786	43.5	11.4	405	3.50	73.8	0.4	210.7	1.8	6.2	0.70	0.90	0.16	23	0.05	0.070
L105E 250S	Soil	8.05	50.51	12.76	160.7	964	47.0	12.3	340	3.73	100.8	0.4	342.3	1.6	6.8	1.49	0.99	0.16	22	0.05	0.128
L105E 275S	Soil	5.14	33.95	11.59	149.6	1048	35.6	12.6	856	3.03	63.7	0.4	196.5	0.9	12.3	0.73	0.58	0.15	27	0.21	0.048
L105E 300S	Soil	5.17	56.44	12.19	140.3	1282	51.2	12.5	684	3.10	70.8	0.6	265.9	1.3	9.9	1.06	0.68	0.13	24	0.13	0.056
L105E 325S	Soil	7.46	49.83	16.95	150.3	954	42.2	12.3	327	4.18	106.6	0.5	322.0	1.3	7.2	0.77	1.08	0.16	25	0.09	0.116
L105E 350S	Soil	4.73	41.33	12.62	177.7	831	39.0	13.1	725	3.81	65.6	0.3	40.1	0.7	8.6	0.74	0.67	0.16	33	0.13	0.077
L105E 375S	Soil	4.88	34.57	13.62	161.4	472	34.7	14.6	918	3.82	73.3	0.2	74.1	0.9	13.8	0.95	0.77	0.17	34	0.27	0.098
L105E 400S	Soil	8.26	48.71	13.97	139.4	349	44.2	13.9	465	3.46	99.5	0.4	111.3	1.1	17.2	1.13	0.98	0.14	25	0.34	0.056
L105E 425S	Soil	7.95	47.20	11.57	147.0	605	43.4	12.0	595	3.37	78.4	0.5	163.3	1.6	11.6	0.75	0.88	0.14	24	0.21	0.073
L105E 450S	Soil	5.00	57.55	18.60	180.5	831	52.8	15.6	1346	4.53	84.1	0.4	36.7	1.7	12.1	1.00	0.88	0.19	33	0.20	0.120
L105E 475S	Soil	3.69	35.82	10.87	121.3	444	32.5	12.5	617	3.07	54.2	0.3	82.8	1.8	9.4	0.71	0.60	0.15	30	0.15	0.070
L105E 500S	Soil	5.62	45.79	11.88	124.8	372	42.3	15.5	529	3.66	77.2	0.3	323.8	1.5	11.4	0.54	0.84	0.15	30	0.27	0.046
L106E 025S	Soil	6.40	22.12	6.74	89.7	521	28.5	7.3	353	2.02	42.3	0.3	132.8	1.1	8.0	0.46	0.88	0.10	19	0.09	0.047
L106E 050S	Soil	7.26	27.31	8.58	98.4	410	30.8	7.8	329	2.35	55.5	0.3	75.7	1.7	7.4	0.51	0.94	0.13	24	0.07	0.073
L106E 075S	Soil	6.40	27.10	7.08	100.5	582	32.1	8.7	349	2.45	53.8	0.3	303.7	2.0	4.6	0.38	0.95	0.12	21	0.04	0.064
L106E 100S	Soil	8.85	45.78	9.54	130.7	1394	46.8	10.3	335	3.39	79.7	0.4	239.0	1.8	6.4	0.72	1.10	0.14	22	0.06	0.060
L106E 125S	Soil	7.46	36.30	7.27	118.9	1254	41.8	8.1	215	2.70	57.5	0.4	181.7	2.0	4.8	0.41	0.99	0.12	22	0.04	0.051
L106E 150S	Soil	4.62	16.74	5.40	64.4	299	17.4	4.8	151	1.62	29.7	0.2	128.0	1.6	5.8	0.24	0.49	0.11	20	0.06	0.044
L106E 175S	Soil	4.69	45.24	9.82	135.8	1066	55.7	10.8	467	3.16	77.3	0.3	107.9	1.4	8.8	0.54	1.01	0.14	26	0.10	0.055
L106E 200S	Soil	7.08	19.63	9.27	66.2	277	25.4	6.0	158	2.36	62.1	0.2	87.0	1.6	8.6	0.31	0.82	0.13	33	0.10	0.022
L106E 225S	Soil	4.92	30.96	7.21	126.5	858	34.6	8.6	620	2.51	44.1	0.3	136.7	1.1	12.9	1.05	0.91	0.12	22	0.15	0.070
L106E 250S	Soil	6.37	39.72	9.34	144.0	718	35.6	10.4	413	3.24	63.9	0.3	864.6	1.7	7.0	1.13	0.81	0.13	23	0.06	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 16, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10003497.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
L105E 025S	Soil	9.1	18.6	0.14	81.7	0.010	3	0.54	0.003	0.05	0.3	1.9	0.06	<0.02	34	0.8	0.10	2.1
L105E 050S	Soil	9.4	23.0	0.23	104.0	0.009	2	1.10	0.004	0.06	0.4	2.4	0.11	<0.02	59	0.8	0.08	3.1
L105E 075S	Soil	8.8	13.2	0.08	36.1	0.010	2	0.43	0.002	0.04	0.3	1.4	0.05	<0.02	28	1.0	0.15	2.3
L105E 100S	Soil	7.2	20.8	0.19	56.8	0.006	<1	0.90	0.003	0.05	0.3	2.8	0.06	0.02	37	2.7	0.11	2.3
L105E 125S	Soil	17.6	57.5	0.55	310.5	0.018	3	3.06	0.011	0.20	0.3	12.6	0.17	0.08	277	3.6	0.17	6.0
L105E 150S	Soil	9.9	26.3	0.23	58.9	0.013	2	0.87	0.003	0.08	0.3	2.9	0.06	<0.02	29	1.8	0.13	2.2
L105E 175S	Soil	7.3	31.2	0.42	71.8	0.016	2	1.19	0.004	0.07	0.2	3.3	0.06	0.04	49	2.2	0.12	3.3
L105E 200S	Soil	9.2	15.8	0.15	66.6	0.009	1	0.65	0.003	0.04	0.2	1.8	0.06	<0.02	27	1.2	0.08	2.4
L105E 225S	Soil	9.5	21.7	0.30	92.3	0.008	<1	1.00	0.004	0.06	0.3	2.6	0.06	<0.02	35	1.3	0.11	2.2
L105E 250S	Soil	8.6	17.7	0.20	63.2	0.007	<1	0.77	0.003	0.05	0.3	2.4	0.06	<0.02	32	1.7	0.14	2.1
L105E 275S	Soil	7.7	18.7	0.18	104.4	0.010	2	0.90	0.004	0.06	0.2	2.8	0.09	<0.02	46	1.1	0.07	2.9
L105E 300S	Soil	9.2	20.0	0.20	72.6	0.006	1	1.00	0.004	0.05	0.2	3.6	0.08	<0.02	57	1.2	0.08	2.5
L105E 325S	Soil	7.7	18.5	0.15	76.8	0.007	1	0.77	0.003	0.06	0.3	2.5	0.08	<0.02	40	1.2	0.15	2.3
L105E 350S	Soil	6.9	22.9	0.22	68.0	0.011	5	1.15	0.005	0.06	0.3	2.2	0.08	<0.02	56	0.8	0.08	3.1
L105E 375S	Soil	7.3	18.2	0.14	85.5	0.018	2	0.67	0.003	0.05	0.3	2.0	0.06	<0.02	26	1.0	0.11	3.1
L105E 400S	Soil	8.0	16.4	0.13	81.1	0.010	2	0.55	0.003	0.05	0.3	2.2	0.06	<0.02	27	1.7	0.12	2.0
L105E 425S	Soil	9.0	20.3	0.19	81.6	0.007	1	0.86	0.003	0.07	0.2	2.9	0.08	<0.02	37	1.3	0.09	2.4
L105E 450S	Soil	8.2	24.2	0.26	105.3	0.014	2	1.16	0.004	0.07	0.2	3.8	0.08	<0.02	41	1.2	0.14	3.1
L105E 475S	Soil	9.3	19.4	0.22	91.5	0.015	2	0.83	0.003	0.05	0.2	2.2	0.05	<0.02	23	0.8	0.10	3.1
L105E 500S	Soil	8.7	22.8	0.23	70.0	0.016	1	0.89	0.003	0.06	0.3	2.7	0.07	<0.02	23	1.1	0.12	2.8
L106E 025S	Soil	10.9	16.3	0.15	87.5	0.011	<1	0.58	0.003	0.05	0.3	1.5	0.06	<0.02	17	0.6	0.06	2.2
L106E 050S	Soil	11.0	14.9	0.11	62.1	0.019	2	0.42	0.002	0.06	0.2	1.7	0.06	<0.02	19	0.9	0.10	2.8
L106E 075S	Soil	11.7	17.6	0.16	53.7	0.013	<1	0.65	0.003	0.05	0.3	1.8	0.07	<0.02	33	0.8	0.08	2.3
L106E 100S	Soil	9.3	19.3	0.19	65.5	0.009	1	0.86	0.003	0.06	0.3	2.2	0.06	<0.02	54	1.5	0.09	2.0
L106E 125S	Soil	10.3	20.4	0.19	63.5	0.011	2	0.92	0.003	0.05	0.3	2.0	0.08	<0.02	59	0.9	0.07	2.4
L106E 150S	Soil	12.4	11.4	0.09	40.7	0.017	2	0.43	0.002	0.05	0.2	1.2	0.06	<0.02	15	0.6	0.06	2.8
L106E 175S	Soil	11.7	26.5	0.23	72.4	0.016	1	0.93	0.003	0.06	0.2	2.3	0.06	<0.02	46	1.2	0.08	2.5
L106E 200S	Soil	11.4	15.3	0.07	47.6	0.019	1	0.44	0.003	0.03	0.2	1.4	0.06	<0.02	8	0.6	0.10	2.6
L106E 225S	Soil	9.9	17.7	0.17	96.6	0.011	1	0.61	0.003	0.07	0.3	2.1	0.05	<0.02	40	0.8	0.07	2.2
L106E 250S	Soil	11.2	19.2	0.20	80.9	0.011	1	0.76	0.004	0.06	0.2	2.1	0.05	<0.02	25	1.4	0.09	2.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 16, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10003497.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
L106E 275S	Soil	5.69	37.26	8.55	108.3	799	34.4	10.0	347	2.84	53.7	0.4	255.3	1.4	6.9	0.51	0.65	0.12	24	0.07	0.055
L106E 300S	Soil	7.94	116.4	15.10	151.8	2824	87.0	14.1	779	4.24	83.0	1.7	189.1	1.2	25.1	1.31	0.91	0.23	36	0.45	0.089
L106E 325S	Soil	9.33	116.4	22.57	183.9	2868	74.3	23.0	1009	4.54	87.9	1.3	171.2	1.4	12.1	1.67	1.00	0.21	36	0.16	0.085
L106E 350S	Soil	7.04	66.92	14.09	180.1	1432	65.5	14.2	721	3.83	94.3	0.5	999.1	0.7	17.2	2.16	1.00	0.15	26	0.40	0.073
L106E 375S	Soil	6.05	20.70	12.90	90.4	353	26.8	12.2	260	3.02	72.1	0.3	69.3	1.1	7.6	0.77	0.62	0.13	28	0.10	0.045
L106E 400S	Soil	7.94	50.39	13.53	147.2	532	53.5	13.9	263	3.79	94.6	0.4	362.3	1.9	7.0	0.53	1.00	0.12	22	0.10	0.059
L106E 425S	Soil	3.97	50.16	12.40	110.4	843	46.6	10.8	587	2.79	59.3	0.7	180.1	1.8	17.1	0.34	0.66	0.14	26	0.22	0.053
L106E 450S	Soil	4.41	63.40	15.43	165.1	910	62.2	16.1	941	3.44	68.5	1.1	75.9	1.1	23.0	1.29	0.77	0.15	29	0.42	0.059
L106E 475S	Soil	4.41	36.27	11.89	123.3	361	34.0	9.5	463	2.85	58.5	0.4	21.8	1.4	11.1	1.02	0.62	0.13	29	0.14	0.049
L106E 500S	Soil	4.61	52.20	12.90	146.0	549	49.8	13.9	649	3.22	60.8	1.0	201.7	1.6	12.1	1.16	0.72	0.14	29	0.14	0.057



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

Project: Spanish Mountain  
 Report Date: August 16, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10003497.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
L106E 275S	Soil	11.5	22.9	0.28	72.4	0.011	2	0.99	0.004	0.08	0.3	2.3	0.07	<0.02	27	1.2	0.06	2.3
L106E 300S	Soil	11.5	29.5	0.30	202.6	0.007	2	1.69	0.008	0.12	0.4	7.8	0.15	0.03	104	2.2	0.13	3.7
L106E 325S	Soil	11.2	28.4	0.19	117.2	0.008	2	1.45	0.006	0.10	0.3	5.7	0.14	<0.02	61	1.9	0.13	3.9
L106E 350S	Soil	9.9	18.4	0.18	103.1	0.008	2	0.83	0.004	0.07	0.4	2.6	0.08	<0.02	38	2.0	0.14	2.3
L106E 375S	Soil	9.0	14.5	0.09	58.5	0.010	2	0.65	0.003	0.04	0.2	1.7	0.07	<0.02	26	1.0	0.09	2.4
L106E 400S	Soil	9.5	18.1	0.18	49.3	0.006	2	0.99	0.004	0.06	0.2	2.6	0.07	<0.02	31	2.0	0.12	1.9
L106E 425S	Soil	11.5	22.9	0.34	109.7	0.011	<1	1.05	0.007	0.08	0.2	4.4	0.09	<0.02	28	1.1	0.08	2.4
L106E 450S	Soil	8.1	20.7	0.28	131.3	0.010	<1	1.18	0.005	0.08	0.2	4.2	0.08	0.02	49	1.5	0.10	2.5
L106E 475S	Soil	8.4	17.8	0.25	80.2	0.012	<1	0.85	0.004	0.05	0.2	2.8	0.07	<0.02	8	1.1	0.03	2.9
L106E 500S	Soil	10.1	19.9	0.27	97.0	0.009	<1	1.17	0.005	0.07	0.2	3.7	0.08	<0.02	37	1.6	0.04	2.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
1400 - 570 Granville St.  
Vancouver BC V6C 3P1 Canada

**Project:** Spanish Mountain

**Report Date:** August 16, 2010

**Page:** 1 of 1 **Part** 1

## QUALITY CONTROL REPORT

VAN10003497.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
L105E 450S	Soil	5.00	57.55	18.60	180.5	831	52.8	15.6	1346	4.53	84.1	0.4	36.7	1.7	12.1	1.00	0.88	0.19	33	0.20	0.120
REP L105E 450S	QC	4.71	53.83	16.25	177.5	868	50.4	14.7	1167	4.15	77.3	0.4	108.3	1.6	11.7	0.91	0.84	0.18	31	0.19	0.118
L106E 350S	Soil	7.04	66.92	14.09	180.1	1432	65.5	14.2	721	3.83	94.3	0.5	999.1	0.7	17.2	2.16	1.00	0.15	26	0.40	0.073
REP L106E 350S	QC	7.24	67.35	14.94	181.1	1342	65.1	14.3	720	3.80	96.2	0.6	250.7	0.8	17.7	2.20	1.00	0.16	25	0.40	0.073
Reference Materials																					
STD DS7	Standard	22.93	99.61	59.18	392.5	947	58.8	10.2	625	2.41	52.8	4.2	64.5	4.1	69.1	5.73	5.18	4.17	81	0.98	0.076
STD DS7	Standard	20.56	106.4	60.45	409.5	918	55.0	9.2	647	2.41	49.3	4.7	62.8	4.6	80.1	5.91	5.41	4.49	84	1.01	0.077
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Acrex Ventures Ltd.  
 1400 - 570 Granville St.  
 Vancouver BC V6C 3P1 Canada

**Project:** Spanish Mountain  
**Report Date:** August 16, 2010

**Page:** 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10003497.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																		
L105E 450S	Soil	8.2	24.2	0.26	105.3	0.014	2	1.16	0.004	0.07	0.2	3.8	0.08	<0.02	41	1.2	0.14	3.1
REP L105E 450S	QC	7.5	23.6	0.24	94.5	0.013	2	1.12	0.004	0.07	0.2	3.5	0.07	<0.02	40	1.2	0.11	3.1
L106E 350S	Soil	9.9	18.4	0.18	103.1	0.008	2	0.83	0.004	0.07	0.4	2.6	0.08	<0.02	38	2.0	0.14	2.3
REP L106E 350S	QC	9.7	19.0	0.17	104.7	0.008	2	0.83	0.004	0.07	0.3	2.8	0.08	<0.02	39	2.2	0.13	2.4
Reference Materials																		
STD DS7	Standard	13.4	266.4	1.04	397.6	0.115	39	1.05	0.105	0.46	3.6	2.7	4.17	0.19	233	3.5	1.31	5.1
STD DS7	Standard	13.9	211.2	1.05	437.2	0.120	37	1.07	0.100	0.47	3.9	2.9	4.14	0.20	208	3.3	1.15	4.8
STD DS7 Expected		11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Acrex Ventures Ltd.**  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2 Canada

Submitted By: Malcolm Powell  
Receiving Lab: Canada-Vancouver  
Received: September 24, 2010  
Report Date: October 26, 2010  
Page: 1 of 7

## CERTIFICATE OF ANALYSIS

VAN10004889.1

### CLIENT JOB INFORMATION

Project: Spanish Mountain  
Shipment ID: SPMTN-5  
P.O. Number: ACREX SMTN  
Number of Samples: 154

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Acrex Ventures Ltd.  
2300 - 1066 West Hastings Street  
Vancouver BC V6E 3X2  
Canada

CC: Perry Grunenberg

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	154	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	154	Dry at 60C			VAN
1F02	154	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
200E 1200N	Soil			6.69	206.6	14.67	175.2	1948	85.4	22.2	2846	4.32	46.7	1.5	9.7	1.2	32.3	2.92	4.61	0.23	60	0.65	0.113
200E 1225N	Soil			6.31	77.99	11.56	115.4	177	46.5	17.2	631	3.73	42.7	0.9	6.8	2.3	13.8	0.61	3.30	0.16	53	0.19	0.043
200E 1250N	Soil			3.79	67.80	11.56	127.1	504	41.0	19.8	783	3.43	25.5	0.8	3.7	2.6	23.8	0.82	1.91	0.16	51	0.41	0.036
200E 1275N	Soil			5.55	110.7	12.67	103.7	401	53.2	23.1	590	4.05	48.6	1.2	8.9	2.9	27.2	0.56	3.09	0.18	58	0.53	0.037
200E 1300N	Soil			3.41	45.21	8.94	131.9	282	28.8	13.3	702	3.10	27.2	0.4	2.0	1.5	14.6	0.65	2.03	0.16	53	0.21	0.093
200E 1325N	Soil			3.50	36.87	8.39	148.1	352	27.8	13.8	399	3.36	37.8	0.4	2.3	2.0	13.7	0.55	2.88	0.15	52	0.21	0.081
200E 1350N	Soil			3.00	33.84	8.97	113.1	191	16.1	8.2	444	3.05	21.0	0.3	1.4	1.6	10.6	0.53	5.64	0.13	42	0.18	0.085
200E 1375N	Soil			2.85	20.11	7.19	108.4	209	19.4	7.6	269	2.69	14.8	0.4	1.2	1.8	13.1	0.57	1.82	0.14	51	0.16	0.078
200E 1400N	Soil			3.09	13.07	9.67	60.0	240	10.7	5.5	451	1.54	10.2	0.3	2.5	1.9	13.4	0.57	0.91	0.19	36	0.21	0.038
200E 1425N	Soil			4.46	48.46	12.59	203.2	514	25.3	15.4	2578	2.96	20.6	0.4	1.3	1.0	19.6	2.73	2.87	0.20	48	0.35	0.121
200E 1450N	Soil			5.06	41.86	11.44	166.0	323	22.8	13.4	506	3.68	28.0	0.5	6.2	1.4	19.7	1.93	2.99	0.20	66	0.27	0.065
200E 1475N	Soil			18.32	107.4	30.41	206.5	1412	54.0	22.7	3348	4.27	54.2	4.6	5.0	0.5	65.7	4.02	12.93	0.35	51	1.13	0.237
200E 1500N	Soil			6.98	86.27	13.66	186.0	735	41.8	26.5	2486	3.90	35.5	2.0	1.0	0.3	21.2	2.12	4.35	0.18	61	0.17	0.119
200E 1525N	Soil			4.26	71.89	9.67	111.0	261	42.4	17.3	805	3.47	26.3	0.9	5.5	1.3	24.3	1.03	2.13	0.15	60	0.40	0.064
200E 1550N	Soil			5.28	96.91	10.93	104.3	850	54.8	20.5	1071	3.77	31.0	1.7	4.1	1.3	40.0	1.24	2.49	0.16	63	0.72	0.069
200E 1575N	Soil			7.89	186.2	16.51	140.9	2307	90.5	22.2	1484	4.98	35.5	3.4	4.5	1.6	64.0	3.58	3.51	0.28	75	1.20	0.098
200E 1600N	Soil			6.22	91.82	11.61	120.4	698	54.7	19.1	841	3.97	34.0	2.1	8.2	2.2	32.2	1.31	2.92	0.18	62	0.45	0.059
200E 1625N	Soil			5.75	186.9	15.38	125.7	1532	76.0	22.9	1343	4.47	37.1	2.2	5.0	1.9	43.1	3.02	2.83	0.24	77	0.83	0.076
200E 1650N	Soil			3.35	22.70	10.01	85.6	87	20.2	6.8	217	3.11	20.5	0.3	2.5	1.8	13.9	0.31	1.64	0.17	75	0.17	0.040
200E 1675N	Soil			1.91	35.98	21.41	113.1	223	27.8	14.7	969	3.29	27.1	0.3	18.9	2.8	10.4	0.29	0.84	0.46	50	0.15	0.076
200E 1700N	Soil			2.25	45.30	14.90	87.4	277	24.0	10.7	1380	2.60	16.7	0.4	6.6	2.5	8.7	0.20	1.41	0.20	33	0.12	0.036
200E 1725N	Soil			3.59	102.8	18.62	115.6	427	42.1	18.9	1628	3.50	35.2	1.0	2.6	2.7	16.1	0.29	1.74	0.29	71	0.21	0.051
200E 1750N	Soil			4.32	43.65	12.84	127.5	279	30.7	12.2	492	3.93	42.2	0.4	1.1	2.1	11.3	0.24	1.89	0.25	78	0.12	0.077
200E 1775N	Soil			4.77	44.23	13.03	111.3	280	25.8	15.0	742	3.37	37.3	0.5	4.5	1.1	18.5	0.61	1.75	0.22	69	0.32	0.083
200E 1800N	Soil			7.17	42.86	14.80	170.7	209	33.6	16.1	741	3.85	34.4	0.5	1.9	1.8	10.9	0.36	2.58	0.23	69	0.13	0.076
200E 1825N	Soil			5.39	42.67	20.18	221.4	237	34.7	17.4	1790	3.30	19.2	0.6	3.0	2.5	12.5	1.45	2.10	0.35	48	0.12	0.113
200E 1850N	Soil			6.32	48.49	13.42	193.1	533	35.8	12.2	2238	2.87	30.4	0.6	14.8	1.0	13.7	3.22	2.92	0.18	44	0.22	0.092
200E 1875N	Soil			6.40	76.76	14.46	201.1	228	39.4	11.2	732	3.44	34.4	0.7	10.4	1.9	13.7	1.61	2.83	0.24	54	0.16	0.105
200E 1900N	Soil			8.02	44.08	17.73	234.0	705	41.2	14.6	2125	3.69	26.3	0.9	3.2	2.5	20.8	2.61	2.74	0.26	60	0.42	0.146
200E 1925N	Soil			37.91	95.59	40.45	281.0	713	59.5	14.0	1139	5.88	53.8	2.9	3.9	3.6	27.1	1.34	5.62	0.34	76	0.16	0.185

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
200E 1200N	Soil	42.9	66.8	0.66	195.5	0.023	1	2.40	0.008	0.11	0.1	7.5	0.17	0.04	123	1.5	0.07	5.9
200E 1225N	Soil	14.5	50.4	0.72	79.7	0.027	<1	1.76	0.006	0.07	0.1	4.9	0.11	<0.02	35	1.0	0.07	4.6
200E 1250N	Soil	14.8	47.4	0.55	107.8	0.044	<1	1.79	0.008	0.08	0.1	4.3	0.11	<0.02	44	0.7	0.05	4.3
200E 1275N	Soil	19.8	53.3	0.61	110.0	0.037	1	2.17	0.007	0.08	0.2	7.0	0.15	<0.02	78	1.3	0.07	4.8
200E 1300N	Soil	9.3	40.4	0.54	131.0	0.037	1	1.64	0.005	0.07	0.1	3.0	0.08	<0.02	46	0.6	0.05	5.1
200E 1325N	Soil	9.4	38.9	0.59	84.7	0.037	<1	1.81	0.005	0.07	0.1	2.9	0.08	<0.02	28	0.6	0.10	5.2
200E 1350N	Soil	6.7	20.9	0.36	104.8	0.013	<1	1.37	0.004	0.07	0.1	2.7	0.09	<0.02	19	0.5	0.05	4.4
200E 1375N	Soil	9.9	36.3	0.42	83.1	0.054	<1	1.24	0.005	0.05	<0.1	2.3	0.08	<0.02	23	0.4	0.06	5.2
200E 1400N	Soil	10.2	17.6	0.13	128.8	0.045	<1	0.64	0.005	0.08	<0.1	1.5	0.07	<0.02	20	0.4	0.06	3.4
200E 1425N	Soil	9.0	28.9	0.39	210.4	0.024	<1	1.27	0.005	0.07	<0.1	2.3	0.10	<0.02	42	0.9	0.10	4.5
200E 1450N	Soil	10.0	31.2	0.41	119.0	0.049	<1	1.42	0.007	0.07	0.1	2.5	0.12	<0.02	34	0.9	0.07	5.6
200E 1475N	Soil	14.4	44.8	0.32	181.5	0.018	2	2.21	0.009	0.10	0.2	3.2	0.64	0.12	212	3.4	0.16	5.4
200E 1500N	Soil	9.0	49.1	0.34	196.8	0.027	<1	1.53	0.005	0.06	<0.1	2.1	0.22	0.03	68	0.9	0.07	5.4
200E 1525N	Soil	12.5	55.6	0.79	140.8	0.044	<1	1.91	0.007	0.09	0.1	4.1	0.10	<0.02	41	0.8	0.07	5.3
200E 1550N	Soil	15.9	70.4	0.87	176.1	0.048	1	2.21	0.010	0.12	0.1	6.3	0.12	0.03	72	1.6	0.08	5.4
200E 1575N	Soil	20.3	81.7	0.75	252.7	0.041	2	3.01	0.013	0.17	0.1	8.6	0.19	0.04	156	2.2	0.12	7.0
200E 1600N	Soil	14.2	63.4	0.85	142.9	0.049	2	2.24	0.008	0.10	0.1	6.8	0.16	<0.02	93	1.2	0.09	5.6
200E 1625N	Soil	22.5	81.2	0.81	202.8	0.031	1	2.98	0.009	0.12	0.1	7.8	0.19	0.02	89	1.2	0.10	7.1
200E 1650N	Soil	10.0	40.1	0.40	101.4	0.053	<1	1.51	0.005	0.05	0.1	2.8	0.07	<0.02	20	0.2	0.08	6.2
200E 1675N	Soil	14.8	29.9	0.57	146.2	0.012	1	2.00	0.005	0.06	<0.1	2.7	0.13	<0.02	43	0.3	0.18	7.5
200E 1700N	Soil	14.9	28.2	0.97	91.3	0.012	<1	1.94	0.004	0.05	<0.1	2.2	0.13	<0.02	34	0.3	0.07	5.2
200E 1725N	Soil	12.0	56.2	0.52	124.2	0.043	1	2.15	0.007	0.07	0.1	4.1	0.14	<0.02	63	0.6	0.11	7.0
200E 1750N	Soil	9.7	60.6	0.50	131.4	0.047	<1	2.09	0.006	0.05	0.2	3.4	0.11	<0.02	47	0.4	0.12	7.5
200E 1775N	Soil	8.5	51.3	0.39	106.7	0.040	<1	1.68	0.006	0.08	0.1	2.9	0.13	<0.02	77	0.6	0.10	6.0
200E 1800N	Soil	9.1	53.6	0.47	101.4	0.038	<1	1.76	0.005	0.07	0.1	3.0	0.15	<0.02	47	0.7	0.10	6.2
200E 1825N	Soil	13.7	31.4	0.34	148.3	0.031	<1	1.78	0.006	0.07	0.1	2.8	0.20	<0.02	49	0.7	0.11	6.4
200E 1850N	Soil	9.3	30.4	0.37	173.8	0.027	1	1.28	0.005	0.07	0.1	2.1	0.14	0.03	86	1.0	0.10	3.9
200E 1875N	Soil	10.9	35.7	0.53	175.3	0.033	<1	1.58	0.007	0.07	0.1	3.1	0.14	<0.02	30	1.0	0.11	4.8
200E 1900N	Soil	11.7	40.3	0.46	194.7	0.026	2	1.94	0.007	0.10	0.1	3.7	0.30	<0.02	80	0.9	0.09	5.5
200E 1925N	Soil	25.5	31.3	0.42	137.7	0.008	<1	1.66	0.008	0.08	0.3	3.2	0.62	0.05	106	3.3	0.23	4.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 3 of 7 Part 1

# CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
200E 1950N	Soil	6.02	27.31	11.53	158.6	196	28.9	9.4	283	2.83	18.7	0.7	1.3	2.4	12.5	1.00	1.62	0.17	53	0.15	0.100
200E 1975N	Soil	6.51	18.03	12.06	105.8	238	16.3	6.4	428	2.49	13.4	0.6	2.9	1.7	10.6	0.71	1.15	0.21	53	0.09	0.070
200E 2000N	Soil	6.42	29.26	12.17	146.9	176	25.5	10.2	496	2.88	15.3	0.6	1.1	2.6	12.7	0.95	1.48	0.20	49	0.17	0.110
200E 2025N	Soil	3.90	33.35	9.03	189.8	98	33.0	15.1	463	3.35	17.1	0.6	2.2	2.1	12.0	0.98	1.24	0.15	65	0.16	0.117
200E 2050N	Soil	2.44	24.98	8.34	184.3	169	32.5	14.6	415	3.42	13.3	0.4	0.3	2.0	10.5	1.00	1.01	0.14	73	0.22	0.160
200E 2075N	Soil	2.86	35.94	12.85	250.3	453	27.8	22.9	1473	3.64	17.0	0.8	0.6	2.1	15.4	1.81	0.92	0.25	59	0.17	0.227
200E 2100N	Soil	3.83	30.09	9.78	194.3	384	28.4	11.9	408	2.94	15.5	0.7	4.8	2.6	11.3	0.90	1.36	0.21	50	0.13	0.139
200E 2125N	Soil	4.43	36.17	11.10	134.4	276	24.7	8.2	1137	3.38	26.7	0.6	4.7	1.5	10.3	0.99	1.57	0.22	60	0.10	0.104
200E 2150N	Soil	2.75	13.14	7.46	43.3	171	10.0	2.8	129	2.13	8.9	0.4	15.4	1.8	8.4	0.37	0.93	0.18	55	0.07	0.044
200E 2175N	Soil	7.32	27.61	12.04	78.7	1550	17.5	5.5	248	4.94	28.2	0.5	8.2	1.8	6.7	1.03	2.49	0.24	73	0.05	0.091
200E 2200N	Soil	7.71	53.15	12.84	144.6	351	32.1	11.7	620	5.43	38.7	0.6	1.7	1.2	8.0	1.38	3.20	0.28	107	0.07	0.173
200E 2225N	Soil	7.82	26.54	12.62	67.6	532	16.0	3.9	153	2.43	23.3	0.8	2.3	1.2	8.4	0.74	2.21	0.33	71	0.04	0.064
500E 1200N	Soil	4.01	50.82	12.68	101.1	606	26.5	14.4	1226	3.11	23.4	0.5	2.9	1.0	15.5	2.43	1.61	0.22	54	0.23	0.080
500E 1225N	Soil	5.47	45.98	9.79	76.8	324	24.4	7.7	330	3.20	22.4	0.7	1.7	0.9	13.2	0.69	2.44	0.17	59	0.18	0.119
500E 1250N	Soil	9.27	100.2	15.24	93.0	703	39.1	12.7	1168	3.30	24.3	1.7	2.1	0.4	21.4	1.41	3.24	0.21	50	0.34	0.098
500E 1275N	Soil	13.61	145.2	23.32	128.7	2336	73.1	19.2	930	4.89	57.7	3.7	6.0	0.8	36.5	4.63	5.46	0.32	70	0.79	0.105
500E 1300N	Soil	5.89	69.01	11.24	76.2	1550	25.0	6.8	294	3.51	22.1	1.1	1.5	0.5	22.3	0.88	2.31	0.19	57	0.37	0.206
500E 1325N	Soil	5.95	77.20	13.58	113.1	714	45.4	17.2	903	3.22	24.2	1.4	4.7	1.3	22.8	1.42	3.43	0.17	53	0.38	0.063
500E 1350N	Soil	6.28	74.59	13.80	116.3	437	50.3	17.7	982	3.47	29.3	1.4	5.7	2.0	23.4	0.97	3.71	0.19	53	0.35	0.060
500E 1375N	Soil	5.26	79.51	13.32	115.9	752	52.6	18.8	1108	3.65	29.4	1.4	4.1	1.1	28.9	1.31	3.00	0.20	58	0.46	0.067
500E 1400N	Soil	5.26	87.75	14.16	113.0	921	60.7	19.3	1090	3.72	34.1	1.3	5.8	1.4	31.2	1.26	2.83	0.22	58	0.51	0.070
500E 1425N	Soil	4.07	67.04	10.70	117.1	593	43.6	15.3	777	3.42	26.3	0.9	6.7	1.4	19.0	0.96	1.99	0.20	58	0.25	0.066
500E 1450N	Soil	5.47	92.85	17.70	110.7	304	52.1	20.4	1396	3.66	41.7	1.1	17.7	2.4	19.6	0.57	2.68	0.24	53	0.25	0.062
500E 1475N	Soil	4.42	66.16	16.40	130.3	377	40.9	15.0	1796	3.42	38.8	0.6	3.1	0.9	20.1	0.57	1.96	0.27	60	0.28	0.092
500E 1500N	Soil	4.82	109.6	17.92	118.3	306	52.3	20.7	1644	3.66	45.3	1.3	7.9	1.6	23.1	0.47	2.69	0.25	54	0.35	0.069
500E 1525N	Soil	4.54	182.3	15.01	125.1	318	54.5	19.0	1474	3.58	48.9	3.0	11.8	2.1	30.8	0.40	2.85	0.22	57	0.49	0.052
500E 1550N	Soil	5.52	135.9	40.06	105.7	268	65.5	38.7	3025	3.72	74.9	2.5	9.4	2.2	18.4	0.60	2.41	0.55	34	0.28	0.071
500E 1575N	Soil	15.59	148.9	45.54	96.7	225	67.0	23.1	3219	5.12	46.7	3.2	42.0	2.8	23.8	0.50	7.33	0.57	31	0.27	0.076
500E 1600N	Soil	12.05	130.0	29.92	201.2	984	85.3	31.0	2570	4.30	48.6	4.3	6.9	1.4	33.4	3.49	4.41	0.35	43	0.61	0.120
500E 1625N	Soil	10.72	107.2	17.54	155.8	871	71.5	21.4	1733	3.92	40.4	3.1	6.9	1.4	24.0	2.35	3.94	0.23	44	0.35	0.081

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
200E 1950N	Soil			10.6	33.1	0.45	101.4	0.032	<1	1.57	0.005	0.05	0.1	2.9	0.18	<0.02	21	0.5	0.05	5.0
200E 1975N	Soil			9.8	26.9	0.32	120.4	0.033	<1	1.12	0.005	0.04	<0.1	2.1	0.19	<0.02	36	0.3	0.05	5.0
200E 2000N	Soil			10.5	26.4	0.45	101.6	0.061	<1	1.12	0.005	0.07	0.1	2.3	0.21	<0.02	31	0.6	0.06	4.7
200E 2025N	Soil			9.4	38.8	0.75	137.7	0.081	1	1.70	0.005	0.06	<0.1	3.8	0.14	<0.02	24	0.4	0.06	6.0
200E 2050N	Soil			8.1	45.3	0.93	115.3	0.137	1	2.07	0.005	0.06	0.1	3.7	0.09	<0.02	24	0.2	0.03	7.7
200E 2075N	Soil			10.1	31.4	0.39	210.4	0.058	1	1.84	0.008	0.12	<0.1	3.0	0.12	<0.02	40	0.3	0.06	6.8
200E 2100N	Soil			11.2	34.9	0.46	121.8	0.037	2	1.81	0.006	0.06	<0.1	3.0	0.15	<0.02	51	0.3	0.04	5.6
200E 2125N	Soil			9.1	31.0	0.35	123.1	0.032	3	1.39	0.005	0.05	<0.1	2.6	0.18	<0.02	51	0.3	0.05	5.5
200E 2150N	Soil			11.7	20.1	0.17	50.7	0.050	1	0.83	0.004	0.03	<0.1	1.4	0.10	<0.02	33	0.2	0.03	5.0
200E 2175N	Soil			8.8	34.6	0.29	48.2	0.059	1	1.35	0.006	0.05	0.2	1.9	0.16	<0.02	61	0.6	0.12	6.8
200E 2200N	Soil			9.0	78.7	0.65	71.2	0.049	2	1.78	0.005	0.06	0.2	3.2	0.24	0.02	48	1.0	0.13	7.6
200E 2225N	Soil			10.3	25.8	0.18	73.6	0.054	<1	0.87	0.005	0.05	0.1	1.7	0.19	<0.02	24	0.7	0.13	5.7
500E 1200N	Soil			10.7	37.4	0.36	157.0	0.045	1	1.26	0.005	0.07	0.1	2.4	0.09	<0.02	39	0.6	0.05	4.6
500E 1225N	Soil			8.5	47.9	0.36	87.1	0.044	<1	1.12	0.006	0.06	<0.1	2.0	0.11	0.02	53	0.6	0.08	4.2
500E 1250N	Soil			19.9	39.5	0.29	92.9	0.032	<1	1.40	0.006	0.06	<0.1	2.5	0.22	0.04	73	1.4	0.09	4.4
500E 1275N	Soil			25.1	59.8	0.40	186.0	0.032	2	2.19	0.008	0.12	0.1	5.0	0.47	0.05	164	3.4	0.13	6.3
500E 1300N	Soil			9.1	40.1	0.25	71.6	0.040	2	1.17	0.006	0.08	0.1	2.0	0.12	0.04	49	0.9	0.07	4.8
500E 1325N	Soil			16.0	54.9	0.58	122.2	0.048	2	1.66	0.008	0.07	0.1	3.6	0.17	0.03	51	1.1	0.05	4.5
500E 1350N	Soil			15.2	57.2	0.64	117.8	0.051	<1	1.65	0.007	0.08	0.1	4.5	0.16	0.02	55	1.1	0.10	4.7
500E 1375N	Soil			14.6	58.0	0.68	132.2	0.046	1	1.94	0.008	0.08	0.1	4.5	0.15	0.03	46	1.3	0.09	4.9
500E 1400N	Soil			14.7	67.0	0.69	140.6	0.043	1	2.02	0.008	0.09	0.1	4.7	0.14	0.03	65	1.2	0.09	5.2
500E 1425N	Soil			14.1	53.8	0.60	123.8	0.046	<1	1.78	0.007	0.08	0.1	3.9	0.12	0.02	45	0.9	0.08	5.3
500E 1450N	Soil			14.1	57.2	0.84	99.2	0.044	1	1.86	0.007	0.08	0.1	4.6	0.14	<0.02	44	1.0	0.15	5.0
500E 1475N	Soil			9.6	53.3	0.59	169.6	0.039	1	1.70	0.007	0.08	0.1	3.1	0.11	0.03	55	0.9	0.10	5.8
500E 1500N	Soil			12.1	60.7	0.86	112.1	0.039	1	1.99	0.006	0.13	0.1	4.5	0.12	0.02	60	0.9	0.11	5.0
500E 1525N	Soil			14.8	73.7	0.82	114.6	0.045	<1	2.05	0.009	0.11	<0.1	6.3	0.14	0.02	90	1.4	0.09	5.0
500E 1550N	Soil			12.8	33.6	0.76	317.7	0.014	1	1.91	0.005	0.05	<0.1	4.1	0.14	0.03	58	0.8	0.25	4.8
500E 1575N	Soil			18.4	32.1	0.85	132.5	0.008	<1	1.75	0.006	0.07	0.3	5.2	1.15	0.04	98	1.1	0.32	4.2
500E 1600N	Soil			11.1	43.9	0.72	143.7	0.015	1	1.99	0.007	0.11	0.2	4.3	0.27	0.06	155	1.9	0.26	4.6
500E 1625N	Soil			11.5	43.3	0.63	142.9	0.016	2	1.75	0.006	0.10	0.1	3.9	0.24	0.04	139	1.5	0.12	3.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
500E 1650N	Soil			12.33	99.56	26.27	175.1	1696	77.2	19.1	802	5.13	46.9	1.7	3.3	1.1	39.3	3.52	4.42	0.39	70	0.75	0.093
500E 1675N	Soil			13.51	75.40	17.85	165.3	695	52.2	12.2	697	4.33	46.9	1.1	5.0	1.1	20.0	0.83	3.60	0.23	56	0.14	0.101
500E 1700N	Soil			17.94	86.57	17.99	172.9	319	42.2	9.4	352	3.88	55.1	1.1	10.8	1.5	11.3	0.63	5.24	0.21	48	0.06	0.072
500E 1725N	Soil			16.72	128.6	24.63	229.4	1008	80.0	25.4	1461	5.00	55.0	3.6	8.5	1.2	54.2	3.24	5.22	0.28	59	0.46	0.143
500E 1750N	Soil			14.13	113.5	20.67	180.7	1768	56.9	16.4	913	4.31	45.4	2.9	3.5	0.4	67.0	2.59	4.06	0.27	57	0.86	0.133
500E 1775N	Soil			11.82	80.05	18.56	178.2	568	64.4	22.0	1398	3.64	49.2	1.9	9.7	2.0	23.8	1.49	4.34	0.22	45	0.22	0.064
500E 1800N	Soil			9.33	110.3	19.91	216.0	1405	75.7	20.1	2528	3.71	30.7	2.9	1.8	0.8	97.4	4.51	3.19	0.26	45	1.42	0.134
500E 1825N	Soil			11.98	52.00	19.05	135.7	581	43.9	11.0	434	3.97	35.2	1.2	8.9	2.2	15.6	0.79	2.24	0.25	60	0.12	0.097
500E 1850N	Soil			12.57	63.01	21.60	114.5	827	39.0	8.8	471	3.90	32.6	1.3	1.5	0.5	12.2	0.66	2.20	0.28	59	0.12	0.121
500E 1875N	Soil			14.55	77.08	22.66	149.0	795	48.0	15.1	1098	4.72	35.4	2.8	2.2	0.8	39.3	1.59	2.64	0.30	68	0.44	0.137
500E 1900N	Soil			19.42	91.96	29.94	164.1	575	34.6	14.0	673	4.55	51.7	3.9	2.0	0.8	74.0	1.69	4.05	0.29	59	1.05	0.193
500E 1925N	Soil			22.41	60.41	29.62	163.5	587	28.8	7.9	419	5.05	49.2	2.4	3.3	1.0	60.7	1.34	4.75	0.32	63	0.84	0.167
500E 1950N	Soil			17.62	105.4	32.85	115.9	3624	49.8	14.2	607	4.53	44.0	6.6	6.8	0.7	88.8	2.41	3.78	0.29	46	1.45	0.183
500E 1975N	Soil			6.40	107.2	14.64	135.5	1708	61.2	19.8	2860	3.03	22.4	5.7	3.1	0.6	70.2	2.66	2.10	0.22	44	1.36	0.189
500E 2000N	Soil			5.26	70.30	12.34	75.4	643	51.6	14.7	420	3.87	29.4	1.3	2.6	0.3	32.3	1.49	1.48	0.20	84	0.43	0.058
500E 2025N	Soil			4.14	38.25	9.93	76.8	323	31.8	15.0	788	3.30	24.7	0.4	1.5	0.4	26.1	0.68	1.17	0.14	69	0.41	0.052
500E 2050N	Soil			4.70	51.87	9.83	114.2	240	46.1	13.5	497	3.41	35.0	0.5	5.4	1.6	9.9	0.44	1.72	0.17	55	0.11	0.096
500E 2075N	Soil			4.36	29.14	8.67	70.9	349	24.9	8.3	327	3.37	23.7	0.4	2.4	1.7	6.0	0.32	1.10	0.18	63	0.08	0.080
500E 2100N	Soil			2.43	20.09	10.57	78.4	205	24.0	12.8	522	3.51	16.6	0.3	0.9	1.4	11.0	0.23	0.78	0.18	77	0.18	0.076
500E 2125N	Soil			2.37	26.61	9.99	130.9	119	30.0	9.5	392	2.91	17.9	0.3	1.8	1.7	5.2	0.20	1.08	0.19	47	0.06	0.108
500E 2150N	Soil			0.97	39.73	46.75	184.6	316	31.8	23.9	3141	2.75	10.7	0.2	2.7	1.5	11.8	0.21	0.41	0.80	42	0.17	0.118
500E 2175N	Soil			3.11	30.18	12.40	99.3	119	14.1	5.5	946	2.39	18.5	0.2	1.3	0.8	17.1	0.26	1.57	0.28	44	0.24	0.041
500E 2200N	Soil			1.72	24.88	9.55	97.4	239	20.4	8.3	489	3.09	15.4	0.3	0.8	0.9	6.9	0.21	0.91	0.21	55	0.10	0.077
500E 2225N	Soil			1.58	19.28	7.39	93.3	248	18.2	15.8	2456	3.27	13.8	0.3	0.2	0.6	14.1	0.33	1.17	0.20	86	0.22	0.072
500E 2250N	Soil			3.40	25.27	11.06	65.7	202	25.8	7.3	328	3.24	37.6	0.2	1.1	0.8	11.7	0.19	2.77	0.21	84	0.15	0.069
500E 2275N	Soil			4.75	78.26	15.79	112.2	1430	51.8	20.0	1971	3.55	32.2	1.8	16.9	0.5	67.5	1.82	1.55	0.25	53	0.72	0.106
500E 2300N	Soil			2.40	41.86	15.29	130.1	369	32.2	15.9	828	3.62	23.2	0.7	0.8	0.6	33.4	0.54	0.97	0.22	62	0.36	0.065
500E 2325N	Soil			3.08	45.14	22.29	110.9	342	22.7	7.4	357	3.79	16.7	0.6	1.1	1.7	9.8	0.32	0.93	0.29	70	0.07	0.065
500E 2350N	Soil			5.82	52.91	12.27	116.1	168	47.8	10.9	485	3.63	39.9	0.4	3.7	2.2	6.3	0.22	2.13	0.22	60	0.04	0.043
500E 2375N	Soil			4.81	27.19	9.35	66.0	155	23.9	5.5	244	2.77	27.4	0.2	5.1	1.1	5.0	0.18	1.38	0.19	57	0.02	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
				ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm		
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	
500E 1650N	Soil			11.6	52.7	0.31	205.5	0.019	<1	1.88	0.009	0.10	0.2	4.0	0.21	0.04	96	2.4	0.13	6.6
500E 1675N	Soil			10.9	45.1	0.61	139.3	0.010	<1	1.56	0.006	0.09	0.1	2.6	0.27	0.04	50	1.8	0.20	4.4
500E 1700N	Soil			12.4	44.4	0.64	69.1	0.007	<1	1.24	0.006	0.06	0.1	2.6	0.22	0.03	43	2.2	0.13	3.6
500E 1725N	Soil			10.7	47.8	0.56	183.4	0.014	<1	2.02	0.008	0.12	0.2	3.9	0.34	0.06	120	2.5	0.17	4.7
500E 1750N	Soil			10.6	44.0	0.41	153.9	0.016	1	1.63	0.009	0.13	0.1	2.1	0.28	0.06	96	2.2	0.12	5.1
500E 1775N	Soil			13.0	42.2	0.75	88.2	0.016	<1	1.46	0.005	0.08	0.2	3.1	0.30	<0.02	94	2.0	0.13	3.5
500E 1800N	Soil			13.2	40.9	0.53	232.8	0.020	2	1.66	0.008	0.11	0.1	3.0	0.23	0.08	138	2.1	0.09	4.6
500E 1825N	Soil			13.5	50.9	0.74	108.3	0.017	<1	1.59	0.005	0.06	0.2	2.8	0.27	<0.02	29	1.4	0.13	5.3
500E 1850N	Soil			14.0	45.9	0.50	93.8	0.020	<1	1.47	0.005	0.07	0.2	1.8	0.25	0.02	70	1.1	0.15	5.5
500E 1875N	Soil			18.0	54.7	0.48	146.3	0.020	<1	1.82	0.007	0.08	0.2	2.7	0.33	0.04	78	1.8	0.17	5.5
500E 1900N	Soil			20.9	32.1	0.35	129.3	0.014	<1	1.31	0.007	0.07	0.2	2.0	0.33	0.07	97	4.3	0.17	4.1
500E 1925N	Soil			15.7	35.9	0.39	110.7	0.014	<1	1.22	0.006	0.06	0.2	1.8	0.35	0.06	78	3.0	0.22	5.4
500E 1950N	Soil			21.1	30.7	0.37	111.6	0.012	2	1.65	0.007	0.03	0.2	2.0	0.37	0.10	707	4.7	0.18	3.3
500E 1975N	Soil			20.3	42.2	0.43	169.6	0.016	3	1.58	0.007	0.05	<0.1	2.3	0.17	0.10	230	2.0	0.04	4.1
500E 2000N	Soil			14.7	39.7	0.37	94.7	0.033	2	1.64	0.005	0.05	0.1	2.4	0.05	0.04	69	1.3	0.05	6.5
500E 2025N	Soil			9.7	37.2	0.45	119.6	0.020	1	1.48	0.006	0.05	0.1	2.2	0.06	0.04	69	0.7	0.10	5.0
500E 2050N	Soil			7.9	47.8	0.70	132.4	0.020	2	1.59	0.005	0.06	0.1	3.0	0.06	<0.02	42	0.8	0.05	4.4
500E 2075N	Soil			6.7	38.2	0.45	80.7	0.034	<1	1.50	0.004	0.04	0.1	2.2	0.05	<0.02	47	0.4	0.07	5.3
500E 2100N	Soil			5.8	33.1	0.56	120.9	0.118	<1	1.45	0.004	0.04	0.1	2.2	0.04	<0.02	30	0.3	0.07	6.6
500E 2125N	Soil			7.7	33.4	0.51	97.4	0.022	<1	1.46	0.004	0.04	<0.1	2.1	0.05	<0.02	28	0.2	0.07	4.6
500E 2150N	Soil			10.8	23.5	0.48	182.8	0.010	<1	1.44	0.004	0.05	0.1	1.7	0.06	<0.02	35	<0.1	0.32	5.7
500E 2175N	Soil			9.6	15.3	0.22	142.4	0.021	2	0.80	0.004	0.05	0.2	1.3	0.04	<0.02	33	0.2	0.11	4.4
500E 2200N	Soil			7.0	27.5	0.48	88.3	0.037	<1	1.33	0.004	0.04	0.1	2.0	0.05	<0.02	40	0.3	0.07	5.6
500E 2225N	Soil			5.6	23.8	0.55	161.1	0.103	3	1.41	0.005	0.03	0.2	2.9	0.05	<0.02	36	<0.1	0.05	7.5
500E 2250N	Soil			7.3	41.4	0.40	121.9	0.034	<1	0.92	0.004	0.03	0.1	2.1	0.03	<0.02	28	0.2	0.06	6.0
500E 2275N	Soil			14.9	48.5	0.48	206.1	0.015	1	1.78	0.005	0.05	0.1	2.5	0.08	0.04	75	0.9	0.06	5.5
500E 2300N	Soil			8.2	37.1	0.38	224.2	0.024	<1	1.58	0.005	0.04	0.1	2.1	0.06	0.02	53	0.2	0.14	5.6
500E 2325N	Soil			9.8	34.9	0.31	149.3	0.035	<1	1.55	0.005	0.04	0.2	2.2	0.04	<0.02	50	0.4	0.09	7.0
500E 2350N	Soil			9.1	46.2	0.51	147.1	0.019	<1	1.71	0.004	0.05	0.1	3.1	0.08	<0.02	46	1.0	0.09	5.2
500E 2375N	Soil			7.7	30.4	0.27	132.2	0.017	<1	1.04	0.003	0.03	0.1	1.7	0.06	<0.02	34	0.5	0.11	4.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 5 of 7 Part 1

**CERTIFICATE OF ANALYSIS**

**VAN10004889.1**

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
500E 2400N	Soil			4.25	28.02	20.33	105.7	226	33.4	16.0	1606	3.55	44.4	0.4	8.9	1.0	11.4	0.46	2.52	0.24	59	0.09	0.054
500E 2425N	Soil			6.93	66.86	12.92	139.5	158	62.6	12.6	395	4.04	50.8	0.5	15.2	2.6	5.3	0.35	2.08	0.25	64	0.03	0.071
500E 2450N	Soil			1.84	12.34	6.85	42.0	111	18.8	2.8	152	1.76	10.3	0.1	2.9	0.8	3.4	0.10	2.37	0.13	40	0.03	0.035
500E 2475N	Soil			4.39	32.87	46.45	144.6	571	34.6	8.3	366	3.74	29.5	0.7	3.3	1.3	6.4	0.57	1.71	0.33	58	0.07	0.066
500E 2500N	Soil			2.97	25.63	7.24	71.2	155	36.0	9.3	291	3.47	18.6	0.3	8.3	1.9	8.4	0.16	2.95	0.18	84	0.08	0.051
500E 2525N	Soil			2.92	39.76	6.85	86.8	419	34.8	16.6	437	4.58	27.2	0.2	9.4	1.4	7.7	0.20	2.37	0.18	117	0.08	0.066
500E 2550N	Soil			5.80	45.62	11.06	99.9	333	41.5	7.8	385	3.73	29.5	0.3	9.1	1.6	3.6	0.21	1.73	0.23	68	0.03	0.054
500E 2575N	Soil			3.46	22.69	8.57	60.9	182	18.8	5.7	770	2.42	13.6	0.2	5.9	0.7	5.8	0.16	1.25	0.23	71	0.07	0.068
1000E 1200N	Soil			4.85	33.91	8.73	90.1	282	21.3	10.1	627	2.81	19.3	0.5	6.2	0.5	14.1	0.53	1.73	0.14	55	0.20	0.034
1000E 1225N	Soil			5.28	43.87	9.47	87.9	272	24.9	8.4	368	2.90	23.9	0.6	1.5	0.8	16.3	0.55	1.93	0.14	52	0.21	0.034
1000E 1250N	Soil			6.64	138.7	14.27	144.4	611	78.7	22.4	814	5.06	41.7	2.1	7.3	1.8	21.7	0.77	2.62	0.21	82	0.26	0.050
1000E 1275N	Soil			5.41	37.07	10.78	81.0	440	25.3	9.1	349	2.69	29.2	0.5	4.1	0.4	30.8	0.66	2.60	0.15	53	0.38	0.033
1000E 1300N	Soil			2.64	18.38	7.10	78.7	198	14.6	7.7	462	2.33	13.1	0.3	1.4	0.6	9.3	0.66	1.05	0.15	52	0.10	0.058
1000E 1325N	Soil			2.78	41.85	7.12	82.2	275	25.7	11.7	455	2.97	20.6	0.5	1.4	0.9	18.6	0.42	1.08	0.12	59	0.23	0.045
1000E 1350N	Soil			2.65	34.51	6.20	127.5	398	24.9	9.9	519	3.03	23.2	0.4	2.0	0.8	17.0	0.76	1.16	0.11	53	0.17	0.106
1000E 1375N	Soil			5.80	107.7	11.98	98.5	1062	54.7	13.8	668	3.54	38.4	1.5	3.6	0.4	35.1	1.94	2.37	0.19	57	0.41	0.068
1000E 1400N	Soil			4.54	57.40	9.22	88.9	561	35.3	10.9	385	3.78	35.8	0.6	3.3	0.4	14.3	0.79	2.02	0.14	58	0.17	0.062
1000E 1425N	Soil			4.63	53.77	11.73	95.1	759	33.8	12.5	445	3.36	27.8	0.8	10.4	0.7	14.4	1.52	2.07	0.18	64	0.20	0.048
1000E 1450N	Soil			5.14	35.31	11.61	85.2	991	26.3	11.1	377	2.99	23.7	0.8	6.0	1.3	5.2	1.21	2.13	0.19	55	0.06	0.054
1000E 1475N	Soil			3.68	21.58	7.78	75.2	269	14.9	4.4	157	2.30	12.1	0.3	2.8	0.9	4.9	1.15	1.54	0.16	48	0.07	0.047
1000E 1500N	Soil			32.54	193.2	5.89	627.1	964	101.5	29.2	480	8.15	55.9	3.1	3.4	2.7	3.7	3.08	4.48	0.24	73	0.04	0.181
1000E 1525N	Soil			40.28	86.53	40.93	161.8	1881	38.9	6.2	125	5.08	132.4	2.5	6.3	5.4	5.3	0.64	9.37	0.24	58	0.03	0.232
1000E 1550N	Soil			10.10	61.74	15.87	283.8	1571	50.4	16.1	234	3.37	37.9	1.1	6.2	2.7	15.0	1.71	3.57	0.17	42	0.04	0.062
1000E 1575N	Soil			15.06	64.59	17.91	122.7	2594	40.2	12.6	1028	4.41	54.8	1.1	7.1	1.8	8.1	1.05	3.31	0.18	43	0.06	0.098
1000E 1600N	Soil			30.64	88.15	13.34	131.3	1802	48.5	16.2	6927	4.12	50.6	5.0	6.9	0.8	4.5	2.48	3.92	0.22	57	0.04	0.086
1000E 1625N	Soil			7.49	52.87	14.53	103.1	514	35.6	8.8	573	3.02	46.5	0.6	5.1	1.1	5.0	0.57	2.85	0.19	36	0.05	0.069
1000E 1650N	Soil			6.28	37.69	10.59	96.3	2721	24.3	7.8	1512	2.74	31.3	0.5	2.9	0.3	8.7	1.05	2.76	0.18	45	0.08	0.065
1000E 1675N	Soil			4.98	85.62	12.91	113.7	985	65.0	17.1	1600	2.76	37.7	2.2	46.5	0.6	70.3	1.24	2.81	0.15	32	1.13	0.099
1000E 1700N	Soil			6.42	63.37	15.86	108.5	771	48.2	18.1	1373	3.26	36.4	2.9	1.6	0.7	43.9	1.86	3.08	0.19	43	0.65	0.074
1000E 1725N	Soil			6.33	53.02	11.90	106.0	452	39.0	10.9	448	3.28	37.5	0.5	4.0	1.6	6.3	0.57	2.32	0.14	47	0.04	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
500E 2400N	Soil	9.6	44.1	0.35	316.2	0.013	1	1.37	0.004	0.05	0.1	2.6	0.09	<0.02	29	0.4	0.09	4.7
500E 2425N	Soil	8.3	59.9	0.53	120.8	0.015	<1	2.19	0.005	0.06	0.1	3.4	0.11	<0.02	72	1.0	0.11	5.5
500E 2450N	Soil	5.5	14.6	0.13	70.6	0.011	<1	0.86	0.004	0.03	<0.1	1.2	0.08	<0.02	17	0.1	0.09	4.4
500E 2475N	Soil	8.7	33.9	0.30	97.4	0.018	<1	1.55	0.004	0.05	0.1	1.8	0.08	0.02	45	0.4	0.10	5.7
500E 2500N	Soil	9.7	41.5	0.45	101.7	0.074	<1	1.34	0.005	0.03	0.2	2.3	0.04	<0.02	30	0.5	0.03	6.6
500E 2525N	Soil	11.3	32.1	0.77	83.4	0.063	<1	1.97	0.004	0.03	0.2	4.2	0.05	<0.02	26	0.3	0.05	9.2
500E 2550N	Soil	9.2	38.8	0.43	74.9	0.018	<1	1.69	0.004	0.05	0.1	2.8	0.11	<0.02	54	0.8	0.11	5.9
500E 2575N	Soil	8.3	19.6	0.23	45.4	0.096	1	0.83	0.004	0.03	<0.1	1.4	0.08	<0.02	42	0.4	0.12	6.0
1000E 1200N	Soil	7.6	34.9	0.47	155.5	0.043	1	1.19	0.005	0.06	0.1	1.8	0.07	<0.02	47	0.5	0.09	4.2
1000E 1225N	Soil	8.3	38.1	0.52	135.2	0.037	<1	1.27	0.005	0.06	0.1	1.9	0.06	<0.02	29	0.5	0.08	4.0
1000E 1250N	Soil	11.7	91.1	0.95	181.8	0.028	2	3.41	0.009	0.15	0.2	6.4	0.15	<0.02	53	1.0	0.12	6.9
1000E 1275N	Soil	6.8	36.9	0.37	111.8	0.020	<1	0.97	0.004	0.04	0.1	1.7	0.08	<0.02	26	0.5	0.07	3.7
1000E 1300N	Soil	6.1	31.0	0.31	142.6	0.040	<1	0.95	0.005	0.04	<0.1	1.6	0.07	<0.02	23	0.3	0.06	4.8
1000E 1325N	Soil	7.2	44.4	0.62	112.3	0.022	<1	1.63	0.007	0.06	0.1	2.9	0.06	<0.02	38	0.3	0.03	4.8
1000E 1350N	Soil	7.3	43.4	0.60	115.2	0.025	<1	1.62	0.005	0.05	<0.1	2.5	0.06	<0.02	45	0.6	0.08	4.8
1000E 1375N	Soil	18.2	47.7	0.46	127.1	0.025	<1	1.58	0.007	0.08	0.1	3.1	0.09	0.03	54	1.5	0.07	4.9
1000E 1400N	Soil	7.5	53.4	0.53	74.5	0.039	1	1.47	0.006	0.06	<0.1	1.9	0.06	0.03	44	0.8	0.08	4.5
1000E 1425N	Soil	12.0	49.0	0.41	129.0	0.034	<1	1.56	0.005	0.07	0.1	2.7	0.08	<0.02	44	1.0	0.10	5.2
1000E 1450N	Soil	7.0	47.1	0.38	64.9	0.044	2	1.13	0.004	0.04	0.1	2.0	0.07	<0.02	57	0.6	0.07	4.1
1000E 1475N	Soil	4.1	21.0	0.21	52.8	0.044	2	0.64	0.003	0.03	0.1	1.0	0.04	<0.02	26	0.4	0.05	3.4
1000E 1500N	Soil	4.4	72.3	0.52	73.4	0.007	2	2.42	0.003	0.04	0.2	6.7	0.12	<0.02	99	2.8	0.09	4.0
1000E 1525N	Soil	5.8	25.8	0.20	52.8	0.004	2	1.01	0.003	0.03	0.3	2.3	0.36	<0.02	95	8.8	0.25	3.8
1000E 1550N	Soil	6.5	33.5	0.33	90.4	0.018	1	1.69	0.004	0.04	0.1	2.1	0.17	0.02	92	1.7	0.08	3.4
1000E 1575N	Soil	5.8	30.4	0.57	76.0	0.016	2	1.59	0.005	0.05	0.2	2.4	0.16	0.03	91	1.7	0.12	3.5
1000E 1600N	Soil	8.1	45.8	0.38	150.7	0.015	2	2.30	0.005	0.05	0.1	3.2	0.38	0.03	214	1.8	0.13	5.2
1000E 1625N	Soil	5.9	36.1	0.40	88.0	0.007	<1	1.18	0.004	0.04	0.2	1.9	0.09	<0.02	42	1.3	0.10	3.2
1000E 1650N	Soil	5.6	28.1	0.26	183.1	0.021	2	0.90	0.003	0.05	<0.1	1.1	0.09	<0.02	66	0.9	0.07	3.2
1000E 1675N	Soil	9.5	42.7	0.46	144.7	0.010	4	1.36	0.005	0.07	<0.1	2.2	0.11	0.06	127	2.3	0.07	2.8
1000E 1700N	Soil	7.6	39.4	0.44	139.9	0.013	2	1.48	0.007	0.05	0.1	2.4	0.12	0.03	70	1.1	0.13	4.0
1000E 1725N	Soil	7.2	37.7	0.58	96.8	0.013	1	1.48	0.004	0.05	0.1	2.4	0.08	<0.02	19	0.6	0.08	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
1000E 1750N	Soil			9.24	40.87	15.21	110.3	618	24.2	10.2	376	3.35	38.1	1.8	2.5	1.1	14.7	1.09	3.18	0.21	47	0.11	0.081
1000E 1775N	Soil			11.48	66.99	18.31	211.4	829	40.2	15.6	833	4.36	70.1	3.9	1.7	2.0	30.1	2.55	4.04	0.23	58	0.42	0.195
1000E 1800N	Soil			6.45	46.94	15.86	156.2	567	48.4	15.5	989	3.25	48.2	3.0	3.6	1.2	35.4	2.46	3.54	0.18	41	0.60	0.089
1000E 1825N	Soil			8.35	81.21	17.69	249.9	615	50.9	21.9	4527	3.68	31.5	2.9	2.1	0.7	55.1	3.01	3.91	0.22	40	0.97	0.145
1000E 1850N	Soil			6.89	82.90	17.08	151.3	707	58.9	24.1	1308	4.02	38.0	2.4	2.4	0.7	54.5	2.30	3.80	0.21	44	0.99	0.101
1000E 1875N	Soil			5.10	83.64	17.15	146.0	801	54.4	19.9	1713	3.45	36.3	1.1	2.4	0.8	62.6	1.74	2.52	0.22	44	1.08	0.076
1000E 1900N	Soil			3.13	80.97	21.19	100.3	1110	38.2	18.8	845	3.11	45.0	1.0	1.7	1.0	48.3	0.67	1.28	0.27	41	0.87	0.045
1000E 1925N	Soil			3.95	38.49	11.15	141.3	294	32.4	10.7	371	3.88	43.6	0.3	1.4	1.9	6.3	0.24	1.38	0.21	70	0.06	0.035
1000E 1950N	Soil			2.71	17.98	17.77	125.0	349	19.9	5.9	257	3.11	19.2	0.2	1.0	1.1	4.5	0.22	1.05	0.32	58	0.04	0.075
1000E 1975N	Soil			2.62	16.29	9.96	103.0	273	20.5	6.9	341	3.33	13.2	0.2	1.5	1.6	4.5	0.26	0.98	0.26	62	0.04	0.060
1000E 2000N	Soil			1.47	52.90	8.87	91.5	399	38.0	15.0	778	3.60	15.6	0.2	5.0	0.8	8.5	0.14	1.00	0.16	92	0.14	0.060
1000E 2025N	Soil			4.07	27.40	9.02	121.6	559	26.2	7.7	303	3.18	22.2	0.3	4.9	2.2	5.1	0.40	1.47	0.18	53	0.04	0.050
1000E 2050N	Soil			4.40	50.63	10.73	116.4	176	41.8	11.9	403	3.85	37.8	0.4	2.4	1.0	7.4	0.26	1.56	0.19	67	0.07	0.044
1000E 2075N	Soil			4.74	51.59	10.64	134.6	517	45.0	11.3	476	4.26	39.6	0.4	2.5	1.6	5.8	0.32	1.73	0.22	64	0.04	0.109
1000E 2100N	Soil			3.44	22.26	8.23	108.5	781	29.7	8.0	565	3.52	23.3	0.3	2.1	1.2	5.2	0.33	1.24	0.20	72	0.04	0.075
1000E 2125N	Soil			6.03	64.47	14.78	172.7	343	65.5	12.5	534	3.62	38.7	0.7	9.4	2.4	7.1	0.50	2.14	0.22	56	0.07	0.058
1000E 2150N	Soil			5.34	44.28	14.97	118.5	316	63.4	23.0	1419	3.84	40.4	1.3	9.8	2.5	32.1	0.71	1.48	0.22	70	0.48	0.050
1000E 2175N	Soil			5.61	61.89	14.35	119.7	1009	56.2	19.7	1009	3.60	36.6	1.4	2.4	1.2	33.2	0.72	1.78	0.25	65	0.56	0.065
1000E 2200N	Soil			4.96	52.97	9.51	110.2	419	46.0	10.7	413	3.35	34.2	0.4	5.9	2.0	4.7	0.36	1.93	0.18	55	0.03	0.052
1000E 2225N	Soil			4.76	36.71	8.50	109.8	221	37.1	6.9	410	3.21	31.4	0.3	2.5	1.2	5.9	0.28	1.66	0.21	54	0.07	0.083
1000E 2250N	Soil			4.41	32.24	8.95	120.3	281	38.6	8.7	1191	3.21	32.4	0.3	3.2	0.4	6.3	0.30	1.42	0.22	53	0.08	0.104
1000E 2275N	Soil			4.76	38.17	9.47	88.5	284	30.5	7.8	520	2.59	25.5	0.3	4.0	0.5	4.4	0.17	1.97	0.19	53	0.05	0.068
1000E 2300N	Soil			3.73	41.91	10.17	110.1	457	29.4	14.5	946	5.70	35.6	0.4	2.8	1.0	6.7	0.28	1.93	0.23	128	0.06	0.154
1000E 2325N	Soil			5.92	54.03	11.07	157.2	391	53.0	11.9	1076	3.65	36.4	0.5	2.5	0.6	11.2	0.52	1.76	0.23	54	0.17	0.066
1000E 2350N	Soil			4.31	23.33	9.18	81.7	148	18.0	6.8	663	3.03	17.3	0.3	9.1	0.5	7.5	0.26	1.26	0.29	91	0.08	0.095
1000E 2375N	Soil			2.65	32.69	8.58	96.2	815	19.8	11.5	507	4.17	17.6	0.5	3.4	0.7	15.5	0.59	1.42	0.25	111	0.25	0.130
1000E 2400N	Soil			3.56	18.24	11.19	99.1	369	15.9	8.3	5834	2.66	13.0	0.2	8.9	0.4	8.4	0.39	1.05	0.26	79	0.09	0.078
1000E 2425N	Soil			5.61	82.54	13.08	197.1	2909	75.7	20.7	5341	3.37	36.7	1.7	54.3	0.4	92.0	4.31	2.46	0.24	51	1.52	0.224
1000E 2450N	Soil			9.65	61.70	12.82	126.3	376	38.3	8.4	589	4.08	42.8	0.6	26.0	1.2	6.7	0.55	1.70	0.27	73	0.05	0.055
1000E 2475N	Soil			6.79	43.24	12.64	96.5	231	30.7	7.1	440	3.82	39.0	0.4	5.3	0.3	7.2	0.47	1.47	0.25	82	0.08	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
1000E 1750N	Soil	6.4	26.6	0.26	130.4	0.015	1	1.37	0.004	0.04	0.2	2.0	0.15	<0.02	62	0.9	0.09	4.2
1000E 1775N	Soil	9.7	35.0	0.35	139.5	0.016	2	2.01	0.006	0.05	0.2	3.2	0.19	0.03	103	1.6	0.14	4.9
1000E 1800N	Soil	7.3	37.6	0.50	99.0	0.014	2	1.57	0.007	0.06	0.1	2.7	0.23	0.03	97	1.1	0.10	3.4
1000E 1825N	Soil	8.3	40.7	0.33	191.0	0.016	2	1.70	0.005	0.07	0.1	2.6	0.23	0.05	102	1.2	0.09	4.1
1000E 1850N	Soil	9.6	47.9	0.34	117.3	0.021	3	1.83	0.005	0.06	0.1	2.7	0.20	0.05	90	1.3	0.09	4.1
1000E 1875N	Soil	12.2	45.5	0.39	185.5	0.019	3	1.63	0.005	0.07	0.1	3.2	0.19	0.05	99	1.4	0.07	3.9
1000E 1900N	Soil	9.8	38.8	0.30	124.5	0.018	3	1.82	0.004	0.04	0.1	2.8	0.08	0.04	108	1.0	0.11	4.1
1000E 1925N	Soil	7.1	47.0	0.44	104.4	0.030	1	1.81	0.007	0.04	0.2	3.0	0.05	<0.02	39	0.6	0.13	5.9
1000E 1950N	Soil	7.5	31.3	0.30	68.6	0.025	<1	1.28	0.002	0.04	0.1	1.8	0.06	<0.02	32	0.3	0.11	5.7
1000E 1975N	Soil	7.1	36.6	0.28	70.7	0.034	1	1.47	0.002	0.04	0.2	2.1	0.06	<0.02	40	0.3	0.07	6.5
1000E 2000N	Soil	4.1	66.3	1.25	112.6	0.022	<1	2.20	0.002	0.02	0.1	4.8	<0.02	<0.02	36	0.4	0.04	7.6
1000E 2025N	Soil	8.4	35.7	0.34	96.5	0.019	2	1.78	0.003	0.03	0.1	2.3	0.07	<0.02	64	0.7	0.08	5.1
1000E 2050N	Soil	10.0	44.5	0.52	126.1	0.019	1	1.73	0.003	0.06	0.1	2.6	0.07	<0.02	32	0.6	0.08	5.3
1000E 2075N	Soil	8.6	58.0	0.63	107.1	0.022	1	2.02	0.003	0.06	0.1	3.1	0.08	<0.02	53	0.7	0.13	6.0
1000E 2100N	Soil	9.4	42.8	0.38	106.0	0.031	2	1.63	0.004	0.05	0.2	2.5	0.07	<0.02	45	0.5	0.06	6.8
1000E 2125N	Soil	8.4	45.4	0.43	188.2	0.015	2	2.36	0.003	0.07	0.1	2.9	0.12	<0.02	67	1.1	0.12	4.7
1000E 2150N	Soil	14.7	103.1	0.76	261.8	0.040	1	2.09	0.006	0.06	<0.1	5.0	0.11	<0.02	68	0.7	0.08	6.3
1000E 2175N	Soil	18.6	47.5	0.41	216.8	0.021	1	2.07	0.005	0.08	0.1	4.2	0.11	0.02	72	0.9	0.10	6.1
1000E 2200N	Soil	10.6	43.7	0.59	76.9	0.017	1	1.88	0.003	0.06	<0.1	2.7	0.08	<0.02	43	1.1	0.08	4.6
1000E 2225N	Soil	9.3	55.6	0.36	107.0	0.019	2	1.37	0.003	0.06	0.1	1.8	0.07	<0.02	35	0.7	0.09	5.1
1000E 2250N	Soil	7.4	68.0	0.38	92.5	0.016	1	1.46	0.003	0.05	0.1	1.4	0.10	<0.02	51	0.6	0.08	5.3
1000E 2275N	Soil	7.5	41.8	0.33	70.7	0.017	1	1.44	0.005	0.04	<0.1	1.5	0.09	<0.02	51	0.6	0.14	5.1
1000E 2300N	Soil	6.9	54.9	0.80	79.9	0.151	2	2.17	0.004	0.05	0.1	3.3	0.08	0.03	58	0.6	0.09	9.7
1000E 2325N	Soil	7.4	48.0	0.42	127.3	0.012	1	1.76	0.003	0.07	<0.1	1.9	0.09	<0.02	50	0.8	0.09	4.7
1000E 2350N	Soil	11.5	23.5	0.21	94.9	0.064	3	1.30	0.004	0.04	<0.1	2.1	0.12	<0.02	38	0.5	0.07	8.1
1000E 2375N	Soil	9.2	28.4	0.37	129.0	0.142	3	1.69	0.004	0.06	0.1	2.8	0.06	0.03	60	0.8	0.07	9.0
1000E 2400N	Soil	9.8	28.1	0.14	261.7	0.082	2	1.05	0.003	0.06	<0.1	1.9	0.26	<0.02	34	0.4	0.08	7.1
1000E 2425N	Soil	18.3	69.5	0.44	264.5	0.020	10	2.86	0.008	0.09	<0.1	3.8	0.24	0.10	206	2.6	0.07	5.3
1000E 2450N	Soil	13.0	39.5	0.31	147.6	0.017	<1	1.74	0.003	0.06	0.1	2.7	0.11	<0.02	52	1.2	0.14	6.1
1000E 2475N	Soil	10.4	48.3	0.29	135.3	0.018	1	1.33	0.003	0.06	0.1	1.5	0.11	<0.02	41	0.7	0.09	6.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain  
**Report Date:** October 26, 2010

**Page:** 7 of 7 **Part** 1

## CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1000E 2500N	Soil	4.88	48.42	8.85	115.1	957	35.0	10.2	920	3.61	32.6	0.4	7.5	0.3	5.4	0.46	1.29	0.19	71	0.05	0.071
1000E 2525N	Soil	5.08	27.71	11.27	89.0	355	28.1	6.7	865	2.98	31.9	0.3	2.8	0.7	6.7	0.34	1.26	0.23	86	0.07	0.086
1000E 2550N	Soil	7.52	48.27	11.42	134.8	1800	42.7	12.8	898	3.30	37.1	0.5	4.4	0.5	19.5	1.31	1.40	0.22	78	0.23	0.043
1000E 2575N	Soil	4.39	82.31	13.40	161.8	1602	56.0	16.0	1527	3.10	32.3	1.6	1.6	0.4	83.3	4.74	1.47	0.24	50	1.37	0.090





Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

**Project:** Spanish Mountain  
**Report Date:** October 26, 2010

**Page:** 7 of 7 Part 2

## CERTIFICATE OF ANALYSIS

VAN10004889.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
1000E 2500N	Soil	8.0	79.9	0.68	92.3	0.012	1	1.66	0.003	0.06	<0.1	2.0	0.09	0.02	100	1.1	0.12	5.7
1000E 2525N	Soil	10.1	67.5	0.50	90.9	0.040	1	1.06	0.004	0.05	<0.1	2.5	0.12	<0.02	49	0.7	0.08	6.8
1000E 2550N	Soil	10.5	78.9	0.57	199.0	0.026	1	1.50	0.004	0.05	<0.1	2.4	0.11	<0.02	73	1.1	0.11	6.0
1000E 2575N	Soil	8.4	65.1	0.48	189.9	0.019	3	1.59	0.006	0.07	<0.1	2.5	0.07	0.07	101	1.6	0.06	4.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10004889.1

Method	Analyte	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
Pulp Duplicates																					
200E 1500N	Soil	6.98	86.27	13.66	186.0	735	41.8	26.5	2486	3.90	35.5	2.0	1.0	0.3	21.2	2.12	4.35	0.18	61	0.17	0.119
REP 200E 1500N	QC	6.87	83.62	13.50	184.0	723	41.2	26.2	2440	3.96	34.7	2.0	1.0	0.3	20.4	1.97	4.47	0.18	62	0.17	0.123
200E 1925N	Soil	37.91	95.59	40.45	281.0	713	59.5	14.0	1139	5.88	53.8	2.9	3.9	3.6	27.1	1.34	5.62	0.34	76	0.16	0.185
REP 200E 1925N	QC	38.08	94.97	40.11	274.4	711	61.0	14.1	1167	5.87	53.9	2.9	4.3	3.7	27.2	1.22	5.50	0.34	76	0.16	0.189
200E 2150N	Soil	2.75	13.14	7.46	43.3	171	10.0	2.8	129	2.13	8.9	0.4	15.4	1.8	8.4	0.37	0.93	0.18	55	0.07	0.044
REP 200E 2150N	QC	2.76	13.20	7.31	47.3	173	9.8	2.9	133	2.20	9.1	0.4	3.8	1.6	9.1	0.38	0.97	0.19	57	0.07	0.046
500E 1925N	Soil	22.41	60.41	29.62	163.5	587	28.8	7.9	419	5.05	49.2	2.4	3.3	1.0	60.7	1.34	4.75	0.32	63	0.84	0.167
REP 500E 1925N	QC	22.24	65.87	30.18	169.5	561	29.2	7.7	378	5.00	50.4	2.6	1.6	1.0	64.0	1.33	4.80	0.32	63	0.86	0.167
500E 2225N	Soil	1.58	19.28	7.39	93.3	248	18.2	15.8	2456	3.27	13.8	0.3	0.2	0.6	14.1	0.33	1.17	0.20	86	0.22	0.072
REP 500E 2225N	QC	1.58	19.74	7.43	93.6	223	17.3	15.3	2455	3.26	13.5	0.3	0.6	0.6	13.8	0.29	1.14	0.18	85	0.26	0.073
1000E 1275N	Soil	5.41	37.07	10.78	81.0	440	25.3	9.1	349	2.69	29.2	0.5	4.1	0.4	30.8	0.66	2.60	0.15	53	0.38	0.033
REP 1000E 1275N	QC	5.39	38.32	10.61	86.5	466	24.8	9.2	353	2.71	29.7	0.5	12.6	0.4	30.9	0.64	2.63	0.15	54	0.39	0.034
1000E 1650N	Soil	6.28	37.69	10.59	96.3	2721	24.3	7.8	1512	2.74	31.3	0.5	2.9	0.3	8.7	1.05	2.76	0.18	45	0.08	0.065
REP 1000E 1650N	QC	6.72	41.04	11.91	110.3	2850	26.9	8.3	1665	2.92	34.1	0.6	9.3	0.3	9.3	1.18	3.06	0.18	49	0.09	0.070
1000E 2300N	Soil	3.73	41.91	10.17	110.1	457	29.4	14.5	946	5.70	35.6	0.4	2.8	1.0	6.7	0.28	1.93	0.23	128	0.06	0.154
REP 1000E 2300N	QC	3.10	36.10	8.89	92.4	388	25.9	12.9	809	5.13	29.9	0.3	4.0	0.8	5.7	0.22	1.64	0.19	114	0.05	0.123
Reference Materials																					
STD DS7	Standard	21.50	116.6	70.84	404.2	1029	58.1	10.1	641	2.47	53.4	5.3	114.8	5.0	75.5	6.63	6.42	4.92	84	1.00	0.088
STD DS7	Standard	20.78	116.3	73.72	407.6	1017	55.2	9.1	619	2.48	49.1	5.2	85.2	5.0	81.6	6.67	6.58	5.13	86	1.00	0.077
STD DS7	Standard	18.05	102.4	69.44	362.9	878	52.6	8.9	553	2.14	44.1	4.7	70.1	4.3	62.1	5.45	5.48	4.47	73	0.81	0.065
STD DS7	Standard	19.78	108.2	69.84	367.8	922	53.1	8.8	588	2.15	45.4	4.9	71.3	4.6	60.3	5.60	5.78	4.33	72	0.84	0.069
STD DS7	Standard	20.30	105.2	66.69	390.6	1014	58.2	9.9	665	2.47	53.7	4.7	64.8	4.6	75.5	6.68	6.21	4.78	86	0.99	0.080
STD DS7 Expected		20.5	109	70.6	411	890	56	9.7	627	2.39	48.2	4.9	70	4.4	68.7	6.38	4.6	4.51	84	0.93	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Acrex Ventures Ltd.**  
 2300 - 1066 West Hastings Street  
 Vancouver BC V6E 3X2 Canada

Project: Spanish Mountain  
 Report Date: October 26, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10004889.1

Method	Analyte	1F15 La ppm	1F15 Cr ppm	1F15 Mg %	1F15 Ba ppm	1F15 Ti %	1F15 B ppm	1F15 Al %	1F15 Na %	1F15 K %	1F15 W ppm	1F15 Sc ppm	1F15 Ti ppm	1F15 S %	1F15 Hg ppb	1F15 Se ppm	1F15 Te ppm	1F15 Ga ppm
Unit	MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
200E 1500N	Soil	9.0	49.1	0.34	196.8	0.027	<1	1.53	0.005	0.06	<0.1	2.1	0.22	0.03	68	0.9	0.07	5.4
REP 200E 1500N	QC	8.8	48.4	0.34	194.5	0.027	<1	1.49	0.005	0.06	<0.1	2.1	0.22	0.03	61	0.9	0.06	5.1
200E 1925N	Soil	25.5	31.3	0.42	137.7	0.008	<1	1.66	0.008	0.08	0.3	3.2	0.62	0.05	106	3.3	0.23	4.4
REP 200E 1925N	QC	25.1	31.6	0.41	140.0	0.007	1	1.64	0.009	0.08	0.4	3.1	0.61	0.05	108	3.3	0.27	4.6
200E 2150N	Soil	11.7	20.1	0.17	50.7	0.050	1	0.83	0.004	0.03	<0.1	1.4	0.10	<0.02	33	0.2	0.03	5.0
REP 200E 2150N	QC	12.1	19.5	0.17	49.4	0.057	2	0.87	0.004	0.03	0.1	1.5	0.10	<0.02	37	0.2	0.03	5.2
500E 1925N	Soil	15.7	35.9	0.39	110.7	0.014	<1	1.22	0.006	0.06	0.2	1.8	0.35	0.06	78	3.0	0.22	5.4
REP 500E 1925N	QC	15.8	35.2	0.40	117.7	0.014	<1	1.24	0.006	0.06	0.2	1.8	0.36	0.06	82	3.1	0.22	4.9
500E 2225N	Soil	5.6	23.8	0.55	161.1	0.103	3	1.41	0.005	0.03	0.2	2.9	0.05	<0.02	36	<0.1	0.05	7.5
REP 500E 2225N	QC	5.6	23.5	0.55	158.0	0.103	2	1.40	0.005	0.03	0.2	3.1	0.06	<0.02	44	0.3	0.03	7.6
1000E 1275N	Soil	6.8	36.9	0.37	111.8	0.020	<1	0.97	0.004	0.04	0.1	1.7	0.08	<0.02	26	0.5	0.07	3.7
REP 1000E 1275N	QC	6.8	38.2	0.38	115.6	0.020	1	0.97	0.004	0.05	0.1	1.7	0.07	<0.02	34	0.5	0.07	4.0
1000E 1650N	Soil	5.6	28.1	0.26	183.1	0.021	2	0.90	0.003	0.05	<0.1	1.1	0.09	<0.02	66	0.9	0.07	3.2
REP 1000E 1650N	QC	5.9	30.1	0.29	186.6	0.023	1	1.00	0.003	0.06	0.1	1.2	0.10	0.02	63	0.9	0.11	3.6
1000E 2300N	Soil	6.9	54.9	0.80	79.9	0.151	2	2.17	0.004	0.05	0.1	3.3	0.08	0.03	58	0.6	0.09	9.7
REP 1000E 2300N	QC	5.7	42.9	0.71	67.9	0.124	1	1.99	0.003	0.04	<0.1	2.7	0.07	0.02	62	0.5	0.05	8.2
Reference Materials																		
STD DS7	Standard	14.7	192.4	1.08	411.4	0.131	44	1.06	0.098	0.48	3.8	2.7	4.25	0.21	235	3.4	1.33	5.1
STD DS7	Standard	14.7	199.5	1.08	419.5	0.135	43	1.08	0.100	0.48	4.0	2.8	4.30	0.21	217	3.2	1.35	4.7
STD DS7	Standard	12.1	185.6	0.91	338.7	0.107	36	0.87	0.078	0.40	3.3	2.2	3.82	0.18	207	2.9	1.22	4.0
STD DS7	Standard	12.8	194.9	0.92	332.6	0.122	38	0.91	0.079	0.42	3.1	2.3	3.71	0.18	206	2.8	1.21	4.2
STD DS7	Standard	13.7	205.1	1.09	408.3	0.124	38	1.08	0.099	0.48	3.9	2.8	4.23	0.20	205	3.6	1.36	4.9
STD DS7 Expected		11.7	179	1.05	410	0.124	38.6	0.959	0.089	0.44	3.4	2.5	4.19	0.19	200	3.5	1.08	4.6
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.